

83-#887 B-11803

REPORT ON
GEOCHEMICAL SURVEY AND RECONNAISSANCE MAPPING

J.ONE, MAC 1-6 CLAIMS

NTS 82L/1W

Lat. $50^{\circ}09'$, Long. $118^{\circ}22'$

Vernon Mining Division

for

NAKUSP RESOURCES
(Owner and Operator)

by

U. Schmidt, B.Sc.
I.M. Watson, P.Eng.
I.M. WATSON & ASSOCIATES LTD.

GEOLOGICAL BRANCH
ASSESSMENT REPORT

11,803

January, 1984

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION	1
PROPERTY, LOCATION AND ACCESS	1
HISTORY	2
GEOLOGY	
1. Regional Geology	3
2. J.One-Mac Property	3
GEOCHEMISTRY	
1. Sampling Method	4
2. Analysis and Data Treatment	5
3. Discussion of Results	6
SUMMARY	7
COST STATEMENT	8
CERTIFICATES OF QUALIFICATIONS	9, 10
REFERENCES	11

Appendix

Geochemical Analysis Certificates

Figures

<u>Drawing No.</u>	<u>Title</u>	<u>Scale</u>	<u>Location</u>
83ME1	Index Map	(see bar)	Preceding p. 1
83ME1A	Location	1:125,000	Following p. 1
83ME1B	Claim Map	1:50,000	Following p. 1
83ME2	Reconnaissance Geochemistry Au	1:5000	In pocket
83ME3	Reconnaissance Geochemistry Ag	1:5000	In pocket
83ME4	Reconnaissance Geochemistry As	1:5000	In pocket
83ME5	Reconnaissance Geochemistry Cu	1:5000	In pocket
83ME6	Reconnaissance Geochemistry Pb	1:5000	In pocket
83ME7	Reconnaissance Geochemistry Zn	1:5000	In pocket
83ME8	Sample Location		In Pocket
83ME9	Geology	1:5000	In pocket

INTRODUCTION

The J.One-Mac property of Nakusp Resources is situated in the Monashee Mountains area of the Vernon Mining District, south-central B.C.

Interest arises from several silver-gold veins with a long history of exploration and intermittent production, in the nearby Monashee Pass and Monashee Mountain areas.

Reconnaissance geochemical sampling and geological mapping surveys were carried out on the claims during the period September 9 - 22, 1983 by I.M. Watson and Associates Ltd., as part of a preliminary survey of the area's precious metal potential.

PROPERTY, LOCATION AND ACCESS

The J.One-Mac property comprises six two-post claims and one 20-unit mineral claim located on Yeoward Mountain, 17 km southeast of Cherryville and 60km east-southeast of Vernon. The NTS map reference of the area is 82L/1W.

The claims are held by Nakusp Resources Ltd. under option from J. Graves of Vernon, B.C. Details of the Group are as follows:

<u>Claim Name</u>	<u>Record No.</u>	<u>Expiry Date</u>	<u>No. of Units/Claims</u>
Mac 1 - 6	1294-1299	Nov. 2/83	6
J. One	1176	Nov. 19/83	<u>20</u>
		TOTAL	<u>26</u>

The property is accessible by four-wheel drive vehicle via Highway 6 and the Keefer Lake logging road. The Keefer Lake turnoff is approximately 30 km south of Cherryville. From there, a good gravel road heads northeast along the west




Fig. 83ME1A

NAKUSP RESOURCES LTD.


J. ONE, MAC CLAIMS

LOCATION

Scale 0 1 2 3 4 kilometres

Scale 1:125,000

I.M. WATSON & ASSOCIATES LTD.



side of the Kettle River. A forestry road joins the Keefer Lake road immediately before it crosses to the east side of the Kettle River, a distance of about 9 km from the highway. From there, a 7 km long, rough, four-wheel drive road heads northeast and then north to the property and the summit of the Yeoward Mountain (El. 2150 m).

The property straddles the upper slopes of Yeoward Mountain. The claims cover the steep cirques on the north face and the upper alpine meadows of the summit area. To the south, the slope gradually steepens and below the tree line (1860 m), the southern part of the property is covered by dense mixed evergreen forest, mainly of pine and balsam. Lowest elevation on the property is 1525 m.

Bed rock is well exposed in the summit area of the mountain, particularly along the northern cliffs and steeper eastern slopes.

HISTORY

Records of placer gold and hard rock mining in the area date back to the late 1800's. Gold placer deposits are known in the Cherryville area to the north and in the Kettle River to the south. There is an active placer operation on Monashee Creek 8 km west of the claims and signs of recent placer activity were evident near Marsh Creek 9 km south of the claims.

Hard rock mining activity in the area dates back to 1886 when Crown grants were staked in the Monashee Pass area 8 km to the southwest. Periodic work on those claims included underground development and the operation of a mill on the Withrow Crown grant. The mill was dismantled in the 1940's and only the foundation remains. There is also a record of production from the Monashee St. Paul mine which is located on Monashee Mountain approximately 2 km south-west of the claims.

There is no record of activity on the J.One-Mac claims.

GEOLOGY

1. Regional Geology

The property is underlain by volcanics and sediments of the Upper Triassic-Lower Jurassic Nicola Group (Okulitch and Campbell, 1979). The regional trend is east west, with variable dips.

2. J.One-Mac Property (Dwg. 83ME9)

A reconnaissance mapping survey of the property was completed during the period 9th to 21st September 1983. Mapping control was provided by government topographic map enlargements (1:5000 scale), and air photos, combined with pace, compass and altimeter traverses.

Lithology - The dominant rock type found throughout the property is andesitic volcanics (TRJNv) consisting of flows, tuffs, and breccias. The andesites weather grey-green and range from fine grained and massive to porphyritic (feldspar). Within the andesites, there are thin but distinctive units of grey fine grained limestone (TRJNc) and a brown weathering coarsely crystalline feldspar porphyry (TRJNvp). The limestone is exposed on the summit of Yeoward Mountain. It occurs as a narrow, north-westerly striking bed between fine grained andesitic flows or tuffs. The porphyry outcrops at the top of the cliffs just east of the mountain summit. Contact relationships are not clearly exposed, but it is possible that the porphyry is a sill.

Black shales (TRJNs) form a significant part of the succession on the property, occurring not only as narrow beds within the volcanics but as a readily distinguishable unit outcropping just west of the summit and on the eastern upper slopes of Yeoward Mountain.

Pegmatite float, consisting of large boulders of coarse quartz-feldspar-muscovite, forms a 200-metre long south trending train just east of the mountain summit. No outcrops of the pegmatite could be found, and it is devoid of sulphides.

Structure - Structure attitudes have been determined from lithological contacts, from bedding in sediments and tuffs and from foliation developed throughout the sequence. The general trend of both bedding and foliation is northeasterly, with moderate south-easterly dips.

No folding has been observed.

North striking, steeply dipping fractures cut the andesite in the north-western portion of the property, as noted above, but there are no observed major faults or displacements.

Mineralisation - Pyrite is the only sulphide mineral encountered on the property.

Weakly disseminated pyrite occurs in a narrow rusty weathering quartz-carbonate vein cutting andesites exposed on the upper cliff face on the MAC 3 claim. The vein is one of several which occur in northerly striking, steeply dipping fractures on the northern face of the mountain, but it is the only one bearing sulphide mineralisation. A geochemical rock analysis of the vein material failed to reveal any significant metal content.

Samples were also taken from rusty weathering pyritised and silicified argillite outcropping at 2057 m elevation on the MAC 4 claim; and from pyritic tuffs exposed on the Yeoward Mountain access road at the 1870 m elevation. Neither was anomalous.

GEOCHEMISTRY

1. Sampling Method

A four-man crew carried out the reconnaissance soil sampling survey during the period 19th - 21st September 1983. A total of 397 soil samples were collected at 100-metre spacing along contour line traverses. On steep

terrain, contour separation of 60 m (200') were used. On gentler slopes, the separation was reduced to 30 m (100'), and on the flat summit area, evenly spaced traverses were made.

Altimeters, compasses, hip chains and government topographic map enlargements were all used as sampling controls.

2. a) Analysis and b) Data Treatment

a) Analyses were done at Acme Analytical Laboratories in Vancouver. A -80 mesh fraction of soil was analysed by the inductively coupled argon plasma method (ICP) and a separate analysis for gold was carried out by atomic absorption (A.A.).

The 30 elements reported by the ICP analysis method are as follows:

Mo, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sr, Cd, Sb, Bi,
V, Ca, P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W.

The sample is prepared by dissolving 0.5 grams in hot aqua-regia (3:1:3 nitric acid to hydrochloric acid to water) at 90°C for 1 hour. This is diluted to 10 ml water and converted to an aerosol.

A brief description of the ICP analysis is as follows: high frequency currents in a few turns of induction coil (powered by a high frequency generator) surround a plasma cell and generate a magnetic field. The cell consists of argon plasma enclosed between two concentric quartz tubes surrounding a glass samples injector. The plasma gas is seeded with electrons - resulting temperatures range from 7000 to 10,000°K.

The sample, in aerosol form, is injected into the centre of the cell and rises into the doughnut-shaped plasma ring. The high temperatures vaporize the sample and dissociate molecular species. Spectral intensities of the excited sample are recorded and compared with standards by a computer controlled spectrometer.

b) The anomalous level for each element was statistically established from the ICP analytical data as the mean plus two standard deviation.

Five elements (Ag, As, Cu, Pb, and Zn) were determined to be of geochemical significance. Results of these elements, as well as gold (A.A. analysis) were plotted on the accompanying plans at a scale of 1:5000 (Dwgs. 83ME2 to 83ME7). Threshold/anomalous concentrations established for these elements are as follows:

Au - 30ppb; Ag - 2.0ppm; As - 80ppm; Cu - 90ppm; Pb - 25ppm; Zn - 261ppm. The format used is a series of six size-graded solid circles, each representing a different and equal range of values, the largest being anomalous. The readily visible density contrast patterns reveal not only statistically derived anomalies, but any significant trends of the individual elements. Analytical results for Mo, Ni, Co, Mn, Fe, U, Th, Sr, Cd, Sb, Bi, V, Ca, P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, and W were also appended to this report. These may be keyed to sample number locations provided on drawing no. 83ME8.

3. Discussion of Results

The distribution of metals in soil indicates a main area of interest in the northwestern corner of the property. Roughly coincident silver, zinc and arsenic anomalies occur in the soils on the upper western slopes of Yeoward Mountain, covering an area about 600 m x 800 m. The arsenic concentrations are stronger on the eastern side of the anomaly close to the mountain summit and the northern cliffs. The higher analyses in this area (e.g. 151ppm, 291ppm) come from samples taken close to the zone of fracturing and quartz veining described earlier in this report. Zinc and silver trends correlate closely, but none of the volcanics and sediments outcropping in the immediate area provide any reason for the elevated analyses.

Gold content in soils is low throughout most of the property. There is a scattering of 'one-spot highs' along the western slopes of the mountain, including a 1300ppb sample taken from a seep near the western boundary of the J.One claim. There is also a zone of scattered low to moderately anomalous

samples (35 - 215ppb Au) along a southeasterly trending spur in the southeastern corner of the J.One claim.

There are no well defined copper or lead anomalies or trends. Copper levels tend to be generally higher in the northwestern and southeastern areas mentioned above. Soils also show slightly elevated lead contents in the northwestern area.

SUMMARY

The geological-geochemical reconnaissance appraisal of the J.One and MAC claims has delineated an area of interest requiring follow-up detail sampling and prospecting, followed by trenching if results are favourable.

A silver-arsenic-zinc anomaly in the northwestern part of the property occurs in soils underlain by Nicola Group volcanics and sediments. No mineralisation was observed to account for these anomalies, but they may be related to a north-trending zone of fracturing, veining and weak alteration exposed on the MAC 1, 2, and 3 claims.

A disperse, weak to moderate gold anomaly in the southeastern part of the J.One claim also requires further investigation.

COST STATEMENT - MONASHEE EAST GROUP - J.ONE AND MAC 1-6 CLAIMS

Geological and geochemical surveys - 9 - 21 September 1983.

Salaries and Fees

a) Field Work

U. Schmidt - project geologist	5 days @ \$200.00/day	\$ 1,000.00	
(9, 19-21 September)			
R. Krawinkel - prospector	3 days @ \$100.00/day	300.00	
(19 - 21 September)			
B. Dent - prospector	3 days @ \$100.00/day	300.00	
(19 - 21 September)			
D. McDonald - propsector	3 days @ \$100.00/day	300.00	
(19 - 21 September)			
D. Seaton - prospector	3 days @ \$100.00/day	300.00	
(19 - 21 September)			
R. Allen - prospector	1 day @ \$125.00/day	125.00	

b) Report Preparation

U. Schmidt	3 days @ \$200.00/day	<u>600.00</u>	\$ 2,725.00
------------	-----------------------	---------------	-------------

Room and Board

*16 man days @ \$28.50/man/day			456.00
--------------------------------	--	--	--------

Transportation and Fuel

*Two 4X4 trucks - 4 days @ \$36.65/day/unit	293.20		
Fuel - 221 litres @ 50.8¢/litre	<u>112.27</u>		405.47

Geochemical Analyses

30 element ICP + Au (A.A.)			
397 soils @ \$9.90/sample	3,930.00		
4 pan cons. @ \$9.90/sample	39.60		
4 rock samples @ \$9.90/sample	<u>39.60</u>		4,009.20

Equipment Purchase

27 rolls topo fil @ \$3.50 each	94.50		
405 sample bags @ \$13.75/100	55.69		
40 rolls flagging @ \$1.10	<u>44.00</u>		207.94

Equipment Rental


*4 hand held radios - 4 days @ \$2.50/day/unit	40.00		
*1 mobile radio - 4 days @ \$2.50/day/unit	<u>10.00</u>		50.00

Reproduction, Maps

422.32

TOTAL COSTS \$ 8,275.93

*Prorated costs



I.M. WATSON & ASSOCIATES LTD.


STATEMENT OF QUALIFICATIONS

I, Uwe Schmidt, with residential address in Port Moody, B.C., do hereby declare:

- I am a 1971 graduate of the University of British Columbia with a B.Sc. degree in Geology.

- Since graduation, I have been engaged in mineral exploration in Yukon Territory and British Columbia.

January 20, 1984
Vancouver, B.C.




U. Schmidt, B.Sc.

CERTIFICATE OF QUALIFICATIONS

I, Ivor Moir Watson, of 584 East Braemar Road, North Vancouver, hereby certify that:

1. I am a consulting geologist with offices at 410 - 675 West Hastings Street, Vancouver, B.C.
2. I am a graduate of the University of St. Andrews, Scotland, (B.Sc., Geology, 1955).
3. I have practised by profession continuously since graduation.
4. I am a member in good standing of the Association of the Professional Engineers of B.C., and a Fellow of the Geological Association of Canada.
5. Work on the J.One-Mac Group was carried out by the following people:
 - U. Schmidt, project geologist
 - R. Krawinkel, sampler
 - B. Dent, sampler
 - B. MacDonald, sampler
 - D. Seaton, sampler

January 20, 1984
Vancouver, B.C.


I.M. Watson, B.Sc. P. Eng.



REFERENCES

Jones, A.G., Vernon Map Area, B.C. G.S.C. Memoir 296, 1959.

Okulitch, A.V. and Campbell, R.B. G.S.C. Open File 637, 1979.

Schmidt, U. and Watson, I.M. "Geochemical Survey and Reconnaissance Mapping David One Mineral Claim", October 1983.

Sookochoff, L. Evaluation Report for Nakusp Resources Limited on the Monashee East Properties 1983.

B.C. Minister of Mines Annual Reports	1980
	1891
	1897
	1900
	1901
	1902
	1922
	1933
	1934
	1935
	1940

B.C. Dept of Mines Bulletin 20, Part 3.

APPENDIX

GEOCHEMICAL ANALYSIS CERTIFICATES

I.M. WATSON & ASSOCIATES PROJECT # NAKUSF FILE # 83-2358

SAMPLE #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au ppb
DMB-39329	3	42	13	143	.9	20	9	650	3.55	10	2	ND	2	10	1	2	6	52	.06	.10	11	27	.56	108	.02	7	2.42	.02	.13	2	5
DMB-39330	3	38	15	147	.7	22	9	490	3.67	12	7	ND	2	9	1	2	3	53	.06	.09	9	36	.71	103	.03	7	2.57	.02	.11	2	5
DMB-39331	3	63	21	294	2.0	30	18	1408	3.40	34	2	ND	2	38	7	3	6	41	.50	.15	18	23	.45	147	.03	7	2.75	.02	.12	2	5
DMB-39332	2	64	35	272	.9	31	21	1308	3.68	40	2	ND	2	15	5	2	2	46	.15	.11	13	40	.83	134	.03	6	3.06	.02	.10	2	5
DMB-39333	2	70	27	315	1.1	38	20	1236	3.53	40	2	ND	2	30	6	2	2	42	.34	.12	14	50	.57	161	.02	6	3.39	.02	.13	2	5
DMB-39335	1	52	18	249	1.5	29	17	915	3.67	35	2	ND	2	26	4	2	2	59	.27	.08	13	42	.77	150	.03	6	3.13	.02	.10	2	5
DMB-39336	2	40	25	179	1.4	19	15	1225	2.97	25	5	ND	2	33	3	2	2	41	.31	.11	23	25	.49	145	.03	6	2.66	.02	.10	2	5
DMB-39337	2	49	25	198	.6	23	12	1123	2.72	22	3	ND	2	21	4	2	2	34	.28	.13	12	19	.38	115	.02	6	2.63	.02	.10	2	5
DMB-39338	2	37	29	174	.2	24	14	1343	3.06	27	6	ND	2	19	2	2	2	41	.16	.11	17	22	.46	167	.03	5	2.44	.02	.14	2	5
DMB-39339	2	77	25	184	1.1	30	15	1176	3.26	35	3	ND	2	46	2	2	2	47	.50	.14	16	28	.56	144	.03	5	2.85	.01	.13	2	5
DMB-39340	2	65	21	152	1.5	21	13	974	2.81	29	2	ND	2	40	2	2	2	39	.44	.13	16	22	.47	116	.03	5	3.00	.02	.09	2	5
DMB-39342	3	57	20	132	1.2	21	13	1036	2.86	33	4	ND	2	15	2	5	2	40	.13	.11	11	23	.45	96	.02	6	2.72	.02	.11	2	5
DMB-39343	2	47	18	106	3.8	18	7	459	2.67	25	2	ND	2	27	1	3	2	43	.28	.13	20	21	.42	131	.03	6	3.01	.03	.10	2	5
DMB-39345	2	51	23	149	.4	24	16	1158	3.25	27	2	ND	2	16	2	2	2	49	.15	.12	11	27	.61	127	.03	5	2.66	.02	.13	2	5
DMB-39346	1	37	20	101	.4	17	11	1090	2.95	26	2	ND	2	17	1	2	2	46	.13	.12	6	25	.48	140	.02	5	1.65	.02	.10	2	5
DMB-39347	2	35	20	124	.2	18	12	1012	3.02	15	2	ND	2	13	1	2	2	46	.08	.12	10	25	.57	112	.03	6	2.56	.02	.10	2	5
DMB-39348	2	43	25	150	.2	24	16	1325	3.29	18	2	ND	2	17	2	2	2	49	.19	.11	13	27	.64	116	.04	6	2.57	.02	.13	2	5
DMB-39349	2	47	20	134	.5	20	16	1267	3.21	30	6	ND	2	15	2	2	2	49	.12	.11	11	24	.62	107	.03	6	2.51	.02	.12	2	5
DMB-39350	3	33	21	89	.6	16	10	777	3.00	25	3	ND	2	20	1	2	2	46	.29	.07	12	24	.47	101	.04	6	2.48	.03	.10	2	5
DMB-39351	3	53	21	143	.1	22	19	1294	3.72	27	3	ND	2	21	1	2	2	65	.15	.08	11	35	.77	112	.06	6	2.80	.02	.12	2	5
DMB-39352	1	56	28	142	.7	18	13	1158	2.81	29	2	ND	2	46	3	2	2	52	.84	.11	10	27	.70	113	.04	6	2.43	.02	.09	2	5
DMB-39353	1	40	45	127	.2	12	25	3125	2.40	13	2	ND	2	44	3	2	2	47	.90	.16	3	18	.56	229	.03	9	1.24	.02	.13	2	5
DMB-39354	1	46	17	74	.1	14	11	789	3.88	12	7	ND	2	16	1	2	2	69	.16	.17	4	27	.47	73	.05	6	2.02	.02	.08	2	5
DMB-39355	1	30	15	55	.9	9	4	409	2.56	15	4	ND	2	17	1	2	2	52	.16	.09	6	19	.29	114	.06	4	1.55	.03	.07	2	5
DMB-39356	1	27	15	54	.7	11	5	663	2.86	12	8	ND	2	15	1	2	2	52	.09	.13	5	26	.30	83	.05	5	1.61	.03	.08	2	5
DMB-39357	2	35	17	101	.7	17	8	491	3.72	20	5	ND	2	16	1	2	2	65	.11	.09	8	30	.62	99	.06	5	2.05	.02	.09	2	10
DMB-39358	1	39	16	114	1.2	18	10	752	3.88	22	8	ND	2	15	1	2	2	67	.11	.14	7	31	.71	91	.04	5	2.30	.02	.09	2	5
DMB-39359	1	38	15	102	.2	18	9	492	4.37	25	4	ND	2	18	1	2	2	74	.12	.07	7	32	.78	91	.08	6	2.51	.01	.08	2	5
DMB-39360	2	29	16	104	1.0	16	8	570	3.70	17	3	ND	2	22	1	2	2	65	.16	.10	7	29	.69	92	.07	7	2.44	.02	.09	2	5
DMB-39361	3	30	15	119	.7	17	9	707	3.42	16	6	ND	2	16	1	2	2	56	.11	.11	9	27	.57	118	.06	6	2.55	.02	.09	2	5
DMB-39362	1	34	18	121	.6	21	13	723	3.75	21	4	ND	2	24	1	2	2	65	.18	.09	8	34	.83	141	.07	7	2.64	.02	.10	2	5
DMB-39363	1	35	14	110	.5	19	12	688	3.44	18	6	ND	2	22	1	2	2	59	.18	.10	7	30	.77	113	.07	7	2.35	.02	.09	2	5
DMB-39364	1	74	24	158	.3	34	21	1290	4.52	27	3	ND	2	32	2	2	2	79	.33	.10	10	45	1.12	155	.05	7	3.01	.01	.16	2	5
DMB-39365	1	37	13	90	.1	18	9	417	3.88	13	2	ND	2	22	1	2	2	75	.18	.07	6	35	.73	94	.12	6	2.66	.02	.07	2	5
DMB-39366	1	59	21	127	.3	22	21	1618	5.34	26	5	ND	2	23	1	2	2	93	.18	.11	5	33	.94	158	.07	8	2.77	.02	.10	2	5
DMB-39367	2	88	18	122	.2	32	23	1295	4.93	20	2	ND	2	21	2	2	2	81	.18	.07	7	33	.86	135	.06	6	3.14	.02	.09	2	5
DMB-39368	1	79	20	117	.3	26	24	1348	5.02	15	6	ND	2	30	2	2	2	119	.44	.07	10	42	1.20	102	.09	9	2.85	.02	.07	2	5
DMB-39369	3	51	16	176	.2	30	17	883	4.69	9	5	ND	2	15	2	2	2	63	.16	.19	5	30	.77	163	.06	7	2.90	.02	.09	2	5
DMB-39370	5	59	16	219	.6	30	14	1112	4.55	19	5	ND	2	14	2	2	2	66	.09	.19	7	27	.76	197	.05	6	2.98	.02	.08	2	25
DMB-39371	7	79	14	178	.6	39	18	711	4.99	19	6	ND	2	10	2	2	2	51	.08	.15	8	22	.79	163	.05	7	2.44	.01	.07	2	5
DMB-39372	6	50	19	154	.7	23	15	1274	4.83	27	4	ND	2	9	2	2	2	58	.05	.12	7	28	.50	138	.03	6	2.62	.02	.07	2	5
DMB-39373	1	50	15	129	.5	24	15	1566	3.80	8	3	ND	2	25	1	2	2	64	.20	.08	6	25	.58	199	.12	5	2.62	.02	.07	2	5
DMB-39374	1	45	13	103	.2	23	15	765	4.16	19	2	ND	2	43	1	2	3	78	.44	.07	8	41	1.04	143	.10	8	2.61	.02	.11	2	5
DMB-39375	1	42	17	102	.3	17	11	539	4.26	18	3	ND	2	37	1	2	2	76	.38	.06	10	29	.55	105	.14	8	2.48	.02	.09	2	5
DMB-39376	1	27	17	96	.3	16	9	549	3.45	14	7	ND	2	33	1	2	2	67	.26	.07	7	29	.64	118	.10	6	2.38	.02	.09	2	5

SAMPLE #	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	
DMB-39377	1	27	13	92	.2	15	10	662	3.36	14	4	ND	2	37	1	2	2	64	.29	.05	7	29	.71	136	.10	6	2.26	.02	.09	2	5
DMB-39378	1	34	14	108	.1	16	14	1046	3.19	12	2	ND	2	34	1	2	2	57	.36	.07	10	26	.67	125	.07	6	2.61	.02	.09	2	5
DMB-39379	1	58	14	107	.4	19	17	1232	3.37	16	2	ND	2	33	1	2	2	65	.42	.07	12	30	.71	118	.06	6	2.59	.02	.08	2	5
DMB-39381	1	83	17	123	.3	29	22	1150	3.96	14	2	ND	2	48	1	2	2	74	.63	.09	11	42	.98	147	.07	8	2.84	.02	.11	2	5
DMB-39382	1	95	16	111	.4	22	18	1295	3.37	12	6	ND	2	44	2	2	2	65	.62	.11	15	30	.75	91	.04	6	2.55	.02	.11	2	5
DMB-39383	1	64	15	116	.1	22	18	1029	3.63	15	6	ND	2	30	1	2	2	61	.31	.08	12	30	.73	109	.08	7	2.45	.02	.10	2	5
DMB-39384	1	78	17	97	.4	22	16	1315	3.02	16	2	ND	2	53	2	2	2	54	.82	.10	13	24	.66	102	.05	6	2.68	.02	.10	2	5
DMB-39386	1	37	22	106	.1	18	23	1994	3.49	20	4	ND	2	32	1	2	2	59	.34	.09	8	27	.61	228	.06	8	2.16	.01	.10	2	5
DMB-39388	2	57	16	150	.5	24	18	903	4.35	21	2	ND	2	44	3	2	2	82	.53	.06	8	37	1.13	108	.10	7	2.55	.02	.12	2	5
DMB-39389	2	75	21	187	.6	28	22	1701	5.03	28	2	ND	2	38	2	2	2	87	.61	.10	12	41	.96	176	.06	7	3.07	.02	.11	2	5
DMB-39390	1	47	12	94	.5	17	10	711	4.51	17	5	ND	2	26	2	2	2	87	.21	.09	5	35	.71	91	.08	7	2.26	.02	.08	2	5
DMB-39391	2	47	12	81	.5	16	10	990	4.46	12	4	ND	2	21	1	2	2	78	.16	.08	6	32	.57	126	.09	6	2.11	.02	.09	2	5
DMB-39393	2	44	12	110	1.3	17	10	861	4.47	21	8	ND	2	24	2	2	2	80	.24	.18	5	32	.67	127	.07	6	2.08	.02	.10	2	5
DMB-39394	3	71	14	169	.7	34	27	847	4.48	41	2	ND	2	33	4	2	2	65	.43	.09	12	38	.96	94	.07	6	3.65	.01	.10	2	5
DMB-39395	1	44	16	199	.3	22	19	1372	4.55	83	3	ND	2	20	2	2	2	65	.19	.09	13	27	.84	153	.06	6	2.97	.01	.09	2	5
DMB-39396	2	50	16	227	.3	25	22	1451	4.13	21	2	ND	2	37	5	2	2	59	.53	.12	8	26	.99	139	.06	7	2.44	.02	.09	2	5
DMB-39397	2	40	13	168	.2	21	17	1392	4.02	24	4	ND	2	23	1	2	2	62	.22	.08	5	26	.92	127	.09	6	2.66	.01	.09	2	5
DMB-39398	2	39	12	185	.3	24	18	1364	4.19	14	3	ND	2	28	2	2	2	63	.36	.06	5	26	1.08	172	.15	6	2.52	.02	.09	2	10
DMB-39399	1	43	14	138	.1	23	13	818	4.12	11	2	ND	2	38	2	2	2	85	.38	.05	4	37	1.03	163	.15	6	2.62	.01	.08	2	5
DMB-39400	1	53	12	94	.3	23	21	1240	4.56	6	2	ND	2	42	1	2	2	93	.47	.07	6	46	1.14	83	.21	9	3.65	.02	.08	2	5
DMB-39402	2	40	14	119	.7	18	11	1099	4.24	12	2	ND	2	22	1	2	2	68	.18	.13	6	29	.63	124	.07	7	2.34	.02	.09	2	5
DMB-39403	1	59	10	100	.5	29	13	583	4.05	12	3	ND	2	38	1	2	2	75	.41	.07	5	43	1.20	86	.13	8	2.44	.02	.10	2	5
DMB-39404	2	44	15	118	1.4	18	10	511	4.55	13	6	ND	2	18	2	2	2	74	.14	.16	5	32	.63	106	.10	8	2.52	.02	.09	2	5
DMB-39405	2	35	13	151	.9	19	10	738	4.01	12	3	ND	2	20	1	2	2	68	.17	.17	5	28	.62	163	.09	7	2.51	.02	.09	2	5
DMB-39406	1	43	14	133	.4	23	13	513	3.84	17	2	ND	2	27	1	2	2	65	.25	.09	5	29	.75	148	.10	6	2.67	.02	.08	2	5
DMB-39407	1	26	12	102	.3	15	12	1624	3.60	11	2	ND	2	25	1	2	2	68	.21	.09	4	27	.78	138	.10	5	2.16	.02	.09	2	5
DMB-39408	1	42	13	131	.6	24	16	829	4.14	15	2	ND	2	43	2	2	2	71	.53	.06	5	34	.77	136	.10	7	2.97	.02	.09	2	10
DMB-39409	1	51	14	153	.6	27	17	1149	4.59	10	2	ND	2	22	2	2	2	87	.25	.17	4	35	.78	169	.09	7	3.11	.02	.09	2	5
DMB-39410	1	36	9	93	.2	19	9	434	3.87	17	3	ND	2	44	1	2	2	84	.47	.05	6	36	.84	218	.12	7	2.29	.01	.13	2	5
DMB-39275	8	33	18	204	.5	29	8	512	3.28	18	4	ND	3	29	3	2	2	72	.48	.10	10	33	1.08	160	.08	4	1.78	.02	.32	2	5
DMB-39334	3	53	42	267	1.1	36	11	962	3.07	86	2	ND	2	43	6	2	2	33	.64	.10	14	25	.65	129	.01	4	1.92	.01	.09	2	10
DMB-39341	3	58	21	134	.4	27	14	854	3.78	33	2	ND	2	29	2	2	2	50	.38	.08	8	32	.95	88	.02	5	2.27	.01	.10	2	5
DMB-39344	1	62	20	91	1.4	24	12	799	2.98	48	2	ND	2	41	2	3	2	42	.55	.08	11	27	.63	68	.07	5	3.99	.02	.06	2	5
DMB-39380	1	43	12	78	.2	20	13	662	3.08	12	2	ND	2	25	1	2	2	51	.37	.05	5	32	.97	61	.05	5	2.01	.01	.07	2	5
DMB-39385	1	57	25	71	.4	18	12	865	2.47	14	2	ND	2	36	1	2	2	37	.65	.08	8	19	.57	73	.02	5	1.89	.01	.07	2	5
DMB-39387	1	46	10	95	.2	26	13	689	3.45	14	2	ND	2	23	1	2	2	53	.36	.04	4	28	.98	67	.05	5	2.13	.01	.08	2	5
DMB-39392	1	40	12	100	.3	19	10	693	3.10	16	2	ND	2	30	2	2	2	52	.65	.05	4	32	.90	55	.04	5	1.71	.01	.06	2	5
DMB-39401	1	32	12	78	.2	18	11	582	3.10	10	2	ND	2	20	1	2	2	51	.34	.06	4	30	1.06	46	.06	4	1.73	.01	.06	2	5

SAMPLE #	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	F	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	I	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	I	I	ppm	ppm	I	ppm	I	ppm	I	I	I	I	ppm	ppb
RKB-32416	2	36	8	100	1.1	14	5	291	2.82	8	2	ND	2	12	1	2	2	52	.08	.07	8	23	.45	102	.01	7	2.29	.01	.07	2	5
RKB-32417	3	40	6	106	1.2	18	6	402	2.91	8	4	ND	2	9	1	2	2	44	.05	.09	10	29	.44	99	.02	7	2.51	.02	.08	2	5
RKB-32418	3	44	11	198	1.3	27	13	879	3.40	17	5	ND	2	9	2	4	2	47	.06	.09	12	35	.53	132	.02	8	2.26	.02	.11	2	5
RKB-32419	3	43	11	152	.9	22	11	710	3.46	25	2	ND	2	11	1	2	2	51	.09	.11	11	32	.61	126	.02	9	2.29	.02	.11	2	5
RKB-32420	2	195	10	574	4.8	60	19	1060	3.83	349	2	ND	2	46	13	2	2	44	.85	.13	24	38	.68	115	.04	10	3.23	.02	.10	2	10
RKB-32421	3	64	11	386	1.4	32	17	1389	3.92	41	3	ND	2	31	7	2	2	49	.51	.12	18	28	.58	141	.03	10	3.15	.02	.10	2	5
RKB-32422	2	65	14	303	1.7	35	20	1474	3.79	39	2	ND	2	44	5	8	3	48	.83	.13	19	31	.59	160	.03	9	2.74	.02	.12	2	5
RKB-32424	2	32	9	106	1.9	13	8	636	2.39	19	2	ND	2	18	1	2	2	33	.18	.10	7	19	.34	115	.02	5	2.12	.02	.06	2	5
RKB-32425	2	75	9	356	2.1	32	12	880	2.68	24	2	ND	2	15	8	2	2	31	.17	.08	20	18	.31	108	.02	6	2.20	.02	.08	2	5
RKB-32427	2	67	16	340	1.4	33	21	1524	3.41	36	2	ND	2	28	6	2	2	45	.32	.12	26	30	.65	152	.03	8	2.72	.02	.11	2	5
RKB-32428	3	72	18	359	3.6	46	20	965	4.31	48	3	ND	2	42	13	2	2	56	.58	.12	19	47	.88	142	.02	9	3.14	.02	.11	2	5
RKB-32430	2	66	18	242	1.3	35	19	978	3.61	46	2	ND	2	38	3	2	2	49	.48	.11	13	34	.74	133	.03	9	2.74	.02	.13	2	5
RKB-32433	3	51	16	194	1.6	26	13	744	3.51	34	4	ND	2	11	2	4	2	49	.09	.11	10	33	.68	93	.02	7	2.56	.02	.10	2	5
RKB-32436	3	75	16	245	1.5	39	20	1114	3.96	28	2	ND	2	25	3	2	2	55	.33	.11	14	40	.82	146	.03	9	2.92	.02	.12	2	5
RKB-32437	3	57	8	223	1.1	36	19	1554	3.86	29	2	ND	2	27	3	2	2	35	.37	.12	11	37	.90	150	.02	8	2.63	.02	.13	2	5
RKB-32439	3	59	14	177	1.4	30	14	687	3.82	35	2	ND	2	25	1	2	2	59	.35	.09	15	34	.86	110	.03	8	2.42	.01	.13	2	20
RKB-32441	2	51	12	110	.6	19	13	848	3.45	27	2	ND	2	15	1	2	2	62	.11	.09	9	31	.76	105	.04	8	2.58	.02	.11	2	10
RKB-32442	2	31	15	103	.4	15	10	1031	3.02	17	2	ND	2	35	1	2	2	52	.43	.11	8	24	.54	156	.05	8	2.22	.02	.09	2	5
RKB-32443	1	55	14	97	.2	19	18	1618	3.87	21	3	ND	2	17	1	2	2	76	.17	.14	6	26	.78	156	.04	9	2.33	.02	.09	2	5
RKB-32447	1	52	7	79	.9	16	17	667	2.82	13	5	ND	2	27	1	2	2	50	.52	.10	9	26	.56	79	.05	6	2.59	.02	.05	2	5
RKB-32449	1	37	12	87	.8	14	6	484	2.43	8	2	ND	2	17	1	2	2	42	.28	.12	13	20	.49	87	.04	5	3.22	.02	.05	2	5
RKB-32450	1	52	12	72	.3	15	15	677	3.13	11	3	ND	2	13	1	5	2	38	.08	.08	7	29	.65	67	.06	6	2.49	.01	.06	2	5
RKB-32451	1	73	12	62	.2	15	13	891	2.79	3	2	ND	2	15	1	2	2	54	.12	.12	9	25	.51	84	.06	8	2.58	.01	.05	2	5
RKB-32452	2	53	15	101	.2	19	11	861	3.92	22	2	ND	2	15	1	2	2	65	.08	.12	7	34	.73	91	.07	7	3.00	.01	.07	2	5
RKB-32453	1	42	17	95	.1	17	14	1110	3.04	10	2	ND	2	18	1	2	2	55	.12	.11	8	27	.64	110	.05	7	2.59	.02	.08	2	5
RKB-32454	1	43	25	105	.1	16	11	1097	3.07	10	2	ND	2	16	1	2	2	56	.10	.12	8	29	.69	108	.04	5	2.66	.01	.08	2	5
RKB-32455	2	42	17	92	.3	15	8	722	3.02	16	2	ND	2	12	1	2	2	50	.07	.10	6	29	.57	93	.03	5	2.47	.01	.07	2	5
RKB-32456	2	37	18	115	.8	15	10	736	2.56	12	3	ND	2	12	1	2	2	42	.10	.10	9	25	.50	101	.03	5	2.63	.01	.08	2	5
RKB-32458	2	61	25	174	1.7	27	11	1000	2.92	19	2	ND	2	17	2	2	2	50	.19	.14	13	33	.54	123	.03	5	3.16	.02	.09	2	5
RKB-32459	2	31	20	82	1.0	14	7	635	2.46	11	2	ND	2	8	1	2	2	42	.04	.08	10	27	.45	81	.03	4	2.68	.02	.07	2	5
RKB-32461	2	43	44	129	1.5	20	14	1039	3.01	29	2	ND	2	19	1	5	2	48	.17	.11	11	28	.66	139	.04	5	2.32	.01	.10	2	5
RKB-32462	2	29	18	84	.9	12	7	525	2.42	14	2	ND	2	12	1	3	2	39	.06	.08	8	22	.40	97	.02	4	2.03	.01	.06	2	5
RKB-32463	2	22	13	50	.6	9	3	199	2.77	16	2	ND	2	9	1	2	2	49	.04	.04	6	23	.35	54	.05	3	1.73	.02	.05	2	5
RKB-32465	2	47	27	85	.2	14	13	1161	2.78	13	2	ND	2	16	1	2	2	49	.15	.10	9	21	.47	90	.06	6	2.31	.02	.07	2	5
RKB-32466	1	40	16	70	.3	15	7	488	3.61	16	2	ND	2	19	1	3	2	72	.12	.05	5	33	.68	107	.11	6	2.46	.01	.05	2	5
RKB-32467	1	52	16	112	.3	20	15	1399	3.37	12	3	ND	2	30	1	2	2	62	.27	.11	6	32	.73	178	.08	7	2.33	.02	.07	2	5
RKB-32468	1	83	14	110	.1	25	22	1217	3.53	13	2	ND	2	37	1	2	2	67	.51	.13	10	41	.92	89	.06	10	2.61	.01	.12	2	5
RKB-32469	1	112	15	105	.4	28	23	1170	3.74	13	2	ND	2	33	1	2	2	78	.61	.13	9	56	1.13	72	.07	8	2.82	.01	.10	2	5
RKB-32470	1	76	24	111	.2	24	26	1609	2.87	9	2	ND	2	36	1	2	2	53	.64	.16	9	28	.69	106	.04	7	2.20	.01	.09	2	5
RKB-32471	2	88	15	103	.5	25	25	1434	3.41	11	2	ND	2	46	1	2	2	59	.58	.14	12	28	.66	87	.04	7	2.66	.01	.09	2	5
RKB-32472	1	99	20	101	.7	25	27	1221	3.24	14	3	ND	2	43	2	2	2	62	.98	.15	10	33	.65	90	.04	8	2.66	.02	.09	2	5
RKB-32473	1	57	18	102	.4	18	18	1578	2.57	12	2	ND	2	48	1	2	2	50	1.16	.14	10	20	.42	106	.04	6	2.58	.02	.07	2	5
RKB-32474	2	40	17	66	.4	12	8	525	2.79	10	2	ND	2	12	1	2	2	45	.10	.13	8	19	.25	82	.04	5	2.80	.01	.05	2	5
RKB-32475	3	38	23	122	.3	19	15	1219	2.60	12	2	ND	2	13	1	2	2	45	.12	.11	10	20	.39	130	.02	6	2.22	.01	.07	2	5
RKB-32476	4	31	26	91	.1	17	6	296	3.07	18	2	ND	2	12	1	2	2	60	.11	.11	8	22	.41	107	.04	5	1.67	.01	.08	2	5

I.M. WATSON & ASSOCIATES PROJECT # NAKUSP FILE # 83-2358

PAGE # 4

SAMPLE #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	F %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au ppb
RKB-32477	5	31	24	138	1.5	17	8	511	3.28	16	3	ND	2	11	1	2	2	50	.08	.07	11	22	.48	101	.02	6	2.13	.02	.10	2	5
RKB-32479	3	51	23	156	.8	25	15	1169	3.49	32	2	ND	2	19	1	2	2	47	.17	.12	14	26	.70	158	.03	5	2.42	.01	.12	2	5
RKB-32480	4	50	18	146	1.2	25	14	1020	3.64	32	2	ND	2	17	1	2	2	50	.16	.13	13	26	.68	143	.02	7	2.39	.01	.13	2	25
RKB-32481	4	28	16	128	1.7	16	8	831	2.86	22	2	ND	2	10	1	2	2	36	.10	.14	10	17	.31	138	.02	6	2.21	.02	.08	2	5
RKB-32482	3	29	20	105	1.2	15	9	1086	2.87	20	2	ND	2	9	1	2	2	35	.06	.14	11	17	.31	145	.02	4	1.83	.01	.09	2	5
RKB-32484	3	33	21	132	1.6	18	11	1107	3.29	27	3	ND	2	8	1	3	2	38	.04	.12	13	19	.38	133	.02	6	2.30	.01	.08	2	5
RKB-32486	3	36	23	165	1.5	17	10	1444	2.88	28	2	ND	2	45	3	2	2	32	.67	.14	12	17	.30	143	.02	5	2.80	.02	.09	2	5
RKB-32488	5	39	21	160	.8	20	10	664	3.45	39	2	ND	2	9	1	5	2	40	.05	.10	14	19	.43	145	.01	5	2.26	.01	.10	2	5
RKB-32490	4	43	23	148	2.3	21	11	645	3.67	40	2	ND	2	8	1	2	2	40	.05	.10	13	19	.40	125	.01	5	2.24	.01	.06	2	10
RKB-32491	3	96	20	346	1.4	40	16	1183	4.09	44	2	ND	2	43	6	4	2	48	.39	.11	17	31	.53	158	.02	6	3.00	.01	.12	2	5
RKB-32492	3	45	20	132	.9	19	10	832	3.92	35	2	ND	2	21	2	3	2	61	.16	.08	10	29	.58	134	.02	6	2.18	.01	.10	2	5
RKB-32493	4	36	20	126	.4	19	9	1058	3.80	23	3	ND	2	13	1	2	2	76	.06	.07	9	28	.59	174	.03	6	2.23	.01	.12	2	5
RKB-32494	3	41	19	208	1.5	22	11	883	3.55	35	2	ND	2	8	1	2	4	45	.05	.12	9	23	.59	170	.02	5	2.29	.01	.08	2	5
RKB-32495	3	51	16	158	.4	21	12	626	4.36	34	4	ND	2	12	1	2	4	86	.10	.07	8	32	.95	121	.03	6	2.60	.01	.09	2	5
RKB-32496	3	41	14	132	.4	22	15	984	3.65	21	2	ND	2	15	1	2	2	52	.17	.09	7	30	.68	124	.02	6	2.12	.01	.08	2	5
RKB-32497	1	25	13	63	.2	11	6	340	2.62	5	2	ND	2	15	1	2	2	62	.18	.05	5	33	.57	128	.05	4	1.95	.01	.05	2	5
RKB-32498	2	35	13	81	.2	14	9	1008	2.84	10	2	ND	2	7	1	2	3	40	.06	.09	6	17	.32	97	.05	5	2.23	.01	.05	2	5
RKB-32499	3	34	18	135	.3	22	9	465	3.73	17	2	ND	2	8	1	2	2	58	.10	.08	8	27	.53	115	.02	5	2.16	.01	.08	2	5
RKB-32500	5	43	17	175	.3	24	11	701	3.33	26	2	ND	2	8	1	2	2	41	.06	.08	10	21	.44	150	.02	4	2.32	.01	.07	2	5
RKB-32501	3	24	17	72	.4	10	5	498	2.97	9	4	ND	2	10	1	2	2	48	.07	.08	5	16	.31	87	.02	4	1.74	.01	.03	2	5
RKB-32502	1	34	12	59	.8	11	6	351	3.40	12	3	ND	2	11	1	2	2	58	.09	.07	5	21	.39	72	.07	4	2.12	.01	.03	2	5
RKB-32503	1	49	17	84	.3	15	12	829	2.81	14	2	ND	2	11	1	2	2	45	.09	.07	8	19	.38	89	.05	4	2.10	.01	.03	2	5
RKB-32504	1	36	20	106	.4	15	16	1518	2.39	9	2	ND	2	16	1	2	2	35	.24	.09	6	16	.39	99	.03	4	2.51	.01	.05	2	5
RKB-32505	2	35	15	109	.1	18	13	911	2.91	16	2	ND	2	14	1	2	2	42	.18	.07	7	21	.47	153	.03	5	2.02	.01	.06	2	5
RKB-32506	1	29	25	97	.3	13	16	1816	2.23	11	2	ND	2	35	1	2	2	34	.50	.15	5	17	.38	140	.01	5	2.05	.01	.07	2	5
RKB-32507	2	33	17	102	.2	16	13	1358	2.61	13	2	ND	2	28	1	2	2	38	.47	.09	8	20	.49	156	.02	4	2.13	.01	.05	2	5
RKB-32508	2	40	16	87	.7	13	10	580	2.53	13	2	ND	2	40	1	2	2	44	.83	.08	9	18	.36	162	.02	4	2.50	.01	.03	2	5
RKB-32513	2	46	16	137	.4	23	16	788	3.81	36	2	ND	2	27	1	2	2	58	.43	.08	8	37	1.00	80	.03	5	1.96	.01	.10	2	5
RKB-32514	3	105	21	276	1.5	45	20	1340	5.21	42	3	ND	2	16	3	2	2	80	.11	.10	6	51	.89	183	.03	6	3.15	.01	.11	2	5
RKB-32515	3	29	13	96	1.7	11	5	429	3.06	10	3	ND	2	15	2	2	2	45	.21	.09	4	18	.28	134	.05	4	1.57	.01	.03	2	5
RKB-32516	1	31	13	87	.6	11	7	883	3.33	15	5	ND	2	8	1	2	2	45	.06	.17	4	21	.43	90	.03	4	1.91	.01	.05	2	5
RKB-32517	2	42	15	156	.4	19	14	1159	3.85	22	2	ND	2	17	2	2	2	51	.21	.14	6	24	.65	144	.05	5	2.26	.01	.05	2	5
RKB-32518	3	63	14	337	.5	29	21	2698	3.71	17	2	ND	2	28	4	2	2	49	.46	.12	7	27	.76	291	.02	7	2.32	.01	.06	2	5
RKB-32519	2	38	15	139	.3	19	13	1083	3.46	14	4	ND	2	10	2	2	2	48	.11	.08	5	21	.65	135	.05	5	2.12	.01	.03	2	5
RKB-32520	1	26	11	126	.2	13	10	703	3.48	14	3	ND	2	12	1	2	2	52	.14	.16	3	22	.57	139	.06	5	2.44	.01	.06	2	5
RKB-32521	1	48	11	104	.2	20	11	605	3.60	13	2	ND	2	19	1	2	2	61	.21	.08	4	35	.91	92	.05	6	2.12	.01	.05	2	5
RKB-32522	2	60	12	102	.2	20	12	590	4.06	24	2	ND	2	21	1	2	2	62	.24	.11	4	37	.93	124	.05	6	1.80	.01	.07	2	5
RKB-32524	2	29	10	93	1.5	14	7	436	3.68	17	2	ND	2	11	1	2	2	53	.09	.21	3	28	.53	98	.05	6	2.27	.01	.03	2	5
RKB-32525	2	33	13	104	.7	16	9	553	3.48	13	4	ND	2	12	1	2	2	53	.11	.13	4	26	.53	111	.05	5	2.17	.01	.05	2	5
RKB-32526	1	36	12	123	.4	18	10	557	3.29	18	3	ND	2	12	1	2	2	48	.11	.22	4	24	.52	130	.04	5	2.64	.02	.03	2	5
RKB-32527	1	35	12	108	.5	18	10	319	3.33	15	2	ND	2	12	1	2	2	50	.12	.10	4	24	.53	103	.07	6	2.70	.01	.03	2	5
RKB-32529	1	39	10	124	.6	20	12	558	3.74	16	4	ND	2	15	1	2	2	58	.13	.10	4	36	.77	131	.03	5	2.27	.01	.05	2	5
RKB-32530	2	27	15	108	.2	16	11	952	3.92	16	2	ND	2	18	1	2	2	68	.26	.06	3	26	.55	196	.08	5	2.13	.01	.03	2	20
RKB-32531	1	46	12	92	.5	18	14	591	3.78	35	2	ND	2	10	1	2	2	59	.08	.13	3	24	.61	131	.05	5	2.39	.01	.05	2	35

I. M. WATSON & ASSOCIATES PROJECT # NAKUSP FILE # 83-2358

PAGE # 5

SAMPLE #	No ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	M ppm	Au1 ppm
RKS-32423	2	65	55	294	1.0	44	14	1247	3.33	63	2	ND	2	47	11	5	2	41	.71	.10	14	38	.81	143	.01	5	2.12	.01	.10	2	5
RKS-32426	3	70	27	364	1.0	41	13	769	3.56	71	2	ND	2	32	9	3	2	43	.43	.09	14	35	.83	109	.01	5	2.01	.01	.10	2	5
RKS-32429	3	61	23	376	1.1	56	12	745	3.70	26	2	ND	2	27	10	4	2	43	.37	.09	11	38	.89	101	.01	5	2.06	.01	.09	2	5
RKS-32431	2	89	25	240	2.1	34	15	981	3.58	42	3	ND	2	57	5	2	2	50	.78	.11	14	38	.78	135	.02	4	2.89	.01	.09	2	5
RKS-32432	2	60	26	220	.8	36	13	778	3.70	33	2	ND	2	33	4	5	2	45	.49	.09	9	37	.90	110	.02	4	2.04	.01	.10	2	5
RKS-32434	2	56	19	168	.3	32	13	698	4.09	28	2	ND	2	25	2	2	2	35	.32	.07	7	39	1.16	93	.02	5	2.23	.01	.11	2	5
RKS-32435	3	56	25	213	1.1	32	12	793	3.57	27	2	ND	2	25	4	5	2	43	.40	.10	10	35	.78	100	.01	4	2.16	.01	.09	2	5
RKS-32438	2	43	21	153	.4	24	19	2403	4.25	27	2	ND	2	26	4	2	2	61	.47	.08	6	35	1.11	134	.02	5	2.13	.01	.09	2	5
RKS-32440	1	44	21	152	.3	21	11	787	3.35	28	2	ND	2	28	1	2	2	53	.39	.09	7	27	.86	102	.02	4	1.00	.01	.09	2	5
RKS-32444	1	57	19	75	.4	22	17	826	3.67	8	3	ND	2	26	1	2	2	73	.54	.06	4	43	1.42	38	.08	6	2.50	.01	.07	2	5
RKS-32445	2	52	24	106	.5	22	12	749	3.20	11	2	ND	2	30	1	2	2	56	.62	.07	6	32	.92	54	.03	5	2.20	.01	.06	2	5
RKS-32446	2	35	31	117	.5	18	10	858	2.86	9	2	ND	2	27	2	3	2	49	.58	.08	6	26	.82	82	.02	4	1.94	.01	.06	2	5
RKS-32448	2	54	20	151	1.6	23	9	548	3.48	23	4	ND	2	26	2	2	2	57	.47	.12	14	35	.84	90	.02	4	2.69	.01	.08	2	5
RKS-32457	2	33	17	128	.3	22	10	649	3.49	21	3	ND	2	17	1	2	2	54	.26	.06	5	33	1.05	62	.03	4	2.00	.01	.07	2	5
RKS-32460	2	37	32	128	1.5	20	11	833	3.37	35	4	ND	2	18	2	2	2	50	.31	.06	6	28	.91	80	.03	4	2.11	.01	.08	2	5
RKS-32444	3	30	20	107	.2	19	9	736	3.08	15	2	ND	2	19	1	2	2	47	.37	.05	6	27	.75	73	.03	4	1.81	.01	.08	2	5
RKS-32478	2	38	19	128	.5	23	12	856	3.49	24	2	ND	2	22	1	2	2	49	.37	.07	7	25	.96	84	.02	5	1.97	.01	.08	2	5
RKS-32483	2	46	31	154	.5	23	13	908	3.18	28	5	ND	2	33	3	2	2	43	.70	.10	9	22	.75	104	.01	5	1.90	.01	.08	2	5
RKS-32485	2	49	22	178	.5	28	12	761	3.77	28	2	ND	2	22	3	4	2	45	.36	.08	7	29	.88	96	.01	5	1.85	.01	.08	2	1300
RKS-32487	2	49	18	146	.2	31	12	632	4.01	22	2	ND	2	19	2	2	2	52	.26	.07	6	41	1.15	65	.02	5	1.94	.01	.07	2	10
RKS-32489	2	49	22	196	.4	32	11	657	3.99	30	2	ND	2	20	2	3	2	51	.27	.07	6	38	1.06	78	.02	5	1.91	.01	.08	2	5
RKS-32509	1	47	13	98	.3	30	14	701	3.73	12	2	ND	2	23	1	4	2	58	.36	.04	4	33	1.12	60	.07	5	2.17	.01	.07	2	5
RKS-32510	1	56	16	131	.1	26	17	909	4.34	31	2	ND	2	35	2	3	2	83	.49	.07	7	44	1.45	72	.06	7	2.42	.01	.08	2	5
RKS-32511	1	37	11	88	.2	20	14	720	3.68	16	2	ND	2	36	1	5	2	71	.52	.06	5	39	1.41	43	.12	6	2.18	.01	.07	2	5
RKS-32512	1	46	10	133	.2	24	14	718	3.82	26	2	ND	2	30	2	5	2	70	.44	.06	6	39	1.33	63	.07	6	2.15	.01	.08	2	5
RKS-32523	1	33	11	86	.2	19	11	656	3.34	13	2	ND	2	29	1	2	2	62	.43	.06	5	35	1.24	54	.10	6	1.93	.02	.09	2	5
RKS-32528	1	32	9	90	.1	20	11	631	3.31	12	2	ND	2	30	2	3	2	57	.40	.04	6	32	1.14	66	.06	4	1.86	.01	.07	2	5
R/P-32510	1	51	15	109	.1	27	16	727	5.39	26	4	ND	2	73	2	2	2	100	.73	.05	6	50	1.56	86	.18	9	2.85	.04	.15	2	5
R/P-32511	1	42	13	79	.1	21	14	691	4.54	17	3	ND	2	96	2	2	2	89	.96	.05	5	46	1.46	58	.24	10	2.67	.04	.12	2	5
R/P-32512	1	46	16	133	.3	26	14	675	5.06	29	2	ND	2	85	2	2	2	91	.83	.06	6	47	1.46	105	.18	11	2.73	.05	.17	2	5
R/P-32523	1	43	16	90	.3	24	13	621	4.84	20	2	ND	2	81	2	2	2	86	.82	.05	6	46	1.33	90	.26	15	2.50	.06	.16	2	5

SAMPLE #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Az ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Hg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	M ppm	Au ppb
DSB-36534	3	39	15	116	2.3	18	6	406	3.15	11	3	ND	2	6	1	2	2	47	.03	.10	7	32	.43	71	.01	4	2.40	.01	.05	2	5
DSB-36535	3	72	22	367	1.3	38	19	1349	4.01	20	4	ND	2	31	7	2	2	53	.42	.13	13	38	.59	147	.02	5	2.63	.01	.07	2	5
DSB-36536	4	69	33	244	1.4	28	18	1407	3.64	79	2	ND	2	26	8	2	2	46	.33	.11	16	31	.56	156	.02	5	2.35	.01	.08	2	5
DSB-36537	3	72	25	590	1.2	33	19	1322	4.03	239	2	ND	2	24	7	2	2	50	.39	.10	16	35	.69	146	.02	5	2.55	.01	.08	2	45
DSB-36538	3	64	25	320	.5	28	24	1977	3.75	39	2	ND	2	26	5	2	2	41	.39	.14	17	20	.55	196	.02	5	2.39	.01	.09	2	5
DSB-36540	3	61	23	206	.8	30	23	1705	4.44	36	3	ND	2	23	3	2	2	50	.29	.13	11	29	.61	157	.03	5	2.86	.01	.08	2	5
DSB-36541	2	55	19	247	.8	26	20	1460	3.72	32	2	ND	2	13	5	2	2	46	.13	.12	8	24	.57	171	.02	4	2.48	.01	.07	2	5
DSB-36542	3	119	25	477	1.1	60	27	1441	4.93	48	2	ND	2	17	6	2	2	60	.18	.12	19	43	.94	181	.02	5	2.85	.01	.10	2	90
DSB-36543	3	88	17	279	1.2	35	20	834	4.19	48	4	ND	2	26	5	2	2	57	.30	.07	14	29	1.01	119	.02	5	2.10	.01	.11	2	10
DSB-36544	2	78	23	297	1.5	39	22	1502	4.34	51	4	ND	2	32	6	2	2	53	.40	.14	16	35	.71	150	.02	5	2.82	.01	.10	2	5
DSB-36545	2	70	20	216	1.6	35	15	832	4.03	39	5	ND	2	29	2	4	2	56	.39	.10	10	43	1.02	106	.02	4	2.40	.01	.10	2	5
DSB-36546	3	60	22	173	1.4	26	18	1332	3.74	30	2	ND	2	16	2	2	2	49	.16	.11	11	29	.60	138	.02	5	2.58	.01	.09	2	5
DSB-36547	3	86	22	189	1.3	31	21	1140	4.13	41	2	ND	2	30	2	2	3	56	.51	.11	13	32	.72	133	.02	5	2.60	.01	.11	2	5
DSB-36548	2	43	17	139	.8	21	11	640	3.44	25	2	ND	2	17	2	2	2	53	.25	.08	8	31	.86	98	.02	4	2.26	.01	.08	2	5
DSB-36549	3	45	23	146	.6	20	13	997	3.63	43	2	ND	2	11	1	2	2	46	.11	.12	9	26	.60	104	.02	5	2.52	.01	.07	2	5
DSB-36550	3	51	24	121	.5	19	10	837	4.02	28	2	ND	2	9	1	2	2	59	.06	.09	7	27	.64	96	.04	5	2.54	.01	.07	2	25
DSB-36551	3	73	24	207	1.4	28	20	1342	4.01	42	2	ND	2	28	2	2	2	52	.35	.13	22	34	.80	132	.02	5	2.52	.01	.10	2	10
DSB-36552	2	28	20	60	.8	9	6	733	2.34	12	3	ND	2	7	1	2	2	36	.05	.12	6	15	.29	72	.04	4	2.52	.02	.06	2	5
DSB-36553	2	55	24	114	.7	20	23	1774	3.07	14	2	ND	2	21	1	2	2	44	.33	.15	10	20	.49	126	.02	4	2.70	.01	.08	2	5
DSB-36554	1	58	14	80	.4	18	16	1020	3.19	6	4	ND	2	12	1	2	2	59	.16	.12	5	44	.80	86	.06	5	2.39	.01	.07	2	5
DSB-36555	1	70	16	119	.2	24	24	1397	3.83	8	5	ND	2	17	1	2	2	68	.23	.19	5	41	1.09	97	.04	6	2.94	.01	.09	2	5
DSB-36556	1	72	14	103	.4	24	23	925	3.41	9	2	ND	2	25	1	2	2	71	.53	.13	6	36	.87	83	.04	6	2.46	.01	.06	2	5
DSB-36557	2	71	22	114	.3	26	22	1162	3.36	13	2	ND	2	22	1	2	2	59	.39	.15	5	38	.90	98	.03	6	2.33	.01	.08	2	5
DSB-36558	2	47	24	119	.3	22	19	1389	3.05	16	2	ND	2	16	1	2	2	50	.18	.16	8	29	.66	96	.02	6	2.53	.01	.07	2	5
DSB-36559	2	51	18	88	.3	17	15	1064	3.04	15	5	ND	2	10	1	2	2	48	.07	.14	7	21	.53	83	.03	4	2.31	.01	.06	2	5
DSB-36560	2	40	17	112	.4	17	15	1146	3.42	17	2	ND	2	12	1	2	2	57	.09	.10	6	29	.68	111	.05	5	2.58	.01	.06	2	5
DSB-36561	2	55	22	119	.7	21	15	935	3.49	23	2	ND	2	25	2	2	2	54	.47	.13	8	29	.75	113	.02	4	2.36	.01	.08	2	5
DSB-36562	2	31	19	82	1.2	12	10	897	2.77	14	2	ND	2	10	1	2	2	42	.08	.12	6	19	.42	97	.03	4	2.34	.01	.05	2	5
DSB-36563	2	57	20	140	.6	24	14	977	3.85	25	2	ND	2	11	1	2	2	60	.07	.08	6	35	.79	130	.06	5	2.65	.01	.07	2	5
DSB-36564	2	43	17	129	.5	22	11	906	3.20	19	4	ND	2	11	1	2	2	49	.08	.12	8	29	.60	118	.03	4	2.56	.01	.07	2	5
DSB-36565	3	36	20	119	.6	21	12	962	3.02	18	2	ND	2	8	1	2	2	45	.05	.12	8	26	.49	121	.03	5	2.38	.01	.06	2	5
DSB-36566	2	46	23	143	.9	24	14	1133	3.31	20	3	ND	2	14	1	2	2	51	.14	.13	8	27	.61	127	.03	5	2.49	.01	.08	2	15
DSB-36567	2	41	14	114	.8	21	12	782	3.52	24	2	ND	2	10	1	2	2	57	.06	.09	8	29	.69	126	.04	6	2.51	.01	.06	2	5
DSB-36568	2	49	19	121	.6	22	21	1283	3.59	27	2	ND	2	19	2	3	2	55	.25	.11	7	27	.79	106	.04	6	2.18	.01	.08	2	5
DSB-36569	1	26	16	59	.3	14	6	509	2.96	14	2	ND	2	8	1	2	2	48	.05	.06	7	23	.39	82	.03	5	1.94	.02	.05	2	5
DSB-36570	2	36	15	98	.9	16	12	865	2.93	19	2	ND	2	10	2	2	2	50	.08	.09	10	26	.62	74	.04	6	2.35	.02	.07	2	5
DSB-36572	1	73	18	125	.1	26	40	2020	4.69	12	2	ND	2	31	1	2	2	86	.42	.13	4	32	1.32	157	.05	7	2.81	.01	.08	2	5
DSB-36574	1	51	14	96	.2	21	18	1196	3.89	11	4	ND	2	18	1	2	2	70	.16	.11	5	33	.95	117	.08	7	2.47	.01	.06	2	5
DSB-36576	1	66	23	141	.3	31	20	1805	3.70	19	2	ND	2	34	3	2	2	79	.65	.16	10	42	1.37	102	.04	6	2.79	.01	.08	2	5
DSB-36577	1	41	29	159	.7	23	12	930	3.42	21	2	ND	2	29	2	2	2	55	.50	.08	7	29	1.00	102	.04	6	2.24	.02	.09	2	5
DSB-36578	1	95	16	101	.4	29	39	1864	4.59	10	2	ND	2	31	1	2	2	87	.54	.15	4	31	1.28	99	.05	7	2.34	.01	.07	2	5
DSB-36580	2	45	17	109	.3	23	16	1074	4.36	23	3	ND	2	15	1	2	2	78	.10	.08	5	41	.98	109	.08	7	2.54	.01	.07	2	5
DSB-36581	3	38	17	107	.9	20	10	868	3.62	19	7	ND	2	10	1	2	2	58	.06	.11	7	30	.63	95	.04	6	2.40	.01	.07	2	5


SAMPLE #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	M ppm	Au1 ppb
DSB-36582	3	44	13	100	.8	22	10	758	3.39	22	2	ND	2	10	1	2	2	54	.08	.10	7	28	.68	83	.04	5	1.94	.01	.06	2	5
DSB-36583	1	35	14	64	.8	14	6	484	3.51	10	2	ND	2	10	1	2	2	64	.06	.11	4	25	.48	87	.09	5	2.07	.02	.04	2	5
DSB-36584	3	43	25	111	.6	22	11	747	3.24	19	4	ND	2	10	1	2	2	51	.06	.08	7	24	.53	108	.04	5	2.26	.02	.05	2	5
DSB-36585	2	46	18	113	.3	23	14	1044	3.43	21	4	ND	2	12	1	2	2	54	.10	.13	7	30	.77	109	.05	5	2.61	.01	.07	2	5
DSB-36586	2	54	19	149	.5	26	16	1117	3.96	29	2	ND	2	18	1	2	2	67	.16	.09	6	36	.95	152	.04	7	2.32	.01	.08	2	5
DSB-36588	1	72	23	180	.4	34	20	1237	4.35	29	2	ND	2	22	2	2	2	70	.25	.10	7	40	1.03	138	.05	6	2.81	.01	.10	2	5
DSB-36589	1	74	21	130	.8	23	17	1388	3.14	23	2	ND	2	38	2	2	2	56	.76	.13	11	30	.74	108	.03	6	2.37	.01	.08	2	5
DSB-36590	2	47	17	69	.5	15	13	856	3.15	13	2	ND	2	11	1	2	2	53	.09	.08	7	20	.51	99	.08	6	2.68	.02	.05	2	5
DSB-36591	1	53	23	98	.3	22	20	1308	3.32	27	2	ND	2	18	1	2	2	53	.28	.11	7	25	.68	96	.06	6	3.09	.02	.06	2	5
DSB-36592	2	46	18	72	.4	17	9	656	3.71	10	2	ND	2	12	1	2	2	66	.07	.08	5	26	.51	119	.08	5	2.10	.01	.04	2	5
DSB-36593	2	44	17	78	.4	17	10	701	3.34	14	6	ND	2	11	1	2	2	58	.09	.07	6	26	.54	101	.09	5	2.51	.01	.05	2	5
DSB-36595	1	40	22	66	.2	15	7	405	2.76	12	2	ND	2	18	1	2	2	49	.19	.11	4	23	.51	159	.05	6	1.58	.01	.07	2	5
DSB-36596	2	41	14	87	.4	19	12	662	3.17	11	2	ND	2	16	1	2	2	53	.16	.07	6	25	.68	104	.06	5	2.25	.01	.06	2	5
DSB-36597	1	42	17	98	.5	17	14	931	3.28	9	3	ND	2	22	1	2	2	52	.23	.08	8	27	.70	135	.05	5	2.55	.01	.06	2	5
DSB-36598	1	42	16	102	.4	17	13	755	3.42	16	2	ND	2	24	1	2	2	52	.30	.10	6	26	.68	121	.05	5	2.25	.01	.08	2	5
DSB-36600	1	61	16	102	.4	22	18	949	3.61	15	2	ND	2	21	1	2	2	61	.21	.07	8	31	.82	111	.06	6	2.44	.01	.07	2	5
DSB-36602	2	105	12	96	1.1	20	16	1213	3.09	20	2	ND	2	45	1	2	2	58	.72	.12	11	27	.65	83	.02	5	2.32	.01	.08	2	5
DSB-36603	1	40	14	88	.4	18	15	952	3.33	13	2	ND	2	28	1	2	2	51	.33	.06	8	24	.67	118	.06	5	2.32	.01	.06	2	5
DSB-36605	1	31	14	103	.4	19	19	1615	3.48	18	2	ND	2	30	1	2	2	54	.44	.08	8	26	.68	147	.05	5	2.50	.02	.06	2	5
DSB-36607	1	30	14	82	.3	16	15	717	3.28	13	2	ND	2	19	1	2	2	51	.18	.08	5	25	.63	121	.07	5	2.34	.01	.06	2	5
DSB-36608	1	29	14	73	.3	15	10	747	3.21	10	2	ND	2	21	1	2	2	52	.18	.06	5	23	.60	147	.08	5	1.97	.01	.06	2	5
DSB-36609	1	52	14	78	.7	16	16	2095	2.82	12	2	ND	2	55	2	2	2	46	1.04	.13	16	21	.54	111	.02	5	2.71	.02	.05	2	5
DSB-36611	1	57	18	80	.8	18	15	1729	2.63	11	2	ND	2	78	3	2	2	37	1.53	.12	14	18	.37	101	.03	5	3.23	.01	.05	2	5
DSB-36612	1	50	18	104	.3	18	17	1631	2.86	12	2	ND	2	38	1	2	2	42	.77	.09	7	21	.59	115	.03	5	2.20	.02	.06	2	5
DSB-36613	1	35	19	102	.6	14	14	692	3.05	18	2	ND	2	28	1	2	2	39	.59	.06	7	18	.41	80	.06	4	3.00	.02	.06	2	5
DSB-36614	1	65	17	82	.8	18	13	2916	2.39	13	2	ND	2	57	2	2	2	33	1.31	.11	14	16	.33	86	.04	5	3.00	.02	.05	2	5
DSB-36615	2	39	16	82	.6	16	12	879	3.20	16	2	ND	2	13	1	3	2	46	.17	.07	5	20	.57	117	.05	5	2.60	.01	.05	2	5
DSB-36616	1	19	20	34	.5	8	3	215	3.26	13	3	ND	2	12	1	2	2	45	.13	.14	3	17	.14	68	.13	4	4.09	.02	.02	2	30
DSB-36617	1	15	14	41	.4	8	5	269	2.75	9	2	ND	2	15	1	5	2	56	.08	.05	3	21	.30	113	.09	4	1.38	.01	.02	2	5
DSB-36618	1	38	18	80	.2	18	13	618	3.08	17	2	ND	2	17	1	2	2	47	.16	.07	5	22	.66	124	.07	5	2.41	.01	.07	2	5
DSB-36619	1	33	17	91	.2	15	16	1305	3.15	15	2	ND	2	20	1	2	2	48	.24	.06	6	19	.50	136	.07	5	2.46	.02	.05	2	5
DSS-36571	1	33	24	147	.7	22	11	795	3.92	30	2	ND	2	26	2	6	2	60	.34	.05	8	34	1.15	84	.06	6	2.21	.02	.10	2	5
DSS-36573	2	31	12	119	.1	18	12	953	3.54	21	2	ND	2	26	1	2	2	59	.38	.06	7	30	1.13	66	.08	6	2.02	.01	.08	2	5
DSS-36575	1	28	11	79	.2	19	13	681	3.66	11	2	ND	2	36	1	2	2	72	.51	.05	4	39	1.48	35	.16	5	2.33	.01	.07	2	5
DSS-36579	1	30	12	94	.2	20	12	800	3.57	13	2	ND	2	27	1	2	2	59	.41	.05	8	32	1.17	60	.10	4	1.96	.01	.08	2	5
DSS-36587	1	40	11	95	.3	21	11	683	3.58	18	2	ND	2	27	1	3	2	62	.38	.07	5	35	1.21	46	.10	4	1.98	.01	.08	2	5
DSS-36594	1	30	9	95	.1	20	11	642	3.54	13	2	ND	2	28	1	2	2	60	.39	.05	5	35	1.21	51	.13	5	1.99	.02	.09	2	5
DSS-36599	1	28	8	65	.1	18	12	571	3.17	12	2	ND	2	25	1	4	2	57	.39	.05	4	35	1.15	35	.13	7	1.88	.01	.06	2	5
DSS-36601	1	30	10	69	.2	15	10	759	3.04	9	2	ND	2	30	1	2	2	52	.42	.04	6	27	.91	51	.10	6	1.84	.02	.08	2	5
DSS-36604	1	31	13	71	.3	16	10	634	2.91	10	2	ND	2	30	1	2	2	46	.42	.04	6	24	.81	70	.07	6	1.97	.02	.08	2	5
DSS-36606	1	39	11	94	.1	27	14	740	3.95	12	2	ND	2	27	1	2	2	63	.40	.05	5	36	1.26	61	.11	6	2.26	.02	.09	2	5
DSS-36610	1	21	10	77	.2	15	8	660	2.86	8	2	ND	2	35	1	2	2	45	.54	.04	5	24	.86	67	.07	6	1.84	.02	.10	2	5

SAMPLE #	No	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	B	Al	Na	K	W	Aut
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	I	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	I	I	ppm	ppm	I	ppm	I	ppm	I	I	I	ppm	ppb
B08-38420	2	42	10	90	.3	18	9	623	3.61	23	2	ND	2	9	1	2	2	51	.05	.14	5	26	.64	68	.02	6	2.41	.01	.06	2	5
B08-38421	3	61	16	124	.4	26	23	1334	3.99	20	2	ND	2	10	1	2	2	57	.09	.15	8	30	.74	97	.03	7	3.03	.01	.07	2	5
B08-38422	3	92	12	134	.5	33	22	1257	4.37	33	2	ND	2	24	1	2	2	57	.50	.15	14	33	.83	87	.03	8	3.63	.01	.08	2	5
B08-38423	1	56	21	133	.1	28	22	1521	4.07	33	2	ND	2	18	1	2	2	61	.30	.20	9	34	.97	101	.02	8	2.84	.01	.07	2	10
B08-38424	2	64	13	150	.1	31	23	1482	4.63	31	6	ND	2	15	1	2	2	72	.15	.14	6	36	1.04	98	.04	8	2.60	.01	.08	2	5
B08-38425	1	65	16	115	.1	31	29	1742	4.31	14	2	ND	2	19	1	2	2	84	.35	.17	8	41	1.19	72	.05	8	3.18	.01	.08	2	5
B08-38426	1	68	14	99	.1	27	29	1659	4.07	10	2	ND	2	21	1	2	2	80	.34	.13	8	41	1.21	77	.06	6	2.94	.01	.06	2	10
B08-38427	2	69	17	101	.1	29	31	1717	4.41	13	2	ND	2	19	1	2	2	89	.24	.15	6	45	1.28	77	.07	7	3.17	.01	.07	2	5
B08-38428	1	54	15	94	.3	20	20	1345	3.64	10	4	ND	2	26	1	2	2	67	.32	.15	4	38	1.11	115	.05	6	2.58	.01	.09	2	5
B08-38429	1	41	24	97	.1	16	17	1656	2.81	4	2	ND	2	16	1	2	2	51	.20	.14	7	24	.74	101	.03	6	2.44	.01	.06	2	5
B08-38430	1	73	12	101	.1	21	23	1388	3.99	13	2	ND	2	26	1	2	2	81	.51	.13	7	34	1.18	81	.04	6	3.01	.01	.07	2	5
B08-38431	1	53	14	86	.1	18	22	1623	3.54	47	2	ND	2	15	1	2	2	67	.17	.11	7	27	.85	91	.05	5	2.74	.01	.05	2	5
B08-38432	1	52	8	79	.2	20	19	1059	3.99	11	2	ND	2	18	1	2	2	79	.20	.09	3	38	1.28	91	.09	5	2.86	.01	.04	2	5
B08-38433	1	50	11	82	.1	14	17	1220	3.35	6	2	ND	2	22	1	2	2	60	.27	.12	4	25	.96	101	.06	5	2.79	.01	.07	2	5
B08-38434	2	29	25	69	.1	9	8	1189	2.23	8	2	ND	2	10	1	2	2	41	.10	.13	4	16	.47	57	.03	4	2.51	.01	.05	2	5
B08-38435	1	52	18	79	.1	21	22	1302	3.31	9	2	ND	2	28	1	2	2	61	.40	.13	4	34	1.03	101	.05	5	2.43	.01	.06	2	10
B08-38436	2	46	20	90	.1	19	21	1296	3.46	21	2	ND	2	45	1	2	2	78	.59	.09	4	35	1.06	72	.06	7	2.40	.01	.07	2	5
B08-38437	1	60	10	111	.1	26	24	1626	3.86	18	3	ND	2	16	1	2	2	67	.16	.11	7	37	1.08	70	.05	5	2.99	.01	.06	2	5
B08-38438	1	64	17	97	.1	21	13	808	3.03	35	2	ND	2	49	1	2	2	65	.67	.14	8	29	.81	66	.02	5	2.74	.01	.05	2	5
B08-38439	2	102	20	119	.1	26	18	1032	3.72	57	2	ND	2	50	1	2	2	73	.79	.13	8	29	.89	69	.03	5	2.83	.01	.06	2	5
B08-38440	2	63	13	113	.1	27	12	832	4.25	27	3	ND	2	10	1	2	2	70	.07	.09	4	49	1.05	84	.04	4	2.66	.01	.06	2	5
B08-38441	2	53	31	111	.3	19	18	1459	3.48	29	3	ND	2	10	1	2	2	51	.08	.19	6	31	.71	94	.03	4	2.36	.01	.07	2	20
B08-38442	2	49	21	159	.6	24	15	1146	3.15	124	2	ND	2	20	2	2	2	43	.24	.12	11	24	.57	100	.03	4	2.76	.01	.09	2	5
B08-38443	3	58	26	191	1.5	29	13	967	3.38	94	2	ND	2	27	2	2	2	42	.44	.13	12	34	.63	119	.02	5	2.64	.01	.10	2	10
B08-38444	2	39	21	220	.9	21	10	818	3.03	89	2	ND	2	26	3	2	2	37	.37	.12	11	25	.53	93	.02	4	2.70	.01	.08	2	5
B08-38445	3	48	25	206	.8	26	12	965	3.19	107	2	ND	2	36	3	2	2	39	.51	.16	16	26	.53	130	.02	5	3.03	.01	.08	2	5
B08-38446	3	34	18	159	.6	18	10	819	2.98	49	2	ND	2	23	2	2	3	37	.30	.13	13	20	.44	122	.02	5	2.65	.01	.07	2	5
B08-38447	3	29	19	133	.6	16	9	899	2.65	40	2	ND	2	25	2	2	2	33	.30	.13	12	18	.33	104	.03	5	2.77	.01	.06	2	5
B08-38448	3	24	15	73	.7	13	4	434	2.52	18	2	ND	2	8	1	2	2	36	.05	.09	8	19	.31	97	.01	4	1.42	.01	.05	2	5
B08-38449	2	21	12	48	.1	10	5	343	2.95	7	2	ND	2	13	1	2	2	64	.12	.05	3	21	.33	64	.12	4	1.28	.02	.05	2	5
B08-38450	2	76	24	119	.3	20	14	1368	3.10	31	3	ND	2	41	2	2	2	56	.77	.12	8	26	.53	90	.02	5	2.29	.01	.06	2	5
B08-38451	2	56	18	154	.1	21	15	1747	3.33	28	3	ND	2	30	2	2	2	54	.35	.11	8	29	.62	112	.02	5	2.56	.01	.06	2	5
B08-38452	1	43	15	84	.1	14	19	2020	3.16	15	2	ND	2	16	1	2	2	60	.14	.08	4	23	.64	201	.04	4	1.78	.01	.05	2	5
B08-38453	9	37	14	160	.2	19	8	461	4.05	23	2	ND	2	11	2	2	2	61	.09	.07	4	20	.46	91	.08	5	1.69	.01	.04	2	5
B08-38454	2	33	15	88	.4	13	8	861	3.66	19	7	ND	2	12	1	2	2	57	.09	.16	4	24	.95	122	.05	4	1.86	.01	.06	2	5
B08-38455	2	35	18	77	.4	13	7	491	3.49	17	4	ND	2	10	1	2	2	55	.07	.13	4	24	.51	118	.04	4	1.91	.01	.04	2	5
B08-38456	2	33	14	72	.6	12	7	418	3.42	22	8	ND	2	10	1	2	2	55	.06	.13	4	23	.50	113	.04	3	1.78	.01	.04	2	5
B08-38457	3	35	15	125	.1	15	12	1045	4.11	49	2	ND	2	9	1	2	2	49	.05	.09	5	18	.46	107	.03	5	1.87	.01	.04	2	5
B08-38458	2	47	13	113	.1	18	14	738	4.11	22	5	ND	2	12	1	2	2	72	.10	.09	4	32	.93	96	.06	5	2.42	.01	.05	2	5
B08-38459	2	24	18	101	.5	14	8	564	3.40	16	2	ND	2	13	1	2	2	54	.10	.10	5	26	.62	133	.04	5	1.98	.01	.05	2	5
B08-38460	3	40	14	120	.3	18	10	534	3.73	25	4	ND	2	17	1	2	2	64	.17	.08	4	30	.82	124	.05	6	2.22	.01	.06	2	5
B08-38461	2	33	17	90	.4	15	10	751	3.05	18	4	ND	2	12	1	2	2	48	.10	.10	5	24	.60	106	.05	4	2.42	.01	.05	2	5
B08-38462	1	59	19	117	.1	21	20	1406	3.84	16	2	ND	2	26	1	2	2	72	.30	.10	5	39	1.09	126	.05	5	2.80	.01	.08	2	5
B08-38463	1	65	21	126	.1	27	22	1216	4.00	29	2	ND	2	28	1	2	2	68	.33	.10	6	43	1.12	133	.03	6	2.54	.01	.09	2	5
B08-38465	1	100	23	77	.1	29	25	1550	5.10	12	2	ND	2	28	1	2	2	114	.34	.09	2	55	1.71	110	.09	5	2.84	.01	.04	2	5

I. M. WATSON & ASSOCIATES PROJECT # NAKUSP FILE # 83-2358

SAMPLE #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Ni %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	M ppm	Ru1 ppb
B08-38466	3	68	20	80	.1	20	15	732	4.72	14	5	ND	2	10	1	2	2	78	.08	.07	3	28	.92	87	.04	6	2.52	.01	.05	2	5
B08-38467	2	28	12	70	.1	12	6	652	3.39	14	2	ND	2	11	1	2	2	55	.10	.12	3	22	.47	161	.05	5	1.78	.01	.04	2	215
B08-38468	4	54	15	127	.5	24	11	692	4.43	25	5	ND	2	10	2	2	2	66	.09	.09	3	27	.71	153	.04	5	2.25	.01	.05	2	5
B08-38469	3	29	11	87	.1	13	7	394	3.13	15	2	ND	2	11	1	2	2	46	.09	.10	4	19	.42	103	.05	4	2.04	.01	.04	2	180
B08-38470	6	51	18	153	.4	21	11	612	3.54	23	2	ND	2	8	2	2	2	46	.05	.08	8	21	.51	121	.03	5	2.55	.01	.04	2	5
B08-38471	3	42	14	148	1.3	20	11	682	3.57	19	2	ND	2	11	2	2	2	52	.09	.12	6	26	.65	160	.03	6	2.60	.01	.05	2	10
B08-38472	3	36	13	149	.3	21	12	604	3.35	16	2	ND	2	13	1	2	2	49	.11	.12	6	25	.71	133	.03	5	2.28	.01	.05	2	35
B08-38473	10	68	19	202	.5	38	17	779	5.05	37	2	ND	2	16	2	3	2	64	.14	.12	6	33	.96	202	.02	7	2.65	.01	.06	2	20
B08-38474	1	44	17	109	.5	19	14	1834	2.88	18	2	ND	2	74	2	2	2	37	.76	.10	11	18	.51	114	.03	6	2.51	.01	.06	2	5
B08-38475	2	44	13	110	.1	23	13	491	3.18	19	3	ND	2	16	1	2	2	45	.15	.07	7	22	.58	104	.08	6	2.51	.01	.05	2	5
B08-38476	1	31	11	73	.1	13	7	375	3.28	13	2	ND	2	15	1	2	2	55	.11	.06	4	21	.53	106	.08	5	2.05	.01	.04	2	20
B08-38478	1	50	16	89	.3	16	13	1254	3.04	14	2	ND	2	35	1	2	2	48	.69	.08	10	25	.67	110	.03	6	2.18	.01	.07	2	5
B08-38480	1	27	12	81	.1	14	10	472	3.07	10	2	ND	2	19	1	2	2	50	.19	.06	6	24	.58	100	.08	5	2.11	.01	.06	2	10
B08-38481	1	34	12	73	.1	15	9	557	3.30	13	4	ND	2	18	1	2	2	57	.13	.06	5	26	.62	121	.08	4	2.17	.01	.04	2	15
B08-38482	1	44	10	81	.1	22	16	552	3.69	14	3	ND	2	24	1	2	3	74	.25	.04	6	39	1.07	58	.09	5	2.26	.01	.05	2	5
B08-38483	2	35	20	103	.1	14	18	3182	3.36	22	2	ND	2	23	3	2	4	56	.31	.09	5	21	.47	211	.04	6	1.40	.01	.07	2	5
B08-38484	2	44	14	140	.1	20	19	2644	4.37	16	5	ND	2	15	1	2	2	74	.13	.11	5	29	.79	160	.05	7	2.24	.01	.06	2	5
B08-38485	2	41	15	141	.3	20	14	1336	3.87	18	2	ND	2	20	2	2	3	66	.33	.14	4	33	.84	163	.06	8	2.28	.01	.05	2	5
B08-38486	2	28	13	78	.3	14	7	825	3.67	14	2	ND	2	13	1	2	2	63	.11	.11	4	23	.51	128	.04	7	1.63	.01	.05	2	5
B08-38487	1	27	16	116	.1	15	11	2736	3.57	19	2	ND	3	19	1	2	2	61	.30	.09	5	25	.61	300	.05	7	1.62	.01	.08	2	5
B08-38488	2	40	13	101	.1	17	14	987	4.36	32	2	ND	2	13	1	2	4	63	.12	.15	4	26	.90	124	.06	7	2.37	.01	.05	2	5
B08-38489	3	42	14	173	.4	19	14	1065	4.37	22	2	ND	2	12	2	2	3	57	.16	.19	5	24	.77	129	.03	6	2.37	.01	.05	2	5
B08-38490	2	42	13	157	.1	20	21	2290	4.25	44	2	ND	2	15	2	2	2	61	.18	.09	8	25	.84	142	.04	8	2.39	.01	.04	2	5
B08-38491	2	40	10	152	.3	20	13	683	4.20	41	2	ND	2	15	1	2	2	61	.18	.09	4	24	.85	111	.06	7	2.31	.01	.04	2	10
B08-38492	2	40	17	125	.3	21	11	462	3.53	24	2	ND	3	13	2	2	2	53	.14	.09	5	28	.75	113	.04	6	2.46	.01	.06	2	5
B08-38493	1	36	13	106	.1	18	16	1131	3.53	10	4	ND	2	21	1	2	2	65	.31	.08	2	33	1.08	124	.08	6	2.14	.01	.05	2	5
B08-38494	1	37	12	84	.2	16	10	655	4.16	17	2	ND	3	15	1	2	2	68	.15	.16	3	34	.72	110	.08	7	2.44	.01	.05	2	5
B08-38496	2	31	12	76	.6	14	8	1024	3.48	15	4	ND	2	17	1	2	2	57	.15	.10	4	24	.59	215	.05	7	1.52	.01	.06	2	5
B08-38497	2	38	11	91	.5	16	10	992	3.64	14	2	ND	2	14	1	2	2	55	.12	.11	3	25	.64	179	.04	6	1.62	.01	.05	2	5
B08-38498	1	48	10	82	.2	22	12	525	3.96	26	2	ND	2	28	1	2	2	65	.30	.06	3	37	1.08	85	.07	7	2.07	.01	.05	2	5
B08-38499	2	32	11	74	.1	15	8	1693	3.37	12	2	ND	2	11	1	2	2	56	.08	.09	4	25	.47	122	.06	6	1.97	.01	.04	2	5
B08-38500	2	46	15	124	.1	21	10	742	3.69	20	2	ND	3	12	1	2	2	54	.11	.10	5	24	.66	116	.04	6	2.37	.01	.05	2	5
B08-38501	2	45	17	131	.3	23	14	957	3.38	24	2	ND	3	16	2	2	2	47	.17	.09	8	24	.70	150	.04	6	2.62	.01	.06	2	50
B08-38502	2	46	17	129	.5	23	14	839	3.20	24	2	ND	2	16	1	2	2	44	.15	.09	9	22	.58	147	.04	6	2.68	.01	.06	2	5
B08-38503	1	58	18	113	.1	27	21	1105	3.77	17	2	ND	2	23	1	2	3	60	.27	.10	4	29	.85	136	.07	7	2.44	.01	.06	2	5
B08-38504	1	56	16	108	.1	25	20	1054	3.62	15	2	ND	2	22	1	2	2	57	.26	.09	4	27	.82	130	.06	8	2.36	.01	.06	2	5
B08-38330	4	96	26	270	.8	58	10	755	9.06	23	2	ND	3	29	2	6	2	37	.77	.08	7	19	.90	89	.02	6	1.31	.01	.08	40	5
B08-38339	1	35	10	91	.7	22	8	549	3.27	22	2	ND	2	7	1	2	2	53	.10	.05	6	30	1.04	183	.11	4	2.00	.02	.33	2	5
B08-38346	5	30	28	183	.5	17	13	1554	3.59	23	2	ND	2	22	1	3	2	97	.27	.17	10	34	.93	96	.08	3	1.96	.03	.19	2	5
B08-38464	1	82	22	130	.7	27	17	954	3.76	20	2	ND	2	39	2	3	2	64	.73	.08	11	39	1.08	101	.05	6	2.34	.01	.11	2	5
B08-38477	1	57	30	109	.6	23	13	903	3.22	17	2	ND	2	42	2	4	2	54	.82	.06	9	31	.92	87	.05	5	2.08	.01	.09	2	5
B08-38479	1	38	15	108	.3	20	12	736	3.32	15	3	ND	2	26	1	4	2	56	.42	.05	6	30	1.02	72	.08	5	2.02	.01	.09	2	5
B08-38495	1	46	19	105	.3	22	12	830	3.60	19	2	ND	2	34	1	2	2	64	.54	.07	7	36	1.14	69	.08	6	2.17	.02	.08	2	5

SAMPLE #	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	AuF
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	
USR-91905	1	66	9	72	.5	6	7	863	6.79	18	5	ND	2	52	1	2	2	132	.50	.13	4	13	1.74	45	.26	8	2.86	.03	.11	2	5
USR-91906	5	53	9	163	.2	26	7	386	3.33	6	2	ND	2	81	3	2	2	95	.54	.11	5	51	.93	43	.24	24	1.76	.04	.05	2	5
USR-92003	3	39	4	40	.1	11	4	272	1.43	13	2	ND	2	8	1	2	2	11	.12	.06	2	13	.32	28	.01	5	.50	.01	.05	2	5
USR-92013	2	22	4	51	.2	9	5	265	2.00	12	3	ND	2	51	1	2	2	30	.46	.06	4	24	.42	89	.20	6	1.15	.03	.16	2	5
25N 10E	1	61	13	62	.1	21	11	466	4.09	10	7	ND	2	20	1	2	2	101	.15	.10	3	47	1.10	69	.08	6	2.38	.01	.04	2	5
24N 10E	1	60	25	112	.1	24	23	1635	3.50	22	2	ND	2	24	1	2	2	70	.39	.17	7	30	.84	117	.04	6	2.94	.01	.07	2	5
23N 10E	1	87	18	96	.1	29	33	1571	4.10	29	2	ND	2	22	1	5	2	86	.23	.16	7	42	1.11	70	.06	8	3.13	.01	.06	2	5
22N 10E	2	69	34	199	.1	29	25	2216	4.04	27	2	ND	2	30	3	2	2	69	.68	.25	6	37	1.09	134	.02	8	2.87	.01	.11	2	5
21N 10E	1	64	21	108	.1	27	18	1066	3.85	35	2	ND	2	38	1	2	2	75	.67	.14	7	38	1.16	82	.04	8	2.66	.01	.09	2	5
20N 10E	2	27	12	72	.2	12	8	863	2.30	19	2	ND	2	7	1	2	2	37	.06	.10	6	16	.35	54	.02	3	1.93	.01	.05	2	5
19N 10E	2	34	23	118	.4	20	12	1103	3.18	30	2	ND	2	13	1	2	2	48	.14	.11	8	26	.57	140	.02	6	2.27	.01	.07	2	5
18N 10E	3	41	20	125	.6	21	13	945	3.19	25	2	ND	2	12	2	2	2	46	.11	.11	10	27	.56	110	.03	6	2.75	.01	.10	2	5
17N 10E	2	30	21	82	.4	14	8	967	2.86	21	3	ND	2	7	1	3	2	41	.04	.11	7	19	.41	79	.02	4	2.25	.01	.06	2	5
16N 10E	3	27	20	82	.9	15	7	804	2.71	16	2	ND	2	7	1	4	2	37	.05	.11	8	19	.33	80	.02	4	2.35	.01	.06	2	5
15N 10E	3	77	16	142	1.3	23	13	879	3.46	43	2	ND	2	12	2	2	2	56	.10	.11	15	31	.65	89	.04	5	3.83	.02	.08	2	5
14N 10E	3	39	20	109	.6	17	13	1434	3.39	13	2	ND	2	9	1	2	2	47	.07	.12	8	23	.49	100	.04	6	2.84	.01	.07	2	5
13N 10E	2	36	14	65	.5	12	5	399	2.98	14	5	ND	2	8	1	2	2	46	.04	.08	7	22	.43	84	.03	5	2.93	.02	.05	2	5
17N 7E	2	36	23	120	1.9	16	9	813	2.89	16	2	ND	2	9	1	2	2	43	.06	.14	8	26	.45	98	.02	5	2.56	.01	.09	2	5
17N 8E	2	45	19	108	.7	18	7	471	3.07	23	2	ND	2	30	1	2	2	53	.40	.10	9	32	.66	108	.04	6	2.88	.01	.07	2	5
17N 9E	2	58	18	123	.6	22	15	1055	3.27	27	2	ND	2	32	1	2	2	58	.50	.15	10	28	.75	84	.03	7	2.72	.01	.09	2	10
17N 11E	3	42	21	131	1.0	21	12	919	2.97	22	2	ND	2	13	2	3	2	43	.19	.12	12	22	.52	95	.02	6	2.41	.01	.09	2	10
17N 12E	3	33	22	101	1.4	16	11	919	2.95	21	4	ND	2	10	1	3	2	44	.08	.12	11	22	.47	88	.03	6	2.54	.01	.09	2	5
13N 7E	1	29	41	71	.1	14	6	464	3.09	16	4	ND	2	17	1	4	2	66	.11	.09	4	27	.58	108	.06	6	1.78	.01	.06	2	5
13N 8E	2	34	30	85	.8	12	9	1071	2.76	14	2	ND	2	29	1	2	2	49	.54	.15	17	18	.44	130	.03	7	2.60	.01	.07	2	5
13N 9E	2	38	20	83	.3	14	7	676	3.21	21	2	ND	2	11	1	2	2	35	.07	.09	7	27	.60	102	.04	6	2.43	.01	.06	2	5
13N 11E	2	39	19	97	.7	14	11	1051	2.90	13	2	ND	2	12	1	2	2	46	.10	.13	8	23	.51	98	.03	6	2.92	.02	.09	2	5
13N 12E	2	44	14	109	.4	18	9	577	3.47	22	3	ND	2	10	1	2	2	54	.06	.09	8	30	.66	97	.04	5	3.09	.01	.06	2	5



50°10'

- Rock sample location
- Soil
- Soil
- Soil
- Soil and pan concentrate location

58 16 Cu (ppm) Pb (ppm)

227 Zn (ppm)

Zinc

- ≥ 261 ppm
- 226-260 ppm
- 191-225 "
- 156-190 "
- 121-155 "
- ≤ 120 ppm




Scale 0 100 200 metres

GEOLOGICAL BRANCH
ASSESSMENT REPORT

11,803

NAKUSP RESOURCES LTD
MONASHEE EAST
J.ONE AND MAC I-6 CLAIMS
RECONNAISSANCE GEOCHEMISTRY
Cu-Pb-Zn
I.M.WATSON & ASSOCIATES LTD


F-500C Nov 83 82 L/1 83 ME 7



50°10'

- Rock sample location
- Soil sample location
- Soil and pore concentration location
- Geochemical results

Ag(ppm) Au(ppb)
As(ppm)



Gold
● ≥ 30ppb
● 20 -
● 15 -
● 10 -
● 5 -


**GEOLOGICAL BRANCH
ASSESSMENT REPORT**
11,803

John Watson
PROFESSIONAL
ENGINEER
J. WATSON
ENTER
QUALITY
ENGINEER

Scale 0 100 200 metres

NAKUSP RESOURCES LTD.
MONASHEE EAST
J. ONE AND MAC I-6 CLAIMS
RECONNAISSANCE GEOCHEMISTRY
Au-Ag-As
J.M. WATSON & ASSOCIATES LTD.

SCALE: 1:5000
DATE: Nov 83
PROJECT: 82 L/1
DRAWING: 83 ME 2



● Peak sample location
 ○ Soil
 ○ Soil and pan concentrate location
 ● Concentration results: Cu (ppm) Pb (ppm) Zn (ppm)


58 16
 227

● 3.91 ppm
 ● 73-90 ppm
 ● 55-72 -
 ● 37-54 -
 ● 19-36 -
 ● < 18 ppm

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT
 11,803**

Scale: 1:100 100 200 metres

NAKUSP RESOURCES LTD
 MONASHEE EAST
 J. ONE AND MAC I-6 CLAIMS
 RECONNAISSANCE GEOCHEMISTRY
Cu-Pb-Zn
 I.M. WATSON & ASSOCIATES LTD
 Scale: 1:5000 Nov '83 82 L/1 83 ME 5



50°10'

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

11,803

LEGEND

- AGE UNKNOWN
 Quartz - feldspar - muscovite - garnet pegmatite
- UPPER TRIASSIC AND LOWER JURASSIC
 NICOLA GROUP
 Grey to grey green weathering, med grained to porphyritic andesite, abundant brecciated varieties, tuff.
 Limestone
 Pale brown weathering, porphyritic andesite
 Black argillite, interbedded with and in sharp conformable contact with variable tuffs


- Limit of outcrop
 Limit of sub-outcrop and abundant small outcrops
 Fault - Qtz = Quartz
 Quartz vein, inclined
 Geological boundary - defined, approximate, assumed
 Bedding - inclined
 Foliation - inclined, vertical
 Joints - inclined, vertical
 Fault - defined, assumed
 Claim post - located by hip chain, compass and altimeter survey
 Four-wheel-drive road



Scale 0 100 200 metres

NAKUSP RESOURCES LTD.
 MONASHEE EAST
 J. ONE AND MAC 1-6 CLAIMS
 GEOLOGY

SCALE	DATE	BY	N.T.S. No.	DWG No.
1:5000	Nov '83		82 L/1	83 ME 9



50°10'

- Rock sampler location
 - Soil
 - Soil
 - Soil and pan concentrate location
- 58 16 Geochemical results Cu (ppm) Pb (ppm)
227 Zn (ppm)

- Lead
- 326 ppm
 - 21-25 ppm
 - 16-24 "
 - 11-15 "
 - 6-10 "
 - < 5 ppm

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**


11,803

John Watson
PROFESSIONAL ENGINEER
 CIVIL ENGINEER
 MEMBER OF THE ENGINEERING COUNCIL OF CANADA

Scale 0 100 200 metres

NAKUSP RESOURCES LTD
 MONASHEE EAST
 J. ONE AND MAC I-6 CLAIMS
 RECONNAISSANCE GEOCHEMISTRY
Cu-Pb-Zn
I.M. WATSON & ASSOCIATES LTD

SCALE	DATE	BY	NO.
1:5000	Nov 83	82 L/1	83 ME 6



50°10'



- Rock sample location
 - Soil
 - Silt
 - ⊙ Air and pan concentrate location
- Chemical results

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**


11,803



Scale 0 100 200 metres

NAKUSP RESOURCES LTD.
MONASHEE EAST
J.ONE AND MAC 1-6 CLAIMS
RECONNAISSANCE GEOCHEMISTRY
SAMPLE LOCATION
LM WATSON & ASSOCIATES LTD.

SCALE	DATE	BY	N.T.S. No.	DWG No.
1:5000	Nov '83		82L/1	83 ME 8



5010'

● Rock sample location
 ○ Core
 ⊙ Surface and/or groundwater location
 0.45 181 Geochemical results Ag(ppm) Au(ppb) As(ppm)


Arsenic
 ● > 81 ppm
 ● 65-80 ppm
 ● 49-64 -
 ● 33-48 -
 ● 17-32 -
 ● < 16 ppm

Scale 0 100 200 metres

NAKUSP RESOURCES LTD.
 MONASHEE EAST
 J ONE AND MAC I-6 CLAIMS
 RECONNAISSANCE GEOCHEMISTRY
Au-Ag-As
 M. WATSON & ASSOCIATES LTD.

1:5000 Nov '83 82 L / 1 83 ME 4

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT
 11,803**



50°10'

■ Rock sample location
 ● Soil
 ○ Silt
 ⊙ Silt/gravel concentrate location
 0.415 Ag(ppm) Au(ppb) As(ppm)
 181

Silver
 ● > 2.1 ppm
 ● 1.7-2.0 ppm
 ● .9-1.6 -
 ● .5-.8 -
 ● < .4 ppm

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**
11,803
 Scale 0 100 200 metres
 I.M. WATSON & ASSOCIATES LTD.
 PROFESSIONAL ENGINEER

NAKUSP RESOURCES LTD.
 MONASHEE EAST
 J ONE AND MAC 1-6 CLAIMS
 RECONNAISSANCE GEOCHEMISTRY
Au-Ag-As
 I.M. WATSON & ASSOCIATES LTD.
 1:5000 Nov '83 82 L/1 83 ME 3