

84-1075-12986
9/85

ASSESSMENT WORK

AUGUST 18-24, 1983

SOIL GEOCHEMICAL SURVEY REPORT

FOR

TRAC RESOURCES LTD.

ON THE

RKY CLAIM 10 units

DKY CLAIM 4 units

SLOCAN MINING DIVISION, BRITISH COLUMBIA

AT

LATITUDE: 49 49'N
LONGITUDE: 117 29'W

CLAIM MAP M82F/14W

18 OCTOBER 1984

BY

E. AMENDOLAGINE, P. Eng.

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

12,986

TABLE OF CONTENTS

Introduction	1
Summary	2
Property Location Access	3
Survey Performed	4
Geochemical Survey	5
Statistical Analysis	6
Conclusions & Recommendations	7
Cost Breakdown	8
Appendix I - Assay Certificate	
Appendix II - Plotted Assays	

INTRODUCTION

The purpose of this report is to examine the RKY and DKY claims (14 units) by geochemical means to explore the gold-silver and other mineral potentials. The claims lie in an area of old crown grants and claims that have been held for long periods of time.

There are crown grants to the east, west, north and south of the RKY, DKY claims that have yielded varying degrees of silver, lead, zinc and gold.

The old Republic No. 2 claim lies some 4 units to the west and has a record of shipping some 13,299 oz. of Ag and 107 ozs. of Au. Ref. B.C. Minister of Mines Annual Reports of 1896, 1898, 1904, 1935, 1951 and 1952.

With the known mineralization in close proximity to the west of the property it was decided to geochemically test the property to examine for any mineralization that may be striking through the property area.

The following report discusses the survey conducted on the two claims. The RKY lies to the north and the DKY lies to the south.

The claims have a common boundary with the L.C.P. at the west end of the common boundary.

SUMMARY

A soil geochemistry survey was carried out during the period Oct. 12-20, 1983 on the RKY and DKY claims in the Slocan Mining Division of British Columbia. The purpose of the survey was to test and examine the claim area for economical mineral deposits and was conducted with control lines consisting of an east-west baseline on the north boundary of the claims. The north-south lines are measured from the west boundary of the claims. The lines are spaced 100 meters apart with stations and samples at 50 meter spacing on all the lines. There were 308 soil samples taken on the RKY and DKY claim assayed for Au, Ag, As, Cu, Mo, Pb and Zn.

The soil geochemical survey statistical analysis indicates anomalous indications for all elements tested which when plotted strike diagonally across the claims with a N 45 E strike.

It is recommended that the first phase program be modified and completed. The modified program should consist of a magnetometer, induced polarization and pulse type E.M. surveys.

The correlated information of all the surveys would be instrumental in determining the drill program to follow.

PROPERTY

The property consists of the RKY claim (10 units) and the DKY claim (4 units) as shown on Claim Map M82F/14W.

LOCATION

The claims are located 6 km northwest of Slocan, British Columbia, some 4 km east of Slocan Lake.

ACCESS

Access is some 16 km by road from the town of Slocan, east up Springer Creek and north up Scorpion Creek. The road passes through the middle of the claims area.

SURVEY PERFORMED

Line grid and soil geochemistry surveys were conducted on the property during the period October 12-20, 1983. This survey was conducted by Manny Consultants Ltd. with the assistance of:

Sab Amendolagine
Pino Causicto
D. Olson

The line grid was established on the property and tied into the common LCP on the west boundary of the claims. The grid consisted of compass and chain and flagging lines.

The main baseline is the north boundary of the RKY claim. The north-south survey lines run off the baseline, and are spaced 100 meters apart.

The soil geochemistry survey used the line grid for control, and samples were taken at 50 meter spacings along the lines. The area is steep in places and difficult to traverse.

SOIL GEOCHEMISTRY SURVEY

Soil sampling was performed on an established grid at 50 meter intervals. The samples were taken with a mattock in the 'B' horizon where possible. They were placed in bags and marked for grid location.

The samples for Au, As, Ag, Cu, Mo, Pb and Zn were assayed by Acme Analytical Laboratories in Vancouver, B.C. The assay certificates are recorded in Appendix-1. The assays are plotted on the plans and enclosed in Appendix-11. The statistical analysis follows.

The following is the laboratory methodology:

ACME ANALYTICAL LABORATORIES LTD
Assaying & Trace Analysis
202 E. Hastings St., Vancouver, B.C. V6A 1R8
Telephone: 253-2188

GEOCHEMICAL LABORATORY METHODOLOGY - 1982

Sample Preparation

1. Soil samples are dried at 60°C and sieved to -80 mesh.
2. Rock samples are pulverized to -100 mesh.

Geochemical Analysis (AA and ICP)

0.5 gram samples are digested in hot dilute aqua regia in a boiling water bath and diluted to 10 ml with demineralized water. Extracted metals are determined by :

A. Atomic Absorption (AA)

Ag*, Bi*, Cd*, Co, Cu, Fe, Ga, In, Mn, Mo, Ni, Pb, Sb*, Tl, V, Zn
(* denotes with background correction.)

B. Inductively Coupled Argon Plasma (ICP)

Ag, Al, As, Au, B, Ba, Bi, Ca, Cd, Co, Cu, Cr, Fe, K, La, Mg,
Mn, Mo, Na, Ni, P, Pb, Sb, Sr, Th, Tl, U, V, W, Zn.

Geochemical Analysis for Au

10.0 gram samples that have been ignited overnight at 600°C are digested with hot dilute aqua regia, and the clear solution obtained is extracted with Methyl Isobutyl Ketone.

Au is determined in the MIBK extract by Atomic Absorption using background correction (Detection Limit = 5 ppb direct AA and 1 ppb graphite AA.)

Geochemical Analysis for Au, Pd, Pt, Rh

10.0 - 30.0 gram samples are subjected to Fire Assay preconcentration techniques to produce silver beads.

The silver beads are dissolved and Au, Pd, Pt and Rh are determined in the solution by Atomic Absorption.

Geochemical Analysis for As

0.5 gram samples are digested with hot dilute aqua regia and diluted to 10 ml. As is determined in the solution by Graphite Furnace Atomic Absorption (AA) or by Inductively Coupled Argon Plasma (ICP).

STATISTICAL ANALYSIS

The statistical analysis encompasses 308 soil sample assay results.

The following are the statistical analysis of the 308 samples with a breakdown sheet followed by a contoured map of the anomalous areas.

The assay results reported by Acme Laboratory are included in Appendix I with plotted assay result plans in Appendix II.

<u>ELEMENT</u>	<u>ASSAY RANGE</u>	<u>NO. OF SAMPLES</u>	
Gold	B.G.	5 PPB	305
	Threshold	10	3

Arsenic	B.G.	0-15	2
	Threshold	16-17	18
	Anomalous	18-26	28

Silver	B.G.	0-7	284
	Threshold	8	10
	Anomalous	71-0	14

Lead	B.G.	0-39	278
	Threshold	40-49	14
	Anomalous	50-127	16

Zinc	B.G.	0-110	276
	Threshold	120-130	18
	Anomalous	140-447	14

Molybdenum	B.G.	0-2	279
	Threshold	3	11
	Anomalous	4-9	8

CONCLUSIONS AND RECOMMENDATIONS

The soil geochemical survey revealed numerous weak-medium intensity anomalies.

The areas of more intense soil geochemical response lie mainly diagonally across the property from the south west to the northeast corner. This area shows groups or spots of higher geochemical assays for all the elements.


It is recommended that the first phase program be modified and completed.

The modified program should consist of a magnetometer, induced polarization and pulse type E.M. surveys.

The correlated information of all the surveys would be instrumental in determining the drill program to follow.

The monies to complete the remainder of the first phase surveys would be some \$35,000.00.

Respectfully submitted,



E. Amendolagine, P. Eng.

Dated: October 18th, 1984

COST BREAKDOWN

Line grid flagging chain and compass and stations 25km	\$2,500.00
Field men - soil sampling	
Sab Amendolagine - Oct. 12-20/83 @ \$125/day	1,000.00
Pino Causicto - Oct. 12-20/83 @ \$125/day	1,000.00
D. Olson - Oct. 16-20/83 @ \$125/day	500.00
Assays	3,900.00
Room & Board 20/M/D @ \$75/day	1,500.00
4X4 - car trans.	1,100.00
Supplies & comm.	207.74
Report & Consulting	<u>1,500.00</u>
 ASSESSMENT EXPENSES:	 \$13,107.74

APPENDIX I

ASSAY CERTIFICATE

ACME ANALYTICAL LABORATORIES LTD.
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE 253-3158 DATA LINE 251-1011

DATE RECEIVED: SEPT 17 1984

DATE REPORT MAILED: *Sept 20/84*

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-3 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN, FE, CA, P, CR, HG, BA, TI, B, AL, NA, K, W, BI, ZR, CE, SN, Y, NB AND TA. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: SBLS AU ANALYSIS BY AA FROM 10 GRAM SAMPLE.

ASSAYER: *M. J. DEAN* DEAN TOBYE, CERTIFIED B.C. ASSAYER

MANNY CONSULTANT		PROJECT #	TRAC	FILE #	84-2652	PAGE	1
SAMPLE #	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
OE 05	1	5	13	66	.1	6	5
OE 15	1	10	13	68	.2	6	5
OE 25	1	5	27	68	.1	6	5
OE 35	1	10	3	66	.4	6	5
OE 45	1	7	11	136	.4	7	5
OE 55	1	6	11	76	.5	6	5
OE 65	1	11	10	77	.5	6	5
OE 75	1	6	6	79	.5	6	5
OE 85	1	6	15	70	.5	4	5
OE 95	1	10	15	72	.6	4	5
OE 105	1	6	8	50	.7	6	5
OE 115	1	8	22	99	.1	6	5
OE 125	1	6	22	87	.5	11	5
OE 135	1	8	20	80	.1	5	5
OE 145	1	14	14	82	.4	6	5
OE 155	1	6	13	39	.1	6	5
OE 165	1	5	16	25	.1	7	5
OE 175	1	5	9	73	.1	6	5
OE 185	1	11	14	79	.3	6	5
OE 195	1	11	10	81	.3	5	5
OE 205	1	10	15	71	.1	6	5
OE 215	1	11	27	89	.1	7	5
OE 225	1	11	18	90	.2	7	5
OE 235	1	11	16	75	.5	6	5
OE 245	1	15	23	71	.7	6	5
OE 255	1	8	13	88	.1	4	5
OE 265	1	6	24	107	.1	3	5
OE 275	1	9	16	87	.1	3	5
OE 285	1	5	26	62	.2	3	5
OE 295	1	9	157	199	1.9	8	5
OE 305	1	5	14	92	.1	4	5
OE 315	1	7	17	123	.4	5	5
OE 325	1	8	23	114	.1	4	5
OE 335	1	10	11	82	.3	5	5
OE 345	1	5	13	49	.3	3	5
OE 355	1	10	8	128	.4	4	5
OE 365	1	9	18	99	.2	5	5
STD C/AU 0.5	18	57	38	122	5.5	37	490

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
OE 37S	3	13	22	112	.2	5	5
OE 38S	1	14	9	78	.2	4	5
OE 39S	1	9	1	49	.1	2	5
OE 40S	1	9	9	94	.1	2	5
1E 0S	1	8	20	69	.1	5	5
1E 1S	1	9	12	67	.1	2	5
1E 3S	1	10	11	84	.3	4	5
1E 5S	1	11	11	76	.2	4	5
1E 7S	2	10	12	89	.3	4	5
1E 9S	1	11	79	244	.2	4	5
1E 11S	1	5	23	85	.4	2	5
1E 13S	3	8	14	74	.5	2	5
1E 15S	1	2	5	20	.1	2	5
1E 17S	1	3	14	18	.2	2	5
1E 19S	1	12	21	79	.1	2	5
1E 21S	2	14	248	447	1.1	4	5
1E 23S	2	14	25	51	1.0	2	5
1E 25S	1	13	52	59	.1	2	5
1E 27S	1	17	66	239	.4	10	5
1E 29S	2	14	42	92	.3	15	5
1E 31S	2	17	25	106	1.4	3	5
1E 33S	1	13	19	61	.5	2	5
1E 35S	1	10	64	67	.4	2	10
1E 37S	1	11	20	31	.3	15	5
1E 39S	1	7	10	31	.3	2	5
1E 40S	1	6	41	23	.3	2	5
2E 0S	1	7	18	65	.3	4	5
2E 2S	1	10	7	50	.3	3	5
2E 4S	1	6	10	50	.3	2	5
2E 6S	2	14	17	75	.3	2	5
2E 8S	1	6	16	56	.1	5	5
2E 10S	2	10	12	87	.2	2	5
2E 12S	1	11	15	94	.4	4	5
2E 14S	1	5	30	20	.1	2	5
2E 16S	1	11	17	58	.6	4	5
2E 18S	1	9	33	77	.6	3	5
2E 20S	1	7	47	41	.5	6	5
BTD C/AU 0.5	20	59	40	125	6.9	43	510

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
2E 226	2	8	14	67	.3	4	5
2E 246	2	13	19	62	.6	3	5
2E 266	2	8	12	95	.3	5	5
2E 286	2	3	20	26	.1	5	5
2E 306	1	7	22	80	.4	2	5
2E 326	1	3	12	75	.2	2	5
2E 346	2	4	5	35	.3	4	5
2E 366	2	10	23	29	.7	5	5
2E 386	2	10	28	39	.4	9	5
2E 406	1	5	6	41	.6	4	5
3E 06	1	4	5	36	.2	4	5
3E 16	1	6	16	63	.4	4	5
3E 36	1	8	10	64	.4	7	5
3E 56	2	7	14	33	.4	10	5
3E 76	1	4	6	30	.3	4	5
3E 96	2	4	5	45	.2	6	5
3E 116	2	4	20	48	.2	8	5
3E 136	3	17	13	93	.8	2	5
3E 156	2	4	5	22	.3	9	5
3E 176	2	5	12	31	.6	8	5
3E 196	2	5	14	64	.5	9	5
3E 216	1	8	7	58	.2	3	5
3E 236	2	8	8	54	.6	6	5
3E 256	2	8	1	81	.4	6	5
3E 276	2	5	23	51	.4	10	5
3E 296	2	5	29	43	.3	10	5
3E 316	1	8	6	57	.2	3	5
3E 336	1	6	7	72	.4	6	5
3E 356	1	8	4	70	.3	5	5
3E 376	1	5	28	51	.5	11	5
3E 396	1	5	9	48	.7	8	5
3E 406	2	14	21	71	.8	6	5
4E 06	1	9	4	35	.6	4	5
4E 26	1	8	6	39	.7	5	5
4E 46	1	3	8	61	.8	11	5
4E 66	1	8	8	132	.6	5	5
4E 86	2	8	4	67	.6	4	5
STD C/AU 0.5	17	60	40	123	6.5	37	510

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
4E 10S	1	9	46	62	.5	2	5
4E 12S	1	6	6	47	.5	3	5
4E 14S	1	10	19	58	.9	2	5
4E 16S	2	19	13	39	1.0	2	5
4E 18S	1	9	9	126	.6	2	5
4E 20S	1	11	30	115	.7	5	5
4E 22S	1	11	7	38	.3	6	5
4E 24S	1	9	3	43	.3	2	5
4E 26S	1	10	12	118	2.5	2	5
4E 28S	1	10	14	63	.6	4	5
4E 30S	2	10	3	78	.6	3	5
4E 32S	1	8	53	41	.8	2	5
4E 34S	3	15	10	136	.3	2	5
4E 36S	4	14	23	124	.4	4	5
4E 38S	2	11	9	130	.1	3	5
4E 40S	3	15	31	137	1.3	5	5
5E 0S	1	6	21	44	.3	4	5
5E 1S	1	7	12	52	.1	4	5
5E 3S	1	12	21	44	.1	9	5
5E 9S	1	9	19	61	.3	2	5
5E 11S	2	10	11	64	.4	2	5
5E 13S	1	5	18	54	.2	2	5
5E 15S	2	8	24	46	.6	6	5
5E 17S	2	9	26	64	.6	4	5
5E 19S	1	11	3	97	1.0	3	5
5E 21S	1	14	67	202	2.3	6	5
5E 23S	1	10	45	117	.7	8	5
5E 25S	1	11	16	114	.5	2	5
5E 27S	1	14	36	118	.4	3	5
5E 29S	1	11	14	131	.4	9	5
5E 31S	1	14	18	157	.5	4	5
5E 33S	4	9	42	172	.2	7	5
5E 35S	1	12	24	133	.3	4	5
5E 37S	1	9	13	93	.4	2	5
5E 39S	1	7	29	102	.7	3	5
STD C/AU 0.5	18	57	39	123	6.7	39	505

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
5E 40S	1	10	24	89	1.0	2	5
6E 0S	1	6	20	54	.1	7	5
6E 2S	1	6	1	56	.3	4	5
6E 4S	1	5	11	32	.1	7	5
6E 6S	1	1	1	15	.1	5	5
6E 8S	1	17	127	72	.1	10	5
6E 10S	1	8	25	96	.1	5	5
6E 12S	1	12	4	16	.1	6	5
6E 14S	3	12	28	68	.3	4	5
6E 16S	1	10	26	94	.1	9	5
6E 18S	3	22	50	87	.5	6	5
6E 19S	1	11	21	65	.5	5	5
7E 0S	1	5	10	58	.1	4	5
7E 1S	1	42	25	81	.3	5	5
7E 3S	1	5	7	15	.1	10	5
7E 5S	2	18	36	53	.6	5	5
7E 7S	1	11	39	111	.4	9	10
7E 9S	2	10	14	32	.1	6	5
7E 11S	1	10	30	85	.4	3	5
7E 13S	1	7	10	67	.3	5	5
7E 15S	1	6	10	36	.2	5	5
7E 17S	1	8	25	46	.3	6	5
7E 19S	1	17	32	62	.6	11	5
8E 0S	1	7	19	66	.4	5	5
8E 2S	1	9	45	97	.2	5	5
8E 4S	1	5	12	10	.1	11	5
8E 6S	1	10	21	99	.3	4	5
8E 8S	9	5	52	46	.4	6	5
8E 10S	4	12	40	58	.3	10	5
8E 12S	1	20	25	118	1.2	2	5
8E 14S	1	6	15	111	.1	2	5
8E 16S	1	10	27	105	.3	2	5
8E 18S	1	11	25	95	.2	2	5
8E 20S	1	10	17	116	.3	2	5
9E 0S	1	6	59	38	.1	14	5
9E 1S	1	5	13	17	.5	6	5
STD C/AU 0.5	18	58	40	123	6.7	39	495

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AUX* PPB
9E 3S	2	6	37	64	.4	8	5
9E 5S	2	11	26	68	.7	9	5
9E 7S	1	10	16	102	.6	2	5
9E 9S	2	13	17	115	.7	2	5
9E 11S	1	8	13	138	.3	2	5
9E 13S	1	11	21	85	.3	4	5
9E 15S	2	18	42	75	1.6	2	5
9E 17S	1	5	20	82	.6	4	5
9E 19S	1	10	22	87	.9	3	5
9E 20S	1	10	23	93	.8	2	5
10E 0S	1	14	5	59	.2	7	5
10E 2S	2	15	66	164	.3	14	5
10E 4S	1	10	10	35	.4	4	5
10E 6S	1	13	16	189	.4	7	5
10E 8S	1	10	25	126	.3	9	5
10E 10S	1	15	25	89	.1	6	5
10E 12S	1	15	28	88	.4	6	5
10E 14S	1	13	53	184	.3	12	5
10E 16S	1	10	17	48	.2	6	5
10E 18S	1	8	13	49	.1	3	5
10E 20S	1	15	18	72	.2	4	5
11E 0S	1	5	34	65	.2	2	5
11E 1S	3	8	36	71	.2	8	5
11E 3S	1	8	23	78	.4	8	5
11E 5S	2	7	40	66	.4	7	5
11E 7S	2	6	15	34	.4	5	5
11E 9S	4	16	29	66	1.4	6	5
11E 11S	2	10	38	154	.4	2	5
11E 13S	5	10	38	124	.3	7	5
11E 15S	2	7	35	18	.2	7	5
11E 17S	2	5	16	68	.2	2	5
11E 19S	1	4	21	49	.4	2	5
11E 20S	1	5	14	70	.4	3	5
12E 0S	1	6	15	62	.4	8	5
12E 2S	1	5	21	53	.4	5	5
12E 4S	1	5	31	71	.4	3	5
12E 6S	1	6	21	59	.3	6	5
STD C/AU 0.5	18	58	41	123	6.6	37	490


SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
12E 8S	1	5	1	60	.2	2	5
12E 10S	1	5	1	51	.1	2	10
12E 12S	1	5	13	61	.2	2	5
12E 14S	1	5	4	59	.2	2	5
12E 16S	1	4	13	44	.2	2	5
12E 18S	1	6	12	64	.2	2	5
12E 20S	1	5	4	56	.3	3	5
14E 0S	1	14	66	119	.1	9	5
14E 2S	1	15	17	103	.1	2	5
14E 6S	1	10	35	86	.3	7	5
14E 8S	1	15	14	73	.2	2	5
14E 10S	1	15	46	98	.4	6	5
14E 12S	1	15	23	61	.3	2	5
14E 16S	1	13	39	94	.3	9	5
14E 18S	1	15	20	86	.2	4	5
14E 20S	1	13	22	67	.3	2	5
15E 0S	2	12	20	73	.2	3	5
15E 1S	2	11	17	53	.2	4	5
15E 3S	2	8	18	70	.4	2	5
15E 5S	2	6	24	39	.3	3	5
15E 7S	2	7	27	51	.5	2	5
15E 9S	2	7	34	62	.3	3	5
15E 11S	2	12	34	67	.5	2	5
STD C/AU 0.5	19	58	40	123	6.3	37	500

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
15E 135	2	7	22	55	.6	5	5
15E 155	2	7	38	58	.2	5	5
15E 175	2	6	48	42	.2	2	5
15E 195	2	12	48	72	.4	3	5
15E 205	2	6	36	37	.3	6	5
16E 08	1	5	20	92	.3	7	5
16E 25	1	15	35	134	1.0	6	5
16E 45	2	10	27	99	.3	7	5
16E 65	1	8	23	98	.5	5	5
16E 85	1	10	25	122	.9	6	5
16E 105	2	5	21	79	.3	5	5
16E 125	1	7	16	85	.3	2	5
16E 145	1	7	23	89	.5	5	5
16E 165	1	5	28	95	.3	8	5
16E 185	1	6	16	80	.5	4	5
16E 205	1	5	12	84	.5	5	5
17E 05	2	6	38	46	.6	10	5
17E 15	1	6	30	89	.5	6	5
17E 35	2	8	1	54	.4	2	5
17E 55	1	11	7	66	.4	3	5
17E 75	1	12	12	65	.7	6	5
17E 95	1	6	20	61	.4	3	5
17E 115	1	14	31	67	.8	5	5
17E 135	1	8	19	56	.3	4	5
17E 155	1	9	20	46	.4	7	5
17E 175	1	7	21	55	.5	3	5
17E 195	1	11	16	56	.4	2	5
17E 205	1	12	21	49	.4	5	5
18E 05	1	10	1	16	.8	2	5
18E 25	3	7	24	59	.5	2	5
18E 45	2	8	31	29	.6	5	5
18E 65	1	11	23	76	.5	9	5
18E 85	1	9	14	88	.5	7	5
18E 105	1	6	19	81	.4	5	5
18E 125	1	7	20	98	.6	5	5
18E 145	1	9	12	60	.5	5	5
18E 165	1	9	4	59	.6	4	5
STD B/AU 0.5	18	57	48	123	5.5	39	49

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
18E 18S	1	10	12	112	.1	5	5
18E 20S	1	10	5	114	.1	2	5
19E 0S	1	6	6	74	.1	2	5
19E 1S	1	5	7	13	.1	4	5
19E 3S	1	10	23	106	.1	5	5
19E 5S	4	12	21	124	.1	5	5
19E 7S	2	11	24	80	.3	2	5
19E 9S	1	6	53	33	.1	4	5
19E 10S	1	6	11	26	.1	6	5
20E 0S	1	6	20	94	.3	2	5
20E 1S	1	11	56	68	.1	4	5
20E 2S	1	5	3	6	.2	2	5
20E 3S	1	15	18	74	.1	8	5
20E 4S	1	7	25	14	.1	2	5
20E 5S	7	13	20	189	.1	5	5
20E 6S	2	5	24	29	.1	7	5
20E 8S	2	10	23	25	.1	5	5
20E 9S	2	9	45	34	.1	8	5
20E 10S	2	10	74	76	.1	7	5
20E 11S	2	9	14	57	.2	2	5
20E 12S	1	9	69	42	.1	6	5
20E 13S	1	11	75	70	.4	11	5
20E 14S	2	14	13	57	.3	2	5
20E 15S	2	7	91	71	.4	10	5
20E 16S	1	12	48	87	.3	7	5
20E 17S	1	12	32	114	.4	2	5
20E 18S	2	9	50	86	.1	15	5
20E 19S	2	12	41	148	.1	7	5
20E 20S	1	15	42	147	.2	8	5
STD C/AU 0.5	18	57	40	122	6.2	37	505
18E 4S	2	5	31	27			
18E 5S	1	11	23				
18E 6S	1	7					
18E 7S	1	11					
18E 8S	1	11					
18E 9S	1	11					
18E 10S	1	11					
18E 11S	1	11					
18E 12S	1	11					
18E 13S	1	11					
18E 14S	1	11					
18E 15S	1	11					
18E 16S	1	11					
18E 17S	1	11					
18E 18S	1	11					
18E 19S	1	11					
18E 20S	1	11					
STD C/AU 0.5	16	57	40	122	6.2	37	505

APPENDIX II

PLOTTED ASSAYS



RKY CLAIMS

DKY



TRAC RESOURCES LTD.


RKY & DKY CLAIMS

GEOCHEMICAL SURVEY

Ag

SLOCAN MINING DIVISION BRITISH COLUMBIA

SURVEY BY MANNY CONSULTANTS LTD	DATE SEPTEMBER, 1984
DRAWN BY K.D.H. HOLDINGS LTD	DWG No



RKY CLAIMS

DKY



TIRAC RESOURCES LTD.

RKY & DKY CLAIMS

GEOCHEMICAL SURVEY

Mo

SLOCAN MINING DIVISION

BRITISH COLUMBIA

SURVEY BY: MANNING CONSULTANTS - LED

DATE: SEPTEMBER 1968

DRAWN BY: K.DON HOLDINGS LTD

ONS: 260

100 90 80 70 60 50 40 30 20 10 0

0
25
45
65
85
105
125
145
165
185
205
225
245
265
285
305
325
345
365
385
405


66	69	65	65	65	69	69	58	64	59	65	71	119	78	92	46	16	77	98
68	69	56	68	67	66	66	67	64	64	78	53	103	70	59	59	106	78	6
66	69	65	65	64	62	60	55	68	66	71			69	29	29	118	187	
76	78	33					55	68	66				39	66				
77	75	75	132		165	97	97	181	59			56	98	76				29
77	69	30			101	102	39						59	65		80		25
79	52	67			72	46		125	60			78	59	120		89		39
71	69	65	68		68	32	46	116	66	60			62	61		33		76
76	69	67	62		92	59	59	187	69	51		98	70	61	81	26		59
78	68	68			67	25		187	187				67	67				42
78	69	69	67		67	16	118	88	61	61		61	85	98				30
74	70	68			59	60	68	129					55	56				59
72	70	20	58		68	101	100	59					69	60				71
78	60	22	68		92	36	75	187					59	56				59
78	78	68	39		99	105	60	69	69			99	93	59				119
78	77	31	69		69	96	82	68	69			66	42	55				36
79	77	66	126		83	95	93	69	64			66	80		112			199
81	73	60	97		65	52	87	69	64			66	72	56				197
77	64	115			116	72	72	79	56			67	37	69	119			128
69	69	68	202															
69	68	39	117															
67	61	59	117															
67	61	48	114															
66	69	61	118															
67	69	57	118															
67	69	68																
69	64	68	187															
68	60	79	169															
68	66	57	169															
68	66	61																
68	64	61	172															
68	64	32	136															
68	67	70	187															
68	67	34	137															
68	67	57	137															
68	67	68	102															
68	67	77	157															

RKY CLAIMS

DKY



TIRAC RESOURCES LTD.
 RKY & DKY CLAIMS
 GEOCHEMICAL SURVEY
 Zn
 SLOCAN MINING DIVISION
 BRITISH CO.
 SURVEY BY: MANNING CONSULTANTS LTD. DATE: SEPTEMBER 1989
 DRAWN BY: K.O.M. HOLDINGS LTD. DWS: No.



RKY CLAIMS

DKY



TRAC RESOURCES LTD.
 RKY & DKY CLAIMS
 GEOCHEMICAL SURVEY
 As
 SLOCAN MINING DIVISION
 BRITISH COLUMBIA

SURVEY BY MANNY CONSULTANTS LTD	DATE SEPTEMBER 1981
DRAWN BY K.O.H. HOLDINGS LTD	DWG No

L 02 L 04 L 06 L 08 L 10 L 12 L 14 L 16 L 18 L 20



0	13	10	12	5	4	21	20	10	13	59	5	34	15	66	20	20	38	1	6	20
25	12	11	14	6	12	1	25	13	45	66	34	21	17	17	35	1	24	7	56	3
45	11	11	10	8	21	11	7	12	57	23	10	31	18	27	7	31	21	23	19	25
65	10	11	10	8	1	32	21	14	24	40	21	35	29	25	23	23	21	24	24	24
85	6	12	4	4	42	39	16	15	52	25	1	19	27	25	12	19	24	23	45	79
105	15	17	5	44	12	35	18	25	17	29	1	46	31	21	19	11	19	14	67	75
125	8	23	20	6	11	20	13	39	25	39	15	23	31	14	20	12	13	13	91	48
145	22	15	13	18	9	40	21	38	21	53	4	39	23	20	4	48	21	12	50	41
165	19	19	19	19	29	10	42	35	17	13	20	28	28	21	12	5	92	12	41	92
185	12	13	15	24	50	32	25	13	13	12	22	48	16	12	5	92	12	41	92	92
205	16	17	19	30	31	17	23	19	19	4	20	36	12	21	5	92	12	41	92	92
225	13	14	15	7	7	47	7	7	47	7	7	47	7	7	47	7	47	7	47	7
245	14	15	16	8	8	45	8	8	45	8	8	45	8	8	45	8	45	8	45	8
265	15	16	17	9	9	44	9	9	44	9	9	44	9	9	44	9	44	9	44	9
285	16	17	18	10	10	43	10	10	43	10	10	43	10	10	43	10	43	10	43	10
305	17	18	19	11	11	42	11	11	42	11	11	42	11	11	42	11	42	11	42	11
325	18	19	20	12	12	41	12	12	41	12	12	41	12	12	41	12	41	12	41	12
345	19	20	21	13	13	40	13	13	40	13	13	40	13	13	40	13	40	13	40	13
365	20	21	22	14	14	39	14	14	39	14	14	39	14	14	39	14	39	14	39	14
385	21	22	23	15	15	38	15	15	38	15	15	38	15	15	38	15	38	15	38	15
405	22	23	24	16	16	37	16	16	37	16	16	37	16	16	37	16	37	16	37	16

RKY CLAIMS

DKY



TRAC RESOURCES LTD.


RKY & DKY CLAIMS

GEOCHEMICAL SURVEY

Pb

SLOCAN MINING DIVISION BRITISH COLUMBIA

SURVEY BY MANNY CONSULTANTS LTD.	DATE SEPTEMBER 1984
DRAWN BY K.D.M. HOLDINGS LTD.	DWG No.



NTS 82F14W

DEPARTMENT OF MINES AND PETRO
VICTORIA B.C.

NTS 82F14W CLAIM MAP 1:50,000

For spot rate information on claims in this area see...

TO SOUTH SEE MAP B21

117°30' SLOCAN MINING DIVISION