

84-1416-13553
11/85

ASSESSMENT WORK

July 27 - August 16, 1984

SOIL GEOCHEMICAL SURVEY REPORT

AND

PROTON MAGNETOMETER SURVEY REPORT

ON THE
R CLAIM (9 units)
SLOCAN MINING DIVISION, BRITISH COLUMBIA

AT

LATITUDE: 49° 44' N
LONGITUDE: 117° 26' W

CLAIM MAP M82F/14W

BY

E. AMENDOLAGINE, P. Eng.

February 13th, 1985

GEOLOGICAL BRANCH
ASSESSMENT REPORT

13,553

TABLE OF CONTENTS

Introduction	1
Summary	2
Property	3
Location	3
Access	3
Survey Performed	4
Statistical Analysis	6
Soil Geochemical Maps for Au, Ag, Pb, Zn and Mo	following 6
Magnetic Survey	7
Field Procedure	7
Magnetic Map	following 7
Conclusions and Recommendations	8
Cost Breakdown	9
Certificate	10

Appendix 1 - Assay Certificates

Introduction

The following report discusses the line clearing, soil geochemical survey and the proton magnetometer surveys conducted on the "R" claim (9 units) and the "S" claim (12 units) located in the Slocan Mining Division of British Columbia.

The claims have a common boundary with the three southern units of the "R" claim adjoining the three northern units of the "S" claim.

The surveys were carried out by Jim Van Aert and Jamie Amendolagine under the supervision of Manny Consultants Ltd. during the period of July 27 to August 16, 1984.

Summary

A detail soil geochemical survey and a magnetometer survey was conducted on the "R" claim (9 units) Recorded No. 2781 in the Slocan Mining Division of British Columbia.

The soil geochemical survey consisted of 23 soil samples and 118 proton precession magnetometer reading.

The soil geochemical assays yielded anomalous indications for gold, silver, lead, zinc and molybdenum.

The anomalous assay indications are on strike with similar anomalous indications of the adjoining property to the northeast and south.

The soil geochemical anomalies in general coincide with the proton magnetic surveys anomalous high readings.

There was 3 line kms of soil geochemical sampling and 4.8 line kms of magnetometer surveying completed on the "R" claim.

With positive indication in the surveys, it is recommended the property be further explored with detail geochemical, geophysical, geological mapping and followed by test diamond drilling.

PROPERTY

The property consists of the "R" claim (9 units) as shown on Claim Map M82F/14W.


LOCATION

The claim is located 4 km northwest of Slocan, British Columbia, some two km east of Slocan Lake.

ACCESS

Access is some 6 km by road from the town of Slocan, east up Springer Creek and north up Scorpion Creek. The road passes on the west boundary of the claim.

M 82F 14W



For up-to-date information on
claims in any area you should

**DEPARTMENT OF MINES AND
VICTORIA**

SURVEY PERFORMED

Line grid and soil geochemistry surveys were conducted on the property during the period July 27 - August 16, 1984. This survey was conducted by Manny Consultants Ltd. with the assistance of:

Jamie Amendolagine

Jim Van Aert

The line grid was established on the property and tied into the LCP in the southwest corner of the claim. The grid consisted of compass and chain and flagging lines.

The main baseline is the west boundary of the claim. The east lines are run off the baseline, and are spaced 250 meters apart.

The soil geochemistry survey used the line grid for control, and samples were taken at 100 meter spacings along the "o" line. The area is steep in places and difficult to traverse.

The soil samples were taken in groups of 3 samples with samples taken at the 100 meter stations and also 30 meters north and 30 meters south of the 100 meter stations.

There was one line sampled by geochemical means. This line was at the south end of the property adjoining the "S" claim to the south.

The samples form 3 parallel lines 30 meters apart and consist of 35 soil samples.

The samples were taken with a grub hoe at a depth of some 15-20 cm. below the surface in the B horizon where possible.

The samples were assayed for Au, Ag, As, Cu, Pb, Zn and Mo by Acme Analytical Laboratories of Vancouver, B.C.

The assays are plotted on the plans and the certificates are included in appendix 1.

The following is the laboratory methodology:

ACME ANALYTICAL LABORATORIES LTD
Assaying & Trace Analysis
852 E. Hastings St., Vancouver, B.C. V6A 1R6
Telephone : 253-3168

GEOCHEMICAL LABORATORY METHODOLOGY - 1982

Sample Preparation

1. Soil samples are dried at 60°C and sieved to -80 mesh.
2. Rock samples are pulverized to -100 mesh.

Geochemical Analysis (AA and ICP)

0.5 gram samples are digested in hot dilute aqua regia in a boiling water bath and diluted to 10 ml with demineralized water. Extracted metals are determined by :

A. Atomic Absorption (AA)

Ag*, Bi*, Cd*, Co, Cu, Fe, Ga, In, Mn, Mo, Ni, Pb, Sb*, Tl, V, Zn
(* denotes with background correction.)

B. Inductively Coupled Argon Plasma (ICP)

Ag, Al, As, Au, B, Ba, Bi, Ca, Cd, Co, Cu, Cr, Fe, K, La, Mg,
Mn, Mo, Na, Ni, P, Pb, Sb, Sr, Th, Ti, U, V, W, Zn.

Geochemical Analysis for Au

10.0 gram samples that have been ignited overnite at 600°C are digested with hot dilute aqua regia, and the clear solution obtained is extracted with Methyl Isobutyl Ketone.

Au is determined in the MIBK extract by Atomic Absorption using background correction (Detection Limit = 5 ppb direct AA and 1 ppb graphite AA.)

Geochemical Analysis for Au, Pd, Pt, Rh

10.0 - 30.0 gram samples are subjected to Fire Assay preconcentration techniques to produce silver beads.

The silver beads are dissolved and Au, Pb, Pt and Rh are determined in the solution by Atomic Absorption.

Geochemical Analysis for As

0.5 gram samples are digested with hot dilute aqua regia and diluted to 10 ml. As is determined in the solution by Graphite Furnace Atomic Absorption (AA) or by Inductively Coupled Argon Plasma (ICP).

STATISTICAL ANALYSIS SOIL GEOCHEMICAL ASSAYS

The statistical analysis encompasses 23 soil sample assay results from the joint venture survey of the "R" claim and "S" claim.


The surveys were conducted simultaneously. The larger number of samples of the immediate area enhanced the statistical lanalysis interpretation.

The following are the statistical analysis of the 141 samples with a breakdown sheet followed by a contoured map of the "S" claim anomalous areas.

The assay results reported by Acme Laboratory are included in Appendix 1 with plotted assay result plans.

ELEMENT	ASSAY RANGE	NO. OF SAMPLES
Gold	B.G. 5 ppb	21
	Anomalous 10-25	2
Silver	B.G. 0-.6	19
	Threshold 0.7	0
	Anomalous .8-2.9	4
Lead	B.G. 0-30	4
	Threshold 30-40	3
	Anomalous 40-100	16
Zinc	B.G. 0-150	14
	Threshold 150-200	4
	Anomalous 200-2135	5
Moly	B.G. 0-3	14
	Threshold 4	3
	Anomalous 5-11	6

CLAIM




LEGEND


OIS SOIL SAMPLE LOCATION WITH ASSAY RESULTS IN ppb GOLD.

R CLAIM

SOIL GEOCHEMISTRY - GOLD

SLOCAN MINING DIVISION, BRITISH COLUMBIA






LEGEND


\circ^{a} SOIL SAMPLE LOCATION WITH ASSAY RESULTS IN ppm SILVER.

R CLAIM

SOIL GEOCHEMISTRY - SILVER

SLOCAN MINING DIVISION, BRITISH COLUMBIA






LEGEND


O^{36} SOIL SAMPLE LOCATION WITH ASSAY RESULTS IN ppm LEAD

R CLAIM

SOIL GEOCHEMISTRY - LEAD

SLOCAN MINING DIVISION, BRITISH COLUMBIA







LEGEND

O₁₁₀ SOIL SAMPLE LOCATION WITH ASSAY RESULTS IN ppm ZINC.

R CLAIM
SOIL GEOCHEMISTRY - ZINC

SLOCAN MINING DIVISION, BRITISH COLUMBIA






LEGEND

O³ SOIL SAMPLE LOCATION WITH ASSAY RESULTS IN ppm MOLYBDENUM.

R CLAIM

SOIL GEOCHEMISTRY – MOLY

SLOCAN MINING DIVISION, BRITISH COLUMBIA



Magnetic Survey

The magnetic survey was carried out with a model G816 proton precession magnetometer.

The instrument reads out directly in gammas to an accuracy of + gamma over a range of 20,000 - 100,000 gammas. The operating temperature range is -40 to +85 C and its gradient tolerance is up to 5000 gammas per meter.

FIELD PROCEDURE


The west side of the property was used as the N-S base line.

The diurnal variation was monitored in the field by using the N-S base line in a closed loop method to enable the variation to be removed from the raw data prior to plotting.

All the east west loop lines were tied into the base line base stations.

Readings were taken at 25 meter intervals along lines "o", 1N, 2N, and 3N.

The magnetic readings are plotted on the enclosed plans.




NOTE:

ONLY THE FIRST TWO OF FOUR DIGITS ARE PLOTTED.

PROTON MAGNETOMETER SURVEY

SLOCAN MINING DIVISION, BRITISH COLUMBIA



CONCLUSIONS AND RECOMMENDATIONS

There was 3 kms of soil geochemical samples taken and 4.8 line kms of magnetometer readings taken.

The soil geochemical survey revealed numerous weak anomalies.

The three parallel soil geochemical lines on the south end of the property is anomalous and lies on strike between the anomalous areas on the properties to the west and south.


The proton magnetometer survey indicated magnetic highs in association with the soil geochemical anomalous areas.

The recommendations are to continue the geochemical survey in a more detailed survey in conjunction with geology, VLF and magnetometer surveys. The correlation of the survey information would determine any necessary program to follow.

Respectfully submitted,

E. Amendolagine P. Eng.

February 13th, 1985




CERTIFICATE

I, Emmanuel Amendolagine, of the City of Vancouver, in the Province of British Columbia, hereby certify:

1. That I am a geologist and reside in Vancouver, B.C.
2. That I am a graduate of Hunter college of the City of New York and Columbia University with a B.A. and M.A., respectively and that I have been practising my profession as a geologist for 33 years.
3. That I am a registered Professional Engineer in the Province of British Columbia.
4. That this report is based on and in reference to the soil geochemical and magnetometer surveys conducted on the "R" claim in the Slocan Mining Division of B.C. by Manny Consultants Ltd. during the period of July 27th to August 16th, 1984.

Dated at Vancouver, British Columbia, this 13th day of February, 1985.

E. Amendolagine, P. Eng.



COST BREAKDOWN

Jim Van Aert	July 27 - Aug 16/84 @ \$50./day	\$ 1,000.00
James Amendolagine	July 27 - Aug 16/84 @ \$75./day	1,500.00
E. Amendolagine	Aug 3-4/84 @ \$400./day	<u>800.00</u>
		<u>\$3,300.00</u>
		=====

Survey Crew

Rental car - Trans. & Fuel	1,073.97	
Room & Board - 42 man days	1,670.84	
Assays	1,212.60	
Supplies Comm. Rental Mag.	1,315.50	
Report, Draft, Typing(2reports)	<u>1,000.00</u>	
	\$6,272.91	<u>\$6,272.91</u>
	TOTAL EXPENSES	\$9,572.91
		=====

"R" Claim Share Expenses - 1/4 of expenses \$2,393.23

APPENDIX 1

ASSAYS

ACME ANALYTICAL LABORATORIES LTD.
850 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE 253-3158

DATE RECEIVED: OCT 24 1984

DATA LINE 251-1011

DATE REPORT MAILED:

Oct 29/84

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-3 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR Mn,Fe,Ca,P,Cr,Mg,Ba,Ti,B,Al,Na,K,W,Si,Zr,Ce,Sn,Y,Nb and Ta. Au DETECTION LIMIT BY ICP IS 3 ppb.

- SAMPLE TYPE: SOILS Au* ANALYSIS BY AA FROM 10 GRAM SAMPLE.

ASSAYER: *D. Ley* DEAN TOYE. CERTIFIED B.C. ASSAYER

MANNY CONSULTANTS PROJECT FILE # 84-3139 PAGE 1

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au* ppb
LOS 1+00E	1	8	20	65	.1	8	5
LOS 2+00E	1	16	26	148	.3	13	5
LOS 3+00E	4	15	23	165	.2	21	5
LOS 4+00E	2	7	13	88	.1	8	5
LOS 5+00E	2	10	52	118	.1	12	20
LOS 6+00E	6	38	82	847	3.8	2	5
LOS 7+00E	13	14	281	2317	.5	12	5
LOS 8+00E	3	10	45	159	.1	10	5
LOS 9+00E	3	13	20	74	.1	3	5
LOS 10+00E	1	11	20	72	.1	5	5
LOS 11+00E	3	11	27	107	.1	3	5
LOS 12+00E	2	11	24	95	.1	5	5
LOS 15+00E	1	19	19	160	.2	20	
L1S 7+00E	1	8	20	113	.2	5	
L2S 7+00E	2	13	22	134	.2	2	5
L2S 8+00E	5	13	25	477	.1	2	5
L2S 9+00E	2	4	39	42	.1	8	5
L2S 10+00E	1	5	38	33	.1	9	5
L2S 11+00E	1	9	25	47	.2	2	5
L2S 12+00E	1	7	49	133	.1	9	5
L2S 13+00E	1	3	37	64	.2	5	5
L2S 14+00E	1	6	27	69	.4	4	5
L3S 0+00E	1	13	17	191	.3	4	5
L3S 1+00E	1	13	12	95	.1	4	5
L3S 2+00E	1	20	20	233	.4	6	5
L3S 3+00E	1	11	14	94	.1	7	5
L3S 4+00E	1	19	19	179	.3	7	5
L3S 5+00E	1	16	22	142	.4	5	5
L3S 6+00E	1	16	19	140	.6	7	5
L3S 7+00E	1	7	23	64	.3	8	5
L3S 8+00E	1	5	26	34	.1	10	5
L3S 9+00E	11	14	156	2135	.6	11	5
L3S 10+00E	1	19	18	130	.3	6	5
L3S 11+00E	1	20	14	90	.2	5	5
L3S 12+00E	1	7	62	114	.2	9	5
L3S 13+00E	2	12	21	126	.5	7	5
L3S 15+00E	2	15	24	137	.4	5	5
STD C/AU 0.5	19	58	47	119	6.5	42	500

AC ANALYTICAL LABORATORIES LTD.
352 E.HASTINGS ST.VANCOUVER B.C. V6A 1R6
PHONE 253-3158 DATA LINE 251-1011

DATE RECEIVED: OCT 26 1984

DATE REPORT MAILED: Oct 30/84

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-3 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR Mn.Fe.Ca.P.Cr.Mg.Ba.Ti.B.Al.Na.K.W.Si.Zr.Ce.Sn.Y.Nb and Ta. Au DETECTION LIMIT BY ICP IS 3 ppm.
- SAMPLE TYPE: SOILS Au* ANALYSIS BY AA FROM 10 GRAM SAMPLE.

ASSAYER: *D. Toye* DEAN TOYE. CERTIFIED B.C. ASSAYER

MANNY CONSULTANTS PROJECT FILE # 84-3153 PAGE 1

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	As PPM	Au* PPB
L1S 1+00E	1	13	25	74	.3	11	5
L1S 2+00E	1	9	124	153	1.0	7	5
L1S 3+00E	3	15	38	145	.5	13	5
L1S 4+00E	3	8	17	55	.4	4	5
L1S 4+00EA	2	14	32	73	.3	9	15
L1S 5+00E	2	10	35	99	.7	8	5
L1S 6+00E	3	13	21	67	.5	5	5
L1S 8+00E	2	6	42	42	.2	7	15
L1S 9+00E	2	7	14	46	.1	5	10
L1S 11+00E	1	10	14	59	.1	2	5
L1S 12+00E	2	8	33	71	.3	11	5
L1S 13+00E	3	12	23	142	.2	6	5
STD C	19	57	41	119	6.5	40	-

SJ &
↓

ADQ ANALYTICAL LABORATORIES LTD.
351 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE 253-3158 DATA LINE 251-1011

DATE RECEIVED: OCT 24 1984

DATE REPORT MAILED: Oct 29/84

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-3 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR Mn,Fe,Ca,P,Cr,Mg,Ba,Ti,B,Al,Na,K,W,Si,Zr,Ce,Sn,Y,Nb and Ta. Au DETECTION LIMIT BY ICP IS 3 ppb.
- SAMPLE TYPE: SOILS Au* ANALYSIS BY AA FROM 10 GRAM SAMPLE.

ASSAYER: *D. Toyer* DEAN TOYE. CERTIFIED B.C. ASSAYER

MANNY CONSULTANTS PROJECT FILE # 84-3138 PAGE 1

SAMPLE#	Mo PPM	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au* ppb
O+3ON LOS 1+00E	1	8	17	97	.1	9	5
O+3ON LOS 2+00E	1	16	25	166	.2	10	5
O+3ON LOS 4+00E	1	8	32	137	.1	15	5
O+3ON LOS 5+00E	1	14	22	138	1.1	4	5
O+3ON LOS 6+00E	4	30	41	590	1.9	4	5
O+3ON LOS 8+00E	3	11	30	164	.1	12	5
O+3ON LOS 9+00E	2	15	20	102	.3	6	5
O+3ON LOS 10+00E	2	15	17	100	.2	8	5
O+3ON LOS 11+00E	3	11	19	98	.2	9	5
O+3ON LOS 12+00E	3	13	22	122	.1	8	5
O+3ON L1S 1+00E	1	20	21	122	.3	14	5
O+3ON L1S 2+00E	1	10	28	130	.4	15	5
O+3ON L1S 5+00E	1	7	37	111	1.4	9	5
O+3ON L1S 6+00E	1	9	36	107	.8	6	5
O+3ON L1S 7+00E	2	10	20	129	.5	4	5
O+3ON L1S 8+00E	2	7	19	92	.1	6	5
O+3ON L1S 9+00E	2	13	24	149	.2	9	5
O+3ON L1S 11+00E	2	14	83	71	.14	6	5
O+3ON L1S 12+00E	2	5	12	68	.1	8	20
O+3ON L1S 13+00E	3	11	18	136	.1	6	5
O+3ON L1S 14+00E	4	9	24	55	.3	3	5
O+3ON L1S 15+00E	3	15	29	147	.3	7	5
O+3ON L2S 3+00E	2	10	104	197	.7	23	5
O+3ON L2S 7+00E	2	15	54	114	.1	12	5
O+3ON L2S 7+00EA	1	6	14	57	.1	6	5
O+3ON L2S 8+00E	3	13	27	515	.2	5	5
O+3ON L2S 9+00E	3	14	35	557	.4	22	5
O+3ON L2S 10+00E	1	2	22	64	.2	10	5
O+3ON L2S 11+00E	1	8	32	78	.3	7	5
O+3ON L2S 12+00E	1	11	27	141	.2	8	5
O+3ON L2S 13+00E	1	7	41	134	.4	11	5
O+3ON L2S 14+00E	1	16	24	112	.4	6	5
O+3ON L3S 0+00E	1	16	27	262	.9	11	5
O+3ON L3S 1+00E	1	20	20	161	.8	7	10
O+3ON L3S 2+00E	1	15	11	111	.4	9	5
O+3ON L3S 3+00E	1	17	25	218	.7	9	5
STD C/AU-0.5	19	57	42	127	7.1	42	500

MANNY CONSULTANTS

PROJECT

FILE # 84-3138

PAGE 2

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au* ppb
O+3ON L3S 4+00E	1	15	9	92	.3	5	35
O+3ON L3S 5+00E	1	16	4	186	.8	7	55
O+3ON L3S 6+00E	1	13	15	97	.3	5	55
O+3ON L3S 7+00E	1	17	14	128	.2	2	55
O+3ON L3S 8+00E	3	15	9	503	.2	2	55
O+3ON L3S 9+00E	1	9	24	135	.4	11	5
O+3ON L3S 10+00E	1	19	10	190	.7	7	55
O+3ON L3S 12+00E	1	8	36	128	.2	9	55
STD C/AU 0.5	18	57	41	121	6.9	40	505

SIC
↓

ACQ ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE 253-3158 DATA LINE 251-1011

DATE RECEIVED: OCT 24 1984

DATE REPORT MAILED: Oct 29/84

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-3 HCl-HNO₃-H₂O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR Mn, Fe, Ca, P, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Si, Zr, Ce, Sn, Y, Nb and Ta. Au DETECTION LIMIT BY ICP IS 3 ppb.
- SAMPLE TYPE: SOILS Au* ANALYSIS BY AA FROM 10 GRAM SAMPLE.

ASSAYER: *D. Toye* DEAN TOYE. CERTIFIED B.C. ASSAYER

MANNY CONSULTANTS	PROJECT	FILE #	84-3140	PAGE	1
-------------------	---------	--------	---------	------	---

SAMPLE#	Mo	Cu	Pb	Zn	Ag	As	Au*
	PPM	PPM	PPM	PPM	PPM	PPM	PPB
O+30S LOS 1+00E	1	7	16	57	.1	5	5
O+30S LOS 2+00E	1	19	13	145	.2	10	5
O+30S LOS 3+00E	2	13	30	149	.2	13	5
O+30S LOS 4+00E	1	6	111	175	.1	19	5
O+30S LOS 5+00E	1	21	18	88	.1	6	5
O+30S LOS 6+00E	5	34	67	805	3.4	3	5
O+30S LOS 7+00E	4	10	54	575	.4	4	5
O+30S LOS 8+00E	2	5	43	105	.1	9	5
O+30S LOS 9+00E	2	13	17	79	.2	2	5
O+30S LOS 10+00E	1	18	18	102	.2	2	5
O+30S LOS 11+00E	3	11	21	87	.1	5	5
O+30S LOS 12+00E	2	14	12	100	.1	5	5
O+30S L1S 2+00E	2	12	39	96	.2	10	5
O+30S L1S 4+00E	2	8	23	83	.8	5	5
O+30S L1S 5+00E	2	8	28	96	.4	5	5
O+30S L1S 6+00E	2	8	27	89	.4	2	5
O+30S L1S 7+00E	1	10	16	77	.2	2	5
O+30S L1S 8+00E	1	6	7	27	.2	3	5
O+30S L1S 9+00E	1	12	16	143	.4	2	5
O+30S L1S 10+00E	1	11	23	75	.2	14	5
O+30S L1S 10+00EA	1	12	28	75	.3	17	5
O+30S L1S 10+00EB	2	10	140	121	.2	15	5
O+30S L1S 11+00E	1	6	11	66	.2	2	5
O+30S L1S 12+00E	1	5	15	131	.2	3	5
O+30S L1S 13+00E	1	7	14	129	.4	2	5
O+30S L1S 14+00E	2	9	17	60	.2	5	5
O+30S L1S 15+00E	1	5	11	41	.4	5	5
O+30S L2S 3+00E	1	10	28	137	.1	12	4
O+30S L2S 8+00E	4	14	19	591	.1	4	4
O+30S L2S 9+00E	4	14	21	577	.3	3	5
O+30S L2S 10+00E	1	3	12	54	.1	6	5
O+30S L2S 11+00E	1	12	64	78	.2	15	5
O+30S L2S 12+00E	1	7	24	130	.1	6	5
O+30S L2S 13+00E	1	7	73	126	.4	13	5
O+30S L2S 14+00E	1	7	56	41	.2	13	5
STD C/AU 0.5	18	59	41	122	6.4	38	505

R ↑
C ↓
S ↓

MANNY CONSULTANTS

PROJECT #

FILE # 84-3140

PAGE 2

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	As PPM	Au* PPB
O+30S L3S 0+00E	1	14	11	99	.3	9	5
O+30S L3S 1+00E	1	10	10	82	.3	7	5
O+30S L3S 2+00E	1	15	17	122	.3	8	5
O+30S L3S 3+00E	1	14	14	98	.4	7	5
O+30S L3S 4+00E	2	17	14	168	.7	7	5
O+30S L3S 5+00E	1	19	14	134	1.0	6	5
O+30S L3S 6+00E	1	15	14	135	.6	5	5
O+30S L3S 7+00E	1	14	7	89	.1	6	5
O+30S L3S 8+00E	1	6	20	37	.1	4	5
O+30S L3S 10+00E	1	10	10	77	.1	4	5
O+30S L3S 11+00E	2	15	20	112	.5	6	5
O+30S L3S 12+00E	2	3	24	58	.1	5	5
O+30S L3S 13+00E	1	12	8	91	.1	2	5
STD C/AU-0.5	18	59	41	120	6.9	39	505

S14