

GEOCHEMICAL and GEOLOGICAL REPORT
ON THE
WOLF III CLAIM FOR
SKEENA RESOURCES INC.
OMINECA MINING DIVISION
BRITISH COLUMBIA

NTS 94E/11W
LATITUDE: 57°31'^N
LONGITUDE 127°18'^W
17'

FILMED

Owner/Operator: Skeena Resources Inc.

GEOLOGICAL BRANCH
ASSESSMENT REPORT

Anthony Floy
Robert Helgasen
October 21, 1985

14,475

OREQUEST



SUMMARY

A Phase I work program has been completed on the Wolf III claim which is 100% owned by Skeena Resources Inc. The work program consisted of soil sampling, prospecting and geological mapping.

The claims, located in the Toodoggone region of north central British Columbia, are underlain by subaerial volcanics of Jurassic age.

The 1985 exploration work was designed to locate epithermal precious metal mineralization similar to deposits that have been delineated on adjoining claims.

Although outcrop is limited on the claims and no significant surface mineralization was located by prospecting, several soil geochemical anomalies should undergo further investigation.

A limited amount of further exploration is warranted. The Phase II program should consist of prospecting and detailed soil sampling. A budget for this program would be \$14,300.




Figure 1

LOCATION MAP
OREQUEST



TABLE of CONTENTS

Summary	
Table of Contents	
List of Figures	
Introduction	1
Location and Access	1
Physiography and Vegetation	2
Claim Status	3
History and Previous Work	3
1985 Exploration Field Work	4
Regional Geological Setting and Mineral Deposits	5
Property Geology	7
Geochemistry	7
Conclusions and Recommendations	9
Budget	10
Itemized Cost Statement	
Statement of Qualifications	
Anthony Floyd, Consulting Geologist	
Robert Helgason, Project Geologist	
Bibliography	

LIST of FIGURES

Figure 1	Property Location	Following Summary
Figure 2	Claim Location	Following Page 2
Figure 3	Regional Geology	Following Page 4
Figure 4	Geochemistry - Au/Ag	In Pocket
Figure 5	Geochemistry - Cu/Zn	In Pocket
Figure 6	Geochemistry - As/Ba	In Pocket
Figure 7	Sample Location	In Pocket

Appendix A Analytical Techniques and Results

INTRODUCTION

This report details the results of Phase I field work conducted on the Wolf III claim in August, 1985. Work consisted of prospecting, soil sampling and geological mapping.

The Wolf III claim is a 20 unit block owned 100% by Skeena Resources Inc. located in the Toodoggone area of north central British Columbia.

LOCATION and ACCESS

The Wolf III claim is centered at 57°31' north Latitude and 127°18' west Longitude on Moosehorn Lake map sheet 94E/11. Omineca Mining District. The Toodoggone area is approximately 300 kilometers north of Smithers, B.C. The claim block straddles Dedeeya Creek and part of the north slope of Tuff Peak.

Access to the property is by fixed wing aircraft from Smithers to Sturdee Valley airstrip, a distance of 280 kilometers and from Sturdee airstrip north to the property by helicopter, a distance of 30 kilometers. Road access to Sturdee airstrip is planned by Serem Ltd. and should be completed in the near future. Completion of this road will provide access to the Omineca Mining road and then to Prince George.

PHYSIOGRAPHY and VEGETATION

The claim is located in the Omineca Mountains of north central British Columbia near the eastern edge of the Spatsizi Plateau. The area in the vicinity of the Wolf III claim is characterized by broad alluvium filled valleys and rounded mountains. North facing slopes are often steep while south slopes are more gentle.

The south half of the claim block is flat to gently sloping river valley, while the north half is a moderately sloped. Elevations range from 1,420 metres along Dedeeya Creek to 1,618 metres in the north.

The vegetation is typical of this latitude and elevation. The valley bottom is dominated by backbrush and open tundra indispersed with small ponds and swamps. At the break in slope dense stunted balsam fir with minor fir and pine predominante whilst the upper elevations possess sparse vegetation typical of the alpine tundra.

Snowfall is heavy during the winter and lasts into June. Summers are short and temperatures can vary greatly from day to day. Frost can occur any day of the year while snowfall in July and August are not uncommon. Usually the area is snow free until early October.




FIGURE 3 WOLF III MINERAL CLAIM

CLAIM STATUS

The claim is located in the Omineca Mining Division, B.C.

Name	# Units	Record Number	Expiry Date
Wolf III	20 units	6396	March 25, 1986*

*Assessment credit will be applied to extend this date

HISTORY and PREVIOUS WORK

The Toodoggone area was investigated for placer gold in the 1920's and 1930's. A public company, Two Brothers Valley Gold Mines Ltd., undertook considerable test work, including drilling in 1934. Most of this work was directed towards extensive gravel deposits principally near the junction of McClair Creek and the Toodoggone River.

Gold-silver mineralization was discovered on the Chappelle (Baker Mine) property by Kennco Explorations (Western) Ltd. in 1969. DuPont of Canada Exploration Ltd. acquired the property in 1974 and began production at a milling rate of 90 tonnes per day in 1980.

Numerous other gold-silver discoveries were made in the 1970's and 1980's, including the Lawyers deposit which was discovered by Kennco in 1973 and optioned by SEREM Ltd. in 1979. Work on this property to date has included considerable trenching, drilling and underground development and a feasibility study is currently underway.

The Toodoggone area has been the scene of intense exploration activity during the past four years with numerous companies exploring over 3,000 mineral claim units. Exploration and development expenditures to date are estimated to

be in the order of \$33 million.


To the southwest of the Wolf III claim is Energex Minerals Ltd.'s Alberts Hump property. Exploration consisting of trenching and diamond drilling has outlined several gold bearing zones. To the southeast is Energex's Moosehorn property which was explored by diamond drilling during the summer of 1985. North of the Wolf III claim is Newmont of Canada Exploration Ltd.'s Golden Lion prospect which has been trenched and diamond drilled.

There is no record of prior work on the Wolf III claim.

1985 EXPLORATION FIELD WORK

Field work was carried out in August, 1985 under the direction of R. Helgason, Geologist with overall supervision by A. Floyd, Consulting Geologist, OreQuest Consultants Ltd., Vancouver, B.C. Support personnel from Hi-Tec Resource Management Ltd. and Ashworth Explorations Ltd. were used for the soil survey and base camp operations.

Field work consisted of prospecting, detailed soil sampling and geological mapping.



LEGEND

- 6A Conglomerate or lahar. Derived from unit 6
- 6 Biotite augite hornblende plagioclase porphyry flows
- 5A Intrusive dome with autobrecciated carapace and flanking breccia
- 5 Purple, lavender, grey, rarely grey-green, "crowded" fine to medium grained plagioclase porphyritic flows: includes some lapilli tuff, breccia, and minor epiclastic beds
- 3 Quartzose pyroxene biotite hornblende plagioclase porphyry flows and tuffs
- 2 Volcaniclastics-conglomerate, crystal tuff, epiclastic sediments. Equiv. to 6A.
- 1A Crystal ash tuff, lapilli tuff, rare agglomerate and tuffaceous sediments.
- 1 Quartzose biotite hornblende phyric ash flows; lapilli tuff, and breccia
- F Feldspar porphyry dikes and plugs
- i Gossan, limonitic zone
- iii Silica, clay minerals plus/minus alunite, barite
- x Mineral occurrence
- ⊗ Mineral prospect
- Outcrop area
- Fault (observed, inferred)
- - - Contact (defined, assumed)

FIGURE 3

REGIONAL GEOLOGY

SKEENA RESOURCES INC.

OREQUEST

REGIONAL GEOLOGICAL SETTING and MINERAL DEPOSITS

The Toodoggone River area is situated near the eastern margin of the Intermontaine tectonic belt. Oldest rocks in the area are late Paleozoic limestones in the vicinity of Baker Mine where they are in fault contact with late Triassic Takla Group volcanic rocks.

A distinctive lithologic volcanic unit of early Jurassic age, called the Toodoggone volcanics, is a subaerial pyroclastic assemblage of predominantly andesitic composition. These unconformably overlie, or are in fault contact with older rocks, principally Takla Group volcanic rocks and undivided Hazelton Group feldspar porphyry flows and fragmental rocks.

Toodoggone volcanic rocks are contained in a 100 by 25 kilometer northwest-trending belt extending from Thutade Lake in the south to Stikine River in the north.

Several major stratigraphic subdivisions of Toodoggone volcanics have been identified. These and older layered rocks of the Takla and Hazelton Groups are cut by Omineca granitic rocks of Early Jurassic Age, which commonly occur along the eastern margin of the Toodoggone volcanic belt, and by subvolcanic intrusions related to Toodoggone volcanics.

Clastic sedimentary rocks of the Cretaceous-Tertiary Sustut Group overlie older layered rocks near the Stikine River and form the southwestern exposed margin of the Toodoggone volcanic belt.

Regional fault systems trend northwesterly and northerly throughout the

Toodoggone area.

Several styles of economic mineralization have been identified of which the most important are epithermal precious and base metal deposits hosted principally by lower and middle units of Toodoggone volcanics and related to Toodoggone volcanic processes. Gold-silver mineralization occurs principally in fissure veins, quartz stockworks, breccia zones and areas of silicification in which ore minerals are fine-grained argentite, electrum, native gold and silver and lesser chalcopyrite, galena and sphalerite. Alteration mineral assemblages are typical of epithermal deposits with intense silicification, clay minerals and locally alunite, grading outward to sericite and clay minerals, chlorite, epidote and pyrite.

Examples include Baker Mine, a fissure vein system developed in Takla volcanic rocks, but spatially related to dikes believed to be associated with Toodoggone volcanic rocks. Pre-mining indicated reserves were 90,000 tonnes grading 30 grams/tonne gold and 600 grams/tonne silver. Recovered grades during the three year mine life were about half the indicated grades due to initial mill recovery problems and greater than expected dilution during mining.

The Lawyers deposit has gold-silver mineralization in banded chalcedony-quartz stockwork veins and breccia zones developed in Toodoggone volcanic rocks. Three potential ore zones have been defined to date and recently announced reserves are 1 million tonnes grading 7.27 grams/tonne gold and 254 grams/tonne silver. Numerous other epithermal gold-silver deposits in the area are hosted by lower and middle units of the Toodoggone volcanic sequence. These include the Sha, Saunders, Graves, Moosehorn, Mets, Metasantan,

AL, JD and Golden Lion prospects.

PROPERTY GEOLOGY

Outcrop is limited to the north half of the claim block. In this area feldspar porphyry crystal ash flows are exposed on a ridge. These rocks have undergone shearing with a north west-southeast orientation. Minor calcite veining was observed at several locations, but no significant alteration or quartz veining is present. The southern portion of the claims has no outcrop, but an examination of the talus in this area suggests the bedrock is probably a feldspar, hornblende crystal ash flow.

GEOCHEMISTRY

Research into the mode of discovery of the known deposits in the Toodoggone area revealed that silt, soil and rock geochemistry have proven to be the most useful tools in the search for epithermal precious metal deposits. Gold and silver give diagnostic signatures, but analyses for copper, barium and arsenic are also helpful.

Rock and soil samples collected during the course of the 1985 program were "prepared" by Min-En Labs. at their set up on the Sturdee airstrip, then shipped to their laboratory in North Vancouver for analysis. All rock samples were analyzed for gold and silver by fire assay with an atomic absorption finish while the soils were analyzed by atomic absorption for gold (aqua regia digestion) and by I.C.P. for silver, barium, copper, lead, zinc, molybdenum, arsenic, antimony, vanadium and cadmium.

A total of 967 soil samples were taken from the property. Soil samples

were collected from the B horizon wherever possible using a grubhoe. Average depth of samples was 20 centimeters. The grid was laid out mainly on the north half of the claim block as this is the only part of the claims not covered by alluvial deposits. A smaller area in the southwest corner was also sampled. Grid lines are spaced at 100 metres with sample sites every 25 metres.

Statistical analysis of the results for gold, silver, barium, arsenic, copper and zinc revealed that the following values were considered anomalous.

Au	Ag	Ba	As	Cu	Zn
41 ppb	2.3 ppm	1183 ppm	36 ppm	50 ppm	200 ppm

An inspection of the data (Figures 4 - 6) reveals that several areas are anomalous in various elements. In the vicinity of Lines 18+00E and 20+00E a large group of samples have above threshold values of barium. The area seems to be generally enriched in barium with a core of higher values. Silver is also anomalous in this part of the grid.

A second anomalous area lies in the northwest portion of the claim. In this location arsenic values are universally anomalous, but with no cohesive pattern.

Gold results do not show any concentration of anomalies. However, three sample locations should be inspected. At 13+00E, 6+00S, where there is abundant outcrop and no alluvium, 185 ppb Au was detected. At 10+00E, 8+25S, 130 ppb Au was detected. Finally, at 3+00E, 2+00S which is located in an alluvium filled valley, 200 ppb Au was detected. The latter anomaly is supported by two more anomalous and three high background values.

There are no significant silver anomalies, with the exception of three sample locations in the extreme north-east corner of the grid. Anomalous copper values are also present in this area.

Zinc displays no concentration of anomalies.

CONCLUSIONS and RECOMMENDATIONS

A Phase I program of exploration has been completed on the Wolf III claim. The work, consisting of prospecting, soil geochemistry and geological mapping has led to the following conclusions:

- (a) A large portion of the claim is covered with alluvium;
- (b) In the areas where bedrock is exposed there are no obvious epithermal vein systems;
- (c) Although there are no significant multielement geochemical anomalies, several sample locations warrant further investigation.

Therefore, a limited amount of further exploration is warranted. The areas within the vicinity of the anomalous sample sites should be prospected in detail and soil sampled on a close spaced grid. If any vein systems are located, then it would be appropriate to map and sample them in detail.

BUDGET

Geologist - 7 days @ \$250/day	\$ 1,750
Assistant - 7 days @ \$150/day	1,050
Analysis - 200 samples @ \$15/sample	3,000
Mobilization and Demobilization	2,000
Helicopter Support	1,000
Fixed Wing Support	850
Meals, Accommodation - 14 days @ \$60/day	840
Materials, Expediting, Telephone and Miscellaneous	500
Report Preparation and Supervision	<u>2,000</u>
	\$12,990
Contingency @ 10%	<u>1,310</u>
	<u>\$14,300</u>

ITEMIZED COST STATEMENT

Wolf III Claim Group - July 29-August 10, 1985

Field Exploration Expenses: Hi-Tec/Ashworth/OreQuest


Project Geologist, R. Helgason - 6.5 days @ \$280/day	\$ 1,820.00
Party Chief - 9.5 days @ \$200/day	1,900.00
Technical Crew - 17 days @ \$190/day	3,230.00
Mobilization and Demobilization	2,500.00
Materials	762.90
Expediting - Smithers	275.00
Fixed Wing Support	1,820.00
Meals and Accommodation - 33 days @ \$50/day	1,650.00
Camp Costs - 33 days @ \$25/day	825.00
Helicopter	2,356.98
Assays	9,660.12
Supervision - Hi-Tec	<u>1,700.00</u>
SUB-TOTAL	\$28,500.00
Report Writing, Maps, Compilation and Supervision (OreQuest)	<u>\$ 2,920.00</u>
	<u>\$31,420.00</u>

QUALIFICATIONS

I, Anthony Floyd, of 3400 West 2nd Avenue, Vancouver, British Columbia hereby certify that:

1. I am a 1971 graduate of Nottingham University, England, with a BSc. Honours degree in geology.
2. I am a 1972 graduate of Leicester University, England, with a M.Sc degree in Mineral Exploration and Mining Geology.
3. I have practised my profession for the past twelve years in Canada, United States and Europe. For the past twelve years I have been a resident in British Columbia.
4. I am a Fellow of the Geological Association of Canada.
5. The information contained in this report is based on my personal examination of the property and on various government publications and company reports listed in the Bibliography.
6. I have not received, nor do I expect to receive, any interest direct or indirect in the properties or securities of Skeena Resources Inc.
7. Skeena Resources Inc. is hereby authorized to use this report in, or in conjunction with any Prospectus or Statement of Material Facts.


Anthony Floyd
Consulting Geologist




DATED at Vancouver, British Columbia, this 21st day of October, 1985.

CERTIFICATE of QUALIFICATIONS

I, Robert Helgason, of #4-1306 Bidwell Street, Vancouver, British Columbia hereby certify:

1. I am a graduate of the University of British Columbia (1980) and hold a BSc. degree in geology.
2. I am presently employed as a project geologist with OreQuest Consultants Ltd. of 404-595 Howe Street, Vancouver, British Columbia.
3. I have been employed in my profession by various mining companies for the past five years.
4. The information contained in this report was obtained from an onsite property examination and supervision of the field work program conducted by OreQuest Consultants Ltd. in 1985.
5. Neither OreQuest Consultants Ltd. nor myself have direct or indirect interest in the property described nor in the securities of Skeena Resources Inc..
6. This report may be used by Skeena Resources Inc. for all corporate purposes and including any public financing.



Robert Helgason
Project Geologist

DATED at Vancouver, British Columbia, this 21st day of October, 1985.

BIBLIOGRAPHY

CARTER, N.C.

1985: *Geological Report on the Wolf III Mineral Claim for Skeena Resources Inc.*

DIAKOW, L.J.

1984: *Geology between Toodoggone and Chukachida Rivers (94E), BCMEMPR Geological Fieldwork 1983, Paper 1984-1, p. 139-145*

DIAKOW, L.J., PANTALEYEV, A. and SCHROETER, T.G.

Geology of the Toodoggone River Area, NTS 94E, BCMEMPR Preliminary Map 61.

GABRIELSE, H., DODDS, C.J. and MANSY, J.L.

1976: *Geology of the Toodoggone River (94E) Map Area, GSC Open File 306*

PANTELEYEV, A.

1983: *Geology between Toodoggone and Sturdee Rivers, BCMEMPR Geological Fieldwork, 1982, Paper 1983-1, p. 142-148*

1984: *Stratigraphic Position of Toodoggone Volcanics, BCMEMPR Geological Fieldwork, 1983, Paper 1984-1, p. 136-183*

SCHROETER, T.G.

1981: *Toodoggone River, BCMEMPR Geological Fieldwork, 1980, Paper 1981-1, p. 124-131*

1982: *Toodoggone River, BCMEMPR Geological Fieldwork, 1981, Paper 1982-1, p. 122-133*

1983: *Toodoggone River Area, BCMEMPR Geological Fieldwork, 1982, Paper 1983-1, p. 125-133*


1984: *Toodoggone River Area, BCMEMPR Geological Fieldwork, 1983, Paper 1984-1, p. 134-135*

1985: *Toodoggone River Area, BCMEMPR Geological Fieldwork, 1984, Paper 1984-1, p. 291-297*

APPENDIX A

MIN-EN Laboratories Ltd.

705 WEST 15th STREET,
NORTH VANCOUVER, B.C., CANADA V7M 1T2
TELEPHONE (604) 980-5814



ANALYTICAL REPORT

Project SK 85 *51-16* Date of report August 21/85.
File No. 51-16 Date samples received August 14/85.
Samples submitted by: Tony Floyd
Company: Orequest Consultants
Report on: 909 soils Geochem samples
Assay samples

Copies sent to:

1. Orequest Consultants, Vancouver, BC
2. Hi-Tec Resources, Vancouver, B.C.
- 3.

Samples: Sieved to mesh -80 Ground to mesh

Prepared samples stored discarded

rejects stored discarded

Methods of analysis: 10 element ICP. Au-aqua regia.AA

Remarks:

(VALUES IN PPM)	AG	AS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
SK85 001	.6	1	57	.8	47	6	28	3	68.5	134	15
SK85 002	.6	1	63	.1	19	5	14	4	84.4	76	50
SK85 003	.7	1	70	.4	15	6	14	3	77.0	77	5
SK85 004 40M	.8	1	55	.6	15	6	19	4	82.2	68	5
SK85 005	.6	27	490	1.6	23	5	22	4	59.8	93	10
SK85 006	.4	6	61	1.0	15	6	19	4	72.9	64	5
SK85 007	.6	1	90	.1	10	5	12	4	70.2	62	10
SK85 008	1.1	1	74	.1	15	6	13	3	73.6	75	10
SK85 009	.5	3	112	.4	8	4	10	3	56.5	58	5
SK85 010	1.1	1	96	.1	15	10	16	7	128.4	89	5
SK85 011	1.0	1	96	.3	17	6	18	5	87.7	74	10
SK85 012	3.4	1	99	.1	17	9	16	7	129.6	89	10
SK85 013	.4	25	247	1.1	16	5	18	5	52.3	85	5
SK85 014	.4	29	271	1.3	22	6	19	4	49.2	132	5
SK85 015	.9	1	95	.1	14	9	23	7	118.6	82	5
SK85 016	.4	16	114	.1	13	6	19	5	63.1	54	5
SK85 017	1.0	1	77	.1	13	7	17	5	91.1	80	10
SK85 018	1.0	1	76	.1	13	6	14	4	74.0	66	10
SK85 019 40M	.8	1	166	.1	16	8	20	5	100.9	95	5
SK85 020 40M	.7	9	150	.8	12	7	16	5	85.0	64	30
SK85 021 40M	.6	2	104	.4	14	7	24	4	83.9	74	5
SK85 022	.5	1	79	.4	12	5	13	4	70.3	63	5
SK85 023 40M	.7	5	109	.1	12	8	18	5	109.9	78	5
SK85 024	.7	12	100	.2	12	7	15	5	87.2	79	10
SK85 025	.9	1	83	.1	12	9	15	7	149.1	84	5
SK85 026 40M	.8	7	114	.1	17	10	20	8	127.6	104	10
SK85 027	.5	18	115	.4	20	7	24	5	75.7	95	5
SK85 028 40M	.5	11	136	.1	20	6	19	5	84.8	98	5
SK85 029	.3	17	82	.2	13	6	17	3	66.6	64	10
SK85 030 20M	.7	44	307	.8	35	8	44	7	71.1	139	5
SK85 031	.7	16	91	.7	14	5	20	4	53.9	63	10
SK85 032	.4	21	198	.3	26	6	20	5	67.5	112	15
SK85 033	.9	1	87	.1	16	6	16	4	70.1	83	5
SK85 034	.8	10	77	.9	13	6	16	5	53.8	67	5
SK85 035	.8	1	78	.1	8	5	12	3	62.1	61	10
SK85 036	.9	1	64	.4	9	7	13	4	74.8	63	5
SK85 037	1.0	7	85	.1	9	5	15	4	60.3	67	5
SK85 038	1.3	17	93	.5	13	7	19	5	75.7	89	10
SK85 039	1.0	1	73	.3	12	6	14	4	73.3	64	5
SK85 040	.7	1	90	.5	10	5	13	4	65.7	64	10
SK85 041	.9	1	71	.3	7	5	16	3	67.2	51	5
SK85 042	.7	5	82	.8	9	5	13	4	64.0	58	200
SK85 043	.6	13	295	1.1	16	7	21	6	73.7	88	5
SK85 044 40M	2.9	80	2138	1.6	40	8	42	8	91.4	141	25
SK85 045	1.0	1	80	.1	13	8	18	6	99.0	76	15
SK85 046	.7	3	105	.3	9	6	14	5	66.1	61	5
SK85 047	.8	4	84	.4	16	6	19	5	63.2	71	5
SK85 048	.8	1	72	.4	10	5	14	4	65.4	51	10
SK85 049	.8	1	65	.2	10	5	12	4	69.9	50	10
SK85 050	1.2	1	67	.1	11	7	21	5	74.0	64	5
SK85 051	1.1	1	86	.3	11	6	14	3	79.4	83	10
SK85 052 40M	1.0	4	108	.1	11	6	20	4	85.4	109	5
SK85 053	.6	7	264	1.3	10	4	11	3	44.5	89	10
SK85 054	.7	7	119	1.1	11	4	12	3	24.7	71	5
SK85 055 40M	1.1	13	547	1.7	17	6	24	4	47.4	85	5
SK85 056	1.3	1	312	.3	16	7	15	7	122.4	95	5
SK85 057	N/S										
SK85 058	1.0	1	84	.1	12	7	23	6	94.5	70	10
SK85 059	.8	1	75	.2	11	6	17	5	84.0	60	5

PROJECT NO: SK 85

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 51-165/P1+2

ATTENTION: TONY FLOYD/MALCOLM BELL

16041980-5814 OR 16041988-4524

* TYPE SOIL GEOCHEM *

DATE: AUGUST 21, 1985

(VALUES IN PPM)	AG	AS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
85 001	.6	1	57	.8	47	6	28	3	68.5	134	15
SK85 002	.6	1	63	.1	19	5	14	4	84.4	76	50
SK85 003	.7	1	70	.4	15	6	14	3	77.0	77	5
SK85 004 40M	.8	1	55	.6	15	6	19	4	82.2	68	5
SK85 005	.6	27	480	1.6	23	5	22	4	59.8	93	10
SK85 006	.4	6	61	1.0	15	6	19	4	72.9	64	5
SK85 007	.6	1	90	.1	10	5	12	4	70.2	62	10
SK85 008	1.1	1	74	.1	15	6	13	3	73.6	75	10
SK85 009	.5	3	112	.4	8	4	10	3	56.5	58	5
SK85 010	1.1	1	96	.1	15	10	16	7	128.4	89	5
SK85 011	1.0	1	96	.3	17	6	18	5	87.7	74	10
SK85 012	3.4	1	99	.1	17	9	16	7	129.6	89	10
SK85 013	.4	25	247	1.1	16	5	18	5	52.3	85	5
SK85 014	.4	29	271	1.3	22	6	19	4	49.2	132	5
SK85 015	.9	1	95	.1	14	9	23	7	118.6	82	5
SK85 016	.4	16	114	.1	13	6	19	5	63.1	54	5
SK85 017	1.0	1	77	.1	13	7	17	5	91.1	80	10
SK85 018	1.0	1	76	.1	13	6	14	4	74.0	66	10
SK85 019 40M	.8	1	166	.1	16	8	20	5	100.9	95	5
SK85 020 40M	.7	9	150	.8	12	7	16	5	85.0	64	30
SK85 021 40M	.6	2	104	.4	14	7	24	4	83.9	74	5
SK85 022	.5	1	79	.4	12	5	13	4	70.3	63	5
SK85 023 40M	.7	5	109	.1	12	8	18	5	109.9	78	5
SK85 024	.7	12	100	.2	12	7	15	5	87.2	79	10
SK85 025	.9	1	83	.1	12	9	15	7	149.1	84	5
85 026 40M	.8	7	114	.1	17	10	20	8	127.6	104	10
SK85 027	.5	18	115	.4	20	7	24	5	75.7	95	5
SK85 028 40M	.5	11	136	.1	20	6	19	5	84.8	98	5
SK85 029	.3	17	82	.2	13	6	17	3	66.6	64	10
SK85 030 20M	.7	44	307	.8	35	8	44	7	71.1	139	5
SK85 031	.7	16	91	.7	14	5	20	4	53.9	63	10
SK85 032	.4	21	198	.3	26	6	20	5	67.5	112	15
SK85 033	.9	1	87	.1	16	6	16	4	70.1	83	5
SK85 034	.8	10	77	.9	13	6	16	5	53.8	67	5
SK85 035	.8	1	78	.1	8	5	12	3	62.1	61	10
SK85 036	.9	1	64	.4	9	7	13	4	74.8	63	5
SK85 037	1.0	7	85	.1	9	5	15	4	60.3	67	5
SK85 038	1.3	17	93	.5	13	7	19	5	75.7	89	10
SK85 039	1.0	1	73	.3	12	6	14	4	73.3	64	5
SK85 040	.7	1	90	.5	10	5	13	4	65.7	64	10
SK85 041	.9	1	71	.3	7	5	16	3	67.2	51	5
SK85 042	.7	5	82	.8	9	5	13	4	64.0	58	200
SK85 043	.6	13	295	1.1	16	7	21	6	73.7	88	5
SK85 044 40M	2.9	80	2138	1.6	40	8	42	8	91.4	141	25
SK85 045	1.0	1	80	.1	13	8	18	6	99.0	76	15
SK85 046	.7	3	105	.3	9	6	14	5	66.1	61	5
SK85 047	.8	4	84	.4	16	6	19	5	63.2	71	5
SK85 048	.8	1	72	.4	10	5	14	4	65.4	51	10
SK85 049	.8	1	65	.2	10	5	12	4	69.9	50	10
SK85 050	1.2	1	67	.1	11	7	21	5	74.0	69	5
SK85 051	1.1	1	86	.3	11	6	14	3	79.4	83	10
SK85 052 40M	1.0	4	108	.1	11	6	20	4	85.4	109	5
SK85 053	.6	7	264	1.3	10	4	11	3	44.5	89	10
SK85 054	.7	7	119	1.1	11	4	12	3	24.7	71	5
SK85 055 40M	1.1	13	547	1.7	17	6	24	4	47.4	85	5
SK85 056	1.3	1	312	.3	16	7	15	7	122.4	95	5
SK85 057	N/S										
SK85 058	1.0	1	84	.1	12	7	23	6	94.5	70	10
SK85 059	.8	1	75	.2	11	6	17	5	84.0	60	5

VALUES (IN PPM)	AG	AS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
35 121	.8	1	249	.6	16	6	14	3	62.5	79	10
SK85 122 40M	.7	1	90	.1	9	8	13	5	88.1	69	5
SK85 123	.6	1	98	.2	8	7	13	3	64.0	67	5
SK85 124	.7	6	57	1.0	8	6	14	4	72.0	58	5
SK85 125	.6	7	269	1.0	8	5	13	3	47.9	64	10
SK85 126	.6	15	194	.8	7	6	12	3	45.5	66	5
SK85 127	.6	26	45	.8	8	5	14	3	42.4	39	5
SK85 128 40M	1.2	1	88	.6	9	7	9	5	94.0	75	5
SK85 129	.6	1	67	.2	6	4	10	3	44.5	46	5
SK85 130	.2	9	97	1.0	4	3	4	1	29.1	26	5
SK85 131 40M	.5	1	62	.4	8	6	6	4	53.8	59	5
SK85 132	.3	14	87	1.0	5	5	14	3	48.7	46	5
SK85 133 40M	.4	2	129	.7	5	4	7	3	59.3	44	5
SK85 134	.8	1	95	.6	7	7	17	5	73.7	67	5
SK85 135	.4	12	92	.9	5	5	12	3	50.4	48	3
SK85 136	1.1	1	113	.3	5	5	15	3	59.9	60	10
SK85 137	.6	1	109	.6	7	4	19	3	57.4	46	5
SK85 138	1.3	1	66	.4	7	6	14	3	68.0	54	5
SK85 139	.9	9	112	.3	9	6	17	4	56.4	63	5
SK85 140	1.1	8	80	.6	6	5	14	3	45.9	39	5
SK85 141	.9	24	355	1.3	18	6	15	4	43.2	98	5
SK85 142	1.1	1	250	.1	12	9	17	7	100.3	93	5
SK85 143	1.4	22	597	2.3	59	7	26	5	53.0	137	20
SK85 144 40M	1.4	30	872	1.2	49	7	17	5	53.8	92	5
SK85 145	.4	19	260	.8	7	6	20	4	43.7	67	5
35 146 40M	.6	1	78	.3	8	8	14	5	95.8	60	5
SK85 147	1.1	15	787	1.2	12	6	15	4	45.6	86	5
SK85 148 40M	.9	16	797	1.1	11	6	16	4	61.2	71	5
SK85 149	1.0	6	413	.5	9	8	15	5	61.0	70	10
SK85 150	.6	13	120	.5	8	7	18	5	23.3	70	5
SK85 151	.6	10	261	.9	9	6	15	5	52.7	71	5
SK85 152	.4	14	159	1.5	9	6	16	4	33.0	72	5
SK85 153 40M	.4	12	130	.6	9	8	16	5	68.9	79	10
SK85 154	.3	21	104	.5	7	7	19	4	55.9	70	5
SK85 155 40M	.7	4	117	.1	9	7	15	5	89.7	68	5
SK85 156	.8	6	106	.1	10	7	18	5	63.9	83	5
SK85 157	.7	3	139	.5	6	6	13	4	55.6	62	10
SK85 158	.5	12	72	.3	7	6	15	4	54.0	63	5
SK85 159	.4	18	264	1.0	7	5	16	4	46.8	55	5
SK85 160	.5	7	109	.5	7	6	12	4	54.2	63	5
SK85 161	.6	48	451	.8	24	8	25	5	51.6	150	3
SK85 162 40M	1.1	7	542	1.2	8	6	14	4	54.2	75	5
SK85 163 40M	.7	3	107	.2	7	5	12	4	65.5	58	10
SK85 164	.9	6	89	.3	6	6	18	4	55.4	60	5
SK85 165	.7	6	310	1.0	9	5	14	3	44.1	76	5
SK85 166	1.1	7	90	.1	11	7	20	5	71.6	85	10
SK85 167	.9	4	61	.1	7	7	12	4	67.2	50	5
SK85 168	.6	8	96	.5	8	7	16	4	66.6	76	5
SK85 169	.6	6	73	.8	7	6	16	4	54.1	65	3
SK85 170	.5	15	87	.7	6	4	17	3	47.8	40	5
35 171	.7	7	109	.6	6	5	18	3	53.8	45	5
SK85 172	.9	12	229	.6	11	6	21	4	61.6	83	10
SK85 173	.8	5	137	.4	8	5	18	3	52.6	62	5
SK85 174 40M	.9	1	86	.2	7	7	13	4	74.0	71	5
SK85 175 40M	.7	37	287	1.0	23	9	35	6	78.2	174	5
SK85 176	1.0	1	75	.1	8	6	16	3	65.2	63	5
SK85 177	.5	11	84	.9	8	5	19	3	43.1	47	10
SK85 178	2.9	53	1144	1.5	66	12	41	8	56.7	229	25
SK85 179 40M	1.7	27	879	2.4	96	6	11	2	65.0	19	15

PROJECT NO: SK 85

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 51-165/P7+8

ATTENTION: TONY FLOYD/MALCOLM BELL

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM *

DATE: AUGUST 21, 1985

VALUES (IN PPM)	AG	AS	BA	CO	CU	MO	PB	SB	V	ZN	AU-PPB
SK85 181	.7	3	132	.9	13	6	21	4	66.5	116	5
SK85 182	N/S										
SK85 183	.6	12	78	.7	11	7	20	4	50.6	63	5
SK85 184	.3	25	64	.6	13	6	17	3	42.4	67	3
SK85 185	.2	24	114	1.0	11	5	16	2	29.5	50	5
SK85 186	.5	7	255	.8	16	6	16	3	47.6	76	10
SK85 187	.5	4	66	.4	11	6	16	4	68.5	69	5
SK85 188	.4	9	79	.8	9	6	15	3	54.0	66	5
SK85 189	.5	12	84	1.0	11	6	16	4	53.1	72	15
SK85 190	.8	1	83	.1	11	7	17	3	69.9	65	35
SK85 191	.5	1	78	.4	10	6	12	2	58.1	68	5
SK85 192	.3	12	71	1.0	9	6	19	3	48.9	62	5
SK85 193	.1	20	84	.8	10	5	15	3	42.8	54	10
SK85 194 40M	.4	7	115	.3	8	6	18	4	56.1	62	5
SK85 195	.2	12	58	.7	7	6	13	3	44.7	56	5
SK85 196	1.1	8	143	.1	20	9	10	6	58.9	109	5
SK85 197	.3	26	112	.6	10	8	19	5	60.8	89	10
SK85 198	.2	21	81	1.2	8	6	24	3	50.0	69	5
SK85 199	.1	12	90	.7	8	5	17	3	42.3	48	5
SK85 200	.5	5	67	.6	10	6	16	4	60.1	67	5
SK85 201	.3	10	79	.9	10	7	15	4	63.4	68	5
SK85 202	.7	1	52	.5	7	5	16	2	55.6	55	5
SK85 203	.3	30	157	1.0	18	6	15	3	43.3	67	10
SK85 204	.5	9	106	1.1	13	5	18	4	59.5	91	5
SK85 205	.2	12	67	.7	7	4	15	3	40.3	42	5
SK85 206	.4	23	193	1.2	12	6	14	4	53.8	69	5
SK85 207	.1	10	58	1.1	6	5	13	3	41.5	45	10
SK85 208	.1	11	37	.7	6	5	9	3	36.6	39	5
SK85 209	.1	16	71	.8	9	7	19	4	48.0	63	5
SK85 210	.3	8	51	1.2	10	8	15	5	47.9	69	5
SK85 211	.2	10	97	.8	6	6	13	4	49.2	58	10
SK85 212	.3	12	189	1.0	10	5	11	3	45.6	55	5
SK85 213 40M	.5	4	66	.9	5	6	15	4	69.6	56	5
SK85 214	.3	13	71	.5	6	6	13	4	48.1	65	5
SK85 215	.4	23	188	.8	10	7	18	5	61.1	83	5
SK85 216	.5	12	356	1.0	10	7	12	5	63.3	64	3
SK85 217	.3	8	113	1.1	7	6	15	4	51.9	52	3
SK85 218	N/S										
SK85 219 40M	.7	10	529	1.1	8	4	9	2	36.2	49	5
SK85 220 40M	.6	5	178	.7	5	6	11	5	76.4	73	10
SK85 221	1.3	1	845	.7	26	8	16	6	99.6	102	5
SK85 222	.8	7	465	.2	12	6	17	4	62.9	113	5
SK85 223 40M	1.1	1	321	.7	11	7	17	5	80.7	122	5
SK85 224 40M	1.1	1	303	.6	12	7	17	5	75.9	118	40
SK85 225	.8	12	262	.7	12	6	19	4	63.5	91	5
SK85 226 40M	1.0	1	161	.2	6	6	13	4	81.7	78	5
SK85 227 40M	.9	4	210	.2	20	9	27	6	91.7	130	3
SK85 228	.9	1	266	.6	12	7	18	4	71.0	98	5
SK85 229	1.0	1	178	.3	8	6	17	4	70.6	93	10
SK85 230	.9	1	90	.2	4	5	14	3	62.0	63	5
SK85 231	1.0	1	106	.2	8	7	15	4	80.9	80	5
SK85 232	1.1	1	141	.1	9	8	13	5	85.6	79	5
SK85 233	.7	7	142	.1	9	6	16	4	68.6	78	10
SK85 234	.7	20	169	.7	19	8	26	5	76.3	102	5
SK85 235	.9	1	79	.2	11	8	22	5	82.3	84	5
SK85 236	1.1	4	62	.5	11	7	17	5	62.6	74	5
SK85 237	1.4	1	69	.1	15	7	21	5	83.5	107	3
SK85 238	1.1	3	71	.2	13	8	25	5	79.0	90	5
SK85 239	1.2	1	62	.1	10	9	18	7	112.1	91	5

VALUES IN PPM	AG	AS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
SK85 241	.6	2	53	.3	8	6	19	4	59.9	70	5
SK85 242	1.1	8	83	.9	11	7	33	4	64.1	140	3
SK85 243	.4	27	187	.9	13	5	20	3	32.0	58	5
SK85 244	.6	7	103	.6	12	6	19	4	55.0	99	10
SK85 245	.3	16	240	.5	12	6	15	3	42.3	87	5
SK85 246	1.1	1	79	.1	10	8	21	6	88.7	92	5
SK85 247	.7	18	342	.7	26	7	17	5	67.8	139	5
SK85 248 40M	.6	1	78	.2	10	8	14	6	78.8	80	10
SK85 249 40M	.5	4	98	.1	10	7	14	5	67.5	89	5
SK85 250	.5	15	95	.3	10	8	19	5	95.9	84	5
SK85 251	.5	9	241	.7	9	6	14	3	34.2	58	5
SK85 252	.5	17	63	1.1	9	7	22	4	44.8	68	10
SK85 253	.6	11	87	.9	10	7	16	4	60.1	76	5
SK85 254	.6	14	93	.2	10	7	21	4	67.8	75	15
SK85 255	.9	1	102	.1	10	8	12	5	78.1	87	5
SK85 256	.6	15	107	1.2	10	7	22	5	40.0	73	5
SK85 257	.7	6	77	.1	9	7	24	6	71.8	95	5
SK85 258 40M	.6	1	74	.1	7	8	14	6	115.6	109	25
SK85 259	.5	14	80	.3	8	7	15	4	59.1	84	5
SK85 260	.6	8	90	.7	9	7	15	4	61.3	83	10
SK85 261	.7	7	140	.2	11	8	14	5	91.3	105	10
SK85 262	.6	10	105	.4	8	7	18	5	56.1	70	5
SK85 263	.8	14	801	.4	9	7	20	5	72.4	74	185
SK85 264	1.0	8	236	1.0	10	7	17	5	63.2	92	10
SK85 265	.8	16	382	.3	13	7	15	5	60.6	100	35
SK85 266	.9	31	185	.7	17	8	21	5	55.7	103	5
SK85 267	.5	18	105	.5	9	7	16	5	54.3	74	5
SK85 268 40M	.5	1	75	.3	8	8	18	5	60.7	77	10
SK85 269	.4	8	92	.5	7	6	22	4	49.7	68	5
SK85 270	.8	5	132	.6	9	8	14	4	48.8	71	5
SK85 271	.3	7	176	1.0	7	5	11	3	44.1	60	5
SK85 272 40M	.4	3	112	.6	5	7	14	5	98.4	63	5
SK85 273 40M	.4	1	157	.4	7	8	16	5	98.8	71	3
SK85 274	.2	16	189	.8	5	6	15	4	50.7	66	5
SK85 275	1.0	23	1220	1.1	24	4	8	2	29.9	41	10
SK85 276	.9	18	982	1.8	15	4	14	3	40.0	72	10
SK85 277 40M	1.0	1	460	.1	10	7	10	5	80.3	97	15
SK85 278	.7	5	205	.6	10	6	14	4	60.3	81	5
SK85 279	.7	2	231	.6	7	5	16	3	59.7	64	5
SK85 280 40M	.9	15	486	.8	17	6	21	4	52.4	100	5
SK85 281	.7	1	288	.4	7	4	13	2	52.1	63	10
SK85 282	.9	1	224	.1	9	6	9	3	69.0	106	5
SK85 283	1.1	1	156	.4	8	6	17	3	68.3	83	30
SK85 284 40M	.9	1	203	.3	8	6	17	3	69.1	76	5
SK85 285	.9	1	89	.3	5	5	9	3	66.5	52	5
SK85 286	1.8	6	699	1.2	17	5	13	4	48.9	98	5
SK85 287	1.1	1	344	.3	12	6	14	4	77.1	124	10
SK85 288	1.1	16	93	.8	12	7	11	5	68.5	105	5
SK85 289	1.2	1	91	.1	12	8	10	5	85.6	98	5
SK85 290	.8	1	74	.2	8	6	12	4	77.9	68	3
SK85 291	1.5	1	94	.1	11	10	13	7	133.5	110	5
SK85 292	1.3	8	117	.6	13	8	11	5	83.4	107	5
SK85 293	1.1	1	91	.2	12	6	10	4	78.1	84	5
SK85 294	1.2	1	113	.5	12	6	11	4	70.2	92	5
SK85 295	1.6	1	106	.1	11	9	7	6	136.1	88	3
SK85 296	1.3	47	184	.7	18	6	14	3	77.9	85	10
SK85 297	1.3	4	104	.2	13	7	13	4	70.7	90	5
SK85 298	1.1	1	92	.3	10	7	9	4	85.7	76	5
SK85 299 40M	1.7	1	75	.1	15	9	5	6	131.7	94	10

PROJECT NO: SK 85

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 51-165/P11+12

ATTENTION: IONY FLOYD/MALCOLM BELL

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM *

DATE: AUGUST 21, 1985

VALUES IN PPM)	AG	AS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
SK85 301	.1	10	115	1.1	9	5	12	2	35.2	41	5
SK85 302	N/S										
SK85 303	.1	5	101	1.1	12	4	14	2	34.0	51	10
SK85 304	.3	1	42	1.1	9	5	16	3	47.4	61	15
SK85 305	.4	1	72	.3	10	8	23	5	75.9	71	5
SK85 306	.4	1	39	.7	5	4	14	2	47.9	38	5
SK85 307	.5	6	55	.4	10	6	17	2	49.9	60	10
SK85 308	.6	1	45	.3	9	6	17	3	55.6	52	5
SK85 309	1.7	33	830	.7	20	5	10	1	30.3	52	5
SK85 310	.7	38	965	1.4	22	5	13	2	49.8	104	5
SK85 311 40M	2.1	40	590	1.5	4	5	15	5	34.5	101	10
SK85 312 40M	1.2	43	878	2.2	29	5	15	2	61.8	125	5
SK85 313	.2	1	67	.9	6	4	14	2	49.0	44	5
SK85 314	.1	1	58	.9	6	5	19	2	45.5	54	5
SK85 315	.6	29	458	1.3	17	6	17	2	45.2	118	10
SK85 316	N/S										
SK85 317	.8	14	203	1.3	10	5	15	2	42.3	52	5
SK85 318	.5	9	146	1.0	8	7	19	4	56.4	74	5
SK85 319	.7	4	67	.8	11	7	20	4	62.7	75	5
SK85 320	.8	4	75	.6	13	7	22	4	64.8	81	5
SK85 321	1.0	8	83	.6	11	7	20	3	65.1	77	5
SK85 322	.8	7	100	.9	14	7	19	4	62.4	79	5
SK85 323	.5	16	109	.6	12	7	19	4	50.8	78	10
SK85 324	.8	6	114	.6	20	7	22	4	54.0	92	5
SK85 325	N/S										
SK85 326	.7	13	215	1.3	14	6	16	3	48.0	72	5
SK85 327	.9	12	116	.9	15	7	18	4	69.2	62	5
SK85 328	.7	12	90	1.3	15	8	20	5	62.5	80	5
SK85 329	.7	5	71	.5	11	7	18	4	66.9	69	5
SK85 330	.7	15	98	1.1	12	6	23	4	48.4	71	5
SK85 331	.4	9	105	1.4	13	7	31	4	53.9	75	5
SK85 332	.3	65	204	1.2	34	10	26	4	50.9	173	20
SK85 333	.4	43	176	1.2	28	9	31	4	50.0	136	15
SK85 334	.7	1	77	.4	8	6	12	3	74.7	65	5
SK85 335	.6	1	86	.3	7	5	17	3	64.3	56	10
SK85 336	.7	1	241	1.0	7	6	15	4	62.2	67	5
SK85 337	.4	2	260	.8	6	5	17	3	50.1	53	20
SK85 338	.1	1	88	.7	5	4	19	2	46.3	42	5
SK85 339	.3	1	68	.8	6	5	12	3	52.3	45	5
SK85 340	.7	1	63	.1	8	7	14	5	75.2	58	45
SK85 341	.7	2	96	.7	11	9	16	6	89.1	71	15
SK85 342	.5	9	202	.6	14	7	18	4	63.9	81	10
SK85 343	N/S										
SK85 344	.9	1	190	.5	14	5	15	3	54.2	81	10
SK85 345	.5	1	41	.6	8	6	12	4	66.7	52	5
SK85 346	.3	8	71	.8	12	5	20	4	56.0	62	60
SK85 347	.5	1	60	.6	8	6	14	4	58.2	62	15
SK85 348	.9	1	204	.3	15	6	13	4	69.5	95	5
SK85 349	.7	4	163	.6	14	6	15	4	72.3	122	5
SK85 350 40M	.8	17	612	1.4	18	5	19	3	53.5	95	10
SK85 351 40M	.8	13	564	1.2	22	5	17	2	45.6	100	5
SK85 352 40M	1.0	15	787	1.4	28	3	9	1	22.6	69	5
SK85 352 20M	1.7	20	906	2.2	53	4	34	2	22.8	121	10
SK85 354 40M	2.3	42	907	1.9	49	7	28	4	33.0	192	5
SK85 355	.4	26	514	1.8	31	5	23	3	46.1	133	10
SK85 356	.6	14	239	1.6	20	6	18	4	60.2	130	5
SK85 357	.5	1	75	.6	7	5	10	3	64.4	72	5
SK85 358	.5	14	216	1.3	15	5	21	3	53.1	110	10
SK85 359	.7	27	416	1.0	33	4	24	3	51.7	171	5

COMPANY: DREQUEST CONSULTANTS

MIN-EN LABS ICP REPORT

(ACT:GEO27) PAGE 1 OF 1

PROJECT NO: SK 85

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 51-16S/P13+14

ATTENTION: TONY FLOYD/MALCOLM BELL

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: AUGUST 21, 1985

VALUES (IN PPM)	AG	AS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
SK85 361 40M	3.3	32	430	2.6	37	11	64	9	49.2	166	15
SK85 362	.6	4	149	.8	14	7	19	5	70.3	83	5
SK85 363	1.1	7	155	.9	18	6	19	4	62.1	82	5
SK85 364 40M	1.2	1	305	.4	26	7	23	5	86.4	126	5
SK85 365	1.0	1	220	.2	16	5	15	3	59.3	88	5
SK85 366 40M	1.4	11	575	2.1	59	3	18	1	13.0	50	5
SK85 367 40M	.5	8	560	1.0	25	2	2	1	12.6	16	5
SK85 368 40M	.1	3	340	1.2	7	1	5	1	9.9	9	10
SK85 369 40M	.2	13	141	.9	5	6	19	4	51.5	69	5
SK85 370 40M	.9	8	618	1.3	26	2	5	1	19.9	32	5
SK85 371	.2	5	81	.2	9	6	16	4	66.1	80	5
SK85 372	.4	7	58	.9	10	6	17	4	37.5	47	5
SK85 373 40M	1.1	7	415	.9	28	4	7	1	30.2	53	5
SK85 374 40M	1.0	25	556	1.7	48	5	10	1	22.7	83	3
SK85 375 40M	1.0	36	676	1.0	45	8	32	5	52.4	145	5
SK85 376	.5	7	295	.9	10	5	16	3	50.8	80	5
SK85 377 40M	2.2	56	1163	2.2	48	11	47	7	59.1	165	15
SK85 378	.7	23	274	1.1	26	7	26	4	52.6	89	5
SK85 379	.5	19	182	1.1	18	6	22	4	56.0	96	5
SK85 380	.3	28	159	.8	25	8	22	5	52.5	111	10
SK85 381	.5	10	114	.7	15	8	19	5	61.8	100	5
SK85 382	.5	46	353	.9	29	8	23	4	45.8	138	5
SK85 383	.4	23	259	.8	20	6	21	4	53.1	94	5
SK85 384	.5	7	231	1.0	17	6	23	4	57.8	90	5
SK85 385	.5	8	298	.5	13	5	13	3	52.5	89	5
SK85 386	N/S										
SK85 387 40M	.3	6	441	1.8	8	2	5	1	13.5	13	3
SK85 388 40M	.7	1	303	.2	19	10	19	8	126.3	100	5
SK85 389	.4	10	471	.7	15	7	14	4	50.3	71	5
SK85 390 40M	1.0	1	480	.2	13	9	19	9	145.7	98	5
SK85 391	.4	5	410	1.3	8	4	16	1	33.4	49	5
SK85 392 40M	.4	9	550	1.4	7	2	7	1	23.2	31	10
SK85 393	.6	8	509	2.3	11	3	9	1	25.8	70	15
SK85 394 40M	1.6	20	626	1.3	40	3	9	1	28.4	18	5
SK85 395 20M	2.1	21	577	1.3	43	4	15	2	40.2	23	5
SK85 396 40M	1.3	15	835	1.4	18	5	11	2	37.0	56	5
SK85 397 40M	2.8	20	1105	2.6	38	6	15	2	37.5	54	3
SK85 398	.6	6	91	.3	10	6	17	2	59.0	78	10
SK85 399	.6	1	62	.1	7	6	16	4	71.7	58	5
SK85 400	.5	12	297	1.2	10	5	14	2	42.1	72	5
SK85 401	.7	7	171	.8	27	5	18	2	47.9	109	5
SK85 402	.6	2	177	.5	14	6	14	3	53.2	101	5
SK85 403	.5	1	69	.4	11	6	11	3	58.9	75	10
SK85 404	.4	1	65	1.0	13	7	18	4	57.2	73	5
SK85 405	.3	5	57	.5	10	6	12	4	56.5	61	5
SK85 406	.6	9	135	.5	12	6	14	2	46.0	63	5
SK85 407	.4	1	91	.7	9	5	15	2	56.9	69	5
SK85 408	.9	1	196	.6	12	7	12	2	51.0	94	10
SK85 409	.9	29	523	1.3	37	6	19	3	50.3	89	5
SK85 410	.4	25	191	1.3	9	8	21	5	68.7	76	5
SK85 411	.5	17	84	.7	14	6	15	4	20.3	46	5
SK85 412	.7	1	57	.5	11	6	13	5	21.3	44	5
SK85 413	.1	8	95	.6	10	6	12	4	18.6	53	10
SK85 414	.1	13	101	1.0	8	6	13	3	23.8	58	5
SK85 415 40M	.3	10	373	1.3	11	6	12	2	34.4	59	5
SK85 416	.4	9	151	1.1	11	6	19	3	35.0	68	5
SK85 417	.1	6	127	.6	8	5	15	2	34.0	49	5
SK85 418 40M	.6	5	121	1.0	12	7	18	6	94.9	75	5
SK85 419	.7	4	75	.4	10	6	14	4	46.4	68	10

PROJECT NO: SK 85

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 51-16S/P15+16

ATTENTION: IOM: FLOYD/MALCOLM BELL

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: AUGUST 21, 1985

VALUES (IN PPM)	AG	AS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
SK85 421 40M	2.0	12	752	1.7	21	4	7	1	20.8	34	5
SK85 422 20M	1.0	1	581	1.1	25	7	21	4	64.5	106	10
SK85 423	.6	15	408	1.0	10	5	16	2	21.0	81	5
SK85 424	.3	3	91	.5	5	5	11	2	45.2	39	5
SK85 425	.2	16	100	.7	6	4	15	2	44.1	48	5
SK85 426	.2	4	115	1.1	5	6	13	3	75.0	58	5
SK85 427	.2	19	91	1.2	4	5	13	2	44.8	57	5
SK85 428	.7	3	101	.2	8	7	19	3	63.0	67	10
SK85 429 40M	.7	1	170	.3	5	8	13	5	98.9	77	5
SK85 430	.4	13	175	.9	4	6	11	3	66.5	69	10
SK85 431	.5	10	61	1.0	7	4	15	3	38.5	65	5
SK85 432	M/S										
SK85 433	.6	10	364	.7	13	6	15	2	52.0	74	10
SK85 434	1.1	8	1134	1.4	13	4	12	2	38.3	45	5
SK85 435 40M	.5	1	71	.9	22	7	12	5	34.8	60	5
SK85 436	.6	1	146	.4	9	7	14	5	80.0	65	5
SK85 437	.6	10	146	.9	8	6	15	3	41.4	60	5
SK85 438	.5	24	68	.6	15	6	16	1	25.8	48	5
SK85 439	1.7	28	933	.7	35	7	17	2	63.4	75	10
SK85 440	.5	9	95	.1	5	5	15	3	43.5	40	5
SK85 441	1.4	1	168	.5	13	7	9	3	50.3	98	5
SK85 442	1.2	1	247	.1	13	8	17	6	88.9	79	10
SK85 443	1.2	1	538	1.3	21	9	26	5	73.2	86	5
SK85 444	1.3	18	484	1.7	27	6	18	3	49.0	71	5
SK85 445	.8	6	291	1.0	12	7	19	4	60.7	86	5
SK85 446	.6	8	350	1.5	11	5	15	3	51.0	96	5
SK85 447	.6	1	195	.5	8	6	10	5	67.4	63	5
SK85 448	.5	8	386	1.3	9	4	13	3	37.4	84	5
SK85 449	.6	9	409	1.2	12	5	15	2	37.9	66	10
SK85 450	.6	11	196	.9	14	6	21	3	48.1	74	5
SK85 451	.6	1	189	1.0	13	6	18	4	60.5	84	5
SK85 452	.8	1	339	1.5	12	6	19	4	60.8	97	10
SK85 453 40M	.6	1	288	.9	7	6	18	4	61.1	61	5
SK85 454	.8	1	531	1.1	15	6	17	4	59.9	86	5
SK85 455	.9	2	651	1.0	12	4	9	2	34.5	67	5
SK85 456	.7	1	459	.9	12	4	15	4	43.8	84	5
SK85 457	.8	3	452	.6	11	5	17	4	49.2	112	10
SK85 458	1.1	1	854	1.2	21	4	14	3	40.0	61	5
SK85 459	1.2	6	978	.9	36	6	14	4	62.8	65	5
SK85 460	1.1	12	1039	1.0	28	4	12	2	34.4	50	25
SK85 461	.5	1	85	.7	7	5	16	4	57.6	50	130
SK85 462	.4	3	134	.4	6	5	16	4	55.6	67	10
SK85 463 40M	.8	3	147	1.4	5	5	19	6	75.4	57	5
SK85 464	.3	1	70	1.1	5	4	16	3	34.9	37	5
SK85 465	.5	10	72	.7	5	5	18	3	41.9	51	10
SK85 466	.5	21	141	1.0	13	7	21	6	38.0	53	5
SK85 467	.9	4	102	.5	12	8	25	6	66.2	85	5
SK85 468	.7	3	77	1.0	8	7	24	7	64.7	76	10
SK85 469	.4	14	91	.9	7	5	22	4	36.5	46	5
SK85 470	.6	15	76	.7	8	7	23	5	50.1	71	5
SK85 471	.6	10	112	.7	9	5	21	4	42.2	59	5
SK85 472	.4	6	117	.8	7	5	18	4	47.4	54	5
SK85 473	.7	3	94	.2	9	7	21	5	58.2	73	20
SK85 474	.8	1	88	.4	7	6	18	5	60.4	74	25
SK85 475	.6	6	91	.9	8	6	22	4	51.4	72	5
SK85 476	.5	23	192	1.0	14	7	35	5	54.8	89	5
SK85 477	.5	8	114	1.0	7	6	19	5	50.4	61	5
SK85 478	.8	1	231	.5	8	6	19	4	57.3	60	10
SK85 479	.4	10	70	.9	7	7	22	5	47.7	51	5

VALUES IN PPM :	AC	AS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
5 541	.5	1	134	.9	7	4	17	3	43.3	57	10
SK85 542	.8	1	77	.6	6	4	17	3	58.7	47	5
SK85 543	1.1	1	100	.1	7	5	14	7	70.0	52	5
SK85 544	1.1	1	100	.7	8	5	15	3	60.4	62	5
SK85 545	1.3	1	144	.1	11	6	19	4	76.3	84	10
SK85 546	1.1	1	119	.3	9	5	16	5	70.1	54	5
SK85 547	1.5	1	411	.1	15	7	25	6	109.5	90	10
SK85 548 40M	1.6	1	500	2.9	24	5	13	2	24.7	54	5
SK85 549	1.6	1	67	.8	14	6	24	3	60.0	90	10
SK85 550	.8	1	127	.7	17	7	25	4	58.9	79	5
SK85 551	N/S										
SK85 552	1.2	1	107	.7	29	6	16	4	60.6	84	5
SK85 553	.9	1	66	.3	10	5	22	3	57.3	64	5
SK85 554	1.1	1	72	.5	14	7	24	4	68.4	91	10
SK85 555	1.3	1	68	.7	12	6	20	3	64.6	75	5
SK85 556	1.0	1	81	.4	10	6	24	5	69.4	69	10
SK85 557	1.2	1	77	.7	10	6	22	4	73.2	78	5
SK85 558	1.0	1	65	.9	9	5	18	3	48.7	51	5
SK85 559	1.0	4	100	.5	15	6	19	5	55.1	71	5
SK85 560	1.1	4	116	.7	16	8	30	6	73.6	95	5
SK85 561	.9	7	115	.9	10	7	27	5	76.6	60	5
SK85 562	1.0	4	106	.9	12	7	21	5	74.5	64	10
SK85 563	.5	6	99	.8	9	5	17	5	67.8	53	10
SK85 564	.7	8	153	1.2	12	6	16	4	61.7	53	5
SK85 565 40M	.7	6	143	.6	9	6	22	5	72.4	45	10
SK85 566	.4	8	113	.7	10	4	17	3	32.8	44	10
SK85 567	.6	7	99	1.2	10	5	15	4	35.8	37	5
SK85 568	.7	13	118	1.0	10	6	20	5	57.0	93	5
SK85 569	.6	1	125	1.2	5	5	15	6	49.8	49	5
SK85 570	.5	3	73	1.2	5	4	18	5	25.8	33	10
SK85 571	.8	4	72	.9	6	4	26	7	38.2	36	5
SK85 572	.6	10	71	1.0	10	4	18	6	51.6	55	5
SK85 573 40M	.6	7	75	1.1	4	5	19	7	90.8	46	5
SK85 574	.7	14	135	1.0	8	6	21	4	48.8	59	3
SK85 575	.7	12	92	.8	6	4	15	4	44.0	34	5
SK85 576	.9	13	98	.6	7	6	20	5	57.4	70	5
SK85 577	.6	13	112	1.2	7	5	19	4	53.1	52	5
SK85 578	.7	11	90	1.5	7	6	17	5	58.8	60	5
SK85 579	.8	13	106	1.3	9	6	21	5	54.1	61	5
SK85 580	.8	7	111	.7	6	5	17	4	51.2	49	5
SK85 581	.5	11	104	.8	6	4	14	3	41.4	42	5
SK85 582	.8	12	108	.6	8	5	17	5	49.8	45	10
SK85 583	.5	15	113	.6	7	4	19	3	41.1	45	5
SK85 584	1.2	7	193	.4	16	8	19	5	69.8	72	5
SK85 585	1.6	5	540	.8	10	6	18	5	71.6	73	5
SK85 586	2.0	1	181	.1	11	7	12	4	84.7	103	10
SK85 587	.8	2	175	.6	7	5	18	5	59.3	46	5
SK85 588 40M	1.0	13	216	1.0	6	7	22	5	68.4	76	5
SK85 589	.6	11	287	1.1	6	5	20	3	46.3	65	5
SK85 590 40M	.8	1	163	.7	7	5	22	4	63.5	51	5
SK85 591	1.1	1	186	.2	8	5	16	4	72.9	77	5
SK85 592 40M	.9	6	177	.7	6	6	22	6	74.6	66	10
SK85 593	.7	9	160	.6	4	5	19	4	53.1	50	5
SK85 594	.8	1	132	.6	5	5	16	4	55.5	38	5
SK85 595	.9	1	85	.7	5	4	14	4	60.0	44	5
SK85 596	1.4	1	161	.3	9	8	20	6	91.2	86	5
SK85 597	.9	1	129	.5	8	5	18	5	69.3	47	10
SK85 598 40M	.5	9	212	.8	12	4	17	3	41.4	41	5
SK85 599	1.1	1	90	.1	5	7	20	7	103.4	59	15

COMPANY: DREQUEST CONSULTANTS

MIN-EN LABS (CP REPORT

(ACT:GEO27) PAGE 1 OF 1

PROJECT NO: SK 85

105 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 51-165/P21+22

ATTENTION: TOMY FLOYD/MALCOLM BELL

(604) 980-5814 OR (604) 988-4524

TYPE SOIL GEOCHEM # DATE: AUGUST 21, 1985

VALUES IN PPM	AG	AS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
SK85 601 40M	2.1	12	283	2.5	61	5	21	2	41.9	156	10
SK85 602 40M	1.1	1	268	3.1	36	2	2	1	2.9	24	5
SK85 603	1.4	1	222	1.1	37	4	19	2	43.7	111	10
SK85 604 40M	1.8	4	466	2.0	52	3	14	1	15.0	94	15
SK85 605	1.3	1	205	1.1	20	5	18	4	63.9	115	10
SK85 606 40M	1.3	1	248	1.1	38	7	21	5	80.7	133	10
SK85 607	1.2	9	569	1.4	45	5	23	2	37.4	106	5
SK85 608	.9	2	77	.1	10	5	21	4	58.4	88	5
SK85 609	.9	1	340	.8	20	4	23	3	44.9	82	5
SK85 610	.6	10	69	.4	8	6	25	4	67.0	68	5
SK85 611	.7	1	187	.7	9	6	23	4	67.6	81	10
SK85 612	.8	1	220	.9	11	6	16	4	65.8	74	5
SK85 613	.6	6	55	.7	8	6	22	5	65.1	87	10
SK85 614	.9	4	53	.2	8	7	21	5	80.7	76	5
SK85 615	.8	10	220	1.0	10	6	23	5	67.5	76	5
SK85 616	.7	5	94	.9	6	6	27	5	73.4	63	5
SK85 617	.7	6	62	1.3	7	6	25	4	55.6	76	5
SK85 618	.6	5	75	.6	7	5	21	5	74.2	54	10
SK85 619	.3	1	52	.5	5	4	18	3	47.7	52	5
SK85 620	.5	5	325	.8	7	4	15	3	47.7	55	5
SK85 621	.8	9	79	.6	8	7	29	5	81.0	68	10
SK85 622	1.0	11	81	.2	10	8	25	6	97.3	78	5
SK85 623	.7	4	88	.4	7	6	22	5	76.3	57	5
SK85 624	.7	9	138	.8	8	6	21	4	68.6	76	5
SK85 625	1.0	9	601	.9	12	7	23	5	84.1	75	40
SK85 626	.8	5	749	1.1	12	5	16	2	39.9	85	5
SK85 627	.5	1	232	.3	6	4	11	3	50.7	52	10
SK85 628	.9	6	1169	1.6	10	3	9	2	39.6	64	5
SK85 629	1.7	5	1549	.5	31	3	9	1	26.0	38	5
SK85 630	2.6	6	2732	.9	22	4	12	2	29.6	42	5
SK85 631	.9	1	1273	.8	13	4	16	2	33.1	58	5
SK85 632	.2	6	85	.6	6	4	20	2	40.2	43	5
SK85 633	2.2	15	1811	.7	47	5	16	2	33.9	80	15
SK85 634 40M	.9	8	1186	1.1	31	4	9	200	32.5	76	40
SK85 635	.7	9	1118	1.8	28	5	15	5	41.0	83	5
SK85 636	1.1	3	1236	1.1	39	3	11	2	22.4	80	5
SK85 637	2.8	1	729	2.0	27	4	109	6	39.1	76	15
SK85 638	1.4	3	1311	1.5	35	4	16	2	21.1	89	10
SK85 639	.7	2	742	.9	17	4	17	3	42.3	82	5
SK85 640	.6	1	587	.6	14	5	18	3	49.0	79	5
SK85 641 40M	1.1	12	663	1.2	21	8	28	5	72.7	164	15
SK85 642	.4	7	309	.6	9	5	22	3	53.7	69	10
SK85 643	.8	16	990	.9	27	7	20	3	47.6	101	5
SK85 644 40M	.5	2	207	.7	6	6	24	5	92.1	55	5
SK85 645	.3	5	98	.3	6	5	20	4	66.1	51	5
SK85 646 40M	1.8	14	1215	1.0	38	7	29	4	70.6	103	20
SK85 647	1.0	15	1021	1.7	27	6	28	3	59.0	134	5
SK85 648	2.0	1	1170	.2	18	4	10	2	22.1	37	15
SK85 649	.8	4	1052	1.3	19	4	15	2	43.4	91	15
SK85 650	1.2	6	1533	1.2	42	5	14	2	40.2	78	10
SK85 651	.3	2	351	.8	8	5	20	2	44.0	58	5
SK85 652	1.9	1	1883	.3	37	3	9	1	18.1	39	10
SK85 653	.7	11	117	.4	5	6	19	5	59.0	60	5
SK85 654	.5	10	665	.7	8	5	19	2	41.6	79	3
SK85 655	.6	8	569	.5	6	5	20	3	41.4	75	5
SK85 656	.7	3	690	.3	14	5	18	3	51.0	98	5
SK85 657 40M	1.9	17	2044	1.4	23	7	22	4	39.5	124	20
SK85 658	.6	10	580	1.3	16	5	18	3	46.7	105	5

VALUES (IN PPM)	AS	MS	BA	CD	CU	MO	PR	SB	V	ZN	AU-PPB
SK85 661	.6	6	98	.5	7	6	20	4	69.4	59	5
SK85 662	.6	1	93	1.0	7	7	22	3	66.3	57	10
SK85 663	1.2	1	799	.2	11	5	17	3	59.5	86	5
SK85 664	.7	5	107	.5	11	7	24	6	85.4	80	5
SK85 665	.8	1	524	.1	8	5	15	3	66.8	92	3
SK85 666	.6	2	107	.2	10	6	21	4	77.3	58	5
SK85 667	.6	1	218	.8	13	5	24	3	52.8	106	5
SK85 668	.3	1	86	.1	7	4	21	3	45.3	50	10
SK85 669	.3	10	77	1.0	9	6	28	3	50.2	57	5
SK85 670	.6	3	119	1.0	13	6	25	3	47.5	78	5
SK85 671	.8	6	93	.4	8	7	30	5	75.3	61	5
SK85 672	.6	7	79	.7	8	6	26	4	60.6	69	10
SK85 673	1.1	1	67	.2	8	6	23	5	82.4	66	5
SK85 674	1.3	1	74	.4	9	9	33	8	136.9	84	10
SK85 675	1.2	4	86	.3	12	8	31	6	107.8	78	10
SK85 676	1.0	3	77	.1	9	8	32	6	101.9	99	5
SK85 677	1.5	1	81	.1	12	9	31	6	104.3	98	5
SK85 678	1.3	7	104	.1	13	10	32	7	112.4	105	10
SK85 679	1.0	14	77	.1	11	10	32	8	113.7	98	5
SK85 680	1.2	7	107	.1	11	8	26	7	94.3	88	5
SK85 681	.7	14	146	1.1	15	8	29	5	70.5	82	3
SK85 682	.7	16	83	.4	12	8	31	6	79.7	85	10
SK85 683	.7	1	109	.4	12	6	19	5	79.3	55	5
SK85 684	.5	8	77	.6	10	5	20	4	53.6	46	5
SK85 685	1.0	7	100	.1	10	8	29	6	98.6	71	10
SK85 686	.9	4	77	.5	10	7	28	6	96.9	70	5
SK85 687 40M	13.2	1	185	.1	18	10	23	9	176.7	120	25
SK85 688	1.7	11	373	.8	35	8	37	5	90.7	192	15
SK85 689	2.3	37	764	3.5	78	5	16	2	43.1	170	10
SK85 690	2.2	21	570	3.8	50	7	29	4	57.3	222	10
SK85 691	.6	1	71	.4	10	5	17	3	55.2	68	5
SK85 692	1.1	1	396	.7	23	6	27	3	53.0	110	10
SK85 693 40M	1.8	29	797	.7	46	3	8	1	31.0	71	10
SK85 694	.9	7	89	.2	14	6	21	3	52.0	91	5
SK85 695	2.4	1	71	.1	11	11	22	8	129.1	86	10
SK85 696	.9	1	88	.1	24	8	23	6	82.4	99	10
SK85 697	.6	1	235	.8	10	6	18	5	68.9	84	10
SK85 698	.4	4	88	.2	8	6	17	4	52.8	56	5
SK85 699	1.1	2	575	2.2	27	5	16	2	32.0	170	5
SK85 700	1.1	1	428	.6	19	6	19	5	71.1	120	5
SK85 701	1.1	19	458	.4	21	6	20	4	48.5	218	5
SK85 702	1.0	8	400	.2	18	6	17	5	59.7	181	10
SK85 703	.5	8	74	.1	9	7	14	5	61.7	70	10
SK85 704	.7	2	56	.1	9	7	18	5	68.8	104	5
SK85 705	.4	9	56	.1	6	6	18	4	56.2	54	10
SK85 706	.7	1	70	.1	8	7	18	6	94.8	72	10
SK85 707	1.4	1	111	.1	12	13	30	11	177.3	89	15
SK85 708 40M	.8	1	82	.1	9	9	19	7	117.3	62	5
SK85 709	.8	1	64	.1	7	8	9	6	95.3	69	5
SK85 710	.4	7	301	.1	9	5	17	2	39.3	101	5
SK85 711	.4	3	122	.2	7	5	17	4	50.9	49	5
SK85 712	.4	1	94	.2	7	7	24	6	77.6	65	10
SK85 713	1.7	19	1046	1.1	27	7	17	4	129.9	102	10
SK85 714	1.1	5	619	.2	14	5	15	4	55.0	92	15
SK85 715	M/S										
SK85 716	.5	1	85	.2	8	5	15	3	52.8	52	10
SK85 717	.2	13	99	.4	7	6	15	3	44.8	63	5
SK85 718	.7	1	138	.1	8	8	19	6	115.4	105	5
SK85 719	.6	27	300	.4	15	7	19	5	50.9	118	5

PROJECT NO: SF 85

105 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1J2

FILE NO: 51-16S/P25+26

ATTENTION: TONY FLOYD/MALCOLM BELL

(604) 980-5814 OR (604) 988-4524

* TYPE SOIL GEOCHEM * DATE: AUGUST 21, 1985

VALUES IN PPM)	AG	AS	BA	CO	CU	MO	PB	SB	V	ZN	AU-PPB
SK85 721	.6	5	239	.4	6	3	9	2	30.9	62	5
SK85 722	.4	3	82	.1	7	4	16	3	46.5	52	3
SK85 723	.4	11	454	.4	12	5	15	3	37.6	81	5
SK85 724	.5	10	175	.4	9	4	17	3	39.7	70	10
SK85 725	.3	1	134	.1	5	3	16	3	33.6	43	5
SK85 726	.4	8	163	.1	8	5	19	3	41.3	60	5
SK85 727	.6	10	883	1.2	16	6	15	3	51.1	106	5
SK85 728	1.3	7	1236	.7	21	3	10	2	20.9	66	5
SK85 729	1.3	1	1932	.5	19	2	4	1	15.6	27	10
SK85 730 40M	.9	3	1610	.4	18	2	4	1	19.0	27	5
SK85 731	1.4	9	2172	1.1	12	4	7	2	25.1	122	5
SK85 732	1.1	8	1096	.2	13	5	14	3	40.2	85	5
SK85 733	.7	5	506	.7	4	4	11	2	33.3	72	5
SK85 734	.5	4	87	.1	3	4	13	3	34.3	41	5
SK85 735	.5	5	99	.1	3	3	12	2	27.9	32	10
SK85 736	N/S										
SK85 737	1.1	2	650	.3	11	5	13	3	37.5	83	5
SK85 738	.9	20	697	.7	17	6	18	4	38.9	117	5
SK85 739	1.0	15	730	.6	12	6	16	4	39.0	98	10
SK85 740	.6	7	394	.1	6	5	16	3	45.5	67	5
SK85 741	.8	3	250	.2	5	4	15	3	42.8	57	5
SK85 742	.6	8	259	.5	5	5	14	3	41.6	63	10
SK85 743 40M	.5	9	240	.5	6	4	15	4	44.7	59	5
SK85 744	.5	7	150	.5	6	5	13	4	50.8	69	5
SK85 745	.5	3	193	.4	4	5	16	4	45.6	50	10
SK85 746 40M	.9	15	640	.6	8	6	15	4	55.5	76	5
SK85 747	.4	4	150	.2	4	5	13	4	44.7	44	5
SK85 748	.6	4	99	.2	5	5	15	4	50.4	56	5
SK85 749	.7	1	106	.1	6	5	17	3	48.6	60	5
SK85 750	.6	1	74	.1	4	5	13	4	51.2	44	5
SK85 751	.3	1	176	.9	7	4	11	2	41.6	54	5
SK85 752 40M	.7	1	160	.1	5	5	11	3	73.9	52	5
SK85 753	.5	5	172	.6	6	4	14	3	56.5	59	10
SK85 754	.5	10	760	.9	10	5	9	2	45.1	79	5
SK85 755	.8	5	624	.8	10	5	11	2	49.8	66	5
SK85 756 40M	1.3	18	933	1.2	14	5	17	3	70.7	123	5
SK85 757	.8	1	287	.2	9	6	17	3	60.9	81	10
SK85 758	.5	1	1580	.2	6	4	10	2	41.4	43	5
SK85 759	.4	1	103	.6	8	5	15	3	50.6	49	5
SK85 760	.6	9	92	.6	9	5	16	3	53.7	68	10
SK85 761	.4	1	123	.4	7	4	10	2	38.4	41	5
SK85 762	.3	11	100	.6	8	5	17	2	44.5	49	5
SK85 763	.9	33	340	1.0	24	9	24	6	106.2	157	5
SK85 764	.9	8	94	.3	9	7	14	4	66.2	77	5
SK85 765	.6	6	53	.4	7	6	15	3	60.9	51	10
SK85 766	.8	1	177	.5	10	6	14	3	61.4	76	5
SK85 767	.4	1	103	.6	7	4	12	2	39.6	40	5
SK85 768	.7	6	95	.7	10	7	17	4	49.6	75	5
SK85 769	.5	9	97	1.0	7	5	11	2	47.0	49	10
SK85 770	.6	2	88	.5	9	7	16	3	55.9	74	5
SK85 771	.4	11	66	.4	8	5	15	3	30.2	67	5
SK85 772	.9	1	79	.1	9	6	15	3	62.5	73	5
SK85 773	1.0	3	167	.1	17	7	23	5	86.2	86	85
SK85 774	.4	18	61	.4	8	7	17	4	60.3	68	5
SK85 775	.6	18	56	.3	8	7	20	4	63.3	65	5
SK85 776	.7	23	171	.6	14	8	25	4	75.8	99	10
SK85 777	.4	13	61	.9	8	5	17	3	37.3	52	5
SK85 778	.8	4	967	1.1	11	4	12	2	30.3	60	5
SK85 779	.9	12	1692	1.3	12	5	13	3	40.7	86	5

PROJECT NO: SK 85

105 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 51-165/P27+28

ATTENTION: TONY FLOYD/MALCOLM BELL

1604-980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM *

DATE: AUGUST 21, 1985

VALUES IN PPM)	AG	AS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
85 781 40M	.5	1	61	.1	9	8	19	6	88.2	74	5
SK85 782	.3	14	206	1.7	12	5	15	4	48.5	110	5
SK85 783	.5	13	216	1.7	13	6	17	4	52.8	144	10
SK85 784 40M	1.8	11	317	4.5	120	8	37	4	47.0	190	15
SK85 785	N/S										
SK85 786	1.3	1	64	.1	10	7	12	2	102.4	63	5
SK85 787	1.0	1	67	.1	12	8	28	4	78.9	105	5
SK85 788	1.0	1	62	.1	13	7	18	4	80.4	97	5
SK85 789	N/S										
SK85 790	.8	1	292	.4	12	4	18	2	50.0	102	5
SK85 791	1.4	1	317	1.3	24	7	20	4	61.2	162	10
SK85 792	.8	1	185	.4	11	6	13	3	65.2	106	5
SK85 793	1.1	5	302	1.3	27	7	30	4	60.7	111	5
SK85 794	.8	6	109	.6	12	6	24	4	56.5	69	5
SK85 795	1.0	1	82	.3	15	8	23	4	78.6	139	10
SK85 796	1.6	1	109	.5	17	8	45	6	93.8	78	20
SK85 797	.6	6	191	1.8	7	7	16	6	73.7	63	5
SK85 798	.7	20	325	1.2	17	6	20	3	48.6	136	5
SK85 799	.9	5	106	.4	10	6	20	3	54.0	63	10
SK85 800	.6	2	531	.5	10	6	15	3	58.1	72	5
SK85 801	1.2	25	576	1.3	11	5	14	2	36.5	201	5
SK85 802	.6	29	642	1.1	11	6	13	3	50.6	147	10
SK85 803 40M	.4	6	231	1.2	10	6	20	6	93.1	77	10
SK85 804	.4	1	338	.8	8	4	16	2	48.8	74	5
SK85 805	.3	2	100	.1	7	5	14	4	26.3	62	5
85 806	.7	1	70	.5	9	6	15	3	65.6	53	5
SK85 807	.6	1	87	.7	10	6	20	5	65.2	63	10
SK85 808	.6	1	70	.1	9	6	21	4	63.4	68	35
SK85 809	.5	2	63	.1	8	6	19	3	54.5	54	5
SK85 810	.3	1	67	.7	6	6	14	3	53.7	42	5
SK85 811	.8	11	77	.3	7	4	18	4	40.5	55	5
SK85 812	.6	3	70	.6	7	5	19	5	49.6	43	5
SK85 813	.7	3	79	.2	7	6	15	6	62.3	58	5
SK85 814	.6	11	86	1.0	7	6	24	6	53.5	75	10
SK85 815	.4	4	67	.9	12	5	18	5	61.1	57	5
SK85 816	.3	3	54	1.0	4	4	12	4	50.2	34	5
SK85 817	.5	2	180	.5	11	5	15	4	58.9	62	5
SK85 818 40M	.4	1	60	.5	7	6	12	5	89.0	42	10
SK85 819	.1	1	55	.8	6	4	14	3	46.3	32	5
SK85 820	.3	1	73	.6	6	5	13	4	52.9	38	5
SK85 821	.2	1	58	.7	7	4	13	4	51.6	49	5
SK85 822	.1	1	65	.6	6	4	14	4	40.4	34	3
SK85 823	.3	2	234	1.0	7	3	13	3	22.7	42	5
SK85 824	.3	1	141	.9	5	4	15	4	26.1	44	10
SK85 825 40M	.5	1	315	.4	8	4	15	5	57.0	50	5
SK85 826 40M	.4	1	273	.7	7	5	16	5	27.8	62	5
SK85 827 40M	.4	3	377	.9	10	4	17	4	51.3	94	5
SK85 828	.3	4	115	.5	7	5	14	5	66.4	53	5
SK85 829	.5	6	484	1.0	8	3	17	3	42.9	55	10
SK85 830	.7	1	498	1.1	9	4	14	3	42.6	58	5
85 831	.9	4	568	1.2	10	4	12	4	47.5	61	5
SK85 832	N/S										
SK85 833	.2	1	266	1.2	7	3	15	2	37.4	43	5
SK85 834	.3	2	320	.7	8	4	17	3	47.6	52	3
SK85 835	.6	1	329	.7	10	5	16	6	81.5	65	5
SK85 836	.3	1	349	1.1	8	3	11	4	45.0	50	10
SK85 837	.3	1	853	.7	12	3	10	2	32.1	39	5
SK85 838	.3	2	525	1.1	23	3	17	2	39.4	75	5

PROJECT NO: SK 85

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 51-16S/P29+30

ATTENTION: TONY FLOYD/MALCOLM BELL

1604-980-5814 OR 1604-988-4524

* TYPE SOIL GEOCHEM *

DATE: AUGUST 21, 1985

(VALUES IN PPM)	AG	AS	BA	LD	CU	MO	PB	SB	V	ZN	NO-PPB
SK85 841 40M	.7	1	483	1.0	8	6	15	4	61.5	64	5
SK85 842	.4	1	115	.4	6	5	15	3	55.7	57	5
SK85 843	1.1	1	78	.2	13	8	20	5	93.6	84	5
SK85 844	1.2	1	64	.4	10	5	16	4	73.5	61	5
SK85 845	1.0	1	94	.4	8	5	22	4	75.2	53	15
SK85 846	1.1	1	67	.1	17	7	25	5	87.5	86	5
SK85 847	.6	1	87	.2	7	5	20	4	66.7	49	20
SK85 848	.9	1	232	1.2	24	5	14	3	48.7	116	5
SK85 849	.7	1	297	1.2	14	5	17	3	50.4	118	5
SK85 850	.6	5	229	1.6	29	6	20	4	56.1	100	10
SK85 851 40M	1.0	1	272	.7	15	6	14	5	78.4	118	5
SK85 852	.6	1	63	.5	10	5	20	4	67.7	56	5
SK85 853	.6	1	262	.8	10	6	19	4	65.1	76	5
SK85 854	.9	1	1197	1.5	15	3	12	2	38.1	35	5
SK85 855	.6	1	80	1.2	15	6	22	4	68.7	77	5
SK85 856	.7	3	136	.9	14	6	19	5	59.1	71	10
SK85 857	.8	1	56	.1	9	6	19	4	69.5	59	5
SK85 858	1.1	1	83	.4	16	7	24	5	79.1	87	5
SK85 859	.7	3	77	.5	8	5	21	4	62.0	58	5
SK85 860	.6	4	68	.8	8	5	22	4	64.4	58	5
SK85 861	.4	1	74	.6	9	5	18	4	62.5	59	5
SK85 862	.3	1	71	.7	9	4	14	4	45.5	49	10
SK85 863	.4	9	97	.5	11	6	25	5	60.5	65	5
SK85 864	.6	9	81	.8	9	4	16	3	41.5	38	5
SK85 865	.6	14	86	1.1	10	5	17	4	61.1	57	5
SK85 866	.3	15	81	.7	6	5	15	5	57.4	53	5
SK85 867	.4	7	70	.6	6	5	20	4	61.9	47	10
SK85 868	.3	12	93	1.0	7	5	16	4	50.2	51	5
SK85 869	.4	14	94	1.1	11	5	16	5	62.8	65	5
SK85 870	.4	22	82	1.0	10	6	21	5	53.1	69	5
SK85 871	.5	6	72	.6	10	6	22	6	62.4	70	5
SK85 872	.4	1	84	.5	11	4	15	4	52.7	53	5
SK85 873	.9	1	201	.1	21	5	13	3	47.9	86	3
SK85 874	.3	5	105	.9	15	6	20	4	62.0	59	5
SK85 875 40M	1.0	3	95	.1	9	7	20	7	106.5	61	10
SK85 876	.4	1	84	1.1	9	4	16	3	46.9	42	5
SK85 877	.4	2	80	1.0	8	6	17	5	64.1	58	5
SK85 878	.4	5	85	.6	10	6	21	5	66.7	71	5
SK85 879	.1	2	93	.8	8	3	12	3	44.7	43	3
SK85 880	.3	6	64	.8	6	4	16	4	49.9	75	5
SK85 881	.4	8	107	1.1	8	5	21	6	32.1	97	5
SK85 882 40M	.7	1	108	.6	6	5	15	5	44.3	47	5
SK85 883	.7	20	187	1.3	8	6	24	6	49.7	81	5
SK85 884	.5	12	134	.2	5	5	20	6	63.3	52	5
SK85 885 40M	.9	6	135	.7	5	6	18	6	76.6	69	5
SK85 886	.5	24	161	1.9	6	6	30	7	60.3	75	5
SK85 887	.5	11	274	.6	6	4	17	4	53.4	49	10
SK85 888	.7	3	115	.3	4	4	14	5	59.4	39	5
SK85 889	.6	12	255	.8	4	4	13	5	51.6	58	5
SK85 890	.9	1	105	.1	4	5	11	5	66.0	46	10
SK85 891	.7	3	145	.6	5	5	21	5	61.4	60	10
SK85 892	.7	5	120	.4	6	4	20	4	54.1	47	5
SK85 893	1.0	1	171	.2	6	6	19	6	71.9	56	5
SK85 894	1.0	1	99	.1	6	5	18	4	67.2	50	5
SK85 895	1.0	1	143	.4	8	5	13	4	59.3	67	5
SK85 901	1.4	16	152	.4	19	6	15	6	88.7	65	20
SK85 902	.9	22	143	.9	14	5	19	5	58.1	77	5
SK85 903	1.0	5	99	.9	11	6	13	5	66.8	102	5
SK85 904	.9	10	130	1.5	17	5	14	4	52.6	115	5

VALUES IN PPM)	AG	AS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
SK85 906	.7	4	114	.7	14	5	12	3	51.1	84	10
SK85 907	.7	2	148	.8	14	4	15	3	51.6	80	5
SK85 908	.8	8	203	1.6	11	4	12	3	44.0	58	5
SK85 909	.8	1	156	.1	12	6	8	3	63.6	82	10
SK85 910	1.3	3	349	1.5	16	5	12	4	43.3	86	5
SK85 911	.8	1	174	.3	12	5	11	3	56.0	87	10
SK85 912	.9	1	135	.1	15	5	11	4	80.6	78	10
SK85 913	.8	1	103	.2	14	6	13	4	76.3	77	5
SK85 914	1.0	1	128	.1	14	7	8	5	94.3	76	5
SK85 915	1.0	1	101	.1	11	6	8	5	104.9	66	5
SK85 916	.7	1	107	.1	12	7	10	4	68.6	83	10
SK85 917	1.2	1	109	.1	12	7	9	5	90.2	60	10
SK85 918	1.0	10	151	.8	22	5	16	3	58.6	72	20
SK85 919	.9	1	109	.1	17	7	12	5	73.4	68	10
SK85 920	1.2	1	84	.1	37	6	12	3	75.1	98	10
SK85 921	1.2	1	127	.1	13	8	12	7	116.9	71	15
SK85 922	1.2	1	122	.1	13	7	7	4	80.0	61	20
SK85 923	1.1	3	79	.1	13	7	18	6	55.3	52	10
SK85 924	.8	1	100	.1	13	7	8	5	90.0	63	5
SK85 925	.9	1	117	.1	14	7	13	5	91.2	80	5
SK85 926	1.0	1	125	.1	18	7	3	5	95.8	74	5
SK85 927	1.3	1	145	.1	14	7	9	6	113.2	82	10
SK85 928	1.1	1	110	.1	11	7	1	6	118.6	76	10
SK85 929	1.0	1	121	.1	13	8	11	6	93.5	86	10
SK85 930	1.0	1	131	.1	13	7	12	5	85.8	99	10
SK85 931	.9	1	108	.1	12	7	8	5	92.4	68	5
SK85 932	1.0	1	99	.1	13	9	11	9	123.9	86	10
SK85 933	.5	1	92	.1	12	7	16	6	83.7	60	5
SK85 934	.9	1	95	.1	11	8	12	8	112.3	70	10
SK85 935	.7	1	69	.1	15	8	8	3	104.1	43	10
SK85 936	.7	1	92	.1	10	6	10	5	71.7	43	5
SK85 937	1.3	1	118	.1	14	10	12	13	158.9	72	15
SK85 938	.8	1	65	.1	11	5	5	3	55.5	44	10
SK85 939	1.0	1	109	.1	13	6	4	3	70.7	74	5
SK85 940	.5	1	104	.1	14	7	10	5	70.3	71	5
SK85 941	.9	1	63	.1	17	7	14	5	85.5	94	5
SK85 942	.6	1	91	.1	9	6	7	3	74.8	46	5
SK85 943	.9	1	74	.1	16	8	9	6	92.7	108	3
SK85 944	.6	1	76	.1	11	7	7	4	54.3	46	5
SK85 945	.4	1	62	.1	9	5	7	4	48.5	40	5
SK85 946	.5	1	67	.2	15	6	12	2	57.5	45	10
SK85 947	.6	1	95	.5	12	6	12	7	74.3	55	5
SK85 948	1.2	1	74	.1	20	7	8	2	88.1	84	10
SK85 949	1.2	1	79	.1	29	7	5	2	95.0	90	10
SK85 950	1.2	1	73	.1	23	6	7	1	71.0	80	15
SK85 960	.9	3	119	.1	14	7	13	6	84.1	88	5
SK85 961	1.2	1	87	.4	35	6	9	7	71.6	85	10
SK85 962	.7	1	145	.1	17	5	15	5	74.4	66	10
SK85 963	.6	1	69	.5	17	6	11	2	63.8	48	5
SK85 964	.5	1	67	.7	18	4	8	1	53.4	42	5
SK85 965	.7	1	72	1.4	19	5	11	1	40.1	80	10
SK85 966	.7	1	64	.9	19	4	9	1	50.1	75	10
SK85 967	.6	1	74	1.1	18	4	12	1	42.4	84	5
SK85 968	.5	1	85	.3	13	5	6	1	74.0	53	3
SK85 969	1.0	1	93	.1	24	8	13	8	123.7	59	5
SK85 970	.8	1	78	.2	20	6	4	1	75.1	96	5
SK85 971	.4	1	93	.4	16	5	12	1	65.4	54	5
SK85 972	.5	16	84	.1	15	7	11	1	27.7	48	5
SK85 973	.2	11	67	1.1	22	5	9	1	28.8	33	10

COMPANY: OPEQUEST CONSULTANTS

MIN-EN LABS ICP REPORT

(ACT:GEO27) PAGE 1 OF 1

PROJECT NO: SK 85

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 51-165/P33

ATTENTION: IONI FLUID/MALCOLM BELL

16041980-5814 OR 16041988-4524

* TYPE SOIL GEOCHEM *

DATE: AUGUST 21, 1985

VALUES IN PPM	MB	MS	BA	CD	CU	MO	PB	SB	V	ZN	AU-PPB
SK85 975	.9	1	88	.6	39	6	9	2	64.1	75	10
SK85 976	.5	1	96	.4	18	7	15	4	77.0	52	5
SK85 977	.4	2	71	.3	16	6	10	1	57.2	46	5
SK85 978	.9	1	103	.1	16	8	11	5	102.5	66	5
SK85 979	.6	1	114	.1	16	6	13	5	90.8	68	15
SK85 980	1.2	1	84	.1	20	10	16	10	147.7	79	15
SK85 981	1.1	1	106	.1	13	12	18	11	146.3	63	5
SK85 982	.6	1	111	.1	16	7	14	4	91.9	70	5
SK85 983	.7	13	76	.2	16	6	13	2	55.4	44	5
SK85 984	.5	1	89	.1	12	6	12	2	58.6	44	5
SK85 985	1.2	14	94	1.1	29	6	16	3	46.7	48	15
SK85 986	1.0	1	84	.1	13	6	5	2	39.8	53	10
SK85 987 40M	1.5	1	81	.1	15	12	10	14	215.4	77	15
SK85 988	.4	1	68	.2	10	5	14	6	46.1	36	3
SK85 989	.6	2	73	.1	13	6	12	4	31.7	39	5
SK85 990	.7	1	71	.1	12	5	11	5	49.5	42	5
SK85 991	.4	10	59	.9	12	5	10	2	35.1	39	10
SK85 992	.5	14	97	.6	16	7	16	6	63.6	65	5
SK85 993	.6	15	104	.3	12	5	8	1	36.9	57	5
SK85 994	.6	1	81	.1	9	6	10	6	61.0	42	5
SK85 995	.5	25	98	.6	15	5	19	3	40.3	51	10
SK85 996	.5	6	215	.2	16	3	11	1	21.7	47	3
SK85 997	.7	44	157	1.1	24	8	21	2	43.3	143	5
SK85 998 40M	1.4	1	177	.1	16	11	13	14	169.5	89	15

MIN-EN Laboratories Ltd.

Specialists in Mineral Environments

Corner 15th Street and Bewicke
705 WEST 15TH STREET
NORTH VANCOUVER, B.C.
CANADA V7M 1T2

GOLD GEOCHEMICAL ANALYSIS BY MIN-EN LABORATORIES LTD.

Geochemical samples for Gold processed by Min-En Laboratories Ltd., at 705 W. 15th St., North Vancouver Laboratory employing the following procedures.

After drying the samples at 95°C soil and stream sediment samples are screened by 80 mesh sieve to obtain the minus 80 mesh fraction for analysis. The rock samples are crushed and pulverized by ceramic plated pulverizer.

A suitable sample weight 5.0 or 10.0 grams are pretreated with HNO_3 and HClO_4 mixture.

After pretreatments the samples are digested with Aqua Regia solution, and after digestion the samples are taken up with 25% HCl to suitable volume.

Further oxidation and treatment of at least 75% of the original sample solutions are made suitable for extraction of gold with Methyl Iso-Butyl ~~Ketone~~.

With a set of suitable standard solution gold is analysed by Atomic Absorption instruments. The obtained detection limit is 0.005 ppm (5ppb).

MIN-EN Laboratories Ltd.

Specialists in Mineral Environments

Corner 15th Street and Bewicke
705 WEST 15TH STREET
NORTH VANCOUVER, B.C.
CANADA V7M 1T2

FIRE GOLD GEOCHEMICAL ANALYSIS BY MIN-EN LABORATORIES LTD.

Geochemical samples for Fire Gold processed by Min-En Laboratories Ltd., at 705 W. 15th St., North Vancouver Laboratory employing the following procedures.

After drying the samples at 95^o C soil and stream sediment samples are screened by 80 mesh sieve to obtain the minus 80 mesh fraction for analysis. The rock samples are crushed and pulverized by ceramic plated pulverizer.

A suitable sample weight 15.00 or 30.00 grams are fire assay preconcentrated.

After pretreatments the samples are digested with Aqua Regia solution, and after digestion the samples are taken up with 25% HCl to suitable volume.

Further oxidation and treatment of at least 75% of the original sample solutions are made suitable for extraction of gold with Methyl Iso-Butyl Ketone.

With a set of suitable standard solution gold is analysed by Atomic Absorption instruments. The obtained detection limit is 1 ppb.

MIN-EN Laboratories Ltd.

Specialists in Mineral Environments

Corner 15th Street and Bewicke
705 WEST 15TH STREET
NORTH VANCOUVER, B.C.
CANADA V7M 1T2

ANALYTICAL PROCEDURE REPORT FOR ASSESSMENT WORK - 26 ELEMENT ICP

Ag, Al, As, B, Bi, Ca, Cd, Co, Cu, Fe, K, Mg, Mn, Mo,
Na, Ni, P, Pb, Sb, Sr, Th, U, V, Zn

Samples are processed by Min-En Laboratories Ltd., at 705 W. 15th St., North Vancouver Laboratory employing the following procedures.

After drying the samples at 95°C soil and stream sediment samples are screened by 80 mesh sieve to obtain the minus 80 mesh fraction for analysis. The rock samples are crushed by jaw crusher and pulverized by ceramic plated pulverizer.

1.0 gram of the samples are digested for 6 hours with HNO₃ and HClO₄ mixture.

After cooling samples are diluted to standard volume. The solutions are analysed by Computer operated Jarrell Ash 9000ICP. Inductively coupled Plasma Analyser. Reports are formatted by routing computer dotline print out.

MIN-EN Laboratories Ltd.

Specialists in Mineral Environments

Corner 15th Street and Bewicke

705 WEST 15th STREET

NORTH VANCOUVER, B.C.

CANADA

ANALYTICAL PROCEDURE REPORTS FOR ASSESSMENT WORK.

PROCEDURES FOR, Cu, Mo, Cd, Pb, Mn, Ni, Ag, Zn.

Samples are processed by Min-En Laboratories Ltd. at 705 W. 15th St., North Vancouver Laboratory employing the following procedures.


After drying the samples at 95°C soil and stream sediment samples are screened by 80 mesh sieve to obtain the minus 80 mesh fraction for analysis. The rock samples are crushed by jaw crusher and pulverized by ceramic plated pulverizer.

1.0 gram of the samples are digested for 6 hours with INO_3 and HC10_4 mixture.

After cooling samples are diluted to standard volume. The solutions are analysed by Atomic Absorption Spectrophotometers.

Copper, lead, zinc, silver, cadmium, cobalt, nickel and manganese are analysed using the CH_2H_2 -Air flame combination but the molybdenum determination is carried out by C_2H_2 - N_2O gas mixture directly or indirectly (depending on the sensitivity and detection limit required) on these sample solutions.

Background corrections for Pb, Ag, Cd upon request are completed.



LEGEND

- Au | Ag
- Gold (ppb)
- Background < 32
 - Threshold 32 to 43
 - Anomalous 44 to 55
 - Very Anomalous > 55
- Silver (ppm)
- Background < 1.7
 - Threshold 1.7 to 2.2
 - Anomalous 2.3 to 2.7
 - Very Anomalous > 2.7

SYMBOLS

- claim boundary
- creek
- grid line and soil sample locations
- N/S no sample

GEOLOGICAL BRANCH ASSESSMENT REPORT

14,475





FIGURE 4
SOIL GEOCHEMISTRY
 GOLD (ppb)/SILVER (ppm)
 SKEENA RESOURCES INC.

OMENICA MINING DIV., B.C. NTS 93E/1

OREQUEST

OCT, 1985 P.Y.



LEGEND

Cu | Zn

Copper (ppm)

- Background < 38
- Threshold 38 to 49
- Anomalous 50 to 62
- Very Anomalous > 62

Zinc (ppm)

- Background < 150
- Threshold 150 to 199
- Anomalous 200 to 250
- Very Anomalous > 250

SYMBOLS

- claim boundary
- creek
- grid line
- N/S no sample

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

14,475

0 100 200 400 METERS
Scale - 1:5000

FIGURE 5


**SOIL GEOCHEMISTRY
COPPER (ppm) / ZINC (ppm)
SKEENA RESOURCES INC.**

OMENICA MINING DIV., B.C.

NTS 93E/11

OREQUEST

 OCT, 1985 P.Y.



LEGEND

As | Ba

Arsenic (ppm)

- Background < 26
- Threshold 26 to 35
- Anomalous 36 to 44
- Very Anomalous > 44

Barium (ppm)

- Background < 871
- Threshold 871 to 1182
- Anomalous 1182 to 1493
- Very Anomalous > 1493

SYMBOLS

- claim boundary
- creek
- grid line
- N/S no sample

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

14,475




FIGURE 6


SOIL GEOCHEMISTRY
ARSENIC (ppm) / BARIUM (ppm)
SKEENA RESOURCES INC.

OMENICA MINING DIV., B.C.

NTS 93E/11

OREQUEST

OCT, 1985 P.Y.



LEGEND

All soil sample numbers preceded by SK85
 Δ rock sample

SYMBOLS

- claim boundary
- creek
- grid line
- N/S no sample

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

14,475




FIGURE 7

SAMPLE LOCATION

SKEENA RESOURCES INC.

OMENICA MINING DIV., BC.

NTS. 93 E/11

OREQUEST

OCT, 1985 PY