

LOG NO: 1020	RD.
ACTION:	
FILE NO: 87-635-16283	

9/88

Assessment work Report  
on the  
Geochemical Soil Sampling Survey

FILMED

Silverside Extension Claim #3554  
Lillooet Mining Division  
Bridge River Area, B.C.  
NTS 92-J-15E

Latitude 50°48'12" Longitude 122°34'33"42"

*Owner/Operator:* Levon Resources Ltd.  
455 Granville St.  
Vancouver, B.C.

by  
P.S. Friesen P. Eng.

P.S. Friesen, Consulting Geological Engineer  
October 1987

16,283

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

TABLE OF CONTENTS

<u>INTRODUCTION</u>	Page
General Statement	1
Property & Ownership	1
Location	1
Location Map	2
Claim Location Map	2
History	3
Acknowledgements	3
References	3
<u>TOPOGRAPHY</u>	
General Statement	4
<u>GEOLOGY</u>	
General Statement	5
<u>GEOCHEMISTRY</u>	
General Statement	6
Period of Survey	6
Survey Control	6
Number of Samples	6
Sampling Procedure	6
Analytical Laboratory	7
Sample Analysis	7
Results	7
Conclusion	8
Recommendations	8
STATEMENT OF COSTS	9
CERTIFICATE OF QUALIFICATION	10
In Pocket	
Figure 1 of 2 - Gold and Arsenic Geochemistry	
Figure 2 of 2 - Silver and Antimony Geochemistry	
APPENDIX I - Analytical report on samples	

Assessment report on the Geochemical Soil Sampling Survey on the  
Siverside Extension Mineral Claim.

Lillooet Mining Division  
Goldbridge, B.C.

by  
P.S. Friesen P. Eng.  
8 October, 1987

---

General Statement

This report describes the soil sampling project carried out during August 1987, over part of the Siverside Extension Mineral Claim.

Property & Ownership


The Siverside Extension mineral claim record No. 3554 belongs to:  
Layon Resources Limited  
455 Granville St.  
Vancouver, B.C.

It consists of 20 units but it overlaps other claims.

Location

The Siverside Extension Mineral Claim straddles Tommy Creek about 7 kilometers north of Carpenter Lake, B.C. in N.T.S. 92-J-15-E. It is in the Lillooet Mining Division. The southwest part of the claim lies at the intersection of longitude 122 degrees, 34 minutes and latitude 55 degrees, 48 minutes.


Access is by helicopter only which are based in Lillooet and Pemberton. Goldbridge, B.C. lies approximately 3.5 kilometers to the northwest. It is connected to Lillooet by 106 kilometers of good all-weather road and to Pemberton by a good summer road.



**PROPERTY  
LOCATION**

**LOCATION MAP  
LEVON RESOURCES LTD.**

**LILLOOET MNTS M92/15E**





### History

Except for prospecting, there does not appear to have been any extensive exploration work done on the mineral claim. Some geophysical, geochemical and geological mapping was done on the Silverside claim in 1985, which was followed by trenching in 1986.

### Acknowledgements

This report is based upon the soil sampling survey carried out by J. Miller-Tait, a graduate geologist, and his assistants. The author personally supervised the surveys carried out, in 1985 on the Silverside claim immediately to the south.

### References

Roddick J.A. and Woodsworth G.J. - [1977]

Geology - Pemberton [92 J] Map Area.

TOPOGRAPHY

General

The area underlying the claim is extremely rugged, varying in elevation from 4500 feet in the southeastern part up to 8000 feet on the west boundary.

Tommy Creek flows across the southeast corner and one of its tributaries extends westward into the centre of the claim.

Vegetation varies with elevation and rock exposures.

GEOLOGY

General Statement

The area is underlain by sediments and volcanic flows of the Bridge River (Fergusson) group. These belong to the Jurassic and Triassic Periods. These have been intruded by the Bendor granodiorite batholith.

The Silverside Extension mineral claim lies on the north side of the Bendor batholith. The sediments are generally more metamorphosed than their equivalents in other parts of the area.

The geological compilation by Roddick and Woodsworth suggests that the formational trend is east-west but the mapping on the Silverside claim shows that it is about north 20 to 30 degrees west. The topography also suggests that it should trend northerly.



GEOCHEMISTRY

General Statement

The soil sampling program, designed to fulfill assessment work requirements under the Mineral Act Regulations. Because it was late in the season the men were commuted from Goldbridge by helicopter.

Period of Survey

The samples were taken during late August of 1987.

Survey Control

An east-west baseline 1000 meters long, established near the centre of the property.

Six north-south cross lines were established at 200 meter intervals. These lines varied in length from 150 meters to 1900 meters depending on the topography and surface compositions for a total of 9.75 kilometers.

Stations were established at 50 meter intervals along the cross lines.

Number of Samples

A total of 211 samples were taken.

Sampling Procedures

The samples were taken from below the leached zone which varied in depth from a few centimeters to 15 centimeters. The layer of light colored ash that blankets most of the Goldbridge area is absent over the higher parts of the claims. Some is reported to be present in the lower parts.

The samples, amounting to about 1/2 to 3/4 of a cupful were placed in specially designed kraft paper bags and given the same number as the station from which it was taken.

#### Analytical Laboratory

All samples were sent to: Min-En Laboratories Ltd  
705 West 15th Street  
Vancouver, B.C. V7M 1T2

#### Sample Analysis

All the samples were sieved to -80 mesh after they were dried. They were geochemically analysed for gold using the atomic absorption method.

A corresponding sample was analysed for 12 elements using the ICP method.

#### Results

The gold and arsenic were plotted on Map No. 1 of 2. There are relatively large numbers of anomalous gold values with closely corresponding arsenic values. Because of the wide spacing of the survey lines and the possibility that the lines should have been better run east and west, only a tentative interpretation is being made. There appear to be two gold-bearing zones trending about north 30 degrees west. The westerly one passes through 14+00 S on line 4+00 E. The easterly one lies about 400 meters east.

The silver and antimony values were plotted on Map 2 of 2. There is a general increase in values to correspond with the gold anomalies but not sufficient to call them anomalous except with

the very high anomalous gold values.

Copper and cadmium appear to be associated with the gold but values are not sufficiently anomalous to suggest that they are present in economic quantities.

### Conclusion

The preliminary soil sampling program has indicated that at least two zones of gold mineralization are present.

### Recommendations

The results of the preliminary soil sampling program are sufficiently encouraging to justify a much larger detailed survey.

(1) Geological mapping should be carried out which would indicate the type of control that will be required for geochemical and geophysical surveys.

(2) The soil sampling program should be carried out in more detail. Probably the control lines will be changed to east-west on 100 meter spacing and stations established at 20 meter intervals.

(3) The VLF-EM survey should be carried out. Initially, the established north-south lines should be surveyed using Cutler, Maine or Hawaii for a signal source. Later, if east-west lines are established, the survey along these lines should use Seattle, Washington. A few lines should be surveyed near the southern part of the claim even if the east-west control is not established.

(4) The results of the above work will determine whether trenching or drilling is the next phase of exploration.

Respectfully Submitted,



P.S. Friesen P. Eng.  
8 October, 1987

STATEMENT OF COSTS

1987 Exploration On the SILVERSIDE EXT. Mineral Claim #3554

Lillooet Mining Division

92-J-15-E

---

August - September, 1987

Labour - 16 man days at 125.00 per day.....	\$2,000.00
Helicopter - 4.0 hours at 598.00 per hour .....	2,392.00
Room And Board - 16 nam days at 30.00 per day.....	480.00
Analytical - 211 samples for ICP at 6.40 per sample	1,350.40
/ 211 samples for gold at 4.50 each ....	949.50
Engineering - 3 days at 200.00 per day.....	600.00
	<u>Sub Total 7,771.90</u>
Office Overhear at 10 % .....	777.19
	<u>TOTAL 8,549.09</u>



CERTIFICATE OF QUALIFICATION

With regard to the Assessment work report on the geochemical Soil Sampling survey carried out on the Silverside Extension Mineral Claim #3554 and dated 8 October 1987,

I certify that:

- 1) I, Peter S. Friesen reside at 6780 Sumas Prairie Road, Sardis, B.C., V2R 1A9.
- 2) I am a Professional Engineer registered in the Province of British Columbia.
- 3) I graduated in 1950 from the University of Saskatchewan where I received a degree of Bachelor of Engineering in Geological Science.
- 4) I have practiced by profession for 36 years.
- 5) The report is based upon data provided by the Levon Resources Ltd. fieldcrew, and personal knowledge of the general area.
- 6) I have no interest in the properties or shares of Levon Resources Ltd. nor do I expect to receive any.



P.S. Friesen P. ENG.  
8 October, 1987

MIN-EN LABORATORIES LTD.

Specialists in Mineral Environments

705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

PHONE: (604)980-5814 OR (604)988-4524

TELEX: VIA USA 7601067 UC

Analytical Report

Company: LEVON RESOURCES  
Project: SILVER SIDE  
Attention: PAUL JOHANNES

2 1/2"  
-26  
1785  
25  
210

File: 7-1220  
Date: SEPT 11/87  
Type: SOIL GEOCHEM

Date Samples Received : SEPT 2/87  
Samples Submitted by : PAUL JOHANNES

Report on .....211 SOILS..... Geochem Samples  
..... Assay Samples

Copies sent to:

- 1. LEVON RESOURCES, VANCOUVER, B.C.
- 2.
- 3.

Samples: Sieved to mesh .....-80..... Ground to mesh .....

Prepared samples stored:.....X..... discarded:.....  
rejects stored:..... discarded:.....X.....

Methods of analysis:

12 ELEMENT TRACE ICP.  
AU-WET.A.A.

Remarks

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

PROJECT NO: SILVER SIDE

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-12209/P1+2

ATTENTION: PAUL JOHANNES

(604)980-5814 OR (604)988-4524

\* TYPE SOIL GEOCHEM \* DATE: SEPT 11, 1987

(VALUES IN PPM)	AG	AS	BA	BI	CD	CU	MN	NI	PB	SB	V	ZN	AU-PPB
87 TS 67	1.5	54	232	2	7.5	116	939	225	24	1	100.8	280	5
87 TS 68	1.1	56	137	1	10.9	104	1311	807	15	1	110.2	317	5
87 TS 69	1.4	49	260	5	7.4	86	1198	128	13	2	93.8	226	10
87 TS 70	2.9	64	340	16	9.3	92	924	299	13	2	113.8	201	5
87 TS 71	2.4	38	265	18	7.4	83	665	255	14	3	97.0	157	5
87 TS 72	2.5	49	307	12	8.1	115	1046	233	16	3	101.3	204	5
87 TS 73	1.9	51	239	8	7.8	100	759	209	21	4	101.3	183	15
87 TS 74	1.8	74	247	6	8.1	99	674	142	18	5	101.5	169	20
87 TS 75	2.6	138	329	12	9.8	93	1017	122	20	6	107.4	172	35
87 TS 76	2.3	89	368	5	9.4	225	1024	293	19	5	159.7	246	5
87 TS 77	3.9	38	551	17	7.3	34	1591	88	3	1	105.9	177	5
87 TS 78	2.6	248	305	6	13.1	106	1252	236	19	7	112.9	176	25
87 TS 79	2.2	284	298	4	13.6	123	1318	289	21	8	111.3	169	190
87 TS 80	2.0	355	417	7	15.2	92	652	292	18	9	103.8	158	15
87 TS 81	1.3	1491	260	1	43.1	110	744	237	18	17	90.0	157	350
87 TS 82	1.4	1466	326	3	43.7	65	612	88	11	14	122.9	149	135
87 TS 83	3.4	1139	184	29	34.1	183	1675	110	72	19	54.6	218	120
87 TS 84	2.1	529	158	13	18.0	233	796	70	27	8	78.1	179	5
87 TS 85	4.1	713	196	41	23.3	406	902	34	50	10	80.0	193	125
87 TS 86	2.5	157	134	12	7.5	722	550	31	26	12	44.8	169	15
87 TS 87	1.5	78	502	8	7.7	134	646	54	13	2	137.6	157	225
87 TS 88	1.2	116	298	6	7.8	90	699	58	20	4	99.1	128	5
87 TS 89	1.6	176	362	5	9.7	101	678	102	35	4	114.1	178	15
87 TS 90	2.8	371	431	18	15.0	102	925	105	46	7	108.5	196	65
87 TS 91	3.0	92	753	17	7.8	132	704	158	16	6	130.1	174	5
87 TS 92	2.6	171	710	12	10.8	136	813	149	24	8	132.8	173	250
SS OE 50S	1.5	87	266	8	6.4	87	804	47	31	2	85.1	164	45
SS OE 100S	3.9	310	286	100	13.7	437	876	40	67	11	96.0	233	70
SS OE 150S	5.9	418	265	54	16.8	2479	907	53	42	10	96.5	255	55
SS OE 200S	4.0	773	303	25	24.2	531	901	76	32	14	102.6	183	20
SS OE 250S	.9	1052	403	2	30.2	77	923	297	21	13	75.6	121	70
SS OE 300S	1.5	318	263	8	13.6	83	648	209	12	4	111.1	137	5
SS OE 350S	1.6	646	525	4	22.7	92	845	333	15	3	104.6	153	30
SS OE 400S	1.8	265	538	6	13.0	94	797	325	16	4	109.4	165	5
SS OE 450S	2.0	295	438	6	14.0	106	812	244	17	6	115.9	154	30
SS OE 550S	1.4	317	478	4	14.8	93	910	228	22	5	101.0	200	10
SS OE 600S	1.3	162	435	4	11.5	51	604	497	15	9	95.2	155	30
SS OE 650S	1.0	226	359	2	11.7	67	758	224	12	4	92.3	163	5
SS OE 700S	2.9	711	713	9	25.6	150	1650	295	23	5	141.2	236	620
SS OE 750S	2.0	334	388	6	16.0	117	1280	261	20	6	117.7	212	30
SS OE 800S	1.3	265	305	3	11.8	102	981	125	17	6	120.9	194	90
SS OE 850S	1.8	292	331	4	13.9	153	1349	267	18	6	115.0	221	80
SS OE 900S	1.8	287	423	2	13.2	162	1249	350	20	8	102.6	196	100
SS OE 950S	3.9	111	551	6	8.7	214	565	98	19	9	143.0	163	420
SS OE 1000S	1.8	72	224	5	6.9	186	390	75	15	9	102.2	143	40
SS OE 1050S	1.4	80	194	6	7.0	83	377	83	14	4	84.8	125	20
SS OE 1100S	1.8	151	299	6	9.5	120	707	116	12	5	100.5	162	50
SS OE 1150S	1.8	163	308	7	9.7	102	636	179	14	3	104.0	220	5
SS OE 1200S	1.5	62	470	7	6.3	63	1257	91	22	4	80.7	165	5
SS OE 1250S	2.0	76	334	13	7.6	93	890	143	11	5	104.0	180	15
SS OE 1300S	1.9	72	332	10	7.7	90	842	185	13	5	105.7	193	5
SS OE 1350S	1.4	37	220	10	5.2	42	557	119	21	5	78.5	149	5
SS OE 1400S	2.9	78	320	17	8.1	126	913	144	21	5	108.7	163	5
SS OE 1450S	1.8	90	321	12	7.2	107	653	180	22	3	97.5	163	5
SS OE 1500S	2.5	118	377	15	7.8	98	1084	232	20	6	104.3	180	20
SS OE 1550S	2.1	164	486	12	9.9	129	911	300	22	6	113.7	197	40
SS OE 1600S	1.4	180	381	1	10.2	97	1362	172	23	5	87.4	195	5
SS OE 1650S	1.4	55	335	4	7.5	89	861	169	22	4	78.1	175	5
SS OE 1700S	.8	57	602	2	6.1	51	1151	122	27	1	66.9	115	5
SS OE 1750S	.9	373	258	1	14.6	52	813	247	17	1	80.8	165	70

PROJECT NO: SILVER SIDE

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-12205/P3+4

ATTENTION: PAUL JOHANNES

(604)980-5814 OR (604)988-4524

\* TYPE SOIL GEOCHEM \* DATE: SEPT 11, 1987

(VALUES IN PPM)	AB	AS	BA	BI	CD	CU	HN	NI	PB	SB	V	ZN	AU-PPB
SS 0E 1800S	1.4	120	637	2	10.2	65	1039	277	20	2	97.8	180	5
SS 0E 1850S 20M	1.5	116	239	7	8.5	45	774	166	19	3	86.8	138	5
SS 200E 50S	.4	136	173	2	5.8	66	399	16	16	1	35.2	135	5
SS 200E 100S	.8	42	154	7	5.0	34	506	35	15	3	57.8	113	5
SS 200E 150S	.9	89	115	8	5.3	77	545	26	20	1	51.4	118	20
SS 200E 200S	.5	103	164	3	5.7	85	683	30	18	1	48.9	122	120
SS 200E 250S	.7	32	145	6	3.3	23	621	23	16	3	49.5	94	5
SS 200E 300S	1.7	449	247	12	16.8	119	755	134	16	4	94.1	145	50
SS 200E 350S	1.6	553	359	8	19.1	116	745	225	22	6	84.0	150	55
SS 200E 400S	2.1	427	516	7	18.0	159	843	301	24	1	111.9	182	60
SS 200E 450S	1.5	388	376	3	15.2	70	491	256	12	1	102.6	176	15
SS 200E 500S	1.8	275	357	12	13.0	199	841	142	21	1	103.9	162	10
SS 200E 550S	1.6	142	206	10	7.9	131	843	54	22	1	84.7	154	55
SS 200E 600S	1.5	139	293	8	7.9	156	958	56	18	1	87.9	153	5
SS 200E 650S	1.5	168	309	7	9.1	75	972	129	24	6	90.8	154	5
SS 200E 700S	1.8	275	512	6	12.3	104	731	237	14	6	108.3	162	25
SS 200E 750S	2.2	355	464	4	15.2	98	1193	211	15	6	120.0	206	20
SS 200E 800S	1.9	466	430	5	17.5	109	1131	221	26	1	98.4	190	45
SS 200E 850S 40M	1.1	211	283	2	10.0	81	1115	111	19	6	82.0	180	40
SS 200E 900S	1.8	126	470	4	9.1	168	588	52	16	6	136.2	207	20
SS 200E 950S	1.5	232	389	3	11.1	189	1201	106	12	6	111.4	237	30
SS 200E 1000S	1.7	201	506	2	10.6	156	546	127	13	4	128.7	189	50
SS 200E 1050S	2.6	1461	586	2	41.0	150	1716	127	24	14	138.9	190	400
SS 200E 1100S	1.9	150	433	4	8.5	117	787	132	19	8	105.3	169	15
SS 200E 1150S	2.5	2061	481	3	58.1	214	1087	177	19	1	130.5	191	345
SS 200E 1200S	1.6	84	252	7	6.9	55	1644	97	20	4	79.9	141	5
SS 200E 1250S	1.7	131	293	7	8.4	78	861	165	18	5	92.9	177	15
SS 200E 1300S	.8	2	131	7	2.3	12	359	21	15	1	42.8	60	5
SS 200E 1350S	1.5	48	239	11	5.2	30	453	79	10	4	75.5	127	5
SS 200E 1400S	.7	1	223	4	2.3	20	704	24	14	3	43.4	77	5
SS 200E 1450S	.9	37	199	5	5.1	29	1534	113	22	2	59.4	149	5
SS 200E 0N	.4	83	142	1	5.9	58	578	19	17	2	35.5	124	40
SS 200E 50N	1.1	127	137	13	7.8	140	664	53	26	5	57.3	145	25
SS 200E 100N	.7	80	158	7	4.5	76	666	40	22	4	49.2	140	30
SS 200E 200N	2.1	124	196	29	7.3	283	735	62	49	2	59.5	212	95
SS 200E 300N	1.5	114	228	8	8.3	150	655	115	20	5	90.3	176	15
SS 200E 350N	2.6	253	600	10	13.9	342	982	315	38	9	116.2	200	60
SS 200E 400N	2.9	279	369	19	13.3	368	919	117	61	1	95.2	210	55
SS 200E 450N	1.9	203	341	3	11.0	120	1064	138	62	7	110.6	186	90
SS 200E 500N	1.2	105	214	7	6.4	86	612	77	39	5	71.7	140	5
SS 200E 550N	1.2	144	225	7	8.3	76	384	78	22	5	82.9	145	30
SS 200E 600N	1.4	161	272	10	8.5	57	974	69	26	4	83.2	176	65
SS 200E 650N	.3	20	82	4	2.8	21	160	17	13	2	42.4	79	20
SS 200E 700N	1.2	67	229	5	6.3	52	663	85	16	3	80.8	154	10
SS 200E 750N	1.1	55	239	7	5.5	51	793	65	19	4	72.5	143	5
SS 200E 800N	1.3	71	320	6	7.9	57	485	83	14	3	86.3	142	30
SS 200E 850N	1.5	91	396	7	7.5	99	755	112	24	3	98.7	157	15
SS 200E 900N	1.5	84	314	7	7.3	119	661	191	26	6	86.5	167	10
SS 400E 8L	.6	29	195	7	3.7	44	481	22	15	1	46.4	155	10
SS 400E 150N	1.2	20	128	7	3.0	28	826	21	19	1	45.7	128	5
SS 400E 200N	.5	1	47	5	1.2	11	341	4	10	2	35.5	48	5
SS 400E 250N	1.0	82	231	13	5.5	162	658	26	24	4	60.2	161	50
SS 400E 300	1.5	91	283	13	6.2	112	1055	58	31	2	76.3	157	5
SS 400E 350	1.3	106	154	23	6.0	205	467	23	31	8	39.2	141	35
SS 400E 400	2.7	38	458	17	6.6	69	566	55	23	4	111.3	172	5
SS 400E 450	3.4	95	596	19	8.7	140	571	143	13	4	124.3	219	5
SS 400E 500	1.9	50	274	10	6.3	51	590	114	20	5	82.2	169	5
SS 400E 550	2.5	55	400	12	7.6	106	522	113	11	4	110.2	210	5
SS 400E 600	.6	1	80	5	2.5	10	342	15	11	3	46.1	56	5
SS 400E 650	1.3	49	199	6	5.5	36	230	57	13	5	82.5	132	10



PROJECT NO: SILVER SIDE

705 WEST 15TH ST, NORTH VANCOUVER, B.C. V7H 1T2

FILE NO: 7-12209/P5+6

ATTENTION: PAUL JOHANNES

(604)980-5814 DR (604)988-4524

\* TYPE SOIL GEOCHEM \* DATE: SEPT 11, 1987

(VALUES IN PPM)	AB	AS	BA	BI	CD	CU	HM	NI	PB	SB	V	ZN	AU-PPB
SS 400E 700	.9	30	127	6	3.3	21	161	28	14	2	66.2	83	5
SS 400E 750	1.5	51	226	8	6.0	40	578	94	13	3	75.5	121	5
SS 400E 800	1.7	66	322	4	6.3	54	880	97	24	4	81.6	165	10
SS 400E 850	1.2	79	183	2	6.0	46	319	78	12	3	80.4	136	10
SS 400E 900	2.5	112	294	7	8.6	74	449	115	19	6	138.5	162	5
SS 400E 50S	.9	62	94	4	4.7	28	439	23	15	2	57.9	107	5
SS 400E 100S	.7	78	142	3	4.9	29	516	22	15	1	48.7	113	10
SS 400E 150S	.7	55	172	4	4.2	15	700	18	16	2	44.6	97	40
SS 400E 200S	.8	33	227	2	4.6	17	1114	23	14	3	50.0	149	10
SS 400E 250S	1.1	100	236	4	5.8	31	1038	38	15	7	55.5	136	50
SS 400E 300S	1.4	24	267	8	3.2	16	866	28	21	1	61.3	131	5
SS 400E 350S	1.4	66	247	4	5.6	31	1014	34	22	2	63.8	153	90
SS 400E 400S	.9	81	206	1	5.0	28	937	19	17	1	46.3	130	35
SS 400E 450S	.9	79	98	5	4.9	24	412	43	15	1	52.9	83	5
SS 400E 500S	.7	358	139	2	11.5	48	559	16	19	6	48.1	128	40
SS 400E 550S	.9	44	96	5	4.1	23	389	25	15	1	52.2	86	70
SS 400E 600S	.7	13	64	6	2.2	18	308	13	9	1	39.5	63	5
SS 400E 650S	2.6	124	440	36	7.0	45	866	29	28	7	92.0	199	10
SS 400E 700S	5.3	3561	379	1	95.0	58	259	1	18	132	38.2	92	5500
SS 400E 750S	1.6	579	215	3	18.4	91	595	33	17	72	86.1	155	140
SS 400E 800S	1.9	107	298	9	7.0	68	1131	73	19	1	88.0	163	30
SS 400E 900S	2.6	67	611	11	6.8	94	897	95	25	7	113.4	167	10
SS 400E 950S	4.0	79	674	18	9.8	159	647	195	14	7	158.4	244	5
SS 400E 1000S	2.5	66	371	10	5.9	113	899	133	19	6	98.9	194	5
SS 400E 1050S	2.8	152	285	14	10.2	122	528	210	16	6	117.6	242	20
SS 400E 1100S	2.9	164	394	13	10.8	194	1628	167	27	8	119.3	372	10
SS 400E 1200S	2.7	104	355	13	7.5	109	746	126	24	7	97.4	168	20
SS 400E 1250S	2.4	107	384	11	7.2	94	610	131	18	5	91.8	154	30
SS 400E 1300S	2.5	208	346	12	11.3	123	1062	161	25	7	99.3	183	80
SS 400E 1350S	2.8	179	341	11	9.7	138	913	239	16	7	107.9	209	40
SS 400E 1400S	2.7	295	461	9	13.9	170	1000	345	11	2	118.0	218	145
SS 400E 1450S	2.6	199	529	9	12.3	166	1277	408	14	3	114.2	216	35
SS 400E 1500S	3.4	101	690	14	10.0	156	1227	464	14	5	118.8	241	20
SS 400E 1550S	2.5	140	412	11	10.2	120	1088	256	18	4	102.2	204	330
SS 400E 1600S	2.4	169	386	9	10.8	125	1085	243	15	4	110.1	201	10
SS 400E 1650S	1.7	103	213	7	7.4	48	972	138	16	3	77.9	155	5
SS 400E 1750S	1.5	48	326	5	5.4	42	1550	84	18	2	57.6	115	5
SS 400E 1800S	2.5	174	363	9	10.4	95	1102	200	12	2	114.6	216	5
SS 400E 1850S	1.8	155	338	4	8.8	79	1553	211	20	5	80.3	190	30
SS 600E BL	.7	126	193	8	6.1	87	461	23	16	1	44.1	133	45
SS 600E 50S	.7	30	123	6	3.4	30	360	20	13	3	44.4	97	5
SS 600E 100S	.4	170	92	1	5.8	21	212	13	18	1	38.4	148	160
SS 600E 150S	1.1	165	207	2	6.9	34	741	30	16	6	65.1	172	5
SS 600E 200S	1.1	195	380	2	7.9	40	715	22	20	1	56.4	157	5
SS 600E 250S	.7	15	81	5	2.1	11	332	16	9	2	42.3	72	5
SS 600E 300S	.8	109	146	4	5.5	20	583	27	16	8	50.9	119	10
SS 600E 350S	.9	330	281	1	10.6	22	1663	31	18	21	47.0	133	5
SS 600E 400S	2.2	276	700	6	12.3	74	777	212	17	1	93.3	152	55
SS 600E 450S	1.0	378	212	3	11.7	35	766	23	19	5	52.0	122	5
SS 600E 500S	.8	95	77	6	7.1	12	254	12	14	1	50.9	73	30
SS 600E 550S	1.6	615	125	2	17.1	105	461	8	15	3	89.2	117	5
SS 600E 600S	1.0	158	117	4	7.6	20	518	18	20	4	54.6	121	245
SS 600E 650S	1.1	69	116	5	3.9	10	459	10	11	15	50.2	100	65
SS 600E 700S	1.7	47	199	9	4.2	35	1304	24	16	1	76.6	107	5
SS 600E 750S	3.2	172	523	11	9.7	70	1177	73	27	23	136.7	197	170
SS 600E 800S	2.0	110	396	10	7.5	92	1555	111	24	7	82.8	165	60
SS 600E 850S	2.5	161	378	27	8.7	293	1003	58	34	11	100.5	198	10
SS 600E 900S	2.3	310	431	12	12.7	167	1165	172	23	13	104.8	203	30
SS 600E 950S	1.9	322	367	1	13.9	129	1059	205	16	6	113.3	206	40
SS 600E 1000S	2.8	201	449	10	11.3	162	1478	183	21	7	113.0	262	5

PROJECT NO: SILVER SIDE

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1220S/P7

ATTENTION: PAUL JOHANNES

(604)980-5814 OR (604)988-4524

\* TYPE SOIL GEOCHEM \* DATE: SEPT 11, 1987

(VALUES IN PPM)	AG	AS	BA	BI	CD	CU	HN	NI	PB	SB	V	ZN	AU-PPB
SS 600E 1050S	2.7	8094	288	6	201.6	382	2049	207	28	17	114.9	228	4300
SS 600E 1100S	1.5	281	217	21	11.6	60	714	123	17	4	90.0	170	25
SS 600E 1150S	2.8	1226	444	26	36.3	251	1911	172	19	11	153.4	261	200
SS 600E 1200S	1.6	178	300	8	8.8	54	643	165	16	2	88.6	146	30
SS 600E 1250S	3.0	621	370	6	20.5	240	1894	291	15	8	115.8	217	310
SS 600E 1300S	2.6	1459	372	5	41.3	456	1462	265	19	6	105.4	226	245
SS 600E 1350S	1.9	137	453	8	9.9	109	1600	278	21	3	91.7	217	15
SS 600E 1400S	1.9	185	523	5	12.0	100	997	210	22	6	129.2	181	30
SS 600E 1450S	2.0	302	597	5	14.4	133	1832	221	19	3	90.6	205	45
SS 600E 750	2.0	371	523	2	16.2	159	1045	322	12	9	110.1	263	40
SS 600E 800	2.0	280	490	3	14.3	127	1211	302	15	8	104.6	211	110
SS 600E 850	1.7	280	402	2	12.4	93	1046	231	17	9	100.1	203	35
SS 600E 900	1.3	294	278	4	11.9	85	506	209	20	7	86.4	198	25
SS 800E 00N	1.9	127	185	8	8.7	61	427	166	10	2	104.9	229	5
SS 800E 50N	1.9	85	421	11	9.1	101	440	175	13	2	107.5	159	5
SS 800E 100N	1.9	143	506	10	10.3	101	524	199	15	4	108.8	178	10
SS 800E 150N	1.6	2917	239	1	73.6	138	1574	411	27	57	72.8	237	1700
SS 800E 200N	1.8	117	512	5	9.6	130	944	355	12	3	106.5	210	5
SS 800E 250N	1.4	422	340	4	16.2	172	2256	397	28	3	73.6	312	25
SS 800E 300N	1.6	97	344	8	7.7	85	671	171	18	4	90.7	163	10
SS 1000E 00N	1.7	203	413	6	9.8	179	1242	138	22	8	98.6	275	5
SS 1000E 50N	2.3	318	496	6	14.8	171	1458	165	13	5	116.5	332	20
SS LOE 00MN	.7	71	100	6	4.6	46	457	31	17	4	53.3	95	15
SS LOE 50MN	.6	93	82	6	4.6	48	427	13	13	1	39.0	65	10
SS LOE 100MN	5.2	499	207	400	16.0	410	844	15	119	21	36.1	226	290
SS LOE 150MN	3.0	435	151	18	15.4	575	965	19	34	11	31.2	421	140
SS LOE 200MN	1.5	189	201	11	7.1	243	706	14	30	3	30.2	174	80
SS LOE 250MN	2.5	175	137	15	7.7	781	538	25	23	12	40.6	177	35
SS LOE 300MN	1.5	68	329	10	5.8	93	507	62	16	4	87.3	140	5
SS LOE 350MN	1.3	129	248	5	7.0	74	1039	58	23	4	92.0	159	30
SS LOE 400MN	1.3	205	316	4	9.6	83	805	107	37	3	96.2	168	15



→ N

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

16,283

LEVON RESOURCES LTD.  
SILVERSIDE EXTENSION CLAIM (3554)

SOIL GEOCHEMISTRY Au ppb  
As ppm

PREPARED BY J. MILLER-TAIT DRAWN BY E. M.

SCALE 1:5000 DATE SEPTEMBER 1987

NTS 92 J / 15 E FIGURE 1 OF 2

