

LOG NO: 0106

RD.

ACTION:

FILE NO:

GEOCHEMICAL AND GEOPHYSICAL ASSESSMENT REPORT

for

FILMED

OSSA RESOURCES LTD.

on the

SUB-RECORDER
RECEIVED

DEC 18 1987

M.R. # _____ \$ _____
VANCOUVER, B.C.

SET CLAIM GROUP

Greenwood M.D.

GEOLOGICAL BRANCH
ASSESSMENT REPORT 82E/2E

16,829

December 11, 1987
Vancouver, B.C.

L. Sookochoff, P.Eng.
Sookochoff Consultants Inc.

TABLE OF CONTENTS

PART A

SUMMARY ----- i. /
CONCLUSIONS ----- ii. /
RECOMMENDATIONS ----- iii. /

PART B

INTRODUCTION ----- 1. /
PROPERTY ----- 2. /
LOCATION AND ACCESS ----- 2. /
PHYSIOGRAPHY ----- 3. /
TRANSPORTATION AND SUPPLIES ----- 4. /
HISTORY ----- 4. /
GEOLOGY ----- 6. /
MINERAL OCCURENCES ----- 7. /
GEOCHEMICAL SURVEYS ----- 9. /
GEOPHYSICAL SURVEYS ----- 11. /
REFERENCES ----- 15. /
CERTIFICATE ----- 20. /
STATEMENT OF COSTS ----- 21. /

APPENDIX I ASSAY CERTIFICATES /

ILLUSTRATIONS

SCALE

FIGURE 1	LOCATION	1:6,336,000 /
FIGURE 2	REGIONAL GEOLOGY & CLAIM MAP	1: 250,000 /
FIGURE 3	INDEX MAP	1: 50,000 /
FIGURE 4	LEAD GEOCHEM	1: 5,000 /
FIGURE 5	ZINC GEOCHEM	1: 5,000 /
FIGURE 6	COPPER GEOCHEM	1: 5,000 /
FIGURE 7	ARSENIC GEOCHEM	1: 5,000 /
FIGURE 8	SILVER GEOCHEM	1: 5,000 /
FIGURE 9	MAGNETOMETER SURVEY	1: 5,000 /
FIGURE 10	VLF-EM SURVEY (Fraser Filtered)	1: 5,000 /
FIGURE 10a	VLF-EM SURVEY (Profiles)	1: 5,000 /
FIGURE 11	COMPILATION MAP	1: 5,000 /

GEOPHYSICAL AND GEOCHEMICAL ASSESSMENT REPORT
for
OSSA RESOURCES LTD.
on the
SET CLAIM GROUP

PART A

SUMMARY

The SET mineral claim group in the Greenwood Mining Division is located three km southwest of the Winnipeg - Golden Crown Mine, a former gold producer in the historic Phoenix-Boundary Mining Camp of central southern British Columbia, about 500 road km east of Vancouver. The property is conveniently accessible from Highway No. 3, an all weather two wheeled old mine-haulage road to the Phoenix Mine and Lexington Mine near the U.S.-Canada border, and the Lone Star Mine in Washington State.

The property is situated within the Paleo-Mesozoic volcano-sedimentary strata consisting mainly of bedded chert, greenstone, argillite, paragneissic rocks (schists) and argillite in order of abundance. These rocks are intruded by a granodiorite in the central north and northeast sector of the property. Lime silicate and/or skarn deposits are located along the limestone-granodiorite contact zone.

In the eastern sector of the property, a pyritized, limonitic, northerly striking steeply dipping quartz vein was intermittently explored by several trenches and shallow shafts over a total strike length of 120 m (Overlander Workings). The vein ranges in width from 0.2 to 0.45 m and cuts through an intensely altered cherty-argillite unit near an intrusive granodiorite stock.

Channel samples from the vein returned up to 0.590 oz Au/ton across 0.40 meters.

A geochemical survey completed over the property disclosed two correlative anomalous areas. One of the areas (A) occurs adjacent to and east of the Overlander Workings.

The VLF-EM survey delineated two strong east-west anomalies correlating with geochemical anomaly A.

The magnetometer survey disclosed a series of peripheral lows in the prime correlative area B.

CONCLUSIONS

The geochemical surveys were successful in delineating known areas of mineralization and other areas of potentially economic mineral zones. The VLF-EM survey results indicate that the preferred indicated structural direction is east-west. The two strong east-west-trending VLF-EM anomalies occur correlative to A and the area of the northerly-trending Overlander Workings suggest that the controlling mineral structures are east-west with complementary northwest (Overlander) structures.

RECOMMENDATIONS

Detailed geological, geochemical and I.P. surveys are recommended in the two designated anomalous areas to locate Overlander type or skarn associated gold-bearing zones.

Other localized geochem anomalous areas should be investigated and detailed if considered geologically encouraging to the localization of gold-bearing zones.

Respectfully submitted

Laurence Sookchoff, P.Eng
Consulting Geologist

December 11, 1987
Vancouver, B.C.

GEOCHEMICAL AND GEOPHYSICAL ASSESSMENT REPORT

for
OSSA RESOURCES LTD.
on the
SET CLAIM GROUP

PART B

INTRODUCTION

An exploration program consisting of geochemical and geophysical surveys was completed on the SET claim group of Ossa Resources Ltd. during October 1986. The program was a follow-up to former exploration which resulted in the location of a number of mineralized areas one of which is termed the Overlander Zone. This specific mineral zone is a structurally related quartz hosting gold-bearing sulphides northerly-trending zone with significant gold values.

The purpose of the 1986 exploration program was to delineate the zone, to locate potential parallel mineralized zones and to locate mineralized areas that may prove to be economic.

The information for this report was obtained from sources as cited under References, from exploration work the writer completed in the Boundary-Phoenix mining camp and from the supervision and management of the exploration program reported on herein.




FIGURE 1

<p>SOOKOCHOFF CONSULTANTS INC.</p>			
<p>OSSA RESOURCES LTD. SET CLAIM GROUP PROPERTY LOCATION MAP</p>			
<p>0 100 200 300 400 KILOMETRES 0 100 200 300 MILES</p>			
<p>N T S 82E/2E</p>		<p>Greenwood M D</p>	
DRAWN	PROJECT	DATE	FIG 1

PROPERTY

The property consists of three contiguously located mineral claims totalling 29 units, four located two post claims and one reverted crown grant. Particulars are as follows:


<u>Claim Name</u>	<u>Units</u>	<u>Record No.</u>	<u>Expiry Date</u>
SET 1	9	1779	Sept. 21, 1991
SET 4	4	1781	Sept. 21, 1991
SET 5	16	1881	Nov. 21, 1992
Attwood 1-4		4561-4564	Apr. 28, 1991
	<u>Lot No.</u>		
Lookout	930	2157	May 1, 1993

LOCATION AND ACCESS

The SET claim group is located within the historic Phoenix-Boundary Mining Camp in the Greenwood Mining Division. The general area is serviced by readily available paved roads and an all weather mine-haulage dirt road between the Phoenix Camp and the Lone Star Mine in Washington State. The center of the claim block is at 49 degrees 02 minutes N latitude and 118 degrees 37 minutes longitude.

Access to the property is conveniently provided by Highway No. 3 and an all weather mine-haulage road. Numerous logging roads and bulldozer trails criss-cross the entire property area.


A four-wheel drive vehicle would be required for access by secondary roads and trails at the higher elevations on the property.



NOTES

This map was constructed based on the maps believed to be reliable but its accuracy is not guaranteed:

1. B.C. Provincial MINERAL TITLE MAP 82E/2. Microfilm date - October 30/86
2. NTS Topographic map, 82E/2, GREENWOOD, 1:50,000.
3. NORANDA Exploration's Report on Crown property, December 1986.
4. Skylark Resources Ltd's News release Discovery of "H" ore zone, May 1986.



SOOKOCHOFF CONSULTANTS INC.
OSSA RESOURCES LTD.
SET CLAIM GROUP
GREENWOOD MINING DIVISION
CLAIM MAP
DATE SCALE Drawn by

118° 40'

PHYSIOGRAPHY, CLIMATE, WATER AND POWER

The SET property covers a moderately dipping southward-facing slope of Mt. Attwood, 15 air km northwest of Grand Forks near the International border in south-central British Columbia. The two prominent topographic features on the property are the westerly-flowing McCarran and easterly-flowing May Creeks, divided at the central-south end of the property. A road paralleling the two Creeks marks the intervening valley between Mt. Attwood to the north and Mt. Wright to the south.

Relief on the property is 485 m from 1200 m elevation of the McCarran Creek on the southwest corner to the 1685 m at the Mt. Attwood summit to the north. The topography is generally moderate except for local rugged portions on the northern and northwestern sectors of the property. Topographic profile on the property for its entire north to south length ranges from 10 to 25 degrees. The steep slope on the northern part displays reasonable rock exposures, but the greater part of the south of the property is thickly vegetated with scarce outcrops. Vegetation consists of dry, open fir, cedar and pine forest with alpine meadows and low brushes.

The climate is generally mild with low summer precipitation and moderate winter snowfalls. Annual precipitation is approximately 30 cm. The regional temperature ranges from -15 degrees to +40 degrees C. Fresh snow in the area occurs by mid-November and is snow free by the end of April.

Sufficient water for all phases of the exploration program would be available from McCarran and May Creeks and their numerous upstream tributaries.

A power line passes through the southern portion of the property with a gas pipeline within one km south of the property.

TRANSPORTATION AND SUPPLIES

A CPR rail line passes through Grand Forks 15 air km to the east. Castlegar, 90 km east of Grand Forks is serviced daily by commercial airlines. Most exploration supplies are obtainable at Grand Forks or Greenwood.

HISTORY

Adjacent Mines and Deposits

The history of prospecting and exploration in the Phoenix-Boundary Mining Camp dates back to the early 19th century. In 1891 large copper ore deposits were discovered at Deadwood and Phoenix camps, followed by construction of copper smelting plants at Boundary Falls, Greenwood and Grand Forks. The historic Phoenix mine, five km north of the SET property, produced a total of 30 million tons averaging 0.85% copper, 0.033 oz/ton gold, and 0.20 oz/ton silver during the initial production period from 1900 to 1919 and subsequently from 1957 to 1975.

The three major copper smelters mentioned above accepted any gold-silver-bearing ore from the surrounding areas for custom milling, and this enabled a swarm of small mining operations to exist in addition to the main copper mines at Phoenix, Deadwood, Motherlode, etc. This probably triggered numerous lode gold prospects in the area. The Winnipeg-Golden Crown, three km northeast of the SET was reportedly the largest former gold producer in the area.

Set Claim Group

The two contiguously located claims, SET 1 and SET 4, were reported to be staked initially by Mervin Boe, prospector, on September 5, 1979. The SET 4 claim overlaps two crown granted claims, Lilly James (L1724) and Dominion (L1728). Quadex Resources Ltd. of Vancouver, B.C. optioned the SET 1 and SET 4 claims from Mervin Boe.

In July 1983, Dr. W.D. Groves, P.Eng. investigated the SET 1 and 4 claims for Quadex Resources. Since then exploration on the property has been continued to date as summarized below.

In October 1983, Dr. W.D. Groves, P.Eng. and Nielsen Geophysics Inc. carried out geological, geochemical and VLF-EM surveys covering 10 lines 1,500 m in length and spaced 250 m apart at a station interval of 25 m. A total of 99 samples were analyzed for Cu, Zn, As and Au, on the line grids, 100 m spacing, 500 m apart.

In July 1984, B. Taylor, P.Eng. and Greg Huizen, P.Eng. performed generalized geological mapping and geochemical survey on the northeast portion of the SET 1 claim only. A small grid was marked out, totalling four line km. 87 soil samples were geochemically analyzed for 11 elements including gold.

In January 1985, L. Sookochoff, P.Eng. conducted a geological evaluation on the Set 5 claim. A three stage exploration program of geochemical, geophysical and geological surveys and subsequent trenching and diamond drilling was recommended.

In October-November 1986, geological, geochemical and geophysical surveys were completed by Ossa Resources mainly on the SET 4 and SET 5 claims.

Development on the property is limited, composed mainly of short adits and shallow shafts in the Overlander Workings in the northeast and Lookout claims, about 1,000 m west of the Overlander Workings. These prospect shafts and adits were apparently developed in the late 1950's. The Overlander Workings, in which a narrow but persistent northwest-trending structure with significant gold values is traced over a strike length of 200 m, is first reported by V. Cukor, P.Eng. in February 1983 for Corinthian Resources Ltd. Cukor (1983) showed the mineral occurrences (Overlander) as located on a crown granted claim (Lookout - L930). However, the location of this showing should be revised to the present position as set out in this report.

GEOLOGY

A 1985 Provincial Map No. 59 accompanying paper, "Geology and Mineralization in the Mount Attwood - Phoenix Area" by B.N. Church updates the regional geologic information in this area. A portion of this map is presented in this report. As indicated on the map, the Triassic Eholt Formation of the Brooklyn Group, occupying most area of the property, is in fault contact with older Attwood and Knob Hill Group rocks of Permo-Carboniferous age. Church (1985) gives specifically a geological description related to the SET 1 claim geology:

"A relatively complete, but apparently inverted and down faulted, Triassic section (Brooklyn Group) is viewed on the upper slopes of Mt. Attwood one kilometer southwest of the east summit. At this location a wedge of Brooklyn limestone (8) about 50 meters thick and dipping westerly, is sandwiched between Eholt Volcanics (9) structurally below, and a 110-meter-thick cap of sharpstone conglomerate (7) above."

MINERAL OCCURENCES

On the SET property two types of mineralization are known to occur: skarn and shear zone associated mineralization with quartz veining. A brief description is as follows:

Skarn Mineralization

On the line grid coordinates of 1000 E and 900 N, an old mine dump site is located at and immediately below the all weather mine-haulage road to the Lone Star mine. This location is coincident with the position of an abandoned mine shown on topo map NTS 82E/2E. The dump materials at this location include typical skarn-sulphide mineralization similar to that at the Phoenix open pit or Snowshoe Workings. Minerals consist of chalcopyrite, pyrrhotite, malachite, bornite and pyrite with lesser sphalerite, galena and molybdenite. The gangue minerals are quartz, carbonate, garnet, epidote and possibly apatite on a megascopic inspection.

To the southwest of Mt. Attwood, north of Baseline 1500 N between lines 0+00 and 200 W, limestone and an argillite member of the Brooklyn are intruded by Cretaceous granodiorite resulting a lime-silicate alteration with local skarnification.

Although no economic mineralization is encountered on surface in this skarnized area to date, a potential for classical skarn type mineralization seen elsewhere may not be precluded at depth, analogous to a metallogenic model depicted by B.N. Church.

Mineralized Shear With Quartz Veining

This type of mineralization is represented by the Overlander Showings. B.N. Church (1985) gives a plausible note as to a metallogenic model related to the Overlander Showings:

"The intricate and extensive fissure system of the Mt. Attwood-Phoenix area provided the necessary channelways leading metaliferous solutions to the ore deposits. In this model the igneous intrusions (Greenwood granodiorite stock) served principally as heat engines in the process of convection and dispersion of the solutions."

GEOCHEMICAL SURVEYS

1. Field work

Recce geochemical surveys were carried out on the property on a north-south 50 and 100 meter grid with samples taken at 25 meter intervals along the grid lines. Samples were selected from the B horizon (commonly 20-30cm) of the brown forest soil. A total of 776 samples were taken and sent to Acme Analytical of Vancouver for analysis.

2. Testing Procedure

The testing procedure is first to thoroughly dry the sample. Then .500 grams of material is digested with 3 ml. of 3:1:3 HCL to HNO₃ to H₂O at 90 deg. more or less for one hour. The sample is diluted to 10 mls. with water. The samples were then analyzed by atomic absorption for 30 elements.

3. Treatment of Data

In assessing the data results, the background, sub-anomalous and anomalous values were determined utilizing a statistical software program on an IBM personal computer.

The sub-anomalous threshold value, which is a value not considered anomalous, but an indicator of potential mineralization, is taken as one standard deviation from the mean background value. The anomalous values or the prime indicator vlaues are taken at two standard deviations from the mean background values.




FIG. 3

SOOKOCHOFF CONSULTANTS

OSSA RESOURCES LTD.

SET CLAIMS

INDEX MAP

Note the location of C.G. Lookout and Overlander Showings relative to control point and the roads

The results of the data treatment for five elements were as follows:

	Cu	As	Zn	Pb	Ag
Mean background	29.3	14.0	79.6	13.8	.19
Sub-Anomalous	45.4	25.3	116.4	20.6	.31
Anomalous value	61.5	31.6	153.2	28.2	.42

All values are in parts per million.

4. Results

In plotting the geochem results one prime correlation anomalous area "A" and a cluster of correlative anomalous zones in areas "B" were delineated.

Anomaly A - is basically a one line (1400N) 200 meter long (N-S) anomaly open to the north with fingers extending westward to line 1200 N. The anomaly occurs in proximity to and to the east of the Overlander workings where a 120 meter long gold bearing mineralized quartz vein occurs. The anomaly is of basic anomalous arsenic values (736.6 ppm in a background of 14 ppm) with correlative anomalous zinc values over two lines open to the north.

Outcrop is absent in the anomalous area. The causative source of the anomaly can only be suggestive of an intrusive or skarn zone with the potential of arsenopyrite bearing (and gold?) minerals. The anomalous area indicates potential mineral bearing east-west structures (fracture zones?) with possible down slope contamination. The Overlander workings could occupy a complementary set of northerly trending structures.

Anomalous area B consists of a number of isolated anomalies with occasional double line occurrences of single or multielement anomalies. The northern anomalies of primarily zinc and/or lead and rare silver occur within a skarned area peripheral to two known granodiorite plugs. A shaft containing rusted bleached rock near the south plug occurs within a zone of schists. Portions of the schists - where mapped - correlate with copper and/or lead and/or silver anomalies.

GEOPHYSICAL SURVEY

VLF-EM Survey

The survey was carried out over the same grid as was utilized for the geochemical survey. 1325 readings were taken at 25 meter intervals for each of the VLF and magnetometer surveys.

A sabre Model 27 VLF-EM Receiver instrument manufactured by Sabre Electronics of Vancouver was utilized in the VLF-EM survey.

The VLF-EM Receiver measures the amount of distortion produced in a primary transmitted magnetic field - in this case Seattle at a frequency of 24.6 Khz - and a secondary magnetic field which may be induced by a conductive mass such as a sulphide body. The VLF-EM unit - due to its relatively high frequency - can detect low conductive zones such as fault or shear zones, carbonized sediments or lithological contacts.

The major disadvantage of the VLF method, however is that the high frequency results in a multitude of anomalies from unwanted sources such as swamp edges, creeks and topographical highs.

The results were Fraser filtered in plotting the VLF-EM results. The raw field data is appended.

The VLF-EM survey delineated a general east-west anomalous zone in the north correlating with a mapped chlorite and/or amphibolite and related schist zones. Two strong east-west anomalies correlate with the geochemical anomalous area A substantiating the indicated east-west trending geochemical "finger" zones.

Other anomalous zones could not be interpreted mainly due to lack of geology and geochemical expression in the southern portion of the claim group where excessive overburden provides a masking effect.

A power line passing east-west across the south of the property is the cause for the erratic values in that area.

MAGNETOMETER SURVEY

The magnetometer survey was carried out utilizing a Model G-10 fluxgate magnetometer manufactured by Geotronics Instruments of Vancouver. Diurnal variation was checked by periodically comparing readings at the base station ~~at~~.

All rocks contain some magnetite from very small fractions of a percent up to several percent, and even several tens of percent in the case of magnetic iron deposits. The distribution of magnetite or certain characteristics of its magnetic properties may be used in exploration or mapped for other purposes.

The anomalies from naturally occurring rocks and minerals are due chiefly from the presence of the most common magnetic mineral magnetite or of related minerals including limonite and pyrrhotite (with sulfide mineralization).

Magnetic anomalies in the earth's magnetic field are caused by two different kinds of magnetism: induced and remanent. Induced magnetization refers to the action of the field on the material wherein the ambient field is enhanced and the material itself acts as a magnet.


The proportion of magnetism is related to the magnetic susceptibility of the material. Typically, more basic igneous rocks have a higher susceptibility than the acid igneous rock; the latter in turn have a higher susceptibility than sedimentary rocks.

The remanent magnetization is often the predominant magnetization (relative to the induced magnetization) in many igneous rocks. The remanent mineralization is important in geological mapping.

Magnetic minerals may also occur in association with sulphide zones or may be decomposed through the action of dynamic or thermal metamorphism. Thus the survey results could indicate lithology, structure, alteration patterns and most significantly, mineral zones in a favorable geological environment.

In the prime correlative anomalous area B the magnetometer survey disclosed a series of peripheral mag lows to the north and west and to a lesser extent to the southeast where an absence of outcrops makes interpretation difficult. A southeast and southwest mag low correlates with a schist, thus indicating the other mag lows may be shear related structures. If such were the case, a mag low correlating with anomalous zinc and lead values at 1900 N and between 100 W and 400 W should be examined for structurally controlled mineralization. A similar more localized area of a mag low in an anomalous schist area would be of similar interest.

In anomalous area A a small mag low occurring at the western extent of a finger of anomalous silver-lead-arsenic values and correlating with a VLF-EM anomaly would be of interest.



December 11, 1987
Vancouver, B.C.

REFERENCES

CHAPMAN, D.A. 1986 - Fracture Density and Photogeophysical Study of the Bee Mineral Claim, N.T.S. 82E/2E, for Sookochoff Consultants Inc., Vancouver, B.C.

CHISHOLM, E.O. - Geological Report on the Greenwood Mineral Property of Silver Falls Resources Ltd., October 1, 1973.

CHRISTOPHER, P.A. - Geochemical, Geological and Geographical Report on the Burnt Basin Property for West Rim Resources Inc., September 22, 1987.

CHURCH, B.N. 1985 - Geology and Mineralization in the Mount Attwood-Phoenix Area, Greenwood, B.C. Notes to accompany preliminary Map No. 59 *Map Scale - 1:25,000.

-Geological Setting and Mineralization in the Mt. Attwood-Phoenix Area of the Greenwood Mining Camp, (1986).

DAWSON, B.N. 1982 - Report on the Sylvester K. Property, Greenwood Mining Division, B.C., Corporate Report for Kettle River Resources Ltd.

FULL, R.P. et. al. - Ore Deposits of the Republic Mining District, Ferry County, Washington.

GRANT, A.R. 1979, 1980, 1981 - Private Reports and Memos to Arrowhead Resources Ltd, "Field Programs, Athelstan-Jackpot"

GROVES, W.D. - Report on the SET I and SET 4 Claims Groups for Quadex Resources Ltd., July 7, 1983.

- Assessment Report on Geochemical, Geophysical and Geological Work on the Following and Adjacent Mineral Claims: SET 1 and SET 4 for Quadex Resources Ltd, October 25, 1983.

GUTRATH, G. 1979 - Geological, Geophysical and Geochemical Report on April 2, May, Tripod, Florance and Windfalls claims

- Geophysical Report, April Claim Group, July 1981

HAWKINS, T.E.G. 1982- Geological, Geochemical and Geophysical Report, April Claim Group (11 days of field works)

KERMEEN, J.S. 1983 - Map from Report on the Snow Mineral Claim
*Map Scale - 1:5,000.

KIM, H. 1975 - Geology of the Quadrangle between Midway and Grand Forks; The Granby Mining Company Ltd. Report, pp. 64.

- Complimentary Report on a Recommended Exploration Program on the Golden Crown Property for Grand Forks Mines Ltd.; October 7, 1986.

- Report, Recommended Tunnelling Program, Golden Crown Property, for Consolidated Boundary Exploration Ltd. and Grand Forks Mines Ltd.

-Report on the Preliminary Geological, Geochemical and Geophysical Exploration on the Winner Claim Group, Greenwood Mining Division for Silver Lady Resources Inc., (February 1987).

LEROY, O.E. 1912 - Geological Survey of Canada Memoir No. 21.

LITTLE, H.W. 1983 - Geology of the Greenwood Map-Area G.S.C.
79-29 *Map Scale - 1:5,000.

MARK, D.G. - IP Resistivity Surveys, Ossa Resources Inc., SET
Claims, Grand Forks Area, British Columbia, January 21,
1987.

MCDUGALL, J. - Report on the Athelstan-Jackpot Mine Property
for Max Minerals Inc., Dec. 30, 1986.

McLEOD, J.W. - Geological Report on the Okum Property on
behalf of George O'Brien, June 7, 1979.

McNAUGHTON, D.A. 1945 - Greenwood-Phoenix Area, B.C. G.S.C.
*Paper 45-20 *Map Scale - 1 inch to 800 feet.

MINDEP FILES - Computer retrieval mineral inventory files on
B.C. including entries 82E/SE 001 (Providence) and 82E/SW
020-028 (Phoenix). B.C. Ministry of Energy, Mines and
Petroleum Resources.

MONGER, J.W.H. - Early Tertiary Stratified Rocks, Greenwood
Map Area, B.C., B.C. Dept. of Energy, Mines & Resources
Paper 67-42.

NAGMIN (North American Gold Mining Industry News) January 24,
1986, p. 4 "Kettle River's Activity Continues in
Greenwood Camp in 1986" (including quotes from Dr. J.T.
Fyles); December 13, 1985, p. 10, "Dentonia's Geological
Mapping Reveals New Data on Jewel Vein".

PAXTON. J. 1980 - Mining potential of the Phoenix Area, Grand Forks, B.C., unpublished report.

PHENDLER, R.W. - Report on the Lexington Copper - Gold Property for Grenoble Energy Limited, July 20, 1979.

RAYNER, G.H. 1984 - A Geological and Geochemical Report on the April Claims (field works 7 days from May 12th to 17th, 1984)

SAUNDERS, C.R. - Geological and Diamond Drilling Report on the Golden Crown Property for Munde Mines Ltd., December 1980.

SAWYER, J.D. - Summary Report on Mineral Properties in the Boundary District, Greenwood Mining Division, B.C. for Kettle River Mines Ltd., May 25, 1981.

SOOKOCHOFF, L. - 1983 Assessment Report on a Diamond Drill Program on the Golden Crown Property for Consolidated Boundary Exploration Ltd., March 27, 1984.

- Geological Evaluation Report for Quadex Resources Ltd. on the SET 5 Mineral Claim January 28, 1985.

- Report on the Initial Geological, Geophysical and Geochemical Explanation of the Phoenix Claim Group for Vikon International Resources Inc., September 30, 1987.

SOOKOCHOFF, L. & H. KIM 1987 - Report on the Geological, Geophysical and Geochemical Exploration on the SET claims.

STACY, N.W. 1980 - Geological Investigations on the E.P.U. and E.P.U. Fractions, Greenwood Mining Division, Corporate Report for Tel Aviv Resources Ltd.

STOCKWATCH - May 7, 1986; Feb. 11, 1986; Jan. 16, 1986; Nov. 26, 1985; Reporting News Releases on Skylark Resources Ltd.

TAYLOR, D.P. 1985 - Geological Report on the Skylark - OB Property, Greenwood M.D. Report included in Skylark Resources Ltd.'s S.M.F., Superintendent of Brokers, October 3, 1985.

- Progress Report on the SET 1 and SET 4 Mineral Claim on behalf of Quadex Resources Ltd., August 11, 1984.

CERTIFICATE

I, Laurence Sookochoff, of the city of Vancouver, in the Province of British Columbia, do hereby certify:

That I am a Consulting Geologist with offices at 609-837 West Hastings St., Vancouver, V6C 1B6

I further certify that:

1. I am a graduate of the University of British Columbia (1966) and hold a B.Sc. degree in Geology.
2. I have been practising my profession for the past twenty-one years.
3. I am registered with the Association of Professional Engineers of British Columbia.
4. Information for the accompanying report was obtained from sources cited under References and from supervision of the exploration surveys reported on herein.
5. I have no direct, indirect nor contingent interest in the property described herein, or in the securities of Ossa Resources Inc. I do not expect to receive any.



December 11, 1987
Vancouver, B.C.

Ossa Resources Ltd.
Set Claim Group
Statement of Costs

The geochemical and geophysical survey on the Set claim group, Greenwood M.D. was performed during the period of October 1, 1986 to September 21, 1987 at a cost as follows:

Geochemical and Geophysical survey

Base Map: Eagle Mapping	\$ 1,898.00
Field Cost: Kettle River Management contract costs	10,000.00
Assays: Acme Analytical 776 samples @ \$6.75	5,238.00
Compilation and draughting: Geo-Comp	1,589.00
Report:	1,000.00
Engineering and supervision:	
L. Sookochoff, P.Eng.	1,500.00
H. Kim, F.G.A.C.	<u>1,275.00</u>
	\$22,500.00
	=====

APPENDIX I

ASSAY CERTIFICATES

OSSA

ACME ANALYTICAL LABORATORIES LTD.

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE 253-3158

DATA LINE 251-1011

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR AN, FE, CA, P, CR, MG, BA, TI, P, AL, NA, K, W, SI, ZR, CE, SM, Y, NB AND TA. AU DETECTION LIMIT BY ICP IS 3 PPM. SAMPLE TYPE: SOILS - BOMESH

DATE RECEIVED: OCT 21 1986 DATE REPORT MAILED: OCT 28 1986 ASSAYER: V. J. DEAN TOYE, CERTIFIED B.C. ASSAYER.

SOOKOCHOFF CONSULTANT PROJECT - OSSA RESOURCES FILE# 86-3332

PAGE 1

Table with columns: SAMPLE#, P, Cu, Pt, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sr, Cd, Sb, Bi, V, Ca, F, La, Cr, Mg, Ba, Ti, E, Al, Na, Y, W. Rows list various sample IDs (e.g., 1600W 500N) and their corresponding element concentrations in PPM.

SOOKOCHOFF CONSULTANT PROJECT GSSA RESOURCES FILE# 86-0000

SAMPLE#	Hc PPH	Cu PPH	Pb PPH	Zn PPH	Ag PPH	Ni PPH	Co PPH	Mn PPH	Fe %	As PPH	U PPH	Au PPH	Tl PPH	Sr PPH	Cd PPH	Sb PPH	Pi PPH	V PPH	Ca %	P %	La PPH	Cr PPH	Hg %	Ba PPH	Ti %	E PPH	Al %	Na %	K %	M PPH
1400W 125N	1	16	15	73	.5	76	11	433	2.52	11	5	ND	3	24	1	2	5	38	.22	.171	9	68	.59	173	.12	5	2.11	.02	.07	:
1400W 100N	1	19	15	93	.4	68	11	478	2.47	9	5	ND	3	24	1	2	2	36	.21	.299	8	46	.47	272	.12	8	2.42	.03	.08	1
1400W 75N	1	17	10	58	.4	59	9	508	1.96	9	5	ND	2	24	1	2	2	31	.21	.137	7	30	.34	171	.12	4	2.20	.03	.07	1
1400W 50N	1	14	14	79	.2	129	11	823	2.16	22	5	ND	2	30	1	2	2	29	.22	.341	7	41	.37	340	.10	2	1.80	.02	.06	1
1400W 25N	1	18	17	58	.2	72	11	348	2.42	5	5	ND	3	19	1	2	2	36	.20	.156	8	55	.58	188	.12	6	2.01	.03	.09	1
1400W 0N	1	24	17	58	.4	99	11	301	2.62	10	5	ND	4	22	1	2	2	41	.19	.118	12	48	.56	174	.13	3	2.53	.03	.06	1
1200W 500N	1	34	14	72	.2	140	17	738	2.91	14	5	ND	4	38	1	2	2	49	.39	.103	17	98	1.04	145	.13	4	2.12	.02	.16	1
1200W 475N	1	48	24	68	.2	132	20	682	3.44	7	5	ND	5	337	1	2	2	53	.85	.261	41	169	2.32	1019	.22	2	2.98	.03	.64	1
1200W 450N	1	21	9	56	.1	71	12	434	2.95	7	5	ND	3	58	1	2	3	32	.32	.114	13	72	.78	249	.12	3	1.38	.02	.17	1
1200W 425N	1	13	7	48	.1	50	8	430	1.83	6	5	ND	2	25	1	2	2	28	.22	.149	11	35	.36	158	.08	5	1.36	.02	.07	1
1200W 400N	1	13	11	57	.2	41	8	509	2.00	6	5	ND	3	30	1	2	3	31	.31	.160	12	35	.35	207	.09	7	1.56	.03	.06	1
1200W 375N	1	15	9	41	.3	44	8	347	1.93	5	5	ND	3	38	1	2	2	30	.55	.044	15	35	.34	127	.10	7	1.78	.03	.07	1
1200W 350N	1	22	9	30	.3	61	8	372	1.86	5	5	ND	2	41	1	2	2	24	.58	.021	15	32	.35	133	.09	2	1.58	.05	.06	1
1200W 325N	1	16	11	39	.3	72	10	175	2.42	6	5	ND	3	30	1	2	2	35	.42	.031	13	46	.47	131	.12	2	2.01	.03	.07	2
1200W 300N	1	17	9	32	.3	51	8	246	2.02	4	5	ND	3	38	1	2	2	31	.59	.035	18	41	.42	117	.10	2	1.70	.03	.05	1
1200W 275N	1	38	9	34	.2	58	8	319	2.13	3	5	ND	2	44	1	2	2	31	.71	.037	17	44	.44	139	.09	2	1.55	.04	.06	1
1200W 250N	1	17	2	49	.1	47	8	240	2.18	6	5	ND	2	31	1	2	2	33	.52	.149	15	51	.43	104	.09	3	1.64	.03	.08	2
1200W 225N	1	23	8	68	.4	89	13	559	2.39	8	5	ND	1	26	1	2	4	38	.37	.152	9	71	.74	141	.10	4	1.76	.03	.06	1
1200W 200N	1	18	11	99	.4	52	11	708	2.27	8	5	ND	2	19	1	2	2	33	.19	.359	6	53	.45	190	.12	4	2.52	.03	.05	1
1200W 175N	1	14	11	85	.3	63	10	698	2.31	6	5	ND	3	18	1	2	4	37	.19	.204	10	63	.54	179	.11	3	1.79	.02	.06	1
1200W 150N	1	11	15	87	.6	44	12	843	2.02	6	5	ND	2	27	1	2	2	31	.22	.276	6	47	.39	305	.11	5	1.65	.03	.08	1
1200W 125N	1	27	9	84	.4	96	15	430	3.02	8	5	ND	3	21	1	2	2	51	.23	.088	11	102	.94	204	.14	3	1.91	.02	.08	1
1200W 100N	1	22	11	84	.2	91	15	513	2.82	7	5	ND	3	27	1	2	2	45	.24	.247	8	88	.79	280	.12	2	2.09	.02	.10	1
1200W 75N	1	28	13	104	.6	133	19	627	3.29	13	5	ND	2	31	1	2	2	54	.26	.195	6	168	1.38	249	.14	2	2.27	.03	.14	1
1200W 50N	1	17	12	61	.1	246	14	645	2.53	8	5	ND	3	26	1	2	2	38	.26	.143	7	69	.80	165	.13	7	2.43	.03	.09	1
1200W 25N	1	10	12	57	.1	123	11	206	2.39	8	5	ND	3	19	1	2	2	35	.18	.198	6	53	.51	127	.12	4	2.35	.02	.06	1
1200W 0N	1	14	9	55	.2	267	15	361	2.67	11	5	ND	3	20	1	2	2	38	.19	.179	8	74	.89	161	.13	3	2.52	.02	.08	1
1000W 500N	1	14	3	40	.1	47	7	492	1.42	5	5	ND	1	17	1	2	2	27	.18	.039	6	29	.30	119	.07	2	.87	.03	.04	1
1000W 475N	1	17	15	63	.2	59	10	718	1.92	10	5	ND	1	24	1	2	2	33	.26	.120	9	43	.49	177	.09	6	1.40	.03	.07	1
1000W 450N	1	10	8	61	.3	33	7	555	1.45	2	5	ND	1	15	1	2	2	27	.16	.058	5	30	.31	126	.08	4	.80	.03	.05	1
1000W 425N	1	21	15	73	.1	93	11	479	2.48	4	5	ND	4	21	1	2	5	38	.21	.180	12	45	.48	160	.12	9	2.34	.03	.07	1
1000W 400N	1	18	10	55	.4	76	10	335	2.46	7	5	ND	4	21	1	2	2	40	.20	.140	14	51	.49	104	.10	6	1.71	.02	.06	1
1000W 375N	1	21	6	39	.2	74	10	248	2.92	5	5	ND	6	27	1	2	2	54	.41	.085	25	99	.91	42	.13	3	1.19	.02	.08	1
1000W 350N	1	16	13	55	.1	67	11	562	2.37	6	5	ND	3	27	1	2	2	37	.29	.154	12	55	.50	159	.10	5	1.68	.02	.07	1
1000W 325N	1	14	12	38	.1	63	9	274	2.39	9	5	ND	5	23	1	2	2	38	.28	.137	13	46	.42	116	.10	4	1.91	.02	.05	1
1000W 300N	1	19	10	52	.4	69	10	248	2.56	6	5	ND	5	23	1	2	2	41	.30	.093	14	56	.55	112	.11	6	1.74	.03	.07	1
STD C	20	57	38	127	6.8	63	29	976	3.93	39	17	8	33	47	17	16	20	60	.48	.095	35	57	.88	174	.08	35	1.72	.06	.13	13

SOOKCHOFF CONSULTANT PROJECT-OSSA RESOURCES FILE# 86-0000

SAMPLE#	Hg	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Pb	V	Ca	P	La	Cr	Mg	Pa	Ti	F	Al	Na	K	M
	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH
1000W 275M	1	44	7	18	.4	97	5	171	1.13	3	5	ND	1	48	1	2	2	22	1.01	.047	20	25	.21	90	.06	2	1.95	.05	.04	1
1000W 250M	1	15	11	49	.1	58	10	265	2.20	2	5	ND	4	21	1	2	4	35	.27	.162	13	59	.50	128	.11	2	1.77	.03	.06	2
1000W 225M	1	21	14	35	.4	100	10	345	2.63	5	5	ND	5	36	1	2	3	38	.54	.032	24	66	.60	138	.12	2	1.89	.04	.06	1
1000W 200M	1	13	11	47	.2	67	8	188	2.21	5	5	ND	2	27	1	2	2	36	.40	.070	11	52	.46	78	.10	4	1.78	.03	.05	1
1000W 175M	1	11	14	44	.3	79	8	103	2.49	5	5	ND	3	24	1	2	2	41	.28	.118	7	47	.32	50	.12	2	2.51	.02	.04	2
1000W 150M	1	15	8	18	.5	132	5	137	1.49	2	5	ND	2	31	1	2	2	21	.40	.050	8	25	.31	75	.10	4	1.94	.04	.04	1
1000W 125M	1	24	26	35	.5	230	3	202	.47	3	7	ND	1	86	1	3	2	11	2.41	.058	4	11	.78	77	.03	18	.34	.02	.04	1
1000W 100M	1	76	18	44	.6	850	15	677	2.34	3	5	ND	3	37	1	2	2	32	.56	.032	22	72	.76	104	.12	5	2.24	.05	.07	1
1000W 75M	1	69	16	58	.9	1103	17	743	2.70	4	5	ND	3	42	1	3	2	37	.67	.047	29	101	1.02	130	.11	4	2.03	.06	.11	1
1000W 50M	1	15	8	81	.3	179	16	455	2.13	6	5	ND	3	21	1	2	2	34	.20	.266	6	67	.54	159	.13	6	1.89	.03	.06	1
1000W 25M	1	10	11	52	.1	73	10	683	1.60	4	5	ND	1	12	1	2	2	27	.12	.182	5	42	.34	144	.10	2	1.24	.02	.04	2
1000W 0M	1	10	9	58	.3	69	10	328	1.54	7	5	ND	2	15	1	2	3	25	.15	.271	4	39	.27	241	.09	3	1.00	.03	.05	1
800W 1900M	1	34	9	71	.1	234	23	1221	3.36	15	5	ND	1	27	1	2	2	54	.43	.093	10	196	1.24	176	.08	3	2.01	.02	.12	1
800W 1875M	1	42	16	81	.1	266	26	1403	3.82	15	5	ND	1	33	1	2	2	63	.49	.109	12	219	1.41	211	.09	2	2.33	.02	.15	1
800W 1850M	1	40	27	70	.4	289	23	1209	4.11	19	5	ND	2	31	1	2	2	68	.63	.105	11	228	1.49	215	.08	6	2.50	.02	.17	1
800W 1825M	1	36	19	66	.3	331	28	1232	3.70	14	5	ND	2	25	1	2	2	60	.37	.078	13	230	1.27	174	.10	4	2.11	.02	.14	1
800W 1800M	1	37	17	68	.4	347	29	1274	3.77	16	5	ND	2	26	1	2	2	61	.38	.077	13	241	1.29	180	.10	2	2.17	.02	.14	1
800W 1775M	1	23	16	56	.1	225	21	1029	2.83	14	5	ND	2	22	1	2	2	47	.32	.056	9	166	.76	155	.11	2	1.57	.03	.07	1
800W 1750M	1	23	16	57	.2	221	19	1045	2.66	15	5	ND	2	21	1	2	4	43	.32	.058	9	156	.73	160	.10	2	1.52	.03	.07	1
800W 1725M	1	23	16	56	.4	211	20	811	2.72	15	5	ND	4	19	1	2	3	42	.23	.097	10	135	.64	166	.13	2	2.29	.02	.08	1
800W 1700M	1	22	28	63	.2	180	17	1059	2.46	18	5	ND	3	24	1	2	2	39	.30	.127	9	123	.59	167	.11	2	1.90	.02	.11	1
800W 1675M	1	35	20	64	.4	286	27	1026	3.55	16	7	ND	2	24	1	2	2	57	.27	.088	14	222	1.17	156	.09	3	2.09	.02	.15	1
800W 1650M	1	33	20	72	.3	275	27	1086	3.45	19	5	ND	1	25	1	2	2	54	.39	.094	14	205	1.10	147	.09	4	2.14	.02	.09	1
800W 1625M	1	55	10	76	.2	262	27	1253	4.10	14	5	ND	1	31	1	2	3	82	.44	.083	13	186	1.36	196	.11	9	2.14	.02	.32	1
800W 1600M	1	53	15	91	.2	288	29	1499	4.26	14	5	ND	2	32	1	2	2	71	.42	.095	15	180	1.26	216	.15	3	2.74	.03	.18	1
800W 1575M	1	50	22	88	.2	278	29	1451	4.14	14	5	ND	2	30	1	2	2	68	.41	.095	14	178	1.20	201	.14	3	2.57	.03	.18	1
800W 1550M	1	36	27	79	.4	268	25	1045	3.72	24	5	ND	3	28	1	2	2	52	.41	.083	13	182	.98	149	.12	4	2.25	.02	.09	1
800W 1525M	1	42	19	81	.3	331	30	1204	4.20	26	5	ND	3	25	1	2	2	53	.31	.061	15	188	.99	161	.12	5	2.47	.02	.08	1
800W 1500M/B	1	34	28	83	.1	279	25	1146	3.56	29	5	ND	2	29	1	2	2	48	.38	.073	12	168	.86	162	.11	5	2.15	.02	.11	1
800W 1500M/B/LA	1	24	14	65	.4	125	11	851	2.21	17	5	ND	3	39	1	2	2	34	.54	.040	13	74	.58	148	.12	2	2.08	.05	.06	1
800W 1300M	1	14	13	71	.1	110	12	328	2.10	12	5	ND	2	22	1	2	2	32	.25	.221	7	76	.39	114	.11	3	1.94	.03	.06	1
800W 1275M	1	27	12	54	.4	172	12	713	2.12	6	5	ND	2	43	1	2	2	32	.72	.055	13	77	.49	117	.11	3	1.90	.05	.06	2
800W 1250M	1	12	11	64	.3	85	10	580	2.17	10	5	ND	2	24	1	2	2	36	.39	.160	8	72	.50	150	.09	2	1.56	.03	.05	1
800W 1225M	1	13	13	39	.1	98	10	258	2.24	12	5	ND	2	17	1	2	2	40	.21	.046	10	88	.60	87	.10	4	1.19	.02	.05	1
800W 1200M	1	20	11	58	.1	93	13	509	2.72	8	5	ND	3	23	1	2	2	44	.25	.083	10	96	.80	173	.11	2	1.74	.03	.12	1
900W 1175M	1	18	9	78	.1	151	16	972	2.35	12	5	ND	2	25	1	2	4	36	.32	.144	8	149	.75	211	.09	6	1.86	.04	.08	1
STD C	20	59	37	134	7.1	65	28	987	3.81	37	20	9	35	49	17	15	21	62	.46	.097	36	57	.85	182	.08	37	1.70	.06	.14	13

SAMPLE#	Hg	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	V	Al	In	Sr	Cd	Se	Bi	V	Ca	F	La	Cr	Mg	Ba	Ti	P	Al	Mo	K	W
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
800W 1150N	1	20	3	52	.1	159	17	490	2.84	9	5	ND	1	19	1	2	2	40	.23	.056	8	198	1.02	108	.07	2	1.37	.02	.07	3
800W 1125N	1	12	14	42	.1	117	11	767	1.93	7	7	ND	1	23	1	2	2	30	.22	.045	4	148	.60	157	.06	2	1.01	.03	.06	2
800W 1100N	1	17	8	64	.1	167	16	671	2.50	6	5	ND	2	21	1	2	2	34	.21	.106	7	168	.79	205	.08	5	1.56	.03	.08	1
800W 700N	1	28	8	66	.1	94	12	727	2.26	8	5	ND	2	25	1	2	2	35	.32	.077	9	78	.64	204	.08	3	1.56	.03	.10	1
800W 675N	1	31	15	75	.1	62	10	564	2.29	9	5	ND	2	26	1	2	2	35	.34	.095	10	53	.59	183	.09	2	1.84	.03	.09	1
900W 650N	1	17	10	64	.1	51	8	601	1.87	8	5	ND	1	19	1	2	2	31	.21	.109	7	41	.43	172	.09	2	1.62	.03	.06	1
800W 625N	1	26	6	48	.2	92	9	307	2.09	8	5	ND	2	30	1	2	2	35	.46	.057	9	51	.49	124	.09	3	1.82	.04	.06	2
800W 600N	1	40	9	29	.3	87	8	562	1.57	13	5	ND	1	37	1	2	2	22	.59	.039	10	61	.35	107	.08	4	1.53	.04	.05	1
800W 550N	1	39	6	62	.1	149	14	502	2.94	20	5	ND	3	42	1	2	2	37	.61	.032	14	96	.94	160	.15	6	2.23	.04	.10	1
800W 525N	1	20	7	42	.2	109	8	625	1.99	19	5	ND	2	33	1	2	2	30	.50	.032	10	67	.51	129	.10	5	1.68	.04	.06	1
800W 475N	1	18	13	74	.1	85	10	464	2.19	16	5	ND	3	32	1	2	2	33	.47	.065	10	60	.56	123	.12	3	2.19	.04	.06	1
800W 450N	1	21	7	55	.3	60	9	221	2.25	14	5	ND	3	17	1	2	2	34	.18	.110	10	37	.33	103	.14	3	3.03	.03	.05	1
800W 425N	1	18	7	56	.3	68	9	321	2.29	9	5	ND	5	19	1	2	2	37	.20	.130	12	49	.42	138	.11	2	1.87	.02	.06	1
800W 400N	1	17	10	63	.2	55	8	390	2.26	7	5	ND	4	21	1	2	2	37	.20	.143	11	38	.38	145	.11	2	1.93	.02	.07	1
800W 150N	1	14	9	64	.1	76	10	407	2.21	9	5	ND	2	20	1	2	2	35	.23	.211	7	48	.40	134	.11	3	2.07	.02	.06	1
800W 125N	1	18	7	59	.1	122	12	432	2.44	9	5	ND	3	20	1	2	2	38	.20	.142	7	67	.53	134	.12	2	2.19	.02	.06	1
800W 100N	1	12	10	51	.1	130	12	473	2.43	7	5	ND	2	14	1	2	2	37	.16	.145	6	79	.55	97	.11	5	2.21	.02	.06	1
800W 75N	1	14	12	59	.1	125	12	611	2.27	8	5	ND	3	19	1	2	2	37	.19	.174	8	60	.48	146	.11	4	2.08	.03	.06	1
800W 50N	1	14	8	51	.1	113	11	606	2.19	6	5	ND	2	24	1	2	2	35	.26	.119	7	64	.49	149	.12	3	2.19	.03	.05	1
800W 25N	1	18	7	39	.2	79	8	408	1.69	5	5	ND	2	30	1	2	2	28	.49	.036	10	36	.37	122	.11	2	1.91	.05	.04	1
800W 00N	1	19	9	37	.1	85	7	349	1.69	2	5	ND	2	29	1	2	2	27	.48	.035	10	34	.37	119	.11	3	1.92	.05	.04	1
600W 1650N	1	40	12	106	.3	98	14	379	3.00	30	5	ND	4	27	1	2	2	41	.29	.058	15	42	.62	108	.13	2	2.52	.03	.06	1
600W 1625N	1	43	10	108	.4	100	15	381	3.08	29	7	ND	4	27	1	2	2	43	.28	.058	14	45	.64	110	.13	5	2.53	.03	.06	1
600W 1600N	1	30	10	87	.1	57	11	765	2.21	26	5	ND	2	25	1	2	2	32	.29	.168	8	26	.44	135	.11	3	2.15	.04	.04	1
600W 1575N	1	26	17	102	.2	69	10	736	2.66	25	5	ND	4	26	1	2	2	41	.33	.111	16	52	.54	141	.11	6	2.20	.03	.06	1
600W 1550N	1	28	21	99	.3	69	10	1877	2.95	22	5	ND	4	29	1	2	2	41	.50	.142	17	43	.53	154	.12	4	2.76	.04	.06	1
600W 1525N	1	21	28	113	.1	62	9	1443	2.33	31	5	ND	2	30	1	2	2	33	.55	.120	11	37	.53	123	.10	4	1.96	.03	.05	1
600W 1500NPL	1	21	10	97	.2	40	8	1037	2.16	33	6	ND	3	20	1	3	2	32	.24	.129	10	24	.37	120	.12	8	2.65	.03	.07	1
600W 1475N	1	46	23	241	1.9	189	12	890	2.40	90	5	ND	3	46	2	2	2	28	.79	.079	12	46	.46	106	.11	6	2.57	.04	.05	1
600W 1450N	1	36	19	191	1.3	112	14	631	2.78	47	5	ND	3	30	1	2	2	34	.31	.142	14	76	.52	151	.12	2	2.93	.04	.06	1
600W 1425N	1	15	17	96	.2	53	8	1099	2.04	15	5	ND	2	27	1	2	2	29	.34	.205	7	38	.33	181	.09	3	1.87	.03	.06	1
600W 1400N	1	25	9	74	.7	67	10	550	2.23	24	5	ND	3	24	1	2	2	30	.21	.096	16	42	.36	136	.13	5	3.01	.04	.05	1
600W 1375N	1	17	6	87	.6	35	7	959	1.96	16	5	ND	2	26	1	2	2	28	.28	.171	9	27	.26	165	.11	6	2.33	.02	.05	1
600W 1350N	1	17	10	69	.2	29	11	510	2.41	8	5	ND	2	22	1	2	2	38	.30	.041	7	64	.47	102	.09	5	1.42	.03	.05	1
600W 1200N	1	30	11	69	.1	195	19	815	3.10	17	5	ND	2	22	1	2	2	47	.30	.063	13	139	.93	126	.09	6	1.78	.02	.10	1
STD C	20	57	38	129	7.0	66	29	999	3.96	38	19	8	35	49	16	15	23	62	.48	.099	37	57	.88	181	.08	38	1.72	.06	.14	14

SOOKOCHOFF CONSULTANT PROJECT-OSSA RESOURCES FILE# 86-0000

SAMPLE#	Kc PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe % I	As PPM	U PPM	Au PPM	Th PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca % I	P % I	La PPM	Cr PPM	Mg % I	Ba PPM	Ti % I	F PPM	Al % I	Na % I	K % I	W PPM
600W 1175N	1	33	16	66	.1	240	21	812	3.19	15	5	ND	1	19	1	2	3	47	.26	.063	14	165	.92	128	.09	2	1.70	.02	.10	1
600W 1150N	1	35	25	84	.1	224	22	1041	3.11	16	5	ND	1	26	1	2	2	45	.46	.100	12	154	.87	174	.09	3	1.88	.02	.10	1
600W 1125N	1	29	22	70	.1	161	16	950	2.67	12	5	ND	2	23	1	2	4	42	.45	.076	11	111	.70	155	.09	8	1.71	.02	.08	1
600W 1100N	1	34	16	65	.1	155	16	927	2.72	8	5	ND	2	23	1	2	6	43	.40	.081	14	98	.74	132	.10	2	1.86	.02	.09	1
600W 1075N	1	39	21	73	.1	97	13	1547	2.75	5	5	ND	2	27	1	2	2	46	.43	.109	14	59	.63	168	.11	2	2.16	.02	.07	1
600W 1050N	1	25	18	78	.1	37	7	1997	1.71	9	5	ND	1	30	1	2	2	33	.57	.097	6	34	.38	298	.08	2	1.15	.03	.06	1
600W 1025N	1	28	13	61	.2	66	10	790	2.64	2	5	ND	3	36	1	2	2	44	.37	.123	18	73	.76	321	.14	2	2.47	.03	.11	1
600W 1000N	1	25	20	61	.2	108	12	1109	2.32	6	5	ND	2	26	1	2	2	39	.31	.086	8	73	.66	288	.10	4	1.53	.02	.07	1
600W 975N	1	29	11	55	.1	78	8	1017	1.99	5	5	ND	1	25	1	2	2	34	.29	.133	9	44	.51	235	.10	6	1.78	.03	.07	1
600W 950N	1	15	12	58	.1	66	8	1022	1.99	5	5	ND	1	28	1	2	3	34	.31	.084	8	45	.52	254	.09	2	1.40	.02	.07	1
600W 925N	1	19	16	46	.1	182	17	777	2.49	9	5	ND	1	22	1	2	2	34	.32	.027	7	205	.90	128	.07	3	1.32	.02	.07	1
600W 900N	1	25	17	67	.1	177	20	993	2.62	11	5	ND	1	24	1	2	2	35	.43	.071	7	188	.90	169	.05	4	1.43	.02	.11	1
600W 700N	1	23	8	53	.1	118	12	425	2.85	4	5	ND	2	21	1	2	2	42	.27	.061	10	103	.90	140	.09	3	1.77	.02	.09	1
600W 675N	1	15	10	57	.1	78	9	608	2.04	5	5	ND	1	24	1	2	3	33	.28	.079	7	52	.51	165	.08	4	1.32	.02	.07	1
600W 650N	1	37	8	50	.3	122	11	373	2.39	6	5	ND	3	25	1	2	2	38	.31	.050	13	63	.59	99	.11	2	1.99	.03	.07	1
600W 625N	1	26	19	60	.1	86	12	570	2.40	7	5	ND	2	24	1	2	2	41	.33	.059	10	58	.65	113	.11	6	1.70	.03	.08	1
600W 600N	1	18	11	46	.1	43	7	577	1.85	6	5	ND	3	24	1	2	2	32	.24	.115	7	31	.36	188	.11	6	1.69	.04	.08	1
600W 575N	1	17	13	48	.1	39	6	524	1.84	4	5	ND	2	24	1	2	2	31	.31	.110	8	27	.34	136	.11	7	1.97	.04	.07	1
600W 550N	1	14	10	54	.1	41	6	672	1.62	3	5	ND	2	25	1	2	2	26	.32	.166	6	23	.28	149	.11	5	1.98	.04	.06	1
600W 525N	1	11	14	66	.1	62	8	679	1.79	6	5	ND	2	22	1	2	3	29	.29	.166	5	29	.33	160	.11	5	1.77	.03	.06	1
500W 1500N	1	31	16	71	.4	157	18	821	2.79	35	5	ND	2	29	1	2	3	38	.46	.064	10	113	.65	113	.10	2	2.02	.02	.05	1
500W 1475N	1	27	24	61	.4	144	16	1597	3.07	26	5	ND	1	26	1	2	3	40	.32	.057	9	85	.61	177	.09	8	1.87	.02	.07	1
500W 1450N	1	13	6	70	.3	62	7	562	1.59	17	5	ND	1	18	1	2	2	28	.27	.060	4	47	.32	113	.06	5	.92	.03	.04	1
500W 1425N	1	17	18	76	.2	68	10	1152	2.23	17	5	ND	1	17	1	2	3	37	.24	.052	6	46	.39	104	.09	2	1.27	.02	.04	1
500W 1400N	1	19	12	58	.3	13	6	1198	1.45	9	5	ND	1	13	1	2	3	27	.16	.068	4	18	.22	114	.06	2	.75	.02	.03	1
500W 1375N	1	10	11	63	.1	20	6	1564	1.75	10	5	ND	1	22	1	2	2	27	.26	.070	5	16	.21	162	.09	3	1.45	.03	.04	1
500W 1350N	1	31	16	76	.1	43	16	1107	3.39	16	5	ND	2	28	1	2	2	37	.31	.071	12	33	.41	145	.12	6	2.63	.02	.06	1
500W 1175N	1	28	24	69	.1	142	15	1133	2.76	13	5	ND	2	25	1	2	2	41	.35	.081	12	96	.71	146	.09	2	1.83	.02	.08	1
500W 1150N	1	13	5	36	.1	78	8	717	1.71	5	5	ND	1	20	1	2	2	29	.26	.046	6	54	.38	128	.07	4	1.11	.03	.06	1
500W 1125N	1	17	10	40	.1	167	13	473	2.31	7	5	ND	2	18	1	2	2	36	.20	.064	9	105	.62	121	.09	3	1.34	.03	.07	1
500W 1100N	1	16	9	50	.1	165	14	567	2.51	9	5	ND	2	21	1	2	2	37	.26	.120	9	113	.66	159	.09	2	1.48	.02	.07	1
500W 1075N	1	22	12	61	.1	128	12	522	2.62	9	5	ND	2	20	1	2	2	41	.23	.126	11	93	.65	175	.10	6	1.75	.02	.09	1
500W 1050N	1	25	15	60	.1	112	12	531	2.54	7	5	ND	3	19	1	2	2	41	.22	.111	10	72	.66	189	.12	5	1.95	.02	.06	1
500W 1025N	1	21	10	49	.2	102	12	537	2.54	9	5	ND	3	22	1	2	2	42	.28	.049	9	65	.64	147	.12	3	2.05	.02	.06	2
500W 800N	1	17	9	65	.1	125	13	693	2.31	4	5	ND	1	31	1	2	2	33	.25	.126	7	100	.62	252	.08	3	1.55	.02	.07	1
500W 775N	1	15	12	48	.1	124	11	433	2.23	6	5	ND	2	22	1	2	2	35	.23	.041	7	102	.69	141	.08	3	1.23	.02	.05	1
STD C	20	59	39	128	6.9	72	29	986	3.96	38	17	7	34	48	17	16	20	61	.48	.095	37	59	.88	181	.08	36	1.72	.06	.13	13

SOOKOCHOFF CONSULTANT PROJECT-OSSA RESOURCES FILE# 86-3332

PAGE 5

SAMPLE#	As	Cu	Pb	Zn	Ag	Ni	Cd	Mn	Fe	As	U	Au	Tl	Sr	Cd	Sb	Et	V	Ca	P	La	Cr	Hg	Ba	Ti	E	Al	Na	F	K
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
500W 750N	1	18	14	41	.4	109	13	623	2.33	7	9	ND	3	25	1	2	3	36	.30	.031	7	100	.72	132	.08	2	1.14	.02	.07	2
500W 725N	1	15	8	49	.1	90	11	574	1.99	4	5	ND	1	29	1	2	4	29	.31	.133	7	68	.54	188	.07	4	1.28	.02	.08	1
500W 700N	1	19	6	54	.1	91	10	345	2.24	7	5	ND	2	20	1	2	2	34	.23	.125	8	63	.60	182	.09	4	1.58	.02	.06	1
500W 675N	1	20	9	41	.1	82	10	244	2.22	2	5	ND	2	17	1	2	2	36	.21	.055	7	57	.60	125	.09	6	1.20	.02	.05	1
500W 650N	1	17	11	51	.1	84	9	428	2.17	4	5	ND	2	21	1	2	3	33	.20	.149	8	51	.56	135	.09	5	1.43	.02	.06	1
500W 625N	1	8	6	37	.1	38	6	392	1.34	3	5	ND	1	15	1	2	2	26	.16	.080	4	26	.27	123	.07	4	.85	.03	.05	1
500W 600N	1	16	6	52	.1	61	9	462	1.86	5	5	ND	2	19	1	2	4	30	.19	.119	6	38	.36	142	.10	7	1.71	.03	.05	1
500W 575N	1	16	8	106	.1	52	7	723	1.82	6	5	ND	1	22	1	2	2	28	.22	.269	6	25	.27	217	.12	2	2.14	.03	.04	1
500W 550N	1	50	13	97	.1	183	12	673	2.73	13	5	ND	2	22	1	2	2	40	.22	.083	8	55	.50	216	.11	2	2.10	.07	.07	1
500W 525N	1	43	16	66	.1	182	10	516	2.11	10	5	ND	1	31	1	2	2	33	.52	.033	13	40	.42	158	.10	6	1.77	.03	.05	1
500W 500N	1	71	14	55	.4	197	11	602	2.30	11	5	ND	2	37	1	2	2	34	.52	.024	13	52	.48	133	.11	2	1.81	.04	.06	1
400W 1850N	1	21	36	194	.2	30	8	1235	2.16	17	5	ND	2	29	1	2	2	36	.38	.097	8	25	.39	229	.09	5	1.57	.02	.07	1
400W 1825N	1	22	18	108	.1	16	8	1125	1.86	8	5	ND	1	23	1	2	2	34	.29	.050	6	16	.30	122	.09	2	1.15	.02	.06	1
400W 1800N	1	40	27	127	.2	26	10	1017	2.60	15	5	ND	2	17	1	2	2	43	.20	.089	9	25	.43	160	.12	3	2.07	.02	.09	1
400W 1775N	1	24	20	116	.1	27	9	900	2.13	7	5	ND	2	19	1	2	2	36	.21	.069	8	20	.33	132	.12	3	1.94	.02	.05	1
400W 1750N	2	31	23	154	.1	35	10	1041	2.55	27	5	ND	2	13	1	2	4	38	.14	.098	8	23	.31	110	.11	3	1.63	.02	.05	1
400W 1600N	1	23	44	328	.3	39	9	1004	2.48	8	6	ND	2	25	1	2	3	40	.26	.036	8	26	.40	213	.10	7	1.41	.03	.07	1
400W 1575N	1	29	21	95	.1	50	10	1032	2.24	29	5	ND	2	24	1	2	2	34	.25	.090	8	37	.38	218	.09	2	1.67	.02	.06	1
400W 1550N	1	20	6	68	.2	45	12	1505	2.13	19	5	ND	1	24	1	2	2	35	.29	.077	7	31	.38	172	.08	3	1.44	.03	.05	1
400W 1525N	2	29	19	86	.3	88	16	1595	2.96	22	5	ND	2	28	1	2	2	44	.36	.061	9	58	.67	228	.09	5	1.74	.02	.06	1
400W 1500N	1	25	29	77	.1	68	14	1507	2.08	16	5	ND	1	34	1	2	2	33	.48	.062	6	50	.51	167	.07	6	1.20	.02	.07	1
400W 1475N	1	17	5	59	.1	91	13	602	2.47	7	5	ND	2	23	1	2	2	35	.28	.047	6	82	.62	126	.07	4	1.29	.02	.08	1
400W 1450N	1	22	9	70	.2	104	14	1032	2.50	9	5	ND	1	22	1	2	3	37	.26	.061	8	88	.55	157	.09	2	1.69	.02	.07	1
400W 1425N	1	25	21	72	.3	60	10	1586	1.97	31	5	ND	1	21	1	2	2	30	.31	.085	5	55	.40	151	.07	2	1.28	.02	.05	1
400W 1400N	1	30	24	81	.3	54	11	2085	1.98	23	5	ND	1	29	1	2	2	32	.42	.108	5	53	.38	214	.07	5	1.22	.03	.04	1
400W 1375N	1	23	26	77	.2	88	11	916	1.78	38	5	ND	1	38	1	2	2	26	.57	.100	4	70	.40	217	.08	4	1.35	.02	.05	1
400W 1350N	1	32	19	65	.3	68	14	1008	2.71	92	5	ND	1	18	1	2	2	30	.24	.049	6	45	.36	99	.08	5	1.42	.03	.05	1
400W 1325N	2	108	13	79	.6	83	21	1334	3.74	125	5	ND	2	32	1	2	2	53	.30	.050	14	110	.86	207	.10	3	2.35	.03	.07	1
400W 1300N	1	96	16	85	.1	51	18	1229	3.58	40	5	ND	2	35	1	2	2	71	.47	.086	10	69	1.07	255	.14	5	2.65	.03	.14	1
400W 1250N	1	56	18	73	.1	41	14	1276	2.93	21	5	ND	1	26	1	2	2	46	.35	.063	9	38	.57	223	.09	2	1.99	.02	.08	1
400W 1225N	1	30	29	78	.1	45	12	1574	2.46	17	5	ND	1	31	1	2	2	41	.43	.093	8	42	.50	259	.08	2	1.56	.02	.09	1
400W 1200N	1	21	17	84	.1	104	12	693	2.29	19	5	ND	1	22	1	2	2	36	.26	.143	9	70	.50	162	.09	2	1.45	.03	.08	1
400W 1175N	1	18	17	71	.2	100	13	1551	2.27	7	5	ND	1	27	1	2	2	36	.31	.110	7	74	.56	174	.07	2	1.14	.02	.07	1
400W 1150N	1	19	9	52	.1	137	12	458	2.26	9	5	ND	1	24	1	2	2	35	.23	.091	8	94	.58	146	.09	2	1.29	.02	.07	1
400W 1125N	1	16	5	49	.1	117	11	432	2.00	9	5	ND	1	21	1	2	2	33	.25	.101	7	86	.53	140	.08	2	.99	.03	.06	1
400W 1100N	1	30	25	130	.2	139	17	1914	2.67	90	5	ND	1	30	1	2	2	35	.40	.110	6	98	.58	217	.08	3	1.55	.03	.06	1
STB C	20	60	39	129	6.8	67	29	997	3.95	37	18	8	33	48	17	16	19	62	.48	.103	36	58	.88	178	.08	37	1.72	.06	.14	12

SOOKOCHOFF CONSULTANT PROJECT - OSEA RESOURCES FILE# 86-0322

PAGE 7

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Mo	Tb	Sr	Cd	Sb	Et	V	Ca	P	La	Cr	Hg	Ba	Ti	F	Al	Na	K	
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
400W 1075M	1	21	10	57	.1	123	12	550	2.27	10	5	ND	2	25	1	2	34	.25	.101	10	86	.59	159	.09	5	1.39	.02	.07	1	
400W 1050M	1	28	8	57	.3	122	13	456	2.48	12	5	ND	3	24	1	2	39	.22	.135	12	78	.63	148	.11	7	1.98	.03	.07	1	
400W 800M	1	80	24	57	.8	166	9	597	1.84	12	5	ND	1	125	1	2	22	3.68	.095	11	42	.47	181	.04	17	1.38	.03	.08	1	
400W 775M	1	11	6	46	.1	62	9	327	1.91	7	5	ND	1	11	1	2	28	.13	.128	6	61	.39	143	.08	2	1.19	.02	.03	1	
400W 750M	1	14	8	56	.2	79	10	459	2.32	12	7	ND	4	14	1	2	34	.16	.193	7	75	.48	155	.09	6	1.40	.02	.05	1	
400W 725M	1	34	9	52	.3	117	14	416	2.69	8	5	ND	3	21	1	2	39	.22	.125	14	77	.58	131	.12	5	2.23	.03	.05	1	
400W 700M	1	23	10	52	.1	74	10	649	2.16	9	5	ND	2	29	1	2	32	.42	.129	9	57	.51	142	.10	2	1.75	.03	.05	1	
400W 600M	1	32	23	53	.1	118	11	733	2.01	11	5	ND	1	27	1	2	33	.42	.066	8	46	.48	156	.09	5	1.46	.03	.06	1	
400W 575M	1	34	7	47	.1	103	11	467	2.17	13	5	ND	2	22	1	2	34	.26	.077	10	44	.48	100	.12	4	2.04	.02	.05	1	
400W 550M	1	51	11	59	.1	67	11	952	2.08	9	5	ND	1	33	1	2	33	.52	.139	13	41	.47	139	.09	4	1.85	.03	.07	1	
400W 525M	1	28	14	59	.1	62	10	829	2.17	10	5	ND	2	32	1	2	4	34	.41	.128	9	41	.49	213	.12	4	2.13	.03	.09	1
400W 500M	1	48	10	54	.1	84	11	490	2.31	6	5	ND	1	25	1	2	39	.33	.065	14	47	.56	123	.13	4	1.95	.03	.05	1	
400W 475M	1	62	5	60	.3	104	14	392	2.70	6	5	ND	3	26	1	2	43	.35	.054	17	60	.69	112	.14	4	2.36	.03	.06	1	
400W 450M	1	8	4	21	.1	6	3	436	.72	2	5	ND	1	10	1	2	2	19	.15	.086	2	4	.08	67	.05	3	.35	.04	.01	1
400W 375M	1	52	7	46	.3	90	8	493	1.85	7	5	ND	2	32	1	2	2	30	.45	.050	16	27	.30	113	.13	2	2.46	.05	.04	1
400W 350M	1	32	4	31	.1	54	7	301	1.39	4	5	ND	1	40	1	2	2	25	.57	.043	8	22	.27	105	.11	5	2.06	.05	.03	1
400W 150M	1	8	8	40	.1	25	5	152	1.47	4	5	ND	1	12	1	2	2	24	.13	.125	3	17	.18	91	.11	2	1.40	.03	.03	1
400W 125M	1	18	8	44	.3	72	9	379	2.35	5	5	ND	4	19	1	2	2	38	.26	.095	11	46	.48	133	.13	2	2.36	.02	.05	1
400W 100M	1	16	7	46	.2	90	10	333	2.43	4	5	ND	2	17	1	2	2	40	.22	.100	8	55	.59	94	.12	3	1.97	.02	.06	1
400W 75M	1	17	15	61	.1	62	8	701	2.01	6	5	ND	1	18	1	2	2	33	.33	.150	7	43	.42	147	.10	4	1.74	.03	.04	1
400W 50M	1	15	7	79	.1	50	9	978	2.22	4	5	ND	2	15	1	2	2	35	.18	.238	6	35	.35	193	.12	5	2.06	.02	.05	1
400W 25M	1	4	4	9	.1	3	2	87	.53	2	5	ND	1	5	1	2	2	16	.05	.012	2	5	.03	36	.05	2	.18	.03	.01	1
300W 1500NBL	1	25	13	79	.1	71	11	780	2.52	12	5	ND	2	16	1	2	2	39	.16	.105	7	63	.51	114	.11	4	2.14	.02	.05	1
300W 1475M	1	29	6	62	.2	30	9	1036	2.03	9	6	ND	1	18	1	2	2	33	.21	.076	6	29	.34	124	.08	6	1.40	.02	.05	1
300W 1450M	1	33	9	59	.1	23	9	1108	2.13	21	5	ND	1	29	1	2	2	32	.41	.128	7	21	.37	139	.09	2	1.98	.02	.07	1
300W 1425M	1	28	17	69	.1	31	10	1405	2.25	13	5	ND	1	36	1	2	2	33	.42	.095	8	28	.46	266	.07	7	1.63	.02	.07	1
300W 1400M	1	38	32	76	.1	50	12	1274	2.28	14	5	ND	1	37	1	2	2	34	.58	.115	8	44	.50	243	.06	6	1.42	.02	.08	1
300W 1375M	1	37	18	65	.1	126	19	983	3.00	15	6	ND	2	26	1	2	2	41	.33	.069	10	101	.70	157	.09	6	1.81	.02	.08	1
300W 1350M	1	40	18	76	.1	131	19	1189	3.00	9	5	ND	1	28	1	2	2	41	.41	.086	12	105	.69	155	.09	3	1.99	.02	.08	1
300W 1325M	1	24	11	72	.1	108	13	978	2.36	13	5	ND	2	30	1	2	2	32	.33	.202	9	79	.51	211	.09	9	1.94	.03	.08	1
300W 1300M	1	30	15	71	.3	96	14	814	2.57	17	6	ND	2	27	1	2	2	33	.33	.113	7	69	.48	141	.09	4	1.78	.03	.06	1
300W 1275M	1	53	10	78	.1	142	19	936	3.17	27	5	ND	2	28	1	2	2	38	.30	.132	9	95	.69	234	.10	6	2.21	.02	.08	1
300W 1250M	1	70	13	94	.1	142	20	882	3.25	20	5	ND	2	23	1	2	4	48	.25	.133	10	105	.80	170	.10	2	1.99	.02	.07	1
300W 1225M	1	24	12	79	.3	80	12	668	2.37	20	5	ND	3	17	1	2	2	35	.18	.176	8	64	.50	127	.09	4	1.58	.02	.06	1
300W 1200M	1	28	14	65	.1	117	14	686	2.52	17	5	ND	1	26	1	2	2	38	.32	.092	11	77	.64	148	.09	2	1.48	.02	.07	1
300W 1175M	1	21	15	81	.1	93	11	381	2.28	11	5	ND	2	23	1	2	2	35	.25	.112	10	76	.53	140	.08	7	1.35	.02	.05	1
STB C	20	57	39	128	6.8	65	28	989	3.95	38	17	7	33	48	16	15	19	61	.48	.103	36	58	.88	177	.08	37	1.72	.06	.13	12

SAMPLE#	Hg PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Cc PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Th PPM	Sr PPM	Cd PPM	Sb PPM	Et PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	W PPM
300W 1150N	1	24	15	83	.3	69	9	585	1.96	9	5	ND	1	27	1	2	2	31	.31	.125	8	51	.41	164	.08	2	1.51	.03	.05	1
300W 1125N	1	18	13	62	.2	58	9	473	2.00	10	6	ND	3	28	1	2	2	33	.33	.156	8	45	.36	143	.10	2	1.65	.03	.05	1
300W 1100N	1	28	12	56	.3	88	11	342	2.31	10	6	ND	4	21	1	2	2	38	.19	.154	13	54	.44	165	.13	2	2.52	.03	.06	1
300W 1075N	1	15	12	58	.2	75	10	680	1.97	8	5	ND	3	22	1	2	3	33	.22	.138	8	55	.40	152	.10	2	1.62	.02	.06	1
300W 1050N	1	19	6	56	.2	118	12	433	2.24	8	5	ND	3	20	1	2	2	35	.20	.142	9	77	.57	173	.11	3	1.81	.02	.06	1
300W 1025N	1	12	8	74	.2	64	7	401	1.90	2	5	ND	3	27	1	2	3	29	.23	.265	7	44	.34	242	.09	2	1.57	.02	.05	1
300W 1000N	1	19	9	44	.2	92	10	216	2.15	2	5	ND	3	23	1	2	2	35	.25	.069	11	59	.42	111	.13	6	2.25	.03	.05	1
300W 975N	1	25	7	32	.5	78	8	311	1.87	4	6	ND	3	33	1	2	2	31	.52	.025	12	47	.39	118	.11	2	1.70	.04	.05	1
300W 950N	1	11	9	45	.1	59	9	556	1.94	2	5	ND	2	18	1	2	2	34	.25	.053	5	60	.53	136	.08	2	.94	.02	.05	1
300W 925N	1	15	6	48	.1	60	8	602	1.96	4	5	ND	2	17	1	2	2	31	.17	.175	6	43	.39	182	.10	2	1.74	.02	.05	2
300W 900N	1	20	7	62	.2	95	11	389	2.27	6	5	ND	3	20	1	2	2	37	.19	.142	9	57	.47	139	.10	2	1.76	.03	.05	1
300W 875N	1	15	11	53	.1	77	9	602	1.74	9	5	ND	2	20	1	2	2	30	.22	.141	6	57	.37	141	.10	2	1.41	.03	.06	1
300W 850N	1	18	10	51	.2	74	9	590	1.89	7	5	ND	3	23	1	2	4	31	.20	.184	8	40	.39	154	.11	3	1.93	.03	.07	2
300W 825N	1	14	8	35	.1	57	8	344	1.59	3	5	ND	1	17	1	2	2	28	.20	.090	5	41	.35	116	.08	2	.99	.03	.05	1
300W 800N	1	21	11	43	.1	98	12	372	2.26	6	5	ND	2	20	1	2	3	36	.24	.084	8	69	.64	121	.09	2	1.27	.02	.05	2
300W 775N	1	21	6	51	.1	86	10	324	2.36	6	5	ND	2	18	1	2	3	41	.21	.067	7	69	.63	128	.10	2	1.50	.02	.06	2
300W 750N	1	23	13	54	.1	97	13	656	2.51	5	5	ND	2	19	1	2	2	43	.28	.045	10	77	.77	147	.10	3	1.55	.02	.07	1
300W 725N	1	28	14	73	.1	81	11	659	2.51	6	5	ND	2	25	1	2	2	42	.41	.106	10	69	.66	190	.10	3	1.78	.02	.07	1
300W 700N	1	42	15	88	.4	61	13	1259	2.47	7	5	ND	2	28	1	2	5	42	.42	.181	14	56	.58	212	.10	4	2.05	.03	.10	1
300W 675N	1	28	14	78	.8	48	10	948	2.23	8	5	ND	1	33	1	2	3	39	.56	.109	14	49	.55	218	.09	3	1.90	.03	.10	1
300W 650N	1	29	11	60	.1	76	12	916	2.32	10	5	ND	3	23	1	2	3	37	.27	.201	11	47	.56	222	.11	5	2.00	.02	.08	1
300W 625N	1	38	8	53	.1	70	11	837	2.06	7	5	ND	2	30	1	2	2	33	.38	.204	10	42	.50	213	.10	5	1.86	.02	.08	1
300W 600N	1	36	11	59	.1	77	13	1194	2.15	12	5	ND	1	32	1	2	3	36	.53	.133	9	46	.57	217	.08	3	1.72	.03	.08	1
300W 575N	1	35	12	62	.1	89	15	1093	2.31	7	5	ND	1	31	1	2	2	39	.46	.135	12	50	.62	181	.07	2	1.80	.02	.09	1
300W 550N	1	49	16	62	.1	123	17	998	2.67	10	5	ND	1	32	1	2	2	45	.56	.122	15	68	.78	170	.08	6	1.78	.02	.12	1
300W 525N	1	34	8	43	.1	77	12	689	2.08	14	5	ND	1	30	1	2	2	38	.50	.086	10	48	.53	125	.09	2	1.38	.03	.09	1
300W 500WEL	1	36	23	80	.1	50	10	1027	1.73	11	5	ND	1	36	1	2	2	32	.73	.115	9	31	.41	166	.06	5	1.47	.03	.08	1
200W 1900N	1	25	22	144	.2	17	9	1436	2.33	12	5	ND	1	20	1	2	3	38	.25	.065	8	20	.39	195	.08	2	1.50	.02	.08	1
200W 1875N	1	28	33	147	.1	17	6	1976	1.97	13	5	ND	1	29	1	2	2	34	.45	.112	6	16	.33	246	.08	2	1.36	.02	.09	1
200W 1850N	1	22	14	111	.4	9	6	952	1.30	9	5	ND	1	24	1	2	2	20	.93	.039	5	6	.19	114	.06	3	.94	.04	.05	1
200W 1825N	1	28	16	101	.1	10	9	1879	2.19	7	5	ND	1	19	1	2	2	38	.24	.078	5	13	.31	175	.10	4	1.46	.03	.08	1
200W 1800N	1	55	25	124	.1	13	17	1958	2.99	19	5	ND	1	29	1	2	2	47	.32	.134	7	13	.40	238	.12	2	1.88	.02	.11	1
200W 1775N	1	46	22	120	.2	23	12	1562	2.98	15	5	ND	2	26	1	2	2	48	.27	.072	10	22	.51	222	.12	2	2.16	.02	.10	1
200W 1750N	1	33	34	142	.1	22	11	1376	2.75	17	5	ND	2	27	1	2	2	45	.35	.055	8	23	.50	198	.11	2	2.07	.02	.11	1
200W 1725N	1	38	36	160	.2	17	11	1548	2.51	23	5	ND	1	33	1	2	2	40	.42	.083	7	19	.40	213	.10	2	1.89	.02	.11	1
200W 1700N	1	32	22	104	.2	19	10	1140	2.25	11	5	ND	1	28	1	2	2	38	.36	.046	7	19	.40	176	.09	6	1.63	.03	.09	1
STD C	20	59	42	133	7.1	69	30	1031	3.96	40	18	?	35	50	17	16	19	64	.48	.104	36	58	.88	185	.08	37	1.72	.07	.14	12

SOOKCHOFF CONSULTANT PROJECT 000A RESOURCES FILE # 86-0722

PAGE 9

SAMPLE#	Hg PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Mn PPM	Co PPM	Mn PPM	Fe I	As PPM	U PPM	Au PPM	In PPM	Sr PPM	Cd PPM	St PPM	Bi PPM	V PPM	Ca I	P I	La PPM	Cr PPM	Mg I	Ba PPM	Ti I	P PPM	KI I	Na I	1 I	2 PPM
200W 1475N	1	34	23	114	.5	25	10	963	2.50	19	11	ND	2	27	1	2	1	39	.34	.084	9	24	.47	153	.10	5	1.87	.02	.09	1
200W 1450N	1	35	19	136	.2	11	7	1583	1.81	14	5	ND	1	45	1	2	3	28	.58	.127	6	12	.24	227	.04	6	1.16	.03	.06	1
200W 1625N	1	28	25	109	.2	21	8	880	2.12	20	5	ND	1	32	1	2	4	33	.47	.059	8	21	.38	130	.09	7	1.70	.03	.08	1
200W 1600N	1	56	9	229	.6	22	11	1270	2.36	14	5	ND	2	36	1	2	4	33	.40	.258	9	19	.30	224	.11	2	2.27	.03	.09	1
200W 1500N	1	32	14	91	.1	49	11	1226	2.49	20	5	ND	1	24	1	2	41	.29	.105	9	34	.44	153	.09	4	1.68	.02	.04	1	
200W 1475N	1	23	4	94	.1	36	8	845	1.90	33	5	ND	1	21	1	2	3	31	.22	.060	7	24	.34	111	.08	2	1.34	.03	.05	1
200W 1450N	1	26	10	66	.3	38	9	595	1.90	21	5	ND	2	32	1	2	2	29	.52	.041	8	22	.33	72	.10	8	1.93	.04	.04	1
200W 1425N	1	34	12	87	.2	51	11	904	2.61	17	5	ND	1	28	1	2	2	37	.30	.105	12	37	.51	138	.10	4	2.11	.02	.06	1
200W 1400N	1	51	17	77	.2	45	11	1304	2.70	17	5	ND	1	37	1	2	2	19	.54	.091	12	35	.53	174	.09	2	2.08	.02	.08	1
200W 1375N	1	26	6	66	.3	26	8	1381	2.22	13	5	ND	1	22	1	2	2	35	.31	.099	8	22	.39	156	.08	6	1.48	.03	.07	1
200W 1350N	1	33	13	82	.2	42	11	748	2.92	14	5	ND	2	23	1	2	2	43	.29	.072	12	37	.63	225	.10	5	2.17	.02	.09	1
200W 1325N	1	16	9	63	.1	27	8	580	2.16	5	5	ND	2	16	1	2	2	36	.23	.029	8	40	.53	135	.09	2	1.23	.02	.09	1
200W 1300N	1	39	17	76	.3	46	12	557	3.22	16	5	ND	3	23	1	2	2	51	.32	.040	13	56	.86	108	.10	2	1.62	.02	.12	1
200W 1275N	1	23	12	75	.2	35	10	801	2.61	9	5	ND	2	22	1	2	2	40	.28	.047	9	49	.68	154	.08	6	1.29	.02	.10	1
200W 1250N	1	28	9	69	.3	34	10	579	2.86	8	5	ND	2	22	1	2	2	46	.29	.041	11	47	.73	143	.10	3	1.44	.02	.13	1
200W 1225N	1	56	11	85	.3	83	16	1055	3.16	12	5	ND	3	19	1	2	2	49	.27	.059	10	71	.72	195	.11	2	2.18	.02	.09	1
200W 1200N	1	58	56	107	.4	112	19	1216	3.62	14	5	ND	2	18	1	2	2	54	.27	.069	12	97	.85	143	.10	2	2.33	.02	.09	1
200W 1175N	1	51	20	76	.5	79	13	814	2.78	11	6	ND	4	26	1	2	5	45	.31	.103	12	58	.61	184	.12	4	2.31	.02	.08	1
200W 1150N	1	27	17	78	.2	74	10	833	2.34	12	5	ND	2	31	1	2	2	37	.35	.140	11	54	.55	220	.10	3	1.87	.02	.08	1
200W 1125N	1	17	11	57	.1	88	10	833	2.21	15	5	ND	2	25	1	2	2	35	.28	.119	9	59	.53	168	.10	5	1.66	.02	.06	1
200W 1100N	1	28	9	73	.2	67	11	1412	2.39	7	5	ND	2	18	1	2	2	42	.21	.114	10	52	.52	153	.10	3	1.58	.02	.05	1
200W 1075N	1	21	20	60	.1	60	9	1045	2.10	6	5	ND	2	29	1	2	3	37	.37	.069	10	41	.48	232	.11	2	1.57	.02	.07	1
200W 1050N	1	21	7	63	.2	106	11	511	2.30	3	5	ND	3	21	1	2	2	35	.21	.149	12	47	.48	204	.13	8	2.30	.02	.07	1
200W 1025N	1	13	6	61	.4	64	9	682	1.81	9	5	ND	2	14	1	2	2	30	.17	.147	6	40	.32	117	.10	2	1.60	.03	.04	1
200W 1000N	1	17	4	61	.2	65	9	338	2.31	13	5	ND	2	14	1	2	2	36	.16	.128	6	40	.37	133	.12	2	2.28	.02	.04	1
200W 975N	1	20	6	50	.2	68	8	565	2.18	6	5	ND	3	19	1	2	2	34	.20	.170	7	44	.46	174	.11	6	2.39	.03	.04	4
200W 950N	1	12	8	53	.3	50	7	839	1.98	6	5	ND	3	30	1	2	2	31	.26	.158	9	37	.41	225	.10	2	1.83	.03	.05	1
200W 925N	1	12	7	47	.1	40	7	1013	1.76	7	5	ND	1	22	1	2	2	31	.23	.072	6	39	.42	160	.08	2	.93	.03	.05	1
200W 900N	1	16	10	60	.2	66	10	977	2.23	6	5	ND	3	21	1	2	2	35	.25	.122	8	54	.58	186	.10	4	1.72	.02	.06	1
200W 600N	1	35	17	74	.2	63	12	874	2.78	22	5	ND	2	28	1	2	2	47	.45	.089	15	56	.77	162	.13	8	2.52	.03	.09	1
200W 575N	1	31	22	62	.2	52	9	845	1.86	11	5	ND	2	39	1	2	3	32	.80	.158	9	36	.49	233	.08	5	1.62	.03	.07	3
200W 550N	1	33	20	59	.4	76	14	1043	2.29	10	7	ND	2	34	1	2	2	36	.59	.150	9	50	.62	220	.10	6	1.78	.03	.08	1
200W 525N	1	35	25	74	.3	73	12	1124	2.20	8	5	ND	1	33	1	2	2	36	.61	.118	8	50	.59	237	.07	3	1.57	.02	.09	1
200W 500N	1	53	22	59	.5	101	14	1003	2.35	10	5	ND	1	30	1	2	2	39	.55	.113	18	49	.64	127	.08	2	1.82	.03	.08	1
200W 475N	1	93	25	58	.6	119	14	808	2.18	10	5	ND	2	39	1	3	4	37	1.01	.095	18	45	.57	136	.09	3	1.99	.03	.07	1
200W 450N	1	47	21	62	.2	90	12	930	2.31	11	5	ND	1	30	1	2	2	38	.65	.119	12	48	.58	206	.10	2	1.94	.03	.07	1
STB C	20	57	38	127	6.9	69	28	981	3.95	37	18	8	34	47	16	15	19	61	.48	.097	35	57	.88	175	.08	37	1.72	.06	.12	12

SOOKOCHOFF CONSULTANTS PROJECT : OPEN RESOURCES FILE # 86-3372

PAGE 10

SAMPLE#	Ac PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Tl PPM	Sr PPM	Cd PPM	Sb PPM	Et PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	Y PPM
200W 425M	1	43	18	64	.3	81	12	1145	2.22	7	5	ND	1	29	1	2	2	37	.53	.129	13	44	.55	255	.09	2	1.85	.03	.09	1
200W 400M	1	32	11	57	.4	102	12	635	2.34	10	5	ND	3	25	1	2	2	40	.31	.084	12	49	.54	228	.12	2	1.83	.03	.08	1
100W 1500M	1	32	11	158	.1	13	8	901	2.09	17	5	ND	1	20	1	2	2	31	.25	.073	9	15	.30	166	.11	5	1.97	.02	.06	1
100W 1475M	1	20	10	102	.1	54	7	801	1.88	17	5	ND	1	28	1	2	2	30	.32	.085	7	17	.27	136	.11	4	2.01	.03	.05	1
100W 1450M	3	59	13	68	.8	63	16	594	3.32	25	5	ND	2	19	1	2	3	35	.21	.064	5	24	.37	117	.11	5	1.82	.03	.05	1
100W 1425M	1	47	10	57	.1	12	12	1776	2.37	34	5	ND	1	17	1	2	2	29	.22	.052	4	9	.24	119	.07	6	.87	.03	.04	1
100W 1400M	1	55	21	64	.2	34	15	823	3.14	50	5	ND	2	25	1	2	2	35	.26	.055	10	21	.48	134	.11	3	2.13	.03	.06	1
100W 1375M	1	23	13	57	.1	21	9	1082	1.75	21	5	ND	1	27	1	2	2	31	.33	.058	4	16	.25	177	.07	2	1.09	.03	.06	1
100W 1350M	1	40	17	66	.5	59	12	518	3.01	67	5	ND	2	21	1	2	3	42	.21	.057	13	44	.55	111	.11	2	2.50	.02	.05	1
100W 1325M	1	28	17	68	.1	37	10	1406	2.52	18	5	ND	1	26	1	2	2	38	.32	.073	10	33	.43	191	.09	5	1.78	.02	.05	1
100W 1300M	1	33	25	69	.2	29	8	1235	2.08	16	5	ND	1	40	1	2	2	32	.64	.085	8	22	.38	141	.07	2	1.47	.03	.08	2
100W 1275M	1	29	7	62	.1	26	8	956	2.33	9	5	ND	1	23	1	2	2	35	.30	.091	11	28	.43	172	.09	4	1.73	.03	.06	1
100W 1250M	1	33	9	77	.1	39	11	881	2.55	15	5	ND	1	18	1	2	5	37	.22	.092	10	39	.53	262	.09	2	1.98	.02	.08	1
100W 1150M	1	34	22	71	.1	91	16	1047	2.86	18	5	ND	2	19	1	2	2	42	.29	.062	12	87	.65	148	.08	2	1.85	.01	.10	1
100W 1125M	1	51	15	78	.1	56	12	1563	2.40	10	5	ND	1	37	1	2	2	37	.53	.131	8	48	.48	199	.09	2	1.93	.02	.09	1
100W 1100M	1	43	13	72	.1	27	8	1395	1.76	10	5	ND	1	42	1	2	2	31	.57	.109	7	23	.31	285	.09	6	1.38	.03	.07	1
100W 1075M	1	15	9	53	.1	39	6	788	1.48	9	5	ND	1	22	1	2	3	29	.36	.079	5	31	.28	170	.08	3	.83	.03	.04	1
100W 1050M	1	24	9	67	.1	64	11	902	2.32	10	5	ND	1	23	1	2	4	39	.34	.102	8	50	.49	151	.09	2	1.45	.02	.07	1
100W 1025M	1	23	13	61	.2	65	9	726	2.25	8	5	ND	1	21	1	2	2	39	.25	.082	9	41	.47	188	.11	4	1.56	.02	.07	1
100W 1000M	1	20	13	75	.1	88	12	821	2.31	7	5	ND	3	29	1	2	2	35	.28	.255	8	56	.49	266	.11	2	2.04	.03	.05	1
100W 975M	1	22	9	92	.1	84	11	532	2.26	9	5	ND	3	16	1	2	2	33	.19	.274	8	46	.43	172	.11	2	2.31	.02	.05	1
100W 950M	1	15	5	86	.1	53	9	918	2.30	7	5	ND	3	14	1	2	2	35	.14	.250	8	46	.46	266	.10	4	1.83	.02	.05	1
100W 600M	1	32	11	57	.1	43	8	1327	2.11	12	5	ND	1	28	1	2	2	38	.48	.102	8	35	.45	220	.10	4	1.86	.03	.07	1
100W 575M	1	42	14	66	.1	58	11	1197	2.43	11	5	ND	1	33	1	2	2	47	.53	.081	10	59	.72	241	.10	2	1.93	.02	.09	1
100W 550M	1	37	20	91	.1	58	12	974	2.97	13	5	ND	2	22	1	2	2	54	.36	.081	14	64	.76	163	.12	2	2.54	.02	.09	1
100W 525M	1	28	21	68	.1	42	9	769	2.14	9	5	ND	1	23	1	2	2	39	.40	.069	10	40	.52	152	.09	2	1.93	.03	.08	1
100W 500M	1	32	9	66	.1	33	8	917	2.19	15	5	ND	1	31	1	2	2	38	.53	.079	12	31	.45	215	.12	2	2.39	.03	.07	1
0EW 1650M	1	19	14	81	.1	13	6	607	2.01	15	5	ND	1	13	1	2	2	31	.15	.056	7	13	.28	169	.08	2	1.44	.02	.04	1
0EW 1625M	1	26	13	90	.1	13	8	1451	2.14	14	5	ND	1	20	1	2	2	34	.28	.053	7	11	.30	240	.08	2	1.24	.02	.06	1
0EW 1600M	1	30	17	112	.2	19	10	1391	2.77	17	5	ND	1	24	1	2	2	42	.32	.087	11	19	.44	218	.10	3	2.18	.02	.08	1
0EW 1575M	1	29	28	108	.1	20	9	1737	2.44	18	5	ND	1	24	1	2	2	40	.32	.067	8	22	.45	238	.09	2	1.67	.02	.10	1
0EW 1550M	1	28	18	101	.1	20	8	1397	2.28	14	5	ND	1	27	1	2	2	36	.44	.098	9	17	.36	211	.09	2	1.77	.03	.07	1
0EW 1525M	1	29	29	99	.1	38	9	1389	2.37	23	5	ND	1	25	1	2	2	39	.43	.093	7	25	.42	216	.08	5	1.45	.02	.07	1
0EW 1500M	1	42	22	88	.1	37	12	1472	2.90	17	5	ND	1	22	1	2	2	45	.35	.041	9	26	.51	226	.09	2	1.93	.02	.08	1
0EW 1475M	1	75	16	78	.1	19	12	1802	2.98	14	5	ND	1	22	1	2	2	36	.32	.057	8	15	.32	159	.09	2	1.54	.02	.05	6
0EW 1450M	1	94	23	102	.1	22	16	1835	3.44	17	5	ND	1	20	1	2	2	41	.24	.138	13	18	.44	170	.11	4	2.42	.02	.07	1
STD C	20	59	42	131	6.8	67	29	1006	3.95	38	17	8	33	48	18	16	19	62	.48	.097	37	57	.88	180	.08	36	1.72	.06	.13	13

SOOKOCHOFF CONSULTANTS PROJECT OSHA RESOURCE FILE # 86-1002

SAMPLE#	Hg	Cu	Pb	Zn	Ag	Mn	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Pi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	N
	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	I	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	I	I	PPH	PPH	I	PPH	I	PPH	I	I	I	PPH
DEW 1425N	1	45	48	107	.1	22	11	1496	2.32	20	5	ND	1	25	1	2	2	37	.34	.097	7	18	.38	192	.08	4	1.60	.02	.07	1
DEW 1400N	1	47	15	94	.1	21	11	1737	2.54	11	5	ND	1	29	1	2	2	39	.27	.079	7	18	.37	200	.09	5	1.61	.02	.06	1
DEW 1375N	1	28	12	90	.1	23	9	1210	2.14	14	5	ND	1	24	1	2	2	35	.27	.177	6	26	.36	222	.09	4	1.57	.03	.06	1
DEW 1350N	1	36	18	82	.1	46	13	1208	2.81	14	5	ND	1	36	1	2	2	54	.43	.117	9	134	.92	213	.11	3	1.69	.06	.11	1
DEW 1325N	1	26	17	85	.1	39	10	1084	2.13	14	5	ND	2	23	1	2	2	38	.27	.093	6	60	.51	186	.09	2	1.34	.04	.07	1
DEW 1300N	1	24	9	80	.1	62	10	729	1.84	25	5	ND	1	23	1	2	5	30	.20	.125	5	46	.38	151	.09	2	1.46	.03	.06	1
DEW 1275N	1	24	12	70	.1	118	15	1463	1.60	35	5	ND	1	50	1	2	2	27	.48	.047	3	93	.28	227	.06	6	.76	.03	.04	1
DEW 1250N	1	23	21	80	.1	98	12	1300	2.16	54	5	ND	1	29	1	2	2	31	.35	.068	5	49	.37	200	.08	2	1.38	.03	.06	1
DEW 1225N	1	35	17	88	.1	37	16	1441	3.30	20	5	ND	1	27	1	2	2	32	.41	.068	6	21	.31	199	.07	5	1.32	.02	.07	1
DEW 1200N	1	38	14	77	.1	43	14	1194	3.03	11	5	ND	1	23	1	2	2	37	.34	.073	8	39	.46	236	.09	3	1.69	.03	.09	1
DEW 1100N	1	46	10	55	.1	8	8	1473	1.70	6	5	ND	1	28	1	2	2	37	.51	.125	4	10	.28	211	.08	2	1.13	.04	.06	1
DEW 1075N	1	46	24	79	.1	15	9	1778	1.91	15	5	ND	1	40	1	2	2	34	.61	.150	7	14	.32	344	.08	4	1.73	.03	.09	1
DEW 1050N	1	52	9	62	.1	13	7	1306	1.86	6	5	ND	1	23	1	2	2	35	.31	.136	6	12	.27	205	.09	2	1.59	.03	.05	1
DEW 1025N	1	42	11	59	.2	18	8	1464	2.04	7	5	ND	1	24	1	2	2	36	.34	.066	9	16	.36	226	.10	2	1.92	.03	.08	1
DEW 1000N	1	36	6	66	.1	30	8	1452	1.86	10	5	ND	1	27	1	2	2	34	.47	.124	9	19	.30	251	.08	2	1.55	.03	.06	1
DEW 975N	1	34	21	86	.1	50	9	694	2.46	18	5	ND	2	26	1	2	2	38	.32	.234	8	33	.45	223	.11	3	2.23	.03	.07	1
DEW 950N	1	12	9	64	.1	44	8	819	1.84	5	5	ND	1	20	1	2	3	29	.20	.286	5	36	.36	286	.10	2	1.63	.03	.05	1
DEW 925N	1	18	15	64	.2	60	9	718	1.98	6	5	ND	1	23	1	2	2	33	.28	.174	7	44	.40	216	.09	2	1.56	.03	.06	1
DEW 900N	1	21	10	71	.1	69	10	761	2.29	7	5	ND	2	26	1	2	4	36	.30	.174	10	48	.95	245	.11	3	1.95	.02	.10	1
DEW 875N	1	18	19	62	.1	58	10	932	2.24	6	5	ND	1	27	1	2	2	39	.35	.079	8	49	.62	214	.10	4	1.54	.02	.08	1
DEW 850N	1	24	12	73	.2	47	10	1419	2.21	6	5	ND	1	21	1	2	3	40	.30	.108	5	46	.56	139	.08	2	1.33	.02	.06	1
DEW 825N	1	18	12	70	.1	70	11	614	2.56	7	5	ND	2	22	1	2	2	42	.25	.114	9	57	.69	179	.11	4	2.01	.02	.06	1
DEW 800N	1	18	9	56	.1	60	10	1084	2.20	5	5	ND	2	23	1	2	2	35	.23	.147	7	49	.47	206	.12	2	2.01	.03	.05	1
DEW 550N	1	26	21	56	.1	30	8	926	2.08	6	5	ND	1	21	1	2	2	38	.33	.085	10	31	.40	142	.10	3	1.80	.02	.07	1
DEW 525N	1	25	16	45	.1	38	8	851	1.87	6	5	ND	1	23	1	2	2	35	.45	.101	6	31	.41	132	.10	3	1.65	.02	.07	1
DEW 500N	1	30	16	70	.1	15	6	1826	1.39	8	5	ND	1	33	1	2	2	27	.62	.130	5	14	.24	346	.07	5	1.24	.03	.08	1
DEW 475N	1	17	11	42	.1	22	5	963	1.37	3	5	ND	1	26	1	2	2	27	.50	.130	5	18	.24	205	.08	2	.98	.03	.08	1
DEW 450N	1	12	8	33	.2	9	4	788	.97	9	5	ND	1	15	1	2	2	22	.30	.043	3	7	.12	95	.06	2	.61	.04	.06	1
DEW 425N	1	47	11	50	.2	39	9	727	2.08	6	5	ND	2	25	1	2	3	38	.43	.049	12	29	.40	133	.14	2	2.16	.04	.06	1
DEW 400N	1	37	11	83	.2	23	7	985	1.72	2	5	ND	1	25	1	2	4	34	.47	.048	9	17	.28	136	.12	5	1.95	.04	.06	1
DEW 150N	1	18	17	45	.1	57	9	659	2.26	9	5	ND	2	24	1	2	2	38	.30	.055	9	46	.50	134	.11	2	1.50	.02	.07	1
DEW 125N	1	17	15	45	.1	50	9	409	2.16	4	5	ND	2	26	1	2	2	37	.33	.042	11	42	.49	115	.12	2	1.69	.02	.10	1
DEW 100N	1	17	20	59	.1	47	11	902	2.44	5	5	ND	1	32	1	2	3	39	.46	.046	8	49	.67	192	.10	3	1.39	.02	.13	1
DEW 75N	1	22	18	67	.1	54	12	841	2.87	4	5	ND	1	28	1	2	2	45	.35	.066	9	55	.74	220	.12	5	1.98	.02	.13	1
DEW 50N	1	15	6	69	.1	45	9	588	1.75	6	5	ND	1	22	1	2	2	27	.23	.237	5	57	.32	152	.08	4	1.12	.03	.04	1
DEW 25N	1	14	9	108	.1	66	8	703	1.94	2	5	ND	1	26	1	2	2	29	.31	.289	6	63	.42	202	.09	4	1.95	.03	.06	1
STD C	21	59	40	132	7.0	69	30	1021	3.96	39	18	8	33	49	17	16	20	63	.48	.106	38	59	.88	183	.08	37	1.72	.07	.13	12

SOOKOCHOFF CONSULTANT PROJECT-OSSA RESOURCES FILE # 86-1112

SAMPLE#	Hg	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Tl	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	E	Al	Na	I	M
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	%	%	%	%	PPM
DEM ON	1	12	10	91	.6	85	10	492	2.26	6	5	ND	2	24	1	2	2	35	.33	.119	7	83	.52	121	.10	5	1.78	.02	.06	1
100E 1500N	1	62	15	103	.1	18	14	2227	2.48	25	5	ND	1	45	1	2	2	35	.57	.096	8	15	.34	283	.08	3	1.78	.03	.10	4
100E 1475N	1	62	12	96	.1	21	14	1720	2.67	18	5	ND	1	33	1	2	2	38	.44	.093	9	19	.38	303	.08	4	1.86	.02	.08	2
100E 1450N	2	67	17	95	.1	21	13	1556	2.78	14	5	ND	1	24	1	2	2	40	.31	.086	11	20	.46	203	.09	3	2.16	.02	.08	2
100E 1425N	2	72	17	97	.1	15	13	2264	2.45	11	5	ND	1	40	1	2	2	34	.50	.101	9	15	.35	285	.08	5	1.92	.02	.06	1
100E 1400N	1	52	29	84	.1	13	10	2199	2.09	15	5	ND	1	40	1	2	2	31	.51	.087	6	12	.27	299	.08	3	1.74	.03	.06	1
100E 1375N	1	48	50	109	.1	13	10	2317	2.33	31	7	ND	1	48	1	2	2	26	.59	.102	5	12	.25	307	.06	6	1.05	.03	.08	1
100E 1350N	1	32	18	93	.1	29	15	2017	2.46	17	5	ND	1	39	1	2	2	35	.32	.146	6	27	.35	321	.08	2	1.54	.03	.07	1
100E 1325N	1	51	16	90	.1	49	25	1420	3.74	31	5	ND	1	25	1	2	2	50	.25	.085	5	37	.47	255	.10	5	1.77	.02	.06	1
100E 1300N	1	34	2	61	.1	18	22	1228	1.50	27	5	ND	1	23	1	2	3	27	.34	.077	2	9	.13	186	.05	5	.69	.04	.04	1
100E 1275N	2	41	21	91	.1	55	14	1200	2.53	21	5	ND	1	50	1	2	2	36	.57	.103	8	35	.43	260	.09	2	1.74	.02	.09	1
100E 1250N	2	34	15	101	.1	43	13	1367	2.82	22	5	ND	2	34	1	3	2	36	.33	.054	10	27	.37	181	.10	4	1.93	.03	.09	1
100E 1225N	1	21	30	115	.1	25	8	1332	1.79	22	5	ND	1	57	1	2	2	25	.73	.067	5	16	.25	144	.06	5	1.02	.03	.06	1
100E 1200N	2	69	38	131	.1	31	22	2601	4.92	31	5	ND	1	57	1	2	2	33	.60	.125	5	11	.27	204	.05	6	1.01	.03	.09	1
100E 1175N	1	38	30	94	.1	42	11	1196	2.48	18	5	ND	1	34	1	2	2	33	.44	.118	7	28	.42	178	.06	4	1.22	.02	.08	1
100E 1150N	3	35	31	110	.3	25	10	2084	2.69	40	5	ND	1	30	2	2	2	35	.75	.121	10	21	.52	192	.04	2	1.36	.02	.08	1
100E 1125N	2	39	35	91	.1	72	15	1510	2.80	18	5	ND	1	20	1	2	2	42	.32	.124	6	59	.64	183	.08	2	1.73	.02	.10	1
100E 1100N	1	37	32	92	.1	31	9	1299	1.96	10	5	ND	1	37	1	2	2	30	.76	.118	8	29	.40	232	.08	4	1.75	.02	.08	1
100E 1075N	1	45	18	82	.2	14	10	3072	2.41	15	5	ND	1	39	1	2	2	33	.67	.103	8	14	.33	321	.06	2	1.48	.03	.05	2
100E 1050N	1	48	22	83	.1	64	15	1296	3.07	17	5	ND	2	32	1	2	2	49	.48	.084	12	55	.70	203	.11	5	2.21	.02	.14	1
100E 1025N	1	41	32	79	.1	48	12	1404	2.35	16	5	ND	1	29	1	2	2	40	.55	.095	10	39	.48	210	.08	3	1.77	.02	.08	1
100E 1000N	1	31	19	75	.2	36	9	1696	2.35	11	5	ND	1	31	1	2	2	41	.41	.108	9	27	.43	269	.10	4	2.03	.02	.09	1
100E 975N	1	24	11	62	.2	37	9	828	2.37	6	5	ND	2	25	1	2	2	42	.27	.113	12	31	.43	168	.12	2	2.16	.02	.09	1
100E 950N	2	24	13	101	.1	28	8	2787	2.27	12	5	ND	2	33	1	2	2	38	.41	.129	9	26	.43	500	.11	3	2.03	.03	.10	1
100E 925N	1	18	11	89	.1	22	7	621	2.21	12	5	ND	1	19	1	2	2	33	.22	.036	6	29	.46	165	.05	4	.97	.02	.07	1
100E 900N	1	14	6	74	.1	58	8	497	2.04	4	5	ND	2	18	1	2	4	34	.17	.116	6	45	.48	153	.09	2	1.42	.03	.06	1
100E 875N	1	15	11	71	.3	56	8	438	2.03	9	5	ND	2	23	1	3	2	33	.21	.166	8	43	.46	189	.09	4	1.60	.03	.06	1
100E 850N	1	15	9	51	.1	68	9	562	2.12	8	5	ND	2	18	1	2	2	34	.20	.114	7	58	.47	162	.10	2	1.61	.03	.06	1
100E 825N	1	27	13	59	.3	78	9	541	2.37	10	5	ND	2	26	1	2	2	39	.36	.100	12	48	.57	153	.12	4	1.93	.03	.08	1
100E 800N	1	12	8	55	.1	48	8	738	1.90	5	7	ND	1	21	1	2	3	33	.20	.151	4	42	.50	169	.09	3	1.41	.03	.06	1
100E 775N	1	15	2	57	.2	46	6	1092	2.03	2	5	ND	1	31	1	2	2	34	.32	.138	7	38	.47	255	.10	4	1.74	.03	.06	1
100E 750N	1	8	3	66	.1	48	8	1107	1.77	3	5	ND	1	19	1	2	2	31	.22	.103	4	48	.41	242	.08	3	1.05	.03	.06	1
100E 725N	1	23	5	91	.1	77	10	804	2.09	4	5	ND	1	24	1	2	2	37	.35	.055	7	57	.57	108	.11	2	1.54	.03	.05	1
100E 700N	1	17	3	69	.1	55	8	965	2.02	9	5	ND	2	25	1	2	2	34	.28	.166	6	42	.42	215	.10	4	1.61	.03	.06	1
100E 675N	1	15	6	84	.2	46	8	770	2.34	5	5	ND	1	21	1	2	3	42	.22	.084	6	46	.62	188	.11	2	1.54	.03	.06	1
100E 650N	1	17	7	49	.2	71	11	564	2.14	6	5	ND	1	25	1	2	2	37	.24	.088	6	56	.53	143	.10	2	1.29	.02	.05	1
STB C	21	55	40	122	6.9	68	30	1025	3.94	41	16	E	32	48	18	16	18	62	.48	.102	35	58	.88	179	.08	34	1.72	.06	.12	14

SOOKOCHOFF CONSULTANTS PROJECT - OESA RESOURCES FILE # 86-0000

SAMPLE#	Hc PPH	Cu PPH	Pb PPH	Zn PPH	Ag PPH	Ni PPH	Co PPH	Mn PPH	Fe I	As PPH	U PPH	Au PPH	Th PPH	Sr PPH	Cd PPH	Sb PPH	Bi PPH	V PPH	Ca I	P I	La PPH	Cr PPH	Hg I	Ba PPH	Ti I	F PPH	Al I	Na I	I I	M PPH
100E 625M	1	22	24	44	.1	69	10	859	2.24	4	5	ND	1	26	1	2	5	37	.27	.070	9	48	.58	131	.09	2	1.54	.02	.07	1
100E 600M	1	19	20	52	.1	27	6	1441	1.66	11	5	ND	1	22	1	2	2	30	.30	.123	5	20	.33	151	.07	3	1.33	.02	.07	1
100E 575M	1	20	13	45	.1	19	5	1030	1.48	4	5	ND	1	24	1	2	2	30	.34	.106	4	17	.27	136	.08	2	1.09	.03	.04	1
100E 550M	1	23	16	59	.1	19	6	1229	1.72	7	5	ND	1	24	1	2	2	33	.29	.091	5	17	.29	146	.08	3	1.20	.03	.04	1
100E 525M	1	27	23	57	.1	27	7	1475	2.10	2	5	ND	1	27	1	2	2	38	.35	.091	10	23	.40	192	.09	3	1.76	.02	.07	1
100E 500M	1	28	19	70	.1	34	9	1355	2.45	5	5	ND	1	22	1	2	3	43	.26	.135	12	29	.47	149	.10	6	2.22	.02	.06	1
200E 750M	1	15	11	38	.2	46	7	672	1.72	6	5	ND	1	21	1	2	2	29	.21	.075	5	37	.41	159	.08	2	1.31	.03	.05	1
200E 725M	1	24	11	45	.1	64	8	536	2.13	4	5	ND	1	20	1	2	2	34	.32	.081	7	46	.50	139	.10	6	1.75	.03	.05	1
200E 700M	1	23	15	89	.1	33	8	1600	1.93	8	5	ND	1	24	1	2	2	32	.35	.182	5	32	.35	297	.08	2	1.44	.03	.07	1
200E 675M	1	17	9	73	.2	49	8	518	2.11	8	5	ND	2	34	1	2	3	33	.21	.248	6	42	.46	185	.09	3	1.70	.02	.05	1
200E 650M	1	18	13	91	.2	56	9	785	2.07	6	5	ND	1	27	1	2	5	33	.23	.118	7	43	.49	171	.09	2	1.54	.02	.05	1
200E 625M	1	28	18	66	.1	79	11	977	2.35	6	5	ND	1	32	1	2	2	37	.54	.158	8	50	.58	205	.09	6	1.76	.02	.08	1
200E 600M	1	23	13	49	.1	60	9	447	2.02	7	5	ND	2	17	1	2	2	35	.20	.086	6	37	.47	146	.10	4	1.61	.03	.06	1
200E 575M	1	26	15	69	.1	74	10	378	2.38	8	5	ND	2	21	1	2	2	35	.26	.089	8	44	.59	161	.09	6	1.92	.02	.07	1
200E 550M	1	117	14	91	.3	115	20	1043	3.66	41	5	ND	3	25	1	2	2	52	.65	.066	14	66	1.08	116	.06	5	1.68	.02	.08	1
200E 525M	1	64	15	77	.2	60	12	641	2.73	8	5	ND	2	28	1	2	2	42	.45	.074	10	44	.89	137	.10	4	1.67	.02	.10	1
200E 500M	1	32	10	55	.2	48	7	584	1.91	6	7	ND	2	22	1	2	4	29	.29	.096	12	25	.32	138	.12	2	2.63	.04	.06	1
200E 475M	1	18	15	48	.1	69	8	339	2.18	8	5	ND	2	18	1	2	2	31	.20	.218	8	31	.38	191	.13	4	2.62	.03	.06	1
200E 450M	1	23	17	56	.1	68	8	567	1.92	7	5	ND	2	22	1	2	4	28	.27	.154	10	29	.37	182	.12	6	2.28	.03	.07	1
300E 1500M	1	45	29	136	.5	15	15	2140	3.07	69	5	ND	1	29	1	2	2	40	.29	.116	11	13	.40	228	.11	4	2.45	.02	.09	1
300E 1475M	1	37	35	116	.2	13	12	1773	2.53	47	5	ND	1	56	1	2	2	34	.62	.120	9	11	.32	225	.10	5	2.10	.02	.08	1
300E 1450M	1	90	20	109	.5	20	22	1488	4.31	59	5	ND	2	29	1	2	2	45	.28	.117	16	20	.51	215	.09	8	2.84	.02	.10	1
300E 1425M	1	37	17	105	.1	14	11	1695	2.44	33	5	ND	1	39	1	2	2	32	.54	.098	8	14	.32	236	.06	4	1.49	.02	.06	1
300E 1400M	1	44	22	151	.3	26	14	1030	3.58	33	6	ND	2	28	1	2	2	45	.29	.066	17	40	.64	207	.11	3	2.57	.02	.10	1
300E 1375M	1	37	16	195	.1	20	9	1065	2.31	20	5	ND	1	38	1	2	2	31	.49	.095	8	19	.35	211	.08	5	1.59	.03	.09	1
300E 1350M	1	33	28	208	.1	20	9	1029	2.23	31	7	ND	2	32	1	2	6	30	.51	.124	7	20	.37	147	.08	9	1.76	.03	.06	1
300E 1325M	1	30	25	187	.1	27	10	1070	2.57	27	5	ND	2	24	1	2	2	34	.25	.156	7	23	.40	190	.07	2	1.41	.02	.08	1
300E 1300M	2	41	13	115	.2	71	13	612	2.96	24	5	ND	2	29	1	2	2	36	.28	.081	11	41	.43	155	.11	4	2.14	.03	.07	1
300E 1275M	1	41	14	90	.2	34	10	622	2.41	16	6	ND	2	22	1	2	4	32	.20	.054	7	27	.38	147	.08	3	1.34	.02	.07	1
300E 1250M	2	33	11	116	.4	33	11	910	3.13	15	6	ND	1	33	1	2	3	36	.32	.093	8	29	.49	193	.07	9	1.51	.02	.08	1
300E 1225M	2	37	10	97	.1	38	14	1388	3.72	16	5	ND	1	35	1	2	2	39	.36	.136	8	30	.46	205	.08	4	1.63	.02	.08	1
300E 1200M	3	57	27	79	.2	17	14	1899	4.07	17	7	ND	1	35	1	2	2	28	.47	.097	4	12	.25	170	.05	2	.99	.02	.07	1
300E 1175M	3	146	21	89	.2	24	18	1736	4.38	12	5	ND	1	45	1	2	4	39	.50	.114	10	21	.39	204	.07	3	1.57	.02	.09	1
300E 1150M	1	40	4	62	.1	29	10	1051	2.39	9	5	ND	1	40	1	2	2	28	.39	.117	6	21	.31	182	.07	2	1.14	.02	.07	1
300E 1125M	1	53	22	77	.4	56	15	835	3.27	23	5	ND	3	33	1	2	2	42	.34	.087	10	45	.59	155	.09	5	1.98	.02	.09	1
300E 1100M	1	19	6	86	.2	32	8	1002	1.87	13	6	ND	2	35	1	2	3	26	.29	.158	5	22	.30	251	.07	4	1.24	.03	.08	1
STD C	21	58	40	130	6.8	66	29	1009	3.95	40	17	8	33	47	17	15	19	62	.48	.106	36	57	.88	175	.08	37	1.72	.06	.14	17

SOOKOCHOFF CONSULTANTS PROJECT - OSSA RESOURCES FILE # 84-0000

SAMPLE#	Hg	Cd	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Tl	Sr	Cd	Sb	Pt	V	Ca	P	La	Cr	Hg	Ba	Tl	P	Al	Na	K	N
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
300E 1075N	1	24	10	76	.1	28	8	967	1.86	10	5	ND	1	25	1	2	1	26	.24	.181	7	24	.30	249	.08	3	1.48	.02	.07	1
300E 1050N	1	26	11	101	.1	84	13	448	2.95	13	5	ND	2	28	1	2	2	42	.23	.244	9	77	.83	326	.09	4	1.92	.02	.09	1
300E 1025N	1	17	11	75	.2	49	8	618	1.83	8	5	ND	1	18	1	2	2	29	.16	.120	6	43	.42	211	.08	2	1.27	.02	.07	1
300E 1000N	1	17	12	82	.1	50	9	540	1.97	7	5	ND	1	22	1	2	3	31	.18	.111	5	42	.43	166	.08	3	1.48	.03	.06	1
300E 975N	1	17	8	76	.1	44	8	610	1.90	9	5	ND	1	24	1	2	3	30	.22	.172	6	34	.38	203	.09	3	1.53	.03	.06	1
300E 950N	1	18	9	56	.1	36	6	335	1.52	9	5	ND	1	17	1	2	2	27	.16	.098	4	25	.27	129	.08	5	1.14	.03	.06	1
300E 925N	1	8	6	45	.1	15	4	700	1.03	5	5	ND	1	15	1	2	3	25	.19	.057	2	17	.17	139	.07	3	.51	.04	.05	1
300E 900N	1	21	12	118	.3	62	9	496	1.99	6	5	ND	3	25	1	2	3	28	.27	.267	8	40	.42	270	.11	6	1.98	.03	.10	1
300E 875N	1	16	12	75	.4	55	8	671	1.77	5	6	ND	3	25	1	2	3	28	.25	.230	6	28	.30	261	.11	3	2.01	.03	.07	1
300E 850N	1	19	9	57	.2	52	8	610	1.64	8	5	ND	2	27	1	2	2	27	.24	.170	7	27	.30	254	.11	3	1.79	.03	.07	1
300E 825N	1	18	7	44	.1	79	10	380	2.05	6	5	ND	2	25	1	2	3	33	.25	.069	7	66	.55	174	.09	6	1.31	.03	.09	1
300E 800N	1	34	12	80	.5	61	10	558	2.13	9	5	ND	3	29	1	2	2	31	.30	.180	10	41	.40	270	.12	5	2.31	.04	.07	1
300E 775N	1	14	5	126	.1	47	8	1566	1.70	7	5	ND	1	39	1	2	3	29	.29	.127	5	48	.45	401	.09	3	1.09	.03	.08	1
300E 750N	1	21	7	71	.3	56	10	585	2.15	13	5	ND	2	24	1	2	4	32	.24	.273	6	42	.44	202	.11	4	2.04	.03	.06	1
300E 725N	1	18	10	59	.3	37	8	804	1.95	7	5	ND	2	26	1	2	2	30	.28	.188	6	31	.37	246	.11	5	1.96	.03	.07	1
300E 700N	1	82	15	52	.1	83	16	438	3.20	10	5	ND	3	27	1	2	2	51	.39	.071	15	87	.94	75	.11	2	1.34	.02	.09	1
300E 675N	1	54	12	74	.1	57	10	332	2.34	7	5	ND	3	34	1	2	2	34	.28	.345	7	56	.49	251	.09	4	1.64	.02	.06	1
300E 650N	1	68	21	53	.1	63	11	584	2.25	10	5	ND	2	27	1	2	3	36	.36	.133	9	50	.56	155	.10	2	1.55	.02	.06	1
300E 625N	1	33	6	48	.2	75	11	336	2.58	11	5	ND	3	26	1	2	2	42	.31	.090	12	52	.63	142	.13	3	2.12	.02	.07	2
300E 600N	1	35	11	50	.3	70	10	467	2.33	9	5	ND	3	27	1	2	2	38	.33	.114	11	47	.61	138	.11	5	1.84	.02	.08	1
300E 575N	1	18	12	51	.3	48	8	673	1.75	8	5	ND	1	22	1	2	3	29	.24	.135	6	31	.39	168	.09	5	1.46	.03	.07	1
300E 550N	1	21	16	70	.2	55	8	828	1.97	7	5	ND	2	24	1	2	2	31	.37	.059	7	38	.46	180	.08	4	1.25	.02	.10	1
300E 525N	1	29	13	128	.5	68	11	474	2.47	11	5	ND	3	27	1	2	3	34	.33	.178	10	45	.54	262	.10	5	2.19	.03	.10	1
300E 500N	1	8	7	58	.4	22	4	597	1.06	5	5	ND	1	13	1	2	2	22	.18	.067	3	14	.16	120	.06	3	.63	.03	.05	1
400E 1750N	1	48	29	125	.3	12	10	1665	2.34	25	5	ND	1	53	1	2	2	27	.73	.114	10	12	.31	415	.08	3	1.77	.03	.12	1
400E 1725N	1	39	28	104	.3	10	8	1690	1.75	19	5	ND	1	51	1	2	2	25	.84	.104	7	9	.24	265	.06	6	1.21	.03	.10	1
400E 1700N	1	32	17	63	.1	14	7	833	1.84	16	5	ND	1	45	1	2	2	29	.66	.070	8	13	.25	129	.08	4	1.56	.02	.06	1
400E 1675N	1	73	7	95	.6	13	9	871	2.06	16	5	ND	1	70	1	2	2	29	1.20	.103	12	16	.33	224	.06	10	1.60	.04	.08	1
400E 1650N	1	30	24	81	.1	15	8	1387	2.07	19	5	ND	1	42	1	2	2	33	.58	.124	9	18	.33	169	.07	5	1.55	.02	.08	1
400E 1625N	1	34	16	83	.3	21	11	1234	2.73	18	5	ND	1	37	1	2	2	42	.50	.103	15	26	.45	178	.10	4	2.22	.02	.11	1
400E 1600N	1	39	27	89	.1	18	11	1525	2.68	19	5	ND	1	36	1	2	2	40	.48	.116	12	28	.42	200	.10	3	2.20	.02	.10	1
400E 1575N	1	28	13	110	.1	11	9	1403	2.90	21	5	ND	1	33	1	2	2	31	.53	.111	7	14	.29	253	.08	7	1.49	.03	.09	1
400E 1550N	1	47	21	200	.3	17	11	1703	2.65	31	5	ND	1	44	1	2	2	35	.54	.134	11	19	.38	348	.10	6	2.11	.02	.11	1
400E 1525N	1	29	16	85	.4	28	10	913	2.44	16	5	ND	1	27	1	2	2	40	.35	.061	11	30	.43	155	.08	4	1.39	.02	.08	1
400E 1500N	1	27	13	79	.3	27	10	926	2.63	18	5	ND	2	17	1	2	4	42	.21	.054	9	25	.42	123	.09	2	1.65	.02	.06	1
400E 1475N	1	34	12	92	.3	21	11	1278	2.87	31	5	ND	1	27	1	2	2	42	.31	.152	9	24	.42	172	.06	5	1.77	.01	.07	1
STD C	21	58	41	131	6.9	66	29	1003	3.76	41	18	8	33	48	17	16	20	62	.48	.102	36	58	.88	177	.08	38	1.72	.06	.14	14

SAMPLE#	Hg	Cd	Pb	Zn	Ag	Mn	Cu	Mn	Fe	Al	P	As	Sn	Sr	Cd	Sb	Bi	Ni	Ca	Cr	Mg	Ba	Ti	F	Al	Na	K	N		
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM		
400E 1450N	1	33	15	99	.1	17	11	1265	2.60	22	5	ND	1	27	1	2	2	37	.32	.067	10	19	.42	184	.08	2	1.68	.02	.06	1
400E 1425N	1	39	11	113	.2	19	10	1108	2.37	19	5	ND	1	41	1	2	2	33	.52	.090	9	22	.37	202	.07	4	1.51	.03	.09	1
400E 1400N	1	21	7	92	.1	13	5	695	1.68	10	5	ND	1	41	1	2	2	27	.60	.056	6	13	.24	105	.08	2	1.14	.04	.05	1
400E 1375N	1	27	10	111	.1	13	7	571	1.97	19	5	ND	2	29	1	2	2	28	.34	.093	6	13	.27	117	.09	4	1.75	.04	.06	1
400E 1350N	1	32	13	137	.1	21	8	479	2.47	24	5	ND	3	28	1	2	2	31	.29	.087	8	16	.36	185	.10	6	2.22	.03	.07	1
400E 1325N	1	54	23	156	.8	45	9	522	2.28	22	6	ND	3	41	1	2	2	30	.60	.069	14	22	.37	123	.12	7	2.48	.04	.05	1
400E 1300N	1	54	18	102	.2	40	12	496	2.76	29	5	ND	3	30	1	2	2	31	.29	.217	9	30	.44	142	.09	7	2.25	.02	.07	1
400E 1275N	1	22	9	93	.2	31	9	502	2.19	16	5	ND	2	23	1	2	2	29	.23	.143	4	21	.27	128	.10	3	2.08	.03	.05	1
400E 1250N	1	42	10	94	.1	38	10	497	2.62	14	5	ND	3	24	1	2	2	34	.23	.110	7	32	.42	180	.08	7	1.68	.02	.07	1
400E 1225N	1	26	10	87	.1	34	9	524	2.31	10	5	ND	3	28	1	2	2	33	.29	.117	7	30	.39	178	.09	2	1.65	.03	.07	1
400E 1200N	1	30	17	63	.1	23	8	580	2.11	13	5	ND	3	30	1	2	2	29	.30	.139	6	20	.27	169	.08	2	1.52	.03	.07	1
400E 1175N	1	30	10	76	.1	38	9	590	2.37	12	5	ND	2	29	1	2	2	33	.33	.137	8	36	.45	194	.08	3	1.87	.03	.09	1
400E 1150N	1	18	9	59	.1	57	10	625	2.20	7	5	ND	2	25	1	2	2	33	.23	.111	7	51	.45	155	.08	2	1.45	.03	.06	1
400E 1125N	1	28	11	70	.1	55	10	479	2.42	8	5	ND	3	28	1	2	2	35	.28	.105	9	46	.53	194	.10	4	2.00	.03	.07	1
400E 700N	1	22	4	64	.3	70	9	483	2.18	5	5	ND	2	25	1	2	2	34	.24	.168	7	43	.50	174	.10	4	1.91	.03	.06	1
400E 675N	1	21	12	61	.1	94	13	706	2.71	4	5	ND	3	29	1	2	2	43	.29	.098	8	68	.78	183	.11	8	1.79	.02	.09	1
400E 650N	1	30	12	46	.1	86	9	558	1.95	6	5	ND	1	39	1	2	3	35	.57	.033	6	57	.51	119	.08	6	.97	.02	.05	1
400E 625N	1	41	9	55	1.0	120	11	373	2.67	7	5	ND	3	42	1	2	2	39	.50	.051	14	72	.61	227	.13	6	2.53	.04	.09	1
400E 600N	1	22	9	99	.1	50	9	1005	2.05	7	5	ND	2	55	1	2	2	27	.39	.530	7	31	.36	589	.09	2	2.15	.03	.07	1
400E 575N	1	12	3	60	.1	29	6	510	1.73	3	5	ND	1	20	1	2	2	29	.22	.208	4	26	.29	172	.09	4	1.51	.03	.05	1
400E 550N	1	13	5	94	.1	45	8	496	2.20	6	5	ND	2	22	1	2	2	33	.23	.196	7	42	.46	238	.09	2	1.64	.02	.06	1
400E 525N	1	6	7	63	.2	29	6	837	1.43	3	5	ND	1	20	1	2	2	26	.18	.100	4	24	.25	216	.08	3	.99	.03	.05	1
400E 500N	1	13	10	69	.2	62	8	463	1.99	7	5	ND	2	21	1	2	2	31	.22	.134	7	37	.40	190	.10	5	1.62	.03	.06	1
500E 1500N	1	39	20	146	.1	23	9	1251	2.35	14	5	ND	1	45	1	2	2	32	.63	.118	10	22	.35	270	.09	6	1.68	.03	.07	1
500E 1475N	1	40	12	120	.3	22	9	649	2.23	11	5	ND	4	41	1	2	2	30	.56	.076	11	19	.35	146	.11	4	2.04	.04	.06	1
500E 1450N	1	30	11	110	.2	26	9	636	2.50	16	5	ND	4	36	1	2	2	34	.45	.125	11	19	.33	184	.13	6	2.65	.04	.07	1
500E 1425N	1	31	8	87	.2	30	8	518	2.39	13	5	ND	3	31	1	2	2	34	.38	.103	13	22	.36	158	.11	3	2.06	.03	.06	1
500E 1400N	1	27	14	93	.1	26	8	765	2.16	14	5	ND	3	29	1	2	2	31	.30	.137	9	20	.33	265	.10	4	1.85	.03	.08	1
500E 1375N	1	23	9	134	.1	17	6	721	1.81	11	5	ND	2	34	1	2	2	24	.33	.216	6	12	.23	197	.10	6	2.03	.03	.06	1
500E 1350N	1	66	15	58	.8	40	10	650	2.31	14	7	ND	2	76	1	2	2	27	1.21	.054	17	23	.28	162	.13	6	2.77	.05	.05	1
500E 1325N	1	51	7	52	.6	26	6	431	1.54	8	5	ND	1	82	1	2	2	21	1.35	.060	13	15	.20	110	.08	4	1.80	.04	.03	1
500E 1300N	1	48	11	75	.5	38	10	450	2.33	11	5	ND	2	40	1	2	2	29	.48	.036	14	25	.35	111	.12	6	2.45	.04	.06	1
500E 1200N	1	26	9	79	.3	38	10	566	2.27	11	5	ND	3	22	1	2	2	32	.24	.134	7	32	.38	190	.09	4	1.62	.03	.06	1
500E 1175N	1	37	9	76	.3	54	12	396	2.60	9	5	ND	4	22	1	2	2	38	.24	.115	11	52	.54	143	.10	5	1.95	.02	.06	1
500E 1150N	1	33	6	66	.2	43	10	377	2.17	7	5	ND	4	25	1	2	2	33	.28	.092	9	34	.38	168	.12	3	2.15	.03	.06	1
500E 1125N	1	17	6	70	.3	38	7	641	1.64	8	5	ND	2	24	1	2	2	27	.25	.168	5	23	.24	209	.10	3	1.78	.03	.06	1
STD C	20	57	35	129	6.9	68	29	997	3.94	39	18	8	33	47	17	14	19	61	.48	.102	34	58	.88	176	.08	33	1.72	.06	.13	14

SOOKOCHOFF CONSULTANT PROJECT - OSSA RESOURCES FILE# 86-0002

SAMPLE#	Pb	Cu	Pb	Zn	Ag	Ki	Co	Mn	Fe	As	U	Au	Ta	Sr	Ed	Sb	Et	V	Ca	P	La	Cr	Mg	Ba	Ti	E	Al	Na	K	o
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
500E 1000N	1	24	7	71	.1	51	9	611	2.06	4	5	ND	1	3E	1	2	2	30	.53	.134	7	40	.47	15E	.10	5	2.06	.03	.05	1
500E 975N	1	15	8	58	.1	36	6	476	1.50	10	5	ND	1	24	1	2	4	25	.19	.160	4	24	.26	122	.08	3	1.50	.03	.04	1
500E 950N	1	19	8	41	.2	58	7	285	1.87	3	5	ND	2	26	1	2	2	29	.25	.054	6	34	.32	100	.10	3	1.90	.04	.04	1
500E 925N	1	24	12	66	.1	82	12	562	2.31	5	5	ND	1	38	1	2	2	34	.35	.185	5	79	.64	196	.10	4	1.56	.03	.06	1
500E 900N	1	19	10	88	.1	65	8	826	1.91	5	5	ND	1	29	1	2	2	31	.29	.142	6	40	.40	207	.09	3	1.52	.02	.06	1
500E 875N	1	18	9	69	.2	44	9	491	1.99	6	5	ND	2	27	1	2	2	29	.27	.150	8	33	.37	171	.11	2	2.27	.04	.06	1
500E 850N	1	53	7	54	.2	100	16	544	3.38	10	5	ND	3	51	1	2	2	52	.56	.094	14	104	1.31	94	.11	5	1.39	.02	.08	1
500E 700N	1	34	9	65	.1	110	14	412	3.32	7	5	ND	2	27	1	2	2	48	.27	.049	8	81	.92	187	.11	4	2.18	.02	.12	1
500E 675N	1	27	10	69	.1	80	11	436	2.50	10	5	ND	2	31	1	2	2	35	.33	.218	8	53	.63	191	.10	2	2.01	.02	.09	1
500E 650N	1	15	8	69	.1	29	6	709	1.48	6	5	ND	1	34	1	2	2	24	.33	.244	4	22	.25	286	.08	5	1.33	.03	.07	1
500E 625N	1	20	7	66	.1	74	10	419	2.36	6	5	ND	1	30	1	2	2	37	.24	.165	5	59	.71	177	.09	2	1.66	.02	.08	1
500E 600N	1	12	8	61	.1	48	7	416	1.99	5	5	ND	1	20	1	2	4	32	.18	.098	3	38	.48	169	.08	7	1.24	.02	.06	1
500E 575N	1	21	5	63	.1	84	11	393	2.69	8	5	ND	2	26	1	2	2	41	.23	.122	8	51	.64	201	.10	5	1.95	.02	.09	1
500E 550N	1	19	8	68	.1	71	9	487	2.40	7	5	ND	2	26	1	2	2	35	.21	.193	7	41	.50	257	.10	2	2.08	.02	.07	1
500E 525N	1	32	7	48	.5	73	10	264	2.65	4	5	ND	4	20	1	2	2	42	.22	.092	16	44	.58	147	.12	3	2.33	.02	.08	3
500E 500N	1	24	8	60	.2	84	9	281	2.39	7	5	ND	3	24	1	2	2	36	.23	.160	10	38	.48	159	.11	2	2.40	.03	.07	1
600E 1650N	1	39	46	94	.1	18	11	1653	2.61	22	5	ND	1	27	1	2	2	39	.36	.112	9	21	.39	217	.08	5	2.01	.02	.10	1
600E 1625N	1	35	21	73	.3	12	10	1275	2.53	24	5	ND	1	32	1	2	2	37	.48	.109	11	14	.36	249	.10	2	2.63	.02	.12	1
600E 1600N	1	38	17	91	.3	11	10	1502	2.46	23	5	ND	1	42	1	2	2	33	.67	.101	12	13	.34	295	.07	3	2.27	.02	.15	1
600E 1575N	1	36	10	84	.3	12	9	835	2.55	16	5	ND	2	32	1	2	2	34	.40	.044	11	12	.35	235	.08	2	2.19	.03	.17	1
600E 1550N	1	39	12	100	.1	20	11	1044	2.32	16	5	ND	1	39	1	2	2	33	.54	.090	10	19	.39	226	.05	5	1.59	.02	.12	1
600E 1525N	1	49	20	113	.3	21	10	968	2.67	31	5	ND	1	34	1	2	2	35	.50	.072	13	23	.40	178	.07	4	1.67	.02	.10	1
600E 1500N	1	35	14	94	.2	20	8	641	2.22	17	5	ND	2	36	1	2	2	30	.48	.065	10	18	.31	206	.09	7	2.82	.03	.09	1
600E 1475N	1	22	12	69	.1	21	8	651	2.09	12	5	ND	1	26	1	2	2	32	.33	.049	8	21	.34	204	.08	7	1.42	.03	.10	2
600E 1450N	1	27	11	72	.1	24	8	576	2.39	15	5	ND	2	31	1	2	2	36	.37	.073	9	24	.40	218	.09	3	1.61	.02	.09	1
600E 1425N	1	23	10	104	.1	30	8	640	2.21	15	5	ND	2	24	1	2	2	31	.28	.231	8	24	.33	226	.09	3	1.87	.03	.07	1
600E 1400N	1	27	11	81	.1	45	9	301	2.61	19	5	ND	3	23	1	2	2	38	.29	.076	11	34	.41	154	.11	3	2.27	.03	.07	1
600E 1400NA	1	23	8	110	.1	20	7	789	1.98	12	5	ND	2	31	1	2	2	27	.44	.191	10	17	.26	235	.11	8	2.27	.04	.08	1
600E 1375N	1	23	13	90	.1	20	6	484	1.88	13	5	ND	2	23	1	2	2	28	.26	.144	7	14	.22	173	.11	7	2.26	.04	.06	1
600E 1325N	1	32	7	83	.2	26	9	226	2.68	20	5	ND	3	20	1	2	2	40	.26	.069	9	32	.44	96	.07	2	1.52	.02	.06	1
600E 1300N	1	29	8	64	.1	27	8	297	2.46	12	5	ND	2	15	1	2	2	34	.19	.075	7	30	.42	109	.05	5	.98	.01	.05	1
600E 1000N	1	16	9	61	.1	40	7	550	1.82	6	5	ND	2	22	1	2	2	28	.24	.148	5	30	.34	168	.09	5	1.62	.03	.04	1
600E 975N	1	24	12	38	.1	71	10	230	2.47	8	5	ND	3	39	1	2	2	40	.52	.020	13	76	.65	103	.10	7	1.25	.02	.06	1
600E 950N	1	29	10	33	.1	79	12	328	2.81	6	5	ND	4	21	1	2	2	47	.35	.087	17	75	.64	53	.07	2	.82	.01	.06	1
600E 925N	1	20	7	81	.1	60	10	539	2.41	3	5	ND	2	29	1	2	2	35	.32	.079	11	52	.51	131	.10	6	1.91	.03	.06	1
600E 900N	1	33	11	61	.4	95	10	353	2.52	6	5	ND	3	36	1	2	3	34	.40	.045	17	54	.54	151	.12	4	2.26	.03	.05	1
STD C	20	63	35	127	6.5	65	28	984	3.94	39	17	8	33	47	16	15	19	60	.48	.099	37	57	.88	172	.08	38	1.72	.06	.12	13

SOOKOCHOFF CONSULTANT PROJECT - OSSA RESOURCES FILE# 86-3332

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	P	Al	Na	K	M
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
600E 875M	1	13	5	61	.1	40	7	408	1.75	9	5	ND	1	25	1	2	2	26	.27	.199	4	41	.36	214	.07	2	1.16	.02	.04	1
600E 850M	1	11	4	57	.4	33	5	736	1.43	6	7	ND	1	29	1	2	2	24	.27	.179	4	25	.24	253	.07	4	1.06	.03	.06	1
600E 650M	1	13	2	38	.1	27	4	483	1.18	2	5	ND	1	18	1	2	2	22	.16	.081	4	15	.17	125	.08	3	1.11	.04	.02	1
600E 625M	1	14	6	63	.2	52	7	502	1.84	8	5	ND	1	23	1	2	2	33	.27	.042	5	37	.47	144	.09	3	1.29	.02	.07	1
600E 600M	1	19	4	69	.2	47	8	574	2.34	7	5	ND	2	27	1	2	2	36	.38	.048	8	45	.54	159	.09	7	1.38	.02	.11	1
600E 575M	1	17	7	96	.1	34	6	504	1.74	17	5	ND	1	29	1	2	2	24	.31	.292	6	18	.24	211	.10	5	2.28	.03	.06	1
600E 550M	1	19	2	90	.2	60	9	512	2.46	9	5	ND	2	22	1	2	2	37	.20	.207	9	46	.55	242	.08	5	1.92	.02	.06	1
600E 525M	1	20	8	67	.3	64	8	493	2.18	11	5	ND	3	29	1	2	2	35	.26	.131	12	36	.42	187	.11	3	2.01	.03	.09	1
600E 500M	1	23	12	72	.2	61	9	380	2.26	10	5	ND	3	26	1	2	2	36	.21	.156	12	38	.46	188	.10	6	1.93	.02	.06	1
600E 250M	1	17	10	61	.2	105	10	247	2.34	9	5	ND	2	22	1	2	2	37	.25	.080	8	48	.54	172	.10	2	1.59	.02	.07	1
600E 225M	1	14	9	58	.2	55	7	508	1.92	7	5	ND	1	24	1	2	3	31	.22	.157	7	32	.37	199	.09	4	1.60	.03	.06	1
600E 200M	1	19	5	56	.2	79	9	320	2.29	4	5	ND	2	21	1	2	2	34	.21	.260	11	42	.43	205	.10	4	2.08	.02	.06	1
600E 175M	1	20	7	64	.2	62	8	572	1.89	8	5	ND	2	25	1	2	2	29	.25	.168	8	29	.33	196	.11	5	2.22	.03	.08	1
600E 150M	1	20	7	67	.3	84	10	668	2.18	9	5	ND	2	21	1	2	2	35	.23	.112	7	46	.47	204	.09	2	1.49	.02	.08	1
600E 125M	1	16	6	42	.1	52	9	496	2.23	8	5	ND	2	19	1	2	2	41	.25	.030	8	58	.63	97	.10	4	.97	.02	.07	1
600E 100M	1	29	11	72	.1	79	16	653	3.29	13	5	ND	1	22	1	2	2	51	.30	.064	12	80	.85	124	.09	2	1.71	.01	.12	1
700E 1500M	1	57	15	99	.4	28	15	991	3.04	30	5	ND	2	29	1	2	2	45	.49	.060	15	27	.56	179	.08	2	2.05	.02	.12	1
700E 1475M	1	55	9	145	.2	21	13	1594	2.66	26	5	ND	1	30	1	2	2	37	.61	.104	13	22	.46	225	.06	2	1.87	.02	.16	1
700E 1450M	1	39	11	108	.1	26	13	1114	2.51	23	5	ND	1	38	1	2	2	36	.59	.097	12	22	.44	204	.07	4	1.66	.02	.13	1
700E 1425M	1	31	7	104	.2	21	9	873	2.06	19	5	ND	2	42	1	2	2	32	.39	.156	8	20	.34	274	.07	4	1.34	.03	.09	1
700E 1400M	1	28	12	111	.1	27	9	857	2.23	18	5	ND	3	32	1	2	2	32	.36	.217	10	23	.36	238	.09	3	1.81	.02	.06	1
700E 1375M	1	27	4	86	.1	27	10	895	2.37	22	5	ND	2	23	1	2	2	35	.32	.148	10	25	.39	245	.08	5	1.67	.02	.07	1
700E 1350M	1	23	13	88	.1	24	8	456	2.25	20	5	ND	5	18	1	2	2	35	.20	.109	9	24	.38	201	.09	4	1.84	.02	.05	1
700E 1325M	1	23	7	82	.1	29	8	434	2.35	14	5	ND	3	19	1	2	2	36	.20	.111	9	28	.41	167	.09	4	1.75	.02	.07	1
700E 1300M	1	29	10	91	.1	32	8	697	2.27	17	5	ND	2	22	1	2	2	35	.23	.109	10	25	.37	195	.10	5	1.80	.03	.07	1
700E 1275M	1	30	10	83	.2	39	10	448	2.56	16	5	ND	3	17	1	2	2	39	.21	.111	8	28	.45	144	.08	4	1.66	.02	.07	2
700E 1250M	1	27	8	73	.1	31	9	538	2.22	17	5	ND	1	22	1	2	2	35	.26	.093	10	28	.41	144	.08	2	1.49	.02	.07	1
700E 1225M	1	13	10	107	.2	29	7	720	1.95	12	5	ND	2	27	1	2	4	30	.27	.129	8	32	.37	291	.08	3	1.32	.02	.07	1
700E 1200M	1	16	6	102	.1	34	7	730	2.01	15	5	ND	1	24	1	2	2	30	.27	.182	7	31	.34	288	.08	4	1.44	.02	.06	1
700E 1175M	1	16	8	69	.1	22	6	547	1.66	8	5	ND	1	30	1	2	3	27	.36	.171	6	20	.24	176	.07	3	1.29	.03	.07	1
700E 1150M	1	20	6	97	.1	21	8	606	2.15	12	5	ND	1	17	1	2	2	33	.23	.129	7	24	.36	155	.07	4	1.45	.02	.06	1
700E 650M	1	20	8	40	.2	56	7	410	1.69	9	5	ND	2	28	1	2	2	30	.30	.052	6	23	.27	137	.09	2	1.46	.03	.05	1
700E 625M	1	15	11	37	.1	52	6	286	1.63	8	5	ND	1	25	1	2	2	28	.28	.032	6	21	.26	75	.10	25	1.61	.03	.06	1
700E 600M	1	17	12	89	.1	42	7	931	1.78	6	5	ND	1	49	1	2	3	27	.50	.272	6	21	.28	268	.11	6	1.99	.03	.08	1
700E 575M	1	20	8	49	.2	62	6	576	1.67	8	5	ND	1	36	1	2	2	30	.41	.105	7	20	.30	146	.10	5	1.81	.03	.06	2
700E 550M	1	18	4	50	.1	50	7	534	1.67	11	5	ND	1	26	1	2	2	29	.30	.113	6	25	.29	110	.10	4	1.63	.04	.05	1
STD C	21	58	40	132	6.9	68	30	1016	3.95	40	17	8	33	48	17	15	20	63	.48	.098	37	59	.88	181	.08	38	1.72	.06	.12	13

SOOKOCHOFF CONSULTANT PROJECT - OSSA RESOURCES FILE # 86-3332

SAMPLE#	Mc PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Tl PPM	Sr PPM	Ce PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Hg %	Ba PPM	Ti %	F PPM	Al %	Na %	K %	B PPM
1600E 1375N	1	33	16	334	.1	35	11	446	3.24	14	5	ND	4	23	1	2	2	39	.40	.048	15	26	.45	167	.11	4	2.35	.02	.08	1
1600E 1350N	1	32	9	244	.1	36	9	399	2.81	19	5	ND	2	18	1	2	2	41	.30	.080	9	28	.42	156	.10	2	2.27	.02	.09	1
1600E 1325N	1	42	3	260	.1	32	8	538	2.03	13	5	ND	2	19	1	2	2	29	.48	.037	10	22	.32	120	.08	4	1.46	.03	.05	1
1600E 1300N	1	33	6	175	.2	28	6	414	1.92	16	5	ND	2	20	1	2	2	29	.42	.030	9	22	.27	154	.09	5	1.77	.04	.08	1
1600E 1275N	1	28	7	143	.1	26	8	285	2.28	18	5	ND	3	20	1	2	2	34	.33	.032	10	25	.32	169	.11	3	2.28	.03	.09	1
1600E 1250N	1	17	12	106	.1	34	7	423	2.15	21	5	ND	2	16	1	2	2	32	.19	.204	8	23	.32	223	.10	2	2.19	.02	.08	1
1600E 1225N	1	16	6	118	.1	29	7	554	2.00	13	5	ND	2	16	1	2	2	30	.21	.137	7	22	.31	198	.10	2	1.82	.02	.09	1
1600E 1200N	1	16	9	106	.1	31	6	371	1.91	15	5	ND	3	16	1	2	2	28	.16	.166	7	17	.25	214	.11	3	2.40	.03	.06	1
1600E 1175N	1	21	10	122	.1	34	7	399	2.21	13	5	ND	2	19	1	2	2	32	.24	.203	8	24	.33	242	.10	3	2.24	.03	.09	1
1600E 1150N	1	12	7	115	.1	23	6	578	1.72	11	5	ND	3	20	1	2	2	26	.22	.175	5	17	.22	206	.09	2	1.78	.03	.07	1
1600E 1000N	1	269	6	71	.2	37	17	458	2.60	17	5	ND	2	26	1	2	2	35	.55	.087	12	33	.50	131	.07	2	1.43	.02	.06	1
1600E 975N	1	16	10	82	.1	32	6	558	1.88	6	5	ND	2	22	1	2	3	27	.29	.093	8	28	.33	200	.07	5	1.27	.02	.08	1
1600E 950N	1	24	6	87	.2	35	8	485	2.12	13	5	ND	2	21	1	2	2	30	.27	.059	11	32	.33	202	.10	6	2.03	.03	.06	1
1600E 925N	1	19	5	109	.1	32	8	684	1.98	11	5	ND	1	22	1	2	2	29	.28	.169	8	26	.32	172	.08	2	1.66	.02	.06	1
1600E 900N	1	23	14	107	.2	35	7	669	1.98	12	5	ND	1	32	1	2	2	29	.28	.177	9	24	.33	261	.10	2	2.00	.03	.08	1
1600E 875N	1	21	8	117	.3	33	7	466	2.04	14	5	ND	2	21	1	2	2	30	.24	.167	9	24	.33	225	.10	4	2.02	.03	.08	1
1600E 850N	1	21	8	112	.2	34	7	383	2.02	16	5	ND	3	18	1	2	2	30	.20	.138	9	23	.31	156	.10	2	1.95	.02	.08	1
STD C	20	53	34	129	6.8	63	29	994	3.95	39	18	8	32	47	16	15	19	61	.48	.099	36	57	.88	176	.08	38	1.72	.06	.13	13

Unit

SAMPLE#	Pb PPM	Cd PPM	Pb PPM	Zn PPM	Ag PPM	Mn PPM	Cd PPM	Mn PPM	Fe %	As PPM	Cu PPM	Au PPM	Tl PPM	Sr PPM	Cd PPM	Sb PPM	Et PPM	V PPM	Ca %	F %	La PPM	Cr PPM	Hg %	Ba PPM	Ti %	E PPM	Al %	Na %	P %	K PPM
500N 1200N	1	19	2	88	.1	9	15	327	3.67	4	5	ND	2	27	1	2	2	39	.42	.073	11	7	1.43	216	.06	2	1.51	.05	.20	1
400N 425N	25	840	6	48	.2	167	93	113	5.97	5	5	ND	1	15	1	2	2	21	.18	.038	3	2	3.34	26	.01	3	1.99	.01	.31	1
400N 400N	1	991	2	25	.1	21	21	152	2.65	4	5	ND	1	51	1	2	2	19	1.27	.081	5	3	1.00	55	.01	2	1.56	.06	.30	1

SOKOCHOFF CONSULTANT PROJECT OSSA RESOURCES FILE # 86-0000

SAMPLE#	As	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Pb	V	Ca	P	La	Cr	Hg	Ba	Ti	B	Al	Na	K	M
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
800E 1650M	2	33	18	94	.2	29	11	1121	2.58	31	5	ND	1	29	1	2	4	38	.44	.074	10	24	.48	135	.07	3	1.78	.02	.08	2
800E 1625M	1	39	19	77	.2	27	12	1027	2.81	34	5	ND	1	24	1	2	2	41	.25	.078	14	25	.48	120	.08	5	2.22	.02	.07	1
800E 1600M	1	34	20	75	.1	24	11	1070	2.51	26	5	ND	1	26	1	2	3	37	.36	.067	12	21	.43	131	.08	3	2.01	.02	.08	1
800E 1575M	1	66	17	134	.1	19	12	1149	2.42	31	5	ND	1	33	1	2	2	28	.82	.070	12	17	.44	159	.08	26	1.87	.02	.08	3
800E 1550M	1	44	17	173	.3	16	9	1567	1.87	17	5	ND	1	34	1	2	2	22	1.21	.105	8	13	.26	235	.06	6	1.32	.02	.09	1
800E 1525M	1	39	18	114	.1	27	12	1130	2.71	24	5	ND	1	25	1	2	2	35	.53	.083	13	23	.46	173	.07	7	1.91	.01	.13	1
800E 1500M	1	41	18	120	.2	26	12	1507	2.63	32	5	ND	1	36	1	2	2	36	.59	.100	10	22	.42	227	.07	4	1.88	.02	.10	1
800E 1475M	1	66	18	105	.3	28	14	1034	3.56	40	5	ND	2	26	1	2	2	42	.36	.060	17	29	.56	181	.07	2	2.07	.01	.13	1
800E 1450M	1	31	8	79	.1	24	9	862	2.28	22	5	ND	1	30	1	2	2	32	.34	.079	9	23	.40	194	.06	5	1.50	.02	.11	1
800E 1425M	1	31	12	138	.1	32	10	785	2.35	19	5	ND	1	32	1	2	2	32	.28	.141	10	25	.41	254	.07	6	1.57	.02	.08	1
800E 1400M	1	18	12	123	.1	23	8	996	1.88	14	5	ND	1	35	1	2	2	29	.36	.192	7	18	.30	286	.07	6	1.23	.03	.08	1
800E 1375M	1	35	13	97	.1	32	9	581	2.37	18	5	ND	2	32	1	2	2	34	.37	.118	12	24	.37	163	.10	5	2.16	.03	.06	1
800E 1350M	1	29	17	102	.1	22	7	593	2.25	20	5	ND	2	34	1	2	4	30	.42	.080	11	20	.35	164	.11	7	2.34	.04	.07	1
800E 1325M	1	29	13	89	.1	21	8	321	2.16	24	5	ND	2	17	1	2	2	30	.20	.126	10	19	.32	165	.10	3	2.41	.03	.06	1
800E 1300M	1	27	9	71	.1	30	9	389	2.23	17	5	ND	3	23	1	2	2	34	.21	.089	12	32	.40	151	.08	3	1.66	.02	.07	1
800E 1275M	1	17	10	82	.3	27	8	631	2.09	12	5	ND	1	23	1	2	2	30	.22	.143	8	25	.34	252	.08	2	1.63	.02	.07	1
800E 1250M	1	18	12	78	.2	23	7	776	2.09	16	5	ND	2	27	1	2	2	30	.26	.176	8	24	.35	255	.07	4	1.73	.02	.07	1
800E 1225M	1	16	9	70	.1	26	7	673	1.89	10	5	ND	1	21	1	2	2	28	.26	.068	7	21	.33	172	.07	3	1.34	.02	.07	1
800E 1200M	1	16	8	83	.1	29	8	528	2.03	12	5	ND	1	24	1	2	3	31	.24	.088	8	29	.37	185	.07	4	1.35	.02	.08	1
800E 1050M	1	21	10	79	.2	27	8	475	2.13	11	5	ND	1	21	1	2	2	32	.23	.070	8	29	.44	162	.06	4	1.31	.02	.12	1
800E 1025M	1	27	13	102	.1	23	10	501	2.74	15	5	ND	1	21	1	2	2	37	.28	.074	10	29	.58	208	.05	2	1.61	.02	.12	1
800E 1000M	1	69	10	86	.1	46	17	755	4.08	26	5	ND	4	26	1	2	2	65	.39	.066	14	51	1.09	144	.06	3	2.00	.02	.15	1
800E 975M	1	22	7	47	.1	48	10	242	2.61	8	5	ND	2	21	1	2	2	41	.26	.048	12	58	.73	78	.08	5	1.16	.01	.08	1
800E 950M	1	11	9	50	.1	28	7	447	2.03	5	5	ND	1	20	1	2	2	32	.22	.030	9	38	.44	118	.07	2	1.10	.02	.08	1
800E 925M	1	27	13	67	.1	29	9	271	2.66	13	5	ND	2	18	1	2	2	40	.22	.041	10	38	.59	86	.06	2	1.18	.01	.09	1
800E 900M	1	30	5	57	.1	32	9	301	2.57	12	5	ND	1	18	1	2	2	40	.22	.044	12	37	.60	76	.07	2	1.33	.02	.10	1
800E 875M	1	17	8	63	.1	33	6	307	1.94	7	5	ND	1	21	1	2	2	29	.25	.049	7	28	.38	126	.06	8	1.09	.02	.06	1
800E 850M	1	24	11	66	.3	44	9	411	2.34	7	5	ND	2	26	1	2	3	35	.27	.063	10	35	.45	154	.08	7	1.41	.02	.09	1
800E 825M	1	24	12	73	.1	39	9	396	2.29	10	5	ND	2	25	1	2	2	33	.24	.107	10	32	.42	174	.08	5	1.77	.02	.08	1
800E 800M	1	17	12	87	.1	35	7	460	2.08	7	5	ND	2	23	1	2	2	30	.21	.128	8	29	.37	194	.07	4	1.40	.02	.07	1
800E 775M	1	18	11	57	.1	45	9	262	2.29	9	5	ND	3	19	1	2	2	33	.18	.094	8	34	.41	159	.10	2	1.92	.02	.07	1
800E 750M	1	27	9	52	.1	61	10	238	2.41	10	5	ND	2	25	1	2	2	36	.25	.074	12	42	.48	150	.11	3	2.11	.02	.07	1
800E 725M	1	16	6	61	.3	60	8	360	2.11	7	5	ND	2	23	1	2	2	31	.26	.120	8	33	.36	165	.09	4	1.80	.02	.07	1
800E 700M	1	18	5	51	.1	48	9	435	2.11	7	5	ND	1	28	1	2	2	32	.31	.074	7	44	.47	162	.07	3	.99	.02	.06	1
800E 675M	1	18	8	85	.1	48	9	560	2.31	5	5	ND	1	24	1	2	2	32	.27	.106	9	42	.45	204	.07	3	1.46	.02	.07	1
800E 650M	1	17	4	115	.1	34	7	711	1.90	5	5	ND	1	30	1	2	2	24	.29	.273	8	24	.29	351	.08	6	1.91	.03	.06	1
STD C	20	57	39	129	6.7	65	29	993	3.95	39	18	7	32	47	17	16	22	61	.48	.098	36	57	.86	177	.08	36	1.72	.06	.13	13

SOOKCHOFF CONSULTANT PROJECT - OSSA RESOURCES FILE# 86-3332

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Pi	V	Ca	P	La	Cr	Hg	Ba	Ti	F	Al	Na	K	M
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM
800E 625M	1	25	9	77	.2	33	10	404	2.35	15	5	ND	1	25	1	2	2	40	.34	.058	7	38	.41	139	.07	6	1.68	.02	.06	1
800E 600M	1	28	7	137	.3	34	9	476	2.41	9	5	ND	2	32	1	2	2	34	.40	.123	10	32	.41	169	.10	5	2.28	.03	.07	1
800E 150M	1	16	9	68	.2	36	6	446	1.86	10	6	ND	2	18	1	2	2	27	.16	.287	4	23	.21	163	.12	6	2.43	.03	.05	1
800E 125M	1	16	7	58	.2	60	6	419	1.80	7	5	ND	2	19	1	2	3	28	.18	.102	4	23	.27	194	.12	2	2.32	.03	.05	1
800E 100M	1	22	8	63	.1	88	10	495	2.47	5	5	ND	3	25	1	2	2	40	.24	.095	8	49	.54	178	.11	5	2.0E	.03	.07	1
800E 75M	1	13	6	57	.3	53	6	739	1.64	12	5	ND	3	22	1	2	3	24	.15	.219	5	15	.19	197	.13	2	2.86	.03	.05	1
800E 50M	1	33	8	46	.3	100	12	229	2.83	7	5	ND	3	18	1	2	2	47	.22	.073	10	70	.71	162	.12	2	1.96	.02	.08	2
1000E 1650M	2	42	9	71	.1	71	15	1014	2.88	25	5	ND	1	18	1	2	2	42	.25	.044	7	35	.47	112	.07	2	1.55	.01	.09	1
1000E 1625M	1	50	55	102	.3	48	16	890	3.34	44	6	ND	2	19	1	2	2	46	.24	.059	13	34	.55	188	.08	5	1.97	.01	.07	2
1000E 1600M	1	34	24	82	.1	52	14	930	2.64	25	5	ND	1	23	1	2	2	39	.30	.079	9	33	.46	127	.08	2	1.83	.01	.08	1
1000E 1575M	1	38	13	74	.3	42	13	660	2.70	19	5	ND	2	21	1	2	2	41	.24	.057	11	29	.47	110	.10	2	2.16	.02	.07	1
1000E 1550M	1	40	17	68	.2	40	13	818	2.77	27	5	ND	1	20	1	2	2	43	.27	.055	10	34	.52	104	.06	2	1.58	.02	.07	1
1000E 1525M	1	31	15	70	.1	25	11	1140	2.36	19	5	ND	1	22	1	2	2	38	.30	.069	9	23	.38	128	.08	2	1.68	.02	.05	1
1000E 1500M	1	42	21	85	.1	27	13	1535	2.55	34	5	ND	1	33	1	2	2	39	.47	.083	7	21	.39	189	.07	2	1.68	.02	.08	1
1000E 1475M	1	42	21	100	.1	29	12	1042	2.72	31	5	ND	1	24	1	2	2	41	.31	.120	11	24	.43	145	.10	3	2.30	.02	.07	1
1000E 1450M	1	32	15	92	.2	24	11	1656	2.29	24	5	ND	1	31	1	2	2	36	.45	.074	8	21	.37	243	.08	2	1.65	.02	.07	1
1000E 1425M	1	33	12	74	.1	28	10	1327	2.35	15	5	ND	1	29	1	2	2	37	.31	.080	10	23	.40	210	.07	3	1.76	.02	.08	1
1000E 1400M	1	32	10	88	.2	26	11	1670	2.28	17	5	ND	1	35	1	2	2	36	.47	.060	10	24	.36	232	.07	6	1.51	.02	.07	1
1000E 1375M	1	36	34	118	.9	25	11	1342	2.44	37	5	ND	1	32	1	2	2	35	.38	.087	9	24	.37	180	.07	3	1.76	.02	.06	1
1000E 1350M	1	29	7	87	.1	19	9	1011	2.11	24	5	ND	1	20	1	2	2	33	.24	.114	8	17	.30	109	.07	3	1.53	.02	.06	1
1000E 1325M	1	30	17	95	.1	26	11	1019	2.39	22	5	ND	1	24	1	2	2	37	.30	.081	10	22	.40	115	.09	2	1.85	.02	.06	1
1000E 1300M	1	27	16	72	.1	28	9	814	2.38	20	5	ND	1	23	1	2	3	38	.22	.037	9	26	.43	176	.09	3	1.66	.02	.07	1
1000E 1275M	1	41	15	91	.4	28	10	539	2.44	18	5	ND	3	31	1	2	4	37	.30	.156	15	23	.38	177	.12	3	2.60	.03	.09	1
1000E 1250M	1	28	9	79	.1	30	9	628	2.29	18	5	ND	2	31	1	2	2	36	.33	.137	10	25	.40	221	.09	2	1.89	.02	.07	1
1000E 1225M	1	25	15	91	.2	28	8	543	2.04	10	5	ND	2	30	1	2	2	31	.29	.152	9	23	.33	233	.09	2	1.86	.02	.08	1
1000E 1200M	1	18	8	77	.1	22	6	627	1.64	12	5	ND	1	23	1	2	3	27	.23	.125	8	16	.24	170	.09	2	1.54	.03	.07	1
1000E 1175M	1	36	11	129	.5	37	8	866	2.15	14	5	ND	3	31	1	2	2	32	.31	.204	13	20	.32	298	.10	6	2.16	.03	.10	1
1000E 1150M	1	15	8	79	.1	18	6	460	1.52	9	5	ND	1	23	1	2	2	26	.21	.127	6	15	.24	154	.08	3	1.24	.03	.07	1
1000E 1125M	1	15	6	83	.1	25	7	666	2.04	11	5	ND	2	32	1	2	3	31	.31	.134	6	22	.36	264	.07	2	1.33	.02	.08	1
1000E 1100M	1	20	13	87	.1	23	7	583	1.96	10	5	ND	2	31	1	2	4	30	.31	.101	9	21	.34	197	.08	2	1.45	.02	.07	1
1000E 1075M	1	13	16	72	.1	21	7	890	1.91	6	5	ND	1	28	1	2	2	30	.31	.040	8	23	.35	199	.07	3	1.03	.02	.10	1
1000E 1050M	1	25	6	128	.1	23	6	812	1.59	15	5	ND	1	29	1	2	3	24	.28	.256	6	14	.23	331	.08	5	1.52	.04	.08	1
1000E 1025M	1	20	7	77	.1	30	8	800	2.11	12	5	ND	1	18	1	2	2	33	.28	.064	6	29	.41	240	.06	2	1.02	.02	.11	1
1000E 1000M	1	38	11	70	.1	33	10	372	2.86	20	5	ND	2	19	1	2	2	42	.28	.042	12	39	.56	123	.08	2	1.29	.01	.16	1
1000E 975M	1	19	13	61	.1	24	6	894	1.71	8	5	ND	1	33	1	2	2	28	.46	.089	6	19	.27	291	.07	4	1.09	.03	.14	1
1000E 950M	1	25	2	132	.2	27	7	918	1.81	16	5	ND	1	28	1	2	2	24	.28	.317	7	16	.23	376	.08	2	1.78	.03	.07	1
STD C	20	57	40	130	6.9	68	30	1002	3.94	38	18	8	33	48	17	16	19	62	.48	.098	38	59	.88	179	.08	38	1.72	.06	.13	13

SOOKOCHOFF CONSULTANT PROJECT-OSSA RESOURCES FILE# 86-3332

SAMPLE#	Hg	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Pi	V	Ca	P	La	Cr	Mg	Ba	Ti	F	Al	Na	K	W
	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	I	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	PPH	I	I	PPH	PPH	I	PPH	I	PPH	I	I	I	PPH
1000E 925N	1	30	10	106	.1	32	8	682	2.14	11	5	ND	2	35	1	2	2	30	.47	.177	11	26	.40	266	.07	4	1.71	.02	.07	1
1000E 900N	1	37	9	72	.2	32	9	465	2.31	12	5	ND	2	22	1	2	2	33	.60	.055	12	37	.62	127	.06	2	1.28	.02	.09	1
1000E 875N	1	171	3	49	.3	35	14	405	2.35	15	6	ND	5	87	1	2	2	32	6.66	.047	13	35	.63	71	.06	5	1.04	.01	.07	2
1000E 850N	1	26	8	78	.1	28	7	561	1.99	10	5	ND	2	22	1	2	2	30	.33	.091	10	24	.37	165	.08	4	1.63	.03	.10	1
1000E 700N	1	18	10	57	.2	31	7	480	1.83	6	5	ND	2	25	1	2	2	29	.34	.047	9	28	.39	175	.08	4	1.29	.03	.10	1
1000E 675N	1	20	8	59	.1	36	7	388	2.05	7	5	ND	3	27	1	2	2	31	.29	.067	10	31	.42	205	.08	7	1.48	.02	.12	1
1000E 650N	1	17	10	84	.1	44	8	591	2.12	6	5	ND	3	26	1	2	2	31	.34	.075	11	33	.42	210	.08	3	1.45	.02	.09	1
1000E 625N	1	23	9	74	.2	37	8	313	2.31	10	5	ND	3	23	1	2	3	36	.30	.060	13	39	.56	141	.09	2	1.15	.02	.10	1
1000E 600N	1	21	8	72	.1	47	8	485	2.09	6	5	ND	2	25	1	2	2	31	.27	.144	11	31	.44	177	.09	4	1.69	.02	.08	1
1000E 575N	1	18	4	97	.4	63	8	514	2.18	9	6	ND	3	26	1	2	2	32	.28	.152	12	31	.44	215	.09	3	1.87	.02	.11	1
1000E 550N	1	20	13	96	.2	48	8	587	2.11	10	5	ND	2	31	1	2	2	31	.34	.181	11	32	.41	243	.09	5	1.79	.03	.09	1
1200E 1500NBL	1	35	9	143	.2	28	11	1387	2.37	17	5	ND	1	23	1	2	2	38	.30	.066	10	26	.43	239	.08	6	1.84	.02	.08	1
1200E 1475N	1	25	19	118	.2	16	7	1313	1.86	14	5	ND	1	21	1	2	2	30	.28	.089	7	15	.25	184	.08	2	1.31	.02	.05	1
1200E 1450N	1	25	17	87	.1	21	9	1026	2.25	14	5	ND	1	22	1	2	2	36	.24	.072	10	23	.33	191	.09	3	2.10	.02	.05	1
1200E 1425N	1	28	21	118	.2	17	9	1657	2.27	14	5	ND	1	23	1	2	2	36	.29	.065	8	19	.32	197	.09	4	1.71	.02	.06	1
1200E 1400N	1	30	23	131	.1	16	9	1887	2.31	37	5	ND	1	29	1	2	2	35	.40	.085	7	16	.30	262	.07	2	1.54	.02	.06	1
1200E 1375N	1	35	19	113	.2	23	11	1050	2.83	45	5	ND	2	18	1	2	2	40	.18	.052	13	24	.43	187	.09	2	1.99	.02	.07	1
1200E 1350N	1	28	12	85	.1	21	10	982	2.35	27	5	ND	1	21	1	2	2	35	.23	.058	11	21	.38	135	.08	3	1.73	.02	.04	1
1200E 1325N	1	30	12	90	.2	21	9	969	2.40	25	5	ND	1	18	1	2	2	36	.19	.064	11	23	.38	121	.08	2	1.83	.01	.06	1
1200E 1300N	1	32	20	105	.1	20	10	1463	2.42	32	5	ND	1	26	1	2	2	37	.32	.086	10	21	.37	178	.07	7	1.70	.02	.07	1
1200E 1275N	1	21	18	100	.2	9	7	1490	1.65	18	5	ND	1	28	1	2	2	26	.33	.119	6	11	.21	357	.07	5	1.46	.03	.07	1
1200E 1250N	1	29	24	157	.3	17	9	1577	2.61	25	5	ND	1	19	1	2	2	37	.28	.047	9	18	.33	329	.05	3	1.44	.02	.07	1
1200E 1225N	1	24	12	114	.2	17	7	981	2.05	21	5	ND	2	28	1	2	2	30	.26	.137	8	17	.31	283	.07	2	1.40	.02	.07	2
1200E 1200N	1	24	18	122	.2	15	8	1425	1.97	29	5	ND	1	20	1	2	2	29	.30	.094	8	16	.27	246	.07	3	1.33	.02	.05	1
1200E 1175N	1	29	21	121	.2	20	9	1781	2.34	32	5	ND	1	23	1	2	2	33	.37	.104	9	20	.34	324	.07	2	1.57	.02	.05	1
1200E 1150N	1	31	27	125	.3	20	9	1211	2.49	37	5	ND	2	24	1	2	2	33	.31	.034	10	22	.40	325	.06	2	1.45	.01	.07	1
1200E 1125N	1	30	19	132	.3	19	10	1345	2.73	38	5	ND	1	21	1	2	2	37	.29	.068	11	21	.40	299	.08	2	1.96	.01	.08	1
1200E 1100N	1	27	16	137	.1	18	9	1740	2.23	23	5	ND	1	21	1	2	2	33	.33	.124	9	20	.34	340	.08	4	1.51	.02	.08	1
1200E 1075N	1	21	10	110	.1	19	7	646	2.02	15	5	ND	2	21	1	2	2	30	.27	.087	8	20	.35	244	.08	4	1.66	.02	.08	1
1200E 1050N	1	21	9	89	.2	21	7	477	1.92	22	5	ND	2	21	1	2	2	30	.28	.100	9	20	.31	219	.09	2	1.66	.03	.07	1
1200E 1025N	1	26	7	96	.1	25	8	632	2.05	20	5	ND	2	21	1	2	3	31	.29	.119	11	22	.34	241	.09	4	1.79	.03	.08	1
1200E 1000N	1	23	10	129	.3	29	8	617	2.14	13	5	ND	2	25	1	2	2	32	.28	.142	10	24	.35	279	.09	5	1.78	.02	.08	1
1200E 975N	1	15	5	100	.3	22	6	647	1.65	10	5	ND	2	24	1	2	2	26	.25	.110	7	17	.28	222	.07	2	1.20	.02	.08	1
1200E 950N	1	24	21	81	.2	24	8	773	2.10	13	5	ND	2	29	1	2	2	32	.30	.067	10	26	.44	178	.06	3	1.29	.02	.12	1
1200E 800N	1	20	11	57	.2	24	8	697	2.12	8	5	ND	1	22	1	2	3	33	.36	.029	9	27	.43	127	.06	3	1.11	.02	.12	1
1200E 775N	1	30	6	64	.1	30	9	654	2.45	11	5	ND	2	21	1	2	3	34	.39	.044	10	32	.49	130	.07	2	1.47	.02	.12	1
1200E 750N	1	18	8	46	.1	25	6	614	1.77	9	5	ND	1	23	1	2	2	27	.34	.040	7	26	.34	130	.06	3	1.03	.02	.10	1
STD C	21	56	35	130	6.8	68	29	1004	3.94	38	18	8	33	48	16	16	21	62	.48	.098	36	58	.88	177	.08	36	1.72	.06	.13	13

SAMPLE#	Mg	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	F	Al	Na	K	W
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
1200E 725M	1	27	10	84	.1	41	10	860	2.32	14	5	ND	1	36	1	2	3	33	.41	.171	9	28	.43	280	.08	6	1.71	.02	.11	1
1200E 700M	1	27	9	83	.1	32	9	788	2.15	14	5	ND	1	30	1	2	3	30	.35	.108	9	25	.38	238	.06	3	1.49	.02	.11	1
1200E 675M	1	20	8	64	.2	23	6	498	1.48	10	5	ND	1	34	1	2	2	23	.49	.043	7	16	.21	174	.07	5	1.31	.03	.09	1
1200E 650M	1	20	10	90	.1	25	8	634	2.07	10	5	ND	1	25	1	2	2	30	.33	.095	10	24	.39	201	.06	3	1.30	.02	.09	1
1400E 1450M	1	54	22	258	.1	32	13	1869	3.24	74	5	ND	1	25	1	2	2	41	.36	.079	12	21	.40	2105	.09	2	2.05	.02	.10	1
1400E 1425M	1	49	14	216	.5	37	10	1254	2.72	133	5	ND	2	30	1	2	2	34	.35	.054	13	20	.35	637	.10	4	2.18	.03	.13	1
1400E 1400M	1	26	11	283	.1	21	7	834	1.85	87	5	ND	1	23	1	2	3	27	.29	.091	7	16	.27	220	.07	4	1.43	.03	.06	1
1400E 1375M	1	21	12	258	.1	18	6	786	1.88	95	5	ND	1	22	1	2	2	26	.27	.095	9	13	.24	194	.09	3	1.99	.03	.09	1
1400E 1350M	1	22	8	207	.1	18	8	1504	1.96	37	5	ND	1	18	1	2	2	32	.25	.079	7	14	.24	267	.08	3	1.25	.02	.06	1
1400E 1325M	1	23	10	135	.1	16	8	861	2.77	68	5	ND	1	15	1	2	2	33	.21	.056	9	18	.31	520	.05	5	1.40	.01	.09	1
1400E 1300M	1	16	5	123	.1	14	6	816	1.48	37	5	ND	1	13	1	2	2	27	.16	.041	4	12	.18	123	.06	2	.83	.03	.04	1
1400E 1275M	1	31	13	202	.1	32	11	607	2.90	66	5	ND	2	19	1	2	2	39	.19	.076	9	26	.42	190	.09	7	2.25	.02	.08	1
1400E 1250M	1	28	12	154	.2	21	5	410	1.65	59	5	ND	2	26	1	2	2	23	.24	.110	8	10	.18	138	.11	4	2.39	.04	.05	1
1400E 1225M	1	49	8	143	.3	34	9	292	2.54	50	5	ND	4	30	1	2	3	34	.23	.059	12	22	.34	204	.10	2	2.75	.03	.05	1
1400E 1200M	1	51	12	115	.8	37	8	503	2.11	38	5	ND	4	38	1	2	2	27	.38	.042	15	19	.28	133	.14	2	2.89	.04	.04	1
1400E 1175M	1	24	11	185	.1	20	7	410	1.94	41	5	ND	1	24	1	2	4	28	.23	.101	6	16	.26	190	.11	2	2.01	.03	.06	1
1400E 1150M	1	28	4	115	.3	25	8	337	2.34	29	5	ND	3	31	1	2	2	33	.33	.063	10	19	.32	209	.12	4	2.59	.03	.04	1
1400E 1125M	1	31	12	124	.1	25	9	356	2.45	19	5	ND	3	21	1	2	2	36	.22	.046	10	25	.39	294	.09	5	1.97	.02	.06	1
1400E 1100M	1	37	7	117	.4	30	9	408	2.27	27	5	ND	3	24	1	2	2	33	.28	.163	12	22	.38	250	.09	2	2.09	.02	.09	1
1400E 1075M	1	24	6	104	.1	21	7	588	1.82	15	5	ND	1	21	1	2	2	29	.20	.094	7	18	.28	210	.09	2	1.65	.02	.06	1
1400E 1050M	1	34	12	128	.1	27	11	1027	2.90	22	5	ND	3	18	1	2	2	38	.20	.127	11	25	.42	275	.09	5	2.12	.02	.07	1
1400E 1025M	1	27	9	101	.3	16	8	954	2.50	16	5	ND	2	21	1	2	2	30	.25	.106	7	15	.26	345	.08	3	1.42	.02	.07	1
1400E 1000M	1	29	10	65	.1	16	10	453	3.26	15	5	ND	1	18	1	2	2	29	.22	.070	8	11	.20	242	.05	3	1.13	.02	.09	1
1400E 975M	2	36	20	98	.1	44	13	795	3.12	24	5	ND	2	25	1	2	2	35	.27	.067	15	26	.33	227	.05	2	1.46	.01	.11	1
1400E 950M	1	22	18	97	.2	18	7	1064	2.12	14	5	ND	1	27	1	2	3	30	.36	.102	8	17	.28	229	.07	2	1.47	.02	.05	1
1400E 925M	2	34	18	118	.3	31	9	448	2.64	19	5	ND	2	25	1	3	2	30	.25	.091	15	23	.32	205	.06	5	1.35	.02	.11	1
1400E 900M	1	39	8	105	.1	33	9	468	2.47	25	5	ND	2	33	1	2	2	29	.28	.093	11	22	.33	167	.06	2	1.45	.02	.08	1
1400E 875M	2	57	25	95	.3	44	14	649	3.67	42	5	ND	2	27	1	2	2	30	.26	.053	14	20	.32	156	.06	4	1.35	.01	.07	1
1400E 850M	1	51	12	100	.1	39	13	478	3.22	25	5	ND	3	29	1	2	2	35	.26	.075	11	20	.41	174	.08	2	1.86	.02	.09	1
1400E 825M	1	45	12	85	.3	29	10	423	2.68	24	5	ND	3	28	1	3	2	32	.25	.118	11	20	.57	159	.08	2	1.84	.02	.08	1
1400E 800M	1	31	13	98	.1	32	9	395	2.37	15	5	ND	3	27	1	2	2	31	.24	.100	9	20	.36	184	.07	2	1.58	.02	.07	1
1400E 775M	1	28	9	89	.1	23	7	483	2.12	15	5	ND	2	19	1	2	2	29	.18	.122	8	20	.33	191	.07	2	1.48	.02	.07	1
1400E 750M	1	16	11	96	.1	29	6	554	1.89	13	5	ND	2	26	1	2	2	26	.25	.126	6	17	.27	227	.07	2	1.38	.02	.08	1
1400E 725M	1	27	6	111	.1	31	9	502	2.29	16	5	ND	3	21	1	2	3	32	.20	.156	9	23	.35	191	.08	2	1.74	.02	.07	1
1400E 700M	1	30	13	93	.1	35	9	367	2.54	14	5	ND	2	22	1	2	2	36	.25	.064	10	30	.47	185	.08	3	1.82	.02	.10	1
1600E 1400M	1	23	13	237	.2	28	6	587	1.78	5	5	ND	2	22	1	2	2	24	.38	.058	9	16	.24	135	.09	5	1.81	.04	.05	1
STB C	20	58	42	129	6.7	67	29	995	3.96	39	16	8	33	48	17	15	21	62	.48	.101	36	56	.88	175	.08	35	1.72	.06	.13	13

SOOKOCHOFF CONSULTANT PROJECT - OSSA RESOURCES FILE # 86-3332


PAGE 22

SAMPLE#	Hg PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe I	As PPM	U PPM	Au PPM	Th PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca I	P I	La PPM	Cr PPM	Hg I	Fa PPM	Ti I	E PPM	Al I	Na I	K I	W PPM
1600E 1275N	1	32	16	334	.1	32	11	446	3.24	14	5	ND	4	23	1	2	2	39	.40	.048	15	26	.45	167	.11	4	2.35	.02	.08	1
1600E 1350N	1	32	9	244	.1	36	9	399	2.81	19	5	ND	2	18	1	2	2	41	.30	.080	9	28	.42	156	.10	2	2.27	.02	.09	1
1600E 1325N	1	42	3	260	.1	32	8	538	2.03	13	5	ND	2	19	1	2	2	29	.48	.037	16	22	.32	126	.08	4	1.46	.03	.05	1
1600E 1300N	1	33	6	175	.2	28	6	414	1.92	16	5	ND	2	20	1	2	2	29	.42	.030	9	22	.27	154	.09	5	1.77	.04	.08	1
1600E 1275N	1	28	7	143	.1	26	8	285	2.28	18	5	ND	3	20	1	2	2	34	.33	.032	10	25	.32	169	.11	3	2.28	.03	.09	1
1600E 1250N	1	17	12	106	.1	34	7	423	2.15	21	5	ND	2	16	1	2	2	32	.19	.204	8	23	.32	223	.10	2	2.19	.02	.08	1
1600E 1225N	1	16	6	118	.1	29	7	554	2.00	13	5	ND	2	16	1	2	2	30	.21	.137	7	22	.31	198	.10	2	1.82	.02	.09	1
1600E 1200N	1	16	9	106	.1	31	6	371	1.91	15	5	ND	3	16	1	2	2	28	.16	.166	7	17	.25	214	.11	3	2.40	.03	.04	1
1600E 1175N	1	21	10	122	.1	34	7	399	2.21	13	5	ND	2	19	1	2	2	32	.24	.203	8	24	.33	242	.10	3	2.24	.03	.09	1
1600E 1150N	1	12	7	115	.1	23	6	578	1.72	11	5	ND	3	20	1	2	2	26	.22	.175	5	17	.22	206	.09	2	1.78	.03	.07	1
1600E 1000N	1	269	6	71	.2	37	17	458	2.60	17	5	ND	2	26	1	2	2	35	.35	.087	12	33	.50	131	.07	2	1.43	.02	.08	1
1600E 975N	1	16	10	82	.1	32	6	558	1.88	6	5	ND	2	22	1	2	3	27	.29	.093	8	28	.33	200	.07	5	1.27	.02	.08	1
1600E 950N	1	24	6	87	.2	35	8	485	2.12	13	5	ND	2	21	1	2	2	30	.27	.059	11	32	.33	202	.10	6	2.03	.03	.06	1
1600E 925N	1	19	5	109	.1	32	8	684	1.98	11	5	ND	1	22	1	2	2	29	.28	.169	8	26	.32	172	.08	2	1.66	.02	.06	1
1600E 900N	1	23	14	107	.2	35	7	669	1.98	12	5	ND	1	32	1	2	2	29	.28	.177	9	24	.33	261	.10	2	2.00	.03	.08	1
1600E 875N	1	21	8	117	.3	33	7	466	2.04	14	5	ND	2	21	1	2	2	30	.24	.167	9	24	.33	225	.10	4	2.02	.03	.08	1
1600E 850N	1	21	8	112	.2	34	7	383	2.02	16	5	ND	3	18	1	2	2	30	.20	.138	9	23	.31	156	.10	2	1.95	.02	.08	1
STD C	20	53	34	129	6.8	63	29	994	3.95	39	18	8	32	47	16	15	19	61	.48	.099	36	57	.88	176	.08	38	1.72	.06	.13	13



LEGEND

- Interpretation
- Line interval 100, 200 meters
- Station interval 25 meters
- Control interval
- Survey date October 10-15, 1968
- Profile scale 1:50, 25%
- Notes
- Contours




D. Soodhoo

Scale 1:50, 25%

1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025

2025 STRONG, LTD.
VLF-EM
DIP ANGLE PROFILE
SET CLAIMS
GREENWOOD MINING DIVISION
N.T. 82 E / 2







Legend

- Anomalous Threshold Value - 28.2 ppm ———
- Sub-Anomalous Threshold Value - 20.6 ppm - - - - -
- Background Threshold Value - 13.0 ppm

16,829
 GEOLOGICAL BRANCH
 ASSESSMENT REPORT





SOOKOCHOFF CONSULTANTS INC.				
OSSA RESOURCES LTD.				
SET CLAIMS				
GREENWOOD M.D.				
<i>LEAD GEOCHEMISTRY</i>				
SCALE: 1:5,000	DATE: NOV. 86	N.T.S. 82E/2E	DRAWN BY: GEO-COMP	FIGURE: 4




Legend

- Anomalous Threshold Value - 153.2 ppm ———
- Sub-Anomalous Threshold Value - 116.4 ppm - - - - -
- Background Threshold Value - 79.6 ppm

16,829
 GEOLOGICAL BRANCH
 ASSESSMENT REPORT




SOOKOCHOFF CONSULTANTS INC.				
OSSA RESOURCES LTD.				
SET CLAIMS GREENWOOD M.D.				
ZINC GEOCHEMISTRY				
SCALE 1:5,000	DATE NOV. 86	N.T.S. 82E/2E	DRAWN BY GEO-COMP	FIGURE: 5



Legend


- Anomalous Threshold Value - 61.5 ppm ———
- Sub-Anomalous Threshold Value - 45.4 ppm - - - - -
- Background Threshold Value - 29.3 ppm


GEOLOGICAL BRANCH
 ASSESSMENT REPORT
16,829



SOOKOCHOFF CONSULTANTS INC.				
OSSA RESOURCES LTD.				
SET CLAIMS				
GREENWOOD M.D.				
COPPER GEOCHEMISTRY				
SCALE: 1:5,000	DATE: NOV '86	N.T.S. 82E/2E	DRAWN BY: GEO-COMP	FIGURE: 6

To Accompany Report by L.Sookchoff Dated Nov.'86






Legend

- Anomalous Threshold Value - 36.6 ppm ———
- Sub-Anomalous Threshold Value - 25.3 ppm - - - -
- Background Threshold Value - 14.0 ppm - - - - -


16,829
 GEOLOGICAL BRANCH
 ASSESSMENT REPORT



SOOKOCHOFF CONSULTANTS INC.
 OSSA RESOURCES LTD.
 SET CLAIMS
 GREENWOOD M.D.

ARSENIC GEOCHEMISTRY

SCALE: 1:5,000 DATE: NOV. 86 N.T.S. 828/2E DRAWN BY: GEO-COMP FIGURE: 7




To Accompany Report by L.Sookchoff Dated Nov.'86





Legend

- Anomalous Threshold Value - .42 ppm ———
- Sub-Anomalous Threshold Value - .31 ppm - - - - -
- Background Threshold Value - .19 ppm




16,829
 GEOLOGICAL BRANCH
 ASSESSMENT REPORT



To Accompany Report by L.Sookchoff Dated Nov.'86

SOOKOCHOFF CONSULTANTS INC.				
OSSA RESOURCES LTD.				
SET CLAIMS				
GREENWOOD M.D.				
<i>SILVER GEOCHEMISTRY</i>				
SCALE: 1:5,000	DATE: NOV. 86	N.T.S. 82E/2E	DRAWN BY: GEO-COMP	FIGURE: 8





2000 N
1800 N
1600 N
1400 N
1200 N
1000 N
800 N
600 N
400 N
00 N

1600 W 1400 W 1200 W 1000 W 800 W 600 W 400 W 200 W 00 E 200 E 400 E 600 E 800 E 1000 E 1200 E 1400 E 1600 E

16,829

GEOLOGICAL BRANCH
ASSESSMENT REPORT




SOOKOCHOFF CONSULTANTS INC.	
OSSA RESOURCES LTD.	
SET CLAIMS GREENWOOD M.D.	
MAGNETOMETER SURVEY	
SCALE 1:5000	DATE OCT. '86
N.T.S. 82E/2E	DRAWN BY GEO-COMP
FIGURE: 9	

To accompany report by L. Sookochoff, P.Eng. Dated Oct. '86



SEATTLE
24.6 Km




2000 N
1900 N
1800 N
1700 N
1600 N
1500 N
1400 N
1300 N
1200 N
1100 N
1000 N
900 N
800 N
700 N
600 N
500 N
400 N
300 N
200 N
100 N
00 N

LEGEND
0' Contour Interval
+5' Contour Intervals

16,829

GEOLOGICAL BRANCH
ASSESSMENT REPORT



SOOKCHOFF CONSULTANTS INC.
OSSA RESOURCES LTD.

SET CLAIMS
GREENWOOD M.D.









VLF-EM SURVEY
FRASER FILTERED



SCALE: 1:5000 DATE: OCT. '86 N.T.S. 82E/2E DRAWN BY: GEO-COMP FIGURE: 10

To accompany report by L. Sookchoff, P.Eng. Dated Oct. '86



LEGEND

-  Copper Anomaly >41.5 ppm
-  Zinc Anomaly >153.2 ppm
-  Arsenic Anomaly >36.6 ppm
-  Silver Anomaly >0.42 ppm
-  Lead Anomaly >28.2 ppm
-  Mag High
-  Mag Low
-  VLF-EM Axis




GEOLOGICAL BRANCH
 ASSESSMENT REPORT
16,829



SOOKOCHOFF CONSULTANTS INC.
 OSSA RESOURCES LTD.
 SET CLAIMS
 GREENWOOD M.D.

COMPILATION MAP

SCALE: 1:5,000	DATE: NOV. 86	N.T.S. 82E/2E	DRAWN BY: GEO-COMP	FIGURE: 11
-------------------	------------------	------------------	-----------------------	------------



To Accompany Report by L.Sookchoff Dated Dec'87