

LOG NO: 0119	RD.
ACTION:	
FILE NO:	

ASSESSMENT
REPORT ON
1987 WORK

TENN CLAIMS
LOUISE LAKE
OMINECA M.D.

**SUB-RECORDER
RECEIVED**
JAN 11 1988
M.R. # \$.....
VANCOUVER, B.C.

FILMED

93-L/13E
54°51'N/127°41'E

R.J. JOHNSTON
LACANA MINING CORPORATION
December 21, 1987

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

16,869

TABLE OF CONTENTS

	<u>Page</u>
SUMMARY	1
LOCATION AND ACCESS	2
PHYSIOGRAPHY	2
CLAIM STATUS	2
REGIONAL GEOLOGY	2
HISTORY	3
1987 WORK	3

APPENDICES

STATEMENT OF QUALIFICATIONS	APPENDIX I
STATEMENT OF COSTS	" II
DRILL CORE SAMPLE INTERVALS	" III
DRILL CORE ANALYTICAL RESULTS	" IV
RECONNAISSANCE SAMPLE ANALYTICAL RESULTS	" V

FIGURES


LOCATION MAP	Figure 1
CLAIM MAP	" 2
DRILL HOLE LOCATIONS	" 3
SOIL TRAVERSES	" 4

SUMMARY

The TENN, TENN (2) and TENN (3) mineral claims, located 33 km west of Smithers, at Louise Lake were optioned by Lacana Mining Corporation in 1987. The property has been worked intermittently since 1969 as a porphyry Cu-Mo prospect by various companies, including Mastadon-Highland Bell, Canadian Superior, Granby, Bethlehem and Noranda.

The 1987 work programme consisted of re-sampling and of 6600+ ft of diamond drill core in August, and a short soil and silt reconnaissance in September.

Sampling of the drill core revealed elevated Cu-As-Sb-Au values in a distinct NW trending zone and soil sampling discovered additional Au in soil anomalies west of the drilled area.



LACANA
 LACANA EX (1981) INC.

**LOUISE LAKE
 LOCATION MAP**

PROJECT NUMBER	SCALE	DATE	BY	REVISION
RJ	1:8,000,000	DEC, 1987		1

LOCATION AND ACCESS

The Louise Lake property is, interesting enough, centered on Louise Lake, 33 km west of Smithers in the Hazelton Mountains of NW B.C. Logging roads from Smithers presently reach to Hankin Lake, some 3 km from the east boundary and 5 km from the camp, and a winter cat road exists to the property from there. At present, access is via helicopter by float plane (Beaver) to Louise Lake.

PHYSIOGRAPHY

The property straddles Coal Creek, a large hilly valley which is part of the Zymoetz River drainage, and is covered by extensive pine, spruce and balsam forest, and swamp. Elevations on the property range from 960-1300m in moderate terrain.

CLAIM STATUS


The Louise Lake property is comprised of 3 claims, totalling 60 units, staked in 1986 and 1987 by Eric A. Shaede of Sicamous, B.C. and Lorne B. Warren of Smithers, B.C. and presently held by Lacana Mining Corporation through a 1987 option agreement.

<u>Claim</u>	<u>Record No.</u>	<u>Units</u>	<u>Expiry Date</u>
TENN	8033	20	October 23, 1987
TENN (2)	8547	20	July 20, 1988
TENN (3)	8548	20	" "

REGIONAL GEOLOGY

The area is described in G.S.C. Open File 351 (1976) and shows the area to be underlain by Middle Jurassic to Upper Cretaceous clastic sediments and lesser volcanics intruded by Late Cretaceous and Eocene intermediate felsic intrusives. Abundant, predominantly 060° and 335° normal (?) faults cut the area as well as south dipping, 060° trending thrust faults south of the Zymoetz River.

A major 060° lineament cuts through Louise Lake. South of this, bedrock is mapped as Ashman Formation shale, sandstone and conglomerate, and Netaizul Volcanics; basalt and andesite tuffs and flows; both of the Jurassic Bowser Lake Group. North of Louise Lake is conglomerate, greywacke and shale of the Cretaceous Skeena Group.



LACANA

LACANA EX (1981) INC.

LOUISE LAKE
CLAIM MAP

STATE	SCALE	DATE	NO. OF SHEETS	SHEET NO.
RJ	1:50,000	DEC 87	93413E	2

HISTORY

The Louise Lake showing was first staked in 1969 by Mastedon-Highland Bell Mines Ltd. which carried out magnetometer, I.P. and soil programmes, and 720 feet of bulldozer trenching in seven trenches over an area of sericite-pyrite altered intrusive.

In 1969 Canadian Superior Exploration, on behalf of Leitch Gold Mines, subsequently optioned the property and carried out additional soil sampling and I.P. and drilled seventeen diamond drill holes totalling 6632 feet (2021 m) in early 1970. Disseminated, low grade copper and molybdenum mineralization was encountered but the option was dropped and the claims lapsed.

Granby Mining Corporation restaked the area in 1975 and carried out further magnetometer and soil surveys, which delineated a large >200 ppm Cu in soil anomaly, coincident with earlier I.P. anomalies. No further work was done and in 1977 the claims were reduced to 4 units.

In 1979 Bethlehem Copper Corp. staked 80 units around Granby's ground and did additional, regional I.P. Cu, Mo soil surveys and re-sampled small portions of the Canadian Superior drill core. These claims were later allowed to expire.

Granby's claim was transferred to Noranda Exploration in 1979, who in 1970 carried an airborne magnetic, V.L.F. survey totalling 100 line km, over the Louise Lake area. Three weak V.L.F. anomalies were discovered, none around the original showing. In 1983 Noranda did further work, including rock sampling and petrographic work, soil orientation work and eventually let the claims lapse. Warren and Shaede staked the TENN claims in 1986.

1987 WORK

From August 16-21, 1987, myself and Ludek Uher re-sampled most of the Canadian Superior drill core, which had been stored at Louise Lake. Due to the highly weathered state of the core, little attempt at re-logging the core was made, and the entire remainder of the core was sampled, except for a 'skeleton' of 2-3 representative pieces per sample interval, which were kept and shipped to Smithers for storage. DDH-17 was sampled sparsely and remains at Louise Lake. A total of 349 samples were taken and shipped to Vancouver to Acme Analytical Laboratories Ltd. All samples were run for multi-element I.C.P., Au, by Atomic Absorption, and 3 samples were analyzed

for Hg. Drill hole locations are shown on Figure 3, sample intervals are given in Appendix III, and analytical results in Appendix IV.

The analyses indicated a 60 m wide zone, trending 320° , of anomalous Cu-As-Sb-Au values which coincide with sericite-quartz-pyrite alteration noted in the drill core.

Sample depths at 10-20cm

In September, myself and Eric Shaede spent 5 days on a reconnaissance soil survey along Coal Creek and Louise Lake. B-Horizon soil samples were taken at 50 m intervals, and all side creeks were sampled and some rock samples were collected. A total of 249 soil, 16 silt and 19 rock samples were shipped to Vancouver to Acme Analytical Laboratories Ltd. and analyzed for multi-element I.C.P. and Au by Atomic Absorption. Traverselocations are shown in Fig. 4, and analytical results given in Appendix V.


Au in soil anomalies were obtained around the original showings, as well as additional local anomalous values down Coal Creek, to the west.

STATEMENT OF QUALIFICATIONS

I, ROBERT J. JOHNSTON of the City of Vancouver, B. C. do hereby certify that:

1. I am a graduate of the University of Saskatchewan with a B.Sc in Geological Sciences, 1982.
2. I am presently employed as a geologist with Lacana Mining Corporation of 312 - 409 Granville St., Vancouver, B.C.
3. I have practiced my profession with various mining companies in B.C., Yukon, Northwest Territories and Ontario during field seasons since 1976.
4. I personally oversaw the project on which this report is based.

DATED at Vancouver, B.C. this 21st day of December 1987

A handwritten signature in black ink, appearing to read 'R. Johnston', written in a cursive style.

APPENDIX II

STATEMENT OF COSTS

Sampling of Core - August 16 - 21, 1987

Wages - R. J. Johnston	6 days @ \$150/day	900.00	
Ludek Uher	" "	900.00	
Aircraft Support		1,072.00	
Analyzes - Acme Labs Invoice #87-3606		<u>5,202.80</u>	\$ 8,074.80

Soil Reconnaissance - Sept 26 - 30, 1987

Wages - R. J. Johnston	5 days @ \$150/day	750.00	
E. A. Shaede	" "	750.00	
Aircraft Support		174.00	
Analyzes - Acme Labs Invoice #87-4735		<u>3,180.00</u>	<u>4,854.00</u>

Total

\$ 12,928.80

LOUISE LAKE

DRILL CORE SAMPLE LOCATIONS

DDH-1

6282	12.5-17.6m
83	-21.6
84	-25.7
85	-32.0
86	-35.9
87	-39.6
88	-44.8
89	-49.1
90	-53.9
91	-58.2
92	-62.5
93	-67.1
94	-71.8
95	-76.2
96	-81.1
97	-85.3
98	-89.9
99	-94.5
6300	-98.5
6084	-103.0
85	-108.2
86	-114.3
87	-114.9
88	-115.5
89	-116.3
90	-121.0
91	-125.6
92	-130.5
93	-135.0
94	-139.6
95	-146.0
96	-148.1
97	-153.0

END OF HOLE

DDH-2

6098	4.9-9.8 m
6099	-14.0
6226	-19.4
27	-23.7
28	-28.3
29	-33.7
30	-37.5
31	-41.0
32	-45.7
33	-51.2
34	≈ -55.0
35	-60.4
36	-64.0
37	-68.9
38	-73.2
39	-78.6
40	-83.5
41	-88.4
42	-93.9
43	-98.5
44	-103.6
45	-108.5
46	-115.8
47	-120.7

DDH-3

6248	6.4-11.3m
49	-15.7
50	-20.1
6601	-25.0
02	-29.6
03	-34.4
04	-39.6
05	-44.2
06	-49.1
07	-52.7
08	-56.2
09	70.7-75.6
10	-81.7
11	-85.0
12	99.4-103.4
13	-109.1
14	-113.7
15	128.0-135.3
16	-139.6
17	-142.3
18	150.3-152.4
6711	142.3-150.3

DDH-4

6619	9.75-14.6m
20	- 18.9
21	- 23.8
22	- 28.0
23	- 32.9
24	- 37.8
25	- 42.1
26	- 45.4
27	- 49.7
28	- 53.9
29	- 59.1
30	- 63.1
31	- 67.7
32	- 73.1
33	- 78.3
34	- 82.9
35	- 87.5
36	- 92.1
37	- 96.6
38	- 102.7
39	105.8 - 109.7
40	- 114.3
41	- 119.5
42	- 123.0
6712	102.7 - 105.8

DDH-5

6643	6.4-10.1 m
44	- 12.8
45	- 20.4
46	- 27.4
47	- 31.7
48	- 36.6
49	- 41.9
50	55.5-60.4
51	- 64.9
52	- 70.4
53	- 75.6
54	- 79.6
55	- 84.7
56	- 89.3
57	- 94.5
58	- 99.3
59	- 103.6
60	- 108.5
61	- 113.7
62	- 118.3
63	- 121.3

DDH-6

6664	9.8-15.2 m
65	- 20.7
66	- 25.3
67	- 30.8
68	- 36.6
69	- 42.1
70	- 46.3
71	- 51.2
72	- 54.8
73	- 57.3
74	- 61.9
75	- 66.4
76	- 71.0
77	- 75.6
78	- 80.2
79	- 84.7
80	- 89.3
81	- 93.9
82	- 96.0
83	- 101.5
84	- 107.3

DDH-7

6685	7.6-15.5m
86	- 17.2
87	- 22.6
88	-26.8
89	- 31.4
90	-35.1
91	-40.5
92	-47.1
93	- 51.8
94	- 57.3
95	- 62.8

DDH-8

6301	6.7-11.6 m
02	-17.7
03	-23.5
04	-29.6
05	-37.8
06	-43.0
07	-48.9
08	-55.2
09	-61.0
6310	-65.5
11	-71.6
12	-78.9
13	-84.8
14	-90.8
15	-97.5
16	-107.0

DDH-9

6317	9.4-16.3 m
18	-22.9
19	-30.2
6320	-39.0
21	-46.0
22	-52.7
23	-58.5
24	-63.4
25	-68.0
26	-72.5
27	-77.1
28	-81.7
29	-86.3
6330	-91.1
31	-93.9

DDH-10

6332	9.4-12.2 m
33	-16.5
34	-21.0
35	-25.0
36	-29.0
37	-34.1
38	-51.2
39	-55.8
6340	-60.4
41	-64.9
42	-68.9
43	-74.7
44	-79.2
45	-84.1
46	-88.7
47	-92.7

DDH-11

6348	9.8 -15.9 m
49	-20.7
6350	-25.6
51	-30.5
52	-35.7
53	-40.2
54	-44.2
55	-48.2
56	-57.6
57	-62.2
58	-66.1
59	-68.3
6360	-72.8
61	-77.4
62	-80.2
63	-84.7
64	-86.3
65	-89.3
66	-93.9
67	-98.5
68	-103.0
69	-106.7

DDH-12

6370	3.4-8.5 m
71	-13.7
72	-17.7
73	-22.6
74	-27.1
75	-32.3
76	-36.6
77	-41.5
78	-45.7
79	-54.3
6380	-58.8
81	-63.4
82	-68.6
83	-72.9
84	-78.0
85	-83.5
86	-86.9
87	-89.6
88	-94.5
89	-99.4
6390	-104.9

DDH-13

6391	6.7-12.2 m
92	-16.8
93	-21.6
94	-26.2
95	-29.9
96	-30.1
97	-35.1
98	-39.6
99	-45.3
6400	-50.9
01	-55.5
02	-59.4
03	-63.1
04	-67.7
05	-72.5
06	-77.7
07	-82.0
08	-84.7
09	-90.8
6410	-96.0
11	-101.8
12	-106.7

DDH-14

6434	8.2-8.5 m
35	-14.0
36	-18.3
37	-23.2
38	-28.0
39	-31.7
6440	-36.9
41	-41.8
42	-47.6
43	-52.1
44	-57.0
45	-61.9
46	-67.7
47	-71.4
48	-77.7
49	-84.4
6450	-89.3
51	-93.9
52	-100.0
53	-103.6
54	-107.3

DDH-15

6413	6.9-12.5 m
14	-18.8
15	-23.8
16	-27.4
17	-32.9
18	-37.8
19	-44.5
6420	-49.1
21	-53.9
22	-58.5
23	-64.3
24	-65.2
25	-70.1
26	-74.6
27	-78.7
28	-83.5
29	-87.8
6430	-93.0
31	-97.5
32	-102.1
33	-106.7

DDH-16

6455	7.9-12.2 m
56	-17.7
57	-22.0
58	-26.8
59	-31.4
6460	-35.7
61	-37.8
62	-42.1
63	-46.6
64	-51.8
65	-56.4
66	-61.0
67	-64.0
68	-67.1
69	-74.7
6470	-79.3
71	-84.7
72	-89.6
73	-94.5
74	-102.1
75	-106.7

DDH-17

6696	≈ 24.0-25.0 m
97	≈ 26.0 (3m)
98	28.0 (0.3m)
99	≈ 36.0-38.0
6700	≈ 90.0 (2 m)
01	105.0 (2m)
02	114.0 (2m)
6703	115.0-122.0 m
04	128.0-130
05	132.0-136
06	137.0-140
07	141.0-142
08	171.0-173.5
09	-175
6710	197.0-199.0
6713	Entire Box - Hole Unknown
14	" " " "

APPENDIX IV

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA AND K. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: Core AU: ANALYSIS BY AA FROM 10 GRAM SAMPLE.

DATE RECEIVED: AUG 25 1987

DATE REPORT MAILED: *Sept 1/87* ASSAYER: *D. Jones* DEAN TOYE, CERTIFIED B.C. ASSAYER

LACANA MINING PROJECT-LL File # 87-3606 Page 1

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	%	%	%	%	PPM	PPB
6-6084	27	414	12	38	.1	15	22	477	7.84	193	5	ND	1	93	1	3	26	17	.10	.035	2	2	.06	7	.01	6	.45	.04	.23	3	70
6-6085	15	332	9	39	.1	16	21	336	7.73	145	5	ND	1	49	1	8	32	14	.02	.007	2	3	.04	8	.01	4	.36	.03	.23	2	44
6-6086	14	289	8	30	.3	16	19	297	6.54	113	6	ND	1	181	1	6	26	9	.10	.024	2	3	.03	17	.01	9	.37	.05	.18	1	72
6-6087	4	206	2	187	.1	71	34	706	7.44	78	5	ND	1	965	1	4	31	195	2.86	.396	29	66	2.70	403	.38	18	5.04	3.32	.35	1	2
6-6088	7	453	18	23	.1	22	19	170	5.61	187	5	ND	1	866	1	8	23	15	.65	.041	8	11	.26	31	.01	14	.79	.23	.29	1	42
6-6089	2	232	2	208	.1	131	40	959	7.93	63	10	ND	1	1240	1	3	28	170	3.48	.324	22	82	3.70	469	.53	9	4.17	2.17	1.02	2	4
6-6090	24	367	22	53	.1	18	16	108	5.61	144	5	ND	1	187	1	53	33	14	.12	.044	2	6	.14	25	.01	13	.59	.09	.25	1	63
6-6091	43	68	10	17	.1	13	14	54	5.85	66	5	ND	1	86	1	11	29	7	.11	.026	2	2	.09	21	.01	11	.41	.08	.20	1	12
6-6092	5	28	26	10	.3	19	19	43	11.07	51	5	ND	1	72	1	4	31	3	.05	.024	2	2	.01	13	.01	7	.29	.03	.13	1	41
6-6093	4	35	16	10	.1	18	20	43	10.36	33	5	ND	1	89	1	3	35	4	.07	.035	2	1	.02	13	.01	5	.33	.05	.16	1	25
6-6094	4	63	13	11	.1	15	18	33	6.73	40	5	ND	1	60	1	12	29	2	.03	.016	2	1	.01	22	.01	6	.31	.05	.15	1	11
6-6095	3	116	13	26	.1	10	15	28	5.98	52	5	ND	1	68	1	39	30	2	.03	.014	2	1	.01	24	.01	6	.36	.04	.13	1	11
6-6096	4	20	7	5	.1	8	11	25	4.56	19	5	ND	1	44	1	4	31	1	.02	.012	2	1	.01	37	.01	9	.32	.04	.16	1	9
6-6097	4	37	13	12	.1	15	19	37	10.01	32	5	ND	1	56	1	8	33	3	.03	.020	2	1	.01	17	.01	5	.28	.04	.14	1	55
6-6098	23	1014	24	89	.3	3	16	42	4.68	488	5	ND	1	25	1	35	33	4	.01	.006	2	1	.09	19	.01	9	.60	.03	.25	2	85
6-6099	68	1827	28	174	.5	1	25	44	5.70	902	9	ND	1	30	1	45	32	4	.01	.009	2	1	.11	12	.01	16	.67	.04	.29	2	137
6-6226	70	1579	53	264	.9	3	13	398	5.78	692	12	ND	1	93	2	100	36	9	.05	.029	2	1	.11	16	.01	15	.60	.03	.26	3	71
6-6227	85	4212	30	140	1.5	1	14	968	7.17	1635	7	ND	1	63	1	21	38	20	.05	.015	2	1	.13	15	.01	12	.44	.02	.21	5	74
6-6228	21	2159	26	177	1.3	4	15	691	7.78	849	6	ND	1	69	1	15	35	16	.05	.013	2	1	.10	12	.01	22	.51	.03	.20	3	210
6-6229	51	2726	67	427	2.2	4	16	730	7.56	1240	5	ND	1	83	3	24	30	19	.10	.035	3	1	.11	15	.01	12	.42	.03	.19	6	195
6-6230	59	3697	25	288	1.1	5	17	704	7.55	1451	5	ND	1	99	1	6	35	29	.12	.039	3	2	.13	22	.01	18	.46	.02	.22	5	213
6-6231	53	3252	26	196	2.4	8	12	497	5.13	1208	5	ND	1	77	1	3	26	34	.07	.026	2	5	.09	75	.01	14	.51	.03	.24	4	131
6-6232	58	2685	29	256	1.0	11	15	872	9.38	1040	5	ND	1	98	1	5	27	52	.17	.055	2	8	.16	29	.01	15	.45	.04	.20	4	143
6-6233	48	2152	28	116	.7	6	14	514	6.45	839	5	ND	1	135	1	3	20	12	.05	.029	2	1	.06	19	.01	9	.35	.03	.22	1	107
6-6234	96	2837	37	187	.5	11	22	782	8.05	1039	5	ND	1	207	1	4	17	18	.13	.061	3	1	.08	19	.01	13	.39	.04	.23	5	121
6-6235	56	1491	30	152	.5	10	15	680	7.69	591	5	ND	2	225	1	4	12	13	.28	.126	4	1	.06	13	.01	21	.42	.03	.23	2	415
6-6236	57	1745	50	238	.2	13	20	720	9.09	705	5	ND	2	464	1	7	2	18	.46	.211	8	1	.07	14	.01	22	.48	.03	.25	5	119
6-6237	46	1806	43	250	.5	19	14	973	9.45	661	5	ND	2	151	1	3	2	17	.21	.082	5	4	.09	14	.01	10	.39	.03	.21	4	120
6-6238	42	1556	29	241	.5	20	14	889	8.60	566	5	ND	1	78	1	2	2	18	.10	.038	3	3	.08	12	.01	8	.39	.02	.22	3	118
6-6239	63	2268	22	188	.7	17	13	750	6.84	815	5	ND	2	88	1	2	4	21	.13	.043	3	6	.08	16	.01	12	.39	.02	.21	3	124
6-6240	65	1970	20	164	.4	14	14	737	5.86	704	5	ND	2	76	1	2	2	17	.11	.040	2	5	.06	21	.01	12	.41	.04	.22	2	129
6-6241	49	1328	19	139	.5	20	15	679	4.93	481	5	ND	3	98	1	2	2	16	.11	.036	4	7	.05	25	.01	10	.44	.05	.21	1	72
6-6242	50	1408	25	156	.9	13	16	729	6.31	522	5	ND	3	73	1	2	2	17	.15	.057	4	4	.05	16	.01	10	.42	.04	.23	2	75
6-6243	45	1435	21	213	.8	12	16	748	5.91	532	5	ND	2	61	1	3	2	19	.10	.032	3	4	.06	22	.01	12	.39	.04	.23	2	69
6-6244	51	1593	22	158	.4	12	14	808	6.14	581	5	ND	2	57	1	2	2	25	.12	.040	2	6	.07	25	.01	9	.40	.03	.22	2	71
6-6245	62	1799	24	147	.6	17	22	674	6.90	659	5	ND	2	78	1	2	2	18	.14	.049	3	4	.06	13	.01	7	.46	.04	.25	2	95
STD C/AU-R	19	59	39	129	6.9	69	27	1032	3.95	37	16	8	38	49	18	17	20	57	.47	.089	37	60	.87	177	.08	38	1.77	.06	.13	13	500

LACANA MINING PROJECT-LL FILE # 87-3606

Page 2

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MM	FE	AS	U	AU	TH	SR	CO	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB
6-6246	61	1539	16	156	.7	11	16	774	5.18	537	5	ND	1	89	1	2	22	.07	.015	2	4	.06	24	.01	6	.37	.06	.21	2	83	
6-6247	38	1563	22	391	.7	16	18	964	6.45	597	5	ND	1	75	2	12	2	19	.06	.008	2	1	.06	19	.01	10	.35	.06	.22	4	84
6-6248	27	1191	2	72	.4	1	12	16	2.69	456	5	ND	1	56	1	37	2	4	.01	.007	2	1	.07	31	.01	5	.59	.03	.25	2	82
6-6249	31	1313	17	88	.3	3	15	24	3.72	446	5	ND	1	73	1	22	2	6	.01	.015	3	1	.10	18	.01	6	.74	.03	.29	1	87
6-6250	43	1042	13	106	.3	2	13	31	3.25	376	5	ND	2	93	1	26	2	7	.01	.018	3	1	.07	25	.01	3	.62	.03	.24	2	62
6-6282	26	2721	34	155	4.1	5	12	354	4.21	950	5	ND	2	80	1	28	100	9	.03	.016	3	1	.07	15	.01	11	.56	.02	.23	3	110
6-6283	42	3763	50	174	1.8	3	16	768	6.40	1117	5	ND	2	109	1	12	2	18	.11	.034	4	1	.10	18	.01	10	.48	.03	.21	6	295
6-6284	30	4230	27	223	1.4	1	14	919	7.15	1240	5	ND	2	118	1	4	2	27	.12	.032	4	1	.13	26	.01	10	.50	.02	.16	5	325
6-6285	60	2815	15	166	1.0	4	16	522	6.84	916	5	ND	2	81	1	17	2	16	.06	.018	5	1	.08	14	.01	9	.36	.02	.22	4	150
6-6286	62	2172	17	98	.8	7	19	416	6.19	723	5	ND	2	64	1	2	3	14	.05	.012	2	1	.08	16	.01	7	.43	.03	.26	3	76
6-6287	91	3220	20	112	1.8	12	17	988	6.41	1029	5	ND	1	40	1	9	3	24	.04	.002	2	5	.07	11	.01	2	.26	.02	.17	4	128
6-6288	59	2843	17	159	1.1	7	14	1109	8.24	982	5	ND	1	58	1	3	2	37	.07	.004	2	2	.13	16	.01	5	.41	.03	.24	4	104
6-6289	32	2621	20	141	1.2	8	12	1008	7.07	868	5	ND	1	55	1	5	2	24	.04	.003	2	4	.11	20	.01	3	.33	.02	.20	4	135
6-6290	58	2711	27	173	4.0	12	16	1114	8.37	1045	5	ND	1	35	1	3	6	26	.07	.013	2	4	.11	15	.01	2	.34	.03	.24	5	135
6-6291	47	1696	29	182	1.3	11	19	1189	9.41	625	5	ND	1	39	1	2	2	37	.11	.022	2	7	.13	21	.01	7	.29	.03	.21	5	70
6-6292	66	1572	10	120	.6	11	23	622	6.01	569	5	ND	1	31	1	2	2	21	.02	.001	2	3	.08	17	.01	2	.47	.03	.28	3	63
6-6293	34	1124	15	119	.8	12	19	1182	7.38	415	5	ND	1	74	1	4	2	32	.04	.005	2	4	.12	27	.01	4	.42	.03	.24	1	66
6-6294	48	1408	15	99	1.1	8	17	934	6.61	507	5	ND	1	51	1	9	4	26	.04	.003	2	4	.12	33	.01	2	.33	.03	.22	2	50
6-6295	62	1843	10	100	.8	10	19	1012	7.75	662	5	ND	1	91	1	11	2	35	.08	.011	2	6	.13	30	.01	8	.33	.05	.20	2	225
6-6296	72	1187	2	51	.4	10	19	567	6.22	408	5	ND	1	44	1	10	2	22	.03	.003	2	3	.08	21	.01	2	.31	.03	.20	1	77
6-6297	68	802	7	41	.2	10	15	483	4.55	288	5	ND	1	70	1	3	3	22	.02	.003	2	4	.06	30	.01	8	.31	.04	.18	1	61
6-6298	30	550	9	41	.1	9	19	314	6.23	189	5	ND	1	35	1	8	3	16	.01	.003	2	2	.05	20	.01	2	.25	.03	.17	1	51
6-6299	45	538	6	14	.4	14	20	87	5.52	192	5	ND	2	33	1	9	2	5	.09	.003	2	1	.02	23	.01	3	.24	.03	.18	1	65
6-6300	30	779	5	5	.3	4	16	30	4.93	330	5	ND	2	135	1	4	3	2	.10	.045	3	1	.01	20	.01	5	.34	.05	.16	1	60
6-6301	188	643	9	46	.1	2	7	22	3.35	158	5	ND	2	22	1	578	2	2	.01	.006	3	1	.02	31	.01	7	.29	.03	.14	1	119
6-6302	49	967	8	41	.5	1	6	13	3.58	203	5	ND	2	36	1	604	3	1	.01	.003	4	1	.01	25	.01	2	.32	.03	.15	1	127
6-6303	26	852	10	21	.5	1	7	10	3.90	295	5	ND	1	28	1	333	3	1	.01	.004	2	1	.02	18	.01	7	.36	.02	.16	1	165
6-6304	25	1149	10	46	.6	1	10	10	3.83	316	5	ND	2	16	1	598	5	1	.01	.001	2	1	.01	21	.01	3	.34	.03	.13	3	225
6-6305	40	1339	9	54	.3	1	10	11	3.52	324	5	ND	1	42	1	1036	2	2	.01	.003	2	1	.01	18	.01	3	.41	.03	.15	3	205
6-6306	50	607	17	19	.1	13	18	24	6.09	232	5	ND	1	27	1	315	4	3	.01	.003	3	1	.01	8	.01	3	.39	.04	.17	1	110
6-6307	38	683	53	28	.2	11	19	20	5.95	206	5	ND	1	29	1	363	5	5	.01	.005	2	1	.02	8	.01	7	.41	.04	.17	2	165
6-6308	25	572	73	31	.1	14	22	30	6.64	207	5	ND	1	39	1	312	4	5	.02	.012	2	1	.02	9	.01	10	.33	.05	.12	1	195
6-6309	12	772	3	41	.1	9	14	17	4.99	263	5	ND	1	38	1	619	2	2	.01	.003	2	2	.01	14	.01	12	.31	.04	.12	1	97
6-6310	15	782	4	34	.1	13	15	18	4.99	281	5	ND	1	46	1	446	3	2	.01	.004	2	1	.01	24	.01	9	.32	.04	.11	1	195
6-6311	58	989	12	24	.1	13	24	23	6.35	437	5	ND	1	44	1	364	3	4	.01	.005	2	3	.01	10	.01	11	.38	.04	.12	1	265
6-6312	167	985	10	21	.1	9	17	17	5.59	405	5	ND	2	60	1	139	2	3	.01	.002	2	2	.01	9	.01	3	.38	.04	.17	2	195
STD C/AU-R	20	63	35	133	7.7	71	29	1121	3.98	40	7	8	40	52	19	11	30	60	.52	.089	40	64	.95	181	.08	27	1.83	.07	.14	14	505

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	MA	K	W	AU#
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	%	%	%	%	PPM	PPB
6-6313	90	841	6	27	.1	6	18	23	6.14	374	5	ND	1	63	1	271	2	4	.03	.005	2	1	.02	6	.01	10	.50	.04	.13	1	137
6-6314	88	1698	2	64	.7	7	12	14	4.21	274	5	ND	1	32	1	1445	2	2	.01	.004	2	1	.01	12	.01	10	.39	.04	.20	2	240
6-6315	18	961	2	39	.1	10	12	10	3.67	182	5	ND	1	40	1	352	3	2	.01	.005	2	1	.01	16	.01	4	.39	.03	.20	2	119
6-6316	20	596	8	12	.1	8	12	14	4.31	194	5	ND	1	24	1	82	3	1	.01	.003	2	1	.01	17	.01	8	.32	.02	.17	1	64
6-6317	70	1489	8	19	.1	6	12	18	3.55	471	5	ND	1	25	1	202	2	4	.01	.004	2	2	.01	11	.01	14	.41	.03	.13	2	270
6-6318	99	1330	6	15	.1	10	13	19	4.55	410	5	ND	1	10	1	259	2	2	.01	.002	2	2	.01	8	.01	7	.31	.03	.12	1	230
6-6319	78	1367	2	12	.1	13	16	25	5.75	470	5	ND	1	14	1	103	2	3	.01	.004	2	3	.01	6	.01	5	.38	.04	.14	2	230
6-6320	43	1169	6	16	.1	14	15	16	4.67	337	5	ND	1	15	1	89	2	3	.01	.004	2	3	.01	10	.01	7	.38	.04	.13	1	142
6-6321	34	1445	3	27	.1	16	18	28	7.14	483	5	ND	1	22	1	166	2	3	.01	.006	2	8	.01	6	.01	10	.37	.06	.13	2	210
6-6322	38	972	11	22	.1	11	15	26	4.17	373	5	ND	1	28	1	142	2	2	.01	.005	2	3	.01	8	.01	8	.44	.02	.13	2	220
6-6323	20	704	12	39	.1	9	16	18	4.26	317	5	ND	1	29	1	10	2	2	.01	.005	2	1	.01	8	.01	8	.41	.03	.12	1	106
6-6324	18	597	10	29	.1	14	19	28	4.26	302	5	ND	2	26	1	9	2	3	.01	.003	2	5	.01	8	.01	9	.43	.03	.13	1	85
6-6325	36	2010	8	105	1.4	10	17	21	5.13	733	5	ND	1	33	1	61	2	3	.01	.005	2	2	.01	6	.01	10	.36	.04	.14	1	75
6-6326	29	904	9	37	.4	12	20	37	6.00	474	5	ND	2	32	1	13	2	3	.01	.004	2	3	.01	6	.01	9	.43	.03	.13	3	95
6-6327	46	514	12	33	.1	17	19	26	5.51	284	5	ND	1	30	1	4	2	4	.01	.005	2	5	.02	6	.01	13	.44	.02	.15	1	90
6-6328	36	676	9	29	.1	14	27	35	6.94	360	5	ND	1	45	1	5	2	5	.01	.006	2	5	.02	4	.01	17	.57	.02	.13	1	105
6-6329	29	1087	10	41	.3	12	19	20	6.63	479	5	ND	1	38	1	8	3	3	.01	.008	2	1	.02	6	.01	7	.41	.02	.13	2	125
6-6330	38	628	13	43	.3	14	21	17	4.50	299	5	ND	1	36	1	4	2	4	.01	.004	2	8	.02	7	.01	8	.50	.02	.13	1	88
6-6331	16	754	18	46	.2	16	27	28	7.14	310	5	ND	1	32	1	5	2	3	.01	.006	2	3	.02	5	.01	8	.42	.03	.13	2	115
6-6332	3	147	56	145	.7	1	5	843	4.37	60	5	ND	7	62	1	6	2	5	1.31	.062	14	1	.46	11	.01	4	.39	.02	.16	1	1
6-6333	4	147	37	155	1.4	1	4	1175	3.55	56	5	ND	6	90	1	6	3	4	1.59	.062	14	2	.59	18	.01	4	.43	.03	.15	1	1
6-6334	3	16	6	22	.1	7	8	333	2.58	21	5	ND	2	31	1	2	2	6	.02	.007	2	3	.02	27	.01	5	.43	.03	.18	1	1
6-6335	1	32	19	68	.2	10	13	762	5.13	25	5	ND	1	77	1	2	4	11	.47	.054	6	5	1.15	10	.01	10	.48	.04	.18	1	1
6-6336	1	85	10	49	.2	14	19	730	6.89	52	5	ND	1	68	1	3	3	26	1.23	.054	2	9	.44	6	.01	9	.50	.04	.11	1	1
6-6337	1	55	8	48	.1	13	18	505	6.67	34	5	ND	1	59	1	2	7	19	.70	.062	2	6	.22	6	.01	7	.56	.04	.11	1	11
6-6338	1	61	11	69	.1	11	12	409	5.76	23	5	ND	1	60	1	4	4	13	.45	.036	2	5	.16	8	.01	7	.45	.04	.10	1	1
6-6339	1	47	10	27	.1	9	12	231	4.83	16	5	ND	2	147	1	3	3	13	.67	.009	2	4	.44	10	.01	8	.57	.07	.11	1	1
6-6340	1	119	11	37	.3	11	12	353	4.53	16	5	ND	3	138	1	2	2	21	1.23	.044	3	8	.75	11	.01	8	.56	.06	.09	2	1
6-6341	2	39	10	30	.1	11	15	284	5.66	32	5	ND	1	371	1	2	2	17	.47	.024	2	3	.42	9	.01	6	.55	.07	.10	1	6
6-6342	3	74	8	22	.1	10	12	229	4.83	26	5	ND	1	109	1	4	2	10	.71	.012	2	3	.29	9	.01	6	.55	.06	.10	1	1
6-6343	2	81	15	47	.2	13	16	447	5.82	37	5	ND	4	127	1	2	3	25	1.96	.096	4	5	.76	7	.01	10	.59	.05	.15	1	1
6-6344	3	58	16	61	.1	15	18	648	5.10	32	5	ND	5	127	1	2	2	49	3.47	.143	14	10	1.14	8	.01	7	.70	.07	.11	1	1
6-6345	3	215	30	167	.6	12	14	825	5.17	82	5	ND	6	144	1	2	2	51	3.94	.138	13	10	1.62	8	.01	6	.84	.09	.12	2	1
6-6346	2	96	16	133	.4	13	14	848	4.60	45	5	ND	5	213	1	2	2	54	3.23	.134	16	9	1.44	9	.01	9	1.11	.13	.14	1	3
6-6347	3	119	48	441	.5	13	18	844	5.14	50	5	ND	4	174	1	2	2	45	2.99	.150	17	9	1.31	9	.01	8	.96	.11	.12	1	1
6-6348	2	10	4	12	.1	9	12	140	4.04	17	5	ND	2	54	1	2	5	6	.08	.013	2	1	.03	12	.01	8	.53	.03	.19	2	1
STD C/AU-R	20	58	41	132	7.1	68	29	1046	3.98	38	18	8	38	50	18	16	21	57	.48	.089	38	61	.87	179	.08	38	1.98	.06	.13	13	490

LACANA MINING PROJECT-LL FILE # 87-3606

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB
6-6349	3	8	18	28	.2	5	7	52	3.76	17	5	ND	1	49	1	2	2	3	.11	.009	6	2	.04	28	.01	9	.37	.03	.20	1	4
6-6350	3	37	9	144	.2	9	11	719	5.32	15	5	ND	6	140	1	2	5	40	3.94	.133	16	7	1.38	18	.01	5	.69	.06	.12	1	2
6-6351	2	23	52	173	.6	9	12	1183	4.83	9	5	ND	4	143	1	2	2	33	3.91	.122	22	8	1.41	15	.01	8	.55	.07	.13	1	4
6-6352	2	37	21	91	.2	10	13	691	4.32	15	5	ND	3	107	1	2	4	50	4.30	.122	18	10	1.41	18	.01	11	.49	.07	.11	1	2
6-6353	2	49	32	86	.1	11	14	598	5.10	18	5	ND	3	94	1	2	2	61	3.71	.120	15	13	1.14	20	.01	8	.45	.07	.08	1	2
6-6354	2	76	49	149	.1	13	13	620	4.75	19	5	ND	5	118	1	2	4	60	3.80	.133	18	13	1.19	21	.01	8	.58	.08	.08	1	2
6-6355	2	49	7	35	.1	9	13	386	4.43	23	5	ND	4	90	1	2	2	44	3.73	.131	18	10	1.09	21	.01	7	.56	.03	.10	1	7
6-6356	3	500	170	511	1.3	10	14	281	7.43	181	5	ND	3	95	3	42	3	17	1.84	.109	5	4	.65	7	.01	11	.46	.04	.16	3	21
6-6357	1	37	6	27	.1	8	15	15	6.86	22	5	ND	1	35	1	4	2	3	.09	.028	2	1	.01	8	.01	10	.32	.02	.18	1	5
6-6358	1	10	6	20	.1	5	9	16	3.45	10	5	ND	1	29	1	2	2	2	.07	.020	4	2	.01	18	.01	7	.31	.03	.16	1	3
6-6359	1	15	12	20	.1	3	6	10	2.95	24	5	ND	1	22	1	2	2	1	.04	.013	7	1	.01	39	.01	4	.24	.03	.15	1	8
6-6360	1	17	10	20	.1	12	13	24	5.71	22	5	ND	1	57	1	2	2	3	.12	.038	2	2	.01	10	.01	8	.32	.05	.14	1	7
6-6361	4	129	10	28	.1	11	12	23	4.78	66	5	ND	1	64	1	7	2	3	.13	.041	2	2	.02	13	.01	8	.32	.06	.15	1	9
6-6362	2	41	14	18	.1	8	13	24	5.21	48	5	ND	1	54	1	2	2	3	.11	.039	2	2	.02	13	.01	11	.38	.04	.15	1	10
6-6363	2	67	7	20	.1	13	16	22	5.53	71	5	ND	1	42	1	3	2	4	.11	.032	2	2	.02	13	.01	11	.30	.04	.13	1	7
6-6364	2	19	2	12	.1	10	13	23	4.81	59	5	ND	1	35	1	2	2	5	.14	.032	2	1	.02	15	.01	7	.40	.04	.20	1	5
6-6365	1	24	8	6	.1	10	14	12	5.35	144	5	ND	1	34	1	2	2	4	.11	.032	2	1	.01	11	.01	10	.34	.04	.17	1	4
6-6366	2	41	7	24	.1	11	16	143	7.44	224	5	ND	1	51	1	2	6	8	.47	.038	2	3	.18	8	.01	10	.40	.03	.11	1	9
6-6367	1	25	13	48	.1	13	14	274	6.13	33	5	ND	1	61	1	2	2	8	.98	.045	2	2	.38	8	.01	13	.44	.04	.14	1	5
6-6368	1	44	9	25	.1	9	14	479	5.86	28	5	ND	1	63	1	2	7	20	1.67	.045	2	4	.58	14	.01	12	.51	.03	.12	1	7
6-6369	2	196	12	67	.1	10	14	134	6.61	106	5	ND	1	39	1	11	6	5	.29	.045	2	3	.08	11	.01	9	.35	.02	.14	1	13
6-6370	14	33	9	8	.1	1	20	31	8.96	51	5	ND	1	63	1	2	7	2	.02	.010	2	2	.02	8	.01	7	.31	.03	.16	3	14
6-6371	14	71	7	14	.2	1	15	20	6.03	35	5	ND	1	48	1	2	2	1	.01	.009	2	1	.02	12	.01	6	.31	.04	.17	1	10
6-6372	18	357	20	60	1.5	2	13	25	6.59	103	5	ND	1	60	1	2	2	1	.01	.011	2	1	.03	12	.01	7	.42	.04	.19	2	17
6-6373	10	170	15	36	.6	1	10	19	6.08	71	5	ND	1	56	1	2	2	1	.03	.018	2	1	.02	11	.01	12	.34	.05	.13	1	9
6-6374	15	420	16	42	.1	4	11	17	4.81	88	5	ND	2	44	1	2	2	1	.01	.006	2	2	.04	15	.01	5	.38	.05	.17	1	29
6-6375	120	301	10	40	.5	1	19	18	6.11	107	5	ND	1	38	1	2	2	1	.01	.009	2	1	.02	11	.01	10	.26	.05	.14	1	40
6-6376	27	416	11	47	.3	5	17	31	7.75	199	5	ND	1	47	1	2	7	1	.01	.006	2	2	.03	8	.01	13	.35	.05	.17	1	37
6-6377	48	324	10	41	.1	1	25	23	5.79	125	5	ND	1	57	1	2	2	1	.03	.017	2	1	.05	9	.01	8	.41	.04	.20	2	22
6-6378	11	333	11	46	.1	4	12	25	4.88	114	5	ND	2	77	1	2	2	1	.07	.044	2	1	.06	14	.01	10	.55	.05	.24	1	24
6-6379	9	210	12	35	.1	3	12	20	4.88	79	5	ND	1	61	1	2	2	1	.01	.009	2	1	.06	12	.01	10	.45	.04	.19	2	14
6-6380	64	375	7	24	.1	2	19	22	5.17	143	5	ND	2	44	1	2	2	1	.01	.004	2	1	.04	14	.01	5	.34	.04	.18	2	9
6-6381	40	638	18	42	.5	1	20	36	6.68	262	5	ND	2	50	1	5	7	2	.07	.019	3	2	.07	11	.01	9	.39	.04	.20	2	18
6-6382	37	953	13	48	.5	3	21	46	5.73	301	5	ND	1	57	1	2	4	2	.10	.016	2	1	.08	11	.01	10	.43	.04	.21	1	46
6-6383	26	376	16	45	.1	4	14	26	3.84	130	5	ND	1	65	1	2	2	1	.03	.018	3	1	.06	18	.01	10	.46	.04	.20	1	18
6-6384	34	645	21	64	.2	2	22	34	5.60	222	5	ND	2	72	1	3	5	2	.03	.019	3	2	.05	12	.01	11	.49	.05	.21	1	41
STD C/AU-R	19	58	43	126	7.2	70	27	1024	4.04	40	16	8	38	49	18	17	21	57	.49	.083	38	61	.89	173	.08	35	1.81	.06	.13	13	495

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TM	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM
6-6385	31	269	17	31	.4	4	17	21	4.47	107	5	ND	1	68	1	5	2	1	.05	.021	2	1	.03	9	.01	6	.34	.05	.14	2	38
6-6386	23	225	8	36	.1	11	14	31	6.28	153	5	ND	1	60	1	8	3	2	.01	.010	2	1	.02	10	.01	2	.21	.02	.12	1	28
6-6387	18	105	10	12	.1	10	12	23	4.85	89	5	ND	1	50	1	2	2	1	.01	.006	2	1	.01	12	.01	4	.22	.02	.11	1	1
6-6388	13	47	16	12	.2	12	19	22	7.34	134	5	ND	1	98	1	4	2	1	.02	.012	2	1	.01	5	.01	5	.22	.02	.11	1	46
6-6389	13	49	13	14	.3	12	16	17	5.96	103	5	ND	1	83	1	3	5	1	.02	.010	2	1	.01	8	.01	12	.21	.02	.10	1	27
6-6390	34	87	5	17	.2	11	14	9	3.16	61	5	ND	1	41	1	3	2	1	.01	.004	2	1	.02	23	.01	7	.23	.01	.13	1	1
6-6391	1	49	13	18	.2	11	13	39	5.36	32	5	ND	1	18	1	4	2	1	.01	.001	2	1	.01	12	.01	3	.18	.03	.09	1	13
6-6392	1	175	4	29	.2	11	13	18	4.82	63	5	ND	1	28	1	13	3	1	.01	.004	2	1	.01	10	.01	3	.17	.03	.08	1	1
6-6393	1	31	8	12	.3	13	17	19	6.69	25	5	ND	1	54	1	5	2	1	.04	.013	2	1	.01	5	.01	3	.17	.04	.08	1	1
6-6394	1	61	9	14	.1	15	13	13	5.45	28	5	ND	1	19	1	9	3	1	.01	.003	2	1	.01	13	.01	4	.18	.03	.10	1	21
6-6395	2	32	11	12	.3	11	12	17	5.51	12	5	ND	1	31	1	3	4	1	.01	.001	2	1	.01	13	.01	3	.19	.04	.09	1	27
6-6396	3	126	16	35	.5	9	13	16	5.91	126	5	ND	1	77	1	16	2	1	.01	.004	2	1	.01	10	.01	9	.33	.03	.13	1	141
6-6397	4	131	17	39	.4	6	11	19	6.81	88	5	ND	1	52	1	6	3	1	.01	.008	2	1	.01	8	.01	4	.19	.03	.10	1	31
6-6398	5	52	8	11	.3	5	6	17	5.36	34	5	ND	2	77	1	2	2	1	.02	.011	2	1	.01	11	.01	6	.22	.04	.10	1	14
6-6399	4	55	12	17	.2	4	7	13	3.88	37	5	ND	2	33	1	5	2	1	.01	.005	3	1	.01	25	.01	4	.19	.04	.11	1	26
6-6400	2	419	37	177	.9	13	13	29	5.38	97	5	ND	1	40	2	6	2	2	.14	.050	2	1	.01	15	.01	3	.23	.04	.13	1	67
6-6401	7	365	14	21	.1	3	12	22	5.12	115	5	ND	1	40	1	5	2	1	.03	.018	2	1	.02	10	.01	3	.25	.03	.10	1	33
6-6402	25	286	21	22	.3	4	20	40	9.39	127	5	ND	1	56	1	4	2	1	.02	.017	2	1	.02	6	.01	3	.31	.03	.13	1	29
6-6403	2	88	11	12	.8	14	15	29	5.24	50	5	ND	1	35	1	3	2	2	.09	.041	2	1	.02	15	.01	4	.26	.03	.14	1	201
6-6404	2	11	13	7	.7	13	14	26	5.03	19	5	ND	1	75	1	4	2	1	.08	.034	2	1	.01	18	.01	5	.21	.03	.11	1	33
6-6405	1	79	10	21	.3	17	17	40	5.97	54	5	ND	1	82	1	3	2	2	.19	.076	2	1	.01	18	.01	4	.25	.05	.11	1	23
6-6406	1	11	8	7	.5	14	19	36	5.90	34	5	ND	1	80	1	2	2	3	.12	.051	2	2	.01	15	.01	3	.29	.04	.12	1	27
6-6407	2	29	20	14	.6	18	23	44	9.34	47	5	ND	1	47	1	2	2	3	.11	.050	2	1	.01	10	.01	6	.24	.04	.11	1	54
6-6408	1	8	13	5	.1	13	14	9	3.32	21	5	ND	1	23	1	2	2	2	.01	.003	2	1	.01	27	.01	5	.27	.02	.14	1	28
6-6409	1	74	16	10	.7	15	17	19	5.97	32	5	ND	1	43	1	2	3	1	.01	.009	2	1	.01	18	.01	2	.20	.03	.10	1	51
6-6410	1	112	7	28	.3	17	20	33	5.63	81	5	ND	1	61	1	2	2	2	.08	.035	2	1	.01	11	.01	3	.25	.04	.11	1	20
6-6411	2	21	16	12	.7	15	20	31	6.64	65	5	ND	1	75	1	2	2	3	.08	.036	2	1	.01	15	.01	4	.25	.04	.10	1	15
6-6412	2	15	20	11	.7	15	16	69	7.03	26	5	ND	2	94	1	2	2	4	.08	.036	2	2	.01	11	.01	2	.26	.04	.11	1	1
6-6413	2	48	10	23	.2	50	14	17	3.50	62	5	ND	1	34	1	11	2	1	.01	.010	2	1	.01	32	.01	2	.20	.01	.13	1	1
6-6414	2	63	9	36	.1	55	18	23	4.71	137	5	ND	1	76	1	37	2	2	.01	.015	2	4	.01	20	.01	6	.24	.03	.12	2	58
6-6415	57	293	2249	129	6.2	38	21	28	6.92	149	5	ND	1	40	1	115	2	2	.01	.006	2	3	.01	9	.01	6	.23	.03	.11	1	1
6-6416	104	207	113	24	1.1	20	21	23	6.60	109	5	ND	2	36	1	19	2	1	.01	.007	2	1	.01	7	.01	2	.25	.03	.12	1	1
6-6417	22	30	14	15	.2	37	17	42	7.93	73	5	ND	1	15	1	2	2	2	.01	.003	2	3	.02	4	.01	3	.21	.02	.09	1	1
6-6418	23	35	18	14	.2	48	19	36	9.70	57	5	ND	1	15	1	6	2	2	.01	.002	2	5	.01	4	.01	2	.21	.01	.09	1	9
6-6419	8	90	10	10	.1	54	19	19	6.41	95	5	ND	1	21	1	11	2	2	.01	.002	2	6	.01	13	.01	2	.28	.01	.09	1	13
6-6420	33	372	15	17	.1	130	39	31	10.90	192	5	ND	2	55	1	13	2	7	.01	.011	2	7	.03	4	.01	7	.43	.02	.15	1	40
STD C/AU-R	19	58	42	132	7.3	72	29	1052	4.07	42	18	6	39	50	19	16	20	57	.48	.087	38	61	.89	178	.08	32	1.81	.06	.14	12	480

LACANA MINING PROJECT-LL FILE # 87-3606

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	HG	BA	TI	B	AL	NA	K	W	AU#
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB
6-6421	15	252	16	31	.1	103	27	21	5.30	108	5	ND	1	96	1	4	2	8	.07	.046	2	9	.05	7	.01	5	.68	.03	.20	1	17
6-6422	46	541	2	15	.1	63	23	24	4.45	303	5	ND	1	33	1	13	2	4	.01	.005	2	6	.04	10	.01	7	.52	.03	.18	1	27
6-6423	51	908	4	10	.1	25	30	26	4.75	442	5	ND	1	22	1	11	2	3	.01	.005	2	2	.04	10	.01	2	.42	.03	.21	1	54
6-6424	65	521	2	8	.1	9	19	19	3.16	273	5	ND	1	19	1	8	2	2	.01	.001	2	2	.03	18	.01	7	.39	.02	.18	1	25
6-6425	34	617	3	9	.1	4	17	24	3.64	305	5	ND	1	31	1	9	2	1	.01	.001	4	2	.04	13	.01	6	.37	.03	.21	1	24
6-6426	32	483	2	9	.1	5	17	26	4.01	264	5	ND	1	32	1	7	2	1	.01	.003	4	1	.04	13	.01	6	.40	.02	.22	1	31
6-6427	62	523	3	7	.2	4	13	33	2.67	341	5	ND	1	31	1	7	2	1	.01	.004	3	2	.04	21	.01	3	.30	.02	.16	1	64
6-6428	54	730	2	14	.3	9	18	19	4.06	449	5	ND	1	36	1	4	2	1	.01	.003	5	2	.03	11	.01	4	.33	.01	.20	1	48
6-6429	25	740	2	14	.2	10	21	24	2.38	312	5	ND	1	47	1	3	2	3	.02	.011	2	3	.04	32	.01	3	.38	.03	.22	1	136
6-6430	47	1141	2	23	.3	13	28	28	3.17	502	5	ND	1	55	1	3	2	4	.05	.019	2	2	.05	15	.01	6	.48	.03	.23	1	144
6-6431	159	1471	2	31	.8	8	23	36	2.63	642	5	2	1	48	1	2	2	7	.02	.007	2	2	.06	22	.01	5	.40	.04	.22	1	67
6-6432	164	1564	2	27	.5	12	32	26	4.63	757	5	ND	1	46	1	4	2	5	.01	.006	2	2	.04	11	.01	4	.40	.03	.22	1	94
6-6433	112	1225	4	32	.4	8	25	29	4.08	665	5	ND	1	73	1	4	2	4	.01	.007	2	3	.03	9	.01	7	.41	.03	.21	1	103
6-6434	13	79	2	44	.1	17	8	468	2.45	52	5	ND	2	72	1	4	2	18	1.67	.033	7	9	.62	133	.02	2	.56	.06	.18	1	7
6-6435	2	104	5	9	.3	31	10	31	3.39	36	5	ND	1	17	1	21	2	1	.01	.005	2	5	.01	22	.01	3	.23	.01	.14	1	49
6-6436	4	1139	4	67	1.3	9	8	794	4.30	429	5	ND	1	36	1	186	11	10	.17	.059	6	2	.21	28	.01	3	.28	.02	.12	1	37
6-6437	2	96	11	20	.9	35	16	285	8.06	49	5	ND	1	28	1	27	2	5	.07	.025	2	3	.08	8	.01	3	.25	.02	.15	1	26
6-6438	2	13	8	22	.3	61	20	581	5.40	35	5	ND	1	27	1	9	2	11	.05	.023	3	16	.21	19	.01	3	.28	.01	.15	1	11
6-6439	3	12	2	16	.4	70	22	393	7.04	41	5	ND	1	26	1	4	2	11	.11	.042	2	15	.15	11	.01	3	.23	.02	.12	1	8
6-6440	3	75	5	32	.3	106	23	677	7.24	66	5	ND	1	83	1	27	2	27	.14	.047	2	24	.34	15	.01	6	.36	.02	.13	1	6
6-6441	4	45	7	26	.1	30	11	320	5.15	51	5	ND	1	89	1	14	2	6	.25	.090	4	3	.11	16	.01	3	.29	.05	.10	1	22
6-6442	9	381	9	71	.3	22	12	351	5.12	143	5	ND	1	76	1	109	6	6	.15	.031	2	2	.08	19	.01	8	.27	.04	.10	1	47
6-6443	4	1177	5	46	1.0	7	13	30	5.48	377	5	ND	1	76	1	393	10	1	.06	.028	2	1	.01	11	.01	4	.23	.04	.10	2	76
6-6444	4	99	4	13	.6	1	8	32	5.71	51	5	ND	1	29	1	50	3	1	.01	.007	2	1	.02	11	.01	2	.19	.02	.12	1	46
6-6445	1	190	13	42	2.4	6	12	48	12.85	126	5	ND	1	43	1	101	7	3	.01	.004	2	1	.01	2	.01	6	.18	.02	.14	1	260
6-6446	1	18	9	162	.9	9	15	34	7.01	62	5	ND	1	37	1	18	2	3	.01	.006	2	1	.02	4	.01	4	.33	.03	.17	1	65
6-6447	1	12	6	17	.5	10	14	26	6.23	58	5	ND	1	30	1	15	2	2	.01	.009	2	2	.01	4	.01	5	.22	.03	.12	1	12
6-6448	1	12	8	8	.3	11	11	22	4.70	88	5	ND	1	53	1	27	2	1	.01	.002	2	1	.01	14	.01	4	.24	.03	.12	1	24
6-6449	1	65	13	15	.5	14	18	32	7.16	165	5	ND	1	32	1	55	5	2	.01	.009	2	1	.01	6	.01	6	.25	.03	.15	1	59
6-6450	2	10	5	8	.1	11	14	22	6.92	96	5	ND	1	18	1	16	6	1	.01	.004	2	1	.01	9	.01	5	.16	.02	.11	1	17
6-6451	1	48	6	18	.1	7	11	22	4.73	69	5	ND	1	20	1	32	2	1	.01	.003	2	1	.01	14	.01	2	.28	.02	.14	1	12
6-6452	2	149	2	21	.2	1	6	17	3.37	61	5	ND	1	30	1	41	2	1	.01	.003	2	1	.01	20	.01	3	.26	.02	.13	1	15
6-6453	2	227	2	27	.2	1	6	16	3.52	103	5	ND	2	24	1	44	2	1	.01	.003	2	1	.01	20	.01	3	.23	.01	.11	1	14
6-6454	2	183	3	21	.2	1	5	14	3.26	80	5	ND	3	25	1	39	2	1	.01	.005	2	1	.01	19	.01	6	.24	.02	.12	1	21
6-6455	2	26	4	14	.1	3	9	25	4.27	21	5	ND	2	134	1	3	2	1	.10	.050	2	1	.01	21	.01	4	.30	.03	.10	1	18
6-6456	4	174	2	106	5.2	45	18	24	5.01	42	5	ND	1	97	1	60	2	2	.04	.029	2	6	.01	16	.01	4	.43	.02	.12	1	29
STD C/AU-R	19	60	41	132	7.1	68	29	1060	3.93	41	18	8	37	49	18	16	19	56	.47	.088	37	61	.86	178	.08	31	1.86	.06	.14	11	495

LACANA MINING PROJECT-LL FILE # 87-3606

Page 7

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM
6-6457	11	61	5	18	.1	76	28	24	6.04	35	5	ND	1	59	1	7	3	2	.01	.005	2	6	.01	23	.01	7	.38	.01	.12	1	24
6-6458	3	50	6	14	.1	59	19	22	6.17	34	5	ND	1	75	1	8	2	4	.03	.010	2	7	.01	24	.01	10	.49	.02	.13	1	14
6-6459	2	8	11	5	.1	84	26	20	5.81	17	5	ND	1	48	1	3	2	3	.01	.008	2	7	.01	12	.01	11	.47	.02	.13	1	7
6-6460	1	3	5	29	.1	73	22	14	3.85	11	5	ND	1	58	1	2	2	5	.01	.006	2	5	.01	49	.01	10	.41	.02	.16	1	4
6-6461	51	199	28	67	.1	3	9	23	2.50	72	5	ND	1	94	1	38	3	4	.01	.004	2	1	.01	53	.01	11	.60	.01	.07	1	19
6-6462	3	81	7	28	.1	75	23	163	4.05	34	5	ND	1	71	1	29	3	21	.03	.004	2	11	.13	31	.01	18	.52	.04	.11	1	15
6-6463	3	28	10	10	.1	103	30	22	7.78	42	5	ND	1	63	1	6	2	5	.02	.012	2	6	.01	15	.01	24	.44	.03	.11	1	27
6-6464	2	11	7	8	.1	86	17	20	7.15	15	5	ND	1	53	1	4	2	3	.01	.007	2	6	.01	8	.01	10	.33	.01	.09	1	23
6-6465	2	12	13	8	.1	99	22	36	8.31	25	5	ND	1	97	1	2	2	2	.01	.004	2	7	.01	11	.01	7	.25	.02	.09	1	14
6-6466	2	8	10	235	.1	83	19	26	5.68	51	5	ND	1	80	1	2	2	2	.03	.016	2	5	.01	22	.01	6	.23	.02	.12	1	15
6-6467	2	8	6	11	.1	98	23	38	7.30	40	5	ND	1	45	1	2	2	1	.01	.005	2	7	.01	16	.01	10	.21	.02	.11	1	7
6-6468	2	44	4	10	.1	63	21	58	2.66	22	5	ND	1	62	1	14	2	8	.01	.007	2	8	.03	61	.01	11	.45	.02	.16	1	6
6-6469	3	60	6	14	.1	113	33	63	6.10	37	5	ND	1	48	1	11	2	10	.01	.008	2	11	.04	13	.01	16	.50	.03	.13	1	6
6-6470	2	7	7	7	.1	87	25	26	7.01	58	5	ND	1	61	1	2	2	4	.01	.010	2	7	.01	17	.01	9	.45	.02	.11	1	8
6-6471	2	7	6	4	.1	69	15	30	5.30	45	5	ND	1	42	1	2	2	3	.01	.011	2	7	.01	13	.01	9	.32	.01	.15	1	7
6-6472	2	28	5	7	.1	50	14	26	3.70	45	5	ND	1	43	1	5	2	1	.01	.012	2	5	.01	29	.01	8	.28	.01	.14	1	8
6-6473	2	7	7	4	.1	38	11	25	3.77	61	5	ND	1	45	1	3	2	1	.01	.014	2	4	.01	43	.01	7	.22	.01	.15	1	11
6-6474	2	9	12	6	.1	54	16	32	5.39	43	5	ND	1	39	1	2	2	2	.01	.006	2	4	.01	24	.01	11	.28	.01	.16	1	9
6-6475	2	7	5	5	.1	41	12	33	3.95	39	5	ND	1	49	1	2	2	2	.01	.009	2	4	.01	34	.01	6	.28	.01	.16	1	7
6-6601	133	1378	22	128	.1	1	16	33	4.49	551	5	ND	1	81	1	32	2	5	.02	.025	2	1	.08	19	.01	12	.62	.03	.25	2	98
6-6602	92	1655	20	119	.1	3	16	35	5.03	675	5	ND	1	39	1	26	2	4	.01	.006	2	1	.14	16	.01	13	.74	.03	.35	3	127
6-6603	36	1925	14	87	.4	3	19	47	5.63	707	5	ND	3	47	1	48	2	4	.01	.005	2	1	.11	14	.01	11	.54	.04	.31	1	150
6-6604	31	2129	18	119	.3	3	17	43	4.55	811	5	ND	2	44	1	38	3	4	.01	.003	2	1	.11	17	.01	14	.63	.03	.30	2	185
6-6605	21	1520	17	151	.2	1	13	41	4.62	594	5	ND	3	46	1	26	2	4	.01	.004	2	1	.09	14	.01	20	.56	.04	.28	1	133
6-6606	27	1332	23	245	.4	3	18	40	6.28	562	5	ND	1	50	1	18	3	3	.01	.006	2	1	.05	9	.01	22	.44	.05	.22	2	127
6-6607	78	3661	30	317	1.3	3	16	416	6.75	1261	5	ND	1	75	2	174	2	14	.02	.010	2	1	.12	14	.01	33	.60	.03	.31	6	295
6-6608	40	3567	16	204	1.1	3	12	934	7.92	1178	5	ND	1	58	1	153	2	26	.05	.006	2	2	.18	43	.01	20	.44	.02	.19	5	335
6-6609	22	3283	32	158	1.1	1	12	1075	7.10	944	5	ND	3	73	1	6	4	30	.24	.070	5	2	.16	43	.01	26	.61	.04	.20	3	350
6-6610	14	2874	25	108	2.1	4	15	803	8.48	837	5	ND	2	41	1	2	2	18	.08	.021	4	1	.09	9	.01	26	.33	.04	.20	3	305
6-6611	33	2838	35	92	1.6	4	10	494	5.66	694	5	ND	2	99	1	2	2	15	.09	.036	3	2	.07	17	.01	25	.62	.06	.23	3	285
6-6612	65	2931	41	117	1.4	3	15	475	5.39	821	5	ND	2	131	1	8	3	13	.07	.028	2	1	.07	11	.01	26	.46	.07	.19	3	205
6-6613	51	2254	29	93	1.7	8	17	494	7.89	757	5	ND	1	70	1	6	2	13	.04	.015	2	1	.06	10	.01	15	.45	.05	.18	2	230
6-6614	65	2019	20	195	.8	3	18	1281	6.92	660	5	ND	2	94	1	2	2	27	.15	.048	3	3	.17	41	.01	26	.58	.04	.22	1	71
6-6615	78	2266	29	49	1.7	2	13	289	10.15	845	5	ND	3	56	1	12	10	8	.06	.039	2	1	.05	5	.01	18	.35	.02	.20	3	685
6-6616	67	4541	15	61	1.8	1	11	415	7.65	1099	5	ND	2	39	1	16	27	8	.11	.047	2	1	.07	12	.01	14	.32	.02	.19	2	285
6-6617	52	416	13	10	.5	3	12	48	7.20	150	5	ND	2	19	1	3	2	1	.10	.050	2	2	.01	17	.01	12	.27	.02	.16	1	93
STD C/AU-R	19	62	41	132	7.2	71	28	1052	4.02	40	17	8	39	51	18	19	23	58	.47	.090	38	61	.87	179	.07	36	1.78	.06	.15	12	495

30

LACANA MINING PROJECT-LL FILE # 87-3606

Page 8

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	M PPM	AUT PPB	HG PPB
G-6618	21	1387	6	4	.4	4	8	29	5.26	385	5	ND	4	22	1	7	2	1	.14	.053	3	1	.01	19	.01	10	.28	.02	.18	1	144	-
G-6619	6	136	14	28	.1	30	16	33	6.55	70	5	ND	3	25	1	44	2	1	.01	.066	2	2	.01	10	.01	7	.31	.02	.18	1	12	-
G-6620	4	160	10	43	.2	7	15	815	4.59	93	5	ND	2	41	1	40	2	5	.02	.009	2	1	.03	14	.01	7	.42	.02	.11	1	52	-
G-6621	99	2635	19	85	.5	4	25	28	3.63	914	5	ND	1	43	1	241	2	6	.01	.012	2	1	.09	31	.01	9	.65	.05	.30	1	265	-
G-6622	68	1499	19	83	.3	5	25	36	8.44	599	5	ND	1	41	1	63	2	5	.02	.014	2	1	.09	8	.01	6	.57	.04	.26	1	215	-
G-6623	63	3939	19	225	.7	5	20	26	3.19	1174	5	ND	3	20	1	73	2	6	.01	.005	2	1	.06	25	.01	10	.46	.02	.22	1	325	-
G-6624	65	2920	24	138	.7	4	12	23	1.88	641	5	ND	2	64	1	72	2	9	.01	.007	2	1	.11	57	.01	12	.71	.02	.27	3	265	-
G-6625	44	1540	16	132	.3	4	14	473	3.64	535	5	ND	2	116	1	30	2	18	.10	.025	3	1	.13	69	.01	11	.53	.03	.29	1	105	-
G-6626	50	1546	20	99	.1	6	14	848	6.29	442	5	ND	3	116	1	6	2	24	.27	.065	5	2	.19	32	.01	14	.51	.03	.20	1	90	-
G-6627	40	2315	17	106	.3	5	13	740	5.87	698	5	ND	3	140	1	2	2	29	.78	.078	6	1	.21	51	.01	13	.55	.02	.19	1	175	-
G-6628	21	1136	33	68	.4	6	12	344	4.42	370	5	ND	4	180	1	5	2	20	.64	.076	5	4	.16	53	.01	16	.53	.04	.20	1	165	-
G-6629	18	2182	16	133	.5	6	12	822	6.36	690	5	ND	3	171	1	24	2	31	.81	.057	5	2	.28	80	.01	26	.48	.05	.14	1	150	-
G-6630	12	1780	12	98	.3	5	9	877	5.31	445	5	ND	3	154	1	24	2	33	1.39	.076	5	2	.42	137	.01	17	.50	.04	.11	1	175	-
G-6631	6	257	19	145	.3	8	12	1331	5.87	106	5	ND	4	132	1	2	2	28	.95	.070	8	2	.25	79	.01	8	.50	.04	.10	1	43	-
G-6632	5	1006	99	388	4.7	8	11	568	5.22	340	5	ND	4	128	3	8	5	13	.68	.067	5	1	.14	25	.01	12	.47	.06	.17	1	295	-
G-6633	5	482	17	94	.3	5	16	601	4.91	99	5	ND	4	190	1	20	2	27	1.25	.088	8	1	.26	56	.01	12	.53	.05	.10	1	34	-
G-6634	6	499	14	111	.3	5	21	605	6.15	135	5	ND	5	139	1	9	2	29	1.46	.093	7	3	.19	29	.01	5	.55	.05	.10	1	57	-
G-6635	5	2408	5	65	.4	2	13	360	6.79	660	5	ND	3	98	1	64	2	29	.25	.049	4	1	.20	27	.01	5	.47	.02	.15	1	325	-
G-6636	4	1494	10	51	.5	3	13	235	6.03	439	5	ND	4	133	1	13	2	19	1.04	.085	4	1	.19	19	.01	6	.63	.04	.23	1	165	-
G-6637	5	1010	12	82	.1	5	15	640	5.50	285	5	ND	4	113	1	4	2	16	.52	.098	6	1	.17	30	.01	7	.53	.04	.21	1	64	-
G-6638	3	1113	21	50	1.0	3	14	449	6.08	393	5	ND	5	96	1	2	2	11	.33	.080	7	1	.09	20	.01	10	.42	.05	.22	1	395	-
G-6639	5	961	12	102	.3	3	17	619	5.04	242	5	ND	5	161	1	2	2	28	1.97	.092	10	1	.18	65	.01	16	.58	.06	.12	1	84	5
G-6640	3	976	12	132	.2	6	10	844	5.60	163	5	ND	7	138	1	2	2	34	1.57	.087	13	2	.24	156	.01	11	.54	.05	.12	1	165	-
G-6641	3	298	8	99	.1	5	8	825	4.53	64	5	ND	7	121	1	2	2	31	1.69	.083	13	2	.22	374	.01	15	.53	.03	.12	1	51	-
G-6642	9	2658	29	206	5.1	9	9	834	5.18	683	5	ND	3	87	1	34	2	21	.10	.024	3	3	.14	60	.01	4	.40	.02	.17	1	345	-
G-6643	5	70	18	30	.1	12	14	23	5.15	36	5	ND	1	26	1	24	2	1	.01	.004	2	3	.01	15	.01	5	.28	.02	.13	1	10	-
G-6644	4	69	11	9	.1	70	17	30	6.65	68	5	ND	2	55	1	26	2	2	.01	.008	2	3	.01	15	.01	2	.22	.02	.12	1	13	-
G-6645	3	101	5	15	.1	97	25	25	7.38	300	5	ND	2	132	1	46	2	5	.01	.018	2	5	.02	14	.01	2	.43	.03	.10	1	24	-
G-6646	94	2430	9	101	.3	7	29	29	4.10	859	5	ND	1	37	1	169	2	2	.01	.003	2	1	.05	15	.01	12	.46	.05	.18	1	205	-
G-6647	126	2722	12	21	.4	3	16	30	2.86	1041	5	ND	1	49	1	18	2	7	.01	.006	2	1	.13	34	.01	7	.66	.03	.29	1	275	-
G-6648	50	2495	84	270	2.4	5	16	33	5.04	891	5	ND	2	55	2	35	3	6	.03	.012	2	1	.12	17	.01	7	.63	.06	.30	2	560	-
G-6649	108	3073	36	160	1.2	4	18	35	4.62	956	5	ND	1	73	1	17	2	7	.05	.021	2	1	.11	25	.01	6	.66	.05	.27	1	495	-
G-6650	439	3551	19	203	.9	3	17	44	3.30	1343	5	ND	5	62	1	91	2	3	.01	.006	8	1	.06	27	.01	8	.50	.03	.18	2	350	-
G-6651	84	1601	28	141	.7	3	12	708	5.38	506	5	ND	3	148	1	22	2	17	.41	.066	5	1	.20	49	.01	14	.63	.06	.25	1	235	-
G-6652	74	2043	28	85	.8	2	14	557	5.18	467	5	ND	2	134	1	9	2	16	.46	.082	4	2	.14	24	.01	11	.67	.05	.26	1	225	-
G-6653	20	3081	35	86	2.4	4	14	715	7.01	885	5	ND	3	49	1	2	10	13	.12	.039	4	1	.12	17	.01	6	.42	.04	.24	1	350	-
STD C/AU-R	19	58	39	130	6.9	67	28	1046	4.16	38	17	8	38	49	18	17	23	56	.50	.087	37	59	.92	176	.08	36	1.86	.06	.13	13	520	1300

LACANA MINING PROJECT-LL FILE # 87-3606

SAMPLE#	NO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	MA %	K %	W PPM	AU# PPB	HG PPB
6-6654	27	2387	30	88	1.0	3	17	676	5.22	798	5	ND	4	44	1	2	2	9	.16	.037	5	3	.10	15	.01	21	.38	.03	.27	1	225	-
6-6655	24	1457	20	131	.1	2	7	845	4.80	344	5	ND	3	272	1	2	2	34	.65	.092	8	2	.19	221	.01	24	.61	.09	.24	1	106	-
6-6656	36	1152	14	138	.5	1	18	1116	6.56	377	5	ND	3	145	1	4	2	30	.48	.049	4	3	.18	25	.01	16	.60	.05	.28	1	71	-
6-6657	26	1076	30	109	.5	1	11	534	3.80	332	5	ND	3	189	1	10	2	21	.82	.091	5	2	.14	50	.01	20	.62	.06	.24	1	62	-
6-6658	28	2629	20	95	.2	1	12	402	3.64	820	5	ND	2	153	1	201	2	18	.22	.051	4	2	.14	62	.01	12	.58	.03	.23	1	185	-
6-6659	28	1867	28	120	.8	2	18	885	7.16	598	5	ND	2	106	1	92	2	15	.19	.027	3	3	.16	20	.01	17	.41	.04	.20	1	112	-
6-6660	24	3489	25	112	.4	2	13	631	5.32	1152	5	ND	2	164	1	22	2	20	1.06	.026	3	2	.19	33	.01	14	.53	.04	.19	1	275	-
6-6661	28	1816	18	126	.1	1	40	757	7.56	508	5	ND	3	123	1	151	3	36	.66	.040	4	2	.21	20	.01	19	.50	.03	.20	1	185	-
6-6662	22	2145	13	112	.4	1	20	677	6.00	709	5	ND	2	144	1	40	2	30	.71	.043	4	2	.22	31	.01	18	.59	.04	.22	1	176	-
6-6663	24	2083	32	119	.3	3	13	629	6.36	658	5	ND	2	150	1	43	2	34	.58	.041	4	2	.23	25	.01	15	.56	.04	.25	1	165	-
6-6664	42	2921	8	44	.6	18	11	137	2.33	864	5	ND	1	43	1	84	2	18	.35	.018	5	7	.12	65	.01	20	.50	.02	.16	1	175	-
6-6665	68	3865	16	60	1.1	26	15	32	3.74	1281	5	ND	1	15	1	60	2	8	.01	.001	2	8	.03	15	.01	13	.38	.03	.17	1	295	-
6-6666	62	4101	10	83	.5	20	15	34	2.10	1498	5	ND	1	12	1	25	2	6	.01	.001	2	8	.02	45	.01	14	.29	.02	.18	1	275	-
6-6667	59	2778	37	264	1.4	75	12	28	4.03	1128	5	ND	1	21	1	36	3	5	.01	.004	2	6	.02	19	.01	9	.24	.04	.19	1	215	-
6-6668	62	2918	19	70	1.3	35	15	33	2.95	1120	5	ND	1	29	1	15	2	5	.01	.002	2	5	.02	24	.01	7	.25	.04	.20	1	265	-
6-6669	10	881	8	88	.1	9	9	586	2.92	294	5	ND	2	248	1	2	2	18	.06	.052	9	1	.06	136	.01	16	.75	.03	.13	1	87	-
6-6670	27	3041	16	142	.4	70	24	987	8.33	1102	5	ND	2	126	1	4	9	56	.11	.021	3	26	.24	22	.01	15	.52	.03	.24	1	250	-
6-6671	33	1851	11	177	.4	46	15	983	8.95	622	5	ND	3	79	1	11	3	68	.18	.027	2	48	.30	60	.01	17	.56	.03	.23	1	165	-
6-6672	15	1899	14	153	.4	16	12	953	6.78	693	5	ND	2	97	1	14	2	36	.07	.020	2	8	.21	79	.01	16	.57	.02	.20	1	94	-
6-6673	9	531	7	18	.2	6	5	42	1.18	152	5	ND	2	148	1	8	2	25	.02	.020	4	1	.04	206	.01	9	.92	.03	.10	1	69	-
6-6674	25	2282	17	106	.3	15	14	631	5.62	786	5	ND	1	82	1	14	2	35	.06	.010	2	7	.15	27	.01	14	.53	.02	.20	1	175	-
6-6675	20	3147	19	130	1.5	14	12	836	7.69	1137	5	ND	1	53	1	4	3	46	.08	.006	2	9	.20	24	.01	14	.45	.02	.19	1	250	-
6-6676	17	2776	13	74	1.2	10	17	391	6.37	1013	5	ND	1	56	1	5	3	25	.06	.010	3	4	.11	15	.01	9	.45	.02	.20	1	185	-
6-6677	13	2176	11	140	.1	9	14	787	8.02	639	5	ND	4	90	1	3	2	48	.70	.057	7	3	.28	38	.01	22	.54	.03	.16	1	195	-
6-6678	5	677	10	80	.1	1	7	522	4.20	141	5	ND	7	118	1	2	2	33	2.00	.095	14	3	.34	332	.01	31	.72	.07	.18	1	76	-
6-6679	5	533	6	75	.1	2	7	424	3.99	131	5	ND	6	132	1	2	2	35	1.94	.101	11	3	.32	353	.01	23	.63	.06	.15	1	42	-
6-6680	9	1585	15	111	.5	3	13	569	5.29	495	5	ND	4	133	1	2	2	41	1.01	.067	6	3	.33	54	.01	16	.59	.05	.10	1	165	-
6-6681	7	1135	12	88	.1	3	11	611	5.37	322	5	ND	4	94	1	2	2	26	1.12	.084	5	1	.21	40	.01	15	.54	.05	.13	1	97	-
6-6682	17	1519	12	178	.1	9	17	1125	7.37	411	5	ND	2	190	1	2	2	29	.53	.052	5	2	.29	32	.01	16	.60	.02	.18	1	155	-
6-6683	13	1338	15	189	.4	7	23	1202	8.48	446	5	ND	2	104	1	3	2	25	.07	.013	3	2	.13	17	.01	10	.43	.03	.13	1	225	-
6-6684	19	1389	138	930	1.7	7	23	706	10.16	525	5	ND	3	76	5	7	4	13	.13	.046	3	2	.08	9	.01	10	.36	.03	.18	2	194	-
6-6685	8	100	3	9	.1	118	26	30	8.04	36	5	ND	2	19	1	7	2	6	.01	.005	2	8	.02	6	.01	9	.47	.01	.11	1	22	-
6-6686	6	33	12	12	.1	54	16	38	6.05	8	5	ND	1	22	1	7	2	2	.01	.004	2	6	.01	22	.01	10	.34	.01	.12	1	58	50
6-6687	5	27	5	8	.1	48	14	29	5.77	5	5	ND	1	20	1	2	2	2	.01	.001	2	7	.01	20	.01	4	.29	.01	.11	1	3	20
6-6688	5	25	5	15	.1	55	14	36	6.44	8	5	ND	1	44	1	3	3	3	.01	.012	2	8	.01	17	.01	6	.35	.01	.16	1	3	-
6-6689	5	27	5	10	.1	32	17	32	6.85	10	5	ND	1	90	1	3	2	3	.01	.021	2	4	.02	16	.01	13	.38	.01	.14	1	9	-
STD C/AU-R	19	60	44	132	7.1	67	29	1057	4.12	44	18	8	39	51	19	16	23	58	.49	.088	39	61	.89	180	.08	36	1.85	.07	.13	12	510	1300

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	1	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB
6-6690	5	28	9	10	.1	37	20	33	8.62	14	5	ND	1	82	1	2	2	3	.01	.017	2	5	.01	16	.01	10	.35	.03	.20	1	21
6-6691	5	41	15	7	.1	100	21	16	8.42	14	5	ND	1	64	1	2	2	4	.02	.009	2	8	.01	14	.01	3	.48	.03	.16	1	27
6-6692	3	16	11	4	.1	157	32	15	6.29	11	5	ND	1	71	1	2	2	4	.03	.015	3	10	.01	16	.01	6	.52	.03	.12	1	7
6-6693	3	43	3	8	.1	43	12	21	5.28	9	5	ND	1	44	1	2	2	1	.02	.009	2	6	.01	26	.01	3	.34	.01	.11	1	8
6-6694	3	19	2	7	.1	40	14	19	3.96	12	5	ND	1	36	1	2	2	1	.01	.004	2	5	.01	28	.01	5	.28	.01	.16	1	7
6-6695	2	15	7	6	.1	61	17	16	4.48	9	5	ND	1	31	1	2	2	2	.01	.004	2	6	.01	28	.01	2	.34	.01	.19	1	3
6-6696	5	62	616	1159	1.3	51	17	795	2.88	187	5	ND	2	79	7	2	2	23	.65	.049	4	16	.55	158	.01	10	.58	.11	.27	1	1
6-6697	3	57	227	778	.7	52	17	1128	3.29	77	5	ND	3	81	4	2	7	24	1.10	.047	5	14	.75	138	.01	10	.45	.06	.21	1	1
6-6698	2	23	105	90	4.1	40	15	7359	6.26	86	5	ND	1	45	1	7	2	15	.29	.035	3	14	.19	26	.01	10	.65	.04	.34	1	3
6-6699	1	22	8	108	.1	50	14	989	3.68	16	5	ND	2	108	1	2	3	33	1.33	.047	6	17	.85	715	.01	13	.64	.14	.28	1	2
6-6700	1	5	12	126	.1	56	22	1652	5.50	15	5	ND	2	197	1	2	2	55	2.81	.047	2	41	1.28	1707	.01	8	.77	.06	.22	1	1
6-6701	1	93	16	47	1.6	32	10	2421	3.03	68	5	ND	2	44	1	5	2	20	1.72	.025	2	9	.64	64	.01	3	.24	.04	.09	1	1
6-6702	1	14	82	121	.8	28	7	5200	2.35	89	5	ND	1	39	1	2	2	11	.59	.022	2	6	.26	112	.01	3	.26	.04	.12	1	2
6-6703	1	23	251	158	1.1	24	7	1197	1.92	65	5	ND	2	59	1	2	2	10	.96	.024	2	6	.34	113	.01	7	.31	.04	.12	1	3
6-6704	1	10	7	48	.1	23	7	2409	2.57	19	5	ND	1	78	1	2	2	18	2.99	.031	2	10	.90	238	.01	9	.31	.06	.11	1	1
6-6705	2	2340	19	464	.6	37	11	1438	4.07	817	5	ND	3	159	2	148	2	41	3.70	.032	5	20	1.24	202	.01	5	.42	.07	.12	1	8
6-6706	1	1	9	51	.1	23	9	358	4.42	12	5	ND	3	149	1	2	2	56	.56	.057	2	50	.34	567	.01	11	.98	.31	.32	1	1
6-6707	2	8	7	122	.2	86	25	914	6.22	32	5	ND	2	119	1	2	2	30	.78	.040	2	14	.93	395	.01	8	.77	.19	.26	1	2
6-6708	5	24	148	1558	.4	3	9	14207	4.06	54	5	ND	5	56	6	8	5	20	.52	.131	24	3	.19	130	.01	5	.53	.11	.22	1	1
6-6709	6	10	272	2603	1.1	1	3	2245	1.43	18	5	ND	11	71	14	2	3	4	1.33	.030	26	1	.11	394	.01	7	.37	.15	.25	1	1
6-6710	1	10	60	205	.5	1	2	1114	1.28	21	5	ND	11	154	1	2	2	2	2.87	.017	18	1	.13	167	.01	8	.40	.10	.21	1	2
6-6711	41	1553	14	28	.6	1	13	132	8.43	399	5	ND	3	23	1	7	2	3	.05	.033	4	1	.02	10	.01	4	.27	.01	.20	4	152
6-6712	14	3209	23	129	1.6	8	21	846	10.87	1109	5	ND	2	54	1	10	10	38	.10	.020	2	5	.22	13	.01	8	.32	.01	.19	7	580
6-6713	2	64	15	14	.4	10	16	35	5.52	37	5	ND	1	35	1	2	2	3	.10	.044	2	1	.01	28	.01	3	.27	.03	.16	1	51
6-6714	2	161	46	145	.3	13	14	620	4.93	55	5	ND	4	86	1	11	4	56	3.86	.126	16	12	1.25	32	.01	4	.53	.04	.09	1	17
STD C/AU-R	19	60	42	133	6.8	69	28	1062	4.12	38	18	8	39	52	18	16	20	59	.48	.086	39	61	.89	181	.08	34	1.82	.06	.13	13	500

APPENDIX V

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: P1-7 SOIL P8-SILT P9-ROCK AU# ANALYSIS BY AA FROM 10 GRAM SAMPLE.

DATE RECEIVED: OCT 5 1987 DATE REPORT MAILED: *Oct 19/87* ASSAYER: *D. J. Deane* DEAN TOYE, CERTIFIED B.C. ASSAYER

LACANA MINING CORP. PROJECT-LL File # 87-4735 Page 1

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU#
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	I	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	I	I	I	PPM	PPM	I	PPM	I	PPM	I	I	I	PPM	PPB
LD-1	1	54	112	126	.6	80	10	317	3.55	48	5	ND	3	42	2	2	2	60	.39	.047	7	77	.78	299	.05	5	1.46	.01	.05	1	5
LD-2	1	42	49	115	.6	112	13	500	3.59	31	5	ND	3	24	3	2	4	64	.23	.047	6	106	.92	192	.05	7	1.72	.01	.06	1	3
LD-3	1	46	23	136	.1	15	6	267	5.05	56	5	ND	3	16	2	2	2	85	.03	.166	5	23	.18	103	.02	5	1.58	.01	.05	1	4
LD-4	1	83	403	128	1.7	62	11	501	4.38	113	5	ND	3	18	2	3	2	61	.69	.100	6	65	.84	95	.03	8	1.56	.01	.05	1	22
LD-5	5	102	29	208	.8	15	8	766	5.17	91	5	ND	3	16	2	2	2	53	.03	.143	6	19	.12	114	.01	9	2.21	.01	.05	1	11
LD-6	1	42	104	103	.6	80	10	440	3.38	42	5	ND	2	30	1	2	5	59	.36	.056	5	81	.75	123	.04	9	1.41	.01	.05	1	3
LD-7	1	47	22	177	.4	37	12	881	4.82	41	5	ND	3	77	1	2	2	93	.51	.094	8	29	.49	355	.02	7	2.40	.01	.10	1	1
LD-8	3	58	102	148	.8	61	10	487	5.17	57	5	ND	2	27	2	2	5	80	.28	.205	6	46	.51	130	.02	7	1.98	.01	.07	1	5
LD-9	2	79	32	216	.1	20	9	973	4.57	60	5	ND	2	35	2	2	2	62	.17	.128	9	22	.20	288	.01	6	1.61	.01	.08	1	1
LD-10	1	72	372	165	1.5	42	11	565	4.75	102	5	ND	2	26	1	2	2	76	.70	.123	6	52	.72	130	.03	3	1.58	.01	.06	1	18
LD-11	5	67	36	187	.7	15	7	348	5.64	87	5	ND	2	18	2	3	2	73	.02	.133	6	16	.12	93	.02	7	1.27	.01	.05	1	2
LD-12	1	77	28	235	.3	22	8	286	5.26	77	5	ND	3	16	1	2	2	64	.02	.103	5	20	.18	113	.01	8	1.86	.01	.05	1	6
LD-13	1	23	20	94	.1	10	5	211	3.77	35	5	ND	1	14	1	2	2	60	.03	.081	5	13	.12	103	.02	2	1.17	.01	.04	1	1
LD-14	1	29	21	117	.1	9	4	318	3.66	47	5	ND	2	21	1	5	2	59	.06	.142	6	14	.09	105	.02	4	1.05	.01	.06	1	1
LD-15	1	50	21	120	.3	16	5	368	3.70	47	5	ND	2	25	1	3	2	56	.06	.078	5	19	.14	148	.01	6	1.29	.01	.06	1	1
LD-16	1	24	15	82	.2	19	5	246	2.86	29	5	ND	1	27	1	2	2	52	.09	.051	3	29	.14	97	.01	8	.87	.01	.06	1	2
LD-17	1	52	37	266	.4	21	9	590	6.33	70	5	ND	1	30	1	2	4	89	.10	.165	7	23	.28	370	.01	6	1.93	.01	.05	1	1
LD-18	1	25	21	218	.4	13	7	1142	4.58	24	5	ND	1	26	2	2	2	78	.07	.162	6	18	.16	207	.02	3	1.78	.01	.07	1	1
LD-19	1	55	47	255	.5	24	14	834	6.03	76	5	ND	2	29	1	3	2	76	.12	.208	7	19	.26	186	.01	7	1.83	.01	.08	1	5
LD-20	5	69	46	431	.6	26	13	729	8.57	98	5	ND	2	31	1	5	2	106	.10	.102	6	29	.36	313	.03	7	2.31	.01	.07	1	8
LD-21	3	52	63	363	.5	14	8	470	7.44	80	5	ND	3	19	2	2	2	93	.03	.110	6	20	.19	132	.02	5	1.77	.01	.06	1	1
LD-22	1	50	62	248	.3	15	8	549	6.76	79	5	ND	3	27	2	2	2	90	.06	.178	6	21	.21	138	.02	6	1.82	.01	.07	1	59
LD-23	1	38	138	322	.4	12	7	529	6.67	72	5	ND	3	19	2	2	3	87	.03	.314	7	21	.16	156	.01	5	2.33	.01	.06	1	146
LD-24	1	55	63	354	.6	16	9	793	6.09	83	5	ND	2	29	2	2	2	85	.10	.151	6	18	.19	168	.02	6	1.82	.01	.09	1	8
LD-25	3	26	38	293	.5	12	8	593	6.45	37	5	ND	3	22	2	2	2	97	.03	.161	7	18	.16	208	.02	7	1.96	.01	.07	1	3
LD-26	6	61	181	310	1.1	19	13	1296	11.00	142	5	ND	3	30	1	6	4	96	.07	.484	9	25	.24	209	.02	6	2.47	.02	.09	1	53
LD-27	1	40	30	342	.4	20	7	429	4.18	36	5	ND	1	41	1	2	2	79	.17	.060	11	24	.32	382	.01	3	2.26	.01	.06	1	2
LD-28	3	40	29	187	.6	18	5	254	5.14	64	5	ND	1	23	1	2	2	86	.01	.124	5	25	.14	102	.01	7	1.58	.01	.06	1	1
LD-29	1	45	43	209	.6	13	8	761	6.29	75	5	ND	2	21	1	3	2	91	.03	.163	6	19	.15	117	.01	5	1.82	.01	.06	2	4
LD-30	1	30	64	125	.2	12	6	291	4.88	58	5	ND	1	24	1	5	2	87	.06	.071	6	12	.08	95	.02	6	.80	.01	.04	1	3
LD-31	4	67	66	369	.4	13	8	392	7.51	96	5	ND	3	18	1	4	2	78	.01	.169	7	18	.18	150	.01	5	2.06	.01	.05	1	1
LD-32	5	58	83	262	.5	10	6	302	6.45	82	5	ND	2	19	1	5	2	69	.05	.153	6	13	.14	124	.01	3	1.44	.01	.04	1	5
LD-33	3	55	114	352	1.6	14	8	493	6.25	106	5	ND	2	18	1	4	3	76	.04	.170	7	18	.21	117	.01	6	1.74	.01	.05	1	6
LD-34	1	45	66	325	.6	23	7	360	4.85	77	5	ND	3	21	1	2	2	64	.12	.114	8	26	.28	202	.01	5	2.05	.01	.06	1	4
LD-35	3	79	81	359	1.2	13	6	285	4.67	73	5	ND	2	35	1	2	2	53	.14	.097	10	13	.21	190	.01	10	1.81	.01	.05	1	7
LD-36	1	44	55	338	.4	15	8	779	5.57	58	5	ND	3	20	1	2	2	82	.02	.120	8	19	.18	174	.01	6	2.16	.01	.06	1	1
STD C/AU-S	19	59	42	132	7.2	68	28	1049	3.85	40	17	6	38	50	17	18	21	59	.43	.087	37	61	.80	181	.08	31	1.79	.06	.13	14	47

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE I	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA I	P I	LA PPM	CR PPM	MG I	BA PPM	TI I	B PPM	AL I	NA I	K I	W PPM	AU# PPB
LD-37	1	36	51	203	.2	14	8	419	6.66	63	5	ND	4	17	1	3	2	93	.05	.155	6	19	.16	119	.02	2	1.60	.01	.05	1	5
LD-38	1	26	33	219	.1	11	6	426	4.41	33	5	ND	4	17	1	2	2	72	.03	.069	9	15	.11	135	.01	2	1.47	.01	.04	1	1
LD-39	1	39	42	203	.4	11	7	488	5.47	48	5	ND	4	15	1	3	2	85	.03	.126	6	18	.16	153	.02	7	1.95	.01	.05	1	6
LD-40	1	52	106	287	.4	13	8	522	5.92	74	5	ND	3	36	1	2	2	76	.16	.139	8	17	.22	254	.01	2	1.61	.01	.06	1	8
LD-41	5	96	213	330	.5	11	8	456	10.22	159	5	ND	4	41	1	6	2	75	.14	.262	6	19	.15	211	.01	3	1.84	.02	.10	1	19
LD-42	1	34	32	266	1.2	8	4	153	2.59	21	5	ND	3	39	1	2	2	45	.21	.055	12	11	.13	301	.01	2	1.53	.01	.04	1	1
LD-43	1	33	32	230	.3	9	4	185	3.73	40	5	ND	2	12	1	25	2	53	.04	.083	6	13	.19	97	.01	8	1.68	.01	.04	1	8
LD-44	1	57	31	221	.3	11	11	605	5.07	30	5	ND	2	34	1	2	2	108	.23	.126	11	27	.61	293	.01	2	2.04	.01	.05	1	5
LD-45	2	38	29	182	1.3	8	4	113	3.44	39	5	ND	3	13	1	2	2	48	.04	.092	7	15	.12	89	.01	2	2.78	.01	.03	1	6
LD-46	4	87	49	248	.3	20	12	730	5.14	74	5	ND	4	15	1	5	2	51	.06	.090	7	18	.17	77	.03	3	2.56	.01	.03	1	16
LD-47	1	39	41	166	.3	9	5	585	3.58	39	8	ND	2	15	1	2	2	57	.04	.104	6	13	.13	107	.01	2	1.21	.01	.05	1	1
LD-48	1	72	35	229	1.1	18	6	268	4.22	49	5	ND	2	23	1	2	2	53	.14	.110	7	16	.20	89	.01	2	1.46	.01	.04	1	18
LD-49	1	23	21	90	.7	7	3	93	2.98	23	5	ND	2	11	1	2	2	54	.01	.060	5	13	.11	61	.01	2	1.36	.01	.03	1	3
LD-50	1	57	31	188	.4	13	6	233	4.11	40	5	ND	3	13	1	3	3	60	.02	.069	7	15	.14	96	.01	2	1.41	.01	.04	1	2
LD-51	1	46	44	137	.1	34	8	429	3.82	38	5	ND	2	14	1	2	2	61	.17	.089	7	40	.40	135	.01	2	1.55	.01	.07	2	5
LD-52	1	74	27	165	.1	23	13	926	4.33	34	5	ND	3	33	1	2	4	68	.31	.132	8	23	.61	490	.01	2	2.35	.01	.09	1	3
LD-53	1	17	12	140	.1	38	11	195	2.77	7	5	ND	1	8	1	2	3	30	.06	.033	7	19	.42	199	.01	2	2.43	.01	.05	1	1
LD-54	1	78	69	195	.4	16	9	551	4.39	73	5	ND	3	45	1	5	2	52	.24	.064	14	16	.25	179	.01	5	1.46	.01	.06	1	17
LD-55	1	42	14	119	.3	16	7	252	4.09	36	5	ND	4	17	1	5	4	59	.07	.051	6	18	.22	143	.01	6	1.26	.01	.05	1	1
LD-56	4	43	23	105	.2	8	3	109	5.05	74	5	ND	2	41	1	23	2	63	.18	.032	5	14	.11	137	.01	2	1.17	.01	.04	1	7
LD-57	1	59	31	169	.4	22	9	403	4.77	76	5	ND	3	18	1	9	5	58	.09	.102	6	21	.27	153	.01	2	1.64	.01	.05	1	8
LD-58	2	41	35	109	.1	7	3	172	3.74	58	5	ND	2	15	1	5	2	56	.03	.114	7	10	.07	79	.02	4	.80	.01	.03	1	1
LD-59	1	79	24	140	1.0	18	12	419	4.92	41	5	ND	3	65	1	2	2	44	.42	.083	23	15	.23	219	.01	2	1.91	.01	.04	1	17
LD-60	1	66	36	141	.3	25	7	193	3.72	65	5	ND	3	10	1	8	2	44	.02	.075	4	18	.15	94	.01	2	1.09	.01	.04	1	12
LD-61	1	49	59	266	.3	32	9	345	4.04	58	5	ND	3	27	1	6	2	50	.21	.050	7	35	.32	152	.01	5	1.34	.01	.04	1	5
LD-62	2	61	40	318	.5	13	6	217	5.67	66	5	ND	3	12	1	9	3	61	.02	.082	5	16	.14	70	.01	4	1.44	.01	.04	1	1
LD-63	2	133	73	435	1.1	37	10	1634	6.01	112	5	ND	4	57	2	13	2	47	.40	.054	16	31	.20	260	.01	5	1.36	.01	.08	1	16
LD-64	1	31	14	150	.1	14	6	330	5.17	51	5	ND	2	11	1	2	2	62	.03	.244	6	24	.22	80	.01	2	1.85	.01	.04	1	1
LD-65	1	37	30	292	.4	10	6	297	4.47	72	5	ND	3	15	1	3	2	55	.03	.107	6	14	.13	83	.01	2	1.53	.01	.05	1	1
LD-66	39	191	20	157	.1	12	5	439	4.74	198	5	ND	3	42	1	13	3	49	.15	.042	5	12	.12	224	.01	3	1.09	.01	.05	1	42
LD-67	13	185	67	169	.6	6	4	219	4.84	239	5	ND	3	26	1	4	3	53	.01	.136	7	13	.09	129	.01	2	1.43	.01	.06	1	36
LD-68	2	77	16	180	.9	23	6	203	3.53	63	5	ND	5	14	1	2	3	49	.02	.064	6	19	.24	103	.01	4	2.00	.01	.05	1	15
LD-69	1	35	23	335	.1	23	8	567	4.15	177	5	ND	3	16	1	6	2	55	.04	.075	6	20	.26	120	.02	2	1.49	.01	.04	1	4
LD-70	1	282	29	308	.7	19	7	296	4.71	90	5	ND	4	15	1	2	3	49	.01	.092	6	18	.16	111	.01	2	1.96	.01	.04	2	21
LD-71	9	161	14	135	.5	13	6	313	4.55	151	5	ND	3	14	1	7	4	53	.01	.080	4	17	.17	73	.01	2	1.86	.01	.04	1	26
LD-72	2	35	37	104	.4	7	4	285	6.25	78	5	ND	3	39	1	2	2	50	.01	.163	6	15	.09	248	.01	2	1.13	.03	.09	1	21
STD C/AU-S	17	61	36	132	7.3	68	27	1038	3.82	38	18	7	40	50	18	19	23	59	.43	.085	37	65	.78	179	.08	37	1.81	.05	.13	12	50

LACANA MINING CORP. PROJECT-LL FILE # 87-4735

Page 3

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	HG %	BA PPM	TI %	B PPM	AL %	NA %	K %	W PPM	AU1 PPB
LD-73	6	29	12	118	.1	13	4	213	3.79	30	5	ND	3	20	1	2	2	48	.03	.100	7	19	.22	73	.01	5	1.76	.01	.05	1	5
LD-74	10	178	16	157	.6	22	7	282	4.70	130	5	ND	3	21	2	3	2	55	.07	.111	6	21	.29	114	.01	9	2.33	.01	.07	1	23
LD-75	12	78	18	56	.3	7	3	106	3.85	181	5	ND	2	27	1	3	2	50	.02	.058	7	11	.11	121	.01	5	.99	.01	.08	1	16
LD-76	24	396	23	42	.3	2	3	65	21.49	397	5	ND	4	10	2	2	13	46	.01	.217	8	5	.04	27	.02	6	.63	.01	.05	1	44
LD-77	12	75	20	74	.7	8	3	225	5.31	210	5	ND	3	20	2	8	2	54	.02	.059	6	15	.09	69	.01	4	1.58	.01	.06	1	54
LD-78	41	531	17	35	2.9	2	4	45	27.20	536	6	ND	4	7	1	3	2	85	.01	.262	3	16	.04	23	.03	6	1.06	.01	.03	2	59
LD-79	178	801	25	35	4.3	1	4	29	41.52	3713	5	ND	4	22	1	7	2	177	.01	.269	3	26	.05	198	.04	16	.95	.01	.11	1	33
LD-80	32	219	17	57	1.7	6	4	148	6.40	475	5	ND	2	18	1	2	2	67	.02	.105	5	13	.11	108	.01	3	1.80	.01	.05	1	59
LD-81	21	112	21	39	1.0	3	2	109	3.83	159	5	ND	2	14	3	5	2	42	.01	.057	7	6	.07	91	.01	5	1.24	.01	.07	1	24
LD-82	14	181	15	63	.6	6	4	165	7.47	265	5	ND	2	13	1	4	2	67	.04	.061	4	14	.09	68	.01	3	1.32	.01	.06	2	12
LD-83	11	131	13	48	1.2	6	4	132	7.67	240	5	ND	3	17	1	7	2	83	.02	.110	9	26	.10	74	.04	3	1.51	.01	.05	1	4
LD-84	11	58	39	123	.9	10	6	247	8.06	99	5	ND	3	22	1	4	2	90	.03	.093	6	23	.12	94	.02	6	1.55	.01	.05	1	19
LD-85	235	284	40	57	.3	7	5	97	21.08	1522	5	ND	4	18	1	2	18	148	.01	.186	4	25	.07	43	.10	2	1.01	.01	.05	1	27
LD-86	13	100	93	253	1.5	16	8	578	9.44	151	5	ND	3	30	1	9	2	69	.06	.192	6	25	.16	138	.01	5	1.50	.01	.07	1	20
LD-87	9	47	24	224	1.2	13	6	322	5.41	69	5	ND	3	21	2	3	2	65	.02	.105	6	20	.16	96	.01	5	1.95	.01	.05	1	11
LD-88	4	41	24	173	.6	15	6	265	5.03	58	5	ND	2	16	2	2	2	54	.05	.070	5	17	.18	79	.01	4	1.65	.01	.04	1	2
LD-89	7	22	12	127	.6	13	6	240	5.84	29	5	ND	4	14	3	3	2	61	.02	.145	5	24	.27	73	.01	4	2.55	.01	.05	1	1
LD-90	8	28	16	154	.9	17	8	397	6.46	42	5	ND	2	16	1	2	2	84	.03	.164	5	23	.21	72	.01	5	2.88	.01	.05	1	1
LD-91	2	20	5	98	.5	18	6	203	3.28	10	5	ND	2	12	1	2	2	48	.05	.075	5	22	.34	78	.02	2	3.12	.01	.04	1	3
LD-92	6	62	17	210	.9	27	10	1866	5.35	35	5	ND	2	90	2	2	2	67	.70	.191	22	24	.30	500	.01	5	1.97	.01	.07	1	6
LD-93	3	13	7	54	.2	5	3	184	3.64	21	5	ND	1	28	1	2	2	48	.12	.077	7	11	.09	163	.02	3	.80	.01	.05	1	2
LD-94	2	15	8	85	.2	17	5	365	2.70	12	5	ND	1	29	2	2	2	50	.14	.048	7	16	.23	206	.01	3	1.33	.01	.05	1	5
LD-95	1	15	4	92	.1	16	5	344	2.87	11	5	ND	1	38	1	2	2	46	.28	.031	8	19	.36	413	.02	2	1.40	.01	.05	1	1
LD-96	1	20	4	107	.1	24	7	369	3.46	14	5	ND	1	35	1	2	2	52	.29	.054	7	24	.49	317	.02	3	1.76	.01	.06	1	2
LD-97	1	32	14	183	.4	29	8	371	3.52	33	5	ND	3	34	1	2	2	52	.21	.054	7	20	.24	307	.01	5	1.93	.01	.06	1	12
LD-98	5	42	27	265	.7	28	10	364	4.61	75	5	ND	4	20	1	2	2	59	.05	.079	8	24	.30	103	.01	3	2.46	.01	.05	1	11
LD-99	3	17	7	78	.2	11	4	269	3.30	21	5	ND	2	18	1	2	2	58	.03	.057	6	17	.18	79	.02	2	1.26	.01	.06	1	2
LD-100	1	40	7	159	.5	25	8	554	2.96	13	5	ND	1	51	1	2	2	47	.45	.080	9	23	.42	487	.01	2	1.95	.01	.07	1	3
LD-101	5	58	18	264	.9	48	9	1748	4.17	39	5	ND	1	51	1	2	2	57	.43	.077	23	26	.40	654	.01	3	2.22	.01	.08	1	10
LD-102	2	20	16	188	.5	22	13	1743	3.47	29	6	ND	2	46	3	2	2	58	.25	.080	9	20	.24	361	.01	2	1.59	.01	.07	1	7
LD-103	6	21	57	270	.8	10	6	519	4.35	87	5	ND	1	51	1	2	2	64	.32	.051	10	15	.18	551	.01	4	1.12	.01	.06	1	3
LD-104	3	27	14	174	.4	11	6	498	4.15	42	5	ND	1	33	3	2	2	67	.18	.094	5	15	.13	221	.01	4	.93	.01	.07	1	2
LD-105	3	30	32	274	.4	18	10	1126	6.07	61	5	ND	1	20	1	3	2	67	.07	.196	7	20	.26	175	.02	3	1.46	.01	.07	1	6
LD-106	1	122	19	296	.8	43	10	836	5.07	84	5	ND	5	24	2	4	2	65	.04	.080	29	34	.34	293	.01	3	3.61	.01	.10	1	15
LD-107	2	36	18	177	.4	16	7	384	5.30	67	5	ND	2	20	1	2	2	72	.02	.137	6	20	.21	139	.01	2	1.53	.01	.05	1	5
LD-108	1	42	23	171	.4	23	9	546	4.42	57	5	ND	3	18	2	3	2	56	.10	.099	7	20	.34	102	.02	2	2.04	.01	.04	1	7
STD C/AU-S	19	58	37	131	7.1	67	27	1027	3.85	40	19	7	36	49	19	18	24	57	.48	.084	36	61	.88	176	.08	37	1.78	.06	.13	13	52

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MS	BA	TI	B	AL	NA	K	W	AU#
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPB	
LD-109	1	65	29	383	.3	17	7	828	4.94	73	5	ND	2	24	2	2	2	62	.09	.123	8	22	.24	190	.01	2	1.88	.01	.07	1	1
LD-110	1	25	42	140	.1	13	7	428	4.10	88	5	ND	1	23	1	2	2	62	.10	.097	6	21	.24	171	.01	2	1.64	.01	.06	1	1
LD-111	1	58	37	213	.5	32	12	1076	4.60	129	5	ND	2	50	1	2	2	58	.42	.048	19	30	.55	308	.01	2	1.96	.01	.10	1	2
LD-112	1	50	79	398	.2	24	12	1214	5.49	236	5	ND	2	33	1	5	2	69	.28	.171	8	23	.28	241	.01	2	1.43	.01	.09	1	1
LD-113	1	42	122	527	.7	9	15	5080	5.57	233	5	ND	5	35	3	2	2	48	.49	.177	43	11	.12	526	.01	2	1.75	.01	.10	1	3
LD-114	1	43	21	192	.1	20	12	1096	5.27	36	5	ND	1	31	1	2	2	69	.24	.116	8	22	.22	226	.01	2	1.45	.01	.08	1	1
LD-115	1	75	22	155	.1	20	12	1020	6.39	54	5	ND	1	38	1	2	2	96	.17	.189	8	24	.18	405	.01	2	1.48	.01	.11	2	1
LD-116	2	156	36	408	.7	26	32	3545	9.75	123	5	ND	4	76	1	2	2	139	1.05	.389	56	28	.19	882	.01	12	1.43	.01	.12	1	1
LD-117	1	37	18	150	.1	24	11	452	6.42	31	5	ND	1	46	1	2	2	98	.20	.040	4	30	.27	333	.01	2	2.25	.01	.06	2	2
LD-118	2	39	16	161	.1	38	10	546	5.70	26	5	ND	1	34	1	2	3	98	.08	.100	4	30	.31	155	.01	3	2.35	.01	.06	1	1
LD-119	1	28	16	144	.2	22	7	286	4.85	24	5	ND	2	22	1	2	2	71	.07	.093	6	25	.30	115	.02	2	2.96	.01	.05	1	1
LD-120	1	28	19	154	.1	16	6	718	4.58	42	5	ND	1	21	1	2	2	74	.09	.111	7	21	.27	138	.01	2	2.03	.01	.07	1	111
LD-121	1	33	57	214	.4	20	8	604	4.65	76	5	ND	3	20	1	2	2	65	.10	.134	9	20	.32	142	.01	4	2.25	.01	.05	1	1
LD-122	1	23	59	313	.2	10	5	414	4.10	599	5	ND	4	9	1	2	2	48	.03	.102	8	13	.19	94	.01	2	2.51	.01	.05	1	1
LD-123	2	27	17	130	.4	8	4	410	2.35	29	5	ND	3	7	1	2	4	27	.01	.066	13	10	.14	104	.01	3	1.80	.01	.08	1	2
LD-124	2	35	23	198	.4	26	8	223	4.55	23	5	ND	4	10	1	2	3	60	.03	.094	6	22	.38	142	.01	3	3.20	.01	.06	1	1
LD-125	1	27	5	159	.4	18	7	402	4.25	12	5	ND	1	17	1	2	2	78	.06	.107	6	25	.35	204	.02	4	2.59	.01	.07	1	1
LD-126	1	31	20	106	.1	33	10	506	4.35	18	5	ND	1	32	1	2	2	72	.16	.045	6	24	.35	194	.01	2	2.28	.01	.04	1	1
LD-127	2	30	9	116	.1	20	7	506	4.48	19	5	ND	1	25	2	2	2	72	.10	.103	6	22	.29	309	.01	2	1.81	.01	.06	1	2
LD-128	1	16	14	97	.1	12	5	869	3.05	7	5	ND	1	119	1	2	2	49	.75	.077	14	15	.37	592	.01	2	1.64	.01	.07	1	1
LD-129	1	35	13	113	.1	30	11	648	4.29	16	5	ND	1	19	1	2	2	59	.12	.073	7	28	.64	138	.02	2	2.64	.01	.08	1	1
LED 63+50N	1	23	12	120	.2	5	7	516	4.59	10	5	ND	3	45	1	2	2	76	.40	.256	12	10	.19	199	.01	2	3.01	.01	.06	1	1
LED 63+00N	1	25	55	277	.1	4	11	1140	4.24	8	5	ND	6	32	1	2	2	82	.38	.230	20	13	.15	111	.01	2	2.70	.01	.10	1	1
LED 62+50N	1	30	22	117	.4	6	6	434	3.83	13	5	ND	2	29	1	2	2	60	.32	.213	13	10	.16	141	.01	2	2.77	.01	.04	1	1
LED 62+00N	3	26	15	102	.1	6	6	406	4.42	9	5	ND	1	16	1	2	2	84	.06	.137	6	11	.15	129	.01	2	1.66	.01	.05	1	2
LED 61+50N	1	26	13	143	.6	7	7	574	3.86	12	5	ND	4	20	2	2	2	70	.17	.234	10	12	.23	96	.01	6	2.76	.01	.06	2	1
LED 61+00N	1	27	8	76	.1	6	8	209	3.51	8	5	ND	2	22	1	2	2	67	.19	.092	10	10	.16	149	.01	2	2.21	.01	.03	1	1
LED 60+50N	3	27	46	140	.6	5	9	1001	5.45	10	5	ND	2	12	2	2	2	72	.10	.182	8	8	.17	112	.01	2	3.47	.01	.05	1	1
LED 60+00N	1	43	14	88	.1	6	10	641	4.36	7	5	ND	4	47	1	2	2	76	.54	.217	18	9	.20	191	.01	2	2.09	.01	.09	1	1
LED 59+50N	3	35	27	141	.7	9	8	460	4.80	12	5	ND	5	18	1	2	2	76	.10	.197	10	11	.17	90	.01	2	4.27	.01	.04	1	2
LED 59+00N	2	33	95	271	1.2	4	7	2760	5.12	10	5	ND	2	15	1	2	2	72	.12	.214	10	9	.11	130	.01	2	2.22	.01	.09	1	1
LED 58+00N	1	54	13	90	.4	5	6	226	3.23	7	5	ND	1	38	1	2	2	54	.17	.239	11	6	.10	217	.01	2	2.31	.01	.03	1	1
LED 57+50N	2	49	33	196	1.8	6	7	652	5.31	8	5	ND	2	34	1	2	2	98	.29	.273	16	12	.21	285	.01	2	2.71	.01	.13	1	2
LED 56+50N	2	30	39	178	.9	8	8	577	4.38	16	5	ND	3	24	1	2	2	66	.10	.168	12	12	.18	176	.01	2	4.33	.01	.07	1	1
LED 55+50N	2	41	43	216	.4	9	8	505	3.56	38	5	ND	1	40	1	2	2	58	.33	.136	16	9	.17	273	.01	2	2.05	.01	.07	1	1
LED 55+00N	2	32	59	160	.3	9	6	329	4.64	29	5	ND	2	30	1	6	2	60	.14	.130	14	11	.19	202	.01	2	2.85	.01	.04	1	2
STD C/AU-S	18	61	41	132	7.0	68	27	1039	3.91	41	18	7	37	50	19	18	21	59	.48	.086	38	59	.88	179	.08	34	1.79	.05	.13	12	49

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AU*
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	I	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	I	I	PPM	PPM	I	PPM	I	PPM	I	I	I	PPM	PPB
LED 54+50N	4	24	35	132	.6	7	5	298	3.76	14	5	ND	4	17	1	2	2	53	.10	.416	11	10	.15	155	.01	2	3.72	.01	.04	1	1
LED 54+00N	6	29	64	207	.6	14	9	657	4.55	40	5	ND	5	19	1	2	2	65	.14	.206	11	16	.25	103	.02	2	2.78	.01	.04	1	1
LED 53+50N	4	34	73	183	.4	12	9	1163	4.55	25	5	ND	4	14	1	2	2	57	.11	.203	10	16	.22	90	.02	2	3.62	.01	.04	1	1
LED 53+00N	3	47	116	248	1.3	11	8	540	4.92	40	5	ND	5	16	1	2	2	69	.17	.189	14	15	.16	96	.01	2	2.98	.01	.04	1	2
LED 52+50N	2	16	11	90	.7	9	8	170	3.00	5	5	ND	5	15	1	2	2	72	.29	.243	18	15	.16	80	.01	2	2.06	.01	.04	1	1
LED 52+00N	3	48	19	61	.3	7	7	168	3.12	5	5	ND	3	8	1	2	2	43	.14	.168	10	8	.18	71	.01	2	1.58	.01	.06	1	1
LED 51+50N	3	33	28	102	.5	9	11	738	5.17	10	5	ND	5	13	1	2	2	64	.15	.264	14	14	.25	136	.01	2	2.75	.01	.04	1	1
LED 51+00N	8	28	51	205	.7	10	12	613	4.40	31	5	ND	6	16	1	2	2	56	.22	.182	18	7	.16	90	.01	2	2.60	.01	.03	1	1
LED 50+50N	7	45	25	96	.2	9	13	814	4.53	18	5	ND	6	14	1	2	2	55	.24	.182	18	10	.26	82	.01	2	2.53	.01	.04	1	1
LED 50+00N	3	26	56	167	.3	6	7	595	4.50	23	5	ND	6	18	1	2	2	54	.25	.275	21	8	.17	247	.01	2	1.90	.01	.06	1	9
LED 49+50N	3	24	58	74	1.0	4	6	929	5.43	25	5	ND	7	10	1	2	2	23	.08	.901	13	6	.07	183	.01	2	3.32	.01	.04	1	1
LED 49+00N	3	32	57	214	.3	7	5	918	4.82	33	5	ND	3	10	1	3	2	52	.10	.153	12	7	.15	127	.01	2	1.61	.01	.07	1	1
LED 48+50N	2	29	108	498	.3	5	6	778	4.89	59	5	ND	2	7	1	15	2	57	.02	.102	7	7	.10	64	.01	4	.91	.01	.06	1	1
LED 48+00N	3	15	11	264	.5	14	6	589	4.13	15	5	ND	1	12	1	2	2	64	.05	.125	5	20	.34	90	.02	2	1.94	.01	.04	1	1
LED 47+50N	3	27	88	199	.6	8	7	2001	4.98	32	5	ND	1	14	1	2	2	69	.07	.297	7	14	.17	101	.01	2	1.57	.01	.05	1	1
LED 47+00N	1	34	77	376	.6	8	7	1251	5.14	50	5	ND	2	11	1	5	2	52	.07	.208	7	10	.16	81	.01	3	1.26	.01	.05	1	1
LED 46+50N	1	16	53	154	.6	7	4	398	3.90	25	5	ND	1	14	1	2	2	64	.01	.069	5	14	.09	86	.01	2	1.22	.01	.05	1	1
LED 46+00N	1	23	47	219	.1	10	6	655	5.32	34	5	ND	1	17	1	2	3	69	.13	.177	6	15	.20	181	.01	2	1.56	.01	.05	1	1
LED 45+50N	1	34	40	220	.2	8	9	1341	5.42	50	5	ND	3	13	1	2	2	75	.06	.235	18	14	.10	218	.01	5	1.11	.01	.07	1	2
LED 45+00N	1	19	6	134	.2	9	9	1997	3.96	15	5	ND	2	8	1	2	2	65	.05	.152	10	16	.06	203	.01	3	.85	.01	.08	1	1
LED 44+50N	2	25	29	144	.3	7	5	468	3.63	28	5	ND	1	41	1	5	2	62	.45	.076	7	9	.08	397	.01	2	.96	.01	.06	1	1
LED 44+00N	1	38	34	173	1.1	27	16	2351	4.70	59	5	ND	2	12	1	2	2	35	.06	.112	9	18	.09	199	.01	3	1.31	.01	.05	1	1
LED 43+50N	2	91	86	296	.9	62	18	965	7.40	151	5	ND	3	5	1	2	2	45	.01	.106	15	21	.11	70	.01	2	.90	.01	.05	1	1
LED 43+00N	1	53	37	138	.1	37	10	838	5.26	83	5	ND	2	12	1	2	2	49	.10	.172	12	23	.15	121	.01	3	1.28	.01	.05	1	1
LED 42+50N	1	74	45	181	.1	38	17	1220	5.61	79	5	ND	3	7	1	2	2	51	.03	.092	8	22	.13	80	.01	3	1.29	.01	.03	1	1
LED 42+00N	1	41	23	108	.1	20	8	809	4.41	37	5	ND	2	6	1	2	2	49	.03	.171	12	15	.07	80	.01	2	.91	.01	.06	1	1
LED 41+50N	1	53	21	149	.1	22	7	579	4.98	44	5	ND	2	6	1	2	2	58	.03	.145	10	18	.13	133	.01	2	1.39	.01	.05	1	1
LED 41+00N	1	23	19	128	.5	15	6	1146	3.21	25	5	ND	2	53	1	2	2	43	.27	.106	12	15	.15	539	.01	3	.92	.01	.08	1	1
LED 40+50N	1	16	19	58	.9	9	4	225	2.93	19	5	ND	2	7	1	3	2	60	.01	.057	10	12	.08	80	.01	3	1.02	.01	.06	2	1
LED 40+00N	1	42	18	109	.1	21	6	300	5.65	33	5	ND	1	6	1	2	2	58	.01	.193	6	18	.16	68	.01	2	1.41	.01	.04	1	1
LED 39+50N	1	26	29	107	.4	15	5	748	4.72	32	5	ND	2	5	1	2	2	53	.01	.165	9	16	.09	72	.01	2	1.27	.01	.06	1	1
LED 38+50N	1	19	10	231	.6	17	5	275	3.95	15	5	ND	2	20	1	2	2	53	.07	.156	6	20	.28	159	.01	2	3.39	.01	.05	1	1
LED 38+00N	1	25	41	207	.6	12	6	326	3.49	36	5	ND	1	78	1	2	2	64	.69	.063	12	14	.21	317	.01	2	1.18	.01	.06	1	6
LED 37+50N	1	32	58	207	.1	12	8	469	5.24	59	5	ND	2	54	1	2	2	86	.30	.086	7	15	.21	366	.02	2	.99	.01	.07	1	1
LED 37+00N	1	85	130	320	.9	17	12	763	6.65	79	5	ND	2	32	1	2	3	68	.18	.211	13	20	.18	301	.01	4	1.57	.01	.05	1	2
LED 36+50N	1	17	14	93	.2	11	8	1229	4.41	30	5	ND	3	74	1	2	2	65	.46	.087	17	17	.34	252	.01	2	2.52	.01	.05	1	1
STD C/AU-S	19	57	39	130	7.0	68	28	1041	3.88	40	19	7	36	50	17	17	21	59	.47	.089	37	63	.86	178	.07	36	1.78	.06	.13	12	52

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE I	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA I	P I	LA PPM	CR PPM	MG I	BA PPM	TI I	B PPM	AL I	NA I	K I	W PPM	AU# PPB
LED 36+00N	1	12	11	166	.2	8	6	298	2.72	7	5	ND	3	60	1	2	2	56	.37	.046	14	16	.44	336	.02	4	1.51	.01	.04	1	1
LED 35+50N	2	18	18	88	.2	5	5	246	3.94	15	5	ND	3	17	1	2	2	83	.09	.090	8	11	.19	98	.02	2	1.46	.01	.04	1	4
LED 35+00N	25	47	49	163	.1	34	12	482	3.15	82	5	ND	2	4	1	5	2	21	.03	.043	8	10	.06	50	.01	5	.62	.01	.04	1	1
LED 34+50N	2	53	48	241	.1	11	6	324	6.12	61	5	ND	1	13	1	2	2	80	.04	.106	6	16	.11	89	.02	3	.91	.01	.04	1	11
LED 34+00N	6	86	135	251	.4	14	8	500	10.17	131	5	ND	3	12	1	3	5	77	.03	.264	8	21	.18	113	.01	4	1.94	.01	.04	1	10
LED 33+50N	5	78	77	176	.1	8	5	236	9.74	101	5	ND	1	31	1	6	2	78	.06	.146	6	16	.08	114	.02	2	.89	.01	.06	1	9
LED 33+00N	2	27	49	247	.3	10	7	366	4.94	41	5	ND	2	92	1	2	2	65	.62	.083	10	15	.25	544	.01	2	1.66	.01	.04	1	6
LED 32+50N	2	63	165	290	.4	14	9	636	8.70	84	5	ND	4	15	1	5	4	74	.07	.143	8	19	.21	125	.01	6	1.83	.01	.04	1	6
LED 32+00N	1	20	12	92	.1	6	4	202	2.81	8	5	ND	2	20	1	2	2	58	.10	.134	11	15	.34	151	.04	2	2.56	.01	.03	1	1
LED 31+50N	1	24	15	107	.2	10	11	566	5.09	3	5	ND	4	95	1	2	3	104	.50	.297	23	34	1.41	216	.15	2	5.77	.01	.06	1	4
LED 31+00N	1	24	14	100	.1	9	7	425	3.99	15	5	ND	3	33	1	2	3	87	.22	.241	15	32	.70	86	.12	2	2.76	.02	.03	1	1
LED 30+50N	1	23	20	89	.1	8	8	471	4.93	10	5	ND	3	77	1	2	2	104	.28	.254	17	27	.76	144	.17	2	3.16	.02	.06	1	1
LED 30+00N	2	22	21	99	.1	9	5	396	4.01	15	5	ND	2	19	1	2	3	82	.09	.174	11	21	.36	97	.07	3	1.79	.01	.04	1	1
LED 29+50N	1	28	12	96	.1	13	6	255	3.60	19	5	ND	1	40	1	2	2	67	.27	.107	12	20	.45	114	.06	2	2.61	.01	.04	1	4
LED 29+00N	7	29	44	306	.2	18	22	10541	5.03	29	5	ND	2	70	1	2	2	73	.50	.096	16	18	.25	837	.01	2	1.87	.01	.04	1	1
LED 28+50N	3	37	28	129	.2	13	7	414	4.89	38	5	ND	1	65	1	3	2	58	.45	.056	8	21	.31	169	.01	3	1.84	.01	.04	1	1
LED 28+00N	3	32	26	144	.1	14	9	554	6.00	33	5	ND	4	35	1	2	2	94	.07	.159	8	22	.50	147	.02	2	2.95	.01	.06	1	1
LED 27+50N	2	42	26	189	.3	14	5	206	3.39	26	5	ND	3	13	1	2	2	50	.05	.085	7	17	.33	79	.01	2	2.67	.01	.04	1	45
LED 27+00N	8	80	89	151	.2	7	4	182	6.43	131	5	ND	2	16	1	14	2	74	.03	.109	7	10	.06	106	.02	2	.77	.01	.05	1	43
LED 26+50N	1	43	47	147	.1	29	8	363	5.18	38	5	ND	1	13	1	2	2	62	.06	.096	3	31	.43	135	.01	2	2.29	.01	.07	1	4
LED 26+00N	1	34	15	139	.1	13	5	193	2.98	23	5	ND	2	21	1	2	2	60	.15	.085	6	16	.30	126	.02	2	2.36	.01	.04	1	3
LED 25+50N	1	41	13	144	.5	12	6	231	2.99	16	5	ND	3	20	1	2	2	63	.10	.057	8	18	.44	131	.01	2	2.27	.01	.03	1	3
LED 25+00N	1	31	21	99	.3	20	8	265	3.71	12	5	ND	3	6	1	2	2	67	.04	.072	7	20	.50	80	.01	2	2.11	.01	.05	1	1
LED 24+50N	3	106	81	307	.2	24	15	1178	7.68	77	5	ND	3	17	1	3	2	79	.11	.161	8	25	.37	109	.01	3	1.91	.01	.04	1	6
LED 24+00N	1	44	30	136	.4	12	5	258	3.85	31	5	ND	1	12	1	2	2	60	.04	.110	5	16	.17	91	.01	2	1.44	.01	.05	1	3
LED 23+50N	1	38	15	103	.2	14	5	190	4.83	55	5	ND	2	15	1	5	2	71	.01	.108	4	24	.25	80	.01	2	1.98	.01	.03	1	1
LED 23+00N	2	56	37	262	.8	24	9	1534	4.03	40	5	ND	2	102	1	4	2	55	.67	.112	15	22	.41	563	.01	2	1.96	.01	.06	1	1
LED 22+50N	4	72	45	257	.4	21	8	481	6.19	73	5	ND	3	19	1	3	2	60	.10	.151	6	23	.30	139	.01	3	2.61	.01	.05	1	73
LED 22+00N	3	73	53	199	.5	14	6	272	6.84	76	5	ND	4	13	1	5	3	64	.04	.162	6	19	.24	91	.01	3	1.88	.01	.04	1	6
LED 21+50N	6	112	264	341	.8	12	5	218	8.54	161	5	ND	2	17	1	19	2	58	.01	.167	7	15	.10	109	.01	4	1.16	.01	.06	1	44
LED 21+00N	2	66	64	243	.2	18	8	289	6.19	55	5	ND	4	12	1	6	2	61	.04	.121	6	20	.29	104	.02	4	2.24	.01	.03	1	29
LED 20+50N	2	43	80	180	.3	12	6	276	5.71	53	5	ND	1	26	1	4	2	83	.13	.118	5	16	.20	167	.02	2	1.69	.01	.04	1	1
LED 20+00N	1	24	10	71	.1	23	5	159	2.65	11	5	ND	1	7	1	2	2	31	.05	.066	2	19	.20	75	.01	2	1.30	.01	.06	1	1
LED 19+50N	1	26	9	89	.1	18	6	406	4.00	14	5	ND	1	13	1	2	2	59	.07	.088	2	18	.23	218	.01	2	1.40	.01	.05	1	1
LED 19+00N	2	33	41	125	.3	12	6	307	5.12	36	5	ND	2	14	1	5	2	90	.01	.074	5	20	.17	83	.02	3	1.56	.01	.04	1	5
LED 18+00N	1	28	24	113	.2	18	8	342	3.65	18	5	ND	2	72	1	2	2	65	.46	.085	8	22	.46	367	.02	2	1.64	.01	.07	1	1
STD C/AU-S	19	60	40	132	7.1	67	27	1038	3.92	39	22	7	38	49	16	17	22	57	.45	.085	37	63	.90	176	.08	37	1.87	.06	.13	13	50

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	W PPM	AU# PPB
LED 17+50N	1	42	23	173	.1	22	9	391	5.34	34	5	ND	4	29	1	2	2	75	.20	.156	7	20	.32	164	.03	6	2.09	.01	.04	1	8
LED 17+00N	1	53	37	171	.3	19	9	373	6.27	42	5	ND	5	16	1	3	2	80	.14	.188	8	22	.33	109	.03	2	2.20	.01	.03	1	4
LED 16+50N	3	72	56	201	.4	12	8	436	7.10	134	5	ND	2	16	1	4	3	78	.08	.123	6	16	.16	106	.01	7	1.65	.01	.04	1	68
LED 16+00N	1	30	23	264	.3	12	6	271	3.74	33	5	ND	2	26	1	2	2	60	.15	.046	7	16	.30	198	.02	3	1.70	.01	.04	1	7
LED 15+00N	1	25	53	140	.3	8	5	445	4.68	42	6	ND	2	18	1	2	2	75	.06	.115	6	14	.18	175	.01	3	1.64	.01	.05	1	8
LED 14+00N	1	45	30	182	.5	18	7	306	5.66	41	5	ND	3	17	1	2	2	76	.07	.161	6	21	.27	93	.02	4	2.37	.01	.04	1	7
LED 13+50N	3	38	41	180	.2	18	9	552	7.48	55	5	ND	3	18	1	2	2	92	.09	.128	6	24	.33	101	.02	6	2.73	.01	.05	1	4
LED 13+00N	1	10	6	78	.1	5	5	366	2.52	11	5	ND	2	41	1	2	2	49	.27	.034	7	11	.20	247	.01	5	1.29	.01	.04	1	1
LED 12+50N	1	26	23	137	.1	10	6	227	5.41	29	5	ND	3	11	1	2	2	87	.02	.104	7	16	.21	85	.02	3	2.31	.01	.03	1	1
LED 11+50N	2	49	58	267	.5	17	9	361	7.85	78	5	ND	3	14	1	3	2	66	.04	.183	5	21	.21	84	.01	6	1.80	.01	.05	2	1
LED 11+00N	2	75	50	202	.3	16	7	300	6.37	73	5	ND	3	15	1	3	2	76	.03	.077	6	19	.21	109	.02	3	1.92	.01	.04	1	3
LED 10+50N	1	24	27	181	.9	17	8	2839	3.48	29	5	ND	2	54	1	2	2	52	.45	.049	15	20	.29	807	.02	5	1.74	.01	.04	1	1
LED 10+00N	2	24	17	148	.1	22	8	318	5.60	96	5	ND	2	11	1	2	2	86	.03	.140	5	19	.17	68	.03	5	1.18	.01	.06	2	1
LED 9+50N	1	20	12	117	.1	11	5	248	4.81	28	5	ND	2	11	1	2	2	69	.03	.144	4	21	.21	63	.02	2	2.39	.01	.03	1	2
LED 9+00N	1	19	27	197	.2	9	8	1011	5.05	22	5	ND	3	21	1	2	2	82	.13	.303	10	17	.22	168	.02	2	3.33	.01	.05	1	1
LED 8+50N	1	20	15	216	.3	9	6	348	5.49	24	5	ND	5	17	1	2	2	92	.10	.392	12	18	.35	140	.03	4	3.41	.01	.05	1	1
LED 8+00N	1	16	21	50	.3	24	12	1112	2.41	41	5	ND	2	74	1	2	2	32	.51	.073	9	26	.10	201	.01	2	1.02	.01	.06	1	1
LED 7+50N	1	34	18	160	.4	17	8	1042	3.52	20	5	ND	5	113	1	2	2	69	.76	.134	28	20	.50	334	.01	4	2.56	.01	.07	1	1
LED 7+00N	1	27	19	177	.1	11	6	960	4.77	25	5	ND	2	20	1	2	2	67	.08	.212	6	19	.20	192	.01	5	2.00	.01	.04	1	1
LED 6+50N	1	22	19	161	.2	13	8	777	3.89	20	5	ND	2	66	1	2	2	68	.43	.064	10	18	.33	173	.01	5	1.76	.01	.04	1	1
LED 6+00N	1	20	25	143	.4	10	5	1032	4.05	32	5	ND	2	18	1	2	2	69	.10	.134	8	18	.28	142	.02	4	1.86	.01	.05	1	1
LED 5+50N	1	28	27	130	.2	14	6	249	5.15	33	5	ND	2	17	1	2	2	64	.07	.184	6	19	.24	87	.01	3	2.17	.01	.04	1	1
LED 5+00N	1	22	17	107	.2	10	6	268	6.07	18	5	ND	3	47	1	2	2	77	.07	.085	6	23	.26	145	.03	4	4.35	.01	.03	1	1
LED 4+50N	1	22	11	74	.3	14	6	47	2.95	9	5	ND	1	71	1	2	2	51	.48	.075	8	18	.49	576	.02	2	2.04	.01	.05	1	1
LED 4+00N	1	28	21	88	.2	12	5	237	4.07	24	5	ND	3	31	1	2	2	78	.14	.120	6	17	.23	113	.02	5	1.87	.01	.05	1	1
LED 3+50N	1	27	8	92	.2	13	7	338	3.97	14	5	ND	4	29	1	2	2	62	.18	.064	6	20	.47	212	.02	3	2.27	.01	.05	1	1
LED 3+00N	1	27	11	71	.1	13	7	628	3.07	15	5	ND	2	72	1	2	2	55	.51	.068	12	18	.39	342	.02	2	1.72	.01	.06	1	1
LED 2+50N	1	19	15	69	.3	10	5	279	3.74	16	5	ND	4	16	1	2	2	69	.04	.082	7	17	.29	107	.02	6	2.41	.01	.04	1	1
LED 2+00N	1	27	9	100	.2	17	9	487	3.45	16	5	ND	3	73	1	2	2	55	.48	.087	9	19	.44	184	.02	2	3.02	.01	.05	1	1
LED 1+50N	1	23	7	99	.1	9	6	925	5.18	25	5	ND	1	40	1	2	2	88	.21	.139	6	17	.34	104	.06	3	2.72	.01	.05	1	1
LED 1+00N	1	32	19	131	.4	16	7	489	4.54	33	5	ND	2	70	1	2	2	76	.46	.135	6	20	.45	262	.03	2	2.99	.01	.06	1	1
LED 0+50N	1	26	14	98	.2	10	9	929	4.65	21	5	ND	2	92	1	2	2	86	.87	.128	6	21	.50	89	.06	4	3.36	.02	.06	1	1
LED 0+00N	1	20	14	98	.1	8	5	242	5.51	17	5	ND	2	26	1	2	2	89	.16	.138	6	19	.27	90	.06	2	3.41	.01	.03	1	1
STD C/AU-5	19	57	37	131	7.0	68	27	1030	3.88	39	22	7	38	48	17	17	22	57	.48	.087	36	63	.88	175	.08	37	1.83	.06	.13	13	50


LACANA MINING CORP. PROJECT-LL FILE # 87-4735

Page 8

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AS PPM	NI PPM	CO PPM	MN PPM	FE Z	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA I	P I	LA PPM	CR PPM	MG I	BA PPM	TI I	B PPM	AL I	NA I	K I	W PPM	AU# PPB
LX-1	1	37	32	154	.2	22	12	2278	4.52	29	5	ND	1	96	1	2	2	88	.77	.078	11	16	.40	434	.04	2	1.57	.03	.07	1	22
LX-2	1	39	17	133	.5	21	9	1757	3.59	32	5	ND	1	84	1	2	2	58	.78	.069	10	17	.26	390	.01	4	1.40	.02	.06	1	1
LX-3	2	56	29	178	.6	48	13	2172	3.91	35	5	ND	1	132	3	2	2	57	.96	.092	21	19	.32	566	.01	6	1.60	.02	.08	1	5
LX-4	1	37	15	122	.1	36	12	875	4.23	9	5	ND	3	92	1	2	2	91	.73	.077	9	25	.68	191	.06	4	1.92	.14	.14	1	3
LX-5	7	60	37	397	.1	29	38	40915	13.83	105	5	2	2	141	5	2	3	41	.81	.084	12	18	.17	2241	.01	2	1.09	.01	.05	1	12
LX-6	5	53	100	318	.9	27	28	8194	8.56	121	5	ND	3	67	3	3	2	67	.47	.085	13	17	.25	683	.01	9	1.12	.01	.06	1	1
LX-7	5	24	43	217	.3	16	21	4152	8.14	81	5	ND	2	74	2	3	2	67	.59	.113	8	18	.33	599	.01	5	1.15	.01	.05	1	12
LX-8	12	145	22	142	.2	23	26	3550	7.30	187	5	ND	2	87	1	3	2	68	.45	.067	8	18	.28	482	.01	6	1.38	.03	.07	1	1
LX-9	1	19	18	118	.3	24	10	3483	3.23	14	5	ND	1	101	2	2	2	44	.87	.116	16	17	.27	561	.01	4	1.46	.01	.06	1	2
LX-10	3	13	17	114	.1	9	12	2370	6.72	25	5	ND	4	68	1	2	2	53	.49	.095	16	12	.20	436	.03	5	.70	.01	.06	1	1
LEX 64+05N	2	18	21	140	.1	7	8	1404	3.56	26	5	ND	4	84	2	2	2	60	.68	.147	20	11	.21	212	.01	6	1.04	.01	.07	1	1
LEX 36+45N	3	17	20	105	.1	11	11	5435	4.17	29	5	ND	3	110	2	2	2	58	1.01	.119	23	13	.35	456	.02	7	1.61	.02	.05	1	4
LEX 32+25N	3	19	43	137	.2	9	12	5737	4.82	24	5	ND	4	109	2	2	2	69	.93	.133	30	16	.52	439	.02	5	1.70	.02	.07	1	1
LEX 26+05M	2	20	22	110	.1	18	12	2391	4.11	25	5	ND	5	191	1	2	2	73	1.05	.086	20	21	.67	243	.04	5	2.23	.03	.09	1	2
LEX 20+12N	7	22	13	97	.1	29	12	6007	6.56	25	5	ND	1	109	2	2	2	59	.76	.072	5	21	.26	595	.01	2	1.21	.01	.07	1	2
LEX 7+30N	2	17	18	80	.2	21	12	2158	3.62	20	6	ND	3	99	1	2	2	67	.71	.085	21	19	.37	316	.02	3	1.61	.02	.06	1	2
STD C/AU-9	18	58	41	133	7.1	68	27	1037	4.13	38	17	7	38	49	18	18	23	58	.48	.088	36	57	.90	177	.08	36	1.85	.06	.13	13	52

LACANA MINING CORP. PROJECT-LL FILE # 87-4735

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE I	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA I	P I	LA PPM	CR PPM	MG I	BA PPM	TI I	B PPM	AL I	NA I	K I	W PPM	AU1 PPB
6 6530	70	23	13	3	.2	1	1	90	.60	158	5	ND	1	82	1	18	2	6	.01	.013	3	1	.13	156	.01	14	.79	.02	.29	1	11
6 6531	1	8	8	225	.1	4	5	1673	3.16	15	5	ND	7	50	1	2	2	47	1.65	.126	22	3	.17	187	.01	19	.67	.03	.13	1	1
6 6532	1	33	11	157	.5	12	18	707	5.32	11	8	ND	11	30	2	5	2	71	1.50	.199	30	6	.45	13	.01	15	.89	.04	.13	1	1
6 6533	16	1389	6	86	.2	2	3	715	6.59	1195	5	ND	3	96	1	8	2	33	.02	.022	3	1	.05	75	.01	5	.45	.01	.19	1	425
6 6534	1	16	6	18	.1	2	2	614	1.90	23	5	ND	1	28	1	2	2	5	1.41	.024	6	2	.32	45	.01	4	.19	.05	.03	1	1
STD C/AU-R	18	61	39	127	7.3	68	28	1053	3.85	39	24	7	38	49	16	19	22	58	.48	.086	38	61	.88	177	.08	36	1.77	.06	.12	12	530
6 6535	1	43	2	3	.1	1	1	114	.62	38	5	ND	1	22	1	2	2	4	.01	.006	2	1	.01	63	.01	8	.29	.03	.12	1	18
6 6536	2	18	16	191	.4	6	7	1361	3.08	145	5	ND	5	84	2	2	2	39	1.73	.090	13	5	.23	302	.01	9	.45	.04	.05	1	1
6 6537	2	17	9	128	.2	5	7	1076	2.61	235	5	ND	4	95	1	2	2	46	1.73	.091	10	5	.16	256	.01	11	.48	.04	.05	1	1
6 6538	3	19	14	88	.4	5	7	1094	2.98	728	5	ND	6	173	2	5	2	47	2.60	.094	11	6	.31	399	.01	16	.49	.04	.07	1	1
6 6539	1	6	2	43	.1	3	6	1698	3.16	8	5	ND	2	784	1	2	2	25	13.48	.065	21	7	1.61	164	.01	4	.29	.04	.08	1	1
6 6540	2	15	2	34	.1	4	6	1084	3.18	30	5	ND	7	103	1	2	2	40	2.29	.111	35	7	.62	118	.01	9	.69	.07	.04	1	1
6 6541	2	20	2	87	.1	4	7	841	2.86	4	5	ND	7	127	1	2	2	35	1.73	.111	24	8	.65	233	.01	16	.95	.06	.08	1	1
6 6542	1	18	7	74	.2	4	7	896	2.92	491	5	ND	4	75	1	13	2	33	2.73	.095	13	3	.03	176	.01	15	.43	.03	.12	1	1
6 6543	3	239	8	98	.6	80	31	2631	9.28	41	5	ND	4	276	2	3	2	81	10.84	.118	12	23	2.47	211	.01	13	.63	.04	.06	1	1
6 6544	1	10	45	133	.1	13	7	3406	3.05	19	5	ND	13	10	1	2	2	12	.14	.035	30	2	.07	369	.01	5	.52	.01	.13	1	1
6 6545	1	10	7	202	.1	63	17	2334	5.13	11	5	ND	2	33	1	2	2	44	1.08	.039	4	17	.17	344	.01	7	.41	.01	.09	1	1
6 6546	1	25	36	452	.1	14	10	1461	4.13	5	5	ND	8	117	3	2	2	75	5.96	.155	29	28	.35	573	.01	15	.55	.03	.15	1	1
6 6547	1	72	24	98	.1	13	17	854	5.53	3	5	ND	7	137	1	2	2	88	2.41	.165	26	17	2.81	132	.03	13	2.74	.02	.21	1	1
6 6548	1	30	8	126	.2	13	20	1730	6.12	35	5	ND	2	163	2	2	2	158	7.86	.114	6	41	2.28	429	.02	18	.54	.05	.08	1	1



CAMP TENN 2S
 TENN 12 3S

LOUISE LAKE

To Hankin Lake 15 km.

Coal Creek

LEGEND


- DDH-3 1971 Canadian Superior diamond drill hole azimuth, dip, depth
- || 1970 Canadian Superior bulldozer trench
- - - Cat. road
- Claim post

GEOLOGICAL BRANCH ASSESSMENT REPORT

16,869

LACANA (1981)
 LACANA MINING CORPORATION


LOUISE LAKE PROJECT DRILL HOLE LOCATIONS



PROJECT: 6329

PREPARED BY	SCALE	DATE	NTS	FIGURE
R J	1:5000	DEC. 1987	93 L / 13 E	3





PROPERTY OUTLINE

LOUISE LAKE

LEGEND

- LD, LED 1987 Lacana soil sample
- LE, LEX " " silt "
- △ 6548 " " rock "
- , ▲, ■ (54) Sample with >40 ppb Au
- DDH 5 1971 Canadian Superior diamond drill hole
- ≡ 1970 " " cat. trench
- Creek
- - - Cat road

LACANA

(1981)
LACANA MINING CORPORATION

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

16,869



**LOUISE LAKE PROJECT
RECONNAISSANCE SOIL, SILT & ROCK
SURVEY LOCATIONS & ANOMALOUS
RESULTS**

PROJECT: 6329 0 500 1000 METRES

PREPARED BY	SCALE	DATE	NTS	FIGURE
R. J.	1:20,000	DEC. 1987	93L / 13E	4