

Report on the  
Geochemical Soil Survey  
of the  
Chapleau Creek Property  
(King Jack Project)

FILM

Chapleau Creek Area  
Slocan Mining Division

By: <sup>Canada</sup> GEOLOGICAL BRANCH  
ASSESSMENT REPORT

17,367  
Part 2 of 3

12. Appendix (Continued)

	Page
(b) Geochemical Laboratory Techniques	1 - 2
(c) Statistical Analysis of Geochemical Data	3 - 8
(d) Frequency Plots, Au, Ag, Cu, Pb, Zn	9 - 13
(e) Geochemical Assay Certificates	14 - 95

By: P. J. Santos, P. Eng.

## GEOCHEMICAL LABORATORY TECHNIQUES

### SAMPLE PREPARATION

Soils, silts, lake bottom sediments - Samples are sorted and dried at 50°C for 12 - 16 hours. Dried material is then screened to obtain the -80 mesh component of each sample. Coarse material is discarded unless other instructions are received. Other mesh sizes are available if required.

Rock chips or pieces of core designated as rock geochem samples are dried, crushed and then pulverized to -100 mesh in a ring grinder. The sample is homogenized and packaged.

### SAMPLE ANALYSES

(a) ppm Copper, Lead, Zinc, Silver: A 1.0 gm portion of sample is digested in conc. perchloric-nitric acid ( $\text{HClO}_4\text{-HNO}_3$ ) for approx. 2 hrs. The digested sample is cooled and made up to 25 mls with distilled water. The solution is mixed and solids are allowed to settle. Copper, lead, zinc and silver are determined by atomic absorption techniques using background correction for lead and silver analysis.

(b) ppm Arsenic: Digest as above. Generate arsine using the borohydride technique and determine the arsenic concentration by atomic absorption analyses.

(c) ppb Gold: 5 gm samples ashed @ 800°C for 1 hr., digested with aqua regia - twice to dryness - taken up in 25%  $\text{HCl}^-$ , Au extracted as the bromide into MIBK and analyzed via A.A.

(d) ppm Ba, Sr, Mg, Ca & Na: 0.2 - 0.5 gm samples digested with  $\text{HClO}_4\text{-HNO}_3\text{-HF}$ , to dryness taken up in 10%  $\text{HClO}_4$  with an ionization suppressent added and analyzed via A.A. - acetylene-nitrous oxide for Ba, Mg, Ca & Sr.

(e) ppm Te: 1 - 5 gm digested with aqua regia, the Te extracted into MIBK as the bromide and analyzed via A.A. using background correction.

(f) Cold Extractable Metals: 1 gm sample is leached for 1 hour with 25 mls of 0.1M  $\text{HCl}$  in a hot water bath, filtered (Whatman #31) and then analyzed via standard A.A. techniques.

(g) Assay Ag & Au - Fire Assay Method: 0.5 Assay ton sub-samples are fused in litharge, carbonate and siliceous fluxes. The lead button containing the precious metals is cupelled in a muffle furnace. The Ag and Au alloy is weighed on a micro balance, parted, annealed and again weighed as Au. The difference in the two weightings is Ag. Results reported in Oz/Ton.

For low grade samples and geochemical materials 10-gram samples are fused as above with the addition of 10 mg of Au-free Ag metal and cupelled as above. The silver bead is parted with dilute  $\text{HNO}_3$  and then treated with aqua regia. The salts are dissolved in dilute  $\text{HCl}$  and analyzed for Au on an atomic absorption spectrophotometer to a detection of 5 ppb.

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B. C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

CUMULATIVE FREQUENCY PLOT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B. C.  
VIN IM4

DATE NOVEMBER 13, 1987

FILE NO. G 1852

PROJECT: FULL HOUSE

CUMULATIVE FREQUENCY PLOT FOR AU USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %	
3.00--	3.99	2319	94.8	100.0
3.99--	5.32	20	0.8	5.2
5.32--	7.08	0	0.0	4.3
7.08--	9.43	0	0.0	4.3
9.43--	12.55	12	0.5	4.3
12.55--	16.72	7	0.3	3.8
16.72--	22.26	6	0.2	3.6
22.26--	29.63	8	0.3	3.3
29.63--	39.46	14	0.6	3.0
39.46--	52.54	10	0.4	2.4
52.54--	69.95	5	0.2	2.0
69.95--	93.14	9	0.4	1.8
93.14--	124.01	10	0.4	1.4
124.01--	165.12	5	0.2	1.0
165.12--	219.85	6	0.2	0.8
219.85--	292.72	6	0.2	0.6
292.72--	389.75	4	0.2	0.3
389.75--	518.94	1	0.0	0.2
518.94--	690.96	1	0.0	0.1
690.96--	920.00	2	0.1	0.1

MEAN 7.8

STD. DEV. 35.7

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

CUMULATIVE FREQUENCY PLOT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B. C.  
VIN IM4

DATE NOVEMBER 13, 1987

FILE NO. G 1852

PROJECT: FULL HOUSE

CUMULATIVE FREQUENCY PLOT FOR AG USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %	
0.10--	0.13	726	29.7	100.0
0.13--	0.17	0	0.0	70.3
0.17--	0.22	394	16.1	70.3
0.22--	0.29	0	0.0	54.2
0.29--	0.38	362	14.8	54.2
0.38--	0.49	253	10.3	39.4
0.49--	0.64	322	13.2	29.0
0.64--	0.83	163	6.7	15.9
0.83--	1.09	86	3.5	9.2
1.09--	1.41	60	2.5	5.7
1.41--	1.84	33	1.3	3.2
1.84--	2.40	20	0.8	1.9
2.40--	3.13	12	0.5	1.1
3.13--	4.08	5	0.2	0.6
4.08--	5.32	2	0.1	0.4
5.32--	6.93	2	0.1	0.3
6.93--	9.03	0	0.0	0.2
9.03--	11.77	1	0.0	0.2
11.77--	15.35	2	0.1	0.2
15.35--	20.00	2	0.1	0.1

MEAN 0.4

STD. DEV. 0.8

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

CUMULATIVE FREQUENCY PLOT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE NOVEMBER 13, 1987

FILE NO. G 1852

PROJECT: FULL HOUSE

CUMULATIVE FREQUENCY PLOT FOR CU USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %	
0.10--	0.14	3	0.1	100.0
0.14--	0.19	0	0.0	99.9
0.19--	0.27	0	0.0	99.9
0.27--	0.37	0	0.0	99.9
0.37--	0.51	0	0.0	99.9
0.51--	0.71	0	0.0	99.9
0.71--	0.99	0	0.0	99.9
0.99--	1.37	2	0.1	99.8
1.37--	1.91	0	0.0	99.8
1.91--	2.65	18	0.7	99.8
2.65--	3.67	103	4.2	99.1
3.67--	5.09	636	26.0	94.8
5.09--	7.07	864	35.3	68.8
7.07--	9.81	460	18.8	33.5
9.81--	13.61	280	11.5	14.7
13.61--	18.88	42	1.7	3.2
18.88--	26.20	21	0.9	1.5
26.20--	36.36	6	0.2	0.7
36.36--	50.45	6	0.2	0.4
50.45--	70.00	4	0.2	0.2

MEAN 7.0

STD. DEV. 4.3

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

CUMULATIVE FREQUENCY PLOT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE NOVEMBER 13, 1987

FILE NO. G 1852

PROJECT: FULL HOUSE

CUMULATIVE FREQUENCY PLOT FOR PB USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
4.00-- 5.08	3	0.1	100.0
5.08-- 6.45	5	0.2	99.9
6.45-- 8.18	35	1.4	99.7
8.18-- 10.39	81	3.3	98.2
10.39-- 13.18	232	9.5	94.9
13.18-- 16.73	370	15.1	85.4
16.73-- 21.24	738	30.2	70.3
21.24-- 26.97	452	18.5	40.1
26.97-- 34.23	306	12.5	21.6
34.23-- 43.45	109	4.5	9.1
43.45-- 55.16	47	1.9	4.7
55.16-- 70.01	31	1.3	2.7
70.01-- 88.88	15	0.6	1.5
88.88-- 112.82	7	0.3	0.9
112.82-- 143.21	6	0.2	0.6
143.21-- 181.79	2	0.1	0.3
181.79-- 230.76	3	0.1	0.2
230.76-- 292.92	1	0.0	0.1
292.92-- 371.83	0	0.0	0.1
371.83-- 472.00	2	0.1	0.1

MEAN 23.1

STD. DEV. 18.9

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

CUMULATIVE FREQUENCY PLOT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE NOVEMBER 13, 1987

FILE NO. G 1852

PROJECT: FULL HOUSE

CUMULATIVE FREQUENCY PLOT FOR ZN USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
10.00-- 12.75	1	0.0	100.0
12.75-- 16.26	1	0.0	100.0
16.26-- 20.74	1	0.0	99.9
20.74-- 26.45	6	0.2	99.9
26.45-- 33.73	14	0.6	99.6
33.73-- 43.02	31	1.3	99.1
43.02-- 54.86	45	1.8	97.8
54.86-- 69.97	123	5.0	96.0
69.97-- 89.23	258	10.6	90.9
89.23-- 113.80	527	21.6	80.4
113.80-- 145.13	726	29.7	58.8
145.13-- 185.08	459	18.8	29.1
185.08-- 236.03	130	5.3	10.3
236.03-- 301.02	53	2.2	5.0
301.02-- 383.89	24	1.0	2.9
383.89-- 489.57	17	0.7	1.9
489.57-- 624.35	12	0.5	1.2
624.35-- 796.24	10	0.4	0.7
796.24-- 1015.44	5	0.2	0.3
1015.44-- 1295.00	2	0.1	0.1

MEAN 135.3

STD. DEV. 85.5



KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

CUMULATIVE FREQUENCY PLOT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE NOVEMBER 13, 1987

FILE NO. G 1852

PROJECT: FULL HOUSE

CUMULATIVE FREQUENCY PLOT FOR AS USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
1.00--	1.24 2403	98.3	100.0
1.24--	1.53 0	0.0	1.7
1.53--	1.90 0	0.0	1.7
1.90--	2.35 0	0.0	1.7
2.35--	2.91 0	0.0	1.7
2.91--	3.61 0	0.0	1.7
3.61--	4.47 3	0.1	1.7
4.47--	5.53 7	0.3	1.6
5.53--	6.85 3	0.1	1.3
6.85--	8.49 5	0.2	1.2
8.49--	10.51 5	0.2	1.0
10.51--	13.01 4	0.2	0.8
13.01--	16.12 0	0.0	0.6
16.12--	19.96 3	0.1	0.6
19.96--	24.72 5	0.2	0.5
24.72--	30.61 5	0.2	0.3
30.61--	37.91 1	0.0	0.1
37.91--	46.95 0	0.0	0.0
46.95--	58.14 0	0.0	0.0
58.14--	72.00 1	0.0	0.0

MEAN 1.3

STD. DEV. 2.3




PLATE 69

Au FREQUENCY PLOT

1987 SOIL SAMPLES

Mean: 7.8 ppb

Standard Deviation: 35.7 ppb




PLATE 70  
Ag FREQUENCY PLOT  
1987 SOIL SAMPLES  
Mean: 0.4 ppm  
Standard Deviation: 0.8 ppm


PLATE 71

Cu FREQUENCY PLOT

1987 SOIL SAMPLES

Mean: 7.0 ppm

Standard Deviation: 4.3 ppm







PLATE 73

Zn FREQUENCY PLOT

1987 SOIL SAMPLES

Mean: 135.3 ppm

Standard Deviation: 85.5 ppm



KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

-----  
GEOCHEMICAL LAB REPORT  
-----

P. J. SANTOS  
626-9TH AVENUE  
CASTLEGAR, B.C.  
V1N 1M4

DATE AUGUST 18, 1987

FILE NO. G1699

PROJECT KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 6	
						ZN	AS
1	L PD	3.0	0.6	8.0	18.0	106.0	1.0
2	7 PN	3.0	0.0	7.0	18.0	121.0	1.0
3	8	3.0	0.1	6.0	17.0	118.0	1.0
4	9	3.0	0.0	5.0	12.0	106.0	1.0
5	10	3.0	0.0	6.0	12.0	100.0	1.0
6	11	3.0	0.0	7.0	16.0	110.0	1.0
7	12 PN	3.0	0.1	7.0	14.0	113.0	1.0
8	11 PS	3.0	0.1	7.0	22.0	180.0	1.0
9	12	3.0	0.8	6.0	23.0	140.0	1.0
10	13	3.0	0.6	6.0	30.0	224.0	1.0
11	14	3.0	0.4	7.0	21.0	182.0	1.0
12	15	3.0	1.2	10.0	38.0	308.0	1.0
13	16	3.0	0.5	6.0	24.0	107.0	1.0
14	17	3.0	0.4	6.0	16.0	141.0	1.0
15	18	3.0	0.7	7.0	14.0	94.0	1.0
16	19 PS	3.0	0.6	6.0	17.0	103.0	1.0
17	L 400N	3.0	0.3	7.0	19.0	130.0	1.0
18	1E 400N	3.0	0.6	6.0	19.0	116.0	1.0
19	2E	3.0	0.7	10.0	21.0	173.0	1.0
20	3E	3.0	0.4	6.0	10.0	56.0	1.0
21	4E	3.0	0.4	6.0	16.0	104.0	1.0
22	5E	3.0	0.1	7.0	16.0	114.0	1.0
23	6E	3.0	0.2	10.0	166.0	160.0	1.0
24	7E	3.0	0.6	9.0	24.0	176.0	1.0
25	8E	3.0	0.7	8.0	19.0	111.0	1.0
26	9E	3.0	0.6	9.0	20.0	148.0	1.0
27	10E	3.0	0.1	7.0	23.0	119.0	1.0
28	11E	3.0	0.1	6.0	22.0	123.0	1.0
29	12E	3.0	0.2	7.0	26.0	112.0	1.0
30	13E	3.0	0.2	7.0	19.0	122.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1699

PAGE 2 / 6

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	14E	3.0	0.5	8.0	20.0	128.0	1.0
32	15E 400N	3.0	0.7	7.0	34.0	114.0	1.0
33	16E	3.0	0.5	6.0	21.0	158.0	1.0
34	17E	3.0	0.0	6.0	24.0	104.0	1.0
35	18E	3.0	1.8	7.0	23.0	152.0	1.0
36	19E	3.0	0.1	6.0	15.0	140.0	1.0
37	20E	3.0	0.3	7.0	15.0	127.0	1.0
38	21E	3.0	0.0	7.0	17.0	176.0	1.0
39	22E	3.0	0.2	7.0	24.0	130.0	1.0
40	23E 400N	3.0	0.1	6.0	23.0	123.0	1.0
41	24E	3.0	0.5	6.0	21.0	112.0	1.0
42	25E	3.0	0.3	7.0	69.0	111.0	1.0
43	26E L400N	3.0	0.2	5.0	24.0	130.0	1.0
44	L400S	3.0	0.3	7.0	20.0	123.0	1.0
45	1E 400S	3.0	0.3	8.0	22.0	121.0	1.0
46	2E	3.0	0.3	6.0	20.0	105.0	1.0
47	3E	3.0	0.3	5.0	21.0	140.0	1.0
48	4E	3.0	0.3	7.0	29.0	151.0	1.0
49	5E	3.0	0.2	7.0	18.0	148.0	1.0
50	6E	3.0	0.1	6.0	16.0	176.0	1.0
51	7E	3.0	0.1	5.0	14.0	108.0	1.0
52	8E	3.0	0.9	6.0	22.0	156.0	1.0
53	9E	3.0	0.5	6.0	21.0	143.0	1.0
54	10E	3.0	0.4	10.0	31.0	182.0	1.0
55	11E 400S	3.0	0.2	7.0	22.0	165.0	1.0
56	12E	3.0	0.0	7.0	19.0	143.0	1.0
57	13E	3.0	0.3	6.0	18.0	120.0	1.0
58	14E	60.0	0.3	6.0	17.0	108.0	1.0
59	15E L400S	3.0	0.3	7.0	18.0	119.0	1.0
60	L800N	10.0	0.2	7.0	21.0	106.0	1.0
61	1E 800N	3.0	0.6	10.0	19.0	124.0	1.0
62	2E	3.0	0.3	8.0	21.0	103.0	1.0
63	3E	3.0	0.1	11.0	20.0	120.0	1.0
64	4E	3.0	0.4	10.0	26.0	121.0	1.0
65	5E	3.0	0.4	10.0	23.0	137.0	1.0
66	6E	3.0	0.7	13.0	20.0	81.0	1.0
67	7E	3.0	0.3	10.0	18.0	162.0	1.0
68	8E	3.0	0.7	9.0	24.0	93.0	1.0
69	9E	3.0	0.6	11.0	31.0	140.0	1.0
70	10E	3.0	0.2	9.0	27.0	113.0	1.0



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1699

PAGE 3 / 6

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	11E 800N	3.0	0.2	8.0	26.0	138.0	1.0
72	12E	3.0	0.3	8.0	19.0	93.0	1.0
73	13E	3.0	0.4	7.0	22.0	94.0	1.0
74	14E	3.0	0.4	12.0	21.0	123.0	1.0
75	15E	3.0	0.2	10.0	24.0	121.0	1.0
76	16E	3.0	0.3	10.0	21.0	120.0	1.0
77	17E	45.0	2.1	8.0	22.0	155.0	1.0
78	18E	3.0	1.6	9.0	21.0	172.0	1.0
79	19E	3.0	0.1	7.0	18.0	166.0	1.0
80	20E	3.0	0.2	6.0	14.0	137.0	1.0
81	21E	3.0	1.6	7.0	20.0	150.0	1.0
82	22E	3.0	0.4	5.0	22.0	151.0	1.0
83	23E	3.0	0.4	7.0	18.0	114.0	1.0
84	25E	3.0	0.0	5.0	14.0	124.0	1.0
85	26E	3.0	0.0	5.0	27.0	95.0	1.0
86	27E	3.0	0.6	6.0	15.0	116.0	1.0
87	28E	3.0	0.8	6.0	27.0	141.0	1.0
88	29E	3.0	0.2	6.0	20.0	104.0	1.0
89	30E L800N	3.0	0.1	7.0	16.0	126.0	1.0
90	L800S	3.0	0.5	6.0	20.0	110.0	1.0
91	1E 800S	3.0	0.2	6.0	19.0	134.0	1.0
92	2E	150.0	0.2	7.0	19.0	186.0	1.0
93	3E	3.0	0.1	6.0	31.0	146.0	1.0
94	4E	3.0	0.1	6.0	15.0	193.0	1.0
95	5E	3.0	0.1	7.0	16.0	179.0	1.0
96	6E	3.0	0.3	9.0	15.0	157.0	1.0
97	7E	3.0	0.1	6.0	16.0	157.0	1.0
98	8E	3.0	0.1	7.0	15.0	138.0	1.0
99	9E	3.0	0.0	7.0	57.0	163.0	1.0
100	10E 800S	3.0	0.3	8.0	27.0	149.0	1.0
101	11E	3.0	0.0	6.0	18.0	154.0	1.0
102	12E	3.0	0.5	6.0	24.0	175.0	1.0
103	13E	3.0	0.2	7.0	24.0	140.0	1.0
104	14E	35.0	0.4	7.0	19.0	144.0	1.0
105	15E	3.0	0.3	6.0	24.0	173.0	1.0
106	16E	3.0	1.0	6.0	33.0	180.0	1.0
107	17E	3.0	0.3	7.0	20.0	144.0	1.0
108	18E	3.0	0.7	7.0	19.0	141.0	1.0
109	19E	3.0	0.1	7.0	21.0	149.0	1.0
110	20E L800S	3.0	0.4	6.0	19.0	142.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1699

PAGE 4 / 6

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
111	L1200N	3.0	0.4	6.0	15.0	136.0	1.0
112	1E L1200N	3.0	0.1	6.0	17.0	140.0	1.0
113	2E	3.0	0.0	7.0	18.0	148.0	1.0
114	3E	3.0	0.3	6.0	19.0	140.0	1.0
115	4E	3.0	0.1	5.0	19.0	119.0	1.0
116	5E	3.0	0.4	8.0	16.0	136.0	1.0
117	6E	3.0	0.4	8.0	18.0	123.0	1.0
118	7E	3.0	0.3	9.0	17.0	135.0	1.0
119	8E	3.0	0.8	6.0	18.0	88.0	1.0
120	9E	3.0	0.6	7.0	14.0	90.0	1.0
121	10E	3.0	0.5	5.0	13.0	91.0	1.0
122	11E 1200N	240.0	0.5	6.0	15.0	95.0	1.0
123	12E	3.0	0.4	7.0	13.0	92.0	1.0
124	13E	3.0	0.5	7.0	16.0	118.0	1.0
125	14E	3.0	1.0	11.0	78.0	145.0	1.0
126	15E	3.0	0.3	10.0	18.0	130.0	1.0
127	16E	3.0	0.4	7.0	20.0	161.0	1.0
128	17E	100.0	0.3	7.0	25.0	182.0	1.0
129	18E	3.0	0.3	8.0	20.0	169.0	1.0
130	19E	3.0	0.2	9.0	20.0	186.0	1.0
131	20E 1200N	3.0	0.2	9.0	26.0	174.0	1.0
132	21E	3.0	0.3	8.0	14.0	147.0	1.0
133	22E	3.0	0.4	8.0	13.0	132.0	1.0
134	24E	3.0	0.2	6.0	7.0	95.0	1.0
135	25E	3.0	0.2	8.0	10.0	123.0	1.0
136	26E	3.0	0.1	6.0	8.0	108.0	1.0
137	27E	3.0	0.7	7.0	13.0	149.0	1.0
138	28E	3.0	0.8	8.0	18.0	130.0	1.0
139	29E	3.0	0.3	6.0	19.0	103.0	1.0
140	30E L1200N	3.0	0.3	10.0	20.0	154.0	1.0
141	L1200S	3.0	0.3	7.0	11.0	164.0	1.0
142	1E 1200S	3.0	0.6	9.0	13.0	103.0	1.0
143	2E	3.0	0.4	8.0	17.0	160.0	1.0
144	3E	3.0	0.2	7.0	15.0	171.0	1.0
145	4E	3.0	0.3	7.0	14.0	181.0	1.0
146	5E	3.0	0.1	6.0	14.0	175.0	1.0
147	6E	3.0	0.2	7.0	15.0	192.0	1.0
148	8E	3.0	0.1	5.0	16.0	151.0	1.0
149	9E	3.0	0.2	4.0	15.0	176.0	1.0
150	10E 1200S	5.0	0.5	5.0	18.0	191.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1699

PAGE 5 / 6

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
151	11E	3.0	0.1	5.0	18.0	203.0	1.0
152	12E	3.0	0.1	6.0	20.0	165.0	1.0
153	13E	3.0	0.1	10.0	20.0	157.0	1.0
154	14E	3.0	0.4	9.0	20.0	177.0	1.0
155	15E	3.0	0.3	10.0	23.0	192.0	1.0
156	16E	3.0	0.7	5.0	29.0	176.0	1.0
157	17E	3.0	0.7	8.0	27.0	178.0	1.0
158	18E	3.0	0.8	8.0	31.0	177.0	1.0
159	19E	3.0	0.5	8.0	19.0	162.0	1.0
160	20E 1200S	3.0	0.3	6.0	18.0	163.0	1.0
161	21E	3.0	0.6	7.0	23.0	185.0	1.0
162	22E	3.0	0.5	6.0	23.0	154.0	1.0
163	23E	3.0	0.4	8.0	17.0	177.0	1.0
164	24E	3.0	2.3	8.0	23.0	155.0	1.0
165	25E	3.0	0.6	8.0	18.0	154.0	1.0
166	26E	5.0	0.3	9.0	22.0	176.0	1.0
167	27E	3.0	0.5	8.0	15.0	164.0	1.0
168	28E	3.0	0.8	8.0	20.0	148.0	1.0
169	29E	3.0	0.0	9.0	16.0	152.0	1.0
170	30E 1200S	3.0	0.3	10.0	22.0	163.0	1.0
171	L2800S	3.0	0.8	11.0	25.0	98.0	1.0
172	1W 2800S	3.0	0.6	8.0	28.0	173.0	1.0
173	2W	3.0	0.6	7.0	19.0	95.0	1.0
174	3W	3.0	0.3	6.0	25.0	116.0	1.0
175	4W	3.0	0.4	7.0	14.0	58.0	1.0
176	5W	3.0	0.3	7.0	23.0	114.0	1.0
177	6W	3.0	0.9	6.0	23.0	135.0	1.0
178	7W	3.0	1.0	6.0	27.0	92.0	1.0
179	8W	3.0	0.7	6.0	24.0	127.0	1.0
180	9W 2800S	10.0	0.6	6.0	16.0	70.0	1.0
181	10W	3.0	0.7	7.0	15.0	135.0	1.0
182	11W	3.0	0.4	5.0	13.0	126.0	1.0
183	12W	3.0	0.3	7.0	26.0	102.0	1.0
184	13W	3.0	0.3	6.0	28.0	120.0	1.0
185	14W	3.0	0.2	7.0	19.0	142.0	1.0
186	15W	3.0	0.5	5.0	24.0	146.0	1.0
187	16W	3.0	0.4	7.0	12.0	69.0	1.0
188	17W	45.0	0.3	7.0	20.0	108.0	1.0
189	18W	3.0	0.1	6.0	21.0	122.0	1.0
190	19W 2800S	90.0	0.4	6.0	25.0	102.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1699

PAGE 6 / 6

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
191	20W	10.0	0.2	5.0	17.0	92.0	1.0
192	21W	3.0	0.5	4.0	18.0	106.0	1.0
193	22W	3.0	0.2	6.0	22.0	84.0	1.0
194	23W	3.0	0.6	6.0	37.0	156.0	1.0
195	24W	30.0	0.5	5.0	50.0	153.0	1.0
196	25W	3.0	1.5	8.0	19.0	83.0	1.0
197	26W	3.0	0.5	7.0	21.0	100.0	1.0
198	27W	3.0	0.5	6.0	25.0	108.0	1.0
199	28W	3.0	0.3	6.0	19.0	99.0	1.0
200	29W 2800S	3.0	0.3	6.0	27.0	95.0	1.0
201	2800S CL	3.0	0.2	5.0	30.0	123.0	1.0
202	1E 2800S CL	3.0	0.3	9.0	25.0	131.0	1.0
203	2E	3.0	0.1	7.0	15.0	106.0	1.0
204	3E	3.0	1.1	7.0	14.0	100.0	1.0
205	4E	3.0	5.0	8.0	96.0	114.0	1.0
206	5E	3.0	1.0	7.0	30.0	152.0	1.0
207	6E	3.0	0.4	7.0	18.0	135.0	1.0
208	7E	3.0	3.9	6.0	24.0	120.0	1.0
209	8E	3.0	0.5	7.0	31.0	137.0	1.0
210	9E 2800S CL	3.0	1.4	10.0	45.0	129.0	1.0
211	10E	3.0	1.0	7.0	35.0	106.0	1.0
212	11E	3.0	0.4	8.0	27.0	159.0	1.0
213	12E	3.0	0.3	8.0	24.0	171.0	1.0
214	13E	3.0	0.6	8.0	19.0	85.0	1.0
215	14E	3.0	0.9	7.0	20.0	112.0	1.0
216	15E	3.0	0.2	6.0	24.0	139.0	1.0
217	16E	3.0	0.3	6.0	21.0	101.0	1.0
218	17E	3.0	0.4	7.0	20.0	120.0	1.0
219	18E	3.0	0.3	8.0	23.0	195.0	1.0
220	19E 2800S CL	3.0	0.2	8.0	21.0	110.0	1.0
221	20E	3.0	0.2	6.0	25.0	147.0	1.0
222	21E	3.0	0.7	5.0	18.0	149.0	1.0
223	22E	3.0	1.3	7.0	24.0	143.0	1.0
224	23E	3.0	0.3	6.0	15.0	135.0	1.0
225	24E	3.0	0.6	6.0	15.0	148.0	1.0
226	25E	10.0	0.4	5.0	15.0	147.0	1.0
227	26E	5.0	0.5	9.0	17.0	161.0	1.0
228	27E	55.0	0.7	7.0	37.0	186.0	24.0
229	28E 2800S CL	100.0	0.2	6.0	30.0	138.0	1.0

IN AU COLUMN 3 INDICATES (5PPB

IN AG COLUMN 0 INDICATES (.1PPM

IN AS COLUMN 1 INDICATES (2PPM

ALL OTHER VALUES REPORTED IN PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626-9TH AVENUE  
CASTLEGAR, B.C.  
V1N 1M4

DATE AUGUST 20, 1987

FILE NO. 61702

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 6	
						ZN	AS
1	0+00E L5S	3.0	0.1	8.0	15.0	112.0	1.0
2	1+00E	3.0	0.2	7.0	10.0	182.0	1.0
3	2+00E	3.0	0.4	6.0	13.0	140.0	1.0
4	3+00E	3.0	0.6	6.0	12.0	157.0	1.0
5	4+00E	3.0	0.4	8.0	14.0	152.0	1.0
6	5+00E	3.0	0.3	3.0	10.0	145.0	1.0
7	6+00E	3.0	0.1	5.0	13.0	183.0	1.0
8	7+00E	3.0	0.0	4.0	8.0	146.0	1.0
9	8+00E	3.0	0.2	5.0	18.0	145.0	1.0
10	9+00E L5S	3.0	0.7	6.0	21.0	141.0	1.0
11	10+00E	3.0	0.8	5.0	20.0	179.0	1.0
12	11+00E	3.0	1.4	6.0	22.0	184.0	1.0
13	12+00E	3.0	0.9	5.0	23.0	159.0	1.0
14	13+00E	3.0	0.2	6.0	15.0	125.0	1.0
15	14+00E	3.0	0.2	6.0	12.0	100.0	1.0
16	15+00E	3.0	0.2	6.0	12.0	99.0	1.0
17	16+00E	3.0	0.2	5.0	14.0	101.0	1.0
18	17+00E	3.0	0.0	5.0	18.0	100.0	1.0
19	18+00E	3.0	0.5	5.0	13.0	102.0	1.0
20	19+00E L5S	3.0	0.1	5.0	23.0	131.0	1.0
21	20+00E	3.0	0.2	7.0	16.0	116.0	1.0
22	21+00E A	3.0	0.4	6.0	17.0	124.0	1.0
23	21+00E B	3.0	0.1	5.0	14.0	99.0	1.0
24	22+00E	3.0	1.1	6.0	12.0	115.0	1.0
25	23+00E	3.0	0.8	6.0	18.0	111.0	1.0
26	24+00E	3.0	0.6	6.0	15.0	80.0	1.0
27	25+00E	3.0	0.5	5.0	14.0	164.0	1.0
28	26+00E	3.0	0.1	5.0	13.0	104.0	1.0
29	27+00E	25.0	0.2	4.0	9.0	88.0	1.0
30	28+00E L5S	3.0	0.5	9.0	13.0	107.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1702

PAGE 2 / 6

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	30+00E	200.0	1.0	11.0	21.0	116.0	1.0
32	31+00E	3.0	0.1	8.0	18.0	110.0	1.0
33	32+00E	3.0	0.0	8.0	25.0	93.0	4.0
34	33+00E	3.0	0.0	6.0	36.0	79.0	1.0
35	34+00E	3.0	0.0	6.0	14.0	100.0	1.0
36	35+00E	3.0	0.5	7.0	20.0	96.0	1.0
37	36+00E	3.0	0.5	6.0	19.0	126.0	1.0
38	37+00E	3.0	0.0	7.0	16.0	130.0	1.0
39	38+00E	3.0	0.0	6.0	25.0	125.0	1.0
40	39+00E	3.0	0.4	6.0	21.0	158.0	1.0
41	40+00E L5S	3.0	0.2	9.0	37.0	139.0	1.0
42	0+00E L6S	3.0	0.4	4.0	44.0	60.0	1.0
43	1+00E	3.0	0.2	6.0	23.0	107.0	1.0
44	2+00E	3.0	0.3	6.0	21.0	115.0	1.0
45	3+00E	3.0	0.5	7.0	19.0	92.0	1.0
46	4+00E	3.0	0.7	6.0	12.0	129.0	1.0
47	5+00E	3.0	0.3	5.0	17.0	162.0	1.0
48	6+00E	3.0	0.7	7.0	30.0	176.0	1.0
49	7+00E	3.0	0.1	7.0	12.0	176.0	1.0
50	8+00E L6S	3.0	0.2	5.0	39.0	132.0	1.0
51	9+00E	3.0	0.2	5.0	21.0	137.0	1.0
52	10+00E	3.0	0.1	5.0	31.0	109.0	1.0
53	11+00E	30.0	0.1	4.0	21.0	93.0	1.0
54	12+00E	3.0	0.8	5.0	32.0	184.0	1.0
55	13+00E	3.0	1.8	6.0	24.0	146.0	1.0
56	14+00E	75.0	0.1	5.0	29.0	143.0	1.0
57	15+00E	3.0	0.2	5.0	25.0	113.0	1.0
58	16+00E	3.0	0.6	6.0	22.0	132.0	1.0
59	17+00E	3.0	0.1	6.0	19.0	136.0	1.0
60	18+00E L6S	3.0	0.2	6.0	17.0	112.0	1.0
61	19+00E	3.0	0.1	10.0	24.0	122.0	1.0
62	20+00E	3.0	0.1	6.0	21.0	103.0	1.0
63	21+00E	3.0	0.0	6.0	22.0	105.0	1.0
64	22+00E	3.0	0.1	6.0	25.0	109.0	1.0
65	23+00E	3.0	3.0	6.0	20.0	108.0	1.0
66	24+00E	3.0	0.9	5.0	12.0	88.0	1.0
67	25+00E	3.0	0.2	5.0	17.0	84.0	1.0
68	27+00E	3.0	0.4	7.0	40.0	149.0	1.0
69	28+00E	3.0	0.0	6.0	13.0	88.0	1.0
70	29+00E L6S	3.0	0.0	6.0	34.0	104.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1702

PAGE 3 / 6  
ZN AS

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	30+00E	3.0	0.1	5.0	18.0	85.0	1.0
72	31+00E	3.0	0.0	6.0	13.0	84.0	1.0
73	32+00E	3.0	0.2	6.0	32.0	121.0	1.0
74	33+00E	3.0	0.1	6.0	47.0	105.0	1.0
75	34+00E	3.0	0.1	6.0	15.0	94.0	1.0
76	35+00E	3.0	0.2	8.0	15.0	106.0	1.0
77	36+00E	3.0	0.1	8.0	29.0	130.0	1.0
78	37+00E	3.0	0.4	6.0	19.0	131.0	1.0
79	38+00E	3.0	0.8	6.0	28.0	133.0	1.0
80	39+00E	3.0	1.1	6.0	22.0	105.0	1.0
81	40+00E L6S	3.0	0.3	7.0	25.0	139.0	1.0
82	0+00E L7S	3.0	1.4	7.0	16.0	117.0	1.0
83	1+00E	3.0	0.6	6.0	24.0	128.0	1.0
84	2+00E	3.0	0.4	6.0	20.0	141.0	1.0
85	3+00E	3.0	0.3	6.0	12.0	136.0	1.0
86	4+00E	3.0	0.3	5.0	10.0	130.0	1.0
87	5+00E	3.0	0.1	5.0	10.0	147.0	1.0
88	6+00E	3.0	0.3	7.0	10.0	169.0	1.0
89	7+00E	3.0	0.2	5.0	15.0	137.0	1.0
90	8+00E L7S	3.0	0.3	5.0	15.0	103.0	1.0
91	9+00E	3.0	0.3	5.0	14.0	138.0	1.0
92	10+00E	3.0	0.5	5.0	13.0	151.0	1.0
93	11+00E	3.0	0.6	4.0	18.0	100.0	1.0
94	12+00E	3.0	0.3	6.0	16.0	90.0	1.0
95	13+00E	3.0	0.2	5.0	19.0	104.0	1.0
96	14+00E	3.0	0.2	4.0	32.0	111.0	1.0
97	15+00E	25.0	2.6	6.0	47.0	155.0	1.0
98	16+00E	3.0	0.4	6.0	25.0	124.0	1.0
99	17+00E	60.0	1.6	8.0	43.0	167.0	1.0
100	18+00E L7S	3.0	1.2	6.0	132.0	190.0	1.0
101	19+00E	3.0	1.0	6.0	28.0	132.0	1.0
102	20+00E	3.0	0.4	6.0	20.0	140.0	1.0
103	21+00E	3.0	0.2	5.0	85.0	106.0	1.0
104	22+00E	3.0	0.6	5.0	16.0	130.0	1.0
105	23+00E	3.0	0.5	6.0	14.0	110.0	1.0
106	24+00E	3.0	0.3	5.0	21.0	85.0	1.0
107	25+00E	75.0	0.2	5.0	15.0	118.0	1.0
108	26+00E	3.0	0.1	7.0	20.0	115.0	1.0
109	27+00E	3.0	0.2	7.0	18.0	135.0	1.0
110	28+00E L7S	3.0	0.0	6.0	11.0	90.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1702

PAGE 4 / 6

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
111	29+00E	3.0	0.3	5.0	13.0	97.0	1.0
112	30+00E	3.0	0.4	6.0	24.0	117.0	1.0
113	31+00E	3.0	0.3	8.0	28.0	151.0	1.0
114	32+00E	3.0	0.1	7.0	16.0	109.0	1.0
115	33+00E	3.0	1.0	7.0	20.0	104.0	1.0
116	34+00E	3.0	0.5	6.0	17.0	107.0	1.0
117	35+00E	3.0	0.3	6.0	19.0	117.0	1.0
118	36+00E	3.0	0.2	6.0	15.0	130.0	1.0
119	37+00E	3.0	0.4	6.0	19.0	127.0	1.0
120	38+00E L7S	3.0	1.5	6.0	20.0	100.0	1.0
121	39+00E	255.0	0.4	7.0	18.0	152.0	1.0
122	40+00E L7S	3.0	0.2	7.0	18.0	150.0	1.0
123	0+00E L9S	3.0	0.2	7.0	15.0	114.0	1.0
124	1+00E	3.0	0.3	6.0	16.0	118.0	1.0
125	2+00E	3.0	0.2	7.0	12.0	148.0	1.0
126	3+00E	3.0	0.0	6.0	10.0	144.0	1.0
127	4+00E	3.0	0.1	4.0	9.0	119.0	1.0
128	5+00E	3.0	0.3	5.0	7.0	100.0	1.0
129	6+00E	3.0	0.3	4.0	11.0	147.0	1.0
130	7+00E L9S	3.0	0.5	5.0	9.0	139.0	1.0
131	8+00E	3.0	0.3	5.0	17.0	118.0	1.0
132	9+00E	3.0	0.1	4.0	10.0	102.0	1.0
133	10+00E	3.0	0.0	5.0	13.0	98.0	1.0
134	11+00E	3.0	0.4	5.0	13.0	194.0	1.0
135	12+00E	3.0	0.6	5.0	14.0	127.0	1.0
136	13+00E	3.0	0.3	6.0	17.0	169.0	1.0
137	14+00E	3.0	0.4	5.0	23.0	163.0	1.0
138	15+00E	15.0	1.2	8.0	35.0	161.0	1.0
139	16+00E	3.0	1.4	0.0	31.0	172.0	1.0
140	17+00E L9S	3.0	1.0	8.0	21.0	134.0	1.0
141	18+00E	35.0	0.3	6.0	19.0	143.0	1.0
142	19+00E	3.0	0.2	5.0	14.0	97.0	1.0
143	20+00E	3.0	0.3	5.0	15.0	122.0	1.0
144	21+00E	3.0	0.0	6.0	23.0	98.0	1.0
145	22+00E	3.0	0.8	9.0	17.0	91.0	1.0
146	23+00E	3.0	0.7	5.0	15.0	107.0	1.0
147	24+00E	3.0	2.0	6.0	16.0	130.0	1.0
148	25+00E	3.0	0.1	6.0	13.0	111.0	1.0
149	26+00E	3.0	0.4	6.0	19.0	135.0	1.0
150	27+00E L9S	3.0	1.4	11.0	21.0	150.0	1.0



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1702

PAGE 5 / 6

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
151	28+00E	3.0	0.5	6.0	18.0	112.0	1.0
152	29+00E A	3.0	1.0	6.0	19.0	129.0	1.0
153	29+00E B	3.0	0.3	6.0	21.0	150.0	1.0
154	30+00E	3.0	0.5	6.0	16.0	111.0	1.0
155	31+00E	3.0	0.3	6.0	20.0	109.0	1.0
156	32+00E	3.0	0.3	5.0	17.0	110.0	1.0
157	33+00E	3.0	1.0	5.0	18.0	94.0	1.0
158	34+00E	3.0	0.2	6.0	13.0	121.0	1.0
159	35+00E	3.0	0.3	6.0	14.0	92.0	1.0
160	36+00E L9S	3.0	0.5	8.0	17.0	99.0	1.0
161	37+00E	3.0	0.5	7.0	23.0	136.0	1.0
162	38+00E	3.0	0.3	7.0	26.0	160.0	1.0
163	40+00E L9S	10.0	0.1	6.0	12.0	98.0	1.0
164	0+00E L10S	3.0	0.3	7.0	16.0	102.0	1.0
165	1+00E	3.0	0.4	6.0	17.0	124.0	1.0
166	2+00E	3.0	0.5	6.0	25.0	153.0	1.0
167	3+00E	3.0	0.3	6.0	18.0	132.0	1.0
168	4+00E	265.0	0.2	6.0	10.0	123.0	1.0
169	5+00E	5.0	0.2	5.0	29.0	130.0	1.0
170	6+00E L10S	3.0	0.2	6.0	16.0	132.0	1.0
171	7+00E	3.0	0.1	6.0	13.0	133.0	1.0
172	8+00E	3.0	0.3	6.0	19.0	132.0	1.0
173	9+00E	3.0	0.4	6.0	16.0	145.0	1.0
174	10+00E	3.0	0.7	6.0	24.0	155.0	1.0
175	11+00E	3.0	0.4	6.0	14.0	98.0	1.0
176	12+00E	3.0	0.1	6.0	16.0	114.0	1.0
177	13+00E	3.0	0.3	5.0	22.0	135.0	1.0
178	14+00E	3.0	0.4	7.0	19.0	195.0	1.0
179	15+00E	3.0	0.4	7.0	44.0	173.0	1.0
180	16+00E L10S	3.0	0.3	6.0	23.0	162.0	1.0
181	17+00E	3.0	1.0	11.0	20.0	169.0	1.0
182	18+00E	3.0	0.3	6.0	14.0	128.0	1.0
183	19+00E	3.0	0.3	6.0	19.0	119.0	1.0
184	20+00E	3.0	0.2	6.0	21.0	122.0	1.0
185	21+00E	3.0	0.1	8.0	36.0	130.0	1.0
186	22+00E	3.0	0.3	6.0	22.0	122.0	1.0
187	23+00E	3.0	0.4	5.0	14.0	114.0	1.0
188	24+00E	3.0	0.5	6.0	17.0	136.0	1.0
189	25+00E	3.0	0.4	7.0	19.0	138.0	1.0
190	26+00E L10S	3.0	0.8	10.0	19.0	167.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1702

PAGE 6 / 6  
ZN AS

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
191	27+00E	3.0	0.4	6.0	22.0	144.0	1.0
192	28+00E	3.0	0.5	6.0	28.0	127.0	1.0
193	29+00E	3.0	1.1	6.0	16.0	127.0	1.0
194	30+00E	3.0	0.1	6.0	26.0	139.0	1.0
195	31+00E	3.0	0.3	8.0	18.0	106.0	1.0
196	32+00E	3.0	0.1	6.0	16.0	110.0	1.0
197	33+00E	3.0	0.2	5.0	23.0	77.0	1.0
198	34+00E	3.0	0.5	6.0	15.0	116.0	1.0
199	35+00E	3.0	0.3	6.0	23.0	113.0	1.0
200	36+00E L10S	3.0	0.8	6.0	17.0	145.0	1.0
201	37+00E	3.0	0.4	7.0	25.0	159.0	1.0
202	38+00E	3.0	0.3	7.0	18.0	162.0	1.0
203	39+00E	3.0	1.1	6.0	19.0	128.0	1.0
204	40+00E L10S	3.0	0.5	7.0	18.0	107.0	1.0

IN AU COLUMN 3 INDICATES (5PPB

IN AG COLUMN 0 INDICATES (.1PPM

IN AS COLUMN 1 INDICATES (2PPM

ALL OTHER VALUES REPORTED IN PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626-9TH AVENUE  
CASTLEGAR, B.C.  
VIN 1M4

DATE AUGUST 21, 1987

FILE NO. 61705

PROJECT KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 3	
						ZN	AS
1	0+00E L11S	3.0	0.3	6.0	18.0	107.0	1.0
2	1+00E	3.0	0.1	4.0	14.0	88.0	1.0
3	2+00E	3.0	0.5	6.0	18.0	121.0	1.0
4	3+00E	3.0	0.1	7.0	13.0	142.0	1.0
5	4+00E	3.0	0.2	6.0	16.0	138.0	1.0
6	5+00E	3.0	0.0	6.0	15.0	141.0	1.0
7	6+00E	3.0	0.0	4.0	11.0	68.0	1.0
8	7+00E	3.0	0.3	6.0	15.0	120.0	1.0
9	8+00E	3.0	0.0	5.0	15.0	102.0	1.0
10	9+00E	3.0	0.8	5.0	18.0	110.0	1.0
11	10+00E	3.0	0.5	5.0	16.0	108.0	1.0
12	11+00E	3.0	0.5	5.0	16.0	126.0	1.0
13	12+00E	3.0	0.2	4.0	56.0	135.0	1.0
14	13+00E	3.0	0.2	6.0	18.0	135.0	1.0
15	14+00E	3.0	0.1	4.0	16.0	186.0	1.0
16	15+00E	3.0	0.1	6.0	46.0	167.0	1.0
17	16+00E	3.0	0.0	5.0	21.0	125.0	1.0
18	17+00E	3.0	0.0	5.0	38.0	132.0	1.0
19	18+00E	5.0	0.0	4.0	26.0	120.0	1.0
20	19+00E	3.0	0.8	5.0	105.0	121.0	1.0
21	20+00E	3.0	0.1	5.0	22.0	98.0	1.0
22	21+00E	3.0	0.5	5.0	26.0	116.0	1.0
23	22+00E	3.0	0.2	5.0	34.0	127.0	1.0
24	23+00E	3.0	0.1	6.0	87.0	111.0	18.0
25	24+00E	3.0	0.1	5.0	36.0	116.0	1.0
26	25+00E	3.0	0.5	5.0	22.0	117.0	1.0
27	26+00E	3.0	0.1	5.0	37.0	109.0	1.0
28	27+00E	3.0	0.3	5.0	40.0	125.0	5.0
29	28+00E	3.0	0.3	4.0	29.0	118.0	1.0
30	29+00E	3.0	0.2	4.0	31.0	126.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

KRAL NO.	FILE NO. IDENTIFICATION	G1705						PAGE 2 / 3	
		AU	AG	CU	PB	ZN	AS		
31	30+00E L11S	3.0	0.3	6.0	27.0	113.0	1.0		
32	3+00E L2N	3.0	0.0	3.0	14.0	93.0	1.0		
33	4+00E	3.0	0.0	4.0	18.0	70.0	1.0		
34	5+00E	3.0	0.1	5.0	13.0	101.0	1.0		
35	6+00E	3.0	0.1	6.0	15.0	111.0	1.0		
36	7+00E	3.0	0.7	7.0	19.0	125.0	1.0		
37	8+00E	3.0	0.4	7.0	25.0	132.0	1.0		
38	9+00E	3.0	1.0	5.0	18.0	99.0	1.0		
39	10+00E	3.0	1.1	2.0	16.0	97.0	1.0		
40	11+00E	3.0	0.0	3.0	15.0	229.0	1.0		
41	12+00E	3.0	0.3	5.0	13.0	120.0	1.0		
42	13+00E	3.0	0.1	1.0	12.0	193.0	1.0		
43	14+00E	3.0	0.1	6.0	19.0	159.0	1.0		
44	15+00E	3.0	0.2	5.0	14.0	94.0	1.0		
45	16+00E	3.0	0.2	5.0	12.0	105.0	1.0		
46	17+00E	3.0	0.3	4.0	18.0	66.0	1.0		
47	18+00E	3.0	0.0	5.0	14.0	59.0	1.0		
48	19+00E	3.0	0.5	6.0	9.0	68.0	1.0		
49	20+00E	3.0	0.6	5.0	12.0	86.0	1.0		
50	21+00E	3.0	0.6	6.0	16.0	135.0	1.0		
51	22+00E	3.0	0.3	6.0	33.0	110.0	1.0		
52	23+00E	3.0	0.0	5.0	15.0	90.0	1.0		
53	24+00E	3.0	0.0	5.0	30.0	82.0	1.0		
54	25+00E	3.0	0.2	7.0	22.0	93.0	1.0		
55	26+00E	3.0	0.2	6.0	14.0	90.0	1.0		
56	27+00E	3.0	0.3	7.0	15.0	96.0	1.0		
57	28+00E	3.0	0.2	5.0	12.0	81.0	1.0		
58	29+00E	3.0	0.1	6.0	8.0	95.0	1.0		
59	30+00E	3.0	0.0	5.0	11.0	79.0	1.0		
60	31+00E	3.0	0.1	5.0	15.0	88.0	1.0		
61	32+00E	35.0	0.3	4.0	9.0	75.0	1.0		
62	34+00E	3.0	0.4	6.0	22.0	79.0	1.0		
63	35+00E	3.0	0.4	6.0	11.0	51.0	1.0		
64	36+00E	3.0	0.1	5.0	11.0	52.0	1.0		
65	37+00E	3.0	0.1	5.0	9.0	60.0	1.0		
66	38+00E	3.0	0.2	6.0	22.0	77.0	1.0		
67	39+00E	3.0	0.2	6.0	17.0	104.0	1.0		
68	40+00E L2N	3.0	1.0	6.0	20.0	121.0	1.0		
69	0+00E L3S	305.0	0.4	6.0	16.0	84.0	1.0		
70	1+00E	3.0	0.5	7.0	15.0	58.0	1.0		

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1705

PAGE 3 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	2+00E	3.0	1.1	6.0	14.0	55.0	1.0
72	3+00E	3.0	0.2	5.0	13.0	72.0	1.0
73	4+00E	3.0	0.2	4.0	22.0	77.0	1.0
74	5+00E	3.0	0.2	5.0	14.0	115.0	1.0
75	6+00E	3.0	0.2	5.0	15.0	142.0	1.0
76	7+00E	3.0	0.1	6.0	14.0	166.0	1.0
77	8+00E	3.0	0.2	5.0	10.0	139.0	1.0
78	9+00E	3.0	0.1	3.0	9.0	118.0	1.0
79	10+00E	10.0	0.6	6.0	19.0	144.0	1.0
80	12+00E	3.0	0.3	5.0	14.0	137.0	1.0
81	13+00E	3.0	0.1	5.0	15.0	90.0	1.0
82	14+00E	3.0	0.1	5.0	12.0	95.0	1.0
83	15+00E	3.0	0.0	4.0	9.0	78.0	1.0
84	16+00E	3.0	0.2	5.0	12.0	82.0	1.0
85	17+00E	3.0	0.2	3.0	14.0	58.0	1.0
86	18+00E	3.0	0.2	4.0	11.0	68.0	1.0
87	19+00E	3.0	0.1	6.0	14.0	86.0	1.0
88	20+00E	3.0	0.2	7.0	15.0	79.0	1.0
89	21+00E	3.0	0.6	6.0	13.0	100.0	1.0
90	22+00E	3.0	0.2	6.0	18.0	81.0	1.0
91	23+00E	3.0	0.2	6.0	14.0	81.0	1.0
92	24+00E	3.0	0.2	11.0	16.0	78.0	1.0
93	25+00E	3.0	0.2	5.0	13.0	79.0	1.0
94	26+00E	3.0	0.1	4.0	11.0	64.0	1.0
95	28+00E	3.0	0.1	4.0	12.0	53.0	1.0
96	29+00E	3.0	0.2	5.0	10.0	77.0	1.0
97	30+00E	3.0	0.3	7.0	14.0	109.0	1.0
98	31+00E	3.0	0.1	9.0	11.0	94.0	1.0
99	32+00E	3.0	0.2	12.0	15.0	86.0	1.0
100	33+00E	3.0	0.2	7.0	20.0	92.0	1.0
101	34+00E	3.0	0.2	6.0	12.0	77.0	1.0
102	35+00E	3.0	0.2	6.0	11.0	84.0	1.0
103	36+00E	3.0	0.4	6.0	13.0	95.0	1.0
104	37+00E	3.0	2.5	7.0	17.0	117.0	1.0
105	38+00E	3.0	1.2	7.0	14.0	108.0	1.0
106	39+00E	3.0	0.1	6.0	13.0	65.0	1.0
107	40+00E L3S	3.0	0.1	4.0	15.0	93.0	1.0

IN AU COLUMN 3 INDICATES (5PPB

IN AG COLUMN 0 INDICATES (.1PPM

IN AS COLUMN 1 INDICATES (2PPM

ALL OTHER VALUES REPORTED IN PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 -- TELEX 048-8320 -- FAX 372 1112

-----  
GEOCHEMICAL LAB REPORT  
-----

P. J. SANTOS  
626-9TH AVENUE  
CASTLEGAR, B.C.  
V1N 1M4

DATE AUGUST 21, 1987

FILE NO. G1707

PROJECT KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 3	
						ZN	AS
1	0+00E L2S	3.0	0.4	4.0	30.0	74.0	1.0
2	1+00E	3.0	1.0	4.0	18.0	78.0	1.0
3	2+00E	3.0	0.3	4.0	17.0	73.0	1.0
4	3+00E	3.0	0.3	4.0	15.0	67.0	1.0
5	4+00E	3.0	0.3	3.0	16.0	80.0	1.0
6	5+00E	3.0	0.2	4.0	25.0	71.0	1.0
7	6+00E	3.0	0.2	5.0	27.0	152.0	1.0
8	7+00E	3.0	0.3	5.0	19.0	127.0	1.0
9	8+00E	3.0	0.1	5.0	14.0	108.0	1.0
10	9+00E	3.0	0.5	6.0	26.0	85.0	1.0
11	10+00E	3.0	1.0	4.0	16.0	135.0	1.0
12	11+00E	3.0	0.8	5.0	13.0	89.0	1.0
13	12+00E	3.0	0.4	5.0	22.0	182.0	1.0
14	13+00E	3.0	0.3	5.0	16.0	92.0	1.0
15	14+00E	3.0	0.4	4.0	16.0	71.0	1.0
16	15+00E	3.0	0.4	3.0	11.0	33.0	1.0
17	16+00E	3.0	0.2	3.0	16.0	67.0	1.0
18	17+00E	3.0	0.3	4.0	20.0	80.0	1.0
19	18+00E	3.0	0.1	4.0	34.0	83.0	1.0
20	19+00E	3.0	0.8	4.0	17.0	67.0	1.0
21	20+00E	3.0	0.2	5.0	12.0	88.0	1.0
22	21+00E	3.0	0.3	4.0	24.0	63.0	1.0
23	22+00E	3.0	0.2	6.0	16.0	98.0	1.0
24	23+00E	3.0	0.3	5.0	15.0	74.0	1.0
25	24+00E	3.0	0.2	5.0	13.0	70.0	1.0
26	25+00E	3.0	0.0	5.0	15.0	66.0	1.0
27	26+00E	3.0	0.0	4.0	10.0	68.0	1.0
28	27+00E	3.0	0.1	4.0	13.0	76.0	1.0
29	28+00E	3.0	0.2	5.0	17.0	83.0	1.0
30	29+00E	3.0	0.1	22.0	20.0	82.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G1707

PAGE 2 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	30+00E	3.0	0.3	6.0	24.0	77.0	1.0
32	31+00E	3.0	0.6	9.0	17.0	87.0	1.0
33	32+00E	3.0	0.3	7.0	13.0	64.0	1.0
34	33+00E	3.0	0.1	8.0	15.0	77.0	1.0
35	34+00E	3.0	0.0	7.0	33.0	75.0	12.0
36	35+00E	3.0	0.3	6.0	14.0	86.0	1.0
37	36+00E	3.0	1.8	7.0	23.0	123.0	11.0
38	37+00E	3.0	3.5	6.0	21.0	87.0	1.0
39	38+00E	3.0	0.2	7.0	17.0	84.0	1.0
40	39+00E	3.0	0.2	6.0	17.0	78.0	1.0
41	40+00E L2S	3.0	0.2	6.0	13.0	93.0	1.0
42	5+00E L3N	3.0	1.0	6.0	13.0	86.0	1.0
43	6+00E	3.0	0.7	6.0	13.0	155.0	1.0
44	7+00E	3.0	0.3	6.0	16.0	94.0	1.0
45	8+00E	3.0	0.4	6.0	23.0	130.0	1.0
46	9+00E	3.0	0.3	9.0	22.0	88.0	1.0
47	10+00E	3.0	0.4	6.0	51.0	66.0	1.0
48	11+00E	3.0	1.0	4.0	14.0	94.0	1.0
49	12+00E	3.0	0.3	4.0	15.0	100.0	1.0
50	13+00E	3.0	0.2	4.0	22.0	88.0	1.0
51	14+00E	3.0	0.3	5.0	18.0	86.0	1.0
52	15+00E	3.0	0.0	4.0	18.0	52.0	1.0
53	16+00E	3.0	0.2	5.0	12.0	73.0	1.0
54	17+00E	3.0	0.3	4.0	19.0	79.0	1.0
55	18+00E	3.0	0.1	4.0	14.0	74.0	1.0
56	19+00E	3.0	0.3	5.0	13.0	79.0	1.0
57	20+00E	3.0	0.3	5.0	12.0	93.0	1.0
58	21+00E	3.0	0.4	6.0	12.0	93.0	1.0
59	22+00E	3.0	0.2	6.0	17.0	106.0	1.0
60	23+00E	3.0	0.2	5.0	30.0	92.0	1.0
61	24+00E	3.0	0.3	8.0	8.0	125.0	1.0
62	25+00E	3.0	0.2	7.0	11.0	99.0	1.0
63	26+00E	3.0	0.2	6.0	11.0	112.0	1.0
64	27+00E	3.0	0.3	9.0	13.0	121.0	1.0
65	28+00E	3.0	0.3	7.0	16.0	100.0	1.0
66	29+00E	3.0	0.3	8.0	14.0	94.0	1.0
67	30+00E	3.0	0.3	6.0	13.0	86.0	1.0
68	31+00E	3.0	0.2	6.0	24.0	58.0	1.0
69	32+00E	3.0	0.3	10.0	16.0	111.0	1.0
70	33+00E	3.0	0.3	16.0	27.0	187.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. 61707

PAGE 3 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	34+00E	3.0	0.3	11.0	14.0	116.0	1.0
72	35+00E	3.0	0.4	11.0	23.0	118.0	1.0
73	36+00E	3.0	0.4	8.0	10.0	83.0	1.0
74	37+00E	3.0	0.4	10.0	13.0	128.0	1.0
75	38+00E	3.0	0.6	8.0	26.0	115.0	1.0
76	39+00E	3.0	0.4	11.0	20.0	161.0	1.0
77	40+00E L3N	3.0	0.5	10.0	23.0	158.0	1.0

IN AU COLUMN 3 INDICATES (5 PPB

ALL OTHER VALUES REPORTED IN PPM

IN AS COLUMN 1 INDICATES (2 PPM



KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B. C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

MR. P. J. SANTOS  
625 9TH AVE.,  
CASTLEGAR, B. C.  
V1N 1M4

DATE AUG 26, 1987

FILE NO. G 1710

PROJECT KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 3	
						ZN	AS
1	3E L1N	25.0	0.4	10.0	16.0	144.0	1.0
2	4E	3.0	0.4	8.0	15.0	138.0	1.0
3	5E	15.0	0.6	8.0	9.0	125.0	1.0
4	6E	3.0	0.7	9.0	12.0	141.0	1.0
5	7E	3.0	0.7	9.0	27.0	157.0	1.0
6	8E	3.0	0.6	12.0	20.0	182.0	1.0
7	9E	3.0	0.7	8.0	17.0	99.0	1.0
8	10E	3.0	0.3	7.0	18.0	247.0	1.0
9	11E	3.0	0.1	7.0	19.0	149.0	1.0
10	12E	3.0	0.3	11.0	12.0	188.0	1.0
11	13E	3.0	0.4	7.0	12.0	167.0	1.0
12	14E	3.0	0.4	9.0	11.0	145.0	1.0
13	15E	3.0	0.3	10.0	14.0	131.0	1.0
14	16E	3.0	0.4	7.0	11.0	112.0	1.0
15	17E	3.0	0.3	8.0	15.0	121.0	1.0
16	18E	3.0	0.3	7.0	14.0	98.0	1.0
17	19E	3.0	2.0	8.0	16.0	124.0	1.0
18	20E	3.0	1.6	7.0	23.0	108.0	1.0
19	21E	3.0	0.5	9.0	15.0	146.0	1.0
20	22E	3.0	0.3	9.0	14.0	143.0	1.0
21	23E	3.0	0.3	7.0	14.0	112.0	1.0
22	24E	3.0	0.3	7.0	18.0	110.0	1.0
23	25E	3.0	0.3	10.0	14.0	109.0	1.0
24	26E	3.0	0.3	8.0	18.0	123.0	1.0
25	27E	3.0	0.2	8.0	30.0	118.0	1.0
26	28E	3.0	0.6	7.0	13.0	129.0	1.0
27	29E	3.0	0.4	6.0	14.0	78.0	1.0
28	30E	3.0	0.2	6.0	10.0	90.0	1.0
29	31E	3.0	0.1	8.0	10.0	110.0	1.0
30	32E	3.0	0.5	8.0	11.0	115.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1710

PAGE 2 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	33E	3.0	0.3	8.0	23.0	108.0	1.0
32	34E	3.0	0.7	10.0	19.0	110.0	1.0
33	35E	3.0	0.5	10.0	13.0	89.0	1.0
34	36E	3.0	0.2	7.0	11.0	90.0	1.0
35	37E	3.0	0.3	6.0	8.0	58.0	1.0
36	38E	3.0	0.4	6.0	8.0	76.0	1.0
37	39E	3.0	0.5	9.0	18.0	120.0	1.0
38	40E L1N	3.0	0.5	7.0	16.0	84.0	1.0
39	6E L5N	3.0	0.6	6.0	46.0	110.0	1.0
40	7E	3.0	1.0	9.0	19.0	179.0	1.0
41	8E	3.0	0.4	7.0	17.0	109.0	1.0
42	9E	3.0	0.3	6.0	25.0	136.0	1.0
43	10E	375.0	0.2	5.0	24.0	110.0	1.0
44	11E	3.0	0.4	6.0	20.0	116.0	1.0
45	12E	3.0	0.3	5.0	16.0	73.0	1.0
46	13E	3.0	0.2	7.0	17.0	164.0	1.0
47	14E	3.0	0.3	8.0	11.0	123.0	1.0
48	15E	3.0	1.0	9.0	24.0	113.0	5.0
49	16E	280.0	0.3	6.0	17.0	111.0	1.0
50	17E	3.0	0.4	7.0	20.0	169.0	1.0
51	18E	3.0	1.8	7.0	24.0	144.0	1.0
52	19E	3.0	0.2	5.0	23.0	99.0	1.0
53	20E	3.0	1.1	8.0	21.0	145.0	1.0
54	21E	3.0	0.3	6.0	14.0	118.0	1.0
55	22E	3.0	0.2	6.0	8.0	108.0	1.0
56	23E	3.0	0.2	5.0	10.0	89.0	1.0
57	25E	3.0	0.2	7.0	12.0	160.0	1.0
58	26E	3.0	0.4	6.0	11.0	88.0	1.0
59	27E	3.0	0.3	6.0	11.0	118.0	1.0
60	28E	3.0	0.4	5.0	8.0	41.0	1.0
61	29E	3.0	0.6	9.0	18.0	157.0	1.0
62	30E	3.0	0.4	8.0	15.0	134.0	1.0
63	31E	3.0	0.2	6.0	22.0	78.0	1.0
64	32E	3.0	0.3	8.0	63.0	117.0	4.0
65	33E	3.0	0.3	9.0	25.0	112.0	1.0
66	34E	3.0	0.3	10.0	11.0	137.0	1.0
67	35E	3.0	0.1	9.0	13.0	121.0	1.0
68	36E	3.0	0.5	11.0	12.0	103.0	1.0
69	37E	3.0	0.4	19.0	63.0	135.0	1.0
70	38E	3.0	0.3	7.0	12.0	80.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1710

PAGE 3 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	39E	3.0	0.2	8.0	44.0	88.0	6.0
72	40E LSN	3.0	0.6	11.0	64.0	117.0	6.0

IN AU COLUMN 3 INDICATES <5 PPB

ALL OTHER VALUES REPORTED IN PPM

IN AS COLUMN 1 INDICATES <2 PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

MR. P. J. SANTOS  
626 9TH AVE.,  
CASTLEGAR, B.C.  
V1N 1M4

DATE AUG 26, 1987

FILE NO. G 1715

PROJECT KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 4	
						ZN	AS
1	9E L9N	3.0	1.0	9.0	23.0	105.0	1.0
2	10E	3.0	0.2	6.0	12.0	90.0	1.0
3	11E	3.0	0.5	8.0	15.0	109.0	1.0
4	12E	3.0	0.4	7.0	12.0	88.0	1.0
5	13E	3.0	0.3	6.0	8.0	73.0	1.0
6	14E	3.0	0.4	5.0	12.0	105.0	1.0
7	15E	3.0	0.2	7.0	10.0	96.0	1.0
8	16E	3.0	0.1	6.0	16.0	93.0	1.0
9	17E	3.0	0.4	7.0	13.0	78.0	1.0
10	18E	3.0	1.4	13.0	20.0	149.0	7.0
11	19E	3.0	0.2	16.0	33.0	155.0	1.0
12	20E	3.0	0.3	7.0	7.0	110.0	1.0
13	21E	3.0	0.2	6.0	11.0	116.0	1.0
14	22E	3.0	0.5	8.0	14.0	138.0	1.0
15	23E	3.0	0.3	9.0	13.0	120.0	1.0
16	24E	3.0	0.1	7.0	9.0	125.0	1.0
17	25E	3.0	0.6	9.0	7.0	157.0	1.0
18	26E	3.0	0.2	9.0	9.0	133.0	1.0
19	27E	3.0	0.6	9.0	13.0	158.0	1.0
20	28E	3.0	0.0	8.0	9.0	127.0	1.0
21	29E	3.0	0.4	8.0	6.0	111.0	1.0
22	30E	3.0	0.3	6.0	9.0	100.0	1.0
23	31E	3.0	0.2	5.0	7.0	83.0	1.0
24	32E	3.0	0.2	8.0	11.0	114.0	1.0
25	33E	3.0	0.2	6.0	13.0	87.0	1.0
26	34E	3.0	0.3	9.0	8.0	93.0	1.0
27	35E L9N	3.0	0.1	6.0	6.0	58.0	1.0
28	10E L10N	3.0	0.3	5.0	11.0	69.0	12.0
29	11E	3.0	0.5	8.0	10.0	79.0	1.0
30	12E	740.0	0.4	7.0	9.0	106.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1715

PAGE 2 / 4

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	13E	3.0	0.9	8.0	9.0	44.0	1.0
32	14E	3.0	0.3	9.0	13.0	146.0	1.0
33	15E	3.0	0.3	9.0	12.0	118.0	1.0
34	16E	3.0	0.4	11.0	14.0	135.0	1.0
35	17E	3.0	0.2	9.0	14.0	146.0	1.0
36	18E	3.0	0.5	10.0	10.0	160.0	1.0
37	19E	3.0	0.2	8.0	12.0	173.0	1.0
38	20E	3.0	0.3	8.0	15.0	157.0	1.0
39	21E	3.0	0.5	7.0	18.0	129.0	1.0
40	22E	3.0	0.1	9.0	20.0	117.0	1.0
41	23E	3.0	0.0	7.0	9.0	117.0	1.0
42	24E	3.0	0.0	7.0	8.0	130.0	1.0
43	25E	3.0	0.0	7.0	15.0	121.0	1.0
44	26E	3.0	0.0	6.0	8.0	119.0	1.0
45	27E	3.0	0.3	6.0	14.0	111.0	1.0
46	28E	20.0	0.2	7.0	9.0	123.0	1.0
47	29E	3.0	0.6	10.0	20.0	142.0	1.0
48	30E	3.0	0.2	8.0	11.0	81.0	1.0
49	31E	3.0	0.4	8.0	10.0	92.0	1.0
50	32E L10N	3.0	0.4	9.0	8.0	95.0	1.0
51	12E L11N	3.0	0.4	6.0	10.0	113.0	1.0
52	13E	3.0	0.3	6.0	11.0	115.0	1.0
53	14E	3.0	0.4	9.0	15.0	100.0	1.0
54	15E	3.0	0.4	11.0	18.0	155.0	1.0
55	16E	3.0	0.3	10.0	19.0	129.0	1.0
56	17E	3.0	0.6	9.0	19.0	126.0	1.0
57	18E	3.0	0.4	8.0	20.0	155.0	1.0
58	19E	920.0	20.0	37.0	472.0	387.0	1.0
59	20E	3.0	1.0	8.0	28.0	199.0	1.0
60	21E	3.0	0.6	7.0	17.0	158.0	1.0
61	22E	3.0	0.6	8.0	8.0	142.0	1.0
62	23E	3.0	0.1	8.0	27.0	110.0	1.0
63	24E	3.0	0.1	8.0	13.0	122.0	1.0
64	25E	3.0	0.2	9.0	13.0	110.0	1.0
65	26E	3.0	0.1	9.0	6.0	90.0	1.0
66	27E	3.0	0.2	9.0	7.0	132.0	1.0
67	28E	3.0	0.5	8.0	10.0	122.0	1.0
68	29E L11N	3.0	0.7	7.0	13.0	97.0	1.0
69	21E L13S	3.0	0.8	8.0	18.0	176.0	1.0
70	22E	3.0	0.7	8.0	13.0	166.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1715

PAGE 3 / 4

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	23E	3.0	0.4	8.0	11.0	139.0	1.0
72	24E	3.0	0.7	9.0	24.0	250.0	1.0
73	25E	3.0	0.7	14.0	13.0	167.0	1.0
74	26E	3.0	1.7	11.0	30.0	201.0	1.0
75	27E	3.0	0.6	10.0	29.0	175.0	1.0
76	28E	3.0	0.1	7.0	23.0	110.0	1.0
77	29E	3.0	0.2	9.0	24.0	149.0	1.0
78	30E	3.0	0.1	10.0	22.0	150.0	1.0
79	31E	3.0	0.2	7.0	16.0	113.0	1.0
80	32E	3.0	0.0	8.0	17.0	165.0	1.0
81	33E	3.0	0.1	8.0	25.0	126.0	1.0
82	34E	3.0	0.4	7.0	19.0	128.0	1.0
83	35E	55.0	0.2	8.0	13.0	134.0	1.0
84	36E	3.0	0.0	7.0	18.0	128.0	1.0
85	37E	3.0	0.3	8.0	22.0	152.0	1.0
86	38E	3.0	0.1	5.0	24.0	114.0	1.0
87	39E	3.0	0.1	5.0	17.0	126.0	1.0
88	40E L139	185.0	0.0	8.0	17.0	124.0	1.0
89	21E L148	3.0	0.3	6.0	24.0	179.0	1.0
90	22E	3.0	0.3	6.0	23.0	146.0	1.0
91	23E	3.0	0.3	7.0	20.0	135.0	1.0
92	24E	3.0	0.1	9.0	22.0	194.0	1.0
93	25E	3.0	0.3	9.0	24.0	189.0	1.0
94	26E	3.0	0.3	8.0	30.0	189.0	1.0
95	27E	3.0	0.6	7.0	26.0	175.0	1.0
96	28E	3.0	0.6	6.0	23.0	161.0	1.0
97	29E	3.0	0.1	7.0	22.0	145.0	1.0
98	30E	3.0	0.0	7.0	17.0	148.0	1.0
99	31E	3.0	0.0	6.0	23.0	130.0	1.0
100	32E	3.0	0.0	6.0	15.0	86.0	1.0
101	33E	3.0	0.0	6.0	20.0	141.0	1.0
102	34E	3.0	0.0	7.0	23.0	134.0	1.0
103	35E	3.0	0.4	7.0	17.0	131.0	1.0
104	36E	3.0	0.3	8.0	21.0	135.0	1.0
105	37E	3.0	2.0	7.0	24.0	146.0	1.0
106	38E	3.0	1.1	6.0	20.0	148.0	1.0
107	39E	3.0	0.3	7.0	19.0	131.0	1.0
108	40E L148	3.0	0.1	8.0	9.0	114.0	1.0
109	21E L158	3.0	0.3	8.0	22.0	159.0	1.0
110	22E	3.0	0.1	6.0	12.0	61.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1715

PAGE 4 / 4

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
111	23E	3.0	0.2	6.0	18.0	160.0	1.0
112	24E	3.0	0.0	6.0	49.0	126.0	1.0
113	25E	3.0	0.0	9.0	24.0	149.0	1.0
114	26E	3.0	0.0	5.0	16.0	114.0	1.0
115	27E	3.0	0.2	5.0	9.0	88.0	1.0
116	28E	3.0	0.2	6.0	14.0	123.0	1.0
117	29E	3.0	0.1	6.0	39.0	134.0	1.0
118	30E	3.0	0.3	7.0	10.0	127.0	1.0
119	31E	3.0	0.0	4.0	6.0	99.0	1.0
120	32E	3.0	0.1	6.0	16.0	92.0	1.0
121	33E	3.0	0.0	5.0	13.0	135.0	1.0
122	34E	3.0	0.0	5.0	8.0	150.0	1.0
123	35E	3.0	0.3	3.0	12.0	41.0	1.0
124	36E	80.0	6.7	9.0	63.0	137.0	1.0
125	37E	3.0	0.0	7.0	19.0	101.0	1.0
126	38E	3.0	0.0	5.0	12.0	124.0	1.0
127	39E	3.0	0.0	4.0	11.0	83.0	1.0
128	40E L15S	3.0	0.1	5.0	10.0	90.0	1.0
129	21E L16S	3.0	0.4	5.0	8.0	124.0	1.0
130	22E	3.0	0.2	5.0	7.0	79.0	1.0
131	23E	3.0	0.0	4.0	17.0	89.0	1.0
132	24E	3.0	0.0	4.0	17.0	129.0	1.0
133	25E	3.0	0.0	5.0	19.0	113.0	1.0
134	26E	3.0	0.0	3.0	19.0	132.0	1.0
135	27E	3.0	0.0	9.0	19.0	128.0	1.0
136	28E	3.0	0.2	5.0	16.0	139.0	1.0
137	29E	3.0	0.0	10.0	16.0	145.0	1.0
138	30E	3.0	0.5	6.0	18.0	144.0	1.0
139	31E	3.0	0.0	5.0	104.0	100.0	1.0
140	32E	3.0	0.0	5.0	29.0	98.0	1.0
141	33E	3.0	0.2	7.0	28.0	139.0	1.0
142	34E	3.0	0.3	8.0	22.0	118.0	1.0
143	35E	3.0	0.2	6.0	19.0	78.0	1.0
144	36E	3.0	0.0	9.0	33.0	101.0	1.0
145	37E	3.0	0.0	6.0	19.0	110.0	1.0
146	38E	3.0	0.0	7.0	18.0	92.0	1.0
147	39E	3.0	0.0	6.0	11.0	55.0	1.0
148	40E L16S	3.0	0.0	10.0	21.0	113.0	1.0

IN AU COLUMN 3 INDICATES <5 PPB

ALL OTHER VALUES REPORTED IN PPM

IN AG COLUMN 20.0 INDICATES >20.0 PPM 0.0 = <0.1 PPM

IN AS COLUMN 1 INDICATES <2 PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

91E LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

MR. P. J. SANTOS  
626 - 9TH AVE.  
CASTLEGAR, B.C.  
VIN 1M4

DATE AUGUST 28, 1987

FILE NO. 6 1721

KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 3	
						ZN	AS
1	13E L4S	3.0	0.2	7.0	27.0	104.0	1.0
2	14E	3.0	0.2	6.0	13.0	82.0	1.0
3	15E	3.0	0.1	7.0	20.0	103.0	1.0
4	16E	3.0	0.0	6.0	13.0	92.0	1.0
5	17E	3.0	0.2	7.0	19.0	100.0	1.0
6	18E	3.0	0.2	8.0	17.0	84.0	1.0
7	19E	3.0	0.2	8.0	21.0	108.0	1.0
8	20E	3.0	0.4	6.0	20.0	114.0	1.0
9	21E	3.0	0.2	7.0	18.0	80.0	1.0
10	22E	3.0	0.5	7.0	21.0	87.0	1.0
11	23E	3.0	0.1	7.0	17.0	92.0	1.0
12	24E	3.0	0.0	6.0	12.0	82.0	1.0
13	25E	3.0	0.0	6.0	13.0	67.0	1.0
14	26E	3.0	0.0	6.0	17.0	83.0	1.0
15	27E	3.0	0.0	6.0	12.0	75.0	1.0
16	28E	3.0	0.0	7.0	13.0	103.0	1.0
17	29E	3.0	0.3	7.0	16.0	92.0	1.0
18	30E	3.0	0.2	6.0	20.0	101.0	1.0
19	31E	3.0	0.1	13.0	40.0	105.0	1.0
20	32E	3.0	0.1	11.0	16.0	100.0	1.0
21	33E	3.0	0.3	8.0	14.0	93.0	1.0
22	34E	3.0	1.0	9.0	17.0	118.0	1.0
23	35E	3.0	0.8	8.0	19.0	117.0	1.0
24	36E	3.0	0.0	10.0	18.0	110.0	1.0
25	37E	3.0	0.2	10.0	18.0	133.0	1.0
26	38E	3.0	0.1	8.0	14.0	109.0	1.0
27	39E	3.0	0.5	9.0	23.0	183.0	1.0
28	40E L4S	3.0	2.5	9.0	29.0	162.0	1.0
29	7E L6N	3.0	0.4	8.0	20.0	103.0	1.0
30	8E L6N	3.0	0.2	6.0	18.0	115.0	1.0



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1721

PAGE 2 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	9E L6N	3.0	0.2	7.0	20.0	132.0	1.0
32	10E	3.0	0.4	7.0	26.0	115.0	1.0
33	11E	3.0	0.2	6.0	16.0	117.0	1.0
34	12E	3.0	0.3	7.0	17.0	116.0	1.0
35	13E	3.0	0.3	8.0	24.0	67.0	1.0
36	14E	3.0	0.2	6.0	18.0	122.0	1.0
37	15E	3.0	0.3	6.0	19.0	108.0	1.0
38	16E	3.0	0.5	6.0	19.0	136.0	1.0
39	17E	3.0	0.5	7.0	29.0	141.0	1.0
40	18E	3.0	0.8	8.0	31.0	155.0	1.0
41	19E	3.0	0.3	6.0	25.0	92.0	1.0
42	20E	3.0	0.3	6.0	18.0	57.0	1.0
43	21E	3.0	0.1	5.0	23.0	78.0	1.0
44	22E	3.0	0.1	7.0	26.0	653.0	1.0
45	23E	3.0	0.2	7.0	28.0	111.0	1.0
46	24E	3.0	0.1	7.0	22.0	116.0	1.0
47	25E	3.0	0.2	7.0	24.0	145.0	1.0
48	26E	3.0	0.1	8.0	23.0	157.0	1.0
49	27E	3.0	0.0	8.0	21.0	139.0	1.0
50	28E	3.0	0.2	6.0	20.0	107.0	1.0
51	29E	3.0	0.1	7.0	18.0	98.0	1.0
52	30E	3.0	0.0	8.0	20.0	109.0	1.0
53	31E	3.0	0.0	8.0	25.0	109.0	1.0
54	32E	3.0	0.0	7.0	19.0	116.0	1.0
55	33E	3.0	0.3	7.0	22.0	120.0	1.0
56	34E	3.0	0.4	7.0	15.0	100.0	1.0
57	35E	3.0	0.0	6.0	16.0	69.0	1.0
58	36E	3.0	0.3	8.0	15.0	120.0	1.0
59	37E	95.0	0.8	6.0	26.0	110.0	1.0
60	38E	3.0	0.3	5.0	25.0	100.0	1.0
61	39E L6N	3.0	0.0	7.0	16.0	91.0	1.0
62	8E L7N	3.0	0.4	8.0	17.0	95.0	1.0
63	9E	3.0	0.1	6.0	17.0	46.0	1.0
64	10E	3.0	0.2	5.0	21.0	60.0	1.0
65	11E	3.0	0.4	6.0	20.0	127.0	1.0
66	12E	3.0	0.2	7.0	26.0	103.0	1.0
67	13E	3.0	0.2	5.0	19.0	78.0	1.0
68	14E	3.0	0.6	11.0	253.0	180.0	1.0
69	15E	3.0	0.1	3.0	14.0	30.0	1.0
70	16E L7N	3.0	0.2	4.0	17.0	102.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1721

PAGE 3 / 3

KRAL NO.	IDENTIFICATION	AG	AS	CU	PB	ZN	AS
71	17E L7N	3.0	0.2	4.0	32.0	126.0	1.0
72	18E	3.0	0.3	5.0	29.0	113.0	1.0
73	19E	3.0	0.6	4.0	19.0	128.0	1.0
74	20E	3.0	0.5	8.0	10.0	93.0	1.0
75	21E	3.0	0.1	5.0	15.0	106.0	1.0
76	22E	3.0	0.2	6.0	27.0	140.0	1.0
77	23E	3.0	0.0	5.0	18.0	75.0	1.0
78	24E	3.0	0.0	6.0	22.0	132.0	1.0
79	25E	3.0	0.2	4.0	17.0	144.0	1.0
80	26E	3.0	0.0	5.0	19.0	133.0	1.0
81	27E	3.0	0.0	7.0	16.0	119.0	1.0
82	28E	3.0	0.1	4.0	14.0	91.0	1.0
83	29E	3.0	0.0	5.0	17.0	72.0	1.0
84	30E	3.0	0.0	6.0	11.0	86.0	1.0
85	31E	3.0	0.3	6.0	17.0	113.0	1.0
86	32E	3.0	0.1	6.0	27.0	106.0	1.0
87	33E	3.0	0.1	4.0	15.0	78.0	1.0
88	34E	3.0	0.1	5.0	24.0	94.0	1.0
89	35E	3.0	0.1	5.0	15.0	123.0	1.0
90	36E	3.0	0.0	3.0	6.0	35.0	1.0
91	37E	3.0	1.9	6.0	20.0	137.0	1.0
92	38E L7N	3.0	0.4	7.0	27.0	104.0	1.0

IN AG COLUMN 3 INDICATES (5PPB)

IN AS COLUMN 1 INDICATES (2PPM)

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

-----  
GEOCHEMICAL LAB REPORT  
-----

D. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE AUGUST 26, 1987

FILE NO. G 1722

KING JACK

KRAL NO.	IDENTIFICATION	AU	PG	CU	PB	PAGE 1 / 3	
						ZN	AS
1	2E LIS	3.0	0.2	8.0	21.0	100.0	1.0
2	3E	3.0	0.0	6.0	16.0	96.0	1.0
3	4E	3.0	0.4	7.0	22.0	140.0	6.0
4	5E	3.0	0.8	8.0	17.0	149.0	1.0
5	6E	3.0	1.0	7.0	18.0	183.0	1.0
6	7E	3.0	0.6	9.0	29.0	236.0	1.0
7	8E	3.0	0.3	10.0	20.0	164.0	1.0
8	9E	3.0	0.5	10.0	17.0	226.0	1.0
9	10E	3.0	0.4	7.0	26.0	93.0	1.0
10	11E	3.0	1.1	9.0	64.0	183.0	1.0
11	12E	3.0	0.2	9.0	24.0	126.0	1.0
12	13E	3.0	0.3	7.0	18.0	93.0	1.0
13	14E	3.0	0.3	7.0	13.0	95.0	1.0
14	15E	3.0	0.5	8.0	17.0	102.0	1.0
15	16E	3.0	0.2	8.0	20.0	86.0	1.0
16	17E	3.0	0.8	8.0	19.0	121.0	1.0
17	18E	3.0	0.4	10.0	18.0	145.0	1.0
18	19E	3.0	0.6	5.0	9.0	31.0	1.0
19	20E	3.0	0.4	6.0	18.0	75.0	1.0
20	21E	3.0	0.1	5.0	15.0	42.0	1.0
21	22E	3.0	0.0	7.0	21.0	123.0	1.0
22	23E	3.0	0.0	7.0	23.0	99.0	1.0
23	24E	3.0	0.0	7.0	22.0	97.0	1.0
24	25E	3.0	0.2	6.0	21.0	90.0	1.0
25	26E	3.0	0.1	5.0	19.0	72.0	1.0
26	27E	3.0	0.0	7.0	18.0	98.0	1.0
27	28E	3.0	0.2	6.0	23.0	86.0	1.0
28	29E	3.0	0.0	5.0	24.0	80.0	1.0
29	30E	3.0	0.0	16.0	23.0	97.0	1.0
30	32E LIS	3.0	0.0	9.0	21.0	81.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1722

PAGE 2 / 3

KRAL NO.	IDENTIFICATION	AL	AG	CU	CR	ZN	AS
31	33E LIS	3.0	0.3	9.0	21.0	53.0	1.0
32	34E	3.0	0.5	6.0	31.0	44.0	1.0
33	35E	3.0	1.0	7.0	24.0	81.0	1.0
34	36E	3.0	0.2	11.0	23.0	86.0	1.0
35	37E	3.0	0.1	11.0	32.0	85.0	1.0
36	38E	3.0	0.7	11.0	50.0	127.0	1.0
37	39E LIS	3.0	0.2	9.0	47.0	123.0	1.0
38	21E L8S	3.0	0.2	7.0	28.0	119.0	1.0
39	22E	3.0	0.5	20.0	25.0	158.0	1.0
40	23E	3.0	0.0	9.0	20.0	117.0	1.0
41	24E	3.0	0.0	7.0	22.0	114.0	1.0
42	25E	3.0	0.1	6.0	16.0	85.0	1.0
43	26E	3.0	0.1	8.0	26.0	151.0	1.0
44	27E	3.0	0.7	7.0	26.0	140.0	1.0
45	29E	3.0	0.0	12.0	26.0	128.0	1.0
46	30E	3.0	0.0	9.0	17.0	112.0	1.0
47	31E	3.0	0.7	8.0	16.0	113.0	1.0
48	32E	3.0	0.2	8.0	21.0	119.0	1.0
49	33E	3.0	0.1	8.0	16.0	123.0	1.0
50	34E	3.0	0.2	9.0	19.0	110.0	1.0
51	35E	3.0	1.7	7.0	22.0	119.0	1.0
52	36E	3.0	0.2	8.0	33.0	163.0	12.0
53	37E	3.0	0.4	8.0	16.0	104.0	1.0
54	38E L8S	3.0	0.3	8.0	21.0	159.0	1.0
55	31E L11S	3.0	0.0	9.0	12.0	69.0	1.0
56	32E	3.0	0.4	8.0	19.0	143.0	1.0
57	33E	3.0	0.4	9.0	17.0	129.0	1.0
58	34E	3.0	0.4	8.0	18.0	139.0	1.0
59	35E	3.0	0.0	9.0	24.0	134.0	1.0
60	36E	3.0	0.0	9.0	19.0	133.0	1.0
61	37E	3.0	0.7	7.0	19.0	112.0	1.0
62	38E	3.0	0.4	5.0	12.0	60.0	1.0
63	39E	3.0	1.0	6.0	24.0	89.0	1.0
64	40E	3.0	0.0	8.0	31.0	172.0	1.0
65	31E L12S	3.0	0.1	8.0	21.0	146.0	1.0
66	32E	3.0	0.5	8.0	16.0	101.0	1.0
67	33E	3.0	0.0	8.0	21.0	192.0	1.0
68	34E	3.0	0.0	9.0	20.0	152.0	1.0
69	35E	3.0	0.0	7.0	15.0	113.0	1.0
70	36E L12S	3.0	0.1	8.0	17.0	136.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1722

PAGE 3 / 3  
ZN AS

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	37E L12S	3.0	0.5	7.0	19.0	117.0	1.0
72	38E	3.0	0.4	7.0	27.0	150.0	1.0
73	39E	3.0	0.0	8.0	25.0	164.0	1.0
74	40E	3.0	0.0	8.0	14.0	102.0	1.0

IN AU COLUMN 3 INDICATES <5

IN AG COLUMN 0 INDICATES <.1

IN AS COLUMN 1 INDICATES <2

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE AUGUST 28, 1987

FILE NO. G 1725

KING JACK

KRAL NO.	IDENTIFICATION	AU	AS	CU	PB	PAGE 1 / 3	
						ZN	AS
1	20W L32S	3.0	0.0	5.0	22.0	65.0	1.0
2	21W	3.0	1.8	6.0	26.0	105.0	1.0
3	22W	3.0	0.1	4.0	21.0	53.0	1.0
4	23W	3.0	0.1	5.0	25.0	104.0	1.0
5	24W	3.0	0.0	4.0	17.0	56.0	1.0
6	25W	3.0	0.1	5.0	18.0	95.0	1.0
7	26W	3.0	0.0	6.0	22.0	127.0	1.0
8	27W	3.0	0.0	4.0	18.0	86.0	1.0
9	28W	3.0	0.0	4.0	14.0	42.0	1.0
10	29W	3.0	0.0	4.0	17.0	45.0	1.0
11	30W	3.0	0.1	5.0	21.0	68.0	1.0
12	31W	200.0	0.7	5.0	27.0	80.0	1.0
13	32W	95.0	0.1	4.0	18.0	69.0	1.0
14	33W	3.0	0.0	5.0	17.0	88.0	1.0
15	34W	95.0	0.3	5.0	30.0	129.0	1.0
16	35W	10.0	0.5	5.0	23.0	110.0	1.0
17	36W	3.0	0.4	5.0	22.0	135.0	1.0
18	37W	3.0	0.0	4.0	15.0	153.0	1.0
19	38W	3.0	0.0	6.0	17.0	115.0	1.0
20	39W	3.0	0.0	6.0	20.0	83.0	1.0
21	40W L32S	3.0	0.0	6.0	15.0	89.0	1.0
22	20W L34S	3.0	0.1	4.0	14.0	42.0	1.0
23	21W	3.0	0.1	2.0	10.0	28.0	1.0
24	22W	3.0	0.4	6.0	19.0	76.0	1.0
25	23W	3.0	0.5	5.0	20.0	41.0	1.0
26	24W	3.0	0.2	2.0	20.0	40.0	1.0
27	25W	3.0	0.5	5.0	27.0	76.0	1.0
28	26W	3.0	0.1	4.0	25.0	122.0	1.0
29	27W	3.0	0.2	5.0	24.0	64.0	1.0
30	28W L34S	3.0	0.2	3.0	18.0	55.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1726

PAGE 2 / 3

KRAL NO.	IDENTIFICATION	AL	AG	CU	PB	ZN	AS
31	29W L34S	3.0	0.4	4.0	21.0	79.0	1.0
32	30W	3.0	0.2	3.0	14.0	58.0	1.0
33	31W	3.0	0.4	4.0	25.0	102.0	1.0
34	32W	3.0	0.1	3.0	15.0	57.0	1.0
35	33W	3.0	0.2	3.0	17.0	48.0	1.0
36	34W	3.0	0.0	5.0	24.0	114.0	1.0
37	35W	3.0	0.0	4.0	15.0	98.0	1.0
38	36W	3.0	0.8	5.0	18.0	160.0	1.0
39	37W	3.0	1.1	5.0	56.0	238.0	1.0
40	38W	3.0	1.2	5.0	48.0	153.0	1.0
41	39W	3.0	0.2	4.0	26.0	81.0	1.0
42	40W L34S	3.0	0.3	5.0	20.0	106.0	1.0
43	20W L36S	3.0	0.0	3.0	16.0	42.0	1.0
44	21W	3.0	0.1	4.0	15.0	45.0	1.0
45	22W	3.0	0.0	4.0	24.0	85.0	1.0
46	23W	3.0	0.0	3.0	25.0	28.0	1.0
47	24W	150.0	0.0	5.0	43.0	49.0	1.0
48	25W	3.0	0.4	6.0	29.0	296.0	1.0
49	26W	3.0	0.0	5.0	39.0	204.0	1.0
50	27W	3.0	0.0	4.0	24.0	41.0	1.0
51	28W	3.0	0.0	3.0	12.0	30.0	1.0
52	29W	3.0	0.2	4.0	19.0	60.0	1.0
53	30W	3.0	0.4	5.0	16.0	27.0	1.0
54	31W	3.0	0.0	5.0	14.0	37.0	1.0
55	32W	3.0	0.0	3.0	22.0	48.0	1.0
56	33W	3.0	0.0	4.0	25.0	69.0	1.0
57	34W	3.0	0.2	7.0	25.0	132.0	1.0
58	35W	3.0	0.0	5.0	18.0	115.0	1.0
59	36W	3.0	0.0	5.0	15.0	59.0	1.0
60	37W	3.0	0.0	6.0	42.0	131.0	1.0
61	38W	3.0	0.1	5.0	17.0	48.0	1.0
62	39W	3.0	0.2	4.0	14.0	42.0	1.0
63	40W L35S	3.0	0.1	4.0	17.0	59.0	1.0
64	20W L38S	3.0	0.3	6.0	16.0	35.0	1.0
65	21W	3.0	0.1	5.0	48.0	44.0	1.0
66	22W	3.0	0.4	9.0	98.0	512.0	7.0
67	23W	3.0	0.6	7.0	33.0	115.0	1.0
68	24W	3.0	0.9	5.0	29.0	66.0	1.0
69	25W	3.0	0.2	5.0	28.0	61.0	9.0
70	26W L38S	3.0	0.0	4.0	18.0	30.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1726

PAGE 3 / 3  
7N 8S

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	7N	8S
71	27W L38S	3.0	0.0	5.0	12.0	86.0	1.0
72	28W	3.0	0.0	7.0	28.0	153.0	1.0
73	29W	3.0	0.2	7.0	24.0	86.0	1.0
74	30W	25.0	0.2	8.0	45.0	124.0	5.0
75	31W	3.0	0.1	6.0	34.0	89.0	5.0
76	32W	95.0	0.4	7.0	33.0	107.0	4.0
77	33W	3.0	0.0	7.0	36.0	131.0	1.0
78	34W	3.0	0.0	6.0	19.0	140.0	1.0
79	35W	3.0	0.0	6.0	19.0	126.0	1.0
80	37W	3.0	0.0	5.0	26.0	36.0	1.0
81	38W	3.0	0.0	4.0	13.0	36.0	1.0
82	39W	3.0	0.0	5.0	17.0	91.0	1.0
83	40W	3.0	0.0	5.0	21.0	86.0	1.0

IN AU COLUMN 3 INDICATES (SPPB

IN AG COLUMN 0 INDICATES (.1PPM

IN AS COLUMN 1 INDICATES (2PPM



KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

310 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

MR. P. J. SANTOS  
626 9TH AVE.,  
CASTLEGAR, B.C.  
V1N 1M4

DATE SEPT. 8, 1987

FILE NO. G 1731

PROJECT KING JACK

PAGE 1 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
1	0W L30S	3.0	0.7	8.0	20.0	89.0	1.0
2	1W	3.0	1.1	8.0	27.0	88.0	1.0
3	2W	3.0	0.8	5.0	29.0	115.0	1.0
4	3W	3.0	1.0	7.0	24.0	112.0	1.0
5	4W	3.0	0.5	5.0	31.0	91.0	1.0
6	5W	3.0	2.9	6.0	29.0	173.0	1.0
7	6W	3.0	2.9	5.0	26.0	132.0	1.0
8	7W	3.0	1.5	6.0	21.0	175.0	1.0
9	8W	3.0	0.5	6.0	26.0	115.0	1.0
10	9W	3.0	0.7	5.0	18.0	56.0	1.0
11	10W	3.0	0.1	5.0	26.0	115.0	1.0
12	11W	3.0	0.3	5.0	18.0	80.0	1.0
13	12W	3.0	0.6	10.0	24.0	137.0	1.0
14	13W	3.0	0.7	5.0	16.0	201.0	1.0
15	14W	3.0	1.0	7.0	33.0	193.0	1.0
16	15W	3.0	0.5	7.0	28.0	153.0	1.0
17	16W	3.0	0.5	7.0	19.0	58.0	1.0
18	17W	3.0	0.2	4.0	17.0	55.0	1.0
19	18W	3.0	0.3	6.0	13.0	35.0	1.0
20	19W	3.0	0.3	5.0	20.0	61.0	1.0
21	20W	3.0	0.1	5.0	20.0	37.0	1.0
22	21W	3.0	0.5	3.0	37.0	75.0	1.0
23	22W	400.0	0.0	7.0	28.0	129.0	1.0
24	23W	165.0	0.7	6.0	27.0	59.0	1.0
25	24W	3.0	0.2	6.0	28.0	122.0	1.0
26	25W	3.0	0.4	6.0	22.0	117.0	1.0
27	26W	3.0	2.1	7.0	18.0	62.0	1.0
28	27W	3.0	1.5	7.0	18.0	75.0	1.0
29	28W	3.0	0.2	5.0	16.0	98.0	1.0
30	29W	3.0	0.2	3.0	18.0	89.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1731

PAGE 2 / 3

KRAL NO.	IDENTIFICATION	ALU	AG	CU	PB	ZN	AS
31	30W	3.0	0.1	5.0	19.0	60.0	1.0
32	31W	3.0	0.2	6.0	20.0	71.0	1.0
33	32W	3.0	2.0	7.0	23.0	79.0	1.0
34	33W	3.0	0.4	5.0	21.0	65.0	1.0
35	34W	3.0	0.5	5.0	15.0	70.0	1.0
36	35W	3.0	0.2	7.0	16.0	104.0	1.0
37	36W	3.0	0.1	5.0	15.0	108.0	1.0
38	37W	3.0	0.1	5.0	16.0	110.0	1.0
39	38W	3.0	0.3	5.0	11.0	70.0	1.0
40	39W	3.0	0.2	7.0	16.0	69.0	1.0
41	40W L30S	3.0	0.2	5.0	15.0	107.0	1.0
42	20W L40S	3.0	0.7	14.0	38.0	119.0	1.0
43	21W	3.0	0.6	7.0	20.0	75.0	1.0
44	22W	3.0	0.2	7.0	22.0	117.0	10.0
45	23W	3.0	0.3	11.0	74.0	238.0	1.0
46	24W	3.0	0.6	21.0	55.0	134.0	1.0
47	25W	3.0	0.2	6.0	27.0	51.0	1.0
48	26W	3.0	0.2	5.0	15.0	46.0	1.0
49	27W	3.0	0.3	5.0	20.0	50.0	1.0
50	28W	3.0	0.5	7.0	14.0	77.0	1.0
51	29W	3.0	0.2	5.0	37.0	70.0	1.0
52	30W	3.0	0.0	5.0	23.0	56.0	1.0
53	31W	3.0	0.0	5.0	19.0	85.0	1.0
54	32W	3.0	0.6	4.0	24.0	88.0	1.0
55	33W	3.0	0.2	5.0	20.0	123.0	1.0
56	34W	3.0	0.0	5.0	23.0	104.0	1.0
57	35W	3.0	0.1	5.0	21.0	72.0	1.0
58	36W	3.0	0.1	6.0	26.0	129.0	1.0
59	37W	3.0	0.6	6.0	21.0	54.0	1.0
60	38W	3.0	0.2	5.0	11.0	28.0	1.0
61	39W	3.0	0.1	6.0	21.0	85.0	1.0
62	40W L40S	3.0	0.0	8.0	19.0	123.0	1.0
63	22W L44S	3.0	0.2	10.0	22.0	55.0	1.0
64	23W	3.0	0.0	9.0	36.0	54.0	1.0
65	24W	3.0	0.0	8.0	20.0	79.0	1.0
66	26W	3.0	0.2	11.0	28.0	113.0	1.0
67	28W	3.0	0.0	8.0	20.0	101.0	1.0
68	29W	3.0	0.2	6.0	26.0	107.0	1.0
69	30W	3.0	0.2	5.0	19.0	68.0	1.0
70	31W	3.0	0.8	6.0	25.0	161.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1731

PAGE 3 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	32W	3.0	1.4	7.0	25.0	125.0	1.0
72	33W	3.0	0.6	7.0	35.0	150.0	1.0
73	34W	3.0	0.5	8.0	20.0	113.0	1.0
74	35W	3.0	0.5	6.0	22.0	52.0	1.0
75	36W	3.0	0.0	7.0	26.0	110.0	1.0
76	37W	3.0	0.4	9.0	22.0	40.0	1.0
77	39W	3.0	0.2	6.0	21.0	67.0	1.0
78	40W L44S	3.0	0.1	7.0	24.0	89.0	1.0
79	20W L46S	3.0	0.1	9.0	27.0	96.0	1.0
80	21W	3.0	0.2	8.0	23.0	132.0	1.0
81	22W	3.0	0.1	8.0	27.0	161.0	1.0
82	23W	3.0	0.2	6.0	17.0	65.0	1.0
83	24W	3.0	0.2	9.0	30.0	49.0	1.0
84	25W	3.0	0.2	8.0	34.0	156.0	1.0
85	26W	3.0	0.0	6.0	19.0	78.0	1.0
86	27W	3.0	0.1	7.0	20.0	95.0	1.0
87	28W	3.0	3.1	7.0	36.0	127.0	1.0
88	28 E (A)	3.0	0.2	12.0	22.0	94.0	1.0
89	29W	3.0	0.7	7.0	12.0	75.0	1.0
90	30W	3.0	0.4	7.0	30.0	122.0	1.0
91	31W	3.0	0.7	11.0	24.0	123.0	1.0
92	32W	3.0	0.3	6.0	23.0	95.0	1.0
93	33W	3.0	0.8	8.0	18.0	124.0	1.0
94	34W	3.0	0.2	6.0	11.0	51.0	1.0
95	35W	3.0	0.1	4.0	11.0	41.0	1.0
96	36W	3.0	0.2	6.0	23.0	101.0	1.0
97	37W	3.0	0.0	5.0	23.0	42.0	1.0
98	38W	3.0	0.1	3.0	24.0	62.0	1.0
99	39W	3.0	0.2	6.0	18.0	64.0	1.0
100	40W L45S	3.0	0.3	6.0	21.0	57.0	1.0

IN AU COLUMN 3 INDICATES (3 GR)

ALL OTHER VALUES REPORTED IN PPM

IN AG COLUMN 0.0 INDICATES (0.1 PPM)

IN AS COLUMN 1

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B. C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B. C.  
VIN IM4

DATE SEPTEMBER 14, 1987

FILE NO. G 1737

PROJECT: KING JACK

PAGE 1 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
1	30W B/L24N	3.0	0.0	8.0	16.0	140.0	1.0
2	31W	3.0	0.0	10.0	18.0	110.0	1.0
3	32W	3.0	0.0	11.0	18.0	143.0	1.0
4	33W	3.0	0.0	9.0	14.0	112.0	1.0
5	34W	3.0	0.0	6.0	17.0	107.0	1.0
6	35W	3.0	0.0	9.0	25.0	177.0	1.0
7	36W	3.0	0.0	8.0	14.0	116.0	1.0
8	37W	3.0	0.0	8.0	11.0	133.0	1.0
9	38W	3.0	0.3	8.0	23.0	132.0	1.0
10	39W	3.0	0.0	7.0	12.0	116.0	1.0
11	40W	3.0	0.4	9.0	20.0	152.0	1.0
12	41W	3.0	0.0	6.0	12.0	102.0	1.0
13	42W	3.0	0.0	8.0	12.0	115.0	1.0
14	43W	3.0	0.0	9.0	12.0	150.0	1.0
15	44W	3.0	0.0	11.0	18.0	210.0	1.0
16	45W	3.0	0.0	10.0	15.0	135.0	1.0
17	46W	3.0	0.8	10.0	15.0	120.0	1.0
18	47W	3.0	0.0	7.0	17.0	130.0	1.0
19	48W	3.0	0.0	6.0	17.0	114.0	1.0
20	49W	3.0	0.0	8.0	17.0	140.0	1.0
21	50W B/L24N	3.0	0.0	10.0	19.0	138.0	1.0
22	30W B/L26N	3.0	0.0	7.0	19.0	140.0	1.0
23	31W	3.0	0.0	7.0	22.0	131.0	1.0
24	32W	3.0	0.2	10.0	25.0	150.0	1.0
25	33W	3.0	0.0	7.0	16.0	140.0	1.0
26	34W	3.0	0.0	7.0	16.0	125.0	1.0
27	35W	3.0	0.0	9.0	10.0	118.0	1.0
28	36W	3.0	0.0	6.0	18.0	126.0	1.0
29	37W	3.0	0.0	6.0	12.0	59.0	1.0
30	38W B/L26N	3.0	0.0	10.0	18.0	178.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1737

PAGE 2 / 5  
ZN AS

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	39W B/L26N	3.0	0.0	7.0	11.0	123.0	1.0
32	40W	3.0	0.0	10.0	16.0	150.0	1.0
33	41W	3.0	0.0	8.0	16.0	145.0	1.0
34	42W	3.0	0.0	7.0	19.0	121.0	1.0
35	43W	3.0	0.0	10.0	35.0	167.0	1.0
36	44W	3.0	0.0	9.0	21.0	180.0	1.0
37	45W	3.0	0.0	8.0	25.0	133.0	1.0
38	46W	3.0	0.0	11.0	13.0	135.0	1.0
39	47W	3.0	0.0	8.0	13.0	111.0	1.0
40	48W	3.0	2.1	8.0	16.0	121.0	1.0
41	49W	3.0	0.0	9.0	28.0	156.0	1.0
42	50W B/L26N	3.0	0.5	13.0	16.0	164.0	1.0
43	30W B/L28N	3.0	0.0	13.0	22.0	178.0	1.0
44	31W	3.0	0.0	14.0	25.0	193.0	1.0
45	32W	3.0	0.0	10.0	20.0	178.0	1.0
46	33W	3.0	0.0	8.0	22.0	128.0	1.0
47	34W	3.0	0.8	7.0	19.0	103.0	1.0
48	35W	3.0	0.0	7.0	13.0	95.0	1.0
49	36W	3.0	0.0	8.0	23.0	153.0	1.0
50	37W	3.0	0.2	12.0	42.0	152.0	1.0
51	38W	3.0	0.0	10.0	19.0	150.0	1.0
52	39W	3.0	0.0	8.0	16.0	177.0	1.0
53	40W	3.0	0.3	12.0	20.0	142.0	1.0
54	41W	3.0	0.0	7.0	17.0	128.0	1.0
55	42W	3.0	0.0	6.0	13.0	123.0	1.0
56	43W	3.0	0.0	9.0	19.0	145.0	1.0
57	44W	3.0	0.0	10.0	17.0	134.0	1.0
58	45W	3.0	0.0	12.0	22.0	134.0	1.0
59	46W	3.0	0.0	10.0	10.0	96.0	1.0
60	47W	3.0	0.0	8.0	12.0	135.0	1.0
61	48W	3.0	0.0	9.0	11.0	138.0	1.0
62	49W	3.0	0.2	10.0	18.0	193.0	1.0
63	50W B/L28N	3.0	0.0	10.0	19.0	180.0	1.0
64	30W B/L30N	3.0	0.0	9.0	24.0	140.0	1.0
65	31W	3.0	0.0	12.0	23.0	163.0	1.0
66	32W	3.0	0.0	12.0	17.0	153.0	1.0
67	33W	3.0	0.2	8.0	24.0	206.0	1.0
68	34W	3.0	0.0	10.0	34.0	155.0	1.0
69	35W	3.0	0.0	7.0	11.0	106.0	1.0
70	36W B/L30N	3.0	0.2	10.0	17.0	143.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1737

PAGE 3 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	37W B/L30N	3.0	0.0	11.0	17.0	129.0	1.0
72	38W	3.0	0.0	9.0	18.0	148.0	1.0
73	39W	3.0	0.0	8.0	16.0	123.0	1.0
74	40W	3.0	0.0	8.0	17.0	131.0	1.0
75	41W	3.0	0.0	7.0	21.0	130.0	1.0
76	42W	3.0	0.0	9.0	17.0	112.0	1.0
77	43W	3.0	0.0	8.0	19.0	112.0	1.0
78	44W	3.0	0.0	10.0	14.0	134.0	1.0
79	45W	3.0	0.2	8.0	10.0	130.0	1.0
80	46W	3.0	0.0	8.0	59.0	129.0	1.0
81	47W	3.0	0.0	7.0	10.0	126.0	1.0
82	48W	3.0	0.0	8.0	13.0	122.0	1.0
83	49W	3.0	0.0	9.0	13.0	138.0	1.0
84	50W B/L30N	3.0	0.6	8.0	42.0	156.0	1.0
85	31W B/L32N	3.0	0.0	12.0	20.0	140.0	1.0
86	32W	3.0	0.0	8.0	40.0	124.0	1.0
87	33W	3.0	0.0	9.0	41.0	137.0	1.0
88	34W	3.0	0.0	6.0	31.0	155.0	1.0
89	35W	3.0	0.0	7.0	16.0	110.0	1.0
90	36W	3.0	0.0	11.0	19.0	118.0	1.0
91	37W	3.0	0.0	9.0	38.0	166.0	1.0
92	38W	3.0	0.0	8.0	17.0	120.0	1.0
93	39W	3.0	0.2	8.0	18.0	135.0	1.0
94	40W(A)	3.0	0.4	8.0	22.0	157.0	1.0
95	40W(B)	3.0	0.2	9.0	27.0	156.0	1.0
96	41W	3.0	0.0	10.0	19.0	140.0	1.0
97	42W	3.0	0.0	9.0	18.0	150.0	1.0
98	43W	3.0	0.0	12.0	35.0	169.0	1.0
99	44W	3.0	0.2	12.0	21.0	150.0	1.0
100	45W	3.0	0.0	11.0	20.0	135.0	1.0
101	46W	3.0	0.0	8.0	33.0	116.0	1.0
102	47W	3.0	0.0	7.0	14.0	108.0	1.0
103	48W	3.0	0.2	9.0	29.0	123.0	1.0
104	49W	300.0	12.1	16.0	215.0	310.0	1.0
105	50W B/L 32N	100.0	2.0	10.0	83.0	300.0	1.0
106	30W B/L34N	3.0	0.0	8.0	18.0	100.0	1.0
107	32W	3.0	0.0	10.0	23.0	120.0	1.0
108	33W	3.0	0.0	13.0	20.0	148.0	10.0
109	34W	3.0	0.0	10.0	22.0	120.0	8.0
110	35W B/L34N	3.0	0.7	12.0	45.0	170.0	10.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1737

PAGE 4 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
111	36W B/L34N	3.0	0.3	12.0	32.0	170.0	1.0
112	37W	3.0	0.0	12.0	35.0	134.0	1.0
113	38W	3.0	0.0	10.0	47.0	137.0	1.0
114	39W	3.0	0.0	14.0	71.0	165.0	1.0
115	40W	3.0	0.0	11.0	35.0	149.0	1.0
116	41W	3.0	0.0	12.0	27.0	169.0	1.0
117	42W	3.0	0.0	5.0	11.0	76.0	1.0
118	43W	3.0	0.0	10.0	25.0	130.0	1.0
119	44W	3.0	0.0	10.0	31.0	144.0	1.0
120	45W	3.0	0.0	10.0	16.0	142.0	1.0
121	46W	3.0	0.2	7.0	27.0	132.0	1.0
122	47W	3.0	0.2	6.0	24.0	99.0	1.0
123	49W B/L34N	3.0	0.5	8.0	17.0	126.0	1.0
124	21W B/L42S	3.0	0.2	9.0	22.0	197.0	1.0
125	23W	3.0	0.0	5.0	23.0	35.0	1.0
126	24W	3.0	0.0	5.0	25.0	30.0	1.0
127	25W	3.0	0.0	8.0	30.0	40.0	1.0
128	28W	20.0	1.3	9.0	87.0	203.0	1.0
129	29W	3.0	0.7	7.0	25.0	106.0	1.0
130	30W	3.0	0.3	7.0	19.0	129.0	1.0
131	31W	3.0	0.3	5.0	21.0	106.0	1.0
132	32W	3.0	0.8	4.0	18.0	90.0	1.0
133	35W	3.0	0.4	6.0	16.0	55.0	1.0
134	36W	3.0	0.0	4.0	14.0	76.0	1.0
135	38W	3.0	0.3	10.0	19.0	114.0	1.0
136	39W	3.0	0.3	6.0	19.0	124.0	1.0
137	40W B/L42S	30.0	0.2	6.0	27.0	123.0	1.0
138	21W B/L48S	3.0	0.7	6.0	24.0	114.0	1.0
139	22W	3.0	0.7	18.0	31.0	188.0	1.0
140	23W	3.0	0.0	11.0	83.0	126.0	1.0
141	25W	3.0	0.3	5.0	32.0	95.0	1.0
142	26W	3.0	0.3	7.0	21.0	51.0	1.0
143	27W	3.0	0.0	2.0	17.0	22.0	1.0
144	28W	3.0	0.0	3.0	24.0	44.0	1.0
145	29W	3.0	0.4	6.0	16.0	88.0	1.0
146	30W	3.0	0.2	6.0	14.0	94.0	1.0
147	31W	3.0	0.4	8.0	13.0	94.0	1.0
148	32W	3.0	0.0	9.0	69.0	117.0	1.0
149	33W	3.0	0.0	5.0	15.0	58.0	1.0
150	34W B/L48S	3.0	0.4	8.0	15.0	63.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1737

PAGE 5 / 5  
ZN AS

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
151	35W B/L48S	3.0	0.4	6.0	27.0	57.0	1.0
152	36W	3.0	0.3	5.0	16.0	62.0	1.0
153	37W	3.0	0.0	6.0	23.0	100.0	1.0
154	38W	3.0	0.0	5.0	14.0	45.0	1.0
155	39W	3.0	0.0	3.0	18.0	22.0	1.0
156	40W B/L48S	3.0	0.2	9.0	15.0	99.0	1.0
157	20W B/L50S	3.0	0.0	8.0	14.0	57.0	1.0
158	21W	3.0	0.3	7.0	15.0	55.0	1.0
159	22W	3.0	0.0	7.0	13.0	55.0	1.0
160	23W	3.0	0.0	4.0	13.0	30.0	1.0
161	24W	3.0	0.0	2.0	10.0	21.0	1.0
162	25W	3.0	0.2	3.0	21.0	29.0	1.0
163	26W	3.0	0.9	10.0	26.0	81.0	1.0
164	27W	3.0	0.0	9.0	16.0	52.0	1.0
165	28W	3.0	0.4	10.0	14.0	55.0	1.0
166	29W	3.0	0.0	9.0	13.0	61.0	1.0
167	30W	3.0	0.2	6.0	16.0	96.0	1.0
168	31W	3.0	0.2	7.0	13.0	99.0	1.0
169	32W	3.0	0.0	13.0	60.0	179.0	1.0
170	33W	3.0	0.0	5.0	11.0	60.0	1.0
171	34W	3.0	0.0	8.0	9.0	57.0	1.0
172	35W	3.0	0.0	39.0	8.0	90.0	1.0
173	36W	3.0	0.0	9.0	12.0	110.0	1.0
174	37W	3.0	0.0	9.0	37.0	122.0	1.0
175	38W	3.0	0.0	7.0	15.0	129.0	1.0
176	39W	3.0	0.5	30.0	22.0	111.0	1.0
177	40W B/L50S	3.0	0.0	6.0	9.0	51.0	1.0

IN AU COLUMN 3 INDICATES (5PPB

IN AG COLUMN 0 INDICATES (<.1PPM

IN AS COLUMN 1 INDICATES (<2PPM



KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE SEPTEMBER 18, 1987

FILE NO. G 1752

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 2	
						ZN	AS
1	30W L20N	3.0	0.4	5.0	23.0	97.0	1.0
2	31W	3.0	0.5	4.0	11.0	90.0	1.0
3	32W	3.0	0.8	6.0	14.0	117.0	1.0
4	33W	3.0	1.1	6.0	15.0	166.0	1.0
5	34W	3.0	0.6	9.0	27.0	172.0	1.0
6	35W	3.0	1.0	7.0	22.0	133.0	1.0
7	36W	3.0	0.6	4.0	12.0	138.0	1.0
8	37W	3.0	1.1	5.0	20.0	149.0	1.0
9	38W	3.0	0.6	7.0	18.0	109.0	1.0
10	39W	3.0	1.0	4.0	13.0	115.0	1.0
11	40W	3.0	0.5	6.0	14.0	130.0	1.0
12	41W	3.0	0.4	5.0	15.0	117.0	1.0
13	42W	3.0	0.6	5.0	14.0	131.0	1.0
14	43W	3.0	0.4	4.0	14.0	105.0	1.0
15	44W	3.0	0.5	5.0	14.0	108.0	1.0
16	45W	3.0	0.6	4.0	13.0	123.0	1.0
17	46W	3.0	0.5	3.0	12.0	114.0	1.0
18	47W	3.0	0.7	5.0	13.0	138.0	1.0
19	48W	3.0	0.4	6.0	12.0	136.0	1.0
20	49W	3.0	0.8	6.0	14.0	157.0	1.0
21	50W L20N	3.0	0.7	5.0	24.0	205.0	1.0
22	30W L22N	3.0	0.6	6.0	13.0	122.0	1.0
23	31W	3.0	0.7	8.0	22.0	125.0	1.0
24	32W	3.0	0.5	5.0	17.0	124.0	1.0
25	33W	3.0	0.6	11.0	21.0	136.0	1.0
26	34W	3.0	0.4	10.0	13.0	138.0	1.0
27	35W	3.0	0.5	3.0	10.0	84.0	1.0
28	36W	3.0	0.5	4.0	12.0	111.0	1.0
29	37W	3.0	0.3	5.0	13.0	142.0	1.0
30	38W L22N	3.0	0.5	9.0	17.0	135.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1752

PAGE 2 / 2

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	39W L22N	3.0	0.6	6.0	16.0	163.0	1.0
32	40W	3.0	0.3	7.0	16.0	139.0	1.0
33	41W	3.0	0.6	5.0	17.0	108.0	1.0
34	42W	3.0	0.5	9.0	14.0	112.0	1.0
35	43W	3.0	0.6	5.0	13.0	116.0	1.0
36	44W	3.0	0.7	3.0	10.0	125.0	1.0
37	45W	3.0	0.8	7.0	13.0	147.0	1.0
38	46W	3.0	0.5	5.0	19.0	124.0	1.0
39	47W	3.0	0.5	4.0	14.0	118.0	1.0
40	48W	3.0	0.5	6.0	18.0	154.0	1.0
41	49W	3.0	0.5	6.0	26.0	155.0	1.0
42	50W L12S(A)	3.0	0.9	4.0	30.0	128.0	1.0
43	21E L12S(A)	3.0	0.9	4.0	29.0	147.0	1.0
44	22E	3.0	1.0	4.0	28.0	148.0	1.0
45	23E	3.0	0.7	3.0	23.0	169.0	1.0
46	24E	3.0	0.6	8.0	18.0	113.0	1.0
47	25E	3.0	0.9	4.0	30.0	140.0	1.0
48	26E	3.0	2.3	4.0	26.0	151.0	1.0
49	27E	3.0	0.7	4.0	20.0	142.0	1.0
50	28E	3.0	0.9	3.0	3.0	148.0	1.0
51	29E	3.0	0.7	4.0	32.0	130.0	1.0
52	30E	3.0	1.1	4.0	30.0	139.0	1.0
53	31E	3.0	0.4	8.0	30.0	122.0	1.0
54	32E (A)	3.0	0.7	7.0	31.0	132.0	1.0
55	32E (B)	3.0	0.8	6.0	22.0	144.0	1.0
56	34E	3.0	0.5	4.0	20.0	113.0	1.0
57	35E	3.0	0.6	5.0	17.0	122.0	1.0
58	36E	3.0	0.4	4.0	17.0	98.0	1.0
59	37E	3.0	1.2	6.0	22.0	110.0	1.0
60	38E	3.0	0.8	3.0	17.0	101.0	1.0
61	39E	3.0	0.8	4.0	21.0	90.0	1.0
62	40E L12S(A)	3.0	1.0	5.0	20.0	114.0	1.0

IN AU COLUMN 3 INDICATES <5PPB

IN AG COLUMN 0 INDICATES <.1PPM

IN AS COLUMN 1 INDICATES <2PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE SEPTEMBER 23, 1987

FILE NO. G 1762

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 2	
						ZN	AS
1	21W L10S(A)	3.0	0.3	7.0	13.0	145.0	1.0
2	22W	3.0	0.1	5.0	12.0	140.0	1.0
3	23W	3.0	0.3	7.0	21.0	126.0	1.0
4	24W	3.0	0.3	6.0	15.0	150.0	1.0
5	25W	3.0	0.2	13.0	19.0	148.0	1.0
6	26W	3.0	0.0	6.0	24.0	124.0	1.0
7	27W	3.0	0.2	6.0	20.0	135.0	1.0
8	28W	3.0	0.2	6.0	29.0	151.0	1.0
9	29W	3.0	0.9	6.0	20.0	150.0	1.0
10	30W	3.0	0.4	5.0	56.0	113.0	1.0
11	31W	3.0	0.6	7.0	10.0	144.0	1.0
12	32W	3.0	0.5	8.0	19.0	138.0	1.0
13	33W	3.0	0.3	10.0	36.0	125.0	1.0
14	34W	3.0	0.0	6.0	14.0	153.0	1.0
15	35W	3.0	0.1	7.0	21.0	146.0	1.0
16	36W	3.0	0.8	7.0	19.0	143.0	1.0
17	37W	3.0	0.7	8.0	10.0	126.0	1.0
18	38W	3.0	0.7	6.0	17.0	175.0	1.0
19	39W	3.0	0.1	4.0	21.0	126.0	1.0
20	40W L10S(A)	3.0	0.3	6.0	18.0	130.0	1.0
21	20W L26S	3.0	0.3	5.0	13.0	150.0	1.0
22	21W	3.0	0.3	4.0	24.0	75.0	1.0
23	22W	3.0	0.9	4.0	22.0	121.0	1.0
24	23W	3.0	0.4	3.0	20.0	94.0	1.0
25	24W	3.0	0.5	4.0	19.0	110.0	1.0
26	25W	3.0	0.2	4.0	20.0	145.0	1.0
27	26W	3.0	0.3	4.0	17.0	106.0	1.0
28	27W	3.0	0.1	3.0	15.0	76.0	1.0
29	28W	3.0	0.3	4.0	18.0	86.0	1.0
30	29W L26S	3.0	0.3	4.0	16.0	88.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1762

PAGE 2 / 2

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	30W L26S	3.0	0.3	4.0	14.0	63.0	1.0
32	31W	3.0	0.7	6.0	17.0	103.0	1.0
33	32W	25.0	0.7	5.0	30.0	96.0	1.0
34	33W	3.0	1.1	7.0	18.0	95.0	1.0
35	34W	3.0	0.9	6.0	30.0	114.0	1.0
36	35W	3.0	0.6	4.0	19.0	88.0	1.0
37	36W	3.0	0.7	5.0	52.0	195.0	1.0
38	37W	3.0	1.6	4.0	81.0	251.0	1.0
39	38W	3.0	0.6	4.0	15.0	70.0	1.0
40	39W	3.0	0.7	4.0	22.0	133.0	1.0
41	40W L26S	3.0	0.5	6.0	23.0	147.0	1.0

IN AU COLUMN 3 INDICATES <5PPB

IN AG COLUMN 0 INDICATES <.1PPM

IN AS COLUMN 1 INDICATES <2PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B. C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B. C.  
VIN IM4

DATE SEPTEMBER 23, 1987

FILE NO. G 1766

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 1	
						ZN	AS
1	40W L36N	3.0	0.0	6.0	39.0	116.0	1.0
2	41W	3.0	0.1	5.0	27.0	85.0	1.0
3	42W	3.0	0.1	8.0	64.0	125.0	1.0
4	43W	3.0	0.0	6.0	20.0	148.0	1.0
5	44W	3.0	0.0	12.0	25.0	152.0	1.0
6	45W	3.0	0.2	5.0	24.0	115.0	10.0
7	46W	3.0	0.0	6.0	39.0	165.0	1.0
8	47W	3.0	0.2	7.0	24.0	175.0	1.0
9	49W L36N	3.0	0.3	6.0	13.0	90.0	1.0
10	39W L38N	3.0	0.0	7.0	17.0	110.0	1.0
11	40W	3.0	0.0	8.0	38.0	156.0	1.0
12	41W	3.0	0.0	9.0	20.0	152.0	1.0
13	42W	3.0	0.0	6.0	45.0	165.0	1.0
14	43W	3.0	0.0	8.0	53.0	150.0	1.0
15	44W	3.0	0.0	7.0	54.0	129.0	1.0
16	45W L38N	3.0	0.0	6.0	56.0	110.0	1.0

IN AU COLUMN 3 INDICATES <5PPB

IN AG COLUMN 0 INDICATES <.1PPM

IN AS COLUMN 1 INDICATES <2PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE SEPTEMBER 17, 1987

FILE NO. G 1749

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 2	
						ZN	AS
1	15E LO	5.0	0.2	5.0	30.0	75.0	1.0
2	16E	3.0	0.3	7.0	30.0	102.0	1.0
3	17E	3.0	0.3	6.0	28.0	77.0	1.0
4	18E	3.0	0.2	7.0	25.0	68.0	1.0
5	19E	3.0	0.5	5.0	35.0	107.0	1.0
6	20E	3.0	3.9	6.0	39.0	83.0	1.0
7	21E	3.0	0.4	6.0	21.0	59.0	1.0
8	22E	3.0	0.2	7.0	25.0	120.0	1.0
9	23E	3.0	0.3	7.0	32.0	114.0	1.0
10	24E	3.0	0.1	8.0	30.0	98.0	1.0
11	25E	3.0	0.0	0.0	23.0	60.0	1.0
12	26E	3.0	0.1	0.0	21.0	92.0	1.0
13	27E	3.0	0.4	6.0	34.0	83.0	1.0
14	28E	3.0	0.1	6.0	22.0	88.0	1.0
15	31E	3.0	0.0	9.0	26.0	91.0	1.0
16	33E	3.0	0.0	8.0	25.0	100.0	1.0
17	35E	35.0	3.8	5.0	40.0	51.0	1.0
18	36E	3.0	0.2	6.0	20.0	65.0	1.0
19	37E	3.0	0.4	6.0	38.0	72.0	1.0
20	38E	3.0	0.7	9.0	23.0	105.0	1.0
21	39E	3.0	0.1	8.0	22.0	78.0	1.0
22	29E	3.0	0.1	6.0	23.0	85.0	1.0
23	30E	3.0	0.1	5.0	21.0	67.0	1.0
24	32E	3.0	0.0	18.0	37.0	95.0	1.0
25	34E	3.0	0.2	6.0	29.0	76.0	5.0
26	40E LO	3.0	0.5	11.0	30.0	115.0	1.0
27	17E L4N(A)	3.0	0.3	6.0	31.0	113.0	1.0
28	18E	3.0	0.1	6.0	29.0	98.0	1.0
29	19E	3.0	0.0	6.0	31.0	120.0	1.0
30	20E L4N(A)	3.0	0.1	9.0	30.0	138.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1749

PAGE 2 / 2

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	21E L4N(A)	3.0	0.8	6.0	20.0	93.0	1.0
32	22E	3.0	0.1	13.0	21.0	114.0	1.0
33	23E	3.0	0.2	5.0	31.0	79.0	1.0
34	24E	3.0	0.1	7.0	29.0	82.0	1.0
35	25E	3.0	0.0	6.0	22.0	69.0	1.0
36	26E	3.0	0.2	8.0	30.0	99.0	1.0
37	27E	3.0	0.0	9.0	24.0	115.0	1.0
38	28E	3.0	0.0	6.0	23.0	91.0	1.0
39	29E	3.0	0.1	4.0	30.0	90.0	5.0
40	30E	3.0	0.3	6.0	30.0	88.0	1.0
41	31E	3.0	0.1	7.0	26.0	80.0	1.0
42	32E	3.0	0.1	6.0	24.0	112.0	1.0
43	33E	3.0	0.0	39.0	34.0	146.0	1.0
44	34E	3.0	0.1	15.0	29.0	142.0	1.0
45	35E	3.0	0.0	19.0	34.0	120.0	1.0
46	36E	3.0	0.2	25.0	27.0	115.0	1.0
47	37E	3.0	0.2	10.0	33.0	132.0	1.0
48	38E	3.0	0.1	6.0	20.0	89.0	1.0
49	39E	3.0	0.1	8.0	81.0	112.0	1.0
50	40E L4N(A)	3.0	0.3	6.0	30.0	100.0	1.0

IN AU COLUMN 3 INDICATES <5PPB

IN AG COLUMN 0 INDICATES <.1PPM

IN CU COLUMN 0 INDICATES <1PPM

IN AS COLUMN 1 INDICATES <2PPM

KAMLOOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 9TH AVENUE  
CASTLESAR, B.C.  
VIN 1M4

DATE OCTOBER 5, 1987

FILE NO. G 1773

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 2	
						ZN	AS
1	43E L2S	3.0	1.0	11.0	17.0	130.0	1.0
2	44E	3.0	0.5	10.0	19.0	133.0	1.0
3	45E	3.0	0.6	9.0	15.0	124.0	1.0
4	46E	3.0	0.6	10.0	15.0	96.0	1.0
5	47E	3.0	0.8	11.0	18.0	105.0	1.0
6	48E	3.0	0.8	10.0	18.0	111.0	1.0
7	49E	3.0	0.9	12.0	17.0	97.0	1.0
8	50E	3.0	1.2	11.0	12.0	92.0	1.0
9	51E	3.0	2.4	9.0	31.0	102.0	1.0
10	52E	3.0	1.6	9.0	12.0	95.0	1.0
11	53E	3.0	1.0	10.0	13.0	105.0	1.0
12	54E	3.0	1.0	10.0	31.0	122.0	1.0
13	55E L2S	3.0	0.7	9.0	23.0	117.0	1.0
14	46E L7S	3.0	0.9	9.0	18.0	133.0	1.0
15	47E	3.0	0.6	8.0	16.0	114.0	1.0
16	48E	3.0	0.7	8.0	15.0	112.0	1.0
17	49E	3.0	0.6	8.0	18.0	133.0	1.0
18	50E	3.0	0.8	7.0	25.0	125.0	1.0
19	51E	3.0	1.2	13.0	18.0	128.0	1.0
20	52E	3.0	0.9	9.0	15.0	135.0	1.0
21	53E	3.0	1.3	7.0	16.0	113.0	1.0
22	54E	3.0	1.1	11.0	22.0	178.0	1.0
23	55E	3.0	0.7	10.0	18.0	138.0	1.0
24	56E	3.0	1.1	11.0	27.0	169.0	1.0
25	57E	3.0	0.5	9.0	14.0	108.0	1.0
26	58E	3.0	0.5	9.0	17.0	160.0	1.0
27	59E	3.0	0.6	8.0	17.0	136.0	1.0
28	60E L7S	3.0	0.5	7.0	24.0	102.0	1.0
29	46E L8S	3.0	1.0	10.0	20.0	156.0	1.0
30	47E L8S	3.0	1.2	8.0	17.0	107.0	1.0



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1773

PAGE 2 / 2

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	48E LBS	3.0	0.6	11.0	23.0	155.0	1.0
32	49E	3.0	0.7	9.0	22.0	135.0	1.0
33	50E	3.0	0.7	8.0	28.0	121.0	1.0
34	51E	3.0	1.6	13.0	18.0	95.0	1.0
35	52E	3.0	0.8	10.0	17.0	109.0	1.0
36	53E	3.0	1.6	9.0	16.0	133.0	1.0
37	54E	3.0	0.7	9.0	21.0	167.0	1.0
38	55E	3.0	0.8	7.0	25.0	179.0	1.0
39	56E	3.0	0.6	10.0	24.0	171.0	1.0
40	57E	3.0	0.9	10.0	21.0	155.0	1.0
41	58E	3.0	0.6	9.0	13.0	119.0	1.0
42	59E	3.0	0.6	8.0	17.0	133.0	1.0
43	60E LBS	3.0	0.6	8.0	17.0	128.0	1.0

IN AU COLUMN 3 INDICATES <5PPB

IN AG COLUMN 0 INDICATES <.1PPM

IN AS COLUMN 1 INDICATES <2PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE OCTOBER 7, 1967

FILE NO. 9 1777

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 2	
						ZN	AS
1	43E LIN	3.0	0.6	11.0	32.0	109.0	1.0
2	44E	3.0	0.3	10.0	14.0	67.0	1.0
3	45E	3.0	0.5	12.0	14.0	90.0	1.0
4	46E	3.0	0.5	11.0	26.0	99.0	1.0
5	47E	15.0	1.8	11.0	33.0	133.0	1.0
6	48E	3.0	1.0	9.0	16.0	98.0	1.0
7	49E	5.0	4.7	11.0	46.0	95.0	1.0
8	50E	3.0	1.1	9.0	9.0	93.0	1.0
9	51E	3.0	0.5	15.0	5.0	108.0	1.0
10	52E	3.0	0.5	13.0	7.0	99.0	1.0
11	53E	3.0	0.7	12.0	7.0	93.0	1.0
12	54E	3.0	0.2	10.0	7.0	74.0	1.0
13	55E LIN	3.0	0.0	10.0	8.0	94.0	1.0
14	43E L2N	3.0	1.3	8.0	8.0	106.0	1.0
15	44E	3.0	0.5	13.0	26.0	50.0	1.0
16	45E	3.0	0.4	11.0	22.0	69.0	1.0
17	46E	3.0	0.5	13.0	17.0	61.0	1.0
18	47E	3.0	1.0	13.0	17.0	90.0	1.0
19	48E	3.0	1.6	11.0	15.0	95.0	1.0
20	49E	3.0	0.6	9.0	14.0	85.0	1.0
21	50E	3.0	0.4	10.0	14.0	92.0	1.0
22	51E	3.0	0.8	15.0	18.0	126.0	1.0
23	52E	3.0	0.8	10.0	14.0	105.0	1.0
24	53E	3.0	0.6	10.0	15.0	111.0	1.0
25	54E L2N	3.0	0.6	12.0	37.0	126.0	1.0
26	43E L3S	3.0	0.3	8.0	20.0	119.0	1.0
27	44E	3.0	0.4	9.0	24.0	121.0	1.0
28	45E	3.0	0.9	10.0	18.0	117.0	1.0
29	46E	3.0	0.2	10.0	16.0	101.0	1.0
30	47E	3.0	0.7	10.0	18.0	116.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1777

PAGE 2 / 2

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	48E	3.0	0.5	11.0	17.0	35.0	1.0
32	49E	3.0	1.0	11.0	25.0	108.0	1.0
33	50E	3.0	1.9	10.0	25.0	99.0	1.0
34	51E	3.0	0.6	11.0	35.0	114.0	1.0
35	52E	3.0	1.1	10.0	24.0	100.0	1.0
36	53E	580.0	20.0	29.0	355.0	396.0	20.0
37	54E	3.0	3.1	12.0	21.0	136.0	1.0
38	55E L3S	3.0	0.8	9.0	21.0	75.0	1.0
39	43E L4S	3.0	0.6	9.0	24.0	148.0	1.0
40	44E	3.0	0.5	10.0	25.0	117.0	1.0
41	45E	3.0	0.6	9.0	31.0	100.0	1.0
42	46E	3.0	0.7	9.0	27.0	112.0	1.0
43	47E	3.0	0.6	11.0	25.0	120.0	1.0
44	48E	3.0	0.4	10.0	15.0	94.0	1.0
45	49E	3.0	1.0	9.0	31.0	99.0	1.0
46	50E	3.0	0.7	10.0	20.0	97.0	1.0
47	51E	3.0	1.2	10.0	15.0	110.0	1.0
48	52E	3.0	1.7	10.0	25.0	112.0	1.0
49	53E	3.0	1.9	9.0	20.0	97.0	1.0
50	54E	3.0	5.7	9.0	41.0	163.0	1.0
51	55E	3.0	0.8	11.0	14.0	95.0	1.0

IN AU COLUMN 3 INDICATES (5PPM

IN AG COLUMN 0 INDICATES (.1PPM

IN AG COLUMN 20 INDICATES )20PPM

IN AS COLUMN 1 INDICATES (2PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5R5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE OCTOBER 7, 1987

FILE NO. G 1774

PROJECT: KING JACK

PAGE 1 / 1

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
1	43E LO	3.0	0.6	7.0	31.0	109.0	1.0
2	44E	3.0	0.5	10.0	33.0	96.0	1.0
3	45E	3.0	0.6	9.0	31.0	167.0	1.0
4	46E	3.0	0.6	9.0	21.0	129.0	1.0
5	47E	3.0	1.5	8.0	19.0	130.0	1.0
6	48E	3.0	0.9	8.0	7.0	81.0	1.0
7	49E	3.0	1.8	8.0	15.0	107.0	1.0
8	50E	3.0	1.4	8.0	36.0	96.0	1.0
9	51E	3.0	0.8	8.0	19.0	86.0	1.0
10	52E	3.0	0.6	7.0	12.0	95.0	1.0
11	53E	3.0	0.6	6.0	9.0	102.0	1.0
12	54E	3.0	0.6	4.0	14.0	106.0	1.0
13	55E LO	3.0	0.9	7.0	17.0	92.0	1.0
14	43E LIS	3.0	0.6	8.0	16.0	130.0	1.0
15	44E	3.0	0.4	10.0	30.0	159.0	1.0
16	45E	3.0	0.6	10.0	18.0	121.0	1.0
17	46E	3.0	0.5	9.0	19.0	96.0	1.0
18	47E	3.0	0.7	7.0	18.0	107.0	1.0
19	48E	3.0	0.7	5.0	17.0	94.0	1.0
20	49E	3.0	1.8	8.0	17.0	83.0	1.0
21	50E	3.0	3.0	8.0	17.0	115.0	1.0
22	51E	3.0	1.0	7.0	9.0	76.0	1.0
23	52E	3.0	0.8	6.0	16.0	92.0	1.0
24	53E	3.0	1.0	7.0	23.0	80.0	1.0
25	54E	3.0	0.7	10.0	17.0	92.0	1.0
26	55E LIS	3.0	0.6	11.0	14.0	84.0	1.0

IN AU COLUMN 3 INDICATES (5PPB)

IN AS COLUMN 1 INDICATES (2PPM)

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B. C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 -9TH AVENUE  
CASTLEGAR, B. C.  
VIN IM4

DATE OCTOBER 7, 1987

FILE NO. G 1771

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 2	
						ZN	AS
1	46E L9S	3.0	1.0	17.0	18.0	158.0	1.0
2	47E	3.0	1.2	10.0	18.0	144.0	1.0
3	48E	3.0	0.6	6.0	19.0	82.0	1.0
4	49E	3.0	0.5	9.0	16.0	116.0	1.0
5	50E	3.0	1.3	7.0	39.0	128.0	1.0
6	51E	3.0	1.2	8.0	17.0	118.0	1.0
7	52E	3.0	1.0	7.0	12.0	104.0	1.0
8	53E	3.0	2.6	10.0	27.0	148.0	1.0
9	54E	3.0	1.2	8.0	20.0	147.0	1.0
10	55E	3.0	0.5	8.0	19.0	143.0	1.0
11	56E	3.0	0.3	8.0	9.0	106.0	1.0
12	57E	3.0	0.4	7.0	27.0	163.0	1.0
13	58E	3.0	0.4	7.0	21.0	161.0	1.0
14	59E	3.0	0.5	7.0	22.0	182.0	1.0
15	60E L9S	3.0	0.4	8.0	24.0	191.0	1.0
16	46E L10S	3.0	1.0	6.0	18.0	112.0	1.0
17	47E	3.0	1.4	6.0	20.0	133.0	1.0
18	48E	3.0	1.0	6.0	20.0	109.0	1.0
19	49E	3.0	0.5	4.0	15.0	92.0	1.0
20	50E	3.0	1.1	5.0	20.0	106.0	1.0
21	51E	3.0	1.7	10.0	19.0	132.0	1.0
22	52E	3.0	0.7	6.0	16.0	101.0	1.0
23	53E	3.0	0.6	7.0	21.0	107.0	1.0
24	54E	3.0	0.6	5.0	20.0	95.0	1.0
25	55E	3.0	0.3	6.0	16.0	120.0	1.0
26	56E	3.0	0.8	7.0	29.0	128.0	1.0
27	57E	3.0	0.5	9.0	21.0	156.0	1.0
28	58E	3.0	0.2	8.0	12.0	93.0	1.0
29	59E	3.0	0.7	7.0	16.0	190.0	1.0
30	60E L10S	3.0	0.5	8.0	25.0	156.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1771

PAGE 2 / 2

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	46E L11S	3.0	0.6	9.0	13.0	143.0	1.0
32	47E	3.0	0.9	9.0	18.0	131.0	1.0
33	48E	3.0	1.0	8.0	14.0	100.0	1.0
34	49E	285.0	0.8	7.0	24.0	118.0	1.0
35	50E	3.0	0.8	7.0	15.0	104.0	1.0
36	51E	3.0	1.2	8.0	17.0	112.0	1.0
37	52E	3.0	0.7	9.0	16.0	96.0	1.0
38	53E	3.0	2.2	10.0	20.0	147.0	1.0
39	54E	3.0	0.6	7.0	20.0	116.0	1.0
40	55E	3.0	0.6	7.0	11.0	116.0	1.0
41	56E	3.0	0.8	6.0	24.0	154.0	1.0
42	57E	3.0	0.5	8.0	18.0	159.0	1.0
43	58E	45.0	0.4	8.0	19.0	146.0	1.0
44	59E	3.0	0.4	7.0	17.0	187.0	1.0
45	60E L11S	3.0	0.3	10.0	23.0	178.0	1.0

IN AU COLUMN 3 INDICATES <5PPB

IN AG COLUMN 0 INDICATES <.1PPM

IN AS COLUMN 1 INDICATES <2PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B. C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B. C.  
VIN IM4

DATE OCTOBER 13, 1967

FILE NO. 6 1787

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 2	
						ZN	AS
1	39(A)E L2S	3.0	0.7	11.0	23.0	135.0	1.0
2	40(A)E	3.0	0.5	8.0	25.0	178.0	1.0
3	41E	3.0	0.3	9.0	25.0	157.0	1.0
4	42E L2S	3.0	0.3	9.0	26.0	141.0	1.0
5	43E L3N	3.0	0.3	8.0	24.0	50.0	1.0
6	44E	3.0	0.2	11.0	16.0	60.0	1.0
7	45E	3.0	0.4	14.0	17.0	57.0	1.0
8	46E	3.0	0.7	15.0	18.0	26.0	1.0
9	47E	3.0	0.5	10.0	14.0	80.0	1.0
10	48E	3.0	0.7	14.0	14.0	40.0	1.0
11	49E	3.0	3.9	10.0	14.0	65.0	1.0
12	50E	3.0	0.4	8.0	16.0	76.0	1.0
13	51E	3.0	0.3	10.0	15.0	124.0	1.0
14	52E	3.0	0.4	13.0	29.0	136.0	1.0
15	53E	3.0	0.3	10.0	18.0	110.0	1.0
16	54E	3.0	0.3	12.0	25.0	118.0	1.0
17	55E L3N	3.0	0.4	11.0	34.0	132.0	1.0
18	40(A)E L3S	3.0	0.6	9.0	26.0	113.0	1.0
19	41E	3.0	0.6	10.0	18.0	141.0	1.0
20	42E L3S	3.0	0.5	9.0	16.0	150.0	1.0
21	43E L4N	3.0	0.6	8.0	11.0	80.0	1.0
22	44E	3.0	0.4	9.0	10.0	55.0	1.0
23	45E	3.0	0.4	9.0	19.0	59.0	1.0
24	46E	3.0	1.2	10.0	17.0	66.0	1.0
25	47E	3.0	0.8	9.0	12.0	30.0	1.0
26	48E	3.0	2.4	11.0	15.0	84.0	1.0
27	49E	3.0	0.9	10.0	12.0	81.0	1.0
28	50E	3.0	1.3	12.0	17.0	105.0	1.0
29	51E	3.0	0.6	12.0	13.0	135.0	1.0
30	52E L4N	3.0	0.3	8.0	9.0	82.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1787

PAGE 2 / 2

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	53E L4N	3.0	0.6	12.0	14.0	115.0	1.0
32	55E L4N	3.0	0.5	12.0	39.0	191.0	1.0
33	15W L26S	15.0	1.3	5.0	10.0	139.0	1.0
34	16W	3.0	0.4	6.0	12.0	138.0	1.0
35	17W	3.0	0.4	4.0	17.0	65.0	1.0
36	18W	3.0	0.0	8.0	7.0	81.0	1.0
37	19W	3.0	0.8	6.0	13.0	94.0	1.0
38	20W L26S	3.0	1.1	6.0	13.0	145.0	1.0
39	27W L27S	3.0	0.4	3.0	12.0	52.0	1.0
40	28W	3.0	0.2	6.0	18.0	87.0	1.0
41	29W	20.0	0.4	6.0	20.0	80.0	1.0
42	30W	3.0	0.4	6.0	17.0	100.0	1.0
43	31W	25.0	1.6	6.0	15.0	86.0	1.0
44	32W	15.0	0.6	5.0	17.0	74.0	1.0
45	33W	3.0	0.4	4.0	15.0	79.0	1.0
46	34W	40.0	0.5	5.0	17.0	84.0	1.0
47	35W	3.0	0.7	4.0	24.0	114.0	1.0
48	36W	5.0	3.0	5.0	42.0	180.0	1.0
49	37W	25.0	0.8	4.0	17.0	94.0	1.0
50	38W	3.0	0.4	4.0	11.0	50.0	1.0
51	39W	3.0	0.9	8.0	116.0	468.0	1.0
52	40W L27S	3.0	0.5	4.0	20.0	91.0	1.0
53	15W L28S(A)	3.0	0.4	6.0	16.0	94.0	1.0
54	16W	3.0	0.3	6.0	11.0	110.0	1.0
55	17W	3.0	0.4	3.0	10.0	121.0	1.0
56	18W	3.0	0.2	3.0	14.0	46.0	1.0
57	19W	3.0	0.3	4.0	20.0	71.0	1.0
58	20W	3.0	0.4	3.0	9.0	81.0	1.0
59	21W	3.0	0.3	4.0	14.0	101.0	1.0
60	22W	3.0	0.4	3.0	8.0	56.0	1.0
61	23W	3.0	0.8	5.0	9.0	102.0	1.0
62	24W	3.0	0.5	3.0	17.0	136.0	1.0
63	25W	3.0	0.4	3.0	27.0	133.0	1.0
64	26W	5.0	0.9	4.0	19.0	90.0	1.0
65	27W L28S(A)	5.0	0.0	2.0	13.0	35.0	1.0

IN AU COLUMN 3 INDICATES (SPPB)

IN AG COLUMN 0 INDICATES (.1PPM)

IN AS COLUMN 1 INDICATES (2PPM)



KAMLOOPS RESEARCH  
 &  
 ASSAY LABORATORY  
 LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
 PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
 626 - 9TH AVENUE  
 CASTLEGAR, B.C.  
 VIN 1M4

DATE OCTOBER 20, 1987

FILE NO. 6 1793

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 1	
						ZN	AS
1	40(A)E L5S	3.0	0.4	25.0	25.0	209.0	1.0
2	41E	3.0	14.6	10.0	41.0	254.0	1.0
3	42E	3.0	0.6	11.0	22.0	158.0	1.0
4	43E	3.0	0.6	8.0	27.0	206.0	1.0
5	44E	3.0	0.0	7.0	18.0	146.0	1.0
6	45E	3.0	0.2	9.0	23.0	152.0	1.0
7	46E	3.0	0.3	9.0	19.0	136.0	8.0
8	47E	3.0	0.0	9.0	17.0	117.0	6.0
9	48E	3.0	0.3	14.0	20.0	180.0	1.0
10	49E	3.0	0.7	10.0	19.0	152.0	1.0
11	50E L5S	3.0	0.3	10.0	19.0	145.0	1.0
12	40(A) L6S	3.0	0.0	8.0	19.0	144.0	1.0
13	41E	3.0	0.0	8.0	20.0	148.0	1.0
14	42E	3.0	0.2	9.0	19.0	153.0	1.0
15	43E	3.0	0.8	8.0	22.0	140.0	1.0
15	44E	3.0	0.2	9.0	14.0	135.0	72.0
17	45E	3.0	0.2	9.0	15.0	144.0	32.0
18	46E	3.0	0.3	9.0	35.0	142.0	24.0
19	47E	3.0	0.3	10.0	30.0	174.0	24.0
20	48E	3.0	0.8	10.0	22.0	192.0	18.0
21	49E	3.0	0.7	10.0	29.0	175.0	1.0
22	50E L6S	3.0	0.0	11.0	21.0	152.0	1.0

IN AU COLUMN 3 INDICATES (5PPM)

IN AG COLUMN 0 INDICATES (1.1PPM)

IN AS COLUMN 1 INDICATES (2PPM)

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

512 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 046-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P.J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE OCTOBER 20, 1997

FILE NO. G 1796

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 8	
						ZN	AS
1	0W 300	3.0	0.0	11.0	38.0	227.0	1.0
2	1W	3.0	0.0	3.0	20.0	150.0	1.0
3	2W	3.0	0.0	10.0	32.0	303.0	1.0
4	3W	3.0	0.0	6.0	21.0	132.0	1.0
5	4W	3.0	0.3	6.0	32.0	215.0	1.0
6	5W	3.0	0.0	4.0	38.0	196.0	1.0
7	6W	3.0	0.3	5.0	27.0	132.0	1.0
8	7W	3.0	0.0	9.0	23.0	380.0	1.0
9	8W	3.0	0.0	9.0	16.0	154.0	1.0
10	9W	3.0	0.0	8.0	15.0	142.0	1.0
11	10W	3.0	0.2	8.0	15.0	105.0	1.0
12	11W	3.0	0.0	7.0	35.0	161.0	1.0
13	12W	3.0	0.0	35.0	46.0	162.0	1.0
14	13W	3.0	0.0	6.0	48.0	195.0	1.0
15	14W	3.0	0.0	6.0	21.0	276.0	1.0
16	15W	3.0	0.0	8.0	32.0	274.0	1.0
17	16W	3.0	0.0	6.0	31.0	245.0	1.0
18	17W	3.0	0.0	7.0	55.0	502.0	1.0
19	18W	3.0	0.0	6.0	26.0	215.0	1.0
20	19W	3.0	0.3	4.0	23.0	225.0	1.0
21	20W	3.0	0.0	5.0	20.0	164.0	1.0
22	21W	3.0	0.0	6.0	17.0	195.0	1.0
23	22W	3.0	0.3	14.0	20.0	277.0	1.0
24	23W	3.0	0.0	9.0	38.0	321.0	1.0
25	24W	3.0	0.2	9.0	59.0	236.0	1.0
26	25W	3.0	0.2	7.0	18.0	186.0	1.0
27	26W	3.0	0.0	8.0	21.0	316.0	1.0
28	27W	3.0	0.0	8.0	20.0	453.0	1.0
29	28W	3.0	0.0	10.0	17.0	213.0	1.0
30	29W 300	3.0	0.2	5.0	15.0	290.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1796

PAGE 2 / 2

KRAL NO.	IDENTIFICATION	AU	AG	CJ	PB	ZN	AS
31	30W 300	3.0	0.0	4.0	17.0	202.0	1.0
32	31W	3.0	0.3	8.0	18.0	262.0	1.0
33	32W	3.0	0.0	4.0	19.0	113.0	1.0
34	33W	3.0	0.3	3.0	19.0	215.0	1.0
35	34W	3.0	0.0	7.0	19.0	204.0	1.0
36	35W	3.0	0.0	5.0	26.0	154.0	1.0
37	36W	3.0	0.0	8.0	50.0	185.0	1.0
38	37W	3.0	0.0	10.0	14.0	244.0	1.0
39	38W	3.0	0.0	7.0	10.0	165.0	1.0
40	39W	3.0	0.3	11.0	15.0	254.0	1.0
41	40W	3.0	0.0	12.0	19.0	144.0	1.0
42	41W	3.0	0.0	11.0	23.0	179.0	1.0
43	42W	3.0	0.5	18.0	16.0	158.0	1.0
44	43W	40.0	0.0	12.0	10.0	153.0	1.0
45	44W	3.0	0.0	7.0	19.0	226.0	1.0
46	45W	3.0	0.0	12.0	15.0	180.0	1.0
47	46W	3.0	0.0	7.0	21.0	223.0	1.0
48	47W	3.0	0.0	18.0	15.0	112.0	1.0
49	48W	3.0	0.0	8.0	4.0	31.0	1.0
50	49W	3.0	0.3	10.0	19.0	295.0	1.0
51	50W 300	3.0	0.4	9.0	17.0	270.0	1.0

IN AU COLUMN 3 INDICATES <5PPB

IN AG COLUMN 0 INDICATES <.1PPM

IN AS COLUMN 1 INDICATES <2PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P.J. SANTOS  
1409 FRONT STREET  
NELSON, B.C.  
V1L 4C5

DATE OCTOBER 20, 1987  
FILE NO. G 1810

PAGE 1 / 2

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
1	350 (-1) W	3.0	0.3	5.0	24.0	140.0	1.0
2	350 (-2) W	3.0	0.2	5.0	25.0	120.0	1.0
3	350 (-3) W	3.0	0.0	5.0	26.0	150.0	1.0
4	350 (-4) W	3.0	0.0	11.0	37.0	219.0	1.0
5	350-0W	3.0	0.0	8.0	27.0	163.0	1.0
6	350-1W	3.0	0.0	7.0	26.0	157.0	1.0
7	350-2W	3.0	0.0	5.0	19.0	163.0	1.0
8	350-3W	10.0	0.2	7.0	20.0	178.0	1.0
9	350-4W	3.0	0.5	5.0	33.0	163.0	1.0
10	350-5W	3.0	0.3	7.0	30.0	108.0	1.0
11	350-6W	150.0	0.2	5.0	63.0	231.0	1.0
12	350-7W	3.0	0.0	3.0	59.0	223.0	1.0
13	350-8W	3.0	0.0	6.0	43.0	232.0	1.0
14	350-9W	3.0	0.0	63.0	24.0	137.0	1.0
15	350-10W	3.0	0.0	11.0	35.0	165.0	1.0
16	350-11W	3.0	0.0	4.0	33.0	193.0	1.0
17	350-12W	3.0	0.0	6.0	44.0	190.0	1.0
18	350-13W	3.0	0.4	7.0	42.0	243.0	1.0
19	350-14W	3.0	0.3	6.0	56.0	236.0	1.0
20	350-15W	3.0	0.2	4.0	32.0	234.0	1.0
21	350-16W	3.0	0.3	4.0	36.0	331.0	1.0
22	350-17W	3.0	0.2	4.0	23.0	221.0	1.0
23	350-18W	3.0	0.2	8.0	27.0	381.0	1.0
24	350-19W	3.0	0.2	5.0	34.0	123.0	1.0
25	350-20W	3.0	0.3	5.0	18.0	133.0	1.0
26	350-21W	3.0	0.3	5.0	16.0	164.0	1.0
27	350-22W	3.0	0.0	7.0	20.0	311.0	1.0
28	350-23W	3.0	0.4	9.0	18.0	168.0	1.0
29	350-24W	3.0	0.3	10.0	21.0	173.0	1.0
30	350-25W	3.0	0.2	13.0	18.0	184.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1810

PAGE 2 / 2

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	350-26W	3.0	0.3	6.0	65.0	154.0	1.0
32	350-27W	3.0	0.0	6.0	20.0	155.0	1.0
33	350-28W	3.0	0.2	3.0	17.0	150.0	1.0
34	350-29W	3.0	0.4	7.0	24.0	200.0	1.0
35	350-31W	3.0	0.2	7.0	30.0	274.0	1.0
36	350-32W	3.0	0.3	6.0	28.0	231.0	1.0
37	350-33W	3.0	0.4	5.0	13.0	125.0	1.0
38	350-34W	3.0	0.3	4.0	17.0	193.0	1.0
39	350-35W	3.0	0.2	3.0	12.0	81.0	1.0
40	350-36W	3.0	0.4	12.0	39.0	175.0	1.0
41	350-37W	3.0	0.4	5.0	35.0	331.0	1.0
42	350-38W	3.0	0.3	3.0	46.0	421.0	1.0
43	350-39W	3.0	0.2	13.0	26.0	222.0	1.0
44	350-40W	3.0	0.4	12.0	37.0	262.0	1.0
45	350-41W	2.0	0.4	7.0	18.0	220.0	1.0
46	350-42W	3.0	0.2	4.0	22.0	226.0	1.0
47	350-43W	3.0	0.3	6.0	21.0	105.0	1.0
48	350-44W	3.0	0.3	8.0	22.0	154.0	1.0
49	350-45W	3.0	0.3	7.0	17.0	102.0	1.0
50	350-46W	3.0	0.3	17.0	19.0	176.0	1.0
51	350-47W	3.0	0.4	8.0	17.0	264.0	1.0
52	350-48W	85.0	0.6	22.0	25.0	281.0	1.0
53	350-49W	3.0	0.3	22.0	36.0	397.0	1.0
54	350-50W	3.0	0.3	12.0	37.0	464.0	1.0
55	350-51W	3.0	0.5	10.0	24.0	523.0	1.0
56	350-52W	3.0	0.5	11.0	56.0	758.0	1.0
57	350-53W	3.0	0.2	17.0	33.0	631.0	1.0
58	350-55W	3.0	0.7	21.0	50.0	826.0	1.0
59	350-56W	3.0	0.6	30.0	36.0	449.0	1.0
60	350-57W	3.0	0.4	12.0	19.0	210.0	1.0
61	350-58W	3.0	0.5	18.0	25.0	411.0	1.0
62	350-59W	3.0	0.3	21.0	20.0	313.0	1.0
63	350-60W	3.0	0.3	15.0	38.0	322.0	10.0
64	350-61W	275.0	0.3	40.0	35.0	782.0	26.0

IN AU COLUMN 3 INDICATES (5PPM)

IN AG COLUMN 0 INDICATES (.1PPM)

IN AS COLUMN 1 INDICATES (2PPM)

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

-----  
GEOCHEMICAL LAB REPORT  
-----

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE OCTOBER 26, 1987

FILE NO. G 1819

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 3	
						ZN	AS
1	(-1)W 300	3.0	0.3	10.0	15.0	117.0	1.0
2	(-2)W	3.0	0.0	3.0	33.0	175.0	1.0
3	(-3)W	3.0	0.4	3.0	44.0	148.0	1.0
4	(-4)W	3.0	0.4	2.0	25.0	126.0	1.0
5	(-5)W 300	3.0	0.2	4.0	33.0	179.0	1.0
6	1W 400	3.0	0.4	6.0	123.0	793.0	1.0
7	2W	3.0	0.2	12.0	27.0	310.0	1.0
8	3W	3.0	0.3	5.0	29.0	202.0	1.0
9	4W	3.0	0.3	4.0	29.0	198.0	1.0
10	5W	3.0	0.0	6.0	24.0	154.0	1.0
11	6W	3.0	0.3	1.0	32.0	185.0	1.0
12	7W	3.0	0.0	11.0	54.0	212.0	1.0
13	8W	3.0	0.5	6.0	55.0	196.0	1.0
14	9W	3.0	0.0	4.0	24.0	126.0	1.0
15	10W	3.0	0.0	5.0	61.0	275.0	1.0
16	11W	3.0	0.2	4.0	23.0	119.0	1.0
17	12W	3.0	0.0	5.0	23.0	169.0	1.0
18	13W	3.0	0.0	8.0	29.0	191.0	1.0
19	14W	3.0	0.0	3.0	20.0	119.0	1.0
20	15W	3.0	0.0	2.0	21.0	160.0	1.0
21	16W	3.0	0.0	5.0	13.0	98.0	1.0
22	17W	3.0	0.0	3.0	18.0	145.0	1.0
23	18W	3.0	0.0	4.0	21.0	119.0	1.0
24	19W	3.0	0.0	4.0	24.0	152.0	1.0
25	20W	3.0	0.0	10.0	26.0	513.0	1.0
26	21W	3.0	0.0	7.0	20.0	120.0	1.0
27	22W	3.0	0.0	7.0	30.0	223.0	1.0
28	23W	3.0	0.0	4.0	16.0	126.0	1.0
29	24W	3.0	0.0	4.0	17.0	178.0	1.0
30	25W 400	3.0	0.3	8.0	19.0	170.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1819

PAGE 2 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	26W 400	3.0	0.0	5.0	24.0	228.0	1.0
32	27W	3.0	0.0	6.0	20.0	124.0	1.0
33	28W	3.0	0.2	6.0	17.0	175.0	1.0
34	29W	3.0	0.3	6.0	58.0	211.0	1.0
35	30W	3.0	0.0	3.0	25.0	188.0	1.0
36	31W	3.0	0.2	5.0	19.0	150.0	1.0
37	32W	3.0	0.0	7.0	18.0	692.0	1.0
38	33W	3.0	0.3	6.0	23.0	213.0	1.0
39	34W	3.0	0.2	6.0	21.0	206.0	1.0
40	35W	3.0	0.0	10.0	89.0	580.0	1.0
41	36W	3.0	0.0	9.0	28.0	525.0	1.0
42	37W	3.0	0.0	13.0	27.0	192.0	1.0
43	38W	3.0	0.0	7.0	17.0	356.0	1.0
44	39W	3.0	0.0	6.0	17.0	244.0	1.0
45	40W	3.0	0.0	8.0	22.0	465.0	1.0
46	41W	3.0	0.4	9.0	28.0	266.0	1.0
47	42W	3.0	0.2	7.0	23.0	217.0	1.0
48	43W	3.0	0.0	4.0	31.0	235.0	1.0
49	44W	3.0	0.0	6.0	24.0	140.0	1.0
50	45W	3.0	0.3	4.0	12.0	95.0	1.0
51	46W	3.0	0.0	4.0	16.0	94.0	1.0
52	47W	3.0	0.4	4.0	16.0	79.0	1.0
53	48W	125.0	0.6	3.0	24.0	85.0	1.0
54	49W	3.0	0.0	5.0	46.0	150.0	1.0
55	50W	3.0	0.0	4.0	22.0	178.0	1.0
56	51W	5.0	0.0	6.0	23.0	190.0	1.0
57	52W	3.0	0.3	6.0	25.0	250.0	1.0
58	53W	3.0	0.4	6.0	17.0	212.0	1.0
59	54W	3.0	0.2	14.0	23.0	220.0	1.0
60	55W	3.0	0.4	13.0	20.0	280.0	1.0
61	56W	3.0	0.5	18.0	27.0	367.0	1.0
62	57W	3.0	0.9	18.0	26.0	380.0	1.0
63	58W	3.0	0.4	9.0	26.0	210.0	1.0
64	59W	3.0	0.3	14.0	18.0	244.0	1.0
65	60W	3.0	0.0	7.0	20.0	130.0	1.0
66	61W	3.0	0.0	7.0	21.0	199.0	1.0
67	62W	3.0	0.0	13.0	23.0	198.0	1.0
68	63W	3.0	1.7	20.0	184.0	414.0	1.0
69	64W	3.0	0.0	12.0	36.0	298.0	1.0
70	65W 400	3.0	0.0	19.0	46.0	354.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1819

PAGE 3 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	66W 400	85.0	0.4	44.0	63.0	1295.0	1.0
72	67W	3.0	0.4	13.0	33.0	608.0	1.0
73	68W	3.0	0.6	22.0	60.0	465.0	1.0
74	69W	3.0	0.4	40.0	39.0	511.0	1.0
75	70W	3.0	0.6	56.0	75.0	755.0	28.0
76	71W	3.0	0.3	22.0	31.0	929.0	1.0
77	72W	3.0	0.6	56.0	41.0	725.0	1.0
78	73W 400	3.0	0.4	19.0	38.0	1275.0	1.0

IN AU COLUMN 3 INDICATES <5PPB

IN AG COLUMN 0 INDICATES <.1PPM

IN AS COLUMN 1 INDICATES <2PPM



KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

GEOCHEMICAL LAB REPORT

P. J. SANTOS  
626 - 9TH AVE.  
CASTLEGAR, B.C.  
VIN IM4

DATE NOVEMBER 9, 1987

FILE NO. G 1829

PROJECT: KING JACK

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 5	
						ZN	AS
1	50E L5S	3.0	0.2	10.0	30.0	124.0	1.0
2	51E	3.0	0.7	10.0	21.0	107.0	1.0
3	52E	3.0	0.5	12.0	22.0	125.0	1.0
4	53E	3.0	1.0	14.0	29.0	146.0	1.0
5	54E	3.0	1.6	26.0	32.0	207.0	1.0
6	55E	3.0	0.2	8.0	21.0	114.0	1.0
7	56E	3.0	0.6	14.0	24.0	139.0	1.0
8	57E	3.0	0.2	12.0	23.0	137.0	1.0
9	58E	3.0	0.5	18.0	21.0	120.0	1.0
10	59E	3.0	0.3	12.0	22.0	93.0	1.0
11	60E L5S	3.0	0.1	6.0	39.0	90.0	1.0
12	50E L6S	3.0	0.5	8.0	38.0	136.0	1.0
13	51E	3.0	0.7	7.0	18.0	70.0	1.0
14	52E	3.0	0.5	8.0	24.0	98.0	1.0
15	53E	3.0	1.7	9.0	26.0	91.0	1.0
16	54E	3.0	1.0	16.0	34.0	212.0	1.0
17	55E	3.0	0.8	12.0	43.0	210.0	1.0
18	56E	3.0	0.6	10.0	32.0	158.0	1.0
19	57E	45.0	0.4	13.0	30.0	145.0	1.0
20	58E	3.0	0.4	8.0	15.0	104.0	1.0
21	59E	3.0	0.3	6.0	18.0	94.0	1.0
22	60E L6S	3.0	0.4	6.0	27.0	134.0	26.0
23	0 L40S	3.0	0.5	6.0	16.0	130.0	1.0
24	1E	3.0	0.6	4.0	16.0	129.0	1.0
25	2E	3.0	0.7	3.0	22.0	38.0	1.0
26	3E	3.0	0.8	4.0	23.0	89.0	1.0
27	4E	20.0	0.3	3.0	17.0	60.0	1.0
28	5E	3.0	0.6	2.0	16.0	53.0	1.0
29	6E	3.0	0.4	2.0	15.0	65.0	1.0
30	7E L40S	3.0	0.5	9.0	18.0	104.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1829

PAGE 2 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	8E L40S	135.0	0.8	3.0	62.0	107.0	1.0
32	9E	120.0	0.8	6.0	31.0	136.0	1.0
33	10E L40S	3.0	0.3	3.0	22.0	140.0	1.0
34	1W L40S	3.0	0.2	2.0	12.0	104.0	1.0
35	2W	3.0	0.9	4.0	18.0	65.0	1.0
36	3W	3.0	0.4	2.0	21.0	38.0	1.0
37	4W	3.0	0.3	2.0	20.0	82.0	1.0
38	5W	3.0	0.3	3.0	20.0	97.0	1.0
39	6W	3.0	0.5	2.0	31.0	104.0	1.0
40	7W	3.0	0.5	2.0	29.0	170.0	1.0
41	8W	3.0	0.4	3.0	21.0	154.0	1.0
42	9W	3.0	0.4	3.0	18.0	80.0	1.0
43	10W L40S	3.0	0.3	2.0	21.0	124.0	1.0
44	0W 450	3.0	0.3	2.0	26.0	268.0	1.0
45	1W	3.0	0.2	3.0	19.0	159.0	1.0
46	2W	3.0	0.3	8.0	28.0	198.0	1.0
47	3W	3.0	0.1	4.0	22.0	197.0	1.0
48	4W	3.0	0.1	5.0	29.0	277.0	1.0
49	5W	35.0	0.2	4.0	27.0	219.0	1.0
50	6W	3.0	0.3	4.0	19.0	115.0	1.0
51	7W	3.0	0.2	5.0	24.0	175.0	1.0
52	8W	3.0	0.1	5.0	19.0	163.0	1.0
53	9W	3.0	0.1	4.0	34.0	179.0	1.0
54	10W	3.0	0.1	4.0	37.0	276.0	1.0
55	11W	3.0	0.3	4.0	29.0	142.0	1.0
56	12W	3.0	0.4	5.0	25.0	263.0	1.0
57	13W	3.0	0.5	4.0	18.0	182.0	1.0
58	14W	3.0	0.3	4.0	30.0	197.0	1.0
59	15W	3.0	0.2	3.0	18.0	129.0	1.0
60	16W	3.0	0.2	4.0	33.0	217.0	1.0
61	17W	3.0	0.2	5.0	26.0	215.0	1.0
62	18W	3.0	0.2	4.0	44.0	251.0	1.0
63	19W	3.0	0.3	3.0	25.0	345.0	1.0
64	20W	3.0	0.3	3.0	20.0	282.0	1.0
65	21W	3.0	0.2	4.0	33.0	222.0	1.0
66	22W	3.0	0.1	5.0	26.0	241.0	1.0
67	23W	3.0	0.0	4.0	28.0	183.0	1.0
68	24W	3.0	0.0	3.0	18.0	153.0	1.0
69	25W	3.0	0.0	4.0	17.0	245.0	1.0
70	26W 450	3.0	0.1	5.0	32.0	170.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1829

PAGE 3 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	27W 450	3.0	0.2	4.0	27.0	184.0	1.0
72	28W	3.0	0.0	3.0	33.0	135.0	1.0
73	29W	3.0	0.0	3.0	23.0	116.0	1.0
74	30W	3.0	0.1	4.0	15.0	141.0	1.0
75	31W	3.0	0.0	3.0	13.0	148.0	1.0
76	32W	3.0	0.1	4.0	31.0	147.0	1.0
77	33W	3.0	0.3	13.0	22.0	161.0	1.0
78	34W	3.0	0.1	4.0	27.0	734.0	1.0
79	35W	3.0	0.4	5.0	37.0	428.0	1.0
80	36W	3.0	0.3	27.0	33.0	262.0	1.0
81	37W	3.0	0.1	15.0	25.0	422.0	1.0
82	38W	3.0	0.1	5.0	31.0	243.0	1.0
83	39W	3.0	0.2	4.0	30.0	950.0	1.0
84	40W	3.0	0.3	4.0	26.0	182.0	1.0
85	41W	3.0	0.1	3.0	27.0	110.0	1.0
86	42W	3.0	0.1	3.0	22.0	117.0	1.0
87	43W	3.0	0.1	10.0	41.0	181.0	1.0
88	44W	3.0	0.2	4.0	25.0	129.0	1.0
89	45W	3.0	0.2	4.0	12.0	97.0	1.0
90	46W	3.0	0.4	4.0	17.0	77.0	1.0
91	47W	3.0	0.2	3.0	15.0	83.0	1.0
92	48W	3.0	0.1	4.0	18.0	188.0	1.0
93	49W	3.0	0.0	3.0	29.0	200.0	1.0
94	50W	3.0	0.0	4.0	24.0	128.0	1.0
95	51W	3.0	0.1	4.0	12.0	69.0	1.0
96	52W 450	3.0	0.2	3.0	15.0	62.0	1.0
97	0E 500	3.0	0.1	4.0	27.0	78.0	1.0
98	1E	3.0	0.1	3.0	20.0	106.0	1.0
99	2E	3.0	0.3	4.0	18.0	97.0	1.0
100	3E	3.0	0.0	5.0	13.0	114.0	1.0
101	4E	3.0	0.0	4.0	22.0	82.0	1.0
102	5E	3.0	0.0	3.0	16.0	72.0	1.0
103	6E	3.0	0.0	4.0	28.0	106.0	1.0
104	7E	3.0	0.0	4.0	20.0	133.0	1.0
105	8E	3.0	0.0	3.0	15.0	121.0	1.0
106	9E	3.0	0.0	4.0	27.0	138.0	1.0
107	10E	3.0	0.0	3.0	31.0	118.0	1.0
108	11E	3.0	0.0	3.0	26.0	132.0	1.0
109	12E	3.0	0.0	4.0	21.0	299.0	1.0
110	13E 500	3.0	0.0	3.0	20.0	98.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1829

PAGE 4 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
111	14E 500	3.0	0.3	4.0	27.0	190.0	1.0
112	15E	3.0	0.9	16.0	63.0	192.0	1.0
113	16E	3.0	0.3	6.0	26.0	143.0	1.0
114	17E	3.0	0.2	4.0	27.0	124.0	1.0
115	18E	3.0	0.2	7.0	41.0	352.0	1.0
116	19E	3.0	0.4	15.0	35.0	448.0	1.0
117	20E	3.0	0.5	70.0	70.0	318.0	1.0
118	21E	3.0	0.7	18.0	39.0	520.0	1.0
119	22E	3.0	0.5	9.0	60.0	422.0	1.0
120	23E	3.0	0.3	23.0	52.0	980.0	1.0
121	24E	3.0	2.1	4.0	45.0	517.0	1.0
122	25E	3.0	0.5	7.0	21.0	198.0	1.0
123	26E	3.0	0.0	5.0	19.0	123.0	1.0
124	27E	3.0	0.0	4.0	24.0	126.0	1.0
125	28E	3.0	0.0	4.0	21.0	140.0	1.0
126	29E	3.0	0.0	4.0	22.0	124.0	1.0
127	30E 500	3.0	0.0	3.0	10.0	133.0	1.0
128	0E 550	3.0	0.4	4.0	25.0	63.0	1.0
129	1E	3.0	0.6	3.0	20.0	127.0	1.0
130	2E	3.0	0.2	4.0	20.0	78.0	1.0
131	3E	3.0	0.4	4.0	30.0	149.0	1.0
132	4E	3.0	0.4	3.0	30.0	98.0	1.0
133	5E	3.0	0.1	3.0	18.0	96.0	1.0
134	6E	3.0	0.0	3.0	23.0	65.0	1.0
135	7E	3.0	0.0	4.0	16.0	124.0	1.0
136	8E	15.0	0.0	4.0	18.0	140.0	1.0
137	9E	3.0	0.0	3.0	29.0	92.0	1.0
138	10E	3.0	0.0	3.0	36.0	90.0	1.0
139	11E	3.0	0.0	3.0	27.0	94.0	1.0
140	12E	3.0	0.0	4.0	21.0	125.0	1.0
141	13E	3.0	0.3	4.0	67.0	137.0	1.0
142	14E	3.0	0.2	8.0	31.0	495.0	1.0
143	15E	3.0	0.1	34.0	202.0	640.0	28.0
144	16E	3.0	0.0	7.0	29.0	147.0	1.0
145	17E	3.0	0.0	3.0	21.0	70.0	1.0
146	18E	3.0	0.5	8.0	33.0	128.0	1.0
147	19E	3.0	0.1	8.0	35.0	227.0	1.0
148	20E	3.0	0.2	4.0	21.0	171.0	1.0
149	21E	3.0	0.3	5.0	26.0	302.0	1.0
150	22E 550	3.0	0.8	25.0	32.0	519.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1829

PAGE 5 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
151	23E 550	3.0	0.3	5.0	21.0	217.0	1.0
152	24E	3.0	0.3	5.0	18.0	152.0	1.0
153	25E	3.0	2.2	6.0	30.0	381.0	1.0
154	26E	3.0	0.4	5.0	22.0	156.0	1.0
155	27E	3.0	0.5	22.0	12.0	816.0	1.0
156	28E	3.0	0.1	5.0	26.0	166.0	1.0
157	29E	3.0	0.2	5.0	17.0	289.0	1.0
158	30E 550	3.0	0.1	4.0	18.0	178.0	1.0

IN AU COLUMN 3 INDICATES <5PPB

IN AG COLUMN 0 INDICATES <.1PPM

IN AS COLUMN 1 INDICATES <2PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B. C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B. C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

-----  
GEOCHEMICAL LAB REPORT  
-----

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B. C.  
VIN IM4

DATE NOVEMBER 9, 1987

FILE NO. G 1830

PROJECT: KING JACK

PAGE 1 / 1

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
1	0 600	3.0	0.2	6.0	9.0	49.0	1.0
2	1E	3.0	0.2	6.0	10.0	78.0	1.0
3	2E	3.0	0.2	5.0	9.0	137.0	1.0
4	3E	3.0	0.2	5.0	10.0	110.0	1.0
5	4E	3.0	0.1	4.0	9.0	109.0	1.0
6	5E	3.0	0.5	4.0	10.0	125.0	1.0
7	6E	3.0	0.4	3.0	17.0	131.0	1.0
8	7E	3.0	0.4	13.0	10.0	125.0	1.0
9	8E	210.0	0.2	4.0	11.0	67.0	1.0
10	9E	3.0	0.6	5.0	8.0	35.0	1.0
11	10E	3.0	0.8	5.0	12.0	67.0	1.0
12	11E	3.0	0.3	4.0	12.0	110.0	1.0
13	12E	3.0	0.4	5.0	14.0	120.0	1.0
14	13E	3.0	0.3	4.0	12.0	94.0	1.0
15	14E	3.0	1.1	5.0	72.0	116.0	1.0
16	15E	3.0	1.6	5.0	91.0	178.0	1.0
17	16E	3.0	0.6	6.0	35.0	130.0	1.0
18	17E	3.0	0.6	10.0	36.0	179.0	1.0
19	18E	3.0	0.1	5.0	23.0	118.0	1.0
20	19E	3.0	0.3	9.0	26.0	145.0	1.0
21	20E	3.0	0.2	5.0	19.0	120.0	1.0
22	21E	3.0	0.2	5.0	17.0	110.0	1.0
23	22E 600	3.0	0.3	4.0	16.0	122.0	1.0

IN AU COLUMN 3 INDICATES <5PPB

IN AS COLUMN 1 INDICATES <2PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

-----  
GEOCHEMICAL LAB REPORT  
-----

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE NOVEMBER 13, 1987

FILE NO. G 1832

PROJECT: KING JACK

PAGE 1 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
1	30W L12N	3.0	2.4	5.0	15.0	137.0	1.0
2	31W	3.0	0.1	3.0	10.0	112.0	1.0
3	32W	3.0	0.1	3.0	13.0	104.0	1.0
4	33W	3.0	0.2	3.0	13.0	125.0	1.0
5	34W	3.0	0.2	3.0	15.0	136.0	1.0
6	35W	3.0	0.2	4.0	12.0	128.0	1.0
7	36W	3.0	0.3	4.0	11.0	114.0	1.0
8	37W	3.0	0.2	8.0	19.0	125.0	1.0
9	38W	3.0	0.2	4.0	27.0	175.0	1.0
10	39W	3.0	0.2	5.0	15.0	169.0	1.0
11	40W	3.0	0.3	5.0	29.0	146.0	1.0
12	41W	3.0	0.3	4.0	22.0	122.0	1.0
13	42W	3.0	0.3	4.0	20.0	123.0	1.0
14	43W	3.0	0.2	5.0	18.0	165.0	1.0
15	44W	3.0	0.2	5.0	21.0	159.0	1.0
16	45W	3.0	0.2	4.0	15.0	155.0	1.0
17	46W	3.0	0.1	4.0	14.0	126.0	1.0
18	47W	3.0	0.4	4.0	34.0	181.0	1.0
19	48W	3.0	0.3	5.0	25.0	184.0	1.0
20	49W	3.0	0.4	3.0	173.0	169.0	1.0
21	50W L12N	3.0	0.1	4.0	25.0	257.0	1.0
22	30W L14N	3.0	1.0	5.0	14.0	92.0	1.0
23	31W	95.0	0.4	4.0	19.0	163.0	1.0
24	32W	3.0	0.2	3.0	12.0	112.0	1.0
25	33W	45.0	0.1	4.0	20.0	118.0	1.0
26	34W	3.0	0.1	3.0	7.0	120.0	1.0
27	35W	110.0	0.2	4.0	11.0	108.0	1.0
28	36W	3.0	0.3	8.0	18.0	118.0	1.0
29	37W	3.0	0.2	5.0	21.0	129.0	1.0
30	38W L14N	3.0	0.1	4.0	18.0	156.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1832

PAGE 2 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	39W L14N	3.0	0.1	4.0	16.0	179.0	1.0
32	40W	3.0	0.5	3.0	17.0	167.0	1.0
33	41W	3.0	0.5	4.0	16.0	155.0	1.0
34	42W	3.0	0.1	4.0	18.0	115.0	1.0
35	43W	5.0	0.1	3.0	12.0	134.0	1.0
36	44W	10.0	0.4	3.0	20.0	181.0	1.0
37	45W	5.0	0.4	3.0	29.0	149.0	1.0
38	46W	5.0	0.2	4.0	17.0	158.0	1.0
39	47W	35.0	0.4	8.0	18.0	151.0	1.0
40	48W	75.0	0.7	5.0	38.0	153.0	1.0
41	49W	3.0	0.1	4.0	12.0	147.0	1.0
42	50W L14N	3.0	0.1	3.0	27.0	208.0	1.0
43	15W L25S	3.0	0.5	3.0	18.0	88.0	1.0
44	16W	3.0	0.2	3.0	16.0	119.0	1.0
45	17W	3.0	0.6	4.0	28.0	117.0	1.0
46	18W	3.0	0.6	4.0	32.0	94.0	1.0
47	19W	3.0	0.4	5.0	19.0	93.0	1.0
48	20W	3.0	0.2	4.0	15.0	137.0	1.0
49	21W	3.0	0.3	3.0	15.0	66.0	1.0
50	22W	3.0	0.3	4.0	22.0	132.0	1.0
51	23W	70.0	0.4	5.0	41.0	150.0	1.0
52	24W	3.0	0.4	3.0	24.0	104.0	1.0
53	25W	3.0	0.2	4.0	23.0	76.0	1.0
54	26W	3.0	0.2	5.0	20.0	75.0	1.0
55	27W	3.0	0.2	4.0	21.0	71.0	1.0
56	28W	3.0	0.2	5.0	26.0	97.0	1.0
57	29W	10.0	0.3	3.0	20.0	79.0	1.0
58	30W	3.0	0.3	3.0	27.0	108.0	1.0
59	31W	3.0	0.2	4.0	23.0	149.0	1.0
60	32W	3.0	0.7	5.0	23.0	130.0	1.0
61	33W	3.0	0.7	4.0	31.0	137.0	1.0
62	34W	40.0	0.6	5.0	26.0	121.0	1.0
63	36W	3.0	0.6	4.0	23.0	70.0	1.0
64	37W	3.0	1.1	5.0	25.0	133.0	1.0
65	38W	3.0	1.4	4.0	40.0	174.0	1.0
66	39W	3.0	0.9	5.0	44.0	179.0	1.0
67	40W L25S	3.0	0.2	6.0	24.0	107.0	1.0
68	51W L30N	3.0	0.2	5.0	30.0	167.0	1.0
69	52W	3.0	0.2	4.0	23.0	114.0	1.0
70	53W L30N	3.0	0.3	5.0	26.0	123.0	1.0



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1832

PAGE 3 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	54W L30N	3.0	0.5	6.0	15.0	131.0	1.0
72	55W	3.0	0.2	8.0	37.0	162.0	1.0
73	56W	3.0	0.1	5.0	30.0	156.0	1.0
74	57W	3.0	0.3	6.0	48.0	145.0	1.0
75	58W	3.0	0.2	9.0	17.0	157.0	1.0
76	59W	3.0	0.4	6.0	16.0	212.0	1.0
77	60W	35.0	0.3	6.0	14.0	175.0	1.0
78	61W	3.0	0.3	7.0	18.0	178.0	1.0
79	62W	25.0	0.3	6.0	24.0	176.0	1.0
80	63W	3.0	0.3	5.0	20.0	164.0	1.0
81	64W	3.0	0.3	5.0	17.0	160.0	1.0
82	65W	3.0	0.2	8.0	15.0	143.0	1.0
83	66W	3.0	0.1	5.0	19.0	166.0	1.0
84	67W	3.0	0.3	6.0	19.0	178.0	1.0
85	68W	3.0	0.4	5.0	20.0	162.0	1.0
86	69W	3.0	0.3	4.0	28.0	175.0	1.0
87	70W L30N	3.0	0.3	5.0	17.0	167.0	1.0
88	51W L32N	3.0	0.2	5.0	19.0	91.0	1.0
89	52W	45.0	2.8	8.0	140.0	172.0	1.0
90	53W	3.0	0.5	5.0	36.0	144.0	1.0
91	54W	3.0	0.4	6.0	25.0	151.0	1.0
92	55W	3.0	0.4	5.0	21.0	139.0	1.0
93	56W	3.0	0.4	5.0	18.0	148.0	1.0
94	57W	10.0	0.2	4.0	23.0	141.0	1.0
95	58W	5.0	0.2	5.0	21.0	152.0	1.0
96	59W	3.0	0.2	5.0	19.0	143.0	1.0
97	60W	3.0	0.1	5.0	31.0	202.0	1.0
98	61W	3.0	0.2	5.0	22.0	148.0	1.0
99	62W	3.0	0.2	5.0	20.0	129.0	1.0
100	63W	3.0	0.1	5.0	31.0	178.0	1.0
101	64W	3.0	0.2	5.0	19.0	170.0	1.0
102	65W	3.0	0.2	4.0	25.0	159.0	1.0
103	66W	3.0	0.2	5.0	26.0	142.0	1.0
104	67W	3.0	0.2	6.0	57.0	199.0	1.0
105	68W	10.0	0.3	5.0	28.0	162.0	1.0
106	69W	5.0	0.2	6.0	57.0	202.0	1.0
107	70W L32N	5.0	0.3	6.0	55.0	265.0	1.0
108	50W L34N	170.0	9.3	16.0	141.0	249.0	1.0
109	51W	3.0	0.8	6.0	34.0	176.0	1.0
110	52W L34N	3.0	0.6	5.0	21.0	220.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1832

PAGE 4 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
111	53W L34N	35.0	0.5	6.0	31.0	213.0	1.0
112	54W	3.0	0.3	7.0	22.0	179.0	1.0
113	55W	15.0	0.3	6.0	20.0	170.0	1.0
114	56W	5.0	0.5	6.0	47.0	171.0	1.0
115	57W	3.0	1.0	6.0	40.0	153.0	1.0
116	58W	3.0	1.4	16.0	73.0	308.0	1.0
117	59W	3.0	0.2	6.0	31.0	224.0	1.0
118	60W	3.0	0.2	8.0	36.0	227.0	1.0
119	61W	3.0	0.1	6.0	18.0	170.0	1.0
120	62W	3.0	0.2	5.0	43.0	198.0	1.0
121	63W	3.0	0.2	7.0	60.0	156.0	1.0
122	64W	3.0	0.2	11.0	33.0	220.0	1.0
123	65W	3.0	0.3	11.0	28.0	200.0	1.0
124	66W	3.0	0.4	5.0	16.0	139.0	1.0
125	67W	3.0	0.2	5.0	14.0	159.0	1.0
126	68W	3.0	0.3	6.0	22.0	282.0	1.0
127	69W	3.0	0.3	5.0	24.0	263.0	1.0
128	70W L34N	3.0	0.5	11.0	25.0	320.0	1.0
129	50W L36N	3.0	0.3	6.0	24.0	117.0	1.0
130	51W	3.0	0.1	6.0	20.0	114.0	1.0
131	52W	3.0	0.3	6.0	25.0	168.0	1.0
132	53W	3.0	0.2	5.0	23.0	128.0	1.0
133	54W	3.0	0.5	4.0	19.0	178.0	1.0
134	55W	75.0	0.6	5.0	29.0	131.0	1.0
135	56W	3.0	0.4	4.0	17.0	156.0	1.0
136	57W	3.0	0.3	5.0	22.0	128.0	1.0
137	58W	3.0	0.2	4.0	33.0	132.0	1.0
138	59W	3.0	0.2	5.0	29.0	167.0	1.0
139	60W	3.0	0.9	11.0	53.0	185.0	1.0
140	62W	3.0	0.3	7.0	47.0	178.0	1.0
141	63W	3.0	0.2	7.0	20.0	160.0	1.0
142	64W	3.0	0.2	6.0	23.0	168.0	1.0
143	65W	3.0	0.3	8.0	21.0	182.0	1.0
144	66W	3.0	0.2	5.0	22.0	178.0	1.0
145	67W	3.0	0.2	6.0	22.0	174.0	1.0
146	68W	3.0	0.2	6.0	20.0	162.0	1.0
147	69W	3.0	0.3	10.0	26.0	192.0	1.0
148	70W L36N	3.0	0.4	6.0	29.0	215.0	1.0
149	1E L42S	3.0	0.9	5.0	27.0	95.0	1.0
150	2E L42S	3.0	0.7	4.0	24.0	115.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1832

PAGE 5 / 5

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
151	3E L42S	3.0	0.2	4.0	24.0	80.0	1.0
152	4E	3.0	1.1	5.0	31.0	91.0	1.0
153	5E	3.0	0.4	5.0	19.0	147.0	1.0
154	6E	3.0	0.6	5.0	21.0	94.0	1.0
155	7E	3.0	0.5	4.0	15.0	57.0	1.0
156	8E	3.0	0.2	5.0	19.0	108.0	1.0
157	9E	3.0	0.3	5.0	23.0	88.0	1.0
158	10E L42S	3.0	0.2	4.0	32.0	81.0	1.0
159	0W L42S	3.0	0.2	5.0	19.0	142.0	1.0
160	1W	35.0	0.5	4.0	26.0	65.0	1.0
161	2W	3.0	0.4	6.0	22.0	100.0	1.0
162	3W	3.0	0.5	5.0	20.0	79.0	1.0
163	4W	3.0	0.6	6.0	26.0	39.0	1.0
164	5W	3.0	0.5	7.0	22.0	88.0	1.0
165	6W	3.0	0.4	4.0	32.0	77.0	1.0
166	7W	3.0	0.3	4.0	40.0	174.0	1.0
167	8W	3.0	0.5	6.0	27.0	82.0	1.0
168	9W	3.0	0.3	6.0	20.0	89.0	1.0
169	10W L42S	3.0	0.2	6.0	24.0	79.0	1.0

IN AU COLUMN 3 INDICATES (5PPB

IN AG COLUMN 0 INDICATES (<.1PPM

IN AS COLUMN 1 INDICATES (2PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

-----  
GEOCHEMICAL LAB REPORT  
-----

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE NOVEMBER 12, 1987

FILE NO. G 1838

PROJECT: KING JACK

PAGE 1 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	PAGE 1 / 3	
						ZN	AS
1	15E L12S	3.0	0.0	5.0	27.0	121.0	1.0
2	16E	3.0	0.0	8.0	31.0	180.0	1.0
3	17E	3.0	0.6	6.0	40.0	165.0	1.0
4	18E	3.0	0.0	5.0	28.0	101.0	1.0
5	19E	3.0	0.0	6.0	29.0	132.0	1.0
6	20E L12S	300.0	1.5	7.0	44.0	148.0	1.0
7	16E L13S	3.0	0.3	7.0	33.0	168.0	1.0
8	17E	3.0	0.0	8.0	36.0	132.0	1.0
9	18E	3.0	0.5	5.0	40.0	107.0	1.0
10	19E	3.0	0.2	5.0	29.0	146.0	1.0
11	20E L13S	3.0	0.0	7.0	17.0	138.0	1.0
12	19E L14S	3.0	0.0	19.0	30.0	128.0	1.0
13	20E L14S	3.0	0.0	6.0	15.0	161.0	1.0
14	0 L44S	3.0	0.5	5.0	32.0	209.0	1.0
15	1E	3.0	1.1	14.0	31.0	129.0	1.0
16	2E	3.0	0.4	8.0	18.0	71.0	1.0
17	3E	3.0	0.0	4.0	21.0	43.0	1.0
18	4E	3.0	0.8	7.0	37.0	60.0	1.0
19	5E	3.0	0.2	8.0	34.0	160.0	1.0
20	6E	3.0	0.4	5.0	24.0	75.0	1.0
21	7E	3.0	0.0	6.0	22.0	80.0	1.0
22	8E	3.0	0.0	7.0	26.0	93.0	1.0
23	9E	3.0	0.0	6.0	17.0	58.0	1.0
24	10E L44S	3.0	0.0	4.0	20.0	61.0	1.0
25	1W L44S	3.0	0.0	7.0	17.0	69.0	1.0
26	2W	3.0	0.0	8.0	14.0	47.0	1.0
27	3W	3.0	0.2	6.0	12.0	64.0	1.0
28	4W	3.0	0.3	11.0	12.0	51.0	1.0
29	5W	20.0	0.0	7.0	18.0	53.0	1.0
30	6W L44S	3.0	0.2	7.0	17.0	63.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1838

PAGE 2 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
31	7W L44S	3.0	0.0	6.0	16.0	85.0	1.0
32	8W	3.0	0.0	5.0	9.0	76.0	1.0
33	9W	3.0	0.0	5.0	8.0	101.0	1.0
34	10W L44S	3.0	0.0	6.0	16.0	77.0	1.0
35	0 L46S	3.0	0.4	17.0	12.0	129.0	1.0
36	1E	3.0	0.5	16.0	34.0	368.0	1.0
37	2E	3.0	0.2	5.0	19.0	100.0	1.0
38	3E	3.0	0.4	5.0	14.0	76.0	1.0
39	4E	3.0	0.0	4.0	13.0	41.0	1.0
40	5E	3.0	0.0	5.0	15.0	73.0	1.0
41	6E	35.0	0.0	5.0	12.0	91.0	1.0
42	7E	3.0	0.0	4.0	10.0	38.0	1.0
43	8E	3.0	0.0	8.0	5.0	66.0	1.0
44	9E	3.0	0.4	6.0	16.0	76.0	1.0
45	10E L46S	3.0	0.0	5.0	14.0	55.0	1.0
46	1W L46S	3.0	0.0	9.0	11.0	60.0	1.0
47	2W	3.0	0.0	8.0	12.0	78.0	1.0
48	3W	3.0	0.3	6.0	23.0	104.0	1.0
49	4W	3.0	0.0	6.0	17.0	120.0	1.0
50	5W	3.0	0.0	9.0	28.0	125.0	1.0
51	6W	3.0	0.0	6.0	38.0	92.0	1.0
52	7W	3.0	0.0	6.0	21.0	49.0	1.0
53	8W	3.0	0.3	4.0	19.0	78.0	1.0
54	9W	60.0	0.5	5.0	29.0	110.0	1.0
55	10W L46S	3.0	0.6	5.0	19.0	120.0	1.0
56	0 L48S	3.0	0.2	6.0	28.0	103.0	1.0
57	1E	3.0	0.3	4.0	38.0	112.0	1.0
58	2E	3.0	0.3	6.0	23.0	69.0	1.0
59	3E	20.0	0.4	12.0	24.0	96.0	1.0
60	4E	3.0	0.3	6.0	31.0	141.0	1.0
61	5E	3.0	0.3	6.0	36.0	123.0	1.0
62	6E	3.0	0.6	5.0	16.0	99.0	1.0
63	7E	3.0	0.4	5.0	20.0	25.0	1.0
64	8E	3.0	0.3	7.0	19.0	13.0	1.0
65	9E	3.0	0.0	6.0	27.0	20.0	1.0
66	10E L48S	3.0	0.0	6.0	34.0	45.0	1.0
67	1W L48S	3.0	0.0	6.0	23.0	91.0	1.0
68	2W	3.0	0.0	8.0	25.0	122.0	1.0
69	3W	3.0	0.0	6.0	19.0	60.0	1.0
70	4W L48S	3.0	0.0	10.0	29.0	60.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO. G 1838

PAGE 3 / 3

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
71	5W L48S	3.0	0.4	10.0	22.0	55.0	1.0
72	6W	3.0	0.2	10.0	18.0	46.0	1.0
73	7W	3.0	0.0	7.0	19.0	55.0	1.0
74	8W	3.0	0.0	6.0	28.0	39.0	1.0
75	9W	3.0	1.5	8.0	20.0	25.0	1.0
76	10W L48S	3.0	0.7	7.0	30.0	75.0	1.0
77	0 L50S	3.0	0.0	3.0	36.0	54.0	1.0
78	1E	3.0	0.2	2.0	34.0	105.0	1.0
79	2E	3.0	0.2	3.0	36.0	113.0	1.0
80	3E	3.0	0.0	6.0	30.0	78.0	1.0
81	4E	40.0	0.5	9.0	71.0	131.0	1.0
82	5E	3.0	0.3	4.0	49.0	126.0	1.0
83	6E	3.0	0.2	4.0	26.0	55.0	1.0
84	7E	3.0	0.3	6.0	24.0	49.0	1.0
85	8E	3.0	0.0	5.0	18.0	10.0	1.0
86	9E	3.0	0.4	9.0	29.0	45.0	1.0
87	10E L50S	3.0	0.4	6.0	20.0	94.0	1.0
88	1W L50S	3.0	0.0	6.0	24.0	111.0	1.0
89	2W	3.0	0.2	7.0	19.0	71.0	1.0
90	3W	3.0	0.3	9.0	30.0	71.0	1.0
91	4W	3.0	1.0	12.0	20.0	122.0	1.0
92	5W	3.0	0.0	6.0	24.0	101.0	1.0
93	6W	3.0	0.3	8.0	25.0	74.0	1.0
94	7W	3.0	0.0	5.0	36.0	100.0	1.0
95	8W	3.0	0.0	4.0	23.0	48.0	1.0
96	9W	3.0	0.3	6.0	19.0	72.0	1.0
97	10W L50S	30.0	0.0	12.0	20.0	131.0	1.0

IN AU COLUMN 3 INDICATES (5PPB

IN AG COLUMN 0 INDICATES (.1PPM

IN AS COLUMN 1 INDICATES (2PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

-----  
GEOCHEMICAL LAB REPORT  
-----

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE NOVEMBER 13, 1987

FILE NO. G 1851

PROJECT: KING JACK

PAGE 1 / 1  
ZN

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN
1	JACK CREEK-1 SILT	3.0	0.0	2.0	28.0	146.0
2	JACK CREEK-2 SILT	3.0	0.1	2.0	28.0	192.0
3	MS CREEK-1	3.0	0.1	2.0	24.0	155.0
4	MS CREEK-2 SILT	3.0	0.1	1.0	23.0	128.0

IN AU COLUMN 3 INDICATES <5PPB

IN AG COLUMN 0 INDICATES <.1PPM

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD.

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT, KAMLOOPS, B.C. V2C 5P5  
PHONE 372-2784 - TELEX 048-8320 - FAX 372 1112

-----  
GEOCHEMICAL LAB REPORT  
-----

P. J. SANTOS  
626 - 9TH AVENUE  
CASTLEGAR, B.C.  
VIN IM4

DATE NOVEMBER 13, 1987

FILE NO. G 1852

PROJECT: FULL HOUSE

PAGE 1 / 1

KRAL NO.	IDENTIFICATION	AU	AG	CU	PB	ZN	AS
1	40E L125(A)	5.0	0.2	3.0	26.0	158.0	1.0
2	41E L12S	5.0	0.2	6.0	19.0	153.0	1.0
3	42E	3.0	0.2	13.0	19.0	185.0	1.0
4	43E	3.0	0.2	10.0	20.0	286.0	1.0
5	44E	3.0	0.4	9.0	25.0	210.0	1.0
6	45E	3.0	0.6	6.0	22.0	174.0	1.0
7	46E	3.0	0.5	9.0	27.0	179.0	1.0
8	47E	3.0	0.6	8.0	24.0	156.0	1.0
9	48E	3.0	1.3	5.0	25.0	110.0	1.0
10	49E	3.0	0.6	4.0	16.0	131.0	1.0
11	50E	3.0	0.6	7.0	21.0	130.0	1.0
12	51E	3.0	0.6	9.0	21.0	186.0	1.0
13	52E	3.0	0.2	5.0	25.0	139.0	1.0
14	53E	3.0	0.8	8.0	20.0	142.0	1.0
15	54E	3.0	0.4	5.0	26.0	130.0	1.0
16	55E	3.0	0.6	6.0	35.0	167.0	1.0
17	56E	3.0	1.0	6.0	27.0	184.0	1.0
18	57E	3.0	0.2	6.0	19.0	202.0	1.0
19	58E	3.0	0.2	7.0	26.0	167.0	24.0
20	59E	3.0	0.6	6.0	27.0	131.0	28.0
21	60E L12S	3.0	0.2	5.0	32.0	162.0	1.0

IN AU COLUMN 3 INDICATES <5PPB

IN AS COLUMN 1 INDICATES <2PPM