

ARIS SUMMARY SHEET

District Geologist, Victoria

Off Confidential: 89.03.03

ASSESSMENT REPORT 17422

MINING DIVISION: Victoria

PROPERTY: Taurus
LOCATION: LAT 48 58 42 LONG 124 24 36
UTM 10 5425786 396822
NTS 092C16W

CLAIM(S): Taurus
OPERATOR(S): Black Gold Res.
AUTHOR(S): Verzosa, R.S.
REPORT YEAR: 1988, 65 Pages

COMMODITIES

SEARCHED FOR: Copper, Lead, Zinc, Gold, Silver

GEOLOGICAL

SUMMARY: Pyritic gossan zones occur in porphyritic volcanics of the Sicker Group.

WORK
DONE: Geochemical, Geophysical
EMAB 40.0 km; VLF
Map(s) - 2; Scale(s) - 1:10 000
MAGA 40.0 km
Map(s) - 2; Scale(s) - 1:10 000
SOIL 521 sample(s) ; CU, PB, ZN, AU, AG, AS
Map(s) - 6; Scale(s) - 1:5000

LOG NO: 0530 NJ.

ACTION:

FILE NO:

ASSESSMENT REPORT

1987-88 GEOCHEMICAL AND GEOPHYSICAL SURVEY

ON THE

TAURUS MINERAL CLAIM
COWICHAN LAKE AREA

VICTORIA MINING DIVISION
BRITISH COLUMBIA NTS 92C/16W

LATITUDE: 48° ⁵⁸ 48.7' N
LONGITUDE: ¹²⁴ 123° 24.6' W

FILMED

GEOLOGICAL BRANCH
ASSESSMENT REPORT

OPERATOR: BLACK GOLD RESOURCES INC.
OWNER : BLACK GOLD RESOURCES INC.

17,422

MAY, 1988

R. S. VERZOSA, P.Eng.
Consulting Geologist

Part 1 of 2

TABLE OF CONTENTS

	Page
INTRODUCTION	1
Location and Access	1
Property Definition	3
History	3
GEOLOGY	6
General Comment	6
Local Geology	6
GEOCHEMISTRY AND GEOPHYSICS	8
Grid Establishment	8
Soil Sampling	8
Magnetometer and VLF-EM Survey	8
DISCUSSION OF RESULTS	8
STATEMENT OF EXPENDITURES	11
CERTIFICATE	12
APPENDIX I (Analytical Results)	

LIST OF ILLUSTRATIONS

FIGURE	DESCRIPTION	PAGE
1.	Location Map	2
2.	Claim Map	4
3.	Local Geology	5
4.	Soil Geochemistry (Gold)	Pocket
5.	Soil Geochemistry (Silver)	Pocket
6.	Soil Geochemistry (Copper)	Pocket
7.	Soil Geochemistry (Lead)	Pocket
8.	Soil Geochemistry (Zinc)	Pocket
9.	Soil Geochemistry (Arsenic)	Pocket
10.	Compilation Map	10

INTRODUCTION


The Taurus Property comprising two non-contiguous claims is located northwest of the village of Cowichan Lake, Vancouver Island, B.C. The Property is wholly-owned by Black Gold Resources Inc., of Vancouver, B.C. During the periods December 2-12, 1987 and February 1-19, 1988, a program of line cutting, soil sampling and airborne magnetic and VLF-EM survey was carried on the property. Due to weather conditions most of the geochemical survey was restricted to the Taurus Claim.

Location and Access

The Taurus Property is located approximately 25 km northwest of the village of Lake Cowichan, Vancouver Island, B.C. (Figure 1). One of the claims, the Taurus which is the subject of this report, is approximately centered at latitude $48^{\circ} 57.7' N$ and Longitude $123^{\circ} 24.6' W$, its eastern half being transected by Shaw Creek. The property is accessible from Lake Cowichan by paved and well-maintained gravel road along the north shore of Cowichan Lake, thence by a network of logging roads to the Taurus Claim.

Physiography

The topography is typically rugged with steep slopes and in places rock bluffs. At the Taurus claim elevations range from 300 m in the valleys to greater than 800 m. The immediate area abounds with merchantable stands of timber with active



BLACK GOLD RESOURCES INC.	
TAURUS PROPERTY VICTORIA M.D.	
LOCATION MAP	
COMPILED:	DATE: May, 1988
R.S. VERZOSA, P.Eng.	Consulting Geologist

FIGURE 1

logging providing a network of access roads. The climate in the area is typically mild although unseasonal snow precipitation can occur early in the fall.

Property Definition


The property comprises two non-contiguous mineral claims, (Figure 2) as follows:

<u>Claim</u>	<u>Record No.</u>	<u>Units</u>	<u>Record Date</u>
Taurus	1839	12	March, 1987
Taurus II	2050	18	November, 1987

The claims are wholly-owned by Black Gold Resources Inc., 1012 - 409 Granville Street, Vancouver, B.C., V6C 1T2.

History

As early as the turn of the century, the area north of Mount Buttle has been the site of prospecting for gold, copper and molybdenum. The Delphi group some two kilometres north of Mount Buttle has been explored by shallow shafts and short adits. Other mineral showings in the immediate area are the Allies group having been explored for copper and molybdenum since the early 1900's and more recently the Close group having been explored for molybdenum as late as 1978 (Figure 3). No previous work has been recorded on the Taurus claims although their staking is connected to the resurgence of exploration in the general area prompted by the recent discovery of gold-bearing massive sulphide deposits in the so-called Sicker Group.



BLACK GOLD RESOURCES INC.

TAURUS PROPERTY

CLAIM MAP

VICTORIA M.D. NTS 92C/16

COMPILED: DATE: May, 1988

R.S. VERZOSA, P.Eng. Consulting Geologist

0 500 1000 2000 3000 4000

SCALE: 1:50 000 (metres).




FIGURE 3

GEOLOGY

General Comment

The Taurus Property lies within the Sicker Group. In the Cowichan Lake area, the Sicker Group comprises a thick succession of Paleozoic volcanics and sediments including limestone and cherts, occurring in a wide northwesterly arcuate belt, extending northwards from Duncan in the south for nearly 160 km towards and past Port Alberni in the north. Within the Sicker Group lies a great number of precious metals showings which have been the subject of intensive investigation by different mining companies.

Local Geology

The most recent map of the Cowichan Lake area (J.E. Muller, 1982) shows the Taurus claim underlain by the Lower Devonian Myra and Nitinat Formations of the Sicker Group (Figure 3). The Nitinat Formation (PN) consists of commonly agglomeratic basalts containing pyroxene phenocrysts and amygdules. The Formation includes local interbeds of layered to massive dark-coloured tuff. The Myra Formation (PM) overlies the Nitinat and consists of well-bedded, mainly light-coloured silicic tuff and breccia interbedded with black argillite and some greywacke. Elsewhere outside the Taurus claim the Sicker Group is unconformably overlain by the Triassic Karmutsen Formation. The Karmutsen consists of pillow basalts, breccia, tuff and minor flows.

The dominant structural trend is northwesterly with generally

steep dips, consistent with the existence of numerous major faults in the immediate area.

The occurrence of numerous precious metals showings in the Sicker Group is well documented. The main effort by the various companies in the area appears directed towards the search for stratiform volcanogenic massive sulphide deposits such as the Lara deposit near Duncan currently being explored by Laramide Resources Ltd and Abermin Corporation. Drilling to date on the Lara deposit has outlined a massive sulphide type zone over a strike length of 1500 m with significant values in copper, lead, zinc, gold and silver. Closer to the Taurus claim, Fyles (1955) recognized three types of gold-bearing deposits, vis., copper-skarn, quartz-sulphide veins and shear zones. Noteworthy of the copper-skarn type is the old Comego Property 24 km southeast of the Taurus claim. For the quartz-sulphide vein type deposits the Allies, Close and Delphi groups north of Mount Buttle are given as examples. Only the Delphi is known to contain gold. The shear zones appear to be the most important for gold mineralization. The most noteworthy shear zone type of deposit was the Silver Leaf near El Capitan Mountain some 13 km southeast of the Taurus claim.

No mineral occurrence has previously been reported on the Taurus property. However, a number of gossan zones were observed along in the road cuts during the writer's initial examination of the claim. Fresh rock from the gossan zones

were found to contain fair amounts of pyrite and some chalcopyrite.

GEOCHEMISTRY AND GEOPHYSICS

Grid Establishment

Gridding was restricted, due to poor weather, to the western half and the southeastern corner of the claim. The location and configuration of the baselines were dictated by the topography. The cross lines spaced every 100 metres were corrected for slope.

Soil Sampling

Soil samples were collected every 25 metres from the "B" horizon at depths between 15 to 30 cm and placed in wet-strength kraft envelopes. The samples were delivered to Acme Analytical Laboratory in Vancouver where they were analysed for Cu, Pb, Zn, Ag, As and Au. The analytical results are appended in the report and are plotted in Figures 4, 5, 6, 7, 8 and 9.

Magnetometer and VLF-EM Survey


An airborne survey was carried out on the property which was farmed out to Western Geophysical Aero Data Ltd. of Richmond, B.C. The procedures and results of the survey are contained in a separate report by Western Geophysical and is a part of this submission.

DISCUSSION OF RESULTS

Five areas of elevated gold values are indicated within the

surveyed area (Figure 10). Although the amount of gold in soils are not spectacularly high, the anomalous areas have been defined on the basis of gradual increases in gold values from a background of 10 ppb to anomalous values of greater than 40 ppb. Anomaly A at the northwest corner of the claim is coincident with an intense VLF-EM anomaly. However, the EM anomaly may be due to topographic effects.

Anomalies C and D and including the single station anomalies at lines 15S, 20S and 21S appear to define a single major mineralized zone striking northwesterly and parallel to the dominant regional trend. Anomaly E, which at its widest section exceeds 200 metres has not been completely defined by soil geochemistry and could only be a part of a more extensive anomalous zone related to the major fault along Shaw Creek.



LEGEND:

- PM Myra Formation
- PN Nitinat Formation
- Fault
- - - Geological Boundary
- AU in Soil > 10 ppb
- AU in Soil > 45 ppb


- Axis of VLF-EM Anomaly
- Axis of Magnetic High



BLACK GOLD RESOURCES INC.	
TAURUS CLAIM	
COMPILATION MAP	
Victoria M.D.	NTS 92/16
COMPILED:	DATE: May, 1988
R. S. VERZOSA, P.Eng.	Consulting Geologist

STATEMENT OF EXPENDITURES

Wages	\$	7,335.00
Food and Accommodations		1,497.52
Transportation		1,694.02
Field Supplies		207.78
Analysis		5,137.50
Report Preparation		2,000.00
Airborne Survey (Western Geophysical Aero)		3,906.00
TOTAL	\$	<u>21,831.82</u>




CERTIFICATE

I, Ruben S. Verzosa, of Langley, British Columbia, hereby certify that:

1. I am an independent Consulting Geologist with an office at 23064 - 50th Avenue, Langley, B.C., V3A 7N6.
2. I am a graduate of the University of the Philippines with the degree of Bachelor of Science in Geology (1957).
3. I have been a member of the Association of Professional Engineers of British Columbia since 1970.
4. I have been practicing my profession as a geologist for more than 25 years.
5. I do not have any interest nor do I expect to receive any interest in the property or securities of Black Gold Resources Inc.
6. This report is based upon a study of all available data on the property and upon personal observations while on the property.

May 26, 1988
Vancouver, B.C.



APPENDIX I

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: MAR 08 1988
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE (604) 253-3158 FAX (604) 253-1716 DATE REPORT MAILED: *Mar 15/88*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: P1-18 SOIL P19-20 ROCK AU* ANALYSIS BY AA FROM 10 GRAM SAMPLE.

ASSAYER: *C. L. Toy* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

TRIUMPH INDUSTRIES PROJECT-TAURUS File # 88-0684 Page 1

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
21+00N 0+25E	9	7	31	.1	3	4
21+00N 0+50E	43	4	58	.2	3	87
21+00N 0+75E	111	3	68	.3	8	13
21+00N 1+10E	46	7	49	.2	5	1
20+00N 1+50W	59	3	44	.2	2	1
20+00N 1+25W	81	6	59	.2	6	1
20+00N 1+00W	26	5	39	.1	4	1
20+00N 0+50W	7	5	24	.1	2	1
20+00N 0+25W	7	6	20	.2	3	1
19+00N 2+50W	174	4	75	.3	8	1
19+00N 2+25W	79	6	72	.3	6	4
19+00N 2+00W	131	5	58	.3	7	2
19+00N 1+75W	174	6	53	.2	2	1
19+00N 1+50W	117	5	71	.2	5	7
19+00N 1+00W	67	5	81	.2	5	1
19+00N 0+50W	13	7	26	.2	2	1
19+00N 0+25E	30	5	37	.2	5	1
19+00N 0+75E	41	6	45	.2	6	1
19+00N 1+00E	128	2	62	.1	7	2
19+00N 1+75E	82	5	63	.3	8	1
18+00N 4+75W	61	4	60	.3	3	1
18+00N 4+50W	61	2	64	.2	3	2
18+00N 4+25W	106	5	69	.2	5	1
18+00N 3+50W	92	5	70	.3	5	1
18+00N 3+25W	26	5	53	.2	3	1
18+00N 3+00W	176	2	65	.2	4	4
18+00N 2+50W	88	3	65	.3	4	1
18+00N 2+25W	82	4	59	.1	2	5
18+00N 2+00W	70	2	67	.2	3	1
18+00N 1+75W	98	5	68	.2	13	1
18+00N 1+25W	56	4	67	.2	3	1
18+00N 0+75W	216	4	66	.3	3	1
18+00N 0+25W	53	5	55	.2	4	1
17+00N 6+40W	118	5	70	.3	3	26
17+00N 6+25W	155	2	62	.2	6	8
17+00N 6+00W	80	2	76	.4	5	1
STD C/AU-S	57	37	131	6.8	36	47

TRIUMPH INDUSTRIES PROJECT-TAURUS FILE # 88-0684 Page 2

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
17+00N 6+00W A	26	5	41	.1	2	3
17+00N 5+75W	74	4	55	.1	6	2
17+00N 5+75W A	104	4	60	.1	4	2
17+00N 5+50W	19	4	44	.1	5	1
17+00N 5+50W A	50	7	54	.2	8	4
17+00N 5+25W	84	4	50	.1	3	1
17+00N 5+25W A	53	6	70	.1	4	1
17+00N 5+00W	37	4	56	.1	4	2
17+00N 4+75W	99	4	54	.1	6	3
17+00N 4+50W	158	4	56	.1	4	3
17+00N 4+25W	123	5	54	.2	6	1
17+00N 4+00W	232	5	56	.5	17	7
17+00N 3+75W	140	5	59	.1	8	1
17+00N 3+50W	57	7	58	.1	4	3
17+00N 3+25W	36	6	50	.1	6	18
17+00N 3+00W	113	4	69	.1	7	1
17+00N 1+75W	91	5	83	.1	5	40
17+00N 1+25W	18	7	33	.1	2	3
17+00N 1+00W	15	8	38	.1	2	1
17+00N 0+50W	72	4	61	.1	6	1
17+00N 0+25W	24	7	42	.1	4	1
16+00N 8+00W	26	4	54	.1	2	1
16+00N 7+75W	43	4	42	.1	7	1
16+00N 7+50W	39	5	55	.1	3	1
16+00N 7+25W	111	5	57	.1	9	4
16+00N 7+00W	68	4	51	.2	7	3
16+00N 6+75W	25	4	38	.1	8	1
16+00N 6+50W	47	4	35	.1	2	1
16+00N 6+25W	82	4	57	.1	11	5
16+00N 6+00W	119	5	54	.2	4	3
16+00N 5+75W	59	4	56	.1	2	2
16+00N 5+50W	53	4	59	.1	3	5
16+00N 5+25W	82	4	58	.1	4	1
16+00N 5+00W	125	4	62	.1	7	20
16+00N 4+75W	64	4	60	.1	2	1
16+00N 4+50W	100	4	62	.1	2	1
STD C/AU-S	61	43	133	6.9	38	49

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
16+00N 4+25W	77	3	52	.1	3	15
16+00N 4+00W	38	3	46	.1	5	6
16+00N 3+75W	58	3	45	.1	6	1
16+00N 3+50W	25	4	38	.1	9	1
16+00N 3+25W	31	4	61	.1	6	1
16+00N 3+00W	37	4	59	.1	4	3
16+00N 2+75W	127	9	92	.1	7	1
16+00N 2+25W	68	6	96	.1	7	1
16+00N 2+00W	22	7	57	.1	4	1
16+00N 1+50W	56	5	102	.1	6	1
16+00N 1+25W	136	15	146	.1	3	2
16+00N 0+75W	46	6	75	.1	3	2
16+00N 0+25W	32	7	58	.2	4	1
16+00N 0+00W	7	5	22	.1	3	1
16+00N 0+25E	25	9	44	.1	2	1
16+00N 0+50E	75	5	57	.1	4	2
16+00N 0+75E	32	4	33	.1	7	1
15+00N 9+75W	38	9	57	.2	7	220
15+00N 9+50W	86	4	60	.1	2	16
15+00N 9+25W	71	6	73	.1	8	18
15+00N 9+00W	84	5	84	.2	5	9
15+00N 8+75W	38	3	42	.1	5	5
15+00N 8+50W	83	3	78	.1	6	6
15+00N 8+25W	85	3	61	.1	6	8
15+00N 8+00W	131	5	73	.1	6	5
15+00N 7+75W	50	2	38	.1	6	3
15+00N 7+50W	28	5	46	.1	2	1
15+00N 7+25W	91	3	57	.1	5	1
15+00N 7+00W	31	4	57	.1	6	1
15+00N 6+75W	124	3	75	.1	4	3
15+00N 6+50W	110	3	55	.3	5	1
15+00N 6+25W	120	2	64	.1	5	1
15+00N 5+00W	42	2	57	.1	2	2
15+00N 4+75W	114	2	63	.1	2	5
15+00N 4+50W	125	2	61	.1	3	4
15+00N 4+25W	38	2	53	.1	2	4
STD C/AU-S	58	39	131	7.0	40	48

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
15+00N 4+00W	130	3	61	.2	3	5
15+00N 3+75W	166	5	68	.2	7	6
15+00N 3+50W	54	6	54	.2	3	2
15+00N 3+25W	29	6	57	.2	4	10
15+00N 3+00W	168	9	65	.3	7	8
15+00N 2+75W	128	5	58	.3	6	41
15+00N 2+50W	64	7	60	.3	2	1
15+00N 2+00W	74	6	63	.3	7	2
15+00N 1+75W	124	7	74	.1	7	4
15+00N 1+50W	17	8	37	.2	4	1
15+00N 1+25W	70	7	76	.2	5	29
15+00N 1+00W	118	8	76	.3	6	3
15+00N 0+75W	14	7	35	.1	6	1
15+00N 0+50W	106	8	62	.1	5	8
15+00N 0+25W	20	7	39	.2	4	1
15+00N 0+00W	24	7	36	.1	7	3
15+00N 0+25E	18	6	42	.1	2	1
15+00N 0+50E	70	7	45	.1	4	68
15+00N 0+75E	16	10	30	.1	2	3
14+00N 11+25W	33	7	41	.3	7	5
14+00N 11+00W	39	4	49	.6	9	11
14+00N 10+75W	72	7	66	.2	6	12
14+00N 10+50W	46	7	75	.4	8	8
14+00N 10+25W	77	7	69	.4	9	8
14+00N 10+00W	86	5	70	.3	7	5
14+00N 9+75W	91	4	72	.5	5	6
14+00N 9+50W	94	4	62	.3	6	1
14+00N 9+25W	42	7	51	.2	6	5
14+00N 9+00W	70	6	55	.1	5	7
14+00N 8+75W	79	5	47	.2	11	9
14+00N 8+50W	33	6	49	.2	6	4
14+00N 8+25W	24	4	44	.1	7	1
14+00N 8+00W	64	6	50	.2	6	18
14+00N 7+75W	43	6	59	.2	4	9
14+00N 7+50W	74	9	71	.4	7	21
14+00N 7+25W	109	7	90	.2	10	2
STD C/AU-S	58	40	129	7.0	39	50

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
14+00N 7+00W	81	8	75	.3	7	3
14+00N 6+75W	90	7	77	.6	9	14
14+00N 6+50W	75	9	68	.4	9	7
14+00N 6+25W	76	8	60	.4	10	6
14+00N 6+00W	40	8	76	.4	6	2
14+00N 5+75W	39	6	61	.2	8	3
14+00N 5+50W	55	5	70	.3	3	1
14+00N 5+25W	23	7	47	.2	3	5
14+00N 5+00W	89	7	60	.3	8	16
14+00N 4+50W	50	4	56	.4	8	12
14+00N 4+25W	26	5	48	.2	4	1
14+00N 4+00W	78	6	77	.4	4	3
14+00N 3+75W	53	7	66	.1	3	2
14+00N 3+50W	57	4	58	.2	6	1
14+00N 3+25W	59	7	86	.1	5	5
14+00N 3+00W	105	10	103	.3	6	6
14+00N 2+75W	55	5	69	.1	2	14
14+00N 2+50W	68	9	61	.2	6	6
14+00N 2+25W	32	6	56	.2	2	11
14+00N 2+00W	53	6	90	.2	3	1
14+00N 1+75W	23	6	57	.1	4	2
14+00N 1+50W	10	8	37	.1	2	45
14+00N 1+25W	34	12	69	.1	6	12
14+00N 1+00W	115	8	93	.2	8	8
14+00N 0+75W	29	7	52	.1	4	6
14+00N 0+50W	89	8	41	.1	2	3
14+00N 0+25W	37	10	43	.2	5	1
14+00N 0+00W	88	7	51	.1	10	4
14+00N 0+25E	10	8	30	.1	4	21
14+00N 0+50E	40	6	52	.1	6	1
13+00N 10+40W	86	7	72	.2	6	10
13+00N 10+25W	76	7	64	.2	9	13
13+00N 10+00W	83	9	76	.2	6	3
13+00N 9+75W	72	8	81	.2	7	11
13+00N 9+50W	92	7	82	.2	8	38
13+00N 9+25W	65	6	86	.1	9	3
STD C/AU-S	57	37	127	6.7	38	48

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
13+00N 9+00W	21	8	34	.1	5	14
13+00N 8+75W	56	7	49	.1	8	31
13+00N 8+50W	66	10	53	.1	12	5
13+00N 8+25W	43	5	43	.1	6	156
13+00N 8+00W	29	7	47	.1	6	2
13+00N 7+75W	41	5	49	.1	5	2
13+00N 7+50W	63	7	50	.1	6	8
13+00N 7+25W	62	6	42	.1	6	6
13+00N 7+00W	36	7	56	.1	3	1
13+00N 6+75W	27	9	56	.1	3	1
13+00N 6+50W	65	12	95	.2	5	4
13+00N 6+25W	41	9	71	.1	7	18
13+00N 6+00W	109	7	61	.3	8	1
13+00N 5+75W	30	6	56	.1	5	2
13+00N 5+50W	47	8	48	.1	5	1
13+00N 5+25W	48	4	41	.2	11	1
13+00N 5+00W	42	4	53	.1	4	1
13+00N 4+75W	47	6	59	.2	4	3
13+00N 4+50W	56	4	59	.1	4	18
13+00N 4+25W	72	2	57	.1	7	8
13+00N 4+00W	38	6	58	.1	3	5
13+00N 3+50W	218	4	73	.2	4	10
13+00N 3+25W	212	8	71	.1	9	24
13+00N 3+00W	123	6	68	.2	4	6
13+00N 2+75W	18	4	45	.3	4	3
13+00N 2+50W	56	6	64	.1	3	5
13+00N 2+25W	14	4	40	.1	4	2
13+00N 2+00W	39	4	55	.1	3	4
13+00N 1+75W	77	2	55	.1	3	7
13+00N 1+50W	19	7	47	.1	3	5
13+00N 1+25W	97	7	70	.1	2	27
13+00N 1+00W	84	6	46	.1	4	2
13+00N 0+75W	103	7	83	.2	7	8
13+00N 0+50W	20	5	37	.2	2	6
13+00N 0+25W	28	10	39	.1	3	7
13+00N 0+00W	39	8	41	.1	8	9
STD C/AU-S	57	38	127	6.9	40	51

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
13+00N 0+25E	64	7	54	.2	2	4
13+00N 0+50E	58	15	56	.1	2	16
13+00N 0+75E	57	10	57	.2	3	2
13+00N 1+00E	40	6	49	.3	4	4
13+00N 1+25E	51	8	103	.2	3	1
13+00N 1+50E	32	5	45	.2	4	1
12+00N 9+75W	96	7	85	.5	3	1
12+00N 9+50W	57	9	74	.6	6	6
12+00N 9+25W	98	14	86	.3	5	9
12+00N 9+00W	70	9	74	.4	4	12
12+00N 8+75W	19	8	35	.3	3	1
12+00N 8+50W	25	9	50	.3	4	1
12+00N 8+25W	58	6	76	.4	6	7
12+00N 8+00W	68	9	87	.4	5	5
12+00N 7+75W	47	7	62	.4	2	1
12+00N 7+50W	53	9	51	.2	4	12
12+00N 7+25W	32	7	57	.1	4	1
12+00N 7+00W	14	6	29	.2	7	1
12+00N 6+75W	37	4	55	.3	2	1
12+00N 6+50W	60	7	55	.2	4	1
12+00N 6+25W	70	9	71	.2	4	2
12+00N 6+00W	112	13	77	.3	7	20
12+00N 5+75W	45	8	57	.1	9	1
12+00N 5+50W	32	12	64	.2	6	5
12+00N 5+25W	93	9	55	.3	7	7
12+00N 5+00W	90	6	54	.1	8	2
12+00N 4+75W	73	4	52	.2	5	1
12+00N 4+50W	97	7	55	.1	6	1
12+00N 4+25W	27	7	48	.3	3	2
12+00N 4+00W	55	6	74	.2	4	1
12+00N 3+75W	105	6	61	.2	5	7
12+00N 3+50W	26	8	47	.2	2	2
12+00N 3+25W	29	9	58	.1	4	12
12+00N 3+00W	69	6	73	.1	4	5
12+00N 2+25W	46	4	57	.2	2	9
12+00N 1+50W	92	7	55	.2	3	2
STD C/AU-S	57	37	132	6.9	38	49

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
12+00N 1+00W	91	12	76	.5	3	7
12+00N 0+75W	45	9	58	.1	3	3
12+00N 0+25W	10	11	32	.1	2	19
12+00N 0+00W	125	10	55	.1	5	1
12+00N 0+25E	95	12	57	.2	6	20
12+00N 0+50E	52	10	45	.1	2	1
12+00N 0+75E	93	12	59	.1	6	1
12+00N 1+00E	58	10	46	.2	3	1
12+00N 1+25E	24	9	36	.1	2	6
11+00N 9+50W	45	12	72	.2	4	1
11+00N 9+25W	26	9	27	.1	4	10
11+00N 9+00W	53	12	78	.3	6	19
11+00N 8+75W	48	8	50	.1	5	8
11+00N 8+50W	31	8	40	.1	5	2
11+00N 8+25W	89	8	87	.3	7	1
11+00N 8+00W	79	12	50	.2	4	1
11+00N 7+75W	80	9	67	.3	5	1
11+00N 7+50W	112	11	78	.4	5	1
11+00N 7+00W	104	12	74	.3	7	1
11+00N 6+75W	64	11	68	.3	5	5
11+00N 6+50W	92	10	64	.2	6	4
11+00N 6+25W	47	11	54	.2	6	1
11+00N 6+00W	30	12	51	.2	7	1
11+00N 5+75W	18	8	35	.1	5	4
11+00N 5+50W	66	13	51	.2	6	1
11+00N 5+25W	30	7	46	.2	3	1
11+00N 5+00W	30	7	46	.1	3	4
11+00N 4+75W	45	8	54	.1	3	1
11+00N 4+50W	26	9	46	.1	2	1
11+00N 4+25W	53	6	61	.2	5	1
11+00N 4+00W	54	12	68	.1	8	1
11+00N 3+75W	26	7	46	.1	3	11
11+00N 3+50W	81	7	64	.1	5	3
11+00N 3+25W	16	7	45	.1	2	2
11+00N 3+00W	86	11	70	.1	6	1
11+00N 2+75W	38	7	62	.1	4	2
STD C/AU-S	57	38	130	6.8	39	51

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
11+00N 2+25W	17	6	51	.1	3	47
11+00N 2+00W	28	8	48	.1	5	2
11+00N 1+75W	126	7	49	.2	2	1
11+00N 1+50W	38	8	48	.1	2	3
11+00N 1+25W	48	8	51	.1	3	11
11+00N 1+00W	24	13	45	.1	5	1
11+00N 0+75W	79	11	54	.1	5	8
11+00N 0+50W	11	10	32	.1	3	1
11+00N 0+25W	7	8	19	.1	2	1
11+00N 0+00W	119	6	61	.1	5	3
11+00N 0+25E	50	8	51	.1	3	7
11+00N 0+50E	148	9	100	.2	2	9
11+00N 0+75E	44	8	52	.1	3	86
11+00N 1+25E	81	9	68	.1	2	25
11+00N 1+50E	48	9	52	.1	4	1
11+00N 1+75E	64	10	66	.2	3	67
11+00N 2+00E	147	9	69	.1	2	1
10+00N 8+80W	34	7	39	.2	6	14
10+00N 8+50W	32	11	48	.1	5	8
10+00N 8+25W	59	10	44	.3	4	28
10+00N 8+00W	52	9	52	.2	6	3
10+00N 7+75W	76	11	65	.2	2	13
10+00N 7+50W	27	10	41	.1	5	9
10+00N 7+25W	64	10	56	.1	4	8
10+00N 7+00W	66	9	62	.3	5	6
10+00N 6+75W	113	9	69	.4	4	8
10+00N 6+50W	70	9	72	.2	6	2
10+00N 6+25W	62	9	63	.1	5	10
10+00N 6+00W	46	10	57	.1	5	6
10+00N 5+75W	66	10	73	.1	3	5
10+00N 5+50W	20	9	42	.2	4	7
10+00N 5+25W	28	9	70	.1	2	6
10+00N 5+00W	79	10	76	.2	5	4
10+00N 4+75W	48	9	58	.1	5	4
10+00N 4+50W	136	10	57	.1	3	16
10+00N 4+25W	44	9	48	.1	3	10
STD C/AU-S	59	39	125	6.7	38	50

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
10+00N 4+00W	132	10	59	.4	7	6
10+00N 3+75W	40	9	55	.1	3	1
10+00N 3+50W	50	12	57	.1	6	3
10+00N 3+25W	21	11	46	.2	7	1
10+00N 3+00W	18	9	50	.3	8	1
10+00N 2+50W	24	9	49	.2	5	1
10+00N 1+75W	13	8	44	.2	3	1
10+00N 1+50W	36	9	62	.3	5	1
10+00N 1+25W	53	6	55	.2	2	1
10+00N 0+75W	69	9	73	.2	4	1
10+00N 0+50W	238	11	68	.3	6	1
10+00N 0+00W	14	6	31	.2	5	2
10+00N 0+25E	16	13	46	.1	5	22
10+00N 0+50E	52	7	58	.2	4	79
9+00N 8+25W	51	11	65	.3	9	19
9+00N 8+00W	22	8	56	.2	5	5
9+00N 7+75W	44	9	60	.4	8	15
9+00N 7+50W	77	10	77	.2	6	16
9+00N 7+25W	29	10	68	.2	4	3
9+00N 7+00W	81	9	104	.1	8	14
9+00N 6+75W	47	10	57	.3	6	16
9+00N 6+50W	35	10	52	.2	7	6
9+00N 6+25W	21	6	60	.2	4	2
9+00N 6+00W	20	12	55	.2	5	2
9+00N 5+75W	30	13	64	.2	6	8
9+00N 5+50W	65	9	59	.3	8	5
9+00N 5+25W	43	8	56	.1	7	11
9+00N 5+00W	52	7	63	.1	5	2
9+00N 4+75W	77	9	59	.1	6	8
9+00N 4+50W	27	8	53	.1	2	1
9+00N 4+25W	80	11	88	.1	5	1
9+00N 4+00W	14	7	38	.1	4	11
9+00N 3+75W	58	8	58	.1	9	1
9+00N 3+50W	16	6	48	.1	8	6
9+00N 3+25W	32	9	61	.1	3	2
9+00N 3+00W	54	13	68	.1	4	9
STD C/AU-S	57	38	131	6.9	39	49

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
9+00N 2+75W	196	6	89	.2	3	6
9+00N 2+50W	47	6	54	.1	2	1
9+00N 2+25W	15	7	57	.2	4	4
9+00N 2+00W	22	4	51	.2	2	7
9+00N 1+75W	60	8	110	.3	2	1
9+00N 1+50W	19	6	60	.1	2	8
9+00N 1+25W	75	8	149	.5	2	1
9+00N 0+75W	8	5	36	.1	2	1
9+00N 0+50W	16	12	34	.1	2	1
9+00N 0+25W	70	7	56	.1	2	3
9+00N 0+00W	59	6	63	.2	3	7
9+00N 0+25E	20	5	52	.1	2	1
9+00N 0+50E	13	5	33	.2	2	6
9+00N 0+75E	73	4	63	.1	2	23
9+00N 1+00E	119	6	84	.4	2	38
9+00N 1+25E	24	7	58	.1	4	16
9+00N 1+50E	75	5	70	.1	5	4
9+00N 1+75E	41	14	71	.1	2	5
9+00N 2+00E	32	7	58	.1	2	44
8+00N 7+60W	13	6	27	.2	2	37
8+00N 7+25W	43	7	55	.2	8	8
8+00N 7+00W	28	6	32	.2	3	5
8+00N 6+75W	91	7	70	.3	4	19
8+00N 6+50W	80	7	94	.2	3	7
8+00N 6+25W	51	11	62	.2	4	9
8+00N 6+00W	65	8	87	.1	5	6
8+00N 5+75W	88	7	60	.2	9	7
8+00N 5+50W	122	8	68	.1	5	15
8+00N 5+25W	10	6	34	.1	2	11
8+00N 5+00W	18	7	39	.1	5	10
8+00N 4+75W	25	6	51	.2	2	14
8+00N 4+50W	33	8	63	.1	2	7
8+00N 4+00W	72	8	71	.1	2	18
8+00N 3+75W	102	7	65	.2	2	13
8+00N 3+25W	27	6	49	.1	2	21
8+00N 3+00W	181	6	98	.2	4	3
STD C/AU-S	57	37	132	6.8	38	48

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
8+00N 2+75W	100	7	92	.1	3	1
8+00N 2+25W	16	5	41	.1	4	2
8+00N 2+00W	11	9	38	.1	2	1
8+00N 1+75W	99	9	82	.1	5	2
8+00N 1+50W	24	7	53	.1	4	3
8+00N 1+25W	115	6	80	.1	6	6
8+00N 0+25W	31	11	58	.1	7	18
8+00N 0+00W	15	7	39	.1	9	5
8+00N 0+25E	75	14	83	.1	3	2
8+00N 0+50E	154	6	79	.4	2	1
8+00N 0+50E A	83	5	71	.2	6	19
8+00N 0+75E	58	3	68	.1	5	12
7+00N 7+00W	57	7	69	.1	3	5
7+00N 6+75W	51	6	68	.1	5	13
7+00N 6+50W	37	9	62	.1	6	11
7+00N 6+25W	84	10	83	.1	3	13
7+00N 6+00W	92	29	105	.1	2	6
7+00N 5+75W	61	18	85	.1	6	4
7+00N 5+50W	23	7	65	.1	4	25
7+00N 5+00W	63	7	81	.1	7	10
7+00N 4+75W	96	10	91	.1	5	16
7+00N 4+25W	87	9	83	.1	4	5
7+00N 3+50W	88	11	181	.3	6	4
7+00N 3+00W	28	6	46	.1	4	3
7+00N 1+75W	126	5	136	.4	4	4
7+00N 1+50W	99	8	77	.1	4	8
7+00N 0+75W	60	7	105	.2	4	7
7+00N 0+25E	98	8	83	.1	6	2
7+00N 0+75E	196	11	100	.8	8	3
7+00N 1+60E	17	7	34	.1	6	3
6+00N 0+75W	74	13	93	.1	10	5
6+00N 0+50W	20	7	50	.1	4	3
6+00N 0+25W	17	5	73	.1	6	1
6+00N 0+00W	44	10	66	.1	6	4
6+00N 0+25E	15	12	38	.1	4	2
6+00N 0+50E	25	11	47	.1	9	3
STD C/AU-S	57	37	132	6.8	39	48

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
6+00N 0+75E	9	10	28	.1	3	1
6+00N 1+00E	51	42	91	.1	12	3
6+00N 0+25NE	59	15	91	.1	14	4
6+00N 0+50NE	105	11	86	.2	6	6
6+00N 1+00NE	20	12	46	.1	4	1
5+00N 3+00W	21	8	57	.1	6	1
5+00N 2+75W	52	10	73	.3	6	1
5+00N 2+50W	23	9	71	.4	3	21
5+00N 2+25W	98	10	62	.2	7	7
5+00N 1+75W	9	7	52	.1	2	1
5+00N 1+50W	40	7	79	.1	2	1
5+00N 1+25W	8	10	40	.1	5	13
5+00N 1+00W	9	9	29	.2	5	1
5+00N 0+75W	38	8	60	.3	3	1
5+00N 0+50W	43	5	63	.2	2	2
5+00N 0+00W	41	21	71	.1	10	4
5+00N 0+25E	44	21	86	.1	29	1
5+00N 0+50E	50	16	72	.1	10	8
5+00N 0+75E	37	17	54	.1	10	7
5+00N 1+00E	42	19	79	.1	21	6
4+00N 3+50W	21	21	48	.1	4	24
4+00N 3+25W	26	10	56	.1	5	14
4+00N 3+00W	7	8	29	.1	3	21
4+00N 2+75W	57	8	67	.3	4	8
4+00N 2+50W	16	11	98	.2	2	6
4+00N 2+25W	9	8	36	.1	2	6
4+00N 2+00W	12	12	59	.1	2	2
4+00N 1+75W	9	13	37	.1	2	5
4+00N 1+50W	42	34	142	.1	3	5
4+00N 1+25W	167	14	116	.4	8	4
4+00N 1+00W	133	17	81	.5	7	7
4+00N 0+75W	198	16	86	.2	8	4
4+00N 0+50W	37	8	67	.2	3	3
4+00N 0+25W	28	6	44	.1	2	3
4+00N 0+00W	18	11	35	.2	5	6
4+00N 0+25E	18	10	36	.1	2	9
STD C/AU-S	57	38	130	6.9	39	50

SAMPLE#	CU PPM	FB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
4+00N 0+50E	47	14	63	.1	3	7
4+00N 0+75E	41	16	52	.1	5	55
4+00N 1+00E	28	6	65	.1	2	4
4+00N 1+25E	61	7	86	.1	2	1
3+00N 5+60W	54	12	70	.1	3	23
3+00N 5+25W	36	9	62	.1	2	15
3+00N 5+00W	8	8	39	.1	2	4
3+00N 4+75W	32	5	47	.1	2	13
3+00N 4+50W	171	12	98	.3	2	4
3+00N 4+25W	94	7	80	.1	3	17
3+00N 4+00W	28	8	62	.1	2	3
3+00N 3+75W	99	9	92	.4	2	7
3+00N 3+50W	21	10	53	.1	2	1
3+00N 3+25W	15	5	67	.1	2	1
3+00N 2+75W	38	11	62	.1	6	4
3+00N 2+50W	35	6	62	.1	2	8
3+00N 2+25W	105	10	126	.1	5	2
3+00N 2+00W	8	5	33	.1	2	11
3+00N 1+75W	8	7	29	.1	2	7
3+00N 1+00W	102	6	96	.1	4	16
3+00N 0+75W	17	6	56	.1	3	4
3+00N 0+50W	114	20	202	.3	2	3
3+00N 0+00W	20	8	57	.1	2	2
3+00N 0+25E	62	12	78	.1	2	10
3+00N 0+50E	59	11	75	.1	2	19
3+00N 0+75E	34	7	61	.1	2	7
3+00N 1+00E	18	8	54	.1	4	10
3+00N 1+20E	7	7	20	.1	2	15
2+00N 5+00W	27	7	46	.1	3	10
2+00N 4+75W	98	7	75	.1	5	17
2+00N 4+50W	57	7	73	.1	2	3
2+00N 4+25W	127	9	83	.1	2	10
2+00N 4+00W	69	10	71	.1	4	18
2+00N 3+75W	17	6	50	.1	2	15
2+00N 3+50W	68	6	69	.1	2	8
2+00N 3+25W	47	8	42	.1	4	20
STD C/AU-S	57	39	128	6.7	36	53

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
2+00N 3+00W	28	7	43	.2	4	8
2+00N 2+50W	48	16	73	.1	7	27
2+00N 2+25W	102	15	76	.2	8	53
2+00N 2+00W	115	23	185	.3	7	29
2+00N 1+75W	52	12	103	.1	7	2
2+00N 1+50W	10	7	31	.1	3	6
2+00N 1+25W	16	8	42	.2	2	11
2+00N 1+00W	16	10	70	.2	4	3
2+00N 0+75W	20	14	70	.2	8	86
2+00N 0+50W	7	8	54	.2	3	12
2+00N 0+25W	17	12	64	.2	7	9
2+00N 0+25W A	17	15	60	.1	9	16
2+00N 0+25E	15	8	37	.3	4	11
2+00N 0+50E	16	5	37	.1	2	9
1+00N 2+40W	5	7	27	.1	2	18
1+00N 2+00W	8	7	24	.1	2	16
1+00N 1+75W	27	14	72	.2	3	1
1+00N 1+50W	97	10	62	.1	6	22
1+00N 1+25W	70	10	82	.2	8	29
1+00N 1+00W	63	9	76	.2	5	16
1+00N 0+75W	104	12	159	.5	6	21
1+00N 0+50W	104	12	64	.5	7	15
1+00N 0+00W	71	10	86	.4	6	48
1+00N 0+25E	118	12	80	.1	9	35
1+00N 0+40E	37	13	77	.1	9	17
T.P. BL 0+00N	290	17	101	.1	14	23
STD C/AU-S	58	36	129	7.2	38	50



SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
001	13	5	29	.1	2	2
002	29	8	70	.2	3	1
003	32	5	45	.1	3	1
004	71	5	63	.1	5	1
006	16	7	30	.1	2	1
007	16	6	56	.1	5	1
008	33	5	55	.1	3	1
021	21	10	62	.1	2	1
025	40	9	133	.1	5	1
026	70	9	151	.6	3	1
028	44	11	54	.3	11	4
029	59	9	73	.2	11	9
030	63	11	79	.4	13	31
033	76	16	110	.2	15	28
034	97	18	124	.1	25	18
035	63	12	85	.3	14	1
036	47	14	89	.1	13	242
040	47	13	76	.3	9	11
041	82	15	91	.3	14	14
042	62	6	72	.1	5	4
043	76	7	61	.4	4	12
044	48	5	54	.2	2	1
047	46	8	73	.1	6	6
048	76	7	61	.3	6	43
049	86	7	123	.2	7	3
050	93	10	75	.1	8	5
051	47	13	96	.2	9	1
052	48	8	96	.2	4	2
053	34	7	91	.1	5	1
054	54	5	127	.1	2	1
055	27	6	48	.1	7	1
056	81	12	75	.1	10	11
057	44	10	61	.4	8	12
058	15	9	35	.2	3	3
059	31	10	60	.1	5	1
060	41	5	61	.2	6	1
STD C/AU-S	58	36	127	7.2	38	49

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
061	74	4	71	.1	2	2
063	62	6	105	.1	4	4
064	87	5	94	.1	6	11
065	148	19	133	.1	4	35
066	83	11	103	.1	5	22
067	152	45	188	.3	14	69
068	30	14	54	.1	10	26
069	35	14	70	.1	42	19
070	51	18	78	.1	23	36
071	57	26	102	.3	56	21
072	179	11	141	.5	14	68
073	77	15	89	.1	3	350
074	108	44	178	.1	9	88
075	77	3	79	.1	2	29
076	84	12	119	.1	8	4
077	58	24	83	.1	2	16
078	63	8	71	.1	3	10
079	47	10	92	.1	4	4
080	192	6	99	.1	6	11
081	70	4	114	.1	2	6
082	56	8	96	.1	3	16
083	49	23	108	.1	6	10
085	36	13	55	.1	8	40
086	62	13	117	.1	4	9
087	29	8	65	.1	5	24
088	29	8	74	.3	4	2
089	66	4	75	.2	2	4
090	35	10	60	.2	4	16
091	69	15	80	.5	2	6
092	72	9	70	.1	7	9
093	59	5	58	.1	4	13
300	116	7	70	.2	5	11
301	111	7	85	.1	2	6
302	63	6	80	.1	2	8
303	79	5	87	.1	2	2
304	78	4	87	.1	2	1
STD C/AU-S	58	36	132	7.0	41	50

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
305	104	10	86	.2	12	5
307	31	8	70	.2	2	8
308	57	8	68	.2	2	1
309	71	8	58	.2	2	5
310	71	6	63	.2	2	1
312	128	5	80	.2	3	1
313	147	6	80	.2	3	3
314	46	6	86	.1	2	1
315	44	4	78	.2	2	9
316	55	13	84	.1	6	6
317	33	8	81	.2	3	1
318	23	8	69	.3	2	1
319	31	7	74	.2	2	1
320	86	10	95	.1	4	1
321	67	5	74	.1	4	1
323	97	8	73	.1	2	1
324	55	8	71	.1	2	1
325	77	10	84	.1	2	1
326	58	11	90	.1	2	1
327	105	6	66	.2	2	1
328	53	5	71	.1	2	10
329	138	13	102	.2	6	1
330	90	11	74	.1	4	1
331	20	6	63	.1	2	1
332	58	10	87	.2	2	7
333	116	5	87	.1	2	1
334	61	7	81	.1	3	3
335	105	6	80	.3	2	1
336	55	8	80	.1	2	1
337	118	4	63	.1	3	1
338	77	6	69	.1	6	83
339	92	5	88	.1	2	1
340	111	5	96	.1	2	5
341	77	5	96	.1	5	77
342	49	7	66	.1	5	1
343	89	7	76	.1	3	1
STD C/AU-S	59	38	132	7.1	44	50


SAMPLE#		CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
20+00N	0+75W	70	3	62	.1	8	1
20+00N	0+00W	46	3	21	.1	3	51
20+00N	0+25E	47	4	68	.1	4	1
20+00N	0+50E	78	5	81	.2	4	1
20+00N	0+75E	108	4	75	.2	8	1
19+00N	3+10W	62	5	75	.1	3	2
19+00N	2+75W	110	3	80	.1	3	1
19+00N	1+40W	57	4	69	.1	3	1
19+00N	1+25W	22	6	59	.1	3	1
19+00N	0+75W	37	5	65	.1	5	3
19+00N	0+00W	100	5	87	.2	4	1
19+00N	0+50E	42	5	71	.1	3	1
19+00N	1+25E	86	4	73	.2	2	2
19+00N	1+50E	57	5	87	.3	6	2
19+00N	2+00E	42	4	71	.1	4	1
18+00N	4+00W	42	3	60	.2	2	1
18+00N	1+50W	122	4	84	.3	2	4
18+00N	1+00W	77	5	85	.2	2	2
18+00N	0+50W	50	5	71	.1	8	1
18+00N	0+00W	12	4	64	.1	2	1
17+00N	2+75W	6	4	18	.1	2	1
17+00N	2+50W	147	4	72	.2	2	2
17+00N	2+25W	113	5	73	.1	5	1
17+00N	2+00W	116	5	48	.1	2	2
17+00N	1+50W	84	3	59	.1	2	1
17+00N	0+75W	98	3	53	.1	2	1
16+00N	1+75W	34	5	85	.2	4	1
16+00N	1+00W	20	6	56	.1	2	1
15+00N	2+25W	109	8	91	.2	5	1
15+00N	0+00W	8	5	59	.1	4	2
14+00N	4+75W	86	3	74	.1	2	1
14+00N	0+80E	124	5	76	.2	2	1
13+00N	3+75W	119	4	89	.3	3	4
12+00N	2+75W	76	6	76	.1	2	1
12+00N	2+50W	8	3	24	.1	2	1
12+00N	2+00W	27	4	45	.1	2	1
STD C/AU-R		63	40	132	8.1	43	505

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	AU* PPB
12+00N 1+75W	15	4	74	.1	3	1
12+00N 1+00W	62	2	83	.2	3	2
12+00N 1+50E	38	2	71	.2	2	1
11+00N 7+25W	47	2	75	.1	2	1
11+00N 2+50W	77	4	81	.1	2	2
10+00N 2+25W	19	2	34	.1	4	1
10+00N 1+00W	29	4	42	.1	4	1
10+00N 0+25W	110	3	62	.1	2	1
9+00N 1+00W	112	4	69	.1	3	4
8+00N 4+25W	30	2	45	.1	2	1
8+00N 3+50W	27	2	57	.1	2	1
8+00N 2+50W	60	2	76	.1	2	1
8+00N 1+00W	103	2	73	.1	5	1
8+00N 0+75W	37	4	73	.1	3	1
8+00N 1+25E	47	3	65	.1	2	2
7+00N 4+50W	57	4	68	.1	2	1
7+00N 4+00W	20	3	56	.1	3	1
7+00N 3+75W	77	3	74	.1	4	2
7+00N 3+25W	43	2	60	.1	3	1
7+00N 2+75W	40	2	54	.1	2	1
7+00N 2+50W	86	4	60	.1	2	1
7+00N 2+00W	76	2	40	.1	4	2
7+00N 1+00W	38	2	73	.1	3	1
7+00N 1+35E	109	2	75	.2	2	1
6+00N 1+75W	67	4	72	.1	2	1
6+00N 1+25W	30	2	65	.1	2	4
6+00N 0+75NE	25	3	55	.1	4	1
5+00N 2+00W	132	2	79	.1	2	1
5+00N 0+25W	29	8	18	.2	4	1
3+00N 3+00W	100	2	70	.1	12	1
3+00N 2+50W	95	3	61	.2	2	2
3+00N 1+50W	105	3	72	.1	3	2
3+00N 1+25W	69	2	66	.1	3	1
2+00N 2+75W	55	2	79	.1	3	1
SAMPLE S	154	9	22	.3	2	1
STD C/AU-R	57	36	132	7.0	41	510





GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,422
Part 1 of 2




BLACK GOLD RESOURCES INC.	
TAURUS PROPERTY VICTORIA M. D.	
SOIL GEOGHEMISTRY (ARSENIC)	
COMPILED: R. S. VERZOSA, P. Eng.	DATE: April, 1988



GEOLOGICAL BRANCH
ASSESSMENT REPORT



17,422
Part 1 of 2



BLACK GOLD RESOURCES INC.
TAURUS PROPERTY
VICTORIA M. D.

**SOIL GEOGHEMISTRY
(GOLD)**

COMPILED: R. S. VERZOSA, P. Eng. DATE: April, 1988





GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,422
Part 1 of 2



BLACK GOLD RESOURCES INC.
TAURUS PROPERTY
VICTORIA M. D.
SOIL GEOGHEMISTRY
(SILVER)
COMPILED: R. S. VERZOSA, P. Eng. DATE: April, 1988



GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,422



Part 1 of 2

0 50m 100m 200m

BLACK GOLD RESOURCES INC.
TAURUS PROPERTY
VICTORIA M. D.


SOIL GEOGHEMISTRY
(COPPER)

COMPILED: R. S. VERZOSA, P. Eng. DATE: April, 1988





GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,422
Part 1 of 2



BLACK GOLD RESOURCES INC.	
TAURUS PROPERTY VICTORIA M. D.	
SOIL GEOGHEMISTRY (LEAD)	
COMPILED: R. S. VERZOSA, P. Eng.	DATE: April, 1988



GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,422
Part 1 of 2



BLACK GOLD RESOURCES INC.	
TAURUS PROPERTY VICTORIA M. D.	
SOIL GEOGHEMISTRY (ZINC)	
COMPILED: R. S. VERZOSA, P. Eng.	DATE: April, 1988