ARIS SUMMARY SHEET

District Geologist, Smithers

Off Confidential: 89.05.06

ASSESSMENT REPORT 17553 MINING DIVISION: Omineca

PROPERTY: Java
LOCATION: LAT 54 36 03 LONG 126 31 38
UTM 09 6052968 659735
NTS 093L10E
CLAIM(S): Java 300,Perrow 300,Peeler
OPERATOR(S): B & H Leasco Crisan Res.
AUTHOR(S): Gibson, N.
REPORT YEAR: 1988, 65 Pages
COMMODITIES SEARCHED FOR: Gold,Silver,Copper,Zinc,Lead,Arsenic,Antimony
GEOLOGICAL SUMMARY: The claim area may be underlain by the Babine shelf facies and consists of subaqueous and subaerial pyroclastic volcanics intercalated with sediments.

WORK DONE: Geophysical,Geological,Geochemical
GEOL 1250.0 ha
Map(s) - 2; Scale(s) - 1:5000
LINE 28.7 km
MAGA 218.2 km
Map(s) - 2; Scale(s) - 1:10 000
ROCK 19 sample(s) ;CU,PB,ZN,AG,AS,SB,AU
SOIL 1150 sample(s) ;CU,PB,ZN,AG,AS,SB,AU
Map(s) - 6; Scale(s) - 1:2500

MINFILE: 093L 021

LOG NO: 0706	RD.
ACTION:	
FILE NO:	

REPORT ON

PERROW 300, PEELER AND JAVA 300 MINERAL CLAIMS

DOME MOUNTAIN AREA

OMINECA MINING DIVISION, B.C.

FILMED

54°34'50" North Latitude

126°31'47" West Longitude

NTS 93L/10

FOR

CRISAN RESOURCES LTD.

#611-470 GRANVILLE STREET

VANCOUVER, B.C.

V6C 1V5

SUB-RECORDER
RECEIVED
JUN 30 1988
M.R. # .....
VANCOUVER, B.C.

BY

NICHOLAS GIBSON
5833 LANARK STREET
VANCOUVER, B.C.

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,553

JUNE 10th, 1988

SUMMARY

This report is on three mineral claims (60 units) of Crisan Resources Ltd. located about 10 kilometers north of the village of Perrow and about 20 kilometers southeast of Dome Mountain, in the Omineca Mining Division, British Columbia.

The history of Smithers-Houston and Topley area dates back to late 1800 and early 1900 when a gold occurrence was discovered on Dome Mountain, and as a result of this discovery, intensive prospecting was initiated in the surrounding areas. By 1934, some gold-bearing quartz veins were discovered north of Topley in the Richfield Creek area which assayed 0.04 to 0.23 oz/ton gold and 1.86 to 460.0 oz.ton silver. It was associated with copper, lead and zinc mineralization. The whole area has been worked intermittently by a number of companies. Canadian United Minerals Inc. developed ore reserves of 410,000 tons grading 0.5 oz/ton gold and 3.0 oz/ton silver on Dome Mountain area. Noranda Explorations Limited carried out an exploration program of soil geochemistry, magnetometer survey, trenching and drilling during 1967. They exposed copper mineralization by trenching but 200 feet of diamond drilling was inconclusive. Since then, the property has been inactive until recently when Crisan Resources Limited acquired the property and carried out an exploration program in 1987.

The area overlies the Hazelton Group of volcanics and metasediments of early and middle Jurassic age. This group of rocks represents eugeosynclinal island-arc sequence which was deposited in the Hazelton Trough. These rocks overlie the Takla Group of Triassic age and underlies the Bowser Lake Group of rocks of middle to Upper Jurassic age.

Mineralization occurs as fracture fillings and hosted by volcanics. The mineral assemblage of pyrite, chalcopyrite, minor sphalerite, galena, tetrahedrite and occasionally very minor bornite is noticed. Calcite and quartz occur as fracture fillings with hematite and epidote as gangue minerals.

The soil geochemical survey was not very successful due to heavy overburden, but some of the values are very high and erratic. These high values coincide with airborne magnetic high and low values. The present trenched mineralized area is very similar to the Dome Mountain gold deposit of Canadian United Minerals Inc. The erratic soil sample values are very encouraging. It appears that there is a good potential to find an ore deposit of economic value. Therefore a program of further exploration of two stage is recommended which will cost $196,900.

TABLE OF CONTENTS

1 INTRODUCTION

1.1 Ownership and Claim Status

1.2 Location and Accessibility

1.3 Topography, Vegetation and Climate

1.4 History

1.4.1 Regional

1.4.2 Property

2 GEOLOGY

2.1 Regional

2.2 Property

2.2.1 Mineralization

3 GEOCHEMISTRY

3.1 Introduction

3.2 Sampling Method

3.3 Analytical Procedure

3.4 Results

4 GEOPHYSICS

4.1 Introduction

4.2 Results

4.3 Instrumentation and Theory

4.4 Survey Procedure

4.5 Data Reduction and Compilation

5 CONCLUSIONS

6 RECOMMENDATIONS

6.1 Cost Estimate

7 CERTIFICATION

8 BIBLIOGRAPHY

9 COST STATEMENT

TABLE OF CONTENTS (continued)

FIGURES

Figure 1	Location Map
Figure 2	Claim Map
Figure 3	Regional Geology
Figure 4	Property Geology, Sample Locations & Grid Plan

TABLES

Table 1	Summary of Claim Information

APPENDICIES

Appendix I	Chip and Grab Sample Assay Results
Appendix IA	Chip Sample Assay Results
Appendix II	Soil Sample Assay Results
Appendix III	Analytical Procedures

1 INTRODUCTION

This report is on the Perrow 300, Peeler and Java 300 mineral claims which consist of 60 units. The claims are located about 10 kilometers north of the village of Perrow on Highway No. 16 about 20 kilometers southeast of Dome Mountain in the Omineca Mining Division, B.C. The report is based primarily on G.C. Singhai's (1988) report, who visited and made an examination of the property in the fall of 1987.

The report describes the results of a geochemical and airborne magnetic survey and Mr. Singhai's property examination, all carried out in the summer and fall of 1987. The property is of interest as a potential gold prospect.

1.1 OWNERSHIP AND CLAIM STATUS

Figure 2 is a claim plan of the area. Table 1 summarizes particulars of the claim.

TABLE 1 - SUMMARY OF CLAIM INFORMATION

CLAIM NAME	REC. #	# UNITS	EXPIRY DATE	RECORDED HOLDER
JAVA 300	8372	20	May 6, 1987	Crisan Resources Ltd.
PERROW 300	8375	20	May 6, 1987	Crisan Resources Ltd.
PEELER	8806	20	Sept 9, 1987	L.Brewer (in trust for Crisan

The listed expiry date does not take into account the work which was the subject of this report as accepted as filed.



CRISAN RESOURCES LTD.

JAVA 300, PERROW 300, & PEELER PROPERTIES

PERROW, OMINECA M.D., B.C.

CLAIM MAP

N.TS 93 L/10	AUGUST 1987	SCALE 1:50000	FIG 2

1.2 LOCATION AND ACCESSIBILITY

The property is located about 50 air kilometers southeast of Smithers and about 10 kilometers north of Perrow. It is centeredapproximately $50^{o}34'50"$ north latitude and $126^{o}31'47"$ west longitude.

The property is accessible by about 73 kilometers and about 18 kilometers from Smthers and Houston, respectively, by Highway 16 to Perrow, then some 10 kilometers by logging road. Part of this road is gravel and the rest is a cat trail. Other parts of the property are accessible by logging roads. These roads have to be travelled by four-wheel drive vehicle. Main supplies are available from Smithers, Houston and Prince George (see figure 1).

1.3 TOPOGRAPHY, VEGETATION AND CLIMATE

The area is located on the northern slope of the southeast end of Babine Range. The northern slope is very gentle except the eastern slope of the southern part of the property. Elevation varies from about 1098 meters in the northern part of the property to 1402 meters above sea level on the southern part of the property.

Most of the property is logged but there is still some parts of the area covered by coniferous forest of ecomomic value. The forest consists of fir, pine, hemlock and spruce trees and have a heavy undergrowth. Timber can be used for mining.

The climate of the area is similar to the West Coast. It is very pleasant in the summer but heavy snow falls in the winter to approximately 1.5 meters with temperatures varying from $90^{o}F$ to $-20^{o}F$. Mining can be carried out throughout the year by maintaining roads. There is enough water available from a lake located in the northwestern part of the area and there are other small lakes in the area which can supply water for drilling and mining.

CRISAN RESOURCES LTD.

B.C. LOCATION MAP

JAVA 300, PERROW 300 & PEELER CLAIMS
PERROW, OMINECA M.D., B.C.

PROPERTY

GOLD & CACHE CLAIMS
KAY CREEK, CLINTON M.D., B.C.

PROPERTY



1.4 HISTORY

1.4.1 REGIONAL

The history of the Smithers, Houston and Topley area dates as far back as the late 1800's and early 1900's. by 1914, a large number of mineral occurrences had been discovered in the regional area. Further development work on many of these prospects continued until the late 1920's and then only intermittently to present. This produced several mines including the Duthie, Cronin-Babine, Nadina and at the present time, the Equity Silver Mine near Houston, B.C.

During the period 1927 to 1929, prospecting and development work took place between Tachek Mountain and Mt. McCrea area and gold, silver, copper, lead and zinc deposits were located in Richfield Creek area.

In 1934, a 5 foot wide shear zone was discovered on the Richfield Topley Group of claims which was mineralized by two feet of quartz vein striking $N45^{O}E$, dipping $45^{O}SE$, and carrying pyrite, chalcopyrite, sphalerite and galena. It assayed approximately $30/ton in gold, silver and copper when the gold price was $34 an ounce. As a result, some of the other groups of mineral claims such as the Gold Group, Golden Eagle Group, Three Star Group and Jack Rabbit Group were located and prospected in the area and new mineralized veins were discovered carrying 0.4 to 0.23 oz/ton gold and 1.80 to 460.0 oz/ton silver, apart from copper, lead and zinc.

Gold mineralization was discovered in the Dome Mountain area in 1914 and approximately 11 veins were located carrying high gold and silver values. In 1918, a bulk sample from the Chrisholm vein assayed 2.5 az/ton gold. Extensive development work was carried out during the period 1923 tO 1925 on the Fork vein which assayed 5.5 oz/ton gold over 25 feet. A shipment of 310 kg was sent to Ottawa for analysis in 1938 which returned as 1.76 oz/ton gold. A number of other companies

worked on the property intermittently including Amoco Canada (1970's), Reako Explorations and Panther Mines, and by 1984 a total of 255 ounces gold and 470 ounces of silver was recovered. Noranda Exploration carried out exploration work of soil sampling, trenching, and diamond drilling. Canadian United Minerals acquired the property from Noranda Exploration and developed the ore reserves of 410,000 tons grading 0.50 oz/ton gold and 3.0 oz/ton silver in a joint venture with Teeshin Resources of Toronto.

1.4.2 PROPERTY

The present property of Crisan Resources Limited is located approximately 20 kilometers southeast of Dome Mountain. It was covered by the Pehu, Lady, and Lucky Group of claims during 1967-68, and Noranda Exploration carried out exploration work consisting of a soil geochemistry survey, EM survey, trenching and about 200 feet of diamond drilling. The geochemical survey was not very reliable due to heavy glacial drift overburden. Trenching exposed some mineralized zones but drilling was inconclusive. Results of this drilling is not available.

During the summer 1987, Crisan Resources Limited had carried out an exploration progam of geochemical survey, preliminary geological mapping and airborne magnetic survey.

2 GEOLOGY

2.1 REGIONAL

The general geology of the Smithers-Houston area was studied by G. Hanson, 1924; T.C. Phemister, 1928; and A.H. Lang, 1929,1938,1939 and published in a geology map No. 671A of the Houston area to accompany paper No. 40-18 by the Geological Survey of Canada. The area was also mapped by H.W. Tipper and T.A. Richards of the Geological Survey of Canada and published in Bulletin No. 270, 1976. These studies indicate that the area is underlain by the Hazelton Group of volcanics and sedimentary rocks of early and middle Jurassic age.

The Hazelton Group of rocks represents a eugeosynclinal island-arc sequence that was deposited in the Hazelton Trough. The Hazelton Group overlies the Triassic Takla Group and underlies the middle to upper Jurassic Bowser Lake Group. This group is divided into three geological formations.

The oldest and most widespread group is called the Talkwa Formation. It mainly consists of clac-alkaline volcanics. These volcanics are dominately subaerial eruptions but within the Nilkitkwa Depression are of subaquaeous origin. It is this formation which makes up the bulk of the Babine Range.

The Talkwa Formation has been subdivided into five distinctive facies belts which represents variable depositional events across the Hazelton Trough.

The Talkwa Formations are overlain by conformable fine-grained clastic and tuffaceous assemblages of the Lower Pliensbachian to Middle Toarcian Nilkitkwa Foomation. This formation indicates an abrupt and regional facies change from the underlying volcanic rocks. Volcanic rocks are prevalent throughout the formation, but are most voluminous near or at its top where three members have been defined.

The upper most formation of the Hazelton Group is the Smithers Formation. It is characterized by a widespread, shallow marine, clastic tuff. (see figure 3 and 4).

2.2 PROPERTY

The claim area may be underlain by Babine shelf facies and consists of subaqueous and subaerial pyroclastic volcanics intercalated with sediments.

2.2.1 MINERALIZATION

The most of the area is covered by glacial drift and few outcrops are seen in the area. The only mineralization is exposed in trenches. Most of the mineralization is noticed as fine fracture fillings and big blebs of chalcopyrite with numerous fine veinlets of calcite. The general mineral assemblage of pyrite, chalcopyrite, minor sphalerite, galena, tetrahedurite, and occasional very minor bornite is seen in host rock of fine-grained greenish andesitic volcanics. Malchite, specularite, barite, and epidote is also noticed. The host rock, quartz, calcite and epidote, occurs as gangue minerals.

3 GEOCHEMISTRY

3.1 INTRODUCTION

During the summer of 1987 Crisan Resources established a grid of 38 line kilometers. The lines were spaced at 100 meters with 25 station intervals. A total of 1150 soil samples were collected. Due to the absence of soil, eight hard rock chip samples were collected. These were treated as soil samples. The soil samples were analyzed by ICP for Cu, Pb, Zn, Sb, As, Ag and reported in ppm. Gold was analyzed by atomic absorption and reported in ppb.

During his property examination, Mr. Singhai collected 8 chip and grab samples. Location of these samples are marked on figure 4. Also, 11 chip samples were collected from trenches and outcrops by Stephen B. Bishop. The locations of these samples are marked on figure 4.

3.2 SAMPLING METHOD

Conventional sampling practices were followed. Soil samples were collected and placed in Kraft paper bags. Where possible, the 'B' horizon was sampled. Samples were then air dried before sending them to the laboratory.

LEGEND

127°
55°00'

CENOZOIC

TERTIARY

POST-EOCENE

10 — *Basalt; minor andesite, agglomerate and tuff*

EOCENE OR OLIGOCENE

9 — *Sandstone, conglomerate*

EOCENE (?)

8 — *Rhyolite*

7 — *Chiefly granite and diorite*

CRETACEOUS OR TERTIARY

UPPER CRETACEOUS OR YOUNGER

6 — *Sandstone, greywacke, argillite; minor quartzite, conglomerate, and andesite*

MESOZOIC

JURASSIC OR CRETACEOUS

4 — *Andesite, andesite breccia, rhyolite; 4a, argillite, conglomerate*

JURASSIC

3 — *Andesite, rhyolite, and related tuffs; minor argillite*

2 — *Argillite, argillaceous quartzite, quartzite, limestone, tuff*

1 — *Andesite, agglomerate, water-lain tuff; minor basalt and rhyolite*

HAZELTON GROUP

5a-5e — **MESOZOIC**

5a, *undivided volcanic rocks, chiefly equivalent to 1;* **5b**, *andesite, tuff, argillite, sandstone, and limestone (probably pre-Jurassic);* **5c**, *fossiliferous tuffs;* **5d**, *rhyolite;* **5e**, *rhyolite, arkose, minor granite*

5 — *Granite. Older than 4; age relations to 1, 2, and 3, unknown*

45'

30'

N

CRISAN RESOURCES LIMITED

JAVA 300, PERROW 300, PEELER CLAIMS

REGIONAL GEOLOGY

DOME MTN. AREA

N.T.S. 93L/10E — OMINECA M.D., B.C.


GI AL SURVEY
45'
30'
15'
CASSIAR D
COAST DISTRIC
Newman
Peninsula
Tanglechain Lake
Chapman Lake
CRONIN MTN.
MT. HYLAND
ASTLAIS MTN.
Saturday Lake
Fulton Lake
Topley Landing
DOME MTN.
Guess Lake
Deception Lake
Lennac Lake
Baboon Lake
PROPERTY LOCATION
McQuarrie Lake
TACHEK MTN.
MT. McCREA
Cobham Lake
Walcott
Perow
Topley
Gilmore Lake
Sunset Lake


ANGELA LAKE
A
TRENCHES BY NORANDA (1960's)
sample # 87-2320 — 2335
F
JAVA 300
LAKE
A
D
GRID B
E
C
A
TRENCHES BY NORANDA,(1960s)
PERROW 300
B
PEELER
LEGEND
FAULT & FAULT LINEAMENTS (approx)
GEOLOGICAL BOUNDARY (approx)
A
B
C
D
E
F
N
CRIBAN RESOURCES LTD.
PERROW 300 & PEELER CLAIMS
PROPERTY GEOLOGY
STRYDER EXPLORATIONS LTD.

3.3 ANALYTICAL PROCEDURES

The soil samples and Mr. Bishops chip samples were analyzed by Acme Analytical Laboratories, 852 East Hastings Street, Vancouver, B.C. The analytical procedures are given in appendix III. Mr. Singhai's chip and grab samples were analyzed by Chemex Labs Ltd., 212 Brooksbank Ave., North Vancouver, B.C.

3.4 RESULTS

The soil sample assay values vary from 5-438 ppm Cu, 2-88 ppm Pb, 35-6240 ppm Zn, 0.1-7.4 ppm Ag, 2-460 ppm As, 2-18 ppm Sb, and 1-53 ppb Au. A completed tabulation of assay values is given in appendix II.

The assay values from Mr. Bishop's chip samples vary from 11-32102 ppm Cu, 2-38 ppm Pb, 34-253 ppm Zn, 0.1-72.2 ppm Ag, 2-0% ppm As, and 1-480 ppb Au. See appendix IA for the complete breakdown of the assays.

Mr. Singhai's chip and grab samples returned assay values as follows:

Sample Number	Au oz/ton	Ag oz/ton	Cu oz/ton	Zn oz/ton	Width in Meters
2330	0.002	0.01	0.42	0.02	2.0 m chips
2331	0.008	0.02	0.42	0.02	Grab Sample
2332	0.002	0.02	0.61	0.02	Grab Sample
2333	0.002	0.01	0.08	0.02	2.1 m chips
2334	0.002	0.01	0.16	0.01	1.0 m chips
2335	0.002	0.01	0.01	0.01	Grab Sample

See appendix I.

4 GEOPHYSICS

4.1 INTRODUCTION

An airborne magnetic survey was carried out during July 1987 over 300 properties and surrounding area which included the Java, Perrow and Peeler mineral claims. This survey was carried out by Columbia Airborne Geophysical Services (1984) Ltd. totalling 218.2 line kilometers, under the supervision of Lloyd C. Brewer. The object of the survey was to help with the geological and structural mapping of the area and to find out the relationship of magnetic anomalies with the exposed mineralization.

4.2 RESULTS

The magnetic field within the property varied from a low of less than 2000 gammas to a high of 3500 gammas. The high magnetic values may be due to the intrusive bodies which carry magnetite such as gabbro dykes or plug. These high values also coincide with topographic highs which may be due to intrusive bodies. It has also been noticed that low magnetic zones in the northeast of the Java 300 claim coincide with the trenched area where some mineralization is exposed. Therefore, these low magnetic zones may represent alteration zones.

4.3 INSTRUMENTATION AND THEORY

The magnetic data are detected using a nuclear-free precession proton magnetometer, manufactured by Sabre Electronic Instruments Ltd. of Burnaby, B.C. The magnetometer measures the total count of the earth's magnetic field intensity with a sensitivity of one gamma. The data are recorded on a magnetic tape and 12 cm analog strip chart.

The magnetic patterns obtained form a regional airborne survey are directly related to the distribution of magnetite in the survey area. However, the geology cannot be deduced from isomagnetic maps by simply assuming that all magnetic highs are underlain by gabbro or ultamafic rocks, and that all magnetic lows are caused by limestone or chert. The problem with such a simplistic approach is that magnetite is not uniformly distributed in any type of rock. Other problems arise from the fact that most geologic terrains have rocks of high susceptibiltiy superimposed on less 'magnetic' rocks, and vice versa. Cultural features such as powerlines, pipelines and railways also complicate matters. So many variables can be involved that it may be impossible to make a strictly accurate analysis of the geology of an area from magnetic data alone. It is preferable to use other information such as geological , photogeological and electromagnetic in combination with magnetic data to obtain a more accurate geological analysis.

4.4 SURVEY PROCEDURE

A two-meter bird was fitted with a magnetometer coil and towed beneath the helicopter on a 10-meter cable. The terrain clearance for the bird was 50 m.

The survey was straight line flown at a line spacing of 200 m. Navigaiton was visual, using 1:50,000 scale maps blown up to 1:10,000.

The aircraft used to conduct this survey was a Bell 206 Jet Ranger helicopter. Airspeed was a constant 60 KPH so that creek valleys and canyons were penetrated thoroughly. The slow airspeed provided safely, detailed coverage of boxed-in areas, and consistency of data retrieval, which is critical in rugged terrain.

The number of line km flown as shown on Map 2 is 218.2 kilometers.

The project supervisor, Mr. Brewer, has over 7 years experience in conducting aerial magnetic and electromagnetic surveys from fixed and rotary-wing aircraft, under all types of terrain conditions.

4.5 DATA REDUCTION AND COMPILATION

The observant magnetic total field was recorded on analogue strip charts. These were played back together with audio recordings containing fiducial markers, and the fiducial markers were transferred to the strip charts. The fiducial markers were identified with topographical features along the flight lines.

The magnetic data were taken from the strip charts and plotted at a scale of 1:10,000 (1 cm = 100 m). The data were then contoured at a 200 gamma interval onto Map 3.

5 CONCLUSIONS

The above study indicates that the property is located in a favorable geological and structural environment. The area overlies the Hazelton Group of volcanics and metasedimentary rocks of early and middle Jurassic age. The Hazelton Group of rocks represents eugeosynclinal islain-arc sequence which was deposited in the Hazelton Trough. The Hazelton Group overlies the Triassic-Takla Group and underlies the middle to upper Jurassic Bowser Lake Group. Dome Mountain deposits of Canadian United Minerals Inc. also occurs in similar geological and structural environment.

A mineral assemblage of chalcopyrite, pyrite, minor sphalerite, galena, tetrahedrite, and occasionally very minor bornite is noticed. Calcite, quartz, epidote, hematite, and wallrocks occur as gangue minerals. This mineralization is noticed as fracture fillings in the area. The occurence of free gold with chalcopyrite is reported in the trenched area.

The geochemical method of exploration is not very successful due to heavy overburden but some of the values are very interesting and have erratic high values. It also suggests that gold may be associated with arsenopyrite, zinc and copper but some soil samples should be assayed for mercury. The spacing of the grid should be about 30 meters apart with 25 meter station intervals.

Airborne magnetic high values coincide with the topographic highs which may be due to intrusive bodies. Magnetic high values may also coincide with a gossanized area as noticed during the survey. This suggests that some of these highly anomalous zones should be tested by a ground magnetometer survey. On the other hand, it has also been noticed that the low magnetic anomalous zone also coincides with the area which is mineralized and exposed by trenching, which suggests that low magnetic zones may be due to alteration of hosting rocks.

The geological and structural environment is such which has a very good potential of hosting ore deposits of economic values. Some of the geochemical results are encouraging and soil sampling should be carried out on low magnetic anomalous areas. Therefore, further exploration work is warranted.

6 RECOMMENDATIONS

As a result of the above studies, it is recommended that the following program of exploration be undertaken.

1. The airborne magnetic high and low anomalous zones should be covered by ground magnetic survey, EM survey and detailed soil sampling.

2. Soil samples should be assayed for arsenic, copper, zinc, mercury, gold and silver.

3. Geochemical, magnetic, and EM anomalies should be tested by trenching and bulldozing and diamond drilling.

4. The geology of the area should be mapped in detail.

5. It appears that mineralization is controlled by fractures. Therefore, photogeology should be carried out and fracture systems should be studied in detail.

This program can be implemented in two stages. The implementation of the second stage will depend on the success of the first stage.

6.1 COST ESTIMATE

STAGE 1

1.	20 kilometers of line cutting at $250/line kilometer	$ 5,000.00
2.	800 soil samples and analyses for Cu, As, Sb, Ag, Zn, in ppm and Au in ppb @ $20/sample	16,000.00
3.	20 line kilometers of VLF-EM survey @ $200/line kilometer	4,000.00
4.	20 line kilometers of ground magnetic survey @ $200/line kilometer	4,000.00
5.	Trenching and bulldozing	8,000.00
6.	Photogeology	4,000.00
7.	Geological mapping and prospecting	10,000.00
8.	Sampling and assaying	2,000.00
9.	Supervision and engineering	8,000.00
		61,000.00
	Contingencies @ 10%	6,100.00
		$ 67,000.00

STAGE II

1.	1000 meters of diamond drilling @ $100.00/meter	100.000.00
2.	Assaying	3,000.00
3.	Supervision and engineering	15,000.00
		118,000.00
	Contigencies @ 10%	11,800.00
		$129,000.00
	Total of Stage I and Stage II	$ 196,900.00

7 CERTIFICATE

I, Nicholas Gibson, resident of Vancouver, Province of British Columbia, hereby certify as follows:

1. I am an independent consulting geologist.

2. I am a graduate of the University of Windsor, Ontario with a B.Sc. (1986) in geology.

3. I have practiced my profession since graduation.

4. I have no direct, indirect or contingent interest in the shares or business of the property which is subject of this report or of the property holder.

5. This report is based on my examination of the reports and data supplied to me by Stryder Explorations Ltd., of Vancouver, British Columbia.

NICHOLAS GIBSON

Dated at Vancouver, Province of British Columbia, this 10th day of June, 1988.

8 BIBLIOGRAPHY

Brewer, Lloyd C.
Nov. 14, 1987
Airborne Magnetic Survey on Java 300, Perrow 300, and Peeler Claims, Dome Mountain, Smithers Area, B.C.

Bishop, Stephen B.
August 1987
Geological and Geochemical Report on the Peeler, Perrow and Java Claims, Omineca Mining Division, Houston, B.C. for Crisan Resources Ltd.

Cavey, George and
Holland, Robert
Jan. 22, 1985
Geological and Geochemical Report on the Property of New Albion Resources Corp., NTS 93L/10E, Omineca Mining Division, B.C.

Helgason, Robert and
Holland, Robert
Dec. 4, 1986
Harrison, Don J.
Oct. 4, 1986
Report on the Del Santo Claim Glock for Panther Mines/Leif Ostensoe, NTS 93L/10, Omineca Mining Division, B.C. Dome Mountain Property, Smithers B.C., Structure, Geology and Mineralization Paper Presented at the C.I.M.M., Oct.4, 1986, Victoria, B.C. (Harrison, Geologist, Canadian United Minerals, Inc.)

Jeletzky, O.L.
1976
Preliminary Report on Stratigraphy and Depositional History of Middle to Upper Jurassic Strata in McConnel Creek Map Areas (94D West Half), B.C. G.S.C. Paper 76-1A. Report on Activities Part A.

Singhai, John
Jan. 3, 1988
Report on Java 300, Peeler, and Perrow 300 Mineral Claims, Dome Mountain Area, Omineca Mining Division, B.C., for Crisan Resources Ltd

Annual Reports Minister of Mines of B.C., 1923, p. A113; 1925, p. A141; 1926, p. A144: 1928, p. C117; 1930, p.A144-A145.

Geochemical Soil Survey of Black Mountain Property by Noranda Explorations Ltd., Assessment Report No. 1559, 1967

Map #278A Prince Rupert Sheet, British Columbia. Scale 1" = 8 miles. Geology compiled from survey by Geological Survey.

News Releases by Canadian United Minerals Inc. in World Investment News of September, 1987.

9 COST STATEMENT

I, Lloyd C. Brewer, President of Stryder Explorations Ltd., and Columbia Airborne Geophysical Services (1984) Ltd., do hereby declare that the following is a true and accurate statement of costs incurred in programs of exploration undertaken on the Java claims between July 1, 1987 and November 18, 1987.

AERO MAGNETIC SURVEY	218.2 1km @ $75/1km	$ 16,364.00
SOIL SAMPLES (collection)	1150 @ $10/sample	11,500.00
SOIL ANALYSIS (6 element ICP and Au by A.A.)	1150 @ $11.25/sample	12,937.50
ROCK SAMPLES	19 @ $20/sample	380.00
PROSPECTING/GEOLOGICAL MAPPING	15 @ $200	3,000.00
MOB-DE-MOB VANCOUVER-HOUSTON RETURN		1,000.00
DRAFTING AND DATA PRESENTATION		1,500.00
ENGINEERING AND SUPERVISION		1,500.00
TOTAL COST OF PROGRAM		$ 52,800.00

Respectfully submitted,

Lloyd C. Brewer
President

APPENDICES

APPENDIX - I

CHIP AND GRAB ASSAY RESULTS

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GHAI ENGINEERING INTERNATIONAL LTD.

415 - 675 W. HASTINGS ST.
VANCOUVER, B.C.
V6B 1N2

Project :
Comments:

Page No.
Tot. Page.
Date : 16-NOV-87
Invoice # : I-8725767
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8725767

SAMPLE DESCRIPTION	PREP CODE		Cu %	Pb %	Zn %	Sb NAA %	Ag oz/T	Au oz/T				
3330 D	207	—	0.42	< 0.01	0.02	delay	0.01	< 0.002				
3331 D	207	—	0.42	< 0.01	0.02	delay	0.02	0.008				
3332 D	207	—	0.61	-----	0.02	delay	0.03	0.002				
3333 D	207	—	0.08	-----	0.02	-----	0.01	0.002				
3334 D	207	—	0.16	-----	0.01	-----	< 0.01	< 0.002				
3335 D	207	—	0.01	-----	0.01	-----	< 0.01	< 0.002				
3336 D	207	—	-----	-----	-----	-----	< 0.01	< 0.002	—			

APPENDIX 1

CERTIFICATE INCOMPLETE

CERTIFICATION : B Stuart

APPENDIX - IA

CHIP SAMPLE ASSAY RESULTS

APPENDIX 1A

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
TRENCH #2	7627	2	134	.7	2	3	1
TRENCH #3	7698	5	187	1.0	2	2	1
TRENCH #9	1818	3	64	.5	6	2	18
TRENCH #10	3978	5	72	.4	2	2	1
TRENCH #11	443	3	43	.1	3	2	1
L104+00E 92+00N	52	2	34	.1	4	2	1
L106+00E 101+00N	49	4	156	.1	3	2	1
PEELER/WOLFE 3+00S	11	2	108	.1	50	2	1
PEELER/WOLFE 3+20S	13	2	87	.1	29	2	2
UP 7/8	32102	4	253	72.2	25	2	2
STD C/AU-R	60	37	132	6.9	36	16	480

APPENDIX - II

SOIL SAMPLE ASSAY RESULTS

APPENDIX 2

ACME ANALYTICAL LABORATORIES
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE 253-3158 DATA LINE 251-1011

DATE RECEIVED: SEPT 12 1987
DATE REPORT MAILED: Sept. 23/87.

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA AND K. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: P1-32 SOILS P33-ROCKS AU* ANALYSIS BY AA FROM 10 GRAM SAMPLE.

P-20 MESH, PULVERIZED

ASSAYER: DEAN TOYE, CERTIFIED B.C. ASSAYER

STRYDER EXPLORATION PROJECT-300 File # 87-4100 Page 1

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
105+00N 100+00E	55	8	185	.8	10	2	1
105+00N 100+25E	30	6	125	.6	11	4	2
105+00N 100+50E	27	10	137	.5	8	2	2
105+00N 100+75E	56	88	283	.7	21	2	1
105+00N 101+00E	34	12	122	.4	7	2	1
105+00N 101+25E	26	10	97	.4	7	2	1
105+00N 101+50E	12	5	56	.2	3	2	1
105+00N 101+75E	28	2	108	.5	7	3	1
105+00N 102+00E	69	13	184	.7	15	2	1
105+00N 102+25E	17	9	94	.3	13	2	1
105+00N 102+50E	18	13	121	.3	6	2	1
105+00N 102+75E	9	5	65	.2	4	2	1
105+00N 103+00E	8	6	49	.1	3	2	1
105+00N 103+25E	42	19	169	.5	14	2	1
105+00N 103+50E	65	13	195	1.3	18	4	2
105+00N 104+75E	103	19	168	1.4	18	2	1
105+00N 105+00E	75	6	124	1.2	17	2	2
105+00N 105+25E	17	9	114	.3	6	2	1
105+00N 105+50E	28	19	167	.3	16	2	1
105+00N 105+75E	19	4	100	.3	15	2	1
105+00N 106+00E	19	4	80	.3	8	2	1
105+00N 106+25E	14	6	88	.4	7	2	1
105+00N 106+50E	19	5	80	.2	7	2	1
105+00N 106+75E	10	4	45	.2	2	2	1
105+00N 107+00E	18	9	83	.1	10	2	1
105+00N 107+25E	32	7	122	.5	7	2	1
STD C/AU-S	58	38	128	6.9	39	18	48
105+00N 107+50E	18	15	77	.2	7	2	1
105+00N 107+75E	19	6	105	.1	7	2	1
105+00N 108+00E	14	8	73	.2	4	3	1
105+00N 108+25E	22	9	126	.3	9	2	1
105+00N 108+50E	17	7	89	.2	8	2	1
105+00N 100+00E	31	16	140	.1	3	2	1
105+00N 100+25E	24	21	183	.2	12	2	1
105+00N 100+50E	16	5	80	.3	7	2	1
105+00N 100+75E	17	17	88	.3	9	3	1
105+00N 110+00E	18	12	87	.1	8	2	1

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
105+00N 110+25E	19	7	140	.2	9	2	1
105+00N 110+50E	22	8	92	.1	9	2	2
105+00N 110+75E	17	11	92	.1	13	2	1
105+00N 111+00E	21	5	99	.3	10	2	2
105+00N 111+25E	101	15	175	1.4	12	2	1
105+00N 111+50E	35	10	104	.5	7	2	4
105+00N 111+75E	41	5	131	.4	15	4	2
105+00N 112+00E	15	6	77	.1	5	2	1
104+00N 100+00E	23	5	135	.1	16	2	3
104+00N 100+25E	21	13	173	.3	10	2	1
104+00N 100+50E	26	17	132	.5	9	2	1
104+00N 100+75E	10	5	69	.3	5	2	1
104+00N 101+00E	23	56	356	.7	21	3	2
104+00N 101+25E	12	12	70	.1	8	2	1
104+00N 101+50E	25	12	136	.3	10	2	1
104+00N 101+75E	16	8	113	.2	12	2	2
104+00N 102+00E	28	9	143	.3	10	2	1
104+00N 102+25E	29	15	139	.2	12	2	1
104+00N 102+50E	12	5	71	.1	4	5	1
104+00N 102+75E	10	6	39	.1	4	2	1
104+00N 103+00E	22	17	137	.1	14	2	2
104+00N 103+25E	16	11	89	.1	11	2	1
104+00N 103+50E	13	6	83	.2	8	2	1
104+00N 103+75E	19	5	85	.2	5	2	1
104+00N 104+00E	10	7	60	.1	2	2	3
104+00N 104+25E	18	10	99	.2	7	2	1
104+00N 104+50E	20	11	87	.3	8	3	1
104+00N 104+75E	28	6	84	.8	4	2	1
104+00N 105+00E	13	4	79	.1	5	2	1
104+00N 105+25E	17	14	85	.1	6	2	1
104+00N 105+50E	17	9	80	.1	7	2	1
104+00N 105+75E	19	11	102	.1	7	2	2
104+00N 106+00E	11	2	54	.1	3	2	1
104+00N 106+25E	15	11	71	.1	7	2	1
104+00N 106+50E	17	6	96	.1	9	2	3
104+00N 106+75E	28	12	109	.3	7	2	1
STD C/AU-S	61	39	128	6.9	38	17	51

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
104+00N 107+00E	15	7	74	.2	5	2	1
104+00N 107+25E	19	7	77	.1	5	2	1
104+00N 107+50E	22	9	107	.1	6	2	1
104+00N 107+75E	17	4	84	.1	7	3	1
104+00N 108+00E	15	7	76	.1	6	2	2
104+00N 108+25E	17	6	97	.1	6	2	1
104+00N 108+50E	14	10	72	.1	6	2	1
104+00N 108+75E	12	9	64	.1	4	2	1
104+00N 109+00E	18	9	96	.2	6	2	1
104+00N 109+25E	17	9	85	.1	8	2	2
104+00N 109+50E	16	7	74	.1	8	2	1
104+00N 109+75E	20	10	106	.1	8	2	1
104+00N 110+00E	19	6	82	.2	4	2	1
104+00N 110+50E	23	8	111	.1	11	2	1
104+00N 110+75E	21	10	99	.2	11	2	1
104+00N 111+00E	13	8	90	.1	6	2	1
104+00N 111+25E	16	11	87	.1	7	2	2
104+00N 111+50E	17	9	86	.1	8	2	1
104+00N 111+75E	22	12	94	.1	10	2	1
103+00N 100+00E	26	5	108	.3	8	2	1
103+00N 100+25E	15	7	82	.1	5	2	1
103+00N 100+50E	12	9	68	.1	4	2	1
103+00N 100+75E	30	8	104	.2	6	2	1
103+00N 101+00E	25	8	107	.1	7	2	2
103+00N 101+25E	26	10	93	.4	7	2	1
103+00N 101+50E	19	6	95	.1	6	2	1
103+00N 101+75E	22	4	126	.2	5	2	1
103+00N 102+00E	16	5	83	.1	5	2	1
103+00N 102+25E	18	12	101	.1	8	2	1
103+00N 102+50E	40	9	121	.6	10	3	1
103+00N 102+75E	23	10	100	.1	12	2	1
103+00N 103+00E	30	13	114	.5	12	3	1
103+00N 103+25E	28	12	119	.2	16	2	1
103+00N 103+50E	17	6	121	.1	6	2	2
103+00N 103+75E	18	4	102	.1	9	2	1
103+00N 104+00E	14	4	94	.1	8	2	1
STD C/AU-S	61	38	131	7.3	37	18	51

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
103+00N 104+25E	28	13	112	.3	9	4	1
103+00N 104+50E	35	17	135	.4	9	2	1
103+00N 104+75E	33	14	140	.5	9	2	1
103+00N 105+00E	34	16	163	.3	15	3	1
103+00N 105+25E	17	2	71	.2	12	2	2
103+00N 105+50E	12	9	59	.2	8	2	1
103+00N 105+75E	17	15	80	.1	11	2	1
103+00N 106+00E	18	4	74	.2	10	2	1
103+00N 106+25E	13	10	70	.2	7	2	1
103+00N 106+50E	13	8	83	.1	7	2	2
103+00N 106+75E	19	8	76	.1	10	2	1
103+00N 107+00E	25	12	101	.1	12	2	1
STD C/AU-S	59	38	131	7.1	39	17	49
103+00N 107+25E	20	3	89	.1	9	2	1
103+00N 107+50E	30	7	105	.4	10	2	1
103+00N 107+75E	16	8	79	.1	10	2	1
103+00N 108+00E	23	6	104	.1	12	2	1
103+00N 108+25E	13	10	61	.1	8	2	2
103+00N 108+50E	14	5	76	.1	10	2	1
103+00N 108+75E	14	6	65	.3	10	2	1
103+00N 109+00E	27	14	92	.1	14	2	1
103+00N 109+25E	27	9	80	.4	6	2	1
103+00N 109+50E	19	10	89	.1	13	2	2
103+00N 109+75E	15	10	105	.1	10	2	1
103+00N 110+00E	17	5	107	.1	8	2	1
103+00N 110+25E	14	7	95	.1	6	2	1
103+00N 110+50E	55	8	137	.1	16	2	1
103+00N 110+75E	51	22	296	.7	22	2	1
103+00N 111+00E	14	18	120	.1	10	2	2
103+00N 111+25E	21	8	85	.1	8	2	1
103+00N 111+50E	15	8	107	.1	8	2	1
103+00N 111+75E	36	6	105	.3	12	2	1
103+00N 112+00E	24	7	106	.2	10	2	1
102+00N 100+50E	46	4	127	.3	8	2	1
102+00N 100+75E	28	3	145	.5	6	2	1
102+00N 101+00E	16	8	79	.1	6	2	2
102+00N 101+25E	24	10	100	.4	10	2	1

SAMPLE#		CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
102+00N	101+50E	53	5	222	.5	10	2	1
102+00N	101+75E	51	10	132	1.3	10	3	1
102+00N	102+00E	50	5	121	.7	8	3	1
102+00N	102+25E	54	5	145	.7	10	2	1
102+00N	102+50E	50	3	127	.9	6	2	1
102+00N	102+75E	42	2	80	.7	10	2	1
102+00N	103+00E	41	2	79	1.0	5	2	1
102+00N	103+50E	22	2	28	.4	2	3	1
102+00N	103+75E	77	3	145	1.5	13	2	1
102+00N	104+00E	50	5	126	1.0	8	2	2
102+00N	104+25E	27	6	64	.5	4	2	4
102+00N	104+50E	60	2	131	1.2	9	2	1
102+00N	104+75E	18	5	88	.1	6	4	1
102+00N	105+00E	34	8	127	.1	7	3	1
102+00N	105+25E	12	2	64	.3	5	2	1
102+00N	105+50E	16	9	108	.1	11	2	1
102+00N	105+75E	28	10	147	.1	9	2	1
102+00N	106+00E	28	9	132	.3	14	2	1
102+00N	106+25E	23	7	136	.4	9	2	1
102+00N	106+50E	16	2	86	.2	5	2	1
102+00N	106+75E	21	3	125	.1	13	2	1
102+00N	107+00E	26	12	79	.2	5	2	1
102+00N	107+25E	19	6	83	.4	5	2	4
102+00N	107+50E	28	2	96	.4	8	2	1
102+00N	107+75E	17	2	88	.2	8	3	1
102+00N	108+00E	12	2	64	.2	4	2	1
102+00N	108+25E	17	4	93	.2	7	5	1
102+00N	108+50E	19	2	74	.3	5	2	1
102+00N	108+75E	23	2	81	.2	7	2	7
102+00N	109+00E	21	3	72	.2	10	2	1
102+00N	109+25E	48	5	127	.7	16	2	1
102+00N	109+50E	23	5	85	.2	6	4	1
102+00N	109+75E	20	2	87	.1	6	2	1
102+00N	110+00E	20	7	76	.2	7	2	1
102+00N	110+25E	20	3	106	.2	5	2	1
102+00N	110+50E	17	2	89	.2	7	3	1
STD C/AU-S		63	37	133	7.3	40	15	48

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
102+00N 110+75E	16	10	71	.1	4	2	1
102+00N 111+00E	13	9	62	.1	7	2	1
102+00N 111+25E	23	11	103	.1	7	2	1
102+00N 111+50E	15	5	77	.2	7	2	1
102+00N 111+75E	18	8	114	.2	10	2	1
102+00N 112+00E	8	8	28	.1	3	2	1
100+00N 100+00E	31	6	130	.3	13	2	2
100+00N 100+25E	24	8	94	.1	8	2	1
100+00N 100+50E	19	11	59	.1	6	2	1
100+00N 100+75E	15	7	51	.1	5	2	2
100+00N 101+00E	17	7	59	.1	4	2	1
100+00N 101+25E	12	9	60	.1	5	2	1
100+00N 101+50E	18	9	72	.1	6	2	1
100+00N 101+75E	15	4	54	.1	4	2	1
100+00N 102+00E	16	7	59	.1	9	2	2
100+00N 102+25E	17	11	73	.1	13	2	2
100+00N 102+50E	8	5	35	.1	4	2	1
100+00N 102+75E	18	15	110	.1	11	2	2
100+00N 103+25E	71	7	79	.7	13	2	2
100+00N 103+75E	82	11	90	1.8	8	2	1
100+00N 104+00E	27	14	154	.2	14	2	1
100+00N 104+25E	36	11	171	.4	14	2	1
100+00N 104+50E	21	12	109	.1	8	2	1
100+00N 104+75E	23	13	119	.3	18	2	2
100+00N 105+00E	17	6	123	.3	3	2	1
100+00N 105+25E	53	8	171	1.0	10	2	1
100+00N 105+50E	28	11	121	.1	16	2	1
100+00N 105+75E	28	7	107	.3	12	2	1
100+00N 106+00E	18	11	86	.1	7	2	1
100+00N 106+25E	16	7	65	.2	5	2	2
100+00N 106+50E	16	3	90	.2	4	2	8
100+00N 106+75E	8	2	43	.1	2	2	1
100+00N 107+00E	14	9	78	.1	3	3	1
100+00N 107+25E	13	5	68	.1	4	2	1
100+00N 107+50E	14	3	65	.1	4	2	2
100+00N 107+75E	20	3	80	.2	7	2	1
STD C/AU-S	61	39	132	7.1	37	17	47

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
100+00N 108+00E	10	3	90	.1	2	2	1
100+00N 108+25E	13	7	83	.1	4	2	1
100+00N 108+50E	15	6	86	.1	3	2	1
100+00N 108+75E	12	6	62	.1	2	2	1
100+00N 109+00E	14	3	77	.1	4	2	13
100+00N 109+25E	10	3	63	.1	3	2	1
100+00N 109+50E	15	4	77	.2	3	2	1
100+00N 109+75E	17	7	70	.2	4	2	1
100+00N 110+00E	54	12	142	.9	8	2	1
100+00N 110+25E	25	8	98	.2	4	2	2
100+00N 110+50E	8	4	49	.1	4	2	1
100+00N 110+75E	18	8	60	.3	4	2	1
100+00N 111+00E	25	4	76	.1	6	2	1
100+00N 111+25E	34	9	135	.7	4	2	1
100+00N 111+50E	18	2	17	.4	2	2	1
100+00N 111+75E	32	7	81	.2	9	2	1
100+00N 112+00E	10	7	38	.1	5	2	1
99+00N 100+00E	18	4	82	.1	8	2	1
99+00N 100+25E	21	5	95	.1	5	2	1
99+00N 100+50E	46	8	130	.5	8	2	1
99+00N 100+75E	17	9	82	.1	4	2	1
99+00N 101+00E	9	10	40	.1	2	2	25
99+00N 101+25E	13	3	76	.1	3	2	1
99+00N 101+50E	23	10	108	.1	10	2	1
99+00N 101+75E	14	11	84	.1	5	2	1
99+00N 102+00E	15	6	63	.1	2	2	1
99+00N 102+25E	14	6	76	.1	2	2	1
99+00N 102+50E	16	2	126	.2	3	2	1
99+00N 102+75E	21	11	58	.1	6	4	1
99+00N 103+00E	27	8	66	.2	9	2	1
99+00N 103+25E	17	7	50	.2	3	2	2
99+00N 106+00E	25	12	149	.4	16	2	1
99+00N 108+00E	22	8	66	.1	7	3	1
99+00N 108+25E	26	9	66	.3	2	2	1
99+00N 108+75E	15	17	82	.2	4	3	1
99+00N 109+00E	16	2	68	.1	4	2	1
STD C/AU-S	59	39	130	7.0	39	18	52

STRYDER EXPLORATION PROJECT-300 FILE # 87-4100

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
99+00N 109+25E	13	5	61	.1	6	2	3
99+00N 109+50E	16	7	71	.1	7	2	1
99+00N 109+75E	13	12	61	.2	3	2	1
99+00N 110+00E	16	10	72	.1	3	2	4
99+00N 110+25E	12	12	65	.1	3	2	1
99+00N 110+75E	20	10	97	.3	9	2	1
99+00N 111+00E	20	11	86	.1	8	2	1
99+00N 111+25E	16	9	96	.1	10	2	1
99+00N 111+50E	18	8	88	.1	7	2	1
99+00N 111+75E	30	12	63	.5	11	2	1
99+00N 112+00E	18	7	84	.1	10	2	1
98+00N 101+00E	17	11	113	.2	7	2	1
98+00N 101+25E	18	11	96	.1	10	2	1
98+00N 101+50E	11	9	44	.1	4	2	12
98+00N 101+75E	7	9	28	.1	2	2	1
98+00N 102+00E	15	6	68	.1	3	2	1
98+00N 102+25E	16	6	66	.1	3	2	3
98+00N 102+50E	15	8	39	.3	3	2	4
98+00N 102+75E	9	14	34	.1	2	2	3
98+00N 103+00E	14	17	77	.1	8	2	1
98+00N 103+25E	68	20	130	1.4	26	2	1
98+00N 103+50E	18	5	74	.1	8	2	1
98+00N 103+75E	13	14	61	.1	5	3	1
98+00N 104+00E	14	7	68	.1	6	3	1
98+00N 104+25E	26	9	92	.2	9	4	1
98+00N 104+50E	17	13	112	.1	9	2	1
98+00N 104+75E	25	7	99	.3	8	4	1
98+00N 105+00E	13	6	63	.1	8	3	1
98+00N 105+25E	29	4	83	.4	7	2	2
98+00N 105+50E	28	25	92	.2	8	4	2
98+00N 107+00E	23	8	69	.1	5	3	1
98+00N 107+25E	15	7	61	.1	6	2	7
98+00N 107+50E	16	8	75	.1	4	2	1
98+00N 107+75E	10	5	59	.1	2	2	1
98+00N 108+00E	20	17	76	.1	11	2	1
98+00N 108+25E	17	12	73	.2	5	2	1
STD C/AU-S	61	41	132	7.0	35	17	49

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
98+00N 108+50E	9	5	38	.2	4	2	1
98+00N 108+75E	9	7	45	.2	3	2	1
98+00N 109+00E	13	8	66	.3	5	2	2
98+00N 109+25E	13	7	59	.2	6	2	1
98+00N 109+50E	19	9	85	.2	6	2	1
98+00N 109+75E	19	12	84	.3	7	2	1
98+00N 110+00E	11	6	47	.2	6	2	4
98+00N 110+25E	13	5	69	.2	5	2	2
98+00N 110+50E	17	6	71	.1	5	2	2
98+00N 110+75E	14	10	72	.3	7	2	1
98+00N 111+00E	16	12	65	.1	5	2	1
98+00N 111+25E	8	7	41	.1	3	2	1
98+00N 111+50E	14	6	61	.1	6	2	2
98+00N 111+75E	22	9	78	.2	10	2	2
98+00N 112+00E	18	8	80	.2	10	2	1
97+00N 101+00E	23	10	79	.2	14	2	1
97+00N 101+25E	9	7	49	.2	5	2	1
97+00N 101+50E	19	8	111	.3	14	2	1
97+00N 101+75E	15	9	96	.5	8	2	4
97+00N 102+00E	16	11	99	.3	11	2	1
97+00N 102+25E	21	12	84	.5	14	2	2
97+00N 102+50E	15	8	142	.1	11	2	1
97+00N 102+75E	9	9	57	.2	5	2	1
97+00N 103+00E	14	9	65	.1	7	2	2
97+00N 103+25E	33	20	132	.3	18	2	3
97+00N 103+50E	18	13	110	.2	13	2	1
97+00N 104+00E	13	6	70	.2	9	2	1
97+00N 104+25E	32	10	89	.7	8	2	2
97+00N 104+50E	18	8	103	.1	12	2	1
97+00N 104+75E	16	5	68	.1	8	2	1
97+00N 105+00E	39	10	103	.7	13	2	1
97+00N 105+25E	32	8	84	.3	9	2	4
97+00N 105+50E	40	9	93	.5	9	2	1
97+00N 106+00E	24	9	88	.1	9	2	1
97+00N 106+25E	34	9	104	.3	13	2	1
97+00N 107+25E	18	2	73	.3	7	2	1
STD C/AU-S	60	40	131	7.1	40	18	51

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
97+00N 107+75E	15	5	72	.1	6	2	1
97+00N 108+00E	19	4	82	.1	5	2	1
97+00N 108+50E	12	3	53	.1	4	2	1
97+00N 108+75E	11	6	42	.1	4	2	3
97+00N 109+00E	14	8	57	.1	4	2	1
97+00N 109+25E	10	9	37	.1	2	2	1
97+00N 109+50E	20	11	83	.1	8	2	1
97+00N 109+75E	22	6	74	.2	6	2	1
97+00N 110+00E	24	6	74	.1	4	2	1
97+00N 110+25E	27	5	84	.3	4	2	1
97+00N 110+50E	14	6	74	.1	3	2	2
97+00N 110+75E	23	2	100	.2	8	2	1
97+00N 111+00E	20	12	165	.4	8	2	4
97+00N 111+25E	27	13	82	.1	8	2	2
97+00N 111+50E	33	5	116	.3	4	2	1
97+00N 111+75E	19	4	59	.1	7	2	3
97+00N 112+00E	14	6	58	.1	6	2	1
97+00N 112+25E	18	9	67	.1	6	2	1
97+00N 112+50E	18	8	171	.1	10	2	2
97+00N 112+75E	14	9	64	.1	6	2	1
97+00N 113+00E	14	10	90	.1	9	2	5
97+00N 113+25E	25	11	92	.1	17	2	1
97+00N 113+50E	14	6	41	.1	3	3	1
97+00N 113+75E	23	3	58	.2	4	2	1
97+00N 114+00E	43	14	172	.5	13	2	3
97+00N 114+25E	26	7	54	.1	8	2	1
97+00N 114+50E	24	9	62	.1	8	2	1
97+00N 114+75E	18	5	65	.1	5	2	1
97+00N 115+00E	38	6	94	.2	7	2	1
96+00N 100+75E	56	10	116	.5	9	2	1
96+00N 101+00E	23	8	109	.1	7	2	1
96+00N 101+25E	15	9	90	.2	9	2	1
96+00N 101+50E	11	5	68	.1	2	2	1
96+00N 102+00E	64	11	216	.7	10	2	3
96+00N 102+25E	52	11	131	.8	14	2	1
96+00N 102+50E	15	16	88	.1	6	2	1
STD C/AU-S	62	38	132	7.2	37	17	50

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
96+00N 102+75E	13	7	53	.1	2	3	1
96+00N 103+00E	16	16	73	.1	6	2	1
96+00N 103+25E	18	15	77	.1	11	2	1
96+00N 103+50E	24	9	141	.1	15	2	1
96+00N 103+75E	18	6	70	.1	9	2	1
STD C/AU-S	61	37	130	7.2	38	18	51
96+00N 104+00E	20	10	96	.1	12	2	1
96+00N 104+25E	15	8	71	.1	5	2	1
96+00N 104+50E	29	9	134	.3	7	2	1
96+00N 104+75E	25	10	118	.2	6	2	2
96+00N 105+00E	27	10	89	.2	21	3	3
96+00N 105+25E	26	8	85	.3	7	2	1
96+00N 105+50E	28	14	134	.4	7	2	1
96+00N 105+75E	8	7	22	.1	2	3	1
96+00N 106+00E	26	6	162	.4	6	2	2
96+00N 106+25E	20	9	91	.3	9	2	1
96+00N 106+50E	47	14	166	.5	14	2	1
96+00N 106+75E	24	10	78	.2	6	2	1
96+00N 107+00E	12	13	76	.1	3	2	1
96+00N 107+25E	19	6	81	.4	6	2	1
96+00N 107+50E	35	9	89	.2	8	2	1
96+00N 107+75E	54	8	131	1.5	13	2	1
96+00N 108+00E	38	9	144	.3	10	2	1
96+00N 108+25E	50	15	147	.8	14	2	1
96+00N 108+50E	26	7	107	.2	10	2	1
96+00N 108+75E	17	4	69	.1	8	2	1
96+00N 109+00E	21	6	89	.2	4	2	1
96+00N 109+25E	44	46	202	1.2	9	3	1
96+00N 109+50E	15	7	74	.1	5	2	1
96+00N 109+75E	13	3	64	.1	4	2	1
96+00N 110+00E	12	6	54	.1	5	2	1
96+00N 110+25E	11	7	64	.2	4	2	1
96+00N 110+50E	19	8	58	.1	7	2	1
96+00N 110+75E	14	5	53	.1	5	2	2
96+00N 111+00E	17	5	127	.3	8	2	1
96+00N 111+25E	11	5	62	.1	4	2	1
96+00N 111+50E	15	6	75	.1	6	3	1

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
96+00N 111+75E	26	13	85	.1	6	2	1
96+00N 112+00E	17	4	102	.2	5	2	1
96+00N 112+25E	19	9	122	.1	2	2	1
96+00N 112+50E	17	7	104	.1	7	2	2
96+00N 112+75E	14	10	64	.1	4	2	1
96+00N 113+00E	18	9	85	.2	4	2	1
96+00N 113+25E	21	8	90	.3	5	2	1
96+00N 113+50E	18	9	97	.1	9	2	1
96+00N 113+75E	20	8	75	.1	10	2	2
96+00N 114+00E	14	5	56	.2	5	2	1
96+00N 114+25E	29	5	95	.2	6	2	1
96+00N 114+50E	28	3	116	.1	4	2	2
96+00N 114+75E	17	2	89	.2	7	2	1
96+00N 115+00E	42	10	98	.5	7	2	1
95+00N 100+00E	38	15	90	1.0	8	2	1
95+00N 100+50E	34	7	116	.2	7	2	2
95+00N 100+75E	16	15	67	.3	4	2	1
95+00N 101+00E	25	14	95	.1	6	2	1
95+00N 101+25E	16	10	66	.1	4	2	1
95+00N 101+50E	17	5	56	.3	4	2	2
95+00N 101+75E	19	4	111	.1	5	2	1
95+00N 102+00E	13	5	64	.1	4	2	1
95+00N 102+25E	11	6	59	.1	4	2	1
95+00N 102+50E	20	2	90	.1	9	2	2
95+00N 102+75E	19	14	121	.1	9	2	1
95+00N 103+00E	18	9	93	.1	8	2	1
95+00N 103+25E	12	2	59	.1	4	3	1
95+00N 103+50E	15	16	97	.3	8	2	1
95+00N 103+75E	16	11	76	.1	10	2	3
95+00N 104+00E	19	6	89	.3	4	2	1
95+00N 104+25E	18	8	103	.2	9	2	1
95+00N 104+50E	23	12	95	.3	13	2	1
95+00N 104+75E	18	4	93	.3	5	2	1
95+00N 105+00E	17	6	62	.5	4	2	2
95+00N 105+25E	22	5	90	.1	9	2	2
95+00N 105+50E	74	18	180	.5	9	2	1
STD C/AU-S	61	39	130	7.2	38	17	49

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
95+00N 105+75E	17	9	86	.2	13	2	1
95+00N 106+00E	92	12	133	.7	13	2	1
95+00N 106+25E	15	6	64	.1	8	2	3
95+00N 106+50E	24	4	84	.3	12	3	1
95+00N 106+75E	33	6	118	.1	14	2	2
95+00N 107+00E	32	17	133	.1	17	2	1
95+00N 107+25E	60	10	119	.7	17	2	1
95+00N 107+50E	17	8	67	.1	9	3	2
95+00N 107+75E	11	6	47	.1	7	3	1
95+00N 108+00E	30	13	84	.5	8	2	1
95+00N 108+25E	30	10	64	.2	10	2	1
95+00N 108+50E	34	6	63	.8	7	2	1
95+00N 108+75E	22	6	68	.1	9	2	1
95+00N 109+00E	13	4	107	.1	7	2	1
95+00N 109+25E	21	11	127	.2	20	2	1
95+00N 109+50E	8	6	52	.1	3	2	1
95+00N 109+75E	22	4	61	.2	5	3	1
95+00N 110+00E	15	9	67	.1	10	2	1
95+00N 110+25E	14	7	62	.2	6	2	1
95+00N 110+50E	10	4	43	.1	4	2	1
95+00N 110+75E	7	4	36	.1	2	2	1
95+00N 111+00E	21	9	94	.1	12	2	1
95+00N 111+25E	11	8	59	.1	6	2	1
95+00N 111+50E	81	2	44	.3	3	3	5
95+00N 111+75E	16	4	77	.1	9	2	1
95+00N 112+00E	11	7	42	.2	7	2	1
95+00N 112+25E	30	10	157	.1	20	2	1
95+00N 112+50E	15	8	128	.1	5	2	1
95+00N 112+75E	48	7	95	.1	12	2	1
95+00N 113+00E	19	8	96	.2	15	2	1
95+00N 113+25E	16	7	83	.1	7	2	1
95+00N 113+50E	26	6	96	.2	7	2	1
95+00N 113+75E	65	9	111	.4	10	2	1
95+00N 114+00E	19	7	82	.1	10	2	1
95+00N 114+25E	18	4	90	.1	9	2	1
95+00N 114+50E	15	10	86	.1	10	2	1
STD C/AU-S	62	38	132	7.2	39	17	50

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
95+00N 114+75E	52	11	121	.6	9	2	1
95+00N 115+00E	20	10	83	.2	8	2	1
94+00N 100+00E	35	6	100	.3	9	2	1
94+00N 100+25E	18	9	76	.1	5	2	1
94+00N 100+50E	27	9	98	.3	9	2	1
94+00N 100+75E	32	8	95	.3	9	2	1
94+00N 101+00E	14	4	64	.2	6	2	1
94+00N 101+25E	28	12	123	.1	11	2	1
94+00N 101+50E	21	9	92	.1	7	2	1
94+00N 101+75E	21	5	78	.2	10	2	1
94+00N 102+00E	25	9	101	.2	14	2	1
94+00N 102+25E	27	11	95	.1	13	2	1
94+00N 102+50E	27	9	88	.2	9	2	1
94+00N 102+75E	20	9	72	.3	11	2	1
94+00N 103+00E	16	9	69	.2	8	2	1
94+00N 103+25E	36	9	136	.3	9	2	1
94+00N 103+50E	74	7	253	1.3	12	2	1
94+00N 103+75E	16	5	184	.1	3	2	1
94+00N 104+00E	9	2	219	.2	2	2	1
94+00N 104+25E	7	7	70	.2	3	2	1
94+00N 104+50E	12	10	50	.1	7	2	1
94+00N 104+75E	17	10	150	.1	3	2	2
94+00N 105+00E	16	6	65	.2	7	2	1
94+00N 105+25E	22	10	82	.1	9	2	1
94+00N 105+50E	48	8	112	.4	10	2	1
94+00N 105+75E	82	10	146	.8	14	2	1
94+00N 106+00E	54	12	202	.2	9	2	1
94+00N 106+25E	15	7	74	.1	11	2	1
94+00N 106+50E	19	9	103	.1	9	2	1
94+00N 106+75E	23	13	118	.2	10	2	1
94+00N 107+00E	20	9	88	.2	9	2	1
94+00N 107+25E	63	9	61	.6	7	2	1
94+00N 107+75E	20	13	53	.3	9	2	1
94+00N 108+00E	86	10	160	.8	14	2	1
94+00N 108+25E	36	9	92	.5	8	2	1
94+00N 108+50E	14	5	74	.1	5	2	1
STD C/AU-S	60	38	132	7.1	35	18	47

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
94+00N 108+75E	16	5	71	.2	2	2	3
94+00N 109+00E	9	9	48	.1	3	2	1
94+00N 109+25E	25	8	65	.4	3	2	1
94+00N 110+50E	17	5	60	.3	3	2	1
94+00N 110+75E	9	2	34	.4	5	2	1
94+00N 111+00E	11	10	50	.1	4	2	1
94+00N 111+25E	21	7	104	.2	11	2	1
94+00N 111+50E	27	13	106	.2	13	5	1
94+00N 111+75E	42	12	102	.2	11	3	2
94+00N 112+00E	49	12	111	.4	10	2	1
94+00N 112+50E	13	8	83	.3	4	2	2
94+00N 112+75E	28	5	147	.4	12	2	1
94+00N 113+00E	22	9	120	.2	9	2	1
94+00N 113+25E	18	6	78	.2	7	3	1
94+00N 113+50E	76	14	145	.8	13	2	1
94+00N 113+75E	20	9	118	.2	11	3	1
94+00N 114+00E	20	13	128	.4	12	2	2
93+00N 105+75E	39	6	128	.4	9	2	1
93+00N 106+00E	17	8	73	.2	6	4	4
93+00N 106+25E	35	12	118	.5	10	4	1
93+00N 106+50E	25	9	69	.3	3	2	1
93+00N 106+75E	12	10	71	.1	4	2	1
93+00N 107+00E	19	7	69	.2	6	2	1
93+00N 107+25E	30	8	112	.8	9	2	1
93+00N 107+50E	20	9	119	.3	9	2	2
93+00N 107+75E	19	13	77	.1	7	2	3
93+00N 108+00E	20	11	130	.3	7	3	1
93+00N 108+25E	15	7	56	.1	4	2	1
93+00N 108+50E	15	8	83	.1	5	2	1
STD C/AU-S	62	39	128	7.0	38	18	47
93+00N 108+75E	16	13	71	.1	4	2	1
93+00N 109+00E	26	10	132	.1	7	2	1
93+00N 109+25E	15	8	57	.1	3	2	2
93+00N 109+50E	35	11	118	.1	6	2	1
93+00N 109+75E	76	9	191	.7	12	2	1
93+00N 110+00E	16	9	107	.1	11	2	1
93+00N 110+25E	41	10	87	.3	11	2	1

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
93+00N 110+50E	25	5	140	.3	14	2	1
93+00N 110+75E	34	9	140	.3	9	2	1
93+00N 111+00E	63	8	170	.6	8	2	1
93+00N 111+25E	55	10	171	1.0	10	2	1
93+00N 111+50E	57	12	163	1.0	13	2	1
93+00N 112+25E	26	14	75	.3	9	2	9
93+00N 112+50E	14	9	71	.1	6	2	1
93+00N 112+75E	19	9	78	.1	9	2	1
93+00N 113+00E	26	14	113	.2	9	2	1
93+00N 113+25E	18	12	93	.2	9	2	1
93+00N 113+50E	37	9	90	.4	12	2	1
93+00N 113+75E	21	9	85	.1	11	2	1
93+00N 114+00E	15	4	143	.2	9	2	1
93+00N 114+25E	16	6	112	.2	8	2	2
93+00N 114+50E	21	5	131	.2	6	2	1
93+00N 114+75E	18	3	112	.1	5	2	1
93+00N 115+00E	26	6	146	.3	7	2	1
92+00N 100+00E	21	9	104	.2	11	2	1
92+00N 100+25E	9	6	46	.1	2	2	1
92+00N 100+50E	17	5	117	.1	8	2	1
92+00N 100+75E	26	3	92	.2	10	2	1
92+00N 101+00E	51	7	165	.4	10	2	1
92+00N 101+25E	25	8	81	.2	10	2	1
92+00N 101+50E	15	6	78	.1	6	2	1
92+00N 101+75E	18	4	79	.1	7	2	4
92+00N 102+00E	22	3	87	.1	7	2	1
92+00N 102+25E	19	7	101	.1	8	2	1
92+00N 102+50E	15	7	89	.1	8	2	1
92+00N 102+75E	18	6	78	.1	7	2	1
92+00N 103+00E	21	6	84	.3	6	2	1
92+00N 103+25E	25	4	95	.1	11	2	1
92+00N 103+50E	18	3	66	.2	4	2	1
92+00N 103+75E	18	8	153	.1	10	2	1
92+00N 104+00E	17	6	127	.3	4	2	1
92+00N 104+25E	17	9	58	.1	7	2	2
92+00N 104+50E	26	9	106	.1	12	.2	1
STD C/AU-S	62	36	132	7.1	35	18	51

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
92+00N 104+75E	19	6	182	.1	3	2	2
92+00N 105+25E	18	9	130	.2	8	2	1
92+00N 105+50E	18	7	81	.1	8	2	1
92+00N 105+75E	18	6	108	.2	3	2	1
92+00N 106+00E	10	6	69	.1	3	2	2
92+00N 106+25E	20	7	124	.2	6	2	1
92+00N 106+50E	15	10	71	.1	8	2	1
92+00N 106+75E	32	6	95	.4	6	2	1
92+00N 107+00E	74	11	139	.5	8	2	1
92+00N 107+25E	29	7	103	.1	6	2	1
92+00N 107+50E	43	12	133	.5	8	2	1
92+00N 107+75E	62	10	153	.9	10	2	1
92+00N 108+00E	44	9	138	.7	9	2	1
92+00N 108+25E	22	3	78	.2	6	2	1
92+00N 108+50E	31	8	171	.4	5	2	1
92+00N 108+75E	20	8	90	.2	8	2	1
92+00N 109+00E	23	9	129	.1	10	2	1
92+00N 109+25E	25	6	97	.2	8	2	1
92+00N 109+50E	17	7	77	.1	5	2	1
92+00N 109+75E	21	8	68	.1	7	2	2
92+00N 110+25E	41	7	107	.9	5	2	1
92+00N 111+00E	43	9	138	1.3	9	2	1
92+00N 111+50E	20	9	60	.3	4	2	1
92+00N 111+75E	17	8	93	.2	2	2	1
92+00N 112+00E	15	6	90	.2	9	2	1
91+00N 100+00E	37	6	111	.1	6	2	1
91+00N 100+25E	79	13	129	1.1	6	2	1
91+00N 100+50E	32	10	102	.4	8	2	1
91+00N 100+75E	17	8	75	.1	8	2	1
91+00N 101+00E	55	9	115	.4	11	2	1
91+00N 101+25E	24	11	67	.1	8	2	1
91+00N 101+50E	27	7	122	.2	11	2	2
91+00N 101+75E	14	5	75	.1	5	2	2
91+00N 102+00E	103	10	201	.9	5	2	1
91+00N 102+25E	29	5	96	.1	8	2	1
91+00N 102+75E	26	7	140	.2	12	2	1
STD C/AU-S	63	36	132	6.9	36	17	47

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
91+00N 103+00E	14	10	74	.2	8	2	1
91+00N 103+25E	18	11	100	.2	10	2	1
91+00N 103+50E	30	5	92	.3	12	2	80
91+00N 103+75E	29	8	86	.2	12	2	1
91+00N 104+00E	46	9	133	.7	10	2	1
91+00N 104+25E	14	12	60	.2	7	2	1
91+00N 104+50E	22	6	76	.2	8	2	1
91+00N 104+75E	19	10	102	.3	10	2	1
91+00N 105+00E	20	4	104	.3	7	2	1
91+00N 105+25E	37	6	135	.4	8	2	1
91+00N 105+50E	35	10	109	.4	10	2	1
91+00N 105+75E	54	5	146	.5	10	2	1
91+00N 106+00E	15	9	82	.2	8	2	1
91+00N 106+25E	11	8	51	.1	6	3	1
91+00N 106+50E	12	7	59	.1	5	2	1
91+00N 106+75E	13	9	39	.1	4	2	1
91+00N 107+00E	13	8	56	.1	7	2	1
91+00N 107+25E	21	6	105	.1	12	2	1
91+00N 107+50E	15	5	103	.1	8	2	1
91+00N 107+75E	29	10	117	.2	12	2	1
91+00N 108+00E	9	5	81	.1	4	2	1
91+00N 108+25E	24	6	63	.2	5	2	1
91+00N 108+50E	32	9	95	.1	12	2	1
91+00N 108+75E	19	9	127	.1	6	2	1
91+00N 109+00E	18	8	75	.4	8	2	1
91+00N 109+25E	14	5	89	.3	10	4	1
91+00N 109+50E	15	7	66	.1	7	2	1
91+00N 109+75E	12	7	75	.1	8	2	1
91+00N 110+00E	21	8	102	.3	12	2	1
91+00N 110+25E	15	5	90	.1	8	2	1
91+00N 110+50E	29	10	104	.3	10	2	1
91+00N 110+75E	18	7	79	.1	10	2	1
91+00N 111+00E	52	8	105	.5	9	2	1
91+00N 111+25E	23	5	96	.2	8	2	1
91+00N 111+50E	15	3	140	.1	9	2	1
91+00N 111+75E	14	7	86	.2	9	2	1
STD C/AU-S	62	38	129	7.1	37	17	48

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
91+00N 112+00E	27	14	107	.1	9	2	1
90+00N 100+00E	25	9	97	.2	10	2	1
STD C/AU-S	60	39	129	7.2	37	18	52
90+00N 100+25E	9	5	35	.1	2	2	1
90+00N 100+50E	20	12	71	.1	10	2	1
90+00N 100+75E	13	4	72	.1	3	2	1
90+00N 101+00E	21	5	81	.1	4	2	1
90+00N 101+25E	76	11	159	.8	15	2	1
90+00N 101+50E	93	17	155	.5	12	2	1
90+00N 101+75E	18	7	71	.1	7	2	1
90+00N 102+00E	20	7	89	.1	6	2	1
90+00N 102+25E	15	6	76	.1	7	2	2
90+00N 102+50E	13	7	69	.1	7	2	1
90+00N 102+75E	10	5	63	.1	2	2	1
90+00N 103+00E	17	7	117	.1	6	2	1
90+00N 103+25E	70	12	235	.4	19	2	1
90+00N 103+50E	30	10	108	.1	7	2	1
90+00N 103+75E	22	11	135	.1	8	2	1
90+00N 104+25E	23	7	66	.1	5	2	1
90+00N 104+50E	23	7	78	.2	10	2	1
90+00N 104+75E	21	5	111	.1	6	2	1
90+00N 105+00E	61	15	195	.7	11	2	1
90+00N 105+25E	15	6	74	.1	8	2	1
90+00N 105+50E	14	8	70	.1	7	2	1
90+00N 105+75E	14	4	75	.1	4	2	1
90+00N 106+00E	21	7	75	.3	5	2	1
90+00N 106+25E	23	9	116	.2	10	2	1
90+00N 106+50E	15	6	68	.1	4	2	1
90+00N 106+75E	14	4	60	.1	4	2	1
90+00N 107+00E	19	7	79	.1	10	2	1
90+00N 107+25E	18	8	77	.1	11	2	1
90+00N 107+50E	22	7	89	.1	9	2	1
90+00N 107+75E	15	8	68	.1	7	2	1
90+00N 108+00E	19	10	110	.1	7	2	1
90+00N 108+25E	22	3	90	.1	10	2	1
90+00N 108+50E	19	4	61	.1	4	2	1
90+00N 108+75E	22	4	102	.1	11	2	1

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
90+00N 109+00E	24	11	115	.3	11	2	1
90+00N 109+25E	21	4	84	.3	5	2	1
90+00N 109+50E	17	10	77	.1	7	2	1
90+00N 109+75E	21	5	82	.2	14	2	1
90+00N 110+00E	27	15	100	.3	12	3	1
90+00N 110+25E	24	8	94	.4	10	2	9
90+00N 110+50E	22	12	107	.2	6	2	1
90+00N 110+75E	18	2	109	.2	9	2	1
90+00N 111+00E	20	4	84	.2	4	2	1
90+00N 111+25E	23	13	93	.2	9	3	1
90+00N 111+50E	76	15	177	.8	10	2	3
100+00E 110+00N	27	13	152	.2	12	2	1
100+00E 109+75N	14	10	63	.1	5	2	1
100+00E 109+50N	85	18	252	2.6	22	4	2
100+00E 109+25N	25	8	164	.1	16	4	1
100+00E 109+00N	27	5	131	.3	12	2	1
100+00E 108+75N	18	13	160	.5	12	2	4
100+00E 108+50N	15	14	123	.4	8	2	1
100+00E 108+25N	41	6	140	.8	13	2	3
100+00E 108+00N	19	10	141	.3	11	2	1
100+00E 107+75N	21	16	122	.1	14	2	1
100+00E 107+50N	25	20	143	.5	19	2	1
100+00E 107+25N	25	16	143	.1	13	2	1
100+00E 107+00N	19	19	223	.3	10	3	1
100+00E 106+75N	31	15	117	.2	14	3	1
100+00E 106+50N	38	16	511	.5	12	2	3
100+00E 106+25N	19	8	167	.1	16	3	1
100+00E 106+00N	21	12	130	.3	12	2	1
100+00E 105+75N	57	5	739	1.1	13	2	1
100+00E 105+50N	22	7	109	.1	17	3	2
100+00E 105+25N	17	21	86	.2	13	2	1
100+00E 105+00N	30	5	157	.3	16	3	1
100+00E 104+75N	28	16	198	.4	15	2	1
100+00E 104+50N	29	15	105	.3	12	2	1
100+00E 104+25N	18	20	134	.4	8	2	2
100+00E 104+00N	17	10	90	.1	8	2	1
STD C/AU-S	60	40	132	7.3	38	18	48

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
100+00E 103+75N	20	11	110	.1	12	2	1
100+00E 103+50N	21	8	115	.2	10	2	1
100+00E 103+25N	13	8	81	.1	9	2	1
100+00E 103+00N	23	15	119	.1	17	2	1
100+00E 102+75N	19	13	113	.1	19	2	1
100+00E 102+50N	15	10	93	.1	46	2	1
100+00E 102+25N	17	11	95	.2	14	2	1
100+00E 102+00N	21	14	114	.1	16	2	2
100+00E 101+75N	21	12	144	.1	21	2	2
100+00E 101+50N	9	11	41	.1	4	2	1
100+00E 101+25N	41	30	431	1.6	23	2	1
100+00E 101+00N	23	9	241	.5	14	2	1
100+00E 100+75N	15	9	71	.1	11	2	1
100+00E 100+50N	34	21	155	.2	60	3	1
100+00E 100+25N	16	6	118	.1	12	2	1
100+00E 100+00N	18	12	419	.4	16	2	1
101+00E 110+00N	19	12	106	.1	13	2	1
101+00E 109+75N	24	11	96	.1	15	2	2
101+00E 109+50N	24	10	490	.6	19	3	1
101+00E 109+25N	26	18	408	.8	93	2	1
101+00E 109+00N	17	9	104	.1	5	2	1
101+00E 108+75N	23	27	369	.4	31	2	2
101+00E 108+50N	23	38	172	.5	16	2	1
101+00E 108+25N	30	6	184	.4	14	2	1
101+00E 108+00N	25	14	121	.4	17	2	1
101+00E 107+75N	24	11	89	.1	12	2	1
101+00E 107+50N	20	9	87	.2	12	2	2
101+00E 107+25N	21	8	85	.3	11	2	3
101+00E 107+00N	21	10	107	.2	10	2	1
101+00E 106+75N	89	10	4619	1.6	36	2	1
101+00E 106+50N	18	6	102	.1	11	3	1
101+00E 106+25N	15	6	64	.2	10	2	1
101+00E 106+00N	50	12	251	.7	12	2	1
101+00E 105+75N	20	10	142	.1	11	2	1
101+00E 105+50N	33	8	172	.4	12	2	1
101+00E 105+25N	14	7	81	.1	135	2	1
STD C/AU-S	61	39	132	7.1	40	17	50

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
101+00E 105+00N	17	13	179	.2	13	2	1
101+00E 104+75N	20	44	277	.2	20	2	1
101+00E 104+50N	13	15	85	.2	11	2	1
101+00E 104+25N	26	68	277	.4	22	2	1
101+00E 104+00N	29	32	516	.3	20	2	2
101+00E 103+75N	18	19	176	.2	15	2	1
101+00E 103+50N	11	15	53	.2	6	2	1
101+00E 103+25N	21	21	191	.2	16	2	1
101+00E 103+00N	33	21	494	.6	23	2	1
101+00E 102+75N	25	13	287	.2	15	2	1
101+00E 102+50N	22	13	105	.3	10	2	1
101+00E 102+25N	23	5	130	.1	15	2	1
101+00E 102+00N	69	9	302	.7	22	2	2
101+00E 101+75N	82	11	314	1.5	20	2	1
101+00E 101+50N	80	13	225	2.0	20	2	1
101+00E 101+25N	31	11	150	.4	16	2	1
101+00E 101+00N	54	14	132	.6	14	2	2
101+00E 100+75N	21	13	133	.1	12	2	1
101+00E 100+50N	13	11	62	.1	6	2	1
101+00E 100+25N	19	11	75	.2	9	2	1
101+00E 100+00N	14	8	64	.1	8	2	1
102+00E 110+00N	26	16	88	.2	13	3	1
102+00E 109+75N	15	8	80	.1	8	2	1
102+00E 109+50N	14	10	59	.1	7	2	1
102+00E 109+25N	24	8	101	.1	10	2	1
102+00E 109+00N	28	17	104	.1	15	2	1
102+00E 108+75N	14	9	53	.1	5	2	1
102+00E 108+50N	17	10	83	.1	7	2	1
102+00E 108+25N	20	6	77	.2	8	2	2
102+00E 108+00N	23	10	119	.2	15	2	1
102+00E 107+75N	23	11	102	.3	9	2	1
102+00E 107+50N	23	10	129	.3	11	2	1
102+00E 107+25N	13	8	56	.1	6	2	1
102+00E 107+00N	23	16	144	.5	40	2	1
102+00E 106+75N	16	5	73	.3	11	2	1
102+00E 106+50N	28	11	103	.1	13	2	2
STD C/AU-S	62	39	132	7.0	37	18	50

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
102+00E 106+25N	18	9	196	.3	22	2	1
102+00E 106+00N	17	12	100	.2	11	2	1
102+00E 105+75N	16	9	91	.1	9	2	1
102+00E 105+50N	23	9	123	.1	12	2	1
102+00E 105+25N	17	11	126	.1	9	2	1
102+00E 105+00N	14	4	71	.2	5	2	1
102+00E 104+75N	25	12	142	.1	15	2	1
102+00E 104+50N	20	16	216	1.0	87	2	1
102+00E 104+25N	22	30	390	.9	75	2	1
102+00E 104+00N	20	13	182	.2	22	2	4
102+00E 103+75N	174	10	6240	2.5	62	6	1
102+00E 103+00N	39	83	537	1.1	70	2	1
102+00E 102+75N	24	37	204	1.1	47	2	1
102+00E 102+50N	35	11	911	1.0	191	3	1
102+00E 102+25N	52	10	453	2.1	51	2	1
102+00E 102+00N	34	11	127	.6	15	2	1
102+00E 101+75N	16	7	76	.1	8	2	66
102+00E 101+50N	25	6	278	.2	16	2	1
102+00E 101+25N	46	20	1114	.5	460	2	1
102+00E 101+00N	40	12	144	.7	12	4	1
102+00E 100+75N	18	7	79	.1	8	2	1
102+00E 100+50N	66	12	144	.7	12	2	1
102+00E 100+25N	89	12	166	.5	11	2	1
102+00E 100+00N	30	8	81	.2	10	2	1
103+00E 110+00N	27	11	139	.2	12	2	1
103+00E 109+75N	12	10	45	.1	5	2	1
103+00E 109+50N	10	4	33	.1	3	2	1
103+00E 109+25N	19	14	74	.2	9	2	1
103+00E 109+00N	14	8	47	.3	4	2	1
103+00E 108+75N	19	7	72	.2	11	2	1
103+00E 108+50N	21	6	100	.1	12	2	1
103+00E 108+25N	18	6	67	.2	7	2	1
103+00E 108+00N	10	9	39	.1	2	2	1
103+00E 107+75N	33	22	119	.2	11	2	1
103+00E 107+50N	14	8	55	.1	7	2	1
103+00E 107+25N	12	3	68	.1	5	2	1
STD C/AU-S	61	37	132	7.1	39	17	51

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
103+00E 107+00N	14	15	53	.1	6	2	1
103+00E 106+75N	21	10	84	.1	17	4	1
103+00E 106+50N	17	9	93	.1	8	2	1
103+00E 106+25N	23	7	227	.5	12	3	1
103+00E 106+00N	33	8	111	.1	11	2	2
103+00E 105+75N	22	9	104	.1	10	2	1
103+00E 105+50N	37	5	84	.1	10	2	1
103+00E 105+25N	23	7	109	.1	8	2	1
103+00E 105+00N	27	11	110	.2	25	2	2
103+00E 104+75N	31	11	192	.4	13	2	1
103+00E 104+50N	26	9	84	.3	9	2	1
103+00E 104+25N	45	14	135	.3	13	2	2
103+00E 104+00N	24	8	111	.1	11	3	1
103+00E 103+75N	17	10	80	.3	8	2	1
103+00E 103+50N	14	9	48	.2	6	2	1
103+00E 103+25N	21	4	75	.1	10	2	2
103+00E 103+00N	12	6	49	.1	8	2	1
103+00E 102+75N	22	9	74	.1	11	2	1
103+00E 102+50N	23	10	92	.2	11	2	1
103+00E 102+25N	23	10	145	.2	10	2	1
103+00E 102+00N	23	10	89	.1	12	2	1
103+00E 101+75N	22	12	105	.1	8	3	2
103+00E 101+50N	17	10	81	.1	9	2	1
103+00E 101+25N	54	13	137	.4	12	3	1
103+00E 101+00N	27	8	95	.1	10	2	1
103+00E 100+75N	28	12	126	.2	9	2	1
103+00E 100+50N	22	10	98	.1	8	2	1
103+00E 100+25N	22	9	76	.1	10	2	2
103+00E 100+00N	26	9	98	.1	15	3	1
104+00E 110+00N	14	12	65	.1	7	2	1
104+00E 109+75N	12	8	64	.1	5	2	2
104+00E 109+50N	5	7	12	.1	2	2	1
104+00E 109+25N	16	9	72	.1	7	2	1
104+00E 109+00N	12	6	84	.1	6	2	2
104+00E 108+75N	15	6	74	.1	8	2	1
104+00E 108+50N	22	14	82	.2	8	2	1
STD C/AU-S	60	38	131	6.9	39	17	50

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
104+00E 108+25N	19	5	83	.1	9	4	2
104+00E 108+00N	16	5	141	.1	6	2	1
104+00E 107+75N	20	6	89	.1	8	2	1
104+00E 107+50N	32	5	102	.1	5	2	1
104+00E 107+25N	30	18	188	.4	11	2	1
104+00E 107+00N	19	9	85	.2	11	2	1
104+00E 106+75N	16	7	64	.1	6	2	1
104+00E 106+50N	44	13	123	.8	14	2	1
104+00E 106+00N	23	12	103	.2	15	2	1
104+00E 105+75N	13	6	71	.1	9	2	1
104+00E 105+50N	12	5	52	.2	6	2	2
104+00E 105+25N	16	7	66	.1	7	2	1
104+00E 105+00N	15	7	69	.1	6	2	1
104+00E 104+75N	26	10	90	.3	9	2	1
104+00E 104+50N	13	7	52	.1	5	2	1
104+00E 104+25N	31	10	115	.1	11	2	1
104+00E 104+00N	14	6	62	.1	4	2	1
104+00E 103+75N	17	8	70	.1	8	2	1
104+00E 103+50N	20	11	87	.1	9	2	1
104+00E 103+25N	22	6	104	.1	8	2	2
104+00E 103+00N	18	9	72	.1	9	2	1
104+00E 102+75N	20	9	84	.1	8	2	1
104+00E 102+50N	15	8	171	.1	7	2	1
104+00E 102+25N	16	11	76	.1	7	2	1
104+00E 102+00N	8	8	36	.1	3	2	2
104+00E 101+75N	18	9	82	.2	10	2	1
104+00E 101+50N	35	7	123	.2	27	2	1
104+00E 101+25N	24	9	90	.3	14	2	1
104+00E 101+00N	12	11	44	.1	5	2	1
104+00E 100+75N	22	6	121	.2	12	2	1
104+00E 100+50N	14	9	30	.1	3	3	1
104+00E 100+25N	22	9	120	.1	10	2	1
104+00E 100+00N	23	12	107	.2	8	2	1
105+00E 110+00N	20	10	88	.1	9	2	2
105+00E 109+75N	19	11	88	.1	6	2	1
105+00E 109+50N	54	12	139	.3	17	2	1
STD C/AU-S	60	38	129	7.0	37	17	53

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
105+00E 109+25N	45	14	162	.3	13	5	1
STD C/AU-S	62	39	134	7.2	37	18	50
105+00E 109+00N	23	8	106	.1	9	2	1
105+00E 108+75N	24	11	92	.1	10	2	1
105+00E 108+50N	15	8	66	.1	6	2	1
105+00E 108+25N	22	7	114	.2	12	2	1
105+00E 108+00N	19	8	88	.1	9	2	1
105+00E 107+75N	24	11	76	.1	9	2	1
105+00E 107+50N	29	13	131	.2	9	2	1
105+00E 107+25N	33	12	158	.2	12	2	1
105+00E 107+00N	18	8	73	.1	10	2	1
105+00E 106+75N	10	8	45	.1	4	2	1
105+00E 106+50N	20	7	80	.1	10	2	1
105+00E 106+25N	20	8	108	.1	13	3	1
105+00E 106+00N	19	9	163	.1	11	3	1
105+00E 105+75N	26	11	103	.1	11	2	2
105+00E 105+50N	12	3	46	.1	7	2	1
105+00E 105+25N	42	9	128	.1	13	2	1
105+00E 105+00N	14	6	47	.1	3	2	1
105+00E 104+75N	26	7	120	.1	14	2	1
105+00E 104+50N	12	9	38	.1	6	2	4
105+00E 104+25N	18	10	73	.1	9	2	1
105+00E 104+00N	19	11	79	.1	11	2	1
105+00E 103+75N	43	8	118	.1	9	2	1
105+00E 103+50N	33	10	133	.3	9	3	1
105+00E 103+25N	63	8	125	1.1	9	2	1
105+00E 103+00N	77	10	140	1.5	12	2	2
105+00E 102+75N	75	9	168	1.3	16	3	1
105+00E 102+50N	19	8	94	.1	8	2	1
105+00E 102+25N	31	10	131	.1	11	2	1
105+00E 102+00N	27	14	164	.1	16	2	1
105+00E 101+75N	29	10	127	.2	14	2	1
105+00E 101+50N	24	10	111	.1	12	2	1
105+00E 101+25N	29	16	124	.1	17	2	1
105+00E 101+00N	21	9	77	.1	12	2	1
105+00E 100+75N	16	8	49	.1	7	2	1
105+00E 100+50N	19	10	100	.1	10	2	1

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
105+00E 100+25N	10	5	44	.1	3	2	1
105+00E 100+00N	16	6	82	.1	10	2	2
106+00E 110+00N	49	7	168	.2	17	2	1
106+00E 109+75N	25	8	108	.1	15	2	2
106+00E 109+50N	16	8	68	.1	11	2	1
106+00E 109+25N	20	8	115	.2	14	2	2
106+00E 109+00N	45	27	121	.6	17	2	14
106+00E 108+50N	17	5	73	.2	7	2	2
106+00E 108+00N	17	8	60	.1	8	2	3
106+00E 107+50N	16	10	84	.1	11	2	1
106+00E 107+25N	10	9	67	.1	3	2	2
106+00E 107+00N	12	9	69	.1	5	2	1
106+00E 106+75N	18	7	107	.1	13	2	2
106+00E 106+50N	17	6	126	.1	13	2	2
106+00E 106+25N	14	6	98	.1	9	2	1
106+00E 106+00N	15	8	95	.1	10	2	1
106+00E 105+75N	14	10	68	.1	7	2	2
106+00E 105+50N	55	12	172	.9	16	2	2
106+00E 105+25N	28	14	99	.1	15	2	1
106+00E 105+00N	27	9	120	.3	10	2	1
106+00E 104+75N	16	12	69	.1	9	2	1
106+00E 104+50N	27	11	121	.1	17	2	3
106+00E 104+25N	20	6	83	.1	11	2	1
106+00E 104+00N	22	11	85	.1	9	2	1
106+00E 103+75N	22	9	88	.2	6	2	1
106+00E 103+50N	21	9	76	.2	8	2	1
106+00E 103+25N	27	7	99	.3	9	2	2
106+00E 103+00N	16	9	71	.1	13	2	1
106+00E 102+75N	15	15	58	.1	11	2	2
106+00E 102+50N	22	4	104	.1	6	2	1
106+00E 102+25N	13	7	65	.1	9	2	2
106+00E 102+00N	17	4	83	.1	10	2	1
106+00E 101+75N	21	8	101	.1	13	2	1
106+00E 101+50N	17	9	76	.1	7	3	2
106+00E 101+25N	18	7	79	.1	8	2	2
106+00E 101+00N	35	18	116	.3	10	2	1
STD C/AU-S	59	38	132	7.3	38	17	53

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
106+00E 100+75N	20	3	69	.1	4	2	1
106+00E 100+50N	23	7	95	.1	11	2	2
106+00E 100+25N	29	10	111	.1	11	2	1
106+00E 100+00N	16	7	75	.1	7	2	1
107+00E 110+00N	20	5	81	.1	9	2	1
107+00E 109+75N	14	9	65	.1	6	2	1
107+00E 109+50N	15	5	53	.1	6	2	1
107+00E 109+25N	28	2	171	.2	13	2	1
107+00E 109+00N	15	5	93	.1	8	2	1
107+00E 108+00N	24	8	100	.1	9	2	1
107+00E 107+75N	35	5	116	.1	10	2	1
107+00E 107+50N	15	6	65	.1	7	2	1
107+00E 107+25N	11	4	47	.1	3	2	1
107+00E 107+00N	9	4	39	.1	4	2	3
107+00E 106+75N	18	10	100	.2	11	2	1
107+00E 106+50N	21	9	94	.1	10	2	1
107+00E 106+25N	24	7	115	.1	14	2	2
107+00E 106+00N	18	4	84	.1	12	2	1
107+00E 105+75N	13	10	57	.1	8	2	1
107+00E 105+50N	42	6	138	1.1	8	3	1
107+00E 105+25N	18	6	129	.2	12	2	1
107+00E 105+00N	32	6	158	.2	11	2	1
107+00E 104+75N	20	2	140	.1	10	2	1
107+00E 104+50N	34	7	114	.1	9	2	1
107+00E 104+25N	46	12	185	.2	16	2	1
107+00E 104+00N	18	7	94	.1	6	2	1
107+00E 103+75N	34	9	207	.1	9	2	2
107+00E 103+50N	16	8	80	.2	6	2	1
107+00E 103+25N	23	8	115	.2	9	2	1
107+00E 103+00N	23	11	126	.2	9	2	1
107+00E 102+75N	14	11	73	.1	4	2	1
107+00E 102+50N	21	11	114	.1	11	2	1
107+00E 102+25N	15	11	69	.1	5	2	1
107+00E 102+00N	19	10	122	.2	11	3	1
107+00E 101+75N	11	10	40	.1	4	3	1
108+00E 110+00N	41	10	152	.3	10	2	1
STD C/AU-S	62	38	132	7.2	38	18	49

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
108+00E 109+50N	18	9	73	.1	7	2	1
108+00E 109+25N	23	9	124	.3	8	2	1
108+00E 109+00N	15	8	44	.1	9	3	1
108+00E 108+75N	33	10	198	.3	10	2	1
108+00E 108+50N	27	10	129	.1	11	2	1
108+00E 107+25N	22	8	91	.1	9	2	1
108+00E 107+00N	10	6	36	.1	4	3	1
108+00E 106+75N	19	8	74	.1	13	2	1
108+00E 106+50N	16	7	73	.2	7	2	1
108+00E 106+25N	8	8	37	.1	4	3	1
108+00E 106+00N	18	7	63	.2	10	2	1
108+00E 105+75N	14	6	70	.1	6	2	1
108+00E 105+50N	24	9	95	.1	13	3	1
108+00E 105+25N	48	15	133	.2	10	2	1
108+00E 105+00N	33	8	122	.1	10	2	2
108+00E 104+75N	21	6	85	.4	14	2	1
108+00E 104+50N	20	11	91	.1	13	2	1
108+00E 104+25N	18	6	111	.1	8	2	1
108+00E 104+00N P	36	10	243	.4	5	2	1
108+00E 103+75N	19	12	88	.1	11	2	14
108+00E 103+50N	22	11	155	.1	7	2	1
108+00E 103+25N P	72	15	495	.7	6	2	1
108+00E 103+00N	35	10	196	.2	11	2	1
108+00E 102+75N	84	12	189	1.2	14	4	1
108+00E 102+50N	46	11	122	.3	10	2	1
108+00E 102+25N	73	15	216	.3	14	2	1
108+00E 102+00N	19	7	95	.1	8	2	1
108+00E 101+75N	18	9	99	.2	7	2	1
108+00E 101+50N	23	9	100	.1	4	2	1
108+00E 101+25N	35	10	72	.4	10	2	1
108+00E 101+00N	21	7	70	.1	10	2	1
109+00E 110+00N	66	17	200	.4	13	2	1
109+00E 109+75N	21	6	85	.1	10	2	1
109+00E 109+50N	32	10	78	.2	11	2	1
109+00E 109+25N	18	13	82	.1	6	2	1
109+00E 109+00N	32	15	156	.2	8	2	1
STD C/AU-S	59	37	130	7.4	38	17	51

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
109+00E 108+25N	14	13	60	.2	8	2	1
109+00E 108+00N	29	10	158	.3	11	2	1
109+00E 107+75N	17	8	93	.1	10	2	1
109+00E 107+50N	19	11	102	.2	14	2	1
109+00E 107+25N	34	9	102	.2	12	2	1
109+00E 107+00N	8	8	27	.1	2	3	1
109+00E 106+75N	10	11	39	.1	5	2	1
109+00E 106+25N	14	7	37	.1	6	2	1
109+00E 106+00N	25	10	107	.3	10	2	2
109+00E 105+00N	40	11	181	.3	16	2	1
109+00E 104+75N	19	7	97	.1	9	2	1
109+00E 104+50N	19	9	92	.1	11	2	1
109+00E 104+25N	27	10	80	.3	8	2	1
109+00E 104+00N	22	10	77	.4	6	2	1
109+00E 103+75N	28	12	93	.2	11	2	1
109+00E 103+50N	21	6	107	.3	5	2	1
109+00E 103+00N	13	8	71	.1	7	2	1
109+00E 102+75N	52	9	228	.4	7	2	1
109+00E 102+50N	438	17	236	1.9	16	2	1
109+00E 102+25N	45	9	132	.9	8	2	1
109+00E 102+00N	19	15	68	.2	4	2	1
109+00E 101+75N	29	14	121	.2	11	2	1
109+00E 101+50N	58	12	96	.5	11	2	1
109+00E 101+25N	40	11	129	.3	10	2	1
109+00E 101+00N	29	7	79	.2	9	2	1
109+00E 100+75N	42	9	95	.3	7	2	1
109+00E 100+50N	44	8	141	.6	11	2	1
109+00E 100+25N	31	6	102	.3	8	2	1
109+00E 100+00N	28	10	102	.2	10	2	1
110+00E 110+00N	30	6	126	.2	13	2	1
110+00E 109+25N	13	8	43	.2	5	4	1
110+00E 109+00N	10	6	43	.2	7	2	2
110+00E 108+75N	15	8	52	.2	6	2	1
110+00E 108+50N	15	10	65	.1	9	2	1
110+00E 108+25N	10	10	40	.2	4	4	1
110+00E 108+00N	10	9	43	.1	6	2	1
STD C/AU-S	59	37	132	7.0	39	16	51

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
110+00E 107+75N	24	7	73	.1	7	2	1
111+00E 110+00N	47	14	112	.1	10	2	1
111+00E 109+75N	74	12	123	.6	12	2	1
111+00E 109+50N	31	8	77	.1	7	2	1
111+00E 109+25N	15	2	140	.1	7	2	1
111+00E 109+00N	53	9	119	.2	9	2	1
111+00E 108+75N	18	11	87	.2	10	2	1
111+00E 108+50N	105	14	111	1.6	6	2	1
111+00E 108+25N	38	8	187	.3	12	2	1
111+00E 108+00N	54	9	210	.2	5	2	2
111+00E 107+50N	27	12	212	.2	10	2	1
111+00E 107+00N	21	9	278	.1	7	2	3
111+00E 105+75N	11	9	54	.1	5	2	1
111+00E 105+50N	15	12	65	.1	8	2	1
111+00E 105+25N	21	14	79	.1	11	2	1
111+00E 105+00N	12	6	65	.1	4	2	2
111+00E 104+50N	20	6	71	.1	8	2	1
111+00E 104+25N	84	15	219	.8	11	2	2
111+00E 104+00N	44	8	181	.3	6	2	1
111+00E 103+75N	24	7	95	.1	8	2	2
111+00E 103+50N	23	5	105	.1	11	2	1
111+00E 102+50N	19	8	232	.2	2	2	2
111+00E 101+75N	60	10	180	.5	7	2	4
111+00E 101+50N	40	14	117	.4	7	2	2
111+00E 101+25N	25	8	99	.1	13	2	2
111+00E 101+00N	19	9	70	.1	9	2	1
111+00E 100+75N	14	9	50	.1	4	2	3
111+00E 100+50N	71	12	194	.3	6	2	1
111+00E 100+25N	25	8	75	.1	5	2	1
111+00E 100+00N	26	10	149	.4	8	2	1
112+00E 109+50N	25	14	155	.2	8	2	1
112+00E 109+25N	119	14	285	.4	6	4	1
112+00E 109+00N	57	11	248	.4	9	2	1
112+00E 108+75N	22	9	171	.1	7	2	1
112+00E 107+50N	12	12	50	.1	2	2	1
112+00E 107+25N	14	7	55	.2	4	2	1
STD C/AU-S	61	39	130	7.0	37	18	52

SAMPLE#	CU PPM	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
112+00E 106+75N	13	6	40	.1	4	2	1
112+00E 106+50N	23	9	126	.2	8	2	1
112+00E 106+25N	71	9	145	.6	4	2	1
112+00E 106+00N	38	9	144	.2	6	2	2
112+00E 105+75N	24	7	97	.3	6	2	1
112+00E 105+50N	27	10	85	.1	12	2	1
112+00E 105+25N	23	8	56	.1	4	2	2
112+00E 105+00N	16	6	51	.2	6	2	1
112+00E 104+75N	34	7	80	.2	5	2	2
112+00E 104+50N	44	10	117	.5	10	2	1
112+00E 103+50N	17	5	23	.1	2	2	2
112+00E 103+25N	24	7	71	.1	6	2	2
112+00E 102+50N	42	10	105	.3	7	2	1
112+00E 102+25N	27	9	73	.2	7	2	1
112+00E 102+00N	13	4	46	.1	4	2	1
112+00E 101+75N	24	8	101	.1	11	2	1
112+00E 101+50N	31	5	75	.1	9	2	1
112+00E 101+25N	20	7	67	.1	7	2	1
112+00E 101+00N	14	4	49	.1	4	2	2
112+00E 100+75N	28	9	95	.3	11	2	1
112+00E 100+50N	31	14	95	.1	11	2	1
112+00E 100+25N	24	10	69	.1	8	2	1
112+00E 100+00N	28	7	79	.1	10	2	2
STD C/AU-S	62	37	131	6.9	35	18	50

APPENDIX - III

ANALYTICAL PROCEDURES

CRISAR RESOURCES LTD.

DOME MOUNTAIN PROPERTIES

FARWELL LAKE, HOUSTON AREA

AIRBORNE SURVEY
MAGNETIC CONTOURS &
VLF-EM ANOMALIES (with lineations)

COLUMBIA AIRBORNE GEOPHYSICAL SERVICES (1984) LTD.

NTS 93L/10	SCALE 1:10,000	FIG
DATE AUG. 1987	DRAWN L.C.B./dw	3

TO ACCOMPANY REPORT BY: LLOYD C. BREWER

NOTE: MAGNETIC CONTOURS PLOTTED AT 200 GAMMA UNITS ABOVE A BASE OF 53,000 GAMMAS.

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,553

LEGEND

- CLAIM BOUNDRIES
- LINEATIONS INDICATING GEOLOGICAL STRUCTURE
- MAGNETIC DEPRESSION
- LEGAL CORNER POST
- FLIGHT LINE




AIRBORNE SURVEY
MAGNETIC CONTOURS &
VLF EM ANOMALIES (with locations)
COLUMBIA AIRBORNE GEOPHYSICAL SERVICES (1984) LTD.
TO ACCOMPANY REPORT BY LLOYD C. BREWER
GEOLOGICAL BRANCH
ASSESSMENT REPORT
17,553
BURNS LAKE
JAVA 000
JAVA 100
JAVA 200
JAVA 300
PERROW 100
PERROW 200
PERROW 300
STELLAKO
FRANCOIS PROVINCIAL
MELISSA
WOLFE
PEELER
TO GRANISLE
TO PERROW
TO HOUSTON
McQuarrie
0 500 1000 METRES

GRID A

ANGELA LAKE

A

F

A

JAVA 300

PERROW 300

500 0 200 400 Km

METERS

N

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,553

CRIMAN RESOURCES LTD.

JAVA 300 CLAIM
PERROW, OMINECA M.D., B.C.

PROPERTY GEOLOGY

STRYDER EXPLORATIONS LTD.



Values indicated are for As/Sb

As/Sb in (PPM)

Sb 5+

As 20+

100 50 0 50 100 200

METERS

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,553

To Accompany Report By N Sill CF, Geologist

CRISAN RESOURCES LTD.

PERROW 300 & PEELER CLAIM

PERROW, OMINECA M.D., B.C.

SOIL GEOCHEMISTRY

STRYDER EXPLORATIONS LTD.

N.T.S. 93 I/10	Scale: 1:2500	Fig.
August 1987	Drawn by D.S.A	



Values indicated are for Cu/Au/Zn

Cu/Zn in (PPM)

Au in (PPB)

- Cu 101 +
- Cu 51-100
- Zn 301 +
- Zn 201-300
- Zn 101-200
- Au 2 +

100 50 0 50 100 200

METERS

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,553

To Accompany Report By: N. Gibson, Geologist

CRISAN RESOURCES LTD.

PERROW 300 & PEELER CLAIM

PERROW, OMINECA M.D., B.C.

SOIL GEOCHEMISTRY

STRYDER EXPLORATIONS LTD.

N.T.S. 93 L/10	Scale: 1:2500	Fig.
August 1987	Drawn by D.S.A.	



Values indicated are for Pb/Ag

Pb/Ag in (PPM)

Ag 1.0+

Ag 5-9

Pb 20+

Pb 10-19

100 50 0 50 100 200

METERS

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,553

To Accompany Report By: N Gibson, Geologist.

CRISAN RESOURCES LTD.

PERROW 300 & PEELER CLAIM

PERROW, OMINECA M.D., B.C.

SOIL GEOCHEMISTRY

STRYDER EXPLORATIONS LTD.

N.T.S. 93 L/10	Scale: 1:2500	Fig.
August 1987	Drawn by D.S.A.	

105 + 00 N
104 + 00 N
103 + 00 N
102 + 00 N
101 + 00 N
100 + 00 N
99 + 00 N
98 + 00 N
97 + 00 N
96 + 00 N
95 + 00 N
94 + 00 N
93 + 00 N
92 + 00 N
91 + 00 N
90 + 00 N

100 + 00 E
101 + 00 E
102 + 00 E
103 + 00 E
104 + 00 E
105 + 00 E
106 + 00 E
107 + 00 E
108 + 00 E
109 + 00 E
110 + 00 E
111 + 00 E
112 + 00 E
113 + 00 E
114 + 00 E
116 + 00 E

Values indicated are for As/Sb

As/Sb in (PPM)

Sb 5+

As 20+

As 10-19

100 50 0 50 100 200
METERS

N

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,553

To Accompany Report By N. Gibson, Geologist

CRISAN RESOURCES LTD.

JAVA 300 CLAIM
PERROW, OMINECA M.D., B.C.
SOIL GEOCHEMISTRY

STRYDER EXPLORATIONS LTD.

N.T.S. 93 L/16	Scale: 1:2500	Fig.
August 1987	Drawn by D.S.A.	



Values indicated are for Pb/Ag

Pb/Ag in (PPM)

- Ag 1.0 +
- Ag 5-9
- Pb 20 +
- Pb 10-19

100 50 0 50 100 200

METRES

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,553

To Accompany Report By: N. Gibson, Geologist.

CRISAN RESOURCES LTD.		
JAVA 300 CLAIM PERROW, OMINECA M.D., B.C. SOIL GEOCHEMISTRY		
STRYDER EXPLORATIONS LTD.		
N.T.S. 93 L/10	Scale 1:2000	Fig.
August 1987	Drawn by S.G.H.	

JAVA 300

LAKE

A

D

GRID B

E

C

A

PERROW 300

B

PEELER

C

A

E

CLAIM LINE

LEGEND

FAULT & FAULT LINEAMENTS (approx) ——— ——— ———

GEOLOGICAL BOUNDARY (approx) . — . — . — . —

A Dark, fine grained, Mg rich basaltic flow.

B Ferromagnesian basaltic flow. Calcite veinlets. Trachytic composition.

C Course grained, acidic, trachyte.

D Fine grained, calcite veinlets, trachyandesite.

E Intrusive course grained, calcite veinlets, hornblende, gabro dyke.

F Intrussive grained acidic rock with large feldspar phenocryste. Trachytic to porphyritic composition dyke.

0 100 200 300 400 500

SWAMP

LAKE

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,553

N

CRISAN RESOURCES LTD.

PERROW 300 & PEELER CLAIMS

PERROW, OMINECA M.D., B.C.

PROPERTY GEOLOGY

STRYDER EXPLORATIONS LTD.



Values indicated are for Zn/Cu/Au

Zn/Cu in(PPM)

Au in(PPB)

- Cu 101+
- Cu 51-100
- Zn 301+
- Zn 201-300
- Zn 101-200
- Au 2+

100 50 0 50 100 200

METERS

N

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,553

To Accompany Report By N. Gibson, Geologist.

CRISAN RESOURCES LTD.

JAVA 300 CLAIM
PERROW, OMINECA M.D., B.C.

SOIL GEOCHEMISTRY

STRYDER EXPLORATIONS LTD.

N.T.S. 93 L/10	Scale: 1:2500	Fig.
August 1987	Drawn by D.S.A.	