

LOG NO: 0203	RD.
ACCTG.	
FILE NO:	

**SUB-RECORDER**  
RECEIVED  
JAN 31 1989  
M.R. # ..... \$.....  
VANCOUVER, B.C.

**GEOCHEMICAL, GEOPHYSICAL and GEOLOGICAL  
REPORT**

on the

**VENUS SILVER CLAIM**

Similikameen Mining Division  
British Columbia

North Lat. 49°26' West Long. 121°05'  
NTS 92H/6

Prepared for

SCHELLEX GOLD CORP.  
820-650 West Georgia Street  
Vancouver, B.C.  
V6B 4N8

**GEOLOGICAL BRANCH  
ASSESSMENT REPORT**

**18,341**

Prepared by

BOA SERVICES LTD.  
P.O. BOX 11569  
840-650 West Georgia Street  
Vancouver, B.C.  
V6B 4N8

January 12, 1989

Paul P.L. Chung F.G.A.C.  
Consulting Geologist

## TABLE OF CONTENTS

	Page
Introduction	1
Summary	1
Property and Ownership	3
Location and Access	5
Physiography	5
History	6
General Geology	8
1988 Exploration Program	9
Grid Establishment	11
Soil Geochemistry Survey	11
Silt Geochemistry Survey	14
VLF-EM Survey	15
Local Geology	16
Discussion	18
Conclusions	19
Recommendations	19
Cost Estimate	20
Statement of Costs	21
Statement of Qualifications	23
Bibliography	25

### Appendices

Appendix I	Certificate of Analysis - Soils
Appendix II	Histograms for Copper, Lead, Zinc, Silver, Gold
Appendix III	Certificate of Analysis - Rocks
Appendix IV	Sample Descriptions - Rocks

## List of Illustrations

Figure		Page
1	Location Map 1 : 7,000,000	2
2	Claim Map 1 : 50,000	4
3	Regional Geology Map	10
4	Grid Location Map	12

### In Pocket

5	Local Geology and Rock Sample Location Map	
6, 7	Value and Symbol Map - Copper	
8, 9	Value and Symbol Map - Lead	
10, 11	Value and Symbol Map - Zinc	
12, 13	Value and Symbol Map - Gold	
14, 15	Value and Symbol Map - Silver	
16	Dip Angle Profile - Seattle	
17	Dip Angle Profile - Cutler	
18	Fraser Filter - Cutler	
19	Compilation Map	

## INTRODUCTION



Schellex Gold Corp. of Suite 820, 650 West Georgia Street, Vancouver, British Columbia holds an option to purchase 100% of the Venus Silver Claim, located in the Similkameen Mining Division. This report, prepared at the request of the directors of the company, describes the grid establishment, VLF-EM survey, geological survey, soil and rock geochemistry surveys that were conducted between July 22nd and July 29th, 1988.

## SUMMARY

The Venus Silver property consists of one 15 unit M.G.S. claim covering 500 hectares. It is located some 27 kilometers east/northeast of Hope, in the Similkameen Mining Division, British Columbia. It is accessible by well maintained logging roads, departing from the Coquihalla Highway 52 kilometers north of Hope and then 1.5 kilometers of horse trail. These roads are kept open during winter if logging is in progress. Alternately, helicopter access is available from the town of Agassiz.

The subject property is underlain by tuffaceous and pelitic sediments of the Upper Jurassic Dewdney Creek Group, and intruded by a Tertiary quartz diorite.

Exploration and development in this area commenced in 1894 with the staking of the main claims presently covered by the Sky claim, just south of the property. Development on the property commenced in 1898 when A.D. Ross staked the Morning Star and put in a tunnel of 30 feet in length to test a silver, lead, and copper vein exposed on the surface. Development on the Morning Star continued on to 1927 with a total of over 100 meters of underground workings. The Property then became inactive until



Schellex Gold Corp.

**Location Map**

**VENUS SILVER PROPERTY**

Similkameen Mining Division

NTS: 92 H/6

November, 1988

Boa Services Ltd.

Figure 1

1987 when J. Laird staked the Venus Silver property around the Morning Star Crown Grant. Mr. Laird then conducted a prospecting program that summer. Schelllex Gold Corp. subsequently optioned the property in January of 1988.

The 1988 exploration program identified two areas of interest. One is a siliceous tuff horizon with elevated gold values, the other area of interest is a porphyry copper-gold target.

The Venus Silver property is favourably situated just west of Huldra Silver and north of the Summit Camp. Initial investigations has indicated a similar geologic setting. From the results of the exploration program, the potential for discovering mineralized structures is good. A follow-up program of prospecting, mapping, soil sampling and VLF-EM survey is recommended. The estimated cost of this program is \$35,460.00.

#### PROPERTY AND OWNERSHIP

The property is comprised of one M.G.S. claim totalling 15 units. The claim is located in the Similkameen Mining Division and is held under option by Schelllex Gold Corp. The following table summarizes the pertinent claim data:

<u>Claim</u> <u>Name</u>	<u>Record</u> <u>No.</u>	<u>Expiry</u> <u>Date</u>	<u>Registered</u> <u>Owner</u>
Venus Silver	8719	Nov 7/88	James W. Laird



121°04'



VENUS SILVER PROPERTY

SUTTER CREEK

Hope

Argentum

Sky

L 94

L 93

L 130

L 132

Amberly

Spike

AMBERTY CREEK



Octopussy

49°25'

Queen Bess 1

Queen Bess 2

VULCH CREEK



New Westminster Mining Division  
Similkameen Mining Division

Schellex Gold Corp.

# Claim Map

## VENUS SILVER PROPERTY

Similkameen Mining Division

NTS: 92H/6

November, 1988

Figure 2

Boo Services Ltd.

## LOCATION AND ACCESS

The property lies just west of Treasure Mountain, some 25 kilometers east/northeast of Hope, on NTS Map Sheet 92 H/6. The geographical coordinates of the claim are 49°26' N. Latitude and 121°05' W. Longitude.

Access to the property is by 44 kilometers of logging roads from a turnoff on the Coquihalla Highway 1.5 kilometers north of the toll booth (52 kilometers north of Hope), to the end of the Summit Camp road, which now ends at the Summit Shaft. From there, its a 1.5 kilometer hike along the old Summit Ridge horse trail to the central claim area.

Access to the southeastern part of the property may be gained from an overgrown logging road along Sutter Creek, which passes within several hundred meters of the legal corner post. Alternately, a helicopter from Agassiz or Hope can provide access to the property.

## PHYSIOGRAPHY

The claim covers a prominent north/south ridge linking Mount Sutter and Tulameen Mountain, with elevations to 1950 meters. The claim area is mostly above treeline, with scrub trees and low brush persisting on the upper mountain ridges. Below the alpine areas, usable timber grows on the north facing sidehills and in the valley bottoms.

The area experiences moderate to heavy snowfall precluding surface exploration activity until late May or June in the lower areas and July in the higher portions.



## HISTORY

The immediate area, known as the "Treasure Mountain", "Summit Camp" or "Silver Chief-Silver Hill" property, has seen sporadic but at times intensive activity during four periods following its discovery in 1894. Initial work was carried out from shortly after the discovery to about 1913. From 1920 to 1932 some production was realized and then in the 1950's the Treasure Mountain area again produced a minor amount from a 50 ton per day mill. During this decade Huldra Silver Inc. has been actively exploring the claims immediately east of Schellex Gold Corp's holdings.

In 1894 to 1896, the main claims covered by the present Sky property were staked as surface mineral occurrences. In 1898, A.D. Ross of Granite Creek drifted a 30 foot tunnel to explore the Morning Star. In 1899 the Indiana Company was formed to include the Sutter, Skyline, Lulu and Vigo claims with assays up to 200 oz./ton silver, \$4-\$6 in gold, and copper and lead values. By 1900 inaccessibility to the area had prevented further development.

Sporadic exploration continued to 1913 when a report by G.D. Galloway on the Summit Camp area summarized some of the pertinent properties including claims on Treasure Mountain, the Morning Star, the Indiana and Stevenson Groups (Sky property) and Halls showings. Only very small lenses of high grade had been found with clearly defined veins being preferentially hosted in limestones and slates of the Carboniferous formation. The Morning Star is described as a "well defined vein, traceable for 300 feet; fissure angles the formation and cuts through porphyry, black lime, conglomerate, etc. Solid ore in places from 2 up to 6 inches in width."

The most impressive developments were on the Treasure Mountain Mining Company's properties on Treasure Mountain. Two veins striking at N40°E cut limestone, argillite and quartz, sometimes adjacent to a porphyry dike. The galena mineralization varied from inches to four feet in width with payshoots of galena assaying up to 130 oz/ton silver. The Morning Star, Vigo and Lulu had similar but minor showings within their boundaries.

In 1915 Andy Jensen drove 246 feet of cross cuts and tunnels in the Morning Star. A typical sample of the solid ore chipped from the vein assayed 0.03 oz/ton gold; 55 oz/ton silver; 24.2% lead; and 13% zinc.

In 1920 it was reported that the Mountain View claim in the same area hosted 1,500 feet of strike length of favourable structure hosted in andesite, slate and limestone cut by diorite dykes. Assays ran as high as 22% lead and 40 oz/ton silver. However, lack of developed tonnage resulted in sporadic development and the main thrust was concentrated on Treasure Mountain (Silver Chief) property where the lead averaged 4 feet with lenses of massive lead sulfide and zinc sulfide mineralization.

Development continued on the Eureka to the west of the Silver Chief in 1924 and 43 tons of ore was shipped to the smelter.

A summary of the metals shipped to the end of 1952 indicates that the Eureka and Silver Chief deposits produced 40,431 ounces of silver, 392,357 pounds of lead and 102,079 pounds of zinc from an estimated 1,300 tons of concentrates. In 1954 a 50 ton concentrator was installed to work the upper levels of the old Silver King or Mary E Mine showings. Descriptions in the 1955 Annual Report describe the activities as being primarily rehabilitation of underground workings preparation for 1956 production and by the end of the year the first zinc concentrate was shipped to the smelter. This activity was short lived and production ceased in 1957.

In 1987, Mr. J. Laird staked the Venus Silver claim which covered the Morning Star Crown Grant and conducted a prospecting program on the claim. From the results of this program he concluded that the geological and structural similarities to the Summit Camp and Treasure Mountain areas, indicate a good potential for further discoveries.

#### GENERAL GEOLOGY

The most recent published regional mapping appears as Map No. 12-1969 which accompanies J.W.H. Monger's GSC Paper 69-47 on the Hope Mapsheet (west half).

Submarine volcanic and marine clastic rocks of the Devonian Hozameen Group, comprising a north/northwest trending, easterly dipping sequence, are bounded by the Fraser River fault system on the west and Hozameen fault to the east. Pelite, chert, limestone and mafic volcanic rocks are mapped.

The north/northwest trending Hozameen fault hosts numerous serpentinite, peridotite, pyroxenite bodies. Numerous gold occurrences (including the Carolin Mine) occur within the fault zone and the ultramafic rocks.

The Lower and Middle Jurassic Ladner Group pelites and volcanoclastic sandstones define a broad north/northwesterly trending syncline.

Tuffaceous and pelitic sediments of the Upper Jurassic Dewdney Group overlie the Ladner Group to the southeast and are in fault contact (Chuwanten Fault) with the Lower Cretaceous Pasayten sandstone, conglomerate and pelitic sediments in the east. The mineral deposits of the Treasure Mountain area are hosted by the Dewdney Creek and Pasayten Group rocks. Deposits are localized along faults apparently related to the Chuwanten fault system.

Numerous stocks and plugs of late Cretaceous to Miocene granodiorite and quartz diorite intrude most of the rock units in the area.

#### 1988 EXPLORATION PROGRAM

The exploration program was managed by Boa Services Ltd. and conducted by personnel supplied by Schelllex Gold Corp. The program consisted of establishment of a survey control grid, VLF-EM, prospecting, soil and rock geochemistry surveys. The field work was undertaken between July 22 and July 29.

**LEGEND**

**TERTIARY**

**MIOCENE AND EARLIER**

24 Granodiorite, quartz diorite

**EARLY TERTIARY AND/OR LATE CRETACEOUS**

20 Foliated granodiorite, quartz diorite

**CRETACEOUS**

**UPPER CRETACEOUS OR (?) OLDER**

19 Quartz diorite

**LOWER CRETACEOUS KINGSVALE GROUP**

18 Basalt, andesite, agglomerate, tuff

**PASAYTEN GROUP**

17 Sandstone, conglomerate, pelite

**JACKASS MOUNTAIN GROUP**

16 16a; sandstone, pelite, and conglomerate; 16b; sandstone, minor conglomerate

**JURASSIC AND/OR LOWER CRETACEOUS**

13 Foliated granodiorite

**JURASSIC**

**UPPER JURASSIC DEWDNEY CREEK GROUP**

12 12a; sandstone, pelite; 12b; tuff, pelite

**LOWER AND MIDDLE JURASSIC LADNER GROUP**


5 Pelite, volcanic sandstone

**DEVONIAN (?), CARBONIFEROUS (?), AND PERMIAN (?) HOZAMEEN GROUP**

1 1; pelite, chert, basic volcanic rock, minor limestone; 1a; chert, basic volcanic rock; 1b; basic volcanic rock; 1c; chert, pelite; 1d; basic volcanic rock, chert, pelite; 1e; limestone

**ULTRAMAFIC ROCK**

A Aa; serpentine, serpentized peridotite, includes some Upper Paleozoic volcanic rocks in broad belt northeast of Hope; Ab; pyroxenite; Ac; hornblende



5 0 5 10km  
SCALE 1:250,000

Note: After G.S.C. Map 12, 1969



Schelltex Gold Corp.  
**General Geology Map**  
**VENUS SILVER PROPERTY**  
Similkameen Mining Division  
NTS: 92 H/6

November, 1988

Boa Services Ltd.

Figure 3



## Grid Establishment

A survey control grid was established using a compass and a beltchain. The 100N by 100W origin for the grid was established to allow for a two coordinate orientation. An east - west baseline was established for 800 meters (100W to 108W) and 8 north - south survey lines were put in at 100 meter intervals. All lines were flagged and labelled and sample stations were put in at 25 meter intervals on all lines.

All together, 8.625 line kilometers of control grid was established, including 800 meters of baseline and 7.825 kilometers of survey lines. Figure 4 shows the orientation and location of the grid.

## Soil Geochemistry Survey

5.6 kilometers of geochemical samples of the "B" and "C" soil horizons were collected over the survey control grid. A total of 217 samples were collected on a 100 x 25 meter grid. All soil samples were placed in kraft paper envelopes, field dried and delivered to Acme Analytical Laboratories in Vancouver, B.C. There, the samples were dried at 60°C, sieved to minus 80 mesh and were analyzed for 30 elements by inductively coupled argon plasma (ICP) and gold by atomic absorption (AA). A total of 217 samples were analyzed. The Certificate of Analysis for the soil samples accompanies this report as Appendix I.



Schellex Gold Corp.

## Grid Location Map

**VENUS SILVER PROPERTY**  
 Similkameen Mining Division  
 NTS: 92 H/6

November, 1988 Figure 4

Boa Services Ltd.

The results of the survey were sent to Tony Clark Consulting where Mr. Clark, a doctor in geology, conducted a statistical analysis of the results and determined anomalous levels for gold, silver, copper, lead, and zinc. The histograms for these five elements are included in this report as Appendix II and value and symbol plots for gold, silver, copper, lead, and zinc are shown in Figures 6 to 15.

The analytical results for lead, zinc and silver are quite low and only a small amount of the population reached anomalous levels. The gold and copper values however, are more significant and two anomalous areas are delineated. For gold, 25 ppb is considered background in BC and for this survey, the anomalous level was determined to be 50 ppb. The highly anomalous threshold was considered to be 1000 ppm.

A correlation matrix for all 30 elements is included in Appendix II. From this matrix, some mineral associations can be noted. The Pb/Ag correlation coefficient of 0.50 is a moderately strong correlation and suggests the presence of argentiferous galena. There is a strong correlation between As and Fe, and As with Au (both 0.62) which would indicate gold in arsenopyrite. The strong correlation between Bi and Au (.60) suggests the mineralization is epigenetic similar to the Lawyer's property.

Anomaly 1 extends from L10000W to L10300W and is 250 meters wide. This zone is highly anomalous in copper and slightly anomalous in gold and molybdenite. The copper values are significantly above other areas in the survey, reaching into the hundreds and thousands of ppm. The survey high of 2976 ppm was obtained in this zone. The gold values, though not highly



anomalous, are significantly elevated above the survey background value of 10 or less ppb. The molybdenite analytical data was not processed, however, it was fairly obvious that most of the anomalous values were located in this zone. The geology indicates this anomalous zone is situated over a quartz diorite plug.

#### Silt Geochemistry Survey

22 silt samples were collected from 4 different creeks draining the property. The materials collected range from fine silts to gravel to organics. The samples were field dried and delivered to Acme Analytical Laboratories in Vancouver. There, the samples were dried at 60°C, sieved to minus 80 mesh and were analyzed for 30 elements by ICP and gold by AA. The Certificate of Analysis for the silt samples accompanies this report in Appendix I.

The results of the survey were quite low. The values for all the elements rarely rise above general background values. This is in sharp contrast to the soil geochemistry survey, which delineated anomalous areas for copper and gold. The low results from this survey may be due to a lack of suitable materials from the creeks. Most of the samples were collected near the headwaters of the creeks, and thus there may have been insufficient amounts of silt available for a true survey.

## VLF-EM Survey

A total of 8 line kilometers of very low frequency electro-magnetic (VLF-EM) survey was completed on the property with a Geonics EM-16 receiver. Vertical in-phase (dip angle %) and quadrature (out-of-phase dip angle %) component readings were taken at 25 meter station intervals along north-south lines spaced every 100 meters. The VLF transmitter station in Cutler, Maine (24.0 KHz) was used, as it most favourably couples with the east-west trending structures on the property. In addition, two east-west lines were run utilizing the Seattle, Washington (24.8 KHz) to check for possible conductive cross structures. Chris Basil, an experienced geophysical technician, conducted the survey and interpreted the data.

The survey data, presented in raw data profile format and contoured Fraser filtered format can be seen in Figures 21-24, and the conductor axes are plotted on Figure 25. Three anomalous zones of interest were delineated (labelled A through C) and are discussed in the following text.

Conductor A is a weakly conductive body of substantial dimensions, exhibiting a low in-phase to out-of-phase ratio, extends through the entire length of the grided area (700 meters) with the most intense responses occurring between L10100W and L10400W. It is likely that this anomaly is structural, reflecting a fault bearing relatively conductive fluids. Low soil geochemistry results over this body are consistent with this interpretation.

Conductor B has a strike length of 500 meters, exhibits less of a quadrature response than Conductor A and thus is interpreted as a more conductive body, or less effected by conductive overburden. Coincident copper and gold soil geochemistry results are associated with an intrusive body along its southern and eastern flanks. A contrasting resistivity boundary along this contact may best explain this anomaly.

Conductor C is also coincident with a gold and copper anomalous geochemistry zone. A minor fault coincident with this anomaly provides a probable explanation for the moderately conductive response.

From the Seattle profiles, a few slight crossovers are observed. On L1000N, two weak anomalies at 10475W and 10625W correspond to Conductor A. On L10275N, a small narrow conductor is noted at 10140W. This corresponds to a sharp notch along the surveyed ridge and perhaps reflects some minor cross faulting or shearing.

#### Local Geology

The property is underlain by a sequence of northwest trending conglomerate and sandstone, with a high incidence of volcanic fragments, argillite and tuff from the Upper Jurassic Dewdney Creek Group. These units have been intruded by Late Cretaceous to Early Tertiary diorite-basalt-dacite dykes and diorite intrusives.

The argillite is comprised of fine laminations to massive bands of black and grey arkosic sediments which demonstrate some soft sediment features suggesting that the top of the sequence is to the west.

The volcanic sandstone is generally comprised of a heterolithic assemblage of sub-rounded felsic, siliceous and argillaceous fragments to 2 mm in size, imbedded in a fine, partly calcareous felsic matrix.

The volcanic conglomerate is comprised of sub-rounded to angular felsic, siliceous and argillaceous; fragments in a fine, fragmented, crystalline, partly calcareous matrix.

The tuff is dark grey to black well-bedded, and fine-grained. Angular fragments of clear or partly altered feldspar, quartz and minor lithic fragments are in a fine-grained matrix. On occasion this unit becomes quite siliceous and can contain up to 40% pyrite.

The intrusive unit on the property is a diorite-quartz diorite. It is comprised of equigranular hornblende crystals (5%), 20 to 30% quartz, and 5% biotite set in a fine feldspar matrix.

Alteration and metasomatism associated with the intrusives have developed hornfels halos around the intrusion and quartz-carbonate vein systems with variable disseminated epidote and sericite. Quite often, these systems are mineralized with variable amounts of pyrite, chalcopyrite, pyrrhotite, molybdenite, galena, and sphalerite.

During the program, 19 rock samples were collected and sent to Acme Analytical Laboratories for analysis. There, the samples were crushed and the minus 100 mesh sample pulps were analyzed for 30 element by ICP and gold by AA. The analytical results for the rock samples and the rock descriptions accompanies this report as Appendix I and IV respectively.

The analytical results of rock samples are quite consistent with the soil survey. Anomalous gold values were returned by rock samples of various lithology. Most of the tuffaceous samples produced elevated values in gold and the survey high of 965 ppb was from a sample of this lithology. The samples that returned high values in copper with elevated gold values tend to be the intrusives with quartz veinlets. One sample that produced very high lead and zinc values (2767 ppm and 1170 ppm respectively) with elevated silver values was from a small quartz vein in the sediments, a mineralization style very similar to the Summit Camp property to the south.

#### DISCUSSION

The recent successes at Huldra Silver and the Summit Camp has generated great interest in the area for high-grade silver veins. The general characteristics of this type of deposit are quartz-carbonate veins filling in tension fractures or lodes controlled by fault structures mineralized with galena, sphalerite, chalcopyrite, pyrite, and silver bearing minerals. The proximity of Huldra and the Summit Camp (the Venus claim adjoins both properties) and the similar geological setting makes the Venus claim an excellent exploration target for similar mineralization.

The recent work program identified one possible fault structure which was reflected by the southwest trending creek near the southern claim boundary. This structure does not appear to be mineralized. However, the work program was conducted only over a portion of the claim area. The potential for existence of high-grade silver veins on the property is supported by the Morning Star workings within the property boundaries and the sample of quartz vein in the sediments which returned elevated lead, zinc and silver values.

Two areas of interest were delineated by the work program. One is a gold anomaly over a tuffaceous horizon that is quite siliceous and contains up to 40% pyrite. The highest gold value obtained was from a sample of this unit. However, due to the limited program conducted on the property, the nature and the extent of this unit is undetermined. The other area of interest is a copper-gold anomaly over a quartz diorite plug. The mineralogy and the style of mineralization suggests a porphyry copper-gold type target.

#### CONCLUSIONS

The Venus claim is favourably situated adjacent to both the Huldra Silver deposit and the Summit Camp property, and initial investigation has indicated a similar geologic setting. The work has identified two areas of interest. One is a siliceous tuff horizon which has elevated gold values and the other is a quartz diorite anomalous in copper and gold. On the basis of these results, further exploration of the claim is warranted.

#### RECOMMENDATIONS

After analysis of the results, the following program is recommended for further exploration of this property:

- (1) extend the grid to the east to cover the area around the Morning Star.
- (2) VLF-EM and soil geochemistry surveys on the new grid to delineate possible extensions of the Morning Star structure.
- (3) detailed mapping and prospecting of the claim area.

## COST ESTIMATES

Mapping and prospecting	\$7000.00
Linecutting and soil sampling	5000.00
VLF-EM survey	2000.00
Analysis	6500.00
Helicopter	2000.00
Equipment and Field support	3500.00
Management Fee	2600.00
Contingency	2860.00
Report	<u>5000.00</u>
TOTAL	\$36460.00 =====

## STATEMENT OF COSTS

## Personnel

M. Antochin-sampler		
7 days at \$124/day	\$868.00	
C. Basil-geophysical technician		
7 days at \$157/day	1099.00	
P. Chung-geologist		
1 day at \$250/day	250.00	
C. Ridley-sampler		
7 days at \$98/day	686.00	
D. Ridley-pro prospector		
7 days at \$161/day	1127.00	
G. Schellenberg-geologist		
4 days at \$250/day	1000.00	\$5030.00

## Camp Rental

7 days at \$15/day		\$105.00
--------------------	--	----------

## Helicopter Charter

		\$1204.00
--	--	-----------

## VLF EM-16

1 week at \$200/wk		\$200.00
--------------------	--	----------

## Radio

1 week at \$100/week		\$100.00
----------------------	--	----------

## Food


		\$493.35
--	--	----------

Consumables (kerosene, flagging, soil bags, rock sample bags, etc.)		\$150.00
--	--	----------



Assays	\$3097.30
Base Map Preparation	\$2200.00
VLF Interpretation	\$400.00
Filing Fees	\$975.00
Management Fees	<u>\$1900.00</u>
Total Exploration Expenditure	\$15854.65
Report Costs	<u>\$5051.39</u>
TOTAL COST OF PROGRAM	\$20906.04 =====

Submitted by

  
Paul P.L. Chung, F.G.A.C.

## STATEMENT OF QUALIFICATIONS

I, CHRISTOPHER BASIL, of 206-960 Jervis St., Vancouver, B.C. do hereby certify that:

I am presently employed by Coast Mountain Geological Ltd. of Vancouver, as a Geophysical Projects Manager as well as a self employed private contractor.


I majored in physics at McGill University, Montreal for 2.5 years.

I have been active, full time, in my profession conducting geophysical surveys and interpreting the results for 10 years, in Canada, U.S. and Australia.

I personally conducted the 1988 geophysical program, and have based the interpretation upon this year's results and from past experience.

I hold 3000 shares of Schellex Gold Corp., but have based my conclusions and recommendations on professional concerns only.

Dated at Vancouver, this 12th day of January, 1989.




Christopher Basil

## STATEMENT OF QUALIFICATIONS

I, Paul P.L. Chung, of the City of Richmond, Province of British Columbia, DO HEREBY CERTIFY THAT:

- (1) I am a Consulting Geologist with business address office at Suite 840 - 650 West Georgia Street, Vancouver, British Columbia, V6B 4N8; and President of Boa Services Ltd.
- (2) I am a graduate in geology with a Bachelor of Science degree from the University of British Columbia, in 1981.
- (3) I have practised my profession continuously since graduation.
- (4) I am a Fellow of the Geological Association of Canada.
- (5) I have conducted various mineral exploration programmes in B.C., Yukon, Manitoba, Ontario, Quebec, Nova Scotia, and Nevada.
- (6) This report is based on my examination of the property on July 22nd, 1988 and on selected publications and reports.
- (7) I own 2000 shares in the capital stock of Schellex Gold Corp.

  
\_\_\_\_\_  
Paul P. L. Chung F.G.A.C.

Dated at Vancouver, British Columbia, this 12th day of January, 1989.

## BIBLIOGRAPHY

- Black, J.M.(1952): Summit Camp in British Columbia minister of Mines Annual Report 1952, pp.119-134.
- Cairnes, C.E.(1922): Geological Survey of Canada, Summary Report 1922, Part A, pp.95-107.
- Dewonck, B.(1987): Report on The Summit Camp Property; private report for Harrisburg-Dayton Resource Corp.
- Hawkins, T.G. and Lebel, J.C. (1983): Geological, Geochemical, Geophysical and Diamond Drilling Report: Skyline, Spike, Sky, Amberty, Sutter, Vigo, Lulu Claims, Treasure Mountain Area; private report for Unicorn Resources Ltd.
- Laird, J.W.(1987): Prospecting Report on the Venus Silver Claim: private report for Schellex Gold Corp.
- McDougall, J.J.(1987): Report on the Treasure Mountain Mineral Claims, Tulameen River Area: private report for Huldra Silver Inc.
- Monger, J.W.H.(1969): Geology of the Hope Map Area (West Half); Geological Survey of Canada, Paper 69-47, Map 12-1969.

APPENDIX I

Certificate of Analysis - Soils

## GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 1ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.  
 THIS LEACH IS PARTIAL FOR NH FK SK CA P LA CR NG BA TI B V AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.  
 - SAMPLE TYPE: P1-P3 SOIL P4 SILT P5 ROCK AO\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

DATE RECEIVED: AUG 2 1988

DATE REPORT MAILED: Aug 6/88

ASSAYER: C. Leong D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SCHELLEX GOLD CORP. PROJECT VENUS SILVER File # 88-3153 Page 1

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Tb PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	W PPM	Au* PPM
L107W 103N	1	5	9	12	.2	3	1	15	.51	2	5	ND	1	6	1	2	2	9	.04	.042	2	4	.02	12	.01	5	.48	.02	.01	1	1
L107W 102+50N	1	6	10	14	.1	2	1	32	.67	4	5	ND	1	4	1	2	2	18	.02	.020	2	5	.05	13	.09	3	.53	.02	.02	1	2
L107W 102N	1	15	2	34	.4	5	4	89	3.71	54	9	ND	4	6	1	4	2	45	.06	.032	3	10	.12	13	.09	2	2.73	.02	.02	1	9
L107W 100+50N	3	49	32	52	.5	13	6	159	6.73	74	5	ND	2	7	1	2	2	65	.06	.105	3	40	.49	21	.10	2	3.70	.01	.04	1	28
L107W 3/4 100N	2	27	7	38	.3	9	3	189	5.63	42	5	ND	1	8	1	2	2	43	.10	.075	3	24	.21	43	.08	2	2.02	.01	.02	1	9
L107W 39+50N	1	24	6	24	.6	7	2	39	1.51	12	5	ND	1	5	1	4	2	17	.04	.121	2	6	.05	7	.01	5	1.23	.01	.04	1	3
L107W 99N	1	9	8	18	.3	5	2	26	2.07	4	5	ND	1	4	1	2	2	38	.02	.025	4	7	.08	9	.07	2	1.13	.01	.02	1	3
L107W 98+50N	1	9	7	30	.3	7	3	57	1.92	2	5	ND	1	4	1	2	2	29	.03	.044	4	7	.06	4	.06	2	1.72	.01	.01	1	1
L107W 98N	3	21	6	38	.3	8	5	102	5.94	7	7	ND	2	8	1	4	3	87	.05	.064	5	20	.51	14	.11	2	1.94	.01	.02	1	4
L107W 97+50N	5	17	7	48	.2	4	5	197	5.21	2	5	ND	1	13	1	2	2	83	.09	.050	4	9	.65	36	.14	5	3.34	.02	.02	1	1
L107W 97N	3	14	13	23	.3	2	3	53	3.93	3	5	ND	2	4	1	2	2	83	.03	.034	4	8	.21	14	.25	7	1.40	.01	.01	2	2
L107W 96+50N	14	30	16	24	1.0	4	4	44	3.70	5	5	ND	2	4	1	4	2	76	.02	.037	5	7	.10	14	.18	2	1.49	.01	.03	2	2
L107W 96N	2	730	2	20	4.0	3	3	15	.38	2	5	ND	1	6	1	2	2	4	.05	.187	9	3	.04	9	.01	7	3.28	.01	.04	1	1
L106W 103N	3	35	19	86	.6	18	6	406	4.13	83	5	ND	1	28	1	7	3	56	.16	.081	6	34	.28	39	.10	4	3.88	.01	.03	1	10
L106W 102+50N	2	15	13	18	.1	2	3	33	4.10	37	5	ND	4	3	1	2	2	49	.03	.046	5	12	.07	11	.20	2	4.99	.01	.01	1	4
L106W 101N	4	197	56	129	1.1	14	8	255	14.31	427	5	ND	3	26	1	2	19	56	.14	.136	3	48	1.05	22	.09	8	3.59	.01	.02	1	560
L106W 100+50N	2	54	17	38	.9	8	4	92	8.06	60	5	ND	2	7	1	2	2	48	.03	.103	4	27	.34	15	.05	6	3.22	.01	.04	1	23
L106W 8/4 100N	2	21	10	32	.3	5	4	236	4.76	14	5	ND	1	8	1	4	2	44	.03	.069	6	25	.24	26	.04	2	3.01	.01	.03	1	35
L106W 99+50N	2	16	12	21	.3	7	3	50	4.25	14	5	ND	1	5	1	2	2	66	.03	.046	6	24	.19	16	.07	2	1.99	.01	.01	1	3
L106W 99N	1	19	8	27	.2	8	4	53	5.07	8	5	ND	1	5	1	2	2	66	.02	.073	6	37	.27	16	.05	3	1.80	.01	.02	1	2
L106W 98+50N	7	368	16	34	.5	18	8	116	12.22	13	5	ND	3	12	1	2	2	78	.06	.084	13	63	.84	37	.05	2	3.77	.01	.05	1	17
L106W 98N	5	28	12	20	.8	4	3	35	5.07	3	5	ND	2	5	1	2	4	69	.02	.042	6	12	.13	16	.16	2	2.60	.01	.03	1	2
L106W 97+50N	9	48	9	39	.4	3	4	201	4.91	2	5	ND	2	14	1	2	2	86	.07	.054	5	8	.91	73	.23	5	3.47	.01	.05	2	3
L106W 97N	13	47	9	19	.7	4	3	34	3.69	3	5	ND	2	7	1	2	2	58	.05	.049	3	8	.12	19	.09	3	1.72	.01	.02	1	1
L106W 96+50N	10	46	12	29	.3	5	3	221	4.75	3	5	ND	2	7	1	2	2	100	.05	.067	3	12	.30	43	.15	2	1.05	.01	.03	1	1
L106W 96N	4	30	13	27	.2	5	3	105	4.79	3	5	ND	1	6	1	2	3	79	.04	.057	3	20	.41	27	.10	2	1.97	.01	.03	1	2
L105W 102+50N	19	47	10	24	.3	5	2	88	4.78	138	5	ND	1	10	1	3	2	173	.04	.093	3	19	.14	19	.07	2	2.76	.01	.03	1	27
L105W 102N	8	41	14	50	.6	14	5	606	5.90	219	5	ND	2	12	2	2	2	115	.06	.114	4	61	.59	30	.08	4	3.06	.01	.03	1	41
L105W 102N	2	47	18	55	.4	11	5	534	5.50	53	5	ND	1	7	1	2	6	42	.08	.128	4	25	.46	29	.05	4	3.61	.01	.02	1	12
L105W 100+50N	2	48	16	39	.3	7	4	82	3.91	37	5	ND	2	5	1	2	2	49	.03	.106	4	35	.39	12	.06	2	2.07	.01	.05	1	20
L105W 3/4 100N	2	125	15	43	.8	12	6	638	7.89	23	5	ND	3	5	1	2	2	57	.03	.110	6	32	.35	12	.05	8	1.64	.01	.04	1	6
L105W 99+50N	1	191	6	34	1.9	6	2	31	.62	3	5	ND	1	4	1	2	2	4	.04	.138	15	9	.04	2	.01	5	3.88	.01	.02	1	7
L105W 99N	5	77	8	33	.3	11	3	113	5.78	4	5	ND	3	6	2	2	2	87	.05	.077	7	61	.78	22	.08	3	3.53	.01	.03	1	8
L105W 98+50N	7	27	13	27	.8	2	2	43	3.96	2	5	ND	2	5	1	2	2	47	.03	.066	5	10	.09	16	.04	3	2.99	.01	.03	1	2
L105W 98N	16	152	13	47	.6	8	4	277	4.08	2	5	ND	2	5	1	2	2	109	.07	.067	4	34	.74	30	.17	2	3.04	.01	.03	1	6
L105W 97+50N	27	113	9	43	.6	2	4	195	3.90	4	6	ND	2	6	1	2	2	58	.07	.077	4	6	.65	13	.12	2	1.71	.01	.04	1	10
STD C/20-S	18	58	39	132	1.1	68	27	1040	4.07	35	38	8	37	47	17	21	57	.46	.086	40	57	.91	176	.06	36	1.94	.06	.13	11	49	

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	S PPM	Au PPM	Th PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	Cl PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	W PPM	Au* PPM
L105W 97W	119	329	30	58	.4	6	17	725	4.75	3	5	ND	1	9	1	2	5	67	.15	.082	4	3	.72	31	.13	2	2.06	.01	.09	1	32
L105W 36+50W	28	100	12	35	1.0	7	4	146	4.38	6	9	ND	1	6	1	2	6	85	.35	.056	4	20	.36	22	.15	12	2.05	.01	.36	1	5
L105W 96W	7	32	11	23	.2	5	2	46	2.24	6	5	ND	1	5	1	2	2	57	.03	.030	5	10	.05	22	.08	2	.91	.01	.04	1	4
L104W 101+50W	2	159	46	48	1.1	23	10	190	13.51	278	5	ND	2	16	1	2	41	66	.38	.153	2	100	1.16	19	.10	2	3.26	.02	.05	1	104
L104W 101W	4	39	17	35	.1	10	3	71	9.55	78	5	ND	1	5	1	2	2	90	.04	.073	4	40	.37	20	.11	2	1.61	.01	.04	1	15
L104W 100+50W	3	29	17	28	.1	5	5	67	7.58	43	5	ND	1	5	1	2	4	87	.02	.053	4	47	.29	20	.08	2	1.74	.01	.03	1	10
L104W 87.5 100W	3	19	8	38	.3	8	4	104	5.19	13	5	ND	1	8	1	2	5	66	.05	.088	6	32	.35	22	.09	2	2.00	.01	.04	1	9
L104W 99+50W	11	69	16	35	.3	6	5	792	3.57	3	5	ND	1	5	1	2	2	52	.08	.107	4	36	.45	14	.06	2	3.08	.01	.03	1	2
L104W 99W	17	69	11	28	.6	20	2	76	3.92	3	5	ND	1	7	1	2	2	74	.06	.068	3	125	.70	16	.08	2	2.79	.01	.02	1	2
L104W 95+50W	22	157	12	18	.4	1	3	65	4.53	2	5	ND	1	5	1	2	2	99	.06	.045	3	22	.50	28	.17	2	2.30	.01	.10	1	11
L104W 95W	22	171	6	51	.5	5	3	282	3.63	3	5	ND	2	6	1	2	2	83	.06	.053	3	33	.97	43	.19	2	2.94	.01	.08	1	22
L104W 97+50W	31	110	15	31	.2	3	7	100	5.43	4	5	ND	1	7	1	2	5	135	.08	.035	3	14	.92	43	.37	2	2.64	.01	.15	1	6
L104W 97W	4	40	10	24	.6	1	2	52	2.40	2	5	ND	2	9	1	2	5	33	.05	.057	4	7	.15	17	.06	6	1.24	.02	.05	1	1
L104W 95W	4	69	13	53	.5	4	3	90	1.95	2	5	ND	1	7	1	2	3	35	.05	.061	5	10	.99	25	.05	2	1.32	.01	.04	1	1
L103W 103W	2	74	15	44	1.4	5	5	94	3.41	146	5	ND	1	6	1	2	2	61	.07	.120	4	16	.25	15	.09	2	4.39	.01	.04	1	18
L103W 102+50W	1	48	8	18	.3	8	6	148	4.73	64	5	ND	1	23	1	2	6	83	.97	.046	2	12	.46	18	.31	3	1.79	.11	.05	1	41
L103W 102W	1	49	40	56	.3	4	6	188	9.56	110	5	ND	1	43	1	2	9	121	.56	.079	2	19	1.53	13	.16	3	2.51	.12	.12	1	60
L103W 101+50W	1	164	11	35	.2	23	7	136	14.37	41	5	ND	2	6	1	2	12	161	.16	.093	2	561	3.59	5	.91	2	3.23	.01	.04	1	25
L103W 101W	3	132	19	53	.7	11	7	686	12.83	73	5	ND	1	14	1	2	9	94	.14	.143	3	54	1.08	25	.03	5	4.58	.02	.03	2	62
L103W 100+50W	1	28	11	49	.1	14	5	173	4.66	12	5	ND	1	11	1	2	2	67	.10	.066	7	40	.43	27	.08	2	3.18	.01	.03	1	1
L103W 87.5 100W	7	24	9	30	.1	4	3	39	6.03	7	6	ND	2	6	1	2	2	41	.04	.080	3	12	.21	15	.01	2	1.04	.01	.03	1	1
L103W 99+50W	1	21	6	43	.7	4	2	47	1.40	5	5	ND	1	13	1	2	2	47	.30	.060	3	40	.62	26	.05	12	.88	.02	.10	1	10
L103W 99W	87	171	21	37	.4	5	4	107	5.20	3	5	ND	2	9	1	2	3	118	.15	.048	3	34	.64	21	.17	5	2.71	.02	.05	1	39
L103W 98+50W	71	179	9	31	1.0	3	4	79	3.27	4	6	ND	2	11	1	2	5	89	.26	.051	2	17	.42	12	.12	2	1.60	.03	.04	1	125
L103W 98W	40	1392	18	47	.1	3	10	171	5.17	4	5	ND	4	21	1	2	2	93	.24	.085	4	5	1.68	85	.33	2	2.81	.01	.28	1	163
L103W 97+50W	13	628	32	23	1.4	1	2	20	2.07	2	5	ND	1	5	1	2	4	24	.03	.062	4	12	.08	23	.07	4	2.90	.01	.03	1	11
L103W 97W	6	60	25	67	.2	14	5	277	4.13	8	7	ND	2	13	1	2	2	68	.11	.060	9	40	.55	44	.08	3	3.65	.01	.02	1	6
L103W 96+50W	3	82	34	28	3.5	2	2	28	1.44	3	7	ND	2	5	1	2	2	15	.04	.131	5	9	.06	12	.01	2	2.75	.01	.04	1	3
L103W 96W	3	41	22	31	.6	2	2	40	1.33	3	5	ND	1	7	1	2	2	31	.04	.034	5	7	.04	31	.07	2	.96	.01	.03	1	2
L102W 103W	15	103	51	103	.5	13	9	201	9.45	124	5	ND	3	17	1	2	5	40	.10	.099	4	18	.53	41	.10	2	9.16	.01	.03	1	184
L102W 102+50W	1	126	33	49	.8	8	12	159	16.57	220	7	ND	3	14	1	2	47	78	.06	.177	2	17	.39	64	.08	2	3.47	.01	.03	1	505
L102W 102W	1	73	36	65	.7	5	10	311	8.83	73	6	ND	1	7	1	2	3	68	.10	.124	3	17	.64	23	.12	2	4.36	.02	.04	1	82
L102W 101+50W	1	77	23	81	.3	7	8	871	12.59	109	5	ND	1	13	1	2	2	74	.12	.173	2	18	.75	50	.06	4	2.98	.01	.04	1	62
L102W 101W	2	29	14	54	.2	8	4	96	8.15	39	5	ND	2	8	1	2	4	88	.05	.052	5	30	.35	33	.10	9	2.58	.01	.03	1	48
L102W 100+50W	2	306	7	44	.1	10	9	84	11.47	17	5	ND	1	8	1	2	4	58	.08	.130	3	50	.34	20	.08	2	2.40	.01	.06	1	11
L102W 87.5 100W STD C/AD-5	2 18	435 59	14 40	54 131	1.0 7.1	4 67	1 27	19 1009	1.03 3.99	5 38	5 19	ND 8	2 37	5 47	1 18	2 16	2 20	8 57	.06 .45	.142 .086	8 39	7 57	.02 .89	10 172	.01 .06	3 34	2.66 1.92	.01 .06	.03 .14	2 12	4 53

SHELLEX GOLD CORP. PROJECT VENUS SILVER FILE # 88-3153

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Tb PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Ce PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Si %	K %	W PPM	Ag* PPM
L102W 99+98N	29	320	14	31	.4	5	7	137	5.71	2	5	ND	1	9	1	3	2	153	.18	.079	2	28	1.94	42	.23	2	2.70	.02	.41	4	29
L102W 99N	33	468	24	54	1.0	2	4	168	4.21	7	5	ND	1	17	1	4	4	97	.20	.077	2	8	1.23	56	.18	2	2.42	.03	.22	1	40
L102W 99+50N	60	416	23	66	1.3	3	6	367	4.44	3	5	ND	2	7	1	4	7	68	.08	.068	2	9	.96	29	.16	2	2.15	.01	.05	1	87
L102W 98N	36	693	23	59	1.4	5	5	200	3.40	7	5	ND	1	9	1	2	2	35	.09	.106	4	8	.48	23	.06	8	2.08	.01	.08	2	57
L102W 97+50N	4	317	20	39	.2	10	4	114	1.85	2	5	ND	1	10	1	2	2	38	.12	.080	5	24	.40	20	.04	2	1.69	.01	.04	1	3
L102W 97N	12	2150	26	164	.1	11	12	224	4.97	2	5	ND	2	3	1	3	2	59	.15	.081	4	15	1.15	51	.17	6	2.49	.01	.27	1	124
L102W 96+50N	31	964	14	37	.5	3	9	137	4.52	2	5	ND	1	7	1	2	2	145	.15	.047	3	24	2.06	47	.37	2	3.33	.02	.38	1	41
L102W 96N	44	674	19	35	.4	10	6	155	4.01	2	5	ND	1	14	1	2	5	85	.19	.078	2	55	1.16	27	.14	2	3.38	.03	.09	1	21
L101W 102N	2	89	22	173	.3	46	17	493	4.57	39	5	ND	1	19	1	2	2	59	.18	.080	6	42	1.15	55	.06	2	2.83	.01	.05	1	14
L101W 102+50N	19	231	27	82	.9	11	5	196	5.23	156	5	ND	2	9	1	2	2	65	.09	.079	4	29	.60	28	.13	2	4.56	.01	.08	1	36
L101W 102N	26	128	45	65	.5	14	10	261	10.75	261	5	ND	2	11	1	2	2	64	.10	.111	4	18	.55	25	.11	2	7.44	.01	.03	1	103
L101W 101+50N	12	100	28	66	.5	12	7	282	7.67	88	5	ND	1	14	1	4	4	59	.17	.183	3	15	.60	26	.05	2	3.37	.02	.04	1	44
L101W 101N	7	126	25	55	.3	9	8	318	8.06	66	5	ND	1	13	1	3	2	67	.15	.210	3	24	.93	25	.05	2	2.97	.02	.07	1	38
L101W 100+50N	4	292	15	32	.1	8	7	79	13.37	30	5	ND	1	14	1	1	2	46	.03	.079	9	34	.76	27	.03	2	3.32	.01	.04	1	12
L101W 3/4 100N	11	104	18	32	.3	7	5	83	7.55	4	5	ND	1	6	1	2	2	68	.04	.078	4	30	.27	12	.06	2	2.46	.01	.03	1	1
L101W 99+50N	11	250	16	32	.2	17	7	136	6.95	2	5	ND	1	5	1	2	4	151	.08	.076	3	149	1.55	24	.19	2	3.50	.01	.06	1	8
L101W 99N	43	170	44	44	.9	3	4	187	5.94	5	6	ND	1	5	1	4	2	72	.04	.096	3	12	.57	17	.05	2	2.28	.01	.04	42	10
L101W 98+50N	54	237	13	55	.3	6	5	422	4.78	2	5	ND	1	10	1	2	2	94	.11	.094	2	40	1.08	47	.14	2	2.76	.02	.06	2	22
L101W 98N	56	3196	20	48	3.1	5	6	151	4.40	3	5	ND	1	8	1	2	2	63	.13	.105	6	9	.84	34	.13	2	5.25	.01	.19	2	76
L101W 97N	33	2040	43	63	.8	5	9	909	3.09	7	5	ND	1	7	1	3	3	44	.11	.118	6	13	.55	19	.07	14	2.75	.02	.03	1	25
L101W 96+50N	29	297	16	48	.7	7	7	128	4.74	4	5	ND	1	5	1	3	2	80	.06	.034	3	15	.60	14	.21	4	2.03	.01	.10	1	36
L101W 96N	39	332	18	46	.6	5	4	246	5.15	7	5	ND	1	8	1	2	2	111	.07	.077	4	18	1.13	23	.14	3	4.36	.01	.05	1	14
L100W 103N	3	40	21	84	.5	11	6	193	6.49	34	5	ND	3	8	1	2	2	81	.05	.031	6	26	.34	30	.12	2	3.46	.01	.05	1	7
L100W 102+50N	2	29	27	60	.6	11	6	122	6.88	64	5	ND	1	13	1	4	2	120	.06	.032	6	32	.20	27	.09	2	2.00	.01	.02	1	10
L100W 102N	3	49	26	52	.4	6	4	106	5.88	57	5	ND	1	19	1	4	4	63	.04	.102	6	20	.33	36	.03	2	1.83	.01	.04	1	16
L100W 101+50N	1	187	7	46	.8	4	2	20	.72	2	5	ND	1	4	1	2	6	7	.03	.136	8	3	.05	4	.01	2	4.01	.01	.02	1	6
L100W 101N	1	371	9	47	.6	4	2	13	.60	2	5	ND	1	4	1	2	2	4	.04	.103	10	3	.03	2	.01	4	3.74	.01	.01	1	2
L100W 100+50N	3	407	10	40	.7	9	4	77	4.72	3	5	ND	1	6	1	2	2	42	.04	.111	10	27	.31	11	.03	5	2.91	.01	.03	1	3
L100W 8/4 100N	1	946	7	53	.7	4	1	5	.29	2	5	ND	1	4	1	2	2	2	.05	.114	19	2	.01	1	.01	4	3.69	.01	.02	1	4
L100W 99+50N	36	58	8	33	.3	10	5	62	5.15	5	5	ND	1	4	1	1	2	139	.04	.040	3	52	.24	23	.20	2	.95	.01	.01	1	8
L100W 99N	9	1224	14	38	.8	6	3	39	1.59	2	5	ND	1	4	1	3	4	22	.05	.141	15	10	.15	6	.02	2	2.69	.01	.03	2	1
L100W 98+50N	27	175	25	37	.5	13	4	206	5.31	2	5	ND	1	7	1	2	2	109	.08	.054	4	67	.88	28	.12	2	3.63	.02	.03	40	8
L100W 98N	178	2976	116	55	2.7	7	27	1294	6.81	30	5	ND	1	8	1	2	2	87	.17	.146	8	24	.89	24	.07	2	3.62	.02	.08	13	48
L100W 97+50N	85	2056	32	91	1.1	6	5	222	4.52	20	5	ND	1	16	1	2	2	69	.18	.075	6	13	.80	36	.11	2	2.56	.01	.03	1	13
L100W 97N	52	369	12	16	.3	3	2	52	3.03	2	5	ND	1	4	1	2	4	65	.04	.026	3	9	.25	7	.14	2	2.67	.01	.01	1	20
L100W 96+50N	25	449	8	32	.9	2	3	147	5.21	12	5	ND	1	11	1	2	4	130	.20	.066	2	17	1.30	22	.20	2	2.78	.02	.06	1	12
L100W 96N	25	396	23	43	.8	7	3	175	5.78	3	5	ND	1	7	1	2	2	88	.12	.062	2	14	.53	10	.12	2	4.48	.01	.02	1	15
STD C/AG-5	18	60	42	133	7.1	72	29	1103	4.09	36	18	7	36	47	17	17	19	59	.47	.093	40	58	.92	179	.07	34	2.90	.06	.15	13	69



SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	C PPM	Au PPM	Hg PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	W PPM	Ag* PPB
88CB 15	19	182	15	76	.2	21	16	836	3.87	14	5	ND	1	19	1	2	2	49	.27	.346	5	29	.97	45	.04	4	2.98	.03	.10	1	4
88CB 25	16	104	15	56	.1	16	10	795	5.00	17	5	ND	1	23	1	2	2	43	.22	.050	5	29	.91	48	.02	4	2.04	.03	.11	1	5
88CB 35	12	113	14	54	.1	13	10	559	4.88	12	5	ND	2	23	1	2	2	38	.19	.052	5	23	.87	49	.02	3	1.93	.03	.12	1	3
88CB 45	3	59	11	64	.2	17	7	370	3.14	9	5	ND	1	22	1	2	3	39	.30	.047	7	29	.84	45	.02	4	1.73	.03	.09	1	1
88CB 55	1	14	12	119	.1	13	6	378	2.28	17	5	ND	1	15	1	2	2	25	.21	.029	5	17	.61	55	.01	5	1.37	.02	.06	1	1
88CB 65	1	20	54	192	.3	15	7	705	2.73	63	5	ND	1	26	1	2	2	34	.41	.039	6	22	.60	71	.02	2	1.68	.02	.06	1	1
88CB 75	1	23	49	170	.3	20	10	730	3.08	39	5	ND	2	19	1	2	3	38	.29	.034	6	25	.59	66	.02	10	1.40	.02	.08	1	1
88CB 85	1	15	19	130	.2	22	9	673	3.12	26	5	ND	1	17	1	3	2	36	.25	.030	6	25	.93	55	.02	4	1.66	.02	.09	1	1
88CB 95	1	10	14	104	.1	13	6	707	2.39	15	5	ND	2	16	1	2	2	28	.22	.024	7	18	.57	58	.01	2	1.34	.02	.09	1	1
88CB 105	1	24	22	179	.1	19	11	871	4.01	53	5	ND	1	34	1	2	2	48	.32	.044	6	23	.98	52	.03	2	2.19	.03	.09	1	1
88CB 115	4	15	28	101	.3	21	9	708	2.13	205	5	ND	1	22	1	2	3	38	.37	.077	6	28	.46	33	.03	2	2.02	.03	.05	1	1
88CB 125	2	26	39	224	.3	25	12	1075	2.99	58	5	ND	1	22	2	2	2	44	.33	.057	6	28	.72	50	.02	3	1.56	.02	.09	1	1
88CS 1	3	49	13	24	.1	6	7	93	7.44	32	5	ND	1	36	1	2	2	28	.19	.071	3	29	.83	26	.01	2	1.67	.05	.10	1	4
88DR 155	10	69	45	94	.5	10	9	559	6.35	18	5	ND	1	21	1	2	2	107	.34	.058	4	22	1.39	26	.07	2	3.01	.05	.08	1	3
88DS 35	16	213	33	213	.4	15	30	1213	2.72	27	5	ND	1	12	1	4	2	35	.19	.042	7	20	.60	41	.02	3	4.14	.02	.07	1	2
88DS 36	2	73	27	61	.5	10	8	290	6.67	26	5	ND	1	21	1	2	2	48	.16	.062	4	25	.78	33	.04	2	2.47	.03	.11	1	3
88MA 15	3	41	14	49	.1	9	7	168	7.21	14	5	ND	2	16	1	2	2	51	.10	.042	4	29	.91	34	.05	2	1.32	.03	.09	2	4
88MA 25	3	49	11	32	.1	6	7	155	7.27	5	5	ND	3	38	1	2	2	66	.22	.052	4	13	1.10	44	.11	3	2.03	.05	.15	2	2
88MA 35	12	143	15	40	.1	6	7	257	5.74	2	5	ND	1	21	1	2	2	73	.25	.046	3	20	1.29	57	.05	2	2.42	.05	.16	1	4
88MC 15	3	15	18	305	.1	24	9	1206	4.06	71	5	ND	1	20	2	2	2	47	.34	.038	5	10	.98	51	.01	4	2.02	.03	.09	1	1
88MC 25	2	22	32	259	.3	15	6	1403	2.83	61	5	ND	1	29	3	3	3	32	.74	.055	5	20	.51	37	.02	5	1.60	.03	.08	1	1
88MC 35	4	13	25	341	.1	20	9	1182	4.34	78	5	ND	1	17	2	2	2	52	.32	.047	5	23	1.02	53	.01	5	2.25	.03	.08	1	1
STD C/AU-5	18	57	39	132	7.2	67	28	1040	4.07	40	16	8	37	48	17	16	19	57	.46	.088	39	57	.91	173	.06	33	2.02	.06	.14	12	50

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 1-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.  
 THIS LEACH IS PARTIAL FOR KM FE SR CA P LA CR MG BA TI S V AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.  
 - SAMPLE TYPE: Soil -80 Mesh AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE. P - Pulverized.

DATE RECEIVED: DEC 14 1988 DATE REPORT MAILED: Dec. 17, 1988 SIGNED BY Bernard Chan TOYB, C. LHOANG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

SCELLEX GOLD CORP. PROJECT VENUS File # 88-6286 Page 1

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	V	Au	Tl	Sr	Cd	Sb	Bi	U	Ca	P	La	Cr	Mg	Ba	Ti	S	Al	Na	K	W	Au*
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM
L107W 102+75N	1	11	10	12	.3	2	1	19	.95	2	5	ND	1	3	1	2	2	14	.02	.051	4	8	.02	7	.07	4	3.36	.01	.01	1	1
L107W 102+25N	1	12	17	22	.1	3	2	38	3.31	19	5	ND	1	5	1	3	2	43	.04	.058	7	9	.13	14	.11	2	4.10	.01	.02	3	2
L107W 100+75N	1	63	25	45	.4	29	5	165	8.93	115	5	ND	1	7	1	5	2	81	.05	.140	2	129	1.38	10	.08	2	3.89	.01	.02	2	184
L107W 100+25N	1	33	20	39	.4	8	3	151	6.43	66	5	ND	1	6	1	6	5	63	.04	.081	3	32	.31	27	.11	3	2.68	.01	.03	3	2
L107W 99+75N	2	24	16	54	.1	8	3	357	5.23	47	5	ND	1	9	1	2	2	52	.05	.095	3	24	.32	34	.09	2	3.10	.01	.03	1	8
L107W 99+25N	1	14	14	18	.3	2	2	39	2.97	9	5	ND	1	4	1	2	2	53	.01	.029	5	8	.07	12	.12	2	2.59	.01	.01	2	2
L107W 98+75N	2	17	19	24	.1	6	3	51	3.32	3	5	ND	1	3	1	2	2	56	.01	.024	5	9	.07	8	.12	2	2.44	.01	.01	1	3
L107W 98+25N	2	22	10	30	.1	5	3	50	3.55	5	3	ND	1	5	1	1	2	54	.02	.066	7	15	.34	12	.04	2	3.07	.01	.02	1	5
L107W 97+75N	4	18	5	19	.1	2	1	25	3.75	2	5	ND	1	1	1	2	2	39	.02	.036	6	7	.14	12	.06	2	2.56	.01	.01	1	9
L107W 97+25N	3	21	2	16	.1	1	1	106	4.43	2	5	ND	1	12	1	2	4	46	.08	.063	2	3	.51	37	.10	2	1.52	.01	.07	1	4
L107W 96+75N	3	47	6	22	.9	2	1	24	1.40	2	5	ND	1	7	1	2	6	19	.04	.087	6	3	.06	15	.03	2	3.11	.01	.02	1	1
L107W 96+25N	1	256	6	31	2.2	3	4	4	.22	2	5	ND	1	6	1	2	2	3	.05	.162	5	2	.32	8	.01	2	3.34	.01	.02	2	2
L106W 102+75N	1	11	2	10	.1	1	1	6	.32	2	5	ND	1	3	1	2	2	10	.02	.015	2	1	.01	6	.04	5	.28	.01	.02	3	1
L106W 102+25N	2	22	20	32	.3	4	3	72	6.44	75	5	ND	2	4	1	2	2	61	.02	.046	3	13	.13	22	.12	2	3.18	.01	.02	1	39
L106W 100+75N	1	46	25	50	.4	5	3	176	5.96	103	5	ND	1	8	1	4	5	36	.05	.103	2	18	.35	12	.05	2	3.03	.01	.03	1	136
L106W 100+25N	1	47	22	31	.6	4	3	71	6.33	51	5	ND	1	5	1	6	2	45	.03	.083	5	25	.27	19	.06	2	3.59	.01	.02	2	42
L106W 99+75N	1	18	17	25	.4	13	3	83	3.92	15	5	ND	2	4	1	5	2	64	.03	.061	5	73	.38	14	.09	7	3.79	.01	.02	2	11
L106W 99+25N	7	27	12	37	.1	9	4	126	6.35	20	5	ND	1	7	1	2	2	51	.34	.086	7	26	.35	24	.05	2	3.06	.01	.03	1	5
L106W 98+75N	2	34	15	24	.3	11	3	35	6.65	5	5	ND	1	4	1	4	2	65	.02	.056	4	43	.10	23	.08	2	2.70	.01	.01	1	7
L106W 98+25N	3	17	17	22	.6	2	2	33	2.51	2	5	ND	1	4	1	2	2	43	.02	.047	5	6	.07	12	.07	2	2.22	.01	.02	2	2
L106W 97+75N	5	35	15	22	.3	3	2	60	4.96	3	5	ND	2	9	1	2	2	75	.07	.054	3	7	.25	33	.20	7	1.30	.01	.03	2	1
L106W 97+25N	16	52	16	37	1.0	5	3	392	3.99	2	5	ND	1	9	1	2	2	69	.07	.067	3	9	.50	41	.13	3	2.24	.01	.03	2	1
L106W 96+75N	11	51	15	30	1.1	6	3	190	4.39	8	5	ND	2	6	1	4	2	88	.06	.054	4	16	.34	39	.15	6	2.44	.01	.02	5	16
L106W 96+25N	6	27	14	24	.4	4	3	60	4.63	2	5	ND	1	6	1	2	2	82	.03	.053	3	14	.16	19	.11	3	1.60	.01	.02	1	2
L105W 102+25N	10	40	23	42	.7	10	3	158	6.75	248	5	ND	2	11	1	5	2	135	.13	.077	3	47	.28	26	.11	6	3.45	.01	.03	1	56
L105W 101+75N	1	74	21	41	1.0	20	6	290	7.47	135	7	ND	2	10	1	8	13	52	.06	.140	3	59	.49	23	.08	11	3.07	.01	.03	2	43
L105W 101+25N	1	78	34	42	.5	8	4	151	8.61	69	5	ND	1	9	1	4	6	48	.10	.234	3	31	.52	27	.04	3	2.78	.01	.05	1	36
L105W 100+75N	2	23	16	30	.4	6	3	93	5.68	137	5	ND	1	4	1	5	2	68	.02	.066	4	25	.19	13	.11	5	1.84	.01	.03	1	32
L105W 100+25N	1	25	19	35	.4	8	3	112	5.54	33	6	ND	2	4	1	5	2	62	.04	.097	5	26	.25	15	.07	6	1.61	.01	.04	1	14
L105W 99+75N	1	50	17	45	.4	14	6	135	8.30	23	5	ND	2	7	1	3	2	79	.05	.107	5	52	.44	18	.07	6	2.36	.01	.04	1	11
L105W 99+25N	2	21	17	22	.4	6	3	38	4.04	12	6	ND	2	5	1	2	2	52	.03	.058	6	28	.16	17	.03	6	3.09	.01	.02	2	2
L105W 98+75N	9	67	23	27	.4	6	3	55	6.67	11	5	ND	2	5	1	5	2	80	.03	.057	7	27	.37	17	.09	2	3.30	.01	.02	2	14
L105W 98+25N	12	94	27	49	.7	12	4	199	4.80	4	5	ND	3	6	1	4	2	135	.06	.063	6	78	1.03	23	.16	11	3.40	.01	.05	1	16
L105W 97+75N	26	76	14	37	.4	4	3	203	3.59	4	5	ND	1	6	1	2	2	59	.06	.066	3	10	.44	26	.11	4	1.98	.01	.06	1	22
L105W 97+25N	59	209	12	38	.7	4	9	335	3.58	2	5	ND	1	6	1	2	2	61	.07	.080	5	5	.35	15	.08	4	1.70	.01	.04	1	18
L105W 96+75N	11	122	17	27	.4	4	3	65	1.39	2	5	ND	1	6	1	2	2	44	.05	.038	5	8	.19	15	.13	4	1.47	.01	.03	1	1
STD C/AU-3	18	58	42	132	6.7	68	30	1032	4.08	44	19	8	38	48	19	18	19	59	.50	.092	41	56	.86	174	.06	39	1.98	.06	.13	11	49

SHELLEX GOLD CORP. PROJECT VENUS FILE # 88-6286

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	J PPM	Au PPM	Tb PPM	Sr PPM	Cd PPM	Se PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	W PPM	Au* PPM
L105W 96+25N	44	123	23	39	.6	5	3	273	4.42	4	5	ND	1	5	1	2	2	80	.04	.067	2	32	.59	16	.12	2	1.99	.01	.05	1	17
L104W 102+25N	3	29	14	41	.7	8	3	127	3.49	63	5	ND	1	13	1	2	3	45	.08	.089	3	19	.28	27	.07	3	2.90	.01	.02	2	24
L104W 102+25N	3	76	25	73	.1	10	5	124	10.87	200	5	ND	1	11	1	5	2	39	.06	.138	2	27	.52	24	.15	2	2.68	.01	.03	2	76
L104W 101+25N	2	57	23	57	.5	15	5	698	7.81	133	5	ND	1	7	1	2	2	49	.08	.134	3	45	.43	47	.05	2	2.95	.01	.03	1	11
L104W 100+25N	3	27	11	27	.2	7	2	101	6.70	42	5	ND	1	6	1	2	2	54	.05	.059	3	36	.28	27	.04	2	1.95	.01	.02	2	2
L104W 100+25N	3	22	13	34	.2	7	3	65	5.73	27	5	ND	1	7	1	2	2	52	.03	.062	4	28	.25	20	.06	2	2.54	.01	.02	1	6
L104W 99+25N	5	552	6	13	.6	4	1	6	1.06	2	5	ND	1	2	1	2	2	10	.01	.168	5	5	.03	6	.02	2	2.94	.01	.01	1	1
L104W 99+25N	11	115	6	20	.6	15	1	90	3.03	2	5	ND	1	3	1	2	2	47	.04	.086	3	89	.50	11	.06	2	3.71	.01	.02	1	12
L104W 98+25N	7	114	5	16	.8	4	1	32	2.38	2	6	ND	1	3	1	2	2	28	.02	.047	3	19	.13	9	.04	4	2.00	.01	.02	1	2
L104W 98+25N	20	69	11	10	.6	1	1	10	1.39	2	5	ND	1	3	1	2	3	33	.01	.049	3	3	.03	11	.06	2	1.23	.01	.01	1	36
L104W 97+25N	23	244	13	12	.1	1	1	22	1.45	3	5	ND	1	3	1	2	3	48	.02	.019	2	7	.14	9	.11	2	.61	.01	.04	1	4
L104W 97+25N	21	71	7	22	.1	5	2	37	3.05	2	5	ND	1	3	1	2	2	80	.03	.015	2	23	.25	18	.23	3	.83	.01	.04	1	32
L104W 96+25N	10	140	28	37	3.5	5	2	46	1.81	2	5	ND	1	6	1	2	2	28	.04	.283	4	9	.09	18	.03	2	2.35	.01	.04	1	9
L104W 96+25N	5	474	121	66	5.4	1	6	268	1.95	3	5	ND	1	5	1	2	4	13	.05	.183	7	4	.06	16	.02	5	2.94	.01	.04	1	13
L103W 102+25N	1	118	20	25	.5	3	2	46	4.20	43	5	ND	1	3	1	4	2	36	.03	.075	4	8	.08	5	.11	2	4.22	.01	.01	2	39
L103W 102+25N	3	84	29	50	.4	5	5	134	10.77	156	5	ND	1	11	1	4	2	88	.10	.121	2	19	.49	27	.14	4	3.65	.01	.05	1	176
L103W 101+25N P	1	42	41	53	.6	4	4	177	6.69	73	5	ND	1	40	1	4	3	83	.65	.977	2	22	1.16	13	.12	3	3.22	.13	.03	1	113
L103W 101+25N	1	46	20	41	.6	3	2	93	6.41	48	5	ND	1	9	1	2	2	54	.09	.104	2	13	.48	14	.05	7	3.12	.02	.02	2	3
L103W 100+25N	2	108	15	39	1.0	6	2	81	4.46	53	5	ND	1	4	1	2	4	41	.04	.113	4	11	.23	13	.03	2	2.46	.01	.03	2	26
L103W 100+25N	3	122	11	38	.4	15	5	132	4.38	8	5	ND	1	8	1	2	4	60	.07	.113	4	56	.61	27	.04	4	2.83	.01	.03	1	5
L103W 99+25N	1	3	5	13	.3	1	1	10	.35	2	5	ND	1	4	1	2	2	11	.03	.017	2	3	.02	10	.02	6	.24	.01	.02	2	3
L103W 99+25N	14	106	14	16	.7	3	2	119	5.01	4	5	ND	2	9	1	2	2	139	.12	.043	3	16	1.38	15	.18	14	4.07	.02	.04	1	22
L103W 98+25N	9	60	6	16	.6	2	1	6	.56	2	5	ND	1	4	1	2	2	14	.03	.031	2	4	.03	11	.04	7	.84	.01	.02	2	28
L103W 98+25N	48	273	6	31	.8	3	4	70	2.15	2	5	ND	1	5	1	2	2	70	.09	.057	2	12	.43	13	.14	4	1.15	.01	.03	1	126
L103W 97+25N	21	120	26	25	1.4	2	2	18	1.37	2	5	ND	1	4	1	2	2	44	.03	.028	2	3	.04	14	.11	3	.74	.01	.02	1	113
L103W 97+25N	3	88	5	28	1.2	1	1	9	.38	2	5	ND	1	4	1	2	2	8	.02	.123	4	5	.02	20	.01	4	1.00	.01	.03	1	1
L103W 96+25N	6	61	19	42	1.0	2	2	113	2.25	2	5	ND	1	4	1	2	3	36	.02	.051	4	3	.03	13	.05	2	1.60	.01	.02	1	2
L103W 96+25N	1	7	4	19	.3	3	1	26	.70	2	5	ND	1	4	1	2	2	19	.03	.014	2	5	.02	12	.03	2	.34	.01	.01	2	1
L102W 103+25N	7	13	16	41	.5	5	2	92	5.41	26	5	ND	1	7	1	2	3	60	.05	.035	3	8	.18	25	.25	2	2.24	.01	.02	1	1
L102W 102+25N	1	41	20	57	.8	6	5	248	5.54	36	5	ND	1	11	1	2	4	71	.23	.068	3	15	.66	22	.15	4	3.44	.03	.04	1	44
L102W 102+25N	1	56	23	50	.7	6	7	206	7.74	67	5	ND	1	23	1	4	3	76	.37	.097	2	22	.85	22	.14	2	2.84	.06	.05	1	73
L102W 101+25N	1	98	27	53	.9	6	6	252	12.26	99	5	ND	1	6	1	4	2	81	.05	.128	2	24	.74	16	.13	8	4.50	.01	.03	1	86
L102W 101+25N	1	133	10	35	.8	15	4	110	12.49	46	5	ND	1	17	1	4	3	114	.22	.094	2	129	1.74	19	.02	2	3.55	.02	.03	1	62
L102W 100+25N	2	46	14	37	.3	9	4	89	6.21	39	5	ND	1	10	1	2	2	76	.04	.067	5	24	.37	19	.05	2	1.95	.01	.03	1	14
L102W 100+25N	2	17	10	27	.5	3	1	31	1.87	2	5	ND	1	4	1	2	2	36	.03	.033	6	8	.10	17	.06	3	2.72	.01	.02	1	1
L102W 99+25N	24	223	12	29	.8	4	3	106	5.15	6	5	ND	1	7	1	2	2	121	.16	.084	2	23	1.31	24	.16	2	2.45	.02	.21	2	2
STD C/AU-S	18	57	39	132	6.9	67	29	1015	4.01	42	23	7	37	47	18	20	21	58	.47	.095	39	52	.83	173	.06	40	1.99	.06	.13	11	51

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Tb	Sr	Cd	SB	Bi	V	Ca	P	La	Ce	Mg	Ba	Th	B	Al	Si	K	W	ADP
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	%	%	%	PPM	PPM	
L100W 95+25N	52	519	14	31	.7	4	4	151	5.91	3	5	ND	1	5	1	2	2	135	.17	.079	2	26	1.55	25	.26	2	2.23	.02	.37	1	65
L102W 98+75N	194	349	7	21	.7	4	4	115	3.50	5	5	ND	1	4	1	2	2	112	.08	.053	2	20	.94	17	.27	4	1.54	.01	.24	1	160
L102W 99+25N	71	251	15	54	.6	3	5	401	5.73	3	5	ND	1	6	1	2	2	78	.08	.072	2	9	.92	17	.17	2	2.05	.01	.25	1	99
L102W 97+75N	52	133	12	25	.4	2	3	76	2.59	6	5	ND	1	11	1	2	2	25	.11	.053	2	4	.27	13	.07	2	.57	.02	.07	1	66
L102W 97+25N	2	99	10	57	.1	31	9	275	3.36	7	5	ND	1	17	1	2	2	66	.24	.062	7	45	.76	34	.05	2	1.91	.01	.24	1	10
L102W 96+75N	39	449	31	42	.1	5	6	245	3.90	7	5	ND	1	9	1	2	2	80	.12	.062	2	19	1.00	21	.26	3	2.29	.01	.15	1	70
L102W 96+25N	51	804	10	30	.4	4	6	139	4.46	7	5	ND	1	7	1	2	2	126	.13	.055	2	20	1.57	41	.32	2	2.71	.02	.28	1	52
L101W 102+75N	15	54	17	67	.3	9	4	566	5.15	115	5	ND	1	9	1	2	2	51	.05	.083	1	17	.29	19	.08	4	1.12	.01	.24	1	23
L101W 102+25N	15	59	15	53	.3	11	4	195	5.87	201	5	ND	1	10	1	2	5	56	.07	.078	2	19	.31	35	.10	3	2.80	.01	.22	1	85
L101W 101+75N	19	112	27	59	.7	15	5	154	9.18	201	5	ND	1	12	1	2	14	58	.09	.127	3	25	.48	27	.07	2	4.27	.01	.28	1	110
L101W 101+25N	2	67	10	50	.2	16	6	212	7.44	62	5	ND	1	21	1	2	6	70	.25	.125	2	42	1.14	25	.06	3	2.58	.03	.36	1	65
L101W 100+75N	1	63	3	35	.5	5	2	39	1.54	10	5	ND	1	5	1	2	2	18	.04	.245	1	8	.13	7	.02	2	2.91	.01	.24	1	14
L101W 100+25N	4	225	11	20	.4	14	4	83	5.19	13	5	ND	1	9	1	2	2	71	.05	.156	6	73	.86	16	.03	6	3.01	.01	.06	1	6
L101W 99+75N	7	64	15	26	.6	4	2	47	6.35	4	5	ND	1	4	1	2	2	81	.03	.070	5	21	.30	15	.08	2	4.04	.01	.02	1	4
L101W 99+25N	18	120	13	32	.4	3	3	163	6.61	7	5	ND	1	3	1	2	2	72	.11	.105	2	15	.57	16	.07	3	2.63	.02	.03	17	8
L101W 98+75N	57	307	18	16	1.5	9	4	238	4.95	14	5	ND	1	8	1	2	2	103	.07	.105	2	49	.98	44	.10	5	3.02	.01	.05	12	3
L101W 98+25N	52	455	14	53	.9	5	5	325	4.31	6	5	ND	1	7	1	2	2	86	.07	.059	3	23	.34	40	.16	2	2.83	.01	.18	1	39
L101W 97+75N	22	1653	20	46	1.2	4	5	227	3.53	2	5	ND	1	5	1	2	2	60	.05	.039	5	49	.58	17	.26	2	2.39	.01	.24	2	33
L101W 97+25N	26	839	59	48	3.5	3	3	249	1.94	8	5	ND	1	4	1	2	2	28	.06	.057	5	6	.14	14	.05	2	2.40	.01	.04	2	2
L101W 96+75N	92	826	16	46	1.3	4	6	182	4.72	7	5	ND	1	5	1	2	2	98	.09	.071	2	19	1.17	20	.21	5	3.02	.01	.06	1	51
L101W 96+25N	50	484	21	60	.9	5	6	741	4.04	21	5	ND	1	12	1	2	2	106	.18	.089	2	18	.89	44	.13	2	2.61	.01	.05	1	72
L100W 103+25N	1	28	11	41	.5	4	3	103	3.36	15	5	ND	1	6	1	2	2	62	.04	.040	3	7	.10	15	.13	2	1.68	.01	.02	2	2
L100W 102+75N	1	16	23	55	.4	5	2	68	1.59	34	5	ND	1	15	1	2	2	36	.20	.046	2	5	.08	65	.03	3	.56	.01	.06	1	3
L100W 102+25N	2	66	26	52	.5	8	4	134	7.63	101	5	ND	1	20	1	2	3	66	.18	.062	4	17	.41	30	.04	5	2.62	.01	.03	1	43
L100W 101+75N	2	81	9	38	.6	5	3	86	5.73	85	5	ND	1	16	1	2	2	72	.10	.049	3	18	1.12	36	.06	6	1.82	.01	.06	1	33
L100W 101+25N	1	277	11	35	.6	4	2	14	.40	2	5	ND	1	4	1	2	2	6	.04	.171	7	5	.05	5	.01	2	4.01	.01	.02	1	2
L100W 100+75N	1	119	9	33	.7	3	2	9	.46	5	5	ND	1	4	1	2	2	6	.03	.142	5	4	.03	3	.02	2	3.45	.01	.02	1	4
L100W 100+25N	1	201	7	43	.3	5	3	30	1.08	4	5	ND	1	5	1	3	2	15	.05	.093	5	5	.03	8	.02	6	2.11	.01	.22	2	1
L100W 99+75N	3	567	18	31	.6	2	1	15	1.78	3	6	ND	2	4	1	2	2	9	.03	.138	8	8	.02	6	.03	7	3.60	.01	.02	2	2
L100W 99+25N	12	92	11	31	.8	5	3	57	4.47	6	5	ND	1	6	1	2	2	84	.04	.041	3	15	.22	18	.10	3	1.52	.01	.02	5	5
L100W 98+75N	15	285	11	50	.4	10	4	302	4.59	7	5	ND	1	9	1	2	2	97	.11	.098	4	35	1.04	29	.07	6	4.77	.02	.04	4	14
L100W 98+25N	6	505	7	45	.5	41	3	114	8.97	4	5	ND	2	15	1	2	2	195	.14	.052	2	230	3.76	64	.25	9	6.05	.03	.12	1	20
L100W 98+75N	46	522	43	36	2.0	6	4	262	6.43	32	5	ND	1	10	1	3	2	116	.11	.061	2	42	.56	14	.11	13	1.25	.02	.05	4	75
L100W 97+25N	74	194	12	28	.8	2	2	188	4.75	9	5	ND	1	9	1	3	2	111	.11	.033	2	28	.47	16	.16	12	1.08	.02	.06	1	11
L100W 96+75N	16	403	8	21	1.1	2	1	91	5.12	8	5	ND	1	6	1	2	2	133	.11	.043	2	33	1.34	29	.24	4	3.15	.02	.11	1	11
L100W 96+25N	34	182	27	48	.9	4	4	257	4.94	17	5	ND	1	10	1	2	2	125	.14	.065	2	16	.95	29	.14	8	2.02	.01	.05	2	22
STD C/AU-5	18	58	39	132	7.1	67	30	1024	4.33	43	20	7	37	47	19	17	23	58	.47	.094	39	55	.87	172	.06	39	1.94	.06	.13	12	51

APPENDIX II

Histograms for Gold, Silver, Copper  
Lead, and zinc

# TONY CLARK CONSULTING

A.M.S. Clark, Ph.D.

Geological and Computer Consulting to the Mineral Industry

2988 Fleet St., Coquitlam, B.C.

Canada V3C 3R8

Telephone (604) 942-7172

## HISTOGRAMS FOR VENUS GRID DATA

5 January 1989

### Cu ppm:

'Anomalous' usually taken as about 100+ ppm in BC.  
200 to <350 ppm Cu low anomalous  
350 to <650 ppm Cu anomalous, possibly a second population.  
650+ ppm Cu high anomalous

### Pb ppm:

'Anomalous' usually taken as 100+ ppm Pb in BC, so these are very low, but may be significant if they occur together.  
24 to 30 ppm Pb low anomalous  
30+ ppm Pb high anomalous

### Zn ppm :

'Anomalous' usually taken as above 100 ppm Zn in BC, so these are very low, but may be significant if they occur together.  
70 to 110 ppm Zn low anomalous  
110+ ppm Zn high anomalous

### Ag ppm:

'Anomalous' usually taken as above 1.0 ppm Ag in BC.  
1.0 to 1.6 ppm Ag low anomalous  
1.6+ ppm Ag high anomalous


### Au ppb:

'Anomalous' is usually taken as above about 25 ppb Au in BC.  
20 to 50 ppb Au low anomalous  
50 to 90 ppb Au anomalous  
90+ ppb Au high anomalous

## VENUS PROJECT Soil Samples Correlation Coefficients

	NPPM	CUPPM	PBPPM	ZNPPM	AGPPM	NIPPM	COPPM	MNPPM	FEPC	ASPPM	UPPM	AUPPM	THPPM	SRPPM	CDPPM	SBPPM	BIPPM	VPPM	CAPCT	PPCT	LAPPM	CRPPM	MSPCT	BAPPM	TIPCT	BPPM	ALPCT	NAPCT	KPCT	WPPM	ALPPB
NPPM	1.00	0.51	0.29	0.09	0.21	-0.16	0.43	0.40	-0.06	-0.16	-0.04	0.06	-0.09	-0.03	0.00	-0.13	-0.07	0.33	0.14	-0.10	-0.16	-0.07	0.26	0.16	0.37	-0.00	-0.05	0.00	0.31	0.17	0.14
CUPPM	0.51	1.00	0.34	0.26	0.37	-0.05	0.41	0.30	-0.07	-0.14	-0.08	0.01	-0.04	-0.02	0.00	-0.09	-0.04	0.04	0.12	0.15	0.25	-0.03	0.24	0.15	0.17	0.06	0.17	-0.01	0.39	0.06	0.11
PBPPM	0.29	0.34	1.00	0.42	0.50	0.07	0.54	0.45	0.28	0.34	-0.01	0.10	0.06	0.25	0.00	0.11	0.22	0.04	0.16	0.30	0.02	-0.02	0.09	0.11	-0.02	0.05	0.27	0.12	0.04	0.18	0.33
ZNPPM	0.09	0.26	0.42	1.00	0.06	0.46	0.58	0.48	0.33	0.40	-0.02	0.07	0.14	0.42	0.00	0.09	0.14	0.08	0.23	0.28	0.05	0.04	0.27	0.42	0.02	0.06	0.34	0.03	0.16	-0.01	0.39
AGPPM	0.21	0.37	0.50	0.06	1.00	-0.16	0.07	0.08	-0.18	-0.04	0.07	0.08	-0.05	-0.07	0.00	-0.04	0.05	-0.18	-0.02	0.35	0.16	-0.11	-0.08	-0.12	-0.15	0.14	0.11	-0.03	0.03	0.06	0.05
NIPPM	-0.16	-0.05	0.07	0.46	-0.16	1.00	0.40	0.25	0.45	0.32	-0.00	-0.00	0.14	0.30	0.00	0.16	0.20	0.27	0.12	0.20	0.05	0.58	0.45	0.26	-0.08	0.03	0.34	-0.01	-0.04	-0.01	0.13
COPPM	0.43	0.41	0.54	0.58	0.07	0.40	1.00	0.65	0.49	0.28	0.03	0.10	0.14	0.33	0.00	0.03	0.27	0.28	0.29	0.26	0.02	0.15	0.39	0.38	0.19	-0.07	0.27	0.10	0.30	0.05	0.35
MNPPM	0.40	0.30	0.45	0.48	0.08	0.25	0.65	1.00	0.29	0.21	-0.04	0.05	-0.01	0.23	0.00	0.01	0.05	0.21	0.21	0.26	-0.08	0.06	0.27	0.34	0.06	0.08	0.21	0.05	0.09	0.08	0.14
FEPC	-0.06	-0.07	0.28	0.33	-0.18	0.45	0.49	0.29	1.00	0.62	0.03	-0.02	0.25	0.41	0.00	0.19	0.50	0.47	0.18	0.26	-0.21	0.43	0.47	0.29	0.11	-0.02	0.39	0.12	0.07	0.02	0.48
ASPPM	-0.16	-0.14	0.34	0.40	-0.04	0.32	0.28	0.21	0.62	1.00	0.03	0.03	0.20	0.42	0.00	0.23	0.51	0.11	0.14	0.32	-0.19	0.11	0.08	0.13	-0.06	0.02	0.35	0.09	-0.10	-0.07	0.62
UPPM	-0.04	-0.08	-0.01	-0.02	0.07	-0.00	0.03	-0.04	0.03	0.03	1.00	0.13	0.32	-0.04	0.00	0.15	0.20	-0.05	-0.05	0.02	0.01	-0.04	-0.09	-0.02	-0.06	0.13	-0.01	-0.02	-0.06	0.05	0.09
AUPPM	0.06	0.01	0.10	0.07	0.08	-0.00	0.10	0.05	-0.02	0.03	0.13	1.00	0.29	0.05	0.00	0.25	-0.08	0.01	0.03	-0.05	0.04	-0.08	-0.07	-0.04	-0.00	0.23	-0.07	0.03	-0.03	0.03	-0.07
THPPM	-0.09	-0.04	0.06	0.14	-0.05	0.14	0.14	-0.01	0.25	0.20	0.32	0.29	1.00	0.06	0.00	0.06	0.22	0.11	-0.05	-0.03	0.10	0.13	0.10	0.19	0.14	0.13	0.23	-0.08	0.01	-0.07	0.27
SRPPM	-0.03	-0.02	0.25	0.42	-0.07	0.30	0.33	0.23	0.41	0.42	-0.04	0.05	0.06	1.00	0.00	0.14	0.26	0.27	0.74	0.13	-0.16	0.08	0.38	0.42	0.11	0.03	0.18	0.66	0.14	-0.05	0.36
CDPPM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SBPPM	-0.13	-0.09	0.11	0.09	-0.04	0.16	0.03	0.01	0.19	0.23	0.15	0.25	0.06	0.14	0.00	1.00	0.01	0.08	0.02	0.11	-0.03	0.07	-0.01	-0.02	-0.02	0.13	0.08	0.04	-0.05	0.06	0.08
BIPPM	-0.07	-0.04	0.22	0.14	0.05	0.20	0.27	0.05	0.50	0.51	0.20	-0.08	0.22	0.26	0.00	0.01	1.00	0.04	0.10	0.26	-0.13	0.18	0.14	0.13	-0.03	-0.01	0.12	0.09	-0.03	-0.05	0.60
VPPM	0.33	0.04	0.04	0.08	-0.18	0.27	0.28	0.21	0.47	0.11	-0.05	0.01	0.11	0.27	0.00	0.08	0.04	1.00	0.30	-0.22	-0.36	0.42	0.71	0.40	0.64	0.09	0.14	0.20	0.42	0.09	0.13
CAPCT	0.14	0.12	0.16	0.23	-0.02	0.12	0.29	0.21	0.18	0.14	-0.05	0.03	-0.05	0.74	0.00	0.02	0.10	0.30	1.00	0.03	-0.22	0.08	0.41	0.23	0.30	0.03	0.06	0.85	0.29	-0.02	0.20
PPCT	-0.10	0.15	0.30	0.28	0.35	0.20	0.26	0.26	0.26	0.32	0.02	-0.05	-0.03	0.13	0.00	0.11	0.26	-0.22	0.03	1.00	0.18	0.07	0.05	-0.04	-0.41	0.01	0.38	-0.03	-0.02	0.01	0.22
LAPPM	-0.16	0.23	0.02	0.05	0.16	0.05	0.02	-0.08	-0.21	-0.19	0.01	0.04	0.10	-0.16	0.00	-0.03	-0.13	-0.36	-0.22	0.18	1.00	-0.10	-0.28	-0.20	-0.35	-0.01	0.22	-0.20	-0.18	-0.04	-0.24
CRPPM	-0.07	-0.03	-0.02	0.04	-0.11	0.58	0.15	0.06	0.43	0.11	-0.04	-0.08	0.13	0.08	0.00	0.07	0.18	0.42	0.08	0.07	-0.10	1.00	0.65	0.04	-0.01	0.03	0.20	0.01	0.02	0.02	0.04
MSPCT	0.26	0.24	0.09	0.27	-0.08	0.45	0.39	0.27	0.47	0.08	-0.09	-0.07	0.10	0.38	0.00	-0.01	0.14	0.71	0.41	0.05	-0.28	0.65	1.00	0.43	0.43	0.08	0.31	0.27	0.55	0.05	0.23
BAPPM	0.16	0.15	0.11	0.42	-0.12	0.26	0.38	0.34	0.29	0.13	-0.02	-0.04	0.19	0.42	0.00	-0.02	0.13	0.40	0.23	-0.04	-0.20	0.04	0.43	1.00	0.40	-0.04	0.13	-0.01	0.45	0.01	0.23
TIPCT	0.37	0.17	-0.02	0.02	-0.15	-0.08	0.19	0.06	0.11	-0.06	-0.06	-0.00	0.14	0.11	0.00	-0.02	-0.03	0.64	0.30	-0.41	-0.35	-0.01	0.45	0.40	1.00	0.00	0.03	0.22	0.55	-0.03	0.15
BPPM	-0.00	0.06	0.05	0.06	0.14	0.03	-0.07	0.08	-0.02	0.02	0.13	0.23	0.13	0.03	0.00	0.13	-0.01	0.09	0.03	0.01	-0.01	0.03	0.08	-0.04	0.00	1.00	-0.05	0.02	-0.04	-0.03	0.04
ALPCT	-0.05	0.17	0.27	0.34	0.11	0.34	0.27	0.21	0.39	0.35	-0.01	-0.07	0.23	0.18	0.00	0.08	0.12	0.14	0.06	0.38	0.22	0.20	0.31	0.13	0.03	-0.05	1.00	0.02	0.03	0.03	0.21
NAPCT	0.00	-0.01	0.12	0.03	-0.03	-0.01	0.10	0.05	0.12	0.09	-0.02	0.03	-0.08	0.66	0.00	0.04	0.09	0.20	0.85	-0.03	-0.20	0.01	0.27	-0.01	0.22	0.02	0.02	1.00	0.15	-0.00	0.10
KPCT	0.31	0.39	0.04	0.16	0.03	-0.04	0.30	0.09	0.07	-0.10	-0.06	-0.03	0.01	0.14	0.00	-0.05	-0.03	0.42	0.29	-0.02	-0.18	0.02	0.55	0.45	0.55	-0.04	0.03	0.15	1.00	-0.01	0.12
WPPM	0.17	0.06	0.18	-0.01	0.06	-0.01	0.05	0.08	0.02	-0.07	0.05	0.03	-0.07	-0.05	0.00	0.06	-0.05	0.09	-0.02	0.01	-0.04	0.02	0.05	0.01	-0.03	-0.03	0.03	-0.00	-0.01	1.00	-0.05
ALPPB	0.14	0.11	0.33	0.39	0.05	0.13	0.35	0.14	0.48	0.62	0.09	-0.07	0.27	0.36	0.00	0.08	0.60	0.13	0.20	0.22	-0.24	0.04	0.23	0.23	0.15	0.04	0.21	0.10	0.12	-0.05	1.00

Histogram for Cu\_ppm



Mean = 228.59 Variance = 189400  
Standard Deviation = 435.2 Skewness = 4.227



Histogram for Cu\_ppm

Lower limit	Upper limit	Frequency	%	Cumulative	%	
0	200	159	73	159	73	
200	400	26	12	185	85	Mean
400	600	15	7	200	92	
600	800	4	2	204	94	
800	1000	5	2	209	96	
1000	1200	0	0	209	96	
1200	1400	1	0	210	97	
1400	1600	0	0	210	97	
1600	1800	2	1	212	98	
1800	2000	0	0	212	98	
2000	2200	3	1	215	99	
2200	2400	0	0	215	99	
2400	2600	0	0	215	99	
2600	2800	0	0	215	99	
2800	3000	1	0	216	100	
3000	3200	1	0	217	100	
3200	3400	0	0	217	100	
3400	3600	0	0	217	100	
3600	3800	0	0	217	100	
3800	4000	0	0	217	100	

Data elements inside histogram 217  
 Data elements outside histogram 0

Descriptive Statistics

Mean 228.5899  
 Variance 189385.6  
 Standard Deviation 435.1845  
 Skewness 4.227201

Histogram for Cu\_ppm \*\*\* DATA OUTSIDE RANGE \*\*\*


Lower limit	Upper limit	Frequency	%	Cumulative	%
0	50	79	36	79	36
50	100	40	18	119	55
100	150	25	12	144	66
150	200	15	7	159	73
200	250	7	3	166	76
250	300	8	4	174	80
300	350	7	3	181	83
350	400	4	2	185	85
400	450	6	3	191	88
450	500	4	2	195	90
500	550	3	1	198	91
550	600	2	1	200	92
600	650	1	0	201	93
650	700	2	1	203	94
700	750	1	0	204	94
750	800	0	0	204	94
800	850	3	1	207	95
850	900	0	0	207	95
900	950	1	0	208	96
950	1000	1	0	209	96

Mean


Data elements inside histogram 209  
 Data elements outside histogram 8

Descriptive Statistics

Mean 228.5899  
 Variance 189385.6  
 Standard Deviation 435.1845  
 Skewness 4.227201



Histogram for Pb\_ppm



Mean = 17.581 Variance = 192.5  
Standard Deviation = 13.87 Skewness = 4.022

Histogram for Pb\_ppm


Lower limit	Upper limit	Frequency	%	Cumulative	%	
0	10	48	22	48	22	
10	20	103	47	151	70	Mean
20	30	45	21	196	90	
30	40	9	4	205	94	
40	50	7	3	212	98	
50	60	3	1	215	99	
60	70	0	0	215	99	
70	80	0	0	215	99	
80	90	0	0	215	99	
90	100	0	0	215	99	
100	110	0	0	215	99	
110	120	1	0	216	100	
120	130	1	0	217	100	
130	140	0	0	217	100	
140	150	0	0	217	100	
150	160	0	0	217	100	
160	170	0	0	217	100	
170	180	0	0	217	100	
180	190	0	0	217	100	
190	200	0	0	217	100	

Data elements inside histogram 217  
 Data elements outside histogram 0

Descriptive Statistics

Mean 17.58064  
 Variance 192.4576  
 Standard Deviation 13.87291  
 Skewness 4.022489

Histogram for Pb\_ppm \*\*\* DATA OUTSIDE RANGE \*\*\*



Mean = 17.581 Variance = 192.5  
Standard Deviation = 13.87 Skewness = 4.022

Histogram for Pb\_ppm \*\*\* DATA OUTSIDE RANGE \*\*\*

Lower limit	Upper limit	Frequency	%	Cumulative	%
0	2	0	0	0	0
2	4	5	2	5	2
4	6	5	2	10	5
6	8	20	9	30	14
8	10	18	8	48	22
10	12	25	12	73	34
12	14	22	10	95	44
14	16	24	11	119	55
16	18	21	10	140	65
18	20	11	5	151	70
20	22	13	6	164	76
22	24	12	6	176	81
24	26	6	3	182	84
26	28	11	5	193	89
28	30	3	1	196	90
30	32	2	1	198	91
32	34	4	2	202	93
34	36	2	1	204	94
36	38	1	0	205	94
38	40	1	0	206	95


Mean

Data elements inside histogram 206  
 Data elements outside histogram 11

Descriptive Statistics

Mean 17.58064  
 Variance 192.4576  
 Standard Deviation 13.87291  
 Skewness 4.022489

Histogram for Zn\_ppm



Mean = 40.461 Variance = 441.1  
Standard Deviation = 21 Skewness = 2.819

Comment: ALL SAMPLES

Histogram for Zn\_ppm

Lower limit	Upper limit	Frequency	%	Cumulative	%	
0	10	0	0	0	0	
10	20	20	9	20	9	
20	30	40	18	60	28	
30	40	65	30	125	58	
40	50	38	18	163	75	Mean
50	60	34	16	197	91	
60	70	10	5	207	95	
70	80	1	0	208	96	
80	90	4	2	212	98	
90	100	1	0	213	98	
100	110	1	0	214	99	
110	120	0	0	214	99	
120	130	1	0	215	99	
130	140	0	0	215	99	
140	150	0	0	215	99	
150	160	0	0	215	99	
160	170	1	0	216	100	
170	180	1	0	217	100	
180	190	0	0	217	100	
190	200	0	0	217	100	


Data elements inside histogram 217  
 Data elements outside histogram 0

Descriptive Statistics

Mean 40.46083  
 Variance 441.1012  
 Standard Deviation 21.00241  
 Skewness 2.819086



Histogram for Ag\_ppm



Mean = .65438 Variance = .4521  
Standard Deviation = .6724 Skewness = 3.688

Histogram for Ag\_ppm

Lower limit	Upper limit	Frequency	%	Cumulative	%
0	0.2	23	11	23	11
0.2	0.4	46	21	69	32
0.4	0.6	48	22	117	54
0.6	0.8	42	19	159	73
0.8	1	25	12	184	85
1	1.2	14	6	198	91
1.2	1.4	4	2	202	93
1.4	1.6	5	2	207	95
1.6	1.8	0	0	207	95
1.8	2	1	0	208	96
2	2.2	1	0	209	96
2.2	2.4	1	0	210	97
2.4	2.6	0	0	210	97
2.6	2.8	1	0	211	97
2.8	3	0	0	211	97
3	3.2	1	0	212	98
3.2	3.4	0	0	212	98
3.4	3.6	3	1	215	99
3.6	3.8	0	0	215	99
3.8	4	0	0	215	99
4	4.2	1	0	216	100
4.2	4.4	0	0	216	100
4.4	4.6	0	0	216	100
4.6	4.8	0	0	216	100
4.8	5	0	0	216	100
5	5.2	0	0	216	100
5.2	5.4	0	0	216	100
5.4	5.6	1	0	217	100
5.6	5.8	0	0	217	100
5.8	6	0	0	217	100


Mean

Data elements inside histogram 217  
 Data elements outside histogram 0

Descriptive Statistics

Mean 0.6543779  
 Variance 0.4521222  
 Standard Deviation 0.6724003  
 Skewness 3.688029

Histogram for Ag\_ppm \*\*\* DATA OUTSIDE RANGE \*\*\*



Mean = .65438 Variance = .4521  
Standard Deviation = .6724 Skewness = 3.688

Histogram for Ag\_ppm \*\*\* DATA OUTSIDE RANGE \*\*\*


Lower limit	Upper limit	Frequency	%	Cumulative	%	
0	0.1	0	0	0	0	
0.1	0.2	23	11	23	11	
0.2	0.3	14	6	37	17	
0.3	0.4	32	15	69	32	
0.4	0.5	29	13	98	45	
0.5	0.6	19	9	117	54	
0.6	0.7	25	12	142	65	Mean
0.7	0.8	17	8	159	73	
0.8	0.9	16	7	175	81	
0.9	1	9	4	184	85	
1	1.1	9	4	193	89	
1.1	1.2	5	2	198	91	
1.2	1.3	2	1	200	92	
1.3	1.4	2	1	202	93	
1.4	1.5	4	2	206	95	
1.5	1.6	1	0	207	95	
1.6	1.7	0	0	207	95	
1.7	1.8	0	0	207	95	
1.8	1.9	0	0	207	95	
1.9	2	2	1	209	96	

Data elements inside histogram 209  
 Data elements outside histogram 8

Descriptive Statistics

Mean 0.6543779  
 Variance 0.4521222  
 Standard Deviation 0.6724003  
 Skewness 3.688029

Histogram for Au\_ppb



Mean = 31.525 Variance = 3713  
Standard Deviation = 60.94 Skewness = 5.608

# Histogram for Au\_ppb


Lower limit	Upper limit	Frequency	%	Cumulative	%	
0	30	152	70	152	70	
30	60	31	14	183	84	Mean
60	90	17	8	200	92	
90	120	6	3	206	95	
120	150	4	2	210	97	
150	180	3	1	213	98	
180	210	2	1	215	99	
210	240	0	0	215	99	
240	270	0	0	215	99	
270	300	0	0	215	99	
300	330	0	0	215	99	
330	360	0	0	215	99	
360	390	0	0	215	99	
390	420	0	0	215	99	
420	450	0	0	215	99	
450	480	0	0	215	99	
480	510	1	0	216	100	
510	540	0	0	216	100	
540	570	1	0	217	100	
570	600	0	0	217	100	

Data elements inside histogram 217  
 Data elements outside histogram 0

## Descriptive Statistics

Mean 31.52534  
 Variance 3713.288  
 Standard Deviation 60.93675  
 Skewness 5.608242

Histogram for Au\_ppb \*\*\* DATA OUTSIDE RANGE \*\*\*



Mean = 31.525 Variance = 3713  
Standard Deviation = 60.94 Skewness = 5.608

Histogram for Au\_ppb \*\*\* DATA OUTSIDE RANGE \*\*\*

Lower limit	Upper limit	Frequency	%	Cumulative	%
0	5	71	33	71	33
5	10	26	12	97	45
10	15	27	12	124	57
15	20	9	4	133	61
20	25	11	5	144	66
25	30	8	4	152	70
30	35	6	3	158	73
35	40	10	5	168	77
40	45	9	4	177	82
45	50	2	1	179	82
50	55	2	1	181	83
55	60	2	1	183	84
60	65	4	2	187	86
65	70	2	1	189	87
70	75	3	1	192	88
75	80	3	1	195	90
80	85	1	0	196	90
85	90	4	2	200	92
90	95	0	0	200	92
95	100	1	0	201	93

Mean

Data elements inside histogram 201  
 Data elements outside histogram 16

Descriptive Statistics

Mean 31.52534  
 Variance 3713.288  
 Standard Deviation 60.93675  
 Skewness 5.608242



APPENDIX III

Certificate of Analysis - Rocks

SCELLEX GOLD CORP. PROJECT VENUS SILVER FILE # 88-3153

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Tb PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	Al PPM	Na %	K %	W PPM	Au* PPM	
CB 1	1	25	137	30	23.2	3	10	109	3.08	192	5	ND	2	26	1	2	18	36	.15	.023	2	8	.28	6	.04	3	.89	.02	.01	1	965
CB 2	1	103	15	273	1.4	3	15	271	6.57	28	5	ND	1	44	3	2	34	.53	.014	2	4	.74	12	.06	3	2.34	.08	.03	1	59	
CB 3	1	48	776	52	2.9	7	6	226	6.04	789	5	ND	1	18	1	5	6	26	.21	.009	2	11	.15	2	.06	33	.42	.01	.01	2	285
CB 4	1	9	15	58	.4	2	4	436	3.45	180	5	ND	2	9	1	3	2	13	.17	.029	4	6	.33	40	.01	4	.39	.01	.10	1	51
CB 5	1	51	8	72	1.5	11	9	244	4.51	116	5	ND	1	23	1	2	2	32	.44	.049	2	22	.66	6	.02	5	1.68	.10	.01	1	93
CB 6	1	38	8	60	.6	11	15	289	3.59	7	5	ND	1	35	1	2	2	59	.77	.058	2	14	1.38	11	.07	2	2.21	.16	.03	1	52
CB 7	1	96	13	27	1.2	18	19	117	3.08	65	5	ND	1	72	1	2	2	77	1.59	.053	2	20	1.32	8	.05	2	3.74	.26	.02	2	89
CB 8	1	26	8	15	.3	1	38	43	14.58	19	5	ND	2	1	1	3	4	3	.02	.002	2	1	.10	11	.01	2	.21	.01	.04	1	24
88DR 19	1	17	30	229	.4	20	31	845	12.15	161	5	ND	1	90	2	2	2	72	1.88	.963	2	31	3.06	8	.12	2	5.58	.21	.02	1	123
88DR 21	1	34	21	109	.3	3	3	98	1.62	69	5	ND	1	33	5	2	2	17	.44	.006	2	5	.09	9	.03	5	1.02	.06	.01	1	36
88DR 22	2585	208	29	76	.1	1	1	949	4.48	8	5	ND	9	9	1	2	2	5	.22	.046	3	1	.95	24	.06	3	1.50	.04	.07	1	17
88DR 23	10	125	54	138	1.0	5	12	1237	8.58	3	5	ND	1	9	1	2	2	33	.12	.055	2	3	1.01	21	.02	2	1.34	.02	.15	1	11
88DR 24	13	115	22	95	.2	41	10	942	7.21	2	5	ND	1	102	1	2	2	58	1.71	.022	2	71	1.75	30	.02	2	4.37	.19	.24	1	4
88DR 25	1	48	5	26	.2	1	1	124	1.31	9	5	ND	1	11	1	2	2	16	.41	.006	2	3	.24	2	.03	2	.35	.01	.01	1	33
88DR 30	11	417	296	89	2.7	3	7	1632	8.25	2	5	ND	2	3	1	4	2	80	.11	.042	2	7	.83	11	.05	2	2.16	.02	.12	1	44
88DR 34	119	1201	42	35	4.4	1	3	400	2.42	18	5	ND	4	4	1	2	5	14	.37	.153	6	1	.26	8	.02	2	.53	.02	.05	2	295
88DR 37	13	132	10	19	.4	10	14	183	6.83	7	5	ND	2	32	1	2	2	53	.22	.043	2	9	1.59	27	.01	2	2.22	.07	.23	1	21
88DR 39	26	90	2767	1170	3.0	4	6	302	4.38	120	5	ND	1	5	8	6	2	3	.06	.001	2	2	.04	2	.01	2	.13	.01	.02	1	15
88DR 43	1	40	96	190	.1	6	7	1651	3.28	103	5	ND	1	53	2	5	2	36	.90	.017	7	15	.36	15	.08	11	2.03	.02	.02	1	12
STD C/AU-R	17	58	38	132	7.1	66	27	1027	1.97	39	16	7	37	47	17	18	18	56	.46	.089	38	55	.90	174	.06	34	1.95	.06	.14	12	505

APPENDIX III

ROCK DESCRIPTIONS

<u>Sample No.</u>	<u>Sample Description</u>
88DR-20	north side of notch above lake (6500'); meta-volcanic float with 30-40% pyrite, siliceous.
88DR-21	south brow of ridge; quartz lens (1cm wide x 7cm long) with 2% pyrite in hornfelsed dark gray sediment which carries up to 5% pyrite as veinlets 2mm wide.
88DR-22	east side of ridge south of camp; 3m south of VS-7. Quartz diorite carrying quartz stringers with disseminated pyrite and molybdenite (2-3%). Sulfides are very sparingly disseminated through wallrock. Sample is local float, origin untraceable due to snow.
88DR-23	gully cutting plateau south of camp. Subcrop rubble near intrusive-volcanic(?) contact. Zone about 1m wide of granitized country rock carrying 10-15% disseminated and fracture filling pyrite, no magnetite (elevation: 6020').
88DR-24	10m southwest of DR-23, silicified tuff with 5-10% pyrite; also dioritic dyke carrying 5-10% magnetite, pyrite, subcrop.
88DR-26	on southeast side Sutter Ridge at elevation 5900', quartz stockwork in greenstone. Not as much pyrite as compared to southwest side of gully. Strides 025°, range in width from few mm to 2.5cm and exposed for 2m.
88DR-27	L103W, 9820N. Fine grained intrusive. Possibly outer intrusive margin. Elevation: 6200'.
88DR-28	L103W, 9725N; quartz diorite.

<u>Sample No.</u>	<u>Sample Description</u>
88DR-29	L103W, 9475N; gully trending 228°, fine grained diorite with contact metamorphism of wallrock, minor pyrite.
88DR-30	L102W, 9700N, rusty siliceous zone in quartz diorite. 1.2m wide striking 090°/80S, minor pyrite.
88DR-31	L104W, 9300N, siliceous tuff with 5-10% pyrite as minute veinlets along fractures and disseminations throughout. Rusty weathering, non-magnetic. 160°/45NE.
88DR-32	10350W 9250N, non-magnetic greenstone with 3-5% pyrite.
88DR-33	pyritized tuffs, rusty weathering capped by .25m thick ferricrete layer outcrop in creek draining east of lake. Up to 10% pyrite.
88DR-34	L101W 9750N, quartz vein float with 10% pyrite and 0.5% molybdenite in altered rusty quartz diorite.
88DR-37	rusty siliceous tuff intruded by diorite dyke. Up to 40% in isolated blobs; dyke and wallrock contains disseminated pyrite (up to 20%), subcrop rubble.
88DR-38	dark grey metasediment not pyritized in pyritized tuffs.
88DR-39	3 cm wide quartz vein with up to 10% pyrite in vugs in sheared and folded light grey metasediments. An alteration envelope of chlorite-epidote has developed for 2-3 meters out from the vein.
88DR-41	10480E, 350N: banded tuff, no pyrite.
88DR-42	conglomerate with minor epidote.
88DR-43	shear zone in bedded argillite. Small depression (old open cut?) 3m x 1.5m with minor pyrite and epidote in quartz stringers.

Sample No.Sample Description

88CB-1 pyrite, pyrrhotite with some sphalerite in rusty quartz intrusion.

88CB-2 pyrite, pyrrhotite in weathered cliff face. Some rusty quartz and abundant disseminated mineralization in surrounding rock.

88CB-3 quite altered rock mineralized with cubes of pyrite.

88CB-4 localized rusty zone with some pyrite. host rock in zone is schistosed.

88CB-5 pyrite in fine grained, grey metasediment.


88CB-6 same as 88CB-5, except with more pyrite.

88CB-7 float with abundant pyrite.


88CB-8 quartz outcrop with 30-40% pyrite. Wallrock appears to be a siliceous rusty tuff. Sample taken from old open cut.

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

18,341



	10700W	10600W	10500W	10400W	10300W	10200W	10100W	10000W
10300N -	5 11 6 22	35 11 15 22	47 40 41 74	38 76	74 118 48 84	13 103 41 126	89 54 231 58	28 40 16 29
10200N -	15				49 42 159 164	73 98 77 133	128 113 100 67	49 81 187 277
10100N -		197	78 47 23 27	39 27 29 22	192 108 28 122	29 46 306 17	126 63 292 226	371 119 407 201
10000N -	83 49 33 27 24 24	46 54 47 21 18 16	26 125 50 191 21 77	22 19 562 69 115 69	24 3 21 106 171 60	435 223 320 519 468 349	104 64 250 130 170 307	946 567 58 92 1724 522
9900N -	14 9 17 9	27 19 34 368	27 94 27 157	114 157 179	171 179 279	416 251 693	237 455 3196	175 505 2976
9800N -	22 21 18 17	17 28 35 48	94 152 76 113	69 171 244 110	279 1392 120 628	317 99 839 1659	2058	
9700N -	21 14 47 30	52 41 51 46	209 339 122 100	71 40 140	88 60 61 82	99 2150 449 964	839 2040 826 297	194 369 403 449
9600N -	256 730	27 30	123 32	474 69	7 41	804 674	484 332	182 396





SCHELLEX GOLD CORP.

VENUS CLAIM  
SOIL GEOCHEMISTRY  
CU (PPM)  
VALUE MAP

DATE: JAN. 1989      N.T.S. 92G/14W  
BOA SERVICES LTD.

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

18,341



- 200 to 349 CUPPM
- 350 to 649 CUPPM
- 650 to Rest CUPPM

SCALE 1:5000



SCHELLEX GOLD CORP.

VENUS CLAIM  
SOIL GEOCHEMISTRY  
CU (PPM)  
SYMBOL MAP

DATE: JAN. 1989


N.T.S. 92G/14W

BOA SERVICES LTD.





GEOLOGICAL BRANCH  
ASSESSMENT REPORT

18,341



■ 24 to 29 PBPPM  
■ 30 to Rest PBPPM

SCALE 1:5000




SCHELLEX GOLD CORP.

VENUS CLAIM  
SOIL GEOCHEMISTRY  
PB (ppm)  
SYMBOL MAP


DATE: JAN. 1989 | N.T.S. 92G/14W  
BOA SERVICES LTD.

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

# 18,341



SCALE 1:5000



	10700W	10600W	10500W	10400W	10300W	10200W	10100W	10000W
10300N -	9 10 10 17	19 2 13 20	10 23 14 21	14 25	15 20 8 29	16 20 33 23	22 17 27 15	11 21 23 27
10200N -	2				41 11 20	36 27 23	49 27 28	26 9 7
10100N -	25 32 20	56 25 17 22	34 18 16 19	46 23 17 11 13	20 19 13 11	10 14 14 7 10	10 26 3 15 11	11 9 9 10 7
10000N -	7 16 6 14	10 17 12 12	15 17 6 17	8 6 16 6	9 5 6 14	14 12 14 14	18 15 16 13	7 18 8 11
9900N -	8 10 7	8 15 16	8 23 13	11 5 12	21 6 9	24 7 23	44 18 13	14 43 25
9800N -	10 6 5 7	17 12 15 9	27 13 14 9	11 6 13 15	6 18 26 32	15 23 12 20	14 20 20	7 116 32
9700N -	2 13 8 16	16 9 15 12	12 30 17 12	7 10 28	5 25 19 34	10 26 31 14	58 43 16 16	12 12 8 8
9600N -	6 2	14 13	20 11	121 13	4 22	10 19	21 18	27 23

SCHELLEX GOLD CORP.

VENUS CLAIM  
SOIL GEOCHEMISTRY  
PB (ppm)  
VALUE MAP



DATE: JAN. 1989

N.T.S. 92G/14W

BOA SERVICES LTD.

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

18,341



■ 70 to 109 ZNPPM  
■ 110 to Rest ZNPPM

SCALE 1:5000



SCHELLEX GOLD CORP.

VENUS CLAIM  
SOIL GEOCHEMISTRY  
ZN (ppm)  
SYMBOL MAP

DATE: JAN. 1989


N.T.S. 92G/14W

BOA SERVICES LTD.


GEOLOGICAL BRANCH  
SCIENTIFIC REPORT

# 18,341

	10700W	10600W	10500W	10400W	10300W	10200W	10100W	10000W
10300N -	12 12 14 28	86 10 18 32	24 42 50 41	41 73	44 25 18 50	41 103 57 49 50	178 67 82 53	41 84 55 60 52
10200N -	34		41	48	35	81	66	38
10100N -		129	42	57	41	35	50	46
	45	50	30	27	39	37	35	47
	52	38	39	28	49	44	32	40
10000N -	39	31	35	34	38	27	30	43
	38	32	43	38	30	54	32	53
	54	25	45	13	13	29	26	31
	28	21	34	35	43	31	32	33
	18	37	22	22	36	31	32	31
9900N -	18	27	33	28	37	54	44	38
	24	24	27	16	18	31	46	50
	30	34	27	18	31	66	55	37
	30	22	49	13	31	54	53	45
9800N -	38	20	47	51	47	59	48	55
	19	22	37	12	25	25	46	
	48	39	43	31	23	39		91
	16	37	38	22	28	57	48	28
9700N -	23	19	58	24	67	164	63	16
	22	30	27	37	42	42	46	21
	24	29	36		28	37	48	32
	31	24	39	63	19	30	60	48
9600N -	20	27	23	53	31	35	46	43



SCALE 1:5000



SCHELLEX GOLD CORP.

VENUS CLAIM  
SOIL GEOCHEMISTRY  
ZN (ppm)  
VALUE MAP


DATE: JAN. 1989      N.T.S. 92G/14W  
BOA SERVICES LTD.

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

19,341



SCALE 1:5000




	10700W	10600W	10500W	10400W	10300W	10200W	10100W	10000W
10300N -	1	10		24	18	1	14	2
	1	1			39	184	28	7
	2	4	27		41	44	36	3
	2	39	56	76	176	505	85	10
10200N -	8		41		60	73	103	43
			43		113	82	110	16
				104	25	86	44	33
			36	11	3	62	65	6
10100N -		560	12	15	62	48	38	2
	184	136	32	2	26	14	14	1
	28	23	20	12	1	11	12	4
	2	42	14	6	5	1	6	3
10000N -	9	35	6	9	1	4	1	1
	8	11	11	1	3	2	4	4
	3	3	7	2	10	29	8	2
	2	5	2	12	22	65	8	8
9900N -	3	2	8	2	39	40	10	5
	3	7	14	2	28	160	3	1
	1	17	2	11	125	87	22	75
	5	2	16	36	126	99	39	8
9800N -	4	2	6	22	163	57	76	20
	9	1	22	4	113	86	33	48
	1	3	10	6	11	3		33
	4	1	18	32	1	10	2	11
9700N -	2	1	32	1	6	124	25	20
	1	16	1	9	2	70	51	11
	2	1	9		3	41	36	12
	2	2	17	11	1	52	72	22
9600N -	1	2	4	4	2	21	14	15


SCHELLEX GOLD CORP.

VENUS CLAIM  
SOIL GEOCHEMISTRY  
AU (ppb)  
VALUE MAP

DATE: JAN. 1989 N.T.S. 926/14W  
BOA SERVICES LTD.



- 20 to 49 AUPPB
- 50 to 89 AUPPB
- 90 to Rest AUPPB



SCHELLEX GOLD CORP.

VENUS CLAIM  
SOIL GEOCHEMISTRY  
AU (ppb)  
SYMBOL MAP

DATE: JAN. 1989      N.T.S. 92C/14W  
BOA SERVICES LTD.

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

18,341



SCALE 1:5000



	10700W	10600W	10500W	10400W	10300W	10200W	10100W	10000W
10300N -	0.2 0.3 0.1 0.1	0.6 0.1 0.1 0.3	0.3 0.7 0.6 1	0.7 0.1 1.1 0.5	1.4 0.5 0.3 0.4 0.6 0.2 0.6 0.7	0.5 0.5 0.8 0.7 0.9 0.3 0.8 0.2	0.3 0.3 0.9 0.3 0.5 0.7 0.2 0.3	0.5 0.4 0.6 0.5 0.8 0.6 0.6 0.7
10200N -	0.4							
10100N -	0.4 0.5 0.4	1.1 0.4 0.9 0.6	0.4 0.4 0.3 0.4	0.1 0.2 0.1 0.2	0.1 1 0.1 0.4	0.1 0.3 0.1 0.5	0.1 0.5 0.4 0.3	0.7 0.7 0.8 0.7
10000N -	0.3 0.1 0.6 0.3	0.3 0.4 0.3 0.1	0.8 0.4 1.9 0.4	0.3 0.6 0.3 0.6	0.1 0.3 0.7 0.7	1.0 0.8 0.4 0.7	0.3 0.6 0.2 0.4	0.7 0.6 0.3 0.8
9900N -	0.3 0.1 0.3 0.1	0.2 0.3 0.5 0.6	0.3 0.4 0.8 0.7	0.6 0.4 0.6 0.6	0.4 0.6 1.0 0.8	1.0 0.7 1.3 0.6	0.9 1.5 0.3 0.9	0.8 2 0.5 0.5
9800N -	0.3 0.1 0.2 0.1	0.8 0.3 0.4 1	0.6 0.4 0.6 0.7	0.5 0.1 0.2 0.1	0.1 1.4 1.4 1.2	1.4 0.4 0.2 0.1	3.1 1.2 3.5 0.8	2.7 1.1 0.8 0.3
9700N -	0.9 1.0 2.2	1.1 0.3 0.4	0.4 1.0 0.6	3.5 5.4 0.5	1 3.5 0.3 0.6	0.1 0.5 0.4 0.4	1.3 0.7 0.9 0.6	1.1 0.9 0.9 0.8
9600N -	4.0	0.2	0.2					



SCHELLEX GOLD CORP.

VENUS CLAIM  
SOIL GEOCHEMISTRY  
AG (ppm)  
VALUE MAP


DATE: JAN. 1989      N.T.S. 92G/14W  
BOA SERVICES LTD.

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

18,341



■ 1 to 1.5 AGPPM  
■ 1.6 to Rest AGPPM




SCHELLEX GOLD CORP.

VENUS CLAIM  
SOIL GEOCHEMISTRY  
AG (ppm)  
SYMBOL MAP

DATE: JAN. 1989      N.T.S. 92G/14W  
BOA SERVICES LTD.






**Rock Sample Results**

Sample No.	Mo (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppb)	Au (ppb)
CB-1	1	25	137	30	23.2	965
CB-2	1	103	15	373	1.4	59
CB-3	1	48	776	52	2.9	285
CB-4	1	9	15	58	0.4	61
CB-5	1	51	8	72	1.5	93
CB-6	1	38	8	60	0.6	52
CB-7	1	96	13	27	1.2	89
CB-8	1	26	8	15	0.3	28
DR-20	1	17	30	239	0.4	123
DR-21	1	34	21	309	0.3	36
DR-22	2585	208	29	76	0.1	17
DR-23	10	125	54	108	1.0	11
DR-24	13	115	22	95	0.2	4
DR-26	1	48	5	26	0.2	30
DR-30	11	417	296	89	2.7	44
DR-34	119	1201	42	35	4.4	295
DR-37	13	132	10	19	0.4	21
DR-39	26	90	2767	1170	9.0	15
DR-43	1	40	96	190	0.1	12

**LEGEND**

- TERTIARY
  - 1 Needle Point Intrusion diorite
- UPPER JURASSIC DEWDNEY CREEK GROUP
  - 2 Conglomerate
  - 3 Tuff
  - 4 Argillite
  - 5 Meta-sediment
- Outcrop
- Rock sample
- Silt sample



GEOLOGICAL BRANCH  
ASSESSMENT REPORT

18,341



Schellix Gold Corp.

**ROCK & SILT SAMPLE LOCATION MAP**

Venus Silver Property  
Similkameen Mining Division  
NTS: 92 H/6


November, 1988

Boa Services Ltd.



Figure 5




10300N —  
10200N —  
10100N —  
10000N —  
9900N —  
9800N —  
9700N —  
9600N —



LEGEND

-  VLF-EM anomaly
-  Soil anomaly





10700W —  
10600W —  
10500W —  
10400W —  
10300W —  
10200W —  
10100W —  
10000W —




18,341

Schelllex Gold Corp.  
**Compilation Map**  
**VENUS SILVER PROPERTY**  
Similkameen Mining Division  
NTS: 92 H/6  
November, 1988 Figure 20  
Boa Services Ltd.




10700 W 10600 W 10500 W 10400 W 10300 W 10200 W 10100 W 10000 W




**GEOLOGICAL BRANCH  
ASSESSMENT REPORT**

**18,341**



SCALE 1:5000

0 50 100 150 200 meters





**SHELLEX GOLD CORP  
VENUS CLAIM  
VLF - EM  
SEATTLE  
PROFILE MAP**

**REVISIONS**


By	Date	Approved By

Map Prepared By: GREAT OCEAN EXPLORATION SERVICES INC.			
Project No:	Report No:		
Drawing No:	Processor	D.T.S.	926/148
Date	2/3/88	Fig. No:	
<b>BOA SERVICES LTD.</b>			




GEOLOGICAL BRANCH  
SCIENTIFIC REPORT

18,341



SCALE 1:5000



SCHHELLEX GOLD CORP	
VENUS CLAIM	
VLF - EM	
CUTLER	
PROFILE MAP	
Map Prepared By: WEST BRIDGE EXPLOREMENT SERVICES CO.	
Project No:	Report No:
Tracing No: Vancouver	D.T.S. No: 926/148
Date: 8/9/88	By: J.C.
BOA SERVICES LTD.	

REVISIONS

By	Date	Approv. By

