

Daiwan Engineering Ltd.
1030 - 609 Granville Street, Vancouver, B.C. Canada. V7Y 1G5
Phone: (604) 688-1508

| | |
|-------|------|
| LOG # | 0210 |
| | |
| | |

**GEOLOGICAL AND GEOCHEMICAL
ASSESSMENT REPORT
ON THE
HARRISON LAKE PROJECT
HARRISON LAKE, B.C.
NEW WESTMINSTER MINING DIVISION**

FILMED

Latitude / 49°38' N
Longitude / 121°59' W
NTS 92G/9E, 92H/12W

For

Universal Trident Industries Ltd.
1030 - 609 Granville Street
Vancouver, British Columbia
V7Y 1G5

By

Rod W. Husband, B.Sc.

and

Peter G. Dasler, M.Sc.

December, 1988

18,365

GEOLOGICAL BRANCH
ASSESSMENT REPORT

Table of Contents

| <u>Contents</u> | <u>Page</u> |
|-------------------------------|-------------|
| SUMMARY | 1 |
| INTRODUCTION | 2 |
| LOCATION AND ACCESS | 2 |
| PHYSIOGRAPHY AND CLIMATE | 2 |
| PROPERTY | 3 |
| HISTORY | 4 |
| REGIONAL GEOLOGY | 5 |
| PROPERTY GEOLOGY | 6 |
| GEOCHEMICAL SURVEY | 9 |
| ROCK SAMPLES | 10 |
| DISCUSSION OF RESULTS | 12 |
| CONCLUSIONS | 13 |
| RECOMMENDATIONS | 14 |
| STATEMENT OF COSTS | 15 |
| CERTIFICATE OF QUALIFICATIONS | 16 |

| <u>Figures</u> | <u>Following Page</u> |
|--------------------------------------|-----------------------|
| Figure 1 - Location Map | 2 |
| Figure 2 - Claim Map | 3 |
| Figure 3 - Regional Geology | 5 |
| Figure 4 - Grid Location Map | 6 |
| Figure 5 - Property Geology | Map Pocket |
| Figure 6 - Main Zone Roadcut Section | Map Pocket |
| Figure 7 - Mustang Showing Section | Map Pocket |
| Figure 8a - Au Geochem Main Grid | Map Pocket |
| Figure 8b - As Geochem Main Grid | Map Pocket |
| Figure 8c - Ag Geochem Main Grid | Map Pocket |
| Figure 8d - Cu Geochem Main Grid | Map Pocket |
| Figure 8e - Pb Geochem Main Grid | Map Pocket |
| Figure 9 - Au Geochem Southern Grid | Map Pocket |
| Figure 10 - Sample Locations Plan | Map Pocket |

Appendices

| | |
|--|-------------------|
| Appendix I - Assay Certificates | Following Page 18 |
| Appendix II - Rock Sample Description and Location | 19 |

SUMMARY

Between July 15, 1988 and December 31, 1988 exploration was carried out on the Harrison Lake property of Universal Trident Industries Ltd. by Daiwan Engineering Ltd. This report details the work performed up to October 5 1988.

The total programme consisted of a geochemical survey on two grids, geological mapping on a 1:5000 scale on the "main grid", and 1:500 in the area of the "Main Zone", and trenching of geochemical targets. In the sampling programmes 174 rock samples, and 2,600 soil samples were collected. In addition, I.P. surveys of selected grid lines, followed by trenching and 1,535 metres (5,036 feet) of diamond drilling investigated targets obtained from the previous stages of exploration. The results of the drilling and trenching programme will be detailed in a later report.

The survey on the "southern grid" was established over a feature known as the "crescent" anomaly, outlined from the 1983 airborne geophysical survey of the area. This grid covered 33 kilometres of lines on portions of the Trio 2 and Trick claims in the Trio group. A total of 1,152 soil samples were collected and analyzed for gold and Cu, Pb, Zn, Ag, and As. The results of this survey defined two main areas anomalous gold within the "crescent" anomaly.

The survey on the "main grid" was established over a known area of vein gold mineralization. The grid covered 35 kilometres of lines on portions of the Aqua, Nagy C, Treat, Bremner 1, and Bremner 2 in the Nagy group. A total of 1,448 soil samples and 174 rock samples were collected and analyzed for gold and the above 5 other elements. The results of this survey indicated the presence of many small gold bearing veins and veinlets.

The I.P. survey conducted over 5 kilometres of line on this grid targeted several structures as potentially mineralized.

Trenching and sampling in areas of geochemical and geophysical anomalies confirmed the presence of many gold bearing quartz and sulphide veins and veinlets.

Further work involving geochemical surveys, geological mapping and follow-up drilling is recommended for a portion of the "Main Zone", and for the southern grid area.

A total of \$450,000 was spent on this project between July 15, 1988 and December 31, 1988. This report details \$136,019.37 of this expenditure.

INTRODUCTION

At the request of Mr. Ron Philp, President of Universal Trident Industries Ltd., Daiwan Engineering Ltd. conducted an exploration programme on the Harrison Lake property at Doctors Point, Harrison Lake, B.C. The programme consisted of geochemical surveys, geological mapping, trenching and sampling, and cumulated with the completion of 1,535 metres (5,036) feet of diamond drilling.

This report is a compilation of the work completed on the property to October 05, 1988, with a correlation of this work to the previous operations on the property.

LOCATION AND ACCESS

The property, consisting of 180 claims, is located on the northwest shore of Harrison Lake approximately 160km by road from Vancouver and centred at latitude $40^{\circ} 38'$, longitude $121^{\circ} 59'$, N.T.S. maps 92 H/12 W, and 92 G/9 E.

Access is via highway 7 from Vancouver to Harrison Mills at the south end of Harrison Lake, and then north on a paved branch road from the Sasquatch Inn to the Woods Creek Salmon Enhancement Spawning Beds. The road from this point is maintained as a power line service and logging access road, and continues along the west side of Harrison Lake.

The camp is located on the lake shore off a posted road at the 50km marker from Woods Creek near the mouth of Trio creek. The blocked out mineralization of the "Main Zone" is adjacent to the road at 51.8km. Travel is good by two wheel drive vehicle in summer months, but snow build-up can cause difficulties in winter and spring.

Road access to most parts of the property is adequate, and recent dozer trails provide additional trails to drill and trench sites.

PHYSIOGRAPHY AND CLIMATE

The topography of the area is generally rugged, except for an area to the north of the "Main Zone", ("The North Millsite"). Adequate water is available from the major streams which drain into Harrison Lake, and a small swamp lies near the contact with the diorite intrusive on the north end of the property. This swamp may dry out in summer.



FIGURE 1

UNIVERSAL TRIDENT INDUSTRIES LTD.

HARRISON PROJECT

NEW WESTMINSTER MINING DIVISION
HARRISON LAKE, B.C.

LOCATION MAP

DAIWAN ENGINEERING LTD.

SCALE: 1:8,000,000

DATE: JULY 25, 1988

PHYSIOGRAPHY AND CLIMATE - Cont'd.

Topographic relief is from the lake shore at 24 metres above sea level to 1200 metres on the peaks at the west of the property. The majority of the work to date has been confined to within 1 kilometre of the lake and 300 metres above sea level.

The property is mainly vegetated in second growth fir, hemlock, and spruce following past logging operations.


Snowfall is generally light at lower elevations, but can become abundant at the higher elevations. Conditions do allow drilling for most of the year.

PROPERTY

The 180 unit claim group optioned by Universal Trident Industries Ltd. from Rhyolite Resources Inc. consists of the following particulars:

| <u>Claim Name</u> | <u>Units</u> | <u>Record No.</u> | <u>Expiry Date</u> |
|-------------------|------------------|-------------------|--------------------|
| AQUA | 6 | 1281 | Aug 14, 1991 |
| AU | 4 | 1574 | Oct 8, 1990 |
| ELIZABETH 1 | 4 | 1255 | Jun 24, 1990 |
| SK-U | 18 | 1282 | Aug 14, 1991 |
| NAGY-C | 20 | 1294 | Oct 2, 1990 |
| TRIO # 2 | 20 | 3243 | Oct 9, 1990 |
| TRICK | 8 | 3292 | Nov 17, 1990 |
| GNAT 1 | 20 | 2291 | Nov 21, 1990 |
| GNAT 2 | 20 | 2292 | Nov 21, 1990 |
| TREAT | 20 | 3291 | Nov 17, 1990 |
| BREMNER 1 | 20 | 3388 | Jul 25, 1991 |
| BREMNER 2 | 20 | 3389 | Jul 25, 1991 |
| TOTAL | 180 units | | |

The above expiry dates include the acceptance of a previous assessment report and of this assessment report.



LEGEND

- Road
- . - . - . Tracks
- Power Line



FIGURE 2

UNIVERSAL TRIDENT INDUSTRIES LTD.

HARRISON PROJECT

NEW WESTMINSTER MINING DIVISION
HARRISON LAKE, B. C.

CLAIM MAP

DAIWAN ENGINEERING LTD.

SCALE: As Shown

DATE: DECEMBER, 1988

HISTORY

The first lode gold mining in the region began in 1897 at the Providence Mine. Three lodes were explored by a 45 metre shaft and 75 metres of tunnelling. Production from these workings for that year was 180 tons grading 1.35 oz/ton gold. Total production for the property is reported to have been 350 tons at 1.70 oz/ton gold. There is a report of 55 tons of ore being mined in the late 1890's from Fire Mountain north of Harrison Lake but figures for the amount of gold recovered are not available.

In 1971 the Seneca polymetallic massive sulphide deposit near the Chehalis River was discovered and interest in the area rose. In 1975 George Nagy made a discovery of gold mineralization at Doctors Point and staked the current ground held by Rhyolite Resources. In the following year he located and trenched massive sulphide vein mineralization. Between 1976 and 1981 several companies did initial inspections and sampling on the claims. Reports from these companies are as follows: Cominco reported 16 feet of 0.09 oz/ton gold; Bow River reported between 0.005 and 0.14 oz/ton gold in samples from trenches, and between 0.22 and 0.78 oz/ton gold in grab samples; Duval reported 0.16 and 0.44 oz/ton gold; and Rapitan reported between 0.002 and 0.20 oz/ton gold and between 0.2 and 5.55 oz/ton silver.

In 1981 Rhyolite Resources Inc. purchased the claims from Nagyville Mining and since that time have conducted; detailed soil sampling, ground magnetometer surveys, and I.P. survey on selected targets, an airborne magnetometer and EM survey, and detailed mapping on the northern portion of the claims. In addition, Rhyolite Resources completed some 20,000 feet of diamond drilling. The majority of the drilling was done at the "Main Zone", where 113,600 tonnes of 0.06 oz/ton gold was proven in a triangular mass, near surface.

In 1985 Heritage Petroleum Inc. optioned the claims and drilled 5 holes 1.5 kilometres north of the "Main Zone" in the "North Zone" area in the vicinity of a gold geochemical anomaly. Three previous holes existed in the area. These and the geochemical survey indicated two zones of vein gold mineralization, however the best drill result was 0.3 metres of 0.635 oz/ton gold and 2.50 oz/ton silver. Three of the five new holes encountered gold mineralization; hole 85-NM-1 had 0.31 metres of 0.212 oz/ton gold and 1.60 oz/ton silver, hole 85-NM-2 had 0.82 metres of 0.443 oz/ton gold and 0.96 oz/ton silver, and hole 85-NM-5 had an average of 1.83 metres of 0.116 oz/ton gold and 0.40 oz/ton silver. Surface sampling in this same area indicated a potential for stronger mineralization in the area. Five samples ranging from 0.39 to 2.012 oz/ton gold and 0.85 to 2.68 oz/ton silver were collected from surface veins which showed similar mineralization to the drill intersects.

HISTORY - Cont'd.

Esso Minerals conducted a brief regional mapping programme in the claim area in 1985. Silt and heavy concentrates were taken from various creeks on the property. Assays ran as high as 425 ppb in gold in the silts and 5000 ppb in the heavy concentrate.


From 1985-Aug. 1988 little work was done on the property.

REGIONAL GEOLOGY

The regional geology is described by Ray et al (1984) as follows:

The Harrison Lake fracture forms a major, southeasterly trending dislocation over 100 kilometres in length, which in part passes along, and parallel to, Harrison Lake. The system separates highly contrasting geological regimes. To the northeast, the rocks include well-deformed supracrustals of the Pennsylvanian to Permian Chilliwack Group, as well as highly foliated gneissic rocks and some younger granites. By contrast, the rocks on the southwestern side of the fracture are generally younger, are less deformed, and have suffered lower metamorphic grade. They include a variety of volcanic, volcanoclastic, and sedimentary rocks, as well as intrusive granitic rocks and migmatites. These supracrustals are separable into a number of different groups of Jurassic/Cretaceous age. The most important regarding gold mineralization are the Fire Lake and Harrison Lake Groups which are well developed respectively northwest and southwest of Harrison Lake. The Fire Lake Group comprises a variety of coarse to fine-grained sedimentary rocks with lesser greenstone volcanic rocks, while the Harrison Lake Group is predominantly a volcanic sequence of andesitic to dacitic composition, with lesser amounts of volcanoclastic and sedimentary rocks. Both groups are intruded by younger plutonic rocks ranging from granite to diorite.

The rocks in the Doctors Point area, where the present vein mineralization was discovered, were originally assigned to the Fire Lake Group and the Mysterious Creek Formation. However, the prevalence of acidic to intermediate volcanic rocks in the area suggests they probably belong to the Harrison Lake Group.



Regional geology of Harrison Lake and location of areas investigated in 1985 field season. Taken from Ray, et al.'s Precious Metal Mineralization in Southwestern B.C. Field Trip No. 9, 1985. Geology adapted after Roddick, 1965, and Monger, 1970.

FIGURE 3

| | |
|---|---------------------|
| UNIVERSAL TRIDENT INDUSTRIES LTD. | |
| HARRISON PROJECT | |
| NEW WESTMINSTER MINING DIVISION HARRISON LAKE, B. C. | |
| REGIONAL GEOLOGY | |
| DAIWAN ENGINEERING LTD. | |
| SCALE: As Shown | DATE: JULY 25, 1988 |

REGIONAL GEOLOGY - Cont'd.

To the south of the property, at Harrison Hot Springs, another gold property is being evaluated by Bema Gold Corporation. Currently their drill programme is attempting to extend a probable reserve of 2.5 million tons grading between 0.1 and 0.14 opt gold. This gold mineralization is contained within fracture sets in a diorite body called the Jenner Stock. This is one of a series of small dioritic plutons within the area, and to date there are several additional targets on these other stocks. The mineralogy of these veins is predominantly gold-pyrite-pyrrhotite. Recent age dating has provided 20-25Ma for both Doctors Point and the Jenner Stock intrusions.

PROPERTY GEOLOGY


The Harrison Lake property is underlain by interbedded sediments, volcanics, and volcanoclastics of Jurassic-Cretaceous age. These units exhibit a northwesterly strike with a gentle easterly dip of 30°, consistent with the eastern limb of a northwesterly trending anticline as outlined by Gerry Ray (1984).

These interbedded volcanics and sediments are intruded by a series of dioritic plutons. These plutons range in size from 25 metres to over 1 kilometre across. The British Columbia Department of Mines has provided K/Ar dates for the intrusions as 23 Ma for the "Main Zone", and more recently (G.E. Ray per comm.) a 20 Ma date for the northern diorite body.

Following the intrusion by the diorite, regional faulting occurred. It is probable that faulting along the Harrison Lake Fault system resulted in numerous en-echelon faults and conjugate fractures cutting the property. Major faults trending 330° cut the property, notably along Nagy Creek, and to the immediate south of the Main Zone.

Quartz-sulphide vein fill is common along fractures with similar orientation. The veins found on the property are consistent in their mineralogy; quartz-sulphide veins are comprised of quartz, adularia, arsenopyrite and pyrite with occasional pyrrhotite, chalcopyrite, galena, and sphalerite. The amount of sulphide content in individual veins varies from trace to 80%.

Following the gold mineralization, late stage faulting appears to have occurred in N-S and N-E directions. This faulting resulted in the minor offsets observed in the veins.



LEGEND

- Road
- Tracks
- Power Line



FIGURE 4

| | |
|---|----------------------|
| UNIVERSAL TRIDENT INDUSTRIES LTD. | |
| HARRISON PROJECT | |
| NEW WESTMINSTER MINING DIVISION HARRISON LAKE, B C | |
| GRID LOCATION MAP | |
| DAIWAN ENGINEERING LTD. | |
| SCALE As Shown | DATE, DECEMBER, 1988 |

PROPERTY GEOLOGY - Cont'd.

Mineralization and Alteration

The gold-silver mineralization at Doctors Point is hosted in narrow, quartz-sulphide veins that cut both the diorites and the adjacent rocks. On surface these veins vary from one centimetre to over one metre wide. The veins include both clear and white vuggy quartz, the vug cavities being lined with small quartz crystals. Pyrite and arsenopyrite are the commonest sulphides; in parts the veins comprise coarse, massive sulphide material in which quartz is subordinate. Surface leaching results in abundant boxwork textures in the quartz veins, and many mineralized outcrops are coated with green scorodite, an alteration product of the arsenopyrite. In some instances the veins contain small amounts of chalcopyrite.

The majority of the mineralized veins are located within the diorite or within 100 metres of the contact between the diorite and surrounding rock. Veins exposed in outcrop show good continuity, with two veins being traceable for over 40 metres along strike.

The mineralized veins are usually bounded by a bleached zone in which the nature and texture of the original rock type is unrecognizable. These bleached zones comprise a very fine mixture of quartz, sericite, and kaolin, with some disseminated pyrite; in parts it carries trace amounts of gold. The bleached zone varies from a few centimetres to 3 metres in width; generally the wider zones are associated with thicker veins, and commonly the hangingwalls contain the widest alteration. The bleached alteration passes gradually out to wider 'rotted zone' which is characterized by its friable, weathered and rusty appearance. In this zone the feldspars are extensively kaolinized, but the textures of the original rocks are clearly visible. This alteration zone can exceed a total of 8 metres in width, and generally carries weakly disseminated pyrite but no gold.

The mineralized veins appear to follow, and be strongly controlled by, a series of fracture systems related to the Harrison Lake Fault System.

Main Zone

The interbedded volcanics and sediments underlying the "Main Zone" appear to be intruded by at least two phases of diorite. The first, and most common, is a coarse grained massive diorite with 35-40% mafic minerals (biotite and hornblende). This phase of the diorite outcrops on the surface of the "Main Zone" and gives the diorite its roughly circular shape in plan view. This phase is in part a sill, evidenced by the road cut section (Figure 6), and by the drill holes, where a contact between the diorite and the underlying sediments is observed.

PROPERTY GEOLOGY - Cont'd.

Main Zone - Cont'd.

The second diorite phase is fine grained with 50% mafic minerals and contains andesite xenoliths from 2 centimetres to over 15 centimetres in length. This phase appears to be a series of secondary dykes and sill.

The "Main Zone" is controlled in the northeast and southwest by faults trending 330°. The resulting fracture set served as the locus for the veining that is observed. The majority of the veining at the "Main Zone" strikes between 300° and 330°, subparallel to the Harrison Lake Fault system. The one noticeable exception is the Mustang Vein on the north side of the diorite which strikes 085° (Figure 7).

Following the initial vein fill a second fault system striking between 000° and 020°, produced the small amount of offset noticed in the veins (see road cut section Figure M).

The obvious target for exploration is the shallow east dipping vein system which outcrops on the main road. This vein system drilled by Rhyolite Resources was shown hosted in the brecciated volcanics, but not followed in the adjacent diorite body. The widths and gold values of this vein system appear to decrease, along strike from areas of intense veining. The trends indicate possible centres for higher grade gold mineralization.

North Zone

Underlying the "North Zone" is a portion of the large northern diorite pluton. This pluton is cut by a major fault, the Nagy Creek fault, trending 330°. It is traceable 2.5 kilometres to the southeast, back to the "Main Zone".

In close proximity to this fault are a series of, shallow east dipping (30°), gold bearing quartz-sulphide veins. Previous drilling in this area confirmed the presence of more veins. Hole 85-NM-5 drilled near the centre of the "North Zone" had intercepts of .260 oz/ton over .61 metres and .044 oz/ton over 1.22 metres. Rhyolite Resources drilled 11 holes in the southeast portion of the "North Zone". These holes failed to produce economic widths when assayed, but they did confirm the presence of further veining at depth.

PROPERTY GEOLOGY - Cont'd.

South Swamp - Pylon Zone

This area is underlain by volcanics and volcanoclastics of the Harrison Lake Group. The southern half of this zone is intruded by diorite of the northern pluton. Truncating the zone on its eastern boundary is the Nagy Creek Fault.

Exposed in the diorite are stockwork style, <1cm, quartz sulphide veins with gold values to 2.92 oz/ton. Previous holes drilled in the diorite encountered fine fracture veinlets but only trace gold mineralization.

Outcrop in the remainder of the zone is of the Harrison Lake Group. A further series of shallow dipping veins in rocks of the Harrison Lake Group were uncovered through trenching on the edge of the swamp. Further work on the area should include a short vertical hole from directly on the veining observed in outcrop. Successful solving of the gold source at the "Main Zone" would produce several additional targets in this area.

GEOCHEMICAL SURVEY

The geochemical survey conducted on the Harrison Lake property consisted of the collection of 2,600 soil samples and 174 rock samples; 1,448 soils and 174 rocks were collected on the Nagy group. The claims covered by the grid in this group were the Nagy C, Treat, Aqua, Bremner 1, and Bremner 2. The remaining 1,152 soils were collected on the Trio 2 and Trick claims in the Trio group (the south grid). The soils were collected from the "B" horizon wherever possible from a depth of between 3 and 50 centimetres.

The soil samples were delivered to Acme Analytical Laboratories Ltd. in Vancouver where they were dried and screened to -80 mesh. Copper, lead, zinc, arsenic, silver were analyzed by ICP for all samples. The ICP assay involves the digestion of 0.500 grams of the sample with 3ml of 3-1-2 HCl-HNO₃-H₂O acid at 95° C for one hour. This sample is then diluted to 10ml with water. The soils were also analyzed for gold by acid leach and Atomic Absorption, by Acme Analytical labs.

GEOCHEMICAL SURVEY - Cont'd.

Main Survey

The results of the northern "main" survey were plotted on a log normal distribution and values at 1, 2, and 3 standard deviations from the mean were plotted and contoured. The plots for the individual elements are shown in Figures 7a-e.

The plot of the gold geochemistry for the north grid outlines a strong northwest trending zone of anomalies traceable over a 2.5 kilometre length. Gold values in this region range up to 4140 ppb in the area of the "Main Zone" between lines 19+00N and 23+00N. The two other areas of highest gold values occur over the "South Swamp - Pylon Zone" and the "North Zone". Gold bearing veins outcrop in these locations.

Several spot anomalies occur throughout the area covered by the northern grid. Mapping failed to reveal the source of these gold anomalies. Some trenching or geophysical work is required over the more interesting anomalies in order to locate their source.

The arsenic plot confirms the trend noticed in the gold plots, but is present as a much larger halo. The values range from 2 to 8368 ppm with the higher values being found over the three known area of quartz-arsenopyrite-pyrite veining. Supporting these anomalies are the silver, copper, and lead plots.

ROCK SAMPLES

The rock samples taken from the mapped areas include both high grade vein samples and continuous chip samples on either side of the larger veins. The assay results were erratic with inconsistent economic values and widths. The location of these rock chip samples are shown, along with assay values in Figure 10.

A Mitsubishi 240 track mounted excavator was used to trench and clean outcrop in areas of interest. Following the work by the excavator the exposures were washed down with a fire pump, mapped and sampled. As a result of this programme the three main areas of interest were defined; the "Main Zone", the "South Swamp-Pylon Zone", and the "North Zone".

Samples from veins on the "Main Zone road cut" (Figure 6) show a vein continuous for 60m with an average width of 68 centimetres and grade of .345 oz/ton gold. Chip samples adjacent to this vein have low gold values, indicating that the host diorite is barren of gold mineralization, except for minor values in small fracture veinlets.

ROCK SAMPLES - Cont'd.

Similar sampling along the "Mustang Vein" (Figure 7), which is exposed for over a 41m strike length, indicate an average of 2.088 oz/ton gold over 11 centimetres width.

The bulk samples taken from Trench A on the "Main Zone" were biased by a newly discovered sub-horizontal vein near the surface. The vein sampled here gave rise to 24 metres of bulk sampling with an average grade of .224 oz/ton. These samples do not accurately represent the general value of the underlying and surrounding rock, but do establish the tenor of the vein style mineralization in this area. In this trench a shallow east dipping vein up to 50cm wide was uncovered, with a series of smaller veinlets branching from the central zone. These veinlets ranged from vertical to horizontal orientation, with varying strike and dip.

South Swamp and Pylon

The excavator uncovered a number of veins and veinlets in this zone. Directly under the power pylon a network of veins and veinlets approaching a tight stockwork pattern were uncovered. Assay values from high grade vein samples and chip samples across the veins were encouraging, but erratic. The highest value was 2.98 opt Au from a 5cm wide vein.

In the other area within this zone a large flat lying vein was exposed adjacent to the roadside. Assays from it confirmed the presence of gold within the veins, but chip samples were erratic. One drill hole was targeted to intersect this vein at dept, but failed to do so.

North Zone

The assay values for the "North Zone" were obtained from a small vein exposed in a trench 40 metres west of DDH-85-NM-05. This vein had a shallow dip to the east, and was of insufficient width to require follow-up at this time.

DISCUSSION OF RESULTS

On the northern part of the main grid, under the low-lying swamp area there is sparse, but persistent quartz-arsenopyrite veining which contains significant gold values (eg. 88-12). To the north of the swamp area, there are also further vein zones which host ore grade mineralization, but are too narrow and too widely spaced to be economic. Should the origin of the feeder zones to the shallow dipping mineralization on the "Main Zone" be defined then this information would probably be able to be used to determine cause of the high grade veining in the north. Until such time there are no significant drill targets in this area.

The gold anomalies on the southern grid are subtly different to those to the north. These anomalies although less intense, have a significantly lower arsenic association. At the RN mine at Harrison Hot Springs there is also a lower arsenic response in pyrrhotite-gold mineralized areas. This lower response has been attributed to a higher temperature style of vein mineralization. This style of mineralization may be present on this southern area, and if so this may explain the high mag anomaly in the area. This area is therefore the only potential zone of large tonnage gold mineralization outside the "Main Zone".

CONCLUSIONS

- 1.0 The soil geochemical survey produced excellent definition of the known gold mineralization, and indicated new areas of veining. All of the previous known soil anomalies were reconstructed in this survey, in addition to new areas. Gold in soil is associated with all the known veins. Arsenic provides a larger halo for each zone.
- 2.0 The I.P. survey defined numerous area of high chargeability (sulphides) and other areas of low resistivity (alteration). In the first drill hole a predicted vein zone was intercepted below a barren diorite capping, physically confirming the geophysical response.
- 3.0 Surface trenching, washing and sampling showed six significant sulphide veins, as well as numerous small cross-cutting (stockwork style) sulphide veinlets. The sampling confirmed the barren nature of the diorite, surrounding metasediments and metavolcanics, but produced excellent average grades along long sections of vein - eg. Road zone, Mustang zone.
- 4.0 There is an association of higher gold values with north trending fault zones. These zones are evident on surface as fractured zones and depression. Drilling has intersected the continuation of these zones, gold values at depth have been high (DDH-88-14) but erratic (DDH-88-02).
- 5.0 It is probable that there are a number of "stacked" veins within the diorite, and extending into the adjacent metavolcanic/sedimentary sequence. These sulphide veins appear similar in appearance and sulphide content but the gold is erratic. No central "feeder" system has been defined, however the I.P. survey has indicated potential source areas.
- 6.0 Soil sampling on the southern grid has identified a significant zone of gold mineralization, associated with the already recognized airmag. high (pyrrhotite-magnetite?) and I.P. anomalies. This zone is defined on adjacent 200m spaced lines, and requires infill data collection.
- 8.0 Although the potential for a large tonnage of low grade gold mineralization, hosted with a fracture system on the property was not defined, the similarity of the vein structures at Doctors Point and at the larger RN property at Harrison Hot Springs are numerous. This indicates a string continuity of fracture controlled vein gold mineralization along the Harrison Lake fault system, and defines the significant potential for further gold mineralization of the property.

RECOMMENDATIONS

Note: a number of recommendations reported by October 5 have since been followed up. these are to be detailed in a later assessment report. These remaining recommendations are still outstanding.

- 1.0 Detailed mapping and in fill geochemical sampling should be used to profile the current gold anomalies on the southern grid in the area of the "crescent anomaly".
- 2.0 An excavator or dozer should be used to open roads and expose outcrop in areas of highest gold-soil anomalies on this grid
- 3.0 Any areas of significant surface veining in this area should be drill tested.
- 4.0 Following the implementation of the above recommendations there should be a re-evaluation of the exploration potential of the property before further investigating the numerous other (smaller) targets.

STATEMENT OF COSTS


| | | |
|------|---|---|
| 1.0 | Geochemical Survey - grid prep. sample collection Main Grid - 35 line km flagged/18km cut 1448 soil samples collected (Geotronics Surveys) (includes camp costs) | \$ 31,467.62 |
| 2.0 | Wages - 1 Supervising Geologist (Manager) 16.2 days @ \$380/day 1 Project Geologist 73.3 days @ \$240/day 1 Geologist 25 days @ \$240/day 1 Field Assistant 62.8 days @ \$220/day | 6,156.00 17,592.00 6,000.00 <u>13,816.00</u> |
| | Total Wages | 43,924.00 |
| 3.0 | Assays - Main Grid - 1448 soils @ \$11.36 15 rocks geochem Au Ag @ \$12.10 9 rocks 30 element ICP @ \$7.83 53 rocks assay Au Ag acid leach @ \$18.04 46 samples 5 element ICP + geochem Au @ \$14.40 6 rocks Au Ag fire assay 1/2 A.T. @ \$14.90 | 16,445.58 181.50 70.50 956.40 662.40 <u>89.40</u> 18,405.78 |
| 4.0 | Food and Accommodations 177 man days @ \$45.25/day | 8,010.85 |
| 5.0 | Transportation 2 - 4 x 4 - 131 days @ \$57.34/day | 7,511.05 |
| 6.0 | Field Supplies (diesel, flagging, bags, lip chain thread, etc.) | 5,314.63 |
| 7.0 | Field Equipment Rental (computer, phone, generator, etc.) | 3,104.45 |
| 8.0 | Drafting - Main Grid | 5,557.19 |
| 9.0 | Track Mounted Excavator (for trenching) | 12,273.80 |
| 10.0 | Office Costs, Report Prep. | <u>150.00</u> |
| | TOTAL EXPENDITURE ON NAGY GROUP | \$ 136,019.37 |



CERTIFICATE OF QUALIFICATIONS

I, Rod W. Husband, do hereby certify that:

1. I am a geologist for Daiwan Engineering Ltd. with offices at 1030 - 609 Granville Street, Vancouver, British Columbia.
2. I am a graduate at the University of British Columbia with a degree of B.Sc., Geology.
3. I have practised my profession since completion of my degree in December 1986.
4. This report is based on work done on the property from July 1988 to Oct 8, 1988 and information obtained from previous reports by professional engineers and others who have examined the property.
5. I have no interest in the property or shares of Universal Trident Industries Ltd. or Rhyolite Resources Inc. or in any of the companies contiguous to the Harrison Project claims, nor do I expect to receive any.




Rod W. Husband, B.Sc.

Dec 31, 1988

CERTIFICATE OF QUALIFICATIONS

I, Peter G. Dasler, do hereby certify that:

1. I am a geologist for Daiwan Engineering Ltd. with offices at 1030-609 Granville Street, Vancouver, British Columbia.
2. I am a graduate at the University of Canterbury, Christchurch, New Zealand with a degree of M.Sc., Geology.
3. I am a Fellow of the Geologic Association Of Canada, an Associate Member in good standing of the Australasian Institute of Mining and Metallurgy, and a Member of the Geologic Society of New Zealand.
4. I have practised my profession continuously since 1975.
5. This report is based on personal examinations of the property in 1985 and supervision of the 1988 Geochemical sampling and mapping and reports by Professional Engineers and others working for previous owners and operators of the property.
6. I have no interest in the property or shares of Universal Trident Industries Ltd. or Rhyolite Resources Inc. or in any of the companies with contiguous property to the Harrison Project claims, nor do I expect to receive any.
7. This report may be used by Universal Trident Industries Ltd. for the raising of funds.



 Peter G. Dasler, M.Sc.
 Dec 31, 1988

APPENDIX I

Assay Certificates

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: JUL 21 1988

DATE REPORT MAILED: *July 28/88*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: ROCK AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *L. L. King* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT DOCTORS POINT FILE # 88-2851

| SAMPLE# | Ag PPM | Au* PPB |
|------------|-----------|------------|
| 94451 | 225.3 | 35500✓ |
| 94452 | 23.8 | 11290 |
| 94453 | 61.3 | 8190 |
| 94454 | 3.8 | 740 |
| 94455 | 4.7 | 59 |
| 94456 | .5 | 13 |
| 94457 | 1.2 | 10 |
| 94458 | .3 | 18 |
| 94459 | .6 | 15 |
| 94460 | .4 | 14 |
| 94461 | .6 | 17 |
| 94462 | .7 | 3540 |
| 94463 | 32.5 | 30700 |
| 94464 | 11.2 | 21950 |
| 94465 | 4.1 | 83 |
| STD C/AU-R | 6.7 | 485 |

✓ ASSAY REQUIRED FOR CORRECT RESULT •

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: JUL 29 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Aug. 3/88...*

ASSAY CERTIFICATE

- SAMPLE TYPE: Pulp
AU** AND AG** BY FIRE ASSAY FROM 1/2 A.T.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS
DAIWAN ENGINEERING LTD. PROJECT DOCTORS POINT FILE # 88-2851R

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| 94451 | 253.80 | 1.055 |
| 94452 | .90 | .319 |
| 94453 | 1.89 | .224 |
| 94462 | .05 | .117 |
| 94463 | 1.04 | .930 |
| 94464 | .34 | .676 |

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FK SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. NO DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: Puip

DATE RECEIVED: JUL 29 1988

DATE REPORT MAILED: Aug 3/88

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT DOCTORS POINT File # 88-2851 R

| SAMPLE# | Ko | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | V | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W |
|---------|-----|-----|-----|------|-----|-----|-----|------|-------|------|-----|-----|-----|-----|-----|-----|-----|-----|------|------|-----|-----|------|-----|-----|-----|------|-----|-----|-----|
| | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | % | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | % | % | PPM | PPM | % | PPM | % | PPM | % | % | % | PPM |
| 94454 | 1 | 29 | 23 | 12 | 3.8 | 2 | 12 | 88 | 5.76 | 1164 | 5 | ND | 2 | 2 | 1 | 10 | 2 | 11 | .16 | .081 | 3 | 1 | .22 | 33 | .91 | 7 | .81 | .01 | .31 | 1 |
| 94455 | 3 | 55 | 20 | 38 | 4.7 | 2 | 4 | 529 | 3.62 | 232 | 5 | ND | 1 | 46 | 1 | 14 | 2 | 63 | .74 | .936 | 3 | 8 | .90 | 74 | .08 | 7 | 2.34 | .08 | .35 | 1 |
| 94456 | 1 | 23 | 8 | 65 | .5 | 15 | 15 | 287 | 4.02 | 93 | 5 | ND | 1 | 95 | 1 | 2 | 2 | 32 | 1.31 | .011 | 4 | 6 | .72 | 30 | .02 | 7 | 4.23 | .25 | .21 | 1 |
| 94457 | 1 | 24 | 9 | 55 | 1.2 | 13 | 20 | 390 | 5.08 | 28 | 5 | ND | 2 | 5 | 1 | 2 | 2 | 55 | .06 | .006 | 2 | 13 | .64 | 27 | .06 | 7 | 2.14 | .03 | .17 | 1 |
| 94458 | 1 | 140 | 22 | 66 | .3 | 10 | 36 | 484 | 11.13 | 16 | 5 | ND | 1 | 149 | 1 | 2 | 2 | 131 | 1.53 | .032 | 2 | 11 | 1.14 | 33 | .01 | 3 | 5.09 | .20 | .09 | 1 |
| 94459 | 1 | 114 | 15 | 42 | .6 | 7 | 25 | 231 | 6.81 | 13 | 5 | ND | 1 | 125 | 1 | 2 | 2 | 69 | 1.77 | .033 | 2 | 4 | .75 | 27 | .04 | 6 | 4.68 | .27 | .14 | 2 |
| 94460 | 1 | 69 | 2 | 5 | .4 | 2 | 11 | 69 | 1.76 | 19 | 5 | ND | 1 | 28 | 1 | 2 | 2 | 32 | .61 | .074 | 2 | 8 | .34 | 74 | .06 | 8 | 1.04 | .07 | .05 | 1 |
| 94461 | 1 | 94 | 13 | 23 | .6 | 5 | 31 | 174 | 5.83 | 15 | 5 | ND | 1 | 117 | 1 | 2 | 2 | 187 | 2.06 | .049 | 2 | 13 | .79 | 36 | .09 | 7 | 4.89 | .28 | .27 | 2 |
| 94465 | 1 | 38 | 44 | 2494 | 4.1 | 16 | 5 | 76 | 4.08 | 825 | 5 | ND | 2 | 1 | 8 | 12 | 2 | 3 | .02 | .003 | 2 | 1 | .03 | 24 | .01 | 7 | .14 | .01 | .04 | 3 |
| STD C | 17 | 57 | 38 | 132 | 6.7 | 68 | 28 | 1050 | 4.09 | 41 | 21 | 7 | 35 | 47 | 17 | 17 | 18 | 55 | .49 | .089 | 38 | 55 | .91 | 175 | .06 | 38 | 1.98 | .05 | .13 | 12 |

ACME ANALYTICAL LABORATORIES LTD.
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: AUG 9 1988

DATE REPORT MAILED: *Aug. 23/88.*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: SOIL AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Leong*. D.TOYE OR C.LEONG, CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LAKE FILE # 88-3538 Page 1

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| 35+00N 0+00 | 27 | 7 | .1 | 7 | 2 | 84 |
| 35+00N 0+25E | 15 | 13 | .2 | 3 | 2 | 3 |
| 35+00N 0+50E | 21 | 11 | .1 | 10 | 2 | 1 |
| 35+00N 0+75E | 34 | 13 | .1 | 4 | 2 | 1 |
| 35+00N 1+00E | 16 | 13 | .1 | 5 | 3 | 1 |
| 35+00N 1+25E | 8 | 18 | .1 | 4 | 2 | 1 |
| 35+00N 1+50E | 19 | 18 | .2 | 10 | 2 | 2 |
| 35+00N 1+75E | 9 | 13 | .1 | 5 | 2 | 2 |
| 35+00N 2+00E | 23 | 13 | .2 | 14 | 2 | 2 |
| 35+00N 2+25E | 31 | 11 | .1 | 9 | 2 | 1 |
| 35+00N 2+50E | 33 | 16 | .2 | 17 | 3 | 1 |
| 35+00N 2+75E | 29 | 20 | .1 | 15 | 2 | 1 |
| 35+00N 3+00E | 25 | 25 | .2 | 7 | 2 | 1 |
| 35+00N 3+25E | 20 | 18 | .1 | 6 | 2 | 1 |
| 35+00N 3+50E | 23 | 20 | .1 | 12 | 2 | 1 |
| 35+00N 3+75E | 3 | 14 | .1 | 5 | 2 | 1 |
| 35+00N 4+00E | 3 | 6 | .1 | 2 | 2 | 1 |
| 35+00N 4+25E | 44 | 8 | .1 | 3 | 2 | 1 |
| 35+00N 4+50E | 13 | 13 | .1 | 6 | 2 | 2 |
| 35+00N 4+75E | 13 | 13 | .1 | 6 | 2 | 1 |
| 35+00N 5+00E | 20 | 14 | .2 | 9 | 2 | 1 |
| 35+00N 5+25E | 32 | 15 | .1 | 6 | 2 | 1 |
| 35+00N 5+50E | 30 | 14 | .1 | 5 | 2 | 1 |
| 35+00N 5+75E | 11 | 20 | .1 | 5 | 2 | 1 |
| 35+00N 6+00E | 11 | 13 | .1 | 5 | 2 | 1 |
| 35+00N 6+25E | 36 | 39 | .1 | 4 | 2 | 2 |
| 35+00N 6+50E | 38 | 22 | .3 | 57 | 2 | 1 |
| 35+00N 6+75E | 111 | 308 | 1.5 | 172 | 9 | 64 |
| 35+00N 7+00E | 46 | 12 | .2 | 14 | 2 | 1 |
| 35+00N 7+25E | 112 | 4 | .1 | 16 | 2 | 1 |
| 35+00N 7+50E | 37 | 7 | .1 | 7 | 2 | 1 |
| 35+00N 7+75E | 13 | 14 | .1 | 6 | 3 | 2 |
| 35+00N 8+00E | 13 | 9 | .1 | 5 | 2 | 2 |
| 35+00N 8+25E | 11 | 17 | .1 | 6 | 2 | 1 |
| 35+00N 8+50E | 11 | 12 | .2 | 5 | 2 | 1 |
| 35+00N 8+75E | 7 | 21 | .2 | 2 | 2 | 2 |
| STD C/AU-S | 61 | 36 | 7.0 | 43 | 17 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 35+00N 9+00E | 47 | 13 | .2 | 5 | 4 | 1 |
| 35+00N 9+25E | 37 | 15 | .1 | 7 | 3 | 2 |
| 35+00N 9+50E | 27 | 8 | .1 | 2 | 2 | 94 |
| 35+00N 9+75E | 104 | 12 | .3 | 6 | 3 | 1 |
| 35+00N 10+00E | 57 | 3 | .2 | 2 | 2 | 12 |
| 35+00N 10+25E | 134 | 18 | .3 | 5 | 2 | 10 |
| 34+00N 0+00 | 13 | 10 | .2 | 8 | 3 | 1 |
| 34+00N 0+25E | 20 | 15 | .2 | 9 | 2 | 1 |
| 34+00N 0+50E | 14 | 14 | .2 | 5 | 2 | 2 |
| 34+00N 0+75E | 18 | 16 | .2 | 5 | 2 | 1 |
| 34+00N 1+00E | 18 | 17 | .3 | 11 | 2 | 33 |
| 34+00N 1+25E | 19 | 25 | .2 | 14 | 3 | 1 |
| 34+00N 1+50E | 7 | 4 | .2 | 2 | 2 | 1 |
| 34+00N 1+75E | 11 | 10 | .4 | 4 | 2 | 1 |
| 34+00N 2+00E | 18 | 20 | .2 | 8 | 2 | 1 |
| 34+00N 2+25E | 7 | 19 | .1 | 3 | 2 | 2 |
| 34+00N 2+50E | 12 | 19 | .2 | 7 | 2 | 1 |
| 34+00N 2+75E | 15 | 14 | .4 | 7 | 2 | 3 |
| 34+00N 3+00E | 15 | 15 | .1 | 7 | 2 | 1 |
| 34+00N 3+25E | 14 | 8 | .1 | 6 | 2 | 1 |
| 34+00N 3+50E | 28 | 20 | .1 | 9 | 4 | 1 |
| 34+00N 3+75E | 35 | 22 | .2 | 21 | 2 | 1 |
| 34+00N 4+00E | 34 | 20 | .4 | 35 | 2 | 2 |
| 34+00N 4+25E | 26 | 12 | .3 | 15 | 2 | 1 |
| 34+00N 4+50E | 5 | 10 | .1 | 2 | 2 | 1 |
| 34+00N 4+75E | 18 | 15 | .1 | 6 | 2 | 1 |
| 34+00N 5+00E | 12 | 20 | .1 | 6 | 2 | 1 |
| 34+00N 5+25E | 25 | 23 | .1 | 11 | 3 | 20 |
| 34+00N 5+50E | 41 | 30 | .3 | 29 | 3 | 1 |
| 34+00N 5+75E | 80 | 7 | .2 | 13 | 2 | 3 |
| 34+00N 6+00E | 57 | 11 | .3 | 14 | 2 | 2 |
| 34+00N 6+25E | 31 | 18 | .4 | 10 | 2 | 1 |
| 34+00N 6+50E | 19 | 18 | .1 | 6 | 2 | 1 |
| 34+00N 6+75E | 84 | 14 | .2 | 13 | 2 | 1 |
| 34+00N 7+00E | 108 | 12 | .1 | 14 | 3 | 2 |
| 34+00N 7+25E | 24 | 10 | .1 | 9 | 3 | 1 |
| STD C/AU-S | 62 | 36 | 7.1 | 42 | 16 | 48 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 34+00N 7+50E | 14 | 12 | .1 | 27 | 2 | 4 |
| 34+00N 7+75E | 37 | 16 | .1 | 64 | 2 | 1 |
| 34+00N 8+00E | 254 | 27 | .6 | 132 | 2 | 5 |
| 34+00N 8+25E | 31 | 10 | .1 | 9 | 2 | 1 |
| 34+00N 8+50E | 28 | 17 | .1 | 3 | 3 | 5 |
| 34+00N 8+75E | 44 | 23 | .2 | 5 | 2 | 2 |
| 34+00N 9+00E | 64 | 16 | .1 | 5 | 2 | 1 |
| 34+00N 9+25E | 78 | 6 | .1 | 3 | 2 | 1 |
| 34+00N 9+50E | 28 | 19 | .2 | 3 | 2 | 1 |
| 34+00N 9+75E | 23 | 20 | .1 | 27 | 3 | 1 |
| 34+00N 10+00E | 29 | 20 | .1 | 8 | 2 | 1 |
| 34+00N 10+25E | 22 | 39 | .1 | 14 | 2 | 4 |
| 34+00N 10+50E | 34 | 30 | .1 | 5 | 2 | 1 |
| 34+00N 10+75E | 23 | 23 | .2 | 4 | 2 | 1 |
| 34+00N 11+00E | 22 | 18 | .1 | 6 | 3 | 1 |
| 33+00N 0+00 | 590 | 51 | 2.1 | 19 | 2 | 10 |
| 33+00N 0+25E | 44 | 13 | .2 | 25 | 2 | 1 |
| 33+00N 0+50E | 46 | 24 | .1 | 30 | 2 | 1 |
| 33+00N 0+75E | 13 | 19 | .1 | 7 | 2 | 1 |
| 33+00N 1+00E | 34 | 24 | .1 | 13 | 2 | 1 |
| 33+00N 1+50E | 22 | 15 | .1 | 12 | 2 | 2 |
| 33+00N 1+75E | 7 | 2 | .2 | 2 | 2 | 1 |
| 33+00N 2+00E | 13 | 15 | .1 | 8 | 2 | 1 |
| 33+00N 2+25E | 6 | 14 | .1 | 6 | 2 | 1 |
| 33+00N 2+50E | 3 | 10 | .1 | 3 | 2 | 1 |
| 33+00N 2+75E | 21 | 23 | .2 | 13 | 2 | 1 |
| 33+00N 3+00E | 13 | 16 | .1 | 6 | 2 | 2 |
| 33+00N 3+25E | 3 | 3 | .1 | 2 | 2 | 1 |
| 33+00N 3+50E | 23 | 16 | .1 | 6 | 2 | 2 |
| 33+00N 3+75E | 18 | 21 | .1 | 13 | 2 | 1 |
| 33+00N 4+00E | 26 | 16 | .1 | 6 | 2 | 1 |
| 33+00N 4+25E | 17 | 19 | .1 | 7 | 2 | 1 |
| 33+00N 4+50E | 19 | 12 | .2 | 9 | 2 | 1 |
| 33+00N 4+75E | 3 | 11 | .1 | 2 | 2 | 1 |
| 33+00N 5+00E | 31 | 19 | .1 | 12 | 2 | 2 |
| STD C/AU-S | 59 | 42 | 6.7 | 44 | 17 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 33+00N 5+25E | 24 | 24 | .3 | 13 | 2 | 1 |
| 33+00N 5+50E | 27 | 20 | .2 | 12 | 2 | 2 |
| 33+00N 5+75E | 11 | 16 | .1 | 5 | 2 | 1 |
| 33+00N 5+00E | 12 | 19 | .2 | 9 | 2 | 1 |
| 33+00N 6+25E | 9 | 16 | .1 | 7 | 2 | 1 |
| 33+00N 6+50E | 16 | 13 | .1 | 6 | 2 | 1 |
| 33+00N 6+75E | 20 | 20 | .1 | 14 | 2 | 1 |
| 33+00N 7+00E | 3 | 5 | .1 | 3 | 2 | 2 |
| 33+00N 7+25E | 14 | 15 | .1 | 7 | 2 | 2 |
| 33+00N 7+50E | 10 | 24 | .1 | 7 | 2 | 1 |
| 33+00N 7+75E | 12 | 12 | .1 | 5 | 2 | 1 |
| 33+00N 8+00E | 13 | 14 | .1 | 12 | 3 | 3 |
| 33+00N 8+25E | 14 | 13 | .1 | 11 | 2 | 1 |
| 33+00N 8+50E | 9 | 14 | .1 | 4 | 2 | 3 |
| 33+00N 8+75E | 22 | 23 | .1 | 8 | 2 | 3 |
| 33+00N 9+00E | 18 | 17 | .1 | 12 | 2 | 4 |
| 33+00N 9+25E | 9 | 12 | .1 | 7 | 2 | 4 |
| 33+00N 9+50E | 14 | 19 | .1 | 6 | 2 | 1 |
| 33+00N 9+75E | 16 | 22 | .1 | 5 | 2 | 1 |
| 33+00N 10+00E | 73 | 24 | .2 | 5 | 2 | 4 |
| 33+00N 10+25E | 19 | 26 | .1 | 4 | 2 | 1 |
| 33+00N 10+50E | 11 | 9 | .1 | 3 | 2 | 1 |
| 33+00N 10+75E | 12 | 16 | .1 | 3 | 2 | 1 |
| 33+00N 11+00E | 17 | 15 | .1 | 5 | 3 | 5 |
| 32+00N 0+25E | 136 | 20 | .7 | 14 | 2 | 7 |
| 32+00N 0+50E | 29 | 19 | .2 | 17 | 2 | 3 |
| 32+00N 0+75E | 166 | 26 | 1.3 | 239 | 2 | 37 |
| 32+00N 1+00E | 74 | 21 | .4 | 58 | 2 | 7 |
| 32+00N 1+25E | 84 | 50 | 1.2 | 621 | 3 | 1220 |
| 32+00N 1+50E | 110 | 35 | .5 | 682 | 6 | 470 |
| 32+00N 1+75E | 290 | 172 | 5.4 | 4351 | 40 | 2480 |
| 32+00N 2+00E | 180 | 55 | 1.2 | 1240 | 9 | 260 |
| 32+00N 2+25E | 104 | 45 | 1.3 | 813 | 5 | 103 |
| 32+00N 2+50E | 20 | 24 | .2 | 24 | 3 | 7 |
| 32+00N 2+75E | 15 | 18 | .1 | 15 | 2 | 5 |
| 32+00N 3+00E | 22 | 19 | .1 | 9 | 3 | 1 |
| STD C/AU-S | 59 | 39 | 6.8 | 41 | 17 | 50 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 32+00N 3+25E | 7 | 17 | .1 | 9 | 2 | 1 |
| 32+00N 3+50E | 39 | 14 | .1 | 8 | 2 | 2 |
| 32+00N 3+75E | 36 | 16 | .1 | 14 | 2 | 5 |
| 32+00N 4+00E | 20 | 13 | .1 | 10 | 2 | 3 |
| 32+00N 4+25E | 14 | 13 | .1 | 5 | 2 | 1 |
| 32+00N 4+50E | 5 | 11 | .1 | 6 | 2 | 1 |
| 32+00N 4+75E | 6 | 16 | .1 | 5 | 2 | 2 |
| 32+00N 5+00E | 34 | 11 | .1 | 15 | 2 | 3 |
| 32+00N 5+25E | 10 | 10 | .1 | 7 | 2 | 2 |
| 32+00N 5+50E | 13 | 12 | .1 | 9 | 2 | 1 |
| 32+00N 5+75E | 19 | 18 | .1 | 9 | 2 | 1 |
| 32+00N 6+00E | 32 | 20 | .1 | 13 | 2 | 1 |
| 32+00N 6+25E | 19 | 15 | .1 | 7 | 2 | 1 |
| 32+00N 6+50E | 28 | 13 | .1 | 14 | 2 | 1 |
| 32+00N 6+75E | 10 | 12 | .1 | 3 | 2 | 1 |
| 32+00N 7+00E | 24 | 8 | .1 | 9 | 2 | 1 |
| 32+00N 7+25E | 13 | 8 | .1 | 7 | 2 | 1 |
| 32+00N 7+50E | 16 | 8 | .1 | 9 | 2 | 1 |
| 32+00N 7+75E | 16 | 13 | .1 | 7 | 2 | 1 |
| 32+00N 8+00E | 14 | 10 | .1 | 7 | 2 | 2 |
| 32+00N 8+25E | 14 | 14 | .1 | 7 | 2 | 1 |
| 32+00N 8+50E | 11 | 16 | .1 | 6 | 2 | 1 |
| 32+00N 8+75E | 26 | 24 | .1 | 8 | 2 | 1 |
| 32+00N 9+00E | 22 | 15 | .1 | 6 | 2 | 1 |
| 32+00N 9+25E | 14 | 17 | .1 | 10 | 2 | 1 |
| 32+00N 9+50E | 17 | 12 | .1 | 9 | 2 | 1 |
| 32+00N 9+75E | 9 | 3 | .1 | 8 | 2 | 1 |
| 32+00N 10+00E | 12 | 12 | .1 | 7 | 2 | 1 |
| 32+00N 10+25E | 16 | 9 | .1 | 8 | 2 | 5 |
| 32+00N 10+50E | 24 | 14 | .1 | 9 | 2 | 1 |
| 32+00N 10+75E | 22 | 23 | .1 | 10 | 2 | 1 |
| 32+00N 11+00E | 39 | 13 | .1 | 17 | 2 | 24 |
| 32+00N 11+25E | 21 | 14 | .1 | 6 | 2 | 1 |
| 32+00N 11+50E | 24 | 18 | .2 | 6 | 2 | 62 |
| 32+00N 11+75E | 41 | 2 | .1 | 2 | 2 | 10 |
| 32+00N 12+00E | 6 | 7 | .1 | 2 | 2 | 1 |
| STD C/AU-S | 58 | 38 | 7.2 | 40 | 17 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 32+00N 12+25E | 5 | 9 | .1 | 2 | 2 | 5 |
| 31+00N 0+00 | 1 | 2 | .1 | 2 | 2 | 2 |
| 31+00N 0+25E | 4 | 3 | .1 | 2 | 2 | 1 |
| 31+00N 0+50E | 2 | 4 | .1 | 2 | 2 | 1 |
| 31+00N 0+75E | 11 | 16 | .1 | 10 | 2 | 2 |
| 31+00N 1+00E | 9 | 9 | .1 | 6 | 2 | 1 |
| 31+00N 1+25E | 231 | 23 | .1 | 93 | 2 | 5 |
| 31+00N 1+50E | 210 | 23 | .2 | 919 | 2 | 23 |
| 31+00N 1+75E | 60 | 13 | .1 | 212 | 2 | 152 |
| 31+00N 2+00E | 29 | 14 | .1 | 105 | 2 | 6 |
| 31+00N 2+25E | 59 | 16 | .1 | 274 | 3 | 24 |
| 31+00N 2+50E | 22 | 17 | .1 | 70 | 2 | 1 |
| 31+00N 2+75E | 41 | 22 | .2 | 95 | 2 | 6 |
| 31+00N 3+25E | 30 | 16 | .1 | 141 | 2 | 1 |
| 31+00N 3+50E | 10 | 17 | .1 | 12 | 2 | 1 |
| 31+00N 3+75E | 31 | 25 | .1 | 8 | 2 | 2 |
| 31+00N 4+00E | 33 | 38 | .1 | 7 | 2 | 1 |
| 31+00N 4+25E | 36 | 43 | .1 | 4 | 2 | 1 |
| 31+00N 4+50E | 32 | 34 | .1 | 5 | 2 | 1 |
| 31+00N 4+75E | 24 | 17 | .1 | 11 | 2 | 1 |
| 31+00N 5+00E | 24 | 19 | .1 | 14 | 2 | 2 |
| 30+00N 0+00 | 8 | 12 | .1 | 7 | 2 | 1 |
| 30+00N 0-25E | 4 | 14 | .1 | 11 | 2 | 2 |
| 30+00N 0+50E | 56 | 35 | .1 | 39 | 2 | 2 |
| 30+00N 0-75E | 37 | 13 | .1 | 29 | 2 | 1 |
| 30+00N 1+00E | 13 | 14 | .1 | 253 | 2 | 1 |
| 30+00N 1+25E | 8 | 6 | .1 | 17 | 2 | 1 |
| 30+00N 1+50E | 22 | 18 | .1 | 27 | 2 | 5 |
| 30+00N 1+75E | 13 | 15 | .1 | 12 | 2 | 1 |
| 30+00N 2+00E | 59 | 11 | .1 | 115 | 2 | 1 |
| 30+00N 2+25E | 22 | 7 | .1 | 72 | 2 | 1 |
| 30+00N 2+50E | 35 | 17 | .1 | 76 | 3 | 7 |
| 30+00N 2+75E | 40 | 27 | .1 | 112 | 2 | 2 |
| 30+00N 3+00E | 47 | 27 | .1 | 100 | 3 | 1 |
| 30+00N 3+25E | 54 | 20 | .3 | 91 | 2 | 1 |
| 30+00N 3+25EA | 26 | 37 | .1 | 4 | 2 | 1 |
| STD C/AU-S | 61 | 37 | 6.8 | 43 | 17 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 30+00N 3+50E | 56 | 24 | .3 | 96 | 2 | 4 |
| 30+00N 3+75E | 69 | 23 | .6 | 64 | 2 | 1 |
| 30+00N 4+00E | 6 | 12 | .1 | 6 | 3 | 3 |
| 30+00N 4+25E | 22 | 30 | .2 | 13 | 3 | 1 |
| 30+00N 4+50E | 56 | 21 | .2 | 236 | 4 | 38 |
| 30+00N 4-75E | 19 | 11 | .1 | 8 | 2 | 1 |
| 30+00N 5+00E | 188 | 9 | .1 | 15 | 2 | 2 |
| 30+00N 5+25E | 54 | 12 | .1 | 46 | 3 | 1 |
| 30+00N 5+50E | 24 | 19 | .1 | 22 | 3 | 1 |
| 30+00N 5+75E | 16 | 15 | .1 | 7 | 2 | 1 |
| 30+00N 6+00E | 18 | 11 | .2 | 5 | 2 | 1 |
| 30+00N 6+25E | 13 | 14 | .2 | 9 | 2 | 2 |
| 30+00N 6+50E | 15 | 12 | .1 | 6 | 2 | 1 |
| 30+00N 6+75E | 33 | 5 | .1 | 7 | 2 | 1 |
| 30+00N 7+00E | 32 | 16 | .1 | 9 | 2 | 1 |
| 30+00N 7+25E | 22 | 13 | .1 | 10 | 2 | 1 |
| 30+00N 7+50E | 9 | 13 | .1 | 6 | 2 | 1 |
| 30+00N 7+75E | 5 | 10 | .1 | 2 | 4 | 3 |
| 30+00N 8+00E | 20 | 17 | .1 | 6 | 2 | 1 |
| 30+00N 8+25E | 11 | 12 | .1 | 7 | 2 | 3 |
| 30+00N 8+50E | 18 | 23 | .1 | 36 | 3 | 3 |
| 30+00N 8+75E | 9 | 6 | .1 | 2 | 2 | 1 |
| 30+00N 9+00E | 11 | 8 | .2 | 3 | 3 | 3 |
| 30+00N 9+25E | 35 | 12 | .1 | 10 | 2 | 1 |
| 30+00N 9+50E | 3 | 4 | .2 | 2 | 2 | 21 |
| 30+00N 9+75E | 15 | 9 | .1 | 8 | 2 | 1 |
| 30+00N 10+00E | 30 | 12 | .1 | 11 | 2 | 1 |
| 30+00N 10+25E | 52 | 9 | .1 | 13 | 2 | 1 |
| 30+00N 10+50E | 20 | 14 | .1 | 2 | 2 | 2 |
| 30+00N 10+75E | 31 | 17 | .1 | 15 | 2 | 1 |
| 30+00N 11+00E | 14 | 11 | .2 | 8 | 2 | 115 |
| 30+00N 11+25E | 17 | 14 | .1 | 7 | 2 | 5 |
| 30+00N 11+50E | 20 | 14 | .2 | 13 | 2 | 1 |
| 30+00N 11+75E | 25 | 17 | .1 | 6 | 2 | 1 |
| 30+00N 12+00E | 14 | 14 | .1 | 5 | 2 | 1 |
| 30+00N 12+50E | 14 | 9 | .1 | 7 | 2 | 1 |
| STD C/AU-S | 63 | 38 | 7.0 | 43 | 17 | 50 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| 30+00N 12+75E | 33 | 15 | .1 | 6 | 2 | 1 |
| 30+00N 13+00E | 14 | 12 | .1 | 4 | 2 | 1 |
| 29+00N 0+00 | 18 | 21 | .1 | 82 | 2 | 2 |
| 29+00N 0+25E | 23 | 11 | .1 | 97 | 2 | 1 |
| 29+00N 0+50E | 21 | 16 | .1 | 70 | 2 | 1 |
| 29+00N 0+75E | 25 | 17 | .1 | 57 | 2 | 1 |
| 29+00N 1+00E | 17 | 19 | .1 | 69 | 2 | 2 |
| 29+00N 1+25E | 7 | 12 | .1 | 11 | 2 | 2 |
| 29+00N 1+50E | 25 | 12 | .1 | 12 | 2 | 1 |
| 29+00N 1+75E | 15 | 12 | .2 | 12 | 2 | 1 |
| 29+00N 2+00E | 17 | 13 | .1 | 23 | 2 | 5 |
| 29+00N 2+25E | 9 | 12 | .1 | 10 | 2 | 1 |
| 29+00N 2+50E | 7 | 11 | .1 | 9 | 2 | 1 |
| 29+00N 2+75E | 17 | 16 | .1 | 17 | 2 | 1 |
| 29+00N 3+00E | 41 | 11 | .1 | 8 | 2 | 1 |
| 29+00N 3+25E | 58 | 14 | .1 | 7 | 2 | 1 |
| 29+00N 3+50E | 61 | 7 | .1 | 10 | 2 | 2 |
| 29+00N 3+75E | 53 | 18 | .2 | 38 | 2 | 2 |
| 29+00N 4+00E P | 7 | 29 | .1 | 5 | 2 | 1 |
| 29+00N 4+25E P | 2 | 7 | .1 | 4 | 2 | 1 |
| 28+00N 0+00 | 27 | 27 | .1 | 38 | 2 | 1 |
| 28+00N 0+25E | 30 | 15 | .2 | 68 | 2 | 2 |
| 28+00N 0+50E | 22 | 13 | .1 | 87 | 2 | 1 |
| 28+00N 0+75E | 33 | 20 | .2 | 137 | 2 | 1 |
| 28+00N 1+00E | 16 | 15 | .1 | 12 | 2 | 1 |
| 28+00N 1+25E | 23 | 20 | .1 | 13 | 2 | 1 |
| 28+00N 1+50E | 19 | 16 | .1 | 9 | 2 | 2 |
| 28+00N 1+75E | 15 | 11 | .1 | 11 | 2 | 1 |
| 28+00N 2+00E | 16 | 10 | .1 | 5 | 2 | 1 |
| 28+00N 2+25E | 117 | 14 | .1 | 29 | 2 | 1 |
| 28+00N 2+50E | 33 | 15 | .1 | 20 | 2 | 1 |
| 28+00N 2+75E | 22 | 15 | .1 | 20 | 2 | 1 |
| 28+00N 3+00E | 28 | 19 | .1 | 18 | 2 | 2 |
| 28+00N 3+25E | 22 | 24 | .1 | 17 | 3 | 1 |
| 28+00N 3+50E | 19 | 14 | .1 | 195 | 2 | 5 |
| 28+00N 3+75E | 7 | 21 | .1 | 21 | 2 | 2 |
| 28+00N 4+00E | 45 | 26 | .1 | 58 | 2 | 6 |
| STD C/AU-S | 60 | 36 | 7.0 | 43 | 17 | 51 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| 28+00N 4+25E P | 38 | 21 | .1 | 3 | 2 | 1 |
| 28+00N 4+50E P | 22 | 2 | .3 | 2 | 2 | 1 |
| 28+00N 4+75E P | 17 | 3 | .1 | 2 | 2 | 2 |
| 28+00N 5+00E P | 6 | 10 | .1 | 7 | 2 | 1 |
| 28+00N 5+75E | 53 | 26 | .4 | 59 | 2 | 2 |
| 28+00N 6+00E | 317 | 66 | 3.7 | 5067 | 18 | 1640 |
| 28+00N 6+25E | 20 | 8 | .3 | 65 | 2 | 4 |
| 28+00N 6+50E | 20 | 7 | .2 | 25 | 2 | 4 |
| 28+00N 6+75E | 38 | 9 | .2 | 10 | 2 | 1 |
| 28+00N 7+00E | 28 | 14 | .1 | 8 | 2 | 1 |
| 28+00N 7+25E | 31 | 23 | .1 | 8 | 2 | 1 |
| 28+00N 7+50E | 50 | 16 | .1 | 5 | 2 | 2 |
| 28+00N 7+75E | 25 | 19 | .1 | 8 | 2 | 1 |
| 28+00N 8+00E | 68 | 12 | .1 | 10 | 2 | 1 |
| 28+00N 8+25E | 92 | 15 | .2 | 8 | 3 | 1 |
| 28+00N 8+50E | 43 | 18 | .1 | 5 | 2 | 1 |
| 28+00N 8+75E | 20 | 16 | .1 | 2 | 2 | 1 |
| 28+00N 9+00E | 19 | 20 | .1 | 4 | 2 | 2 |
| 28+00N 9+25E | 19 | 10 | .1 | 4 | 2 | 1 |
| 28+00N 9+50E | 18 | 10 | .2 | 7 | 2 | 3 |
| 28+00N 9+75E | 64 | 20 | .1 | 14 | 3 | 1 |
| 28+00N 10+00E | 169 | 16 | .2 | 14 | 2 | 1 |
| 27+00N 0+00 | 22 | 10 | .1 | 100 | 2 | 3 |
| 27+00N 0+25E | 9 | 10 | .1 | 84 | 2 | 2 |
| 27+00N 0+50E | 21 | 18 | .1 | 14 | 2 | 11 |
| 27+00N 0+75E | 14 | 13 | .1 | 13 | 2 | 2 |
| 27+00N 1+00E | 17 | 47 | .2 | 185 | 2 | 1 |
| 27+00N 1+25E | 29 | 48 | .3 | 247 | 3 | 2 |
| 27+00N 1+50E | 10 | 21 | .2 | 9 | 2 | 1 |
| 27+00N 2+00E | 24 | 20 | .2 | 33 | 2 | 1 |
| 27+00N 2+25E | 13 | 16 | .3 | 10 | 2 | 1 |
| 27+00N 2+50E | 13 | 21 | .2 | 11 | 3 | 5 |
| 27+00N 2+75E | 19 | 24 | .2 | 17 | 2 | 2 |
| 27+00N 3+00E | 12 | 10 | .1 | 8 | 2 | 1 |
| 27+00N 3+25E | 63 | 31 | .4 | 31 | 2 | 13 |
| 27+00N 3+50E | 47 | 22 | .2 | 23 | 2 | 7 |
| STD C/AU-S | 60 | 43 | 7.1 | 41 | 16 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 27+00N 3+75E | 91 | 21 | .1 | 21 | 2 | 3 |
| 27+00N 4+00E | 81 | 41 | .2 | 34 | 2 | 1 |
| 27+00N 4+25E | 73 | 37 | .1 | 24 | 2 | 2 |
| 27+00N 4+50E | 10 | 20 | .1 | 21 | 2 | 5 |
| 27+00N 4+75E | 17 | 24 | .1 | 22 | 2 | 1 |
| 27+00N 5+00E | 24 | 14 | .1 | 21 | 2 | 19 |
| 27+00N 5+25E | 26 | 32 | .1 | 15 | 3 | 1 |
| 27+00N 5+50E | 3 | 15 | .1 | 5 | 2 | 1 |
| 27+00N 5+75E | 13 | 20 | .1 | 11 | 3 | 22 |
| 27+00N 6+00E | 11 | 27 | .1 | 15 | 2 | 4 |
| 27+00N 6+25E | 19 | 20 | .1 | 64 | 2 | 2 |
| 27+00N 6+50E | 18 | 70 | .1 | 507 | 5 | 570 |
| 27+00N 6+75E | 109 | 25 | .1 | 48 | 4 | 23 |
| 27+00N 7+00E | 23 | 28 | .1 | 181 | 2 | 7 |
| 27+00N 7+25E | 93 | 70 | .9 | 677 | 2 | 79 |
| 27+00N 7+50E | 82 | 31 | .5 | 641 | 5 | 101 |
| 27+00N 7+75E | 124 | 41 | .5 | 341 | 3 | 31 |
| 27+00N 8+00E | 57 | 14 | .1 | 639 | 2 | 24 |
| 27+00N 8+25E | 34 | 15 | .1 | 13 | 2 | 4 |
| 27+00N 8+50E | 126 | 24 | .3 | 18 | 2 | 25 |
| 27+00N 8+75E | 77 | 42 | .1 | 24 | 2 | 7 |
| 27+00N 9+00E | 29 | 10 | .1 | 73 | 2 | 3 |
| 27+00N 9+25E | 13 | 12 | .1 | 59 | 2 | 11 |
| 27+00N 9+50E | 25 | 11 | .1 | 11 | 2 | 2 |
| 27+00N 9+75E | 251 | 23 | .1 | 12 | 2 | 3 |
| 27+00N 10+00E | 63 | 21 | .2 | 74 | 2 | 1 |
| 27+00N 10+25E | 81 | 14 | .1 | 22 | 2 | 2 |
| 27+00N 10+50E | 101 | 15 | .1 | 18 | 2 | 5 |
| 27+00N 10+75E | 114 | 8 | .1 | 9 | 2 | 2 |
| 27+00N 11+00E | 439 | 8 | .1 | 5 | 2 | 4 |
| 27+00N 11+25E | 68 | 21 | .3 | 19 | 2 | 1 |
| 27+00N 11+50E | 33 | 7 | .1 | 8 | 2 | 1 |
| 27+00N 11+75E | 27 | 13 | .1 | 2 | 2 | 1 |
| 27+00N 12+00E | 26 | 9 | .1 | 2 | 2 | 2 |
| 27+00N 12+25E | 72 | 14 | .1 | 4 | 2 | 11 |
| 27+00N 12+50E | 18 | 7 | .1 | 3 | 2 | 1 |
| STD C/AU-S | 61 | 38 | 6.8 | 42 | 17 | 52 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| 26+00N 1+00E | 17 | 18 | .2 | 12 | 2 | 1 |
| 26+00N 1+25E | 18 | 22 | .1 | 30 | 2 | 1 |
| 26+00N 1+50E | 19 | 20 | .1 | 31 | 2 | 2 |
| 26+00N 1+75E | 36 | 16 | .2 | 17 | 2 | 9 |
| 26+00N 2+00E | 17 | 21 | .1 | 101 | 2 | 2 |
| 26+00N 2+25E | 15 | 20 | .1 | 12 | 2 | 1 |
| 26+00N 2+50E | 7 | 12 | .1 | 5 | 2 | 1 |
| 26+00N 2+75E | 19 | 19 | .1 | 17 | 2 | 2 |
| 26+00N 3+00E | 9 | 6 | .1 | 4 | 2 | 1 |
| 26+00N 3+25E | 16 | 16 | .1 | 6 | 2 | 1 |
| 26+00N 3+50E | 27 | 20 | .1 | 16 | 2 | 5 |
| 26+00N 3+75E | 17 | 12 | .1 | 7 | 2 | 1 |
| 26+00N 4+00E | 31 | 17 | .1 | 22 | 2 | 1 |
| 26+00N 4+25E | 34 | 14 | .1 | 17 | 2 | 1 |
| 26+00N 4+50E | 25 | 18 | .1 | 10 | 2 | 1 |
| 26+00N 4+75E | 28 | 14 | .1 | 13 | 2 | 2 |
| 26+00N 5+00E | 89 | 12 | .2 | 10 | 2 | 2 |
| 26+00N 5+25E | 14 | 14 | .1 | 8 | 2 | 1 |
| 26+00N 5+50E | 10 | 56 | .2 | 17 | 2 | 3 |
| 26+00N 5+75E | 24 | 16 | .1 | 15 | 2 | 2 |
| 26+00N 6+00E | 12 | 16 | .1 | 14 | 3 | 1 |
| 26+00N 6+25E | 40 | 6 | .1 | 15 | 2 | 1 |
| 26+00N 6+50E | 42 | 35 | .5 | 1026 | 2 | 1 |
| 26+00N 6+75E | 29 | 28 | .1 | 125 | 2 | 10 |
| 26+00N 7+00E | 33 | 19 | .1 | 67 | 2 | 1 |
| 26+00N 7+25E | 12 | 6 | .1 | 12 | 2 | 1 |
| 26+00N 7+50E | 10 | 7 | .1 | 9 | 2 | 1 |
| 26+00N 7+75E | 13 | 8 | .1 | 10 | 2 | 1 |
| 26+00N 8+00E | 30 | 14 | .1 | 18 | 2 | 1 |
| 26+00N 8+25E | 31 | 11 | .1 | 25 | 2 | 2 |
| 26+00N 8+50E | 20 | 15 | .1 | 46 | 4 | 1 |
| 26+00N 8+75E | 60 | 19 | .1 | 38 | 2 | 1 |
| 26+00N 9+00E | 108 | 8 | .1 | 21 | 2 | 1 |
| 26+00N 9+25E | 10 | 11 | .1 | 21 | 3 | 1 |
| 26+00N 9+50E | 17 | 9 | .1 | 9 | 2 | 1 |
| 26+00N 9+75E | 87 | 8 | .1 | 15 | 2 | 7 |
| STD C/AU-S | 59 | 37 | 6.8 | 40 | 17 | 52 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| 25+00N 0+50E | 15 | 18 | .1 | 3 | 2 | 1 |
| 25+00N 0+75E | 35 | 19 | .2 | 12 | 2 | 1 |
| 25+00N 1+00E | 10 | 9 | .1 | 3 | 2 | 1 |
| 25+00N 1+25E | 15 | 17 | .2 | 6 | 3 | 1 |
| 25+00N 1+50E | 14 | 26 | .3 | 13 | 2 | 1 |
| 25+00N 1+75E | 18 | 29 | .1 | 7 | 2 | 1 |
| 25+00N 2+00E | 5 | 9 | .3 | 8 | 2 | 1 |
| 25+00N 2+25E | 14 | 15 | .3 | 32 | 2 | 1 |
| 25+00N 2+50E | 7 | 14 | .1 | 14 | 2 | 16 |
| 25+00N 2+75E | 23 | 27 | .1 | 247 | 4 | 1 |
| 25+00N 3+00E | 19 | 21 | .1 | 24 | 2 | 1 |
| 25+00N 3+25E | 18 | 15 | .1 | 19 | 2 | 2 |
| 25+00N 3+50E | 20 | 17 | .2 | 7 | 3 | 1 |
| 25+00N 3+75E | 4 | 13 | .1 | 4 | 2 | 1 |
| 25+00N 4+00E | 47 | 31 | .2 | 3 | 2 | 1 |
| 25+00N 4+25E | 7 | 14 | .1 | 6 | 2 | 1 |
| 25+00N 4+50E | 31 | 25 | .1 | 10 | 2 | 2 |
| 25+00N 4+75E | 11 | 16 | .1 | 6 | 2 | 1 |
| 25+00N 5+00E | 20 | 27 | .1 | 6 | 3 | 1 |
| 25+00N 5+25E | 21 | 29 | .1 | 3 | 3 | 1 |
| 25+00N 5+50E | 8 | 7 | .1 | 2 | 2 | 1 |
| 25+00N 5+75E | 8 | 11 | .1 | 4 | 2 | 1 |
| 25+00N 6+00E | 16 | 13 | .1 | 4 | 2 | 1 |
| 25+00N 6+25E | 13 | 7 | .2 | 3 | 2 | 2 |
| 25+00N 6+50E | 17 | 7 | .1 | 2 | 2 | 1 |
| 25+00N 6+75E | 12 | 12 | .1 | 7 | 2 | 1 |
| 25+00N 7+00E | 9 | 4 | .1 | 2 | 2 | 1 |
| 25+00N 7+25E | 41 | 19 | .1 | 18 | 3 | 1 |
| 25+00N 7+50E | 49 | 13 | .1 | 23 | 3 | 2 |
| 25+00N 7+75E | 18 | 7 | .1 | 8 | 2 | 1 |
| 25+00N 8+00E | 18 | 17 | .1 | 61 | 2 | 5 |
| 25+00N 8+25E | 15 | 9 | .1 | 38 | 2 | 1 |
| 25+00N 8+50E | 42 | 16 | .2 | 58 | 2 | 6 |
| 25+00N 8+75E | 81 | 11 | .2 | 575 | 2 | 42 |
| 25+00N 9+00E | 177 | 11 | .2 | 320 | 4 | 112 |
| 25+00N 9+25E | 126 | 6 | .1 | 61 | 2 | 5 |
| STD C/AU-S | 60 | 39 | 6.9 | 39 | 17 | 48 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 25+00N 9+50E | 43 | 15 | .1 | 80 | 2 | 19 |
| 25+00N 9+75E | 45 | 15 | .1 | 40 | 2 | 1 |
| 25+00N 10+00E | 28 | 24 | .1 | 41 | 2 | 1 |
| 25+00N 10+25E | 56 | 25 | .2 | 59 | 2 | 7 |
| 25+00N 10+50E | 41 | 25 | .1 | 42 | 2 | 2 |
| 25+00N 10+75E | 65 | 20 | .1 | 16 | 2 | 1 |
| 25+00N 11+00E | 134 | 20 | .1 | 20 | 2 | 4 |
| 25+00N 11+25E | 72 | 23 | .2 | 114 | 2 | 11 |
| 25+00N 11+50E | 67 | 14 | .1 | 173 | 2 | 23 |
| 25+00N 11+75E | 59 | 20 | .2 | 142 | 2 | 15 |
| 24+00N 0+25E | 35 | 21 | .1 | 11 | 2 | 1 |
| 24+00N 0+50E | 36 | 25 | .2 | 15 | 2 | 11 |
| 24+00N 0+75E | 16 | 12 | .1 | 8 | 2 | 4 |
| 24+00N 1+00E | 19 | 13 | .1 | 10 | 2 | 1 |
| 24+00N 1+25E | 16 | 20 | .1 | 15 | 2 | 1 |
| 24+00N 1+50E | 22 | 23 | .1 | 22 | 2 | 1 |
| 24+00N 1+75E | 17 | 18 | .1 | 34 | 2 | 1 |
| 24+00N 2+00E | 10 | 13 | .2 | 24 | 2 | 1 |
| 24+00N 2+25E | 20 | 17 | .1 | 14 | 2 | 1 |
| 24+00N 2+50E | 11 | 15 | .1 | 19 | 2 | 2 |
| 24+00N 2+75E | 3 | 4 | .1 | 3 | 2 | 1 |
| 24+00N 3+00E | 17 | 17 | .1 | 10 | 2 | 2 |
| 24+00N 3+25E | 22 | 44 | .1 | 28 | 2 | 3 |
| 24+00N 3+50E | 25 | 21 | .1 | 16 | 2 | 1 |
| 24+00N 3+75E | 27 | 23 | .1 | 13 | 2 | 1 |
| 24+00N 4+00E | 12 | 11 | .1 | 7 | 2 | 1 |
| 24+00N 4+25E | 21 | 26 | .1 | 12 | 2 | 2 |
| 24+00N 4+50E | 7 | 15 | .1 | 3 | 2 | 2 |
| 24+00N 4+75E | 27 | 12 | .1 | 4 | 2 | 2 |
| 24+00N 5+00E | 7 | 15 | .1 | 3 | 2 | 1 |
| 24+00N 5+25E | 10 | 10 | .1 | 5 | 2 | 1 |
| 24+00N 5+50E | 25 | 22 | .1 | 15 | 2 | 1 |
| 24+00N 5+75E | 3 | 6 | .1 | 3 | 2 | 1 |
| 24+00N 6+00E | 5 | 13 | .1 | 4 | 2 | 1 |
| 24+00N 6+25E | 14 | 21 | .1 | 18 | 2 | 2 |
| 24+00N 6+50E | 10 | 8 | .1 | 9 | 2 | 1 |
| STD C/AU-S | 59 | 38 | 6.8 | 44 | 16 | 48 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 24+00N 6+75E | 16 | 13 | .1 | 7 | 2 | 2 |
| 24+00N 7+00E | 63 | 13 | .2 | 8 | 2 | 1 |
| 24+00N 7+25E | 15 | 10 | .1 | 13 | 2 | 1 |
| 24+00N 7+50E | 48 | 13 | .1 | 40 | 2 | 3 |
| 24+00N 7+75E | 53 | 8 | .1 | 53 | 2 | 28 |
| 24+00N 8+00E | 53 | 7 | .1 | 33 | 2 | 6 |
| 24+00N 8+25E | 21 | 14 | .1 | 29 | 2 | 1 |
| 24+00N 8+50E | 13 | 9 | .1 | 24 | 2 | 1 |
| 24+00N 8+75E | 19 | 27 | .1 | 10 | 2 | 1 |
| 24+00N 9+00E | 33 | 33 | .2 | 15 | 2 | 2 |
| 24+00N 9+25E | 28 | 12 | .1 | 29 | 2 | 12 |
| 24+00N 9+50E | 61 | 15 | .2 | 60 | 2 | 37 |
| 24+00N 9+75E | 41 | 17 | .2 | 80 | 2 | 5 |
| 24+00N 10+00E | 43 | 17 | .2 | 99 | 3 | 19 |
| 24+00N 10+25E | 101 | 81 | .3 | 195 | 6 | 4 |
| 24+00N 10+50E | 39 | 23 | .1 | 43 | 2 | 48 |
| 24+00N 10+75E | 55 | 26 | .2 | 60 | 2 | 9 |
| 24+00N 11+00E | 55 | 19 | .1 | 38 | 2 | 17 |
| 23+00N 0+00 | 75 | 779 | 32.1 | 1236 | 19 | 350 |
| 23+00N 0+25E | 19 | 20 | .5 | 28 | 2 | 5 |
| 23+00N 0+50E | 15 | 14 | .1 | 16 | 2 | 1 |
| 23+00N 0+75E | 19 | 12 | .1 | 13 | 2 | 1 |
| 23+00N 1+00E | 25 | 15 | .1 | 7 | 2 | 6 |
| 23+00N 1+25E | 16 | 17 | .1 | 13 | 2 | 1 |
| 23+00N 1+50E | 23 | 16 | .2 | 107 | 2 | 4 |
| 23+00N 1+75E | 7 | 14 | .1 | 37 | 2 | 1 |
| 23+00N 2+00E | 13 | 17 | .1 | 19 | 2 | 1 |
| 23+00N 2+25E | 12 | 19 | .1 | 131 | 2 | 1 |
| 23+00N 2+50E | 17 | 17 | .1 | 22 | 2 | 3 |
| 23+00N 2+75E | 13 | 17 | .2 | 14 | 3 | 1 |
| 23+00N 3+00E | 22 | 18 | .1 | 12 | 2 | 1 |
| 23+00N 3+25E | 8 | 9 | .1 | 10 | 2 | 3 |
| 23+00N 3+50E | 28 | 11 | .1 | 8 | 2 | 620 |
| 23+00N 3+75E | 33 | 20 | .1 | 10 | 2 | 4 |
| 23+00N 4+00E | 32 | 9 | .1 | 7 | 2 | 2 |
| 23+00N 4+25E | 17 | 19 | .1 | 10 | 2 | 1 |
| STD C/AU-S | 60 | 37 | 6.8 | 41 | 17 | 53 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 23+00N 4+50E | 28 | 12 | .1 | 5 | 2 | 3 |
| 23+00N 4+75E | 16 | 24 | .1 | 8 | 2 | 1 |
| 23+00N 5+00E | 21 | 14 | .1 | 2 | 2 | 1 |
| 23+00N 5+25E | 10 | 10 | .1 | 2 | 2 | 1 |
| 23+00N 5+50E | 9 | 24 | .1 | 4 | 2 | 1 |
| 23+00N 5+75E | 14 | 31 | .1 | 3 | 2 | 2 |
| 23+00N 6+00E | 32 | 18 | .1 | 2 | 2 | 2 |
| 23+00N 6+25E | 17 | 16 | .1 | 10 | 2 | 1 |
| 23+00N 6+50E | 17 | 21 | .1 | 13 | 2 | 1 |
| 23+00N 6+75E | 3 | 7 | .1 | 2 | 2 | 1 |
| 23+00N 7+00E | 14 | 6 | .1 | 4 | 2 | 1 |
| 23+00N 7+25E | 33 | 17 | .1 | 21 | 2 | 5 |
| 23+00N 7+50E | 4 | 10 | .1 | 8 | 2 | 1 |
| 23+00N 7+75E | 25 | 10 | .1 | 3 | 2 | 1 |
| 23+00N 8+00E | 59 | 18 | .1 | 29 | 2 | 8 |
| 23+00N 8+25E | 16 | 29 | .1 | 22 | 2 | 1 |
| 23+00N 8+50E | 30 | 26 | .1 | 226 | 2 | 23 |
| 23+00N 8+75E | 24 | 25 | .1 | 240 | 2 | 345 |
| 23+00N 9+00E | 18 | 48 | .5 | 15 | 2 | 2 |
| 23+00N 9+25E | 78 | 14 | .4 | 130 | 2 | 555 |
| 23+00N 9+50E | 55 | 19 | .3 | 203 | 2 | 36 |
| 23+00N 9+75E | 52 | 35 | .5 | 302 | 4 | 28 |
| 23+00N 10+00E | 92 | 27 | .1 | 272 | 2 | 34 |
| 23+00N 10+25E | 74 | 22 | .3 | 158 | 2 | 27 |
| 23+00N 10+50E | 97 | 17 | .2 | 33 | 2 | 18 |
| 23+00N 10+75E | 58 | 17 | .1 | 135 | 2 | 8 |
| 23+00N 11+00E | 66 | 23 | .4 | 200 | 3 | 26 |
| 22+00N 0+25E | 18 | 21 | .1 | 9 | 2 | 1 |
| 22+00N 0+50E | 13 | 15 | .1 | 5 | 2 | 1 |
| 22+00N 0+75E | 23 | 17 | .2 | 4 | 2 | 3 |
| 22+00N 1+00E | 21 | 12 | .1 | 12 | 2 | 20 |
| 22+00N 1+25E | 30 | 23 | .1 | 16 | 2 | 2 |
| 22+00N 1+50E | 18 | 23 | .2 | 12 | 2 | 3 |
| 22+00N 1+75E | 19 | 19 | .3 | 12 | 2 | 6 |
| 22+00N 2+00E | 15 | 18 | .1 | 9 | 2 | 3 |
| 22+00N 2+25E | 10 | 26 | .1 | 135 | 2 | 2 |
| STD C/AU-S | 60 | 37 | 6.9 | 44 | 17 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 22+00N 2+50E | 18 | 20 | .1 | 403 | 3 | 4 |
| 22+00N 2+75E | 21 | 15 | .1 | 25 | 2 | 2 |
| 22+00N 3+00E | 18 | 22 | .1 | 18 | 2 | 9 |
| 22+00N 3+25E | 14 | 24 | .1 | 13 | 2 | 3 |
| 22+00N 3+50E | 9 | 7 | .1 | 7 | 2 | 1 |
| 22+00N 3+75E | 24 | 27 | .1 | 5 | 2 | 2 |
| 22+00N 4+00E | 27 | 19 | .1 | 35 | 2 | 1 |
| 22+00N 4+25E | 13 | 18 | .1 | 13 | 2 | 19 |
| 22+00N 4+50E | 14 | 22 | .1 | 5 | 2 | 1 |
| 22+00N 4+75E | 11 | 21 | .2 | 10 | 2 | 1 |
| 22+00N 5+00E | 19 | 39 | .1 | 10 | 2 | 3 |
| 22+00N 5+25E | 50 | 8 | .1 | 2 | 2 | 2 |
| 22+00N 5+50E | 22 | 17 | .1 | 4 | 2 | 1 |
| 22+00N 5+75E | 19 | 16 | .1 | 3 | 2 | 1 |
| 22+00N 6+00E | 36 | 15 | .1 | 11 | 2 | 2 |
| 22+00N 6+25E | 58 | 8 | .1 | 6 | 2 | 1 |
| 22+00N 6+50E | 26 | 9 | .1 | 2 | 2 | 1 |
| 22+00N 6+75E | 31 | 20 | .1 | 14 | 3 | 1 |
| 22+00N 7+00E | 30 | 16 | .1 | 15 | 2 | 7 |
| 22+00N 7+25E | 44 | 9 | .1 | 2 | 2 | 1 |
| 22+00N 7+50E | 25 | 24 | .1 | 12 | 2 | 3 |
| 22+00N 7+75E | 23 | 30 | .1 | 11 | 2 | 1 |
| 22+00N 8+00E | 23 | 17 | .1 | 20 | 2 | 1 |
| 22+00N 8+25E | 35 | 16 | .1 | 39 | 2 | 5 |
| 22+00N 8+50E | 35 | 21 | .2 | 104 | 2 | 14 |
| 22+00N 8+75E | 37 | 26 | .2 | 104 | 2 | 11 |
| 22+00N 9+00E | 23 | 23 | .1 | 158 | 3 | 7 |
| 22+00N 9+25E | 11 | 17 | .2 | 255 | 2 | 36 |
| 22+00N 9+50E | 138 | 92 | 5.7 | 8868 | 82 | 4140 |
| 22+00N 9+75E | 161 | 38 | 2.8 | 3246 | 59 | 1880 |
| 22+00N 10+25E | 92 | 21 | .6 | 2035 | 4 | 260 |
| 22+00N 10+50E | 93 | 33 | .3 | 1574 | 9 | 220 |
| 22+00N 10+75E | 162 | 25 | 1.1 | 2834 | 11 | 1440 |
| 22+00N 11+00E | 21 | 12 | .2 | 75 | 2 | 6 |
| 21+00N 0+25E | 18 | 22 | .1 | 6 | 2 | 1 |
| 21+00N 0+50E | 60 | 45 | .2 | 11 | 2 | 3 |
| STD C/AU-S | 59 | 37 | 6.8 | 42 | 17 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| 21+00N 0+75E | 48 | 34 | .3 | 14 | 2 | 5 |
| 21+00N 1+00E | 27 | 47 | .3 | 13 | 3 | 38 |
| 21+00N 1+25E | 23 | 25 | .2 | 173 | 2 | 4 |
| 21+00N 1+50E | 15 | 19 | .2 | 21 | 2 | 2 |
| 21+00N 1+75E | 7 | 13 | .2 | 23 | 2 | 4 |
| 21+00N 2+00E | 6 | 5 | .2 | 8 | 2 | 1 |
| 21+00N 2+25E | 11 | 16 | .1 | 18 | 2 | 2 |
| 21+00N 2+50E | 12 | 17 | .2 | 24 | 3 | 2 |
| 21+00N 2+75E | 7 | 10 | .1 | 15 | 2 | 4 |
| 21+00N 3+00E | 4 | 8 | .1 | 14 | 2 | 1 |
| 21+00N 3+25E | 49 | 43 | .2 | 38 | 5 | 2 |
| 21+00N 3+50E | 84 | 18 | .3 | 62 | 2 | 2 |
| 21+00N 3+75E | 217 | 26 | .1 | 22 | 2 | 24 |
| 21+00N 4+00E | 15 | 3 | .1 | 4 | 2 | 2 |
| 21+00N 4+25E | 75 | 18 | .3 | 15 | 2 | 1 |
| 21+00N 4+50E | 8 | 14 | .2 | 4 | 2 | 4 |
| 21+00N 4+75E | 45 | 11 | .1 | 6 | 2 | 2 |
| 21+00N 5+00E | 25 | 11 | .1 | 3 | 2 | 1 |
| 21+00N 5+25E | 12 | 12 | .1 | 3 | 2 | 1 |
| 21+00N 5+50E | 15 | 25 | .1 | 9 | 2 | 1 |
| 21+00N 5+75E | 52 | 21 | .1 | 11 | 2 | 1 |
| 21+00N 6+00E | 54 | 17 | .1 | 9 | 2 | 3 |
| 21+00N 6+25E | 53 | 25 | .2 | 10 | 2 | 1 |
| 21+00N 6+50E | 45 | 21 | .2 | 17 | 2 | 1 |
| 21+00N 6+75E | 26 | 26 | .1 | 32 | 2 | 1 |
| 21+00N 7+00E | 29 | 29 | .1 | 30 | 2 | 2 |
| 21+00N 7+25E | 18 | 19 | .1 | 11 | 2 | 1 |
| 21+00N 7+50E | 24 | 25 | .1 | 31 | 3 | 22 |
| 21+00N 7+75E | 43 | 12 | .2 | 53 | 2 | 15 |
| 21+00N 8+00E | 19 | 21 | .1 | 16 | 2 | 6 |
| 21+00N 8+25E | 40 | 18 | .1 | 42 | 2 | 6 |
| 21+00N 8+50E | 37 | 18 | .1 | 74 | 2 | 28 |
| 21+00N 8+75E | 35 | 19 | .1 | 42 | 2 | 11 |
| 21+00N 9+00E | 45 | 21 | .3 | 108 | 4 | 21 |
| 21+00N 9+25E | 102 | 176 | 3.7 | 4761 | 36 | 1135 |
| 21+00N 9+50E | 28 | 22 | .3 | 270 | 2 | 40 |
| STD C/AU-S | 57 | 37 | 7.2 | 39 | 17 | 51 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 21+00N 9+75E | 44 | 16 | .2 | 220 | 3 | 56 |
| 21+00N 10+00E | 68 | 18 | .1 | 229 | 2 | 36 |
| 21+00N 10+25E | 261 | 8 | .2 | 55 | 2 | 10 |
| 21+00N 10+50E | 71 | 13 | .3 | 590 | 3 | 47 |
| 21+00N 10+75E | 19 | 7 | .1 | 26 | 2 | 3 |
| 21+00N 11+00E | 18 | 4 | .1 | 29 | 2 | 3 |
| 21+00N 11+25E | 42 | 9 | .1 | 263 | 2 | 32 |
| 21+00N 11+50E | 290 | 13 | .3 | 339 | 2 | 74 |
| 21+00N 11+75E | 157 | 2 | .5 | 903 | 2 | 235 |
| 21+00N 12+00E | 30 | 3 | .1 | 42 | 2 | 5 |
| 21+00N 12+25E | 76 | 26 | .4 | 585 | 2 | 425 |
| 21+00N 12+50E | 252 | 16 | 1.2 | 216 | 2 | 475 |
| 21+00N 12+75E | 57 | 30 | .1 | 34 | 2 | 9 |
| 21+00N 13+00E | 81 | 82 | .1 | 65 | 4 | 15 |
| 21+00N 13+25E | 115 | 165 | .4 | 106 | 9 | 14 |
| 21+00N 13+50E | 76 | 21 | .2 | 67 | 2 | 8 |
| 21+00N 13+75E | 46 | 14 | .1 | 6 | 2 | 1 |
| 21+00N 14+00E | 41 | 13 | .1 | 11 | 2 | 4 |
| 21+00N 14+25E | 31 | 15 | .1 | 11 | 2 | 1 |
| 21+00N 14+50E | 33 | 11 | .1 | 26 | 2 | 14 |
| 21+00N 14+75E | 80 | 19 | .2 | 86 | 2 | 1155 |
| 20+00N 0+00 | 22 | 23 | .1 | 10 | 2 | 5 |
| 20+00N 0+25E | 28 | 29 | .2 | 9 | 2 | 13 |
| 20+00N 0+50E | 15 | 14 | .1 | 9 | 2 | 6 |
| 20+00N 0+75E | 18 | 21 | .2 | 10 | 2 | 1 |
| 20+00N 1+00E | 34 | 21 | .1 | 14 | 2 | 1 |
| 20+00N 1+25E | 45 | 25 | .3 | 11 | 2 | 1 |
| 20+00N 1+50E | 4 | 3 | .1 | 51 | 2 | 1 |
| 20+00N 1+75E | 18 | 20 | .2 | 456 | 2 | 3 |
| 20+00N 2+00E | 14 | 22 | .2 | 261 | 2 | 1 |
| 20+00N 2+25E | 7 | 26 | .1 | 206 | 2 | 4 |
| 20+00N 2+50E | 12 | 11 | .1 | 61 | 2 | 9 |
| 20+00N 2+75E | 18 | 14 | .1 | 16 | 2 | 1 |
| 20+00N 3+00E | 15 | 10 | .1 | 15 | 2 | 3 |
| 20+00N 3+25E | 23 | 10 | .2 | 20 | 3 | 7 |
| 20+00N 3+50E | 17 | 11 | .1 | 14 | 2 | 7 |
| STD C/AU-S | 61 | 41 | 6.9 | 43 | 18 | 52 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 20+00N 3+75E | 52 | 6 | .1 | 13 | 2 | 1 |
| 20+00N 4+00E | 10 | 6 | .1 | 2 | 2 | 6 |
| 20+00N 4+25E | 17 | 4 | .2 | 6 | 2 | 1 |
| 20+00N 4+50E | 44 | 2 | .1 | 3 | 2 | 1 |
| 20+00N 4+75E | 23 | 10 | .1 | 14 | 2 | 1 |
| 20+00N 5+00E | 9 | 9 | .1 | 3 | 2 | 99 |
| 20+00N 5+25E | 28 | 17 | .1 | 10 | 2 | 3 |
| 20+00N 5+50E | 7 | 2 | .1 | 2 | 2 | 1 |
| 20+00N 5+75E | 35 | 2 | .2 | 16 | 2 | 1 |
| 20+00N 6+00E | 24 | 9 | .1 | 47 | 2 | 1 |
| 20+00N 6+25E | 9 | 13 | .1 | 74 | 2 | 1 |
| 20+00N 6+50E | 23 | 19 | .1 | 366 | 2 | 1 |
| 20+00N 6+75E | 47 | 33 | .2 | 239 | 2 | 1 |
| 20+00N 7+00E | 19 | 4 | .1 | 78 | 2 | 1 |
| 20+00N 7+25E | 9 | 6 | .1 | 32 | 2 | 1 |
| 20+00N 7+50E | 8 | 10 | .1 | 22 | 2 | 1 |
| 20+00N 7+75E | 19 | 11 | .1 | 38 | 2 | 1 |
| 20+00N 8+00E | 58 | 7 | .2 | 30 | 2 | 1 |
| 20+00N 8+25E | 14 | 4 | .1 | 12 | 2 | 1 |
| 20+00N 8+50E | 315 | 52 | .7 | 630 | 2 | 48 |
| 20+00N 8+75E | 85 | 62 | .4 | 314 | 2 | 3 |
| 20+00N 9+00E | 30 | 13 | .1 | 98 | 2 | 28 |
| 20+00N 9+25E | 21 | 11 | .2 | 113 | 2 | 16 |
| 20+00N 9+50E | 137 | 56 | 1.4 | 2632 | 16 | 280 |
| 20+00N 9+75E | 96 | 27 | 4.8 | 2178 | 16 | 103 |
| 20+00N 10+00E | 45 | 13 | .6 | 444 | 4 | 14 |
| 20+00N 10+25E | 48 | 11 | .6 | 886 | 9 | 2 |
| 20+00N 10+50E | 54 | 2 | .3 | 163 | 2 | 1 |
| 20+00N 10+75E | 54 | 3 | .1 | 69 | 3 | 1 |
| 20+00N 11+00E | 76 | 26 | .5 | 76 | 2 | 9 |
| 20+00N 11+25E | 38 | 2 | .1 | 23 | 3 | 1 |
| 20+00N 11+50E | 7 | 3 | .1 | 12 | 2 | 1 |
| 20+00N 11+75E | 18 | 2 | .2 | 13 | 2 | 1 |
| 20+00N 12+00E | 53 | 8 | .1 | 71 | 2 | 4 |
| 20+00N 12+25E | 89 | 5 | .3 | 71 | 2 | 33 |
| 20+00N 12+50E | 21 | 5 | .2 | 11 | 2 | 1 |
| STD C/AU-S | 57 | 37 | 6.7 | 39 | 16 | 52 |

| SAMPLE# | Cu PPM | Pb PPM | Ag PPM | As PPM | Sb PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 20+00N 12+75E | 88 | 4 | .1 | 15 | 4 | 1 |
| 20+00N 13+00E | 49 | 10 | .1 | 10 | 2 | 2 |
| 20+00N 13+25E | 56 | 17 | .2 | 257 | 3 | 12 |
| 20+00N 13+50E | 26 | 14 | .2 | 16 | 2 | 2 |
| 20+00N 13+75E | 77 | 33 | .1 | 29 | 2 | 1 |
| 20+00N 14+00E | 85 | 11 | .1 | 11 | 2 | 4 |
| 20+00N 14+25E | 9 | 27 | .1 | 5 | 2 | 1 |
| 20+00N 14+50E | 34 | 10 | .1 | 7 | 3 | 1 |
| 20+00N 14+75E | 48 | 26 | .1 | 9 | 2 | 1 |
| 20+00N 15+00E | 99 | 18 | .1 | 237 | 2 | 9 |
| 20+00N 15+25E | 49 | 9 | .1 | 21 | 3 | 5 |
| 20+00N 15+50E | 116 | 9 | .1 | 14 | 2 | 4 |
| 20+00N 15+75E | 82 | 16 | .2 | 12 | 3 | 1 |
| 20+00N 16+00E | 187 | 10 | .1 | 2 | 2 | 1 |
| 20+00N 16+25E | 9 | 5 | .1 | 2 | 2 | 2 |
| 20+00N 16+50E | 2 | 8 | .1 | 2 | 2 | 1 |
| 20+00N 16+75E | 6 | 3 | .1 | 2 | 3 | 1 |
| STD C/AU-S | 58 | 38 | 6.6 | 44 | 17 | 50 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: AUG 30 1988
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Sept. 9/88.*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR NG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: SOIL AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON FILE # 88-4069 Page 1

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| 37+00N 1+25W | 92 | 18 | 48 | .2 | 12 | 1 |
| 37+00N 1+00W | 55 | 26 | 59 | .1 | 29 | 2 |
| 37+00N 0+75W | 8 | 11 | 17 | .1 | 5 | 1 |
| 37+00N 0+50W | 11 | 17 | 61 | .3 | 9 | 1 |
| 37+00N 0+25W | 17 | 14 | 77 | .3 | 8 | 1 |
| 37+00N 0+00W | 58 | 36 | 105 | .1 | 16 | 1 |
| 37+00N 0+25E | 35 | 46 | 125 | .1 | 11 | 2 |
| 37+00N 0+50E | 42 | 19 | 108 | .1 | 6 | 1 |
| 37+00N 0+75E | 14 | 12 | 95 | .1 | 8 | 1 |
| 37+00N 1+00E | 23 | 21 | 59 | .1 | 10 | 1 |
| 37+00N 1+25E | 12 | 14 | 50 | .2 | 4 | 1 |
| 37+00N 1+50E | 11 | 19 | 129 | .1 | 7 | 23 |
| 37+00N 1+75E | 7 | 10 | 59 | .1 | 8 | 1 |
| 37+00N 2+00E | 14 | 15 | 61 | .1 | 4 | 9 |
| 37+00N 2+25E | 14 | 19 | 82 | .2 | 8 | 1 |
| 37+00N 2+50E | 19 | 24 | 61 | .1 | 10 | 1 |
| 37+00N 2+75E | 33 | 11 | 71 | .2 | 6 | 1 |
| 37+00N 3+00E | 9 | 17 | 59 | .2 | 4 | 76 |
| 37+00N 3+25E | 38 | 14 | 76 | .1 | 11 | 1 |
| 37+00N 3+50E | 69 | 12 | 53 | .1 | 13 | 2 |
| 37+00N 3+75E | 83 | 14 | 60 | .1 | 5 | 2 |
| 37+00N 4+00E | 45 | 6 | 64 | .1 | 3 | 1 |
| 37+00N 4+25E | 18 | 10 | 86 | .1 | 4 | 1 |
| 37+00N 4+75E | 16 | 8 | 84 | .1 | 2 | 1 |
| 33+00N 4+75W | 55 | 16 | 64 | .1 | 20 | 12 |
| 33+00N 4+50W | 25 | 13 | 51 | .2 | 6 | 7 |
| 33+00N 4+25W | 29 | 10 | 62 | .4 | 6 | 1 |
| 33+00N 4+00W | 10 | 5 | 41 | .2 | 4 | 2 |
| 33+00N 3+75W | 10 | 19 | 34 | .1 | 9 | 1 |
| 33+00N 3+50W | 21 | 14 | 44 | .3 | 7 | 1 |
| 33+00N 3+25W | 30 | 7 | 39 | .4 | 6 | 4 |
| 33+00N 3+00W | 12 | 14 | 37 | .2 | 2 | 5 |
| 33+00N 2+75W | 14 | 8 | 40 | .4 | 3 | 3 |
| 33+00N 2+50W | 27 | 13 | 44 | .1 | 3 | 4 |
| 33+00N 2+25W | 29 | 18 | 55 | .1 | 14 | 1 |
| 33+00N 2+00W | 17 | 10 | 78 | .2 | 4 | 3 |
| STD C/AU-S | 63 | 37 | 132 | 6.7 | 41 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| 33+00N 1+75W | 15 | 16 | 61 | .3 | 9 | 1 |
| 33+00N 1+50W | 25 | 18 | 92 | .3 | 11 | 1 |
| 33+00N 1+25W | 13 | 16 | 54 | .3 | 18 | 1 |
| 33+00N 1+00W | 22 | 16 | 50 | .3 | 14 | 1 |
| 33+00N 0+75W | 13 | 21 | 66 | .2 | 5 | 1 |
| 33+00N 0+50W | 41 | 11 | 40 | .2 | 7 | 1 |
| 33+00N 0+25W | 28 | 21 | 64 | .4 | 19 | 1 |
| 33+00N 4+50E | 12 | 13 | 110 | .2 | 4 | 92 |
| 33+00N 5+00E | 2 | 8 | 20 | .2 | 4 | 1 |
| 32+00N 5+75W | 7 | 9 | 26 | .3 | 2 | 1 |
| 32+00N 5+50W | 12 | 12 | 46 | .3 | 5 | 2 |
| 32+00N 5+25W | 24 | 18 | 65 | .3 | 17 | 1 |
| 32+00N 5+00W | 4 | 17 | 26 | .1 | 2 | 1 |
| 32+00N 4+75W | 12 | 21 | 55 | .5 | 6 | 1 |
| 32+00N 4+50W | 10 | 18 | 46 | .4 | 9 | 1 |
| 32+00N 4+25W | 10 | 13 | 30 | .3 | 9 | 3 |
| 32+00N 4+00W | 9 | 8 | 20 | .1 | 6 | 1 |
| 32+00N 3+75W | 34 | 13 | 34 | .2 | 6 | 1 |
| 32+00N 3+50W | 22 | 23 | 56 | .4 | 13 | 2 |
| 32+00N 3+25W | 19 | 27 | 53 | .2 | 15 | 1 |
| 32+00N 3+00W | 12 | 18 | 69 | .3 | 11 | 5 |
| 32+00N 2+75W | 26 | 25 | 48 | .2 | 15 | 1 |
| 32+00N 2+50W | 36 | 27 | 57 | .4 | 14 | 1 |
| 32+00N 2+25W | 31 | 14 | 141 | .4 | 9 | 1 |
| 32+00N 2+00W | 39 | 18 | 52 | .3 | 11 | 2 |
| 32+00N 1+75W | 48 | 21 | 40 | .4 | 15 | 1 |
| 32+00N 1+50W | 10 | 9 | 24 | .3 | 4 | 1 |
| 32+00N 1+25W | 15 | 9 | 64 | .3 | 5 | 1 |
| 32+00N 1+00W | 27 | 11 | 56 | .5 | 7 | 1 |
| 32+00N 0+75W | 13 | 18 | 39 | .3 | 9 | 1 |
| 32+00N 0+50W | 25 | 19 | 65 | .3 | 18 | 1 |
| 32+00N 0+25W | 158 | 25 | 51 | .4 | 27 | 9 |
| 31+00N 5+75W | 34 | 19 | 46 | .4 | 13 | 4 |
| 31+00N 5+50W | 15 | 16 | 50 | .5 | 12 | 1 |
| 31+00N 5+25W | 25 | 16 | 60 | .4 | 11 | 1 |
| 31+00N 5+00W | 17 | 16 | 67 | .1 | 16 | 1 |
| STD C/AU-S | 62 | 43 | 132 | 7.2 | 43 | 53 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| 31+00N 4+75W | 15 | 20 | 50 | .1 | 8 | 1 |
| 31+00N 4+50W | 10 | 18 | 48 | .1 | 7 | 2 |
| 31+00N 4+25W | 10 | 20 | 49 | .1 | 11 | 2 |
| 31+00N 4+00W | 15 | 19 | 48 | .1 | 14 | 2 |
| 31+00N 3+75W | 6 | 15 | 29 | .1 | 3 | 4 |
| 31+00N 3+50W | 3 | 8 | 14 | .1 | 5 | 1 |
| 31+00N 3+25W | 4 | 7 | 13 | .1 | 4 | 2 |
| 31+00N 3+00W | 18 | 24 | 43 | .1 | 13 | 3 |
| 31+00N 2+75W | 13 | 19 | 49 | .2 | 16 | 1 |
| 31+00N 2+50W | 10 | 12 | 26 | .2 | 7 | 2 |
| 31+00N 2+25W | 51 | 14 | 68 | .1 | 12 | 3 |
| 31+00N 2+00W | 15 | 20 | 44 | .1 | 11 | 4 |
| 31+00N 1+75W | 16 | 24 | 42 | .1 | 16 | 6 |
| 31+00N 1+50W | 21 | 25 | 54 | .1 | 16 | 2 |
| 31+00N 1+25W | 18 | 17 | 40 | .2 | 7 | 8 |
| 31+00N 1+00W | 32 | 19 | 39 | .1 | 16 | 9 |
| 31+00N 0+75W | 68 | 16 | 55 | .1 | 15 | 9 |
| 31+00N 0+50W | 73 | 10 | 30 | .6 | 14 | 3 |
| 31+00N 0+25W | 26 | 11 | 52 | .1 | 9 | 1 |
| 30+00N 6+00W | 41 | 15 | 49 | .3 | 12 | 2 |
| 30+00N 5+75W | 14 | 10 | 43 | .1 | 6 | 1 |
| 30+00N 5+50W | 13 | 12 | 44 | .2 | 4 | 2 |
| 30+00N 5+25W | 11 | 11 | 47 | .1 | 9 | 2 |
| 30+00N 5+00W | 11 | 10 | 40 | .1 | 5 | 2 |
| 30+00N 4+75W | 14 | 13 | 45 | .1 | 10 | 2 |
| 30+00N 4+50W | 17 | 16 | 58 | .2 | 10 | 1 |
| 30+00N 4+25W | 12 | 10 | 47 | .1 | 3 | 1 |
| 30+00N 4+00W | 19 | 16 | 41 | .2 | 5 | 1 |
| 30+00N 3+75W | 20 | 12 | 47 | .5 | 5 | 6 |
| 30+00N 3+50W | 3 | 6 | 12 | .2 | 3 | 1 |
| 30+00N 3+25W | 13 | 17 | 92 | .1 | 10 | 2 |
| 30+00N 3+00W | 13 | 26 | 82 | .2 | 11 | 4 |
| 30+00N 2+75W | 14 | 16 | 70 | .1 | 9 | 1 |
| 30+00N 2+50W | 10 | 19 | 53 | .2 | 6 | 5 |
| 30+00N 2+25W | 8 | 24 | 39 | .3 | 10 | 4 |
| 30+00N 2+00W | 16 | 23 | 72 | .1 | 17 | 1 |
| STD C/AU-S | 59 | 44 | 132 | 6.7 | 42 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| 30+00N 1+75W | 8 | 15 | 35 | .1 | 8 | 3 |
| 30+00N 1+50W | 19 | 20 | 55 | .1 | 18 | 2 |
| 30+00N 1+25W | 13 | 19 | 53 | .1 | 36 | 1 |
| 30+00N 1+00W | 11 | 15 | 82 | .1 | 70 | 1 |
| 30+00N 0+75W | 18 | 23 | 67 | .1 | 35 | 1 |
| 30+00N 0+50W | 37 | 19 | 98 | .1 | 49 | 3 |
| 30+00N 0+25W | 35 | 13 | 35 | .1 | 44 | 1 |
| 29+00N 6+00W | 58 | 24 | 68 | .1 | 18 | 2 |
| 29+00N 5+75W | 24 | 17 | 66 | .1 | 10 | 1 |
| 29+00N 5+50W | 24 | 13 | 46 | .1 | 9 | 3 |
| 29+00N 5+25W | 7 | 14 | 84 | .1 | 4 | 1 |
| 29+00N 5+00W | 9 | 9 | 35 | .1 | 9 | 1 |
| 29+00N 4+75W | 42 | 15 | 92 | .2 | 16 | 1 |
| 29+00N 4+50W | 15 | 6 | 59 | .1 | 13 | 1 |
| 29+00N 4+25W | 27 | 25 | 112 | .1 | 9 | 1 |
| 29+00N 3+25W | 13 | 16 | 68 | .2 | 15 | 1 |
| 29+00N 3+00W | 14 | 23 | 54 | .3 | 12 | 1 |
| 29+00N 2+75W | 15 | 23 | 80 | .1 | 13 | 11 |
| 29+00N 2+50W | 3 | 9 | 18 | .2 | 4 | 1 |
| 29+00N 2+25W | 17 | 26 | 51 | .2 | 8 | 3 |
| 29+00N 2+00W | 19 | 20 | 75 | .1 | 15 | 1 |
| 29+00N 1+75W | 28 | 25 | 73 | .2 | 21 | 4 |
| 29+00N 1+50W | 24 | 27 | 84 | .2 | 20 | 1 |
| 29+00N 1+25W | 9 | 14 | 58 | .1 | 8 | 1 |
| 29+00N 1+00W | 28 | 12 | 143 | .1 | 97 | 1 |
| 29+00N 0+75W | 51 | 22 | 44 | .1 | 36 | 1 |
| 29+00N 0+50W | 22 | 17 | 61 | .2 | 19 | 2 |
| 29+00N 0+25W | 34 | 26 | 95 | .2 | 24 | 2 |
| 29+00N 5+25E | 19 | 25 | 51 | .2 | 20 | 1 |
| 29+00N 5+50E | 15 | 16 | 35 | .2 | 38 | 7 |
| 29+00N 5+75E | 32 | 25 | 138 | .2 | 595 | 12 |
| 29+00N 6+00E | 48 | 19 | 94 | .1 | 77 | 9 |
| 29+00N 6+25E | 7 | 16 | 26 | .1 | 3 | 1 |
| 29+00N 6+50E | 34 | 22 | 58 | .2 | 17 | 6 |
| 29+00N 6+75E | 55 | 18 | 68 | .2 | 18 | 3 |
| 29+00N 7+00E | 58 | 27 | 121 | .1 | 17 | 1 |
| STD C/AU-S | 63 | 43 | 132 | 7.6 | 44 | 53 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 29+00N 7+25E | 128 | 52 | 275 | .1 | 503 | 1 |
| 29+00N 7+50E | 19 | 14 | 51 | .1 | 11 | 2 |
| 29+00N 7+75E | 31 | 33 | 70 | .1 | 8 | 1 |
| 29+00N 8+00E | 64 | 19 | 64 | .2 | 10 | 1 |
| 29+00N 8+25E | 6 | 17 | 29 | .1 | 5 | 1 |
| 29+00N 8+50E | 21 | 29 | 42 | .1 | 5 | 1 |
| 29+00N 8+75E | 46 | 19 | 62 | .1 | 11 | 1 |
| 29+00N 9+00E | 22 | 21 | 70 | .2 | 12 | 3 |
| 29+00N 9+25E | 28 | 19 | 37 | .1 | 5 | 1 |
| 29+00N 9+50E | 21 | 16 | 42 | .6 | 6 | 1 |
| 29+00N 9+75E | 13 | 9 | 66 | .3 | 8 | 1 |
| 29+00N 10+00E | 21 | 20 | 38 | .1 | 11 | 1 |
| 29+00N 10+25E | 22 | 23 | 53 | .1 | 19 | 1 |
| 29+00N 10+50E | 21 | 23 | 44 | .1 | 10 | 3 |
| 29+00N 10+75E | 34 | 16 | 50 | .2 | 8 | 4 |
| 29+00N 11+00E | 53 | 14 | 133 | .1 | 10 | 2 |
| 29+00N 11+25E | 15 | 22 | 59 | .3 | 9 | 1 |
| 29+00N 11+50E | 18 | 17 | 42 | .1 | 10 | 1 |
| 29+00N 11+75E | 19 | 13 | 48 | .1 | 11 | 1 |
| 29+00N 12+00E | 17 | 22 | 55 | .3 | 9 | 1 |
| 29+00N 12+25E | 12 | 10 | 87 | .1 | 5 | 1 |
| 29+00N 12+50E | 16 | 15 | 88 | .1 | 4 | 1 |
| 29+00N 12+75E | 24 | 22 | 156 | .1 | 8 | 2 |
| 29+00N 13+00E | 39 | 17 | 68 | .1 | 9 | 16 |
| 29+00N 13+25E | 29 | 19 | 62 | .1 | 8 | 1 |
| 29+00N 13+50E | 15 | 18 | 47 | .1 | 5 | 1 |
| 28+00N 6+75W | 43 | 15 | 112 | .1 | 33 | 1 |
| 28+00N 6+50W | 31 | 19 | 101 | .1 | 20 | 1 |
| 28+00N 6+25W | 15 | 19 | 79 | .2 | 8 | 1 |
| 28+00N 6+00W | 14 | 30 | 82 | .1 | 12 | 1 |
| 28+00N 5+75W | 2 | 2 | 14 | .1 | 2 | 1 |
| 28+00N 5+50W | 17 | 30 | 37 | .1 | 10 | 1 |
| 28+00N 5+25W | 18 | 31 | 44 | .2 | 12 | 1 |
| 28+00N 5+00W | 8 | 4 | 23 | .1 | 4 | 2 |
| 28+00N 4+75W | 3 | 11 | 18 | .1 | 2 | 1 |
| 28+00N 4+50W | 4 | 14 | 16 | .1 | 3 | 1 |
| STD C/AU-S | 61 | 42 | 132 | 7.2 | 42 | 51 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 28+00N 4+00W | 10 | 11 | 12 | .1 | 2 | 1 |
| 28+00N 3+75W | 13 | 18 | 87 | .1 | 3 | 1 |
| 28+00N 3+50W | 15 | 27 | 197 | .1 | 10 | 2 |
| 28+00N 3+25W | 21 | 18 | 96 | .3 | 3 | 1 |
| 28+00N 2+75W | 12 | 15 | 86 | .2 | 4 | 1 |
| 28+00N 2+50W | 30 | 43 | 113 | .1 | 11 | 1 |
| 28+00N 1+75W | 23 | 28 | 128 | .1 | 11 | 1 |
| 28+00N 1+50W | 28 | 29 | 113 | .1 | 8 | 1 |
| 28+00N 1+25W | 22 | 13 | 46 | .2 | 7 | 4 |
| 28+00N 1+00W | 11 | 27 | 28 | .1 | 5 | 1 |
| 28+00N 0+75W | 14 | 25 | 36 | .1 | 11 | 2 |
| 28+00N 0+50W | 19 | 21 | 48 | .2 | 11 | 1 |
| 28+00N 0+25W | 24 | 34 | 101 | .2 | 22 | 1 |
| 28+00N 0+00W | 25 | 23 | 120 | .1 | 31 | 1 |
| 28+00N 10+25E | 21 | 13 | 28 | .1 | 12 | 1 |
| 28+00N 10+50E | 31 | 13 | 143 | .1 | 17 | 2 |
| 28+00N 10+75E | 39 | 17 | 33 | .1 | 15 | 1 |
| 28+00N 11+00E | 6 | 10 | 37 | .1 | 5 | 1 |
| 28+00N 11+25E | 21 | 18 | 28 | .1 | 7 | 1 |
| 28+00N 11+50E | 19 | 17 | 61 | .1 | 13 | 4 |
| 28+00N 11+75E | 43 | 17 | 48 | .2 | 6 | 3 |
| 28+00N 12+00E | 29 | 17 | 37 | .1 | 9 | 1 |
| 28+00N 12+25E | 16 | 17 | 69 | .3 | 6 | 1 |
| 28+00N 12+50E | 25 | 26 | 50 | .2 | 12 | 18 |
| 28+00N 12+75E | 12 | 15 | 30 | .1 | 5 | 1 |
| 28+00N 13+00E | 24 | 14 | 18 | .1 | 4 | 2 |
| 27+25N 5+00W | 6 | 13 | 20 | .1 | 3 | 1 |
| 27+00N 6+75W | 12 | 20 | 54 | .1 | 13 | 5 |
| 27+00N 6+50W | 19 | 18 | 72 | .2 | 20 | 12 |
| 27+00N 6+25W | 15 | 22 | 61 | .1 | 10 | 2 |
| 27+00N 6+00W | 17 | 12 | 18 | .2 | 5 | 1 |
| 27+00N 5+75W | 11 | 17 | 10 | .2 | 5 | 1 |
| 27+00N 5+50W | 13 | 16 | 15 | .1 | 5 | 3 |
| 27+00N 5+25W | 20 | 23 | 7 | .1 | 11 | 2 |
| 27+00N 5+00W | 22 | 16 | 24 | .2 | 6 | 4 |
| 27+00N 4+75W | 13 | 12 | 30 | .2 | 5 | 1 |
| STD C/AU-S | 59 | 42 | 132 | 6.7 | 41 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| 27+00N 4+50W | 18 | 22 | 40 | .1 | 10 | 1 |
| 27+00N 4+25W | 20 | 20 | 39 | .1 | 8 | 1 |
| 27+00N 4+00W | 27 | 21 | 190 | .1 | 8 | 1 |
| 27+00N 3+75W | 21 | 17 | 91 | .1 | 6 | 2 |
| 27+00N 3+50W | 17 | 21 | 54 | .1 | 5 | 1 |
| 27+00N 3+25W | 4 | 12 | 29 | .1 | 2 | 1 |
| 27+00N 3+00W | 3 | 13 | 25 | .1 | 5 | 2 |
| 27+00N 2+75W | 5 | 13 | 35 | .1 | 3 | 1 |
| 27+00N 2+50W | 25 | 16 | 108 | .1 | 3 | 1 |
| 27+00N 2+00W | 16 | 19 | 60 | .2 | 8 | 1 |
| 27+00N 1+75W | 38 | 18 | 56 | .1 | 8 | 1 |
| 27+00N 1+50W | 56 | 23 | 98 | .1 | 11 | 1 |
| 27+00N 1+25W | 40 | 14 | 143 | .1 | 7 | 2 |
| 27+00N 0+75W | 34 | 24 | 194 | .3 | 42 | 1 |
| 27+00N 0+50W | 32 | 26 | 262 | .1 | 39 | 1 |
| 27+00N 0+25W | 35 | 28 | 221 | .1 | 42 | 3 |
| 26+00N 8+00W | 19 | 19 | 56 | .1 | 10 | 1 |
| 26+00N 7+75W | 9 | 14 | 38 | .3 | 10 | 5 |
| 26+00N 7+50W | 18 | 19 | 47 | .3 | 17 | 2 |
| 26+00N 7+25W | 12 | 16 | 60 | .3 | 11 | 1 |
| 26+00N 7+00W | 17 | 14 | 42 | .2 | 7 | 1 |
| 26+00N 6+75W | 8 | 21 | 34 | .2 | 14 | 2 |
| 26+00N 6+50W | 14 | 15 | 39 | .1 | 9 | 1 |
| 26+00N 6+25W | 8 | 15 | 35 | .1 | 9 | 1 |
| 26+00N 6+00W | 19 | 15 | 40 | .1 | 13 | 1 |
| 26+00N 5+75W | 13 | 19 | 34 | .1 | 9 | 2 |
| 26+00N 5+50W | 32 | 18 | 52 | .1 | 10 | 1 |
| 26+00N 5+25W | 16 | 15 | 35 | .1 | 11 | 3 |
| 26+00N 5+00W | 14 | 15 | 31 | .2 | 5 | 1 |
| 26+00N 4+75W | 29 | 23 | 35 | .3 | 8 | 1 |
| 26+00N 4+50W | 16 | 12 | 45 | .5 | 5 | 1 |
| 26+00N 4+25W | 13 | 27 | 46 | .2 | 12 | 8 |
| 26+00N 4+00W | 15 | 18 | 39 | .2 | 8 | 2 |
| 26+00N 3+75W | 20 | 20 | 36 | .2 | 12 | 1 |
| 26+00N 3+50W | 22 | 21 | 42 | .3 | 13 | 1 |
| 26+00N 3+25W | 2 | 9 | 14 | .1 | 4 | 4 |
| STD C/AU-S | 61 | 42 | 132 | 7.1 | 42 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 26+00N 3+00W | 7 | 17 | 24 | .5 | 2 | 1 |
| 26+00N 2+75W | 6 | 5 | 20 | .2 | 2 | 1 |
| 26+00N 2+25W | 26 | 22 | 49 | .1 | 5 | 1 |
| 26+00N 2+00W | 28 | 10 | 41 | .1 | 5 | 1 |
| 26+00N 10+25E | 25 | 12 | 72 | .5 | 9 | 2 |
| 26+00N 10+50E | 37 | 15 | 47 | .3 | 17 | 2 |
| 26+00N 10+75E | 119 | 13 | 69 | .1 | 26 | 6 |
| 26+00N 11+00E | 20 | 14 | 33 | .2 | 19 | 4 |
| 26+00N 11+25E | 23 | 11 | 42 | .4 | 8 | 1 |
| 26+00N 11+50E | 31 | 22 | 93 | .2 | 19 | 1 |
| 26+00N 11+75E | 102 | 15 | 111 | .2 | 10 | 3 |
| 26+00N 12+00E | 119 | 15 | 98 | .1 | 11 | 4 |
| 26+00N 12+25E | 164 | 16 | 69 | .1 | 8 | 2 |
| 25+00N 9+00W | 16 | 9 | 49 | .3 | 7 | 1 |
| 25+00N 8+75W | 13 | 18 | 58 | .3 | 10 | 1 |
| 25+00N 8+25W | 19 | 23 | 56 | .1 | 17 | 4 |
| 25+00N 8+00W | 17 | 26 | 44 | .1 | 13 | 7 |
| 25+00N 7+75W | 27 | 22 | 70 | .3 | 12 | 3 |
| 25+00N 7+50W | 32 | 16 | 59 | .2 | 13 | 1 |
| 25+00N 7+25W | 15 | 23 | 46 | .1 | 11 | 2 |
| 25+00N 7+00W | 8 | 10 | 24 | .1 | 5 | 1 |
| 25+00N 6+75W | 14 | 22 | 50 | .1 | 9 | 1 |
| 25+00N 6+50W | 5 | 4 | 13 | .1 | 3 | 1 |
| 25+00N 6+25W | 5 | 4 | 13 | .1 | 2 | 1 |
| 25+00N 6+00W | 36 | 27 | 48 | .1 | 26 | 5 |
| 25+00N 5+75W | 13 | 24 | 25 | .2 | 11 | 1 |
| 25+00N 5+50W | 14 | 19 | 55 | .1 | 12 | 2 |
| 25+00N 5+25W | 26 | 48 | 81 | .1 | 13 | 1 |
| 25+00N 5+00W | 30 | 60 | 159 | .1 | 40 | 1 |
| 25+00N 4+75W | 12 | 25 | 63 | .1 | 60 | 1 |
| 25+00N 4+50W | 31 | 42 | 96 | .1 | 170 | 2 |
| 25+00N 4+25W | 26 | 40 | 69 | .1 | 15 | 1 |
| 25+00N 4+00W | 47 | 29 | 81 | .2 | 18 | 1 |
| 25+00N 3+75W | 20 | 25 | 81 | .1 | 12 | 2 |
| 25+00N 3+50W | 11 | 17 | 38 | .2 | 6 | 2 |
| 25+00N 3+25W | 27 | 22 | 49 | .1 | 9 | 1 |
| STD C/AU-S | 62 | 40 | 131 | 6.7 | 41 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| 25+00N 3+00W | 6 | 19 | 38 | .1 | 6 | 1 |
| 25+00N 2+75W | 3 | 7 | 11 | .1 | 3 | 1 |
| 25+00N 2+50W | 2 | 5 | 7 | .1 | 2 | 1 |
| 25+00N 2+25W | 12 | 12 | 36 | .1 | 5 | 2 |
| 25+00N 1+25W | 31 | 26 | 49 | .2 | 10 | 1 |
| 25+00N 1+00W | 13 | 16 | 35 | .3 | 4 | 1 |
| 25+00N 0+25W | 21 | 18 | 61 | .2 | 8 | 1 |
| 25+00N 0+00W | 16 | 21 | 72 | .2 | 8 | 1 |
| 25+00N 0+25E | 37 | 38 | 68 | .1 | 13 | 1 |
| 24+00N 10+00W | 24 | 14 | 70 | .1 | 13 | 2 |
| 24+00N 9+75W | 25 | 16 | 55 | .3 | 14 | 1 |
| 24+00N 9+50W | 22 | 19 | 61 | .3 | 15 | 1 |
| 24+00N 9+25W | 27 | 17 | 65 | .3 | 17 | 2 |
| 24+00N 9+00W | 23 | 20 | 66 | .4 | 9 | 1 |
| 24+00N 8+75W | 25 | 26 | 52 | .3 | 17 | 5 |
| 24+00N 8+50W | 15 | 18 | 44 | .3 | 17 | 1 |
| 24+00N 8+25W | 14 | 14 | 35 | .1 | 8 | 1 |
| 24+00N 8+00W | 8 | 11 | 15 | .2 | 7 | 1 |
| 24+00N 7+75W | 27 | 14 | 57 | .2 | 12 | 6 |
| 24+00N 7+50W | 29 | 19 | 66 | .2 | 10 | 1 |
| 24+00N 7+25W | 10 | 12 | 16 | .1 | 8 | 5 |
| 24+00N 7+00W | 17 | 21 | 31 | .2 | 20 | 2 |
| 24+00N 6+75W | 22 | 28 | 65 | .2 | 11 | 1 |
| 24+00N 6+50W | 15 | 31 | 75 | .2 | 13 | 1 |
| 24+00N 6+25W | 19 | 23 | 72 | .3 | 20 | 1 |
| 24+00N 6+00W | 20 | 18 | 57 | .3 | 17 | 3 |
| 24+00N 5+75W | 17 | 19 | 48 | .2 | 11 | 2 |
| 24+00N 5+50W | 27 | 15 | 75 | .2 | 17 | 1 |
| 24+00N 5+25W | 12 | 16 | 42 | .2 | 10 | 3 |
| 24+00N 5+00W | 7 | 12 | 23 | .1 | 8 | 2 |
| 24+00N 4+75W | 12 | 17 | 33 | .3 | 8 | 1 |
| 24+00N 4+50W | 5 | 16 | 25 | .4 | 7 | 1 |
| 24+00N 4+25W | 7 | 13 | 34 | .2 | 4 | 1 |
| 24+00N 4+00W | 3 | 7 | 12 | .2 | 5 | 1 |
| 24+00N 3+75W | 15 | 17 | 63 | .2 | 8 | 1 |
| 24+00N 3+50W | 12 | 25 | 72 | .1 | 9 | 1 |
| STD C/AU-S | 62 | 40 | 132 | 7.2 | 42 | 52 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| 24+00N 3+25W | 2 | 8 | 16 | .1 | 2 | 1 |
| 24+00N 3+00W | 52 | 54 | 55 | .2 | 82 | 3 |
| 24+00N 2+75W | 3 | 20 | 17 | .2 | 7 | 1 |
| 24+00N 2+50W | 11 | 23 | 73 | .3 | 76 | 1 |
| 24+00N 2+25W | 7 | 12 | 30 | .2 | 5 | 1 |
| 24+00N 2+00W | 23 | 32 | 58 | .1 | 21 | 6 |
| 24+00N 1+75W | 2 | 6 | 10 | .1 | 2 | 2 |
| 24+00N 1+50W | 19 | 20 | 49 | .2 | 12 | 1 |
| 24+00N 1+25W | 11 | 21 | 41 | .1 | 10 | 1 |
| 24+00N 1+00W | 2 | 10 | 15 | .1 | 2 | 2 |
| 24+00N 0+75W | 16 | 26 | 28 | .1 | 9 | 1 |
| 24+00N 0+50W | 14 | 22 | 46 | .1 | 7 | 1 |
| 24+00N 0+25W | 24 | 20 | 56 | .1 | 13 | 1 |
| 24+00N 0+00W | 16 | 24 | 58 | .1 | 18 | 1 |
| STD C/AU-S | 61 | 43 | 132 | 7.1 | 41 | 48 |

ACME ANALYTICAL LABORATORIES LTD.
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: AUG 30 1988

DATE REPORT MAILED: *Sept. 9 / 88*

GEOCHEMICAL/ASSAY CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR NG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: ROCK AU 10 GM REGULAR ASSAY.

ASSAYER: *[Signature]* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON FILE # 88-4069 Page 11

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Ag OZ/T | Au OZ/T |
|---------|-----------|-----------|-----------|-----------|-----------|------------|------------|
| RH-1000 | 19 | 14 | 46 | .8 | 27 | .01 | .001 |
| RH-1001 | 325 | 487 | 179 | 5.6 | 29634 | .13 | .042 |
| RH-1002 | 369 | 218 | 114 | 10.5 | 47710 | .23 | .138 |
| RH-1003 | 225 | 236 | 69 | 8.8 | 46806 | .24 | .081 |
| RH-1004 | 22 | 11 | 57 | .4 | 426 | .01 | .002 |
| RH-1006 | 735 | 353 | 335 | 30.9 | 52290 | .84 | .705 |
| RH-1007 | 1658 | 1118 | 420 | 99.7 | 88427 | 2.86 | .952 |
| RH-1008 | 478 | 75 | 192 | 9.8 | 37506 | .33 | .127 |
| RH-1009 | 15 | 10 | 11 | .6 | 349 | .01 | .004 |
| RH-1010 | 9343 | 1445 | 1170 | 194.8 | 99999 | 6.38 | 2.982 |
| RH-1011 | 145 | 19 | 78 | .7 | 91 | .01 | .005 |
| RH-1012 | 145 | 14 | 104 | 1.4 | 600 | .01 | .004 |
| RH-1013 | 347 | 61 | 27 | 15.9 | 11509 | .41 | .020 |
| RH-1014 | 270 | 56 | 130 | 5.8 | 70382 | .15 | .177 |
| RH-1015 | 819 | 148 | 334 | 28.2 | 19701 | .76 | .077 |
| RH-1016 | 1199 | 104 | 360 | 18.9 | 9111 | .51 | .066 |
| RH-1017 | 115 | 43 | 17 | 3.8 | 54571 | .09 | .097 |
| RH-1018 | 2512 | 21 | 41 | 15.1 | 5943 | .44 | .011 |
| RH-1019 | 571 | 368 | 39 | 50.3 | 1098 | 1.43 | .005 |
| RH-1020 | 6846 | 80 | 139 | 51.5 | 61 | 1.48 | .008 |
| RH-1021 | 1687 | 129 | 87 | 28.3 | 3982 | .87 | .022 |
| RH-1022 | 481 | 25 | 58 | 4.5 | 262 | .11 | .001 |
| RH-1023 | 460 | 11 | 79 | 2.7 | 534 | .03 | .003 |
| RH-1024 | 200 | 8 | 46 | .9 | 37 | .01 | .001 |
| STD C | 60 | 39 | 132 | 7.2 | 41 | - | - |

- ASSAY REQUIRED FOR CORRECT RESULT for As > 10,000 ppm
 Ag > 35 ppm

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: SEP 12 1988
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Sept. 19/88.*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: SOIL AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE. *P-PULVERIZED*

ASSAYER: *C. Leong*. D.TOYE OR C.LEONG, CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. FILE # 88-4434 Page 1

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|-------------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 38+00N 0+75W | 294 | 11 | 61 | .2 | 68 | 32 |
| LN 38+00N 0+50W | 86 | 18 | 76 | .1 | 37 | 4 |
| LN 38+00N 0+25W | 39 | 18 | 90 | .1 | 12 | 2 |
| LN 38+00N 0+00W | 20 | 13 | 47 | .1 | 4 | 1 |
| LN 38+00N 0+25E | 12 | 14 | 49 | .1 | 7 | 1 |
| LN 38+00N 0+50E | 18 | 13 | 70 | .1 | 7 | 2 |
| LN 38+00N 0+75E | 14 | 16 | 39 | .1 | 7 | 2 |
| LN 38+00N 1+00E | 13 | 13 | 52 | .1 | 10 | 1 |
| LN 38+00N 1+25E | 11 | 15 | 59 | .1 | 3 | 1 |
| LN 38+00N 1+50E | 31 | 14 | 58 | .1 | 11 | 4 |
| LN 38+00N 1+75E | 32 | 15 | 79 | .1 | 9 | 1 |
| LN 38+00N 2+00E | 16 | 16 | 52 | .1 | 6 | 1 |
| LN 38+00N 2+25E | 18 | 15 | 78 | .1 | 4 | 1 |
| LN 38+00N 2+50E | 38 | 13 | 72 | .1 | 3 | 1 |
| LN 38+00N 2+75E | 117 | 15 | 55 | .1 | 19 | 10 |
| LN 38+00N 3+00E | 47 | 13 | 40 | .1 | 7 | 1 |
| LN 38+00N 3+50E | 40 | 12 | 85 | .2 | 6 | 1 |
| LN 38+00N 4+00E | 41 | 22 | 32 | .1 | 2 | 2 |
| LN 36+00N 2+75W | 31 | 14 | 85 | .1 | 12 | 1 |
| LN 36+00N 2+50W | 44 | 17 | 61 | .1 | 15 | 4 |
| LN 36+00N 2+25W | 40 | 16 | 62 | .1 | 9 | 7 |
| LN 36+00N 1+50W | 28 | 16 | 54 | .1 | 7 | 2 |
| LN 36+00N 1+25W | 22 | 21 | 74 | .2 | 9 | 1 |
| LN 36+00N 1+00W | 12 | 16 | 91 | .2 | 5 | 1 |
| LN 36+00N 0+75W | 14 | 14 | 59 | .1 | 5 | 2 |
| LN 36+00N 0+50W | 9 | 14 | 124 | .1 | 4 | 1 |
| LN 36+00N 0+25W | 14 | 16 | 78 | .1 | 6 | 3 |
| LN 36+00N 0+00W | 13 | 19 | 94 | .2 | 3 | 5 |
| LN 36+00N 0+00W A | 41 | 24 | 82 | .1 | 13 | 3 |
| LN 36+00N 0+25E | 57 | 21 | 82 | .1 | 15 | 2 |
| LN 36+00N 0+50E | 38 | 13 | 131 | .1 | 10 | 1 |
| LN 36+00N 0+75E | 12 | 23 | 82 | .3 | 2 | 1 |
| LN 36+00N 1+00E | 12 | 15 | 84 | .3 | 3 | 1 |
| LN 36+00N 1+25E | 13 | 18 | 54 | .1 | 12 | 1 |
| LN 36+00N 1+50E | 2 | 3 | 12 | .1 | 2 | 5 |
| LN 36+00N 1+75E | 8 | 14 | 96 | .2 | 7 | 19 |
| STD C/AU-S | 59 | 40 | 132 | 6.6 | 41 | 52 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|-----------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 36+00N 2+00E | 17 | 13 | 133 | .1 | 7 | 1 |
| LN 36+00N 2+25E | 11 | 13 | 57 | .1 | 13 | 7 |
| LN 36+00N 2+50E | 5 | 6 | 36 | .1 | 2 | 1 |
| LN 36+00N 2+75E | 21 | 14 | 83 | .1 | 14 | 1 |
| LN 36+00N 3+00E | 6 | 12 | 57 | .1 | 8 | 1 |
| LN 36+00N 3+25E | 18 | 12 | 95 | .1 | 7 | 1 |
| LN 36+00N 3+50E | 10 | 16 | 74 | .1 | 25 | 1 |
| LN 36+00N 3+75E | 12 | 11 | 90 | .1 | 7 | 1 |
| LN 36+00N 4+00E | 4 | 9 | 54 | .1 | 8 | 1 |
| LN 36+00N 4+25E | 15 | 12 | 78 | .1 | 9 | 1 |
| LN 36+00N 4+50E | 11 | 11 | 77 | .1 | 9 | 1 |
| LN 36+00N 4+75E | 37 | 17 | 51 | .1 | 18 | 2 |
| LN 36+00N 5+00E | 14 | 13 | 75 | .1 | 9 | 1 |
| LN 36+00N 5+50E | 21 | 13 | 117 | .1 | 7 | 1 |
| LN 36+00N 5+75E | 18 | 20 | 161 | .1 | 48 | 1 |
| LN 36+00N 6+00E | 24 | 11 | 108 | .1 | 13 | 15 |
| LN 36+00N 6+25E | 10 | 8 | 42 | .1 | 12 | 1 |
| LN 35+00N 3+25W | 107 | 8 | 66 | .3 | 22 | 10 |
| LN 35+00N 3+00W | 139 | 11 | 64 | .3 | 15 | 1 |
| LN 35+00N 2+75W | 19 | 10 | 41 | .2 | 3 | 1 |
| LN 35+00N 2+50W | 22 | 14 | 76 | .2 | 10 | 1 |
| LN 35+00N 2+25W | 13 | 14 | 78 | .1 | 11 | 1 |
| LN 35+00N 2+00W | 14 | 12 | 70 | .2 | 12 | 1 |
| LN 35+00N 1+75W | 7 | 11 | 20 | .1 | 2 | 5 |
| LN 35+00N 1+50W | 21 | 14 | 40 | .1 | 6 | 1 |
| LN 35+00N 1+25W | 18 | 19 | 73 | .1 | 9 | 2 |
| LN 35+00N 1+00W | 16 | 13 | 58 | .2 | 11 | 1 |
| LN 35+00N 0+75W | 19 | 18 | 95 | .1 | 7 | 1 |
| LN 35+00N 0+50W | 23 | 17 | 87 | .2 | 13 | 3 |
| LN 35+00N 0+25W | 27 | 19 | 63 | .2 | 10 | 2 |
| LN 34+00N 4+00W | 33 | 10 | 57 | .1 | 9 | 1 |
| LN 34+00N 3+75W | 14 | 10 | 33 | .1 | 5 | 1 |
| LN 34+00N 3+50W | 15 | 18 | 58 | .2 | 11 | 7 |
| LN 34+00N 3+25W | 8 | 12 | 41 | .2 | 10 | 1 |
| LN 34+00N 3+00W | 22 | 14 | 58 | .1 | 12 | 2 |
| LN 34+00N 2+75W | 8 | 13 | 40 | .1 | 14 | 1 |
| STD C/AU-S | 58 | 41 | 133 | 7.1 | 42 | 51 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 34+00N 2+50W | 14 | 10 | 60 | .1 | 9 | 1 |
| LN 34+00N 2+25W | 17 | 14 | 64 | .1 | 13 | 1 |
| LN 34+00N 2+00W | 23 | 17 | 64 | .1 | 20 | 1 |
| LN 34+00N 1+75W | 7 | 11 | 46 | .1 | 10 | 2 |
| LN 34+00N 1+50W | 29 | 20 | 64 | .1 | 13 | 1 |
| LN 34+00N 1+25W | 7 | 8 | 35 | .1 | 6 | 1 |
| LN 34+00N 1+00W | 10 | 12 | 57 | .2 | 8 | 21 |
| LN 34+00N 0+75W | 66 | 40 | 135 | .1 | 10 | 1 |
| LN 34+00N 0+50W | 17 | 26 | 128 | .1 | 8 | 1 |
| LN 34+00N 0+25W | 10 | 11 | 57 | .1 | 11 | 1 |
| LN 19+00N 5+00E | 28 | 22 | 33 | .1 | 11 | 2 |
| LN 19+00N 5+25E | 27 | 12 | 44 | .1 | 16 | 3 |
| LN 19+00N 5+50E | 35 | 19 | 57 | .1 | 24 | 9 |
| LN 19+00N 5+75E | 25 | 19 | 54 | .1 | 20 | 1 |
| LN 19+00N 6+00E | 84 | 10 | 131 | .1 | 29 | 1 |
| LN 19+00N 6+25E | 22 | 13 | 100 | .1 | 29 | 1 |
| LN 19+00N 6+50E | 21 | 14 | 73 | .1 | 31 | 42 |
| LN 19+00N 6+75E | 10 | 17 | 75 | .1 | 23 | 1 |
| LN 19+00N 7+00E | 19 | 15 | 77 | .1 | 30 | 22 |
| LN 19+00N 7+25E | 37 | 17 | 154 | .1 | 47 | 1 |
| LN 19+00N 7+50E | 20 | 14 | 64 | .1 | 47 | 1 |
| LN 19+00N 7+75E | 7 | 13 | 52 | .1 | 26 | 6 |
| LN 19+00N 8+00E | 21 | 16 | 90 | .1 | 72 | 1 |
| LN 19+00N 8+25E | 35 | 35 | 159 | .9 | 251 | 146 |
| LN 19+00N 8+50E | 27 | 31 | 184 | .2 | 174 | 24 |
| LN 19+00N 8+75E | 20 | 17 | 188 | .1 | 186 | 1 |
| LN 19+00N 9+00E P | 36 | 35 | 77 | .1 | 295 | 1 |
| LN 19+00N 9+25E P | 34 | 35 | 58 | .2 | 301 | 31 |
| LN 19+00N 9+50E | 29 | 27 | 69 | .3 | 337 | 16 |
| LN 19+00N 9+75E | 448 | 52 | 134 | 3.1 | 16002 | 1960 |
| LN 19+00N 10+00E | 197 | 251 | 328 | 1.7 | 4440 | 480 |
| LN 19+00N 10+25E | 32 | 34 | 123 | .1 | 261 | 7 |
| LN 19+00N 10+50E | 40 | 15 | 137 | .2 | 227 | 1 |
| LN 19+00N 10+75E P | 57 | 99 | 169 | .1 | 60 | 3 |
| LN 19+00N 11+00E | 35 | 11 | 97 | .2 | 27 | 8 |
| LN 19+00N 11+25E | 12 | 19 | 69 | .1 | 24 | 1 |
| STD C/AU-S | 58 | 40 | 132 | 7.1 | 42 | 52 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 19+00N 11+50E | 45 | 12 | 50 | .1 | 13 | 2 |
| LN 19+00N 11+75E | 51 | 12 | 53 | .1 | 15 | 1 |
| LN 19+00N 12+00E | 54 | 14 | 63 | .1 | 262 | 14 |
| LN 19+00N 12+25E | 56 | 25 | 180 | .5 | 3068 | 510 |
| LN 19+00N 12+50E | 51 | 19 | 82 | .3 | 1573 | 450 |
| LN 19+00N 12+75E | 53 | 19 | 86 | .3 | 2038 | 130 |
| LN 19+00N 13+00E | 136 | 30 | 99 | .4 | 4376 | 215 |
| LN 19+00N 13+25E | 50 | 24 | 178 | .1 | 516 | 8 |
| LN 19+00N 13+50E | 32 | 25 | 73 | .1 | 38 | 1 |
| LN 18+00N 5+00E | 23 | 26 | 78 | .1 | 52 | 1 |
| LN 18+00N 5+25E | 22 | 19 | 98 | .1 | 18 | 2 |
| LN 18+00N 5+50E | 13 | 16 | 52 | .1 | 106 | 1 |
| LN 18+00N 5+75E | 7 | 14 | 36 | .1 | 15 | 1 |
| LN 18+00N 6+00E | 27 | 16 | 63 | .1 | 23 | 1 |
| LN 18+00N 6+25E | 16 | 11 | 40 | .2 | 9 | 1 |
| LN 18+00N 6+50E | 28 | 23 | 51 | .1 | 17 | 2 |
| LN 18+00N 6+75E | 46 | 27 | 48 | .1 | 27 | 4 |
| LN 18+00N 7+00E | 27 | 19 | 54 | .1 | 20 | 1 |
| LN 18+00N 7+25E | 8 | 10 | 54 | .1 | 15 | 1 |
| LN 18+00N 7+50E | 36 | 28 | 144 | .1 | 37 | 1 |
| LN 18+00N 7+75E | 19 | 17 | 71 | .1 | 39 | 9 |
| LN 18+00N 8+00E | 14 | 17 | 52 | .1 | 27 | 5 |
| LN 18+00N 8+25E | 16 | 18 | 60 | .1 | 19 | 8 |
| LN 18+00N 8+50E | 14 | 25 | 49 | .1 | 121 | 7 |
| LN 18+00N 8+75E | 25 | 21 | 51 | .1 | 57 | 2 |
| LN 18+00N 9+00E | 14 | 18 | 44 | .2 | 76 | 4 |
| LN 18+00N 9+25E | 25 | 20 | 51 | .1 | 47 | 8 |
| LN 18+00N 9+50E | 27 | 25 | 107 | .3 | 76 | 5 |
| LN 18+00N 9+75E | 26 | 22 | 54 | .1 | 174 | 21 |
| LN 18+00N 10+00E | 50 | 26 | 103 | .1 | 271 | 29 |
| LN 17+00N 5+00E | 36 | 29 | 132 | .1 | 22 | 22 |
| LN 17+00N 5+25E | 17 | 16 | 56 | .2 | 19 | 4 |
| LN 17+00N 5+50E | 17 | 21 | 70 | .1 | 14 | 11 |
| LN 17+00N 5+75E | 19 | 32 | 82 | .3 | 20 | 10 |
| LN 17+00N 6+00E | 12 | 15 | 53 | .2 | 16 | 8 |
| LN 17+00N 6+25E | 8 | 9 | 14 | .1 | 7 | 1 |
| STD C/AU-S | 59 | 42 | 133 | 6.6 | 42 | 51 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|-------------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 17+00N 6+50E P | 7 | 10 | 78 | .1 | 3 | 1 |
| LN 17+00N 6+75E | 5 | 15 | 51 | .1 | 2 | 1 |
| LN 17+00N 7+00E | 6 | 9 | 19 | .1 | 2 | 2 |
| LN 17+00N 7+25E | 6 | 20 | 49 | .1 | 2 | 1 |
| LN 17+00N 7+75E | 16 | 25 | 70 | .1 | 127 | 94 |
| LN 17+00N 8+00E | 20 | 22 | 71 | .1 | 23 | 2 |
| LN 17+00N 8+25E | 22 | 18 | 206 | .1 | 41 | 1 |
| LN 17+00N 8+50E | 25 | 18 | 79 | .1 | 48 | 2 |
| LN 17+00N 8+75E | 10 | 27 | 116 | .1 | 31 | 1 |
| LN 17+00N 9+00E | 7 | 19 | 115 | .1 | 31 | 8 |
| LN 17+00N 9+25E | 10 | 27 | 60 | .2 | 14 | 1 |
| LN 17+00N 9+50E | 33 | 33 | 67 | .1 | 131 | 4 |
| LN 17+00N 9+75E | 13 | 23 | 78 | .1 | 24 | 3 |
| LN 17+00N 10+00E | 10 | 14 | 58 | .1 | 22 | 77 |
| LN 17+00N 10+25E | 23 | 22 | 148 | .2 | 474 | 1 |
| LN 17+00N 10+50E | 25 | 17 | 193 | .1 | 1182 | 2 |
| LN 17+00N 10+75E | 38 | 16 | 64 | .1 | 482 | 16 |
| LN 17+00N 11+00E | 15 | 18 | 199 | .1 | 315 | 2 |
| LN 17+00N 11+25E | 27 | 19 | 285 | .1 | 72 | 5 |
| LN 17+00N 11+50E | 12 | 52 | 143 | .1 | 112 | 22 |
| LN 17+00N 11+75E | 52 | 386 | 845 | 1.0 | 1436 | 5 |
| LN 17+00N 12+00E | 18 | 86 | 246 | .1 | 45 | 3 |
| LN 17+00N 12+50E | 14 | 13 | 64 | .2 | 10 | 2 |
| LN 17+00N 12+75E | 24 | 26 | 68 | .2 | 20 | 5 |
| LN 16+00N 5+00E | 12 | 15 | 96 | .1 | 31 | 1 |
| LN 16+00N 5+25E | 28 | 30 | 128 | .1 | 122 | 11 |
| LN 16+00N 5+50E | 27 | 24 | 135 | .1 | 132 | 4 |
| LN 16+00N 5+75E | 53 | 24 | 140 | .1 | 131 | 1 |
| LN 16+00N 6+00E | 39 | 30 | 119 | .1 | 83 | 6 |
| LN 16+00N 6+25E | 16 | 22 | 77 | .1 | 14 | 2 |
| LN 16+00N 6+50E | 64 | 28 | 133 | .1 | 19 | 2 |
| LN 16+00N 6+75E | 18 | 26 | 47 | .1 | 14 | 3 |
| LN 16+00N 7+00E | 69 | 35 | 159 | .1 | 24 | 2 |
| LN 16+00N 7+25E | 16 | 19 | 48 | .1 | 12 | 1 |
| LN 16+00N 7+50E | 12 | 26 | 61 | .2 | 13 | 1 |
| LN 16+00N 7+75E | 6 | 10 | 29 | .1 | 11 | 2 |
| STD C/AU-S | 58 | 42 | 133 | 7.2 | 39 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 16+00N 8+00E | 29 | 33 | 51 | .1 | 12 | 1 |
| LN 16+00N 8+25E | 14 | 11 | 44 | .1 | 19 | 1 |
| LN 16+00N 8+50E | 3 | 8 | 14 | .1 | 6 | 1 |
| LN 16+00N 8+75E | 20 | 21 | 50 | .1 | 26 | 12 |
| LN 16+00N 9+00E | 38 | 21 | 44 | .1 | 74 | 3 |
| LN 16+00N 9+25E | 32 | 25 | 93 | .1 | 56 | 1 |
| LN 16+00N 9+50E | 43 | 18 | 173 | .1 | 130 | 1 |
| LN 16+00N 9+75E | 38 | 24 | 170 | .1 | 82 | 2 |
| LN 16+00N 10+25E | 40 | 15 | 85 | .1 | 33 | 1 |
| LN 16+00N 10+50E | 17 | 37 | 145 | .1 | 42 | 1 |
| LN 16+00N 10+75E | 23 | 75 | 124 | .7 | 284 | 13 |
| LN 16+00N 11+00E | 17 | 15 | 127 | .1 | 35 | 1 |
| LN 16+00N 11+25E | 29 | 21 | 113 | .1 | 561 | 1 |
| LN 16+00N 11+50E | 13 | 17 | 84 | .1 | 46 | 1 |
| LN 16+00N 11+75E | 31 | 45 | 192 | .1 | 63 | 1 |
| LN 16+00N 12+00E | 50 | 42 | 297 | .1 | 59 | 10 |
| LN 16+00N 12+25E | 21 | 16 | 92 | .1 | 441 | 32 |
| LN 16+00N 12+50E | 47 | 17 | 153 | .1 | 213 | 1 |
| LN 15+00N 5+00E | 59 | 26 | 153 | .4 | 96 | 1 |
| LN 15+00N 5+25E | 63 | 25 | 124 | .3 | 79 | 1 |
| LN 15+00N 5+50E | 57 | 41 | 147 | .3 | 76 | 2 |
| LN 15+00N 5+75E | 54 | 36 | 181 | .6 | 97 | 37 |
| LN 15+00N 6+00E | 72 | 38 | 150 | .6 | 103 | 8 |
| LN 15+00N 6+25E | 14 | 23 | 85 | .2 | 23 | 1 |
| LN 15+00N 6+50E | 22 | 22 | 113 | .1 | 44 | 1 |
| LN 15+00N 6+75E | 7 | 14 | 77 | .2 | 10 | 2 |
| LN 15+00N 7+00E | 21 | 15 | 77 | .1 | 17 | 1 |
| LN 15+00N 7+25E | 14 | 14 | 66 | .1 | 22 | 5 |
| LN 15+00N 7+50E | 20 | 23 | 55 | .2 | 23 | 1 |
| LN 15+00N 7+75E | 11 | 21 | 72 | .1 | 15 | 1 |
| LN 15+00N 8+00E | 18 | 24 | 77 | .1 | 21 | 1 |
| LN 15+00N 8+25E | 36 | 22 | 56 | .1 | 27 | 1 |
| LN 15+00N 8+50E | 20 | 22 | 58 | .2 | 46 | 1 |
| LN 15+00N 9+00E | 19 | 17 | 88 | .1 | 38 | 2 |
| LN 15+00N 9+25E | 16 | 16 | 51 | .2 | 24 | 1 |
| LN 15+00N 9+50E | 23 | 24 | 107 | .1 | 25 | 1 |
| STD C/AU-S | 57 | 40 | 132 | 7.1 | 42 | 50 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 15+00N 9+75E | 44 | 33 | 68 | .1 | 70 | 1 |
| LN 15+00N 10+00E | 11 | 19 | 44 | .1 | 26 | 2 |
| LN 15+00N 10+25E | 56 | 33 | 111 | .2 | 96 | 1 |
| LN 15+00N 11+00E | 14 | 42 | 107 | .1 | 255 | 9 |
| LN 15+00N 11+25E | 34 | 31 | 113 | .1 | 148 | 1 |
| LN 15+00N 11+50E | 14 | 33 | 335 | .1 | 70 | 8 |
| LN 15+00N 11+75E | 32 | 23 | 139 | .1 | 236 | 212 |
| LN 15+00N 12+00E | 8 | 14 | 88 | .1 | 22 | 5 |
| LN 15+00N 12+75E | 10 | 11 | 68 | .1 | 20 | 11 |
| LN 15+00N 13+00E | 18 | 20 | 42 | .3 | 16 | 1 |
| LN 14+00N 5+00E | 27 | 20 | 55 | .1 | 26 | 1 |
| LN 14+00N 5+25E | 30 | 43 | 83 | .4 | 57 | 1 |
| LN 14+00N 5+50E | 23 | 22 | 125 | .1 | 28 | 2 |
| LN 14+00N 5+75E | 20 | 17 | 98 | .1 | 17 | 34 |
| LN 14+00N 6+00E | 20 | 20 | 92 | .2 | 23 | 1 |
| LN 14+00N 6+25E | 18 | 20 | 114 | .1 | 11 | 1 |
| LN 14+00N 6+50E | 18 | 17 | 76 | .3 | 9 | 2 |
| LN 14+00N 6+75E | 38 | 21 | 69 | .1 | 12 | 1 |
| LN 14+00N 7+00E | 23 | 18 | 97 | .2 | 20 | 1 |
| LN 14+00N 7+25E | 14 | 21 | 73 | .1 | 19 | 1 |
| LN 14+00N 7+50E | 22 | 20 | 87 | .2 | 19 | 2 |
| LN 14+00N 7+75E | 35 | 19 | 127 | .2 | 56 | 3 |
| LN 14+00N 8+00E | 48 | 37 | 126 | .2 | 82 | 9 |
| LN 14+00N 8+25E | 26 | 22 | 82 | .1 | 15 | 29 |
| LN 14+00N 8+50E | 17 | 13 | 65 | .1 | 11 | 15 |
| LN 14+00N 8+75E | 22 | 20 | 137 | .2 | 24 | 7 |
| LN 14+00N 9+00E | 35 | 29 | 156 | .2 | 114 | 10 |
| LN 14+00N 9+25E | 8 | 17 | 56 | .2 | 20 | 3 |
| LN 14+00N 9+50E | 27 | 20 | 83 | .2 | 113 | 1 |
| LN 14+00N 9+75E | 19 | 20 | 101 | .1 | 74 | 1 |
| LN 14+00N 10+00E | 26 | 15 | 113 | .1 | 118 | 2 |
| LN 14+00N 10+25E | 24 | 23 | 74 | .1 | 37 | 2 |
| LN 14+00N 10+50E | 14 | 21 | 112 | .2 | 68 | 2 |
| LN 14+00N 10+75E | 25 | 17 | 67 | .2 | 185 | 3 |
| LN 14+00N 11+00E | 21 | 32 | 109 | .1 | 39 | 2 |
| LN 14+00N 11+25E | 56 | 53 | 1060 | .1 | 236 | 44 |
| STD C/AU-S | 59 | 40 | 132 | 6.7 | 44 | 51 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 14+00N 11+50E | 29 | 24 | 67 | .1 | 103 | 21 |
| LN 14+00N 11+75E | 10 | 16 | 44 | .1 | 44 | 3 |
| LN 14+00N 12+50E | 92 | 23 | 98 | .1 | 33 | 1 |
| LN 14+00N 12+75E | 29 | 35 | 132 | .1 | 42 | 2 |
| LN 14+00N 13+25E | 3 | 9 | 19 | .2 | 9 | 1 |
| LN 14+00N 13+50E | 35 | 71 | 86 | .1 | 50 | 1 |
| LN 14+00N 13+75E | 22 | 22 | 85 | .1 | 22 | 1 |
| LN 13+00N 5+00E | 18 | 16 | 89 | .1 | 19 | 1 |
| LN 13+00N 5+25E | 29 | 17 | 85 | .2 | 17 | 6 |
| LN 13+00N 5+50E | 255 | 29 | 613 | .3 | 38 | 1 |
| LN 13+00N 5+75E | 54 | 45 | 164 | .4 | 26 | 2 |
| LN 13+00N 6+00E | 99 | 33 | 220 | .1 | 20 | 3 |
| LN 13+00N 6+25E | 25 | 28 | 139 | .2 | 39 | 1 |
| LN 13+00N 6+50E | 37 | 24 | 129 | .2 | 21 | 9 |
| LN 13+00N 6+75E | 13 | 22 | 79 | .1 | 17 | 1 |
| LN 13+00N 7+00E | 24 | 22 | 121 | .1 | 25 | 4 |
| LN 13+00N 7+25E | 21 | 28 | 145 | .3 | 77 | 2 |
| LN 13+00N 7+50E | 23 | 23 | 137 | .2 | 15 | 1 |
| LN 13+00N 7+75E | 21 | 29 | 152 | .1 | 10 | 1 |
| LN 13+00N 8+00E | 9 | 17 | 50 | .1 | 12 | 1 |
| LN 13+00N 8+25E | 28 | 16 | 121 | .2 | 25 | 2 |
| LN 13+00N 8+50E | 22 | 17 | 97 | .1 | 12 | 5 |
| LN 13+00N 8+75E | 65 | 17 | 86 | .1 | 531 | 3 |
| LN 13+00N 9+00E | 40 | 15 | 107 | .1 | 33 | 5 |
| LN 13+00N 9+25E | 11 | 22 | 65 | .1 | 21 | 1 |
| LN 13+00N 9+50E | 9 | 12 | 41 | .1 | 7 | 1 |
| LN 13+00N 9+75E | 18 | 19 | 94 | .1 | 22 | 1 |
| LN 13+00N 10+00E | 29 | 22 | 161 | .1 | 47 | 25 |
| LN 13+00N 10+25E | 41 | 26 | 142 | .3 | 75 | 1 |
| LN 13+00N 10+50E | 53 | 30 | 101 | .2 | 82 | 7 |
| LN 13+00N 10+75E | 22 | 26 | 127 | .1 | 111 | 1 |
| LN 13+00N 11+00E | 43 | 24 | 112 | .1 | 200 | 1 |
| LN 13+00N 11+25E | 57 | 34 | 193 | .2 | 1082 | 1 |
| LN 13+00N 11+50E | 62 | 25 | 92 | .4 | 186 | 9 |
| LN 13+00N 11+75E | 48 | 24 | 71 | .1 | 161 | 6 |
| LN 13+00N 12+00E | 31 | 21 | 66 | .1 | 42 | 67 |
| STD C/AU-S | 58 | 42 | 132 | 7.1 | 40 | 48 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 13+00N 12+25E | 43 | 38 | 110 | .1 | 163 | 6 |
| LN 13+00N 12+50E | 22 | 26 | 54 | .1 | 26 | 2 |
| LN 13+00N 12+75E | 169 | 43 | 92 | .2 | 16 | 1 |
| LN 13+00N 13+00E | 70 | 24 | 100 | .9 | 147 | 80 |
| LN 13+00N 13+25E | 57 | 27 | 119 | .1 | 48 | 16 |
| LN 13+00N 13+50E | 46 | 24 | 89 | .1 | 46 | 1 |
| LN 12+00N 5+00E | 81 | 27 | 197 | .1 | 5 | 3 |
| LN 12+00N 5+25E | 33 | 24 | 78 | .1 | 9 | 1 |
| LN 12+00N 5+50E | 242 | 44 | 115 | 1.6 | 68 | 7 |
| LN 12+00N 5+75E | 96 | 39 | 171 | .8 | 97 | 6 |
| LN 12+00N 6+00E | 44 | 25 | 156 | .5 | 30 | 1 |
| LN 12+00N 6+50E | 40 | 30 | 113 | .3 | 117 | 2 |
| LN 12+00N 6+75E | 17 | 20 | 115 | .2 | 20 | 4 |
| LN 12+00N 7+00E | 62 | 29 | 119 | .4 | 45 | 1 |
| LN 12+00N 7+25E | 15 | 23 | 111 | .1 | 21 | 3 |
| LN 12+00N 7+50E | 16 | 24 | 93 | .1 | 17 | 33 |
| LN 12+00N 7+75E | 26 | 23 | 136 | .1 | 20 | 1 |
| LN 12+00N 8+00E | 27 | 20 | 66 | .1 | 21 | 2 |
| LN 12+00N 8+25E | 27 | 19 | 71 | .1 | 22 | 6 |
| LN 12+00N 8+50E | 24 | 20 | 68 | .1 | 13 | 1 |
| LN 12+00N 8+75E | 21 | 15 | 60 | .1 | 9 | 1 |
| LN 12+00N 9+00E | 14 | 12 | 51 | .1 | 9 | 16 |
| LN 12+00N 9+25E | 5 | 7 | 23 | .1 | 5 | 1 |
| LN 12+00N 9+75E | 32 | 23 | 93 | .1 | 33 | 5 |
| LN 12+00N 10+00E | 16 | 20 | 61 | .1 | 24 | 1 |
| LN 12+00N 10+25E | 87 | 20 | 228 | .1 | 131 | 46 |
| LN 12+00N 10+50E | 20 | 17 | 77 | .1 | 29 | 1 |
| LN 12+00N 10+75E | 14 | 29 | 58 | .1 | 9 | 1 |
| LN 12+00N 11+00E | 8 | 20 | 72 | .1 | 11 | 7 |
| LN 12+00N 11+25E | 7 | 11 | 34 | .1 | 8 | 4 |
| LN 12+00N 11+50E | 37 | 19 | 52 | .2 | 276 | 2 |
| LN 12+00N 11+75E | 5 | 21 | 27 | .1 | 270 | 1 |
| LN 12+00N 12+00E | 32 | 18 | 112 | .1 | 26 | 12 |
| LN 12+00N 12+50E | 42 | 20 | 59 | .1 | 30 | 8 |
| LN 12+00N 12+75E | 19 | 17 | 72 | .2 | 15 | 1 |
| LN 12+00N 13+00E | 9 | 20 | 63 | .1 | 11 | 1 |
| STD C/AU-S | 58 | 41 | 132 | 6.6 | 43 | 50 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 12+00N 13+25E | 8 | 10 | 22 | .1 | 5 | 1 |
| LN 12+00N 13+50E | 51 | 37 | 483 | .2 | 74 | 42 |
| LN 11+00N 5+00E | 43 | 20 | 61 | .6 | 15 | 3 |
| LN 11+00N 5+25E | 49 | 28 | 222 | .1 | 119 | 7 |
| LN 11+00N 5+50E | 38 | 24 | 169 | .2 | 125 | 27 |
| LN 11+00N 5+75E | 45 | 27 | 167 | .2 | 70 | 1 |
| LN 11+00N 6+00E | 18 | 17 | 94 | .2 | 17 | 2 |
| LN 11+00N 6+25E | 165 | 88 | 767 | 2.8 | 1532 | 23 |
| LN 11+00N 6+50E | 98 | 108 | 351 | .9 | 121 | 1 |
| LN 11+00N 6+75E | 108 | 282 | 813 | .4 | 328 | 3 |
| LN 11+00N 7+00E | 69 | 115 | 562 | 1.0 | 423 | 2 |
| LN 11+00N 7+25E | 48 | 29 | 111 | .2 | 141 | 6 |
| LN 11+00N 7+50E | 23 | 23 | 94 | .2 | 70 | 1 |
| LN 11+00N 7+75E | 13 | 18 | 113 | .1 | 35 | 1 |
| LN 11+00N 8+00E | 30 | 17 | 66 | .1 | 29 | 2 |
| LN 11+00N 8+25E | 19 | 19 | 84 | .1 | 27 | 1 |
| LN 11+00N 8+50E | 59 | 31 | 89 | .1 | 34 | 2 |
| LN 11+00N 8+75E | 9 | 10 | 46 | .1 | 11 | 4 |
| LN 11+00N 9+00E | 37 | 17 | 58 | .1 | 16 | 2 |
| LN 11+00N 9+25E | 30 | 15 | 93 | .1 | 13 | 1 |
| LN 11+00N 9+50E | 12 | 20 | 70 | .2 | 10 | 6 |
| LN 11+00N 9+75E | 19 | 19 | 73 | .1 | 20 | 1 |
| LN 11+00N 10+00E | 16 | 19 | 62 | .1 | 11 | 1 |
| LN 11+00N 10+50E | 66 | 19 | 109 | .1 | 37 | 1 |
| LN 11+00N 10+75E | 68 | 21 | 96 | .1 | 47 | 1 |
| LN 11+00N 11+00E | 74 | 26 | 85 | .1 | 24 | 4 |
| LN 11+00N 11+50E | 19 | 15 | 57 | .1 | 16 | 1 |
| LN 11+00N 11+75E | 58 | 19 | 90 | .1 | 26 | 1 |
| LN 11+00N 12+00E | 74 | 17 | 106 | .1 | 66 | 1 |
| LN 11+00N 12+25E | 88 | 20 | 196 | .1 | 34 | 1 |
| LN 11+00N 12+50E | 73 | 15 | 159 | .1 | 63 | 1 |
| LN 11+00N 12+75E | 73 | 20 | 203 | .1 | 128 | 1 |
| LN 11+00N 13+00E | 38 | 11 | 83 | .1 | 33 | 2 |
| LN 11+00N 13+25E | 31 | 11 | 84 | .1 | 19 | 1 |
| LN 11+00N 13+50E | 37 | 10 | 79 | .1 | 15 | 2 |
| LN 11+00N 13+75E | 12 | 11 | 60 | .1 | 11 | 1 |
| STD C/AU-S | 57 | 38 | 132 | 7.1 | 42 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 11+00N 14+00E | 28 | 23 | 87 | .1 | 12 | 1 |
| LN 10+00N 5+00E | 24 | 16 | 130 | .3 | 33 | 1 |
| LN 10+00N 5+25E | 19 | 31 | 85 | .3 | 46 | 2 |
| LN 10+00N 5+50E | 21 | 51 | 101 | .1 | 40 | 10 |
| LN 10+00N 5+75E | 31 | 22 | 107 | .1 | 60 | 1 |
| LN 10+00N 6+00E | 25 | 24 | 97 | .1 | 45 | 1 |
| LN 10+00N 6+25E | 15 | 18 | 92 | .1 | 22 | 1 |
| LN 10+00N 6+50E | 19 | 18 | 96 | .2 | 23 | 1 |
| LN 10+00N 6+75E | 16 | 26 | 92 | .2 | 13 | 1 |
| LN 10+00N 7+00E | 8 | 18 | 37 | .2 | 34 | 1 |
| LN 10+00N 7+25E | 84 | 63 | 445 | .7 | 216 | 4 |
| LN 10+00N 7+50E | 35 | 39 | 134 | .2 | 49 | 1 |
| LN 10+00N 7+75E | 24 | 22 | 70 | .1 | 32 | 2 |
| LN 10+00N 8+00E | 16 | 25 | 89 | .1 | 21 | 1 |
| LN 10+00N 8+25E | 51 | 21 | 118 | .1 | 36 | 1 |
| LN 10+00N 8+50E | 48 | 17 | 92 | .1 | 53 | 2 |
| LN 10+00N 8+75E | 30 | 20 | 80 | .1 | 21 | 1 |
| LN 10+00N 9+00E | 15 | 20 | 60 | .1 | 16 | 1 |
| LN 10+00N 9+25E | 33 | 22 | 63 | .1 | 41 | 1 |
| LN 10+00N 9+50E | 15 | 14 | 68 | .1 | 16 | 1 |
| LN 10+00N 9+75E | 23 | 10 | 93 | .1 | 11 | 3 |
| LN 10+00N 10+00E | 23 | 17 | 110 | .1 | 10 | 16 |
| LN 10+00N 10+25E | 15 | 13 | 63 | .1 | 15 | 1 |
| LN 10+00N 10+50E | 25 | 15 | 51 | .2 | 14 | 1 |
| LN 10+00N 10+75E | 7 | 11 | 45 | .2 | 8 | 1 |
| LN 10+00N 11+00E | 36 | 13 | 85 | .1 | 31 | 7 |
| LN 10+00N 11+25E | 16 | 10 | 74 | .1 | 11 | 1 |
| LN 10+00N 11+50E | 20 | 12 | 66 | .3 | 11 | 6 |
| LN 10+00N 11+75E | 15 | 16 | 80 | .2 | 12 | 8 |
| LN 10+00N 12+00E | 18 | 14 | 86 | .1 | 33 | 24 |
| LN 10+00N 12+25E | 17 | 14 | 75 | .2 | 35 | 1 |
| LN 10+00N 12+50E | 18 | 15 | 75 | .1 | 31 | 1 |
| LN 10+00N 12+75E | 37 | 16 | 58 | .1 | 15 | 1 |
| LN 10+00N 13+00E | 24 | 15 | 48 | .1 | 15 | 2 |
| LN 10+00N 13+25E | 45 | 21 | 41 | .1 | 20 | 1 |
| LN 10+00N 13+50E | 12 | 17 | 23 | .1 | 8 | 1 |
| STD C/AU-S | 57 | 39 | 132 | 7.1 | 40 | 52 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|----------------------|-----------|-----------|-----------|-----------|-----------|------------|
| LN 10+00N 13+75E | 44 | 39 | 121 | .1 | 34 | 2 |
| LN 10+00N 14+00E | 17 | 18 | 147 | .1 | 17 | 1 |
| LN 10+00N 14+25E | 29 | 16 | 85 | .1 | 22 | 1 |
| LN 10+00N 14+50E | 50 | 19 | 72 | .1 | 41 | 6 |
| LN 10+00N 14+75E | 19 | 28 | 138 | .1 | 18 | 1 |
| LN 10+00N 14+75E A P | 24 | 45 | 118 | .1 | 22 | 1 |
| LN 10+00N 15+00E | 21 | 20 | 87 | .1 | 13 | 1 |
| LN 10+00N 15+00E A P | 43 | 33 | 132 | .5 | 21 | 1 |
| LN 10+00N 15+25E | 13 | 19 | 54 | .1 | 9 | 1 |
| LN 10+00N 15+25E A | 5 | 8 | 32 | .1 | 7 | 1 |
| LN 10+00N 15+50E | 18 | 28 | 102 | .1 | 12 | 1 |
| LN 10+00N 15+50E A | 16 | 37 | 74 | .2 | 15 | 1 |
| NU NUMBER | 9 | 17 | 55 | .1 | 6 | 3 |
| STD C/AU-S | 58 | 40 | 132 | 7.1 | 42 | 49 |

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: SEP 23 1988

DATE REPORT MAILED: *Sept. 30/88.*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN PB SR CA P LA CR NG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. FILE # 88-4738 Page 1

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------|-----------|-----------|-----------|-----------|-----------|------------|
| 094466 | 19 | 44 | 33 | .3 | 8 | 8 |
| 094467 | 63 | 12 | 32 | .6 | 18 | 5 |
| 094468 | 167 | 6 | 25 | .5 | 7 | 9 |
| 094469 | 45 | 8 | 34 | .3 | 25 | 4 |
| 094470 | 29 | 12 | 53 | .3 | 21 | 15 |
| 094471 | 12 | 13 | 42 | .3 | 17 | 2 |
| 094472 | 42 | 12 | 34 | .2 | 54 | 3 |
| 094473 | 88 | 21 | 49 | .4 | 44 | 8 |
| 094474 | 71 | 161 | 1299 | 1.1 | 353 | 1 |
| 094475 | 522 | 8 | 35 | .6 | 2 | 11 |
| 094476 | 435 | 5 | 37 | 1.1 | 2 | 28 |
| 094477 | 255 | 6 | 30 | .8 | 2 | 20 |
| 094478 | 186 | 7 | 20 | .5 | 4 | 18 |
| 094479 | 160 | 5 | 18 | .4 | 6 | 12 |
| 094480 | 150 | 6 | 24 | .7 | 2 | 22 |
| 094481 | 117 | 8 | 21 | .5 | 6 | 16 |
| 094482 | 95 | 14 | 27 | .5 | 8 | 5 |
| 094483 | 82 | 5 | 26 | .4 | 2 | 7 |
| 094484 | 58 | 10 | 44 | .2 | 9 | 11 |
| 094485 | 75 | 7 | 45 | .5 | 14 | 22 |
| 094486 | 66 | 31 | 41 | 4.0 | 7721 | 1440 |
| 094487 | 21 | 10 | 33 | .7 | 1219 | 68 |
| 094488 | 26 | 20 | 31 | .9 | 952 | 9 |
| 094489 | 37 | 14 | 42 | .4 | 513 | 62 |
| 094490 | 33 | 7 | 48 | .2 | 11 | 6 |
| 094491 | 28 | 8 | 29 | .2 | 11 | 8 |
| 094492 | 45 | 9 | 42 | .6 | 444 | 176 |
| 094493 | 31 | 8 | 48 | .3 | 9 | 5 |
| 094494 | 58 | 4 | 43 | .3 | 21 | 10 |
| 094495 | 145 | 27 | 42 | 1.7 | 16596 | 1080 |
| 094496 | 109 | 11 | 34 | 1.0 | 1103 | 320 |
| 094497 | 73 | 36 | 97 | .7 | 887 | 56 |
| 094498 | 44 | 8 | 43 | .2 | 280 | 51 |
| 094499 | 89 | 8 | 52 | .1 | 33 | 12 |
| 094500 | 84 | 12 | 65 | .5 | 1048 | 54 |
| 094501 | 133 | 6 | 71 | .3 | 21 | 12 |
| STD C/AU-R | 58 | 41 | 132 | 6.8 | 40 | 490 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------|-----------|-----------|-----------|-----------|-----------|------------|
| 094502 | 54 | 8 | 61 | .1 | 11 | 6 |
| 094503 | 47 | 7 | 53 | .1 | 20 | 2 |
| 094504 | 38 | 4 | 45 | .1 | 108 | 22 |
| 094505 | 39 | 5 | 39 | .1 | 32 | 2 |
| 094506 | 24 | 6 | 51 | .1 | 47 | 7 |
| 094507 | 111 | 4 | 53 | .3 | 61 | 147 |
| 094508 | 53 | 3 | 63 | .1 | 38 | 8 |
| 094509 | 108 | 31 | 681 | .7 | 1700 | 92 |
| 094510 | 105 | 17 | 1392 | .3 | 2353 | 75 |
| 094511 | 208 | 20 | 337 | 1.2 | 1036 | 119 |
| STD C/AU-R | 58 | 35 | 132 | 6.5 | 41 | 505 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: SEP 23 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Sept. 30/88.*

ASSAY CERTIFICATE

- SAMPLE TYPE: ROCK

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. FILE # 88-4738A

| SAMPLE# | Ag OZ/T | Au OZ/T |
|----------|------------|------------|
| RH-1026 | .04 | .107 |
| RH-1027 | .03 | .065 |
| RH-1027A | .02 | .076 |
| RH-1028 | .01 | .001 |
| RH-1029 | .01 | .015 |
| RH-1030 | .01 | .001 |
| RH-1031 | 4.42 | 12.740 |
| RH-1031A | 5.73 | .867 |
| RH-1032 | 1.82 | .153 |
| RH-1033 | 2.32 | .010 |
| RH-1034 | 46.86 | .612 |
| RH-1035 | 7.79 | .299 |
| RH-1036 | 9.10 | .697 |
| RH-1037 | .77 | .216 |
| RH-1038 | .25 | .308 |
| RH-1039 | .58 | .231 |
| RH-1040 | .15 | .077 |
| RH-1041 | .32 | .183 |
| RH-1042 | .34 | .487 |
| RH-1051 | .01 | .001 |
| RH-1052 | .02 | .005 |
| RH-1053 | 1.53 | .861 |
| RH-1054 | .08 | .014 |
| RH-1055 | .72 | .825 |
| RH-1056 | .02 | .002 |
| RH-1057 | .04 | .085 |
| RH-1058 | .01 | .059 |
| RH-1059 | .02 | .031 |
| RH-1060 | .01 | .051 |

ACME ANALYTICAL LABORATORIES LTD.
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: SEP 29 1988

Oct 13/88
 DATE REPORT MAILED:

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN PB SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: SOIL -80 MESH AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE. *P - Pulverized.*

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON FILE # 88-4992 Page 1

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| L0+00S 3+25W | 31 | 23 | 76 | .1 | 12 | 10 |
| L0+00S 3+00W | 29 | 33 | 73 | .3 | 18 | 1 |
| L0+00S 2+50W | 15 | 10 | 43 | .2 | 11 | 1 |
| L0+00S 2+25W | 28 | 17 | 90 | .1 | 9 | 4 |
| L0+00S 2+00W | 38 | 23 | 74 | .2 | 14 | 14 |
| L0+00S 1+75W | 17 | 18 | 51 | .1 | 13 | 38 |
| L0+00S 1+50W | 31 | 17 | 71 | .1 | 31 | 3 |
| L0+00S 1+25W | 15 | 12 | 20 | .2 | 20 | 1 |
| L0+00S 1+00W | 34 | 21 | 82 | .1 | 21 | 2 |
| L0+00S 0+75W | 21 | 21 | 48 | .4 | 14 | 1 |
| L0+00S 0+50W | 26 | 12 | 88 | .2 | 12 | 1 |
| L0+00S 0+25W | 10 | 4 | 25 | .1 | 12 | 1 |
| L0+00S 0+00W | 5 | 15 | 24 | .2 | 5 | 5 |
| L0+00S 0+25E | 11 | 9 | 36 | .3 | 11 | 1 |
| L0+00S 0+50E | 20 | 10 | 54 | .2 | 9 | 2 |
| L0+00S 0+75E | 30 | 34 | 61 | .1 | 23 | 1 |
| L0+00S 1+00E | 13 | 9 | 41 | .1 | 10 | 68 |
| L0+00S 1+25E | 21 | 15 | 61 | .1 | 14 | 1 |
| L0+00S 1+50E | 9 | 10 | 32 | .2 | 7 | 1 |
| L0+00S 1+75E | 22 | 2 | 51 | .1 | 13 | 1 |
| L0+00S 2+00E | 6 | 24 | 16 | .1 | 3 | 1 |
| L0+00S 2+25E | 35 | 72 | 137 | .1 | 22 | 1 |
| L0+00S 2+50E | 7 | 73 | 28 | .3 | 6 | 1 |
| L0+00S 2+75E | 19 | 31 | 62 | .1 | 18 | 55 |
| L0+00S 3+00E | 31 | 47 | 70 | .1 | 9 | 1 |
| L0+00S 3+25E | 39 | 23 | 87 | .1 | 13 | 1 |
| L0+00S 3+50E | 14 | 9 | 50 | .2 | 13 | 1 |
| L0+00S 3+75E | 15 | 63 | 68 | .1 | 11 | 1 |
| L0+00S 4+00E | 11 | 18 | 44 | .2 | 19 | 2 |
| L0+00S 4+25E | 31 | 32 | 64 | .1 | 22 | 1 |
| L0+00S 4+50E | 18 | 19 | 61 | .2 | 8 | 1 |
| L0+00S 4+75E | 27 | 26 | 53 | .2 | 13 | 1 |
| L0+00S 5+00E | 35 | 21 | 59 | .2 | 27 | 1 |
| L0+00S 5+25E | 13 | 16 | 49 | .1 | 13 | 1 |
| L0+00S 5+50E | 11 | 11 | 39 | .3 | 15 | 1 |
| L0+00S 5+75E | 22 | 20 | 78 | .1 | 13 | 3 |
| STD C/AU-S | 60 | 37 | 132 | 7.4 | 43 | 51 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L0+00S 6+00E | 5 | 17 | 34 | .1 | 5 | 1 |
| L0+00S 6+25E | 35 | 28 | 55 | .2 | 44 | 2 |
| L0+00S 6+50E | 40 | 82 | 46 | .3 | 76 | 1 |
| L0+00S 6+75E | 145 | 42 | 48 | .1 | 22 | 1 |
| L0+00S 7+00E | 20 | 16 | 57 | .2 | 9 | 1 |
| L0+00S 7+25E | 13 | 28 | 76 | .1 | 13 | 1 |
| L0+00S 7+50E | 30 | 30 | 132 | .2 | 23 | 1 |
| L0+00S 7+75E | 27 | 29 | 190 | .1 | 28 | 3 |
| L0+00S 8+00E | 22 | 25 | 70 | .3 | 29 | 1 |
| L0+00S 8+25E | 43 | 31 | 88 | .1 | 25 | 1 |
| L0+00S 8+50E | 29 | 29 | 67 | .1 | 19 | 21 |
| L0+00S 8+75E | 5 | 11 | 36 | .1 | 4 | 1 |
| L0+00S 9+00E P | 7 | 24 | 26 | .2 | 2 | 1 |
| L0+00S 9+25E | 8 | 10 | 17 | .1 | 3 | 1 |
| L0+00S 9+50E | 32 | 25 | 84 | .3 | 17 | 1 |
| L0+00S 9+75E | 30 | 19 | 44 | .2 | 23 | 1 |
| L0+00S 10+00E | 31 | 19 | 51 | .1 | 18 | 8 |
| L1+00S 4+50W | 29 | 23 | 81 | .4 | 16 | 1 |
| L1+00S 4+25W | 20 | 21 | 58 | .3 | 19 | 3 |
| L1+00S 4+00W | 13 | 32 | 40 | .4 | 15 | 1 |
| L1+00S 3+75W | 26 | 25 | 104 | .1 | 26 | 1 |
| L1+00S 3+50W | 34 | 21 | 123 | .1 | 32 | 1 |
| L1+00S 3+25W | 23 | 20 | 62 | .2 | 19 | 1 |
| L1+00S 3+00W | 12 | 28 | 46 | .4 | 12 | 1 |
| L1+00S 2+75W | 12 | 23 | 43 | .5 | 15 | 1 |
| L1+00S 2+50W | 8 | 15 | 35 | .4 | 14 | 54 |
| L1+00S 2+25W | 8 | 17 | 27 | .2 | 11 | 1 |
| L1+00S 2+00W | 19 | 17 | 67 | .3 | 13 | 1 |
| L1+00S 1+75W | 25 | 22 | 78 | .1 | 20 | 1 |
| L1+00S 1+50W | 25 | 23 | 81 | .1 | 26 | 1 |
| L1+00S 1+25W | 16 | 16 | 38 | .4 | 12 | 1 |
| L1+00S 1+00W | 19 | 25 | 61 | .5 | 17 | 1 |
| L1+00S 0+75W | 4 | 8 | 18 | .2 | 7 | 2 |
| L1+00S 0+50W | 9 | 18 | 37 | .4 | 12 | 5 |
| L1+00S 0+25W | 16 | 15 | 52 | .3 | 10 | 1 |
| L1+00S 0+00W | 13 | 14 | 48 | .3 | 15 | 1 |
| STD C/AU-S | 57 | 42 | 132 | 6.8 | 39 | 51 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L2+00S 7+00W | 37 | 17 | 82 | .2 | 21 | 1 |
| L2+00S 6+75W | 38 | 13 | 81 | .1 | 21 | 1 |
| L2+00S 6+50W | 38 | 17 | 73 | .1 | 23 | 1 |
| L2+00S 6+25W | 20 | 9 | 59 | .4 | 22 | 1 |
| L2+00S 6+00W | 5 | 13 | 23 | .1 | 4 | 1 |
| L2+00S 5+75W | 13 | 13 | 27 | .2 | 7 | 2 |
| L2+00S 5+50W | 10 | 18 | 35 | .3 | 15 | 1 |
| L2+00S 5+25W | 9 | 14 | 40 | .2 | 12 | 2 |
| L2+00S 5+00W | 13 | 6 | 43 | .1 | 9 | 1 |
| L2+00S 4+75W | 12 | 15 | 43 | .4 | 12 | 1 |
| L2+00S 4+50W | 15 | 13 | 46 | .2 | 11 | 1 |
| L2+00S 4+25W | 17 | 19 | 60 | .1 | 12 | 1 |
| L2+00S 4+00W | 17 | 16 | 69 | .1 | 14 | 1 |
| L2+00S 3+75W | 22 | 18 | 50 | .5 | 26 | 1 |
| L2+00S 3+50W | 21 | 13 | 56 | .1 | 14 | 2 |
| L2+00S 3+25W | 21 | 24 | 59 | .1 | 14 | 4 |
| L2+00S 3+00W | 24 | 29 | 62 | .1 | 15 | 1 |
| L2+00S 2+75W | 25 | 17 | 64 | .1 | 20 | 1 |
| L2+00S 2+50W | 29 | 16 | 73 | .2 | 12 | 1 |
| L2+00S 2+25W | 16 | 15 | 43 | .1 | 15 | 2 |
| L2+00S 2+00W | 11 | 18 | 40 | .2 | 7 | 1 |
| L2+00S 1+75W | 12 | 12 | 35 | .1 | 8 | 2 |
| L2+00S 1+50W | 18 | 19 | 89 | .1 | 7 | 1 |
| L2+00S 1+25W | 24 | 15 | 100 | .1 | 8 | 1 |
| L2+00S 1+00W | 25 | 14 | 58 | .1 | 13 | 1 |
| L2+00S 0+75W | 35 | 22 | 63 | .1 | 19 | 1 |
| L2+00S 0+50W | 35 | 31 | 60 | .1 | 19 | 3 |
| L2+00S 0+25W | 21 | 18 | 51 | .1 | 12 | 6 |
| L2+00S 0+00W P | 17 | 17 | 51 | .3 | 14 | 12 |
| L2+00S 0+00E P | 31 | 16 | 52 | .2 | 19 | 1 |
| L2+00S 0+50E P | 19 | 21 | 62 | .1 | 21 | 1 |
| L2+00S 0+75E | 21 | 14 | 74 | .1 | 21 | 2 |
| L2+00S 1+00E P | 24 | 18 | 70 | .1 | 29 | 1 |
| L2+00S 1+25E | 14 | 17 | 62 | .1 | 16 | 2 |
| L2+00S 1+50E | 22 | 16 | 51 | .1 | 29 | 76 |
| L2+00S 1+75E | 24 | 20 | 77 | .2 | 18 | 6 |
| STD C/AU-S | 58 | 36 | 131 | 7.0 | 37 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L2+00S 2+00E | 14 | 24 | 39 | .1 | 23 | 1 |
| L2+00S 2+50E | 27 | 23 | 62 | .3 | 44 | 1 |
| L2+00S 2+75E | 19 | 23 | 67 | .4 | 19 | 2 |
| L2+00S 3+00E P | 16 | 26 | 62 | .2 | 12 | 1 |
| L2+00S 3+25E | 22 | 28 | 58 | .2 | 20 | 3 |
| L2+00S 3+50E | 41 | 28 | 72 | .1 | 18 | 28 |
| L2+00S 3+75E P | 15 | 27 | 71 | .1 | 15 | 1 |
| L2+00S 4+00E | 18 | 20 | 53 | .1 | 12 | 2 |
| L2+00S 4+25E | 17 | 26 | 70 | .2 | 18 | 1 |
| L2+00S 4+50E | 12 | 23 | 35 | .1 | 14 | 1 |
| L2+00S 4+75E | 12 | 21 | 44 | .1 | 15 | 2 |
| L2+00S 5+00E | 29 | 25 | 58 | .1 | 21 | 1 |
| L2+00S 5+25E P | 11 | 21 | 45 | .1 | 11 | 2 |
| L2+00S 6+00E P | 35 | 29 | 158 | .1 | 19 | 13 |
| L2+00S 6+25E P | 15 | 18 | 69 | .1 | 12 | 1 |
| L2+00S 6+50E P | 10 | 14 | 56 | .1 | 11 | 1 |
| L2+00S 6+75E P | 10 | 16 | 56 | .1 | 12 | 2 |
| L2+00S 7+00E | 8 | 17 | 70 | .2 | 10 | 1 |
| L2+00S 7+25E P | 14 | 24 | 69 | .1 | 22 | 1 |
| L2+00S 7+50E | 17 | 22 | 68 | .2 | 17 | 3 |
| L2+00S 7+75E P | 20 | 25 | 78 | .2 | 20 | 1 |
| L2+00S 8+00E | 11 | 19 | 77 | .1 | 16 | 1 |
| L2+00S 8+25E | 17 | 25 | 105 | .2 | 14 | 1 |
| L2+00S 8+75E P | 21 | 21 | 64 | .1 | 15 | 1 |
| L2+00S 9+00E | 35 | 26 | 75 | .1 | 16 | 5 |
| L2+00S 9+25E | 26 | 23 | 94 | .1 | 16 | 2 |
| L2+00S 9+50E | 19 | 26 | 123 | .1 | 23 | 7 |
| L2+00S 9+75E | 26 | 26 | 82 | .2 | 17 | 3 |
| L2+00S 10+00E | 37 | 21 | 71 | .1 | 17 | 9 |
| L3+00S 8+00W | 26 | 21 | 69 | .2 | 15 | 8 |
| L3+00S 7+50W | 24 | 23 | 37 | .5 | 18 | 1 |
| L3+00S 7+25W P | 12 | 58 | 207 | .2 | 9 | 4 |
| L3+00S 7+00W P | 19 | 21 | 60 | .8 | 20 | 7 |
| L3+00S 6+50W | 7 | 12 | 23 | .3 | 11 | 1 |
| L3+00S 6+25W | 37 | 34 | 37 | .3 | 36 | 1 |
| L3+00S 6+00W | 27 | 11 | 29 | .6 | 14 | 1 |
| STD C/AU-S | 59 | 38 | 132 | 7.1 | 41 | 48 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| L3+00S 5+75W | 18 | 6 | 41 | .4 | 20 | 1 |
| L3+00S 5+50W | 14 | 9 | 44 | .4 | 11 | 1 |
| L3+00S 5+25W | 13 | 18 | 40 | .5 | 10 | 1 |
| L3+00S 5+00W | 15 | 3 | 39 | .4 | 9 | 2 |
| L3+00S 4+50W | 10 | 5 | 27 | .2 | 5 | 1 |
| L3+00S 4+25W | 26 | 14 | 51 | .2 | 15 | 1 |
| L3+00S 4+00W | 22 | 24 | 70 | .8 | 21 | 9 |
| L3+00S 3+75W | 26 | 13 | 60 | .2 | 12 | 1 |
| L3+00S 3+50W | 15 | 5 | 42 | .3 | 15 | 3 |
| L3+00S 3+25W | 29 | 15 | 71 | .1 | 17 | 9 |
| L3+00S 3+00W | 13 | 15 | 36 | .3 | 12 | 1 |
| L3+00S 2+75W | 14 | 24 | 40 | .2 | 11 | 3 |
| L3+00S 2+50W | 6 | 14 | 27 | .2 | 6 | 1 |
| L3+00S 2+25W | 10 | 11 | 44 | .2 | 11 | 1 |
| L3+00S 2+00W | 26 | 6 | 173 | .1 | 6 | 1 |
| L3+00S 1+75W | 9 | 12 | 43 | .3 | 10 | 2 |
| L3+00S 1+50W | 19 | 25 | 43 | .1 | 13 | 1 |
| L3+00S 1+25W | 20 | 27 | 52 | .2 | 15 | 1 |
| L3+00S 1+00W | 14 | 13 | 51 | .4 | 7 | 1 |
| L3+00S 0+75W | 27 | 15 | 56 | .3 | 17 | 2 |
| L3+00S 0+50W | 14 | 23 | 49 | .1 | 10 | 1 |
| L3+00S 0+25W | 8 | 9 | 31 | .4 | 7 | 1 |
| L3+00S 0+00W | 12 | 14 | 42 | .3 | 14 | 1 |
| L4+00S 8+50W | 24 | 18 | 65 | .2 | 14 | 1 |
| L4+00S 8+25W | 36 | 9 | 100 | .1 | 14 | 3 |
| L4+00S 8+00W | 69 | 17 | 87 | 1.3 | 9 | 1 |
| L4+00S 7+25W | 75 | 26 | 75 | .7 | 142 | 1 |
| L4+00S 7+00W | 5 | 12 | 15 | .1 | 2 | 1 |
| L4+00S 6+75W | 42 | 26 | 42 | .4 | 35 | 2 |
| L4+00S 6+50W | 61 | 27 | 32 | .7 | 50 | 1 |
| L4+00S 6+25W | 26 | 32 | 73 | .2 | 27 | 1 |
| L4+00S 6+00W | 88 | 26 | 71 | .5 | 59 | 1 |
| L4+00S 5+75W | 16 | 13 | 28 | .2 | 12 | 1 |
| L4+00S 5+50W | 15 | 13 | 35 | .4 | 21 | 4 |
| L4+00S 5+25W | 18 | 18 | 29 | .3 | 21 | 12 |
| L4+00S 5+00W | 21 | 4 | 40 | .3 | 18 | 1 |
| STD C/AU-S | 60 | 39 | 132 | 6.9 | 38 | 50 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| L4+00S 4+75W | 20 | 18 | 38 | .3 | 12 | 1 |
| L4+00S 4+50W | 23 | 19 | 49 | .3 | 24 | 2 |
| L4+00S 4+25W | 13 | 16 | 57 | .3 | 15 | 1 |
| L4+00S 4+00W | 43 | 13 | 36 | .2 | 6 | 1 |
| L4+00S 3+75W | 25 | 13 | 49 | .1 | 13 | 1 |
| L4+00S 3+50W | 18 | 22 | 52 | .1 | 16 | 1 |
| L4+00S 3+25W | 18 | 13 | 60 | .1 | 15 | 1 |
| L4+00S 3+00W | 22 | 22 | 59 | .1 | 13 | 2 |
| L4+00S 2+75W | 23 | 19 | 61 | .3 | 13 | 1 |
| L4+00S 2+50W | 10 | 19 | 25 | .2 | 9 | 1 |
| L4+00S 2+25W | 17 | 21 | 43 | .2 | 9 | 1 |
| L4+00S 2+00W | 13 | 12 | 47 | .1 | 13 | 1 |
| L4+00S 1+75W | 20 | 18 | 62 | .1 | 15 | 22 |
| L4+00S 1+50W | 13 | 16 | 37 | .2 | 6 | 2 |
| L4+00S 1+25W | 31 | 24 | 78 | .1 | 23 | 1 |
| L4+00S 1+00W | 25 | 23 | 141 | .1 | 17 | 2 |
| L4+00S 0+75W | 53 | 31 | 101 | .2 | 35 | 1 |
| L4+00S 0+50W | 24 | 21 | 79 | .4 | 51 | 1 |
| L4+00S 0+25W | 34 | 24 | 77 | .3 | 30 | 2 |
| L4+00S 0+00W | 48 | 16 | 81 | .1 | 13 | 3 |
| L4+00S 0+00E | 26 | 20 | 91 | .1 | 11 | 1 |
| L4+00S 0+25E | 16 | 27 | 67 | .1 | 19 | 1 |
| L4+00S 0+50E | 37 | 27 | 123 | .1 | 12 | 1 |
| L4+00S 0+75E | 16 | 23 | 90 | .1 | 17 | 1 |
| L4+00S 1+00E | 29 | 19 | 90 | .2 | 16 | 2 |
| L4+00S 1+25E | 32 | 22 | 72 | .2 | 14 | 1 |
| L4+00S 1+50E | 33 | 20 | 76 | .1 | 17 | 2 |
| L4+00S 1+75E | 42 | 23 | 66 | .2 | 18 | 1 |
| L4+00S 2+00E | 12 | 13 | 34 | .1 | 15 | 1 |
| L4+00S 2+25E | 20 | 20 | 63 | .1 | 12 | 2 |
| L4+00S 2+50E | 15 | 46 | 48 | .2 | 14 | 1 |
| L4+00S 2+75E | 16 | 19 | 48 | .1 | 13 | 1 |
| L4+00S 3+00E | 17 | 26 | 53 | .1 | 10 | 35 |
| L4+00S 3+25E | 30 | 27 | 56 | .1 | 17 | 1 |
| L4+00S 3+50E | 19 | 31 | 68 | .1 | 9 | 2 |
| L4+00S 3+75E | 33 | 17 | 63 | .1 | 12 | 1 |
| STD C/AU-S | 58 | 36 | 133 | 6.8 | 37 | 51 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| L4+00S 4+00E | 34 | 27 | 72 | .1 | 6 | 4 |
| L4+00S 4+25E | 33 | 19 | 64 | .1 | 16 | 1 |
| L4+00S 4+50E | 18 | 15 | 72 | .1 | 17 | 1 |
| L4+00S 4+75E | 9 | 18 | 38 | .1 | 10 | 1 |
| L4+00S 5+00E | 14 | 17 | 62 | .1 | 12 | 2 |
| L4+00S 5+25E | 24 | 17 | 64 | .1 | 14 | 1 |
| L4+00S 5+50E | 21 | 23 | 58 | .1 | 20 | 1 |
| L4+00S 5+75E | 11 | 18 | 42 | .1 | 15 | 2 |
| L4+00S 6+00E | 32 | 26 | 158 | .1 | 19 | 1 |
| L4+00S 6+50E | 9 | 23 | 53 | .1 | 13 | 2 |
| L4+00S 6+75E | 11 | 25 | 71 | .1 | 12 | 1 |
| L4+00S 7+00E | 12 | 25 | 65 | .1 | 12 | 1 |
| L4+00S 7+25E | 9 | 27 | 67 | .1 | 14 | 1 |
| L4+00S 7+50E | 18 | 26 | 82 | .1 | 18 | 2 |
| L4+00S 7+75E | 49 | 26 | 53 | .2 | 13 | 10 |
| L4+00S 8+00E | 16 | 25 | 72 | .2 | 19 | 1 |
| L4+00S 8+25E | 22 | 25 | 58 | .1 | 17 | 1 |
| L4+00S 8+50E | 10 | 19 | 58 | .1 | 13 | 2 |
| L4+00S 8+75E | 16 | 22 | 79 | .1 | 12 | 1 |
| L4+00S 9+25E | 66 | 29 | 107 | .1 | 25 | 5 |
| L4+00S 9+50E | 75 | 27 | 89 | .1 | 33 | 1 |
| L4+00S 9+75E | 26 | 14 | 39 | .1 | 17 | 4 |
| L5+00S 9+50W | 2 | 8 | 22 | .1 | 6 | 1 |
| L5+00S 9+25W | 2 | 10 | 16 | .1 | 3 | 2 |
| L5+00S 9+00W | 3 | 13 | 25 | .1 | 4 | 1 |
| L5+00S 8+75W | 20 | 15 | 29 | .2 | 15 | 1 |
| L5+00S 8+50W | 20 | 17 | 59 | .1 | 15 | 1 |
| L5+00S 8+25W | 9 | 12 | 59 | .1 | 12 | 12 |
| L5+00S 7+25W | 16 | 18 | 27 | .1 | 12 | 6 |
| L5+00S 7+00W | 4 | 9 | 17 | .1 | 3 | 1 |
| L5+00S 6+75W | 47 | 15 | 47 | .3 | 26 | 3 |
| L5+00S 6+25W | 7 | 7 | 68 | .2 | 6 | 2 |
| L5+00S 6+00W | 12 | 19 | 41 | .3 | 14 | 8 |
| L5+00S 5+75W | 20 | 28 | 43 | .5 | 13 | 1 |
| L5+00S 5+50W | 30 | 29 | 66 | .3 | 16 | 11 |
| L5+00S 5+00W | 19 | 21 | 36 | .1 | 7 | 3 |
| STD C/AU-S | 58 | 41 | 132 | 7.2 | 40 | 50 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| L5+00S 4+75W | 33 | 41 | 84 | .3 | 47 | 5 |
| L5+00S 4+50W | 13 | 16 | 49 | .3 | 7 | 1 |
| L5+00S 4+25W | 18 | 31 | 41 | .1 | 28 | 1 |
| L5+00S 4+00W | 8 | 15 | 26 | .3 | 6 | 1 |
| L5+00S 3+75W | 13 | 18 | 31 | .2 | 6 | 7 |
| L5+00S 3+00W | 17 | 27 | 40 | .2 | 21 | 1 |
| L5+00S 2+75W | 13 | 25 | 42 | .4 | 12 | 1 |
| L5+00S 2+50W | 16 | 12 | 39 | .5 | 9 | 1 |
| L5+00S 2+25W | 14 | 22 | 46 | .3 | 16 | 1 |
| L5+00S 2+00W | 14 | 20 | 50 | .2 | 17 | 1 |
| L5+00S 1+75W | 20 | 19 | 61 | .2 | 8 | 1 |
| L5+00S 1+50W | 12 | 23 | 36 | .1 | 9 | 1 |
| L5+00S 1+25W | 37 | 29 | 43 | .1 | 30 | 2 |
| L5+00S 1+00W | 55 | 24 | 51 | .3 | 13 | 20 |
| L5+00S 0+75W | 23 | 21 | 51 | .3 | 10 | 2 |
| L5+00S 0+00W | 38 | 31 | 77 | .1 | 35 | 1 |
| L5+00S 0+25E | 24 | 20 | 55 | .3 | 16 | 1 |
| L5+00S 0+50E | 18 | 18 | 49 | .2 | 11 | 33 |
| L5+00S 0+75E | 50 | 26 | 48 | .1 | 35 | 4 |
| L5+00S 1+00E | 32 | 19 | 40 | .3 | 18 | 1 |
| L5+00S 1+25E | 19 | 24 | 64 | .2 | 12 | 1 |
| L5+00S 1+50E | 36 | 39 | 61 | .1 | 38 | 1 |
| L5+00S 1+75E | 9 | 15 | 21 | .1 | 6 | 1 |
| L5+00S 2+00E | 15 | 12 | 33 | .2 | 7 | 1 |
| L5+00S 2+25E | 38 | 24 | 43 | .1 | 24 | 1 |
| L5+00S 2+50E | 22 | 31 | 39 | .1 | 24 | 1 |
| L5+00S 2+75E | 10 | 14 | 37 | .3 | 8 | 9 |
| L5+00S 3+00E | 38 | 37 | 68 | .2 | 23 | 1 |
| L5+00S 3+25E | 48 | 32 | 51 | .2 | 40 | 1 |
| L5+00S 3+50E | 21 | 31 | 45 | .2 | 19 | 1 |
| L5+00S 3+75E | 62 | 44 | 68 | .1 | 88 | 1 |
| L5+00S 4+00E | 21 | 17 | 46 | .3 | 21 | 2 |
| L5+00S 4+25E | 17 | 22 | 54 | .2 | 18 | 2 |
| L5+00S 4+50E | 15 | 18 | 36 | .1 | 19 | 1 |
| L5+00S 4+75E | 11 | 17 | 57 | .2 | 9 | 6 |
| L5+00S 5+00E | 9 | 8 | 46 | .2 | 11 | 1 |
| STD C/AU-S | 58 | 39 | 132 | 6.7 | 37 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| L5+00S 5+25E | 18 | 22 | 67 | .1 | 10 | 1 |
| L5+00S 5+50E | 34 | 27 | 42 | .1 | 14 | 1 |
| L5+00S 5+75E | 18 | 17 | 76 | .2 | 14 | 1 |
| L5+00S 6+00E | 27 | 20 | 85 | .1 | 21 | 1 |
| L5+00S 6+25E | 13 | 22 | 86 | .3 | 14 | 1 |
| L5+00S 6+50E | 7 | 11 | 26 | .3 | 10 | 1 |
| L5+00S 6+75E | 26 | 25 | 116 | .1 | 10 | 1 |
| L5+00S 7+00E | 11 | 13 | 84 | .2 | 8 | 1 |
| L5+00S 7+25E | 10 | 28 | 71 | .2 | 12 | 1 |
| L5+00S 7+50E | 19 | 18 | 97 | .1 | 11 | 17 |
| L5+00S 7+75E | 60 | 20 | 91 | .2 | 16 | 2 |
| L5+00S 8+00E | 39 | 20 | 87 | .2 | 15 | 1 |
| L5+00S 8+25E | 15 | 14 | 64 | .2 | 13 | 1 |
| L5+00S 8+50E | 17 | 16 | 51 | .1 | 10 | 25 |
| L5+00S 8+75E | 16 | 21 | 81 | .2 | 11 | 1 |
| L5+00S 9+00E | 36 | 37 | 72 | .1 | 18 | 2 |
| L5+00S 9+25E | 61 | 24 | 89 | .1 | 20 | 42 |
| L5+00S 9+50E | 63 | 28 | 111 | .3 | 22 | 2 |
| L5+00S 9+75E | 29 | 27 | 110 | .1 | 25 | 1 |
| L5+00S 10+00E | 33 | 22 | 89 | .1 | 49 | 2 |
| L6+00S 10+00W | 12 | 13 | 23 | .3 | 9 | 1 |
| L6+00S 9+75W | 8 | 6 | 33 | .4 | 13 | 1 |
| L6+00S 9+50W | 4 | 8 | 19 | .2 | 5 | 1 |
| L6+00S 9+00W | 5 | 9 | 20 | .2 | 4 | 1 |
| L6+00S 8+50W | 10 | 13 | 32 | .2 | 8 | 1 |
| L6+00S 8+25W | 7 | 29 | 63 | .1 | 7 | 1 |
| L6+00S 8+00W | 30 | 12 | 44 | .5 | 16 | 1 |
| L6+00S 7+75W | 27 | 17 | 47 | .2 | 17 | 1 |
| L6+00S 7+50W | 23 | 13 | 45 | .2 | 11 | 1 |
| L6+00S 7+25W | 27 | 18 | 60 | .2 | 12 | 1 |
| L6+00S 7+00W | 16 | 12 | 48 | .3 | 13 | 33 |
| L6+00S 6+75W | 23 | 11 | 56 | .2 | 8 | 1 |
| L6+00S 6+50W | 8 | 2 | 24 | .2 | 6 | 1 |
| L6+00S 6+25W | 26 | 13 | 43 | .2 | 9 | 1 |
| L6+00S 6+00W | 16 | 9 | 42 | .3 | 16 | 1 |
| L6+00S 5+75W | 10 | 11 | 38 | .3 | 9 | 1 |
| STD C/AU-S | 57 | 37 | 132 | 7.1 | 36 | 50 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| L6+00S 5+50W | 9 | 12 | 23 | .2 | 11 | 1 |
| L6+00S 5+25W | 11 | 17 | 32 | .2 | 12 | 1 |
| L6+00S 5+00W | 16 | 16 | 39 | .3 | 15 | 1 |
| L6+00S 4+75W | 17 | 27 | 45 | .2 | 14 | 1 |
| L6+00S 4+50W | 10 | 16 | 36 | .2 | 9 | 1 |
| L6+00S 4+25W | 9 | 20 | 34 | .3 | 9 | 1 |
| L6+00S 4+00W | 22 | 18 | 46 | .1 | 12 | 3 |
| L6+00S 3+50W | 26 | 18 | 70 | .1 | 15 | 5 |
| L6+00S 3+25W | 11 | 20 | 40 | .3 | 12 | 1 |
| L6+00S 3+00W | 35 | 31 | 67 | .3 | 17 | 1 |
| L6+00S 2+75W | 15 | 15 | 36 | .3 | 13 | 9 |
| L6+00S 2+50W | 30 | 19 | 52 | .4 | 22 | 3 |
| L6+00S 2+25W | 10 | 11 | 26 | .3 | 8 | 1 |
| L6+00S 2+00W | 15 | 28 | 34 | .3 | 14 | 2 |
| L6+00S 1+75W | 48 | 21 | 42 | .5 | 26 | 1 |
| L6+00S 1+50W | 53 | 43 | 65 | .2 | 40 | 1 |
| L6+00S 1+25W | 51 | 46 | 55 | .6 | 24 | 3 |
| L6+00S 1+00W | 54 | 27 | 69 | .3 | 23 | 1 |
| L6+00S 0+75W | 42 | 29 | 58 | .5 | 35 | 1 |
| L6+00S 0+25W | 41 | 24 | 52 | .7 | 24 | 2 |
| L6+00S 0+00E | 27 | 24 | 47 | .4 | 27 | 2 |
| L6+00S 0+25E | 25 | 25 | 52 | .3 | 14 | 6 |
| L6+00S 0+50E | 21 | 25 | 54 | .3 | 17 | 1 |
| L6+00S 1+25E | 83 | 25 | 58 | .3 | 37 | 2 |
| L6+00S 1+50E | 74 | 39 | 44 | .2 | 23 | 1 |
| L6+00S 1+75E | 14 | 12 | 31 | .3 | 11 | 16 |
| L6+00S 2+25E | 54 | 17 | 52 | .2 | 28 | 390 |
| L6+00S 2+50E | 18 | 23 | 48 | .3 | 16 | 1 |
| L6+00S 2+75E | 35 | 27 | 47 | .2 | 16 | 1 |
| L6+00S 3+00E | 11 | 16 | 29 | .1 | 10 | 10 |
| L6+00S 3+25E | 43 | 31 | 59 | .1 | 14 | 1 |
| L6+00S 3+50E | 53 | 51 | 78 | .3 | 44 | 25 |
| L6+00S 3+75E | 55 | 21 | 44 | .1 | 24 | 21 |
| L6+00S 4+00E | 76 | 55 | 63 | .2 | 41 | 82 |
| L6+00S 4+25E | 67 | 46 | 97 | .5 | 51 | 19 |
| L6+00S 4+50E | 29 | 19 | 60 | .3 | 14 | 1 |
| STD C/AU-S | 57 | 39 | 132 | 6.9 | 42 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| L6+00S 4+75E | 20 | 12 | 76 | .3 | 14 | 2 |
| L6+00S 5+00E | 32 | 18 | 61 | .3 | 22 | 1 |
| L6+00S 5+25E | 17 | 23 | 66 | .2 | 11 | 3 |
| L6+00S 5+50E | 17 | 10 | 47 | .1 | 11 | 1 |
| L6+00S 5+75E | 9 | 17 | 54 | .1 | 11 | 1 |
| L6+00S 6+00E | 30 | 29 | 93 | .1 | 8 | 3 |
| L6+00S 6+25E | 39 | 23 | 64 | .2 | 14 | 2 |
| L6+00S 6+50E | 11 | 16 | 37 | .2 | 12 | 1 |
| L6+00S 6+75E | 19 | 19 | 69 | .3 | 15 | 1 |
| L6+00S 7+00E | 29 | 19 | 48 | .3 | 9 | 1 |
| L6+00S 7+50E | 14 | 16 | 32 | .4 | 7 | 36 |
| L6+00S 7+75E | 26 | 17 | 96 | .2 | 8 | 2 |
| L6+00S 8+00E | 22 | 25 | 103 | .2 | 12 | 1 |
| L6+00S 8+25E | 38 | 25 | 71 | .2 | 18 | 2 |
| L6+00S 8+50E | 25 | 20 | 70 | .1 | 19 | 1 |
| L6+00S 9+00E | 28 | 27 | 73 | .1 | 19 | 1 |
| L6+00S 9+25E | 40 | 32 | 116 | .1 | 13 | 2 |
| L6+00S 9+50E | 58 | 24 | 88 | .1 | 311 | 9 |
| L6+00S 9+75E | 47 | 44 | 138 | .2 | 161 | 4 |
| L6+00S 10+00E | 28 | 26 | 85 | .1 | 101 | 2 |
| L7+00S 10+00W | 7 | 3 | 22 | .1 | 12 | 1 |
| L7+00S 9+75W | 9 | 18 | 25 | .2 | 8 | 1 |
| L7+00S 9+50W | 20 | 17 | 50 | .1 | 25 | 1 |
| L7+00S 9+25W | 22 | 18 | 56 | .1 | 38 | 2 |
| L7+00S 9+00W | 15 | 10 | 44 | .3 | 14 | 1 |
| L7+00S 8+75W | 7 | 17 | 30 | .4 | 6 | 1 |
| L7+00S 8+50W | 23 | 17 | 40 | .6 | 8 | 1 |
| L7+00S 8+25W | 21 | 15 | 59 | .1 | 16 | 1 |
| L7+00S 8+00W | 22 | 7 | 60 | .4 | 16 | 2 |
| L7+00S 7+50W | 8 | 20 | 31 | .3 | 9 | 1 |
| L7+00S 7+25W | 22 | 20 | 64 | .2 | 19 | 1 |
| L7+00S 7+00W | 17 | 21 | 48 | .2 | 12 | 1 |
| L7+00S 6+75W | 5 | 4 | 17 | .3 | 4 | 6 |
| L7+00S 6+50W | 14 | 5 | 42 | .2 | 11 | 1 |
| L7+00S 6+25W | 42 | 38 | 52 | .8 | 7 | 1 |
| L7+00S 6+00W | 23 | 13 | 53 | .2 | 12 | 1 |
| STD C/AU-S | 60 | 38 | 132 | 6.9 | 41 | 53 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L7+00S 5+75W | 21 | 18 | 51 | .2 | 18 | 1 |
| L7+00S 5+50W | 12 | 18 | 47 | .3 | 13 | 7 |
| L7+00S 5+25W | 5 | 9 | 24 | .2 | 6 | 1 |
| L7+00S 5+00W | 5 | 2 | 22 | .2 | 2 | 1 |
| L7+00S 4+75W | 10 | 12 | 31 | .2 | 13 | 1 |
| L7+00S 4+50W | 2 | 8 | 20 | .1 | 2 | 34 |
| L7+00S 4+25W | 10 | 15 | 33 | .1 | 9 | 5 |
| L7+00S 4+00W | 8 | 15 | 50 | .1 | 16 | 3 |
| L7+00S 3+75W | 29 | 39 | 60 | .2 | 15 | 2 |
| L7+00S 3+50W | 20 | 14 | 75 | .2 | 18 | 2 |
| L7+00S 3+00W | 13 | 17 | 43 | .3 | 16 | 4 |
| L7+00S 2+75W | 20 | 35 | 52 | .7 | 17 | 1 |
| L7+00S 2+50W | 5 | 15 | 20 | .2 | 2 | 1 |
| L7+00S 2+25W | 11 | 20 | 40 | .1 | 8 | 3 |
| L7+00S 2+00W | 10 | 14 | 33 | .2 | 10 | 2 |
| L7+00S 1+75W | 3 | 10 | 14 | .1 | 3 | 1 |
| L7+00S 1+50W | 26 | 20 | 78 | .1 | 12 | 1 |
| L7+00S 1+25W | 5 | 7 | 21 | .1 | 6 | 1 |
| L7+00S 1+00W | 7 | 14 | 33 | .3 | 6 | 2 |
| L7+00S 0+75W | 18 | 13 | 46 | .2 | 10 | 1 |
| L7+00S 0+50W | 95 | 28 | 92 | .1 | 18 | 3 |
| L8+00S 10+00W | 8 | 12 | 34 | .1 | 6 | 2 |
| L8+00S 9+50W | 3 | 17 | 26 | .1 | 7 | 1 |
| L8+00S 9+25W | 11 | 19 | 45 | .3 | 7 | 3 |
| L8+00S 9+00W | 13 | 23 | 43 | .3 | 12 | 1 |
| L8+00S 8+75W | 15 | 16 | 37 | .3 | 7 | 1 |
| L8+00S 8+25W | 17 | 15 | 47 | .3 | 8 | 9 |
| L8+00S 8+00W | 18 | 16 | 72 | .2 | 9 | 41 |
| L8+00S 8+00W A | 22 | 26 | 64 | .2 | 14 | 1 |
| L8+00S 7+75W | 17 | 7 | 66 | .3 | 13 | 33 |
| L8+00S 7+50W | 20 | 13 | 66 | .1 | 14 | 1 |
| L8+00S 7+25W | 17 | 22 | 64 | .2 | 12 | 1 |
| L8+00S 7+00W | 18 | 24 | 56 | .1 | 17 | 5 |
| L8+00S 6+75W | 6 | 11 | 17 | .1 | 3 | 1 |
| L8+00S 6+50W | 15 | 21 | 41 | .2 | 16 | 2 |
| L8+00S 6+25W | 3 | 8 | 21 | .1 | 2 | 1 |
| STD C/AU-S | 57 | 43 | 131 | 7.1 | 39 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L8+00S 6+00W | 11 | 16 | 25 | .3 | 17 | 1 |
| L8+00S 5+75W | 7 | 6 | 18 | .5 | 7 | 21 |
| L8+00S 5+50W | 7 | 26 | 31 | .3 | 7 | 1 |
| L8+00S 5+25W | 20 | 28 | 60 | .2 | 26 | 1 |
| L8+00S 5+00W | 11 | 12 | 27 | .4 | 11 | 1 |
| L8+00S 4+75W | 19 | 26 | 56 | .5 | 12 | 2 |
| L8+00S 4+50W | 11 | 25 | 27 | .2 | 17 | 1 |
| L8+00S 4+25W | 53 | 30 | 74 | .4 | 42 | 7 |
| L8+00S 4+00W | 11 | 11 | 27 | .4 | 12 | 2 |
| L8+00S 3+75W | 10 | 19 | 26 | .2 | 14 | 1 |
| L8+00S 3+50W | 6 | 16 | 22 | .1 | 9 | 1 |
| L8+00S 3+25W | 15 | 17 | 57 | .3 | 13 | 1 |
| L8+00S 3+00W | 7 | 16 | 25 | .1 | 10 | 1 |
| L8+00S 2+75W | 24 | 31 | 40 | .1 | 22 | 2 |
| L8+00S 2+50W | 22 | 15 | 46 | .3 | 14 | 1 |
| L8+00S 2+25W | 28 | 25 | 48 | .3 | 19 | 1 |
| L8+00S 2+00W | 27 | 34 | 41 | .2 | 28 | 1 |
| L8+00S 1+75W | 15 | 15 | 41 | .3 | 13 | 1 |
| L8+00S 1+50W | 86 | 18 | 64 | .3 | 28 | 1 |
| L8+00S 1+25W | 32 | 22 | 48 | .3 | 22 | 2 |
| L8+00S 1+00W | 24 | 14 | 42 | .3 | 21 | 1 |
| L8+00S 0+75W | 27 | 22 | 51 | .2 | 15 | 1 |
| L8+00S 0+50W | 41 | 46 | 69 | 2.5 | 52 | 1 |
| L8+00S 0+25W | 163 | 55 | 135 | .1 | 43 | 1 |
| L8+00S 0+00W | 41 | 31 | 73 | .1 | 31 | 1 |
| L8+00S 0+00W A | 140 | 38 | 136 | .1 | 24 | 1 |
| L8+00S 0+00E | 26 | 28 | 105 | .2 | 28 | 1 |
| L8+00S 0+25E | 24 | 19 | 61 | .1 | 27 | 2 |
| L8+00S 0+50E | 14 | 14 | 59 | .3 | 14 | 1 |
| L8+00S 0+75E | 13 | 19 | 40 | .1 | 15 | 1 |
| L8+00S 1+00E | 19 | 17 | 56 | .2 | 23 | 19 |
| L8+00S 1+25E | 44 | 19 | 62 | .1 | 22 | 187 |
| L8+00S 1+50E | 21 | 17 | 56 | .1 | 12 | 1 |
| L8+00S 2+00E | 25 | 24 | 97 | .1 | 30 | 2 |
| L8+00S 2+25E | 39 | 23 | 78 | .1 | 30 | 7 |
| L8+00S 2+50E | 19 | 20 | 52 | .1 | 18 | 6 |
| STD C/AU-S | 57 | 39 | 132 | 7.0 | 42 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| L8+00S 2+75E | 12 | 15 | 39 | .1 | 5 | 1 |
| L8+00S 3+00E | 27 | 24 | 120 | .1 | 14 | 1 |
| L8+00S 3+25E | 390 | 348 | 436 | 1.3 | 25 | 126 |
| L8+00S 3+50E | 49 | 41 | 177 | .4 | 19 | 7 |
| L8+00S 3+75E | 26 | 28 | 99 | .2 | 19 | 1 |
| L8+00S 4+50E | 54 | 21 | 95 | .3 | 21 | 1 |
| L8+00S 4+75E | 47 | 25 | 85 | .2 | 27 | 2 |
| L8+00S 5+00E | 19 | 13 | 46 | .2 | 21 | 1 |
| L8+00S 5+25E | 16 | 16 | 54 | .2 | 12 | 1 |
| L8+00S 5+75E | 41 | 23 | 66 | .1 | 36 | 1 |
| L8+00S 6+00E | 32 | 26 | 69 | .2 | 20 | 1 |
| L8+00S 6+25E | 14 | 16 | 25 | .1 | 18 | 1 |
| L8+00S 6+50E | 44 | 22 | 68 | .2 | 16 | 1 |
| L8+00S 6+75E | 30 | 17 | 64 | .2 | 20 | 1 |
| L8+00S 7+25E | 43 | 33 | 71 | .1 | 23 | 1 |
| L8+00S 7+50E | 33 | 16 | 65 | .1 | 20 | 1 |
| L8+00S 7+75E | 40 | 23 | 60 | .1 | 17 | 1 |
| L8+00S 8+00E | 30 | 16 | 56 | .1 | 16 | 1 |
| L8+00S 8+25E | 40 | 26 | 105 | .1 | 19 | 3 |
| L8+00S 8+50E | 58 | 25 | 82 | .1 | 22 | 4 |
| L8+00S 8+75E | 53 | 31 | 88 | .2 | 20 | 1 |
| L8+00S 9+00E | 38 | 38 | 85 | .1 | 29 | 1 |
| L8+00S 9+25E | 28 | 26 | 75 | .1 | 20 | 1 |
| L8+00S 9+50E | 32 | 23 | 60 | .1 | 25 | 1 |
| L8+00S 9+75E | 38 | 23 | 73 | .1 | 21 | 6 |
| L8+00S 10+00E | 73 | 25 | 84 | .1 | 36 | 3 |
| L9+00S 10+00W | 16 | 18 | 37 | .1 | 7 | 1 |
| L9+00S 9+75W | 6 | 2 | 25 | .1 | 7 | 1 |
| L9+00S 9+50W | 4 | 2 | 20 | .1 | 12 | 1 |
| L9+00S 9+25W | 18 | 13 | 41 | .2 | 24 | 1 |
| L9+00S 9+00W | 23 | 18 | 74 | .6 | 12 | 2 |
| L9+00S 8+75W | 27 | 21 | 55 | .8 | 13 | 1 |
| L9+00S 8+50W | 23 | 9 | 57 | .1 | 13 | 1 |
| L9+00S 8+25W | 4 | 2 | 24 | .1 | 4 | 1 |
| L9+00S 8+00W | 7 | 2 | 38 | .1 | 10 | 1 |
| L9+00S 7+75W | 15 | 5 | 41 | .1 | 13 | 1 |
| STD C/AU-S | 59 | 42 | 132 | 7.2 | 44 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L9+00S 7+50W | 6 | 8 | 29 | .1 | 9 | 1 |
| L9+00S 7+25W | 5 | 16 | 26 | .1 | 9 | 1 |
| L9+00S 7+00W | 10 | 21 | 54 | .3 | 16 | 3 |
| L9+00S 6+50W | 9 | 16 | 29 | .3 | 10 | 1 |
| L9+00S 6+25W | 25 | 19 | 87 | .1 | 19 | 2 |
| L9+00S 6+00W | 19 | 17 | 62 | .2 | 17 | 2 |
| L9+00S 5+75W | 26 | 23 | 58 | .3 | 18 | 2 |
| L9+00S 5+50W | 5 | 4 | 21 | .1 | 4 | 1 |
| L9+00S 5+25W | 9 | 16 | 39 | .2 | 14 | 2 |
| L9+00S 5+00W | 50 | 44 | 146 | .1 | 34 | 6 |
| L9+00S 4+75W | 2 | 3 | 17 | .1 | 2 | 5 |
| L9+00S 4+50W | 2 | 3 | 18 | .2 | 2 | 4 |
| L9+00S 4+25W | 5 | 3 | 19 | .1 | 3 | 2 |
| L9+00S 4+00W | 43 | 42 | 164 | .1 | 35 | 6 |
| L9+00S 3+75W | 3 | 14 | 23 | .2 | 4 | 2 |
| L9+00S 3+50W | 3 | 8 | 21 | .1 | 2 | 1 |
| L9+00S 3+25W | 13 | 21 | 46 | .4 | 10 | 3 |
| L9+00S 3+00W | 19 | 31 | 49 | .5 | 20 | 1 |
| L9+00S 2+75W | 22 | 25 | 42 | .2 | 15 | 1 |
| L9+00S 2+50W | 6 | 15 | 26 | .2 | 5 | 3 |
| L9+00S 2+25W | 27 | 46 | 65 | .1 | 18 | 1 |
| L9+00S 2+00W | 20 | 17 | 51 | .2 | 58 | 2 |
| L9+00S 1+75W | 28 | 31 | 77 | .3 | 22 | 1 |
| L9+00S 1+50W | 25 | 28 | 72 | .4 | 11 | 2 |
| L9+00S 1+25W | 30 | 23 | 67 | .1 | 16 | 2 |
| L9+00S 1+00W | 18 | 18 | 49 | .2 | 17 | 1 |
| L9+00S 0+75W | 5 | 13 | 27 | .4 | 16 | 1 |
| L9+00S 0+50W | 46 | 19 | 69 | .1 | 17 | 1 |
| L9+00S 0+25W | 8 | 11 | 23 | .4 | 10 | 1 |
| L10+00S 10+00W | 21 | 17 | 66 | .2 | 52 | 1 |
| L10+00S 9+75W | 15 | 37 | 53 | .1 | 24 | 2 |
| L10+00S 9+50W | 14 | 34 | 86 | .1 | 12 | 1 |
| L10+00S 9+00W | 17 | 26 | 85 | .1 | 16 | 1 |
| L10+00S 8+75W | 15 | 21 | 78 | .2 | 12 | 2 |
| L10+00S 8+00W | 10 | 10 | 46 | .1 | 9 | 1 |
| L10+00S 7+75W | 23 | 13 | 53 | .3 | 16 | 4 |
| STD C/AU-S | 57 | 39 | 132 | 7.2 | 40 | 53 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| L10+00S 7+50W | 17 | 7 | 48 | .5 | 12 | 2 |
| L10+00S 7+25W | 43 | 17 | 87 | .3 | 23 | 1 |
| L10+00S 7+00W | 45 | 28 | 82 | .1 | 39 | 1 |
| L10+00S 6+75W | 45 | 19 | 79 | .3 | 27 | 1 |
| L10+00S 6+50W | 30 | 15 | 71 | .2 | 36 | 6 |
| L10+00S 6+25W | 30 | 20 | 47 | .1 | 27 | 1 |
| L10+00S 6+00W | 14 | 13 | 58 | .5 | 6 | 2 |
| L10+00S 5+50W | 11 | 19 | 46 | .1 | 15 | 1 |
| L10+00S 5+25W | 27 | 31 | 125 | .4 | 14 | 1 |
| L10+00S 5+00W | 20 | 29 | 71 | .3 | 9 | 1 |
| L10+00S 4+50W | 23 | 29 | 72 | .4 | 23 | 1 |
| L10+00S 4+25W | 14 | 11 | 44 | .2 | 11 | 1 |
| L10+00S 4+00W | 17 | 22 | 39 | .1 | 23 | 2 |
| L10+00S 3+75W | 14 | 14 | 41 | .3 | 12 | 1 |
| L10+00S 3+50W | 26 | 15 | 217 | .1 | 111 | 1 |
| L10+00S 3+25W | 8 | 8 | 33 | .1 | 10 | 1 |
| L10+00S 2+75W | 30 | 19 | 57 | .3 | 10 | 1 |
| L10+00S 2+50W | 25 | 13 | 54 | .1 | 25 | 1 |
| L10+00S 2+25W | 17 | 19 | 46 | .1 | 17 | 1 |
| L10+00S 2+00W | 13 | 7 | 32 | .2 | 19 | 2 |
| L10+00S 1+75W | 67 | 28 | 63 | .2 | 39 | 1 |
| L10+00S 1+50W | 74 | 29 | 73 | .3 | 44 | 7 |
| L10+00S 1+25W | 19 | 12 | 50 | .2 | 11 | 1 |
| L10+00S 1+00W | 30 | 24 | 57 | .1 | 23 | 5 |
| L10+00S 0+75W | 36 | 23 | 79 | .1 | 28 | 1 |
| L10+00S 0+50W | 24 | 14 | 67 | .1 | 19 | 1 |
| L10+00S 0+25W | 33 | 25 | 63 | .3 | 21 | 1 |
| L10+00S 0+00W | 38 | 25 | 77 | .2 | 32 | 2 |
| L10+00S BASELINE | 23 | 18 | 62 | .3 | 21 | 1 |
| L10+00S 0+25E | 38 | 25 | 168 | .2 | 11 | 1 |
| L10+00S 0+50E | 41 | 29 | 151 | .1 | 25 | 1 |
| L10+00S 1+00E | 28 | 22 | 51 | .2 | 18 | 3 |
| L10+00S 1+25E | 21 | 18 | 55 | .2 | 17 | 1 |
| L10+00S 1+50E | 15 | 25 | 37 | .1 | 24 | 1 |
| L10+00S 1+75E | 27 | 22 | 57 | .1 | 40 | 1 |
| L10+00S 2+00E | 39 | 29 | 68 | .1 | 22 | 3 |
| STD C/AU-S | 56 | 38 | 131 | 7.0 | 38 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|-----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L10+00S 2+25E | 9 | 17 | 32 | .1 | 15 | 265 |
| L10+00S 2+50E | 36 | 38 | 80 | .3 | 31 | 1 |
| L10+00S 2+75E | 64 | 31 | 106 | .3 | 25 | 1 |
| L10+00S 3+00E | 29 | 26 | 70 | .2 | 16 | 1 |
| L10+00S 3+25E | 49 | 34 | 64 | .3 | 46 | 1 |
| L10+00S 3+50E P | 41 | 24 | 73 | .2 | 28 | 2 |
| L10+00S 3+75E | 78 | 50 | 127 | .3 | 37 | 1 |
| L10+00S 4+00E | 71 | 29 | 104 | .2 | 33 | 1 |
| L10+00S 4+25E | 53 | 35 | 114 | .2 | 27 | 1 |
| L10+00S 4+50E | 65 | 83 | 113 | .3 | 20 | 3 |
| L10+00S 4+75E | 89 | 32 | 87 | .2 | 28 | 5 |
| L10+00S 5+00E | 42 | 23 | 76 | .1 | 22 | 1 |
| L10+00S 5+25E | 43 | 28 | 49 | .2 | 21 | 1 |
| L10+00S 5+50E | 75 | 28 | 85 | .1 | 23 | 16 |
| L10+00S 5+75E | 59 | 31 | 97 | .2 | 29 | 1 |
| L10+00S 6+00E | 62 | 32 | 103 | .1 | 32 | 1 |
| L10+00S 6+25E | 69 | 26 | 101 | .1 | 29 | 1 |
| L10+00S 6+50E | 58 | 32 | 100 | .1 | 28 | 1 |
| L10+00S 6+75E | 43 | 35 | 91 | .1 | 29 | 1 |
| L10+00S 7+00E | 53 | 25 | 86 | .3 | 30 | 2 |
| L10+00S 7+25E | 39 | 22 | 84 | .1 | 28 | 1 |
| L10+00S 7+50E | 69 | 30 | 90 | .1 | 27 | 1 |
| L10+00S 7+75E | 55 | 18 | 73 | .1 | 20 | 1 |
| L10+00S 8+00E | 48 | 75 | 313 | .3 | 22 | 1 |
| L10+00S 8+25E | 58 | 31 | 107 | .2 | 30 | 2 |
| L10+00S 8+50E | 61 | 19 | 77 | .1 | 23 | 4 |
| L10+00S 8+75E | 54 | 21 | 63 | .1 | 29 | 4 |
| L10+00S 9+00E | 51 | 50 | 98 | .1 | 28 | 1 |
| L10+00S 9+25E | 54 | 54 | 106 | .1 | 21 | 1 |
| L10+00S 9+50E | 58 | 66 | 132 | .1 | 26 | 10 |
| L10+00S 9+75E | 55 | 61 | 125 | .1 | 33 | 1 |
| L10+00S 10+00E | 25 | 26 | 73 | .1 | 17 | 1 |
| L11+00S 9+75W | 13 | 20 | 52 | .3 | 17 | 2 |
| L11+00S 9+50W | 10 | 20 | 68 | .2 | 10 | 1 |
| L11+00S 9+00W | 12 | 23 | 53 | .2 | 12 | 1 |
| L11+00S 8+50W | 16 | 13 | 50 | .1 | 16 | 1 |
| STD C/AU-S | 59 | 41 | 132 | 6.6 | 39 | 52 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|-----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L11+00S 8+25W | 12 | 21 | 54 | .1 | 14 | 1 |
| L11+00S 7+75W | 41 | 24 | 93 | .1 | 31 | 1 |
| L11+00S 7+50W | 23 | 20 | 89 | .2 | 25 | 1 |
| L11+00S 7+25W | 8 | 14 | 30 | .1 | 13 | 1 |
| L11+00S 7+00W | 16 | 21 | 64 | .4 | 13 | 1 |
| L11+00S 6+75W | 26 | 27 | 80 | .1 | 20 | 1 |
| L11+00S 6+50W | 19 | 14 | 85 | .5 | 11 | 1 |
| L11+00S 6+25W P | 14 | 12 | 167 | .1 | 2 | 1 |
| L11+00S 6+00W | 24 | 14 | 60 | .1 | 19 | 2 |
| L11+00S 5+75W | 36 | 28 | 66 | .1 | 23 | 1 |
| L11+00S 5+50W | 40 | 26 | 98 | .1 | 27 | 1 |
| L11+00S 5+25W | 23 | 26 | 112 | .1 | 12 | 3 |
| L11+00S 5+00W | 27 | 30 | 67 | .3 | 18 | 1 |
| L11+00S 4+75W | 30 | 28 | 68 | .3 | 19 | 1 |
| L11+00S 4+50W | 17 | 26 | 51 | .1 | 12 | 1 |
| L11+00S 4+25W | 14 | 20 | 46 | .2 | 7 | 2 |
| L11+00S 4+00W | 13 | 28 | 38 | .1 | 6 | 1 |
| L11+00S 3+75W | 36 | 35 | 69 | .1 | 14 | 1 |
| L11+00S 3+50W | 33 | 40 | 73 | .1 | 14 | 1 |
| L11+00S 3+25W | 18 | 16 | 70 | .1 | 9 | 1 |
| L11+00S 3+00W | 26 | 21 | 120 | .1 | 16 | 40 |
| L11+00S 2+75W | 29 | 20 | 134 | .3 | 17 | 1 |
| L11+00S 2+50W | 39 | 39 | 115 | .3 | 31 | 1 |
| L11+00S 2+25W | 40 | 31 | 88 | .2 | 26 | 3 |
| L11+00S 2+00W | 26 | 27 | 86 | .3 | 20 | 1 |
| L11+00S 1+75W | 24 | 21 | 82 | .1 | 26 | 1 |
| L11+00S 1+50W | 49 | 32 | 86 | .2 | 25 | 1 |
| L11+00S 1+25W | 47 | 41 | 97 | .4 | 37 | 1 |
| L11+00S 1+00W | 17 | 18 | 42 | .1 | 25 | 1 |
| L11+00S 0+75W | 26 | 25 | 55 | .3 | 33 | 1 |
| L11+00S 0+50W | 21 | 23 | 51 | .5 | 30 | 1 |
| L11+00S 0+25W | 53 | 56 | 85 | .2 | 31 | 2 |
| L12+00S 9+75W P | 12 | 30 | 176 | .1 | 3 | 1 |
| L12+00S 9+75W A | 8 | 2 | 154 | .1 | 2 | 1 |
| L12+00S 9+50W | 36 | 47 | 125 | .1 | 28 | 1 |
| L12+00S 9+25W | 11 | 21 | 39 | .1 | 13 | 1 |
| STD C/AU-S | 61 | 42 | 133 | 6.9 | 41 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|-----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L12+00S 9+00W P | 10 | 20 | 145 | .2 | 3 | 1 |
| L12+00S 8+75W | 26 | 29 | 70 | .5 | 21 | 1 |
| L12+00S 8+50W P | 12 | 32 | 115 | .1 | 5 | 1 |
| L12+00S 8+25W | 21 | 10 | 54 | .1 | 15 | 2 |
| L12+00S 8+00W | 16 | 7 | 66 | .5 | 18 | 2 |
| L12+00S 7+75W P | 12 | 2 | 100 | .1 | 2 | 1 |
| L12+00S 7+50W P | 21 | 12 | 100 | .3 | 4 | 1 |
| L12+00S 7+25W P | 13 | 24 | 141 | .2 | 4 | 1 |
| L12+00S 7+00W P | 12 | 2 | 96 | .3 | 22 | 2 |
| L12+00S 6+75W P | 10 | 7 | 49 | .1 | 14 | 1 |
| L12+00S 6+50W P | 9 | 6 | 67 | .1 | 2 | 1 |
| L12+00S 6+25W | 10 | 3 | 31 | .1 | 7 | 2 |
| L12+00S 6+00W | 12 | 9 | 32 | .2 | 11 | 1 |
| L12+00S 5+75W | 11 | 5 | 52 | .2 | 10 | 1 |
| L12+00S 5+75W A | 12 | 16 | 131 | .1 | 12 | 1 |
| L12+00S 5+50W | 12 | 5 | 45 | .1 | 8 | 3 |
| L12+00S 5+25W | 22 | 29 | 90 | .6 | 14 | 1 |
| L12+00S 5+00W | 12 | 18 | 141 | .4 | 4 | 1 |
| L12+00S 4+75W | 17 | 17 | 32 | .2 | 22 | 1 |
| L12+00S 4+50W | 25 | 12 | 79 | .6 | 8 | 1 |
| L12+00S 4+00W | 16 | 13 | 47 | .2 | 10 | 6 |
| L12+00S 3+75W | 25 | 30 | 60 | .6 | 24 | 2 |
| L12+00S 3+50W | 21 | 10 | 62 | .3 | 18 | 8 |
| L12+00S 3+25W P | 10 | 13 | 245 | .3 | 4 | 1 |
| L12+00S 3+00W | 21 | 29 | 59 | .2 | 19 | 7 |
| L12+00S 2+75W | 36 | 20 | 80 | .2 | 22 | 2 |
| L12+00S 2+50W | 33 | 18 | 75 | .3 | 21 | 1 |
| L12+00S 2+25W | 68 | 44 | 118 | .4 | 76 | 1 |
| L12+00S 2+00W | 77 | 23 | 85 | .2 | 43 | 6 |
| L12+00S 1+75W | 24 | 23 | 76 | .1 | 24 | 5 |
| L12+00S 1+50W | 30 | 18 | 76 | .3 | 14 | 1 |
| L12+00S 1+25W | 11 | 16 | 37 | .1 | 17 | 1 |
| L12+00S 0+75W | 54 | 25 | 86 | .1 | 22 | 1 |
| L12+00S 0+50W | 43 | 49 | 113 | .2 | 38 | 1 |
| L12+00S 0+25W | 38 | 19 | 76 | .1 | 24 | 1 |
| L12+00S 0+00W | 60 | 27 | 92 | .1 | 27 | 2 |
| STD C/AU-S | 59 | 38 | 132 | 6.8 | 39 | 48 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| L12+00S BASELINE | 36 | 31 | 71 | .1 | 33 | 2 |
| L12+00S 0+25E | 62 | 25 | 77 | .2 | 22 | 1 |
| L12+00S 0+50E | 69 | 27 | 120 | .3 | 24 | 1 |
| L12+00S 0+75E | 41 | 26 | 67 | .1 | 22 | 2 |
| L12+00S 1+00E | 75 | 23 | 113 | .1 | 24 | 1 |
| L12+00S 1+25E | 79 | 22 | 109 | .1 | 22 | 1 |
| L12+00S 1+50E | 89 | 18 | 101 | .1 | 18 | 4 |
| L12+00S 1+75E | 46 | 27 | 74 | .1 | 26 | 1 |
| L12+00S 2+00E | 71 | 29 | 74 | .1 | 16 | 2 |
| L12+00S 2+25E | 53 | 18 | 91 | .1 | 27 | 1 |
| L12+00S 2+50E | 60 | 22 | 85 | .1 | 20 | 1 |
| L12+00S 2+75E | 40 | 25 | 69 | .1 | 18 | 1 |
| L12+00S 3+00E | 61 | 23 | 91 | .1 | 18 | 1 |
| L12+00S 3+25E | 47 | 20 | 64 | .1 | 16 | 3 |
| L12+00S 3+50E | 46 | 18 | 58 | .1 | 15 | 1 |
| L12+00S 3+75E | 95 | 35 | 110 | .1 | 7 | 2 |
| L12+00S 4+00E | 32 | 25 | 80 | .1 | 16 | 3 |
| L12+00S 4+25E | 29 | 24 | 137 | .1 | 13 | 14 |
| L12+00S 4+50E | 26 | 17 | 81 | .1 | 12 | 1 |
| L12+00S 4+75E | 29 | 26 | 101 | .1 | 16 | 1 |
| L12+00S 5+00E | 20 | 27 | 94 | .1 | 19 | 20 |
| L12+00S 5+25E | 17 | 25 | 94 | .1 | 11 | 5 |
| L12+00S 5+50E | 137 | 36 | 364 | .1 | 19 | 1 |
| L12+00S 5+75E | 30 | 24 | 91 | .2 | 17 | 1 |
| L12+00S 6+00E | 18 | 17 | 179 | .1 | 9 | 2 |
| L12+00S 6+25E | 22 | 15 | 121 | .1 | 12 | 1 |
| L12+00S 6+25E A | 24 | 23 | 161 | .1 | 17 | 1 |
| L12+00S 6+50E | 28 | 18 | 62 | .1 | 19 | 1 |
| L12+00S 6+75E | 18 | 15 | 87 | .2 | 14 | 1 |
| L12+00S 7+00E | 17 | 124 | 282 | .1 | 17 | 2 |
| L12+00S 7+25E | 30 | 25 | 90 | .1 | 15 | 1 |
| L12+00S 7+50E | 24 | 34 | 108 | .3 | 24 | 34 |
| L12+00S 7+75E | 25 | 28 | 98 | .3 | 20 | 2 |
| L12+00S 8+00E | 12 | 13 | 64 | .1 | 13 | 2 |
| L12+00S 8+50E | 15 | 14 | 63 | .1 | 7 | 69 |
| L12+00S 8+75E | 10 | 14 | 75 | .1 | 6 | 1 |
| L12+00S 9+00E | 11 | 18 | 74 | .2 | 9 | 1 |
| STD C/AU-S | 57 | 41 | 132 | 6.8 | 40 | 52 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L12+00S 9+25E | 15 | 8 | 57 | .1 | 11 | 1 |
| L12+00S 9+50E | 11 | 6 | 49 | .1 | 8 | 2 |
| L12+00S 9+75E | 22 | 19 | 95 | .1 | 9 | 1 |
| L13+00S 10+00W | 13 | 16 | 78 | .2 | 14 | 1 |
| L13+00S 9+75W | 64 | 3 | 76 | .1 | 56 | 1 |
| L13+00S 8+00W | 24 | 23 | 113 | .2 | 15 | 1 |
| L13+00S 7+75W | 22 | 18 | 103 | .1 | 28 | 1 |
| L13+00S 7+50W | 8 | 15 | 133 | .1 | 6 | 2 |
| L13+00S 7+25W | 39 | 12 | 68 | .1 | 35 | 4 |
| L13+00S 7+00W | 40 | 6 | 65 | .1 | 31 | 1 |
| L13+00S 6+75W | 23 | 16 | 68 | .2 | 28 | 1 |
| L13+00S 6+50W | 5 | 6 | 23 | .1 | 7 | 1 |
| L13+00S 6+25W | 24 | 10 | 36 | .1 | 17 | 1 |
| L13+00S 6+00W | 20 | 10 | 47 | .3 | 24 | 1 |
| L13+00S 5+75W | 22 | 23 | 83 | .2 | 22 | 2 |
| L13+00S 5+50W | 28 | 14 | 93 | .1 | 38 | 1 |
| L13+00S 5+25W | 29 | 11 | 77 | .5 | 36 | 1 |
| L13+00S 5+00W | 28 | 9 | 60 | .4 | 26 | 1 |
| L13+00S 4+75W | 59 | 23 | 62 | .3 | 14 | 8 |
| L13+00S 4+50W | 109 | 109 | 114 | .6 | 42 | 11 |
| L13+00S 4+25W | 106 | 104 | 144 | .4 | 50 | 7 |
| L13+00S 4+00W | 92 | 106 | 100 | .8 | 41 | 14 |
| L13+00S 3+75W | 12 | 29 | 32 | .3 | 25 | 6 |
| L13+00S 3+50W | 42 | 24 | 77 | .5 | 24 | 2 |
| L13+00S 3+25W | 36 | 31 | 54 | .2 | 22 | 4 |
| L13+00S 3+00W | 12 | 9 | 29 | .4 | 17 | 2 |
| L13+00S 2+75W | 14 | 11 | 41 | .5 | 25 | 1 |
| L13+00S 2+50W | 32 | 34 | 90 | .5 | 32 | 1 |
| L13+00S 2+25W | 29 | 36 | 90 | .4 | 36 | 1 |
| L13+00S 2+00W | 53 | 30 | 99 | .2 | 29 | 3 |
| L13+00S 1+75W | 34 | 27 | 65 | .2 | 23 | 4 |
| L13+00S 1+50W | 23 | 18 | 49 | .2 | 19 | 1 |
| L13+00S 1+25W | 91 | 9 | 125 | .5 | 31 | 2 |
| L13+00S 1+00W | 59 | 23 | 78 | .3 | 28 | 1 |
| L13+00S 0+75W | 77 | 18 | 110 | .2 | 30 | 3 |
| L13+00S 0+50W | 53 | 34 | 94 | .1 | 29 | 1 |
| STD C/AU-S | 58 | 38 | 132 | 6.7 | 38 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L14+00S 10+00W | 8 | 2 | 38 | .3 | 2 | 1 |
| L14+00S 9+75W | 13 | 4 | 107 | .2 | 2 | 1 |
| L14+00S 9+50W | 6 | 7 | 172 | .2 | 2 | 2 |
| L14+00S 9+25W | 9 | 12 | 36 | .1 | 14 | 1 |
| L14+00S 9+00W | 47 | 21 | 123 | .1 | 12 | 1 |
| L14+00S 8+75W | 9 | 10 | 55 | .2 | 4 | 2 |
| L14+00S 8+50W | 2 | 3 | 59 | .1 | 2 | 1 |
| L14+00S 8+25W | 24 | 15 | 54 | .3 | 48 | 2 |
| L14+00S 8+00W | 21 | 16 | 63 | .3 | 13 | 1 |
| L14+00S 7+75W | 5 | 16 | 87 | .3 | 2 | 1 |
| L14+00S 7+50W | 11 | 18 | 53 | .5 | 21 | 1 |
| L14+00S 7+25W | 7 | 12 | 22 | .2 | 16 | 2 |
| L14+00S 7+00W | 18 | 8 | 85 | .2 | 7 | 1 |
| L14+00S 6+75W | 16 | 7 | 78 | .1 | 12 | 1 |
| L14+00S 6+50W | 27 | 13 | 126 | .2 | 8 | 2 |
| L14+00S 6+25W | 8 | 7 | 118 | .5 | 5 | 1 |
| L14+00S 6+00W | 10 | 16 | 43 | .3 | 14 | 2 |
| L14+00S 5+75W | 10 | 39 | 174 | .2 | 6 | 1 |
| L14+00S 5+50W | 18 | 13 | 75 | .3 | 13 | 2 |
| L14+00S 5+25W | 5 | 11 | 44 | .2 | 5 | 1 |
| L14+00S 5+00W | 20 | 19 | 48 | .4 | 28 | 2 |
| L14+00S 4+75W | 15 | 16 | 46 | .2 | 15 | 1 |
| L14+00S 4+50W | 11 | 15 | 38 | .3 | 15 | 3 |
| L14+00S 4+25W | 68 | 32 | 79 | .5 | 49 | 8 |
| L14+00S 4+00W | 7 | 5 | 198 | .2 | 4 | 1 |
| L14+00S 3+75W | 106 | 17 | 212 | .1 | 14 | 3 |
| L14+00S 3+50W | 28 | 41 | 75 | .4 | 33 | 7 |
| L14+00S 3+25W | 12 | 14 | 52 | .4 | 19 | 1 |
| L14+00S 3+00W | 55 | 24 | 94 | .3 | 40 | 5 |
| L14+00S 2+75W | 27 | 29 | 62 | .5 | 24 | 6 |
| L14+00S 2+50W | 6 | 19 | 90 | .4 | 8 | 3 |
| L14+00S 2+25W | 27 | 23 | 67 | .4 | 17 | 2 |
| L14+00S 2+00W | 69 | 22 | 78 | .5 | 33 | 7 |
| L14+00S 1+75W | 71 | 15 | 88 | .3 | 24 | 1 |
| L14+00S 1+50W | 23 | 29 | 49 | .2 | 18 | 2 |
| L14+00S 1+25W | 67 | 19 | 89 | .1 | 28 | 5 |
| STD C/AU-S | 60 | 42 | 133 | 7.1 | 44 | 51 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| L14+00S 1+00W | 77 | 23 | 97 | .2 | 15 | 13 |
| L14+00S 0+75W | 92 | 17 | 115 | .2 | 15 | 16 |
| L14+00S 0+50W | 94 | 23 | 106 | .1 | 14 | 1 |
| L14+00S 0+25W | 41 | 17 | 82 | .4 | 19 | 2 |
| L14+00S 0+00W | 96 | 20 | 112 | .3 | 22 | 4 |
| L14+00S BASELINE | 106 | 22 | 113 | .3 | 30 | 14 |
| L14+00S 0+25E | 73 | 18 | 95 | .3 | 14 | 1 |
| L14+00S 0+50E | 70 | 15 | 98 | .3 | 18 | 1 |
| L14+00S 0+75E | 64 | 15 | 92 | .1 | 18 | 1 |
| L14+00S 1+00E | 33 | 18 | 66 | .3 | 23 | 3 |
| L14+00S 1+25E | 40 | 12 | 79 | .1 | 11 | 1 |
| L14+00S 1+50E | 26 | 23 | 73 | .1 | 11 | 1 |
| L14+00S 1+75E | 33 | 27 | 85 | .2 | 22 | 1 |
| L14+00S 2+25E | 18 | 18 | 49 | .2 | 16 | 1 |
| L14+00S 2+50E | 15 | 14 | 63 | .3 | 18 | 1 |
| L14+00S 2+75E | 39 | 26 | 77 | .1 | 23 | 2 |
| L14+00S 3+00E | 23 | 24 | 68 | .2 | 16 | 1 |
| L14+00S 3+25E | 12 | 16 | 35 | .2 | 10 | 2 |
| L14+00S 3+50E | 31 | 29 | 79 | .3 | 47 | 1 |
| L14+00S 3+75E | 17 | 16 | 52 | .1 | 14 | 3 |
| L14+00S 4+00E | 32 | 14 | 68 | .2 | 17 | 2 |
| L14+00S 4+25E | 31 | 20 | 62 | .4 | 9 | 1 |
| L14+00S 4+75E | 63 | 20 | 85 | .1 | 12 | 26 |
| L14+00S 5+00E | 29 | 22 | 74 | .1 | 14 | 1 |
| L14+00S 5+25E | 19 | 16 | 60 | .3 | 15 | 2 |
| L14+00S 5+50E | 19 | 29 | 216 | .2 | 17 | 1 |
| L14+00S 5+50E A | 15 | 15 | 52 | .2 | 14 | 1 |
| L14+00S 5+75E | 33 | 21 | 70 | .1 | 13 | 5 |
| L14+00S 6+00E | 20 | 18 | 59 | .1 | 15 | 1 |
| L14+00S 6+25E | 15 | 18 | 92 | .2 | 16 | 4 |
| L14+00S 6+50E | 39 | 38 | 266 | .5 | 15 | 1 |
| L14+00S 6+75E | 24 | 31 | 132 | .3 | 26 | 3 |
| L14+00S 7+00E | 25 | 33 | 108 | .3 | 21 | 8 |
| L14+00S 7+25E | 40 | 114 | 385 | .2 | 71 | 2 |
| L14+00S 7+50E | 28 | 70 | 282 | .1 | 17 | 1 |
| L14+00S 7+75E | 29 | 51 | 328 | .2 | 49 | 1 |
| STD C/AU-S | 58 | 44 | 132 | 6.7 | 40 | 50 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L14+00WS 8+75E | 23 | 82 | 151 | .2 | 12 | 1 |
| L14+00WS 9+00E | 25 | 23 | 77 | .3 | 7 | 5 |
| L14+00WS 9+25E | 19 | 19 | 83 | .1 | 8 | 2 |
| L14+00WS 9+50E | 22 | 20 | 85 | .1 | 12 | 4 |
| L15+00S 10+00W | 5 | 14 | 46 | .1 | 5 | 1 |
| L15+00S 9+75W | 18 | 20 | 52 | .3 | 21 | 2 |
| L15+00S 9+50W | 28 | 15 | 54 | .3 | 20 | 1 |
| L15+00S 9+25W | 8 | 14 | 33 | .2 | 10 | 1 |
| L15+00S 9+00W | 24 | 23 | 42 | .3 | 29 | 1 |
| L15+00S 8+75W | 17 | 19 | 64 | .6 | 30 | 6 |
| L15+00S 8+50W | 13 | 21 | 49 | .6 | 25 | 22 |
| L15+00S 8+25W | 31 | 21 | 93 | .2 | 42 | 1 |
| L15+00S 8+00W | 29 | 46 | 82 | .1 | 44 | 2 |
| L15+00S 7+75W | 53 | 22 | 124 | .1 | 35 | 1 |
| L15+00S 7+50W | 22 | 18 | 65 | .1 | 18 | 6 |
| L15+00S 7+25W | 13 | 19 | 41 | .2 | 14 | 1 |
| L15+00S 7+00W | 11 | 17 | 31 | .1 | 12 | 1 |
| L15+00S 6+75W | 22 | 21 | 70 | .2 | 23 | 1 |
| L15+00S 6+50W | 26 | 22 | 88 | .1 | 6 | 1 |
| L15+00S 6+25W | 26 | 18 | 86 | .1 | 9 | 2 |
| L15+00S 6+00W | 16 | 5 | 113 | .2 | 4 | 1 |
| L15+00S 5+75W | 24 | 16 | 94 | .1 | 9 | 1 |
| L15+00S 5+50W | 40 | 21 | 179 | .1 | 23 | 2 |
| L15+00S 5+25W | 26 | 20 | 75 | .2 | 25 | 1 |
| L15+00S 5+00W | 28 | 19 | 76 | .2 | 25 | 1 |
| L15+00S 4+75W | 13 | 20 | 53 | .1 | 13 | 2 |
| L15+00S 4+50W | 10 | 13 | 32 | .2 | 10 | 8 |
| L15+00S 4+25W | 33 | 18 | 62 | .2 | 20 | 1 |
| L15+00S 4+00W | 41 | 31 | 68 | .2 | 35 | 2 |
| L15+00S 3+75W | 34 | 23 | 76 | .4 | 21 | 1 |
| L15+00S 3+50W | 24 | 30 | 66 | .1 | 16 | 1 |
| L15+00S 3+25W | 68 | 24 | 86 | .1 | 20 | 1 |
| L15+00S 3+00W | 89 | 23 | 102 | .1 | 30 | 2 |
| L15+00S 2+75W | 87 | 23 | 101 | .1 | 35 | 4 |
| L15+00S 2+50W | 52 | 20 | 69 | .4 | 18 | 1 |
| L15+00S 2+25W | 48 | 23 | 83 | .3 | 22 | 2 |
| STD C/AU-S | 58 | 45 | 132 | 6.6 | 39 | 48 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L15+00S 2+00W | 111 | 29 | 99 | .1 | 19 | 6 |
| L15+00S 1+75W | 77 | 18 | 93 | .2 | 19 | 12 |
| L15+00S 1+50W | 60 | 27 | 106 | .1 | 13 | 2 |
| L15+00S 1+25W | 63 | 19 | 77 | .1 | 20 | 5 |
| L15+00S 1+00W | 36 | 23 | 59 | .1 | 15 | 1 |
| L15+00S 0+75W | 37 | 13 | 52 | .2 | 16 | 1 |
| L15+00S 0+50W | 23 | 20 | 37 | .1 | 12 | 2 |
| L15+00S 0+25W | 21 | 17 | 39 | .2 | 10 | 1 |
| L16+00S 10+00W | 32 | 18 | 111 | .1 | 42 | 1 |
| L16+00S 9+75W | 20 | 20 | 61 | .1 | 22 | 1 |
| L16+00S 9+50W | 32 | 19 | 47 | .1 | 16 | 2 |
| L16+00S 9+25W | 9 | 15 | 24 | .1 | 7 | 1 |
| L16+00S 9+00W | 8 | 17 | 27 | .1 | 6 | 1 |
| L16+00S 8+75W | 20 | 25 | 63 | .1 | 20 | 1 |
| L16+00S 8+50W | 37 | 36 | 104 | .1 | 29 | 2 |
| L16+00S 8+25W | 32 | 33 | 98 | .1 | 23 | 1 |
| L16+00S 8+00W | 19 | 13 | 65 | .1 | 17 | 2 |
| L16+00S 7+75W | 17 | 10 | 49 | .1 | 9 | 1 |
| L16+00S 7+50W | 34 | 27 | 75 | .3 | 34 | 1 |
| L16+00S 7+25W | 40 | 26 | 87 | .1 | 24 | 2 |
| L16+00S 7+00W | 21 | 17 | 65 | .2 | 23 | 3 |
| L16+00S 6+75W | 19 | 20 | 68 | .1 | 9 | 1 |
| L16+00S 6+50W | 18 | 10 | 79 | .1 | 19 | 1 |
| L16+00S 6+25W | 20 | 24 | 64 | .3 | 20 | 1 |
| L16+00S 6+00W | 28 | 18 | 86 | .1 | 14 | 7 |
| L16+00S 5+75W | 26 | 16 | 82 | .1 | 8 | 1 |
| L16+00S 5+50W | 24 | 19 | 89 | .3 | 10 | 4 |
| L16+00S 5+25W | 11 | 8 | 30 | .1 | 14 | 2 |
| L16+00S 5+00W | 30 | 26 | 50 | .1 | 15 | 1 |
| L16+00S 4+75W | 35 | 12 | 69 | .1 | 8 | 3 |
| L16+00S 4+50W | 45 | 31 | 77 | .1 | 19 | 1 |
| L16+00S 4+25W | 13 | 14 | 44 | .1 | 13 | 8 |
| L16+00S 4+00W | 22 | 19 | 50 | .2 | 18 | 3 |
| L16+00S 3+75W | 20 | 24 | 47 | .1 | 22 | 1 |
| L16+00S 3+50W | 9 | 7 | 21 | .1 | 7 | 4 |
| L16+00S 3+25W | 55 | 29 | 55 | .6 | 25 | 1 |
| STD C/AU-S | 60 | 39 | 132 | 6.7 | 40 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| L16+00S 3+00W | 60 | 38 | 74 | .3 | 18 | 1 |
| L16+00S 2+75W | 30 | 33 | 60 | .3 | 16 | 5 |
| L16+00S 2+50W | 33 | 25 | 44 | .5 | 17 | 1 |
| L16+00S 2+25W | 44 | 27 | 63 | .6 | 13 | 11 |
| L16+00S 2+00W | 37 | 22 | 63 | .1 | 4 | 74 |
| L16+00S 1+75W | 8 | 5 | 22 | .1 | 2 | 63 |
| L16+00S 1+50W | 22 | 16 | 58 | .4 | 7 | 1 |
| L16+00S 1+25W | 16 | 9 | 50 | .1 | 11 | 1 |
| L16+00S 1+00W | 40 | 18 | 61 | .4 | 7 | 1 |
| L16+00S 0+75W | 34 | 26 | 63 | .2 | 12 | 14 |
| L16+00S 0+50W | 40 | 26 | 72 | .2 | 11 | 5 |
| L16+00S 0+25W | 12 | 16 | 45 | .3 | 6 | 54 |
| L16+00S 0+00W | 23 | 19 | 58 | .3 | 8 | 1 |
| L16+00S BASELINE | 29 | 19 | 53 | .3 | 7 | 4 |
| L16+00S 0+25E | 23 | 22 | 49 | .3 | 23 | 2 |
| L16+00S 0+50E | 41 | 25 | 70 | .5 | 11 | 1 |
| L16+00S 0+75E | 24 | 19 | 62 | .2 | 7 | 2 |
| L16+00S 1+00E | 21 | 25 | 79 | .3 | 13 | 1 |
| L16+00S 1+25E | 23 | 32 | 75 | .3 | 13 | 1 |
| L16+00S 1+50E | 44 | 35 | 86 | .3 | 16 | 3 |
| L16+00S 1+75E | 24 | 22 | 90 | .1 | 17 | 12 |
| L16+00S 2+00E | 24 | 23 | 73 | .1 | 11 | 1 |
| L16+00S 2+25E | 61 | 24 | 88 | .1 | 17 | 1 |
| L16+00S 2+50E | 10 | 22 | 60 | .1 | 13 | 3 |
| L16+00S 2+75E | 65 | 42 | 105 | .2 | 35 | 1 |
| L16+00S 3+00E | 26 | 32 | 76 | .4 | 13 | 1 |
| L16+00S 3+50E | 10 | 29 | 56 | .3 | 11 | 8 |
| L16+00S 4+00E | 26 | 30 | 79 | .3 | 13 | 1 |
| L16+00S 4+25E | 21 | 15 | 75 | .1 | 13 | 1 |
| L16+00S 4+50E | 30 | 49 | 164 | .2 | 15 | 4 |
| L16+00S 4+75E | 95 | 188 | 244 | .6 | 71 | 10 |
| L16+00S 5+00E | 52 | 155 | 199 | .2 | 26 | 1 |
| L16+00S 5+25E | 44 | 184 | 491 | .4 | 29 | 4 |
| L16+00S 6+00E | 21 | 38 | 174 | .2 | 16 | 33 |
| L16+00S 6+50E | 16 | 33 | 140 | .2 | 17 | 75 |
| L16+00S 6+75E | 14 | 20 | 96 | .1 | 14 | 3 |
| STD C/AU-S | 58 | 38 | 132 | 6.9 | 37 | 48 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|-----------------|-----------|-----------|-----------|-----------|-----------|------------|
| L16+00S 7+25E | 66 | 24 | 104 | .1 | 38 | 1 |
| L16+00S 7+75E | 42 | 17 | 63 | .1 | 22 | 2 |
| L16+00S 8+00E | 52 | 22 | 67 | .2 | 19 | 1 |
| L17+00S 9+75W | 20 | 26 | 60 | .3 | 8 | 1 |
| L17+00S 9+50W | 6 | 20 | 45 | .1 | 21 | 1 |
| L17+00S 9+25W | 5 | 10 | 45 | .1 | 6 | 2 |
| L17+00S 9+00W | 6 | 11 | 37 | .2 | 10 | 1 |
| L17+00S 8+75W | 34 | 13 | 55 | .1 | 22 | 2 |
| L17+00S 8+50W P | 4 | 13 | 69 | .1 | 2 | 1 |
| L17+00S 8+25W | 3 | 7 | 21 | .1 | 5 | 1 |
| L17+00S 8+00W | 20 | 29 | 87 | .3 | 32 | 1 |
| L17+00S 7+75W | 19 | 26 | 75 | .3 | 22 | 1 |
| L17+00S 7+50W P | 4 | 10 | 50 | .1 | 4 | 1 |
| L17+00S 7+25W | 20 | 21 | 59 | .1 | 26 | 3 |
| L17+00S 7+00W | 18 | 21 | 55 | .4 | 24 | 1 |
| L17+00S 6+75W P | 3 | 11 | 69 | .1 | 3 | 1 |
| L17+00S 6+50W P | 6 | 13 | 49 | .2 | 2 | 1 |
| L17+00S 6+25W | 8 | 2 | 36 | .3 | 9 | 1 |
| L17+00S 6+00W | 7 | 23 | 39 | .1 | 9 | 1 |
| L17+00S 5+75W | 5 | 9 | 28 | .1 | 5 | 4 |
| L17+00S 5+50W | 61 | 28 | 76 | .4 | 34 | 2 |
| L17+00S 5+25W | 8 | 18 | 40 | .2 | 13 | 5 |
| L17+00S 5+00W | 37 | 46 | 58 | .2 | 26 | 1 |
| L17+00S 4+75W | 22 | 10 | 60 | .3 | 17 | 3 |
| L17+00S 4+50W | 20 | 18 | 52 | .1 | 22 | 2 |
| L17+00S 4+25W | 45 | 27 | 72 | .3 | 23 | 1 |
| L17+00S 4+00W | 14 | 16 | 44 | .3 | 14 | 5 |
| L17+00S 3+75W | 12 | 20 | 49 | .3 | 13 | 1 |
| L17+00S 3+50W | 16 | 9 | 35 | .4 | 13 | 1 |
| L17+00S 3+25W | 34 | 18 | 54 | .4 | 23 | 2 |
| L17+00S 3+00W | 43 | 26 | 61 | .4 | 22 | 1 |
| L17+00S 2+75W | 19 | 17 | 48 | .2 | 15 | 1 |
| L17+00S 2+50W | 36 | 23 | 68 | .2 | 16 | 1 |
| L17+00S 2+25W | 7 | 11 | 25 | .1 | 7 | 1 |
| L17+00S 2+00W | 24 | 20 | 59 | .4 | 15 | 10 |
| L17+00S 1+75W | 22 | 20 | 61 | .1 | 13 | 14 |
| STD C/AU-S | 57 | 36 | 132 | 7.2 | 40 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| L17+00S 1+50W | 28 | 9 | 51 | .1 | 10 | 1 |
| L17+00S 1+25W | 31 | 14 | 63 | .1 | 15 | 2 |
| L17+00S 1+00W | 16 | 10 | 40 | .1 | 9 | 1 |
| L17+00S 0+75W | 14 | 15 | 35 | .1 | 16 | 2 |
| L17+00S 0+50W | 12 | 10 | 30 | .2 | 11 | 1 |
| L17+00S 0+25W | 25 | 10 | 65 | .1 | 12 | 1 |
| L17+00S 0+00W | 22 | 10 | 59 | .2 | 14 | 3 |
| L17+00S BASELINE | 35 | 37 | 247 | .1 | 10 | 1 |
| L18+00S 10+00W | 45 | 25 | 76 | .1 | 25 | 1 |
| L18+00S 9+75W | 39 | 14 | 88 | .1 | 36 | 1 |
| L18+00S 9+50W | 6 | 9 | 42 | .1 | 10 | 1 |
| L18+00S 9+25W | 42 | 18 | 60 | .1 | 25 | 2 |
| L18+00S 9+00W | 25 | 23 | 59 | .1 | 34 | 1 |
| L18+00S 8+75W | 10 | 9 | 34 | .1 | 9 | 1 |
| L18+00S 8+50W | 31 | 24 | 47 | .1 | 16 | 1 |
| L18+00S 8+25W | 11 | 12 | 27 | .1 | 8 | 2 |
| L18+00S 8+00W | 18 | 25 | 84 | .1 | 26 | 3 |
| L18+00S 7+75W | 27 | 16 | 71 | .3 | 32 | 1 |
| L18+00S 7+50W | 35 | 64 | 113 | .5 | 50 | 25 |
| L18+00S 7+25W | 20 | 22 | 42 | .1 | 18 | 1 |
| L18+00S 7+00W | 22 | 16 | 48 | .2 | 19 | 1 |
| L18+00S 6+75W | 61 | 38 | 123 | .2 | 45 | 10 |
| L18+00S 6+50W | 26 | 35 | 48 | .3 | 37 | 33 |
| L18+00S 6+25W | 33 | 23 | 92 | .3 | 29 | 11 |
| L18+00S 6+00W | 33 | 22 | 77 | .1 | 27 | 1 |
| L18+00S 5+75W | 17 | 28 | 78 | .1 | 32 | 2 |
| L18+00S 5+50W | 28 | 46 | 85 | .2 | 32 | 1 |
| L18+00S 5+25W | 9 | 21 | 37 | .2 | 22 | 1 |
| L18+00S 5+00W | 12 | 20 | 29 | .1 | 19 | 4 |
| L18+00S 4+75W | 32 | 25 | 62 | .1 | 27 | 5 |
| L18+00S 4+50W | 27 | 28 | 61 | .2 | 25 | 2 |
| L18+00S 4+25W | 15 | 15 | 41 | .1 | 19 | 3 |
| L18+00S 4+00W | 24 | 35 | 54 | .1 | 25 | 18 |
| L18+00S 3+75W | 33 | 26 | 54 | .1 | 19 | 8 |
| L18+00S 3+50W | 16 | 23 | 42 | .1 | 16 | 1 |
| L18+00S 3+25W | 12 | 9 | 33 | .1 | 10 | 1 |
| STD C/AU-S | 57 | 43 | 132 | 7.2 | 38 | 49 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| L18+00S 3+00W | 22 | 13 | 40 | .1 | 10 | 1 |
| L18+00S 2+75W | 48 | 8 | 104 | .1 | 11 | 2 |
| L18+00S 2+50W | 52 | 16 | 82 | .1 | 12 | 2 |
| L18+00S 2+25W | 15 | 8 | 30 | .1 | 5 | 1 |
| L18+00S 2+00W | 32 | 8 | 73 | .1 | 8 | 1 |
| L18+00S 1+75W | 32 | 12 | 77 | .2 | 18 | 1 |
| L18+00S 1+25W | 27 | 21 | 101 | .1 | 26 | 3 |
| L18+00S 1+00W | 29 | 7 | 68 | .1 | 22 | 1 |
| L18+00S 0+75W | 40 | 16 | 78 | .1 | 30 | 2 |
| L18+00S 0+50W | 16 | 12 | 50 | .1 | 12 | 1 |
| L18+00S 0+25W | 19 | 12 | 58 | .1 | 8 | 2 |
| L18+00S 0+00W | 19 | 16 | 82 | .1 | 11 | 1 |
| L18+00S BASELINE | 12 | 17 | 53 | .1 | 10 | 2 |
| L18+00S 0+25E | 18 | 21 | 76 | .1 | 13 | 1 |
| L18+00S 0+50E | 25 | 21 | 78 | .1 | 13 | 1 |
| L18+00S 0+75E | 43 | 23 | 78 | .1 | 21 | 1 |
| L18+00S 1+00E | 17 | 11 | 61 | .1 | 12 | 2 |
| L18+00S 1+25E | 36 | 20 | 70 | .3 | 16 | 1 |
| L18+00S 1+50E | 15 | 11 | 42 | .1 | 13 | 1 |
| L18+00S 1+75E | 40 | 16 | 73 | .1 | 17 | 2 |
| L18+00S 2+00E | 15 | 13 | 54 | .1 | 14 | 1 |
| L18+00S 2+25E | 22 | 10 | 64 | .1 | 9 | 3 |
| L18+00S 2+50E | 24 | 15 | 79 | .1 | 12 | 8 |
| L18+00S 2+75E | 38 | 8 | 79 | .1 | 14 | 2 |
| L18+00S 3+00E | 28 | 18 | 81 | .1 | 15 | 1 |
| L18+00S 3+25E | 18 | 24 | 68 | .1 | 15 | 2 |
| L18+00S 3+50E | 49 | 5 | 74 | .1 | 15 | 1 |
| L18+00S 3+75E | 56 | 9 | 82 | .1 | 24 | 3 |
| L18+00S 4+00E | 29 | 16 | 59 | .1 | 16 | 2 |
| L18+00S 4+25E | 28 | 17 | 85 | .1 | 14 | 1 |
| L18+00S 4+75E | 7 | 18 | 38 | .1 | 8 | 1 |
| L18+00S 5+00E | 35 | 20 | 86 | .3 | 19 | 9 |
| L18+00S 5+25E | 28 | 14 | 61 | .1 | 16 | 10 |
| L18+00S 5+25E A | 17 | 23 | 84 | .1 | 18 | 7 |
| L18+00S 5+50E | 12 | 9 | 49 | .1 | 10 | 1 |
| L18+00S 5+75E | 14 | 15 | 48 | .1 | 17 | 1 |
| STD C/AU-S | 58 | 36 | 132 | 6.6 | 40 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|---------------|-----------|-----------|-----------|-----------|-----------|------------|
| L18+00S 6+00E | 26 | 21 | 67 | .1 | 11 | 1 |
| L18+00S 6+50E | 11 | 16 | 35 | .1 | 11 | 1 |
| L18+00S 6+75E | 20 | 14 | 50 | .1 | 16 | 1 |
| L18+00S 7+00E | 26 | 17 | 49 | .1 | 16 | 29 |
| L18+00S 7+25E | 7 | 15 | 26 | .1 | 10 | 1 |
| L18+00S 7+50E | 25 | 16 | 48 | .1 | 11 | 1 |
| L18+00S 7+75E | 31 | 31 | 62 | .2 | 12 | 1 |
| L18+00S 8+00E | 34 | 27 | 65 | .1 | 18 | 2 |
| L19+00S 9+75W | 21 | 40 | 66 | .3 | 48 | 1 |
| L19+00S 9+50W | 30 | 44 | 123 | .6 | 46 | 10 |
| L19+00S 9+25W | 11 | 24 | 100 | .1 | 26 | 1 |
| L19+00S 9+00W | 8 | 13 | 54 | .2 | 8 | 2 |
| L19+00S 8+75W | 9 | 19 | 48 | .1 | 17 | 1 |
| L19+00S 8+50W | 11 | 13 | 54 | .2 | 10 | 5 |
| L19+00S 8+25W | 16 | 30 | 78 | .4 | 30 | 5 |
| L19+00S 8+00W | 19 | 36 | 77 | .2 | 34 | 9 |
| L19+00S 7+75W | 50 | 31 | 132 | .3 | 29 | 3 |
| L19+00S 7+50W | 43 | 34 | 128 | .4 | 44 | 1 |
| L19+00S 7+25W | 31 | 40 | 112 | .8 | 48 | 1 |
| L19+00S 7+00W | 37 | 39 | 113 | .4 | 31 | 315 |
| L19+00S 6+75W | 13 | 14 | 45 | .5 | 19 | 16 |
| L19+00S 6+50W | 9 | 27 | 47 | .3 | 19 | 25 |
| L19+00S 6+25W | 49 | 58 | 124 | .4 | 41 | 3 |
| L19+00S 6+00W | 28 | 26 | 93 | .3 | 31 | 11 |
| L19+00S 5+75W | 19 | 26 | 69 | .2 | 22 | 9 |
| L19+00S 5+50W | 44 | 27 | 122 | .1 | 34 | 22 |
| L19+00S 5+25W | 15 | 18 | 72 | .1 | 30 | 6 |
| L19+00S 5+00W | 36 | 31 | 126 | .2 | 26 | 5 |
| L19+00S 4+75W | 27 | 25 | 88 | .3 | 24 | 6 |
| L19+00S 4+50W | 27 | 36 | 126 | .4 | 28 | 3 |
| L19+00S 4+25W | 29 | 31 | 116 | .3 | 23 | 1 |
| L19+00S 4+00W | 22 | 26 | 100 | .1 | 9 | 1 |
| L19+00S 3+50W | 33 | 29 | 92 | .2 | 15 | 1 |
| L19+00S 3+25W | 36 | 23 | 103 | .2 | 15 | 2 |
| L19+00S 2+00W | 40 | 17 | 177 | .3 | 14 | 1 |
| L19+00S 1+50W | 22 | 17 | 77 | .1 | 15 | 5 |
| STD C/AU-S | 58 | 39 | 132 | 6.7 | 43 | 52 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| L19+00S 1+25W | 21 | 23 | 55 | .1 | 11 | 1 |
| L19+00S 1+00W | 7 | 6 | 32 | .1 | 7 | 1 |
| L19+00S 0+75W | 22 | 13 | 69 | .1 | 16 | 1 |
| L19+00S 0+50W | 14 | 25 | 87 | .1 | 19 | 1 |
| L19+00S 0+25W | 25 | 20 | 109 | .2 | 18 | 2 |
| L19+00S BASELINE | 9 | 5 | 133 | .2 | 3 | 3 |
| L20+00S 9+50W P | 24 | 23 | 118 | .1 | 20 | 1 |
| L20+00S 9+00W | 17 | 25 | 50 | .2 | 36 | 2 |
| L20+00S 8+75W | 15 | 18 | 69 | .1 | 14 | 1 |
| L20+00S 8+50W | 25 | 39 | 94 | .5 | 31 | 14 |
| L20+00S 8+25W | 13 | 20 | 67 | .3 | 30 | 2 |
| L20+00S 8+00W | 26 | 29 | 79 | .1 | 35 | 1 |
| L20+00S 7+75W | 14 | 23 | 61 | .2 | 25 | 1 |
| L20+00S 7+50W | 24 | 18 | 74 | .3 | 36 | 1 |
| L20+00S 7+25W | 33 | 33 | 107 | .2 | 44 | 5 |
| L20+00S 7+00W | 42 | 48 | 124 | .4 | 45 | 8 |
| L20+00S 6+75W | 54 | 34 | 130 | .2 | 52 | 12 |
| L20+00S 6+50W | 43 | 36 | 111 | .2 | 35 | 9 |
| L20+00S 6+25W | 44 | 42 | 122 | .2 | 44 | 2 |
| L20+00S 5+75W | 30 | 28 | 92 | .1 | 30 | 4 |
| L20+00S 5+50W | 15 | 10 | 69 | .1 | 16 | 1 |
| L20+00S 5+25W | 27 | 33 | 107 | .3 | 25 | 1 |
| L20+00S 5+00W | 9 | 11 | 37 | .1 | 15 | 1 |
| L20+00S 4+75W | 28 | 21 | 73 | .1 | 21 | 1 |
| L20+00S 4+50W | 35 | 24 | 108 | .1 | 22 | 12 |
| L20+00S 4+25W | 23 | 17 | 75 | .1 | 20 | 1 |
| L20+00S 4+00W | 16 | 16 | 64 | .1 | 23 | 1 |
| L20+00S 3+75W | 48 | 26 | 109 | .1 | 28 | 1 |
| L20+00S 3+50W | 14 | 29 | 59 | .1 | 17 | 1 |
| L20+00S 3+25W | 37 | 31 | 94 | .1 | 24 | 1 |
| L20+00S 3+00W | 12 | 22 | 54 | .1 | 13 | 1 |
| L20+00S 2+75W | 24 | 23 | 79 | .1 | 22 | 1 |
| L20+00S 2+50W | 8 | 10 | 45 | .1 | 10 | 1 |
| L20+00S 2+25W | 17 | 14 | 96 | .1 | 16 | 2 |
| L20+00S 2+00W | 12 | 14 | 76 | .1 | 12 | 1 |
| L20+00S 1+75W | 16 | 29 | 83 | .2 | 14 | 6 |
| STD C/AU-S | 58 | 39 | 132 | 6.8 | 43 | 47 |

| SAMPLE# | Cu PPM | Pb PPM | Zn PPM | Ag PPM | As PPM | Au* PPB |
|------------------|-----------|-----------|-----------|-----------|-----------|------------|
| L20+00S 1+50W | 34 | 11 | 71 | .1 | 18 | 2 |
| L20+00S 1+25W | 29 | 31 | 104 | .2 | 17 | 2 |
| L20+00S 1+00W | 23 | 21 | 110 | .1 | 16 | 2 |
| L20+00S 0+75W | 19 | 6 | 79 | .1 | 14 | 1 |
| L20+00S 0+50W | 8 | 13 | 32 | .1 | 9 | 1 |
| L20+00S 0+25W | 29 | 7 | 79 | .2 | 13 | 3 |
| L20+00S 0+00W | 15 | 22 | 63 | .1 | 13 | 1 |
| L20+00S BASELINE | 6 | 5 | 130 | .1 | 2 | 37 |
| L20+00S 0+00E | 27 | 13 | 85 | .1 | 13 | 1 |
| L20+00S 0+25E | 27 | 13 | 75 | .1 | 13 | 1 |
| L20+00S 0+50E | 25 | 16 | 64 | .1 | 15 | 2 |
| L20+00S 0+75E | 16 | 11 | 98 | .1 | 11 | 2 |
| L20+00S 1+00E | 22 | 11 | 63 | .1 | 13 | 2 |
| L20+00S 1+25E | 23 | 10 | 72 | .1 | 9 | 2 |
| L20+00S 1+50E | 28 | 12 | 75 | .1 | 18 | 3 |
| L20+00S 1+75E | 37 | 9 | 84 | .2 | 12 | 2 |
| L20+00S 2+00E | 36 | 12 | 72 | .2 | 16 | 3 |
| L20+00S 2+25E | 26 | 12 | 80 | .1 | 17 | 1 |
| L20+00S 2+50E | 23 | 8 | 76 | .1 | 14 | 7 |
| L20+00S 2+75E | 17 | 14 | 71 | .1 | 14 | 6 |
| L20+00S 3+00E | 25 | 19 | 89 | .2 | 15 | 1 |
| L20+00S 3+25E | 21 | 15 | 79 | .2 | 13 | 1 |
| L20+00S 3+50E | 27 | 21 | 67 | .1 | 12 | 4 |
| L20+00S 3+75E | 48 | 6 | 82 | .1 | 18 | 2 |
| L20+00S 4+00E | 37 | 18 | 92 | .4 | 19 | 2 |
| L20+00S 4+25E | 20 | 19 | 59 | .2 | 20 | 1 |
| L20+00S 4+50E | 18 | 16 | 57 | .2 | 18 | 1 |
| L20+00S 4+75E | 29 | 19 | 56 | .1 | 14 | 2 |
| L20+00S 5+00E | 23 | 9 | 48 | .3 | 10 | 2 |
| L20+00S 5+25E | 16 | 18 | 107 | .2 | 12 | 1 |
| L20+00S 5+50E | 26 | 21 | 84 | .2 | 25 | 1 |
| L20+00S 5+75E | 15 | 21 | 95 | .3 | 12 | 2 |
| L20+00S 6+00E | 17 | 12 | 52 | .1 | 12 | 1 |
| L20+00S 6+25E | 47 | 13 | 88 | .1 | 23 | 1 |
| NO NUMBER | 11 | 3 | 60 | .1 | 3 | 1 |
| STD C/AU-S | 59 | 39 | 132 | 7.0 | 41 | 52 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: OCT 11 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: Oct. 14/88.

ASSAY CERTIFICATE

- SAMPLE TYPE: ROCK AU** AND AG** BY FIRE ASSAY FROM 1 A.T.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LAKE FILE # 88-5113 Page 1

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| RH 1043 | 1.52 | .464 |
| RH 1044 | .20 | .138 |
| RH 1046 | .64 | .043 |
| RH 1047 | 1.47 | .099 |
| RH 1048 | .11 | .079 |
| RH 1049 | .12 | .179 |
| RH 1050 | .13 | .087 |
| RH 1061 | .01 | .004 |
| RH 1062 | .11 | .167 |
| RH 1063 | .01 | .001 |
| RH 1064 | .01 | .001 |
| RH 1065 | .09 | .059 |
| RH 1066 | .18 | .189 |
| RH 1067 | .30 | .021 |
| RH 1068 | .20 | .444 |
| RH 1069 | .83 | .442 |
| RH 1070 | 1.14 | 1.410 |
| RH 1071 | .18 | .279 |
| RH 1072 | .23 | .329 |
| RH 1073 | .74 | 1.020 |
| RH 1074 | .07 | .284 |
| RH 1075 | 1.10 | .931 |
| RH 1076 | .48 | .243 |
| RH 1077 | .16 | .062 |
| RH 1078 | 1.68 | .501 |
| RH 1079 | .37 | .038 |
| RH 1080 | .81 | .328 |
| RH 1081 | .34 | .336 |
| RH 1082 | .24 | .247 |
| RH 1083 | .13 | .075 |
| RH 1084 | .27 | .136 |
| RH 1085 | .31 | .144 |
| RH 1086 | .68 | .042 |
| RH 1087 | .04 | .002 |
| RH 1088 | .20 | .051 |
| RH 1089 | .28 | .189 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| RH 1090 | .35 | .231 |
| RH 1091 | 2.85 | 1.020 |
| RH 1092 | 6.03 | .783 |
| RH 1093 | 1.76 | .842 |
| RH 1094 | .67 | .499 |
| RH 1095 | 1.79 | .611 |
| RH 1096 | 2.74 | .884 |
| RH 1097 | 1.75 | .392 |
| RH 1098 | .72 | .217 |
| E 11701 | 1.92 | 2.110 |
| E 11702 | 1.92 | 4.580 |
| E 11703 | .24 | .151 |
| E 11704 | .84 | .701 |
| E 11705 | .84 | 5.030 |
| E 11706 | .95 | 2.530 |
| E 11707 | .44 | .744 |
| E 11708 | .54 | .513 |
| E 11709 | 10.78 | .870 |
| E 11710 | 3.30 | 3.650 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: OCT 18 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Oct 21/88*

ASSAY CERTIFICATE

- SAMPLE TYPE: ROCK AD** AND AG** BY FIRE ASSAY FROM 1 A.T.

SIGNED BY *C. Long* D. TOYB, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. FILE # 88-5291

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| 11761 | .68 | .034 |
| 11762 | .02 | .002 |
| 11763 | .01 | .003 |
| 11764 | .01 | .001 |
| 11765 | .01 | .001 |
| 11766 | .13 | .053 |
| 11767 | .07 | .009 |
| 11768 | .01 | .001 |
| 11769 | .02 | .009 |
| 11770 | .01 | .005 |
| 11771 | .02 | .003 |
| 11772 | .01 | .001 |
| 11773 | .04 | .001 |
| 11774 | .01 | .001 |
| 11775 | .03 | .029 |
| 11776 | .01 | .001 |
| 11777 | .04 | .015 |
| 11778 | .03 | .002 |
| 11779 | .09 | .012 |
| 11780 | .16 | .013 |
| 11781 | .01 | .001 |
| 11782 | .05 | .046 |
| 11783 | .01 | .007 |
| 11784 | .03 | .007 |
| 11785 | .17 | .093 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: OCT 17 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Oct. 21/88.*

ASSAY CERTIFICATE

- SAMPLE TYPE: ROCK AU** AND AG** BY FIRE ASSAY FROM 1 A.T.

SIGNED BY *C. Lung* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LAKE FILE # 88-5258 Page 1

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11711 | .10 | .046 |
| E 11712 | .09 | .029 |
| E 11713 | .44 | .182 |
| E 11714 | 1.34 | .323 |
| E 11715 | 2.24 | .440 |
| E 11716 | 3.62 | .298 |
| E 11717 | 3.68 | .245 |
| E 11718 | .44 | .080 |
| E 11719 | 1.36 | .130 |
| E 11720 | .63 | .096 |
| E 11721 | .12 | .061 |
| E 11722 | .19 | .034 |
| E 11723 | .11 | .019 |
| E 11724 | .12 | .039 |
| E 11725 | .15 | .009 |
| E 11726 | .07 | .003 |
| E 11727 | .04 | .006 |
| E 11728 | .09 | .038 |
| E 11729 | .22 | .064 |
| E 11730 | .20 | .066 |
| E 11731 | .04 | .006 |
| E 11732 | .06 | .004 |
| E 11733 | .04 | .020 |
| E 11734 | .02 | .006 |
| E 11735 | .01 | .003 |
| E 11736 | .12 | .085 |
| E 11737 | .07 | .037 |
| E 11738 | .10 | .046 |
| E 11739 | .07 | .060 |
| E 11740 | .01 | .019 |
| E 11741 | .01 | .013 |
| E 11742 | .01 | .018 |
| E 11743 | .02 | .003 |
| E 11744 | .06 | .042 |
| E 11745 | .04 | .011 |
| E 11746 | .05 | .040 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11747 | .04 | .001 |
| E 11748 | .04 | .004 |
| E 11749 | .04 | .025 |
| E 11750 | .08 | .024 |
| E 11751 | 2.48 | .007 |
| E 11752 | .63 | .002 |
| E 11753 | .18 | .001 |
| E 11754 | .15 | .031 |
| E 11755 | .19 | .028 |
| E 11756 | .32 | .049 |
| E 11757 | 1.55 | .150 |
| E 11758 | 1.15 | .025 |
| E 11759 | 2.41 | .159 |
| E 11760 | 2.28 | .138 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: NOV 16 1988
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Nov. 21/88*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

SIGNED BY *C. Long* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. FILE # 88-5880

| SAMPLE# | Ag PPM | Au* PPB |
|------------|-----------|------------|
| E 11251 | .3 | 1 |
| E 11252 | .2 | 1 |
| E 11253 | .2 | 3 |
| E 11254 | .1 | 1 |
| E 11255 | .2 | 1 |
| E 11256 | .1 | 2 |
| E 11257 | .1 | 1 |
| E 11258 | .1 | 1 |
| E 11259 | .4 | 1 |
| E 11260 | .2 | 1 |
| E 11261 | .1 | 1 |
| E 11262 | .3 | 2 |
| E 11263 | .2 | 1 |
| E 11264 | .1 | 3 |
| E 11265 | .2 | 1 |
| E 11266 | .2 | 1 |
| E 11267 | .2 | 1 |
| E 11268 | .2 | 1 |
| E 11269 | .3 | 1 |
| E 11270 | .1 | 1 |
| E 11271 | .1 | 2 |
| E 11272 | .1 | 5 |
| E 11273 | .1 | 1 |
| E 11274 | .1 | 3 |
| E 11275 | .1 | 1 |
| E 11276 | .1 | 1 |
| E 11277 | .1 | 1 |
| E 11278 | .1 | 1 |
| E 11279 | .1 | 1 |
| E 11280 | .1 | 3 |
| E 11281 | .1 | 1 |
| STD C/AU-R | 6.7 | 490 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: NOV 16 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Nov. 21/88*

ASSAY CERTIFICATE

-100 MESH AU BY FIRE ASSAY FROM 1 A.T.

SAMPLE TYPE: Core

SIGNED BY *C. Long* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. FILE # 88-5880A

| SAMPLE# | Ag** OZ/T | SAMPLE WT GM | AU-100 OZ/T | NATIVE AU MG | AVG. OZ/T |
|---------|--------------|-----------------|----------------|-----------------|--------------|
| E 11282 | .01 | 600 | .001 | ND | .001 |
| E 11283 | .01 | 550 | .024 | .01 | .025 |
| E 11284 | .15 | 500 | .186 | .14 | .194 |
| E 11285 | .40 | 750 | .087 | .02 | .088 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: NOV 23 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: Nov. 25/88.

ASSAY CERTIFICATE

-100 MESH AU BY FIRE ASSAY FROM 1 A.T.

SAMPLE TYPE: REJECT

SIGNED BY *C. Long* D. TOYE, C. LRONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. FILE # 88-5880R

| SAMPLE# | SAMPLE wt. gm | AU-100 oz/t | NATIVE Au mg | AVG oz/t |
|---------|---------------|-------------|--------------|----------|
| E 11282 | 530 | .001 | ND | .001 |
| E 11283 | 630 | .044 | .058 | .047 |
| E 11284 | 530 | .186 | .122 | .193 |
| E 11285 | 450 | .117 | .172 | .128 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: NOV 21 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: Nov. 23 / 88..

ASSAY CERTIFICATE

- SAMPLE TYPE: P1-P2 CORE P3 ROCK
AU** AND AG** BY FIRE ASSAY FROM 1 A.T.

SIGNED BY *C. Leung* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LK. FILE # 88-5936 Page 1

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11286 | .03 | .006 |
| E 11287 | .04 | .007 |
| E 11288 | .17 | .053 |
| E 11289 | .04 | .002 |
| E 11290 | .06 | .026 |
| E 11291 | .01 | .006 |
| E 11292 | .01 | .002 |
| E 11293 | .05 | .016 |
| E 11294 | .03 | .001 |
| E 11295 | .04 | .018 |
| E 11296 | .04 | .004 |
| E 11297 | .06 | .025 |
| E 11298 | .21 | .074 |
| E 11299 | .11 | .041 |
| E 11300 | .11 | .128 |
| E 11501 | .61 | .038 |
| E 11502 | .08 | .021 |
| E 11503 | .48 | .055 |
| E 11504 | .35 | .491 |
| E 11505 | .02 | .002 |
| E 11506 | .01 | .001 |
| E 11507 | .03 | .003 |
| E 11508 | .01 | .003 |
| E 11509 | .12 | .025 |
| E 11510 | .09 | .010 |
| E 11511 | .01 | .002 |
| E 11512 | .04 | .001 |
| E 11513 | .02 | .001 |
| E 11514 | .01 | .001 |
| E 11515 | .01 | .001 |
| E 11516 | .01 | .001 |
| E 11517 | .28 | .009 |
| E 11518 | .10 | .015 |
| E 11519 | .03 | .005 |
| E 11520 | .03 | .001 |
| E 11521 | .11 | .021 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11522 | .05 | .002 |
| E 11523 | .02 | .001 |
| E 11524 | .05 | .001 |
| E 11525 | .07 | .002 |
| E 11526 | .01 | .001 |
| E 11527 | .01 | .001 |
| E 11528 | .01 | .007 |
| E 11529 | .02 | .001 |
| E 11530 | .03 | .002 |
| E 11531 | .01 | .002 |
| E 11532 | .02 | .001 |
| E 11533 | .01 | .004 |
| E 11534 | .04 | .016 |
| E 11535 | .01 | .009 |
| E 11536 | .03 | .006 |
| E 11537 | .01 | .027 |
| E 11538 | .01 | .001 |
| E 11539 | .04 | .001 |
| E 11540 | .02 | .008 |
| E 11541 | .04 | .026 |
| E 11542 | .96 | .052 |
| E 11544 | .05 | .033 |
| E 11545 | .02 | .003 |
| E 11546 | .03 | .001 |
| E 11547 | .15 | .070 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11786 | 1.83 | .175 |
| E 11787 | 4.47 | .243 |
| E 11788 | .38 | .059 |
| E 11789 | .68 | .190 |
| E 11790 | .84 | .052 |
| E 11791 | .17 | .055 |
| E 11792 | .08 | .026 |
| E 11793 | .02 | .001 |
| E 11794 | .09 | .011 |
| E 11795 | .19 | .062 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: NOV 21 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Nov. 24/88*

ASSAY CERTIFICATE

- SAMPLE TYPE: Core -100 MESH AU BY FIRE ASSAY FROM 1 A.T.

SIGNED BY... *C. Leong* D. TOYB, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LK. FILE # 88-5935

| SAMPLE# | Ag** OZ/T | SAMPLE WT GM | AU-100 OZ/T | NATIVE AU MG | AVG. OZ/T |
|---------|--------------|-----------------|----------------|-----------------|--------------|
| E 11543 | .12 | 400 | .154 | .16 | .166 |
| E 11805 | .22 | 480 | .075 | .02 | .076 |
| E 11806 | .07 | 500 | .019 | ND | .019 |
| E 11807 | .14 | 430 | .030 | ND | .030 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: NOV 24 1988
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: Nov 30/88:

ASSAY CERTIFICATE

- SAMPLE TYPE: Core AU** AND AG** BY FIRE ASSAY FROM 1 A.T.

SIGNED BY *C. Long* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LAKE FILE # 88-6010 Page 1

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11548 | .01 | .009 |
| E 11549 | .01 | .001 |
| E 11550 | .01 | .001 |
| E 11796 | .03 | .044 |
| E 11797 | .01 | .001 |
| E 11798 | .03 | .037 |
| E 11799 | .03 | .018 |
| E 11800 | .08 | .002 |
| E 11801 | .01 | .001 |
| E 11802 | .01 | .001 |
| E 11803 | .01 | .001 |
| E 11804 | .01 | .002 |
| E 11808 | .07 | .002 |
| E 11809 | .06 | .076 |
| E 11810 | .01 | .001 |
| E 11811 | .09 | .035 |
| E 11812 | .03 | .001 |
| E 11813 | .01 | .001 |
| E 11814 | .03 | .078 |
| E 11815 | 6.79 | .022 |
| E 11816 | .21 | .003 |
| E 11817 | .01 | .010 |
| E 11818 | .01 | .001 |
| E 11819 | .27 | .011 |
| E 11820 | .01 | .002 |
| E 11821 | .06 | .017 |
| E 11822 | .08 | .027 |
| E 11823 | .01 | .001 |
| E 11825 | .01 | .001 |
| E 11826 | .02 | .022 |
| E 11827 | .01 | .002 |
| E 11829 | .07 | .032 |
| E 11830 | .14 | .225 |
| E 11831 | .05 | .037 |
| E 11832 | .05 | .028 |
| E 11833 | .01 | .008 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11834 | .18 | .156 |
| E 11835 | .32 | .318 |
| E 11836 | .03 | .003 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: NOV 24 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: Nov. 29 / 88..

ASSAY CERTIFICATE

-100 MESH AU BY FIRE ASSAY FROM 1 A.T.

SAMPLE TYPE: Core

SIGNED BY *C. Long* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LAKE FILE # 88-6010 Page 3

| SAMPLE# | Ag** | SAMPLE | AU-100 | NATIVE | AVG. |
|---------|------|--------|--------|--------|------|
| | OZ/T | WT GM | OZ/T | AU MG | OZ/T |
| E 11824 | .06 | 470 | .046 | ND | .046 |
| E 11828 | .07 | 650 | .269 | ND | .269 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: DEC 2 1988
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Dec. 6/88.*

ASSAY CERTIFICATE

- SAMPLE TYPE: Core AU** AND AG** BY FIRE ASSAY FROM 1 A.T.

SIGNED BY *C. Long* D. TOVE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LAKE FILE # 88-6124 Page 1

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11837 | .01 | .001 |
| E 11838 | .01 | .001 |
| E 11839 | .02 | .001 |
| E 11840 | .02 | .001 |
| E 11841 | .01 | .001 |
| E 11842 | .01 | .001 |
| E 11843 | .01 | .001 |
| E 11844 | .01 | .001 |
| E 11845 | .03 | .001 |
| E 11846 | .01 | .001 |
| E 11847 | .01 | .001 |
| E 11848 | .02 | .037 |
| E 11849 | .01 | .001 |
| E 11850 | .07 | .027 |
| E 11901 | .02 | .006 |
| E 11902 | .01 | .003 |
| E 11903 | .23 | .136 |
| E 11904 | .01 | .003 |
| E 11905 | .19 | .149 |
| E 11906 | .01 | .004 |
| E 11907 | .14 | .123 |
| E 11908 | .05 | .004 |
| E 11909 | .35 | .201 |
| E 11910 | .03 | .005 |
| E 11911 | .04 | .004 |
| E 11912 | .13 | .011 |
| E 11913 | .06 | .015 |
| E 11914 | .01 | .003 |
| E 11915 | .01 | .001 |
| E 11916 | .01 | .001 |
| E 11917 | .01 | .004 |
| E 11918 | .01 | .001 |
| E 11919 | .02 | .001 |
| E 11920 | .01 | .001 |
| E 11921 | .01 | .001 |
| E 11922 | .01 | .001 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11923 | .04 | .028 |
| E 11924 | .01 | .001 |
| E 11925 | .01 | .001 |
| E 11926 | .01 | .003 |
| E 11927 | .01 | .001 |
| E 11929 | .06 | .237 |
| E 11931 | .01 | .002 |
| E 11932 | .50 | .108 |
| E 11933 | .06 | .026 |
| E 11934 | .01 | .001 |
| E 11935 | .02 | .004 |
| E 11936 | .01 | .008 |
| E 11937 | .01 | .014 |
| E 11938 | .02 | .001 |
| E 11939 | .01 | .001 |
| E 11940 | .54 | .010 |
| E 11941 | .07 | .002 |
| E 11942 | .01 | .009 |
| E 11943 | .01 | .017 |
| E 11944 | .05 | .014 |
| E 11945 | .02 | .001 |
| E 11946 | .31 | .054 |
| E 11947 | .01 | .001 |
| E 11948 | .01 | .001 |
| E 11950 | .01 | .015 |
| E 11951 | .10 | .018 |
| E 11952 | .04 | .049 |
| E 11953 | .27 | .047 |
| E 11954 | .05 | .023 |
| E 11955 | .01 | .042 |
| E 11956 | .29 | .034 |
| E 11957 | .07 | .004 |
| E 11958 | .02 | .001 |
| E 11959 | .02 | .001 |
| E 11960 | .01 | .001 |
| E 11961 | .01 | .001 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11962 | .05 | .004 |
| E 11963 | .01 | .004 |
| E 11964 | .01 | .003 |
| E 11965 | .19 | .025 |
| E 11966 | .05 | .002 |
| E 11967 | .03 | .001 |
| E 11968 | 1.21 | .014 |
| E 11969 | .03 | .001 |
| E 11970 | .08 | .002 |
| E 11971 | .01 | .001 |
| E 11972 | .04 | .006 |
| E 11973 | .01 | .001 |
| E 11974 | .04 | .001 |
| E 11975 | .01 | .001 |
| E 11976 | .01 | .002 |
| E 11977 | .01 | .002 |
| E 11978 | .01 | .001 |
| E 11979 | .01 | .001 |
| E 11980 | .02 | .004 |
| E 11981 | .03 | .002 |
| E 11982 | .01 | .004 |
| E 11983 | .16 | .010 |
| E 11984 | .03 | .001 |
| E 11985 | .08 | .004 |
| E 11986 | .01 | .003 |
| E 11987 | .04 | .001 |
| E 11988 | .01 | .001 |
| E 11989 | .02 | .001 |
| E 11990 | .01 | .001 |
| E 11991 | .01 | .001 |
| E 11992 | .01 | .001 |
| E 11993 | .01 | .002 |
| E 11994 | .02 | .005 |
| E 11995 | .10 | .052 |

| SAMPLE# | Ag** OZ/T | SAMPLE WT GM | AU-100 OZ/T | NATIVE AU-100 | AVG. OZ/T |
|---------|--------------|-----------------|----------------|------------------|--------------|
| E 11928 | .22 | 450 | .232 | .20 | .245 |
| E 11930 | .34 | 1250 | .285 | 1.04 | .309 |
| E 11949 | .78 | 1050 | .252 | .50 | .266 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: DEC 6 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: Dec. 8/88

ASSAY CERTIFICATE

- SAMPLE TYPE: Core AU** AND AG** BY FIRE ASSAY FROM 1 A.T.

SIGNED BY *C. Long* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON FILE # 88-6171 Page 1

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11851 | .01 | .015 |
| E 11852 | .01 | .003 |
| E 11853 | .01 | .001 |
| E 11854 | .01 | .006 |
| E 11855 | .01 | .001 |
| E 11856 | .01 | .005 |
| E 11857 | .06 | .012 |
| E 11858 | .01 | .006 |
| E 11859 | .08 | .007 |
| E 11860 | .01 | .003 |
| E 11861 | .16 | .004 |
| E 11862 | .02 | .011 |
| E 11863 | .01 | .001 |
| E 11864 | .01 | .001 |
| E 11865 | .20 | .098 |
| E 11866 | .10 | .024 |
| E 11867 | .06 | .074 |
| E 11868 | .03 | .065 |
| E 11869 | .33 | .438 |
| E 11870 | .53 | .125 |
| E 11871 | .05 | .063 |
| E 11872 | .01 | .001 |
| E 11873 | .03 | .021 |
| E 11874 | .01 | .001 |
| E 11875 | .01 | .001 |
| E 11876 | .01 | .001 |
| E 11877 | .01 | .001 |
| E 11878 | .01 | .001 |
| E 11879 | .57 | .246 |
| E 11880 | .15 | .086 |
| E 11881 | .01 | .004 |
| E 11882 | .01 | .001 |
| E 11883 | .19 | .067 |
| E 11884 | .04 | .001 |
| E 11885 | .01 | .001 |
| E 11886 | .06 | .001 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11887 | .04 | .185 |
| E 11888 | .05 | .017 |
| E 11889 | .09 | .079 |
| E 11890 | .01 | .002 |
| E 11891 | .22 | .039 |
| E 11892 | .01 | .012 |
| E 11893 | .05 | .095 |
| E 11894 | .10 | .072 |
| E 11895 | .05 | .048 |
| E 11896 | .43 | .225 |
| E 11897 | .28 | .196 |
| E 11898 | .39 | .181 |
| E 11899 | .25 | .046 |
| E 11900 | .01 | .022 |
| E 11996 | .01 | .003 |
| E 11997 | .01 | .003 |
| E 11998 | .03 | .005 |
| E 11999 | .03 | .004 |
| E 12000 | .03 | .001 |
| E 46251 | .01 | .009 |
| E 46252 | .26 | .016 |
| E 46253 | 8.84 | .028 |
| E 46254 | .05 | .156 |
| E 46255 | .09 | .076 |
| E 46256 | .01 | .001 |
| E 46257 | .01 | .001 |
| E 46258 | .01 | .001 |
| E 46259 | .22 | .046 |
| E 46260 | .02 | .052 |
| E 46261 | .41 | .275 |
| E 46262 | .04 | .010 |
| E 46263 | .06 | .049 |
| E 46264 | .01 | .002 |
| E 46265 | .08 | .058 |
| E 46266 | .55 | .399 |
| E 46267 | .10 | .002 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 46268 | .14 | .078 |
| E 46269 | .01 | .001 |
| E 46270 | .01 | .001 |
| E 46271 | .01 | .007 |
| E 46272 | .52 | .051 |
| E 46273 | .06 | .013 |
| E 46274 | .01 | .001 |
| E 46275 | .04 | .023 |
| E 46276 | .01 | .001 |
| E 46277 | .01 | .007 |
| E 46278 | .20 | .031 |
| E 46279 | .22 | .167 |
| E 46280 | .48 | .658 |
| E 46281 | .02 | .007 |
| E 46282 | .01 | .001 |
| E 46283 | .01 | .001 |
| E 46284 | .01 | .001 |
| E 46285 | .01 | .001 |
| E 46286 | .03 | .001 |
| E 46287 | .01 | .001 |
| E 46288 | .01 | .001 |
| E 46289 | .01 | .001 |
| E 46290 | .01 | .001 |
| E 46291 | .01 | .001 |
| E 46292 | .01 | .001 |
| E 46293 | .01 | .001 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: DEC 12 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: Dec. 16/88..

ASSAY CERTIFICATE

- SAMPLE TYPE: Core AU** AND AG** BY FIRE ASSAY FROM 1 A.T.

SIGNED BY.. *C. Long* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON FILE # 88-6229 Page 1

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| D 38001 | .02 | .005 |
| D 38002 | .01 | .001 |
| D 38004 | .01 | .007 |
| D 38006 | .09 | .003 |
| D 38008 | .01 | .002 |
| D 38010 | .01 | .002 |
| D 38011 | .01 | .001 |
| D 38013 | .01 | .001 |
| D 38015 | .01 | .001 |
| D 38016 | .02 | .006 |
| D 38017 | .01 | .001 |
| D 38018 | .01 | .001 |
| D 38020 | .03 | .009 |
| D 38021 | .01 | .001 |
| D 38022 | .01 | .002 |
| D 38023 | .24 | .131 |
| D 38025 | .01 | .002 |
| D 38026 | .08 | .044 |
| D 38027 | .02 | .002 |
| D 38029 | .02 | .001 |
| D 38030 | .01 | .001 |
| D 38031 | .03 | .001 |
| D 38032 | .01 | .001 |
| D 38033 | .02 | .001 |
| D 38034 | .05 | .003 |
| D 38035 | .03 | .003 |
| D 38036 | .02 | .001 |
| D 38037 | .07 | .001 |
| D 38038 | .01 | .001 |
| D 38039 | .01 | .001 |
| D 38040 | .01 | .001 |
| D 38041 | .01 | .001 |
| D 38042 | .01 | .001 |
| D 38043 | .01 | .001 |
| D 38044 | .02 | .001 |
| D 38045 | .01 | .001 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| D 38046 | .02 | .002 |
| D 38047 | .01 | .001 |
| D 38048 | .01 | .001 |
| D 38049 | .01 | .001 |
| D 38050 | .01 | .001 |
| D 38051 | .03 | .001 |
| D 38052 | .03 | .002 |
| D 38053 | .01 | .001 |
| D 38054 | .01 | .001 |
| D 38055 | .01 | .001 |
| D 38056 | .05 | .008 |
| D 38057 | .01 | .001 |
| D 38058 | .10 | .006 |
| D 38059 | .01 | .002 |
| D 38060 | .01 | .001 |
| D 38061 | .01 | .001 |
| D 38062 | .01 | .001 |
| D 38063 | .01 | .001 |
| D 38064 | .01 | .001 |
| D 38065 | .02 | .001 |
| E 46294 | .01 | .001 |
| E 46295 | .01 | .001 |
| E 46296 | .04 | .005 |
| E 46297 | .01 | .002 |
| E 46298 | .02 | .005 |
| E 46299 | .01 | .001 |
| E 46300 | .01 | .001 |

| SAMPLE# | Ag** OZ/T | SAMPLE WT GM | AU-100 OZ/T | NATIVE AU MG | AVG. OZ/T |
|---------|--------------|-----------------|----------------|-----------------|--------------|
| D 38003 | .01 | 520 | .001 | ND | .001 |
| D 38005 | .11 | 350 | .063 | ND | .063 |
| D 38007 | .57 | 450 | .439 | .15 | .448 |
| D 38009 | .14 | 490 | .106 | .02 | .107 |
| D 38012 | .13 | 190 | .066 | ND | .066 |
| D 38014 | .11 | 350 | .065 | ND | .065 |
| D 38019 | .15 | 280 | .073 | ND | .073 |
| D 38024 | .27 | 130 | .174 | ND | .174 |
| D 38028 | .10 | 480 | .055 | ND | .055 |

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: DEC 12 1988

DATE REPORT MAILED: *Dec. 16/88*

ASSAY CERTIFICATE

- SAMPLE TYPE: Core AU** AND AG** BY FIRE ASSAY FROM 1 A.T.

SIGNED BY *C. Long* D. TOYE, C. LBONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LAKE FILE # 88-6257 Page 1

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| D 38066 | .01 | .001 |
| D 38067 | .01 | .002 |
| D 38068 | .01 | .001 |
| D 38069 | .14 | .021 |
| D 38070 | .01 | .001 |
| D 38071 | .01 | .014 |
| D 38072 | .08 | .031 |
| D 38073 | .07 | .069 |
| D 38076 | .06 | .049 |
| D 38078 | .09 | .009 |
| D 38081 | .01 | .003 |
| D 38082 | .03 | .002 |
| D 38083 | .01 | .001 |
| D 38084 | .02 | .001 |
| D 38085 | .06 | .007 |
| D 38086 | .04 | .029 |
| D 38088 | .01 | .001 |
| D 38089 | .01 | .001 |
| D 38090 | .01 | .001 |
| D 38091 | .01 | .001 |
| D 38092 | .01 | .001 |
| D 38093 | .01 | .001 |
| D 38094 | .03 | .002 |
| D 38095 | .01 | .001 |
| D 38096 | .11 | .110 |
| D 38098 | .03 | .001 |
| D 38099 | .01 | .001 |
| D 38100 | .01 | .001 |
| D 38101 | .01 | .003 |
| D 38102 | .01 | .001 |
| D 38103 | .01 | .001 |
| D 38104 | .06 | .001 |
| D 38105 | .01 | .001 |
| D 38106 | .01 | .028 |
| D 38107 | .02 | .004 |
| D 38108 | .01 | .001 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| D 38109 | .01 | .003 |
| D 38110 | .01 | .001 |
| D 38111 | .11 | .060 |
| D 38112 | .01 | .001 |
| D 38113 | .01 | .001 |
| D 38114 | .01 | .002 |
| D 38115 | .02 | .005 |
| D 38116 | .01 | .001 |
| D 38118 | .02 | .004 |
| D 38119 | .08 | .001 |
| D 38120 | .01 | .001 |
| D 38123 | .01 | .001 |
| D 38126 | .01 | .001 |
| D 38127 | .02 | .001 |
| D 38128 | .01 | .001 |
| D 38129 | .01 | .001 |
| D 38130 | .01 | .001 |
| D 38131 | .01 | .001 |
| D 38133 | .04 | .014 |
| D 38134 | .01 | .002 |
| D 38135 | .02 | .001 |
| D 38136 | .01 | .001 |
| D 38138 | .01 | .001 |
| D 38140 | .02 | .009 |
| D 38142 | .01 | .001 |
| D 38143 | .04 | .007 |
| D 38144 | .03 | .003 |
| D 38145 | .01 | .001 |
| D 38146 | .03 | .004 |
| D 38147 | .03 | .001 |
| D 38148 | .03 | .001 |
| D 38150 | .10 | .019 |
| D 38151 | .02 | .001 |
| D 38152 | .03 | .001 |
| D 38153 | .03 | .002 |
| D 38154 | .01 | .001 |

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| D 38155 | .01 | .001 |
| D 38156 | .01 | .001 |

| SAMPLE# | Ag** OZ/T | SAMPLE WT GM | AU-100 OZ/T | NATIVE AU MG | AVG. OZ/T |
|---------|--------------|-----------------|----------------|-----------------|--------------|
| D 38074 | .08 | 750 | .030 | ND | .030 |
| D 38075 | 1.81 | 500 | 2.040 | 4.36 | 2.294 |
| D 38077 | 1.70 | 250 | .522 | .49 | .579 |
| D 38079 | 17.65 | 400 | 1.330 | .09 | 1.337 |
| D 38080 | .21 | 450 | .084 | ND | .084 |
| D 38087 | .30 | 250 | .124 | .03 | .128 |
| D 38097 | 1.01 | 250 | .219 | .09 | .229 |
| D 38117 | .14 | 500 | .085 | ND | .085 |
| D 38121 | .06 | 300 | .005 | ND | .005 |
| D 38122 | .03 | 250 | .004 | ND | .004 |
| D 38124 | .06 | 150 | .004 | ND | .004 |
| D 38125 | .05 | 150 | .005 | ND | .005 |
| D 38132 | .09 | 500 | .001 | ND | .001 |
| D 38137 | .07 | 950 | .013 | .01 | .013 |
| D 38139 | .27 | 300 | .081 | ND | .081 |
| D 38141 | .63 | 550 | .145 | ND | .145 |
| D 38149 | 16.64 | 200 | .035 | ND | .035 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: NOV 24 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: Dec. 20/88.

ASSAY CERTIFICATE

- SAMPLE TYPE: REJECT
AU** AND AG** BY FIRE ASSAY FROM 1/2 A.T.

SIGNED BY *C. Long* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LAKE FILE # 88-6010R

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11548 | .03 | .005 |
| E 11549 | .01 | .001 |
| E 11550 | .01 | .001 |
| E 11796 | .05 | .096 |
| E 11797 | .01 | .001 |
| E 11798 | .02 | .012 |
| E 11799 | .02 | .016 |
| E 11808 | .04 | .001 |
| E 11809 | .03 | .061 |
| E 11810 | .01 | .001 |
| E 11811 | .05 | .020 |
| E 11812 | .03 | .005 |
| E 11813 | .02 | .001 |
| E 11814 | .03 | .014 |
| E 11815 | 6.59 | .027 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: DEC 12 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: Dec. 20/88.

ASSAY CERTIFICATE

- SAMPLE TYPE: REJECT
AU** AND AG** BY FIRE ASSAY FROM 1/2 A.T.

SIGNED BY *C. Long* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS
DAIWAN ENGINEERING LTD. PROJECT HARRISON FILE # 88-6171R

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 46256 | .01 | .001 |
| E 46257 | .01 | .001 |
| E 46258 | .01 | .001 |
| E 46261 | .40 | .116 |
| E 46267 | .07 | .002 |
| E 46269 | .01 | .001 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: DEC 14 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: Dec. 19/88.

ASSAY CERTIFICATE

- SAMPLE TYPE: REJECT
AU** AND AG** BY FIRE ASSAY FROM 1 A.T.

SIGNED BY *C. Long* D. TOYE, C. LBONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LAKE FILE # 88-6124R

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11903 | .23 | .227 |
| E 11905 | .14 | .114 |
| E 11907 | .18 | .110 |
| E 11909 | .26 | .216 |
| E 11912 | .19 | .029 |
| E 11929 | .10 | .065 |
| E 11932 | .40 | .071 |
| E 11940 | 1.07 | .024 |
| E 11946 | .43 | .054 |
| E 11951 | .14 | .022 |
| E 11952 | .01 | .063 |
| E 11953 | .27 | .038 |
| E 11954 | .06 | .025 |
| E 11955 | .02 | .036 |
| E 11968 | 1.02 | .010 |
| E 11983 | .13 | .006 |
| E 11995 | .09 | .071 |

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: DEC 12 1988

DATE REPORT MAILED: Dec. 20/88.

ASSAY CERTIFICATE

- SAMPLE TYPE: REJECT
AU** AND AG** BY FIRE ASSAY FROM 1/2 A.T.

SIGNED BY *C. Long* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LK. FILE # 88-5935R

| SAMPLE# | Ag** | Au** |
|---------|------|------|
| | OZ/T | OZ/T |
| E 11805 | .33 | .242 |
| E 11806 | .07 | .014 |
| E 11807 | .20 | .036 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: DEC 12 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: Dec 20/88

ASSAY CERTIFICATE

- SAMPLE TYPE: REJECT
AU** AND AG** BY FIRE ASSAY FROM 1/2 A.T.

SIGNED BY *C. Long* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LK. FILE # 88-5936R

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| E 11533 | .01 | .004 |
| E 11534 | .07 | .025 |
| E 11535 | .05 | .007 |
| E 11536 | .01 | .007 |
| E 11537 | .03 | .024 |
| E 11540 | .01 | .008 |
| E 11541 | .03 | .025 |
| E 11542 | .89 | .051 |
| E 11544 | .01 | .018 |
| E 11545 | .01 | .003 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: DEC 22 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Jan. 3/89.*

ASSAY CERTIFICATE

- SAMPLE TYPE: Core AU** AND AG** BY FIRE ASSAY FROM 1 A.T.

SIGNED BY *C. Long* D. TOYB, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LAKE FILE # 88-6357

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| D 38157 | .11 | .129 |
| D 38158 | .01 | .001 |
| D 38159 | .01 | .001 |
| D 38160 | .01 | .004 |
| D 38161 | .01 | .001 |
| D 38162 | .01 | .014 |
| D 38163 | .19 | .270 |
| D 38164 | .01 | .001 |
| D 38165 | .01 | .001 |
| D 38166 | .01 | .001 |
| D 38167 | .01 | .001 |
| D 38168 | .01 | .012 |
| D 38169 | .01 | .001 |
| D 38170 | .01 | .004 |
| D 38171 | .01 | .001 |
| D 38172 | .02 | .001 |
| D 38173 | .01 | .001 |

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: DEC 28 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Jan. 9/89..*

ASSAY CERTIFICATE

- SAMPLE TYPE: REJECT
AU** AND AG** BY FIRE ASSAY FROM 1 A.T.

SIGNED BY *C. Long*..... D.TOYE, C.LEONG, B.CHAN, J.WANG; CERTIFIED B.C. ASSAYERS

DAIWAN ENGINEERING LTD. PROJECT HARRISON LAKE FILE # 88-6257R

| SAMPLE# | Ag** OZ/T | Au** OZ/T |
|---------|--------------|--------------|
| D 38071 | .01 | .011 |
| D 38072 | .24 | .036 |
| D 38073 | .03 | .061 |
| D 38076 | .19 | .088 |
| D 38081 | .01 | .006 |
| D 38140 | .06 | .004 |
| D 38150 | .13 | .029 |

APPENDIX II

Rock Sample Description and Location

SAMPLES FROM MAIN ZONE - ROAD CUT

| SAMPLE # | DESCRIPTION | ASSAYS | |
|----------|---------------------------------------|--------|--------|
| | | Au | Ag |
| 94451 | 5 cm grab from "main" vein | 1.055 | 253.80 |
| RH-1034 | 50 cm "main" vein at 109 m | .612 | 46.86 |
| RH-1035 | 60 cm "main" vein at 103 m | .299 | 7.79 |
| RH-1036 | 50 cm "main" vein at 93 m | .697 | 9.10 |
| RH-1037 | 50 cm "main" vein at 89 m | .216 | .77 |
| RH-1038 | 1.15 m "main" vein at 81 m | .308 | .25 |
| RH-1039 | 1.0 m "main" vein at 69 m | .231 | .53 |
| RH-1040 | 50 cm "main" vein at 61 m | .077 | .15 |
| RH-1041 | 1.0 m "main" vein at 55 m | .183 | .32 |
| RH-1042 | 40 cm "main" vein at 48.5 | .487 | .34 |
| RH-1046 | 10 cm vein above main at 98 m | .043 | .64 |
| RH-1047 | 10 cm vein above main at 98 m | .099 | 1.47 |
| RH-1048 | 10 cm vein above main at 98 m | .079 | .11 |
| RH-1049 | 2 - 3 cm parallel veins at 73 m | .179 | .12 |
| RH-1050 | 2 - 3 cm parallel veins above RH-1049 | .087 | .13 |
| RH-1065 | 3 - 3 cm veins at 58 m | .059 | .09 |
| RH-1066 | 4 cm vein at 56 m | .189 | .18 |
| RH-1067 | 3 cm flat quartz vein at 45 m | .021 | .30 |
| RH-1068 | 15 cm vein at 45 m | .444 | .20 |
| 11761 | 2.0 m chip above "main" vein at 96 m | .034 | .68 |
| 11762 | 3.1 m chip above "main" vein at 92 m | .002 | .02 |
| 11763 | 2.8 m chip above "main" vein at 88 m | .003 | .01 |
| 11764 | 2.2 m chip above "main" vein at 82 m | .001 | .01 |
| 11765 | 2.7 m chip above "main" vein at 76 m | .001 | .01 |
| 11766 | 1.6 m chip below "main" vein at 76 m | .053 | .13 |
| 11767 | 3.9 m chip above "main" vein at 70 m | .009 | .07 |
| 11768 | 75 cm chip across fault zone at 76 m | .001 | .01 |
| 11769 | 4.6 m chip above "main" vein at 67 m | .009 | .02 |
| 11770 | 2.5 m chip above "main" vein at 57 m | .005 | .01 |
| 11771 | 4.7 m chip above "main" vein at 49 m | .003 | .02 |
| 11772 | 6.5 m chip above "main" vein at 43 m | .001 | .01 |
| 11773 | 4.2 m chip above "main" vein at 35 m | .001 | .04 |
| 11774 | 4.8 m chip above "main" vein at 30 m | .001 | .01 |

SAMPLES FROM MAIN ZONE - WESTERN ROAD CUT

| SAMPLE # | DESCRIPTION | ASSAYS | |
|----------|------------------------------------|--------|------|
| 94452 | grab from vein | .319 | .90 |
| 94453 | grab from vein at western road cut | .224 | 1.89 |
| RH-1043 | 8 cm vein | .464 | 1.52 |
| RH-1044 | 8 cm vein | .138 | .20 |
| 11784 | 3 m chip from western road cut | .007 | .03 |
| 11785 | 1.75 m chip from western road cut | .093 | .17 |

SAMPLES FROM MAIN ZONE - TRENCH A

| SAMPLE # | DESCRIPTION | ASSAYS | |
|----------|---------------------------|-----------------|------|
| | | Au | Ag |
| RH-1078 | 75 cm chip qtz stringers | .501 | 1.68 |
| RH-1079 | 75 cm chip hard rock | .038 | .37 |
| RH-1080 | 3 cm vein | .328 | .81 |
| RH-1081 | 2 cm vein | .336 | .34 |
| RH-1082 | 1 cm vein | .247 | .24 |
| RH-1083 | 1 m chip across 2 veins | .075 | .13 |
| RH-1084 | 1 m chip across qtz veins | .136 | .27 |
| RH-1085 | 3 cm vein | .144 | .31 |
| RH-1086 | 20 cm vein | .042 | .68 |
| RH-1087 | stringers high grade | .002 | .04 |
| RH-1088 | 1 cm vein | .051 | .20 |
| RH-1089 | 2 cm vein | .189 | .28 |
| RH-1090 | 5 cm vein | .231 | .35 |
| 11711 | 3 m bulk sample | .046 | .10 |
| 11712 | 3 m bulk sample | .029 | .09 |
| 11713 | 3 m bulk sample | .182 | .44 |
| 11714 | 3 m bulk sample | .323 | 1.34 |
| 11715 | 3 m bulk sample | .440 | 2.24 |
| 11716 | 3 m bulk sample | .298 | 3.62 |
| 11717 | 3 m bulk sample | .245 | 3.68 |
| 11718 | 3 m bulk sample | .080 | .44 |
| 11719 | 3 m bulk sample | .130 | 1.36 |
| 11720 | 3 m bulk sample | .096 | .63 |
| 11721 | 3 m bulk sample | .061 | .12 |
| 11722 | 3 m bulk sample | .034 | .19 |
| 11723 | 3 m bulk sample | .019 | .11 |
| 11724 | 3 m bulk sample | .039 | .12 |
| 11725 | 3 m bulk sample | .009 | .15 |
| 11726 | 3 m bulk sample | .003 | .07 |
| 11727 | 3 m bulk sample | .006 | .04 |
| 11728 | 3 m bulk sample | .038 | .09 |
| 11729 | 3 m bulk sample | .064 | .22 |
| 11730 | 3 m bulk sample | .066 | .20 |

SAMPLES FROM MAIN ZONE - TRENCH B

| SAMPLE # | DESCRIPTION | ASSAYS | |
|----------|-----------------|--------|-----|
| | | Au | Ag |
| 11731 | 3 m bulk sample | .006 | .04 |
| 11732 | 3 m bulk sample | .004 | .06 |
| 11733 | 3 m bulk sample | .020 | .04 |
| 11734 | 3 m bulk sample | .006 | .02 |
| 11735 | 3 m bulk sample | .003 | .01 |
| 11736 | 3 m bulk sample | .085 | .12 |
| 11737 | 3 m bulk sample | .037 | .07 |
| 11738 | 3 m bulk sample | .046 | .10 |
| 11739 | 3 m bulk sample | .060 | .07 |
| 11740 | 3 m bulk sample | .019 | .01 |
| 11741 | 3 m bulk sample | .013 | .01 |
| 11742 | 3 m bulk sample | .018 | .01 |
| 11743 | 3 m bulk sample | .003 | .02 |
| 11744 | 3 m bulk sample | .042 | .06 |
| 11745 | 3 m bulk sample | .014 | .04 |
| 11746 | 3 m bulk sample | .040 | .05 |
| 11747 | 3 m bulk sample | .001 | .04 |
| 11748 | 3 m bulk sample | .004 | .04 |
| 11749 | 3 m bulk sample | .025 | .04 |
| 11750 | 3 m bulk sample | .024 | .08 |

SAMPLES FROM MUSTANG SHOWING

| SAMPLE # | DESCRIPTION | ASSAYS | |
|----------|---|--------|-------|
| | | Au | Ag |
| RH-1031 | 60 cm vein sample | 12.740 | 4.42 |
| RH-1031A | grab of vein boulder | .867 | 5.73 |
| RH-1069 | 1 m X-chip across mustang vein | .442 | .63 |
| RH-1070 | 1 m X-chip across vein | 1.410 | 1.1- |
| RH-1071 | 5 cm vein above and parallel | .279 | .13 |
| RH-1072 | 5 cm vein above and parallel | .329 | .23 |
| RH-1073 | 1 m X-chip across vein | 1.020 | .7- |
| RH-1074 | 5 cm vein | .284 | .07 |
| 11701 | 8 cm vein extension at 10 m | 2.110 | 1.92 |
| 11702 | 8 cm vein extension at 13 m | 4.580 | 1.92 |
| 11703 | 18 cm vein extension at 17 m | .151 | .6- |
| 11704 | 15 cm vein extension at 20 m | .701 | .6- |
| 11705 | 12 cm vein extension at 24 m | 5.030 | .6- |
| 11706 | 6 cm vein extension at 27.5 m (bottom?) | 2.530 | .95 |
| 11707 | 12 cm vein extension at 33 m | .744 | .4- |
| 11708 | 8 cm vein extension at 39 m | .513 | .5- |
| 11709 | 12 cm vein extension at 43 m | .870 | 10.73 |
| 11710 | 12 cm vein extension at 51 m | 3.650 | 3.31 |
| 11775 | 3.5 m chip below vein lower trench | .029 | .03 |
| 11776 | 2.4 m chip below vein lower trench | .001 | .01 |
| 11777 | 1.3 m chip above vein lower trench | .015 | .0- |
| 11778 | 2.7 m chip above vein lower trench | .002 | .03 |
| 11779 | 2.3 m chip below vein | .002 | .09 |
| 11780 | 2.2 m chip above vein | .013 | .1- |
| 11781 | 2.8 m chip above vein | .001 | .01 |
| 11782 | 2.5 m chip above vein | .046 | .05 |
| 11783 | 2.2 m chip above vein | .007 | .01 |

SAMPLES FROM EAST ZONE

| SAMPLE # | DESCRIPTION | ASSAYS | |
|-------------------|---------------------------------------|--------|------|
| | | Au | Ag |
| 94463 | grab from vein | .930 | 1.04 |
| 94464 | grab from vein | .676 | .34 |
| RH-1051 | grab from mineralized pod? | .001 | .01 |
| RH-1052 | 1 m across 5cm vein | .005 | .02 |
| RH-1053 | 50 cm shear zone with 8 cm vein | .861 | 1.53 |
| RH-1054 | 1 m chip adjacent to RH-1053 | .014 | .08 |
| RH-1055 | 75 cm chip | .825 | .72 |
| RH-1056 | chip of altered zone | .002 | .02 |
| ROAD TO NAGYVILLE | | | |
| RH-1026 | 7 cm vein at end of DDH-83-R-47 road | .107 | .04 |
| RH-1027 | 15 cm vein on road | .065 | .03 |
| RH-1057 | 50 cm chip across vein and alteration | .085 | .04 |
| RH-1058 | 40 cm chip across 10 cm vein | .059 | .01 |
| RH-1059 | 70 cm chip across stringers | .031 | .02 |
| RH-1060 | 30 cm across vein | .051 | .01 |

SAMPLES FROM SOUTH SWAMP AND PYLON ZONES

| SAMPLE# | DESCRIPTION | ASSAYS | |
|---------|---|--------|------|
| | | Au | Ag |
| RH-1001 | 5 cm on hornet vein | .042 | .13 |
| RH-1002 | 12 cm on hornet vein | .138 | .23 |
| RH-1003 | 12 cm on hornet vein | .081 | .24 |
| RH-1008 | grab from vein below road swamp zone | .127 | .33 |
| RH-1010 | 6 cm grab of vein near DDH 85-8 | 2.982 | 6.38 |
| RH-1011 | 15 cm vein and alteration | .005 | .01 |
| RH-1012 | grab from chert?? | .004 | .01 |
| RH-1013 | 5 cm grab of vein | .020 | .41 |
| RH-1014 | 5 cm grab of vein near pylon | .177 | .15 |
| RH-1015 | float boulder of vein material | .077 | .76 |
| RH-1016 | 4 cm vein near pylon | .066 | .51 |
| RH-1017 | 10 cm vein below road swamp zone | .097 | .09 |
| RH-1018 | 10 cm vein beside road | .011 | .44 |
| RH-1019 | 30 cm of vein (10cm) with alteration | .005 | 1.43 |
| RH-1020 | 7 cm vein with graphite road side | .008 | 1.48 |
| RH-1021 | 6 cm vein on road side | .022 | .87 |
| RH-1022 | 5 cm of vein and alteration | .001 | .11 |
| RH-1023 | 2 cm vein road side | .003 | .02 |
| 11751 | 1.5 m chip road side | .007 | 2.46 |
| 11752 | 1.5 m chip across graphite vein (10 cm) | .002 | .63 |
| 11753 | 2 m chip road side | .001 | .18 |
| 11754 | 2 m chip road side | .031 | .13 |
| 11755 | 1.5 m chip road side | .028 | .19 |
| 11756 | 2 m chip pylon | .049 | .32 |
| 11757 | 3 m chip pylon | .150 | 1.55 |
| 11758 | 3 m chip across veins | .025 | 1.12 |
| 11759 | 2 m chip | .159 | 2.41 |
| 11760 | 1.5 m chip | .138 | 2.28 |

SAMPLES FROM NORTH ZONE

| SAMPLE # | DESCRIPTION | ASSAYS | |
|----------|------------------------------|--------|------|
| | | Au | Ag |
| RH-1006 | 5 cm vein on road | .705 | .84 |
| RH-1007 | 5 cm vein on road | .952 | 2.86 |
| RH-1075 | 25 cm vein | .931 | 1.10 |
| RH-1076 | 1 m chip across altered zone | .243 | .48 |
| RH-1077 | 2 cm vein | .062 | .16 |
| RH-1091 | 7 cm vein | 1.020 | 2.65 |
| RH-1092 | 5 cm vein | .783 | 6.03 |
| RH-1093 | 7 cm vein | .842 | 1.75 |
| RH-1094 | 2 - 3 cm veins | .499 | .67 |
| RH-1095 | 3 cm vein | .611 | 1.79 |
| RH-1096 | 5 cm vein | .884 | 2.74 |
| RH-1097 | 3 cm vein | .392 | 1.75 |

SAMPLES FROM MAIN ZONE - WESTERN ROAD CUT

| SAMPLE # | DESCRIPTION | ASSAYS | |
|----------|------------------------------------|--------|------|
| ===== | | | |
| 94452 | grab from vein | .319 | .90 |
| 94453 | grab from vein at western road cut | .224 | 1.89 |
| RH-1043 | 8 cm vein | .464 | 1.52 |
| RH-1044 | 8 cm vein | .138 | .20 |
| 11784 | 3 m chip from western road cut | .007 | .03 |
| 11785 | 1.75 m chip from western road cut | .093 | .13 |

SAMPLES FROM MAIN ZONE - TRENCH A

| SAMPLE # | DESCRIPTION | ASSAYS | |
|----------|---------------------------|--------|------|
| | | Au | Ag |
| RH-1078 | 75 cm chip qtz stringers | .501 | 1.68 |
| RH-1079 | 75 cm chip hard rock | .038 | .37 |
| RH-1080 | 3 cm vein | .328 | .81 |
| RH-1081 | 2 cm vein | .336 | .34 |
| RH-1082 | 1 cm vein | .247 | .24 |
| RH-1083 | 1 m chip across 2 veins | .075 | .13 |
| RH-1084 | 1 m chip across qtz veins | .136 | .27 |
| RH-1085 | 3 cm vein | .144 | .31 |
| RH-1086 | 20 cm vein | .042 | .68 |
| RH-1087 | stringers high grade | .002 | .04 |
| RH-1088 | 1 cm vein | .051 | .20 |
| RH-1089 | 2 cm vein | .189 | .28 |
| RH-1090 | 5 cm vein | .231 | .35 |
| 11711 | 3 m bulk sample | .046 | .10 |
| 11712 | 3 m bulk sample | .029 | .09 |
| 11713 | 3 m bulk sample | .182 | .44 |
| 11714 | 3 m bulk sample | .323 | 1.34 |
| 11715 | 3 m bulk sample | .440 | 2.24 |
| 11716 | 3 m bulk sample | .298 | 3.62 |
| 11717 | 3 m bulk sample | .245 | 3.68 |
| 11718 | 3 m bulk sample | .080 | .44 |
| 11719 | 3 m bulk sample | .130 | 1.36 |
| 11720 | 3 m bulk sample | .096 | .63 |
| 11721 | 3 m bulk sample | .061 | .12 |
| 11722 | 3 m bulk sample | .034 | .19 |
| 11723 | 3 m bulk sample | .019 | .11 |
| 11724 | 3 m bulk sample | .029 | .12 |
| 11725 | 3 m bulk sample | .009 | .15 |
| 11726 | 3 m bulk sample | .003 | .07 |
| 11727 | 3 m bulk sample | .006 | .04 |
| 11728 | 3 m bulk sample | .038 | .09 |
| 11729 | 3 m bulk sample | .064 | .22 |
| 11730 | 3 m bulk sample | .066 | .20 |

NOTE: Samples 11713 to 11720 give a width of 24 metres with an average grade of .223 oz/ton gold and 1.72 oz/ton silver.

SAMPLES FROM MAIN ZONE - TRENCH B

| SAMPLE # | DESCRIPTION | ASSAYS | |
|----------|-----------------|--------|-----|
| | | Au | Ag |
| 11731 | 3 m bulk sample | .006 | .04 |
| 11732 | 3 m bulk sample | .004 | .06 |
| 11733 | 3 m bulk sample | .020 | .04 |
| 11734 | 3 m bulk sample | .006 | .08 |
| 11735 | 3 m bulk sample | .003 | .01 |
| 11736 | 3 m bulk sample | .085 | .13 |
| 11737 | 3 m bulk sample | .037 | .07 |
| 11738 | 3 m bulk sample | .046 | .10 |
| 11739 | 3 m bulk sample | .060 | .07 |
| 11740 | 3 m bulk sample | .019 | .01 |
| 11741 | 3 m bulk sample | .013 | .01 |
| 11742 | 3 m bulk sample | .018 | .01 |
| 11743 | 3 m bulk sample | .003 | .08 |
| 11744 | 3 m bulk sample | .042 | .06 |
| 11745 | 3 m bulk sample | .014 | .04 |
| 11746 | 3 m bulk sample | .040 | .05 |
| 11747 | 3 m bulk sample | .001 | .04 |
| 11748 | 3 m bulk sample | .004 | .04 |
| 11749 | 3 m bulk sample | .025 | .04 |
| 11750 | 3 m bulk sample | .024 | .08 |


NOTE: Samples 11736 to 11739 give a width of 12 metres with an average grade of .057 oz/ton gold.

10+00 W
9+00 W
8+00 W
7+00 W
6+00 W
5+00 W
4+00 W
3+00 W
2+00 W
1+00 W
0+00
1+00 E
2+00 E
3+00 E
4+00 E
5+00 E B.L.
6+00 E
7+00 E
8+00 E
9+00 E
10+00 E
11+00 E
12+00 E
13+00 E
14+00 E
15+00 E
16+00 E

H a r r i s o n

L a k e

L. 38+00 N
L. 37+00 N
L. 36+00 N
L. 35+00 N
L. 34+00 N
L. 33+00 N
L. 32+00 N
L. 31+00 N
L. 30+00 N
L. 29+00 N
L. 28+00 N
L. 27+00 N
L. 26+00 N
L. 25+00 N
L. 24+00 N
L. 23+00 N
L. 22+00 N
L. 21+00 N
L. 20+00 N
L. 19+00 N
L. 18+00 N
L. 17+00 N
L. 16+00 N
L. 15+00 N
L. 14+00 N
L. 13+00 N
L. 12+00 N
L. 11+00 N
L. 10+00 N



LEGEND

- 1 DIORITE
- 2 ARGILLITE, 2a - SHALE ; 2d - ARENACEOUS
- 3 DACITE
- 4 ANDESITE
- 5 HORNFELS (No indication of origin)
- 6 TUFF
- 7 BRECCIA

- b Brecciated
- c Concretion
- h Hornfelsed
- p Porphyritic
- s Silicified
- t Tuffaceous
- v Vesicular


- Outcrop
- - - Contact - assumed
- ↗ Fractures
- ↖ Vein
- Road

0+00 1+00 E 2+00 E 3+00 E 4+00 E 5+00 E 6+00 E 7+00 E 8+00 E 9+00 E 10+00 E 11+00 E 12+00 E 13+00 E 14+00 E 15+00 E 16+00 E

B.L.

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

18,365
METRES



UNIVERSAL TRIDENT INDUSTRIES LTD.


HARRISON LAKE PROPERTY
NEW WESTMINSTER M.D., BRITISH COLUMBIA

MAIN GRID

GEOLOGY MAP

DAIWAN ENGINEERING LTD.

| | | | |
|--------------------|---------------------|---------------------|--------------|
| SCALE: 1 : 5000 | DATE: DEC., 1988 | PROJECT NO. 6156 | MAP NO. 5 |
|--------------------|---------------------|---------------------|--------------|



11774 - 0.001/0.01 (4.3M CHIP)

11773 - 0.001/0.04 (4.3M CHIP)

11772 - 0.001/0.01 (6.5M CHIP)

RH 1067 - 0.021/0.30 (HIGH GRADE)

RH 1042 - 0.187/0.34 (80CM CHIP)

11771 - 0.003/0.02 (4.7M CHIP)

RH 1041 - 0.187/0.32 (1.0M CHIP)

RH 1046 - 0.187/0.18 (HIGH GRADE)

11770 - 0.005/0.01 (2.5M CHIP)

RH 1040 - 0.077/0.15 (50 CM CHIP)

11767 - 0.008/0.02 (4.6M CHIP)

RH 1039 - 0.231/0.52 (1.0M CHIP)

11767 - 0.007/0.07 (3.9M CHIP)

11766 - 0.053/0.13 (1.6M CHIP)

11765 - 0.001/0.01 (2.7M CHIP)

11768 - 0.001/0.01 (75CM CHIP)

RH 1038 - 0.308/0.25 (1.15 M CHIP)

11764 - 0.001/0.01 (2.2M CHIP)

11763 - 0.002/0.01 (2.8M CHIP)

RH 1037 - 0.216/0.77 (50CM CHIP)

RH 1036 - 0.677/1.10 (50 CM CHIP)

11762 - 0.002/0.02 (3.1M CHIP)

11761 - 0.014/0.68 (2.0 M CHIP)


RH 1025 - 0.299/2.77 (60CM CHIP)

RH 1046 - 0.048/0.64 (HIGH GRADE)

RH 1047 - 0.019/1.47 (HIGH GRADE)

RH 1048 - 0.077/0.11 (HIGH GRADE)

RH 1024 - 0.612/46.86 (50CM CHIP)



18,365

GEOLOGICAL BRANCH
ASSESSMENT REPORT

UNIVERSAL TRIDENT INDUSTRIES LTD.


HARRISON LAKE PROPERTY
NEW WESTMINSTER M.D., BRITISH COLUMBIA

MAIN ZONE
ROAD CUT SECTION
FACING 050°

DAIWAN ENGINEERING LTD.




| | | | |
|--------|-----------|-------------|---------|
| SCALE: | DATE: | PROJECT NO. | MAP NO. |
| 1:100 | DEC. 1988 | 6156 | Fig. 6 |



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

18,365



△ RH 1010 - 0.01 / 0.10 - Same location, same value P₄/M₅



| | | | |
|---|--------------------|---------------------|-------------------|
| UNIVERSAL TRIDENT INDUSTRIES LTD. | | | |
| HARRISON LAKE PROPERTY NEW WESTMINSTER M.D., BRITISH COLUMBIA | | | |
| DOCTORS' POINT PROPERTY (RHYOLITE RESOURCES INC.) MUSTANG SHOWING SECTION | | | |
| DAIWAN ENGINEERING LTD. | | | |
| SCALE: 1:100 | DATE: DEC. 1988 | PROJECT NO. 6155 | MAP NO. FIG. 7 |

Harrison

36+00 N
34+00 N
32+00 N
30+00 N
28+00 N
26+00 N
24+00 N
22+00 N
20+00 N

Doctor's
Creek

NORTH ZONE

SOUTH SWAMP PYLON ZONE


MAIN ZONE

Lake


10+00 W 8+00 W 6+00 W 4+00 W 2+00 W 00 2+00 E 4+00 E 6+00 E 8+00 E 10+00 E 12+00 E 14+00 E 16+00 E

GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,365



- ANOMALOUS CONTOURS
- 8.0 ppb Gold
 - 18.3 ppb Gold
 - 40.8 ppb Gold



UNIVERSAL TRIDENT INDUSTRIES LTD.

HARRISON LAKE PROPERTY
NEW WESTMINSTER M.D.

GOLD GEOCHEMISTRY

| | | | | |
|------------------|------------------|--------|----------------------|---------------|
| SCALE: 1:5000 | DATE: Aug.'88 | N.T.S. | DRAWN BY GEO-COMP | FIGURE: 8c |
|------------------|------------------|--------|----------------------|---------------|

Daiwan Engineering Ltd.



Doctor's
Creek

Harrison

36+00 N
34+00 N
32+00 N
30+00 N
28+00 N
26+00 N
24+00 N
22+00 N
20+00 N

NORTH ZONE

SOUTH SWAMP PYLON ZONE

Lake


MAIN ZONE

18+00 N
16+00 N
14+00 N
12+00 N
10+00 N

10+00 W
8+00 W
6+00 W
4+00 W
2+00 W
00
2+00 E
4+00 E
6+00 E
8+00 E
10+00 E
12+00 E
14+00 E
16+00 E


GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,365



- ANOMALOUS CONTOURS
- 53.5 ppm Arsenic
 - 202 ppm Arsenic
 - 765 ppm Arsenic

MAIN GRID





UNIVERSAL TRIDENT INDUSTRIES LTD.

HARRISON LAKE PROPERTY
NEW WESTMINSTER M.D.

ARSENIC GEOCHEMISTRY


| | | | | |
|-----------------|-----------------|--------|----------------------|--------------|
| SCALE 1:5000 | DATE Aug '88 | N.T.S. | DRAWN BY GEO-COMP | FIGURE 8b |
|-----------------|-----------------|--------|----------------------|--------------|

Daiwan Engineering Ltd.



- ANOMALOUS CONTOURS
- 0.30 ppm Silver
 - 0.47 ppm Silver
 - 0.86 ppm Silver

MAIN GRID



GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,365

| | | | | |
|--|------------------|--------|----------------------|---------------|
| UNIVERSAL TRIDENT INDUSTRIES LTD. | | | | |
| HARRISON LAKE PROPERTY NEW WESTMINSTER M.D. | | | | |
| SILVER GEOCHEMISTRY | | | | |
| SCALE: 1:5000 | DATE: Aug '88 | N.T.S. | DRAWN BY GEO-COMP | FIGURE: 8c |
| Daiwan Engineering Ltd. | | | | |

Harrison

36+00 N
34+00 N
32+00 N
30+00 N
28+00 N
26+00 N
24+00 N
22+00 N
20+00 N

Creek

Doctor's

NORTH ZONE

SOUTH SWAMP PYLON ZONE

Lake

MAIN ZONE

18+00 N

16+00 N

14+00 N


12+00 N

10+00 N

10+00 W 8+00 W 6+00 W 4+00 W 2+00 W 00 2+00 E 4+00 E 6+00 E 8+00 E 10+00 E 12+00 E 14+00 E 16+00 E


GEOLOGICAL BRANCH ASSESSMENT REPORT

18,365



- ANOMALOUS CONTOURS
- 51.9 ppm Copper
 - 117.9 ppm Copper
 - 160.4 ppm Copper

MAIN GRID



UNIVERSAL TRIDENT INDUSTRIES LTD.
 HARRISON LAKE PROPERTY
 NEW WESTMINSTER M.D.
COPPER GEOCHEMISTRY

| | | | | |
|------------------|------------------|--------|----------------------|---------------|
| SCALE: 1:5000 | DATE: Aug '88 | N.T.S. | DRAWN BY GEO-COMP | FIGURE: 8d |
|------------------|------------------|--------|----------------------|---------------|

Daiwan Engineering Ltd.



Harrison

Doctors Creek

NORTH ZONE


SOUTH SWAMP PYLON ZONE

MAIN ZONE

Lake


36+00 N
34+00 N
32+00 N
30+00 N
28+00 N
26+00 N
24+00 N
22+00 N
20+00 N

10+00 W 8+00 W 6+00 W 4+00 W 2+00 W 00 2+00 E 4+00 E 6+00 E 8+00 E 10+00 E 12+00 E 14+00 E 16+00 E




GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,365



- ANOMALOUS CONTOURS
- 27.93 ppm Lead
 - 49.9 ppm Lead
 - 89.12 ppm Lead

MAIN GRID



UNIVERSAL TRIDENT INDUSTRIES LTD.

HARRISON LAKE PROPERTY
NEW WESTMINSTER M.D.


LEAD GEOCHEMISTRY

| | | | | |
|------------------|------------------|--------|----------------------|---------------|
| SCALE: 1:5000 | DATE: Aug '88 | N.T.S. | DRAWN BY GEO-COMP | FIGURE: 8e |
|------------------|------------------|--------|----------------------|---------------|

Daiwan Engineering Ltd.

Doctor's Creek

Harrison Lake



NORTH SLUMP
 RH 1079 - 0.061/0.16 (4.0)
 RH 1076 - 0.241/0.45 (1.1)
 RH 1075 - 0.781/1.10 (4.5)
 RH 1082 - 0.983/6.32 (4.0)
 RH 1083 - 0.042/1.76 (6.6)
 RH 1084 - 0.199/0.62 (4.6)
 (AG) RH 1081 - 0.041/0.10 (4.5)
 (AG) RH 1085 - 0.011/0.29 (4.0)
 (AG) RH 1086 - 0.011/0.29 (4.0)
 (AG) RH 1087 - 0.011/0.29 (4.0)
 (AG) RH 1088 - 0.011/0.29 (4.0)

MUSTANG
 RH 1091 - 0.014/0.08
 RH 1092 - 0.108/0.42
 RH 1093 - 0.061/0.21

SOUTH SLUMP
 11760 - 0.138/2.28 (2.5M CHIP)
 11759 - 0.157/2.41 (2.0M CHIP)
 RH 1098 - 0.125/0.33
 11756 - 0.028/0.19 (1.5M CHIP)
 11754 - 0.051/0.15 (2.0M CHIP)
 11753 - 0.001/0.18 (1.0M CHIP)
 11752 - 0.000/0.63 (1.5M CHIP)
 11751 - 0.001/0.48 (1.5M CHIP)
 11750 - 0.044/0.32 (1.5M CHIP)
 11749 - 0.100/1.55 (2.0M + 2.5M)
 11748 - 0.017/0.05 (2.0M CHIP)

RH 1027A - 0.026/0.02
 RH 1026 - 0.001/0.01

PULON BANK
 RH 1017 - 0.097/0.09
 RH 1016 - 0.011/0.14
 RH 1015 - 0.005/1.48
 RH 1014 - 0.008/1.48
 RH 1013 - 0.008/0.87
 RH 1012 - 0.001/0.11
 RH 1011 - 0.005/0.09
 RH 1010 - 0.001/0.01
 (NOTE: 1017 IS LOCATED IN SAME AREA AS 11751-55)

MUSTANG MAIN EXTENSION
 11701 - 2.110/1.92 (N.E.)
 11702 - 4.580/1.72 (N.E.)
 11703 - 0.151/0.24 (N.E.)
 11704 - 0.701/0.34 (N.E.)
 11705 - 3.030/0.24 (N.E.)
 11706 - 2.530/0.25 (N.E.)
 11707 - 0.744/0.44 (N.E.)
 11708 - 0.513/0.54 (N.E.)
 11709 - 0.870/0.78 (N.E.)
 11710 - 2.650/2.30 (N.E.)

MUSTANG
 11795 - 0.021/0.02 (2.4M CHIP)
 11796 - 0.001/0.01 (2.4M CHIP)
 11797 - 0.015/0.04 (1.3M CHIP)
 11798 - 0.002/0.02 (2.7M CHIP)
 11799 - 0.002/0.09 (2.3M CHIP)
 11780 - 0.013/0.16 (2.2M CHIP)
 11781 - 0.001/0.01 (2.5M CHIP)
 11782 - 0.010/0.05 (2.5M)
 11783 - 0.002/0.01 (2.2M)

WESTERN END CUT
 94452 - 0.319/0.90 (HIGH GRADE)
 94453 - 0.224/1.39 (HIGH GRADE)
 RH 1043 - 0.464/1.52 (HIGH GRADE)
 RH 1044 - 0.138/0.20 (HIGH GRADE)
 11784 - (3M CHIP)
 11785 - (1.75M CHIP)

MUSTANG
 RH 1089 - 0.001/0.01 (N.E.)
 RH 1088 - 0.001/0.01 (N.E.)
 RH 1087 - 0.001/0.01 (N.E.)
 RH 1086 - 0.001/0.01 (N.E.)
 RH 1085 - 0.001/0.01 (N.E.)
 RH 1084 - 0.001/0.01 (N.E.)
 RH 1083 - 0.001/0.01 (N.E.)
 RH 1082 - 0.001/0.01 (N.E.)
 RH 1081 - 0.001/0.01 (N.E.)

WESTERN END CUT
 RH 1051 - 0.001/0.01 (2.0M CHIP)
 RH 1052 - 0.002/0.02 (2.0M CHIP)
 RH 1053 - 0.001/0.01 (2.0M CHIP)
 RH 1054 - 0.001/0.01 (2.0M CHIP)
 RH 1055 - 0.001/0.01 (2.0M CHIP)
 RH 1056 - 0.001/0.01 (2.0M CHIP)

TRENCH A (3M BULK SAMPLE)
 11711 - 0.046/0.10
 11712 - 0.027/0.09
 11713 - 0.182/0.44
 11714 - 0.221/1.24
 11715 - 0.440/2.24
 11716 - 0.298/3.62
 11717 - 0.242/3.68
 11718 - 0.180/0.44
 11719 - 0.130/1.26
 11720 - 0.076/0.63
 11721 - 0.041/0.12
 11722 - 0.032/0.19
 11723 - 0.019/0.11
 11724 - 0.019/0.12
 11725 - 0.009/0.10
 11726 - 0.005/0.07
 11727 - 0.006/0.09
 11728 - 0.038/0.09
 11729 - 0.064/0.22
 11730 - 0.066/0.20

TRENCH A (BULK PULON CUT)
 RH 1078 - 0.501/1.68 (0.75M CHIP)
 RH 1079 - 0.018/0.19 (0.75M CHIP)
 RH 1080 - 0.328/0.81 (N.E.)
 RH 1081 - 0.354/0.24 (N.E.)
 RH 1082 - 0.241/0.24 (N.E.)
 RH 1083 - 0.015/0.13 (1.0M CHIP)
 RH 1084 - 0.126/0.27 (1.0M CHIP)
 RH 1085 - 0.104/0.31 (N.E.)
 RH 1086 - 0.074/0.68 (N.E.)
 RH 1087 - 0.002/0.04 (N.E.)
 RH 1088 - 0.051/0.20 (N.E.)
 RH 1089 - 0.189/0.28 (N.E.)
 RH 1090 - 0.211/0.15 (N.E.)

TRENCH B (3M BULK SAMPLE)
 11731 - 0.006/0.04
 11732 - 0.009/0.06
 11733 - 0.020/0.04
 11734 - 0.006/0.04
 11735 - 0.003/0.01
 11736 - 0.085/0.12
 11737 - 0.039/0.07
 11738 - 0.016/0.10
 11739 - 0.060/0.07
 11740 - 0.014/0.01
 11741 - 0.012/0.01
 11742 - 0.018/0.01
 11743 - 0.003/0.02
 11744 - 0.042/0.06
 11745 - 0.014/0.04
 11746 - 0.040/0.05
 11747 - 0.001/0.04
 11748 - 0.004/0.04
 11749 - 0.021/0.04
 11750 - 0.024/0.08

MAIN ROAD CUT
 RH 1024 - 0.612/4.66
 RH 1025 - 0.244/7.77
 RH 1026 - 0.197/9.10
 RH 1027 - 0.216/0.77
 RH 1028 - 0.308/0.70
 RH 1029 - 0.231/0.58
 RH 1030 - 0.077/0.15
 RH 1031 - 0.183/0.32
 RH 1032 - 0.487/0.24
 RH 1033 - 0.043/0.64
 RH 1034 - 0.099/1.48
 RH 1035 - 0.079/0.11
 RH 1036 - 0.129/0.12
 RH 1037 - 0.082/0.13
 RH 1038 - 0.129/0.18
 RH 1039 - 0.321/0.20
 RH 1040 - 0.448/0.20
 11761 - 0.034/0.03 (2.2M CHIP)
 11762 - 0.002/0.02 (3.1M CHIP)
 11763 - 0.002/0.01 (2.2M CHIP)
 11764 - 0.001/0.01 (2.2M CHIP)
 11765 - 0.001/0.01 (2.2M CHIP)
 11766 - 0.003/0.13 (1.8M CHIP)
 11767 - 0.009/0.07 (3.7M CHIP)
 11768 - 0.001/0.01 (2.5M CHIP)
 11769 - 0.001/0.02 (4.6M CHIP)
 11770 - 0.035/0.01 (4.5M CHIP)
 11771 - 0.002/0.02 (4.7M CHIP)
 11772 - 0.001/0.01 (6.5M CHIP)
 11773 - 0.001/0.01 (4.2M CHIP)
 11774 - 0.001/0.01 (4.2M CHIP)

LEGEND
 Sample Number - Au oz/t / Ag oz/t (Width metres)
GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,365
 METRES
 0 100 200 300 400 500

UNIVERSAL TRIDENT INDUSTRIES LTD.
HARRISON LAKE PROPERTY
 NEW WESTMINSTER M.D., BRITISH COLUMBIA
MAIN GRID AREA
SAMPLE LOCATIONS PLAN
 DAIWAN ENGINEERING LTD.
 DATE: DEC. 1988 SCALE: 1:5000 PROJECT NO.: MAP NO. 10