

**GEOCHEMICAL REPORT
ON THE PEACH 3 CLAIM GROUP**

LOG NO: <i>12-14</i>	RD.
ACTION:	
FILE NO:	

Cariboo M.D.

N.T.S. 93A/15

Lat 52° 49'N,

Long 120° 55'W

OWNERS:

R.E. Mickle - Likely, B.C.
Teck Corporation - Vancouver, B.C.

OPERATOR:

Teck Explorations Ltd.
#960, 175 Second Avenue
Kamloops, B.C.
V2C 5W1

CONSULTANT:

M. R. Murrell
Murrell Geological
1920 Ironwood Court
Port Moody, B.C.
V3H 4C3

AUTHOR:

M. R. Murrell, P. Geol.

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

20,639

Date Submitted: *December 12*, 1990

PEACH 3 CLAIM GROUP
FOG CLAIMS - GRIZZLY LAKE PROJECT

TABLE OF CONTENTS

	<u>Page</u>
I. Introduction	1
II. Location and Access	1
III. History	1
IV. Property Definition	2
V. Summary of Work Completed	2
VI. Detail of Work Completed	2
A) Grid Preparation	2
B) Geochemical Sampling	2
VII. Conclusions and Recommendations	2
 Attachments	
Certificate of Qualifications - M.R. Murrell	4
Statement of Expenditures	5

Maps

<u>No.</u>	<u>Title</u>	<u>Scale</u>
GL90-1	Location Map	1 cm = 25 km
GL90-2	Claim Outline Map	1:50,000
GL90-3	Peach 1, 2 and 3 Groups and Geochemical Coverage	1:10,000
GL90-6	Geochemistry - East Area Pb Soils	1:5,000
GL90-7	Geochemistry - East Area Zn Soils	1:5,000

Appendix A - Geochemical analyses sheets

PEACH 3 GROUP (Grizzly Lake Project)**GEOCHEMISTRY REPORT****I. Introduction**

The Peach claims cover several showings of lead and zinc in Hadrynian carbonates. Although several old (1969-1972) showings were known on either side of the present property, a new significant showing was discovered in the central part of the claims by R.E. Mickle of Likely, B.C., during 1989. This led to an option agreement with Teck Explorations Ltd., and a subsequent excavator trenching program in November of 1989. During 1990, a property-wide geochemical program has been completed, two access roads have been constructed and trenching is underway. Ninety-six geochemical soil samples were collected on the Peach 3 group.

II. Location and Access

The Peach claims are part of the Fog group of claims, or the Grizzly Lake project. The Peach 3 Group is located east of the main forestry access road connecting Likely, B.C. to Wells, B.C.


Road access to Likely is via paved road, 85 km. from 150 Mile House. From Likely it is 23 km. on gravel road to a Weldwood logging camp at the south end of Cariboo Lake, then 52 km. along the "8400 Road" towards Wells. The camp is situated near mile-post 32.5 on the "8400" logging road.

NTS 93A/15W
Lat: 52° 49'N Long: 120° 55'W
Elev: 1350 m - 1700 m
Mining Division: Cariboo

III. History

The area has been staked and restaked several times; but the only significant work seems to have occurred during 1969-1972. The east side of the property, which contains the Gunn showing, was investigated during this time first by Canex and then by Canadian Superior. They conducted wide spaced (approx. 200 m. x 50 m.) geochemical surveying and local I.P. surveying. Canadian Superior finished by drilling three diamond drill holes just off the present Fog property east of the Peach 3 Group. Although boulders of galena mineralization were found in one location, drilling results were not sufficiently encouraging to proceed further.

Prospecting by R.E. Mickle led to the present program by Teck Explorations Ltd.



GRIZZLY LAKE PROJECT

Teck Explorations Ltd.

GRIZZLY LAKE PROJECT

LOCATION MAP

B.C. Gov't	1cm=25km.
Oct., 1990	No. GL90-1

IV. Property Definition

Although the Teck property consists of several groups of claims, this assessment report covers only those of the Peach 3 Group.

Peach 3 Group

<u>Claim Name</u>	<u>Record No.</u>	<u>No. of Units</u>	<u>Current Due Date</u>
Peach 21	10193	1	Oct. 15, 1990
Peach 22	10194	1	Oct. 15, 1990
Peach 23	10195	1	Oct. 15, 1990
Peach 24	10196	1	Oct. 15, 1990
Total		4 Units	

V. Summary of Work Completed

The Grizzly Lake program commenced in mid June and ended Sept 16, 1990. The Peach 3 group geochemical work covered the Aug 29 - Sept 4 period.


VI. Details of Work Completed

A) Grid Preparation

A well flagged grid comprising a 7.75 km. long base line and 38 km. of cross lines was established. No cutting nor blazing was carried out. The origin, labelled 100+00N, 100+00E was placed adjacent to the main forestry access road near mile "8430.3" of the 8400 Road. The base line runs 113° and stretches from 72+00E to 149+50E. It is delineated by orange flagging. Stations every 50 m. are marked with pink and blue flagging, with the station locations scribed on aluminum tags stapled to laths. Cross lines are also marked with orange. The orange and blue cross line stations include the station locations written on "Tyvek" tags. Lines are usually spaced at 200 m. with sample stations every 50 m. along the lines. On the Peach 3 Group, 1 km. of base line and 4.7 km. of cross lines are present.

B) Geochemical Sampling

Known lead-zinc mineralization on the Peach claims appears concentrated along stratigraphic contacts between underlying cream coloured dolomite and overlying silver green phyllites. Much of the contact is obscured by overburden of usually shallow depth. The purpose of this year's geochemical survey was to test for the presence of unknown lead-zinc bodies along strike between two known showings.



121° 00' W

52° 50' N

121° 00' W

OUTLINE OF
TECK CLAIMS

MITCHELL RIVER

MITCHELL LAKE

52° 50' N

0 500 1000 2000 3000 m

1:50,000

Michael R. Murrell

PROFESSIONAL GEOLOGIST ALBERTA
MICHAEL R. MURRELL

MURRELL GEOLOGICAL
FOR
TECK EXPLORATIONS LTD.

GRIZZLY LAKE PROJECT

CLAIM OUTLINE MAP

By : M.R. Murrell	N.T.S. No: 93A/15W	Scale : 1:50,000
Date : August 3, 1990	Drafted By: F.H.	No: GL90-2

Mining District : Cariboo

NORTH ARM
(QUESNEL LAKE)

Soil samples were taken at 50 m. intervals along the grid lines by using a mattock. The "B" horizon was sampled whenever possible (very few exceptions), and was usually encountered 15 to 25 cm. below surface. Samples were placed in kraft paper geochemical bags marked with the grid location. They were air-dried and then shipped to the Rossbacher Laboratory in Burnaby for analysis.

At the lab, samples were dried and sifted to minus 80 mesh, through stainless steel or nylon screens. They were then digested with a 3-1-2 dilute Aqua Regia mixture and analyzed using a Jobin Yvon Model JY 32 1987 ICO Emission Spectrometer for Ag, Al, As, Au, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Hg, La, Mg, Ma, Mn, Ni, P, Pb, Sb, Si, Sr, Ti, U, V, W and Zn.

Results were tabulated in reference to grid location and returned to the field for further processing.

Histograms, for the first 187 sample results received, from elsewhere on the Fog claims, were constructed and interpreted to establish the anomalous values for Pb and Zn:

	Pb	Zn
Background	<60 ppm	<275 ppm
Threshold	60-110 ppm	275-450 ppm
Anomalous	110-220 ppm	450-1000 ppm
Very Anomalous	>220 ppm	>1000 ppm

Contour maps displaying these various categories and showing the location and all values for Pb and Zn, were constructed at a scale of 1:5,000. Several anomalies have been indicated. They should be followed up by closer spaced sampling on either side of the main part of the anomalies and then, if warranted, by excavator trenching and "Winkie" diamond drilling.

A conclusive interpretation cannot be given at this time, but it does appear most of the anomalies tend to run parallel to bedding indicating a possible stratigraphic control to the Pb/Zn deposition. This agrees with the interpretation that deposition is spatially related to the phyllite-dolomite contacts. Elsewhere on the Fog claims abundant white quartz and patchy barite suggests the mineralization is of hydrothermal origin.

D. Conclusions and Recommendations

Many Pb/Zn showings have been located on the overall Fog claims. Although most are of very small size, the two most significant ones lie to either side of the Peach 3 Group. Extensive overburden cloaks the area and very little outcrop is present. The geochemical anomalies detected could be indicating significant mineralization and should be followed up first by confirmation sampling at a more detailed spacing followed, if encouraging, by trenching or diamond drilling.

CERTIFICATE OF QUALIFICATIONS


M.R. Murrell - Murrell Geological

I, Michael R. Murrell, hereby certify that:

- 1) I am a consulting mining exploration geologist with residence of 1920 Ironwood Court, Port Moody, B.C. V3H 4C3; telephone (604) 469-2173.
- 2) I graduated with an Honours B. Sc. from the University of Alberta in 1966, and since then have continuously practised my profession. This includes seventeen years with Cominco Ltd. and three years with Echo Bay Mines Ltd. Recent consulting work includes two years with Westmin Resources Ltd. and season-long work with Triumph Resources Ltd, Treminco Resources Ltd, and other junior companies. I have been consulting for Teck Explorations Ltd on the Grizzly Lake project (Peach and Fog claims) since June 1, 1990.
- 3) I am a Professional Geologist (P. Geol.) registered with the Association of Professional Engineers, Geologists, and Geophysicists of Alberta (APEGGA), a fellow of the Geological Association of Canada (FGAC) and a member of the Canadian Institute of Mining and Metallurgy (CIM).
- 4) I have been involved in the development of the Grizzly Lake project (Peach and Fog claims) since June 1, 1990 and have been supervising and conducting the field work from June 15 to the present.
- 5) I hold interest no interest in Teck Corp nor its partners in the Grizzly Lake project.

Sept. 21, 1990
Port Moody, B.C.




Michael R. Murrell
P. Geol, FGAC

PEACH 3 GROUP
Statement of Expenditures
Geochemical Program

1) Salaries		
a)	Kevin Leaky - Sampler August 29, 30, 31 September 1, 2, 3, 4 7 days @ \$121.55	\$850.85
b)	M.R. Murrell September 20 - 1 day @ \$275.00	\$1,251.25
	Total Salaries	\$1,125.85
2) Analysis	96 samples @ \$8.25 (ICP)	\$792.00
3) Domicile Charges	7 days @ \$40.00	\$280.80
4) Vehicle Rent	7 days x ½ usage x 35	<u>\$122.50</u>
	Total	<u>\$2,320.35</u>

APPENDIX A

Geochemical Analysis Sheets

ROSSBACHER LABORATORY LTD.

2225 S. Springer Ave., Burnaby,
British Columbia, Can. V5B 3J1
Ph: (604)299-6910 Fax: 299-6252

CERTIFICATE OF ANALYSIS


TO : TECH. EXPLORATIONS LTD.
760 175 SECOND AVE.
FANLOUPS, B.C.

PROJECT : 1385
TYPE OF ANALYSIS : ICP

CERTIFICATE # : 90444
INVOICE # : 10591
DATE ENTERED : 90-09-19
FILE NAME : TEC90444.I
PAGE # : 4

PRE FIX	SAMPLE NAME	PPM NO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	PPM FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	PPM CA	PPM P	PPM LA	PPM CR	PPM MG	PPM BA	PPM TI	PPM B	PPM AL	PPM K	PPM SI	PPM M	PPM BE
S	13800E 10250N	1	18	106	451	0.1	19	16	877	4.82	2	5	ND	ND	16	1	2	2	36	0.15	0.08	16	38	0.51	77	0.06	5	2.65	0.06	0.01	1	1
S	13800E 10300N	1	17	80	382	0.4	21	12	1038	4.14	5	5	ND	ND	13	2	4	2	25	0.12	0.07	19	28	0.44	92	0.03	5	2.04	0.04	0.01	1	1
S	13800E 10350N	1	18	81	315	0.6	22	13	1960	4.14	14	5	ND	ND	15	2	4	2	25	1.34	0.12	25	37	1.07	75	0.03	5	2.55	0.04	0.01	1	1
S	13800E 10400N	1	22	51	209	0.5	14	8	4849	1.94	14	5	ND	ND	50	2	2	2	13	9.60	0.14	20	86	5.72	99	0.01	5	1.08	0.01	0.01	1	1
S	13800E 10450N	1	14	75	213	0.6	20	16	255	3.63	4	5	ND	ND	37	1	2	2	26	0.50	0.06	14	34	0.81	69	0.07	5	3.00	0.08	0.01	1	2
S	13800E 10500N	1	14	67	296	0.4	12	15	691	3.49	6	5	ND	ND	25	2	2	2	32	0.27	0.11	14	22	0.32	71	0.04	5	2.12	0.06	0.01	1	1
S	14000E 9500N	1	19	59	186	0.4	18	19	1646	3.83	5	5	ND	ND	19	1	4	2	53	0.18	0.09	19	29	0.53	72	0.05	5	2.85	0.10	0.01	1	1
S	14000E 9550N	1	21	60	373	0.4	29	16	1916	3.61	5	5	ND	ND	16	1	2	2	22	0.13	0.07	30	40	0.68	94	0.03	5	2.06	0.16	0.01	1	1
S	14000E 9600N	1	19	81	303	0.5	16	18	1307	4.85	6	5	ND	ND	11	1	2	2	13	0.08	0.07	19	39	0.38	49	0.04	5	2.04	0.05	0.01	1	1
S	14000E 9650N	1	20	81	385	0.5	21	19	2730	4.03	8	5	ND	ND	19	2	2	2	22	0.17	0.09	24	34	0.53	80	0.04	5	2.14	0.11	0.01	1	1
S	14000E 9700N	1	29	42	276	0.6	16	13	7137	2.58	14	5	ND	ND	28	3	2	2	16	10.13	0.29	19	96	5.87	244	0.02	5	1.34	0.01	0.01	3	2
S	14000E 9750N	1	21	136	475	0.6	25	19	1379	3.66	9	5	ND	ND	22	2	2	2	34	0.25	0.09	38	34	0.67	96	0.06	5	2.64	0.15	0.01	1	2
S	14000E 9800N	2	15	97	270	0.2	12	14	690	3.78	6	5	ND	ND	10	1	2	2	31	0.06	0.05	16	26	0.28	39	0.03	5	2.07	0.01	0.01	1	1
S	14000E 9850N	1	15	73	256	0.3	15	12	1228	3.17	6	5	ND	ND	12	1	2	2	24	0.07	0.06	18	27	0.44	55	0.03	5	1.82	0.07	0.01	1	1
S	14000E 9900N	1	23	104	266	0.4	22	16	3454	5.32	9	5	ND	ND	8	2	2	2	27	0.10	0.10	20	30	0.37	45	0.03	5	2.01	0.01	0.01	1	1
S	14000E 9950N	1	13	29	98	0.1	8	13	1049	2.41	4	5	ND	ND	8	1	2	2	16	0.04	0.06	23	19	0.33	35	0.02	5	1.45	0.04	0.01	1	1
S	14000E 10000N	1	20	48	194	0.4	22	15	742	3.50	5	5	ND	ND	12	1	3	2	17	0.08	0.08	31	26	0.55	45	0.02	5	1.82	0.09	0.01	1	1
S	14000E 10050N	1	17	188	908	0.6	20	12	3299	3.01	5	5	ND	ND	17	3	5	2	18	0.57	0.22	34	30	0.50	85	0.01	5	1.44	0.07	0.01	1	1
S	14000E 10100N	1	28	159	667	0.6	36	16	2775	3.48	18	5	ND	ND	20	4	5	2	13	2.37	0.16	58	47	1.64	64	0.01	5	1.44	0.05	0.01	2	1
S	14000E 10150N	1	18	146	791	0.2	24	18	2403	3.89	5	5	ND	ND	30	3	6	2	17	0.50	0.14	46	35	0.63	51	0.02	5	1.64	0.03	0.01	3	1
S	14000E 10200N	1	15	55	104	0.1	14	12	464	4.41	3	5	ND	ND	6	1	6	2	21	0.05	0.07	17	26	0.30	45	0.02	5	1.34	0.01	0.01	1	1
S	14000E 10250N	1	17	93	319	0.1	19	14	1098	4.16	3	5	ND	ND	16	2	5	2	24	0.14	0.09	19	30	0.41	86	0.03	5	1.95	0.03	0.01	1	1
S	14000E 10300N	1	23	75	357	0.5	20	14	6406	4.40	5	5	ND	ND	16	2	2	2	38	0.18	0.12	21	35	0.61	120	0.05	5	2.99	0.06	0.01	1	1
S	14000E 10350N	1	15	58	262	0.2	15	12	619	4.40	3	5	ND	ND	20	1	2	2	41	0.18	0.06	12	29	0.52	61	0.09	5	2.66	0.04	0.01	1	2
S	14000E 10400N	1	29	121	660	0.5	30	10	10376	4.45	18	5	ND	ND	25	5	5	2	27	3.16	0.27	33	48	1.93	190	0.03	5	2.56	0.07	0.01	1	1
S	14000E 10450N	1	23	107	288	0.4	25	4	8340	4.07	22	5	ND	ND	25	3	2	2	22	4.65	0.19	45	55	2.89	164	0.03	5	2.99	0.04	0.02	1	2
S	14000E 10500N	1	21	78	408	0.6	21	11	4646	3.51	17	5	ND	ND	21	3	2	2	23	3.01	0.14	33	42	2.02	144	0.03	5	2.33	0.04	0.01	1	1
S	14200E 9500N	1	21	65	1339	0.5	16	15	2496	3.04	9	5	ND	ND	27	2	3	2	29	0.83	0.20	18	34	0.58	76	0.04	5	1.86	0.12	0.01	3	1
S	14200E 9550N	1	24	132	502	0.6	30	20	7071	3.86	9	5	ND	ND	27	2	2	2	35	0.48	0.16	38	39	0.72	131	0.06	5	2.51	0.18	0.01	1	2
S	14200E 9600N	1	18	94	323	0.1	14	12	2528	3.54	7	5	ND	ND	20	1	2	2	38	0.14	0.07	13	32	0.46	94	0.06	5	2.54	0.12	0.01	1	1
S	14200E 9650N	1	21	166	551	0.6	16	13	5972	4.07	7	5	ND	ND	19	2	2	2	38	0.19	0.11	20	33	0.48	135	0.05	5	2.40	0.10	0.01	1	2
S	14200E 9700N	1	31	474	763	0.6	25	16	16436	3.75	24	5	ND	ND	33	4	2	2	24	6.97	0.21	30	77	4.26	195	0.02	5	1.80	0.01	0.01	6	2
S	14200E 9750N	1	26	133	466	0.4	21	12	9745	2.39	16	5	ND	ND	35	4	2	2	15	8.04	0.27	19	82	5.20	256	0.01	5	1.25	0.01	0.01	2	1
S	14200E 9800N	1	25	158	582	0.5	26	20	7055	4.55	18	5	ND	ND	12	2	2	2	25	0.44	0.21	38	27	0.50	132	0.01	5	1.92	0.06	0.01	1	1
S	14200E 9850N	1	20	48	574	0.4	19	14	215	2.29	10	5	ND	ND	32	3	6	5	19	1.11	0.13	27	23	0.63	58	0.05	56	1.32	0.07	0.01	2	1
S	14200E 9900N	1	18	145	288	0.3	13	13	1119	4.15	7	5	ND	ND	9	1	2	4	26	0.07	0.08	19	23	0.32	39	0.02	5	1.54	0.01	0.01	1	1
S	14200E 9950N	1	8	73	163	0.1	4	8	102	2.01	6	5	ND	ND	23	1	3	6	23	0.43	0.05	14	20	0.25	28	0.02	5	1.30	0.01	0.01	1	1
S	14200E 10000N	1	30	197	1101	0.5	37	22	350	3.78	12	5	ND	ND	13	3	4	10	13	0.25	0.09	52	34	0.73	65	0.01	5	1.43	0.08	0.01	2	1
S	14200E 10050N	1	19	226	750	0.4	31	20	1748	3.05	9	5	ND	ND	19	3	3	11	20	0.27	0.15	33	29	0.48	44	0.03	5	1.74	0.05	0.01	1	1
S	14200E 10100N	1	15	77	251	0.2	12	11	645	3.39	8	5	ND	ND	8	1	2	10	24	0.05	0.09	16	26	0.29	45	0.02	5	1.66	0.01	0.01	1	1

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. Springer Ave., Burnaby,
British Columbia, Can. V5B 3B1
Ph: (604)299-6910 Fax: 299-6252

CERTIFICATE OF ANALYSIS

TO : TECK EXPLORATIONS LTD.
960-175 SECOND AVE.
KAMLOOPS, B.C.
PROJECT : 1385
TYPE OF ANALYSIS : ICP

CERTIFICATE # : 90444
INVOICE # : 10591
DATE ENTERED : 90-09-19
FILE NAME : ITC90444.1
PAGE # : 3

PRE FLI	SAMPLE NAME	PPH NO	PPH CU	PPH PB	PPH ZN	PPH AG	PPH NI	PPH CD	PPH NM	PPH FE	PPH AS	PPH U	PPH AU	PPH HG	PPH SR	PPH CD	PPH SB	PPH BI	PPH V	PPH CA	PPH P	PPH LA	PPH CR	PPH MG	PPH BA	PPH TI	PPH B	PPH AL	PPH K	PPH SI	PPH W	PPH DE
S	13400E 10350N	1	6	17	81	0.1	3	4	33	0.18	23	5	ND	ND	40	2	8	4	3	1.84	0.06	1	11	0.31	50	0.01	27	0.08	0.01	0.01	3	1
S	13400E 10400N	1	21	36	210	0.4	14	12	1332	1.63	17	5	ND	ND	87	3	5	2	17	2.28	0.19	12	32	0.36	69	0.03	46	1.32	0.03	0.01	3	1
S	13400E 10450N	1	14	22	101	0.5	11	12	749	2.82	8	5	ND	ND	52	1	4	2	33	0.73	0.06	12	35	0.41	59	0.06	5	1.84	0.09	0.01	1	1
S	13400E 10500N	1	16	9	118	0.4	21	14	737	2.72	7	5	ND	ND	33	1	4	4	27	0.39	0.08	17	38	0.69	76	0.08	5	1.53	0.18	0.01	1	1
S	13600E 9500N	1	18	65	264	0.3	13	13	2675	3.46	8	5	ND	ND	9	1	2	2	26	0.06	0.10	16	38	0.35	55	0.02	5	1.87	0.06	0.01	1	1
S	13600E 9550N	1	18	62	193	0.1	12	11	1599	3.90	4	5	ND	ND	9	1	2	2	23	0.07	0.11	14	33	0.30	35	0.02	5	1.67	0.01	0.01	1	1
S	13600E 9600N	1	21	53	276	0.5	18	12	1772	4.14	9	5	ND	ND	10	1	2	2	28	0.10	0.11	23	37	0.35	45	0.03	5	2.81	0.01	0.02	1	1
S	13600E 9650N	1	12	33	118	0.3	12	9	348	3.16	2	5	ND	ND	10	1	2	2	22	0.07	0.06	15	26	0.28	24	0.04	5	1.41	0.01	0.01	1	1
S	13600E 9700N	1	18	99	281	0.2	19	15	1871	4.40	12	5	ND	ND	16	2	5	2	21	0.33	0.18	19	47	0.76	45	0.04	5	3.28	0.01	0.02	1	1
S	13600E 9750N	1	17	49	691	0.3	16	10	889	3.17	3	5	ND	ND	12	2	4	2	18	0.23	0.11	32	34	0.53	61	0.02	5	1.55	0.07	0.01	1	1
S	13600E 9800N	1	17	87	903	0.2	20	18	2603	4.17	5	5	ND	ND	15	2	2	2	22	0.23	0.11	24	37	0.55	46	0.04	5	2.06	0.06	0.01	1	1
S	13600E 9850N	1	21	89	922	0.4	24	19	2093	3.35	9	5	ND	ND	16	3	5	2	15	0.51	0.12	43	38	0.57	55	0.02	5	1.24	0.07	0.01	1	1
S	13600E 9900N	1	17	97	413	0.5	15	19	1411	3.72	8	5	ND	ND	17	2	4	2	27	0.19	0.12	31	29	0.34	49	0.03	5	1.96	0.01	0.01	1	1
S	13600E 9950N	1	11	50	148	0.1	10	11	522	2.88	5	5	ND	ND	11	1	3	3	25	0.10	0.09	14	19	0.25	41	0.03	5	1.57	0.01	0.01	1	1
S	13600E 10000N	1	18	82	192	0.1	18	12	1257	5.14	3	5	ND	ND	11	1	2	2	19	0.13	0.12	23	34	0.44	44	0.03	5	2.92	0.01	0.02	1	1
S	13600E 10050N	1	15	32	178	0.2	19	12	851	2.61	4	5	ND	ND	34	1	2	2	15	0.64	0.08	27	22	0.62	50	0.03	5	1.27	0.08	0.01	1	1
S	13600E 10100N	1	19	68	379	0.4	30	16	1189	3.24	4	5	ND	ND	20	2	6	2	15	0.31	0.12	50	24	0.53	89	0.01	5	1.57	0.01	0.01	1	1
S	13600E 10150N	1	13	55	229	0.2	13	11	283	4.05	4	5	ND	ND	10	1	2	2	26	0.07	0.06	20	26	0.35	49	0.03	5	1.99	0.01	0.01	1	1
S	13600E 10200N	1	11	55	132	0.1	9	9	654	2.63	5	5	ND	ND	10	1	2	4	25	0.06	0.04	17	27	0.26	58	0.03	5	1.20	0.02	0.01	1	1
S	13600E 10250N	1	15	124	322	0.1	16	11	797	3.64	5	5	ND	ND	11	1	2	2	21	0.08	0.06	25	33	0.35	41	0.03	5	1.86	0.03	0.01	1	1
S	13600E 10300N	1	28	338	1116	0.5	42	21	2644	4.38	7	5	ND	ND	19	3	2	2	18	0.34	0.14	71	39	0.59	125	0.02	5	2.14	0.08	0.01	1	1
S	13600E 10350N	1	17	96	297	0.1	10	12	1264	3.78	2	5	ND	ND	10	1	2	2	24	0.06	0.09	25	30	0.32	50	0.02	5	1.82	0.02	0.01	1	1
S	13600E 10400N	1	21	212	955	0.4	25	19	910	5.02	4	5	ND	ND	18	2	2	2	20	0.37	0.12	28	34	0.54	70	0.02	5	1.82	0.04	0.01	1	1
S	13600E 10450N	1	15	144	356	0.3	12	14	452	3.41	2	5	ND	ND	14	1	2	2	28	0.12	0.08	17	26	0.35	44	0.04	5	2.07	0.05	0.01	1	1
S	13600E 10500N	1	15	95	385	0.2	15	15	890	3.22	7	5	ND	ND	41	2	2	2	22	0.43	0.27	24	25	0.38	74	0.02	5	1.96	0.07	0.01	1	1
S	13800E 9500N	1	17	67	328	0.1	19	14	1387	3.75	4	5	ND	ND	19	1	2	2	25	0.17	0.10	18	29	0.59	76	0.04	5	2.16	0.15	0.01	1	1
S	13800E 9550N	1	12	26	108	0.1	10	5	617	3.19	2	5	ND	ND	13	1	2	2	29	0.07	0.16	11	21	0.31	51	0.04	5	1.45	0.09	0.01	1	1
S	13800E 9600N	1	21	52	198	0.2	14	11	2379	4.80	4	5	ND	ND	10	1	2	2	29	0.07	0.23	14	26	0.37	49	0.03	5	1.94	0.01	0.01	1	1
S	13800E 9650N	1	18	60	635	0.3	16	19	1054	3.65	7	5	ND	ND	8	1	4	3	24	0.08	0.05	29	34	0.43	53	0.02	5	1.83	0.06	0.01	1	1
S	13800E 9700N	1	26	84	707	0.5	23	18	2434	2.96	28	5	ND	ND	31	4	4	3	18	4.24	0.14	27	59	2.61	67	0.03	7	1.16	0.04	0.01	1	1
S	13800E 9750N	1	24	106	358	0.4	25	19	3464	3.81	17	5	ND	ND	24	3	3	2	17	1.80	0.14	39	38	0.98	81	0.02	5	1.38	0.07	0.01	3	1
S	13800E 9800N	1	20	84	253	0.4	20	18	1851	4.74	7	5	ND	ND	11	2	2	2	29	0.07	0.05	23	36	0.41	56	0.04	5	2.65	0.04	0.02	1	1
S	13800E 9850N	1	23	76	550	0.6	30	18	3171	4.25	13	5	ND	ND	27	2	2	2	32	0.38	0.10	39	36	0.62	74	0.06	5	2.92	0.11	0.01	1	2
S	13800E 9900N	1	22	46	367	0.6	24	20	2145	3.96	12	5	ND	ND	33	2	2	2	33	0.51	0.10	25	33	0.59	81	0.05	5	2.65	0.10	0.01	1	2
S	13800E 9950N	1	10	32	71	0.2	4	9	202	2.11	7	5	ND	ND	18	2	2	3	33	0.23	0.04	12	17	0.26	49	0.03	5	1.39	0.03	0.01	1	1
S	13800E 10000N	1	20	52	277	0.5	20	16	2390	3.74	12	5	ND	ND	28	2	2	2	29	0.61	0.16	32	36	0.49	61	0.03	8	2.21	0.05	0.01	1	1
S	13800E 10050N	1	19	89	222	0.3	30	16	410	5.57	7	5	ND	ND	10	2	2	2	20	0.10	0.07	21	26	0.48	31	0.03	5	2.55	0.01	0.02	1	1
S	13800E 10100N	1	16	45	109	0.2	12	15	911	3.76	9	5	ND	ND	7	1	4	2	25	0.06	0.06	17	34	0.36	33	0.03	5	1.85	0.01	0.01	1	1
S	13800E 10150N	1	16	130	687	0.5	21	15	1291	3.88	8	5	ND	ND	18	2	3	2	28	0.20	0.10	34	37	0.51	80	0.03	5	2.19	0.08	0.01	1	1
S	13800E 10200N	1	20	57	449	0.4	30	18	1547	3.38	4	5	ND	ND	30	2	4	2	32	0.64	0.14	29	43	0.66	194	0.06	5	2.58	0.17	0.01	1	1

CERTIFIED BY :

ROSSBACHER LABORATORY LTD.

2225 S. Springer Ave., Burnaby,
British Columbia, Can. V5B 3J1
Ph: (604)299-6910 Fax: 299-6252

CERTIFICATE OF ANALYSIS

TO : TECH EXPLORATIONS LTD.
960-175 SECOND AVE.
FAMLOUPS, B.C.
PROJECT : 1085
TYPE OF ANALYSIS : ICP

CERTIFICATE # : 90444
INVOICE # : 10591
DATE ENTERED : 90-09-19
FILE NAME : TEC90444.1
PAGE # : 2

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM Mn	PPM FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	PPM CA	PPM P	PPM LA	PPM CR	PPM MG	PPM BA	PPM TI	PPM B	PPM AL	PPM K	PPM SI	PPM W	PPM BE
S	13000E 10450N	1	17	90	573	0.1	12	7	1099	3.60	3	5	ND	ND	21	2	2	2	41	0.19	0.11	15	36	0.51	79	0.07	5	2.26	0.10	0.01	1	1
S	13000E 10500N	1	12	25	102	0.1	8	8	857	3.51	2	5	ND	ND	15	1	2	2	38	0.08	0.11	9	27	0.34	56	0.06	5	1.46	0.03	0.01	1	1
S	13200E 9500N	1	17	45	146	0.1	12	11	619	3.48	2	5	ND	ND	12	1	2	2	26	0.07	0.07	14	29	0.33	40	0.04	5	2.34	0.03	0.01	1	1
S	13200E 9550N	1	34	48	276	0.6	20	14	6387	2.47	11	5	ND	ND	38	2	3	2	24	1.21	0.27	22	31	0.44	125	0.02	21	1.75	0.02	0.01	1	1
S	13200E 9600N	1	14	38	150	0.2	13	12	1211	3.26	8	5	ND	ND	13	1	2	2	25	0.12	0.10	15	27	0.35	44	0.04	5	2.56	0.01	0.02	1	1
S	13200E 9650N	1	17	64	354	0.3	18	9	3851	4.07	7	5	ND	ND	16	2	2	2	27	0.24	0.12	18	29	0.34	69	0.03	5	2.90	0.01	0.02	1	1
S	13200E 9700N	1	17	44	205	0.1	15	7	1984	3.57	4	5	ND	ND	13	1	2	2	32	0.13	0.08	16	30	0.38	60	0.04	5	2.71	0.01	0.02	1	1
S	13200E 9750N	1	23	76	286	0.6	19	12	5824	4.19	7	5	ND	ND	17	2	2	2	28	0.18	0.12	20	26	0.34	101	0.03	5	2.83	0.01	0.02	1	1
S	13200E 9800N	1	15	53	176	0.3	11	17	2254	3.83	4	5	ND	ND	11	1	2	2	17	0.05	0.06	13	20	0.27	64	0.03	5	1.66	0.01	0.01	1	1
S	13200E 9850N	1	12	40	164	0.1	9	9	859	3.42	2	5	ND	ND	9	1	2	2	25	0.05	0.05	10	27	0.25	33	0.03	5	1.31	0.01	0.01	1	1
S	13200E 9900N	1	31	43	232	0.5	21	12	2154	3.68	5	5	ND	ND	26	2	2	2	33	0.51	0.13	35	38	0.44	66	0.03	5	2.44	0.06	0.01	1	1
S	13200E 9950N	1	17	27	169	0.3	18	11	2293	2.98	5	5	ND	ND	19	1	2	2	27	0.17	0.09	16	33	0.49	69	0.04	5	2.21	0.09	0.01	1	1
S	13200E 10000N	1	20	143	719	0.1	26	20	2152	3.56	10	5	ND	ND	26	2	2	2	17	0.46	0.13	39	31	0.66	72	0.03	5	1.39	0.07	0.01	1	1
S	13200E 10050N	1	15	35	127	0.1	12	10	577	3.15	6	5	ND	ND	12	1	2	2	28	0.07	0.08	12	30	0.42	55	0.04	5	2.31	0.09	0.01	1	1
S	13200E 10100N	1	25	31	296	0.6	16	14	4939	3.97	2	5	ND	ND	21	1	2	2	42	0.24	0.14	18	36	0.61	90	0.07	10	2.78	0.09	0.01	1	2
S	13200E 10150N	1	23	50	235	0.1	26	13	1371	3.99	7	5	ND	ND	23	1	2	2	36	0.24	0.08	22	37	0.72	94	0.07	5	2.60	0.13	0.01	1	2
S	13200E 10200N	1	16	40	187	0.1	12	5	307	2.36	5	5	ND	ND	26	1	2	2	26	0.30	0.10	19	23	0.45	67	0.03	5	2.04	0.09	0.01	1	1
S	13200E 10250N	1	15	28	112	0.1	12	5	302	3.41	2	5	ND	ND	22	1	2	2	19	0.14	0.06	11	27	0.43	58	0.07	5	2.40	0.07	0.01	1	1
S	13200E 10300N	1	18	33	144	0.5	20	11	569	4.03	5	5	ND	ND	29	1	2	2	34	0.25	0.10	16	32	0.72	74	0.05	5	2.45	0.15	0.01	1	1
S	13200E 10350N	1	13	18	104	0.2	11	8	834	2.94	3	5	ND	ND	22	1	2	2	37	0.17	0.07	9	32	0.49	65	0.07	5	1.73	0.11	0.01	1	1
S	13200E 10400N	1	15	22	139	0.1	12	10	348	4.01	4	5	ND	ND	27	1	2	2	43	0.21	0.04	12	37	0.48	79	0.09	5	2.17	0.13	0.01	1	1
S	13200E 10450N	1	18	23	124	0.6	16	10	417	3.93	3	5	ND	ND	22	1	3	2	40	0.15	0.06	11	37	0.56	65	0.11	5	2.90	0.14	0.01	1	1
S	13200E 10500N	1	20	38	216	0.3	20	15	2508	3.45	5	5	ND	ND	47	1	2	2	33	0.57	0.13	20	34	0.52	91	0.04	5	2.29	0.11	0.01	1	1
S	13400E 9500N	1	15	49	207	0.5	13	13	1208	3.49	9	5	ND	ND	14	1	4	2	27	0.19	0.08	24	26	0.32	54	0.03	5	2.15	0.02	0.01	1	1
S	13400E 9550N	1	16	45	194	0.1	16	11	849	3.12	10	5	ND	ND	13	2	3	2	25	0.10	0.06	16	29	0.37	46	0.04	5	2.33	0.02	0.02	1	1
S	13400E 9600N	1	19	107	253	0.1	29	12	1131	3.78	8	5	ND	ND	15	1	2	2	21	0.15	0.10	27	34	0.70	85	0.03	5	2.61	0.14	0.01	1	1
S	13400E 9650N	1	20	62	261	0.6	18	9	2875	3.88	11	5	ND	ND	16	2	2	2	34	0.17	0.08	24	32	0.57	74	0.04	5	2.59	0.06	0.01	1	1
S	13400E 9700N	1	15	33	126	0.1	12	11	471	3.46	8	5	ND	ND	14	1	2	2	31	0.07	0.05	14	25	0.38	82	0.04	5	2.44	0.09	0.01	1	1
S	13400E 9750N	1	20	48	198	0.5	21	13	1166	3.60	10	5	ND	ND	17	1	2	2	29	0.14	0.08	19	27	0.54	92	0.05	5	2.61	0.11	0.01	1	1
S	13400E 9800N	1	16	35	152	0.1	15	9	785	3.46	8	5	ND	ND	13	1	3	2	30	0.07	0.06	12	38	0.50	61	0.04	5	2.22	0.12	0.01	1	1
S	13400E 9850N	1	14	27	157	0.1	16	12	856	3.71	11	5	ND	ND	24	1	2	2	37	0.50	0.10	14	34	0.66	58	0.07	5	2.11	0.10	0.01	1	1
S	13400E 9900N	1	19	87	215	0.2	20	13	2131	4.56	9	5	ND	ND	12	2	5	2	20	0.15	0.10	21	31	0.36	39	0.04	5	3.08	0.01	0.04	1	1
S	13400E 9950N	1	17	53	171	0.1	15	12	1186	4.86	8	5	ND	ND	10	1	4	2	29	0.07	0.07	15	28	0.37	64	0.03	5	1.95	0.01	0.01	1	1
S	13400E 10000N	1	28	117	454	0.5	37	22	2268	4.72	10	5	ND	ND	16	2	3	2	19	0.20	0.12	40	30	0.63	58	0.03	5	2.19	0.09	0.01	1	1
S	13400E 10050N	1	17	73	529	0.2	18	14	908	3.79	9	5	ND	ND	13	1	7	2	24	0.13	0.07	26	25	0.50	70	0.03	5	1.91	0.08	0.01	1	1
S	13400E 10100N	1	16	93	234	0.5	13	13	948	5.07	8	5	ND	ND	11	1	2	2	24	0.10	0.09	17	23	0.35	43	0.03	5	2.31	0.01	0.02	1	1
S	13400E 10150N	1	8	23	60	0.1	5	4	97	2.65	4	5	ND	ND	7	1	3	2	21	0.04	0.05	14	12	0.22	30	0.02	5	1.45	0.01	0.01	1	1
S	13400E 10200N	1	19	50	131	0.1	20	10	590	4.37	7	5	ND	ND	19	1	5	2	30	0.14	0.07	17	29	0.61	56	0.06	5	2.24	0.13	0.01	1	1
S	13400E 10250N	1	34	29	192	0.4	22	11	2878	2.49	14	5	ND	ND	76	2	5	3	23	1.57	0.21	23	32	0.48	86	0.05	19	1.70	0.07	0.01	1	1
S	13400E 10300N	1	16	17	140	0.1	7	4	1025	0.51	19	5	ND	ND	76	3	6	5	6	2.96	0.13	3	14	0.36	41	0.01	69	0.30	0.01	0.01	3	1

CERTIFIED BY :

ROSSBACHER LABORATORY LTD.

2225 S. Springer Ave., Burnaby,
British Columbia, Can. V5B 3B1
Ph: (604)299-6910 Fax: 299-6252


CERTIFICATE OF ANALYSIS







TO : TECO EXPLORATIONS LTD.
950-175 SECOND AVE.
FAMLOUPS, B.C.
PROJECT : 1365
TYPE OF ANALYSIS : ICF

CERTIFICATE # : 20444
INVOICE # : 10891
DATE ENTERED : 90-09-19
FILE NAME : IEC90444.1
PAGE # : 1

PRE FIX	SAMPLE NAME	PPM NO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM Mn	Z FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	Z CA	Z P	PPM LA	PPM CR	Z MG	PPM BA	Z TI	PPM B	Z AL	Z K	Z SI	PPM M	PPM BE
S	12800E 9500N	1	25	30	165	0.1	19	7	399	3.83	3	5	ND	ND	23	1	2	2	33	0.12	0.14	23	55	0.46	117	0.05	5	2.83	0.11	0.01	2	1
S	12800E 9550N	1	20	28	152	0.1	22	9	444	4.48	6	5	ND	ND	22	1	2	2	34	0.18	0.12	16	55	0.61	107	0.05	5	2.92	0.14	0.01	2	1
S	12800E 9600N	1	28	31	254	0.4	43	11	4014	4.10	8	5	ND	ND	33	1	3	2	34	0.38	0.15	29	54	0.91	164	0.08	5	3.58	0.22	0.01	2	2
S	12800E 9650N	1	21	130	889	0.4	30	15	2058	3.74	8	5	ND	ND	25	2	2	2	18	0.58	0.13	41	30	0.70	74	0.03	5	1.37	0.08	0.01	3	1
S	12800E 9700N	1	21	33	127	0.1	15	1	251	6.01	6	5	ND	ND	14	1	2	2	45	0.10	0.09	18	47	0.53	61	0.09	5	4.39	0.06	0.03	1	1
S	12800E 9750N	1	21	35	204	0.4	31	2	1188	4.42	7	5	ND	ND	24	1	2	2	39	0.19	0.12	19	34	0.71	99	0.08	5	4.03	0.15	0.02	1	2
S	12800E 9800N	1	16	31	171	0.4	18	9	1046	4.39	6	5	ND	ND	23	1	2	2	40	0.17	0.09	15	27	0.52	94	0.07	5	3.39	0.10	0.02	1	1
S	12800E 9850N	1	20	33	172	0.4	20	11	708	4.20	5	5	ND	ND	20	1	2	2	36	0.13	0.11	18	26	0.65	117	0.05	5	2.99	0.15	0.01	1	1
S	12800E 9900N	1	18	19	136	0.1	20	8	454	3.86	6	5	ND	ND	25	1	2	2	33	0.23	0.11	16	20	0.60	85	0.05	5	2.76	0.13	0.01	1	1
S	12800E 9950N	1	17	30	123	0.2	15	7	267	4.07	2	5	ND	ND	16	1	2	2	29	0.13	0.07	25	14	0.45	43	0.05	5	2.26	0.04	0.01	1	1
S	12800E 10000N	1	17	25	206	0.1	18	12	1394	3.50	7	5	ND	ND	21	1	2	2	36	0.17	0.09	14	39	0.55	76	0.04	5	2.52	0.12	0.01	1	1
S	12800E 10050N	1	18	69	294	0.1	20	13	2334	4.27	3	5	ND	ND	29	1	2	2	26	0.17	0.13	26	39	0.32	66	0.02	5	1.93	0.01	0.01	1	1
S	12800E 10100N	1	18	67	225	0.1	20	10	2047	4.56	7	5	ND	ND	20	1	2	2	28	0.23	0.28	22	33	0.48	55	0.04	5	2.32	0.06	0.01	1	1
S	12800E 10150N	1	15	65	220	0.1	13	5	660	4.17	7	5	ND	ND	13	1	2	2	32	0.08	0.09	19	25	0.29	51	0.04	5	2.40	0.01	0.02	1	1
S	12800E 10200N	1	16	50	195	0.1	22	15	1160	3.84	6	5	ND	ND	21	1	2	2	26	0.21	0.10	23	25	0.44	41	0.05	5	1.98	0.02	0.01	1	1
S	12800E 10250N	1	17	36	126	0.1	13	8	444	4.26	6	5	ND	ND	15	1	2	2	42	0.08	0.07	16	24	0.32	51	0.07	9	2.05	0.05	0.01	1	1
S	12800E 10300N	1	20	50	274	0.4	23	8	796	4.44	7	5	ND	ND	25	1	2	2	45	0.25	0.10	19	34	0.57	77	0.07	5	3.57	0.03	0.02	1	2
S	12800E 10350N	1	13	29	115	0.1	10	5	213	3.62	2	5	ND	ND	14	1	2	2	38	0.08	0.06	15	23	0.43	60	0.06	5	2.30	0.06	0.01	1	1
S	12800E 10400N	1	21	30	166	0.1	24	6	511	3.96	3	5	ND	ND	17	1	2	2	48	0.13	0.05	17	34	0.58	66	0.09	5	3.38	0.04	0.01	1	1
S	12800E 10450N	1	14	24	144	0.1	11	5	602	2.54	9	5	ND	ND	56	1	2	2	27	1.07	0.17	12	19	0.43	67	0.04	19	1.75	0.05	0.01	1	1
S	12800E 10500N	1	12	18	113	0.1	13	8	148	3.64	8	5	ND	ND	17	1	2	7	32	0.18	0.04	12	33	0.40	56	0.06	5	2.56	0.08	0.01	1	1
S	13000E 9500N	1	16	24	176	0.1	19	9	1600	3.44	4	5	ND	ND	15	1	2	4	33	0.10	0.13	12	45	0.48	74	0.03	5	2.20	0.09	0.01	1	1
S	13000E 9550N	1	22	36	408	0.4	34	1	3852	3.97	8	5	ND	ND	19	1	2	2	32	0.33	0.20	25	41	0.64	142	0.04	5	4.24	0.13	0.02	1	2
S	13000E 9600N	1	18	31	157	0.1	15	9	2169	3.31	5	5	ND	ND	17	1	2	2	31	0.13	0.12	16	28	0.46	64	0.04	5	2.22	0.11	0.01	1	1
S	13000E 9650N	1	18	35	189	0.4	26	9	1096	3.01	5	5	ND	ND	16	1	2	2	23	0.17	0.10	16	30	0.55	77	0.03	5	2.45	0.11	0.01	1	1
S	13000E 9700N	1	13	24	98	0.6	12	9	274	3.89	4	5	ND	ND	12	1	2	2	24	0.08	0.08	16	26	0.41	41	0.03	5	1.55	0.04	0.01	1	1
S	13000E 9750N	1	22	53	176	0.6	24	15	4664	2.31	22	5	ND	ND	26	2	6	7	19	3.86	0.10	24	52	2.72	104	0.03	5	1.93	0.07	0.01	1	1
S	13000E 9800N	1	14	30	101	0.1	13	8	540	3.08	5	5	ND	ND	19	1	2	2	28	0.19	0.07	11	26	0.44	59	0.04	5	2.06	0.06	0.01	1	1
S	13000E 9850N	1	12	24	94	0.1	12	5	279	3.21	7	5	ND	ND	12	1	2	2	21	0.10	0.07	16	18	0.31	23	0.03	5	1.48	0.01	0.01	1	1
S	13000E 9900N	1	7	16	50	0.1	5	3	213	1.96	2	5	ND	ND	10	1	2	7	22	0.05	0.05	15	18	0.28	38	0.03	5	1.43	0.04	0.01	1	1
S	13000E 9950N	1	12	33	136	0.1	13	10	289	2.78	6	5	ND	ND	13	1	2	7	23	0.10	0.07	16	34	0.39	35	0.04	5	1.80	0.04	0.01	1	1
S	13000E 10000N	1	23	35	183	0.4	20	10	2444	2.90	9	5	ND	ND	42	1	2	3	31	0.89	0.14	21	42	0.57	85	0.04	10	2.05	0.09	0.01	1	1
S	13000E 10050N	1	16	23	123	0.1	16	8	203	2.22	4	5	ND	ND	23	1	2	5	17	0.33	0.11	18	31	0.60	34	0.04	5	1.30	0.05	0.01	1	1
S	13000E 10100N	1	22	35	254	0.5	23	10	1569	3.55	8	5	ND	ND	19	1	2	2	17	0.13	0.08	15	47	0.61	93	0.07	5	3.33	0.15	0.01	1	1
S	13000E 10150N	1	12	19	84	0.4	11	9	496	3.09	2	5	ND	ND	16	1	4	5	32	0.19	0.07	12	31	0.75	44	0.05	5	2.05	0.08	0.01	1	1
S	13000E 10200N	1	13	25	69	0.4	9	8	254	3.61	6	5	ND	ND	16	1	2	5	53	0.08	0.18	12	30	0.37	44	0.10	5	1.72	0.09	0.01	1	1
S	13000E 10250N	1	24	25	175	0.3	22	10	3760	3.62	2	5	ND	ND	29	1	2	2	42	0.29	0.12	25	36	0.61	36	0.04	5	3.24	0.15	0.01	1	2
S	13000E 10300N	1	17	27	129	0.3	15	9	784	3.24	5	5	ND	ND	24	1	2	2	34	0.31	0.10	20	28	0.39	65	0.04	8	2.49	0.09	0.01	1	1
S	13000E 10350N	1	13	22	102	0.1	12	8	334	2.76	5	5	ND	ND	18	1	2	2	30	0.10	0.04	10	23	0.30	64	0.05	5	2.07	0.04	0.01	1	1
S	13000E 10400N	1	16	26	168	0.1	14	10	2144	2.76	5	5	ND	ND	39	1	2	5	31	0.61	0.13	10	35	0.56	62	0.04	5	1.76	0.13	0.01	1	1


CERTIFIED BY :





GEOLOGICAL BRANCH
ASSESSMENT REPORT




20,639



TECK EXPLORATIONS LTD.
GRIZZLY LAKE PROJECT
PEACH 1,2,3 GROUPS
&
GEOCHEMICAL COVERAGE

By: MR. Murrell N.T.S. No. 93A/15 Scale: 1:10,000
Date: Aug 2, 1990 Drafted By: F.H. No. GL90-3


Mining District: Cariboo



- BACKGROUND < 60 ppm
- THRESHOLD 60-110 ppm
- ANOMALOUS 110-220 ppm
- VERY ANOMALOUS > 220 ppm




**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

BL 95+00N
20,639



Mining District: Cariboo


TECK EXPLORATIONS LTD.		
GRIZZLY LAKE PROJECT		
GEOCHEMISTRY EAST AREA Pb Soil Samples		
By: M.R. Murrell	N.T.S. No. 93A/15	Scale: 1:5000
Date: Sept., 1990	Drafted By: F.H.	No. GL90-6a



- BACKGROUND < 275 ppm
- THRESHOLD 275 - 450 ppm
- ANOMALOUS 450 - 1000 ppm
- VERY ANOMALOUS > 1000 ppm

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

20,639



Mining District: Cariboo

TECK EXPLORATIONS LTD.		
GRIZZLY LAKE PROJECT		
GEOCHEMISTRY EAST AREA Zn Soil Samples		
By: M.R. Murrell	N.T.S. No. 93A/15	Scale: 1:5000
Date: Sept., 1990	Drafted By: F.H.	No. GL90-7a