

LOG NO: <i>March 22/91</i> RD.
ACTION:
FILE NO:

REPORT ON
 PROSPECTING, GEOCHEMISTRY, GEOPHYSICS
 ON THE
 RABBIT CLAIMS
 KAMLOOPS MINING DIVISION
 N.T.S. 92I/10

Latitude 50°35'N Longitude 120°41.5'W
 Rabbit 1 (8907) Rabbit 4 (8914)
 Rabbit 2 (8908) Rabbit 5 (9194)
 Rabbit 3 (8909) Rabbit 6 Fr. (9194)

SUB-RECORDER
 RECEIVED
 MAR 18 1991
 MAR # \$
 VANCOUVER, B.C.

Authors : K. Pearson, T. Wong
 Owner : Ragnar Bruaset, David Cooke
 Operator : Noranda Exploration Company, Limited
 (no personal liability)
 Date : March 15, 1990

GEOLOGICAL BRANCH
 ASSESSMENT REPORT

21,125

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION.....	4
Property Location.....	4
Access.....	4
Physiography.....	4
Previous Work.....	6
Ownership - Property Status.....	6
Project Objective.....	6
Regional Geology.....	6
Rabbit Property Geology.....	8
OUTLINE OF WORK DONE.....	10
Line Cutting.....	10
Geochemical Survey - Soils and Rocks.....	10
Prospecting.....	12
GEOPHYSICS.....	13
DISCUSSION OF RESULTS.....	15
CONCLUSIONS/RECOMMENDATIONS.....	16
REFERENCES.....	18
STATEMENT OF COSTS.....	
STATEMENT OF QUALIFICATIONS.....	19

APPENDICES

Appendix I:	Detailed Description of Method of Analysis
Appendix II:	Geochemical Certificates of Analysis
Appendix III:	Rock Sample Descriptions
Appendix IV:	Soil Profile Survey
Appendix V:	Geophysical Results (I.P. Survey Pseudo-Sections)

LIST OF FIGURES

		<u>PAGE</u>
1.	Location Map - Rabbit Property	1:7.5 mil 5
2.	Claims Location	1:50,000 7
3.	Regional Geology	1:50,000 9
4.	Grid Location	1:50,000 11
5.	Claim & Grid Locations with Soil Profiles, Rock Samples and I.P. Lines	1:5,000 In Pocket
6.	Soil Geochemical Survey - Au (ppb)	1:5,000 In Pocket
7.	Soil Geochemical Survey - Ag (ppm)	1:5,000 In Pocket
8.	Soil Geochemical Survey - Cu (ppm)	1:5,000 In Pocket
9.	Soil Geochemical Survey - Mo (ppm)	1:5,000 In Pocket
10.	Soil Geochemical Survey - Zn (ppm)	1:5,000 In Pocket
11.	Soil Geochemical Survey - Pb (ppm)	1:5,000 In Pocket

INTRODUCTION

Property Location

The Rabbit property is central to Dominic Lake, located 40 km S.W. of Kamloops. The property is situated at approximately latitude 50°35', longitude 120°41.5' (Figure 1).

Access


Access to the property is off the Coquihalla Highway along the Logan Lake Road for 5 km to the Dominic Lake Resort/Mile High Lodge sign. Turning north here a well maintained gravel road is followed 9 km to the Dominic Lake Road sign. Turning west here the road is followed approximately 5 km to the eastern part of the property. Access to various parts of the grid on the property is possible along old and new logging roads.

Physiography

The terrain on the property is generally flat to low rolling hills. The elevation varies between 1520 m and 1670 m giving a relief of about 150 m.

The property contains large areas of swamp, as well as grasslands. Forest cover is generally open, but some dense second growth is present. Windfall can also be thick making travel through forested areas difficult. Clear cuts are also present with some having been "ploughed" under as part of a reforestation plan.

Two main creeks drain the property. Durand Creek drains Dominic Lake in a northwesterly direction, and Chartrand Creek drains south. Glacial cover is extensive over most of the property, resulting in limited outcrop exposure.



YUKON

Dawson

Keno Hill

Mayo

TERRITORY

Whitehorse

Atlin

Cassiar

BRITISH

Stewart

Hazelton

Prince Rupert

Kilimat

Smithers

F. St. James

Prince George

COLUMBIA

Bella Coola

Quesnel

Williams Lake

Port Alice

Tofino

VANCOUVER

VICTORIA

N. W. T.

Great Bear Lake

N

Yellowknife

Great Slave Lake

Hay River

Fort Liard

F. Nelson

ALBERTA

F. St. John

Dawson Creek

55°

RABBIT PROPERTY

Kamloops

Revelstoke

Merrit

50°

Cranbrook

Nelson

Princeton

Hope

U.S.A.

Miles 0 50 100 150 Miles

REVISED

RABBIT PROPERTY

LOCATION MAP

NO. 1
 NORANDA EXPLORATION OFFICE
 VICTORIA

JULY 1928

Previous Work

Several companies have been active in the area during the 1960's and 1970's exploring for Cu-Mo porphyry mineralization. The main focus of activity has been to the north and east of the present claim group specifically around Roper Lake, to the north of Dominic Lake and beyond to the Dairy Lakes area.

In 1967 Norex completed a gridding/soil sampling programme to the NW of Dominic Lake which identified anomalous copper values trending to the NW with values ranging from 75 to 660 ppm Cu. The area is underlain by Nicola volcanics with minor amounts of chalcopyrite and magnetite observed in a few of the outcrop exposures. This area has recently been soiled by the vendor indicating anomalous Au in soils with secondary Cu geochem trends in the same area.


The Roper Lake area was assessed by Norex and Dominic Lake Mining Co. Ltd. for its porphyry Mo potential. The area was gridded, soiled and trenched with 15 BQ short hole drilling completed in areas of anomalous Mo results. Nothing of significance was reported.

Teck Corp. and Cominco continue to maintain claims in the area located to the north of the Rabbit property. Numerous drill and percussion holes have been completed on their ground with only geochemically anomalous Cu and Au results reported to date.

Ownership - Property Status

At present the claims are under the ownership of Ragnar Bruaset of Burnaby and David L. Cooke of Vancouver (Figure 2). The following is a list of claims in which assessment will be applied.

Claim	Record #	Units	Recording Date	Expiry Date	Owner
Rabbit-1	8907	12	Sept.29/89	Sept.29/98	Cooke
Rabbit-2	8908	8	Sept.30/89	Sept.29/98	Cooke
Rabbit-3	8909	8	Oct. 9/89	Oct. 9/98	Cooke
Rabbit-4	8914	6	Oct. 12/89	Oct. 12/98	Cooke
Rabbit-5	9192	9	Mar. 30/90	Mar. 30/99	Bruaset
Rabbit-6 Fr	9193	1	Mar. 31/90	Mar. 31/99	Bruaset
		--			
		44 Units			
		==			



REVISED	RABBIT PROPERTY	
	CLAIMS LOCATION	
PROJ. No. 135	SURVEY BY K. Pearson	DATE Dec./1990
M.T.S. 921/10	DRAWN BY K. Pearson	SCALE 1:50,000
DWG. No. 2	NORANDA EXPLORATION	
	OFFICE: VANCOUVER	

NO. 774

Project Objective

A strong magnetic signature occurs between the Durand and Roper Lake stocks. The property occurs along the southwest portion of this magnetic high. I.P. chargeability anomalies have been identified, by Cominco, south and northwest of Dominic Lake. They appear to occur around the periphery of this magnetic high. Additionally, Au (>50 ppb) and Cu (>100 ppm) anomalies occur coincident with the N-S trending northwest I.P. anomaly, and covers a length of about 800 m. The geochem anomaly is open to the south and west.

The objective of the work programme was to delineate any extension to the geochem and I.P. anomalies to the south and east around Dominic Lake.


Regional Geology

Triassic Nicola Group volcanics are regionally extensive throughout the area. The volcanics consist primarily of andesites, but also include basaltic types, and hornblende and augite porphyries. Breccias and tuffs are present within the volcanics. Minor amounts of sedimentary rocks are associated with the volcanics and have been age dated as late as Upper Triassic. Of the sediments, limestone is the most abundant, but argillite and conglomerate are also present. The limestone occurs as lenses rather than continuous beds. Coast intrusions of Jurassic Age intrude into Triassic rocks. They are primarily medium to coarse grained granodiorites to quartz diorites and quartz monzonites.

The general structural trend is north to northwesterly as observed in regional fold axis. Intrusive emplacement generally appears to follow this trend.

Rabbit Property Geology

The area underlain by the Rabbit group of claims is largely covered by glacial drift limiting the number of outcrop exposures. Where available, outcroppings of Nicola volcanics occur primarily as augite porphyry of basalt to andesite in composition. In the NW portion of the claim group, olivine basalts, leucocratic diorite and rhyolite has been identified by others through percussion and diamond drill hole examination. Little outcrop exposure is available for examination, and interpretation of this unit is based largely on the vendor's recollection of past property work and information gained through assessment file reports.



RABBIT PROPERTY CLAIM OUTLINE

- Landsat Linears
- 20 — Chargeability (mV/V)
- ● ● ● ● ● Soils
- Geology
- Aeromag



REVISED	
NOJ No 135	SURVEY BY K. Pearson
WSS 921/0	DATE Dec./1990
DWG. No.	DRAWN BY K. Pearson
	SCALE 1:50,000
3	

**RABBIT PROPERTY
GENERAL GEOLOGY
&
HISTORICAL COMPILATION**

NORANDA EXPLORATION
OFFICE: VANCOUVER

The Durand Lake stock, situated to the north of the Rabbit claim group is a zoned monzonite-diorite plug of probable Late Triassic to Early Jurassic Age and is coeval with the host alkaline volcanics. Accessory magnetite and pyrite is associated throughout the stock as disseminations and fracture fillings which is best developed around it's margin. An aeromagnetic high signature over this area is largely due to the presence of magnetite. In the eastern portion of the property is the Roper Lake stock which was drilled by Cominco in 1979. The stock is composed of granodiorite to quartz monzonite intrusions.

Alteration in the area of the Rabbit claims is typically chlorite-epidote-K-spar. Little feldspar destructive alteration such as clays and sericite are noted. Primary mineralization is pyrite, magnetite, chalcopyrite best developed around the intrusive contacts or disseminated in fault/shear zones within Nicola volcanics.

OUTLINE OF WORK DONE

Linecutting

A soil grid was constructed in two sections oriented N-S and E-W. The two sections have been joined by baseline tie-line extensions. The South Grid baseline is 4.4 km long and oriented east-west, and the Northwest Grid baseline is 1.0 km and oriented north-south (Figure 3).

A total of 47.9 line km of flagged grid was established. Cross lines are spaced 200 m apart. Stations along the cross lines, tie-lines and baselines are spaced 25 m apart. Slope corrected tie-lines tie in the ends of the cross lines on each grid. The two grids are joined by the a common line 505N.

The following lines were cut and brushed out in preparation for an I.P. survey:

L.132E, L.126E, L.120E, L.114E, L.108E, L.509N, L.515N.

In addition baselines 500N and 108E were brushed out for future location purposes.

Geochemical Survey - Soils and Rocks

Soil samples were taken every 50 m along the baselines, cross lines and tie-lines on both grids using track shovels. As determined from

The Durand Lake stock, situated to the north of the Rabbit claim group is a zoned monzonite-diorite plug of probable Late Triassic to Early Jurassic Age and is coeval with the host alkaline volcanics. Accessory magnetite and pyrite is associated throughout the stock as disseminations and fracture fillings which is best developed around it's margin. An aeromagnetic high signature over this area is largely due to the presence of magnetite. In the eastern portion of the property is the Roper Lake stock of granodiorite to quartz monzonite in composition. Drilling by Cominco in 1979 outlined 350 M.T. of 0.05% Mo drill indicated.

Alteration in the area of the Rabbit claims is typically chlorite-epidote-K-spar. Little feldspar destructive alteration such as clays and sericite are noted. Primary mineralization is pyrite, magnetite, chalcopyrite best developed around the intrusive contacts or disseminated in fault/shear zones within Nicola volcanics.

OUTLINE OF WORK DONE

Linecutting

A soil grid was constructed in two sections oriented N-S and E-W. The two sections have been joined by baseline tie-line extensions. The South Grid baseline is 4.4 km long and oriented east-west, and the Northwest Grid baseline is 1.0 km and oriented north-south (Figure 3).

A total of 47.9 line km of flagged grid was established. Cross lines are spaced 200 m apart. Stations along the cross lines, tie-lines and baselines are spaced 25 m apart. Slope corrected tie-lines tie in the ends of the cross lines on each grid. The two grids are joined by the a common line 505N.


The following lines were cut and brushed out in preparation for an I.P. survey:

L.132E, L.126E, L.120E, L.114E, L.108E, L.509N, L.515N.

In addition baselines 500N and 108E were brushed out for future location purposes.

Geochemical Survey - Soils and Rocks

Soil samples were taken every 50 m along the baselines, cross lines and tie-lines on both grids using track shovels. As determined from



REVISED	RABBIT PROPERTY	
	GRID LOCATION	
PROJ No 135	SURVEY BY: K. Pearson	DATE: Dec./1990
N.T.S 921/10	DRAWN BY: K. Pearson	SCALE: 1:50,000
DWG. No. 4	NORANDA EXPLORATION	
	OFFICE: VANCOUVER	

NO. 174

four soil profile surveys the B Horizon, generally 15-20 cm depth, was the optimal horizon sought for sampling (Appendix V). Where it was not available, a humus or C Horizon sample was taken. Each sample was placed in a brown 8.9 cm x 15.5 cm open ended Kraft envelope for storage and shipment to Noranda's geochemical laboratories in Vancouver. A total of 877 samples were taken.

Five float rock samples, considered near source, one grab sample and a 0.5 m chip sample were taken on various parts of the grid. The rock types are as follows:

TABLE II:

R.149055	Dark grey ash tuff
R.149076	Quartz boulder
R.149077	Altered volcanic boulder
R.149078	Monzonite-diorite boulder
R.150832	Granodioritic ? boulder
R.150853	Diorite ?
R.150854	Silicified ? granodiorite

All samples were analyzed for 30 elements plus Au using the ICP method. The soil samples were analyzed by the Noranda Vancouver Laboratory. The rocks were analyzed by Acme Analytical Labs, Vancouver. A detailed description of the method of analysis is listed in Appendix I. Appendix II lists rock and soil geochem results, with sample locations and Cu, Ag, Au results displayed on Figure 5.

Prospecting

The grid areas of approximately 3.6 km² were prospected for any mineralized occurrences. The area of interest was primarily in the northwest portion of the property and south of Dominic Lake. As outcrop was scarce and only 7 rock samples were taken, exact sample locations and outcrops are plotted on Figure 5. Appendix III contains rock sample descriptions.

Geophysics

A geophysical survey consisting of time domain Induced Polarization was completed over selected lines of the Rabbit property during mid-November, 1990. The purpose of the survey was to aid in delineating possible areas of economic mineralization.

The survey was carried out under the direction of Pacific Geophysical Ltd. of Vancouver with assistance by Noranda personnel. A total of 8.6 km of line was surveyed. I.P. pseudo-sections are presented in Appendix IV.

Instrumentation

The time domain I.P. survey utilized a Phoenix IPT-1 powered by a Phoenix MG-1 motor generator capable of producing 1.2 Kx of power. The receiver unit was a BRGM IP-6 unit. The transmitted signal had a period of 8 seconds, 50% duty cycle. The double dipole electrode array was used with a dipole spacing of 50 m with $n=1..4$ being recorded. Chargeability was measured in units of mV/V.

Discussion of Results

From the surveyed lines the background chargeability of the area appears to be approximately 4 mV/V.

L.51500N: No significant chargeability responses are seen on this line, however, the resistivity section shows a possible lithological contact between low and higher resistivity rocks.

L.50900N: A moderate chargeability response remains open at the east end of the line which appears associated with a moderately resistive expression.

L.10800E: No significant chargeability or resistivity responses are evident on this line.

L.11400E: A possible lithologic contact indicated by a resistivity contrast occurs at 49700N.

L.12000E: A change in the I.P. response character occurs between this and the previous line. A topographic feature ie. creek between L.11400E and L.12000E appears to be related to this change. The whole line can be considered anomalous with respect to the background chargeability, however, some of

these responses are marginal e.g. the north end. Three groupings of the stronger responses occurs as follows:

1. A shallow thin pod-like source centred at 50125N.
2. Two shallow thick pod-like responses centred at 49850N and 49675N. Within this group is found the highest response of the line.
3. A response at the south end which remains open.

Line 12600E: A very strong chargeability response remains open at the north end of the line and is coincident with a high resistivity rock unit. A strong response is centred at 49875N and is also associated with a high resistivity unit. This response has limited depth extent.

Line 13200E: A sharp cut-off occurs at 49750N between anomalous and background I.P. responses which is also reflected by contrasting resistivities at this location. This cut-off most likely represents a lithologic contact with the highest resistivity values coinciding with the best I.P. responses. The strong I.P. response remains open to the north with a shallow response centred at 50100N.

Conclusions

The I.P. survey has outlined several areas of promising I.P. responses which may indicate economic mineralization. It is encouraging that these responses lie within an area of a soil geochemical anomaly. Future geophysical work may include I.P. surveys on specific lines within the geochemical anomaly with further I.P. work contingent upon the results obtained. Where possible, open-ended I.P. responses on existing lines should be closed out. A magnetics survey should also be completed over the existing soil lines as an aid in mapping the geology and outlining areas of further interest.

DISCUSSION OF RESULTS

Soil geochemical map plots for Au, Ag, Cu and Mo are located at the back of the report. Two main areas, in the northern and eastern part of the grid, contain anomalous, generally coincident values in Au, Cu, and Ag. A weak and spotty zone of coincident Cu-Ag is also noted at 114E/498N.

The largest coincident anomaly of Cu and Ag along with Mo occurs on the eastern part of the grid between L.122+00E and 144+00E, from 505+00N to 493+00N. An Au halo, occurring as a series of elongate zones, and spot highs, surround and at times overlaps the Cu-Ag-Mo zone. The anomalous zone is open to the east, south and north.

The occurrence of the Cu-Mo-Ag (Au) zone in the eastern portion of the grid is peripheral to the Roper Lake stock. The zone is related to mineralization associated with the stock.

In the northern part of the grid a Cu-Au-(Ag) anomaly is present between Lines 515N and 510N from 108E to 122E. All three elements are generally coincident. The anomalous zone is open north and east.

The pronounced Cu-Au soil anomaly in the N.W. area of the grid is partially coincident with an earlier survey's Cu-Au soil anomaly which trends further N.W. up the property. The Durand Lake stock has been defined as a Cu-Au porphyry environment. This anomaly is probably related to mineralization associated with the stock.

The coincident Cu-Au anomaly in the northwest area appears to show an abrupt cut-off at it's southern extent along Durand Creek. The creek may represent the surface expression of a fault structure. Au-Cu values west of Durand Creek are generally spotty.

A smaller zone of spotty but coincident Cu-Ag anomalies is centred at about 114E/498N. Spot highs of Au occur peripheral to this zone.

Little detailed geological information is available for the anomaly at 114E/498N. This zone, however, may be related to mineralization associated with a stock located at depth.

Rock samples collected generally returned low values in Au.

However, significant values in Cu and Ag were returned from three float samples taken between Lines 136E and 138E and Stations 493N to 495N. The source of these rocks was not located. In addition, one other rock at 137E/505N returned significant values. Anomalous results are as follows:

<u>Sample #</u>	<u>Cu (ppm)</u>	<u>Ag (ppm)</u>	<u>Au (ppb)</u>
R 149076		36.6	
R 149077	1397	2.7	
R 149078	2238	1.8	270
R 150853	335	173.3	
R 150854		2.3	

The rock geochemical values of Cu and Ag with varying amounts of Au appear to coincide with the soil geochemical results for this area.

CONCLUSIONS AND RECOMMENDATIONS

Through geochem surveys three areas of interest on the Rabbit grid have been identified.

1. The northwest area of the grid shows coincident Cu-Au-Ag anomaly which is open to the north, and east.
2. The eastern area of the grid southeast of Dominic Lake shows a coincident Cu-Ag-Mo anomaly with a halo of Au, as a series of elongate zones.
3. An anomalous zone southwest of Dominic Lake shows a coincident Cu-Ag anomaly with peripheral spot highs of Au.

The anomalous zones appear to trend along the south side of Dominic Lake, and wrap around the west end of the lake trending north off the grid.

The first two occurrences of anomalous zones can be attributed to mineralization associated with two stocks in the respective areas. The third zone may be a weak signature indicating mineralization associated with a stock at depth.

Due to active logging in the northwest area of the grid, soiling was not completed on Lines 515N and 116E (tie-line). Soiling should be completed on these lines. In addition, infill soiling should be carried out on Lines 510N, 512N and 514N.

In the eastern area of the grid infill lines and soiling should be completed on Lines 123E, 125E, 127E, 129E, 131E, 133E, 135E, 137E and 139E.

In the zone southwest of Dominic Lake infill lines should be flagged and soiled on Lines 109E, 111E, 113E, 115E, 117E and 119E.

The areas of interest should be mapped at 1:5,000 or more detailed, to define the bedrock geology and overburden cover.

Infill I.P. geophysics should be completed on the following lines:

EASTERN AREA:

Line 124E, 130E, 134E and 138E.

NORTHWEST AREA:

Complete 515N to at least 116E and on 513N.

Further I.P. work in these areas would be contingent on these results, and would be done to define and outline specific areas of interest. A magnetometer survey should be completed over the existing grid.

Based on the results from this work, areas showing good potential for mineralization should be targeted as drill sites.

REFERENCES

- Cockfield, W.E. (1947): Nicola Geological Survey of Canada Map 886A, Sheet 92I (East Half).
- Mark, David G., (1979): Geophysical-Geochemistry Report on Induced Polarization and Soil Sample Surveys over the Dominic Claim Group. Assessment Report 7155.

NORANDA EXPLORATION COMPANY, LIMITED
STATEMENT OF COSTS

PROJECT: RABBIT PROPERTY

DATE: Nov. 23, 1990

TYPE OF REPORT:

a) Wages:

No. of Days : 130 mandays
Rate per Day : \$ 13 x \$200/day; 117 x \$160/day
Dates from : Oct 1-4/Oct. 16 - Nov. 19, 1990
Total Wages : (13 x \$200) + (117 x \$160) \$21,320.00

b) Food & Accommodation:

No. of Days : 34
Rate per Day : \$209.50/day : 5 men/day = \$41.90/day
Dates from : Oct. 3/90; Oct. 16 - Nov. 19/90
Total Costs : 130 md x \$41.90 \$ 5,448.00

c) Transportation:

No. of Days : 37
Rate per Day : \$108.05/day
Dates From : Oct. 3-4; Oct.16 - Nov. 19/90
Total Costs : 37 days x \$108.05 \$ 3,998.00

e)	Analysis:	\$10,254.90
	(See Attached Schedule)	
f)	Other: Contractor	
	Pacific Geophysical Limited, Vancouver	
	I.P. Surveys	
	November 14 to 19, 1990	
	8.6 line km	\$ 3,988.99
		<hr/> <hr/>
	Total Cost:	\$45,009.89
g)	Unit costs for Geochem	
	No. of Days : 13	
	No. of Units : 902 samples	
	Unit Costs : \$17.05/sample	
	Total Cost : 902 x \$17.05	\$15,379.34
h)	Unit Costs for Geophysics	
	No. of Days : 4	
	No. of Units : 8.6 km	
	Unit Cost : \$904.13/km	\$ 7,775.36
i)	Unit Costs for Geology	
	No. of Days : 16	
	No. of Units : 22 mandays	
	Unit Cost : \$229.65/manday	
	Total Cost :	\$ 5,052.23
j)	Unit Costs for Linecutting	
	No. of Days : 71	
	No. of Units : 47.9 km	
	Unit Cost : \$350.80 x 1 km	
	Total Cost :	\$16,802.96
		<hr/> <hr/>
		<u>\$45,009.89</u>

NORANDA EXPLORATION COMPANY, LIMITED
WESTERN DIVISION

DETAILS OF ANALYSES COSTS


PROJECT: RABBIT

<u>ELEMENT</u>	<u>NO. OF DETERMINATION</u>	<u>COST PER DETERMINATION</u>	<u>TOTAL COST</u>
30 Element)	894 soils	\$11.35	\$10,146.90
ICP plus)	8 rocks	\$13.50	\$ 108.00
Au by AA)			<hr/>
			<u>\$10,254.90</u>

STATEMENT OF QUALIFICATIONS

I, M. Kent Pearson of Vancouver, British Columbia hereby certify that:

1. I am a geologist presently residing at 1626 West 10th. Avenue, Vancouver, B.C.
2. I have graduated from the University of Alberta in 1987 with a BSc. in Geology.
3. I have worked with Noranda Exploration Company, Limited as a temporary employee since 1987.




M. Kent Pearson

STATEMENT OF QUALIFICATIONS

I, Ted Wong, of the City of Vancouver, Province of British Columbia, hereby certify that:

1. I am a geophysicist residing in Burnaby, B.C.
2. I have graduated from the University of British Columbia in 1983 with a B.Sc. in Geophysics.
3. I am a professional geophysicist, registered with the Association of Professional Engineers, Geologists and Geophysicists of Alberta. I am a licensed professional geophysicist, registered with the Association of Professional Engineers, Geologists and Geophysicists of the Northwest Territories.
4. I have practised by profession on a continual basis since 1984.
5. I have been employed by Noranda Exploration Company, Limited since September, 1989.



Ted T. Wong

APPENDIX I
DETAILED DESCRIPTION OF METHOD OF ANALYSIS
NORANDA GEOCHEMICAL LABORATORY (VANCOUVER)
AND
ACME ANALYTICAL LABORATORIES LTD.

ANALYTICAL METHOD DESCRIPTIONS FOR GEOCHEMICAL ASSESSMENT REPORTS

The methods listed are presently applied to analyses geological materials by the Noranda Geochemical Laboratory at Vancouver.

Preparation of Samples:

Sediments and soils are dried at approximately 80°C and sieved with a -80 mesh nylon screen. The -80 mesh (0.18 mm) fraction is used for geochemical analysis.

Rock specimens are pulverized to -120 mesh (0.13 mm). Heavy mineral fractions are analyzed in its entirety, when it is to be determined for gold without further sample preparation.

Analysis of Samples:

ICP analyses for 28 elements is determined with a Leeman PS3000. For silts and soils a 0.2 g sample is digested with 3 ml of $\text{HClO}_4/\text{HNO}_3$ at a ratio of 4:1. This digestion occurs for 4 hours at a temperature of 203°C. The resulting liquid is diluted to 11 ml with water.

Gold (Au) content is determined by atomic absorption (AA), not ICP. A 10 g sample is weighed and ashed at 590°C for 3 to 5 hours. After cooling, 35 mls of aqua regia ($\text{HCl}:\text{H}_2\text{O}:\text{HNO}_3$) (3:2:1) is added and the samples are digested on a hot plate for 2 hours, or until 15 mls of aqueous solution is left. Dilute with water to 100 mls and add 5 mls MIBK. Addition of MIBK extracts and pre-concentrates the gold from the aqueous solution. Following this step the MIBK solution is analyzed on the AA.

**AA
LL** **ACME ANALYTICAL
LABORATORIES LTD.**

Assaying
and
Geochemical
Analyses

24 hr. per day operation

Effective: December 1, 1989

Sample Preparation

<u>Code</u>	<u>Description</u>	<u>Cost</u>
S80	Dry soil or silt up to 2 lbs at 60 deg. Cent. sieve approx. 30 g of -80 mesh (other size upon request)	\$0.85
SJ	Save part or all reject	\$0.45
S20R	Dry soil or silt up to 2 lbs at 60 deg. Cent. sieve and pulverize -20 mesh (other size on request)	\$1.50
SP	Dry soil and silt at 60 deg. Cent. Pulverize (approx. 100 g)	\$1.50
RP100	Crush rock or core to approx. -3/16" up to 10 lbs, split to approx. 1/2, pulverize to -100 mesh	\$3.00
CR	Crushing over 10 lbs	\$0.25/lb
2PX	Pulverize over 1/2 lb	\$1.00/lb
RPS100	Crush rock or core, sieve to -100 mesh and save + 100 mesh as reject (approx. 200g -100 mesh)	\$3.75
RPS100 1/2	Same as RPS100, except pulverize 1/2 sample; additional pounds	\$1.40/lb
RPS100 A	Same as RPS 100 1/2, except pulverize entire sample; additional	\$1.40/lb
OP	Compositing pulps - each pulp Mixing & pulverizing composite	\$0.50 \$1.50
HM	Heavy mineral separation - S.G 2.96 + wash -20 mesh	\$12.00
V1	Drying vegetable & pulverizing 50g to -80 mesh	\$3.00
V2	Ashing up to 1 lb wet vegetation at 475 deg. Cent.	\$2.00
H1	Special handling	\$17.00/hr

Sample Storage

Rejects - approx. 2 lbs of rock or total core are stored for three months at no charge. Discard after 3 months unless claimed.

Pulps - stored for one year at no charge. Discard after one year unless claimed.

Additional storage - for 3 years \$10/1.2 cu.ft box
or 15 cents/sample pulp
or 5 cents/sample soil

Geochemical analyses

(rocks & soils)

Group 1 Digestion

0.5 gm sample is digested with 3 mls 3-1-2 HCL-HNO₃-H₂O at 95 degree Cent. for one hour and is diluted to 10 mls with water. This leach is near total for base metals, partial for rock forming elements and very slight for refractory elements. Solubility limits Ag, Pb, Sb, Bi, W for high grade samples.

Group 1 B - Hydride Generation of volatile elements and analysis by ICP

<u>Element</u>	<u>Detection</u>	
Arsenic	0.1 ppm	
Antimony	0.1 ppm	
Bismuth	0.1 ppm	First element \$4.75
Germanium	0.1 ppm	All elements \$5.50
Selenium	0.1 ppm	
Tellurium	0.1 ppm	

Digestion: Aqua Regia + HF digestion

Group 1 C Hg

Hg in solution is determined by cold vapour AA using a F & J scientific Hg assembly. An aliquot of the solution is added to a stannous chloride/hydrochloric acid solution. Reduced Hg is passed through as vapour into the Hg cell where it is measured by AA.

Detection limit: 5 ppb

Price: \$2.50

Group 1 D ICP (Multi-element) Analysis

30 element

Element

Detection

Ag	0.1 ppm
Cd, Co, Cr, Cu, Mo, Mn, Ni, Sr, Zn	1 ppm
As, Au, B, Ba, Bi, La, Pb, Sb, Th, V, W	2 ppm
U	5 ppm
Al, Ca, Fe, K, Mg, Na, P, Ti	0.01 %

Price: \$ 3.25

31 elements

All of the above 30 elements plus TL

\$3.95

Detection limit: 5 ppm

Note: other elements, such as Be, Cs, Li, Nb, Sn, Y, Zr by AA or ICP available on request.

APPENDIX II
GEOCHEMICAL CERTIFICATES OF ANALYSIS
(SOILS AND ROCKS)

NORANDA VANCOUVER LABORATORY

Geochemical Analysis

Project Name & No.: RABBIT - 135

Geol.: L.E.

Date rec'd: OCT. 26

LAB CODE: 9010-076

Material: 4 SOILS

Sheet: 1 of 1

Date comp: OCT. 31

Remarks: * Sample screened @ -35 MESH (0.5 mm).

□ Organic, △ Humus

Au - 10.0 g sample digested with aqua-regia and determined by A.A. (D.L. 5 PPB)

ICP - 0.2 g sample digested with 3 ml HClO₄/HNO₃ (4:1) at 203 °C for 4 hours diluted to 11 ml with water. Leeman PS3000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ce, La, Li are rarely dissolved completely from geological materials with this acid dissolution method.

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Ka %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
129	149051	5	0.2	2.29	15	113	0.8	2	0.74	0.8	25	12	41	61	2.67	0.23	9	12	0.48	447	5	0.09	19	0.09	18	88	0.19	93	83
130	149052	5	0.4	3.09	21	153	0.7	2	0.79	0.8	32	17	48	77	3.29	0.25	11	19	0.57	384	8	0.12	25	0.10	12	101	0.22	111	95
131	149053	40	0.6	3.19	22	170	0.9	2	0.82	0.7	38	17	49	85	3.38	0.27	13	17	0.61	348	8	0.13	26	0.09	15	109	0.22	115	97
132	149054	5	0.4	3.45	22	200	0.8	3	0.84	0.7	39	18	58	94	3.73	0.32	12	17	0.68	392	6	0.13	28	0.09	14	129	0.24	128	102

NORANDA VANCOUVER LABORATORY

Geochemical Analysis

Project Name & No.: RABBIT - 135

Geol.: L.E.

Date rec'd: OCT. 22

LAB CODE: 9010-064

Material: 12 SOILS & 1 HUMUS

Sheet: 1 of 1

Date comp OCT. 24

Remarks: * Sample screened @ -35 MESH (0.5 mm).

□ Organic

Au - 10.0 g sample digested with aqua-regia and determined by A.A. (D.L. 5 PPB)

ICP - 0.2 g sample digested with 3 ml HClO₄:HNO₃ (4:1) at 203 °C for 4 hours diluted to 11 ml with water. Leeman PS9000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ce, La, Li are rarely dissolved completely from geological materials with this acid dissolution method.

T.T. No.	SAMPLE No.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sr	Ti	V	Zn
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
137	149001	10	0.4	2.59	11	234	0.8	2	1.60	0.5	39	10	30	64	2.76	0.41	11	13	0.50	528	6	0.08	17	0.18	9	125	0.19	93	103
138	149002	45	0.2	3.47	10	307	0.7	2	1.37	0.2	44	13	44	70	3.65	0.48	14	17	0.58	475	3	0.08	21	0.11	6	144	0.24	124	87
139	149003	30	0.2	3.84	18	288	0.7	2	1.58	0.2	50	15	65	63	4.80	0.65	15	18	0.78	598	3	0.06	24	0.12	6	192	0.27	175	67
140	149004	10	0.2	3.84	17	274	0.8	2	1.63	0.2	52	15	55	66	4.57	0.61	16	16	0.86	597	3	0.06	24	0.14	5	200	0.26	169	60
141	149005	15	0.2	3.57	25	255	0.9	2	1.45	0.2	53	20	37	71	4.29	0.57	18	17	0.84	788	4	0.05	27	0.14	7	176	0.24	158	59
142	149006	10	0.4	3.41	15	396	0.9	2	1.89	0.4	45	10	24	163	2.74	0.27	31	17	0.59	310	2	0.04	33	0.11	7	124	0.09	72	51
143	149007	120	0.2	3.94	20	306	1.1	3	1.23	0.2	51	13	43	163	4.12	0.41	24	19	0.69	615	1	0.08	32	0.09	7	125	0.20	135	60
144	149008	150	0.4	3.54	18	249	0.8	2	1.27	0.2	48	13	56	149	4.25	0.41	21	18	0.66	555	2	0.07	29	0.09	8	140	0.23	148	87
145	149009	170	0.2	3.20	19	220	0.8	2	1.34	0.2	47	14	52	122	4.45	0.44	18	16	0.68	529	2	0.08	26	0.10	8	152	0.23	162	63
146	149011	40	0.2	3.08	16	468	1.1	2	1.72	0.2	39	13	23	244	3.06	0.32	20	19	0.55	662	3	0.04	29	0.09	7	98	0.13	91	44
147	149012	110	0.2	3.52	20	441	1.1	2	1.48	0.2	51	18	40	285	3.82	0.40	18	22	0.69	791	2	0.08	31	0.09	8	120	0.21	123	50
148	149013	140	0.2	3.38	14	418	1.1	2	1.50	0.2	51	16	43	353	3.40	0.39	19	19	0.66	520	2	0.09	29	0.11	9	127	0.21	115	53
149	149010	55	0.2	2.36	15	520	0.8	2	2.92	0.6	38	8	25	238	1.87	0.19	25	14	0.51	292	2	0.03	25	0.10	11	117	0.07	62	38

GEOCHEMICAL ANALYSIS CERTIFICATE

Rabbit (K)

Noranda Exploration Co. Ltd. PROJECT 9011-053 135

File # 90-6075

1050 Davie St., Vancouver BC V6E 1M4

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Be ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
149055	2	44	21	151	15	127	29	884	6.01	2	5	ND	1	162	1.8	2	2	78	1.19	.205	25	122	1.90	71	.60	2	3.49	.99	.27	1	7
149076	12	29	1036	841	36.6	11	1	73	.52	2	5	ND	1	5	52.4	25	290	1	.07	.001	2	13	.01	3	.01	2	.01	.01	.01	1	5
149077	70	1397	18	92	2.7	22	21	1256	5.31	6	5	ND	1	110	2.6	2	3	25	5.16	.167	4	17	1.22	88	.01	5	.46	.01	.21	1	14
149078	8	2238	7	24	1.8	7	11	485	3.45	2	5	ND	1	57	.9	2	2	78	2.27	.113	6	6	.96	193	.03	5	.99	.03	.12	1	270
150852	22	21	8	35	.2	10	4	530	1.78	2	5	ND	4	34	.2	2	2	26	.25	.048	11	10	.35	441	.07	3	.74	.06	.23	2	3
150853	48	335	1596	660	173.3	14	1	76	1.75	7	5	ND	1	14	36.9	93	3498	3	.30	.006	2	103	.06	100	.01	2	.06	.01	.03	265	13
150854	6	37	90	187	2.3	7	3	491	1.21	15	5	ND	3	82	4.9	2	27	2	1.09	.038	6	5	.14	127	.01	4	.31	.03	.15	11	10

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: ROCK AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

DATE RECEIVED: NOV 26 1990 DATE REPORT MAILED: Nov 29/90 SIGNED BY: *C. Leung* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

✓ ASSAY RECOMMENDED

NORANDA VANCOUVER LABORATORY

Geochemical Analysis

Project Name & No.: RABBIT - 135

Geol.: L.E.

Date rec'd: NOV. 05

LAB CODE: 9011-015

Material: 158 SOILS

Sheet: 1 of 5

Date comp NOV. 16

Remarks: Sample screened @ -35 MESH (0.6 mm).

Organic, Humus

Au - 10.0 g sample digested with aqua-regia and determined by A.A. (D.L. 5 PPB)

ICP - 0.2 g sample digested with 3 ml HClO₄/HNO₃ (4:1) at 203 °C for 4 hours diluted to 11 ml with water. Leeman PB3000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ca, La, Li are rarely dissolved completely from geological materials with this acid dissolution method.

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
2	50700N-10200E	5	0.2	3.82	5	215	0.7	2	1.13	0.2	40	13	38	32	3.53	0.21	12	20	0.55	285	1	0.14	16	0.05	5	123	0.25	119	71
3	10250	5	0.6	3.55	4	312	0.7	2	1.26	0.5	43	12	44	59	3.34	0.34	18	18	0.85	285	1	0.11	20	0.05	6	159	0.21	123	58
4	10275	5	0.2	3.02	4	219	0.6	2	0.99	0.2	40	11	47	44	2.80	0.31	14	18	0.58	487	1	0.14	19	0.05	4	136	0.22	109	52
5	10300	5	0.2	3.20	11	212	0.8	2	1.05	0.2	41	11	47	51	2.73	0.34	15	15	0.83	447	1	0.14	19	0.05	7	144	0.23	110	49
8	50700N-10350E	5	0.2	3.00	4	148	0.6	2	1.21	0.2	39	12	58	34	3.54	0.36	12	16	0.54	507	1	0.09	17	0.09	3	187	0.24	141	59
7	50700N-10400E	5	0.4	3.52	7	155	0.7	3	1.23	0.4	41	14	61	49	4.17	0.42	13	18	0.65	422	1	0.08	21	0.09	5	194	0.27	163	58
8	10450	5	0.2	3.13	3	189	0.6	2	0.88	0.2	38	11	39	43	3.29	0.33	13	20	0.56	323	1	0.12	18	0.05	7	126	0.24	120	57
9	10500	5	0.4	3.84	4	227	0.7	2	0.90	0.6	39	12	40	63	3.47	0.43	15	25	0.67	482	1	0.11	22	0.06	5	117	0.24	130	69
10	10550	5	0.2	3.22	6	182	0.8	2	0.97	0.3	36	13	49	40	3.58	0.36	12	18	0.53	512	1	0.11	17	0.09	5	139	0.25	132	71
11	50700N-10800E	5	0.8	3.48	9	189	0.8	2	1.02	0.5	42	17	51	48	3.87	0.35	15	21	0.56	437	2	0.11	20	0.10	10	183	0.25	140	73
12	50700N-10650E	5	0.4	3.29	8	192	0.6	2	1.31	0.4	42	12	53	44	3.94	0.37	14	17	0.57	384	1	0.08	18	0.06	8	205	0.26	152	56
13	10700	5	0.2	3.89	8	310	0.8	2	1.34	0.3	50	14	42	73	3.71	0.38	20	20	0.66	454	1	0.11	21	0.06	5	170	0.24	137	65
14	10750	5	0.4	4.48	7	390	0.9	2	1.41	0.5	45	14	34	90	3.89	0.33	16	23	0.65	590	1	0.10	24	0.07	5	156	0.24	124	83
15	10800	5	0.4	3.07	3	209	0.6	2	0.88	0.5	33	12	32	40	2.98	0.23	11	20	0.43	270	1	0.18	15	0.07	7	108	0.22	102	54
16	50700N-10850E	5	0.2	3.79	6	390	0.8	2	1.43	0.4	44	11	29	57	3.38	0.31	18	23	0.67	344	2	0.16	19	0.07	8	140	0.25	110	81
17	50700N-10900E	5	0.2	4.11	2	296	0.9	2	1.75	0.5	50	16	41	72	4.50	0.50	17	19	0.85	594	2	0.09	22	0.06	8	212	0.28	163	84
18	10950	5	0.8	3.97	2	497	0.9	2	1.32	0.3	54	12	34	82	3.37	0.27	22	38	0.68	254	1	0.21	30	0.07	8	118	0.28	98	59
19	11000	5	0.4	3.97	3	440	0.7	2	1.75	0.8	41	11	32	87	3.43	0.36	13	25	0.82	342	1	0.13	21	0.09	8	160	0.26	107	63
20	11050	5	0.2	3.68	3	266	0.8	2	1.66	0.4	40	12	42	58	3.84	0.45	13	19	0.65	382	1	0.07	16	0.06	7	192	0.26	135	52
21	50700N-11100E	5	0.8	4.26	8	457	0.8	3	1.63	0.4	48	12	37	111	3.55	0.34	19	36	0.75	307	2	0.14	24	0.08	10	143	0.24	108	67
22	50700N-11150E	30	0.6	3.75	11	321	0.8	3	1.56	0.2	48	14	47	59	4.34	0.41	15	17	0.82	476	2	0.07	21	0.05	4	184	0.29	138	81
23	11200	5	0.2	3.90	2	290	0.8	2	1.51	0.2	41	11	49	48	3.75	0.37	14	18	0.72	327	2	0.09	22	0.05	6	154	0.31	119	54
24	11250	5	0.8	3.79	2	567	0.7	2	1.04	0.2	38	10	26	40	2.70	0.18	12	25	0.47	204	2	0.31	22	0.06	7	99	0.23	79	81
25	11300	5	0.4	4.58	3	383	0.7	2	1.25	0.2	38	13	34	38	3.92	0.42	12	26	0.70	760	2	0.09	20	0.07	5	127	0.25	115	85
26	50700N-11350E	5	0.2	3.64	2	284	0.8	2	1.33	0.4	48	11	47	64	3.61	0.35	18	17	0.72	371	2	0.09	23	0.05	4	149	0.35	122	59
27	50700N-11400E	30	0.2	3.27	8	211	0.7	2	1.46	0.3	44	11	66	47	3.79	0.42	14	14	0.74	408	2	0.07	22	0.06	8	177	0.33	140	57
28	11450	5	0.2	4.31	4	304	0.9	2	1.21	0.2	41	10	43	72	3.58	0.41	16	20	0.69	318	2	0.15	31	0.08	4	128	0.29	114	70
29	11500	5	0.2	3.45	6	196	0.7	2	1.45	0.2	43	11	54	40	3.57	0.45	15	14	0.67	423	2	0.07	21	0.07	5	200	0.32	143	57
30	11550	5	0.8	3.92	2	239	0.8	2	1.13	0.2	39	11	48	53	3.15	0.34	14	18	0.64	367	2	0.15	25	0.08	5	124	0.26	109	77
31	50700N-11600E	5	1.2	3.86	10	420	0.8	2	1.88	0.7	43	12	48	87	3.02	0.32	19	24	0.61	409	3	0.14	30	0.11	8	144	0.25	104	90

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Bb ppm	Bl ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-015 Pg. 2 of 5
32	50700N-11650E	5	0.2	3.58	7	274	0.7	2	1.82	0.4	42	14	58	72	4.04	0.48	15	15	0.87	588	3	0.08	27	0.08	9	190	0.25	147	64	
33	50700N-11700E	5	1.0	4.79	6	538	1.2	2	1.67	0.9	47	13	40	248	3.32	0.33	18	34	0.88	1381	6	0.19	45	0.11	7	116	0.21	97	65	
34	50900N-10200E	5	0.2	4.45	5	251	0.8	2	1.15	0.3	42	13	37	80	3.37	0.48	15	22	0.98	520	1	0.09	20	0.08	6	158	0.26	134	73	
35	10250	6	0.8	3.21	5	207	0.6	2	1.21	0.2	42	12	48	45	3.41	0.32	15	15	0.71	559	1	0.10	15	0.05	4	179	0.28	135	56	
36	50900N-10300E	5	0.2	5.65	5	522	1.4	2	1.03	0.4	69	19	36	151	4.30	0.53	38	36	0.89	1448	1	0.15	44	0.09	5	73	0.19	129	90	
37	50900N-10350E	5	0.2	4.06	5	313	0.8	2	1.03	0.3	46	14	42	69	3.70	0.43	19	27	0.73	861	2	0.12	25	0.08	4	125	0.26	129	85	
38	10400	5	0.2	4.56	7	385	0.8	2	1.08	0.3	41	14	35	61	3.68	0.38	17	32	0.67	1041	2	0.12	22	0.07	5	103	0.21	121	86	
39	10450	5	0.2	3.81	4	187	0.7	2	0.54	0.2	27	13	43	44	3.55	0.24	10	22	0.48	387	2	0.17	20	0.17	3	83	0.23	114	104	
40	10500	5	0.2	3.44	13	224	0.7	2	1.19	0.3	43	13	46	58	3.59	0.36	15	17	0.63	518	2	0.11	19	0.07	10	159	0.25	133	70	
41	50900N-10550E	5	0.4	3.78	15	275	0.8	3	1.16	0.5	46	12	46	73	3.41	0.45	20	20	0.74	398	2	0.09	26	0.08	11	144	0.29	124	88	
42	50900N-10800E	5	0.2	3.19	7	165	0.7	4	1.80	0.4	46	14	51	43	4.21	0.43	15	13	0.82	454	2	0.07	17	0.10	9	237	0.28	188	62	
43	10650	5	0.2	3.23	4	168	0.6	2	1.49	0.4	43	12	42	43	4.08	0.32	14	14	0.58	359	2	0.08	15	0.09	5	218	0.28	182	82	
44	10700	5	0.2	3.82	11	184	0.8	5	1.89	0.5	51	17	44	60	4.64	0.53	16	14	0.85	572	2	0.06	20	0.12	7	260	0.30	179	57	
45	10750	5	0.4	3.21	2	280	0.6	2	0.85	0.2	32	9	29	28	2.43	0.13	9	24	0.41	205	1	0.25	16	0.04	6	72	0.21	68	43	
46	50900N-10800E	5	0.2	3.38	2	190	0.7	2	0.69	0.2	31	13	42	40	3.53	0.22	10	18	0.45	382	2	0.20	18	0.19	6	81	0.26	111	87	
47	50900N-10850E	5	0.2	3.52	2	321	0.7	3	1.16	0.5	43	14	34	72	3.37	0.23	16	23	0.52	395	2	0.17	21	0.08	9	98	0.25	113	82	
48	10900	5	0.4	3.22	4	258	0.7	2	1.25	0.3	40	14	52	40	3.51	0.29	14	15	0.53	570	2	0.13	18	0.11	8	147	0.27	123	85	
49	10950	5	0.2	3.83	4	284	0.8	2	1.37	0.3	51	14	41	74	3.87	0.34	19	19	0.60	618	2	0.12	20	0.08	7	182	0.26	140	58	
51	11000	5	0.8	4.17	10	272	0.8	5	1.74	0.6	56	18	52	68	5.12	0.52	20	19	0.77	593	3	0.06	22	0.07	10	222	0.30	188	70	
52	50900N-11050E	5	0.4	0.16	10	419	0.2	2	5.08	1.2	14	6	5	38	0.29	0.04	3	3	0.23	2191	6	0.03	7	0.10	12	129	0.01	39	31	
53	50900N-11100E	5	0.4	1.52	9	656	0.7	2	2.74	0.8	42	11	12	93	1.34	0.11	13	11	0.33	3713	11	0.23	19	0.13	9	107	0.12	42	32	
54	11150	5	0.2	4.00	2	461	0.7	3	1.62	0.5	46	13	37	62	4.02	0.40	15	24	0.81	547	2	0.10	22	0.07	6	173	0.28	128	59	
55	11200	5	0.4	3.66	2	280	0.7	3	1.54	0.4	47	13	40	49	3.91	0.37	15	18	0.69	464	2	0.07	19	0.06	7	180	0.29	133	56	
56	11250	5	0.2	3.89	2	329	0.8	2	1.41	0.5	47	12	31	55	3.56	0.28	15	22	0.84	312	2	0.15	19	0.04	7	155	0.27	111	70	
57	50900N-11300E	5	0.4	4.04	2	442	0.9	2	1.48	0.8	45	12	38	94	3.81	0.33	15	27	0.79	302	1	0.14	24	0.08	10	135	0.28	99	84	
58	50900N-11350E	5	0.8	3.92	2	510	0.8	2	1.19	0.4	41	14	40	119	2.78	0.28	14	28	0.65	400	1	0.28	36	0.09	10	108	0.25	89	78	
59	11400	5	0.6	3.71	8	318	0.7	2	1.50	0.7	42	12	44	68	3.80	0.38	15	18	0.84	387	2	0.10	23	0.07	6	155	0.29	123	61	
60	11450	30	0.4	3.94	2	303	0.9	3	1.35	0.3	50	13	44	70	3.69	0.31	18	21	0.64	415	2	0.11	23	0.04	10	148	0.26	117	58	
61	11500	5	1.0	3.85	8	327	0.9	5	1.56	0.9	50	14	37	91	3.56	0.27	24	23	0.66	483	3	0.13	29	0.06	11	137	0.28	110	59	
62	50900N-11550E	5	0.8	3.75	4	305	0.8	3	1.64	0.4	48	14	42	70	4.17	0.43	16	19	0.91	388	2	0.09	26	0.06	9	169	0.29	133	64	
63	50900N-11600E	20	0.2	3.50	3	165	0.6	3	1.39	0.4	45	14	44	35	4.03	0.32	13	18	0.59	341	2	0.10	19	0.06	6	169	0.30	140	63	
64	50900N-11635E	10	0.2	3.27	7	178	0.6	3	1.55	0.4	44	14	65	43	4.33	0.38	14	15	0.82	365	1	0.10	21	0.10	4	218	0.30	185	54	
65	51100N-10200E	5	0.2	4.29	2	199	0.7	2	0.81	0.4	32	17	31	45	3.82	0.29	10	23	0.84	679	1	0.15	18	0.16	4	115	0.25	123	97	
66	10250	5	0.2	3.36	7	190	0.6	2	1.17	0.2	39	14	48	40	3.74	0.41	13	19	0.89	393	1	0.11	18	0.08	4	175	0.26	143	66	
67	51100N-10300E	5	0.2	3.86	2	343	0.8	2	1.08	0.2	45	14	39	52	3.75	0.36	15	26	0.57	475	1	0.14	22	0.08	4	124	0.24	126	70	
68	51100N-10350E	5	0.8	3.64	7	413	0.9	2	1.57	0.6	45	10	25	128	2.56	0.18	16	29	0.46	645	1	0.22	23	0.09	8	81	0.19	75	48	
69	10400	5	0.2	5.35	2	307	0.7	3	1.21	0.3	42	13	35	55	3.17	0.31	12	21	0.48	533	1	0.11	20	0.07	6	104	0.21	108	78	
70	10450	5	0.4	3.17	9	222	0.6	2	1.11	0.3	40	12	45	42	3.25	0.30	13	18	0.48	338	1	0.14	18	0.06	4	143	0.24	116	68	
71	10500	5	0.2	3.51	10	226	0.8	3	1.38	0.3	45	14	45	48	3.95	0.44	18	18	0.83	514	2	0.07	21	0.05	3	189	0.28	152	68	
72	51100N-10550E	26	0.2	2.97	14	144	0.8	2	1.21	0.2	38	12	45	33	3.63	0.32	12	14	0.48	412	2	0.12	18	0.09	4	182	0.26	140	65	

Y.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-015 Pg. 3 of 5
73	51100N-10800E	20	0.4	3.27	4	218	0.8	2	1.21	0.2	40	13	48	48	3.79	0.33	15	17	0.53	486	2	0.13	18	0.09	5	181	0.27	141	78	
74	10850	35	0.4	4.96	5	388	1.1	2	1.48	0.2	51	15	37	134	3.88	0.51	31	24	0.85	877	3	0.08	34	0.10	6	124	0.20	129	78	
75	10700	15	0.8	3.24	3	200	0.8	2	0.92	0.2	33	14	38	51	3.41	0.30	11	18	0.51	319	4	0.15	17	0.10	5	115	0.24	119	74	
76	10750	6	0.2	3.05	3	268	0.8	2	0.82	0.3	32	13	34	42	3.25	0.24	11	18	0.43	954	3	0.19	18	0.22	6	84	0.28	103	136	
77	51100N-10800E	5	0.6	3.65	8	258	0.7	2	0.81	0.2	35	14	37	48	3.41	0.29	11	20	0.55	556	4	0.17	19	0.12	8	111	0.26	108	119	
78	51100N-10850E	5	0.2	3.55	3	187	0.7	2	0.99	0.2	31	14	35	48	3.77	0.28	10	19	0.53	561	3	0.17	17	0.17	6	104	0.23	128	102	
79	10900	5	0.4	4.39	6	348	0.9	3	1.44	0.2	46	17	38	78	4.58	0.52	15	23	0.74	556	3	0.12	22	0.13	6	157	0.23	161	102	
80	10950	5	0.8	4.48	11	603	1.1	2	1.70	0.3	54	28	49	114	4.99	0.39	19	25	0.72	4823	15	0.08	38	0.08	8	158	0.26	154	74	
81	11000	5	0.6	3.98	10	335	0.9	2	1.51	0.3	50	15	61	72	4.39	0.40	20	20	0.67	494	3	0.09	28	0.08	11	183	0.30	148	68	
82	51100N-11050E	20	0.2	3.56	5	177	0.7	2	1.70	0.2	44	12	52	49	3.99	0.51	15	14	0.75	449	2	0.06	18	0.08	7	242	0.29	164	54	
83	51100N-11100E	5	0.8	4.83	2	373	1.0	2	1.59	0.4	49	18	51	109	4.44	0.43	18	22	0.81	795	3	0.10	33	0.07	8	157	0.27	138	76	
84	11150	5	1.2	3.71	6	484	1.0	3	2.28	0.5	48	11	32	138	3.44	0.29	22	19	0.58	370	3	0.10	29	0.11	9	158	0.22	110	88	
85	11200	5	0.8	4.39	4	477	1.1	2	1.42	0.4	47	13	29	150	3.49	0.27	18	28	0.63	507	2	0.19	33	0.08	10	111	0.24	97	79	
86	11350	10	0.4	4.25	2	339	1.0	2	1.17	0.2	48	15	33	101	2.82	0.21	15	23	0.58	248	4	0.16	31	0.08	11	108	0.25	100	88	
87	51100N-11400E	5	0.8	2.51	6	259	0.7	2	2.00	0.4	41	11	38	174	2.45	0.26	14	13	0.50	273	13	0.08	22	0.12	10	154	0.17	94	83	
88	51100N-11450E	5	0.4	4.01	5	329	0.8	3	1.27	0.3	45	16	55	89	4.24	0.40	16	21	0.78	712	3	0.12	30	0.06	9	159	0.29	148	77	
89	11500	30	0.4	4.10	8	377	0.9	3	1.28	0.2	45	13	40	121	3.84	0.37	18	20	0.74	381	2	0.11	32	0.07	9	144	0.23	119	84	
90	11550	15	0.4	3.28	4	225	0.7	2	1.22	0.2	42	12	51	58	3.59	0.38	14	18	0.63	382	1	0.12	21	0.05	8	167	0.26	134	53	
91	11600	25	0.6	3.32	7	249	0.7	2	1.20	0.6	45	12	48	70	3.39	0.35	18	17	0.63	430	3	0.13	22	0.04	9	181	0.28	130	52	
92	51100N-11650E	15	0.4	3.57	2	270	0.8	2	1.44	0.3	44	12	58	72	3.69	0.41	17	16	0.70	443	2	0.12	22	0.06	8	184	0.29	138	53	
93	51100N-11850E	30	0.4	3.57	2	240	0.7	2	1.33	0.2	41	11	47	82	3.68	0.34	14	18	0.80	344	1	0.14	22	0.04	8	182	0.28	128	47	
94	11900	6	0.8	4.52	3	459	1.0	2	1.26	0.5	46	15	40	114	4.42	0.36	16	20	0.72	628	2	0.09	31	0.07	8	143	0.26	136	102	
95	11950	10	0.8	3.73	3	377	0.9	2	1.21	0.5	47	12	44	123	3.88	0.43	24	18	0.88	487	2	0.11	27	0.07	8	139	0.24	132	62	
96	51100N-12000E	20	0.2	3.81	4	378	0.9	2	1.25	0.3	51	14	47	99	3.98	0.45	25	15	0.70	625	2	0.11	25	0.08	8	148	0.26	140	64	
97	51300N-10200E	5	0.2	3.91	6	189	0.7	2	0.58	0.3	29	16	31	40	4.23	0.34	10	33	0.48	838	3	0.14	15	0.20	8	107	0.21	145	121	
98	51300N-10260E	5	0.8	3.91	4	159	0.7	2	1.18	0.3	37	13	42	30	3.50	0.20	12	24	0.47	261	1	0.11	18	0.06	8	134	0.27	110	89	
99	10300	5	0.2	3.51	7	188	0.8	2	0.92	0.2	38	14	43	40	3.72	0.34	12	18	0.50	1006	2	0.12	18	0.11	9	127	0.25	130	37	
100	10350	5	0.2	3.84	18	195	0.6	2	0.88	0.4	34	16	37	49	3.63	0.31	14	20	0.47	870	3	0.12	17	0.12	10	125	0.24	130	78	
102	10400	5	0.2	4.44	12	274	0.9	2	1.73	0.3	51	18	60	98	4.82	0.71	19	18	1.00	809	2	0.07	34	0.14	7	229	0.29	191	78	
103	51300N-10450E	5	0.2	2.83	5	165	0.5	2	1.31	0.2	38	12	52	34	3.65	0.36	13	13	0.53	510	2	0.08	15	0.07	9	202	0.26	151	53	
104	51300N-10500E	5	0.4	3.98	6	271	0.9	2	1.78	0.7	42	12	28	99	3.08	0.29	18	28	0.82	545	1	0.19	25	0.08	11	101	0.21	93	61	
105	10550	5	0.2	3.40	2	187	0.8	2	1.17	0.2	36	14	35	53	3.51	0.32	12	18	0.55	302	3	0.18	18	0.09	9	150	0.28	128	60	
106	10600	5	0.2	3.38	2	185	0.8	2	0.78	0.2	31	12	38	43	3.58	0.27	10	20	0.40	238	4	0.19	14	0.21	6	114	0.28	120	82	
107	10650	25	0.2	3.22	7	196	0.8	2	1.13	0.4	37	14	57	31	3.93	0.35	13	12	0.58	697	1	0.11	19	0.07	4	160	0.34	148	70	
108	51300N-10700E	10	0.2	3.51	7	207	0.7	2	1.14	0.2	38	13	41	65	3.74	0.31	14	16	0.58	304	2	0.12	17	0.10	6	158	0.27	139	66	
109	51300N-10750E	5	0.2	3.22	4	168	0.8	2	0.78	0.2	30	14	51	41	3.89	0.28	10	20	0.48	541	3	0.16	15	0.13	4	109	0.25	130	81	
110	10800	6	0.2	4.08	10	258	0.8	4	1.57	0.2	45	18	48	65	4.66	0.48	14	19	0.74	486	2	0.08	20	0.08	5	211	0.28	173	71	
111	10850	5	0.4	3.71	3	281	0.7	2	1.40	0.6	48	14	41	84	3.76	0.30	22	22	0.58	466	3	0.12	22	0.05	12	148	0.27	130	89	
112	10900	5	0.2	3.32	2	499	0.7	2	0.87	0.2	31	13	30	43	3.44	0.32	10	20	0.45	573	3	0.19	15	0.19	7	99	0.22	123	87	
113	51300N-10950E	5	0.2	5.68	2	321	1.0	5	1.15	0.2	44	18	23	109	5.58	0.82	14	25	0.84	489	3	0.08	24	0.09	5	131	0.21	204	80	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	8011-015 Pg. 4 of 5
114	51300N-11000E	15	0.2	4.19	2	228	0.8	3	1.48	0.2	43	16	53	67	5.05	0.57	14	17	0.77	492	3	0.07	22	0.05	6	203	0.31	198	69	
115	11050	5	0.2	4.60	2	456	1.0	3	1.77	0.4	52	14	35	148	4.25	0.52	22	24	0.85	550	4	0.14	34	0.12	9	151	0.25	136	90	
116	11100	5	0.2	2.95	2	485	1.0	2	1.25	1.2	38	8	26	364	2.82	0.15	15	17	0.33	298	2	0.44	35	0.23	6	70	0.17	77	48	
117	11150	5	0.8	2.58	3	314	0.5	2	1.65	0.6	34	7	22	152	1.92	0.19	10	28	0.48	187	2	0.26	20	0.12	7	89	0.17	62	54	
118	51300N-11200E	15	0.4	3.35	4	388	0.9	2	2.04	0.7	46	15	39	122	3.47	0.41	15	18	0.53	982	5	0.08	28	0.19	8	152	0.22	114	93	
119	51300N-11250E	10	0.4	3.89	2	305	0.8	2	1.60	0.6	43	12	44	53	3.55	0.35	14	19	0.81	451	3	0.12	21	0.08	9	154	0.28	117	79	
120	11300	10	0.2	3.66	2	371	0.7	2	1.78	0.9	41	11	40	88	3.13	0.30	13	21	0.63	551	3	0.14	21	0.08	8	152	0.25	108	102	
121	11350	20	1.4	3.71	8	517	1.2	2	1.81	0.5	50	14	34	290	3.55	0.28	28	21	0.57	537	6	0.11	34	0.15	11	123	0.19	105	71	
122	11400	15	0.2	3.73	2	316	0.8	2	1.54	0.4	46	14	40	79	3.82	0.34	18	18	0.64	555	3	0.09	22	0.05	9	147	0.24	118	60	
123	51300N-11450E	55	0.2	3.20	3	379	0.8	2	1.84	0.5	39	10	35	116	2.98	0.28	14	21	0.58	289	3	0.15	23	0.09	9	130	0.20	91	49	
124	51300N-11500E	25	0.4	3.49	7	259	0.7	2	1.42	0.2	44	14	42	66	3.91	0.35	14	18	0.60	376	2	0.08	20	0.07	7	159	0.25	136	51	
125	11550	60	0.2	3.07	7	210	0.6	2	1.21	0.2	38	12	48	56	3.74	0.36	12	14	0.52	278	2	0.08	18	0.11	6	180	0.25	139	59	
126	11600	5	0.4	5.42	3	601	1.8	3	1.59	0.2	67	14	39	234	4.10	0.50	43	23	0.99	549	3	0.07	44	0.11	4	134	0.18	116	87	
127	11650	50	0.2	2.80	7	221	0.8	2	1.21	0.2	37	10	56	50	5.30	0.38	13	12	0.53	335	1	0.11	17	0.05	7	162	0.24	133	51	
128	51300N-11700E	20	0.2	2.95	2	288	0.6	2	1.38	0.2	39	11	59	41	3.54	0.38	13	12	0.80	433	1	0.08	17	0.05	5	194	0.25	140	53	
129	51300N-11750E	25	0.2	3.22	5	217	0.8	2	1.42	0.2	41	11	64	50	3.34	0.40	14	13	0.87	422	1	0.08	18	0.08	7	192	0.25	138	51	
130	11800	5	0.2	2.83	6	165	0.5	2	1.18	0.2	38	10	55	43	3.29	0.32	12	12	0.52	313	1	0.10	17	0.07	6	158	0.24	126	47	
131	11850	20	1.2	5.04	3	581	1.4	5	1.35	0.2	84	15	41	259	4.24	0.34	36	29	0.87	323	2	0.10	46	0.10	8	111	0.20	119	65	
132	11900	5	1.2	5.90	4	809	1.8	8	1.35	0.2	74	18	34	252	4.85	0.40	37	24	0.89	672	3	0.08	46	0.11	7	118	0.19	119	71	
133	51300N-11950E	5	0.4	3.42	4	282	0.9	2	1.54	0.2	43	11	38	111	3.14	0.31	17	15	0.53	386	1	0.13	23	0.06	6	121	0.23	109	54	
134	51300N-12000E	40	0.2	3.23	7	202	0.6	2	1.50	0.2	43	9	46	82	3.09	0.46	15	12	0.73	352	1	0.08	17	0.10	7	192	0.28	138	44	
135	12050	25	0.2	2.85	5	189	0.5	3	1.10	0.2	36	11	49	44	3.32	0.29	12	13	0.52	344	2	0.09	15	0.08	6	152	0.28	134	58	
136	12100	65	0.2	3.09	9	230	0.6	3	1.15	0.2	38	12	56	52	3.42	0.31	13	15	0.62	395	1	0.10	20	0.08	8	158	0.26	134	61	
137	12150	10	0.2	3.34	6	196	0.7	5	1.49	0.2	41	13	61	80	3.68	0.38	13	15	0.63	365	2	0.10	22	0.08	10	187	0.25	136	70	
138	51300N-12200E	20	0.2	3.74	5	302	0.9	4	1.30	0.2	46	19	53	84	4.16	0.37	16	23	0.62	393	2	0.10	32	0.09	10	121	0.25	129	100	
139	51500N-10200E	50	0.4	3.34	5	189	0.7	3	1.17	0.2	41	14	53	38	3.68	0.33	13	15	0.57	504	1	0.10	18	0.11	10	173	0.24	134	70	
140	10250	5	0.4	2.99	2	159	0.6	2	0.53	0.2	27	10	32	31	2.87	0.18	9	15	0.31	950	2	0.18	15	0.28	9	83	0.19	79	102	
141	10300	6	0.2	2.97	5	158	0.6	2	0.48	0.3	26	12	28	36	2.70	0.15	11	18	0.32	533	2	0.19	14	0.18	10	55	0.19	82	82	
142	10350	5	0.4	2.58	7	134	0.5	2	1.04	0.3	31	11	40	28	3.31	0.27	10	11	0.38	928	2	0.08	11	0.11	10	150	0.23	120	73	
143	51500N-10400E	5	0.4	3.18	2	155	0.5	2	0.54	0.2	22	10	25	29	3.04	0.24	7	21	0.32	314	2	0.17	11	0.19	7	79	0.19	96	88	
144	51500N-10450E	5	0.4	4.13	2	164	0.6	2	0.84	0.2	27	13	31	35	3.77	0.30	9	23	0.48	588	2	0.12	14	0.11	6	105	0.24	126	83	
145	10500	5	0.2	3.76	2	181	0.7	2	0.72	0.3	29	14	37	38	3.53	0.28	9	21	0.44	514	2	0.14	16	0.17	9	107	0.23	114	93	
146	10550	5	0.2	3.57	2	189	0.7	2	0.82	0.2	30	12	31	37	3.22	0.21	9	18	0.42	444	3	0.15	17	0.17	11	82	0.23	99	85	
147	10600	5	0.4	3.49	2	155	0.7	2	0.61	0.2	25	13	29	33	3.82	0.18	8	23	0.57	424	2	0.17	15	0.23	9	52	0.24	112	108	
148	51500N-10650E	5	0.2	3.80	2	179	0.8	2	0.81	0.2	30	13	32	37	3.47	0.17	9	20	0.61	547	1	0.12	13	0.05	8	69	0.21	109	82	
149	51500N-10700E	5	0.2	3.30	6	207	0.6	2	0.99	0.2	35	12	39	39	3.37	0.25	10	17	0.43	498	3	0.12	16	0.08	9	116	0.23	111	83	
150	10750	5	0.2	2.94	5	145	0.6	2	0.79	0.2	32	11	44	28	3.28	0.26	10	14	0.40	281	2	0.10	16	0.11	9	114	0.23	109	60	
151	10800	5	0.2	3.19	4	184	0.8	3	0.84	0.3	38	14	49	42	3.58	0.29	14	16	0.45	552	4	0.11	22	0.10	10	115	0.29	112	81	
152	10850	5	1.0	3.58	2	186	0.7	2	1.34	0.4	43	18	48	47	3.82	0.30	13	18	0.54	618	3	0.09	20	0.07	6	121	0.24	133	64	
153	51500N-10900E	5	0.8	4.60	3	438	0.9	2	1.87	0.3	48	14	35	74	3.88	0.37	15	22	0.64	673	3	0.09	25	0.08	14	118	0.27	127	90	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-015 Pg. 5 of 5
154	61500N-10850E	10	0.8	3.77	9	268	0.8	3	1.71	0.4	47	18	43	70	4.67	0.44	18	14	0.72	580	2	0.05	20	0.07	8	183	0.25	172	80	
155	11000	5	0.8	4.28	2	275	0.9	2	1.43	0.4	48	13	34	84	3.57	0.24	17	28	0.55	631	2	0.11	27	0.06	11	102	0.25	113	102	
158	11050	5	1.0	4.11	2	257	0.7	2	0.95	0.2	37	12	37	70	3.62	0.32	13	21	0.62	438	2	0.15	27	0.06	9	94	0.23	112	90	
157	11100	5	1.2	3.86	9	308	0.8	2	1.60	0.5	47	16	48	118	4.01	0.47	18	18	0.76	680	3	0.06	30	0.16	6	158	0.23	137	86	
158	51500N-11150E	5	0.6	3.00	4	294	0.7	2	2.10	0.4	44	11	31	81	2.96	0.24	18	17	0.52	403	2	0.08	18	0.11	9	140	0.19	94	50	
159	51500N-11200E	5	0.2	2.02	3	299	0.5	2	2.49	0.7	32	6	23	61	1.61	0.12	8	17	0.34	208	2	0.16	13	0.11	8	108	0.13	55	35	
160	51500N-11250E	20	0.8	2.95	4	278	0.7	3	2.04	0.3	43	12	42	78	3.02	0.25	14	17	0.52	312	2	0.07	18	0.08	11	138	0.18	94	40	

NORANDA VANCOUVER LABORATORY

Geochemical Analysis

Project Name & No.: RABBIT - 135

Geol.: L.E.

Date rec'd: NOV. 07

LAB CODE: 9011-019

Material: 202 SOILS

Sheet: 1 of 8

Date comp NOV. 22

Remarks: * Sample screened @ -35 MESH (0.5 mm).

□ Organic, ▲ Humus

Au - 10.0 g sample digested with aqua-regia and determined by A.A. (D.L. 5 PPB)

ICP - 0.2 g sample digested with 3 ml HClO₄/HNO₃ (4:1) at 203 °C for 4 hours diluted to 11 ml with water. Leeman PS3000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ce, La, Li are rarely dissolved completely from geological materials with this acid dissolution method.

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
2	12200E-49300N	6	0.2	3.29	6	218	0.7	2	1.11	0.2	37	16	61	59	3.81	0.43	14	15	0.63	706	1	0.08	21	0.11	7	155	0.26	145	87
3	49350	6	0.2	2.80	2	185	0.5	2	0.90	0.2	31	12	46	42	3.21	0.33	11	12	0.51	660	1	0.08	17	0.07	2	132	0.24	120	64
4	49400	6	0.2	3.80	2	204	0.8	2	0.98	0.2	34	15	48	91	3.94	0.38	12	16	0.64	751	1	0.07	24	0.11	2	134	0.26	138	89
5	49450	5	0.4	4.32	2	230	0.9	2	1.09	0.2	39	14	43	115	3.72	0.27	14	20	0.59	932	3	0.07	26	0.08	3	116	0.25	120	96
6	12200E-49500N	6	0.2	3.89	2	201	0.8	2	0.79	0.2	30	17	38	88	3.82	0.27	11	17	0.55	919	1	0.10	24	0.10	3	108	0.26	120	81
7	12200E-49550N	6	0.2	4.08	15	216	0.8	2	0.90	0.2	29	19	33	84	4.29	0.28	10	18	0.60	1192	2	0.10	21	0.10	5	80	0.24	125	91
8	49600	6	0.2	3.95	2	269	0.8	2	0.73	0.2	31	18	36	72	3.89	0.28	11	18	0.52	1623	1	0.08	23	0.12	7	100	0.24	121	111
9	49650	6	0.4	4.55	42	288	0.9	2	0.84	0.2	37	20	41	86	4.40	0.32	13	21	0.64	1362	1	0.07	27	0.10	7	114	0.26	140	118
10	49700	6	0.2	3.75	2	230	0.8	2	1.03	0.2	39	14	47	81	3.73	0.29	14	16	0.59	729	1	0.07	22	0.07	6	135	0.25	130	75
11	12200E-49750N	6	0.2	4.17	9	260	1.0	2	0.95	0.2	42	18	52	66	4.08	0.37	17	18	0.62	980	1	0.07	25	0.11	6	136	0.25	141	86
12	12200E-49800N	10	0.2	4.58	108	249	0.9	2	0.86	0.3	40	18	45	65	4.36	0.35	14	22	0.63	1039	1	0.09	25	0.12	17	122	0.25	146	136
13	49850	140	0.8	3.89	46	186	0.8	2	0.58	0.6	31	22	35	81	4.60	0.25	10	21	0.48	1387	1	0.12	20	0.17	14	79	0.22	128	188
14	49900	50	0.6	4.24	8	264	0.9	2	0.98	0.4	38	17	50	59	4.14	0.42	13	19	0.63	1397	1	0.08	24	0.13	16	130	0.25	139	141
15	49950	6	0.2	4.22	2	265	0.8	2	0.98	0.2	39	17	48	55	4.14	0.35	12	18	0.63	1032	1	0.09	23	0.10	5	141	0.26	143	87
16	12200E-50000N	5	0.2	3.87	24	179	0.7	2	1.06	0.2	36	15	40	62	4.12	0.37	12	39	0.61	719	1	0.09	20	0.13	6	143	0.25	151	81
17	12200E-50050N	5	0.2	3.61	5	206	0.7	2	1.14	0.3	39	16	47	48	3.97	0.33	12	15	0.58	980	1	0.10	21	0.14	9	160	0.26	144	101
18	50100	5	0.2	3.03	5	169	0.6	2	1.17	0.2	37	14	61	41	3.78	0.28	12	12	0.50	630	1	0.09	18	0.12	7	168	0.26	141	85
19	50150	6	0.2	3.19	6	171	0.6	2	1.18	0.2	40	14	45	45	3.85	0.32	12	14	0.59	553	1	0.09	19	0.09	9	167	0.26	147	60
20	50200	6	0.2	3.14	2	187	0.7	2	1.39	0.2	43	13	55	60	3.79	0.36	15	14	0.63	551	1	0.08	18	0.09	7	189	0.27	155	67
21	12200E-50250N	5	0.2	3.02	9	230	0.8	2	1.13	0.2	46	14	50	60	3.23	0.31	19	16	0.60	521	1	0.10	19	0.07	9	149	0.23	132	62
22	12200E-50300N	5	0.4	3.78	13	310	0.9	2	2.28	0.6	45	16	40	116	3.44	0.36	17	19	0.72	969	1	0.06	27	0.11	7	145	0.18	115	74
23	50350	8	0.2	4.15	9	277	0.9	2	1.55	0.2	45	17	45	96	4.07	0.40	16	21	0.77	926	1	0.09	28	0.09	6	144	0.23	135	67
24	50400	5	0.8	3.59	6	283	0.9	2	1.73	0.7	45	13	31	182	3.30	0.20	19	25	0.85	990	1	0.10	28	0.07	8	116	0.22	84	91
25	50450	5	0.4	3.74	9	194	0.7	2	0.82	0.2	35	16	45	78	3.81	0.32	12	25	0.59	552	1	0.10	21	0.08	5	101	0.23	126	66
26	12200E-50500N	6	0.2	3.52	10	177	0.7	2	0.74	0.2	32	15	41	59	3.76	0.25	11	20	0.53	333	1	0.12	21	0.09	6	101	0.24	128	65
27	12400E-49300N	5	0.2	3.18	7	149	0.6	2	1.28	0.2	41	13	43	55	3.90	0.33	14	16	0.63	364	2	0.09	18	0.08	7	158	0.26	154	55
28	49350	20	0.6	3.14	16	187	0.6	3	1.31	0.2	41	14	48	83	3.58	0.31	14	15	0.63	467	1	0.09	18	0.07	8	162	0.27	142	50
29	49400	5	0.2	3.20	12	184	0.6	5	1.68	0.2	48	15	41	85	3.78	0.45	17	14	0.84	477	3	0.05	19	0.10	8	198	0.27	161	47
30	49450	6	0.2	3.34	12	198	0.7	6	1.30	0.2	45	16	52	84	3.58	0.34	15	16	0.75	458	1	0.10	23	0.08	8	161	0.27	144	53
31	12400E-49500N	6	0.2	2.88	10	191	0.8	2	1.10	0.2	41	17	51	72	3.33	0.32	16	16	0.60	576	1	0.08	19	0.08	7	150	0.25	134	62

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-019 Pg. 2 of 6
32	12400E-49550N	8	0.2	3.07	7	207	0.7	2	1.13	0.2	38	15	59	84	3.55	0.37	14	15	0.85	577	1	0.08	20	0.07	5	159	0.24	141	58	
33	49600	5	0.2	3.13	8	226	0.7	2	1.19	0.2	38	16	60	70	3.74	0.38	14	15	0.71	733	1	0.08	21	0.10	4	156	0.30	149	61	
34	49650	10	0.2	3.07	6	193	0.6	2	1.07	0.2	38	16	45	64	3.64	0.35	12	16	0.66	903	1	0.10	20	0.08	6	139	0.25	139	70	
35	49700	5	0.2	4.38	4	216	0.9	2	0.93	0.2	38	20	44	95	4.28	0.30	13	18	0.87	1095	1	0.09	26	0.14	5	126	0.28	144	92	
36	12400E-49750N	10	0.6	3.88	18	240	0.8	2	1.22	0.2	40	18	48	82	4.03	0.40	14	19	0.73	1131	1	0.08	24	0.11	5	145	0.25	143	88	
37	12400E-49800N	10	0.4	3.97	46	216	0.8	3	1.01	0.2	36	19	44	88	4.30	0.35	12	20	0.76	923	1	0.09	23	0.13	5	125	0.25	150	84	
38	49850	10	1.8	4.34	11	278	1.1	3	1.84	0.5	43	15	35	281	3.68	0.22	19	35	0.66	737	2	0.10	38	0.10	5	118	0.23	114	91	
39	49900	15	0.4	3.88	10	175	0.7	4	0.95	0.2	34	17	43	82	4.23	0.30	11	18	0.85	648	1	0.08	23	0.11	5	127	0.26	149	85	
40	49950	5	0.2	2.95	4	180	0.6	2	1.09	0.2	34	12	50	46	3.26	0.22	11	16	0.50	292	1	0.10	17	0.05	8	136	0.24	124	59	
41	12400E-50000N	10	0.2	3.94	17	226	0.9	2	0.95	0.3	41	20	45	95	4.29	0.35	16	25	0.64	958	1	0.08	25	0.09	15	123	0.24	153	110	
42	12400E-50050N	5	0.2	3.89	8	202	0.7	2	1.02	0.2	40	17	50	56	3.94	0.31	14	18	0.60	814	1	0.10	22	0.10	5	134	0.24	141	82	
43	50100	15	3.6	3.11	12	185	0.6	2	1.11	0.2	38	15	43	45	3.84	0.33	12	18	0.55	600	1	0.10	17	0.08	6	142	0.24	139	89	
44	50150	16	0.6	3.48	8	173	0.7	2	1.07	0.2	40	17	48	73	4.09	0.37	13	20	0.64	591	1	0.11	21	0.10	5	143	0.27	151	81	
45	50200	10	0.2	3.34	9	185	0.6	2	0.96	0.2	37	16	45	55	3.87	0.35	12	19	0.58	536	1	0.12	18	0.07	4	123	0.26	139	88	
46	12400E-50250N	25	0.2	3.85	18	176	0.7	2	0.94	0.2	36	17	48	67	4.27	0.35	13	21	0.62	486	1	0.11	21	0.10	7	122	0.27	151	78	
47	12400E-50300N	30	0.4	4.40	20	228	0.8	3	0.82	0.2	38	18	47	73	4.34	0.28	13	22	0.61	627	1	0.12	24	0.09	7	106	0.28	147	86	
48	50350	40	0.4	4.68	26	200	0.9	3	0.83	0.2	38	19	40	91	4.75	0.38	13	26	0.73	732	1	0.09	25	0.10	9	111	0.28	181	91	
49	50400	10	0.8	4.44	14	210	1.0	2	1.10	0.2	46	18	33	179	4.01	0.23	19	23	0.62	1038	1	0.09	24	0.10	12	97	0.30	127	88	
51	50450	5	0.2	4.31	10	190	1.0	2	0.73	0.2	36	18	44	79	4.10	0.29	15	30	0.58	498	1	0.11	25	0.11	8	104	0.24	141	83	
52	12400E-50500N	10	0.6	5.13	3	277	1.4	3	1.18	0.2	56	15	37	358	3.89	0.23	30	38	0.60	304	1	0.11	34	0.08	8	104	0.24	116	85	
53	12600E-49300N	20	0.2	3.14	2	214	0.6	2	1.29	0.2	44	13	48	71	3.72	0.39	15	14	0.89	448	1	0.08	20	0.07	6	171	0.26	146	54	
54	49350	5	0.2	3.86	2	250	0.8	2	1.12	0.2	45	14	45	101	3.73	0.40	16	17	0.73	626	1	0.10	24	0.07	6	144	0.24	139	64	
55	49400	15	0.4	3.40	5	175	0.6	2	1.17	0.2	40	16	52	50	3.97	0.38	12	18	0.61	457	1	0.11	19	0.11	5	162	0.27	152	86	
56	49450	25	0.2	3.37	2	166	0.7	2	1.18	0.2	40	15	49	59	4.10	0.36	12	18	0.84	423	2	0.10	19	0.10	4	160	0.26	157	82	
57	12600E-49500N	5	0.4	7.20	8	724	1.6	5	1.31	0.2	62	36	37	283	6.80	0.82	21	33	1.30	2381	21	0.06	63	0.12	7	108	0.18	173	90	
58	12600E-49550N	5	0.6	3.95	3	270	0.9	2	1.07	0.4	45	15	36	138	3.85	0.28	15	23	0.66	659	5	0.11	31	0.07	8	122	0.23	119	57	
59	49650	20	0.8	3.56	7	257	0.8	2	1.67	0.5	48	17	36	141	3.65	0.31	19	22	0.62	718	4	0.08	27	0.07	6	135	0.22	124	67	
60	49700	5	0.4	3.46	2	188	0.7	2	1.47	0.2	41	14	37	87	3.66	0.33	12	20	0.62	587	2	0.09	21	0.06	8	138	0.23	129	70	
61	49750	5	1.0	4.06	4	229	1.2	3	1.12	0.4	50	18	36	316	3.63	0.21	21	41	0.57	570	3	0.13	38	0.07	9	88	0.22	103	109	
62	12600E-49800N	5	0.2	3.58	9	201	0.7	2	0.89	0.2	33	15	43	57	3.58	0.34	11	24	0.51	541	1	0.11	20	0.12	5	105	0.22	121	93	
63	12600E-49850N	5	0.2	4.05	32	207	0.7	3	0.69	0.2	38	15	38	91	4.37	0.53	12	27	0.49	518	2	0.11	19	0.08	3	97	0.21	141	84	
64	49900	10	1.2	4.42	25	206	0.9	4	0.78	0.2	37	24	40	154	5.01	0.43	12	34	0.69	962	3	0.13	25	0.11	7	92	0.22	160	112	
65	49950	20	0.6	3.92	14	206	0.7	4	0.96	0.3	41	18	37	83	4.24	0.32	13	26	0.59	424	2	0.13	21	0.07	6	110	0.24	148	80	
66	50000	5	2.0	4.78	9	332	1.1	6	1.68	1.1	48	20	31	388	4.59	0.31	16	36	0.75	1216	2	0.10	43	0.11	8	102	0.21	113	125	
67	12600E-50050N	5	0.4	4.01	18	198	0.8	5	0.88	0.3	39	22	33	102	4.40	0.34	13	20	0.84	946	2	0.15	23	0.16	13	132	0.25	140	112	
68	12600E-50100N	5	0.4	4.32	10	197	0.9	6	1.00	0.4	47	20	35	213	4.14	0.25	15	32	0.67	888	1	0.12	26	0.07	11	100	0.26	126	79	
69	50150	5	0.4	4.16	9	187	0.8	4	1.28	0.4	45	17	31	140	3.91	0.22	15	22	0.61	552	1	0.14	25	0.08	11	114	0.26	124	79	
70	50200	15	0.2	3.69	13	180	0.7	5	0.88	0.2	38	17	42	93	4.06	0.28	12	21	0.60	485	2	0.13	23	0.11	12	96	0.26	137	77	
71	50250	10	1.0	4.46	10	188	1.1	3	1.31	0.6	50	19	33	439	4.03	0.24	21	34	0.86	823	3	0.10	32	0.08	12	104	0.26	128	90	
72	12600E-50300N	5	0.6	3.92	8	198	0.8	3	1.25	0.6	46	20	38	316	3.85	0.21	15	31	0.78	1052	1	0.11	35	0.07	7	100	0.23	114	93	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-019 Pg. 3 of 6
73	12800E-50350N	5	0.6	4.12	10	190	0.8	3	0.73	0.2	38	20	35	128	4.10	0.24	12	23	0.61	589	1	0.13	24	0.09	5	88	0.26	131	79	
74	50400	5	0.2	4.04	10	178	0.8	3	0.74	0.2	35	20	36	103	4.17	0.28	12	20	0.61	633	1	0.14	24	0.11	5	99	0.26	136	78	
75	50450	20	0.2	3.57	6	154	0.6	3	0.90	0.2	35	16	34	94	3.70	0.22	11	23	0.63	429	1	0.15	21	0.08	9	100	0.26	126	81	
76	12800E-50500N	20	0.4	3.50	10	151	0.7	2	1.07	0.2	41	17	38	94	3.97	0.32	13	19	0.63	373	1	0.11	20	0.09	6	133	0.27	141	85	
77	12800E-49300N	5	0.4	3.11	8	209	0.8	3	1.03	0.2	39	13	34	69	3.33	0.33	13	19	0.59	373	1	0.12	18	0.06	8	122	0.24	128	59	
78	12800E-49350N	20	1.8	5.09	21	569	1.3	7	1.87	0.5	57	17	29	329	4.88	0.34	28	27	0.85	494	18	0.08	44	0.09	11	116	0.16	126	76	
79	49400	5	0.6	0.38	9	174	0.4	2	4.80	1.4	20	3	5	310	0.69	0.04	5	4	0.25	113	40	0.02	11	0.08	9	180	0.01	32	33	
80	49450	5	0.4	2.60	10	348	0.7	2	2.64	0.8	40	11	19	310	2.51	0.17	13	34	0.43	714	47	0.16	22	0.09	9	127	0.15	86	69	
81	49500	5	0.4	3.32	14	144	0.8	3	1.08	0.2	42	15	52	71	3.87	0.38	17	22	0.65	347	3	0.11	19	0.07	7	147	0.28	159	67	
82	12800E-49550N	15	0.8	3.22	13	146	0.6	2	0.81	0.2	38	16	42	55	3.74	0.33	11	23	0.49	452	1	0.15	16	0.11	5	112	0.24	135	74	
83	12800E-49600N	45	0.2	3.18	11	129	0.6	2	0.85	0.2	33	14	39	53	3.80	0.32	11	19	0.53	377	1	0.13	17	0.10	8	120	0.26	141	60	
84	49650	5	0.8	3.35	2	181	0.6	3	1.03	0.2	39	14	42	62	3.83	0.37	12	19	0.82	386	1	0.12	17	0.07	5	140	0.26	146	61	
85	49700	16	0.2	3.03	5	149	0.6	2	1.10	0.2	38	14	38	63	3.80	0.29	13	18	0.64	393	2	0.12	16	0.08	7	142	0.26	144	54	
86	49750	10	0.2	3.77	4	260	0.8	2	1.43	0.2	48	18	39	95	3.90	0.31	15	21	0.72	1106	3	0.12	22	0.06	8	140	0.28	140	87	
87	12800E-49800N	20	0.2	4.00	6	228	0.7	4	1.38	0.2	45	18	43	98	4.06	0.30	14	21	0.77	502	2	0.10	23	0.06	7	139	0.26	148	80	
88	12800E-49850N	5	0.8	3.91	4	214	0.7	4	1.18	0.2	41	13	33	114	3.67	0.29	13	21	0.70	353	3	0.13	24	0.06	8	105	0.23	120	57	
89	49900	5	1.2	3.17	3	183	0.8	2	1.55	0.3	45	10	20	230	2.58	0.14	15	32	0.41	485	1	0.23	22	0.08	8	77	0.20	70	52	
90	49950	5	1.0	2.97	2	169	0.8	2	1.35	0.2	41	9	20	152	2.44	0.13	15	25	0.37	248	1	0.27	23	0.06	7	72	0.19	68	45	
91	50000	5	0.4	3.61	8	173	0.9	3	0.95	0.2	44	18	37	102	3.75	0.19	17	26	0.59	306	2	0.14	27	0.05	10	97	0.23	124	62	
92	12800E-50050N	5	0.4	3.21	2	157	0.5	2	0.65	0.2	30	12	31	82	2.86	0.17	11	24	0.44	204	1	0.23	21	0.04	7	72	0.22	92	54	
93	12800E-50100N	5	0.4	3.07	4	159	0.5	2	0.80	0.2	34	12	39	60	3.28	0.22	11	20	0.44	278	1	0.16	18	0.06	6	102	0.28	116	59	
94	50150	5	1.4	3.56	4	198	1.0	2	1.06	0.2	43	10	19	672	2.45	0.14	20	30	0.42	214	1	0.31	34	0.07	9	66	0.19	58	60	
95	50200	5	0.2	3.65	4	156	0.7	3	1.30	0.2	45	16	33	167	3.73	0.22	15	21	0.69	389	4	0.12	26	0.07	7	125	0.26	126	68	
96	50250	40	0.4	3.24	4	126	0.6	2	0.97	0.2	37	14	40	68	3.79	0.23	12	17	0.55	280	2	0.18	19	0.11	6	124	0.27	132	65	
97	12800E-50300N	5	0.6	3.63	4	159	0.7	2	1.09	0.2	42	17	40	60	3.85	0.22	14	17	0.59	435	1	0.14	23	0.10	9	125	0.27	130	83	
98	12800E-50350N	5	0.4	3.43	8	187	0.6	2	1.07	0.2	42	15	40	72	3.99	0.23	13	18	0.65	341	1	0.12	20	0.07	8	133	0.28	143	65	
99	50400	5	0.4	3.76	8	182	0.7	5	1.08	0.2	43	18	36	89	3.95	0.23	13	19	0.85	457	2	0.13	22	0.08	10	117	0.27	129	83	
101	50450	5	0.2	3.57	9	199	0.9	3	0.91	0.3	39	19	40	151	4.07	0.22	16	21	0.86	715	5	0.14	23	0.09	9	97	0.27	137	83	
102	12800E-50500N	5	0.2	4.23	2	142	0.7	4	0.95	0.2	39	15	43	106	4.25	0.24	13	17	0.65	490	2	0.11	22	0.11	3	133	0.28	148	74	
103	13000E-49300N	5	0.2	3.27	2	206	0.6	2	0.87	0.2	36	10	35	79	2.86	0.20	12	19	0.58	237	8	0.19	19	0.04	6	100	0.25	99	55	
104	13000E-49350N	55	0.2	2.74	3	185	0.5	2	1.11	0.2	37	10	32	56	2.91	0.23	12	16	0.60	268	9	0.14	13	0.04	5	132	0.28	122	64	
105	49400	5	0.6	3.84	3	426	0.7	3	1.27	0.4	45	15	38	116	3.79	0.33	18	22	0.78	539	14	0.12	23	0.06	6	150	0.27	141	92	
106	49450	5	0.4	3.49	5	199	0.8	2	1.16	0.2	40	15	44	69	3.74	0.31	13	22	0.60	379	12	0.15	21	0.08	4	131	0.27	140	72	
107	49500	5	0.2	3.39	3	219	0.6	3	1.28	0.2	43	17	39	101	3.80	0.35	15	19	0.74	500	8	0.11	21	0.07	3	154	0.26	148	69	
108	13000E-49550N	5	0.4	3.62	3	226	0.6	2	1.27	0.2	42	14	38	104	3.83	0.30	14	22	0.72	368	3	0.12	21	0.06	3	125	0.24	132	56	
109	13000E-49600N	30	0.8	4.05	3	208	0.7	3	1.08	0.2	39	13	30	98	3.55	0.25	14	30	0.60	350	10	0.18	25	0.05	5	95	0.23	108	49	
110	49650	5	0.8	4.48	4	336	0.9	4	1.25	0.2	49	16	36	179	4.15	0.32	19	30	0.77	458	13	0.12	33	0.08	5	111	0.23	128	61	
111	49700	5	0.8	5.72	5	393	1.5	6	1.05	0.2	61	20	41	262	4.40	0.41	26	29	0.98	463	12	0.10	40	0.09	7	111	0.21	138	70	
112	49750	5	0.4	4.46	2	288	1.0	4	0.80	0.2	40	17	34	129	3.93	0.27	13	21	0.79	376	10	0.16	31	0.05	5	82	0.22	113	56	
113	13000E-49800N	5	0.2	4.07	4	242	0.8	4	1.66	0.2	52	15	47	124	4.20	0.45	18	20	0.88	527	9	0.08	25	0.05	7	205	0.31	169	68	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-019 Pg. 4 of 6
114	13000E-49650N	5	1.2	3.38	5	292	1.0	3	1.71	0.2	57	13	24	251	3.03	0.19	20	32	0.52	490	12	0.25	28	0.09	8	99	0.20	82	58
116	49900	5	1.2	3.92	2	254	0.9	4	1.41	0.2	49	15	30	159	3.74	0.19	18	30	0.64	427	9	0.18	29	0.05	9	108	0.25	102	67
118	49950	5	1.2	2.93	3	289	0.8	2	1.90	0.5	48	14	23	147	2.49	0.14	14	30	0.47	1289	14	0.25	27	0.07	8	98	0.20	70	80
117	50000	5	0.6	3.22	4	326	0.8	3	1.75	0.4	49	18	27	237	2.95	0.16	15	30	0.55	921	9	0.21	28	0.15	8	105	0.22	87	75
118	13000E-50050N	5	0.8	0.81	8	232	0.4	2	4.95	1.0	24	3	9	208	0.60	0.06	7	5	0.21	214	3	0.07	10	0.13	11	159	0.05	21	24
119	13000E-50100N	5	1.0	1.48	6	142	0.8	2	2.93	0.8	38	6	11	322	1.18	0.07	14	8	0.22	389	3	0.19	14	0.17	9	101	0.09	31	31
120	50150	5	0.4	2.42	2	118	0.4	2	0.83	0.2	34	9	33	40	2.39	0.14	10	16	0.34	176	1	0.19	13	0.06	7	85	0.24	88	65
121	50200	5	0.6	3.03	2	152	0.7	3	1.36	0.4	40	15	24	189	2.97	0.15	13	41	0.57	436	2	0.17	23	0.04	11	83	0.23	85	71
122	50250	5	0.8	3.06	7	181	0.7	4	2.13	0.3	42	16	28	477	3.95	0.22	13	23	1.00	493	3	0.11	26	0.07	5	100	0.28	108	91
123	13000E-50300N	5	0.4	0.18	19	273	0.3	8	3.36	0.6	31	6	3	157	5.18	0.04	6	3	0.16	1813	81	0.02	8	0.10	2	123	0.01	56	40
124	13000E-50350N	5	0.8	3.27	4	176	0.6	3	1.70	0.2	42	12	32	83	3.58	0.28	12	21	0.70	358	3	0.11	18	0.05	8	139	0.27	118	66
125	50450	5	0.8	3.87	2	359	1.0	2	1.67	0.2	59	14	39	182	3.53	0.24	23	19	0.58	575	15	0.11	29	0.10	6	138	0.22	114	65
126	13000E-50500N	5	0.4	3.58	2	291	0.7	4	1.01	0.2	42	13	48	88	3.34	0.26	14	19	0.62	299	3	0.18	24	0.06	7	121	0.25	115	73
127	13200E-49300N	5	0.4	4.30	2	296	0.9	4	1.65	0.2	45	14	38	121	3.49	0.34	15	25	0.82	531	7	0.10	28	0.10	6	125	0.21	110	83
128	13200E-49350N	10	1.0	4.45	2	374	1.2	4	1.46	0.2	47	14	32	273	3.44	0.25	18	38	0.68	335	7	0.17	46	0.15	8	108	0.22	95	84
129	13200E-49400N	5	1.2	2.44	4	303	0.8	2	2.42	0.6	53	8	22	221	1.91	0.15	18	14	0.48	317	6	0.05	24	0.20	9	134	0.09	52	76
130	49450	5	0.4	3.63	7	226	0.6	5	1.42	0.2	49	17	43	143	3.82	0.33	15	18	0.76	400	7	0.09	25	0.07	7	154	0.25	135	70
131	49500	20	0.2	3.46	3	214	0.8	2	1.33	0.2	48	17	44	68	3.45	0.29	17	20	0.77	523	4	0.11	23	0.05	10	155	0.29	131	73
132	49550	15	0.6	3.52	2	274	0.7	2	1.58	0.2	47	14	41	121	3.49	0.30	16	20	0.76	383	6	0.09	24	0.07	5	144	0.25	122	83
133	13200E-49600N	5	1.4	3.29	2	339	0.9	2	2.08	0.5	44	11	35	206	3.17	0.28	16	22	0.71	366	10	0.08	29	0.11	5	145	0.19	102	88
134	13200E-49650N	90	0.8	4.68	4	410	1.0	5	1.84	0.2	45	18	42	146	4.24	0.44	16	34	0.98	504	8	0.10	38	0.13	5	157	0.28	134	109
135	49700	5	1.2	5.19	2	383	1.7	4	0.97	0.2	39	21	38	169	4.91	0.27	14	20	0.73	539	6	0.16	56	0.17	7	91	0.27	94	175
136	49750	10	1.0	3.66	2	325	0.8	5	1.83	0.4	41	12	34	124	3.22	0.31	14	29	0.76	272	10	0.11	27	0.09	9	141	0.25	105	70
137	49800	5	1.4	3.72	2	363	1.0	2	1.49	0.5	43	12	25	218	2.93	0.25	14	34	0.83	228	10	0.25	37	0.11	9	93	0.21	76	70
138	13200E-49850N	5	1.2	2.86	5	289	0.9	3	2.18	0.6	48	15	26	222	3.33	0.18	17	24	0.73	472	14	0.16	31	0.13	8	108	0.21	99	71
139	13200E-49900N	5	0.2	3.31	8	188	0.6	8	1.80	0.3	46	20	53	70	4.28	0.38	14	20	1.22	460	9	0.08	27	0.05	5	153	0.31	166	65
140	49950	5	0.6	2.90	8	186	0.6	5	1.20	0.2	43	13	42	79	2.88	0.27	14	18	0.88	351	8	0.14	18	0.08	8	128	0.23	118	50
141	50000	10	0.6	3.35	4	186	0.8	3	0.95	0.2	42	16	36	84	3.12	0.20	16	23	0.63	344	9	0.16	26	0.05	12	103	0.24	108	58
142	50050	10	2.0	4.13	2	455	1.3	4	1.61	0.2	51	15	31	522	3.89	0.27	24	29	0.68	449	22	0.15	55	0.18	8	111	0.26	95	86
143	13200E-50100N	10	1.4	3.48	2	349	0.7	4	1.22	0.2	45	14	30	177	3.25	0.23	16	28	0.59	678	11	0.19	26	0.06	8	116	0.25	100	60
144	13200E-50150N	25	0.8	3.20	2	212	0.6	2	1.64	0.2	46	15	44	71	3.70	0.38	15	16	0.79	508	7	0.07	18	0.08	8	189	0.27	149	53
145	50200	5	1.4	4.66	2	394	1.1	5	1.54	0.4	58	13	37	179	3.92	0.27	21	23	0.70	381	10	0.10	35	0.11	11	123	0.24	105	64
146	50250	5	0.6	3.94	2	292	0.3	5	1.26	0.2	44	14	38	81	3.64	0.24	14	24	0.69	317	4	0.16	28	0.06	10	128	0.27	113	59
147	50300	25	0.4	3.45	5	158	0.7	4	1.31	0.2	47	15	55	65	4.24	0.32	15	17	0.66	352	5	0.11	23	0.10	8	175	0.29	161	58
148	13200E-50350N	20	0.4	3.31	3	196	0.6	5	1.36	0.2	48	15	51	62	3.89	0.29	15	17	0.67	354	5	0.10	22	0.09	8	168	0.27	147	63
149	13200E-50400N	10	0.4	3.00	2	174	0.5	4	1.10	0.2	41	10	42	45	2.52	0.24	12	20	0.59	256	5	0.16	19	0.03	11	130	0.26	97	51
152	50450	100	0.6	3.18	2	230	0.6	2	1.29	0.2	39	10	44	88	2.93	0.31	12	20	0.67	299	4	0.10	19	0.05	7	138	0.25	108	52
153	13200E-50500N	5	0.8	3.54	5	248	0.8	2	1.22	0.2	43	12	47	84	3.25	0.32	15	24	0.78	352	7	0.10	24	0.06	8	131	0.28	117	70
154	12600E-49300N	5	0.6	3.78	2	222	0.8	2	0.94	0.2	39	17	47	67	3.91	0.36	12	18	0.88	973	2	0.10	24	0.12	10	117	0.25	137	87
155	12600E-49350N	20	0.6	4.15	8	188	0.8	2	0.88	0.2	41	17	63	89	4.31	0.34	14	20	0.72	713	2	0.09	24	0.11	9	119	0.28	153	79

T.T. No.	SAMPLE No.	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Bb ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-019 Pg 5 of 5
156	12800E-49400N	5	0.4	3.38	8	188	0.8	2	1.30	0.2	48	15	85	88	3.74	0.48	15	18	0.95	523	4	0.10	24	0.10	8	159	0.28	144	58	
157	49450	5	0.6	3.17	4	201	0.7	2	1.02	0.3	40	14	51	47	3.49	0.35	13	15	0.61	812	2	0.12	21	0.13	9	131	0.25	128	88	
158	49500	5	0.6	3.07	9	185	0.7	2	1.01	0.3	37	16	73	82	3.84	0.30	12	17	0.85	498	2	0.16	27	0.11	10	117	0.25	123	80	
159	49600	5	0.6	2.78	9	190	0.7	2	0.68	0.3	34	16	51	59	3.48	0.22	11	18	0.60	692	4	0.18	23	0.12	11	77	0.24	110	96	
160	12800E-49650N	70	0.8	3.02	7	154	0.8	2	0.99	0.8	39	14	54	59	3.70	0.31	13	16	0.58	510	6	0.09	21	0.09	12	128	0.23	138	93	
161	12800E-49700N	5	0.8	3.77	10	303	1.0	2	1.18	0.5	44	16	44	152	3.61	0.23	19	30	0.66	532	13	0.12	33	0.08	9	120	0.22	120	75	
162	49750	5	1.2	4.68	15	495	1.3	2	1.22	0.6	54	20	40	283	4.33	0.33	31	38	0.79	1033	18	0.11	43	0.10	11	111	0.21	129	130	
163	49800	5	0.8	0.41	10	184	0.3	2	3.94	2.0	19	4	7	190	0.77	0.06	7	4	0.29	81	124	0.03	13	0.10	10	172	0.02	27	83	
164	13800E-49850N	5	0.6	3.13	11	234	0.8	2	0.82	0.5	32	19	94	86	4.05	0.23	12	20	0.79	397	13	0.14	34	0.08	9	231	0.25	127	102	
165	14000E-49300N	5	0.4	2.73	3	131	0.6	2	0.80	0.2	33	12	48	63	3.14	0.30	12	16	0.52	244	7	0.14	18	0.08	10	106	0.23	116	64	
166	14000E-49350N	5	0.2	2.52	8	123	0.5	2	0.87	0.2	34	11	39	37	2.92	0.36	13	14	0.50	233	13	0.11	15	0.06	9	110	0.21	117	52	
167	49400	5	0.4	3.07	13	174	0.9	2	1.07	0.2	41	17	50	98	3.78	0.42	15	15	0.73	448	12	0.10	23	0.10	16	136	0.23	137	75	
168	49450	5	0.2	3.17	10	179	0.8	2	0.83	0.2	37	18	41	89	3.47	0.35	13	18	0.61	392	14	0.13	24	0.11	13	104	0.23	120	88	
169	49500	5	0.2	3.38	12	150	0.7	2	0.83	0.2	33	16	46	73	3.53	0.25	11	17	0.60	366	8	0.13	25	0.08	10	126	0.24	120	84	
170	14000E-49550N	5	0.2	3.02	7	168	0.7	2	0.78	0.2	34	15	48	54	3.40	0.27	12	17	0.52	332	7	0.14	24	0.11	8	107	0.25	120	83	
171	14000E-49600N	5	0.2	3.01	5	111	0.8	2	0.55	0.3	31	15	34	87	3.09	0.17	14	18	0.39	821	9	0.17	19	0.12	11	67	0.21	102	105	
172	49650	5	0.6	2.19	6	106	0.6	2	0.96	1.0	29	14	24	43	2.78	0.14	9	14	0.26	592	11	0.20	14	0.12	9	64	0.18	78	159	
173	49700	5	0.8	2.82	9	154	0.8	3	0.84	0.2	37	12	41	45	3.19	0.30	14	16	0.48	329	11	0.12	16	0.10	7	127	0.23	117	71	
174	49750	5	0.2	3.19	7	167	0.8	8	2.75	0.3	39	13	29	64	3.93	0.14	12	16	0.43	588	35	0.11	15	0.04	8	158	0.23	124	97	
175	14000E-49800N	5	0.6	2.88	2	230	0.7	4	0.61	0.5	33	13	38	42	3.07	0.35	13	17	0.48	711	10	0.15	17	0.09	8	86	0.20	104	96	
176	14000E-49850N	5	0.4	3.29	5	190	0.7	4	1.91	0.4	44	26	142	60	4.33	0.14	18	18	2.71	450	9	0.48	123	0.06	5	142	0.37	118	96	
177	14000E-49900N	5	0.2	2.18	2	170	0.4	2	0.41	0.3	31	4	29	8	1.08	0.41	12	12	0.21	106	3	0.15	6	0.02	7	48	0.19	52	55	
178	14200E-49300N	5	0.4	2.68	5	141	0.6	2	0.72	0.4	35	11	42	39	2.68	0.27	13	15	0.43	204	6	0.16	17	0.06	9	85	0.21	102	67	
179	49350	5	0.2	2.41	5	128	0.5	2	0.70	0.2	31	9	39	28	2.82	0.23	11	15	0.37	188	5	0.16	15	0.06	8	83	0.21	97	80	
180	14200E-49400N	5	0.2	2.44	7	119	0.5	3	0.71	0.3	33	11	49	33	2.92	0.25	11	16	0.54	207	6	0.16	20	0.05	10	83	0.22	105	78	
181	14200E-49450N	5	1.4	2.99	8	175	0.8	3	0.82	0.4	35	11	29	85	2.34	0.17	16	33	0.41	261	4	0.21	26	0.03	13	69	0.17	68	76	
182	49500	5	0.4	2.78	2	192	0.5	2	0.88	0.2	37	8	33	42	2.50	0.28	14	21	0.38	185	9	0.13	14	0.03	8	74	0.19	82	61	
183	49550	5	0.4	2.15	2	182	0.4	2	0.60	0.2	33	7	33	26	2.07	0.29	12	12	0.29	153	5	0.11	11	0.04	9	72	0.17	80	48	
184	49600	5	0.6	0.27	7	158	0.2	2	3.31	1.0	21	4	8	32	0.78	0.05	4	3	0.11	698	53	0.02	9	0.06	9	119	0.01	14	48	
185	14200E-49650N	5	0.4	2.38	2	169	0.6	2	0.67	0.2	37	8	31	23	2.49	0.37	15	12	0.35	210	5	0.09	12	0.08	8	78	0.17	93	53	
186	14200E-49700N	5	0.4	2.50	2	165	0.8	2	0.54	0.3	36	9	38	32	2.87	0.34	14	13	0.37	212	8	0.11	14	0.08	10	71	0.20	98	72	
187	49750	10	0.6	2.40	5	132	0.6	4	0.53	0.2	33	9	37	33	2.84	0.32	12	12	0.36	208	6	0.11	15	0.10	9	70	0.19	94	76	
188	49800	5	0.6	2.07	2	151	0.5	2	0.41	0.3	30	8	37	30	2.45	0.27	11	13	0.30	425	7	0.17	13	0.08	9	53	0.21	81	83	
189	49850	15	0.2	2.28	2	129	0.5	2	0.52	0.2	31	7	30	29	2.53	0.28	12	13	0.32	181	7	0.13	12	0.07	9	68	0.20	92	61	
190	14200E-49900N	20	0.6	2.47	2	192	0.6	5	0.41	0.3	34	7	23	19	2.33	0.40	13	13	0.25	185	12	0.12	9	0.06	9	53	0.17	77	89	
191	14200E-49950N	5	0.2	2.62	5	174	0.9	6	0.47	0.5	39	12	39	29	2.72	0.33	18	17	0.33	428	9	0.13	18	0.09	13	86	0.20	99	108	
192	14200E-50000N	6	0.4	2.08	2	165	0.5	7	0.26	0.2	24	7	28	18	2.51	0.19	10	16	0.26	172	14	0.26	9	0.05	9	31	0.22	78	128	
193	14400E-49300N	15	0.8	2.44	3	257	0.7	3	0.53	0.5	33	10	30	41	2.89	0.30	14	15	0.31	645	6	0.16	17	0.09	8	60	0.18	78	113	
194	49350	25	0.2	2.33	2	178	0.5	3	0.48	0.2	33	8	40	37	2.71	0.27	13	16	0.32	182	16	0.15	13	0.04	5	64	0.18	82	66	
195	14400E-49400N	5	1.0	3.28	2	199	0.7	7	1.09	0.5	44	10	25	58	2.95	0.18	13	48	0.39	533	8	0.20	21	0.04	10	70	0.19	84	81	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-019 Pg. 6 of 6
196	14400E-49450N	5	0.4	2.34	2	176	0.8	3	0.57	0.3	31	11	36	52	3.13	0.23	11	16	0.38	254	9	0.16	15	0.08	10	65	0.21	102	60	
197	49500	5	0.8	2.78	2	222	0.5	5	0.70	0.3	38	11	32	61	2.81	0.20	13	23	0.34	244	16	0.15	16	0.04	11	67	0.19	67	69	
198	49550	10	0.2	2.49	3	159	0.6	5	0.51	0.2	29	12	32	42	3.10	0.17	10	16	0.37	280	10	0.20	15	0.12	9	51	0.21	80	98	
199	49600	10	0.2	2.65	3	193	0.6	7	0.93	0.2	44	10	37	53	3.08	0.42	15	13	0.55	247	20	0.07	14	0.05	13	105	0.20	123	55	
201	14400E-49650N	5	0.6	2.67	6	196	0.9	3	0.42	0.3	32	14	33	57	3.07	0.20	15	20	0.34	256	9	0.23	18	0.10	13	52	0.21	83	107	
202	14400E-49700N	5	0.2	2.58	2	162	0.5	3	0.76	0.3	38	9	44	44	2.84	0.38	13	15	0.42	229	15	0.11	13	0.06	7	103	0.21	114	60	
203	49750	5	0.2	2.34	2	166	0.5	2	0.71	0.2	35	8	40	31	2.81	0.31	12	13	0.35	327	7	0.13	12	0.05	7	95	0.21	101	50	
204	49800	5	0.2	2.78	2	185	0.8	5	0.76	0.2	42	14	43	55	3.49	0.37	16	15	0.51	308	10	0.10	17	0.07	10	99	0.22	124	84	
205	49850	5	0.2	2.83	2	179	0.5	4	1.28	0.4	46	10	43	49	3.01	0.35	15	16	0.69	349	25	0.09	15	0.05	11	149	0.25	126	55	
206	14400E-49900N	15	0.2	2.64	4	175	0.6	7	0.83	0.3	39	13	47	53	3.43	0.32	12	15	0.50	295	8	0.11	17	0.09	13	105	0.22	123	70	
207	14400E-49950N	10	0.4	2.33	3	255	0.5	4	1.25	0.6	40	7	36	44	1.79	0.31	13	12	0.38	181	19	0.14	12	0.08	14	106	0.21	85	68	
208	14400E-50000N	5	2.0	3.18	5	314	0.8	7	1.46	0.8	49	15	27	138	3.22	0.22	17	18	0.51	459	72	0.07	25	0.07	15	88	0.17	81	92	

NORANDA VANCOUVER LABORATORY

Geochemical Analysis

Project Name & No.: RABBIT - 135
 Material: 201 SOILS & 1 ROCK
 Remarks: Sample screened @ -35 MESH (0.5 mm).

Geol.: L.E.
 Sheet: 1 of 6

Date rec'd: NOV. 08
 Date comp: DEC. 04

LAB CODE: 9011-029

□ Organic, ▲ Humus

Au - 10.0 g sample digested with aqua-regia and determined by A.A. (D.L. 6 PPB)

ICP - 0.2 g sample digested with 3 ml H₂O₂/HNO₃ (4:1) at 203 °C for 4 hours diluted to 11 ml with water, Leeman PG3000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ce, La, Li are rarely dissolved completely from geological materials with this acid dissolution method.

T.T. No	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
2	10600E-49300N	5	0.4	2.91	9	186	0.8	2	0.98	0.2	33	11	37	37	3.20	0.34	13	18	0.55	402	1	0.13	15	0.08	4	128	0.25	121	53
3	49350	5	0.4	3.05	13	209	0.6	2	0.86	0.2	31	12	37	37	3.21	0.35	12	17	0.52	554	1	0.14	17	0.10	2	111	0.25	113	61
4	49400	5	0.2	2.71	9	170	0.5	2	0.95	0.2	32	11	37	30	3.05	0.34	12	15	0.50	448	1	0.12	15	0.08	3	120	0.24	113	51
5	49450	5	0.4	3.06	8	161	0.5	2	0.80	0.2	29	13	35	28	3.40	0.35	10	15	0.55	690	1	0.12	13	0.08	4	105	0.24	124	57
6	10600E-49500N	5	0.2	3.30	9	206	0.6	2	0.82	0.2	32	14	39	39	3.57	0.37	12	17	0.60	735	1	0.12	17	0.10	5	108	0.25	127	74
7	10600E-49550N	5	0.2	3.34	10	178	0.6	2	0.75	0.2	28	15	38	33	3.50	0.33	10	18	0.57	899	1	0.13	18	0.14	4	96	0.24	120	89
8	49600	5	0.2	3.85	14	228	0.7	2	0.77	0.2	30	15	39	43	3.94	0.28	10	19	0.67	923	1	0.13	18	0.12	4	88	0.23	138	99
9	49650	5	0.2	3.81	8	184	0.7	2	0.89	0.2	28	16	29	48	3.69	0.27	9	18	0.66	832	1	0.14	17	0.16	6	88	0.23	128	80
10	49700	6	0.2	4.09	8	177	0.7	3	0.91	0.2	34	15	31	44	3.79	0.29	11	19	0.68	878	1	0.12	19	0.14	5	110	0.25	132	85
11	10600E-49750N	5	0.2	3.85	9	231	1.0	3	0.85	0.2	44	17	39	52	3.76	0.30	17	21	0.63	1179	1	0.14	23	0.18	6	112	0.26	133	101
12	10600E-49800N	5	0.2	3.47	19	206	0.8	2	1.12	0.2	40	14	39	46	3.50	0.33	13	19	0.70	649	1	0.13	17	0.08	5	128	0.25	136	79
13	49850	5	0.2	2.98	12	176	0.5	2	1.27	0.2	41	13	52	35	3.49	0.33	12	16	0.63	531	2	0.12	18	0.08	2	167	0.26	143	56
14	49900	5	0.2	3.55	3	187	0.7	2	0.90	0.2	39	14	46	38	3.56	0.26	12	18	0.81	385	1	0.13	20	0.10	4	118	0.29	123	62
15	49950	5	0.4	2.86	9	131	0.5	2	0.85	0.2	33	11	36	28	3.40	0.29	10	16	0.52	287	1	0.12	13	0.08	3	128	0.25	128	58
16	10600E-50000N	5	0.4	3.53	7	179	0.6	2	0.81	0.2	35	13	34	37	3.47	0.31	11	21	0.55	527	1	0.15	15	0.10	4	124	0.24	125	64
17	10600E-50050N	650	0.2	3.98	8	180	0.7	3	0.97	0.2	37	17	44	57	4.14	0.36	11	22	0.87	1010	1	0.10	17	0.11	3	152	0.25	156	75
18	50100	5	0.4	3.79	7	167	0.6	2	0.78	0.2	32	14	33	39	3.83	0.31	10	16	0.54	866	1	0.13	14	0.13	3	117	0.23	136	80
19	50150	5	0.4	3.60	11	177	0.7	3	0.93	0.2	37	14	42	38	3.69	0.30	11	19	0.56	822	1	0.15	19	0.14	3	136	0.24	129	76
20	50200	5	0.2	3.73	7	202	0.6	2	1.10	0.2	43	13	39	41	3.54	0.28	13	27	0.59	433	1	0.11	18	0.06	5	143	0.22	133	62
21	10600E-50250N	5	0.2	3.96	10	361	1.0	3	1.30	0.2	49	15	35	68	3.61	0.32	19	31	0.63	405	1	0.12	22	0.07	5	150	0.23	126	81
22	10600E-50300N	5	0.2	3.20	8	216	0.5	3	1.02	0.2	37	12	41	36	3.47	0.28	12	20	0.47	284	1	0.13	14	0.08	6	147	0.25	132	64
23	50350	5	0.2	3.10	7	163	0.5	2	0.88	0.2	34	11	39	34	3.21	0.29	11	21	0.48	262	1	0.14	14	0.07	7	121	0.25	117	61
24	50400	5	0.4	3.41	5	234	0.5	2	0.97	0.2	37	12	34	34	3.42	0.23	12	24	0.51	384	1	0.16	18	0.04	5	133	0.25	122	61
25	50450	5	0.4	4.37	4	442	0.8	4	1.13	0.2	42	11	27	80	3.44	0.32	18	23	0.68	305	1	0.15	23	0.08	5	107	0.21	109	62
26	10600E-50500N	5	0.4	4.11	8	271	0.8	5	1.31	0.2	46	14	48	66	4.18	0.50	16	27	0.82	609	1	0.08	21	0.07	4	175	0.26	162	66
27	10800E-49300N	5	0.8	5.86	3	401	1.3	4	1.17	0.2	55	16	32	154	4.31	0.49	24	29	1.14	613	1	0.07	34	0.11	5	89	0.20	135	103
28	49350	5	0.2	2.94	6	182	0.5	3	0.94	0.2	35	12	50	34	3.40	0.31	11	17	0.55	387	1	0.12	15	0.06	6	131	0.27	130	62
29	49400	5	0.4	3.00	3	184	0.5	4	0.95	0.2	36	12	52	32	3.35	0.34	12	17	0.55	428	1	0.11	15	0.06	8	138	0.26	128	60
30	49450	6	0.4	3.18	8	224	0.6	3	1.22	0.2	45	13	52	45	3.41	0.34	15	16	0.66	686	1	0.09	17	0.06	5	163	0.24	140	67
31	10800E-49500N	5	0.4	2.75	10	169	0.8	3	0.98	0.2	43	14	42	42	3.22	0.32	19	17	0.55	545	2	0.10	16	0.05	3	139	0.26	132	59

27/2 BS KP 01

T.T. No.	SAMPLE No.	Au	Ag	Al	As	Ba	Bc	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sr	Ti	V	Zn	e011-029 Pg. 2 of 8
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	
32	10800E-49600N	5	0.4	2.98	6	197	0.6	2	0.97	0.2	40	12	40	39	3.37	0.35	14	17	0.61	591	1	0.10	15	0.07	2	138	0.25	128	55	
33	49650	5	0.2	3.20	7	175	0.6	4	0.99	0.2	38	13	40	36	3.68	0.36	11	21	0.82	393	1	0.10	14	0.06	2	137	0.25	142	58	
34	49700	5	0.4	3.31	8	217	0.6	4	1.08	0.2	37	13	41	45	3.46	0.32	11	24	0.85	572	1	0.11	18	0.08	7	120	0.23	123	73	
35	49750	5	0.2	4.34	4	232	0.6	6	1.31	0.2	44	12	30	72	3.47	0.28	15	27	0.64	610	1	0.09	20	0.06	3	107	0.23	113	69	
36	10800E-49800N	5	0.4	3.04	8	173	0.6	3	1.06	0.2	39	13	48	36	3.53	0.38	12	17	0.57	520	1	0.12	15	0.08	2	168	0.25	134	66	
37	10800E-49850N	5	0.4	3.42	7	220	0.7	4	1.13	0.2	41	12	39	47	3.61	0.38	15	23	0.64	481	1	0.10	17	0.07	2	161	0.23	137	66	
38	49900	5	0.2	3.02	9	143	0.6	4	0.95	0.2	37	13	40	35	3.51	0.29	12	19	0.52	401	1	0.11	15	0.08	2	142	0.24	131	62	
39	49950	5	0.6	3.37	8	221	0.7	5	1.33	0.2	44	16	58	68	4.17	0.43	14	19	0.68	541	2	0.09	18	0.08	2	178	0.25	163	73	
40	50000	5	0.4	4.62	4	438	0.9	5	1.85	0.3	46	15	29	100	3.78	0.25	14	33	0.66	632	1	0.15	28	0.08	4	77	0.21	106	74	
41	10800E-50050N	5	0.2	3.03	6	124	0.7	2	0.48	0.2	29	15	28	72	3.15	0.16	13	24	0.35	349	2	0.19	14	0.05	5	50	0.21	118	54	
42	10800E-50100N	5	0.4	3.60	2	217	0.7	3	1.03	0.2	39	15	30	67	3.46	0.19	13	25	0.52	395	1	0.15	18	0.06	8	88	0.24	123	68	
43	50150	5	1.0	5.03	2	382	1.1	3	1.58	0.2	48	14	25	123	3.88	0.25	19	29	0.66	888	1	0.13	26	0.09	8	78	0.22	118	106	
44	50200	5	0.6	4.68	8	315	0.9	3	1.14	0.2	44	14	28	111	3.85	0.28	17	32	0.60	783	2	0.14	26	0.09	7	81	0.21	121	77	
45	50250	5	0.6	5.36	5	447	1.2	4	1.29	0.2	55	18	33	181	4.48	0.38	29	35	0.79	662	2	0.10	31	0.10	6	97	0.20	141	78	
46	10800E-50300N	5	0.2	3.54	4	217	0.6	2	0.86	0.2	32	14	35	38	3.54	0.25	10	25	0.49	387	1	0.18	19	0.08	7	105	0.24	122	80	
47	10800E-50350N	5	0.2	3.59	3	272	0.7	2	1.05	0.2	36	13	47	45	3.53	0.25	12	21	0.49	426	1	0.17	19	0.07	7	133	0.25	121	75	
48	50400	5	0.2	3.68	4	275	0.7	4	1.01	0.2	38	14	53	45	3.73	0.29	11	25	0.56	393	1	0.15	21	0.07	6	118	0.25	129	75	
49	50450	5	0.2	4.18	6	381	0.7	3	1.04	0.2	45	15	36	63	3.76	0.23	16	28	0.57	478	1	0.14	23	0.07	8	125	0.24	130	70	
51	10800E-50500N	5	0.6	4.59	2	603	1.2	4	1.14	0.2	48	13	23	128	3.20	0.21	23	32	0.54	623	1	0.19	31	0.07	6	81	0.18	88	52	
52	11000E-49300N	5	0.2	3.28	3	201	0.6	2	1.06	0.2	40	12	42	89	3.81	0.38	14	20	0.59	349	1	0.12	16	0.07	2	161	0.26	135	68	
53	11000E-49350N	5	0.2	3.35	4	187	0.6	2	1.05	0.2	38	13	32	39	3.59	0.40	13	21	0.58	594	1	0.12	15	0.10	3	166	0.25	133	70	
54	49400	5	0.2	3.63	2	183	0.6	2	0.89	0.2	35	15	28	37	3.84	0.40	11	21	0.54	845	1	0.11	14	0.13	4	148	0.22	148	83	
55	49450	5	0.2	4.39	171	390	1.0	3	0.62	0.2	35	17	24	56	4.14	0.39	12	25	0.55	1078	1	0.14	18	0.12	5	85	0.20	131	121	
56	48500	5	0.4	3.83	3	376	0.8	5	1.76	0.2	43	12	29	88	3.81	0.35	15	28	0.75	676	1	0.08	21	0.09	5	147	0.21	125	69	
57	11000E-49550N	5	0.2	3.02	4	225	0.6	2	0.92	0.2	39	12	39	48	3.24	0.34	15	20	0.54	630	1	0.13	18	0.07	6	116	0.23	116	70	
58	11000E-49600N	5	0.4	3.54	2	253	0.7	4	1.01	0.2	42	18	33	68	3.88	0.45	14	21	0.76	828	1	0.10	18	0.10	6	125	0.23	138	81	
59	49650	5	0.2	4.01	2	241	0.7	6	1.80	0.2	43	22	19	91	4.84	0.29	13	21	1.58	1112	1	0.08	20	0.09	2	131	0.28	169	83	
60	49700	5	0.2	3.81	2	190	0.7	4	1.54	0.2	42	22	17	75	4.34	0.20	12	19	1.73	914	1	0.10	19	0.09	4	100	0.26	154	87	
61	49750	5	0.4	3.54	10	201	0.9	5	1.58	0.3	42	24	27	102	4.64	0.24	17	27	1.41	782	2	0.11	20	0.09	4	127	0.29	178	85	
62	11000E-49800N	5	0.4	3.98	6	182	0.7	4	1.49	0.2	39	23	22	93	5.00	0.24	13	23	1.51	885	1	0.13	20	0.09	2	123	0.31	180	86	
63	11000E-49850N	5	0.4	4.40	2	300	0.8	4	1.16	0.2	40	18	36	70	4.54	0.33	14	28	0.92	435	1	0.13	24	0.07	4	118	0.29	157	78	
64	49900	5	0.8	4.02	2	183	0.6	5	1.64	0.2	39	24	17	146	5.12	0.21	13	22	1.47	872	1	0.13	18	0.11	2	137	0.33	185	84	
65	49950	5	0.2	3.96	4	270	0.8	2	1.81	0.2	46	13	44	67	4.09	0.45	21	19	0.71	587	1	0.10	19	0.08	2	218	0.29	160	68	
66	50000	5	0.8	5.28	2	517	1.0	4	2.17	0.2	44	17	35	121	4.80	0.45	15	32	0.88	880	1	0.07	31	0.10	4	150	0.22	141	82	
67	11000E-50050N	5	0.4	3.92	3	309	0.8	3	1.42	0.2	44	12	34	89	3.82	0.39	19	20	0.71	421	1	0.10	21	0.08	5	175	0.25	134	54	
68	11000E-50100N	5	0.4	3.91	5	342	0.8	3	1.73	0.2	41	14	34	66	3.88	0.39	14	22	0.87	574	1	0.08	19	0.06	2	188	0.25	131	64	
69	50150	5	0.6	3.88	3	451	0.9	2	1.57	0.2	43	10	29	78	2.91	0.22	17	32	0.87	277	1	0.22	20	0.07	7	126	0.23	83	64	
70	50200	5	0.8	2.96	5	338	0.9	2	1.16	0.2	38	7	20	118	1.95	0.17	14	24	0.42	149	1	0.38	22	0.10	10	69	0.17	51	51	
71	50250	5	0.4	3.98	14	565	1.4	5	2.79	0.4	50	15	29	236	3.85	0.28	21	27	0.84	510	2	0.09	38	0.18	7	120	0.15	113	67	
72	11000E-50300N	5	0.2	2.94	4	482	0.9	2	2.38	0.2	47	10	25	112	2.48	0.18	20	22	0.47	297	1	0.14	22	0.10	8	136	0.19	82	47	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-029 Pg. 3 of 6
73	11000E-50350N	5	0.4	4.36	2	499	0.9	5	1.58	0.2	53	13	38	78	3.94	0.32	20	31	0.72	403	1	0.11	30	0.08	8	158	0.30	118	59	
74	50400	5	0.2	4.53	2	318	0.8	4	1.86	0.2	47	15	34	89	4.71	0.58	18	19	0.93	545	1	0.07	22	0.07	3	221	0.29	186	61	
75	50450	5	0.2	3.98	2	296	0.8	2	1.88	0.2	44	12	31	43	3.51	0.24	14	20	0.60	381	1	0.13	19	0.05	8	155	0.28	107	57	
78	11000E-50500N	5	0.2	3.87	2	348	0.8	2	1.70	0.2	48	13	35	73	4.10	0.35	18	20	0.78	373	1	0.09	23	0.06	4	178	0.28	133	83	
77	11400E-49300N	25	0.2	3.29	2	192	0.7	3	1.24	0.2	42	15	42	37	3.81	0.34	13	18	0.81	436	2	0.12	18	0.08	6	180	0.28	137	62	
78	11400E-49350N	5	0.2	2.97	2	164	0.6	3	1.02	0.2	40	12	50	31	3.45	0.21	14	14	0.52	317	1	0.10	20	0.06	4	124	0.30	117	58	
79	49400	10	0.4	2.22	5	255	0.9	3	2.86	0.4	44	8	23	148	1.77	0.10	20	14	0.41	180	3	0.20	18	0.14	8	117	0.18	55	42	
80	49450	5	0.4	2.39	3	258	0.8	2	1.91	0.3	45	7	22	75	1.83	0.11	18	20	0.40	349	4	0.21	21	0.10	10	88	0.18	47	35	
81	49800	5	0.4	2.91	8	291	0.8	2	2.14	0.5	42	10	27	74	1.80	0.16	17	28	0.53	304	2	0.20	21	0.14	7	103	0.22	61	48	
82	11400E-49850N	5	0.4	3.65	2	252	0.9	2	1.41	0.2	47	11	32	81	3.07	0.18	22	27	0.61	330	1	0.17	26	0.06	6	93	0.28	83	54	
83	11400E-49700N	5	0.6	3.41	2	285	0.9	3	1.53	0.2	48	11	33	108	3.08	0.18	20	27	0.69	308	1	0.15	27	0.07	7	88	0.28	78	52	
84	49750	5	0.6	2.96	4	280	0.8	2	1.63	0.5	46	9	24	109	2.48	0.18	18	21	0.52	311	1	0.16	24	0.08	7	94	0.21	70	52	
85	49800	5	0.6	3.36	2	332	0.9	3	1.25	0.3	48	10	24	99	2.73	0.18	20	32	0.59	285	2	0.23	26	0.07	8	88	0.23	73	48	
86	49850	5	1.0	4.73	2	436	1.3	5	1.46	0.4	53	13	24	176	3.94	0.30	29	30	0.75	418	3	0.11	44	0.07	6	94	0.21	98	61	
87	11400E-49900N	5	0.8	3.04	7	280	0.9	3	1.87	0.3	46	8	25	158	2.18	0.20	17	26	0.52	282	2	0.20	30	0.13	9	105	0.18	83	40	
88	11400E-49950N	5	0.8	1.71	8	229	0.4	2	3.28	0.8	33	8	15	58	0.98	0.13	8	15	0.38	403	5	0.14	17	0.13	8	131	0.10	33	27	
89	50000	5	0.8	3.30	3	222	0.9	7	1.72	0.4	48	10	28	87	2.93	0.23	18	27	0.62	299	2	0.12	25	0.08	7	117	0.21	88	62	
90	50050	5	0.6	3.88	8	278	1.0	5	1.81	0.3	47	11	33	90	3.24	0.28	16	26	0.65	316	2	0.11	30	0.08	8	124	0.24	95	76	
91	50100	5	0.6	3.82	2	284	1.3	4	1.63	0.2	54	14	34	140	3.33	0.30	23	28	0.60	407	3	0.12	30	0.09	3	134	0.27	104	72	
92	11400E-50150N	5	0.4	4.59	2	318	1.1	5	1.39	0.2	51	14	32	124	4.09	0.34	19	19	0.75	441	2	0.09	37	0.06	3	114	0.25	111	73	
93	11400E-50200N	5	0.6	5.08	2	345	1.2	7	1.23	0.2	47	14	29	138	4.23	0.35	19	22	0.81	394	1	0.11	42	0.08	8	96	0.24	108	84	
94	50250	5	0.4	4.81	2	339	1.1	7	1.18	0.2	48	14	38	121	3.82	0.44	18	20	0.84	463	1	0.11	37	0.08	6	104	0.24	115	76	
95	50300	10	0.2	3.91	2	258	0.8	5	1.49	0.2	52	13	39	70	3.58	0.48	17	16	0.80	517	1	0.09	25	0.08	4	164	0.29	133	68	
96	50350	10	0.4	3.43	2	212	0.7	4	1.33	0.2	47	11	42	51	3.33	0.38	16	16	0.70	396	1	0.08	21	0.06	4	181	0.29	126	63	
97	11400E-50400N	10	0.2	3.04	3	189	0.6	4	1.40	0.2	45	10	47	40	2.81	0.38	14	13	0.63	339	1	0.09	19	0.05	6	187	0.30	119	61	
98	11400E-50450N	5	0.2	3.18	2	191	0.8	5	1.14	0.2	43	11	53	47	3.01	0.32	14	15	0.58	384	1	0.15	22	0.05	7	139	0.27	111	62	
99	11400E-50500N	5	0.4	3.58	2	238	0.7	4	1.16	0.2	49	12	50	60	3.37	0.31	18	17	0.82	382	1	0.13	23	0.06	3	130	0.24	112	69	
101	11600E-49300N	5	0.8	3.28	6	324	1.3	2	1.88	0.2	50	12	27	239	2.95	0.23	30	30	0.60	327	3	0.20	37	0.07	4	120	0.21	89	62	
102	49350	5	1.0	2.83	4	288	0.8	2	1.52	0.2	42	9	23	132	2.52	0.18	16	29	0.51	459	4	0.21	30	0.07	8	97	0.19	70	50	
103	11600E-49400N	5	0.6	3.59	6	300	1.0	5	1.29	0.2	45	13	22	134	3.13	0.20	18	30	0.59	587	4	0.19	36	0.06	7	89	0.21	83	56	
104	11600E-49450N	5	0.4	3.85	3	278	1.0	4	1.35	0.2	51	13	26	93	3.57	0.22	19	32	0.75	388	3	0.19	35	0.05	8	111	0.25	103	60	
105	49500	5	0.6	3.79	4	289	1.1	2	1.18	0.2	45	11	29	101	3.13	0.23	19	37	0.59	287	2	0.19	39	0.05	8	89	0.25	88	67	
108	49550	5	1.0	3.34	4	244	1.2	2	1.35	0.4	47	10	23	188	2.80	0.18	23	28	0.53	277	2	0.20	40	0.07	6	86	0.21	75	51	
107	49600	5	0.8	2.86	4	236	1.1	2	1.48	0.3	45	8	24	235	2.17	0.17	26	23	0.48	189	1	0.27	32	0.09	6	81	0.18	58	45	
108	11600E-49850N	5	1.0	3.13	4	276	1.1	3	1.84	0.7	50	11	29	190	2.79	0.21	23	22	0.59	344	1	0.22	34	0.08	7	100	0.21	79	60	
109	11600E-49700N	5	0.4	3.03	4	234	0.8	2	1.32	0.2	40	9	25	82	2.41	0.16	16	35	0.46	276	1	0.23	25	0.06	5	77	0.20	63	51	
110	49750	5	0.4	3.56	3	203	0.7	2	0.87	0.2	37	12	33	43	3.20	0.19	11	30	0.52	284	1	0.21	26	0.04	5	86	0.26	94	57	
111	49800	5	0.4	3.92	5	330	1.0	3	1.22	0.2	46	14	33	73	3.26	0.30	19	23	0.60	400	1	0.14	31	0.06	4	104	0.24	106	79	
112	49850	5	0.2	3.73	2	294	0.8	4	1.35	0.2	47	14	45	89	3.70	0.43	17	17	0.79	641	1	0.10	27	0.07	7	142	0.25	136	74	
113	11600E-49900N	5	0.2	3.88	2	289	0.8	3	1.26	0.2	50	16	42	72	3.56	0.37	19	17	0.71	796	2	0.10	28	0.08	8	134	0.24	128	71	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	B ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-029 Pg 4 of 6
114	11800E-49950N	5	0.2	2.68	3	185	0.5	3	0.88	0.2	38	10	41	37	2.88	0.23	13	18	0.49	279	1	0.15	18	0.04	8	104	0.25	104	80	
115	50000	5	0.2	4.44	2	343	1.2	5	1.37	0.2	51	13	35	135	3.98	0.33	22	22	0.75	501	1	0.11	41	0.08	8	101	0.22	113	71	
116	50050	5	0.2	4.82	2	304	1.0	6	1.20	0.2	52	17	40	84	4.57	0.38	18	24	0.83	554	1	0.10	39	0.08	8	114	0.26	132	72	
117	50100	5	0.2	3.86	4	243	0.9	5	1.33	0.2	52	12	39	62	3.70	0.28	17	28	0.65	380	1	0.13	29	0.05	11	125	0.28	115	68	
118	11800E-50150N	5	0.2	4.72	2	328	1.1	6	1.37	0.2	51	13	35	107	4.15	0.36	19	28	0.80	481	1	0.13	43	0.07	11	118	0.25	120	72	
119	11800E-50200N	5	0.2	3.45	7	212	0.7	5	1.17	0.2	48	15	51	50	3.89	0.27	18	22	0.85	390	1	0.10	28	0.05	10	120	0.27	122	80	
120	50250	5	0.2	3.81	4	248	0.8	6	1.31	0.2	50	14	52	59	3.71	0.38	18	19	0.72	643	1	0.10	29	0.08	8	128	0.28	126	73	
121	50300	5	0.2	2.75	8	157	0.8	2	1.07	0.2	41	12	54	39	2.93	0.27	17	18	0.51	333	1	0.11	20	0.04	5	135	0.26	115	60	
122	50350	5	0.2	3.37	3	216	0.8	2	1.28	0.2	43	14	59	89	3.35	0.37	15	18	0.63	537	1	0.11	24	0.08	10	144	0.27	128	65	
123	11800E-50400N	5	0.2	3.61	3	231	0.8	2	1.30	0.2	43	11	69	65	3.59	0.42	18	15	0.68	354	1	0.08	28	0.08	7	150	0.31	128	78	
124	11800E-50450N	25	0.2	3.44	6	189	0.7	3	1.51	0.2	43	12	47	51	3.41	0.44	15	15	0.78	417	1	0.08	21	0.07	7	180	0.31	138	61	
125	11800E-50500N	5	0.2	3.48	8	243	0.8	4	1.74	0.2	47	11	50	72	3.29	0.42	17	18	0.84	372	1	0.07	24	0.08	8	169	0.28	124	74	
126	11800E-49300N	20	0.2	3.30	9	218	0.8	4	1.11	0.2	49	18	51	59	3.79	0.40	18	14	0.65	785	4	0.08	24	0.07	7	139	0.29	131	87	
127	49350	5	0.2	3.91	2	237	1.0	4	1.83	0.2	47	15	37	80	4.01	0.35	18	19	0.68	767	13	0.07	30	0.08	8	132	0.27	122	62	
128	11800E-49400N	5	0.2	4.34	4	237	0.8	6	1.31	0.2	48	13	33	85	3.85	0.22	17	28	0.68	471	3	0.12	34	0.08	10	108	0.28	119	56	
129	11800E-49450N	10	0.2	3.99	3	270	0.8	6	1.27	0.2	48	14	38	67	3.88	0.28	18	28	0.83	481	2	0.11	28	0.05	10	118	0.28	121	58	
130	49500	25	0.8	3.27	11	285	0.8	5	2.05	0.4	48	12	32	137	3.19	0.28	17	23	0.60	583	2	0.10	30	0.09	9	128	0.22	101	50	
131	49550	5	0.2	3.72	4	245	1.0	3	1.20	0.2	48	16	45	83	3.77	0.25	20	25	0.58	381	1	0.10	28	0.04	5	129	0.24	129	48	
132	49800	5	0.6	3.81	2	309	0.8	2	1.07	0.2	48	13	34	59	3.51	0.24	18	34	0.58	478	1	0.16	25	0.04	7	99	0.22	103	58	
133	11800E-49850N	5	0.2	3.55	2	252	0.7	2	1.38	0.2	45	14	38	86	3.52	0.23	14	31	0.58	598	1	0.12	26	0.08	8	107	0.23	111	62	
134	11800E-49700N	25	0.2	3.23	6	213	0.7	5	1.10	0.2	43	15	43	56	3.80	0.39	15	17	0.85	514	2	0.08	24	0.08	6	138	0.25	138	70	
135	49750	5	0.2	3.97	6	298	0.8	6	1.42	0.6	52	18	42	70	4.10	0.40	18	25	0.72	771	2	0.09	28	0.07	7	133	0.27	137	103	
136	49800	25	0.4	4.09	39	208	0.9	8	1.20	0.4	52	20	38	128	4.08	0.34	17	34	0.78	974	2	0.08	27	0.07	18	112	0.24	130	118	
137	49850	20	0.2	3.11	7	195	0.6	5	1.19	0.2	44	15	45	68	3.78	0.42	14	14	0.85	480	2	0.09	20	0.07	12	158	0.25	148	82	
138	11800E-49900N	5	0.6	4.49	3	337	1.0	8	1.30	0.2	48	15	38	84	4.01	0.32	17	27	0.89	495	1	0.09	38	0.08	11	105	0.22	114	69	
139	11800E-49950N	5	0.2	3.79	5	264	0.9	5	1.29	0.2	52	15	47	76	3.78	0.33	20	18	0.89	511	1	0.09	32	0.07	9	121	0.24	121	65	
140	50000	5	1.0	3.74	18	324	1.1	7	2.03	0.8	83	17	34	121	4.75	0.33	30	24	0.88	1055	5	0.05	42	0.08	10	108	0.18	104	78	
141	50050	5	0.4	4.11	10	274	1.2	2	1.25	0.2	49	18	38	87	3.73	0.19	23	30	0.85	418	2	0.16	33	0.04	8	112	0.25	114	80	
142	50100	5	0.6	4.39	8	323	1.2	3	1.43	0.2	48	14	39	158	3.99	0.28	24	25	0.89	578	2	0.12	43	0.08	5	115	0.24	113	81	
143	11800E-50150N	5	0.4	3.33	5	262	0.9	2	1.19	0.2	43	10	24	103	2.88	0.21	15	25	0.50	421	1	0.28	38	0.07	6	85	0.21	78	63	
144	11800E-50200N	5	0.2	3.52	10	194	0.7	4	0.98	0.2	37	12	45	48	3.81	0.22	12	19	0.53	277	3	0.10	23	0.05	6	111	0.25	121	57	
145	50250	5	0.4	3.51	10	245	0.8	5	1.31	0.2	45	14	43	78	3.69	0.31	19	17	0.82	579	2	0.08	30	0.07	8	128	0.25	123	87	
146	50300	5	0.2	2.98	8	179	0.7	3	1.18	0.2	42	13	52	47	3.52	0.34	15	13	0.82	523	2	0.09	21	0.07	4	158	0.28	130	60	
147	50350	5	0.2	3.00	6	188	0.6	3	1.23	0.2	43	13	59	48	3.83	0.33	15	14	0.80	410	2	0.10	21	0.08	6	164	0.29	137	80	
148	11800E-50400N	5	0.4	3.05	10	199	0.7	3	1.11	0.2	42	13	60	50	3.52	0.34	15	14	0.81	482	2	0.11	22	0.07	4	142	0.28	129	88	
149	11800E-50450N	5	0.2	3.23	6	213	0.7	2	1.11	0.2	38	12	58	52	3.45	0.31	14	15	0.84	499	1	0.11	23	0.07	4	144	0.26	127	68	
152	11800E-50500N	10	0.2	3.11	4	182	0.7	2	1.41	0.2	44	13	64	49	3.78	0.37	14	13	0.87	524	1	0.07	21	0.07	7	198	0.28	148	80	
153	12000E-49300N	5	0.2	2.87	2	211	0.8	2	1.10	0.2	37	14	44	50	3.19	0.29	11	17	0.51	572	6	0.10	17	0.05	8	128	0.24	118	81	
154	49350	85	1.4	4.21	108	290	0.9	4	0.96	0.5	43	22	43	188	4.75	0.51	14	21	0.82	1428	10	0.08	29	0.14	43	118	0.28	142	187	
155	12000E-49400N	5	0.2	4.60	18	279	1.0	2	0.88	0.2	42	22	40	98	4.81	0.38	14	23	0.84	1146	4	0.08	30	0.11	12	110	0.31	143	108	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Bb ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-029 Pg. 5 of 6
158	12000E-49450N	5	0.2	3.47	9	255	0.8	2	0.95	0.4	42	16	30	61	3.51	0.44	13	18	0.51	1230	3	0.07	21	0.12	9	103	0.24	109	112	
157	49500	5	0.2	4.71	58	356	1.0	4	0.91	0.3	45	23	34	90	4.81	0.50	14	68	0.64	1748	4	0.08	26	0.14	15	105	0.26	143	140	
158	49550	5	0.2	4.42	15	338	1.0	2	1.08	0.5	48	14	43	124	3.74	0.33	17	34	0.74	821	3	0.09	30	0.10	11	132	0.26	118	107	
159	49600	5	0.2	4.01	16	228	0.8	3	1.01	0.2	48	19	38	99	4.18	0.48	14	22	0.63	907	3	0.07	23	0.08	8	111	0.26	136	85	
160	12000E-49650N	5	0.2	4.59	5	270	1.0	3	0.90	0.2	48	19	38	75	4.43	0.47	16	22	0.75	925	2	0.08	25	0.11	9	120	0.27	142	93	
161	12000E-49700N	5	0.2	3.24	13	224	1.0	4	1.02	0.5	48	19	51	83	3.63	0.45	19	17	0.63	884	2	0.08	24	0.09	7	135	0.24	135	89	
162	49750	5	0.2	3.11	6	179	0.7	2	1.10	0.2	38	15	50	43	3.68	0.35	13	14	0.57	755	2	0.10	22	0.10	5	148	0.27	132	67	
163	49800	5	0.2	3.99	15	269	0.9	4	0.87	0.2	39	19	41	60	4.16	0.38	13	18	0.60	1520	2	0.08	26	0.13	10	108	0.25	131	120	
164	49850	5	0.2	4.09	5	240	0.8	5	0.93	0.2	40	21	41	89	4.52	0.35	13	17	0.74	1392	2	0.10	29	0.14	9	119	0.28	144	106	
165	12000E-49900N	5	0.4	4.32	8	253	1.0	5	1.64	1.0	51	17	38	126	3.84	0.30	16	35	0.71	1063	2	0.09	30	0.08	9	119	0.25	108	137	
166	12000E-49950N	5	0.2	4.29	4	224	0.9	5	1.49	0.2	48	18	42	88	4.17	0.39	15	32	0.75	844	2	0.08	29	0.08	12	132	0.26	133	94	
167	50000	5	0.8	4.22	13	271	0.9	7	1.30	1.0	48	17	40	99	4.13	0.40	17	22	0.74	871	2	0.08	32	0.08	21	123	0.23	126	143	
168	50050	20	0.2	3.03	2	244	0.7	3	1.14	0.2	40	15	43	46	3.60	0.38	13	14	0.59	767	2	0.11	21	0.08	9	143	0.25	128	86	
169	50100	5	0.2	3.03	11	214	0.7	4	1.02	0.3	40	15	43	43	3.81	0.33	13	14	0.58	756	2	0.11	21	0.11	8	138	0.25	128	80	
170	12000E-50150N	5	0.2	3.58	3	301	0.8	5	1.21	0.5	41	20	42	68	4.02	0.38	13	19	0.59	1916	2	0.07	24	0.15	8	123	0.23	131	118	
171	12000E-50200N	5	0.2	3.31	12	248	1.0	6	1.22	0.2	49	17	66	64	3.81	0.35	21	18	0.84	717	2	0.09	25	0.06	5	189	0.25	150	71	
172	50250	5	0.2	2.79	4	204	0.6	3	1.28	0.2	41	12	55	39	3.59	0.35	15	13	0.54	638	2	0.09	17	0.07	5	180	0.28	142	53	
173	50300	5	0.2	3.68	8	269	0.8	4	1.03	0.2	48	14	55	80	3.76	0.38	19	17	0.73	722	1	0.10	24	0.07	5	146	0.24	138	86	
174	50350	5	0.4	2.98	4	156	0.6	2	1.12	0.2	40	11	50	48	3.52	0.27	13	14	0.57	393	1	0.13	18	0.06	6	161	0.26	134	58	
175	12000E-50400N	5	0.2	3.03	2	189	0.6	3	1.17	0.2	40	13	48	54	3.48	0.32	13	14	0.61	879	1	0.11	18	0.07	4	157	0.26	131	63	
176	12000E-50450N	5	0.2	3.34	4	170	0.6	3	1.12	0.2	37	14	48	41	3.89	0.30	12	15	0.53	569	1	0.12	16	0.11	5	160	0.27	142	70	
177	12000E-50500N	5	0.2	3.27	3	184	0.6	4	1.06	0.2	38	14	44	41	3.76	0.31	12	14	0.51	469	1	0.13	18	0.14	4	151	0.27	136	71	
178	12600E-49600N	5	1.0	3.84	6	228	0.9	4	1.47	0.2	45	16	29	147	3.83	0.25	18	29	0.65	521	7	0.14	33	0.08	9	103	0.24	114	68	
179	13400E-49300N	5	0.2	2.58	3	143	0.5	2	1.14	0.2	39	10	38	42	3.05	0.32	13	12	0.57	303	5	0.11	14	0.06	6	147	0.25	125	48	
180	13400E-49350N	5	0.2	3.41	2	253	0.8	5	1.14	0.2	45	14	43	99	3.41	0.32	15	17	0.74	596	9	0.11	26	0.07	6	129	0.23	117	57	
181	13400E-49400N	10	0.2	3.10	4	209	0.9	2	0.91	0.2	40	12	38	77	2.69	0.26	17	23	0.62	269	6	0.17	24	0.03	6	111	0.23	103	51	
182	49450	5	0.8	4.61	2	426	1.1	2	1.17	0.2	44	15	35	207	3.97	0.31	18	22	0.85	546	12	0.05	42	0.08	2	93	0.14	97	62	
183	49550	5	0.8	4.34	2	302	0.9	2	1.10	0.2	39	14	48	147	3.59	0.33	14	24	0.87	394	11	0.09	40	0.08	3	117	0.21	108	82	
184	49600	5	1.4	4.59	2	417	1.2	2	1.83	0.2	47	13	37	347	3.91	0.33	22	28	0.87	390	18	0.07	50	0.14	2	158	0.15	94	70	
185	13400E-49650N	5	0.8	3.93	2	285	0.8	2	1.05	0.2	38	14	38	190	3.82	0.33	14	27	0.81	412	10	0.14	39	0.05	4	116	0.22	117	68	
186	13400E-49700N	5	2.0	3.64	2	430	1.1	2	2.02	0.2	52	10	33	399	3.31	0.26	25	23	0.73	286	14	0.07	48	0.18	6	156	0.14	82	69	
187	49750	5	1.8	3.44	2	456	1.1	3	1.88	0.2	63	8	27	331	3.44	0.19	30	19	0.81	208	14	0.05	39	0.14	4	128	0.11	70	64	
188	49800	5	1.4	2.50	4	373	0.9	2	1.51	0.2	43	8	22	344	2.31	0.18	18	18	0.45	301	6	0.28	31	0.14	6	99	0.18	84	48	
189	49850	5	0.8	3.69	2	447	1.0	3	1.62	0.2	47	10	33	254	2.99	0.28	19	29	0.68	283	8	0.15	40	0.18	10	128	0.24	95	57	
190	13400E-49900N	5	1.2	1.65	7	317	1.0	2	2.61	0.9	59	5	16	440	1.28	0.09	27	9	0.36	86	6	0.05	21	0.18	6	138	0.06	33	54	
191	13400E-49950N	5	1.4	0.93	14	295	0.8	2	2.59	0.8	44	5	14	134	0.68	0.07	19	7	0.28	52	11	0.04	14	0.17	10	138	0.04	28	43	
192	13800E-49300N	5	0.4	2.55	4	173	0.5	2	1.09	0.2	35	12	58	41	2.80	0.32	13	13	0.55	587	5	0.11	17	0.05	6	138	0.23	117	41	
193	49350	5	0.6	2.87	2	165	0.5	2	1.06	0.2	35	13	61	49	3.11	0.32	12	14	0.63	396	4	0.11	18	0.05	3	137	0.24	125	46	
194	49400	5	0.4	2.77	2	170	0.5	2	1.01	0.2	37	11	52	51	2.66	0.30	14	15	0.59	341	3	0.12	17	0.06	3	133	0.24	119	50	
195	13800E-49450N	5	0.6	3.84	2	256	0.8	2	1.03	0.2	41	13	47	89	3.02	0.39	15	17	0.75	414	3	0.10	27	0.06	6	133	0.24	112	56	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Tl %	V ppm	Zn ppm	9011-029 Pg. 8 of 6	
196	13600E-49500N	30	0.2	2.70	2	176	0.5	2	1.10	0.2	39	11	50	45	3.14	0.32	13	13	0.62	318	4	0.08	16	0.07	6	148	0.25	132	51	
197	49550	5	0.4	3.97	2	287	0.8	3	0.84	0.2	43	14	51	112	3.64	0.37	16	21	0.78	664	7	0.10	31	0.08	7	110	0.22	119	73	
198	49600	5	0.4	4.15	2	208	0.9	3	1.05	0.2	43	13	46	258	3.60	0.33	18	26	0.78	458	18	0.11	36	0.05	11	112	0.24	117	69	
199	49650	50	0.4	3.06	4	157	0.5	4	1.23	0.2	38	12	43	131	3.40	0.28	13	20	0.62	291	8	0.11	21	0.04	8	140	0.23	130	58	
201	13600E-49700N	5	0.4	3.07	10	222	0.8	6	1.10	0.2	48	18	66	89	3.60	0.28	20	23	0.62	282	11	0.12	23	0.07	6	130	0.24	141	60	
202	13600E-49750N	5	1.0	4.79	2	390	1.0	7	1.06	0.2	42	14	44	190	4.16	0.39	15	31	0.88	315	15	0.14	42	0.06	6	99	0.24	111	82	
203	49800	5	0.4	3.37	2	230	0.7	4	1.30	0.2	46	12	49	100	3.50	0.34	14	15	0.86	417	14	0.09	23	0.05	5	150	0.22	124	48	
204	49850	5	0.2	3.41	2	222	0.7	6	1.42	0.2	44	13	68	82	3.64	0.38	15	19	1.00	379	13	0.13	29	0.05	5	164	0.28	132	53	
205	49900	5	0.2	3.23	2	279	0.7	5	1.07	0.2	43	13	58	89	3.50	0.22	14	20	0.79	289	14	0.16	30	0.06	5	118	0.23	112	54	
206	13800E-49950N	5	0.2	2.91	2	177	0.5	3	1.12	0.2	37	11	44	49	2.69	0.22	11	17	0.60	248	16	0.14	16	0.04	4	130	0.25	115	47	
207	13600E-50000N	5	0.4	3.22	2	302	0.5	3	1.09	0.2	36	12	26	60	2.26	0.21	11	25	0.53	237	7	0.16	18	0.05	15	80	0.23	66	36	
208	RX 149076	5	82.0	0.10	8	10	0.2	512	0.08	119.8	8	1	302	42	0.49	0.05	1	1	0.01	50	22	0.01	3	0.01	1995	10	0.01	6	1960	

NORANDA VANCOUVER LABORATORY

Geochemical Analysis

Project Name & No.: RABBIT - 135

Geol.: L.E.

Date rec'd: NOV. 13

LAB CODE: 9011-031

Material: 316 SO:LS

Sheet: 1 of 8

Date comp: DEC. 05

Remarks: * Sample screened @ -35 MESH (0.5 mm).

□ Organic, ▲ Humus

Au - 10.0 g sample digested with aqua-regia and determined by A.A. (D.L. 6 PPB)

ICP - 0.2 g sample digested with 3 ml HClO₄/HNO₃ (4:1) at 203 °C for 4 hours diluted to 11 ml with water. Leeman PB3000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ca, La, Li are rarely dissolved completely from geological materials with this acid dissolution method.

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
2	10000E-49300N	5	0.2	2.85	3	186	0.6	2	0.99	0.2	34	12	42	43	3.38	0.39	13	13	0.56	559	1	0.10	15	0.05	8	130	0.22	128	58
3	49350	5	0.2	3.24	4	203	0.6	2	0.95	0.2	36	11	40	49	3.24	0.39	14	18	0.62	449	1	0.13	17	0.05	4	125	0.22	124	64
4	49400	5	0.4	3.31	2	208	0.6	2	1.06	0.2	38	13	55	49	3.46	0.39	14	19	0.68	557	1	0.11	18	0.05	6	138	0.25	131	58
5	49450	5	0.4	3.26	2	202	0.6	2	0.97	0.2	37	11	41	50	3.55	0.39	14	19	0.64	471	1	0.11	17	0.05	6	127	0.26	130	61
6	10000E-49500N	5	0.4	2.90	3	181	0.6	2	0.84	0.3	36	11	46	39	3.49	0.37	12	18	0.56	468	1	0.11	15	0.06	6	122	0.25	127	58
7	10000E-49550N	5	0.4	3.45	5	170	0.7	2	0.87	0.4	33	14	35	37	3.68	0.34	11	22	0.56	452	1	0.12	16	0.12	7	116	0.24	126	73
8	49600	5	0.4	3.01	5	180	0.6	2	0.91	0.3	33	11	35	37	3.37	0.36	11	18	0.58	379	1	0.13	15	0.07	7	120	0.24	121	61
9	49650	5	0.2	3.08	7	152	0.6	2	0.81	0.3	32	12	40	30	3.44	0.34	11	21	0.51	460	1	0.13	14	0.10	6	115	0.24	118	62
10	49700	5	0.4	3.45	4	208	0.7	2	1.07	0.5	39	12	39	48	3.32	0.45	14	24	0.66	538	1	0.09	16	0.06	8	145	0.26	127	65
11	10000E-49750N	5	0.2	3.00	9	202	0.8	2	0.96	0.4	41	15	46	38	3.63	0.46	18	20	0.55	588	1	0.10	15	0.08	6	139	0.23	136	62
12	10000E-49800N	5	0.4	3.58	8	177	0.7	2	1.09	0.2	40	16	43	42	4.28	0.51	14	22	0.70	501	1	0.08	15	0.08	4	168	0.26	160	59
13	49850	5	0.4	5.29	8	324	1.0	5	1.23	0.3	61	18	40	83	4.84	0.68	21	38	1.03	548	1	0.05	24	0.11	7	160	0.24	174	74
14	49900	5	0.4	3.59	7	242	0.7	2	0.86	0.3	36	14	35	36	3.66	0.39	12	25	0.57	1220	1	0.13	17	0.15	6	116	0.24	125	113
15	49950	5	0.4	4.37	7	278	0.9	3	1.24	0.4	54	15	29	49	4.04	0.34	17	37	0.71	577	1	0.11	21	0.05	8	113	0.24	123	75
16	10000E-50050N	5	0.6	3.95	7	319	0.8	2	1.59	0.5	46	14	28	70	3.35	0.29	14	28	0.69	578	1	0.11	18	0.07	9	133	0.21	112	83
17	10000E-50100N	5	0.2	4.18	9	247	0.9	5	1.25	0.5	50	18	36	77	4.28	0.42	17	25	0.83	890	1	0.08	20	0.08	9	136	0.24	146	72
18	50150	5	0.4	4.48	9	340	1.0	5	1.52	0.6	49	15	26	322	4.20	0.48	20	30	0.96	544	1	0.06	25	0.09	10	136	0.22	142	71
19	50200	5	0.4	4.21	10	372	1.0	4	1.49	0.7	53	19	25	83	3.69	0.33	20	36	0.72	587	1	0.10	20	0.06	10	109	0.21	116	64
20	50300	5	0.4	4.29	8	403	0.8	4	1.32	0.6	48	13	25	60	3.44	0.31	14	36	0.68	790	1	0.13	21	0.06	12	100	0.21	105	65
21	10000E-50350N	5	0.2	3.01	7	182	0.7	2	0.75	0.4	28	13	33	37	3.14	0.24	14	23	0.48	284	1	0.13	13	0.05	7	109	0.21	115	53
22	10000E-50400N	5	0.4	2.74	2	159	0.5	2	0.59	0.2	22	10	31	28	2.86	0.22	9	19	0.37	261	1	0.18	15	0.14	6	74	0.21	92	62
23	50450	5	0.4	2.92	2	158	0.5	2	0.84	0.2	31	12	44	34	3.24	0.28	11	18	0.63	552	1	0.13	15	0.08	5	111	0.24	118	54
24	10000E-50500N	5	0.2	3.05	6	171	0.6	2	1.28	0.2	39	13	63	45	3.99	0.38	14	16	0.68	441	1	0.08	19	0.08	5	185	0.25	156	53
25	10200E-49300N	5	0.2	3.47	2	168	0.6	2	1.00	0.2	32	13	42	40	4.12	0.44	11	21	0.65	550	1	0.09	15	0.08	2	148	0.27	150	62
26	10200E-49350N	5	0.4	3.20	5	179	0.6	2	1.06	0.2	34	13	44	41	3.89	0.40	12	20	0.62	523	1	0.09	15	0.07	4	152	0.26	144	65
27	10200E-49400N	5	0.2	3.12	2	143	0.6	2	0.93	0.2	32	12	40	30	3.73	0.32	11	19	0.53	394	1	0.10	13	0.07	4	138	0.25	134	64
28	49500	5	0.6	3.76	5	258	0.8	2	0.98	0.3	45	15	33	72	3.81	0.43	18	22	0.73	1002	1	0.08	19	0.09	7	120	0.23	136	77
29	49550	5	0.2	3.15	4	189	0.6	2	0.71	0.3	30	13	39	33	3.19	0.30	11	20	0.60	694	2	0.13	18	0.16	5	97	0.22	106	79
30	49600	5	0.4	2.84	4	160	0.5	2	0.90	0.3	31	13	28	37	3.46	0.35	10	16	0.57	639	1	0.11	13	0.08	6	118	0.23	131	58
31	10200E-49850N	5	0.2	3.23	11	197	0.9	2	1.00	0.2	39	17	40	54	3.72	0.38	18	21	0.85	663	1	0.11	18	0.10	6	136	0.23	140	71

07/12 JK 11 00

T.T No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Ld ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-031 Pg. 2 of 9
32	10200E-49700N	5	0.2	2.99	7	185	0.6	2	0.89	0.2	31	13	39	42	3.28	0.34	12	18	0.55	813	1	0.14	14	0.07	5	120	0.24	118	85
33	49750	5	0.2	3.06	8	180	0.6	2	0.88	0.2	34	13	38	40	3.31	0.34	12	20	0.57	449	1	0.14	15	0.08	7	120	0.24	117	84
34	49800	5	0.2	2.90	7	161	0.5	2	0.83	0.2	30	11	37	37	3.14	0.29	11	19	0.53	285	1	0.15	14	0.07	6	111	0.24	111	83
35	49850	5	0.2	3.23	9	181	0.7	2	0.96	0.2	37	14	41	44	3.60	0.32	13	19	0.59	374	1	0.10	16	0.13	6	135	0.25	125	83
36	10200E-49950N	5	0.2	3.28	9	215	0.6	2	0.90	0.2	38	12	43	52	3.09	0.30	15	21	0.83	360	1	0.11	17	0.04	9	110	0.25	108	61
37	10200E-50000N	5	0.4	3.02	10	164	0.6	2	0.95	0.2	34	13	44	37	3.53	0.36	12	17	0.59	331	1	0.11	16	0.09	10	131	0.25	128	59
38	50050	5	0.2	3.31	11	183	0.6	2	0.85	0.2	35	14	40	39	3.65	0.35	12	18	0.63	600	1	0.12	17	0.11	7	120	0.24	127	77
39	50100	5	0.2	3.92	9	181	0.7	2	0.77	0.2	35	15	40	38	3.69	0.27	12	21	0.58	754	1	0.13	18	0.14	10	106	0.26	123	89
40	50150	5	0.2	3.43	11	188	0.7	3	1.01	0.3	39	15	51	38	3.95	0.34	13	20	0.65	391	1	0.08	18	0.11	7	138	0.24	139	88
41	10200E-50200N	25	0.2	3.04	12	167	0.8	2	0.89	0.3	34	15	46	38	3.68	0.30	17	21	0.54	384	1	0.11	17	0.08	5	131	0.27	140	65
42	10200E-50250N	5	0.4	3.15	2	170	0.8	2	0.77	0.2	27	13	43	35	3.54	0.25	11	22	0.49	446	1	0.16	18	0.12	5	104	0.24	123	71
43	50300	5	0.2	3.34	3	175	0.5	2	0.98	0.2	30	13	40	34	3.63	0.18	11	20	0.64	281	1	0.13	14	0.05	5	137	0.28	136	59
44	50350	5	0.2	3.53	5	182	0.7	2	1.03	0.2	36	14	38	42	3.92	0.55	12	20	0.72	493	1	0.10	17	0.08	5	155	0.28	148	83
45	50400	5	0.4	3.57	2	291	0.7	2	0.91	0.2	37	13	40	39	3.83	0.29	12	23	0.57	480	1	0.14	18	0.07	6	110	0.25	121	74
46	10200E-50450N	5	0.2	4.86	8	379	1.0	3	1.26	0.2	63	18	39	98	4.95	0.57	24	33	1.00	607	1	0.07	29	0.08	8	142	0.25	168	71
47	10200E-50500N	5	0.2	3.07	7	180	0.6	2	0.97	0.3	35	13	44	33	3.79	0.33	12	18	0.68	354	1	0.10	16	0.07	10	144	0.26	136	65
48	10300E-50550N	130	0.2	3.37	5	207	0.7	2	0.86	0.2	36	12	40	40	3.51	0.33	13	19	0.61	493	1	0.12	19	0.07	9	119	0.24	119	81
49	50600	5	0.2	6.13	5	518	1.1	4	1.12	0.3	56	19	38	101	4.88	0.50	29	41	1.00	1075	1	0.09	33	0.09	12	93	0.22	143	89
51	50650	5	0.2	3.16	9	180	0.8	2	0.96	0.4	38	15	50	43	3.48	0.28	17	21	0.52	376	1	0.13	18	0.09	10	151	0.25	141	82
52	10300E-50750N	5	0.4	4.02	2	317	0.8	2	0.93	0.2	52	14	40	60	3.17	0.43	21	21	0.79	816	1	0.13	28	0.08	9	102	0.20	110	69
53	10300E-50800N	5	0.2	3.04	4	213	0.8	2	0.95	0.2	37	11	41	44	3.08	0.32	15	19	0.57	429	1	0.16	19	0.05	6	142	0.24	115	58
54	50850	5	0.2	2.72	4	153	0.5	2	0.96	0.3	35	10	40	36	2.87	0.30	12	18	0.53	429	1	0.16	15	0.04	7	149	0.23	110	49
55	50950	5	0.4	4.18	2	358	0.7	2	1.13	0.2	43	12	45	57	3.48	0.42	18	26	0.69	456	1	0.10	24	0.05	8	120	0.27	110	72
56	51000	5	0.6	3.27	2	191	0.8	2	1.01	0.3	34	12	53	38	3.55	0.36	12	21	0.54	389	1	0.14	19	0.07	7	145	0.25	126	72
57	10300E-51050N	5	0.2	3.36	5	240	0.8	2	0.98	0.2	40	12	44	39	3.45	0.33	14	23	0.60	469	1	0.13	19	0.06	11	126	0.25	122	71
58	10300E-51150N	5	0.4	4.91	6	419	1.0	2	1.10	0.2	49	14	35	72	3.81	0.33	20	37	0.60	481	1	0.11	30	0.07	12	89	0.23	118	87
59	51200	5	0.2	3.72	3	216	0.8	2	0.81	0.3	34	10	32	33	3.14	0.21	12	24	0.46	413	7	0.15	15	0.05	11	82	0.23	97	85
60	51250	6	0.2	3.21	3	154	0.6	2	0.63	0.3	33	11	31	29	2.79	0.16	10	23	0.34	222	1	0.18	13	0.05	13	79	0.20	88	67
61	51350	10	0.2	3.36	15	176	1.0	2	0.88	0.5	40	18	46	51	3.66	0.28	19	20	0.60	709	2	0.14	20	0.16	5	119	0.28	132	93
62	10300E-51400N	5	0.4	3.51	2	150	0.7	2	0.71	0.2	25	12	32	48	3.47	0.21	10	22	0.40	418	1	0.21	14	0.25	5	90	0.25	111	96
63	10300E-51450N	5	0.2	3.52	4	168	0.7	2	1.01	0.2	34	14	40	52	4.04	0.36	12	21	0.51	461	2	0.14	16	0.15	4	137	0.25	141	68
64	10400E-49300N	5	0.2	3.33	2	190	0.6	2	0.99	0.3	35	12	35	38	3.70	0.37	12	21	0.82	393	1	0.11	14	0.05	5	141	0.27	133	58
65	49350	5	0.2	3.23	3	204	0.6	2	0.91	0.2	37	12	36	41	3.40	0.34	13	20	0.58	372	1	0.11	14	0.06	6	129	0.25	122	57
66	49400	5	0.2	3.29	3	154	0.6	2	0.98	0.3	37	13	36	39	3.75	0.36	13	21	0.59	389	1	0.10	14	0.08	9	163	0.26	140	67
67	10400E-49450N	5	0.2	3.26	2	196	0.6	2	1.05	0.4	42	13	38	46	3.26	0.36	16	20	0.64	590	1	0.10	15	0.07	8	145	0.25	126	57
68	10400E-49500N	5	0.2	2.64	3	157	0.5	2	0.72	0.4	32	9	31	33	2.46	0.24	12	19	0.44	270	1	0.20	13	0.05	8	94	0.22	88	51
69	49550	5	0.6	3.26	5	378	0.8	2	2.12	0.7	44	10	27	79	2.81	0.21	16	29	0.76	350	1	0.16	16	0.10	11	117	0.18	77	48
70	49600	5	0.4	3.07	5	188	0.6	2	0.78	0.3	32	13	41	32	3.17	0.29	11	20	0.53	429	1	0.13	16	0.11	8	95	0.22	107	77
71	49650	5	0.2	3.74	9	232	1.0	2	1.01	0.3	42	16	42	43	3.53	0.27	19	22	0.59	679	1	0.11	19	0.05	5	113	0.26	126	69
72	10400E-49700N	5	0.2	4.37	5	209	0.8	2	0.74	0.2	28	14	40	44	4.04	0.25	11	23	0.66	494	1	0.14	20	0.12	2	101	0.27	130	88

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-031 Pg. 3 of 9
73	10400E-49750N	5	0.2	3.40	6	184	0.6	2	1.00	0.2	38	13	40	38	3.43	0.19	15	20	0.54	318	1	0.12	18	0.05	4	117	0.27	121	54	
74	49800	5	0.2	4.25	13	173	0.7	2	0.92	0.2	34	15	43	54	4.50	0.31	13	23	0.75	545	1	0.09	18	0.10	6	131	0.26	158	77	
75	49850	5	0.2	4.42	5	203	0.8	2	0.72	0.2	29	16	33	44	4.05	0.32	10	25	0.66	987	1	0.13	19	0.13	6	93	0.25	133	99	
76	49900	5	0.2	4.23	2	140	0.7	2	0.63	0.2	26	13	31	43	4.03	0.21	10	21	0.55	668	1	0.17	17	0.13	8	80	0.25	130	104	
77	10400E-49950N	5	0.2	3.56	5	162	0.6	2	0.74	0.2	27	14	33	37	3.73	0.28	9	21	0.58	708	1	0.13	15	0.09	7	102	0.24	127	64	
78	10400E-50050N	5	0.2	2.94	8	171	0.5	2	0.87	0.2	29	12	43	28	3.33	0.24	10	18	0.48	271	1	0.13	13	0.07	2	124	0.25	117	60	
79	50100	5	0.2	2.68	9	141	0.5	2	1.10	0.2	34	12	52	34	3.49	0.33	12	14	0.55	369	2	0.10	15	0.08	4	151	0.24	135	48	
80	50150	5	0.2	2.61	8	128	0.5	2	0.93	0.2	30	11	47	27	3.34	0.33	10	14	0.50	510	1	0.09	13	0.08	2	138	0.21	123	59	
81	50200	5	0.2	3.74	8	183	0.9	2	0.88	0.3	36	16	44	43	3.88	0.30	18	24	0.63	687	1	0.11	19	0.09	5	124	0.27	139	78	
82	10400E-50250N	5	0.4	3.42	6	208	0.7	2	0.98	0.2	36	13	45	38	3.76	0.37	14	19	0.60	370	1	0.13	16	0.08	5	141	0.27	132	78	
83	10400E-50300N	5	0.2	3.65	2	171	0.8	2	0.85	0.2	32	13	41	33	3.93	0.32	12	20	0.59	452	1	0.13	16	0.13	5	127	0.28	130	78	
84	50350	5	0.2	3.34	4	207	0.8	2	0.78	0.2	35	14	47	38	3.88	0.30	13	20	0.58	619	1	0.13	19	0.10	8	102	0.27	122	74	
85	50400	5	0.8	7.27	2	741	1.5	3	2.04	0.2	54	19	37	246	5.47	0.62	24	38	1.17	863	2	0.06	56	0.16	9	87	0.17	142	106	
86	10400E-50450N	5	0.4	3.18	8	200	0.6	2	1.15	0.2	41	11	61	39	3.64	0.37	14	19	0.60	359	2	0.12	17	0.08	5	175	0.26	136	54	
87	10800E-50550N	5	0.4	3.72	6	272	0.7	4	1.13	0.2	44	15	65	50	3.86	0.28	16	24	0.69	538	2	0.15	22	0.08	10	131	0.26	129	80	
88	10800E-50600N	5	1.0	5.50	9	560	1.3	5	1.28	0.3	55	14	30	183	4.24	0.39	26	33	0.80	585	2	0.14	42	0.08	13	94	0.21	115	79	
89	50650	5	0.4	3.60	4	274	0.7	2	0.99	0.2	40	14	40	50	3.45	0.31	14	25	0.62	576	2	0.15	23	0.08	12	94	0.22	106	87	
90	50750	5	0.4	3.23	6	215	0.6	4	0.88	0.2	37	14	44	38	3.77	0.26	12	21	0.54	322	3	0.13	17	0.11	9	99	0.23	130	72	
91	50800	5	0.8	3.08	43	782	1.9	2	2.18	0.3	70	30	34	280	4.97	0.18	34	24	0.44	3905	17	0.22	30	0.21	4	127	0.14	248	49	
92	10800E-50850N	5	0.6	5.01	4	472	0.9	2	1.47	0.2	43	16	33	95	4.14	0.34	15	38	0.79	783	2	0.18	28	0.09	8	117	0.25	120	79	
93	10800E-50950N	5	0.6	3.74	2	195	0.7	2	1.15	0.2	37	14	38	60	3.67	0.23	14	21	0.59	358	1	0.15	20	0.06	8	119	0.28	122	71	
94	51000	5	1.0	5.53	2	559	1.2	2	1.53	0.3	51	17	36	120	4.37	0.35	19	32	0.78	1092	3	0.14	37	0.11	10	97	0.25	121	122	
95	51050	5	0.4	3.97	3	264	0.8	2	1.06	0.2	42	18	38	66	4.01	0.29	18	21	0.58	502	2	0.18	22	0.17	7	116	0.26	130	104	
96	51150	5	0.4	5.71	2	447	1.0	2	1.47	0.3	48	20	32	111	4.79	0.48	14	37	0.94	1013	3	0.10	32	0.13	6	108	0.23	132	164	
97	10800E-51200N	5	0.2	3.58	7	211	0.7	2	0.90	0.2	36	15	45	50	3.60	0.32	12	20	0.54	440	2	0.15	19	0.15	8	123	0.25	132	93	
98	10800E-51250N	5	0.2	3.92	10	228	0.8	2	0.97	0.2	46	19	62	65	4.72	0.36	16	21	0.64	707	3	0.13	22	0.16	7	132	0.25	163	87	
99	51350	5	0.2	3.40	11	198	0.8	3	1.58	0.2	52	14	64	57	4.69	0.48	18	15	0.66	465	2	0.07	20	0.08	9	224	0.28	171	82	
101	51400	5	0.4	2.95	6	211	0.9	2	1.07	0.3	41	14	46	48	3.61	0.34	19	17	0.52	541	3	0.12	20	0.07	9	148	0.29	131	85	
102	10800E-51450N	5	0.8	4.47	2	326	0.8	2	1.69	0.4	39	12	32	93	3.73	0.35	13	28	0.65	510	2	0.08	21	0.11	9	91	0.23	126	153	
103	11200E-49300N	5	0.4	1.44	14	247	0.5	2	2.32	0.6	34	7	15	104	1.71	0.12	11	15	0.35	558	5	0.21	10	0.11	7	103	0.12	59	28	
104	11200E-49350N	5	0.2	4.16	2	239	0.7	2	1.01	0.2	42	15	37	36	4.12	0.26	12	30	0.73	385	1	0.15	18	0.05	8	107	0.23	138	63	
105	49400	5	0.4	3.15	5	269	0.8	2	1.29	0.2	46	9	29	116	2.77	0.23	18	40	0.62	353	1	0.33	20	0.08	8	101	0.20	79	80	
108	49450	5	0.2	4.60	14	350	1.0	3	1.60	0.2	48	16	63	83	5.42	0.50	15	28	0.89	584	2	0.08	34	0.10	6	185	0.24	187	80	
107	49500	5	0.4	4.12	10	276	0.9	3	1.69	0.2	49	18	38	128	4.62	0.58	19	25	0.64	678	2	0.08	27	0.10	8	163	0.23	161	68	
108	11200E-49550N	30	0.4	3.82	11	246	0.8	3	1.55	0.2	51	17	41	101	4.29	0.49	18	24	0.90	598	2	0.07	23	0.07	8	157	0.23	143	68	
109	11200E-49600N	15	0.8	3.52	6	251	0.8	3	1.54	0.4	46	14	35	81	3.57	0.37	16	24	0.71	885	2	0.09	20	0.13	11	131	0.21	115	72	
110	49650	10	0.6	3.84	8	205	0.9	2	1.16	0.2	47	19	35	130	3.83	0.29	18	28	0.80	917	2	0.12	20	0.12	13	102	0.22	107	64	
111	49700	10	0.4	3.87	5	224	1.0	2	1.26	0.3	51	16	41	58	3.75	0.36	20	24	0.59	524	2	0.07	22	0.10	11	133	0.24	123	68	
112	49750	10	0.4	3.25	2	294	0.7	2	1.66	0.5	42	9	28	117	2.48	0.21	18	35	0.80	282	1	0.20	19	0.16	11	131	0.20	79	64	
113	11200E-49800N	5	0.2	2.31	4	253	0.6	2	0.89	0.4	29	6	18	94	1.20	0.12	11	20	0.31	117	1	0.55	23	0.11	12	61	0.15	37	83	

T.T. No.	SAMPLE No.	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cc ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-031 Pg. 4 of 9
114	11200E-49850N	5	0.2	0.71	9	281	0.5	2	3.40	2.0	32	4	11	102	0.54	0.08	11	5	0.27	115	2	0.04	14	0.18	12	112	0.04	38	30	
115	49900	5	0.2	3.39	4	247	0.7	2	1.27	0.3	47	12	36	50	3.40	0.28	17	16	0.56	272	1	0.10	21	0.08	12	130	0.28	103	57	
116	49950	5	0.2	2.85	4	184	0.8	2	1.05	0.2	42	12	50	35	3.33	0.28	16	13	0.57	318	1	0.10	19	0.07	10	130	0.32	118	55	
117	50000	5	0.2	3.00	5	182	0.6	2	1.27	0.3	44	12	50	35	3.28	0.30	15	15	0.57	386	1	0.11	16	0.05	11	170	0.27	121	49	
118	11200E-50050N	5	0.2	3.14	2	218	0.7	2	0.99	0.2	49	11	51	42	3.03	0.27	18	15	0.81	353	1	0.11	21	0.05	12	113	0.28	100	61	
119	11200E-50100N	5	0.2	2.84	6	178	0.6	2	1.04	0.2	39	11	50	31	3.05	0.24	15	14	0.55	330	1	0.11	18	0.05	10	120	0.29	101	50	
120	50150	5	0.2	2.78	6	158	0.6	2	0.89	0.4	36	9	42	31	2.71	0.19	12	14	0.48	269	1	0.14	17	0.04	8	101	0.24	85	48	
121	50200	5	0.2	3.21	4	183	0.9	2	1.24	0.4	45	13	47	45	3.31	0.31	20	16	0.58	386	2	0.12	19	0.08	5	170	0.29	127	54	
122	50250	5	0.2	4.22	2	395	1.1	2	1.48	0.2	48	12	40	77	3.89	0.28	25	21	0.68	412	1	0.09	27	0.07	5	141	0.26	109	63	
123	11200E-50300N	5	0.4	4.04	2	326	0.6	2	1.42	0.2	41	12	37	58	3.74	0.34	14	23	0.70	387	1	0.10	21	0.06	6	146	0.27	119	69	
124	11200E-50350N	5	0.2	3.92	2	324	0.8	2	1.52	0.2	44	12	44	59	3.95	0.36	17	21	0.70	392	1	0.08	22	0.07	6	158	0.29	130	66	
125	50400	5	0.2	3.70	2	266	0.7	2	1.42	0.3	39	12	38	39	3.52	0.30	12	23	0.58	438	1	0.11	18	0.05	9	140	0.26	109	105	
126	50450	75	0.2	3.02	3	157	0.5	2	1.16	0.2	37	12	57	34	3.73	0.29	13	14	0.48	356	1	0.10	16	0.08	7	183	0.30	137	90	
127	11200E-50600N	5	0.2	4.41	2	423	0.8	2	1.66	0.4	42	12	38	66	3.78	0.31	15	34	0.72	400	1	0.13	25	0.08	10	197	0.27	106	91	
128	11600E-50550N	5	0.8	2.15	6	351	0.9	2	3.74	0.8	39	7	22	155	1.80	0.19	28	11	0.48	249	3	0.07	28	0.14	7	167	0.09	52	48	
129	11600E-50600N	5	0.4	3.51	2	255	0.7	2	1.69	0.4	42	12	49	59	3.43	0.37	14	25	0.66	326	1	0.10	23	0.07	8	165	0.24	117	62	
130	50650	5	0.4	3.82	2	288	0.8	2	1.27	0.2	43	11	56	59	3.20	0.32	15	18	0.80	318	1	0.12	27	0.06	11	136	0.24	107	74	
131	50750	5	0.2	3.31	6	222	0.9	2	1.09	0.4	42	13	67	55	3.21	0.33	19	19	0.80	330	2	0.11	26	0.06	3	134	0.27	120	79	
132	50800	10	0.4	3.22	4	300	0.8	2	1.68	0.2	45	12	50	81	3.74	0.38	17	17	0.68	416	3	0.08	27	0.07	4	153	0.24	118	58	
133	11600E-50850N	5	0.6	3.07	2	354	0.9	2	1.68	0.6	44	9	32	207	2.80	0.24	18	25	0.82	247	2	0.24	31	0.12	8	116	0.20	71	71	
134	11600E-50950N	5	0.2	3.15	5	283	0.7	2	1.23	0.4	41	13	54	72	3.40	0.29	17	16	0.58	385	2	0.09	24	0.11	8	132	0.22	118	64	
135	51000	30	0.2	3.88	2	324	0.7	2	1.39	0.2	40	11	47	54	3.52	0.38	15	20	0.72	351	1	0.09	22	0.07	8	150	0.28	117	64	
136	51050	30	0.2	3.07	3	225	0.6	2	1.26	0.3	41	10	52	52	3.47	0.38	15	16	0.85	333	1	0.08	19	0.05	8	164	0.27	126	61	
137	51150	20	0.2	2.92	6	217	0.7	2	1.20	0.3	44	11	51	61	3.52	0.31	16	16	0.55	292	1	0.10	20	0.07	8	155	0.24	128	53	
138	11600E-51200N	15	0.2	2.90	6	185	0.6	4	1.37	0.3	47	12	56	53	3.55	0.38	16	15	0.85	377	1	0.08	19	0.06	12	179	0.24	134	50	
139	11600E-51250N	55	0.2	2.80	9	189	0.6	4	1.23	0.3	45	12	51	44	3.58	0.31	14	14	0.54	277	1	0.08	17	0.07	9	152	0.23	131	45	
140	11600E-51500N	40	0.4	2.89	9	212	0.7	2	0.57	0.3	35	15	46	56	3.14	0.25	12	19	0.43	381	2	0.14	24	0.14	11	82	0.19	94	77	
141	49400N-10050E	5	0.2	3.03	8	207	0.9	2	1.04	0.3	42	14	44	51	3.55	0.35	21	20	0.60	742	1	0.08	17	0.07	3	133	0.24	136	61	
142	10100	5	0.2	3.05	4	190	0.7	2	1.05	0.2	34	11	47	41	3.59	0.37	14	18	0.58	529	1	0.10	14	0.08	4	141	0.28	133	65	
143	49400N-10150E	5	0.4	3.20	2	163	0.6	2	0.91	0.2	30	12	41	36	3.66	0.37	11	19	0.56	614	1	0.10	13	0.10	5	132	0.25	130	65	
144	49400N-10250E	15	0.4	4.35	9	301	0.8	2	1.17	0.2	40	16	39	117	4.00	0.52	15	24	0.78	768	2	0.08	20	0.08	7	106	0.20	130	73	
145	10300	5	0.2	2.68	3	234	0.6	2	0.79	0.2	28	12	32	37	2.78	0.29	10	18	0.45	1107	2	0.12	15	0.12	5	85	0.20	90	63	
146	10350	5	0.2	3.10	2	190	0.7	2	1.06	0.2	40	12	42	47	3.40	0.35	15	16	0.62	626	2	0.09	14	0.08	6	139	0.25	130	59	
147	10450	5	0.2	3.08	5	181	0.6	2	0.93	0.2	34	12	36	41	3.15	0.33	13	19	0.57	597	2	0.09	14	0.07	7	134	0.24	121	58	
148	49400N-10500E	5	0.2	3.64	2	407	0.8	2	1.30	0.2	42	11	27	64	2.84	0.21	14	25	0.68	320	1	0.18	16	0.05	15	107	0.21	89	47	
149	49400N-10550E	5	0.2	3.17	4	211	0.7	2	0.85	0.2	42	12	48	62	3.11	0.29	17	21	0.69	607	1	0.14	19	0.08	9	97	0.23	108	61	
152	10650	5	0.2	3.03	7	161	0.6	2	0.77	0.2	31	11	43	27	3.36	0.32	10	18	0.52	310	1	0.12	15	0.06	7	108	0.25	121	59	
153	10700	5	0.2	3.03	6	182	0.6	2	0.84	0.2	32	12	34	37	3.28	0.30	11	17	0.58	454	1	0.14	15	0.07	10	109	0.24	118	69	
154	10750	5	0.4	4.66	7	358	1.2	2	1.34	0.2	59	12	28	155	3.47	0.34	38	23	0.89	684	1	0.05	28	0.11	9	69	0.14	98	91	
155	49400N-10850E	5	0.2	2.59	4	139	0.5	2	0.97	0.2	35	10	44	29	3.30	0.29	12	13	0.53	304	1	0.11	14	0.06	6	141	0.28	127	59	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Si ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-031 Pg. 5 of 9
156	49400N-10900E	5	0.2	3.16	2	179	0.5	2	0.95	0.2	33	12	60	35	3.66	0.36	11	18	0.61	336	1	0.12	17	0.08	5	152	0.28	141	72	
157	10950	5	0.2	3.15	3	184	0.8	2	0.92	0.2	33	13	46	34	3.41	0.36	10	19	0.55	734	1	0.13	16	0.11	3	145	0.24	130	73	
158	11050	5	0.2	3.33	2	158	0.7	2	0.51	0.2	27	13	28	52	3.13	0.16	8	18	0.48	929	1	0.26	15	0.16	5	51	0.23	88	66	
159	11100	5	0.4	4.22	86	244	0.7	2	0.82	0.2	34	24	33	69	4.52	0.47	8	29	0.77	1103	1	0.14	19	0.08	4	73	0.19	154	82	
160	49400N-11150E	5	0.2	3.24	10	135	0.6	2	1.10	0.5	37	15	47	50	3.95	0.35	10	21	0.65	487	1	0.09	17	0.05	4	147	0.24	147	58	
161	49400N-11250E	5	0.2	3.88	12	272	1.1	2	1.78	0.5	56	17	36	98	3.76	0.27	24	40	0.73	881	2	0.11	24	0.05	14	147	0.24	126	67	
162	11300	20	0.4	4.13	2	301	1.0	2	1.46	0.2	52	19	39	67	4.40	0.44	18	22	0.81	872	2	0.09	23	0.08	11	168	0.27	157	81	
163	11350	10	0.4	4.31	3	285	1.0	2	1.60	0.2	53	20	45	108	4.90	0.80	22	19	0.97	789	3	0.07	32	0.11	15	198	0.28	176	71	
164	11450	5	0.2	3.64	3	212	0.7	2	1.05	0.2	39	13	41	38	3.81	0.21	13	24	0.61	291	4	0.16	21	0.04	7	128	0.29	123	57	
165	49400N-11600E	5	0.4	3.84	9	248	0.9	2	1.19	0.2	43	11	27	71	3.03	0.16	16	21	0.61	452	3	0.24	27	0.04	10	98	0.24	84	56	
166	49400N-11650E	5	1.0	3.35	4	316	1.1	2	1.37	0.2	40	11	28	188	3.21	0.24	17	27	0.82	340	3	0.20	32	0.08	10	111	0.23	87	56	
167	11650	5	0.4	3.60	4	241	0.8	2	1.36	0.2	43	10	27	69	3.04	0.17	14	37	0.52	294	4	0.20	24	0.05	7	104	0.24	81	51	
168	11700	5	1.0	3.73	5	275	0.8	2	1.19	0.6	39	13	29	99	3.06	0.20	14	34	0.58	587	7	0.20	33	0.04	8	103	0.23	88	58	
169	11750	5	0.8	4.59	5	322	1.0	2	1.31	0.3	47	14	40	114	3.88	0.28	19	40	0.88	485	10	0.12	41	0.05	8	110	0.24	108	62	
170	49400N-11850E	10	0.6	3.86	2	258	0.8	2	1.68	0.3	45	13	46	101	3.57	0.28	15	26	0.87	516	10	0.11	31	0.07	11	131	0.24	110	63	
171	49400N-11900E	5	0.6	3.52	9	247	1.0	2	1.52	0.3	50	17	34	74	3.51	0.30	20	28	0.89	1037	16	0.09	25	0.05	9	129	0.23	113	57	
172	11950	5	1.4	3.84	2	338	1.0	2	1.84	0.2	48	14	33	264	3.40	0.26	21	33	0.81	657	10	0.10	29	0.06	8	126	0.23	103	53	
173	12050	5	0.4	4.65	10	305	1.1	2	0.76	0.2	46	21	41	95	4.50	0.51	17	25	0.61	1211	6	0.08	29	0.16	12	103	0.31	138	110	
174	12100	5	0.2	4.45	14	277	1.0	2	0.77	0.3	43	19	35	76	4.18	0.81	16	25	0.63	1008	4	0.08	24	0.15	7	98	0.26	127	114	
175	49400N-12150E	15	0.4	3.83	8	246	0.8	2	0.96	0.2	37	18	42	77	4.05	0.41	13	19	0.65	906	3	0.09	24	0.11	7	134	0.27	140	78	
176	49400N-12250E	5	2.6	6.58	4	522	1.5	3	1.20	0.4	57	21	35	299	4.76	0.49	23	28	0.97	1142	10	0.07	53	0.12	8	91	0.20	128	103	
177	12300	5	0.2	3.08	7	177	0.6	2	1.21	0.2	37	14	47	47	3.72	0.37	13	14	0.67	578	2	0.10	17	0.09	6	167	0.28	146	87	
178	12350	30	0.4	3.06	2	152	0.6	2	1.17	0.2	38	14	52	84	3.89	0.38	13	17	0.59	381	4	0.10	18	0.08	7	161	0.27	145	53	
179	12450	25	0.4	3.71	2	231	0.7	2	1.09	0.2	40	16	54	116	3.51	0.37	14	19	0.70	556	3	0.10	23	0.06	7	161	0.24	133	52	
180	49400N-12500E	5	0.6	3.14	4	209	0.7	2	1.08	0.2	43	12	58	70	3.28	0.35	14	15	0.61	517	1	0.09	21	0.05	7	148	0.22	128	52	
181	49400N-12550E	30	0.2	2.45	12	131	0.7	2	1.04	0.2	40	12	52	39	3.18	0.30	16	12	0.47	299	2	0.08	16	0.06	4	157	0.23	131	49	
182	12650	10	0.4	3.17	11	253	0.8	2	1.03	0.2	42	13	44	84	3.12	0.38	17	18	0.66	467	3	0.10	21	0.06	6	135	0.23	126	67	
183	12700	5	0.2	2.68	10	128	0.8	2	1.17	0.2	37	14	47	41	3.47	0.38	13	14	0.55	481	3	0.09	15	0.07	6	167	0.27	144	49	
184	12750	5	0.2	2.84	13	201	0.6	2	1.06	0.2	36	14	42	54	3.37	0.37	13	19	0.57	331	6	0.10	16	0.05	6	136	0.24	135	50	
185	49400N-12850E	5	0.2	3.25	14	184	0.6	2	0.81	0.2	33	14	45	59	3.54	0.34	12	21	0.50	287	5	0.15	18	0.08	6	114	0.25	125	68	
186	49400N-12900E	5	0.2	3.37	19	182	0.7	2	0.93	0.2	34	18	41	56	3.91	0.35	12	21	0.57	631	9	0.13	16	0.12	8	121	0.25	142	86	
187	12950	35	0.4	3.31	10	209	0.7	2	0.94	0.4	35	15	37	62	3.78	0.30	12	19	0.57	306	12	0.13	17	0.07	11	127	0.26	140	84	
188	13050	5	1.6	7.19	12	645	1.8	2	1.01	0.5	56	19	33	477	5.46	0.45	25	33	1.05	506	19	0.08	58	0.11	11	89	0.19	124	107	
189	13100	5	1.4	4.33	11	403	1.2	2	1.14	0.6	37	16	35	172	4.21	0.24	13	24	0.70	715	17	0.13	34	0.16	9	98	0.22	109	120	
190	49400N-13150E	5	1.4	2.05	14	317	0.7	2	1.98	1.3	38	12	24	160	3.03	0.13	12	12	0.42	1160	29	0.04	21	0.19	8	114	0.09	83	69	
191	49400N-13250E	5	0.2	2.74	9	144	0.7	2	0.89	0.2	37	12	43	55	2.78	0.26	15	17	0.52	278	4	0.14	16	0.06	6	123	0.23	113	62	
192	13300	15	0.4	3.12	7	214	0.7	2	1.10	0.2	39	12	50	72	3.17	0.33	14	17	0.69	538	6	0.10	20	0.06	6	148	0.26	126	57	
193	13350	10	0.2	3.01	2	199	0.6	2	0.90	0.2	33	11	34	72	2.70	0.31	12	18	0.64	320	6	0.18	19	0.04	9	110	0.23	100	64	
194	13450	10	1.8	6.29	5	477	1.5	2	1.05	0.2	41	21	40	246	4.70	0.47	16	20	1.18	587	19	0.08	59	0.08	3	112	0.20	110	74	
195	49400N-13500E	25	0.2	2.70	7	154	0.5	2	1.33	0.2	40	10	55	48	3.01	0.39	16	12	0.73	377	13	0.06	18	0.05	6	183	0.29	127	48	

T.T. No.	SAMPLE No.	Al	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sr	Tl	V	Zn	9011-031 Pg. 6 of 6
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	
196	49400N-13550E	25	0.2	2.55	5	170	0.5	2	1.13	0.2	37	12	61	44	3.00	0.31	14	14	0.81	399	8	0.11	17	0.05	6	162	0.24	126	48	
197	13650	25	0.2	3.01	7	177	0.5	2	1.19	0.2	40	12	68	57	3.50	0.42	15	15	0.71	387	5	0.08	20	0.07	8	168	0.26	149	51	
198	13700	30	0.2	2.96	5	212	0.6	2	1.07	0.2	38	14	54	57	3.52	0.39	13	15	0.65	710	4	0.09	21	0.09	6	134	0.24	133	67	
199	13750	15	0.2	4.11	7	198	0.8	2	0.92	0.2	37	17	53	64	4.07	0.34	12	18	0.67	1087	5	0.10	26	0.12	7	116	0.25	141	94	
201	49400N-13850E	10	0.4	2.89	9	175	0.8	2	0.94	0.2	37	14	84	52	3.54	0.34	15	19	0.76	316	8	0.15	26	0.07	7	132	0.26	135	59	
202	49400N-13900E	10	0.2	2.87	8	183	0.6	2	0.75	0.2	30	16	43	53	3.23	0.27	11	17	0.49	1716	6	0.12	21	0.09	7	91	0.22	111	103	
203	13950	5	0.8	2.64	13	148	0.6	2	0.74	0.2	31	14	43	48	3.31	0.27	11	16	0.51	294	7	0.14	19	0.10	8	98	0.22	120	65	
204	14050	10	0.4	2.51	7	135	0.5	2	0.90	0.2	33	10	44	44	3.03	0.32	12	14	0.47	253	10	0.13	15	0.07	9	124	0.22	118	47	
205	14100	5	0.2	0.97	5	20	0.2	2	2.17	0.2	18	2	3	7	0.10	0.05	3	2	0.12	28	28	0.02	2	0.06	2	63	0.01	6	28	
206	49400N-14150E	75	0.4	2.43	7	132	0.8	2	0.73	0.2	31	10	44	35	2.77	0.29	11	14	0.41	207	7	0.14	16	0.06	10	93	0.20	103	63	
207	49400N-14250E	5	0.6	2.15	5	105	0.5	2	0.52	0.2	30	7	38	25	2.46	0.30	11	11	0.32	183	7	0.13	12	0.06	9	71	0.19	87	70	
208	14300	10	0.6	2.14	4	185	0.6	2	0.46	0.2	28	9	35	25	2.50	0.26	11	14	0.27	367	6	0.16	13	0.11	9	57	0.18	77	98	
209	49400N-14350E	15	1.0	2.82	6	371	0.8	2	0.67	0.2	44	11	38	86	2.81	0.26	25	16	0.35	328	32	0.11	18	0.03	12	81	0.17	88	57	
210	50000N-10050E	5	0.2	4.46	7	170	0.8	2	0.69	0.2	28	14	34	62	3.93	0.35	10	24	0.87	501	1	0.09	18	0.08	5	110	0.21	143	81	
211	50000N-10100E	5	0.2	3.63	11	188	0.8	2	0.69	0.2	31	13	33	41	3.54	0.36	13	23	0.50	428	2	0.15	15	0.14	4	114	0.25	128	78	
212	50000N-10150E	5	0.2	3.66	9	188	0.7	2	1.12	0.2	40	14	41	51	3.99	0.45	14	23	0.87	359	1	0.07	16	0.07	4	193	0.26	150	64	
213	10250	5	0.2	4.04	5	201	0.7	2	0.85	0.2	35	15	39	44	4.21	0.32	12	22	0.65	451	1	0.11	20	0.12	2	148	0.27	149	89	
214	10300	5	0.2	2.92	5	164	0.5	2	0.89	0.2	33	13	37	32	3.59	0.40	11	16	0.53	465	1	0.11	14	0.07	2	134	0.25	132	63	
215	10350	5	0.2	0.75	10	150	0.3	2	2.88	0.2	20	3	9	43	1.18	0.08	4	5	0.20	115	2	0.02	7	0.11	6	73	0.03	33	37	
216	50000N-10450E	5	0.2	3.44	9	225	0.7	2	1.80	0.2	40	12	31	61	3.24	0.24	14	19	0.55	312	1	0.10	16	0.05	4	135	0.22	113	49	
217	50000N-10500E	5	0.2	3.19	7	172	0.8	2	0.99	0.2	34	13	43	39	3.63	0.30	12	17	0.61	567	1	0.12	15	0.06	4	129	0.27	134	70	
218	10550	5	0.2	4.18	9	188	0.7	2	0.63	0.2	30	14	37	35	3.73	0.24	11	21	0.54	730	1	0.16	18	0.13	6	96	0.25	122	89	
219	10850	55	0.2	3.72	5	172	0.7	2	1.00	0.2	35	15	46	50	3.92	0.31	12	20	0.66	897	1	0.12	18	0.16	3	148	0.25	142	85	
220	10700	5	0.2	3.64	6	218	0.7	2	1.07	0.2	42	11	47	44	3.21	0.36	15	23	0.61	431	1	0.13	18	0.06	6	152	0.24	116	75	
221	50000N-10750E	5	0.2	3.38	4	194	0.8	2	1.21	0.2	43	17	46	50	4.21	0.39	17	23	0.63	407	2	0.07	18	0.08	9	192	0.25	165	61	
222	50000N-10850E	10	0.2	3.63	3	255	0.7	2	1.32	0.2	41	14	40	57	3.08	0.24	14	24	0.51	302	1	0.13	17	0.06	9	123	0.22	119	67	
223	10900	5	0.2	3.22	3	164	0.6	2	1.08	0.2	41	14	48	40	3.80	0.34	15	19	0.52	417	1	0.12	18	0.07	9	162	0.27	143	61	
224	10950	5	0.2	3.11	6	190	0.6	2	0.88	0.2	34	14	44	39	3.63	0.27	11	19	0.47	664	2	0.13	17	0.13	10	129	0.24	129	82	
225	11050	5	0.6	3.52	6	538	0.8	2	3.22	0.4	28	10	23	156	2.83	0.28	11	22	0.80	259	2	0.07	25	0.18	7	128	0.13	80	59	
226	50000N-11100E	5	0.2	2.67	5	431	0.8	2	2.01	0.2	37	8	18	90	1.74	0.15	14	23	0.43	148	1	0.21	19	0.12	14	99	0.15	63	40	
227	50000N-11150E	5	0.2	3.92	2	265	0.8	2	1.37	0.2	41	12	35	66	3.43	0.33	15	19	0.65	315	1	0.11	21	0.08	10	143	0.29	110	58	
228	11250	5	0.2	2.78	2	187	0.8	2	0.94	0.2	40	10	47	30	3.03	0.24	15	12	0.54	341	1	0.12	19	0.05	3	112	0.32	102	51	
229	11300	5	0.2	3.77	3	264	0.7	2	1.18	0.2	38	11	34	52	2.96	0.29	14	22	0.58	366	1	0.10	23	0.12	7	110	0.22	86	78	
230	11350	5	0.4	3.32	7	256	0.8	2	1.99	0.3	44	15	42	73	3.45	0.38	16	20	0.82	987	3	0.07	21	0.12	8	163	0.22	113	64	
231	50000N-11450E	5	0.4	3.47	7	248	1.1	2	1.27	0.2	43	11	37	73	2.98	0.23	19	44	0.56	300	3	0.18	25	0.07	14	114	0.23	87	60	
232	50000N-11500E	5	0.6	2.14	6	262	0.9	2	3.02	0.4	33	8	20	125	1.96	0.13	18	19	0.44	422	3	0.08	26	0.09	13	138	0.11	60	38	
233	11550	5	0.2	3.81	8	260	0.9	2	1.41	0.2	42	12	38	85	3.43	0.31	18	19	0.65	417	2	0.09	29	0.06	12	126	0.23	112	56	
234	11850	5	0.2	3.34	6	231	0.7	2	1.11	0.2	39	14	45	57	3.51	0.31	14	17	0.58	488	2	0.08	24	0.05	13	136	0.26	126	68	
235	11700	5	0.2	3.82	6	248	0.8	2	1.10	0.2	35	12	39	55	3.41	0.26	13	24	0.61	475	2	0.11	27	0.05	9	109	0.24	107	62	
236	50000N-11750E	5	0.4	1.33	7	150	0.5	2	3.87	0.7	17	5	14	60	1.20	0.12	6	9	0.42	215	3	0.03	16	0.10	14	147	0.04	20	34	

T.T. No.	SAMPLE No.	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-03 Pg. 7 of 9
237	50000N-11850E	5	0.2	3.44	5	228	0.7	2	1.03	0.2	37	12	50	53	3.44	0.34	15	18	0.60	395	1	0.09	25	0.04	8	129	0.23	120	54	
238	11900	5	0.2	3.03	2	257	0.7	2	1.05	0.2	38	15	47	47	3.39	0.33	14	18	0.52	632	1	0.09	24	0.06	10	135	0.24	119	67	
239	11950	5	0.4	4.30	3	335	1.1	2	1.55	0.2	48	17	47	104	4.05	0.37	18	24	0.74	1047	2	0.07	34	0.07	12	136	0.24	126	94	
240	12050	5	0.8	6.79	5	439	1.3	3	1.22	0.3	44	15	41	185	4.34	0.50	18	27	0.81	619	1	0.05	49	0.12	10	97	0.18	115	146	
241	50000N-12100E	5	0.4	3.98	10	188	1.0	2	0.98	0.2	43	17	51	58	4.27	0.37	19	20	0.62	479	2	0.08	25	0.12	8	159	0.27	157	81	
242	50000N-12150E	5	0.2	3.91	16	218	0.8	2	1.10	0.2	40	18	52	61	4.14	0.39	13	42	0.60	1177	2	0.09	21	0.15	9	147	0.24	146	102	
243	12250	5	0.4	3.42	3	213	0.7	2	0.91	0.2	37	14	45	47	3.82	0.30	12	18	0.53	511	2	0.11	20	0.13	9	139	0.25	126	81	
244	12300	5	0.2	3.67	4	221	0.7	2	1.03	0.2	38	16	44	57	3.86	0.33	13	19	0.62	988	2	0.09	22	0.11	8	148	0.26	144	88	
245	12350	5	0.2	3.45	4	215	0.7	2	1.11	0.2	39	16	50	62	4.00	0.35	13	22	0.58	680	2	0.09	19	0.09	6	159	0.25	152	73	
246	50000N-12450E	15	0.2	3.45	19	188	0.7	2	0.81	0.2	36	16	38	63	3.91	0.40	12	23	0.54	744	5	0.10	18	0.09	9	112	0.22	137	101	
247	50000N-12500E	10	0.2	3.60	12	248	0.7	2	0.71	0.2	34	15	35	72	4.01	0.50	12	32	0.49	690	3	0.09	17	0.10	4	101	0.20	137	93	
248	12550	5	0.4	3.50	7	200	0.7	2	0.66	0.2	34	17	41	58	3.73	0.29	11	26	0.48	490	3	0.16	19	0.07	8	83	0.24	119	111	
249	12650	10	1.0	4.10	5	273	0.9	2	0.91	0.2	40	15	35	211	3.62	0.32	20	27	0.67	587	4	0.12	28	0.07	8	79	0.17	109	74	
251	12700	20	0.4	2.93	10	148	0.7	2	0.97	0.2	39	13	40	71	3.01	0.24	17	19	0.53	291	3	0.13	17	0.04	9	121	0.24	120	51	
252	50000N-12750E	15	0.2	2.83	7	133	0.5	2	0.96	0.2	34	12	37	55	3.12	0.25	11	18	0.53	300	2	0.14	14	0.05	7	122	0.24	124	48	
253	50000N-12850E	5	0.4	2.97	3	114	0.5	2	0.80	0.2	27	12	25	65	2.70	0.13	8	25	0.38	225	3	0.20	24	0.05	9	82	0.21	78	60	
254	12900	5	0.8	3.68	7	208	0.9	2	0.88	0.2	35	17	22	225	3.04	0.15	13	36	0.48	212	4	0.22	36	0.04	9	63	0.22	71	55	
255	12950	5	1.0	2.91	2	210	0.5	2	0.91	0.2	29	9	18	67	2.09	0.13	8	47	0.39	185	3	0.29	18	0.04	10	87	0.20	55	56	
256	13050	15	0.6	2.93	5	152	0.6	2	1.29	0.2	40	13	44	53	3.53	0.34	14	14	0.57	350	6	0.10	16	0.09	10	179	0.28	148	53	
257	50000N-13100E	5	0.4	3.68	2	253	0.8	2	1.10	0.2	41	15	37	200	3.69	0.28	16	23	0.63	305	12	0.11	29	0.05	9	124	0.26	122	64	
258	50000N-13150E	5	0.4	2.74	5	113	0.5	2	0.89	0.2	33	11	43	49	3.27	0.23	12	15	0.45	233	6	0.14	15	0.10	8	126	0.26	126	54	
259	13250	5	1.2	1.52	7	310	0.8	2	2.78	0.2	42	4	17	237	1.11	0.08	20	7	0.34	56	5	0.03	19	0.19	10	151	0.04	28	31	
260	13300	5	0.6	4.04	2	367	0.9	2	0.86	0.2	38	13	32	134	2.81	0.19	14	33	0.52	178	8	0.21	34	0.06	9	84	0.21	79	49	
261	13350	5	1.0	0.92	13	305	0.8	2	3.01	0.6	33	7	15	108	0.78	0.07	16	8	0.34	276	7	0.03	16	0.18	12	162	0.04	26	39	
262	50000N-13450E	5	1.6	0.34	6	233	0.4	2	2.62	0.3	27	2	5	177	0.46	0.05	9	2	0.27	41	13	0.02	9	0.09	12	146	0.01	29	26	
263	50000N-13500E	5	1.2	3.99	6	437	1.0	2	1.28	0.2	46	15	32	267	3.40	0.29	18	28	0.63	412	18	0.08	31	0.08	10	104	0.15	99	49	
264	13550	5	0.6	1.94	5	348	0.8	2	1.95	0.5	39	4	17	377	0.96	0.08	15	9	0.25	69	5	0.18	19	0.11	13	82	0.10	38	18	
265	13650	5	2.4	3.54	5	457	1.0	2	1.54	0.2	48	16	29	225	2.97	0.18	16	26	0.55	413	20	0.14	29	0.09	10	105	0.20	82	48	
266	13700	5	1.2	3.44	2	129	0.8	24	0.66	0.2	31	13	37	88	3.88	0.21	11	23	0.41	328	47	0.17	17	0.19	29	123	0.23	107	117	
267	50000N-13750E	5	0.2	2.67	6	180	0.6	2	0.96	0.2	40	10	53	40	3.27	0.32	15	15	0.45	301	10	0.08	14	0.10	9	133	0.22	130	48	
268	50000N-13850E	5	0.8	2.45	2	118	0.5	2	0.82	0.2	32	12	42	55	3.22	0.24	11	15	0.51	234	21	0.09	14	0.05	10	118	0.22	127	60	
269	13900	5	0.4	1.85	3	91	0.4	2	0.48	0.2	24	7	33	31	2.36	0.18	9	13	0.26	159	16	0.17	9	0.06	13	64	0.19	83	65	
270	13950	20	0.2	2.54	2	143	0.6	3	0.59	0.2	31	10	39	36	2.86	0.27	12	14	0.40	249	14	0.10	14	0.08	11	81	0.18	89	90	
271	14050	5	0.4	1.35	5	79	0.5	2	0.26	0.2	27	6	22	11	0.89	0.18	13	12	0.12	83	9	0.21	7	0.02	10	34	0.13	43	28	
272	50000N-14100E	5	0.6	2.48	8	181	0.6	2	0.61	0.2	35	11	39	28	2.78	0.34	14	13	0.37	390	5	0.08	15	0.08	12	85	0.19	103	68	
273	50000N-14150E	5	1.2	2.45	8	309	0.7	8	1.60	1.5	46	9	25	39	2.23	0.24	16	23	0.39	855	46	0.09	13	0.09	14	103	0.15	65	93	
274	14250	5	1.8	3.51	2	279	1.4	11	0.29	0.2	46	9	22	64	2.88	0.15	23	30	0.27	513	78	0.18	23	0.08	13	31	0.19	54	183	
275	14300	5	0.2	0.92	3	58	0.2	2	0.15	0.2	14	2	15	6	0.84	0.09	5	8	0.08	69	6	0.23	4	0.02	8	17	0.14	32	39	
276	50000N-14350E	5	0.8	2.38	6	153	0.6	3	0.78	0.2	37	11	44	52	3.32	0.36	14	11	0.53	253	15	0.08	15	0.07	10	103	0.21	126	45	
277	50500N-10060E	5	0.4	3.42	4	231	0.7	2	0.84	0.2	40	12	51	47	3.29	0.35	14	21	0.81	778	1	0.16	20	0.07	6	111	0.24	116	74	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Tl %	V ppm	Zn ppm	9011-031 Pg. 8 of 9
278	50500N-10100E	5	0.2	3.28	4	193	0.6	2	0.87	0.2	37	12	51	41	3.39	0.33	12	20	0.54	340	1	0.13	20	0.08	3	123	0.23	123	71	
279	10150	5	0.2	3.02	8	160	0.6	2	0.90	0.2	37	13	44	34	3.56	0.42	11	18	0.59	390	1	0.08	18	0.08	5	132	0.23	131	59	
280	10250	5	0.2	2.74	8	148	0.5	2	0.83	0.2	34	11	44	26	3.16	0.30	10	15	0.46	849	1	0.10	14	0.07	5	119	0.22	113	62	
281	10300	6	0.4	2.63	8	178	0.8	2	0.85	0.2	38	13	43	33	2.95	0.29	18	17	0.46	692	2	0.09	15	0.07	2	123	0.22	114	67	
282	50500N-10350E	5	0.4	3.73	5	302	0.8	2	0.98	0.2	45	15	33	65	3.38	0.33	19	25	0.63	697	2	0.09	21	0.08	3	106	0.19	119	85	
283	50500N-10450E	5	0.4	2.97	2	200	0.6	2	0.92	0.2	38	10	42	35	2.99	0.27	13	18	0.48	443	1	0.12	16	0.05	2	149	0.23	112	59	
284	10500	5	0.2	3.68	2	283	0.7	2	1.06	0.2	42	11	38	62	3.31	0.40	18	24	0.64	487	1	0.08	22	0.05	3	140	0.21	119	69	
285	10550	5	0.4	3.38	2	249	0.7	2	0.92	0.2	41	11	37	48	3.21	0.33	15	23	0.58	498	1	0.09	19	0.05	5	120	0.22	112	61	
286	10850	5	0.4	3.00	2	202	0.5	2	0.81	0.2	35	9	34	42	2.75	0.29	12	22	0.47	293	1	0.14	18	0.04	10	101	0.22	95	55	
287	50500N-10700E	5	0.4	2.93	4	160	0.5	2	1.11	0.2	37	10	48	34	3.37	0.30	11	16	0.48	337	1	0.08	15	0.08	4	167	0.25	131	69	
288	50500N-10750E	30	0.4	3.08	2	218	0.5	2	1.18	0.2	37	11	40	33	3.30	0.26	12	19	0.47	273	1	0.10	15	0.06	8	169	0.24	126	52	
289	10850	5	0.4	3.54	2	251	0.7	2	1.08	0.2	40	14	48	42	3.73	0.27	12	19	0.50	475	1	0.10	18	0.08	8	152	0.23	136	63	
290	10900	40	0.6	4.23	5	376	0.9	2	1.53	0.2	49	13	50	82	4.31	0.41	17	23	0.76	501	1	0.08	23	0.08	8	181	0.24	144	63	
291	10950	5	0.2	4.89	6	469	1.3	3	1.69	0.2	82	17	41	95	4.46	0.34	28	29	0.70	479	1	0.11	29	0.06	2	191	0.29	146	80	
292	50500N-11050E	5	0.2	3.54	4	281	0.8	2	1.63	0.2	47	12	38	58	4.05	0.43	18	15	0.78	415	1	0.08	19	0.07	3	193	0.25	138	60	
293	50500N-11100E	5	0.2	0.82	10	460	0.5	2	3.85	0.8	26	4	12	87	1.05	0.08	7	8	0.27	188	4	0.03	12	0.12	7	174	0.04	46	36	
294	11150	5	0.2	4.41	2	478	1.1	2	1.38	0.2	47	11	27	123	3.15	0.23	19	29	0.61	233	1	0.14	27	0.07	2	121	0.25	93	70	
295	11300	5	0.2	3.74	2	318	0.8	2	0.89	0.2	40	10	30	72	3.13	0.26	16	24	0.58	299	3	0.16	26	0.05	6	108	0.24	92	58	
296	11350	5	0.4	4.66	2	428	1.2	2	1.24	0.2	55	13	33	145	3.98	0.40	26	22	0.61	420	2	0.08	37	0.08	4	124	0.21	110	70	
297	50500N-11450E	5	0.2	3.16	2	188	0.6	2	1.23	0.2	44	10	48	40	3.16	0.33	15	15	0.54	338	1	0.09	18	0.05	5	173	0.27	122	67	
298	50500N-11500E	5	0.2	3.64	3	225	0.7	2	1.31	0.2	47	11	48	58	3.49	0.36	17	16	0.64	372	1	0.11	23	0.05	4	165	0.27	129	63	
299	11550	5	0.2	3.20	2	197	0.7	2	1.17	0.2	45	13	69	51	3.27	0.33	15	14	0.58	389	1	0.08	20	0.07	3	161	0.27	124	62	
302	11650	5	0.2	0.53	12	255	0.4	2	4.63	0.6	15	3	11	67	0.57	0.06	6	4	0.30	68	5	0.02	12	0.12	4	180	0.02	28	46	
303	11700	5	0.2	3.35	4	213	0.8	2	1.28	0.2	43	11	47	68	3.29	0.30	15	15	0.56	388	1	0.12	24	0.06	5	133	0.25	112	62	
304	50500N-11750E	30	0.2	3.78	6	223	0.6	2	1.46	0.2	47	13	64	60	3.99	0.34	18	17	0.69	419	1	0.11	25	0.06	4	195	0.33	149	73	
305	50500N-11850E	5	0.2	4.06	8	287	0.9	2	1.01	0.2	50	13	48	78	3.82	0.38	19	17	0.67	723	1	0.11	28	0.11	2	133	0.24	124	76	
306	11900	40	0.2	2.78	5	184	0.6	2	1.17	0.2	42	12	51	39	3.39	0.30	14	13	0.52	558	1	0.08	18	0.06	4	168	0.27	127	53	
307	11950	5	0.2	3.15	4	191	0.6	2	1.18	0.2	42	12	53	45	3.65	0.33	14	14	0.56	578	1	0.09	18	0.07	2	169	0.27	135	58	
308	12050	5	0.2	3.03	4	146	0.6	2	0.99	0.2	35	12	56	39	3.61	0.31	12	14	0.48	372	1	0.10	18	0.10	3	142	0.25	128	66	
309	50500N-12100E	5	1.6	4.64	8	272	0.9	3	1.35	0.6	47	15	46	288	4.43	0.39	17	30	0.71	732	1	0.07	31	0.06	2	126	0.22	126	101	
310	50500N-12150E	5	0.2	3.45	6	175	0.6	2	1.06	0.2	40	13	45	50	3.60	0.25	12	22	0.55	482	1	0.08	18	0.06	2	121	0.21	118	64	
311	12250	25	0.4	3.85	13	195	1.0	2	0.77	0.6	37	18	46	90	3.81	0.30	18	21	0.58	635	3	0.09	21	0.11	2	108	0.21	128	105	
312	12300	5	0.2	3.85	5	152	0.7	2	0.68	0.3	33	14	46	64	3.58	0.24	11	21	0.50	282	1	0.11	20	0.05	2	94	0.23	123	82	
313	12350	5	0.6	4.32	18	143	0.7	2	0.60	0.2	30	14	42	80	4.22	0.27	10	25	0.54	391	2	0.09	22	0.08	10	90	0.24	140	98	
314	50500N-12450E	5	0.4	3.85	4	160	0.8	2	1.07	0.3	40	17	38	278	3.84	0.25	13	22	0.83	731	2	0.09	24	0.06	7	98	0.24	135	62	
315	50500N-12500E	5	0.2	3.83	5	145	0.7	2	0.89	0.3	29	17	33	108	4.04	0.22	10	19	0.62	500	2	0.13	20	0.13	6	81	0.24	135	67	
316	12550	5	0.4	3.80	8	163	0.7	2	0.81	0.4	33	15	38	111	3.88	0.22	11	22	0.54	390	2	0.09	20	0.06	2	88	0.23	118	70	
317	12650	5	0.6	2.83	8	133	0.6	2	0.83	0.2	31	14	35	74	3.09	0.19	11	17	0.43	299	2	0.12	17	0.13	2	98	0.22	99	73	
318	12700	10	0.2	3.52	2	167	0.6	3	1.13	0.4	39	12	41	115	3.44	0.16	13	19	0.54	412	3	0.09	20	0.05	11	126	0.24	119	59	
319	50500N-12750E	20	0.6	3.38	33	142	0.7	2	0.74	0.3	32	16	38	87	3.71	0.23	10	18	0.49	349	4	0.12	20	0.08	9	99	0.23	120	71	

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Ba ppm	Si ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm	9011-031 Pg. 9 of 9
320	50500N-12800E	10	0.2	3.95	5	148	0.7	2	0.86	0.4	35	15	44	98	3.87	0.24	12	16	0.57	442	3	0.08	22	0.09	2	125	0.24	134	72	
321	12900	15	0.4	3.60	4	168	0.9	2	1.22	0.7	41	14	38	394	3.09	0.20	17	34	0.65	292	5	0.10	28	0.05	8	110	0.24	101	80	
322	12950	5	0.2	0.19	8	102	0.2	2	4.13	1.3	15	2	5	124	0.16	0.05	3	2	0.18	66	23	0.02	8	0.08	8	143	0.01	10	42	
323	13050	10	0.2	3.39	4	187	0.7	2	1.16	0.3	42	11	55	72	3.28	0.31	15	16	0.63	308	6	0.12	21	0.08	13	153	0.23	124	55	
324	50500N-13100E	15	0.2	3.63	4	192	0.7	2	1.25	0.3	44	13	77	67	3.88	0.35	15	17	0.68	362	5	0.09	23	0.10	4	176	0.26	150	62	
325	50500N-13150E	10	0.2	2.82	4	176	0.6	2	1.03	0.4	38	10	50	53	2.76	0.28	12	18	0.57	366	6	0.10	19	0.05	8	129	0.22	108	52	

APPENDIX III
ROCK SAMPLE DESCRIPTIONS

APPENDIX IV
SOIL PROFILE SURVEY

SOIL PROFILE #1 @ L140+00E 494+75N

DEPTH (cm)	HORIZON	DESCRIPTION	SAMPLE #	Au ppb	Ag ppm	Cu ppm	Mo ppm	Pb ppm	Zn ppm
0	A ₀	Dark black humus, moss, forest litter and roots.	149051	5	0.2	61	5	16	83
5									
10	B ₁	Tan brown, very fine clay rich soil. Abundant roots.	149052	5	0.4	77	6	12	95
15									
20	B ₂	Tan brown, very fine clay rich soil. Less abundant tree roots and 5 - 10% subangular rock fragments.	149053	40	0.6	85	6	15	97
30	B ₃	As B ₂ with rock fragments increasing to 25-30%.	149054	5	0.4	94	6	14	102
40		Bottom of pit.							

SOIL PROFILE #2

@ Station 90-123S (511+10N; 111+25E)
10 m E of Durand Creek.

DEPTH (cm)	HORIZON	DESCRIPTION	SAMPLE #	Au ppb	Ag ppm	Cu ppm	Mo ppm	Pb ppm	Zn ppm
0	A ₀	Dark black humus, forest litter and roots	149001	10	0.4	64	6	9	103
8									
10	A ₁ ?	Dark brown, un- dulatory contact at 16 cm.	149002	45	0.2	70	3	6	87
16									
20	B ₁	Beige, clay-silt, very dry. Matrix supported rounded rock fragments (10%).	149003	30	0.2	63	3	6	67
26									
30	B ₂	As 16-26 cm.	149004	10	0.2	66	3	5	60
36									
40	B ₃	As 16-26 cm.	149005	15	0.2	71	4	7	59
42		Bottom of pit.							




SOIL PROFILE #4

@ Station R90-10S (N of L515+00N)
Drainage Slope.


DEPTH (cm)	HORIZON	DESCRIPTION	SAMPLE #	Au ppb	Ag ppm	Cu ppm	Mo ppm	Pb ppm	Zn ppm
0	A ₀	Black humus, roots.	149010	55	0.2	239	2	11	36
3									
10	A ₁	Black-brown, 90% organics.	149011	40	0.2	244	3	7	44
18									
20									
30	A ₂ ?	Black, clay rich humus & soil. Pods to 3 cm diameter of brown clay rich soil.	149012	110	0.2	285	2	8	50
38									
40									
50	B	Brown-black clay rich soil with 10% rounded pebbles. Wet layer.	149013	140	0.2	253	2	9	53
52		Bottom of pit.							

APPENDIX V
GEOPHYSICAL RESULTS
(I.P. SURVEY PSEUDO-SECTIONS)



INTERPRETATION

RESISTIVITY
(OHM.M)




INTERPRETATION

RESISTIVITY
(OHM.M)

Line 10800 E

Dipole-Dipole Array



Filter




Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...


INTERPRETATION

- Strong increase in polarization
- Moderate increase in polarization
- Pronounced resistivity increase
- Pronounced resistivity decrease

Scale 1:5000




IP
(mV/V)



IP
(mV/V)

METAL FACTOR
(IP/res * 1000)




METAL FACTOR
(IP/res * 1000)

RABBIT PROPERTY

INDUCED POLARIZATION SURVEY
Line 10800 E
Project 135

Date: 90/11/19
Interpretation by: L. Bradish

n o r e n d e



INTERPRETATION

RESISTIVITY
(OHM_M)

	494+00 N	495+00 N	496+00 N	497+00 N	498+00 N	499+00 N	500+00 N	501+00 N	502+00 N	503+00 N	504+00 N												
Filter	187	173	188	208	222	230	273	328	328	380	418	425	381	410	425	418	425	421	424	328	322	324	Filter
n=1	188	128	148	188	200	225	238	348	355	312	327	328	324	410	424	328	327	374	327	328	328	328	n=1
n=2		172	178	225	218	228	235	254	328	327	425	425	320	425	422	328	422	327	328	328	328	328	n=2
n=3			217	227	231	225	240	324	328	321	325	40	320	421	324	327	328	423	324	327	422	328	n=3
n=4				248	188	212	227	225	347	328	328	324	425	425	441	322	418	425	423	441	425	425	n=4

IP
(mV/V)

	494+00 N	495+00 N	496+00 N	497+00 N	498+00 N	499+00 N	500+00 N	501+00 N	502+00 N	503+00 N	504+00 N												
Filter	3.3	3.6	3.9	3.8	3.4	3.3	3.2	3.4	3.6	3.5	3.4	3.4	3.3	3.5	3.3	3.4	3.1	2.8	2.2	2.1	2.2	Filter	
n=1	2.3	2.7	2.9	2.7	2.2	2.2	2	2.7	3.1	3	2.5	2.7	2.7	3.1	2.2	2.9	2.5	1.8	1.4	1.4	1.9	n=1	
n=2		3.5	3.6	4.1	3.3	2.8	2.9	3.1	3.5	3.7	3.3	3.2	3.2	3.3	3.4	3.4	3.4	2.7	2.1	1.7	2.3	n=2	
n=3			4.2	4.2	4.6	3.7	3.5	3.8	3.8	3.7	3.8	3.7	3.9	3.4	3.5	3.5	4.1	3.8	3.3	3	2.5	2.9	n=3
n=4				5	4.2	4.8	4.3	4.3	4.4	4	3.8	4.1	4.3	4	3.5	3.4	4	3.8	3.7	3.3	3.2	3.2	n=4

METAL FACTOR
(IP/res * 1000)

	494+00 N	495+00 N	496+00 N	497+00 N	498+00 N	499+00 N	500+00 N	501+00 N	502+00 N	503+00 N	504+00 N												
Filter	17	21	20	18	16	13	12	9.8	10	9.8	8.3	7.8	8.7	8.2	7.4	8	7.2	7	6.2	6.9	5.8	5.9	Filter
n=1	14	22	20	14	11	8.7	8.3	7.8	8.8	8.5	7	7.3	8	8.8	6.9	6.2	5.8	6.9	4.7	7.7	5.3	7.7	n=1
n=2		21	20	20	15	11	12	8.8	7.5	11	8.4	6.5	7.3	8.2	6.6	6.8	6.3	5.9	5.6	6.7	5.8	5.8	n=2
n=3			20	20	25	17	14	13	9.8	9.7	11	8.2	7.6	8	8.2	8.3	7.3	8.4	5.4	7.8	5.9	6.3	n=3
n=4				21	21	21	14	13	13	8.7	11	8.1	8.1	8	12	8.7	8.1	8.1	7.4	6.7	6.7	6.7	n=4

INTERPRETATION


RESISTIVITY
(OHM_M)

IP
(mV/V)

METAL FACTOR
(IP/res * 1000)

Line 11400 E

Dipole-Dipole Array



Filter




Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

INTERPRETATION

- Strong increase in polarization
- Moderate increase in polarization
- Pronounced resistivity increase
- Pronounced resistivity decrease

Scale 1:5000





RABBIT PROPERTY

INDUCED POLARIZATION SURVEY
Line 11400 E
Project 135

Date: 90/11/19
Interpretation by: L. Bradish

n o r e n d e





INTERPRETATION

INTERPRETATION

RESISTIVITY
(OHM_M)

RESISTIVITY
(OHM_M)




Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10,...

INTERPRETATION

- ▬ Strong increase in polarization
- ▬▬▬▬ Moderate increase in polarization
- Pronounced resistivity increase
- ▬▬▬▬ Pronounced resistivity decrease



IP
(mV/V)

IP
(mV/V)



METAL FACTOR
(IP/res * 1000)

METAL FACTOR
(IP/res * 1000)




RABBIT PROPERTY

INDUCED POLARIZATION SURVEY
Line 12000 E
Project 135


Date: 90/11/19
Interpretation by: L. Bradish

norende




INTERPRETATION


RESISTIVITY
(OHM_M)



IP
(mV/V)



METAL FACTOR
(IP/res = 1000)



INTERPRETATION


RESISTIVITY
(OHM_M)

IP
(mV/V)

METAL FACTOR
(IP/res = 1000)

Line 12600 E

Dipole-Dipole Array



Filter




Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

INTERPRETATION

- Strong increase in polarization
- Moderate increase in polarization
- Pronounced resistivity increase
- Pronounced resistivity decrease

Scale 1:5000




RABBIT PROPERTY

INDUCED POLARIZATION SURVEY
Line 12600 E
Project 135


Date: 90/11/19
Interpretation by: L. Bradish

n o r a n d e



INTERPRETATION

RESISTIVITY
(OHM_M)




INTERPRETATION

RESISTIVITY
(OHM_M)

Line 13200 E

Dipole-Dipole Array



Filter




Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10,...

INTERPRETATION

- Strong increase in polarization
- Moderate increase in polarization
- Pronounced resistivity increase
- Pronounced resistivity decrease

Scale 1:5000




RABBIT PROPERTY

INDUCED POLARIZATION SURVEY
Line 13200 E
Project 135

Date: 90/11/19
Interpretation by: L. Bredish


n o r e n d e

IP
(mV/V)




IP
(mV/V)

METAL FACTOR
(IP/res * 1000)




METAL FACTOR
(IP/res * 1000)




INTERPRETATION


RESISTIVITY
(OHM_M)



IP
(mV/V)



METAL FACTOR
(IP/res * 1000)



INTERPRETATION


RESISTIVITY
(OHM_M)

IP
(mV/V)

METAL FACTOR
(IP/res * 1000)

Line 51500 N

Dipole-Dipole Array




Filter



Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

INTERPRETATION

- ▬ Strong increase in polarization
- ▬▬▬▬ Moderate increase in polarization
- Pronounced resistivity increase
- ▬▬▬▬ Pronounced resistivity decrease




RABBIT PROPERTY

INDUCED POLARIZATION SURVEY
Line 51500 N
Project 135

Date: 90/11/19
Interpretation by: L. Bradish

n o r a n d e




INTERPRETATION

INTERPRETATION


RESISTIVITY
(OHM_M)

RESISTIVITY
(OHM_M)




IP
(mV/V)

IP
(mV/V)




METAL FACTOR
(IP/res * 1000)

METAL FACTOR
(IP/res * 1000)



Line 50900 N

Dipole-Dipole Array



Filter




Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10,...

INTERPRETATION

- Strong increase in polarization
- ▬ Moderate increase in polarization
- Pronounced resistivity increase
- ▬▬ Pronounced resistivity decrease

Scale 1:5000




21125

RABBIT PROPERTY

INDUCED POLARIZATION SURVEY
Line 50900 N
Project 135

Date: 90/11/19
Interpretation by: L. Bredish


norenda




LEGEND

- LEGAL CORNER POST - LOCATION KNOWN
- LEGAL CORNER POST - LOCATION APPROXIMATE
- x R149076 ROCK OR SOIL PROFILE LOCATION
- SAMPLE # Cu(ppm), Mo(ppm), Ag(ppm), Au(ppb)
- L.P. SURVEY**
- LIMIT OF SURVEY
- STRONG INCREASE IN POLARIZATION
- MODERATE INCREASE IN POLARIZATION
- PRONOUNCED RESISTIVITY DECREASE

GEOLOGICAL BRANCH
ASSESSMENT REPORT
21,125



REVISED	RABBIT PROJECT		
	CLAIM & GRID LOCATIONS		
	WITH		
	SOIL PROFILES, ROCK SAMPLES AND IP LINES		
PROJ. No. 155	SURVEY BY: J.P.	DATE: December 1990	
DWG. No. 5	PREPARED BY: J. FRENCH (G.C.A.S.)	SCALE: 1:5000	
NORANDA EXPLORATION			
OFFICE: VANCOUVER			



GEOLOGICAL BRANCH
ASSESSMENT REPORT

21,125

CONTOUR INTERVALS:
≥ 15ppb
≥ 30ppb
≥ 60ppb




RABBIT	
SOIL GEOCHEMICAL SURVEY	
PPB Au	
PROJECT: RABBIT PROJECT # : 135	
BASELINE AZIMUTH : 90 Deg.	
SCALE = 1 : 5000	DATE : 12/ 7/12
SURVEY BY : MKP	NTS : 921/10
FILE: C135RAB	
NORANDA EXPLORATION	

Figure: 6



GEOLOGICAL BRANCH
ASSESSMENT REPORT


21,125



RABBIT
SOIL GEOCHEMICAL SURVEY
PPM Ag
PROJECT: RABBIT PROJECT #: 135
BASELINE AZIMUTH: 90 Deg.

SCALE = 1: 5000 DATE: 12/ 7/12
SURVEY BY: MKP NTS: 921/10
FILE: C135RAB
NORANDA EXPLORATION

Figure: 7




GEOLOGICAL BRANCH
ASSESSMENT REPORT

21,125

CONTOUR INTERVAL
 >=100ppm
 >=250ppm
 >=400ppm


RABBIT
 SOIL GEOCHEMICAL SURVEY
 PPM Cu
 PROJECT: RABBIT PROJECT #: 135
 BASELINE AZIMUTH: 90 Deg.
 SCALE = 1: 5000 DATE: 12/ 7/12
 SURVEY BY: MKP NTS: 921/10
 FILE: C135RAB
 NORANDA EXPLORATION

Figure: 8



GEOLOGICAL BRANCH
ASSESSMENT REPORT


21,125



RABBIT
 SDIL GEOCHEMICAL SURVEY
 PPM Mo
 PROJECT: RABBIT PROJECT #: 135
 BASELINE AZIMUTH: 90 Deg.

SCALE = 1: 5000 DATE: 12/ 7/12
 SURVEY BY: MKP NTS: 921/10
 FILE: C135RAB
 NORANDA EXPLORATION


Figure: 9



2125

RABBIT	
SOIL GEOCHEMICAL SURVEY	
PPM Zn	
PROJECT: RABBIT PROJECT # : 135	
BASELINE AZIMUTH : 90 Deg.	
SCALE = 1 : 5000	DATE : 12/ 7/12
SURVEY BY : MKP	NTS : 921/10
FILE : C13URAB	
NORANDA EXPLORATION	

Figure : 10



21125



RABBIT	
SOIL GEOCHEMICAL SURVEY	
PPM P6	
PROJECT: RABBIT PROJECT # : 135	
BASELINE AZIMUTH : 90 Deg.	
SCALE = 1: 5000	DATE : 12/ 7/12
SURVEY BY : MKP	NTS : 921/10
FILE: C135RAB	
NORANDA EXPLORATION	

Figure: 11