

LOG NO: April 2/91 RD.

ACTION:

FILE NO:

GEOLOGICAL AND GEOCHEMICAL REPORT

ON THE

PORC 1-3 MINERAL CLAIMS


Record Numbers 6800, 6801 & 6802

**GALORE CREEK AREA
LIARD MINING DIVISION
BRITISH COLUMBIA**

N.T.S.: 104B/13E & 104G/4E

LATITUDE: 57 DEGREES 00 MINUTES NORTH
LONGITUDE: 131 DEGREES 41 MINUTES WEST

for
COMMONWEALTH GOLD CORPORATION
of
Vancouver, B.C.



BY

ANDREW L. WILKINS B.Sc.

November, 1990

Quest Canada Explorations Ltd.
Coast Mountain Geological Ltd.

SUMMARY

This report describes exploration work performed on the PORC 1-3 Mineral Claims which are located near the Porcupine River near the Galore Creek Mining Camp in the Liard Mining Division.

Numerous porphyry copper-gold deposits and showings as well as mesothermal style sulphide veins, shears and breccias exist throughout the Galore Creek Area. The potential for finding commercial deposits in the area is good.

Exploration on the property for 1990 consisted of prospecting, silt sampling, contour soil sampling, grid soil sampling and geological mapping.

The property is underlain by Mississippian or older metasedimentary and metavolcanic rocks which are intruded by Jurassic to Tertiary plutonic rocks belonging to the Coast Plutonic Complex.

Two mineralized chalcopyrite-malachite showings were found within the metavolcanics. Values of up to 6,329 ppm copper, 19.2 ppm silver, 289 ppm molybdenum, 2,481 ppm antimony and 315 ppb gold have been returned from the showings. One other arsenopyrite showing was found as well. This showing ran 32,746 ppm arsenic.

Further exploration is warranted on the property, focusing on the southern, western and eastern portions of the claims where potential for volcanogenic massive sulphide deposits and structurally controlled vein and shear deposits exist.

TABLE OF CONTENTS

	page
1. INTRODUCTION	
1.1 LOCATION & ACCESS	1
1.2 CLIMATE, TOPOGRAPHY & VEGETATION	1
1.3 CLAIM STATUS	1
1.4 REGIONAL EXPLORATION HISTORY	3
1.5 PREVIOUS WORK	3
1.6 1990 WORK PROGRAM	3
2. GEOLOGY	
2.1 REGIONAL GEOLOGY	5
2.2 PROPERTY GEOLOGY	5
2.3 STRUCTURE	7
3. GEOCHEMISTRY	
3.1 INTRODUCTION	7
3.2 SAMPLE PREPARATION & ANALYTICAL PROCEDURE	7
3.3 MINERALIZATION & ROCK GEOCHEMISTRY	8
3.4 STREAM SEDIMENT GEOCHEMISTRY	8
3.5 SOIL GEOCHEMISTRY	
3.5.1 TREATMENT & PRESENTATION OF RESULTS	9
3.5.2 SOIL GEOCHEMISTRY RESULTS	9
4. DISCUSSION	10
5. CONCLUSIONS & RECOMMENDATIONS	11
6. REFERENCES	13
7. STATEMENT OF EXPENDITURES	14
8. STATEMENT OF QUALIFICATIONS	16

APPENDIXES

APPENDIX 1 - ROCK SAMPLE DESCRIPTIONS

APPENDIX 2 - ANALYTICAL RESULTS

APPENDIX 3 - SUMMARY STATISTICS, PROBABILITY PLOTS & HISTOGRAMS

LIST OF FIGURES

MAP 1 - LOCATION MAP	2
MAP 2 - CLAIM MAP	4
MAP 3 - REGIONAL GEOLOGY MAP	6
MAP 4 - GEOLOGY, STREAM SEDIMENT & ROCK GEOCHEMISTRY ..	in pocket
MAP 5 - SOIL GEOCHEMISTRY - Au and Ag	in pocket
MAP 6 - SOIL GEOCHEMISTRY - Mo and Cu	in pocket
MAP 7 - SOIL GEOCHEMISTRY - Pb and Zn	in pocket
MAP 8 - SOIL GEOCHEMISTRY - As and Sb	in pocket

LIST OF TABLES

TABLE 1 - CLAIM STATUS	1
TABLE 2 - TABLE OF FORMATIONS	7
TABLE 3 - 95TH PERCENTILES FOR STREAM SEDIMENT SAMPLES	9
TABLE 4 - STATISTICAL SUMMARY OF SOIL ANOMALIES	10

1. INTRODUCTION

1.1 LOCATION & ACCESS

The PORC mineral claims are located in the Liard Mining Division, approximately 160 kilometres northwest of Stewart and 110 kilometres southwest of Telegraph Creek in northwestern British Columbia. The claims are centred at 57 degrees 00 minutes north latitude and 131 degrees 41 minutes west longitude (N.T.S. 104B/13E & 104G/4E). Access to the claims is by helicopter only. Fixed wing airstrips exist in the vicinity of the claims (Porcupine or Scud River) and are good locations for helicopter supported exploration camps.

1.2 CLIMATE, TOPOGRAPHY & VEGETATION

The climate in the vicinity of the PORC property is typical of the Coast Range Mountains. Precipitation is heavy (300 cm. annually) with most of it falling as snow at the higher elevations and rain or wet snow at the lower elevations. The exploration season lasts from late May to mid October.

The topography of the claims is rather variable with steep slopes leading away from the Stikine and Porcupine Rivers at an elevation of 30 metres, to rolling alpine meadows ranging from 900 to 1,200 metres in elevation. Precipitous bluffs occur in various locations throughout the claims.

Vegetation is lush throughout the area due to the proximity of the ocean. Below 600 metres, the claims are heavily timbered with spruce, hemlock and fir. Undergrowth consists of blueberries and devils club. Above 600 metres, the heavy timber gives way to sub-alpine spruce, heather, blueberries and alpine flowers. Sparse vegetation occurs above 1,200 metres.

1.3 CLAIM STATUS

The PORC claims are located within the Liard Mining Division and staked under the provisions of the British Columbian Mineral Tenure Act. They are comprised of approximately 1500 hectares. The claims are listed in Table 1.


TABLE 1: - CLAIM STATUS

Claim Name	Record Number	Recording Date	Renewal Period	Total Units
PORC 1	6800	25-FEB-90	25-FEB-96*	20
PORC 2	6801	25-FEB-90	25-FEB-96*	20
PORC 3	6802	25-FEB-90	25-FEB-96*	20

* pending acceptance of this report.

The claims are owned by Pass Lake Resources Ltd., of Vancouver,

PROPERTY LOCATION



0 100 200 300 MILES
0 100 200 300 KILOMETRES

COMMONWEALTH GOLD CORP.

PORC PROPERTY PROPERTY LOCATION MAP

LIARD MINING DIVISION

COAST MOUNTAIN GEOLOGICAL LTD. / QUEST CANADA RESOURCES LTD.

DRAWN BY: B K	NTS 104G/4	DATE OCTOBER 1990	FIGURE 1
------------------	---------------	----------------------	-------------

B.C. and are under option to Commonwealth Gold Corporation.

1.4 REGIONAL EXPLORATION HISTORY

The first recorded mineral exploration in the area was undertaken in 1861 when placer gold was discovered on the Stikine River just downstream of the Telegraph Creek town site.

Exploration emphasis changed to the search for lode deposits during the 1920's, 30's and 40's. Exploration was confined to accessible areas along the Stikine River, with a number of small copper occurrences being discovered.

The first major exploration efforts occurred in the 1950's when Hudson Bay and Kenicott Copper were looking for large tonnage porphyry copper deposits. This led to the discovery of the Galore Creek (137 MT grading 1.02% Cu, 0.014 OPT Au), Copper Canyon (27 MT grading 1.02% Cu, 0.02 OPT Au) and Shaft Creek (363 MT grading 0.40% Cu and 0.010 OPT Au) deposits.

Exploration since then has yielded more results including the Paydirt (0.2 MT grading 0.12 OPT Au), the Jack Wilson and Trophy deposits.

The Galore Creek Camp is currently undergoing a resurgence of exploration activity as mining companies look further north within the same "Stikine Arch" that has produced the successful Stewart and Iskut Gold Camps. Major exploration programs in the area for 1990 include drilling programs on the Galore Creek, Jack Wilson, Copper Canyon and Trophy prospects. In 1990, just north of the Porcupine River, Royce Industries discovered one showing that yielded 659 grams per tonne gold.

1.5 PREVIOUS WORK


There is no record of any previous exploration on the property.

1.6 1990 WORK PROGRAM

Exploration consisted of predominantly prospecting, silt sampling and some contour soil sampling in August, followed by grid soil sampling, geological mapping and some prospecting in September. A total of 49 man days were spent on the claims during which 547 soil samples, 31 stream sediment silt samples and 46 rock samples were collected. Twelve kilometres of flagged grid lines were run while soil sampling, including a 2.1 kilometre base line. Soil samples were collected at 25 or 50 metre intervals.

The 1990 work program was conducted by the following Quest Canada Explorations Ltd. and Coast Mountain Geological Ltd. personnel:

Andrew Wilkins B.Sc. Project Geologist



William Kushner B.Sc.	Geologist
Todd Faragher B.Sc.	Geologist
David Ridley	Prospector
Catherine Ridley	Prospector
Jake Herrero	Prospector/Sampler
Chris Ashbury	Prospector/Sampler
Jamie McClellan	Prospector/Sampler
Keith Huey	Sampler

2. GEOLOGY

2.1 REGIONAL GEOLOGY

The Regional Geology is presented in Map 3 (Logan, Koyanagi and Rhys, 1989, and Souther, Brew, Okulitch, 1979).

The Galore Creek Mining Camp lies on the western margin of the Intermontane Belt within the Stikine Arch in contact with the Coast Plutonic Complex. The Stikine Arch is a northeasterly trending belt of metamorphic rocks that formed a positive tectonic element throughout the Mesozoic (Souther and Armstrong, 1966). Sediments derived from rocks of the Stikine Arch were shed north and northeast in to the southern extension of the Whitehorse Trough during the Upper Triassic and Lower Jurassic.


The oldest rocks consist of highly deformed Permian and older metamorphic rocks and Permian crystalline limestones belonging to the Stikine Assemblage, and a thin succession of Middle Triassic siltstones. These are in fault contact or unconformably overlain by the Upper Triassic Stuhini Group consisting of augite andesite and andesitic breccias, agglomerates, flows and tuffs interspersed with locally derived sandstones and siltstones. These have been intruded by Upper Triassic to Lower Jurassic syenite stocks and dykes, quartz diorite and granodiorite stocks and plutons, and Jurassic to Tertiary quartz monzonite, granodiorite, and quartz diorite belonging to the Coast Plutonic Complex to the west.

2.2 PROPERTY GEOLOGY

The property geology is presented in Map 4 in the back of the report.

Only limited geological mapping was performed on the claims and was concentrated in the south central portion of the claims where the only known mineralization occurs.

The claims are underlain by Mississippian or older, green, chloritic and sericitic, weakly to strongly foliated and schistose meta-volcanic flows, agglomerates and tuffs, as well as rusty argillites and graphitic phyllites. These have been intruded by coarse grained, equalgranular granodiorite belonging to the Jurassic to Cretaceous Coast Plutonic Complex.



COMMONWEALTH GOLD CORP.

PORC PROPERTY
REGIONAL GEOLOGY MAP

LIARD MINING DIVISION

COAST MOUNTAIN GEOLOGICAL LTD. / QUEST CANADA RESOURCES LTD.

DRAWN BY: B.K.	NTS: 104G / 4	DATE: OCTOBER, 1990	FIGURE: 3
-------------------	------------------	------------------------	--------------

TABLE 2: - TABLE OF FORMATIONS**QUATERNARY****PLEISTOCENE AND RECENT**

Q Glacial drift and alluvium.

Unconformity**JURASSIC TO CRETACEOUS
COAST PLUTONIC COMPLEX**

JTgd Granodiorite.

Intrusive contact**MISSISSIPPIAN or OLDER (?)**

Pv Meta-volcanic flows, tuffs and agglomerates.

Ps Argillites and phyllites.

2.3 STRUCTURE

There are two sets of liniments recognizable from topographic maps and air photos. The first liniment trends northeast and could possibly link up with mineralized showings found northeast of the PORC 1-3 Claims (Caulfield, 1990). The second liniment is a major fault and trends north-northwest. It is associated with the two mineralized showings found on the property to date.

Foliation in the metavolcanic package in the southern portion of the claims generally strikes northwest and dips moderately to the southwest. Foliation patterns in the vicinity of the granodiorite contact differ from this predominant pattern.

3. GEOCHEMISTRY**3.1 INTRODUCTION**

Stream sediment silt samples were collected from most creeks on the property. Soil samples were collected at 25 or 50 meter intervals on contour lines and on grid lines 200 meters apart. Grab rock samples were collected from interesting lithologies, alteration zones and mineralized showings. A total of 31 silt samples, 547 soil samples and 46 rock samples were collected. Geochemical analysis are presented in Appendix 2.

3.2 SAMPLE PREPARATION AND ANALYTICAL PROCEDURE

Soil and silt samples were collected in KRAFT gusseted paper bags and sent to ACME ANALYTICAL LABS of Vancouver B.C. At ACME, samples were oven dried at approximately 60 degrees Celsius and

sieved to minus 80 mesh. Rock samples were collected in plastic bags and also sent to ACME. Samples were then crushed down to 3/16 of an inch, and then a 1/2 pound of the sample was pulverized to minus 100 mesh. A 0.5 gram sample of the minus 80 fraction of all samples was digested in hot, dilute aqua regia in a boiling water bath and then diluted to 10 millilitres with distilled water. Samples were analyzed for a group of 30 elements using the Induced Coupled Plasma (ICP) technique. In addition, gold was analyzed from a 10 gram fraction by the conventional Atomic Absorption (AA) technique.

3.3 MINERALIZATION & ROCK GEOCHEMISTRY

Rock sample descriptions are presented in Appendix 1.

Two similar mineralized showings were found on the property. The showings are 400 metres apart and occur within north trending structures as they cross the same major north-northwest trending fault. Mineralization consists of malachite staining and minor chalcopyrite within calcite and siderite veins and shears. Epidote alteration and salvages are associated with the veining. Host rocks consist of green, chloritic, foliated and schistose meta-volcanic flows, agglomerates and tuffs. Mineralization is spotty. Values of up to 4,466 ppm copper, 19.2 ppm silver, 289 ppm molybdenum and 21 ppb gold have been returned from the first showing and 6,329 ppm copper, 15.4 silver, 2,481 ppm antimony and 315 ppb gold have been returned from the second showing.

One other sample taken 450 metres along strike in the same north-northwest trending fault was high in arsenic (3,335 ppm).

On the eastern border of the property, a quartz cemented breccia with arsenopyrite was found within green volcanics. The one sample of the showing contained 32,746 ppm arsenic.

3.4 STREAM SEDIMENT GEOCHEMISTRY

Stream sediment geochemistry results were compared with the results from the Regional Geochemistry Survey conducted in 1987 by the British Columbia Geological Survey. Samples greater than the 95th percentile were considered anomalous.

The best gold anomaly (146 ppb) occurs in the northwest corner of the property. Weak molybdenum, copper, silver and cobalt (>75th percentile) occurs with this anomaly. No source has been found as yet.

In the western portion of the claims are some molybdenum, copper, zinc, gold, arsenic, antimony and cobalt anomalies. The north-northwest trending fault that hosts the chalcopyrite-malachite showing is most probably the source for this anomaly.

TABLE 3: - 95TH PERCENT LES FOR STREAM SEDIMENT SAMPLES

Cu ppm	Zn ppm	Ag ppm	Au ppb	Mo ppm	As ppm	Sb ppm	Co ppm	U ppm
>125	>152	>0.5	>72 >15*	>6	>63	>5	>25	>13

* 75th percentile for Au.

In the southern portion of the claims are some silver, copper, zinc, cobalt, arsenic, antimony and gold anomalies that are possibly associated with the same north-northwest trending fault.

The southeastern corner of the property contains some copper, zinc, arsenic, cobalt, antimony and gold anomalies. This area drains the arsenopyrite showing on the eastern boundary of the claims.

3.5 SOIL GEOCHEMISTRY

3.5.1 TREATMENT AND PRESENTATION OF RESULTS

The construction of histograms, probability plots and the calculation of means, medians and standard deviations were performed using the Association of Exploration Geochemists PROBPLOT program (Stanley, 1987).

The PROBPLOT program is an interactive software tool which allows a user to rapidly analyze cumulative frequency data. The program is capable of representing numerous forms of frequency distributions consisting of combinations of normal or log-normal populations. An appropriate frequency distribution model can be used to separate the multi-modal data distribution into its component populations. These, in turn, can be used to define thresholds which separate the data into groups corresponding to these component populations.

The data was treated as one population. Lead and zinc were found to approximate a normal distribution whereas gold, silver, molybdenum, copper, arsenic and antimony were found to approximate a log-normal distribution. Threshold values and anomalous values were determined at the mean plus two standard deviations ($x+2s$) and the mean plus three standard deviations ($x+3s$) respectively. Anomalous sample divisions are summarized in Table 4 and summary statistics and histograms are presented in Appendix 3.

3.5.2 SOIL GEOCHEMISTRY RESULTS

Soil geochemistry results are plotted in Maps 5 through to 8.

In the central west portion of the claims is a cluster of copper (<125 ppm)-silver (<3.4 ppm) anomalies that extend for

approximately 200 metres.

A very strong arsenic (3873 ppm)-copper-lead-zinc-antimony-gold anomaly occurs on the eastern boundary of the claims.

Other spot anomalies occur on the claims, however no recognizable trends have been identified.

TABLE 4: - STATISTICAL SUMMARY OF ANOMALIES

Mean (x) normal lognormal*	Threshold $x+2s$	Anomalous $x+3s$	Strongly Anomalous $x+4s$
Au* 3 ppb	21-50	51-124	125+
Ag* 0.2 ppm	0.8-1.5	1.6-3.1	3.2+
Mo* 2 ppm	4-7	8-11	12+
Cu* 10 ppm	76-206	207-563	564+
Pb 9 ppm	16-20	21-23	24+
Zn 32 ppm	68-86	87-104	105+
As* 5 ppm	31-78	79-200	201+

4. DISCUSSION

Numerous mineral deposit types have been recognized in the Galore Creek Camp and the Porcupine Creek Area. These include porphyry deposits, structurally controlled shears and veins, skarns and breccias. Both a Lower Jurassic mineralizing event and a Tertiary mineralizing event are recognized.

Exploration over the northern half of the claims has not come up with anything of significance. Most of this area is underlain by unaltered granodiorite of Jurassic to Cretaceous age. These rocks are most probably younger than the Jurassic mineralizing event.

Exploration in the southern half of the claims has come up with two structurally controlled mineralized showings and one interesting cluster of copper-silver soil anomalies. This portion of the property is underlain by the Mississippian or older meta-volcanic package.

Although no known volcanogenic massive sulphide deposits are known to occur in the Porcupine Creek Area, the Mississippian or older meta-volcanic stratigraphy underlying the southern and western portion of the PORC 1-3 claims is similar to the stratigraphy of the Tulsequah Chief and Polaris Taku massive sulphide deposits 240 kilometres to the north-northwest.

5. CONCLUSIONS AND RECOMMENDATIONS

Exploration on the PORC 1-3 Claims consisted of prospecting, silt sampling, contour soil sampling, grid soil sampling and geological mapping.

The property is underlain by Paleozoic metasedimentary and metavolcanic rocks which are intruded by Jurassic to Tertiary plutonic rocks belonging to the Coast Plutonic Complex.

Two similar chalcopyrite-malachite showings within calcite and siderite veins and shears were found on the property. The showings occur within north trending structures as they cross the same major north-northwest trending fault. The host for the showings are schistose meta-volcanic flows, agglomerates and tuffs. Values of up to 6,329 ppm copper, 19.2 ppm silver, 289 ppm molybdenum, 2,481 ppm antimony and 315 ppb gold have been returned from the showings. One other sample taken from the same north-northwest trending fault was high in arsenic (3,335 ppm). One other arsenopyrite showing within a quartz breccia was found on the eastern border of the claims. This showing was hosted by green volcanics and analyzed 32,746 ppm arsenic.

Numerous anomalous stream sediment silt samples occur on the property. These samples are anomalous in gold, silver, molybdenum, copper, zinc, arsenic, antimony and/or cobalt.

Soil geochemistry has resulted in a cluster of copper (<125 ppm)-silver (<3.4 ppm) anomalies that extend for approximately 200 metres, as well as some spot sample anomalies. One very strong arsenic anomaly occurs on the eastern boundary of the claims.

Further exploration should be focused on the southern, western and eastern portion of the claims where potential for volcanogenic massive sulphide deposits and structurally controlled vein and shear deposits exist.

Recommendations are as follows:

- 1) Further prospecting and geological mapping in the vicinity of the copper-silver anomaly in the western portion of the claims.
- 2) Contour soil geochemistry above the copper-silver anomaly at elevations 2500 feet and 3000 feet.
- 3) Soil geochemistry across the structure that contains the two mineralized showings.
- 4) Prospecting and contour soil geochemistry in the extreme northwest and southeast corner.
- 5) Location of claims posts to determine whether or not the

arsenopyrite showing on the eastern border of the claims is on the property and further prospecting and mapping in the vicinity of the showing.

6. REFERENCES

Caulfield, D.A., 1990: Qualifying Report on the PORC 1-3 Claims for Commonwealth Gold Corporation.

Logan, J.M. and Koyanagi, V.M., 1989: Geology and Mineral Deposits of the Galore Creek Area, Northwestern B.C. (104G/3&4), British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Fieldwork 1989, Paper 1989-1, pp. 269-284.

Logan, J.M. and Koyanagi, V.M., 1989: Geology and Mineral Occurrences of the Galore Creek Area (104G/3&4), British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Survey Branch Open File 1989-8.

Panteleyev, A., 1976: Galore Creek Map Area, British Columbia, British Columbia Ministry of Energy, Mines, and Petroleum Resources, Geological Fieldwork 1975, Paper 1976-1, pp.79-81.

Souther, J.G., 1971: Telegraph Creek Map Area, British Columbia, Geological Survey of Canada, Paper 71-44.

Souther, J.G., 1972: Geology and Mineral Deposits of the Tulsequah Map Area, British Columbia, Geological Survey of Canada, Memoir 362.

Souther, J.G., Brew, D.A. and Okulitch, 1979: Iskut River, Geological Atlas, Geological Survey of Canada, Map 1418-A.

7. STATEMENT OF EXPENDITURES

Salaries:

Project Geologist:	
6.5 man days @ \$325 per day	\$2,112.50
Geologists:	
9.5 man days @ \$250 per day	\$2,375.00
Prospector	
8.5 man days @ \$235 per day	\$1,997.50
Prospector/Samplers:	
23.5 man days @ \$225 per day	\$5,287.50
Samplers:	
1.25 man days @ \$200 per day	\$ 250.00

Helicopter:

10.0 hours @ \$700 per hour	\$7,000.00
-----------------------------	------------

Geochemical Analysis:

Rock Samples:	
64 samples @ \$10.15 per sample	\$ 649.60
Silt and Soil Samples:	
649 samples @ \$8.20 per sample	\$5,321.80
Freight	
969 lbs @ \$1.54 per lbs.	\$1,492.26

Room and Board in Scud Camp:

45.75 man days @ \$140 per day	\$6,405.00
Pilot: (35% pro rata), 10 days	\$ 437.50

Miscellaneous:

Field Gear	
45.75 days @ \$5 per day	\$ 228.75
Radios	
30 days @ \$3 per day	\$ 90.00
Consumables	
\$ 879.75	
Expediting (pro rata)	
\$ 175.00	
Project Preparation	
\$ 643.17	

Mob-Demob: \$5,000.00

Management Fee:

13.5 percent	\$5,446.62
--------------	------------

Total Geological Costs: \$45,791.95

Salaries:

Project Geologist:	
7 days @ \$325 per day	\$2,275.00

Drafting Costs: \$1,250.00

Miscellaneous Costs: \$ 100.00

Management Fee:	
13.5 percent	\$ 509.63
Total Report Costs:	\$ 4,284.63
<u>TOTAL EXPLORATION COSTS:</u>	<u>\$50,076.58</u>

8. STATEMENT OF QUALIFICATIONS

I, Andrew L. Wilkins, of P.O. Box 629, Pemberton, B.C., certify that:

- 1) I am a graduate of the University of British Columbia with a B.Sc. degree in the geological sciences (1981).
- 2) I have been engaged in the mining exploration industry in British Columbia and the Yukon since 1978.
- 3) I was the project geologist for the PORC project.
- 4) I was involved with the work performed on the PORC 1-3 Claims during the summer of 1990 and am author of this report.

Dated this fifteenth day of November, 1990.

Andrew L. Wilkins B.Sc.

APPENDIX 1
ROCK SAMPLE DESCRIPTIONS

ROCK SAMPLE SHEET

Sampler BL
Date _____Property Porc (32)NTS 104B/13 & 104G/4

SAMPLE NO.	Sample width	DESCRIPTION			ADDITIONAL OBSERVATIONS	ASSAYS				
		Rock Type	Alteration	Mineralization		Cu	Zn	Pb	Mn	As
90F-32-K01		fine grained meta-sed.	Ext. lim on surface	20% py as .5mm euh xfts		57	91	5	41	9
G-K02		meta-seds	lim, sil	5% vfg py, tr py?	Slightly gneissic	178	57	5	5	11
G-K03		meta volcs	Ext. lim, some ser.	15-25% vfg py diss thrt	Wall rock of 5m wide fault	82	74	.6	5	5
G-K05		m.g. fels intrusive	chl, ser	<1% py, 1-3% vfg metallic - hematite?	Roxfeld slightly - sugary texture to rock. Mn stains on fractures.	7	48	0.1	1	2
F-K06		Qtz vein	mod lim	Small perfect euh of z xfts, 5-7% euh sph?	Near LCP for Porc 3 claims.	2x	18	0.1	4	2
G-K25	.5m	fig. And	extr chl extr ap, sil	tr. py, 1% Hem	Large clots Si op at thrt, below Soil sample 92S 102+75W					
G-K26	.5m	volc breccia	extr. lim sil	1-3% py	Extr alt'd breccia directly below soil sample 96S 105W					
G-K27	.5m	volc breccia	extr. lim sil	1-3% py	Extr alt'd breccia, 1 m from K26					
G-K28	.5m	volc breccia	extr. lim sil	1-3% py	Extr alt'd breccia, 2m above K26					
G-K29	.5m	And. volc	extr chl, sil (lim blotches)	1% py, tr Hem	Slightly brecciated - Wall rock to lower brecciated zone?					

COAST MOUNTAIN GEOLOGICAL LTD.

ROCK SAMPLE SHEET

QUEST CANADA RESOURCES CORP.

Sampler J. Herrero

Date Aug. 90

Scout Camp

Property Perc (32)

NTS 104B/13 & 104G/4

ROCK SAMPLE SHEET

Sampler C.J. RIDLEY
Date AUG 24 -Property Pore 1-3 #32NTS 104 G4 west

SAMPLE NO.	DESCRIPTION				ADDITIONAL OBSERVATIONS	ASSAYS				
	Sample Width	Rock Type	Alteration	Mineralization		Cu	Zn	Ag	Pb	As
90G-32-C110	2cm	Qtz	Chlorite	trace Py malachite	10cm elev. 5cm wide vein. Sample of Qtz + vein	201	29	0.3	S	8
90G-32-C111	1m	Scds	Chlorite	trace Py chalcopyrite	100cm elev. ± 30cm s. of C10	105	25	0.1	9	4
90G-32-C112	3m	Scds	Chlorite	trace chalco <1% Py	103cm elev. ± 25m N.W. of C11	145	24	0.1	3	6
90G-32-C113	1m	Qtz monzonite	calcite chlorite	minor Py	72cm elev. E side of vein line from 10m boundary line. striking 066° slight tilt in the N.E.	X	17	0.1	3	S
90G-32-C114	~m	Tuff	Chlorite Silica	minor Cu Py + malachite	72cm elev. Beside R-189 trend 038°	280	66	0.8	27	7
90G-32-C114a	1.45m	Tuff	Chlorite	minor Pyrite Py	72cm elev	137	58	0.3	X	6
90G-32-C114b	1.75m	Tuff	Chlorite Silica		72cm elev ± 8m. N.W. of C114a	145	45	0.3	X	14
90F-32-C141	F	chert		minor Py, Cu malachite & pyrrhotite	72cm elev beside R-192 062° strike sample need rope to sample	134	44	0.2	7	4
90G-32-C142	-	silicified Qtz monzonite	trace Qtz malachite	trace Cu, Py malachite	72cm elev. on gently N.E. of R-189	43	25	0.1	X	7
90G-32-C143	-	Tuff	Chlorite Silica	minor Cu, Fe malachite	100cm elev iron pyrite/calcite-vein trend 222-272° E	301	34	0.3	X	2

COAST MOUNTAIN GEOLOGICAL LTD.

ROCK SAMPLE SHEET

QUEST CANADA RESOURCES CORP.

Sampier Chris Ashbury

Date Aug. 30

Property PORC #32

NTS 104G/4 104B/13

C-CHIP G-GRAB E-FLOAT

COAST MOUNTAIN GEOLOGICAL LTD.

ROCK SAMPLE SHEET

QUEST CANADA RESOURCES CORP.

Samplers

Andrew Wilkins
~~EST SEP /90~~

Date 19-SE SEP 1990

Property PORC 1-3 #32.

NTS 104B/3 : 104C/4

WAASI MOUNTAIN GEOLOGICAL LTD.

ROCK SAMPLE SHEET

QUEST CANADA RESOURCES CORP.

Page 2

Sampier D. Ridley

Date Sept. 10/90

Property Porc #32

NTS 104B/13 : 104G/4

C-CHIP E-SRAB F-FLOAT

ROCK SAMPLE SHEET

Sampler D. Ridley
Date AUG. 23/90Property Porc 1-3 * 32

Page 1

NTS 104B/13 & 104G/4

SAMPLE NO.	Sample Width	DESCRIPTION			ADDITIONAL OBSERVATIONS	ASSAYS					AUG 28/90	AUG 29/90	AUG 30/90	Sept. 1/90
		Rock Type	Alteration	Mineralization		Cu	Zn	Ag	Au	Pt				
90G32:R135	1.5m	black argillite	limonite	up to 5% py generally > 1%	20 m upslope from C-33 (silt): 3900' 10m W of sample #463085 (Sept 24/90).	2.7	1.3	0.1	0.2	0.0	1.7	1.3	0.1	0.0
90F32:R147	F	gtz breccia	limonite	rare pyrite	3100'; in gossanous diorite possible sub-crop	1	1.9	0.1	0.3	0.3	1.9	0.1	0.3	0.3
90F32:R148	F	dk green volc.	"	up to 5% disem. pyrite	20m below R147:	4.9	4.9	0.7	0.8	0.4	4.9	4.9	0.7	0.4
90F32:R149	F	gtz boxwork vein	minor epidote	minor py-cp (>1%)	epidote fracture fillings in diorite country-rock	4.3	1.0	0.4	0.2	0.2	4.3	1.0	0.4	0.2
90G32:R150	4m	sediments	limonite	minor py	near diorite-sediments contact.	3.9	2.1	0.1	0.9	0.4	3.9	2.1	0.1	0.4
90G32:R151	1.5m	volcanic (andesite?)	limonite	up to 7% py. (f-grt disem) rare cp	3350'; ± 100m northerly of R150 in gully.	2.8	4.6	0.7	0.7	0.7	2.8	4.6	0.7	0.7
90F32:R152	F	volcanic or intrusive	carb ± gtz veining+blobs	carb ± gtz stringers carry minor py + rare cp	3360'; blocky talus float.	1.7	0.7	2.8	2.1	1.2	1.7	0.7	2.8	2.1
90G32:R153	40cm	shear zone	carbonate ± gtz epidote	f-gr pyrite (1-3%) blobs cp (>1%)	140°/90: roughly following wall of gully above R152: in well-bedded crystal tuff (?)	6.3	4.5	0.7	0.7	0.7	6.3	4.5	0.7	0.7
90G32:R154	50cm	"	carbonate ± gtz	up to 3% chalco spotty mineralization	080°/65SW: f-grained volcanic host: ± 30 m S. of R153: "high grade" section 15cm wide	3.8	1.2	3.1	2.0	2	3.8	1.2	3.1	2
90G32:R155	70cm	"	"	1-2% chalc+py minor malachite	well-weathered: 140°/60N:	4.6	2.1	1.2	1.0	1.9	4.6	2.1	1.2	1.9
90G32:R156	70cm	"	"	sparse py-cp	= 20m N of R154 below R153 as R153	2.5	1.9	4.1	6.5	5	2.5	1.9	4.1	5
90G32:R187	40cm	"	carbonate chlorite gtz	1-3% disem py-pyrin trace chalco	zone trends 022/80E: 3160': west side of gully lower down than R154 etc.	2.2	6.5	2.4	4	1.0	2.2	6.5	2.4	4
90G32:R188	50cm	altered volc. seds	carbonate chlorite gtz	up to 3% chalco minor py-pyrhotite.	≈ 6m below R187: many narrow (>0.5cm) stringers also are found here and there in an area of ≈ 10x10m.	4.8	5.3	3.1	1.0	3	4.8	5.3	3.1	1.0
90E32:R189	F	gossanous volcanic sed	carbonate	up to 3% disem chalcopyrite-pyrite minor pyrrhotite	subcrop: ≈ 50m above lake: 3070'	6.3	2.9	1.2	2.5	1.5	6.3	2.9	1.2	1.5
90G32:R190	1.5m	siliceous tuff	gtz-carb veinlets	trace cp-py minor malachite	S. end of Lake on E side: 3070' 005/80W	9.8	16.7	4.8	19.8	7	9.8	16.7	4.8	7

APPENDIX 2
ANALYTICAL RESULTS

ROCK GEOCHEMISTRY - PORC 1-3 Claims.

Sample #	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
90R-32-A01	1	23	2	46	.1	14	6	365	2.26	2	5	2	2	16	.2	2	2	30	.30	.035	3	13	.71	131	.16	2	1.27	.06	.39	2	32
90R-32-A02	1	38	2	49	.2	9	15	443	5.58	6	5	2	1	8	.8	2	2	163	.33	.105	4	19	1.61	687	.48	2	2.49	.08	1.72	1	2
90R-32-A03	1	22	4	55	.1	12	4	633	2.40	2	5	2	4	7	.2	2	2	29	.16	.015	6	12	.68	146	.14	2	1.21	.04	.26	1	5
90G-32-C109	3	7	2	21	.1	4	8	521	2.84	13	5	2	5	13	.2	2	2	9	.47	.061	11	1	.14	206	.01	2	.58	.02	.15	1	1
90G-32-C110	1	201	2	29	.3	32	10	355	2.58	8	5	2	1	43	.5	2	2	48	.94	.042	2	13	.65	32	.19	2	1.80	.12	.04	1	5
90G-32-C111	1	108	2	25	.1	36	15	391	3.31	4	5	2	1	28	.2	2	2	74	.76	.075	2	22	.89	17	.27	2	1.59	.09	.05	1	9
90G-32-C112	2	145	3	24	.1	51	23	313	2.99	6	5	2	1	30	.3	2	2	54	.96	.070	2	25	.65	10	.22	2	1.30	.09	.05	1	3
90G-32-C113	2	7	2	17	.1	3	6	383	1.70	5	5	2	9	26	.2	2	2	5	1.12	.064	13	1	.11	96	.01	2	.36	.03	.14	1	3
90G-32-C143	1	280	8	66	.8	49	26	853	6.46	72	5	2	1	68	.4	73	2	101	2.49	.049	2	29	1.65	37	.03	4	2.11	.01	.15	1	2
90G-32-C144	1	132	3	57	.3	32	17	555	3.87	61	5	2	1	17	.4	5	3	81	.96	.055	2	31	1.17	13	.12	3	1.67	.06	.05	1	1
90G-32-C145	1	145	3	45	.3	39	17	543	3.38	14	5	2	1	39	.4	7	2	73	1.18	.044	2	56	1.34	14	.12	6	2.01	.08	.07	2	1
90G-32-C146	2	136	2	44	.2	53	14	319	2.45	4	5	2	1	28	.2	2	2	49	.67	.046	2	58	.88	78	.11	2	1.46	.07	.33	2	2
90G-32-C147	1	43	5	28	.1	10	8	256	2.44	2	5	2	6	25	.2	2	2	51	.28	.071	9	9	.75	28	.05	2	1.15	.10	.16	1	1
90G-32-C148	1	301	2	34	.3	21	10	279	2.41	2	5	2	1	25	.2	2	2	41	.68	.128	2	37	.91	28	.09	2	1.41	.14	.37	1	1
90R-32-J01	2	13	8	54	.4	10	5	3518	9.14	364	5	2	1	57	1.8	3	2	22	15.66	.032	3	3	.19	243	.01	2	.29	.01	.07	1	1
90R-32-J02	2	30	273	90	.9	35	8	1702	4.20	71	5	2	1	269	.6	16	2	24	7.49	.051	5	40	1.80	74	.01	9	.77	.01	.27	1	20
90R-32-J03	1	11	3	450	.1	10	3	1999	4.49	32746	5	2	1	437	1.3	124	2	9	7.16	.014	2	7	2.51	857	.01	2	.11	.01	.05	1	19
90F-32-K01	1	57	12	91	.5	12	50	453	13.50	9	5	2	1	18	1.1	3	2	75	.10	.039	2	20	1.47	17	.07	2	1.96	.02	.07	1	41
90G-32-K02	2	178	10	57	.5	17	18	1573	5.07	11	5	2	1	133	.3	2	2	50	1.24	.116	3	18	1.01	152	.16	2	2.80	.17	.10	1	5
90G-32-K03	4	82	32	174	.6	60	42	303	8.27	5	5	2	1	37	1.8	2	2	25	1.40	.126	2	26	.45	11	.23	2	.87	.04	.02	1	5
90G-32-K05	2	2	3	48	.1	5	9	807	3.19	2	5	2	3	80	.2	4	2	28	1.44	.089	10	2	.60	141	.02	2	1.09	.03	.15	1	1
90F-32-K06	5	27	2	18	.1	17	2	419	1.34	25	5	2	1	12	.2	5	3	4	.12	.007	2	16	.05	65	.01	8	.09	.02	.03	1	4
90G-32-Q01	7	52	3	72	.3	3	6	482	3.38	2	5	2	7	20	.2	3	2	26	.45	.125	9	3	1.19	40	.14	2	1.31	.05	.08	1	4
90G-32-Q02	1	64	2	8	.1	5	4	107	1.23	2	5	2	1	24	.2	2	2	8	.20	.011	2	4	.13	111	.03	2	.25	.02	.02	2	10
90G-32-R135	3	239	11	108	.4	14	30	1369	5.97	60	5	2	4	33	.5	2	2	51	.49	.062	3	14	.93	64	.15	2	2.29	.04	.12	1	2
90F-32-R147	9	1	2	19	.1	4	6	494	2.94	13	7	2	1	4	.2	2	2	7	.02	.011	3	1	.04	43	.01	2	.17	.01	.06	1	3
90F-32-R148	2	49	8	49	.2	8	45	578	14.08	4	5	2	3	15	1.4	2	3	71	.17	.095	3	7	1.53	36	.18	2	2.38	.03	.05	1	8
90F-32-R149	1	437	2	102	5.4	16	12	2307	4.70	4	5	2	1	13	3.9	2	2	12	.64	.009	3	2	.28	35	.01	2	.12	.01	.01	1	2
90G-32-R150	8	89	8	21	.1	10	3	247	2.52	4	5	2	3	52	.2	2	2	103	.59	.118	6	36	.83	94	.13	2	1.33	.10	.23	1	9
90G-32-R151	2	238	9	46	.2	58	38	166	2.62	7	5	2	1	59	.5	2	2	28	.86	.125	2	37	.30	13	.15	2	.64	.02	.03	1	7
90F-32-R152	1	1741	2	97	2.7	37	36	1289	5.19	12	6	2	1	36	1.9	6	2	120	6.86	.062	2	78	1.92	13	.07	2	2.46	.01	.02	1	71
90G-32-R153	1	693	2	45	.9	59	25	450	3.02	2	5	2	1	77	.7	3	2	83	2.18	.028	2	68	1.42	194	.20	3	1.98	.06	.72	1	17
90G-32-R154	1	3489	2	112	3.1	48	39	960	7.56	2	5	2	1	14	1.7	2	2	142	1.72	.122	2	29	2.60	17	.08	2	3.26	.01	.08	1	210
90G-32-R155	289	4466	6	212	19.2	34	34	425	8.24	19	5	2	1	43	2.5	84	52	55	1.12	.113	10	174	1.12	32	.10	2	1.28	.02	.11	1	110
90G-32-R156	2	2451	2	79	4.1	74	36	521	3.83	5	5	2	1	39	1.1	3	2	62	1.91	.017	2	70	1.78	33	.13	2	1.98	.05	.14	1	65
90G-30-R187	1	721	2	65	.6	33	21	638	5.63	10	5	2	2	35	.3	2	2	157	2.19	.232	5	6	2.53	47	.13	2	3.03	.03	.64	1	4
90G-30-R188	1	4183	2	83	3.7	38	23	346	1.93	3	5	2	1	30	1.7	2	2	13	5.79	.043	2	81	.42	3	.05	2	.43	.01	.02	1	10
90G-30-R189	1	6329	4	229	15.4	131	55	944	7.40	153	5	2	1	84	4.2	2481	3	71	3.30	.069	2	7	1.59	52	.05	3	1.79	.01	.17	1	315
90G-30-R190	1	982	2	162	4.8	9	15	811	5.05	2	5	2	1	17	.2	6	2	91	.86	.060	2	22	1.46	46	.22	2	2.22	.02	.06	1	198
90G-32-R191	6	681	5	47	.8	8	12	419	2.80	68	5	2	4	29	.4	3	2	54	.86	.098	4	14	.92	44	.03	5	1.29	.04	.20	1	6

Sample #	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
90F-32-R192	1	459	3	69	1.0	60	14	411	2.40	7	5	2	1	20	.4	4	2	37	.82	.030	2	72	1.07	14	.08	2	1.46	.06	.04	1	24
90G-32-R193	49	1224	4	105	2.4	9	12	489	2.73	2	5	2	3	37	.2	2	2	52	.57	.094	3	17	.95	60	.04	2	1.27	.05	.21	1	18
90G-32-R194	6	1631	3	111	3.8	6	9	637	2.92	2	5	2	2	44	.6	2	3	48	.48	.089	4	14	.78	36	.03	2	1.18	.03	.09	1	11
90G-32-W01	5	104	9	29	.9	37	19	727	4.31	3335	5	2	1	10	.2	27	2	59	.24	.045	5	15	.85	80	.05	5	1.05	.01	.07	1	2
90G-32-W02	1	118	5	90	.3	48	20	533	4.47	55	5	2	1	20	.2	3	2	97	.94	.048	2	62	1.99	34	.13	6	2.54	.06	.03	1	1
90G-32-W03	2	3	2	13	.1	7	5	784	.77	23	5	2	2	95	.2	2	3	3	1.11	.018	4	7	.03	1883	.01	5	.17	.01	.08	1	1

STREAM SEDIMENT SILT GEOCHEMISTRY - PORC 1-3 Claims.

Sample #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
90L-32-J01	1	126	21	371	.1	31	28	2013	7.09	41	5	2	2	61	.6	3	5	53	.34	.106	8	31	.99	263	.09	22.92	.03	.21	1	3	
90L-32-J02	2	84	24	137	.1	36	28	2512	4.52	34	5	2	1	24	.3	2	2	53	.27	.119	12	35	.91	69	.11	22.38	.05	.09	1	8	
90L-32-R01	1	66	11	180	.1	31	16	893	4.99	20	5	2	1	37	.2	4	2	80	.44	.086	7	44	1.66	69	.15	22.58	.04	.12	1	10	
90L-32-R02	3	42	14	123	.1	24	13	827	2.93	199	12	2	1	30	.2	2	2	55	.40	.109	18	34	.69	128	.08	22.29	.05	.08	1	7	
90L-32-C32	1	187	26	230	.3	44	26	1506	5.72	158	5	2	1	34	.6	12	3	82	.40	.110	12	56	1.67	113	.10	32.98	.04	.10	1	24	
90L-32-C33	1	132	18	190	.2	38	24	1288	5.50	141	5	2	1	50	.3	5	2	79	.39	.109	9	47	1.61	72	.12	22.71	.03	.10	1	17	
90L-32-C34	1	84	17	150	.1	30	16	809	3.71	48	5	2	2	31	.2	3	2	61	.35	.084	11	42	1.07	84	.12	22.10	.04	.08	1	14	
90L-32-C35	1	39	13	83	.1	26	11	570	3.11	14	5	2	1	23	.2	3	2	56	.29	.079	11	39	.82	68	.11	41.87	.03	.08	1	14	
90L-32-C42	1	32	13	118	.4	22	17	1190	3.41	10	5	2	1	27	.2	2	2	50	.41	.138	11	29	.83	85	.05	42.50	.03	.08	1	5	
90L-32-C43	1	19	7	76	.2	14	11	521	3.16	45	5	2	3	40	.2	3	2	49	.49	.077	8	20	.92	92	.09	41.78	.03	.10	1	3	
90L-32-C44	2	29	8	140	.3	18	15	1270	2.40	48	5	2	1	72	.4	2	2	42	.98	.119	18	31	.38	366	.05	33.08	.03	.06	1	10	
90L-32-C45	2	34	8	139	.3	18	8	949	2.36	56	17	2	1	93	.3	2	2	43	1.32	.125	21	40	.48	428	.04	62.52	.04	.07	1	23	
90L-32-C46	2	31	6	148	.2	13	8	633	1.79	20	18	2	1	140	.4	2	2	28	2.22	.160	29	35	.55	386	.03	52.07	.04	.09	1	5	
90L-32-C47	2	42	8	107	.2	14	12	1056	2.79	53	6	2	1	87	.2	2	2	46	1.17	.120	19	32	.35	360	.05	22.73	.04	.06	1	10	
90L-32-C48	1	24	11	87	.3	15	8	830	2.60	36	5	2	1	52	.3	2	2	44	.62	.080	17	30	.42	230	.08	52.06	.05	.05	1	5	
90L-32-C49	11	27	11	107	.2	25	18	1504	3.38	43	5	2	1	65	.3	3	2	65	.66	.076	12	43	1.00	131	.07	42.26	.04	.10	1	6	
90L-32-C50	6	28	10	118	.2	17	11	405	2.74	81	5	2	1	26	.2	2	2	49	.33	.079	18	26	.49	135	.08	62.27	.07	.07	1	1	
90L-32-Q01	1	21	7	99	.2	30	14	1084	2.92	34	5	2	2	45	.2	3	2	48	.62	.082	9	39	1.12	150	.07	51.69	.03	.09	1	1	
90L-32-Q02	3	24	9	126	.3	21	23	1810	3.92	17	5	2	1	34	.2	2	2	59	.49	.087	12	29	1.00	160	.07	32.73	.01	.06	1	146	
90L-32-A01	7	22	7	118	.4	15	12	1262	2.75	174	7	2	1	130	.2	3	2	63	2.04	.076	15	41	.35	223	.06	52.87	.02	.03	1	3	
90L-32-A02	9	19	5	173	.4	19	41	2457	2.50	172	8	2	1	133	.9	3	2	58	1.68	.077	18	27	.31	155	.05	63.40	.02	.04	1	1	
90L-32-A03	7	19	4	110	.4	17	12	1252	3.07	267	7	2	1	95	.2	2	2	77	1.75	.062	10	47	.58	143	.06	42.10	.02	.03	1	4	
90L-32-A04	3	172	18	166	.3	65	29	840	6.15	140	5	2	1	58	.8	7	2	119	1.10	.107	5	61	1.86	98	.18	33.15	.03	.09	1	17	
90L-32-A05	2	189	13	191	.3	62	39	1093	5.34	130	5	2	1	83	1.0	8	2	103	1.23	.114	8	56	1.59	130	.14	23.32	.02	.10	1	29	
90L-32-A06	2	71	10	141	.3	28	21	1082	1.94	267	5	2	1	82	.7	2	2	42	1.97	.102	18	36	.26	66	.05	33.20	.02	.04	1	13	
90L-32-A07	2	45	8	100	.5	22	15	725	2.49	204	5	2	1	63	.2	2	2	55	1.68	.087	9	38	.45	57	.08	72.29	.02	.05	1	4	
90L-32-A08	2	36	9	140	.5	22	36	2841	3.55	71	5	2	1	38	.9	2	2	66	.94	.104	11	32	.51	108	.08	32.75	.02	.05	1	11	
90L-32-A09	3	50	10	157	.5	32	34	2068	2.30	186	5	2	1	56	1.2	4	2	46	1.58	.135	16	31	.52	72	.05	34.22	.02	.04	1	2	
90L-32-W01	2	99	4	141	.6	50	27	1042	5.44	185	5	2	4	136	1.1	13	2	99	.97	.111	8	60	1.96	233	.15	23.41	.03	.45	1	53	
90L-32-W02	2	70	3	105	.1	39	21	797	4.78	128	5	2	2	75	.3	7	2	83	.85	.107	7	50	1.65	119	.14	22.58	.04	.19	2	1	
90L-32-W03	2	62	2	153	.2	33	23	1441	4.23	36	5	2	1	45	1.0	2	4	79	.94	.079	8	42	1.22	141	.14	43.25	.02	.18	1	1	

Sample #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
32 L98N 99+50E	1	4	7	16	.1	1	1	58	.50	2	5	2	1	13	.4	2	2	17	.14	.037	5	9	.01	18	.09	2	.45	.05	.03	1	6
32 L98N 99+75E	2	21	13	31	.4	7	3	112	2.59	7	5	2	1	13	.3	3	2	88	.15	.041	13	24	.35	29	.27	2	1.79	.02	.02	1	6
32 L98N 100+00E	1	5	7	27	.3	3	1	98	.73	2	5	2	1	21	.3	2	2	31	.28	.039	5	12	.15	34	.13	2	.56	.04	.04	1	18
32 L98N 100+25E	1	10	11	12	.2	2	1	54	1.01	5	5	2	1	13	.5	2	2	65	.10	.037	6	13	.01	31	.26	2	.71	.01	.02	1	10
32 L98N 100+50E	2	19	9	33	.8	7	2	113	1.72	7	5	2	1	14	.2	2	2	48	.15	.074	10	24	.36	49	.08	2	1.62	.05	.05	1	6
32 L98N 100+75E	1	7	6	19	.4	2	1	63	1.49	4	5	2	1	7	.2	2	2	27	.07	.031	7	9	.01	20	.12	2	.75	.08	.05	1	2
32 L98N 101+00E	2	10	6	28	.5	2	1	118	1.56	4	5	2	1	5	.2	2	2	15	.10	.028	14	6	.06	54	.13	2	1.17	.19	.11	1	3
32 L98N 101+25E	2	18	7	31	.7	5	2	127	1.77	7	5	2	1	7	.3	2	2	23	.12	.052	14	15	.19	35	.12	5	1.69	.15	.08	1	4
32 L98N 101+50E	5	27	18	32	1.0	8	4	132	5.50	37	5	2	3	16	.6	8	2	223	.15	.025	11	28	.28	37	.42	10	1.62	.01	.02	1	8
32 L98N 101+75E	3	14	4	32	.4	4	1	94	2.71	10	5	2	1	11	.2	2	2	44	.13	.068	14	17	.13	37	.12	2	2.00	.09	.06	1	2
32 L98N 102+00E	2	13	11	21	.3	3	1	67	1.77	3	5	2	1	7	.2	2	2	24	.09	.052	14	13	.10	17	.10	2	1.44	.09	.05	1	1
32 L98N 102+25E	2	12	6	27	.5	3	1	114	1.50	6	5	2	2	5	.2	2	2	21	.09	.031	13	11	.10	18	.14	2	1.15	.16	.10	1	2
32 L98N 102+50E	2	16	12	15	.3	2	1	49	1.58	18	5	2	1	15	.3	2	2	102	.11	.018	9	23	.05	28	.26	36	1.35	.01	.02	1	9
32 L98N 102+75E	3	50	7	83	.7	22	10	447	4.13	93	5	2	1	25	.3	7	2	79	.27	.068	11	31	1.00	58	.10	2	2.30	.03	.06	1	14
32 BL100E 102+00N	2	18	3	26	.5	5	1	56	1.40	4	5	2	1	8	.3	2	2	24	.09	.073	9	18	.07	21	.07	2	1.58	.07	.05	1	5
32 BL100E 101+50N	1	14	5	25	.1	5	1	26	.46	2	5	2	1	9	.4	2	2	9	.09	.089	5	16	.01	31	.04	2	.75	.04	.05	1	7
32 BL100E 101+00N	2	7	10	20	.2	2	1	58	.92	3	5	2	1	11	.6	2	2	28	.13	.027	7	8	.03	26	.17	2	.72	.05	.04	1	3
32 BL100E 100+50N	1	24	14	33	.5	8	4	139	3.62	16	5	2	3	13	.2	2	2	102	.15	.040	12	30	.40	37	.20	2	2.85	.01	.02	1	4
32 BL100E 100+00N	1	11	9	22	.1	4	2	66	1.86	7	5	2	1	12	.2	2	2	78	.07	.036	13	28	.10	31	.16	2	1.43	.02	.04	1	8
32 BL100E 99+50N	2	16	2	42	.5	8	3	179	2.24	9	5	2	1	12	.3	2	2	36	.19	.045	15	18	.46	80	.13	2	1.84	.12	.08	1	1
32 BL100E 99+00N	2	29	9	46	.8	10	4	209	4.37	19	5	2	1	18	.3	5	2	86	.18	.054	12	37	.49	48	.19	2	3.11	.01	.04	1	10
32 BL100E 98+50N	2	16	9	19	.5	7	3	116	4.10	10	5	2	2	19	.2	2	2	83	.12	.051	9	37	.29	32	.22	2	2.09	.02	.02	1	16
32 BL100E 98+00N	2	21	10	33	.6	9	4	135	5.79	13	5	2	3	18	.2	4	2	122	.12	.054	9	43	.33	34	.30	2	2.30	.01	.02	1	43
32 BL100E 97+50N	2	16	12	29	.5	7	3	97	3.55	16	5	2	1	17	.3	4	2	99	.16	.033	9	22	.27	30	.27	2	1.32	.02	.03	1	9
32 BL100E 97+00N	3	13	9	33	.7	3	1	182	2.37	6	5	2	3	6	.2	2	2	23	.10	.052	19	11	.10	54	.16	2	2.01	.13	.08	2	5
32 BL100E 96+50N	2	30	2	34	.6	6	2	91	1.36	3	5	2	1	8	.2	2	2	20	.12	.127	19	16	.27	40	.05	2	2.72	.07	.05	1	1
32 BL100E 96+00N	2	39	4	25	.6	7	2	85	1.27	6	5	2	1	7	.3	2	2	22	.11	.148	14	19	.29	31	.04	2	3.24	.04	.03	1	2
32 BL100E 95+50N	2	17	6	41	.6	10	10	1256	2.56	7	5	2	1	14	.2	2	2	48	.18	.115	12	21	.46	42	.05	2	1.99	.05	.05	1	6
32 BL100E 95+00N	2	19	10	21	.3	4	2	82	2.63	12	5	2	1	17	.3	2	2	64	.15	.044	15	22	.12	34	.23	2	1.83	.02	.03	1	6
32 BL100E 94+50N	1	15	8	26	.2	3	2	61	1.69	6	5	2	1	18	.3	2	3	54	.13	.035	11	17	.04	34	.21	20	1.14	.02	.03	1	4
32 BL100E 94+00N	2	13	10	25	.5	4	2	87	1.93	7	5	2	1	9	.3	2	2	65	.09	.032	10	20	.23	24	.19	2	1.51	.04	.04	1	15
32 BL100E 93+50N	1	11	16	14	.1	4	1	53	1.41	5	5	2	1	9	.4	2	3	53	.05	.063	10	20	.07	30	.06	2	1.58	.01	.03	1	2
32 BL100E 93+00N	1	35	13	41	.2	14	7	274	4.32	14	5	2	1	11	.4	3	3	72	.14	.038	11	37	.61	32	.13	2	3.24	.02	.03	1	10
32 BL100E 92+50N	2	34	11	40	.2	12	6	254	5.40	14	8	2	2	12	.2	2	2	84	.12	.038	13	43	.54	30	.15	2	3.54	.01	.02	1	2
32 L92N 100+00E	2	24	11	39	.3	11	9	1133	4.02	12	5	2	1	13	.3	3	2	66	.17	.144	12	33	.45	40	.06	2	2.46	.02	.04	1	9
32 L92N 100+25E	2	26	11	42	.2	12	7	773	4.25	15	5	2	1	15	.2	3	2	72	.16	.133	12	34	.46	37	.06	2	2.49	.01	.03	1	4
32 L92N 100+50E	2	22	9	44	.3	12	8	948	3.53	14	5	2	1	14	.3	2	2	63	.14	.131	12	36	.42	32	.05	2	2.07	.01	.04	1	3
32 L92N 100+75E	1	8	12	23	.2	5	1	60	1.36	2	5	2	1	9	.3	2	2	40	.06	.032	12	21	.09	33	.09	2	1.65	.02	.02	1	1
32 L92N 101+00E	2	7	8	27	.2	5	2	131	1.88	4	8	2	2	6	.2	2	2	25	.09	.030	13	11	.15	21	.11	4	1.08	.07	.05	1	3
32 L92N 101+25E	2	7	10	17	.2	2	1	54	1.86	6	7	2	1	8	.3	2	2	69	.04	.017	8	14	.05	22	.12	2	1.11	.01	.02	1	3
32 L92N 101+50E	2	6	7	15	.1	2	1	47	1.32	4	5	2	1	9	.3	2	2	67	.04	.013	8	14	.04	25	.11	4	1.01	.01	.02	1	2

Sample #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
32 L100N 94+50E	3	5	6	30	.2	3	2	152	1.80	2	5	2	3	5	.2	2	2	8	.11	.015	19	5	.11	115	.11	2	1.21	.30	.18	2	5
32 L100N 94+75E	3	7	12	21	.8	3	2	69	1.34	5	5	2	1	11	.2	2	3	34	.14	.031	9	13	.09	39	.13	3	.90	.08	.06	1	5
32 L100N 95+00E	2	21	7	37	.4	8	3	114	.97	2	5	2	1	10	.2	2	2	20	.16	.127	13	23	.23	68	.05	2	2.56	.07	.06	1	2
32 L100N 95+25E	2	8	12	22	.3	1	3	75	2.97	5	5	2	1	14	.2	2	5	88	.15	.032	11	26	.15	29	.22	2	1.76	.02	.03	1	6
32 L100N 95+50E	4	13	8	32	.6	5	5	260	3.60	3	5	2	2	9	.2	2	2	40	.11	.041	17	19	.16	45	.15	2	1.91	.09	.07	2	6
32 L100N 95+75E	2	5	7	25	.7	4	1	79	1.26	4	5	2	1	7	.2	4	10	20	.08	.030	7	9	.06	19	.12	2	.51	.10	.08	2	1
32 L100N 96+00E	4	19	14	43	.1	12	7	124	7.52	11	5	2	1	19	.2	2	2	108	.24	.067	8	49	.29	42	.22	2	2.27	.01	.04	1	4
32 L100N 96+25E	2	6	13	22	.1	5	2	94	1.47	6	5	2	1	21	.2	2	2	85	.17	.015	6	18	.20	33	.32	2	1.06	.01	.03	1	2
32 L100N 96+50E	1	6	16	16	.3	4	3	53	3.25	3	5	2	3	14	.2	2	3	81	.09	.018	10	21	.09	24	.19	2	1.72	.01	.03	1	6
32 L100N 96+75E	2	7	10	19	.3	5	3	80	2.35	5	5	2	1	19	.2	2	2	105	.13	.019	10	24	.16	26	.25	2	1.51	.01	.03	1	4
32 L100N 97+00E	2	5	13	16	.1	1	2	58	1.84	3	5	2	1	16	.2	2	2	89	.11	.017	10	13	.09	24	.22	2	1.29	.02	.03	1	7
32 L100N 97+25E	1	4	13	13	.1	1	1	37	.65	2	5	2	1	11	.2	2	2	32	.07	.020	8	13	.05	23	.11	2	.86	.02	.03	1	1
32 L100N 97+50E	2	13	14	24	.1	4	5	100	4.45	6	5	2	1	16	.5	2	3	113	.12	.026	13	31	.18	25	.24	3	1.89	.01	.03	1	3
32 L100N 97+75E	1	4	6	20	.1	3	1	62	1.05	2	5	2	1	8	.3	2	2	25	.06	.031	11	13	.07	14	.10	2	1.12	.06	.05	1	1
32 L100N 98+00E	1	2	7	15	.1	1	1	77	.92	2	5	2	1	15	.2	2	6	38	.09	.013	6	9	.11	19	.11	2	.66	.02	.02	1	6
32 L100N 98+25E	2	4	15	17	.1	1	2	56	2.08	2	5	2	1	12	.3	2	3	75	.08	.019	8	15	.08	26	.20	2	1.15	.02	.03	1	6
32 L100N 98+50E	3	2	10	19	.1	2	2	76	1.62	2	5	2	1	7	.2	2	2	30	.06	.012	8	10	.07	20	.16	2	.68	.07	.05	1	3
32 L100N 98+75E	3	8	18	20	.1	3	5	67	5.69	5	5	2	3	9	.2	2	2	114	.07	.023	12	25	.14	20	.25	2	1.96	.02	.03	1	5
32 L100N 99+00E	2	5	6	17	.2	4	4	83	2.59	2	9	2	1	10	.3	2	3	66	.08	.013	7	16	.04	17	.08	3	.41	.01	.03	1	7
32 L100N 99+25E	3	7	15	20	.2	4	1	70	2.33	2	5	2	4	9	.3	2	2	23	.08	.021	14	11	.06	22	.11	5	1.42	.08	.06	1	7
32 L100N 99+50E	2	7	10	24	.4	4	3	77	3.82	11	5	2	2	13	.2	2	2	99	.13	.040	16	19	.13	23	.20	2	1.85	.03	.04	1	7
32 L100N 99+75E	1	2	3	17	.3	1	1	40	.66	2	7	2	1	9	.2	2	2	14	.08	.035	5	8	.03	22	.05	2	.36	.05	.05	1	8
32 L98N 94+75E	2	11	11	23	.1	3	2	58	1.49	3	7	2	1	15	.4	2	7	33	.10	.055	10	16	.10	50	.10	2	1.21	.03	.04	1	4
32 L98N 95+00E	2	9	10	43	.2	6	5	180	2.43	6	5	2	1	38	.4	2	2	49	.23	.055	8	21	.34	87	.10	2	1.17	.03	.04	1	6
32 L98N 95+25E	3	10	17	44	.1	7	8	218	5.27	5	5	2	3	20	.4	2	7	86	.20	.026	8	24	.28	127	.17	2	1.66	.02	.04	1	5
32 L98N 95+50E	3	4	15	26	.4	3	4	61	1.37	6	5	2	1	19	.8	4	2	104	.14	.017	8	20	.09	111	.29	2	1.04	.01	.03	1	15
32 L98N 95+75E	2	2	6	25	.2	3	2	33	1.14	2	5	2	1	11	.2	2	2	44	.07	.030	7	13	.04	43	.10	2	.67	.01	.03	1	8
32 L98N 96+00E	3	8	13	33	.6	8	4	74	2.22	8	5	2	3	15	.3	4	2	65	.13	.052	8	22	.17	28	.14	3	1.14	.02	.05	1	3
32 L98N 96+25E	2	7	5	24	.4	3	2	56	1.10	4	5	2	1	7	.2	3	2	17	.06	.040	7	11	.04	24	.09	2	.59	.08	.06	1	3
32 L98N 96+50E	2	9	12	29	.3	3	2	98	1.58	3	5	2	1	13	.2	2	2	24	.12	.040	17	15	.16	59	.10	2	1.56	.10	.07	1	5
32 L98N 96+75E	3	8	11	36	.4	2	3	77	1.79	3	5	2	1	14	.4	2	2	61	.10	.033	9	18	.16	36	.19	2	1.34	.02	.04	1	11
32 L98N 97+00E	2	9	7	24	.7	2	2	61	1.52	3	6	2	1	12	.2	2	2	25	.09	.043	10	14	.09	25	.07	4	1.27	.05	.05	1	5
32 L98N 97+25E	3	27	10	53	.1	12	10	285	6.82	17	5	2	2	21	.4	2	2	110	.15	.045	11	34	.58	31	.30	4	2.76	.01	.04	1	7
32 L98N 97+50E	2	2	5	20	.3	2	1	58	1.00	5	5	2	1	12	.3	3	2	19	.09	.036	7	9	.07	16	.08	2	.62	.08	.06	1	6
32 L98N 97+75E	2	4	2	15	.5	5	1	30	1.17	3	5	2	1	11	.5	2	2	33	.06	.034	6	11	.05	27	.10	2	.81	.01	.02	1	18
32 L98N 98+00E	3	2	8	36	.1	2	2	116	1.94	2	5	2	1	6	.2	2	2	19	.08	.022	9	9	.09	10	.12	3	.82	.16	.10	1	2
32 L98N 98+25E	2	12	18	31	.4	6	3	125	2.16	9	5	2	2	15	.4	2	2	93	.17	.036	8	20	.35	33	.27	2	1.18	.02	.04	1	14
32 L98N 98+50E	2	11	8	26	.5	4	2	87	2.34	4	5	2	1	11	.6	2	2	66	.09	.032	6	14	.11	19	.22	2	.84	.04	.03	1	12
32 L98N 98+75E	1	4	8	16	.3	2	1	40	.50	2	5	2	1	12	.2	2	2	21	.09	.032	5	9	.01	18	.11	2	.50	.04	.03	1	13
32 L98N 99+00E	2	20	11	35	.8	6	2	114	3.09	8	5	2	2	15	.2	3	2	98	.12	.031	13	20	.21	27	.27	2	1.52	.03	.03	1	8
32 L98N 99+25E	2	33	9	60	.5	15	5	241	2.71	12	5	2	1	20	.2	3	2	53	.26	.092	14	27	.69	58	.10	2	2.29	.05	.05	1	4

Sample #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
32 BL100E 83+00N	3	27	9	38	.4	13	9	319	4.19	20	5	2	2	11	.3	4	3	70	.14	.067	11	33	.51	37	.11	2	2.52	.01	.04	1	1
32 BL100E 82+50N	2	6	7	19	.1	3	1	68	1.05	2	5	2	2	3	.2	2	2	14	.05	.024	15	6	.06	24	.09	2	1.28	.11	.08	1	1
32 BL100E 82+00N	2	6	6	19	.3	2	1	50	.84	2	5	2	1	5	.2	2	2	15	.06	.038	11	9	.05	29	.07	2	1.12	.08	.05	1	1
32 BL100E 81+50N	1	7	3	17	.1	4	1	51	1.03	2	5	2	2	5	.2	2	2	22	.04	.031	6	9	.08	20	.10	2	.71	.05	.04	1	7
32 BL100E 81+00N	2	6	4	18	.1	4	1	54	1.34	3	5	2	1	4	.2	2	2	10	.04	.036	10	7	.04	18	.08	2	.92	.08	.06	1	3
32 L102N 96+25E	2	23	7	33	.3	7	3	127	2.97	2	5	2	1	16	.4	2	2	52	.13	.062	10	25	.22	63	.13	3	1.40	.04	.06	1	8
32 L102N 96+50E	1	3	8	15	.1	1	1	35	.46	2	5	2	1	10	.3	2	2	15	.06	.031	5	17	.02	18	.09	2	.34	.03	.03	2	6
32 L102N 96+75E	2	11	11	31	.1	5	2	116	1.78	7	5	2	1	18	.3	2	2	69	.22	.086	6	32	.17	46	.18	2	.96	.01	.05	1	7
32 L102N 97+00E	5	21	11	37	.3	7	3	135	4.97	19	5	2	1	17	.3	2	2	106	.19	.036	16	45	.18	56	.25	2	2.33	.01	.02	1	2
32 L102N 97+25E	2	65	15	69	.2	17	8	345	11.17	36	5	2	6	13	.5	2	2	210	.15	.019	8	81	.71	34	.60	2	3.29	.01	.03	1	11
32 L102N 97+50E	1	13	7	29	.3	3	1	95	1.77	2	5	2	2	6	.5	2	2	22	.10	.028	11	25	.10	44	.14	2	1.29	.12	.08	1	1
32 L102N 98+00E	1	5	14	12	.1	2	1	36	.85	2	5	2	1	10	.2	2	2	72	.06	.015	7	26	.04	20	.27	2	.89	.02	.02	2	4
32 L102N 98+25E	1	6	8	13	.1	1	1	33	.48	2	5	2	1	10	.2	2	2	25	.06	.019	5	22	.03	15	.10	2	.53	.01	.02	1	12
32 L102N 98+50E	1	2	5	26	.2	3	1	117	1.58	2	5	2	3	4	.2	2	2	7	.11	.020	15	18	.11	79	.13	2	1.22	.23	.14	1	1
32 L102N 98+75E	1	5	10	19	.2	3	1	54	1.30	5	5	2	1	13	.2	2	3	50	.09	.019	10	36	.10	30	.16	2	1.29	.01	.02	1	15
32 L102N 99+00E	2	38	9	43	.8	9	5	361	7.42	21	5	2	1	13	.5	2	2	125	.16	.051	10	56	.45	41	.26	2	2.56	.01	.03	1	1
32 L102N 99+25E	1	11	8	20	.1	4	1	83	1.55	2	5	2	1	8	.3	2	2	25	.10	.052	13	34	.13	26	.11	2	1.36	.10	.06	1	1
32 L102N 99+50E	2	30	8	32	.3	7	3	110	8.98	22	5	2	7	10	.5	2	2	155	.11	.059	16	59	.25	27	.32	2	3.87	.01	.03	1	1
32 L102N 99+75E	1	13	11	14	.1	2	2	52	4.84	9	5	2	3	10	.2	2	2	175	.06	.014	10	36	.08	24	.23	2	1.92	.01	.01	1	1
32 L102N 100+25E	2	13	13	30	.1	10	3	141	3.68	11	5	2	2	14	.2	2	2	106	.13	.025	11	45	.34	33	.26	2	1.81	.01	.02	1	2
32 L102N 100+50E	2	6	6	28	.1	3	1	133	1.64	3	5	2	3	4	.2	2	2	14	.10	.023	18	27	.11	39	.16	2	1.37	.21	.12	1	1
32 L102N 100+75E	2	1	9	20	.1	1	1	54	.81	3	5	2	1	9	.2	2	2	41	.09	.024	7	26	.08	19	.06	2	.84	.02	.03	1	14
32 L102N 101+00E	1	4	12	14	.1	2	1	51	1.06	2	5	2	1	13	.3	2	2	49	.08	.016	7	29	.09	21	.17	2	.91	.01	.03	1	4
32 L100N 90+00E	2	73	4	54	.7	24	9	303	4.88	32	5	2	2	17	.5	2	2	89	.26	.039	13	76	.87	56	.23	2	4.21	.01	.04	1	3
32 L100N 90+25E	5	38	8	82	.3	27	14	527	3.24	55	5	2	1	57	.4	2	2	61	.75	.080	13	78	1.07	226	.08	2	2.52	.03	.06	1	1
32 L100N 90+50E	7	12	11	32	.1	7	3	120	.70	12	9	2	1	60	.3	2	2	17	.70	.080	20	38	.14	123	.04	2	1.91	.04	.03	2	3
32 L100N 90+75E	17	23	4	30	.1	8	2	379	.51	7	36	2	1	119	.5	4	2	23	1.50	.063	10	31	.10	221	.04	2	1.15	.04	.03	1	1
32 L100N 91+00E	3	5	5	25	.2	3	3	140	1.72	2	5	2	1	21	.2	2	2	19	.31	.033	11	31	.05	73	.11	2	.93	.08	.05	1	2
32 L100N 91+25E	7	5	14	16	.1	2	1	28	.74	2	5	2	1	12	.3	2	3	45	.13	.027	7	32	.04	34	.16	2	.66	.02	.03	1	5
32 L100N 91+50E	2	7	10	21	.2	4	1	45	2.30	3	5	2	1	10	.2	2	2	90	.09	.034	6	38	.10	21	.24	2	.95	.01	.02	1	1
32 L100N 91+75E	1	3	9	16	.1	6	2	57	1.87	9	5	2	1	11	.2	2	2	100	.06	.016	6	38	.30	45	.10	2	2.14	.01	.03	1	4
32 L100N 92+00E	1	1	6	12	.1	3	1	63	.99	2	5	2	1	7	.2	2	2	31	.07	.012	5	30	.04	11	.16	2	.33	.05	.03	1	6
32 L100N 92+25E	5	8	19	21	.1	5	2	75	3.22	7	5	2	1	15	.2	2	2	209	.10	.014	8	38	.18	26	.45	2	1.55	.01	.02	1	5
32 L100N 92+50E	2	8	11	16	.1	5	2	74	3.87	4	5	2	1	10	.2	2	2	136	.06	.018	9	37	.12	21	.33	2	1.46	.01	.02	1	1
32 L100N 92+75E	2	14	11	16	.1	4	2	63	4.75	17	5	2	1	12	.2	2	2	131	.07	.026	12	41	.12	23	.30	2	1.74	.01	.02	1	3
32 L100N 93+00E	1	8	13	17	.1	4	1	58	2.15	7	5	2	1	11	.2	2	2	102	.07	.014	8	29	.11	21	.30	2	1.11	.01	.02	1	3
32 L100N 93+25E	1	5	13	9	.1	2	1	42	1.00	7	5	2	1	7	.2	2	3	58	.04	.015	10	27	.05	14	.23	2	.83	.02	.02	1	3
32 L100N 93+50E	1	2	6	15	.1	2	1	44	.66	2	5	2	1	8	.2	2	2	10	.05	.035	5	24	.02	31	.09	2	.48	.06	.03	1	6
32 L100N 93+75E	1	1	7	8	.1	1	1	31	.47	2	5	2	1	8	.2	2	3	11	.05	.020	5	22	.03	15	.06	2	.37	.03	.02	1	16
32 L100N 94+00E	3	9	12	16	.2	4	2	65	3.23	11	5	2	1	23	.2	2	2	109	.20	.024	9	30	.12	83	.22	2	1.33	.01	.03	1	5
32 L100N 94+25E	6	46	9	87	.6	21	24	2183	3.28	210	13	2	1	57	.7	3	2	56	.76	.116	17	39	.65	209	.05	2	2.88	.02	.05	1	5

Sample #	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe %	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
	ppm	%	pdm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm																
32 L82N 101+25E	2	1	8	25	.3	3	1	71	.96	2	5	2	1	6	.2	2	3	18	.07	.024	14	9	.09	31	.10	2	1.10	.10	.07	1	1
32 L82N 101+50E	2	2	11	26	.3	3	1	43	.86	3	5	2	1	12	.2	2	2	30	.10	.036	6	9	.06	28	.12	2	.82	.03	.03	1	5
32 L82N 101+75E	2	5	9	30	.4	4	2	114	1.22	2	5	2	1	6	.2	2	3	15	.08	.041	10	9	.12	24	.08	2	1.24	.11	.08	1	2
32 L82N 102+00E	1	1	7	26	.2	3	1	51	1.22	2	5	2	1	7	.2	2	2	16	.06	.035	7	6	.04	12	.08	2	.66	.06	.05	1	1
32 L82N 102+25E	2	1	9	14	.1	1	1	41	.98	3	5	2	1	11	.2	2	2	39	.07	.020	5	8	.04	17	.11	2	.61	.02	.03	1	3
32 L82N 102+50E	3	9	10	32	.5	4	3	146	3.19	3	5	2	1	20	.2	2	2	47	.11	.066	11	15	.15	38	.08	2	2.19	.01	.03	1	4
32 L82N 102+75E	2	8	9	27	.3	6	2	92	1.82	4	5	2	1	14	.3	2	2	51	.09	.037	8	23	.17	22	.07	2	1.34	.02	.03	1	9
32 L82N 103+00E	7	1	7	20	.2	2	1	64	1.26	12	5	2	1	13	.2	2	2	33	.10	.024	8	9	.10	30	.15	2	.92	.03	.04	1	3
32 L82N 103+25E	4	7	8	45	.1	7	3	114	1.21	146	11	2	1	31	.2	2	2	26	.61	.089	13	18	.19	117	.03	2	1.79	.02	.03	1	6
32 L82N 103+50E	6	4	14	29	.2	2	1	41	2.44	21	5	2	1	11	.2	2	4	70	.06	.027	11	17	.07	40	.13	2	1.51	.01	.02	1	7
32 L82N 105+00E	2	1	7	30	.1	3	2	172	1.52	3	5	2	3	5	.2	2	2	13	.11	.020	17	4	.13	103	.10	2	1.29	.22	.14	1	1
32 L82N 105+25E	2	29	12	43	.4	11	5	228	5.21	23	5	2	1	14	.2	3	2	99	.12	.062	15	34	.39	39	.14	2	2.66	.01	.03	1	13
32 L82N 105+50E	2	7	12	32	.2	5	3	111	1.48	6	6	2	1	10	.2	2	2	44	.10	.036	7	12	.19	19	.19	2	.88	.04	.04	1	8
32 L82N 105+75E	3	10	13	42	.1	8	3	143	2.05	28	5	2	1	12	.2	2	2	48	.12	.054	12	22	.33	61	.07	3	1.71	.02	.06	1	2
32 L82N 106+00E	2	1	5	25	.2	3	1	122	1.06	4	5	2	1	8	.2	2	2	14	.12	.047	7	8	.08	47	.08	2	.54	.13	.10	1	3
32 L82N 106+25E	2	2	15	16	.2	2	1	116	1.12	2	5	2	1	10	.2	2	4	37	.06	.030	8	13	.06	25	.13	2	1.13	.04	.04	1	5
32 L82N 106+50E	5	19	11	39	.1	8	3	166	2.74	8	5	2	1	9	.2	2	3	39	.10	.071	13	19	.33	42	.10	3	2.22	.07	.06	1	2
32 L82N 106+75E	1	15	13	22	.2	4	1	46	1.47	2	5	2	1	10	.2	2	2	36	.07	.064	13	25	.09	28	.08	2	1.99	.02	.02	1	8
32 L82N 107+25E	2	6	7	36	.2	4	2	142	2.40	5	5	2	3	6	.4	2	3	15	.07	.040	33	6	.11	134	.07	2	3.87	.14	.11	1	2
32 L82N 107+50E	3	5	5	31	.3	2	1	62	1.71	2	6	2	2	5	.2	2	2	18	.05	.064	13	9	.06	20	.07	5	1.53	.06	.05	1	1
32 L82N 107+75E	2	2	11	37	.3	3	1	151	1.58	3	5	2	3	4	.2	2	4	16	.10	.028	18	7	.12	33	.14	2	1.33	.24	.15	1	2
32 L82N 108+00E	3	21	13	55	.2	18	5	192	3.22	7	5	2	1	16	.2	2	2	57	.16	.057	12	40	.60	42	.12	5	2.11	.03	.06	1	1
32 L82N 108+25E	4	31	11	66	.2	18	9	768	3.06	6	5	2	4	20	.3	2	2	39	.26	.093	21	27	.58	89	.09	3	1.59	.08	.10	1	14
32 L82N 108+50E	3	6	8	32	.1	4	2	185	1.53	2	5	2	2	6	.2	2	2	17	.09	.033	10	8	.09	53	.11	2	1.11	.12	.08	1	3
32 BL100E 91+50N	2	31	9	49	.2	10	4	182	2.58	23	6	2	1	15	.2	2	2	51	.18	.069	17	33	.43	42	.10	4	2.61	.05	.05	1	9
32 BL100E 91+00N	1	14	12	34	.4	6	3	266	3.81	21	5	2	1	6	.3	2	2	41	.06	.042	12	22	.18	21	.11	2	2.04	.05	.04	1	7
32 BL100E 90+50N	1	93	6	58	.1	20	9	332	3.38	77	5	2	1	15	.3	4	2	64	.23	.058	10	37	.90	49	.10	2	3.02	.02	.04	1	11
32 BL100E 90+00N	2	10	10	21	.1	6	1	42	2.13	5	5	2	1	12	.2	2	5	62	.07	.037	9	15	.06	35	.12	4	1.13	.02	.03	1	7
32 BL100E 89+50N	2	18	9	42	.5	8	3	188	2.48	14	5	2	1	18	.2	2	2	57	.15	.065	12	30	.30	50	.08	6	2.09	.01	.04	1	4
32 BL100E 89+00N	2	7	4	27	.1	4	2	123	1.50	3	5	2	2	7	.2	2	2	16	.10	.032	18	11	.15	80	.08	2	1.84	.16	.11	1	4
32 BL100E 88+50N	1	4	9	17	.1	2	1	48	1.12	3	6	2	1	8	.2	2	4	31	.05	.017	7	10	.06	19	.11	3	.81	.03	.03	1	7
32 BL100E 88+00N	2	39	10	52	.2	14	6	313	3.85	41	5	2	1	12	.2	2	2	68	.14	.059	16	40	.53	36	.12	2	2.97	.02	.03	1	6
32 BL100E 87+50N	2	7	10	18	.1	5	2	82	.96	2	5	2	1	12	.2	2	2	20	.10	.038	4	11	.08	25	.07	2	.39	.06	.05	1	4
32 BL100E 87+00N	2	35	4	49	.1	19	9	303	3.79	25	5	2	1	11	.5	4	5	65	.17	.064	10	34	.55	36	.10	2	2.21	.01	.03	1	19
32 BL100E 86+50N	2	14	6	24	.1	7	2	68	1.78	7	5	2	1	10	.2	2	2	56	.08	.041	9	20	.16	33	.10	4	1.53	.03	.03	1	6
32 BL100E 86+00N	2	14	2	25	.9	4	2	49	1.66	3	5	2	2	7	.2	2	2	29	.06	.044	8	14	.07	25	.06	2	1.22	.03	.03	1	8
32 BL100E 85+50N	2	11	5	23	.3	5	3	95	1.86	2	9	2	1	11	.2	2	2	35	.11	.051	6	16	.14	25	.06	2	.64	.04	.05	2	5
32 BL100E 85+00N	2	9	7	20	.1	4	4	90	2.25	7	5	2	1	9	.2	2	2	52	.07	.053	11	19	.19	35	.09	3	1.55	.02	.03	1	3
32 BL100E 84+50N	2	6	2	17	.1	5	2	48	1.11	4	7	2	1	8	.2	2	2	29	.05	.041	7	11	.06	38	.08	2	.88	.03	.03	1	12
32 BL100E 84+00N	1	4	7	17	.1	3	1	64	.59	2	6	2	1	3	.2	2	2	10	.05	.019	12	7	.04	28	.10	2	.81	.13	.08	1	1
32 BL100E 83+50N	2	29	2	22	.5	4	3	38	1.18	2	5	2	3	7	.2	2	3	17	.07	.137	17	12	.08	31	.03	2	2.35	.02	.03	1	4

Sample #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
32 L84N 107+50E	1	29	9	62	.1	13	6	320	2.93	17	5	2	1	17	.2	2	2	56	.19	.068	12	27	.66	53	.12	2	2.25	.05	.06	1	7
32 L84N 107+75E	2	32	14	76	.1	19	7	273	2.70	17	5	2	3	20	.5	3	2	72	.22	.060	14	44	.70	61	.15	5	2.77	.03	.06	1	12
32 L84N 108+25E	5	16	8	35	.2	10	4	121	3.35	4	5	2	1	11	.3	2	2	65	.11	.085	14	27	.33	43	.07	2	2.06	.04	.06	1	13
32 L84N 108+50E	4	14	10	37	.2	8	4	113	3.23	2	10	2	1	11	.2	2	12	63	.12	.090	14	26	.32	43	.06	4	2.00	.04	.06	1	5
32 L84N 108+75E	3	10	2	39	.1	6	3	148	2.13	2	5	2	1	11	.2	3	2	40	.15	.048	13	21	.30	70	.10	2	1.72	.06	.05	1	11
32 L84N 109+00E	1	25	4	64	.1	18	7	254	2.58	2	5	2	1	19	.2	2	2	46	.30	.069	17	31	.60	137	.10	2	2.07	.06	.07	1	4
32 L84N 109+50E	3	10	3	36	.1	5	5	137	2.43	4	5	2	2	12	.6	2	2	62	.09	.044	11	22	.11	48	.17	2	1.26	.05	.05	1	8
32 L84N 109+75E	3	18	10	51	.1	12	6	271	3.84	4	5	2	1	20	.2	2	2	78	.19	.051	13	33	.35	83	.13	2	1.90	.01	.04	1	7
32 L84N 110+00E	1	17	2	39	.1	7	3	121	1.50	5	5	2	1	14	.2	2	2	33	.17	.053	12	20	.26	79	.08	2	1.50	.06	.05	1	6
32 L82N 92+00E	2	11	7	32	.1	6	3	100	1.43	2	5	2	1	18	.3	4	2	23	.13	.047	7	15	.13	29	.08	2	.71	.10	.06	1	6
32 L82N 92+25E	3	43	11	32	.3	5	7	356	4.04	2	5	2	1	45	1.0	2	2	146	.18	.062	7	19	.25	41	.33	2	1.42	.03	.07	1	8
32 L82N 92+50E	2	14	8	31	.1	7	4	127	2.98	62	5	2	3	9	.8	2	3	52	.12	.030	10	14	.16	33	.26	2	.94	.09	.08	1	4
32 L82N 92+75E	2	44	4	35	.7	9	4	138	2.36	5	5	2	2	11	.4	3	2	30	.10	.072	10	24	.31	38	.07	3	2.14	.10	.09	1	5
32 L82N 93+00E	3	16	4	58	.1	18	10	701	3.01	8	5	2	1	19	.2	2	2	50	.17	.054	8	43	.78	57	.12	2	1.83	.13	.20	1	3
32 L82N 93+25E	3	28	6	90	.1	25	21	2856	4.71	5	5	2	1	12	.5	2	2	103	.17	.098	10	37	.85	71	.14	2	2.55	.06	.23	1	3
32 L82N 93+50E	3	26	2	45	.1	20	11	286	4.65	34	5	2	2	15	.7	2	3	114	.15	.097	9	33	.69	46	.21	2	2.03	.03	.12	1	12
32 L82N 93+75E	2	39	9	35	.1	6	3	113	2.33	2	5	2	1	7	.4	2	2	26	.11	.064	12	18	.17	39	.09	2	2.58	.11	.08	2	2
32 L82N 94+00E	3	11	4	20	.1	4	3	84	1.79	2	5	2	1	10	.2	2	2	35	.07	.025	6	13	.04	24	.11	2	.52	.05	.05	1	7
32 L82N 94+25E	1	2	2	15	.1	1	1	46	.75	2	5	2	1	8	.2	2	2	14	.06	.048	5	10	.03	19	.05	3	.48	.05	.05	1	4
32 L82N 94+50E	2	10	3	26	.2	2	3	83	1.77	2	10	2	2	7	.2	3	4	27	.06	.022	7	12	.06	24	.10	2	.61	.06	.06	2	6
32 L82N 94+75E	2	4	2	18	.1	2	2	94	.99	2	15	2	2	8	.2	2	4	33	.07	.027	4	13	.06	21	.11	2	.37	.04	.05	1	19
32 L82N 95+00E	3	43	2	53	.6	20	8	214	2.61	12	5	2	2	20	.5	2	7	50	.15	.104	11	33	.62	31	.06	2	2.09	.03	.07	1	4
32 L82N 95+50E	4	40	2	34	.3	16	3	71	2.39	3	5	2	2	17	.2	2	2	29	.10	.093	6	14	.09	30	.08	2	.99	.04	.05	1	1
32 L82N 95+75E	5	111	5	36	.1	12	6	99	3.51	6	5	2	1	21	.4	3	2	57	.16	.154	9	26	.26	30	.09	2	2.50	.02	.05	1	11
32 L82N 96+00E	3	89	2	41	.4	40	13	396	6.77	10	5	2	4	43	1.4	2	7	144	.20	.048	8	72	1.41	73	.35	2	3.34	.04	.47	1	2
32 L82N 96+25E	4	18	5	31	.1	12	5	146	3.25	2	5	2	2	25	.3	2	2	39	.12	.116	9	19	.19	18	.12	2	.79	.08	.08	1	2
32 L82N 96+50E	5	113	4	62	.1	34	15	502	5.49	16	5	2	1	66	.6	2	2	133	.34	.120	4	56	.99	69	.12	2	3.37	.03	.20	1	1
32 L82N 96+75E	3	64	7	69	.1	28	23	953	3.74	67	5	2	1	29	.5	2	2	88	.35	.092	5	54	1.05	69	.07	7	1.93	.03	.14	1	6
32 L82N 97+25E	2	6	5	59	.1	5	2	39	.73	2	5	2	1	28	.3	4	5	13	.32	.111	3	10	.10	135	.03	2	.31	.03	.06	1	5
32 L82N 97+50E	3	10	7	30	.1	5	6	83	4.20	2	8	2	2	16	.3	2	5	90	.13	.033	12	22	.22	30	.21	2	2.07	.01	.03	2	5
32 L82N 97+75E	3	8	14	25	.1	4	4	78	2.49	11	5	2	1	14	.4	2	5	95	.11	.037	13	21	.13	30	.22	2	1.86	.02	.03	1	4
32 L82N 98+50E	1	2	8	21	.1	3	3	51	1.23	2	5	2	1	37	.2	2	2	30	.12	.062	6	12	.09	26	.10	2	.74	.03	.04	1	46
32 L82N 98+75E	2	4	2	34	.1	6	4	148	2.29	2	5	2	1	31	.2	2	4	30	.18	.059	10	12	.30	65	.08	2	1.60	.12	.09	1	2
32 L82N 99+00E	2	3	5	44	.1	13	11	235	4.95	2	5	2	2	189	.5	2	6	94	.28	.067	7	33	1.01	96	.18	2	2.05	.04	.09	1	1
32 L82N 99+25E	2	14	6	31	.1	5	5	130	2.33	9	5	2	2	16	.4	2	6	38	.13	.058	9	17	.29	26	.10	2	1.89	.04	.04	1	18
32 L82N 99+50E	3	15	13	45	.1	10	5	382	3.64	4	5	2	1	21	.2	2	6	62	.18	.061	9	28	.53	38	.13	2	1.77	.02	.05	1	2
32 L82N 99+75E	1	7	6	30	.4	5	3	99	1.28	2	9	2	3	14	.3	4	2	21	.14	.100	10	15	.23	30	.01	5	1.14	.06	.06	1	1
32 L82N 100+25E	3	13	10	34	.3	5	3	157	3.24	7	6	2	1	16	.2	2	2	57	.10	.049	14	23	.29	37	.15	2	2.51	.02	.04	1	7
32 L82N 100+50E	1	20	12	42	.2	10	5	201	2.74	10	5	2	1	16	.2	2	2	48	.14	.075	10	24	.46	48	.10	2	2.83	.03	.04	1	4
32 L82N 100+75E	1	21	7	51	.2	10	5	237	2.16	9	5	2	1	23	.2	2	2	42	.23	.076	16	24	.62	60	.07	2	2.24	.06	.06	1	2
32 L82N 101+00E	1	10	15	27	.2	3	2	75	3.56	6	5	2	1	12	.2	2	2	55	.07	.049	16	28	.12	26	.09	2	3.05	.02	.03	1	2

Sample #	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppb																	
32 L85N 96+00E	2	3	6	22	.2	2	1	65	.90	2	5	2	1	5	.2	2	3	13	.05	.035	13	8	.05	15	.08	2	1.14	.09	.06	1	5
32 L85N 96+25E	1	5	6	25	.2	2	1	44	1.08	2	6	2	1	10	.2	2	3	15	.13	.082	6	9	.05	29	.03	5	.66	.03	.04	1	5
32 L85N 96+50E	2	16	9	36	.2	8	3	119	2.70	3	5	2	1	11	.2	2	2	33	.12	.101	15	17	.27	43	.06	2	2.35	.05	.05	1	2
32 L85N 96+75E	2	3	12	34	.2	6	4	178	1.74	3	5	2	1	20	.2	2	5	50	.16	.035	10	15	.33	49	.13	2	1.16	.01	.05	1	5
32 L85N 97+00E	2	10	13	26	.1	6	3	107	2.75	5	5	2	1	13	.2	2	2	58	.11	.060	7	17	.21	34	.11	2	1.39	.02	.03	1	4
32 L85N 97+25E	2	3	4	26	.2	2	1	54	.95	5	5	2	1	10	.2	2	2	19	.06	.044	7	9	.06	29	.06	5	.61	.05	.04	1	6
32 L84N 97+50E	3	6	11	25	.1	3	1	100	2.32	4	5	2	2	7	.2	2	2	24	.10	.038	14	11	.09	22	.12	2	1.67	.11	.08	1	6
32 L84N 97+75E	2	8	9	21	.1	3	1	174	1.93	2	5	2	1	15	.2	2	2	35	.12	.079	8	13	.12	32	.06	2	1.10	.06	.05	1	11
32 L84N 98+00E	2	4	15	18	.1	1	1	74	1.21	2	5	2	1	14	.2	2	4	50	.10	.035	6	13	.09	26	.18	3	.84	.03	.04	1	4
32 L84N 98+25E	2	9	7	28	.2	2	1	167	1.92	5	5	2	1	14	.2	2	2	28	.13	.054	12	13	.16	42	.09	2	2.19	.08	.06	1	12
32 L84N 98+50E	2	6	5	17	.1	2	1	76	1.28	2	5	2	1	11	.2	2	2	22	.13	.053	7	8	.09	47	.06	2	.76	.06	.05	1	5
32 L84N 98+75E	2	10	13	25	.1	2	1	86	1.64	2	5	2	1	15	.2	2	3	40	.10	.033	9	13	.14	27	.14	3	1.28	.05	.04	1	4
32 L84N 99+00E	2	11	8	31	.1	5	2	152	2.14	5	5	2	1	11	.2	2	2	23	.12	.051	17	12	.24	76	.09	2	2.04	.12	.08	1	4
32 L84N 99+25E	1	12	7	17	.1	2	2	48	1.20	2	5	2	1	17	.4	2	2	24	.09	.122	11	16	.04	31	.02	2	1.35	.02	.03	1	5
32 L84N 99+50E	2	5	12	12	.1	1	1	42	1.92	4	5	2	1	10	.2	2	2	75	.06	.019	9	15	.08	26	.18	2	1.56	.01	.03	1	11
32 L84N 99+75E	2	13	12	24	.1	3	2	61	2.66	9	5	2	1	10	.2	2	3	66	.06	.040	12	21	.12	23	.15	2	1.86	.01	.03	1	4
32 L84N 100+25E	2	7	12	23	.1	3	2	106	1.88	2	5	2	1	9	.2	2	5	64	.06	.034	11	17	.12	29	.15	2	1.90	.03	.04	1	5
32 L84N 101+25E	2	24	10	77	.1	9	21	1403	4.54	12	5	2	1	119	.2	2	2	35	.57	.095	15	15	.48	265	.05	2	1.92	.05	.07	1	4
32 L84N 101+50E	2	7	9	30	.1	4	2	120	1.58	2	5	2	1	11	.3	2	2	28	.12	.045	6	9	.18	27	.09	2	.88	.06	.06	1	6
32 L84N 101+75E	2	5	7	24	.1	1	1	86	1.46	2	5	2	1	5	.2	2	2	13	.07	.035	12	6	.07	23	.08	2	1.32	.11	.07	1	3
32 L84N 102+00E	1	5	2	123	1.0	2	2	91	1.33	2	5	2	13	3	.5	9	2	12	.06	.022	15	4	.06	19	.10	75	1.06	.20	.13	1	1
32 L84N 102+25E	1	20	10	38	.1	12	4	162	2.74	7	5	2	1	12	.2	3	5	40	.15	.065	11	26	.44	56	.07	3	1.94	.06	.07	1	1
32 L84N 102+50E	1	15	29	19	.1	8	2	111	1.93	2	5	2	1	9	.3	2	2	29	.11	.050	7	19	.33	38	.05	2	1.39	.04	.05	1	2
32 L84N 102+75E	1	6	8	24	.1	2	1	46	.93	2	5	2	1	10	.3	2	4	19	.08	.049	8	12	.07	26	.05	4	.94	.05	.05	1	5
32 L84N 103+00E	2	21	5	69	.4	12	7	798	3.37	4	5	2	1	20	.2	2	2	52	.14	.103	10	28	.49	36	.05	6	2.32	.01	.05	1	1
32 L84N 103+25E	1	21	6	59	.1	30	8	305	3.48	7	5	2	1	22	.2	2	2	53	.19	.056	8	48	1.02	44	.10	2	2.26	.02	.05	1	3
32 L84N 103+50E	1	25	13	46	.3	73	11	321	4.48	12	5	2	1	26	.2	2	2	58	.15	.050	9	113	1.52	68	.18	2	3.10	.02	.08	1	2
32 L84N 103+75E	1	31	15	51	.3	69	11	339	4.85	12	5	2	1	23	.2	3	2	63	.16	.054	10	122	1.61	72	.21	2	3.39	.02	.08	1	1
32 L84N 104+00E	1	4	9	19	.1	3	1	61	.69	2	5	2	1	13	.3	2	3	25	.09	.023	6	10	.09	25	.18	2	.65	.05	.06	1	2
32 L84N 104+25E	1	8	8	24	.1	2	1	68	1.37	2	5	2	1	10	.3	2	4	37	.07	.040	8	16	.11	20	.09	2	1.40	.03	.04	1	7
32 L84N 104+50E	2	8	14	30	.1	5	2	129	1.47	2	5	2	1	13	.2	2	5	59	.08	.045	7	18	.12	30	.13	2	1.23	.01	.04	1	12
32 L84N 104+75E	2	29	11	49	.2	11	4	226	4.08	13	5	2	1	14	.2	2	3	74	.12	.071	11	38	.40	33	.07	2	2.64	.02	.04	1	4
32 L84N 105+00E	2	58	10	56	.1	17	6	286	4.04	22	5	2	1	14	.2	3	2	69	.19	.083	16	49	.69	33	.09	2	3.41	.01	.04	1	2
32 L84N 105+25E	4	39	13	47	.1	8	4	212	2.35	12	5	2	1	12	.2	3	5	41	.12	.062	9	19	.41	31	.09	2	1.91	.04	.05	1	12
32 L84N 105+75E	1	4	8	29	.1	1	1	76	1.00	2	5	2	1	4	.2	2	3	11	.06	.027	8	5	.04	13	.10	2	.83	.14	.09	1	1
32 L84N 106+00E	1	102	24	96	.3	33	17	825	4.08	36	5	2	1	27	.2	6	2	74	.31	.100	11	42	1.16	70	.14	2	2.47	.02	.09	1	7
32 L84N 106+25E	2	82	11	54	.1	11	6	276	3.41	28	5	2	1	14	.3	3	3	60	.15	.066	13	27	.56	40	.10	2	2.91	.02	.04	1	6
32 L84N 106+50E	1	8	4	41	.1	3	2	89	1.33	2	5	2	1	9	.2	2	5	15	.11	.071	6	8	.09	30	.04	2	.71	.04	.06	1	6
32 L84N 106+75E	2	23	8	49	.1	10	5	665	4.69	17	5	2	1	11	.2	2	4	79	.08	.055	18	34	.24	43	.10	2	2.74	.02	.03	1	4
32 L84N 107+00E	4	18	6	49	.1	10	6	542	5.24	19	5	2	1	11	.2	2	2	77	.10	.067	18	30	.37	44	.12	2	2.22	.03	.05	1	2
32 L84N 107+25E	2	18	10	40	.1	7	5	232	3.93	17	5	2	1	14	.3	2	4	64	.11	.052	16	25	.40	36	.13	2	2.62	.02	.04	1	3

Sample #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
32 L90N 104+50E	1	25	10	31	.5	6	3	114	5.43	14	5	2	1	15	.3	2	3	118	.09	.043	18	33	.16	25	.23	2	2.66	.02	.02	1	3
32 L90N 104+75E	1	48	11	78	.1	21	14	1010	3.64	21	5	2	1	30	.2	4	2	70	.34	.101	12	39	.89	76	.11	2	2.76	.02	.06	1	3
32 L90N 105+00E	1	34	12	72	.1	19	9	429	2.84	8	5	2	2	26	.3	3	2	51	.28	.081	16	32	.71	111	.09	2	2.18	.05	.07	1	4
32 L90N 105+25E	1	12	6	27	.1	8	3	163	1.96	4	5	2	1	18	.5	2	2	45	.15	.055	7	21	.34	31	.10	2	1.14	.05	.06	1	3
32 L90N 105+50E	1	21	7	30	.2	10	4	182	1.94	8	5	2	1	20	.4	2	2	51	.20	.066	12	27	.47	39	.10	3	2.21	.04	.06	1	3
32 L90N 105+75E	2	24	12	28	.1	12	4	192	2.73	12	5	2	1	22	.2	3	2	62	.19	.059	12	34	.55	35	.09	2	2.21	.02	.05	1	11
32 L90N 106+00E	2	24	15	17	.3	9	6	179	4.19	24	5	2	1	23	.2	5	2	161	.11	.022	13	23	.08	27	.32	2	1.45	.01	.04	1	5
32 L90N 106+25E	1	5	14	1	.4	2	1	60	.85	2	5	2	1	15	.2	2	2	45	.09	.041	7	14	.09	34	.20	2	.88	.03	.05	1	8
32 L90N 106+50E	1	5	11	2	.1	3	1	70	1.63	7	5	2	1	15	.4	2	2	67	.09	.021	9	17	.11	30	.19	2	1.16	.02	.03	1	7
32 L90N 106+75E	1	26	8	32	.1	14	5	239	2.70	10	5	2	1	15	.4	2	2	40	.20	.051	14	25	.51	85	.13	2	2.12	.11	.08	1	2
32 L90N 107+00E	2	17	9	14	.4	7	4	182	4.04	16	5	2	1	12	.3	3	3	87	.08	.045	13	26	.23	33	.17	2	2.39	.02	.03	1	4
32 L86N 92+75E	2	28	9	30	.3	7	3	114	2.71	8	5	2	1	13	.2	2	2	62	.12	.074	11	24	.25	44	.12	3	2.03	.06	.05	2	11
32 L86N 93+00E	1	3	7	25	.1	4	2	112	1.44	2	5	2	3	3	.3	2	2	14	.07	.019	12	9	.09	19	.13	2	.80	.21	.14	1	4
32 L86N 93+25E	2	32	11	36	.2	13	7	258	9.29	11	5	2	4	14	.2	4	2	150	.10	.036	16	41	.61	24	.34	2	2.94	.01	.03	1	4
32 L86N 93+50E	3	15	11	21	.1	4	2	74	2.17	2	5	2	1	12	.2	2	2	72	.09	.033	7	20	.15	23	.19	2	.97	.02	.04	1	2
32 L86N 93+75E	2	3	11	18	.1	14	2	83	1.21	2	5	2	1	11	.2	3	3	44	.10	.032	4	34	.30	23	.19	2	.76	.02	.05	1	6
32 L86N 94+00E	1	44	9	64	.1	23	8	315	2.83	7	5	2	1	25	.2	2	3	55	.36	.089	11	34	.92	57	.10	2	1.97	.04	.07	1	18
32 L86N 94+25E	1	53	5	47	.2	7	7	292	4.41	2	5	2	3	13	.2	2	2	95	.17	.066	10	21	.87	64	.20	4	2.87	.02	.14	1	1
32 L86N 94+50E	1	14	6	33	.1	13	3	140	1.78	2	5	2	1	15	.2	2	2	32	.14	.037	9	24	.39	26	.06	3	1.26	.02	.04	1	7
32 L86N 94+75E	1	9	7	20	.1	5	3	119	2.41	2	5	2	1	9	.2	2	2	43	.09	.041	11	16	.15	32	.10	2	1.45	.04	.04	1	3
32 L86N 95+00E	2	7	6	29	.1	6	2	128	2.08	2	5	2	1	7	.2	2	2	27	.10	.041	8	15	.13	39	.10	2	1.17	.09	.07	1	1
32 L86N 95+25E	2	3	6	31	.1	4	2	183	1.61	2	5	2	4	5	.2	2	4	11	.10	.018	20	5	.13	33	.09	3	1.52	.22	.14	1	3
32 L86N 95+50E	1	6	6	31	.1	4	2	84	1.06	2	5	2	1	7	.2	2	2	13	.08	.052	8	10	.09	34	.03	2	.62	.04	.06	1	1
32 L86N 95+75E	2	14	11	43	.6	6	3	76	3.48	3	5	2	1	9	.2	2	2	66	.06	.054	13	24	.11	46	.10	2	1.90	.01	.03	1	2
32 L86N 96+00E	1	9	4	46	.1	5	3	159	.74	2	5	2	1	21	.2	2	2	11	.45	.086	3	8	.09	122	.01	2	.38	.02	.09	1	1
32 L86N 96+25E	2	22	8	70	.1	12	10	885	3.44	3	5	2	1	21	.2	2	2	52	.20	.078	10	19	.42	99	.04	2	2.08	.02	.07	1	9
32 L86N 96+50E	1	12	4	63	.1	5	2	108	.44	2	5	2	1	23	.3	2	5	6	.82	.119	2	6	.06	129	.01	2	.25	.01	.09	1	3
32 L86N 96+75E	1	5	9	31	.1	3	1	77	.94	2	5	2	1	12	.2	2	2	15	.16	.063	5	11	.10	29	.06	2	.55	.06	.07	1	2
32 L86N 97+00E	1	1	6	19	.1	2	1	76	.92	2	5	2	1	3	.2	6	4	10	.04	.024	8	5	.03	13	.10	3	.70	.13	.09	1	4
32 L86N 97+25E	1	7	7	36	.2	7	3	117	1.30	2	5	2	1	66	.2	2	2	28	.15	.096	9	16	.24	94	.04	4	1.12	.04	.06	1	1
32 L86N 97+50E	1	4	7	27	.1	2	1	105	1.30	2	5	2	1	3	.2	3	3	13	.07	.032	12	8	.07	50	.09	2	1.37	.16	.10	1	1
32 L86N 97+75E	1	7	8	16	.2	4	1	87	1.02	2	5	2	1	31	.2	2	2	18	.11	.050	7	13	.12	37	.07	2	.93	.05	.05	1	8
32 L86N 98+00E	2	7	8	31	.5	6	4	1812	2.30	5	5	2	1	13	.2	2	3	38	.13	.068	8	15	.17	52	.06	2	1.20	.04	.05	1	3
32 L86N 98+25E	3	22	7	31	.5	8	4	131	6.93	10	5	2	1	11	.2	2	2	109	.09	.064	16	40	.26	31	.14	3	3.05	.01	.03	1	1
32 L86N 98+50E	2	4	12	13	.1	3	1	67	1.04	7	5	2	1	12	.2	2	2	46	.07	.021	7	14	.05	33	.12	2	1.02	.01	.03	1	11
32 L86N 98+75E	3	10	9	27	.1	4	4	523	2.96	18	5	2	1	11	.2	2	3	58	.08	.039	9	15	.12	50	.13	2	1.26	.03	.04	1	4
32 L86N 99+00E	2	11	10	36	.2	5	7	1087	2.56	8	5	2	1	18	.4	2	3	55	.13	.052	11	18	.24	73	.08	2	1.80	.01	.04	1	2
32 L86N 99+25E	2	8	10	38	.1	4	2	218	1.75	2	5	2	1	8	.2	2	2	21	.13	.048	12	10	.14	105	.07	2	2.09	.11	.08	1	4
32 L86N 99+50E	2	4	15	24	.1	3	1	78	1.51	6	5	2	1	16	.2	2	2	60	.10	.020	7	12	.10	40	.19	2	1.13	.01	.04	1	6
32 L86N 99+75E	2	4	7	20	.1	3	2	73	1.74	2	5	2	1	6	.3	2	2	23	.05	.023	8	10	.05	15	.07	3	.90	.05	.04	1	1
32 L85N 95+75E	3	6	7	24	.2	4	2	76	1.94	3	5	2	1	6	.2	2	2	55	.04	.056	6	15	.06	17	.13	2	.83	.03	.03	1	5

Sample #	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	%	%	ppm	ppm																	
32 L90N 94+00E	1	39	10	64	.2	20	8	316	2.76	21	5	2	2	22	.2	2	2	52	.30	.081	13	33	.72	67	.13	2	2.08	.06	.07	1	6
32 L90N 94+25E	2	9	8	26	.5	4	1	65	1.38	4	5	2	1	11	.5	2	2	28	.09	.049	8	15	.10	24	.08	2	1.05	.05	.05	1	6
32 L90N 94+50E	1	9	7	19	.2	3	1	45	.80	2	7	2	1	10	.6	2	2	23	.08	.043	11	19	.07	33	.08	2	1.22	.06	.05	1	5
32 L90N 94+75E	1	16	6	24	.4	4	1	43	1.07	2	6	2	1	10	.5	2	2	19	.08	.079	9	15	.05	24	.06	2	1.15	.04	.06	1	3
32 L90N 95+00E	2	19	11	56	.2	16	5	282	2.51	4	5	2	3	19	.2	2	2	41	.23	.070	13	26	.53	62	.14	2	1.63	.10	.10	1	1
32 L90N 95+25E	3	18	8	31	.3	10	3	140	2.33	5	5	2	1	20	.3	2	2	54	.18	.052	10	28	.36	34	.10	2	1.45	.02	.04	1	1
32 L90N 95+50E	1	8	6	24	.2	4	8	196	2.24	4	5	2	2	9	.2	2	2	16	.10	.066	19	9	.14	92	.05	2	.80	.07	.08	1	1
32 L90N 95+75E	2	9	14	28	.4	7	3	116	2.14	6	8	2	2	14	.2	2	2	80	.13	.042	6	23	.22	34	.24	2	1.15	.03	.06	1	3
32 L90N 96+00E	1	4	5	23	.1	3	1	64	.73	2	5	2	1	13	.6	2	2	16	.11	.053	4	10	.06	26	.08	2	.42	.06	.06	1	1
32 L90N 96+25E	2	15	8	35	.4	7	4	129	2.14	9	5	2	1	8	.2	2	2	32	.13	.056	11	14	.23	36	.13	2	1.37	.09	.07	1	2
32 L90N 96+50E	2	7	10	19	.3	4	4	76	1.62	4	5	2	1	10	.3	2	2	56	.11	.030	5	16	.12	19	.21	2	.66	.03	.04	1	5
32 L90N 96+75E	1	4	9	15	.1	2	1	66	.59	2	5	2	1	8	.6	2	2	11	.08	.040	5	7	.05	15	.09	2	.31	.08	.07	1	7
32 L90N 97+00E	2	46	7	62	.3	19	7	337	3.24	15	5	2	1	16	.2	2	2	61	.21	.086	12	36	.76	55	.12	2	3.36	.02	.06	1	2
32 L90N 97+25E	1	5	7	29	.1	3	1	129	1.25	2	5	2	4	4	.4	2	2	18	.08	.018	14	7	.10	23	.17	2	.87	.26	.16	1	3
32 L90N 97+50E	1	1	13	11	.2	2	1	30	.48	2	5	2	1	10	.6	2	2	35	.06	.022	6	9	.04	26	.19	2	.72	.02	.03	1	8
32 L90N 97+75E	1	3	13	18	.5	4	2	49	2.14	2	5	2	3	10	.2	2	2	67	.06	.031	13	18	.06	23	.28	2	1.42	.01	.04	1	4
32 L90N 98+00E	1	8	10	26	.4	3	1	85	1.07	2	5	2	1	9	.2	2	2	26	.08	.054	11	16	.08	18	.09	2	1.22	.09	.06	1	3
32 L90N 98+25E	1	11	12	15	.2	3	1	40	.98	2	5	2	1	11	.2	2	2	51	.06	.056	11	22	.05	28	.16	2	1.50	.03	.04	1	4
32 L90N 98+50E	2	10	12	23	.2	5	2	114	2.13	7	5	2	1	16	.2	2	2	73	.09	.033	7	23	.10	28	.20	2	.95	.01	.05	1	12
32 L90N 98+75E	1	3	10	11	.3	2	1	38	.60	2	5	2	1	8	.2	2	2	49	.04	.011	7	14	.04	21	.11	2	.75	.01	.02	1	11
32 L90N 99+00E	2	6	8	25	.5	3	1	93	1.38	2	5	2	1	8	.2	2	3	32	.07	.033	10	15	.09	15	.13	4	.93	.08	.06	1	4
32 L90N 99+25E	1	4	9	13	.5	4	1	56	1.06	6	5	2	1	20	.2	2	2	40	.14	.041	7	18	.09	48	.11	2	.98	.02	.03	1	3
32 L90N 99+50E	2	5	7	34	.2	3	1	122	1.65	2	5	2	1	7	.3	2	2	16	.10	.045	14	8	.10	72	.08	2	1.57	.11	.08	1	1
32 L90N 99+75E	1	54	7	70	.2	20	11	748	3.65	21	5	2	3	21	.2	4	2	60	.30	.075	14	33	.81	98	.12	2	2.32	.06	.08	1	7
32 L90N 100+25E	3	14	13	30	.2	6	2	136	3.79	5	5	2	1	18	.3	2	2	78	.13	.039	12	25	.24	27	.14	2	1.96	.02	.04	1	10
32 L90N 100+50E	2	5	6	26	.2	3	1	93	1.58	2	5	2	1	5	.2	2	2	17	.08	.044	12	9	.07	23	.10	2	1.18	.14	.10	1	2
32 L90N 100+75E	1	16	2	60	.1	6	2	26	.50	2	5	2	1	38	.2	2	2	9	.31	.100	3	8	.06	233	.02	2	.30	.02	.05	1	4
32 L90N 101+00E	2	13	13	32	.2	5	3	120	2.44	9	5	2	1	48	.4	2	2	66	.12	.056	10	22	.16	59	.11	2	1.44	.02	.04	1	7
32 L90N 101+25E	3	2	12	9	.1	2	1	39	.82	2	5	2	1	7	.2	2	3	37	.05	.029	7	10	.03	16	.15	2	.68	.03	.04	1	6
32 L90N 101+50E	2	16	10	22	.8	4	1	55	1.52	2	5	2	1	12	.2	2	2	37	.08	.070	13	27	.10	21	.06	2	2.08	.04	.04	1	8
32 L90N 101+75E	1	11	9	15	.3	2	1	39	1.49	2	5	2	1	12	.2	2	2	34	.07	.044	12	24	.05	33	.08	2	1.56	.04	.03	1	19
32 L90N 102+00E	2	2	5	20	.1	2	1	147	1.45	2	5	2	4	5	.3	2	2	14	.11	.018	15	7	.11	48	.11	2	1.04	.23	.13	1	1
32 L90N 102+25E	2	4	5	31	.3	3	1	100	1.23	2	5	2	1	6	.4	2	2	16	.06	.025	6	8	.05	17	.11	4	.52	.12	.08	1	3
32 L90N 102+50E	1	3	13	16	.5	1	1	41	.87	2	5	2	1	14	.3	2	2	68	.09	.051	11	31	.17	32	.11	2	2.73	.01	.03	1	10
32 L90N 102+75E	1	22	15	21	.4	5	2	95	3.48	15	5	2	1	14	.3	2	2	21	.15	.034	20	11	.17	79	.15	2	1.46	.23	.13	1	1
32 L90N 103+00E	3	8	8	39	.2	3	2	190	2.17	3	5	2	4	6	.2	2	2	21	.15	.034	20	11	.17	79	.15	2	1.46	.23	.13	1	1
32 L90N 103+25E	1	18	11	37	.1	4	2	94	2.16	8	5	2	1	13	.2	2	3	50	.11	.052	13	32	.15	47	.09	3	3.04	.04	.04	1	4
32 L90N 103+50E	1	34	12	50	.2	14	8	347	3.21	17	5	2	1	21	.2	3	2	65	.23	.070	12	34	.62	53	.13	2	2.61	.03	.06	1	8
32 L90N 103+75E	1	64	17	78	.2	29	9	334	3.84	19	5	2	1	23	.2	2	2	75	.24	.091	10	48	.95	59	.12	3	2.46	.02	.06	1	5
32 L90N 104+00E	1	59	12	83	.2	34	12	352	3.28	12	5	2	1	31	.2	3	2	66	.37	.090	12	49	1.10	99	.13	2	2.47	.02	.08	1	8
32 L90N 104+25E	1	26	13	53	.1	13	8	442	2.93	11	5	2	1	32	.4	2	2	55	.22	.072	11	29	.62	69	.10	2	2.26	.04	.06	1	10

Sample #	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe %	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppb															
32 L92N 94+75E	1	11	5	19	.2	2	1	49	1.50	2	5	2	1	8	.4	2	2	18	.07	.052	9	15	.06	21	.05	2	1.50	.06	.04	1	1
32 L92N 95+00E	1	17	7	29	.2	6	3	168	4.23	5	5	2	1	12	.2	2	2	67	.09	.062	17	38	.26	23	.11	2	2.73	.03	.03	1	1
32 L92N 95+25E	1	2	8	13	.1	1	1	51	1.16	2	5	2	1	9	.2	2	2	30	.06	.027	6	9	.05	18	.13	2	.69	.04	.04	1	8
32 L92N 95+50E	1	14	10	19	.4	3	1	51	1.20	2	5	2	1	11	.3	2	2	25	.10	.047	11	14	.10	43	.08	2	1.74	.04	.04	1	3
32 L92N 95+75E	1	4	8	17	.1	2	1	48	1.04	2	5	2	1	7	.2	2	4	28	.05	.030	8	12	.05	18	.12	2	.81	.06	.05	1	7
32 L92N 96+00E	1	80	10	87	.1	30	11	509	4.60	29	5	2	1	21	.5	3	2	78	.35	.081	13	53	1.14	58	.14	2	3.60	.02	.05	1	4
32 L92N 96+25E	1	12	18	17	.1	2	1	45	1.54	2	5	2	1	7	.3	2	2	29	.04	.051	11	15	.06	19	.08	2	1.61	.02	.02	1	3
32 L92N 96+50E	1	2	8	14	.1	1	1	74	.58	2	5	2	1	3	.2	2	2	9	.05	.025	8	6	.03	10	.10	2	.62	.19	.12	1	1
32 L92N 96+75E	2	5	13	17	.1	3	1	59	1.64	2	5	2	1	8	.2	2	2	65	.05	.019	8	14	.08	16	.20	2	1.08	.04	.04	1	5
32 L92N 97+00E	1	8	10	11	.3	2	1	45	1.21	2	5	2	1	11	.2	2	2	34	.07	.025	8	19	.07	17	.10	2	1.36	.03	.03	1	27
32 L92N 97+25E	2	10	6	29	.1	3	2	101	2.06	2	5	2	1	8	.3	2	2	26	.09	.045	14	13	.12	52	.11	2	1.68	.10	.07	1	1
32 L92N 97+50E	1	5	7	32	.1	4	1	78	1.57	2	5	2	1	5	.2	2	2	19	.06	.032	12	9	.06	35	.10	2	1.24	.09	.06	1	1
32 L92N 97+75E	2	9	6	16	.4	3	1	58	1.48	2	5	2	1	8	.4	2	2	30	.05	.042	10	13	.06	20	.09	2	1.43	.03	.04	1	4
32 L92N 98+00E	2	12	9	21	.1	4	1	108	1.97	2	5	2	1	6	.5	2	2	24	.07	.028	11	11	.12	22	.12	2	1.17	.12	.08	1	4
32 L92N 98+25E	2	11	9	21	.2	4	2	132	2.49	5	5	2	1	8	.4	2	3	42	.07	.065	11	15	.11	24	.10	2	1.69	.07	.06	1	1
32 L92N 98+50E	2	7	5	29	.2	3	1	105	1.35	2	5	2	1	5	.2	2	2	14	.09	.035	13	9	.10	21	.11	2	1.07	.18	.11	1	1
32 L92N 98+75E	1	23	13	55	.1	15	5	215	2.33	5	5	2	1	19	.2	2	2	56	.19	.077	11	35	.60	56	.10	2	2.19	.02	.06	1	7
32 L92N 99+00E	1	26	13	61	.1	15	6	263	2.80	7	5	2	1	19	.4	2	2	60	.19	.094	11	37	.64	57	.10	2	2.30	.02	.05	1	15
32 L92N 99+25E	1	22	11	28	.3	9	3	135	4.35	8	5	2	1	9	.6	2	4	71	.10	.053	14	36	.26	31	.14	2	2.76	.02	.03	1	3
32 L92N 99+50E	1	6	10	21	.1	3	2	103	1.64	2	5	2	1	12	.4	2	2	35	.08	.033	7	13	.18	27	.10	2	.99	.03	.04	1	1
32 L92N 99+75E	2	7	10	24	.2	1	1	47	1.57	3	5	2	1	5	.3	2	2	24	.04	.029	17	11	.04	17	.08	2	1.48	.05	.04	1	1
32 L90N 89+00E	1	6	10	26	.3	5	1	85	.92	2	5	2	1	11	.4	2	3	18	.09	.055	6	12	.14	22	.10	2	.81	.07	.05	1	4
32 L90N 89+25E	1	15	7	26	.3	5	1	82	1.79	6	5	2	1	9	.2	2	2	24	.09	.067	16	15	.15	45	.09	2	2.10	.08	.06	1	1
32 L90N 89+50E	2	14	5	27	.4	6	2	113	1.27	3	5	2	1	11	.4	2	3	28	.10	.072	6	13	.24	30	.11	2	1.01	.08	.08	2	3
32 L90N 89+75E	1	23	9	30	.2	8	3	107	1.94	9	5	2	1	17	.2	2	3	54	.12	.043	8	24	.32	39	.16	2	1.56	.02	.05	1	1
32 L90N 90+00E	3	19	10	22	.3	4	2	58	2.41	8	5	2	2	15	.2	2	2	83	.09	.027	6	16	.09	25	.28	2	.78	.02	.04	1	7
32 L90N 90+25E	2	5	5	31	.1	4	2	152	2.14	7	5	2	5	5	.2	2	2	21	.11	.028	19	8	.13	48	.16	2	1.29	.24	.14	1	1
32 L90N 90+50E	2	6	7	32	.2	4	1	127	1.95	2	5	2	3	8	.3	2	2	23	.09	.024	17	10	.10	64	.12	2	2.00	.13	.08	1	1
32 L90N 90+75E	1	29	10	34	.3	11	3	141	2.18	14	5	2	1	18	.2	2	2	49	.16	.083	11	30	.37	39	.11	2	1.79	.03	.05	1	4
32 L90N 91+00E	2	7	5	26	.4	3	1	75	1.39	4	8	2	2	7	.3	2	2	25	.07	.036	5	13	.06	16	.10	2	.50	.07	.07	1	2
32 L90N 91+25E	1	10	4	15	.4	3	1	113	1.36	7	5	2	1	6	.4	2	2	15	.06	.044	7	9	.06	14	.08	2	.63	.10	.08	1	1
32 L90N 91+50E	2	31	11	26	.9	9	3	135	2.09	2	5	2	1	14	.2	2	3	67	.10	.059	8	24	.39	29	.18	2	1.96	.02	.05	1	2
32 L90N 91+75E	1	7	8	20	.2	2	1	42	.77	2	5	2	1	9	.5	2	2	25	.06	.044	6	14	.06	17	.11	2	.89	.04	.04	1	1
32 L90N 92+00E	2	89	10	84	.4	26	14	480	3.10	8	5	2	2	49	.3	3	2	62	.24	.066	12	38	.71	64	.15	2	2.28	.07	.08	1	1
32 L90N 92+25E	1	39	9	67	.4	23	8	312	2.70	11	5	2	2	28	.2	2	2	58	.33	.080	10	42	.97	50	.13	3	2.14	.03	.07	1	6
32 L90N 92+50E	1	10	15	22	.4	3	1	47	1.75	5	5	2	1	13	.2	2	2	61	.07	.032	11	24	.09	27	.16	2	1.71	.02	.03	1	4
32 L90N 92+75E	1	37	9	75	.2	22	7	284	2.55	14	5	2	3	21	.2	2	2	50	.31	.068	15	37	.80	68	.16	2	2.26	.10	.10	1	320
32 L90N 93+00E	2	31	13	50	.1	14	4	132	2.77	5	5	2	1	17	.2	2	2	77	.14	.049	11	47	.40	39	.12	3	2.42	.01	.03	1	2
32 L90N 93+25E	2	5	4	50	.2	7	2	247	1.50	4	5	2	4	8	.3	2	2	15	.13	.017	14	5	.16	12	.10	2	1.19	.28	.17	1	2
32 L90N 93+50E	1	53	10	110	.4	31	17	1007	3.91	49	5	2	5	31	.8	4	2	68	.40	.114	12	37	1.23	85	.17	2	2.37	.03	.09	1	1
32 L90N 93+75E	1	48	9	68	.2	27	10	347	3.03	14	5	2	2	28	.2	2	2	62	.38	.094	10	42	1.04	63	.16	2	2.17	.03	.06	1	12

Sample #	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
90S-32-C29	1	1	7	20	.1	2	1	21	.43	3	5	2	1	7	.4	2	2	10	.06	.048	5	8	.02	12	.05	5	.40	.04	.03	2	3
90S-32-C31	2	12	5	32	.2	4	1	53	1.58	4	5	2	2	5	.2	2	2	17	.08	.061	10	10	.06	28	.05	9	1.36	.06	.06	2	3
90S-32-C32	1	1	9	23	.2	4	1	35	1.36	2	5	2	1	6	.3	2	2	43	.07	.031	6	12	.09	25	.10	2	.58	.02	.02	2	4
90S-32-C33	2	16	6	35	.1	10	3	83	5.21	11	5	2	4	11	.2	2	2	86	.07	.056	18	37	.24	39	.23	4	3.09	.02	.03	1	1
90S-32-Q01	3	2	9	9	.1	1	1	6	.32	2	5	2	1	6	.5	2	2	24	.05	.014	6	10	.01	17	.09	2	.48	.02	.01	2	2
90S-32-Q02	1	3	6	10	.1	3	1	35	1.45	2	5	2	2	5	.2	2	2	28	.05	.015	6	13	.01	11	.07	3	.43	.03	.03	2	2
90S-32-Q03	3	34	6	99	.1	44	18	1746	3.03	97	15	2	2	45	.2	2	2	52	.64	.086	12	50	1.13	208	.06	5	2.36	.01	.06	1	2
90S-32-Q04	2	17	8	33	.1	10	3	119	2.23	6	5	2	1	15	.2	2	2	37	.15	.102	12	26	.27	56	.03	4	1.79	.02	.04	1	2
90S-32-Q05	1	3	10	13	.1	2	1	16	.39	2	5	2	1	7	.5	2	2	14	.06	.042	7	7	.03	29	.05	2	.66	.03	.03	2	8
90S-32-Q06	1	1	8	13	.1	1	1	31	.42	2	5	2	1	8	.3	2	2	16	.07	.059	5	9	.06	24	.02	2	.50	.02	.03	2	4
90S-32-Q07	1	4	5	13	.1	2	1	21	1.00	4	5	2	1	8	.2	2	2	18	.07	.030	12	12	.02	50	.02	2	.96	.02	.02	1	8
90S-32-Q08	1	1	2	20	.1	2	1	27	.97	2	5	2	1	7	.2	2	2	24	.07	.031	4	8	.06	23	.01	2	.55	.01	.02	2	7
90S-32-Q09	1	7	3	56	.2	9	6	302	2.39	2	5	2	1	25	.2	2	2	28	.26	.111	11	14	.71	33	.02	5	1.64	.02	.06	1	5
90S-32-Q10	1	1	7	7	.1	1	1	21	.65	2	5	2	1	6	.5	2	2	36	.03	.010	5	8	.02	14	.10	2	.37	.02	.02	2	9
90S-32-Q11	1	8	8	31	.6	3	1	54	.65	2	5	2	1	15	.7	2	3	24	.25	.065	4	11	.04	48	.05	7	.35	.02	.06	2	4
90S-32-Q12	2	7	7	35	.1	5	4	3702	1.88	5	5	2	1	112	.2	2	2	44	.24	.066	5	16	.12	97	.05	4	.75	.02	.04	1	4
90S-32-Q13	1	13	6	12	.1	3	1	72	1.00	6	5	2	1	9	.2	2	2	18	.06	.123	12	21	.05	22	.03	3	2.05	.02	.02	2	4
90S-32-Q14	2	9	12	18	.2	5	2	64	2.33	2	5	2	1	15	.3	2	2	87	.13	.036	8	16	.13	43	.20	2	.99	.01	.01	1	9
90S-32-Q15	1	13	7	22	.1	4	1	17	.84	2	5	2	1	8	.2	2	2	13	.07	.136	13	13	.03	34	.02	3	1.75	.02	.02	2	6
90S-32-Q16	1	4	12	11	.1	2	2	51	1.19	2	5	2	1	11	.4	2	2	50	.06	.013	6	16	.03	18	.15	2	.41	.01	.01	2	16
90S-32-Q17	3	4	18	13	.1	4	1	38	1.13	2	5	2	1	10	.6	2	2	75	.06	.036	7	15	.07	27	.23	2	.78	.01	.02	1	11
90S-32-Q18	1	10	12	26	.1	7	3	78	1.11	3	5	2	1	17	.3	2	2	36	.17	.067	9	17	.16	48	.10	2	.93	.02	.03	2	7
90S-32-Q19	1	7	16	19	.2	5	2	73	3.89	8	5	2	2	10	.2	2	2	146	.08	.034	7	26	.09	48	.22	2	1.58	.01	.01	1	12
90S-32-Q20	1	3	5	25	.2	3	2	36	.98	2	5	2	1	11	.2	2	2	27	.11	.056	4	11	.04	41	.05	2	.41	.02	.05	1	11
90S-32-Q21	1	1	2	10	.1	2	1	42	.99	2	5	2	1	6	.2	2	2	23	.04	.012	6	14	.02	13	.04	2	.24	.02	.02	1	15
32 L92N 90+00E	2	16	11	19	.1	5	2	79	2.64	3	5	2	1	13	.2	2	3	82	.11	.044	11	26	.09	16	.19	2	1.58	.02	.03	1	8
32 L92N 90+25E	10	63	12	56	.1	15	4	131	2.69	62	5	2	1	17	.3	3	2	88	.14	.091	13	74	.70	48	.08	2	3.23	.02	.07	1	6
32 L92N 90+50E	2	40	12	30	.6	7	2	88	3.68	6	5	2	1	15	.3	2	2	68	.09	.062	13	37	.16	31	.09	2	2.74	.01	.03	1	3
32 L92N 90+75E	1	12	13	14	.3	2	1	32	1.17	2	5	2	1	11	.2	2	2	56	.06	.033	8	17	.05	17	.13	2	1.20	.02	.03	1	6
32 L92N 91+00E	1	35	12	24	1.3	3	1	44	.73	2	5	2	1	12	.2	2	2	21	.07	.055	10	17	.06	20	.07	2	1.65	.06	.05	1	4
32 L92N 91+25E	2	23	14	30	.4	3	3	86	4.05	2	5	2	1	9	.2	2	2	123	.06	.042	21	23	.09	28	.15	2	2.33	.01	.02	1	3
32 L92N 91+50E	1	7	9	12	.1	2	1	65	1.11	2	5	2	1	4	.2	2	2	15	.05	.027	12	8	.05	20	.09	2	1.25	.13	.09	1	1
32 L92N 92+00E	1	42	12	31	.3	8	4	136	5.06	6	5	2	1	11	.2	2	3	91	.09	.043	15	38	.26	24	.19	2	3.05	.02	.03	1	6
32 L92N 92+75E	2	5	10	16	.2	4	1	50	.88	2	5	2	1	9	.4	2	2	26	.06	.033	7	11	.05	20	.12	2	.69	.05	.05	2	2
32 L92N 93+00E	3	8	12	20	.1	6	2	96	2.07	5	5	2	1	16	.5	2	3	65	.10	.031	11	19	.22	27	.19	2	1.45	.03	.04	1	2
32 L92N 93+25E	2	4	7	20	.1	3	1	119	1.63	2	5	2	1	5	.2	2	2	18	.07	.035	13	10	.09	20	.10	2	1.29	.13	.09	1	1
32 L92N 93+50E	2	8	15	19	.1	4	3	58	2.27	4	5	2	1	19	.4	2	2	84	.08	.029	8	17	.09	29	.25	2	1.05	.01	.03	1	3
32 L92N 93+75E	2	6	17	12	.2	2	1	24	1.13	2	5	2	1	11	.4	2	2	40	.06	.035	8	12	.04	23	.16	2	.98	.02	.03	1	5
32 L92N 94+00E	1	2	7	14	.1	1	1	56	.60	2	5	2	1	3	.2	2	2	10	.04	.025	7	6	.01	10	.09	2	.62	.12	.08	1	1
32 L92N 94+25E	1	9	13	19	.4	3	1	49	2.32	2	5	2	1	11	.2	2	2	82	.06	.026	12	22	.08	25	.18	2	1.96	.02	.03	1	5
32 L92N 94+50E	2	3	10	33	.1	3	1	125	1.62	3	5	2	3	4	.2	2	2	15	.09	.020	18	7	.09	33	.13	2	1.34	.21	.13	2	2

Sample #	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	ppm	%	ppm	ppb															
90S-32-A39	3	45	7	60	.3	14	23	1999	8.30	13	5	2	1	25	.5	2	2	150	.17	.107	7	38	.46	39	.14	2	2.21	.01	.04	1	1
90S-32-A40	3	41	6	44	.2	20	9	302	8.30	16	5	2	3	10	.9	2	2	144	.14	.030	11	52	.71	42	.38	2	2.63	.01	.03	1	2
90S-32-A41	7	27	5	25	.5	8	2	42	1.20	6	5	2	1	9	.4	2	2	32	.13	.093	8	14	.07	33	.08	3	.82	.02	.02	1	1
90S-32-A42	1	9	3	17	.1	4	2	67	1.17	2	5	2	1	5	.2	2	2	17	.03	.033	6	7	.05	15	.08	2	.57	.04	.03	1	1
90S-32-A43	4	16	5	24	.1	7	3	71	2.62	11	5	2	1	17	.2	2	2	66	.14	.061	3	23	.17	47	.17	3	.73	.02	.05	1	1
90S-32-A44	5	41	3	25	.1	5	1	37	1.27	3	5	2	1	11	.2	2	2	19	.06	.068	4	16	.02	45	.05	2	.52	.01	.03	1	1
90S-32-A45	3	125	4	22	3.4	6	2	73	.89	6	5	2	1	5	.5	2	2	14	.05	.211	16	14	.12	12	.02	5	4.14	.01	.03	1	1
90S-32-A46	3	41	5	17	1.0	3	1	95	1.74	2	5	2	3	3	.2	2	2	24	.06	.042	8	8	.11	38	.11	9	1.70	.07	.04	1	1
90S-32-A47	5	112	8	35	2.0	9	4	185	2.57	4	5	2	1	9	.3	2	2	47	.10	.113	8	22	.35	45	.07	5	3.00	.02	.06	1	1
90S-32-A48	4	97	3	23	1.1	6	2	103	2.20	9	5	2	1	4	.2	2	2	28	.06	.073	8	15	.13	14	.08	6	1.83	.04	.03	1	1
90S-32-A49	6	95	6	40	1.0	12	4	134	2.23	9	5	2	1	9	.2	2	2	47	.10	.105	8	26	.37	26	.07	4	2.15	.02	.05	1	2
90S-32-A50	1	18	4	27	.1	6	1	14	.65	5	5	2	1	15	.2	2	2	9	.24	.154	3	12	.04	33	.02	7	.72	.01	.04	1	1
90S-32-A51	1	55	3	18	.5	6	1	43	1.52	2	5	2	1	4	.2	2	2	18	.05	.113	8	12	.06	15	.03	8	1.28	.02	.03	1	1
90S-32-C01	1	17	10	24	.1	5	3	81	3.44	9	5	2	1	9	.5	2	2	126	.07	.023	3	20	.22	39	.35	2	1.02	.01	.03	1	8
90S-32-C02	2	4	5	18	.1	3	1	37	1.41	7	5	2	1	6	.2	2	2	31	.03	.020	6	13	.04	17	.07	2	.60	.02	.01	1	1
90S-32-C03	1	23	3	104	1.3	6	4	34	1.36	6	5	2	1	16	.3	2	2	12	.16	.177	10	9	.06	52	.01	3	1.24	.02	.10	1	1
90S-32-C04	2	5	5	24	.1	3	1	35	.96	3	5	2	1	7	.2	2	2	29	.07	.030	5	9	.02	23	.08	3	.33	.03	.03	1	2
90S-32-C05	1	15	5	77	.9	6	3	22	.96	2	5	2	1	15	.5	2	2	11	.13	.131	9	11	.04	53	.02	5	.91	.03	.06	1	1
90S-32-C06	1	6	6	18	.1	2	1	25	.44	3	5	2	1	6	.2	2	2	9	.05	.037	5	6	.03	18	.04	2	.35	.03	.02	1	1
90S-32-C07	1	4	8	22	.1	2	1	35	.46	3	5	2	1	3	.4	2	2	12	.04	.027	7	6	.04	18	.09	3	.58	.06	.03	1	1
90S-32-C08	1	18	3	84	.3	5	2	16	.53	12	5	2	1	23	.3	2	2	7	.21	.132	8	8	.03	97	.02	5	.96	.02	.01	1	1
90S-32-C09	2	18	5	60	1.3	8	3	37	1.71	2	5	2	1	16	.2	2	2	30	.11	.068	10	14	.07	63	.06	2	1.23	.03	.04	1	6
90S-32-C10	1	8	10	15	.2	2	1	38	2.98	9	5	2	4	5	.2	2	2	118	.05	.015	7	13	.04	12	.17	2	1.14	.02	.01	1	5
90S-32-C11	1	5	6	21	.6	2	1	20	1.45	2	5	2	1	7	.2	2	2	34	.04	.022	7	13	.03	17	.05	2	.75	.01	.02	2	1
90S-32-C12	1	5	5	29	.5	3	1	30	.89	2	5	2	1	6	.2	2	2	15	.06	.062	5	11	.02	14	.04	7	.61	.04	.03	3	5
90S-32-C13	1	20	6	46	.4	5	1	9	.49	4	5	2	1	5	.6	2	2	7	.04	.093	10	13	.01	30	.03	8	1.82	.03	.02	3	8
90S-32-C14	1	66	4	61	.7	29	11	258	4.47	26	5	2	3	10	.2	2	2	86	.18	.050	6	59	1.09	89	.21	3	3.88	.01	.12	1	2
90S-32-C15	2	8	6	23	.2	5	2	75	2.08	4	5	2	2	7	.2	2	2	84	.07	.022	7	16	.09	23	.20	2	.90	.02	.02	2	3
90S-32-C16	2	24	4	38	1.0	9	4	186	3.08	16	5	2	3	11	.2	2	2	44	.11	.049	17	21	.34	35	.11	5	2.12	.04	.04	1	1
90S-32-C17	1	2	10	12	.2	2	1	14	.67	4	5	2	2	7	.5	2	2	30	.04	.021	8	10	.02	19	.11	2	.64	.01	.01	2	7
90S-32-C18	1	1	8	18	.1	2	1	16	.43	3	5	2	1	7	.4	2	2	26	.06	.029	6	14	.03	16	.11	2	.60	.02	.02	2	6
90S-32-C19	2	12	8	30	.1	3	1	24	.88	5	5	2	1	10	.3	2	3	24	.07	.074	10	18	.05	15	.03	8	1.38	.02	.02	3	3
90S-32-C20	1	13	11	32	.2	4	2	415	1.18	2	5	2	1	20	.2	2	2	30	.18	.086	4	15	.12	85	.05	2	.68	.02	.05	2	5
90S-32-C21	1	17	7	36	.3	7	8	797	3.44	2	5	2	2	14	.2	2	2	56	.11	.061	9	24	.23	31	.12	3	2.08	.02	.04	1	1
90S-32-C22	1	6	4	36	.8	7	4	172	1.46	3	5	2	1	15	.2	2	2	17	.13	.146	7	13	.13	47	.02	7	1.24	.02	.10	2	2
90S-32-C23	1	1	7	15	.1	1	1	32	.86	2	5	2	1	5	.3	2	2	11	.04	.041	5	8	.03	15	.06	3	.40	.05	.05	2	2
90S-32-C24	1	18	5	17	.2	2	2	218	.97	2	5	2	1	14	.2	2	2	19	.08	.081	5	10	.05	19	.02	4	.52	.03	.04	2	8
90S-32-C25	1	1	7	15	.1	2	1	24	.44	2	5	2	1	9	.4	2	2	12	.08	.047	4	9	.03	16	.03	2	.40	.03	.03	2	5
90S-32-C26	1	5	9	14	.1	2	1	19	.57	3	5	2	1	7	.4	2	2	23	.06	.026	7	9	.02	20	.07	2	.77	.02	.02	2	13
90S-32-C27	1	10	4	33	.1	4	2	90	1.76	4	5	2	1	22	.2	2	2	25	.38	.182	5	9	.06	22	.04	7	.84	.01	.08	1	3
90S-32-C28	2	6	7	27	.1	2	1	73	.88	2	5	2	3	3	.3	2	2	16	.06	.032	10	7	.07	34	.11	14	1.11	.12	.08	2	2

SOIL GEOCHEMISTRY - PORC 1-3 Claims

Sample #	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*	
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb								
90S-32-K01	3	96	17	110	.3	19	9	496	4.55	21	5	2	1	95	.2	2	5	45	.27	.112	9	26	.51	118	.09	2	2.32	.04	.06	7	10	
90S-32-K02	2	82	15	81	.2	25	13	445	3.46	11	5	2	2	43	.2	2	8	57	.39	.078	10	36	.83	69	.11	2	1.74	.04	.07	8	26	
90S-32-K03	1	54	10	88	.1	32	10	330	3.20	8	5	2	1	34	.2	2	2	56	.32	.081	11	44	.87	61	.13	3	1.98	.04	.08	1	13	
90S-32-K04	2	151	38	117	.5	35	33	2885	10.28	3873	5	2	1	10	2.3	27	4	39	.09	.121	9	25	.97	82	.07	2	1.68	.01	.03	1	167	
90S-32-A01	3	6	8	13	.1	3	2	118	1.09	2	5	2	1	12	.2	2	4	66	.16	.022	6	11	.05	22	.14	2	.64	.01	.03	1	7	
90S-32-A02	1	5	12	8	.1	3	1	35	.44	2	5	2	1	11	.3	2	5	18	.08	.031	6	11	.04	21	.04	2	.69	.02	.02	1	8	
90S-32-A03	1	7	11	15	.1	4	2	63	3.06	2	5	2	2	7	.2	2	5	87	.05	.019	6	19	.07	16	.13	2	1.30	.01	.02	1	2	
90S-32-A04	2	6	15	14	.2	2	1	66	1.05	3	5	2	1	14	.2	2	4	57	.17	.016	11	11	.05	32	.19	2	.68	.01	.02	1	10	
90S-32-A06	1	5	3	51	.4	4	1	27	.44	2	5	2	1	28	.6	2	2	10	.38	.064	2	7	.04	145	.01	2	.27	.01	.05	1	1	
90S-32-A07	5	4	7	12	.1	3	1	46	.78	2	5	2	1	8	.4	2	5	41	.06	.015	5	12	.03	25	.13	2	.45	.02	.02	2	4	
90S-32-A08	2	5	14	28	.1	3	1	37	.79	2	5	2	1	14	.3	2	2	40	.06	.018	5	12	.03	31	.10	2	.51	.02	.02	1	4	
90S-32-A09	3	9	4	43	.2	4	2	79	.70	7	5	2	1	20	.5	2	3	19	.31	.055	3	9	.06	54	.02	3	.30	.01	.04	2	4	
90S-32-A10	3	10	6	69	.1	5	2	35	.71	18	5	2	1	58	.5	2	3	12	.75	.068	7	13	.05	112	.02	2	.42	.01	.04	1	2	
90S-32-A11	3	4	11	27	.1	5	1	46	1.21	16	5	2	1	17	.2	2	2	38	.18	.026	6	14	.04	32	.08	2	.60	.01	.02	1	4	
90S-32-A13	2	4	8	9	.2	3	2	49	1.23	2	5	2	1	6	.3	2	6	62	.06	.014	6	13	.02	17	.13	2	.42	.01	.02	2	1	
90S-32-A14	1	3	3	28	.3	2	1	48	.76	2	5	2	1	7	.3	2	3	18	.04	.030	3	10	.03	23	.05	2	.29	.03	.03	2	8	
90S-32-A15	2	189	24	167	.5	64	37	1007	5.50	130	5	2	1	80	.2	10	3	105	1.04	.123	6	60	1.59	115	.14	2	3.23	.03	.10	1	18	
90S-32-A16	4	13	16	20	.3	5	3	85	1.50	10	5	2	1	16	.2	2	2	50	.12	.035	8	16	.07	31	.14	2	.87	.02	.02	1	4	
90S-32-A17	1	6	14	38	.3	5	2	31	.58	2	5	2	1	28	.4	2	3	15	.26	.068	3	10	.05	139	.03	4	.33	.02	.05	1	4	
90S-32-A18	1	14	11	47	.4	11	4	174	2.05	2	5	2	1	21	.2	2	4	69	.12	.048	3	36	.32	52	.19	3	.89	.02	.04	2	2	
90S-32-A19	3	16	12	64	.3	6	2	71	1.66	4	5	2	1	12	.3	2	3	36	.11	.048	8	16	.08	33	.07	4	.94	.03	.03	1	3	
90S-32-A20	2	8	15	17	.2	2	1	41	.51	3	5	2	1	8	.2	2	8	51	.06	.022	5	12	.09	30	.20	2	.63	.01	.02	1	2	
90S-32-A21	3	41	10	47	.6	10	3	151	2.61	10	5	2	1	12	.2	2	2	42	.11	.051	10	21	.20	34	.06	2	1.90	.03	.04	1	2	
90S-32-A22	3	6	19	10	.2	3	2	51	.97	4	5	2	1	11	.2	2	3	105	.08	.013	4	11	.04	19	.26	2	.49	.01	.02	1	4	
90S-32-A23	1	2	5	12	.1	3	1	41	.70	2	5	2	1	8	.2	2	2	24	.06	.019	4	12	.03	17	.05	2	.31	.02	.03	1	6	
90S-32-A24	2	6	8	11	.3	4	1	61	.88	2	5	2	1	15	.3	2	3	35	.06	.019	4	10	.05	24	.11	2	.39	.03	.03	1	9	
90S-32-A25	4	22	8	66	.2	15	12	508	2.94	528	7	2	1	46	.2	2	2	69	.74	.080	8	29	.26	39	.09	2	3.48	.02	.05	1	1	
90S-32-A26	2	14	2	51	.1	7	3	74	.98	10	5	2	1	43	.2	2	2	26	.74	.071	3	14	.15	87	.06	9	.49	.04	.06	1	2	
90S-32-A27	3	16	7	34	.2	9	3	52	1.84	178	9	2	1	96	.2	3	2	33	2.78	.085	10	15	.05	51	.03	7	.89	.02	.03	1	5	
90S-32-A28	1	1	11	16	.2	2	1	32	1.13	2	5	2	2	10	.2	2	3	42	.09	.024	6	14	.07	36	.12	2	.67	.03	.04	1	1	
90S-32-A29	1	2	6	11	.1	2	1	15	.70	3	5	2	1	9	.2	2	2	23	.03	.019	5	11	.01	18	.04	2	.36	.01	.02	1	9	
90S-32-A30	1	6	5	19	.1	2	1	29	.74	2	5	2	1	8	.2	2	2	18	.06	.044	4	9	.04	14	.04	2	.40	.02	.05	1	1	
90S-32-A31	1	2	9	15	.8	2	1	19	.43	2	5	2	1	5	.2	2	3	15	.06	.024	5	7	.02	18	.07	2	.32	.03	.03	1	9	
90S-32-A32	2	38	10	52	.2	14	6	172	10.33	20	5	2	5	8	.9	2	2	136	.10	.042	10	59	.42	41	.35	2	3.19	.01	.04	1	1	
90S-32-A33	2	10	9	32	.1	8	3	122	2.87	15	5	2	1	10	.2	2	2	86	.12	.033	6	22	.23	44	.19	2	.95	.01	.03	1	2	
90S-32-A34	5	16	7	40	2.4	7	38	3109	2.13	4	5	2	1	18	.3	2	2	30	.35	.096	16	16	.14	98	.03	7	1.33	.05	.05	1	1	
90S-32-A35	2	25	8	43	.3	10	7	499	3.69	28	5	2	2	8	.2	2	2	81	.08	.043	9	29	.20	44	.15	2	1.75	.01	.03	1	1	
90S-32-A36	2	7	5	21	.4	4	1	40	1.31	7	5	2	1	8	.2	2	2	36	.07	.034	7	13	.05	34	.09	3	.63	.02	.03	1	4	
90S-32-A37	2	8	4	12	.4	3	1	27	1.07	2	5	2	2	1	6	.2	2	2	32	.07	.030	4	17	.02	18	.04	2	.32	.02	.02	1	5
90S-32-A38	2	21	7	28	.2	10	5	115	4.12	11	5	2	2	10	.2	2	2	122	.12	.028	9	26	.25	57	.27	2	1.09	.01	.03	1	2	

Sample #	Mn	Cu	Ph	Zn	Ag	Ni	Co	Mn	Fe	As	U	Ba	Th	Ce	Cd	Cr	Bi	V	Ca	R	La	Cr	Mn	Co	T	B	T'	'la	V'	W	P'
	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppb																					
32 L92N 101+75E	1	5	7	9	.1	2	1	49	1.41	2	5	2	1	7	.2	2	4	27	.05	.031	7	10	.05	18	.07	3	.98	.02	.02	1	1
32 L92N 102+00E	1	6	11	17	.2	3	1	62	1.23	2	5	2	1	7	.3	2	2	28	.06	.031	12	12	.07	20	.09	2	1.10	.04	.04	1	1
32 L92N 102+25E	1	3	7	16	.2	2	1	80	.74	3	5	2	1	14	.2	2	2	19	.07	.027	9	8	.06	20	.05	2	.70	.01	.03	1	3
32 L92N 102+50E	1	15	14	17	.3	4	1	56	2.57	7	5	2	1	10	.3	2	3	80	.06	.030	12	29	.09	26	.06	2	2.34	.01	.02	1	8
32 L92N 102+75E	1	44	11	51	.3	14	8	385	3.70	41	5	2	1	12	.4	3	2	64	.16	.058	11	37	.62	40	.11	2	3.13	.02	.04	1	13
32 L92N 103+00E	1	7	11	14	.2	2	2	78	1.81	6	5	2	1	8	.2	2	2	58	.06	.036	7	8	.10	21	.12	2	.83	.01	.03	1	1
32 L92N 103+25E	1	22	14	30	.5	8	5	186	7.15	14	10	2	1	12	.3	2	2	125	.13	.037	11	33	.39	38	.22	2	2.47	.01	.03	1	3
32 L92N 103+50E	1	7	14	19	.5	4	1	68	1.50	6	6	2	1	10	.4	2	3	64	.06	.021	9	19	.12	27	.16	2	1.39	.01	.02	1	1
32 L92N 103+75E	1	19	11	42	.2	10	4	167	2.05	12	5	2	1	13	.4	2	2	38	.15	.055	11	22	.40	40	.07	3	1.67	.06	.06	1	1
32 L92N 104+00E	1	2	5	12	.1	2	1	93	.63	2	5	2	1	7	.3	2	3	8	.09	.017	9	6	.10	43	.06	2	.87	.09	.07	1	1
32 L92N 104+25E	1	20	8	47	.2	11	4	198	1.99	9	5	2	1	15	.3	2	2	43	.16	.071	11	23	.46	48	.07	2	1.99	.03	.04	1	1
32 L92N 104+50E	1	7	13	11	.1	3	1	49	1.32	4	5	2	1	7	.3	2	2	38	.04	.026	9	14	.06	20	.07	2	1.04	.02	.03	1	5
32 L92N 104+75E	1	3	12	14	.7	1	1	65	1.31	3	9	2	2	9	.3	2	4	45	.07	.017	7	9	.07	24	.16	2	.90	.02	.03	1	4
32 L92N 105+00E	2	11	9	19	.3	5	2	87	2.17	4	5	2	1	8	.4	2	2	32	.05	.028	11	16	.12	23	.07	2	1.44	.03	.03	1	1
32 L92N 105+25E	2	17	10	29	.2	6	3	149	3.14	10	7	2	1	12	.5	2	4	71	.06	.019	9	18	.18	22	.13	2	1.42	.01	.02	1	3
32 L92N 105+50E	4	5	6	26	.1	4	2	141	2.34	4	10	2	7	5	.2	2	3	22	.06	.015	14	8	.12	23	.13	2	1.41	.14	.09	1	3
32 L88N 100+25E	2	11	9	37	.2	7	2	161	1.93	5	5	2	1	12	.2	2	2	29	.21	.060	7	12	.34	36	.10	2	.87	.08	.07	1	5
32 L88N 100+50E	1	39	8	54	.4	14	6	230	3.53	20	5	2	1	13	.2	4	2	65	.20	.060	12	45	.72	37	.13	5	3.15	.01	.04	1	3
32 L88N 100+75E	1	6	5	37	.1	4	2	159	1.25	3	5	2	2	5	.2	2	2	11	.13	.022	14	6	.21	133	.11	2	1.16	.22	.15	1	1
32 L88N 101+00E	2	20	9	39	.1	9	3	192	2.90	9	5	2	1	18	.2	2	2	57	.18	.072	10	25	.52	45	.12	4	1.78	.03	.05	1	2
32 L86N 100+25E	2	9	7	27	.2	4	2	182	1.91	3	5	2	1	7	.3	2	2	27	.10	.037	8	11	.16	25	.11	2	1.09	.09	.07	1	1
32 L86N 100+50E	1	11	12	19	.2	4	1	55	2.34	6	5	2	1	10	.2	2	2	55	.09	.040	11	18	.10	26	.16	2	1.54	.02	.03	1	1
32 L86N 100+75E	1	7	14	21	.3	3	2	271	.65	3	5	2	1	10	.3	2	2	12	.18	.067	5	8	.11	32	.03	2	.41	.06	.07	1	2
32 L86N 101+00E	1	11	8	26	.2	7	2	152	2.15	5	5	2	1	13	.2	2	2	34	.18	.061	7	16	.31	26	.08	4	1.02	.06	.06	1	1
32 L86N 101+25E	1	18	9	43	.2	11	6	258	2.87	4	5	2	1	16	.3	2	2	50	.15	.053	10	25	.38	50	.09	5	1.82	.01	.05	1	4
32 L86N 101+50E	2	14	6	30	.4	8	3	138	3.22	2	5	2	1	10	.2	2	2	44	.11	.067	11	17	.32	27	.07	5	1.71	.05	.05	1	1
32 L86N 101+75E	1	5	9	14	.1	2	1	36	.89	2	5	2	1	9	.3	2	2	39	.06	.026	7	12	.02	21	.18	2	.66	.01	.03	1	3
32 L86N 102+00E	1	6	6	29	.2	3	1	99	1.39	2	5	2	2	5	.3	2	2	11	.10	.029	13	7	.15	26	.13	2	1.05	.15	.11	1	2
32 L86N 102+25E	1	5	7	28	.2	5	1	84	1.33	3	5	2	1	7	.3	2	2	16	.11	.041	6	10	.10	18	.12	2	.56	.08	.07	2	3
32 L86N 102+50E	2	7	13	17	.3	3	1	47	1.70	3	5	2	1	7	.2	2	2	47	.05	.035	9	13	.12	23	.13	2	1.24	.02	.04	1	6
32 L86N 102+75E	2	15	10	29	.3	7	3	143	3.42	9	5	2	1	15	.2	2	2	81	.15	.039	14	20	.30	35	.18	4	1.88	.01	.03	1	4
32 L86N 103+00E	2	5	8	18	.2	3	1	66	1.45	3	5	2	1	13	.3	2	2	29	.08	.026	7	8	.07	26	.14	2	.63	.06	.06	1	4
32 L86N 103+25E	1	8	6	25	.1	4	1	104	1.70	2	5	2	1	6	.2	2	2	16	.09	.033	12	9	.17	35	.13	2	1.25	.12	.09	1	1
32 L86N 103+50E	2	11	12	19	.4	3	1	42	1.78	2	5	2	1	13	.2	2	2	64	.08	.029	7	16	.13	20	.24	2	1.21	.01	.03	1	8
32 L86N 103+75E	2	12	8	28	.3	7	2	100	2.11	2	5	2	1	11	.2	2	2	44	.09	.047	10	19	.19	23	.10	3	1.24	.03	.04	1	4
32 L86N 104+00E	2	31	8	28	.3	6	3	201	2.89	8	5	2	1	14	.2	2	2	48	.14	.064	10	25	.36	37	.10	3	2.29	.03	.05	1	10
32 L86N 104+25E	2	10	5	25	.2	4	2	126	1.90	2	5	2	1	6	.2	2	2	19	.10	.053	12	9	.16	31	.10	4	1.02	.12	.09	2	4
32 L86N 104+50E	2	10	8	26	.1	6	2	99	2.20	2	5	2	1	6	.2	2	2	33	.07	.044	9	15	.08	17	.12	3	.96	.06	.05	2	4
32 L86N 104+75E	1	7	9	23	.2	4	2	133	1.87	3	5	2	1	7	.3	2	2	22	.11	.038	12	9	.12	77	.13	2	1.36	.08	.06	1	1
32 L86N 105+00E	1	11	7	36	.3	6	3	233	2.56	3	5	2	1	13	.2	2	2	30	.17	.046	12	11	.37	45	.11	3	1.72	.06	.05	1	2
32 L86N 105+25E	3	12	7	29	.1	6	3	132	2.41	5	5	2	1	14	.2	2	2	55	.12	.042	9	13	.16	23	.19	3	1.00	.04	.05	1	2

Sample	C	O	Zr	Si	Ti	Al	Fe	Cr	U	Th	Sc	Cd	As	Bi	Ca	La	Cr	Mg	Ca	Al	B	Si	Na	Al	W	U				
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb											
32 L86N 105+50E	1	12	10	31	.1	8	3	122	2.59	3	5	2	1	15	.2	2	2	63	.15	.051	9	.24	.33	.39	.12	3 1.40	.01	.04	1	4
32 L86N 105+75E	1	7	10	31	.1	4	2	193	1.48	2	5	2	1	12	.2	2	3	29	.18	.051	7	.9	.24	.64	.10	2 .64	.06	.07	2	1
32 L86N 106+00E	1	28	10	61	.2	16	9	612	3.08	12	5	2	1	16	.2	3	2	50	.20	.074	13	.24	.72	104	.07	4 2.15	.03	.07	1	3
32 L86N 106+25E	1	14	8	28	.1	5	2	113	1.74	3	5	2	1	8	.3	2	2	22	.10	.039	10	.10	.21	.26	.11	3 .87	.08	.07	2	1
32 L86N 106+50E	1	29	9	31	.1	17	3	144	2.98	7	5	2	1	12	.2	2	2	69	.11	.043	10	.48	.34	.34	.12	4 2.50	.01	.03	1	4
32 L86N 106+75E	3	15	15	33	.2	7	3	125	2.70	15	5	2	1	10	.3	2	2	77	.10	.036	11	.22	.32	.27	.26	3 1.44	.02	.03	1	6
32 L86N 107+00E	2	6	5	25	.1	3	1	109	1.31	3	5	2	2	4	.5	2	2	10	.10	.022	14	7	.15	.51	.11	2 1.08	.16	.11	2	1
32 L86N 107+25E	1	27	12	64	.3	16	8	816	3.48	12	5	2	3	15	.2	2	2	44	.26	.067	14	.22	.71	164	.12	6 1.62	.05	.08	1	6
32 L86N 107+50E	1	13	13	29	.1	6	3	106	2.58	4	5	2	1	10	.2	2	2	54	.09	.050	9	.19	.18	.25	.17	3 1.18	.03	.04	1	11
32 L86N 107+75E	1	50	11	69	.2	27	9	324	3.61	19	5	2	2	20	.2	3	2	65	.30	.095	8	.40	.91	.51	.15	6 2.22	.01	.06	1	10
32 L86N 108+00E	1	5	7	23	.1	3	1	106	.73	2	5	2	1	3	.4	2	2	9	.07	.020	8	6	.12	.18	.14	2 .56	.20	.13	2	1
32 L86N 108+25E	3	18	9	31	.3	8	4	143	3.99	9	6	2	1	11	1.0	2	4	75	.09	.063	10	.31	.21	.27	.13	2 2.09	.01	.02	1	2
32 L86N 108+50E	2	7	6	38	.2	7	4	268	2.19	5	6	2	1	10	.7	2	2	34	.13	.033	15	.13	.18	.24	.12	2 1.56	.12	.09	2	4
32 L86N 108+75E	2	14	13	38	.1	10	4	172	1.85	6	5	2	1	19	.7	2	2	51	.20	.049	10	.32	.46	.40	.11	2 1.79	.02	.04	2	1
32 L86N 109+00E	1	33	11	68	.1	24	7	263	2.25	4	5	2	1	24	.4	2	2	47	.35	.102	11	.40	.79	.51	.11	2 1.81	.02	.06	1	1

APPENDIX 3
SUMMARY STATISTICS, PROBABILITY PLOTS AND HISTOGRAMS

13:51:46

Soil Geochemistry - PORC 1-3 Claims

11/08/90

#####
#####

PARAMETER SUMMARY STATISTICS FOR PROBABILITY PLOT ANALYSIS

Data File Name = 32-SOILS.DAT

Variable = N = 547
 N CI = 28

Transform = Logarithmic Number of Populations = 1

of Missing Observations = 0.

=====

Class Interval Data Maximum Likelihood Parameter Estimates

Maximum LN Likelihood Value = -1548.804

Parameterized Degrees of Freedom = 1

Population	Mean	Std Dev	Percentage
-----	-----	-----	-----
1	3.490	- 1.427	100.00
	+ 8.531		

=====

Default Thresholds.

Standard Deviation Multiplier = 2.0

Pop.	Thresholds
-----	-----
1	0.584 20.857

#####
#####

13:50:25
11/08/90

Soil Geochemistry - PORG 1-3 Claims

LOGARITHMIC VALUES

=====

VARIABLE =

UNIT = Au ppb

N = 547

N CI = 28

POPULATIONS

=====


Pop.	Mean	Std.Dev.	X
------	------	----------	---

1	0.5428	0.3882	100.0
---	--------	--------	-------

Pop. THRESHOLDS

=====

1	-0.2337	1.3193
---	---------	--------



13:48:05

Soil Geochemistry - PORC 1-3 Claims

11/08/90

#####
#####

PARAMETER SUMMARY STATISTICS FOR PROBABILITY PLOT ANALYSIS

Data File Name = 32-SOILS.DAT

Variable = Unit = Ag ppm N = 547
N CI = 28

Transform = Logarithmic Number of Populations = 1

of Missing Observations = 0.

=====

Class Interval Data Maximum Likelihood Parameter Estimates

Maximum LN Likelihood Value = -1683.951

Parameterized Degrees of Freedom = 1

Population	Mean	Std Dev	Percentage
1	0.193	- 0.096 + 0.390	100.00

=====

Default Thresholds.

Standard Deviation Multiplier = 2.0

Pop.	Thresholds
1	0.048 0.785

#####
#####

13:47:15
11/08/90

Soil Geochemistry - PDRC 1-3 Claims

LOGARITHMIC VALUES

=====

VARIABLE =

UNIT = Ag ppm

N = 547

N CI = 28

POPULATIONS

=====


Pop.	Mean	Std.Dev.	x
------	------	----------	---

1	-0.7135	0.3041	100.0
---	---------	--------	-------

Pop. THRESHOLDS

=====

1	-1.3217	-0.1052
---	---------	---------



13:30:04

Soil Geochemistry - PORC 1-3 Claims

11/08/90

#####
#####

PARAMETER SUMMARY STATISTICS FOR PROBABILITY PLOT ANALYSIS

Data File Name = 32-SOILS.DAT

Variable = Unit = Mo ppm N = 546
N CI = 28

Transform = Logarithmic Number of Populations = 1

of Missing Observations = 0.

0 Observations Were Below the Minimum Value of 1.0000
1 Observations Were Above the Maximum Value of 10.0000

=====

Class Interval Data Maximum Likelihood Parameter Estimates

Maximum LN Likelihood Value = -1719.156

Parameterized Degrees of Freedom = 1

Population	Mean	Std Dev	Percentage
-----	-----	-----	-----
1	1.671	- 1.024	100.00
	+ 2.727		

=====

Default Thresholds.

Standard Deviation Multiplier = 2.0

Pop.	Thresholds
-----	-----
1	0.627 4.450

#####
#####

13:29:13

11/08/90

Soil Geochemistry - PDRC 1-3 Claims

LOGARITHMIC VALUES

=====

VARIABLE =

UNIT = Mo ppm

N = 546

N CI = 28

POPULATIONS


=====

Pop.	Mean	Std.Dev.	X
------	------	----------	---

1	0.2229	0.2127	100.0
---	--------	--------	-------

Pop. THRESHOLDS

1	-0.2025	0.5484
---	---------	--------



13:33:46

Soil Geochemistry - PORC 1-3 Claims

11/08/90

#####
#

PARAMETER SUMMARY STATISTICS FOR PROBABILITY PLOT ANALYSIS

Data File Name = 32-SOILS.DAT

Variable = Unit = Cu ppm N = 547
N CI = 28

Transform = Logarithmic Number of Populations = 1

of Missing Observations = 0.

=====
=====

Class Interval Data Maximum Likelihood Parameter Estimates

Maximum LN Likelihood Value = -1665.996

Parameterized Degrees of Freedom = 1

Population	Mean	Std Dev	Percentage
-----	-----	-----	-----
1	10.253	- 3.764 + 27.926	100.00

=====
=====

Default Thresholds.

Standard Deviation Multiplier = 2.0

Pop.	Thresholds
-----	-----
1	1.382 76.068

#####
#

13:32:53

11/08/90

Soil Geochemistry - PORG 1-3 Claims

LOGARITHMIC VALUES

=====

VARIABLE =

UNIT = Cu ppm

N = 547

N CI = 28

POPULATIONS

=====


Pop.	Mean	Std.Dev.	X
------	------	----------	---

1	1.0108	0.4352	100.0
---	--------	--------	-------

Pop. THRESHOLDS

=====

1	0.1405	1.8812
---	--------	--------



13:36:39

Soil Geochemistry - PORC 1-3 Claims

11/08/90

#####
#####

PARAMETER SUMMARY STATISTICS FOR PROBABILITY PLOT ANALYSIS

Data File Name = 32-SOILS.DAT

Variable = Unit = Pb ppm N = 547
N CI = 28

Transform = Arithmetic Number of Populations = 1

of Missing Observations = 0.

=====

Class Interval Data Maximum Likelihood Parameter Estimates

Maximum LN Likelihood Value = -1339.680

Parameterized Degrees of Freedom = 1

Population	Mean	Std Dev	Percentage
-----	-----	-----	-----
1	8.963	3.738	100.00

=====

Default Thresholds.

Standard Deviation Multiplier = 2.0

Pop.	Thresholds
----	-----
1	1.486 16.439

#####
#####

13:35:43

11/08/90

Soil Geochemistry - PORG 1-3 Claims

ARITHMETIC VALUES

=====

VARIABLE =

UNIT = Pb ppm

N = 547

N CI = 28

POPULATIONS

=====


Pop.	Mean	Std.Dev.	X
------	------	----------	---

1	8.963	3.738	100.0
---	-------	-------	-------

Pop. THRESHOLDS

=====

1	1.486	16.439
---	-------	--------



PARAMETER ESTIMATES

13:41:46

Soil Geochemistry - PORC 1-3 Claims

11/08/90

#####
#####

PARAMETER SUMMARY STATISTICS FOR PROBABILITY PLOT ANALYSIS

Data File Name = 32-SOILS.DAT

Variable = Unit = Zn ppm N = 546
N CI = 28

Transform = Arithmetic Number of Populations = 1

of Missing Observations = 0.

0 Observations Were Below the Minimum Value of 1.0000
1 Observations Were Above the Maximum Value of 125.0000

=====
=====

Class Interval Data Maximum Likelihood Parameter Estimates

Maximum LN Likelihood Value = -1532.618

Parameterized Degrees of Freedom = 1

Population	Mean	Std Dev	Percentage
-----	-----	-----	-----
1	31.705	18.117	100.00

=====
=====

Default Thresholds.

Standard Deviation Multiplier = 2.0

Pop.	Thresholds
-----	-----
1	-4.530 67.939

#####
#####

13:40:46

11/08/90

Soil Geochemistry - FDRG 1-3 Claims

ARITHMETIC VALUES

=====

VARIABLE =

UNIT = Zn ppm

N = 546

N CI = 28

POPULATIONS

=====


Pop. Mean Std.Dev. %

1 31.705 18.117 100.0

Pop. THRESHOLDS

=====

1 -4.530 67.939

CLASS INTERVAL RL
PARAMETER ESTIMATES

14:06:38

Soil Geochemistry - PORC 1-3 Claims

11/08/90

#####
#####

PARAMETER SUMMARY STATISTICS FOR PROBABILITY PLOT ANALYSIS

Data File Name = 32-SOILS.DAT

Variable = Unit = As ppm N = 546
N CI = 28

Transform = Logarithmic Number of Populations = 1

of Missing Observations = 0.

0 Observations Were Below the Minimum Value of 1.0000
1 Observations Were Above the Maximum Value of 1000.0000

=====

Class Interval Data Maximum Likelihood Parameter Estimates

Maximum LN Likelihood Value = -1585.831

Parameterized Degrees of Freedom = 1

Population	Mean	Std Dev	Percentage
-----	-----	-----	-----
1	4.711	- 1.845 + 12.027	100.00

=====

Default Thresholds.

Standard Deviation Multiplier = 2.0

Pop.	Thresholds
---	-----
1	0.723 30.705

#####
#####

14:05:43

11/08/90

Soil Geochemistry - FDRG 1-3 Claims

LOGARITHMIC VALUES

=====

VARIABLE =

UNIT = As ppm

N = 546

N CI = 28

POPULATIONS

=====


Pop. Mean Std.Dev. X

1 0.6731 0.4071 100.0

Pop. THRESHOLDS

=====

1 -0.1411 1.4872



14:17:40

Soil Geochemistry - PORC 1-3 Claims

11/08/90

PARAMETER SUMMARY STATISTICS FOR PROBABILITY PLOT ANALYSIS

Data File Name = 32-SOILS.DAT

Variable = Unit = Sb ppm N N = 547
N CI = 28

Transform = Logarithmic **Number of Populations = 1**

of Missing Observations = 0.

Users Visual Parameter Estimates

Population	Mean	Std Dev	Percentage
1	2.145	- 1.694 + 2.717	100.00

Default Thresholds.

Standard Deviation Multiplier = 2.0

Pop.	Thresholds
1	1.338 3.440

14:16:49

11/08/90

Soil Geochemistry - FDRG 1-3 Claims

LOGARITHMIC VALUES

=====

VARIABLE =

UNIT = Sb PPM

N = 547

N CI = 28

POPULATIONS

=====


Pop. Mean Std.Dev. %

1 0.3315 0.1025 100.0

Pop. THRESHOLDS

=====

1 0.1264 0.5366



USERS VISUAL
PARAMETER ESTIMATES


COMMONWEALTH GOLD CORP.
PORC PROPERTY
PROPERTY GEOLOGY, ROCK AND
STREAM SEDIMENT GEOCHEMISTRY
LIARD MINING DIVISION

COAST MOUNTAIN GEOLOGICAL LTD / QUEST CANADA RESOURCES LTD

DRAWN BY E.K. NTS 104074 DATE OCTOBER 1991 FIGURE 4

GEOLOGICAL BRANCH
ASSESSMENT REPORT

21,167



ROCK GEOCHEMISTRY

Sample # PEGs Cu Ag As Pb Sb Au* PEGs Cu Ag As Pb Sb Au* PEGs Cu Ag As Pb Sb Au*

900-21-001 28 12 6 4 2 0.002 900-21-002 64 12 1 13 0.003 900-21-003 12 1 1 1 0.004

900-21-004 28 12 6 4 2 0.002 900-21-005 12 1 1 1 0.003 900-21-006 12 1 1 1 0.004

900-21-007 7 1 1 1 0.002 900-21-008 12 1 1 1 0.003 900-21-009 12 1 1 1 0.004

900-21-010 7 1 1 1 0.002 900-21-011 12 1 1 1 0.003 900-21-012 12 1 1 1 0.004

900-21-013 201 12 1 1 0.002 900-21-014 12 1 1 1 0.003 900-21-015 12 1 1 1 0.004

900-21-016 108 12 1 1 0.002 900-21-017 12 1 1 1 0.003 900-21-018 12 1 1 1 0.004

900-21-019 108 12 1 1 0.002 900-21-020 12 1 1 1 0.003 900-21-021 12 1 1 1 0.004

900-21-022 108 12 1 1 0.002 900-21-023 12 1 1 1 0.003 900-21-024 12 1 1 1 0.004

900-21-025 280 12 1 1 0.002 900-21-026 12 1 1 1 0.003 900-21-027 12 1 1 1 0.004

900-21-028 280 12 1 1 0.002 900-21-029 12 1 1 1 0.003 900-21-030 12 1 1 1 0.004

900-21-031 280 12 1 1 0.002 900-21-032 12 1 1 1 0.003 900-21-033 12 1 1 1 0.004

900-21-034 280 12 1 1 0.002 900-21-035 12 1 1 1 0.003 900-21-036 12 1 1 1 0.004

900-21-037 280 12 1 1 0.002 900-21-038 12 1 1 1 0.003 900-21-039 12 1 1 1 0.004

900-21-040 280 12 1 1 0.002 900-21-041 12 1 1 1 0.003 900-21-042 12 1 1 1 0.004

900-21-043 280 12 1 1 0.002 900-21-044 12 1 1 1 0.003 900-21-045 12 1 1 1 0.004

900-21-046 280 12 1 1 0.002 900-21-047 12 1 1 1 0.003 900-21-048 12 1 1 1 0.004

900-21-049 280 12 1 1 0.002 900-21-050 12 1 1 1 0.003 900-21-051 12 1 1 1 0.004

900-21-052 280 12 1 1 0.002 900-21-053 12 1 1 1 0.003 900-21-054 12 1 1 1 0.004

900-21-055 280 12 1 1 0.002 900-21-056 12 1 1 1 0.003 900-21-057 12 1 1 1 0.004

900-21-058 280 12 1 1 0.002 900-21-059 12 1 1 1 0.003 900-21-060 12 1 1 1 0.004

900-21-061 280 12 1 1 0.002 900-21-062 12 1 1 1 0.003 900-21-063 12 1 1 1 0.004

900-21-064 280 12 1 1 0.002 900-21-065 12 1 1 1 0.003 900-21-066 12 1 1 1 0.004

900-21-067 280 12 1 1 0.002 900-21-068 12 1 1 1 0.003 900-21-069 12 1 1 1 0.004

900-21-070 280 12 1 1 0.002 900-21-071 12 1 1 1 0.003 900-21-072 12 1 1 1 0.004

900-21-073 280 12 1 1 0.002 900-21-074 12 1 1 1 0.003 900-21-075 12 1 1 1 0.004

900-21-076 280 12 1 1 0.002 900-21-077 12 1 1 1 0.003 900-21-078 12 1 1 1 0.004

900-21-079 280 12 1 1 0.002 900-21-080 12 1 1 1 0.003 900-21-081 12 1 1 1 0.004

900-21-082 280 12 1 1 0.002 900-21-083 12 1 1 1 0.003 900-21-084 12 1 1 1 0.004

900-21-085 280 12 1 1 0.002 900-21-086 12 1 1 1 0.003 900-21-087 12 1 1 1 0.004

900-21-088 280 12 1 1 0.002 900-21-089 12 1 1 1 0.003 900-21-090 12 1 1 1 0.004

900-21-091 280 12 1 1 0.002 900-21-092 12 1 1 1 0.003 900-21-093 12 1 1 1 0.004

900-21-094 280 12 1 1 0.002 900-21-095 12 1 1 1 0.003 900-21-096 12 1 1 1 0.004

900-21-097 280 12 1 1 0.002 900-21-098 12 1 1 1 0.003 900-21-099 12 1 1 1 0.004

900-21-100 280 12 1 1 0.002 900-21-101 12 1 1 1 0.003 900-21-102 12 1 1 1 0.004

900-21-103 280 12 1 1 0.002 900-21-104 12 1 1 1 0.003 900-21-105 12 1 1 1 0.004

900-21-106 280 12 1 1 0.002 900-21-107 12 1 1 1 0.003 900-21-108 12 1 1 1 0.004

900-21-109 280 12 1 1 0.002 900-21-110 12 1 1 1 0.003 900-21-111 12 1 1 1 0.004

900-21-112 280 12 1 1 0.002 900-21-113 12 1 1 1 0.003 900-21-114 12 1 1 1 0.004

900-21-115 280 12 1 1 0.002 900-21-116 12 1 1 1 0.003 900-21-117 12 1 1 1 0.004

900-21-118 280 12 1 1 0.002 900-21-119 12 1 1 1 0.003 900-21-120 12 1 1 1 0.004

900-21-121 280 12 1 1 0.002 900-21-122 12 1 1 1 0.003 900-21-123 12 1 1 1 0.004

900-21-124 280 12 1 1 0.002 900-21-125 12 1 1 1 0.003 900-21-126 12 1 1 1 0.004

900-21-127 280 12 1 1 0.002 900-21-128 12 1 1 1 0.003 900-21-129 12 1 1 1 0.004

900-21-130 280 12 1 1 0.002 900-21-131 12 1 1 1 0.003 900-21-132 12 1 1 1 0.004

900-21-133 280 12 1 1 0.002 900-21-134 12 1 1 1 0.003 900-21-135 12 1 1 1 0.004

900-21-136 280 12 1 1 0.002 900-21-137 12 1 1 1 0.003 900-21-138 12 1 1 1 0.004

900-21-139 280 12 1 1 0.002 900-21-140 12 1 1 1 0.003 900-21-141 12 1 1 1 0.004

900-21-142 280 12 1 1 0.002 900-21-143 12 1 1 1 0.003 900-21-144 12 1 1 1 0.004

900-21-145 280 12 1 1 0.002 900-21-146 12 1 1 1 0.003 900-21-147 12 1 1 1 0.004

900-21-148 280 12 1 1 0.002 900-21-149 12 1 1 1 0.003 900-21-150 12 1 1 1 0.004

900-21-151 280 12 1 1 0.002 900-21-152 12 1 1 1 0.003 900-21-153 12 1 1 1 0.004

900-21-154 280 12 1 1 0.002 900-21-155 12 1 1 1 0.003 900-21-156 12 1 1 1 0.004

900-21-157 280 12 1 1 0.002 900-21-158 12 1 1 1 0.003 900-21-159 12 1 1 1 0.004

900-21-160 280 12 1 1 0.002 900-21-161 12 1 1 1 0.003 900-21-162 12 1 1 1 0.004

900-21-163 280 12 1 1 0.002 900-21-164 12 1 1 1 0.003 900-21-165 12 1 1 1 0.004

900-21-166 280 12 1 1 0.002 900-21-167 12 1 1 1 0.003 900-21-168 12 1 1 1 0.004


900-21-169 280 12 1 1 0.002 900-21-170 12 1 1 1 0.003 900-21-171 12 1 1 1 0.004

900-21-172 280 12 1 1 0.002 900-21-173 12 1 1 1 0.003 900-21-174 12 1 1 1 0.004

900-21-175 280 12 1 1 0.002 900-21-176 12 1 1 1 0.003 900-21-177 12 1 1 1 0.004

900-21-178 280 12 1 1 0.002 900-21-179 12 1 1 1 0.003 900-21-180 12 1 1 1 0.004

900-21-181 280 12 1 1 0.002 900-21-182 12 1 1 1 0.003 900-21-183 12 1 1 1 0.004



GEOLOGICAL BRANCH
ASSESSMENT REPORT

21,167

SCALE 1:5000
0 100 200 300 400 meters


COMMONWEALTH GOLD CORP.		
PORC PROPERTY		
Au (ppb)-Ag (ppm)		
VALUE and ANOMALY MAP		
REVISIONS		
Bg	Date	Approved
To accompany a report by Andrew Wilkins		
Project No:	Report No:	
Drilling No:	L1ard	L1ard
Date:	10/90	10/90

QUEST CANADA EXPLORATION SERVICES INC.



COLOCIAL BRANCH

COMMONWEALTH GOLD CORP.
 PORC PROPERTY
 Mo (ppm) - Cu (ppm)
 VALUE and ANOMALY MAP



21,167
GEOLOGICAL BRANCH
ADAMANT PROPERTY REPORT

COMMONWEALTH GOLD CORP.

PORC PROPERTY
Pb (ppm) - Zn (ppm)
VALUE and ANOMALY MAP


REVISIONS		
Bg	Date	Approved by

In accordance with a report by Andrew Wilkins	Report No:
Project No:	Report No:
Living No:	L1ard
Date:	10/08/13E, 104G/4E
	10/08

QUEST CANADA EXPLORATION SERVICES INC.

SCALE 1:5000

0 100 200 300 400 meters



GEOLOGICAL BRANCH
ASSESSMENT REPORT

As (ppm)
31-78 >78
3-4 >4
Sb (ppm)

SCALE 1:5000

21,167

0 100 200 300 400 meters

100 200 300 400 meters