

EXPLORATION  
NTS 82F/1E



DAVID WIKLUND  
Box 1480  
Creston, B.C.  
V0B 1G0

**G E O C H E M I C A L   S U R V E Y**  
**BUCK CLAIM**

Work performed May 1991  
Latitude 49 14' N   Longitude 116 7' W

Claim Group Buck #1 - 25  
Record No.'s 6242 - 6262  
6334 - 6337

Prepared by  
H. Davies



21,611

TABLE OF CONTENTS

INTRODUCTION . . . . .	PAGE 1
LOCATION . . . . .	1
TOPOGRAPHY . . . . .	1
OBJECTIVE . . . . .	2
SAMPLING PROCEDURE . . . . .	2
LABORATORY PROCEDURE . . . . .	3
CONCLUSIONS . . . . .	3
STATEMENT OF QUALIFICATIONS . . . . .	5
STATEMENT OF EXPENDITURES . . . . .	6
INDEX MAP . . . . .	7
CLAIM MAP . . . . .	8
ASSAYS . . . . .	9 - 14
DISPLAY MAP . . . . .	POCKET

**GEOLOGICAL BRANCH  
ASSESSMENT REPORT**

**21,611**

## **INTRODUCTION**

The writer Mr. Harry Davies (P. Geol) was retained by Mr. Dave Wiklund of Creston, B.C. to carry out a geochemical survey over a portion of the Buck Claims, which are located in the Nelson Mining District.

The collection of samples was carried out in May 1991.

The collected samples were analyzed by Acme Laboratories of Vancouver, B.C.

One of the objects of this work was to earn credits as outlined in the Mineral Act Regulations of B.C.

## **LOCATION**

The Buck group of claims which consists of 1 - 16 unit 4 post claim and 24 two post claims are located about 40 Kilometers by road North-East of Creston, B.C.

Access is via the Kidd Creek logging road which exits from the No. 3 highway 25 Km East of Creston. The greater portion of the claim block is located on the East side of Kidd Creek about 15 Km from the highway.

## **TOPOGRAPHY**

The Claim block which trends North-South is located on the West facing slope of the Kidd Creek valley. The East fork of Kidd Creek transects the Claim block.

The area has been extensively logged over the years. Numerous logging roads are available for easy access to most areas of the block. Elevations range from 1100 meters to 1500 meters.

#### **OBJECTIVE**

The soil geochemistry was undertaken to help evaluate an area known to be underlain by favorable geology. The presence of a few large quartz veins which exhibited weathered sulphide mineralization, together with evidence of albitization and tourmaline float, marked this area as being favorable for further examination. It was hoped that a Geochemical survey would define anomalous areas which could be considered drilling targets.

#### **SAMPLING PROCEDURE**

The geochemical sampling program was carried out over a portion of the claim area. Ten Kilometers of line was sampled, made up of 10 lines each 1 Km in length. A total of 211 samples were collected.

All sample stations were 50 meters apart where possible and each line was spaced at 250 meters. This effectively sampled an area of 1000 by 2500 meters.

Each sample point was flagged on the ground, and was tied into a North-South base line.

In each case a "B" type soil sample was collected put into paper bags with the sample location noted. The samples were forwarded to Acme Laboratories of Vancouver, B.C. for 30 element I.C.P. analysis.

#### **LABORATORY PROCEDURE**

The samples were first dried at 105 degrees for 12 hours. They were then sieved through an 80 mesh screen, with the minus 80 fraction retained for analysis. A 0.5 gram sample was put into a test tube, along with 2 ml of water, 3 ml conc. HCL and 1 ml Hno<sub>3</sub>. The sample was digested in a water bath at 100 degrees. Water was then added to bring the volume up to 10 ml. The sample was then analyzed using the Inductively Coupled Plasma spectroscopy. A read out for 30 elements was acquired. The results accompany this report under "Assays".

#### **CONCLUSIONS**

A large portion of the area surveyed was underlain by Middle Aldridge quartzites are argillites, which had a strike of North East and shallow dip to the West. One noticeably large quartz vein trending North-East occurs at about 750W on line #7. A large Gabbro intrusive is located on the Eastern part of Lines #1 and #2.

The most noticeable geochemical feature is the North-East trending Ag. anomalies. There is a moderate correlation

between the Ag. and Cu. anomalies which suggest that a Cu.-Ag. sulphide such as tetrahedrite may account for the anomalous readings.

As a large part of the staked area has not been tested, further geochemical investigation is warranted.

**SUMMARY GEOLOGY (lithology, age, structure, alteration, mineralization, size, and attitude):**

THE BUCK CLAIMS ARE UNDERLAIN BY SHALLOW DIPPING WEST-FACING PRECAMBRIAN MIDDLE ALDRIDGE SEDIMENTS. THE SEDIMENTS ARE DOMINANTLY INTERBEDDED... QUARTZITES AND SHALES. ALBITIZATION OCCURS LOCALLY. A LARGE NORTH-EAST TRENDING QUARTZ VEIN IS PRESENT ON THE BUCK #1 GABBRO STELS... AND DYKES OCCUR THROUGHOUT THE AREA... THE STRIKE IS NORTH-SOUTH... NORTH-SOUTH TRENDING FAULTS OCCUR ON THE PROPERTY.....

**STATEMENT OF QUALIFICATIONS**

NAME: Harry I. Davies

ADDRESS: Box 12 Boswell, B.C. V0B 1A0


EDUCATION: University of Manitoba,  
BSc (H) Geology, 1950

EMPLOYMENT: Manitoba Department of Mines,  
field work of Pre-Cambrian  
(Three field seasons)

Mobil Oil of Canada Ltd,  
Ten years, with two years  
field work in structural  
mapping.

Thirty years consulting  
practice with roughly  
60% in oil geology and  
40% in mineral exploration.

ASSOCIATIONS: Professional Engineers of  
Alberta (Geologist)  
Member for 30 years.



**STATEMENT OF EXPENDITURES**

Cost related to 2250 M. of base line, soil sampling lines and collecting 211 soil samples on the Buck Claims, Kitchener area, Nelson Mining Division, British Columbia.

Base line and soil sampling - May 1991.

**SALARIES:**

H. Davies (Supervision)	3 days	\$ 900.00
Labour (soil sampling)	8 days	800.00
Base line		500.00

**TRANSPORTATION:**

4WD (gas, oil incl.)	6 days @ \$60/day	360.00
----------------------	-------------------	--------

**ASSAYS:**

Acme Laboratories	1241.74
Shipping samples	26.05

**SUPPLIES:**

Ribbon, thread, sample bags, etc.	85.00
-----------------------------------	-------


**REPORT PREPARATION:**

Map construction, writing report	450.00
Drafting, typing, photocopying, etc.	<u>150.00</u>



**TOTAL EXPENDITURES**

**\$4512.79**

Submitted by H.I. Davies (P. Geol)







K M

# BUCK CLAIMS

KITCHENER B.C.



INDEX MAP

MAY 1991

N

KYDD 1A  
5453(10)  
4N X 5E

KYDD 11  
5451(10)  
4S X 5E




Kid Creek

KYDD 3  
5449(10)  
4N X 5E


LCP

KYDD 5  
5447(10)  
4S X 6E




BUCK CLAIMS

KYDD 2  
5445  
3S X 5E



KITCHENER B.C.  
CLAIM MAP  
MAY 1991





GEOCHEMICAL ANALYSIS CERTIFICATE



David Wiklund File # 91-1455 Page 1  
 Box 1480, Creston BC V0B 1G0 Submitted by: DAVID WIKLUND

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
B1-1000W	1	60	16	68	.3	21	13	218	2.51	2	5	ND	4	11	.2	2	2	48	.22	.036	10	20	.40	116	.12	6	2.47	.03	.15	1
B1-950W	1	20	19	94	.2	18	12	964	2.09	4	5	ND	4	9	.2	2	2	32	.10	.079	9	17	.24	139	.13	3	2.88	.02	.10	1
B1-900W	1	57	19	132	.7	34	22	879	3.53	9	11	ND	7	14	.2	2	2	55	.15	.082	17	24	.43	262	.18	5	4.97	.03	.19	1
B1-850W	1	19	15	106	.5	23	13	516	2.35	4	5	ND	4	14	.2	2	2	33	.11	.217	6	14	.23	135	.18	4	5.14	.02	.08	1
B1-800W	1	18	14	90	.3	20	10	395	2.02	7	5	ND	4	16	.2	2	2	27	.16	.145	7	12	.22	143	.17	2	4.92	.03	.07	2
B1-750W	1	17	18	100	.2	19	9	1082	2.51	4	5	ND	6	13	.3	2	2	32	.13	.246	20	21	.39	224	.15	3	3.64	.03	.19	1
B1-700W	1	21	10	80	.3	19	8	261	2.21	6	5	ND	5	7	.3	2	2	32	.08	.028	16	27	.41	150	.11	2	2.31	.02	.17	1
B1-650W	1	17	27	115	.3	22	11	535	2.28	2	5	ND	5	10	.2	2	2	29	.08	.083	10	14	.25	185	.16	3	4.82	.02	.08	1
B1-600W	1	19	22	82	.3	18	9	118	3.20	8	5	ND	5	6	.2	2	3	36	.04	.038	10	14	.13	108	.17	2	5.77	.01	.05	1
B1-525W	1	17	15	169	.3	24	8	708	2.01	2	5	ND	3	9	.2	2	2	28	.10	.033	9	13	.15	166	.14	2	3.72	.02	.07	1
B1-500W	1	21	16	83	.1	18	7	323	2.47	4	5	ND	2	11	.2	2	2	36	.12	.013	15	30	.35	113	.10	2	1.65	.01	.14	1
B1-450W	1	20	16	125	.6	19	13	810	2.53	7	9	ND	4	13	.2	2	2	34	.12	.071	26	14	.15	118	.17	2	4.18	.02	.07	1
B1-400W	1	16	15	197	.5	28	9	1147	2.03	4	5	ND	3	12	1.0	2	2	28	.13	.030	17	10	.16	219	.14	2	3.45	.02	.10	1
B1-350W	1	127	17	130	.4	42	15	859	3.33	10	9	ND	9	11	.3	2	2	40	.14	.069	26	25	.25	229	.11	3	4.54	.02	.14	1
B1-300W	1	26	32	65	.3	11	3	102	2.54	18	5	ND	6	6	.2	2	2	51	.04	.029	28	14	.12	67	.04	2	1.42	.01	.12	1
B1-250W	1	19	22	113	.4	20	10	259	2.46	6	5	ND	4	14	.2	2	2	31	.14	.022	29	16	.27	181	.08	5	2.70	.02	.13	1
B1-200W	1	14	17	99	.2	13	7	181	2.66	5	5	ND	4	13	.2	2	2	27	.16	.060	9	10	.13	217	.14	4	5.55	.02	.06	1
B1-150W	1	13	17	100	.1	17	10	500	2.02	7	5	ND	4	7	.2	2	2	27	.07	.045	14	15	.17	122	.10	3	3.29	.01	.08	1
B1-100W	1	20	15	128	.1	21	9	687	2.19	3	6	ND	4	11	.2	2	2	29	.10	.037	13	11	.15	151	.16	2	4.84	.02	.05	1
B1-050W	1	12	12	80	.4	14	9	535	1.82	2	5	ND	4	8	.2	2	2	28	.09	.025	15	13	.19	161	.12	19	2.44	.02	.11	1
B1-0W	1	18	23	69	.3	14	7	217	2.35	2	9	ND	5	7	.2	2	2	30	.06	.045	9	12	.11	77	.19	2	5.84	.02	.05	1
B2-1000W	1	87	15	126	.8	44	31	475	3.01	6	5	ND	3	31	.3	8	2	42	.27	.088	6	13	.23	167	.20	5	4.34	.03	.10	1
B2-950W	1	54	22	127	.3	23	12	416	4.11	7	5	ND	5	12	.2	2	3	62	.10	.332	6	20	.32	98	.21	5	4.83	.02	.09	1
B2-900W	1	40	14	81	.5	12	8	266	2.87	7	5	ND	1	24	.2	2	3	45	.38	.185	5	16	.23	73	.16	2	3.65	.02	.09	1
B2-850W	1	82	9	72	.6	20	17	379	3.00	6	5	ND	4	16	.2	2	3	52	.16	.086	10	17	.38	117	.16	5	3.76	.02	.09	1
B2-800W	1	40	9	117	.4	16	9	317	2.15	4	5	ND	3	20	.9	2	2	36	.22	.039	9	13	.31	157	.10	3	1.91	.01	.16	1
B2-750W	1	16	16	81	.2	18	12	170	2.18	3	5	ND	5	9	.2	2	2	27	.08	.029	9	14	.24	136	.13	6	2.95	.02	.14	1
B2-700W	1	29	10	103	.2	17	11	266	3.21	5	5	ND	5	14	.2	2	2	57	.18	.032	11	17	.42	176	.14	2	2.77	.02	.14	1
B2-650W	1	17	22	115	.4	14	16	503	2.93	5	5	ND	2	13	.2	2	3	40	.13	.057	5	16	.10	118	.21	2	4.17	.02	.05	1
B2-600W	1	15	12	84	.3	17	11	1057	2.44	12	5	ND	3	12	.2	2	3	31	.10	.107	4	9	.12	112	.19	5	6.50	.02	.05	1
B2-550W	1	21	20	90	.4	20	11	270	3.00	6	5	ND	3	11	.2	2	3	39	.13	.064	8	25	.28	108	.15	4	3.43	.01	.09	1
B2-500W	1	34	2	110	.4	72	20	369	3.58	3	5	ND	2	20	.2	2	2	47	.31	.027	4	85	1.02	405	.10	4	4.20	.02	.07	1
B2-450W	1	14	11	69	.1	9	6	873	1.62	2	5	ND	2	7	.2	2	2	25	.09	.031	10	16	.23	148	.07	2	1.39	.01	.14	1
B2-400W	1	22	20	105	.5	20	10	821	2.02	4	5	ND	2	17	.2	2	2	26	.22	.052	24	17	.24	154	.11	4	2.20	.01	.12	1
B2-350W	1	15	17	90	.4	15	12	355	2.74	2	5	ND	3	11	.2	2	3	27	.11	.081	7	14	.14	80	.19	4	5.92	.02	.06	1
B2-300W	1	18	19	138	.7	26	10	293	3.43	9	5	ND	5	23	.2	3	3	34	.24	.058	27	17	.22	174	.21	3	3.59	.03	.11	1
STANDARD C	18	57	40	133	7.2	69	32	1024	3.89	37	17	6	37	54	18.4	16	20	56	.48	.089	37	58	.85	173	.09	32	1.84	.06	.15	11

Page 9

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND ALL AU DETECTION LIMIT BY ICP IS 3 PPM. - SAMPLE TYPE: SOIL

DATE RECEIVED: MAY 28 1991 DATE REPORT MAILED: *May 30/91* SIGNED BY: *Chung* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
B2-250W	2	30	15	111	.4	29	16	511	3.62	6	5	ND	10	19	.3	2	2	37	.19	.035	33	20	.24	209	.17	2	4.38	.02	.12	1
B2-200W	1	19	10	43	.3	12	7	226	2.38	2	5	ND	5	8	.2	3	3	33	.08	.024	22	14	.16	86	.05	4	1.76	.01	.10	1
B2-150W	1	29	11	135	.3	20	12	481	3.33	2	5	ND	12	8	.2	2	2	44	.08	.057	20	20	.20	121	.10	4	2.90	.01	.13	1
B2-100W	1	17	12	117	.3	26	11	401	2.31	8	5	ND	8	12	.3	3	2	30	.16	.032	15	19	.16	160	.11	5	3.75	.02	.07	2
B2-050W	1	23	7	104	.5	20	25	1133	2.84	2	5	ND	8	7	.3	2	4	32	.06	.058	19	19	.12	136	.18	5	5.68	.02	.07	1
B2-0W	1	20	20	229	.6	25	20	1680	3.45	3	5	ND	8	17	.7	2	3	36	.18	.174	13	25	.27	238	.17	3	4.88	.02	.12	1
B3-1000W	1	16	9	69	.6	22	14	161	2.15	5	5	ND	8	15	.6	7	4	24	.10	.030	12	16	.23	141	.12	2	2.72	.02	.12	3
B3-950W	1	14	5	86	.4	23	10	175	2.05	2	5	ND	9	18	.2	2	2	21	.13	.030	16	17	.27	201	.12	4	2.58	.01	.16	1
B3-900W	1	12	10	62	.1	16	9	197	2.21	6	5	ND	6	10	.2	2	2	24	.10	.017	14	21	.38	104	.09	2	1.85	.01	.26	2
B3-850W	1	16	10	49	.3	15	7	274	1.88	6	5	ND	8	7	.2	4	3	21	.07	.020	15	20	.36	70	.08	4	1.32	.01	.27	2
B3-800W	1	15	21	109	.5	25	14	297	2.38	5	5	ND	8	16	.5	4	5	26	.13	.055	15	18	.31	158	.12	8	2.91	.01	.20	1
B3-750W	1	20	15	92	.3	15	10	570	1.98	2	5	ND	7	12	.5	2	5	21	.10	.032	25	16	.33	116	.09	2	1.73	.01	.21	1
B3-700W	1	23	13	94	.6	22	10	244	2.32	4	5	ND	9	13	.5	3	2	26	.10	.088	17	15	.30	196	.14	3	3.29	.02	.17	1
B3-600W	1	19	16	125	.5	21	13	459	4.33	9	5	ND	7	20	.6	2	3	36	.14	.075	33	23	.37	242	.14	2	3.06	.01	.20	2
B3-550W	1	14	14	97	.1	18	13	397	3.04	4	5	ND	6	15	.2	2	2	30	.14	.072	25	19	.29	169	.13	2	3.29	.01	.15	1
B3-500W	1	27	12	67	.3	19	13	497	2.50	5	5	ND	10	13	.5	4	2	27	.13	.036	37	19	.41	104	.10	4	1.90	.01	.26	2
B3-450W	1	23	13	70	.3	18	9	254	3.18	3	5	ND	9	11	.3	2	2	33	.08	.022	20	21	.45	120	.12	2	2.44	.01	.32	1
B3-400W	1	26	15	70	.4	21	10	255	2.79	11	5	ND	6	9	.5	3	3	31	.13	.023	18	23	.57	108	.10	5	1.81	.01	.18	1
B3-300W	1	18	16	91	.3	20	16	1113	2.45	3	5	ND	4	13	.3	2	3	29	.09	.108	5	14	.15	121	.17	4	5.36	.02	.05	1
B3-250W	1	10	13	69	.2	12	9	990	2.17	6	5	ND	3	12	.2	2	6	29	.09	.081	10	13	.20	142	.12	6	2.67	.01	.08	1
B3-200W	1	7	9	108	.4	13	10	322	2.02	3	5	ND	4	7	.3	2	2	23	.06	.074	7	11	.16	124	.12	2	3.27	.01	.06	1
B3-150W	1	8	32	124	.3	17	9	242	3.32	8	5	ND	5	10	.2	2	2	43	.07	.064	10	14	.16	139	.17	2	2.81	.01	.07	1
B3-100W	1	16	86	142	1.1	11	22	640	2.81	6	5	ND	9	14	.5	4	2	32	.14	.113	31	13	.11	101	.21	3	2.98	.02	.06	2
B3-050W	1	11	8	93	.5	14	10	345	2.30	5	5	ND	4	8	.2	2	2	23	.08	.093	8	13	.14	91	.13	2	3.77	.01	.05	1
B3-0W	1	15	11	94	.3	11	13	230	3.29	6	5	ND	10	7	.4	2	2	26	.06	.062	10	18	.20	89	.13	2	4.14	.01	.08	1
B4-1030W	1	32	8	93	.3	24	13	779	2.48	3	5	ND	4	12	.2	2	5	44	.14	.065	8	13	.34	185	.14	3	3.18	.02	.10	2
B4-1000W	1	21	4	89	.1	23	13	672	2.60	2	5	ND	2	18	.2	2	2	55	.20	.088	7	12	.44	213	.12	2	2.77	.02	.12	1
B4-950W	1	26	14	71	.3	21	11	511	2.38	2	5	ND	5	12	.2	2	6	39	.13	.070	7	14	.30	209	.16	2	3.65	.02	.09	2
B4-900W	1	14	12	98	.2	17	10	548	2.14	2	5	ND	5	16	.6	2	2	26	.15	.161	9	13	.18	158	.13	4	3.30	.02	.09	1
B4-850W	1	20	15	74	.6	19	11	205	1.94	2	5	ND	9	8	.2	7	2	22	.06	.040	19	15	.31	153	.10	2	2.08	.01	.16	2
B4-800W	1	15	13	84	.2	20	9	409	2.18	7	5	ND	6	9	.2	2	2	24	.08	.069	13	15	.23	160	.13	2	3.02	.01	.13	1
B4-750W	1	14	11	64	.2	13	8	256	1.94	5	5	ND	6	8	.2	2	2	22	.07	.037	15	13	.25	100	.11	3	1.97	.01	.15	1
B4-700W	1	13	10	86	.1	11	10	264	2.15	2	5	ND	4	8	.2	2	2	25	.06	.094	11	13	.19	90	.13	2	2.69	.01	.11	1
B4-650W	1	23	3	71	.3	23	13	186	2.36	7	5	ND	7	14	.2	3	5	31	.11	.033	15	15	.39	133	.12	2	2.00	.01	.28	1
B4-600W	1	32	2	55	.1	20	10	177	2.59	3	5	ND	5	11	.2	2	2	43	.12	.014	10	16	.48	103	.11	2	1.90	.01	.28	1
B4-550W	1	19	13	70	.2	19	12	266	2.42	6	5	ND	7	11	.2	4	2	33	.09	.028	13	15	.38	135	.15	5	2.13	.01	.31	1
STANDARD C	20	59	38	132	7.3	74	32	1068	4.00	39	20	7	40	53	18.6	15	22	58	.49	.089	40	58	.88	177	.09	37	1.90	.07	.15	12



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
B4-500W	1	21	27	77	.1	15	10	324	2.27	8	5	ND	7	17	.2	2	2	28	.11	.072	12	13	.27	215	.15	2	3.06	.02	.19	1
B4-450W	2	28	35	85	.5	20	10	267	2.48	12	5	ND	10	20	.4	4	9	28	.11	.052	23	16	.31	202	.19	2	3.98	.02	.21	2
B4-400W	1	20	23	90	.1	21	8	199	2.23	4	5	ND	8	12	.2	2	2	21	.07	.074	18	14	.30	183	.14	2	2.65	.01	.23	1
B4-350W	1	15	13	72	.1	9	9	205	2.15	6	5	ND	6	8	.3	2	2	20	.05	.047	16	16	.33	123	.11	3	1.70	.01	.27	1
B4-300W	1	25	5	73	.2	16	9	163	2.13	11	5	ND	7	11	.2	2	2	21	.07	.043	19	16	.35	191	.11	2	2.10	.01	.22	1
B4-250W	1	52	95	147	.1	34	25	264	3.44	16	6	ND	8	16	1.0	2	2	49	.14	.072	19	37	.64	194	.14	2	4.17	.01	.19	1
B4-200W	1	18	79	133	.5	11	12	339	3.07	2	5	ND	9	12	.6	2	2	28	.08	.459	7	14	.14	139	.17	3	5.78	.02	.04	1
B4-150W	1	14	24	127	.1	15	9	133	3.08	7	5	ND	7	9	.2	2	2	32	.06	.116	13	16	.17	193	.11	3	3.35	.01	.10	1
B4-100W	1	37	49	168	.1	27	35	535	3.50	6	5	ND	8	17	.2	2	2	31	.08	.059	18	14	.20	219	.13	3	3.52	.02	.08	1
B4-050W	1	21	36	92	.1	17	19	580	3.16	15	5	ND	8	8	.3	2	2	29	.04	.098	18	14	.21	113	.12	5	2.54	.01	.09	1
B4-0W	1	25	55	154	.3	19	12	158	2.41	2	5	ND	9	8	.4	2	2	26	.06	.049	11	13	.24	87	.14	4	3.98	.01	.09	1
B5-1000W	1	15	29	123	.3	15	12	883	3.01	2	5	ND	4	16	.3	2	2	40	.14	.176	7	13	.20	203	.17	5	3.69	.02	.12	1
B5-950W	1	34	19	50	.1	17	13	323	2.36	8	7	ND	7	14	.4	2	2	40	.15	.023	20	21	.65	64	.09	4	1.44	.01	.19	1
B5-900W	1	36	17	85	.2	23	15	659	2.37	4	7	ND	4	24	.2	2	2	36	.20	.138	7	13	.29	213	.15	4	3.80	.02	.10	1
B5-850W	1	25	19	92	.1	27	18	465	2.46	2	10	ND	2	22	.4	2	2	40	.17	.071	7	12	.28	211	.13	2	3.02	.02	.09	1
B5-800W	1	16	21	95	.4	18	15	806	2.54	2	5	ND	3	28	.6	2	2	35	.24	.134	9	13	.22	182	.13	4	2.94	.01	.11	1
B5-750W	1	37	16	102	.1	25	16	634	2.63	6	5	ND	5	15	.2	2	5	45	.12	.075	11	14	.40	142	.12	8	3.01	.02	.17	1
B5-700W	1	26	45	89	.4	25	15	514	3.27	6	5	ND	9	15	.6	2	2	34	.10	.040	25	16	.24	147	.15	3	3.99	.02	.16	1
B5-650W	1	15	24	98	.2	17	10	509	2.48	4	5	ND	3	14	.2	2	2	32	.14	.069	9	11	.14	146	.15	19	2.94	.02	.09	1
B5-600W	1	15	29	90	.2	21	10	288	2.18	4	5	ND	5	12	.2	2	2	24	.08	.058	12	12	.22	161	.14	4	3.82	.02	.10	1
B5-550W	1	16	31	75	.1	17	10	432	2.30	2	5	ND	6	13	.2	2	2	26	.09	.057	16	12	.25	168	.14	2	3.49	.02	.14	1
B5-500W	1	16	22	85	.1	21	11	387	2.30	4	5	ND	7	9	.4	2	2	23	.07	.069	14	15	.30	209	.12	3	2.90	.01	.19	1
B5-450W	1	17	37	105	.1	23	11	775	2.24	2	5	ND	5	16	.3	2	2	24	.13	.121	10	12	.22	207	.16	4	4.04	.02	.14	1
B5-400W	1	43	44	101	.4	33	17	274	3.24	13	5	ND	14	21	.8	4	2	31	.16	.107	33	23	.42	220	.16	5	4.50	.02	.24	1
B5-350W	1	18	28	126	.1	20	11	737	2.23	2	5	ND	4	16	.3	2	2	24	.16	.212	13	14	.22	220	.16	4	3.49	.02	.13	1
B5-300W	1	18	34	111	.3	27	11	370	2.33	4	5	ND	6	12	.6	4	2	29	.10	.129	11	22	.27	152	.13	3	3.44	.02	.11	1
B5-250W	1	18	28	120	.1	31	12	295	2.13	6	5	ND	3	20	.5	2	2	24	.18	.100	12	20	.31	178	.10	4	2.34	.02	.16	1
B5-200W	1	16	20	112	.1	20	13	948	1.92	4	5	ND	3	17	.3	2	2	23	.13	.050	12	19	.24	225	.12	2	2.34	.02	.15	1
B5-150W	1	18	44	134	.5	27	12	309	2.42	2	7	ND	4	23	.3	2	3	27	.19	.081	17	18	.24	135	.12	2	2.85	.02	.18	1
B5-100W	1	16	31	207	.2	27	15	839	2.61	8	5	ND	8	12	1.3	5	2	26	.09	.084	20	21	.37	222	.12	3	2.86	.01	.25	1
B5-050W	1	20	21	179	.1	29	14	256	2.12	2	5	ND	6	13	.7	2	2	23	.10	.032	13	14	.26	134	.14	7	2.58	.02	.17	1
B6-1050W	1	16	20	80	.1	26	11	230	2.47	5	5	ND	4	12	.2	4	2	31	.10	.034	15	16	.41	105	.13	5	1.94	.01	.22	1
B6-1000W	1	20	25	101	.1	21	16	690	2.82	2	8	ND	4	29	.2	2	2	34	.18	.121	11	14	.22	245	.16	2	2.95	.02	.17	1
B6-950W	1	18	19	121	.3	27	15	553	2.75	2	5	ND	5	18	.2	2	2	33	.16	.106	13	16	.28	195	.15	2	3.71	.02	.16	1
B6-900W	1	22	33	172	.1	36	20	570	3.19	2	5	ND	7	17	.2	2	2	33	.13	.128	18	22	.41	198	.15	3	3.54	.01	.22	1
B6-850W	1	12	22	120	.3	25	11	782	2.30	2	5	ND	5	24	1.0	2	2	27	.22	.244	10	20	.32	215	.13	5	3.28	.02	.13	1
STANDARD C	20	59	44	132	7.3	69	32	1070	3.98	40	23	7	41	53	17.0	15	18	58	.48	.091	40	59	.88	174	.09	40	1.86	.06	.15	13



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Tl %	B ppm	Al %	Na %	K %	V ppm
B6-800W	1	7	14	50	.2	10	6	242	1.64	2	5	ND	3	10	.2	2	4	19	.10	.034	9	10	.19	119	.07	3	1.28	.01	.12	1
B6-750W	1	12	17	147	.4	26	15	631	2.09	3	5	ND	4	14	.5	2	4	25	.13	.077	9	9	.19	213	.14	3	3.78	.02	.10	1
B6-700W	1	13	11	83	.3	17	11	565	1.55	2	5	ND	4	8	.2	2	2	19	.07	.059	8	8	.12	97	.12	4	3.43	.01	.05	1
B6-650W	1	17	21	98	.5	12	14	396	2.11	2	5	ND	5	14	.2	2	4	24	.10	.060	13	12	.16	173	.14	5	2.87	.02	.09	1
B6-625W	1	14	13	59	.4	13	7	200	1.70	2	5	ND	5	10	.2	2	2	17	.06	.031	20	13	.27	128	.09	4	1.88	.01	.18	1
B6-550W	1	10	20	106	.3	13	15	597	2.61	4	5	ND	3	16	.2	2	6	31	.13	.102	8	10	.12	158	.18	5	4.13	.02	.07	1
B6-500W	1	9	12	113	.4	15	10	359	1.88	4	5	ND	3	17	.2	2	3	24	.16	.068	7	8	.11	117	.15	6	3.35	.02	.05	1
B6-450W	1	18	17	125	.3	21	11	637	2.13	2	5	ND	7	10	.2	2	2	23	.08	.045	13	16	.28	139	.13	3	3.37	.01	.12	1
B6-400W	1	17	18	114	.7	20	11	919	2.21	2	5	ND	6	11	.2	2	7	27	.08	.075	20	8	.18	190	.18	3	4.74	.02	.08	1
B6-350W	1	15	19	145	.5	22	15	778	2.35	3	5	ND	5	14	.2	2	3	27	.12	.072	13	12	.23	224	.16	6	3.35	.02	.14	1
B6-300W	1	20	21	98	.4	20	11	276	2.26	2	5	ND	9	15	.2	2	2	24	.12	.049	18	14	.31	173	.14	3	3.29	.02	.17	1
B6-250W	1	18	23	105	.5	20	11	532	2.15	3	5	ND	8	12	.3	2	2	23	.10	.068	20	14	.31	239	.11	2	3.00	.01	.16	1
B6-200W	1	12	16	130	.5	24	12	839	2.09	2	5	ND	5	10	.4	2	3	23	.08	.074	13	12	.25	202	.12	6	2.93	.01	.17	1
B6-150W	1	23	27	162	.6	42	17	571	2.72	3	5	ND	6	14	.4	2	2	32	.12	.043	14	35	.45	239	.13	4	3.44	.01	.20	1
B6-100W	1	16	11	97	.3	24	12	326	2.11	3	5	ND	5	10	.2	2	2	24	.08	.106	12	17	.28	197	.11	4	2.91	.01	.13	1
B6-075W	1	30	20	90	1.0	23	15	265	2.46	8	5	ND	10	14	.2	2	2	30	.08	.058	25	19	.30	159	.15	3	3.98	.01	.16	1
B6-0W	1	13	21	108	.5	15	9	283	2.19	6	5	ND	5	13	.5	2	2	22	.10	.059	15	14	.24	178	.12	3	2.53	.01	.14	1
B7-1000W	1	15	16	75	.3	15	10	268	2.17	6	5	ND	6	12	.3	2	3	23	.11	.054	19	15	.27	156	.12	2	2.61	.01	.17	2
B7-950W	1	13	18	73	.3	18	11	257	2.34	5	5	ND	5	10	.2	2	3	26	.07	.059	12	14	.32	161	.12	2	2.53	.01	.16	1
B7-900W	1	13	9	84	.2	20	21	257	2.73	5	5	ND	25	14	.3	2	2	29	.10	.134	18	21	.53	148	.10	2	2.55	.01	.15	1
B7-850W	1	16	27	32	.3	11	12	107	2.71	11	5	ND	8	7	.2	4	4	43	.03	.035	12	19	.29	39	.08	9	1.01	.01	.14	1
B7-800W	1	13	14	68	.3	19	11	202	2.28	2	5	ND	6	11	.2	2	2	26	.08	.053	11	14	.30	162	.13	4	2.73	.01	.14	1
B7-750W	1	33	22	94	.7	33	18	274	3.08	9	5	ND	10	22	.2	2	5	37	.14	.034	20	18	.37	266	.16	2	3.77	.02	.17	1
B7-700W	1	17	15	85	.4	25	15	417	2.72	2	5	ND	7	14	.2	2	4	31	.10	.067	11	11	.20	188	.15	4	3.86	.02	.11	1
B7-650W	1	16	14	127	.5	32	22	731	2.85	6	5	ND	5	13	.2	2	3	34	.11	.114	9	15	.26	172	.14	3	3.35	.01	.12	1
B7-600W	1	22	17	162	.5	56	30	961	3.31	2	5	ND	6	13	.3	2	2	41	.08	.079	11	31	.40	219	.17	3	4.22	.02	.16	1
B7-550W	1	13	9	64	.3	14	10	374	1.97	3	5	ND	6	9	.2	2	4	20	.07	.041	18	14	.26	114	.08	2	1.62	.01	.16	1
B7-500W	1	13	24	107	.6	18	25	624	2.82	2	5	ND	6	20	.2	2	4	30	.13	.066	15	10	.14	222	.18	2	3.93	.02	.07	1
B7-450W	1	21	17	144	.7	25	17	536	2.68	6	5	ND	7	12	.2	3	4	29	.07	.128	12	12	.20	229	.19	2	4.84	.02	.12	2
B7-400W	1	21	17	96	.4	19	11	412	2.19	3	5	ND	6	12	.2	2	2	26	.08	.141	15	12	.26	209	.12	3	2.99	.01	.13	1
B7-350W	1	15	13	111	.3	20	15	479	2.45	4	5	ND	5	13	.3	2	2	27	.07	.051	12	11	.25	211	.14	2	2.87	.01	.15	1
B7-300W	1	13	16	79	.4	17	9	356	2.03	3	5	ND	5	13	.2	2	5	24	.07	.049	9	8	.16	145	.15	3	3.43	.01	.08	1
B7-250W	1	28	21	123	1.0	22	18	375	2.40	4	5	ND	11	13	.2	2	2	27	.09	.110	46	10	.26	210	.16	4	4.05	.02	.14	1
B7-200W	1	16	16	151	.3	19	13	791	2.01	2	5	ND	6	21	.3	2	2	22	.18	.088	14	9	.21	190	.13	2	3.27	.01	.12	1
B7-150W	1	15	18	87	.3	17	12	948	2.50	2	5	ND	7	18	.2	2	2	25	.10	.145	16	13	.31	214	.14	2	3.00	.01	.19	1
B7-100W	1	18	12	146	.6	26	15	953	2.36	3	5	ND	8	20	.4	2	3	25	.13	.111	27	9	.25	278	.17	4	3.94	.02	.17	1
STANDARD C	19	59	37	132	7.3	70	33	1046	3.97	39	18	6	38	52	18.6	16	20	55	.48	.090	39	58	.88	177	.09	32	1.89	.06	.15	11



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
B7-50W	1	22	29	112	.4	19	16	399	2.24	6	5	ND	8	16	.3	2	4	26	.12	.048	31	13	.26	228	.15	2	3.44	.02	.17	1
B7-0W	1	23	20	93	.5	21	12	345	2.46	6	5	ND	10	15	.2	2	2	24	.08	.046	33	19	.39	212	.14	4	3.21	.02	.32	1
B8-1050W	1	8	17	71	.1	11	6	237	1.87	5	5	ND	4	8	.2	2	2	24	.06	.046	10	12	.19	98	.12	3	1.59	.02	.15	1
B8-1000W	1	16	25	99	.4	18	14	156	2.25	8	5	ND	6	16	.2	2	2	25	.11	.025	14	11	.24	167	.15	3	3.59	.02	.18	1
B8-950W	1	13	15	83	.4	14	8	190	2.46	7	5	ND	5	8	.2	2	2	26	.05	.053	10	14	.20	148	.14	6	2.81	.02	.16	1
B8-900W	1	14	26	105	.8	23	12	350	2.97	6	5	ND	6	18	.2	2	2	29	.14	.037	43	16	.30	175	.17	2	3.83	.02	.20	1
B8-850W	1	8	15	93	.2	10	7	158	2.16	6	5	ND	5	10	.2	2	2	23	.07	.039	13	12	.22	145	.11	3	2.07	.02	.15	1
B8-800W	1	9	24	122	.3	14	10	422	2.79	11	5	ND	5	10	.2	2	2	30	.06	.195	10	12	.18	163	.15	3	3.07	.01	.11	1
B8-750W	1	11	16	102	.2	13	9	221	2.59	8	5	ND	6	17	.2	2	2	26	.16	.052	12	11	.20	162	.14	2	3.04	.01	.15	1
B8-700W	1	23	24	111	1.2	23	18	1363	3.07	8	5	ND	7	37	.3	2	2	29	.25	.053	78	15	.33	213	.16	3	2.91	.02	.29	1
B8-650W	1	42	45	109	1.8	35	30	1766	3.58	13	6	ND	11	39	.2	2	2	31	.21	.062	116	20	.39	262	.17	2	4.55	.02	.34	1
B8-600W	1	14	17	106	.2	15	10	699	2.42	10	5	ND	6	12	.2	2	2	25	.09	.151	16	14	.27	140	.15	2	2.58	.01	.18	1
B8-550W	1	16	17	158	.4	18	14	372	3.16	10	5	ND	6	16	.2	2	2	32	.13	.087	17	13	.21	179	.18	2	3.85	.01	.13	1
B8-500W	1	16	14	87	.4	13	9	274	2.14	5	5	ND	9	8	.2	2	2	19	.05	.028	23	14	.31	127	.11	3	1.91	.01	.26	1
B8-450W	1	9	17	70	.2	10	8	305	2.20	4	5	ND	5	9	.2	2	2	24	.07	.037	13	12	.22	104	.11	2	1.49	.01	.19	1
B8-400W	1	32	27	158	.6	21	25	1668	2.93	6	5	ND	7	17	.2	2	2	29	.11	.047	28	19	.26	200	.15	2	3.16	.02	.17	1
B8-350W	1	18	23	100	.6	20	12	784	2.46	5	5	ND	5	19	.2	2	2	24	.12	.027	35	19	.39	134	.11	2	2.31	.01	.24	1
B8-300W	1	28	37	137	.8	35	23	452	3.72	8	6	ND	8	20	.2	2	2	36	.09	.034	22	21	.36	225	.18	4	4.25	.02	.25	1
B8-250W	1	14	20	139	.6	18	14	763	2.46	6	5	ND	4	12	.2	2	2	31	.07	.375	9	9	.18	212	.17	5	3.86	.02	.09	1
B8-200W	1	12	21	89	.5	16	10	541	2.23	7	5	ND	4	11	.2	2	2	26	.08	.062	10	13	.16	121	.14	3	3.52	.01	.09	1
B8-150W	1	15	31	117	.4	18	15	548	2.39	5	5	ND	6	12	.2	2	2	31	.08	.080	11	12	.17	154	.20	2	3.35	.02	.08	1
B8-100W	1	16	22	104	.4	18	8	1181	2.14	9	5	ND	5	18	.2	2	2	25	.11	.068	18	8	.19	267	.15	2	3.84	.02	.13	2
B8-050W	1	15	18	141	.5	18	15	1115	2.19	5	5	ND	5	24	.2	2	2	26	.18	.088	16	8	.21	253	.15	2	3.80	.02	.11	1
B8-0W	1	20	22	144	.7	20	15	980	2.21	4	5	ND	8	22	.2	3	2	24	.14	.050	29	11	.25	279	.13	5	3.09	.02	.18	1
B9-1000W	1	17	21	71	.3	16	8	175	2.14	7	5	ND	7	11	.2	2	2	22	.08	.037	12	15	.29	113	.13	4	2.39	.01	.20	1
B9-950W	1	10	18	133	.4	16	9	263	2.31	6	5	ND	5	17	.2	2	2	26	.15	.087	8	10	.21	137	.16	4	3.63	.02	.13	1
B9-900W	1	13	18	111	.5	22	9	218	2.05	8	5	ND	5	16	.2	2	2	24	.12	.057	11	12	.20	113	.15	4	3.91	.02	.14	1
B9-850W	1	8	14	57	.2	10	6	795	1.57	7	5	ND	4	19	.2	2	2	19	.16	.024	11	10	.21	130	.10	3	1.49	.01	.19	1
B9-800W	1	26	23	69	.7	18	15	1265	2.35	8	7	ND	7	11	.2	2	2	25	.06	.040	44	16	.25	103	.16	2	2.59	.02	.15	1
B9-750W	1	11	16	49	.2	10	6	167	1.59	6	5	ND	6	9	.2	2	2	14	.07	.017	18	11	.22	95	.09	2	1.48	.01	.20	1
B9-700W	1	11	17	87	.4	16	10	248	2.36	5	6	ND	5	15	.2	2	2	25	.09	.038	12	9	.18	162	.16	2	3.12	.02	.12	1
B9-650W	1	12	22	106	.4	16	12	214	2.33	9	5	ND	6	9	.2	2	2	24	.05	.039	14	12	.21	144	.14	2	2.95	.01	.15	1
B9-600W	1	12	19	112	.3	16	15	478	2.43	7	5	ND	6	11	.2	2	2	22	.12	.108	15	13	.24	153	.14	3	2.98	.01	.19	1
B9-550W	1	15	14	92	.5	16	16	281	2.44	6	5	ND	7	12	.2	2	2	21	.06	.034	20	16	.30	132	.14	3	2.15	.01	.23	1
B9-500W	1	21	30	104	.6	29	13	204	2.84	6	5	ND	8	17	.2	2	2	26	.11	.036	24	17	.31	177	.16	2	3.11	.01	.22	1
B9-450W	1	21	25	144	.6	31	14	271	2.71	10	6	ND	8	15	.3	2	4	26	.08	.028	26	20	.35	158	.15	3	2.48	.02	.26	2
STANDARD C	18	59	42	131	7.1	70	33	1037	3.93	39	16	6	39	52	18.5	15	19	55	.48	.089	39	58	.88	176	.09	33	1.86	.06	.15	13





ACME ANALYTICAL



ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
B9-400W	1	15	15	167	.4	21	21	774	2.49	11	5	ND	7	9	.2	7	2	29	.06	.081	13	14	.21	178	.16	4	3.59	.02	.11	1
B9-350W	1	18	11	87	.3	20	15	247	2.29	3	5	ND	8	11	.2	2	2	25	.08	.044	15	13	.20	173	.16	2	4.60	.02	.09	1
B9-300W	1	18	14	155	.5	21	21	561	2.55	6	5	ND	8	9	.2	5	2	28	.07	.061	17	15	.22	181	.16	3	4.13	.02	.11	1
B9-250W	2	37	45	202	.1	68	24	714	4.33	2	5	ND	14	24	.7	2	4	37	.13	.100	49	27	.47	277	.21	2	5.65	.02	.38	1
B9-200W	1	14	12	112	.1	23	16	633	2.65	2	5	ND	7	15	.3	2	4	28	.10	.048	20	17	.26	288	.14	2	2.88	.02	.17	1
B9-150W	1	19	14	195	.1	28	11	342	2.50	3	5	ND	7	13	.2	2	2	28	.08	.060	15	13	.26	208	.16	2	3.84	.02	.13	1
B9-100W	1	16	8	133	.2	18	13	600	2.20	9	5	ND	6	10	.2	2	2	24	.07	.057	19	13	.22	171	.12	2	2.55	.02	.14	1
B9-050W	2	17	2	114	.1	19	14	714	2.25	9	5	ND	3	10	.5	2	2	29	.08	.070	14	11	.18	158	.17	6	4.29	.02	.07	1
B9-0W	1	24	5	152	.5	17	23	1309	2.17	10	5	ND	5	13	.6	6	2	28	.09	.101	18	13	.14	120	.19	2	4.89	.03	.05	1
B10-1050W	1	12	15	149	.1	22	12	197	2.74	3	5	ND	5	19	.5	2	2	29	.13	.118	11	16	.26	192	.16	2	4.08	.02	.16	1
B10-1000W	1	44	28	82	.1	17	11	217	2.59	16	5	ND	7	23	.2	2	2	27	.19	.022	21	17	.28	142	.13	3	1.82	.01	.21	1
B10-950W	1	46	32	152	.2	46	31	197	3.12	16	5	ND	14	33	.3	2	2	31	.22	.071	43	20	.37	232	.17	2	4.19	.02	.26	1
B10-900W	1	13	36	263	.2	34	19	667	2.80	12	5	ND	12	63	.6	2	2	25	.43	.261	36	17	.27	363	.14	4	4.43	.02	.21	1
B10-850W	1	9	5	82	.1	19	11	167	2.21	4	5	ND	6	20	.4	4	2	22	.15	.067	12	14	.23	125	.13	4	2.78	.01	.18	1
B10-800W	1	12	16	68	.1	21	10	175	2.18	7	5	ND	7	17	.2	5	2	20	.11	.018	27	17	.33	132	.12	4	2.03	.01	.21	1
B10-750W	1	12	7	106	.3	15	11	182	2.21	3	5	ND	8	13	.4	2	2	20	.08	.062	19	15	.26	132	.12	3	2.88	.01	.18	1
B10-700W	1	13	14	92	.2	17	11	466	2.50	10	5	ND	8	13	.2	2	2	22	.08	.028	28	18	.31	110	.13	3	2.07	.01	.23	1
B10-650W	1	15	20	106	.1	16	18	556	2.52	7	5	ND	5	13	.4	2	2	26	.07	.091	42	16	.23	118	.14	3	2.55	.02	.14	1
B10-600W	1	10	14	120	.1	15	12	712	2.54	10	5	ND	5	10	.2	5	5	25	.06	.037	17	16	.25	140	.14	4	2.56	.02	.16	1
B10-550W	1	11	8	106	.1	17	10	285	2.15	6	5	ND	7	16	.5	3	2	18	.12	.033	22	14	.28	142	.12	2	2.29	.01	.22	1
B10-500W	1	21	9	117	.3	18	13	278	2.51	4	5	ND	10	10	.5	2	2	20	.07	.029	32	16	.30	120	.12	2	2.89	.01	.22	1
B10-450W	1	29	22	118	.4	25	24	993	3.29	6	5	ND	7	19	.2	2	2	28	.12	.033	60	20	.32	118	.17	3	3.09	.02	.23	1
B10-400W	1	29	20	84	.3	17	18	539	2.99	9	5	ND	8	14	.6	3	2	26	.06	.043	36	17	.28	96	.16	2	2.53	.02	.20	1
B10-350W	1	25	24	98	.4	21	14	727	3.42	4	5	ND	7	30	.2	2	2	30	.25	.065	40	18	.35	151	.17	2	2.59	.02	.26	1
B10-300W	1	27	19	112	.1	25	20	773	3.58	5	5	ND	9	32	.2	2	2	31	.19	.041	51	20	.40	149	.17	2	3.09	.02	.30	1
B10-250W	1	12	13	70	.3	12	10	217	2.23	5	5	ND	7	12	.2	6	2	20	.08	.014	16	16	.32	90	.11	2	1.45	.01	.25	1
B10-200W	1	13	22	126	.1	17	16	974	2.54	6	5	ND	6	11	.3	2	2	24	.06	.061	25	16	.23	158	.12	2	2.06	.01	.19	1
B10-150W	1	19	23	150	.1	24	18	930	3.00	6	5	ND	6	22	.3	2	2	27	.14	.063	25	16	.28	238	.15	2	3.22	.01	.23	1
B10-100W	1	32	23	162	.9	25	24	1303	3.66	8	5	ND	8	28	.3	5	2	33	.17	.031	23	19	.33	196	.18	3	3.52	.02	.26	1
B10-050W	1	18	21	81	.1	21	16	885	2.48	4	7	ND	3	27	.2	2	2	24	.15	.025	28	20	.34	116	.11	2	1.89	.02	.24	1
B10-0W	1	16	16	100	.2	22	16	300	3.07	7	5	ND	7	16	.2	3	3	27	.10	.053	20	16	.28	133	.14	2	2.51	.01	.21	1
STANDARD C	19	57	38	132	7.2	74	32	1069	3.99	37	20	6	37	52	18.4	14	20	55	.48	.089	38	58	.89	180	.09	34	1.91	.06	.16	11





BUCK CLAIM  
KITCHENER B.C. NELSON MINING DIVISION

CU-AG SOIL SAMPLING  
RESULTS IN PPM

FIGURE 1  
DATE MAY 1991  
BY H.I. DAVIES

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

21,611