

DATE:	DEC 23 1993	RD.
ACTION:		
<u>CONSOLIDATED RAMROD GOLD CORPORATION</u>		
FILE NO.		

ASSESSMENT REPORT ON SOIL GEOCHEMISTRY

**BLUE ROBIN PROPERTY**

NELSON MINING DIVISION

KAMMA AND LEADVILLE CREEK AREAS

N.T.S. 82 F/8E

LATITUDE: 49°20'N

LONGITUDE: 116°13'W

OWNER & OPERATOR

CONSOLIDATED RAMROD GOLD CORPORATION

104 - 135 10th Avenue South  
Cranbrook, B.C.  
VIC 2N1

Work Performed from August 1, 1993 to September 3, 1993  
Report by: Peter Klewchuk P. Geo.

December, 1993  
**GEOLOGICAL BRANCH  
ASSESSMENT REPORT**

**23,160**

## TABLE OF CONTENTS

		PAGE
1.00	INTRODUCTION . . . . .	1
	1.10 Location and Access . . . . .	1
	1.20 Physiography . . . . .	1
	1.30 Property . . . . .	4
	1.40 History . . . . .	4
	1.50 Scope of Present Program . . . . .	4
2.00	GEOLOGY	
	2.10 Regional Geology . . . . .	5
	2.20 Property Geology . . . . .	5
3.00	SOIL GEOCHEMISTRY . . . . .	5
	3.10 Leadville Creek Contours . . . . .	6
	3.20 south Fork Kamma Creek Contours . . . . .	6
	3.30 TVG Grid . . . . .	11
4.00	CONCLUSIONS . . . . .	11
5.00	REFERENCES . . . . .	14
	EXHIBIT "A" - Statement of Expenditures . . . . .	15
	EXHIBIT "B" - Statement of Expenditures . . . . .	16
	AFFIDAVIT . . . . .	17
	AUTHOR'S QUALIFICATIONS . . . . .	18
	APPENDIX I - SOIL GEOCHEMISTRY ANALYSES . . . . .	attached

## LIST OF ILLUSTRATIONS

Figure 1 - Property Location Map . . . . .	2
Figure 2 - Property Claim Map . . . . .	3
Figure 3 - Leadville Creek Au & Ag Geochemistry . . . . .	7
Figure 4 - Leadville Creek Cu & Pb Geochemistry . . . . .	8
Figure 5 - S. Fork Kamma Creek Au & Ag Geochemistry . . . . .	9
Figure 6 - S. Fork Kamma Creek Cu & Pb Geochemistry . . . . .	10
Figure 7 - TVG Grid Au & Ag Geochemistry . . . . .	12
Figure 8 - TVG Grid Cu & Pb Geochemistry . . . . .	13

CONSOLIDATED RAMROD GOLD CORPORATION

ASSESSMENT REPORT ON SOIL GEOCHEMISTRY

BLUE ROBIN PROPERTY

NELSON MINING DIVISION

P. Klewchuk P. Geo.

December, 1993

---

1.00 INTRODUCTION

This report describes 3 soil geochemical surveys completed on the Blue Robin property in the South Kamma Creek and Upper Leadville Creek drainages during 1993.

1.10 Location and Access



The Blue Robin claim group covers portions of the upper parts of the drainages of Hellroaring, Perry, North Moyie, Leadville and Kamma Creeks. The claims extend from about 20 km west to about 43 km southwest of Cranbrook, B.C. (Figure 1). The property straddles the Fort Steele - Nelson Mining Division boundary and is located predominantly on N.T.S. 82 F/8E, centered approximately at 49° 23' N latitude, 116° 10' W longitude.

Access to the property is along major logging roads up each of the main drainages covered by the claims.


1.20 Physiography

The Blue Robin claim group covers generally mountainous terrain within the headwaters areas of streams which drain north to the St. Mary River, east to the Moyie River and west to the Goat River. Topography ranges from narrow flat valley floors to steep mountain slopes with elevations ranging from 1200 meters to just over 2420 meters. Forest cover includes cedar, hemlock, larch, pine and spruce. Logging activity is evident throughout most of the claim block with logging roads providing good access for exploration.

.....2



<b>BLUE ROBIN GROUP</b>	
PROPERTY LOCATION MAP	
Scale: 1:600,000	Date: 12/14/93
Map Ref.: NTS_82F/SE	Figure: 1



**Consolidated Ramrod  
Gold Corporation**

**BLUE\_ROBIN\_GROUP**

**PROPERTY  
CLAIM  
MAP**

Scale: 1:125,000

Date: 12/13/93

Map Ref.: NTS\_82F/SE

Figure: 2



### 1.30 Property

The Blue Robin property consists of 450 claim units in 27 modified grid and 23 2-post claims, and includes the Golden, Rich, Blue Robin and Blue Ribbon claims (Figure 2).

The Blue Robin claim group was staked in 1992 and 1993 and is wholly owned by Consolidated Ramrod Gold Corporation.

### 1.40 History

The Blue Robin claim group was staked to cover a number of occurrences of gold mineralization. Much of the ground covered by the claims has been held intermittently by previous gold explorationists. Placer gold was discovered in streams of the East Kootenays in the late 1800's and the search for lode gold sources followed shortly thereafter. Numerous lode gold occurrences have been discovered but they are small and have not to date supported any commercial production.

### 1.50 Scope of Present Program

This report describes the results of 3 soil geochemical surveys; two consist of two contour lines each located to test possible gold-mineralized structures and the other is a grid covering a portion of one of the structures. The surveys were completed to test for the presence of anomalous gold and supportive indicator elements; in addition the grid results were intended to help identify targets for trenching.

The four contour lines totalled 227 soil samples while the grid totalled 275 samples.

## 2.00 GEOLOGY

### 2.10 Regional Geology

The Blue Robin property is underlain by older rocks of the Middle Proterozoic Purcell Supergroup which is a thick succession of fine-grained clastic and carbonate sedimentary rocks exposed in the core of the Purcell Anticlinorium in southwest British Columbia. These rocks are believed by some workers (e.g. Harrison, 1972) to have been deposited in an epicratonic re-entrant of a sea that extended along the western edge of the Precambrian North American Craton.

The oldest known member of the Purcell Supergroup is the Aldridge Formation, a thick sequence of fine-grained siliciclastic rocks deposited largely by turbidity currents. The Aldridge Formation is gradationally overlain by shallower-water deltaic clastics of the Creston Formation. The Creston Formation is in turn overlain by predominantly dolomitic siltstones of the Kitchener Formation.

The Purcell Anticlinorium is transected by a number of steep transverse and longitudinal faults. The transverse faults appear to have been syndepositional (Lis and Price, 1976) and Hoy, (1982) suggests a possible genetic link between mineralization and syndepositional faulting. Longitudinal faults which more closely parallel the direction of basin growth faults, may have played a similar role. Gold mineralization, which is believed Cretaceous in age, appears to be related to felsic intrusive activity and controlled by fault or shear structures.

## 2.20 Property Geology

In that portion of the Blue Robin property where the soil geochemistry reported on here was completed, bedrock consists of the Aldridge and Creston Formations. A major longitudinal fault separates the two formations with gold mineralization present at a number of localities along the fault. Two of the soil surveys were done to evaluate portions of this structure.

In the vicinity of the soil sampling, bedrock generally strikes northeasterly with steep west dips. Gentle folding is locally present, producing occasional eastward dips.

## 3.00 SOIL GEOCHEMISTRY

In 1993, two soil geochemical surveys in the South Fork Kamma Creek drainage tested portions of a fault which separates eastern Aldridge Formation from western Creston Formation. A third survey tested Aldridge Formation stratigraphy in the Leadville Creek drainage (Figure 2).

Soil samples were collected with a mattock from depths averaging 15 to 20 cm below surface, from 'B' horizon soils, and placed into labelled Kraft paper soil envelopes. The samples were shipped to Rossbacher Laboratory Ltd. in Burnaby, B.C. where they were dried, sieved and analyzed by standard laboratory techniques for geochemical gold and a 30-element ICP package.

### 3.10 Leadville Creek Contours

Two contour lines, L1 and L2, were sampled in the Upper Leadville Creek drainage, in the middle portion of the Blue Robin 2 mineral claim (Figure 2). Line L1 is on the 1660 meter contour, 1375 meters long while line L2 is on the 1600 meter contour and is 1450 meters long. Samples were collected at 25 meter intervals for a total of 116 samples.

Gold and silver values are plotted in Figure 3 while lead and copper values are plotted in Figure 4; complete geochemical analyses are provided in Appendix I.

Low to moderate gold values were detected by the survey, with two samples having >100 ppb (one is 1460 ppb Au); the anomalous values are scattered over the eastern portion of the two lines (Figure 3). The limited areal coverage does not permit any easy interpretation of the results but the anomalous results certainly warrant follow-up work in the way of prospecting, geologic mapping and further soil geochemistry.



### 3.20 South Fork Kamma Creek Contours

Two contour lines, 1750 and 1850, were sampled at the 1750 and 1850 meter elevations respectively, on the west side of the upper portion of the South Fork of Kamma Creek and on the west side of the Blue Ribbon 1 mineral claim (Figure 2). Line 1750 is 1225 meters long, line 1850 is 1500 meters long; samples were collected at 25 meter intervals for a total of 111 samples.

Gold and silver values are plotted in Figure 5 while lead and copper values are plotted in Figure 6; complete geochemical analyses are provided in Appendix I.

Only 3 samples on the 2 lines have gold values of 20 ppb or greater, with a maximum of 200 ppb. The anomalous values are clustered near the south end of the lines and roughly coincide with the projection of a fault contact between Aldridge Formation rocks to the east and Creston Formation rocks to the west. This correlation suggests that gold mineralization is related to this structure. Prospecting, geologic mapping and further soil geochemistry are warranted in the vicinity of these anomalous soil results to further evaluate the area.








 **Consolidated Ramrod  
Gold Corporation**

# BLUE ROBIN GROUP

Leadville Creek  
Au & Ag  
Geochemistry Fig. 3

This Plot: 93/12/09 PM	Date: 93/12/09 by REA
Map Ref.: 82F.039 82F.029	Scale: 1:10000



 **Consolidated Ramrod Gold Corporation**

# BLUE ROBIN GROUP



Leadville Creek  
Cu & Pb


Geochemistry Fig. 4

This Plot: 93/12/09 PM	Date: 93/12/09 by REA
Map Ref.: 82F.039 82F.029	Scale: 1:10000




Last Update (Y/M/D): 93/12/08 pm

CAD Filename: d:\blurob-g\tvg-bigv\dwg\BRG-LVL.dwg



 **Consolidated Ramrod  
Gold Corporation**

<b>BLUE ROBIN GROUP</b>	
S. Fork Kamma Crk. Contours Au & Ag Geochemistry Fig. 5	
This Plot: 93/12/10 am	Date: 93/12/10 by REA
Map Ref.: 82F.039	Scale: 1:10000



# BLUE ROBIN GROUP

S. Fork Kamma Crk. Contours  
Cu & Pb  
Geochemistry Fig. 6

This Plot: 93/12/10 am

Date: 93/12/10 by REA

Map Ref.: 82F.039

Scale: 1:10000

### 3.30 TVG Grid

Based on a prospecting discovery of gold mineralization along the Aldridge-Creston Fault contact east of the South Fork of Kamma Creek, a soil grid was established to evaluate the ground and help identify targets for trenching.

Twenty-five, 200 meter long lines, 50 meters apart, were sampled at 20 meter spacings for a total of 275 samples (Figure 2, 7 & 8). Lines were oriented at an azimuth of 130°. The grid straddles the saddle of a northwest trending ridge near the northwest corner of the Blue Robin 6 mineral claim and is centered on a fault contact between Aldridge and Creston Formation rocks which trends at approximately 040° azimuth.



Gold and silver values are plotted in Figure 7 while lead and copper values are plotted in Figure 8; complete geochemical analyses are provided in Appendix I.

Anomalous gold values ranging up to 320 ppb were obtained in soils across much of the grid but are concentrated in the central to northeast central portion of the grid. The anomalous results do not clearly correlate with the fault structure but rather suggest that gold mineralization occurs within the wallrock on both sides of the fault.

The results warrant additional work such as trenching to establish the sources of the gold mineralization and help evaluate its economic significance.




### 4.00 CONCLUSIONS

Three soil geochemical surveys on the Blue Robin claims detected anomalous gold values. Results from 2 contour lines and the TVG grid in the South Fork Kamma Creek drainage suggest gold mineralization is associated with a northeast fault that separates Aldridge and Creston Formation rocks. Results from two contour lines in the upper part of Leadville Creek provide a more enigmatic picture; gold may be associated with structural breaks within the Aldridge Formation.



**BLUE ROBIN GROUP**  
TVG Grid Soil Geochem  
Au & Ag  
Geochemistry Fig. 7

This Plot: 93/12/10 pm Date: 93/12/10 by REA  
Map Ref.: 82F.039 82F.040 Scale: 1:5000



**BLUE ROBIN GROUP**  
 TVG Grid Soil Geochem  
 Cu & Pb  
 Geochemistry Fig. 8

This Plot: 93/12/10 pm Date: 93/12/10 by REA  
 Map Ref.: 82F.039 82F.040 Scale: 1:5000

5.00 REFERENCES

- Harrison, J.E., 1972      Precambrian Belt Basin of Northwestern United States: Its geometry, sedimentation and copper occurrences: Geol. Soc. of America Bull., V.83, p. 1215-1240.
- Hoy, T., 1982      The Purcell Supergroup in Southeastern British Columbia; sedimentation, tectonics and stratiform lead-zinc deposits. In : Precambrian sulphide deposits; H.S. Robinson Memorial Volume (R.W. Hutchison, C.D. Spence, and J.M. Franklin, Eds.) Geol. Assoc. Can. Special Paper 25.
- Lis, M.G. and Price, R.A., 1976      Large Scale Block Faulting during deposition of the Windermere Supergroup (Hadrynian) in southeastern British Columbia: Geol. Surv. Can. Paper 76-1A, p135-136.



EXHIBIT "A"  
STATEMENT OF EXPENDITURES  
CONTOUR SOIL SAMPLING PROGRAM  
ON BLUE RIBBON 1 & 2 CLAIMS  
Fort Steele M.D.

Covering the period of August 1st to September 3rd, 1993

Salaries:

S. Messing -Soil sampler - 2 days @ \$175/day	\$ 437.50
K. Livingston -Soil sampler - 2 days @ \$175/day	437.50
D. Mitchell -Soil sampler - 2 days @ \$175/day	437.50
P. Klewchuk - Program preparation, interpretation, report writing 4 days @ \$250/day	1,000.00

Assays:

Rossbacher Laboratory Ltd., Burnaby, B.C. 227 samples @ \$12.50/sample	\$2,850.00
---	------------

Transportation: 2 - 4X4 trucks X 2 days @ \$100/day	400.00
---	--------

Maps & Reproduction:

Computer; AutoCad - map prep/sample plotting	
Computer - 3.5 hrs. @ \$50/hr.	175.00
Operator - 3.5 hrs. @ \$21/hr.	<u>\$ 73.50</u>

Subtotal	\$5,811.00
P.A.C.	<u>1,389.00</u>

TOTAL =	<u>\$7,200.00</u>
---------	-------------------



PETER KLEWCHUK, P.Geo.

EXHIBIT "B"

STATEMENT OF EXPENDITURES

GRID SOIL SAMPLING PROGRAM

ON BLUE ROBIN 7 CLAIM  
Fort Steele M.D.

Covering the period of August 3rd to August 12th, 1993

Salaries:

S. Messing -Soil sampler - 5 days @ \$175/day	\$ 875.00
K. Livingston -Soil sampler - 5 days @ \$175/day	875.00
D. Mitchell -Soil sampler - 5 days @ \$175/day	875.00
P. Klewchuk - Program preparation, interpretation, report writing 2 days @ \$250/day	500.00

Assays:

Rossbacher Laboratory Ltd., Burnaby, B.C. 275 samples @ \$12.50/sample	3,437.50
---	----------


Transportation: 2 - 4X4 trucks X 5 days @ \$100/day	1,000.00
---	----------

Maps & Reproduction:

Computer; AutoCad - map prep/sample plotting	
Computer - 2 hrs. @ \$50/hr.	100.00
Operator - 2 hrs. @ \$21/hr.	\$ 42.00

Subtotal	\$ 7,954.50
P.A.C.	<u>2,045.50</u>

TOTAL =	<u>\$10,000.00</u>
---------	--------------------



PETER KLEWCHUK, P.Geo.

IN THE MATTER OF THE

B.C. MINERAL ACT

AND

IN THE MATTER OF A SOIL GEOCHEMISTRY PROGRAM

CARRIED OUT ON THE BLUE RIBBON 1&2 AND BLUE ROBIN 7 CLAIMS

KAMMA CREEK AREA


in the Nelson Mining Division of  
the Province of British Columbia

More Particularly N.T.S. 82 F/8E

A F F I D A V I T

I, Peter Klewchuk, of the City of Kimberley, in the Province of British Columbia, make oath and say:

1. That I am employed as a Geologist by Consolidated Ramrod Gold Corp. and as such, have a personal knowledge of the facts to which I hereinafter depose;
2. That annexed hereto and marked as Exhibit "A" and Exhibit "B" to this my Affidavit are true copies of expenditures incurred on a soil geochemistry program, on the Blue Ribbon 1 & 2 and Blue Robin 7 Mineral Claims;
3. That the said expenditures were incurred between the 1st day of August, 1993 and the 3rd day of September, 1993 for the purpose of mineral exploration.




PETER KLEWCHUK, P. Geo.

### AUTHOR'S QUALIFICATIONS

As author of this report I, Peter Klewchuk, certify that:

1. I am a geologist employed by Consolidated Ramrod Gold Corp. whose office is at 104 - 135 - 10th Ave. S., Cranbrook, B.C.
2. I am a graduate geologist with a BSc. degree (1969) from the University of British Columbia and an MSc. degree (1972) from the University of Calgary.
3. I am a Fellow in good standing of the Geological Association of Canada.
4. I have been actively involved in mining and exploration geology, primarily in the province of British Columbia, for the past 18 years.
5. I have been employed by major mining companies and provincial government geological departments.

Dated at Cranbrook, British Columbia, this December, 1993.



Peter Klewchuk  
P. Geo.

APPENDIX I  
SOIL GEOCHEMISTRY ANALYSES

# ROSSBACHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS


2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252

To : RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.

Project: BLUE ROBIN  
Type of Analysis: ICP

Certificate: 93130 C1  
Invoice: 40187  
Date Entered: 93-08-14  
File Name: RAM93130.C1  
Page No.: 5

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MG	PPM BA	% TJ	% AL	% NA	% K	% SI	PPM W	PPM BE	PPB AU AA
S	L1750 125N	1	8	15	29	0.2	7	5	146	1.11	3	5	ND	ND	8	1	1	1	24	0.08	0.05	15	14	0.46	75	0.04	1.05	0.01	0.10	0.01	1	1	5
S	L1750 150N	1	9	9	30	0.1	5	3	180	1.98	7	5	ND	ND	3	1	1	1	45	0.02	0.04	12	10	0.21	49	0.09	0.81	0.01	0.10	0.01	1	1	5
S	L1750 175N	1	12	5	44	0.4	6	1	313	2.83	4	5	ND	ND	5	1	1	1	36	0.02	0.07	12	14	0.31	85	0.07	2.23	0.02	0.09	0.01	1	1	5
S	L1750 200N	1	8	5	28	0.1	6	3	428	1.57	3	5	ND	ND	4	1	1	1	34	0.01	0.04	17	11	0.36	61	0.05	1.04	0.01	0.09	0.01	1	1	5
S	L1750 225N	1	14	6	47	0.3	8	1	707	2.32	3	5	ND	ND	4	1	1	1	37	0.02	0.11	14	13	0.43	76	0.05	2.24	0.01	0.08	0.01	1	1	5
S	L1750 250N	1	11	4	36	0.2	7	4	1337	1.90	5	5	ND	ND	4	1	1	1	23	0.03	0.09	14	10	0.35	80	0.04	1.19	0.01	0.10	0.01	1	1	5
S	L1750 275N	1	3	2	13	0.1	2	4	81	0.61	2	5	ND	ND	2	1	1	1	15	0.01	0.02	15	5	0.07	27	0.03	0.42	0.01	0.09	0.01	1	1	200
S	L1750 300N	1	7	4	39	0.1	7	2	176	2.20	3	5	ND	ND	2	1	1	1	23	0.01	0.05	19	13	0.36	42	0.03	1.68	0.01	0.08	0.01	1	1	5
S	L1750 325N	1	8	8	32	0.1	4	2	201	2.53	4	5	ND	ND	7	1	1	1	39	0.03	0.07	17	11	0.15	65	0.10	1.09	0.01	0.09	0.01	1	1	5
S	L1750 350N	1	9	10	43	0.2	10	15	1101	1.93	9	5	ND	ND	12	1	1	1	19	0.15	0.08	19	12	0.41	277	0.03	1.03	0.01	0.09	0.01	1	1	20
S	L1750 375N	1	9	9	41	0.1	6	3	330	2.96	5	5	ND	ND	5	1	1	1	39	0.03	0.08	17	13	0.22	82	0.11	1.13	0.01	0.10	0.01	1	1	5
S	L1750 400N	1	7	4	27	0.1	5	6	433	1.05	4	5	ND	ND	7	1	1	1	18	0.07	0.05	20	9	0.10	89	0.02	0.71	0.01	0.10	0.01	1	1	5
S	L1750 425N	1	7	2	29	0.1	5	6	137	1.50	5	5	ND	ND	5	1	1	1	24	0.04	0.05	22	10	0.26	97	0.03	0.75	0.01	0.12	0.01	1	1	5
S	L1750 450N	1	12	6	37	0.2	12	17	450	1.76	6	5	ND	ND	7	1	1	1	14	0.08	0.06	20	11	0.60	144	0.02	1.25	0.01	0.13	0.01	1	1	5
S	L1750 475N	1	6	3	27	0.2	7	6	141	1.88	4	5	ND	ND	3	1	1	1	16	0.02	0.05	24	12	0.49	60	0.02	0.95	0.01	0.11	0.01	1	1	5
S	L1750 500N	1	13	15	51	0.3	9	14	4784	2.37	5	5	ND	ND	14	1	1	1	24	0.18	0.08	25	12	0.40	415	0.04	1.47	0.02	0.10	0.01	1	1	5
S	L1750 525N	1	6	11	24	0.1	4	5	133	1.17	3	5	ND	ND	5	1	1	2	16	0.06	0.03	14	8	0.18	92	0.02	0.66	0.01	0.11	0.01	1	1	5
S	L1750 550N	1	11	5	30	0.2	12	16	244	1.71	3	5	ND	ND	8	1	1	4	12	0.13	0.04	17	12	0.74	250	0.01	1.17	0.01	0.12	0.01	1	1	5
S	L1750 575N	1	10	10	41	0.2	9	5	184	2.44	7	5	ND	ND	6	1	1	2	17	0.10	0.06	18	12	0.40	158	0.03	1.28	0.01	0.11	0.01	1	1	5
S	L1750 600N	1	11	10	50	0.3	10	1	270	2.93	6	5	ND	ND	5	1	1	5	27	0.04	0.08	19	14	0.37	83	0.07	1.72	0.01	0.10	0.01	1	1	5
S	L1750 625N	1	10	14	42	0.3	9	9	296	1.93	4	5	ND	ND	7	1	1	2	19	0.08	0.06	18	12	0.38	216	0.03	1.05	0.01	0.13	0.01	1	1	5
S	L1750 650N	1	12	5	40	0.4	14	10	291	2.01	4	5	ND	ND	5	1	1	4	14	0.05	0.06	20	13	0.72	176	0.02	1.33	0.01	0.10	0.01	1	1	5
S	L1750 675N	1	11	11	63	0.3	10	3	428	2.81	3	5	ND	ND	6	1	1	2	27	0.06	0.07	20	14	0.47	186	0.05	1.47	0.01	0.10	0.01	1	1	5
S	L1750 700N	1	14	19	70	0.1	9	5	1135	1.80	5	5	ND	ND	13	1	1	2	34	0.19	0.05	14	16	0.16	375	0.10	0.79	0.02	0.11	0.01	1	1	5
S	L1750 725N	1	9	8	41	0.1	6	6	437	1.96	3	5	ND	ND	4	1	1	1	18	0.04	0.06	23	11	0.31	103	0.03	0.91	0.01	0.12	0.01	1	1	5
S	L1750 750N	1	19	11	42	0.6	12	3	1131	1.77	9	5	ND	ND	39	1	1	1	15	0.56	0.14	19	14	0.61	748	0.02	1.94	0.02	0.10	0.01	1	2	5
S	L1750 775N	1	7	6	38	0.1	6	5	625	1.64	3	5	ND	ND	4	1	1	3	22	0.04	0.05	15	9	0.24	93	0.04	0.81	0.01	0.10	0.01	1	1	5
S	L1750 800N	1	8	10	40	0.1	5	6	900	1.42	4	5	ND	ND	6	1	1	1	26	0.06	0.04	21	9	0.14	134	0.05	0.67	0.01	0.09	0.01	1	1	5
S	L1750 825N	1	15	7	80	0.2	10	1	433	2.81	2	5	ND	ND	4	1	1	4	29	0.03	0.13	16	15	0.29	89	0.09	3.24	0.02	0.08	0.01	1	1	5
S	L1750 850N	1	18	30	76	0.2	7	1	801	3.42	5	5	ND	ND	8	1	1	5	39	0.08	0.13	13	14	0.22	96	0.15	1.97	0.02	0.10	0.01	1	1	5
S	L1750 875N	1	19	7	72	0.2	8	1	356	2.28	2	5	ND	ND	6	1	1	3	30	0.04	0.16	8	12	0.15	79	0.17	5.57	0.03	0.09	0.01	1	1	5
S	L1750 900N	1	21	21	111	0.3	8	1	566	3.30	2	5	ND	ND	7	1	1	3	43	0.04	0.13	10	15	0.20	128	0.19	2.70	0.02	0.08	0.01	1	1	5
S	L1750 925N	1	21	23	142	0.5	12	1	1551	2.93	4	5	ND	ND	16	1	1	3	32	0.14	0.18	14	16	0.50	248	0.11	2.48	0.03	0.11	0.01	1	1	5
S	L1750 950N	1	24	17	58	0.6	14	6	518	2.06	13	5	ND	ND	30	1	1	6	17	0.31	0.08	27	16	0.84	276	0.02	1.77	0.01	0.12	0.01	1	1	5
S	L1750 975N	1	21	15	60	0.3	13	5	368	2.21	9	5	ND	ND	8	1	1	3	17	0.07	0.06	21	15	0.65	180	0.01	1.64	0.01	0.10	0.01	1	1	5

CERTIFIED BY: 

# ROSSBACHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS

2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252


To : RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.

Project: BLUE ROBIN  
Type of Analysis: ICP

Certificate: 93130 D1  
Invoice: 40187  
Date Entered: 93-08-14  
File Name: RAM93130.D1  
Page No.: 1

PRE FIX	SAMPLE NAME	PPM NO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MG	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPB AU	PPB AA
S	L1750 1000N	1	27	22	98	0.2	9	10	3344	2.67	7	5	ND	ND	20	1	3	1	35	0.26	0.09	10	12	0.19	361	0.14	1.17	0.02	11	0.01	7	1	5	
S	L1750 1025N	2	19	17	69	0.1	10	5	1607	2.70	4	5	ND	ND	7	1	1	1	35	0.06	0.09	16	15	0.22	163	0.12	1.20	0.01	10	0.01	6	1	5	
S	L1750 1050N	2	16	18	67	0.1	8	8	2497	2.59	3	5	ND	ND	4	1	3	1	44	0.03	0.06	14	12	0.15	184	0.16	1.22	0.02	9	0.01	3	1	5	
S	L1750 1075N	1	15	13	80	0.3	10	6	519	3.10	6	5	ND	ND	2	1	1	1	32	0.03	0.11	25	13	0.40	142	0.10	1.56	0.01	8	0.01	4	1	5	
S	L1750 1100N	2	14	16	48	0.3	8	5	624	2.10	5	5	ND	ND	5	1	1	1	40	0.07	0.06	19	12	0.15	111	0.13	0.89	0.01	9	0.01	3	1	5	
S	L1750 1125N	1	6	11	30	0.1	3	2	117	1.58	2	5	ND	ND	3	1	1	1	38	0.03	0.04	21	9	0.09	86	0.11	0.76	0.01	12	0.01	4	1	5	
S	L1750 1150N	1	12	10	62	0.1	6	4	1310	2.82	2	5	ND	ND	2	1	1	1	42	0.02	0.07	16	13	0.18	144	0.14	1.88	0.02	10	0.01	3	1	5	
S	L1750 1175N	1	7	8	55	0.2	8	3	266	3.17	2	5	ND	ND	1	1	2	1	42	0.02	0.06	22	12	0.25	79	0.13	1.50	0.01	11	0.01	2	1	5	
S	L1750 1200N	1	6	9	47	0.1	6	1	247	2.70	5	5	ND	ND	1	1	1	1	41	0.03	0.10	17	12	0.19	67	0.13	1.75	0.01	10	0.01	3	1	5	
S	L1750 1225N	1	3	8	39	0.1	7	5	952	1.87	4	5	ND	ND	1	1	1	1	30	0.02	0.05	24	10	0.22	67	0.06	0.78	0.01	12	0.01	3	1	5	
S	L1750 1250N	2	18	13	59	0.3	6	8	1564	2.16	8	5	ND	ND	7	1	1	1	31	0.05	0.09	15	11	0.17	138	0.11	1.84	0.01	13	0.01	3	1	5	
S	L1750 1275N	1	11	12	63	0.2	4	5	334	1.86	4	5	ND	ND	11	1	1	1	20	0.06	0.03	27	10	0.26	301	0.03	1.59	0.01	10	0.01	3	1	5	
S	L1750 1300N	1	7	8	45	0.1	6	2	99	1.39	4	5	ND	ND	4	1	1	1	17	0.03	0.02	31	11	0.18	118	0.02	0.64	0.01	10	0.01	3	1	5	
S	L1750 1315N	1	8	4	26	0.1	6	2	124	1.85	6	5	ND	ND	5	1	1	1	19	0.04	0.04	28	9	0.34	88	0.03	0.92	0.01	9	0.01	2	1	5	
S	L1750 1325N	1	9	10	32	0.1	6	6	210	1.43	7	5	ND	ND	10	1	1	1	17	0.08	0.05	21	9	0.23	123	0.03	0.81	0.01	8	0.01	2	1	5	
S	L1750 1350N	1	21	15	52	0.1	8	37	1131	1.80	2	5	ND	ND	7	1	1	1	18	0.05	0.09	30	10	0.34	140	0.03	1.80	0.01	10	0.01	2	2	5	
S	L1850 100N	1	14	9	40	0.1	9	8	328	2.35	6	5	ND	ND	5	1	1	1	48	0.04	0.05	19	13	0.43	70	0.09	1.01	0.01	8	0.01	2	1	5	
S	L1850 125N	1	12	12	43	0.4	10	4	272	3.31	7	5	ND	ND	5	1	1	1	41	0.02	0.08	23	14	0.50	94	0.07	1.10	0.01	12	0.01	2	1	5	
S	L1850 150N	1	9	12	33	0.2	5	5	297	1.76	7	5	ND	ND	7	1	1	1	33	0.09	0.04	26	10	0.27	67	0.05	0.62	0.01	9	0.01	3	1	5	
S	L1850 175N	1	19	5	23	0.4	7	12	198	1.56	6	5	ND	ND	4	1	9	1	36	0.03	0.04	14	6	0.21	41	0.02	0.50	0.01	10	0.01	2	1	40	
S	L1850 200N	1	7	6	22	0.1	5	3	136	1.32	7	5	ND	ND	4	1	1	1	28	0.04	0.03	18	7	0.18	67	0.04	0.52	0.01	11	0.01	1	1	5	
S	L1850 225N	1	10	11	36	0.3	7	5	198	1.98	6	5	ND	ND	5	1	1	1	31	0.04	0.04	22	9	0.42	134	0.05	0.96	0.01	10	0.01	2	1	5	
S	L1850 250N	1	10	11	36	0.2	7	9	976	1.76	5	5	ND	ND	4	1	1	1	38	0.03	0.04	23	9	0.41	121	0.03	0.75	0.01	11	0.01	2	1	5	
S	L1850 275N	1	12	8	50	0.3	11	8	321	2.71	5	5	ND	ND	4	1	1	1	39	0.03	0.06	23	13	0.53	111	0.06	1.16	0.01	12	0.01	3	1	5	
S	L1850 300N	1	16	9	52	0.3	13	12	544	2.91	7	5	ND	ND	4	1	5	1	45	0.02	0.06	18	14	0.72	111	0.04	1.25	0.01	9	0.01	2	1	5	
S	L1850 325N	1	30	7	41	0.7	9	4	185	2.66	10	5	ND	ND	3	1	1	1	27	0.01	0.05	25	12	0.56	76	0.03	1.53	0.01	10	0.01	3	1	5	
S	L1850 350N	1	30	9	80	0.4	13	12	408	2.65	9	5	ND	ND	4	1	1	1	33	0.02	0.07	25	14	0.53	110	0.07	3.23	0.01	15	0.01	2	1	5	
S	L1850 375N	1	13	4	36	0.6	10	9	185	3.40	11	5	ND	ND	4	1	1	1	32	0.01	0.04	28	12	0.46	86	0.04	2.07	0.01	14	0.01	2	1	5	
S	L1850 400N	1	11	10	33	0.3	11	12	235	2.96	8	5	ND	ND	15	1	1	1	30	0.03	0.07	32	12	0.44	97	0.02	1.19	0.01	12	0.01	1	1	5	
S	L1850 425N	1	8	10	28	0.3	8	5	179	2.05	6	5	ND	ND	5	1	1	1	26	0.02	0.04	36	10	0.28	47	0.03	1.06	0.01	13	0.01	1	1	5	
S	L1850 450N	1	7	4	27	0.1	8	2	173	2.38	6	5	ND	ND	3	1	1	1	26	0.02	0.03	22	11	0.25	49	0.03	1.04	0.01	10	0.01	2	1	5	
S	L1850 475N	1	13	5	45	0.3	9	9	457	3.25	9	5	ND	ND	5	1	1	1	31	0.03	0.07	24	13	0.31	64	0.05	1.56	0.01	11	0.01	4	1	5	
S	L1850 500N	1	7	6	33	0.2	7	8	841	2.49	7	5	ND	ND	3	1	1	1	35	0.01	0.05	24	10	0.34	57	0.04	0.92	0.01	12	0.01	1	1	5	
S	L1850 525N	1	8	6	28	0.4	8	4	173	2.75	6	5	ND	ND	4	1	1	1	25	0.02	0.04	28	11	0.35	58	0.03	1.07	0.01	10	0.01	2	1	5	
S	L1850 550N	1	5	3	27	0.1	7	2	111	1.76	5	5	ND	ND	5	1	1	1	19	0.04	0.04	26	10	0.38	52	0.03	1.20	0.01	9	0.01	2	1	5	
S	L1850 575N	1	5	5	24	0.2	7	2	99	1.69	7	5	ND	ND	2	1	1	1	21	0.02	0.03	31	9	0.50	39	0.03	0.98	0.01	8	0.01	1	1	5	
S	L1850 600N	1	15	11	44	0.1	10	5	445	2.28	7	5	ND	ND	6	1	1	1	31	0.04	0.06	22	13	0.32	91	0.09	2.07	0.01	9	0.01	3	1	5	
S	L1850 625N	1	11	6	39	0.2	8	1	253	3.56	6	5	ND	ND	8	1	1	1	46	0.07	0.05	24	12	0.26	71	0.13	1.48	0.01	10	0.01	1	1	5	
S	L1850 675N	1	10	8	41	0.2	9	4	210	2.70	6	5	ND	ND	3	1	1	1	28	0.02	0.05	29	14	0.41	58	0.05	1.52	0.01	12	0.01	1	1	5	
S	L1850 700N	1	11	9	39	0.3	9	6	933	1.99	5	5	ND	ND	3	1	1	2	15	0.01	0.03	24	10	0.38	67	0.01	0.99	0.01	10	0.01	2	1	5	

CERTIFIED BY:



# ROSSBACHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS

2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252


To : RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.

Project: BLUE ROBIN  
Type of Analysis: ICP

Certificate: 93130 D1  
Invoice: 40187  
Date Entered: 93-08-14  
File Name: RAM93130.D1  
Page No.: 2

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MC	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPM AU	PPM AA
S	L1850 725N	1	18	11	56	0.6	10	5	383	4.91	6	5	ND	ND	5	1	5	1	46	0.03	0.06	21	16	0.33	91	0.14	2.15	0.01	12	0.01	5	1	5	
S	L1850 750N	1	10	15	40	0.2	7	4	408	2.65	6	5	ND	ND	6	1	1	1	23	0.05	0.04	34	11	0.31	80	0.04	1.10	0.01	9	0.01	2	1	5	
S	L1850 775N	1	11	10	46	0.4	8	5	297	3.01	4	5	ND	ND	4	1	1	1	24	0.03	0.05	26	11	0.38	94	0.05	1.21	0.01	8	0.01	3	1	5	
S	L1850 800N	1	13	39	65	0.1	8	9	859	1.99	11	5	ND	ND	10	1	1	1	24	0.15	0.06	25	11	0.33	235	0.04	0.96	0.01	9	0.01	2	1	5	
S	L1850 825N	1	16	21	74	0.2	9	7	742	3.93	3	5	ND	ND	6	1	1	1	51	0.04	0.06	20	14	0.28	126	0.14	2.09	0.01	10	0.01	2	1	5	
S	L1850 850N	2	19	19	108	0.5	12	6	291	3.33	5	5	ND	ND	6	1	1	1	34	0.04	0.16	19	15	0.38	115	0.11	2.77	0.01	9	0.01	5	1	5	
S	L1850 875N	1	17	12	65	0.4	10	8	346	2.93	7	5	ND	ND	4	1	2	1	20	0.02	0.09	30	13	0.40	73	0.04	2.29	0.01	8	0.01	5	1	5	
S	L1850 900N	1	14	21	56	0.3	8	4	667	2.89	6	5	ND	ND	5	1	1	1	32	0.03	0.07	25	13	0.30	93	0.06	1.42	0.01	10	0.01	3	1	5	
S	L1850 925N	1	21	17	69	0.6	9	6	766	3.56	4	5	ND	ND	5	1	1	1	33	0.02	0.06	28	14	0.37	88	0.05	1.70	0.01	11	0.01	2	1	5	
S	L1850 950N	1	16	26	77	0.1	8	7	1601	2.96	3	5	ND	ND	5	1	2	1	37	0.03	0.08	19	13	0.25	135	0.10	1.65	0.01	14	0.01	3	1	5	
S	L1850 975N	2	15	25	77	0.2	9	8	933	3.45	8	5	ND	ND	6	1	1	1	36	0.04	0.08	25	13	0.31	103	0.10	1.53	0.01	18	0.01	4	1	5	
S	L1850 1000N	1	14	32	81	0.1	8	4	365	3.51	8	5	ND	ND	6	1	1	1	43	0.04	0.07	24	13	0.28	77	0.12	1.52	0.01	12	0.01	3	1	5	
S	L1850 1025N	2	15	30	70	0.1	7	6	501	3.01	5	5	ND	ND	5	1	1	1	32	0.04	0.07	22	13	0.27	100	0.10	1.71	0.01	10	0.01	2	1	5	
S	L1850 1050N	1	15	12	89	0.1	10	1	637	2.57	9	5	ND	ND	6	1	3	1	31	0.04	0.18	10	12	0.21	109	0.16	4.75	0.02	9	0.01	2	1	5	
S	L1850 1075N	1	10	13	35	0.1	5	3	179	1.75	6	5	ND	ND	5	1	1	1	24	0.03	0.04	30	10	0.22	61	0.05	1.21	0.01	8	0.01	2	1	5	
S	L1850 1100N	1	13	19	57	0.1	6	7	1088	2.53	3	5	ND	ND	4	1	1	1	30	0.03	0.07	27	12	0.35	84	0.05	1.36	0.01	8	0.01	2	1	5	
S	L1850 1125N	1	8	11	36	0.1	5	2	216	2.06	3	5	ND	ND	4	1	1	1	29	0.03	0.05	28	10	0.22	63	0.05	1.01	0.01	9	0.01	3	1	5	
S	L1850 1150N	1	11	15	75	0.1	8	5	253	2.66	6	5	ND	ND	5	1	1	1	30	0.03	0.09	22	13	0.32	81	0.09	2.44	0.01	10	0.01	4	1	5	
S	L1850 1175N	1	7	9	34	0.1	2	2	179	1.77	5	5	ND	ND	4	1	1	1	25	0.03	0.07	21	10	0.19	54	0.07	0.99	0.01	11	0.01	1	1	5	
S	L1850 1200N	2	11	12	55	0.1	6	5	278	2.14	7	5	ND	ND	4	1	4	1	33	0.02	0.09	12	12	0.14	71	0.13	2.40	0.01	9	0.01	4	1	5	
S	L1850 1225N	2	21	11	88	0.3	7	4	748	3.03	6	5	ND	ND	6	1	6	1	36	0.04	0.12	11	16	0.17	123	0.19	3.66	0.02	18	0.01	5	1	5	
S	L1850 1250N	1	14	16	42	0.1	5	2	439	1.56	4	5	ND	ND	5	1	1	1	42	0.03	0.04	13	10	0.07	90	0.14	0.90	0.01	12	0.01	1	1	5	
S	L1850 1275N	1	7	13	27	0.1	4	2	173	1.23	7	5	ND	ND	5	1	2	1	30	0.04	0.03	26	10	0.07	47	0.07	0.43	0.01	13	0.01	1	1	5	
S	L1850 1300N	2	13	13	31	0.2	7	4	192	2.06	5	5	ND	ND	7	1	1	1	21	0.05	0.03	30	11	0.35	141	0.06	1.16	0.01	15	0.01	2	1	5	
S	L1850 1325N	2	14	6	49	0.3	6	6	198	2.51	8	5	ND	ND	6	1	4	1	26	0.04	0.06	21	12	0.28	144	0.11	2.53	0.01	12	0.01	3	1	5	
S	L1850 1350N	2	18	11	39	0.2	7	5	427	2.34	5	5	ND	ND	10	1	3	1	30	0.06	0.05	19	12	0.21	138	0.16	1.77	0.02	10	0.01	1	1	5	
S	L1850 1375N	1	6	3	27	0.3	8	3	142	1.77	5	5	ND	ND	3	1	1	1	10	0.01	0.03	30	10	0.44	56	0.02	0.84	0.01	10	0.01	1	1	5	
S	L1850 1400N	1	6	4	28	0.2	7	3	185	2.11	7	5	ND	ND	3	1	1	1	16	0.02	0.04	32	10	0.35	65	0.02	0.88	0.01	11	0.01	1	1	5	
S	L1850 1425N	2	9	16	43	0.1	7	2	606	2.26	7	5	ND	ND	8	1	2	1	46	0.10	0.05	17	12	0.21	121	0.12	0.93	0.01	12	0.01	2	1	5	
S	L1850 1450N	2	14	6	42	0.1	10	2	161	2.46	8	5	ND	ND	5	1	5	1	37	0.04	0.08	7	17	0.11	69	0.19	3.32	0.01	11	0.01	6	1	5	
S	L1850 1475N	1	12	11	46	0.1	8	3	1354	2.06	8	5	ND	ND	6	1	1	1	38	0.04	0.07	15	11	0.15	89	0.15	1.97	0.01	13	0.01	3	1	5	
S	L1850 1500N	2	15	10	72	0.1	10	2	1088	3.22	7	5	ND	ND	8	1	2	1	47	0.04	0.12	14	15	0.24	129	0.20	3.80	0.02	11	0.01	4	1	5	
S	L1850 1525N	2	16	10	80	0.1	12	6	952	2.54	12	5	ND	ND	9	1	1	1	31	0.07	0.17	22	13	0.29	148	0.12	3.24	0.01	12	0.01	3	1	5	
S	L1850 1550N	2	21	19	81	0.1	12	3	396	3.47	10	5	ND	ND	12	1	4	1	50	0.07	0.08	9	14	0.22	252	0.26	3.85	0.02	10	0.01	6	2	5	
S	L1850 1575N	1	14	22	56	0.1	9	2	371	2.70	6	5	ND	ND	14	1	1	1	40	0.14	0.06	13	13	0.20	231	0.15	1.88	0.01	10	0.01	2	1	5	
S	L1850 1600N	1	14	15	65	0.1	9	6	785	2.73	11	5	ND	ND	8	1	1	1	40	0.05	0.22	11	13	0.18	137	0.20	3.29	0.01	12	0.01	5	1	5	

CERTIFIED BY:





# ROSSB CHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS

2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252

To : RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.

Project: LEADVILLE CONTOUR  
Type of Analysis: ICP

LINES L1 + L2

Certificate: 93146  
Invoice: 40207  
Date Entered: 93-08-30  
File Name: RAM93146.I  
Page No.: 1

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MG	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPM AU	PPM AA
S	L1 000E	2	23	32	67	0.1	11	1	335	2.48	28	5	ND	ND	6	1	2	1	15	0.04	0.05	24	12	0.29	71	0.06	1.37	0.01	14	0.01	2	1	5	
S	L1 025E	1	16	25	49	0.1	6	1	154	2.19	22	5	ND	ND	10	1	3	1	23	0.06	0.04	17	9	0.15	77	0.07	0.79	0.01	13	0.01	1	1	5	
S	L1 050E	2	24	31	72	0.3	8	4	288	3.00	24	5	ND	ND	6	1	3	1	25	0.03	0.04	23	13	0.26	75	0.09	1.61	0.02	14	0.01	1	1	5	
S	L1 075E	2	21	22	71	0.2	8	1	302	2.77	18	5	ND	ND	5	1	7	1	31	0.04	0.04	16	13	0.24	78	0.08	1.69	0.02	20	0.01	1	1	5	
S	L1 100E	2	15	23	56	0.1	7	1	523	2.49	17	5	ND	ND	9	1	4	1	35	0.09	0.04	16	13	0.27	91	0.07	1.26	0.02	15	0.01	2	1	5	
S	L1 125E	2	21	21	61	0.2	7	1	543	2.75	16	5	ND	ND	7	1	5	1	52	0.06	0.03	15	12	0.25	74	0.10	1.16	0.02	16	0.01	1	1	5	
S	L1 150E	2	17	24	65	0.2	7	1	221	2.82	21	5	ND	ND	5	1	1	1	40	0.04	0.04	16	13	0.26	66	0.10	1.07	0.02	14	0.01	1	1	5	
S	L1 175E	2	31	34	81	0.4	10	4	235	2.62	30	5	ND	ND	19	1	4	1	33	0.19	0.03	23	13	0.35	81	0.08	1.34	0.02	14	0.01	1	1	5	
S	L1 200E	2	40	30	82	0.4	11	4	255	3.04	25	5	ND	ND	5	1	4	1	39	0.07	0.03	20	14	0.36	67	0.08	1.41	0.02	18	0.01	2	1	5	
S	L1 225E	2	19	22	49	0.3	6	3	349	2.41	17	5	ND	ND	8	1	3	1	33	0.11	0.02	14	11	0.23	75	0.05	1.07	0.02	16	0.01	1	1	20	
S	L1 250E	1	18	18	63	0.1	9	1	235	2.29	17	5	ND	ND	7	1	3	1	41	0.08	0.03	14	11	0.25	66	0.08	1.08	0.01	12	0.01	1	1	10	
S	L1 275E	1	22	19	73	0.1	9	4	335	2.71	16	5	ND	ND	7	1	3	1	40	0.07	0.03	15	13	0.33	61	0.09	1.30	0.01	16	0.01	1	1	10	
S	L1 300E	1	19	22	73	0.1	9	3	483	2.75	13	5	ND	ND	5	1	2	1	41	0.06	0.04	16	14	0.27	68	0.08	1.32	0.02	16	0.01	1	1	5	
S	L1 325E	2	29	35	128	0.6	18	10	671	3.22	20	5	ND	ND	6	1	4	2	39	0.07	0.04	24	18	0.42	114	0.10	1.86	0.02	18	0.01	1	1	5	
S	L1 350E	2	39	30	104	0.6	15	7	550	3.09	18	5	ND	ND	7	1	10	1	44	0.09	0.04	21	16	0.40	115	0.10	1.86	0.02	16	0.01	2	1	5	
S	L1 375E	2	46	29	83	0.1	13	10	764	2.92	16	5	ND	ND	8	1	6	1	47	0.10	0.05	17	14	0.32	98	0.09	1.56	0.02	16	0.01	3	1	5	
S	L1 400E	1	35	29	83	0.1	14	12	1690	2.72	14	5	ND	ND	8	1	3	1	45	0.08	0.04	19	13	0.23	118	0.10	1.18	0.02	14	0.01	1	1	5	
S	L1 425E	1	49	33	164	0.4	14	14	2360	3.18	18	5	ND	ND	16	2	6	1	57	0.22	0.06	14	14	0.26	155	0.14	1.31	0.03	13	0.01	2	1	30	
S	L1 450E	2	68	47	120	0.5	17	22	1321	2.77	27	5	ND	ND	25	2	8	1	43	0.30	0.07	54	14	0.27	129	0.10	1.44	0.03	18	0.01	3	1	5	
S	L1 475E	3	34	36	110	0.6	13	10	329	3.27	27	5	ND	ND	10	2	8	1	39	0.10	0.04	26	16	0.35	83	0.12	1.66	0.02	14	0.01	4	1	5	
S	L1 500E	2	38	37	78	0.1	11	17	1040	2.81	25	5	ND	ND	16	1	3	1	37	0.19	0.04	36	13	0.38	95	0.09	1.29	0.01	13	0.01	1	1	5	
S	L1 525E	2	37	36	114	0.1	11	10	2267	2.85	18	5	ND	ND	10	1	3	1	41	0.11	0.05	17	17	0.47	129	0.11	1.51	0.02	11	0.01	4	1	5	
S	L1 550E	3	25	28	109	0.1	10	5	362	3.16	17	5	ND	ND	9	1	4	1	41	0.08	0.05	15	17	0.44	102	0.14	1.98	0.02	12	0.01	2	1	5	
S	L1 575E	2	21	27	122	0.1	9	3	724	2.98	17	5	ND	ND	11	1	1	1	49	0.13	0.07	12	14	0.33	119	0.14	1.27	0.02	12	0.01	3	1	5	
S	L1 600E	1	28	32	86	0.3	12	6	630	2.83	19	5	ND	ND	27	1	3	1	38	0.29	0.04	27	12	0.30	144	0.10	1.22	0.01	12	0.01	2	1	5	
S	L1 625E	3	31	27	121	0.2	14	7	429	3.04	18	5	ND	ND	10	1	4	1	38	0.11	0.05	21	16	0.41	83	0.11	2.10	0.02	17	0.01	3	1	5	
S	L1 650E	2	17	21	32	0.1	6	3	127	1.46	11	5	ND	ND	14	1	1	1	29	0.07	0.04	39	9	0.12	60	0.05	0.76	0.01	18	0.01	1	1	5	
S	L1 675E	1	17	23	56	0.1	7	2	604	2.15	11	5	ND	ND	10	1	2	1	37	0.09	0.03	15	10	0.14	139	0.07	0.79	0.01	21	0.01	1	1	5	
S	L1 700E	1	21	21	47	0.1	6	2	349	2.11	10	5	ND	ND	7	1	1	1	37	0.05	0.04	14	10	0.17	83	0.06	0.96	0.01	19	0.01	1	1	5	
S	L1 725E	2	33	20	78	0.3	11	7	429	3.11	15	5	ND	ND	6	1	5	1	51	0.07	0.04	15	13	0.37	68	0.10	1.37	0.02	17	0.01	3	1	1460	
S	L1 750E	1	39	23	90	0.1	11	8	369	3.16	17	5	ND	ND	7	1	5	1	47	0.11	0.03	16	13	0.38	80	0.09	1.53	0.02	14	0.01	2	1	10	
S	L1 775E	2	24	18	66	0.1	11	3	194	3.06	16	5	ND	ND	10	1	2	1	53	0.11	0.02	15	12	0.29	61	0.12	1.16	0.02	14	0.01	1	1	20	
S	L1 800E	1	32	24	92	0.2	11	7	644	3.01	17	5	ND	ND	8	1	3	1	49	0.12	0.04	15	13	0.35	74	0.12	1.34	0.02	18	0.01	1	1	5	
S	L1 825E	1	24	32	53	0.1	9	3	228	2.22	17	5	ND	ND	13	1	3	1	36	0.14	0.04	15	12	0.24	72	0.06	0.90	0.01	16	0.01	1	1	5	
S	L1 850E	2	32	30	88	0.2	12	7	369	3.15	20	5	ND	ND	6	1	6	1	48	0.08	0.04	16	16	0.40	93	0.13	1.76	0.02	18	0.01	1	1	180	
S	L1 875E	2	17	20	73	0.1	10	4	604	2.92	12	5	ND	ND	7	1	2	1	52	0.05	0.03	14	15	0.30	86	0.14	1.43	0.02	18	0.01	1	1	30	
S	L1 900E	2	21	25	75	0.1	9	5	490	2.95	20	5	ND	ND	5	1	5	1	51	0.07	0.03	13	15	0.38	69	0.10	1.58	0.02	20	0.01	1	1	10	
S	L1 925E	2	25	25	82	0.1	11	7	563	3.08	18	5	ND	ND	6	1	5	1	54	0.06	0.04	14	15	0.33	92	0.13	1.82	0.02	19	0.01	1	1	50	
S	L1 950E	1	20	22	60	0.2	8	2	282	2.88	14	5	ND	ND	4	1	2	1	46	0.03	0.03	15	13	0.22	69	0.12	1.22	0.01	21	0.01	1	1	5	
S	L1 975E	3	28	36	107	0.1	14	6	677	2.73	18	5	ND	ND	5	1	6	1	33	0.05	0.05	22	12	0.26	93	0.09	2.21	0.02	20	0.01	4	1	5	

CERTIFIED BY :



# ROSSB. CHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS

2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-8910 Fax:299-6252


To : RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.

Project: LEADVILLE CONTOUR  
Type of Analysis: ICP

Certificate: 93146  
Invoice: 40207  
Date Entered: 93-08-30  
File Name: RAM93146.I  
Page No.: 2

PRE FIX	SAMPLE NAME	PPM NO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MC	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPB AU	PPB AA
S	L1 1000E	2	33	31	114	0.1	16	4	382	2.91	21	5	ND	ND	6	1	5	1	35	0.06	0.04	19	15	0.40	90	0.12	2.51	0.02	17	0.01	1	1	5	
S	L1 1025E	3	30	37	140	0.1	18	8	852	3.17	19	5	ND	ND	8	1	9	1	41	0.06	0.06	21	16	0.37	133	0.13	2.35	0.02	19	0.01	2	1	5	
S	L1 1050E	3	22	38	98	0.1	14	8	282	3.12	23	5	ND	ND	6	1	4	1	34	0.07	0.04	19	15	0.39	123	0.10	1.79	0.02	16	0.01	2	1	5	
S	L1 1075E	3	33	75	147	0.2	21	17	892	3.33	22	5	ND	ND	11	1	6	1	40	0.11	0.05	19	15	0.42	182	0.10	1.96	0.02	17	0.01	3	1	5	
S	L1 1100E	3	53	345	139	0.4	16	26	2112	3.53	18	5	ND	ND	12	2	6	1	40	0.08	0.08	26	15	0.40	160	0.09	1.68	0.02	16	0.01	1	1	5	
S	L1 1125E	3	54	411	150	0.4	19	35	2112	3.50	21	5	ND	ND	8	2	8	1	36	0.06	0.08	35	15	0.44	139	0.08	1.99	0.02	21	0.01	4	1	80	
S	L1 1150E	3	51	134	112	0.4	21	17	563	3.81	25	5	ND	ND	9	2	7	1	54	0.10	0.07	29	17	0.51	117	0.08	2.17	0.02	19	0.01	3	1	20	
S	L1 1175E	3	42	93	107	0.1	17	20	1314	3.34	26	5	ND	ND	10	2	8	1	54	0.12	0.06	22	14	0.45	119	0.11	1.92	0.02	18	0.01	2	1	5	
S	L1 1200E	4	47	182	98	0.2	17	14	785	3.72	23	5	ND	ND	8	2	9	1	62	0.09	0.06	20	15	0.48	106	0.10	2.04	0.02	19	0.01	2	1	5	
S	L1 1225E	3	41	57	86	0.1	15	12	436	4.00	21	5	ND	ND	8	2	9	2	72	0.09	0.06	18	16	0.57	83	0.10	2.12	0.02	16	0.01	4	1	5	
S	L1 1250E	2	47	29	83	0.2	14	12	329	3.42	18	5	ND	ND	6	1	9	1	68	0.10	0.04	17	13	0.56	76	0.10	1.86	0.02	16	0.01	3	1	70	
S	L1 1275E	2	27	19	69	0.1	10	8	248	2.99	20	5	ND	ND	5	1	5	1	61	0.09	0.03	17	12	0.37	68	0.09	1.56	0.02	18	0.01	2	1	5	
S	L1 1300E	1	30	26	82	0.1	12	8	543	2.91	20	5	ND	ND	8	1	3	1	55	0.16	0.04	15	11	0.39	91	0.09	1.36	0.02	14	0.01	1	1	10	
S	L1 1325E	2	41	25	94	0.2	14	13	409	3.41	21	5	ND	ND	7	1	7	1	62	0.13	0.04	16	14	0.52	90	0.11	1.70	0.02	14	0.01	2	1	5	
S	L1 1340E	3	53	31	113	0.2	20	30	1831	3.69	22	5	ND	ND	12	2	8	1	75	0.18	0.08	17	26	0.71	144	0.08	1.96	0.03	14	0.01	5	1	5	
S	L1 1350E	3	40	20	96	0.1	19	9	329	3.92	22	5	ND	ND	6	3	7	1	70	0.07	0.04	18	25	0.78	92	0.12	2.70	0.02	19	0.01	2	1	5	
S	L1 1375E	3	61	25	98	0.3	18	36	1442	3.62	17	5	ND	ND	10	2	9	1	76	0.13	0.06	24	23	0.65	124	0.11	2.08	0.02	18	0.01	4	1	10	
S	L2 000E	3	23	27	89	0.3	11	9	637	2.99	24	5	ND	ND	5	1	4	1	33	0.02	0.04	19	15	0.38	109	0.08	2.07	0.02	16	0.01	2	1	5	
S	L2 025E	2	14	25	50	0.3	9	9	262	1.99	25	5	ND	ND	9	1	1	1	13	0.04	0.03	33	10	0.22	95	0.03	1.07	0.01	15	0.01	1	1	5	
S	L2 050E	1	12	12	67	0.1	8	4	570	2.18	14	5	ND	ND	5	1	1	1	26	0.03	0.03	19	11	0.30	85	0.07	1.40	0.01	16	0.01	1	1	5	
S	L2 075E	2	18	27	79	0.1	10	8	268	2.98	24	5	ND	ND	8	1	4	1	26	0.03	0.04	36	13	0.32	68	0.10	1.61	0.01	13	0.01	1	1	5	
S	L2 100E	1	13	26	71	0.1	8	4	1817	2.08	13	5	ND	ND	9	1	1	1	27	0.07	0.05	15	12	0.35	156	0.10	1.15	0.02	22	0.01	1	1	5	
S	L2 125E	1	14	25	94	0.1	10	4	376	3.23	18	5	ND	ND	5	1	3	1	39	0.03	0.04	17	16	0.29	87	0.15	1.34	0.02	16	0.01	1	1	5	
S	L2 150E	2	16	32	88	0.1	10	8	396	2.75	21	5	ND	ND	6	1	4	1	26	0.03	0.04	19	14	0.31	95	0.09	1.78	0.01	19	0.01	3	1	5	
S	L2 175E	1	13	21	54	0.1	8	3	194	2.34	13	5	ND	ND	4	1	1	1	35	0.02	0.02	17	12	0.21	67	0.11	1.28	0.01	13	0.01	1	1	5	
S	L2 200E	2	20	33	93	0.2	12	8	235	2.91	26	5	ND	ND	4	1	8	1	25	0.02	0.03	21	16	0.40	84	0.08	2.02	0.01	20	0.01	4	1	5	
S	L2 225E	2	21	35	111	0.1	13	9	329	2.90	23	5	ND	ND	8	1	2	1	25	0.05	0.03	18	16	0.35	132	0.07	2.03	0.02	20	0.01	4	1	5	
S	L2 250E	2	17	56	91	0.1	13	18	919	2.71	22	5	ND	ND	10	1	3	1	24	0.09	0.05	19	14	0.28	113	0.07	1.36	0.01	22	0.01	1	1	5	
S	L2 275E	2	21	41	108	0.5	14	12	738	2.92	20	5	ND	ND	12	1	4	1	26	0.16	0.04	22	14	0.29	104	0.09	1.39	0.02	20	0.01	2	1	5	
S	L2 300E	1	15	25	64	0.1	10	3	201	2.75	23	5	ND	ND	6	1	2	1	21	0.04	0.03	17	12	0.30	66	0.07	1.29	0.01	18	0.01	1	1	5	
S	L2 325E	2	18	23	73	0.1	10	8	194	2.60	21	5	ND	ND	4	1	3	1	27	0.03	0.03	19	13	0.35	69	0.07	1.73	0.01	17	0.01	1	1	5	
S	L2 350E	2	18	22	74	0.1	9	8	235	3.34	22	5	ND	ND	5	1	7	1	37	0.04	0.03	16	17	0.36	78	0.10	1.68	0.01	16	0.01	1	1	5	
S	L2 375E	1	23	21	65	0.1	8	8	329	2.55	15	5	ND	ND	4	1	5	1	36	0.04	0.02	17	13	0.25	80	0.08	1.56	0.01	15	0.01	1	1	5	
S	L2 400E	1	14	20	51	0.1	8	4	295	2.26	19	5	ND	ND	7	1	2	1	29	0.06	0.03	15	11	0.26	78	0.08	1.06	0.01	14	0.01	1	1	5	
S	L2 425E	2	33	23	83	0.2	11	11	282	2.82	20	5	ND	ND	5	1	6	1	42	0.07	0.03	15	14	0.36	77	0.11	1.84	0.02	18	0.01	2	1	5	
S	L2 450E	2	48	24	85	0.4	11	9	262	3.35	23	5	ND	ND	6	2	9	1	75	0.10	0.04	12	14	0.29	88	0.17	2.12	0.03	16	0.01	4	1	5	
S	L2 475E	2	34	21	74	0.2	10	12	1408	3.21	21	5	ND	ND	6	1	4	1	64	0.11	0.04	12	13	0.29	102	0.12	1.59	0.02	16	0.01	4	1	5	
S	L2 500E	2	30	16	62	0.3	10	8	235	3.26	19	5	ND	ND	5	1	10	1	63	0.10	0.04	11	12	0.28	80	0.11	2.00	0.02	14	0.01	3	1	5	
S	L2 525E	2	50	15	56	0.1	10	10	255	2.67	17	5	ND	ND	6	1	7	1	56	0.11	0.04	8	9	0.28	78	0.09	1.61	0.02	12	0.01	4	1	5	
S	L2 550E	2	75	21	88	0.1	12	18	563	2.89	20	5	ND	ND	6	1	8	1	57	0.09	0.06	12	11	0.32	84	0.10	1.90	0.02	14	0.01	5	1	5	

CERTIFIED BY:



# ROSSB. CHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS

2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252


To : RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.

Project: LEADVILLE CONTOUR  
Type of Analysis: ICP

Certificate: 93146  
Invoice: 40207  
Date Entered: 93-08-30  
File Name: RAM93146.I  
Page No.: 3

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MG	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPB AU	PPB AA
S	L2 575E	2	61	22	117	0.2	13	21	1402	3.00	18	5	ND	ND	7	1	8	1	61	0.11	0.06	12	12	0.32	130	0.11	1.70	0.02	13	0.01	2	1	5	
S	L2 600E	3	66	46	112	0.6	20	23	1046	3.19	29	5	ND	ND	20	2	8	1	48	0.23	0.05	28	14	0.42	115	0.09	1.89	0.02	14	0.01	6	1	5	
S	L2 625E	2	47	31	69	0.4	11	9	288	2.91	23	5	ND	ND	17	1	2	1	64	0.16	0.04	22	11	0.25	86	0.14	1.20	0.02	20	0.01	1	1	5	
S	L2 650E	2	42	26	110	0.2	12	16	617	3.20	23	5	ND	ND	8	1	6	1	55	0.12	0.07	14	13	0.37	99	0.12	1.58	0.02	15	0.01	3	1	5	
S	L2 675E	3	62	56	60	0.3	15	123	2327	1.45	29	5	ND	ND	10	1	10	1	20	0.19	0.12	181	9	0.21	84	0.04	2.37	0.03	16	0.01	7	4	5	
S	L2 700E	2	24	33	75	0.2	11	8	376	3.40	31	5	ND	ND	25	1	3	1	43	0.09	0.05	19	14	0.35	78	0.11	1.25	0.02	14	0.01	1	1	5	
S	L2 725E	2	21	30	68	0.1	9	7	268	3.40	28	5	ND	ND	8	1	2	1	56	0.09	0.04	15	14	0.26	96	0.16	1.02	0.02	14	0.01	1	1	5	
S	L2 750E	2	26	28	66	0.4	9	13	490	3.03	26	5	ND	ND	9	1	2	1	42	0.13	0.03	27	12	0.26	118	0.11	1.05	0.02	18	0.01	1	1	5	
S	L2 775E	1	24	25	67	0.1	10	10	590	2.67	19	5	ND	ND	12	1	1	1	36	0.05	0.03	15	11	0.30	70	0.08	1.12	0.01	16	0.01	1	1	5	
S	L2 800E	2	28	28	75	0.1	11	8	389	2.85	19	5	ND	ND	6	1	3	1	45	0.09	0.04	15	13	0.29	106	0.09	1.16	0.01	12	0.01	1	1	5	
S	L2 825E	2	27	49	108	0.2	12	26	1207	3.33	19	5	ND	ND	8	1	4	1	42	0.08	0.05	23	14	0.24	141	0.13	1.38	0.02	16	0.01	2	1	5	
S	L2 850E	2	25	22	87	0.1	10	12	322	2.62	12	5	ND	ND	11	1	7	1	39	0.04	0.04	14	13	0.25	78	0.09	1.98	0.01	16	0.01	2	1	5	
S	L2 875E	2	29	29	93	0.1	11	14	536	2.81	16	5	ND	ND	5	1	6	1	47	0.08	0.04	15	13	0.33	89	0.11	1.81	0.02	18	0.01	3	1	10	
S	L2 900E	2	25	23	96	0.1	10	14	429	3.31	16	5	ND	ND	7	1	6	1	60	0.08	0.03	13	14	0.32	87	0.15	1.62	0.02	16	0.01	3	1	5	
S	L2 925E	1	17	16	57	0.1	6	5	215	2.15	10	5	ND	ND	6	1	3	1	45	0.04	0.02	13	11	0.17	65	0.09	1.06	0.01	16	0.01	2	1	20	
S	L2 950E	3	40	29	118	0.1	16	11	443	3.09	23	5	ND	ND	4	2	9	1	47	0.07	0.06	20	15	0.40	91	0.14	3.28	0.02	14	0.01	6	1	50	
S	L2 975E	2	29	21	83	0.1	8	10	1060	3.29	15	5	ND	ND	6	1	1	1	63	0.06	0.05	15	15	0.27	105	0.17	1.60	0.02	13	0.01	1	1	10	
S	L2 1000E	1	18	19	68	0.1	9	5	429	2.80	12	5	ND	ND	6	1	2	1	63	0.07	0.06	14	13	0.29	94	0.16	1.23	0.02	18	0.01	1	1	5	
S	L2 1025E	1	29	21	74	0.1	10	9	1663	2.78	11	5	ND	ND	7	1	2	1	50	0.07	0.05	14	10	0.25	95	0.09	1.29	0.02	14	0.01	1	1	40	
S	L2 1050E	1	20	20	52	0.1	9	6	349	2.86	13	5	ND	ND	5	1	3	1	60	0.08	0.04	14	12	0.24	92	0.12	1.24	0.01	13	0.01	1	1	5	
S	L2 1075E	2	38	25	78	0.3	13	11	308	3.49	20	5	ND	ND	6	1	6	1	59	0.08	0.04	15	13	0.36	68	0.12	2.03	0.02	11	0.01	3	1	5	
S	L2 1100E	2	54	25	98	0.4	20	11	416	3.18	22	5	ND	ND	5	1	7	2	56	0.10	0.07	20	14	0.43	78	0.14	2.55	0.02	12	0.01	2	1	5	
S	L2 1125E	2	44	35	125	0.4	22	39	2394	2.99	22	5	ND	ND	7	1	7	1	41	0.08	0.11	35	12	0.36	109	0.09	2.18	0.03	12	0.01	3	1	20	
S	L2 1150E	2	52	33	94	0.4	17	14	483	3.46	20	5	ND	ND	9	1	6	1	56	0.08	0.04	23	15	0.44	76	0.13	2.12	0.02	12	0.01	2	1	40	
S	L2 1175E	2	32	30	95	0.4	16	13	939	3.18	19	5	ND	ND	6	1	6	1	39	0.08	0.04	22	15	0.39	121	0.09	1.88	0.02	17	0.01	2	1	5	
S	L2 1200E	2	30	42	134	0.5	19	15	1556	3.23	18	5	ND	ND	8	1	10	1	42	0.18	0.06	24	15	0.41	221	0.12	2.08	0.02	18	0.01	5	1	5	
S	L2 1225E	2	30	40	203	0.5	19	16	1301	3.57	20	5	ND	ND	14	2	8	1	45	0.13	0.10	32	18	0.43	323	0.15	2.01	0.03	21	0.01	3	1	5	
S	L2 1250E	1	18	27	125	0.2	11	11	885	2.83	11	5	ND	ND	19	1	1	1	40	0.05	0.05	23	14	0.30	153	0.10	1.43	0.02	19	0.01	1	1	5	
S	L2 1275E	2	34	32	133	0.1	16	24	952	3.11	18	5	ND	ND	7	1	6	1	41	0.06	0.06	24	13	0.35	112	0.09	1.66	0.02	17	0.01	4	1	5	
S	L2 1300E	2	28	29	132	0.2	14	15	577	3.30	18	5	ND	ND	8	1	5	4	42	0.06	0.05	24	15	0.35	103	0.12	1.62	0.02	14	0.01	2	1	5	
S	L2 1325E	3	59	36	149	0.4	24	23	584	3.74	25	5	ND	ND	7	2	16	3	59	0.19	0.07	21	15	0.49	107	0.14	2.40	0.03	14	0.01	7	1	5	
S	L2 1350E	3	48	35	137	0.4	24	20	516	3.56	24	5	ND	ND	12	2	11	3	52	0.10	0.08	24	16	0.47	134	0.14	2.67	0.03	18	0.01	6	1	5	
S	L2 1375E	2	44	26	118	0.5	19	18	624	3.53	18	5	ND	ND	8	1	9	3	54	0.10	0.08	27	16	0.49	114	0.11	2.03	0.02	16	0.01	6	1	5	
S	L2 1400E	3	47	27	106	0.3	22	20	536	3.47	19	5	ND	ND	8	2	7	3	55	0.08	0.09	41	17	0.71	103	0.10	2.83	0.02	18	0.01	4	1	5	
S	L2 1425E	4	42	36	123	0.4	21	17	449	4.44	24	5	ND	ND	8	3	15	3	67	0.12	0.08	27	16	0.50	101	0.15	2.00	0.02	23	0.01	7	1	30	
S	L2 1450E	4	44	47	82	0.3	20	35	1019	4.03	35	5	ND	ND	10	2	14	2	76	0.13	0.07	27	17	0.64	98	0.11	2.16	0.02	22	0.01	8	1	20	

CERTIFIED BY:



# ROSSE,CHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS

2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252

To : RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.


Project: BLUE ROBIN  
Type of Analysis: ICP

TVG Grid

Certificate: 93130  
Invoice: 40187  
Date Entered: 93-08-12  
File Name: RAM93130.A1  
Page No.: 1

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MG	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPM AU	PPB AA
S	L800N 1200E	1	9	9	32	0.2	8	3	166	1.33	2	5	ND	ND	4	1	1	1	7	0.02	0.02	15	8	0.14	58	0.02	0.59	0.01	0.09	0.01	2	1	10	
S	L800N 1220E	1	9	11	38	0.2	8	3	254	1.51	4	5	ND	ND	6	1	2	1	9	0.03	0.03	19	8	0.15	69	0.03	0.80	0.01	0.09	0.01	1	1	20	
S	L800N 1240E	1	8	16	48	0.2	9	2	486	1.69	3	5	ND	ND	10	1	2	1	13	0.05	0.03	19	9	0.15	135	0.03	0.90	0.01	0.11	0.01	1	1	5	
S	L800N 1260E	1	9	18	46	0.2	8	3	519	1.61	6	5	ND	ND	17	1	1	1	12	0.10	0.04	20	9	0.17	145	0.02	0.97	0.01	0.13	0.01	1	1	5	
S	L800N 1280E	1	11	27	47	0.2	9	4	667	1.67	7	5	ND	ND	25	1	2	1	12	0.14	0.03	20	9	0.19	169	0.03	1.19	0.01	0.11	0.01	1	1	5	
S	L800N 1300E	1	11	16	44	0.2	7	7	334	1.72	5	5	ND	ND	6	1	3	1	14	0.04	0.04	19	9	0.14	79	0.04	1.65	0.01	0.10	0.01	2	1	5	
S	L800N 1320E	1	10	16	48	0.2	8	4	243	1.75	6	5	ND	ND	3	1	2	1	13	0.02	0.04	19	9	0.14	63	0.03	1.36	0.01	0.10	0.01	1	1	5	
S	L800N 1340E	1	10	23	68	0.4	8	1	375	2.38	6	5	ND	ND	4	1	4	1	22	0.02	0.12	10	10	0.12	76	0.07	2.92	0.02	0.09	0.01	1	1	5	
S	L800N 1360E	1	9	18	46	0.2	5	4	323	2.00	6	5	ND	ND	4	1	2	1	18	0.03	0.05	15	10	0.11	60	0.03	1.62	0.01	0.08	0.01	1	1	5	
S	L800N 1380E	1	6	15	45	0.2	7	3	195	1.70	4	5	ND	ND	3	1	1	1	14	0.02	0.04	21	11	0.13	53	0.03	1.24	0.01	0.10	0.01	1	1	5	
S	L800N 1400E	1	6	18	36	0.2	5	1	169	1.59	5	5	ND	ND	3	1	1	3	19	0.02	0.03	9	8	0.08	46	0.04	0.88	0.01	0.09	0.01	1	1	5	
S	L850N 1200E	1	10	18	47	0.2	9	7	323	1.89	7	5	ND	ND	4	1	3	2	18	0.03	0.07	14	10	0.16	78	0.05	1.48	0.01	0.09	0.01	2	1	5	
S	L850N 1220E	1	8	11	39	0.2	7	2	199	2.11	7	5	ND	ND	3	1	1	1	17	0.02	0.06	13	8	0.11	50	0.04	1.11	0.01	0.08	0.01	1	1	30	
S	L850N 1240E	1	7	12	37	0.2	5	3	656	1.37	4	5	ND	ND	6	1	1	2	11	0.06	0.03	17	7	0.12	78	0.03	0.66	0.01	0.08	0.01	1	1	5	
S	L850N 1260E	1	7	12	48	0.4	7	2	235	1.90	5	5	ND	ND	6	1	1	1	19	0.03	0.04	18	9	0.13	90	0.06	0.94	0.01	0.08	0.01	1	1	5	
S	L850N 1280E	1	18	35	50	0.3	11	7	640	2.07	14	5	ND	ND	16	1	1	1	16	0.07	0.06	37	11	0.17	128	0.05	1.45	0.01	0.10	0.01	1	1	5	
S	L850N 1300E	1	11	26	60	0.3	9	5	339	2.31	10	5	ND	ND	11	1	1	1	17	0.08	0.07	16	10	0.12	96	0.06	1.90	0.01	0.10	0.01	1	1	5	
S	L850N 1320E	1	8	15	42	0.1	7	1	213	1.76	8	5	ND	ND	3	1	1	1	12	0.02	0.04	26	9	0.15	51	0.02	0.93	0.01	0.11	0.01	1	1	5	
S	L850N 1340E	1	4	10	20	0.2	3	1	88	0.91	4	5	ND	ND	3	1	1	1	14	0.03	0.02	23	5	0.05	31	0.03	0.69	0.01	0.09	0.01	1	1	5	
S	L850N 1360E	1	6	14	28	0.2	4	1	110	1.17	3	5	ND	ND	4	1	1	1	15	0.03	0.03	20	7	0.07	38	0.03	0.94	0.01	0.08	0.01	1	1	5	
S	L850N 1380E	1	9	19	49	0.2	7	3	155	2.14	6	5	ND	ND	4	1	1	3	22	0.02	0.06	10	10	0.13	46	0.05	1.26	0.01	0.08	0.01	1	1	5	
S	L850N 1400E	1	12	20	50	0.2	8	5	257	1.74	8	5	ND	ND	4	1	2	3	18	0.04	0.07	12	10	0.12	58	0.05	1.77	0.01	0.09	0.01	1	1	5	
S	L900N 1200E	2	14	20	63	0.2	10	4	284	2.13	6	5	ND	ND	5	1	3	3	24	0.03	0.06	15	12	0.21	125	0.05	2.34	0.02	0.09	0.01	1	1	5	
S	L900N 1220E	1	15	22	52	0.2	9	3	177	2.07	7	5	ND	ND	7	1	4	2	22	0.05	0.06	16	10	0.12	92	0.07	2.06	0.01	0.10	0.01	2	1	5	
S	L900N 1240E	1	8	18	43	0.2	5	2	191	1.73	3	5	ND	ND	6	1	1	1	19	0.04	0.04	15	9	0.12	80	0.06	1.04	0.01	0.08	0.01	1	1	5	
S	L900N 1260E	1	11	19	57	0.2	7	3	412	2.61	7	5	ND	ND	4	1	4	3	31	0.03	0.09	14	10	0.14	65	0.09	1.74	0.02	0.09	0.01	1	1	5	
S	L900N 1280E	1	8	14	42	0.2	7	2	228	1.57	3	5	ND	ND	4	1	1	2	15	0.02	0.03	23	8	0.13	87	0.04	0.97	0.01	0.07	0.01	1	1	5	
S	L900N 1300E	1	14	18	60	0.2	11	3	240	1.99	7	5	ND	ND	9	1	1	2	12	0.05	0.04	23	9	0.19	96	0.03	1.17	0.01	0.08	0.01	1	1	5	
S	L900N 1320E	1	8	20	33	0.2	5	1	191	1.63	3	5	ND	ND	5	1	1	1	19	0.03	0.03	22	8	0.11	56	0.05	1.00	0.01	0.09	0.01	1	1	5	
S	L900N 1340E	2	12	25	30	0.4	7	2	81	1.66	11	5	ND	ND	9	1	3	1	16	0.05	0.04	23	14	0.09	59	0.07	2.09	0.02	0.08	0.01	1	1	5	
S	L900N 1360E	1	11	15	37	0.4	7	7	143	1.48	9	5	ND	ND	3	1	3	3	12	0.01	0.04	15	7	0.11	50	0.03	1.57	0.01	0.09	0.01	2	1	5	
S	L900N 1380E	1	8	22	45	0.2	8	7	1100	1.47	5	5	ND	ND	13	1	1	4	12	0.06	0.03	24	9	0.18	102	0.02	1.10	0.01	0.10	0.01	1	1	5	
S	L900N 1400E	1	20	31	58	0.2	12	9	442	2.03	10	5	ND	ND	5	1	1	4	11	0.02	0.03	30	11	0.24	62	0.02	1.20	0.01	0.10	0.01	1	1	5	
S	L950N 1200E	1	14	15	57	0.2	10	7	199	1.96	7	5	ND	ND	4	1	2	3	15	0.02	0.04	21	11	0.23	72	0.03	1.45	0.01	0.09	0.01	1	1	5	
S	L950N 1220E	1	15	15	46	0.2	7	2	173	1.90	6	5	ND	ND	4	1	2	4	20	0.02	0.08	15	9	0.12	64	0.07	2.43	0.02	0.08	0.01	1	1	5	
S	L950N 1240E	1	34	47	53	0.8	11	3	453	2.20	14	5	ND	ND	9	1	1	4	25	0.05	0.07	46	12	0.19	110	0.11	2.24	0.02	0.10	0.01	1	1	5	
S	L950N 1260E	1	19	20	64	0.6	9	1	537	2.36	7	5	ND	ND	5	1	3	5	28	0.03	0.13	7	11	0.12	63	0.15	4.72	0.03	0.08	0.01	1	1	5	
S	L950N 1280E	1	16	18	65	0.2	8	1	478	2.30	11	5	ND	ND	4	1	1	3	20	0.02	0.17	12	10	0.11	72	0.07	3.21	0.02	0.09	0.01	1	1	5	
S	L950N 1300E	1	11	16	71	0.2	11	1	143	1.74	7	5	ND	ND	6	1	3	2	15	0.03	0.11	15	10	0.13	111	0.05	2.47	0.02	0.08	0.01	1	1	5	
S	L950N 1320E	1	14	17	47	0.2	10	5	169	1.81	9	5	ND	ND	4	1	1	4	11	0.03	0.05	26	10	0.20	59	0.02	1.21	0.01	0.11	0.01	1	1	5	

CERTIFIED BY:



# ROSSB. J. HER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS

2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252


To : RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.

Project: BLUE ROBIN  
Type of Analysis: ICP

Certificate: 93130  
Invoice: 40187  
Date Entered: 93-08-12  
File Name: RAM93130.A1  
Page No.: 2

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MC	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPB AU	AA
S	L950N 1340E	1	17	18	52	0.2	11	7	158	2.03	11	5	ND	ND	3	1	2	5	14	0.02	0.04	28	11	0.22	57	0.03	1.51	0.01	0.10	0.01	1	1	5	
S	L950N 1360E	1	16	17	52	0.2	9	7	206	2.12	10	5	ND	ND	4	1	1	4	15	0.02	0.05	26	10	0.19	54	0.03	1.57	0.01	0.09	0.01	1	1	40	
S	L950N 1380E	1	17	17	54	0.2	10	5	169	2.02	11	5	ND	ND	3	1	2	4	10	0.01	0.04	29	10	0.21	47	0.02	1.36	0.01	0.09	0.01	1	1	5	
S	L950N 1400E	1	20	18	67	0.2	12	5	268	2.29	8	5	ND	ND	4	1	1	3	17	0.02	0.06	30	11	0.27	69	0.04	2.21	0.01	0.09	0.01	1	1	5	
S	L1000N 1200E	1	12	14	56	0.7	10	7	383	2.08	8	5	ND	ND	4	1	1	3	18	0.02	0.06	20	10	0.20	64	0.05	1.63	0.01	0.08	0.01	1	1	30	
S	L1000N 1220E	1	15	17	56	0.6	9	8	464	1.98	9	5	ND	ND	5	1	1	1	16	0.04	0.08	23	9	0.14	80	0.06	1.82	0.02	0.09	0.01	1	1	5	
S	L1000N 1240E	1	19	20	94	0.4	13	8	368	2.35	8	5	ND	ND	7	1	2	2	24	0.03	0.06	22	14	0.31	121	0.06	2.03	0.02	0.11	0.01	1	1	5	
S	L1000N 1260E	1	10	17	46	0.4	5	1	240	2.11	6	5	ND	ND	4	1	1	1	30	0.02	0.06	11	10	0.10	65	0.11	2.26	0.01	0.08	0.01	1	1	5	
S	L1000N 1280E	1	14	20	54	0.2	7	1	408	2.39	8	5	ND	ND	4	1	1	2	35	0.02	0.11	8	10	0.10	59	0.13	2.50	0.02	0.09	0.01	1	1	5	
S	L1000N 1300E	1	16	42	58	0.2	10	10	1031	1.80	8	5	ND	ND	23	1	1	2	15	0.09	0.05	22	10	0.16	146	0.03	1.15	0.01	0.12	0.01	1	1	5	
S	L1000N 1320E	1	8	18	30	0.1	4	3	151	1.44	5	5	ND	ND	4	1	2	1	20	0.02	0.07	15	7	0.07	48	0.07	1.53	0.01	0.08	0.01	1	1	80	
S	L1000N 1340E	1	10	18	36	0.5	7	2	147	2.96	10	5	ND	ND	4	1	1	3	23	0.02	0.06	19	9	0.12	31	0.05	1.45	0.01	0.08	0.01	1	1	5	
S	L1000N 1360E	1	17	21	58	0.2	11	4	136	2.40	12	5	ND	ND	3	1	3	2	16	0.02	0.05	23	12	0.24	53	0.03	1.85	0.01	0.07	0.01	1	1	5	
S	L1000N 1380E	1	15	14	52	0.2	8	2	121	1.96	9	5	ND	ND	3	1	1	2	18	0.02	0.05	22	10	0.15	50	0.05	2.16	0.01	0.08	0.01	1	1	5	
S	L1000N 1400E	1	17	14	43	0.2	7	1	96	1.85	7	5	ND	ND	3	1	2	2	21	0.01	0.04	19	10	0.14	59	0.07	2.25	0.02	0.06	0.01	1	1	60	
S	L1050N 1200E	1	12	12	66	0.1	9	2	755	2.07	4	5	ND	ND	4	1	2	3	26	0.02	0.06	16	10	0.18	92	0.10	2.49	0.02	0.10	0.01	2	1	5	
S	L1050N 1220E	1	15	21	58	0.2	10	4	298	2.06	7	5	ND	ND	5	1	1	1	14	0.03	0.05	21	9	0.16	62	0.03	1.17	0.01	0.09	0.01	1	1	5	
S	L1050N 1240E	2	15	19	65	0.4	10	4	689	2.99	9	5	ND	ND	4	1	1	4	25	0.02	0.10	12	11	0.12	84	0.10	4.01	0.03	0.08	0.01	1	1	5	
S	L1050N 1260E	1	12	15	58	0.2	8	1	401	2.85	10	5	ND	ND	5	1	1	6	28	0.04	0.12	7	12	0.11	47	0.11	4.65	0.03	0.08	0.01	1	1	5	
S	L1050N 1280E	1	12	16	37	0.2	3	2	334	2.29	7	5	ND	ND	3	1	5	2	28	0.02	0.07	8	9	0.08	53	0.08	2.22	0.02	0.06	0.01	1	1	5	
S	L1050N 1300E	1	17	15	56	0.3	9	1	221	2.20	13	5	ND	ND	4	1	2	2	20	0.02	0.12	14	10	0.14	58	0.06	3.01	0.02	0.10	0.01	1	1	5	
S	L1050N 1320E	1	9	12	46	0.3	7	4	166	1.84	8	5	ND	ND	3	1	2	1	13	0.02	0.06	20	9	0.13	55	0.03	1.44	0.01	0.06	0.01	1	1	5	
S	L1050N 1340E	1	11	18	44	0.2	7	3	147	2.23	10	5	ND	ND	5	1	2	1	20	0.03	0.11	19	9	0.12	56	0.04	1.69	0.01	0.08	0.01	1	1	5	
S	L1050N 1360E	1	11	17	60	0.2	8	4	298	2.38	10	5	ND	ND	4	1	3	1	17	0.03	0.06	25	10	0.16	52	0.03	1.75	0.01	0.08	0.01	1	1	5	
S	L1050N 1380E	1	20	31	60	0.1	9	1	257	3.08	13	5	ND	ND	4	1	3	5	17	0.03	0.06	20	14	0.18	53	0.04	2.98	0.02	0.10	0.01	1	1	10	
S	L1050N 1400E	1	15	20	57	0.3	9	4	132	2.73	12	5	ND	ND	3	1	3	4	14	0.01	0.04	28	11	0.21	46	0.02	1.77	0.01	0.09	0.01	1	1	70	
S	L1100N 1200E	2	30	15	53	0.3	10	3	346	2.47	10	5	ND	ND	7	1	1	2	26	0.04	0.08	23	11	0.21	99	0.15	2.32	0.03	0.08	0.01	1	1	5	
S	L1100N 1220E	1	16	17	69	0.2	10	7	714	2.35	10	5	ND	ND	6	1	3	1	22	0.06	0.12	17	10	0.19	76	0.07	1.66	0.02	0.10	0.01	1	1	5	
S	L1100N 1240E	1	21	11	79	0.2	9	3	957	2.45	9	5	ND	ND	5	1	1	2	33	0.03	0.14	11	11	0.14	70	0.14	3.42	0.03	0.09	0.01	1	1	5	
S	L1100N 1260E	1	9	12	37	0.2	5	4	191	1.98	7	5	ND	ND	4	1	1	1	20	0.02	0.04	15	8	0.10	59	0.07	1.51	0.01	0.08	0.01	1	1	5	
S	L1100N 1280E	1	8	19	35	0.2	4	2	372	1.56	5	5	ND	ND	5	1	1	1	28	0.04	0.05	10	8	0.08	53	0.09	1.22	0.01	0.08	0.01	1	1	5	
S	L1100N 1300E	1	12	11	39	0.6	5	1	162	2.07	2	5	ND	ND	5	1	1	1	27	0.03	0.06	9	10	0.07	47	0.13	3.97	0.02	0.08	0.01	1	1	5	
S	L1100N 1320E	1	14	9	42	0.2	7	1	265	1.81	6	5	ND	ND	3	1	4	1	19	0.02	0.08	9	9	0.09	46	0.08	3.71	0.02	0.06	0.01	1	1	5	
S	L1100N 1340E	1	9	28	34	0.3	4	3	323	1.70	8	5	ND	ND	8	1	2	1	25	0.07	0.07	13	8	0.07	57	0.08	1.82	0.02	0.08	0.01	2	1	5	
S	L1100N 1360E	1	26	42	88	0.2	15	14	1369	2.78	19	5	ND	ND	35	1	4	2	17	0.13	0.08	23	13	0.30	87	0.02	1.55	0.02	0.14	0.01	1	1	90	
S	L1100N 1380E	1	14	16	52	0.8	7	1	206	2.97	10	5	ND	ND	8	1	2	1	31	0.04	0.14	10	10	0.10	57	0.11	3.55	0.03	0.10	0.01	1	1	5	
S	L1100N 1400E	2	12	16	53	0.6	5	2	276	3.02	9	5	ND	ND	10	1	1	1	36	0.07	0.08	11	9	0.12	73	0.12	2.47	0.03	0.10	0.01	1	1	5	
S	L1150N 1200E	2	17	15	81	0.4	10	3	500	2.71	6	5	ND	ND	6	1	1	1	37	0.04	0.16	12	12	0.16	79	0.14	3.21	0.03	0.10	0.01	1	1	5	

CERTIFIED BY:



# ROSSBACHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS


2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252

**To :** RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.  
**Project:** BLUE ROBIN  
**Type of Analysis:** ICP

**Certificate:** 93130 A2  
**Invoice:** 40187  
**Date Entered:** 93-08-14  
**File Name:** RAM93130.A2  
**Page No.:** 1

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HC	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MG	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPM AU	PPB AA
S	L1150N 1220E	1	14	2	53	0.3	11	1	205	2.08	4	5	ND	ND	4	1	1	6	26	0.03	0.11	7	12	0.12	65	0.12	3.37	0.02	0.11	0.01	1	1	5	
S	L1150N 1240E	1	10	8	60	0.2	10	2	309	2.80	6	5	ND	ND	5	1	1	3	36	0.03	0.07	12	15	0.14	104	0.11	1.86	0.02	0.10	0.01	1	1	5	
S	L1150N 1260E	1	12	14	94	0.2	9	2	428	3.41	7	5	ND	ND	5	1	1	5	47	0.03	0.12	9	16	0.17	83	0.17	3.25	0.02	0.12	0.01	1	1	5	
S	L1150N 1280E	1	9	8	55	0.4	6	1	237	2.79	2	5	ND	ND	5	1	1	2	35	0.03	0.14	7	14	0.11	71	0.14	3.84	0.03	0.13	0.01	1	1	5	
S	L1150N 1300E	1	12	1	39	0.6	6	2	150	1.97	2	5	ND	ND	5	1	1	1	35	0.03	0.07	5	12	0.09	60	0.18	4.07	0.04	0.09	0.01	1	1	5	
S	L1150N 1320E	1	14	1	40	0.3	5	2	305	2.08	2	5	ND	ND	5	1	1	2	30	0.03	0.10	6	14	0.09	48	0.15	4.52	0.04	0.12	0.01	1	1	5	
S	L1150N 1340E	1	11	12	42	0.3	6	1	268	1.84	3	5	ND	ND	6	1	1	1	23	0.04	0.07	16	11	0.10	60	0.08	2.19	0.02	0.04	0.01	1	1	5	
S	L1150N 1360E	1	12	1	33	0.6	4	2	182	2.97	2	5	ND	ND	5	1	1	2	39	0.03	0.18	4	16	0.06	33	0.18	5.61	0.04	0.06	0.01	1	1	5	
S	L1150N 1380E	1	11	15	59	0.6	6	3	223	4.08	2	5	ND	ND	5	3	1	6	43	0.03	0.15	8	20	0.11	67	0.16	4.85	0.04	0.11	0.01	1	1	5	
S	L1150N 1400E	1	7	8	38	0.3	4	2	177	2.04	2	5	ND	ND	4	1	1	2	22	0.03	0.06	17	13	0.10	54	0.08	2.76	0.02	0.12	0.01	1	1	5	
S	L1200N 1200E	1	12	5	53	0.2	8	3	296	2.10	2	5	ND	ND	4	1	1	3	27	0.02	0.07	13	13	0.14	62	0.11	2.17	0.01	0.10	0.01	1	1	5	
S	L1200N 1220E	1	14	15	77	0.2	20	2	578	3.21	3	5	ND	ND	7	2	1	7	58	0.04	0.09	13	29	0.33	72	0.21	1.70	0.02	0.11	0.01	1	1	5	
S	L1200N 1240E	1	15	3	67	0.4	13	4	387	2.24	5	5	ND	ND	5	1	1	4	21	0.02	0.05	29	16	0.26	106	0.05	1.83	0.01	0.12	0.01	1	1	5	
S	L1200N 1260E	1	16	7	81	0.3	10	2	619	2.55	4	5	ND	ND	10	1	1	5	33	0.09	0.11	11	15	0.17	93	0.14	3.52	0.02	0.14	0.01	1	1	5	
S	L1200N 1280E	1	7	9	51	0.3	8	6	209	2.82	14	5	ND	ND	5	1	1	3	34	0.04	0.05	22	14	0.15	73	0.09	1.55	0.02	0.13	0.01	1	1	40	
S	L1200N 1300E	1	12	1	51	0.4	7	2	305	3.14	3	5	ND	ND	5	2	1	5	37	0.03	0.13	7	16	0.10	62	0.17	5.77	0.03	0.11	0.01	1	1	5	
S	L1200N 1320E	1	14	6	67	1.0	7	3	969	2.22	2	5	ND	ND	5	1	1	2	31	0.03	0.10	8	15	0.12	68	0.14	4.46	0.03	0.10	0.01	1	1	5	
S	L1200N 1340E	1	14	6	41	0.8	5	2	282	2.88	2	5	ND	ND	4	1	1	4	33	0.03	0.14	5	15	0.08	42	0.15	6.33	0.04	0.09	0.01	1	1	5	
S	L1200N 1360E	1	13	14	57	0.4	7	2	246	4.29	5	5	ND	ND	5	3	1	7	45	0.03	0.13	11	21	0.16	54	0.13	3.87	0.03	0.08	0.01	1	1	5	
S	L1200N 1380E	1	10	11	54	0.6	6	1	259	2.16	4	5	ND	ND	5	1	1	1	29	0.03	0.08	19	14	0.13	60	0.08	2.46	0.02	0.09	0.01	1	1	5	
S	L1200N 1400E	1	14	10	49	0.6	7	2	227	2.48	10	5	ND	ND	3	1	1	2	17	0.01	0.08	22	12	0.18	42	0.04	1.97	0.01	0.10	0.01	1	1	5	
S	L1250N 1200E	1	9	4	73	0.4	8	3	1060	2.59	2	5	ND	ND	5	1	1	1	40	0.04	0.09	9	14	0.16	118	0.17	2.75	0.02	0.11	0.01	1	1	5	
S	L1250N 1220E	1	12	21	58	0.2	8	2	864	2.33	5	5	ND	ND	8	1	1	1	32	0.07	0.06	17	13	0.14	102	0.11	1.62	0.02	0.12	0.01	1	1	30	
S	L1250N 1240E	1	19	6	78	0.2	10	4	655	2.55	4	5	ND	ND	9	1	1	1	37	0.06	0.10	10	15	0.19	101	0.18	3.39	0.03	0.09	0.01	1	1	5	
S	L1250N 1260E	1	16	1	51	0.4	6	2	355	2.62	2	5	ND	ND	5	1	1	1	37	0.03	0.13	6	14	0.12	60	0.18	5.09	0.03	0.13	0.01	1	1	5	
S	L1250N 1280E	1	9	1	58	0.3	6	3	268	2.70	2	5	ND	ND	8	1	1	1	37	0.06	0.11	6	14	0.11	64	0.18	4.22	0.03	0.12	0.01	1	1	5	
S	L1250N 1300E	1	12	3	53	0.3	5	4	1328	2.20	2	5	ND	ND	5	1	1	1	32	0.03	0.12	11	13	0.11	75	0.13	3.54	0.03	0.14	0.01	1	1	5	
S	L1250N 1320E	1	21	2	67	0.5	10	4	596	2.09	3	5	ND	ND	7	1	1	1	24	0.04	0.14	12	14	0.15	67	0.12	4.85	0.03	0.12	0.01	1	1	5	
S	L1250N 1340E	1	18	6	66	0.6	9	2	951	2.60	10	5	ND	ND	5	1	1	1	23	0.03	0.11	19	13	0.16	90	0.09	2.83	0.02	0.13	0.01	1	1	30	
S	L1250N 1360E	1	17	21	59	0.2	8	1	441	2.90	4	5	ND	ND	4	1	1	1	26	0.03	0.10	19	16	0.18	66	0.09	3.83	0.02	0.14	0.01	1	1	5	
S	L1250N 1380E	1	11	20	43	0.1	5	2	191	2.36	7	5	ND	ND	3	1	1	1	30	0.01	0.06	15	11	0.11	43	0.08	1.35	0.01	0.11	0.01	1	1	5	
S	L1250N 1400E	1	8	19	37	0.1	5	2	491	2.00	5	5	ND	ND	5	1	1	1	31	0.03	0.04	15	11	0.10	52	0.09	1.19	0.01	0.10	0.01	1	1	5	
S	L1300N 1200E	1	9	11	79	0.1	9	1	732	1.88	5	5	ND	ND	4	1	1	1	20	0.03	0.07	21	12	0.16	96	0.05	1.47	0.01	0.10	0.01	1	1	10	
S	L1300N 1220E	1	9	17	57	0.2	8	2	691	3.18	6	5	ND	ND	4	1	1	2	37	0.02	0.08	19	13	0.17	64	0.13	1.33	0.02	0.10	0.01	1	1	120	
S	L1300N 1240E	1	15	6	77	0.3	11	3	546	3.03	5	5	ND	ND	6	1	1	3	35	0.04	0.14	12	17	0.17	91	0.14	4.61	0.03	0.10	0.01	1	1	30	
S	L1300N 1260E	1	17	17	83	0.3	11	2	687	2.96	4	5	ND	ND	7	2	1	2	38	0.05	0.13	11	16	0.20	91	0.16	4.64	0.03	0.19	0.01	1	1	5	
S	L1300N 1280E	1	19	13	105	0.4	14	3	1074	3.03	3	5	ND	ND	7	2	1	2	44	0.04	0.12	10	17	0.22	111	0.18	4.30	0.03	0.12	0.01	1	1	5	
S	L1300N 1300E	1	21	4	57	0.3	7	4	255	2.13	2	5	ND	ND	7	1	1	1	33	0.04	0.10	6	13	0.12	59	0.19	5.61	0.04	0.14	0.01	1	1	5	
S	L1300N 1320E	1	15	2	40	0.6	3	2	328	2.50	2	5	ND	ND	4	1	1	1	32	0.03	0.12	4	15	0.08	49	0.16	5.82	0.03	0.15	0.01	1	1	5	
S	L1300N 1340E	1	10	24	48	0.4	5	1	296	2.60	9	5	ND	ND	5	1	1	1	30	0.04	0.12	6	13	0.09	54	0.12	3.35	0.02	0.13	0.01	1	1	5	

CERTIFIED BY:



# ROSSBACHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS

2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252


To : RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.

Project: BLUE ROBIN  
Type of Analysis: ICP

Certificate: 93130 A2  
Invoice: 40187  
Date Entered: 93-08-14  
File Name: RAM93130.A2  
Page No.: 2

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MG	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPB AU	PPB AA
S	L1300N 1360E	1	13	1	26	0.6	3	1	328	2.31	2	5	ND	ND	4	1	1	1	34	0.02	0.08	3	13	0.07	44	0.16	4.71	0.03	0.12	0.01	1	1	5	
S	L1300N 1380E	1	23	10	71	0.4	9	1	578	3.16	2	5	ND	ND	5	1	1	3	35	0.03	0.17	9	17	0.16	69	0.15	5.44	0.03	0.10	0.01	1	1	5	
S	L1300N 1400E	1	14	27	43	0.6	5	1	564	3.47	3	5	ND	ND	4	1	1	2	46	0.02	0.10	5	15	0.09	51	0.21	3.49	0.03	0.10	0.01	1	1	5	
S	L1350N 1200E	1	10	4	41	0.2	3	1	400	1.97	2	5	ND	ND	3	1	1	1	29	0.02	0.06	12	12	0.07	61	0.10	2.15	0.02	0.10	0.01	1	1	5	
S	L1350N 1220E	1	12	12	50	0.1	6	1	1829	2.19	2	5	ND	ND	7	1	1	1	50	0.04	0.07	14	14	0.10	96	0.15	1.13	0.02	0.11	0.01	1	1	5	
S	L1350N 1240E	1	14	7	85	0.2	10	1	1005	2.89	5	5	ND	ND	6	1	1	1	42	0.04	0.14	13	16	0.20	102	0.16	3.20	0.02	0.12	0.01	1	1	40	
S	L1350N 1260E	1	13	15	56	0.2	8	1	355	3.17	12	5	ND	ND	5	1	1	4	51	0.03	0.10	13	16	0.17	73	0.15	1.96	0.02	0.13	0.01	1	1	10	
S	L1350N 1280E	1	26	20	99	0.4	14	1	1801	3.17	12	5	ND	ND	7	1	1	2	43	0.04	0.22	19	18	0.31	89	0.12	2.45	0.02	0.09	0.01	1	1	30	
S	L1350N 1300E	1	10	11	74	0.4	8	2	1669	2.52	25	5	ND	ND	6	1	1	1	31	0.05	0.11	26	14	0.16	108	0.08	1.84	0.02	0.08	0.01	1	1	100	
S	L1350N 1320E	1	9	15	74	0.2	10	2	1083	2.54	16	5	ND	ND	5	1	1	9	38	0.03	0.10	13	14	0.17	94	0.14	1.47	0.02	0.09	0.01	1	1	10	
S	L1350N 1340E	1	15	9	63	0.4	8	1	751	2.58	10	5	ND	ND	5	1	1	8	40	0.03	0.20	7	15	0.14	78	0.18	3.97	0.03	0.10	0.01	1	1	10	
S	L1350N 1360E	1	10	7	61	0.3	8	1	428	3.01	8	5	ND	ND	5	1	1	6	46	0.03	0.12	10	16	0.17	86	0.16	3.01	0.03	0.10	0.01	1	1	5	
S	L1350N 1380E	2	18	30	91	0.2	11	1	1719	3.17	10	5	ND	ND	7	2	1	9	51	0.04	0.10	13	17	0.20	118	0.19	2.58	0.03	0.11	0.01	1	1	5	
S	L1350N 1400E	1	16	22	97	0.2	14	1	291	3.76	12	5	ND	ND	6	2	1	10	42	0.04	0.24	9	20	0.19	90	0.17	5.77	0.03	0.10	0.01	1	1	5	
S	L1400N 1200E	1	10	17	55	0.2	7	1	414	2.58	6	5	ND	ND	5	1	1	8	44	0.04	0.14	7	14	0.10	66	0.19	3.20	0.03	0.12	0.01	1	1	5	
S	L1400N 1220E	2	20	17	78	0.1	11	1	746	3.34	11	5	ND	ND	8	2	1	8	56	0.05	0.13	13	18	0.24	102	0.19	2.49	0.03	0.14	0.01	1	1	5	
S	L1400N 1240E	2	17	20	84	0.3	14	1	860	3.65	11	5	ND	ND	9	2	1	9	55	0.06	0.15	17	20	0.29	89	0.15	2.18	0.02	0.12	0.01	1	1	180	
S	L1400N 1260E	2	21	28	80	0.2	13	1	601	3.66	15	5	ND	ND	6	2	1	12	47	0.04	0.12	22	19	0.27	84	0.15	2.24	0.02	0.11	0.01	1	1	5	
S	L1400N 1280E	2	22	11	77	0.2	14	1	323	3.60	19	5	ND	ND	4	1	1	13	25	0.02	0.11	27	17	0.27	84	0.06	2.58	0.02	0.10	0.01	1	1	30	
S	L1400N 1300E	1	13	14	72	0.1	11	5	1446	2.59	10	5	ND	ND	5	1	1	1	29	0.04	0.06	21	13	0.16	135	0.07	1.33	0.01	0.12	0.01	1	1	130	
S	L1400N 1320E	1	9	13	60	0.2	9	2	300	2.95	21	5	ND	ND	4	1	1	3	38	0.02	0.06	25	13	0.15	76	0.11	1.50	0.01	0.12	0.01	1	1	80	
S	L1400N 1340E	1	13	8	98	0.3	11	1	855	2.68	21	5	ND	ND	8	1	1	2	30	0.06	0.11	18	14	0.17	124	0.11	3.14	0.02	0.13	0.01	1	1	20	
S	L1400N 1360E	1	16	8	65	0.1	9	1	1433	2.04	4	5	ND	ND	7	1	1	1	31	0.05	0.31	6	13	0.12	73	0.19	4.65	0.04	0.10	0.01	1	1	5	
S	L1400N 1380E	1	23	22	128	0.6	13	1	1524	2.38	13	5	ND	ND	6	1	1	1	31	0.04	0.20	12	15	0.18	105	0.16	4.16	0.03	0.10	0.01	1	1	5	
S	L1400N 1400E	1	16	45	64	0.7	8	1	882	2.72	12	5	ND	ND	10	1	1	3	45	0.10	0.11	25	14	0.17	96	0.14	1.15	0.02	0.08	0.01	1	1	5	
S	L1450N 1200E	1	12	22	71	0.5	9	1	582	3.31	7	5	ND	ND	7	2	2	6	59	0.04	0.15	12	17	0.19	86	0.23	1.91	0.02	0.09	0.01	2	1	5	
S	L1450N 1220E	1	10	14	61	0.4	8	1	582	2.40	9	5	ND	ND	5	1	1	1	40	0.02	0.21	15	15	0.14	93	0.15	2.04	0.02	0.09	0.01	1	1	5	
S	L1450N 1240E	1	9	14	55	0.2	8	1	1237	2.37	11	5	ND	ND	4	1	1	1	31	0.02	0.06	27	13	0.14	96	0.09	1.13	0.02	0.08	0.01	1	1	20	
S	L1450N 1260E	1	8	16	62	0.2	10	4	614	2.85	11	5	ND	ND	5	1	3	3	31	0.03	0.07	32	14	0.25	104	0.08	1.32	0.01	0.07	0.01	1	1	10	
S	L1450N 1280E	1	13	14	73	0.1	11	5	992	2.97	12	5	ND	ND	7	1	2	1	35	0.06	0.09	21	15	0.28	106	0.09	1.38	0.01	0.10	0.01	1	1	50	
S	L1450N 1300E	1	10	9	52	0.2	8	3	273	2.35	10	5	ND	ND	5	1	1	1	26	0.03	0.07	26	14	0.21	93	0.04	1.28	0.01	0.12	0.01	1	1	20	
S	L1450N 1320E	1	14	10	89	0.8	10	1	1005	3.03	14	5	ND	ND	6	1	1	1	39	0.05	0.14	12	15	0.18	119	0.17	2.98	0.02	0.11	0.01	1	1	10	
S	L1450N 1340E	1	9	18	61	0.4	9	3	855	3.07	18	5	ND	ND	8	1	3	1	47	0.06	0.11	17	15	0.15	114	0.16	1.46	0.02	0.10	0.01	1	1	30	
S	L1450N 1360E	1	13	14	112	0.6	12	1	1233	3.13	16	5	ND	ND	6	1	1	1	38	0.04	0.15	15	16	0.21	134	0.16	3.02	0.03	0.12	0.01	1	1	20	
S	L1450N 1380E	1	11	36	95	0.8	11	8	751	3.27	79	5	ND	ND	8	1	1	1	35	0.04	0.12	24	15	0.21	162	0.10	1.67	0.02	0.12	0.01	1	1	70	
S	L1450N 1400E	1	20	39	135	1.2	11	1	646	3.03	63	5	ND	ND	6	1	1	1	31	0.03	0.11	19	16	0.21	130	0.12	3.55	0.02	0.10	0.01	1	1	10	
S	L1500N 1200E	1	12	15	69	0.6	9	3	1478	2.62	6	5	ND	ND	7	1	1	1	38	0.05	0.11	15	15	0.15	123	0.14	1.73	0.02	0.11	0.01	1	1	5	
S	L1500N 1220E	1	12	9	68	0.6	9	1	450	2.32	4	5	ND	ND	5	1	1	1	27	0.03	0.15	19	15	0.18	92	0.12	3.08	0.02	0.09	0.01	1	1	5	
S	L1500N 1240E	1	9	3	49	0.3	8	3	205	1.74	7	5	ND	ND	3	1	1	3	13	0.02	0.06	26	10	0.17	62	0.03	1.32	0.01	0.12	0.01	1	1	5	
S	L1500N 1260E	1	11	10	81	0.2	10	3	2315	2.29	10	5	ND	ND	6	1	1	3	25	0.04	0.16	22	14	0.18	126	0.08	2.45	0.02	0.11	0.01	1	1	90	

CERTIFIED BY :



# ROSSBACHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS


2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252

To : RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.  
Project: BLUE ROBIN  
Type of Analysis: ICP

Certificate: 93130 A2  
Invoice: 40187  
Date Entered: 93-08-14  
File Name: RAM93130.A2  
Page No.: 3

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AC	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MG	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPM AU	PPB AA
S	L1500N 1280E	1	12	8	83	0.3	13	1	1028	2.60	7	5	ND	ND	5	1	1	3	27	0.04	0.10	24	15	0.25	181	0.10	3.24	0.02	0.12	0.01	1	1	40	
S	L1500N 1300E	1	12	14	88	0.4	13	1	482	3.13	11	5	ND	ND	5	1	1	4	33	0.03	0.08	20	16	0.28	153	0.12	2.81	0.02	0.13	0.01	1	1	10	
S	L1500N 1320E	2	11	13	99	0.4	13	7	1255	3.17	30	5	ND	ND	5	1	1	3	31	0.03	0.09	24	14	0.21	162	0.09	2.07	0.02	0.10	0.01	1	1	110	
S	L1500N 1340E	1	13	11	99	0.6	13	2	732	2.95	25	5	ND	ND	5	1	1	4	27	0.03	0.11	21	15	0.21	140	0.10	3.80	0.02	0.11	0.01	1	1	180	
S	L1500N 1360E	1	17	17	126	0.6	17	5	1283	2.96	30	5	ND	ND	6	1	1	4	32	0.04	0.14	21	16	0.26	154	0.12	3.08	0.02	0.10	0.01	1	1	30	
S	L1500N 1380E	1	15	11	127	0.4	13	1	937	2.84	11	5	ND	ND	8	1	1	1	34	0.05	0.15	10	16	0.20	155	0.17	4.30	0.03	0.14	0.01	1	1	80	
S	L1500N 1400E	2	11	25	104	0.4	11	5	850	2.82	32	5	ND	ND	23	1	2	4	33	0.23	0.22	19	15	0.19	203	0.12	1.73	0.02	0.12	0.01	1	1	50	
S	L1550N 1200E	1	10	15	58	0.8	9	2	364	2.31	6	5	ND	ND	7	1	1	2	32	0.05	0.09	14	14	0.15	101	0.12	2.28	0.02	0.13	0.01	1	1	5	
S	L1550N 1220E	1	10	14	62	0.6	8	1	305	2.14	6	5	ND	ND	5	1	1	2	22	0.03	0.12	17	12	0.15	114	0.08	2.58	0.01	0.11	0.01	1	1	5	
S	L1550N 1240E	1	13	12	102	0.6	10	3	3444	2.49	5	5	ND	ND	8	1	1	1	35	0.06	0.17	13	14	0.18	281	0.15	2.34	0.02	0.10	0.01	1	1	5	
S	L1550N 1260E	1	14	20	149	0.4	11	5	7295	2.49	10	5	ND	ND	20	1	3	1	33	0.16	0.23	15	13	0.21	678	0.14	1.82	0.03	0.11	0.01	1	1	5	
S	L1550N 1280E	1	22	27	160	0.6	11	3	14960	2.52	11	5	ND	ND	23	1	4	1	36	0.23	0.18	13	12	0.20	704	0.10	1.70	0.05	0.15	0.01	1	1	5	
S	L1550N 1300E	1	29	31	102	0.6	9	9	7703	1.76	17	5	ND	ND	35	1	3	1	25	0.36	0.26	13	12	0.13	512	0.09	1.47	0.03	0.13	0.01	1	1	5	
S	L1550N 1320E	1	10	20	52	0.4	5	1	633	0.91	10	5	ND	ND	24	1	1	1	17	0.25	0.06	10	9	0.07	229	0.05	0.60	0.01	0.13	0.01	1	1	5	
S	L1550N 1340E	1	8	15	61	0.4	7	2	337	2.47	6	5	ND	ND	8	1	1	1	45	0.07	0.06	13	15	0.15	125	0.17	1.32	0.01	0.12	0.01	1	1	5	
S	L1550N 1360E	1	6	18	51	0.3	6	1	1147	1.88	5	5	ND	ND	7	1	1	1	32	0.05	0.09	20	13	0.13	142	0.12	1.14	0.01	0.09	0.01	1	1	30	
S	L1550N 1380E	2	10	16	61	0.4	7	1	341	4.49	12	5	ND	ND	10	2	2	4	51	0.10	0.34	5	17	0.12	98	0.26	3.96	0.03	0.08	0.01	1	1	5	
S	L1550N 1400E	2	16	47	293	0.6	13	11	13961	2.93	125	5	ND	ND	54	4	3	1	26	0.37	0.15	17	13	0.30	1147	0.06	1.63	0.05	0.10	0.01	4	1	5	
S	L1600N 1200E	2	10	13	60	0.6	6	1	291	3.31	8	5	ND	ND	6	1	2	5	43	0.05	0.15	7	15	0.10	71	0.15	3.99	0.02	0.09	0.01	1	1	5	
S	L1600N 1220E	1	11	1	34	0.4	4	1	200	3.37	4	5	ND	ND	5	1	1	5	44	0.03	0.13	5	15	0.07	55	0.19	6.58	0.03	0.11	0.01	1	1	5	
S	L1600N 1240E	1	10	10	58	0.3	7	1	728	2.77	4	5	ND	ND	6	1	1	3	44	0.04	0.10	9	15	0.14	111	0.19	3.86	0.03	0.12	0.01	1	1	5	
S	L1600N 1260E	1	13	11	59	0.3	9	1	268	3.21	8	5	ND	ND	8	1	1	3	46	0.06	0.16	8	16	0.13	77	0.20	4.49	0.03	0.13	0.01	1	1	5	
S	L1600N 1280E	1	13	13	75	0.3	11	1	609	2.90	6	5	ND	ND	6	1	1	3	42	0.04	0.11	10	16	0.15	113	0.19	3.81	0.03	0.12	0.01	1	1	60	
S	L1600N 1300E	1	13	18	77	0.4	11	3	687	2.73	12	5	ND	ND	5	1	3	4	31	0.03	0.08	18	15	0.19	117	0.10	2.92	0.02	0.11	0.01	1	1	30	
S	L1600N 1320E	1	9	21	63	0.3	9	5	1547	2.60	13	5	ND	ND	6	1	1	3	33	0.05	0.04	23	14	0.19	105	0.07	1.36	0.01	0.12	0.01	1	1	80	
S	L1600N 1340E	1	11	37	63	0.4	8	3	1902	2.21	9	5	ND	ND	11	1	1	2	44	0.08	0.05	16	14	0.12	193	0.12	1.10	0.02	0.10	0.01	1	1	50	
S	L1600N 1360E	1	14	22	96	0.4	12	1	782	2.81	15	5	ND	ND	6	1	1	1	36	0.04	0.13	12	16	0.20	101	0.14	3.36	0.03	0.11	0.01	1	1	10	
S	L1600N 1380E	1	6	18	43	0.2	6	3	414	2.56	17	5	ND	ND	5	1	1	1	38	0.02	0.13	16	12	0.08	108	0.11	1.62	0.02	0.10	0.01	2	1	5	
S	L1600N 1400E	1	12	24	111	0.3	9	8	1683	2.49	28	5	ND	ND	6	1	3	2	29	0.04	0.30	14	13	0.16	224	0.12	2.21	0.02	0.13	0.01	3	1	5	
S	L1650N 1200E	1	14	15	60	0.2	8	7	450	2.02	13	5	ND	ND	5	1	1	1	25	0.05	0.10	17	14	0.11	85	0.10	2.06	0.01	0.14	0.01	1	1	5	
S	L1650N 1220E	1	7	11	43	0.1	8	2	164	2.63	10	5	ND	ND	5	1	1	1	45	0.03	0.11	12	13	0.10	68	0.14	1.23	0.01	0.11	0.01	1	1	5	
S	L1650N 1240E	1	7	17	45	0.1	7	2	255	2.69	9	5	ND	ND	5	1	2	1	54	0.03	0.06	10	13	0.09	78	0.20	1.06	0.02	0.10	0.01	1	1	5	
S	L1650N 1260E	1	13	19	68	0.2	11	9	651	2.07	15	5	ND	ND	5	1	3	1	19	0.03	0.06	25	13	0.23	105	0.07	1.44	0.01	0.12	0.01	1	1	5	
S	L1650N 1280E	1	6	10	58	0.2	6	1	541	2.18	7	5	ND	ND	6	1	1	1	33	0.05	0.18	6	13	0.07	90	0.15	3.48	0.02	0.12	0.01	1	1	5	
S	L1650N 1300E	1	7	15	53	0.1	7	1	455	2.73	7	5	ND	ND	4	1	1	1	44	0.03	0.08	8	14	0.11	84	0.18	2.70	0.02	0.10	0.01	1	1	5	
S	L1650N 1320E	1	10	14	73	0.6	10	7	701	2.67	14	5	ND	ND	6	1	3	1	35	0.05	0.06	21	15	0.17	125	0.08	1.84	0.02	0.09	0.01	2	1	30	
S	L1650N 1340E	1	7	16	52	0.6	7	3	682	2.51	16	5	ND	ND	5	1	1	1	31	0.04	0.05	26	13	0.15	111	0.07	1.14	0.01	0.11	0.01	1	1	5	

CERTIFIED BY:





# ROSSBACHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS

2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252


To : RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.

Project: BLUE ROBIN  
Type of Analysis: ICP

Certificate: 93130 B1  
Invoice: 40187  
Date Entered: 93-08-14  
File Name: RAM93130.B1  
Page No.: 1

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MG	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPB AU	PPB AA
S	L1650N 1360E	1	12	17	68	0.6	8	9	518	1.98	17	5	ND	ND	4	1	5	1	23	0.03	0.10	11	10	0.13	80	0.09	2.33	0.01	0.11	0.01	8	1	10	
S	L1650N 1380E	1	9	18	62	0.3	7	7	253	2.42	15	5	ND	ND	13	1	1	1	34	0.14	0.07	17	15	0.12	103	0.10	0.97	0.01	0.10	0.01	3	1	20	
S	L1650N 1400E	1	13	44	63	0.5	10	5	296	2.77	26	5	ND	ND	9	1	1	1	38	0.07	0.05	15	15	0.16	104	0.15	1.40	0.02	0.12	0.01	3	1	5	
S	L1700N 1200E	2	23	11	49	0.3	6	6	270	2.75	5	5	ND	ND	5	1	4	1	37	0.03	0.18	6	12	0.10	62	0.18	4.96	0.03	0.10	0.01	7	1	5	
S	L1700N 1220E	1	12	14	49	0.2	7	7	501	2.04	8	5	ND	ND	7	1	3	1	31	0.05	0.12	10	12	0.13	80	0.12	2.96	0.02	0.11	0.01	5	1	5	
S	L1700N 1240E	1	6	13	38	0.2	6	2	1748	1.10	2	5	ND	ND	8	1	1	1	25	0.05	0.04	11	10	0.06	166	0.09	0.78	0.02	0.14	0.01	1	1	5	
S	L1700N 1260E	1	13	1	39	0.3	5	10	351	2.02	2	5	ND	ND	5	1	1	1	25	0.03	0.19	4	12	0.08	38	0.15	6.93	0.04	0.12	0.01	7	1	5	
S	L1700N 1280E	2	12	13	93	0.3	10	9	681	2.78	3	5	ND	ND	8	1	3	1	39	0.05	0.08	11	15	0.22	125	0.13	3.29	0.03	0.13	0.01	5	1	5	
S	L1700N 1300E	1	15	17	79	0.4	9	5	326	2.98	6	5	ND	ND	6	1	4	1	42	0.03	0.09	11	15	0.17	85	0.12	3.32	0.02	0.10	0.01	5	1	5	
S	L1700N 1320E	1	14	15	53	0.3	7	6	368	2.41	9	5	ND	ND	4	1	3	1	34	0.03	0.08	10	12	0.13	84	0.12	2.76	0.02	0.10	0.01	3	1	5	
S	L1700N 1340E	1	12	9	60	0.2	8	1	223	2.51	2	5	ND	ND	5	1	5	3	34	0.03	0.09	5	12	0.12	93	0.16	4.72	0.02	0.10	0.01	7	1	30	
S	L1700N 1360E	1	9	11	45	0.4	8	1	240	2.27	28	5	ND	ND	5	1	1	1	13	0.03	0.03	31	10	0.22	48	0.03	1.09	0.01	0.09	0.01	1	1	130	
S	L1700N 1380E	1	7	12	51	0.5	7	2	403	2.36	16	5	ND	ND	4	1	1	1	25	0.02	0.04	23	12	0.18	67	0.06	1.52	0.01	0.09	0.01	2	1	40	
S	L1700N 1400E	1	9	16	43	0.2	7	5	206	3.49	16	5	ND	ND	7	1	6	1	37	0.05	0.08	20	11	0.19	56	0.08	1.98	0.01	0.09	0.01	3	1	5	
S	L1750N 1200E	1	15	11	39	0.2	6	2	176	2.47	8	5	ND	ND	12	1	4	1	35	0.08	0.11	16	12	0.12	93	0.17	3.36	0.03	0.10	0.01	4	1	5	
S	L1750N 1220E	1	8	6	47	0.3	9	8	270	2.24	5	5	ND	ND	5	1	1	1	19	0.02	0.08	17	10	0.21	60	0.06	1.16	0.01	0.12	0.01	1	1	5	
S	L1750N 1240E	1	10	9	43	0.2	5	9	223	2.96	4	5	ND	ND	5	1	4	1	46	0.03	0.20	4	11	0.09	64	0.18	3.97	0.03	0.10	0.01	3	1	5	
S	L1750N 1260E	1	14	3	37	0.2	4	5	231	2.37	3	5	ND	ND	4	1	1	1	33	0.02	0.13	3	12	0.07	37	0.16	6.56	0.03	0.12	0.01	8	1	5	
S	L1750N 1280E	1	12	18	57	0.1	8	6	1461	2.92	17	5	ND	ND	5	1	2	1	39	0.03	0.08	18	12	0.17	104	0.11	2.71	0.02	0.12	0.01	3	1	20	
S	L1750N 1300E	1	13	4	41	0.2	6	2	274	2.39	5	5	ND	ND	4	1	2	1	32	0.02	0.10	7	12	0.10	56	0.15	5.04	0.03	0.11	0.01	5	1	5	
S	L1750N 1320E	2	14	10	60	0.2	8	2	583	2.10	8	5	ND	ND	5	1	3	1	30	0.03	0.07	9	12	0.14	88	0.11	3.34	0.01	0.13	0.01	3	1	120	
S	L1750N 1340E	1	7	16	42	0.2	7	1	214	2.41	9	5	ND	ND	5	1	1	1	40	0.03	0.04	18	12	0.14	69	0.12	1.64	0.01	0.12	0.01	1	1	320	
S	L1750N 1360E	1	11	16	44	0.3	10	2	141	1.88	25	5	ND	ND	2	1	1	1	11	0.01	0.02	27	10	0.20	53	0.03	1.43	0.01	0.14	0.01	1	1	90	
S	L1750N 1380E	1	5	9	26	0.3	4	5	103	1.70	9	5	ND	ND	3	1	1	1	25	0.01	0.03	26	9	0.09	37	0.05	0.96	0.01	0.15	0.01	1	1	50	
S	L1750N 1400E	1	14	25	43	0.3	4	4	180	2.91	5	5	ND	ND	5	1	1	1	36	0.03	0.07	6	13	0.10	53	0.15	5.56	0.03	0.12	0.01	6	1	5	
S	L1800N 1200E	1	13	10	67	0.2	8	1	557	3.10	5	5	ND	ND	6	1	1	1	44	0.04	0.17	10	14	0.16	116	0.17	3.53	0.02	0.10	0.01	4	1	5	
S	L1800N 1220E	2	15	18	36	0.3	7	1	866	2.49	10	5	ND	ND	11	1	1	1	38	0.07	0.06	12	13	0.12	122	0.20	1.91	0.03	0.13	0.01	3	1	5	
S	L1800N 1240E	1	8	13	45	0.2	7	1	343	2.48	5	5	ND	ND	17	1	1	1	31	0.14	0.05	21	11	0.19	100	0.10	1.12	0.01	0.14	0.01	1	1	5	
S	L1800N 1260E	1	10	10	46	0.2	5	2	759	1.84	2	5	ND	ND	4	1	3	1	33	0.03	0.04	9	11	0.09	77	0.13	2.32	0.02	0.13	0.01	3	1	5	
S	L1800N 1280E	1	12	6	37	0.1	5	2	231	2.32	2	5	ND	ND	5	1	1	1	36	0.03	0.10	5	12	0.10	52	0.16	4.44	0.03	0.12	0.01	3	1	5	
S	L1800N 1300E	1	6	4	18	0.1	3	4	90	0.95	8	5	ND	ND	3	1	1	1	15	0.01	0.02	27	5	0.04	26	0.02	0.58	0.01	0.10	0.01	1	1	150	
S	L1800N 1320E	2	21	13	48	0.1	8	9	475	2.23	7	5	ND	ND	5	1	4	1	32	0.03	0.09	10	12	0.15	74	0.13	3.54	0.02	0.10	0.01	6	1	5	
S	L1800N 1340E	2	12	22	60	0.1	8	9	356	2.96	8	5	ND	ND	6	1	6	1	50	0.04	0.06	11	13	0.15	85	0.18	2.66	0.02	0.10	0.01	6	1	5	
S	L1800N 1360E	1	15	17	50	0.1	8	2	685	1.83	15	5	ND	ND	4	1	5	1	22	0.02	0.05	20	10	0.15	98	0.08	3.19	0.01	0.11	0.01	5	1	30	
S	L1800N 1380E	1	12	18	55	0.1	6	5	377	2.50	8	5	ND	ND	7	1	3	1	37	0.05	0.07	10	12	0.11	92	0.15	3.52	0.03	0.12	0.01	5	1	50	
S	L1800N 1400E	1	12	19	71	0.1	8	3	459	2.59	14	5	ND	ND	6	1	4	1	35	0.03	0.09	16	12	0.17	93	0.10	2.09	0.01	0.09	0.01	3	1	20	
S	L1850N 1200E	1	13	6	51	0.1	5	4	206	2.38	2	5	ND	ND	5	1	1	2	37	0.03	0.17	5	12	0.11	76	0.18	4.66	0.03	0.09	0.01	7	1	5	
S	L1850N 1220E	2	14	23	46	0.1	6	7	506	3.59	14	5	ND	ND	16	1	2	1	54	0.13	0.10	7	10	0.11	112	0.27	1.58	0.02	0.08	0.01	3	1	5	
S	L1850N 1240E	1	9	16	36	0.1	6	9	210	2.67	5	5	ND	ND	11	1	3	1	40	0.08	0.04	9	11	0.10	100	0.16	1.88	0.02	0.10	0.01	4	1	5	
S	L1850N 1260E	1	8	9	39	0.1	6	6	193	1.89	5	5	ND	ND	4	1	1	1	25	0.03	0.04	14	9	0.14	49	0.09	1.00	0.01	0.12	0.01	1	1	10	

CERTIFIED BY:



# ROSSBACHER LABORATORY LTD.

## CERTIFICATE OF ANALYSIS

2225 Springer Ave., Burnaby,  
British Columbia, Can. V5B 3N1  
Ph:(604)299-6910 Fax:299-6252

To: RAMROD GOLD CORP.,  
# 104 135 10th Ave. South  
Cranbrook, B.C.

Project: BLUE ROBIN  
Type of Analysis: ICP

Certificate: 93130 B1  
Invoice: 40187  
Date Entered: 93-08-14  
File Name: RAM93130.B1  
Page No.: 2

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AC	PPM NI	PPM CO	PPM MN	% FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	% CA	% P	PPM LA	PPM CR	% MC	PPM BA	% TI	% AL	% NA	% K	% SI	PPM W	PPM BE	PPB AU	PPB AA
S	L1850N 1280E	1	8	11	48	0.2	5	8	1092	2.59	6	5	ND	ND	5	1	2	1	36	0.03	0.09	14	11	0.12	130	0.08	2.35	0.01	0.11	0.01	5	1	40	
S	L1850N 1300E	2	23	11	62	0.1	8	9	351	2.49	11	5	ND	ND	4	1	3	1	26	0.02	0.13	7	13	0.16	62	0.12	5.81	0.02	0.15	0.01	6	1	5	
S	L1850N 1320E	2	17	13	63	0.1	8	2	351	3.13	5	5	ND	ND	5	1	1	1	35	0.02	0.08	9	14	0.15	76	0.13	4.95	0.02	0.12	0.01	5	1	5	
S	L1850N 1340E	1	11	15	58	0.4	8	1	549	2.20	16	5	ND	ND	4	1	2	1	24	0.03	0.06	22	11	0.15	95	0.06	2.18	0.01	0.13	0.01	3	1	50	
S	L1850N 1360E	1	13	16	70	0.5	8	2	450	2.75	7	5	ND	ND	7	1	4	1	37	0.04	0.14	5	12	0.13	77	0.19	4.95	0.03	0.14	0.01	3	1	5	
S	L1850N 1380E	1	18	18	80	0.6	10	9	360	2.36	8	5	ND	ND	7	1	1	1	34	0.04	0.12	8	13	0.16	114	0.17	5.13	0.03	0.12	0.01	3	1	5	
S	L1850N 1400E	1	8	17	41	0.3	6	7	150	2.53	8	5	ND	ND	5	1	1	1	41	0.02	0.04	14	10	0.10	69	0.15	1.54	0.02	0.12	0.01	1	1	5	
S	L1900N 1200E	2	43	17	44	0.3	12	3	176	2.12	21	5	ND	ND	8	1	2	1	30	0.05	0.06	36	23	0.10	81	0.17	3.46	0.03	0.13	0.01	3	2	5	
S	L1900N 1220E	2	14	11	32	0.2	4	4	184	2.72	7	5	ND	ND	9	1	1	1	39	0.06	0.08	6	11	0.07	52	0.19	4.09	0.03	0.12	0.01	4	1	5	
S	L1900N 1240E	3	21	23	29	0.4	5	2	197	2.10	12	5	ND	ND	9	1	4	1	30	0.05	0.06	16	10	0.12	68	0.13	2.34	0.02	0.14	0.01	3	1	5	
S	L1900N 1260E	1	11	10	43	0.3	5	5	240	2.66	5	5	ND	ND	4	1	4	1	38	0.03	0.07	7	11	0.10	64	0.14	3.72	0.02	0.15	0.01	5	1	5	
S	L1900N 1280E	1	14	13	51	0.2	4	6	420	2.78	6	5	ND	ND	4	1	1	1	35	0.03	0.17	5	13	0.10	58	0.16	6.17	0.03	0.12	0.01	8	1	5	
S	L1900N 1300E	1	9	13	39	0.4	5	2	236	2.80	7	5	ND	ND	6	1	2	1	46	0.04	0.05	12	11	0.10	61	0.15	1.77	0.02	0.11	0.01	2	1	20	
S	L1900N 1320E	1	11	21	64	0.2	8	3	1041	2.85	8	5	ND	ND	5	1	3	1	40	0.03	0.10	18	12	0.20	130	0.12	1.87	0.02	0.11	0.01	3	1	5	
S	L1900N 1340E	1	11	20	58	0.2	7	1	223	3.12	14	5	ND	ND	4	1	1	1	37	0.02	0.06	17	11	0.16	86	0.10	2.74	0.02	0.10	0.01	4	1	5	
S	L1900N 1360E	1	10	40	48	0.3	6	1	184	2.79	11	5	ND	ND	4	1	2	1	31	0.02	0.05	20	12	0.15	71	0.07	2.42	0.01	0.11	0.01	4	1	5	
S	L1900N 1380E	1	14	59	82	0.4	8	2	510	4.09	15	5	ND	ND	6	1	1	2	40	0.03	0.18	8	14	0.15	72	0.13	5.74	0.03	0.13	0.01	7	1	5	
S	L1900N 1400E	1	13	11	45	0.6	5	4	184	2.93	11	5	ND	ND	4	1	1	1	34	0.02	0.10	7	13	0.09	61	0.12	4.96	0.03	0.12	0.01	4	1	5	
S	L1950N 1200E	1	5	10	18	0.2	2	3	81	1.17	2	5	ND	ND	4	1	1	1	34	0.02	0.03	5	8	0.04	56	0.16	1.00	0.01	0.10	0.01	1	1	5	
S	L1950N 1220E	1	7	4	49	0.2	7	5	274	1.88	6	5	ND	ND	3	1	2	1	23	0.02	0.12	7	9	0.15	66	0.08	2.78	0.01	0.10	0.01	5	1	40	
S	L1950N 1240E	1	8	10	40	0.2	7	8	154	2.06	8	5	ND	ND	3	1	1	1	19	0.01	0.05	19	9	0.21	41	0.04	1.26	0.01	0.11	0.01	1	1	5	
S	L1950N 1260E	1	14	6	42	0.2	5	7	206	2.33	5	5	ND	ND	5	1	3	1	35	0.03	0.15	4	11	0.08	47	0.16	5.02	0.03	0.12	0.01	8	1	5	
S	L1950N 1280E	1	17	5	54	0.3	7	6	188	2.71	4	5	ND	ND	5	1	1	2	31	0.03	0.23	5	12	0.12	60	0.17	7.06	0.03	0.14	0.01	10	1	5	
S	L1950N 1300E	1	12	24	45	0.8	5	5	231	2.67	5	5	ND	ND	5	1	3	1	39	0.03	0.04	11	12	0.12	70	0.11	1.82	0.01	0.12	0.01	4	1	30	
S	L1950N 1320E	1	19	58	66	0.4	9	4	223	2.36	13	5	ND	ND	5	1	3	1	28	0.03	0.06	14	12	0.18	105	0.09	3.49	0.02	0.13	0.01	5	1	40	
S	L1950N 1340E	1	11	13	62	0.4	9	5	304	2.18	11	5	ND	ND	6	1	1	1	21	0.04	0.06	21	11	0.22	95	0.04	1.90	0.01	0.12	0.01	4	1	5	
S	L1950N 1360E	1	12	19	61	0.6	6	6	441	3.03	13	5	ND	ND	5	1	6	1	29	0.03	0.17	9	13	0.13	77	0.11	4.97	0.02	0.10	0.01	5	1	5	
S	L1950N 1380E	1	11	32	56	0.6	7	3	180	2.84	15	5	ND	ND	3	1	3	1	28	0.02	0.06	18	13	0.15	71	0.06	2.63	0.01	0.10	0.01	5	1	5	
S	L1950N 1400E	1	9	23	53	0.4	7	2	249	5.11	24	5	ND	ND	4	1	3	1	40	0.01	0.09	22	13	0.21	55	0.05	1.70	0.02	0.12	0.01	2	1	5	
S	L2000N 1200E	2	8	9	44	0.3	6	4	274	2.50	6	5	ND	ND	6	1	7	1	39	0.04	0.15	5	11	0.10	61	0.17	2.87	0.02	0.10	0.01	7	1	10	
S	L2000N 1220E	2	13	8	36	0.4	6	6	428	2.28	5	5	ND	ND	9	1	4	1	32	0.06	0.16	6	10	0.08	69	0.17	4.96	0.03	0.10	0.01	6	1	5	
S	L2000N 1240E	1	10	7	51	0.4	7	4	1088	2.00	2	5	ND	ND	6	1	4	1	30	0.04	0.11	6	10	0.11	108	0.14	3.44	0.03	0.10	0.01	4	1	10	
S	L2000N 1260E	1	12	6	51	0.2	8	8	433	1.99	9	5	ND	ND	5	1	1	1	23	0.03	0.10	11	10	0.13	76	0.10	3.92	0.02	0.12	0.01	5	1	5	
S	L2000N 1280E	2	14	17	32	0.5	6	6	184	3.27	5	5	ND	ND	6	1	2	1	48	0.04	0.06	11	10	0.08	85	0.17	3.24	0.02	0.13	0.01	2	1	5	
S	L2000N 1300E	2	28	34	53	0.3	10	5	484	2.32	12	5	ND	ND	8	1	3	1	33	0.04	0.05	19	13	0.21	133	0.12	2.15	0.02	0.12	0.01	4	1	5	
S	L2000N 1320E	1	11	15	61	0.4	10	7	244	4.93	21	5	ND	ND	5	1	1	1	41	0.02	0.07	21	12	0.20	66	0.11	1.55	0.01	0.14	0.01	2	1	20	
S	L2000N 1340E	1	6	13	38	0.4	7	6	197	2.97	12	5	ND	ND	7	1	1	1	40	0.05	0.04	20	10	0.11	78	0.11	1.05	0.01	0.14	0.01	1	1	20	
S	L2000N 1360E	1	12	12	63	0.6	7	9	518	2.13	8	5	ND	ND	4	1	1	1	26	0.02	0.08	13	11	0.13	85	0.09	3.34	0.02	0.12	0.01	4	1	30	
S	L2000N 1380E	1	7	18	36	0.2	5	6	184	3.31	16	5	ND	ND	4	1	1	1	45	0.01	0.05	19	9	0.12	58	0.09	1.39	0.01	0.10	0.01	1	1	10	
S	L2000N 1400E	1	7	11	33	0.4	5	7	167	1.71	9	5	ND	ND	4	1	1	1	22	0.02	0.04	19	9	0.13	50	0.05	1.51	0.01	0.10	0.01	2	1	5	

CERTIFIED BY: