

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION	1
LOCATION AND ACCESS	1
CLAIM STATUS	2
HISTORY	9
REGIONAL GEOLOGICAL SETTING	9
GEOLOGY CAPSULIZED	9
EXPLORATION TARGET	10
1994 DIAMOND DRILLING PROGRAM	11
SUMMARY AND CONCLUSIONS	14
STATEMENT OF 1994 EXPENDITURES	15
REFERENCES	16
CERTIFICATE OF QUALIFICATIONS	18

LIST OF APPENDICES

Appendix I
Appendix II
Appendix III

Drill Hole Assays
Assay Certificates
Lithologic Drill Logs

LIST OF TABLES

<u>Table No.</u>	<u>Description</u>	<u>Page</u>
1	Summary of Claims	2
2	List of Claims	3
3	1994 Drill Hole Summary	11
4	Summary of 1994 Drill Hole Results	13

LIST OF FIGURES

<u>Figure No.</u>	<u>Map</u>	<u>After Page</u>
1	District Map	1
2	Area Map	1
3	Location Map	1
4	Claim Map	2
5	Drill Hole Plan	11

LIST OF MAPS

<u>Map No.</u>	<u>Map</u>	<u>Scale</u>
1	Drill Hole Plan	1:2,000
2	Drill Section 50,000 E	1:2,000
3	Drill Section 50,070 E	1:2,000
4	Drill Section 50,130 E	1:2,000
5	Drill Section 50,250 E	1:2,000
6	Drill Section 50,680 E	1:2,000
7	Drill Section 50,740 E	1:2,000
8	Drill Section 50,800 E	1:2,000
9	Drill Section 50,870 E	1:2,000

INTRODUCTION

American Bullion Minerals Ltd. acquired the rights to an 80 percent interest in the Red Chris Property in late 1993 and initiated a 15,000 metre diamond drilling program in June, 1994 to expand the reserve potential of copper-gold porphyry mineralization. Results from over 100 holes drilled 20 years ago by earlier workers indicate the deposit may have potential to be one of the highest grade copper-gold porphyries in British Columbia.

During the period June 27th to August 15, 1994, the company completed 13 drill holes for a total of 4,562 metres. This report summarizes results from drill holes 94-75 to 94-87.

Along with discussion of results are plan maps and cross sections showing location of the drill holes and general geological units intersected.

The 1994 drill hole results reported here are the initial portion of a major drilling campaign to delineate a reserve of porphyry copper-gold mineralization on the Red Chris Project.


LOCATION AND ACCESS

Claim location data can be briefly summarized as follows:

Mining Division:	Liard
N.T.S.:	104 H/12W
Latitude:	57° 45' N
Longitude:	129° 45' W
Location:	15 km S.E. of Iskut, B.C.


The project is well located being approximately 10 km east of the Stewart-Cassiar highway and 8 km south of the Klappan coal road, the B.C. Rail route lies 10 km to the east. The B.C. Hydro grid upgrade, currently under review along the Stewart-Cassiar corridor, could place inexpensive power a few kilometres from a minesite. The Red Chris Property is centred at latitude 57° 45' N and 129° 45' W in the Liard Mining Division approximately 15 kilometres southeast of Iskut and 290 kilometres north of the port of Stewart, British Columbia. (See Figures 1 & 2)

Current access is by helicopter from Iskut, B.C. The existing tote trail from the Klappan coal access road was used for mobilization of the drill rigs. Plans are being formulated to re-survey the tote road and request the road be upgraded to all weather to provide road access to the project for the 1995 season.




AMERICAN BULLION MINERALS LTD.

FIGURE 1



LEGEND


- Highway
- Industrial Road
- +— Railway
- - - 1992 B.C. Rail Extension
- ▲ Operating Mine
- Mine Development Project
- ✈ Airstrip



AMERICAN BULLION MINERALS LTD.
RED-CHRIS GOLD-COPPER PORPHYRY DEPOSIT

AREA MAP

FIGURE 2



AMERICAN BULLION MINERALS LTD.
 RED-CHRIS GOLD-COPPER PORPHYRY DEPOSITS

LOCATION MAP

FIGURE 3

CLAIM STATUS

The 70 square kilometre Red Chris Property is comprised of 311 claim units as summarized in the following Table 1. The present outline of the claims may be noted on the Location Map (Figure 3) and the Claim Map (Figure 4).

TABLE 1

TABLE SUMMARIZING CLAIM STATUS

<u>Claim Type</u>	<u>No. of Claims</u>	<u>No. of Units</u>
Two post	120	120
Fractional claims	8	8
Modified Grid	17	183
TOTAL	<u>145</u>	<u>311</u>

The following Table 2 lists all claims included within the Red Chris Property along with all pertinent information.

TABLE 2

RED CHRIS PROJECT

CLAIMS LIST

Claim Number	Units	Record Number	Tenure Number	Record Date	Expiry Date
Capricorn	12	146	221682	July 7, 1976	July 7, 2000
Chris North	4	32	221642	Aug. 13, 1975	Aug 13, 2000
Chris 01	1	31156	226748	Aug 24, 1968	Aug 24, 2000
Chirs 02	1	31157	226749	Aug 24, 1968	Aug 24, 2000
Chris 03	1	31158	226750	Aug 24, 1968	Aug 24, 2000
Chris 04	1	31159	226751	Aug 24, 1968	Aug 24, 2000
Chris 05	1	31160	226752	Aug 24, 1968	Aug 24, 2000
Chris 06	1	31161	226753	Aug 24, 1968	Aug 24, 2000
Chris 07	1	31162	226754	Aug 24, 1968	Aug 24, 2000
Chris 08	1	31163	226755	Aug 24, 1968	Aug 24, 2000
Chris 09	1	31164	226756	Aug 24, 1968	Aug 24, 2000
Chris 10	1	31165	226757	Aug 24, 1968	Aug 24, 2000
Chris 11	1	31166	226758	Aug 24, 1968	Aug 24, 2000
Chris 12	1	31167	226759	Aug 24, 1968	Aug 24, 2000
Chris 13	1	31168	226760	Aug 24, 1968	Aug 24, 2000
Chris 14	1	31169	306684	Aug 24, 1968	Aug 24, 2000
Chris 15	1	31170	226761	Aug 24, 1968	Aug 24, 2000
Chris 16	1	31171	226762	Aug 24, 1968	Aug 24, 2000
Chris 17	1	31172	226763	Aug 24, 1968	Aug 24, 2000
Chris 18	1	31173	226764	Aug 24, 1968	Aug 24, 2000
Chris 19	1	31174	226765	Aug 24, 1968	Aug 24, 2000

Claim Number	Units	Record Number	Tenure Number	Record Date	Expiry Date
Chris 20	1	31175	226766	Aug 24, 1968	Aug 24, 2000
Chris 21	1	31176	226767	Aug 24, 1968	Aug 24, 2000
Chris 22	1	31177	226768	Aug 24, 1968	Aug 24, 2000
Chris 23	1	31178	226769	Aug 24, 1968	Aug 24, 2000
Chris 24	1	31179	226770	Aug 24, 1968	Aug 24, 2000
Cougar 1	1	71985	228048	Aug 29, 1974	Aug 29, 2000
Cougar 2	1	71986	228049	Aug 29, 1974	Aug 29, 2000
Cougar 3	1	71987	228050	Aug 29, 1974	Aug 29, 2000
Cougar 4	1	71988	228051	Aug 29, 1974	Aug 29, 2000
Cougar 5	1	71989	228052	Aug 29, 1974	Aug 29, 2000
Cougar 6	1	72180	228060	Aug 29, 1974	Aug 29, 2000
Cougar 7	1	71990	228053	Aug 29, 1974	Aug 29, 2000
Cougar 8	1	71991	228054	Aug 29, 1974	Aug 29, 2000
Money 01	1	34011	226792	Sep 30, 1968	Sep 30, 2000
Money 02	1	34012	226793	Sep 30, 1968	Sep 30, 2000
Money 03	1	34013	226794	Sep 30, 1968	Sep 30, 2000
Money 04	1	34014	226795	Sep 30, 1968	Sep 30, 2000
Money 05	1	34015	226796	Sep 30, 1968	Sep 30, 2000
Money 06	1	31016	226797	Sep 30, 1968	Sep 30, 2000
Money 07	1	34017	226798	Sep 30, 1968	Sep 30, 2000
Money 08	1	34018	226799	Sep 30, 1968	Sep 30, 2000
Money 09	1	34019	226800	Sep 30, 1968	Sep 30, 2000
Money 10	1	34020	226801	Sep 30, 1968	Sep 30, 2000
Money 11	1	34021	226802	Sep 30, 1968	Sep 30, 2000
Money 12	1	34022	226803	Sep 30, 1968	Sep 30, 2000
Money 13	1	34023	226804	Sep 30, 1968	Sep 30, 2000

Claim Number	Units	Record Number	Tenure Number	Record Date	Expiry Date
Money 14	1	34024	226805	Sep 30, 1968	Sep 30, 2000
Money 15	1	34025	226806	Sep 30, 1968	Sep 30, 2000
Money 16	1	34026	226807	Sep 30, 1968	Sep 30, 2000
Money 17	1	34027	226808	Sep 30, 1968	Sep 30, 2000
Money 18	1	34028	226809	Sep 30, 1968	Sep 30, 2000
Money 19	1	34029	226810	Sep 30, 1968	Sep 30, 2000
Money 20	1	34030	226811	Sep 30, 1968	Sep 30, 2000
Money 21	1	34031	226812	Sep 30, 1968	Sep 30, 2000
Money 22	1	34032	226813	Sep 30, 1968	Sep 30, 2000
Money 23	1	34033	226814	Sep 30, 1968	Sep 30, 2000
Money 24	1	34034	226815	Sep 30, 1968	Sep 30, 2000
Money 25	1	34035	226816	Sep 30, 1968	Sep 30, 2000
Money 26	1	34036	226817	Sep 30, 1968	Sep 30, 2000
Money 27	1	34037	226818	Sep 30, 1968	Sep 30, 2000
Money 28	1	34038	226819	Sep 30, 1968	Sep 30, 2000
Money 29	1	34039	226820	Sep 30, 1968	Sep 30, 2000
Money 30	1	34040	226821	Sep 30, 1968	Sep 30, 2000
Money 32	1	34042	226822	Sep 30, 1968	Sep 30, 2000
Money 34	1	34044	226823	Sep 30, 1968	Sep 30, 2000
Money 36	1	34046	226824	Sep 30, 1968	Sep 30, 2000
Money 38	1	34048	226825	Sep 30, 1968	Sep 30, 2000
Money 40	1	34050	226826	Sep 30, 1968	Sep 30, 2000
Money 41	1	34051	226827	Sep 30, 1968	Sep 30, 2000
Money 42	1	34052	226828	Sep 30, 1968	Sep 30, 2000
Money 43	1	34053	226829	Sep 30, 1968	Sep 30, 2000
Money 44	1	34054	226830	Sep 30, 1968	Sep 30, 2000
Money 45	1	34055	226831	Sep 30, 1968	Sep 30, 2000

Claim Number	Units	Record Number	Tenure Number	Record Date	Expiry Date
Money 46	1	34056	226832	Sep 30, 1968	Sep 30, 2000
Money 47	1	34057	226833	Sep 30, 1968	Sep 30, 2000
Money 48	1	34058	226834	Sep 30, 1968	Sep 30, 2000
Money 49	1	34059	226835	Sep 30, 1968	Sep 30, 2000
Money 50	1	34060	226836	Sep 30, 1968	Sep 30, 2000
Money 51	1	34061	226837	Sep 30, 1968	Sep 30, 2000
Money 52	1	34062	226838	Sep 30, 1968	Sep 30, 2000
Money 53	1	34063	226839	Sep 30, 1968	Sep 30, 2000
Money 54	1	34064	306687	Sep 30, 1968	Sep 30, 2000
Money 55	1	34065	226840	Sep 30, 1968	Sep 30, 2000
Money 56	1	34066	226841	Sep 30, 1968	Sep 30, 2000
Money 57	1	34067	226842	Sep 30, 1968	Sep 30, 2000
Money 58	1	34068	226843	Sep 30, 1968	Sep 30, 2000
Money 59	1	34069	226844	Sep 30, 1968	Sep 30, 2000
Money 61	1	34071	226845	Sep 30, 1968	Sep 30, 2000
Money 63	1	34073	306685	Sep 30, 1968	Sep 30, 2000
Pisces	4	144	221680	July 7, 1974	July 7, 2000
Raf 1	1	71523	227970	July 31, 1974	July 31, 2000
Raf 2	1	71524	227971	July 31, 1974	July 31, 2000
Raf 3	1	71525	227972	July 31, 1974	July 31, 2000
Raf 4	1	71526	227973	July 31, 1974	July 31, 2000
Raf 5	1	71527	227974	July 31, 1974	July 31, 2000
Raf 6	1	71528	227975	July 31, 1974	July 31, 2000
RC-1	20	323337	323337	Jan 11, 1994	Jan 11, 2001
RC-2	16	323338	323338	Jan 14, 1994	Jan 14, 2001
RC-3	12	323339	323339	Jan 12, 1994	Jan 12, 2001
RC-4	20	323340	323340	Jan 17, 1994	Jan 17, 2001

Claim Number	Units	Record Number	Tenure Number	Record Date	Expiry Date
RC-5	8	323341	323341	Jan 16, 1994	Jan 16, 2001
RC-6	18	323342	323342	Jan 18, 1994	Jan 18, 1995
RC-7	14	323343	323343	Jan 18, 1994	Jan 18, 1995
Red North	8	31	221641	Aug 13, 1975	Aug 13, 2000
Red South	8	28	221638	Aug 13, 1975	Aug 13, 2000
Red 04	1	45616	227043	Aug 5, 1970	Aug 5, 2000
Red 05	1	45617	227044	Aug 5, 1970	Aug 5, 2000
Red 06	1	45618	227045	Aug 5, 1970	Aug 5, 2000
Red 07	1	45619	227046	Aug 5, 1970	Aug 5, 2000
Red 08	1	45620	227047	Aug 5, 1970	Aug 5, 2000
Red 09	1	45621	227048	Aug 5, 1970	Aug 5, 2000
Red 10	1	45622	227049	Aug 5, 1970	Aug 5, 2000
Red 11	1	45623	227050	Aug 5, 1970	Aug 5, 2000
Red 12	1	45624	227051	Aug 5, 1970	Aug 5, 2000
Red 13	1	45625	227052	Aug 5, 1970	Aug 5, 2000
Red 14	1	45626	227053	Aug 5, 1970	Aug 5, 2000
Red 15	1	45627	227054	Aug 5, 1970	Aug 5, 2000
Red 16	1	45628	227055	Aug 5, 1970	Aug 5, 2000
Red 17	1	45629	227056	Aug 5, 1970	Aug 5, 2000
Red 18	1	45630	227057	Aug 5, 1970	Aug 5, 2000
Red 19	1	45631	227058	Aug 5, 1970	Aug 5, 2000
Red 20	1	45632	227059	Aug 5, 1970	Aug 5, 2000
Red 21	1	45633	227060	Aug 5, 1970	Aug 5, 2000
Red 22	1	45634	227061	Aug 5, 1970	Aug 5, 2000
Red 23	1	45635	227062	Aug 5, 1970	Aug 5, 2000
Red 24	1	45636	227063	Aug 5, 1970	Aug 5, 2000
Red 25	1	45637	227064	Aug 5, 1970	Aug 5, 2000

Claim Number	Units	Record Number	Tenure Number	Record Date	Expiry Date
Red 26	1	45638	227065	Aug 5, 1970	Aug 5, 2000
Red 27	1	45639	227066	Aug 5, 1970	Aug 5, 2000
Red 28	1	45640	227067	Aug 5, 1970	Aug 5, 2000
Red 29	1	45641	227068	Aug 5, 1970	Aug 5, 2000
Red 30	1	45642	227069	Aug 5, 1970	Aug 5, 2000
Red 31	1	45643	227070	Aug 5, 1970	Aug 5, 2000
Red 32	1	45644	227071	Aug 5, 1970	Aug 5, 2000
Red 33	1	45645	227072	Aug 5, 1970	Aug 5, 2000
Red 34	1	45646	227073	Aug 5, 1970	Aug 5, 2000
Sagittarius	6	145	221681	July 7, 1976	July 7, 2000
Sus North	12	22	221636	July 15, 1975	July 15, 2000
Sus South	12	23	221637	July 15, 1975	July 15, 2000
Sus West	6	21	221635	July 15, 1975	July 15, 2000
Sus 79	1	45607	227040	Aug 5, 1970	Aug 5, 2000
Sus 81	1	45609	227041	Aug 5, 1970	Aug 5, 2000
Sus 83	1	45611	227042	Aug 5, 1970	Aug 5, 2000
Virgo	3	147	221683	July 7, 1976	July 7, 2000

**Total Number
of Claims** **145**

**Total Number
of Units** **311**

Dated: August 17, 1994

HISTORY

Copper mineralization in the area of the claims was initially discovered in the mid 1950's by Conwest who initiated a short program then left the region. Follow-up by Great Plains in 1968 and by Silver Standard in 1970 resulted in acquisition of the key Red and Chris claims. As of 1973, Texas Gulf optioned the property and conducted drilling programs during the period 1973 to 1980. Texas Gulf completed 44 percussion holes for a total of 3,175 metres and 74 diamond drill holes for a total of 13,301 metres during the above exploration period. No significant work was done during the period 1981 to 1993.

In late 1993 American Bullion Minerals Ltd. acquired an 80 percent interest in the property and, in June, 1994, initiated a comprehensive deep drilling large diameter core testing program to expand and upgrade copper-gold mineralization.

REGIONAL GEOLOGICAL SETTING

The Red Chris property occurs within the extensive Quesnel volcanic belt of Mesozoic age. The volcanic assemblage, termed the Stuhini Group, in north western British Columbia consists of an assemblage of intermediate to mafic volcanic rocks along with clastic sedimentary units. Intruding the volcanic-sedimentary assemblage are a suite of alkalic stocks and batholiths ranging in composition from syenite through monzonite to diorite.

The alkalic stocks of the Quesnel Belt are host to several copper-gold porphyry deposits. These alkalic hosted mineral systems are becoming increasingly important exploration targets for both copper and gold bulk tonnage gold reserves.

The Red Chris mineralizing system is unique in that the deposit, as it is known today, contains a higher grade quartz stockwork zone with reserve potential for 200 to 300 millions tonnes.

GEOLOGY CAPSULIZED

The Red Chris Property covers four stocks of alkalic composition which intrude a sequence of Stuhini Group volcanic and volcanoclastic rocks.

The largest stock, the Red Stock, is elongate in shape, being 5 kilometres in length and 0.5 to 1.5 kilometres in width. The Stock is elongated in an east-north orientation and has three smaller satellitic plugs of similar composition occurring to the west. The south boundary of the stock is in fault contact with younger Bowser Group sediments. The Red Stock is host to a large copper-gold mineralizing system.

EXPLORATION TARGET

Gold-copper mineralization at Red Chris is hosted within an extensive quartz-sericite-pyrite alteration zone associated with an elongate 5 kilometre-long intrusive porphyry stock. A higher grade zone is contained within a well developed structurally controlled quartz stockwork vein system that trends parallel to the length of the host intrusive.

Exploration in the 1970's was concentrated within 20 percent of the known 8 square kilometre surface expression of the favourable porphyry host. Drill testing with 44 rotary-percussion holes and 74 diamond drill holes had outlined a reported drill-indicated reserve of 41 million tonnes grading 0.56 percent copper and 0.34 g/T gold. Data compilation and interpretation by American Bullion suggests the reported reserves are understated with respect to tonnage and grade of the central stockwork zone and overall size of the mineralized system.

Prior to the initiation of the 1994 exploration program the stockwork contained an estimated reserve of 30 million tonnes grading 0.73 percent copper and 0.48 grams per tonne gold using a 0.45 percent copper cut-off grade.

The deposit area remained under-explored with potential to increase reserves to the 90 million tonne range with a comprehensive drilling program confirming both vertical and horizontal continuity.

Prior geological, geochemical and geophysical surveys had also defined large exploration targets to the east and west of the existing reserves. To the west a 100 ppm copper soil geochemical anomaly covers an area measuring 760 metres by 1,070 metres within an area of altered favourable porphyry. Limited surface sampling has outlined mineralization grading 0.29 percent copper over 43 metres, no gold assays were reported. Geophysical surveys covering approximately two thirds of the target area have outlined a large open ended 40 millisecond IP chargeability anomaly. Geochemical silt sampling within the western target area outlined the strongest gold in silt response obtained to date on the Property. Grid soil sample analysis did not include gold determinations. Two of nine widely spaced holes drilled in the target area intersected near surface copper mineralization with reported assays of 0.26% copper and 0.13 g/T gold over 107 metres and 0.25% copper over 73 metres. The other seven short holes contained anomalous copper values.

In summary, the Red Chris contains an underexplored copper-gold porphyry deposit with existing reserves open for expansion and upgrading. Additional exploration targets are outlined beyond the limits of the earlier drilling programs.

1994 DIAMOND DRILLING PROGRAM

This report summarizes diamond drilling conducted from initiation of the 1994 exploration program on June 27th until August 15th. The program utilized two drill rigs supported by a D-6 cat and 240 Hoe for drill site preparation. A total of 4,562 metres in 13 holes was completed during the period for an average penetration rate of 120 metres per day per rig. The average depth of hole was 350 metres. All drilling utilized HQ diamond core. All core was flown from various drill site to Coreland, located at grid co-ordinates 100,050 N and 50,350 E, where it was geologically logged and split for assaying. Half core was forwarded to MinEn Labs for copper and gold assaying. Assay intervals were determined by the 'block to block' method. Average assay intervals were 3 metres.

All core is stored in racks at Coreland at the above mentioned mine grid co-ordinates. The following table summarizes all the pertinent data with respect to collar locations, dip, azimuth and depth of individual holes.

TABLE 3


1994 DRILL BLOCK SUMMARY

Drill Holes	Section	Collar		AZ (degrees)	Dip	Total Depth		Cumulative	
		North	East			(m)	(ft)	(m)	(ft)
94-75	50,740	100,307	50,737	000	-70	191.11	627	191.11	627
94-76	50,740	100,364	50,738	180	-65	304.80	1,000	495.91	1,627
94-77	50,000	99,953	50,005	000	-70	395.02	1,296	890.93	2,923
94-78	50,000	100,113	50,006	180	-60	379.78	1,246	1270.71	4,169
94-79	50,740	100,420	50,737	180	-65	352.05	1,155	1622.76	5,324
94-80	50,680	100,356	50,678	180	-60	355.70	1,167	1978.46	6,491
94-81	50,800	100,469	50,798	180	-60	364.85	1,197	2343.31	7,688
94-82	50,000	100,197	50,004	180	-60	419.40	1,376	2762.71	9,064
94-83	50,070	100,046	50,065	180	-60	391.97	1,286	3154.68	10,350
94-84	50,070	99,995	50,069	180	-60	364.24	1,190	3518.92	11,540
94-85	50,130	100,093	50,126	180	-60	313.64	1,029	3832.56	12,569
94-86	50,860	100,420	50,858	180	-60	361.49	1,186	4194.05	13,755
94-87	50,250	100,176	50,250	180	-60	367.89	1,207	4561.94	14,962

Drill hole assays for holes 94-75 to 94-87 are included in a tabulated form and comprise Appendix I of this report. Assay certificates may be noted in Appendix II. Detailed geological logs are included as Appendix III.

Please note the Diamond Drill Plan, (Map No. 1), for location of all drill holes and cross sections (Map Nos.2 to 9) for display of summary assay results and general geological controls of mineralization.

RED CHRIS PROJECT DRILL PLAN



AMERICAN BULLION MINERALS LTD.




FIGURE 5

The 1994 program of deep sectional HQ core drilling has successfully defined continuity of high grade stockwork gold-copper mineralization. Drilling has been conducted between sections 50,000 E and 51,000 E. Sectional drilling of the stockwork is successfully demonstrating depth continuity to 300 metres below surface and confirming widths of between 100 and 300 metres.

High grade values are associated with an elongate steeply dipping quartz stockwork system with both disseminated and structure controlled pyrite-chalcopyrite-bornite mineralization. Bornite content generally increases with depth.

Overall, stockwork dimensions, as defined by drilling so far, indicate an 1100 metre length, 150 metre width and 250 metre depth. The stockwork is surrounded by lower grade gold-copper mineralization that consists of largely disseminated pyrite-chalcopyrite mineralization. Using a 0.25 percent appear cut-off, the overall Red Chris deposit, as outlined by drilling to date, has approximate dimensions of 1100 metres in length, 300 metres in width and 250 metres in depth.

The deposit remains open along strike in both directions as well as to depth. Note accompanying Table 4 for a summary of assays simplified drill plan (Figure 5) is included for location of all drill holes completed to date.

Please note the accompanying eight drill sections for correlation of major geological units with copper-gold mineralization. The sections are included as map numbers 2 to 9 in the pocket of the report.

The stockwork zone containing higher grade copper-gold values is outlined on all sections. The stockwork is sub-vertical and varies from 100-200 metres in thickness. It is important to note, particularly on sections 50,000 E (Map No. 2), that high copper-gold values do occur within weak stockwork development peripheral to the main stockwork zone.

The stockwork consists of a system of 0.1 to 4.0 centimetre quartz veins cutting the main phase feldspar-hornblende porphyry. Density of quartz veining often increases to give a sheeted appearance as noted in holes 94-81 and 94-86 on sections 50,800 E and 50,870 E respectively.

Mineralization consists of an assemblage of pyrite, hematite, chalcopyrite and minor bornite. Hematite appears to be an alteration product of magnetite. The majority of the mineralization occurs within the quartz veins and quartz-sericite selvages to these veins. Pyrite is the most common mineral. Total sulphide content in the stockwork ranges from 5 to 15 percent. Copper grades vary from 0.3 to 1.0 percent copper. Associated gold grades appear to be directly related to copper content with preliminary ratios indicating a one to one relationship between percent copper and grams per tonne of gold.

Distribution of copper and gold grades in drill holes are summarized in the cross sections (Map No.'s 2 to 9. Drill hole assay ledgers are included as Appendix I..

TABLE 4
RED CHRIS PROJECT
SUMMARY OF 1994 DRILL HOLE RESULTS

Section	Drill Hole	Interval (m)	Intercept (m)	Intercept (ft)	Copper grade %	Gold Grade (g/T)
50,735	94-75	3.7 - 191.1	187.4	615	0.66	0.40
50,735	94-76	13.7 - 200.3	186.6	612	0.78	0.53
50,000	94-77	59.7 - 306.6	246.9	810	0.73	0.38
	including	172.5 - 257.9	85.3	280	0.94	0.57
50,000	94-78	96.3 - 324.9	228.6	750	0.54	0.28
	including	239.6 - 324.9	85.3	280	0.63	0.35
50,735	94-79	127.1 - 346.0	218.9	718	0.59	0.47
	including	127.1 - 261.2	134.1	440	0.75	0.55
50,800	94 - 81	147.8 - 364.9	217.1	712	0.72	0.68
	including	175.9 - 297.8	121.9	400	1.13	1.02
50,000	94 - 82	126.8 - 343.2	216.4	710	0.51	0.30
	including	126.8 - 260.9	134.1	440	0.56	0.33
50,070	94 - 83	26.2 - 221.3	195.1	640	0.56	0.34
	including	157.3 - 221.3	64.0	210	0.77	0.50
	lower zone	285.3 - 340.2	54.9	180	0.68	0.40
50,070	94 - 84	93.6 - 319.1	225.5	740	0.62	0.29
	including	93.6 - 166.7	73.2	240	1.01	0.58
50,130	94 - 85	154.5 - 285.6	131.1	430	0.57	0.38
	including	197.2 - 285.6	88.4	290	0.71	0.49
50,870	94 - 86	129.8 - 296.9	167.1	548	0.72	0.65
	including	196.9 - 296.9	100.0	328	0.79	0.78
50,250	94 - 87	124.0 - 328.3	204.3	670	0.35	0.24
	including	136.6 - 233.8	97.2	319	0.42	0.23

SUMMARY AND CONCLUSIONS

The Red Chris Property, located in northern British Columbia, covers a copper-gold mineralizing system hosted in a 5 kilometre long hornblende porphyry intrusion.

The Red Chris Property consists of 145 claims containing 311 claim units. All claims are contiguous with the exception of the RC-6 claim. The property is centred latitude 57° 45'N and longitude 129° 45'W and lies 15 km southeast of Iskut, B.C.

American Bullion Minerals Ltd. acquired a majority interest in the property and is the registered owner of an 80 percent interest in all claims constituting the Red Chris Project.

Prior workers had completed 44 percussion and 74 diamond drilled holes that outlined a copper-gold mineralizing system that remained open for upgrading and expansion.

American Bullion has completed 13 HQ diamond drill holes for a total of 4,562 metres during the period June 27 to August 15, 1994.

The drill holes reported here are the initial holes of a planned 15,000 metre drilling program to delineate copper-gold reserves on the Red Chris Project during 1994.

Copper-gold mineralization is hosted within a quartz stockwork zone within a phyllitic altered hornblende feldspar porphyry. Mineralization consists of an assemblage of pyrite-hematite-chalcopyrite and minor bornite. Total sulphide content ranges from 5 to 15 percent.



The 1994 drilling has defined strike continuity of the stockwork zone between sections 50,000 E and 50,870 E, a length of 870 metres. Mineralization remains open along strike and to depth.

Drilling is being conducted with two drill rigs utilizing HQ core. All core is stored on the property.

Exploration expenditures of \$559,266.38 are being applied as assessment credit to the claims comprising the Red Chris Property.

On-going drilling is planned to outline and delineate copper-gold reserves within the deposit area.

Respectively submitted,


Wayne J. Roberts, P. Eng.


STATEMENT OF 1994 EXPENDITURES

TABLE 5

SUMMARY OF 1994 EXPLORATION EXPENDITURES

-----P E R I O D-----

Exploration Function	Jan 1 - July 5	July 6 - July 11	July 12 - Aug 15	Total
Map Preparation	\$4, 354.90	--	--	\$4,354.90
Consulting Geology	5,348.66	21,300.00		26,648.66
Diamond Drilling	46,429.70	34,837.00	205,315.17	286,581.87
Drill Site Preparation	--	18,620.00	13,091.45	31,711.45
Accommodation	--	9,750.00	--	9,750.00
Helicopter Support	54,279.50	12,500.00	133,440.00	200,219.50
	-----	-----	-----	-----
TOTAL	\$110,412.76	\$97,007.00	\$351,846.62	\$559,266.38

Exploration expenditure for reported drilling period is **\$559,266.38**.

REFERENCES

- Beak Consultants Limited, 1975; An Environmental baseline survey - 1975, Red-Chris Option. A report for Texasgulf Inc., Aug 1975
- Britton Research Limited, 1975; Metallurgical tests on Samples of Copper-gold Ore submitted by Texasgulf Inc., Progress Report No. 1. For Texasgulf Inc., May 23, 1975.
- Chaplin, R.E., 1971; Geophysical Assessment report (Induced Polarization) on the Red Group-40 Mineral Claims. Report for Silver Standard Mines Ltd., July 6, 1971.
- Deighton, J.R., 1973; Red Claim Group, Liard Mining Division. Report on work by Texasgulf Inc., July, 1973.
- Delta Geoscience Ltd., 1989; Geophysical Review: Red Chris 104H/12W. Letter review prepared for Falconbridge Limited, March 19, 1989.
- Forsythe, J.R., 1975a; Report on Diamond Drilling, Percussion Drilling and Geophysical Surveys, Red-Chris Property. Internal company report by Texasgulf Canada Ltd. on behalf of Silver Standard Mines Ltd., Great Plains Development Corp. and Ecstall Mining Ltd., November, 1975.
- Forsythe, J.R., 1975b; Final Report, 1974 Drilling Project, Red-Chris Property. Internal company report by Texasgulf Canada Ltd. on behalf of Silver Standard Mines Ltd., Great Plains Development Corp. and Ecstall Mining Ltd., Jan, 1975.
- Forsythe, J.R., 1976a; Summary Report 1975 Drilling Project, Red-Chris Property. Texasgulf internal company report, March 1976.
- Forsythe, J.R., 1976b; Interim report to Silver Standard Mines Limited and Norcen Energy Resources Limited regarding Progress on the Red-Chris Property, May-Aug 15, 1976. Internal company report, Aug 30, 1975.
- Forsythe, J.R., 1977a; 1976 Summary Report, Red-Chris Property. Texasgulf internal company report, March 1977.
- Forsythe, J.R., 1977b; Report on Geochemical and Geophysical Survey, Red-Chris Property. Internal company report by Texasgulf Inc., October 1977.
- Forsythe, J.R., 1977c; 1977 Summary report, Red-Chris Property. Internal company report by Texasgulf Inc. on behalf of Texasgulf Canada Ltd, November 1977.
- Gasteiger, W.A., 1975; Texasgulf Canada Limited Report on Geophysical Work, SUS Claims, British Columbia. Internal report, December, 1975.
- Gasteiger, W.A., 1977; Texasgulf Canada Limited 1977 Report on Geophysical Work, Red-Chris Claims, British Columbia. Internal report, October 25, 1977.

- Leitch, C.H.B., Elliott, T.M., November 1976; Geology and Mineralization, Red-Chris Property unpublished Texasgulf Inc. report.
- Leitch, C.B., Phil, M., Newell, J.M., 1976; Report on Diamond Drilling, Red-Chris Property. Report by Texasgulf Inc. on behalf of Texasgulf Canada Ltd., Silver Standard Mines Ltd. and Great Plains Development Company of Canada Ltd, October, 1976.
- McAusland, J.H., Rebagliati, C.M., 1971; Report on Red Claim Group. Report for Silver Standard Mines Ltd., December 7, 1971.
- McAusland, J.H., Rebagliati, C.M., 1972; Report on Central SUS Group. Report for Silver Standard Mines Ltd., January, 1972.
- McElhanney Surveying & Engineering Ltd., 1982; Stewart Land Use Plan: Amendment to the Stewart Official community Plan. Submitted to the district of Stewart.
- McInnis, M.D., 1972; Interim Report on the Chris Group, Hotailuh Area - N.W. British Columbia. Report fr Great Plains Development Company of Canada Ltd. December, 1972.
- Newell, J.M., Schmitt, H.R., 1978; 1978 Diamond Drilling report, Red-Chris Property, Liard Mining Division, B.C. Report by Texasgulf Inc. on behalf of Texasgulf Canada Ltd., Silver Standard Mines Ltd. and Great Plains Development Company of Canada Ltd.
- Panteleyev, A. 1977; Chris, Red, Sus, Windy (104H/12W). In Geology in British Columbia 1975. British Columbia Ministry of Mines and Petroleum Resources-Victoria, pp. G85-G87
- Peatfield, G.R., 1975; Interim Report, Progress on the Red-Chris Property, May - Aug 15, 1975. Report to Silver Standard Mines Limited and Great Plains Development Corp., August 27, 1975.
- Peatfield, G.R., Armstrong, A.T., 1979; The Red-Chris porphyry copper-gold deposit, Northwestern British Columbia-a geochemical case history in Geochemical Exploration 1976-Proceedings of the seventh International Geochemical Exploration Symposium, pp. 479-485.
- Peatfield, G.R., 1981; Final report, 1980 Diamond Drilling Programme, Red-Chris Property, Liard Mining Division, B.C. Report on behalf of Texasgulf Canada Ltd., Silver Standard Mines Ltd. and Great Plains Development Company of Canada Ltd.
- Rebagliati, C.M., 1994; Summary report, Red Chris Gold-Copper Porphyry Deposit Report for American Bullion Minerals Ltd. March 31, 1994.


Schink, E.A., 1975; Preliminary Report, geology of the Red-Chris Property, 104H/12W, Liard Mining Division, B.C., October 1975.

von Fersen, N., 1992; Red-Chris Option P.N. 001-129 British Columbia. Letter summary.

CERTIFICATE OF QUALIFICATIONS

I, Wayne J. Roberts of 764 Dansey Avenue, Coquitlam, B.C. do certify that:

- 1) I am a graduate of the University of British Columbia, (B.Sc. Major in Geology, 1968).
- 2) I am a registered Professional Geoscientist with the Association of Professional Engineers and Geoscientists of British Columbia.
- 3) I have actively practised my profession as a geologist for the past 27 years.
- 4) I currently hold the position of Director and Vice President, Exploration for American Bullion Minerals Ltd.
- 5) I have personally supervised the exploration on the ~~Red Chris Project~~ during the period January 1 through August 15, 1994.



Wayne J. Roberts

September 29, 1994

APPENDIX I

DRILL HOLE ASSAYS



AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94-75

DRILL	Assay	From	To	Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)	(m)	(m)	(%)	(g/T)	L x Cu	L x Au	Interval	Thickness	Avg Cu	Avg Au
'94-75			3.66	3.66								
	76001	3.66	5.18	1.52	0.140	0.07	0.2128	0.1064	3.66 - 191.11	187.45	0.66	0.40
	76002	5.18	8.23	3.05	0.191	0.06	0.5826	0.1830	-			
	76003	8.23	10.67	2.44	0.123	0.06	0.3001	0.1464	13.72 - 75.28	61.56	1.22	0.71
	76004	10.67	13.72	3.05	0.173	0.08	0.5277	0.2440	-			
	76005	13.72	16.76	3.04	0.415	0.23	1.2616	0.6992	3.66 - 13.72	10.06	0.16	0.07
	76006	16.76	19.81	3.05	0.745	0.38	2.2722	1.1590	13.72 - 75.28	61.56	1.22	0.71
	76007	19.81	23.47	3.66	0.728	0.34	2.6645	1.2444	75.28 - 142.34	67.06	0.31	0.28
	76008	23.47	26.21	2.74	0.908	0.38	2.4879	1.0412	142.34 - 172.82	30.48	0.64	0.44
	76009	26.21	29.41	3.20	1.870	0.94	5.9840	3.0080	172.82 - 191.11	18.29	0.39	0.25
	76010	29.41	32.61	3.20	0.692	0.38	2.2144	1.2160	-			
	76011	32.61	35.66	3.05	1.224	0.60	3.7332	1.8300	-			
	76012	35.66	38.71	3.05	0.874	0.53	2.6657	1.6165	13.72 - 191.11	177.39	0.69	0.42
	76013	38.71	40.84	2.13	1.246	0.66	2.6540	1.4058	-			
	76014	40.84	43.89	3.05	1.107	0.76	3.3763	2.3180	-			
	76015	43.89	46.94	3.05	1.978	1.14	6.0329	3.4770	-			
	76016	46.94	50.90	3.96	1.499	0.78	5.9360	3.0888	-			
	76017	50.90	53.95	3.05	1.481	0.98	4.5170	2.9890	-			
	76018	53.95	57.00	3.05	1.282	0.84	3.9101	2.5620	-			
	76019	57.00	59.41	2.41	0.816	0.54	1.9666	1.3014	-			
	76020		DUP		0.860	0.51			-			
	76021	59.41	62.79	3.38	1.266	0.68	4.2791	2.2984	-			
	76022	62.79	65.84	3.05	1.421	1.12	4.3340	3.4160	-			
	76023	65.84	69.19	3.35	1.634	1.02	5.4739	3.4170	-			
	76024	69.19	72.23	3.04	2.301	1.47	6.9950	4.4688	-			
	76025	72.23	75.28	3.05	0.764	0.37	2.3302	1.1285	-			
	76026	75.28	78.33	3.05	0.364	0.20	1.1102	0.6100	-			
	76027	78.33	81.38	3.05	0.355	0.16	1.0827	0.4880	-			
	76028	81.38	84.43	3.05	0.258	0.15	0.7869	0.4575	-			
	76029	84.43	87.48	3.05	0.480	0.22	1.4640	0.6710	-			
	76030	87.48	90.53	3.05	0.333	0.17	1.0156	0.5185	-			

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avge Cu	Zone Avge Au
'94-75	76031	90.53	93.57	3.04	0.626	0.32	1.9030	0.9728				
	76032	93.57	96.62	3.05	0.405	0.19	1.2353	0.5795				
	76033	96.62	99.67	3.05	0.206	0.13	0.6283	0.3965				
	76034	99.67	102.72	3.05	0.355	0.21	1.0828	0.6405				
	76035	102.72	105.77	3.05	0.217	0.13	0.6618	0.3965				
	76036	105.77	108.81	3.04	0.328	0.20	0.9971	0.6080				
	76037	108.81	111.86	3.05	0.278	0.20	0.8479	0.6100				
	76038	111.86	114.91	3.05	0.249	0.18	0.7595	0.5490				
	76039	114.91	117.96	3.05	0.296	0.23	0.9028	0.7015				
	76040		DUP		0.318	0.26						
	76041	117.96	121.01	3.05	0.197	0.11	0.6009	0.3355				
	76042	121.01	124.05	3.04	0.228	0.14	0.6931	0.4256				
	76043	124.05	127.10	3.05	0.293	0.18	0.8936	0.5490				
	76044	127.10	130.15	3.05	0.178	0.16	0.5429	0.4880				
	76045	130.15	133.20	3.05	0.292	0.22	0.8906	0.6710				
	76046	133.20	136.25	3.05	0.162	0.12	0.4941	0.3660				
	76047	136.25	139.29	3.04	0.234	0.16	0.7114	0.4864				
	76048	139.29	142.34	3.05	0.434	0.29	1.3237	0.8845				
	76049	142.34	145.39	3.05	0.692	0.44	2.1106	1.3420				
	76050	145.39	148.44	3.05	0.544	0.30	1.6592	0.9150				
	76051	148.44	151.49	3.05	0.486	0.35	1.4823	1.0675				
	76052	151.49	154.53	3.04	0.677	0.43	2.0581	1.3072				
	76053	154.53	157.58	3.05	0.583	0.41	1.7782	1.2505				
	76054	157.58	160.63	3.05	0.725	0.51	2.2113	1.5555				
	76055		DUP		0.628	0.42						
	76056	160.63	163.68	3.05	0.643	0.59	1.9611	1.7995				
	76057	163.68	166.73	3.05	0.715	0.51	2.1808	1.5555				
	76058	166.73	169.77	3.04	0.533	0.36	1.6203	1.0944				
	76059	169.77	172.82	3.05	0.770	0.50	2.3485	1.5250				
	76060	172.82	175.87	3.05	0.458	0.26	1.3969	0.7930				

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avge Cu	Zone Avge Au
'94-75	76061	175.87	178.92	3.05	0.265	0.15	0.8083	0.4575				
	76062	178.92	181.97	3.05	0.385	0.23	1.1749	0.7015				
	76063	181.97	185.01	3.04	0.513	0.35	1.5595	1.0640				
	76064	185.01	188.06	3.05	0.376	0.25	1.1468	0.7625				
	76065	188.06	191.11	3.05	0.332	0.25	1.0126	0.7625				

94-76

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avge Cu	Zone Avge Au
'94 - 76	76066	4.57	7.62	3.05	0.081	0.07	0.2471	0.2135	-			
	76067	7.62	9.14	1.52	0.140	0.09	0.2128	0.1368	-			
	76068	9.14	11.28	2.14	0.152	0.09	0.3253	0.1926	4.57 - 304.80	300.23	0.61	0.44
	76069	11.28	13.70	2.42	0.197	0.12	0.4767	0.2904	-			
	76070	13.70	16.76	3.06	0.358	0.15	1.0955	0.4590	13.70 - 304.80	291.10	0.62	0.45
	76071	16.76	20.40	3.64	0.401	0.26	1.4596	0.9464	-			
	76072	20.40	23.47	3.07	0.539	0.30	1.6547	0.9210	13.70 - 200.30	186.60	0.78	0.53
	76073	23.47	26.52	3.05	0.480	0.28	1.4640	0.8540	-			
	76074		DUP		0.383	0.24			35.70 - 127.10	91.40	1.08	0.71
	76075	26.52	29.57	3.05	0.389	0.23	1.1864	0.7015	-			
	76076	29.57	32.61	3.04	0.470	0.26	1.4288	0.7904	-			
	76077	32.61	35.66	3.05	0.631	0.44	1.9245	1.3420	4.57 - 13.7		8 - 11	
	76078	35.66	38.71	3.05	0.904	0.53	2.7572	1.6165	13.7 - 32.61 35.66			
	76079	38.71	41.76	3.05	0.891	0.48	2.7175	1.4640	35.66 - 127.1			
	76080	41.76	44.81	3.05	1.428	0.77	4.3554	2.3485	127.1 - 166.73			
	76081	44.81	47.85	3.04	2.525	1.26	7.6760	3.8304	166.73 - 304.80			
	76082	47.85	50.90	3.05	3.110	2.72	9.4855	8.2960	-			
	76083	50.90	53.95	3.05	0.813	0.49	2.4796	1.4945	-			
	76084	53.95	57.00	3.05	0.894	0.52	2.7267	1.5860	-			
	76085	57.00	60.05	3.05	0.540	0.36	1.6470	1.0980	-			
	76086	60.05	63.09	3.04	0.710	0.38	2.1584	1.1552	-			
	76087	63.09	66.14	3.05	0.695	0.41	2.1197	1.2505	-			
	76088	66.14	68.58	2.44	0.763	0.40	1.8617	0.9760	-			
	76089	68.58	72.24	3.66	1.090	0.58	3.9894	2.1228	-			
	76090	72.24	75.29	3.05	1.620	1.16	4.9410	3.5380	-			
	76091	75.29	78.33	3.04	3.120	2.35	9.4848	7.1440	-			
	76092	78.33	81.38	3.05	2.480	2.05	7.5640	6.2525	-			
	76093	81.38	84.43	3.05	1.610	1.25	4.9105	3.8125	-			
	76094		DUP		0.733	0.39			-			
	76095	84.43	87.48	3.05	0.746	0.43	2.2753	1.3115	-			
	76096	87.48	90.53	3.05	0.538	0.28	1.6409	0.8540	-			
	76097	90.53	93.57	3.04	0.505	0.29	1.5352	0.8816	-			
	76098	93.57	96.62	3.05	0.612	0.35	1.8666	1.0675	-			
	76099	96.62	99.67	3.05	0.892	0.53	2.7206	1.6165	-			
	76100	99.67	102.71	3.04	1.110	0.57	3.3744	1.7328	-			

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avge Cu	Zone Avge Au
'94 - 76	76101	102.71	105.76	3.05	0.812	0.47	2.4766	1.4335	-			
	76102	105.76	108.81	3.05	0.641	0.42	1.9550	1.2810	-			
	76103	108.81	111.86	3.05	0.380	0.38	1.1590	1.1590	-			
	76104	111.86	114.91	3.05	0.737	0.46	2.2479	1.4030	-			
	76105	114.91	117.96	3.05	0.790	0.53	2.4095	1.6165	-			
	76106	117.96	121.01	3.05	0.531	0.36	1.6196	1.0980	-			
	76107	121.01	124.05	3.04	0.592	0.38	1.7997	1.1552	-			
	76108	124.05	127.10	3.05	0.884	0.53	2.6962	1.6165	-			
	76109	127.10	130.15	3.05	0.456	0.37	1.3908	1.1285	-			
	76110	130.15	133.20	3.05	0.613	0.42	1.8697	1.2810	-			
	76111	133.20	136.25	3.05	0.525	0.33	1.6013	1.0065	-			
	76112	136.25	139.29	3.04	0.678	0.60	2.0611	1.8240	-			
	76113	139.29	142.34	3.05	0.705	0.45	2.1503	1.3725	-			
	76114		DUP		0.661	0.34			-			
	76115	142.34	145.39	3.05	0.332	0.22	1.0126	0.6710	-			
	76116	145.39	148.44	3.05	0.880	0.48	2.6840	1.4640	-			
	76117	148.44	151.49	3.05	0.541	0.29	1.6501	0.8845	-			
	76118	151.49	154.53	3.04	0.709	0.38	2.1554	1.1552	-			
	76119	154.53	157.58	3.05	0.276	0.33	0.8418	1.0065	-			
	76120	157.58	160.63	3.05	0.410	0.30	1.2505	0.9150	-			
	76121	160.63	163.63	3.00	0.442	0.31	1.3260	0.9300	-			
	76122	163.63	166.73	3.10	0.623	0.41	1.9313	1.2710	-			
	76123	166.73	169.77	3.04	0.237	0.23	0.7205	0.6992	-			
	76124	169.77	172.82	3.05	0.209	0.20	0.6375	0.6100	-			
	76125	172.82	175.87	3.05	0.146	0.16	0.4453	0.4880	-			
	76126	175.87	178.92	3.05	0.348	0.33	1.0614	1.0065	-			
	76127	178.92	181.97	3.05	0.419	0.44	1.2780	1.3420	-			
	76128	181.97	185.01	3.04	0.750	0.57	2.2800	1.7328	-			
	76129	185.01	188.06	3.05	0.427	0.41	1.3024	1.2505	-			
	76130	188.06	191.11	3.05	0.239	0.21	0.7290	0.6405	-			

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avge Cu	Zone Avge Au
'94 - 76	76131	191.11	194.16	3.05	0.306	0.32	0.9333	0.9760	-			
	76132	194.16	197.21	3.05	0.338	0.29	1.0309	0.8845	-			
	76133	197.21	200.25	3.04	0.537	0.46	1.6325	1.3984	-			
	76134		DUP		0.521	0.44			-			
	76135	200.25	203.30	3.05	0.323	0.31	0.9852	0.9455	-			
	76136	203.30	206.04	2.74	0.369	0.36	1.0111	0.9864	-			
	76137	206.04	209.40	3.36	0.260	0.25	0.8736	0.8400	-			
	76138	209.40	212.45	3.05	0.370	0.29	1.1285	0.8845	-			
	76139	212.45	215.49	3.04	0.395	0.35	1.2008	1.0640	-			
	76140	215.49	218.54	3.05	0.312	0.26	0.9516	0.7930	-			
	76141	218.54	221.59	3.05	0.485	0.30	1.4793	0.9150	-			
	76142	221.59	224.64	3.05	0.410	0.27	1.2505	0.8235	-			
	76143	224.64	227.69	3.05	0.351	0.39	1.0706	1.1895	-			
	76144	227.69	230.73	3.04	0.384	0.27	1.1674	0.8208	-			
	76145	230.73	233.78	3.05	0.369	0.26	1.1255	0.7930	-			
	76146	233.78	236.98	3.20	0.272	0.26	0.8704	0.8320	-			
	76147	236.98	239.42	2.44	0.244	0.24	0.5954	0.5856	-			
	76148	239.42	241.40	1.98	0.338	0.32	0.6692	0.6336	-			
	76149	241.40	244.45	3.05	0.267	0.26	0.8144	0.7930	-			
	76150	244.45	245.97	1.52	0.251	0.23	0.3815	0.3496	-			
	76151	245.97	249.02	3.05	0.226	0.22	0.6893	0.6710	-			
	76152	249.02	252.07	3.05	0.314	0.26	0.9577	0.7930	-			
	76153		DUP		0.295	0.24			-			
	76154	252.07	253.90	1.83	0.433	0.41	0.7924	0.7503	-			
	76155	253.90	256.95	3.05	0.335	0.25	1.0218	0.7625	-			
	76156	256.95	258.78	1.83	0.350	0.30	0.6405	0.5490	-			
	76157	258.78	261.21	2.43	0.426	0.38	1.0352	0.9234	-			
	76158	261.21	264.26	3.05	0.246	0.30	0.7503	0.9150	-			
	76159	264.26	267.31	3.05	0.279	0.30	0.8509	0.9150	-			
	76160	267.31	270.36	3.05	0.287	0.30	0.8753	0.9150	-			

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avge Cu	Zone Avge Au
'94 - 76	76161	270.36	273.41	3.05	0.360	0.36	1.0980	1.0980	-			
	76162	273.41	275.84	2.43	0.328	0.32	0.7970	0.7776	-			
	76163	275.84	278.89	3.05	0.259	0.34	0.7900	1.0370	-			
	76164	278.89	281.94	3.05	0.356	0.42	1.0858	1.2810	-			
	76165	281.94	284.53	2.59	0.352	0.31	0.9117	0.8029	-			
	76166	284.53	287.43	2.90	0.391	0.22	1.1339	0.6380	-			
	76167	287.43	291.08	3.65	0.815	0.48	2.9747	1.7520	-			
	76168	291.08	293.22	2.14	0.237	0.30	0.5072	0.6420	-			
	76169	293.22	296.27	3.05	0.370	0.43	1.1285	1.3115	-			
	76170	296.27	299.62	3.35	0.409	0.49	1.3702	1.6415	-			
	76171	299.62	303.67	4.05	0.272	0.38	1.1016	1.5390	-			
	76172	303.67	304.80	1.13	0.174	0.14	0.1966	0.1582	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 77

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 77			4.18	4.18								
	79001	4.18	7.97	3.79	0.367	0.06	1.3909	0.2274	4.18 - 395.02	390.84	0.55	0.28
	79002	7.97	10.97	3.00	0.502	0.06	1.5060	0.1800	-			
	79003	10.97	14.02	3.05	0.356	0.03	1.0858	0.0915	4.18 - 306.63	302.45	0.65	0.32
	79004	14.02	17.07	3.05	0.363	0.04	1.1071	0.1220	-			
	79005	17.07	20.12	3.05	0.268	0.04	0.8174	0.1220	59.74 - 306.63	246.89	0.73	0.38
	79006	20.12	23.16	3.04	0.409	0.06	1.2434	0.1824	-			
	79007	23.16	26.21	3.05	0.410	0.08	1.2505	0.2440	99.36 - 306.63	207.27	0.77	0.42
	79008	26.21	29.26	3.05	0.479	0.07	1.4610	0.2135	-			
	79009	29.26	32.31	3.05	0.626	0.09	1.9093	0.2745	4.18 - 59.74	55.56	0.25	0.06
	79010	32.31	35.36	3.05	0.280	0.06	0.8540	0.1830	59.74 - 172.52	112.78	0.60	0.20
	79011	35.36	38.40	3.04	0.020	0.05	0.0608	0.1520	172.52 - 257.86	85.34	0.94	0.57
	79012	38.40	41.45	3.05	0.011	0.07	0.0335	0.2135	257.86 - 306.63	48.77	0.72	0.45
	79013	41.45	44.50	3.05	0.016	0.06	0.0488	0.1830	306.63 - 395.02	88.39	0.20	0.16
	79014	44.50	47.55	3.05	0.015	0.05	0.0457	0.1525	-			
	79015	47.55	50.60	3.05	0.019	0.08	0.0579	0.2440	-			
	79016	50.60	53.64	3.04	0.017	0.06	0.0170	0.1824	-			
	79017	53.64	56.69	3.05	0.047	0.07	0.1433	0.2135	-			
	79018	56.69	59.74	3.05	0.345	0.08	1.0523	0.2440	-			
	79019		DUP		0.329	0.09			-			
	79020	59.74	62.79	3.05	0.526	0.16	1.6043	0.4880	-			
	79021	62.79	65.84	3.05	0.608	0.20	1.8544	0.6100	-			
	79022	65.84	68.88	3.04	0.582	0.19	1.7693	0.5776	-			
	79023	68.88	71.93	3.05	0.698	0.19	2.1289	0.5795	-			
	79024	71.93	74.98	3.05	0.647	0.17	1.9734	0.5185	-			
	79025	74.98	78.03	3.05	0.752	0.20	2.2936	0.6100	-			
	79026	78.03	81.08	3.05	0.578	0.15	1.7629	0.4575	-			
	79027	81.08	84.12	3.04	0.385	0.08	1.1704	0.2432	-			
	79028	84.12	87.17	3.05	0.367	0.08	1.1193	0.2440	-			
	79029	87.17	90.22	3.05	0.506	0.10	1.5433	0.3050	-			
	79030	90.22	93.27	3.05	0.475	0.08	1.4487	0.2440	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 77

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 77	79031	93.27	96.32	3.05	0.460	0.08	1.4030	0.2440	-			
	79032	96.32	99.36	3.04	0.473	0.14	1.4379	0.4256	-			
	79033	99.36	102.41	3.05	0.540	0.08	1.6470	0.2440	-			
	79034	102.41	105.46	3.05	0.615	0.09	1.8757	0.2745	-			
	79035	105.46	108.51	3.05	0.807	0.12	2.4614	0.3660	-			
	79036	108.51	111.56	3.05	0.295	0.10	0.8997	0.3050	-			
	79037	111.56	114.60	3.04	0.624	0.27	1.8970	0.8208	-			
	79038	114.60	117.65	3.05	0.536	0.27	1.6348	0.8235	-			
	79039		DUP		0.549	0.26			-			
	79040	117.65	120.70	3.05	0.817	0.37	2.4918	1.1285	-			
	79041	120.70	123.75	3.05	0.771	0.34	2.3516	1.0370	-			
	79042	123.75	126.80	3.05	0.905	0.39	2.7603	1.1895	-			
	79043	126.80	129.84	3.04	0.887	0.37	2.6965	1.1248	-			
	79044	129.84	132.89	3.05	0.587	0.26	1.7904	0.7930	-			
	79045	132.89	135.94	3.05	0.441	0.23	1.3451	0.7015	-			
	79046	135.94	138.99	3.05	0.693	0.24	2.1137	0.7320	-			
	79047	138.99	142.04	3.05	0.744	0.25	2.2692	0.7625	-			
	79048	142.04	145.08	3.04	0.997	0.38	3.0309	1.1552	-			
	79049	145.08	148.13	3.05	0.711	0.28	2.1686	0.8540	-			
	79050	148.13	151.18	3.05	0.821	0.32	2.5040	0.9760	-			
	79051	151.18	154.23	3.05	0.751	0.24	2.2906	0.7320	-			
	79052	154.23	157.28	3.05	0.486	0.17	1.4823	0.5185	-			
	79053	157.28	160.32	3.04	0.379	0.15	1.1522	0.4560	-			
	79054	160.32	163.37	3.05	0.408	0.12	1.2444	0.3660	-			
	79055	163.37	166.42	3.05	0.018	0.08	0.0549	0.2440	-			
	79056	166.42	169.47	3.05	0.733	0.20	2.2357	0.6100	-			
	79057	169.47	172.52	3.05	0.626	0.24	1.9093	0.7320	-			
	79058		DUP		0.644	0.25			-			
	79059	172.52	175.56	3.04	1.324	0.38	4.0250	1.1552	-			
	79060	175.56	178.61	3.05	1.193	0.22	3.6387	0.6710	-			

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 77	79061	178.61	181.66	3.05	1.143	0.27	3.4862	0.8235	-			
	79062	181.66	184.71	3.05	0.848	0.28	2.5864	0.8540	-			
	79063	184.71	187.76	3.05	0.874	0.35	2.6657	1.0675	-			
	79064	187.76	190.80	3.04	0.993	0.47	3.0187	1.4288	-			
	79065	190.80	193.85	3.05	0.584	0.92	1.7812	2.8060	-			
	79066	193.85	196.90	3.05	0.031	0.08	0.0945	0.2440	-			
	79067	196.90	199.95	3.05	0.079	0.17	0.2410	0.5185	-			
	79068	199.95	203.00	3.05	0.136	0.16	0.4148	0.4880	-			
	79069	203.00	206.04	3.04	0.029	0.04	0.0882	0.1216	-			
	79070	206.04	209.09	3.05	0.786	0.55	2.3973	1.6775	-			
	79071	209.09	212.14	3.05	1.388	1.00	4.2334	3.0500	-			
	79072	212.14	215.19	3.05	1.023	0.79	3.1202	2.4095	-			
	79073	215.19	218.24	3.05	1.035	0.58	3.1568	1.7690	-			
	79074	218.24	221.28	3.04	0.678	0.54	2.0611	1.6416	-			
	79075	221.28	224.33	3.05	1.331	1.24	4.0596	3.7820	-			
	79076	224.33	227.38	3.05	1.135	0.99	3.4618	3.0195	-			
	79077	227.38	230.43	3.05	1.272	0.81	3.8796	2.4705	-			
	79078	230.43	233.48	3.05	1.128	0.96	3.4404	2.9280	-			
	79079	233.48	236.52	3.04	1.020	0.88	3.1008	2.6752	-			
	79080		DUP		1.024	0.87			-			
	79081	236.52	239.57	3.05	1.171	0.90	3.5716	2.7450	-			
	79082	239.57	242.62	3.05	1.118	0.67	3.4099	2.0435	-			
	79083	242.62	245.66	3.04	1.053	0.55	3.2011	1.6720	-			
	79084	245.66	248.71	3.05	1.304	0.58	3.9772	1.7690	-			
	79085	248.71	251.76	3.05	1.340	0.64	4.0870	1.9520	-			
	79086	251.76	254.81	3.05	1.523	0.50	4.6452	1.5250	-			
	79087	254.81	257.86	3.05	0.725	0.42	2.2112	1.2810	-			
	79088	257.86	260.91	3.05	0.344	0.29	1.0492	0.8845	-			
	79089	260.91	263.96	3.05	0.520	0.33	1.5860	1.0065	-			
	79090	263.96	267.00	3.04	0.193	0.17	0.5867	0.5168	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 77

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 77	79091	267.00	270.05	3.05	0.324	0.23	0.9882	0.6893	-			
	79092	270.05	273.10	3.05	0.827	0.52	2.5224	1.5860	-			
	79093	273.10	276.15	3.05	0.890	0.53	2.7145	1.6165	-			
	79094	276.15	279.20	3.05	1.140	0.81	3.4770	2.4705	-			
	79095	279.20	282.24	3.04	1.166	0.80	3.5446	2.4320	-			
	79096	282.24	285.29	3.05	0.796	0.50	2.4278	1.5250	-			
	79097	285.29	288.34	3.05	0.902	0.61	2.7511	1.8605	-			
	79098		DUP		0.872	0.59			-			
	79099	288.34	291.39	3.05	0.567	0.38	1.7294	1.1590	-			
	79100	291.39	294.44	3.05	0.715	0.50	2.1807	1.5250	-			
	79101	294.44	297.48	3.04	0.944	0.52	2.8698	1.5808	-			
	79102	297.48	300.53	3.05	0.974	0.50	2.9707	1.5250	-			
	79103	300.53	303.58	3.05	0.632	0.33	1.9276	1.0065	-			
	79104	303.58	306.63	3.05	0.579	0.23	1.7660	0.7015	-			
	79105	306.63	309.68	3.05	0.177	0.26	0.5398	0.7930	-			
	79106	309.68	312.72	3.04	0.464	0.30	1.4106	0.9120	-			
	79107	312.72	315.77	3.05	0.216	0.14	0.6588	0.4270	-			
	79108	315.77	318.82	3.05	0.207	0.17	0.6314	0.5185	-			
	79109	318.82	321.87	3.05	0.191	0.15	0.5825	0.4575	-			
	79110	321.87	324.92	3.05	0.176	0.14	0.5368	0.4270	-			
	79111	324.92	327.96	3.04	0.149	0.11	0.4530	0.3344	-			
	79112	327.96	331.01	3.05	0.200	0.17	0.6100	0.5185	-			
	79113	331.01	334.06	3.05	0.192	0.15	0.5856	0.4575	-			
	79114	334.06	337.11	3.05	0.209	0.17	0.6374	0.5185	-			
	79115	337.11	340.16	3.05	0.401	0.27	1.2231	0.8235	-			
	79116	340.16	343.20	3.04	0.242	0.09	0.7357	0.2736	-			
	79117	343.20	346.25	3.05	0.111	0.07	0.3385	0.2135	-			
	79118	346.25	349.30	3.05	0.176	0.08	0.5368	0.2440	-			
	79119	349.30	352.35	3.05	0.119	0.06	0.3630	0.1830	-			
	79120		DUP		0.116	0.07			-			

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 77	79121	352.35	355.40	3.05	0.136	0.14	0.4148	0.4270	-			
	79122	355.40	358.44	3.04	0.110	0.12	0.3344	0.3648	-			
	79123	358.44	361.49	3.05	0.105	0.13	0.3202	0.3965	-			
	79124	361.49	364.54	3.05	0.084	0.09	0.2562	0.2745	-			
	79125	364.54	367.59	3.05	0.155	0.16	0.4727	0.4880	-			
	79126	367.59	370.64	3.05	0.082	0.10	0.2501	0.3050	-			
	79127	370.64	373.68	3.04	0.057	0.09	0.1733	0.2736	-			
	79128	373.68	376.73	3.05	0.102	0.08	0.3111	0.2440	-			
	79129	376.73	379.78	3.05	0.244	0.20	0.7442	0.6100	-			
	79130	379.78	382.83	3.05	0.508	0.33	1.5494	1.0065	-			
	79131	382.83	385.88	3.05	0.263	0.20	0.8022	0.6100	-			
	79132	385.88	388.92	3.04	0.396	0.25	1.2038	0.7600	-			
	79133	388.92	391.97	3.05	0.165	0.18	0.5032	0.5490	-			
	79134	391.97	395.02	3.05	0.197	0.18	0.6008	0.5490	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 78

DRILL	Assay	From	To	Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)	(m)	(m)	(%)	(g/T)	L x Cu	L x Au	Interval	Thickness	Avg Cu	Avg Au
'94 - 78	79135	6.47	7.92	1.45	0.140	0.06	0.2030	0.0870	-			
	79136	7.92	10.97	3.05	0.154	0.07	0.4697	0.2135	6.47 - 379.78	373.31	0.38	0.20
	79137	10.97	13.14	2.17	0.148	0.06	0.3212	0.1302	-			
	79138	13.14	16.46	3.32	0.146	0.08	0.4847	0.2656	6.47 - 93.27	86.80	0.13	0.10
	79139	16.46	18.90	2.44	0.111	0.05	0.2708	0.1220	-			
	79140	18.90	21.64	2.74	0.171	0.07	0.4685	0.1918	93.27 - 135.94	42.67	0.58	0.22
	79141	21.64	23.16	1.52	0.109	0.07	0.1657	0.1064	135.94 - 175.56	39.62	0.22	0.13
	79142	23.16	26.21	3.05	0.127	0.10	0.3873	0.3050	175.56 - 324.92	149.36	0.61	0.33
	79143	26.21	29.26	3.05	0.105	0.03	0.3203	0.0915	324.92 - 379.78	54.86	0.07	0.06
	79144	29.26	32.31	3.05	0.020	0.04	0.0610	0.1220	-			
	79145	32.31	35.36	3.05	0.120	0.06	0.3660	0.1830	-			
	79146	35.36	38.40	3.04	0.174	0.10	0.5290	0.3040	96.32 - 324.92	228.60	0.54	0.28
	79147	38.40	41.45	3.05	0.121	0.09	0.3690	0.2745	175.56 - 324.92	149.36	0.61	0.33
	79148	41.45	44.50	3.05	0.142	0.14	0.4331	0.4270	239.57 - 324.92	85.35	0.63	0.35
	79149	44.50	47.55	3.05	0.127	0.17	0.3873	0.5185	-			
	79150	47.55	50.60	3.05	0.105	0.27	0.3202	0.8235	-			
	79151	50.60	53.65	3.05	0.086	0.22	0.2623	0.6710	-			
	79152	53.65	56.69	3.04	0.121	0.07	0.3678	0.2128	-			
	79153		DUP		0.127	0.04			-			
	79154	56.69	59.74	3.05	0.149	0.09	0.4545	0.2745	-			
	79155	59.74	62.79	3.05	0.106	0.06	0.3233	0.1830	-			
	79156	62.79	65.84	3.05	0.103	0.12	0.3141	0.3660	-			
	79157	65.84	68.88	3.04	0.088	0.32	0.2675	0.9728	-			
	79158	68.88	71.93	3.05	0.095	0.09	0.2898	0.2745	-			
	79159	71.93	74.98	3.05	0.198	0.12	0.6039	0.3660	-			
	79160	74.98	78.03	3.05	0.161	0.09	0.4910	0.2745	-			
	79161	78.03	81.08	3.05	0.198	0.10	0.6039	0.3050	-			
	79162	81.08	84.12	3.04	0.108	0.03	0.3283	0.0912	-			
	79163	84.12	87.17	3.05	0.128	0.10	0.3904	0.3050	-			
	79164	87.17	90.22	3.05	0.210	0.10	0.6405	0.3050	-			
	79165	90.22	93.27	3.05	0.213	0.10	0.6496	0.3050	-			
	79166	93.27	96.32	3.05	0.324	0.15	0.9882	0.4575	-			
	79167	96.32	99.36	3.04	0.541	0.23	1.6446	0.6992	-			
	79168	99.36	102.41	3.05	0.718	0.34	2.1899	1.0370	-			
	79169	102.41	105.46	3.05	0.463	0.39	1.4121	1.1895	-			
	79170	105.46	108.51	3.05	0.491	0.27	1.4976	0.8235	-			

DRILL	Assay	From	To	Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)	(m)	(m)	(%)	(g/T)	L x Cu	L x Au	Interval	Thickness	Avg Cu	Avg Au
'94 - 78	79171	108.51	111.56	3.05	0.520	0.16	1.5860	0.4880	-			
	79172	111.56	114.60	3.04	0.491	0.16	1.4926	0.4864	-			
	79173	114.60	117.65	3.05	0.609	0.19	1.8575	0.5795	-			
	79174		DUP		0.591	0.18			-			
	79175	117.65	120.70	3.05	0.256	0.09	0.7808	0.2745	-			
	79176	120.70	123.75	3.05	0.662	0.24	2.0191	0.7320	-			
	79177	123.75	126.80	3.05	0.988	0.22	3.0134	0.6710	-			
	79178	126.80	129.84	3.04	0.499	0.21	1.5170	0.6384	-			
	79179	129.84	132.89	3.05	0.995	0.21	3.0348	0.6405	-			
	79180	132.89	135.94	3.05	0.558	0.22	1.7019	0.6710	-			
	79181	135.94	138.99	3.05	0.229	0.15	0.6985	0.4575	-			
	79182	138.99	142.04	3.05	0.397	0.21	1.2108	0.6405	-			
	79183	142.04	145.08	3.04	0.180	0.08	0.5472	0.2432	-			
	79184	145.08	148.13	3.05	0.322	0.08	0.9821	0.2440	-			
	79185	148.13	151.18	3.05	0.182	0.09	0.5551	0.2745	-			
	79186	151.18	154.23	3.05	0.136	0.08	0.4148	0.2440	-			
	79187	154.23	157.28	3.05	0.205	0.12	0.6253	0.3660	-			
	79188	157.28	160.32	3.04	0.242	0.17	0.7357	0.5168	-			
	79189	160.32	163.37	3.05	0.234	0.19	0.7137	0.5795	-			
	79190	163.37	166.42	3.05	0.169	0.14	0.5155	0.4270	-			
	79191	166.42	169.47	3.05	0.149	0.13	0.4545	0.3965	-			
	79192	169.47	172.52	3.05	0.136	0.11	0.4148	0.3355	-			
	79193		DUP		0.138	0.12			-			
	79194	172.52	175.56	3.04	0.307	0.17	0.9333	0.5168	-			
	79195	175.56	178.61	3.05	0.648	0.41	1.9764	1.2505	-			
	79196	178.61	181.66	3.05	0.729	0.75	2.2235	2.2875	-			
	79197	181.66	184.71	3.05	0.961	0.34	2.9311	1.0370	-			
	79198	184.71	187.76	3.05	0.996	0.33	3.0378	1.0065	-			
	79199	187.76	190.80	3.04	0.815	0.36	2.4776	1.0944	-			
	79200	190.80	193.85	3.05	0.500	0.39	1.5250	1.1895	-			

DRILL	Assay	From	To	Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)	(m)	(m)	(%)	(g/T)	L x Cu	L x Au	Interval	Thickness	Avg Cu	Avg Au
'94 - 78	79201	193.85	196.90	3.05	0.929	0.22	2.8334	0.6710	-			
	79202	196.90	199.95	3.05	0.459	0.41	1.4000	1.2505	-			
	79203	199.95	203.00	3.05	0.480	0.20	1.4640	0.6100	-			
	79204	203.00	206.04	3.04	0.161	0.23	0.4894	0.6992	-			
	79205	206.04	209.09	3.05	0.264	0.27	0.8052	0.8235	-			
	79206	209.09	212.14	3.05	0.409	0.16	1.2475	0.4880	-			
	79207	212.14	215.19	3.05	0.605	0.10	1.8453	0.3050	-			
	79208	215.19	218.24	3.05	0.607	0.08	1.8514	0.2440	-			
	79209	218.24	221.28	3.04	0.578	0.15	1.7571	0.4560	-			
	79210	221.28	224.33	3.05	0.488	0.23	1.4884	0.7015	-			
	79211		DUP		0.483	0.24			-			
	79212	224.33	227.38	3.05	0.590	0.35	1.7995	1.0675	-			
	79213	227.38	230.43	3.05	0.534	0.33	1.6287	1.0065	-			
	79214	230.43	233.48	3.05	0.623	0.40	1.9002	1.2200	-			
	79215	233.48	236.52	3.04	0.475	0.36	1.4440	1.0944	-			
	79216	236.52	239.57	3.05	0.447	0.31	1.3634	0.9455	-			
	79217	239.57	242.62	3.05	0.658	0.48	2.0069	1.4640	-			
	79218	242.62	245.67	3.05	0.759	0.49	2.3150	1.4945	-			
	79219	245.67	248.72	3.05	0.777	0.40	2.3699	1.2200	-			
	79220	248.72	251.76	3.04	0.702	0.42	2.1341	1.2768	-			
	79221	251.76	254.81	3.05	0.541	0.44	1.6501	1.3420	-			
	79222	254.81	257.86	3.05	0.644	0.42	1.9642	1.2810	-			
	79223	257.86	260.91	3.05	0.355	0.24	1.0828	0.7320	-			
	79224	260.91	263.96	3.05	0.891	0.58	2.7175	1.7690	-			
	79225	263.96	267.00	3.04	0.636	0.44	1.9334	1.3376	-			
	79226	267.00	270.05	3.05	0.568	0.37	1.7324	1.1285	-			
	79227	270.05	273.10	3.05	0.509	0.35	1.5525	1.0675	-			
	79228	273.10	276.15	3.05	0.514	0.34	1.5677	1.0370	-			
	79229	276.15	279.20	3.05	1.048	0.63	3.1964	1.9215	-			
	79230	279.20	282.24	3.04	0.546	0.42	1.6598	1.2768	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 78

DRILL	Assay	From	To	Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)	(m)	(m)	(%)	(g/T)	L x Cu	L x Au	Interval	Thickness	Avg Cu	Avg Au
'94 - 78	79231	282.24	285.29	3.05	0.422	0.26	1.2871	0.7930	-			
	79232		DUP		0.419	0.28			-			
	79233	285.29	288.34	3.05	0.638	0.34	1.9459	1.0370	-			
	79234	288.34	291.39	3.05	0.643	0.35	1.9612	1.0675	-			
	79235	291.39	294.44	3.05	0.579	0.31	1.7659	0.9455	-			
	79236	294.44	297.48	3.04	0.588	0.28	1.7875	0.8512	-			
	79237	297.48	300.53	3.05	0.687	0.33	2.0953	1.0065	-			
	79238	300.53	303.58	3.05	0.641	0.28	1.9550	0.8540	-			
	79239	303.58	306.63	3.05	0.652	0.31	1.9886	0.9455	-			
	79240	306.63	309.68	3.05	0.480	0.24	1.4640	0.7320	-			
	79241	309.68	312.72	3.04	0.602	0.25	1.8301	0.7600	-			
	79242	312.72	315.77	3.05	0.957	0.35	2.9188	1.0675	-			
	79243	315.77	318.82	3.05	0.631	0.17	1.9246	0.5185	-			
	79244	318.82	321.87	3.05	0.449	0.15	1.3694	0.4575	-			
	79245	321.87	324.92	3.05	0.645	0.20	1.9673	0.6100	-			
	79246	324.92	327.96	3.04	0.307	0.10	0.9333	0.3040	-			
	79247	327.96	331.01	3.05	0.297	0.11	0.9059	0.3355	-			
	79248	331.01	334.06	3.05	0.065	0.07	0.1982	0.2135	-			
	79249	334.06	337.11	3.05	0.039	0.05	0.1189	0.1525	-			
	79250	337.11	340.16	3.05	0.019	0.05	0.0580	0.1525	-			
	79251	340.16	343.20	3.04	0.023	0.04	0.0699	0.1216	-			
	79252	343.20	346.25	3.05	0.022	0.03	0.0671	0.0915	-			
	79253		DUP		0.022	0.04			-			
	79254	346.25	349.30	3.05	0.026	0.05	0.0793	0.1525	-			
	79255	349.30	352.35	3.05	0.017	0.03	0.0519	0.0915	-			
	79256	352.35	355.40	3.05	0.020	0.04	0.0610	0.1220	-			
	79257	355.40	358.44	3.04	0.021	0.04	0.0638	0.1216	-			
	79258	358.44	361.49	3.05	0.025	0.04	0.0762	0.1220	-			
	79259	361.49	364.54	3.05	0.318	0.17	0.9699	0.5185	-			
	79260	364.54	367.59	3.05	0.067	0.06	0.2043	0.1830	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 78

DRILL	Assay	From	To	Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)	(m)	(m)	(%)	(g/T)	L x Cu	L x Au	Interval	Thickness	Avg Cu	Avg Au
'94 - 78	79261	367.59	370.64	3.05	0.017	0.05	0.0519	0.1525	-			
	79262	370.64	373.68	3.04	0.033	0.05	0.1003	0.1520	-			
	79263	373.68	376.73	3.05	0.012	0.06	0.0366	0.1830	-			
	79264	376.73	379.78	3.05	0.018	0.05	0.0549	0.1525	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 79

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	INTERVAL	Thickness	Zone Avg Cu	Zone Avg Au
'94-79	76173	4.88	8.07	3.19	0.011	0.03	0.0351	0.0957	4.88 - 352.04	347.16	0.41	0.33
	76174	8.07	10.36	2.29	0.005	0.02	0.0115	0.0458	-			
	76175	10.36	13.72	3.36	0.019	0.02	0.0638	0.0672	127.10 - 352.04	224.94	0.59	0.47
	76176	13.72	16.76	3.04	0.025	0.04	0.0760	0.1216	-			
	76177	16.76	20.42	3.66	0.046	0.03	0.1684	0.1098	127.10 - 261.21	134.11	0.75	0.55
	76178		DUP		0.052	0.04			-			
	76179	20.42	23.16	2.74	0.035	0.04	0.0959	0.1096	157.58 - 261.21	103.63	0.86	0.64
	76180	23.16	26.21	3.05	0.048	0.08	0.1464	0.2440	-			
	76181	26.21	29.57	3.36	0.044	0.04	0.1478	0.1344	-			
	76182	29.57	32.31	2.74	0.135	0.07	0.3699	0.1918	4.88 - 127.10	122.22	0.07	0.06
	76183	32.31	35.51	3.20	0.152	0.10	0.4864	0.3200	127.10 - 157.58	30.48	0.37	0.23
	76184	35.51	38.40	2.89	0.054	0.03	0.1561	0.0867	157.58 - 261.21	103.63	0.86	0.64
	76185	38.40	41.45	3.05	0.015	0.03	0.0457	0.0915	261.21 - 288.65	27.44	0.42	0.40
	76186	41.45	44.81	3.36	0.035	0.03	0.1176	0.1008	288.65 - 352.04	63.39	0.29	0.33
	76187	44.81	47.85	3.04	0.05	0.04	0.1520	0.1216	-			
	76188	47.85	50.90	3.05	0.068	0.05	0.2074	0.1525	-			
	76189	50.90	53.95	3.05	0.067	0.09	0.2043	0.2745	-			
	76190	53.95	57.00	3.05	0.067	0.06	0.2043	0.1830	-			
	76191	57.00	60.05	3.05	0.064	0.08	0.1952	0.2440	-			
	76192	60.05	63.09	3.04	0.132	0.15	0.4013	0.4560	-			
	76193	63.09	66.14	3.05	0.142	0.08	0.4331	0.2440	-			
	76194	66.14	69.19	3.05	0.058	0.06	0.1769	0.1830	-			
	76195	69.19	71.93	2.74	0.052	0.05	0.1425	0.1370	-			
	76196	71.93	74.98	3.05	0.050	0.04	0.1525	0.1220	-			
	76197		DUP		0.050	0.03			-			
	76198	74.98	78.03	3.05	0.040	0.03	0.1220	0.0915	-			
	76199	78.03	81.38	3.35	0.066	0.05	0.2211	0.1675	-			
	76200	81.38	84.43	3.05	0.065	0.04	0.1983	0.1220	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 79

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	INTERVAL	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 79	76201	84.43	87.48	3.05	0.139	0.08	0.4240	0.2440	-			
	76202	87.48	90.53	3.05	0.102	0.07	0.3111	0.2135	-			
	76203	90.53	92.66	2.13	0.030	0.04	0.0639	0.0852	-			
	76204	92.66	95.71	3.05	0.063	0.04	0.1921	0.1220	-			
	76205	95.71	98.45	2.74	0.039	0.03	0.1069	0.0822	-			
	76206	98.45	100.58	2.13	0.051	0.04	0.1086	0.0852	-			
	76207	100.58	103.48	2.90	0.062	0.04	0.1798	0.1160	-			
	76208	103.48	105.77	2.29	0.069	0.05	0.1580	0.1145	-			
	76209	105.77	108.81	3.04	0.043	0.05	0.1307	0.1520	-			
	76210	108.81	111.86	3.05	0.084	0.06	0.2562	0.1830	-			
	76211	111.86	114.91	3.05	0.105	0.06	0.3203	0.1830	-			
	76212	114.91	117.35	2.44	0.069	0.05	0.1684	0.1220	-			
	76213	117.35	121.01	3.66	0.118	0.07	0.4319	0.2562	-			
	76214	121.01	124.05	3.04	0.160	0.08	0.4864	0.2432	-			
	76215	124.05	127.10	3.05	0.227	0.15	0.6923	0.4575	-			
	76216	127.10	130.15	3.05	0.409	0.29	1.2474	0.8845	-			
	76217		DUP		0.414	0.28			-			
	76218	130.15	133.20	3.05	0.426	0.24	1.2993	0.7320	-			
	76219	133.20	136.25	3.05	0.366	0.21	1.1163	0.6405	-			
	76220	136.25	139.29	3.04	0.621	0.36	1.8878	1.0944	-			
	76221	139.29	142.34	3.05	0.270	0.16	0.8235	0.4880	-			
	76222	142.34	145.39	3.05	0.336	0.22	1.0248	0.6710	-			
	76223	145.39	148.47	3.08	0.258	0.16	0.7946	0.4928	-			
	76224	148.47	151.49	3.02	0.234	0.15	0.7067	0.4530	-			
	76225	151.49	154.53	3.04	0.345	0.18	1.0488	0.5472	-			
	76226	154.53	157.58	3.05	0.455	0.33	1.3878	1.0065	-			
	76227	157.58	160.63	3.05	0.971	0.63	2.9616	1.9215	-			
	76228	160.63	163.68	3.05	0.812	0.55	2.4766	1.6775	-			
	76229	163.68	165.81	2.13	0.336	0.27	0.7157	0.5751	-			
	76230	165.81	168.55	2.74	0.762	0.49	2.0879	1.3426	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 79

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	INTERVAL	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 79	76231	168.55	171.91	3.36	0.755	0.51	2.5368	1.7136	-			
	76232	171.91	174.96	3.05	0.790	0.59	2.4095	1.7995	-			
	76233	174.96	178.00	3.04	0.842	0.54	2.5597	1.6416	-			
	76234	178.00	180.75	2.75	0.849	0.59	2.3348	1.6225	-			
	76235	180.75	183.95	3.20	0.897	0.60	2.8704	1.9200	-			
	76236	183.95	186.99	3.04	0.866	0.63	2.6326	1.9152	-			
	76237	183.95	190.04	6.09	0.791	0.58	4.8172	3.5322	-			
	76238		DUP		0.783	0.61			-			
	76239	190.04	193.09	3.05	1.110	0.80	3.3855	2.4400	-			
	76240	193.09	195.38	2.29	0.740	0.56	1.6946	1.2824	-			
	76241	195.38	196.90	1.52	1.056	0.70	1.6051	1.0640	-			
	76242	196.90	199.95	3.05	1.341	0.85	4.0901	2.5925	-			
	76243	199.95	203.00	3.05	1.117	0.80	3.4069	2.4400	-			
	76244	203.00	206.04	3.04	1.060	0.80	3.2224	2.4320	-			
	76245	206.04	209.09	3.05	1.071	0.74	3.2666	2.2570	-			
	76246	209.09	212.45	3.36	1.083	0.78	3.6389	2.6208	-			
	76247	212.45	215.49	3.04	1.350	1.01	4.1040	3.0704	-			
	76248	215.49	218.54	3.05	1.507	1.11	4.5963	3.3855	-			
	76249	218.54	221.59	3.05	1.131	0.98	3.4496	2.9890	-			
	76250	221.59	224.64	3.05	0.716	0.58	2.1838	1.7690	-			
	76251	224.64	227.69	3.05	1.030	0.82	3.1415	2.5010	-			
	76252	227.69	230.73	3.04	1.041	0.74	3.1646	2.2496	-			
	76253	230.73	233.78	3.05	0.380	0.32	1.1590	0.9760	-			
	76254	233.78	236.83	3.05	0.741	0.58	2.2601	1.7690	-			
	76255	236.83	239.88	3.05	0.620	0.54	1.8910	1.6470	-			
	76256	239.88	242.93	3.05	0.638	0.44	1.9459	1.3420	-			
	76257	242.93	245.97	3.04	0.651	0.50	1.9790	1.5200	-			
	76258	245.97	249.02	3.05	0.697	0.55	2.1259	1.6775	-			
	76259		DUP		0.662	0.55			-			
	76260	249.02	252.07	3.05	0.776	0.71	2.3668	2.1655	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 79

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	INTERVAL	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 79	76261	252.07	255.12	3.05	0.560	0.47	1.7080	1.4335	-			
	76262	255.12	258.17	3.05	0.506	0.50	1.5433	1.5250	-			
	76263	258.17	261.21	3.04	0.579	0.47	1.7602	1.4288	-			
	76264	261.21	264.26	3.05	0.424	0.38	1.2932	1.1590	-			
	76265	264.26	267.31	3.05	0.338	0.36	1.0309	1.0980	-			
	76266	267.31	270.36	3.05	0.651	0.43	1.9855	1.3115	-			
	76267	270.36	273.41	3.05	0.289	0.34	0.8815	1.0370	-			
	76268	273.41	276.45	3.04	0.333	0.35	1.0123	1.0640	-			
	76269	276.45	279.50	3.05	0.454	0.45	1.3847	1.3725	-			
	76270	279.50	282.55	3.05	0.462	0.36	1.4091	1.0980	-			
	76271	282.55	285.60	3.05	0.333	0.41	1.0157	1.2505	-			
	76272	285.60	288.65	3.05	0.502	0.50	1.5311	1.5250	-			
	76273	288.65	291.69	3.04	0.413	0.39	1.2555	1.1856	-			
	76274	291.69	294.74	3.05	0.261	0.31	0.7960	0.9455	-			
	76275	294.74	297.79	3.05	0.395	0.43	1.2048	1.3115	-			
	76276	297.79	300.84	3.05	0.288	0.34	0.8784	1.0370	-			
	76277	300.84	303.89	3.05	0.309	0.31	0.9425	0.9455	-			
	76278	303.89	306.93	3.04	0.314	0.36	0.9546	1.0944	-			
	76279	306.93	309.98	3.05	0.357	0.37	1.0889	1.1285	-			
	76280		DUP		0.349	0.36			-			
	76281	309.98	313.03	3.05	0.298	0.28	0.9089	0.8540	-			
	76282	313.03	316.08	3.05	0.324	0.27	0.9882	0.8235	-			
	76283	316.08	319.13	3.05	0.357	0.29	1.0889	0.8845	-			
	76284	319.13	322.17	3.04	0.329	0.30	1.0002	0.9120	-			
	76285	322.17	325.22	3.05	0.354	0.34	1.0797	1.0370	-			
	76286	325.22	328.27	3.05	0.114	0.12	0.3477	0.3660	-			
	76287	328.27	331.32	3.05	0.083	0.08	0.2532	0.2440	-			
	76288	331.32	334.37	3.05	0.155	0.22	0.4727	0.6710	-			
	76289	334.37	337.41	3.04	0.187	0.34	0.5685	1.0336	-			
	76290	337.41	340.17	2.76	0.298	0.51	0.8225	1.4076	-			
	76291	340.17	342.90	2.73	0.317	0.58	0.8654	1.5834	-			
	76292	342.90	345.95	3.05	0.327	0.54	0.9974	1.6470	-			
	76293	345.95	349.00	3.05	0.451	0.67	1.3755	2.0435	-			
	76294	349.00	352.04	3.04	0.233	0.4	0.7083	1.2160	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 80

DRILL	Assay	From	To	Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)	(m)	(m)	(%)	(g/T)	L x Cu	L x Au	INTERVAL	Thickness	Avg Cu	Avg Au
'94-80	76295	4.88	8.23	3.35	0.065	0.03	0.2177	0.1005	47.24 - 278.89	231.65	0.27	0.20
	76296	8.23	11.28	3.05	0.080	0.04	0.2440	0.1220	84.43 - 169.77	85.34	0.32	0.20
	76297	11.28	14.33	3.05	0.091	0.05	0.2776	0.1525	-			
	76298	14.33	17.37	3.04	0.040	0.03	0.1216	0.0912	-			
	76299	17.37	19.20	1.83	0.039	0.03	0.0714	0.0549	4.88 - 47.24	42.36	0.07	0.04
	76300	19.20	22.25	3.05	0.043	0.03	0.1311	0.0915	47.24 - 84.43	37.19	0.20	0.01
	76301	22.25	25.30	3.05	0.031	0.02	0.0945	0.0610	84.43 - 108.81	24.38	0.40	0.23
	76302	25.30	28.04	2.74	0.058	0.04	0.1589	0.1096	108.81 - 121.01	12.2	0.16	0.13
	76303	28.04	29.57	1.53	0.088	0.04	0.1346	0.0612	121.01 - 169.77	48.76	0.32	0.20
	76304	29.57	32.61	3.04	0.082	0.04	0.2493	0.1216	169.77 - 355.70	185.93	0.23	0.20
	76305	32.61	35.66	3.05	0.088	0.05	0.2684	0.1525	-			
	76306	35.66	38.40	2.74	0.101	0.05	0.2767	0.1370	-			
	76307	38.40	41.45	3.05	0.086	0.02	0.2623	0.0610	4.88 - 355.70	350.82	0.23	0.17
	76308		DUP		0.090	0.03			-			
	76309	41.45	44.20	2.75	0.099	0.03	0.2723	0.0825	-			
	76310	44.20	47.24	3.04	0.118	0.03	0.3587	0.0912	-			
	76311	47.24	50.29	3.05	0.223	0.07	0.6801	0.2135	-			
	76312	50.29	53.34	3.05	0.204	0.07	0.6222	0.2135	-			
	76313	53.34	56.39	3.05	0.179	0.09	0.5459	0.2745	-			
	76314	56.39	59.13	2.74	0.214	0.09	0.5864	0.2466	-			
	76315	59.13	63.09	3.96	0.290	0.11	1.1484	0.4356	-			
	76316	63.09	66.14	3.05	0.266	0.13	0.8113	0.3965	-			
	76317	66.14	69.19	3.05	0.167	0.08	0.5094	0.2440	-			
	76318	69.19	72.24	3.05	0.138	0.07	0.4209	0.2135	-			
	76319	72.24	75.29	3.05	0.177	0.10	0.5399	0.3050	-			
	76320	75.29	78.33	3.04	0.236	0.13	0.7174	0.3952	-			
	76321	78.33	81.38	3.05	0.123	0.10	0.3751	0.3050	-			
	76322	81.38	84.43	3.05	0.142	0.09	0.4331	0.2745	-			
	76323	84.43	87.48	3.05	0.233	0.12	0.7107	0.3660	-			
	76324	87.48	90.53	3.05	0.417	0.26	1.2718	0.7930	-			
	76325	90.53	93.57	3.04	0.388	0.24	1.1795	0.7296	-			
	76326		DUP		0.411	0.22			-			
	76327	93.57	96.62	3.05	0.863	0.44	2.6322	1.3420	-			
	76328	96.62	99.67	3.05	0.315	0.21	0.9607	0.6405	-			
	76329	99.67	102.72	3.05	0.304	0.19	0.9272	0.5795	-			
	76330	102.72	105.77	3.05	0.457	0.22	1.3938	0.6710	-			

check
check

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 80

DRILL	Assay	From	To	Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)	(m)	(m)	(%)	(g/T)	L x Cu	L x Au	INTERVAL	Thickness	Avg Cu	Avg Au
'94 - 80	76331	105.77	108.81	3.04	0.224	0.16	0.6810	0.4864	-			
	76332	108.81	111.86	3.05	0.196	0.17	0.5978	0.5185	-			
	76333	111.86	114.91	3.05	0.153	0.12	0.4667	0.3660	-			
	76334	114.91	117.96	3.05	0.153	0.12	0.4666	0.3660	-			
	76335	117.96	121.01	3.05	0.131	0.12	0.3996	0.3660	-			
	76336	121.01	124.05	3.04	0.203	0.16	0.6171	0.4864	-			
	76337	124.05	127.10	3.05	0.266	0.17	0.8113	0.5185	-			
	76338	127.10	130.15	3.05	0.427	0.22	1.3023	0.6710	-			
	76339	130.15	133.20	3.05	0.266	0.16	0.8113	0.4880	-			
	76340	133.20	136.25	3.05	0.263	0.16	0.8022	0.4880	-			
	76341	136.25	139.29	3.04	0.320	0.21	0.9728	0.6384	-			
	76342	139.29	142.34	3.05	0.266	0.17	0.8113	0.5185	-			
	76343	142.34	145.39	3.05	0.220	0.13	0.6710	0.3965	-			
	76344	145.39	148.44	3.05	0.239	0.33	0.7290	1.0065	-			
	76345	148.44	151.49	3.05	0.190	0.19	0.5795	0.5795	-			
	76346	151.49	154.53	3.04	0.271	0.18	0.8238	0.5472	-			
	76347	154.53	157.58	3.05	0.249	0.17	0.7595	0.5185	-			
	76348		DUP		0.246	0.16			-			
	76349	157.58	160.63	3.05	0.235	0.17	0.7168	0.5185	-			
	76350	160.63	163.68	3.05	0.540	0.27	1.6470	0.8235	-			
	76351	163.68	166.72	3.04	0.631	0.31	1.9182	0.9424	-			
	76352	166.72	169.77	3.05	0.474	0.23	1.4457	0.7015	-			
	76353	169.77	172.21	2.44	0.182	0.09	0.4441	0.2196	-			
	76354	172.21	175.84	3.63	0.109	0.06	0.3957	0.2178	-			
	76355	175.84	178.31	2.47	0.169	0.09	0.4174	0.2223	-			
	76356	178.31	181.36	3.05	0.309	0.17	0.9425	0.5185	-			
	76357	181.36	184.40	3.04	0.302	0.18	0.9181	0.5472	-			
	76358	184.40	187.45	3.05	0.363	0.27	1.1072	0.8235	-			
	76359	184.40	190.65	6.25	0.174	0.13	1.0875	0.8125	-			
	76360	190.65	193.70	3.05	0.315	0.24	0.9608	0.7320	-			

AMERICAN BULLION MINERALS LTD.

ED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 80

DRILL	Assay	From	To	Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)	(m)	(m)	(%)	(g/T)	L x Cu	L x Au	INTERVAL	Thickness	Avg Cu	Avg Au
'94 - 80	76361	193.70	196.75	3.05	0.247	0.23	0.7534	0.7015	-			
	76362	196.75	199.80	3.05	0.315	0.24	0.9608	0.7320	-			
	76363	199.80	203.00	3.20	0.295	0.24	0.9440	0.7680	-			
	76364	203.00	206.04	3.04	0.355	0.29	1.0792	0.8816	-			
	76365	206.04	209.25	3.21	0.288	0.25	0.9245	0.8025	-			
	76366	209.25	212.45	3.20	0.168	0.15	0.5376	0.4800	-			
	76367		DUP		0.158	0.15			-			
	76368	212.45	215.49	3.04	0.398	0.32	1.2099	0.9728	-			
	76369	215.49	218.54	3.05	0.355	0.30	1.0827	0.9150	-			
	76370	218.54	221.59	3.05	0.220	0.21	0.6710	0.6405	-			
	76371	221.59	224.64	3.05	0.262	0.23	0.7991	0.7015	-			
	76372	224.64	227.69	3.05	0.222	0.20	0.6771	0.6100	-			
	76373	227.69	230.73	3.04	0.354	0.37	1.0762	1.1248	-			
	76374	230.73	233.78	3.05	0.260	0.32	0.7930	0.9760	-			
	76375	233.78	236.83	3.05	0.311	0.16	0.9486	0.4880	-			
	76376	236.83	239.88	3.05	0.260	0.21	0.7930	0.6405	-			
	76377	239.88	242.93	3.05	0.198	0.22	0.6039	0.6710	-			
	76378	242.93	245.97	3.04	0.176	0.21	0.5350	0.6384	-			
	76379	245.97	247.80	1.83	0.234	0.25	0.4282	0.4575	-			
	76380	247.80	249.94	2.14	0.179	0.23	0.3831	0.4922	-			
	76381	249.94	252.98	3.04	0.294	0.37	0.8938	1.1248	-			
	76382	252.98	255.73	2.75	0.305	0.41	0.8388	1.1275	-			
	76383	255.73	258.78	3.05	0.193	0.17	0.5887	0.5185	-			
	76384	258.78	260.91	2.13	0.209	0.32	0.4452	0.6816	-			
	76385	260.91	263.96	3.05	0.224	0.24	0.6832	0.7320	-			
	76386	263.96	267.00	3.04	0.229	0.24	0.6962	0.7296	-			
	76387	267.00	270.36	3.36	0.248	0.22	0.8333	0.7392	-			
	76388	270.36	272.80	2.44	0.294	0.20	0.7174	0.4880	-			
	76389		DUP		0.299	0.20			-			
	76390	272.80	275.84	3.04	0.198	0.24	0.6019	0.7296	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 80

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	INTERVAL	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 80	76391	275.84	278.89	3.05	0.249	0.29	0.7595	0.8845	-			
	76392	278.89	281.94	3.05	0.132	0.11	0.4026	0.3355	-			
	76393	281.94	284.99	3.05	0.150	0.11	0.4575	0.3355	-			
	76394	284.99	288.04	3.05	0.146	0.14	0.4453	0.4270	-			
	76395	288.04	291.08	3.04	0.197	0.15	0.5989	0.4560	-			
	76396	291.08	294.13	3.05	0.196	0.23	0.5978	0.7015	-			
	76397	294.13	297.18	3.05	0.396	0.30	1.2078	0.9150	-			
	76398	297.18	300.23	3.05	0.193	0.07	0.5887	0.2135	-			
	76399	300.23	303.89	3.66	0.168	0.20	0.6149	0.7320	-			
	76400	303.89	306.93	3.04	0.145	0.14	0.4408	0.4256	-			
	76401	306.93	309.98	3.05	0.101	0.14	0.3081	0.4270	-			
	76402	309.98	313.03	3.05	0.104	0.16	0.3172	0.4880	-			
	76403	313.03	316.08	3.05	0.156	0.18	0.4758	0.5490	-			
	76404	316.08	319.13	3.05	0.164	0.20	0.5002	0.6100	-			
	76405	319.13	322.17	3.04	0.150	0.18	0.4560	0.5472	-			
	76406	322.17	325.22	3.05	0.148	0.10	0.4514	0.3050	-			
	76407	325.22	328.27	3.05	0.189	0.19	0.5764	0.5795	-			
	76408	328.27	329.79	1.52	0.199	0.21	0.3025	0.3192	-			
	76409	329.79	333.30	3.51	0.231	0.13	0.8108	0.4563	-			
	76410		DUP		0.232	0.13			-			
	76411	333.30	337.41	4.11	0.212	0.13	0.8713	0.5343	-			
	76412	337.41	340.46	3.05	0.182	0.13	0.5551	0.3965	-			
	76413	340.46	343.51	3.05	0.278	0.12	0.8479	0.3660	-			
	76414	343.51	346.56	3.05	0.227	0.16	0.6923	0.4880	-			
	76415	346.56	349.61	3.05	0.164	0.13	0.5002	0.3965	-			
	76416	349.61	352.65	3.04	0.256	0.27	0.7782	0.8208	-			
	76417	352.65	355.70	3.05	0.196	0.12	0.5978	0.3660	-			

DRILL HOLE #	Assay No.	From (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	INTERVAL	Thickness	Zone Avg Cu	Zone Avg Au	
'94-81	76418	3.66	7.01	3.35	0.095	0.08	0.3183	0.2680	130.00 - 141.43	11.43	0.23	0.22
	76419	7.01	9.75	2.74	0.035	0.07	0.0959	0.1918	-			
	76420	9.75	11.28	1.53	0.022	0.07	0.0337	0.1071	151.49 - 188.06	36.57	0.30	0.18
	76421		DUP		0.019	0.06			-			
	76422	11.28	14.35	3.07	0.008	0.06	0.0246	0.1842	188.06 - 273.41	85.35	1.30	1.19
	76423	14.35	17.37	3.02	0.020	0.11	0.0604	0.3322	-			
	76424	17.37	20.42	3.05	0.014	0.10	0.0427	0.3050	273.41 - 364.85	91.44	0.37	0.42
	76425	20.42	23.97	3.55	0.029	0.08	0.1029	0.2840	-			
	76426	23.97	26.52	2.55	0.046	0.11	0.1173	0.2805	151.49 - 364.85	213.36	0.72	0.68
	76427	26.52	29.57	3.05	0.020	0.04	0.0610	0.1220	-			
	76428	29.57	32.61	3.04	0.037	0.06	0.1125	0.1824	-			
	76429	32.61	35.66	3.05	0.010	0.06	0.0305	0.1830	-			
	76430	35.66	38.71	3.05	0.016	0.05	0.0488	0.1525	-			
	76431	38.71	41.76	3.05	0.028	0.06	0.0854	0.1830	130.0 - 364.85			
	76432	41.76	44.81	3.05	0.016	0.06	0.0488	0.1830	175.87 - 364.85			
	76433	44.81	47.85	3.04	0.024	0.05	0.0730	0.1520	175.87 - 297.79			
	76434	47.85	50.90	3.05	0.022	0.06	0.0671	0.1830	175.87 - 331.62			
	76435	50.90	53.95	3.05	0.013	0.07	0.0396	0.2135	175.87 - 350.52			
	76436	53.95	57.00	3.05	0.016	0.09	0.0488	0.2745	-			
	76437	57.00	59.74	2.74	0.031	0.09	0.0849	0.2466	-			
	76438	59.74	62.79	3.05	0.032	0.07	0.0976	0.2135	-			
	76439	62.79	66.14	3.35	0.029	0.07	0.0971	0.2345	-			
	76440	66.14	68.88	2.74	0.029	0.08	0.0795	0.2192	-			
	76441	68.88	71.93	3.05	0.107	0.11	0.3264	0.3355	-			
	76442	71.93	74.98	3.05	0.086	0.09	0.2623	0.2745	-			
	76443		DUP		0.086	0.10			-			
	76444	74.98	78.03	3.05	0.110	0.12	0.3355	0.3660	-			
	76445	78.03	81.07	3.04	0.127	0.11	0.3861	0.3344	-			
	76446	81.07	84.12	3.05	0.109	0.10	0.3325	0.3050	-			
	76447	84.12	87.48	3.36	0.145	0.13	0.4872	0.4368	-			
	76448	87.48	90.52	3.04	0.103	0.09	0.3131	0.2736	-			
	76449	90.52	92.96	2.44	0.107	0.10	0.2611	0.2440	-			
	76450	92.96	96.62	3.66	0.111	0.11	0.4063	0.4026	-			

AMERICAN BULLION MINERALS LTD.

LD CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 81

DRILL	Assay	From		Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)		(m)	(%)	(g/T)	L x Cu	L x Au	INTERVAL	Thickness	Avg Cu	Avg Au
'94 - 81	76451	96.62	99.66	3.04	0.143	0.15	0.4347	0.4560	-			
	76452	99.66	102.71	3.05	0.124	0.15	0.3782	0.4575	-			
	76453	102.71	105.76	3.05	0.144	0.19	0.4392	0.5795	-			
	76454	105.76	108.81	3.05	0.143	0.18	0.4361	0.5490	-			
	76455	108.81	110.34	1.53	0.250	0.28	0.3825	0.4284	-			
	76456	110.34	113.39	3.05	0.165	0.18	0.5033	0.5490	-			
	76457	113.39	116.59	3.20	0.055	0.11	0.1760	0.3520	-			
	76458	116.59	117.96	1.37	0.063	0.10	0.0863	0.1370	-			
	76459	117.96	121.01	3.05	0.203	0.18	0.6192	0.5490	-			
	76460	121.01	123.90	2.89	0.191	0.16	0.5520	0.4624	-			
	76461		DUP		0.201	0.16			-			
	76462	123.90	126.95	3.05	0.145	0.16	0.4422	0.4880	-			
	76463	126.95	130.00	3.05	0.162	0.15	0.4941	0.4575	-			
	76464	130.00	132.89	2.89	0.235	0.23	0.6791	0.6647	-			
	76465	132.89	135.18	2.29	0.201	0.19	0.4603	0.4351	-			
	76466	135.18	137.46	2.28	0.285	0.27	0.6498	0.6156	-			
	76467	137.46	141.43	3.97	0.225	0.20	0.8932	0.7940	-			
	76468	141.43	144.48	3.05	0.080	0.08	0.2440	0.2440	-			
	76469	144.48	147.83	3.35	0.106	0.09	0.3551	0.3015	-			
	76470	147.83	151.49	3.66	0.175	0.12	0.6405	0.4392	-			
	76471	151.49	154.53	3.04	0.221	0.14	0.6718	0.4256	-			
	76472	154.53	157.28	2.75	0.212	0.12	0.5830	0.3300	-			
	76473	157.28	160.63	3.35	0.493	0.26	1.6516	0.8710	-			
	76474	160.63	163.68	3.05	0.242	0.13	0.7381	0.3965	-			
	76475	163.68	166.73	3.05	0.201	0.11	0.6131	0.3355	-			
	76476	166.73	169.77	3.04	0.170	0.14	0.5168	0.4256	-			
	76477	169.77	172.82	3.05	0.250	0.14	0.7625	0.4270	-			
	76478	172.82	175.87	3.05	0.387	0.25	1.1803	0.7625	-			
	76479	175.87	178.92	3.05	0.419	0.29	1.2780	0.8845	-			
	76480	178.92	181.97	3.05	0.407	0.19	1.2414	0.5795	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 81

DRILL	Assay	From		Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)		(m)	(%)	(g/T)	L x Cu	L x Au	INTERVAL	Thickness	Avg Cu	Avg Au
'94 - 81	76481	181.97	185.01	3.04	0.477	0.31	1.4501	0.9424	-			
	76482	185.01	188.06	3.05	0.278	0.12	0.8479	0.3660	-			
	76483		DUP		0.277	0.15			-			
	76484	188.06	191.11	3.05	0.630	0.36	1.9215	1.0980	-			
	76485	191.11	193.24	2.13	0.869	0.66	1.8510	1.4058	-			
	76486	193.24	196.29	3.05	0.780	0.66	2.3790	2.0130	-			
	76487	196.29	199.34	3.05	1.217	0.78	3.7119	2.3790	-			
	76488	199.34	202.39	3.05	0.874	0.60	2.6657	1.8300	-			
	76489	202.39	205.48	3.09	0.926	0.39	2.8613	1.2051	-			
	76490	205.48	208.48	3.00	1.175	0.62	3.5250	1.8600	-			
	76491	208.48	211.53	3.05	0.944	0.61	2.8792	1.8605	-			
	76492	211.53	215.49	3.96	0.837	0.52	3.3145	2.0592	-			
	76493	215.49	218.54	3.05	0.936	0.53	2.8548	1.6165	-			
	76494	218.54	221.59	3.05	1.332	0.90	4.0626	2.7450	-			
	76495	221.59	224.64	3.05	1.302	0.96	3.9711	2.9280	-			
	76496	224.64	226.68	2.04	2.785	2.50	5.6814	5.1000	-			
	76497	226.68	230.73	4.05	1.834	1.87	7.4277	7.5735	-			
	76498	230.73	233.78	3.05	1.265	1.54	3.8583	4.6970	-			
	76499	233.78	236.83	3.05	1.468	1.72	4.4774	5.2460	-			
	76500	236.83	239.88	3.05	2.155	3.02	6.5728	9.2110	-			
	76501		DUP		2.154	3.12			-			
	76502	239.88	242.93	3.05	1.602	1.71	4.8861	5.2155	-			
	76503	242.93	245.97	3.04	1.498	1.80	4.5539	5.4720	-			
	76504	245.97	248.11	2.14	1.120	1.45	2.3968	3.1030	-			
	76505	248.11	250.85	2.74	2.040	1.81	5.5896	4.9594	-			
	76506	250.85	253.90	3.05	1.915	1.57	5.8407	4.7885	-			
	76507	253.90	256.95	3.05	1.427	1.93	4.3524	5.8865	-			
	76508	256.95	259.99	3.04	1.553	1.31	4.7211	3.9824	-			
	76509	259.99	263.04	3.05	1.287	1.09	3.9254	3.3245	-			
	76510	263.04	264.26	1.22	1.339	1.14	1.6336	1.3908	-			

DRILL	Assay	From		Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)		(m)	(%)	(g/T)	L x Cu	L x Au	INTERVAL	Thickness	Avg Cu	Avg Au
'94 - 81	76511	264.26	267.31	3.05	1.537	1.53	4.6878	4.6665	-			
	76512	267.31	270.36	3.05	0.759	0.74	2.3149	2.2570	-			
	76513	270.36	273.41	3.05	0.652	0.60	1.9886	1.8300	-			
	76514	273.41	276.45	3.04	0.334	0.24	1.0154	0.7296	-			
	76515	276.45	279.50	3.05	0.262	0.28	0.7991	0.8540	-			
	76516	279.50	282.55	3.05	0.288	0.28	0.8784	0.8540	-			
	76517	282.55	285.60	3.05	0.241	0.36	0.7351	1.0980	-			
	76518	285.60	288.65	3.05	0.449	0.36	1.3694	1.0980	-			
	76519	288.65	291.69	3.04	0.262	0.24	0.7965	0.7296	-			
	76520	291.69	294.74	3.05	0.491	0.39	1.4975	1.1895	-			
	76521	294.74	297.79	3.05	0.532	0.52	1.6226	1.5860	-			
	76522		DUP		0.544	0.54			-			
	76523	297.79	300.84	3.05	0.294	0.32	0.8967	0.9760	-			
	76524	300.84	303.89	3.05	0.434	0.52	1.3237	1.5860	-			
	76525	303.89	306.93	3.04	0.298	0.31	0.9059	0.9424	-			
	76526	303.89	309.37	5.48	0.342	0.29	1.8742	1.5892	-			
	76527	309.37	312.12	2.75	0.222	0.30	0.6105	0.8250	-			
	76528	312.12	314.25	2.13	0.196	0.27	0.4175	0.5751	-			
	76529	314.25	317.30	3.05	0.284	0.23	0.8662	0.7015	-			
	76530	317.30	320.34	3.04	0.220	0.25	0.6688	0.7600	-			
	76531	320.34	322.17	1.83	0.307	0.30	0.5618	0.5490	-			
	76532	322.17	325.22	3.05	0.220	0.26	0.6710	0.7930	-			
	76533	325.22	328.57	3.35	0.516	0.60	1.7286	2.0100	-			
	76534	328.57	331.62	3.05	1.212	1.27	3.6966	3.8735	-			
	76535	331.62	334.37	2.75	0.363	0.52	0.9983	1.4300	-			
	76536	334.37	337.41	3.04	0.338	0.46	1.0275	1.3984	-			
	76537	337.41	339.85	2.44	0.450	0.55	1.0980	1.3420	-			
	76538	339.85	342.60	2.75	0.459	0.61	1.2623	1.6775	-			
	76539	342.60	344.73	2.13	0.477	0.68	1.0160	1.4484	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 81

DRILL	Assay	From		Interval	Copper	Gold					Zone	Zone
HOLE #	No.	(m)		(m)	(%)	(g/T)	L x Cu	L x Au	INTERVAL	Thickness	Avg Cu	Avg Au
94 - 81	76540	344.73	347.78	3.05	0.397	0.56	1.2108	1.7080	-			
	76541	347.78	350.52	2.74	0.408	0.52	1.1179	1.4248	-			
	76542	350.52	353.57	3.05	0.315	0.45	0.9608	1.3725	-			
	76543		DUP		0.348	0.51			-			
	76544	353.57	356.62	3.05	0.342	0.52	1.0431	1.5860	-			
	76545	356.62	359.66	3.04	0.332	0.52	1.0093	1.5808	-			
	76546	359.66	362.71	3.05	0.217	0.30	0.6618	0.9150	-			
	76547	362.71	364.85	2.14	0.343	0.42	0.7340	0.8988	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 82

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94-82	79265	3.05	5.49	2.44	0.186	0.04	0.4538	0.0976	3.05 - 78.03	74.98	0.22	0.16
	79266	5.49	7.92	2.43	0.216	0.09	0.5249	0.2187	78.03 - 126.80	48.77	0.37	0.19
	79267	7.92	10.97	3.05	0.175	0.10	0.5338	0.3050	126.80 - 215.19	88.39	0.59	0.35
	79268	10.97	14.02	3.05	0.210	0.12	0.6405	0.3660	215.19 - 245.67	30.48	0.33	0.18
	79269	14.02	17.07	3.05	0.345	0.12	1.0522	0.3660	245.67 - 263.96	18.29	0.78	0.46
	79270	17.07	20.12	3.05	0.161	0.11	0.4911	0.3355	263.96 - 306.63	42.67	0.23	0.16
	79271		DUP		0.168	0.11			306.63 - 343.20	36.57	0.64	0.37
	79272	20.12	23.16	3.04	0.325	0.15	0.9880	0.4560	343.20 - 419.40	76.2	0.30	0.13
	79273	23.16	26.21	3.05	0.296	0.13	0.9028	0.3965	-			
	79274	26.21	29.26	3.05	0.337	0.13	1.0279	0.3965	-			
	79275	29.26	32.31	3.05	0.250	0.09	0.7625	0.2745	78.03 - 343.20	265.17	0.48	0.28
	79276	32.31	35.36	3.05	0.288	0.09	0.8784	0.2745	78.03 - 260.91	182.88	0.51	0.29
	79277	35.36	38.40	3.04	0.269	0.08	0.8178	0.2432	-			
	79278	38.40	41.45	3.05	0.200	0.11	0.6100	0.3355	-			
	79279	41.45	44.50	3.05	0.300	0.13	0.9150	0.3965	126.80 - 343.20	216.40	0.51	0.30
	79280	44.50	47.55	3.05	0.183	0.10	0.5581	0.3050	126.80 - 260.91	134.11	0.56	0.33
	79281	47.55	50.60	3.05	0.144	0.09	0.4392	0.2745	-			
	79282	50.60	53.64	3.04	0.358	0.18	1.0883	0.5472	-			
	79283	53.64	56.69	3.05	0.358	0.15	1.0919	0.4575	132.89 - 260.91	128.02	0.56	0.33
	79284	56.69	59.74	3.05	0.183	0.08	0.5582	0.2440	-			
	79285	59.74	62.79	3.05	0.179	0.10	0.5459	0.3050	3.05 - 410.4			
	79286	62.79	65.84	3.05	0.203	0.12	0.6191	0.3660	-			
	79287	65.84	68.88	3.04	0.090	0.29	0.2736	0.8816	-			
	79288	68.88	71.93	3.05	0.002	0.04	0.0061	0.1220	-			
	79289	71.93	74.98	3.05	0.135	0.30	0.4118	0.9150	-			
	79290		DUP		0.133	0.31			-			
	79291	74.98	78.03	3.05	0.167	0.11	0.5093	0.3355	-			
	79292	78.03	81.08	3.05	0.320	0.14	0.9760	0.4270	-			
	79293	81.08	84.12	3.04	0.478	0.18	1.4531	0.5472	-			
	79294	84.12	87.17	3.05	0.267	0.15	0.8143	0.4575	-			
	79295	87.17	90.22	3.05	0.339	0.18	1.0340	0.5490	-			
	79296	90.22	93.27	3.05	0.314	0.14	0.9577	0.4270	-			
	79297	93.27	96.32	3.05	0.309	0.16	0.9425	0.4880	-			
	79298	96.32	99.36	3.04	0.308	0.18	0.9363	0.5472	-			
	79299	99.36	102.41	3.05	0.418	0.25	1.2749	0.7625	-			
	79300	102.41	105.46	3.05	0.376	0.27	1.1468	0.8235	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 82

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 82	79301	105.46	108.51	3.05	0.473	0.23	1.4427	0.7015	-			
	79302	108.51	111.56	3.05	0.254	0.14	0.7747	0.4270	-			
	79303	111.56	114.60	3.04	0.358	0.19	1.0883	0.5776	-			
	79304	114.60	117.65	3.05	0.463	0.23	1.4122	0.7015	-			
	79305	117.65	120.70	3.05	0.417	0.21	1.2718	0.6405	-			
	79306	120.70	123.75	3.05	0.470	0.22	1.4335	0.6710	-			
	79307	123.75	126.80	3.05	0.424	0.18	1.2932	0.5490	-			
	79308	126.80	129.84	3.04	0.506	0.29	1.5382	0.8816	-			
	79309		DUP		0.514	0.32			-			
	79310	129.84	132.89	3.05	0.516	0.34	1.5738	1.0370	-			
	79311	132.89	135.94	3.05	0.704	0.47	2.1472	1.4335	-			
	79312	135.94	139.99	4.05	0.682	0.44	2.7621	1.7820	-			
	79313	139.99	142.04	2.05	0.628	0.37	1.2874	0.7585	-			
	79314	142.04	145.08	3.04	0.604	0.31	1.8362	0.9424	-			
	79315	145.08	148.13	3.05	0.550	0.34	1.6775	1.0370	-			
	79316	148.13	151.18	3.05	0.593	0.28	1.8086	0.8540	-			
	79317	151.18	154.23	3.05	0.292	0.24	0.8906	0.7320	-			
	79318	154.23	157.28	3.05	0.443	0.25	1.3512	0.7625	-			
	79319	157.28	160.32	3.04	0.972	0.41	2.9549	1.2464	-			
	79320	160.32	163.37	3.05	0.492	0.32	1.5006	0.9760	-			
	79321	163.37	166.42	3.05	0.638	0.31	1.9459	0.9455	-			
	79322	166.42	169.47	3.05	0.490	0.28	1.4945	0.8540	-			
	79323	169.47	172.52	3.05	0.586	0.32	1.7873	0.9760	-			
	79324	172.52	175.56	3.04	0.494	0.29	1.5018	0.8816	-			
	79325	175.56	178.61	3.05	0.505	0.29	1.5403	0.8845	-			
	79326	178.61	181.66	3.05	0.504	0.33	1.5372	1.0065	-			
	79327	181.66	184.71	3.05	0.786	0.43	2.3973	1.3115	-			
	79328	184.71	187.76	3.05	0.771	0.49	2.3515	1.4945	-			
	79329	187.76	190.80	3.04	0.427	0.30	1.2981	0.9120	-			
	79330		DUP		0.450	0.31			-			

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 82	79331	190.80	193.85	3.05	0.776	0.47	2.3668	1.4335	-			
	79332	193.85	196.90	3.05	0.723	0.48	2.2051	1.4640	-			
	79333	196.90	199.95	3.05	0.789	0.50	2.4065	1.5250	-			
	79334	199.95	203.00	3.05	0.630	0.43	1.9215	1.3115	-			
	79335	203.00	206.09	3.09	0.483	0.39	1.4925	1.2051	-			
	79336	206.09	209.09	3.00	0.525	0.34	1.5750	1.0200	-			
	79337	209.09	212.14	3.05	0.489	0.26	1.4915	0.7930	-			
	79338	212.14	215.19	3.05	0.420	0.25	1.2810	0.7625	-			
	79339	215.19	218.24	3.05	0.004	0.02	0.0122	0.0610	-			
	79340	218.24	221.28	3.04	0.209	0.13	0.6354	0.3952	-			
	79341	221.28	224.33	3.05	0.272	0.24	0.8296	0.7320	-			
	79342	224.33	227.38	3.05	0.435	0.11	1.3268	0.3355	-			
	79343	227.38	230.43	3.05	0.289	0.08	0.8814	0.2440	-			
	79344	230.43	233.46	3.03	0.394	0.15	1.1938	0.4545	-			
	79345	233.46	236.52	3.06	0.722	0.40	2.2093	1.2240	-			
	79346	236.52	239.57	3.05	0.467	0.30	1.4244	0.9150	-			
	79347	239.57	242.62	3.05	0.348	0.18	1.0614	0.5490	-			
	79348	242.62	245.67	3.05	0.194	0.15	0.5917	0.4575	-			
	79349	245.67	248.72	3.05	0.765	0.37	2.3333	1.1285	-			
	79350		DUP		0.759	0.45			-			
	79351	248.72	251.76	3.04	0.660	0.37	2.0064	1.1248	-			
	79352	251.76	254.81	3.05	0.712	0.42	2.1716	1.2810	-			
	79353	254.81	257.86	3.05	0.793	0.54	2.4186	1.6470	-			
	79354	257.86	260.91	3.05	1.354	0.77	4.1297	2.3485	-			
	79355	260.91	263.96	3.05	0.367	0.31	1.1193	0.9455	-			
	79356	263.96	267.00	3.04	0.005	0.04	0.0152	0.1216	-			
	79357	267.00	270.05	3.05	0.540	0.26	1.6470	0.7930	-			
	79358	270.05	273.10	3.05	0.283	0.17	0.8632	0.5185	-			
	79359	273.10	276.15	3.05	0.210	0.17	0.6405	0.5185	-			
	79360	276.15	279.20	3.05	0.224	0.16	0.6832	0.4880	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 82

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 82	79361	279.20	282.24	3.04	0.291	0.23	0.8846	0.6992	-			
	79362	282.24	285.29	3.05	0.206	0.16	0.6283	0.4880	-			
	79363	285.29	288.34	3.05	0.151	0.13	0.4605	0.3965	-			
	79364	288.34	291.39	3.05	0.185	0.17	0.5643	0.5185	-			
	79365	291.39	294.44	3.05	0.147	0.13	0.4483	0.3965	-			
	79366	294.44	297.48	3.04	0.129	0.11	0.3922	0.3344	-			
	79367	297.48	300.53	3.05	0.173	0.17	0.5276	0.5185	-			
	79368	300.53	303.58	3.05	0.552	0.27	1.6836	0.8235	-			
	79369		DUP		0.567	0.26			-			
	79370	303.58	306.63	3.05	0.143	0.05	0.4362	0.1525	-			
	79371	306.63	309.68	3.05	0.896	0.30	2.7328	0.9150	-			
	79372	309.68	312.72	3.04	0.963	0.64	2.9275	1.9456	-			
	79373	312.72	315.77	3.05	0.008	0.02	0.0244	0.0610	-			
	79374	315.77	318.82	3.05	0.241	0.20	0.7351	0.6100	-			
	79375	318.82	321.87	3.05	0.723	0.46	2.2051	1.4030	-			
	79376	321.87	324.92	3.05	0.705	0.43	2.1503	1.3115	-			
	79377	324.92	327.96	3.04	0.754	0.47	2.2922	1.4288	-			
	79378	327.96	331.01	3.05	0.703	0.33	2.1442	1.0065	-			
	79379	331.01	334.06	3.05	0.607	0.39	1.8513	1.1895	-			
	79380	334.06	337.11	3.05	0.637	0.36	1.9428	1.0980	-			
	79381	337.11	340.16	3.05	0.668	0.34	2.0374	1.0370	-			
	79382	340.16	343.20	3.04	0.729	0.45	2.2162	1.3680	-			
	79383		DUP		0.321	0.17			-			
	79384	343.20	346.25	3.05	0.176	0.10	0.5368	0.3050	-			
	79385	346.25	349.30	3.05	0.514	0.23	1.5677	0.7015	-			
	79386	349.30	352.35	3.05	0.580	0.27	1.7690	0.8235	-			
	79387	352.35	355.40	3.05	0.567	0.22	1.7293	0.6710	-			
	79388	355.40	358.44	3.04	0.355	0.14	1.0792	0.4256	-			
	79389	358.44	361.49	3.05	0.147	0.08	0.4483	0.2440	-			
	79390	361.49	364.54	3.05	0.196	0.08	0.5978	0.2440	-			
	79391	364.54	367.59	3.05	0.194	0.08	0.5917	0.2440	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 82

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 82	79392	367.59	370.64	3.05	0.180	0.05	0.5490	0.1525	-			
	79393	370.64	373.68	3.04	0.254	0.08	0.7722	0.2432	-			
	79394	373.68	376.73	3.05	0.241	0.06	0.7351	0.1830	-			
	79395	376.73	379.78	3.05	0.204	0.06	0.6222	0.1830	-			
	79396	379.78	382.83	3.05	0.296	0.11	0.9028	0.3355	-			
	79397	382.83	385.88	3.05	0.248	0.19	0.7564	0.5795	-			
	79398	385.88	388.97	3.09	0.217	0.09	0.6705	0.2781	-			
	79399	388.97	391.97	3.00	0.201	0.09	0.6030	0.2700	-			
	79400	391.97	395.02	3.05	0.369	0.14	1.1254	0.4270	-			
	79401	395.02	398.07	3.05	0.483	0.15	1.4732	0.4575	-			
	79402	398.07	401.17	3.10	0.370	0.11	1.1470	0.3410	-			
	79403	401.17	404.16	2.99	0.339	0.17	1.0136	0.5083	-			
	79404	404.16	407.21	3.05	0.212	0.10	0.6466	0.3050	-			
	79405	407.21	410.26	3.05	0.213	0.09	0.6497	0.2745	-			
	79406	410.26	413.31	3.05	0.216	0.11	0.6588	0.3355	-			
	79407	413.31	416.36	3.05	0.281	0.11	0.8570	0.3355	-			
	79408	416.36	419.40	3.04	0.339	0.24	1.0306	0.7296	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 83

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94-83	79409	3.65	5.49	1.84	0.338	0.12	0.6219	0.2208	3.65 - 391.97	388.32	0.44	0.26
	79410	5.49	7.97	2.48	0.453	0.18	1.1234	0.4464				
	79411	7.97	10.97	3.00	0.168	0.06	0.5040	0.1800	26.24 - 218.24	192	0.57	0.34
	79412	10.97	13.41	2.44	0.153	0.09	0.3733	0.2196	-			
	79413		DUP		0.140	0.09			285.29 - 340.16	54.87	0.68	0.40
	79414	13.41	17.07	3.66	0.379	0.14	1.3871	0.5124	-			
	79415	17.07	20.12	3.05	0.560	0.16	1.7080	0.4880	285.29 - 391.97	106.68	0.47	0.28
	79416	20.12	23.16	3.04	0.469	0.15	1.4258	0.4560	-			
	79417	23.16	26.24	3.08	0.490	0.17	1.5092	0.5236	3.65 221.28	217.63	0.54	0.31
	79418	26.24	29.26	3.02	0.794	0.30	2.3979	0.9060				
	79419	29.26	32.31	3.05	0.625	0.23	1.9063	0.7015	3.65 - 26.24	22.59	0.38	0.13
	79420	32.31	35.36	3.05	0.741	0.29	2.2600	0.8845	26.24 - 87.17	60.93	0.66	0.25
	79421	35.36	38.40	3.04	0.560	0.13	1.7024	0.3952	87.17 - 157.28	70.11	0.29	0.27
	79422	38.40	41.45	3.05	0.663	0.16	2.0221	0.4880	157.28 - 221.28	64.00	0.77	0.50
	79423	41.45	44.50	3.05	0.654	0.14	1.9947	0.4270	221.28 - 285.29	64.01	0.02	0.04
	79424	44.50	47.55	3.05	0.835	0.18	2.5467	0.5490	285.29 - 340.16	54.87	0.68	0.40
	79425	47.55	50.60	3.05	0.614	0.14	1.8727	0.4270	340.16 - 358.44	18.28	0.03	0.04
	79426	50.60	53.64	3.04	0.732	0.16	2.2253	0.4864	358.44 - 391.97	33.53	0.37	0.21
	79427	53.64	56.69	3.05	0.477	0.11	1.4548	0.3355	-			
	79428	56.69	59.74	3.05	0.291	0.09	0.8876	0.2745	-			
	79429	59.74	62.79	3.05	0.328	0.11	1.0004	0.3355	26.24 - 340.16	313.92	0.47	0.29
	79430	62.79	65.84	3.05	0.476	0.19	1.4518	0.5795	-			
	79431	65.84	68.88	3.04	0.663	0.34	2.0155	1.0336	26.24 - 221.28	195.04	0.56	0.34
	79432		DUP		0.621	0.35			-			
	79433	68.88	71.93	3.05	0.706	0.37	2.1533	1.1285	3.65 - 340.16	336.51	0.47	0.28
	79434	71.93	74.98	3.05	0.771	0.36	2.3516	1.0980	3.65 - 221.28	217.63	0.54	0.31
	79435	74.98	78.03	3.05	0.571	0.30	1.7415	0.9150	-			
	79436	78.03	81.07	3.04	1.068	0.54	3.2467	1.6416	-			
	79437	81.07	84.12	3.05	0.644	0.33	1.9642	1.0065	-			
	79438	84.12	87.17	3.05	1.001	0.45	3.0530	1.3725	-			
	79439	87.17	90.22	3.05	0.516	0.28	1.5738	0.8540	-			
	79440	90.22	93.27	3.05	0.344	0.17	1.0492	0.5185	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 83

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 83	79441	93.27	96.31	3.04	0.293	0.24	0.8907	0.7296	-			
	79442	96.31	99.36	3.05	0.176	0.19	0.5368	0.5795	-			
	79443	99.36	102.40	3.04	0.300	0.24	0.9120	0.7296	-			
	79444	102.40	105.46	3.06	0.380	0.26	1.1628	0.7956	-			
	79445	105.46	108.51	3.05	0.253	0.24	0.7717	0.7320	-			
	79446	108.51	111.56	3.05	0.243	0.21	0.7411	0.6405	-			
	79447	111.56	114.60	3.04	0.267	0.27	0.8117	0.8208	-			
	79448	114.60	117.65	3.05	0.481	0.52	1.4671	1.5860	-			
	79449	117.65	120.70	3.05	0.328	0.35	1.0004	1.0675	-			
	79450	120.70	123.74	3.04	0.415	0.42	1.2616	1.2768	-			
	79451		DUP		0.420	0.42			-			
	79452	123.74	126.79	3.05	0.190	0.21	0.5795	0.6405	-			
	79453	126.79	129.84	3.05	0.139	0.10	0.4239	0.3050	-			
	79454	129.84	132.89	3.05	0.166	0.14	0.5063	0.4270	-			
	79455	132.89	135.94	3.05	0.132	0.10	0.4026	0.3050	-			
	79456	135.94	138.99	3.05	0.146	0.11	0.4453	0.3355	-			
	79457	138.99	142.04	3.05	0.165	0.13	0.5032	0.3965	-			
	79458	142.04	146.08	4.04	0.294	0.28	1.1878	1.1312	-			
	79459	146.08	148.13	2.05	0.250	0.28	0.5125	0.5740	-			
	79460	148.13	151.18	3.05	0.225	0.25	0.6862	0.7625	-			
	79461	151.18	154.23	3.05	0.425	0.54	1.2963	1.6470	-			
	79462	154.23	157.28	3.05	0.580	0.60	1.7690	1.8300	-			
	79463	157.28	160.32	3.04	1.662	1.77	5.0525	5.3808	-			
	79464	160.32	163.37	3.05	0.690	0.67	2.1045	2.0435	-			
	79465	163.37	166.42	3.05	0.429	0.35	1.3085	1.0675	-			
	79466	166.42	169.47	3.05	0.831	0.58	2.5346	1.7690	-			
	79467	169.47	172.52	3.05	0.583	0.50	1.7782	1.5250	-			
	79468	172.52	175.56	3.04	0.680	0.52	2.0672	1.5808	-			
	79469	175.56	178.61	3.05	0.158	0.14	0.4819	0.4270	-			
	79470	178.61	181.66	3.05	0.645	0.46	1.9673	1.4030	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 83

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 83	79471	181.66	184.71	3.05	0.525	0.42	1.6013	1.2810	-			
	79472		DUP		0.526	0.43			-			
	79473	184.71	187.76	3.05	0.784	0.60	2.3912	1.8300	-			
	79474	187.76	190.80	3.04	1.128	0.61	3.4291	1.8544	-			
	79475	190.80	193.85	3.05	0.784	0.30	2.3912	0.9150	-			
	79476	193.85	196.90	3.05	0.219	0.12	0.6679	0.3660	-			
	79477	196.90	199.95	3.05	0.263	0.14	0.8022	0.4270	-			
	79478	199.95	203.00	3.05	0.624	0.31	1.9032	0.9455	-			
	79479	203.00	206.04	3.04	1.259	0.64	3.8274	1.9456	-			
	79480	206.04	209.09	3.05	0.973	0.27	2.9677	0.8235	-			
	79481	209.09	212.14	3.05	0.779	0.32	2.3760	0.9760	-			
	79482	212.14	215.19	3.05	1.244	0.62	3.7942	1.8910	-			
	79483	215.19	218.24	3.05	1.525	0.90	4.6513	2.7450	-			
	79484	218.24	221.28	3.04	0.319	0.21	0.9698	0.6384	-			
	79485	221.28	224.33	3.05	0.015	0.03	0.0458	0.0915	-			
	79486	224.33	227.38	3.05	0.060	0.02	0.1830	0.0610	-			
	79487	227.38	230.43	3.05	0.030	0.04	0.0915	0.1220	-			
	79488	230.43	233.48	3.05	0.015	0.04	0.0458	0.1220	-			
	79489	233.48	236.52	3.04	0.023	0.03	0.0699	0.0912	-			
	79490	236.52	239.57	3.05	0.021	0.04	0.0641	0.1220	-			
	79491	239.57	242.62	3.05	0.046	0.08	0.1403	0.2440	-			
	79492		DUP		0.047	0.08			-			
	79493	242.62	245.67	3.05	0.021	0.05	0.0641	0.1525	-			
	79494	245.67	248.72	3.05	0.038	0.06	0.1159	0.1830	-			
	79495	248.72	251.76	3.04	0.074	0.05	0.2250	0.1520	-			
	79496	251.76	254.81	3.05	0.027	0.07	0.0824	0.2135	-			
	79497	254.81	257.86	3.05	0.013	0.04	0.0396	0.1220	-			
	79498	257.86	260.90	3.04	0.009	0.05	0.0274	0.1520	-			
	79499	260.90	263.96	3.06	0.008	0.05	0.0245	0.1530	-			
	79500	263.96	267.00	3.04	0.004	0.02	0.0122	0.0608	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 83

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 83	79501	267.00	270.05	3.05	0.001	0.01	0.0030	0.0305	-			
	79502	270.05	273.10	3.05	0.001	0.01	0.0031	0.0305	-			
	79503	273.10	276.15	3.05	0.004	0.01	0.0122	0.0305	-			
	79504	276.15	279.20	3.05	0.006	0.03	0.0183	0.0915	-			
	79505	279.20	282.24	3.04	0.011	0.03	0.0334	0.0912	-			
	79506	282.24	285.29	3.05	0.025	0.05	0.0763	0.1525	-			
	79507	285.29	288.34	3.05	0.746	0.38	2.2753	1.1590	-			
	79508	288.34	291.39	3.05	1.032	0.63	3.1476	1.9215	-			
	79509	291.39	294.44	3.05	0.249	0.78	0.7594	2.3790	-			
	79510	294.44	297.48	3.04	0.360	0.20	1.0944	0.6080	-			
	79511	297.48	300.53	3.05	0.026	0.05	0.0793	0.1525	-			
	79512	300.53	303.58	3.05	0.226	0.17	0.6893	0.5185	-			
	79513	303.58	306.63	3.05	0.845	0.10	2.5773	0.3050	-			
	79514		DUP		0.861	0.44			-			
	79515	306.63	309.68	3.05	0.668	0.49	2.0374	1.4945	-			
	79516	309.68	312.72	3.04	0.898	0.67	2.7299	2.0368	-			
	79517	312.72	315.77	3.05	1.217	0.31	3.7118	0.9455	-			
	79518	315.77	318.82	3.05	1.305	0.74	3.9803	2.2570	-			
	79519	318.82	321.87	3.05	0.814	0.49	2.4827	1.4945	-			
	79520	321.87	324.92	3.05	0.874	0.53	2.6657	1.6165	-			
	79521	324.92	327.96	3.04	0.796	0.43	2.4198	1.3072	-			
	79522	327.96	331.01	3.05	0.396	0.23	1.2078	0.7015	-			
	79523	331.01	334.06	3.05	0.666	0.36	2.0313	1.0980	-			
	79524	334.06	337.11	3.05	0.818	0.50	2.4949	1.5250	-			
	79525	337.11	340.16	3.05	0.349	0.23	1.0645	0.7015	-			
	79526	340.16	343.20	3.04	0.026	0.04	0.0790	0.1216	-			
	79527	343.20	346.25	3.05	0.020	0.04	0.0610	0.1220	-			
	79528	346.25	349.30	3.05	0.016	0.03	0.0488	0.0915	-			
	79529	349.30	352.35	3.05	0.029	0.04	0.0885	0.1220	-			
	79530	352.35	355.40	3.05	0.037	0.05	0.1128	0.1525	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 83

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 83	79531	355.40	358.44	3.04	0.027	0.04	0.0821	0.1216	-			
	79532	358.44	361.49	3.05	0.283	0.30	0.8631	0.9150	-			
	79533		DUP		0.307	0.33			-			
	79534	361.49	364.54	3.05	0.449	0.48	1.3695	1.4640	-			
	79535	364.54	367.59	3.05	0.247	0.17	0.7533	0.5185	-			
	79536	367.59	370.64	3.05	0.218	0.10	0.6649	0.3050	-			
	79537	370.64	373.68	3.04	0.483	0.20	1.4683	0.6080	-			
	79538	373.68	376.73	3.05	0.352	0.13	1.0736	0.3965	-			
	79539	376.73	379.78	3.05	0.484	0.23	1.4762	0.7015	-			
	79540	379.78	382.83	3.05	0.305	0.18	0.9302	0.5490	-			
	79541	382.83	385.88	3.05	0.426	0.15	1.2993	0.4575	-			
	79542	385.88	388.92	3.04	0.392	0.18	1.1917	0.5472	-			
	79543	388.92	391.97	3.05	0.404	0.18	1.2322	0.5490	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 84

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94-84	76655	4.57	7.62	3.05	0.383	0.19	1.1682	0.5795	4.57 - 364.24	359.67	0.44	0.21
	76656	7.62	10.06	2.44	0.041	0.06	0.1000	0.1464	-			
	76657	10.06	13.11	3.05	0.021	0.04	0.0640	0.1220	-			
	76658	13.11	15.54	2.43	0.022	0.02	0.0535	0.0486	4.57 - 90.53	85.96	0.05	0.04
	76659	15.54	17.37	1.83	0.031	0.03	0.0567	0.0549	90.53 - 166.73	76.2	0.98	0.57
	76660	17.37	20.12	2.75	0.027	0.03	0.0743	0.0825	166.73 - 206.35	39.62	0.03	0.04
	76661	20.12	23.16	3.04	0.020	0.06	0.0608	0.1824	206.35 - 319.13	112.78	0.57	0.20
	76662	23.16	26.37	3.21	0.005	0.04	0.0161	0.1284	319.13 - 364.24	45.11	0.28	0.15
	76663		DUP		0.006	0.03			-			
	76664	26.37	29.41	3.04	0.008	0.03	0.0243	0.0912	93.57 - 163.68	70.11	1.03	0.60
	76665	29.41	32.46	3.05	0.006	0.03	0.0183	0.0915	93.57 - 166.73	73.16	1.01	0.58
	76666	32.46	35.51	3.05	0.006	0.02	0.0183	0.0610				
	76667	35.51	38.56	3.05	0.015	0.01	0.0458	0.0305	93.57 - 319.13	225.56	0.62	0.29
	76668	38.56	41.76	3.20	0.014	0.02	0.0448	0.0640	93.57 - 364.24	270.67	0.56	0.27
	76669	41.76	44.81	3.05	0.016	0.04	0.0488	0.1220	-			
	76670	44.81	47.85	3.04	0.017	0.02	0.0517	0.0608	-			
	76671	47.85	50.90	3.05	0.012	0.01	0.0366	0.0305	-			
	76672	50.90	53.95	3.05	0.007	0.02	0.0213	0.0610	-			
	76673	53.95	57.00	3.05	0.030	0.05	0.0915	0.1525	-			
	76674	57.00	59.13	2.13	0.022	0.07	0.0469	0.1491	-			
	76675	59.13	62.18	3.05	0.036	0.03	0.1098	0.0915	-			
	76676	62.18	65.23	3.05	0.075	0.04	0.2288	0.1220	-			
	76677	65.23	68.28	3.05	0.108	0.04	0.3294	0.1220	-			
	76678	68.28	70.41	2.13	0.076	0.06	0.1619	0.1278	-			
	76679	70.41	72.24	1.83	0.064	0.06	0.1171	0.1098	-			
	76680	72.24	75.29	3.05	0.058	0.04	0.1769	0.1220	-			
	76681	75.29	78.33	3.04	0.054	0.03	0.1642	0.0912	-			
	76682	78.33	81.38	3.05	0.053	0.03	0.1616	0.0915	-			
	76683	81.38	84.43	3.05	0.060	0.05	0.1830	0.1525	-			
	76684		DUP		0.059	0.05			-			
	76685	84.43	87.48	3.05	0.043	0.03	0.1312	0.0915	-			
	76686	87.48	90.53	3.05	0.041	0.06	0.1250	0.1830	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 84

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 84	76687	90.53	93.57	3.04	0.224	0.19	0.6810	0.5776	-			
	76688	93.57	96.62	3.05	1.175	1.19	3.5838	3.6295	-			
	76689	96.62	99.67	3.05	1.360	1.10	4.1480	3.3550	-			
	76690	99.67	102.72	3.05	1.252	1.11	3.8186	3.3855	-			
	76691	102.72	105.77	3.05	0.865	0.70	2.6382	2.1350	-			
	76692	105.77	108.81	3.04	0.995	0.92	3.0248	2.7968	-			
	76693	108.81	111.86	3.05	1.230	1.29	3.7515	3.9345	-			
	76694	111.86	114.91	3.05	1.075	0.90	3.2788	2.7450	-			
	76695	114.91	117.96	3.05	1.166	0.94	3.5563	2.8670	-			
	76696	117.96	121.01	3.05	1.072	0.46	3.2696	1.4030	-			
	76697	121.01	124.05	3.04	1.060	0.44	3.2224	1.3376	-			
	76698	124.05	127.10	3.05	0.905	0.47	2.7602	1.4335	-			
	76699	127.10	130.15	3.05	0.953	0.49	2.9066	1.4945	-			
	76700	130.15	133.20	3.05	0.980	0.50	2.9890	1.5250	-			
	76701		DUP		0.995	0.52			-			
	76702	133.20	136.25	3.05	0.928	0.31	2.8304	0.9455	-			
	76703	136.25	139.31	3.06	0.989	0.35	3.0263	1.0710	-			
	76704	139.31	142.34	3.03	1.350	0.46	4.0905	1.3938	-			
	76705	142.34	145.39	3.05	0.766	0.32	2.3363	0.9760	-			
	76706	145.39	148.44	3.05	0.872	0.30	2.6596	0.9150	-			
	76707	148.44	151.49	3.05	0.823	0.34	2.5102	1.0370	-			
	76708	151.49	154.53	3.04	0.941	0.45	2.8606	1.3680	-			
	76709	154.53	157.58	3.05	1.263	0.29	3.8522	0.8845	-			
	76710	157.58	160.63	3.05	0.450	0.17	1.3725	0.5185	-			
	76711	160.63	163.68	3.05	1.247	0.29	3.8033	0.8845	-			
	76712	163.68	166.73	3.05	0.506	0.15	1.5433	0.4575	-			
	76713	166.73	169.77	3.04	0.115	0.08	0.3496	0.2432	-			
	76714	169.77	172.82	3.05	0.043	0.05	0.1312	0.1525	-			
	76715	172.82	175.87	3.05	0.015	0.02	0.0457	0.0610	-			
	76716	175.87	178.92	3.05	0.021	0.03	0.0641	0.0915	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 84

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 84	76717	178.92	181.97	3.05	0.028	0.06	0.0854	0.1830	-			
	76718	181.97	185.01	3.04	0.023	0.04	0.0699	0.1216	-			
	76719	185.01	188.06	3.05	0.001	0.01	0.0031	0.0305	-			
	76720	188.06	191.11	3.05	0.017	0.03	0.0519	0.0915	-			
	76721	191.11	194.16	3.05	0.024	0.04	0.0732	0.1220	-			
	76722	194.16	197.21	3.05	0.037	0.05	0.1129	0.1525	-			
	76723		DUP		0.038	0.05			-			
	76724	197.21	200.25	3.04	0.037	0.05	0.1125	0.1520	-			
	76725	200.25	203.30	3.05	0.013	0.04	0.0397	0.1220	-			
	76726	203.30	206.35	3.05	0.018	0.04	0.0549	0.1220	-			
	76727	206.35	209.40	3.05	0.704	0.24	2.1472	0.7320	-			
	76728	209.40	212.45	3.05	0.600	0.20	1.8300	0.6100	-			
	76729	212.45	215.49	3.04	0.657	0.21	1.9973	0.6384	-			
	76730	215.49	218.54	3.05	0.695	0.23	2.1197	0.7015	-			
	76731	218.54	221.59	3.05	0.684	0.22	2.0862	0.6710	-			
	76732	221.59	224.64	3.05	0.723	0.25	2.2052	0.7625	-			
	76733	224.64	227.69	3.05	0.492	0.36	1.5006	1.0980	-			
	76734	227.69	230.73	3.04	0.406	0.12	1.2342	0.3648	-			
	76735	230.73	233.78	3.05	0.905	0.24	2.7603	0.7320	-			
	76736	233.78	236.83	3.05	0.687	0.25	2.0954	0.7625	-			
	76737	236.83	239.88	3.05	1.028	0.32	3.1354	0.9760	-			
	76738	239.88	242.93	3.05	0.421	0.12	1.2840	0.3660	-			
	76739	242.93	245.97	3.04	0.410	0.15	1.2464	0.4560	-			
	76740	245.97	247.00	1.03	0.516	0.16	0.5315	0.1648	-			
	76741	247.00	250.55	3.55	0.751	0.16	2.6661	0.5680	-			
	76742	250.55	252.83	2.28	0.509	0.15	1.1605	0.3420	-			
	76743	252.83	255.12	2.29	0.408	0.13	0.9343	0.2977	-			
	76744		DUP		0.412	0.14			-			
	76745	255.12	258.17	3.05	0.584	0.19	1.7812	0.5795	-			
	76746	258.17	261.21	3.04	0.587	0.19	1.7845	0.5776	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 84

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 84	76747	261.21	264.26	3.05	0.481	0.15	1.4671	0.4575	-			
	76748	264.26	267.31	3.05	0.475	0.15	1.4487	0.4575	-			
	76749	267.31	270.36	3.05	0.755	0.20	2.3027	0.6100	-			
	76750	270.36	273.41	3.05	0.731	0.15	2.2296	0.4575	-			
	76751	273.41	276.45	3.04	0.632	0.17	1.9213	0.5168	-			
	76752	276.45	279.50	3.05	1.136	0.24	3.4648	0.7320	-			
	76753	279.50	282.55	3.05	0.352	0.06	1.0736	0.1830	-			
	76754	282.55	285.60	3.05	0.599	0.23	1.8270	0.7015	-			
	76755	285.60	288.65	3.05	0.557	0.18	1.6988	0.5490	-			
	76756	288.65	291.69	3.04	0.845	0.29	2.5688	0.8816	-			
	76757	291.69	294.74	3.05	0.734	0.27	2.2387	0.8235	-			
	76758	294.74	297.79	3.05	0.767	0.26	2.3394	0.7930	-			
	76759	297.79	300.84	3.05	0.696	0.31	2.1228	0.9455	-			
	76760	300.84	303.89	3.05	0.918	0.26	2.7999	0.7930	-			
	76761	300.84	306.93	6.09	0.751	0.24	4.5736	1.4616	-			
	76762		DUP		0.738	0.23			-			
	76763	306.93	309.98	3.05	0.424	0.12	1.2932	0.3660	-			
	76764	309.98	313.03	3.05	0.624	0.15	1.9032	0.4575	-			
	76765	313.03	316.08	3.05	0.520	0.12	1.5860	0.3660	-			
	76766	316.08	319.13	3.05	0.414	0.13	1.2627	0.3965	-			
	76767	319.13	322.17	3.04	0.274	0.08	0.8330	0.2432	-			
	76768	322.17	325.22	3.05	0.325	0.08	0.9912	0.2440	-			
	76769	325.22	328.27	3.05	0.418	0.10	1.2749	0.3050	-			
	76770	328.27	331.62	3.35	0.396	0.12	1.3266	0.4020	-			
	76771	331.62	334.37	2.75	0.332	0.14	0.9130	0.3850	-			
	76772	334.37	337.41	3.04	0.359	0.33	1.0914	1.0032	-			
	76773	337.41	340.46	3.05	0.321	0.25	0.9790	0.7625	-			
	76774	340.46	343.51	3.05	0.131	0.10	0.3996	0.3050	-			
	76775	343.51	346.25	2.74	0.113	0.08	0.3096	0.2192	-			
	76776	346.25	349.30	3.05	0.445	0.21	1.3572	0.6405	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 84

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 84	76777	349.30	352.35	3.05	0.230	0.11	0.7015	0.3355	-			
	76778	352.35	355.40	3.05	0.136	0.10	0.4148	0.3050	-			
	76779	355.40	358.44	3.04	0.197	0.12	0.5989	0.3648	-			
	76780	358.44	361.49	3.05	0.254	0.16	0.7747	0.4880	-			
	76781	361.49	364.24	2.75	0.310	0.25	0.8525	0.6875	-			
	76782	364.24		*****					-			
	76783								-			
	76784								-			
	76785								-			
	76786								-			
	76787								-			
	76788								-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 85

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94-85	76548	6.10	7.92	1.82	0.224	0.13	0.4077	0.2366	17.37 - 25.3	7.93	0.42	0.13
	76549	7.92	11.28	3.36	0.169	0.15	0.5678	0.5040	-			
	76550	11.28	14.02	2.74	0.170	0.19	0.4658	0.5206	99.67 - 166.72	67.05	0.30	0.18
	76551	14.02	17.37	3.35	0.171	0.09	0.5729	0.3015				
	76552	17.37	20.12	2.75	0.425	0.09	1.1688	0.2475	172.82 - 188.06	15.24	0.27	0.14
	76553	20.12	22.25	2.13	0.377	0.10	0.8030	0.2130	-			
	76554	22.25	25.30	3.05	0.456	0.19	1.3908	0.5795	200.25 - 288.65	88.40	0.70	0.48
	76555	25.30	29.26	3.96	0.168	0.15	0.6653	0.5940	-			
	76556	29.26	32.61	3.35	0.012	0.04	0.0402	0.1340	220.68 - 231.04	10.36	0.92	0.74
	76557	32.61	35.66	3.05	0.127	0.10	0.3873	0.3050				
	76558	35.66	38.71	3.05	0.177	0.09	0.5398	0.2745	245.97 - 261.21	15.24	0.81	0.62
	76559	38.71	41.76	3.05	0.006	0.03	0.0183	0.0915	-			
	76560	41.76	44.81	3.05	0.122	0.08	0.3721	0.2440	-			
	76561	44.81	47.85	3.04	0.279	0.09	0.8482	0.2736	6.10 - 99.67	93.57	0.18	0.11
	76562	47.85	50.90	3.05	0.263	0.12	0.8022	0.3660	99.67 - 197.21	97.54	0.29	0.17
	76563		DUP		0.251	0.11			197.21 - 285.60	88.39	0.71	0.49
	76564	50.90	53.95	3.05	0.154	0.08	0.4697	0.2440	285.60 - 313.64	28.04	0.06	0.06
	76565	53.95	57.00	3.05	0.122	0.08	0.3721	0.2440	-			
	76566	57.00	60.05	3.05	0.164	0.11	0.5002	0.3355	117.96 - 285.60	167.64	0.51	0.33
	76567	60.05	63.09	3.04	0.153	0.09	0.4651	0.2736	154.53 - 285.60	131.07	0.57	0.38
	76568	63.09	66.14	3.05	0.292	0.14	0.8906	0.4270	99.67 - 285.60	185.93	0.49	0.32
	76569	66.14	69.19	3.05	0.167	0.13	0.5094	0.3965	-			
	76570	69.19	72.24	3.05	0.196	0.14	0.5978	0.4270	6.10 - 285.60	279.50	0.38	0.25
	76571	72.24	75.29	3.05	0.284	0.17	0.8662	0.5185	-			
	76572	75.29	78.33	3.04	0.269	0.14	0.8178	0.4256	-			
	76573	78.33	81.38	3.05	0.012	0.04	0.0366	0.1220	-			
	76574	81.38	84.43	3.05	0.054	0.09	0.1647	0.2745	-			
	76575	84.43	87.48	3.05	0.020	0.04	0.0610	0.1220	-			
	76576	87.48	90.53	3.05	0.120	0.10	0.3660	0.3050	-			
	76577	90.53	93.57	3.04	0.178	0.08	0.5411	0.2432	-			
	76578	93.57	96.62	3.05	0.172	0.09	0.5246	0.2745	-			
	76579	96.62	99.67	3.05	0.162	0.13	0.4941	0.3965	-			
	76580	99.67	102.72	3.05	0.209	0.15	0.6375	0.4575	-			

AMERICAN BULLION MINERALS LTD.

ED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 85

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 85	76581	102.72	105.77	3.05	0.210	0.13	0.6405	0.3965	-			
	76582	105.77	108.81	3.04	0.221	0.15	0.6718	0.4560	-			
	76583	108.81	111.25	2.44	0.263	0.17	0.6417	0.4148	-			
	76584	111.25	114.91	3.66	0.295	0.19	1.0797	0.6954	-			
	76585		DUP		0.296	0.19			-			
	76586	114.91	117.96	3.05	0.371	0.30	1.1315	0.9150	-			
	76587	117.96	121.01	3.05	0.426	0.19	1.2993	0.5795	-			
	76588	121.01	123.75	2.74	0.447	0.20	1.2248	0.5480	-			
	76589	123.75	126.80	3.05	0.313	0.16	0.9547	0.4880	-			
	76590	126.80	130.00	3.20	0.216	0.09	0.6912	0.2880	-			
	76591	130.00	133.05	3.05	0.315	0.16	0.9608	0.4880	-			
	76592	133.05	136.25	3.20	0.281	0.16	0.8992	0.5120	-			
	76593	136.25	139.29	3.04	0.351	0.19	1.0670	0.5776	-			
	76594	139.29	142.34	3.05	0.214	0.13	0.6527	0.3965	-			
	76595	142.34	145.38	3.04	0.300	0.24	0.9120	0.7296	-			
	76596	145.38	148.44	3.06	0.148	0.15	0.4529	0.4590	-			
	76597	148.44	151.49	3.05	0.305	0.19	0.9303	0.5795	-			
	76598	151.49	154.53	3.04	0.367	0.26	1.1157	0.7904	-			
	76599	154.53	157.58	3.05	0.525	0.29	1.6013	0.8845	-			
	76600	157.58	160.62	3.04	0.439	0.25	1.3346	0.7600	-			
	76601	160.62	163.68	3.06	0.251	0.14	0.7681	0.4284	-			
	76602	163.68	166.72	3.04	0.215	0.15	0.6536	0.4560	-			
	76603	166.72	169.77	3.05	0.172	0.10	0.5246	0.3050	-			
	76604		DUP		0.175	0.11			-			
	76605	169.77	172.82	3.05	0.178	0.12	0.5429	0.3660	-			
	76606	172.82	175.87	3.05	0.321	0.18	0.9790	0.5490	-			
	76607	175.87	178.91	3.04	0.147	0.07	0.4469	0.2128	-			
	76608	178.91	181.96	3.05	0.262	0.12	0.7991	0.3660	-			
	76609	181.96	185.01	3.05	0.269	0.15	0.8204	0.4575	-			
	76610	185.01	188.06	3.05	0.343	0.18	1.0462	0.5490	-			

AMERICAN BULLION MINERALS LTD.

ED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 85

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 85	76611	188.06	191.10	3.04	0.285	0.15	0.8664	0.4560	-			
	76612	191.10	194.15	3.05	0.290	0.15	0.8845	0.4575	-			
	76613	194.15	197.21	3.06	0.313	0.16	0.9578	0.4896	-			
	76614	197.21	200.25	3.04	0.438	0.18	1.3315	0.5472	-			
	76615	200.25	203.30	3.05	0.396	0.21	1.2078	0.6405	-			
	76616	203.30	206.35	3.05	0.450	0.32	1.3725	0.9760	-			
	76617	206.35	209.40	3.05	0.682	0.48	2.0801	1.4640	-			
	76618	209.40	212.45	3.05	0.730	0.47	2.2265	1.4335	-			
	76619	212.45	214.43	1.98	0.825	0.59	1.6335	1.1682	-			
	76620	214.43	217.63	3.20	0.715	0.50	2.2880	1.6000	-			
	76621		DUP		0.706	0.47			-			
	76622	217.63	220.68	3.05	0.846	0.56	2.5803	1.7080	-			
	76623	220.68	223.72	3.04	0.803	0.67	2.4411	2.0368	-			
	76624	223.72	226.77	3.05	1.080	0.92	3.2940	2.8060	-			
	76625	226.77	229.81	3.04	0.940	0.68	2.8576	2.0672	-			
	76626	229.81	231.04	1.23	0.744	0.61	0.9151	0.7503	-			
	76627	231.04	233.78	2.74	0.664	0.46	1.8194	1.2604	-			
	76628	233.78	236.83	3.05	0.567	0.42	1.7294	1.2810	-			
	76629	236.83	239.88	3.05	0.692	0.51	2.1106	1.5555	-			
	76630	239.88	242.93	3.05	0.694	0.54	2.1167	1.6470	-			
	76631	242.93	245.97	3.04	0.795	0.59	2.4168	1.7936	-			
	76632	245.97	249.02	3.05	0.970	0.74	2.9585	2.2570	-			
	76633	249.02	252.07	3.05	0.726	0.58	2.2143	1.7690	-			
	76634	252.07	255.12	3.05	0.631	0.54	1.9245	1.6470	-			
	76635	255.12	258.17	3.05	0.885	0.62	2.6993	1.8910	-			
	76636	258.17	261.21	3.04	0.843	0.61	2.5627	1.8544	-			
	76637	261.21	264.26	3.05	0.430	0.34	1.3115	1.0370	-			
	76638	264.26	267.31	3.05	0.519	0.32	1.5829	0.9760	-			
	76639	267.31	270.36	3.05	0.899	0.47	2.7419	1.4335	-			
	76640	270.36	273.41	3.05	1.060	0.53	3.2330	1.6165	-			

AMERICAN BULLION MINERALS LTD.

ED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 85

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 85	76641	273.41	276.45	3.04	0.556	0.30	1.6902	0.9120	-			
	76642		DUP		0.565	0.30			-			
	76643	276.45	279.50	3.05	0.539	0.32	1.6439	0.9760	-			
	76644	279.50	282.55	3.05	0.572	0.29	1.7446	0.8845	-			
	76645	282.55	285.60	3.05	0.555	0.30	1.6928	0.9150	-			
	76646	285.60	288.65	3.05	0.273	0.16	0.8326	0.4880	-			
	76647	288.65	291.69	3.04	0.040	0.05	0.1216	0.1520	-			
	76648	291.69	294.74	3.05	0.028	0.06	0.0854	0.1830	-			
	76649	294.74	297.48	2.74	0.017	0.02	0.0466	0.0548	-			
	76650	297.48	300.69	3.21	0.022	0.05	0.0706	0.1605	-			
	76651	300.69	303.73	3.04	0.028	0.05	0.0851	0.1520	-			
	76652	303.73	306.93	3.20	0.040	0.06	0.1280	0.1920	-			
	76653	306.93	309.98	3.05	0.035	0.05	0.1068	0.1525	-			
	76654	309.98	313.64	3.66	0.028	0.05	0.1025	0.1830	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 86

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94-86	79544	4.57	7.92	3.35	0.137	0.14	0.4590	0.4690	4.57 - 361.49	356.92	0.43	0.39
	79545	7.92	10.97	3.05	0.171	0.17	0.5216	0.5185	-			
	79546	10.97	14.02	3.05	0.160	0.16	0.4880	0.4880	4.57 - 53.64	49.07	0.13	0.13
	79547	14.02	17.06	3.04	0.085	0.09	0.2584	0.2736	53.64 - 120.70	67.06	0.17	0.16
	79548	17.06	20.12	3.06	0.133	0.11	0.4070	0.3366	120.70 - 309.07	188.37	0.68	0.62
	79549	20.12	23.16	3.04	0.092	0.13	0.2797	0.3952	309.07 - 361.49	52.42	0.15	0.11
	79550	23.16	26.21	3.05	0.096	0.11	0.2928	0.3355	-			
	79551	26.21	29.26	3.05	0.112	0.18	0.3416	0.5490	-			
	79552	29.26	32.61	3.35	0.099	0.11	0.3317	0.3685	129.84 - 296.88	167.04	0.72	0.65
	79553	32.61	35.36	2.75	0.164	0.16	0.4510	0.4400	-			
	79554		DUP		0.167	0.15			196.90 - 296.88	99.98	0.79	0.78
	79555	35.36	38.40	3.04	0.136	0.13	0.4134	0.3952	-			
	79556	38.40	41.45	3.05	0.110	0.11	0.3355	0.3355	-			
	79557	41.45	45.50	4.05	0.099	0.08	0.4009	0.3240	-			
	79558	45.50	47.55	2.05	0.116	0.11	0.2378	0.2255	-			
	79559	47.55	50.60	3.05	0.172	0.14	0.5246	0.4270	-			
	79560	50.60	53.64	3.04	0.158	0.09	0.4803	0.2736	-			
	79561	53.64	56.69	3.05	0.281	0.20	0.8570	0.6100	-			
	79562	56.69	59.75	3.06	0.402	0.23	1.2301	0.7038	-			
	79563	59.75	62.79	3.04	0.224	0.31	0.6810	0.9424	-			
	79564	62.79	65.84	3.05	0.246	0.18	0.7503	0.5490	-			
	79565	65.84	68.88	3.04	0.214	0.16	0.6506	0.4864	-			
	79566	68.88	71.93	3.05	0.230	0.28	0.7015	0.8540	-			
	79567	71.93	74.98	3.05	0.212	0.21	0.6466	0.6405	-			
	79568	74.98	78.03	3.05	0.246	0.25	0.7503	0.7625	-			
	79569	78.03	81.08	3.05	0.165	0.19	0.5033	0.5795	-			
	79570	81.08	84.12	3.04	0.195	0.24	0.5928	0.7296	-			
	79571	84.12	87.17	3.05	0.197	0.27	0.6008	0.8235	-			
	79572	87.17	90.22	3.05	0.134	0.16	0.4087	0.4880	-			
	79573	90.22	93.27	3.05	0.242	0.17	0.7381	0.5185	-			
	79574		DUP		0.244	0.18			-			
	79575	93.27	96.32	3.05	0.158	0.19	0.4819	0.5795	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 86

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 86	79576	96.32	99.36	3.04	0.020	0.06	0.0608	0.1824	-			
	79577	99.36	102.41	3.05	0.024	0.05	0.0732	0.1525	-			
	79578	102.41	105.46	3.05	0.038	0.04	0.1159	0.1220	-			
	79579	105.46	108.51	3.05	0.131	0.10	0.3996	0.3050	-			
	79580	108.51	111.56	3.05	0.036	0.03	0.1098	0.0915	-			
	79581	111.56	114.60	3.04	0.073	0.04	0.2219	0.1216	-			
	79582	114.60	117.65	3.05	0.188	0.07	0.5734	0.2135	-			
	79583	117.65	120.70	3.05	0.093	0.10	0.2836	0.3050	-			
	79584	120.70	123.76	3.06	0.306	0.17	0.9364	0.5202	-			
	79585	123.76	126.80	3.04	0.425	0.26	1.2920	0.7904	-			
	79586	126.80	129.84	3.04	0.326	0.20	0.9910	0.6080	-			
	79587	129.84	132.89	3.05	0.639	0.34	1.9490	1.0370	-			
	79588	132.89	135.94	3.05	0.896	0.50	2.7328	1.5250	-			
	79589	135.94	138.99	3.05	0.523	0.34	1.5952	1.0370	-			
	79590	138.99	142.04	3.05	0.718	0.56	2.1899	1.7080	-			
	79591	142.04	145.08	3.04	1.016	0.75	3.0886	2.2800	-			
	79592		DUP		1.023	0.78			-			
	79593	145.08	148.13	3.05	0.682	0.58	2.0801	1.7690	-			
	79594	148.13	151.18	3.05	0.593	0.41	1.8086	1.2505	-			
	79595	151.18	154.23	3.05	0.649	0.42	1.9795	1.2810	-			
	79596	154.23	157.28	3.05	0.771	0.56	2.3516	1.7080	-			
	79597	157.28	160.32	3.04	0.924	0.62	2.8090	1.8848	-			
	79598	160.32	163.37	3.05	0.681	0.43	2.0770	1.3115	-			
	79599	163.37	166.42	3.05	0.455	0.38	1.3878	1.1590	-			
	79600	166.42	169.47	3.05	0.280	0.26	0.8540	0.7930	-			
	79601	169.47	172.52	3.05	0.313	0.31	0.9547	0.9455	-			
	79602	172.52	175.56	3.04	0.393	0.34	1.1947	1.0336	-			
	79603	175.56	178.61	3.05	0.431	0.46	1.3146	1.4030	-			
	79604	178.61	181.66	3.05	1.590	1.36	4.8495	4.1480	-			
	79605	181.66	184.71	3.05	0.374	0.30	1.1407	0.9150	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 86

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 86	79606	184.71	187.76	3.05	0.513	0.40	1.5646	1.2200	-			
	79607	187.76	190.80	3.04	0.218	0.18	0.6627	0.5472	-			
	79608	190.80	193.85	3.05	0.361	0.24	1.1011	0.7320	-			
	79609	193.85	196.90	3.05	0.475	0.30	1.4487	0.9150	-			
	79610	196.90	199.95	3.05	0.951	0.55	2.9006	1.6775	-			
	79611	199.95	203.00	3.05	0.753	0.50	2.2967	1.5250	-			
	79612		DUP		0.762	0.48			-			
	79613	203.00	206.04	3.04	0.774	0.49	2.3530	1.4896	-			
	79614	206.04	209.09	3.05	0.976	0.68	2.9768	2.0740	-			
	79615	209.09	212.14	3.05	0.770	0.61	2.3485	1.8605	-			
	79616	212.14	215.19	3.05	1.303	0.91	3.9742	2.7755	-			
	79617	215.19	218.24	3.05	0.869	0.68	2.6505	2.0740	-			
	79618	218.24	221.28	3.04	0.896	0.68	2.7238	2.0672	-			
	79619	221.28	224.33	3.05	1.580	1.09	4.8190	3.3245	-			
	79620	224.33	227.38	3.05	0.673	0.48	2.0527	1.4640	-			
	79621	227.38	230.43	3.05	0.232	0.29	0.7076	0.8845	-			
	79622	230.43	233.48	3.05	0.324	0.28	0.9882	0.8540	-			
	79623	233.48	236.52	3.04	0.387	0.41	1.1765	1.2464	-			
	79624	236.52	239.57	3.05	0.273	0.51	0.8327	1.5555	-			
	79625	239.57	242.62	3.05	0.977	1.35	2.9798	4.1175	-			
	79626	242.62	245.69	3.07	1.004	1.12	3.0823	3.4384	-			
	79627	245.69	248.72	3.03	0.210	0.27	0.6363	0.8181	-			
	79628	248.72	251.76	3.04	0.339	0.45	1.0306	1.3680	-			
	79629	251.76	254.81	3.05	1.352	1.50	4.1236	4.5750	-			
	79630	254.81	257.86	3.05	0.702	0.74	2.1411	2.2570	-			
	79631	257.86	260.91	3.05	0.350	0.48	1.0675	1.4640	-			
	79632	260.91	263.65	2.74	0.354	0.46	0.9700	1.2604	-			
	79633		DUP		1.385	1.46			-			
	79634	263.65	266.09	2.44	1.142	1.00	2.7865	2.4400	-			
	79635	266.09	269.14	3.05	0.310	0.38	0.9455	1.1590	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 86

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 86	79636	269.14	272.34	3.20	0.856	0.79	2.7392	2.5280	-			
	79637	272.34	275.54	3.20	0.682	0.76	2.1824	2.4320	-			
	79638	275.54	278.59	3.05	0.411	0.58	1.2535	1.7690	-			
	79639	278.59	281.64	3.05	1.690	2.01	5.1545	6.1305	-			
	79640	281.64	284.68	3.04	0.609	0.89	1.8514	2.7056	-			
	79641	284.68	287.73	3.05	0.629	0.48	1.9185	1.4640	-			
	79642	287.73	290.78	3.05	0.841	0.68	2.5650	2.0740	-			
	79643	290.78	293.22	2.44	1.577	1.60	3.8479	3.9040	-			
	79644	293.22	294.74	1.52	1.426	2.75	2.1675	4.1800	-			
	79645	294.74	296.88	2.14	1.048	1.36	2.2427	2.9104	-			
	79646	296.88	299.92	3.04	0.525	0.84	1.5960	2.5536	-			
	79647	299.92	302.97	3.05	0.420	0.77	1.2810	2.3485	-			
	79648	302.97	306.02	3.05	0.439	0.54	1.3389	1.6470	-			
	79649	306.02	309.07	3.05	0.276	0.17	0.8418	0.5185	-			
	79650	309.07	312.12	3.05	0.198	0.13	0.6039	0.3965	-			
	79651		DUP		0.191	0.13			-			
	79652	312.12	315.16	3.04	0.144	0.13	0.4378	0.3952	-			
	79653	315.16	318.21	3.05	0.087	0.06	0.2653	0.1830	-			
	79654	318.21	321.26	3.05	0.124	0.07	0.3782	0.2135	-			
	79655	321.26	324.31	3.05	0.164	0.18	0.5002	0.5490	-			
	79656	324.31	327.66	3.35	0.056	0.08	0.1876	0.2680	-			
	79657	327.66	330.71	3.05	0.084	0.11	0.2562	0.3355	-			
	79658	330.71	334.06	3.35	0.094	0.12	0.3149	0.4020	-			
	79659	334.06	337.11	3.05	0.074	0.07	0.2257	0.2135	-			
	79660	337.11	340.16	3.05	0.093	0.08	0.2837	0.2440	-			
	79661	340.16	343.20	3.04	0.052	0.06	0.1581	0.1824	-			
	79662	343.20	346.25	3.05	0.074	0.14	0.2257	0.4270	-			
	79663	346.25	349.30	3.05	0.092	0.18	0.2806	0.5490	-			
	79664	349.30	352.35	3.05	1.101	0.19	3.3581	0.5795	-			
	79665	352.35	355.40	3.05	0.109	0.19	0.3324	0.5795	-			
	79666	355.40	358.44	3.04	0.046	0.08	0.1398	0.2432	-			
	79667	358.44	361.49	3.05	0.042	0.07	0.1281	0.2135	-			

Re-check Assay

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94-87	76782	10.67	14.83	4.16	0.058	0.06	0.2413	0.2496	-			
	76783	14.83	17.38	2.55	0.108	0.10	0.2754	0.2550	57.00 - 81.38	24.38	0.39	0.08
	76784		DUP		0.110	0.09			-			
	76785	17.38	20.42	3.04	0.096	0.12	0.2918	0.3648	124.05 - 328.27	204.22	0.35	0.24
	76786	20.42	23.47	3.05	0.123	0.11	0.3751	0.3355	-			
	76787	23.47	26.52	3.05	0.157	0.25	0.4789	0.7625	136.55 - 233.78	97.23	0.42	0.23
	76788	26.52	29.57	3.05	0.077	0.07	0.2348	0.2135	-			
	76789	29.57	32.61	3.04	0.273	0.26	0.8299	0.7904	-			
	76790	32.61	35.66	3.05	0.293	0.26	0.8936	0.7930	133.20 - 163.68	30.48	0.46	0.17
	76791	35.66	38.71	3.05	0.062	0.04	0.1891	0.1220	183.49 - 239.88	56.39	0.45	0.29
	76792	38.71	41.76	3.05	0.161	0.09	0.4910	0.2745	-			
	76793	41.76	44.81	3.05	0.108	0.06	0.3294	0.1830	-			
	76794	44.81	47.85	3.04	0.075	0.05	0.2280	0.1520	-			
	76795	47.85	50.90	3.05	0.119	0.07	0.3630	0.2135	-			
	76796	50.90	53.95	3.05	0.124	0.04	0.3782	0.1220	-			
	76797	53.95	57.00	3.05	0.182	0.07	0.5551	0.2135	-			
	76798	57.00	60.05	3.05	0.503	0.05	1.5341	0.1525	-			
	76799	60.05	63.09	3.04	0.427	0.05	1.2981	0.1520	-			
	76800	63.09	66.14	3.05	0.329	0.08	1.0034	0.2440	-			
	76801	66.14	68.88	2.74	0.381	0.12	1.0439	0.3288	-			
	76802	68.88	71.93	3.05	0.559	0.14	1.7050	0.4270	-			
	76803	71.93	74.68	2.75	0.382	0.07	1.0505	0.1925	-			
	76804	74.68	77.42	2.74	0.325	0.09	0.8905	0.2466	-			
	76805	77.42	81.38	3.96	0.250	0.06	0.9900	0.2376	-			
	76806		DUP		0.247	0.06			-			
	76807	81.38	84.43	3.05	0.125	0.03	0.3813	0.0915	-			
	76808	84.43	87.48	3.05	0.083	0.03	0.2532	0.0915	-			
	76809	87.48	90.53	3.05	0.077	0.04	0.2348	0.1220	-			
	76810	90.53	92.96	2.43	0.093	0.06	0.2260	0.1458	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 87

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 87	76811	92.96	94.79	1.83	0.096	0.05	0.1757	0.0915	-			
	76812	94.79	96.93	2.14	0.112	0.05	0.2397	0.1070	-			
	76813	96.93	99.67	2.74	0.106	0.05	0.2904	0.1370	-			
	76814	99.67	102.72	3.05	0.105	0.06	0.3203	0.1830	-			
	76815	102.72	105.77	3.05	0.119	0.06	0.3629	0.1830	-			
	76816	105.77	108.81	3.04	0.123	0.08	0.3739	0.2432	-			
	76817	108.81	111.86	3.05	0.095	0.07	0.2898	0.2135	-			
	76818	111.86	114.91	3.05	0.108	0.07	0.3294	0.2135	-			
	76819	114.91	117.96	3.05	0.139	0.07	0.4239	0.2135	-			
	76820	117.96	121.01	3.05	0.138	0.08	0.4209	0.2440	-			
	76821	121.01	124.05	3.04	0.169	0.09	0.5138	0.2736	-			
	76822	124.05	127.10	3.05	0.234	0.11	0.7137	0.3355	-			
	76823	127.10	130.15	3.05	0.179	0.10	0.5459	0.3050	-			
	76824	130.15	133.20	3.05	0.230	0.12	0.7015	0.3660	-			
	76825		DUP		0.235	0.10			-			
	76826	133.20	136.55	3.35	0.313	0.12	1.0486	0.4020	-			
	76827	136.55	139.29	2.74	0.652	0.29	1.7865	0.7946	-			
	76828	139.29	142.34	3.05	0.451	0.21	1.3756	0.6405	-			
	76829	142.34	145.39	3.05	0.810	0.29	2.4705	0.8845	-			
	76830	145.39	148.44	3.05	0.426	0.16	1.2993	0.4880	-			
	76831	148.44	152.10	3.66	0.240	0.06	0.8784	0.2196	-			
	76832	152.10	154.53	2.43	0.372	0.08	0.9040	0.1944	-			
	76833	154.53	157.58	3.05	0.490	0.09	1.4945	0.2745	-			
	76834	157.58	160.63	3.05	0.574	0.27	1.7507	0.8235	-			
	76835	160.63	163.68	3.05	0.351	0.15	1.0705	0.4575	-			
	76836	163.68	166.42	2.74	0.146	0.37	0.4000	1.0138	-			
	76837	166.42	169.47	3.05	0.173	0.08	0.5277	0.2440	-			
	76838	169.47	172.52	3.05	0.395	0.16	1.2048	0.4880	-			
	76839	172.52	175.56	3.04	0.376	0.20	1.1430	0.6080	-			
	76840	175.56	178.61	3.05	0.152	0.09	0.4636	0.2745	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 87

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 87	76841	178.61	181.66	3.05	0.002	0.01	0.0061	0.0305	-			
	76842	181.66	183.49	1.83	0.140	0.05	0.2562	0.0915	-			
	76843	183.49	186.84	3.35	0.403	0.14	1.3500	0.4690	-			
	76844	186.84	189.89	3.05	0.350	0.10	1.0675	0.3050	-			
	76845	189.89	192.94	3.05	0.331	0.16	1.0096	0.4880	-			
	76846	192.94	196.29	3.35	0.356	0.15	1.1926	0.5025	-			
	76847		DUP		0.359	0.16			-			
	76848	196.29	199.34	3.05	0.467	0.18	1.4244	0.5490	-			
	76849	199.34	202.39	3.05	0.376	0.17	1.1468	0.5185	-			
	76850	202.39	205.44	3.05	0.351	0.25	1.0706	0.7625	-			
	76851	205.44	208.48	3.04	0.283	0.23	0.8603	0.6992	-			
	76852	208.48	211.68	3.20	0.484	0.34	1.5488	1.0880	-			
	76853	211.68	214.73	3.05	0.462	0.31	1.4091	0.9455	-			
	76854	214.73	217.93	3.20	0.239	0.21	0.7648	0.6720	-			
	76855	217.93	220.98	3.05	0.528	0.42	1.6104	1.2810	-			
	76856	220.98	224.64	3.66	0.721	0.52	2.6389	1.9032	-			
	76857	224.64	227.69	3.05	0.716	0.43	2.1838	1.3115	-			
	76858	227.69	230.73	3.04	0.770	0.60	2.3408	1.8240	-			
	76859	230.73	233.78	3.05	0.704	0.52	2.1472	1.5860	-			
	76860	233.78	236.83	3.05	0.302	0.26	0.9211	0.7930	-			
	76861	236.83	239.88	3.05	0.308	0.27	0.9394	0.8235	-			
	76862	239.88	242.93	3.05	0.235	0.18	0.7167	0.5490	-			
	76863	242.93	245.97	3.04	0.407	0.29	1.2373	0.8816	-			
	76864	245.97	249.02	3.05	0.323	0.24	0.9852	0.7320	-			
	76865		DUP		0.345	0.25			-			
	76866	249.02	252.68	3.66	0.002	0.03	0.0073	0.1098	-			
	76867	252.68	255.73	3.05	0.482	0.21	1.4701	0.6405	-			
	76868	255.73	258.93	3.20	0.346	0.23	1.1072	0.7360	-			
	76869	258.93	262.13	3.20	0.192	0.26	0.6144	0.8320	-			
	76870	262.13	265.33	3.20	0.225	0.13	0.7200	0.4160	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 87

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 87	76871	265.33	268.53	3.20	0.269	0.22	0.8608	0.7040	-			
	76872	268.53	271.73	3.20	0.275	0.31	0.8800	0.9920	-			
	76873	271.73	274.93	3.20	0.314	0.31	1.0048	0.9920	-			
	76874	274.93	278.13	3.20	0.293	0.21	0.9376	0.6720	-			
	76875	278.13	281.18	3.05	0.354	0.33	1.0797	1.0065	-			
	76876	281.18	284.23	3.05	0.216	0.20	0.6588	0.6100	-			
	76877	284.23	287.27	3.04	0.223	0.21	0.6779	0.6384	-			
	76878	287.27	290.32	3.05	0.229	0.20	0.6985	0.6100	-			
	76879	290.32	293.37	3.05	0.221	0.23	0.6740	0.7015	-			
	76880	293.37	294.74	1.37	0.395	0.26	0.5411	0.3562	-			
	76881	294.74	297.79	3.05	0.480	0.38	1.4640	1.1590	-			
	76882	297.79	300.84	3.05	0.281	0.36	0.8570	1.0980	-			
	76883	300.84	303.89	3.05	0.283	0.28	0.8632	0.8540	-			
	76884		DUP		0.287	0.28			-			
	76885	303.89	306.93	3.04	0.339	0.30	1.0306	0.9120	-			
	76886	306.93	309.98	3.05	0.276	0.27	0.8418	0.8235	-			
	76887	309.98	313.03	3.05	0.452	0.42	1.3786	1.2810	-			
	76888	313.03	316.07	3.04	0.304	0.25	0.9242	0.7600	-			
	76889	316.07	319.13	3.06	0.253	0.24	0.7742	0.7344	-			
	76890	319.13	322.17	3.04	0.374	0.34	1.1370	1.0336	-			
	76891	322.17	325.22	3.05	0.388	0.27	1.1834	0.8235	-			
	76892	325.22	328.27	3.05	0.386	0.30	1.1773	0.9150	-			
	76893	328.27	331.32	3.05	0.149	0.13	0.4545	0.3965	-			
	76894	331.32	334.37	3.05	0.162	0.14	0.4941	0.4270	-			
	76895	334.37	337.41	3.04	0.205	0.16	0.6232	0.4864	-			
	76896	337.41	340.46	3.05	0.169	0.14	0.5154	0.4270	-			
	76897	340.46	343.51	3.05	0.202	0.15	0.6161	0.4575	-			
	76898	343.51	346.56	3.05	0.101	0.07	0.3080	0.2135	-			
	76899	346.56	349.61	3.05	0.197	0.14	0.6008	0.4270	-			
	76900	349.61	352.65	3.04	0.192	0.17	0.5837	0.5168	-			

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

ASSAY LEDGER

DRILL HOLE # '94 - 87

DRILL HOLE #	Assay No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/T)	L x Cu	L x Au	Interval	Thickness	Zone Avg Cu	Zone Avg Au
'94 - 87	76901	352.65	355.70	3.05	0.208	0.15	0.6344	0.4575	-			
	76902	355.70	358.75	3.05	0.136	0.14	0.4148	0.4270	-			
	76903	358.75	361.80	3.05	0.126	0.17	0.3843	0.5185	-			
	76904	361.80	364.85	3.05	0.144	0.14	0.4392	0.4270	-			
	76905	364.85	367.89	3.04	0.137	0.21	0.4165	0.6384	-			
	76906		DUP		0.152	0.22			-			


APPENDIX II

ASSAY CERTIFICATES

AMERICAN BULLION MINERALS LTD.

RED CHRIS PROPERTY

Drill Hole #	Sample #'s	Assay Report Number
94-75	76001-76065	4S-0138
94-76	76066-76172	4S-0139
94-77	79001-79134	4S-0144
94-78	79135-79264	4S-0149
94-79	76173-76294	4S-0143
94-80	76295-76417	4S-0153
94-81	76418-76547	4S-0156
94-82	79265-79408	4S-0157
94-83	79409-79543	4S-0163
94-84	76655-76781	4S-0167
94-85	76548-76654	4S-0166
94-86	79544-79667	4S-0168
94-87	76782-76906	4S-0181





MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 860-5814 OR (604) 888-4524
FAX (604) 880-9821

SMITHERS LAB.:

3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0138-RA1

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: JUL-13-94

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-07-94 by C KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76001	.07	.002	.140	.142
76002	.06	.002	.191	
76003	.06	.002	.123	
76004	.08	.002	.173	
76005	.23	.007	.415	
76006	.38	.011	.745	
76007	.34	.010	.728	
76008	.38	.011	.908	
76009	.94	.027	1.870	
76010	.38	.011	.692	
76011	.60	.018	1.216	1.232
76012	.53	.015	.874	
76013	.66	.019	1.246	
76014	.76	.022	1.107	
76015	1.14	.033	1.978	
76016	.78	.023	1.499	
76017	.98	.029	1.481	
76018	.84	.025	1.282	
76019	.54	.016	.816	
76020	.51	.015	.860	
76021	.68	.020	1.266	1.265
76022	1.12	.033	1.421	
76023	1.02	.030	1.634	
76024	1.47	.043	2.301	
AM-A			1.305	
AM-B	.12	.004	.463	
STD	.27	.008	.504	
BLK	.01	.001	<.001	

Certified by _____

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 888-4524
FAX (604) 980-8621

SMITHERS LAB:
3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0138-RA2

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-13-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-07-94 by C KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76025	.37	.011	.764	.760
76026	.20	.006	.364	
76027	.16	.005	.355	
76028	.15	.004	.258	
76029	.22	.006	.480	
76030	.17	.005	.333	
76031	.32	.009	.626	
76032	.19	.006	.405	
76033	.13	.004	.206	
76034	.21	.006	.355	
76035	.13	.004	.217	.216
76036	.20	.006	.328	
76037	.20	.006	.278	
76038	.18	.005	.249	
76039	.23	.007	.296	
76040	.26	.008	.318	
76041	.11	.003	.197	
76042	.14	.004	.228	
76043	.18	.005	.293	
76044	.16	.005	.178	
76045	.22	.006	.290	.293
76046	.12	.004	.162	
76047	.16	.005	.234	
76048	.29	.008	.434	
AM-A			1.295	
AM-B	.13	.004	.466	
STD	.27	.008	.504	
BLK	.02	.001	<.001	

Certified by _____

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 960-5814 OR (604) 960-4524
FAX (604) 960-9621

SMITHERS LAB:
3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0138-RA3

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-13-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 17 core samples submitted JUL-07-94 by C KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76049	.44	.013	.692	.716
76050	.30	.009	.544	
76051	.35	.010	.486	
76052	.43	.013	.677	
76053	.41	.012	.583	
76054	.51	.015	.725	
76055	.42	.012	.628	
76056	.59	.017	.643	
76057	.51	.015	.715	
76058	.36	.011	.533	
76059	.50	.015	.762	.777
76060	.26	.008	.458	
76061	.15	.004	.265	
76062	.23	.007	.385	
76063	.35	.010	.513	
76064	.25	.007	.376	
76065	.25	.007	.332	
AM-A			1.334	
AM-B	.12	.004	.466	
STD	.27	.008	.512	
BLK	.01	.001	<.001	

Certified by 
MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB.:
3176 DATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0139-RA1

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: JUL-15-94
Copy 1. American Bullion Minerals, Vancouver

We hereby certify the following Assay of 24 core samples submitted JUL-07-94 by C. Kuntz.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76066	.07	.002	.081	.082
76067	.09	.003	.140	
76068	.09	.003	.152	
76069	.12	.004	.197	
76070	.15	.004	.358	
76071	.26	.008	.401	
76072	.30	.009	.539	
76073	.28	.008	.480	
76074 — Dup	.24	.007	.383	
76075	.23	.007	.389	
76076	.26	.008	.470	.475
76077	.44	.013	.631	
76078	.53	.015	.904	
76079	.48	.014	.891	
76080	.77	.022	1.428	
76081	1.26	.037	2.525	
76082	2.72	.079	3.110	
76083	.49	.014	.813	
76084	.52	.015	.894	
76085	.36	.011	.540	
76086	.38	.011	.710	.706
76087	.41	.012	.695	
76088	.40	.012	.763	
76089	.58	.017	1.090	
AM-A			1.302	
AM-B	.12	.004	.464	
STD	.26	.008	.512	
BLK	.01	.001	<.001	

Certified by *Robert King*
MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 960-5814 OR (604) 968-4524
FAX (604) 960-9621

SMITHERS LAB.:
3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3006

Assay Certificate

4S-0139-RA2

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**


Date: **JUL-15-94**
Copy 1. American Bullion Minerals, Vancouver

We hereby certify the following Assay of 24 core samples submitted JUL-07-94 by C. Kuntz.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76090	1.16	.034	1.620	1.629
76091	2.35	.069	3.120	
76092	2.05	.060	2.480	
76093	1.25	.036	1.610	
76094 <i>Dup</i>	.39	.011	.733	
76095	.43	.013	.746	
76096	.28	.008	.538	
76097	.29	.008	.505	
76098	.35	.010	.612	
76099	.53	.015	.892	
76100	.57	.017	1.110	1.115
76101	.47	.014	.812	
76102	.42	.012	.641	
76103	.38	.011	.380	
76104	.46	.013	.737	
76105	.53	.015	.790	
76106	.36	.011	.531	
76107	.38	.011	.592	
76108	.53	.015	.884	
76109	.37	.011	.456	
76110	.42	.012	.613	.610
76111	.33	.010	.525	
76112	.60	.018	.678	
76113	.45	.013	.705	
AM-B	.12	.004	.463	
STD	.27	.008	.514	
BLK	.01	.001	.001	

$\frac{42}{40.325} \quad \frac{6}{39.214} \quad \frac{16}{752}$

Certified by *[Signature]*
MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-0621

SMITHERS LAB.:

3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3006

Assay Certificate

4S-0139-RA3

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-15-94**

Copy 1. American Bullion Minerals, Vancouver

We hereby certify the following Assay of 24 core samples submitted JUL-07-94 by C. Kuntz.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76114	.40	.012	.661	.663
76115	.22	.006	.332	
76116	.48	.014	.880	
76117	.29	.008	.541	
76118	.38	.011	.709	
76119	.33	.010	.276	
76120	.30	.009	.410	
76121	.31	.009	.442	
76122	.41	.012	.623	
76123	.23	.007	.237	
76124	.20	.006	.209	.208
76125	.16	.005	.146	
76126	.33	.010	.348	
76127	.44	.013	.419	
76128	.57	.017	.750	
76129	.41	.012	.427	
76130	.21	.006	.239	
76131	.32	.009	.306	
76132	.29	.008	.338	
76133	.46	.013	.537	
76134	.44	.013	.521	.518
76135	.31	.009	.323	
76136	.36	.011	.369	
76137	.25	.007	.260	
AM-A	.89	.026	1.293	
AM-B			.465	
STD	.26	.008	.516	
BLK	.02	.001	<.001	

Certified by *[Signature]*
MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
706 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9621

SMITHERS LAB.:
3176 DATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-0005

Assay Certificate

4S-0139-RA4

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-15-94**
Copy 1. American Bullion Minerals, Vancouver

We hereby certify the following Assay of 24 core samples submitted JUL-07-94 by C. Kuntz.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76138	.29	.008	.370	.372
76139	.35	.010	.395	
76140	.26	.008	.312	
76141	.30	.009	.485	
76142	.27	.008	.410	
76143	.39	.011	.351	
76144	.27	.008	.384	
76145	.26	.008	.369	
76146	.26	.008	.272	
76147	.24	.007	.244	
76148	.32	.009	.338	.337
76149	.26	.008	.267	
76150	.23	.007	.251	
76151	.22	.006	.226	
76152	.26	.008	.314	
76153	.24	.007	.295	
76154	.41	.012	.433	
76155	.25	.007	.335	
76156	.30	.009	.350	
76157	.38	.011	.426	
76158	.30	.009	.246	.248
76159	.30	.009	.279	
76160	.30	.009	.287	
76161	.36	.011	.360	
AM-A	.94	.027		
AM-B			.467	
STD	.25	.007	.514	
BLK	.01	.001	.001	

Certified by *Michael S. Jones*

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB:

3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0139-RA5

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: JUL-15-94
Copy 1. American Bullion Minerals, Vancouver

We hereby certify the following Assay of 11 core samples submitted JUL-07-94 by C. Kuntz.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76162	.32	.009	.328	.326
76163	.34	.010	.259	
76164	.42	.012	.356	
76165	.31	.009	.352	
76166	.22	.006	.391	
76167	.48	.014	.815	
76168	.30	.009	.237	
76169	.43	.013	.370	
76170	.49	.014	.409	
76171	.38	.011	.272	
76172	.14	.004	.174	

AM-B	.13	.004	.461	
STD	.27	.008	.512	
BLK	.01	.001	<.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB.:

3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0144-RA1

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-20-94**

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-11-94 by A.J.PARDOE.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79001	.06	.002	.06	.002	.367	.366
79002	.06	.002			.502	
79003	.03	.001			.356	
79004	.04	.001			.363	
79005	.04	.001			.268	
79006	.06	.002			.409	
79007	.08	.002	.06	.002	.410	
79008	.07	.002			.479	
79009	.09	.003			.626	
79010	.06	.002			.278	
79011	.05	.001			.016	.016
79012	.07	.002			.011	
79013	.06	.002			.016	
79014	.05	.001			.015	
79015	.08	.002			.019	
79016	.06	.002			.017	
79017	.07	.002			.047	
79018	.08	.002			.345	
79019	.09	.003			.329	
79020	.16	.005			.526	
79021	.20	.006	.22	.006	.608	.604
79022	.19	.006			.582	
79023	.19	.006	.21	.006	.698	
79024	.17	.005			.647	
AM-A	.94	.027			1.329	
AM-B	.13	.004			.470	
STD	.27	.008				
BLK	.01	.001				

Certified by _____

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER B.C. CANADA V7M 1T2
TELEPHONE (604) 980-9814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB.:
3176 DITLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

45-0144-RA3

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-22-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-11-94 by A.J.PARDOE.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79049	.28	.008			.711	.720
79050	.32	.009			.821	
79051	.24	.007			.751	
79052	.17	.005			.486	
79053	.15	.004			.379	
79054	.12	.004			.408	
79055	.08	.002			.018	
79056	.20	.006			.733	
79057	.24	.007			.626	
79058	.25	.007			.644	
79059	.38	.011			1.324	1.351
79060	.22	.006			1.193	
79061	.27	.008			1.143	
79062	.28	.008			.848	
79063	.35	.010			.874	
79064	.47	.014			.993	
79065	.92	.027	.93	.027	.584	
79066	.08	.002			.031	
79067	.17	.005			.079	
79068	.16	.005			.136	
79069	.04	.001			.029	.030
79070	.55	.016			.786	
79071	1.00	.029	.90	.026	1.388	
79072	.79	.023			1.023	
AM-A	.97	.028			1.327	1.333
AM-B	.13	.004			.469	.470
STD	.26	.008				
BLK	.01	.001				

Certified by _____

MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9621

SMITHERS LAB:
3175 DITLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3006

Assay Certificate

4S-0144-RA4

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-22-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-11-94 by A.J.PARDOE.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79073	.58	.017			1.035	1.065
79074	.54	.016			.678	
79075	1.24	.036	1.19	.035	1.331	
79076	.99	.029			1.135	
79077	.81	.024			1.272	
79078	.96	.028	.93	.027	1.128	
79079	.88	.026			1.020	
79080	.87	.025	.88	.026	1.024	
79081	.90	.026			1.171	
79082	.67	.020			1.118	
79083	.55	.016			1.053	1.054
79084	.58	.017			1.304	
79085	.64	.019			1.340	
79086	.50	.015			1.523	
79087	.42	.012			.725	
79088	.29	.008			.344	
79089	.330	.0096			.520	
79090	.17	.005			.193	
79091	.226	.0066			.324	
79092	.52	.015			.827	
79093	.53	.015			.890	.886
79094	.81	.024			1.140	
79095	.80	.023			1.166	
79096	.50	.015			.796	
AM-A	.97	.028				
AM-B	.14	.004			.466	.468
STD	.26	.008				
BLK	.01	.001				

Certified by _____

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 16TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB:
3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0144-RA5

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-22-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-11-94 by A.J.PARDOE.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79097	.61	.018	.57	.017	.902	.899
79098	.59	.017			.872	
79099	.38	.011			.567	
79100	.50	.015			.715	
79101	.52	.015			.944	
79102	.50	.015	.54	.016	.974	
79103	.33	.010			.632	
79104	.23	.007			.579	
79105	.26	.008			.177	
79106	.30	.009			.464	
79107	.14	.004			.216	.214
79108	.17	.005			.207	
79109	.15	.004			.191	
79110	.14	.004			.176	
79111	.11	.003	.11	.003	.149	
79112	.17	.005			.200	
79113	.15	.004			.192	
79114	.17	.005			.209	
79115	.27	.008			.401	
79116	.09	.003			.242	
79117	.07	.002			.111	.112
79118	.08	.002			.176	
79119	.06	.002			.119	
79120	.07	.002			.116	
AM-A	.98	.029				
AM-B	.14	.004			.468	.464
STD	.27	.008				
BLK	.01	.001				

Certified by _____

MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB:
3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0149-RA2

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-25-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-13-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79159	.12	.004	.198	.701
79160	.09	.003	.161	
79161	.10	.003	.198	
79162	.03	.001	.108	
79163	.10	.003	.128	
79164	.10	.003	.210	
79165	.10	.003	.213	
79166	.15	.004	.324	
79167	.23	.007	.541	
79168	.34	.010	.718	
79169	.39	.011	.463	.465
79170	.27	.008	.491	
79171	.16	.005	.520	
79172	.16	.005	.491	
79173	.19	.006	.609	
79174	.18	.005	.591	
79175	.09	.003	.256	
79176	.24	.007	.662	
79177	.22	.006	.988	
79178	.21	.006	.499	
79179	.21	.006	.995	1.010
79180	.22	.006	.558	
79181	.15	.004	.229	
79182	.21	.006	.397	
AM-A	.94	.027	1.322	
AM-B	.12	.004	.473	
STD	.26	.008	.521	
BLK	.01	.001	<.001	

Certified by _____

MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**

(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

706 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 880-5614 OR (604) 888-4524
FAX (604) 880-8621

SMITHERS LAB:

3178 BAYLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3006

Assay Certificate

4S-0149-RA3

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-25-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-13-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79183	.08	.002			.180	.183
79184	.08	.002			.322	
79185	.09	.003			.182	
79186	.08	.002			.136	
79187	.12	.004			.205	
79188	.17	.005			.242	
79189	.19	.006			.234	
79190	.14	.004			.169	
79191	.13	.004			.149	
79192	.11	.003			.136	
79193	.12	.004			.138	.138
79194	.17	.005			.307	
79195	.41	.012			.648	
79196	.75	.022	.68	.020	.729	
79197	.34	.010			.961	
79198	.33	.010			.996	
79199	.36	.011			.815	
79200	.39	.011	.39	.011	.500	
79201	.22	.006			.929	
79202	.41	.012			.459	
79203	.20	.006			.480	.481
79204	.23	.007			.161	
79205	.27	.008	.26	.008	.264	
79206	.16	.005			.409	
AM-A	.93	.027			1.298	
AM-B	.13	.004			.458	
STD	.25	.007			.508	
BLK	.01	.001			.001	

Certified by _____

MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 980-4524
FAX (604) 980-9621

SMITHERS LAB.:
3178 DUTLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0149-RA4

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-25-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-13-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79207	.10	.003			.605	.612
79208	.08	.002	.09	.003	.607	
79209	.15	.004			.578	
79210	.23	.007			.488	
79211	.24	.007			.483	
79212	.35	.010			.590	
79213	.33	.010			.534	
79214	.40	.012			.623	
79215	.36	.011			.475	
79216	.31	.009			.447	
79217	.48	.014			.658	.648
79218	.49	.014			.759	
79219	.40	.012			.777	
79220	.42	.012			.702	
79221	.44	.013			.541	
79222	.42	.012			.644	
79223	.24	.007			.355	
79224	.58	.017	.55	.016	.891	
79225	.44	.013			.636	
79226	.37	.011			.568	
79227	.35	.010			.509	.504
79228	.34	.010			.514	
79229	.63	.018	.63	.018	1.048	
79230	.42	.012			.546	
AM-A	.95	.028			1.288	
AM-B	.13	.004			.469	
STD	.27	.008			.508	
BLK	.01	.001			.001	

Certified by _____

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
706 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5514 OR (604) 980-4524
FAX (604) 980-9821

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0149-RA6

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-25-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 10 core samples submitted JUL-13-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79255	.03	.001			.017	.017
79256	.04	.001			.020	
79257	.04	.001			.021	
79258	.04	.001			.025	
79259	.17	.005	.17	.005	.318	
79260	.06	.002	.06	.002	.067	
79261	.05	.001			.017	
79262	.05	.001			.033	
79263	.06	.002			.012	
79264	.05	.001			.018	
AM-A	.92	.027			1.295	
AM-B	.13	.004			.463	
STD	.26	.008			.512	
BLK	.01	.001			.001	

Certified by 
MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB.:

3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0143-RA1

Company: **AMERICAN BULLION**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: JUL-15-94

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-11-94 by C.KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76173	.03	.001	.011	.010
76174	.02	.001	.005	
76175	.02	.001	.019	
76176	.04	.001	.025	
76177	.03	.001	.046	
76178	.04	.001	.052	
76179	.04	.001	.035	
76180	.08	.002	.048	
76181	.04	.001	.044	
76182	.07	.002	.135	
76183	.10	.003	.152	.150
76184	.03	.001	.054	
76185	.03	.001	.015	
76186	.03	.001	.035	
76187	.04	.001	.050	
76188	.05	.001	.068	
76189	.09	.003	.067	
76190	.06	.002	.067	
76191	.08	.002	.064	
76192	.15	.004	.132	
76193	.08	.002	.142	.143
76194	.06	.002	.058	
76195	.05	.001	.052	
76196	.04	.001	.050	
AM-A	.89	.026	1.316	
AM-B	.13	.004	.468	
STD	.28	.008	.509	
BLK	.01	.001	<.001	

Certified by *Robert Kemp*
MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

703 WEST 16TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 960-5814 OR (604) 960-4524
FAX (604) 960-8821

SMITHERS LAB.:

3176 TITLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0143-RA2

Company: **AMERICAN BULLION**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-15-94**

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples
submitted JUL-11-94 by C.KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76197	.03	.001	.050	.050
76198	.03	.001	.040	
76199	.05	.001	.066	
76200	.04	.001	.065	
76201	.08	.002	.139	
76202	.07	.002	.102	
76203	.04	.001	.030	
76204	.04	.001	.063	
76205	.03	.001	.039	
76206	.04	.001	.051	
76207	.04	.001	.062	.061
76208	.05	.001	.069	
76209	.05	.001	.043	
76210	.06	.002	.084	
76211	.06	.002	.105	
76212	.05	.001	.069	
76213	.07	.002	.118	
76214	.08	.002	.160	
76215	.15	.004	.227	
76216	.29	.008	.409	
76217	.28	.008	.414	.416
76218	.24	.007	.426	
76219	.21	.006	.366	
76220	.36	.011	.621	
AM-A	.88	.026		
AM-B	.12	.004	.459	
STD	.26	.008	.516	
BLK	.01	.001	<.001	

Certified by *Wayne Roberts*

MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-8821

SMITHERS LAB.:
3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0143-RA3

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Att: **Wayne Roberts**

Date: **JUL-21-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-11-94 by C.KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76221	.16	.005	.16	.005	.270	.274
76222	.22	.006			.336	
76223	.16	.005			.258	
76224	.15	.004			.234	
76225	.18	.005			.345	
76226	.33	.010			.455	
76227	.63	.018	.62	.018	.971	
76228	.55	.016			.812	
76229	.27	.008			.336	
76230	.49	.014			.762	
76231	.51	.015			.755	.759
76232	.59	.017			.790	
76233	.54	.016			.842	
76234	.59	.017			.849	
76235	.60	.018			.897	
76236	.63	.018			.866	
76237	.58	.017			.791	
76238	.61	.018			.783	
76239	.80	.023	.80	.023	1.110	
76240	.56	.016			.740	
76241	.70	.020			1.056	1.078
76242	.85	.025	.89	.026	1.341	
76243	.80	.023			1.117	
76244	.80	.023			1.060	
AM-A	.95	.028			1.324	
AM-B	.14	.004			.470	
STD	.28	.008				
BLK	.01	.001			.001	

Certified by _____ 

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 900-5814 OR (604) 900-4524
FAX (604) 980-9621

SMITHERS LAB.:
3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0143-RA4

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-21-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-11-94 by C.KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76245	.74	.022			1.071	1.065
76246	.78	.023			1.083	
76247	1.01	.029	1.02	.030	1.350	
76248	1.11	.032	1.19	.035	1.507	
76249	.98	.029			1.131	
76250	.58	.017			.716	
76251	.82	.024			1.030	
76252	.74	.022			1.041	
76253	.32	.009			.380	
76254	.58	.017	.64	.019	.741	
76255	.54	.016			.620	.627
76256	.44	.013			.638	
76257	.50	.015			.651	
76258	.55	.016			.697	
76259	.55	.016			.662	
76260	.71	.021	.76	.022	.776	
76261	.47	.014			.560	
76262	.50	.015			.506	
76263	.47	.014			.579	
76264	.38	.011			.424	
76265	.36	.011			.338	.337
76266	.43	.013			.651	
76267	.34	.010			.289	
76268	.35	.010			.333	
AM-A	.97	.028			1.303	
AM-B	.13	.004			.457	
STD	.28	.008				
BLK	.01	.001			.001	

Certified by _____

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-8621

SMITHERS LAB:

3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0153-RA1

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-26-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-18-94 by BRIAN THURSTON.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76295	.03	.001			.065	.067
76296	.04	.001			.080	
76297	.05	.001			.091	
76298	.03	.001			.040	
76299	.03	.001			.039	
76300	.03	.001			.043	
76301	.02	.001	.03	.001	.031	
76302	.04	.001			.058	
76303	.04	.001			.088	
76304	.04	.001			.082	
76305	.05	.001			.088	.089
76306	.05	.001			.101	
76307	.02	.001			.086	
76308	.03	.001			.090	
76309	.03	.001			.099	
76310	.03	.001			.118	
76311	.07	.002			.223	
76312	.07	.002			.204	
76313	.09	.003			.179	
76314	.09	.003			.214	
76315	.11	.003	.14	.004	.290	.293
76316	.13	.004	.13	.004	.266	
76317	.08	.002			.167	
76318	.07	.002			.138	
AM-A	.93	.027			1.289	
AM-B	.12	.004			.457	
STD	.26	.008			.510	
BLK	.01	.001			.001	

Certified by

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS COOP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6814 OR (604) 988-4324
FAX (604) 980-9821

SMITHERS LAB:

3176 TAYLOR ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0153-RA2

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-26-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-18-94 by BRIAN THURSTON.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76319	.10	.003			.177	.179
76320	.13	.004			.236	
76321	.10	.003			.123	
76322	.09	.003	.10	.003	.142	
76323	.12	.004			.233	
76324	.26	.008			.417	
76325	.24	.007			.388	
76326	.22	.006			.411	
76327	.44	.013			.863	
76328	.21	.006			.315	
76329	.19	.006			.304	.301
76330	.22	.006			.457	
76331	.16	.005			.224	
76332	.17	.005			.196	
76333	.12	.004			.153	
76334	.12	.004			.153	
76335	.12	.004			.131	
76336	.16	.005			.203	
76337	.17	.005			.266	
76338	.22	.006	.22	.006	.427	
76339	.16	.005			.266	.270
76340	.16	.005			.263	
76341	.21	.006			.320	
76342	.17	.005			.266	
AM-A	.94	.027			1.287	
AM-B	.13	.004			.474	
STD	.26	.008			.526	
BLK	.01	.001			.001	

Certified by

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEO-CHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6814 OR (604) 988-4524
FAX (604) 980-8821

SMITHERS LAB:

3175 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0153-RA3

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-26-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-18-94 by BRIAN THURSTON.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76343	.13	.004			.220	.219
76344	.33	.010			.239	
76345	.19	.006			.190	
76346	.18	.005			.271	
76347	.17	.005			.249	
76348	.16	.005			.246	
76349	.17	.005			.235	
76350	.27	.008			.540	
76351	.31	.009			.631	
76352	.23	.007			.474	
76353	.09	.003			.182	.181
76354	.06	.002			.109	
76355	.09	.003			.169	
76356	.17	.005			.309	
76357	.18	.005			.302	
76358	.27	.008			.363	
76359	.13	.004	.13	.004	.174	
76360	.24	.007			.315	
76361	.23	.007			.247	
76362	.24	.007			.315	
76363	.24	.007			.295	.299
76364	.29	.008	.28	.008	.355	
76365	.25	.007			.288	
76366	.15	.004			.168	
AM-A	.96	.028			1.320	
AM-B	.12	.004			.464	
STD	.27	.008			.526	
BLK	.01	.001			.001	

Certified by

MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
706 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 960-5814 OR (604) 966-4524
FAX (604) 960-8621

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate


4S-0153-RA4

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-26-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-18-94 by BRIAN THURSTON.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76367	.15	.004			.158	.160
76368	.32	.009			.398	
76369	.30	.009			.355	
76370	.21	.006			.220	
76371	.23	.007			.262	
76372	.20	.006			.222	
76373	.37	.011			.354	
76374	.32	.009			.260	
76375	.16	.005	.19	.006	.311	
76376	.21	.006			.260	
76377	.22	.006			.198	.200
76378	.21	.006			.176	
76379	.25	.007			.234	
76380	.23	.007			.179	
76381	.37	.011			.294	
76382	.41	.012			.305	
76383	.17	.005	.21	.006	.193	
76384	.32	.009			.209	
76385	.24	.007			.224	
76386	.24	.007			.229	
76387	.22	.006			.248	.247
76388	.20	.006			.294	
76389	.20	.006			.299	
76390	.24	.007			.198	
AM-A	.93	.027			1.295	
AM-B	.11	.003			.465	
STD	.26	.008			.508	
BLK	.01	.001			.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-8621

SMITHERS LAB.:
8176 DITLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0153-RA5

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-26-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-18-94 by BRIAN THURSTON.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76391	.29	.008	.31	.009	.249	.251
76392	.11	.003			.132	
76393	.11	.003			.150	
76394	.14	.004			.146	
76395	.15	.004			.197	
76396	.23	.007			.196	
76397	.30	.009			.396	
76398	.07	.002			.193	
76399	.20	.006			.168	
76400	.14	.004			.145	
76401	.14	.004			.101	.101
76402	.16	.005	.16	.005	.104	
76403	.18	.005			.156	
76404	.20	.006			.164	
76405	.18	.005			.150	
76406	.10	.003			.148	
76407	.19	.006			.189	
76408	.21	.006			.199	
76409	.13	.004			.231	
76410	.13	.004			.232	
76411	.13	.004			.212	.209
76412	.13	.004			.182	
76413	.12	.004			.278	
76414	.16	.005			.227	
AM-A	.93	.027			1.296	
AM-B	.12	.004			.464	
STD	.26	.008			.499	
BLK	.01	.001			.001	

Certified by

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
706 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-0814 OR (604) 988-4824
FAX (604) 980-9621

SMITHERS LAB:
3178 DUXLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0153-RA6


Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-26-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 3 core samples submitted JUL-18-94 by BRIAN THURSTON.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76415	.13	.004			.164	.165
76416	.27	.008	.26	.008	.256	
76417	.12	.004			.196	

AM-A	.92	.027			.458	
AM-B	.12	.004			1.288	
STD	.26	.008			.517	
BLK	.01	.001			.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 16TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6614 OR (604) 988-4524
FAX (604) 980-9621

SMITHERS LAB:

3178 DITLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0156-RA1

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-29-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples
submitted JUL-21-94 by B. Thurston.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76418	.08	.002	.095	.096
76419	.07	.002	.035	
76420	.07	.002	.022	
76421	.06	.002	.019	
76422	.06	.002	.008	
76423	.11	.003	.020	
76424	.10	.003	.014	
76425	.08	.002	.029	
76426	.11	.003	.046	
76427	.04	.001	.020	
76428	.06	.002	.037	.037
76429	.06	.002	.010	
76430	.05	.001	.016	
76431	.06	.002	.028	
76432	.06	.002	.016	
76433	.05	.001	.024	
76434	.06	.002	.022	
76435	.07	.002	.013	
76436	.09	.003	.016	
76437	.09	.003	.031	
76438	.07	.002	.032	.033
76439	.07	.002	.029	
76440	.08	.002	.029	
76441	.11	.003	.107	
AM-A	.92	.027	1.302	
AM-B	.13	.004	.464	
STD	.26	.008	.514	
BLK	.01	.001	.001	

Certified by


MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES

(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 980-4324
FAX (604) 980-9821

SMITHERS LAB:

3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0156-RA2

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-29-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples
submitted JUL-21-94 by B. Thurston.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76442	.09	.003			.086	.087
76443	.10	.003			.086	
76444	.12	.004			.110	
76445	.11	.003			.127	
76446	.10	.003			.109	
76447	.13	.004			.145	
76448	.09	.003			.103	
76449	.10	.003			.107	
76450	.11	.003			.111	
76451	.15	.004			.143	
76452	.15	.004			.124	.124
76453	.19	.006			.144	
76454	.18	.005			.143	
76455	.28	.008	.29	.008	.250	
76456	.18	.005			.165	
76457	.11	.003			.055	
76458	.10	.003	.09	.003	.063	
76459	.18	.005			.203	
76460	.16	.005			.191	
76461	.16	.005			.201	
76462	.16	.005			.145	.145
76463	.15	.004			.162	
76464	.23	.007			.235	
76465	.19	.006			.201	
AM-A	.93	.027			1.321	
AM-B	.12	.004			.470	
STD	.27	.008			.518	
BLK	.01	.001			.001	

Certified by



MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9621

SMITHERS LAB:

3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0156-RA3

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-29-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-21-94 by B. Thurston.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76466	.27	.008	.25	.007	.285	.281
76467	.20	.006			.225	
76468	.08	.002			.080	
76469	.09	.003			.106	
76470	.12	.004			.175	
76471	.14	.004			.221	
76472	.12	.004			.212	
76473	.26	.008			.493	
76474	.13	.004			.242	
76475	.11	.003			.201	
76476	.14	.004			.170	.169
76477	.14	.004			.250	
76478	.25	.007			.387	
76479	.29	.008			.419	
76480	.19	.006			.407	
76481	.31	.009			.477	
76482	.12	.004			.278	
76483	.15	.004			.277	
76484	.36	.011			.630	
76485	.66	.019			.869	
76486	.66	.019			.780	.786
76487	.78	.023	.74	.022	1.217	
76488	.60	.018			.874	
76489	.39	.011			.926	
AM-A	.93	.027			1.305	
AM-B	.12	.004			.471	
STD	.25	.007			.520	
BLK	.01	.001			<.001	

Certified by

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA: V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 980-4524
FAX (604) 980-9821

SMITHERS LAB.:
3176 DIXLLOW ROAD
SMITHERS, B.C. CANADA: V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-9005

Assay Certificate


4S-0156-RA4

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **AUG-08-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-21-94 by B. Thurston.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76490	.62	.018			1.175	1.180
76491	.61	.018			.944	
76492	.52	.015			.837	
76493	.53	.015			.936	
76494	.90	.026			1.332	
76495	.96	.028			1.302	
76496	2.50	.073	2.65	.077	2.785	
76497	1.87	.055			1.834	
76498	1.54	.045			1.265	
76499	1.72	.050			1.468	
76500	3.02	.088	2.90	.085	2.155	2.160
76501	3.12	.091			2.154	
76502	1.71	.050			1.602	
76503	1.80	.053			1.498	
76504	1.45	.042			1.120	
76505	1.81	.053	1.86	.054	2.040	
76506	1.57	.046			1.915	
76507	1.93	.056			1.427	
76508	1.31	.038			1.553	
76509	1.09	.032			1.287	
76510	1.14	.033			1.339	1.342
76511	1.53	.045			1.537	
76512	.74	.022			.759	
76513	.60	.018			.652	
AM-B	.12	.004			.464	
AM-A	.88	.026			1.302	
STD	.27	.008			.515	
BLK	.01	.001			<.001	

Certified by 
MIN-ENV LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS COOP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
706 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6814 OR (604) 688-4524
FAX (604) 980-9821

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 647-3004
FAX (604) 647-3005

Assay Certificate


4S-0156-RA5

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-29-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-21-94 by B. Thurston.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76514	.24	.007			.334	.338
76515	.28	.008			.262	
76516	.28	.008			.288	
76517	.36	.011	.36	.011	.241	
76518	.36	.011			.449	
76519	.24	.007			.262	
76520	.39	.011			.491	
76521	.52	.015			.532	
76522	.54	.016			.544	
76523	.32	.009			.294	
76524	.52	.015			.434	.436
76525	.31	.009			.298	
76526	.29	.008			.342	
76527	.30	.009			.222	
76528	.27	.008			.196	
76529	.23	.007			.284	
76530	.25	.007			.220	
76531	.30	.009			.307	
76532	.26	.008			.220	
76533	.60	.018			.516	
76534	1.27	.037	1.24	.036	1.212	1.203
76535	.52	.015			.363	
76536	.46	.013			.338	
76537	.55	.016			.450	
AM-A	.96	.028			1.308	
AM-B	.13	.004			.467	
STD	.26	.008			.514	
BLK	.01	.001			<.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB.:

3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0156-RA6

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **JUL-29-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 10 core samples
submitted JUL-21-94 by B. Thurston.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76538	.61	.018			.459	.460
76539	.68	.020	.61	.018	.477	
76540	.56	.016			.397	
76541	.52	.015			.408	
76542	.45	.013			.315	
76543	.51	.015			.348	
76544	.52	.015			.342	
76545	.52	.015			.332	
76546	.30	.009			.217	
76547	.42	.012			.343	

AM-A	.90	.026			1.290	
AM-B	.13	.004			.463	
STD	.25	.007			.514	
BLK	.01	.001			<.001	

Certified by


MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 16TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5874 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB.:
3178 TAYLOR ROAD
SMITHERS B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0157-RA1


Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **AUG-02-94**

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-21-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79265	.04	.001			.186	.188
79266	.09	.003			.216	
79267	.10	.003			.175	
79268	.12	.004			.210	
79269	.12	.004			.345	
79270	.11	.003			.161	
79271	.11	.003			.168	
79272	.15	.004			.325	
79273	.13	.004			.296	
79274	.13	.004			.337	
79275	.09	.003			.250	.250
79276	.09	.003			.288	
79277	.08	.002			.269	
79278	.11	.003			.200	
79279	.13	.004			.300	
79280	.10	.003			.183	
79281	.09	.003			.144	
79282	.18	.005	.19	.006	.358	
79283	.15	.004			.358	
79284	.08	.002			.183	
79285	.10	.003			.179	.183
79286	.12	.004			.203	
79287	.29	.008	.27	.008	.090	
79288	.04	.001			.002	
AM-B	.12	.004			.463	
AM-A	.91	.027			1.325	
STD	.27	.008			.521	
BLK	.01	.001			<.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5514 OR (604) 980-4524
FAX (604) 980-8621

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0157-RA2

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **AUG-02-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-21-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79289	.30	.009			.135	.134
79290	.31	.009	.32	.009	.133	
79291	.11	.003			.167	
79292	.14	.004			.320	
79293	.18	.005			.478	
79294	.15	.004			.267	
79295	.18	.005			.339	
79296	.14	.004			.314	
79297	.16	.005			.309	
79298	.18	.005			.308	
79299	.25	.007			.418	.416
79300	.27	.008			.376	
79301	.23	.007			.473	
79302	.14	.004			.254	
79303	.19	.006	.17	.005	.358	
79304	.23	.007			.463	
79305	.21	.006			.417	
79306	.22	.006			.470	
79307	.18	.005			.424	
79308	.29	.008			.506	
79309	.32	.009			.514	.512
79310	.34	.010			.516	
79311	.47	.014			.704	
79312	.44	.013			.682	
AM-B	.12	.004			.466	
AM-A	.92	.027			1.305	
STD	.27	.008			.517	
BLK	.01	.001			<.001	

Certified by

MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6614 OR (604) 988-4624
FAX (604) 980-9821

SMITHERS LAB:

3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0157-RA3

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **AUG-02-94**

copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples
submitted JUL-21-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79313	.37	.011			.628	.629
79314	.31	.009			.604	
79315	.34	.010			.550	
79316	.28	.008			.593	
79317	.24	.007			.292	
79318	.25	.007			.443	
79319	.41	.012			.972	
79320	.32	.009	.30	.009	.492	
79321	.31	.009			.638	
79322	.28	.008			.490	
79323	.32	.009			.586	.583
79324	.29	.008			.494	
79325	.29	.008			.505	
79326	.33	.010			.504	
79327	.43	.013			.786	
79328	.49	.014	.52	.015	.771	
79329	.30	.009			.427	
79330	.31	.009			.450	
79331	.47	.014			.776	
79332	.48	.014			.723	
79333	.50	.015			.789	.792
79334	.43	.013			.630	
79335	.39	.011			.483	
79336	.34	.010			.525	
AM-B	.14	.004			.465	
AM-A	.99	.029			1.302	
STD	.25	.007			<.001	
BLK	.01	.001			.519	

Certified by


MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 980-4524
FAX (604) 980-9821

SMITHERS LAB.:
3178 DITLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 647-3004
FAX (604) 647-3005

Assay Certificate

4S-0157-RA4

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **AUG-02-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-21-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79337	.26	.008			.489	.497
79338	.25	.007			.420	
79339	.02	.001	.02	.001	.004	
79340	.13	.004			.209	
79341	.24	.007			.272	
79342	.11	.003			.435	
79343	.08	.002			.289	
79344	.15	.004			.394	
79345	.40	.012			.722	
79346	.30	.009			.467	
79347	.18	.005			.348	.349
79348	.15	.004			.194	
79349	.37	.011			.765	
79350	.45	.013	.44	.013	.759	
79351	.37	.011			.660	
79352	.42	.012			.712	
79353	.54	.016			.793	
79354	.77	.022	.78	.023	1.354	
79355	.31	.009			.367	
79356	.04	.001			.005	
79357	.26	.008			.540	.546
79358	.17	.005			.283	
79359	.17	.005			.210	
79360	.16	.005			.224	
AM-B	.13	.004			.464	
AM-A	1.02	.030			1.306	
STD	.26	.008			.514	
BLK	.01	.001			<.001	

Certified by

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 18TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB.:
3176 DIXLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate


4S-0157-RA5

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **AUG-02-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-21-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79361	.23	.007			.291	.289
79362	.16	.005			.206	
79363	.13	.004			.151	
79364	.17	.005			.185	
79365	.13	.004			.147	
79366	.11	.003			.129	
79367	.17	.005			.173	
79368	.27	.008			.552	
79369	.26	.008			.567	
79370	.05	.001			.143	
79371	.30	.009			.896	.891
79372	.64	.019			.963	
79373	.02	.001	.02	.001	.008	
79374	.20	.006			.241	
79375	.46	.013			.723	
79376	.43	.013			.705	
79377	.47	.014	.46	.013	.754	
79378	.33	.010			.703	
79379	.39	.011			.607	
79380	.36	.011			.637	
79381	.34	.010			.668	.660
79382	.45	.013	.44	.013	.729	
79383	.17	.005			.321	
79384	.10	.003			.176	
AM-B	.13	.004			.461	
AM-A	.93	.027			1.305	
STD	.27	.008			<.001	
BLK	.01	.001			.517	

Certified by 
MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB:
3176 TAYLOR ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3006

Assay Certificate

4S-0157-RA6

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **AUG-02-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples
submitted JUL-21-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79385	.23	.007			.514	.513
79386	.27	.008	.27	.008	.580	
79387	.22	.006			.567	
79388	.14	.004			.355	
79389	.08	.002			.147	
79390	.08	.002			.196	
79391	.08	.002			.194	
79392	.05	.001			.180	
79393	.08	.002			.254	
79394	.06	.002			.241	
79395	.06	.002			.204	.201
79396	.11	.003			.296	
79397	.19	.006	.20	.006	.248	
79398	.09	.003			.217	
79399	.09	.003			.201	
79400	.14	.004			.369	
79401	.15	.004			.483	
79402	.11	.003			.370	
79403	.17	.005			.339	
79404	.10	.003			.212	
79405	.09	.003			.213	.210
79406	.11	.003			.216	
79407	.11	.003			.281	
79408	.24	.007	.22	.006	.339	
AM-B	.12	.004			.465	
AM-A	.91	.027			1.305	
STD	.26	.008			.519	
BLK	.01	.001			<.001	

Certified by


MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**

(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6814 OR (604) 980-4524
FAX (604) 980-9821

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0163-RA1

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **AUG-03-94**

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-25-94 by W. Roberts.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79409	.12	.004			.338	.339
79410	.18	.005			.453	
79411	.06	.002			.168	
79412	.09	.003	.13	.004	.153	
79413	.09	.003			.140	
79414	.14	.004			.379	
79415	.16	.005			.560	
79416	.15	.004			.469	
79417	.17	.005			.490	
79418	.30	.009	.32	.009	.794	
79419	.23	.007			.625	.629
79420	.29	.008			.741	
79421	.13	.004			.560	
79422	.16	.005			.663	
79423	.14	.004			.654	
79424	.18	.005			.835	
79425	.14	.004			.614	
79426	.16	.005			.732	
79427	.11	.003			.477	
79428	.09	.003			.291	
79429	.11	.003			.328	.335
79430	.19	.006			.476	
79431	.34	.010			.663	
79432	.35	.010	.34	.010	.621	
AM-B	.12	.004			.463	
AM-A	.92	.027			1.286	
STD	.25	.007			.509	
BLK	.01	.001			<.001	

Certified by 

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES

(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6814 OR (604) 988-4524
FAX (604) 980-8821

SMITHERS LAB:

3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0163-RA2

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: AUG-03-94

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples
submitted JUL-25-94 by W. Roberts.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79433	.37	.011			.706	.712
79434	.36	.011			.771	
79435	.30	.009			.571	
79436	.54	.016			1.068	
79437	.33	.010			.644	
79438	.45	.013	.46	.013	1.001	
79439	.28	.008			.516	
79440	.17	.005			.344	
79441	.24	.007			.293	
79442	.19	.006			.176	
79443	.24	.007			.300	.296
79444	.26	.008			.380	
79445	.24	.007			.253	
79446	.21	.006	.23	.007	.243	
79447	.27	.008			.267	
79448	.52	.015			.481	
79449	.35	.010			.328	
79450	.42	.012			.415	
79451	.42	.012	.46	.013	.420	
79452	.21	.006			.190	
79453	.10	.003			.139	.139
79454	.14	.004			.166	
79455	.10	.003			.132	
79456	.11	.003			.146	
AM-B	.12	.004			.464	
AM-A	.94	.027			1.319	
STD	.27	.008			.520	
BLK	.01	.001			<.001	

Certified by

MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
706 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-8821

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0163-RA3

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **AUG-03-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-25-94 by W. Roberts.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79457	.13	.004			.165	.167
79458	.28	.008			.294	
79459	.28	.008			.250	
79460	.25	.007			.225	
79461	.54	.016			.425	
79462	.60	.018			.580	
79463	1.77	.052	1.76	.051	1.662	
79464	.67	.020			.690	
79465	.35	.010			.429	
79466	.58	.017			.831	
79467	.50	.015			.583	.575
79468	.52	.015	.50	.015	.680	
79469	.14	.004			.158	
79470	.46	.013			.645	
79471	.42	.012			.525	
79472	.43	.013			.526	
79473	.60	.018	.54	.016	.784	
79474	.61	.018			1.128	
79475	.30	.009			.784	
79476	.12	.004			.219	
79477	.14	.004			.263	.260
79478	.31	.009			.624	
79479	.64	.019			1.259	
79480	.27	.008			.973	
AM-B	.12	.004			.464	
AM-A	.93	.027			1.305	
STD	.27	.008			.508	
BLK	.01	.001			<.001	

Certified by

MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

706 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6814 OR (604) 988-4524
FAX (604) 980-9621

SMITHERS LAB:

9176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0163-RA5

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS**
Attn: **Wayne Roberts**

Date: **AUG-03-94**

copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples
submitted JUL-25-94 by W. Roberts.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79505	.03	.001			.011	.010
79506	.05	.001			.025	
79507	.38	.011			.746	
79508	.63	.018			1.032	
79509	.78	.023	.77	.022	1.249	
79510	.20	.006			.360	
79511	.05	.001			.026	
79512	.17	.005			.226	
79513	.10	.003			.845	
79514	.44	.013	.48	.014	.861	
79515	.49	.014			.668	.674
79516	.67	.020			.898	
79517	.31	.009			1.217	
79518	.74	.022			1.305	
79519	.49	.014			.814	
79520	.53	.015	.56	.016	.874	
79521	.43	.013			.796	
79522	.23	.007			.396	
79523	.36	.011			.666	
79524	.50	.015			.818	
79525	.23	.007			.349	.350
79526	.04	.001			.026	
79527	.04	.001			.020	
79528	.03	.001			.016	
AM-B	.12	.004			.466	
AM-A	.88	.026			1.320	
STD	.26	.008			.514	
BLK	.01	.001			<.001	

Certified by _____

MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

706 WEST 16TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4624
FAX (604) 980-8821

SMITHERS LAB:

3178 DIXLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

74-84

Assay Certificate

4S-0167-RA2

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AJ**
Attn: **Wayne Roberts**

Date: **AUG-15-94**

copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples
submitted JUL-28-94 by BRIAN THURSTON.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76679	.06	.002			.064	.064
76680	.04	.001			.058	
76681	.03	.001			.054	
76682	.03	.001			.053	
76683	.05	.001			.060	
76684	.05	.001			.059	
76685	.03	.001			.043	
76686	.06	.002			.041	
76687	.19	.006			.224	
76688	1.19	.035	1.12	.033	1.175	
76689	1.10	.032			1.360	1.355
76690	1.11	.032	1.14	.033	1.252	
76691	.70	.020			.865	
76692	.92	.027			.995	
76693	1.29	.038	1.23	.036	1.230	
76694	.90	.026			1.075	
76695	.94	.027			1.166	
76696	.46	.013			1.072	
76697	.44	.013			1.060	
76698	.47	.014			.905	
76699	.49	.014			.953	.956
76700	.50	.015			.980	
76701	.52	.015			.995	
76702	.31	.009			.928	
AM-B	.13	.004			.468	
AM-A	.92	.027			1.310	
STD	.28	.008			.528	
BLK	.01	.001			.001	

Certified by _____

[Signature]

MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 16TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB.:

3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0167-RA4

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AJ**
Attn: **Wayne Roberts**

Date: **AUG-15-94**

copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples
submitted JUL-28-94 by BRIAN THURSTON.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76727	.24	.007			.704	.709
76728	.20	.006			.600	
76729	.21	.006			.657	
76730	.23	.007			.695	
76731	.22	.006			.684	
76732	.25	.007			.723	
76733	.36	.011			.492	
76734	.12	.004			.406	
76735	.24	.007	.25	.007	.905	
76736	.25	.007			.687	
76737	.32	.009	.31	.009	1.028	1.030
76738	.12	.004			.421	
76739	.15	.004			.410	
76740	.16	.005	.16	.005	.516	
76741	.16	.005			.751	
76742	.15	.004			.509	
76743	.13	.004			.408	
76744	.14	.004			.412	
76745	.19	.006			.584	
76746	.19	.006			.587	
76747	.15	.004			.481	.479
76748	.15	.004			.475	
76749	.20	.006	.19	.006	.755	
76750	.15	.004			.731	
AM-B	.12	.004			.466	
AM-A	.89	.026			1.305	
STD	.25	.007			.518	
BLK	.01	.001			.001	

Certified by _____

MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 968-4524
FAX (604) 980-9821

SMITHERS LAB:

3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0167-RA5

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AJ**
Attn: **Wayne Roberts**

Date: **AUG-15-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples
submitted JUL-28-94 by BRIAN THURSTON.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76751	.17	.005			.632	.630
76752	.24	.007			1.136	
76753	.06	.002	.08	.002	.352	
76754	.23	.007			.599	
76755	.18	.005			.557	
76756	.29	.008			.845	
76757	.27	.008			.734	
76758	.26	.008			.767	
76759	.31	.009	.32	.009	.696	
76760	.26	.008			.918	
76761	.24	.007			.751	.762
76762	.23	.007			.738	
76763	.12	.004			.424	
76764	.15	.004			.624	
76765	.12	.004			.520	
76766	.13	.004			.414	
76767	.08	.002			.274	
76768	.08	.002			.325	
76769	.10	.003			.418	
76770	.12	.004			.396	
76771	.14	.004			.332	.335
76772	.33	.010	.37	.011	.359	
76773	.25	.007			.321	
76774	.10	.003			.131	
AM-B	.13	.004			.469	
AM-A	.89	.026			1.312	
STD	.26	.008			.515	
BLK	.01	.001			.001	

Certified by _____

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-8821

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate


4S-0166-RA1

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AK**
Attn: **Wayne Roberts**

Date: **AUG-04-94**
Copy 1. American Bullion, Vancouver

We hereby certify the following Assay of 24 core samples submitted JUL-28-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76548	.13	.004			.224	.228
76549	.15	.004			.169	
76550	.19	.006	.21	.006	.170	
76551	.09	.003			.171	
76552	.09	.003			.425	
76553	.10	.003			.377	
76554	.19	.006			.456	
76555	.15	.004			.168	
76556	.04	.001			.012	
76557	.10	.003			.127	
76558	.09	.003			.177	.179
76559	.03	.001			.006	
76560	.08	.002			.122	
76561	.09	.003			.279	
76562	.12	.004			.263	
76563	.11	.003	.12	.004	.251	
76564	.08	.002			.154	
76565	.08	.002			.122	
76566	.11	.003			.164	
76567	.09	.003			.153	
76568	.14	.004			.292	.292
76569	.13	.004			.167	
76570	.14	.004			.196	
76571	.17	.005	.18	.005	.284	
AM-B	.12	.004			.471	
AM-A	.99	.029			1.318	
STD	.26	.008			.523	
BLK	.01	.001			<.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-0821

SMITHERS LAB.:
3178 DIXLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0166-RA2

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AK**
Attn: **Wayne Roberts**

Date: **AUG-04-94**
Copy 1. American Bullion, Vancouver

We hereby certify the following Assay of 24 core samples submitted JUL-28-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76572	.14	.004	.15	.004	.269	.272
76573	.04	.001			.012	
76574	.09	.003			.054	
76575	.04	.001			.020	
76576	.10	.003			.120	
76577	.08	.002			.178	
76578	.09	.003			.172	
76579	.13	.004			.162	
76580	.15	.004			.209	
76581	.13	.004			.210	
76582	.15	.004			.221	.223
76583	.17	.005			.263	
76584	.19	.006			.295	
76585	.19	.006			.296	
76586	.30	.009	.31	.009	.371	
76587	.19	.006			.426	
76588	.20	.006			.447	
76589	.16	.005			.313	
76590	.09	.003			.216	
76591	.16	.005			.315	
76592	.16	.005			.281	.283
76593	.19	.006			.351	
76594	.13	.004			.214	
76595	.24	.007	.27	.008	.300	
AM-B	.12	.004			.468	
AM-A	.91	.027			1.300	
STD	.26	.008			.512	
BLK	.01	.001			.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4824
FAX (604) 980-9621

SMITHERS LAB.:
3178 TITLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0166-RA3

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AK**
Attn: **Wayne Roberts**

Date: **AUG-04-94**

Copy 1. American Bullion, Vancouver

We hereby certify the following Assay of 24 core samples submitted JUL-28-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76596	.15	.004			.148	.147
76597	.19	.006			.305	
76598	.26	.008			.367	
76599	.29	.008	.28	.008	.525	
76600	.25	.007			.439	
76601	.14	.004			.251	
76602	.15	.004			.215	
76603	.10	.003			.172	
76604	.11	.003			.175	
76605	.12	.004			.178	
76606	.18	.005			.321	.319
76607	.07	.002	.08	.002	.147	
76608	.12	.004			.262	
76609	.15	.004			.269	
76610	.18	.005			.343	
76611	.15	.004			.285	
76612	.15	.004			.290	
76613	.16	.005			.313	
76614	.18	.005			.438	
76615	.21	.006			.396	
76616	.32	.009			.450	.452
76617	.48	.014			.682	
76618	.47	.014			.730	
76619	.59	.017	.60	.018	.825	
AM-B	.12	.004			.468	
AM-A	.90	.026			1.310	
STD	.27	.008			.513	
BLK	.01	.001			.001	

Certified by

[Signature]
MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-8821

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate


4S-0166-RA4

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AK**
Attn: **Wayne Roberts**

Date: **AUG-04-94**
copy 1. American Bullion, Vancouver

We hereby certify the following Assay of 24 core samples submitted JUL-28-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76620	.50	.015			.715	.718
76621	.47	.014			.706	
76622	.56	.016			.846	
76623	.67	.020			.803	
76624	.92	.027	.97	.028	1.080	
76625	.68	.020			.940	
76626	.61	.018			.744	
76627	.46	.013			.664	
76628	.42	.012			.567	
76629	.51	.015			.692	
76630	.54	.016			.694	.683
76631	.59	.017			.795	
76632	.74	.022			.970	
76633	.58	.017			.726	
76634	.54	.016			.631	
76635	.62	.018	.61	.018	.885	
76636	.61	.018			.843	
76637	.34	.010			.430	
76638	.32	.009			.519	
76639	.47	.014			.899	
76640	.53	.015	.55	.016	1.060	1.075
76641	.30	.009			.556	
76642	.30	.009			.565	
76643	.32	.009			.539	
AM-B	.13	.004			.457	
AM-A	1.02	.030			1.301	
STD	.27	.008			.513	
BLK	.01	.001			.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
706 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 960-5814 OR (604) 968-4524
FAX (604) 960-9621

SMITHERS LAB.:
3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate


4S-0166-RA5

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AK**
Attn: **Wayne Roberts**

Date: **AUG-04-94**
copy 1. American Bullion, Vancouver

We hereby certify the following Assay of 11 core samples submitted JUL-28-94 by .

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76644	.29	.008	.32	.009	.572	.569
76645	.30	.009			.555	
76646	.16	.005			.273	
76647	.05	.001			.040	
76648	.06	.002			.028	
76649	.02	.001			.017	
76650	.05	.001			.022	
76651	.05	.001			.028	
76652	.06	.002			.040	
76653	.05	.001	.04	.001	.035	
76654	.05	.001			.028	.027
AM-B	.13	.004			.468	
AM-A	.91	.027			1.289	
STD	.26	.008			.516	
BLK	.01	.001			.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-8621

SMITHERS LAB:

3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0168-RA1


Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AL**
Attn: **Wayne Roberts**

Date: **AUG-09-94**

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-28-94 by A J PARDOE.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79544	.14	.004			.137	.140
79545	.17	.005	.18	.005	.171	
79546	.16	.005			.160	
79547	.09	.003			.085	
79548	.11	.003			.133	
79549	.13	.004			.092	
79550	.11	.003			.096	
79551	.18	.005			.112	
79552	.11	.003			.099	
79553	.16	.005			.164	
79554	.15	.004			.167	.166
79555	.13	.004			.136	
79556	.11	.003			.110	
79557	.08	.002			.099	
79558	.11	.003			.116	
79559	.14	.004			.172	
79560	.09	.003			.158	
79561	.20	.006			.281	
79562	.23	.007			.402	
79563	.31	.009	.35	.010	.224	
79564	.18	.005			.246	.248
79565	.16	.005			.214	
79566	.28	.008	.23	.007	.230	
79567	.21	.006			.212	
AM-B	.13	.004			.465	
AM-A	.87	.025			1.306	
STD	.26	.008			.512	
BLK	.01	.001			<.001	

Certified by 
MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
708 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB.:
3178 DITLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate


4S-0168-RA2

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AL**
Attn: **Wayne Roberts**

Date: **AUG-09-94**
copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-28-94 by A J PARDOE.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79568	.25	.007			.246	.243
79569	.19	.006			.165	
79570	.24	.007			.195	
79571	.27	.008	.26	.008	.197	
79572	.16	.005			.134	
79573	.17	.005			.242	
79574	.18	.005			.244	
79575	.19	.006			.158	
79576	.06	.002			.020	
79577	.05	.001			.024	
79578	.04	.001			.038	.038
79579	.10	.003			.131	
79580	.03	.001			.036	
79581	.04	.001			.073	
79582	.07	.002			.188	
79583	.10	.003			.093	
79584	.17	.005			.306	
79585	.26	.008			.425	
79586	.20	.006			.326	
79587	.34	.010			.639	
79588	.50	.015	.52	.015	.896	.899
79589	.34	.010			.523	
79590	.56	.016			.718	
79591	.75	.022	.80	.023	1.016	
AM-B	.13	.004			.467	
AM-A	.96	.028			1.308	
STD	.27	.008			.511	
BLK	.01	.001			.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB:

3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0168-RA4

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AL**
Attn: **Wayne Roberts**

Date: **AUG-11-94**

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted JUL-28-94 by A J PARDOE.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79616	.91	.027			1.303	1.309
79617	.68	.020			.869	
79618	.68	.020			.896	
79619	1.09	.032			1.580	
79620	.48	.014			.673	
79621	.29	.008			.232	
79622	.28	.008			.324	
79623	.41	.012			.387	
79624	.51	.015			.273	
79625	1.35	.039	1.30	.038	.977	
79626	1.12	.033			1.004	1.017
79627	.27	.008			.210	
79628	.45	.013			.339	
79629	1.50	.044	1.46	.043	1.352	
79630	.74	.022			.702	
79631	.48	.014			.350	
79632	.46	.013			.354	
79633	1.46	.043			1.350	
79634	1.00	.029			1.142	
79635	.38	.011			.310	
79636	.79	.023			.856	.866
79637	.76	.022			.682	
79638	.58	.017			.411	
79639	2.01	.059	2.00	.058	1.690	
AM-B	.13	.004			.464	
AM-A	.93	.027			1.291	
STD	.27	.008			.510	
BLK	.01	.001			<.001	

Certified by

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

SMITHERS LAB.:

3178 DOLLOU ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0168-RA6

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AL**
Attn: **Wayne Roberts**


Date: **AUG-11-94**

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 4 core samples submitted JUL-28-94 by A J PARDOE.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
79664	.19	.006			.101	.102
79665	.19	.006	.19	.006	.109	
79666	.08	.002			.046	
79667	.07	.002			.042	

AM-B	.12	.004			.470	
AM-A	.90	.026			1.298	
STD	.26	.008			.521	
BLK	.01	.001			.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 888-4524
FAX (604) 980-8621

SMITHERS LAB.:
3178 TAYLOR ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0181-RA1

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AM**
Attn: **Wayne Roberts**

Date: **AUG-16-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted AUG-04-94 by C KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76782	.06	.002			.058	.059
76783	.10	.003			.108	
76784	.09	.003			.110	
76785	.12	.004			.096	
76786	.11	.003			.123	
76787	.25	.007	.25	.007	.157	
76788	.07	.002			.077	
76789	.26	.008			.273	
76790	.26	.008	.26	.008	.293	
76791	.04	.001			.062	
76792	.09	.003			.161	.163
76793	.06	.002			.108	
76794	.05	.001			.075	
76795	.07	.002			.119	
76796	.04	.001			.124	
76797	.07	.002			.182	
76798	.05	.001			.503	
76799	.05	.001			.427	
76800	.08	.002			.329	
76801	.12	.004			.381	
76802	.14	.004	.18	.005	.559	.557
76803	.07	.002			.382	
76804	.09	.003			.325	
76805	.06	.002			.250	
AM-B	.13	.004			.465	
AM-A	.91	.027			1.301	
STD	.26	.008			.510	
BLK	.01	.001			.001	

Certified by 
MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-8621

SMITHERS LAB.:
3175 TAYLOR ROAD
SMITHERS B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0181-RA2

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AM**
Attn: **Wayne Roberts**

Date: **AUG-16-94**

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted AUG-04-94 by C KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76806	.06	.002			.247	.246
76807	.03	.001			.125	
76808	.03	.001			.083	
76809	.04	.001			.077	
76810	.06	.002			.093	
76811	.05	.001			.096	
76812	.05	.001			.112	
76813	.05	.001			.106	
76814	.06	.002			.105	
76815	.06	.002			.119	
76816	.08	.002			.123	.123
76817	.07	.002			.095	
76818	.07	.002			.108	
76819	.07	.002			.139	
76820	.08	.002			.138	
76821	.09	.003			.169	
76822	.11	.003			.234	
76823	.10	.003			.179	
76824	.12	.004	.12	.004	.230	
76825	.10	.003			.235	
76826	.12	.004			.313	.310
76827	.29	.008	.30	.009	.652	
76828	.21	.006			.451	
76829	.29	.008	.31	.009	.810	
AM-B	.12	.004			.461	
AM-A	.96	.028			1.290	
STD	.27	.008			.512	
BLK	.01	.001			.001	

Certified by

MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:

705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6814 OR (604) 988-4524
FAX (604) 980-6821

SMITHERS LAB:

3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3006

Assay Certificate

4S-0181-RA3

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AM**
Attn: **Wayne Roberts**

Date: **AUG-16-94**

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples
submitted AUG-04-94 by C KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76830	.16	.005			.426	.424
76831	.06	.002			.240	
76832	.08	.002			.372	
76833	.09	.003			.490	
76834	.27	.008	.28	.008	.574	
76835	.15	.004			.351	
76836	.37	.011	.39	.011	.146	
76837	.08	.002			.173	
76838	.16	.005			.395	
76839	.20	.006			.376	
76840	.09	.003			.152	.154
76841	.01	.001	.02	.001	.002	
76842	.05	.001			.140	
76843	.14	.004			.403	
76844	.10	.003			.350	
76845	.16	.005			.331	
76846	.15	.004			.356	
76847	.16	.005			.359	
76848	.18	.005			.467	
76849	.17	.005			.376	
76850	.25	.007			.351	.353
76851	.23	.007			.283	
76852	.34	.010	.35	.010	.484	
76853	.31	.009			.462	
AM-B	.12	.004			.465	
AM-A	.89	.026			1.300	
STD	.27	.008			.519	
BLK	.01	.001			.001	

Certified by

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
 705 WEST 15TH STREET
 NORTH VANCOUVER, B.C. CANADA V7M 1T2
 TELEPHONE (604) 980-6614 OR (604) 988-4524
 FAX (604) 980-9621

SMITHERS LAB:
 3178 TAYLOR ROAD
 SMITHERS, B.C. CANADA V0J 2N0
 TELEPHONE (604) 847-3004
 FAX (604) 847-3005

Assay Certificate

4S-0181-RA4

Company: **AMERICAN BULLION MINERALS LTD**
 Project: **RED CHRIS HOLE AM**
 Attn: **Wayne Roberts**

Date: **AUG-16-94**

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted AUG-04-94 by C KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76854	.21	.006			.239	.240
76855	.42	.012			.528	
76856	.52	.015			.721	
76857	.43	.013			.716	
76858	.60	.018	.60	.018	.770	
76859	.52	.015			.704	
76860	.26	.008			.302	
76861	.27	.008			.308	
76862	.18	.005			.235	
76863	.29	.008			.407	
76864	.24	.007			.323	.328
76865	.25	.007			.345	
76866	.03	.001	.02	.001	.002	
76867	.21	.006			.482	
76868	.23	.007			.346	
76869	.26	.008			.192	
76870	.13	.004			.225	
76871	.22	.006			.269	
76872	.31	.009			.275	
76873	.31	.009			.314	
76874	.21	.006			.293	.291
76875	.33	.010	.32	.009	.354	
76876	.20	.006			.216	
76877	.21	.006			.223	
AM-B	.14	.004			.464	
AM-A	.88	.026			1.302	
STD	.26	.008			.521	
BLK	.01	.001			.001	

Certified by

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-6814 OR (604) 988-4524
FAX (604) 980-8821

SMITHERS LAB.:
3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 547-3004
FAX (604) 547-3005

Assay Certificate


4S-0181-RA5

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AM**
Attn: **Wayne Roberts**

Date: **AUG-16-94**
Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples submitted AUG-04-94 by C KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76878	.20	.006			.229	.227
76879	.23	.007			.221	
76880	.26	.008			.395	
76881	.38	.011	.40	.012	.480	
76882	.36	.011			.281	
76883	.28	.008			.283	
76884	.28	.008			.287	
76885	.30	.009			.339	
76886	.27	.008			.276	
76887	.42	.012	.43	.013	.452	
76888	.25	.007			.304	.303
76889	.24	.007			.253	
76890	.34	.010			.374	
76891	.27	.008			.388	
76892	.30	.009			.386	
76893	.13	.004			.149	
76894	.14	.004			.162	
76895	.16	.005			.205	
76896	.14	.004			.169	
76897	.15	.004			.202	
76898	.07	.002	.09	.003	.101	.101
76899	.14	.004			.197	
76900	.17	.005			.192	
76901	.15	.004			.208	
AM-B	.12	.004			.465	
AM-A	.91	.027			1.311	
STD	.25	.007			.514	
BLK	.01	.001			.001	

Certified by 
MIN-EN LABORATORIES



**MINERAL
ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-8821

SMITHERS LAB.:
3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Assay Certificate

4S-0181-RA6

Company: **AMERICAN BULLION MINERALS LTD**
Project: **RED CHRIS HOLE AM**
Attn: **Wayne Roberts**

Date: **AUG-16-94**

Copy 1. American Bullion, Vancouver, B.C.

We hereby certify the following Assay of 5 core samples
submitted AUG-04-94 by C KUNTZ.

Sample Number	Au-Fire g/tonne	Au-Fire oz/ton	Au-Fire g/tonne	Au-Fire oz/ton	Cu %	Cu %
76902	.14	.004			.136	.137
76903	.17	.005			.126	
76904	.14	.004			.144	
76905	.21	.006			.137	
76906	.22	.006	.20	.006	.152	

AM-B	.12	.004			.465	
AM-A	.90	.026			1.307	
STD	.26	.008			.522	
BLK	.01	.001			.001	

Certified by

MIN-EN LABORATORIES