

RECEIVED
DEC 08 1994
Gold Commissioner's Office
VANCOUVER, B.C.

LOG NO:	DEC 09 1994	U
ACTION:		
FILE NO:		

ASSESSMENT REPORT
ON
GEOCHEMICAL SOIL SAMPLING
AND PROSPECTING

SILVERSIDE EXTENSION CLAIM
LILLOOET MINING DIVISION
BRIDGE RIVER AREA, B.C.

LATITUDE 50 48' LONGITUDE 122 34'
N.T.S. 92-J-15E

FOR

LEVON RESOURCES LTD.
455 GRANVILLE ST.
VANCOUVER, B.C.
V6C 1T1

FILMED

BY

J. MILLER-TAIT, P. Geo.
C. CHURCH, P. Geo.

NOVEMBER 12, 1994

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

23,625

SUMMARY, CONCLUSIONS, AND RECOMMENDATIONS

THE SILVERSIDE EXTENTION CLAIM IS LOCATED APPROXIMATELY 20 KM EAST-SOUTHEAST OF GOLD BRIDGE ON THE EAST FACING SLOPES ABOVE TOMMY CREEK, 4KM SOUTH OF CARPENTER LAKE. THE MINERAL CLAIM IS OWNED 100% BY LEVON RESOURCES LTD. OF 455 GRANVILLE ST., VANCOUVER, B.C.

THE PROPERTY IS UNDERLAIN BY CHERTY SEDIMENTS, VOLCANICS, AND GREENSTONES OF THE TRIASSIC BRIDGE RIVER GROUP. OUTCROPS OF THE TERTIARY BENDOR PLUTONIC COMPLEX OCCUR NEAR THE NORTH BOUNDARY OF THE CLAIM. GIVEN THE FAVOURABLE GEOLOGIC SETTING AND PROXIMITY TO OTHER MINERAL PROSPECTS THE POTENTIAL FOR AN ECONOMIC MINERAL DEPOSIT IS HIGH.

SEVERAL STRONG LINEAR SOIL ANOMALIES HAVE BEEN DETECTED IN THE SOUTHERN HALF OF THE CLAIM. THE LONGEST IS 250M, TRENDS NORTH-NORTHWEST, WITH VALUES UP TO 1720ppb Au AND >10, 000 ppm As.

THE ENCOURAGING RESULTS OF GEOCHEMICAL SOIL SAMPLING ON THIS PROPERTY IS PROBABLY RELATED TO MINERALIZED SHEARS WITHIN GREENSTONES AND VOLCANICS OF THE TRIASSIC BRIDGE RIVER GROUP.

THE GEOCHEMICAL SURVEYS COMPLETED THUS FAR ON THIS PROPERTY HAVE PRODUCED SOME ENCOURAGING RESULTS. HOWEVER, THE SURVEYS HAVE LACKED IN EITHER EXTENT OR DETAIL AND AN EXPANDED GRID WITH EAST-WEST LINES SPACED 100M APART COVERING 5 LINE KM IN THE SOUTHERN HALF OF THE PROPERTY IS RECOMMENDED. A SECOND PHASE OF TRENCHING OR DIAMOND DRILLING CONTINGENT ON THE FIRST PHASE IS THEN RECOMMENDED. IF TRENCHING IS DECIDED AS THE SECOND PHASE THE COST OF REHABILITATING THE OLD ROAD FROM CARPENTER LAKE TO THE BENBOE CLAIMS MUST BE CONSIDERED.

TABLE OF CONTENTS

	PAGE NO.
SUMMARY, CONCLUSIONS, AND RECOMMENDATIONS	i
INTRODUCTION	1
LOCATION, ACCESS, PHYSIOGRAPHY AND CLIMATE	2
ACCOMMODATIONS AND LABOUR	2
CLAIM DESCRIPTION	3
MINING HISTORY	4
GEOLOGY (REGIONAL)	5
PROPERTY GEOLOGY	6
GEOCHEMISTRY	7
STATEMENT OF COSTS	8
REFERENCES	9
CERTIFICATES	10

FIGURES

FOLLOW PAGES

FIGURE 1	LOCATION MAP	2
FIGURE 2	CLAIM MAP	3
FIGURE 3	REGIONAL GEOLOGY	5
FIGURE 4	AU, AS SOIL GEOCHEMICAL SURVEY	IN POCKET
FIGURE 5	AG, SB SOIL GEOCHEMICAL SURVEY	IN POCKET
FIGURE 6	CU, PB, ZN SOIL GEOCHEMICAL SURVEY	IN POCKET
FIGURE 7	GRID LOCATION MAP	IN POCKET

APPENDIX A

SOIL GEOCHEMICAL ANALYSIS

INTRODUCTION

THE PURPOSE OF THIS REPORT IS TO DOCUMENT ASSESSMENT WORK CARRIED OUT ON THE SILVERSIDE EXTENTION CLAIM DURING THE EARLY PART OF SEPTEMBER 1994. THE SILVERSIDE EXTENTION IS A 20 UNIT MINERAL CLAIM INITIALLY STAKED TO COVER SOIL ANOMALIES DISCOVERED IN 1985 IN AN AREA OPEN BETWEEN THE BENBOE PROPERTY AND THE SILVERSIDE CLAIM TO THE SOUTH. THE CLAIM IS OWNED 100% BY LEVON RESOURCES LTD., VANCOUVER, B.C.

A PROGRAM OF GEOCHEMICAL SOIL SAMPLING BY LEVON RESOURCES IN 1987 HAD DISCOVERED HIGHLY ANOMALOUS Au - As VALUES IMMEDIATELY SOUTHWEST OF THE BENBOE PROPERTY. PART OF THE ASSESSMENT WORK IN THIS PROGRAM INCLUDED GEOCHEMICAL SOIL SAMPLING OVER A GRID SET UP TO CROSS NORTH-SOUTH TRENDING VEIN OUTCROPS IN THIS AREA. INCLUDED IN THE REPORT ARE RESULTS FROM GEOCHEMICAL SOIL SAMPLING AND PROSPECTING IN SELECTED AREAS OF THE CLAIM.

LOCATION, ACCESS, PHYSIOGRAPHY AND CLIMATE

THE SILVERSIDE EXTENSION MINERAL CLAIM IS LOCATED ON THE EAST SLOPES ABOVE TOMMY CREEK ABOUT 4 KILOMETERS SOUTH OF CARPENTER LAKE, B.C. ON MAP SHEET N.T.S. 92-J-15E. IT IS IN THE LILLOOET MINING DIVISION. THE SOUTHWEST PART OF THE CLAIM LIES AT THE INTERSECTION OF LONGITUDE 122 DEGREES. 34 MINUTES AND LATITUDE 55 DEGREES, 48 MINUTES.


ACCESS IS BY HELICOPTER ONLY; WHICH ARE BASED IN LILLOOET, GOLD BRIDGE AND PEMBERTON. GOLD BRIDGE LIES APPROXIMATELY 20 KILOMETERS TO THE WEST NORTHWEST. IT IS CONNECTED TO LILLOOET BY 106 KILOMETERS OF GOOD ALL-WEATHER ROAD, HIGHWAY 40, AND TO PEMBERTON BY HURLEY RIVER FORESTRY ROAD

THE TERRAIN IS, IN GENERAL, STEEP AND MOUNTAINOUS. ELEVATIONS VARY FROM 2500 M ON THE NORTH WEST SIDE OF THE CLAIM AND DROPS TO ABOUT 1500 M ON THE SOUTH EAST SIDE OF THE PROPERTY NEAR TOMMY CREEK. THE TOPOGRAPHY IS VERY RUGGED TO PRECIPITOUS WITH GENERALLY GOOD ROCK EXPOSURE.


HOT, DRY SUMMERS AND COLD, SNOWY WINTERS TYPIFY THE LOCAL CLIMATE.


ACCOMODATION AND LABOUR

MOTELS IN LILLOOET, PEMBERTON AND GOLD BRIDGE ARE AVAILABLE IF FLYING BY HELICOPTER DAILY TO THE PROPERTY AND AN OLD LOG CABIN IS CONVENIENT FOR CAMPING ON THE ADJACENT BENBOE PROPERTY. LABOUR CAN BE OBTAINED FROM BOTH LILLOOET AND GOLDBRIDGE.



**PROPERTY
LOCATION**





KILOMETRES

LEVON RESOURCES LTD

SILVERSIDE CLAIMS

TOMMY CREEK AREA

LILLOOET M.D. BC.

CLAIM MAP

N.T.S. 92 J/15E 1:50 000

CLAIMS DESCRIPTION

THE PROPERTY CONSISTS OF 1 CLAIM, 20 UNITS IN THE LILLOOET MINING DIVISION,

TENURE NO. 228788 EXPIRY DATE: SEPTEMBER 11, 1994

THE EXPIRY DATE DOES NOT REFLECT THE CURRENT WORK DONE.

THE CLAIM IS WHOLELY OWNED BY LEVON RESOURCES LTD., VANCOUVER, B.C.

MINING HISTORY

EXPLORATION IN THE AREA PROBABLY DATES BACK TO THE TURN OF THE CENTURY WHEN THE TOMMY CREEK AREA WAS UNDOUBTEDLY PROSPECTED. THERE ARE SEVERAL SETS OF WORKINGS IN THE TOMMY CREEK BASIN, SOME OF THESE HAVE SHIPPED GOLD AND SILVER ORE.

EXCEPT FOR PROPECTING, THERE DOES NOT APPEAR TO HAVE BEEN ANY EXTENSIVE EXPLORATION WORK DONE ON THIS MINERAL CLAIM. SOME GEOPHYSICAL, GEOCHEMICAL AND GEOLOGICAL MAPPING WAS DONE IN THE AREA IN 1985.

THE CLAIM WAS STAKED IN 1986 AND AT THAT TIME SOME DYNAMITE TRENCHING WAS PERFORMED, WITH MORE INTENSE WORK BEING RECOMMENDED. IN DECEMBER, 1987 AN AIRBORNE MAGNETIC AND VLF-EM SURVEY WAS CARRIED OUT.

LEVON RESOURCES LTD. COMPLETED A GEOCHEMICAL SOIL SAMPLING PROGRAM IN THE SUMMER OF 1987. THE SURVEY COVERED OVER 9 KM OF LINE ON SIX NORTH-SOUTH LINES AND COLLECTED 211 SOIL SAMPLES.

REGIONAL GEOLOGY



THE FOLLOWING SUMMARY OF REGIONAL GEOLOGY AND TECTONICS IS DERIVED FROM THE REPORTS OF MANY WORKERS IN THE BRIDGE RIVER AREA, WITH THE EMPHASIS ON GEOLOGICAL SURVEY OF CANADA REPORTS AND THE UNIVERSITY OF BRITISH COLUMBIA REPORTS (SEE REFERENCES).

THE BRIDGE RIVER DISTRICT LIES AT THE WESTERN MARGIN OF THE INTERMONTAINE BELT OF VOLCANICS AND SEDIMENTARY ROCKS WHERE IT ABUTS AGAINST THE COAST PLUTONIC COMPLEX OF PLUTONIC AND METAMORPHIC ROCKS. TRIASSIC ARC VOLCANICS AND BACKARC SEDIMENTS (CADWALLADER AND BRIDGE RIVER GROUPS) ARE INTRUDED BY THE SYNVOLCANIC, INTERMEDIATE PLUTONS (BRALORNE INTRUSIONS AND FAULTED AGAINST OPHIOLITIC, ULTRAMAFIC INTRUSIONS (PRESIDENT INTRUSIONS).

JURASSIC AND CRETACEOUS BASINAL SEDIMENTS AND RIFT VOLCANICS (UNNAMED TAYLOR CREEK AND KINGVALE GROUPS) ARE SEQUENTIALLY INTRUDED BY CRETACEOUS AND TERTIARY PLUTONS OF FELSIC COMPOSITION (COAST, PORPHYRY AND BENDOR INTRUSIONS). RELATIVELY FLAT LYING TERTIARY INTERMEDIATE AND MAFIC VOLCANICS (REXMOUNT PORPHYRY AND PLATEAU BASALT) CAP THE LITHOLOGICAL SEQUENCE.

TRIASSIC ROCK PROBABLY FORMED A DISCRETE PLATE, THE BRIDGE RIVER TERRAINE, PRIOR TO COLLISION WITH THE NORTH AMERICAN PLATE TO THE NORTHEAST IN JURASSIC TIME. THAT COLLISION THRUSTED ARC VOLCANICS, BACKARC SEDIMENTS AND OCEANIC CRUSTS ONTO THE ALREADY ASSEMBLED EXOTIC TERRANES OF THE INTERMONTAINE BELT AND PROMPTED UPLIFT AND EROSION THAT PRODUCED JURASSIC, CRETACEOUS AND TERTIARY PLUTONS AND VOLCANICS.

OLD BREAKS SUCH AS THE FERGUSSON AND CADWALLADER FAULTS WERE PROBABLY MOBILIZED AGAIN AS TERTIARY DEXTRAL STRIKE SLIP FAULTS, FOLLOWED BY EXTRUSIONS OF PLATEAU BASALTS IN RESPONSE TO EXTENSIONAL TECTONICS. FINALLY PLEISTOCENE GLACIATION CARVED THE EXISTING MOUNTAINOUS TERRAIN.



LEVON RESOURCES LTD.		
GOLDBRIDGE AREA LILLOOET MINING DIVISION, B.C.		
GEOLOGY MAP		
DATE: NOV, 1994	SCALE: 1:250,000	BY: J. M.T.

PERIOD	UNIT	LITHOLOGY
upper Tertiary	Plateau basalt	basalt, rhyolite flows, breccias
		unconformable contact
lower Tertiary	Rexmount porphyry	rhyolite, dacite, andesite tuffs, breccias, flows, plugs
		unconformable contact
upper Cretaceous	Porphyry dikes	quartz, feldspar, hornblende porphyry dikes
		intrusive contact
	Coast Range intrusions	quartz diorite, diorite, granodiorite
		intrusive contact
	Kingsvale group	arkose, greywacke, shale, conglomerate
		unconformable contact
lower Cretaceous	Taylor Creek group	conglomerate, shale, tuff, breccia
		unconformable contact
lower Jurassic	Unnamed sediments	argillite, shale, sandstone, limestone, conglomerate
		unconformable contact
upper Triassic	Bralorne intrusions	augite diorite, soda granite, albitite dikes
		intrusive contact
	President intrusions	serpentinite, peridotite, pyroxenite, dunite, gabbro
		fault contact
	Cadwallader Hurley formation	group limy argillite, phyllite, limestone, tuff, conglomerate, greenstone, chert
	Pioneer formation	greenstone, basalt, andesite, flows, tuffs
	Noel formation	argillite, chert, conglomerate, greenstone
		conformable contact?
middle Triassic	Bridge River group	chert, argillite, phyllite, limestone, greenstone, metamorphic equivalents

Table 2: Formation names, ages and lithologies.

LEGEND FROM MAP 13-1973

PROPERTY LIST

MESOZOIC

JURASSIC AND CRETACEOUS
UPPER JURASSIC AND LOWER CRETACEOUS
RELAY MOUNTAIN GROUP

6 Argillite, greywacke and pebble conglomerate

JURASSIC
LOWER JURASSIC

5 Argillite and shale; minor sandstone, limestone and pebble conglomerate

TRASSIC
UPPER TRASSIC

U Ultrabasic rocks

4 HURLEY FORMATION: Thin-bedded limy argillite, phyllite, limestone, silt, conglomerate, agglomerate, tuffite, and minor chert

3 PIONEER FORMATION: Greenstone derived from andesitic flows and pyroclastic rocks; ls, andesite breccia, tuff and flows, greenstone; minor rhyolite breccia and flows, slate, argillite, limestone and conglomerate

2 NOEL FORMATION: Thin-bedded argillite; chert, conglomerate and greenstone

MIDDLE TRASSIC AND (?) OLDER

BRIDGE RIVER GROUP (FERGUSON GROUP)

1 Chert, argillite, phyllite and greenstone; minor limestone, scabell; ls, metamorphosed rock of map-111; mainly biotite scabell

METAMORPHIC AND PLUTONIC ROCKS
 (Mostly of unknown age)

B Metasedimentary rocks, mainly micaceous quartzite, biotite-conglomerate scabell, and minor scabell bearing garnet, staurolite and possibly sillimanite

A Granitoid gneiss, migmatite complexes, minor amphibolite and biotite scabell

P6 Granite

P5 Quartz monzonite

P4 Gneodiorite ls, microcline gneodiorite and gneodiorite

P3 Quartz diorite

P2 Diorite ls, Bralorne intrusions: Augite diorite, gabbro, minor soda granite and quartz diorite

P1 Gabbro

U Ultrabasic rocks: serpentinite, peridotite, diorite

14	Royal (AW)
15	Summit (AW)
16	Short V (AW)
17	Crull (AW)
18	Summit (AW)
19	Waterloo (AW)
20	Calverton (AW)
21	Whitby (AW)
22	Glens Ferry and Jerome (AW)
23	Forty Thieves (AW)
24	Arizona (AW)
25	Golden Gate (AW)
26	Keyhole (AW)
27	Pike (AW)
28	B & F (AW)
29	Coopers (AW, MS)
30	Weyburn (AW)
31	Veritas (AW)
32	White and Bell (AW)
33	Hollander (AW)
34	Spokane (AW)
35	Summit (AW)
36	Empire (AW)
37	Wide West
38	Albion (AW)
39	Primrose (AW)
40	Bone Crk.
41	Charlotte, and (MS)
42	Ludlow (Cu, Fe)
43	Charles (W, Cu)
44	Chalco (W, Cu)
45	N. Texas, No. Paw (Cu, Ag, Fe)
46	Alex (Fe)
47	Copper Queen (OW, CR, A Zone) (Cu, MS)
48	Avery (Cu)
49	Lucky Strike, 18887
50	PW (MS)
51	Owl Cr. B Zone (Cu, MS)
52	Owl Cr. C Zone (Cu, MS)
53	Eagle (Cu, Fe, Zn)
54	Lead (Cu, Fe, Zn)
55	Bowyer (Cu, Fe, Ag, Fe)
56	Wolfe (Cu, Ag, Zn)
57	Copper Mountain (Fe, Cu, Zn, Ag)
58	Beaver (Cu, Fe)
59	Woods (Fe, Zn, Cu)
60	Silver Bell (Fe, Ag, Au, Cu, Zn)
61	U-U-Kel (Oxidized) (Ag, Pb, Zn, Au)
62	Princeton (Cu)
63	Margery (Zn, Fe, Au, Pb)
64	Millstream (Cu)
65	Owl Mountain (Oxidized) (Fe, Au, Ag)
66	Crown (Ag, Zn, Cu, Pb, Fe)
67	Gold King (Ag, Au, Zn, Pb)
68	Cowboy (Fe)
69	Boyer (Au)
70	Silver Queen (Ag, Pb, Zn)
71	Princeton (Ag, Pb, Zn)
72	J (Pb)
73	Old Yellow (W, Cu, Zn)
74	Woods (Pb, W, Au)
75	Sublime (Lost Gold) (Zn)
76	Princeton (Au, Ag)
77	Rock (Ag, Zn)
78	R.M. (Cu)
79	Bo (Cu, Au)
80	Apple (Golden Gate) (AW)
81	Red Eagle (MS)
82	Golden Gate (MS)
83	Beaver (AW, MS)
84	Barley Valley (AW, MS)
85	Golden Gate (Burr Group) (AW)
86	California (AW, MS) (Cu, Au, Ag, Pb)
87	Congress (AW)
88	Golden (AW)
89	Yule (AW) (MS)

PROPERTY GEOLOGY

THE GEOLOGY OF THE BRIDGE RIVER GROUP WITHIN THE SILVERSIDE EXTENTION CLAIM BOUNDARY CONSISTS OF A SEQUENCE OF DARK GREY TO BLACK MASSIVE BEDDED ARGILLITE, CHERTY AND SLATY ARGILLITE, THIN BEDDED LIGHT GREY TO WHITE CHERT, BIOTITE METASEDIMENTS, MASSIVE BEDDED MEDIUM TO DARK GREEN SANDSTONE AND MINOR RECRYSTALLIZED LIGHT GREY LIMESTONE.

THE SEDIMENTS ARE ALWAYS STEEPLY TO VERTICALLY DIPPING FORMING SHARP STEEP-SIDED NARROW NNW TRENDING OUTCROPS. SMALL SCALE DRAG FOLDS ARE PRESENT WITHIN THE THIN BEDDED LIGHT COLORED CHERTS. THE THIN CHERT BEDS ARE USUALLY SEPARATED BY A THINNER FILM OF ARGILLACEOUS PHYLLITE WHICH CAN OCCASIONALLY BE VERY LIGHTLY GRAPHITIC.

INTERCLASTED WITH THE SEDIMENTS AND MOST OFTEN APPARENTLY COMFORMABLE ARE INTERMEDIATE TO MAFIC MEDIUM TO DARK GREEN VOLCANICS. THE VOLCANICS ARE ALSO QUITE FREQUENTLY FAULT BOUNDED AND IN ONE CASE DEFINITELY UNCONFORMABLE. SOME VOLCANIC ZONES APPEAR TO BE CROSSING THE STRATIGRAPHY AND THEREFORE APPEAR TO HAVE INTRUDED THE SEDIMENTS. IN ONE AREA AN ANDESITE EXPOSURE HAS BEEN LOCALLY DIORITIZED. THE MAFIC VOLCANICS ARE COMMONLY TALCOSE, DEPENDING ON THE DEGREE OF LOCAL SHEARING.

GEOCHEMISTRY

SOIL GEOCHEMISTRY

A TOTAL OF 78 SOIL SAMPLES WERE TAKEN FROM THREE AREAS OF LIMITED EXTENT. SAMPLES WERE COLLECTED BY USING NARROW BLADED SHOVELS TO DIG APPROXIMATELY 20 - 30 CM BENEATH THE ASH LAYER AND SAMPLE B HORIZON SOILS. ON STEEP ALPINE SLOPES, WHERE THE ASH LAYER HAS BEEN ERODED, THE SAMPLES ARE TAKEN FROM THE UPPER 15 CM OF SOIL. THE SAMPLES, WHICH WEIGH BETWEEN 300 - 500 GRAMS, WERE PLACED IN KRAFT SAMPLE BAGS AND SHIPPED TO ECO - TECH LABS IN KAMLOOPS, B.C. FOR ANALYSIS.

IN THE SOUTH HALF OF THE CLAIM A GRID COVERING AN AREA 500M X 400M WAS SAMPLED ALONG LINES SPACED 100M APART AT 25M INTERVALS. GEOCHEMICAL RESULTS ARE PLOTTED IN FIGURES 4,5, & 6. THEY SHOW ANOMALOUS Au - As ZONES THAT TREND ROUGHLY 160, PARRALLEL TO VEIN OUTCROPS IN THE GRID AREA. ANOMALOUS Sb VALUES ARE COINCIDENT WITH HIGHLY ANOMALOUS Au - As VALUES (>500 ppb Au) BUT DO NOT REACH ANOMALOUS LEVELS WHERE Au - As IS ONLY MODERATELY ANOMALOUS (200 -500 ppb Au).

RECONNAISSANCE SOIL SAMPLES SS#1 TO SS#11 WERE TAKEN NEAR THE NORTH BOUNDARY OF THE CLAIM ACROSS THE BASE OF SOIL TALUS FANS. SAMPLES SS#12 TO SS#19 WERE TAKEN ACROSS A SOIL GOSSAN IN THE CENTRAL AREA OF THE CLAIM ON A STEEP SLOPE. RESULTS AND SAMPLE LOCATIONS ARE SHOWN ON FIGURE 7. SEVERAL SAMPLES FROM THESE TRAVERSES COULD BE CONSIDERED ANOMALOUS PROBABLY INDICATING A MINERALIZED SOURCE NEARBY.

ROCK GEOCHEMISTRY

A TOTAL OF 16 ROCK SAMPLES WERE COLLECTED FROM OUTCROP OR TALUS BOULDERS. OUTCROP AND GRAB SAMPLES OF INTRUSIVE ROCK HOSTING MINOR PYRITE-STIBNITE-CHALCOPYRITE IN QUARTZ VEINS (5-10 CM) ASSAYED AS HIGH AS 170 ppb Au. THE SILVERSIDE VEIN OCCURS IN GREENSTONE AT L2+00N, 0+25E, IN THE GRID AREA, AND IS ORIENTATED 160/75E.

STATEMENT OF COSTS

<u>DESCRIPTION</u>	<u>COST</u>
SAMPLE ANALYSIS (78 SOIL, 16 ROCK)	\$1,200
LABOUR & GEOLOGICAL SUPERVISION 7 MAN DAYS @ \$200/DAY	1,400
MEALS AND ACCOMODATION	350
REPORT PREPARATION AND DRAFTING	360
TRANSPORTATION COSTS	3,990
OFFICE OVERHEAD 10%	730
TOTAL	<u>\$8,030</u>

REFERENCES:

McCANN, W.S. 1922: GEOLOGY AND MINERAL DEPOSITS OF THE BRIDGE RIVER MAP AREA, BRITISH COLUMBIA, 1922; MEMOIR 130, GEOLOGICAL SURVEY OF CANADA

RODDICK, J.A. & HUTCHINSON W.W., PEMBERTON WEST-HALF MAP AREA, BRITISH COLUMBIA, GEOLOGICAL SURVEY OF CANADA PAPER 73-17.

FREISEN, P.S., 1985: REPORT ON GEOLOGICAL MAPPING, GEOCHEMICAL SOIL SAMPLING, VLF ELECTROMAGNETIC SURVEY AND MAGNETOMETER SURVEY ON THE SILVERSIDE CLAIM FOR LEVON RESOURCES LTD.

COOK, BRADFORD J AND ROBINS, JOHN , 1986: ASSESSMENT REPORT ON THE BENBOE PROPERTY NEAR GOLD BRIDGE, B.C. FOR FAIRCHILD RESOURCES INC.

FREISEN, P.S., 1987: ASSESSMENT WORK REPORT ON THE GEOCHEMICAL SOIL SAMPLING SURVERY ON THE SILVERSIDE EXTENSION CLAIM FOR LEVON RESOURCES LTD.

BREWER, LLOYD C., 1988: GEOPHYSICAL REPORT ON AIRBORNE MAGNETICS AND VLF-EM SURVEY OVER THE SILVERSIDE MINERAL CLAIMS FOR LEVON RESOURCES LTD.

QUALIFICATIONS:


I, J. MILLER-TAIT OF 828 WHITCHURCH STREET, N. VANCOUVER, B.C. V7L 2A4, DO HEREBY CERTIFY THAT:

I AM A GRADUATE OF THE UNIVERSITY OF BRITISH COLUMBIA WITH A BACHELOR OF SCIENCE DEGREE IN GEOLOGY (1986).

I AM A REGISTERED MEMBER IN GOOD STANDING OF THE ASSOCIATION OF PROFESSIONAL ENGINEERS AND GEOSCIENTISTS OF BRITISH COLUMBIA.

THIS REPORT IS BASED ON PERSONAL VISITS TO THE PROPERTY AND AN EVALUATION OF THE RELEVANT INFORMATION.

THIS REPORT MAY BE UTILIZED BY LEVON RESOURCES LTD. FOR WHATEVER PURPOSES DEEMED NECESSARY.



J. MILLER-TAIT, P.GEO
OMIVA INTERNATIONAL SERVICES LTD.
VANCOUVER, B.C.
NOVEMBER 10, 1994



QUALIFICATIONS

I, CALVIN L. CHURCH OF 1733 NAPIER ST., VANCOUVER, B.C., V5L2N1, DO HEREBY CERTIFY THAT;

I AM A GRADUATE OF THE UNIVERSITY OF BRITISH COLUMBIA, BSc GEOLOGY, AND HAVE WORKED IN THE MINERAL INDUSTRY SINCE 1986.

I AM A REGISTERED MEMBER IN GOOD STANDING OF THE ASSOCIATION OF PROFESSIONAL ENGINEERS AND GEOSCIENTISTS OF BRITISH COLUMBIA.

THIS REPORT IS BASED ON PERSONAL VISITS TO THE PROPERTY AND EVALUATION OF ALL RELEVANT INFORMATION MADE AVAILABLE TO ME BY LEVON RESOURCES LTD.

I HAVE NOT RECEIVED ANY INTEREST, DIRECT OR INDIRECT, IN THE PROPERTIES OF LEVON RESOURCES LTD. NOR DO I EXPECT TO RECEIVE ANY SUCH INTEREST.

I CONSENT TO THE USE OF THIS REPORT BY LEVON RESOURCES LTD. FOR WHATEVER PURPOSE DEEMED NECESSARY.



A handwritten signature in cursive script that reads "Calvin Church".

CALVIN CHURCH, P.Geo.

Dec 8/94

APPENDIX A



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

Analytical Procedure Assessment Report

MULTI ELEMENT ICP ANALYSIS

Samples are catalogued and dried. Soil samples are screened to obtain a -80 mesh sample. Rock samples are 2 stage crushed to minus 10 mesh and pulverized on a ring mill pulverizer to minus 140 mesh, rolled and homogenized.

A 0.5 gram sample is digested with aqua regia which contain beryllium which acts as an internal standard. The sample is analyzed on a Jarrell Ash ICP unit.

Results are collated by computer and are printed along with accompanying quality control data (repeats and standards). Results are printed on a laser printer and are faxed and/or mailed to the client.



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans-Canada Hwy. R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

Analytical Procedure Assessment Report

BASE METAL ASSAYS (Ag, Cu, Pb, Zn)

Samples are catalogued and dried. Rock samples are 2 stage crushed followed by pulverizing a 250 gram subsample. The subsample is rolled and homogenized and bagged in a prenumbered bag.

A suitable sample weight is digested with aqua regia. The sample is allowed to cool, bulked up to a suitable volume and analyzed by an atomic absorption instrument, to .01 ppm detection limit.

Appropriate certified reference materials accompany the samples through the process providing accurate quality control.

Result data is entered along with standards and repeat values and are faxed and/or mailed to the client.



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

Analytical Procedure Assessment Report

GEOCHEMICAL GOLD ANALYSIS

Samples are catalogued and dried. Soils are prepared by sieving through an 80 mesh screen to obtain a minus 80 mesh fraction. Rock samples are 2 stage crushed to minus 10 mesh and a 250 gram subsample is pulverized on a ring mill pulverizer to -140 mesh. The subsample is rolled, homogenized and bagged in a prenumbered bag.

The sample is weighed to 10 grams and fused along with proper fluxing materials. The bead is digested in aqua regia and analyzed on an atomic absorption instrument. Over-range values for rocks are re-analyzed using gold assay methods.

Appropriate reference materials accompany the samples through the process allowing for quality control assessment. Results are entered and printed along with quality control data (repeats and standards). The data is faxed and/or mailed to the client.



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS ETK 94-723

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

22-Sep-94

ATTENTION: J. MILLER-TAIT

16 Rock samples received September 12, 1994

ET #.	Tag #	Au (ppb)
1	94SS R01	170
2	94SS R02	105
3	94SS R03	25
4	94SS R04	120
5	94SS R05	5
6	94SS R06	35
7	94SS R07	5
8	94SS R08	55
9	94SS R09	15
10	94SS R10	25
11	94SS R11	15
12	94SS R12	40
13	BS R01	60
14	BS R02	10
15	BS R03	5
16	BS R04	25

FEED FAX THIS END

FAX

To: Jim

Dept.: Levon Resources

Fax No.: 238-2334

No. of Pages: 1

From: Sandy

Date: Sept 22


Company: _____

Fax No.: _____

Comments: -723-AV-

Post-it™ fax pad 7903E

FAX @ 238-2334


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

XLS/Levon

LEVON RESOURCES ETK 94-720

21-Sep-94

ET #.	Tag #	Au (ppb)
62	SS 94 # 3	<5
63	SS 94 # 4	100
64	SS 94 # 5	5
65	SS 94 # 6	10
66	SS 94 # 7	<5
67	SS 94 # 8	5
68	SS 94 # 9	5
69	SS 94 # 10	<5
70	SS 94 # 11	10
71	SS 94 # 12	*
72	SS 94 # 13	20
73	SS 94 # 14	*
74	SS 94 # 15	*
75	SS 94 # 16	*
76	SS 94 # 17	10
77	SS 94 # 18	50
78	SS 94 # 19	10


** = No sample

* = Results to follow

NOTE: These are preliminary results and are subject to change

FAX @ 238-2334

XLS/Levon


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ET #.	Tag #		Au (ppb)
28	L3N: 1+25	E	20
29	L3N: 1+50	E	25
30	L3N: 1+75	E	<5
31	L3N: 2+00	E	5
32	L3N: 2+25	E	<5
33	L3N: 2+50	E	30
34	L3N: 2+75	E	10
35	L3N: 3+00	E	<5
36	L3N: 3+25	E	<5
37	L3N: 3+50	E	<5
38	L3N: 3+75	E	200
39	L3N: 4+00	E	<5
40	L3N: 4+25	E	5
41	L3N: 4+50	E	10
42	L4N: 0+25	E	55
43	L4N: 0+50	E	*
44	L4N: 0+75	E	90
45	L4N: 1+00	E	65
46	L4N: 1+25	E	70
47	L4N: 1+50	E	50
48	L4N: 1+75	E	65
49	L4N: 2+00	E	30
50	L4N: 2+25	E	25
51	L4N: 2+50	E	65
52	L4N: 2+75	E	*
53	L4N: 3+00	E	45
54	L4N: 3+25	E	*
55	L4N: 3+50	E	80
56	L4N: 3+75	E	*
57	L4N: 4+00	E	*
58	L4N: 4+75	E	>1000
59	L4N: 5+00	E	80
60	SS 94 # 1		10
61	SS 94 # 2		10

CERTIFICATE OF ANALYSIS ETK 94-720**LEVON RESOURCES**

General Delivery
GOLD BRIDGE, B.C.
VOK 1P0

21-Sep-94

ATTENTION: J. MILLER-TAIT

78 Goll samples received September 14, 1994

ET #.	Tag #		Au (ppb)
1	L1N: 0+00	**	-
2	L1N: 0+25	E	365
3	L1N: 0+50	E	*
4	L1N: 0+75	E	5
5	L1N: 1+00	E	40
6	L1N: 1+25	E	20
7	L1N: 1+50	E	<5
8	L1N: 1+75	E	<5
9	L1N: 2+00	E	<5
10	L1N: 2+25	E	<5
11	L1N: 2+50	E	25
12	L2N: 0+00		75
13	L2N: 0+25	E	145
14	L2N: 0+50	E	95
15	L2N: 0+75	E	40
16	L2N: 1+00	E	60
17	L2N: 1+25	E	<5
18	L2N: 1+50	E	70
19	L2N: 1+75	E	*
20	L2N: 2+00	E	*
21	L2N: 2+25	E	35
22	L2N: 2+50	E	5
23	L3N: 0+00		>1000
24	L3N: 0+25	E	340
25	L3N: 0+50	E	80
26	L3N: 0+75	E	30
27	L3N: 1+00	E	60

FEED FAX THIS END

FAX	
To:	<u>Jim</u>
Dept.:	
Fax No.:	<u>238-2334</u>
No. of Pages:	
From:	<u>Sandy</u>
Date:	<u>Sept 22</u>
Company:	
Fax No.:	<u>Levon</u>
Comments:	<u>720 - Av</u>
	<u>AVINO TAI - Av</u>
Post-Net	fax pad 7903E



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS ETK 94-720

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

30-Sep-94

ATTENTION: J. MILLER-TAIT

78 Soil samples received September 14, 1994

ET #.	Tag #	Au (ppb)
23	L3N: 0+00	1720
58	L4N: 4+75 E	1545

FAX @ 238-2334

XLS/Levon


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

FEED FAX THIS END

FAX

To: Levon
Dept.: Jim
Fax No.: 238-2334
No. of Pages: 1
From: Sandy
Date: SEP 30
Company: _____
Fax No.: _____
Comments: Actual geo
Values # 23 & 58
Post-itSM fax pad 7903E

Et #	Tag #	Au ppb	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	SS 94 # 2	10	<2	4.12	215	445	10	0.78	2	52	302	97	5.55	<10	2.77	540	<1	0.07	300	650	34	15	<20	59	0.27	<10	127	<10	2	116
62	SS 94 # 3	<5	<2	4.80	185	600	15	0.91	2	76	381	114	6.86	<10	3.61	810	<1	0.1	385	900	34	20	<20	70	0.30	<10	148	<10	4	139
63	SS 94 # 4	100	<2	4.87	1450	440	15	0.77	17	113	409	155	8.95	<10	3.74	1088	<1	0.07	500	1070	34	25	<20	66	0.29	20	150	<10	3	184
64	SS 94 # 5	5	<2	5.24	420	485	20	0.94	5	101	446	125	7.89	<10	4.25	1045	<1	0.08	470	980	40	10	<20	62	0.32	10	153	<10	4	181
65	SS 94 # 6	10	<2	4.75	715	385	20	0.68	8	111	359	138	9.57	<10	3.47	1102	3	0.04	453	1230	36	5	<20	69	0.30	10	134	<10	4	194
66	SS 94 # 7	<5	<2	0.79	235	60	<5	0.10	3	65	42	65	2.74	<10	0.36	481	10	<0.1	148	320	8	<5	<20	17	0.04	10	24	<10	3	56
67	SS 94 # 8	5	<2	3.99	315	255	15	0.38	4	63	385	138	7.30	<10	3.35	689	<1	0.04	287	1100	42	10	<20	59	0.43	10	150	<10	3	138
68	SS 94 # 9	5	<2	2.72	125	185	10	0.14	2	19	110	48	3.80	<10	1.18	372	<1	0.02	58	930	32	10	<20	21	0.24	10	88	<10	<1	76
69	SS 94 # 10	<5	<2	3.80	115	460	20	0.27	1	27	157	92	5.38	<10	2.16	425	<1	0.02	78	960	38	15	<20	37	0.44	10	153	<10	<1	112
70	SS 94 # 11	10	<2	3.56	145	330	20	0.22	2	32	166	75	5.35	<10	1.69	494	<1	0.02	114	800	38	10	<20	42	0.31	<10	112	<10	<1	113
71	SS 94 # 12	175	<2	3.66	1945	545	20	0.92	21	66	426	112	7.32	<10	3.35	1206	<1	0.04	416	1090	28	30	<20	60	0.24	20	146	<10	3	130
72	SS 94 # 13	20	<2	4.30	1130	645	15	1.14	13	115	653	164	9.38	<10	4.94	2046	<1	0.02	532	1570	28	20	<20	45	0.27	30	202	<10	3	156
73	SS 94 # 14	150	<2	3.79	1765	575	15	1.15	19	81	543	115	7.82	<10	3.65	1498	<1	0.04	485	1220	30	30	<20	61	0.24	10	156	<10	2	138
74	SS 94 # 15	875	0.6	1.62	7670	195	5	0.91	88	56	208	115	8.58	<10	1.06	1337	<1	0.02	229	1780	16	120	<20	158	0.05	20	122	<10	2	149
75	SS 94 # 16	230	<2	3.60	2225	470	15	0.93	24	72	437	113	7.25	<10	3.51	1295	<1	0.04	458	1110	30	35	<20	60	0.22	10	142	<10	3	126
76	SS 94 # 17	10	<2	4.63	550	680	15	0.44	6	67	483	109	5.99	<10	3.66	786	<1	0.03	398	820	40	20	<20	33	0.31	<10	147	<10	2	115
77	SS 94 # 18	50	<2	5.17	515	400	15	0.41	6	73	384	147	6.37	<10	3.79	1055	<1	0.03	466	890	54	15	<20	30	0.24	<10	142	10	4	136
78	SS 94 # 19	10	<2	1.48	740	170	5	10.50	8	44	205	54	5.74	<10	1.22	1525	<1	<0.1	449	790	6	15	<20	46	0.07	10	72	<10	9	127

** = No sample

QC DATA:

Repeat	Tag #	Au	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
39	L3N 4+0C E	<5	<2	5.13	340	680	20	0.54	3	100	438	203	9.23	<10	3.66	1384	<1	0.02	489	1090	42	15	<20	40	0.44	10	178	<10	8	211
77	SS 94 # 18	45	<2	5.19	515	405	10	0.50	6	73	383	147	6.39	<10	3.82	1061	<1	0.03	469	860	50	15	<20	30	0.24	<10	143	<10	3	136
Standard 1991		150	1.0	1.98	70	175	5	1.89	1	21	69	84	4.40	<10	1.02	719	<1	0.02	29	690	24	5	<20	66	0.13	10	86	<10	5	76
		150	1.0	2.01	85	180	5	1.88	1	22	74	80	4.43	<10	1.06	727	<1	0.02	26	680	24	5	<20	66	0.14	10	87	<10	4	78

XLS/Levon Resources
df#696


ECC-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

El #	Tag #	Au																												
		ppb	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L3N 0+75 E	30	<2	5.32	425	460	10	0.16	5	54	195	194	8.88	<10	2.38	1025	<1	0.03	179	1300	48	5	<20	57	0.24	10	168	<10	1	158
27	L3N 1+00 E	60	<2	5.06	410	475	10	0.20	5	41	180	119	7.49	<10	2.12	878	<1	0.03	131	1410	46	10	<20	49	0.24	20	160	<10	<1	139
28	L3N 1+25 E	20	<2	2.98	360	355	10	0.16	4	45	140	96	6.74	<10	1.47	2263	<1	0.03	94	1450	30	10	<20	51	0.14	20	123	<10	<1	116
29	L3N 1+50 E	25	<2	3.24	270	445	15	0.19	3	28	135	76	6.31	<10	1.39	1172	<1	0.02	80	990	32	5	<20	37	0.16	10	124	<10	<1	110
30	L3N 1+75 E	<5	<2	1.43	135	160	<5	0.14	1	9	42	24	2.43	<10	0.50	250	<1	0.02	30	550	16	5	<20	19	0.08	10	53	<10	<1	49
31	L3N 2+00 E	5	<2	1.91	185	220	15	0.21	2	20	82	35	3.81	<10	0.81	637	<1	0.02	56	530	22	<5	<20	25	0.12	20	78	<10	<1	69
32	L3N 2+25 E	<5	<2	1.09	50	45	5	0.10	<1	8	12	9	1.57	<10	0.22	177	<1	0.02	15	260	14	<5	<20	10	0.08	<10	37	<10	<1	29
33	L3N 2+50 E	30	<2	4.26	550	385	10	0.22	6	59	182	122	7.31	<10	2.00	821	<1	0.02	232	1020	40	10	<20	33	0.28	10	126	<10	<1	154
34	L3N 2+75 E	10	<2	4.85	500	445	20	0.23	5	58	203	137	7.33	<10	2.14	535	<1	0.02	251	910	44	15	<20	36	0.30	<10	132	<10	<1	154
35	L3N 3+00 E	<5	<2	4.26	295	445	20	0.24	3	48	179	119	7.42	<10	1.95	673	<1	0.02	177	900	38	10	<20	33	0.32	10	127	<10	<1	138
36	L3N 3+25 E	<5	<2	4.25	195	440	20	0.22	3	48	192	133	7.70	<10	2.11	595	<1	0.02	184	920	36	10	<20	26	0.38	10	140	<10	<1	163
37	L3N 3+50 E	<5	<2	3.82	285	415	15	0.23	3	51	176	128	8.87	<10	1.89	681	<1	0.02	215	800	36	10	<20	28	0.30	10	128	<10	<1	141
38	L3N 3+75 E	200	<2	4.05	180	460	20	0.19	2	47	207	198	8.08	<10	2.15	519	<1	0.02	184	1070	36	10	<20	27	0.37	10	140	<10	<1	140
39	L3N 4+00 E	<5	<2	5.31	340	700	15	0.57	3	104	447	212	9.44	<10	3.74	1452	<1	0.02	502	1160	42	15	<20	45	0.45	20	182	<10	10	217
40	L3N 4+25 E	5	<2	4.37	220	580	15	0.46	3	135	311	215	8.78	<10	2.73	1652	<1	0.03	497	1710	39	10	<20	29	0.39	10	168	<10	4	223
41	L3N 4+50 E	10	<2	4.06	195	570	10	0.44	3	76	261	153	8.01	<10	2.63	1212	<1	0.02	265	1350	36	15	<20	37	0.39	20	167	<10	<1	170
42	L4N 0+25 E	55	<2	6.17	770	455	15	0.48	9	118	343	195	10.50	<10	3.18	2028	<1	0.04	210	1140	46	5	<20	60	0.25	30	181	<10	<1	207
43	L4N 0+50 E	325	<2	4.67	2070	365	10	0.31	22	73	242	173	9.23	<10	2.46	1555	<1	0.03	207	1430	48	20	<20	55	0.19	<10	160	<10	2	173
44	L4N 0+75 E	90	<2	6.64	830	515	15	0.45	10	78	429	177	8.93	<10	4.04	1040	<1	0.07	354	1340	60	25	<20	53	0.33	10	177	<10	3	184
45	L4N 1+00 E	65	<2	5.41	720	450	15	0.28	9	65	326	169	9.07	<10	3.23	1037	<1	0.04	269	1320	50	15	<20	51	0.27	10	169	<10	2	184
46	L4N 1+25 E	70	<2	7.05	565	530	10	0.18	6	59	273	164	8.90	<10	2.81	681	<1	0.03	231	1560	62	10	<20	73	0.22	<10	168	<10	<1	178
47	L4N 1+50 E	50	<2	5.12	495	385	10	0.22	7	44	192	148	8.63	<10	2.28	886	<1	0.04	139	1620	44	<5	<20	67	0.25	10	171	<10	<1	167
48	L4N 1+75 E	65	<2	5.06	495	365	15	0.22	5	38	176	157	8.90	<10	2.24	782	<1	0.04	116	1720	46	<5	<20	69	0.27	30	180	<10	<1	166
49	L4N 2+00 E	30	<2	4.74	555	370	15	0.19	7	34	168	133	7.77	<10	2.00	685	<1	0.03	115	1390	44	5	<20	56	0.22	20	156	<10	<1	145
50	L4N 2+25 E	25	<2	3.90	445	335	15	0.41	6	44	148	133	7.07	<10	1.82	1006	<1	0.03	110	1740	38	10	<20	67	0.19	10	140	<10	1	149
51	L4N 2+50 E	65	<2	5.06	550	395	15	0.21	7	39	168	170	9.16	<10	2.35	743	<1	0.04	105	1750	40	5	<20	71	0.29	20	196	<10	<1	171
52	L4N 2+75 E	75	<2	4.61	560	360	15	0.18	6	43	157	144	8.25	<10	2.01	871	<1	0.04	108	1390	42	10	<20	60	0.23	20	166	<10	<1	176
53	L4N 3+00 E	45	<2	4.77	570	385	20	0.19	6	39	160	154	8.66	<10	2.11	828	<1	0.04	111	1820	44	10	<20	59	0.25	20	175	<10	<1	162
54	L4N 3+25 E	95	<2	4.27	820	355	15	0.28	9	48	267	126	8.07	<10	2.57	914	<1	0.03	227	1210	42	15	<20	40	0.20	20	150	<10	<1	162
55	L4N 3+50 E	80	<2	4.42	665	420	15	0.26	7	47	191	140	8.26	<10	2.21	1002	<1	0.03	153	1490	40	10	<20	55	0.23	10	161	<10	<1	164
56	L4N 3+75 E	155	<2	4.59	860	435	20	0.35	10	63	293	147	8.79	<10	2.84	1236	<1	0.03	267	1310	40	5	<20	44	0.22	20	164	<10	<1	170
57	L4N 4+00 E	165	<2	4.30	845	420	20	0.32	10	61	276	143	8.43	<10	2.68	1226	<1	0.03	249	1400	38	10	<20	42	0.21	20	157	<10	<1	168
58	L4N 4+75 E	>1000	0.4	2.99	2280	410	20	0.49	25	37	127	124	7.12	<10	1.77	969	<1	0.02	107	1450	28	45	<20	65	0.20	10	127	<10	3	117
59	L4N 5+00 E	80	<2	3.25	615	370	20	0.39	7	31	103	94	5.66	<10	1.57	1219	<1	0.01	99	1340	34	20	<20	37	0.22	10	117	<10	<1	127
60	SS 94 # 1	10	<2	4.38	1065	370	15	0.63	12	50	187	119	5.75	<10	2.90	784	<1	0.04	313	530	40	30	<20	48	0.23	20	136	<10	7	161

21-Sep

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557

Values in ppm unless otherwise reported

FEED FAX THIS END

FAX

To: LEWON
 Dept: LEWON
 Fax No: 2720
 No. of Pages: 23
 From: SAND
 Date: SEP 23
 Company: LEWON
 Fax No: 2720
 Comments: 112
 Page 1 of 23

LEWON RESOURCES ETK 94-720
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

78 Soil samples received September 14, 1994

Et #	Tag #	Au ppb	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L1N 0+00																													
2	L1N 0+25 E	365	<2	5.73	1605	565	15	0.55	19	116	371	250	10.00	<10	4.20	1462	<1	0.04	531	1090	42	20	<20	38	0.36	20	182	<10	4	197
3	L1N 0+50 E	290	<2	4.59	1505	310	15	0.30	17	66	180	146	7.86	<10	1.92	858	<1	0.04	222	1500	42	<5	<20	56	0.24	20	131	<10	2	131
4	L1N 0+75 E	5	<2	4.65	305	280	15	0.25	4	45	167	95	5.93	<10	1.76	581	<1	0.02	152	1320	44	10	<20	29	0.22	<10	118	<10	<1	151
5	L1N 1+00 E	40	<2	3.96	420	365	20	0.41	5	41	172	90	6.09	<10	2.04	587	<1	0.03	143	570	36	20	<20	36	0.23	<10	135	<10	<1	107
6	L1N 1+25 E	20	<2	4.57	525	405	5	0.43	6	47	210	90	6.51	<10	2.26	833	<1	0.02	199	1000	36	10	<20	48	0.15	10	131	<10	<1	125
7	L1N 1+50 E	<5	<2	3.84	346	335	20	0.36	4	37	184	67	5.68	<10	1.50	480	<1	0.03	171	520	38	10	<20	33	0.21	20	116	<10	<1	103
8	L1N 1+75 E	<5	<2	3.87	300	330	25	0.28	3	41	193	74	5.96	<10	2.01	525	<1	0.03	176	650	38	10	<20	31	0.22	10	121	<10	<1	112
9	L1N 2+00 E	<5	<2	4.71	380	265	15	0.25	5	39	175	80	6.20	<10	1.83	354	<1	0.02	171	800	44	10	<20	27	0.21	<10	116	<10	<1	111
10	L1N 2+25 E	<5	<2	2.85	240	180	20	0.20	3	23	125	41	4.86	<10	1.78	284	<1	0.02	86	440	32	10	<20	19	0.23	<10	102	<10	<1	77
11	L1N 2+50 E	25	<2	3.92	775	260	20	0.19	8	33	142	85	7.62	<10	1.53	305	<1	0.02	128	660	36	10	<20	25	0.24	10	116	10	<1	96
12	L2N 0+00	75	<2	4.39	685	365	10	0.19	7	51	174	146	8.09	<10	1.93	1148	<1	0.02	181	1480	42	15	<20	36	0.19	10	145	<10	<1	145
13	L2N 0+25 E	145	<2	3.96	755	290	25	0.20	8	43	232	153	10.60	<10	2.22	735	<1	0.03	145	1760	38	10	<20	33	0.24	20	162	20	<1	121
14	L2N 0+50 E	95	<2	4.04	535	215	20	0.18	6	39	221	163	9.50	<10	2.60	849	<1	0.04	109	1900	34	10	<20	48	0.30	10	190	<10	2	121
15	L2N 0+75 E	40	<2	4.66	440	365	20	0.27	5	89	247	211	9.79	<10	2.48	1031	<1	0.03	237	2430	38	10	<20	36	0.30	20	169	<10	4	186
16	L2N 1+00 E	60	<2	3.84	500	395	10	0.24	6	63	171	141	7.37	<10	1.88	1242	<1	0.03	218	1520	38	10	<20	33	0.24	20	135	<10	2	158
17	L2N 1+25 E	<5	<2	1.32	125	125	10	0.31	1	19	36	30	2.61	<10	0.47	432	<1	0.03	43	570	16	<5	<20	20	0.12	<10	51	<10	1	54
18	L2N 1+50 E	70	<2	3.34	590	365	15	0.26	7	48	150	124	8.13	<10	1.64	826	<1	0.03	139	1700	30	10	<20	41	0.26	30	131	<10	<1	125
19	L2N 1+75 E	315	<2	4.96	2050	420	20	0.26	23	67	255	203	10.10	<10	2.84	1012	<1	0.04	265	1310	40	15	<20	55	0.34	20	176	<10	1	180
20	L2N 2+00 E	125	<2	5.47	650	575	10	1.06	8	165	343	271	9.59	<10	3.76	1525	<1	0.09	525	1840	42	10	<20	63	0.36	20	168	<10	5	231
21	L2N 2+25 E	35	<2	4.14	425	440	15	0.42	5	96	231	159	8.12	<10	2.50	1306	<1	0.03	380	1110	34	15	<20	32	0.28	10	138	<10	1	163
22	L2N 2+50 E	5	<2	3.37	95	395	20	0.20	1	40	124	134	8.46	<10	2.26	585	<1	0.02	107	1270	30	15	<20	24	0.33	10	172	<10	<1	133
23	L3N 0+00	>1000	0.8	1.56	>10000	140	10	0.38	116	54	58	92	8.98	<10	0.53	1180	<1	<0.01	84	520	22	85	<20	67	0.05	20	81	<10	<1	138
24	L3N 0+25 E	340	<2	3.99	1735	265	5	0.14	19	39	147	154	8.17	<10	1.64	692	<1	0.02	140	1240	40	15	<20	37	0.16	20	128	<10	<1	144
25	L3N 0+50 E	80	<2	4.58	930	240	15	0.14	11	51	208	201	10.60	<10	2.24	930	<1	0.04	185	2100	40	10	<20	84	0.18	20	165	<10	1	151

ECO-TECH LAB
604-573-4557
09/23/94 16:00

21-Sep-94

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2L3

Phone: 604-573-5700
Fax : 604-573-4557

Values in ppm unless otherwise reported

FEED FAX THIS EN

FAX

To: Levon
 Dept: Levon
 Fax No: 2720
 No. of Pages: 3
 From: SADY
 Date: SEP 23
 Company: Levon
 Fax No: 2720
 Comments: U.P.
 Page: 1

LEVON RESOURCES ETK 94-720
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

78 Soil samples received September 14, 1994

Et#	Tag #	Au ppb	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L1N 0+00	-																												
2	L1N 0+25 E	365	<2	5.73	1605	565	15	0.55	19	116	171	250	10.00	<10	4.20	1462	<1	0.04	531	1090	42	20	<20	38	0.36	20	182	<10	4	197
3	L1N 0+50 E	290	<2	4.59	1505	310	15	0.30	17	66	180	146	7.86	<10	1.52	858	<1	0.04	222	1500	42	<5	<20	56	0.24	20	131	<10	2	131
4	L1N 0+75 E	5	<2	4.65	305	280	15	0.25	4	45	167	95	5.93	<10	1.76	581	<1	0.02	152	1320	44	10	<20	29	0.22	<10	118	<10	<1	151
5	L1N 1+00 E	40	<2	3.96	420	365	20	0.41	5	41	172	90	6.09	<10	2.04	587	<1	0.03	143	570	36	20	<20	36	0.23	<10	135	<10	<1	107
6	L1N 1+25 E	20	<2	4.57	525	405	5	0.43	6	47	210	90	6.51	<10	2.26	833	<1	0.02	199	1000	36	10	<20	48	0.15	10	131	<10	<1	125
7	L1N 1+50 E	<5	<2	3.84	340	335	20	0.30	4	37	184	67	5.68	<10	1.90	480	<1	0.03	171	520	38	10	<20	33	0.21	20	116	<10	<1	103
8	L1N 1+75 E	<5	<2	3.82	300	330	25	0.28	3	41	173	74	5.96	<10	2.01	525	<1	0.03	176	650	38	10	<20	31	0.22	10	121	<10	<1	112
9	L1N 2+00 E	<5	<2	4.71	380	365	15	0.26	5	35	175	80	6.20	<10	1.83	354	<1	0.02	171	850	44	10	<20	27	0.21	<10	116	<10	<1	113
10	L1N 2+25 E	<5	<2	2.86	240	180	20	0.20	3	21	175	41	4.86	<10	1.78	264	<1	0.02	85	440	32	10	<20	19	0.23	<10	102	<10	<1	77
11	L1N 2+50 E	25	<2	3.92	775	260	20	0.19	8	33	145	85	7.62	<10	1.53	305	<1	0.02	128	660	36	10	<20	25	0.24	10	116	10	<1	96
12	L2N 0+00	75	<2	4.39	685	365	10	0.19	7	51	174	146	8.09	<10	1.93	1148	<1	0.02	181	1480	42	15	<20	38	0.19	10	145	<10	<1	145
13	L2N 0+25 E	145	<2	3.96	755	290	25	0.20	8	43	232	153	10.60	<10	2.22	735	<1	0.03	145	1760	38	10	<20	33	0.24	20	162	20	<1	121
14	L2N 0+50 E	95	<2	4.04	535	215	20	0.18	6	39	221	163	9.50	<10	2.60	849	<1	0.04	109	1900	34	10	<20	48	0.30	10	190	<10	2	121
15	L2N 0+75 E	40	<2	4.66	440	365	20	0.22	5	89	247	211	9.79	<10	2.48	1031	<1	0.03	237	2430	38	10	<20	36	0.30	20	169	<10	4	186
16	L2N 1+00 E	60	<2	3.84	500	385	10	0.24	6	63	171	141	7.37	<10	1.88	1242	<1	0.03	218	1520	38	10	<20	33	0.24	20	135	<10	2	158
17	L2N 1+25 E	<5	<2	1.32	125	125	10	0.31	1	19	36	30	2.61	<10	0.47	452	<1	0.03	43	570	16	<5	<20	20	0.12	<10	51	<10	1	54
18	L2N 1+50 E	70	<2	3.34	590	365	15	0.26	7	48	150	124	8.13	<10	1.64	826	<1	0.03	139	1700	30	10	<20	41	0.26	30	131	<10	<1	125
19	L2N 1+75 E	315	<2	4.96	2050	420	20	0.26	23	67	256	203	10.10	<10	2.84	1012	<1	0.04	265	1310	40	15	<20	55	0.34	20	176	<10	1	180
20	L2N 2+00 E	125	<2	5.47	680	575	10	1.06	8	165	343	271	9.59	<10	3.76	1525	<1	0.09	525	1840	42	10	<20	63	0.36	20	168	<10	5	231
21	L2N 2+25 E	35	<2	4.14	425	440	15	0.42	5	96	231	159	8.12	<10	2.50	1306	<1	0.03	380	1110	34	15	<20	32	0.28	10	138	<10	1	163
22	L2N 2+50 E	5	<2	3.37	95	395	20	0.20	1	40	124	134	8.46	<10	2.26	585	<1	0.02	107	1270	30	15	<20	24	0.33	10	172	<10	<1	133
23	L3N 0+00	>1000	0.8	1.56	>10000	140	10	0.38	116	54	58	92	8.98	<10	0.53	1180	<1	<0.01	84	520	22	85	<20	67	0.05	20	81	<10	<1	138
24	L3N 0+25 E	340	<2	3.99	1735	265	5	0.14	19	39	147	154	8.17	<10	1.64	692	<1	0.02	140	1240	40	15	<20	37	0.16	20	128	<10	<1	144
25	L3N 0+50 E	80	<2	4.58	930	240	15	0.14	11	51	208	201	10.60	<10	2.24	930	<1	0.04	185	2100	40	10	<20	84	0.18	20	165	<10	1	151

08/23/94 10:00

Zz-Nov-9

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557

LEVON RESOURCES ETK 669
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

19 ROCK samples received August 30, 1994

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	95970	<2	3.21	<5	10	15	1.14	<1	32	34	85	5.19	<10	3.55	701	<1	0.02	45	320	4	20	<20	<1	0.22	<10	103	<10	5	57
2	95971	<2	3.06	<5	15	15	1.45	<1	32	38	49	4.78	<10	3.04	638	<1	0.03	60	270	<2	20	<20	<1	0.28	<10	105	<10	6	48
3	95972	<2	1.55	<5	15	10	0.62	<1	15	85	39	3.77	<10	0.88	507	<1	0.04	5	440	<2	10	<20	6	0.14	<10	40	<10	8	27
4	95973	<2	2.34	<5	15	15	0.56	<1	21	64	59	5.57	<10	2.04	862	<1	0.03	13	550	<2	10	<20	2	0.14	10	75	<10	5	41
5	95974	<2	2.95	<5	20	10	0.49	<1	33	73	111	6.62	<10	2.77	1113	<1	0.02	26	410	<2	10	<20	<1	0.14	10	118	<10	2	50
6	95975	<2	2.69	<5	20	<5	0.81	<1	30	52	174	5.25	<10	2.38	769	<1	0.05	21	320	<2	10	<20	7	0.16	<10	102	<10	1	32
7	95976	<2	2.78	<5	15	10	1.09	<1	23	53	54	4.92	<10	2.51	821	<1	0.02	23	270	<2	10	<20	<1	0.14	<10	109	<10	<1	32
8	95977	<2	1.39	<5	10	<5	0.80	<1	33	102	86	3.93	<10	1.26	408	<1	<0.01	13	170	<2	10	<20	21	0.16	20	62	<10	<1	21
9	95978	0.6	0.15	280	5	5	0.07	2	12	185	38	4.21	<10	0.09	132	25	<0.01	7	<10	2	<5	<20	<1	<0.01	10	8	<10	<1	9
10	95979	0.2	0.31	185	5	<5	0.09	1	5	169	41	2.24	<10	0.05	482	14	0.02	11	200	<2	<5	<20	<1	<0.01	<10	9	<10	2	12
11	95980	<2	1.27	45	20	15	2.61	2	28	48	21	6.80	<10	1.45	910	1	0.02	22	240	<2	5	<20	31	0.02	10	133	<10	3	34
12	95981	0.4	0.67	20	5	<5	0.14	<1	6	119	15	2.16	<10	0.24	182	12	0.04	5	200	<2	<5	<20	<1	<0.01	<10	7	<10	3	10
13	95982	<2	1.89	<5	10	15	1.41	<1	16	55	8	5.24	<10	1.50	573	<1	0.04	8	770	<2	10	<20	3	0.11	10	69	<10	10	28
14	95983	<2	3.46	<5	25	25	0.31	<1	39	89	29	8.05	<10	2.90	868	<1	0.02	35	390	<2	10	<20	<1	0.08	20	126	<10	<1	51
15	95984	<2	2.02	<5	15	15	0.53	<1	30	64	37	5.36	<10	1.83	552	<1	0.02	21	330	<2	<5	<20	8	0.14	10	106	<10	<1	34
16	95985	<2	2.87	<5	15	5	0.51	<1	33	83	89	5.95	<10	2.72	855	<1	0.02	31	270	<2	15	<20	4	0.13	10	124	<10	<1	61
17	95986	<2	2.27	<5	15	<5	0.59	<1	31	52	276	4.99	<10	2.01	692	<1	0.02	20	350	2	10	<20	10	0.15	10	106	<10	<1	48
18	95987	1.2	2.61	3735	50	5	0.29	19	41	125	56	7.38	<10	2.10	1261	2	0.02	56	300	4	10	<20	5	0.01	10	102	<10	<1	55
19	95988	3.2	1.58	3010	35	<5	0.20	15	32	63	21	5.66	<10	1.17	1402	2	0.02	36	270	40	10	<20	<1	<0.01	20	74	<10	<1	72

11/23/94 13:14 Q004 5.0 0.77

001/004

LEVON RESOURCES ETK 669

...Tech Laboratories Ltd.

Et#	Tag#	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
-----	------	----	-----	----	----	----	-----	----	----	----	----	-----	----	-----	----	----	-----	----	---	----	----	----	----	-----	---	---	---	---	----

QC DATA:

Repeat:


1	95970	<2	3.24	<5	15	10	1.07	1	33	35	83	5.37	<10	3.59	738	<1	0.02	47	320	2	20	<20	<1	0.20	<10	101	<10	3	59
---	-------	----	------	----	----	----	------	---	----	----	----	------	-----	------	-----	----	------	----	-----	---	----	-----	----	------	-----	-----	-----	---	----

<i>Standard 1991</i>	1.2	1.76	70	155	5	1.81	1	19	66	89	4.03	<10	0.95	665	<1	0.02	24	680	18	5	<20	53	0.11	<10	77	<10	8	75
----------------------	-----	------	----	-----	---	------	---	----	----	----	------	-----	------	-----	----	------	----	-----	----	---	-----	----	------	-----	----	-----	---	----

ECO-TECH KAM.

XLS/Levon Resources

df/6493


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

8604 573 4557

13:14

11/23/84

003/004

22-Nov-94

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

LEVON RESOURCES ETK 94-723
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

16 Rock samples received September 12, 1994

Phone: 604-573-5700
Fax : 604-573-4557

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	94SS R01	<2	3.85	25	65	<5	2.85	<1	22	91	125	3.18	<10	0.82	127	<1	0.35	44	2230	4	10	<20	219	0.25	<10	72	<10	9	34
2	94SS R02	<2	1.38	<5	55	<5	2.81	<1	51	50	379	6.09	<10	0.60	516	<1	0.13	34	2130	<2	<5	<20	66	0.32	<10	93	<10	10	42
3	94SS R03	<2	2.11	10	55	<5	1.82	<1	27	121	176	2.90	<10	0.61	190	<1	0.27	90	1090	4	<5	<20	98	0.37	<10	48	<10	11	28
4	94SS R04	<2	1.78	135	130	<5	0.61	<1	45	206	110	2.95	<10	0.98	339	10	0.10	160	350	4	5	<20	78	0.16	<10	67	<10	6	49
5	94SS R05	<2	1.29	<5	85	5	0.74	<1	14	193	68	2.48	<10	0.62	175	7	0.12	27	810	<2	<5	<20	42	0.16	<10	32	<10	4	26
6	94SS R06	8.4	0.23	20	60	<5	0.14	3	11	198	8243	1.69	<10	0.03	249	155	0.02	12	310	<2	<5	<20	<1	<0.1	<10	5	<10	<1	180
7	94SS R07	<2	2.82	<5	65	<5	2.27	<1	29	91	175	4.00	<10	0.44	200	<1	0.22	65	810	4	<5	<20	153	0.22	<10	38	20	3	33
8	94SS R08	<2	0.32	125	15	<5	0.26	<1	8	256	54	2.51	<10	0.02	55	20	0.03	18	150	<2	<5	<20	22	0.04	10	9	<10	<1	8
9	94SS R09	<2	0.04	5	<5	<5	0.02	<1	<1	218	11	0.65	<10	0.02	42	15	<0.1	7	<10	<2	<5	<20	<1	<0.1	<10	2	<10	<1	4
10	94SS R10	1.8	1.00	<5	65	<5	1.61	2	77	73	859	> 15	<10	<0.1	307	3	0.04	362	3790	<2	<5	<20	83	0.02	40	84	320	9	23
11	94SS R11	0.2	0.04	15	<5	<5	0.02	<1	3	279	21	0.79	<10	<0.1	159	16	<0.1	15	40	<2	<5	<20	<1	<0.1	<10	3	<10	<1	5
12	94SS R12	<2	3.24	<5	60	<5	2.53	<1	30	117	114	4.05	<10	0.45	165	<1	0.29	203	750	8	<5	<20	224	0.15	<10	51	<10	5	21
13	BS R01	6.2	0.09	115	45	<5	0.09	<1	8	234	321	1.62	<10	<0.1	62	41	0.01	11	50	<2	<5	<20	<1	<0.1	<10	3	<10	<1	29
14	BS R02	0.4	0.02	5	<5	<5	0.03	<1	<1	279	9	0.40	<10	<0.1	29	406	<0.1	10	<10	<2	<5	<20	<1	<0.1	<10	1	<10	<1	4
15	BS R03	0.4	0.03	10	<5	<5	0.07	<1	<1	224	14	0.43	<10	<0.1	60	374	<0.1	5	<10	<2	<5	<20	<1	<0.1	<10	1	<10	<1	4
16	BS R04	2.4	0.01	15	10	120	0.75	<1	<1	240	220	0.53	<10	<0.1	115	400	<0.1	9	<10	40	55	<20	6	<0.1	<10	<1	<10	<1	11

ECO-TECH K.A.M.

604 573 4557

13:15

11/23/94

Et #. Tag # Ag Al % As Ba Bi Ca % Cd Co Cr Cu Fe % La Mg % Mn Mo Na % Ni P Pb Sb Sn Sr Ti % U V W Y

QC DATA:


Repeat:

1 94SS R01 <2 3.72 20 65 10 2.81 <1 22 92 123 3.14 <10 0.79 122 2 0.33 43 2220 6 10 <20 207 0.24 <10 70 <10 9

Standard 1991 1.4 1.68 60 150 <5 1.91 <1 19 68 87 3.98 <10 0.98 655 <1 0.02 24 690 20 5 <20 50 0.11 <10 75 <10 6

XLS/Levon Resources

df/6493


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

I EED FAX THIS END

FAX

To: Calvin Fin

Dept.: Levon

Fax No.: _____

No. of Pages: 4

From: Sandy

Date: Nov 23

Company: _____

Fax No.: _____

Comments: 7234669
ICP

Postage & S. requested fax paid 7500x

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557

Values in ppm unless otherwise reported

LEVON RESOURCES ETK 669
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

19 ROCK samples received August 30, 1994

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	95970	<2	3.21	<5	10	15	1.14	<1	32	34	85	5.19	<10	3.55	701	<1	0.02	45	320	4	20	<20	<1	0.22	<10	103	<10	5	57
2	95971	<2	3.06	<5	15	15	1.45	<1	32	38	49	4.78	<10	3.04	638	<1	0.03	60	270	<2	20	<20	<1	0.28	<10	105	<10	6	48
3	95972	<2	1.55	<5	15	10	0.62	<1	15	85	39	3.77	<10	0.88	507	<1	0.04	5	440	<2	10	<20	6	0.14	<10	40	<10	8	27
4	95973	<2	2.34	<5	15	15	0.56	<1	21	64	59	5.57	<10	2.04	862	<1	0.03	13	550	<2	10	<20	2	0.14	10	75	<10	5	41
5	95974	<2	2.95	<5	20	10	0.49	<1	33	73	111	6.62	<10	2.77	1113	<1	0.02	26	410	<2	10	<20	<1	0.14	10	118	<10	2	50
6	95975	<2	2.69	<5	20	<5	0.81	<1	30	52	174	5.25	<10	2.38	769	<1	0.05	21	320	<2	10	<20	7	0.16	<10	102	<10	1	32
7	95976	<2	2.78	<5	15	10	1.09	<1	23	53	54	4.92	<10	2.51	821	<1	0.02	23	270	<2	10	<20	<1	0.14	<10	109	<10	<1	32
8	95977	<2	1.39	<5	10	<5	0.80	<1	33	102	86	3.93	<10	1.26	408	<1	<0.1	13	170	<2	10	<20	21	0.16	20	62	<10	<1	21
9	95978	0.6	0.15	280	5	5	0.07	2	12	185	38	4.21	<10	0.09	132	25	<0.1	7	<10	2	<5	<20	<1	<0.1	10	8	<10	<1	9
10	95979	0.2	0.31	185	5	<5	0.09	1	5	169	41	2.24	<10	0.05	482	14	0.02	11	200	<2	<5	<20	<1	<0.1	<10	9	<10	2	12
11	95980	<2	1.27	45	20	15	2.61	2	28	48	21	6.80	<10	1.45	910	1	0.02	22	240	<2	5	<20	31	0.02	10	133	<10	3	34
12	95981	0.4	0.67	20	5	<5	0.14	<1	6	119	15	2.16	<10	0.24	182	12	0.04	5	200	<2	<5	<20	<1	<0.1	<10	7	<10	3	10
13	95982	<2	1.89	<5	10	15	1.41	<1	16	55	8	5.24	<10	1.50	573	<1	0.04	8	770	<2	10	<20	3	0.11	10	69	<10	10	28
14	95983	<2	3.46	<5	25	25	0.31	<1	39	89	29	8.05	<10	2.90	868	<1	0.02	35	390	<2	10	<20	<1	0.08	20	126	<10	<1	51
15	95984	<2	2.02	<5	15	15	0.53	<1	30	64	37	5.36	<10	1.83	552	<1	0.02	21	330	<2	<5	<20	8	0.14	10	106	<10	<1	34
16	95985	<2	2.87	<5	15	5	0.51	<1	33	83	89	5.95	<10	2.72	855	<1	0.02	31	270	<2	15	<20	4	0.13	10	124	<10	<1	61
17	95986	<2	2.27	<5	15	<5	0.59	<1	31	52	276	4.99	<10	2.01	692	<1	0.02	20	350	2	10	<20	10	0.15	10	106	<10	<1	48
18	95987	1.2	2.61	3735	50	5	0.29	19	41	125	56	7.38	<10	2.10	1261	2	0.02	56	300	4	10	<20	5	0.01	10	102	<10	<1	55
19	95988	3.2	1.58	3010	35	<5	0.20	15	32	63	21	5.66	<10	1.17	1402	2	0.02	36	270	40	10	<20	<1	<0.1	20	74	<10	<1	72

001/004

LEVON RESOURCES ETK 669

Eco-Tech Laboratories Ltd.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	-------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:

Repeat:


1	95970	<2	3.24	<5	15	10	1.07	1	33	35	83	5.37	<10	3.59	738	<1	0.02	47	320	2	20	<20	<1	0.20	<10	101	<10	3	59
---	-------	----	------	----	----	----	------	---	----	----	----	------	-----	------	-----	----	------	----	-----	---	----	-----	----	------	-----	-----	-----	---	----

<i>Standard 1991</i>		1.2	1.76	70	155	5	1.81	1	19	66	89	4.03	<10	0.95	665	<1	0.02	24	680	18	5	<20	53	0.11	<10	77	<10	8	75
----------------------	--	-----	------	----	-----	---	------	---	----	----	----	------	-----	------	-----	----	------	----	-----	----	---	-----	----	------	-----	----	-----	---	----

Eco-TECH KAM.

XLS/Levon Resources

dt/6493


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

804 573 4557

13:14

11/23/94

0003/004

22-Nov-94

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

LEVON RESOURCES ETK 94-723
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J. MILLER-TAIT

16 Rock samples received September 12, 1994

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	94SS R01	<2	3.85	25	65	<5	2.85	<1	22	91	125	3.18	<10	0.82	127	<1	0.35	44	2230	4	10	<20	219	0.25	<10	72	<10	9	34
2	94SS R02	<2	1.38	<5	55	<5	2.81	<1	51	50	379	6.09	<10	0.60	516	<1	0.13	34	2130	<2	<5	<20	66	0.32	<10	93	<10	10	42
3	94SS R03	<2	2.11	10	55	<5	1.82	<1	27	121	176	2.90	<10	0.61	190	<1	0.27	90	1090	4	<5	<20	98	0.37	<10	48	<10	11	28
4	94SS R04	<2	1.78	135	130	<5	0.61	<1	45	206	110	2.95	<10	0.98	339	10	0.10	160	350	4	5	<20	78	0.16	<10	67	<10	6	49
5	94SS R05	<2	1.29	<5	85	5	0.74	<1	14	193	68	2.48	<10	0.62	175	7	0.12	27	810	<2	<5	<20	42	0.16	<10	32	<10	4	26
6	94SS R06	8.4	0.23	20	60	<5	0.14	3	11	198	8243	1.69	<10	0.03	249	155	0.02	12	310	<2	<5	<20	<1	<0.1	<10	5	<10	<1	180
7	94SS R07	<2	2.82	<5	65	<5	2.27	<1	29	91	175	4.00	<10	0.44	200	<1	0.22	65	810	4	<5	<20	153	0.22	<10	38	20	3	33
8	94SS R08	<2	0.32	125	15	<5	0.26	<1	8	256	54	2.51	<10	0.02	55	20	0.03	18	150	<2	<5	<20	22	0.04	10	9	<10	<1	8
9	94SS R09	<2	0.04	5	<5	<5	0.02	<1	<1	218	11	0.65	<10	0.02	42	15	<0.1	7	<10	<2	<5	<20	<1	<0.1	<10	2	<10	<1	4
10	94SS R10	1.8	1.00	<5	65	<5	1.61	2	77	73	859	> 15	<10	<0.1	307	3	0.04	362	3790	<2	<5	<20	83	0.02	40	84	320	9	23
11	94SS R11	0.2	0.04	15	<5	<5	0.02	<1	3	279	21	0.79	<10	<0.1	159	16	<0.1	15	40	<2	<5	<20	<1	<0.1	<10	3	<10	<1	5
12	94SS R12	<2	3.24	<5	60	<5	2.53	<1	30	117	114	4.05	<10	0.45	165	<1	0.29	203	750	8	<5	<20	224	0.15	<10	51	<10	5	21
13	BS R01	6.2	0.09	115	45	<5	0.09	<1	8	234	321	1.62	<10	<0.1	62	41	0.01	11	50	<2	<5	<20	<1	<0.1	<10	3	<10	<1	29
14	BS R02	0.4	0.02	5	<5	<5	0.03	<1	<1	279	9	0.40	<10	<0.1	29	406	<0.1	10	<10	<2	<5	<20	<1	<0.1	<10	1	<10	<1	4
15	BS R03	0.4	0.03	10	<5	<5	0.07	<1	<1	224	14	0.43	<10	<0.1	60	374	<0.1	5	<10	<2	<5	<20	<1	<0.1	<10	1	<10	<1	4
16	BS R04	2.4	0.01	15	10	120	0.75	<1	<1	240	220	0.53	<10	<0.1	115	400	<0.1	9	<10	40	55	<20	6	<0.1	<10	<1	<10	<1	11

ECO-TECH KAM.

11/23/94 13:15


LEVON RES/ CES ETK 94-723

Eco-Tech Laboratories Ltd.

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	
<u>QC DATA:</u>																													
<u>Repeat:</u>																													
1	94SS R01	<2	3.72	20	65	10	2.81	<1	22	92	123	3.14	<10	0.79	122	2	0.33	43	2220	6	10	<20	207	0.24	<10	70	<10	9	
<u>Standard 1991</u>		1.4	1.68	60	150	<5	1.91	<1	19	68	87	3.98	<10	0.98	655	<1	0.02	24	690	20	5	<20	50	0.11	<10	75	<10	6	

XLS/Levon Resources

df/6493


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

FEED FAX THIS END

FAX
To: <u>Cohen/Fin</u>
Dept: <u>Levon</u>
Fax No: _____
No. of Pages: <u>4</u>
From: <u>Sandy</u>
Date: <u>Nov 23</u>
Company: _____
Fax No.: _____
Comments: <u>7234669</u>
<u>ICP</u>
Post-2 US Registered fax paid 79002

Et #. Tag # Ag Al % As Ba Bi Ca % Cd Co Cr Cu Fe % La Mg % Mn Mo Na % Ni P Pb Sb Sn Sr Ti % U V W Y

QC DATA:

Repeat:		Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y
1	94SS R01	<2	3.72	20	65	10	2.81	<1	22	92	123	3.14	<10	0.79	122	2	0.33	43	2220	6	10	<20	207	0.24	<10	70	<10	9
Standard 1991		1.4	1.68	60	150	<5	1.91	<1	19	68	87	3.98	<10	0.98	655	<1	0.02	24	690	20	5	<20	50	0.11	<10	75	<10	6


XLS/Levon Resources

df/6493

[Signature]
ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

FEED FAX THIS END

FAX
To: <u>Calvin/Fin</u>
Dept.: <u>Levon</u>
Fax No.: _____
No. of Pages: <u>4</u>
From: <u>Sandy</u>
Date: <u>Nov 23</u>
Company: _____
Fax No.: _____
Comments: <u>7234669</u>
<u>ICP</u>
<small>Postage as requested fax pad 75036</small>



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

23,625


Geochem Values
159 Cu (ppm)
34, 163 Pb (ppm), Zn (ppm)

PROFESSIONAL
PROVINCE OF
J. M. MILLER FAIR
BRITISH COLUMBIA
GEOLOGICAL
GEOLOGICAL



PROFESSIONAL
PROVINCE OF
C.L. CHURCH
BRITISH COLUMBIA
GEOLOGICAL
GEOLOGICAL

*J. Miller Fair
Dec. 8, 1994*

*C.L. Church
Dec. 8, 1994*



LEVON RESOURCES LTD.		
SILVERSIDE EXTENSION CLAIM		
LILLOOET MINING DIVISION, B.C.		
SOIL GEOCHEMISTRY		
COPPER (ppm) LEAD (ppm)		
AND ZINC (ppm)		
SCALE: 1 : 600	DRAWN BY: C.C.	FIG. NO.:
DATE: Nov., 1994	NTS.: 92J/16E	6



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**


23,625

Geochem Values
 <0.2 Ag (ppm)
 15 Sb (ppm)


- * Anomalous Ag >0.4 ppm
- * Anomalous Sb >30 ppm

PROFESSIONAL
 PROVINCE OF
 BRITISH COLUMBIA
 J. M. MILLER-TAIT
 GEOSCIENTIST
J. Miller-Tait
 Dec. 29/94

PROFESSIONAL
 PROVINCE OF
 BRITISH COLUMBIA
 C.L. CHURCH
 GEOSCIENTIST
C. L. Church
 Dec. 29/94



LEVON RESOURCES LTD.		
SILVERSIDE EXTENSION CLAIM		
LILLOOET MINING DIVISION, B.C.		
SOIL GEOCHEMISTRY		
SILVER (ppm) AND ANTIMONY (ppm)		
SCALE: 1 : 500	DRAWN BY: C.C.	FIG. NO.:
DATE: Nov., 1994	NTS.: 92J/16E	5




**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

23,625
Geochem Values

135 Au (ppb)
425 As (ppm)

* Anomalous Au >100 ppb
* Anomalous As >1000 ppm



J. Miller-Tait Dec. 8/94
Coleman Dec 8/94

LEVON RESOURCES LTD.		
SILVERSIDE EXTENSION CLAIM		
LILLOET MINING DIVISION, B.C.		
SOIL GEOCHEMISTRY		
GOLD (ppb) AND ARSENIC (ppm)		
SCALE: 1 : 500	DRAWN BY: C.C.	FIG. NO.:
DATE: Nov., 1994	NTS.: 92/J/16E	4

	Au (ppb)	As (ppm)	Sb (ppm)
SS#9	5	125	10
SS#10	<5	115	15
SS#11	10	145	10


	Au (ppb)	As (ppm)	Sb (ppm)
SS#1	10	1085	30
SS#2	10	215	15
SS#3	<5	185	20
SS#4	100	1450	25
SS#5	5	420	10
SS#6	10	715	5
SS#7	<5	235	<5
SS#8	5	315	10

Sample ID	Au (ppb)
BSR03,04	5 Au(ppb), 25 Au(ppb)
BSR02	10 Au(ppb)
BSR01	60 Au(ppb)
SSR06	35 Au(ppb)
SSR04,05	120 Au(ppb), 5 Au(ppb)
SSR03	25 Au(ppb)


	Au (ppb)	As (ppm)	Sb (ppm)
SS#12	175	1945	30
SS#13	30	1130	20
SS#14	150	1765	30
SS#15	875	7670	120
SS#16	230	2225	35
SS#17	10	550	20
SS#18	50	515	15
SS#19	10	740	15

Sample ID	Au (ppb)
SSR12	40 Au(ppb)

Sample ID	Au (ppb)
SSR10,11	25 Au(ppb), 15 Au(ppb)
SSR08,09	55 Au(ppb), 15 Au(ppb)
SSR07	5 Au(ppb)




GEOCHEM DETAIL
SEE FIGURE NO.




SILVERSIDE

SILVERSIDE EXT.



△ Rock Sample
x Soil Sample



PROFESSIONAL
PROVINCE OF
BRITISH COLUMBIA
GEOLOGIST
J. M. MILLER-TAIT
Dec 8/94

LEVON RESOURCES LTD.		
SILVERSIDE EXTENSION CLAIM (3554)		
LILLOOET MINING DIVISION, B.C.		
SAMPLE LOCATIONS SOIL GEOCHEMISTRY		
SCALE: 1:5000	DRAWN BY: C.C.	FIG. NO.:
DATE: Nov., 1994	NTS: 92J/16E	7