

LOG NO:	FEB 17 1995	U
ACTION:		
<hr/>		
FILE NO:		

REPORT ON
SOILGEOCHEMISTRY, TRENCHING AND
DIAMOND DRILLING

SUB-RECORDED
RECEIVED
JAN 26 1995
M.R. # \$
VANCOUVER, B.C.

BRX PROPERTY
N.T.S. 92 J/15W
LATITUDE: 50 50' N LONGITUDE: 122 50' W

STRAND RESOURCES LTD.
306 - 850 WEST HASTINGS ST
VANCOUVER, B.C. V6C 1E1

BY
C. CHURCH GEOLOGICAL BRANCH
ASSESSMENT REPORT

23,773

Summary and Conclusions

The BRX property is located in southwest British Columbia approximately 180 kilometers north of Vancouver immediately north of the town of Bralorne. Gold bearing quartz veins are hosted by Triassic greenstones, diorites, and soda granites bounded by two major fault zones on the claims. This geologic setting can be traced southward onto the contiguous Bralorne-Pioneer property. Recent drilling at Bralorne-Pioneer has intersected gold bearing veins north of the Fergusson fault. This discovery has opened up new areas of exploration on both the Bralorne and BRX properties. There are ten mineralized zones on the BRX that have been explored extensively by underground workings and/or drilling. Results to date indicate that all veins carry anomalous gold but that "ore grade" values (ie > 0.25 oz/ton Au) occur only at structural intersections of limited extent (Whynot vein).

This report documents the trenching and drilling programs carried out on the BRX property from August to October 1994. Trenching locations were based on geochemical data from the Levon Resources Ltd. survey of 1985. Drilling targets were determined from trenching results of this program and previous trenching programs. A silicified shear zone 5.0 metres wide was discovered by trenching on the California Extension zone. The zone grades 0.145 oz/ton Au over its width and assays were as high as 0.506 oz/ton over 1.0 metre. However, diamond drilling was unsuccessful in intersecting similar values and widths at depth. Trenching also intersected new veins between the California and Whynot veins. Four short holes were drilled on veins in the California zone but were unable to intersect mineralization of ore grade (best assay was 0.057 oz/ton Au over 1.06 m). Diamond drilling was unsuccessful in intersecting the veins at the Joni zone.

There is good evidence to suggest that the veins in the Whynot workings extend to the California zone and further southeast. Grab samples of visible gold from the Whynot vein, near its intersection with the Jewess vein have returned assays of 500 oz/ton Au (Cook & Mazachek 1987). Discoveries of intersecting vein sets and cross structures like those at the Whynot are fairly likely in the area southeast toward the California zone.

Recommendations and Cost Estimates

Further trenching to extend the strike length of the vein exposed in trench 94T-100, between the Whynot and the California workings, is recommended. Isolated geochemical anomalies northeast of the Joni zone that have not yet been trenched also represent good exploration targets. A follow up phase of diamond drilling contingent on results from the trenching program could then be implemented.

COST ESTIMATE**PHASE 1**

Trenching - Excavator 15 days at \$1000/day	\$15,000
Assays - 200 at \$20/sample	4,000
Geologist & assistant - 20 days at \$400/day	8,000
Accommodation and food - 40 man days at \$50/day	2,000
Vehicle	1,000
Supplies and freight	1,000
Report and drafting	2,500
Recording fees	3,500
Total phase 1	\$37,000

PHASE 2 (Contingent)

Diamond drilling - 1000m NQ at \$85 per metre including assays, supervision, and reporting.

Total phase 2	\$85,000
----------------------	-----------------

TABLE OF CONTENTS

	PAGE
Summary and Conclusions	i
Recommendations and Cost Estimate	ii
Introduction	1
Location, Access and Topography	1
Claims Description	2
Mining History	3
Regional Geology	4
Property Geology	5
Geochemistry	6
Trenching	6
Diamond Drilling	7
Statement of Costs	8
References	9
Certificate	10
Appendix A : Description of Analytical Methods	
Appendix B: Geochemical Analysis and Assay Results	
Appendix C: Drill Hole Logs	

TABLES

	PAGE
Table 1 Mineral Claims	2
Table 2 Underground Workings	3

FIGURES

	FOLLOWING PAGE
Figure 1 Location Map	1
Figure 2 Property Map	1
Figure 3 Claims Map	2
Figure 4 Regional Geology	4
Figure 5 Property Geology	5
Figure 6 Compilation Map	in pocket
Figure 7a Trench and Sample Locations	in pocket
Figure 7b Trench and Sample Locations	in pocket
Figure 8 Drill Hole Cross Sections	in pocket

Introduction

The BRX property is located immediately north of the historic mining camps of Bralorne-Pioneer in southwestern British Columbia. The property is owned by Levon Resources Ltd. and is under option to Strand Resources Inc. In February 1994 Strand Resources Inc retained the services of a consulting geologist to review all available data and reports pertinent to mineral potential on the BRX and recommend an exploration program (Westerman 1994). In the summer of 1994, with the help of excavator and diamond drilling contractors, I supervised the exploration program on the BRX property which was based on some of the recommendations in the report.

This report documents the exploration program carried out intermittently on the BRX property between July 23 and October 23, 1994. Due to time limitations and logistical problems the focus of the trenching program was primarily on unexplored geochemical anomalies in the Gloria Kitty, California and California Extention zones. Trenches at 94T-06 and 94T-09 revealed a sheared silicified zone up to 5.0m wide striking 140/50E in an area south of the California zone named the California Extention. Gold values vary between 0.029 and 0.506 Oz/ton Au in successive 1.0m chip samples across the zone. The drilling program was designed to test continuity of mineralization of trenches at depth in three areas; the Joni, California, and California Extention represented the best surface drilling targets at the time of completion of the trenching program.

Location, Access and Topography

The BRX property is located immediately south of Gold Bridge approximately 180 km north of Vancouver in southwestern British Columbia (Figure 1). The north boundary of the property lies within the village of Gold Bridge and the south boundary is contiguous with the Bralorne-Pioneer property. Highway 40B, which links Gold Bridge to Bralorne, and a network of logging roads provide easy access to the claims. Topography varies from gentle west facing slopes in the east to a deeply incised canyon cut by the Hurley river along the west boundary of the claim. Elevations range from 655m to 915m. Surface runoff and groundwater aquifers connect a series of swamps in the logged flats west of Kingdom Lake Forestry Road. Vegetation is coniferous forest which was logged in the 1930s and again in the 1980s. Underbrush is generally light. A high tension electrical power line crosses the property from north to south.


STRAND RESOURCES INC.


B.R.X. CLAIMS
LILLOOET M.D., B.C. NTS:92 J/15

LOCATION MAP

DATE: DEC 1994
BY: CLC

FIGURE No. 1





**STRAND RESOURCES INC.
BRX GOLD PROPERTY**

Bralorne District - British Columbia

0 _____ 2
kilometres

PROPERTY MAP


FIGURE 2

Claims Description

The BRX property consists of 77 reverted crown grant mineral claims and 4 modified grid claims (10 units) covering a contiguous area of approximately 1068 hectares (Table 1, Figure3). Strand Resources Inc. holds an interest in the property by way of an option agreement with Levon Resources Ltd.

Table 1
Mineral Claims


Claim Name	Tenure	ha	Expiry	Claim Name	Tenure	ha	Expiry
Top	228150	17	17 Mar '99	Fourty Thieves	228186	17	17 Mar '99
Stout Fella	228151	8	17 Mar '99	River #1 Fr.	228187	38	17 Mar '99
Art Fr.	228151	1	17 Mar '99	Arizona	228188	21	17 Mar '99
Ruth Ess	228152	18	17 Mar '99	Mexico	228189	20	17 Mar '99
Wing Fr.	228153	17	17 Mar '99	Golden Gate	228190	11	17 Mar '99
Crossing	228154	16	17 Mar '99	Aroc	228191	10	17 Mar '99
Golden Calf	228155	16	17 Mar '99	It Fr.	228191	1	17 Mar '99
Portal	228156	17	17 Mar '99	Bude	228192	9	27 Apr '98
Aztec	228157	8	17 Mar '99	Gold Side	228207	17	17 Oct '99
Inca	228158	11	17 Mar '99	Gloria Kitty	228218	9	15 Mar '99
Inca Day	228159	18	17 Mar '99	Rex Fr.	228219	1	15 Mar '99
Reg Fr.	228160	6	17 Mar '99	Berta	228220	21	30 Mar '99
River #2 Fr.	228161	15	17 Mar '99	Little Bill	228244	17	16 Jan '99
River #3 Fr.	228162	14	17 Mar '99	Mountain View	228250	21	23 Jan '99
Marshall Fr.	228162	2	17 Mar '99	Green Rock	228251	19	23 Jan '99
River #4 Fr.	228163	12	17 Mar '99	Wabash	228252	17	23 Jan '99
River #5 Fr.	228164	16	17 Mar '99	Flosette	228284	8	27 Aug '99
Midas Fr.	228165	8	17 Mar '99	Muckers Dream	228285	8	27 Aug '99
Matilda Eleanor	228165	6	17 Mar '99	Goldside No 1	228286	7	27 Aug '99
Ruby Lily	228166	10	17 Mar '99	BRX extention (MG 4 units)	228324	100	27 Dec '99
California	228167	19	17 Mar '99	Whynot	228394	21	11 May '99
Oregon	228168	21	17 Mar '99	Boss Fr.	228400	3	24 Sep '99
Pepita	228169	15	17 Mar '99	Don Fr.	228401	6	24 Sep '99
Contact	228170	17	17 Mar '99	Goldside #3	228461	2	10 Nov '99
Peach	228171	19	17 Mar '99	Beta Fr.	228462	2	10 Nov '99
Rare Metal	228172	12	17 Mar '99	Fish Lake #2 (MG 4 units)	228501	100	11 Apr '99
Tyaxon	228173	13	17 Mar '99	Fish Lake Fr. (MG 1 unit)	228502	3	11 Apr '99
Eteam	228174	14	17 Mar '99	Fox Fr.	228548	1	18 Nov '99
Wedge Fr.	228174	2	17 Mar '99	Joan Fr.	228549	1	18 Nov '99
Darley	228175	11	17 Mar '99	Diane #2 Fr.	228550	5	18 Nov '99
Wingfield	228176	21	17 Mar '99	Fairchild Fr. (MG 1 unit)	228591	1	28 Feb '99
Devon	228177	13	17 Mar '99	Elephant	228684	8	13 Feb '98
Peso	228178	11	17 Mar '99	Moonlight Fr.	228685	1	14 Feb '98
Golden Bow	228179	8	17 Mar '99	Valley	228691	17	25 Feb '98
Imp Fr.	228180	9	17 Mar '99	Alpha Fr.	228692	2	25 Feb '98
Dee	228181	9	17 Mar '99	Goldside 2	228736	0	14 Nov '95
May	228182	18	17 Mar '99	Gamma Fr.	228737	1	16 Dec '95
Conta 1	228183	2	17 Mar '99	Conta 3	228738	6	14 Nov '95
Conta 2	228183	6	17 Mar '99	Conta 4	228739	5	14 Nov '95
Tuff Fr.	228184	1	17 Mar '99	Conta 5	228740	9	19 Nov '95
Ural	228185	22	17 Mar '99				



**STRAND RESOURCES INC.
BRX GOLD PROPERTY**

Bralorne District - British Columbia

0  1
kilometres



CLAIM MAP

FIGURE 3

Mining History (after Westerman 1994)

Gold veins were first discovered on the BRX property in 1896 when the Ural, Fourty Thieves, Berta and Elephant claims were staked by J. Marshall, J. Williams, and P. Santini. The following year the Whynot claim was recorded by W. Haylmore and both the Whynot and the Fourty Thieves veins were explored by short adits. In 1914, the California (National) and Gloria Kitty (Jewess) claims were staked by F. Kinder and the veins were prospected by trenches and short adits. New adits were also started on the Fourty Thieves and Whynot veins. In 1928, Bridge River Consolidated Mines Ltd. was formed and serious work on the Fourty Thieves and Whynot tunnels started in 1931. Bridge River Exploration Ltd. was incorporated in 1931, and adits were driven on the Arizona and California veins.

Reorganization of the companies to BRX Gold Mines Ltd. in 1931, BRX Consolidated Mines Ltd. in 1932 and BRX (1935) Consolidated Mines Ltd. in 1935 allowed underground development to continue on the Fourty Thieves and Whynot veins until 1932 and on the Arizona and California veins until 1940. In 1938, Arizona vein development muck was processed in a 100 tpd cyanide mill producing 15 ounces of gold and 10 ounces of silver from 4,787 tons of ore. From 1944 to 1957 trenching and drilling was conducted on the Fourty Thieves, Whynot, Arizona, and California veins. The California winze was deepened and by 1950 the C10 level had been established. Bridge River United Mines Ltd. undertook work in 1959 and optioned the property in 1960 to Rayrock Mines Ltd., which carried out extensive surface trenching and drilling on the Fourty Thieves and Whynot veins. The property fell dormant until 1980-81 when Hat Creek Energy Corp. Ltd. rehabilitated some 2,600 feet of underground workings on the Arizona veins.

The present claim package was acquired by Levon Resources Ltd. in 1985. Phase 1 exploration work including line cutting, soil sampling, geological mapping, VLF-EM surveying and back hoe trenching was carried out in 1985. This work was extended in 1986 to include detailed underground sampling and mapping of the California C2 adit and the Whynot adit. At that time, the Arizona cross cut was reported to be caved, as were all underground portals. In the winter of 1987-88 six short holes totaling 518 metres were drilled on the Rand zone. Two holes totaling 307 metres were also drilled on a quartz vein in the bed of the Hurley river, located 350 metres south of the Arizona portal. In 1990 soil sampling was undertaken on a small area south of Sucker lake.

Approximately 5400 metres of diamond drilling and 9000 metres of underground development have been reported for the BRX property. The most important workings are on the Arizona and California veins, although some tunneling was done on the Golden Gate, Ural (Fourty Thieves), Gloria Kitty and Whynot Veins. (Table 2)

**TABLE 2
UNDERGROUND WORKINGS**

Vein	Levels	Drifting (m)	Raising (m)
Golden Gate	1	122	
Arizona	3	4235	428
Ural	3	2260	
Gloria Kitty	1	122	
Whynot	1	540	24
California	8	1904	225
Total		9083	667

Regional Geology

The Bridge River district lies at the western margin of the intermontane belt of volcanic and sedimentary rocks where it abuts against the Coast Plutonic Complex. Triassic arc volcanics and backarc sediments (Cadwallader and Bridge River Groups) are intruded by synvolcanic, intermediate plutons (Bralorne intrusions) and faulted against ophiolitic, ultramafic intrusions (President Intrusions). Jurrasic and Cretaceous basinal sediments and rift volcanics (Taylor Creek and Kingsvale Groups) are sequentially intruded by cretaceous and tertiary plutons of felsic composition (Coast, Porphyry and Bendor Intrusions). Relatively flat lying, tertiary intermediate and mafic volcanics (Rexmount Porphyry and plateau basalt) cap the lithologic sequence. (Figure 4)

Triassic rocks probably formed a discrete plate, the Bridge River Terrane, prior to collision with the North American Plate to the northeast in Jurrasic time. That collision thrusted arc volcanics, backarc sediments and oceanic crust onto the already assembled exotic terranes of the intermontane belt and prompted the uplift and erosion that produced Jurrasic and Cretaceous sediments. Bridge River Terrane was then sandwiched by the arrival of eastward drifting insular belt rocks from the west in Cretaceous time. This collision probably remobilised old faults and sparked several periods of intrusive activity that resulted in cretaceous and tertiary plutons and volcanics. Old breaks such as the Fergusson and Cadwallader faults were probably demobilized as tertiary dextral strike slip faults, followed by extrusion of plateau basalts in response to extentional tectonics. Finally, Pleistocene glaciation and recent uplift and erosion sculpted the existing mountainous terrain.




FIGURE 4

STRAND RESOURCES INC.

GOLDBRIDGE AREA
LILLOOET MINING DIVISION, B.C.

GEOLOGY MAP



DATE:

DEC 1994

SCALE:

1 : 250,000

BY:

CLC

LEGEND FROM MAP 13-1973

MESOZOIC

JURASSIC AND CRETACEOUS

UPPER JURASSIC AND LOWER CRETACEOUS RELAY MOUNTAIN GROUP

6 Argillite; greywacke and pebble conglomerate

JURASSIC

LOWER JURASSIC

5 Argillite and shale; minor sandstone, limestone and pebble conglomerate

TRIASSIC

UPPER TRIASSIC

U Ultrabasic rocks

4 HURLEY FORMATION: Thin-bedded limy argillite, pyritic, limestone, tuff, conglomerate, agglomerate, andesite, and minor chert

3 PIONEER FORMATION: Greenstone derived from andesitic flows and pyroclastic rocks; ls, andesite breccia, tuff and flows, greenstone; minor rhyolitic breccia and flows, slate, argillite, limestone and conglomerate

2 NOEL FORMATION: Thin-bedded argillite; chert, conglomerate and greenstone

MIDDLE TRIASSIC AND (?) OLDER

BRIDGE RIVER GROUP (FERGUSSON GROUP)

1 Chert, argillite, phyllite and greenstone; minor limestone, schist; ls, metamorphosed rock of map-unit 1; mainly biotite schist

METAMORPHIC AND PLUTONIC ROCKS

(Mostly of unknown age)

B Metasedimentary rocks, mainly micaceous quartzite, biotite-biotite schist, and minor scalyite bearing garnet, staurolite and possibly sillimanite

A Granitoid gneiss, migmatitic complexes, minor amphibolite and biotite schist

P6 Granite

P5 Quartz monzonite

P4 Granodiorite; ls, microlitic granodiorite and syenodiorite

P3 Quartz diorite

P2 Diorite; ls, Bajorsas intrusions: Augite diorite, gabro, minor gabbro and quartz diorite

P1 Gabro

U Ultrabasic rocks: serpentinite, peridotite, dunite

PROPERTY LIST

14	Royal (Au)
15	Summer (Au)
16	Snowy Mtn (Au)
17	Grull (Au)
18	Succo (Au)
19	Waterton (Au)
20	Californie (Au)
21	Whales (Au)
22	Gloria Mist and Jarrow (Au)
23	Ferry Thruve (Au)
24	Arizona (Au)
25	Golden Gate (Au)
26	Haymore (Au)
27	Pilot (Au)
28	B & F (Au)
29	Congress (Au, Mg)
30	Weyside (Au)
31	Veritas (Au)
32	White sand ball (Au)
33	Hollance (Bn, Au)
34	Spokane (Au)
35	Summit (Au)
36	Empire (Au)
37	Wide West
38	Subdue (Bn)
39	Primrose (Au)
40	Bear Expl.
41	Charlote, Au (Mg)
42	London (Cu, Fe)
43	Chaco S (W, Cu)
44	Chaco I (W, Cu)
45	N. Texas, Fls, Pb (Cu, Au, Ag, Fe)
46	Apus (Fe)
47	Copper Queen (OWL Cr, A Zone) (Cu, Mg)
48	Azur (Cu)
49	Lucky Strike, Misty
50	Paw (Mg)
51	Owl Cr, B Zone (Cu, Mg)
52	Owl Cr, C Zone (Cu, Mg)
53	Eagle (Cu, Fe, Zn)
54	Lake (Cu, Fe, Zn)
55	Boulder (Cu, Zn, Ag, Fe)
56	Hollat (Eve) (Cu, Ag, Zn)
57	Cooper Mountain (Fe, Cu, Zn, Mg)
58	Samoa (Cu, Fe)
59	Wander (Pb, Zn, Cu)
60	Silver Bell (Pb, Ag, Au, Cu, Zn)
61	Li-Li-Kel (Gridiron) (Ag, Pb, Zn, Au)
62	Pemberton (Cu)
63	Margery (Zn, Fe, Au, Pt)
64	Flissimmons (Cu)
65	Owl Mountain (Ninthstar) (Fe, Au, Ag)
66	Croce (Ag, Zn, Cu, Pb, Fe)
67	Gold King (Ag, Au, Zn, Pb)
68	Cougar (Fe)
69	Idar (Mg)
70	Silver Queen (Ag, Pb, Zn)
71	Psoriasis (Ag, Pb, Zn)
72	J (Pt)
73	Cla (Yer) (W, Cu, Zn)
74	Luhrs (Flora) (W, Mg)
75	Subdue (Lost Gold) (Bn)
76	Trues (Burrow) (Au, Bn)
77	Rock (Ag, Bn)
78	R.M (Cu)
79	Sea (Cy, Mg)
80	Ample, (Golden Caesar) (Au)
81	Red Eagle (Mg)
82	Golden Edge (Mg)
83	Bassoo (Au, Ag)
84	Bartley Valley Mine (Au, Ag)
85	Golden Contact, (Brave Group) (Au)
86	Escalator, (Hummer) (Cu, Au, Ag, Pb)
87	Congress (Au)
88	Golden (Au)
89	Yakima, (Ridge) (Mg)


PERIOD	UNIT	LITHOLOGY
upper Tertiary	Plateau basalt	basalt, rhyolite flows, breccias unconformable contact
lower Tertiary	Rexmount porphyry	rhyolite, dacite, andesite tuffs, breccias, flows, plugs unconformable contact
upper Cretaceous	Porphyry dikes	quartz, feldspar, hornblende porphyry dikes intrusive contact
	Coast Range intrusions	quartz diorite, diorite, granodiorite intrusive contact
	Kingsvale group	arkose, greywacke, shale, conglomerate unconformable contact
lower Cretaceous	Taylor Creek group	conglomerate, shale, tuff, breccia unconformable contact
lower Jurassic	Unnamed sediments	argillite, shale, sandstone, limestone, conglomerate unconformable contact
upper Triassic	Bralorne intrusions	augite diorite, soda granite, albitite dikes intrusive contact
	President intrusions	serpentinite, peridotite, pyroxenite, dunite, gabbro fault contact
	Cadwallader Hurley formation	group limy argillite, phyllite, limestone, tuff, conglomerate, greenstone, chert
	Pioneer formation	greenstone, basalt, andesite, flows, tuffs
	Noel formation	argillite, chert, conglomerate, greenstone conformable contact?
middle Triassic	Bridge River group	chert, argillite, phyllite, limestone, greenstone, metamorphic equivalents

Table 2: Formation names, ages and lithologies.

Property Geology

the BRX property is underlain by Triassic rocks in a similar structural setting to that which hosts the Bralorne-Pioneer gold deposits located immediately to the south. Bridge River Group cherts, argillites and basalts are overlain by the Pioneer Formation andesites and Hurley Formation clastic sediments. The Triassic strata strike north-northwest and dip steeply to the southwest. The formations are faulted against serpentized peridotites and pyroxenites of the President Intrusions. During the upper Triassic the Bralorne Intrusions formed as augite diorite and soda granite plugs which intruded older units. On the property the Bralorne Intrusions are noticeable in the northwest corner of the property in the vicinity of the Arizona drift in the BRX canyon.

The property is bounded to the west by the west dipping Hurley River Fault System which may be a continuation of the Cadwallader fault. The east side of the property encompasses the east dipping Sucker Lake fault which may be a continuation of the Fergusson fault. The auriferous quartz veins on the BRX strike northwest and dip to the northeast whereas gold bearing veins at Bralorne Pioneer strike west-northwest and dip to the north. Except for the apparent rotation of fault systems and generally lower grade ore shoots the geologic setting of the BRX is remarkably similar to that at Bralorne Pioneer.



Geochemistry

The BRX property was almost entirely covered by a geochemical soil survey in 1985 by Levon Resources Ltd. Sampling density on the grid was at 20m intervals on east-west lines spaced 100m apart resulting in collection and analysis of 2159 samples. Resulting geochemical anomalies formed the basis for subsequent exploration programs and a number of mineralized veins were discovered using this technique. Some of the unexplored geochemical anomalies were recommended as exploration targets in the current program.

Geochemical sampling was used in this exploration program to replicate results in areas of proposed trenching and as a prospecting tool to extend strike length of hidden mineralized structures. A total of 33 samples were collected from three areas on the claims (Figure 5). Well developed B horizon soils were collected using a long handle shovel to dig 30 to 50cm beneath the humus and ash layer. The samples, weighing between 300-500 grams, were then placed in kraft sample bags and shipped to Eco-Tech Laboratories, Kamloops, B.C. for analysis. Geochemical analysis of the samples confirmed anomalies at 17S, 1+50E and 39S, 1+20E. An attempt to extend the strike length of the vein in trench 94T-100 was unsuccessful using this method.

Trenching Program

During the final two weeks of August 1994 a Caterpillar 225 excavator was used to dig 21 trenches on the BRX property. Trenching targets were determined from geochemical soil anomalies of a previous survey done in 1985. The majority of trenches (94T-01 to 94T-16) were located south of the California workings east of the baseline. Five exploration trenches (94T-17 to 94T-21) were excavated over anomalies between the Whynot and the Gloria Kitty. A late addition to the trenching program was the excavation of trench 94T-100 located 25m from the junction of the Kingdom Lake Forestry Road and Highway 40B. 94T-100 was trenched in early November following its discovery by Gary Polischuck while prospecting a rusty soil gossan in the roadcut of Kingdom Lake Road.

The trenching program was successful in discovering a rusty sheared listwanite zone within andesite and greenstone at the California Extension (94T-06). The geology of the trenches, sample locations and gold values are shown in trench plans (Figure 7a,7b). The results from geochemical analysis and assays are shown in Appendix B.

Drilling Program

During the period Oct. 11 to Oct. 22, 1994 nine surface drill holes totaling 620m (2033 ft) were drilled in three target areas on the property (Joni, California and California Extention). F. Boisvenu Drilling Ltd. under contract to Strand Resources Inc. mobilized their drill from the adjacent Bralorne-Pioneer property to do the work. Location of the drill holes and their relative position to trenches and grid locations is shown in Figure 6. Holes 94BRX-1, BRX-2 and BRX-3 were drilled on the listwanite zone at the California Extention where trench 94T-06 encountered mineralization in shears grading 0.171 Oz/ton Au over 4.0m. Four holes were drilled (94BRX-4 to 94BRX-7) to intersect a quartz vein discovered in trenches T6 and T7 in the 1985 trenching program (values in T6 and T7 assayed 0.122 Oz/ton Au over 0.70m and 0.152 Oz/ton Au over 0.20 m respectively). Diamond drilling was unsuccessful in intersecting mineralized veins at the Joni zone. Principal gold values intersected by drill holes and their relation to surface trenches are presented on drill hole cross sections (Figure 8). The drill hole logs are given in Appendix C together with rock geochemical analysis and assays. All drill core was logged and split at the Bralorne minesite and is stored there courtesy of Avino Mines Ltd.

Statement of Costs

Trenching - K. Norton Contracting (225 Excavator)	15,432.00
Drilling - F. Boisvenu Drilling	43,822.00
Total	59,254.00

References

- Cook, B.J. and Mazaceck, P (1987): Exploration Report on Trenching, Sampling, Mapping and Compilation of the BRX Property Near Goldbridge B.C. by Cooke Geological Consultants Ltd. for Levon Resources Ltd. dated Jan. 30, 1987
- Embree, K. (1988): BRX property - 1985 Geochemical Survey Results and Analysis for Levon Resources Ltd. dated 24 Feb. 1988
- Friesen, P.S. (1985): Report on Soil Geochemistry and Trenching Program on the BRX Group, Goldbridge B.C. for Levon Resources Ltd. dated 24 Nov. 1985
- Friesen, P.S. (1986): Exploration Targets Determined from a Soil Geochemistry Survey and Available Data. BRX Group, Goldbridge B.C. for Levon Resources Ltd. dated 27 Feb. 1986
- Friesen, P.S. (1988): Assessment Work Report on the Diamond Drilling Program Carried Out on the Brx Group of Claims for Levon Resources Ltd. dated 6 March 1988
- Macfayden, M.A. and Peart, P. (1986): Report on Geological Mapping and Rock Chip Sampling of a Cliff Face, BRX Property, Bralorne B.C. by Access Geological Services for Cooke Geological Consultants Ltd. dated 16 July 1986
- Miller-Tait, J. (1990): Assessment Report on the BRX Property Near Goldbridge B.C. for Levon Resources Ltd. dated Jan. 20, 1990
- Miller-Tait, J. and Sampson, C.J. (1993): Report on Bralorne-Pioneer Property, Bralorne, B.C. for Bralorne-Pioneer Gold Mines Ltd. dated 15 September 1993
- Westerman, C.J. (1994): The BRX Gold Property, Bralorne District, B.C.; a Summary Report for Strand Resources Inc. dated 28 Feb.1994

Certificate

I, Calvin L. Church, of 1733 Napier St. Vancouver, B.C. do hereby certify that;


I am a graduate of the University of British Columbia, BSc Geology, and have worked in the mineral exploration industry since 1986.

I am a registered member in good standing of the Association of Professional Engineers and Geoscientists of British Columbia.

This report is based on personal visits to the property and evaluation of all relevant information made available to me by Levon Resources Ltd.

I have not received any interest, direct or indirect, in the properties of Levon Resources Ltd. or Strand Resources Ltd. nor do I expect to receive any such interest.


I consent to the use of this report by Strand Resources Ltd. for whatever purpose deemed necessary.



A handwritten signature of "Calvin Church" is written over a circular official stamp. The stamp has a decorative border and contains the text: "PROFESSIONAL", "PROVINCE OF", "C.L. CHURCH", "BRITISH COLUMBIA", and "GEOLOGIST". To the right of the signature, the date "Jan. 24/95" is written.

Calvin Church, PGeo.

APPENDIX A



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 873-6700
Fax (604) 873-4557

Analytical Procedure Assessment Report

GEOCHEMICAL GOLD ANALYSIS

Samples are catalogued and dried. Soils are prepared by sieving through an 80 mesh screen to obtain a minus 80 mesh fraction. Rock samples are 2 stage crushed to minus 10 mesh and a 250 grain subsample is pulverized on a ring mill pulverizer to -140 mesh. The subsample is rolled, homogenized and bagged in a prenumbered bag.

The sample is weighed to 10 grams and fused along with proper fluxing materials. The bead is digested in aqua regia and analyzed on an atomic absorption instrument. Over-range values for rocks are re-analyzed using gold assay methods.

Appropriate reference materials accompany the samples through the process allowing for quality control assessment. Results are entered and printed along with quality control data (repeats and standards). The data is faxed and/or mailed to the client.



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy. R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 873-5700
Fax (604) 873-4857

Analytical Procedure Assessment Report

BASE METAL ASSAYS (Ag, Cu, Pb, Zn)

Samples are catalogued and dried. Rock samples are 2 stage crushed followed by pulverizing a 250 gram subsample. The subsample is rolled and homogenized and bagged in a prenumbered bag.

A suitable sample weight is digested with aqua regia. The sample is allowed to cool, bulked up to a suitable volume and analyzed by an atomic absorption instrument, to .01 ppm detection limit.

Appropriate certified reference materials accompany the samples through the process providing accurate quality control.

Result data is entered along with standards and repeat values and are faxed and/or mailed to the client.

ECO-Tech
LABORATORIES LTD.
10041 E. Trans Canada Hwy. R.R. #2, Kamloops, B.C. V2C 2J3
Phone (604) 873-5700
Fax (604) 873-4857

APPENDIX B

CERTIFICATE OF ANALYSIS ETK 94-949

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

16-Nov-94

ATTENTION: J. Miller-Tait

12 Rock samples received November 15, 1994
Samples Submitted By: Calvin

ET #.	Tag #	Au (ppb)
1	95301	85
2	95302	255
3	95303	210
4	95304	250
5	95305	255
6	95306	555
7	95307	440
8	95308	>1000
9	95309	225
10	95310	450
11	95311	260
12	95312	>1000

FAX @ 238-2334

XLS/Levon

FEED FAX THIS END

FAX	
To:	Jim/Calvin
Dept.:	Levon
Fax No.:	
No. of Pages:	1
From:	Sandy
Date:	Nov 16
Company:	
Fax No.:	
Comments:	949-A

Post-it www.post-it.com

fax pad 7903E



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. 2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS ETK 94-564

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

August 12, 1994

ATTENTION: J. MILLER-TAIT

8 CORE samples received August 9, 1994

ET #.	Tag #	Au (ppb)
1	95905	>1000
2	95906	55
3	95907	15
4	95908	165
5	95909	<5
6	95910	25
7	95911	5
8	95912	5

FAX @ 238-2334

XLS/Levon



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS ETK 94-623

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

31-Aug-94

ATTENTION: J. MILLER-TAIT

57 ROCK samples received August 23, 1994

ET #.	Tag #	Au (ppb)
1	95913	5
2	95914	5
3	95915	5
4	95916	<5
5	95917	<5
6	95918	<5
7	95919	<5
8	95920	55
9	95921	430
10	95922	165
11	95923	5
12	95924	5
13	95925	175
14	95926	35
15	95927	5
16	95928	5
17	95929	15
18	95930	155
19	95931	105
20	95932	>1000
21	95933	>1000
22	95934	>1000
23	95935	>1000
24	95936	>1000
25	95937	15
26	95938	30
27	95939	10


LEVON RESOURCES ETK623

31-Aug-94

ET #.	Tag #	Au (ppb)
28	95940	385
29	95941	10
30	95942	5
31	95943	5
32	95944	10
33	95945	905
34	95946	>1000
35	95947	15
36	95948	5
37	95949	5
38	95950	5
39	95951	10
40	95952	10
41	95953	5
42	95954	5
43	95955	5
44	95956	5
45	95957	5
46	95958	5
47	95959	5
48	95960	10
49	95961	5
50	95962	5
51	95963	5
52	95964	5
53	95965	5
54	95966	15
55	95967	5
56	95968	5
57	95969	<5

FAX @ 238-2334

XLS/Levon


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS ETK 94-669

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

8-Sep-94

ATTENTION: J. MILLER-TAIT

19 ROCK samples received August 30, 1994

ET #.	Tag #	Au (ppb)
1	95970	<5
2	95971	<5
3	95972	<5
4	95973	<5
5	95974	<5
6	95975	<5
7	95976	<5
8	95977	<5
9	95978	150
10	95979	95
11	95980	<5
12	95981	<5
13	95982	<5
14	95983	<5
15	95984	<5
16	95985	<5
17	95986	<5
18	95987	405
19	95988	800

FEED FAX THIS END

FAX	
To:	Jim
Dept.:	Levton
Fax No.:	238-2334
No. of Pages:	1
From:	Sandy
Date:	Sept 8
Company:	
Fax No.:	
Comments:	An 669


Post-It®

fax pad 7803E

FAX @ 238-2334


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

XLS/Levon



202

**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS ETK 94-567

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

22 SOIL samples received August 9, 1994

ET #.	Tag #		Au (ppb)
1	L17 + 25S :	17 + 00	E 20
2	L17 + 25S :	17 + 20	E 95
3	L17 + 25S :	17 + 40	E <5
4	L16 + 75S :	17 + 00	E 5
5	L16 + 75S :	17 + 10	E 5
6	L16 + 75S :	17 + 20	E <5
7	L16 + 75S :	17 + 30	E <5
8	L16 + 75S :	17 + 40	E 15
9	L16 + 75S :	17 + 50	E <5
10	L16 + 75S :	17 + 60	E 300
11	L16 + 75S :	17 + 70	E 50
12	L16 + 75S :	17 + 80	E <5
13	L16 + 75S :	17 + 90	E <5
14	L16 + 75S :	18 + 00	E 20
15	RDSHW01		E 5
16	RDSHW02		E 25
17	L33 + 80S :	0 + 50	E 20
18	L33 + 80S :	0 + 60	E 15
19	L33 + 80S :	0 + 70	E 5
20	L33 + 80S :	0 + 80	E <5
21	L33 + 80S :	0 + 90	E 5
22	L33 + 80S :	1 + 00	E <5

FAX @ 238-2334

XLS/Levon

August 15, 1994

FEED FAX THIS END

FAX	
To:	J. Miller-Tait
Dept.:	Levon
Fax No.:	238-2334
No. of Pages:	3
From:	Sandy
Date:	Aug 18
Company:	
Fax No.:	
Comments:	ANALYSIS 567.
Post-it:	fax pad 7803E


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

11/04/94

12:34

604 573 4557

ECO-TECH KAM.

001/001



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY ETK 94-889

LEVON RESOURCES

General Delivery

GOLD BRIDGE, B.C.

V0K 1P0

3-Nov-94

ATTENTION: C. Church

2 Rock samples received 25 October, 1994

Samples Submitted By: C.L.C.

Client Project Number: B.R.X.

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	As %	
1	94 GPR 01	2.10	0.061	-	-	0.93	B.R.X.
2	94 GPR 05	25.43	0.742	31.6	0.922	14.43	Trunk X

FAX @ 238-2334

XLS/Levon


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer


FEED FAX THIS END

FAX

To:	<u>C. Church</u>
Dept.:	<u>Levon</u>
Fax No.:	
No. of Pages:	<u>1</u>
From:	<u>Sc. City</u>
Date:	<u>Nov 21</u>
Company:	
Fax No.:	
Comments:	<u>8891-Assays</u>

Post-it®

fax pad 7903E



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY ETK 94-869

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

3-Nov-94

ATTENTION: J. MILLER-TAIT

34 Core samples received 20 October, 1994
Samples Submitted By: C. Church

ET #.	Tag #	Au (g/t)	Au (oz/t)	As
4	95204	2.46	0.072	-
25	95225	1.82	0.053	-
28	95228	2.80	0.082	0.92
31	95231	1.06	0.031	-


FEED FAX THIS END

FAX	
To:	<u>Jini</u>
Dept.:	<u>Levon</u>
Fax No.:	<u>228-2334</u>
No. of Pages:	
From:	<u>Sandy</u>
Date:	<u>Nov 3</u>
Company:	
Fax No.:	
Comments:	<u>869-Assays</u>
Post-It™	fax pad 7803E

FAX @ 238-2334

XLS/Levon


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAYS ETK 94-888

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

9-Nov-94


ATTENTION: C. CHURCH

41 Core samples received 25 October, 1994
Samples Submitted By: C.L.C.
Client Project Number: BRX

ET #.	Tag #	Au (g/t)	Au (oz/t)
3	95237	2.46	0.072
4	95238	1.25	0.036
7	95241	1.34	0.039
16	95250	1.71	0.050
36	95270	0.84	0.024

FAX @ 238-2334

XLS/Levon


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY ETK 94-564

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

August 16, 1994

ATTENTION: J. MILLER-TAIT

8 CORE samples received August 9, 1994

ET #.	Tag #	Au (g/t)	Au (oz/t)
1	95905	2.52	0.073

FAX @ 238-2334

XLS/Levon



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY ETK 94-623

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

31-Aug-94


ATTENTION: J. MILLER-TAIT

57 ROCK samples received August 23, 1994

ET #.	Tag #	Au (g/t)	Au (oz/t)
20	95932	1.01	0.029
21	95933	2.51	0.073
22	95934	1.98	0.058
23	95935	1.61	0.047
24	95936	17.34	0.506
34	95946	1.69	0.049

FAX @ 238-2334

XLS/Levon



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY ETK 94-916

LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

10-Nov-94

ATTENTION: C. Church

8 Sludge samples received November 1, 1994
Samples Submitted By: C.L.C.
Client Project Number: B.R.X.

ET #.	Tag #	Ag (g/t)	Ag (oz/t)
3	94-BRX-2 : 156-166	47.7	1.39

FAX @ 238-2334

XLS/Levd

FEED FAX THIS END

FAX

To:	<u>Levon</u>
Dept.:	<u>Levon</u>
Fax No.:	<u></u>
No. of Pages:	<u>1</u>
From:	<u>Sandy</u>
Date:	<u>Nov 14</u>
Company:	<u></u>
Fax No.:	<u></u>
Comments:	<u>916 - Ag</u>

J. Pezzotti
ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

1-Sep-94

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557

Values in ppm unless otherwise reported

LEVON RESOURCES ETK 623
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

57 ROCK samples received August 23, 1994

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	95913	0.6	4.07	25	15	<5	1.27	2	37	74	113	5.85	<10	2.94	1101	2	<.01	16	480	8	<5	<20	9	0.32	<10	209	<10	<1	93
2	95914	<2	4.70	15	10	<5	1.91	2	40	57	110	6.59	<10	3.54	1298	<1	<.01	19	480	8	<5	<20	8	0.31	<10	251	<10	<1	89
3	95915	<2	4.00	15	15	<5	1.24	2	37	77	99	6.38	<10	2.69	1232	2	<.01	13	500	8	<5	<20	11	0.34	<10	266	<10	<1	88
4	95916	<2	4.36	10	25	<5	1.20	2	41	82	88	6.45	<10	3.33	1409	<1	<.01	32	520	8	<5	<20	11	0.32	<10	236	<10	<1	90
5	95917	<2	3.74	10	10	<5	2.17	2	24	122	38	5.77	<10	1.75	1160	3	<.01	3	660	6	<5	<20	12	0.33	<10	178	<10	3	84
6	95918	<2	3.33	<5	10	<5	1.19	1	35	90	74	6.33	<10	2.39	964	2	<.01	10	420	8	<5	<20	10	0.39	<10	278	<10	<1	72
7	95919	<2	5.13	20	10	<5	0.66	1	34	141	45	8.15	<10	4.00	1527	<1	<.01	31	440	8	<5	<20	10	0.22	<10	236	<10	<1	108
8	95920	<2	4.94	45	5	<5	0.39	2	36	111	132	7.50	<10	4.33	1658	<1	<.01	21	360	8	<5	<20	8	0.13	<10	221	<10	<1	128
9	95921	0.6	3.35	2515	10	<5	0.16	22	45	52	93	8.58	<10	2.44	1820	<1	<.01	18	360	6	<5	<20	7	0.01	<10	147	<10	<1	174
10	95922	<2	4.45	180	10	<5	1.12	2	35	121	61	5.92	<10	3.35	1610	1	<.01	22	350	4	<5	<20	19	0.15	<10	178	<10	<1	141
11	95923	<2	5.02	160	10	<5	0.50	3	44	139	103	6.17	<10	4.29	2188	<1	<.01	36	330	4	<5	<20	12	0.18	<10	215	<10	<1	223
12	95924	<2	3.06	70	5	<5	0.35	2	24	60	447	9.75	<10	1.42	791	2	<.01	5	710	8	<5	<20	7	0.14	<10	153	<10	<1	62
13	95925	1.8	2.79	540	15	<5	0.34	6	30	99	460	7.09	<10	1.80	1142	4	<.01	8	600	6	<5	<20	7	<.01	<10	92	<10	<1	75
14	95926	<2	4.06	105	15	<5	0.96	2	34	143	97	5.95	<10	3.40	1513	3	<.01	24	610	4	<5	<20	16	0.18	<10	170	<10	<1	125
15	95927	<2	4.99	25	5	<5	0.11	2	35	250	42	10.50	<10	4.26	1509	<1	<.01	29	390	10	<5	<20	2	0.13	<10	188	<10	<1	241
16	95928	<2	4.96	40	<5	<5	0.19	1	41	212	22	10.70	<10	4.49	1937	2	<.01	33	370	10	<5	<20	3	0.05	<10	255	<10	<1	180
17	95929	<2	1.50	40	5	10	0.59	2	14	134	95	>15	<10	0.40	268	8	<.01	6	280	16	<5	<20	25	0.06	<10	127	<10	<1	59
18	95930	1.0	2.97	875	10	10	1.53	8	34	155	89	7.47	<10	2.48	2144	4	<.01	19	350	6	<5	<20	28	<.01	<10	115	<10	<1	145
19	95931	0.6	2.97	420	10	10	3.14	4	29	229	63	6.19	<10	3.10	1423	<1	<.01	45	340	4	<5	<20	55	<.01	<10	133	<10	<1	95
20	95932	1.2	1.48	1155	20	<5	2.97	10	24	82	61	5.81	<10	1.40	1168	2	<.01	20	340	4	<5	<20	49	<.01	<10	64	<10	<1	71
21	95933	1.8	0.67	5920	20	5	2.73	46	39	215	70	6.51	<10	0.67	1901	7	<.01	59	140	8	<5	<20	60	<.01	<10	47	<10	<1	84
22	95934	1.6	0.59	5185	25	<5	2.44	39	35	205	112	6.79	<10	0.45	2124	7	<.01	53	360	10	<5	<20	47	<.01	<10	42	<10	<1	90
23	95935	1.6	0.61	4050	20	5	7.17	31	28	154	49	6.10	<10	0.62	2244	4	<.01	42	520	12	<5	<20	53	<.01	<10	47	<10	<1	127
24	95936	19.4	0.44	2955	20	10	5.86	24	25	204	83	5.50	<10	0.50	1695	8	<.01	34	390	74	<5	<20	54	<.01	<10	45	<10	<1	130
25	95937	0.2	5.09	255	15	<5	1.62	3	39	83	111	7.43	<10	4.25	2099	<1	<.01	31	560	8	<5	<20	19	<.01	<10	238	<10	<1	187

LEVON RESOURCES ETK 623

Eco-Tech Laboratories Ltd.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	95938	0.2	4.09	100	15	5	0.40	2	33	93	184	6.90	<10	3.25	1790	2	<.01	20	650	4	<5	<20	8	<.01	<10	180	<10	<1	151
27	95939	0.2	1.15	80	15	<5	0.49	1	12	63	27	4.88	<10	0.53	1150	2	<.01	2	1040	4	<5	<20	16	<.01	<10	64	<10	<1	91
28	95940	0.4	0.55	2195	25	<5	4.38	17	10	81	25	3.78	<10	0.18	1279	4	<.01	2	970	6	<5	<20	38	<.01	<10	21	<10	5	66
29	95941	0.4	1.85	80	15	<5	1.21	2	14	99	43	4.97	<10	1.06	1211	4	<.01	3	1040	4	<5	<20	16	0.03	<10	61	<10	<1	96
30	95942	<2	4.74	50	5	<5	0.76	1	31	60	47	8.04	<10	4.49	1820	<1	<.01	8	600	8	<5	<20	10	0.30	<10	295	<10	<1	173
31	95943	0.2	4.66	35	5	<5	0.94	1	33	142	125	6.37	<10	4.62	1754	<1	<.01	40	420	6	<5	<20	12	0.21	<10	193	<10	<1	148
32	95944	<2	1.54	75	5	<5	0.23	1	17	178	35	3.49	<10	1.66	306	4	<.01	22	510	2	<5	<20	5	0.02	<10	84	<10	4	24
33	95945	0.4	0.33	1860	20	<5	0.26	14	17	318	25	2.69	<10	0.14	612	17	<.01	23	260	4	<5	<20	8	<.01	<10	35	<10	<1	19
34	95946	1.2	0.62	3545	35	<5	1.05	25	26	161	53	4.78	<10	0.35	1197	7	<.01	27	590	6	<5	<20	25	<.01	<10	48	<10	<1	39
35	95947	<2	1.24	180	25	<5	0.27	2	18	123	95	4.23	<10	0.82	573	5	<.01	31	460	4	<5	<20	8	0.02	<10	69	<10	<1	32
36	95948	<2	3.20	65	30	<5	1.57	2	30	97	75	6.30	<10	2.72	1247	<1	<.01	34	520	4	<5	<20	20	0.01	<10	169	<10	<1	71
37	95949	0.8	4.76	50	25	<5	1.04	1	34	104	115	7.09	<10	4.16	1220	<1	<.01	33	490	4	<5	<20	14	0.01	<10	199	<10	<1	97
38	95950	0.2	0.44	25	15	<5	0.15	1	4	89	8	1.76	<10	0.25	363	4	<.01	3	220	4	<5	<20	8	0.01	<10	18	<10	6	23
39	95951	<2	2.30	65	15	<5	0.52	1	28	370	61	3.31	<10	2.17	789	6	<.01	69	230	2	<5	<20	7	0.19	<10	122	<10	<1	35
40	95952	<2	3.18	120	25	<5	1.27	2	32	205	63	5.04	<10	2.56	1180	4	<.01	41	700	4	<5	<20	17	0.32	<10	216	<10	<1	69
41	95953	<2	1.69	150	25	5	0.69	2	17	80	61	4.42	<10	0.90	723	2	<.01	24	390	<2	<5	<20	12	<.01	<10	82	<10	<1	68
42	95954	<2	1.21	55	30	<5	0.28	1	13	93	31	3.88	<10	0.49	708	5	<.01	9	440	4	<5	<20	9	<.01	<10	50	<10	<1	62
43	95955	0.2	0.41	30	20	5	0.14	1	5	135	19	2.96	<10	0.07	778	8	<.01	4	470	2	<5	<20	7	<.01	<10	18	<10	3	67
44	95956	<2	3.64	15	<5	<5	0.99	1	45	103	233	6.45	<10	2.41	872	5	<.01	4	500	2	<5	<20	25	0.20	<10	156	<10	<1	38
45	95957	<2	4.69	15	15	<5	4.22	1	32	174	96	5.89	<10	4.49	1053	<1	<.01	36	380	<2	<5	<20	16	0.06	<10	207	<10	<1	67
46	95958	0.2	4.54	15	35	<5	2.19	1	34	74	100	6.65	<10	4.71	1335	<1	<.01	30	470	4	<5	<20	15	<.01	<10	190	<10	<1	79
47	95959	0.6	0.88	<5	60	10	11.70	1	22	49	58	5.85	<10	4.85	1602	<1	<.01	19	320	8	<5	<20	71	<.01	<10	100	<10	<1	53
48	95960	<2	2.38	20	40	5	0.60	1	37	66	135	6.80	<10	1.18	1391	1	<.01	35	490	4	<5	<20	10	0.01	<10	216	<10	<1	88
49	95961	0.2	5.82	30	20	<5	2.07	2	31	74	138	7.10	<10	4.78	1338	<1	<.01	29	490	6	<5	<20	15	0.02	<10	165	<10	<1	91
50	95962	0.2	4.90	20	20	<5	3.14	1	36	86	150	5.94	<10	3.98	1024	2	<.01	30	430	8	<5	<20	13	0.15	<10	233	<10	<1	82
51	95963	<2	3.56	15	10	<5	3.24	2	30	101	75	5.70	<10	3.07	931	2	<.01	20	310	4	<5	<20	19	0.05	<10	183	<10	<1	65
52	95964	<2	5.32	20	10	<5	4.79	<1	34	61	85	5.74	<10	3.67	947	<1	<.01	22	460	6	<5	<20	15	0.26	<10	245	<10	<1	67
53	95965	<2	4.75	10	105	<5	1.81	1	33	70	100	6.53	<10	3.55	1125	2	<.01	21	450	4	<5	<20	9	0.15	<10	244	<10	<1	69
54	95966	<2	1.46	45	20	<5	6.88	2	32	54	87	5.79	<10	2.83	1059	<1	<.01	30	390	6	<5	<20	52	<.01	<10	130	<10	<1	68
55	95967	<2	1.80	15	15	5	5.29	2	31	38	94	6.10	<10	1.56	1111	<1	<.01	21	400	4	<5	<20	27	0.03	<10	185	<10	<1	65
56	95968	<2	3.43	20	30	<5	1.10	1	32	55	107	6.73	<10	2.41	1296	<1	<.01	24	450	2	<5	<20	10	0.13	<10	236	<10	<1	62
57	95969	0.2	0.61	20	15	<5	7.19	1	15	181	66	3.03	<10	2.41	595	11	<.01	13	240	2	<5	<20	33	<.01	<10	55	<10	<1	30

August 12, 1994

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax: 604-573-4557

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	95905	<2	0.93	7135	10	<5	0.42	36	30	118	6	7.74	<10	0.56	1213	6	<.01	23	690	8	<5	<20	12	<.01	<10	66	<10	8	15
2	95906	<2	0.23	305	20	<5	0.09	2	7	205	20	2.93	<10	0.03	673	9	<.01	5	290	38	<5	<20	4	<.01	<10	15	<10	4	38
3	95907	<2	0.29	385	15	<5	2.32	2	9	202	32	3.19	<10	0.40	697	10	<.01	5	400	18	<5	<20	29	<.01	<10	19	<10	6	64
4	95908	<2	0.86	35	15	<5	0.41	<1	13	126	41	4.43	<10	0.83	189	5	<.01	12	310	4	<5	<20	14	0.2	<10	144	<10	<1	11
5	95909	<2	1.47	<5	5	<5	9.98	<1	18	267	37	2.99	<10	3.18	680	<1	<.01	17	190	<2	<5	<20	181	<.01	<10	83	<10	<1	22
6	95910	<2	0.23	80	10	<5	5.34	<1	4	190	5	1.69	<10	1.70	671	8	<.01	3	210	8	<5	<20	92	<.01	<10	5	<10	4	16
7	95911	<2	2.22	35	<5	<5	1.29	<1	33	58	38	6.47	<10	2.99	739	4	<.01	14	730	22	<5	<20	6	0.56	<10	240	<10	8	42
8	95912	<2	0.18	<5	<5	<5	>15	<1	1	58	7	0.31	<10	0.26	313	2	<.01	<1	40	<2	<5	<20	383	<.01	<10	5	<10	<1	1

QC DATA:

Repeat:																													
1	95905	<2	0.94	7580	10	<5	0.51	34	34	120	5	8.55	<10	0.59	1230	6	<.01	25	720	10	<5	<20	13	<.01	<10	74	<10	10	15
Standard 1991		1.4	1.9	80	165	<5	2.00	<1	23	72	83	4.1	<10	1.18	767	<1	<.01	19	720	30	<5	<20	65	0.15	<10	92	<10	5	65

XLS/Levon Resources


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.S. Certified Assayer

2001.

3-Nov-94

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557

Values in ppm unless otherwise reported

Et #.	Tag #	Au ppb	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	St	Tl %	U	V	W	Y	Zn
1	95201	65	0.6	5.03	35	25	45	4.82	<1	32	50	127	6.36	<10	5.80	1061	<1	0.01	34	280	622	25	<20	45	<0.1	<10	134	<10	<1	114
2	95202	95	1.4	3.80	195	25	45	4.62	<1	28	71	115	5.61	<10	4.76	1088	<1	0.01	37	250	1454	20	<20	97	<0.1	<10	119	<10	<1	108
3	95203	40	1.6	3.08	75	30	45	4.68	<1	33	58	469	8.98	<10	4.52	2306	<1	0.01	37	320	42	15	<20	141	<0.1	<10	154	<10	<1	216
4	95204	>1000	1.0	1.24	4010	20	45	7.46	3	29	28	92	5.94	<10	3.82	1929	<1	0.01	29	210	96	30	<20	307	<0.1	<10	97	<10	<1	120
5	95205	150	1.0	2.42	525	20	45	3.37	<1	28	41	293	7.59	<10	3.38	1827	<1	0.02	10	420	38	20	<20	108	<0.1	<10	130	<10	<1	102
6	95206	525	0.6	2.43	1290	25	45	3.24	1	34	38	403	7.99	<10	3.28	1609	1	0.02	14	370	116	20	<20	86	<0.1	<10	136	<10	<1	111
7	95207	45	<2	3.43	30	25	20	1.31	<1	37	69	25	8.52	<10	3.87	1559	<1	0.02	16	300	64	15	<20	11	0.09	<10	187	<10	<1	134
8	95208	60	<2	4.03	5	20	20	1.53	<1	35	110	12	8.36	<10	4.73	1824	<1	0.01	44	120	66	20	<20	11	0.12	<10	145	<10	<1	148
9	95209	10	<2	4.17	45	20	20	1.00	<1	41	198	14	8.24	<10	5.35	1637	<1	0.02	60	150	36	20	<20	3	0.14	<10	152	<10	<1	131
10	95210	35	<2	2.51	45	20	30	0.96	<1	61	102	13	11.30	<10	2.93	1028	<1	0.01	31	90	52	5	<20	8	0.12	<10	105	<10	<1	83
11	95211	60	<2	3.19	45	25	30	0.59	<1	53	76	10	9.42	<10	3.78	1326	<1	0.02	25	250	36	15	<20	<1	0.19	<10	186	<10	<1	108
12	95212	15	<2	3.20	45	25	45	2.45	8	53	180	182	11.20	<10	3.91	1238	<1	0.01	60	50	16	20	<20	21	0.09	<10	116	<10	<1	1454
13	95213	15	<2	2.73	10	20	10	3.58	5	25	227	46	4.76	<10	3.01	1306	6	<0.1	58	110	22	20	<20	29	0.10	<10	72	<10	<1	527
14	95214	40	<2	4.47	5	15	20	1.27	<1	45	91	57	8.53	<10	5.63	1997	<1	0.02	43	250	26	20	<20	<1	0.13	<10	168	<10	<1	174
15	95215	45	<2	4.33	20	25	15	5.36	<1	37	66	64	7.49	<10	3.96	1118	<1	0.02	21	260	18	25	<20	45	0.13	<10	212	<10	<1	77
16	95216	210	0.8	2.68	2570	25	45	5.49	<1	30	56	91	6.43	<10	2.68	1125	<1	<0.1	32	230	22	20	<20	141	<0.1	<10	77	<10	<1	55
17	95217	40	0.2	3.31	65	35	45	3.93	<1	39	123	497	10.30	<10	3.22	1157	<1	0.02	54	240	18	10	<20	99	0.01	<10	162	<10	<1	67
18	95218	80	0.4	1.72	385	20	5	> 15	<1	17	29	41	4.62	<10	1.50	1426	<1	<0.1	9	150	8	25	<20	690	<0.1	<10	82	<10	<1	20
19	95219	30	<2	3.29	45	25	10	3.42	<1	33	55	16	8.04	<10	3.51	925	<1	0.03	24	320	20	25	<20	34	0.02	<10	197	<10	<1	39
20	95220	40	<2	4.31	360	30	45	4.00	<1	38	47	228	10.50	<10	2.63	1038	<1	0.02	4	270	30	10	<20	41	<0.1	<10	213	<10	<1	55
21	95221	545	0.4	2.72	1805	20	45	6.40	1	33	59	104	6.98	<10	2.47	1125	2	0.03	21	390	18	40	<20	87	<0.1	<10	126	<10	<1	38
22	95222	30	<2	3.47	20	20	15	3.12	<1	42	68	34	6.84	<10	3.34	776	<1	0.02	38	320	32	25	<20	31	0.10	<10	118	<10	<1	50
23	95223	15	<2	3.65	30	25	10	4.15	<1	35	73	65	6.95	<10	3.35	963	<1	0.02	32	300	24	25	<20	33	0.18	<10	156	<10	<1	64
24	95224	410	6.0	2.93	1055	20	45	5.62	<1	27	84	151	5.66	<10	2.93	1017	1	0.01	27	180	84	20	<20	194	<0.1	<10	98	<10	<1	83
25	95225	>1000	1.2	0.36	2970	10	45	3.87	<1	10	139	81	3.50	<10	0.88	570	10	0.01	11	260	10	15	<20	119	<0.1	<10	14	<10	<1	23

FAX											
To:	2604 573 4557										
Dept.:	Eco-Tech Kam.										
Fax No.:	238 22334										
No. of Pages:	Scans										
Date:	Nov 23										
Company:	LEVON RESOURCES LTD.										
Fax No.:	869-1159										
Comments:	Fax and Telex										

LEVON RESOURCES ETK 94-869
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

34 Core samples received 20 October, 1994
Sample Run Date: 28 October, 1994
Samples Submitted By: C. Church

Et #	Tag #	Au		Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn		
		ppb	Ag	Al %	As																									
26	95226	55	<2	2.02	115	30	<5	4.69	<1	29	61	302	9.02	<10	0.95	724	3	0.02	4	540	20	10	<20	149	<.01	<10	55	<10	<1	25
27	95227	380	1.0	0.80	2520	20	<5	3.06	2	41	124	842	8.87	<10	0.65	453	7	0.03	3	650	10	40	<20	68	<.01	<10	23	<10	<1	20
28	95228	>1000	1.8	0.82	>10000	20	<5	14.20	7	23	56	215	6.33	<10	2.34	2174	2	<.01	9	170	16	30	<20	387	<.01	<10	29	<10	<1	35
29	95229	15	0.8	1.57	55	25	<5	7.22	<1	20	80	2822	6.19	<10	0.18	587	7	0.01	2	840	16	<5	<20	115	0.04	<10	22	<10	<1	13
30	95230	35	<2	3.42	85	20	<5	5.90	<1	33	62	87	6.96	<10	3.22	999	1	0.02	32	290	30	25	<20	87	<.01	<10	144	<10	<1	83
31	95231	>1000	0.6	3.01	3400	25	<5	7.34	2	29	86	141	6.63	<10	2.87	1364	4	<.01	27	230	28	25	<20	172	<.01	<10	87	<10	<1	55
32	95232	70	0.6	1.71	545	15	<5	4.20	<1	17	82	204	5.97	<10	1.03	908	6	0.02	5	880	16	15	<20	96	<.01	<10	27	<10	<1	32
33	95233	60	1.4	1.61	390	15	<5	3.99	<1	19	99	291	5.83	<10	0.55	833	6	0.03	2	770	16	10	<20	78	<.01	<10	18	<10	5	36
34	95234	65	<2	2.93	25	10	<5	3.68	<1	36	234	352	5.03	<10	3.05	979	<1	<.01	106	120	28	25	<20	22	0.08	<10	81	<10	<1	69

QC DATA:Repeat:

1	95201	-	0.6	5.01	45	30	<5	5.28	<1	35	55	133	6.99	<10	6.15	1154	<1	0.01	34	290	644	35	<20	51	<.01	<10	146	<10	<1	125
---	-------	---	-----	------	----	----	----	------	----	----	----	-----	------	-----	------	------	----	------	----	-----	-----	----	-----	----	------	-----	-----	-----	----	-----

Standard 1991

-	1.2	1.95	75	170	5	1.89	<1	21	67	83	4.33	<10	1.04	723	<1	0.02	24	710	22	>5	<20	61	0.13	<10	83	<10	1	76
---	-----	------	----	-----	---	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

9-Nov-94

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
 Fax : 604-573-4557

Values in ppm unless otherwise reported

LEVON RESOURCES ETK 94-888
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

41 Core samples received October 25, 1994
 Samples Submitted By: C.L.C.
 Client Project Number: BRX

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	95235	10	<2	3.16	<5	30	20	4.37	<1	34	77	46	5.88	<10	2.87	811	<1	0.02	27	280	18	25	<20	53	0.30	<10	168	<10	6	45
2	95236	15	<2	3.61	15	35	10	7.48	<1	31	54	62	6.09	<10	3.36	1053	<1	0.02	36	230	18	25	<20	94	0.04	<10	165	<10	<1	59
3	95237	>1000	0.8	2.42	935	25	5	2.78	4	25	91	77	5.38	<10	2.51	1006	2	0.02	24	190	16	20	<20	72	<.01	10	112	<10	<1	78
4	95238	>1000	1.2	2.33	1745	35	<5	6.35	8	25	116	188	6.30	<10	2.95	1305	6	0.02	24	190	16	25	<20	229	<.01	10	89	<10	<1	51
5	95239	250	0.6	0.70	130	15	<5	6.34	<1	14	150	122	3.87	<10	0.84	903	10	0.03	7	500	4	10	<20	145	<.01	10	15	<10	6	18
6	95240	170	0.6	1.69	25	20	<5	2.87	<1	12	111	133	5.41	<10	0.93	710	7	0.04	2	840	10	5	<20	66	<.01	10	16	<10	2	38
7	95241	>1000	0.6	0.56	7945	15	<5	4.43	32	9	113	139	4.49	<10	0.99	760	7	0.03	3	670	4	20	<20	94	<.01	10	9	<10	5	27
8	95242	100	0.4	2.03	125	25	<5	2.41	1	16	92	604	6.06	<10	1.25	806	3	0.03	5	630	12	10	<20	59	<.01	20	44	<10	<1	43
9	95243	80	1.0	0.60	190	20	<5	3.50	2	22	100	252	5.33	<10	1.18	825	5	0.02	7	620	4	15	<20	104	<.01	10	23	<10	<1	37
10	95244	60	0.2	4.72	20	30	10	2.85	<1	35	91	108	5.61	<10	4.34	834	<1	0.03	39	270	36	25	<20	3	0.24	<10	153	<10	4	55
11	95245	40	<2	3.86	15	35	5	3.87	3	32	170	115	5.69	<10	4.10	1241	<1	0.02	56	190	26	30	<20	19	0.13	<10	161	<10	5	380
12	95246	30	<2	4.47	20	25	<5	9.20	<1	16	79	67	2.96	<10	1.39	432	<1	0.01	21	220	30	20	<20	17	0.17	<10	135	<10	5	16
13	95247	60	0.6	2.21	225	30	<5	8.19	2	31	199	77	5.06	<10	5.05	1804	<1	0.02	96	130	10	30	<20	222	<.01	<10	67	<10	<1	175
14	95248	90	0.6	3.29	120	35	<5	4.24	1	33	160	93	6.17	<10	4.73	1255	3	0.03	66	170	20	25	<20	118	<.01	10	143	<10	<1	112
15	95249	810	1.6	1.03	1920	35	5	8.24	9	28	134	81	5.53	<10	3.97	1797	6	0.02	45	260	42	35	<20	440	<.01	20	52	<10	<1	195
16	95250	>1000	0.8	0.61	2780	15	<5	5.33	12	14	210	96	3.23	<10	2.36	1156	4	0.02	19	380	2	20	<20	171	<.01	<10	36	<10	<1	159
17	95251	80	0.4	1.46	185	30	<5	5.05	7	29	104	163	5.63	<10	2.81	1336	6	0.03	33	290	8	25	<20	138	<.01	20	87	<10	<1	1165
18	95252	370	<2	2.96	15	30	<5	3.88	<1	29	88	46	6.09	<10	3.44	1609	<1	0.03	29	280	18	25	<20	43	<.01	20	142	<10	<1	176
19	95253	70	<2	1.98	155	30	<5	6.14	2	34	132	101	6.10	<10	3.38	1477	<1	0.02	60	220	16	25	<20	153	<.01	10	112	<10	<1	354
20	95254	60	<2	2.42	55	20	10	2.25	3	29	171	71	4.27	<10	2.75	1009	<1	0.02	38	90	22	20	<20	20	0.16	10	115	<10	2	286
21	95255	550	0.8	1.03	2440	30	<5	8.31	10	23	99	109	4.86	<10	2.69	1579	1	0.02	23	300	6	30	<20	259	<.01	20	49	<10	<1	241
22	95256	5	<2	3.30	25	20	<5	2.80	3	35	183	225	5.08	<10	3.92	1436	<1	0.02	55	220	24	25	<20	32	0.22	10	136	<10	2	297
23	95257	5	<2	2.85	10	25	<5	1.00	<1	33	86	732	5.47	<10	3.18	1533	<1	0.02	24	240	24	25	<20	27	0.26	10	124	<10	4	128
24	95258	20	<2	3.44	20	25	10	2.48	<1	28	137	36	5.52	<10	4.02	1941	<1	0.01	31	140	26	25	<20	20	0.25	20	152	<10	4	117

E003/007

ECO-TECH KAM.

B604 573 4557

11/10/84 09:56

LEVON RESOURCES ETK 94-888

Eco-Tech Laboratories Ltd.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
25	95259	15	<2	3.68	170	25	15	3.90	1	33	105	23	6.53	<10	4.54	2302	<1	0.01	33	200	28	25	<20	55	0.13	10	164	<10	<1	133	
26	95260	5	<2	0.86	20	10	<5	1.01	<1	7	111	8	3.01	<10	0.60	447	5	0.06	4	480	8	10	<20	12	<.01	<10	17	<10	5	47	
27	95261	630	0.6	1.87	3535	30	5	10.10	15	27	70	51	5.63	<10	4.11	2446	3	<.01	25	190	14	40	<20	277	<.01	10	56	<10	1	57	
28	95262	10	0.2	0.87	15	15	<5	1.22	<1	7	180	18	3.03	<10	0.61	480	3	0.06	6	480	12	<5	40	17	<.01	<10	14	<10	5	52	
29	95263	10	<2	0.66	<5	10	<5	1.12	<1	7	86	16	2.84	<10	0.49	394	4	0.05	2	460	8	5	<20	17	<.01	<10	12	<10	3	36	
30	95264	5	4.0	2.91	70	20	<5	1.60	40	27	416	5630	5.09	<10	3.17	1082	<1	0.01	109	390	22	25	60	28	0.02	<10	97	<10	<1	4239	
31	95265	40	<2	0.86	5	15	<5	1.41	1	8	92	37	3.06	<10	0.75	443	3	0.05	10	470	8	15	<20	24	<.01	<10	18	<10	3	90	
32	95266	<5	<2	3.11	80	30	<5	5.29	3	35	151	208	6.53	<10	4.17	1563	<1	0.02	60	210	30	25	<20	75	<.01	<20	20	164	<10	<1	309
33	95267	<5	<2	1.68	30	15	<5	2.55	1	15	196	71	3.56	<10	1.97	881	8	0.04	35	340	16	25	<20	33	<.01	<10	53	<10	2	208	
34	95268	5	<2	0.60	115	10	<5	1.25	1	6	202	70	2.77	<10	0.55	381	4	0.04	7	430	6	<5	60	19	<.01	<10	12	<10	1	91	
35	95269	340	0.6	1.41	1645	30	<5	6.28	8	26	80	104	5.00	<10	3.14	1281	<1	0.01	48	210	12	25	<20	184	<.01	20	68	<10	<1	176	
36	95270	>1000	1.6	0.81	4245	20	<5	8.17	18	27	60	74	4.88	<10	3.46	1592	<1	0.01	48	220	8	35	<20	285	<.01	20	47	<10	<1	107	
37	95271	10	<2	2.66	90	25	<5	1.80	3	34	94	293	6.25	<10	2.86	1451	<1	0.01	13	270	26	25	<20	29	0.23	10	133	<10	1	320	
38	95272	20	<2	2.62	10	25	<5	2.31	2	37	142	318	6.54	<10	2.76	1441	<1	0.01	12	260	24	25	<20	26	0.21	20	123	<10	2	239	
39	95273	15	<2	2.02	100	25	<5	11.10	4	17	74	123	4.46	<10	1.71	1350	<1	<.01	11	210	14	20	<20	303	0.05	<10	87	<10	1	175	
40	95274	10	<2	2.22	20	15	10	1.82	<1	33	163	113	4.77	<10	2.20	1142	<1	<.01	28	200	22	20	<20	38	0.21	10	88	<10	2	148	
41	95275	5	<2	2.34	20	20	<5	1.87	1	34	106	109	4.98	<10	2.35	1198	<1	<.01	28	210	22	20	<20	37	0.22	10	91	<10	2	157	

QC/DATA:Repeat:

1	95235	5	<2	3.20	5	30	15	4.50	<1	36	79	52	6.15	<10	2.89	842	<1	0.02	29	310	22	30	<20	50	0.30	<10	169	<10	6	50
22	95256	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
39	95273	-	<2	1.97	95	20	<5	10.70	3	16	73	120	4.36	<10	1.67	1325	<1	<.01	10	200	14	20	<20	293	0.05	<10	86	<10	<1	176

Standard:

-	1.4	1.83	75	170	<5	1.80	1	21	66	88	4.26	<10	0.95	686	<1	0.02	29	700	22	5	<20	61	0.13	10	82	<10	5	78
---	-----	------	----	-----	----	------	---	----	----	----	------	-----	------	-----	----	------	----	-----	----	---	-----	----	------	----	----	-----	---	----

df/886



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

2001/007

8-Nov-94

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	95276	80	0.4	2.44	225	20	10	8.71	2	22	65	12	4.95	<10	2.37	975	<1	0.03	20	380	36	425	<20	164	0.02	<10	165	<10	3	28
2	95277	<5	0.4	0.47	55	5	<5	0.76	<1	3	102	3	1.58	<10	0.31	352	7	0.05	3	130	8	155	<20	3	<.01	<10	5	<10	1	25
3	95278	<5	0.2	0.19	30	10	<5	0.86	<1	2	110	2	1.49	<10	0.26	334	4	0.05	4	130	4	25	40	7	<.01	<10	2	<10	<1	25
4	95279	<5	<.2	1.62	55	15	15	9.31	<1	20	46	2	3.98	<10	1.19	357	<1	0.06	5	210	14	30	<20	24	0.12	<10	89	<10	1	12
5	95280	50	<.2	1.76	355	20	10	> 15	2	24	62	9	4.37	<10	3.29	812	<1	0.03	29	270	10	40	<20	88	<.01	<10	80	<10	<1	24
6	95281	45	<.2	0.52	170	<5	<5	4.91	1	3	89	3	1.85	<10	0.31	350	7	0.04	4	90	4	25	<20	15	<.01	<10	8	<10	<1	26
7	95282	130	0.4	0.32	700	<5	<5	2.01	3	2	96	2	1.85	<10	0.16	346	4	0.04	3	80	2	5	20	6	<.01	<10	2	<10	<1	34
8	95283	245	0.4	0.22	1265	<5	<5	0.90	5	2	94	2	1.78	<10	0.14	303	7	0.04	2	80	2	<5	20	9	<.01	<10	1	<10	<1	34
9	95284	60	0.2	0.47	300	<5	<5	1.83	2	3	118	4	1.92	<10	0.27	372	4	0.04	4	120	4	5	20	18	<.01	<10	3	<10	1	26
10	95285	<5	<.2	2.21	10	20	<5	5.04	<1	17	61	21	4.03	<10	1.56	564	4	0.03	9	360	18	35	<20	82	0.01	<10	52	<10	5	24

QC DATA:

Repeat

1 95276

Standard

XLS/Levon
df#886

FAX		TO: <u>John T. Smith</u>	
DEPT:	<u>Marketing</u>	FAX No.: <u>717-555-1234</u>	
NO. OF PAGES:	<u>7</u>	FROM: <u>Sandy</u>	
DATE:	<u>12/15/98</u>	COMPANY: <u>Antique</u>	
FAX NO. AL:	<u>717-555-1234</u>	FAX NO. CO:	<u>717-555-1234</u>
Comments:	<u>1. Photo of antique chair.</u>		

LEVON RESOURCES ETK 94-918
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: C. CHURCH

10 Core samples received November 1, 1994
Samples Submitted By: C.L.C.

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

001/001

2-Nov-94

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557

Values in ppm unless otherwise reported

FEED FAX THIS END

FAX	
To:	C Church
Dept.:	
Fax No.:	
No. of Pages:	1
From:	Gardiner
Date:	Nov 3,
Company:	
Fax No.:	
Comments:	B.C. - 160
Fax 7802	

LEVON RESOURCES ETK 94-890
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: C. CHURCH

11 Soil samples received 25 October, 1994
Samples Submitted By: C.L.C.
Client Project Number: B.R.X.

Et #. Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1 GPZ 01	<2	1.84	145	105	<5	0.39	2	18	51	77	3.03	<10	0.77	446	<1	0.02	53	580	18	15	<20	21	0.12	<10	60	<10	1	145
2 GPZ 02	<2	1.68	180	70	<5	0.41	1	16	52	71	3.17	<10	0.68	257	<1	0.02	45	230	14	15	<20	19	0.13	<10	66	<10	3	84
3 GPZ 03	<2	1.95	120	95	<5	0.24	<1	17	53	47	3.04	<10	0.65	222	<1	0.01	58	540	16	10	<20	14	0.10	<10	64	<10	2	102
4 GPZ 04	<2	2.04	170	100	5	0.31	1	22	58	64	3.12	<10	0.90	422	<1	0.01	54	320	16	15	<20	10	0.11	<10	66	<10	1	85
5 GPZ 05	<2	2.14	265	105	<5	0.34	1	21	59	72	3.27	<10	0.78	349	<1	0.02	70	210	16	10	<20	15	0.14	<10	65	<10	<1	120
6 GPZ 06	<2	1.33	45	100	<5	0.27	<1	12	37	48	2.44	<10	0.55	196	<1	0.01	38	180	10	10	<20	11	0.11	<10	55	<10	<1	57
7 GPZ 07	<2	1.92	55	120	<5	0.27	<1	20	57	72	3.25	<10	0.77	254	<1	0.01	66	390	14	15	<20	16	0.13	<10	66	<10	<1	88
8 GPZ 08	<2	2.18	70	120	5	0.25	<1	21	61	66	3.35	<10	0.83	265	<1	0.01	72	960	18	10	<20	13	0.13	<10	68	<10	<1	116
9 GPZ 09	<2	0.73	20	45	<5	0.37	<1	9	35	38	2.47	<10	0.41	180	<1	0.01	18	660	6	5	<20	15	0.07	<10	59	<10	2	35
10 GPZ 10	<2	1.57	40	80	<5	0.34	<1	16	46	76	3.01	<10	0.70	308	<1	0.01	40	470	12	15	<20	14	0.11	<10	68	<10	1	71
11 94 GPS 01	2.8	1.24 >10000	85	15	0.51	94	54	34	93	13.30	<10	0.45	2519	<1	<0.01	59	480	32	10	<20	38	<0.01	<10	56	<10	19	55	

QC DATA:

Repeat:

1 GPZ 01 <2 1.77 155 95 <5 0.37 1 17 51 60 3.03 <10 0.74 425 <1 0.02 52 540 18 10 <20 18 0.12 <10 61 <10 1 125

Standard 1991: 1.4 1.88 80 170 <5 1.83 1 21 66 89 4.28 <10 0.96 709 <1 0.02 29 710 24 5 <20 65 0.13 <10 81 <10 4 84

11/04/94 09:08 09:08 09:08

XLS/Levon
dt#6446


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

Q 001

8-Nov-94

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557

Values in ppm unless otherwise reported

ECO-TECH KAN.

Q 604 573 4557

11/10/94 12:19

XLS/Levon
df#886

FEED FAX THIS END											
FAX											
To:	Jim	Dept.:	100-202	Fax No.:		No. of Pages:	1	From:	Sandy	Date:	Nov 10
Company:		Fax No.:		Comments:	ICP STAN Q16						
FAX PAGE ONE											

LEVON RESOURCES ETK 94-916
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: C. CHURCH

8 Sludge samples received November 1, 1994
Samples Submitted By: C.L.C.
Client Project Number: B.R.X.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	94-BRX-1 : 156-166	210	22.6	2.67	740	60	<5	5.60	5	35	85	265	7.24	<10	3.01	1588	23	0.04	75	300	22	30	<20	178	<.01	20	108	20	<1	253
2	94-BRX-2 : 146-156	220	15.2	3.97	75	50	5	6.52	2	34	179	113	5.60	<10	3.87	1217	8	0.08	68	190	34	25	<20	66	0.20	<10	156	<10	5	153
3	94-BRX-2 : 156-166	940	>30	1.86	1625	35	<5	6.66	8	28	89	182	6.07	<10	3.61	1744	51	0.05	47	260	16	30	<20	313	<.01	20	85	30	<1	251
4	94-BRX-3 : 166-178	800	8.0	3.71	165	40	5	3.59	1	37	89	115	7.35	<10	3.83	1429	7	0.07	40	310	36	25	<20	56	0.10	10	170	<10	<1	134
5	94-BRX-4 : 86-96	770	12.6	3.32	1000	30	5	3.72	5	36	81	123	6.90	<10	3.15	958	7	0.05	38	280	38	30	<20	62	0.23	10	151	30	3	73
6	94-BRX-4 : 96-106	60	8.8	3.34	220	40	<5	3.94	2	36	47	639	9.46	<10	2.05	1066	7	0.05	25	500	26	20	<20	102	0.05	20	106	20	<1	50
7	94-BRX-7 : 96-106	260	18.2	3.98	365	45	<5	5.94	2	35	68	144	7.37	<10	3.20	1191	14	0.05	46	270	32	35	<20	87	0.13	<10	169	<10	2	69
8	94-BRX-7 : 106-116	410	24.6	4.13	735	45	<5	4.29	4	36	89	273	8.59	<10	3.23	1388	23	0.05	40	340	38	25	<20	94	0.04	20	162	<10	<1	86

QC DATA:

Repeat:

1 94-BRX-1 : 156-168 220 28.0 2.67 760 60 <5 5.69 6 35 86 272 7.33 <10 3.02 1607 25 0.04 78 320 24 30 <20 180 <.01 10 108 20 <1 258

Standard 1991:

- 1.2 1.87 80 175 5 1.86 2 22 69 85 4.10 <10 0.96 707 <1 0.02 24 760 30 5 <20 61 0.13 <10 83 <10 5 78


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

31-Oct-94

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557

Values In ppm unless otherwise reported

LEVON RESOURCES ETK 94-889
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: C. CHURCH

2 Rock samples received 25 October, 1994
Sample Run Date: 28 October, 1994
Samples Submitted By: C.L.C.
Client Project Number: B.R.X.

Et #.	Tag #	Au																												
		ppb	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	94 GPR 01	>1000	0.6	0.15	>10000	10	<5	>15	70	6	67	12	2.25	<10	0.95	1731	4	0.01	3	400	<2	35	<20	1118	<.01	<10	10	<10	8	11
2	94 GPR 05	>1000	>30	0.01	>10000	40	<5	0.08	1000	58	69	3404	13.70	<10	<.01	12	5	<.01	9	<10	<2	100	<20	<1	<.01	20	3	<10	<1	39

QC DATA:

Repeat:

1 94 GPR 01

-	0.6	0.14	>10000	15	<5	>15	67	6	69	20	2.28	<10	0.93	1730	5	0.01	3	400	<2	30	<20	1096	<.01	<10	10	<10	7	9
---	-----	------	--------	----	----	-----	----	---	----	----	------	-----	------	------	---	------	---	-----	----	----	-----	------	------	-----	----	-----	---	---

Standard 1991

-	1.2	1.77	200	160	<5	1.70	2	19	62	87	4.15	<10	0.92	668	<1	0.02	28	630	20	10	<20	59	0.12	<10	78	<10	5	76
---	-----	------	-----	-----	----	------	---	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

XLS/Levon Resources
df#3111



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

August 17, 1994

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557

Values in ppm unless otherwise reported

LEVON RESOURCES ETK 587
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

22 SOIL samples received August 9, 1994

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	L17+2SS:17+00 E	<2	2.85	25	65	<5	0.70	<1	28	118	92	4.58	<10	1.89	480	<1	0.02	69	230	44	10	<20	22	0.28	<10	114	<10	17	68
2	L17+2SS:17+20 E	<2	3.39	150	65	<5	0.69	1	34	105	101	5.64	<10	2.28	579	<1	0.02	52	230	48	5	<20	25	0.30	<10	148	<10	17	89
3	L17+2SS:17+40 E	<2	>15	45	150	<5	0.74	<1	40	221	110	6.42	<10	4.76	719	<1	0.01	60	<10	<2	15	<20	41	0.26	<10	165	<10	13	91
4	L16+7SS:17+00 E	<2	3.61	45	35	<5	0.70	<1	32	188	122	6.40	<10	3.08	544	<1	0.01	67	200	44	15	<20	25	0.16	<10	149	<10	10	66
5	L16+7SS:17+10 E	<2	>15	45	125	<5	0.72	<1	37	229	152	7.05	<10	3.49	660	<1	0.01	57	<10	<2	5	<20	24	0.17	<10	191	<10	11	66
6	L16+7SS:17+20 E	<2	3.46	10	80	<5	0.59	<1	31	178	107	5.40	<10	2.60	615	<1	0.02	45	350	50	10	<20	34	0.18	<10	143	<10	10	62
7	L16+7SS:17+30 E	<2	4.02	15	70	<5	0.62	<1	33	182	124	5.82	<10	3.03	781	<1	0.02	55	160	46	10	<20	21	0.19	<10	169	<10	12	64
8	L16+7SS:17+40 E	<2	>15	45	135	<5	0.85	<1	41	267	165	6.59	<10	4.18	966	<1	0.02	67	<10	<2	10	<20	23	0.24	<10	190	<10	15	68
9	L16+7SS:17+50 E	<2	3.34	20	65	<5	0.59	<1	45	138	123	6.19	<10	2.62	1120	<1	0.01	70	150	50	5	<20	20	0.25	<10	177	<10	14	68
10	L16+7SS:17+60 E	<2	2.58	775	85	<5	0.87	7	43	67	138	7.68	<10	1.28	1294	<1	0.01	55	270	38	<5	<20	39	0.15	<10	146	<10	14	102
11	L16+7SS:17+70 E	0.4	2.69	220	45	<5	1.29	2	40	21	190	11.90	<10	1.21	571	<1	<.01	35	270	54	<5	<20	56	0.04	<10	266	<10	14	132
12	L16+7SS:17+80 E	<2	3.60	20	80	<5	0.54	<1	42	98	178	6.27	<10	1.71	449	<1	0.01	76	250	56	<5	<20	21	0.28	<10	134	<10	13	90
13	L16+7SS:17+90 E	<2	3.58	50	90	<5	0.49	<1	46	99	137	5.83	<10	1.78	630	<1	0.01	82	520	56	<5	<20	19	0.27	<10	131	<10	12	96
14	L16+7SS:18+00 E	<2	3.07	25	190	<5	0.56	<1	35	72	68	5.13	<10	1.36	649	<1	0.01	72	220	44	<5	<20	24	0.31	<10	114	<10	13	110
15	RDSHW01	<2	1.05	40	50	<5	0.29	<1	14	102	27	2.39	<10	1.47	304	6	0.01	109	440	16	10	<20	10	0.09	<10	43	<10	5	40
16	RDSHW02	<2	1.11	90	65	<5	0.34	<1	19	124	40	2.78	<10	1.64	379	16	0.02	152	460	22	15	<20	20	0.09	<10	45	<10	5	46
17	L33+80S:0+50 E	<2	3.16	40	180	<5	0.31	<1	42	51	96	4.77	<10	1.03	1764	<1	0.01	51	1120	54	<5	<20	23	0.19	<10	90	<10	12	224
18	L33+80S:0+60 E	<2	3.44	20	290	<5	0.38	<1	37	46	97	4.85	<10	1.39	1704	<1	0.01	47	650	50	5	<20	20	0.39	<10	117	<10	18	185
19	L33+80S:0+70 E	<2	2.44	15	145	10	0.29	<1	28	33	58	3.64	<10	0.89	914	<1	0.01	36	1050	46	<5	<20	17	0.24	<10	78	<10	11	160
20	L33+80S:0+80 E	<2	2.48	50	180	<5	0.24	<1	29	29	57	3.41	<10	0.71	936	<1	0.01	31	1360	50	<5	20	27	0.18	<10	72	<10	13	183
21	L33+80S:0+90 E	<2	2.85	30	150	<5	0.31	<1	26	49	75	4.19	<10	1.22	621	<1	<.01	46	910	48	5	<20	17	0.21	<10	89	<10	10	176
22	L33+80S:1+00 E	<2	2.49	20	145	5	0.32	<1	23	49	65	3.74	<10	1.16	730	<1	0.01	46	770	42	<5	<20	15	0.22	<10	82	<10	11	138

LEVON RESOURCES ETK 623

Eco-Tech Laboratories Ltd.

QC DATA:

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
<i>Repeat:</i>																													
1	95913	0.4	4.32	30	15	<5	1.40	2	42	80	115	6.20	<10	3.10	1118	3	<.01	18	500	10	<5	<20	10	0.38	<10	218	<10	<1	98
39	95951	<.2	2.24	65	15	<5	0.58	2	29	407	61	3.60	<10	2.30	810	6	<.01	73	220	<2	<5	<20	7	0.18	<10	133	<10	2	35
<i>Standard 1991</i>																													
		1.2	2.00	70	175	<5	2.00	2	21	72	82	4.17	<10	1.06	759	<1	<.01	19	750	18	<5	<20	62	0.14	<10	86	<10	6	76
		1.4	1.80	60	165	<5	2.00	2	20	70	80	4.17	<10	1.02	722	<1	<.01	19	700	18	<5	<20	64	0.13	<10	84	<10	4	76

XLS/Levon Resources



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

df/623

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
------	-------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:

Repeat:

1	95970	<2	3.24	<5	15	10	1.07	1	33	35	83	5.37	<10	3.59	738	<1	0.02	47	320	2	20	<20	<1	0.20	<10	101	<10	3	59
---	-------	----	------	----	----	----	------	---	----	----	----	------	-----	------	-----	----	------	----	-----	---	----	-----	----	------	-----	-----	-----	---	----

Standard 1991		1.2	1.76	70	155	5	1.81	1	19	66	89	4.03	<10	0.95	665	<1	0.02	24	680	18	5	<20	53	0.11	<10	77	<10	8	75
---------------	--	-----	------	----	-----	---	------	---	----	----	----	------	-----	------	-----	----	------	----	-----	----	---	-----	----	------	-----	----	-----	---	----

XLS/Levon Resources

df/6493



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

22-Nov

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557


LEVEL RESOURCES LTD E.9
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

19 ROCK samples received August 30, 1994

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	95970	<2	3.21	<5	10	15	1.14	<1	32	34	85	5.19	<10	3.55	701	<1	0.02	45	320	4	20	<20	<1	0.22	<10	103	<10	5	57
2	95971	<2	3.06	<5	15	15	1.45	<1	32	38	49	4.78	<10	3.04	638	<1	0.03	60	270	<2	20	<20	<1	0.28	<10	105	<10	6	48
3	95972	<2	1.55	<5	15	10	0.62	<1	15	85	39	3.77	<10	0.88	507	<1	0.04	5	440	<2	10	<20	6	0.14	<10	40	<10	8	27
4	95973	<2	2.34	<5	15	15	0.56	<1	21	64	59	5.57	<10	2.04	862	<1	0.03	13	550	<2	10	<20	2	0.14	10	75	<10	5	41
5	95974	<2	2.95	<5	20	10	0.49	<1	33	73	111	6.62	<10	2.77	1113	<1	0.02	26	410	<2	10	<20	<1	0.14	10	118	<10	2	50
6	95975	<2	2.69	<5	20	<5	0.81	<1	30	52	174	5.25	<10	2.38	769	<1	0.05	21	320	<2	10	<20	7	0.16	<10	102	<10	1	32
7	95976	<2	2.73	<5	15	10	1.09	<1	23	53	54	4.92	<10	2.51	821	<1	0.02	23	270	<2	10	<20	<1	0.14	<10	109	<10	<1	32
8	95977	<2	1.39	<5	10	<5	0.80	<1	33	102	86	3.93	<10	1.26	408	<1	<.01	13	170	<2	10	<20	21	0.16	20	62	<10	<1	21
9	95978	0.6	0.15	280	5	5	0.07	2	12	185	38	4.21	<10	0.09	132	25	<.01	7	<10	2	<5	<20	<1	<.01	10	8	<10	<1	9
10	95979	0.2	0.31	185	5	<5	0.09	1	5	169	41	2.24	<10	0.05	482	14	0.02	11	200	<2	<5	<20	<1	<.01	<10	9	<10	2	12
11	95980	<2	1.27	45	20	15	2.61	2	28	48	21	6.80	<10	1.45	910	1	0.02	22	240	<2	5	<20	31	0.02	10	133	<10	3	34
12	95981	0.4	0.67	20	5	<5	0.14	<1	6	119	15	2.16	<10	0.24	182	12	0.04	5	200	<2	<5	<20	<1	<.01	<10	7	<10	3	10
13	95982	<2	1.89	<5	10	15	1.41	<1	16	55	8	5.24	<10	1.50	573	<1	0.04	8	770	<2	10	<20	3	0.11	10	69	<10	10	28
14	95983	<2	3.46	<5	25	25	0.31	<1	39	89	29	8.05	<10	2.90	868	<1	0.02	35	390	<2	10	<20	<1	0.08	20	126	<10	<1	51
15	95984	<2	2.02	<5	15	15	0.53	<1	30	64	37	5.36	<10	1.83	552	<1	0.02	21	330	<2	<5	<20	8	0.14	10	106	<10	<1	34
16	95985	<2	2.87	<5	15	5	0.51	<1	33	83	89	5.95	<10	2.72	855	<1	0.02	31	270	<2	15	<20	4	0.13	10	124	<10	<1	61
17	95986	<2	2.27	<5	15	<5	0.59	<1	31	52	276	4.99	<10	2.01	692	<1	0.02	20	350	2	10	<20	10	0.15	10	106	<10	<1	48
18	95987	1.2	2.61	3735	50	5	0.29	19	41	125	56	7.38	<10	2.10	1261	2	0.02	56	300	4	10	<20	5	0.01	10	102	<10	<1	55
19	95988	3.2	1.58	3010	35	<5	0.20	15	32	63	21	5.66	<10	1.17	1402	2	0.02	36	270	40	10	<20	<1	<.01	20	74	<10	<1	72



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY ETK 94-949


LEVON RESOURCES
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

21-Nov-94

ATTENTION: J.Miller-Tait

12 Rock samples received November 15, 1994
Samples Submitted By: Calvin

ET #.	Tag #	Au (g/t)	Au (oz/t)
8	95308	1.39	0.041 - Vein
12	95312	3.98	0.118 - H.W. of vein


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

XLS/Levon

21-Nov-94

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 2J3

Phone: 604-573-5700
Fax : 604-573-4557

Values in ppm unless otherwise reported

BRX
+way-side

LEVON RESOURCES ETK 84-849
General Delivery
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. Miller-Tait

12 Rock samples received November 15, 1994
Samples Submitted By: Calvin

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
1	95301	85	0.4	0.35	65	10	<5	7.2	3	2	118	35	1.21	<10	0.25	637	8	0.01	5	120	246	10	<20	421	<.01	<10	4	<10	2	364	
2	95302	2255	0.4	1.14	635	130	<5	0.46	6	30	217	76	4.89	<10	0.92	854	6	0.02	240	840	70	15	60	22	0.01	10	61	<10	2	228	
3	95303	210	<2	0.59	730	140	5	0.47	6	13	62	23	4.24	<10	0.37	1062	3	0.04	51	950	90	5	<20	33	0.02	<10	44	<10	3	196	
4	95304	250	0.4	0.47	1475	160	<5	0.39	9	11	87	17	4.19	<10	0.11	780	4	0.05	22	1090	74	<5	20	27	<.01	10	29	<10	4	165	
5	95305	265	0.6	0.31	2625	165	10	1.08	17	10	34	12	3.96	<10	0.26	1455	3	0.03	14	1000	152	15	<20	37	<.01	20	26	<10	5	168	
6	95306	555	0.2	0.78	2195	15	<5	6.3	13	5	189	18	1.65	<10	0.71	852	8	<.01	9	70	110	20	40	259	<.01	<10	20	<10	<1	69	
7	95307	440	0.4	2.69	1865	50	<5	0.39	11	31	118	98	7.30	<10	1.96	1369	3	0.02	36	420	32	20	<20	11	<.01	20	99	<10	<1	75	
8	95308	>1000	0.6	0.39	3600	30	<5	0.18	21	9	123	191	2.70	<10	0.16	801	10	<.01	10	210	8	<5	40	10	<.01	10	20	<10	3	18	
9	95309	225	<2	4.07	720	50	<5	0.59	5	38	57	158	8.95	<10	2.69	1635	<1	<.01	12	380	44	20	<20	14	0.07	<10	160	<10	7	88	
10	95310	BRX	450	0.6	2.56	1900	50	15	0.18	12	26	103	19	6.79	<10	1.58	1473	2	0.01	25	300	18	10	<20	8	<.01	20	78	<10	<1	48
11	95311	260	0.4	0.20	1490	20	<5	3.29	9	3	161	75	1.10	<10	0.14	1182	12	<.01	8	130	22	<5	40	145	<.01	<10	8	<10	3	27	
12	95312	>1000	1.2	1.66	9230	60	<5	0.35	53	26	94	142	7.35	<10	1.05	1274	6	0.01	25	350	24	15	<20	15	<.01	20	50	<10	2	48	

QC DATA:

Repeal:

1	95301	0.6	0.34	70	15	<5	7.14	3	2	115	35	1.20	<10	0.24	630	8	0.01	4	120	242	5	<20	415	<.01	<10	4	<10	2	362
---	-------	-----	------	----	----	----	------	---	---	-----	----	------	-----	------	-----	---	------	---	-----	-----	---	-----	-----	------	-----	---	-----	---	-----

Standard 1991:

		1.2	1.74	65	160	<5	1.86	1	19	60	86	3.89	<10	0.81	649	<1	0.02	26	680	18	10	<20	59	0.12	<10	78	<10	5	74
--	--	-----	------	----	-----	----	------	---	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

XLS/Levon
d#941

346C

[Signature]
ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

APPENDIX C

Diamond Drill Record

Property : BRX

Hole No. : 94 BRX - 1

Dip Test		
Footage	Reading	Corrected
0	-45°	

Hole No. 94BRX-1	Sheet No. 1	Total Depth 286 ft
Section	Lat.	Logged By C. Church
Date Begun Oct 12, 1994	Dep.	Claim
Date Finished Oct 13, 1994	Bearing 225 °	Core Size NQ
Date Logged Oct. 14, 1994	Elev. Collar 4060 ft	

Depth		Rec.	Description	Core					Sludge			
From ft., (m)	To ft., (m)			Sample No.	From	To	Gold oz/ton., ppb	As ppm	From	To	Gold oz/ton., ppb	As ppm
0 (0)	22 (6.71)	0%	Casing									
22 (6.71)	34 (10.36)	50%	Greenstone - pale green, fine to med. grained, rusty iron oxide calcite stringers (1mm).									
34 (10.36)	42 (12.80)	90%	Dark green Andesite/Basalt; silica flooded. HW and FW contacts a 60° to C/A. Swirling qtz-carbonate veinlets (1-5mm) some fractures contain fine grained py and aspy.									
42 (12.80)	119 (36.27)	95%	Greenstone - pale green, rusty oxidation along fractures which are at random angles to C/A. Alteration envelopes (0.5cm) surrounding carbonate filled fractures (1-2mm). - Silica flooded pyritic zones: 68 - 72 ft 92.5 - 94.5 ft FW contact at 30° to C/A.	95261	121	126	630	3535				
				95262	126	131	10	15				
				95263	131	136	10	< 5				
				95264	136	137	5	20				
				95265	137	141.5	40	5				
119 (36.27)	167 (56.90)	95%	Siliceous grey volcanic, Greenstone? - brecciated, dark grey with occasional qtz-carbonate veinlets (0.2 - 2.0cm) at high angles to C/A. Pyritic with euhedral grains of pyrite (2-3mm) averaging 5%sx over interval. - at 157-159 ft - quartz vein at 75° to C/A. Faulted footwall contact containing gouge over 1.0 ft. - from 150-167 ft there is little brecciation.	95266	141.5	146	< 5	60				
				95267	146	151	< 5	30				
				95268	151	156	5	115				
				95269	156	158.5	340	1645	156	166	210	740

Diamond Drill Record

Property: BRX

Hole No.: BRX - 1

Dip Test		
Footage	Reading	Corrected

Hole No.	94BRX - 1	Sheet No.	2	Total Depth
Section		Lat.		Logged By
Date Begun		Dep.		Claim
Date Finished		Bearing		Core Size
Date Logged	Oct. 14, 1994	Elev. Collar		

Diamond Drill Record

Property : BRX

Hole No. : 94BRX - 2

Dip Test		
Footage	Reading	Corrected
0 ft	-60°	

Hole No.	94BRX-2	Sheet No.	1	Total Depth	376 ft
Section	.	Lat.		Logged By	C. Church
Date Begun	Oct 13, 1994	Dep.		Claim	
Date Finished	Oct 14, 1994	Bearing	225°	Core Size	NQ
Date Logged	Oct 14, 1994	Elev. Collar	4060 ft.		

Diamond Drill Record

Property: BRX

Hole No.: 94BRX-2

Dip Test		
Footage	Reading	Corrected

Hole No.	94BRX-2	Sheet No.	2	Total Depth	376 ft
Section	Lat.	Logged By	C. Church		
Date Begun	Dep.	Claim			
Date Finished	Bearing	Core Size	NQ		
Date Logged	Elev. Collar				

Diamond Drill Record

Property: BRX

Hole No.: 94BRX-3

Dip Test		
Footage	Reading	Corrected
0 ft	-60°	

Hole No.	94BRX-3	Sheet No.	1	Total Depth	276 ft.
Section		Lat.		Logged By	C. Church
Date Begun	Oct 14, 1994	Dep.		Claim	
Date Finished	Oct 15, 1994	Bearing	255°	Core Size	NQ
Date Logged	Oct. 15, 1994	Elev. Collar	4060 ft.		

Depth From ft. (m)	To ft. (m)	Rec.	Description	Core					Sludge			
				Sample No.	From	To	Gold oz/ton., ppb	As ppm	From	To	Gold oz/ton., ppb	As ppm
0	20	0%	Casing									
(6.10)												
20	36	80%	Greenstone / Andesite - fine grained, green. Rusty limonitic (6.10) (10.97) alteration on fractures. Core well broken: fault at 34 ft.									
36	40	90%	Greenstone - Intense qtz-carbonate veining, Distinctive marble (10.97) (12.19) texture of carbonate veining and amygdulitic calcite.									
40	118	90%	Greenstone - fine grained, pale green: much like previous unit (12.19) (35.96) from 20-36 ft. - at 91.5 ft. Quartz vein (1") at 80° to C/A.									
118	135	95%	Grey siliceous, quartz flooded greenstone. Hw contact at 35° to (35.96) (41.14) C/A. FW contact marked by quartz vein (1") at 60° to C/A.	95201	129	131	65	35				
			Several quartz veinlets (1 cm) between 130 - 131 ft. showing multiple episodes of vein replacement (py and aspy in selvage).	95202	134	136	95	195				
				95203	150	153.5	40	75				
				95204	153.5	155.5	0.072 oz/t	4010				
				95205	155.5	160	150	525				
135	276	95%	Greenstone - pale green to grey, occassional carbonate stringers (41.14) (84.12) <1 cm at random angles to C/A.	95206	160	164	525	1290				
			- at 153 ft. Fault gouge (6" wide); grey clay.	95207	164	168	45	30	166	176	800	165
				95208	168	170	60	5				
			- from 152 - 155 ft. numerous thin pyrite stringers at high angles to C/A.	95212	184.5	186	15	<5				
			- from 168 - 170 ft. Zone of brecciated qtz-carbonate veins. HW at 30° to C/A. Sulphides concentrated along vein selvage but	95213	189	191	15	10				

Diamond Drill Record

Property : BRX

Hole No. : 94BRX - 3

Dip Test		
Footage	Reading	Corrected

Hole No.	94BRX-3	Sheet No.	2	Total Depth
Section		Lat.		Logged By
Date Begun		Dep.		Claim
Date Finished		Bearing		Core Size
Date Logged		Elev. Collar		

Diamond Drill Record

Property : BRX

Hole No. : 94BRX - 4

Dip Test		
Footage	Reading	Corrected
0 ft	-45°	

Hole No.	94BRX - 4	Sheet No.	1	Total Depth	126 ft
Section	-	Lat.	-	Logged By	C. Church
Date Begun	Oct 15, 1994	Dep.	-	Claim	-
Date Finished	Oct 15, 1994	Bearing	225°	Core Size	NQ
Date Logged	Oct. 16, 1994	Elev. Collar	3840 ft		

Diamond Drill Record

Property : BRX

Hole No. : 94BRX - 5

Dip Test		
Footage	Reading	Corrected
0 ft	-45°	

Hole No.	94BRX-5	Sheet No.	1	Total Depth	166 ft.
Section	-	Lat.		Logged By	C. Church
Date Begun	Oct 15, 1994	Dep.		Claim	
Date Finished	Oct 16, 1994	Bearing	260°	Core Size	NQ
Date Logged	Oct. 16, 1994	Elev. Collar	3840 ft		

Diamond Drill Record

Property : BRX

Hole No. : 94BRX - 6

Dip Test		
Footage	Reading	Corrected
0 ft	-70°	

Hole No.	94BRX-6	Sheet No.	I	Total Depth	146 ft.
Section		Lat.		Logged By	C Church
Date Begun	Oct 16, 1994	Dep.		Claim	
Date Finished	Oct 16, 1994	Bearing	260°	Core Size	NQ
Date Logged	Oct. 16, 1994	Elev. Collar	3840 ft.		

Diamond Drill Record

Property : BRX

Hole No. : 94BRX - 7

Dip Test		
Footage	Reading	Corrected
0 ft	-60°	

Hole No.	94BRX-7	Sheet No.	1	Total Depth	139 ft
Section		Lat.		Logged By	C. Church
Date Begun	Oct 16, 1994	Dep.		Claim	
Date Finished	Oct 17, 1994	Bearing	225°	Core Size	NQ
Date Logged	Oct. 17, 1994	Elev. Collar	3840 ft		

Diamond Drill Record

Property : BRX

Hole No. : 94BRX - 8

Dip Test		
Footage	Reading	Corrected
0 ft	-45°	

Hole No.	94BRX-8	Sheet No.	1	Total Depth	200 ft
Section		Lat.		Logged By	C. Church
Date Begun	Oct 20, 1994	Dep.		Claim	
Date Finished	Oct 21, 1994	Bearing	130°	Core Size	NQ
Date Logged	Oct. 21, 1994	Elev. Collar	3030 ft.		

Diamond Drill Record

Property : BRX


Hole No. : 94BRX - 9


Dip Test		
Footage	Reading	Corrected
0 ft	-50°	

Hole No.	94BRX-9	Sheet No.	1	Total Depth	316
Section		Lat.		Logged By	C. Church
Date Begun	Oct 21, 1994	Dep.		Claim	
Date Finished	Oct 22, 1994	Bearing	080°	Core Size	NQ
Date Logged	Oct. 23, 1994	Elev. Collar	3050 ft		

23,773







GEOLOGICAL BRANCH ASSESSMENT REPORT

23,773

STRAND RESOURCES LTD.

BRX PROPERTY

BRIDGE RIVER DISTRICT

LILLOOET MINING DIVISION, B. C.

**TRENCH AND
SAMPLE LOCATIONS**

94-T-12 to 94-T-21 & 94-T-100

