



GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORTS

DATE RECEIVED
AUG 23 1995

**1995 ASSESSMENT REPORT
DRAGON PROPERTY**

**GEOLOGICAL MAPPING, LITHOGEOCHEMICAL SAMPLING,
MOSS-MAT SAMPLING AND SOIL SAMPLING**

**ALBERNI AND NANAIMO MINING DIVISIONS
NTS MAP AREAS 92E/16E, 92L/1E
LATITUDE 49° 55' N, LONGITUDE 126° 20' W**

**CLAIM OWNERS
DOROMIN RESOURCES LTD.
EFREM SPECOGNA**

**OPERATOR
WESTMIN RESOURCES LIMITED**

**REPORT BY
MURRAY I. JONES, M.Sc., P.Geo.
DAVID J. PAWLIUK, B.Sc., P.Geo.
WESTMIN RESOURCES LIMITED**

FILMED

AUGUST 16, 1995

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,015

RPT/95-010

TABLE OF CONTENTS

	Page
1.0 SUMMARY	1
2.0 INTRODUCTION	2
2.1 Geography, Physiography and Access	2
2.2 Property Description	2
2.3 Exploration History	6
2.4 Summary of the 1995 Program	6
3.0 GEOLOGY	7
3.1 Regional Geology	7
3.2 Property Geology	8
3.2.1 Geological Units at the Dragon Property	8
3.3 Structure	13
3.4 Mineralization	13
3.5 Interpretation	14
4.0 GEOCHEMICAL SURVEY	14
4.1 Scope of Sampling	14
4.2 Sample Analysis	15
4.3 Results and Interpretation	15
4.3.1 Litho geochemistry	15
4.3.2 Whole Rock Geochemistry	15
4.3.3 Soil Geochemistry	16
4.3.4 Stream Sediment Geochemistry	16
5.0 CONCLUSIONS AND INTERPRETATION	16
6.0 RECOMMENDATIONS	17
7.0 STATEMENT OF EXPENDITURES	19
8.0 REFERENCES	21
9.0 STATEMENTS OF QUALIFICATIONS	22

LIST OF APPENDICES

Appendix		Page
A	Rock Sample Descriptions	A1
B	Whole Rock Analyses and Geochemical Results, Rock Samples	B1
C	Geochemical Results and Statistical Analysis, Soil Samples	C1
D	Geochemical Results and Statistical Analysis, Stream Sediment Samples	D1

LIST OF FIGURES

Figure		Page
1	Location Map	3
2	Claim Map	4
3	Geology (North Half)	(Back Pocket)
4	Geology (South Half)	(Back Pocket)
5	Norgate Grid, Geology	(Back Pocket)
6	Much Grid, Geology	(Back Pocket)
7	Norgate Grid, Lead Soil Geochemistry	(Back Pocket)
8	Norgate Grid, Zinc Soil Geochemistry	(Back Pocket)
9	Norgate Grid, Copper Soil Geochemistry	(Back Pocket)
10	Norgate Grid, Barium Soil Geochemistry	(Back Pocket)
11	Much Grid, Zinc Soil Geochemistry	(Back Pocket)
12	Much Grid, Copper Soil Geochemistry	(Back Pocket)
13	Much Grid, Barium Soil Geochemistry	(Back Pocket)
14a	Copper Stream Sediment Geochemistry (North Half)	(Back Pocket)
14b	Zinc Stream Sediment Geochemistry (North Half)	(Back Pocket)
15a	Copper Stream Sediment Geochemistry (South Half)	(Back Pocket)
15b	Zinc Stream Sediment Geochemistry (South Half)	(Back Pocket)

LIST OF TABLES

Table		Page
1	Dragon Mineral Claims	5

1.0 SUMMARY

The Dragon property is located about 80 kilometres west of Campbell River, British Columbia and approximately 65 kilometres southeast of Westmin Resources Limited's mining operation at Myra Falls. The property consists of 32 staked mineral claims totalling 515 units.

Grid and reconnaissance geological mapping, lithochemical sampling, soil sampling, moss-mat sampling, linecutting and hipchain-and-compass grid surveying were performed during April and May 1995 on the Dragon property. This work was done in two episodes or phases.

Paleozoic Sicker Group volcanic and sedimentary rocks are overlain by Triassic Karmutsen Formation basalt and gabbro of the Vancouver Group. These rocks have been intruded by the Jurassic plutonic Island Intrusions. The stratified rocks generally strike north-northeasterly and dip at moderate to shallow angles to the west.

Myra Formation rocks of the lower Sicker Group, which are favourable for hosting volcanogenic massive sulphide deposits, underlie the Dragon property. Limestone, argillite, rhyolite, dacite, andesite, gabbro and basalt are all present in the Sicker Group rocks at the Dragon property.

Intense pyrite mineralization and wall rock alteration have occurred in the central part of the Norgate grid area. Disseminated pyrite, pyrrhotite, sphalerite and galena were found in silicified rhyolite lapilli tuff-agglomerate stratigraphically above the zone of intense pyrite mineralization. Selected samples of this rock assayed up to 0.7% zinc, 0.46% lead, 49.0 g/t silver and 1.4 g/t gold. More than one interval within the stratigraphic sequence contains base metals. The Falls and North showings, discovered earlier by Noranda Exploration Company, Limited, are stratigraphically above this mineralized zone.

Geochemical lead-, zinc- and copper-in-soil anomalies occur in the Norgate grid area.

A limited amount of logical mapping and rock sampling should be done in areas of interest not examined during spring 1995 due to snow cover at higher elevations. This work should better define the volcanic stratigraphy, and also better define mineralized and altered horizons.

The source of selected geochemical soil anomalies at Norgate grid area should be investigated.

Induced polarization surveying may be required to trace sulphide-bearing target units.

Diamond drilling will be required to test targets resulting from the above work.

Assuming three holes each about 180 metres in length are drilled, the cost of the proposed work is estimated to be \$120,000.

2.0 INTRODUCTION

2.1 Geography, Physiography and Access

The Dragon property is located about 80 kilometres west of Campbell River, British Columbia (Figure 1). The mineral claims are in the Nanaimo and Alberni mining divisions, within NTS map-areas 92E/16E and 92L/1E. They occupy a rectangular area centered near latitude 49° 55' N, longitude 126° 20' W. Access to the property is by gravel logging roads or by helicopter chartered from Gold River.

The Dragon property is between approximately 100 and 1,475 metres (330 and 4,840 feet) above sea level. The area is characterized by moderate to steep slopes and numerous cliffs. The property is covered by mature cedar, hemlock, fir and spruce forest below the treeline at approximately 1,100 metres (3,500 feet) above sea level. Much of the lower areas has been recently logged and is now open clearcut. The area contains numerous streams and a few small lakes.


The region has wet weather conditions. Fieldwork can be performed at lower elevations during most of the year, but the higher areas are snow-covered until June. Snow fell on several days during April 1995.



2.2 Property Description


The Dragon property consists of 32 staked mineral claims totalling 515 units. The claims are shown on Figure 2 and are tabulated in Table 1. The expiry dates shown are those in effect with the current work being applied as assessment.

The claims are owned by Doromin Resources Ltd. of Vancouver and Efrem Specogna of Nanaimo.

The current exploration program was operated by Westmin Resources Limited, holder of an option to acquire an interest in the property.



 Westmin Resources Limited	
Work By	D.J.P. & M.L.A.
Date Drafted	28.07.85
Drafted By	R.A. Ivany
Date Revised	
Revised By	
N.T.S. Number	
File Name	DRAG.LOC
DRAGON PROJECT LOCATION MAP	
	
SCALE 1 : 7,500,000	
Figure 1	



SAGA
327892

TOLMIN 3
327895

TOLMIN 1
327893

TOLMIN
327894

MAYBEE "A"
200816

CANDICE
312843

OLIVER
312842

SUSAN
312844

ANGELA
327889

FEDORA
327891

MUCHACHA N
327887

PLUG
312839

POT
312998

PAN
312999

SMITH
327890

MUCHACHA
327888

ORAGON 1
310429

ORAGON 3
310421

MUCH 1
311005

BRADLY
312840

JEREMY
312841

ORAGON
309275

ORAGON 2
310420

MUCH 2
311006

MUCHACHA
327886

FLY 3
LEMON
334425

FLY 1
310416

NORGATE
FLY 2
310418

FLY 4
334426

COCUMA 2
327885

COCUMA
327884

CLIMON
310453

TRINGO
310455

SIMA
316756

SIMA
316757

MINERAL & PLACER RESERVE
O.C. 1910, 87-07-07
NO STAKING

Head Bay

Moutcha Bay

TUPANA

Dandre Sedde

Resultan

Perpaduitor



**TABLE 1
DRAGON MINERAL CLAIMS**

Claim	Units	Tenure Number	Expiry Date
Angela	20	327889	June 25, 1996
Bradly	16	312840	August 25, 1997
Candice	8	312843	August 26, 1996
Clignon	20	310453	June 12, 1997
Cocuma	16	327884	June 25, 1997
Cocuma 2	16	327885	June 25, 1997
Dragon	18	309275	May 5, 1997
Dragon 2	18	310420	June 19, 1997
Dragon 3	18	310424	June 19, 1997
Dragon 4	18	310429	June 20, 1997
Dus	20	327888	June 25, 1997
Fedora	20	327891	June 25, 1996
Fly 1	16	310416	June 14, 1997
Fly 2	16	310418	June 14, 1997
Fly 3	15	334425	March 15, 1997
Fly 4	6	334426	March 15, 1997
Jeromy	16	312841	August 25, 1997
Much 1	12	311005	June 25, 1997
Much 2	12	311006	June 24, 1997
Muchacha	18	327886	June 26, 1997
Muchacha N	20	327887	July 8, 1997
Oliver	20	312842	August 26, 1996
Pan	18	312999	August 25, 1997
Pot	18	312998	August 25, 1997
Plug	16	312839	August 25, 1996
Smith	20	327890	June 25, 1997
Susan	8	312844	August 26, 1996
Saga	20	327892	July 2, 1996
Tolmin 1	10	327893	July 2, 1996
Tolmin 2	10	327894	July 2, 1996
Tolmin 3	16	327895	July 2, 1996
Trinco	20	310455	June 12, 1997

2.3 Exploration History

Little exploration work was performed within the Dragon property area prior to 1992. The Dragon, Dragon 2, Dragon 3 and Dragon 4 mineral claims were owned by Efram Specogna of Specogna Minerals Inc. at that time. Massive sulphide float discovered south of the Muchalat River by Mr. Specogna was named the Dragon Showing.

Noranda Exploration Company, Limited optioned the Dragon claims in 1992, and conducted an airborne geophysical survey over the property area. Magnetometer, radiometric, resistivity, electromagnetic and VLF-EM surveying was done (Robertson, 1993). Noranda subsequently staked numerous additional mineral claims in the area of interest. Airborne resistivity anomalies were followed up by geological mapping during late 1992.

Noranda conducted detailed mapping, geochemical soil sampling and prospecting from May to July 1993. A succession of felsic and mafic volcanics overlain by sediments and limestone was delineated. Two semi-massive sulphide occurrences, the Falls Showing and the North Showing, were discovered (Kemp and Gill, 1993). The stratigraphy down-dip of the Falls Showing was tested by two diamond drillholes which failed to intersect significant mineralization. Geochemical soil sampling results showed local areas with elevated zinc and copper concentrations along strike both north and south of the Falls Showing.

Noranda performed geological mapping and lithochemical sampling during October 1993. The lithochemical sampling outlined local areas of sodium depletion, potassium enrichment and zinc enrichment within the rocks (Gray, 1994). Gray recommended that detailed geological mapping, lithochemical sampling and ground geophysical surveys be done south of the Falls Showing prior to testing favourable stratigraphic units with diamond drillholes.

2.4 Summary of the 1995 Work Program

In early 1995 Westmin Resources Limited completed a program of geological mapping, soil sampling, lithochemical sampling, moss-mat sampling and linecutting on the Dragon property.

A limited amount of reconnaissance geological mapping was performed during a preliminary geological examination of the property by Westmin in September and October 1994. Geological mapping performed during the property examination is plotted on Figure 5; this work was done along the Leighton Peak ridge.

Between April 2 and May 20, 1995 the following was done on the Dragon property:

The Norgate and Much grids were established by cutting baselines and tielines; hipchain-and-compass surveyed crosslines covered areas of detailed work. Several contour lines with stations at 25-metre intervals were established outside of the grid areas.

At Norgate grid area the baseline is oriented at azimuth 090° (Figure 5); station pickets were surveyed at 25-metre intervals. Crosslines were established at 100-metre intervals with flagged stations at 25-metre intervals.

At Much grid area the baseline is oriented at azimuth 360°; station pickets were also surveyed at 25-metre intervals. The crosslines were put in at 200-metre intervals with flagged stations at 25-metre intervals (Figure 6).

A total of 8.35 line-kilometres of baselines and tielines was cut in the two grid areas. Approximately 32.32 line-kilometres of hipchain-and-compass lines were surveyed on the Dragon property.

The grid areas were geologically mapped and prospected at a scale of 1:5,000. Selected parts of the property outside of the grid areas were also mapped at 1:5,000 and 1:20,000 scale. Topographic maps and airphotos were used for survey control outside of the grid areas.

Concurrent with the prospecting and geological mapping, 86 lithogeochemical samples were collected. Fifty-two of these rocks underwent whole rock analysis as well as lithogeochemical analysis. 1,481 soil samples were collected. Eighty-two stream sediment (moss-mat) samples were collected.

3.0 GEOLOGY

3.1 Regional Geology

The Dragon property is underlain by Paleozoic Sicker Group sediments and volcanic rocks, and by Triassic Karmutsen Formation basalt and gabbro of the Vancouver Group. These rocks have been intruded by the Jurassic plutonic Island Intrusions (Figures 3 and 4). The stratified rocks generally strike north-northeasterly and dip at moderate to shallow angles to the west. Supracrustal rocks in the area are locally characterized by greenschist to amphibolite facies mineral assemblages. Bedrock is covered by thick till and unconsolidated glacio-alluvial deposits in the lower parts of the valleys.

Sicker Group rocks host the volcanogenic massive sulphide orebodies being mined by Westmin Resources Limited at Myra Falls. The mine area is approximately 65

kilometres southeast of the Dragon property. The Sicker Group rocks hosting the zinc-copper deposits at Myra Falls have been described in detail by Walker (1985) and by Juras (1987), among others.

3.2 Property Geology

The geology of the Dragon property is presented on Figures 3 to 6. The property geology is outlined below.

A preliminary geological examination by Stephen Juras of Westmin Resources Limited and by David Caulfield of Equity Engineering Ltd. determined that Myra Formation rocks of the lower Sicker Group, which are favourable for hosting volcanogenic massive sulphide deposits, underlie the Dragon property (Juras, 1994; Caulfield, 1994). Their mapping of the Leighton Peak ridge area is incorporated in Figure 5.

The most extensive section of Sicker Group rocks at the Dragon property occurs as a homoclinal, westerly-dipping sequence along the ridge east of Leighton Peak, between Muchalat River and Norgate Creek in the south-central part of the property (Figure 5). The Sicker Group rocks along the ridge are estimated to be at least 1,600 metres thick. These rocks have been intruded and cut off by large gabbro-diorite bodies of the Island Intrusions at both the eastern and the western ends of the ridge. The eastern intrusive contact has not yet been delineated by geological mapping. However, float in the streams southwest of Muchalat Lake indicates that the contact is perhaps 500 metres or so east of the present eastern limit of mapping. In addition, a sill-like body of diorite and gabbro extends along the base of the north side of the ridge east of Leighton Peak (Figure 5).

Sicker Group rocks elsewhere on the property are of limited extent, and are mainly Buttle Formation limestone with minor argillite (Figures 3 and 4). In several places the Island Intrusions appear to have been emplaced as sill-like features parallel the lower limestone contact. There is little disruption of the Sicker Group rocks along these intrusive contacts.

3.2.1 Geological Units at the Dragon Property

● Quartz Veins

Quartz veins are milky-white to occasionally watery-grey or maroon-grey, and usually up to a few centimetres wide. They form up to 2% of the rock volume, and are most abundant within siliceous rhyolite. A quartz vein at Norgate grid area has a siliceous

alteration envelope 0.5 to 0.75 metres wide which also contains 5 to locally 10% sericite. Quartz veins are only rarely sinuous and deformed.

Quartz veins within andesite often have epidote along selvages. Muscovite flakes to 7 millimetres across are locally present along quartz vein margins within felsic volcanic rock.

- **Late Intrusive Dykes**

Quartz feldspar porphyry, aplite, andesite, diabase and mafic dykes are all present within the Dragon property area, and crosscut all other rock types. The dykes comprise a small portion of the total rock volume on the property. The dykes are steeply dipping and mainly strike approximately easterly, although some strike in other directions. The intrusive dykes locally contain 1% disseminated pyrite. Plagioclase phenocrysts within the feldspar porphyry dykes usually range up to 3 or 4 millimetres in length, are subhedral and off-white on weathered surface. Some of the intermediate feldspar dykes are glomeroporphyritic, with radiating clusters of plagioclase laths.

The age relationship of the dykes to the other igneous rocks within the Dragon property has not been established. The dykes may be in part coeval with the Sicker Group, or may be related to the later Island Intrusions.

- **Island Intrusions**

The Island Intrusion rocks at Dragon property are mainly medium-grained diorite and gabbro. In addition to gabbro and diorite, granodiorite, granite and quartz diorite are also part of the Island Intrusion suite within the Dragon property area (Figures 3 to 6).

These rocks are medium- to locally fine-grained, and relatively fresh with only local weak to moderate chlorite alteration. They contain local traces of finely disseminated pyrite.

- **Karmutsen Formation (Vancouver Group)**

Karmutsen Formation at the Dragon property is dark green to black, generally massive basalt flows and gabbro. The unit is usually magnetic. Locally the rock is pillowed. Karmutsen Formation overlies, and is younger than, the other stratified units (Sicker Group rocks) within the property area. Therefore, these rocks are not overturned.

- **Sicker Group**

- ▶ **Buttle Formation Limestone**

Buttle Formation limestone at Dragon property is pale grey to locally white or medium grey, recrystallized, variably silicified and hard. Locally, as at western Norgate grid area, thin, stylolitic(?), black laminae are present within the limestone. The lowermost limestone sections often contain felsic tuff bands. Argillite lenses and beds up to a few metres thick are also found at several places within limestone.

In many parts of the property the Buttle Formation limestone is the only member of the Sicker Group present, as the units underlying the limestone have been cut off and replaced by the Island Intrusions. These Island Intrusions are often emplaced as sill-like bodies with contacts that appear conformable with the bedding in the limestone. Occasional skarns are found along the limestone/intrusion contact. These skarns locally contain grossular garnet, pyrrhotite, chalcopyrite and sphalerite.

- ▶ **Argillite**

Bands of dark grey to black, thinly bedded and friable argillite occur within the Sicker Group sequence at Norgate grid area. Argillite often appears to have been brecciated by any strain that has been imposed on the rocks. Argillite is the least competent rock within the property area. Faults in argillite are marked by limonitic or graphitic gouge. Fracture surfaces are often bleached. Locally hematite occurs both as disseminated grains and as veinlets along fractures in the argillite. Argillite contains up to 2% finely disseminated pyrite.

- **Rhyolite**

Rhyolite is the most abundant rock type in the Sicker Group rocks along the Leighton Peak ridge (Figure 5). Rhyolite flows, lapilli tuff and ash tuff as well as massive rhyolite are all present. Lateral facies variations occur within rhyolite on the property; such variations also occur at the Myra Falls area. The rhyolite units often have a chalky, weathered surface. The rhyolite is pale brownish-grey to medium greenish-grey, and often has a high silica content. The silica is often bluish-grey. Rhyolite flows often contain siliceous spherules up to a few millimetres across. Flow banding on a millimetre scale is common. Flow breccias were seen in the west-central Norgate grid area. Rhyolite fragmental units locally contain bluish- or watery-grey quartz eyes 2 to 3 millimetres across. Clasts within the fragmentals range up to 25 centimetres across. At 2170E/3530N subround felsic clasts average 5 to 8 centimetres across; here the rock is 70% clasts and 30% matrix.

Rhyolite flows usually have a smooth, weathered surface, and fragmentals a rougher, scalloped weathered surface.

Finely disseminated flakes of sericite occur throughout most of the rhyolite at Dragon property. In most places sericite forms from 1 to 2% of the rock volume. Medium- to fine-grained rhyolite at one site has up to 5% honey-coloured sericite flakes to 1 millimetre across; this rock also has up to 5% pyrite.

Local maroon, dusty, disseminated hematite is found within the matrix of fragmental rhyolite.

Siliceous rhyolite at 2320E/3510N (Figure 5) contains watery-grey, rounded quartz "clasts" 10 to 15 millimetres across. This rock is cut by a breccia dyke which is itself cut by late fractures striking 087°, dipping 67° south; the late fractures and the breccia dyke are crosscut by a later aplite dyke.

Some bands of felsic tuff at Norgate grid area contain up to 50% cordierite as ovoid masses 5 to 10 millimetres diameter; the cordierite weathers out as knobs a few millimetres high on outcrop surfaces. Cordierite is not as abundant within more mafic volcanics in this area. It is uncertain whether or not the cordierite has formed as a result of contact metamorphism adjacent to an underlying intrusion, or as a result of syngenetic hydrothermal alteration. These tuffs locally contain 2 to 3% disseminated pyrite.

Cordierite prisms occur in a mafic lapilli fragment within a boulder of rhyolite lapilli tuff in the central Norgate grid area. Faint green chlorite clots occur in an aphanitic felsic rock at 4150E/3490N in Norgate grid area; this rock also contains red hematite and epidote along fractures.

Black, very fine biotite flakes are locally disseminated within rhyolite at Dragon property. In places this black biotite appears altered to sericite. Purplish, fine-grained biotite was found in fragmental(?) rhyolite near a contact with limestone; this may indicate hornfelsing has occurred. Purplish brown biotite was found at another place in dacite-rhyolite lapilli tuff.

Medium-grained rhyolite or rhyo-dacite at 2245E/3500N in Norgate grid area is spotted by chlorite clots up to a few millimetres across.

Generally rhyolite contains only local traces of pyrite, though up to 2% finely disseminated pyrite is common. Pyrite veinlets are relatively rare. Rhyolite rarely contains up to 5% pyrite. Six to eight percent sooty to finely disseminated pyrite occurs at one site at Norgate grid area. Irregular pyrite masses to 12 millimetres

across occur within rhyolite in a few places. Local patches of orange to orange-brown limonite a few centimetres wide are common on weathered rhyolite outcrop surfaces.

▶ **Dacite**

Dacite at the Dragon property is generally medium-grained. At western Norgate grid area the unit has off-white, subhedral plagioclase phenocrysts averaging 2.5 millimetres across in a fine-grained matrix with green chlorite after hornblende(?). This rock is locally magnetic.

▶ **Andesite**

Andesite lapilli tuff at Norgate grid area contains intermediate and felsic lapilli. The matrix is possibly crystal tuff; it contains clots of dark green chlorite after hornblende(?). Small, brown garnets are present within this rock, which has a light brown, weathered surface. Quartz lenses with epidote selvages and local 1% pyrite occur along fracture surfaces.

Andesite locally contains 1 to 2% finely disseminated pyrite.

The andesite is locally moderately magnetic. It locally contains up to 5% bright, black, finely disseminated biotite flakes.

▶ **Gabbro and Basalt**

Basalt at the Dragon property is fine-grained, dark greenish-grey to black, massive and often moderately magnetic. It generally contains say 5% subhedral plagioclase phenocrysts to 1 millimetre; plagioclase locally comprises up to 10 and 25% of the unit volume. Basalt has locally up to 5 or 8% biotite as finely disseminated black flakes. Dark chlorite clots to 3 millimetres across locally comprise up to 4% of the rock volume.

Gabbro at the Dragon property area is generally dense, fine-grained, massive and is often magnetic.

Abundant exposures of fine-grained gabbro and basalt occur in the eastern Norgate grid area (Figure 5). The extent and stratigraphic position of these mafic rocks have yet to be determined. These rocks may belong to the lower part of the Sicker Group, or possibly they may be part of an Island Intrusion.

3.3 Structure

The stratified rocks at the Dragon property generally strike north-northeasterly and dip at moderate to shallow angles to the west. As Karmutsen Formation rocks overlie the older Sicker Group rocks in a few places, the strata have not been overturned.

The stratified rocks near Leighton Peak dip relatively steeply westwards; perhaps they were disrupted during the emplacement of the diorite-gabbro Island Intrusion on the west side of the peak. There has been little disruption or alteration of Sicker Group rocks resulting from the intrusive events at the Dragon property.

Many of the creek and river valleys at the Dragon property are occupied by steeply dipping faults. These faults trend northeasterly to easterly. Faults are relatively late, and have displaced late intrusive dykes.

A relatively late, healed, easterly trending fault has been mapped along Norgate Creek (Figure 5). The rocks on the south side of this fault have been down-dropped, resulting in an apparent left-lateral displacement across the fault.

A fault striking 146° and dipping 88° northeast at 2795E/3805N at Norgate grid area is marked by 10 centimetres of pale grey, clayey gouge. Moderately abundant orange to red limonite coats weathered fracture surfaces within a couple of metres of this fault.

A weak, north-trending fabric is present at many locales in the Norgate grid area.

3.4 Mineralization

Only sparsely mineralized rocks were found during this phase of geological mapping and prospecting. However, the Falls Showing and other areas at higher elevations were not examined because of extensive snow cover.

Intense pyrite mineralization and wall rock alteration have occurred in the central part of the Norgate grid area (Figure 5). Quartz veins are also relatively abundant. This altered rock may possibly be part of a footwall stringer zone related to a volcanogenic massive sulphide occurrence.

Disseminated pyrite, pyrrhotite, sphalerite and galena were found in silicified rhyolite lapilli tuff-agglomerate stratigraphically above, and west of, the zone of intense pyrite mineralization. The interval with pyrite, pyrrhotite, sphalerite and galena is stratigraphically below the Falls and North showings on the northern side of the Leighton Peak ridge (Figure 5). Select samples (943104, 943105) of the mineralized

rock assayed up to 0.7% zinc, 0.46% lead, 49.0 g/t silver and 1.4 g/t gold (Figure 5; Appendix C).

Several boulders of silicified(?) rhyolite lapilli tuff were found in a creek draining the Leighton Peak ridge about 4 kilometres east of the Falls Showing area (Figure 5). These rocks contain 2 to 5% massive pyrite clasts; no other sulphides were seen in the clasts. Sample 943115 of this material contains 28 ppm zinc and 21 ppm copper. A similar sulphide clast-bearing rock unit, the "ore-clast breccia," occurs 21 to 91 metres stratigraphically above ore-bearing rhyolite beds at Myra Falls. At Myra Falls the sulphide clasts contain chalcopyrite and sphalerite as well as pyrite.

Occasional skarns are found along the limestone/intrusion contact at the Dragon property. These skarns locally contain pyrrhotite, chalcopyrite and sphalerite. Rock sample 943164 is grossular garnet skarn 8 by 80 centimetres along a feldspar porphyry dyke/limestone contact in the Kla-anch Creek area of the northeastern Dragon property. This rock contains 4,170 ppm copper, 324 ppm zinc and 2.8 ppm silver (Figure 3; Appendix D).

3.5 Interpretation

Disseminated pyrite, pyrrhotite, sphalerite and galena occur within silicified rhyolite lapilli tuff stratigraphically below the Falls Showing. A geochemical lead-in-soil anomaly occurs in this area. The zone of intense pyrite mineralization which stratigraphically underlies this occurrence could possibly be part of a feeder stockwork zone associated with a volcanogenic massive sulphide deposit. A pyrite stringer zone has been recognized below the H-W orebody at Myra Falls (Walker, 1985).

The silicified(?) rhyolite lapilli tuff boulders found about 4 kilometres east of the Falls Showing area contain 2 to 5% pyrite clasts. The massive pyrite source for these clasts is within a stratigraphic interval below the tuff. Although no other sulphides were seen within the pyritic clasts, the presumed occurrence of massive sulphide is encouraging. A similar type of rock, the "ore clast breccia," is found at Myra Falls.

4.0 GEOCHEMICAL SURVEY

4.1 Scope of Sampling

All bedrock and float mineralized with significant amounts of sulphide was sampled and analyzed for precious and base metals as part of the geological mapping and prospecting program.

As outcrop is covered by overburden in most low-lying areas on the property, geochemical soil sampling was done to detect any possible buried sulphide mineral occurrences.

Stream sediment samples were taken to provide geochemical data in areas where soil sampling was limited, especially in the northern part of the property where sampling and mapping were done in a reconnaissance fashion.

4.2 Sample Analysis

Eighty-six rocks, 76 stream sediments and 1,481 soils collected during the 1995 work program were analyzed for selected elements by Chemex Labs Ltd., 212 Brooksbank Avenue, North Vancouver, British Columbia. Rock sample descriptions are in Appendix A. Sample locations and results are plotted on Figures 7 to 15b. Certificates of analysis and an outline of the analytical procedures used form Appendices C, D and E. Statistical analyses of soils and stream sediments form part of Appendices D and E, respectively. The -80 mesh size fraction of the soils and stream sediments was analyzed.

4.3 Results and Interpretation

4.3.1 Lithochemistry

Selected rocks contain up to 0.7% zinc, 0.46% lead, 49.0 g/t silver and 1.4 g/t gold (Appendix B). However, most sulphide-bearing rocks sampled have low base and precious metal content.

Rock sample 943164 is a grab of mineralized grossular garnet skarn 8 by 80 centimetres along a feldspar porphyry dyke/limestone contact.

4.3.2 Whole Rock Geochemistry

Whole rock analyses were performed on 52 volcanic rocks from the Dragon property (Appendix B). The results of earlier lithochemical sampling by Noranda showed that rocks collected near the Falls Showing and in the Norgate grid area are enriched in K_2O and depleted in Na_2O .

1995 whole rock sample analyses also shows that the rocks were enriched in K_2O and depleted in Na_2O at Norgate grid area.

4.3.3 Soil Geochemistry

Soils from the Dragon property contain up to 1.2 ppm silver, 370 ppm zinc, 316 ppm lead and 429 ppm copper (Appendix B).

Geochemical soil anomalies are found in several parts of the Norgate grid area.

There are lead- and zinc-in-soil anomalies at east-central Norgate grid area shown on Figures 7 and 8. The Sicker Group rocks underlying these anomalies are stratigraphically below the horizon containing the Falls and North showings. Therefore, more than one interval within the stratigraphic sequence contains base metals.

There is a copper-in-soil anomaly along the base of the slope on the northern side of the Leighton Peak ridge (Figure 9). The source of this anomaly is unknown; it may be a skarn associated with the presumed nearby contact between Sicker Group rocks and intrusive diorite. The soils collected upslope from this anomaly have background levels of copper so the possible bedrock source area for the anomaly is somewhat restricted.

No geochemical soil anomalies were found at Much grid area (Figures 11, 12 and 13).

4.3.4 Stream Sediment Geochemistry

Stream sediments (moss-mat samples) from the Dragon property contain up to 25 ppb gold, 214 ppm zinc, 1,400 ppm lead and 196 ppm copper (Appendix D).

Copper and zinc stream sediment geochemistry results are plotted on Figures 14a, 14b, 15a and 15b. These results show that the sediment in the stream draining the Falls Showing area (sample ST-38) contain anomalous concentrations of copper and zinc.

Stream sediments from areas of Karmutsen Formation rocks often contain anomalous copper concentrations. Copper minerals sometimes occur within amygdules in Karmutsen Formation basalt on Vancouver Island; these occurrences are anomalous but subeconomic.

5.0 CONCLUSIONS AND INTERPRETATION

The main area of Sicker Group rocks on the Dragon property is along the ridge east of Leighton Peak. Elsewhere the Sicker Group is mostly limited to small areas of Buttle Formation limestone.

More than one interval within the stratigraphic sequence contains base metals.

Boulders of silicified(?) rhyolite lapilli tuff were found about 4 kilometres east of the Falls Showing area, on the south side of the Leighton Peak ridge (Figure 5). These rocks contain 2 to 5% pyrite clasts; no other sulphides were seen.

Moss-mat stream sediment sampling is a viable exploration technique at the Dragon property area.

The copper-in-soil anomaly along the base of the slope on the northern side of the Leighton Peak ridge has an unknown source. The possible bedrock source area for the anomaly is restricted. As this anomaly is near the presumed contact between Sicker Group rocks and diorite of the Island Intrusions, it could be skarn-related rather than due to volcanogenic massive sulphide mineralization.

6.0 RECOMMENDATIONS

A two-phase work program with an approximate cost of \$120,000 is recommended for the Dragon property. The main target areas are along the ridge of Sicker Group rocks extending easterly from Leighton Peak.

A limited amount of geological mapping and rock sampling should be completed in areas of interest not examined during spring 1995 because of snow cover at higher elevations. This work should better define the volcanic stratigraphy, and also better define mineralized and altered horizons.

In particular, the stratigraphic interval containing the Falls and North showings should be examined in detail and compared with the mineralized stratigraphic horizons down-section to the east.

The source of the silicified(?) lapilli tuff containing pyrite clasts at eastern Norgate grid area should be found. This stratigraphic interval warrants further sampling and mapping.

The contact between Sicker Group rocks and Island Intrusions in the eastern Norgate grid area should be delineated to determine the amount of favourable stratigraphy present in this area.

The boundaries and character of the mafic rock body in the lower part of eastern Norgate grid area should also be defined. This work should determine if the mafic rock is part of the Sicker Group, or part of a later Island Intrusion.

Geochemical soil sampling should also be done to extend coverage into selected parts of Norgate grid area. The geochemical anomaly at the western side of the clearcut area and the coincident mineralized float should be followed up by more prospecting and hand trenching.

The copper-in-soil anomaly along the base of the slope on the northern side of the Leighton Peak ridge should be investigated to determine its source.

Induced polarization surveying could be done to investigate the source of the geochemical soil anomalies in the Norgate grid area. Induced polarization surveying could also trace sulphide-bearing target units here.

Diamond drilling will be required to test targets resulting from the above work. Assuming two holes about 180 metres in length are completed in the Falls Showing area, and another at Norgate grid area, the cost of the proposed work is estimated to be \$120,000.

7.0 STATEMENT OF EXPENDITURES

	Cost (\$)
Phase I	
Accommodation, meals	5,150.00
Materials and supplies	1,049.00
Equipment and instrument rentals	350.00
Linecutting	5,250.00
Salaries and benefits	
Prefield	
Murray Jones, 7.5 days at \$297 per day	2,227.50
Dave Pawliuk, 3.5 days at \$232 per day	812.00
Kevin Spelay, 1.5 days at \$155 per day	232.50
Field	
Murray Jones, 18 days at \$297 per day	5,346.00
Dave Pawliuk, 18 days at \$232 per day	4,176.00
Kevin Spelay, 16 days at \$155 per day	2,480.00
Jim Snell, 18 days at \$155 per day	2,790.00
Truck rental, 18 days at \$45 per day	810.00
Travel, fuel, repairs	1,300.00
Delivery, shipping and telephone	150.00
Drafting, 25 hours at \$30 per hour	750.00
Maps and publications	1,200.00
Geochemical analyses	
875 soils ICP at \$15 per sample	13,125.00
27 moss-mats ICP at \$18 per sample	486.00
19 whole rocks plus ICP at \$30 per sample	570.00
23 rocks ICP at \$20 per sample	460.00
Total, Phase I	48,714.00
Phase II	
Charter flying (helicopter), 4.4 hours at \$745 per hour	3,278.00

	Cost (\$)
Accommodation, meals	3,843.00
Materials and supplies	811.00
Equipment and instrument rentals	310.00
Linecutting	1,170.00
Salaries and benefits	
Prefield	
Murray Jones, 3 days at \$297 per day	891.00
Dave Pawliuk, 1 day at \$232 per day	232.00
Field	
Murray Jones, 13 days at \$297 per day	3,861.00
Dave Pawliuk, 12 days at \$232 per day	2,784.00
Kevin Spelay, 16 days at \$155 per day	2,480.00
Jim Snell, 16 days at \$155 per day	2,480.00
Postfield	
Murray Jones, 2 days at \$297 per day	594.00
Dave Pawliuk, 12 days at \$232 per day	2,784.00
Truck rental, 16 days at \$45 per day	720.00
Travel, fuel, repairs	872.00
Delivery, shipping and telephone	200.00
Drafting, 16 hours at \$30 per hour	480.00
Maps and airphotos	650.00
Report typing, reproduction	1,000.00
Geochemical analyses	
606 soils ICP at \$15 per sample	9,090.00
55 moss-mats ICP at \$18 per sample	990.00
33 whole rocks plus ICP at \$30 per sample	990.00
9 rocks ICP at \$20 per sample	180.00
Total, Phase II	40,690.00
Grand total	89,404.00

8.0 REFERENCES

Caulfield, D.A., 1994. Doromin Property Examination. Letter report on property examination prepared by Equity Engineering Ltd. for Westmin Resources Limited dated October 11, 1994.

Gray, M.J., 1994. Geological and Lithogeochemical Report on the Specogna-Muchalat Property, NTS 92E/16, Alberni Mining Division. Unpublished B.C. Ministry of Energy, Mines and Petroleum Resources assessment report by Noranda Exploration Company, Limited (no personal liability).

Juras, S., 1994. Dragon Property Visit. Letter report by Westmin Resources Limited dated October 1994.

Juras, S., 1987. Geology of the Polymetallic Volcanogenic Buttle Lake Camp, with Emphasis on the Price Hillside, Central Vancouver Island, British Columbia, Canada. Unpublished Ph.D. thesis, University of British Columbia.

Kemp, R. and G. Gill, 1994. Geological, Geochemical and Diamond Drilling Report on the Specogna-Muchalat Property, NTS 92E/16, Alberni Mining Division. Unpublished B.C. Ministry of Energy, Mines and Petroleum Resources assessment report by Noranda Exploration Company, Limited (no personal liability).

Robertson, K.A., 1993. Combined Airborne Magnetic, Electromagnetic, Radiometric and VLF-M Report on the Muchalat Property. Unpublished B.C. Ministry of Energy, Mines and Petroleum Resources assessment report by Noranda Exploration Company, Limited (no personal liability).

Walker, R.R., 1985. Westmin Resources Limited's Massive Sulphide Deposits, Vancouver Island. Geological Society of America Cordilleran Section Meeting, May 1985, Field Trip Guidebook, pp. 1-1 to 1-13.


9.0 STATEMENT OF QUALIFICATIONS

I, David J. Pawliuk, of Nanoose Bay, in the Province of British Columbia, hereby certify that:

1. I reside at RR 2, Box 133, Garry Oaks, Nanoose Bay, British Columbia, V0R 2R0.
2. I received a B.Sc. in Geology from the University of Alberta, Edmonton, Alberta in 1975.
3. I am registered as a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of the Province of British Columbia.
4. I am registered as a Professional Geologist with the Association of Professional Engineers, Geologists and Geophysicists of the Province of Alberta.
5. I have practised geology in Canada since 1975.

DATED this 16th day of August, 1995 at Vancouver, British Columbia.

David J. Pawliuk

A circular seal for a Professional Geoscientist in the Province of British Columbia. The seal contains the text: "PROFESSIONAL PROVINCE OF D. J. PAWLIUK BRITISH COLUMBIA GEOSCIENTIST".


David J. Pawliuk, B.Sc., P.Geo.

9.0 STATEMENT OF QUALIFICATIONS

I, Murray I. Jones, of the Municipality of Surrey, in the Province of British Columbia, hereby certify that:

1. I am registered as a professional geoscientist with the Association of Professional Engineers and Geoscientists of the Province of British Columbia (registration #20063), residing at 8606 - 144A Street, Surrey, British Columbia, V3S 2Y2 with a business address at #904 - 1055 Dunsmuir Street, P.O. Box 49066, The Bentall Centre, Vancouver, British Columbia, V7X 1C4.
2. I graduated with a B.Sc. (Honours) in Geology from the University of British Columbia, Vancouver, B.C. in 1982 and with a M.Sc. in Geology from the University of Ottawa, Ottawa, Ontario in 1992.
3. I am an associate member of the Geological Association of Canada.
4. I have practised geology in Canada from 1979 to 1995.
5. I directly performed or supervised the work which is described in this report.

DATED this 16th day of August, 1995 at Vancouver, British Columbia.



Murray I. Jones, M.Sc., P.Geo.

APPENDIX A
ROCK SAMPLE DESCRIPTIONS

APPENDIX A

ROCK SAMPLE DESCRIPTIONS

Sample No.	Description
943051	Grab, 3275N/2075E, Norgate area. Argillite at limestone contact in roadcut with approx. 2% f. diss. py and some calc-silicate minerals. Lmnt on wx'd sfc.
943052	Grab for whole rock analysis, 3915E/3505N. Felsic fragmental(?) with qtz eyes and ser. Abund. feldspar.
943053	Grab for whole rock analysis, 4150E/3490N. Light greenish-grey, aphanitic felsic rock with faint clots of green chl and qtz eyes 2-3 mm. Local lmnt, abundant hem and local epidote.
943054	Whole rock, 4825E/3500N. Rhyolite lapilli tuff with 5% feldspar phenos av. <1 mm, max. 2 mm.
943055	Whole rock along creek. Fine-grained rhyolite with local tr diss py. Medium green, f. diss chl throughout; very fine flakes of black biotite present. Rhyolite cut by ands dyke; old Noranda(?) flagging above dyke.
943056	Whole rock upstream of 943055. Dacite-rhyolite lapilli tuff with 3% feldspar grains; mottled greenish-white and purplish-brown (prob. biotite hornfels).
943057	Grab. Rhyolite with py upstream of 943056.
943058	Grab, 3645N/2741E. Medium- to fine-grained massive rhyolite with local 5% f. diss py and up to 5% pale honey-coloured sericite flakes to 1 mm.
943059	Whole rock, 2620E/3465N. Medium-grained felsic crystal tuff(?) with 10% elongate plag phenos to 2 mm. Av. 1%, locally 5% f. diss py, also as occasional vlts. Hairline to 5 mm wide, steeply dipping felsic vlts present.
943060	Whole rock, 2632E/3460N; from roadcut next to 943061.
943061	Whole rock of cordierite-rich felsic tuff(?) band 1.3 m wide. 50% cordierite weathered-out as pale brown ovoid knobs weathered out 5 mm above outcrop surface. 2 to 3% diss py.

- 943062 Whole rock, 3455N/2665E.
- 943063 Grab, 2671E/3288N.
- 943064 Grab, 2775E/3390N. Basalt.
- 943065 Whole rock; dacite tuff.
- 943066 Grab, 3572N/2690E. Bleached felsic volcanic with 4% diss, pale coloured py.
- 943067 Grab of po-py-aspy(?) -cp(?) bearing float in creek.
- 943068 Grab, 2550E/3727N. Rhyolite/rhyo-dacite with diss py and po(?).
- 943069 Grab, 3799N/2595E. Light greenish-grey, fine-grained, hard, siliceous rhyolite tuff(?) with 2 to 4% f. diss py and local traces po. Wkly alt'd rock.
- 943070 Grab, 2790E/3820N. Pale yellowish-cream coloured, soft, intensely altered rhyolite(?) float. Friable rock; near source. Rock fine- to medium-grained, sugary, granular, with 0.5% sericite flakes. 1 to locally 5% finely diss py in fresher portions of bldr; no other sulphides seen. Lmnt on wx'd fracture surfaces. Bldr 4 x 2 x >1 m; grab from several places.
- 943071 Grab 10 m upstream of 943070 above. Similar rock to 943070 except it is a little more competent, possibly silica cemented; altd rhyolite with py.
- 943072 Grab, 1815E/3315N. Siliceous rhyolite(?) band 18 cm wide contains 3% diss and vlt py, say 1% po and cp(?) traces.
- 943073 Grab of siliceous rhyolite (tuff(?)) beds 5 and 15 cm wide that contain py and po as above and local tr cp.
- 943074 Grab, 3700E/4390N. Feldspar-quartz porphyry(?) with 1% py and cp(?).
- 943075 Grab, 4870E/3600N. Somewhat altered, coarse-grained felsic lapilli tuff with lapilli to 20 mm across. 2% py.
- 943101 Whole rock, 3400N/2750E. Mafic-intermed., fine-grained, homogeneous, non-magnetic dyke cutting felsic tuffs.
- 943102 3220E/3310N. Rhyl lapilli tuff close to gabbro contact.

- 943103 2470E/3610N. Grab of strongly altd felsic volc from canyon; fault-controlled alteration(?).
- 943104 2470E/3615N. Grab of qtz stockwork in strongly altd volcanic with 5% py and sph(?).
- 943105 2468E/3620N. Grab of siliceous felsic volcanic with 3-5% py and tr sp.
- 943106 3615N/2375E, Norgate area. Whole rock of rhyolite or dacite flow(?) with high bio-muscv content.
- 943107 1300E/3390N. Whole rock of mafic dyke or flow(?), locally brecciated and serpentized.
- 943108 Grab, 1290E/3380N. Skarn(?), mafic dyke in dacite lapilli tuff(?); dense rock with po and tr cp.
- 943109 Grab, 3395E/4200N. Felsic volc(?) or altd diorite(?), lapilli fragments visible; light grey; 1-3% diss pyrite.
- 943110 Whole rock of quartz-feldspar porphyry dyke(?) or rhyolite flow-tuff.
- 943111 Whole rock of 943110 dyke(?) wallrock 5 m above 943110. Rock felsic crystal lapilli tuff with quartz eyes.
- 943112 Whole rock of dacitic tuff with largely feldspathic matrix; hornfels colour; no sulphides seen.
- 943113 Whole rock, 4990E/3425N. Rhyolite lapilli tuff with quartz eyes in matrix; 10-20% clasts.
- 943114 Whole rock, 4650N/3410E. Rhyolite lapilli tuff/andesite with abundant py in matrix and clasts.
- 943115 Grab; large bldr of siliceous lapilli tuff with py clasts to 20 mm.
- 943116 Whole rock; homogeneous rhyolite lapilli tuff, light grey to brownish, 2-3% py. CL 750-200 m E.
- 943117 Whole rock; rhyolite lapilli tuff, hornfels, patchy biotite, 2% py/po. CL 750-655 m E.

- 943118 Whole rock; CL 750-870 m E; diorite at 060° fault, dior locally chl and carb-
altd.
- 943119 Whole rock; CL 750-850 m E; light grey-blue lapilli tuff with feldspar phenos.
- 943120 Whole rock; Much North Road; feldspar porphyry flow or tuff, locally lapilli-
size clasts, py along fractures.
- 943121 Grab; dark, fine-grained mafic(?) silicified(?) volc with 2-3% disseminated py
and tr cp; ep along fractures.
- 943122 Grab; dark, sulphide-rich rock with 5-8% py, 1% cp, sp(?) on Dragon 3.
- 943123 Grab; cherty, silicified rock with 3-5% streaky, layered po and cp.
- 943124 Whole rock; brecciated, wkly veined rhyolite(?) across creek from limey
sediments.
- 943125 Whole rock; feldspar-quartz porphyry with mafic lapilli(?) or xenoliths(?).
- 943126 Whole rock, Much Grid area. Dark brown fresh sfc, light green wx'd sfc, fine-
grained, tuff bed with minor felsic lapilli.
- 943127 Whole rock; massive, feldspar phyric flow overlying layered tuff.
- 943128 Whole rock; feldspar-quartz porphyry with 15-20% feldspars, 50% quartz in
light green matrix. Falls East area, at ST-34 site.
- 943129 Whole rock; light bluish green-grey, feldspathic layered volcanic with fine-
grained and porphyritic layers. Falls East area.
- 943130 Whole rock; altered rhyolite or silicified limestone(?) near intrusive contact;
pink garnet(?) or poss. K-spar, muscovite, chlorite. North side of South
Muchalat River.
- 943131 Whole rock; rhyolite or chert below Karmutsen Formation; light blue, lmnt
along fract. At ST-29 site.
- 943132 Whole rock; Karmutsen Formation massive hornfels basalt with poss. layering;
wkly magnetic; dark green. Kla-anch area.

- 943133 Grab; upper(?) Sicker lapilli tuffs and argillite below Karmutsen; py and po along fractures.
- 943134 Whole rock; poss. rhyolite; whitish to grey mottled, local qtz vlt; argillaceous(?).
- 943135 Whole rock; lapilli tuff/agglomerate with strong qtz-bio hornfels, minor po, py.
- 943136 Whole rock; dark mafic volcanic with feldspar phenos, and abundant qtz vlt. At ST-54 site.
- 943137 Whole rock; ash or xtal rhyolite tuff, homogeneous, wk fabric.
- 943138 Whole rock; layer in rhyolite with 1-2% diss po, py; dark purplish-brown to tan; silicified(?); intermediate hornfelsed rock(?).
- 943139 Whole rock; felsic tuff with abundant feldspar phenos in a light grey to tan matrix.
- 943140 Whole rock; fractured and brecciated massive rhyolite flow; interlayered with ash tuff and cherty tuff.
- 943141 Whole rock; aphanitic cherty tuff possibly with no internal structure.
- 943142 Whole rock; large block of rhyolite flow-breccia with porphyritic blocks in aphanitic, cherty matrix; 90% matrix, 10% clasts in sample.
- 943143 Whole rock; homogeneous, diorite(?) with abundant feldspar; possibly andesite-dacite in fine-grained matrix.
- 943144 Grab; limonitic outcrop at base of slope; collected by Jim Snell.
- 943151 Grab of limonitic, silicified felsic volcanic with po, gn, py. Locally to 3% po and 0.5% gn; tr py. Sample from 4 sites within 2 m of contact with diorite (60%)-gabbro (40%) intrusive. Healed, silicified tectonic breccia or healed fault along contact.
- 943152 Whole rock, 7530N/6470E. Light greenish-grey, medium-grained feldspar porphyry with local perv. ep within 10 cm of fractures. Subhedral feldspar phenos say 15%, av. 1.5 mm length.

- 943153 Whole rock of light brownish-grey, fine-grained sugary rhyolite tuff. No sulphides seen.
- 943154 Whole rock of argl/gwke(?), 6325E/7410N. Rock very fine-grained, dark brownish-grey; no sulphides seen.
- 943155 Whole rock of somewhat porphyritic rhyolite flow(?) with local siliceous spherules.
- 943156 Whole rock, 7410N/5695E. Rhyolite lapilli tuff(?).
- 943157 Grab, 8200N/5760E. From 6 sites over 1 m². Dark brownish-grey cherty argillite 90%, medium-grained rhyolite tuff 10% as interbands to 20 cm thick. Traces diss po in argillite. Py vlt to 1 x 10 mm, py also local diss traces. Lmnt on wx'd outcrop sfc.
- 943158 Whole rock, 8215N/5615E. Fine-grained gabbro(?) with euhedral plagioclase laths, similar in appearance to andesite; prob. near feldspar porphyry contact.
- 943159 Whole rock; intermed. greenish-grey volcanic (andesite(?)) with local traces disseminated pyrite and occasional quartz veinlets. Rock more silicified and bleached towards centre of creek; poss. shear underlying creek. 120 m upstream of 8200N/5625E.
- 943160 Grab of argillite with po, py. N of creek.
- 943161 Whole rock, 8990N/5670E. Light chalky-grey wxing, light grey fresh sfc, fine-grained ash tuff with traces diss py; orange lmnt on wx'd sfc; siliceous; weak N-trending fabric.
- 943162 Grab of light green, fine-grained rhyolite with 2-3% py, occ. splash cp at both sides of bridge.
- 943163 Grab of garnet skarn with epidote and orange lmnt, blue manganese oxides.
- 943164 Select sample of po-cp-sp massive sulphide band 8 x 80 cm along margin of feldspar porphyry dyke in contact with Buttle Formation limestone. Dyke/limestone contact discrete but more irregular than other dyke contacts seen on the Dragon property. Approx. 8 m along strike from Noranda sample site 9 (1(?)) 572N.
- 943165 Grab of silicified, ep-altd andesite(?) with 3-5% v. f. diss py.

- 943166 Grab of quartz eye rhyolite(?) tuff, prob. somewhat silicified, with limonite; loc'n approx 10 m N of creek.
- 943167 Whole rock. Dark green-grey, fine- to medium-grained, wkly chl-altd, massive, non-magnetic. Gabbro nearby; unsure if basalt is xenolith of finer-grained part of flow.
- 943520 Grab, 8270N/5500E. Argillite with 5% combined, finely disseminated pyrite and pyrrhotite; moderately magnetic, medium brownish-grey, locally cherty.

APPENDIX B
WHOLE ROCK ANALYSES AND GEOCHEMICAL RESULTS
ROCK SAMPLES



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

A9517221

Comments: ATTN: M. JONES

CERTIFICATE

A9517221

(GP) - WESTMIN RESOURCES LTD.

Project: 6004
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 26-MAY-95.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
208	29	Assay ring to approx 150 mesh
226	29	0-3 Kg crush and split
3204	29	Save 1 Kg reject for 90 days
298	29	ICP - AQ Digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
2118	29	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2120	29	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2123	29	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2128	29	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2131	29	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2136	29	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2140	29	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	29	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2149	29	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000
902	29	Al2O3 %: XRF	XRF	0.01	100.00
906	29	CaO %: XRF	XRF	0.01	100.00
2590	29	Cr2O3 %: XRF	XRF	0.01	100.00
903	29	Fe2O3 %: XRF	XRF	0.01	100.00
908	29	K2O %: XRF	XRF	0.01	100.00
905	29	MgO %: XRF	XRF	0.01	100.00
1989	29	MnO %: XRF	XRF	0.01	100.00
907	29	Na2O %: XRF	XRF	0.01	100.00
909	29	P2O5 %: XRF	XRF	0.01	100.00
901	29	SiO2 %: XRF	XRF	0.01	100.00
904	29	TiO2 %: XRF	XRF	0.01	100.00
910	29	LOI %: XRF	XRF	0.01	100.00
2540	29	Total %	CALCULATION	0.01	105.00
4076	29	Ba ppm: XRF	XRF	20	50000
4077	29	Rb ppm: XRF	XRF	10	50000
4078	29	Sr ppm: XRF	XRF	10	50000
4079	29	Nb ppm: XRF	XRF	10	50000
4080	29	Zr ppm: XRF	XRF	10	50000
4081	29	Y ppm: XRF	XRF	10	50000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project : 6004
 Comments: ATTN: M. JONES

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 26-MAY-95
 Invoice No. : 19517221
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517221

SAMPLE	PREP CODE	Ag ppm	As ppm	Bi ppm	Cu ppm	Hg ppm	Mo ppm	Pb ppm	Sb ppm	Zn ppm	Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF
943120	208 226	< 0.2	< 2	2	9	< 1	< 1	< 2	< 2	38	14.38	2.14	0.01	2.57	3.82
943124	208 226	0.2	2	8	67	1	< 1	6	< 2	52	17.87	4.69	< 0.01	6.55	1.49
943125	208 226	< 0.2	< 2	< 2	6	< 1	< 1	< 2	< 2	40	13.83	1.76	0.01	2.59	2.30
943126	208 226	< 0.2	< 2	2	7	1	< 1	< 2	< 2	126	12.52	1.08	0.02	4.43	1.81
943127	208 226	< 0.2	< 2	< 2	6	< 1	< 1	< 2	< 2	22	16.51	6.73	0.01	7.71	0.34
943128	208 226	< 0.2	< 2	< 2	3	< 1	< 1	2	< 2	24	12.23	0.57	0.01	1.92	2.69
943129	208 226	< 0.2	< 2	< 2	1	< 1	< 1	< 2	< 2	16	13.03	1.14	0.01	1.85	3.05
943130	208 226	< 0.2	< 2	< 2	24	< 1	1	4	< 2	24	17.48	0.06	0.02	2.48	3.52
943131	208 226	< 0.2	< 2	< 2	2	< 1	< 1	< 2	< 2	20	9.87	0.11	0.01	1.00	4.96
943132	208 226	< 0.2	8	8	176	< 1	< 1	< 2	< 2	18	14.33	11.49	0.03	12.82	0.34
943134	208 226	0.2	4	< 2	41	1	< 1	70	< 2	64	9.96	18.17	0.01	5.74	0.29
943135	208 226	< 0.2	< 2	< 2	8	< 1	< 1	< 2	< 2	70	14.15	1.45	0.02	3.94	2.80
943136	208 226	< 0.2	< 2	< 2	40	1	< 1	< 2	2	36	17.47	9.88	0.02	10.32	0.74
943137	208 226	< 0.2	< 2	< 2	37	< 1	1	< 2	< 2	14	14.06	16.27	0.01	7.08	1.96
943138	208 226	< 0.2	10	2	37	1	< 1	2	2	60	15.16	9.66	0.01	7.77	1.46
943139	208 226	< 0.2	< 2	< 2	1	< 1	< 1	< 2	< 2	8	13.10	0.76	0.01	1.24	3.04
943140	208 226	< 0.2	< 2	< 2	1	< 1	< 1	< 2	< 2	16	13.75	1.34	0.01	1.39	0.62
943141	208 226	< 0.2	< 2	< 2	8	< 1	< 1	2	< 2	20	11.23	0.71	< 0.01	1.44	3.04
943142	208 226	< 0.2	< 2	< 2	1	< 1	< 1	< 2	< 2	20	10.95	0.44	0.01	1.31	2.60
943143	208 226	< 0.2	< 2	< 2	1	< 1	< 1	< 2	< 2	34	13.59	0.48	0.01	2.67	3.05
943152	208 226	< 0.2	< 2	< 2	3	< 1	< 1	6	< 2	32	14.79	2.40	0.01	2.74	2.85
943153	208 226	< 0.2	< 2	< 2	8	< 1	< 1	< 2	< 2	52	15.08	1.08	0.01	4.27	6.19
943154	208 226	< 0.2	6	8	45	1	< 1	2	2	58	18.58	4.11	0.01	8.57	2.16
943155	208 226	< 0.2	< 2	< 2	9	< 1	< 1	4	< 2	34	12.73	0.97	0.02	1.90	2.78
943156	208 226	< 0.2	< 2	< 2	< 1	< 1	< 1	< 2	< 2	26	14.19	2.00	0.01	2.35	3.29
943158	208 226	< 0.2	< 2	< 2	215	1	< 1	< 2	2	100	12.59	9.42	0.01	18.26	0.11
943159	208 226	0.2	14	< 2	18	1	1	< 2	2	64	12.38	19.92	0.01	6.74	0.41
943161	208 226	< 0.2	8	< 2	94	< 1	3	< 2	< 2	6	10.56	2.82	0.01	7.08	0.35
943167	208 226	0.2	< 2	< 2	79	1	< 1	< 2	< 2	14	15.38	11.77	0.03	9.57	0.56

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: M. JONES

Page Number : 1-B
Total Pages : 1
Certificate Date: 26-MAY-95
Invoice No. : I9517221
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9517221

SAMPLE	PREP CODE	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %	Ba ppm	Rb ppm	Sr ppm	Nb ppm	Zr ppm	Y ppm
943120	208 226	1.04	0.08	3.78	0.07	68.71	0.33	1.01	97.94	1015	100	78	4	162	20
943124	208 226	2.16	0.11	6.99	0.25	56.51	0.50	1.75	98.87	565	36	722	4	75	16
943125	208 226	1.24	0.08	4.58	0.07	71.54	0.32	0.94	99.26	1065	52	248	8	153	18
943126	208 226	1.30	0.08	2.58	0.02	70.92	0.75	1.67	97.18	750	60	370	10	237	48
943127	208 226	3.52	0.26	5.87	0.33	56.90	1.22	0.74	100.14	310	6	640	16	330	38
943128	208 226	0.82	0.01	4.36	0.06	72.89	0.28	1.00	96.84	770	48	66	6	153	20
943129	208 226	0.76	0.03	3.72	0.06	73.33	0.25	1.02	98.25	3210	76	252	6	129	18
943130	208 226	0.56	0.02	0.16	0.01	71.67	0.45	2.09	98.52	735	98	2	10	213	24
943131	208 226	0.10	0.01	2.03	0.02	77.98	0.31	0.47	96.87	5720	98	70	20	342	52
943132	208 226	6.47	0.18	2.33	0.17	49.36	1.83	0.64	99.99	135	6	212	10	99	20
943134	208 226	2.17	0.13	0.34	0.12	59.78	0.54	2.71	99.96	95	6	34	6	99	24
943135	208 226	1.82	0.08	1.95	0.06	69.72	0.66	2.11	98.76	765	56	202	24	492	62
943136	208 226	5.39	0.17	3.00	0.17	49.80	0.92	1.69	99.57	655	14	354	2	60	18
943137	208 226	2.63	0.07	2.26	0.11	53.08	0.74	0.80	99.07	335	24	294	4	75	18
943138	208 226	2.54	0.06	1.92	0.07	57.29	0.84	2.21	98.99	235	32	362	4	84	16
943139	208 226	0.89	0.01	3.08	0.06	75.11	0.31	1.24	98.85	430	100	48	6	147	28
943140	208 226	0.69	0.04	6.67	0.06	73.32	0.31	0.82	99.02	470	10	102	8	183	22
943141	208 226	0.62	0.02	3.64	0.03	76.29	0.19	0.72	97.93	945	72	72	8	132	22
943142	208 226	0.67	0.02	3.91	0.04	76.65	0.17	0.77	97.54	845	74	38	8	135	20
943143	208 226	1.38	0.06	5.17	0.08	69.08	0.37	0.82	96.76	1065	52	44	8	153	20
943152	208 226	1.13	0.06	4.28	0.12	68.89	0.38	1.70	99.35	905	78	426	8	150	30
943153	208 226	0.53	0.04	2.52	0.10	67.11	0.45	1.44	98.82	1840	112	278	6	171	24
943154	208 226	3.26	0.20	3.98	0.32	54.58	1.06	2.74	99.57	1020	46	196	6	126	22
943155	208 226	0.77	0.05	3.98	0.04	73.40	0.24	1.14	98.02	1405	82	106	8	108	18
943156	208 226	0.47	0.24	3.52	0.07	71.37	0.41	1.10	99.02	935	68	290	8	174	20
943158	208 226	5.17	0.28	0.25	0.28	45.69	3.25	4.36	99.67	15	2	56	14	162	26
943159	208 226	2.83	0.10	3.03	0.15	41.59	0.60	12.49	100.25	140	6	100	4	57	16
943161	208 226	2.50	0.05	4.78	0.10	68.82	0.47	2.14	99.68	160	2	122	4	90	16
943167	208 226	7.01	0.15	2.84	0.17	49.68	0.72	1.72	99.60	155	18	458	2	45	12

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Company: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 18-MAY-95
 Invoice No. : I9515986
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515986

SAMPLE	PREP CODE	Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %	Ba ppm
943052	-- --	----	----	----	----	----	----	----	----	----	----	----	----	----	----
943053	208 226	11.70	0.44	< 0.01	1.42	2.74	0.63	0.02	3.59	0.03	77.38	0.18	0.87	99.00	760
943054	208 226	15.64	1.91	< 0.01	2.65	4.86	1.05	0.07	3.72	0.08	67.28	0.37	1.24	98.87	1055
943055	208 226	15.92	3.10	0.01	2.54	2.49	0.79	0.10	3.94	0.17	68.51	0.70	1.27	99.54	1150
943056	208 226	15.00	1.72	0.01	3.16	2.00	1.27	0.08	4.91	0.10	69.41	0.46	1.36	99.48	865
943059	208 226	18.28	5.60	0.01	7.78	0.89	4.13	0.23	2.58	0.27	55.62	0.79	3.34	99.52	600
943060	208 226	17.62	0.97	0.01	9.84	3.75	4.96	0.14	0.92	0.21	53.61	0.82	6.90	99.75	380
943061	208 226	19.09	1.89	0.01	8.92	3.66	6.05	0.26	0.78	0.21	51.53	0.93	5.81	99.14	335
943062	208 226	19.17	7.47	0.01	8.26	0.99	6.13	0.25	0.49	0.23	51.74	0.82	3.99	99.55	160
943065	208 226	16.35	0.84	0.01	4.39	3.46	1.96	0.14	0.68	0.22	66.65	0.67	4.22	99.59	620
943101	208 226	17.22	9.79	0.01	8.98	0.86	6.08	0.17	3.08	0.18	46.19	0.91	6.15	99.62	365
943102	208 226	16.14	2.09	0.01	3.84	4.08	1.60	0.11	3.26	0.13	65.91	0.55	1.79	99.51	1215
943106	208 226	14.44	0.23	0.02	3.13	4.11	1.83	0.04	1.01	0.02	71.57	0.38	2.23	99.01	830
943107	208 226	14.09	10.97	0.16	9.75	0.71	15.09	0.15	1.12	0.03	44.39	0.38	2.91	99.75	290
943110	208 226	13.76	1.95	0.01	2.49	3.40	0.78	0.06	3.81	0.07	71.08	0.32	1.25	98.98	975
943111	208 226	12.50	1.66	< 0.01	2.08	3.03	0.86	0.04	2.33	0.06	74.92	0.26	1.57	99.32	1160
943112	208 226	18.57	4.13	< 0.01	5.95	1.07	3.32	0.11	4.94	0.28	57.91	0.96	2.43	99.67	625
943113	208 226	14.18	2.21	0.01	3.84	2.24	1.68	0.10	4.60	0.09	67.53	0.40	2.30	99.18	1125
943114	208 226	13.83	0.48	0.01	4.75	4.48	1.28	0.04	1.56	0.17	68.95	0.75	2.92	99.22	825
943116	208 226	15.51	0.23	< 0.01	3.17	5.08	1.28	0.06	0.53	0.08	70.25	0.39	2.63	99.21	1450
943117	208 226	15.14	2.50	0.01	4.63	2.52	1.50	0.09	3.39	0.10	67.65	0.45	1.62	99.60	900
943118	208 226	14.81	3.33	0.01	3.58	2.47	1.49	0.10	2.86	0.13	65.36	0.39	4.58	99.11	690
943119	208 226	14.67	2.47	0.01	3.27	3.41	0.90	0.15	3.03	0.11	69.51	0.42	1.24	99.19	1415

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Project: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 18-MAY-95
 Invoice No. : 19515986
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515986

SAMPLE	PREP CODE	Kb ppm	Sr ppm	Nb ppm	Zr ppm	Y ppm	Ag ppm	As ppm	Bi ppm	Cu ppm	Hg ppm	Mo ppm	Pb ppm	Sb ppm	Zn ppm
943052	-- --	---	---	---	---	---	---	---	---	---	---	---	---	---	---
943053	208 226	72	78	8	138	20	< 0.2	2	< 2	12	< 1	< 1	< 2	< 2	38
943054	208 226	102	172	6	168	20	< 0.2	< 2	2	3	< 1	< 1	< 2	< 2	40
943055	208 226	60	190	8	177	30	< 0.2	2	< 2	3	< 1	< 1	2	2	56
943056	208 226	46	216	8	168	20	< 0.2	4	< 2	4	< 1	< 1	4	4	42
943059	208 226	30	278	4	75	24	< 0.2	< 2	2	12	< 1	< 1	< 2	2	92
943060	208 226	96	56	2	63	28	0.2	2	4	151	< 1	< 1	< 2	2	52
943061	208 226	108	74	6	72	22	0.2	< 2	6	123	< 1	< 1	2	2	80
943062	208 226	28	372	4	60	24	< 0.2	2	8	36	< 1	< 1	< 2	< 2	124
943065	208 226	106	62	6	105	24	< 0.2	< 2	< 2	28	< 1	< 1	16	2	68
943101	208 226	22	326	4	54	16	< 0.2	< 2	6	47	< 1	< 1	2	2	66
943102	208 226	114	120	6	171	24	< 0.2	< 2	< 2	10	< 1	< 1	< 2	< 2	54
943106	208 226	120	48	12	168	36	< 0.2	< 2	2	2	< 1	< 1	< 2	< 2	46
943107	208 226	18	102	2	24	12	< 0.2	2	2	44	< 1	< 1	< 2	< 2	28
943110	208 226	70	290	8	132	20	< 0.2	< 2	< 2	13	< 1	1	8	< 2	42
943111	208 226	78	250	8	99	18	< 0.2	< 2	< 2	15	< 1	< 1	4	< 2	24
943112	208 226	34	370	8	174	24	< 0.2	< 2	6	< 1	< 1	< 1	< 2	< 2	60
943113	208 226	54	150	8	114	20	< 0.2	< 2	< 2	12	< 1	< 1	4	< 2	42
943114	208 226	110	46	6	144	26	< 0.2	< 2	2	14	< 1	9	< 2	< 2	38
943116	208 226	154	8	6	117	22	< 0.2	< 2	< 2	19	< 1	145	< 2	< 2	40
943117	208 226	54	238	6	105	24	< 0.2	< 2	< 2	36	< 1	1	2	< 2	60
943118	208 226	58	184	8	96	20	< 0.2	< 2	2	5	< 1	< 1	< 2	6	40
943119	208 226	88	132	6	171	24	< 0.2	< 2	< 2	2	< 1	< 1	< 2	4	54

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

A9515987

Comments: ATTN: MURRAY JONES

CERTIFICATE

A9515987

(GP) - WESTMIN RESOURCES LTD.

Project: 6004
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 3-MAY-95.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	21	Geochem ring to approx 150 mesh
226	21	0-3 Kg crush and split
3204	21	Save 1 Kg reject for 90 days
285	21	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	2	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	21	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	21	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	21	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	21	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	21	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	21	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	21	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	21	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	21	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	21	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	21	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	21	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	21	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	21	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	21	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	21	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	21	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	21	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	21	Pb ppm: 24 element, rock & core	AAS	2	10000
582	21	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	21	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	21	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	21	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	21	Zn ppm: 24 element, rock & core	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 03-MAY-95
 Invoice No. : 19515987
 P.O. Number :
 Account : GP

Project : 6004
 Comments: ATTN: MURRAY JONES

CERTIFICATE OF ANALYSIS A9515987

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
943051	205 226	-----	< 0.2	4.31	190	< 0.5	< 2	1.14	0.5	7	279	15	1.79	1.02	0.54
943057	205 226	-----	< 0.2	4.69	130	< 0.5	< 2	0.09	0.5	8	115	95	5.50	2.02	0.35
943058	205 226	-----	< 0.2	8.45	120	< 0.5	< 2	1.44	< 0.5	17	107	25	6.07	1.84	1.51
943063	205 226	-----	0.6	3.81	250	< 0.5	< 2	0.16	< 0.5	8	143	26	2.96	1.59	0.19
943064	205 226	-----	< 0.2	8.08	370	< 0.5	< 2	1.25	0.5	34	91	75	7.42	2.47	1.01
943066	205 226	-----	< 0.2	8.73	350	< 0.5	4	0.04	< 0.5	9	89	13	3.48	3.59	0.58
943067	205 226	-----	< 0.2	6.89	220	< 0.5	2	1.33	< 0.5	25	145	236	4.30	3.43	0.70
943068	205 226	-----	0.4	7.66	580	< 0.5	6	1.07	< 0.5	13	146	43	3.61	3.22	0.75
943069	205 226	-----	< 0.2	6.13	540	< 0.5	< 2	1.37	< 0.5	5	119	9	1.97	2.22	0.35
943070	205 226	-----	< 0.2	9.56	500	< 0.5	4	0.09	< 0.5	12	214	24	3.72	3.50	0.52
943071	205 226	-----	< 0.2	8.46	400	< 0.5	< 2	0.10	< 0.5	19	116	48	4.79	3.08	0.51
943072	205 226	-----	< 0.2	6.48	170	< 0.5	< 2	4.95	1.0	54	681	166	7.10	1.92	5.66
943073	205 226	-----	< 0.2	6.41	230	< 0.5	< 2	7.28	1.0	42	941	56	5.84	0.46	6.18
943074	205 226	-----	< 0.2	7.60	1310	< 0.5	2	0.50	< 0.5	7	68	23	2.53	3.65	0.91
943075	205 226	-----	< 0.2	8.59	840	< 0.5	4	1.57	< 0.5	21	66	43	4.09	2.88	1.17
943103	205 226	-----	0.2	2.75	260	< 0.5	2	0.04	< 0.5	3	112	51	0.98	1.22	0.14
943104	205 226	1420	49.0	2.98	140	< 0.5	18	0.48	29.5	22	241	426	2.98	1.30	0.08
943105	205 226	35	2.0	5.73	100	< 0.5	< 2	0.12	5.0	29	157	187	6.08	2.39	0.25
943108	205 226	-----	0.8	2.09	170	< 0.5	< 2	12.95	2.0	47	44	1690	14.60	0.32	3.15
943109	205 226	-----	0.2	8.42	1230	< 0.5	2	1.07	< 0.5	10	129	34	3.39	1.76	1.04
943115	205 226	-----	< 0.2	7.99	1150	0.5	< 2	0.13	< 0.5	7	75	21	2.34	3.37	0.27

CERTIFICATION: *Hunt Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 03-MAY-95
 Invoice No. : 19515987
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515987

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
943051	205 226	40	5	2.21	20	1010	< 2	109	0.12	73	< 10	62			
943057	205 226	270	134	0.26	6	230	10	11	0.11	40	< 10	28			
943058	205 226	790	1	2.33	15	670	10	165	0.21	248	< 10	46			
943063	205 226	70	14	0.18	8	70	64	14	0.10	108	< 10	30			
943064	205 226	615	1	1.43	29	600	2	103	0.16	218	< 10	42			
943066	205 226	170	1	0.37	4	300	< 2	37	0.17	232	< 10	16			
943067	205 226	555	7	1.18	18	610	14	117	0.24	306	< 10	42			
943068	205 226	895	8	0.44	8	640	< 2	39	0.34	121	< 10	62			
943069	205 226	410	3	1.24	2	510	6	63	0.20	23	< 10	28			
943070	205 226	170	1	0.40	24	340	6	21	0.16	221	< 10	24			
943071	205 226	190	2	0.37	21	450	10	16	0.14	215	< 10	26			
943072	205 226	850	< 1	0.84	216	430	< 2	208	0.27	216	30	68			
943073	205 226	785	< 1	1.28	195	440	< 2	189	0.28	220	40	100			
943074	205 226	805	1	2.78	8	350	18	122	0.25	62	< 10	56			
943075	205 226	795	2	2.61	15	700	6	156	0.30	114	< 10	54			
943103	205 226	50	7	0.12	5	150	24	6	0.06	49	< 10	62			
943104	205 226	75	23	0.20	11	2110	4600	9	0.08	71	< 10	7040			
943105	205 226	100	23	0.23	23	450	96	11	0.12	153	< 10	1045			
943108	205 226	3670	< 1	0.26	33	290	18	71	0.11	42	70	248			
943109	205 226	460	1	4.33	6	530	8	195	0.32	75	< 10	48			
943115	205 226	70	2	0.39	2	380	4	21	0.24	59	< 10	28			

CERTIFICATION: Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Project: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 22-MAY-95
 Invoice No. : I9517222
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517222

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
943121	205 226	< 5	< 0.2	6.50	50	< 0.5	< 2	1.56	0.5	23	152	671	9.04	0.04	0.71
943122	205 226	< 5	< 0.2	6.95	180	< 0.5	< 2	3.20	< 0.5	45	139	2140	11.00	0.29	1.34
943123	205 226	150	4.8	5.90	800	< 0.5	< 2	0.25	< 0.5	19	65	6630	4.32	2.52	0.45
943133	205 226	-----	< 0.2	10.80	430	3.0	2	1.68	< 0.5	12	49	288	4.08	1.98	0.91
943144	205 226	< 5	< 0.2	6.11	1430	0.5	2	1.93	< 0.5	11	188	55	1.82	1.25	0.50
943151	205 226	-----	< 0.2	8.05	710	3.0	2	0.37	< 0.5	10	202	71	3.93	1.46	1.14
943157	205 226	-----	< 0.2	7.68	830	< 0.5	< 2	3.68	0.5	15	64	251	6.54	0.64	3.16
943160	205 226	-----	< 0.2	7.35	190	< 0.5	< 2	2.57	< 0.5	27	132	152	8.40	0.14	2.53
943162	205 226	-----	< 0.2	4.24	30	< 0.5	< 2	11.45	< 0.5	76	116	3160	11.45	0.09	3.12
943163	205 226	-----	< 0.2	5.83	40	< 0.5	2	15.00	< 0.5	31	157	37	10.50	0.04	0.83
943164	205 226	-----	2.8	1.10	< 10	< 0.5	< 2	10.25	1.0	428	80	4170	>25.0	0.02	0.44
943165	205 226	-----	< 0.2	6.80	20	0.5	2	3.90	< 0.5	7	34	36	2.22	0.08	0.53
943166	205 226	-----	< 0.2	7.33	1120	0.5	4	0.32	< 0.5	6	79	10	1.69	2.24	0.43

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number: 1-B
 Total Pages: 1
 Certificate Date: 22-MAY-95
 Invoice No.: I9517222
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9517222

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
943121	205 226	495	< 1	4.16	116	820	18	103	1.17	328	10	50			
943122	205 226	955	2	3.64	74	1240	< 2	265	1.53	438	20	100			
943123	205 226	600	< 1	0.26	25	80	< 2	20	0.21	109	< 10	50			
943133	205 226	435	1	2.11	10	270	10	639	0.21	99	< 10	52			
943144	205 226	255	1	1.30	21	280	6	249	0.10	40	< 10	20			
943151	205 226	505	37	1.82	17	410	6	100	0.16	60	< 10	30			
943157	205 226	1360	1	2.98	16	2760	< 2	252	1.33	308	20	104			
943160	205 226	1190	< 1	2.97	37	1260	6	154	1.47	503	20	150			
943162	205 226	3180	< 1	0.47	103	600	< 2	187	0.33	134	40	128			
943163	205 226	5390	< 1	0.20	15	640	< 2	252	0.25	102	40	140			
943164	205 226	3700	2	0.09	105	400	< 2	9	0.04	34	70	324			
943165	205 226	610	1	0.87	3	590	6	185	0.29	29	< 10	54			
943166	205 226	270	< 1	3.71	8	240	2	87	0.19	33	< 10	34			

CERTIFICATION: *Paul B...*

APPENDIX C
GEOCHEMICAL RESULTS AND STATISTICAL ANALYSIS
SOIL SAMPLES



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

A9515417

Comments: ATTN: JONES

CERTIFICATE

A9515417

(GP) - WESTMIN RESOURCES LTD.

Project: DRAGON
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 24-APR-95.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	141	Dry, sieve to -80 mesh
285	141	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
578	141	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	141	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	141	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	141	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	141	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	141	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	141	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	141	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	141	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	141	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	141	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	141	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	141	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	141	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	141	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	141	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	141	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	141	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	141	Pb ppm: 24 element, rock & core	AAS	2	10000
582	141	Se ppm: 24 element, rock & core	ICP-AES	1	10000
579	141	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	141	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	141	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	141	Zn ppm: 24 element, rock & core	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: WESTMIN RESOURCES LTD.

P.O. Box 49086, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: DRAGON
 Comments: ATTN: JONES

Page Number: 1-A
 Total Pages: 4
 Certificate Date: 24-APR-95
 Invoice No.: I9515417
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515417

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
L3500N-2500E	201 285	< 0.2	7.36	440	0.5	< 2	2.93	< 0.5	15	49	58	4.40	1.04	1.38	770
L3500N-2525E	201 285	< 0.2	6.26	340	< 0.5	< 2	1.65	< 0.5	9	53	23	5.26	0.86	1.06	635
L3500N-2550E	201 285	< 0.2	6.98	420	< 0.5	< 2	1.47	< 0.5	8	41	20	5.30	1.10	0.93	680
L3500N-2575E	201 285	< 0.2	7.74	390	< 0.5	< 2	1.45	< 0.5	11	35	24	4.69	1.29	1.14	660
L3500N-2600E	201 285	< 0.2	5.75	720	< 0.5	< 2	0.45	< 0.5	2	3	6	1.67	2.34	0.19	550
L3500N-2625E	201 285	< 0.2	6.29	270	< 0.5	< 2	1.74	< 0.5	11	81	19	9.14	0.76	1.38	735
L3500N-2650E	201 285	< 0.2	6.22	290	< 0.5	< 2	1.23	< 0.5	8	41	30	7.36	0.82	1.19	675
L3500N-2675E	201 285	< 0.2	4.54	410	< 0.5	< 2	0.93	< 0.5	5	25	7	2.64	1.31	0.78	610
L3500N-2700E	201 285	< 0.2	8.07	300	< 0.5	< 2	1.59	< 0.5	9	56	30	6.59	0.81	1.00	550
L3500N-2725E	201 285	< 0.2	2.56	230	< 0.5	< 2	0.51	< 0.5	4	24	14	1.54	0.70	0.28	680
L3500N-2750E	201 285	< 0.2	6.98	310	< 0.5	< 2	1.87	< 0.5	11	70	33	8.75	0.79	1.13	630
L3500N-2775E	201 285	< 0.2	5.62	400	< 0.5	< 2	1.95	< 0.5	13	54	16	6.94	0.98	1.42	775
L3500N-2800E	201 285	< 0.2	9.10	380	0.5	< 2	2.42	< 0.5	16	70	228	4.82	0.64	1.48	640
L3500N-2825E	201 285	< 0.2	9.48	170	0.5	< 2	1.11	< 0.5	8	44	199	2.54	0.33	0.71	320
L3500N-2850E	201 285	< 0.2	4.98	340	< 0.5	< 2	2.71	< 0.5	19	80	29	7.64	0.68	1.98	925
L3500N-2875E	201 285	< 0.2	7.14	220	< 0.5	< 2	1.20	< 0.5	7	67	21	6.80	0.53	0.78	440
L3500N-2900E	201 285	< 0.2	5.65	530	< 0.5	< 2	1.99	< 0.5	12	97	11	5.67	1.19	1.42	740
L3500N-2925E	201 285	< 0.2	6.46	480	< 0.5	< 2	3.38	< 0.5	20	71	86	5.82	0.72	2.14	890
L3500N-2950E	201 285	< 0.2	5.59	440	< 0.5	< 2	3.12	< 0.5	18	67	64	5.07	0.65	1.93	765
L3500N-2975E	201 285	< 0.2	5.58	380	< 0.5	2	2.49	< 0.5	13	63	45	6.48	0.71	1.60	700
L3500N-3000E	201 285	< 0.2	4.82	170	< 0.5	< 2	0.50	< 0.5	7	55	64	5.11	0.48	0.37	305
L3500N-3025E	201 285	< 0.2	5.85	460	< 0.5	< 2	1.18	< 0.5	7	41	31	7.07	1.06	0.74	405
L3500N-3050E	201 285	< 0.2	3.74	670	< 0.5	< 2	0.59	< 0.5	6	19	9	2.01	1.77	0.30	380
L3500N-3075E	201 285	< 0.2	4.10	560	< 0.5	< 2	0.14	< 0.5	< 1	< 1	2	0.48	1.61	0.11	130
L3500N-3100E	201 285	< 0.2	6.09	410	0.5	< 2	1.52	< 0.5	16	43	50	4.02	1.23	1.05	1040
L3500N-3125E	201 285	< 0.2	5.78	510	< 0.5	< 2	1.48	< 0.5	9	41	10	4.50	1.29	1.05	590
L3500N-3150E	201 285	< 0.2	5.73	190	< 0.5	< 2	0.76	< 0.5	4	37	18	7.13	0.51	0.47	265
L3500N-3175E	201 285	< 0.2	4.63	670	< 0.5	< 2	0.95	< 0.5	6	27	4	2.50	1.51	0.61	470
L3500N-3200E	201 285	< 0.2	6.01	370	0.5	< 2	1.59	< 0.5	12	48	105	3.29	0.83	1.01	565
L3500N-3225E	201 285	< 0.2	6.01	370	< 0.5	< 2	1.47	< 0.5	9	50	37	9.00	0.89	1.00	540
L3500N-3250E	201 285	< 0.2	5.48	350	< 0.5	< 2	1.97	< 0.5	13	66	49	6.75	0.90	1.50	725
L3500N-3275E	201 285	0.6	3.27	190	< 0.5	< 2	0.64	< 0.5	4	38	64	8.20	0.45	0.46	270
L3500N-3300E	201 285	0.2	5.82	500	< 0.5	< 2	1.71	< 0.5	11	48	77	7.96	1.16	1.29	720
L3500N-3325E	201 285	0.2	0.19	10	< 0.5	< 2	0.44	< 0.5	< 1	4	8	0.13	0.09	0.08	50
L3500N-3350E	201 285	< 0.2	3.65	110	< 0.5	6	2.45	< 0.5	24	6	46	8.52	0.45	1.32	2100
L3500N-3375E	201 285	< 0.2	5.00	470	< 0.5	< 2	1.76	< 0.5	10	41	10	3.20	1.25	1.31	860
L3500N-3400E	201 285	< 0.2	3.22	200	0.5	< 2	1.21	< 0.5	6	63	25	3.96	0.41	0.26	1045
L3500N-3425E	201 285	< 0.2	4.78	520	< 0.5	< 2	0.98	< 0.5	6	41	14	1.67	1.31	0.61	485
L3500N-3450E	201 285	< 0.2	4.51	520	< 0.5	< 2	0.73	< 0.5	3	20	9	1.02	1.31	0.37	440
L3500N-3475E	201 285	< 0.2	3.37	320	< 0.5	< 2	0.93	< 0.5	6	39	9	2.47	0.89	0.66	665

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

to: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: DRAGON
 Comments: ATTN: JONES

Page Number: 1-B
 Total Pages: 4
 Certificate Date: 24-APR-95
 Invoice No.: I9515417
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515417

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
L3500N-2500E	201 285	< 1	2.23	15	560	4	245	0.43	172	< 10	56				
L3500N-2525E	201 285	< 1	1.31	12	280	18	124	0.67	230	< 10	48				
L3500N-2550E	201 285	2	1.39	10	210	8	126	0.76	238	< 10	42				
L3500N-2575E	201 285	5	1.22	12	290	12	117	0.67	277	< 10	82				
L3500N-2600E	201 285	< 1	0.29	< 1	190	4	33	0.48	170	< 10	16				
L3500N-2625E	201 285	< 1	1.07	15	400	10	98	0.98	376	< 10	58				
L3500N-2650E	201 285	< 1	0.99	11	500	8	93	0.66	283	< 10	50				
L3500N-2675E	201 285	1	0.78	5	160	6	57	0.85	221	< 10	26				
L3500N-2700E	201 285	1	1.33	11	380	116	129	0.65	234	< 10	46				
L3500N-2725E	201 285	< 1	0.46	1	140	2	34	1.26	105	< 10	26				
L3500N-2750E	201 285	2	1.31	11	410	4	135	0.71	284	< 10	62				
L3500N-2775E	201 285	1	1.46	13	220	< 2	122	0.84	335	< 10	48				
L3500N-2800E	201 285	1	1.48	28	790	4	176	0.56	171	< 10	74				
L3500N-2825E	201 285	< 1	0.81	13	920	< 2	78	0.27	94	< 10	34				
L3500N-2850E	201 285	< 1	1.14	31	430	2	121	1.22	380	< 10	68				
L3500N-2875E	201 285	1	0.92	11	380	2	87	0.64	210	< 10	36				
L3500N-2900E	201 285	< 1	1.14	21	150	2	131	0.83	326	< 10	46				
L3500N-2925E	201 285	< 1	1.56	28	460	< 2	198	0.59	208	< 10	88				
L3500N-2950E	201 285	1	1.30	28	370	< 2	170	0.54	184	< 10	88				
L3500N-2975E	201 285	3	1.26	21	420	2	151	0.64	217	< 10	66				
L3500N-3000E	201 285	19	0.63	8	2040	14	45	0.37	129	< 10	38				
L3500N-3025E	201 285	17	1.60	10	230	2	103	0.70	275	< 10	36				
L3500N-3050E	201 285	< 1	1.11	4	130	< 2	57	0.52	99	< 10	18				
L3500N-3075E	201 285	< 1	0.62	< 1	160	< 2	35	0.18	16	< 10	12				
L3500N-3100E	201 285	1	1.41	16	400	12	110	0.42	134	< 10	66				
L3500N-3125E	201 285	7	1.26	13	150	10	106	0.90	312	< 10	38				
L3500N-3150E	201 285	< 1	0.75	6	390	4	54	0.35	131	< 10	26				
L3500N-3175E	201 285	< 1	1.41	8	130	4	70	0.70	199	< 10	24				
L3500N-3200E	201 285	2	1.44	12	530	4	122	0.62	132	< 10	46				
L3500N-3225E	201 285	1	1.35	11	310	2	114	0.73	279	< 10	44				
L3500N-3250E	201 285	< 1	1.39	22	510	4	116	0.68	223	< 10	56				
L3500N-3275E	201 285	2	0.61	7	1060	2	53	0.39	167	< 10	34				
L3500N-3300E	201 285	1	1.45	16	610	4	112	0.78	293	< 10	60				
L3500N-3325E	201 285	< 1	0.04	1	590	2	15	0.01	3	< 10	30				
L3500N-3350E	201 285	< 1	0.88	8	420	< 2	76	3.02	289	< 10	98				
L3500N-3375E	201 285	< 1	1.18	10	280	8	98	1.15	195	< 10	42				
L3500N-3400E	201 285	4	1.47	< 1	520	< 2	88	0.76	11	< 10	66				
L3500N-3425E	201 285	1	1.52	8	290	6	82	1.08	132	< 10	28				
L3500N-3450E	201 285	< 1	1.47	3	240	6	86	0.95	78	< 10	18				
L3500N-3475E	201 285	< 1	0.84	8	120	4	64	1.10	198	< 10	26				

CERTIFICATION: *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: DRAGON
Comments: ATTN: JONES

Page Number : 2-A
Total Pages : 4
Certificate Date: 24-APR-95
Invoice No. : 19515417
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9515417

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
L3500N-3500E	201 285	< 0.2	6.71	360	< 0.5	< 2	1.89	< 0.5	11	101	24	3.39	0.84	1.39	645
L3500N-3525E	201 285	< 0.2	4.06	390	< 0.5	< 2	0.90	< 0.5	6	23	23	2.47	0.91	0.57	525
L3500N-3550E	201 285	< 0.2	5.31	590	< 0.5	< 2	1.75	< 0.5	10	14	39	3.73	1.39	0.55	1070
L3500N-3575E	201 285	< 0.2	7.48	360	< 0.5	< 2	1.60	< 0.5	10	55	31	7.01	0.91	1.07	600
L3500N-3600E	201 285	< 0.2	5.23	430	< 0.5	< 2	1.51	< 0.5	10	46	21	6.85	1.10	1.04	640
L3500N-3625E	201 285	< 0.2	4.46	500	< 0.5	< 2	1.00	< 0.5	7	16	23	2.63	1.48	0.47	770
L3500N-3650E	201 285	< 0.2	5.94	310	< 0.5	< 2	1.00	< 0.5	19	499	51	10.30	1.05	1.03	600
L3500N-3675E	201 285	< 0.2	4.67	550	< 0.5	< 2	1.02	< 0.5	7	27	7	2.70	1.35	0.71	520
L3500N-3700E	201 285	< 0.2	7.09	320	0.5	< 2	1.98	< 0.5	6	23	22	1.99	0.71	0.76	620
L3600N-2575E	201 285	< 0.2	8.26	300	< 0.5	< 2	1.68	< 0.5	9	53	33	5.42	0.73	0.96	565
L3600N-2600E	201 285	< 0.2	8.29	250	< 0.5	< 2	1.21	< 0.5	7	55	21	7.00	0.61	0.74	465
L3600N-2625E	201 285	< 0.2	4.87	340	< 0.5	< 2	1.73	< 0.5	22	44	28	4.62	0.64	0.87	1515
L3600N-2650E	201 285	< 0.2	6.85	340	0.5	< 2	1.77	< 0.5	12	42	44	3.36	0.84	1.05	690
L3600N-2675E	201 285	< 0.2	6.94	290	< 0.5	< 2	1.60	< 0.5	9	63	28	7.66	0.73	1.05	620
L3600N-2700E	201 285	< 0.2	6.54	320	< 0.5	< 2	1.74	< 0.5	23	43	23	7.73	0.77	1.07	1395
L3600N-2725E	201 285	< 0.2	6.73	330	< 0.5	< 2	1.38	< 0.5	8	59	20	6.22	0.90	0.86	625
L3600N-2750E	201 285	< 0.2	8.30	320	< 0.5	< 2	1.92	< 0.5	11	54	28	6.23	0.74	1.06	635
L3600N-2775E	201 285	< 0.2	8.90	280	< 0.5	< 2	1.36	< 0.5	10	72	37	8.63	0.70	0.95	535
L3600N-2800E	201 285	< 0.2	3.62	140	< 0.5	4	1.06	< 0.5	8	59	18	6.64	0.31	2.83	4370
L3600N-2825E	201 285	< 0.2	6.84	280	< 0.5	< 2	1.46	< 0.5	9	45	30	6.22	0.67	0.97	725
L3600N-2850E	201 285	< 0.2	6.74	140	< 0.5	< 2	0.97	< 0.5	7	25	33	5.49	0.49	0.73	475
L3600N-2875E	201 285	< 0.2	9.49	220	< 0.5	< 2	1.48	< 0.5	13	114	103	9.01	0.42	1.02	505
L3600N-2900E	201 285	< 0.2	7.34	600	0.5	< 2	3.95	< 0.5	19	109	74	4.63	1.03	1.83	895
L3600N-2925E	201 285	< 0.2	7.35	490	< 0.5	< 2	2.81	< 0.5	15	69	92	5.73	0.95	1.67	720
L3600N-2950E	201 285	< 0.2	6.54	590	< 0.5	< 2	2.74	< 0.5	15	73	45	6.43	0.88	1.64	745
L3600N-2975E	201 285	< 0.2	6.01	510	< 0.5	< 2	3.21	< 0.5	18	62	24	5.06	0.72	1.74	915
L3600N-3000E	201 285	< 0.2	6.18	370	< 0.5	< 2	2.37	< 0.5	24	59	46	5.92	0.78	1.54	1000
L3600N-3025E	201 285	0.6	4.52	270	< 0.5	2	1.32	< 0.5	8	40	24	6.06	0.74	0.89	520
L3600N-3050E	201 285	< 0.2	5.55	400	< 0.5	< 2	1.72	< 0.5	12	57	36	6.49	0.98	1.20	685
L3600N-3075E	201 285	< 0.2	5.91	570	< 0.5	< 2	1.42	< 0.5	9	40	16	2.97	1.64	0.97	590
L3600N-3100E	201 285	< 0.2	5.39	650	< 0.5	< 2	1.12	< 0.5	6	27	6	4.22	1.69	0.59	485
L3600N-3125E	201 285	< 0.2	6.40	500	< 0.5	< 2	0.89	< 0.5	7	43	13	6.27	1.37	0.64	430
L3600N-3150E	201 285	< 0.2	5.01	540	< 0.5	< 2	1.12	< 0.5	6	32	6	3.71	1.45	0.80	560
L3600N-3175E	201 285	< 0.2	5.77	490	< 0.5	< 2	1.36	< 0.5	7	30	13	2.39	1.41	0.84	565
L3600N-3200E	201 285	< 0.2	5.23	750	< 0.5	< 2	0.99	< 0.5	6	31	6	1.52	2.05	0.59	530
L3600N-3225E	201 285	< 0.2	6.75	390	< 0.5	2	1.47	< 0.5	13	52	44	5.42	1.10	1.19	645
L3600N-3250E	201 285	< 0.2	7.01	320	< 0.5	< 2	1.25	< 0.5	8	66	32	6.08	0.73	0.84	445
L3600N-3275E	201 285	< 0.2	4.57	600	< 0.5	< 2	0.75	< 0.5	5	33	7	3.52	1.24	0.53	480
L3600N-3300E	201 285	< 0.2	5.70	450	< 0.5	< 2	1.32	< 0.5	8	36	20	5.08	1.09	0.87	500
L3600N-3325E	201 285	< 0.2	7.12	100	< 0.5	< 2	1.05	< 0.5	12	21	56	9.92	0.40	0.66	535

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: DRAGON
Comments: ATTN: JONES

Page Number : 2-B
Total Pages : 4
Certificate Date: 24-APR-95
Invoice No. : 19515417
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9515417

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
L3500N-3500E	201 285	< 1	1.57	21	190	4	138	0.65	180	< 10	42				
L3500N-3525E	201 285	1	1.12	7	140	16	81	0.88	132	< 10	22				
L3500N-3550E	201 285	2	1.63	3	360	18	189	1.76	191	< 10	44				
L3500N-3575E	201 285	< 1	1.47	10	290	4	121	0.80	285	< 10	42				
L3500N-3600E	201 285	1	1.30	9	260	4	101	1.03	384	< 10	42				
L3500N-3625E	201 285	1	1.10	4	420	10	93	1.62	173	< 10	30				
L3500N-3650E	201 285	< 1	0.86	111	280	2	60	0.78	308	< 10	88				
L3500N-3675E	201 285	< 1	1.16	7	150	6	80	0.90	249	< 10	28				
L3500N-3700E	201 285	< 1	1.79	3	480	4	204	0.45	91	< 10	34				
L3600N-2575E	201 285	< 1	1.51	11	380	< 2	147	0.51	181	< 10	46				
L3600N-2600E	201 285	2	1.14	8	290	4	105	0.54	198	< 10	52				
L3600N-2625E	201 285	2	0.92	15	710	10	102	0.35	128	< 10	72				
L3600N-2650E	201 285	< 1	1.23	15	600	6	125	0.47	142	< 10	62				
L3600N-2675E	201 285	< 1	1.28	13	240	4	115	0.79	283	< 10	44				
L3600N-2700E	201 285	2	1.33	13	450	< 2	123	0.55	214	< 10	70				
L3600N-2725E	201 285	< 1	1.17	10	370	< 2	111	0.84	299	< 10	42				
L3600N-2750E	201 285	< 1	1.72	11	420	2	177	0.56	232	< 10	48				
L3600N-2775E	201 285	1	1.20	10	510	4	104	0.78	281	< 10	50				
L3600N-2800E	201 285	< 1	0.45	8	570	12	105	0.75	311	< 10	164				
L3600N-2825E	201 285	< 1	1.36	10	310	4	122	0.59	268	< 10	46				
L3600N-2850E	201 285	< 1	0.85	7	430	8	80	0.52	321	< 10	42				
L3600N-2875E	201 285	3	1.01	21	500	2	114	0.84	313	10	64				
L3600N-2900E	201 285	< 1	2.01	31	610	2	265	0.54	177	10	110				
L3600N-2925E	201 285	1	1.49	24	380	< 2	183	0.59	218	< 10	74				
L3600N-2950E	201 285	1	1.52	22	300	4	194	0.81	277	10	78				
L3600N-2975E	201 285	1	1.85	21	270	< 2	227	0.87	267	< 10	62				
L3600N-3000E	201 285	4	1.36	24	450	4	148	0.50	188	< 10	68				
L3600N-3025E	201 285	11	1.07	12	620	4	94	0.72	284	< 10	46				
L3600N-3050E	201 285	5	1.30	17	380	4	106	0.83	278	< 10	54				
L3600N-3075E	201 285	4	1.33	11	310	8	99	0.74	161	< 10	38				
L3600N-3100E	201 285	< 1	1.58	3	200	6	93	0.60	173	< 10	26				
L3600N-3125E	201 285	< 1	1.07	6	320	2	67	0.73	257	< 10	28				
L3600N-3150E	201 285	< 1	1.09	7	160	4	78	0.88	261	< 10	28				
L3600N-3175E	201 285	< 1	1.29	7	260	4	106	0.83	172	< 10	32				
L3600N-3200E	201 285	< 1	1.51	7	180	6	83	0.91	110	< 10	22				
L3600N-3225E	201 285	1	1.70	15	340	6	128	0.57	188	< 10	58				
L3600N-3250E	201 285	< 1	1.18	13	350	4	93	0.63	221	< 10	36				
L3600N-3275E	201 285	< 1	1.45	7	130	2	66	0.82	213	< 10	22				
L3600N-3300E	201 285	1	1.55	10	230	6	100	0.83	226	< 10	30				
L3600N-3325E	201 285	2	1.28	11	580	2	91	1.00	445	< 10	76				

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Page Number : 3-A
 Total Pages : 4
 Certificate Date: 24-APR-95
 Invoice No. : 19515417
 P.O. Number :
 Account : GP

Project : DRAGON
 Comments : ATTN: JONES

CERTIFICATE OF ANALYSIS A9515417

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
L3600M-3350E	201 285	< 0.2	2.48	40	< 0.5	2	1.81	< 0.5	13	19	32	4.38	0.20	0.74	930
L3600M-3375E	201 285	< 0.2	3.91	110	< 0.5	12	3.23	< 0.5	26	6	50	11.20	0.44	1.57	1860
L3600M-3400E	201 285	< 0.2	4.64	160	< 0.5	< 2	1.37	< 0.5	7	23	17	2.48	0.38	0.64	530
L3600M-3425E	201 285	< 0.2	5.05	80	< 0.5	< 2	4.64	< 0.5	44	1205	30	7.45	0.38	7.75	995
L3600M-3450E	201 285	< 0.2	3.03	190	< 0.5	6	0.77	< 0.5	7	11	24	3.11	0.47	0.23	1165
L3600M-3475E	201 285	< 0.2	6.22	450	< 0.5	< 2	1.52	< 0.5	8	33	26	2.19	1.15	0.97	555
L3600M-3500E	201 285	< 0.2	3.22	280	< 0.5	8	1.58	< 0.5	17	22	28	6.75	0.69	0.89	1550
L3600M-3525E	201 285	< 0.2	5.24	430	< 0.5	2	1.51	< 0.5	10	41	10	5.35	1.10	1.00	635
L3600M-3550E	201 285	< 0.2	5.37	340	< 0.5	< 2	1.92	< 0.5	13	56	15	6.81	0.88	1.34	710
L3600M-3575E	201 285	< 0.2	4.10	480	< 0.5	< 2	0.60	< 0.5	3	16	7	1.23	1.30	0.35	475
L3600M-3600E	201 285	< 0.2	6.21	470	< 0.5	< 2	1.54	< 0.5	9	40	13	6.38	1.24	0.91	505
L3600M-3625E	201 285	< 0.2	2.09	200	< 0.5	< 2	0.55	< 0.5	2	3	6	0.93	0.50	0.22	305
L3600M-3650E	201 285	< 0.2	6.22	430	< 0.5	4	1.72	< 0.5	13	45	17	8.61	1.15	1.24	750
L3600M-3675E	201 285	< 0.2	6.67	350	< 0.5	2	1.62	< 0.5	11	40	41	8.86	0.92	1.06	615
L3600M-3700E	201 285	< 0.2	6.08	470	< 0.5	< 2	1.48	< 0.5	10	26	22	2.77	1.20	0.93	555
L3700M-2575E	201 285	< 0.2	7.73	450	0.5	< 2	1.68	< 0.5	14	75	30	6.03	1.09	1.11	615
L3700M-2600E	201 285	< 0.2	9.18	240	0.5	< 2	1.93	< 0.5	32	62	34	3.56	0.60	0.89	950
L3700M-2625E	201 285	< 0.2	6.49	170	< 0.5	< 2	2.18	< 0.5	7	14	11	7.95	0.55	0.41	525
L3700M-2650E	201 285	< 0.2	6.91	390	< 0.5	< 2	2.17	< 0.5	13	68	19	6.58	0.98	1.29	745
L3700M-2675E	201 285	< 0.2	6.46	390	< 0.5	< 2	1.50	< 0.5	8	42	8	2.91	1.46	0.85	765
L3700M-2700E	201 285	< 0.2	6.58	370	< 0.5	2	1.73	< 0.5	11	68	18	7.34	0.93	1.09	655
L3700M-2725E	201 285	< 0.2	8.04	260	< 0.5	6	1.31	< 0.5	17	70	34	8.80	0.71	1.53	1250
L3700M-2750E	201 285	< 0.2	4.46	130	< 0.5	12	1.38	< 0.5	7	26	11	7.04	0.42	2.58	3270
L3700M-2775E	201 285	< 0.2	5.81	410	< 0.5	4	2.07	< 0.5	14	55	14	7.56	1.15	1.32	870
L3700M-2800E	201 285	< 0.2	7.30	220	< 0.5	< 2	1.26	< 0.5	8	61	18	5.71	0.57	0.72	525
L3700M-2825E	201 285	< 0.2	6.29	370	< 0.5	2	3.63	< 0.5	20	80	54	5.69	0.64	2.14	890
L3700M-2850E	201 285	< 0.2	4.65	250	< 0.5	6	2.87	< 0.5	20	101	17	7.08	0.53	1.97	1050
L3700M-2875E	201 285	< 0.2	4.10	440	< 0.5	< 2	0.57	< 0.5	6	13	6	2.07	1.08	0.51	435
L3700M-2900E	201 285	< 0.2	3.63	420	< 0.5	< 2	0.33	< 0.5	4	13	6	2.92	1.34	0.24	385
L3700M-2925E	201 285	< 0.2	7.28	270	< 0.5	2	1.33	< 0.5	11	36	30	8.33	0.81	0.87	690
L3700M-2950E	201 285	< 0.2	6.07	180	< 0.5	2	0.42	< 0.5	5	13	21	5.56	1.16	1.54	625
L3700M-2975E	201 285	< 0.2	6.63	380	< 0.5	< 2	2.58	< 0.5	14	50	16	3.01	0.99	1.47	775
L3700M-3000E	201 285	< 0.2	6.26	490	< 0.5	4	2.46	< 0.5	13	53	8	4.71	1.22	1.50	890
L3700M-3025E	201 285	< 0.2	6.58	360	< 0.5	2	2.29	< 0.5	14	50	19	6.95	0.96	1.45	795
L3700M-3050E	201 285	< 0.2	6.43	380	< 0.5	< 2	2.21	< 0.5	13	66	43	6.04	1.01	1.37	850
L3700M-3075E	201 285	< 0.2	6.25	320	< 0.5	8	1.59	< 0.5	11	59	29	11.75	0.82	0.98	560
L3700M-3100E	201 285	< 0.2	5.92	420	< 0.5	4	2.41	< 0.5	17	72	31	5.44	1.13	1.64	825
L3700M-3125E	201 285	< 0.2	6.15	410	< 0.5	4	2.18	< 0.5	14	54	50	5.04	1.05	1.49	790
L3700M-3150E	201 285	< 0.2	4.91	350	< 0.5	6	3.37	< 0.5	26	135	12	5.82	1.03	2.65	1095
L3700M-3175E	201 285	< 0.2	4.46	630	< 0.5	6	2.75	< 0.5	22	138	7	4.78	1.59	2.27	890

CERTIFICATION: *Frank Beckler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: DRAGON
 Comments: ATTN: JONES

Page Number: 3-B
 Total Pages: 4
 Certificate Date: 24-APR-95
 Invoice No.: I9515417
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515417

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
L3600N-3350E	201 285	< 1	0.56	5	780	< 2	64	1.35	149	< 10	56				
L3600N-3375E	201 285	1	0.88	12	500	< 2	109	2.84	511	< 20	108				
L3600N-3400E	201 285	1	1.12	3	780	< 2	118	0.82	136	< 10	40				
L3600N-3425E	201 285	< 1	0.89	386	270	< 2	42	0.50	211	< 40	86				
L3600N-3450E	201 285	3	0.99	4	670	6	66	1.86	58	< 10	34				
L3600N-3475E	201 285	2	1.51	9	340	10	116	0.87	178	< 10	30				
L3600N-3500E	201 285	1	1.06	11	320	2	58	2.40	320	< 10	64				
L3600N-3525E	201 285	< 1	1.27	11	270	4	103	1.15	457	< 10	56				
L3600N-3550E	201 285	< 1	1.31	16	350	4	111	1.06	428	< 10	44				
L3600N-3575E	201 285	< 1	1.09	1	160	8	61	1.10	124	< 10	16				
L3600N-3600E	201 285	< 1	1.77	9	320	4	124	0.71	294	< 10	38				
L3600N-3625E	201 285	< 1	0.43	3	390	6	38	0.67	86	< 10	30				
L3600N-3650E	201 285	< 1	1.50	11	340	4	110	1.10	377	< 10	46				
L3600N-3675E	201 285	< 1	1.45	12	360	2	118	0.95	395	< 10	44				
L3600N-3700E	201 285	< 1	1.65	8	340	4	127	0.57	129	< 10	32				
L3700N-2575E	201 285	2	1.18	21	310	12	116	0.63	217	< 10	70				
L3700N-2600E	201 285	8	1.20	19	720	6	113	0.44	130	< 10	68				
L3700N-2625E	201 285	< 1	1.78	3	320	38	153	1.10	559	< 10	32				
L3700N-2650E	201 285	3	1.54	17	390	6	151	0.65	243	< 10	52				
L3700N-2675E	201 285	< 1	1.65	10	260	16	117	0.73	181	< 10	34				
L3700N-2700E	201 285	< 1	1.31	12	450	20	117	0.81	299	< 10	52				
L3700N-2725E	201 285	7	1.10	14	470	14	93	0.67	318	< 10	100				
L3700N-2750E	201 285	< 1	1.03	3	340	12	113	0.70	413	< 10	98				
L3700N-2775E	201 285	1	1.45	17	330	2	131	0.93	373	< 10	54				
L3700N-2800E	201 285	< 1	1.06	6	500	< 2	96	0.73	218	< 10	36				
L3700N-2825E	201 285	1	1.68	30	310	2	214	0.73	243	10	72				
L3700N-2850E	201 285	1	1.13	32	260	< 2	108	1.21	376	10	68				
L3700N-2875E	201 285	1	0.52	3	200	4	39	0.73	234	< 10	20				
L3700N-2900E	201 285	1	0.55	1	230	2	37	0.56	180	< 10	16				
L3700N-2925E	201 285	13	1.45	14	480	< 2	95	0.60	271	< 10	54				
L3700N-2950E	201 285	< 1	0.47	2	430	< 2	27	0.53	253	< 10	46				
L3700N-2975E	201 285	< 1	1.64	20	390	< 2	182	0.58	136	< 10	46				
L3700N-3000E	201 285	6	1.77	16	200	4	161	1.01	257	< 10	48				
L3700N-3025E	201 285	< 1	1.53	17	330	< 2	150	0.87	326	10	52				
L3700N-3050E	201 285	8	1.60	15	440	< 2	151	0.93	309	10	54				
L3700N-3075E	201 285	2	1.44	12	440	4	125	0.99	351	10	48				
L3700N-3100E	201 285	3	1.55	23	420	6	133	0.93	310	10	58				
L3700N-3125E	201 285	9	1.48	17	440	2	126	0.81	232	< 10	54				
L3700N-3150E	201 285	< 1	1.40	48	240	2	93	1.04	329	10	72				
L3700N-3175E	201 285	< 1	1.07	45	250	4	63	0.95	279	10	60				

CERTIFICATION:

Hart Beckler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: DRAGON
 Comments: ATTN: JONES

Page Number: 4-A
 Total Pages: 4
 Certificate Date: 24-APR-95
 Invoice No.: I9515417
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515417

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
L3700M-3200E	201 285	< 0.2	4.24	220	< 0.5	6	3.24	< 0.5	26	120	31	6.37	0.76	2.63	1225
L3700M-3225E	201 285	< 0.2	8.15	270	< 0.5	< 2	1.00	< 0.5	7	52	116	5.58	0.73	0.64	350
L3700M-3250E	201 285	< 0.2	5.51	260	< 0.5	10	3.11	< 0.5	25	92	38	7.81	0.87	2.34	1085
L3700M-3275E	201 285	< 0.2	3.22	120	< 0.5	2	1.38	< 0.5	7	20	10	2.05	0.39	0.61	390
L3700M-3300E	201 285	< 0.2	5.78	410	< 0.5	2	1.68	< 0.5	12	57	24	5.04	1.00	1.19	645
L3700M-3325E	201 285	< 0.2	3.80	160	< 0.5	10	2.94	< 0.5	27	34	57	9.77	0.58	1.76	3500
L3700M-3350E	201 285	< 0.2	3.53	210	< 0.5	4	2.28	< 0.5	17	63	17	4.50	0.65	1.40	1040
L3700M-3375E	201 285	< 0.2	4.86	280	< 0.5	< 2	1.28	< 0.5	6	1	10	2.29	0.65	0.30	775
L3700M-3400E	201 285	< 0.2	1.93	180	< 0.5	2	0.63	< 0.5	3	11	12	1.10	0.60	0.24	475
L3700M-3425E	201 285	< 0.2	6.87	430	< 0.5	< 2	1.33	< 0.5	9	42	100	2.70	1.11	0.83	460
L3700M-3450E	201 285	0.4	4.47	250	< 0.5	2	1.73	< 0.5	12	25	33	4.15	0.72	0.91	860
L3700M-3475E	201 285	< 0.2	6.17	550	< 0.5	< 2	1.25	< 0.5	8	109	13	2.47	1.40	0.76	570
L3700M-3500E	201 285	< 0.2	5.64	850	< 0.5	< 2	1.08	< 0.5	7	34	7	1.57	2.07	0.59	390
L3700M-3525E	201 285	< 0.2	5.44	420	< 0.5	< 2	1.71	< 0.5	10	31	6	3.25	1.08	1.28	790
L3700M-3550E	201 285	< 0.2	6.21	440	< 0.5	< 2	2.17	< 0.5	15	68	21	6.15	1.17	1.55	660
L3700M-3575E	201 285	< 0.2	4.12	1050	< 0.5	< 2	0.34	< 0.5	1	< 1	4	0.27	2.38	0.04	165
L3700M-3600E	201 285	< 0.2	5.25	490	< 0.5	< 2	0.92	< 0.5	2	15	6	1.65	1.45	0.26	305
L3700M-3625E	201 285	< 0.2	6.66	350	< 0.5	< 2	1.16	< 0.5	8	68	17	8.21	0.92	0.80	490
L3700M-3650E	201 285	< 0.2	7.61	450	0.5	< 2	1.79	< 0.5	10	43	46	2.56	1.10	1.09	565
L3700M-3675E	201 285	< 0.2	4.71	490	< 0.5	< 2	0.85	< 0.5	6	30	9	4.26	1.22	0.57	475
L3700M-3700E	201 285	< 0.2	7.70	360	< 0.5	< 2	1.53	< 0.5	10	54	24	6.20	0.90	0.98	565

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Project: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: DRAGON
 Comments: ATTN: JONES

Page Number : 4-B
 Total Pages : 4
 Certificate Date: 24-APR-95
 Invoice No. : I9515417
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515417

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
L3700N-3200E	201 285	< 1	1.04	42	270	2	109	1.59	450	30	86				
L3700N-3225E	201 285	28	1.09	9	850	6	77	0.62	263	< 10	36				
L3700N-3250E	201 285	3	1.17	46	510	4	103	1.31	452	20	84				
L3700N-3275E	201 285	< 1	0.57	4	740	6	120	0.67	145	< 10	32				
L3700N-3300E	201 285	1	1.31	11	360	6	108	1.05	285	10	44				
L3700N-3325E	201 285	< 1	0.81	25	240	< 2	98	3.83	450	10	164				
L3700N-3350E	201 285	< 1	1.01	16	510	4	84	1.51	258	10	62				
L3700N-3375E	201 285	< 1	1.83	2	230	4	124	1.31	161	< 10	24				
L3700N-3400E	201 285	1	0.45	3	710	6	35	0.45	76	< 10	26				
L3700N-3425E	201 285	2	1.42	8	600	12	108	0.77	156	< 10	38				
L3700N-3450E	201 285	2	1.23	8	580	10	124	1.40	231	10	52				
L3700N-3475E	201 285	2	1.70	16	330	8	98	1.10	204	< 10	34				
L3700N-3500E	201 285	< 1	1.68	7	230	16	93	0.72	128	< 10	26				
L3700N-3525E	201 285	< 1	1.59	6	210	10	149	0.81	179	10	46				
L3700N-3550E	201 285	< 1	1.53	25	460	4	101	0.70	238	10	52				
L3700N-3575E	201 285	1	1.24	1	200	8	58	0.33	22	< 10	6				
L3700N-3600E	201 285	1	1.49	3	280	6	106	0.49	82	< 10	18				
L3700N-3625E	201 285	1	1.18	10	330	6	81	1.00	326	10	36				
L3700N-3650E	201 285	< 1	1.98	10	420	4	141	0.60	142	< 10	38				
L3700N-3675E	201 285	< 1	1.12	7	170	2	70	0.70	207	< 10	26				
L3700N-3700E	201 285	1	1.55	12	260	4	119	0.72	259	10	42				

CERTIFICATION: Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 1-A
 Total Pages: 6
 Certificate Date: 02-MAY-95
 Invoice No.: 19515981
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515981

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
33N 1475E	201 285	< 0.2	7.98	290	< 0.5	< 2	1.50	< 0.5	12	41	23	5.83	0.66	0.99	670
33N 1500E	201 285	< 0.2	7.50	340	< 0.5	< 2	2.12	< 0.5	15	52	19	6.09	0.70	1.20	770
33N 1525E	201 285	< 0.2	7.21	210	< 0.5	< 2	0.91	< 0.5	7	30	13	5.16	0.53	0.63	350
33N 1550E	201 285	< 0.2	9.46	250	< 0.5	< 2	2.33	< 0.5	13	52	26	5.03	0.53	0.87	660
33N 1575E	201 285	< 0.2	7.33	360	0.5	< 2	2.93	3.5	17	58	33	4.83	0.84	1.30	2260
33N 1600E	201 285	< 0.2	9.16	240	< 0.5	< 2	0.37	< 0.5	17	38	81	5.21	1.38	1.27	615
33N 1625E	201 285	< 0.2	7.67	260	< 0.5	< 2	2.65	< 0.5	13	45	28	5.08	0.52	1.27	610
33N 1650E	201 285	< 0.2	3.89	150	< 0.5	2	7.39	< 0.5	16	35	10	3.24	0.40	4.44	765
33N 1675E	201 285	< 0.2	6.45	310	< 0.5	< 2	3.52	< 0.5	7	74	22	5.42	0.75	1.64	325
33N 1700E	201 285	< 0.2	5.58	330	< 0.5	2	3.88	< 0.5	9	68	15	6.35	0.92	2.51	610
33N 1725E	201 285	< 0.2	6.48	170	< 0.5	< 2	11.05	0.5	11	125	18	5.18	0.65	3.40	1300
33N 1750E	201 285	< 0.2	3.38	260	< 0.5	< 2	0.50	< 0.5	2	10	6	0.94	0.85	0.21	210
33N 1775E	201 285	< 0.2	5.54	360	< 0.5	< 2	2.18	< 0.5	8	52	14	4.34	0.73	0.97	490
33N 1800E	201 285	< 0.2	5.22	840	< 0.5	< 2	2.79	< 0.5	7	87	12	6.37	2.14	0.95	260
33N 1825E	201 285	< 0.2	3.44	440	< 0.5	< 2	3.32	< 0.5	12	317	5	3.36	0.91	1.64	735
33N 1850E	201 285	< 0.2	6.07	340	< 0.5	< 2	1.89	< 0.5	10	79	15	6.74	0.82	1.14	600
33N 1875E	201 285	< 0.2	5.33	250	< 0.5	< 2	2.68	0.5	12	58	13	3.98	0.73	0.78	1445
33N 1900E	201 285	< 0.2	4.19	310	< 0.5	< 2	1.18	< 0.5	8	42	12	4.82	0.83	0.75	690
33N 1925E	201 285	< 0.2	2.11	250	< 0.5	< 2	0.94	< 0.5	4	26	10	3.53	0.56	0.60	270
33N 1950E	201 285	0.2	6.13	10	< 0.5	< 2	4.35	< 0.5	10	74	17	5.68	0.02	0.98	295
33N 1975E	201 285	< 0.2	3.78	60	< 0.5	< 2	1.44	< 0.5	3	53	10	4.56	0.14	0.27	135
33N 2000E	201 285	< 0.2	6.01	60	< 0.5	< 2	1.80	< 0.5	9	55	12	4.20	0.14	0.47	440
33N 2025E	201 285	0.2	4.23	30	< 0.5	< 2	3.05	< 0.5	5	49	21	5.71	0.12	0.87	255
33N 2050E	201 285	< 0.2	4.99	670	< 0.5	< 2	9.02	< 0.5	15	52	4	4.88	1.30	2.34	1135
33N 2075E	201 285	< 0.2	5.40	240	< 0.5	< 2	5.94	< 0.5	11	60	25	4.14	0.65	2.08	1020
33N 2100E	201 285	< 0.2	6.45	520	0.5	< 2	3.96	< 0.5	10	48	12	5.32	1.13	1.00	2070
33N 2125E	201 285	< 0.2	8.18	320	< 0.5	< 2	2.29	< 0.5	12	51	35	5.29	0.81	1.09	855
33N 2150E	201 285	< 0.2	9.50	250	< 0.5	< 2	3.40	< 0.5	13	70	31	7.43	0.62	1.16	645
33N 2175E	201 285	< 0.2	6.92	270	< 0.5	< 2	1.98	< 0.5	7	54	21	3.43	0.67	0.96	570
33N 2200E	201 285	< 0.2	4.43	180	< 0.5	< 2	3.05	< 0.5	6	52	7	9.71	0.71	0.93	1575
33N 2775E	201 285	< 0.2	6.22	540	< 0.5	< 2	3.20	< 0.5	19	57	84	4.69	0.86	1.84	1125
33N 2800E	201 285	< 0.2	2.36	170	< 0.5	< 2	1.20	< 0.5	5	20	19	2.09	0.22	0.71	280
33N 2825E	201 285	< 0.2	6.59	490	< 0.5	< 2	2.74	< 0.5	14	70	40	5.76	0.70	1.89	765
33N 2850E	201 285	< 0.2	5.81	480	< 0.5	< 2	2.52	< 0.5	15	72	17	4.33	0.89	1.59	875
33N 2875E	201 285	< 0.2	6.39	430	< 0.5	< 2	1.35	< 0.5	7	51	21	4.19	0.84	0.85	580
33N 2900E	201 285	0.2	8.32	360	< 0.5	< 2	1.26	< 0.5	8	48	55	5.17	0.61	0.73	420
33N 2925E	201 285	< 0.2	4.82	540	< 0.5	< 2	1.13	< 0.5	7	44	10	4.97	1.00	0.82	560
33N 2950E	201 285	< 0.2	4.53	430	< 0.5	< 2	1.05	< 0.5	6	48	15	6.22	0.77	0.61	515
33N 2975E	201 285	< 0.2	4.85	630	< 0.5	< 2	1.29	< 0.5	8	42	11	4.15	1.11	0.94	585
33N 3000E	201 285	< 0.2	4.50	570	< 0.5	< 2	0.92	< 0.5	6	44	10	4.65	0.98	0.75	555

CERTIFICATION: *Hartl Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Co: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: MURRAY JONES

Page Number : 1-B
Total Pages : 6
Certificate Date: 02-MAY-95
Invoice No. : 19515981
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9515981

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
33N 1475E	201 285	2	1.17	9	420	16	127	0.63	228	10	82				
33N 1500E	201 285	1	1.66	12	370	< 2	185	0.63	230	10	104				
33N 1525E	201 285	3	1.23	5	300	4	103	0.54	188	10	64				
33N 1550E	201 285	1	1.17	21	670	6	148	0.38	135	10	94				
33N 1575E	201 285	1	1.44	36	500	4	179	0.53	169	10	268				
33N 1600E	201 285	4	0.23	31	440	< 2	26	0.49	161	10	160				
33N 1625E	201 285	2	1.09	18	580	< 2	138	0.45	161	10	128				
33N 1650E	201 285	1	0.72	33	290	6	87	0.38	105	10	166				
33N 1675E	201 285	2	0.90	19	550	2	166	0.40	142	10	136				
33N 1700E	201 285	1	1.09	18	380	< 2	181	0.46	159	20	148				
33N 1725E	201 285	< 1	0.95	23	2070	< 2	813	0.41	159	20	202				
33N 1750E	201 285	1	0.85	2	230	< 2	60	0.27	42	< 10	22				
33N 1775E	201 285	1	1.21	12	310	4	141	0.57	160	< 10	90				
33N 1800E	201 285	1	0.51	19	560	< 2	351	0.72	268	20	150				
33N 1825E	201 285	1	0.62	50	200	< 2	123	0.66	168	20	72				
33N 1850E	201 285	1	1.38	12	300	< 2	138	0.83	283	10	76				
33N 1875E	201 285	1	0.97	17	470	6	160	0.59	134	10	174				
33N 1900E	201 285	< 1	0.84	6	150	< 2	85	0.82	280	< 10	32				
33N 1925E	201 285	2	0.45	3	190	< 2	48	0.56	207	< 10	30				
33N 1950E	201 285	3	0.08	20	470	< 2	17	0.29	118	30	124				
33N 1975E	201 285	4	0.21	11	310	4	22	0.45	146	< 10	90				
33N 2000E	201 285	4	0.29	13	640	< 2	34	0.29	98	< 10	108				
33N 2025E	201 285	< 1	0.16	12	360	< 2	20	0.68	183	10	92				
33N 2050E	201 285	< 1	0.74	31	320	4	180	0.66	227	10	366				
33N 2075E	201 285	1	0.71	29	990	4	55	0.32	102	10	188				
33N 2100E	201 285	2	1.25	14	290	4	117	0.73	204	10	102				
33N 2125E	201 285	2	1.28	20	400	4	123	0.54	183	10	162				
33N 2150E	201 285	2	0.83	17	410	4	104	0.69	246	20	154				
33N 2175E	201 285	< 1	1.11	14	490	4	91	0.49	142	10	68				
33N 2200E	201 285	4	0.51	6	310	6	71	0.85	295	20	84				
33N 2775E	201 285	2	1.31	28	570	2	178	0.48	162	10	120				
33N 2800E	201 285	< 1	0.50	8	530	< 2	82	0.19	63	< 10	30				
33N 2825E	201 285	2	1.53	22	250	< 2	186	0.68	233	10	66				
33N 2850E	201 285	< 1	1.72	23	150	< 2	191	0.88	214	10	52				
33N 2875E	201 285	< 1	1.07	10	460	4	112	0.73	190	< 10	38				
33N 2900E	201 285	1	1.19	8	340	< 2	123	0.47	154	10	38				
33N 2925E	201 285	< 1	1.08	11	160	< 2	87	0.81	224	< 10	32				
33N 2950E	201 285	< 1	0.79	7	260	< 2	99	0.83	243	10	34				
33N 2975E	201 285	< 1	1.30	11	120	4	93	0.82	224	< 10	34				
33N 3000E	201 285	< 1	0.82	8	110	< 2	64	0.92	281	10	30				

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Client: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: MURRAY JONES

Page Number : 2-A
Total Pages : 6
Certificate Date: 02-MAY-95
Invoice No. : 19515981
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9515981

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
33N 3025E	201 285	< 0.2	3.83	780	< 0.5	< 2	0.56	< 0.5	1	7	4	1.41	1.64	0.20	375
33N 3050E	201 285	< 0.2	5.81	440	< 0.5	< 2	1.22	< 0.5	6	35	14	2.96	0.99	0.72	460
33N 3075E	201 285	< 0.2	5.66	450	< 0.5	< 2	0.72	< 0.5	4	32	11	3.36	0.95	0.49	405
33N 3100E	201 285	< 0.2	5.18	550	< 0.5	< 2	0.82	< 0.5	4	25	6	3.81	1.30	0.57	415
33N 3125E	201 285	< 0.2	2.22	280	< 0.5	< 2	1.09	< 0.5	7	38	7	2.11	0.62	0.72	445
33N 3150E	201 285	< 0.2	4.21	490	< 0.5	< 2	0.22	< 0.5	1	9	4	0.95	1.71	0.17	155
33N 3175E	201 285	< 0.2	4.82	520	< 0.5	< 2	1.31	< 0.5	8	43	19	5.11	1.11	0.85	540
33N 3200E	201 285	< 0.2	5.65	760	< 0.5	< 2	1.43	< 0.5	6	28	18	4.32	1.33	0.63	520
33N 3225E	201 285	0.6	4.25	40	< 0.5	< 2	0.92	< 0.5	10	39	106	7.23	0.16	0.49	370
3325M 2200E	201 285	< 0.2	11.70	280	< 0.5	< 2	1.50	< 0.5	9	55	49	5.16	0.63	0.81	465
3325M 2225E	201 285	< 0.2	9.17	210	< 0.5	< 2	2.78	< 0.5	9	51	29	4.41	0.58	1.16	520
3325M 2250E	201 285	< 0.2	5.29	360	< 0.5	< 2	1.77	< 0.5	11	47	37	4.24	0.63	1.17	585
3325M 2275E	201 285	< 0.2	5.95	470	< 0.5	< 2	2.40	< 0.5	12	66	22	6.62	0.83	1.37	745
3325M 2300E	201 285	< 0.2	6.75	450	< 0.5	< 2	2.57	< 0.5	12	48	21	4.78	0.87	1.26	690
3325M 2325E	201 285	< 0.2	4.82	240	< 0.5	< 2	1.46	< 0.5	19	27	25	3.08	0.48	0.68	580
3325M 2350E	201 285	< 0.2	4.58	140	< 0.5	< 2	1.38	< 0.5	11	27	23	2.97	0.24	0.60	460
3325M 2375E	201 285	< 0.2	6.65	200	< 0.5	< 2	3.08	< 0.5	18	128	45	9.40	0.48	2.18	775
3325M 2400E	201 285	< 0.2	6.49	330	< 0.5	< 2	1.47	< 0.5	10	104	33	10.80	0.92	1.20	600
3325M 2425E	201 285	< 0.2	4.31	220	< 0.5	< 2	1.17	< 0.5	6	30	16	2.53	0.42	0.38	340
3325M 2450E	201 285	< 0.2	5.91	480	< 0.5	< 2	1.96	< 0.5	11	50	13	4.19	1.22	1.35	785
3325M 2475E	201 285	< 0.2	4.83	620	< 0.5	< 2	0.99	< 0.5	6	23	9	3.01	1.94	0.86	1000
3325M 2500E	201 285	< 0.2	5.38	430	< 0.5	< 2	1.44	< 0.5	7	28	12	2.59	1.67	1.14	1080
3325M 2525E	201 285	< 0.2	5.26	390	< 0.5	< 2	0.99	< 0.5	9	37	18	6.87	1.27	0.72	595
3325M 2550E	201 285	0.8	5.92	700	1.0	< 2	0.06	< 0.5	< 1	13	7	0.40	3.23	0.15	150
3325M 2575E	201 285	< 0.2	3.99	190	< 0.5	< 2	1.04	< 0.5	5	35	10	3.10	0.78	0.41	640
3325M 2600E	201 285	< 0.2	5.01	570	< 0.5	< 2	0.45	< 0.5	7	8	14	1.97	1.98	0.16	1965
3325M 2625E	201 285	< 0.2	5.61	370	< 0.5	< 2	0.92	< 0.5	5	36	9	4.22	1.13	0.71	615
3325M 2650E	201 285	< 0.2	6.58	350	< 0.5	< 2	1.39	< 0.5	7	43	26	5.46	0.95	0.99	555
3325M 2675E	201 285	< 0.2	3.87	380	< 0.5	< 2	0.87	< 0.5	7	32	12	2.56	1.34	0.92	655
3325M 2700E	201 285	< 0.2	6.24	250	< 0.5	< 2	0.98	< 0.5	8	37	47	7.33	0.73	0.69	445
3325M 2725E	201 285	< 0.2	5.99	290	< 0.5	< 2	1.34	< 0.5	9	58	22	4.52	0.80	1.02	550
3325M 2750E	201 285	< 0.2	7.21	390	< 0.5	< 2	1.64	< 0.5	9	56	20	6.22	0.80	1.00	575
3325M 2775E	201 285	< 0.2	4.18	210	< 0.5	< 2	0.35	< 0.5	6	29	11	3.05	0.89	0.39	525
3325M 2800E	201 285	< 0.2	6.26	420	< 0.5	< 2	2.57	< 0.5	13	66	33	4.22	0.77	1.57	685
34N 1700E	201 285	< 0.2	4.97	280	< 0.5	< 2	4.99	1.0	12	72	27	3.62	0.76	2.19	1025
34N 1725E	201 285	< 0.2	5.40	460	< 0.5	< 2	2.95	< 0.5	9	51	12	4.02	1.17	1.22	575
34N 1750E	201 285	< 0.2	8.55	140	< 0.5	< 2	9.85	< 0.5	21	57	32	5.19	0.34	2.27	1590
34N 1775E	201 285	< 0.2	5.11	300	< 0.5	< 2	4.61	0.5	16	46	38	3.04	0.64	1.66	1130
34N 1800E	201 285	< 0.2	4.66	340	< 0.5	< 2	5.00	< 0.5	12	53	17	3.34	0.63	1.86	510
34N 1825E	201 285	< 0.2	4.82	290	< 0.5	< 2	4.76	< 0.5	12	59	31	3.20	0.56	1.86	580

CERTIFICATION:

Hartl Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 2-B
 Total Pages : 8
 Certificate Date: 02-MAY-95
 Invoice No. : 19515981
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515981

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
33N 3025E	201 285	2	0.85	4	120	6	58	0.53	79	< 10	14				
33N 3050E	201 285	1	1.29	8	280	6	119	0.51	135	10	30				
33N 3075E	201 285	2	0.92	4	220	4	77	0.71	172	< 10	22				
33N 3100E	201 285	1	1.18	6	160	4	82	0.63	199	10	24				
33N 3125E	201 285	< 1	0.51	13	250	2	47	0.43	136	< 10	28				
33N 3150E	201 285	< 1	0.39	< 1	190	4	35	0.36	61	< 10	14				
33N 3175E	201 285	< 1	1.25	12	320	< 2	103	0.68	235	10	36				
33N 3200E	201 285	2	1.83	7	210	4	128	0.80	200	10	30				
33N 3225E	201 285	< 1	0.32	10	730	< 2	36	0.35	118	10	36				
3325N 2200E	201 285	2	1.35	12	310	< 2	140	0.45	170	10	42				
3325N 2225E	201 285	2	0.63	18	350	8	82	0.30	111	20	148				
3325N 2250E	201 285	3	1.07	16	560	2	124	0.49	141	10	54				
3325N 2275E	201 285	4	1.42	19	190	< 2	167	0.74	224	20	64				
3325N 2300E	201 285	< 1	2.04	13	150	< 2	232	0.49	170	10	48				
3325N 2325E	201 285	1	1.03	11	580	< 2	126	0.30	95	10	38				
3325N 2350E	201 285	3	0.22	8	1250	10	108	0.25	113	10	56				
3325N 2375E	201 285	8	0.48	31	420	10	107	0.87	444	40	90				
3325N 2400E	201 285	3	0.75	13	650	< 2	94	0.99	405	30	50				
3325N 2425E	201 285	< 1	1.02	4	200	6	93	0.64	193	< 10	24				
3325N 2450E	201 285	5	1.08	13	190	14	126	1.28	417	20	44				
3325N 2475E	201 285	1	0.34	6	180	8	90	0.88	280	10	34				
3325N 2500E	201 285	3	0.46	5	240	26	89	0.96	225	10	42				
3325N 2525E	201 285	6	0.57	10	320	4	73	0.73	337	10	38				
3325N 2550E	201 285	18	0.36	< 1	240	316	43	0.27	121	< 10	12				
3325N 2575E	201 285	6	0.27	5	150	30	113	0.91	288	< 10	52				
3325N 2600E	201 285	1	0.11	3	160	26	60	0.53	166	< 10	32				
3325N 2625E	201 285	1	0.77	8	220	6	73	0.63	236	10	32				
3325N 2650E	201 285	2	1.37	11	390	8	112	0.69	271	10	40				
3325N 2675E	201 285	2	0.29	4	460	12	40	0.87	219	< 10	40				
3325N 2700E	201 285	1	0.70	7	380	10	78	0.63	352	10	38				
3325N 2725E	201 285	1	0.84	9	240	8	110	0.68	256	10	38				
3325N 2750E	201 285	< 1	1.48	10	230	< 2	155	0.57	220	10	38				
3325N 2775E	201 285	< 1	0.32	< 1	210	< 2	33	0.71	244	< 10	20				
3325N 2800E	201 285	1	1.35	22	480	< 2	167	0.62	181	10	60				
34N 1700E	201 285	< 1	0.90	29	570	< 2	184	0.28	99	10	226				
34N 1725E	201 285	2	1.37	15	330	< 2	188	0.43	136	10	118				
34N 1750E	201 285	< 1	0.77	29	750	< 2	342	0.41	133	30	112				
34N 1775E	201 285	< 1	0.61	23	730	4	109	0.22	79	10	128				
34N 1800E	201 285	< 1	0.70	18	560	< 2	120	0.26	96	10	136				
34N 1825E	201 285	1	0.68	21	500	< 2	111	0.26	91	10	132				

CERTIFICATION: *Hant Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 3-A
 Total Pages: 6
 Certificate Date: 02-MAY-95
 Invoice No.: I9515981
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515981

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
34N 1850E	201 285	< 0.2	5.63	410	< 0.5	< 2	1.96	< 0.5	9	51	20	5.03	0.98	0.95	520
34N 1875E	201 285	< 0.2	4.50	150	< 0.5	< 2	0.49	< 0.5	7	27	6	16.45	0.29	0.28	625
34N 1900E	201 285	< 0.2	10.55	200	0.5	< 2	1.30	< 0.5	8	55	26	4.37	0.46	0.65	370
34N 1925E	201 285	< 0.2	8.99	490	0.5	< 2	1.68	< 0.5	21	49	19	6.34	1.20	0.84	585
34N 1950E	201 285	< 0.2	5.75	430	< 0.5	< 2	1.94	< 0.5	11	45	9	5.60	1.14	1.27	825
34N 1975E	201 285	< 0.2	9.27	280	< 0.5	< 2	1.38	< 0.5	11	58	25	7.22	0.68	0.82	485
34N 2000E	201 285	< 0.2	4.39	580	0.5	< 2	0.41	< 0.5	2	7	4	0.98	3.07	0.13	195
34N 2025E	201 285	< 0.2	4.07	430	< 0.5	< 2	1.23	< 0.5	11	38	4	2.58	1.97	0.91	425
34N 2050E	201 285	< 0.2	5.97	590	< 0.5	< 2	1.86	< 0.5	10	45	7	4.38	1.54	1.01	705
34N 2075E	201 285	< 0.2	6.36	370	< 0.5	< 2	1.53	< 0.5	10	55	17	5.90	0.97	1.03	700
34N 2100E	201 285	< 0.2	8.38	360	< 0.5	< 2	1.40	< 0.5	8	55	24	6.18	1.34	0.82	485
34N 2125E	201 285	< 0.2	5.65	520	< 0.5	< 2	1.26	< 0.5	6	28	7	3.18	1.91	0.77	555
34N 2150E	201 285	< 0.2	6.20	500	< 0.5	< 2	2.38	< 0.5	13	57	11	4.91	1.37	1.54	850
34N 2175E	201 285	< 0.2	6.25	430	< 0.5	< 2	2.01	< 0.5	15	48	13	4.99	1.28	1.42	775
34N 2200E	201 285	< 0.2	5.83	710	0.5	< 2	1.13	< 0.5	8	22	5	2.48	3.94	0.73	485
34N 2225E	201 285	< 0.2	4.96	530	< 0.5	< 2	1.77	< 0.5	10	60	7	3.97	2.29	1.21	705
34N 2250E	201 285	< 0.2	5.19	480	< 0.5	< 2	1.64	< 0.5	12	177	7	4.42	1.36	1.70	815
34N 2275E	201 285	< 0.2	7.61	440	< 0.5	< 2	1.69	< 0.5	12	65	28	5.72	1.05	1.19	595
34N 2300E	201 285	< 0.2	5.51	470	< 0.5	< 2	1.74	< 0.5	9	47	12	6.03	1.20	1.13	695
34N 2325E	201 285	< 0.2	5.85	310	< 0.5	< 2	1.29	< 0.5	8	43	18	5.32	0.76	0.80	545
34N 2350E	201 285	< 0.2	6.30	390	< 0.5	6	1.92	< 0.5	12	57	16	5.69	1.00	1.21	655
34N 2375E	201 285	< 0.2	7.83	330	< 0.5	4	1.65	< 0.5	11	54	20	5.60	0.82	0.99	595
34N 2400E	201 285	< 0.2	8.61	270	< 0.5	2	1.08	< 0.5	7	59	30	6.77	0.72	0.64	420
34N 2425E	201 285	< 0.2	10.80	280	< 0.5	6	1.38	< 0.5	9	73	41	6.47	0.75	0.86	465
34N 2450E	201 285	< 0.2	5.11	590	< 0.5	< 2	1.78	< 0.5	13	80	10	5.67	2.01	1.46	890
34N 2475E	201 285	< 0.2	4.44	450	< 0.5	2	0.77	< 0.5	6	12	8	3.20	1.52	0.57	815
34N 2500E	201 285	< 0.2	4.44	350	< 0.5	2	1.37	< 0.5	8	42	10	4.43	1.05	0.97	840
34N 2525E	201 285	0.4	5.86	400	< 0.5	2	0.06	< 0.5	1	15	14	1.44	2.07	0.19	150
34N 2550E	201 285	< 0.2	7.15	350	< 0.5	4	1.64	< 0.5	10	51	14	5.91	0.95	0.97	590
34N 2575E	201 285	< 0.2	3.66	490	< 0.5	2	0.65	< 0.5	5	22	5	1.48	1.53	0.46	670
34N 2600E	201 285	< 0.2	7.33	360	< 0.5	8	0.68	< 0.5	6	22	13	4.07	1.52	0.83	515
34N 2625E	201 285	< 0.2	5.29	200	< 0.5	2	3.57	< 0.5	16	198	14	4.66	0.68	3.34	1360
34N 2650E	201 285	< 0.2	6.22	280	< 0.5	< 2	0.31	< 0.5	2	21	43	8.12	1.21	1.89	645
34N 2675E	201 285	< 0.2	2.39	210	< 0.5	< 2	0.28	< 0.5	2	22	10	4.28	0.66	0.42	245
34N 2700E	201 285	< 0.2	5.92	400	< 0.5	< 2	0.73	< 0.5	4	37	6	1.90	1.90	0.57	410
34N 2725E	201 285	< 0.2	3.88	420	< 0.5	2	1.00	< 0.5	5	28	8	3.32	1.08	0.91	1040
34N 2750E	201 285	< 0.2	6.83	100	< 0.5	< 2	1.56	< 0.5	9	58	36	6.47	0.52	2.03	1075
34N 2775E	201 285	< 0.2	4.35	150	< 0.5	< 2	0.89	< 0.5	4	17	9	3.55	0.32	0.48	1540
34N 2800E	201 285	< 0.2	5.02	440	< 0.5	< 2	1.82	< 0.5	10	54	8	4.35	0.99	1.20	775
34N 2825E	201 285	< 0.2	3.92	610	< 0.5	< 2	2.14	< 0.5	14	70	20	6.81	0.56	1.59	835

CERTIFICATION: *Hank Bechler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project : 6004
Comments: ATTN: MURRAY JONES

Page Number : 3-B
Total Pages : 6
Certificate Date: 02-MAY-95
Invoice No. : 19515981
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9515981

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
34N 1850E	201 285	< 1	1.00	11	410	< 2	112	0.56	169	20	90				
34N 1875E	201 285	3	0.29	3	650	< 2	36	0.29	162	20	82				
34N 1900E	201 285	1	0.98	9	1020	18	106	0.31	104	10	62				
34N 1925E	201 285	4	0.98	12	320	12	111	0.46	145	10	288				
34N 1950E	201 285	< 1	1.28	11	230	< 2	128	0.90	316	10	52				
34N 1975E	201 285	1	1.08	11	400	< 2	112	0.66	227	< 10	58				
34N 2000E	201 285	1	0.91	< 1	160	< 2	85	0.23	30	< 10	18				
34N 2025E	201 285	< 1	0.86	15	160	< 2	48	0.45	107	< 10	30				
34N 2050E	201 285	1	1.73	11	180	< 2	144	0.77	236	10	38				
34N 2075E	201 285	< 1	1.18	13	340	< 2	115	0.83	260	10	92				
34N 2100E	201 285	< 1	1.14	6	430	< 2	122	0.53	195	10	48				
34N 2125E	201 285	1	1.39	7	160	< 2	97	0.62	154	< 10	36				
34N 2150E	201 285	1	1.62	16	240	< 2	164	0.74	235	10	62				
34N 2175E	201 285	2	1.33	18	430	< 2	135	0.76	218	10	78				
34N 2200E	201 285	< 1	0.99	7	170	< 2	101	0.40	105	< 10	34				
34N 2225E	201 285	< 1	0.97	13	250	4	115	0.61	156	< 10	44				
34N 2250E	201 285	< 1	1.05	52	150	< 2	92	0.78	233	10	44				
34N 2275E	201 285	6	1.10	14	540	4	121	0.85	237	10	80				
34N 2300E	201 285	2	1.07	11	320	< 2	110	0.77	246	10	50				
34N 2325E	201 285	< 1	0.99	9	270	< 2	97	0.63	201	10	42				
34N 2350E	201 285	1	1.27	15	260	< 2	133	0.68	233	10	58				
34N 2375E	201 285	1	1.14	13	230	< 2	126	0.63	205	10	68				
34N 2400E	201 285	4	0.91	7	360	8	88	0.62	218	10	40				
34N 2425E	201 285	2	1.04	13	400	< 2	116	0.57	202	10	44				
34N 2450E	201 285	< 1	0.82	12	140	< 2	90	0.98	324	10	46				
34N 2475E	201 285	1	0.66	3	260	4	66	0.70	216	< 10	32				
34N 2500E	201 285	2	0.76	7	190	12	85	0.97	269	< 10	40				
34N 2525E	201 285	18	0.21	2	180	4	33	0.38	133	< 10	14				
34N 2550E	201 285	< 1	1.28	11	270	< 2	116	0.70	235	10	40				
34N 2575E	201 285	< 1	0.53	5	90	10	52	1.06	129	< 10	24				
34N 2600E	201 285	2	0.67	7	200	12	60	0.86	408	10	38				
34N 2625E	201 285	< 1	1.04	51	240	10	114	0.89	282	20	88				
34N 2650E	201 285	< 1	0.27	2	460	6	28	0.57	410	10	58				
34N 2675E	201 285	< 1	0.18	4	200	2	19	0.67	378	< 10	22				
34N 2700E	201 285	9	0.53	7	210	14	53	0.67	217	< 10	24				
34N 2725E	201 285	< 1	0.65	9	180	6	64	0.88	311	< 10	34				
34N 2750E	201 285	< 1	0.64	13	320	< 2	62	0.57	322	< 10	60				
34N 2775E	201 285	< 1	1.04	3	270	8	79	0.85	238	< 10	32				
34N 2800E	201 285	< 1	1.25	15	150	2	125	0.85	236	< 10	42				
34N 2825E	201 285	1	0.77	24	200	< 2	85	1.12	360	10	58				

CERTIFICATION:

Hans Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 4-A
 Total Pages : 6
 Certificate Date : 02-MAY-95
 Invoice No. : 19515981
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515981

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
34N 2850E	201 285	< 0.2	5.77	340	< 0.5	< 2	1.94	< 0.5	13	62	21	7.26	0.62	1.33	715
34N 2875E	201 285	< 0.2	6.28	570	< 0.5	4	2.47	< 0.5	14	75	35	6.52	0.88	1.59	710
34N 2900E	201 285	< 0.2	6.11	470	< 0.5	6	3.19	< 0.5	18	70	59	5.90	0.79	2.02	920
34N 2925E	201 285	< 0.2	3.79	230	< 0.5	< 2	2.54	< 0.5	22	96	13	6.43	0.44	1.96	1225
34N 2950E	201 285	< 0.2	3.76	450	< 0.5	< 2	0.68	< 0.5	4	24	10	3.16	0.93	0.41	510
34N 2975E	201 285	< 0.2	3.69	290	< 0.5	< 2	1.70	< 0.5	12	51	11	5.45	0.62	1.28	1095
34N 3000E	201 285	< 0.2	2.72	710	< 0.5	< 2	0.13	< 0.5	< 1	2	3	0.32	1.79	0.06	220
34N 3025E	201 285	< 0.2	4.73	400	< 0.5	2	1.66	< 0.5	9	48	8	2.56	1.02	1.10	765
34N 3050E	201 285	< 0.2	4.23	420	< 0.5	4	1.90	< 0.5	14	75	6	4.03	1.15	1.55	795
34N 3075E	201 285	< 0.2	8.71	300	< 0.5	2	1.45	< 0.5	9	65	26	6.16	0.70	0.93	480
34N 3100E	201 285	< 0.2	5.35	510	< 0.5	4	1.44	< 0.5	8	35	8	3.12	1.23	0.94	585
34N 3125E	201 285	< 0.2	4.94	380	< 0.5	< 2	1.29	< 0.5	8	39	29	6.06	0.88	0.85	525
34N 3150E	201 285	< 0.2	4.29	850	< 0.5	2	0.37	< 0.5	2	2	4	0.54	1.83	0.08	200
34N 3175E	201 285	< 0.2	5.59	910	< 0.5	4	1.25	< 0.5	6	26	13	2.00	1.23	0.66	485
34N 3200E	201 285	0.4	2.42	140	< 0.5	6	1.51	< 0.5	11	56	85	4.64	0.39	0.99	665
34N 3225E	201 285	< 0.2	5.12	570	< 0.5	6	1.48	< 0.5	9	36	7	3.03	1.36	0.93	610
34N 3700E	201 285	< 0.2	4.86	360	< 0.5	4	1.42	< 0.5	10	22	31	3.02	0.92	0.91	645
34N 3725E	201 285	< 0.2	4.70	680	< 0.5	< 2	0.75	< 0.5	4	21	15	1.63	1.56	0.50	480
34N 3750E	201 285	< 0.2	4.52	920	< 0.5	< 2	0.49	< 0.5	3	16	4	1.68	1.96	0.30	480
34N 3775E	201 285	< 0.2	2.70	240	< 0.5	< 2	1.22	< 0.5	13	14	13	3.63	0.73	0.68	1195
34N 3800E	201 285	< 0.2	4.63	490	< 0.5	< 2	0.90	< 0.5	4	33	15	4.28	1.22	0.58	465
34N 3825E	201 285	< 0.2	1.93	220	< 0.5	< 2	0.54	< 0.5	3	14	8	1.82	0.51	0.20	425
34N 3850E	201 285	< 0.2	4.20	600	< 0.5	< 2	0.98	< 0.5	6	42	7	2.17	1.37	0.68	560
34N 3875E	201 285	< 0.2	0.31	40	< 0.5	2	0.53	< 0.5	< 1	9	5	0.17	0.10	0.10	100
34N 3900E	201 285	< 0.2	5.47	630	< 0.5	4	0.86	< 0.5	4	27	8	1.61	1.53	0.51	355
34N 3925E	201 285	< 0.2	5.48	860	< 0.5	2	0.63	< 0.5	3	16	3	1.57	1.89	0.36	245
34N 3950E	201 285	< 0.2	5.53	760	< 0.5	6	0.75	< 0.5	3	21	4	1.59	1.76	0.45	305
34N 3975E	201 285	< 0.2	7.03	950	< 0.5	6	0.76	< 0.5	1	8	1	0.56	3.13	0.11	75
34N 4000E	201 285	< 0.2	4.37	850	< 0.5	2	0.23	< 0.5	< 1	7	2	0.21	2.02	0.06	80
34N 4025E	201 285	< 0.2	5.94	1040	0.5	4	1.04	< 0.5	< 1	4	2	0.29	1.65	0.04	255
34N 4050E	201 285	< 0.2	4.36	880	< 0.5	2	0.26	< 0.5	< 1	6	< 1	0.11	2.11	0.03	20
34N 4075E	201 285	< 0.2	5.94	520	< 0.5	< 2	1.07	< 0.5	6	35	8	4.28	1.23	0.67	420
34N 4100E	201 285	< 0.2	4.73	730	< 0.5	2	0.50	< 0.5	2	18	3	0.96	1.71	0.32	245
34N 4125E	201 285	< 0.2	5.38	640	< 0.5	2	0.79	< 0.5	4	38	4	2.10	1.63	0.55	360
34N 4150E	201 285	< 0.2	5.07	1150	< 0.5	< 2	0.50	< 0.5	1	8	2	0.78	2.53	0.20	225
34N 4175E	201 285	< 0.2	5.97	430	< 0.5	2	0.79	< 0.5	75	26	15	4.12	0.98	0.44	3350
34N 4200E	201 285	< 0.2	6.75	610	< 0.5	2	0.90	< 0.5	7	26	17	2.23	1.42	0.45	360
34N 4225E	201 285	< 0.2	5.06	490	< 0.5	< 2	1.19	< 0.5	5	29	7	3.87	1.15	0.68	440
34N 4250E	201 285	< 0.2	6.80	500	< 0.5	< 2	1.54	< 0.5	9	49	13	5.55	1.20	1.02	525
34N 4275E	201 285	< 0.2	4.82	590	< 0.5	< 2	0.61	< 0.5	3	21	4	3.09	1.38	0.33	300

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 4-B
 Total Pages : 6
 Certificate Date: 02-MAY-95
 Invoice No. : I9515981
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9515981

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Mg ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
34N 2850E	201 285	1	1.14	19	200	< 2	120	1.14	378	10	52				
34N 2875E	201 285	2	1.40	22	220	< 2	185	0.83	281	10	64				
34N 2900E	201 285	2	1.40	28	400	< 2	182	0.64	215	10	84				
34N 2925E	201 285	2	0.81	30	180	< 2	81	1.63	347	10	68				
34N 2950E	201 285	1	0.85	6	90	< 2	71	0.84	155	< 10	20				
34N 2975E	201 285	< 1	0.74	12	270	< 2	89	1.01	329	10	52				
34N 3000E	201 285	< 1	0.22	1	120	4	30	0.27	23	< 10	6				
34N 3025E	201 285	< 1	1.23	13	160	< 2	109	1.10	220	< 10	32				
34N 3050E	201 285	< 1	1.08	26	120	< 2	70	0.97	276	10	44				
34N 3075E	201 285	< 1	1.27	12	310	< 2	114	0.57	198	10	42				
34N 3100E	201 285	< 1	1.42	9	180	< 2	110	0.80	208	< 10	32				
34N 3125E	201 285	1	1.11	11	310	< 2	93	0.76	252	10	36				
34N 3150E	201 285	< 1	1.28	1	260	< 2	77	0.28	40	< 10	16				
34N 3175E	201 285	1	1.99	8	170	6	128	0.72	125	< 10	26				
34N 3200E	201 285	1	0.54	18	420	< 2	60	0.87	239	< 10	44				
34N 3225E	201 285	< 1	1.63	13	150	4	103	0.77	188	10	30				
34N 3700E	201 285	1	1.10	9	230	22	92	1.15	232	< 10	38				
34N 3725E	201 285	2	1.18	6	180	4	64	0.88	132	< 10	22				
34N 3750E	201 285	< 1	1.41	2	120	4	64	0.80	102	< 10	18				
34N 3775E	201 285	< 1	0.43	9	410	6	66	3.19	420	10	38				
34N 3800E	201 285	< 1	1.17	3	180	< 2	74	0.85	285	< 10	26				
34N 3825E	201 285	< 1	0.42	2	300	4	56	0.99	108	< 10	22				
34N 3850E	201 285	< 1	1.14	8	130	6	68	1.26	214	< 10	24				
34N 3875E	201 285	< 1	0.06	< 1	510	4	34	0.03	8	< 10	24				
34N 3900E	201 285	< 1	1.59	4	230	10	93	0.59	106	< 10	24				
34N 3925E	201 285	1	1.74	2	120	12	83	0.42	96	< 10	16				
34N 3950E	201 285	1	1.74	4	130	6	90	0.48	111	< 10	18				
34N 3975E	201 285	< 1	2.44	< 1	120	10	106	0.22	41	< 10	4				
34N 4000E	201 285	1	1.48	< 1	160	8	73	0.22	27	< 10	4				
34N 4025E	201 285	1	2.12	< 1	100	12	126	0.32	37	< 10	6				
34N 4050E	201 285	< 1	1.47	< 1	110	12	62	0.12	10	< 10	4				
34N 4075E	201 285	2	1.54	5	170	8	112	0.56	150	10	28				
34N 4100E	201 285	< 1	1.18	2	210	16	69	0.41	59	< 10	18				
34N 4125E	201 285	< 1	1.40	6	140	14	86	0.60	144	< 10	22				
34N 4150E	201 285	2	1.15	1	110	82	60	0.32	46	< 10	18				
34N 4175E	201 285	8	1.26	6	420	12	91	0.33	105	< 10	36				
34N 4200E	201 285	10	1.58	6	400	12	110	0.43	100	< 10	40				
34N 4225E	201 285	11	1.46	5	220	12	118	0.56	159	< 10	32				
34N 4250E	201 285	17	1.67	10	200	18	148	0.67	234	10	46				
34N 4275E	201 285	1	1.33	2	120	4	83	0.50	158	< 10	18				

CERTIFICATION: Hunter Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brookbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218



To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 5-A
 Total Pages : 6
 Certificate Date: 02-MAY-95
 Invoice No. : I9515981
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515981

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
34N 4300E	201 285	< 0.2	5.96	570	< 0.5	2	1.02	< 0.5	4	25	13	1.98	1.26	0.56	375
34N 4325E	201 285	< 0.2	4.29	720	< 0.5	2	0.43	< 0.5	1	12	2	0.61	1.70	0.17	265
34N 4350E	201 285	< 0.2	6.20	520	< 0.5	4	1.34	< 0.5	10	30	11	3.91	1.12	0.76	540
34N 4375E	201 285	< 0.2	4.98	750	< 0.5	2	0.63	< 0.5	1	11	3	1.41	1.58	0.28	230
34N 4400E	201 285	< 0.2	4.30	350	< 0.5	2	0.76	< 0.5	22	17	10	2.81	0.76	0.38	3120
34N 4425E	201 285	< 0.2	5.43	710	< 0.5	< 2	1.00	< 0.5	4	24	6	1.53	1.56	0.56	385
34N 4450E	201 285	< 0.2	6.37	500	< 0.5	< 2	1.34	< 0.5	8	42	16	5.01	1.06	0.82	525
34N 4475E	201 285	< 0.2	5.45	640	< 0.5	2	0.45	< 0.5	3	35	14	2.90	1.50	0.33	240
34N 4500E	201 285	0.2	7.12	610	< 0.5	4	1.95	< 0.5	11	38	24	2.88	1.20	1.28	675
34N 4525E	201 285	< 0.2	4.76	580	< 0.5	2	0.25	< 0.5	1	12	2	1.05	1.64	0.19	160
34N 4550E	201 285	< 0.2	3.98	280	< 0.5	< 2	0.15	< 0.5	< 1	9	2	0.52	0.99	0.13	45
34N 4575E	201 285	< 0.2	4.28	410	< 0.5	< 2	1.37	< 0.5	10	33	7	4.28	1.07	1.14	505
34N 4600E	201 285	< 0.2	4.96	560	< 0.5	2	1.04	< 0.5	6	47	6	3.03	1.34	0.71	480
34N 4625E	201 285	< 0.2	3.49	610	< 0.5	< 2	0.13	< 0.5	< 1	7	2	0.62	1.87	0.10	155
34N 4650E	201 285	< 0.2	4.05	540	< 0.5	< 2	0.09	< 0.5	< 1	8	7	0.79	2.37	0.11	110
34N 4675E	201 285	< 0.2	6.03	730	< 0.5	< 2	0.91	< 0.5	4	20	6	3.30	1.11	0.50	475
34N 4700E	201 285	< 0.2	5.69	560	< 0.5	2	1.06	< 0.5	6	36	12	2.40	1.28	0.74	460
34N 4725E	201 285	< 0.2	4.82	610	< 0.5	< 2	0.66	< 0.5	4	32	10	4.24	1.80	0.55	395
34N 4750E	201 285	< 0.2	5.79	460	< 0.5	< 2	1.00	< 0.5	5	37	13	4.20	1.42	0.66	375
34N 4775E	201 285	< 0.2	5.33	670	< 0.5	< 2	0.79	< 0.5	4	63	12	4.08	1.37	0.51	285
34N 4800E	201 285	< 0.2	4.58	840	< 0.5	2	0.68	< 0.5	2	17	3	0.82	1.94	0.28	215
34N 4825E	201 285	< 0.2	5.06	850	< 0.5	2	0.72	< 0.5	3	23	8	2.82	2.04	0.51	310
34N 4850E	201 285	< 0.2	6.68	580	< 0.5	< 2	1.12	< 0.5	6	35	15	3.72	1.25	0.74	415
34N 4875E	201 285	< 0.2	5.85	440	< 0.5	< 2	2.15	< 0.5	14	52	22	5.54	0.99	1.56	805
34N 4900E	201 285	< 0.2	4.16	820	< 0.5	< 2	0.75	< 0.5	1	8	6	3.02	1.02	0.20	160
34N 4925E	201 285	< 0.2	5.57	640	< 0.5	< 2	1.37	< 0.5	6	30	10	3.41	1.37	0.67	415
34N 4950E	201 285	< 0.2	5.73	560	< 0.5	2	1.35	< 0.5	8	42	25	4.05	1.20	0.98	550
34N 4975E	201 285	< 0.2	4.76	730	< 0.5	< 2	0.76	< 0.5	4	25	13	2.21	1.47	0.42	370
34N 5000E	201 285	< 0.2	4.85	580	< 0.5	< 2	0.51	< 0.5	2	22	7	1.78	1.19	0.32	230
35N 1700E	201 285	< 0.2	4.26	290	1.0	2	1.59	1.0	3	21	12	1.43	0.75	0.35	1515
35N 1725E	201 285	< 0.2	0.50	40	< 0.5	< 2	1.77	0.5	< 1	8	6	0.16	0.07	0.09	215
35N 1775E	201 285	< 0.2	5.41	280	< 0.5	8	5.22	0.5	16	59	36	3.64	0.61	2.77	1630
35N 1800E	201 285	< 0.2	5.18	780	1.5	< 2	0.35	< 0.5	< 1	8	2	0.35	2.10	0.08	220
35N 1825E	201 285	< 0.2	5.30	510	1.5	< 2	0.48	< 0.5	< 1	8	3	0.71	1.39	0.10	325
35N 1850E	201 285	< 0.2	5.22	460	< 0.5	2	2.34	< 0.5	8	45	7	3.69	1.11	1.08	620
35N 1875E	201 285	< 0.2	6.78	680	< 0.5	2	1.72	< 0.5	8	40	6	4.31	2.47	1.00	665
35N 1900E	201 285	< 0.2	8.63	400	< 0.5	4	2.20	< 0.5	20	236	20	7.70	1.02	2.57	700
35N 1925E	201 285	< 0.2	6.03	480	< 0.5	6	1.78	< 0.5	7	43	10	4.62	1.23	0.89	440
35N 1950E	201 285	< 0.2	7.37	390	1.0	< 2	2.23	< 0.5	16	60	22	5.73	1.07	1.02	690
35N 1975E	201 285	< 0.2	6.64	430	< 0.5	< 2	1.72	< 0.5	9	56	11	5.94	1.23	1.12	710

CERTIFICATION: H. B. Beckler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 5-B
 Total Pages : 6
 Certificate Date: 02-MAY-95
 Invoice No. : I9515981
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515981

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
34N 4300E	201 285	3	1.63	3	310	8	114	0.46	104	< 10	26				
34N 4325E	201 285	< 1	1.23	1	100	8	69	0.42	46	< 10	8				
34N 4350E	201 285	6	1.77	7	220	8	163	0.54	138	< 10	36				
34N 4375E	201 285	2	1.73	2	130	6	89	0.31	76	< 10	14				
34N 4400E	201 285	15	0.95	6	650	10	82	0.26	72	< 10	34				
34N 4425E	201 285	5	1.77	4	210	12	112	0.46	101	< 10	24				
34N 4450E	201 285	6	1.57	9	260	4	133	0.50	165	< 10	40				
34N 4475E	201 285	3	0.60	7	270	8	63	0.26	72	< 10	24				
34N 4500E	201 285	2	1.96	11	540	10	188	0.48	103	< 10	88				
34N 4525E	201 285	1	0.93	1	90	6	46	0.29	45	< 10	22				
34N 4550E	201 285	1	0.99	< 1	100	6	40	0.18	23	< 10	18				
34N 4575E	201 285	4	1.01	8	210	4	87	0.58	194	< 10	34				
34N 4600E	201 285	5	1.12	9	130	16	98	0.56	157	< 10	28				
34N 4625E	201 285	2	0.49	< 1	70	12	39	0.24	43	< 10	8				
34N 4650E	201 285	26	0.37	1	170	12	43	0.26	66	< 10	12				
34N 4675E	201 285	3	2.21	2	260	6	94	0.65	174	< 10	26				
34N 4700E	201 285	4	1.17	7	340	8	102	0.67	128	< 10	28				
34N 4725E	201 285	3	0.79	4	180	6	82	0.60	188	< 10	26				
34N 4750E	201 285	2	1.32	7	400	6	107	0.38	110	< 10	30				
34N 4775E	201 285	1	0.76	7	210	6	82	0.53	170	< 10	22				
34N 4800E	201 285	1	1.02	1	180	8	98	0.45	89	< 10	12				
34N 4825E	201 285	< 1	0.90	4	200	12	101	0.49	121	< 10	24				
34N 4850E	201 285	1	1.18	7	360	8	123	0.46	125	< 10	38				
34N 4875E	201 285	1	1.39	18	340	4	157	0.72	211	< 10	58				
34N 4900E	201 285	< 1	1.00	< 1	120	10	90	0.51	135	< 10	14				
34N 4925E	201 285	1	1.65	6	220	4	154	0.49	152	< 10	30				
34N 4950E	201 285	1	1.23	9	290	6	129	0.49	139	< 10	42				
34N 4975E	201 285	< 1	0.88	4	160	6	88	0.49	111	< 10	20				
34N 5000E	201 285	2	0.93	2	110	4	74	0.48	118	< 10	20				
35N 1700E	201 285	1	1.48	7	620	10	67	0.14	29	< 10	148				
35N 1725E	201 285	< 1	0.07	1	530	< 2	36	0.01	5	< 10	30				
35N 1775E	201 285	< 1	0.74	23	860	4	128	0.23	87	< 10	144				
35N 1800E	201 285	< 1	2.36	< 1	140	6	55	0.28	18	< 10	12				
35N 1825E	201 285	1	2.52	< 1	270	8	57	0.15	14	< 10	42				
35N 1850E	201 285	< 1	1.41	10	250	2	144	0.50	165	< 10	58				
35N 1875E	201 285	1	1.35	7	160	2	136	0.74	218	< 10	44				
35N 1900E	201 285	1	1.27	101	330	< 2	131	0.67	233	< 10	102				
35N 1925E	201 285	1	0.88	9	270	< 2	104	0.61	181	< 10	78				
35N 1950E	201 285	2	0.87	25	280	4	109	0.48	141	< 10	278				
35N 1975E	201 285	< 1	1.34	11	330	< 2	138	0.71	237	< 10	54				

CERTIFICATION: Hart Beckler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 6-A
 Total Pages: 6
 Certificate Date: 02-MAY-95
 Invoice No.: I9515981
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515981

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
35N 2000E	201 285	< 0.2	7.10	410	0.5	2	1.90	< 0.5	9	35	15	5.09	1.03	1.15	700
35N 2025E	201 285	< 0.2	5.86	520	1.5	4	1.50	< 0.5	8	26	18	4.23	1.32	0.76	775
35N 2050E	201 285	< 0.2	6.51	500	0.5	4	1.85	< 0.5	10	43	12	5.32	1.64	1.16	820
35N 2075E	201 285	< 0.2	5.38	610	0.5	< 2	1.60	< 0.5	8	40	7	3.78	2.52	1.04	635
35N 2100E	201 285	< 0.2	6.04	490	0.5	< 2	1.95	< 0.5	9	45	13	5.77	1.21	1.14	690
35N 2125E	201 285	< 0.2	5.39	1070	1.5	4	0.47	< 0.5	2	7	3	1.17	4.95	0.24	165
35N 2150E	201 285	< 0.2	5.95	600	0.5	2	1.85	< 0.5	10	47	6	3.96	2.51	1.25	750
35N 2175E	201 285	< 0.2	6.16	810	0.5	< 2	1.53	< 0.5	6	21	6	1.99	2.63	0.81	535
35N 2200E	201 285	< 0.2	6.00	520	0.5	< 2	1.90	< 0.5	10	54	10	5.05	1.28	1.31	855
35N 2225E	201 285	< 0.2	7.33	290	0.5	< 2	1.19	< 0.5	5	43	16	6.67	0.66	0.72	395
35N 2250E	201 285	< 0.2	6.81	380	0.5	8	1.67	< 0.5	10	38	16	7.79	1.13	1.08	755
35N 2275E	201 285	< 0.2	7.89	350	1.0	6	2.16	< 0.5	8	54	22	6.05	0.87	0.90	540
35N 2300E	201 285	< 0.2	4.91	920	0.5	< 2	0.95	< 0.5	4	35	6	3.29	3.59	0.65	465
35N 2325E	201 285	< 0.2	5.31	460	0.5	< 2	1.72	< 0.5	8	37	12	6.37	1.18	1.18	790
35N 2350E	201 285	< 0.2	5.53	480	1.5	2	0.90	< 0.5	5	4	9	1.95	1.08	0.23	3200
35N 2375E	201 285	< 0.2	6.90	340	0.5	< 2	2.01	< 0.5	13	48	25	4.82	0.86	1.30	745
35N 2400E	201 285	< 0.2	7.63	570	0.5	< 2	2.06	< 0.5	12	44	25	6.84	1.71	1.51	825
35N 2425E	201 285	< 0.2	10.75	360	0.5	8	1.67	< 0.5	10	54	72	5.47	0.82	1.02	665
35N 2450E	201 285	< 0.2	8.29	230	0.5	< 2	1.33	< 0.5	9	47	43	4.86	0.53	0.82	430
35N 2475E	201 285	< 0.2	7.91	340	1.0	2	2.16	< 0.5	21	43	47	4.73	0.91	0.97	875
35N 3725E	201 285	< 0.2	5.16	600	0.5	< 2	1.15	< 0.5	5	24	9	2.75	1.42	0.76	590
35N 3750E	201 285	< 0.2	4.80	620	0.5	< 2	0.71	< 0.5	2	12	6	1.35	1.48	0.39	360
35N 3775E	201 285	< 0.2	2.79	240	< 0.5	< 2	1.06	< 0.5	6	56	13	2.23	0.61	0.71	420

CERTIFICATION: Hart Fischer



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218



To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 6-B
 Total Pages: 6
 Certificate Date: 02-MAY-95
 Invoice No.: 19515981
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515981

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
35M 2000E	201 285	6	1.53	11	330	4	146	0.71	187	< 10	72			
35M 2025E	201 285	1	1.28	9	410	4	120	0.40	134	< 10	80			
35M 2050E	201 285	< 1	1.48	10	260	6	139	0.78	250	< 10	58			
35M 2075E	201 285	1	1.25	10	210	< 2	114	0.59	171	< 10	40			
35M 2100E	201 285	1	1.48	12	320	< 2	149	0.73	234	< 10	50			
35M 2125E	201 285	< 1	0.57	4	180	2	55	0.21	42	< 10	22			
35M 2150E	201 285	< 1	1.24	13	120	2	130	0.64	193	< 10	46			
35M 2175E	201 285	< 1	1.42	9	150	4	128	0.50	95	< 10	46			
35M 2200E	201 285	< 1	1.45	14	180	< 2	109	0.90	284	< 10	46			
35M 2225E	201 285	9	1.53	8	420	< 2	139	0.59	202	< 10	44			
35M 2250E	201 285	< 1	1.53	8	230	< 2	141	0.84	299	< 10	64			
35M 2275E	201 285	1	1.16	15	270	< 2	117	0.59	201	< 10	84			
35M 2300E	201 285	< 1	0.67	7	90	< 2	83	0.55	163	< 10	32			
35M 2325E	201 285	< 1	1.16	13	240	4	114	0.79	217	< 10	50			
35M 2350E	201 285	2	1.88	3	610	26	60	0.18	30	< 10	308			
35M 2375E	201 285	< 1	1.36	13	330	< 2	114	0.63	202	< 10	54			
35M 2400E	201 285	1	0.48	15	340	6	125	0.74	283	< 10	50			
35M 2425E	201 285	2	1.69	15	340	20	157	0.50	195	< 10	110			
35M 2450E	201 285	< 1	1.17	12	690	12	113	0.36	127	< 10	48			
35M 2475E	201 285	3	1.58	15	500	60	174	0.35	145	< 10	142			
35M 3725E	201 285	1	1.31	7	170	6	87	0.86	208	< 10	28			
35M 3750E	201 285	< 1	1.43	3	120	4	67	0.67	152	< 10	18			
35M 3775E	201 285	< 1	0.61	13	730	6	46	0.83	189	< 10	42			

CERTIFICATION:

Grant Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project : 6004
 Comments : ATTN: MURRAY JONES

Page Number : 1-A
 Total Pages : 6
 Certificate Date: 03-MAY-95
 Invoice No. : 19515982
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
35N 3800E	201 285	< 0.2	4.95	810	< 0.5	< 2	0.74	< 0.5	3	23	7	1.11	1.66	0.43	290
35N 3825E	201 285	< 0.2	4.83	1200	< 0.5	< 2	0.37	< 0.5	2	12	3	0.58	2.32	0.16	190
35N 3850E	201 285	< 0.2	2.96	750	< 0.5	< 2	0.09	< 0.5	< 1	3	2	0.12	1.42	0.03	35
35N 3875E	201 285	< 0.2	4.50	640	< 0.5	< 2	0.43	< 0.5	1	15	2	0.75	1.55	0.23	265
35N 3900E	201 285	< 0.2	6.21	660	< 0.5	2	1.25	< 0.5	7	27	6	2.52	1.60	0.81	470
35N 5000E	201 285	< 0.2	5.39	850	< 0.5	< 2	0.96	< 0.5	3	26	23	5.00	1.47	0.46	305
35N 5025E	201 285	< 0.2	5.38	260	< 0.5	2	1.41	< 0.5	10	91	67	8.63	0.52	0.94	660
35N 5050E	201 285	< 0.2	1.86	50	< 0.5	< 2	1.25	< 0.5	9	36	20	3.21	0.20	0.82	770
35N 5075E	201 285	< 0.2	4.69	80	< 0.5	< 2	0.25	< 0.5	5	80	41	4.07	0.82	0.32	180
35N 5100E	201 285	< 0.2	1.65	60	< 0.5	< 2	0.81	< 0.5	6	7	29	5.08	0.17	0.50	605
35N 5125E	201 285	< 0.2	2.81	330	< 0.5	< 2	0.63	< 0.5	< 1	1	4	0.77	0.89	0.06	220
35N 5150E	201 285	< 0.2	4.29	50	< 0.5	< 2	0.44	< 0.5	6	32	136	8.05	0.30	0.21	250
35N 5175E	201 285	< 0.2	2.07	40	< 0.5	< 2	1.79	< 0.5	14	29	29	5.59	0.20	1.14	1050
35N 5200E	201 285	< 0.2	4.20	540	< 0.5	< 2	0.79	< 0.5	2	17	8	1.69	1.33	0.43	560
35N 5225E	201 285	< 0.2	3.47	40	< 0.5	< 2	0.58	< 0.5	4	10	116	10.40	0.14	0.17	305
35N 5250E	201 285	< 0.2	2.36	310	< 0.5	< 2	0.54	< 0.5	1	21	7	1.15	0.72	0.32	375
35N 5275E	201 285	< 0.2	0.29	20	< 0.5	< 2	0.37	< 0.5	< 1	2	3	0.17	0.03	0.07	35
35N 5300E	201 285	< 0.2	1.94	40	< 0.5	< 2	1.95	< 0.5	16	15	20	4.79	0.20	1.13	1190
35N 5325E	201 285	< 0.2	4.73	640	< 0.5	< 2	0.68	< 0.5	2	28	5	1.46	1.37	0.40	400
35N 5350E	201 285	< 0.2	7.90	680	0.5	< 2	1.81	< 0.5	5	24	3	1.66	1.57	0.70	500
35N 5375E	201 285	< 0.2	5.34	160	0.5	4	3.50	< 0.5	20	219	18	5.52	0.43	2.02	1220
3599N 3725E	201 285	< 0.2	2.01	210	< 0.5	< 2	0.61	< 0.5	2	14	6	1.48	0.49	0.34	190
3599N 3750E	201 285	< 0.2	2.27	60	< 0.5	< 2	0.15	< 0.5	< 1	12	17	0.99	0.14	0.09	50
3599N 3775E	201 285	< 0.2	5.48	660	< 0.5	< 2	0.66	< 0.5	3	26	6	1.20	1.55	0.45	285
3599N 3800E	201 285	< 0.2	4.56	600	< 0.5	< 2	0.53	< 0.5	3	20	4	3.02	1.42	0.35	320
3599N 3825E	201 285	< 0.2	5.49	540	< 0.5	< 2	0.76	< 0.5	3	20	6	3.53	1.32	0.47	325
3599N 3850E	201 285	< 0.2	3.54	530	< 0.5	< 2	0.32	< 0.5	1	11	2	0.84	1.36	0.17	215
3599N 3875E	201 285	< 0.2	5.10	820	< 0.5	< 2	0.29	< 0.5	< 1	2	< 1	0.19	2.58	0.03	50
3599N 3900E	201 285	< 0.2	4.12	780	< 0.5	< 2	0.28	< 0.5	< 1	11	1	0.52	2.08	0.16	125
3599N 3925E	201 285	< 0.2	3.90	780	< 0.5	< 2	0.31	< 0.5	< 1	9	1	0.43	1.99	0.14	120
3599N 3950E	201 285	< 0.2	7.41	890	0.5	2	0.99	< 0.5	2	7	1	0.99	2.25	0.36	180
36N 1725E	201 285	< 0.2	4.50	200	0.5	2	6.15	< 0.5	14	68	18	4.27	0.67	2.47	1560
36N 1750E	201 285	< 0.2	4.28	210	< 0.5	< 2	6.55	< 0.5	16	89	8	4.48	0.66	2.79	2080
36N 1775E	201 285	< 0.2	4.42	290	< 0.5	< 2	4.21	< 0.5	6	59	11	4.34	0.81	1.61	445
36N 1800E	201 285	< 0.2	6.00	1030	0.5	2	5.38	< 0.5	16	52	16	5.27	1.50	1.72	1790
36N 1825E	201 285	< 0.2	6.41	1200	0.5	4	5.64	< 0.5	17	51	17	5.68	1.61	1.81	1455
36N 1850E	201 285	< 0.2	6.29	6660	0.5	< 2	0.07	< 0.5	2	2	1	0.23	6.13	0.02	85
36N 1875E	201 285	< 0.2	6.56	2550	0.5	< 2	0.28	< 0.5	2	6	2	0.73	4.96	0.14	140
36N 1900E	201 285	< 0.2	5.91	2710	0.5	< 2	0.10	< 0.5	1	7	1	0.34	6.22	0.02	85
36N 1925E	201 285	< 0.2	2.60	350	< 0.5	< 2	0.90	< 0.5	2	19	3	0.97	1.50	0.38	255

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Page Number : 1-B
 Total Pages : 6
 Certificate Date: 03-MAY-95
 Invoice No. : I9515982
 P.O. Number :
 Account : GP

Project : 6004
 Comments : ATTN: MURRAY JONES

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
35N 3800E	201 285	< 1	1.46	4	350	10	77	0.59	110	< 10	22				
35N 3825E	201 285	< 1	1.43	1	140	20	69	0.32	53	< 10	8				
35N 3850E	201 285	6	0.95	< 1	110	4	33	0.10	11	< 10	4				
35N 3875E	201 285	< 1	1.58	1	110	4	69	0.44	71	< 10	12				
35N 3900E	201 285	7	1.72	6	140	6	121	0.63	182	< 10	30				
35N 5000E	201 285	< 1	1.13	4	310	2	109	0.47	174	< 10	28				
35N 5025E	201 285	< 1	0.76	17	430	< 2	158	0.87	333	< 10	48				
35N 5050E	201 285	< 1	0.19	12	480	< 2	49	1.04	245	< 10	46				
35N 5075E	201 285	2	0.11	14	270	6	19	1.15	552	< 10	40				
35N 5100E	201 285	< 1	0.26	8	360	< 2	38	0.93	447	< 10	36				
35N 5125E	201 285	< 1	0.48	< 1	230	2	54	0.26	36	< 10	8				
35N 5150E	201 285	2	0.29	8	310	< 2	57	0.86	558	< 10	46				
35N 5175E	201 285	< 1	0.27	14	360	< 2	69	1.61	456	< 10	54				
35N 5200E	201 285	< 1	0.63	3	120	6	96	0.80	147	< 10	20				
35N 5225E	201 285	< 1	0.13	< 1	460	10	101	1.72	623	< 10	36				
35N 5250E	201 285	1	0.33	2	220	2	50	0.66	100	< 10	20				
35N 5275E	201 285	< 1	0.02	< 1	280	< 2	19	0.06	9	< 10	14				
35N 5300E	201 285	< 1	0.34	15	560	< 2	85	1.74	319	< 10	64				
35N 5325E	201 285	1	0.72	3	100	6	76	0.87	164	< 10	18				
35N 5350E	201 285	< 1	1.91	3	130	4	168	0.51	124	< 10	24				
35N 5375E	201 285	1	1.72	39	340	12	212	2.73	697	< 10	68				
3599N 3725E	201 285	< 1	0.57	2	390	4	58	0.20	46	< 10	26				
3599N 3750E	201 285	< 1	0.14	< 1	1020	< 2	12	0.12	39	< 10	12				
3599N 3775E	201 285	< 1	1.47	4	160	8	73	0.47	96	< 10	20				
3599N 3800E	201 285	1	1.10	3	110	4	63	0.57	189	< 10	18				
3599N 3825E	201 285	2	1.43	2	200	8	88	0.69	193	< 10	24				
3599N 3850E	201 285	< 1	1.00	< 1	120	6	51	0.47	83	< 10	10				
3599N 3875E	201 285	< 1	1.56	< 1	180	6	77	0.07	10	< 10	2				
3599N 3900E	201 285	1	0.81	< 1	130	14	65	0.30	50	< 10	8				
3599N 3925E	201 285	< 1	0.74	< 1	200	8	66	0.25	39	< 10	6				
3599N 3950E	201 285	< 1	2.87	< 1	260	30	147	0.22	37	< 10	26				
36N 1725E	201 285	< 1	1.04	27	670	< 2	228	0.29	114	< 10	154				
36N 1750E	201 285	< 1	0.87	28	590	< 2	188	0.27	113	< 10	206				
36N 1775E	201 285	1	1.02	14	360	< 2	190	0.43	156	< 10	112				
36N 1800E	201 285	2	0.91	23	360	4	207	0.51	162	< 10	298				
36N 1825E	201 285	1	0.87	28	340	6	206	0.51	168	< 10	370				
36N 1850E	201 285	< 1	0.35	< 1	70	22	74	0.14	6	< 10	8				
36N 1875E	201 285	2	0.87	< 1	80	8	74	0.19	33	< 10	20				
36N 1900E	201 285	< 1	0.36	< 1	150	12	53	0.14	9	< 10	16				
36N 1925E	201 285	< 1	0.36	5	250	4	50	0.24	46	< 10	28				

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 2-A
 Total Pages : 6
 Certificate Date: 03-MAY-95
 Invoice No. : 19515982
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
36N 1950E	201 285	< 0.2	4.08	690	0.5	< 2	0.66	< 0.5	2	15	3	2.13	2.54	0.47	355
36N 1975E	201 285	< 0.2	5.55	460	< 0.5	< 2	1.46	< 0.5	7	47	10	6.93	1.35	0.98	630
36N 2000E	201 285	< 0.2	4.57	500	< 0.5	< 2	1.61	< 0.5	10	43	6	5.51	1.52	1.11	820
36N 2025E	201 285	< 0.2	5.11	590	0.5	< 2	1.70	< 0.5	9	40	6	2.62	1.39	1.14	655
36N 2050E	201 285	< 0.2	5.17	1470	0.5	< 2	0.54	< 0.5	3	18	3	1.35	1.91	0.36	285
36N 2075E	201 285	< 0.2	5.62	920	0.5	< 2	1.21	< 0.5	4	19	6	2.93	1.35	0.44	340
36N 2100E	201 285	< 0.2	5.91	590	0.5	< 2	2.04	< 0.5	11	37	9	5.01	1.53	1.00	885
36N 2125E	201 285	< 0.2	6.13	530	0.5	< 2	1.95	< 0.5	11	41	8	5.49	1.46	1.10	765
36N 2150E	201 285	< 0.2	6.57	610	0.5	< 2	2.53	< 0.5	11	52	12	6.90	1.78	1.26	780
36N 2175E	201 285	< 0.2	5.41	410	0.5	< 2	1.35	< 0.5	6	36	11	7.90	1.28	0.76	515
36N 2200E	201 285	< 0.2	6.84	460	0.5	< 2	1.69	< 0.5	9	71	15	7.06	1.22	1.09	715
36N 2225E	201 285	< 0.2	5.20	590	0.5	< 2	0.64	< 0.5	7	278	6	2.38	3.00	0.62	225
36N 2250E	201 285	< 0.2	4.80	600	0.5	< 2	0.31	< 0.5	< 1	10	1	0.81	3.86	0.15	105
36N 2275E	201 285	< 0.2	6.35	390	0.5	< 2	2.09	< 0.5	11	51	14	5.33	1.17	1.12	705
36N 2300E	201 285	< 0.2	6.89	450	1.0	2	2.16	< 0.5	13	56	18	5.42	1.37	1.01	825
36N 2325E	201 285	< 0.2	7.72	410	0.5	< 2	2.08	< 0.5	11	56	17	6.20	1.03	1.19	685
36N 2350E	201 285	< 0.2	9.43	260	< 0.5	2	1.20	< 0.5	8	60	33	6.48	0.61	0.76	400
36N 2375E	201 285	< 0.2	9.29	440	0.5	< 2	2.14	< 0.5	15	58	31	6.03	0.97	1.25	725
36N 2400E	201 285	< 0.2	7.16	430	0.5	2	2.03	< 0.5	17	57	26	6.48	0.94	1.18	735
36N 2425E	201 285	< 0.2	9.86	320	< 0.5	4	1.51	< 0.5	11	74	38	6.20	0.75	0.93	520
36N 2450E	201 285	< 0.2	6.76	380	0.5	< 2	1.82	< 0.5	10	69	29	7.97	0.95	1.13	630
36N 2475E	201 285	< 0.2	7.51	440	0.5	2	2.12	< 0.5	12	61	25	5.86	1.01	1.14	655
36N 2500E	201 285	< 0.2	6.89	450	0.5	< 2	1.95	< 0.5	12	61	21	7.17	1.05	1.15	670
36N 2525E	201 285	< 0.2	6.74	420	0.5	< 2	2.12	< 0.5	11	95	18	6.20	1.03	1.24	700
36N 2550E	201 285	< 0.2	8.22	410	0.5	2	1.85	0.5	12	72	30	7.54	0.95	1.23	725
36N 3725E	201 285	< 0.2	4.35	800	< 0.5	< 2	0.34	< 0.5	1	6	2	0.99	1.82	0.27	200
36N 3750E	201 285	< 0.2	3.33	640	< 0.5	< 2	0.22	< 0.5	< 1	6	1	0.18	1.28	0.04	65
36N 3775E	201 285	< 0.2	4.64	740	< 0.5	< 2	0.29	< 0.5	< 1	8	1	0.23	1.48	0.09	85
36N 3800E	201 285	< 0.2	3.53	670	< 0.5	< 2	0.21	< 0.5	< 1	8	1	0.40	1.33	0.08	180
36N 3825E	201 285	< 0.2	4.73	710	< 0.5	< 2	0.51	< 0.5	< 1	5	1	0.27	1.66	0.05	90
36N 3850E	201 285	< 0.2	4.04	760	< 0.5	< 2	0.20	< 0.5	< 1	4	1	0.28	1.69	0.09	105
36N 3875E	201 285	< 0.2	5.34	600	< 0.5	< 2	0.69	< 0.5	4	20	7	3.44	1.28	0.44	335
36N 3900E	201 285	< 0.2	5.58	550	< 0.5	< 2	0.84	< 0.5	3	14	4	2.78	1.13	0.34	345
36N 3925E	201 285	< 0.2	2.78	150	< 0.5	< 2	0.56	< 0.5	< 1	5	1	0.60	0.50	0.09	150
36N 3950E	201 285	< 0.2	5.56	770	0.5	< 2	0.70	< 0.5	2	16	2	1.25	1.74	0.37	360
36N 3975E	201 285	< 0.2	7.14	370	0.5	< 2	1.35	< 0.5	17	38	40	4.87	0.83	0.82	545
36N 4000E	201 285	< 0.2	7.95	390	0.5	4	0.73	< 0.5	28	25	9	6.52	0.86	0.42	605
36N 4025E	201 285	< 0.2	7.04	540	0.5	2	1.35	< 0.5	9	29	12	3.12	1.25	0.81	485
36N 4050E	201 285	< 0.2	7.32	550	0.5	< 2	1.62	< 0.5	9	29	19	3.16	1.19	1.07	590
36N 4075E	201 285	< 0.2	5.65	710	0.5	< 2	0.79	< 0.5	3	16	6	2.64	1.56	0.35	365

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Client: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: MURRAY JONES

Page Number : 2-B
Total Pages : 6
Certificate Date: 03-MAY-95
Invoice No. : 19515982
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
36N 1950E	201 285	13	0.59	2	130	8	70	0.45	158	< 10	24				
36N 1975E	201 285	< 1	1.03	9	320	2	108	0.67	264	< 10	42				
36N 2000E	201 285	1	0.94	8	230	< 2	102	0.69	234	< 10	42				
36N 2025E	201 285	2	0.92	10	190	8	102	0.71	168	< 10	44				
36N 2050E	201 285	< 1	1.47	1	100	8	85	0.41	78	< 10	22				
36N 2075E	201 285	2	0.82	4	160	4	124	0.38	132	< 10	92				
36N 2100E	201 285	3	1.20	10	250	6	134	0.56	194	< 10	152				
36N 2125E	201 285	4	1.45	10	220	4	161	0.59	211	< 10	94				
36N 2150E	201 285	1	1.40	11	240	2	159	0.70	264	< 10	62				
36N 2175E	201 285	3	0.99	8	470	6	103	0.51	200	< 10	60				
36N 2200E	201 285	1	1.17	13	350	4	124	0.71	248	< 10	54				
36N 2225E	201 285	10	0.56	43	110	4	86	0.26	123	< 10	60				
36N 2250E	201 285	1	0.65	1	40	6	57	0.16	26	< 10	42				
36N 2275E	201 285	1	1.26	15	300	4	147	0.58	175	< 10	156				
36N 2300E	201 285	2	1.41	17	370	6	174	0.52	168	< 10	164				
36N 2325E	201 285	1	1.72	13	190	< 2	177	0.65	242	< 10	102				
36N 2350E	201 285	3	0.94	11	350	4	92	0.54	206	< 10	50				
36N 2375E	201 285	2	1.74	13	250	2	188	0.57	212	< 10	100				
36N 2400E	201 285	5	1.24	15	530	6	139	0.68	226	< 10	122				
36N 2425E	201 285	< 1	0.94	11	400	< 2	97	0.58	206	< 10	50				
36N 2450E	201 285	1	1.13	12	310	8	119	0.76	287	< 10	58				
36N 2475E	201 285	< 1	1.55	15	290	< 2	166	0.65	253	< 10	48				
36N 2500E	201 285	< 1	1.53	12	240	< 2	124	0.84	318	< 10	48				
36N 2525E	201 285	1	1.47	16	270	< 2	158	0.67	242	< 10	46				
36N 2550E	201 285	1	1.39	14	300	4	147	0.66	292	< 10	56				
36N 3725E	201 285	1	0.96	< 1	150	10	81	0.35	66	< 10	16				
36N 3750E	201 285	< 1	1.08	< 1	140	16	56	0.10	9	< 10	4				
36N 3775E	201 285	< 1	1.67	< 1	120	18	69	0.18	20	< 10	4				
36N 3800E	201 285	4	0.85	< 1	140	20	53	0.30	35	< 10	6				
36N 3825E	201 285	7	1.67	< 1	280	26	74	0.09	10	< 10	6				
36N 3850E	201 285	4	0.83	< 1	320	18	48	0.21	24	< 10	8				
36N 3875E	201 285	1	1.37	3	150	4	84	0.47	143	< 10	22				
36N 3900E	201 285	< 1	2.06	1	110	4	147	0.46	124	< 10	18				
36N 3925E	201 285	1	0.35	< 1	140	< 2	53	0.21	23	< 10	12				
36N 3950E	201 285	< 1	1.92	1	90	8	97	0.54	105	< 10	16				
36N 3975E	201 285	1	1.44	10	290	6	153	0.43	158	< 10	50				
36N 4000E	201 285	27	1.31	6	380	16	91	0.36	134	< 10	110				
36N 4025E	201 285	13	1.88	8	160	6	150	0.49	125	< 10	48				
36N 4050E	201 285	4	2.19	9	250	6	175	0.54	134	< 10	52				
36N 4075E	201 285	< 1	1.79	1	160	2	112	0.46	135	< 10	22				

CERTIFICATION: *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project : 6004
 Comments: ATTN: MURRAY JONES

Page Number : 3-A
 Total Pages : 6
 Certificate Date: 03-MAY-95
 Invoice No. : 19515982
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
36N 4100E	201 285	< 0.2	3.27	270	< 0.5	< 2	0.65	< 0.5	2	6	10	0.98	0.47	0.23	340
36N 4125E	201 285	< 0.2	5.89	600	0.5	< 2	1.34	< 0.5	9	27	13	4.51	1.24	0.79	525
36N 4150E	201 285	< 0.2	5.03	710	0.5	< 2	0.93	< 0.5	4	7	6	2.30	1.04	0.21	365
36N 4175E	201 285	< 0.2	5.49	460	0.5	< 2	1.18	< 0.5	7	25	12	3.68	0.88	0.68	395
36N 4200E	201 285	< 0.2	6.24	440	0.5	< 2	1.13	< 0.5	8	22	19	4.77	0.87	0.64	420
36N 4225E	201 285	< 0.2	5.04	450	0.5	< 2	1.85	< 0.5	11	43	8	3.03	1.00	1.16	845
36N 4250E	201 285	< 0.2	7.05	880	0.5	< 2	1.44	< 0.5	3	4	4	1.98	1.33	0.18	275
36N 4275E	201 285	< 0.2	6.74	700	0.5	< 2	1.56	< 0.5	5	12	6	2.53	1.18	0.49	395
36N 4300E	201 285	< 0.2	4.67	530	0.5	< 2	0.87	< 0.5	2	1	3	0.96	0.97	0.16	440
36N 4325E	201 285	< 0.2	5.80	590	0.5	< 2	1.07	< 0.5	4	13	8	1.62	1.22	0.42	295
36N 4350E	201 285	< 0.2	5.77	700	0.5	< 2	1.40	< 0.5	7	18	8	2.87	1.17	0.64	510
36N 4375E	201 285	< 0.2	6.27	620	0.5	< 2	1.09	< 0.5	3	4	7	2.07	1.02	0.26	345
36N 4400E	201 285	< 0.2	4.96	410	0.5	< 2	1.50	< 0.5	6	12	7	2.68	0.68	0.59	515
36N 4425E	201 285	< 0.2	5.19	670	0.5	< 2	1.13	< 0.5	7	22	7	3.16	1.58	0.68	590
36N 4450E	201 285	< 0.2	5.26	570	0.5	< 2	1.56	< 0.5	10	38	12	4.69	1.15	1.08	705
36N 4475E	201 285	< 0.2	7.09	330	1.0	< 2	1.00	< 0.5	19	23	97	3.07	0.65	0.46	920
36N 4500E	201 285	< 0.2	4.72	460	0.5	< 2	1.47	< 0.5	10	37	15	5.12	0.96	1.01	795
36N 4525E	201 285	< 0.2	4.02	220	< 0.5	< 2	0.85	< 0.5	6	16	34	2.24	0.61	0.52	300
36N 4550E	201 285	< 0.2	6.73	380	0.5	< 2	1.24	0.5	11	32	85	4.03	0.90	0.82	530
36N 4575E	201 285	< 0.2	6.44	480	0.5	< 2	1.62	0.5	10	32	10	4.99	0.97	1.02	1205
36N 4600E	201 285	< 0.2	10.75	150	1.0	< 2	0.81	< 0.5	14	28	32	2.26	0.36	0.37	280
36N 4625E	201 285	< 0.2	8.86	300	0.5	< 2	0.98	< 0.5	7	22	17	2.97	0.76	0.56	380
36N 4650E	201 285	< 0.2	9.91	210	1.0	< 2	1.43	< 0.5	12	36	27	2.56	0.38	0.70	400
36N 4675E	201 285	< 0.2	6.08	380	0.5	< 2	1.59	< 0.5	22	36	32	4.76	0.75	0.95	1870
36N 4700E	201 285	< 0.2	4.79	270	< 0.5	< 2	1.09	< 0.5	12	18	14	3.56	0.70	0.57	755
36N 4725E	201 285	< 0.2	8.20	310	0.5	4	1.25	< 0.5	20	34	41	3.96	0.69	0.84	760
36N 4750E	201 285	< 0.2	4.23	470	< 0.5	< 2	0.79	< 0.5	3	12	6	1.58	1.27	0.31	320
36N 4775E	201 285	< 0.2	8.04	480	0.5	< 2	1.17	< 0.5	14	39	49	3.36	1.27	0.84	490
36N 4800E	201 285	< 0.2	5.73	650	< 0.5	< 2	0.82	< 0.5	15	21	14	4.72	2.37	0.60	1000
36N 4825E	201 285	< 0.2	5.33	1290	< 0.5	< 2	0.34	< 0.5	3	9	7	1.22	3.16	0.20	145
36N 4850E	201 285	< 0.2	3.93	660	< 0.5	< 2	0.45	< 0.5	3	11	7	1.71	1.56	0.29	470
36N 4875E	201 285	< 0.2	5.36	710	< 0.5	< 2	0.92	< 0.5	6	22	7	3.07	1.86	0.55	410
36N 4900E	201 285	< 0.2	3.73	800	< 0.5	< 2	0.21	< 0.5	1	7	2	0.83	1.77	0.10	270
36N 4925E	201 285	< 0.2	3.51	660	< 0.5	< 2	0.50	< 0.5	1	8	4	0.75	1.22	0.13	225
36N 4950E	201 285	< 0.2	5.22	770	< 0.5	< 2	1.13	< 0.5	7	27	12	4.06	1.65	0.70	475
36N 4975E	201 285	0.4	3.62	340	< 0.5	< 2	0.53	< 0.5	3	26	31	7.20	0.63	0.29	180
36N 5000E	201 285	< 0.2	3.72	160	< 0.5	< 2	2.29	< 0.5	10	67	25	3.13	0.33	0.93	680
37N 2375E	201 285	< 0.2	7.49	400	0.5	< 2	2.00	< 0.5	14	52	26	6.28	1.07	1.20	650
37N 2400E	201 285	< 0.2	6.78	550	0.5	< 2	2.16	< 0.5	14	49	16	6.42	1.26	1.26	805
37N 2425E	201 285	< 0.2	5.61	530	0.5	< 2	2.21	< 0.5	11	42	9	4.93	1.23	1.26	825

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: MURRAY JONES

Page Number : 3-B
Total Pages : 6
Certificate Date: 03-MAY-95
Invoice No. : 19515982
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
36N 4100E	201 285	< 1	0.97	4	390	4	71	0.15	28	< 10	28				
36N 4125E	201 285	< 1	1.82	10	220	4	159	0.58	210	< 10	36				
36N 4150E	201 285	< 1	1.95	3	230	4	168	0.29	70	< 10	20				
36N 4175E	201 285	< 1	1.63	9	440	4	137	0.43	134	< 10	32				
36N 4200E	201 285	< 1	1.46	8	360	4	133	0.46	154	< 10	36				
36N 4225E	201 285	< 1	1.23	14	340	2	142	0.40	140	< 10	42				
36N 4250E	201 285	4	2.79	1	170	4	217	0.34	66	< 10	16				
36N 4275E	201 285	< 1	2.47	3	190	< 2	195	0.40	114	< 10	24				
36N 4300E	201 285	< 1	1.66	1	390	2	126	0.17	32	< 10	18				
36N 4325E	201 285	< 1	1.96	5	300	4	159	0.25	69	< 10	24				
36N 4350E	201 285	< 1	2.07	5	220	< 2	165	0.47	131	< 10	28				
36N 4375E	201 285	< 1	2.40	1	180	4	156	0.40	101	< 10	20				
36N 4400E	201 285	< 1	1.53	6	270	< 2	145	0.42	112	< 10	32				
36N 4425E	201 285	< 1	1.31	8	170	4	117	0.59	178	< 10	28				
36N 4450E	201 285	< 1	1.17	12	150	< 2	116	0.66	228	< 10	38				
36N 4475E	201 285	3	0.85	9	370	4	92	0.31	115	< 10	70				
36N 4500E	201 285	2	1.06	11	260	< 2	118	0.80	256	< 10	42				
36N 4525E	201 285	< 1	0.88	8	290	< 2	79	0.26	103	< 10	42				
36N 4550E	201 285	2	1.35	11	150	< 2	111	0.51	192	< 10	60				
36N 4575E	201 285	1	1.99	9	190	6	138	0.94	234	< 10	38				
36N 4600E	201 285	5	0.92	6	750	22	68	0.22	75	< 10	38				
36N 4625E	201 285	1	2.09	7	340	6	136	0.43	135	< 10	40				
36N 4650E	201 285	2	0.93	12	920	6	110	0.26	85	< 10	44				
36N 4675E	201 285	4	1.39	13	380	6	134	0.51	170	< 10	60				
36N 4700E	201 285	3	1.09	9	320	26	101	0.33	118	< 10	54				
36N 4725E	201 285	4	1.19	13	370	4	116	0.37	129	< 10	80				
36N 4750E	201 285	1	0.95	2	130	2	83	0.36	84	< 10	20				
36N 4775E	201 285	7	1.28	12	420	8	111	0.45	160	< 10	74				
36N 4800E	201 285	14	0.71	6	290	10	102	0.53	196	< 10	38				
36N 4825E	201 285	2	0.76	1	130	14	89	0.22	80	< 10	12				
36N 4850E	201 285	1	0.65	4	130	4	57	0.43	100	< 10	18				
36N 4875E	201 285	< 1	1.23	7	180	4	98	0.42	143	< 10	24				
36N 4900E	201 285	< 1	0.47	2	80	2	36	0.35	86	< 10	6				
36N 4925E	201 285	< 1	0.65	2	140	< 2	70	0.30	68	< 10	8				
36N 4950E	201 285	< 1	1.00	9	230	4	108	0.49	155	< 10	32				
36N 4975E	201 285	1	0.66	7	690	4	69	0.48	207	< 10	28				
36N 5000E	201 285	< 1	0.83	20	370	4	216	0.76	222	< 10	42				
37N 2375E	201 285	1	1.35	18	200	2	152	0.58	223	< 10	80				
37N 2400E	201 285	5	1.48	15	210	< 2	167	0.71	269	< 10	96				
37N 2425E	201 285	10	1.35	14	160	2	150	0.76	239	< 10	64				

CERTIFICATION: Stuart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 4-A
 Total Pages : 6
 Certificate Date: 03-MAY-95
 Invoice No. : I9515982
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
37N 2450E	201 285	0.8	5.57	390	0.5	< 2	1.57	< 0.5	8	33	8	2.73	1.14	0.99	965
37N 2475E	201 285	< 0.2	6.93	540	1.0	< 2	2.05	0.5	13	54	18	5.66	1.11	1.35	815
37N 2500E	201 285	< 0.2	7.24	470	0.5	< 2	1.45	0.5	8	44	21	5.48	1.16	0.86	615
37N 2525E	201 285	< 0.2	7.90	260	0.5	< 2	1.45	< 0.5	8	67	23	7.03	0.61	0.91	495
37N 2550E	201 285	< 0.2	6.15	420	0.5	< 2	1.85	0.5	11	53	14	6.12	1.01	1.19	725
3799N 2550E	201 285	< 0.2	7.32	350	0.5	< 2	1.55	0.5	9	51	23	6.14	0.76	0.98	560
3799N 2575E	201 285	< 0.2	5.93	450	0.5	< 2	2.44	< 0.5	9	35	12	3.99	1.18	1.07	600
3799N 2600E	201 285	< 0.2	6.69	440	0.5	< 2	1.83	1.0	13	47	18	9.84	1.05	1.10	800
3799N 2625E	201 285	< 0.2	7.34	460	0.5	< 2	2.19	< 0.5	11	43	31	2.74	0.95	1.19	715
3799N 2650E	201 285	< 0.2	7.33	360	0.5	< 2	2.13	0.5	13	50	42	5.40	0.69	1.09	1020
3799N 2675E	201 285	< 0.2	7.20	280	0.5	< 2	2.29	0.5	16	33	28	6.47	0.60	1.54	1180
3799N 2700E	201 285	< 0.2	5.67	340	0.5	< 2	1.62	< 0.5	9	39	10	4.42	0.89	1.08	765
3799N 2725E	201 285	< 0.2	5.13	340	0.5	< 2	1.05	< 0.5	6	30	14	1.76	0.85	0.71	715
3799N 2750E	201 285	< 0.2	8.12	210	0.5	< 2	0.79	0.5	13	44	53	8.75	0.67	1.00	685
3799N 2775E	201 285	< 0.2	6.10	220	0.5	< 2	1.94	0.5	14	88	55	6.78	0.36	1.28	655
3799N 2800E	201 285	< 0.2	8.79	500	1.5	< 2	0.40	0.5	42	42	192	10.85	2.15	1.11	1760
38N 2550E	201 285	0.4	1.53	450	< 0.5	< 2	0.23	< 0.5	2	3	10	0.79	1.02	0.08	230
38N 2575E	201 285	< 0.2	5.06	680	0.5	< 2	1.51	< 0.5	9	34	10	4.90	2.01	0.99	855
38N 2600E	201 285	< 0.2	6.14	240	0.5	< 2	1.60	0.5	17	41	26	8.78	0.48	1.75	1480
38N 2625E	201 285	< 0.2	6.13	490	0.5	< 2	1.96	0.5	19	32	56	4.67	0.73	1.01	1565
38N 2650E	201 285	< 0.2	5.57	820	0.5	< 2	1.96	0.5	10	20	32	3.69	1.20	0.79	710
38N 2675E	201 285	< 0.2	6.88	420	0.5	< 2	2.04	0.5	13	46	34	7.24	0.86	1.53	915
38N 2700E	201 285	< 0.2	5.21	550	0.5	< 2	2.71	0.5	16	53	8	4.10	1.53	2.11	1255
38N 2725E	201 285	< 0.2	6.24	310	0.5	< 2	1.35	< 0.5	13	49	41	7.10	0.85	1.48	805
38N 2750E	201 285	< 0.2	8.14	160	0.5	< 2	0.83	0.5	15	43	113	8.29	0.53	1.16	1035
38N 2775E	201 285	0.6	7.00	250	0.5	< 2	0.74	0.5	8	47	157	9.95	1.54	0.49	300
38N 2800E	201 285	< 0.2	4.69	190	0.5	< 2	3.32	0.5	14	80	9	4.81	0.35	1.35	880
38N 2825E	201 285	< 0.2	4.59	360	0.5	< 2	2.73	0.5	21	121	16	6.80	0.80	2.15	1165
38N 2850E	201 285	< 0.2	4.99	360	0.5	< 2	1.92	0.5	11	219	11	4.61	1.01	1.47	910
38N 2875E	201 285	< 0.2	5.67	370	0.5	< 2	1.84	< 0.5	10	48	12	6.97	0.95	1.18	715
38N 2900E	201 285	< 0.2	5.79	500	0.5	< 2	1.61	< 0.5	8	35	11	2.65	1.23	0.82	810
38N 2925E	201 285	< 0.2	5.28	390	0.5	< 2	1.77	0.5	10	52	12	5.64	0.97	1.12	1000
38N 2950E	201 285	< 0.2	4.97	220	0.5	< 2	0.86	1.0	69	42	30	10.40	0.51	0.59	6540
38N 2975E	201 285	< 0.2	6.34	320	0.5	< 2	2.04	0.5	17	98	29	5.69	0.83	1.30	815
38N 3000E	201 285	< 0.2	5.08	390	0.5	< 2	1.61	0.5	13	54	12	6.62	0.92	1.23	745
38N 3025E	201 285	< 0.2	5.37	360	0.5	< 2	2.42	0.5	17	81	21	5.80	0.85	1.69	935
38N 3050E	201 285	< 0.2	8.37	170	0.5	2	1.00	< 0.5	8	54	85	4.82	0.38	0.58	330
38N 3075E	201 285	< 0.2	5.39	280	< 0.5	< 2	1.04	0.5	10	45	36	6.74	0.69	0.73	450
38N 3100E	201 285	< 0.2	2.35	60	< 0.5	< 2	1.81	0.5	14	51	21	4.39	0.26	1.26	720
38N 3125E	201 285	< 0.2	3.71	150	0.5	< 2	2.86	0.5	22	85	16	5.97	0.48	2.04	1275

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 4-B
 Total Pages: 6
 Certificate Date: 03-MAY-95
 Invoice No.: 19515982
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
37N 2450E	201 285	9	0.91	8	300	22	102	0.54	169	< 10	68				
37N 2475E	201 285	< 1	1.55	13	160	6	156	0.71	250	< 10	64				
37N 2500E	201 285	< 1	1.07	10	230	6	115	0.78	249	< 10	44				
37N 2525E	201 285	3	1.20	11	320	4	125	0.60	221	< 10	42				
37N 2550E	201 285	8	1.39	13	210	62	140	0.74	248	< 10	70				
3799N 2550E	201 285	< 1	1.16	11	410	4	124	0.61	220	< 10	58				
3799N 2575E	201 285	2	1.66	11	230	4	183	0.64	215	< 10	46				
3799N 2600E	201 285	9	1.37	11	310	8	138	0.76	309	< 10	64				
3799N 2625E	201 285	< 1	1.62	15	360	8	173	0.52	123	< 10	52				
3799N 2650E	201 285	1	1.26	14	540	4	144	0.50	198	< 10	68				
3799N 2675E	201 285	< 1	1.35	9	390	6	181	0.55	294	< 10	82				
3799N 2700E	201 285	< 1	1.33	10	230	2	124	0.58	223	< 10	44				
3799N 2725E	201 285	2	0.98	6	450	14	100	0.76	137	< 10	34				
3799N 2750E	201 285	< 1	0.84	13	420	4	75	0.49	321	< 10	64				
3799N 2775E	201 285	< 1	0.83	22	380	< 2	109	0.81	277	< 10	56				
3799N 2800E	201 285	6	0.72	22	1350	40	45	0.25	180	< 10	102				
38N 2550E	201 285	9	0.10	< 1	280	106	30	0.06	14	< 10	54				
38N 2575E	201 285	3	1.00	9	140	18	101	0.85	265	< 10	44				
38N 2600E	201 285	40	1.42	15	280	8	80	0.95	427	< 10	78				
38N 2625E	201 285	1	0.61	17	580	8	76	0.41	168	< 10	128				
38N 2650E	201 285	< 1	0.75	11	350	8	88	0.39	134	< 10	68				
38N 2675E	201 285	2	1.16	14	590	8	129	0.80	305	< 10	74				
38N 2700E	201 285	< 1	1.32	17	160	4	139	0.73	188	< 10	62				
38N 2725E	201 285	1	0.64	12	250	4	76	0.53	285	< 10	62				
38N 2750E	201 285	< 1	0.95	10	530	4	56	0.41	291	< 10	76				
38N 2775E	201 285	20	0.39	8	1640	104	48	0.19	165	< 10	72				
38N 2800E	201 285	< 1	0.58	18	150	2	278	1.42	351	< 10	48				
38N 2825E	201 285	< 1	1.18	36	110	< 2	90	1.48	352	< 10	66				
38N 2850E	201 285	< 1	1.30	18	190	< 2	107	0.71	213	< 10	44				
38N 2875E	201 285	< 1	1.40	10	180	< 2	136	0.79	320	< 10	48				
38N 2900E	201 285	< 1	1.69	8	250	8	130	0.79	171	< 10	36				
38N 2925E	201 285	3	1.55	12	130	< 2	125	0.79	264	< 10	46				
38N 2950E	201 285	19	0.79	27	780	10	70	0.35	201	< 10	66				
38N 2975E	201 285	6	1.54	25	320	6	141	0.57	211	< 10	58				
38N 3000E	201 285	< 1	1.29	12	190	< 2	115	0.86	365	< 10	42				
38N 3025E	201 285	< 1	1.71	23	250	< 2	127	0.84	299	< 10	58				
38N 3050E	201 285	3	0.97	8	750	2	85	0.32	146	< 10	40				
38N 3075E	201 285	< 1	1.09	11	450	< 2	70	0.64	330	< 10	46				
38N 3100E	201 285	< 1	0.39	24	1030	< 2	37	0.66	195	< 10	62				
38N 3125E	201 285	< 1	0.84	35	350	< 2	75	1.67	370	< 10	80				

CERTIFICATION: *Hank Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project : 6004
 Comments: ATTN: MURRAY JONES

Page Number : 5-A
 Total Pages : 6
 Certificate Date: 03-MAY-95
 Invoice No. : 19515982
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
38N 3150E	201 285	< 0.2	1.89	120	< 0.5	< 2	0.56	< 0.5	3	8	27	2.88	0.29	0.28	215
38N 3175E	201 285	< 0.2	1.60	70	< 0.5	< 2	0.58	< 0.5	3	12	30	1.87	0.16	0.29	195
38N 3200E	201 285	< 0.2	4.66	190	0.5	< 2	3.25	< 0.5	22	295	20	5.70	0.65	2.71	1150
38N 3225E	201 285	0.4	1.74	80	< 0.5	< 2	1.45	0.5	10	6	22	3.85	0.23	0.68	775
38N 3250E	201 285	< 0.2	4.59	130	< 0.5	< 2	4.20	1.5	29	14	22	13.10	0.44	2.29	3060
38N 3275E	201 285	< 0.2	3.91	210	0.5	< 2	1.97	0.5	16	8	22	5.99	0.61	1.01	1155
38N 3300E	201 285	< 0.2	1.55	80	< 0.5	< 2	1.13	< 0.5	8	2	29	3.12	0.27	0.50	645
38N 3325E	201 285	< 0.2	2.18	160	0.5	< 2	1.49	< 0.5	9	7	14	4.01	0.34	0.57	1275
38N 3350E	201 285	< 0.2	1.17	120	< 0.5	< 2	0.78	< 0.5	2	< 1	12	1.35	0.29	0.19	395
38N 3375E	201 285	0.4	1.46	90	< 0.5	< 2	0.81	< 0.5	4	< 1	25	3.62	0.26	0.19	1380
38N 3400E	201 285	< 0.2	4.12	420	0.5	< 2	0.88	< 0.5	4	12	26	2.48	0.80	0.25	1205
38N 3425E	201 285	< 0.2	3.73	330	0.5	< 2	2.15	0.5	14	25	19	5.97	0.84	1.00	1380
38N 3450E	201 285	< 0.2	2.78	150	0.5	< 2	1.92	0.5	16	3	14	7.54	0.44	0.69	3080
38N 3475E	201 285	< 0.2	3.84	350	0.5	< 2	1.54	0.5	10	12	22	4.76	1.00	0.69	945
38N 3500E	201 285	< 0.2	0.93	40	< 0.5	< 2	0.93	< 0.5	7	6	8	2.01	0.17	0.49	705
38N 3525E	201 285	< 0.2	4.92	580	< 0.5	< 2	1.65	< 0.5	12	21	10	3.95	1.66	1.06	780
38N 3550E	201 285	< 0.2	6.27	440	0.5	< 2	1.21	< 0.5	7	44	15	2.04	1.18	0.73	445
38N 3575E	201 285	< 0.2	5.99	560	0.5	< 2	1.20	< 0.5	7	32	11	1.83	1.39	0.74	455
38N 3600E	201 285	< 0.2	4.32	560	< 0.5	< 2	0.87	< 0.5	6	11	7	2.25	1.74	0.64	445
38N 3625E	201 285	< 0.2	5.32	180	< 0.5	< 2	0.35	< 0.5	2	32	28	1.42	0.47	0.22	160
38N 3650E	201 285	< 0.2	5.75	390	0.5	< 2	1.93	< 0.5	12	58	15	4.47	0.96	1.28	685
38N 3675E	201 285	< 0.2	5.00	690	< 0.5	< 2	0.84	< 0.5	4	17	5	1.60	1.76	0.55	430
38N 3700E	201 285	< 0.2	4.86	520	< 0.5	< 2	1.13	< 0.5	3	10	4	1.06	1.21	0.40	540
38N 3725E	201 285	< 0.2	5.17	620	< 0.5	2	1.08	< 0.5	6	25	5	2.06	1.46	0.72	465
38N 3750E	201 285	< 0.2	3.20	930	< 0.5	< 2	0.29	< 0.5	1	3	2	0.51	2.13	0.12	215
38N 3775E	201 285	< 0.2	4.58	680	0.5	< 2	0.47	< 0.5	1	< 1	1	0.23	1.31	0.08	45
38N 3800E	201 285	< 0.2	4.40	660	< 0.5	< 2	0.31	< 0.5	< 1	< 1	1	0.16	1.90	0.03	75
38N 3825E	201 285	< 0.2	3.77	560	< 0.5	< 2	0.23	< 0.5	< 1	< 1	1	0.19	2.03	0.03	100
38N 3850E	201 285	< 0.2	4.18	520	< 0.5	< 2	0.69	< 0.5	4	16	5	2.17	1.19	0.37	340
38N 3875E	201 285	< 0.2	4.22	680	< 0.5	< 2	0.33	< 0.5	1	3	1	0.53	1.64	0.12	180
38N 3900E	201 285	< 0.2	5.78	680	< 0.5	2	0.92	< 0.5	4	16	6	1.69	1.42	0.55	395
38N 3925E	201 285	< 0.2	5.98	590	0.5	< 2	0.77	< 0.5	3	27	8	1.81	1.36	0.43	300
38N 3950E	201 285	< 0.2	5.89	580	< 0.5	< 2	0.82	< 0.5	6	31	12	5.62	1.34	0.55	355
38N 3975E	201 285	< 0.2	5.55	1080	< 0.5	< 2	0.61	< 0.5	2	4	2	0.99	1.85	0.18	210
38N 4000E	201 285	< 0.2	8.21	630	0.5	2	2.03	< 0.5	5	9	4	3.10	1.26	0.46	615
39N 2825E	201 285	< 0.2	7.99	280	0.5	< 2	1.14	0.5	18	50	104	8.41	0.93	1.17	970
39N 2850E	201 285	< 0.2	8.16	340	0.5	< 2	2.72	0.5	13	38	56	4.34	0.71	1.13	680
39N 2875E	201 285	< 0.2	5.57	300	0.5	< 2	2.38	1.0	17	102	46	9.43	0.66	1.75	925
39N 2900E	201 285	< 0.2	5.41	250	0.5	< 2	1.65	0.5	11	44	19	5.53	0.62	1.04	755
39N 2925E	201 285	< 0.2	4.80	360	< 0.5	< 2	2.52	0.5	17	123	10	5.32	0.97	1.90	1065

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: MURRAY JONES

Page Number: 5-B
Total Pages: 6
Certificate Date: 03-MAY-95
Invoice No.: 19515982
P.O. Number:
Account: GP

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
38N 3150E	201 285	< 1	0.31	4	850	2	34	0.16	45	< 10	30				
38N 3175E	201 285	< 1	0.16	8	1140	< 2	26	0.20	47	< 10	28				
38N 3200E	201 285	1	0.97	101	360	< 2	131	1.33	243	< 10	90				
38N 3225E	201 285	< 1	0.35	6	400	6	55	1.13	167	< 10	52				
38N 3250E	201 285	< 1	1.42	17	180	< 2	101	4.08	494	< 10	184				
38N 3275E	201 285	< 1	0.99	6	400	4	78	1.54	224	< 10	80				
38N 3300E	201 285	< 1	0.47	4	690	< 2	44	0.72	67	< 10	60				
38N 3325E	201 285	< 1	0.61	5	440	4	68	1.16	100	< 10	60				
38N 3350E	201 285	< 1	0.24	1	660	< 2	35	0.31	24	< 10	34				
38N 3375E	201 285	< 1	0.47	2	510	< 2	54	1.46	37	< 10	40				
38N 3400E	201 285	7	1.17	2	550	14	84	1.71	83	< 10	34				
38N 3425E	201 285	< 1	1.07	11	280	< 2	76	1.20	108	< 10	66				
38N 3450E	201 285	< 1	0.82	2	190	< 2	80	3.18	171	< 10	82				
38N 3475E	201 285	1	0.77	3	270	4	84	1.30	198	< 10	44				
38N 3500E	201 285	< 1	0.18	8	440	< 2	23	0.71	130	< 10	46				
38N 3525E	201 285	< 1	1.28	14	130	4	79	1.19	357	< 10	46				
38N 3550E	201 285	1	1.34	9	310	6	98	0.60	154	< 10	30				
38N 3575E	201 285	1	1.44	9	250	10	99	0.81	145	< 10	30				
38N 3600E	201 285	< 1	1.21	4	200	4	47	0.53	120	< 10	26				
38N 3625E	201 285	1	0.54	2	590	4	35	0.33	82	< 10	14				
38N 3650E	201 285	1	1.36	15	170	4	136	0.71	247	< 10	44				
38N 3675E	201 285	3	1.35	6	130	8	77	0.57	125	< 10	22				
38N 3700E	201 285	1	1.48	2	100	6	127	0.59	81	< 10	20				
38N 3725E	201 285	1	1.54	7	130	6	93	0.54	114	< 10	26				
38N 3750E	201 285	< 1	0.70	< 1	210	8	59	0.17	25	< 10	10				
38N 3775E	201 285	< 1	1.85	< 1	80	6	70	0.11	15	< 10	6				
38N 3800E	201 285	< 1	1.71	< 1	150	18	67	0.09	11	< 10	4				
38N 3825E	201 285	1	1.30	< 1	130	24	50	0.15	13	< 10	4				
38N 3850E	201 285	1	1.52	3	100	< 2	84	0.47	147	< 10	16				
38N 3875E	201 285	8	1.26	2	90	14	54	0.36	44	< 10	8				
38N 3900E	201 285	2	1.61	5	230	12	107	0.53	106	< 10	28				
38N 3925E	201 285	1	1.55	5	230	10	96	0.45	111	< 10	26				
38N 3950E	201 285	1	1.61	7	150	< 2	89	0.59	239	< 10	28				
38N 3975E	201 285	1	1.66	1	100	4	122	0.40	79	< 10	12				
38N 4000E	201 285	< 1	2.97	2	190	< 2	250	0.45	130	< 10	34				
39N 2825E	201 285	1	1.05	12	460	16	123	0.44	277	< 10	84				
39N 2850E	201 285	< 1	2.04	13	510	< 2	235	0.39	169	< 10	46				
39N 2875E	201 285	1	1.19	24	250	2	113	0.99	385	< 10	84				
39N 2900E	201 285	< 1	1.15	12	570	< 2	118	0.73	244	< 10	46				
39N 2925E	201 285	< 1	1.39	29	150	< 2	122	0.93	302	< 10	58				

CERTIFICATION:

Janet Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 6-A
 Total Pages: 6
 Certificate Date: 03-MAY-95
 Invoice No.: I9515982
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
39N 2950E	201 285	< 0.2	6.49	130	< 0.5	< 2	1.15	1.0	9	54	42	9.41	0.35	0.71	405
39N 2975E	201 285	< 0.2	6.49	310	0.5	< 2	1.41	< 0.5	8	44	25	5.89	0.77	0.89	625
39N 3000E	201 285	< 0.2	3.94	210	< 0.5	< 2	2.26	< 0.5	14	48	14	4.39	0.60	1.30	1055
39N 3025E	201 285	< 0.2	5.06	380	< 0.5	< 2	2.31	< 0.5	13	62	19	3.65	0.95	1.53	850
39N 3050E	201 285	< 0.2	4.23	340	< 0.5	< 2	2.20	0.5	14	61	6	4.59	0.85	1.50	995
39N 3075E	201 285	< 0.2	4.57	320	< 0.5	< 2	2.37	0.5	15	57	13	5.64	0.77	1.55	970
39N 3100E	201 285	< 0.2	2.77	90	< 0.5	< 2	1.28	< 0.5	8	30	23	3.73	0.28	0.75	535
39N 3125E	201 285	< 0.2	7.65	250	0.5	< 2	1.36	< 0.5	8	43	38	5.89	0.56	0.79	455
39N 3150E	201 285	< 0.2	4.56	310	< 0.5	< 2	1.95	< 0.5	9	25	13	3.60	0.75	1.00	930
39N 3175E	201 285	< 0.2	0.20	20	< 0.5	2	0.72	< 0.5	1	1	3	0.14	0.13	0.08	260
39N 3200E	201 285	< 0.2	4.42	490	< 0.5	< 2	1.31	0.5	11	34	12	4.96	1.22	0.88	795
39N 3225E	201 285	0.4	2.70	190	< 0.5	< 2	1.79	0.5	12	8	17	4.75	0.58	0.79	1040
39N 3250E	201 285	0.4	1.61	90	< 0.5	< 2	0.92	0.5	9	3	20	3.37	0.30	0.51	525
39N 3275E	201 285	< 0.2	5.60	390	< 0.5	< 2	1.27	< 0.5	8	42	25	6.00	0.87	0.81	465
39N 3300E	201 285	< 0.2	3.89	340	< 0.5	< 2	1.11	< 0.5	11	38	15	3.58	0.74	0.70	1295
39N 3325E	201 285	< 0.2	5.51	180	< 0.5	< 2	3.71	0.5	26	21	20	8.13	0.66	1.88	1645
39N 3350E	201 285	< 0.2	4.40	370	< 0.5	< 2	1.48	< 0.5	10	47	33	8.09	0.87	0.99	840
39N 3375E	201 285	< 0.2	3.30	420	< 0.5	< 2	0.57	< 0.5	3	13	6	1.36	0.91	0.33	530
39N 3400E	201 285	< 0.2	3.84	360	0.5	< 2	0.64	< 0.5	2	12	37	1.75	0.81	0.16	825
39N 3425E	201 285	< 0.2	5.25	800	< 0.5	< 2	1.29	< 0.5	6	22	10	3.45	1.75	0.66	475
39N 3450E	201 285	< 0.2	4.45	680	< 0.5	< 2	0.53	< 0.5	2	17	10	0.98	1.77	0.31	405
39N 3475E	201 285	< 0.2	1.79	120	< 0.5	< 2	1.14	< 0.5	12	22	10	3.86	0.38	0.76	1045

CERTIFICATION: *Grant Beckler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 6-B
 Total Pages: 6
 Certificate Date: 03-MAY-95
 Invoice No.: 19515982
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515982

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
39N 2950E	201 285	1	0.44	10	450	< 2	48	0.57	250	< 10	42				
39N 2975E	201 285	< 1	1.08	8	380	< 2	100	0.76	286	< 10	38				
39N 3000E	201 285	< 1	1.00	16	400	< 2	104	1.72	292	< 10	60				
39N 3025E	201 285	< 1	1.38	16	290	6	142	0.97	258	< 10	52				
39N 3050E	201 285	< 1	1.19	16	140	< 2	104	1.00	262	< 10	50				
39N 3075E	201 285	< 1	1.21	15	310	< 2	124	0.96	318	< 10	60				
39N 3100E	201 285	< 1	0.47	11	720	< 2	50	0.65	153	< 10	44				
39N 3125E	201 285	< 1	1.18	9	450	< 2	114	0.50	176	< 10	36				
39N 3150E	201 285	< 1	1.23	7	230	6	124	1.62	259	< 10	44				
39N 3175E	201 285	< 1	0.06	2	630	4	18	0.02	6	< 10	16				
39N 3200E	201 285	< 1	1.24	9	210	< 2	81	0.98	285	< 10	42				
39N 3225E	201 285	< 1	0.65	4	420	< 2	63	1.23	152	< 10	70				
39N 3250E	201 285	< 1	0.26	5	790	< 2	28	0.79	132	< 10	56				
39N 3275E	201 285	1	1.26	9	340	< 2	95	0.66	244	< 10	34				
39N 3300E	201 285	< 1	0.80	12	370	14	66	2.26	305	< 10	48				
39N 3325E	201 285	< 1	1.41	23	170	< 2	144	1.99	411	< 10	114				
39N 3350E	201 285	2	1.03	10	340	< 2	83	1.19	393	< 10	48				
39N 3375E	201 285	< 1	1.00	3	140	< 2	55	0.98	120	< 10	18				
39N 3400E	201 285	2	1.07	2	660	8	83	1.51	89	< 10	24				
39N 3425E	201 285	1	1.38	7	140	4	120	0.54	183	< 10	26				
39N 3450E	201 285	1	1.12	3	130	10	57	0.83	97	< 10	14				
39N 3475E	201 285	< 1	0.40	10	260	< 2	32	1.85	221	< 10	50				

CERTIFICATION:

Hart Biedler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 1-A
 Total Pages: 6
 Certificate Date: 03-MAY-95
 Invoice No.: I9515983
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515983

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
39N 3500E	201 285	0.2	5.10	670	< 0.5	< 2	0.54	< 0.5	2	14	7	0.89	1.70	0.26	300
39N 3525E	201 285	< 0.2	5.32	580	< 0.5	< 2	1.23	< 0.5	7	50	14	2.29	1.39	0.83	495
39N 3550E	201 285	< 0.2	5.36	710	< 0.5	< 2	0.92	< 0.5	3	20	6	1.38	1.74	0.59	420
39N 3575E	201 285	< 0.2	5.60	1150	< 0.5	< 2	0.34	< 0.5	1	< 1	1	0.15	2.16	0.02	75
39N 3600E	201 285	< 0.2	4.44	980	< 0.5	< 2	0.22	< 0.5	< 1	< 1	< 1	0.20	2.26	0.03	95
39N 3625E	201 285	< 0.2	1.46	230	< 0.5	< 2	0.39	< 0.5	< 1	1	3	0.16	0.64	0.07	35
39N 3650E	201 285	< 0.2	1.22	220	< 0.5	< 2	0.53	< 0.5	< 1	3	3	0.17	0.54	0.08	60
39N 3675E	201 285	< 0.2	6.81	760	< 0.5	< 2	0.66	< 0.5	6	33	11	2.63	2.21	0.60	335
39N 3700E	201 285	< 0.2	6.43	460	< 0.5	< 2	1.06	< 0.5	5	35	15	2.71	1.07	0.68	395
39N 3725E	201 285	< 0.2	6.72	500	< 0.5	< 2	1.45	< 0.5	9	41	17	6.12	1.22	0.94	580
39N 3750E	201 285	< 0.2	6.33	930	< 0.5	< 2	0.11	< 0.5	1	1	3	0.61	2.54	0.16	70
39N 3775E	201 285	< 0.2	7.29	650	0.5	< 2	1.60	< 0.5	3	8	4	1.48	1.50	0.31	450
39N 3800E	201 285	< 0.2	4.24	730	< 0.5	< 2	0.49	< 0.5	2	6	2	1.60	1.23	0.19	365
39N 3825E	201 285	0.2	3.33	690	< 0.5	< 2	0.45	< 0.5	1	3	2	0.29	1.15	0.06	170
39N 3850E	201 285	< 0.2	5.78	730	< 0.5	< 2	0.93	< 0.5	1	6	2	0.52	1.30	0.11	245
39N 3875E	201 285	< 0.2	4.55	690	< 0.5	< 2	0.64	< 0.5	2	8	2	1.05	1.44	0.34	405
39N 3900E	201 285	< 0.2	5.20	400	< 0.5	< 2	0.55	< 0.5	2	21	11	2.05	0.85	0.37	220
39N 3925E	201 285	< 0.2	5.69	580	< 0.5	2	0.95	< 0.5	11	44	8	3.62	1.26	1.08	560
39N 3950E	201 285	< 0.2	4.69	780	< 0.5	< 2	0.65	< 0.5	3	42	4	1.17	2.14	0.60	440
39N 3975E	201 285	< 0.2	3.77	790	< 0.5	< 2	0.84	< 0.5	4	24	3	1.56	1.38	0.53	350
39N 4000E	201 285	< 0.2	2.70	150	< 0.5	< 2	0.36	< 0.5	2	15	11	0.81	0.44	0.18	80
39N 4025E	201 285	0.2	4.17	770	< 0.5	< 2	0.34	< 0.5	1	10	3	0.64	1.61	0.19	260
39N 4050E	201 285	< 0.2	4.53	840	< 0.5	< 2	0.47	< 0.5	1	7	3	0.68	1.66	0.16	230
39N 4075E	201 285	< 0.2	5.40	820	< 0.5	< 2	0.53	< 0.5	1	3	2	0.72	1.71	0.11	150
40N 2550E	201 285	< 0.2	7.13	5700	1.0	2	0.05	< 0.5	3	3	2	0.48	6.70	0.03	395
40N 2575E	201 285	0.6	5.27	2480	0.5	< 2	0.16	< 0.5	1	3	6	0.80	4.51	0.07	120
40N 2600E	201 285	< 0.2	5.69	2670	1.0	2	0.44	0.5	6	54	14	2.42	3.72	0.51	165
40N 2625E	201 285	0.4	5.14	1100	< 0.5	< 2	0.68	< 0.5	4	28	10	3.68	1.41	0.48	345
40N 2650E	201 285	0.6	3.87	430	< 0.5	< 2	1.62	< 0.5	8	12	6	2.96	1.01	1.15	715
40N 2675E	201 285	< 0.2	7.88	710	0.5	< 2	0.90	0.5	13	21	27	5.36	1.48	0.56	405
40N 2700E	201 285	< 0.2	3.07	460	< 0.5	< 2	0.34	< 0.5	2	7	3	0.79	1.03	0.19	160
40N 2725E	201 285	< 0.2	7.92	510	0.5	< 2	1.19	0.5	14	41	25	6.35	1.19	0.80	630
40N 2750E	201 285	< 0.2	5.59	740	0.5	< 2	1.52	< 0.5	8	35	6	3.26	1.75	0.94	715
40N 2775E	201 285	< 0.2	2.78	490	< 0.5	< 2	0.57	< 0.5	2	11	4	1.07	1.21	0.28	345
40N 2800E	201 285	< 0.2	5.40	420	< 0.5	< 2	2.54	0.5	12	57	17	5.67	0.74	1.52	735
40N 2825E	201 285	< 0.2	5.66	210	< 0.5	< 2	0.85	0.5	6	17	15	8.56	0.73	0.66	390
40N 2850E	201 285	< 0.2	5.97	380	< 0.5	< 2	1.53	0.5	9	29	16	6.06	0.77	1.09	895
40N 2875E	201 285	< 0.2	5.96	330	< 0.5	< 2	2.14	< 0.5	13	34	8	4.90	0.75	1.61	1175
40N 2900E	201 285	< 0.2	2.25	270	< 0.5	< 2	1.11	< 0.5	8	17	15	2.50	0.42	0.84	865
40N 2925E	201 285	< 0.2	3.88	260	< 0.5	< 2	2.05	< 0.5	8	16	18	3.89	0.53	0.88	1075

CERTIFICATION:

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 1-B
 Total Pages: 6
 Certificate Date: 03-MAY-95
 Invoice No.: 19515983
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515983

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
39N 3500E	201 285	1	1.32	3	170	14	71	0.77	97	< 10	14				
39N 3525E	201 285	1	1.10	12	220	14	82	1.08	220	< 10	30				
39N 3550E	201 285	3	1.17	4	140	14	86	0.80	136	< 10	24				
39N 3575E	201 285	1	2.38	< 1	180	14	75	0.14	17	< 10	2				
39N 3600E	201 285	2	1.36	1	140	6	46	0.15	14	< 10	4				
39N 3625E	201 285	< 1	0.26	1	370	4	41	0.05	5	< 10	12				
39N 3650E	201 285	< 1	0.29	1	390	4	30	0.08	8	< 10	18				
39N 3675E	201 285	3	1.73	7	250	4	72	0.31	116	< 10	32				
39N 3700E	201 285	3	1.25	6	280	12	101	0.69	134	< 10	30				
39N 3725E	201 285	< 1	1.51	7	150	4	114	0.67	227	< 10	38				
39N 3750E	201 285	1	1.15	< 1	60	18	56	0.22	43	< 10	16				
39N 3775E	201 285	1	2.83	1	100	6	197	0.44	75	< 10	20				
39N 3800E	201 285	< 1	1.55	< 1	80	6	84	0.49	71	< 10	14				
39N 3825E	201 285	1	0.86	1	230	14	69	0.33	25	< 10	8				
39N 3850E	201 285	1	1.91	< 1	250	8	123	0.42	51	< 10	14				
39N 3875E	201 285	< 1	1.26	1	120	6	83	0.61	101	< 10	18				
39N 3900E	201 285	4	0.94	5	740	10	77	0.70	126	< 10	28				
39N 3925E	201 285	2	1.16	8	160	2	78	0.64	201	< 10	32				
39N 3950E	201 285	1	0.96	3	180	14	59	0.80	108	< 10	20				
39N 3975E	201 285	< 1	0.97	3	130	8	105	0.38	84	< 10	20				
39N 4000E	201 285	< 1	0.96	3	270	4	38	0.50	78	< 10	16				
39N 4025E	201 285	1	0.93	< 1	100	8	64	0.49	61	< 10	12				
39N 4050E	201 285	< 1	1.51	1	90	6	81	0.26	43	< 10	8				
39N 4075E	201 285	< 1	2.07	< 1	30	4	101	0.23	40	< 10	6				
40N 2550E	201 285	< 1	0.38	< 1	90	20	69	0.16	12	< 10	72				
40N 2575E	201 285	2	0.46	1	190	38	73	0.18	15	< 10	22				
40N 2600E	201 285	1	0.46	20	210	82	77	0.24	52	< 10	56				
40N 2625E	201 285	1	0.50	6	490	32	77	0.41	109	< 10	38				
40N 2650E	201 285	4	0.81	2	420	30	93	0.35	121	< 10	40				
40N 2675E	201 285	1	0.64	11	180	18	81	0.33	135	< 10	198				
40N 2700E	201 285	< 1	0.18	1	160	4	31	0.16	34	< 10	26				
40N 2725E	201 285	< 1	0.89	17	260	10	103	0.42	139	< 10	126				
40N 2750E	201 285	1	1.21	8	120	6	110	0.65	163	< 10	54				
40N 2775E	201 285	< 1	0.42	3	310	4	50	0.45	55	< 10	22				
40N 2800E	201 285	< 1	1.23	15	180	< 2	201	0.80	250	< 10	56				
40N 2825E	201 285	3	1.60	4	300	< 2	68	0.39	187	< 10	36				
40N 2850E	201 285	3	1.41	8	200	< 2	117	0.83	332	< 10	46				
40N 2875E	201 285	1	1.48	12	250	< 2	134	1.09	311	< 10	60				
40N 2900E	201 285	< 1	0.42	7	590	< 2	187	0.35	123	< 10	42				
40N 2925E	201 285	1	0.72	5	340	6	112	0.56	223	< 10	48				

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 2-A
 Total Pages : 6
 Certificate Date: 03-MAY-95
 Invoice No. : 19515983
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515983

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
40N 2950E	201 285	0.2	3.69	210	< 0.5	< 2	0.86	0.5	48	13	31	3.01	0.59	0.80	3310
40N 2975E	201 285	< 0.2	6.37	290	< 0.5	< 2	1.94	0.5	8	12	23	4.99	0.70	0.80	810
40N 3000E	201 285	< 0.2	3.33	500	< 0.5	< 2	0.17	< 0.5	1	< 1	3	0.76	1.14	0.11	635
40N 3025E	201 285	< 0.2	6.52	440	< 0.5	2	1.68	< 0.5	9	30	10	3.37	0.97	1.06	780
40N 3050E	201 285	< 0.2	5.99	260	< 0.5	2	1.44	< 0.5	9	17	10	3.20	0.75	0.85	830
40N 3075E	201 285	< 0.2	3.19	230	< 0.5	< 2	1.17	< 0.5	6	25	8	3.32	0.57	0.65	600
40N 3100E	201 285	< 0.2	6.01	420	< 0.5	< 2	1.21	< 0.5	10	83	10	5.47	1.12	1.04	605
40N 3125E	201 285	< 0.2	6.05	370	< 0.5	2	1.42	0.5	28	67	23	6.61	0.94	0.94	975
40N 3150E	201 285	< 0.2	3.16	280	< 0.5	2	0.48	< 0.5	2	8	4	0.91	0.78	0.18	355
40N 3175E	201 285	< 0.2	6.17	430	< 0.5	< 2	1.67	< 0.5	10	33	15	5.06	0.96	0.95	655
40N 3200E	201 285	< 0.2	6.84	370	0.5	< 2	2.01	0.5	27	90	49	6.10	0.91	1.32	790
40N 3225E	201 285	< 0.2	6.04	460	< 0.5	< 2	2.15	0.5	16	55	26	7.63	1.08	1.48	905
40N 3250E	201 285	0.2	6.33	280	0.5	2	0.94	0.5	70	49	33	7.15	0.67	0.69	4350
40N 3275E	201 285	< 0.2	3.90	700	< 0.5	2	0.43	< 0.5	2	12	7	1.24	1.58	0.17	385
40N 3300E	201 285	< 0.2	6.48	660	0.5	< 2	1.89	< 0.5	11	52	8	4.63	1.76	1.10	750
40N 3325E	201 285	< 0.2	4.67	540	< 0.5	< 2	1.28	< 0.5	10	34	6	2.49	1.47	0.95	810
40N 3350E	201 285	< 0.2	5.14	530	< 0.5	< 2	1.76	< 0.5	10	35	8	4.67	1.27	1.10	815
40N 3375E	201 285	< 0.2	5.49	430	< 0.5	< 2	1.64	< 0.5	9	35	7	5.39	1.01	1.02	760
40N 3400E	201 285	< 0.2	5.08	670	0.5	< 2	1.11	< 0.5	2	8	4	1.61	1.54	0.24	600
40N 3425E	201 285	< 0.2	4.70	570	< 0.5	< 2	0.84	< 0.5	5	17	10	1.97	1.43	0.57	535
40N 3450E	201 285	< 0.2	3.35	470	< 0.5	< 2	0.95	< 0.5	6	25	4	2.39	1.06	0.60	625
40N 3475E	201 285	< 0.2	4.72	620	< 0.5	< 2	0.76	< 0.5	4	28	8	1.54	1.47	0.52	555
40N 3500E	201 285	< 0.2	5.24	1120	< 0.5	2	0.46	< 0.5	1	< 1	2	0.19	2.03	0.03	115
40N 3525E	201 285	< 0.2	3.48	450	< 0.5	< 2	0.62	< 0.5	4	31	5	1.95	1.04	0.47	430
40N 3550E	201 285	< 0.2	8.12	470	< 0.5	< 2	1.13	0.5	9	57	23	7.10	1.02	1.01	575
40N 3575E	201 285	< 0.2	4.05	850	< 0.5	< 2	0.42	< 0.5	1	8	2	0.71	1.78	0.17	250
40N 3600E	201 285	< 0.2	4.90	780	< 0.5	< 2	0.69	< 0.5	4	18	3	2.11	2.13	0.49	415
40N 3625E	201 285	< 0.2	4.99	850	< 0.5	< 2	0.37	< 0.5	3	12	2	1.07	2.32	0.30	250
40N 3650E	201 285	0.2	2.28	360	< 0.5	< 2	0.35	< 0.5	1	3	4	0.30	1.06	0.10	240
40N 3675E	201 285	< 0.2	5.30	760	< 0.5	< 2	0.68	< 0.5	3	13	8	1.26	2.19	0.36	335
40N 3700E	201 285	< 0.2	5.48	860	< 0.5	< 2	0.86	< 0.5	5	21	4	1.82	2.44	0.56	410
40N 3725E	201 285	< 0.2	4.15	460	< 0.5	< 2	1.01	< 0.5	4	24	8	1.59	1.04	0.59	415
40N 3750E	201 285	< 0.2	5.52	440	< 0.5	< 2	2.27	0.5	9	41	11	2.60	1.12	1.08	610
40N 3775E	201 285	< 0.2	3.54	670	< 0.5	< 2	0.51	< 0.5	2	8	4	0.60	1.59	0.20	180
40N 3800E	201 285	< 0.2	3.81	710	< 0.5	< 2	0.30	< 0.5	1	< 1	1	0.14	1.86	0.02	110
40N 3825E	201 285	< 0.2	4.46	1260	< 0.5	< 2	0.20	< 0.5	1	3	2	0.48	2.27	0.10	260
40N 3850E	201 285	< 0.2	3.39	740	< 0.5	< 2	0.36	< 0.5	1	< 1	1	0.27	1.60	0.04	130
40N 3875E	201 285	< 0.2	3.90	620	< 0.5	< 2	0.18	< 0.5	1	7	2	0.33	1.33	0.08	185
40N 3900E	201 285	< 0.2	4.65	1380	< 0.5	< 2	0.39	< 0.5	2	3	2	0.75	2.58	0.24	245
40N 3925E	201 285	< 0.2	5.05	620	< 0.5	< 2	0.82	< 0.5	4	20	4	1.90	1.85	0.51	425

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 2-B
 Total Pages : 6
 Certificate Date: 03-MAY-95
 Invoice No. : I9515983
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515983

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
40N 2950E	201 285	1	0.57	8	1130	14	62	0.25	121	< 10	74				
40N 2975E	201 285	< 1	1.53	4	530	4	138	0.74	287	< 10	42				
40N 3000E	201 285	< 1	0.63	1	160	2	41	0.57	50	< 10	10				
40N 3025E	201 285	< 1	1.52	8	290	2	145	0.84	200	< 10	44				
40N 3050E	201 285	< 1	1.52	4	160	< 2	121	0.63	147	< 10	32				
40N 3075E	201 285	< 1	0.77	6	390	4	86	0.35	114	< 10	38				
40N 3100E	201 285	< 1	0.81	15	220	< 2	72	0.53	207	< 10	42				
40N 3125E	201 285	8	1.26	28	310	10	125	0.38	169	< 10	50				
40N 3150E	201 285	3	0.22	2	210	4	38	0.16	54	< 10	20				
40N 3175E	201 285	< 1	1.55	10	180	< 2	159	0.61	219	< 10	38				
40N 3200E	201 285	11	1.58	56	490	4	169	0.64	220	< 10	64				
40N 3225E	201 285	21	1.56	19	230	< 2	161	0.82	337	< 10	64				
40N 3250E	201 285	18	0.78	13	990	14	72	0.41	173	< 10	84				
40N 3275E	201 285	1	0.71	2	120	4	44	0.85	113	< 10	16				
40N 3300E	201 285	12	1.70	14	270	8	108	0.90	257	< 10	52				
40N 3325E	201 285	7	1.16	10	300	8	86	0.89	178	< 10	36				
40N 3350E	201 285	< 1	1.36	10	120	< 2	127	0.84	278	< 10	40				
40N 3375E	201 285	< 1	1.67	9	100	< 2	137	0.78	284	< 10	42				
40N 3400E	201 285	1	1.75	2	110	4	107	0.76	120	< 10	26				
40N 3425E	201 285	< 1	1.18	6	320	4	80	0.72	116	< 10	28				
40N 3450E	201 285	< 1	0.95	6	140	2	66	0.89	167	< 10	28				
40N 3475E	201 285	1	1.16	7	170	8	72	1.02	152	< 10	24				
40N 3500E	201 285	1	1.96	< 1	280	8	87	0.18	21	< 10	6				
40N 3525E	201 285	< 1	0.93	6	100	2	43	0.65	126	< 10	22				
40N 3550E	201 285	1	1.26	9	290	4	90	0.75	263	< 10	44				
40N 3575E	201 285	5	1.00	2	110	10	62	0.43	60	< 10	8				
40N 3600E	201 285	1	1.25	6	90	8	67	0.53	125	< 10	22				
40N 3625E	201 285	< 1	0.91	3	90	10	49	0.39	72	< 10	16				
40N 3650E	201 285	< 1	0.48	< 1	330	4	37	0.13	15	< 10	26				
40N 3675E	201 285	< 1	1.25	4	170	14	65	0.58	83	< 10	20				
40N 3700E	201 285	< 1	1.34	5	120	8	77	0.63	143	< 10	24				
40N 3725E	201 285	1	1.08	6	460	12	92	0.60	92	< 10	30				
40N 3750E	201 285	1	1.54	13	250	8	152	0.65	142	< 10	40				
40N 3775E	201 285	2	0.71	1	340	12	54	0.28	38	< 10	18				
40N 3800E	201 285	< 1	1.23	< 1	170	6	61	0.15	12	< 10	4				
40N 3825E	201 285	< 1	0.57	< 1	100	14	71	0.34	37	< 10	12				
40N 3850E	201 285	< 1	0.79	1	250	4	66	0.14	14	< 10	6				
40N 3875E	201 285	< 1	1.11	< 1	120	10	51	0.45	42	< 10	8				
40N 3900E	201 285	< 1	0.99	< 1	100	14	85	0.30	48	< 10	12				
40N 3925E	201 285	< 1	1.73	4	90	6	82	0.61	126	< 10	22				

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Page Number : 3-A
 Total Pages : 6
 Certificate Date: 03-MAY-95
 Invoice No. : I9515983
 P.O. Number :
 Account : GP

Project : 6004
 Comments : ATTN: MURRAY JONES

CERTIFICATE OF ANALYSIS A9515983

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
40N 3950E	201 285	< 0.2	6.40	1130	0.5	< 2	0.91	< 0.5	2	8	2	0.64	2.03	0.19	225
40N 3975E	201 285	< 0.2	6.74	560	0.5	< 2	1.06	< 0.5	6	13	11	3.75	1.16	0.54	365
40N 4000E	201 285	< 0.2	6.04	260	0.5	< 2	0.61	1.0	7	56	40	12.85	0.58	0.54	365
41N 2875E	201 285	< 0.2	7.56	260	0.5	< 2	1.62	0.5	10	25	47	8.68	0.49	1.20	965
41N 2900E	201 285	< 0.2	5.87	270	0.5	< 2	1.77	0.5	10	18	36	5.38	0.50	0.82	770
41N 2925E	201 285	< 0.2	6.45	310	0.5	< 2	1.81	0.5	8	14	47	7.49	0.60	0.72	790
41N 2950E	201 285	< 0.2	7.08	620	0.5	< 2	1.00	< 0.5	13	8	13	3.32	1.30	0.53	1410
41N 2975E	201 285	< 0.2	6.96	500	1.0	< 2	0.79	< 0.5	23	4	12	2.79	0.82	0.22	1935
41N 3000E	201 285	< 0.2	4.03	790	< 0.5	< 2	0.59	< 0.5	1	< 1	3	0.99	1.48	0.18	415
41N 3025E	201 285	< 0.2	6.53	410	0.5	< 2	2.00	1.0	12	64	19	6.68	0.87	1.32	775
41N 3050E	201 285	< 0.2	7.17	270	1.0	< 2	1.88	0.5	74	267	31	5.18	0.57	1.46	1600
41N 3075E	201 285	< 0.2	5.41	20	< 0.5	< 2	5.09	1.0	48	1890	18	7.76	0.15	8.35	835
41N 3100E	201 285	< 0.2	8.46	290	0.5	< 2	2.22	1.0	13	145	23	6.14	0.71	1.46	710
41N 3125E	201 285	< 0.2	6.68	180	0.5	< 2	3.24	0.5	24	718	56	6.91	0.49	3.23	1095
41N 3150E	201 285	< 0.2	7.85	270	0.5	< 2	1.73	< 0.5	10	49	26	5.48	0.59	0.95	545
41N 3175E	201 285	< 0.2	6.69	220	0.5	< 2	3.53	0.5	18	62	6	4.59	0.42	1.87	1255
41N 3200E	201 285	< 0.2	8.25	80	0.5	< 2	3.01	1.0	45	895	183	7.07	0.38	6.43	745
41N 3225E	201 285	< 0.2	5.16	250	0.5	< 2	1.20	0.5	12	30	61	5.29	0.49	0.80	610
41N 3250E	201 285	< 0.2	5.51	480	0.5	< 2	2.27	0.5	12	31	14	3.98	0.81	1.07	910
41N 3275E	201 285	< 0.2	6.04	590	< 0.5	< 2	0.61	< 0.5	1	5	9	1.21	1.16	0.20	250
41N 3300E	201 285	< 0.2	0.57	50	< 0.5	< 2	0.45	< 0.5	< 1	< 1	4	0.19	0.12	0.07	145
41N 3325E	201 285	< 0.2	5.85	410	0.5	< 2	1.01	< 0.5	4	18	5	2.17	1.08	0.58	450
41N 3350E	201 285	< 0.2	9.35	220	0.5	4	1.37	0.5	9	47	19	5.23	0.53	0.75	465
41N 3375E	201 285	< 0.2	4.57	730	< 0.5	< 2	1.38	0.5	8	43	8	3.91	1.33	0.89	885
41N 3400E	201 285	< 0.2	6.10	1140	0.5	< 2	0.94	0.5	4	31	8	4.30	1.90	0.52	565
41N 3425E	201 285	< 0.2	4.72	550	< 0.5	< 2	1.13	< 0.5	4	23	4	1.67	1.42	0.68	675
41N 3450E	201 285	< 0.2	5.21	420	0.5	< 2	1.40	1.0	7	35	11	6.65	1.07	0.86	620
41N 3475E	201 285	< 0.2	5.09	1030	0.5	< 2	0.67	< 0.5	2	16	3	0.98	2.46	0.29	405
41N 3500E	201 285	< 0.2	5.31	330	0.5	< 2	1.64	0.5	9	45	19	6.06	0.88	0.93	565
41N 3525E	201 285	< 0.2	10.30	160	0.5	< 2	0.50	< 0.5	9	27	78	1.11	0.34	0.28	215
41N 3550E	201 285	< 0.2	5.20	670	0.5	< 2	1.00	< 0.5	4	27	6	2.53	1.67	0.58	440
41N 3575E	201 285	< 0.2	5.45	550	0.5	< 2	1.28	0.5	8	42	11	5.91	1.31	0.85	535
41N 3600E	201 285	< 0.2	5.44	590	0.5	< 2	1.19	0.5	9	50	13	5.41	1.23	0.87	580
41N 3625E	201 285	< 0.2	4.66	590	0.5	< 2	0.83	< 0.5	5	26	9	2.68	1.47	0.56	440
41N 3650E	201 285	< 0.2	5.37	660	< 0.5	< 2	0.96	< 0.5	4	22	5	1.52	1.86	0.56	395
41N 3675E	201 285	< 0.2	3.29	440	< 0.5	< 2	0.10	< 0.5	< 1	3	2	0.57	1.33	0.08	155
41N 3700E	201 285	< 0.2	4.68	860	< 0.5	< 2	0.33	< 0.5	1	9	2	0.60	2.45	0.16	280
41N 3725E	201 285	< 0.2	5.44	800	0.5	< 2	0.78	< 0.5	3	18	4	1.30	2.29	0.46	350
41N 3750E	201 285	< 0.2	6.59	460	0.5	< 2	2.12	< 0.5	10	49	13	3.03	1.20	1.30	675
41N 3775E	201 285	< 0.2	1.75	40	< 0.5	< 2	0.08	< 0.5	< 1	16	12	1.39	0.11	0.05	30

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 3-B
 Total Pages: 6
 Certificate Date: 03-MAY-95
 Invoice No.: I9515983
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515983

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
40N 3950E	201 285	< 1	2.59	2	120	8	133	0.33	51	< 10	8			
40N 3975E	201 285	< 1	2.40	3	240	6	145	0.60	180	< 10	28			
40N 4000E	201 285	< 1	1.08	7	550	< 2	100	0.74	267	< 10	46			
41N 2875E	201 285	< 1	1.45	7	330	< 2	145	0.76	322	< 10	60			
41N 2900E	201 285	< 1	1.31	4	690	4	137	0.54	221	< 10	52			
41N 2925E	201 285	1	1.34	3	530	< 2	132	0.68	324	< 10	44			
41N 2950E	201 285	4	1.02	2	660	8	101	0.51	108	< 10	48			
41N 2975E	201 285	5	1.39	< 1	780	8	100	0.39	62	< 10	66			
41N 3000E	201 285	< 1	0.70	1	320	6	64	0.37	47	< 10	14			
41N 3025E	201 285	2	1.74	14	400	< 2	174	0.67	251	< 10	54			
41N 3050E	201 285	6	1.36	199	540	4	135	0.45	166	< 10	118			
41N 3075E	201 285	< 1	0.43	480	200	< 2	99	0.38	184	< 10	74			
41N 3100E	201 285	2	1.72	26	330	< 2	190	0.49	191	< 10	56			
41N 3125E	201 285	< 1	2.05	92	450	4	244	0.58	238	< 10	102			
41N 3150E	201 285	< 1	1.58	10	330	< 2	163	0.48	193	< 10	44			
41N 3175E	201 285	< 1	2.86	20	120	< 2	256	0.64	194	< 10	74			
41N 3200E	201 285	< 1	0.75	420	170	< 2	89	0.38	150	< 10	82			
41N 3225E	201 285	< 1	1.00	12	670	2	95	0.38	167	< 10	42			
41N 3250E	201 285	< 1	1.93	12	230	< 2	170	0.59	210	< 10	44			
41N 3275E	201 285	1	1.69	< 1	230	< 2	92	0.39	49	< 10	16			
41N 3300E	201 285	< 1	0.13	< 1	430	2	19	0.03	5	< 10	20			
41N 3325E	201 285	< 1	1.33	3	300	< 2	102	0.44	105	< 10	28			
41N 3350E	201 285	< 1	1.18	7	380	< 2	119	0.42	177	< 10	34			
41N 3375E	201 285	< 1	1.39	7	270	12	92	0.81	209	< 10	38			
41N 3400E	201 285	< 1	1.88	4	200	20	89	0.66	208	< 10	30			
41N 3425E	201 285	< 1	1.19	3	120	6	91	0.95	139	< 10	24			
41N 3450E	201 285	< 1	1.21	8	340	2	110	0.87	342	< 10	40			
41N 3475E	201 285	< 1	1.36	1	140	6	78	0.61	78	< 10	16			
41N 3500E	201 285	1	1.19	8	250	< 2	126	0.65	249	< 10	42			
41N 3525E	201 285	22	0.59	6	1300	2	43	0.20	62	< 10	22			
41N 3550E	201 285	< 1	1.67	4	110	6	88	0.62	172	< 10	22			
41N 3575E	201 285	< 1	1.45	8	180	< 2	95	0.78	283	< 10	34			
41N 3600E	201 285	< 1	1.43	10	170	< 2	85	0.83	276	< 10	34			
41N 3625E	201 285	1	1.00	5	190	6	73	0.75	170	< 10	26			
41N 3650E	201 285	1	1.60	3	170	10	95	0.50	103	< 10	22			
41N 3675E	201 285	< 1	0.64	< 1	210	6	29	0.26	22	< 10	14			
41N 3700E	201 285	< 1	1.11	1	110	10	53	0.57	61	< 10	10			
41N 3725E	201 285	< 1	1.54	3	110	10	70	0.61	118	< 10	20			
41N 3750E	201 285	13	1.87	13	310	16	164	0.74	147	< 10	44			
41N 3775E	201 285	1	0.11	2	860	4	10	0.08	25	< 10	16			

CERTIFICATION: *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 4-A
 Total Pages: 6
 Certificate Date: 03-MAY-95
 Invoice No.: I9515983
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515983

SAMPLE	PREP CODE	Ag ppm (AAS)	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
41N 3800E	201 285	< 0.2	5.37	690	0.5	< 2	0.39	< 0.5	1	13	3	0.85	2.41	0.18	180
41N 3825E	201 285	< 0.2	7.80	400	0.5	< 2	1.10	< 0.5	6	26	14	2.15	1.33	0.68	320
41N 3850E	201 285	< 0.2	5.44	740	0.5	< 2	0.95	< 0.5	4	22	7	1.36	1.83	0.55	405
41N 3875E	201 285	< 0.2	7.05	530	0.5	< 2	0.88	0.5	6	23	84	4.74	1.14	0.65	390
41N 3900E	201 285	< 0.2	7.21	510	0.5	< 2	0.84	< 0.5	6	25	53	5.03	1.30	0.59	355
41N 3925E	201 285	< 0.2	6.99	710	0.5	< 2	0.73	< 0.5	3	13	17	2.01	1.74	0.43	245
41N 3950E	201 285	< 0.2	6.03	680	0.5	< 2	1.19	< 0.5	6	20	7	2.25	1.60	0.68	495
41N 3975E	201 285	< 0.2	6.80	670	0.5	< 2	1.33	< 0.5	8	35	38	2.41	1.66	0.84	515
41N 4000E	201 285	< 0.2	6.11	700	0.5	< 2	1.11	< 0.5	3	17	9	1.56	1.56	0.36	360
41N 4025E	201 285	< 0.2	7.13	350	0.5	< 2	1.28	0.5	3	9	5	5.35	0.63	0.27	480
41N 4050E	201 285	< 0.2	6.81	620	0.5	< 2	0.86	< 0.5	4	18	8	3.75	1.35	0.40	335
41N 4075E	201 285	< 0.2	5.97	770	0.5	< 2	1.08	< 0.5	6	25	11	2.43	1.99	0.67	475
42N 2950E	201 285	< 0.2	6.41	470	0.5	< 2	2.05	< 0.5	12	16	33	5.36	0.88	1.13	820
42N 2975E	201 285	< 0.2	6.47	780	0.5	< 2	1.11	< 0.5	3	7	7	1.64	1.28	0.45	665
42N 3000E	201 285	< 0.2	6.92	700	0.5	< 2	0.90	< 0.5	3	9	7	2.95	1.14	0.34	530
42N 3025E	201 285	< 0.2	6.09	610	0.5	< 2	0.74	< 0.5	2	14	6	1.92	1.36	0.33	480
42N 3050E	201 285	< 0.2	6.87	710	0.5	< 2	0.79	< 0.5	1	2	4	1.08	1.35	0.08	375
42N 3075E	201 285	< 0.2	7.06	310	1.0	2	1.81	0.5	42	69	26	5.14	0.68	1.05	1095
42N 3100E	201 285	< 0.2	5.13	120	0.5	< 2	3.45	1.5	33	2410	21	9.53	0.32	7.44	1055
42N 3125E	201 285	< 0.2	6.12	220	0.5	< 2	1.83	1.0	15	271	45	6.44	0.64	2.28	765
42N 3150E	201 285	< 0.2	7.04	350	0.5	< 2	2.52	0.5	10	42	16	5.41	1.05	1.06	855
42N 3175E	201 285	< 0.2	6.57	290	0.5	2	2.77	0.5	13	49	14	5.32	0.71	1.69	1100
42N 3200E	201 285	< 0.2	5.45	360	0.5	< 2	2.18	< 0.5	11	46	6	3.25	0.87	1.62	1115
42N 3225E	201 285	< 0.2	7.46	300	0.5	< 2	2.94	0.5	15	32	7	4.01	0.64	1.76	1190
42N 3250E	201 285	< 0.2	7.22	330	0.5	< 2	1.88	1.0	11	51	18	8.55	0.79	1.19	710
42N 3275E	201 285	< 0.2	4.75	450	0.5	< 2	1.56	< 0.5	8	32	6	2.55	0.95	1.07	940
42N 3300E	201 285	< 0.2	5.26	530	0.5	2	1.86	0.5	10	35	5	4.59	1.14	1.22	885
42N 3325E	201 285	< 0.2	6.12	390	0.5	< 2	1.39	< 0.5	8	31	9	5.34	0.93	0.95	685
42N 3350E	201 285	< 0.2	0.81	20	< 0.5	< 2	0.25	< 0.5	1	6	11	0.71	0.10	0.15	70
42N 3375E	201 285	< 0.2	4.71	680	0.5	< 2	0.60	< 0.5	1	7	4	0.82	1.17	0.18	265
42N 3400E	201 285	< 0.2	6.05	1880	0.5	2	1.51	0.5	8	26	6	3.55	1.68	0.90	695
42N 3425E	201 285	< 0.2	9.75	260	0.5	< 2	1.25	0.5	8	56	23	5.72	0.64	0.77	455
42N 3450E	201 285	< 0.2	6.79	910	0.5	< 2	1.20	< 0.5	4	30	6	1.68	3.10	0.54	560
42N 3475E	201 285	< 0.2	8.65	850	1.0	< 2	1.79	< 0.5	3	3	4	1.81	1.69	0.42	360
42N 3500E	201 285	< 0.2	6.22	870	0.5	< 2	1.26	< 0.5	7	37	7	3.86	2.21	0.75	555
42N 3525E	201 285	< 0.2	6.43	1140	0.5	< 2	1.06	< 0.5	< 1	3	3	0.41	2.70	0.15	185
42N 3550E	201 285	< 0.2	5.33	560	0.5	< 2	1.53	0.5	8	43	7	2.32	1.37	1.03	765
42N 3575E	201 285	< 0.2	6.14	730	0.5	< 2	1.34	< 0.5	6	26	5	1.97	1.79	0.77	570
42N 3600E	201 285	< 0.2	4.88	460	0.5	< 2	1.17	0.5	7	51	10	8.38	1.13	0.87	600
42N 3625E	201 285	< 0.2	1.37	190	< 0.5	< 2	0.20	< 0.5	< 1	3	3	0.17	0.35	0.08	145

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: MURRAY JONES

Page Number : 4-B
Total Pages : 6
Certificate Date: 03-MAY-95
Invoice No. : 19515983
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS

A9515983

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
41N 3800E	201 285	2	1.62	< 1	120	10	61	0.40	73	< 10	12				
41N 3825E	201 285	10	1.91	5	130	6	132	0.53	138	< 10	36				
41N 3850E	201 285	< 1	1.38	3	140	10	93	0.55	92	< 10	22				
41N 3875E	201 285	5	2.09	7	150	6	157	0.49	182	< 10	44				
41N 3900E	201 285	5	2.11	6	160	2	161	0.46	193	< 10	46				
41N 3925E	201 285	12	1.83	1	400	8	98	0.31	74	< 10	40				
41N 3950E	201 285	1	2.15	6	180	6	135	0.65	147	< 10	26				
41N 3975E	201 285	1	1.91	9	460	12	157	0.84	148	< 10	48				
41N 4000E	201 285	1	2.42	3	250	6	178	0.49	96	< 10	20				
41N 4025E	201 285	< 1	3.09	2	240	6	242	0.61	154	< 10	22				
41N 4050E	201 285	< 1	2.29	2	190	4	127	0.57	160	< 10	22				
41N 4075E	201 285	< 1	1.86	6	330	8	138	0.60	131	< 10	30				
42N 2950E	201 285	2	1.36	8	330	< 2	206	0.65	260	< 10	50				
42N 2975E	201 285	< 1	2.18	1	300	4	171	0.52	79	< 10	24				
42N 3000E	201 285	< 1	1.82	1	260	6	127	0.64	123	< 10	30				
42N 3025E	201 285	< 1	1.74	1	270	4	115	0.53	83	< 10	24				
42N 3050E	201 285	< 1	2.55	< 1	220	4	139	0.45	32	< 10	18				
42N 3075E	201 285	4	1.40	102	530	4	131	0.59	179	< 10	80				
42N 3100E	201 285	< 1	0.89	307	270	< 2	93	0.65	279	< 10	84				
42N 3125E	201 285	2	2.49	60	460	12	147	0.60	213	< 10	54				
42N 3150E	201 285	< 1	2.76	9	170	14	228	1.02	396	< 10	42				
42N 3175E	201 285	< 1	1.88	13	310	6	147	0.96	272	< 10	68				
42N 3200E	201 285	< 1	1.88	12	230	4	140	1.19	231	< 10	56				
42N 3225E	201 285	< 1	3.05	13	380	4	268	1.00	216	< 10	58				
42N 3250E	201 285	< 1	1.62	8	310	< 2	158	0.85	340	< 10	46				
42N 3275E	201 285	< 1	1.40	8	230	4	131	0.94	136	< 10	38				
42N 3300E	201 285	< 1	1.81	6	110	< 2	157	0.75	234	< 10	44				
42N 3325E	201 285	3	1.24	7	190	< 2	115	0.75	243	< 10	40				
42N 3350E	201 285	< 1	0.14	1	760	< 2	22	0.06	24	< 10	22				
42N 3375E	201 285	< 1	1.92	< 1	230	8	86	0.35	54	< 10	12				
42N 3400E	201 285	< 1	1.87	6	190	8	124	0.70	188	< 10	36				
42N 3425E	201 285	< 1	1.20	8	340	< 2	111	0.51	204	< 10	34				
42N 3450E	201 285	< 1	2.23	4	160	8	87	0.77	128	< 10	26				
42N 3475E	201 285	< 1	3.82	< 1	110	4	174	0.43	80	< 10	26				
42N 3500E	201 285	< 1	1.96	6	160	4	104	0.71	202	< 10	28				
42N 3525E	201 285	< 1	2.02	< 1	200	6	131	0.55	64	< 10	14				
42N 3550E	201 285	< 1	1.54	9	150	4	117	1.03	173	< 10	36				
42N 3575E	201 285	< 1	1.89	4	170	8	130	0.94	166	< 10	28				
42N 3600E	201 285	< 1	1.13	9	360	< 2	78	1.02	534	< 10	38				
42N 3625E	201 285	< 1	0.57	< 1	250	< 2	37	0.07	9	< 10	14				

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Page Number : 5-A
 Total Pages : 6
 Certificate Date : 03-MAY-95
 Invoice No. : I9515983
 P.O. Number :
 Account : GP

Project : 6004
 Comments : ATTN: MURRAY JONES

CERTIFICATE OF ANALYSIS A9515983

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
42N 3650E	201 285	< 0.2	4.76	510	0.5	< 2	1.79	< 0.5	10	40	6	3.96	1.31	1.24	835
42N 3675E	201 285	< 0.2	3.43	530	< 0.5	< 2	0.20	< 0.5	< 1	2	1	0.18	1.91	0.03	120
42N 3700E	201 285	< 0.2	5.04	1280	< 0.5	< 2	0.45	< 0.5	< 1	< 1	< 1	0.14	2.96	0.01	105
42N 3725E	201 285	< 0.2	3.05	930	< 0.5	< 2	0.26	< 0.5	< 1	3	1	0.30	1.87	0.02	180
42N 3750E	201 285	< 0.2	5.31	1380	< 0.5	< 2	0.12	< 0.5	< 1	2	1	0.19	3.72	0.04	75
42N 3775E	201 285	< 0.2	2.20	340	< 0.5	< 2	0.49	< 0.5	1	4	2	0.48	1.10	0.18	200
42N 3800E	201 285	< 0.2	5.24	640	0.5	< 2	0.95	< 0.5	4	21	7	1.68	1.76	0.57	445
42N 3825E	201 285	< 0.2	7.21	310	0.5	< 2	1.01	0.5	8	49	21	6.93	0.97	0.87	450
42N 3850E	201 285	< 0.2	4.01	860	< 0.5	< 2	0.20	< 0.5	< 1	< 1	1	0.29	2.33	0.01	210
42N 3875E	201 285	< 0.2	4.38	560	0.5	< 2	0.94	0.5	6	42	7	4.35	1.44	0.68	615
42N 3900E	201 285	< 0.2	6.34	460	0.5	< 2	1.45	< 0.5	9	53	15	3.08	1.13	0.99	585
42N 3925E	201 285	< 0.2	7.28	610	0.5	< 2	1.33	< 0.5	2	24	13	1.57	1.10	0.40	280
42N 3950E	201 285	< 0.2	4.42	700	< 0.5	< 2	0.06	< 0.5	1	3	3	0.56	1.99	0.16	80
42N 3975E	201 285	< 0.2	5.07	390	0.5	< 2	1.80	0.5	11	117	68	3.50	0.98	1.15	620
42N 4000E	201 285	< 0.2	6.63	330	< 0.5	< 2	0.49	< 0.5	2	3	4	1.15	0.95	0.33	340
42N 4025E	201 285	< 0.2	4.78	430	0.5	< 2	1.37	0.5	8	44	21	5.27	1.00	0.88	730
43N 3700E	201 285	< 0.2	4.49	460	0.5	< 2	1.03	< 0.5	6	38	7	2.41	1.01	0.71	610
43N 3725E	201 285	< 0.2	6.00	610	0.5	< 2	1.30	0.5	9	55	16	6.21	1.39	0.91	545
43N 3750E	201 285	< 0.2	4.75	810	< 0.5	< 2	0.23	< 0.5	1	9	2	0.60	2.46	0.14	280
43N 3775E	201 285	< 0.2	3.00	600	< 0.5	< 2	0.14	< 0.5	< 1	4	1	0.21	1.82	0.04	80
43N 3800E	201 285	< 0.2	7.11	350	0.5	< 2	0.73	0.5	11	40	32	5.46	1.09	0.93	475
43N 3825E	201 285	< 0.2	7.41	390	1.0	< 2	0.94	0.5	12	48	54	6.47	1.11	1.13	535
43N 3850E	201 285	< 0.2	7.97	350	< 0.5	< 2	0.93	1.0	13	53	24	7.43	1.33	1.22	520
43N 3875E	201 285	< 0.2	8.74	320	< 0.5	< 2	0.93	< 0.5	6	47	116	2.54	0.60	0.56	320
43N 3900E	201 285	< 0.2	8.23	270	< 0.5	< 2	1.28	0.5	8	62	23	6.35	0.62	0.87	470
43N 3925E	201 285	< 0.2	5.22	1270	< 0.5	< 2	0.28	< 0.5	1	4	3	0.59	3.35	0.14	345
43N 3950E	201 285	< 0.2	8.36	360	< 0.5	< 2	1.28	< 0.5	15	33	131	5.40	0.76	0.65	545
43N 3975E	201 285	< 0.2	6.39	430	< 0.5	< 2	0.88	< 0.5	7	25	50	4.45	0.99	0.78	450
43N 4000E	201 285	< 0.2	6.60	510	< 0.5	< 2	0.98	< 0.5	7	20	23	2.35	1.19	0.60	440
43N 4025E	201 285	< 0.2	6.47	480	< 0.5	< 2	0.84	< 0.5	4	22	16	1.60	1.11	0.42	280
44N 3700E	201 285	< 0.2	5.05	810	< 0.5	< 2	0.59	< 0.5	2	13	3	1.64	2.26	0.41	270
44N 3725E	201 285	< 0.2	5.34	840	< 0.5	< 2	1.12	< 0.5	6	38	6	1.89	2.83	0.66	575
44N 3750E	201 285	< 0.2	4.79	1200	< 0.5	< 2	0.20	< 0.5	< 1	3	1	0.27	3.34	0.06	210
44N 3775E	201 285	< 0.2	3.49	660	< 0.5	< 2	0.15	< 0.5	< 1	6	18	0.30	1.85	0.05	85
44N 3800E	201 285	< 0.2	6.27	910	< 0.5	< 2	0.49	< 0.5	2	17	9	2.85	3.00	0.30	300
44N 3825E	201 285	< 0.2	5.30	700	< 0.5	< 2	0.73	< 0.5	4	21	7	2.50	1.71	0.47	365
44N 3850E	201 285	< 0.2	4.72	1250	< 0.5	< 2	0.12	< 0.5	< 1	3	1	0.42	3.39	0.06	140
44N 3875E	201 285	< 0.2	3.38	650	< 0.5	< 2	0.29	< 0.5	< 1	14	2	0.78	1.46	0.12	330
44N 3900E	201 285	< 0.2	4.23	750	< 0.5	< 2	0.24	< 0.5	< 1	6	2	0.30	1.69	0.05	175
44N 3925E	201 285	< 0.2	5.22	1150	< 0.5	< 2	0.45	< 0.5	1	8	3	0.57	2.00	0.18	220

CERTIFICATION: *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project : 6004
Comments: ATTN: MURRAY JONES

Page Number : 5-B
Total Pages : 6
Certificate Date: 03-MAY-95
Invoice No. : I9515983
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9515983

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
42N 3650E	201 285	< 1	1.27	12	140	4	95	0.99	293	< 10	40				
42N 3675E	201 285	1	0.82	< 1	130	10	40	0.24	16	< 10	6				
42N 3700E	201 285	< 1	1.43	< 1	90	10	54	0.19	19	< 10	2				
42N 3725E	201 285	< 1	0.48	< 1	130	8	38	0.16	15	< 10	4				
42N 3750E	201 285	< 1	1.13	< 1	70	38	46	0.18	14	< 10	6				
42N 3775E	201 285	< 1	0.65	1	300	6	35	0.21	24	< 10	24				
42N 3800E	201 285	4	1.58	3	230	8	82	0.64	125	< 10	26				
42N 3825E	201 285	7	1.26	7	160	10	97	0.81	417	< 10	44				
42N 3850E	201 285	< 1	1.22	< 1	110	8	34	0.16	8	< 10	6				
42N 3875E	201 285	< 1	1.11	7	140	4	74	0.89	266	< 10	28				
42N 3900E	201 285	< 1	1.63	10	280	6	129	0.95	202	< 10	38				
42N 3925E	201 285	< 1	2.41	2	350	8	171	0.40	88	< 10	22				
42N 3950E	201 285	< 1	0.60	< 1	80	28	37	0.41	40	< 10	12				
42N 3975E	201 285	< 1	1.82	13	450	< 2	163	0.46	132	< 10	56				
42N 4000E	201 285	< 1	4.70	< 1	500	6	114	0.57	75	< 10	22				
42N 4025E	201 285	< 1	1.37	11	310	< 2	164	1.02	264	< 10	40				
43N 3700E	201 285	1	1.05	8	170	10	75	1.34	224	< 10	32				
43N 3725E	201 285	< 1	1.46	10	170	2	98	0.83	287	< 10	36				
43N 3750E	201 285	9	1.14	< 1	170	14	47	0.58	56	< 10	14				
43N 3775E	201 285	< 1	0.55	< 1	170	6	22	0.20	14	< 10	14				
43N 3800E	201 285	1	1.66	10	270	4	112	0.51	212	< 10	52				
43N 3825E	201 285	3	1.56	13	190	6	113	0.60	230	< 10	60				
43N 3850E	201 285	8	1.20	13	250	4	90	0.50	176	< 10	74				
43N 3875E	201 285	< 1	0.94	8	700	6	83	0.34	103	< 10	30				
43N 3900E	201 285	< 1	1.14	7	270	2	106	0.68	255	< 10	36				
43N 3925E	201 285	1	0.82	< 1	170	18	66	0.51	50	< 10	12				
43N 3950E	201 285	6	1.71	6	320	8	199	0.49	185	< 10	134				
43N 3975E	201 285	5	1.98	6	300	4	178	0.40	157	< 10	68				
43N 4000E	201 285	3	2.03	4	300	8	188	0.47	125	< 10	44				
43N 4025E	201 285	2	1.41	6	820	10	80	0.29	58	< 10	32				
44N 3700E	201 285	2	1.24	1	120	6	77	0.47	105	< 10	18				
44N 3725E	201 285	2	1.19	8	130	10	109	0.82	135	< 10	26				
44N 3750E	201 285	< 1	1.37	< 1	70	6	45	0.19	18	< 10	6				
44N 3775E	201 285	< 1	0.86	< 1	160	6	32	0.23	19	< 10	8				
44N 3800E	201 285	1	1.38	1	220	12	57	0.48	145	< 10	20				
44N 3825E	201 285	< 1	1.41	3	180	6	72	0.60	140	< 10	24				
44N 3850E	201 285	2	1.00	< 1	190	16	47	0.19	28	< 10	8				
44N 3875E	201 285	< 1	0.83	1	210	8	46	0.67	74	< 10	12				
44N 3900E	201 285	< 1	1.65	< 1	230	6	69	0.40	34	< 10	6				
44N 3925E	201 285	1	1.41	< 1	250	8	89	0.43	59	< 10	14				

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 6-A
 Total Pages : 6
 Certificate Date: 03-MAY-95
 Invoice No. : I9515983
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515983

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
44N 3950E	201 285	< 0.2	4.84	1570	< 0.5	< 2	0.71	< 0.5	3	25	8	1.26	1.45	0.42	295
44N 3975E	201 285	< 0.2	4.57	560	< 0.5	< 2	0.34	< 0.5	< 1	9	2	0.53	1.62	0.16	230
44N 4000E	201 285	< 0.2	6.68	290	< 0.5	< 2	0.79	< 0.5	2	7	3	1.81	0.56	0.31	340
44N 4025E	201 285	< 0.2	7.37	450	< 0.5	< 2	1.48	< 0.5	1	8	4	1.15	0.76	0.30	360
44N 4050E	201 285	< 0.2	4.49	470	< 0.5	< 2	0.48	< 0.5	1	15	6	1.02	1.20	0.27	245
45N 3700E	201 285	< 0.2	5.22	500	< 0.5	< 2	1.40	< 0.5	6	41	7	2.11	1.23	0.85	750
45N 3725E	201 285	< 0.2	3.80	380	< 0.5	< 2	1.13	< 0.5	7	34	16	4.73	1.00	0.79	705
45N 3750E	201 285	< 0.2	4.64	720	< 0.5	< 2	0.88	< 0.5	4	30	4	1.68	1.84	0.63	435
45N 3775E	201 285	< 0.2	1.15	320	< 0.5	< 2	0.26	< 0.5	< 1	2	3	0.21	0.54	0.10	55
45N 3800E	201 285	< 0.2	3.79	780	< 0.5	< 2	0.27	< 0.5	< 1	3	4	0.29	1.85	0.06	165
45N 3825E	201 285	< 0.2	4.53	1370	< 0.5	< 2	0.11	< 0.5	< 1	3	2	0.20	2.77	0.02	155
45N 3850E	201 285	< 0.2	5.89	590	< 0.5	< 2	1.30	0.5	7	31	10	3.00	1.29	0.84	490
45N 3875E	201 285	< 0.2	5.13	630	< 0.5	< 2	0.96	< 0.5	4	21	6	1.47	1.40	0.59	455
45N 3900E	201 285	< 0.2	5.62	660	< 0.5	< 2	0.56	< 0.5	< 1	15	2	0.59	1.36	0.13	345
45N 3925E	201 285	< 0.2	5.10	810	< 0.5	< 2	0.32	< 0.5	< 1	3	1	0.25	1.44	0.06	145
45N 3950E	201 285	< 0.2	8.50	310	< 0.5	< 2	0.57	0.5	21	132	429	8.52	0.81	1.26	395
45N 3975E	201 285	< 0.2	7.35	350	< 0.5	< 2	2.21	< 0.5	10	66	14	3.85	0.83	1.61	1100
45N 4000E	201 285	< 0.2	8.82	250	< 0.5	< 2	1.49	0.5	10	54	28	5.73	0.53	1.05	555
45N 4025E	201 285	< 0.2	4.07	320	< 0.5	< 2	0.86	< 0.5	3	29	7	1.39	0.78	0.49	325
45N 4050E	201 285	< 0.2	3.70	330	< 0.5	< 2	1.49	< 0.5	4	13	5	1.67	0.81	0.83	645
45N 4075E	201 285	< 0.2	6.52	420	< 0.5	< 2	2.14	0.5	12	51	54	5.71	1.03	1.43	715
45N 4100E	201 285	< 0.2	5.83	490	< 0.5	< 2	0.71	0.5	30	14	39	2.49	1.84	0.45	2010

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Co: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 6-B
 Total Pages : 6
 Certificate Date: 03-MAY-95
 Invoice No. : 19515983
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515983

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
44N 3950E	201 285	3	1.11	2	320	10	85	0.75	114	< 10	24				
44N 3975E	201 285	< 1	1.53	< 1	270	6	52	0.52	67	< 10	10				
44N 4000E	201 285	< 1	4.62	< 1	180	2	129	0.47	93	< 10	18				
44N 4025E	201 285	< 1	4.22	< 1	150	6	212	0.43	85	< 10	18				
44N 4050E	201 285	1	1.61	2	270	10	117	0.44	75	< 10	18				
45N 3700E	201 285	1	1.42	7	180	6	123	1.04	169	< 10	32				
45N 3725E	201 285	< 1	1.04	6	150	< 2	79	0.90	288	< 10	34				
45N 3750E	201 285	4	1.37	7	130	8	65	0.76	128	< 10	24				
45N 3775E	201 285	< 1	0.20	< 1	390	6	29	0.09	11	< 10	26				
45N 3800E	201 285	< 1	1.26	< 1	160	8	41	0.29	32	< 10	6				
45N 3825E	201 285	< 1	1.32	< 1	190	32	58	0.26	18	< 10	6				
45N 3850E	201 285	< 1	1.78	6	160	6	107	0.59	130	< 10	32				
45N 3875E	201 285	2	1.63	3	150	12	88	0.93	159	< 10	24				
45N 3900E	201 285	< 1	2.57	1	160	8	93	0.79	88	< 10	12				
45N 3925E	201 285	< 1	2.51	< 1	100	8	80	0.28	29	< 10	6				
45N 3950E	201 285	< 1	0.87	24	170	6	59	1.15	367	< 10	78				
45N 3975E	201 285	1	1.92	13	330	6	206	1.25	264	< 10	52				
45N 4000E	201 285	< 1	1.53	10	310	< 2	135	0.52	183	< 10	44				
45N 4025E	201 285	< 1	1.21	5	330	8	111	0.60	97	< 10	28				
45N 4050E	201 285	< 1	1.18	2	340	4	109	0.55	103	< 10	40				
45N 4075E	201 285	2	1.89	15	160	4	163	0.76	324	< 10	54				
45N 4100E	201 285	1	1.10	3	530	8	86	0.60	133	< 10	30				

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: MURRAY JONES

Page Number : 1-A
Total Pages : 4
Certificate Date: 03-MAY-95
Invoice No. : I9515984
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9515984

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
32N 4650E	201 285	< 0.2	6.42	580	< 0.5	< 2	0.66	< 0.5	3	13	7	2.54	1.81	0.37	280
32N 4675E	201 285	< 0.2	6.32	750	< 0.5	< 2	1.05	< 0.5	4	21	14	2.36	1.97	0.61	435
32N 4700E	201 285	< 0.2	7.82	550	< 0.5	< 2	1.51	< 0.5	9	46	29	5.24	1.21	1.02	580
32N 4725E	201 285	< 0.2	7.69	520	< 0.5	< 2	1.43	< 0.5	9	39	34	4.04	1.21	0.95	530
32N 4750E	201 285	< 0.2	4.70	590	< 0.5	< 2	0.25	< 0.5	< 1	9	3	0.61	1.95	0.16	165
32N 4775E	201 285	< 0.2	6.66	550	< 0.5	< 2	1.15	< 0.5	6	35	17	3.15	1.34	0.67	420
32N 4800E	201 285	< 0.2	5.99	550	< 0.5	< 2	0.88	< 0.5	6	37	15	5.58	1.17	0.52	380
32N 4817E	201 285	< 0.2	6.63	560	< 0.5	< 2	0.98	< 0.5	7	34	18	5.63	1.16	0.58	410
32N 4850E	201 285	< 0.2	7.30	550	< 0.5	< 2	1.59	< 0.5	9	40	29	2.83	1.24	0.91	515
32N 4875E	201 285	< 0.2	6.79	590	< 0.5	< 2	1.46	< 0.5	7	33	22	2.05	1.14	0.72	485
32N 4900E	201 285	< 0.2	6.88	520	< 0.5	< 2	1.21	< 0.5	9	41	28	4.62	1.10	0.79	480
32N 4925E	201 285	< 0.2	7.60	510	< 0.5	< 2	0.90	< 0.5	7	57	18	6.58	1.06	0.58	365
32N 4950E	201 285	< 0.2	6.95	590	< 0.5	< 2	1.18	< 0.5	9	40	30	5.65	1.30	0.83	465
32N 4975E	201 285	< 0.2	7.31	480	< 0.5	< 2	1.42	< 0.5	8	47	29	4.39	0.93	0.83	500
32N 5000E	201 285	< 0.2	5.43	720	< 0.5	< 2	0.59	< 0.5	4	13	6	2.08	1.81	0.45	305
33N 4650E	201 285	< 0.2	5.90	520	< 0.5	< 2	1.16	< 0.5	8	48	23	5.69	1.36	0.82	480
33N 4675E	201 285	< 0.2	5.78	630	< 0.5	< 2	1.16	< 0.5	7	37	14	4.92	1.64	0.74	465
33N 4700E	201 285	< 0.2	4.89	690	< 0.5	< 2	0.77	< 0.5	4	20	4	1.66	1.83	0.43	345
33N 4725E	201 285	< 0.2	6.06	600	< 0.5	< 2	0.62	< 0.5	4	22	12	4.03	1.99	0.37	270
33N 4750E	201 285	< 0.2	5.59	520	< 0.5	< 2	0.97	0.5	6	32	15	5.07	1.38	0.59	405
33N 4775E	201 285	< 0.2	6.83	500	< 0.5	< 2	1.08	< 0.5	9	36	32	4.33	1.41	0.77	440
33N 4800E	201 285	< 0.2	5.81	580	< 0.5	< 2	0.96	< 0.5	6	30	13	2.80	1.37	0.63	460
33N 4825E	201 285	< 0.2	9.53	370	< 0.5	< 2	0.77	< 0.5	8	28	17	3.43	0.85	0.43	340
33N 4850E	201 285	< 0.2	5.66	720	< 0.5	< 2	1.06	< 0.5	6	25	10	3.54	1.53	0.63	410
33N 4875E	201 285	< 0.2	5.77	430	< 0.5	< 2	0.93	< 0.5	7	28	28	5.31	0.94	0.61	355
33N 4890E	201 285	< 0.2	8.56	470	< 0.5	< 2	0.75	< 0.5	6	30	19	4.00	0.97	0.43	285
33N 4925E	201 285	< 0.2	4.62	790	< 0.5	< 2	0.67	< 0.5	3	17	8	2.44	1.51	0.37	310
33N 4950E	201 285	< 0.2	5.26	840	< 0.5	< 2	0.96	< 0.5	4	19	5	1.61	1.71	0.56	455
33N 4975E	201 285	< 0.2	4.12	750	< 0.5	< 2	0.65	< 0.5	4	18	6	2.21	1.61	0.35	390
3328N 5000E	201 285	< 0.2	4.25	650	< 0.5	< 2	0.77	< 0.5	6	20	23	3.02	1.19	0.39	415
35N 4975E	201 285	< 0.2	6.34	530	< 0.5	< 2	1.43	< 0.5	10	42	50	3.28	1.12	1.04	555
37N 5000E	201 285	< 0.2	4.33	850	< 0.5	< 2	0.67	< 0.5	2	11	6	0.99	1.95	0.26	330
37N 5025E	201 285	< 0.2	5.50	680	< 0.5	< 2	1.06	< 0.5	6	25	8	3.53	1.50	0.77	455
37N 5050E	201 285	< 0.2	3.95	700	< 0.5	< 2	0.71	< 0.5	5	27	8	2.63	1.50	0.40	410
37N 5075E	201 285	< 0.2	4.46	810	< 0.5	< 2	0.54	< 0.5	2	18	3	0.88	1.78	0.25	265
37N 5100E	201 285	< 0.2	4.30	440	< 0.5	< 2	1.66	< 0.5	7	57	7	2.46	0.97	0.83	640
37N 5125E	201 285	< 0.2	4.00	1250	< 0.5	< 2	0.58	< 0.5	2	6	< 1	0.79	2.23	0.20	295
37N 5150E	201 285	< 0.2	2.50	280	< 0.5	< 2	0.44	< 0.5	3	5	3	2.52	0.71	0.70	1070
37N 5175E	201 285	< 0.2	6.79	550	< 0.5	< 2	1.24	0.5	9	56	20	7.34	1.27	0.99	520
37N 5200E	201 285	< 0.2	4.27	350	< 0.5	< 2	1.40	< 0.5	9	30	15	3.03	0.86	0.88	605

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 1-B
 Total Pages : 4
 Certificate Date: 03-MAY-95
 Invoice No. : I9515984
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515984

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
32N 4650E	201 285	3	1.42	2	230	10	86	0.44	121	< 10	26				
32N 4675E	201 285	7	1.67	5	220	10	118	0.50	122	< 10	32				
32N 4700E	201 285	4	1.82	10	270	4	162	0.48	155	< 10	50				
32N 4725E	201 285	1	1.64	8	490	4	148	0.46	126	< 10	48				
32N 4750E	201 285	1	0.85	< 1	80	6	54	0.35	57	< 10	16				
32N 4775E	201 285	1	1.48	6	360	6	124	0.48	127	< 10	34				
32N 4800E	201 285	1	1.13	8	240	4	91	0.61	184	< 10	30				
32N 4817E	201 285	1	1.19	10	180	< 2	108	0.63	195	< 10	34				
32N 4850E	201 285	7	1.77	12	310	6	157	0.51	123	< 10	56				
32N 4875E	201 285	2	1.78	10	340	6	161	0.48	99	< 10	40				
32N 4900E	201 285	6	1.43	11	310	4	127	0.57	173	< 10	48				
32N 4925E	201 285	1	1.30	9	290	4	99	0.65	236	< 10	38				
32N 4950E	201 285	3	1.59	13	250	2	129	0.58	182	< 10	44				
32N 4975E	201 285	2	1.63	12	170	4	159	0.50	163	< 10	40				
32N 5000E	201 285	10	0.92	4	110	6	74	0.48	131	< 10	26				
33N 4650E	201 285	2	1.27	9	290	4	114	0.58	179	< 10	38				
33N 4675E	201 285	3	1.51	10	240	4	125	0.59	182	< 10	36				
33N 4700E	201 285	6	1.20	5	100	6	98	0.51	140	< 10	20				
33N 4725E	201 285	13	0.99	5	210	8	85	0.41	134	< 10	24				
33N 4750E	201 285	8	1.17	8	210	4	105	0.52	169	< 10	32				
33N 4775E	201 285	10	1.39	10	370	10	120	0.42	143	< 10	60				
33N 4800E	201 285	7	1.25	8	360	8	111	0.53	125	< 10	36				
33N 4825E	201 285	8	1.17	6	410	4	85	0.34	106	< 10	52				
33N 4850E	201 285	2	1.42	10	160	6	125	0.58	183	< 10	32				
33N 4875E	201 285	1	1.12	11	450	4	100	0.44	140	< 10	46				
33N 4890E	201 285	1	1.14	7	260	4	91	0.41	125	< 10	28				
33N 4925E	201 285	3	1.15	5	100	4	87	0.44	135	< 10	20				
33N 4950E	201 285	4	1.39	5	140	8	113	0.69	125	< 10	26				
33N 4975E	201 285	5	0.90	4	130	6	86	0.61	144	< 10	26				
3328N 5000E	201 285	3	1.00	8	220	4	92	0.56	141	< 10	28				
35N 4975E	201 285	2	1.41	15	490	10	139	0.50	127	< 10	48				
37N 5000E	201 285	< 1	0.82	3	230	10	80	0.46	81	< 10	14				
37N 5025E	201 285	< 1	1.27	9	150	6	137	0.66	179	< 10	34				
37N 5050E	201 285	< 1	0.96	6	130	2	90	0.67	184	< 10	20				
37N 5075E	201 285	1	0.89	3	140	8	84	0.62	103	< 10	14				
37N 5100E	201 285	1	0.66	10	220	14	138	1.33	337	< 10	32				
37N 5125E	201 285	1	1.00	2	70	8	109	0.37	58	< 10	12				
37N 5150E	201 285	1	0.53	2	160	4	48	1.05	89	< 10	30				
37N 5175E	201 285	< 1	1.54	10	240	2	116	0.72	267	< 10	36				
37N 5200E	201 285	1	1.01	11	610	4	112	0.84	175	< 10	44				

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number: 2-A
 Total Pages: 4
 Certificate Date: 03-MAY-95
 Invoice No.: 19515984
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9515984

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
37N 5225E	201 285	< 0.2	6.36	410	< 0.5	< 2	0.71	< 0.5	6	39	37	5.86	0.87	0.65	285
37N 5250E	201 285	< 0.2	4.24	300	< 0.5	< 2	1.06	< 0.5	6	39	13	3.17	0.65	0.63	415
37N 5275E	201 285	< 0.2	6.27	480	< 0.5	< 2	0.59	< 0.5	6	43	10	2.76	1.11	0.64	330
37N 5300E	201 285	< 0.2	7.59	450	< 0.5	< 2	0.64	< 0.5	7	32	21	4.13	1.08	0.63	310
37N 5325E	201 285	< 0.2	5.41	630	< 0.5	< 2	0.48	< 0.5	6	23	6	2.06	0.99	0.63	315
37N 5350E	201 285	< 0.2	6.07	530	< 0.5	< 2	0.89	< 0.5	11	25	46	4.91	0.95	0.67	730
37N 5375E	201 285	< 0.2	5.32	840	< 0.5	< 2	0.48	< 0.5	4	30	10	2.18	1.40	0.46	285
37N 5400E	201 285	< 0.2	5.27	800	< 0.5	< 2	0.19	< 0.5	3	1	4	1.45	1.25	0.28	240
CL700M0725E	201 285	< 0.2	4.74	640	< 0.5	< 2	0.53	< 0.5	3	13	11	3.43	1.17	0.30	285
CL700M0750E	201 285	< 0.2	6.70	610	< 0.5	< 2	1.26	< 0.5	19	23	16	4.08	1.28	0.69	770
CL700M0775E	201 285	< 0.2	4.79	580	< 0.5	< 2	1.05	< 0.5	5	21	8	3.27	1.17	0.59	445
CL700M0800E	201 285	< 0.2	6.32	760	< 0.5	< 2	1.08	< 0.5	7	19	7	2.45	1.81	0.64	420
CL700M0825E	201 285	< 0.2	6.70	650	< 0.5	< 4	1.69	< 0.5	19	27	16	3.22	1.42	0.91	1180
CL700M0850E	201 285	< 0.2	5.91	620	< 0.5	< 2	1.04	< 0.5	4	6	8	2.16	1.55	0.39	355
CL700M0875E	201 285	< 0.2	4.62	680	< 0.5	< 2	0.52	< 0.5	3	13	12	4.07	1.34	0.29	335
CL700M0900E	201 285	< 0.2	5.43	820	< 0.5	< 2	0.52	< 0.5	4	10	7	2.33	1.57	0.35	290
CL700M0925E	201 285	< 0.2	3.55	740	< 0.5	< 2	0.30	< 0.5	2	4	5	1.38	1.61	0.20	285
CL700M0950E	201 285	< 0.2	3.65	220	< 0.5	< 2	1.13	< 0.5	8	14	20	2.16	0.50	0.53	385
CL700M0975E	201 285	< 0.2	7.14	450	< 0.5	< 2	1.55	< 0.5	16	30	30	4.48	1.27	0.94	610
CL700M1000E	201 285	< 0.2	6.42	510	< 0.5	< 2	1.37	< 0.5	9	36	13	3.36	1.05	0.90	555
CL700M025M	201 285	< 0.2	5.86	640	< 0.5	< 2	1.33	< 0.5	7	35	19	5.69	1.13	0.82	500
CL700M050M	201 285	< 0.2	3.87	760	< 0.5	< 2	0.50	< 0.5	3	13	3	1.57	1.24	0.32	435
CL700M075M	201 285	< 0.2	4.78	740	< 0.5	< 2	1.08	< 0.5	6	59	6	3.74	1.09	0.75	615
CL700M100M	201 285	< 0.2	10.40	160	< 0.5	< 2	0.56	< 0.5	15	26	17	3.62	0.30	0.32	690
CL700M125M	201 285	< 0.2	3.75	360	< 0.5	< 2	0.83	< 0.5	5	25	9	2.92	0.61	0.45	340
CL700M150M	201 285	< 0.2	9.18	330	< 0.5	< 2	0.74	< 0.5	11	12	6	2.36	0.79	0.14	555
CL700M175M	201 285	< 0.2	11.25	90	0.5	< 4	0.27	< 0.5	28	10	10	1.80	0.19	0.06	1240
CL700M200M	201 285	< 0.2	6.09	790	< 0.5	< 2	0.87	< 0.5	10	11	10	3.19	1.32	0.60	1290
CL700M225M	201 285	< 0.2	5.18	640	< 0.5	< 2	0.37	< 0.5	3	10	5	2.67	1.30	0.28	310
CL700M250M	201 285	< 0.2	5.82	510	< 0.5	< 2	0.40	< 0.5	3	6	13	1.98	0.88	0.24	225
CL700M275M	201 285	< 0.2	5.68	450	< 0.5	< 2	0.46	< 0.5	4	7	16	1.95	0.79	0.30	355
CL700M300M	201 285	< 0.2	5.56	650	< 0.5	< 2	0.51	< 0.5	3	7	8	2.16	1.20	0.29	405
CL700M325M	201 285	< 0.2	5.87	360	< 0.5	< 2	0.64	< 0.5	4	6	17	2.59	0.64	0.39	345
CL700M350M	201 285	< 0.2	4.25	260	< 0.5	< 2	0.35	< 0.5	2	1	10	1.36	0.44	0.20	195
CL700M375M	201 285	< 0.2	6.27	400	< 0.5	< 2	0.49	< 0.5	3	2	14	2.02	0.85	0.28	285
CL700M400M	201 285	< 0.2	7.01	430	< 0.5	< 2	0.58	< 0.5	4	1	16	3.22	0.78	0.33	285
CL700M425M	201 285	< 0.2	3.72	280	< 0.5	< 2	0.59	< 0.5	6	1	15	1.66	0.60	0.27	1695
CL700M450M	201 285	< 0.2	8.16	380	< 0.5	< 2	1.44	< 0.5	12	34	35	5.11	0.76	0.84	715
CL700M475M	201 285	< 0.2	2.61	900	< 0.5	< 2	0.16	< 0.5	< 1	< 1	2	0.48	1.50	0.06	270
CL700M500M	201 285	< 0.2	3.30	770	< 0.5	< 2	0.15	< 0.5	1	1	2	0.46	1.49	0.08	280

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: MURRAY JONES

Page Number : 2-B
 Total Pages : 4
 Certificate Date: 03-MAY-95
 Invoice No. : I9515984
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515984

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
37N 5225E	201 285	3	1.55	8	260	< 2	95	0.52	196	< 10	34				
37N 5250E	201 285	2	1.25	11	420	6	87	0.67	193	< 10	30				
37N 5275E	201 285	1	1.27	9	180	< 2	92	0.43	153	< 10	34				
37N 5300E	201 285	8	1.15	6	270	6	130	0.42	149	< 10	40				
37N 5325E	201 285	2	0.95	7	260	4	101	0.47	123	< 10	30				
37N 5350E	201 285	4	0.87	9	350	10	88	0.78	251	< 10	52				
37N 5375E	201 285	3	0.83	7	160	2	63	0.55	142	< 10	18				
37N 5400E	201 285	1	0.84	< 1	180	< 2	54	0.45	107	< 10	16				
CL700M0725E	201 285	2	1.13	2	220	< 2	73	0.50	147	< 10	22				
CL700M0750E	201 285	12	1.44	8	480	6	136	0.43	123	< 10	56				
CL700M0775E	201 285	9	1.12	7	140	4	101	0.56	166	< 10	26				
CL700M0800E	201 285	6	1.72	5	110	< 2	135	0.44	121	< 10	28				
CL700M0825E	201 285	14	1.03	9	490	12	178	0.45	112	< 10	56				
CL700M0850E	201 285	3	1.81	4	240	4	123	0.28	81	< 10	28				
CL700M0875E	201 285	20	0.86	2	220	8	76	0.40	103	< 10	28				
CL700M0900E	201 285	4	1.45	3	340	4	82	0.33	78	< 10	20				
CL700M0925E	201 285	6	0.57	2	260	4	51	0.24	65	< 10	18				
CL700M0950E	201 285	2	0.66	6	660	4	82	0.19	67	< 10	40				
CL700M0975E	201 285	3	1.28	12	270	6	128	0.43	145	< 10	54				
CL700M1000E	201 285	8	1.26	9	500	6	122	0.58	143	< 10	38				
CL700M025M	201 285	2	1.25	8	260	4	133	0.70	250	< 10	34				
CL700M050M	201 285	< 1	0.71	2	100	< 2	68	0.62	97	< 10	14				
CL700M075M	201 285	3	1.07	8	180	< 2	137	0.62	200	< 10	30				
CL700M100M	201 285	15	0.55	5	420	4	56	0.20	79	< 10	28				
CL700M125M	201 285	13	0.67	6	320	< 2	72	0.38	124	< 10	40				
CL700M150M	201 285	32	0.74	2	860	12	57	0.21	62	< 10	128				
CL700M175M	201 285	13	0.32	2	460	4	21	0.08	31	< 10	30				
CL700M200M	201 285	4	0.93	3	490	6	87	0.42	108	< 10	54				
CL700M225M	201 285	3	0.97	2	160	6	71	0.39	95	< 10	18				
CL700M250M	201 285	4	1.00	1	180	6	78	0.40	95	< 10	34				
CL700M275M	201 285	4	1.24	2	460	4	113	0.40	106	< 10	34				
CL700M300M	201 285	2	1.29	3	310	4	102	0.43	125	< 10	24				
CL700M325M	201 285	1	1.51	2	320	4	124	0.44	129	< 10	34				
CL700M350M	201 285	< 1	0.94	1	300	< 2	78	0.26	66	< 10	28				
CL700M375M	201 285	1	1.66	1	320	< 2	123	0.38	116	< 10	32				
CL700M400M	201 285	1	1.98	1	260	< 2	151	0.40	120	< 10	34				
CL700M425M	201 285	< 1	0.87	1	850	6	77	0.20	51	< 10	44				
CL700M450M	201 285	3	1.49	11	650	< 2	156	0.36	124	< 10	46				
CL700M475M	201 285	2	0.31	< 1	90	< 2	38	0.22	26	< 10	6				
CL700M500M	201 285	< 1	0.45	1	120	4	42	0.23	31	< 10	8				

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Page Number : 3-A
 Total Pages : 4
 Certificate Date : 03-MAY-95
 Invoice No. : I9515984
 P.O. Number :
 Account : GP

Project : 6004
 Comments : ATTN: MURRAY JONES

CERTIFICATE OF ANALYSIS A9515984

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
CL700M525M	201 285	< 0.2	4.37	920	< 0.5	< 2	0.26	< 0.5	2	7	10	1.00	1.57	0.10	200
CL700M550M	201 285	< 0.2	4.14	1130	< 0.5	< 2	0.67	< 0.5	4	9	4	1.33	2.09	0.42	380
CL700M575M	201 285	< 0.2	2.72	440	< 0.5	< 2	0.25	< 0.5	1	7	8	1.19	0.87	0.10	175
CL700M600M	201 285	< 0.2	2.40	510	< 0.5	< 2	0.27	< 0.5	1	7	6	0.77	0.94	0.15	245
CL700M625M	201 285	< 0.2	3.36	830	< 0.5	< 2	0.35	< 0.5	1	16	4	1.28	1.63	0.27	660
CL700M650M	201 285	< 0.2	4.05	550	< 0.5	< 2	1.42	< 0.5	8	66	10	3.01	1.37	1.30	915
CL700M675M	201 285	< 0.2	3.01	560	< 0.5	< 2	0.44	< 0.5	2	24	6	1.10	1.14	0.40	320
CL700M700M	201 285	< 0.2	4.99	410	< 0.5	2	1.25	0.5	14	35	30	3.39	1.07	0.75	900
CL750M 000E	201 285	< 0.2	3.25	880	< 0.5	< 2	0.18	< 0.5	< 1	3	1	0.29	1.69	0.10	130
CL750M 025E	201 285	< 0.2	2.33	630	< 0.5	< 2	0.22	< 0.5	< 1	4	.2	0.26	1.18	0.06	140
CL750M 050E	201 285	< 0.2	2.71	510	< 0.5	< 2	0.47	< 0.5	1	7	3	0.70	1.25	0.27	335
CL750M 075E	201 285	< 0.2	2.51	590	< 0.5	< 2	0.27	< 0.5	< 1	3	3	0.36	1.23	0.09	175
CL750M 100E	201 285	< 0.2	1.28	220	< 0.5	< 2	0.20	< 0.5	< 1	3	2	0.28	0.59	0.07	220
CL750M 125E	201 285	< 0.2	4.47	840	< 0.5	< 2	0.43	< 0.5	1	7	4	1.23	1.85	0.23	340
CL750M 150E	201 285	< 0.2	0.91	160	< 0.5	< 2	0.43	< 0.5	< 1	2	5	0.23	0.38	0.09	140
CL750M 175E	201 285	< 0.2	4.01	450	< 0.5	< 2	1.07	< 0.5	3	9	6	2.71	0.80	0.49	795
CL750M 200E	201 285	< 0.2	4.01	670	< 0.5	< 2	0.48	< 0.5	2	9	4	1.36	1.56	0.28	395
CL750M 225E	201 285	< 0.2	4.06	740	< 0.5	< 2	0.52	< 0.5	3	12	6	1.70	1.58	0.30	390
CL750M 250E	201 285	< 0.2	2.35	370	< 0.5	< 2	0.22	< 0.5	1	3	4	0.60	0.78	0.10	155
CL750M 275E	201 285	< 0.2	3.61	710	< 0.5	< 2	0.30	< 0.5	2	6	6	1.37	1.55	0.17	385
CL750M 300E	201 285	< 0.2	2.44	260	< 0.5	< 2	1.02	< 0.5	3	10	9	2.53	0.60	0.32	255
CL750M 350E	201 285	< 0.2	3.62	300	< 0.5	2	0.77	< 0.5	14	7	16	2.63	0.68	0.22	815
CL750M 375E	201 285	< 0.2	2.09	280	< 0.5	< 2	0.31	< 0.5	< 1	< 1	3	0.35	0.61	0.05	185
CL750M 400E	201 285	< 0.2	1.05	110	< 0.5	< 2	0.30	< 0.5	< 1	2	6	0.55	0.28	0.07	100
CL750M 425E	201 285	< 0.2	3.41	560	< 0.5	< 2	0.30	< 0.5	2	3	9	1.40	1.22	0.14	250
CL750M 450E	201 285	< 0.2	0.18	30	< 0.5	< 2	0.38	< 0.5	< 1	2	6	0.07	0.08	0.07	45
CL750M 475E	201 285	< 0.2	4.84	750	< 0.5	< 2	0.74	< 0.5	3	19	7	2.47	1.67	0.47	440
CL750M 500E	201 285	< 0.2	3.83	620	< 0.5	< 2	0.63	< 0.5	3	20	7	1.64	1.32	0.48	550
CL750M 525E	201 285	< 0.2	3.05	750	< 0.5	< 2	0.12	< 0.5	< 1	5	2	0.40	1.71	0.08	320
CL750M 550E	201 285	< 0.2	2.90	390	< 0.5	< 2	0.94	< 0.5	1	4	3	0.59	0.89	0.15	215
CL750M 575E	201 285	< 0.2	1.72	470	< 0.5	< 2	0.35	< 0.5	< 1	4	3	0.28	1.04	0.07	270
CL750M 600E	201 285	< 0.2	3.43	670	< 0.5	< 2	0.29	< 0.5	1	< 1	3	0.48	1.41	0.11	335
CL750M 625E	201 285	< 0.2	6.01	630	< 0.5	< 2	0.74	< 0.5	4	25	6	1.54	1.53	0.63	420
CL750M 650E	201 285	< 0.2	6.23	450	< 0.5	2	1.49	0.5	12	30	10	3.86	1.19	1.11	720
CL750M 675E	201 285	< 0.2	4.86	860	< 0.5	< 2	0.13	< 0.5	1	4	4	0.78	1.87	0.19	210
CL750M 700E	201 285	< 0.2	3.10	670	< 0.5	< 2	0.28	< 0.5	< 1	4	3	0.57	1.46	0.09	240
CL750M 725E	201 285	< 0.2	4.74	820	< 0.5	< 2	0.17	< 0.5	1	8	5	0.89	1.87	0.16	340
CL750M 750E	201 285	< 0.2	4.25	660	< 0.5	2	0.43	< 0.5	< 1	2	2	0.49	1.48	0.10	330
CL750M 775E	201 285	< 0.2	3.89	720	< 0.5	< 2	0.16	< 0.5	1	5	2	0.40	1.69	0.12	245
CL750M 800E	201 285	< 0.2	4.80	840	< 0.5	< 2	0.17	< 0.5	2	6	4	0.78	1.95	0.21	120

CERTIFICATION: *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: MURRAY JONES

Page Number : 3-B
Total Pages : 4
Certificate Date: 03-MAY-95
Invoice No. : I9515984
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9515984

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
CL700M525M	201 285	1	0.92	2	370	4	66	0.21	42	< 10	12				
CL700M550M	201 285	1	0.87	< 1	190	6	76	0.29	69	< 10	16				
CL700M575M	201 285	3	0.43	1	640	< 2	40	0.15	34	< 10	20				
CL700M600M	201 285	2	0.40	< 1	190	< 2	39	0.23	41	< 10	20				
CL700M625M	201 285	2	0.51	1	100	< 2	53	0.51	70	< 10	18				
CL700M650M	201 285	4	0.46	15	150	< 2	43	0.72	181	< 10	38				
CL700M675M	201 285	3	0.39	6	270	< 2	38	0.29	66	< 10	22				
CL700M700M	201 285	4	0.69	10	900	22	82	0.26	90	< 10	56				
CL750M 000E	201 285	1	0.25	1	230	4	39	0.16	37	< 10	6				
CL750M 025E	201 285	< 1	0.23	1	180	4	36	0.17	24	< 10	6				
CL750M 050E	201 285	2	0.47	3	220	< 2	46	0.18	36	< 10	18				
CL750M 075E	201 285	1	0.30	< 1	510	< 2	35	0.17	29	< 10	14				
CL750M 100E	201 285	1	0.13	2	430	< 2	18	0.17	24	< 10	20				
CL750M 125E	201 285	6	0.93	2	240	4	74	0.35	79	< 10	16				
CL750M 150E	201 285	< 1	0.25	1	500	4	32	0.05	9	< 10	32				
CL750M 175E	201 285	2	1.11	2	230	< 2	98	0.54	131	< 10	32				
CL750M 200E	201 285	8	0.45	2	210	4	47	0.31	79	< 10	16				
CL750M 225E	201 285	3	0.97	4	120	< 2	72	0.33	83	< 10	24				
CL750M 250E	201 285	1	0.59	1	290	4	46	0.11	24	< 10	22				
CL750M 275E	201 285	9	0.50	1	130	6	39	0.37	66	< 10	14				
CL750M 300E	201 285	5	0.66	4	310	4	68	0.16	53	< 10	28				
CL750M 350E	201 285	4	0.79	3	670	10	61	0.13	37	< 10	34				
CL750M 375E	201 285	< 1	0.89	1	630	6	36	0.08	7	< 10	18				
CL750M 400E	201 285	1	0.16	1	570	4	22	0.04	13	< 10	22				
CL750M 425E	201 285	5	0.79	2	360	8	49	0.23	48	< 10	20				
CL750M 450E	201 285	< 1	0.04	1	460	4	24	< 0.01	1	< 10	22				
CL750M 475E	201 285	16	0.75	6	140	8	81	0.46	99	< 10	28				
CL750M 500E	201 285	3	0.83	5	140	4	67	0.75	117	< 10	24				
CL750M 525E	201 285	2	0.21	< 1	190	4	30	0.25	39	< 10	8				
CL750M 550E	201 285	3	0.83	< 1	250	4	89	0.21	37	< 10	18				
CL750M 575E	201 285	2	0.13	1	310	4	26	0.13	23	< 10	16				
CL750M 600E	201 285	3	1.05	1	180	6	96	0.15	33	< 10	10				
CL750M 625E	201 285	12	0.97	4	380	10	81	0.66	125	< 10	28				
CL750M 650E	201 285	8	1.73	14	170	10	87	0.76	203	< 10	56				
CL750M 675E	201 285	4	0.58	< 1	130	6	47	0.26	73	< 10	16				
CL750M 700E	201 285	1	0.58	< 1	340	8	54	0.18	31	< 10	12				
CL750M 725E	201 285	14	0.53	< 1	90	4	41	0.30	68	< 10	8				
CL750M 750E	201 285	2	1.60	< 1	110	4	73	0.24	30	< 10	8				
CL750M 775E	201 285	3	0.60	1	190	6	40	0.26	49	< 10	8				
CL750M 800E	201 285	2	0.67	1	110	6	40	0.17	56	< 10	14				

CERTIFICATION: Hartl Bechler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Client: WESTMIN RESOURCES LTD.
P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Page Number : 4-A
Total Pages : 4
Certificate Date: 03-MAY-95
Invoice No. : I9515984
P.O. Number :
Account : GP

Project : 6004
Comments: ATTN: MURRAY JONES

CERTIFICATE OF ANALYSIS A9515984

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
CL750M 825E	201 285	< 0.2	1.81	260	< 0.5	< 2	0.34	< 0.5	< 1	6	4	0.37	0.61	0.10	85
CL750M 850E	201 285	< 0.2	5.64	510	< 0.5	< 2	0.51	< 0.5	3	9	7	2.02	1.24	0.28	270

CERTIFICATION: Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project : 6004
 Comments: ATTN: MURRAY JONES

Page Number : 4-B
 Total Pages : 4
 Certificate Date: 03-MAY-95
 Invoice No. : 19515984
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515984

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
CL750M 825E	201 285	1	0.18	1	460	6	25	0.13	27	< 10	22				
CL750M 850E	201 285	3	1.34	1	130	2	87	0.34	93	< 10	26				

CERTIFICATION: Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number: 1-A
 Total Pages: 3
 Certificate Date: 14-MAY-95
 Invoice No.: I9516547
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9516547

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Ba ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
L7400N 5000E	201 285	< 0.2	2.85	130	< 0.5	4	1.34	0.5	13	13	47	2.76	0.28	0.73	1380
L7400N 5025E	201 285	< 0.2	3.12	180	< 0.5	4	2.20	1.0	16	20	105	2.60	0.33	0.88	1380
L7400N 5050E	-- --	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
L7400N 5075E	201 285	< 0.2	5.44	230	0.5	2	2.43	1.0	25	40	166	4.67	0.66	1.66	1440
L7400N 5100E	201 285	< 0.2	4.69	290	0.5	< 2	1.73	1.5	16	44	69	3.38	0.52	1.26	1665
L7400N 5125E	201 285	< 0.2	2.33	130	< 0.5	2	0.36	0.5	5	29	19	2.17	0.50	0.43	95
L7400N 5150E	201 285	< 0.2	3.12	190	< 0.5	2	0.69	< 0.5	9	38	15	2.64	0.64	0.74	290
L7400N 5175E	201 285	< 0.2	4.54	240	0.5	< 2	2.19	1.5	12	43	32	3.32	0.66	1.07	675
L7400N 5200E	201 285	< 0.2	3.44	130	< 0.5	< 2	0.70	0.5	8	42	14	2.65	0.40	0.82	1515
L7400N 5225E	201 285	< 0.2	4.20	260	0.5	< 2	1.35	1.0	13	43	34	3.25	0.55	1.00	795
L7400N 5250E	201 285	< 0.2	4.67	330	< 0.5	< 2	1.08	0.5	15	51	49	3.57	0.49	1.10	965
L7400N 5275E	201 285	< 0.2	7.07	400	1.0	< 2	2.62	0.5	14	37	45	3.91	0.90	1.26	810
L7400N 5300E	201 285	< 0.2	5.82	400	1.0	< 2	3.04	1.5	20	44	74	4.22	0.96	1.55	1525
L7400N 5325E	201 285	< 0.2	6.96	360	0.5	< 2	2.83	1.0	16	52	47	4.45	0.74	1.42	985
L7400N 5350E	201 285	< 0.2	3.40	180	< 0.5	< 2	1.21	0.5	7	39	20	3.14	0.47	0.70	355
L7400N 5375E	201 285	< 0.2	2.47	160	< 0.5	< 2	1.07	0.5	4	29	15	2.13	0.63	0.52	275
L7400N 5400E	201 285	< 0.2	5.78	390	0.5	< 2	3.51	2.0	28	51	39	4.97	0.82	2.19	2450
L7400N 5425E	201 285	< 0.2	4.73	500	< 0.5	< 2	1.21	0.5	6	18	6	3.21	0.95	0.59	720
L7400N 5450E	201 285	< 0.2	6.21	350	< 0.5	< 2	2.36	1.0	11	42	13	5.33	0.77	1.24	800
L7400N 5475E	201 285	< 0.2	5.77	350	< 0.5	< 2	2.29	0.5	12	67	13	5.58	0.82	1.56	870
L7400N 5500E	201 285	< 0.2	5.21	420	< 0.5	< 2	2.09	1.0	12	49	8	6.00	0.96	1.36	1020
L7400N 5525E	201 285	< 0.2	4.98	350	< 0.5	< 2	2.36	0.5	13	44	7	4.97	0.85	1.52	1035
L7400N 5550E	201 285	< 0.2	6.04	310	< 0.5	< 2	2.19	0.5	11	46	12	5.06	0.67	1.14	795
L7400N 5575E	201 285	< 0.2	7.80	350	1.0	< 2	2.58	0.5	18	47	30	5.38	0.76	1.34	1215
L7400N 5600E	201 285	< 0.2	4.97	320	< 0.5	< 2	2.60	0.5	15	80	9	6.64	0.78	1.76	1040
L7400N 5625E	201 285	< 0.2	6.84	420	0.5	< 2	2.54	1.0	12	46	17	5.49	0.90	1.35	845
L7400N 5650E	201 285	< 0.2	5.16	320	< 0.5	< 2	1.93	0.5	10	33	12	4.16	0.68	1.03	650
L7400N 5675E	201 285	< 0.2	8.27	240	< 0.5	< 2	1.75	1.0	10	48	58	6.90	0.54	0.99	585
L7400N 5700E	201 285	< 0.2	5.85	320	< 0.5	< 2	2.16	0.5	12	44	20	5.64	0.68	1.23	885
L7400N 5725E	201 285	< 0.2	5.48	390	< 0.5	< 2	2.36	0.5	13	56	11	6.08	0.80	1.50	830
L7400N 5750E	201 285	< 0.2	3.49	120	< 0.5	< 2	0.76	< 0.5	7	10	23	1.41	0.21	0.30	510
L7400N 5775E	201 285	< 0.2	6.53	240	0.5	< 2	1.24	0.5	8	27	72	3.55	0.50	0.67	485
L7400N 5800E	201 285	< 0.2	5.60	340	< 0.5	< 2	2.14	1.0	14	36	27	5.52	0.73	1.23	905
L7400N 5825E	201 285	< 0.2	6.30	180	< 0.5	< 2	1.51	0.5	9	38	29	4.24	0.40	0.78	580
L7400N 5850E	201 285	< 0.2	5.42	210	< 0.5	< 2	2.13	1.0	15	70	23	8.09	0.50	1.45	920
L7400N 5875E	201 285	< 0.2	4.54	300	< 0.5	< 2	2.51	0.5	17	64	9	6.00	0.77	1.94	1135
L7400N 5900E	201 285	< 0.2	7.02	320	0.5	< 2	2.19	0.5	13	45	44	5.09	0.73	1.30	740
L7400N 5925E	201 285	< 0.2	4.09	80	0.5	< 2	0.58	< 0.5	18	12	47	1.56	0.19	0.22	1110
L7400N 5950E	201 285	< 0.2	0.32	60	< 0.5	< 2	0.60	< 0.5	< 1	4	6	0.15	0.11	0.09	245
L7400N 5975E	201 285	< 0.2	0.86	150	< 0.5	< 2	0.87	< 0.5	1	6	5	0.33	0.21	0.12	315

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 1-B
 Total Pages : 3
 Certificate Date: 14-MAY-95
 Invoice No. : I9516547
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9516547

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
L7400N 5000E	201 285	< 1	0.56	9	670	< 2	79	0.27	98	< 10	56				
L7400N 5025E	201 285	< 1	0.50	19	940	14	92	0.21	88	< 10	70				
L7400N 5050E	-- --	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.				
L7400N 5075E	201 285	< 1	0.89	30	1100	10	145	0.39	158	10	108				
L7400N 5100E	201 285	< 1	0.79	30	1030	6	145	0.27	105	10	112				
L7400N 5125E	201 285	< 1	0.51	14	400	2	88	0.23	87	< 10	50				
L7400N 5150E	201 285	< 1	0.70	15	430	2	133	0.25	101	< 10	78				
L7400N 5175E	201 285	< 1	0.98	32	810	2	254	0.22	93	10	114				
L7400N 5200E	201 285	< 1	0.66	18	670	< 2	137	0.20	78	< 10	82				
L7400N 5225E	201 285	< 1	0.85	29	760	4	182	0.23	89	< 10	100				
L7400N 5250E	201 285	< 1	0.77	25	660	2	134	0.28	113	< 10	86				
L7400N 5275E	201 285	< 1	2.11	15	570	< 2	229	0.39	136	10	68				
L7400N 5300E	201 285	< 1	1.03	36	880	2	178	0.32	105	10	132				
L7400N 5325E	201 285	< 1	1.91	22	660	< 2	226	0.42	157	10	68				
L7400N 5350E	201 285	< 1	0.88	11	270	< 2	79	0.53	189	< 10	40				
L7400N 5375E	201 285	< 1	0.49	8	350	< 2	77	0.23	76	< 10	42				
L7400N 5400E	201 285	< 1	0.82	43	750	< 2	122	0.41	123	20	230				
L7400N 5425E	201 285	< 1	1.56	4	370	8	218	0.42	123	< 10	34				
L7400N 5450E	201 285	< 1	2.01	11	400	4	210	0.55	222	10	50				
L7400N 5475E	201 285	< 1	1.58	18	460	< 2	154	0.71	253	10	50				
L7400N 5500E	201 285	< 1	1.53	11	270	< 2	142	0.88	311	20	48				
L7400N 5525E	201 285	< 1	1.48	12	300	< 2	153	0.72	227	10	48				
L7400N 5550E	201 285	< 1	1.73	10	380	< 2	185	0.61	212	10	44				
L7400N 5575E	201 285	2	1.84	19	310	< 2	208	0.56	194	10	88				
L7400N 5600E	201 285	< 1	1.50	20	230	< 2	154	1.02	345	20	56				
L7400N 5625E	201 285	< 1	2.03	14	420	< 2	220	0.66	220	10	52				
L7400N 5650E	201 285	< 1	1.53	11	310	< 2	165	0.50	166	10	40				
L7400N 5675E	201 285	2	1.42	11	780	< 2	152	0.54	225	10	50				
L7400N 5700E	201 285	< 1	1.58	9	370	< 2	169	0.62	229	10	50				
L7400N 5725E	201 285	< 1	1.79	14	320	< 2	171	0.77	285	10	48				
L7400N 5750E	201 285	< 1	0.37	1	780	< 2	62	0.12	34	< 10	24				
L7400N 5775E	201 285	< 1	1.04	9	1050	< 2	112	0.34	98	< 10	36				
L7400N 5800E	201 285	< 1	1.54	12	510	< 2	177	0.59	191	10	54				
L7400N 5825E	201 285	< 1	1.01	9	670	< 2	108	0.38	132	10	34				
L7400N 5850E	201 285	< 1	1.12	19	460	< 2	112	0.90	340	20	54				
L7400N 5875E	201 285	< 1	1.27	16	220	< 2	131	1.00	309	20	56				
L7400N 5900E	201 285	1	1.71	14	440	< 2	183	0.61	203	10	54				
L7400N 5925E	201 285	< 1	0.33	3	770	< 2	44	0.10	39	< 10	22				
L7400N 5950E	201 285	< 1	0.07	1	620	4	22	0.02	6	< 10	42				
L7400N 5975E	201 285	< 1	0.25	1	470	< 2	44	0.06	14	< 10	18				

CERTIFICATION:

ghai J Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 2-A
 Total Pages : 3
 Certificate Date: 14-MAY-95
 Invoice No. : 19516547
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9516547

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
L7400M 6000E	201 285	< 0.2	7.32	250	< 0.5	< 2	1.77	0.5	11	40	21	5.84	0.52	0.95	730
CL250M 5000E	201 285	< 0.2	7.38	400	< 0.5	< 2	3.47	0.5	15	54	23	4.43	0.75	1.59	785
CL250M 5025E	201 285	< 0.2	7.51	400	0.5	< 2	4.06	0.5	17	61	28	5.03	0.74	1.83	920
CL250M 5050E	201 285	< 0.2	7.45	370	0.5	< 2	3.54	0.5	15	53	40	4.91	0.75	1.52	860
CL250M 5075E	201 285	< 0.2	3.07	180	< 0.5	< 2	1.16	0.5	6	27	13	2.85	0.38	0.66	445
CL250M 5100E	201 285	< 0.2	7.23	380	< 0.5	< 2	3.47	0.5	14	47	31	4.55	0.74	1.56	835
CL250M 5125E	201 285	< 0.2	7.41	390	0.5	< 2	3.33	0.5	15	52	33	4.63	0.76	1.57	840
CL250M 5150E	201 285	< 0.2	5.20	220	< 0.5	< 2	1.33	0.5	8	42	21	5.50	0.48	0.89	430
CL250M 5175E	201 285	< 0.2	6.74	320	< 0.5	< 2	1.89	0.5	10	50	23	5.57	0.62	1.18	655
CL250M 5200E	201 285	< 0.2	5.68	330	< 0.5	< 2	1.88	1.0	10	45	15	5.90	0.74	1.11	700
CL250M 5225E	201 285	< 0.2	7.19	260	< 0.5	< 2	1.77	0.5	9	50	21	6.54	0.55	1.03	615
CL250M 5250E	201 285	< 0.2	6.33	270	< 0.5	< 2	1.87	0.5	9	46	20	4.85	0.55	1.04	570
CL250M 5275E	201 285	< 0.2	7.61	270	< 0.5	< 2	1.86	1.0	10	54	24	6.01	0.61	1.09	645
CL250M 5300E	201 285	< 0.2	6.05	280	< 0.5	< 2	2.37	0.5	12	56	17	5.22	0.57	1.31	715
CL250M 5325E	201 285	< 0.2	5.93	350	< 0.5	< 2	2.54	1.0	13	64	17	6.21	0.71	1.52	860
CL250M 5350E	201 285	< 0.2	7.13	230	< 0.5	< 2	1.67	0.5	9	48	34	5.03	0.45	0.90	510
CL250M 5375E	201 285	< 0.2	5.58	600	< 0.5	< 2	1.73	0.5	9	36	4	3.90	1.30	1.11	660
CL250M 5400E	201 285	< 0.2	5.44	670	< 0.5	< 2	1.53	< 0.5	9	32	10	3.57	1.20	1.14	625
CL250M 5425E	201 285	< 0.2	3.77	1120	< 0.5	< 2	0.57	< 0.5	3	11	3	1.34	1.75	0.31	510
CL250M 5450E	201 285	< 0.2	6.30	440	0.5	< 2	0.78	< 0.5	4	16	9	3.21	0.90	0.48	475
CL250M 5475E	201 285	< 0.2	5.58	700	< 0.5	< 2	0.95	< 0.5	4	28	15	3.06	1.29	0.54	480
CL250M 5500E	201 285	< 0.2	4.67	570	0.5	< 2	0.52	< 0.5	4	5	14	1.80	1.33	0.39	970
CL250M 5525E	201 285	< 0.2	4.74	530	0.5	< 2	0.57	< 0.5	4	5	11	1.79	1.10	0.43	905
CL250M 5550E	201 285	< 0.2	0.45	130	< 0.5	< 2	0.51	< 0.5	< 1	3	8	0.16	0.18	0.08	255
CL250M 5575E	201 285	< 0.2	1.56	260	< 0.5	< 2	0.38	< 0.5	< 1	7	6	0.63	0.60	0.17	340
CL250M 5600E	201 285	< 0.2	4.28	400	< 0.5	< 2	0.73	< 0.5	6	18	16	2.19	1.11	0.44	1120
CL250M 5625E	201 285	< 0.2	1.17	100	< 0.5	< 2	0.41	< 0.5	1	1	4	0.56	0.28	0.16	440
CL250M 5650E	201 285	< 0.2	5.58	620	< 0.5	< 2	0.73	< 0.5	3	14	8	2.57	1.49	0.46	605
CL250M 5675E	201 285	< 0.2	1.16	170	< 0.5	< 2	0.39	< 0.5	1	1	6	0.34	0.39	0.12	315
CL250M 5700E	201 285	< 0.2	2.97	310	< 0.5	< 2	0.53	< 0.5	1	1	9	1.19	0.81	0.18	410
CL250M 5725E	201 285	< 0.2	5.17	440	0.5	< 2	0.58	< 0.5	7	1	18	2.49	1.14	0.47	810
CL250M 5750E	201 285	< 0.2	2.09	130	< 0.5	< 2	0.70	< 0.5	7	2	15	0.99	0.23	0.28	665
CL250M 5775E	201 285	< 0.2	6.00	460	0.5	< 2	1.34	0.5	9	13	23	3.77	0.81	1.02	680
CL250M 5800E	201 285	< 0.2	5.00	380	< 0.5	< 2	0.81	0.5	9	8	42	3.93	0.70	0.84	740
CL250M 5825E	201 285	< 0.2	8.09	440	1.0	< 2	1.19	< 0.5	31	18	52	3.55	0.62	0.86	1145
CL250M 5850E	201 285	< 0.2	7.88	400	0.5	< 2	1.36	0.5	46	21	80	5.85	0.39	1.75	1930
CL250M 5875E	201 285	< 0.2	7.30	500	0.5	< 2	1.46	0.5	21	21	72	5.29	0.56	1.72	1040
CL250M 5900E	201 285	< 0.2	7.11	210	0.5	< 2	1.47	0.5	27	26	110	4.67	0.30	1.63	1025
CL250M 5925E	201 285	< 0.2	7.72	150	0.5	< 2	1.67	0.5	17	22	55	5.36	0.18	1.52	1090
CL250M 5950E	201 285	< 0.2	5.16	170	0.5	< 2	1.19	< 0.5	30	14	79	3.01	0.21	1.13	1870

CERTIFICATION:

Yhai J Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 2-B
 Total Pages : 3
 Certificate Date: 14-MAY-95
 Invoice No. : I9516547
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9516547

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
L7400M 6000E	201 285	1	1.36	8	510	< 2	147	0.49	202	10	46				
CL250M 5000E	201 285	< 1	2.44	14	670	< 2	313	0.45	177	10	48				
CL250M 5025E	201 285	< 1	2.44	15	820	< 2	298	0.52	208	10	54				
CL250M 5050E	201 285	< 1	2.39	15	680	< 2	280	0.49	199	10	52				
CL250M 5075E	201 285	< 1	0.72	8	470	< 2	100	0.30	110	< 10	44				
CL250M 5100E	201 285	< 1	2.34	13	710	< 2	271	0.45	181	10	50				
CL250M 5125E	201 285	< 1	2.32	14	680	< 2	277	0.46	183	10	52				
CL250M 5150E	201 285	1	1.06	12	500	< 2	119	0.48	183	10	46				
CL250M 5175E	201 285	< 1	1.54	11	420	< 2	159	0.62	218	10	48				
CL250M 5200E	201 285	< 1	1.47	10	290	< 2	163	0.66	234	10	42				
CL250M 5225E	201 285	< 1	1.35	7	850	< 2	149	0.59	219	10	42				
CL250M 5250E	201 285	< 1	1.46	8	550	< 2	160	0.49	186	10	40				
CL250M 5275E	201 285	< 1	1.45	10	520	< 2	151	0.64	231	10	46				
CL250M 5300E	201 285	< 1	1.65	13	540	< 2	184	0.58	212	10	46				
CL250M 5325E	201 285	< 1	1.68	15	440	< 2	202	0.83	283	10	52				
CL250M 5350E	201 285	< 1	1.28	10	460	< 2	147	0.49	173	10	40				
CL250M 5375E	201 285	< 1	1.49	9	160	< 2	167	0.63	196	10	36				
CL250M 5400E	201 285	< 1	1.30	7	250	< 2	153	0.60	175	< 10	34				
CL250M 5425E	201 285	< 1	0.97	3	140	< 2	82	0.44	76	< 10	14				
CL250M 5450E	201 285	< 1	1.20	3	500	< 2	100	0.30	95	< 10	44				
CL250M 5475E	201 285	< 1	1.64	7	280	< 2	116	0.48	122	< 10	32				
CL250M 5500E	201 285	< 1	0.99	4	520	4	64	0.23	58	< 10	42				
CL250M 5525E	201 285	< 1	0.98	3	440	8	64	0.23	56	< 10	38				
CL250M 5550E	201 285	< 1	0.07	2	870	4	20	0.02	4	< 10	26				
CL250M 5575E	201 285	< 1	0.23	1	570	< 2	38	0.10	19	< 10	26				
CL250M 5600E	201 285	< 1	0.79	6	680	4	76	0.26	68	< 10	34				
CL250M 5625E	201 285	< 1	0.24	2	360	< 2	34	0.06	15	< 10	26				
CL250M 5650E	201 285	2	1.10	2	540	4	100	0.36	70	< 10	30				
CL250M 5675E	201 285	< 1	0.26	< 1	350	2	33	0.05	11	< 10	26				
CL250M 5700E	201 285	< 1	0.68	< 1	700	4	78	0.13	31	< 10	36				
CL250M 5725E	201 285	< 1	1.03	3	650	8	81	0.18	49	< 10	58				
CL250M 5750E	201 285	< 1	0.23	6	790	6	39	0.07	26	< 10	38				
CL250M 5775E	201 285	< 1	2.13	7	380	2	164	0.35	123	< 10	60				
CL250M 5800E	201 285	4	1.78	6	840	6	113	0.30	118	10	54				
CL250M 5825E	201 285	< 1	1.48	9	760	16	127	0.34	118	< 10	66				
CL250M 5850E	201 285	< 1	2.59	16	590	< 2	170	0.54	193	10	98				
CL250M 5875E	201 285	1	2.42	9	540	< 2	155	0.50	189	10	74				
CL250M 5900E	201 285	< 1	2.36	19	550	< 2	116	0.43	172	10	82				
CL250M 5925E	201 285	< 1	3.23	11	330	< 2	137	0.56	199	10	78				
CL250M 5950E	201 285	< 1	1.48	13	920	< 2	95	0.26	106	< 10	64				

CERTIFICATION: *Jhai D'Ma*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: M. JONES

Page Number: 3-A
Total Pages: 3
Certificate Date: 14-MAY-95
Invoice No.: I9516547
P.O. Number:
Account: GP

CERTIFICATE OF ANALYSIS A9516547

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
CL250M 5975E	201 285	< 0.2	7.78	150	0.5	< 2	1.83	0.5	19	12	57	5.74	0.20	1.81	1565
CL250M 6000E	201 285	< 0.2	8.64	310	1.0	< 2	2.02	0.5	34	24	55	4.38	0.48	1.28	1045
FCL350M 000E	201 285	< 0.2	6.99	380	< 0.5	< 2	1.71	0.5	11	36	24	4.22	0.90	1.08	610
FCL350M 025E	201 285	< 0.2	7.72	290	< 0.5	< 2	2.09	0.5	12	46	19	5.73	0.62	1.33	730
FCL350M 050E	201 285	< 0.2	7.11	380	< 0.5	< 2	2.81	0.5	13	42	24	4.29	0.73	1.51	735
FCL350M 075E	201 285	< 0.2	8.20	300	< 0.5	< 2	2.19	0.5	12	42	27	4.73	0.61	1.18	645
FCL350M 100E	201 285	< 0.2	7.15	420	< 0.5	< 2	1.45	< 0.5	9	34	14	3.67	1.05	0.95	535
FCL350M 125E	201 285	< 0.2	6.90	410	0.5	< 2	2.24	1.0	22	47	37	4.90	0.85	1.16	2440
FCL350M 150E	201 285	< 0.2	5.92	360	< 0.5	< 2	1.71	1.0	9	42	12	6.66	0.90	1.17	730
FCL350M 175E	201 285	< 0.2	6.47	350	< 0.5	< 2	1.92	0.5	12	41	10	5.62	0.90	1.29	785
FCL350M 200E	201 285	< 0.2	4.74	550	< 0.5	< 2	0.76	< 0.5	4	12	3	1.74	1.45	0.42	315
FCL350M 225E	201 285	< 0.2	6.38	490	< 0.5	< 2	1.14	0.5	9	22	8	4.75	1.18	0.95	480
FCL350M 250E	201 285	< 0.2	6.85	800	0.5	< 2	0.72	< 0.5	3	7	5	2.02	2.07	0.38	270
FCL350M 275E	201 285	< 0.2	7.73	400	0.5	< 2	2.82	0.5	18	40	50	4.94	0.84	1.71	895
FCL350M 300E	201 285	< 0.2	6.90	340	< 0.5	< 2	2.29	0.5	11	31	17	4.87	0.72	1.23	670
FCL350M 325E	201 285	< 0.2	7.76	340	< 0.5	< 2	2.35	0.5	12	39	20	4.95	0.70	1.26	685
FCL350M 350E	201 285	< 0.2	7.65	270	< 0.5	< 2	1.49	0.5	7	33	12	5.08	0.64	0.84	585
FCL350M 375E	201 285	< 0.2	6.99	270	< 0.5	< 2	1.62	1.0	8	43	11	6.73	0.68	1.00	670
FCL350M 400E	201 285	< 0.2	5.65	360	< 0.5	< 2	2.23	0.5	11	40	8	4.62	0.88	1.40	930
FCL350M 425E	201 285	< 0.2	9.41	290	< 0.5	< 2	1.46	< 0.5	8	42	14	5.46	0.62	0.83	525
FCL350M 450E	201 285	< 0.2	6.83	270	< 0.5	< 2	1.57	1.0	10	34	14	5.56	0.67	1.03	595
FCL350M 475E	201 285	< 0.2	8.31	520	0.5	< 2	2.22	0.5	17	32	32	4.17	0.83	1.40	780
FCL350M 500E	201 285	< 0.2	6.76	400	0.5	< 2	2.09	< 0.5	14	28	19	3.50	0.86	1.08	695
FCL350M 525E	201 285	< 0.2	6.34	280	< 0.5	< 2	1.55	1.0	10	42	21	6.92	0.66	1.06	645
FCL350M 550E	201 285	< 0.2	5.25	480	< 0.5	< 2	1.21	< 0.5	8	36	10	3.33	1.24	0.79	570
FCL350M 575E	201 285	< 0.2	8.25	90	0.5	< 2	1.33	< 0.5	5	27	14	2.32	0.16	0.47	585
FCL350M 600E	201 285	< 0.2	6.04	200	< 0.5	< 2	0.82	0.5	8	74	50	4.16	0.47	0.68	435
FCL350M 625E	201 285	< 0.2	7.63	350	0.5	< 2	1.22	0.5	11	19	32	4.58	0.71	1.10	1825
FCL350M 650E	201 285	< 0.2	6.64	570	0.5	< 2	1.22	0.5	10	57	21	4.65	1.35	1.08	500
FCL350M 675E	201 285	< 0.2	5.67	470	0.5	< 2	0.72	< 0.5	4	18	10	2.19	1.21	0.43	300
FCL350M 700E	201 285	< 0.2	5.33	770	0.5	< 2	0.66	< 0.5	3	8	5	0.88	1.54	0.32	290
FCL350M 725E	201 285	< 0.2	6.11	970	0.5	< 2	0.53	< 0.5	2	12	4	0.66	1.92	0.26	200
FCL350M 750E	201 285	< 0.2	6.09	1080	< 0.5	< 2	0.36	< 0.5	3	12	12	1.51	2.98	0.27	170
FCL350M 775E	201 285	< 0.2	6.05	550	0.5	< 2	0.59	0.5	10	45	45	5.64	1.41	0.61	420

CERTIFICATION:

Jhai J Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 3-B
 Total Pages : 3
 Certificate Date: 14-MAY-95
 Invoice No. : 19516547
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9516547

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
CL250M 5975E	201 285	< 1	3.66	8	430	< 2	138	0.60	218	10	76				
CL250M 6000E	201 285	7	2.46	14	1370	2	168	0.46	187	10	152				
FCL350M 000E	201 285	< 1	1.68	11	470	< 2	152	0.43	147	10	48				
FCL350M 025E	201 285	< 1	1.69	13	230	< 2	176	0.62	213	10	44				
FCL350M 050E	201 285	< 1	2.26	13	450	< 2	249	0.45	158	10	48				
FCL350M 075E	201 285	< 1	1.79	14	280	< 2	196	0.49	182	10	42				
FCL350M 100E	201 285	< 1	1.73	10	260	< 2	127	0.55	152	10	38				
FCL350M 125E	201 285	38	1.58	17	830	4	144	0.60	167	30	140				
FCL350M 150E	201 285	7	1.35	10	210	2	119	0.82	262	10	44				
FCL350M 175E	201 285	2	1.49	10	280	4	146	0.70	248	10	50				
FCL350M 200E	201 285	2	1.55	3	220	4	88	0.39	96	< 10	22				
FCL350M 225E	201 285	2	1.61	11	150	2	97	0.58	218	10	38				
FCL350M 250E	201 285	2	2.02	3	150	6	102	0.37	104	< 10	20				
FCL350M 275E	201 285	< 1	2.15	14	530	< 2	238	0.48	173	10	64				
FCL350M 300E	201 285	< 1	2.03	10	370	< 2	215	0.45	164	10	44				
FCL350M 325E	201 285	< 1	2.09	11	280	< 2	223	0.47	176	10	46				
FCL350M 350E	201 285	< 1	1.38	5	180	< 2	140	0.60	184	10	34				
FCL350M 375E	201 285	< 1	1.34	6	230	< 2	136	0.73	267	10	40				
FCL350M 400E	201 285	1	1.61	9	200	< 2	171	0.84	245	10	46				
FCL350M 425E	201 285	< 1	1.53	6	270	< 2	144	0.49	190	10	36				
FCL350M 450E	201 285	< 1	1.47	7	230	< 2	139	0.54	191	10	38				
FCL350M 475E	201 285	< 1	2.06	13	350	< 2	212	0.42	150	< 10	52				
FCL350M 500E	201 285	< 1	2.13	9	520	< 2	205	0.36	128	10	44				
FCL350M 525E	201 285	< 1	1.35	10	280	< 2	133	0.64	225	10	42				
FCL350M 550E	201 285	< 1	1.69	8	230	4	118	0.92	238	< 10	30				
FCL350M 575E	201 285	< 1	4.64	2	260	< 2	611	0.62	166	< 10	28				
FCL350M 600E	201 285	< 1	2.03	14	470	< 2	170	0.75	240	10	42				
FCL350M 625E	201 285	< 1	3.44	7	720	< 2	340	0.52	126	10	54				
FCL350M 650E	201 285	< 1	1.95	16	400	< 2	209	0.50	157	10	42				
FCL350M 675E	201 285	< 1	2.03	6	620	4	150	0.37	83	< 10	26				
FCL350M 700E	201 285	< 1	2.12	1	180	12	92	0.34	56	< 10	16				
FCL350M 725E	201 285	< 1	2.24	1	320	6	104	0.31	53	< 10	10				
FCL350M 750E	201 285	< 1	1.81	2	250	4	73	0.31	91	< 10	14				
FCL350M 775E	201 285	1	1.22	9	580	10	67	0.43	150	10	42				

CERTIFICATION:

Phai J Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 1-A
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : I9517219
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
74N 6000E	201 285	< 0.2	8.01	230	0.5	8	1.65	1.0	11	40	25	5.64	0.50	0.88	580
74N 6025E	201 285	< 0.2	6.35	300	0.5	6	1.94	1.0	12	43	20	4.94	0.65	1.14	710
74N 6050E	201 285	< 0.2	6.90	350	0.5	4	2.04	1.5	15	41	32	5.24	0.80	1.29	780
74N 6075E	201 285	< 0.2	7.52	350	0.5	6	2.18	1.0	18	44	40	4.74	0.81	1.32	810
74N 6100E	201 285	< 0.2	7.94	270	< 0.5	4	1.98	1.5	12	54	24	6.56	0.64	1.27	790
74N 6125E	201 285	< 0.2	4.83	290	< 0.5	6	2.01	1.0	12	54	18	6.43	0.72	1.34	840
74N 6150E	201 285	< 0.2	6.50	260	0.5	6	2.44	1.5	16	33	28	6.59	0.56	1.78	1275
74N 6175E	201 285	< 0.2	7.43	330	0.5	6	2.15	1.5	13	39	26	5.96	0.64	1.34	915
74N 6200E	201 285	< 0.2	7.91	190	0.5	4	1.29	1.5	8	38	33	5.36	0.40	0.74	485
74N 6225E	201 285	< 0.2	6.46	270	0.5	4	2.36	1.0	15	37	12	6.07	0.45	1.83	1120
74N 6250E	201 285	< 0.2	5.21	360	< 0.5	2	2.10	1.5	14	65	15	9.21	0.79	1.52	1030
74N 6275E	201 285	< 0.2	5.28	500	< 0.5	4	2.18	1.0	12	37	10	5.49	1.12	1.28	990
74N 6300E	201 285	< 0.2	6.98	260	< 0.5	2	1.60	1.5	10	52	20	6.06	0.55	0.96	585
74N 6325E	201 285	< 0.2	5.76	340	< 0.5	6	1.76	1.0	10	49	10	5.44	0.80	1.10	865
74N 6350E	201 285	< 0.2	4.74	340	< 0.5	< 2	1.15	1.0	9	34	23	5.85	0.64	0.94	680
74N 6375E	201 285	< 0.2	6.48	690	< 0.5	2	1.50	1.5	10	73	23	5.08	1.02	1.08	545
74N 6400E	201 285	< 0.2	7.91	340	< 0.5	4	1.93	1.5	13	62	28	7.04	0.65	1.30	685
74N 6425E	201 285	< 0.2	4.91	580	< 0.5	4	2.00	1.0	12	55	4	4.36	1.29	1.35	770
74N 6450E	201 285	< 0.2	6.54	540	< 0.5	2	1.31	0.5	8	30	14	4.60	1.15	0.69	530
74N 6475E	201 285	< 0.2	6.04	430	< 0.5	2	1.64	1.0	10	45	11	5.24	0.89	1.05	660
74N 6500E	201 285	< 0.2	6.42	420	0.5	< 2	1.86	1.5	8	48	15	5.94	0.90	1.08	740
76N 6000E	201 285	< 0.2	4.90	280	< 0.5	< 2	2.28	1.5	13	68	12	7.70	0.68	1.79	1160
76N 6025E	201 285	< 0.2	5.83	280	0.5	< 2	3.25	2.0	15	30	6	8.64	0.64	1.95	1360
76N 6050E	201 285	< 0.2	5.26	360	< 0.5	2	1.89	1.5	11	49	11	6.81	0.79	1.24	835
76N 6075E	201 285	< 0.2	5.90	210	< 0.5	< 2	1.65	1.5	8	53	18	6.76	0.51	0.99	645
76N 6100E	201 285	< 0.2	4.87	340	< 0.5	2	2.12	1.5	10	51	8	5.32	0.71	1.42	895
76N 6125E	201 285	< 0.2	5.73	380	0.5	< 2	2.12	1.5	10	48	11	5.36	0.85	1.27	855
76N 6150E	201 285	< 0.2	6.07	290	< 0.5	2	1.71	1.0	7	41	15	6.09	0.55	1.09	710
76N 6175E	201 285	< 0.2	8.94	280	0.5	< 2	1.73	1.5	9	49	28	5.70	0.58	0.99	570
76N 6200E	201 285	< 0.2	6.63	290	< 0.5	2	2.08	1.5	11	56	15	6.53	0.65	1.34	810
76N 6225E	201 285	< 0.2	5.24	250	< 0.5	< 2	1.91	2.0	11	62	14	7.41	0.62	1.38	920
76N 6250E	201 285	< 0.2	4.82	350	< 0.5	2	2.06	1.5	14	57	11	7.48	0.90	1.48	1090
76N 6275E	201 285	< 0.2	7.14	270	< 0.5	< 2	1.77	1.0	8	48	17	6.34	0.61	1.02	640
76N 6300E	201 285	< 0.2	4.69	1790	< 0.5	< 2	0.82	0.5	3	16	4	2.74	2.06	0.37	360
76N 6325E	201 285	< 0.2	6.33	210	0.5	< 2	3.40	1.5	20	168	87	5.74	0.34	2.45	840
76N 6350E	201 285	< 0.2	3.95	220	< 0.5	< 2	1.93	1.0	13	38	14	3.78	0.43	1.45	805
76N 6375E	201 285	< 0.2	7.40	250	0.5	< 2	1.66	1.5	10	50	44	4.12	0.47	1.18	620
76N 6400E	201 285	< 0.2	4.37	380	< 0.5	< 2	1.31	1.0	8	43	13	4.05	0.65	0.93	760
76N 6425E	201 285	< 0.2	6.32	340	< 0.5	< 2	1.72	1.5	10	40	16	5.40	0.77	1.19	725
76N 6450E	201 285	< 0.2	6.35	290	< 0.5	< 2	1.52	1.5	8	51	16	7.73	0.67	0.96	640

CERTIFICATION: *Hart Becker*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 1-B
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : 19517219
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
74N 6000E	201 285	2	1.33	10	410	< 2	143	0.46	181	10	52				
74N 6025E	201 285	1	1.54	9	330	< 2	152	0.57	188	10	52				
74N 6050E	201 285	< 1	1.74	12	310	< 2	175	0.62	181	10	62				
74N 6075E	201 285	< 1	1.95	14	440	< 2	193	0.57	154	10	62				
74N 6100E	201 285	< 1	1.38	8	260	< 2	137	0.73	256	10	54				
74N 6125E	201 285	< 1	1.30	9	330	< 2	130	0.81	304	10	60				
74N 6150E	201 285	< 1	2.26	10	270	< 2	184	0.95	284	20	80				
74N 6175E	201 285	< 1	2.05	9	280	< 2	203	0.63	232	10	56				
74N 6200E	201 285	1	1.15	8	600	< 2	116	0.43	182	10	40				
74N 6225E	201 285	1	2.62	12	200	< 2	132	0.84	289	20	66				
74N 6250E	201 285	2	1.28	14	190	< 2	115	1.18	369	20	60				
74N 6275E	201 285	< 1	1.73	8	120	< 2	158	0.89	250	10	54				
74N 6300E	201 285	< 1	1.31	8	430	< 2	128	0.61	218	10	44				
74N 6325E	201 285	1	1.46	8	190	< 2	131	0.82	243	10	44				
74N 6350E	201 285	1	0.95	10	250	< 2	100	0.69	209	10	50				
74N 6375E	201 285	1	1.49	13	250	4	142	0.57	188	10	42				
74N 6400E	201 285	1	1.52	14	260	< 2	142	0.79	267	20	52				
74N 6425E	201 285	1	1.65	17	150	< 2	141	0.77	241	10	40				
74N 6450E	201 285	2	1.56	7	230	< 2	198	0.55	170	10	36				
74N 6475E	201 285	< 1	1.53	10	220	< 2	148	0.76	212	10	42				
74N 6500E	201 285	1	1.63	9	420	< 2	165	0.73	229	10	48				
76N 6000E	201 285	< 1	1.17	11	170	< 2	116	1.28	380	20	62				
76N 6025E	201 285	< 1	1.75	7	110	< 2	211	0.95	404	20	72				
76N 6050E	201 285	1	1.42	9	280	< 2	133	0.99	390	10	50				
76N 6075E	201 285	< 1	1.10	8	420	< 2	116	0.78	264	10	40				
76N 6100E	201 285	1	1.43	12	220	< 2	141	0.81	269	10	48				
76N 6125E	201 285	< 1	1.70	9	160	< 2	166	0.74	247	10	48				
76N 6150E	201 285	1	1.30	7	260	< 2	122	0.70	248	10	44				
76N 6175E	201 285	1	1.54	8	290	< 2	157	0.53	193	10	48				
76N 6200E	201 285	1	1.56	11	220	< 2	152	0.79	273	20	54				
76N 6225E	201 285	< 1	1.13	13	190	< 2	115	0.91	320	10	54				
76N 6250E	201 285	< 1	1.37	8	80	< 2	132	1.02	368	20	56				
76N 6275E	201 285	1	1.53	11	280	< 2	156	0.67	257	10	46				
76N 6300E	201 285	1	0.95	3	200	6	121	0.52	139	< 10	18				
76N 6325E	201 285	< 1	1.62	58	250	< 2	235	0.61	212	20	80				
76N 6350E	201 285	< 1	1.03	13	140	< 2	121	0.85	235	< 10	46				
76N 6375E	201 285	3	1.21	18	240	6	184	0.77	231	10	64				
76N 6400E	201 285	< 1	1.10	12	150	< 2	114	1.03	222	10	36				
76N 6425E	201 285	2	2.08	17	200	4	166	0.92	269	10	46				
76N 6450E	201 285	< 1	1.14	9	320	< 2	115	0.87	323	10	44				

CERTIFICATION: David B. Jones



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Co: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 2-A
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : I9517219
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
76N 6475E	201 285	< 0.2	6.74	310	< 0.5	< 2	1.63	1.0	8	44	15	5.05	0.77	1.02	650
76N 6500E	201 285	< 0.2	8.40	160	0.5	< 2	0.92	1.0	6	34	27	3.27	0.38	0.54	305
78N 5500E	201 285	< 0.2	4.58	200	< 0.5	< 2	1.90	2.0	14	36	29	8.30	0.49	1.45	685
78N 5525E	201 285	< 0.2	4.35	290	< 0.5	< 2	2.18	< 0.5	12	27	7	3.39	0.83	1.55	1025
78N 5550E	201 285	< 0.2	3.98	220	< 0.5	< 2	2.28	0.5	20	32	13	5.93	0.57	1.72	1230
78N 5575E	201 285	< 0.2	3.77	210	< 0.5	< 2	1.66	< 0.5	13	44	10	7.61	0.60	1.25	835
78N 5600E	201 285	< 0.2	4.64	290	0.5	< 2	2.57	0.5	17	45	10	5.57	0.74	1.84	1170
78N 5625E	201 285	< 0.2	5.29	260	0.5	< 2	1.85	0.5	11	34	20	5.16	0.69	1.22	725
78N 5650E	201 285	< 0.2	4.56	190	0.5	< 2	2.18	0.5	21	22	43	8.88	0.44	1.29	900
78N 5675E	201 285	< 0.2	6.92	210	< 0.5	4	1.29	0.5	10	38	45	6.27	0.50	0.84	475
78N 5700E	201 285	< 0.2	2.29	100	< 0.5	< 2	1.53	< 0.5	15	11	23	3.75	0.27	0.89	680
78N 5725E	201 285	< 0.2	3.62	180	< 0.5	< 2	2.20	0.5	19	30	17	4.91	0.48	1.59	880
78N 5750E	201 285	< 0.2	3.93	80	< 0.5	< 2	2.81	0.5	25	10	72	5.47	0.16	1.82	690
78N 5775E	201 285	< 0.2	1.73	120	< 0.5	< 2	0.80	< 0.5	4	6	14	1.23	0.25	0.37	255
78N 5800E	201 285	< 0.2	4.99	140	< 0.5	< 2	2.49	0.5	26	19	75	7.98	0.33	1.97	880
78N 5825E	201 285	< 0.2	7.72	80	< 0.5	< 2	1.17	< 0.5	15	20	205	5.00	0.22	0.97	435
78N 5850E	201 285	< 0.2	4.46	190	< 0.5	< 2	2.20	< 0.5	19	27	24	5.73	0.41	1.77	915
78N 5875E	201 285	< 0.2	5.63	270	0.5	< 2	1.94	0.5	20	42	72	5.75	0.58	1.34	935
78N 5900E	201 285	< 0.2	5.25	300	0.5	< 2	1.97	0.5	17	45	28	5.34	0.65	1.29	1130
78N 5925E	201 285	< 0.2	5.15	330	< 0.5	< 2	2.11	< 0.5	22	52	18	6.65	0.75	1.52	1255
78N 5950E	201 285	< 0.2	7.73	250	< 0.5	4	1.66	< 0.5	12	58	31	6.08	0.56	1.13	655
78N 5975E	201 285	< 0.2	5.21	280	< 0.5	< 2	1.99	< 0.5	13	60	13	6.50	0.70	1.41	910
78N 6000E	201 285	< 0.2	7.68	420	0.5	< 2	2.62	< 0.5	12	38	22	3.61	0.94	1.25	695
80N 5550E	201 285	< 0.2	0.51	20	< 0.5	< 2	0.52	< 0.5	3	13	15	0.78	0.05	0.34	155
80N 5575E	201 285	< 0.2	0.97	50	< 0.5	< 2	1.04	< 0.5	7	39	8	1.43	0.10	0.86	325
80N 5600E	201 285	< 0.2	1.00	40	< 0.5	< 2	0.90	< 0.5	7	20	13	1.33	0.09	0.48	180
80N 5625E	201 285	< 0.2	4.44	90	< 0.5	< 2	2.06	< 0.5	16	38	26	7.97	0.19	1.55	660
80N 5650E	201 285	< 0.2	3.30	100	< 0.5	8	2.19	0.5	21	22	22	6.57	0.26	1.75	1105
80N 5675E	201 285	< 0.2	3.04	70	< 0.5	< 2	0.70	< 0.5	10	13	69	5.00	0.17	0.54	300
80N 5700E	201 285	< 0.2	2.14	30	< 0.5	< 2	0.23	< 0.5	2	2	41	1.07	0.08	0.15	85
80N 5725E	201 285	< 0.2	6.10	280	< 0.5	4	2.10	< 0.5	11	32	13	5.07	0.69	1.21	770
80N 5750E	201 285	< 0.2	5.35	330	< 0.5	< 2	1.96	0.5	13	49	10	5.76	0.83	1.30	810
80N 5775E	201 285	< 0.2	3.53	130	< 0.5	4	2.07	0.5	17	92	24	4.99	0.33	1.62	640
80N 5800E	201 285	< 0.2	5.01	350	< 0.5	< 2	1.23	< 0.5	9	31	11	4.59	0.76	0.85	515
80N 5825E	201 285	< 0.2	4.80	280	< 0.5	< 2	1.68	0.5	12	53	12	6.53	0.68	1.17	785
80N 5850E	201 285	< 0.2	6.24	280	0.5	< 2	1.67	< 0.5	13	55	24	8.85	0.69	1.23	675
80N 5875E	201 285	< 0.2	5.43	240	0.5	2	1.48	< 0.5	11	40	26	4.70	0.55	0.98	555
80N 5900E	201 285	< 0.2	5.00	230	< 0.5	2	1.67	< 0.5	10	40	16	4.19	0.50	1.04	565
80N 5925E	201 285	< 0.2	8.46	270	< 0.5	4	1.78	0.5	13	56	29	5.49	0.60	1.20	615
80N 5950E	201 285	< 0.2	5.53	310	0.5	2	2.13	0.5	14	45	13	5.15	0.67	1.30	865

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 2-B
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : 19517219
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
76N 6475E	201 285	1	1.36	9	460	< 2	124	0.67	167	10	40				
76N 6500E	201 285	1	0.83	7	1010	< 2	76	0.32	104	< 10	30				
78N 5500E	201 285	< 1	0.99	16	530	6	102	0.78	264	10	54				
78N 5525E	201 285	< 1	1.25	8	240	< 2	121	0.81	187	< 10	46				
78N 5550E	201 285	< 1	1.17	18	280	< 2	102	1.16	295	10	60				
78N 5575E	201 285	< 1	0.85	15	260	< 2	80	0.98	332	10	48				
78N 5600E	201 285	< 1	1.42	12	190	< 2	140	0.92	247	10	60				
78N 5625E	201 285	< 1	1.21	9	450	< 2	124	0.57	171	< 10	50				
78N 5650E	201 285	< 1	1.03	14	530	< 2	103	1.07	316	20	78				
78N 5675E	201 285	< 1	1.06	8	400	< 2	103	0.53	184	10	38				
78N 5700E	201 285	< 1	0.67	10	860	< 2	65	0.96	165	< 10	54				
78N 5725E	201 285	< 1	1.03	15	370	< 2	97	0.75	209	10	58				
78N 5750E	201 285	< 1	0.96	31	450	< 2	83	0.50	205	10	68				
78N 5775E	201 285	< 1	0.72	6	540	4	62	0.18	45	< 10	30				
78N 5800E	201 285	< 1	1.72	25	370	< 2	120	0.76	328	10	80				
78N 5825E	201 285	3	0.86	15	660	< 2	55	0.38	195	< 10	40				
78N 5850E	201 285	< 1	1.53	22	410	< 2	114	0.69	225	10	66				
78N 5875E	201 285	1	1.48	15	350	< 2	141	0.72	227	10	54				
78N 5900E	201 285	4	1.43	15	460	< 2	145	0.66	215	10	54				
78N 5925E	201 285	5	1.54	36	290	< 2	145	0.84	301	10	58				
78N 5950E	201 285	< 1	1.31	14	270	< 2	127	0.63	216	< 10	48				
78N 5975E	201 285	< 1	1.42	16	140	< 2	135	0.98	312	10	50				
78N 6000E	201 285	< 1	2.58	11	400	< 2	265	0.40	146	< 10	40				
80N 5550E	201 285	< 1	0.08	6	410	< 2	28	0.11	31	< 10	28				
80N 5575E	201 285	< 1	0.28	16	380	< 2	46	0.31	73	< 10	34				
80N 5600E	201 285	1	0.19	10	800	< 2	49	0.19	50	< 10	22				
80N 5625E	201 285	< 1	1.07	23	240	< 2	158	0.90	341	10	52				
80N 5650E	201 285	< 1	0.80	21	290	< 2	89	1.39	407	10	62				
80N 5675E	201 285	< 1	0.34	12	1280	< 2	43	0.32	109	< 10	38				
80N 5700E	201 285	< 1	0.14	2	700	< 2	16	0.07	20	< 10	12				
80N 5725E	201 285	< 1	1.57	8	320	4	163	0.98	326	10	46				
80N 5750E	201 285	< 1	1.74	11	120	< 2	159	0.72	286	< 10	44				
80N 5775E	201 285	< 1	0.79	36	1110	< 2	85	0.55	209	< 10	56				
80N 5800E	201 285	1	1.46	9	270	< 2	101	0.49	176	< 10	36				
80N 5825E	201 285	< 1	1.27	11	180	< 2	115	0.82	264	10	44				
80N 5850E	201 285	< 1	1.25	19	330	< 2	128	0.75	295	10	56				
80N 5875E	201 285	1	1.14	11	420	< 2	117	0.47	153	< 10	42				
80N 5900E	201 285	< 1	1.30	10	240	< 2	142	0.43	161	< 10	40				
80N 5925E	201 285	< 1	1.48	16	230	< 2	149	0.56	193	< 10	48				
80N 5950E	201 285	< 1	1.63	13	320	< 2	174	0.61	217	10	48				

CERTIFICATION:

Hartl/Becher



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bental Centre
 VANCOUVER, BC
 V7X 1C4

Project : 6004
 Comments: ATTN: M. JONES

Page Number : 3-A
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : 19517219
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
80M 5975E	201 285	< 0.2	6.51	220	0.5	2	3.48	< 0.5	31	141	95	5.31	0.37	2.38	1115
80M 6000E	201 285	< 0.2	4.53	160	0.5	2	6.49	1.0	18	79	37	4.62	0.25	1.58	1830
80M 6025E	201 285	< 0.2	5.57	280	< 0.5	< 2	1.65	< 0.5	13	90	48	9.63	0.36	1.23	620
80M 6050E	201 285	< 0.2	5.09	390	< 0.5	2	1.96	< 0.5	14	57	9	5.08	0.90	1.36	930
80M 6075E	201 285	< 0.2	7.31	340	< 0.5	6	1.99	0.5	13	64	21	8.32	0.75	1.28	715
80M 6100E	201 285	< 0.2	6.17	420	0.5	4	2.29	< 0.5	15	50	12	5.32	0.88	1.53	900
80M 6125E	201 285	< 0.2	7.29	340	0.5	2	2.47	< 0.5	13	48	29	5.57	0.75	1.21	760
80M 6150E	201 285	< 0.2	6.49	300	0.5	6	2.04	0.5	10	36	20	4.18	0.66	0.91	700
80M 6175E	-- --	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
80M 6200E	-- --	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
80M 6225E	201 285	< 0.2	10.35	200	0.5	6	2.38	0.5	9	12	6	2.79	0.59	0.52	400
80M 6250E	201 285	< 0.2	8.73	250	0.5	2	1.26	< 0.5	9	45	19	7.40	0.62	0.80	535
80M 6275E	201 285	< 0.2	8.58	200	0.5	2	0.92	< 0.5	8	21	17	6.45	0.48	0.61	405
80M 6300E	201 285	< 0.2	6.64	350	0.5	< 2	1.84	< 0.5	12	55	13	6.90	0.74	1.23	735
80M 6325E	201 285	< 0.2	7.09	540	0.5	2	2.24	< 0.5	11	23	4	4.96	1.29	1.26	1135
80M 6350E	201 285	< 0.2	7.23	590	0.5	4	1.75	< 0.5	7	10	5	3.90	1.46	0.71	785
80M 6375E	201 285	< 0.2	8.31	830	0.5	6	1.57	< 0.5	5	9	3	3.04	1.68	0.52	655
80M 6400E	201 285	< 0.2	7.00	300	< 0.5	4	1.81	0.5	11	46	16	6.66	0.69	1.15	710
80M 6425E	201 285	< 0.2	7.09	450	0.5	4	2.09	0.5	11	28	8	4.48	0.95	1.11	750
80M 6450E	201 285	< 0.2	6.97	400	0.5	2	1.85	< 0.5	10	21	9	3.95	0.84	0.94	680
80M 6475E	201 285	< 0.2	8.86	400	< 0.5	6	1.62	< 0.5	11	38	12	7.05	0.92	0.98	655
80M 6500E	201 285	< 0.2	6.82	420	< 0.5	< 2	1.58	< 0.5	9	30	9	5.86	0.89	0.85	640
81N 5800E	201 285	< 0.2	6.78	330	0.5	2	2.11	0.5	16	90	37	5.62	0.57	1.54	690
81N 5825E	201 285	< 0.2	7.65	270	0.5	< 2	2.12	< 0.5	17	75	45	5.53	0.57	1.53	715
81N 5850E	201 285	< 0.2	7.99	310	0.5	< 2	1.75	< 0.5	11	41	34	5.02	0.59	1.01	560
81N 5875E	201 285	< 0.2	6.91	340	< 0.5	4	2.32	< 0.5	13	45	20	5.02	0.71	1.29	730
81N 5900E	201 285	< 0.2	6.33	400	0.5	2	1.92	0.5	11	45	11	5.32	1.00	1.23	855
81N 5925E	201 285	< 0.2	6.17	480	< 0.5	6	2.03	0.5	12	48	25	6.40	0.71	1.29	695
81N 5950E	201 285	< 0.2	6.02	310	< 0.5	2	1.84	< 0.5	14	67	15	7.90	0.70	1.21	810
81N 5975E	201 285	< 0.2	7.51	290	< 0.5	2	1.65	< 0.5	12	64	28	7.28	0.61	1.11	660
82N 6000E	201 285	< 0.2	6.08	280	< 0.5	2	1.87	< 0.5	14	110	14	6.66	0.69	1.43	865
82N 5550E	201 285	< 0.2	4.11	40	0.5	< 2	4.12	0.5	18	28	47	3.60	0.09	1.00	1465
82N 5575E	201 285	< 0.2	5.85	160	0.5	< 2	1.23	< 0.5	6	14	7	2.15	0.53	0.52	385
82N 5600E	201 285	< 0.2	6.25	190	0.5	2	1.45	0.5	14	43	29	5.29	0.52	0.93	820
82N 5625E	201 285	< 0.2	6.54	380	0.5	6	3.95	1.0	32	94	150	5.28	0.38	1.78	1210
82N 5650E	201 285	< 0.2	5.81	390	0.5	2	2.88	0.5	24	37	89	4.87	0.32	1.22	1340
82N 5675E	201 285	1.2	2.85	260	< 0.5	< 2	1.53	< 0.5	11	42	132	5.06	0.22	0.96	455
82N 5700E	201 285	< 0.2	0.86	50	< 0.5	< 2	0.74	< 0.5	5	8	41	1.10	0.11	0.33	185
82N 5725E	201 285	< 0.2	1.75	60	< 0.5	2	1.09	< 0.5	8	56	15	1.42	0.12	0.73	280
82N 5750E	201 285	< 0.2	0.22	< 10	< 0.5	< 2	0.14	< 0.5	1	2	1	0.11	0.03	0.04	70

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number: 3-B
 Total Pages: 8
 Certificate Date: 22-MAY-95
 Invoice No.: I9517219
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
80N 5975E	201 285	1	1.49	63	740	< 2	215	0.53	190	10	96				
80N 6000E	201 285	< 1	0.91	41	>10000	26	167	0.46	192	10	148				
80N 6025E	201 285	1	1.08	22	570	< 2	125	0.92	301	10	62				
80N 6050E	201 285	3	1.41	12	130	< 2	135	0.87	234	< 10	48				
80N 6075E	201 285	1	1.54	13	310	< 2	155	0.88	325	10	56				
80N 6100E	201 285	2	1.71	14	240	< 2	166	0.82	223	10	54				
80N 6125E	201 285	< 1	2.03	12	480	< 2	210	0.53	216	10	46				
80N 6150E	201 285	< 1	1.49	11	620	< 2	145	0.48	152	< 10	46				
80N 6175E	-- --	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.				
80N 6200E	-- --	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.				
80N 6225E	201 285	< 1	1.93	3	370	< 2	361	0.28	85	< 10	36				
80N 6250E	201 285	< 1	1.29	9	630	< 2	112	0.78	259	10	46				
80N 6275E	201 285	1	2.12	4	530	< 2	105	0.59	184	< 10	42				
80N 6300E	201 285	< 1	1.72	12	290	< 2	157	0.74	266	10	50				
80N 6325E	201 285	1	2.47	7	70	< 2	211	0.78	215	10	44				
80N 6350E	201 285	1	2.55	2	160	< 2	218	0.65	156	< 10	36				
80N 6375E	201 285	1	2.91	< 1	80	< 2	231	0.68	125	< 10	28				
80N 6400E	201 285	< 1	1.42	11	270	< 2	153	0.76	269	10	50				
80N 6425E	201 285	< 1	2.17	8	330	< 2	203	0.67	186	< 10	46				
80N 6450E	201 285	< 1	1.96	5	400	< 2	180	0.59	164	< 10	42				
80N 6475E	201 285	1	1.82	8	680	< 2	166	0.70	215	10	54				
80N 6500E	201 285	1	1.83	7	450	< 2	171	0.63	195	10	46				
81N 5800E	201 285	1	1.75	31	250	< 2	173	0.53	193	10	56				
81N 5825E	201 285	1	1.68	27	230	< 2	150	0.56	208	< 10	60				
81N 5850E	201 285	< 1	1.66	12	250	< 2	172	0.43	171	< 10	42				
81N 5875E	201 285	< 1	2.05	13	310	< 2	217	0.54	214	< 10	48				
81N 5900E	201 285	< 1	1.70	12	280	< 2	150	0.83	264	< 10	50				
81N 5925E	201 285	1	1.32	13	330	< 2	171	0.71	265	10	52				
81N 5950E	201 285	< 1	1.44	13	280	< 2	144	0.90	335	10	48				
81N 5975E	201 285	< 1	1.36	13	430	< 2	138	0.72	279	10	46				
81N 6000E	201 285	< 1	1.15	23	310	< 2	107	0.81	293	10	50				
82N 5550E	201 285	1	0.19	17	980	< 2	77	0.32	101	< 10	102				
82N 5575E	201 285	< 1	1.91	5	450	2	105	0.20	67	< 10	54				
82N 5600E	201 285	< 1	1.15	19	540	< 2	93	0.34	139	< 10	128				
82N 5625E	201 285	2	0.95	53	1060	4	206	0.48	205	10	172				
82N 5650E	201 285	4	1.06	27	1140	2	151	0.35	162	< 10	76				
82N 5675E	201 285	1	0.51	20	970	< 2	68	0.35	121	< 10	46				
82N 5700E	201 285	< 1	0.18	9	740	2	35	0.09	37	< 10	50				
82N 5725E	201 285	< 1	0.31	36	1000	4	52	0.11	44	< 10	40				
82N 5750E	201 285	< 1	0.02	1	100	< 2	4	< 0.01	4	< 10	4				

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number: 4-A
 Total Pages: 6
 Certificate Date: 22-MAY-95
 Invoice No.: 19517219
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
82N 5775E	201 285	< 0.2	4.98	320	< 0.5	2	2.73	< 0.5	17	165	11	4.80	0.73	2.19	1005
82N 5800E	201 285	< 0.2	4.57	340	< 0.5	4	2.71	< 0.5	20	61	14	7.12	0.71	2.03	1285
82N 5825E	201 285	< 0.2	5.42	410	< 0.5	2	2.32	0.5	16	55	12	6.45	0.81	1.53	900
82N 5850E	201 285	< 0.2	4.18	260	< 0.5	2	1.36	< 0.5	8	34	13	3.58	0.49	0.86	480
82N 5875E	201 285	< 0.2	7.35	310	< 0.5	< 2	1.92	< 0.5	12	52	22	5.89	0.73	1.30	710
82N 5900E	201 285	< 0.2	7.46	350	< 0.5	2	1.97	0.5	14	65	17	7.17	0.74	1.31	745
82N 5925E	201 285	< 0.2	4.60	530	< 0.5	2	1.70	< 0.5	13	58	12	5.38	1.02	1.22	940
82N 5950E	201 285	< 0.2	4.82	520	< 0.5	2	2.33	< 0.5	18	134	11	6.97	0.79	2.07	1135
82N 5975E	201 285	< 0.2	5.24	470	< 0.5	2	2.88	0.5	22	92	14	6.50	0.80	2.35	1185
82N 6000E	201 285	< 0.2	5.57	380	< 0.5	4	2.11	0.5	14	79	15	4.82	0.80	1.55	990
82N 6025E	201 285	< 0.2	5.82	400	0.5	6	2.48	< 0.5	17	79	10	3.91	1.00	1.82	1075
82N 6050E	201 285	< 0.2	4.77	310	< 0.5	4	1.41	< 0.5	11	41	9	6.01	0.77	0.90	745
84N 5500E	201 285	< 0.2	5.57	360	< 0.5	2	2.29	< 0.5	13	41	13	5.02	0.77	1.44	835
84N 5525E	201 285	< 0.2	4.49	210	< 0.5	< 2	3.40	< 0.5	27	98	17	8.54	0.57	2.77	1245
84N 5550E	201 285	< 0.2	4.74	240	< 0.5	4	2.02	< 0.5	17	111	47	6.99	0.31	1.96	710
84N 5575E	201 285	< 0.2	3.45	180	< 0.5	4	2.28	< 0.5	15	64	13	3.47	0.33	1.65	675
84N 5600E	201 285	< 0.2	4.93	240	< 0.5	2	3.97	0.5	34	184	27	10.75	0.46	3.39	1450
84N 5625E	201 285	< 0.2	2.87	100	< 0.5	< 2	2.26	< 0.5	16	13	23	4.49	0.26	1.14	840
84N 5650E	201 285	< 0.2	5.20	140	< 0.5	4	2.33	< 0.5	23	24	73	8.29	0.36	1.60	935
84N 5675E	201 285	< 0.2	7.26	310	0.5	4	2.39	< 0.5	18	56	34	7.06	0.73	1.72	940
84N 5700E	201 285	< 0.2	6.38	350	0.5	4	2.34	< 0.5	19	44	34	6.16	0.88	1.69	885
84N 5725E	201 285	< 0.2	7.48	290	0.5	4	1.86	0.5	13	87	43	3.79	0.62	1.48	605
84N 5750E	201 285	< 0.2	7.45	310	0.5	4	1.52	< 0.5	15	38	38	4.51	0.73	1.03	595
84N 5775E	201 285	< 0.2	4.80	350	< 0.5	< 2	2.05	< 0.5	13	40	9	5.66	0.85	1.29	880
84N 5800E	201 285	< 0.2	6.78	290	< 0.5	4	1.86	< 0.5	12	54	23	5.11	0.70	1.24	740
84N 5825E	201 285	< 0.2	5.17	370	< 0.5	4	1.93	< 0.5	13	47	9	6.14	0.89	1.43	980
84N 5850E	201 285	< 0.2	8.00	270	0.5	4	1.55	< 0.5	9	44	28	3.95	0.61	0.79	455
84N 5875E	201 285	< 0.2	6.04	310	0.5	2	1.84	< 0.5	23	34	32	3.14	0.66	1.07	805
84N 5900E	201 285	< 0.2	6.68	390	0.5	4	1.96	< 0.5	17	47	34	5.52	0.80	1.39	730
84N 5925E	201 285	< 0.2	6.28	350	0.5	4	2.36	< 0.5	17	71	29	4.43	0.71	1.52	765
84N 5950E	201 285	< 0.2	6.42	340	0.5	< 2	1.98	< 0.5	15	48	29	4.73	0.75	1.22	715
84N 5975E	201 285	< 0.2	6.33	350	0.5	< 2	2.11	< 0.5	19	72	32	4.03	0.62	1.33	770
84N 6000E	201 285	< 0.2	6.01	400	0.5	6	2.97	< 0.5	24	110	17	5.84	0.88	2.28	1150
86N 5500E	201 285	< 0.2	3.73	230	< 0.5	< 2	3.79	< 0.5	32	252	19	6.93	0.50	3.35	1110
86N 5525E	201 285	< 0.2	5.40	340	< 0.5	6	2.61	0.5	24	150	50	7.89	0.55	2.37	920
86N 5550E	201 285	< 0.2	6.80	340	0.5	6	1.96	0.5	14	63	32	5.57	0.73	1.44	710
86N 5575E	201 285	< 0.2	3.27	130	< 0.5	8	0.85	< 0.5	26	25	25	2.39	0.30	0.64	545
86N 5600E	201 285	< 0.2	5.18	290	< 0.5	2	2.11	< 0.5	15	60	21	3.83	0.66	1.67	750
86N 5625E	201 285	< 0.2	5.78	380	< 0.5	4	2.98	0.5	24	99	12	7.68	0.88	2.65	1105
86N 5650E	201 285	< 0.2	4.45	270	< 0.5	< 2	1.89	< 0.5	10	34	11	4.16	0.64	1.21	630

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

to: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 4-B
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : I9517219
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
82N 5775E	201 285	1	1.60	38	180	< 2	150	0.66	210	10	54				
82N 5800E	201 285	< 1	1.26	17	180	< 2	126	1.18	379	20	64				
82N 5825E	201 285	1	1.54	16	200	< 2	148	0.98	330	10	52				
82N 5850E	201 285	< 1	1.05	11	310	< 2	107	0.42	145	< 10	42				
82N 5875E	201 285	1	1.71	12	230	< 2	160	0.71	233	< 10	48				
82N 5900E	201 285	< 1	1.62	14	230	< 2	159	0.79	284	10	52				
82N 5925E	201 285	1	1.23	15	70	< 2	106	1.04	254	10	42				
82N 5950E	201 285	< 1	1.22	27	160	< 2	105	1.22	407	10	64				
82N 5975E	201 285	< 1	1.37	22	250	< 2	128	1.18	350	10	68				
82N 6000E	201 285	< 1	1.23	16	390	< 2	127	1.27	294	10	54				
82N 6025E	201 285	< 1	1.54	20	160	< 2	130	1.19	212	10	52				
82N 6050E	201 285	< 1	1.29	7	150	< 2	116	0.90	285	10	40				
84N 5500E	201 285	< 1	1.84	13	170	< 2	163	0.79	235	10	44				
84N 5525E	201 285	< 1	1.27	39	200	< 2	87	1.36	419	20	72				
84N 5550E	201 285	4	1.55	29	380	< 2	87	0.74	247	10	60				
84N 5575E	201 285	< 1	1.12	20	380	< 2	125	0.50	153	< 10	48				
84N 5600E	201 285	< 1	1.20	53	230	< 2	105	1.47	489	30	82				
84N 5625E	201 285	< 1	0.72	13	530	< 2	142	0.70	204	10	52				
84N 5650E	201 285	< 1	0.99	17	420	< 2	96	0.90	357	20	76				
84N 5675E	201 285	1	1.63	18	180	< 2	147	0.96	301	20	58				
84N 5700E	201 285	9	1.76	19	240	< 2	159	0.84	285	10	62				
84N 5725E	201 285	4	1.45	32	540	< 2	133	0.44	138	< 10	48				
84N 5750E	201 285	6	1.50	13	270	< 2	135	0.55	180	10	46				
84N 5775E	201 285	1	1.23	11	210	< 2	127	0.82	246	10	50				
84N 5800E	201 285	2	1.35	14	290	< 2	133	0.77	232	10	46				
84N 5825E	201 285	1	1.32	12	180	18	126	0.81	278	10	56				
84N 5850E	201 285	2	1.62	8	370	< 2	165	0.33	137	10	34				
84N 5875E	201 285	2	1.55	11	670	< 2	155	0.39	122	< 10	44				
84N 5900E	201 285	1	1.74	16	260	< 2	168	0.57	193	10	56				
84N 5925E	201 285	2	1.92	26	320	< 2	193	0.45	165	10	50				
84N 5950E	201 285	2	1.79	14	390	< 2	184	0.44	158	10	48				
84N 5975E	201 285	1	1.69	25	420	< 2	179	0.38	141	10	46				
84N 6000E	201 285	3	1.94	39	110	< 2	141	1.11	274	10	52				
86N 5500E	201 285	< 1	1.11	64	460	< 2	93	1.00	344	20	78				
86N 5525E	201 285	< 1	1.49	43	420	< 2	93	0.91	284	20	62				
86N 5550E	201 285	2	1.70	18	200	< 2	150	0.66	177	10	46				
86N 5575E	201 285	2	0.53	11	730	< 2	52	0.23	71	< 10	26				
86N 5600E	201 285	< 1	1.24	20	380	< 2	135	0.52	160	10	46				
86N 5625E	201 285	< 1	1.34	37	150	< 2	117	0.90	351	20	60				
86N 5650E	201 285	1	1.25	10	450	< 2	131	0.54	176	10	40				

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number: 5-A
 Total Pages: 6
 Certificate Date: 22-MAY-95
 Invoice No.: I9517219
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
86N 5675E	201 285	< 0.2	4.59	430	0.5	2	1.96	< 0.5	15	44	7	5.32	0.84	1.28	875
86N 5700E	201 285	< 0.2	5.85	340	0.5	2	2.02	< 0.5	16	54	10	7.10	0.87	1.42	875
86N 5725E	201 285	< 0.2	9.27	180	0.5	2	0.98	0.5	8	36	16	4.84	0.42	0.54	310
86N 5750E	201 285	< 0.2	5.75	380	0.5	2	2.24	0.5	16	45	13	7.08	0.83	1.59	985
86N 5775E	201 285	0.2	8.31	310	0.5	< 2	1.99	< 0.5	13	42	29	6.45	0.73	1.19	710
86N 5800E	201 285	< 0.2	4.97	340	0.5	< 2	2.52	< 0.5	19	69	8	6.10	2.28	1.85	1090
86N 5825E	201 285	< 0.2	6.57	360	< 0.5	< 2	1.79	0.5	11	36	18	4.73	0.83	1.18	670
86N 5850E	201 285	< 0.2	6.97	280	< 0.5	2	3.42	< 0.5	24	254	104	6.08	0.45	2.86	770
86N 5875E	201 285	< 0.2	3.19	150	< 0.5	2	1.88	< 0.5	14	76	98	2.57	0.25	1.12	360
86N 5900E	201 285	< 0.2	6.26	270	< 0.5	< 2	1.59	< 0.5	10	42	24	4.08	0.52	0.97	545
86N 5925E	201 285	< 0.2	5.51	260	< 0.5	< 2	3.05	0.5	26	152	115	4.78	0.35	2.12	920
86N 5950E	201 285	< 0.2	5.96	230	< 0.5	< 2	2.27	0.5	18	103	58	5.79	0.44	1.88	740
86N 5975E	201 285	< 0.2	5.33	260	< 0.5	4	2.94	0.5	25	112	101	4.27	0.35	1.89	725
86N 6000E	201 285	< 0.2	6.22	310	0.5	< 2	2.70	< 0.5	20	138	98	5.42	0.45	2.06	680
88N 5700E	201 285	< 0.2	5.08	270	< 0.5	< 2	3.08	0.5	19	98	26	6.21	0.91	2.37	950
88N 5725E	201 285	< 0.2	5.74	330	< 0.5	< 2	2.32	0.5	15	65	26	5.50	0.82	1.70	755
88N 5750E	201 285	< 0.2	3.05	110	< 0.5	< 2	1.55	< 0.5	12	25	27	3.67	0.29	1.05	480
88N 5775E	201 285	< 0.2	6.28	290	< 0.5	< 2	2.59	< 0.5	17	47	39	6.77	0.66	1.72	845
88N 5800E	201 285	< 0.2	10.25	140	0.5	4	0.86	0.5	7	25	121	2.40	0.40	0.50	285
88N 5825E	201 285	< 0.2	7.26	280	< 0.5	< 2	1.73	0.5	11	42	46	5.33	0.66	1.07	595
88N 5850E	201 285	< 0.2	4.03	200	< 0.5	< 2	2.34	< 0.5	20	29	41	5.60	0.48	1.70	790
88N 5875E	201 285	< 0.2	6.66	410	0.5	< 2	3.02	< 0.5	12	6	13	5.54	0.76	1.43	1100
88N 5900E	201 285	< 0.2	6.20	410	< 0.5	< 2	2.98	< 0.5	19	77	17	5.62	1.01	2.36	1135
88N 5925E	201 285	< 0.2	5.81	370	< 0.5	< 2	2.18	< 0.5	11	40	13	4.87	0.91	1.32	800
88N 5950E	201 285	< 0.2	7.02	450	0.5	2	2.16	< 0.5	12	38	20	3.95	1.01	1.40	845
88N 5975E	201 285	< 0.2	4.22	290	< 0.5	4	1.30	< 0.5	7	23	13	2.04	0.66	0.80	540
88N 6000E	201 285	< 0.2	5.73	390	< 0.5	< 2	2.51	0.5	16	57	17	5.09	0.94	1.87	870
90N 5500E	201 285	< 0.2	1.20	50	< 0.5	< 2	0.93	< 0.5	6	29	70	1.12	0.10	0.45	220
90N 5525E	201 285	< 0.2	5.49	360	< 0.5	< 2	2.19	< 0.5	11	44	10	3.74	0.94	1.35	790
90N 5550E	201 285	< 0.2	5.72	390	< 0.5	2	1.61	< 0.5	9	35	13	2.40	1.09	1.02	665
90N 5575E	201 285	< 0.2	5.35	400	< 0.5	< 2	2.01	< 0.5	13	50	10	3.10	1.13	1.65	810
90N 5600E	201 285	< 0.2	5.43	230	< 0.5	2	3.05	0.5	22	49	14	5.47	0.72	2.52	1335
90N 5625E	201 285	< 0.2	4.66	380	< 0.5	< 2	1.13	< 0.5	8	27	7	2.13	0.71	0.94	575
90N 5650E	201 285	< 0.2	3.72	210	< 0.5	< 2	3.78	< 0.5	30	125	12	7.07	0.60	3.52	1200
90N 5675E	201 285	< 0.2	2.67	160	< 0.5	< 2	3.29	0.5	23	171	22	6.65	0.35	2.83	1235
90N 5700E	201 285	< 0.2	5.64	250	< 0.5	< 2	2.04	< 0.5	14	88	29	9.10	0.61	1.61	780
90N 5725E	201 285	< 0.2	3.56	110	< 0.5	< 2	1.91	< 0.5	16	31	35	5.50	0.25	1.55	610
90N 5750E	201 285	< 0.2	5.12	170	< 0.5	< 2	3.14	0.5	25	70	35	9.41	0.40	2.68	1010
90N 5775E	201 285	< 0.2	4.21	170	< 0.5	2	1.74	< 0.5	14	43	33	6.40	0.37	1.40	590
90N 5800E	201 285	< 0.2	10.05	120	0.5	2	1.55	0.5	12	85	54	4.50	0.28	1.22	545

CERTIFICATION:

Hank Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project : 6004
Comments: ATTN: M. JONES

Page Number : 5-B
Total Pages : 6
Certificate Date: 22-MAY-95
Invoice No. : I9517219
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
86N 5675E	201 285	< 1	1.37	10	120	< 2	118	0.82	310	10	46				
86N 5700E	201 285	< 1	1.45	14	140	< 2	136	0.89	346	20	50				
86N 5725E	201 285	< 1	1.06	5	390	< 2	98	0.36	142	10	30				
86N 5750E	201 285	< 1	1.46	12	140	< 2	133	0.97	355	20	58				
86N 5775E	201 285	< 1	1.82	10	150	< 2	174	0.63	251	20	48				
86N 5800E	201 285	< 1	1.61	18	80	< 2	133	0.94	320	20	56				
86N 5825E	201 285	< 1	1.66	9	270	< 2	157	0.57	205	< 10	46				
86N 5850E	201 285	< 1	1.37	91	270	< 2	172	0.51	206	10	66				
86N 5875E	201 285	< 1	0.62	38	540	< 2	87	0.23	88	< 10	36				
86N 5900E	201 285	< 1	1.32	14	350	< 2	131	0.42	153	< 10	38				
86N 5925E	201 285	< 1	1.09	69	610	< 2	156	0.49	176	10	58				
86N 5950E	201 285	< 1	1.15	35	630	< 2	121	0.63	225	10	52				
86N 5975E	201 285	< 1	1.00	56	610	< 2	150	0.42	157	10	60				
86N 6000E	201 285	4	1.53	55	300	< 2	163	0.57	218	10	52				
88N 5700E	201 285	< 1	1.67	31	150	< 2	142	0.93	302	10	54				
88N 5725E	201 285	< 1	1.66	23	310	< 2	153	0.72	212	10	50				
88N 5750E	201 285	< 1	0.70	17	800	< 2	64	0.55	139	< 10	38				
88N 5775E	201 285	< 1	1.74	18	410	< 2	153	0.67	192	10	54				
88N 5800E	201 285	2	0.90	8	1170	< 2	77	0.23	80	< 10	26				
88N 5825E	201 285	< 1	1.38	16	580	< 2	130	0.51	178	< 10	46				
88N 5850E	201 285	1	1.18	23	440	< 2	99	0.72	228	10	62				
88N 5875E	201 285	1	2.30	3	190	< 2	214	0.77	263	10	56				
88N 5900E	201 285	1	1.79	25	180	< 2	153	1.06	260	10	72				
88N 5925E	201 285	2	1.87	10	180	< 2	172	0.70	235	10	42				
88N 5950E	201 285	3	1.97	13	270	< 2	182	0.73	182	< 10	52				
88N 5975E	201 285	2	1.03	7	710	< 2	104	0.53	103	< 10	40				
88N 6000E	201 285	1	1.75	27	190	< 2	153	0.72	215	< 10	52				
90N 5500E	201 285	< 1	0.18	14	860	12	34	0.12	42	< 10	36				
90N 5525E	201 285	< 1	1.67	13	280	< 2	146	0.79	221	10	46				
90N 5550E	201 285	< 1	1.61	7	530	4	136	0.75	143	< 10	36				
90N 5575E	201 285	< 1	1.57	14	430	2	122	0.82	182	< 10	46				
90N 5600E	201 285	< 1	1.57	14	690	< 2	121	1.10	249	< 10	72				
90N 5625E	201 285	< 1	1.72	8	170	< 2	95	0.81	148	< 10	28				
90N 5650E	201 285	< 1	1.07	55	480	< 2	64	1.22	349	20	64				
90N 5675E	201 285	< 1	0.70	27	450	< 2	50	1.58	373	20	76				
90N 5700E	201 285	< 1	1.33	18	280	< 2	136	1.02	386	20	54				
90N 5725E	201 285	< 1	0.63	26	1130	< 2	70	0.44	163	10	48				
90N 5750E	201 285	< 1	1.07	36	370	< 2	103	1.02	371	20	68				
90N 5775E	201 285	< 1	0.82	23	660	< 2	75	0.49	165	10	42				
90N 5800E	201 285	< 1	0.96	30	590	< 2	67	0.29	114	10	30				

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project : 6004
 Comments: ATTN: M. JONES

Page Number : 6-A
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : I9517219
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
90N 5825E	201 285	< 0.2	10.25	370	1.0	8	1.58	5.0	31	32	103	1.77	0.20	0.48	8270
90N 5850E	201 285	< 0.2	9.73	250	1.0	2	2.72	1.0	21	43	85	3.84	0.47	1.11	1090
90N 5875E	201 285	< 0.2	8.36	280	0.5	< 2	2.27	1.5	22	43	61	4.34	0.57	0.98	1535
90N 5900E	201 285	< 0.2	7.39	230	0.5	2	2.23	1.5	17	30	51	3.37	0.47	0.81	1530
90N 5925E	201 285	< 0.2	7.26	360	0.5	< 2	2.24	0.5	28	43	45	5.68	0.80	1.18	1555
90N 5950E	201 285	< 0.2	7.12	400	0.5	< 2	2.65	0.5	18	40	25	5.82	0.87	1.30	985
90N 5975E	201 285	< 0.2	9.95	250	1.0	4	1.77	1.0	25	29	35	4.62	0.59	0.78	620
90N 6000E	201 285	< 0.2	6.38	370	0.5	< 2	2.15	< 0.5	17	29	23	3.97	0.81	1.01	915
FCL350N 0800E	201 285	< 0.2	5.51	700	0.5	< 2	0.52	< 0.5	3	16	7	1.27	1.67	0.33	210
FCL350N 0825E	201 285	< 0.2	5.87	200	< 0.5	< 2	0.80	< 0.5	7	44	19	3.80	0.52	0.58	340
FCL350N 0850E	201 285	< 0.2	6.29	350	< 0.5	4	1.43	< 0.5	11	74	47	3.62	0.67	0.99	470
FCL350N 0875E	201 285	< 0.2	5.55	110	< 0.5	< 2	0.64	< 0.5	5	28	18	2.10	0.33	0.44	300
FCL350N 0900E	201 285	< 0.2	5.57	600	< 0.5	< 2	1.01	< 0.5	9	71	43	9.41	0.81	0.82	430
FCL350N 0925E	201 285	< 0.2	6.58	360	< 0.5	< 2	1.41	< 0.5	11	45	26	5.92	0.85	1.11	580
FCL350N 0950E	201 285	1.2	6.56	400	0.5	2	0.83	< 0.5	7	25	14	2.75	1.05	0.75	345
FCL350N 0975E	201 285	< 0.2	5.78	260	< 0.5	2	0.91	< 0.5	7	34	23	3.75	0.68	0.63	345
FCL350N 1000E	201 285	< 0.2	6.71	250	< 0.5	2	1.96	< 0.5	18	83	25	5.75	0.78	1.76	715
FCL350N 1025E	201 285	< 0.2	4.18	110	< 0.5	< 2	1.33	< 0.5	11	82	50	6.38	0.29	0.97	420
FCL350N 1050E	201 285	< 0.2	4.89	80	< 0.5	< 2	1.84	< 0.5	15	134	72	10.20	0.34	1.42	575
FCL350N 1075E	201 285	0.4	6.07	30	0.5	< 2	0.91	< 0.5	50	83	151	8.46	0.16	0.51	1005
FCL350N 1100E	201 285	0.6	3.98	150	< 0.5	< 2	1.27	< 0.5	12	68	47	5.57	0.44	1.02	535
FCL350N 1125E	201 285	< 0.2	6.83	170	< 0.5	< 2	1.19	< 0.5	18	109	111	7.33	0.45	1.21	835
FCL350N 1150E	201 285	0.4	4.88	110	< 0.5	2	3.18	0.5	26	175	46	9.12	0.37	2.56	1230
FCL350N 1175E	201 285	0.4	7.61	120	0.5	< 2	1.22	0.5	28	99	345	7.71	0.42	1.55	1190
FCL350N 1200E	201 285	< 0.2	7.24	170	0.5	< 2	2.21	0.5	30	140	315	7.06	0.52	2.02	1270
FCL350N 1225E	201 285	1.0	10.05	350	1.0	< 2	2.91	1.0	42	134	348	6.74	0.80	2.32	1080
FCL350N 1250E	201 285	< 0.2	5.43	170	< 0.5	< 2	2.67	< 0.5	21	127	55	8.03	0.44	2.07	945
FCL350N 1275E	201 285	< 0.2	4.28	60	< 0.5	< 2	4.01	0.5	34	158	40	7.88	0.28	3.40	1300
FCL350N 1300E	201 285	< 0.2	4.00	170	< 0.5	< 2	4.06	0.5	33	168	27	6.57	0.55	3.87	1150
FCL350N 1325E	201 285	< 0.2	5.97	90	< 0.5	< 2	1.43	0.5	16	147	74	10.15	0.33	1.46	665
FCL350N 1350E	201 285	< 0.2	5.81	240	< 0.5	< 2	1.85	< 0.5	17	112	70	7.25	0.68	1.68	755
FCL350N 1375E	201 285	< 0.2	6.16	490	0.5	2	1.42	< 0.5	12	69	37	4.68	1.26	1.30	695
FCL350N 1400E	201 285	< 0.2	4.55	180	< 0.5	< 2	1.09	< 0.5	13	55	81	4.61	0.53	1.00	710

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: M. JONES

Page Number : 6-B
Total Pages : 6
Certificate Date: 22-MAY-95
Invoice No. : I9517219
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9517219

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
90N 5825E	201 285	2	0.43	25	3320	6	32	0.12	60	< 10	124				
90N 5850E	201 285	1	1.23	29	1530	< 2	122	0.32	110	10	70				
90N 5875E	201 285	< 1	1.43	23	740	< 2	137	0.42	134	10	94				
90N 5900E	201 285	< 1	1.12	20	770	< 2	108	0.31	114	< 10	90				
90N 5925E	201 285	< 1	1.71	18	570	< 2	158	0.52	176	10	72				
90N 5950E	201 285	< 1	2.01	16	360	< 2	184	0.62	206	10	70				
90N 5975E	201 285	2	1.47	15	590	< 2	116	0.39	127	< 10	70				
90N 6000E	201 285	1	1.98	11	350	< 2	168	0.49	142	< 10	66				
FCL350M 0800E	201 285	< 1	2.32	3	260	4	86	0.42	87	< 10	16				
FCL350M 0825E	201 285	1	2.91	9	260	< 2	93	0.69	177	< 10	32				
FCL350M 0850E	201 285	2	2.39	17	250	< 2	109	0.91	275	< 10	56				
FCL350M 0875E	201 285	< 1	3.19	6	340	< 2	73	0.55	169	< 10	22				
FCL350M 0900E	201 285	6	1.23	13	440	< 2	82	0.69	306	10	46				
FCL350M 0925E	201 285	1	1.45	10	290	< 2	125	0.64	227	10	44				
FCL350M 0950E	201 285	< 1	2.63	8	530	< 2	87	0.40	109	< 10	36				
FCL350M 0975E	201 285	< 1	2.60	8	190	< 2	85	0.50	189	< 10	28				
FCL350M 1000E	201 285	< 1	1.33	24	280	< 2	132	0.95	285	10	56				
FCL350M 1025E	201 285	< 1	0.76	20	750	< 2	76	0.56	246	10	46				
FCL350M 1050E	201 285	< 1	0.81	25	560	< 2	92	0.98	485	20	60				
FCL350M 1075E	201 285	< 1	0.31	16	1240	< 2	40	0.34	216	10	48				
FCL350M 1100E	201 285	< 1	0.74	18	830	< 2	79	0.65	257	10	42				
FCL350M 1125E	201 285	< 1	0.94	23	590	< 2	84	0.73	287	10	52				
FCL350M 1150E	201 285	< 1	1.01	45	450	< 2	130	1.49	509	30	96				
FCL350M 1175E	201 285	< 1	0.70	33	840	< 2	86	0.49	236	20	72				
FCL350M 1200E	201 285	< 1	0.97	50	770	< 2	108	0.66	253	20	98				
FCL350M 1225E	201 285	< 1	0.97	51	770	< 2	128	0.72	268	20	104				
FCL350M 1250E	201 285	< 1	1.19	35	320	< 2	130	1.04	379	30	78				
FCL350M 1275E	201 285	< 1	0.89	62	480	< 2	86	1.34	384	20	92				
FCL350M 1300E	201 285	< 1	0.89	70	840	< 2	100	0.81	297	20	78				
FCL350M 1325E	201 285	< 1	0.95	25	390	< 2	75	0.95	353	30	66				
FCL350M 1350E	201 285	< 1	1.25	29	640	< 2	115	0.76	238	10	76				
FCL350M 1375E	201 285	< 1	1.49	20	450	< 2	108	0.53	153	10	60				
FCL350M 1400E	201 285	< 1	0.89	18	570	< 2	82	0.48	182	< 10	48				

CERTIFICATION: *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number: 1-A
 Total Pages: 6
 Certificate Date: 22-MAY-95
 Invoice No.: I9517220
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9517220

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
FCL440M 000E	201 285	< 0.2	4.76	760	< 0.5	< 2	0.30	< 0.5	1	6	5	0.62	2.02	0.14	285
FCL440M 025E	201 285	< 0.2	6.71	1060	0.5	2	0.25	< 0.5	1	1	2	0.67	2.21	0.16	130
FCL440M 050E	201 285	< 0.2	6.74	780	0.5	2	0.25	< 0.5	1	6	4	0.72	2.01	0.23	135
FCL440M 075E	201 285	< 0.2	6.66	860	0.5	2	0.64	< 0.5	3	10	2	0.87	2.56	0.47	195
FCL440M 100E	201 285	< 0.2	4.56	920	< 0.5	< 2	0.35	< 0.5	1	9	2	0.52	2.15	0.10	100
FCL440M 125E	201 285	< 0.2	1.15	150	< 0.5	< 2	0.40	< 0.5	1	4	5	0.30	0.32	0.15	105
FCL440M 150E	201 285	< 0.2	3.04	140	< 0.5	< 2	0.52	< 0.5	3	28	10	3.35	0.39	0.31	230
FCL440M 175E	201 285	< 0.2	5.51	540	0.5	< 2	0.82	< 0.5	5	22	7	3.09	1.41	0.47	360
FCL440M 200E	201 285	< 0.2	8.27	1440	1.0	4	0.19	< 0.5	6	14	9	2.39	2.62	0.50	270
FCL440M 225E	201 285	< 0.2	9.15	320	0.5	< 2	1.71	< 0.5	11	56	25	7.02	0.77	1.03	645
FCL440M 250E	201 285	< 0.2	6.36	350	0.5	< 2	2.00	0.5	13	44	14	7.78	0.93	1.39	940
FCL440M 275E	201 285	< 0.2	6.74	340	0.5	< 2	2.16	0.5	11	44	11	6.93	0.80	1.22	770
FCL440M 300E	201 285	< 0.2	5.66	1000	< 0.5	< 2	0.16	< 0.5	1	2	3	0.63	3.27	0.14	90
FCL440M 325E	201 285	< 0.2	6.56	510	< 0.5	< 2	1.22	< 0.5	8	47	12	5.34	1.25	0.78	535
FCL440M 350E	201 285	< 0.2	5.94	370	< 0.5	< 2	2.08	< 0.5	14	43	19	6.37	0.90	1.51	840
FCL440M 375E	201 285	< 0.2	6.43	330	0.5	< 2	2.33	< 0.5	13	44	19	5.81	0.73	1.41	780
FCL440M 400E	201 285	< 0.2	5.70	600	0.5	< 2	0.79	< 0.5	4	21	7	1.59	1.63	0.58	370
FCL440M 425E	201 285	< 0.2	7.24	290	0.5	< 2	1.45	< 0.5	9	33	21	3.60	0.72	0.90	580
FCL440M 450E	201 285	< 0.2	7.09	320	0.5	< 2	2.21	< 0.5	12	33	18	4.06	0.88	1.59	895
FCL440M 475E	201 285	< 0.2	4.24	360	< 0.5	< 2	0.79	< 0.5	4	10	6	1.96	0.88	0.47	335
FCL440M 500E	201 285	< 0.2	5.69	570	0.5	< 2	1.06	< 0.5	6	13	4	1.67	2.02	0.81	525
FCL440M 525E	201 285	< 0.2	4.87	570	< 0.5	< 2	0.64	< 0.5	2	9	6	1.40	1.43	0.31	215
FCL480MS 000M	201 285	< 0.2	3.78	130	< 0.5	< 2	2.63	< 0.5	21	103	37	6.01	0.45	1.83	855
FCL480MS 025M	201 285	< 0.2	5.18	330	< 0.5	< 2	3.23	0.5	23	87	18	8.81	0.85	2.57	1405
FCL480MS 050M	201 285	< 0.2	5.60	380	< 0.5	< 2	2.27	< 0.5	13	60	16	3.89	1.00	1.68	1055
FCL480MS 075M	201 285	< 0.2	4.30	250	0.5	< 2	1.90	< 0.5	9	22	9	2.57	0.62	0.94	980
FCL480MS 100M	201 285	< 0.2	5.74	390	0.5	< 2	2.31	< 0.5	15	62	15	5.61	1.02	1.95	1000
FCL480MS 125M	201 285	< 0.2	5.53	350	< 0.5	2	2.02	< 0.5	14	36	23	4.53	0.95	1.59	900
FCL480MS 150M	201 285	< 0.2	0.43	30	< 0.5	< 2	0.78	< 0.5	2	13	6	0.53	0.12	0.29	160
FCL480MS 175M	201 285	< 0.2	0.12	10	< 0.5	2	0.98	< 0.5	< 1	2	3	0.08	0.07	0.08	40
FCL480MS 200M	201 285	< 0.2	6.13	360	< 0.5	< 2	2.39	< 0.5	13	69	18	3.63	0.96	1.67	910
FCL480MS 225M	201 285	< 0.2	1.86	60	< 0.5	< 2	2.03	< 0.5	17	25	30	3.89	0.24	1.30	775
FCL480MS 250M	201 285	< 0.2	4.57	330	< 0.5	< 2	1.54	< 0.5	12	41	13	3.57	0.89	1.09	1000
FCL480MS 275M	201 285	< 0.2	3.75	250	< 0.5	< 2	1.74	< 0.5	13	47	14	4.34	0.68	1.44	1110
FCL480MS 300M	201 285	< 0.2	2.78	130	< 0.5	< 2	1.16	< 0.5	4	27	28	2.07	0.28	0.36	200
FCL480MS 325M	201 285	< 0.2	2.46	90	< 0.5	< 2	1.17	< 0.5	10	9	26	4.92	0.31	0.77	1050
FCL480MS 350M	201 285	< 0.2	4.38	80	< 0.5	< 2	3.16	0.5	22	17	19	7.99	0.27	1.48	1700
FCL480MS 375M	201 285	< 0.2	5.65	450	0.5	< 2	1.48	< 0.5	13	38	22	4.22	1.22	1.00	615
FCL480MS 400M	201 285	< 0.2	4.82	190	0.5	< 2	1.38	< 0.5	12	24	22	4.95	0.76	0.92	775
FCL480MS 425M	201 285	< 0.2	7.06	140	0.5	< 2	0.62	< 0.5	16	76	49	5.20	0.42	0.44	395

CERTIFICATION:

Paul Bunker



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project : 6004
 Comments: ATTN: M. JONES

Page Number : 1-B
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : I9517220
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517220

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
FCL440M 000E	201 285	< 1	1.08	< 1	140	4	59	0.34	34	< 10	16				
FCL440M 025E	201 285	< 1	1.84	< 1	190	2	78	0.30	35	< 10	14				
FCL440M 050E	201 285	3	1.68	1	290	4	65	0.28	42	< 10	20				
FCL440M 075E	201 285	3	1.98	1	240	6	80	0.22	53	< 10	16				
FCL440M 100E	201 285	6	1.49	2	350	4	57	0.22	41	< 10	8				
FCL440M 125E	201 285	< 1	0.35	2	500	4	35	0.14	20	< 10	18				
FCL440M 150E	201 285	9	0.40	4	870	< 2	42	0.35	76	< 10	24				
FCL440M 175E	201 285	7	1.27	5	200	< 2	77	0.38	122	< 10	28				
FCL440M 200E	201 285	4	0.57	7	370	8	29	0.17	50	< 10	50				
FCL440M 225E	201 285	4	1.65	10	160	< 2	147	0.78	247	< 10	42				
FCL440M 250E	201 285	< 1	1.55	13	190	< 2	156	0.88	305	< 10	54				
FCL440M 275E	201 285	< 1	2.00	8	130	< 2	203	0.76	252	< 10	48				
FCL440M 300E	201 285	3	1.70	< 1	180	10	63	0.15	31	< 10	10				
FCL440M 325E	201 285	1	1.27	7	160	< 2	106	0.63	207	< 10	32				
FCL440M 350E	201 285	< 1	1.69	15	180	< 2	178	0.63	230	< 10	56				
FCL440M 375E	201 285	< 1	1.98	15	290	< 2	218	0.49	190	< 10	52				
FCL440M 400E	201 285	< 1	1.29	7	90	4	90	0.45	93	< 10	24				
FCL440M 425E	201 285	< 1	1.42	8	260	< 2	127	0.47	145	< 10	32				
FCL440M 450E	201 285	< 1	1.81	9	250	< 2	171	0.71	185	< 10	52				
FCL440M 475E	201 285	< 1	1.01	6	410	4	82	0.37	87	< 10	22				
FCL440M 500E	201 285	1	1.47	3	300	8	92	0.55	108	< 10	28				
FCL440M 525E	201 285	< 1	1.55	4	200	4	87	0.23	56	< 10	20				
FCL480MS 000M	201 285	< 1	0.84	37	670	< 2	118	1.03	278	< 10	66				
FCL480MS 025M	201 285	< 1	1.33	30	120	< 2	148	1.10	450	< 10	76				
FCL480MS 050M	201 285	< 1	1.30	17	150	4	149	1.28	288	< 10	56				
FCL480MS 075M	201 285	< 1	1.40	9	220	< 2	164	1.19	142	< 10	42				
FCL480MS 100M	201 285	< 1	1.31	21	150	< 2	157	1.05	353	< 10	60				
FCL480MS 125M	201 285	< 1	1.19	10	380	< 2	140	0.80	281	< 10	58				
FCL480MS 150M	201 285	< 1	0.09	7	420	< 2	25	0.11	28	< 10	28				
FCL480MS 175M	201 285	< 1	0.03	3	420	< 2	18	< 0.01	3	< 10	26				
FCL480MS 200M	201 285	< 1	1.51	18	260	4	178	1.04	231	< 10	50				
FCL480MS 225M	201 285	< 1	0.39	22	270	< 2	49	0.87	184	< 10	68				
FCL480MS 250M	201 285	1	1.10	11	230	10	102	1.69	265	< 10	44				
FCL480MS 275M	201 285	< 1	0.76	12	230	4	87	1.47	379	< 10	50				
FCL480MS 300M	201 285	14	0.41	8	820	< 2	51	0.32	118	< 10	30				
FCL480MS 325M	201 285	< 1	0.49	9	780	< 2	46	2.12	254	< 10	60				
FCL480MS 350M	201 285	< 1	0.87	18	220	< 2	147	2.32	556	< 10	72				
FCL480MS 375M	201 285	1	1.88	15	200	< 2	98	0.91	246	< 10	44				
FCL480MS 400M	201 285	< 1	1.13	11	570	< 2	94	1.37	404	< 10	46				
FCL480MS 425M	201 285	21	0.54	10	660	14	49	0.43	252	< 10	46				

CERTIFICATION: John J. P. ...



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
 P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project : 6004
 Comments: ATTN: M. JONES

Page Number : 2-B
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : 19517220
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517220

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
FCL480MS 450M	201 285	< 1	0.34	25	200	< 2	53	1.10	210	< 10	56				
FCL480MS 475M	201 285	< 1	1.16	13	130	< 2	142	1.08	341	< 10	46				
FCL480MS 500M	201 285	< 1	0.58	11	130	< 2	70	1.22	287	< 10	34				
FCL480MS 525M	201 285	2	1.27	13	370	< 4	149	0.76	162	< 10	46				
FCL480MS 550M	201 285	3	0.65	3	450	< 2	51	0.20	49	< 10	16				
FCL480MS 575M	201 285	1	2.42	6	140	< 4	84	0.39	86	< 10	20				
FCL480MS 600M	201 285	1	1.94	2	490	< 2	51	0.24	41	< 10	16				
FCL480MS 625M	201 285	< 1	1.40	19	160	< 2	148	1.68	310	< 10	50				
FCL480MS 650M	201 285	< 1	1.02	23	250	< 2	118	1.34	518	< 20	60				
FCL480M 675E	201 285	< 1	0.85	12	780	< 2	101	0.72	114	< 10	28				
FCL480M 700E	201 285	2	0.88	9	190	< 8	60	2.14	268	< 10	28				
FCL480M 725E	201 285	1	1.23	6	510	< 6	75	0.71	149	< 10	24				
FCL480M 750E	201 285	< 1	0.79	17	170	< 2	81	1.57	339	< 10	38				
FCL485M 000E	201 285	1	1.06	1	400	< 14	45	0.21	62	< 10	44				
FCL485M 025E	201 285	1	1.18	1	170	< 4	56	0.24	34	< 10	12				
FCL485M 050E	201 285	2	1.11	4	330	< 12	71	0.73	86	< 10	18				
FCL485M 075E	201 285	1	2.12	1	290	< 4	82	0.24	28	< 10	10				
FCL485M 100E	201 285	1	1.25	8	250	< 2	100	0.57	207	< 10	36				
FCL485M 125E	201 285	1	1.35	13	190	< 2	214	0.89	300	< 10	52				
FCL485M 150E	201 285	5	1.32	11	200	< 6	125	0.67	210	< 10	48				
FCL485M 175E	201 285	< 1	1.06	18	180	< 2	109	0.86	273	< 10	54				
FCL485M 200E	201 285	< 1	0.52	4	310	< 2	49	0.33	79	< 10	26				
FCL485M 225E	201 285	< 1	0.31	2	520	< 4	27	0.04	12	< 10	26				
FCL500M 300E	201 285	< 1	0.10	2	410	< 2	34	0.07	27	< 10	24				
FCL500M 325E	201 285	< 1	1.46	11	110	< 2	137	0.73	258	< 10	44				
FCL500M 340E	201 285	< 1	1.39	10	210	< 2	138	1.06	209	< 10	38				
FCL500M 375E	201 285	< 1	0.72	15	210	< 2	79	0.93	432	< 20	52				
FCL500M 400E	201 285	< 1	1.82	11	170	< 2	206	0.45	201	< 10	46				
FCL500M 425E	201 285	< 1	1.59	6	110	< 2	134	0.82	232	< 10	42				
FCL500M 450E	201 285	< 1	1.65	6	240	< 8	115	0.55	109	< 10	34				
FCL500M 475E	201 285	< 1	1.23	7	160	< 2	127	0.57	208	< 10	34				
FCL500M 500E	201 285	< 1	2.36	7	100	< 2	224	0.53	220	< 10	44				
FCL520M 000E	201 285	< 1	1.15	8	250	< 2	101	0.49	188	< 10	30				
FCL520M 025E	201 285	< 1	1.73	4	730	< 8	91	0.28	53	< 10	14				
FCL520M 050E	201 285	< 1	1.58	< 1	260	< 8	113	0.15	27	< 10	4				
FCL520M 075E	201 285	1	1.58	< 1	200	< 16	79	0.24	29	< 10	8				
FCL520M 100E	201 285	1	0.34	1	280	< 38	24	0.19	26	< 10	26				
FCL520M 125E	201 285	2	1.16	5	240	< 10	66	0.33	58	< 10	14				
FCL520M 150E	201 285	1	2.18	1	300	< 12	106	0.15	26	< 10	12				
FCL520M 175E	201 285	< 1	1.86	< 1	170	< 10	82	0.18	33	< 10	8				

CERTIFICATION: Hartl Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 3-B
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : 19517220
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517220

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
FCL520M 200E	201 285	< 1	0.73	8	490	6	74	0.48	196	< 10	30				
FCL520M 225E	201 285	1	0.99	6	450	18	58	0.16	38	< 10	22				
FCL520M 250E	201 285	2	1.40	3	280	10	73	0.21	78	< 10	26				
FCL520M-025E A	201 285	< 1	3.35	< 1	130	6	205	0.58	116	< 10	16				
FCL520M-050E A	201 285	< 1	1.48	11	220	2	139	0.80	271	10	44				
FCL520M-075E A	201 285	< 1	1.23	15	110	4	132	1.03	358	10	50				
FCL520M-100E A	201 285	< 1	1.25	16	190	< 2	135	0.81	302	10	50				
FCL520M-125E A	201 285	< 1	4.55	9	200	4	448	0.58	171	< 10	32				
FCL520M-150E A	201 285	< 1	2.19	9	200	10	232	0.79	292	10	36				
FCL520M-175E A	201 285	< 1	1.35	13	230	4	143	0.76	249	10	46				
FCL520M-200E A	201 285	< 1	1.36	15	240	4	132	0.80	227	10	42				
FCL550M 0750E	201 285	< 1	1.08	24	230	6	122	1.79	266	10	48				
FCL550M 0775E	201 285	1	1.73	5	310	12	60	0.31	55	< 10	16				
FCL550M 0800E	201 285	< 1	1.35	20	160	2	174	1.00	337	10	54				
FCL550M 0825E	201 285	2	0.95	19	250	4	114	1.17	326	10	54				
FCL550M 0850E	201 285	1	1.11	16	610	6	123	0.88	227	10	44				
FCL550M 0875E	201 285	< 1	0.99	13	400	6	101	0.83	164	< 10	40				
FCL550M 0900E	201 285	< 1	1.56	7	380	6	102	0.61	96	< 10	14				
FCL550M 0925E	201 285	< 1	2.40	17	90	4	124	0.52	98	< 10	22				
FCL550M 0950E	201 285	3	2.58	4	90	6	77	0.36	94	< 10	12				
FCL550M 0975E	201 285	1	1.10	38	220	6	69	1.10	246	< 10	54				
FCL550M 1000E	201 285	< 1	2.49	3	90	6	75	0.39	69	< 10	16				
FCL550M 1025E	201 285	1	1.83	3	160	8	84	0.63	92	< 10	22				
FCL550M 1050E	201 285	1	0.82	26	150	4	62	1.77	494	10	56				
FCL550M 1075E	201 285	2	1.90	3	160	10	63	0.39	72	< 10	14				
FCL550M 1100E	201 285	< 1	1.13	8	80	6	67	1.17	166	< 10	24				
FCL550M 1125E	201 285	< 1	1.69	16	730	6	209	0.48	116	< 10	44				
FCL550M 1150E	201 285	3	0.97	16	180	< 2	122	1.14	404	10	52				
FCL550M 1175E	201 285	3	0.49	12	280	8	46	2.78	258	< 10	32				
FCL550M 1200E	201 285	2	1.97	< 1	70	6	79	0.24	27	< 10	4				
FCL550M 1225E	201 285	1	1.36	< 1	150	6	56	0.19	21	< 10	10				
FCL550M 1250E	201 285	1	1.50	6	170	12	114	1.32	151	< 10	24				
FCL550M 1275E	201 285	1	1.08	8	300	12	131	1.62	173	< 10	30				
FCL550M 1300E	201 285	< 1	0.73	26	150	4	95	1.62	340	10	50				
FCL550M 1325E	201 285	7	1.44	7	220	10	169	1.37	220	< 10	54				
FCL550M 1350E	201 285	10	0.91	14	200	10	130	1.40	282	< 10	46				
FCL550M 1375E	201 285	12	1.08	11	190	4	143	1.02	328	10	44				
FCL550M 1400E	201 285	2	0.75	15	120	< 2	86	1.42	471	10	54				
FCL550M 1425E	201 285	1	1.35	13	220	4	174	0.97	233	< 10	46				
FCL550M 1450E	201 285	< 1	0.06	2	500	6	29	0.10	20	< 10	18				

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number: 4-A
 Total Pages: 6
 Certificate Date: 22-MAY-95
 Invoice No.: I9517220
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9517220

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
FCL550M 1475E	201 285	< 0.2	2.17	50	< 0.5	< 2	1.14	< 0.5	9	6	18	2.60	0.19	0.50	470
FCL550M 1500E	201 285	< 0.2	5.96	450	< 0.5	< 2	2.10	< 0.5	12	40	12	3.39	1.09	1.43	925
FCL550M 2000E	201 285	< 0.2	5.21	280	< 0.5	< 2	1.70	< 0.5	11	63	25	7.64	0.63	1.22	680
FCL550M 2025E	201 285	< 0.2	5.15	390	< 0.5	< 2	1.84	< 0.5	9	55	17	4.08	0.89	1.29	745
FCL550M 2050E	201 285	< 0.2	6.18	390	< 0.5	< 2	2.00	< 0.5	11	56	19	3.84	0.88	1.34	760
FCL550M 2075E	201 285	< 0.2	4.64	400	< 0.5	< 2	1.18	< 0.5	6	32	15	1.87	0.89	0.63	500
FCL550M 2100E	201 285	< 0.2	6.15	380	0.5	< 2	0.80	< 0.5	7	32	22	3.09	1.04	0.74	400
FCL550M 2125E	201 285	< 0.2	6.63	290	< 0.5	< 2	1.96	< 0.5	13	89	34	8.60	0.64	1.46	875
FCL550M 2150E	201 285	< 0.2	4.16	310	< 0.5	< 2	1.66	< 0.5	11	52	7	4.48	0.69	1.36	950
FCL550M 2175E	201 285	< 0.2	6.89	620	< 0.5	< 2	0.81	< 0.5	6	25	8	2.19	1.80	0.74	365
FCL550M 2200E	201 285	< 0.2	5.91	310	< 0.5	< 2	2.20	< 0.5	13	54	16	3.63	0.69	1.56	855
FCL550M 2225E	201 285	< 0.2	6.59	540	0.5	< 2	0.66	< 0.5	7	22	15	3.44	1.49	0.60	325
FCL550M 2250E	201 285	< 0.2	6.09	560	0.5	< 2	0.61	< 0.5	4	18	9	1.65	1.49	0.48	270
FCL550M 2275E	201 285	< 0.2	5.59	220	< 0.5	< 2	1.86	< 0.5	14	101	54	10.30	0.53	1.41	735
FCL550M 2300E	201 285	< 0.2	4.14	420	< 0.5	< 2	1.44	< 0.5	9	39	7	5.09	0.80	1.16	710
FCL550M 2325E	201 285	< 0.2	4.95	470	< 0.5	< 2	1.76	< 0.5	9	40	8	2.26	1.08	1.16	705
FCL550M 2350E	201 285	< 0.2	5.76	610	< 0.5	< 2	1.96	< 0.5	15	47	16	4.78	1.53	1.62	745
FCL550M 2375E	201 285	< 0.2	4.54	1090	< 0.5	< 2	0.22	< 0.5	2	4	3	0.92	1.98	0.19	195
FCL550M 2400E	201 285	< 0.2	4.68	1080	< 0.5	< 2	0.33	< 0.5	3	10	3	0.98	2.09	0.28	165
FCL550M 2425E	201 285	< 0.2	6.02	980	< 0.5	< 2	0.25	< 0.5	2	9	4	1.72	1.95	0.20	175
FCL550M 2450E	201 285	< 0.2	3.11	380	< 0.5	< 2	0.32	< 0.5	1	6	10	1.29	0.84	0.21	220
FCL550M 2475E	201 285	< 0.2	4.15	480	< 0.5	< 2	0.40	< 0.5	4	6	11	1.70	1.08	0.28	510
FCL550M 2500E	201 285	< 0.2	5.01	2100	< 0.5	< 2	0.18	< 0.5	< 1	2	1	0.76	2.28	0.17	130
FCL550M 2525E	201 285	< 0.2	5.52	300	< 0.5	< 2	1.62	< 0.5	10	51	13	7.86	0.62	1.17	585
FCL550M 2550E	201 285	< 0.2	5.17	300	< 0.5	< 2	1.87	< 0.5	12	45	17	6.58	0.62	1.42	700
FCL550M 2575E	201 285	< 0.2	5.68	340	< 0.5	< 2	1.90	< 0.5	11	43	14	6.59	0.73	1.28	745
FCL550M 2600E	201 285	< 0.2	6.59	330	< 0.5	< 2	1.73	< 0.5	11	64	19	9.10	0.67	1.20	635
FCL550M 2625E	201 285	< 0.2	5.84	430	< 0.5	< 2	1.55	< 0.5	8	34	9	2.36	1.03	1.07	570
FCL550M 2650E	201 285	< 0.2	5.14	520	< 0.5	< 2	1.13	< 0.5	4	14	7	2.19	1.35	0.53	450
FCL550M 2675E	201 285	< 0.2	5.06	930	< 0.5	2	0.26	< 0.5	1	4	2	0.40	1.88	0.08	180
FCL550M 2700E	201 285	< 0.2	3.99	730	< 0.5	< 2	0.26	< 0.5	< 1	7	3	0.33	1.45	0.07	195
FCL550M 2725E	201 285	< 0.2	5.44	870	< 0.5	< 2	0.39	< 0.5	2	27	9	0.91	1.74	0.30	265
FCL550M 2750E	201 285	< 0.2	6.20	900	0.5	< 2	0.17	< 0.5	1	4	2	0.71	1.95	0.19	180
FCL550M 2775E	201 285	< 0.2	4.85	420	< 0.5	< 2	1.88	< 0.5	11	63	8	2.97	0.90	1.68	1010
FCL550M 2800E	201 285	< 0.2	5.46	270	< 0.5	< 2	1.99	0.5	14	74	16	7.88	0.59	1.56	870
FCL550M 2825E	201 285	< 0.2	5.71	420	< 0.5	< 2	1.84	< 0.5	10	33	10	2.60	0.85	1.28	980
FCL550M 2850E	201 285	< 0.2	4.70	430	< 0.5	< 2	1.61	< 0.5	7	42	8	2.03	0.89	1.09	755
FCL550M 2875E	201 285	< 0.2	4.93	1000	< 0.5	< 2	0.15	< 0.5	< 1	2	1	0.26	1.61	0.03	100
FCL550M 2900E	201 285	< 0.2	3.69	250	< 0.5	< 2	0.48	< 0.5	1	5	5	0.90	0.56	0.19	205
FCL550M 2925E	201 285	< 0.2	5.75	530	< 0.5	< 2	2.01	< 0.5	10	40	7	2.76	1.20	1.35	925

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. Box 49086, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 4-B
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : 19517220
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517220

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
FCL550M 1475E	201 285	< 1	0.49	7	1260	< 2	58	0.67	89	< 10	40				
FCL550M 1500E	201 285	< 1	1.53	13	190	6	159	1.17	218	< 10	44				
FCL550M 2000E	201 285	< 1	1.09	14	220	< 2	117	0.83	295	10	44				
FCL550M 2025E	201 285	2	1.30	13	220	8	150	0.95	269	< 10	42				
FCL550M 2050E	201 285	< 1	1.47	13	210	6	170	0.83	200	< 10	40				
FCL550M 2075E	201 285	< 1	1.34	8	270	8	126	0.60	100	< 10	26				
FCL550M 2100E	201 285	14	0.86	9	460	24	69	0.52	132	< 10	40				
FCL550M 2125E	201 285	< 1	1.25	16	220	< 2	138	1.01	330	10	52				
FCL550M 2150E	201 285	< 1	0.99	13	110	4	108	1.09	259	10	42				
FCL550M 2175E	201 285	17	1.38	5	180	12	86	0.48	124	< 10	34				
FCL550M 2200E	201 285	< 1	1.48	15	300	4	164	0.79	194	< 10	46				
FCL550M 2225E	201 285	10	1.14	9	350	10	65	0.39	129	< 10	46				
FCL550M 2250E	201 285	4	1.02	6	240	8	70	0.35	93	< 10	36				
FCL550M 2275E	201 285	< 1	0.84	19	380	< 2	92	1.08	358	20	56				
FCL550M 2300E	201 285	1	1.10	10	180	6	88	0.93	280	10	44				
FCL550M 2325E	201 285	11	1.38	11	330	8	145	0.90	143	< 10	36				
FCL550M 2350E	201 285	3	1.34	14	270	6	138	0.65	187	10	52				
FCL550M 2375E	201 285	1	1.64	3	130	6	68	0.21	38	< 10	18				
FCL550M 2400E	201 285	2	1.21	3	90	6	48	0.26	55	< 10	16				
FCL550M 2425E	201 285	1	1.49	1	180	8	66	0.33	79	< 10	20				
FCL550M 2450E	201 285	1	0.85	1	390	6	48	0.13	37	< 10	32				
FCL550M 2475E	201 285	1	1.03	3	620	12	57	0.17	45	< 10	38				
FCL550M 2500E	201 285	2	1.61	1	110	6	64	0.18	39	< 10	10				
FCL550M 2525E	201 285	< 1	1.14	11	420	4	131	0.69	212	10	44				
FCL550M 2550E	201 285	< 1	1.22	15	290	4	148	0.60	187	10	46				
FCL550M 2575E	201 285	< 1	1.54	13	280	< 2	158	0.68	226	10	46				
FCL550M 2600E	201 285	< 1	1.31	13	230	< 2	143	0.82	282	10	44				
FCL550M 2625E	201 285	2	1.32	11	260	14	137	0.74	133	< 10	36				
FCL550M 2650E	201 285	< 1	1.54	4	200	6	124	0.44	84	< 10	26				
FCL550M 2675E	201 285	< 1	2.06	< 1	280	8	80	0.30	37	< 10	6				
FCL550M 2700E	201 285	< 1	1.67	1	210	6	55	0.34	30	< 10	8				
FCL550M 2725E	201 285	< 1	1.61	6	380	16	69	0.67	87	< 10	16				
FCL550M 2750E	201 285	< 1	2.18	2	130	6	40	0.26	38	< 10	12				
FCL550M 2775E	201 285	< 1	1.30	13	210	4	106	1.11	184	< 10	42				
FCL550M 2800E	201 285	< 1	1.09	18	220	2	129	1.12	386	10	48				
FCL550M 2825E	201 285	< 1	1.37	8	160	6	139	1.38	215	< 10	42				
FCL550M 2850E	201 285	< 1	1.19	7	220	8	150	1.08	152	< 10	34				
FCL550M 2875E	201 285	< 1	2.66	1	170	10	62	0.16	16	< 10	4				
FCL550M 2900E	201 285	< 1	1.06	1	390	6	99	0.37	55	< 10	18				
FCL550M 2925E	201 285	< 1	1.67	10	190	10	158	1.03	156	< 10	38				

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number: 5-A
 Total Pages: 6
 Certificate Date: 22-MAY-95
 Invoice No.: I9517220
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9517220

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
FCL550M 2950E	201 285	< 0.2	4.70	770	< 0.5	< 2	0.45	< 0.5	1	7	3	0.55	1.39	0.14	250
FCL550M 2975E	201 285	< 0.2	5.39	940	< 0.5	< 2	0.89	< 0.5	6	19	7	2.20	1.30	0.60	395
FCL550M 3000E	201 285	< 0.2	6.19	550	< 0.5	< 2	1.36	< 0.5	8	30	17	4.55	1.02	0.98	520
FCL550M 3025E	201 285	< 0.2	3.85	480	< 0.5	< 2	0.67	< 0.5	2	20	6	1.49	0.84	0.35	320
KCL1 000E	201 285	< 0.2	8.80	150	0.5	< 2	1.56	< 0.5	12	81	118	3.47	0.32	1.04	425
KCL1 025E	201 285	< 0.2	7.80	150	0.5	< 2	1.61	< 0.5	13	78	66	5.42	0.29	1.07	530
KCL1 050E	201 285	< 0.2	6.52	210	0.5	2	1.54	< 0.5	161	48	174	5.67	0.35	0.91	>10000
KCL1 075E	201 285	< 0.2	4.36	220	< 0.5	< 2	2.15	< 0.5	18	16	32	7.50	0.48	1.26	1245
KCL1 100E	201 285	< 0.2	5.16	220	0.5	< 2	2.37	< 0.5	19	44	127	7.66	0.64	1.43	1075
KCL1 125E	201 285	< 0.2	6.29	290	< 0.5	< 2	3.13	< 0.5	25	69	118	5.97	0.66	1.94	1170
KCL1 150E	201 285	< 0.2	5.18	220	< 0.5	< 2	1.70	< 0.5	12	34	66	4.44	0.53	1.10	715
KCL1 175E	201 285	< 0.2	8.17	220	< 0.5	< 2	1.15	< 0.5	10	40	66	4.65	0.50	0.77	430
KCL1 200E	201 285	< 0.2	5.84	380	0.5	< 2	1.76	< 0.5	11	36	27	4.77	0.96	1.09	650
CL610MJ 000M	201 285	< 0.2	3.36	110	< 0.5	< 2	3.09	< 0.5	22	141	39	5.95	0.16	2.53	955
CL610MJ 025M	201 285	< 0.2	1.96	110	< 0.5	< 2	0.90	< 0.5	5	30	24	1.90	0.09	0.55	300
CL610MJ 050M	201 285	< 0.2	5.03	280	< 0.5	< 2	2.27	< 0.5	16	86	163	4.82	0.15	1.49	615
CL610MJ 075M	201 285	< 0.2	2.56	240	< 0.5	< 2	1.92	< 0.5	16	54	42	4.99	0.14	1.53	820
CL610MJ 100M	201 285	< 0.2	4.03	290	< 0.5	< 2	2.24	< 0.5	19	88	59	6.13	0.19	1.77	820
CL610MJ 125M	201 285	< 0.2	3.06	280	< 0.5	< 2	2.28	< 0.5	17	74	26	4.95	0.17	1.81	875
CL610MJ 175M	201 285	< 0.2	4.51	500	< 0.5	< 2	2.17	< 0.5	17	56	85	5.86	0.18	1.53	740
CL610MJ 200M	201 285	< 0.2	0.53	70	< 0.5	< 2	0.71	< 0.5	3	11	7	0.86	0.09	0.34	180
CL610MJ 225M	201 285	< 0.2	1.21	370	< 0.5	< 2	1.28	< 0.5	7	22	18	1.76	0.11	0.66	630
CL610MJ 250M	201 285	< 0.2	2.99	420	< 0.5	< 2	3.20	< 0.5	24	70	18	5.69	0.22	2.51	1050
CL610MJ 275M	201 285	< 0.2	1.14	160	< 0.5	< 2	1.12	< 0.5	7	19	12	2.00	0.09	0.75	440
CL610MJ 300M	201 285	< 0.2	3.29	260	< 0.5	< 2	2.24	< 0.5	15	55	15	4.26	0.33	1.71	680
CL610MJ 325M	201 285	< 0.2	4.25	920	< 0.5	< 2	2.47	< 0.5	13	50	23	5.81	0.40	1.85	845
CL610MJ 350M	201 285	< 0.2	5.02	200	< 0.5	< 2	3.36	< 0.5	16	64	53	5.87	0.15	1.58	710
CL610MJ 375M	201 285	< 0.2	6.14	400	< 0.5	< 2	4.02	< 0.5	16	70	78	6.05	0.64	1.20	865
CL610MJ 400M	201 285	< 0.2	3.06	290	< 0.5	< 2	2.87	< 0.5	7	42	16	3.24	0.62	0.69	355
CL610MJ 425M	201 285	< 0.2	4.62	290	< 0.5	< 2	3.76	< 0.5	17	85	29	6.30	0.53	2.00	890
CL610MJ 450M	201 285	< 0.2	4.56	220	< 0.5	< 2	2.13	< 0.5	14	60	47	4.60	0.27	1.45	635
CL610MJ 475M	201 285	< 0.2	6.53	360	< 0.5	< 2	2.85	< 0.5	20	83	85	6.19	0.48	1.90	915
CL610MJ 500M	201 285	< 0.2	5.19	190	< 0.5	< 2	3.56	< 0.5	19	84	96	4.24	0.18	1.67	670
CL610MJ 525M	201 285	< 0.2	7.93	320	1.0	< 2	2.39	< 0.5	17	59	132	5.35	0.60	1.64	805
CL610MJ 625M	201 285	< 0.2	6.46	270	0.5	< 2	1.44	< 0.5	9	35	41	5.48	0.65	0.61	525
CL610MJ 650M	201 285	< 0.2	3.50	260	< 0.5	< 2	1.96	< 0.5	9	34	14	3.73	0.49	0.90	870
CL610MJ 675M	201 285	< 0.2	7.72	230	0.5	< 2	2.53	0.5	17	125	64	5.32	0.48	1.58	765
CL610MJ 700M	201 285	< 0.2	3.98	160	< 0.5	< 2	3.08	< 0.5	8	46	25	4.05	0.32	0.91	805
CL610MJ 725M	201 285	< 0.2	6.35	200	0.5	< 2	6.69	< 0.5	17	68	91	5.85	0.37	1.41	1835
CL610MJ 750M	201 285	< 0.2	6.33	240	0.5	< 2	4.68	0.5	19	66	35	5.39	0.59	1.31	1605

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 5-B
 Total Pages : 6
 Certificate Date: 22-MAY-95
 Invoice No. : I9517220
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9517220

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
FCL550M 2950E	201 285	< 1	2.24	< 1	70	8	85	0.31	35	< 10	8				
FCL550M 2975E	201 285	< 1	2.27	7	120	10	102	0.47	116	< 10	24				
FCL550M 3000E	201 285	2	1.77	9	230	14	126	0.63	185	10	42				
FCL550M 3025E	201 285	< 1	1.29	4	240	10	108	0.69	91	< 10	18				
KCL1 000E	201 285	< 1	0.87	23	1120	2	89	0.34	104	< 10	42				
KCL1 025E	201 285	< 1	0.88	24	640	< 2	92	0.47	142	< 10	44				
KCL1 050E	201 285	2	0.96	17	1110	4	96	0.61	140	< 10	72				
KCL1 075E	201 285	< 1	1.41	9	610	< 2	143	1.20	204	10	78				
KCL1 100E	201 285	< 1	1.28	16	440	< 2	118	1.07	202	10	78				
KCL1 125E	201 285	< 1	1.91	30	600	< 2	203	0.69	204	10	70				
KCL1 150E	201 285	1	1.11	13	790	< 2	102	0.70	127	< 10	48				
KCL1 175E	201 285	1	1.15	15	380	4	95	0.43	129	< 10	42				
KCL1 200E	201 285	< 1	1.56	10	360	< 2	145	0.60	164	< 10	48				
CL610MJ 000M	201 285	< 1	0.71	43	300	< 2	81	0.76	254	20	80				
CL610MJ 025M	201 285	< 1	0.24	14	590	< 2	35	0.21	67	< 10	38				
CL610MJ 050M	201 285	< 1	0.71	39	900	< 2	96	0.44	154	10	78				
CL610MJ 075M	201 285	< 1	0.90	24	560	< 2	71	0.74	215	10	70				
CL610MJ 100M	201 285	1	0.78	37	810	< 2	84	0.77	259	10	74				
CL610MJ 125M	201 285	< 1	0.89	28	460	4	78	0.77	220	10	68				
CL610MJ 175M	201 285	1	0.78	29	870	< 2	89	0.67	226	10	74				
CL610MJ 200M	201 285	< 1	0.14	8	570	< 2	30	0.14	39	< 10	22				
CL610MJ 225M	201 285	< 1	0.19	13	710	< 2	36	0.23	68	< 10	42				
CL610MJ 250M	201 285	< 1	0.89	41	340	< 2	105	0.98	246	10	64				
CL610MJ 275M	201 285	< 1	0.33	13	420	4	43	0.30	89	< 10	34				
CL610MJ 300M	201 285	< 1	1.26	30	450	< 2	95	0.61	185	< 10	52				
CL610MJ 325M	201 285	2	1.64	17	300	< 2	149	0.92	303	10	62				
CL610MJ 350M	201 285	1	0.70	31	360	< 2	269	0.73	251	10	68				
CL610MJ 375M	201 285	< 1	0.69	29	420	< 2	206	0.52	163	20	118				
CL610MJ 400M	201 285	< 1	0.55	15	350	< 2	130	0.33	104	< 10	76				
CL610MJ 425M	201 285	< 1	0.74	34	320	6	116	0.78	245	10	100				
CL610MJ 450M	201 285	< 1	0.93	23	340	< 2	98	0.60	181	< 10	60				
CL610MJ 475M	201 285	< 1	1.48	32	380	4	171	0.80	227	10	80				
CL610MJ 500M	201 285	< 1	0.74	40	520	2	156	0.44	148	10	68				
CL610MJ 525M	201 285	< 1	1.33	26	540	< 2	164	0.63	172	10	110				
CL610MJ 625M	201 285	2	0.54	14	390	4	105	0.48	151	10	88				
CL610MJ 650M	201 285	< 1	0.82	11	290	4	116	0.78	212	< 10	70				
CL610MJ 675M	201 285	< 1	1.16	56	570	4	143	0.49	139	10	158				
CL610MJ 700M	201 285	< 1	0.54	16	480	4	96	0.39	115	< 10	104				
CL610MJ 725M	201 285	< 1	0.79	32	430	4	119	0.53	156	10	254				
CL610MJ 750M	201 285	< 1	0.73	36	560	2	165	0.46	133	10	220				

CERTIFICATION: 11/05/95



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brookbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number: 6-A
 Total Pages: 6
 Certificate Date: 22-MAY-95
 Invoice No.: 19517220
 P.O. Number:
 Account: GP

CERTIFICATE OF ANALYSIS A9517220

SAMPLE	PREP CODE	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
CL610MJ 775M	201 285	< 0.2	5.32	310	< 0.5	8	1.20	< 0.5	4	10	29	2.25	0.68	0.29	685
CL610MJ 800M	201 285	< 0.2	4.71	280	< 0.5	< 2	2.18	1.0	10	19	30	2.48	0.52	0.76	1040
8001N 6000E	201 285	< 0.2	6.22	270	< 0.5	< 2	1.65	< 0.5	11	51	24	6.61	0.58	1.11	630
8001N 6025E	201 285	< 0.2	7.06	380	< 0.5	< 2	1.97	< 0.5	13	62	23	6.00	0.65	1.30	705

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 6-B
 Total Pages : 6
 Certificate Date : 22-MAY-95
 Invoice No. : I9517220
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9517220

SAMPLE	PREP CODE	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)				
CL610M3 775M	201 285	1	1.77	4	580	12	140	0.22	43	< 10	66				
CL610M3 800M	201 285	< 1	1.34	12	820	4	142	0.27	68	< 10	74				
8001N 6000E	201 285	< 1	1.33	16	310	< 2	139	0.74	263	10	44				
8001N 6025E	201 285	< 1	1.66	18	260	< 2	155	0.75	233	10	54				

CERTIFICATION:

Hart Bickler

Conditional Statistics

Parameter : Ag
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.	Class	A v e r a g e	
	Lower	Upper				Above	Below
1	-1.00000	0.00000	0.500	0.500	(a)-0.00405	0.02321	-0.00405
2	0.00000	0.00000	0.200	0.700	(a) 0.00000	0.03865	-0.00290
3	0.00000	0.00000	0.200	0.899	(a) 0.00000	0.11544	-0.00225
4	0.00000	0.00000	0.050	0.949	(a) 0.00000	0.22933	-0.00213
5	0.00000	1.20000	0.051	1.000	(a) 0.22933		0.00959

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Al
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.	Class	A v e r a g e	
	Lower	Upper				Above	Below
1	-1.00	5.47	0.500	0.500	(a) 4.08	6.77	4.08
2	5.47	6.26	0.200	0.700	(a) 5.86	7.37	4.59
3	6.26	7.49	0.200	0.899	(a) 6.79	8.51	5.08
4	7.49	8.23	0.050	0.949	(a) 7.85	9.17	5.23
5	8.23	11.70	0.051	1.000	(a) 9.17		5.43

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Ba
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	390.00	0.500	0.500	(a)	251.01	644.14	251.01
2	390.00	520.00	0.200	0.700	(a)	446.66	775.51	306.91
3	520.00	760.00	0.200	0.899	(a)	626.82	1070.87	378.00
4	760.00	870.00	0.050	0.949	(a)	815.00	1323.33	401.00
5	870.00	6660.00	0.051	1.000	(a)	1323.33		447.71

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Ca
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	1.36	0.500	0.500	(a)	0.75	2.19	0.75
2	1.36	1.85	0.200	0.700	(a)	1.60	2.58	0.99
3	1.85	2.51	0.200	0.899	(a)	2.12	3.50	1.24
4	2.51	3.09	0.050	0.949	(a)	2.77	4.23	1.32
5	3.09	11.05	0.051	1.000	(a)	4.23		1.47

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Cd
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.000	0.000	0.500	0.500	(a)	-0.004	0.314	-0.004
2	0.000	0.000	0.200	0.700	(a)	0.000	0.522	-0.003
3	0.000	0.500	0.200	0.899	(a)	0.297	0.970	0.064
4	0.500	1.000	0.050	0.949	(a)	0.601	1.333	0.092
5	1.000	5.000	0.051	1.000	(a)	1.333		0.155

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Co
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	9.00	0.500	0.500	(a)	4.16	15.11	4.16
2	9.00	12.00	0.200	0.700	(a)	10.30	18.31	5.92
3	12.00	18.00	0.200	0.899	(a)	14.22	26.43	7.76
4	18.00	22.00	0.050	0.949	(a)	19.64	33.13	8.39
5	22.00	161.00	0.051	1.000	(a)	33.13		9.64

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Cr
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	35.00	0.500	0.500	(a)	16.53	71.40	16.53
2	35.00	48.00	0.200	0.700	(a)	41.72	91.14	23.73
3	48.00	70.00	0.200	0.899	(a)	57.24	158.48	31.18
4	70.00	95.00	0.050	0.949	(a)	80.12	235.79	33.75
5	95.00	2410.00	0.051	1.000	(a)	235.79		43.98

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Cu
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	14.00	0.500	0.500	(a)	7.15	37.10	7.15
2	14.00	23.00	0.200	0.700	(a)	17.63	50.05	10.14
3	23.00	46.00	0.200	0.899	(a)	30.90	88.11	14.75
4	46.00	70.00	0.050	0.949	(a)	54.28	121.48	16.83
5	70.00	429.00	0.051	1.000	(a)	121.48		22.13

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Fe
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	4.03	0.500	0.500	(a)	2.00	6.00	2.00
2	4.03	5.39	0.200	0.700	(a)	4.75	6.83	2.79
3	5.39	6.97	0.200	0.899	(a)	6.05	8.36	3.51
4	6.97	7.95	0.050	0.949	(a)	7.42	9.29	3.72
5	7.95	16.45	0.051	1.000	(a)	9.29		4.00

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : K
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	0.89	0.500	0.500	(a)	0.57	1.48	0.57
2	0.89	1.22	0.200	0.700	(a)	1.05	1.77	0.71
3	1.22	1.78	0.200	0.899	(a)	1.46	2.38	0.87
4	1.78	2.08	0.050	0.949	(a)	1.92	2.84	0.93
5	2.08	6.70	0.051	1.000	(a)	2.84		1.03

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Mg
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.000	0.850	0.500	0.500	(a)	0.423	1.405	0.423
2	0.850	1.160	0.200	0.700	(a)	1.009	1.669	0.590
3	1.160	1.640	0.200	0.899	(a)	1.372	2.259	0.764
4	1.640	1.950	0.050	0.949	(a)	1.774	2.738	0.817
5	1.950	8.350	0.051	1.000	(a)	2.738		0.914

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Mn
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	600.00	0.500	0.500	(a)	355.65	959.99	355.65
2	600.00	765.00	0.200	0.700	(a)	682.55	1144.53	449.05
3	765.00	1090.00	0.200	0.899	(a)	888.06	1654.03	546.61
4	1090.00	1275.00	0.050	0.949	(a)	1167.16	2134.40	579.27
5	1275.00	10000.00	0.051	1.000	(a)	2134.40		658.02

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Mo
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	0.00	0.500	0.500	(a)	-0.00	3.18	-0.00
2	0.00	1.00	0.200	0.700	(a)	0.88	4.71	0.25
3	1.00	4.00	0.200	0.899	(a)	2.23	9.63	0.69
4	4.00	8.00	0.050	0.949	(a)	5.45	13.76	0.94
5	8.00	40.00	0.051	1.000	(a)	13.76		1.59

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Na
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	1.24	0.500	0.500	(a)	0.81	1.67	0.81
2	1.24	1.48	0.200	0.700	(a)	1.36	1.88	0.96
3	1.48	1.88	0.200	0.899	(a)	1.64	2.34	1.11
4	1.88	2.15	0.050	0.949	(a)	2.00	2.69	1.16
5	2.15	4.70	0.051	1.000	(a)	2.69		1.24

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Ni
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	9.00	0.500	0.500	(a)	4.03	20.52	4.03
2	9.00	13.00	0.200	0.700	(a)	10.90	26.93	5.99
3	13.00	23.00	0.200	0.899	(a)	16.36	47.91	8.30
4	23.00	31.00	0.050	0.949	(a)	26.84	68.69	9.27
5	31.00	480.00	0.051	1.000	(a)	68.69		12.28

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : P
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	280.00	0.500	0.500	(a)	183.85	514.49	183.85
2	280.00	390.00	0.200	0.700	(a)	331.28	636.36	225.97
3	390.00	640.00	0.200	0.899	(a)	487.94	931.21	284.19
4	640.00	780.00	0.050	0.949	(a)	703.92	1155.47	306.28
5	780.00	10000.00	0.051	1.000	(a)	1155.47		349.28

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Pb
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	4.00	0.500	0.500	(a)	0.46	9.13	0.46
2	4.00	6.00	0.200	0.700	(a)	4.37	12.29	1.57
3	6.00	10.00	0.200	0.899	(a)	7.52	21.76	2.90
4	10.00	14.00	0.050	0.949	(a)	12.27	31.12	3.39
5	14.00	316.00	0.051	1.000	(a)	31.12		4.79

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Sr
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	106.00	0.500	0.500	(a)	70.52	150.13	70.52
2	106.00	131.00	0.200	0.700	(a)	118.61	171.09	84.26
3	131.00	171.00	0.200	0.899	(a)	148.46	216.04	98.53
4	171.00	199.00	0.050	0.949	(a)	181.62	250.00	102.90
5	199.00	813.00	0.051	1.000	(a)	250.00		110.35

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Ti
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.000	0.580	0.500	0.500	(a)	0.363	0.883	0.363
2	0.580	0.740	0.200	0.700	(a)	0.656	1.035	0.446
3	0.740	1.010	0.200	0.899	(a)	0.849	1.404	0.536
4	1.010	1.200	0.050	0.949	(a)	1.095	1.709	0.565
5	1.200	4.080	0.051	1.000	(a)	1.709		0.623

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : V
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	170.00	0.500	0.500	(a)	94.27	257.62	94.27
2	170.00	223.00	0.200	0.700	(a)	196.35	298.37	123.44
3	223.00	305.00	0.200	0.899	(a)	258.91	376.74	153.54
4	305.00	353.00	0.050	0.949	(a)	327.92	424.92	162.72
5	353.00	697.00	0.051	1.000	(a)	424.92		176.00

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Zn
 Class Type : Freq.


Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	-1.00	42.00	0.500	0.500	(a)	25.50	67.69	25.50
2	42.00	52.00	0.200	0.700	(a)	46.51	81.78	31.50
3	52.00	78.00	0.200	0.899	(a)	61.34	122.40	38.13
4	78.00	102.00	0.050	0.949	(a)	86.57	157.76	40.68
5	102.00	370.00	0.051	1.000	(a)	157.76		46.61

<Q> => Return

<P> => Print

APPENDIX D
GEOCHEMICAL RESULTS AND STATISTICAL ANALYSIS
STREAM SEDIMENT SAMPLES



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

A9515985

Comments: ATTN: MURRAY JONES

CERTIFICATE

A9515985

(GP) - WESTMIN RESOURCES LTD.

Project: 6004 MOSS
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 4-MAY-95.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	27	Dry, sieve to -80 mesh
222	27	Drying charge (0-3 Kg)
229	27	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	27	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
100	0	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
2118	27	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	27	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	27	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	27	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	27	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	27	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	27	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	27	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	27	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	27	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	27	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	27	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	27	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	27	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	27	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	27	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	27	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	27	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	27	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	27	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	27	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	27	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	27	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	27	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	27	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	27	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	27	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	27	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	27	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	27	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	27	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	27	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

to: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project : 6004 MOSS
 Comments: ATTN: MURRAY JONES

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 04-MAY-95
 Invoice No. : 19515985
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515985

SAMPLE	PREP CODE		Au ppb	Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg
	FA+AA	FA+AA	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%
ST-01	201	222	< 5	-----	< 0.2	2.40	2	60	0.5	< 2	0.38	< 0.5	36	11	24	2.19	< 10	< 1	0.07	< 10	0.18
ST-02	201	222	< 5	-----	< 0.2	1.63	2	30	< 0.5	< 2	0.21	< 0.5	24	10	19	2.81	< 10	1	0.11	< 10	0.23
ST-03	201	222	< 5	-----	< 0.2	2.47	2	70	< 0.5	< 2	0.35	< 0.5	26	33	40	3.17	< 10	< 1	0.10	< 10	0.58
ST-04	201	222	< 5	-----	< 0.2	1.70	2	80	< 0.5	< 2	0.74	< 0.5	15	30	85	3.79	< 10	< 1	0.06	< 10	0.78
ST-05	201	222	< 5	-----	< 0.2	1.83	2	60	< 0.5	< 2	0.93	< 0.5	14	47	73	2.89	< 10	< 1	0.06	< 10	0.85
ST-06	201	222	< 5	-----	< 0.2	2.66	2	50	0.5	4	1.66	< 0.5	19	118	141	2.99	< 10	< 1	0.03	< 10	1.31
ST-07	201	222	< 5	-----	< 0.2	2.20	2	50	0.5	< 2	0.87	< 0.5	9	17	28	2.24	< 10	< 1	0.04	10	0.54
ST-08	201	222	< 5	-----	< 0.2	1.77	2	100	< 0.5	2	0.88	< 0.5	16	30	86	3.93	< 10	< 1	0.07	< 10	0.78
ST-09	201	222	< 5	-----	< 0.2	2.28	2	160	1.0	< 2	0.74	< 0.5	52	26	34	4.58	< 10	< 1	0.08	< 10	0.22
ST-11	201	222	< 5	-----	< 0.2	1.88	18	110	0.5	2	0.86	0.5	12	26	67	3.03	< 10	< 1	0.06	< 10	0.66
ST-12	201	222	< 5	-----	0.2	1.95	4	90	< 0.5	< 2	0.64	< 0.5	11	23	79	2.60	< 10	< 1	0.07	< 10	0.87
ST-13	201	222	< 5	-----	< 0.2	2.61	2	80	0.5	< 2	0.44	< 0.5	34	18	49	3.25	< 10	< 1	0.11	< 10	0.45
ST-14	201	222	< 5	-----	< 0.2	2.83	18	40	1.0	2	0.87	< 0.5	21	37	44	3.36	< 10	< 1	0.09	< 10	0.66
ST-15	201	222	< 5	-----	< 0.2	2.48	4	60	1.0	< 2	0.30	0.5	36	4	28	1.76	< 10	< 1	0.08	< 10	0.09
ST-16	201	222	< 5	-----	< 0.2	1.36	2	70	< 0.5	< 2	0.55	< 0.5	11	22	31	4.22	< 10	< 1	0.05	< 10	0.34
ST-17	201	222	< 5	-----	< 0.2	1.90	8	80	0.5	< 2	0.34	< 0.5	15	4	15	1.73	< 10	< 1	0.08	< 10	0.24
ST-18	201	222	< 5	-----	< 0.2	2.45	8	30	0.5	2	0.98	< 0.5	16	19	55	3.78	< 10	< 1	0.09	< 10	0.67
ST-19	201	222	< 5	-----	< 0.2	2.07	2	100	2.0	< 2	0.41	< 0.5	3	2	4	0.95	< 10	< 1	0.06	20	0.06
ST-20	201	222	< 5	-----	< 0.2	1.65	2	40	< 0.5	< 2	0.60	< 0.5	12	50	32	8.13	< 10	< 1	0.05	< 10	0.28
ST-21	201	222	< 5	-----	< 0.2	2.97	8	70	1.5	< 2	1.12	0.5	8	17	19	2.39	< 10	1	0.10	10	0.15
ST-22	201	222	< 5	-----	< 0.2	4.81	14	110	2.0	< 2	1.89	0.5	17	19	32	1.79	< 10	< 1	0.07	10	0.17
ST-23	201	222	< 5	-----	< 0.2	2.27	22	80	0.5	< 2	2.81	1.5	8	25	36	2.07	< 10	< 1	0.04	10	1.71
ST-24	201	222	< 5	-----	< 0.2	1.01	2	20	< 0.5	< 2	0.16	< 0.5	1	7	6	1.59	< 10	< 1	0.09	< 10	0.15
ST-25	201	222	< 5	-----	< 0.2	2.24	2	50	< 0.5	< 2	0.31	< 0.5	23	28	59	4.58	10	< 1	0.09	< 10	0.88
ST-25A	201	222	< 5	-----	< 0.2	2.21	6	60	1.0	< 2	0.36	< 0.5	30	21	40	3.14	< 10	< 1	0.12	< 10	0.50
ST-26	201	222	25	-----	< 0.2	1.80	2	60	< 0.5	2	0.57	< 0.5	15	20	94	4.06	< 10	< 1	0.09	< 10	0.67
ST-27	201	222	< 5	-----	< 0.2	2.55	6	80	1.0	< 2	0.60	0.5	17	46	77	2.18	< 10	< 1	0.09	20	0.36

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4


Project: 6004 MOSS
 Comments: ATTN: MURRAY JONES

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 04-MAY-95
 Invoice No. : 19515985
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9515985

SAMPLE	PREP		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
ST-01	201	222	2600	2	0.01	3	560	14	< 2	2	19	0.07	< 10	< 10	53	< 10	46
ST-02	201	222	1070	1	0.01	2	640	6	< 2	2	15	0.10	< 10	< 10	77	< 10	18
ST-03	201	222	1950	4	0.01	9	640	12	< 2	3	25	0.07	< 10	< 10	73	< 10	54
ST-04	201	222	670	1	0.02	15	610	4	< 2	4	20	0.14	< 10	< 10	111	10	64
ST-05	201	222	585	< 1	0.03	22	410	6	< 2	4	25	0.15	< 10	< 10	82	< 10	54
ST-06	201	222	465	< 1	0.06	53	520	10	< 2	7	45	0.25	< 10	< 10	91	10	56
ST-07	201	222	745	2	0.01	7	380	4	2	3	51	0.11	< 10	< 10	48	< 10	36
ST-08	201	222	600	1	0.02	16	610	6	2	4	25	0.15	< 10	< 10	124	10	66
ST-09	201	222	>10000	4	0.01	23	790	10	4	3	52	0.07	< 10	20	82	10	48
ST-11	201	222	875	1	0.01	18	570	6	2	4	19	0.12	< 10	< 10	90	< 10	108
ST-12	201	222	560	< 1	0.01	12	880	14	6	3	26	0.12	< 10	< 10	82	< 10	52
ST-13	201	222	2760	4	0.01	7	890	18	2	4	26	0.09	< 10	< 10	79	< 10	52
ST-14	201	222	1220	8	0.01	11	740	22	2	4	31	0.11	< 10	< 10	71	< 10	48
ST-15	201	222	3040	6	0.01	2	1050	16	< 2	1	15	0.03	< 10	< 10	28	< 10	24
ST-16	201	222	545	1	0.02	4	380	4	2	3	22	0.12	< 10	< 10	161	< 10	26
ST-17	201	222	4780	5	0.01	1	680	12	4	2	17	0.03	< 10	< 10	32	< 10	42
ST-18	201	222	855	5	0.02	8	470	10	4	6	38	0.23	< 10	< 10	129	10	34
ST-19	201	222	3960	6	< 0.01	1	690	14	< 2	1	21	0.01	< 10	30	12	< 10	26
ST-20	201	222	525	1	0.02	7	370	22	2	3	20	0.13	< 10	< 10	353	10	58
ST-21	201	222	890	2	0.01	7	590	10	2	3	24	0.06	< 10	< 10	64	< 10	104
ST-22	201	222	2080	1	0.01	14	870	10	2	5	37	0.04	< 10	< 10	37	10	150
ST-23	201	222	1350	< 1	0.01	22	1060	6	< 2	4	29	0.06	< 10	< 10	60	10	100
ST-24	201	222	135	1	0.01	1	660	8	< 2	1	10	0.08	< 10	< 10	53	< 10	12
ST-25	201	222	1115	3	0.01	10	540	8	2	6	17	0.08	< 10	< 10	125	10	44
ST-25A	201	222	3020	7	0.01	7	1000	20	< 2	3	19	0.06	< 10	< 10	64	< 10	38
ST-26	201	222	860	2	0.01	9	440	12	< 2	5	24	0.14	< 10	< 10	126	< 10	54
ST-27	201	222	2780	3	0.02	19	660	20	2	2	17	0.04	< 10	< 10	57	< 10	36

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 12-MAY-95
 Invoice No. : 19516548
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9516548

SAMPLE	PREP CODE		Au ppb	Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg
			FA+AA	FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%
ST-28	201	229	< 5	-----	< 0.2	3.42	16	60	< 0.5	< 2	1.05	< 0.5	22	98	165	3.23	< 10	< 1	0.04	< 10	1.25
ST-29	201	229	< 5	-----	< 0.2	2.98	8	60	< 0.5	< 2	0.85	< 0.5	11	27	111	2.50	< 10	< 1	0.04	< 10	0.55
ST-30	201	229	< 5	-----	< 0.2	3.81	18	70	< 0.5	< 2	2.22	0.5	18	57	134	3.42	< 10	< 1	0.03	< 10	1.13
ST-31	201	229	< 5	-----	< 0.2	3.08	< 2	70	< 0.5	< 2	1.05	< 0.5	23	20	37	3.31	< 10	< 1	0.05	< 10	0.38
ST-32	201	229	< 5	-----	< 0.2	1.77	< 2	30	< 0.5	< 2	0.83	< 0.5	9	26	26	6.02	< 10	< 1	0.04	< 10	0.39
ST-33	201	229	< 5	-----	< 0.2	2.55	32	60	< 0.5	< 2	1.58	0.5	14	22	66	3.58	< 10	2	0.10	< 10	0.77
ST-34	201	229	< 5	-----	< 0.2	1.49	14	80	< 0.5	< 2	0.40	0.5	14	11	24	2.45	< 10	< 1	0.10	10	0.24
ST-35	201	229	< 5	-----	< 0.2	1.35	2	50	< 0.5	< 2	0.50	< 0.5	10	17	18	3.58	< 10	< 1	0.05	< 10	0.31
ST-36	201	229	< 5	-----	< 0.2	1.62	< 2	30	< 0.5	< 2	0.42	< 0.5	19	24	54	3.48	< 10	< 1	0.08	< 10	0.52
ST-37	201	229	< 5	-----	< 0.2	1.21	4	20	< 0.5	< 2	0.37	< 0.5	12	20	29	2.84	< 10	< 1	0.05	< 10	0.32
ST-38	201	229	< 5	-----	0.2	1.87	324	380	< 0.5	< 2	0.98	0.5	14	51	104	3.32	< 10	< 1	0.08	< 10	1.10
ST-39	201	229	< 5	-----	0.2	2.58	160	200	< 0.5	< 2	1.12	0.5	11	20	80	2.67	< 10	< 1	0.05	10	0.30
ST-40	201	229	< 5	-----	< 0.2	3.16	18	100	< 0.5	< 2	1.75	1.0	13	24	57	2.04	< 10	< 1	0.08	< 10	0.31
ST-41	201	229	< 5	-----	< 0.2	2.94	4	70	< 0.5	< 2	1.59	1.0	19	43	140	3.44	< 10	< 1	0.04	< 10	0.74
ST-42	201	229	< 5	-----	< 0.2	2.99	14	30	< 0.5	4	1.83	< 0.5	18	65	127	3.19	< 10	< 1	0.03	< 10	0.99
ST-43	201	229	< 5	-----	< 0.2	2.77	14	50	< 0.5	< 2	1.22	< 0.5	11	12	35	2.41	< 10	< 1	0.04	< 10	0.36
ST-44	201	229	< 5	-----	< 0.2	3.01	16	30	< 0.5	< 2	1.77	< 0.5	13	55	123	3.31	< 10	< 1	0.07	< 10	0.98
ST-45	201	229	< 5	-----	< 0.2	3.02	4	30	< 0.5	< 2	1.84	< 0.5	12	57	117	3.32	< 10	< 1	0.08	< 10	0.99
ST-46	201	229	< 5	-----	< 0.2	2.49	2	50	< 0.5	< 2	1.15	< 0.5	7	12	34	3.22	< 10	< 1	0.03	< 10	0.32

CERTIFICATION:

[Handwritten Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: M. JONES

Page Number : 1-B
Total Pages : 1
Certificate Date: 12-MAY-95
Invoice No. : 19516548
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9516548

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
ST-28	201	229	520	< 1	0.02	62	470	4	2	7	45	0.22	< 10	< 10	93	10	54
ST-29	201	229	905	< 1	0.02	19	1210	8	< 2	3	33	0.13	< 10	< 10	83	< 10	42
ST-30	201	229	505	< 1	0.01	37	670	< 2	< 2	8	80	0.21	< 10	< 10	131	10	104
ST-31	201	229	995	< 1	0.01	11	570	6	2	4	40	0.11	< 10	< 10	105	< 10	36
ST-32	201	229	355	< 1	0.01	7	350	< 2	2	3	29	0.14	< 10	< 10	231	< 10	30
ST-33	201	229	855	< 1	0.04	25	680	6	< 2	6	60	0.11	< 10	< 10	79	10	88
ST-34	201	229	950	3	0.01	6	570	14	< 2	1	18	0.04	< 10	< 10	59	< 10	52
ST-35	201	229	440	< 1	0.02	6	390	4	2	2	21	0.11	< 10	< 10	137	< 10	28
ST-36	201	229	780	< 1	0.01	12	580	2	2	4	21	0.15	< 10	< 10	120	< 10	30
ST-37	201	229	370	1	0.01	8	630	6	2	2	17	0.11	< 10	< 10	85	< 10	18
ST-38	201	229	640	4	0.01	28	570	26	2	5	19	0.12	< 10	< 10	73	< 10	192
ST-39	201	229	1725	2	0.01	11	820	16	< 2	3	27	0.07	< 10	< 10	76	< 10	224
ST-40	201	229	2450	< 1	0.01	17	1050	4	< 2	4	27	0.09	< 10	< 10	69	< 10	68
ST-41	201	229	1005	< 1	0.02	33	1400	6	< 2	6	46	0.14	< 10	< 10	107	< 10	58
ST-42	201	229	440	< 1	0.03	41	570	6	< 2	5	61	0.24	< 10	< 10	110	10	40
ST-43	201	229	670	< 1	0.01	6	570	< 2	2	3	40	0.10	< 10	< 10	72	< 10	34
ST-44	201	229	310	< 1	0.03	29	530	< 2	2	5	58	0.22	< 10	< 10	108	10	40
ST-45	201	229	295	1	0.03	29	560	2	< 2	5	60	0.23	< 10	< 10	111	10	38
ST-46	201	229	575	< 1	0.01	6	560	2	< 2	3	30	0.11	< 10	< 10	99	< 10	38

CERTIFICATION:

Yhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
VANCOUVER, BC
V7X 1C4

Project: 6004
Comments: ATTN: M. JONES

Page Number : 1-A
Total Pages : 1
Certificate Date: 22-MAY-95
Invoice No. : 19517223
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS

A9517223

SAMPLE	PREP CODE	Au ppb FA+AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
ST-47	201 229	< 5	-----	< 0.2	3.73	4	20	< 0.5	4	2.35	0.5	15	47	157	3.09	< 10	< 1	0.07	< 10	0.98
ST-48	201 229	< 5	-----	< 0.2	4.27	< 2	30	< 0.5	2	2.12	< 0.5	9	17	88	2.78	< 10	< 1	0.06	< 10	0.66
ST-49	201 229	< 5	-----	< 0.2	4.81	< 2	40	< 0.5	< 2	2.40	0.5	10	18	95	2.85	< 10	< 1	0.06	< 10	0.71
ST-50	201 229	< 5	-----	< 0.2	2.71	< 2	10	< 0.5	< 2	1.78	< 0.5	5	8	40	2.46	< 10	< 1	0.04	< 10	0.49
ST-51	201 229	< 5	-----	< 0.2	4.03	< 2	20	< 0.5	< 2	2.12	0.5	17	27	196	3.85	< 10	< 1	0.06	< 10	0.95
ST-52	201 229	< 5	-----	< 0.2	3.38	8	70	< 0.5	2	1.75	< 0.5	7	19	63	2.37	< 10	< 1	0.08	< 10	0.55
ST-53	201 229	< 5	-----	< 0.2	3.31	4	40	< 0.5	< 2	1.69	0.5	19	22	162	1.53	< 10	< 1	0.08	< 10	0.38
ST-54	201 229	< 5	-----	< 0.2	2.40	< 2	40	< 0.5	2	1.22	0.5	14	44	173	5.67	< 10	< 1	0.04	< 10	0.67
ST-55	201 229	< 5	-----	< 0.2	3.18	4	40	< 0.5	< 2	1.74	< 0.5	10	23	79	2.55	< 10	< 1	0.08	< 10	0.71
ST-56	201 229	< 5	-----	< 0.2	0.68	< 2	30	< 0.5	< 2	0.12	< 0.5	1	7	9	0.77	< 10	< 1	0.12	< 10	0.12
ST-57	201 229	< 5	-----	< 0.2	1.68	< 2	50	< 0.5	2	0.67	< 0.5	12	22	59	2.85	< 10	< 1	0.10	< 10	0.50
ST-58	201 229	< 5	-----	< 0.2	1.65	4	110	< 0.5	2	0.78	< 0.5	12	22	34	5.03	< 10	< 1	0.09	< 10	0.46
ST-101	201 229	< 5	-----	< 0.2	4.07	< 2	40	< 0.5	2	2.33	< 0.5	14	41	111	2.99	< 10	< 1	0.06	< 10	1.03
ST-102	201 229	< 5	-----	< 0.2	4.47	< 2	60	< 0.5	4	2.67	0.5	17	42	126	3.88	< 10	< 1	0.10	< 10	1.27
ST-103	201 229	< 5	-----	< 0.2	3.16	4	20	< 0.5	2	2.00	< 0.5	14	53	154	3.86	< 10	< 1	0.06	< 10	1.09
ST-104	201 229	< 5	-----	< 0.2	2.07	< 2	40	< 0.5	2	1.23	< 0.5	6	10	23	3.98	< 10	< 1	0.04	< 10	0.50
ST-105	201 229	< 5	-----	< 0.2	4.10	< 2	40	< 0.5	< 2	2.35	< 0.5	11	24	26	3.54	< 10	< 1	0.08	< 10	0.72
ST-106	201 229	< 5	-----	< 0.2	3.19	< 2	30	0.5	2	1.73	< 0.5	7	8	16	4.05	< 10	< 1	0.06	< 10	0.53
ST-107	201 229	< 5	-----	< 0.2	2.50	< 2	60	< 0.5	2	1.12	< 0.5	11	12	21	2.83	< 10	< 1	0.08	< 10	0.30
ST-108	201 229	< 5	-----	< 0.2	2.66	< 2	30	< 0.5	2	1.61	0.5	4	6	22	2.74	< 10	< 1	0.05	< 10	0.43
ST-109	201 229	< 5	-----	< 0.2	2.47	< 2	40	< 0.5	< 2	1.15	0.5	6	4	16	2.45	< 10	< 1	0.06	< 10	0.41
ST-110	201 229	< 5	-----	< 0.2	3.23	< 2	10	< 0.5	< 2	2.32	0.5	6	4	19	6.09	< 10	< 1	0.05	< 10	0.48
ST-111	201 229	< 5	-----	< 0.2	3.16	< 2	60	0.5	< 2	2.04	1.0	7	6	47	2.02	< 10	< 1	0.09	< 10	0.64
ST-112	201 229	< 5	-----	< 0.2	2.66	< 2	20	< 0.5	< 2	1.66	< 0.5	6	10	21	2.70	< 10	< 1	0.05	10	0.58
ST-113	201 229	< 5	-----	< 0.2	1.94	6	60	< 0.5	< 2	1.21	0.5	10	19	25	3.79	< 10	< 1	0.09	< 10	0.63
ST-114	201 229	< 5	-----	< 0.2	0.91	< 2	40	< 0.5	< 2	0.22	< 0.5	2	6	9	1.22	< 10	< 1	0.40	< 10	0.14
ST-115	201 229	< 5	-----	< 0.2	1.73	4	60	< 0.5	< 2	0.49	< 0.5	17	7	15	1.82	< 10	< 1	0.16	< 10	0.28
ST-116	201 229	< 5	-----	< 0.2	1.47	< 2	30	< 0.5	< 2	0.39	< 0.5	6	8	10	2.82	< 10	< 1	0.09	< 10	0.32
ST-117	201 229	< 5	-----	< 0.2	1.74	< 2	30	< 0.5	< 2	0.39	< 0.5	6	8	8	2.27	< 10	< 1	0.06	< 10	0.25
ST-118	201 229	< 5	-----	< 0.2	2.24	< 2	20	< 0.5	4	0.87	0.5	7	10	18	3.83	< 10	< 1	0.07	< 10	0.55
ST-119	201 229	< 5	-----	< 0.2	2.50	< 2	10	< 0.5	2	4.75	1.0	10	22	83	1.93	< 10	< 1	0.02	< 10	0.43
ST-120	201 229	< 5	-----	< 0.2	2.58	2	70	< 0.5	4	0.95	< 0.5	12	23	21	4.73	< 10	< 1	0.08	< 10	0.73
ST-121	201 229	< 5	-----	< 0.2	1.09	< 2	30	< 0.5	< 2	0.93	0.5	9	24	18	8.52	< 10	< 1	0.06	< 10	0.30
ST-122	201 229	< 5	-----	< 0.2	2.31	4	40	< 0.5	2	1.25	0.5	9	12	16	4.45	< 10	< 1	0.07	< 10	0.82
ST-150	201 229	< 5	-----	< 0.2	2.08	< 2	100	< 0.5	< 2	1.83	0.5	8	13	60	1.54	< 10	< 1	0.09	< 10	0.14
ST-151	201 229	< 5	-----	< 0.2	1.90	2	40	< 0.5	< 2	0.47	0.5	14	19	34	3.81	< 10	< 1	0.11	< 10	0.55

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

to: WESTMIN RESOURCES LTD.

P.O. Box 49066, The Bentall Centre
 VANCOUVER, BC
 V7X 1C4

Project: 6004
 Comments: ATTN: M. JONES

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 22-MAY-95
 Invoice No. : I9517223
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9517223

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
ST-47	201	229	525	< 1	0.02	33	580	4	< 2	6	89	0.27	< 10	< 10	90	< 10	52
ST-48	201	229	465	1	0.01	12	500	8	< 2	5	103	0.19	< 10	< 10	73	< 10	60
ST-49	201	229	500	< 1	0.01	13	580	8	< 2	6	113	0.20	< 10	< 10	75	< 10	64
ST-50	201	229	345	< 1	< 0.01	3	410	6	< 2	4	69	0.14	< 10	< 10	68	< 10	46
ST-51	201	229	680	< 1	< 0.01	19	680	2	6	8	90	0.37	< 10	< 10	134	< 10	82
ST-52	201	229	395	1	0.01	10	490	6	< 2	4	70	0.16	< 10	< 10	71	< 10	52
ST-53	201	229	685	< 1	0.01	16	810	8	< 2	3	66	0.13	< 10	< 10	47	< 10	62
ST-54	201	229	415	< 1	0.03	15	730	< 2	< 2	6	59	0.30	< 10	< 10	214	< 10	60
ST-55	201	229	340	< 1	0.03	19	620	2	< 2	4	74	0.21	< 10	< 10	75	< 10	46
ST-56	201	229	50	< 1	< 0.01	4	590	6	< 2	1	9	0.07	< 10	< 10	26	< 10	14
ST-57	201	229	1180	1	0.01	10	650	10	< 2	3	25	0.13	< 10	< 10	100	< 10	44
ST-58	201	229	495	< 1	0.02	7	640	6	< 2	3	27	0.12	< 10	< 10	166	< 10	48
ST-101	201	229	470	< 1	0.02	27	640	< 2	< 2	7	103	0.24	< 10	< 10	89	< 10	48
ST-102	201	229	895	< 1	0.01	28	710	6	< 2	10	126	0.26	< 10	< 10	111	< 10	70
ST-103	201	229	405	1	0.07	32	470	< 2	< 2	6	67	0.30	< 10	< 10	132	< 10	58
ST-104	201	229	495	< 1	0.01	1	660	< 2	< 2	4	73	0.22	< 10	< 10	123	< 10	54
ST-105	201	229	850	< 1	0.01	7	630	2	< 2	7	87	0.22	< 10	< 10	98	< 10	64
ST-106	201	229	850	< 1	< 0.01	2	650	2	< 2	8	58	0.22	< 10	< 10	105	< 10	62
ST-107	201	229	1525	1	0.02	4	940	10	< 2	3	56	0.08	< 10	< 10	114	< 10	62
ST-108	201	229	540	1	< 0.01	1	400	6	2	4	74	0.14	< 10	< 10	67	< 10	68
ST-109	201	229	875	< 1	0.01	3	490	6	< 2	4	48	0.13	< 10	< 10	60	< 10	60
ST-110	201	229	535	2	< 0.01	< 1	880	14	< 2	6	72	0.14	< 10	< 10	196	< 10	58
ST-111	201	229	1350	2	< 0.01	5	1370	36	< 2	2	57	0.07	< 10	< 10	41	< 10	214
ST-112	201	229	470	< 1	< 0.01	3	550	8	< 2	3	82	0.13	< 10	< 10	65	< 10	34
ST-113	201	229	1285	< 1	0.02	6	990	8	< 2	3	49	0.15	< 10	< 10	120	< 10	110
ST-114	201	229	155	2	0.01	3	1880	8	< 2	< 1	16	0.06	< 10	< 10	28	< 10	22
ST-115	201	229	1020	1	0.01	3	950	8	< 2	1	26	0.08	< 10	< 10	47	< 10	28
ST-116	201	229	310	1	< 0.01	2	710	8	< 2	1	22	0.11	< 10	< 10	79	< 10	22
ST-117	201	229	460	1	< 0.01	4	720	4	< 2	1	25	0.12	< 10	< 10	67	< 10	20
ST-118	201	229	290	1	< 0.01	3	670	2	< 2	3	38	0.16	< 10	< 10	105	< 10	26
ST-119	201	229	1555	< 1	< 0.01	18	1020	6	< 2	2	24	0.08	< 10	< 10	40	< 10	114
ST-120	201	229	610	< 1	0.01	8	510	4	< 2	4	59	0.14	< 10	< 10	151	< 10	40
ST-121	201	229	300	2	0.02	3	780	2	< 2	2	28	0.11	< 10	< 10	343	< 10	28
ST-122	201	229	600	< 1	< 0.01	3	580	2	< 2	7	48	0.20	< 10	< 10	129	< 10	50
ST-150	201	229	985	< 1	0.01	7	890	4	< 2	2	31	0.08	< 10	< 10	48	< 10	52
ST-151	201	229	690	1	0.01	9	350	12	< 2	4	19	0.14	< 10	< 10	137	< 10	36

CERTIFICATION: 

Conditional Statistics

Parameter : Au
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.000	0.000	0.500	0.500	(a)	0.000	0.610	0.000
2	0.000	0.000	0.195	0.695	(a)	0.000	1.000	0.000
3	0.000	0.000	0.195	0.890	(a)	0.000	2.778	0.000
4	0.000	0.000	0.049	0.939	(a)	0.000	5.000	0.000
5	0.000	25.000	0.061	1.000	(a)	5.000		0.305

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Al
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.68	2.47	0.500	0.500	(a)	1.81	3.17	1.81
2	2.47	2.83	0.195	0.695	(a)	2.60	3.53	2.03
3	2.83	3.42	0.195	0.890	(a)	3.14	4.23	2.27
4	3.42	4.07	0.049	0.939	(a)	3.91	4.49	2.36
5	4.07	4.81	0.061	1.000	(a)	4.49		2.49

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : As
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.00	2.00	0.500	0.500	(a)	0.63	19.95	0.63
2	2.00	4.00	0.195	0.695	(a)	3.13	30.72	1.33
3	4.00	16.00	0.195	0.890	(a)	8.88	69.56	2.99
4	16.00	18.00	0.049	0.939	(a)	17.50	111.20	3.74
5	18.00	324.00	0.061	1.000	(a)	111.20		10.29

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Ba
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	10.00	50.00	0.500	0.500	(a)	31.95	86.10	31.95
2	50.00	60.00	0.195	0.695	(a)	58.13	104.00	39.30
3	60.00	100.00	0.195	0.890	(a)	76.88	152.22	47.53
4	100.00	110.00	0.049	0.939	(a)	102.50	192.00	50.39
5	110.00	380.00	0.061	1.000	(a)	192.00		59.02

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Ca
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.12	0.98	0.500	0.500	(a)	0.58	1.81	0.58
2	0.98	1.66	0.195	0.695	(a)	1.27	2.15	0.77
3	1.66	2.12	0.195	0.890	(a)	1.85	2.69	1.01
4	2.12	2.35	0.049	0.939	(a)	2.31	3.00	1.08
5	2.35	4.75	0.061	1.000	(a)	3.00		1.19

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Co
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	1.00	12.00	0.500	0.500	(a)	8.07	19.27	8.07
2	12.00	15.00	0.195	0.695	(a)	13.69	22.84	9.65
3	15.00	22.00	0.195	0.890	(a)	17.94	31.56	11.47
4	22.00	26.00	0.049	0.939	(a)	24.00	37.60	12.12
5	26.00	52.00	0.061	1.000	(a)	37.60		13.67

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Cr
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	2.00	21.00	0.500	0.500	(a)	12.24	37.78	12.24
2	21.00	26.00	0.195	0.695	(a)	23.50	46.92	15.40
3	26.00	48.00	0.195	0.890	(a)	36.50	65.44	20.03
4	48.00	53.00	0.049	0.939	(a)	51.25	76.80	21.65
5	53.00	118.00	0.061	1.000	(a)	76.80		25.01

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Cu
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.00	24.00	0.500	0.500	(a)	8.51	73.71	8.51
2	24.00	47.00	0.195	0.695	(a)	34.44	98.84	15.79
3	47.00	94.00	0.195	0.890	(a)	72.25	146.11	28.16
4	94.00	141.00	0.049	0.939	(a)	118.25	168.40	32.84
5	141.00	196.00	0.061	1.000	(a)	168.40		41.11

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Fe
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.77	3.54	0.500	0.500	(a)	2.40	38.62	2.40
2	3.54	4.58	0.195	0.695	(a)	4.03	60.77	2.85
3	4.58	66.00	0.195	0.890	(a)	26.14	122.33	7.96
4	66.00	117.00	0.049	0.939	(a)	103.00	137.80	12.89
5	117.00	165.00	0.061	1.000	(a)	137.80		20.51

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Mn
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.24	535.00	0.500	0.500	(a)	208.71	1587.44	208.71
2	535.00	860.00	0.195	0.695	(a)	682.81	2166.40	341.79
3	860.00	1950.00	0.195	0.890	(a)	1196.25	3891.11	529.07
4	1950.00	2780.00	0.049	0.939	(a)	2555.00	4960.00	634.31
5	2780.00	10000.00	0.061	1.000	(a)	4960.00		898.07

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Mo
Class Type : Freq.

Class average estimator :
(a)rithmetic
(m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.00	1.00	0.500	0.500	(a)	0.39	362.41	0.39
2	1.00	4.00	0.195	0.695	(a)	2.31	592.88	0.93
3	4.00	640.00	0.195	0.890	(a)	280.44	1148.33	62.19
4	640.00	905.00	0.049	0.939	(a)	802.50	1425.00	100.65
5	905.00	2450.00	0.061	1.000	(a)	1425.00		181.40

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Ni
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.00	4.00	0.500	0.500	(a)	1.28	14.66	1.28
2	4.00	9.00	0.195	0.695	(a)	7.13	19.48	2.92
3	9.00	19.00	0.195	0.890	(a)	14.25	28.78	5.40
4	19.00	23.00	0.049	0.939	(a)	21.50	34.60	6.24
5	23.00	53.00	0.061	1.000	(a)	34.60		7.97

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : P
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	1.00	580.00	0.500	0.500	(a)	259.83	801.71	259.83
2	580.00	670.00	0.195	0.695	(a)	635.00	908.40	365.14
3	670.00	890.00	0.195	0.890	(a)	778.12	1140.00	455.66
4	890.00	1000.00	0.049	0.939	(a)	970.00	1276.00	482.38
5	1000.00	1880.00	0.061	1.000	(a)	1276.00		530.77

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Pb
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.00	8.00	0.500	0.500	(a)	4.88	318.98	4.88
2	8.00	16.00	0.195	0.695	(a)	11.88	515.52	6.84
3	16.00	570.00	0.195	0.890	(a)	329.88	845.56	77.64
4	570.00	670.00	0.049	0.939	(a)	612.50	1032.00	105.43
5	670.00	1400.00	0.061	1.000	(a)	1032.00		161.93

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Sb
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.00	0.00	0.500	0.500	(a)	0.00	3.90	0.00
2	0.00	2.00	0.195	0.695	(a)	0.88	5.84	0.25
3	2.00	6.00	0.195	0.890	(a)	3.25	10.44	0.90
4	6.00	6.00	0.049	0.939	(a)	6.00	14.00	1.17
5	6.00	26.00	0.061	1.000	(a)	14.00		1.95

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Sr
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	1.00	25.00	0.500	0.500	(a)	12.15	57.37	12.15
2	25.00	48.00	0.195	0.695	(a)	31.56	73.88	17.60
3	48.00	74.00	0.195	0.890	(a)	61.25	96.33	27.16
4	74.00	89.00	0.049	0.939	(a)	83.00	107.00	30.06
5	89.00	126.00	0.061	1.000	(a)	107.00		34.76

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Ti
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.01	0.14	0.500	0.500	(a)	0.09	17.97	0.09
2	0.14	0.24	0.195	0.695	(a)	0.19	29.35	0.12
3	0.24	33.00	0.195	0.890	(a)	15.23	54.44	3.43
4	33.00	46.00	0.049	0.939	(a)	42.75	63.80	5.47
5	46.00	80.00	0.061	1.000	(a)	63.80		9.03

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : V
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.00	67.00	0.500	0.500	(a)	25.46	120.83	25.46
2	67.00	90.00	0.195	0.695	(a)	78.50	147.92	40.35
3	90.00	132.00	0.195	0.890	(a)	115.19	206.11	56.75
4	132.00	161.00	0.049	0.939	(a)	145.75	254.40	61.38
5	161.00	353.00	0.061	1.000	(a)	254.40		73.15

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : W
 Class Type : Freq.

Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.00	0.00	0.500	0.500	(a)	0.00	49.71	0.00
2	0.00	10.00	0.195	0.695	(a)	1.88	80.32	0.53
3	10.00	99.00	0.195	0.890	(a)	53.00	128.89	12.03
4	99.00	110.00	0.049	0.939	(a)	107.50	146.00	16.99
5	110.00	231.00	0.061	1.000	(a)	146.00		24.85

<Q> => Return

<P> => Print

Conditional Statistics

Parameter : Zn
 Class Type : Freq.


Class average estimator :
 (a)rithmetic
 (m)edian

Class	L i m i t s		Freq.	Cum Freq.		A v e r a g e		
	Lower	Upper				Class	Above	Below
1	0.00	44.00	0.500	0.500	(a)	17.32	69.02	17.32
2	44.00	54.00	0.195	0.695	(a)	50.13	81.12	26.53
3	54.00	68.00	0.195	0.890	(a)	61.00	116.89	34.08
4	68.00	104.00	0.049	0.939	(a)	89.00	139.20	36.94
5	104.00	214.00	0.061	1.000	(a)	139.20		43.17

<Q> => Return

<P> => Print

UTM
GRID
NORTH



LEGEND

- LATE DYKES**
- AD Andesite Dyke
 - FP Feldspar Parphyry Dyke
 - FDpp Feldspar Parphyry Intermediate Dyke
- ISLAND PLUTONIC INTRUSIONS (Jurassic)**
- G Gabbro
 - Di Diorite
 - Gr Granite
 - Gd Granodiorite
- VANCOUVER GROUP (Triassic)**
- K Karmutsen Fm Basalt, Gabbro
- SICKER GROUP (Paleozoic)**
- Ls Limestone
 - Ch Chert
 - Ag Argillite
 - St Siltstone
 - F Felsic Volcanic
 - R Rhyolite
 - D Dacite
 - A Andesite
 - I Intermediate Volcanic
 - B Basalt
 - M Mafic Volcanic

- ROCK DESCRIPTORS**
- L - Lapilli Tuff
 - A - Agglomerate
 - T - Tuff
 - F - Flow
 - D - Dyke

- ABBREVIATIONS**
- | | |
|-----------------------|------------------|
| biot - biotite | goss - gossan |
| bx - brecciated | gt - garnet |
| cd - cordierite | mag - magnetite |
| c.g. - coarse grained | po - pyrrhotite |
| chl - chlorite | py - pyrite |
| cpy - calcopyrite | qtz - quartz |
| ep - epidote | ser - sericite |
| f.b. - flow banded | sil - silicified |
| f.g. - fine grained | sp - sphaerulite |
| frag - fragmental | |

- SYMBOLS**
- Outcrop
 - Geological Contact (defined, assumed)
 - Fault
 - Bedding (strike & dip)
 - Foliation (strike & dip)
 - Joints (strike & dip)
 - Vein (strike & dip)
 - Lineation or Fold Hinge (strike & plunge)
 - Drill Hole
 - Rock Sample Location
 - Silt Sample Location

24,015
GEOLOGICAL BRANCH
ASSESSMENT REPORT

Westmin Resources Limited


Work By
D.J.P. & M.I.J.
Date Drafted
04/08/95
Drafted By
Date Revised
Revised By


DRAGON PROJECT
GEOLOGY MAP
(North Half)

N.T.S. Number
92 E/16
File Name
TOPD_NTH


200 0 200 400 600m
SCALE 1 : 20,000

Figure
3





UTM
GRID
NORTH



LEGEND

- LATE DYKES**
- AD Andesite Dyke
 - FP Feldspar Porphyry Dyke
 - F0pp Feldspar Porphyry Intermediate Dyke
- ISLAND PLUTONIC INTRUSIONS (Jurassic)**
- G Gabbro
 - Di Diorite
 - Gr Granite
 - Gd Granodiorite
- VANCOUVER GROUP (Triassic)**
- K Karmutsen Fm Basalt, Gabbro
- SICKER GROUP (Paleozoic)**
- Ls Limestone
 - Ch Chert
 - Ag Argillite
 - St Siltstone
 - F Felsic Volcanic
 - R Rhyolite
 - D Dacite
 - A Andesite
 - I Intermediate Volcanic
 - B Basalt
 - M Mafic Volcanic

- ROCK DESCRIPTORS**
- L - Lapilli Tuff
 - A - Agglomerate
 - T - Tuff
 - F - Flow
 - D - Dyke

- ABBREVIATIONS**
- | | |
|-----------------------|------------------|
| biot - biotite | goss - gossan |
| bx - brecciated | gt - garnet |
| cd - cordierite | mag - magnetite |
| c.g. - coarse grained | po - pyrrhotite |
| chl - chlorite | py - pyrite |
| cpy - chalcopyrite | qtz - quartz |
| ep - epidote | ser - sericite |
| f.b. - flow banded | sil - silicified |
| f.g. - fine grained | sp - sphalerite |
| frag - fragmental | |

- SYMBOLS**
- Outcrop
 - Geological Contact (defined, assumed)
 - Fault
 - Bedding (strike & dip)
 - Foliation (strike & dip)
 - Joints (strike & dip)
 - Vein (strike & dip)
 - Lineation or Fold Hinge (strike & plunge)
 - Drill Hole
 - Rock Sample Location
 - Silt Sample Location


24,015

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

Westmin Resources Limited



Work By
D.J.P. & M.J.J.
Date Drafted
02/08/95
Drafted By
Date Revised
Revised By
N.T.S. Number
92 E/16
File Name
TOPD_STH

**DRAGON PROJECT
GEOLOGY MAP
(South Half)**



②

Figure
4



- LEGEND**
- LATE DYKES**
- AD Andesite Dyke
 - FP Feldspar Porphyry Dyke
 - FDpp Feldspar Porphyry Intermediate Dyke
- ISLAND PLUTONIC INTRUSIONS (Jurassic)**
- G Gabbro
 - Di Diorite
 - Gr Granite
 - Gd Granodiorite
- VANCOUVER GROUP (Triassic)**
- K Karmutsen Fm Basalt, Gabbro
- SICKER GROUP (Paleozoic)**
- LS Limestone
 - Ch Chert
 - Ag Argillite
 - St Siltstone
 - F Felsic Volcanic
 - R Rhyolite
 - D Dacite
 - A Andesite
 - I Intermediate Volcanic
 - B Basalt
 - M Mafic Volcanic


- ROCK DESCRIPTORS**
- L - Lapilli Tuff
 - A - Agglomerate
 - T - Tuff
 - F - Flow
 - D - Dyke

- ABBREVIATIONS**
- | | |
|-----------------------|------------------|
| biot - biotite | goss - gossan |
| bx - brecciated | gt - garnet |
| cd - cordierite | mag - magnetite |
| c.g. - coarse grained | po - pyrrhotite |
| chl - chlorite | py - pyrite |
| cpy - chalcopyrite | qtz - quartz |
| ep - epidote | ser - sericite |
| f.b. - flow banded | sil - silicified |
| f.g. - fine grained | sp - sphaerulite |
| frag - fragmental | |

- SYMBOLS**
- Outerop
 - Geological Contact (defined, assumed)
 - Fault
 - Bedding (strike & dip)
 - Foliation (strike & dip)
 - Joints (strike & dip)
 - Vein (strike & dip)
 - Lineation or Fold Hinge (strike & plunge)
 - Drill Hole
 - Rock Sample Location
 - Silt Sample Location

GEOLOGICAL BRANCH ASSESSMENT REPORT

24,015




Westmin Resources Limited

DRAGON PROJECT
NORGATE GRID
GEOLOGY ③


Work By	D.J.P. & M.I.J.
Date Drafted	20/07/95
Drafted By	
Date Revised	
Revised By	
N.T.S. Number	92 E/16
File Name	NORG_SGA

Scale: 1 : 5,000

Figure: 5



UTM
GRID
NORTH



LEGEND

LATE DYKES

- AD Andesite Dyke
- FP Feldspar Porphyry Dyke
- FDpp Feldspar Porphyry Intermediate Dyke

ISLAND PLUTONIC INTRUSIONS (Jurassic)

- G Gabbro
- Di Diorite
- Gr Granite
- Gd Granodiorite

VANCOUVER GROUP (Triassic)

- K Karmutsen Fm Basalt, Gabbro

SICKER GROUP (Paleozoic)

- LS Limestone
- Ch Chert
- Ag Argillite
- St Siltstone
- F Felsic Volcanic
- R Rhyolite
- C Dacite
- A Andesite
- I Intermediate Volcanic
- B Basalt
- M Mafic Volcanic

ROCK DESCRIPTORS

- L Lapilli Tuff
- A Agglomerate
- T Tuff
- F Flow
- D Dyke


ABBREVIATIONS

- | | |
|----------------------|-----------------|
| biot - biotite | goss - gooson |
| br - brecciated | gt - garnet |
| ca - cordierite | mag - magnetite |
| c.g - coarse grained | pc - pyrrhotite |
| ch - chlorite | py - pyrite |
| cpy - chalcopyrite | qtz - quartz |
| ec - epidote | ser - sericite |
| fb - flow banded | s - silicified |
| fg - fine grained | sp - sphalerite |
| frag - fragmental | |

SYMBOLS

- Outcrop
- Geological Contact (defined, assumed)
- Fault
- Bedding (strike & dip)
- Foliation (strike & dip)
- Joints (strike & dip)
- Vein (strike & dip)
- Lineation or Fold hinge (strike & plunge)
- Drill Hole
- Rock Sample Locator
- Silt Sample Location

24,015
 GEOLOGICAL BRANCH
 ASSESSMENT REPORT



Westmin Resources Limited



Work By	D.J.P. & M.I.J.
Date Drafted	20/07/95
Drafted By	
Date Revised	
Revised By	
N.T.S. Number	92 E/16
File Name	MUCH_SOL

DRAGON PROJECT
MUCH GRID
GEOLOGY

4

Figure **6**


100 0 100 200 300m
 SCALE 1 : 5,000





GEOLOGICAL BRANCH
ASSESSMENT REPORT

24,015

Pb (ppm)
0 - 6
6 - 10
10 - 14
>>> 14




<p>Work By D.J.P. & M.L.J.</p> <p>Date Drafted 26/07/95</p> <p>Drafted By R.A. Ivany</p> <p>Date Revised</p> <p>Revised By</p>	
<p>N.T.S. Number 92 E/16</p> <p>File Name NORG_S01</p>	
<p>Westmin Resources Limited</p>	
<p>DRAGON PROJECT NORGATE GRID LEAD SOIL GEOCHEMISTRY</p>	
<p>SCALE 1 : 5,000</p>	
<p>Figure 7</p>	





**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,015

Zn (ppm)
0 - 52
52 - 78
78 - 102
>>> 102




Westmin Resources Limited	
Work By D.J.P. & M.I.J.	DRAGON PROJECT NORGATE GRID ZINC SOIL GEOCHEMISTRY
Date Drafted 20/07/95	
Drafted By Ivory	
Date Revised	
Revised By	
N.T.S. Number 92 E/16	Figure 8
File Name NORG SOL	





**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,015

Cu (ppm)
 0 - 23
 23 - 46
 46 - 70
 >>> 70




Westmin Resources Limited	
Work By D.J.P. & M.I.J.	DRAGON PROJECT NORGATE GRID COPPER SOIL GEOCHEMISTRY
Date Drafted 20/07/95	
Drafted By R.A. Ivany	
Date Revised	
Revised By	
N.T.S. Number 92 E/16	Figure 7
File Name NORC_S01	SCALE 1 : 5,000





**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,015

Ba (ppm)
 0 - 520
 520 - 760
 760 - 870
 >> 870



Westmin Resources Limited	
Work By D.J.P. & M.L.J.	DRAGON PROJECT NORGATE GRID BARIUM SOIL GEOCHEMISTRY
Date Drafted 20/07/95	
Drafted By S.A. Ivamy	
Date Revised	
Revised By	
N.T.S. Number 132 E/16	Figure SCALE 1 : 5,000
File Name NORG_SDL	




**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,015

Zn (ppm)

- 0 - 52
- 52 - 78
- 78 - 102
- >>> 102



Westmin Resources Limited

Work By	D.J.P. & M.I.J.
Date Drafted	20/07/95
Drafted By	R.A. Ivany
Date Revised	
Revised By	
N.T.S. Number	92 E/16
File Name	MUCH_SOL

DRAGON PROJECT
MUCH GRID
ZINC SOIL GEOCHEMISTRY






Figure
11



UTM
GRID
NORTH




**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,015

Cu (ppm)

0 - 23
23 - 46
46 - 70
>>> 70




Westmin Resources Limited

Work By	D.J.P. & M.I.J.
Date Drafted	20/07/95
Drafted By	R.A. Ivany
Date Revised	
Revised By	
N.T.S. Number	92 E/16
File Name	MUCH_SOL



DRAGON PROJECT
MUCH GRID
COPPER SOIL GEOCHEMISTRY

10



Figure

12



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,015

Ba (ppm)
 0 - 520
 520 - 760
 760 - 870
 >>> 870

D. J. Pawliuk



Westmin Resources Limited



Work By	D.J.P. & M.I.J.
Date Drafted	20/07/95
Drafted By	R.A. Ivany
Date Revised	
Revised By	
N.T.S. Number	92 E/16
File Name	MUCH_SOL

DRAGON PROJECT
 MUCH GRID
 BARIUM SOIL GEOCHEMISTRY

Figure **11**

SCALE 1 : 5,000


13



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,015

Cu (ppm)
 0 - 47
 47 - 94
 94 - 141
 >>> 141




Westmin Resources Limited

Work By
D.J.P. & M.I.J.
 Date Drafted
04/08/95
 Drafted By
R.A. Ivany
 Date Revised
 Revised By


DRAGON PROJECT
 COPPER STREAM
 SEDIMENT GEOCHEMISTRY
 (North Half)

N.T.S. Number
92 E/16
 File Name
TOPO_NTH




12

14a



UTM
GRID
NORTH




**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,015

Zn (ppm)

- 0 - 54
- 54 - 68
- 68 - 104
- >>> 104




Westmin Resources Limited

Work By
D.J.P. & M.I.J.
Date Drafted
04/08/95
Drafted By
R.A. Ivany
Date Revised
Revised By

DRAGON PROJECT
ZINC STREAM
SEDIMENT GEOCHEMISTRY
(North Half)

N.T.S. Number
92 E/16
File Name
TOPO_NTH




13

Figure
14b

PROPERTY
BOUNDARY

PROPERTY
BOUNDARY

UTM
GRID
NORTH




**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,015

Cu (ppm)


- 0 - 47
- 47 - 94
- 94 - 141
- >> 141



Westmin Resources Limited


Work By	D.J.P. & M.I.J.
Date Drafted	02/08/95
Drafted By	R.A. Ivany
Date Revised	
Revised By	
N.T.S. Number	92 E/16
File Name	TOPO_STH


**DRAGON PROJECT
COPPER STREAM
SEDIMENT GEOCHEMISTRY
(South Half)**




14

15a






UTM
GRID
NORTH



GEOLOGICAL BRANCH
ASSESSMENT REPORT

24,015

Zn (ppm)
0 - 54
54 - 68
68 - 104
>>> 104



Westmin Resources Limited

Work By
D.J.P. & M.I.J.
Date Drafted
02/08/95
Drafted By
R.A. Ivany
Date Revised
Revised By

DRAGON PROJECT
ZINC STREAM
SEDIMENT GEOCHEMISTRY
(South Half)

N.T.S. Number
92 E/16
File Name
TOPO_STH




Figure
15b