

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORTS

DATE RECEIVED
MAR 05 1996

ASSESSMENT REPORT ON

GEOLOGICAL MAPPING AND
SOIL SAMPLING PROGRAM

ON THE

PEARSON GROUP OF CLAIMS
BRIDGE RIVER AREA, LILLOET MINING DIVISION
LATITUDE 50 56 N; LONGITUDE 122 45 W
N.T.S. 92-J-15W-E

FOR
LEVON RESOURCES LTD.
400-455 GRANVILLE ST.
VANCOUVER, B.C. V6C 1T1

FILMED

BY: JIM MILLER-TAIT P.Geol.
KEN LORD B.Sc.

DECEMBER 2nd 1995

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

24,332

SUMMARY AND CONCLUSIONS

- i -

Levon Resources Ltd. holds title to the 66 unit Pearson group of claims, consisting of the Pearson 1,2,3, Whynot 4, and 5 claims, located approximately 16 km Northeast of Gold Bridge, in the Lillooet Mining Division.

Geological mapping in 1985 indicated that the claim group (known as Whynot 1-4 at the time) is underlain by greenstones and cherts of the Bridge River group, which forms the major host rock for gold deposits elsewhere in this former producing gold mining district. The Bridge River Group is overlain by sandstones and conglomerates of the Taylor Creek group, and during the course of the mapping a showing was discovered in this unit. This consisted of a one meter wide shear zone, striking 150 degrees and dipping 80 degrees NE, which carries visible stibnite and arsenopyrite. The showing had been explored many years ago by an approximately 8 meter long adit which is now collapsed. A grab sample from the mineralization exposed in the adit portal assayed 1.01 oz/ton silver and 0.031 oz/ton gold (Report on Geological Mapping and Geochemical Soil Sampling Whynot 1-3 claims, by Chris J. Sampson, October 1985).

Previous work on these claims by Levon Resources, has produced 13 anomalous gold values in soil geochemical sampling. 6 of these have been trenched, producing 2 significant gold values of .141 oz/ton over 1 meter and .185 oz/ton over 2 meters in trenches WNT 11 and WNT 12 respectively (Report on a Trenching Programme Whynot 1-4 Claims, by Chris J. Sampson, May 1988.).

The present program produced 3 anomalous values of gold, and 1 of silver and lead. It is recommended that no work should be done to investigate these anomalies until areas of the Pearson group of claims that have had no sampling have been sampled, to augment past sampling programs; and the area around the present anomalies has been sampled, to further define the extent of these anomalies. After such a time, the anomalies found in this program, and the 7 anomalies found in 1985 that were left untouched in 1988 should be trenched and compared with the results of the 1988 trenching program.

RECOMMENDATIONS AND COST ESTIMATE

- ii -

A program of soil sampling and mapping in the unsampled areas on the Pearson group is recommended especially concentrating on the anomalous road areas and in the southern portion of the claims. After the sample data is plotted a program of trenching the anomalous areas is a must. The following is cost estimate of the above recommended program:

<u>ITEM DESCRIPTION</u>	<u>COST ESTIMATE</u>
SOIL SAMPLING LABOUR	\$5,000
SAMPLE ANALYSES	\$9,000
EXCAVATOR RENTAL	\$10,000
SAMPLE ANALYSES	\$7,500
GEOLOGICAL SUPERVISION AND MAPPING	\$8,000
REPORT PREP. AND DRAFTING	\$3,000
TRUCK AND FUEL	\$1,200
SUPPLIES	\$500
<u>15% CONTINGENCIES</u>	<u>\$6,630</u>
TOTAL	\$50,830
ROUNDED	\$50,000

TABLE OF CONTENTS

	<u>PAGE</u>
SUMMARY AND CONCLUSIONS	i
RECOMMENDATIONS AND COST ESTIMATE	ii
INTRODUCTION	01
LOCATION, ACCESS, AND TOPOGRAPHY	02
ACCOMADATION AND LABOUR	03
CLAIMS DESCRIPTION	04
MINING HISTORY AND PREVIOUS WORK	05
REGIONAL GEOLOGY	06
PROPERTY GEOLOGY	07
GEOCHEMICAL SOIL SAMLING	08
STATEMENT OF COSTS	09
REFERENCES	10
QUALIFICATIONS	11

LIST OF FIGURES

LOCATION MAP	FOLLOWS PAGE 02
CLAIM MAP	FOLLOWS PAGE 04
REGIONAL GEOLOGY MAP	FOLLOWS PAGE 06
SAMPLE ASSAY RESULTS	APPENDIX
LOCAL GEOLOGY MAP	IN POCKET
GEOCHEMICAL SURVEY: Au AND As	IN POCKET
GEOCHEMICAL SURVEY: Ag AND Sb	IN POCKET
GEOCHEMICAL SURVEY: Cu, Pb, AND Zn	IN POCKET

INTRODUCTION

- 1 -

The purpose of this report is to document the geochemical soil sampling and geological mapping program completed in November, 1995 on the Pearson group of claims. The Pearson group is 100% owned by Levon Resources Ltd. The claims are located approximately 16 km Northeast of the town of Gold Bridge, B.C.

The claims are located in a favourable position for gold mineralization as gold bearing shears have been located on the properties in the past. During geochemical soil sampling in 1985, 13 gold anomalies were found (Reports on Geological Mapping and Geochemical Soil Sampling, C.J. Sampson, May, 1985). 6 of the anomalies were trenched in 1988, successfully locating anomalies in gold. 4 of these trenches carried significant gold: -up to 0.233 oz/ton over a 1 m width (Report on a Trenching Programme Whynot 1-4 Claims, C.J. Sampson, May, 1988). This method of geochemical soil sampling and trenching has proven successful on these and other properties in the Bridge River district.

The present soil sampling survey on the Pearson group of claims consisted of collecting 209 samples following a road cut left by recent logging activity, 4 rock samples from an outcropping carbonate vein, and mapping of the rocks encountered while sampling. Soil samples were collected every 25 meters.

LOCATION, ACCESS, AND TOPOGRAPHY

- 2 -

The Pearson group of claims, consisting of the Pearson 1, Pearson 2, Pearson 3, Whynot 4 and Whynot 5 claims, is located approximately 16 km Northeast of the town of Gold Bridge, B.C., in the Lillooet Mining Division. The claim lies between Carpenter Lake and Tyaughton Lake on the South slope of Pearson Ridge.

The property is easily accessed by 2-wheel drive vehicles from Highway 40, 22 km from Gold Bridge, on secondary logging roads approximately 2.5 km north of Mowson's Pond off the Tyaughton Lake Road.

The properties are fairly flat lying in the South, rising up to straddle the NW/SE trending crest of Pearson Ridge in the North, and vary in altitude from approximately 914 m at Tyaughton Creek on the NE side and the SW side of Pearson 3 claim to a high of 1501 m on top of the ridge in the centre of the Pearson 3 claim. The SW side of the claims is a fairly steep slope rising up to the Pearson Ridge top. The NE side facing Tyaughton Creek consists of very steep cliffs and is inaccessible.

The properties have been previously logged and at present are covered by pine and fir. Underbrush is fairly light and is located in depressions with swampy ground. The climate consists of hot, dry summers and short, cold winters.

JEVON RESOURCES LTD.


LILLOOET M.D., B.C. NTS:92 J/15

LOCATION MAP

DATE: AUG. 1995

BY:

FIGURE No.



ACCOMODATION AND LABOUR

- 3 -

Accomodation is readily available by use of two hotels in Gold Bridge, or Tyax Lodge. Local houses are available for rent in Gold Bridge. There are many campsites located on lakes and rivers in the vicinity as well.

There is local labour available in the area which can be used for physical or geochemical work on the properties.

CLAIMS DESCRIPTION

- 4 -

The Pearson group of claims consists of the following properties:

<u>CLAIM NAME</u>	<u>SIZE (UNITS)</u>	<u>TENURE NO.</u>	<u>EXPIRY DATE</u>
PEARSON 1	20 (4X5)	333475	1996/01/15
PEARSON 2	20 (4X5)	333476	1996/01/15
PEARSON 3	20 (4X5)	336049	1996/05/25
WHYNOT 4	3 (3X1)	317394	1996/04/23
WHYNOT 5	3 (3X1)	229029	1996/02/22

The expiry dates do not include the work covered by this report.

ROAD



PEARSON 3
336049
(4N x 5W)

TYAUGHTON LAKE

PEARSON 1
333475
(4N x 5E)

PEARSON 2
333476
(4N x 5E)

WHYNOT 5
4198 (2)
(3S x 1W)

GOLDEN MICKEY
3323 (12)
(4N x 3E)

WHYNOT 4
3981(4)
(3S x 1E)

ROAD

LAKE

CARPENTER



J. Miller-Tait
Dec 11/95

PEARSON CLAIMS OVERVIEW

SCALE: 1:50,000

MINING HISTORY AND PREVIOUS WORK

- 5 -

Although there is no record of previous mining exploration work done on this group of claims, a short caved adit has been found on the centre of the Pearson 1 claim, exposing a 1 meter wide shear zone, carrying stibnite and arsenopyrite. Numerous shallow pits, 1 to 2 meters in diameter, probably excavated by blasting, have also been found along the southwest side of the top of Pearson Ridge. Apparently, wherever disseminated pyrite was present in float or bedrock (mostly Taylor Conglomerate), pitting was carried out. It appears that much of the claim group was prospected in previous times, but due to sparse outcrop, little was discovered.

Previous work consists of the following:

-a geochemical survey and geological mapping in 1985, of the Pearson 1,2 and 3 claims (known as the Whynot 2,1 and 3 claims respectively, at the time) and the Whynot 4 claim, by Levon Resources Ltd., analysing for arsenic, antimony, lead, zinc, silver and gold. 13 anomalous areas were found (Report on Geological Mapping and Geochemical Soil Sampling: Whynot 1-3 Claims, October 1985. by Chris J. Sampson).

-trenching was undertaken to follow up on the soil anomalies found in 1985. 6 of the 13 anomalies were exposed in the 40 trench program, the remaining anomalies being too far out of the way to investigate within the budget of the program. Four of the six anomalies investigated contain significant gold values. (Report on a Trenching Programme: Whynot 1-4 claims, May 1988, by Chris J. Sampson).

-an airborne magnetic and VLF-EM survey was carried out over the Pearson 1,2 and 3 claims (known as the Whynot 1,2 and 3 claims respectively, at the time), revealing several lineations within the survey area that are likely to have been caused by fault, shear and/or contact zones and so could be important indicators of sulphide and native gold mineralization (Geophysical Report on Airborne Magnetic and VLF-EM Surveys Over the Whynot #1-3 Mineral Claims, September 1988, by Lloyd C. Brewer).

-a geochemical survey of the Whynot 5 claim carried out in 1990, analysing for gold, silver, copper, iron, antimony, and zinc, produced one anomalous zone of gold (Assessment Report on a Geochemical Survey: Whynot 5 Claim, February 1990, by J.M. Miller-Tait).

REGIONAL GEOLOGY

- 6 -

The following summary of regional geology and tectonics is derived from the reports of many workers in the Bridge River area, with emphasis on Geological Survey of Canada reports and the University of British Columbia reports (see references).

The Bridge River district lies at the Western margin of the Inter-montane Belt of volcanic and sedimentary rocks where it abuts against the Coast Plutonic Complex of plutonic and metamorphic rocks (see location map, following page). Triassic arc volcanics and backarc sediments (Cadwallader and Bridge River Groups) are intruded by synvolcanic, intermediate plutons (Bralorne Intrusions) and faulted against ophiolitic, ultramafic intrusions (President Intrusions)


Jurassic and Cretaceous basinal sediments and rift volcanics (un-named Taylor Creek and Kinsvale Groups) are sequentially intruded by Cretaceous and Tertiary plutons of felsic composition (Coast, porphyry and Bendor Intrusions). Relatively flat-lying Tertiary intermediate and mafic volcanics (Rexmount porphyry and plateau basalt) cap the lithological sequence.

Triassic rocks probably formed a discrete plate, the Bridge River terrane, prior to collision with the North American plate to the Northeast in Jurassic time. That collision thrust arc volcanics, backarc sediments and oceanic crust onto the already assembled exotic terranes of the Intermontane Belt and prompted uplift and erosion that produced Jurassic and Cretaceous sediments.

The Bridge River terrane then became sandwiched by the arrival of the eastward-drifting Insular belt rocks from the West in Cretaceous time. This collision probably remobilized old faults and sparked several periods of intrusive activity that resulted in Cretaceous and Tertiary plutons and volcanics.

Old Breaks such as the Fergusson and Cadwallader faults were probably mobilized again as Tertiary dextral strike slip faults, followed by extrusion of plateau basalts in response to extensional tectonics. Finally, the Pleistocene Ice Ages eroded the existing mountainous terrain to the present level.

Bralorne and Pioneer mines comprise the largest and richest lode gold mining camp in British Columbia. Between 1899, and 1971, they produced 4.16 million ounces of gold and 0.95 million ounces of silver from 8.23 million tons of ore grading 0.51 oz/ton gold and 0.12 oz/ton silver. Gold bearing quartz veins follow two sets of narrow fissures in Pioneer andesite and Bralorne diorite near soda granite and albitite dykes. Mining stopped in ore some 2000 m down because of ventilation problems, high mining costs, and the fixed price of gold being \$35 per ounce.



LEVON RESOURCES LTD.

GOLDBRIDGE AREA
LILLOOET MINING DIVISION, B.C.

GEOLOGY MAP

DATE:
FEBRUARY 23/90

SCALE:
1: 250,000

BY:
J. M.T.

LEGEND FROM MAP 13-1973

PROPERTY LIST

MESOZOIC

JURASSIC AND CRETACEOUS

UPPER JURASSIC AND LOWER CRETACEOUS RELAY MOUNTAIN GROUP

6 Argillite; greywacke and pebble conglomerate

JURASSIC

LOWER JURASSIC

5 Argillite and shale; minor sandstone, limestone and pebble conglomerate

TRIASSIC

UPPER TRIASSIC

U Ultrabasic rocks

4 HURLEY FORMATION: Thin-bedded limy argillite, phyllite, limestone, tuff, conglomerate, agglomerate, andesite, and minor chert

3 PIONEER FORMATION: Greenstone derived from andesitic flows and pyroclastic rocks; ls, andesite breccia, tuff and flows, greenstones; minor rhyolitic breccia and flows, slate, argillite, limestone and conglomerate

2 NOEL FORMATION: Thin-bedded argillite; chert, conglomerate and greenstone

MIDDLE TRIASSIC AND (?) OLDER

BRIDGE RIVER GROUP (FERGUSON GROUP)

1 Chert, argillite, phyllite and greenstone; minor limestone, schist; ls, metamorphosed rock of map-unit 1; mainly biotite schist

METAMORPHIC AND PLUTONIC ROCKS

(Mostly of unknown age)

B Metasedimentary rocks, mainly micaceous quartzite, biotite-hornblende schist, and minor schists bearing garnet, staurolite and possibly sillimanite

A Granitoid gneiss, magnetite complexes, minor amphibolite and biotite schist

P6 Granite

P5 Quartz monzonite

P4 Granodiorite; ls, microlitic granodiorite and syenodiorite

P3 Quartz diorite

P2 Diorite; ls, Bralorne intrusions; Augite diorite, gabro, minor soda granite and quartz diorite

P1 Gabro

U Ultrabasic rocks: serpentinite, peridotite, dunite

14	Royal (Au)
15	Manure (Au)
16	Shore of Union (Au)
17	Grill (Au)
18	Shore (Au)
19	Waterloo (Au)
20	California (Au)
21	Waynes (Au)
22	Gloria Kirby and Jerome (Au)
23	Forty Thieves (Au)
24	Arizona (Au)
25	Golden Gate (Au)
26	Haymire (Au)
27	Pilot (Au)
28	G & F (Au)
29	Congress (Au, Mg)
30	Wayside (Au)
31	Veritas (Au)
32	White and Bell (Au)
33	Reliance (Sb, Au)
34	Sponage (Au)
35	Summit (Au)
36	Empire (Au)
37	Wide West
38	Silvite (Sb)
39	Primrose (Au)
40	Some Exp.
41	Charlotte, Ass (Mg)
42	Landon (Cu, Fe)
43	Chase I (W, Cu)
44	Chase II (W, Cu)
45	N. Texas, Fls, Pm (Cu, Au, Ag, Fe)
46	Apex (Fe)
47	Copper Queen (OWL CR, A Zone) (Cu, Mo)
48	Azure (Cu)
49	Lucky Strike, Happy
50	Pink (Mg)
51	Owl Cr, B Zone (Cu, Mo)
52	Owl Cr, C Zone (Cu, Mo)
53	Eagle (Cu, Fe, Zn)
54	Lane (Cu, Fe, Zn)
55	Boulder (Cu, Zn, Ag, Fe)
56	Metals (Evs) (Cu, Ag, Zn)
57	Copper Mountain (Fe, Cu, Zn, Mg)
58	Seneca (Cu, Fe)
59	Wander (Pb, Zn, Cu)
60	Silver Bell (Pb, Ag, Au, Cu, Zn)
61	Li-Li-Kel (Gridiron) (Ag, Pb, Zn, Au)
62	Pemberton (Cu)
63	Margery (Zn, Fe, Au, Pt)
64	Platinoose (Cu)
65	Owl Mountain (Intrusion) (Fe, Au, Ag)
66	Crown (Ag, Zn, Cu, Pb, Fe)
67	Gold King (Au, Au, Zn, Pb)
68	Cougar (Fe)
69	Index (Mo)
70	Silver Queen (Ag, Pb, Zn)
71	Patriot (Ag, Pb, Zn)
72	J (Pb)
73	Old (Yes) (W, Cu, Zn)
74	Lubre (Flora) (W, Mo)
75	Silvite (Lead Gold) (Sb)
76	Trust (Spruce) (Au, Sb)
77	Ross (Ag, Sb)
78	RM (Cu)
79	See (Cy, Mo)
80	Ample, (Golden Cassel) (Au)
81	Hall Eagle (Mg)
82	Golden Eagle (Mg)
83	Bandee (Au, Ag)
84	Barley Valley Mines (Au, Ag)
85	Golden Contact, (Brill Group) (Au)
86	Consistor, (Jumbo) (Cu, Au, Ag, Pb)
87	Congress (Au)
88	Golden (Au)
89	Yalson, (Ridge) (Mo)

PERIOD	UNIT	LITHOLOGY
upper Tertiary	Plateau basalt	basalt, rhyolite flows, breccias
		unconformable contact
lower Tertiary	Rexmount porphyry	rhyolite, dacite, andesite tuffs, breccias, flows, plugs
		unconformable contact
upper Cretaceous	Porphyry dikes	quartz, feldspar, hornblende porphyry dikes
		intrusive contact
	Coast Range intrusions	quartz diorite, diorite, granodiorite
		intrusive contact
	Kingsvale group	arkose, greywacke, shale, conglomerate
		unconformable contact
lower Cretaceous	Taylor Creek group	conglomerate, shale, tuff, breccia
		unconformable contact
lower Jurassic	Unnamed sediments	argillite, shale, sandstone, limestone, conglomerate
		unconformable contact
upper Triassic	Bralorne intrusions	augite diorite, soda granite, albitite dikes
		intrusive contact
	President intrusions	serpentinite, peridotite, pyroxenite, dunite, gabbro
		fault contact
	Cadwallader Murley formation	group limy argillite, phyllite, limestone, tuff, conglomerate, greenstone, chert
	Pioneer formation	greenstone, basalt, andesite, flows, tuffs
	Noel formation	argillite, chert, conglomerate, greenstone
		conformable contact?
middle Triassic	Bridge River group	chert, argillite, phyllite, limestone, greenstone, metamorphic equivalents

Table 2: Formation names, ages and lithologies.

PROPERTY GEOLOGY

- 7 -

The general distribution of rock types has been established by the previous work done on the Pearsons group of claims, and is laid out as follows from: Report on a Trenching Programme Whynot 1-4 claims, by Chris J. Sampson, May, 1988.

Much of the claim group is underlain by volcanics and cherts of the middle Triassic Bridge River Group. In most outcrops, volcanics predominate and consist of green to dark green massive, sometimes pillowed, basic andesites to basalts. On the Western side of Pearson 1 claim (formerly Whynot 2), the green volcanics show extensive orange-brown alteration (listwanite) containing quartz and ankerite. Disseminated blebs of green mariposite are also common.

The Bridge River Group is overlain by conglomerates, grits and sandstones of the lower Cretaceous Taylor Creek Group. The contact of this group with the Bridge River Group is nowhere to be seen in outcrop, but is thought by previous workers in the area, notably Cairnes, Roddick & Hutchinson, to be a series of faults rather than unconformities. The Taylor Creek Group is well exposed in outcrops along the top of Pearson Ridge and varies from a fine grained ferruginous sandstone through grits to a chert pebble conglomerate containing one to ten centimeters rounded chert pebbles in a ferruginous sandstone ground mass. Most of the Taylor Group outcrops show extensive rusty weathering due to a presence of ankerite and disseminated pyrite. This lead to much blasting of small pits in the past, but apparently very little of significance was located.

During the present geochemical survey, outcrop exposed by recent logging activity was mapped (refer to Local Geology Map in pocket). The outcrop encountered is in agreement with the distribution of rock types established above and was found to be mainly a massive volcanic greenstone ankeritically altered to varying degrees ranging from a dark green to an orange-brown colour. Small quartz/carbonate stringers were often found in the more altered areas, including a zone at the end of the Northeastern fork of the sample line containing many small carbonate stringers and a 60 cm wide carbonate vein flanked on both side by 30 cm wide veins approximately 15 cm from the larger vein. Four grab samples taken from this outcrop failed to produce anomalous results.

GEOCHEMICAL SOIL SAMPLING

- 8 -

Much of the region is covered by a layer of geologically recent volcanic ash (2400 years old), which varies from a few centimeters to 50 centimeters thick. This overlies the well developed A,B, and C horizons in what are well drained, well developed soils.

Sampling was carried out by using a small shovel to dig down through the volcanic ash and underlying humic A horizon to obtain a 100 to 200 gram sample from the B horizon, which is readily recognizable due to its high iron content and rich red brown colour. 209 samples were collected.

Each soil sample was placed in a numbered brown Kraft paper sample bag, dried and shipped to Eco-Tech Labs in Kamloops for analysis. Samples were put through a 28 element ICP analysis, and analysed for gold, as described on the following page.

Assay results appear in the appendix and on the three geochemical survey maps in the pocket at the end of the report (Au, As; Ag, Sb; and Cu, Pb, and Zn).

Almost all of the soil samples, and all of the rock samples produced results at or below the detection limit for gold of 5 parts per billion.

Four anomalous values occurred, three of gold, and one of silver and lead. These anomalies are labeled on each of the geochemical survey maps in the pocket at the end of the report, as A,B,C, and D.

Anomaly A occurs at the beginning of the sample line, in the south west, and consists of a gold value of 50 parts per billion. Anomaly B occurs 1150 meters from the start of the sample line and consists of a gold value of 45 parts per billion. Anomaly C occurs 1575 meters along, near the eastern end of the southern fork of the sample line, and consists of two consecutive soil samples that have values of gold at 35, and 45 parts per billion. Anomaly D is located 150 meters along from the start of the northern fork in the sample line, and consists of a silver value of at least 30 parts per million, and a lead value of 1394 parts per million. The sample was not further processed to clarify the silver value as there was no gold anomaly present, gold being the primary interest in this program.



Eco-Test
LABORATORIES LTD.

GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2G 2J3 Phone (604) 873-6700
Fax (604) 873-4667


Analytical Procedure Assessment Report

GEOCHEMICAL GOLD ANALYSIS

Samples are catalogued and dried. Soils are prepared by sieving through an 80 mesh screen to obtain a minus 80 mesh fraction. Rock samples are 2 stage crushed to minus 10 mesh and a 250 gram subsample is pulverized on a ring mill pulverizer to -140 mesh. The subsample is rolled, homogenized and bagged in a prenumbered bag.

The sample is weighed to 10 grams and fused along with proper fluxing materials. The bead is digested in aqua regia and analyzed on an atomic absorption instrument. Over-range values for rocks are re-analyzed using gold assay methods.

Appropriate reference materials accompany the samples through the process allowing for quality control assessment. Results are entered and printed along with quality control data (repeats and standards). The data is faxed and/or mailed to the client.



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy R.R. 12, Kamloops, B.C. V2C 2J3 Phone (604) 873-8700
Fax (604) 873-4687

Analytical Procedure Assessment Report

BASE METAL ASSAYS (Ag, Cu, Pb, Zn)

Samples are catalogued and dried. Rock samples are 2 stage crushed followed by pulverizing a 250 gram subsample. The subsample is rolled and homogenized and bagged in a prenumbered bag.

A suitable sample weight is digested with aqua regia. The sample is allowed to cool, bulked up to a suitable volume and analyzed by an atomic absorption instrument, to .01 ppm detection limit.

Appropriate certified reference materials accompany the samples through the process providing accurate quality control.

Result data is entered along with standards and repeat values and are faxed and/or mailed to the client.

STATEMENT OF COSTS

- 9 -

<u>DESCRIPTION</u>	<u>COST</u>
Geologists (one senior, one junior) \$400/day for 10 days	\$ 4000.00
Sample Analysis (209 soil samples, 4 rock samples)	\$ 2915.00
Freight (Sample shipments to Kamloops for processing)	\$ 70.00
Truck Rental / Gas for 10 days	\$ 400.00
Food and Accomadation (2 people for 10 days at \$35.00/day)	\$ 350.00
Prospecting Supplies	\$ 100.00
Drafting and Reproduction of Maps	\$ 2500.00
Report Preparation	\$ 475.00
	<hr/>
<u>TOTAL :</u>	\$10810.00
	<hr/> <hr/>

REFERENCES

- 10 -

- 1937: Cairnes, C.E., 1937. Geology and mineral deposits of the Bridge River mining camp, B.C.. G.S.C., Memoir 213, Map 431A 140pp.
- 1985: Report on Geological Mapping and Geochemical Soil Sampling Whynot 1-3 claims, Chris J. Sampson, October 1985.
- 1988: Report on a Trenching Program, Whynot 1-4 claims, Chris J. Sampson, May, 1988.
- 1988: Geophysical Report on Airbourne Magnetic and VLF-EM Surveys over the Whynot 1-3 Mineral Claims, Lloyd C. Brewer, September, 1988.
- 1989: Report on Geology and Exploration Potential, Golden Mickey claim, Chris J. Sampson, March, 1989.
- 1990: Assessment Report on a Geochemical Survey Whynot 5 claim, J.M. Miller-Tait, February 20th, 1990.

QUALIFICATIONS

- 11 -

I, Ken Lord of Gold Bridge, B.C. do hereby certify that:

I am a graduate of the University of Victoria with a Bachelor of Science degree in Earth and Ocean Sciences (1995).

I have been employed as an exploration geologist with Levon Resources Ltd. since August 14th, 1995.

This report is based on knowledge gained from field work on the Pearson group of claims from September 15th to November 30th, 1995. study of published reports, and data from Levon Resources.

I have not received, nor do I expect to receive, any interest, direct or indirect, in the properties or securities of Levon Resources Ltd. or in those of its associated companies.

I have no interest in any other property or company holding property within 10 km of the Pearson group of claims.

Gold Bridge B.C.
5th December 1995


Ken Lord, B.Sc.
Exploration Geologist

STATEMENT OF QUALIFICATIONS

**I, J. MILLER-TAIT OF 828 WHITCHURCH ST., NORTH VANCOUVER, B.C. V7L 2A4,
DO HEREBY CERTIFY THAT:**

**I AM A GRADUATE OF THE UNIVERSITY OF BRITISH COLUMBIA WITH A
BACHELOR OF SCIENCE DEGREE IN GEOLOGY (1986).**


**I AM A REGISTERED MEMBER IN GOOD STANDING OF THE ASSOCIATION OF
PROFESSIONAL ENGINEERS AND GEOSCIENTISTS OF BRITISH COLUMBIA.**

I HAVE BEEN PRACTISING MY PROFESSION AS A GEOLOGIST SINCE 1986.

**THIS REPORT IS BASED ON SUPERVISION OF WORK PROGRAMS ON THE
PROPERTY AND EVALUATION OF INFORMATION FROM PREVIOUS WORK PROGRAMS.**

**LEVON RESOURCES LTD. AND ITS AFFILIATES ARE HEREBY AUTHORIZED TO
USE THIS REPORT IN, OR IN CONJUNCTION WITH, ANY PROSPECTUS OR STATEMENT
OF MATERIAL FACTS.**

J. Miller-Tait
**J. MILLER-TAIT, P.GEOG.
11TH DECEMBER 1995**



The seal is an octagonal stamp with a double border. The text inside the seal reads: "PROFESSIONAL" at the top, "PROVINCE OF" in the middle, "BRITISH COLUMBIA" at the bottom, and "M. MILLER-TAIT" in the center. The word "GEOSCIENTIST" is written along the bottom inner edge of the seal.

APPENDIX

30-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

AVINO MINES AK 95-948
GENERAL DELIVERY
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

119 Soil samples received Oct. 12, 1995
PROJECT #: "Pearson"
SHIPMENT #: None given
Samples submitted by: Ken Lord

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	PR# 1	<5	0.2	1.60	35	285	10	0.51	<1	23	105	39	4.38	<10	0.98	910	<1	0.02	128	380	18	<5	<20	34	0.09	<10	62	<10	9	113
2	PR# 2	<5	<2	1.69	110	235	5	0.66	<1	30	194	74	6.51	<10	1.95	899	1	0.02	266	830	38	5	20	41	0.07	<10	88	<10	12	99
3	PR# 3	50	0.6	1.76	240	290	10	0.43	<1	94	355	64	8.69	<10	3.41	1137	3	0.01	795	490	28	<5	40	31	0.06	<10	81	<10	7	90
4	PR# 4	<5	<2	1.62	20	290	5	0.35	<1	21	98	28	4.10	<10	0.76	653	<1	0.01	104	520	30	<5	40	25	0.11	<10	63	<10	1	250
5	PR# 5	<5	<2	1.42	45	175	10	0.42	<1	22	117	40	4.39	<10	0.92	469	<1	0.02	139	590	26	<5	40	29	0.12	<10	68	<10	3	98
6	PR# 6	<5	<2	1.68	55	180	<5	0.49	<1	24	138	50	4.68	<10	1.16	479	<1	0.02	191	400	32	5	60	28	0.10	<10	77	<10	7	87
7	PR# 7	<5	<2	2.15	30	235	10	0.39	<1	25	132	39	4.70	<10	1.16	649	<1	0.02	184	350	36	<5	40	25	0.12	<10	71	<10	5	208
8	PR# 8	5	<2	1.81	45	210	5	0.42	<1	23	125	48	4.51	<10	1.07	453	<1	0.02	149	420	32	<5	40	25	0.12	<10	68	<10	7	135
9	PR# 9	<5	0.2	2.00	40	290	<5	0.57	<1	23	120	54	4.54	<10	0.98	907	<1	0.02	143	460	36	<5	40	34	0.11	<10	69	<10	14	146
10	PR# 10	<5	<2	1.80	50	225	10	0.47	<1	26	137	47	5.11	<10	1.14	579	<1	0.01	178	700	34	<5	60	22	0.12	<10	78	<10	2	119
11	PR# 11	5	<2	1.83	70	250	<5	0.34	<1	28	157	61	5.54	<10	1.14	797	<1	0.01	227	910	38	<5	60	21	0.09	<10	77	<10	1	279
12	PR# 12	<5	<2	1.69	60	195	10	0.52	<1	25	153	42	4.80	<10	1.15	639	<1	0.02	160	370	30	<5	40	25	0.11	<10	71	<10	4	96
13	PR# 13	<5	<2	1.49	45	175	<5	0.42	<1	21	123	39	4.23	<10	0.96	461	<1	0.02	152	610	28	<5	40	26	0.10	<10	62	<10	5	109
14	PR# 14	<5	<2	1.64	20	195	10	0.41	<1	19	96	25	3.44	<10	0.78	476	<1	0.02	131	510	30	<5	40	22	0.11	<10	56	<10	2	160
15	PR# 15	<5	<2	1.59	15	185	10	0.33	<1	20	100	28	3.88	<10	0.78	397	<1	0.01	121	420	28	<5	40	20	0.12	<10	66	<10	<1	134
16	PR# 16	<5	<2	1.67	40	155	5	0.41	<1	23	136	52	4.88	<10	0.94	421	<1	0.02	180	290	30	<5	60	21	0.11	<10	74	<10	8	90
17	PR# 17	<5	0.4	2.29	95	165	5	0.55	<1	32	235	66	6.05	<10	1.45	610	<1	0.02	316	380	40	<5	60	27	0.12	<10	90	<10	14	89
18	PR# 18	<5	<2	1.44	45	140	5	0.36	<1	24	120	45	4.63	<10	0.81	331	<1	0.01	149	200	26	<5	60	11	0.13	<10	70	<10	4	107
19	PR# 19	<5	<2	1.50	55	125	10	0.50	<1	24	130	56	5.00	<10	1.08	480	<1	0.01	166	370	28	<5	60	18	0.11	<10	71	<10	4	93
20	PR# 20	<5	<2	1.20	25	180	<5	13.90	<1	14	81	52	2.81	<10	1.09	723	<1	0.01	136	700	16	10	<20	169	0.03	<10	37	<10	4	71
21	PR# 21	10	<2	1.67	45	195	<5	8.86	<1	22	176	65	4.30	<10	2.57	480	<1	0.03	201	820	22	15	<20	155	0.11	<10	65	<10	4	70
22	PR# 22	<5	<2	2.21	80	170	10	0.71	<1	33	221	75	6.52	<10	2.08	663	<1	0.02	285	220	34	<5	40	33	0.10	<10	85	<10	4	108
23	PR# 23	5	0.2	2.16	80	155	5	0.60	<1	34	254	92	6.70	<10	2.18	596	<1	0.02	312	360	36	<5	60	31	0.11	<10	85	<10	7	111
24	PR# 24	<5	<2	1.99	55	175	5	0.49	<1	28	195	76	6.12	<10	1.30	495	1	0.02	205	270	36	<5	60	27	0.09	<10	80	<10	7	103
25	PR# 25	5	<2	1.68	65	140	<5	0.45	<1	28	181	70	5.62	<10	1.34	586	<1	0.01	210	460	32	<5	60	24	0.11	<10	76	<10	6	120

27-Nov-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

AVINO MINES AK 05-1118
GENERAL DELIVERY
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT


1 soil sample received November 21, 1995
PROJECT #: Pearson Ridge
SHIPMENT #: None given

Values in ppm unless otherwise reported

El #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	PR#29	<5	<2	1.60	25	130	<5	0.35	<1	24	157	58	5.01	<10	1.24	578	<1	0.01	177	250	8	<5	<20	20	0.09	<10	73	<10	6	94

QC/DATA:

Repeat #:																															
1	PR#29	<5	<2	1.55	30	125	10	0.34	<1	24	153	56	4.95	<10	1.20	555	1	0.01	172	270	8	10	<20	17	0.09	<10	73	<10	6	93	
Standard:																															
GEO95		150	1.0	1.60	60	160	<5	1.65	<1	17	56	82	3.79	<10	0.90	672	<1	0.01	24	680	20	<5	<20	52	0.09	<10	72	<10	4	72	


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

d7/1111
XLS/95Avino2

002/002
BRALORNE
ECO TECH KAM.
11/27/95 16:52 604 573 4557

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	PR# 26	<5	<2	1.63	25	200	10	0.43	<1	21	112	37	4.21	<10	0.97	723	<1	0.02	119	660	30	<5	40	26	0.12	<10	70	<10	3	117
27	PR# 27	<5	<2	2.84	40	185	<5	0.68	<1	43	289	80	7.11	<10	2.60	1106	<1	0.02	296	260	40	<5	40	34	0.13	<10	114	<10	7	122
28	PR# 28	<5	<2	1.72	55	135	<5	0.72	<1	36	211	72	6.07	<10	2.24	854	<1	0.03	260	760	36	5	20	37	0.11	<10	87	<10	5	106
29	PR# 30	<5	<2	2.44	45	185	<5	0.53	<1	36	216	88	6.62	<10	1.79	949	<1	0.02	287	390	36	<5	40	31	0.11	<10	93	<10	9	144
30	PR# 31	<5	<2	2.22	30	195	10	0.75	<1	33	156	60	6.20	<10	1.58	989	<1	0.02	171	560	32	<5	40	36	0.14	<10	109	<10	8	105
31	PR# 32	<5	<2	1.79	50	145	10	0.45	<1	27	165	50	5.13	<10	1.28	511	<1	0.02	193	370	30	<5	60	22	0.13	<10	77	<10	5	103
32	PR# 33	<5	<2	1.89	60	185	10	0.45	<1	30	174	60	5.63	<10	1.27	667	<1	0.02	220	440	34	<5	60	26	0.12	<10	80	<10	6	110
33	PR# 34	<5	<2	1.74	35	155	10	0.36	<1	25	137	43	5.06	<10	1.21	519	<1	0.01	147	550	30	<5	40	22	0.12	<10	73	<10	<1	115
34	PR# 35	<5	<2	1.71	45	155	<5	0.45	<1	28	156	63	5.57	<10	1.25	668	<1	0.02	219	630	30	<5	40	25	0.09	<10	74	<10	4	121
35	PR# 36	<5	<2	1.50	40	145	<5	0.34	<1	22	128	50	5.04	<10	0.84	477	<1	0.01	130	620	28	<5	40	21	0.10	<10	67	<10	4	115
36	PR# 37	<5	<2	1.58	25	140	5	0.34	<1	30	139	58	5.54	<10	1.01	569	<1	0.01	184	350	30	<5	60	23	0.11	<10	74	<10	3	131
37	PR# 38	<5	0.2	1.95	55	150	5	0.39	<1	37	162	81	6.69	<10	1.70	999	4	0.01	235	560	32	<5	40	26	0.06	<10	88	<10	6	121
38	PR# 39	<5	<2	1.78	30	125	10	0.36	<1	28	171	55	5.54	<10	1.52	609	<1	0.01	176	490	30	<5	40	18	0.10	<10	74	<10	4	123
39	PR# 40	<5	0.2	2.03	45	175	<5	0.36	<1	31	166	82	6.17	<10	1.25	756	1	0.01	194	460	40	<5	40	22	0.09	<10	85	<10	9	115
40	PR# 41	<5	<2	1.96	70	160	5	0.34	<1	29	189	77	6.31	<10	1.22	578	1	0.01	240	550	40	<5	40	21	0.09	<10	83	<10	7	125
41	PR# 42	<5	0.2	1.74	35	150	<5	0.35	2	33	162	83	6.26	<10	1.19	777	4	0.01	241	500	34	<5	60	24	0.06	<10	71	<10	2	153
42	PR# 43	<5	<2	1.24	40	110	10	0.33	<1	20	101	44	4.53	<10	0.62	447	<1	0.01	115	540	24	<5	60	20	0.10	<10	66	<10	3	97
43	PR# 44	<5	<2	1.59	55	145	10	0.34	<1	28	125	62	5.48	<10	1.05	630	1	0.01	158	410	30	<5	60	25	0.11	<10	73	<10	4	123
44	PR# 45	<5	<2	2.42	85	170	<5	0.43	<1	36	178	70	6.94	<10	1.73	765	<1	0.01	164	510	40	<5	60	27	0.15	<10	116	<10	4	127
45	PR# 46 ^B	45	<2	1.82	155	165	10	0.63	<1	29	124	53	5.48	<10	1.45	1026	1	0.01	160	640	30	<5	20	35	0.08	<10	76	<10	3	117
46	PR# 47	<5	<2	2.47	50	170	<5	0.49	<1	30	158	61	6.42	<10	1.32	690	1	0.01	170	300	38	<5	60	30	0.10	<10	91	<10	6	136
47	PR# 48	<5	<2	1.97	55	175	5	0.38	<1	28	146	61	5.98	<10	1.10	614	<1	0.01	173	790	36	<5	60	26	0.10	<10	85	<10	6	139
48	PR# 49	<5	<2	2.32	30	145	5	0.58	2	36	191	89	6.84	<10	2.16	740	<1	0.02	227	340	36	<5	60	27	0.13	<10	108	<10	10	105
49	PR# 50	<5	<2	2.41	25	160	5	0.55	<1	33	168	82	6.28	<10	1.64	617	<1	0.02	174	560	36	<5	60	26	0.15	<10	108	<10	9	93
50	PR# 51	<5	<2	2.82	15	190	<5	1.02	<1	42	176	92	6.95	<10	2.30	874	<1	0.02	170	630	36	<5	20	37	0.22	<10	126	<10	18	90
51	PR# 52	<5	<2	2.30	30	140	<5	0.96	<1	34	155	72	5.87	<10	1.99	865	<1	0.02	166	530	32	5	20	32	0.14	<10	104	<10	10	87
52	PR# 53	<5	<2	2.42	65	155	<5	0.56	<1	33	183	91	6.87	<10	1.48	678	<1	0.02	221	390	38	<5	60	27	0.12	<10	108	<10	10	101
53	PR# 54	<5	<2	1.90	5	215	10	1.87	3	43	156	66	7.50	<10	1.10	1261	3	0.01	165	1120	24	<5	20	47	0.07	<10	127	<10	11	108
54	PR# 55	<5	<2	2.32	15	170	5	1.51	1	52	203	87	8.63	<10	1.48	1286	4	0.03	206	730	26	<5	60	38	0.04	<10	133	<10	14	84
55	PR# 56	5	<2	1.72	<5	215	5	2.27	1	51	150	80	9.36	<10	0.89	1279	6	0.01	159	910	16	<5	40	54	0.04	<10	156	<10	14	91
56	PR# 57	<5	<2	2.34	25	160	<5	0.78	1	48	190	82	8.38	<10	1.58	1107	2	0.02	210	700	32	<5	20	32	0.14	<10	123	<10	11	103
57	PR# 58	10	<2	2.53	<5	185	10	0.68	1	60	101	147	12.60	<10	1.38	1030	5	0.01	128	1070	36	<5	40	30	0.18	<10	158	<10	9	139
58	PR# 59	<5	<2	2.32	40	200	10	0.48	<1	34	142	70	7.56	<10	1.24	718	<1	<0.01	165	710	38	<5	80	23	0.16	<10	105	<10	7	136
59	PR# 60	<5	<2	2.20	45	140	10	0.70	12	34	142	83	6.47	<10	1.41	759	<1	0.02	187	790	36	<5	60	34	0.17	<10	100	<10	8	128
60	PR# 61	5	<2	2.64	40	150	5	0.62	<1	36	153	79	7.18	<10	1.65	726	<1	0.02	179	870	40	<5	60	23	0.19	<10	109	<10	8	109

AVINO MINES AK 95-948

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC/DATA:																															
Repeat:																															
1	PR# 1	<5	0.6	1.72	40	310	5	0.53	<1	25	111	41	4.65	<10	1.05	973	<1	0.02	131	330	34	<5	40	44	0.10	<10	67	<10	7	111	
10	PR# 10	<5	<2	1.74	50	225	10	0.46	<1	26	132	46	4.91	<10	1.10	565	<1	0.01	171	680	32	<5	60	21	0.11	<10	75	<10	2	115	
19	PR# 19	<5	<2	1.53	50	130	5	0.50	<1	25	134	56	5.06	<10	1.09	477	<1	0.01	166	370	28	<5	60	23	0.11	<10	73	<10	4	94	
28	PR# 28	<5	<2	1.74	55	140	5	0.72	<1	35	212	72	6.07	<10	2.25	852	<1	0.03	259	770	34	15	20	39	0.11	<10	87	<10	5	106	
36	PR# 37	<5	<2	1.58	35	140	10	0.34	<1	29	140	59	5.52	<10	1.02	567	<1	0.01	183	350	28	<5	60	22	0.11	<10	74	<10	4	131	
45	PR# 46	60	0.2	1.83	170	160	10	0.64	<1	29	124	53	5.46	<10	1.45	1035	1	0.01	158	650	32	5	20	34	0.07	<10	75	<10	4	116	
54	PR# 55	<5	<2	2.30	20	165	<5	1.51	<1	52	203	86	8.55	<10	1.45	1258	4	0.03	205	740	28	<5	80	39	0.05	<10	133	<10	13	84	
63	PR# 64	10	<2	1.50	55	160	<5	0.42	<1	25	136	55	5.07	<10	0.80	729	<1	0.01	182	680	28	<5	60	24	0.11	<10	74	<10	5	107	
71	PR# 72	<5	<2	1.59	30	125	15	0.40	<1	31	134	72	6.53	<10	1.05	556	3	0.01	163	660	20	<5	<20	21	0.10	<10	91	<10	5	95	
80	PR# 81	<5	<2	1.57	30	180	5	0.43	<1	28	109	65	5.49	<10	0.89	881	<1	0.01	133	770	22	<5	<20	21	0.10	<10	84	<10	6	108	
89	PR# 90	<5	<2	1.79	50	180	10	0.38	<1	31	137	54	5.84	<10	0.99	660	<1	<0.01	174	770	24	<5	<20	18	0.11	<10	85	<10	3	133	
98	PR# 99	<5	<2	4.60	<5	220	10	1.36	1	63	488	179	12.60	<10	5.77	1380	6	<0.01	336	340	32	<5	<20	42	0.04	<10	257	<10	21	92	
106	PR# 107	50	0.6	1.78	250	160	<5	0.33	<1	33	243	76	6.08	<10	1.40	777	2	<0.01	285	450	84	<5	<20	24	0.06	<10	86	<10	6	160	
Standard:																															
	GEO'95	145	1.0	1.66	70	170	<5	1.91	<1	21	60	80	3.85	<10	0.87	630	<1	0.02	22	620	20	<5	20	65	0.12	<10	70	<10	4	72	
	GEO'95	150	1.2	1.66	65	165	<5	1.93	<1	20	60	82	3.80	<10	0.85	623	<1	0.02	24	630	22	<5	20	65	0.13	<10	72	<10	4	74	
	GEO'95	150	1.0	1.66	65	175	10	1.66	<1	20	58	80	3.96	<10	0.90	640	<1	0.02	22	600	24	5	<20	59	0.11	<10	81	<10	4	74	
	GEO'95	150	1.4	1.63	70	160	<5	1.62	<1	18	64	80	3.85	<10	0.91	657	<1	0.01	24	660	18	<5	<20	58	0.10	<10	78	<10	4	70	

dt/941/966/943
XLS/95Avino#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y.	Zn
61	PR# 62	<5	<2	1.99	55	130	10	0.44	<1	30	157	83	6.63	<10	1.13	546	<1	<0.01	182	640	34	△	20	20	0.14	<10	92	<10	7	101
62	PR# 63	<5	<2	1.71	60	145	15	0.41	<1	29	127	68	6.22	<10	1.07	531	<1	0.01	160	590	32	△	60	19	0.15	<10	90	<10	5	111
63	PR# 64	5	0.4	1.52	45	160	10	0.44	<1	26	139	56	5.08	<10	0.83	738	<1	0.01	182	700	30	△	60	24	0.11	<10	74	<10	5	106
64	PR# 65	<5	<2	1.53	40	150	10	0.35	<1	25	112	47	4.72	<10	0.74	625	<1	0.01	140	740	18	△	<20	17	0.11	<10	70	<10	8	114
65	PR# 66	<5	<2	3.25	20	200	10	0.90	1	51	179	90	10.30	<10	1.85	1044	<1	0.02	259	610	42	△	20	30	0.20	<10	127	30	11	152
66	PR# 67	<5	<2	1.53	55	190	5	0.45	<1	24	125	56	5.10	<10	0.78	769	<1	0.01	165	1260	30	△	60	23	0.10	<10	73	<10	5	105
67	PR# 68	<5	<2	2.08	60	155	10	0.52	<1	37	173	80	7.05	<10	1.18	845	<1	0.01	239	490	36	△	20	19	0.12	<10	92	<10	7	104
68	PR# 69	<5	<2	1.99	55	230	15	1.22	1	37	164	87	13.00	<10	1.07	1357	8	0.01	211	580	26	△	40	46	0.09	<10	189	<10	35	125
69	PR# 70	<5	<2	2.03	60	165	<5	0.60	<1	35	168	77	7.28	<10	1.15	677	<1	0.01	214	500	32	△	60	24	0.13	<10	100	<10	9	103
70	PR# 71	<5	<2	2.33	40	170	10	0.57	<1	40	153	79	8.11	<10	1.23	734	<1	0.01	211	680	32	△	20	25	0.13	<10	110	<10	9	109
71	PR# 72	<5	<2	1.62	35	130	10	0.43	<1	32	137	75	6.67	<10	1.07	563	2	0.01	167	690	20	△	<20	22	0.11	<10	93	<10	4	97
72	PR# 73	10	<2	1.81	50	155	10	0.40	<1	32	178	79	6.25	<10	1.08	711	2	0.01	234	520	26	△	<20	22	0.08	<10	85	<10	7	105
73	PR# 74	<5	<2	2.07	15	180	15	0.46	<1	31	136	69	7.09	<10	1.07	589	2	0.01	154	590	26	△	<20	20	0.12	<10	105	<10	7	112
74	PR# 75	10	<2	2.29	35	190	15	0.58	<1	36	161	84	7.59	<10	1.25	774	2	0.01	198	560	26	△	<20	24	0.11	<10	106	<10	9	102
75	PR# 76	<5	<2	2.16	30	170	15	0.47	<1	34	150	79	7.06	<10	1.18	707	1	<0.01	173	440	24	△	<20	23	0.12	<10	100	<10	9	94
76	PR# 77	5	<2	3.00	15	185	15	0.68	<1	46	211	110	7.99	<10	2.13	794	<1	0.01	211	680	28	△	<20	26	0.18	<10	118	<10	6	98
77	PR# 78	<5	<2	2.27	30	200	20	0.50	<1	34	141	80	7.21	<10	1.24	865	2	0.01	162	870	26	△	<20	24	0.10	<10	106	<10	8	123
78	PR# 79	10	<2	1.97	30	175	10	0.50	<1	32	139	77	6.81	<10	1.12	778	2	0.01	157	740	26	△	<20	18	0.10	<10	101	<10	7	100
79	PR# 80	<5	<2	2.40	30	215	10	0.53	<1	34	155	85	7.23	<10	1.25	761	1	0.01	170	530	30	△	<20	24	0.12	<10	112	<10	8	120
80	PR# 81	<5	<2	1.62	30	185	10	0.43	<1	28	109	66	5.59	<10	0.90	915	<1	0.01	135	790	22	△	<20	21	0.10	<10	85	<10	7	112
81	PR# 82	5	<2	2.16	30	190	10	0.42	<1	31	143	75	6.83	<10	1.24	732	1	0.01	165	1050	28	△	<20	24	0.11	<10	103	<10	7	126
82	PR# 83	5	<2	1.44	40	140	10	0.39	<1	29	133	64	5.27	<10	0.90	682	1	0.01	161	480	22	△	<20	20	0.10	<10	78	<10	6	89
83	PR# 84	<5	<2	3.18	20	290	10	3.61	<1	60	241	116	9.81	<10	2.43	1655	3	0.08	225	680	22	△	<20	56	0.09	<10	162	<10	13	90
84	PR# 85	<5	<2	2.75	35	200	15	1.18	<1	62	258	148	11.00	<10	1.82	1227	7	0.04	267	720	24	△	<20	36	0.03	<10	165	<10	15	94
85	PR# 86	<5	0.2	1.94	60	150	<5	0.42	<1	33	169	100	7.17	<10	1.25	819	3	0.02	206	490	26	△	<20	19	0.09	<10	95	<10	9	92
86	PR# 87	5	<2	2.28	40	170	15	0.49	1	33	167	89	6.97	<10	1.31	656	1	0.01	193	390	28	△	<20	22	0.11	<10	102	<10	8	98
87	PR# 88	<5	0.2	3.22	45	155	10	6.32	2	79	345	159	10.40	<10	3.08	1544	5	0.05	358	560	18	△	<20	80	0.05	<10	142	<10	14	73
88	PR# 89	10	<2	1.84	115	165	10	0.60	<1	44	203	108	8.27	<10	1.40	1038	4	0.04	250	490	22	△	<20	24	0.06	<10	107	<10	7	83
89	PR# 90	<5	<2	1.78	50	185	5	0.38	<1	31	136	54	5.81	<10	0.96	660	<1	0.01	172	780	26	△	<20	20	0.11	<10	84	<10	3	133
90	PR# 91	5	<2	1.82	45	190	15	0.38	<1	34	136	68	6.42	<10	1.12	575	<1	0.01	156	810	24	△	<20	19	0.13	<10	100	<10	<1	108
91	PR# 92	<5	<2	1.49	25	195	10	0.75	<1	28	107	58	4.25	<10	1.12	1141	<1	0.03	116	1050	20	5	<20	28	0.12	<10	73	<10	4	107
92	PR# 93	<5	<2	3.30	20	155	5	1.49	<1	66	258	147	6.73	<10	3.87	1171	<1	0.03	186	1000	32	10	<20	41	0.31	<10	128	<10	6	88
93	PR# 94	<5	<2	1.61	30	180	10	0.40	<1	28	135	57	5.38	<10	1.03	682	<1	<0.01	139	720	22	△	<20	21	0.12	<10	79	<10	4	104
94	PR# 95	5	<2	1.98	20	200	10	0.51	<1	29	152	65	5.40	<10	1.28	779	<1	0.01	141	740	28	△	<20	20	0.13	<10	79	<10	7	134
95	PR# 96	<5	<2	2.06	10	225	15	0.49	<1	34	199	73	6.32	<10	1.47	778	<1	0.01	209	740	24	△	<20	21	0.11	<10	98	<10	7	98

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
96	PR# 97	<5	<2	1.71	<5	200	15	0.72	1	36	196	80	7.84	<10	0.83	860	3	0.01	195	530	20	△	△	25	0.08	<10	121	<10	14	92	
97	PR# 98	<5	<2	3.61	10	170	10	0.86	1	57	346	139	9.38	<10	3.75	1283	3	0.01	297	500	38	△	△	30	0.08	<10	155	<10	10	97	
98	PR# 99	<5	<2	4.61	<5	215	10	1.43	1	63	489	178	12.60	<10	5.80	1389	6	<0.1	338	350	30	△	△	45	0.04	<10	256	<10	20	92	
99	PR# 100	<5	<2	1.88	35	225	10	0.44	<1	28	139	65	5.19	<10	1.07	908	<1	<0.1	168	840	28	△	△	25	0.11	<10	80	<10	4	137	
100	PR# 101	<5	<2	1.75	30	180	10	0.24	1	29	133	57	5.11	<10	1.11	637	<1	<0.1	187	1130	26	△	△	17	0.10	<10	78	<10	1	128	
101	PR# 102	5	<2	1.41	45	145	5	0.36	<1	28	135	72	5.21	<10	0.96	624	<1	0.01	165	530	22	△	△	15	0.10	<10	73	<10	6	83	
102	PR# 103	<5	<2	1.95	35	230	10	0.51	<1	33	162	82	5.89	<10	1.30	903	1	0.01	193	590	26	△	△	25	0.10	<10	86	<10	7	98	
103	PR# 104	<5	0.2	2.28	30	175	10	0.49	1	92	693	111	>15	50	1.96	1797	10	<0.1	760	1290	18	△	△	25	0.01	<10	184	<10	11	123	
104	PR# 105	<5	<2	2.19	55	220	10	0.54	<1	39	189	88	6.22	<10	1.42	1072	2	0.01	198	660	32	△	△	27	0.09	<10	103	<10	10	110	
105	PR# 106	5	<2	1.69	75	180	10	0.46	<1	27	136	61	4.98	<10	1.05	1005	2	0.01	157	550	34	△	△	26	0.07	<10	78	<10	7	89	
106	PR# 107	35	0.4	1.78	255	160	<5	0.33	<1	33	244	77	6.06	<10	1.39	782	3	<0.1	286	460	94	△	△	24	0.06	<10	86	<10	7	162	
107	PR# 108	45	<2	1.47	285	215	5	0.42	<1	24	132	50	5.72	<10	0.73	960	2	<0.1	129	710	18	10	△	△	26	0.08	<10	87	<10	6	107
108	PR# 109	<5	<2	1.54	55	200	10	0.40	<1	24	118	51	4.82	<10	0.81	818	1	<0.1	131	960	12	△	△	25	0.08	<10	70	<10	5	109	
109	PR# 110	<5	<2	2.06	45	300	10	0.44	<1	32	165	67	5.49	<10	1.15	1372	<1	<0.1	181	1130	12	△	△	24	0.11	<10	80	<10	6	140	
110	PR# 111	<5	<2	1.74	35	210	10	0.34	<1	24	121	56	5.52	<10	0.98	626	<1	<0.1	138	480	12	△	△	22	0.10	<10	69	<10	8	107	
111	PR# 112	5	<2	1.48	25	190	10	0.43	<1	22	104	52	5.24	<10	0.86	701	<1	<0.1	117	610	14	△	△	26	0.10	<10	67	<10	6	101	
112	PR# 113	15	<2	1.86	35	185	<5	0.50	<1	27	138	65	5.38	<10	1.26	654	<1	0.01	155	430	12	△	△	24	0.11	<10	74	<10	6	121	
113	PR# 114	<5	<2	1.35	15	165	10	0.35	<1	18	77	32	3.81	<10	0.62	687	<1	0.01	84	670	8	△	△	18	0.11	<10	60	<10	6	82	
114	PR# 115	10	<2	1.65	25	195	10	0.44	<1	25	109	54	5.99	<10	0.92	855	2	<0.1	124	500	12	△	△	26	0.11	<10	73	<10	10	97	
115	PR# 116	<5	<2	1.38	20	190	10	0.57	<1	19	85	41	4.13	<10	0.75	850	<1	0.01	96	800	10	△	△	29	0.10	<10	62	<10	6	87	
116	PR# 117	<5	<2	1.69	25	210	10	0.74	<1	25	82	53	6.09	<10	0.89	1359	2	<0.1	94	780	14	△	△	34	0.10	<10	71	<10	11	109	
117	PR# 118	<5	<2	1.32	10	170	10	0.38	<1	20	52	42	5.24	<10	0.48	1019	1	<0.1	83	1400	14	△	△	26	0.09	<10	64	<10	9	109	
118	PR# 119	<5	<2	1.55	25	150	10	0.38	<1	22	96	46	4.72	<10	0.78	714	<1	<0.1	107	770	12	△	△	25	0.09	<10	70	<10	4	89	
119	PR# 120	<5	<2	1.55	15	170	10	0.43	<1	20	59	39	4.27	<10	0.56	934	<1	0.01	69	790	14	△	△	25	0.13	<10	67	<10	8	96	

30-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

AVINO MINES AK 95-975
GENERAL DELIVERY
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

65 Soil samples received October 17, 1995
PROJECT #: PEARSON
SHIPMENT #: None given
Samples submitted by: Ken Lord

Values in ppm unless otherwise reported
As per telephone request October 25, 1995

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	PR# 121	<5	<2	1.26	<5	170	10	0.41	<1	40	202	72	7.63	<10	0.51	579	5	<0.01	148	440	4	<5	<20	19	0.02	<10	151	<10	11	82
2	PR# 122	<5	<2	1.85	20	190	10	0.40	1	26	137	53	5.71	<10	0.93	559	2	<0.01	140	530	10	<5	<20	19	0.11	<10	94	<10	6	106
3	PR# 123	<5	<2	1.99	30	125	10	0.47	<1	28	144	56	5.68	<10	1.44	652	<1	0.02	146	280	10	<5	<20	20	0.12	<10	84	<10	6	101
4	PR# 124	<5	<2	2.30	10	140	10	0.59	1	34	118	71	6.31	<10	1.85	792	<1	0.01	126	670	10	<5	<20	25	0.17	<10	113	<10	11	92
5	PR# 125	<5	0.4	1.92	<5	185	5	0.81	<1	27	94	39	4.27	<10	1.29	1008	<1	0.02	71	840	30	<5	<20	44	0.18	<10	77	<10	6	80
6	PR# 126 "D"	<5	>30	2.43	20	170	125	1.12	2	41	160	114	8.56	<10	1.46	910	3	0.01	149	620	1394	<5	<20	38	0.10	<10	153	<10	19	95
7	PR# 127	<5	<2	3.12	<5	175	15	0.75	<1	39	294	75	6.13	<10	2.83	763	<1	0.01	168	750	10	<5	<20	31	0.24	<10	119	<10	10	78
8	PR# 128	<5	<2	2.17	20	195	5	0.53	<1	32	174	74	6.08	<10	1.51	835	<1	0.01	160	630	12	<5	<20	25	0.15	<10	109	<10	8	99
9	PR# 129	<5	<2	2.41	15	145	10	0.49	<1	30	166	68	5.99	<10	1.53	576	<1	0.01	142	580	8	<5	<20	21	0.14	<10	104	<10	7	90
10	PR# 130	<5	<2	3.05	<5	190	5	3.30	<1	47	240	88	6.72	<10	3.25	958	<1	0.02	142	630	<2	<5	<20	54	0.17	<10	103	<10	7	68
11	PR# 131	<5	<2	3.06	70	205	10	0.48	<1	44	259	93	8.40	<10	2.51	1076	7	<0.01	233	640	4	<5	<20	22	0.07	<10	170	<10	10	113
12	PR# 132	<5	<2	1.45	35	135	10	0.33	<1	25	116	56	4.85	<10	0.91	730	2	0.01	149	570	10	<5	<20	22	0.08	<10	73	<10	4	96
13	PR# 133	<5	<2	1.55	80	125	5	0.34	<1	22	129	51	4.66	<10	1.16	565	<1	0.02	146	320	10	<5	<20	27	0.09	<10	65	<10	5	104
14	PR# 134	<5	<2	1.41	70	150	5	0.32	<1	23	107	49	4.48	<10	0.91	634	2	0.01	141	550	8	<5	<20	20	0.09	<10	64	<10	3	117
15	PR# 135	<5	<2	1.22	30	135	<5	0.24	1	23	126	64	5.19	<10	0.69	448	3	<0.01	208	620	8	<5	<20	20	0.07	<10	69	<10	<1	118
16	PR# 136	<5	<2	1.12	30	120	10	0.20	<1	24	110	65	4.85	<10	0.65	413	2	<0.01	152	290	8	<5	<20	15	0.10	<10	65	<10	2	100
17	PR# 137	<5	<2	1.20	10	155	<5	0.24	1	28	125	62	5.45	<10	0.64	623	4	<0.01	245	630	8	<5	<20	20	0.08	<10	72	<10	2	136
18	PR# 138	<5	<2	0.98	10	140	<5	0.19	<1	19	71	83	4.92	<10	0.43	472	8	<0.01	109	340	12	<5	<20	14	0.07	<10	51	<10	1	133
19	PR# 139	<5	<2	0.77	25	205	<5	0.86	1	42	215	111	7.62	<10	0.76	1714	10	<0.01	305	260	4	<5	<20	72	0.02	<10	102	<10	<1	164
20	PR# 140	<5	<2	0.98	15	225	<5	0.33	1	29	122	77	5.22	<10	0.27	652	6	<0.01	303	570	8	<5	<20	30	0.05	<10	67	<10	<1	141
21	PR# 141	5	<2	1.13	25	175	<5	0.31	<1	32	123	82	5.29	<10	0.57	723	6	<0.01	266	450	10	<5	<20	25	0.08	<10	72	<10	3	160
22	PR# 142	<5	<2	1.34	10	200	5	0.37	<1	19	80	45	4.02	<10	0.63	660	<1	0.01	107	490	8	<5	<20	21	0.11	<10	61	<10	4	110
23	PR# 143	<5	<2	1.38	20	195	5	0.31	<1	28	131	79	5.57	<10	0.86	713	2	<0.01	183	300	8	<5	<20	19	0.09	<10	74	<10	5	111
24	PR# 144	<5	<2	1.08	10	145	<5	0.25	<1	24	86	91	5.16	<10	0.56	436	6	<0.01	125	400	8	<5	<20	21	0.07	<10	55	<10	2	143
25	PR# 145	<5	<2	1.61	<5	210	20	0.79	2	71	409	47	>15	<10	1.32	1804	11	<0.01	583	1380	<2	<5	<20	35	0.01	<10	114	<10	8	130

AVINO MINES AK 95-875

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	PR# 146	<5	<2	1.37	5	170	10	0.38	1	20	94	47	4.65	<10	0.75	676	<1	<0.01	103	430	8	<5	<20	17	0.12	<10	60	<10	5	130
27	PR# 147	<5	<2	1.53	10	160	10	0.52	<1	21	109	38	4.24	<10	1.06	623	<1	0.01	104	1340	8	<5	<20	24	0.13	<10	61	<10	3	130
28	PR# 148	<5	<2	1.28	15	215	<5	0.33	<1	21	71	128	5.84	<10	0.51	595	9	<0.01	88	1000	12	<5	<20	31	0.07	<10	59	<10	3	171
29	PR# 149	<5	<2	1.59	15	195	10	0.46	<1	23	135	58	4.69	<10	0.97	728	<1	<0.01	136	650	10	<5	<20	17	0.14	<10	67	<10	4	120
30	PR# 150	<5	<2	1.87	15	170	5	0.43	<1	30	153	72	5.62	<10	1.25	829	<1	<0.01	182	720	8	<5	<20	19	0.14	<10	75	<10	8	124
31	PR# 151	<5	<2	1.83	10	150	<5	0.48	<1	23	133	67	4.79	<10	1.49	688	<1	0.01	159	740	8	<5	<20	24	0.11	<10	63	<10	7	177
32	PR# 152	<5	<2	1.81	15	240	5	0.47	<1	25	119	49	4.67	<10	1.12	922	<1	0.01	134	930	8	<5	<20	24	0.14	<10	71	<10	5	133
33	PR# 153	25	<2	4.11	10	325	25	0.86	<1	42	149	71	7.25	<10	3.16	945	<1	0.06	127	520	6	<5	<20	42	0.36	<10	141	<10	7	209
34	PR# 154	20	0.4	3.23	<5	390	10	1.75	3	29	84	139	8.11	20	1.70	2812	<1	0.03	176	1480	8	<5	<20	108	0.14	<10	45	<10	20	479
35	PR# 155	<5	<2	2.25	10	210	5	0.64	<1	28	111	70	5.33	20	1.32	1330	<1	0.02	132	550	8	<5	<20	34	0.14	<10	73	<10	18	233
36	PR# 156	<5	<2	2.27	20	205	10	0.50	<1	29	128	46	4.90	<10	1.53	751	<1	0.01	136	810	8	<5	<20	21	0.20	<10	62	<10	3	182
37	PR# 157	<5	<2	1.93	20	255	10	0.40	<1	30	138	80	5.95	<10	1.17	972	<1	<0.01	178	700	8	<5	<20	24	0.15	<10	81	<10	6	167
38	PR# 158	<5	<2	1.54	20	180	5	0.46	<1	22	137	44	4.12	<10	1.15	554	<1	<0.01	135	610	8	<5	<20	17	0.16	<10	62	<10	2	102
39	PR# 159	<5	<2	1.83	30	250	5	0.52	4	30	140	66	4.61	<10	1.26	981	<1	0.01	158	820	8	<5	<20	23	0.13	<10	70	<10	3	269
40	PR# 160	<5	<2	2.67	35	290	10	0.37	1	31	177	60	5.20	<10	1.52	1266	<1	0.01	206	820	12	<5	<20	21	0.18	<10	90	<10	3	227
41	PR# 161	<5	<2	1.65	65	165	<5	0.31	<1	21	139	70	4.81	<10	1.09	428	<1	<0.01	161	300	12	<5	<20	16	0.11	<10	66	<10	2	101
42	PR# 162	<5	<2	1.22	35	175	5	0.32	<1	21	72	70	4.58	<10	0.60	714	3	<0.01	98	950	10	<5	<20	24	0.06	<10	54	<10	7	118
43	PR# 163	<5	<2	2.57	30	325	10	0.36	1	37	103	108	6.99	<10	1.06	1503	2	0.01	124	1120	12	<5	<20	22	0.16	<10	101	<10	7	304
44	PR# 164	<5	<2	1.71	5	125	10	0.63	<1	22	100	41	4.20	<10	1.02	490	<1	0.01	96	420	8	<5	<20	24	0.17	<10	67	<10	3	150
45	PR# 165	<5	<2	2.30	5	130	<5	0.94	<1	30	164	87	5.33	<10	2.22	1261	<1	0.02	191	410	8	<5	<20	35	0.14	<10	67	<10	9	139
46	PR# 166	<5	<2	2.05	5	110	10	1.04	<1	27	185	35	4.58	<10	2.41	894	<1	0.01	167	370	8	<5	<20	35	0.14	<10	58	<10	3	102
47	PR# 167	<5	<2	2.14	10	185	5	0.73	1	32	167	43	4.54	<10	1.42	1240	<1	0.01	154	610	10	<5	<20	31	0.18	<10	67	<10	7	319
48	PR# 168	<5	<2	1.81	<5	125	10	0.66	<1	26	165	43	4.54	<10	1.57	579	<1	<0.01	156	220	6	<5	<20	18	0.21	<10	64	<10	5	90
49	PR# 169	<5	<2	1.46	<5	150	10	0.52	<1	22	148	35	3.84	<10	1.19	592	<1	<0.01	135	370	8	<5	<20	17	0.17	<10	60	<10	3	95
50	PR# 170	<5	<2	1.90	10	135	10	0.82	<1	24	151	44	4.24	<10	1.50	723	<1	0.01	197	360	6	<5	<20	27	0.18	<10	57	<10	6	192
51	PR# 171	<5	<2	2.00	25	200	<5	0.34	<1	26	237	55	5.22	<10	1.77	524	<1	<0.01	250	750	12	<5	<20	22	0.10	<10	79	<10	2	142
52	PR# 172	<5	<2	1.92	15	205	10	0.34	<1	31	318	61	5.63	<10	1.76	695	1	<0.01	384	710	12	<5	<20	19	0.08	<10	87	<10	3	130
53	PR# 173	<5	<2	1.90	30	185	5	0.35	<1	26	257	54	5.20	<10	1.65	639	<1	<0.01	309	440	6	<5	<20	20	0.10	<10	81	<10	2	126
54	PR# 174	<5	<2	1.53	15	210	10	0.38	2	20	104	40	4.25	<10	0.88	581	<1	<0.01	110	700	8	<5	<20	17	0.13	<10	63	<10	2	167
55	PR# 175	<5	<2	2.26	10	545	<5	0.34	2	20	79	82	4.62	10	0.55	1075	8	0.01	116	930	16	<5	<20	40	0.06	<10	67	<10	6	323
56	PR# 176	<5	<2	1.47	40	300	5	0.18	2	27	145	62	5.40	<10	0.48	976	6	<0.01	281	1150	26	<5	<20	36	0.05	<10	69	<10	1	190
57	PR# 177	<5	<2	1.62	20	220	5	0.39	1	24	142	55	4.99	<10	0.97	707	1	<0.01	177	640	12	<5	<20	21	0.11	<10	69	<10	4	138
58	PR# 178	<5	<2	2.12	25	295	<5	0.48	<1	30	192	68	5.62	<10	1.11	1001	<1	<0.01	207	540	44	<5	<20	26	0.11	<10	88	<10	7	157
59	PR# 179	<5	<2	1.82	<5	210	10	0.48	1	25	156	53	5.02	<10	1.14	634	<1	<0.01	159	350	10	<5	<20	17	0.16	<10	79	<10	4	118
60	PR# 180	<5	<2	1.62	<5	235	10	0.48	4	21	111	46	5.14	<10	0.77	792	2	0.01	115	450	16	<5	<20	21	0.13	<10	83	<10	7	188

AVINO MINES AK 95-975

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	PR# 181	<5	<2	1.67	35	170	10	0.44	<1	25	171	70	5.35	<10	1.24	660	<1	<0.1	159	410	8	<5	<20	23	0.14	<10	83	<10	8	103
62	PR# 182	<5	<2	1.61	40	215	<5	0.29	<1	26	95	65	6.48	<10	0.71	801	5	<0.1	118	790	6	<5	<20	28	0.08	<10	103	<10	<1	219
63	PR# 183	<5	<2	1.39	30	165	<5	0.24	<1	32	66	77	6.22	<10	0.67	1567	5	<0.1	102	550	8	<5	<20	23	0.03	<10	81	<10	10	108
64	PR# 184	<5	<2	1.72	45	205	<5	0.36	<1	34	89	98	6.81	<10	0.64	1423	8	<0.1	150	570	8	<5	<20	36	0.05	<10	94	<10	12	139
65	PR# 185	<5	<2	2.00	35	185	<5	0.33	<1	32	137	77	6.50	<10	1.33	744	3	<0.1	156	370	8	<5	<20	19	0.12	<10	103	<10	4	121

QC/DATA:


Repeat:

1	PR# 121	<5	<2	1.34	<5	185	5	0.44	<1	42	216	78	7.97	<10	0.55	630	5	<0.1	160	430	2	<5	<20	21	0.02	<10	158	<10	15	85
10	PR# 130	<5	<2	3.04	<5	180	10	3.37	<1	47	236	88	6.67	<10	3.24	948	<1	0.02	140	640	<2	<5	<20	60	0.16	<10	101	<10	8	67
19	PR# 139	<5	0.2	0.75	30	210	5	0.78	<1	42	211	109	7.55	<10	0.71	1697	11	<0.1	302	290	6	<5	<20	71	0.02	<10	100	<10	<1	165
28	PR# 148	<5	<2	1.31	10	215	<5	0.33	1	21	67	126	5.72	<10	0.52	588	8	<0.1	83	1010	12	<5	<20	30	0.07	<10	57	<10	3	172
36	PR# 156	<5	<2	2.23	10	195	15	0.48	<1	28	125	45	4.80	<10	1.50	733	<1	0.01	133	780	8	<5	<20	20	0.20	<10	80	<10	3	189
45	PR# 165	<5	<2	2.27	10	130	<5	0.92	<1	30	168	95	5.33	<10	2.23	1220	<1	0.02	195	390	6	<5	<20	38	0.14	<10	67	<10	9	136
54	PR# 174	<5	<2	1.51	10	210	10	0.38	2	20	102	39	4.25	<10	0.85	569	<1	<0.1	107	690	8	<5	<20	18	0.13	<10	63	<10	2	168

Standard:

GEO'95		150	1.2	1.70	60	170	<5	1.73	<1	19	63	85	3.80	<10	0.98	620	<1	0.02	24	660	22	<5	<20	57	0.11	<10	72	<10	4	72
GEO'95		150	1.2	1.74	65	165	<5	1.66	<1	19	61	81	3.77	<10	0.95	630	<1	0.02	22	640	18	<5	<20	55	0.11	<10	70	<10	4	75
GEO'95		145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

dt/975
XLS/95Avino#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

AVINO MINES AK 95-1054
GENERAL DELIVERY
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

24 Soil samples received October 30, 1995

PROJECT #: Pearson

SHIPMENT #: None given

Samples submitted by: Ken Lord

Values in ppm unless otherwise reported

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	PR #186	5	<2	1.83	40	195	5	0.34	<1	27	137	78	5.89	<10	1.14	876	4	0.01	161	410	10	<5	<20	21	0.11	<10	85	<10	6	127
2	PR #187	5	<2	1.86	25	215	10	0.32	<1	23	103	70	6.08	<10	0.84	893	5	<0.1	129	750	8	<5	40	24	0.08	<10	79	<10	6	130
3	PR #188	10	<2	1.41	25	180	10	0.30	<1	25	100	76	7.56	<10	0.76	919	7	<0.1	135	800	8	<5	80	24	0.05	<10	95	<10	9	137
4	PR #189	5	<2	1.49	30	120	5	0.32	<1	24	109	60	5.38	<10	0.88	620	4	0.01	132	550	8	<5	<20	22	0.09	<10	80	<10	3	113
5	PR #190	5	<2	1.85	25	170	10	0.38	<1	25	114	52	5.99	<10	1.00	733	3	0.01	133	1220	6	<5	<20	27	0.09	<10	95	<10	2	187
6	PR #191	10	<2	1.44	30	190	5	0.33	<1	22	103	61	5.43	<10	0.79	781	4	0.01	127	870	8	<5	20	26	0.09	<10	78	<10	4	172
7	PR #192	10	<2	1.61	30	160	5	0.32	<1	28	141	79	6.38	<10	1.02	837	5	0.01	177	450	8	<5	20	24	0.09	<10	89	<10	7	124
8	PR #193	5	<2	1.86	35	210	10	0.25	<1	27	130	81	6.28	<10	1.12	1033	6	<0.1	167	530	10	<5	<20	22	0.09	<10	92	<10	8	127
9	PR #194	10	<2	1.70	30	155	5	0.37	<1	28	129	91	6.71	<10	1.12	670	5	<0.1	156	320	8	<5	20	20	0.11	<10	101	<10	5	113
10	PR #195	5	<2	1.63	30	260	5	0.52	<1	23	110	61	5.39	<10	0.95	1038	6	0.01	133	1060	10	<5	<20	35	0.09	<10	87	<10	6	114
11	PR #196	5	<2	1.45	25	145	5	0.27	<1	29	105	62	6.66	<10	0.75	1043	5	<0.1	122	460	8	<5	40	22	0.05	<10	96	<10	7	97
12	PR #197	5	0.6	1.49	50	190	5	0.37	1	28	80	68	6.56	<10	0.77	1378	4	0.02	100	660	8	<5	40	31	0.07	<10	84	<10	8	100
13	PR #198	10	0.4	1.63	45	195	5	0.42	1	34	128	78	8.36	<10	0.81	1108	6	0.02	146	410	6	<5	60	40	0.07	<10	119	<10	9	108
14	PR #199	5	<2	1.33	20	160	5	0.59	<1	23	68	53	5.78	<10	0.65	1076	3	0.01	80	740	6	<5	40	35	0.07	<10	82	<10	6	80
15	PR #200	10	0.4	0.63	5	85	5	0.49	<1	15	23	52	6.44	<10	0.14	1106	6	<0.1	28	580	10	<5	80	21	<0.1	<10	56	<10	12	75
16	PR #201	5	0.8	0.83	5	220	15	0.98	1	25	44	84	> 15	<10	0.52	3232	16	<0.1	64	650	4	<5	180	183	0.03	<10	172	<10	23	80
17	PR #202	10	1.0	1.32	5	205	10	2.09	<1	21	59	72	12.10	<10	1.35	1821	10	0.01	86	350	4	<5	80	68	0.05	<10	80	<10	23	81
18	PR #203	5	0.2	1.49	20	185	10	0.28	<1	29	78	72	7.24	<10	0.63	1733	6	<0.1	114	390	10	<5	60	28	0.06	<10	85	<10	11	88
19	PR #204	10	0.4	1.25	35	145	5	0.53	<1	22	53	67	6.50	<10	0.53	1506	6	<0.1	75	560	8	<5	60	32	0.04	<10	78	<10	13	87
20	PR #205	5	0.4	0.94	105	155	5	0.46	<1	16	27	44	5.97	<10	0.25	1554	4	<0.1	44	810	8	<5	80	37	0.08	<10	79	<10	8	78
21	PR #206	5	0.4	1.72	45	260	5	2.62	<1	20	57	52	8.82	<10	0.94	2176	6	0.01	85	1090	4	<5	60	75	0.07	<10	81	<10	4	74
22	PR #207	20	0.4	0.81	20	125	5	0.73	<1	11	32	44	4.30	<10	0.29	852	3	<0.1	42	470	10	<5	40	26	0.03	<10	50	<10	5	68
23	PR #208	5	<2	1.52	25	200	5	0.28	<1	18	70	45	4.82	<10	0.63	835	2	0.01	86	940	8	<5	40	26	0.09	<10	87	<10	2	95
24	PR #209	5	<2	2.09	30	255	5	0.28	1	24	91	61	5.96	<10	0.80	1131	5	<0.1	110	860	10	<5	40	27	0.09	<10	82	<10	3	147

002/002

AVINO MINES AK 85-1054

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
------	-------	---------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC/DATA:

Repeat:

1	PR #186	5	<2	1.81	35	185	5	0.32	<1	28	138	78	5.95	<10	1.15	902	4	0.01	164	370	8	5	<20	22	0.10	<10	86	<10	6	127
10	PR #195	5	<2	1.60	40	250	5	0.51	<1	22	108	61	5.38	<10	0.93	1029	5	0.01	132	1070	8	5	<20	32	0.08	<10	86	<10	6	113
19	PR #204	10	0.4	1.13	35	130	5	0.48	<1	20	48	61	5.90	<10	0.48	1373	5	<0.1	68	530	8	5	60	28	0.04	<10	69	<10	11	79

Standard:

GEO'95	150	1.4	1.81	75	166	5	1.76	<1	18	60	85	4.31	<10	0.96	723	<1	0.02	29	710	16	5	<20	58	0.11	<10	78	<10	4	78
--------	-----	-----	------	----	-----	---	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	---	-----	----	------	-----	----	-----	---	----

df/1044
XLS/95Avino#2


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

ECO-TECH KAM.

11/07/95 13:14 804 573 4557

001/002

BRALORNE

ECO-TECH K.A.M.

804 573 4557

11/27/85 16:52

27-Nov-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

4 GRAB SAMPLES FROM A
4' WIDE CARBONATE VEIN
NEAR PR# 206

Values in ppm unless otherwise reported

El #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	13312	5	0.2	0.15	<5	45	<5	>15	<1	2	10	3	2.96	<10	13.10	743	<1	0.01	<1	70	<2	65	<20	490	<0.1	<10	10	<10	<1	8	
2	13313	10	<2	0.35	70	70	<5	>15	<1	6	29	13	2.96	<10	9.79	630	<1	0.01	7	70	<2	55	<20	404	<0.1	<10	26	<10	<1	21	
3	13314	5	<2	0.12	20	45	5	>15	<1	2	5	3	3.01	<10	12.70	802	<1	0.01	<1	40	<2	60	<20	463	<0.1	<10	7	<10	<1	7	
4	13315	5	<2	0.13	15	40	<5	>15	<1	2	4	3	1.91	<10	14.20	413	<1	<0.1	<1	40	<2	65	<20	612	<0.1	<10	5	<10	<1	7	
QC/DATA:																															
Repeat:																															
1	13312	10	0.4	0.14	<5	40	10	>15	<1	3	6	3	2.91	<10	12.60	734	1	0.01	2	70	<2	60	<20	471	<0.1	<10	10	<10	<1	8	
Repeat:																															
1	13312	-	0.2	0.13	<5	40	<5	>15	<1	2	10	2	2.85	<10	12.70	717	<1	0.01	2	60	<2	60	<20	473	<0.1	<10	10	<10	<1	8	
Standard:																															
GEO95		150	1.0	1.60	60	160	<5	1.85	<1	17	56	82	3.78	<10	0.90	672	<1	0.01	24	680	20	<5	<20	52	0.09	<10	72	<10	4	72	

d#1111
XLS/95Avino2

AVINO MINES AK 95-1119
GENERAL DELIVERY
GOLD BRIDGE, B.C.
V0K 1P0

ATTENTION: J. MILLER-TAIT

4 rock samples received November 21, 1995
PROJECT #: Pearson Ridge
SHIPMENT #: None given


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

PEARSON 3
336049 (4N x 5W)


PEARSON 1
333475 (4N x 5E)

PEARSON 2
333476 (4N x 5E)

WHYNOT 5
4198(2) (3S x 1W)

N 50° 56' 30"


N 50° 56' 30"



NOTE: PLOTTING OF SAMPLES (LOCATIONS)
BASED ON DISTANCE (25m) AND
COMPASS BEARINGS BETWEEN SAMPLE SITES.

GEOLOGIC BRANCH
ASSESSMENT REPORT

24,332



FORMAT
Cu ppm, Pb ppm, Zn ppm


LEVON RESOURCES LTD.

PEARSON CLAIMS
BRIDGE RIVER AREA - LILLOOET MINING DIVISION, B.C.

GEOCHEMICAL SURVEY
Cu, Pb, Zn

N.T.S. 92J/15W, 92J/15E 1:5000 200m

DRAWN BY A.J. PENTY, NOV. 1995, BASED ON INFO.
PROVIDED BY K. LORD AND J. MILLER-TAIT.



GEOLOGICAL BRANCH
ASSESSMENT REPORT

24,332

NOTE: PLOTTING OF SAMPLES (LOCATIONS) BASED ON DISTANCE (25m) AND COMPASS BEARINGS BETWEEN SAMPLE SITES.

PROFESSIONAL
PROVINCE OF
J. M. MILLER TAIT
DEC 11/95

FORMAT
Ag ppm, Sb ppm

LEVON RESOURCES LTD.

PEARSON CLAIMS
BRIDGE RIVER AREA - LILLOET MINING DIVISION, B.C.

GEOCHEMICAL SURVEY
Ag, Sb

N.T.S. 92J/15W, 92J/15E 1:5000
DRAWN BY A.J. PENTY, NOV 1995, BASED ON INFO. PROVIDED BY K. LORD AND J. MILLER-TAIT.


PEARSON 3
336049 (4N x 5W)

PEARSON 1
333475 (4N x 5E)

PEARSON 2
333476 (4N x 5E)

N 50°56'30"

N 50°56'30"



GPS READING:
N 50°56'20.3"
W 122°44'13.4"

GPS READING:
N 50°56'10.1"
W 122°43'57.6"

GPS READING:
N 50°56'05.7"
W 122°45'38.1"

THESE 61 SAMPLE RESULTS
TO BE SHIFTED ONE SAMPLE SITE
TO THE RIGHT (OR EAST), UP TO PR #90

WHYNOT 5
4198(2) (3S x 1W)


GEOLOGIC I BRANCH
ASSESSMENT REPORT

24,332

NOTE: PLOTTING OF SAMPLES (LOCATIONS)
BASED ON DISTANCE (25m) AND
COMPASS BEARINGS BETWEEN SAMPLE SITES.

LEVON RESOURCES LTD.

PEARSON CLAIMS
BRIDGE RIVER AREA - LILLOOET MINING DIVISION, B.C.
GEOCHEMICAL SURVEY
Au, As



FORMAT
Au ppb, As ppm

N.T.S. 92J/15W, 92J/15E 1:5000 0m 100m 200m

DRAWN BY A.J. PENTY, NOV. 1995, BASED ON INFO.
PROVIDED BY K. LORD AND J. MILLER-TAIT.


24,332

PEARSON 3
336049 (4N x 5W)

PEARSON 1
333475 (4N x 5E)

PEARSON 2
333476 (4N x 5E)

WHYNOT 5
4198(2) (3S x 1W)



LEGEND:

(8) LOWER CRETACEOUS
TAYLOR CREEK GROUP:
8A-CHERT, 8B-CHERT PEBBLE CONGLOMERATE
8C-ARGILLITE, 8D-SANDSTONE, 8E-CHERTY ARGILLITE

(1) MIDDLE TRIASSIC
BRIDGE RIVER GROUP (FERGUSSON):
1A-GREENSTONE (BASIC ANDESITE, BASALT), 1B-CHERT
1C-CHERTY ARGILLITE, 1D-ARGILLITE, 1E-LIMESTONE

OUTCROP
TRENCH OR PIT
FAULT CONTACT
STRIKE AND DIP OF SHEARING FAULT
STRIKE AND DIP OF BEDDING OR PRIMARY FEATURE

ANK - ANKERITE CALC. - CALCITE
QVS - QUARTZ VEINS PY - PYRITE

LEVON RESOURCES LTD.

PEARSON CLAIMS
BRIDGE RIVER AREA - LILLOET MINING DIVISION, B.C.

GEOLOGY

N.T.S. 92-J/15W, 92-J/15E 1:5000 0m 100m 200m

DRAWN BY A.J. PENTY, NOV. 1995, BASED ON CHRIS SAMPSON 1988 WHY NOT CLAIMS GEOLOGY MAP. #

* ALSO, ON INFO. PROVIDED BY K. LORD.

