

GEOLOGICAL SURVEY BRANCH ASSESSMENT REPORTS
DATE RECEIVED APR 12 1996

APPENDIX 1
(Analytical Methods)

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,373

PART 2 OF 5

FILMED



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

Analytical Procedure Assessment Report

MULTI ELEMENT ICP ANALYSIS

Samples are catalogued and dried. Soil samples are screened to obtain a -80 mesh sample. Rock samples are 2 stage crushed to minus 10 mesh and pulverized on a ring mill pulverizer to minus 140 mesh, rolled and homogenized.

A 0.5 gram sample is digested with aqua regia which contain beryllium which acts as an internal standard. The sample is analyzed on a Jarrell Ash ICP unit.

Results are collated by computer and are printed along with accompanying quality control data (repeats and standards). Results are printed on a laser printer and are faxed and/or mailed to the client.



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557


Analytical Procedure Assessment Report

GEOCHEMICAL GOLD ANALYSIS

Samples are catalogued and dried. Soils are prepared by sieving through an 80 mesh screen to obtain a minus 80 mesh fraction. Rock samples are 2 stage crushed to minus 10 mesh and a 250 gram subsample is pulverized on a ring mill pulverizer to -140 mesh. The subsample is rolled, homogenized and bagged in a prenumbered bag.

The sample is weighed to 10 grams and fused along with proper fluxing materials. The bead is digested in aqua regia and analyzed on an atomic absorption instrument. Over-range values for rocks are re-analyzed using gold assay methods.

Appropriate reference materials accompany the samples through the process allowing for quality control assessment. Results are entered and printed along with quality control data (repeats and standards). The data is faxed and/or mailed to the client.



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (804) 573-5700
Fax (804) 573-4557

Analytical Method Assessment for

GOLD ASSAY

Samples are sorted and dried (if necessary). The samples are crushed through a jaw crusher and cone or rolls crusher to -10 mesh. The sample is split through a Jones riffle until a ~250 gram subsample is achieved. The subsample is pulverized in a ring & puck pulverizer to 95% -140 mesh. The sample is rolled and homogenized.

A 1/2 or 1.0 A.T. sample size is fused along with proper fluxes. The resultant bead is digested with acid and analyzed on a Perkin Elmer AA instrument.

Appropriate standards and repeat samples (Quality Control components) accompany the samples on the data sheet.



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

Analytical Procedure Assessment Report

BASE METAL ASSAYS (Ag, Cu, Pb, Zn)


Samples are catalogued and dried. Rock samples are 2 stage crushed followed by pulverizing a 250 gram subsample. The subsample is rolled and homogenized and bagged in a prenumbered bag.

A suitable sample weight is digested with aqua regia. The sample is allowed to cool, bulked up to a suitable volume and analyzed by an atomic absorption instrument, to .01 ppm detection limit.



Appropriate certified reference materials accompany the samples through the process providing accurate quality control.

Result data is entered along with standards and repeat values and are faxed and/or mailed to the client.

APPENDIX 2
(Trench and Outcrop Sample Maps)




LEGEND

-  lithologic contact
-  trench outline



KENRICH MINING CORPORATION	
COREY PROJECT TR-95-01	
SCALE 1:100	FIGURE:3



Felsic? ash tuff hyaloclastic lapilli tuff and amygdaloidal breccia, weakly silicified, 1-2% qtz veining, <1% py + po

Fg felsic? ash tuff or andesite flow unit, moderately silicified, pseudo breccia texture due to fracturing and sulphides; 10% qtz veining, 2-10% py, po, trace sphalerite and chalcopyrite.

Felsic? ash to lapilli tuff, with amygdaloidal fragments, weak sericitic alteration, minor qtz veining and disseminated py and po


Massive ophanitic felsic? flow unit, moderately silicified, <1% qtz veins, 2-10% py + po minor sphal, trace cpy

Massive ophanitic felsic? flow unit, moderately silicified, with pseudo-breccia texture resulting from fracturing & sulphide replacement, <1% quartz veining, 2-10% py, po, trace sphalerite

Fg felsic? ash tuff, andesite ash tuff or andesite flow unit, weakly silicified, <1% quartz veining, 1-2% py minor po, weakly silicified.

LEGEND


- bedding, foliation
- fault contact
- trench outline



KENRICH MINING CORPORATION

**COREY PROJECT
TR-95-02**


SCALE 1:200 FIGURE: 4



LEGEND
trench outline



KENRICH MINING CORPORATION
COREY PROJECT
TR-95-03
SCALE 1:100 | **FIGURE: 5**





Felsic? ash tuff
Similar to rock immediately to east
except that fresh surface is a
mixture of white and steely
light to medium grey colour.
Presumably more intensely altered.
Strongly silicified and bleached
weakly chloritized.




Felsic? ash tuff or siltstone
Massive vfg light to medium steely
to waxy grey. Tr-2' disseminated pyrite;
common 5% fine slpd veinlets local.
Minor to abundant quartz veinlets.
Weak sericitization, moderately silicified?,
variably chloritized.


Felsic? flow. Massive fgr mainly steely grey
locally white to light grey probably moderately
silicified. White to light grey quartz veinlet stockwork
common, vfg pyrite veinlets and veins common, form
10 to 50% of the rock. Tr-1% sphalerite locally.
Differs from rock immediately to east in that
weathered surfaces indicate fg-mg precursor,
not a vfg precursor, Probably moderately
sericitized, weakly chloritized.

Felsic? ash tuff or siltstone. Massive vfg,
hard, light to medium grey stockwork quartz
veinlets common. Trace to 5% pyrite locally
Moderately silicified.





LEGEND

-  bedding, foliation
-  lithologic contact
-  trench outline




KENRICH MINING CORPORATION	
COREY PROJECT	
TR-95-04	
SCALE 1:100	FIGURE: 6




- LEGEND**
- bedding, foliation
 - trench outline


KENRICH MINING CORPORATION	
COREY PROJECT TR-95-05	
SCALE 1:100	FIGURE: 7




TR-95-07



TR-95-06



LEGEND




bedding, foliation




trench outline

Brook




KENRICH MINING CORPORATION	
COREY PROJECT	
TR-95-06 and TR-95-07	
SCALE 1:100	FIGURE: 8








LEGEND



trench outline




KENRICH MINING CORPORATION	
COREY PROJECT	
TR-95-08	
SCALE 1:50	FIGURE: 9



LEGEND

 trench outline



KENRICH MINING CORPORATION	
COREY PROJECT TR-95-10	
SCALE 1:100	FIGURE: 10

APPENDIX 3

(Rock Sample Geochemical and Assay Results)

22-Feb-96

Sample	Location	Location B	Description	Type	Length	Au (ppb)	Au (g/t)	Ag (ppm)	Ag (g/t)	As (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
7344	1 + 98S	10 + 37W	Rhyolite, tr., diss. py	chip	1.0m	5		8.4		115	17	30	27
7339	10 + 05S	22 + 69W	Andesite Bx, Blk amuggifillings (bench zone)	chip	1.0m	5		<.2		<5	83	8	66
7332	12 + 99S	4 + 22W	Andesite, tr. diss. py.	chip	1.0m	5		<.2		<5	43	8	94
7334	13 + 70S	4 + 50W	Argillite, Blk/grey banded	chip	1.0m	15		<.2		<5	44	12	126
7333	13 + 79S	4 + 50W	Argillite, locally rusty wthg.	chip	1.0m	5		0.4		<5	36	14	106
7335	15 + 80S	1 + 55E	Andesite, Tr. diss py, rsty	chip	1.0m	5		<.2		<5	47	8	77
7336	15 + 80S	0 + 50W	Mixed arg + andesite	chip	1.0m	5		<.2		<5	28	12	79
7805	2 + 00S	6 + 40W	Qtz-Py bldn in ck bed.	Grab		5		<.2		35	38	48	149
7345	2 + 10S	10 + 40W	Rhyolite; Rusty Wthg.	chip	1.0m	5		1		95	14	6	117
7346	2 + 30S	10 + 40W	Rhyolite; Rusty Wthg.	chip	1.0m	10		2.4		4365	9	10	39
7528	2 + 92S	6 + 31W	0.0-1.0m, 1% Py Vnits.	Chip	1.0m	50		2.8		195	43	22	38
7527	2 + 92S	6 + 31W	0.0-1.0m, 1% Py Vnits	Chip	1.0m	505		3.4		700	37	138	235
7526	2 + 99S	6 + 30W	0.0-1.0m, 5% Py, Vnits.	Chip	1.4m	65		1.6		245	39	20	38
7348	3 + 05N	0 + 02W	Rhyolite, white wthg.	chip	1.0m	10		0.2		145	6	14	29
7524	3 + 10S	6 + 30W	0.0-1.0m, grn. foliated rx. 2% Py	Chip	1.0m	55		2.2		150	26	16	27
7523	3 + 10S	6 + 30W	1.0-2.0m Grn. foliated rx. 2% Py	Chip	1.0m	45		2		200	35	26	47
7544	3 + 24S	6 + 13W	0-1.0m f.g., foliated Rx, <1% Py	Chip	1.0m	70		2.8		300	17	22	34
7545	3 + 24S	6 + 13W	1.0-2.0m siliceous, lt. gry, no Py	Chip	1.0m	80		3.4		370	13	44	19
7546	3 + 24S	6 + 13W	2.0-3.0m siliceous, lt. gry, 1-2% Py	Chip	1.0m	190		1.8		485	12	12	22
7548	3 + 24S	6 + 13W	4.4-5.4m siliceous, lt. gry, 1-3% Py	Chip	1.0m	5		0.6		140	21	10	18
7547	3 + 24S	6 + 13W	3.0-4.4m, siliceous, lt. gry, 1-2% Py	Chip	1.4m	80		1.2		410	8	18	21
7485	3 + 35S	6 + 30W	As 7484	chip	1.0m	45		3.2		335	57	32	71
7484	3 + 35S	6 + 28W	Grey massive sediment (siltstone ?)	Chip	1.0m	5		0.8		65	10	12	67
7482	3 + 42S	6 + 29W	Grey masive sediment (silt stone?)	chip	1.0m	10		1.4		75	27	16	57
7483	3 + 42S	6 + 29W	1.00 - 2.00 as 7482	chip	1.0m	15		0.8		105	20	10	35
7480	3 + 44S	6 + 32W	As 7479	chip	1.0m	5		0.6		125	13	20	48
7479	3 + 44S	6 + 32W	Grey, F.g. sediment	chip	1.0m	10		1.4		170	72	56	84
7481	3 + 48S	6 + 30W	F.g., grey sediment	chip	1.0m	20		0.8		255	12	14	41
7331	31 + 70S	18 + 00W	Argillite, Tr. Py., Grey/Black banding (bench Zne)	chip	1.0m	10		0.2		5	8	36	110
7330	34 + 35S	18 + 00W	Carbonaceoes, grey, ash tuff. (BenchZne)	chip	1.0m	5		<.2		<5	56	16	77
7803	35 + 55N	13 + 25W	Rusty seds. @ volc/sed contact (bench zone)	Grab		5		<.2		<5	61	<2	56
7802	35 + 95N	13 + 65W	Po showing; Py in altd volcs/seds? (bench zone)	Grab		5		<.2		<5	52	<2	121
7487	4 + 00N	5 + 65W	Mudstone, Blk., Tr. diss. py.	Grab		<5		<.2		<5	129	10	75

Sample	Location	Location B	Description	Type	Length	Au (ppb)	Au (g/t)	Ag (ppm)	Ag (g/t)	As (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
7343	4 + 25S	22 + 9 SW	Silicified ash tuff. (Bench Zone)	chip	1.0m	5		<.2		<5	6	14	23
7549	4 + 68S	6 + 21W	Gry-Grn silicified, <1% Py	Chip	1.0m	375		2.6		795	14	44	80
7615	4 + 73S	6 + 38W	0-1m lt. gry phyll. 1-2% Py	Chip	1.0m	<5		<.2		10	2	24	119
7400	4 + 75S	6 + 13W	Silicified andesite? 0-2m	chip	1.0m	955		>30		670	18	284	52
7399	4 + 75S	6 + 13W	Silicified andesite? 0-1m	chip	1.0m	220		3.2		405	13	34	55
7398	4 + 75S	6 + 13W	Phyllitic tuff? Tr Py.	chip	1.0m	55		2.6		335	14	40	62
7397	4 + 76S	6 + 20W	Silicified andesite	chip	1.14m	>1000		>30		285	50	840	92
7504	4 + 82S	6 + 93W	Chl-Q alt'rd rx; 25% grn. clasts.	Chip	1.0m	125		12		70	11	24	96
7614	4 + 86S	6 + 56W	1-2m lt. gry phyll. tr py	Chip	1.0m	<5		<.2		10	8	28	149
7613	4 + 86S	6 + 56W	0-1m lt. gry phyll. 1-2% Py	Chip	1.0m	15		0.8		35	12	26	94
7612	4 + 86S	6 + 56W	4.5-5.5m, gry-blk silicified argillite, 1% Py	Chip	1.0m	>1000	2.07	22		490	3	42	4
7327	4 + 94N	7 + 20W	Mylonitic andesitic clastic	chip	1.0m	55		0.8		15	42	10	120
7329	4 + 94N	7 + 18W	Adesitic volcanoclastic, mylonitic	chip	1.0m	5		0.6		<5	71	4	89
7328	4 + 94N	7 + 19W	Mylonitic andesitic clastic	chip	1.0m	190		3.2		25	36	14	104
7501	4 + 95S	6 + 58W	F.G. silicified vok, 3-5% diss py (0-1m)	Chip	1.0m	10		1.8		15	55	6	85
7502	4 + 97S	6 + 58W	F. G. silicified vok, 3-5% diss py (1-2m), 25% gr	Chip	1.0m	30		2		155	52	10	133
7503	4 + 97S	6 + 58W	F.g. silicified vok, 1% Py, 25% grn. clasts	Chip	1.0m	10		1.4		55	58	4	137
7322	5 + 00N	9 + 00W	Deformed andesite volcanoclastic rock	chip	1.0m	5		<.2		<5	165	6	82
7326	5 + 00N	9 + 00W	Deformed andesite volcanoclastic rock	chip	1.0m	5		<.2		<5	210	6	106
7325	5 + 00N	9 + 00W	Deformed andesite volcanoclastic rock	chip	1.0m	5		<.2		<5	76	10	104
7324	5 + 00N	9 + 00W	Deformed andesite volcanoclastic rock	chip	1.0m	5		<.2		<5	97	6	111
7323	5 + 00N	9 + 00W	Deformed andesite volcanoclastic rock	chip	1.0m	5		<.2		<5	82	8	151
7321	5 + 00N	9 + 00W	Deformed andesite volcanoclastic rock	chip	1.0m	5		<.2		<5	92	8	108
7320	5 + 00N	9 + 00W	Basaltic andesite flow rocks	chip	1.0m	5		<.2		<5	102	8	105
7319	5 + 00N	9 + 00W	Basaltic andesite flow rocks	chip	1.0m	5		<.2		<5	106	12	94
7318	5 + 00N	9 + 00W	Basaltic andesite flow rocks	chip	1.0m	5		<.2		<5	115	8	61
7317	5 + 00N	9 + 00W	Basaltic andesite flow rocks	chip	1.0m	5		<.2		<5	160	8	111
7316	5 + 00N	9 + 00W	Basaltic andesite flow rocks	chip	1.0m	5		<.2		<5	41	10	99
7314	5 + 00N	9 + 00W	Basaltic andesite flow rocks	chip	1.0m	10		<.2		<5	18	4	105
7313	5 + 00N	9 + 00W	Basaltic andesite flow rocks	chip	1.0m	5		<.2		<5	17	14	108
7312	5 + 00N	9 + 00W	Basaltic andesite flow rocks	chip	1.0m	5		<.2		<5	29	4	73
7311	5 + 00N	9 + 00W	Basaltic andesite flow rocks	chip	1.0m	5		0.4		<5	259	8	105
7310	5 + 00N	9 + 00W	Basaltic andesite flow rocks	chip	1.0m	5		<.2		<5	107	12	106
7315	5 + 00N	9 + 00W	Basaltic andesite flow rocks	chip	1.0m	5		<.2		<5	130	12	100

Sample	Location	Location B	Description	Type	Length	Au (ppb)	Au (g/t)	Ag (ppm)	Ag (g/t)	As (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
7347	5 + 05N	2 + 73W	Argillite, Py along clvgs.	chip	1.0m	5		<.2		15	124	22	106
7618	5 + 05S	6 + 75W	2-3.2m dkigry Phyll. 1% sulpd.	Chip	1.0m	465		8		345	<1	26	2
7616	5 + 05S	6 + 75W	0-1m siltstone , 2% sulpd.	Chip	1.0m	680		>30	50.1	455	7	68	13
7617	5 + 05S	6 + 75W	1-2m dkigry Phyll. 1% sulpd.	Chip	1.0m	>1000	1.28	8		490	3	28	12
7338	5 + 90S	20 + 90W	Rhyolite Breccia, tr diss. py (bench zone)	chip	1.0m	20		<.2		10	9	10	25
7804	6 + 21S	5 + 93W	Qtz + Py bldr at new drillsite	Grab		5		<.2		<5	15	8	28
7765	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.0m	<5		0.4		<5	11	4	59
7763	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.0m	<5		0.4		<5	21	8	68
7759	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.0m	<5		0.6		<5	29	8	162
7764	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.0m	<5		0.4		<5	13	6	42
7766	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.0m	<5		0.6		5	12	8	56
7758	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.0m	<5		0.8		<5	13	6	50
7761	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.0m	<5		0.4		<5	18	6	80
7760	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.7m	<5		0.4		<5	14	6	99
7769	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.65m	<5		1.8		5	45	12	199
7770	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.35m	<5		1.4		<5	56	16	75
7762	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.0m	<5		0.4		<5	15	8	41
7767	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.0m	<5		1.8		35	39	18	279
7768	6 + 47S	6 + 71W	F.G. dk. grey, foliated argillite, Tr. Sulphies	chip	1.0m	<5		2.6		25	21	12	38
7486	6 + 47W	1 + 84W	Rhyolite, tru - 5% Py, (boulder)	Grab		15		0.6		110	33	40	89
7776	6 + 50S	6 + 40W	F.G. dk. grey/blak foliated argillite, Tr Py	chip	1.0m	<5		0.2		<5	17	14	51
7777	6 + 50S	6 + 40W	F.G. dk. grey/blak foliated argillite, Tr Py	chip	1.0m	<5		0.4		<5	20	14	76
7771	6 + 50S	6 + 40W	F.G. dk. grey/blak foliated argillite, Tr Py	chip	1.0m	<5		1		60	87	22	74
7778	6 + 50S	6 + 40W	F.G. dk. grey/blak foliated argillite, Tr Py	chip	1.0m	<5		0.4		<5	32	16	138
7773	6 + 50S	6 + 40W	F.G. dk. grey/blak foliated argillite, Tr Py	chip	1.0m	<5		<.2		<5	23	10	40
7774	6 + 50S	6 + 40W	F.G. dk. grey/blak foliated argillite, Tr Py 5%	chip	1.0m	<5		<.2		<5	24	8	21
7775	6 + 50S	6 + 40W	F.G. dk. grey/blak foliated argillite, Tr Py	chip	1.0m	<5		0.2		<5	26	14	68
7772	6 + 50S	6 + 40W	F.G. dk. grey/blak foliated argillite, Tr Py	chip	1.0m	<5		0.4		<5	23	8	25
7619	6 + 75S	6 + 65W	0-1.15m Gry siliceous Rx. 8% sulpd.	Chip	1.0m	<5		0.2		15	11	20	91
7756	6 + 75S	6 + 65W	Silicified, frgn, bx-stkww to 20% sulpd. 13.4-14.4	Chip	1.0m	<5		<.2		<5	14	4	29
7757	6 + 75S	6 + 65W	Silicified, frgn, bx-stkww to 20% sulpd. 14.4-15.4	Chip	1.0m	<5		<.2		<5	26	12	20
7754	6 + 75S	6 + 65W	Silicified, frgn, bx-stkww to 20% sulpd. 11.4m-12.	Chip	1.0m	<5		<.2		15	10	8	4
7620	6 + 75S	6 + 65W	6-7m gry siliceous Rx, 10W sulpd.	Chip	1.0m	<5		<.2		<5	4	10	7
7755	6 + 75S	6 + 65W	Silicified, frgn, bx-stkww to 20% sulpd. 12.4m-13.	Chip	1.0m	<5		<.2		15	15	8	7

Sample	Location	Location B	Description	Type	Length	Au (ppb)	Au (g/t)	Ag (ppm)	Ag (g/t)	As (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
7621	6 + 75S	6 + 65W	7-8m gry siliceous Rx., 2-3% Py	Chip	1.0m	<5		<2		15	5	14	9
7751	6 + 75S	6 + 65W	Silicified, fign. bx-stkww to 20% sulpd. 8-9m	Chip	1.0m	<5		<2		15	119	18	2
7753	6 + 75S	6 + 65W	Silicified, fign. bx-stkww to 20% sulpd. 10.4m - 1	Chip	1.0m	<5		<2		15	17	8	5
7752	6 + 75S	6 + 65W	Silicified, fign. bx-stkww to 20% sulpd. 9m-10.4m	Chip	1.4m	<5		<2		20	12	16	24
7782	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	20		<2		70	30	16	179
7780	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	25		<2		25	30	18	85
7789	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	<5		<2		45	60	8	194
7790	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py locally	chip	1.0m	<5		<2		65	63	8	168
7791	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	45		<2		80	69	8	282
7792	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	40		1.8		70	22	12	98
7793	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.7m	160		4.4		525	17	18	47
7783	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	35		0.4		75	45	18	132
7779	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	<5		<2		25	34	14	118
7788	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	10		<2		45	61	4	126
7787	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	25		<2		90	65	8	157
7786	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	30		0.8		150	27	12	88
7785	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	55		2.2		205	33	16	159
7784	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	35		0.8		40	32	20	94
7781	7 + 00S	6 + 00W	F.G. medium grey/blk mudstone Tr - 1% Py	chip	1.0m	30		<2		35	31	18	179
7342	7 + 68S	4 + 79W	Andesite, bleached, Tr, diss. Pl.	chip	1.0m	5		<2		25	<1	8	21
7341	7 + 70S	4 + 80W	Andesite, bleached white	chip	1.0m	5		<2		30	<1	8	5
7340	8 + 90S	22 + 45W	Chert bx, blk.	chip	1.0m	5		<2		<5	1	24	93
7801	Lawrence	Lake	Pryitic mudstone (bench zone)	Grab		5		2		55	130	20	263
7452	Tr-95-03	1.0-2.0m	Silicified argillite, well laminated + Tr Py	chip	1.0m	490		20		155	13	50	34
7307	Tr-95-01	6.0-7.0m	White to grey alt'd volc. with Qtz-veins & clots;	chip	1.0m	25		1.4		610	6	56	77
7305	Tr-95-01	4.0-5.0m	Grey felsic tuff with white clasts, to 20% Py	chip	1.0m	225		8.8		865	13	108	236
7304	Tr-95-01	3.0-4.0m	Lapilli clasts?, Tr - 5% Py & uns.	chip	1.0m	715		16		1790	15	92	139
7303	Tr-95-01	2.0-3.0m	Felsic volcanoclastic, 5% Py	chip	1.0m	15		1.2		30	8	48	250
7302	Tr-95-01	1.0-2.0m	Felsic volcanoclastic, 5% Py	chip	1.0m	15		1.6		25	8	30	49
7301	Tr-95-01	0.0-1.0m	Felsic volc, 5% Py	chip	1.0m	20		0.8		25	12	48	67
7306	Tr-95-01	5.0-6.0m	Grey local quartz alt'n/units 1-10% Py	chip	1.0m	105		5.6		420	10	38	101
7308	Tr-95-01	7.0-8.0m	White to grey alt'd volc. with Qtz-veins & clots;	chip	1.0m	205		4.2		545	9	22	48
7309	Tr-95-01	8.0-9.0m	White to grey alt'd volc. with Qtz-veins & clots;	chip	1.0m	595		5		725	12	42	125
7358	Tr-95-02	8.5-9.5m	As 7357, no sulphides	chip	1.0m	30		0.8		70	57	12	121

Sample	Location	Location B	Description	Type	Length	Au (ppb)	Au (g/t)	Ag (ppm)	Ag (g/t)	As (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
7359	Tr-95-02	9.5-10.5m	Grey alt'd volcanic; pervasive	chip	1.0m	5		1		30	69	14	159
7356	Tr-95-02	5.0-6.0m	Rusty o/c; jarosite/hematite	chip	1.0m	5		2.2		50	44	2	84
7357	Tr-95-02	6.0-7.0m	As 7356, no sulphides	chip	1.0m	235		1.6		200	59	12	126
7360	Tr-95-02	9.5-10.5m	Qt. 2 veins & patches, 1-3% py	chip	1.0m	20		2.6		<5	77	12	407
7362	Tr-95-02	12.5-13.5m	As 7361 to pervasive Q. vns. & 10-15% sulphides	chip	1.0m	5		6.2		135	67	6	163
7353	Tr-95-02	2.0-3.0m	Rusty o/c; jarosite/hematite	chip	1.0m	25		1.4		50	31	2	77
7363	Tr-95-02	14.5-15.5m	Py > Po > Tr sp.	chip	1.0m	5		1.8		120	64	20	147
7364	Tr-95-02	13.5-14.5m	Py > Po > Tr sp.	chip	1.0m	5		3.2		50	57	22	203
7392	Tr-95-02	6.85-57.85	F.g. silicic alt'd volc.? 15% Py + Po, Chl. + Bxtn	chip	1.0m	170		>30		650	129	188	186
7393	Tr-95-02	7.85-58.85	Same as 7392 15-30% py + po	chip	1.0m	5		4.2		115	41	14	89
7394	Tr-95-02	8.85-60.40	Same as 7393 10-15% Py + Po	chip	1.55m	10		4.8		90	55	16	164
7361	Tr-95-02	11.5-12.5m	As 7360 to pervasive Q. vns. & 10-15% sulphides	chip	1.0m	5		2		230	81	10	187
7374	Tr-95-02	1.15-32.15	Light grey - green volc. + chl + 2% sulphs	chip	1 m	350		10.6		200	18	16	198
7365	Tr-95-02	15.5-16.5m	Py > Po > Tr sp.	chip	1.0m	5		8		35	33	34	374
7366	Tr-95-02	16.5-17.5m	Py > Po > Tr sp.	chip	1.0m	5		3.8		165	41	56	405
7367	Tr-95-02	17.5-18.5m	Py > Po > Tr sp.	chip	1.0m	10		2.4		265	71	10	299
7368	Tr-95-02	18.5-19.5m	As 7367 + 15% py	chip	1.0m	5		2.8		<5	70	8	166
7369	Tr-95-02	19.5-20.75m	As 7368 + 15% py locally	chip	1.25m	5		2.2		10	56	10	118
7370	Tr-95-02	6.85-28.15	As 7369 + 15% py locally + Qtz stockwork	chip	1.30m	115		4.8		20	23	8	65
7371	Tr-95-02	8.15-29.15	2-4% Py	chip	1 m	55		3		40	23	12	84
7355	Tr-95-02	4.0-5.0m	Rusty o/c; jarosite/hematite	chip	1.0m	10		0.4		95	63	4	115
7373	Tr-95-02	0.15-31.15	Lt. grey rock with blk clasts; 4% sulps.	chip	1 m	755		7.4		235	14	28	191
7354	Tr-95-02	3.0-4.0m	Rusty o/c; jarosite/hematite	chip	1.0m	5		<.2		95	65	6	113
7375	Tr-95-02	2.15-33.75	Greenish grey + s.s. Q black mineral?	chip	1.6m	140		3.2		70	8	12	137
7386	Tr-95-02	0.82-51.85	Med. light grey; 15% py + po; diss & unlt	chip	1.0m	10		4.8		855	74	24	143
7387	Tr-95-02	1.85-52.85	Med. light grey; 15% py + po; diss & unlt + sp.	chip	1.0m	10		3		165	80	22	120
7388	Tr-95-02	2.85-53.85	F.g. silicic alt'd volc.? 15% Py + Po, Chl.	chip	1.0m	115		12.6		245	31	20	95
7389	Tr-95-02	3.85-54.85	F.g. silicic alt'd volc.? 15% Py + Po, Chl.	chip	1.0m	150		13		400	33	26	106
7390	Tr-95-02	4.85-55.85	F.g. silicic alt'd volc.? 15% Py + Po, Chl.	chip	1.0m	125		11.8		360	32	24	82
7391	Tr-95-02	5.85-56.85	F.g. silicic alt'd volc.? 15% Py + Po, Chl.	chip	1.0m	90		15.2	129.4	215	42	20	92
7351	Tr-95-02	0.0-1.0m	Grey alt'd volc. fragmental with s.s. - Q alt'n	chip	1.0m	80		3.2		20	86	12	691
7352	Tr-95-02	0.0-2.0m	Grey alt'd volc. fragmental with s.s. - Q alt'n	chip	1.0m	105		1.4		55	53	<2	125
7372	Tr-95-02	9.15-30.15	2-4% Py	chip	1 m	580		5.2		115	13	18	222
7457	Tr-95-03	10.0-11.0m	Intensely silicified 60% Qtz.	chip	1.0m	300		>30	101.3	155	47	156	10

Sample	Location	Location B	Description	Type	Length	Au (ppb)	Au (g/t)	Ag (ppm)	Ag (g/t)	As (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
7451	Tr-95-03	0.0-1.0m	Silicified argillite, well laminated	chip	1.0m	>1000	1.01	>30	38.1	125	7	64	18
7454	Tr-95-03	3.0-4.0m	Silicified argillite, well laminated + Tr Py	chip	1.0m	705		27		165	22	68	55
7456	Tr-95-03	9.0-10.0m	Silicified argillite, well laminated + Tr Py + 20%	chip	1.0m	380		26.6		85	19	50	21
7458	Tr-95-03	11.0-12.0m	Intensely silicified 60% Qtz. Tr Py to 3%	chip	1.0m	355		>30	79.4	360	24	176	58
7459	Tr-95-03	12.0-13.0m	Intensely silicified 60% Qtz. Tr Py to 3%	chip	1.0m	320		19.2		290	16	54	17
7455	Tr-95-03	4.0-5.0m	Silicified argillite, well laminated + Tr Py + 1% P	chip	1.0m	515		21.4		140	19	54	41
7460	Tr-95-03	13.0-14.0m	Silicified argillite no sulps.	chip	1.0m	410		>30	31.3	175	23	166	11
7461	Tr-95-03	14.0-15.0m	Grey silicified argill 8, 2% Py	chip	1.0m	365		13.6		145	12	34	30
7462	Tr-95-03	15.0-16.2m	As 7461, 15% Q, Vs.	chip	1.0m	420		29.2		175	23	58	211
7453	Tr-95-03	2.0-3.0m	Silicified argillite, well laminated + Tr Py	chip	1.0m	540		19.6		170	17	44	30
7532	Tr-95-04	7.0-8.0m	Grey fine grain silicified box, stockwork sulphide	chip	1.0m	>1000	4.69	>30	118.6	2130	107	420	4694
7377	Tr-95-04	1.0-2.0m	Fine grain grey silicified rock	chip	1.0m	20		0.6		20	4	4	74
7376	Tr-95-04	0.0-1.0m	Fine grain grey silicified volc. > 7% Py	chip	1.0m	5		1.8		15	9	8	69
7537	Tr-95-04	13.9-14.9m	Grey fine grain silicified rock, diss and stkwrk	chip	1.0m	350		20.2		475	65	84	431
7536	Tr-95-04	12.9-13.9m	Grey fine grain silicified rock, diss and stkwrk	chip	1.0m	175		2.2		35	24	14	140
7535	Tr-95-04	11.9-12.9m	Grey fine grain silicified rock, diss and stkwrk	chip	1.0m	180		1.8		45	19	14	144
7378	Tr-95-04	2.0-3.0m	Stockwork, 3% Py	chip	1.0m	15		0.4		285	6	4	83
7533	Tr-95-04	8.0-9.0m	Grey fine grain silicified box, stockwork sulphide	chip	1.0m	>1000	55.9	>30	170.1	1855	146	1306	7676
7383	Tr-95-04	7.5-8.5m	Med. grey fine grain - 35-40%	chip	1.0m	>1000	4.52	>30	91.2	1435	90	236	2249
7531	Tr-95-04	6.0-7.0m	Grey fine grain silicified rock, sulphides in vein	chip	1.0m	280		5		110	23	24	92
7530	Tr-95-04	5.0-6.0m	Grey fine grain silicified rock, sulphides in vein	chip	1.0m	880		10		320	27	86	352
7529	Tr-95-04	4.0-5.0m	Grey fine grain silicified rock, sulphides in veins	chip	1.0m	90		2.6		215	13	14	95
7534	Tr-95-04	10.9-11.9m	Grey fine grain silicified rock, diss and stockwks	chip	1.0m	800		15.8		335	52	66	246
7379	Tr-95-04	3.0-4.0m	Green grey silicified volc., 3% Py	chip	1.0m	105		1		5	6	4	65
7380	Tr-95-04	4.0-5.0m	Fine grain grey volcanic, 2% sulp.	chip	1.0m	110		3		50	11	14	61
7382	Tr-95-04	6.0-7.5m	Fine grain grey volcanic 3-5% Py	chip	1.0m	15		19.2		115	21	36	128
7384	Tr-95-04	8.5-9.5m	Med. grey fine grain - semimassive Py 35-50%	chip	1.0m	>1000	?	>30	?	1075	76	208	2105
7385	Tr-95-04	9.5-10.9m	Med grey fine grain - silicified Rx 40-50% Py	chip	1.4m	>1000	?	>30	?	1545	94	374	4402
7538	Tr-95-04	14.9-15.9m	Grey fine grain silicified rock, black mineral?	chip	1.0m	>1000	1.05	>30	54.6	590	62	252	435
7539	Tr-95-04	15.9-17.15m	Light grey fine grained rock, blk. mineral	chip	1.35m	270		14.8		495	55	50	75
7540	Tr-95-04	19.0-20.0m	Aphantic lt. grnish grey silicified rock, 5% sulp	chip	1.0m	745		7.4		440	24	64	281
7541	Tr-95-04	20.0-21.0m	Aphantic lt. grnish grey silicified rock 10% sulp	chip	1.0m	>1000	1.99	7.6		315	28	42	186
7542	Tr-95-04	21.0-22.0m	Aphantic lt. grnish grey silicified rock, 10% sulp	chip	1.0m	>1000	2.75	24		440	30	80	1058
7543	Tr-95-04	22.0-23.65m	Aphantic lt. grnish grey silicified rock, 10% sulp	chip	1.65m	450		5		730	19	30	210

Sample	Location	Location B	Description	Type	Length	Au (ppb)	Au (g/t)	Ag (ppm)	Ag (g/t)	As (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
7395	Tr-95-04	+ 75 -24.97	Aphantic lt. grnish grey silicified rock, 10% sulp	chip	1.22m	150		8.4		715	18	28	74
7396	Tr-95-04	5.97-27.47	Aphantic lt. grnish grey silicified rock, 10% sulp	chip	1.5m	160		12.2		345	27	36	239
7381	Tr-95-04	5.0-6.0m	Fine grain volc..., 12% Py	chip	1.5m	80		8.4		145	17	26	123
7471	Tr-95-05	11.6-12.6m	Dark green phyllitic argillite + Py bands	chip	1.0m	>1000	1.62	>30	44.3	875	48	136	423
7474	Tr-95-05	14.6-15.6m	Dark grey/bl argillite < 1% Py	chip	1.0m	375		10.2		165	16	40	20
7469	Tr-95-05	7.6-8.6m	Same as 7467 + Q all'n; + Py bands	chip	1.0m	>1000	1.09	>30	41.2	375	53	90	69
7475	Tr-95-05	18.6-19.6m	Dark grey/bl argillite < 1% Py	chip	1.0m	505		10.6		215	15	52	62
7473	Tr-95-05	13.6-14.6m	Dark grey/bl argillite 1% Py	chip	1.0m	395		11.2		220	15	42	32
7472	Tr-95-05	12.6-13.6m	Same as 7471 by <3% sulps	chip	1.0m	380		14.4		350	17	64	57
7470	Tr-95-05	10.6-11.6m	Same as 7468 + Q all'n; + Py bands + Py ribs10%	chip	1.0m	>1000	2.95	>30	42.2	665	42	106	175
7468	Tr-95-05	6.6-7.6m	Same as 7466 + Thicker (more) Py bands	chip	1.0m	>1000	1.31	>30	74.5	830	66	100	103
7467	Tr-95-05	5.6-6.6m	Same as7465 + Py bands	chip	1.0m	845		23.4		470	32	56	37
7466	Tr-95-05	3.0-4.0m	Grey-Blk silicified argillite no sulph.	chip	1.0m	360		20.6		295	17	62	57
7465	Tr-95-05	2.0-3.0m	Aphantic lt. grnish grey silicified rock, + mny Py	chip	1.0m	>1000	1.2	>30	96.3	240	52	196	732
7464	Tr-95-05	1.0-2.0m	Aphantic lt. grnish grey silicified rock, 10% sulp	chip	1.0m	490		22.8		230	31	40	39
7463	Tr-95-05	0.0-1.0m	Silicified argillite, local bands Py	chip	1.0m	705		>30	44.6	270	44	54	243
7505	Tr-95-06	0.0-1.0m	Grey matrix bx, pyrrhotite dissem up to 10-12%	chip	1.0m	5		<.2		2200	15	12	313
7510	Tr-95-06	5.2-6.2m	Med. grey fine grained rock, sulphides 3% diss	chip	1.0m	15		<.2		70	11	18	183
7514	Tr-95-06	13.7-15.1m	Grey matrix bx., sulphides up to 30% in veinlets	chip	1.4m	5		<.2		2465	14	8	154
7513	Tr-95-06	12.7-13.7m	Grey matrix bx, sulphides up to 20-25% in veinlets	chip	1.0m	5		<.2		1120	14	10	112
7512	Tr-95-06	1.1-1-12.7	Grey matrix bx, sulphides up to 20-25% in veinlets	chip	1.6m	10		<.2		1720	13	8	206
7511	Tr-95-06	6.2-7.7m	Grey matrix bx, sulphides up to 15% in veinlets	chip	1.5m	5		<.2		915	14	18	164
7509	Tr-95-06	4.2-5.2m	Grey matrix bx, pyrrhotite dissem up to 5%	chip	1.0m	5		<.2		365	13	18	224
7508	Tr-95-06	3.0-4.2m	Grey matrix bx, pyrrhotite dissem up to 3-5%	chip	1.0m	5		<.2		<5	11	14	127
7506	Tr-95-06	1.0-2.0m	Grey matrix bx, pyrrhotite dissem up to 10-12%	chip	1.0m	5		<.2		1030	11	10	161
7478	Tr-95-06	17.6-18.6m	V fine grained, dk gry-blk argillite/siltstone py	chip	1.0m	295		9.4		175	10	38	95
7477	Tr-95-06	16.6-17.6m	V fine grained, dk grey-black argillite/siltstone	chip	1.0m	320		16.6		180	17	52	132
7476	Tr-95-06	15.6-16.6m	V fine grained, dk grey black argillite siltstone	chip	1.0m	455		>30	41.2	225	64	94	157
7507	Tr-95-06	2.0-3.0m	Grey matrix bs, pyrrhotite dissem up to 5%	chip	1.0m	5		<.2		<5	11	12	109
7520	Tr-95-07	5.0-6.0m	Grey matrix silicified bx, interstitial sulphides	chip	1.0m	5		<.2		35	30	20	349
7521	Tr-95-07	6.0-7.0m	Grey matrix silicified bx., interstitial sulphides	chip	1.0m	5		<.2		585	35	20	454
7522	Tr-95-07	7.0-8.4m	Grey matrix silicified bx, interstitial sulphides	chip	1.4m	5		<.2		235	29	20	47
7518	Tr-95-07	3.0-4.0m	Fine grain gry silicified rock, sulphides in diss	chip	1.0m	5		<.2		90	20	14	157
7517	Tr-95-07	2.0-3.0m	Fine grain grey silicified rock, sulphides in diss	chip	1.0m	5		<.2		95	42	18	525

Sample	Location	Location B	Description	Type	Length	Au (ppb)	Au (g/t)	Ag (ppm)	Ag (g/t)	As (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
7516	Tr-95-07	1.0-2.0m	Fine grain gry silicified rock, sulphides in diss	chip	1.0m	5		<.2		430	46	14	167
7515	Tr-95-07	0.0-1.0m	Fine grain gry silicified rock, sulphides in diss	chip	1.0m	5		<.2		415	40	18	154
7519	Tr-95-07	4.0-5.0m	Fine grain gry silicified rock, sulphides in diss	chip	1.0m	5		<.2		275	29	16	194
7562	Tr-95-08	1.0-2.3m	Silicified, arg. w. siltstone lenses Py, Po as ven	chip	1.3m	<5		<.2		15	63	4	66
7563	Tr-95-08	2.3-3.3m	Silicified siltstone w chl lenses Py, Po 10% in ma	chip	1.0m	<5		<.2		10	151	14	704
7564	Tr-95-08	3.3-4.3m	Silicified siltstone w chl lenses Py, Po 10% in ma	chip	1.0m	<5		0.2		<5	108	16	315
7565	Tr-95-08	4.3-5.6m	Heavily silicified siltstone/arg Py, Po in venlets	chip	1.3m	<5		0.2		<5	55	36	429
7566	Tr-95-08	5.6-7.3m	Chloritized arg w quartz veining, Py, Po dissem	chip	1.7m	<5		<.2		<5	24	24	352
7561	Tr-95-08	0.0-1.0m	Silicified arg. w. siltstone lenses Py, Po as vein	chip	1.0m	<5		<.2		15	35	10	72
7683	Tr-95-10	34.8-35.8m	Interbedded ss/arg Py dissem in ss, layered in arg	chip	1.0m	<5		<.2		<5	35	12	63
7677	Tr-95-10	28.8-29.8m	Bedded arg/siltstone w fine grained py dissem	chip	1.0m	<5		<.2		35	54	16	52
7678	Tr-95-10	29.8-30.8m	Bedded arg/siltstone w fine grained Py dissem	chip	1.0m	<5		<.2		55	54	18	50
7679	Tr-95-10	30.8-31.8m	Bedded arg/siltstone w fine grained Py dissem	chip	1.0m	<5		<.2		20	84	14	91
7680	Tr-95-10	31.8-32.8m	Bedded arg/siltstone w fine grained Py dissem	chip	1.0m	<5		<.2		15	64	14	73
7676	Tr-95-10	24.3-25.6m	Grey siltstone silicified no sulphides	chip	1.3m	<5		<.2		10	25	8	49
7682	Tr-95-10	33.8-34.8m	Black arg w/some ss lenses Py dissem in layers	chip	1.0m	<5		<.2		20	77	20	63
7672	Tr-95-10	15.2-16.2m	Grey silicified siltstone with heterolithic clasts	chip	1.0m	<5		<.2		<5	21	6	37
7681	Tr-95-10	32.8-33.8m	Black arg w/some ss lenses Py dissem in layers	chip	1.0m	<5		<.2		10	64	20	57
7675	Tr-95-10	23.3-24.3m	Grey silicified no sulphides	chip	1.0m	<5		<.2		25	29	12	45
7673	Tr-95-10	18.2-19.2m	1st part is silified siltstone with heterolithic	chip	1.0m	<5		<.2		25	77	18	39
7671	Tr-95-10	14.2-15.2m	Grey silicified siltstone with heterolithic clasts	chip	1.0m	<5		<.2		<5	19	8	35
7670	Tr-95-10	13.2-14.2m	Gry silicified siltstne with heterolithic clasts	chip	1.0m	<5		<.2		<5	15	6	30
7669	Tr-95-10	12.2-13.2m	Quartz clastic rock w dk grey fine grain matrix	chip	1.0m	<5		<.2		15	51	10	60
7668	Tr-95-10	8.5-9.5m	Quartz clastic rock w dk grey fine grain matrix	chip	1.0m	<5		<.2		115	26	12	43
7667	Tr-95-10	1.1-2.1m	Black arg w/sandstone lenses. sx 5% in layers	chip	1.0m	<5		<.2		15	128	14	65
7666	Tr-95-10	0-1.1m	Silicified siltstone - foliated arg w localized si	chip	1.1m	<5		<.2		10	62	14	80
7674	Tr-95-10	19.2-20.2m	Blk arg Sx <1% dissem in layers	chip	1.0m	<5		<.2		15	87	18	69
7684	Tr-95-11	0.0-1.0m	Slightly silicified arg sx 10% in layers and disse	chip	1.0m	<5		<.2		<5	70	10	72
7685	Tr-95-11	1.0-2.0m	Arg/siltstone interbedded w/some silicification Py	chip	1.0m	5		0.8		10	41	12	62
7686	Tr-95-11	2.0-3.0m	Arg/siltstone w siltstone lenses Py dissem up to 1	chip	1.0m	5		0.2		<5	57	12	80
7687	Tr-95-11	3.0-4.0m	Mostly siltstone with clasts Py dissem 5%	chip	1.0m	5		<.2		65	41	10	68

APPENDIX 4

(Statistical Analyses of Soil Geochemical Results)

Statistical Interpretation of the Corey Property Soil Geochem.

T.V. Zone Soil Sample Values

	Au(ppb)	Ag	Al(%)	As	Ba	Bi	Ca(%)	Cd	Co	Cr	Cu
Mean	4.985075	0.657612	2.420037	74.90299	96.86194	11.97388	0.298925	1.390299	15.0709	23.19776	33.45522
St. Dev.	40.24477	1.534919	1.051929	682.3283	137.2241	9.523921	0.48501	7.728635	12.12612	14.44163	37.38844
Mean + St. Dev.	45.22984	2.192531	3.471966	757.2313	234.086	21.4978	0.783935	9.118933	27.19701	37.63939	70.84367
Mean + 2 St. Dev.	85.47461	3.72745	4.523895	1439.56	371.3102	31.02172	1.268944	16.84757	39.32313	52.08101	108.2321
Au Correlation Coefficient		0.406817	0.031328	0.066302	0.23802	-0.072163	0.042592	-0.015372	0.098809	-0.06017	0.32704
Ag Correlation Coefficient			0.090604	0.171825	0.220241	0.039088	0.060305	0.227134	0.147568	-0.056364	0.218085

Bench Zone Soil Sample Values

	Au(ppb)	Ag	Al(%)	As	Ba	Bi	Ca(%)	Cd	Co	Cr	Cu
Mean	7.282913	0.884594	2.560812	32.08683	89.03361	14.95798	0.417227	1.322129	18.43697	45.04482	37.05042
St. Dev.	31.01125	1.884029	1.409192	63.07144	48.0663	12.47181	0.523795	2.467744	11.36793	43.96741	24.35062
Mean + St. Dev.	38.29417	2.768623	3.970005	95.15827	137.0999	27.42979	0.941022	3.789873	29.80491	89.01222	61.40104
Mean + 2 St. Dev.	69.30542	4.652652	5.379197	158.2297	185.1662	39.9016	1.464817	6.257617	41.17284	132.9796	85.75165
Au Correlation Coefficient		-0.045623	-0.149864	0.109397	0.251884	-0.123581	0.075788	-0.112045	0.02764	-0.075642	0.443769
Ag Correlation Coefficient			0.286026	0.165213	0.054226	-0.106005	-0.009354	0.081969	-0.037719	-0.085669	-0.010282

Battlement Zone Soil Sample Values

	Au(ppb)	Ag	Al(%)	As	Ba	Bi	Ca(%)	Cd	Co	Cr	Cu
Mean	0.686695	0.950215	2.765322	8.862661	94.35622	16.45923	0.287253	0.76824	16.78541	61.87983	29.6309
St. Dev.	3.679	1.580133	1.627084	24.12911	62.41903	11.21957	0.37776	2.029401	14.06746	87.92034	19.75194
Mean + St. Dev.	4.365695	2.530348	4.392405	32.99177	156.7753	27.6788	0.665013	2.797642	30.85287	149.8002	49.38284
Mean + 2 St. Dev.	8.044694	4.110481	6.019489	57.12088	219.1943	38.89836	1.042774	4.827043	44.92033	237.7205	69.13478
Au Correlation Coefficient		0.020735	0.027145	-0.020298	0.01648	-0.131417	-0.066869	-0.044984	-0.028372	-0.098155	0.357027
Ag Correlation Coefficient			0.174887	0.16266	0.186456	-0.161457	-0.015221	0.193709	-0.154603	-0.130707	0.082603

Fe(%)	Hg(ppb)	La	Mg(%)	Mn	Mo	Na(%)	Ni	P	Pb	Sb	Sn	Sr	Ti(%)	U	V	Y	Zn	
6.815231		3.529851	0.345388	858.5948	8.435821	0.020545	18.9209	876.8134	23.40149	0.208955	1	19.7903	0.15353	1.38806	83.65672	0.029851	7.558209	103.4388
2.918016		11.40614	0.28195	1429.258	15.67409	0.031093	65.12064	723.3556	13.31628	2.006616	7.325771	33.6792	0.141941	5.42573	45.44373	0.668733	14.54817	232.7712
9.733247		14.93599	0.627338	2287.853	24.10991	0.051638	84.04153	1600.169	36.71777	2.215571	8.325771	53.4695	0.295471	6.813789	129.1004	0.698584	22.10638	336.21
12.65126		26.34212	0.909289	3717.111	39.78399	0.082731	149.1622	2323.525	50.03406	4.222187	15.65154	87.14869	0.437412	12.23952	174.5442	1.367317	36.65455	568.9812
0.096286		-0.034051	0.066686	0.080804	0.026152	-0.034043	-0.020961	0.137743	0.408186	0.016685	-0.016921	0.023897	-0.058869	-0.016664	-0.003566	-0.005533	-0.025369	0.005952
0.134472		0.068742	-0.048989	0.245746	0.255118	-0.01698	0.226947	0.139973	0.221351	0.052586	-0.010441	0.09479	-0.118922	0.125801	-0.124905	-0.019139	0.100775	0.249484

Fe(%)	Hg(ppb)	La	Mg(%)	Mn	Mo	Na(%)	Ni	P	Pb	Sb	Sn	Sr	Ti(%)	U	V	W	Y	Zn	
6.972157	217.838	0.588235	0.437311	631.8852	4.196078	0.025434	22.2409	707.1989	24.36415	0.294118		0	20.12045	0.225434	3.641457	121.2269	0.056022	3.364146	96.59944
3.294879	92.36151	3.079686	0.391289	1206.813	4.105448	0.046521	22.76389	478.5477	13.33794	1.943093		0	22.7501	0.216426	9.637547	87.95307	1.058512	6.183219	77.38536
10.26704	310.1995	3.667922	0.8286	1838.699	8.301526	0.071955	45.00478	1185.747	37.70209	2.237211		0	42.87055	0.44186	13.279	209.18	1.114535	9.547364	173.9848
13.56191	402.561	6.747608	1.219888	3045.512	12.40697	0.118476	67.76867	1664.294	51.04003	4.180304		0	65.62064	0.658285	22.91655	297.133	2.173047	15.73058	251.3702
-0.068054	-0.331593	-0.043512	0.278007	0.015787	0.068842	-0.061681	-0.052967	0.523963	0.101413	-0.033317			0.098828	-0.09305	-0.078176	-0.066678	-0.012464	-0.051665	-0.020254
0.056548	0.329036	0.082415	-0.146953	0.100939	0.228095	-0.043654	-0.040652	0.02692	0.218133	-0.044413			-0.022272	-0.188414	0.043011	-0.174731	-0.008017	0.124616	0.242282

Fe(%)	Hg(ppb)	La	Mg(%)	Mn	Mo	Na(%)	Ni	P	Pb	Sb	Sn	Sr	Ti(%)	U	V	Y	Zn	
6.635794	197.8571	0.55794	0.508712	484.0773	4.849785	0.031502	33.25751	601.3305	24.27468	3.733906	8.755365	23.1588	0.208112	7.553648	105.9185	0	2.678112	87.07296
2.909027	191.9936	3.234691	0.730982	1072.581	5.18026	0.04124	56.88117	543.7644	40.73116	53.07572	16.98618	32.13154	0.220743	11.23909	73.73097	0	5.601285	67.17777
9.544821	389.8508	3.792631	1.239694	1556.659	10.03005	0.072742	90.13868	1145.095	65.00584	56.80963	25.74155	55.29034	0.428855	18.79274	179.6494	0	8.279396	154.2507
12.45385	581.8444	7.027321	1.970676	2629.24	15.21031	0.113982	147.0199	1688.859	105.737	109.8854	42.72773	87.42188	0.649598	30.03183	253.3804	0	13.88068	221.4285
-0.033097	0.16524	-0.032334	-0.090147	-0.018654	0.022398	-0.057965	-0.081282	0.10264	-0.010756	-0.013188	0.006838	-0.073488	-0.097117	0.040803	-0.092354		-0.078124	-0.015377
0.165568	0.115604	0.032444	-0.23061	0.155197	0.436567	-0.177968	-0.163495	0.149722	0.160919	0.065905	-0.062701	-0.00633	-0.298235	0.197474	-0.205969		-0.010195	0.295445

APPENDIX 5

(Geochemical and Assay Certificates)



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 95-557

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9


10-Aug-95

ATTENTION: K. HICKS/ J. DUPUIS

21 rock samples received August 2, 1995
Project #: **FD5CA0011**
Shipment #: **8**
P.O. #: **5751**
Samples submitted by: **T. Drown**

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
6	7391	-	-	129.4	3.77
10	7468	1.31	0.038	74.5	2.17
11	7469	1.09	0.032	41.2	1.20
12	7470	2.95	0.086	42.2	1.23
13	7471	1.62	0.047	44.3	1.29
QC DATA:					
	Standard:				
	Mp-1A	-	-	69.8	2.04

XLS/95Canamera



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 95-586

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

16-Aug-95

ATTENTION: K. HICKS/ J. DUPUIS

8 Rock samples received August 4, 1995
Project #: *FD5CA0011*
Shipment #: *9*
P.O. #: *5756*

ET #.	Tag #	Ag (g/t)	Ag (oz/t)
6	7476	41.2	1.20


QC DATA:

Standard:

Mp-1A

70.0 2.04

XLS/95Canamera



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AK 95-625A

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

8-Sep-95

ATTENTION: K. HICKS/ J. DUPUIS

231 Soil samples received August 11, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 13

P.O. #: 5406

Samples submitted by: R. Verzosa

AS PER REQUEST AUGUST 12, 1995

ET #.	Tag #	Hg (ppb)
101	0101E	145
102	0102E	65
103	0103E	70
104	0104E	220
105	0105E	300
106	0106E	200
107	0107E	425
108	0108E	370
109	0109E	390
110	0110E	255
111	0111E	365
112	0112E	240
113	0113E	430
114	0114E	125
115	0115E	200
116	0116E	250
117	0117E	80
118	0118E	225
119	0119E	280
120	0120E	220
121	0121E	415
122	0122E	130
123	0123E	150

ET #.	Tag #	Hg (ppb)
218	1508	115
219	1509	45
220	1510	50
221	1511	100
222	1512	260
223	1513	100
224	1514	330
225	1515	100
226	1516	190


QC DATA:**Repeat:**

101	0101E	120
110	0110E	280
218	1508	105

Standard:

SO2		80
SO2		75

XLS/Canamera#3



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 95-628

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

24-Aug-95

ATTENTION: K. HICKS/ J. DUPUIS

10 Rock samples received August 11, 1995
Project #: FD5CA0011
Shipment #: 13
P.O. #: 5406
Submitted by: R. Verzosa


ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
3	7397	5.10	0.149	32.7	0.95
6	7400	-	-	40.8	1.19

QC DATA:

Standard:

Mp-1A	-	-	-	70.0	2.04
STD-L	2.02	0.059	-	-	-

XLS/Canamera#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 95-654

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

30-Aug-95

ATTENTION: K. HICKS/ J. DUPUIS

34 Rock samples received August 16, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 14

P.O. #: 5802

Samples submitted by: R.Verzosa


ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
8	7610	-	-	50.2	1.46
9	7611	-	-	28.3	0.83
10	7612	2.07	0.060	-	-
14	7616	-	-	50.1	1.46
15	7617	1.28	0.037	-	-

QC/DATA:

Standard:


Mp-1A: - - 69.9 2.04

XLS/95Canamera#3


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ET #.	Tag #	Hg (ppb)
28	2027	75
29	2028	100
30	2029	110
31	2030	330
32	2031	215
33	2032	90
34	2033	245
35	2034	200
36	2035	170
37	2036	180
38	2037	175
39	2038	220
40	2039	135
41	2040	195
42	2041	150
43	2042	190
44	2043	145
45	2044	220
46	2045	105
47	2046	140
48	2047	185
49	2048	195
50	2049	235
51	2050	125
52	2051	125
53	2052	180
54	2053	140
55	2054	235
56	2055	130
57	2056	160
58	2057	235
59	2058	60

<u>ET #.</u>	<u>Tag #</u>	<u>Hg (ppb)</u>
<u>QC/DATA</u>		
<u>Repeat #:</u>		
1	2000	145
10	2009	200
19	2018	190
29	2028	110
34	2033	225
43	2042	185
52	2051	160



ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

XLS/95Canamera#4



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy. R.R. #2. Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AK 95-716

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

13-Sep-95

ATTENTION: K. HICKS/ J. DUPUIS

163 Soil samples received August 28, 1995
PROJECT #: FD5CA0011
SHIPMENT #:16
P.O. #: 5812
Samples submitted by: T. Drown

ET #.	Tag #	Hg (ppb)
1	2078	130
2	2080	300
3	2082	195
4	2084	140
5	2085	160
6	2086	135
7	2087	165
8	2088	140
9	2089	165
10	2090	245
11	2091	330
12	2092	200
13	2093	315
14	2094	190
15	2095	130
16	2096	155
17	2097	170
18	2098	165
19	2099	175
20	2100	130
21	2101	155
22	2102	175
23	2103	175
24	2104	85
25	2105	135
26	2106	125
27	2107	65
28	2108	110


ET #.	Tag #	Hg (ppb)
29	2109	165
30	2110	290
31	2111	105
32	2112	130
33	2113	140
34	2114	140
35	2115	205
36	2116	265
37	2117	250
38	2118	385
39	2119	375
40	2120	360
41	2121	245
42	2122	180
43	2123	190
44	2124	135
45	2125	160
46	2126	150
47	2127	130
48	2128	355
49	2129	300
50	2130	220
51	2131	155
52	2132	165
53	2133	125
54	2134	150
55	2135	150

QC DATA:**Repeat:**

1	2078	120
10	2090	250
19	2099	165
28	2108	100
36	2116	230
46	2126	140
55	2135	140

Standard:

S02 90



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AK 95-785

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

18-Sep-95

ATTENTION: K. HICKS/ J. DUPUIS

168 SOIL samples received Sept 1, 1995

PROJECT #: FD5CA0011

SHIPMENT #:22

P.O. #: 5778

Samples submitted by: T. Drown

ET #.	Tag #	Au (ppb)	Hg (ppb)
1	0311E	<5	-
2	0312E	<5	-
3	0313E	<5	-
4	0314E	<5	-
5	0315E	<5	-
6	0316E	<5	-
7	0317E	<5	-
8	0318E	<5	-
9	0319E	<5	-
10	0320E	<5	-
11	0321E	<5	-
12	0322E	<5	-
13	0323E	<5	-
14	0324E	<5	-
15	0325E	<5	-
16	0326E	5	-
17	0327E	465	-
18	0328E	5	-
19	0329E	<5	-
20	0330E	<5	-
21	0331E	<5	-
22	0332E	<5	-
23	0333E	<5	-
24	0334E	<5	-
25	0335E	<5	-
26	0336E	<5	-
27	0337E	<5	-
28	0338E	<5	-


ET #.	Tag #	Au (ppb)	Hg (ppb)
29	0339E	<5	-
30	0340E	<5	-
31	0341E	<5	-
32	0342E	<5	-
33	0343E	<5	-
34	0344E	<5	-
35	0345E	<5	-
36	0346E	<5	-
37	0347E	<5	-
38	0348E	<5	-
39	0349E	<5	-
40	0350E	<5	-
41	0351E	<5	-
42	0352E	<5	-
43	0353E	5	-
44	0354E	<5	-
45	0355E	<5	-
46	0356E	<5	-
47	0357E	<5	-
48	0358E	<5	-
49	0359E	<5	-
50	0360E	<5	-
51	0361E	<5	-
52	0362E	<5	-
53	0363E	<5	-
54	0364E	<5	-
55	0365E	<5	-
56	0366E	5	-
57	0367E	<5	-
58	0368E	<5	-
59	0369E	<5	-
60	0370E	<5	-
61	0371E	<5	-
62	0372E	<5	-
63	0373E	<5	-
64	0374E	<5	-
65	0375E	<5	-
66	0376E	<5	-
67	0377E	<5	-
68	0244E	<5	-
69	0245E	<5	-
70	0246E	<5	-
71	0247E	<5	-
72	0248E	<5	-
73	0249E	<5	-
74	2136	<5	155
75	2137	<5	240
76	2138	<5	150
77	2139	<5	160

ET #.	Tag #	Au (ppb)	Hg (ppb)
78	2140	5	160
79	2141	<5	165
80	2142	<5	185
81	2143	<5	170
82	2144	<5	155
83	2145	<5	410
84	2146	<5	170
85	2147	5	385
86	2148	<5	155
87	2149	5	120
88	2150	<5	200
89	2151	<5	205
90	2152	5	380
91	2153	<5	210
92	2154	<5	90
93	2155	<5	235
94	2156	<5	325
95	2157	<5	255
96	2158	5	90
97	2159	<5	1760
98	2160	15	1790
99	2161	25	230
100	2162	15	110
101	2163	<5	120
102	2164	<5	190
103	2165	<5	190
104	2166	10	120
105	2167	<5	115
106	2168	<5	95
107	2169	<5	80
108	2170	<5	140
109	2171	<5	190
110	2172	<5	120
111	2173	<5	185
112	2174	<5	345
113	2175	<5	125
114	2176	<5	145
115	2177	<5	120
116	2178	<5	40
117	2179	<5	80
118	2180	<5	170
119	2181	<5	170
120	2182	<5	160
121	2183	<5	130
122	2184	<5	140
123	2185	<5	105
124	2186	<5	145
125	2187	<5	100
126	2188	<5	155

ET #.	Tag #	Au (ppb)	Hg (ppb)
127	2189	<5	105
128	2190	<5	165
129	2191	<5	95
130	2192	<5	150
131	2193	<5	140
132	2194	<5	200
133	2195	<5	150
134	2196	<5	130
135	2197	<5	155
136	2198	<5	150
137	2199	<5	220
138	2200	<5	275
139	2201	<5	155
140	2202	<5	100
141	2203	<5	180
142	2204	<5	200
143	2205	<5	250
144	2206	<5	210
145	2207	<5	230
146	2208	<5	200
147	2209	<5	185
148	2210	<5	105
149	2211	<5	180
150	2212	<5	165
151	2213	<5	135
152	2214	<5	115
153	2215	<5	210
154	2216	<5	165
155	2217	<5	95
156	2218	<5	130
157	2219	<5	170
158	2220	<5	120
159	2221	<5	305
160	2222	<5	220
161	2223	<5	240
162	2224	<5	185
163	2225	<5	100
164	2226	<5	105
165	2227	<5	45
166	2228	<5	170
167	2229	<5	75
168	A0331E	<5	-

ET #.	Tag #	Au (ppb)	Hg (ppb)
QC DATA:			
Repeat:			
1	0311E	<5	-
10	0320E	<5	-
19	0329E	<5	-
28	0338E	<5	-
36	0346E	<5	-
45	0355E	<5	-
54	0364E	<5	-
63	0373E	<5	-
71	0247E	<5	-
74	2136	-	140
80	2142	<5	-
83	2145	-	410
89	2151	<5	-
92	2154	-	80
98	2160	15	-
101	2163	-	100
107	2169	-	80
106	2168	<5	-
116	2178	-	30
115	2177	<5	-
124	2186	<5	-
125	2187	-	115
133	2195	<5	-
134	2196	-	120
140	2202	-	95
141	2203	<5	-
149	2211	-	190
150	2212	<5	-
158	2220	-	110
159	2221	<5	-
Standard:			
GEO95		150	-
GEO95		150	-
GEO95		150	-
GEO95		145	-
GEO95		145	-
SO2		-	70
SO2		-	75
SO2		-	50

XLS/Canamera


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AK 95-785R

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

19-Oct-95

ATTENTION: K. HICKS/ J. DUPUIS

168 SOIL samples received Sept 1, 1995
PROJECT #: FD5CA0011
SHIPMENT #:22
P.O. #: 5778
Samples submitted by: T. Drown

ET #.	Tag #	Hg (ppb)
96	2158	115
97	2159	120
98	2160	240
99	2161	280

QC DATA:


Repeat:

96	2158	110
----	------	-----

Standard:

SO4		30
-----	--	----

XLS/Canamera


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

25-Jul-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL AK 95-461
BOX 20144
SMITHERS, B.C.
VOJ 3P0

ATTENTION: TOM DROWN

10 Rock samples received July 17, 1995
Project #: FD5CA 0011
Shipment #: 1
PO #: 1976

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	7301	20	0.8	1.45	25	90	10	0.18	<1	6	57	12	8.09	<10	0.79	446	10	<0.1	1	1450	48	<5	<20	16	0.01	<10	78	<10	<1	67
2	7302	15	1.6	1.49	25	100	10	0.14	<1	4	65	8	6.39	<10	0.85	457	8	<0.1	<1	1220	30	<5	<20	25	<0.1	<10	61	<10	<1	49
3	7303	15	1.2	2.15	30	120	10	0.18	3	4	57	8	7.43	<10	1.39	717	7	<0.1	1	1220	48	<5	<20	10	<0.1	<10	88	<10	<1	250
4	7304	715	16.0	0.71	1790	30	10	0.11	<1	8	86	15	12.70	<10	0.39	275	206	<0.1	3	710	92	15	<20	5	<0.1	<10	47	<10	<1	139
5	7305	225	8.8	0.87	865	35	20	0.07	<1	8	54	13	12.50	<10	0.46	325	99	<0.1	3	1020	108	<5	<20	12	<0.1	<10	45	<10	<1	236
6	7306	105	5.6	0.74	420	25	10	0.11	<1	6	76	10	8.87	<10	0.44	254	30	<0.1	2	1010	38	<5	<20	6	<0.1	<10	43	<10	<1	101
7	7307	25	1.4	0.11	610	125	15	0.01	<1	5	63	6	11.90	<10	<0.1	35	45	<0.1	3	660	56	25	<20	9	<0.1	<10	55	<10	<1	77
8	7308	205	4.2	0.20	545	30	15	0.02	<1	8	94	9	11.30	<10	0.05	82	55	<0.1	3	370	22	<5	<20	4	<0.1	<10	21	<10	<1	48
9	7309	595	5.0	1.08	725	45	15	0.06	<1	8	63	12	12.60	<10	0.67	482	59	<0.1	1	920	42	<5	<20	5	<0.1	<10	58	<10	<1	125
10	7401	15	<2	4.10	<5	45	15	0.95	2	38	123	58	10.60	<10	4.14	2143	<1	0.02	29	880	14	<5	<20	5	0.43	<10	298	<10	13	125

QC/DATA:

Resplit:

R/S 1	7301	30	1.0	1.52	30	95	10	0.20	<1	7	57	12	8.21	<10	0.86	485	9	<0.1	3	1470	48	<5	<20	16	0.02	<10	83	<10	<1	69
-------	------	----	-----	------	----	----	----	------	----	---	----	----	------	-----	------	-----	---	------	---	------	----	----	-----	----	------	-----	----	-----	----	----


Repeat:

1	7301	-	0.8	1.44	30	85	10	0.18	<1	6	56	11	8.14	<10	0.79	450	12	<0.1	2	1450	48	<5	<20	17	0.01	<10	78	<10	<1	66
10	7401	10	<2	4.10	<5	50	15	0.96	2	38	124	58	10.60	<10	4.16	2158	<1	0.02	26	860	12	<5	<20	5	0.43	<10	300	<10	14	126

Standard:

GEO '95		150	1.2	1.65	60	155	<5	1.62	<1	17	58	82	3.94	<10	0.86	648	<1	0.02	26	640	18	<5	<20	55	0.11	<10	74	<10	6	74
---------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/461
XLS/95Kmisc#4


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

29-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-660
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

53 Rock samples received August 18, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 15
P.O. #: 5805
Samples submitted by: Paul Verzosa


Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	7561	<5	<2	2.33	15	80	5	0.53	<1	18	105	35	5.65	<10	1.40	642	6	<0.1	12	940	10	♂	<20	46	<0.1	<10	47	<10	<1	72
2	7562	<5	<2	1.69	15	70	<5	1.03	<1	18	124	63	4.52	<10	1.01	550	6	0.01	14	770	4	♂	<20	75	<0.1	<10	38	<10	<1	66
3	7563	<5	<2	3.18	10	105	<5	0.47	7	32	24	151	9.32	<10	1.77	811	7	<0.1	17	2160	14	♂	<20	29	<0.1	<10	67	<10	<1	704
4	7564	<5	0.2	2.09	<5	85	<5	0.29	4	25	60	108	7.67	<10	1.09	586	7	<0.1	13	1600	16	♂	<20	16	<0.1	<10	40	<10	<1	315
5	7565	<5	0.2	1.83	<5	115	<5	0.19	4	16	151	55	5.89	<10	0.93	597	6	<0.1	14	860	36	♂	<20	14	<0.1	<10	31	<10	<1	429
6	7566	<5	<2	2.02	<5	95	5	0.15	3	9	106	24	4.86	<10	1.15	414	6	<0.1	8	620	24	♂	<20	11	<0.1	<10	29	<10	<1	352
7	7666	<5	<2	1.28	10	100	<5	0.27	<1	12	64	62	3.52	<10	0.48	372	4	0.01	12	810	14	♂	<20	13	<0.1	<10	17	<10	<1	80
8	7667	<5	<2	1.59	15	100	<5	0.19	<1	10	30	128	4.06	<10	0.61	284	5	0.01	10	940	14	♂	<20	11	<0.1	<10	22	<10	<1	65
9	7668	<5	<2	0.84	115	70	<5	1.11	<1	9	75	26	2.65	<10	0.38	481	4	0.02	10	590	12	♂	<20	37	<0.1	<10	12	<10	<1	43
10	7669	<5	<2	1.85	15	85	<5	0.23	<1	10	33	51	4.24	<10	0.91	428	4	0.01	14	1080	10	♂	<20	10	<0.1	<10	23	<10	<1	60
11	7670	<5	<2	0.93	<5	50	<5	0.93	<1	8	93	15	2.32	<10	0.43	915	3	0.02	9	510	6	♂	<20	33	<0.1	<10	13	<10	<1	30
12	7671	<5	<2	1.17	<5	75	<5	1.60	<1	8	69	19	2.88	<10	0.59	640	4	0.02	10	540	8	♂	<20	54	<0.1	<10	18	<10	<1	35
13	7672	<5	<2	1.04	<5	65	<5	1.76	<1	8	93	21	2.61	<10	0.53	640	4	0.02	10	580	6	♂	<20	59	<0.1	<10	16	<10	<1	37
14	7673	<5	<2	1.52	25	70	<5	0.46	<1	16	30	77	4.39	<10	0.69	246	5	<0.1	23	1160	18	♂	<20	23	<0.1	<10	20	<10	<1	39
15	7674	<5	<2	1.65	15	50	♂	0.29	2	17	28	87	4.52	<10	0.85	183	5	<0.1	24	1290	18	♂	<20	11	<0.1	<10	23	<10	<1	69
16	7675	<5	<2	2.21	25	75	<5	2.93	<1	11	49	29	3.77	<10	2.02	1143	4	0.01	14	670	12	♂	<20	144	<0.1	<10	32	<10	<1	45
17	7676	<5	<2	2.17	10	60	<5	3.79	<1	9	58	25	3.59	<10	1.93	1125	4	0.01	11	690	8	10	<20	188	<0.1	<10	33	<10	<1	49
18	7677	<5	<2	1.27	35	70	<5	0.22	<1	10	51	54	3.71	<10	0.68	278	5	0.02	13	770	16	♂	<20	20	<0.1	<10	21	<10	<1	52
19	7678	<5	<2	1.15	55	55	<5	0.10	<1	10	60	54	4.07	<10	0.58	218	6	0.02	16	800	18	♂	<20	7	<0.1	<10	25	<10	<1	50
20	7679	<5	<2	1.68	20	55	<5	0.61	<1	16	43	84	4.37	<10	1.04	348	5	0.01	24	1010	14	♂	<20	28	<0.1	<10	23	<10	<1	91
21	7680	<5	<2	1.74	15	65	♂	0.22	<1	15	44	64	4.60	<10	1.04	421	4	0.01	20	870	14	♂	<20	13	<0.1	<10	28	<10	<1	73
22	7681	<5	<2	1.40	10	75	♂	0.15	<1	11	35	64	4.14	<10	0.72	215	4	0.01	16	970	20	♂	<20	11	<0.1	<10	24	<10	<1	57
23	7682	<5	<2	1.63	20	60	<5	0.15	<1	11	50	77	4.78	<10	0.89	223	7	0.01	16	950	20	♂	<20	8	<0.1	<10	26	<10	<1	63
24	7683	<5	<2	1.86	<5	65	♂	0.78	<1	10	47	35	4.42	<10	1.17	567	4	0.02	13	890	12	♂	<20	35	<0.1	<10	34	<10	<1	63
25	7684	<5	<2	1.09	<5	60	♂	3.33	<1	12	41	70	4.21	<10	0.93	841	3	0.02	14	970	10	♂	<20	188	<0.1	<10	20	<10	<1	72

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	7766	<5	0.6	0.52	5	65	<5	0.09	<1	1	41	12	1.95	<10	0.34	147	9	<0.1	3	480	8	<5	<20	3	<0.1	<10	21	<10	2	56
27	7767	<5	1.8	0.78	35	185	<5	0.30	4	3	57	39	3.45	<10	0.28	161	24	0.02	13	1760	18	15	<20	9	<0.1	<10	73	<10	5	279
28	7768	<5	2.6	0.56	25	80	<5	0.05	<1	3	63	21	2.61	<10	0.27	161	5	0.02	4	310	12	<5	<20	5	0.03	<10	31	<10	1	38
29	7769	<5	1.8	0.78	5	70	10	0.39	4	11	37	45	3.43	<10	0.54	351	2	0.01	7	1280	12	<5	<20	6	0.18	<10	25	<10	13	199
30	7770	<5	1.4	0.74	<5	115	<5	0.39	<1	4	47	56	3.89	<10	0.34	164	7	0.01	6	2400	18	<5	<20	9	0.02	<10	35	<10	6	75
31	7771	<5	1.0	1.82	60	160	5	1.72	<1	19	62	87	4.27	<10	0.95	659	<1	0.02	26	660	22	<5	<20	59	0.11	<10	79	<10	4	74
32	7772	<5	0.4	0.45	<5	115	<5	0.08	<1	3	60	23	2.34	<10	0.25	248	11	0.04	3	490	8	<5	<20	5	0.01	<10	49	<10	<1	25
33	7773	<5	<2	0.61	<5	115	<5	0.08	<1	5	80	23	3.03	<10	0.41	373	11	0.04	7	490	10	<5	<20	8	0.02	<10	45	<10	1	40
34	7774	<5	<2	0.45	<5	100	<5	0.04	<1	3	68	24	2.58	<10	0.25	336	11	0.03	3	360	8	<5	<20	3	0.01	<10	34	<10	<1	21
35	7775	<5	0.2	0.91	<5	105	<5	0.09	1	8	63	26	3.23	<10	0.67	597	9	0.02	7	560	14	<5	<20	6	0.02	<10	64	<10	3	68
36	7776	<5	0.2	0.62	<5	200	<5	0.11	<1	3	61	17	2.73	<10	0.32	348	12	0.02	6	620	14	<5	<20	5	<0.1	<10	14	<10	5	51
37	7777	<5	0.4	0.52	<5	205	<5	0.08	2	3	38	20	1.98	<10	0.19	216	15	<0.1	6	520	14	<5	<20	5	<0.1	<10	10	<10	3	76
38	7778	<5	0.4	0.67	<5	195	<5	0.07	<1	4	32	32	2.66	<10	0.25	294	12	<0.1	14	540	16	<5	<20	3	<0.1	<10	16	<10	4	138
39	7779	<5	<2	2.76	25	135	15	1.07	<1	16	141	34	7.46	<10	2.17	593	<1	0.02	24	810	14	<5	<20	33	0.18	<10	128	<10	7	118
40	7780	25	<2	2.34	25	150	15	0.63	<1	11	80	30	7.21	<10	1.84	480	3	0.02	9	1370	18	<5	<20	20	0.14	<10	88	<10	9	85
41	7781	30	<2	2.43	35	155	15	0.46	<1	12	96	31	6.81	<10	1.99	512	4	0.02	12	1220	18	<5	<20	16	0.12	<10	105	<10	7	179
42	7782	20	<2	1.85	70	135	10	0.47	<1	13	90	30	6.10	<10	1.45	462	5	0.03	14	1330	16	<5	<20	12	0.10	<10	80	<10	10	179
43	7783	35	0.4	1.64	75	90	10	0.46	<1	11	51	45	6.83	<10	1.32	433	10	0.02	14	1090	18	<5	<20	10	0.05	<10	63	<10	6	132
44	7784	35	0.8	1.60	40	70	10	0.55	1	11	90	32	5.31	<10	1.46	346	10	0.03	11	980	20	10	<20	18	0.08	<10	88	<10	7	94
45	7785	55	2.2	1.82	205	75	15	1.07	<1	12	118	33	5.74	<10	1.81	719	8	0.01	19	990	16	5	<20	22	0.09	<10	84	<10	7	159
46	7786	30	0.8	1.43	150	165	10	0.42	<1	19	122	27	4.44	<10	1.50	371	6	0.04	37	410	12	15	<20	19	0.05	<10	94	<10	4	88
47	7787	25	<2	4.81	90	90	20	2.26	<1	58	170	65	8.04	<10	5.30	951	<1	0.01	86	490	8	15	<20	84	0.23	<10	277	<10	13	157
48	7788	10	<2	4.78	45	335	15	4.22	<1	56	158	61	7.56	<10	5.16	1234	<1	0.01	77	450	4	10	<20	150	0.20	<10	250	<10	11	126
49	7789	<5	<2	4.97	45	425	20	2.01	2	64	158	60	8.11	<10	5.49	1230	<1	0.01	96	410	8	<5	<20	64	0.28	<10	262	<10	17	194
50	7790	<5	<2	5.18	65	345	20	2.08	<1	62	175	63	8.38	<10	5.86	1192	<1	0.01	95	460	8	5	<20	70	0.29	<10	289	<10	19	168
51	7791	45	<2	4.86	80	150	15	1.86	2	60	182	69	8.09	<10	5.61	1123	<1	0.01	93	510	8	<5	<20	49	0.34	<10	308	<10	20	282
52	7792	40	1.8	2.61	70	70	10	0.58	<1	14	57	22	5.86	<10	3.26	484	4	0.02	18	960	12	10	<20	17	0.15	<10	106	<10	9	98
53	7793	160	4.4	0.90	525	70	15	0.11	<1	9	87	17	5.58	<10	1.00	106	10	0.01	7	530	18	40	<20	17	0.18	10	107	<10	<1	47

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
<i>Resplit:</i>																														
R/S 1	7561	<5	<2	2.23	10	85	<5	0.48	<1	17	110	38	5.36	<10	1.32	607	6	<0.01	13	900	6	<5	<20	41	<0.01	<10	47	<10	<1	67
R/S 36	7776	<5	0.4	0.61	<5	190	<5	0.12	<1	3	56	17	2.76	<10	0.34	368	13	0.02	7	650	14	<5	<20	6	<0.01	<10	15	<10	5	51
<i>Repeat:</i>																														
1	7561	<5	<2	2.29	15	80	<5	0.52	<1	18	102	35	5.54	<10	1.37	630	6	<0.01	12	910	8	<5	<20	46	<0.01	<10	46	<10	<1	70
10	7669	<5	<2	1.83	20	85	<5	0.23	<1	10	32	50	4.20	<10	0.90	423	4	0.01	14	1070	12	<5	<20	9	<0.01	<10	23	<10	<1	60
19	7678	<5	<2	1.16	65	55	<5	0.10	<1	10	62	56	4.18	<10	0.59	218	7	0.02	17	830	18	<5	<20	10	<0.01	<10	26	<10	<1	53
36	7776	<5	0.4	0.63	<5	190	<5	0.11	<1	3	60	17	2.78	<10	0.33	348	13	0.02	6	620	14	<5	<20	4	<0.01	<10	14	<10	5	52
45	7785	60	2.0	1.83	210	75	10	1.06	<1	12	100	32	5.69	<10	1.83	710	7	0.01	18	970	16	10	<20	20	0.09	<10	85	<10	6	155
<i>Standard:</i>																														
GEO'95		150	1.0	1.84	70	165	<5	1.74	<1	19	65	89	3.72	<10	0.97	676	<1	0.02	27	640	20	<5	<20	60	0.11	<10	78	<10	5	75
GEO'85		135	1.0	1.84	70	165	<5	1.74	<1	19	64	89	3.76	<10	0.97	682	<1	0.02	27	640	22	<5	<20	60	0.11	<10	80	<10	4	76

df/660
XLS/95Canamera#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

26-Aug-85

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 804-573-5700
Fax : 804-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-455
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/J. DUPUIS

17 Rock samples received August 18, 1985.
PROJECT #: FD6CA#010
SHIPMENT #: 14
P.O. #: 5801
Samples submitted by: R. Varzosa

Values in ppm unless otherwise reported

El.#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	7708	<5	<2	0.55	5	40	10	1.07	<1	29	34	84	6.39	<10	0.25	249	8	0.03	10	480	8	<5	<20	25	0.10	<10	36	<10	8	21
2	7709	<5	<2	0.88	25	45	<5	0.02	<1	1	78	34	1.77	<10	0.60	72	4	0.01	1	20	20	<5	<20	3	<0.1	<10	1	<10	5	48
3	7751	<5	<2	0.17	15	86	<5	0.13	<1	7	48	118	3.74	<10	<0.1	12	<1	0.03	1	830	18	<5	20	4	0.21	10	10	<10	4	2
4	7752	<5	<2	0.42	20	75	15	0.25	<1	11	39	12	3.75	<10	0.09	116	<1	0.03	1	1150	18	<5	<20	2	0.28	<10	18	<10	9	24
5	7753	<5	<2	0.24	15	85	15	0.54	<1	11	51	17	4.22	<10	<0.1	21	<1	0.03	18	2230	8	<5	<20	10	0.24	10	14	<10	14	5
6	7754	<5	<2	0.20	15	86	16	0.42	<1	8	48	10	2.83	<10	<0.1	19	<1	0.02	1	2340	8	<5	<20	13	0.19	<10	8	<10	12	4
7	7765	<5	<2	0.23	15	140	10	0.14	<1	5	38	15	4.57	<10	<0.1	48	<1	0.03	<1	1700	8	<5	<20	8	0.18	<10	10	<10	3	7
8	7758	<5	<2	1.11	<5	110	15	0.23	1	8	15	14	9.27	<10	0.41	546	5	0.04	<1	2250	4	<5	<20	12	0.08	<10	30	<10	3	29
9	7757	<5	<2	0.95	<5	75	15	0.34	<1	9	20	26	5.25	<10	0.28	308	1	0.04	<1	2150	12	<5	<20	7	0.14	<10	43	<10	11	20
10	7758	<5	0.8	0.29	<5	45	<5	0.12	<1	3	44	13	1.07	<10	0.08	86	7	0.01	3	350	8	<5	<20	3	0.07	<10	23	<10	6	50
11	7759	<5	0.6	0.69	<5	65	10	0.18	2	8	37	29	3.10	<10	0.40	229	12	0.01	7	630	8	<5	<20	2	0.13	<10	31	<10	9	162
12	7760	<5	0.4	0.52	<5	45	10	0.12	2	3	53	14	3.12	<10	0.35	182	12	0.01	2	850	8	<5	<20	2	0.10	<10	29	<10	8	99
13	7761	<5	0.4	0.48	<5	50	5	0.19	1	4	60	18	2.18	<10	0.29	145	7	0.01	8	970	8	<5	<20	8	0.08	<10	22	<10	7	80
14	7762	<5	0.4	0.60	<5	60	10	0.19	<1	5	52	15	3.70	<10	0.39	216	7	0.01	3	900	8	<5	<20	3	0.13	<10	17	<10	8	41
15	7763	<5	0.4	0.68	<5	65	5	0.09	<1	5	34	21	3.18	<10	0.42	253	3	<0.1	2	470	8	<5	<20	3	0.12	<10	11	<10	7	68
16	7764	<5	0.4	0.38	<5	45	<5	0.05	<1	2	61	13	2.21	<10	0.21	111	5	0.01	3	320	8	<5	<20	1	0.05	<10	17	<10	2	42
17	7765	<5	0.4	0.43	<5	45	<5	0.11	<1	1	88	11	2.24	<10	0.27	123	8	<0.1	2	690	4	<5	<20	3	0.01	<10	20	<10	3	59


003

CANAMERA GEOLOGICAL LTD. AK 95-655

ECO-TECH LABORATORIES LTD.

El #	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
<i>Resplit:</i>																														
R/S 1	7708	<5	<2	0.49	25	40	<5	1.07	<1	20	27	96	6.46	<10	0.22	241	8	0.03	10	470	6	<5	<20	25	0.10	<10	33	<10	5	21
<i>Repeat:</i>																														
1	7708	-	<2	0.53	5	40	5	1.08	<1	28	33	94	6.44	<10	0.23	243	9	0.03	9	490	6	<5	<20	26	0.10	<10	35	<10	6	21
10	7750	<5	0.8	0.29	5	45	<5	0.11	<1	3	44	13	1.04	<10	0.08	96	7	0.01	3	350	6	<5	<20	2	0.08	<10	22	<10	6	51
<i>Standard:</i>																														
GEO95		145	0.8	1.77	65	160	<5	1.67	<1	18	64	87	4.08	<10	0.82	657	<1	0.02	25	650	18	<5	<20	55	0.11	<10	74	<10	4	72

d/655A
XLS/85Canamera


ECO-TECH LABORATORIES LTD.
Ernst J. Pazzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LAB.

604 573 4557

16:55

08/28/85

CERTIFICATE OF ANALYSIS AK 95-559

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

3-Aug-95

ATTENTION: K. HICKS/ J. DUPUIS

27 ROCK samples received August 2, 1995

Project #: FD5CA0010


Shipment #: 5

P.O. #: 1991

ET #.	Tag #	Au (ppb)
1	7101	5
2	7102	5
3	7103	5
4	7104	5
5	7331	10
6	7332	5
7	7333	5
8	7334	15
9	7335	5
10	7336	5
11	7351	80
12	7352	105
13	7353	25
14	7354	5
15	7355	10
16	7356	5
17	7357	235
18	7358	30
19	7359	5
20	7360	20
21	7367	10
22	7368	5
23	7369	5
24	7402	5
25	7403	5
26	7451	>1000
27	7452	490

<u>ET #.</u>	<u>Tag#</u>	<u>Au (ppb)</u>
QC DATA:		
<i>Resplit:</i>		
R/S 1	7101	5
<i>Repeat:</i>		
1	7101	5
10	7336	5
19	7359	5
<i>Standard:</i>		
GEO'95		145

XLS/Canamera



FRANK J. PEZZOTTI, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 95-558

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

10-Aug-95

ATTENTION: K. HICKS/ J. DUPUIS

26 rock samples received August 2, 1995

Project #: **FD5CA0011**

Shipment #: **7**

P.O. #: **1997**

	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	
	15	7383	4.52	0.132	91.2	2.66
	16	7384	18.41	0.537	66.6	1.94
	17	7385	31.90	0.930	97.8	2.85
	18	7458	-	-	79.4	2.32
	20	7460	-	-	31.3	0.91
	23	7463	-	-	44.6	1.30
	25	7465	1.20	0.035	96.3	2.81

QC DATA:

Standard:

Mp-1A

- - 70.0 2.04

XLS/95Canamera


ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 95-558

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

4-Aug-95


ATTENTION: K. HICKS/ J. DUPUIS

26 rock samples received August 2, 1995
Project #: *FD5CA0011*
Shipment #: 7
P.O. #: 1997

METALLIC GOLD SCREEN ASSAY

ET #.	Tag #	Au (g/t)	Au (oz/t)
16	7384	18.25	0.532
17	7385	35.35	1.031

XLS/95Canamera



FRANK J. PEZZOTTI, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 95-546

CANAMERA GEOLOGICAL LTD.
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9


11-Aug-95

ATTENTION: K. HICKS/ J. DUPUIS

11 rock samples received August 1, 1995
Project #: FD5CA0011
P.O. #: None given

ET #.	Tag #	Ag (g/t)	Ag (oz/t)
11	7457	101.3	2.95

XLS/95Canamera



ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

9-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-505
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

2 silt samples received July 17, 1995
Project #: FD5CA 0011
Shipment #: 1
P.O. #: 1976
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	0343	<5	1.2	2.18	135	225	<5	1.84	3	20	14	76	4.31	20	0.38	854	12	0.03	43	700	18	<5	<20	198	0.10	<10	40	<10	26	233
2	0348	<5	<.2	1.97	60	90	5	0.79	1	17	31	29	4.82	<10	1.11	1315	4	0.03	33	870	12	10	<20	38	0.08	<10	68	<10	5	190

QC DATA:


Repeat:

1	0343	<5	1.2	2.20	145	235	<5	1.61	2	20	13	69	4.33	20	0.35	860	12	0.03	42	690	18	<5	<20	195	0.10	<10	39	<10	28	237
---	------	----	-----	------	-----	-----	----	------	---	----	----	----	------	----	------	-----	----	------	----	-----	----	----	-----	-----	------	-----	----	-----	----	-----

Standard:

GEO'95		150	1.6	1.64	65	155	<5	1.59	<1	17	51	87	3.72	<10	0.84	647	1	0.01	27	630	20	<5	<20	54	0.07	<10	66	<10	5	77
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	---	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/514
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

31-Jul-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-457
#540-220 Cambia Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

160 Soil samples received July 17, 1995
Project #: FD5CA 0011
Shipment #: 1
P.O. #: 1976

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	001	<5	<2	1.00	5	35	10	0.14	<1	10	17	15	4.66	<10	0.08	73	<1	0.01	6	600	12	<5	<20	10	0.27	<10	139	<10	<1	33
2	002	<5	<2	3.88	20	75	20	0.07	<1	11	73	28	11.40	<10	0.17	151	8	<0.1	11	300	26	<5	<20	13	0.13	<10	121	<10	<1	66
3	003	<5	<2	1.65	<5	90	10	0.17	<1	10	20	25	6.35	<10	0.08	79	5	<0.1	9	260	14	<5	<20	15	0.14	<10	111	<10	<1	56
4	004	<5	<2	3.24	<5	85	35	0.06	2	19	36	41	> 15	<10	0.09	109	5	<0.1	11	570	26	<5	<20	5	0.43	<10	223	<10	<1	67
5	005	<5	1.2	2.37	<5	65	30	0.08	1	14	21	22	12.20	<10	0.05	194	2	0.02	6	230	30	<5	<20	10	0.36	<10	108	<10	<1	55
6	006	<5	1.0	4.27	<5	75	40	0.12	1	16	38	32	> 15	<10	<0.1	252	6	0.01	7	380	44	<5	<20	6	0.37	<10	132	<10	<1	47
7	007	<5	<2	1.26	<5	50	5	0.06	<1	9	18	25	8.31	<10	<0.1	48	7	<0.1	6	500	10	<5	<20	8	0.14	<10	178	<10	<1	37
8	008	<5	<2	0.60	<5	35	<5	0.32	<1	7	6	10	1.51	<10	0.18	73	<1	0.03	5	770	6	<5	<20	18	0.16	<10	42	<10	<1	17
9	009	<5	0.4	4.85	110	70	15	0.05	<1	19	87	46	8.45	<10	0.60	533	9	<0.1	33	700	36	<5	<20	7	0.08	<10	71	<10	5	144
10	010	<5	<2	2.01	35	90	10	0.57	<1	17	28	27	4.71	<10	1.21	962	3	0.04	28	740	14	<5	<20	34	0.09	<10	70	<10	3	182
11	011	<5	0.6	0.83	<5	100	<5	0.03	<1	4	8	11	0.99	<10	0.06	54	<1	<0.1	4	160	14	<5	<20	9	0.11	<10	93	<10	<1	23
12	012	10	0.8	2.42	60	80	10	0.04	<1	30	23	67	9.57	<10	0.07	1023	17	<0.1	20	830	34	<5	<20	8	0.06	<10	155	<10	<1	118
13	013	<5	0.4	0.81	<5	80	<5	0.20	<1	4	5	11	1.41	<10	0.09	74	6	0.01	5	380	6	<5	<20	30	0.02	<10	61	<10	<1	18
14	014	<5	1.2	5.23	45	185	<5	0.59	<1	45	17	43	3.96	<10	0.10	851	10	<0.1	10	1100	40	<5	<20	114	0.03	<10	38	<10	16	63
15	015	<5	0.6	4.66	25	85	15	0.03	<1	12	56	43	14.00	<10	0.10	98	11	<0.1	11	960	32	<5	<20	8	0.13	<10	95	<10	<1	73
16	016	<5	<2	2.27	30	145	10	0.22	<1	11	37	31	6.80	<10	0.54	236	12	<0.1	27	310	26	<5	<20	29	0.08	<10	91	<10	<1	115
17	017	<5	1.2	1.59	150	125	10	0.53	<1	18	17	34	5.02	<10	0.84	1513	4	0.05	22	860	20	<5	<20	37	0.07	<10	42	<10	2	242
18	018	10	1.0	1.54	30	85	<5	0.15	<1	15	24	42	6.47	<10	0.52	664	8	0.01	23	750	22	<5	<20	12	0.06	<10	70	<10	<1	115
19	019	<5	<2	0.82	30	75	10	0.06	<1	11	16	24	5.71	<10	0.05	125	<1	<0.1	11	360	26	<5	<20	12	0.25	<10	97	<10	<1	47
20	020	<5	2.2	2.23	145	135	10	0.49	<1	33	10	30	8.39	<10	0.07	1360	9	<0.1	9	1000	26	<5	<20	40	0.06	<10	52	<10	6	61
21	021	5	0.8	3.93	10	185	10	0.12	3	34	19	21	8.32	<10	0.10	2298	14	<0.1	13	710	38	<5	<20	13	0.10	<10	86	<10	7	100
22	022	<5	2.0	3.93	35	135	<5	0.12	<1	35	20	21	8.36	<10	0.10	2301	5	<0.1	12	610	42	<5	<20	10	0.12	<10	88	<10	11	102
23	023	<5	<2	2.26	<5	115	15	0.08	2	15	21	24	11.20	<10	0.08	159	2	<0.1	10	340	30	<5	<20	15	0.38	<10	134	<10	<1	51
24	024	<5	<2	1.51	<5	60	35	1.02	<1	35	9	14	5.52	<10	1.25	544	<1	0.22	14	1130	10	<5	<20	81	0.91	<10	116	<10	15	45
25	025	<5	2.0	3.10	860	220	<5	1.26	<1	28	27	50	5.41	<10	0.51	2962	9	0.04	25	1380	16	<5	<20	90	0.06	<10	57	<10	10	145

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	026	<5	<2	1.93	30	90	<5	0.13	1	20	29	78	4.77	<10	0.85	869	7	<0.01	45	940	16	<5	<20	4	0.02	<10	48	<10	6	180
27	027	<5	1.0	0.86	<5	45	<5	0.28	<1	7	3	6	1.47	<10	0.28	115	<1	0.05	5	830	<2	<5	<20	25	0.07	<10	27	<10	2	21
28	028	<5	1.0	1.76	10	135	<5	0.03	<1	4	12	9	2.67	<10	0.16	39	4	<0.01	4	420	16	<5	<20	7	0.04	<10	77	<10	<1	19
29	029	<5	<2	0.62	<5	45	<5	0.18	<1	5	2	4	1.08	<10	0.08	35	<1	0.02	4	880	4	<5	<20	18	0.09	<10	20	<10	2	17
30	030	5	0.8	1.93	<5	80	10	0.15	<1	10	7	17	4.57	<10	0.20	243	<1	0.03	5	640	14	<5	<20	18	0.23	<10	91	<10	3	32
31	031	<5	<2	2.49	<5	155	15	1.09	<1	47	10	58	7.66	<10	1.55	2100	<1	0.32	18	910	16	<5	<20	101	0.50	<10	118	<10	9	93
32	032	<5	1.0	1.44	10	110	<5	0.06	<1	9	18	46	6.02	<10	0.08	292	7	<0.01	8	1030	16	<5	<20	8	0.03	<10	98	<10	<1	61
33	033	<5	<2	2.11	<5	75	15	0.04	<1	13	37	28	12.20	<10	0.05	206	6	<0.01	7	670	28	<5	<20	5	0.31	<10	133	<10	<1	49
34	034	<5	<2	1.52	30	60	10	0.05	<1	9	28	24	6.60	<10	0.13	149	6	<0.01	9	570	14	<5	<20	<1	0.12	<10	124	<10	<1	58
35	035	<5	<2	1.23	15	45	15	0.13	<1	12	39	37	6.66	<10	0.41	481	6	<0.01	18	1100	12	<5	<20	6	0.11	<10	106	<10	<1	65
36	036	<5	<2	1.66	10	90	<5	0.79	1	16	25	34	4.48	<10	0.85	936	4	0.03	27	970	10	<5	<20	36	0.06	<10	52	<10	3	130
37	037	5	<2	1.40	10	55	5	0.10	<1	9	27	37	7.63	<10	0.29	215	7	<0.01	16	870	12	<5	<20	5	0.08	<10	125	<10	<1	78
38	038	<5	<2	2.40	20	80	5	0.07	<1	9	37	34	8.16	<10	0.37	225	7	<0.01	11	610	20	<5	<20	7	0.07	<10	96	<10	<1	54
39	039	<5	<2	2.24	15	85	10	0.43	<1	10	36	28	5.78	<10	0.71	304	6	0.01	14	340	14	<5	<20	19	0.09	<10	107	<10	5	66
40	040	<5	0.4	0.55	<5	145	<5	4.19	<1	7	9	16	2.60	<10	0.26	393	2	0.01	9	790	<2	<5	<20	260	0.02	<10	25	<10	1	24
41	041	<5	<2	0.64	5	80	5	1.27	<1	16	5	11	3.79	<10	0.41	177	<1	0.06	7	530	4	<5	<20	94	0.23	<10	49	<10	3	21
42	042	<5	0.4	1.92	<5	95	10	0.51	1	12	5	10	6.97	30	0.06	3183	6	0.03	6	410	28	<5	<20	32	0.16	<10	20	<10	32	97
43	043	5	1.0	3.42	<5	135	5	0.96	2	22	27	24	5.51	20	0.35	5575	7	<0.01	20	1430	14	<5	<20	65	0.07	<10	54	<10	23	128
44	044	<5	4.0	1.13	10	30	5	0.04	<1	7	17	30	5.28	<10	0.08	150	8	<0.01	10	1100	14	<5	<20	<1	0.04	<10	67	<10	<1	43
45	045	<5	0.6	0.84	15	60	<5	0.07	<1	13	16	31	4.74	<10	0.04	211	5	<0.01	12	390	12	<5	20	8	0.14	<10	92	<10	<1	63
46	046	5	0.6	2.13	<5	70	20	0.14	<1	11	33	26	10.20	<10	0.11	320	11	<0.01	10	780	22	<5	<20	12	0.16	<10	105	<10	<1	45
47	047	<5	0.4	2.14	<5	120	10	0.25	<1	14	24	24	7.22	<10	0.35	1251	5	0.03	11	1330	22	<5	<20	20	0.18	<10	103	<10	<1	46
48	048	<5	0.4	2.08	<5	95	15	0.04	<1	8	29	21	7.65	<10	0.14	143	8	<0.01	10	630	20	<5	<20	14	0.08	<10	100	<10	<1	36
49	049	<5	1.2	2.33	<5	80	25	0.09	<1	8	8	16	9.10	<10	<0.01	281	8	0.03	5	460	38	<5	<20	9	0.20	<10	37	<10	<1	37
50	050	<5	0.2	3.34	70	85	20	0.07	<1	12	34	27	9.18	<10	0.31	388	7	<0.01	12	2150	28	<5	<20	8	0.10	<10	89	<10	<1	70
51	051	5	<2	1.95	<5	75	20	0.06	<1	11	27	23	10.90	<10	0.11	168	8	<0.01	7	390	26	<5	<20	7	0.25	<10	95	<10	<1	43
52	052	<5	1.8	2.67	<5	110	15	0.54	2	58	25	25	5.54	<10	0.43	5918	<1	0.06	15	810	24	<5	<20	27	0.25	<10	77	<10	17	103
53	053	5	0.6	0.98	<5	75	10	0.48	<1	12	4	13	2.47	<10	0.37	148	<1	0.07	8	770	10	<5	<20	37	0.24	<10	50	<10	<1	29
54	054	<5	2.6	1.91	35	95	10	0.11	<1	11	15	44	9.70	<10	0.53	940	10	<0.01	6	2720	28	<5	<20	9	0.11	<10	57	<10	<1	62
55	055	<5	1.2	0.84	10	55	<5	0.24	<1	9	19	34	3.14	<10	0.20	234	2	0.02	12	1290	12	<5	<20	13	0.07	<10	41	<10	1	42
56	056	<5	<2	2.22	<5	95	10	0.60	3	34	14	70	6.63	30	0.91	674	<1	0.12	18	700	20	<5	<20	43	0.31	<10	101	<10	100	106
57	057	<5	0.4	1.96	<5	95	20	0.26	2	10	19	16	7.87	<10	0.20	203	5	<0.01	9	460	26	<5	<20	11	0.19	<10	107	<10	<1	56
58	058	5	4.4	2.48	<5	90	20	0.04	<1	10	13	20	8.24	<10	0.21	191	2	<0.01	4	520	18	<5	<20	8	0.25	<10	90	<10	<1	38
59	059	<5	1.8	3.39	55	150	20	0.82	7	42	37	50	8.08	<10	0.74	5739	4	0.04	32	1270	18	<5	<20	34	0.21	<10	100	<10	23	364
60	060	<5	<2	1.71	<5	75	<5	0.52	<1	5	10	9	3.66	<10	0.10	125	10	0.01	6	380	30	<5	<20	31	0.08	<10	41	<10	4	31

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	061	<5	1.4	2.77	<5	50	25	0.08	<1	9	12	17	10.20	<10	0.02	210	12	0.02	4	350	48	<5	<20	4	0.22	<10	36	<10	2	38
62	065	<5	<2	3.00	15	90	15	0.09	1	24	73	48	9.15	<10	0.48	715	<1	0.01	15	660	24	<5	<20	12	0.36	<10	209	<10	<1	44
63	066	<5	<2	2.27	<5	110	15	0.23	<1	25	19	27	9.32	<10	0.58	924	<1	0.01	10	710	8	<5	<20	14	0.31	<10	231	<10	2	47
64	067	<5	<2	1.88	<5	50	30	0.22	1	15	19	33	10.40	<10	0.15	169	<1	<0.1	7	510	16	<5	<20	9	0.36	<10	158	<10	<1	28
65	068	<5	<2	3.68	5	45	10	0.16	2	11	32	48	6.10	<10	0.45	406	7	<0.1	15	1000	18	<5	<20	4	0.12	<10	88	<10	3	58
66	069	5	<2	1.08	<5	75	20	0.27	<1	14	25	17	4.57	<10	0.23	458	<1	0.01	7	560	16	<5	<20	15	0.38	<10	180	<10	4	32
67	070	<5	0.4	1.84	10	95	15	0.09	<1	10	22	29	9.32	<10	0.10	328	8	<0.1	10	4610	20	<5	<20	6	0.20	<10	135	<10	<1	64
68	071	<5	<2	1.90	145	90	10	0.06	<1	12	15	20	11.80	<10	0.06	489	12	<0.1	7	4350	26	<5	<20	7	0.13	<10	118	<10	<1	64
69	072	<5	0.4	3.57	200	140	10	0.04	<1	12	20	23	> 15	<10	0.01	661	17	<0.1	7	2280	16	<5	<20	12	0.08	<10	49	<10	<1	60
70	073	<5	<2	1.76	<5	65	20	0.30	<1	15	4	12	9.32	<10	0.14	442	7	0.04	7	780	38	<5	<20	20	0.40	<10	64	<10	4	104
71	074	<5	0.6	3.69	5	100	<5	1.51	3	18	15	25	5.88	50	0.21	1766	6	0.01	31	890	34	<5	<20	49	0.07	<10	24	<10	70	190
72	075	<5	<2	1.97	<5	70	20	0.11	1	12	22	24	8.44	<10	0.15	257	1	<0.1	12	380	20	<5	<20	5	0.29	<10	117	<10	<1	41
73	076	<5	<2	1.67	<5	130	10	0.20	1	10	21	20	5.93	<10	0.18	312	5	0.01	12	370	14	<5	<20	13	0.17	<10	115	<10	4	55
74	077	<5	1.2	3.07	<5	110	10	0.92	2	25	26	22	6.15	<10	0.35	5376	7	0.01	23	1240	18	<5	<20	47	0.07	<10	57	<10	20	137
75	078	5	<2	3.01	5	95	20	0.60	<1	22	22	15	8.28	<10	0.38	827	2	0.02	20	640	28	<5	<20	35	0.33	<10	89	<10	14	130
76	079	<5	<2	3.94	<5	85	35	0.64	<1	30	23	19	4.75	<10	0.31	906	<1	0.05	9	890	20	<5	<20	40	1.16	<10	94	<10	29	72
77	080	<5	<2	2.61	<5	100	5	0.25	<1	14	19	17	3.43	20	0.28	886	7	0.01	14	650	20	<5	<20	15	0.06	<10	54	<10	20	91
78	081	<5	1.6	3.73	<5	165	<5	0.57	5	22	24	27	6.30	40	0.47	4915	10	0.02	35	1170	14	<5	<20	34	0.13	<10	68	<10	53	366
79	082	<5	0.4	2.71	<5	100	15	0.06	2	9	28	23	8.19	<10	0.35	231	9	<0.1	12	390	18	<5	<20	4	0.11	<10	121	<10	<1	64
80	083	<5	0.4	2.66	<5	145	<5	0.19	<1	19	26	43	6.77	<10	0.82	575	7	<0.1	33	1030	20	<5	<20	9	0.05	<10	75	<10	6	168
81	084	<5	0.2	2.89	<5	95	<5	0.07	2	16	26	30	5.69	<10	0.52	772	7	<0.1	18	1050	16	<5	<20	5	0.04	<10	74	<10	6	104
82	085	<5	<2	2.69	5	65	10	0.07	<1	9	25	17	6.58	<10	0.25	556	7	<0.1	11	1820	36	<5	<20	2	0.09	<10	58	<10	<1	46
83	086	<5	<2	1.86	10	65	10	0.08	<1	8	22	15	5.12	<10	0.51	292	4	<0.1	17	650	22	<5	<20	4	0.11	<10	63	<10	1	60
84	087	<5	<2	2.09	10	45	20	0.05	<1	11	17	15	9.12	<10	0.24	359	12	0.02	12	440	40	<5	<20	<1	0.20	<10	60	<10	2	54
85	088	5	<2	2.06	<5	50	20	0.15	1	11	20	14	6.47	<10	0.17	87	<1	0.03	6	280	20	<5	<20	9	0.37	<10	100	<10	2	20
86	089	<5	<2	2.06	20	85	5	1.47	5	7	10	25	2.80	<10	0.10	110	2	0.01	9	690	12	<5	<20	50	0.14	<10	68	<10	20	55
87	090	5	3.0	3.67	15	65	5	0.12	<1	5	<1	11	1.96	30	0.02	54	3	0.03	4	330	68	<5	<20	2	0.19	<10	20	<10	30	36
88	091	<5	0.6	1.03	<5	110	<5	0.40	<1	2	5	8	0.32	<10	0.03	21	<1	0.01	3	530	8	<5	<20	15	0.10	<10	23	<10	7	4
89	127	<5	<2	2.19	<5	60	5	0.07	<1	11	21	18	9.77	<10	0.23	377	11	0.01	14	370	28	<5	<20	6	0.17	<10	90	<10	<1	50
90	128	<5	<2	1.50	<5	85	15	0.72	<1	39	6	19	5.92	<10	0.80	1269	<1	0.12	9	930	10	<5	<20	49	0.32	<10	153	<10	5	56
91	129	5	<2	2.44	<5	60	20	0.04	1	11	19	21	10.70	<10	0.27	217	10	<0.1	12	420	22	<5	<20	4	0.16	<10	124	<10	<1	45
92	130	<5	0.4	2.85	<5	45	15	0.05	<1	12	27	19	8.71	<10	0.35	514	8	0.01	18	470	28	<5	<20	1	0.12	<10	63	<10	<1	54
93	131	5	0.4	2.16	<5	70	15	0.10	1	13	16	18	11.50	<10	0.08	207	7	0.02	7	930	34	<5	<20	10	0.30	<10	88	<10	<1	36
94	132	<5	<2	1.89	<5	50	30	0.20	<1	19	29	22	6.87	<10	0.21	143	<1	0.01	9	250	18	<5	<20	21	0.68	<10	216	<10	8	30
95	133	<5	<2	2.30	<5	50	10	0.08	<1	10	21	19	5.60	<10	0.23	407	<1	0.03	9	680	20	<5	<20	8	0.22	<10	68	<10	4	45

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	134	<5	0.4	2.30	<5	95	20	0.04	2	10	27	20	10.30	<10	0.25	317	11	<0.1	13	820	14	<5	<20	7	0.11	<10	128	<10	<1	44
97	135	<5	<2	2.38	<5	50	15	0.08	1	13	28	17	6.80	<10	0.25	232	<1	0.01	8	470	16	<5	<20	5	0.37	<10	139	<10	2	38
98	136	<5	0.4	2.94	5	35	10	0.04	<1	7	16	15	6.37	<10	0.16	325	7	0.03	9	440	26	<5	<20	<1	0.11	<10	40	<10	5	52
99	137	<5	<2	2.07	<5	75	10	0.03	<1	8	30	23	6.78	<10	0.14	103	5	<0.1	8	330	14	<5	<20	2	0.12	<10	130	<10	<1	30
100	140	<5	<2	1.44	<5	60	10	0.07	<1	7	9	13	2.01	<10	0.10	53	<1	<0.1	5	160	14	<5	<20	6	0.20	<10	148	<10	2	15
101	141	<5	0.4	2.72	<5	420	<5	0.13	<1	10	21	52	5.04	<10	0.30	532	4	0.03	7	640	16	<5	<20	10	0.05	<10	82	<10	<1	29
102	142	<5	1.0	0.77	10	30	<5	4.80	<1	2	8	13	0.46	<10	0.09	75	<1	0.02	7	450	<2	10	<20	116	0.02	<10	14	<10	3	21
103	143	<5	<2	2.80	15	85	25	0.70	<1	31	18	19	5.33	<10	0.81	1318	<1	0.04	16	400	12	<5	<20	29	0.79	<10	87	<10	20	73
104	144	5	<2	2.63	80	95	15	0.30	<1	11	18	31	12.40	<10	0.15	221	25	0.01	12	260	22	<5	<20	15	0.18	<10	100	<10	<1	113
105	145	<5	<2	0.92	45	35	<5	0.04	<1	2	8	6	1.04	<10	0.07	25	4	<0.1	3	190	18	<5	<20	6	0.04	<10	32	<10	<1	14
106	146	<5	1.4	2.53	40	50	30	0.06	<1	15	15	27	14.40	<10	<0.1	279	47	0.01	5	210	50	<5	<20	<1	0.43	<10	102	<10	<1	65
107	147	<5	1.6	3.36	<5	75	20	1.94	1	14	13	15	4.98	<10	0.37	106	<1	0.03	12	360	14	<5	<20	96	0.39	<10	67	<10	13	33
108	148	5	1.4	3.38	10	120	5	0.18	3	15	13	11	6.73	10	0.03	1365	28	0.05	14	210	34	<5	<20	13	0.12	<10	18	<10	21	136
109	301	<5	<2	1.25	<5	55	5	0.13	2	10	14	13	3.90	<10	0.18	135	<1	0.03	9	320	12	<5	<20	14	0.22	<10	112	<10	1	28
110	302	<5	0.2	2.47	<5	60	15	0.06	2	10	21	24	8.10	<10	0.34	339	8	<0.1	15	380	18	<5	<20	4	0.13	<10	91	<10	<1	57
111	303	<5	0.8	4.10	<5	65	5	0.03	<1	9	46	27	6.64	<10	0.65	298	6	<0.1	28	330	20	<5	<20	2	0.03	<10	77	<10	<1	65
112	304	<5	<2	2.25	<5	70	15	0.06	1	9	36	31	8.38	<10	0.31	132	8	0.01	20	340	14	<5	<20	4	0.06	<10	119	<10	<1	45
113	305	<5	0.4	2.03	<5	45	20	0.07	2	11	13	20	10.50	<10	0.05	275	10	0.02	6	350	34	<5	<20	4	0.27	<10	78	<10	<1	38
114	306	<5	2.6	3.86	15	80	10	0.08	2	24	50	46	8.25	<10	0.43	918	7	<0.1	22	820	16	<5	<20	6	0.12	<10	108	<10	3	101
115	307	<5	0.6	3.94	<5	65	25	0.25	1	31	82	40	6.79	<10	0.57	987	<1	0.02	21	490	12	<5	<20	11	0.49	<10	180	<10	30	48
116	308	5	0.6	2.30	<5	105	5	0.12	1	8	27	22	6.35	<10	0.36	377	7	<0.1	19	690	12	<5	<20	8	0.07	<10	93	<10	2	66
117	309	<5	0.6	3.48	10	105	<5	0.57	5	11	19	29	6.35	40	0.17	1072	11	0.03	22	980	28	<5	<20	18	0.08	<10	40	<10	46	226
118	310	<5	<2	2.76	<5	75	10	0.17	1	52	27	24	6.07	<10	0.43	2381	9	0.03	24	590	18	<5	<20	6	0.10	<10	40	<10	21	111
119	311	<5	0.2	2.71	55	60	5	0.21	<1	41	74	42	8.13	<10	1.74	1641	9	0.02	29	1590	22	<5	<20	3	0.07	<10	104	<10	4	133
120	312	5	<2	1.79	45	60	10	0.10	<1	15	75	57	9.14	<10	0.74	389	7	<0.1	19	1480	20	<5	<20	2	0.14	<10	169	<10	<1	65
121	313	<5	0.8	2.85	55	80	5	0.15	<1	46	67	48	8.58	<10	1.20	2904	8	0.01	24	1780	22	<5	<20	7	0.12	<10	124	<10	6	118
122	314	<5	<2	0.35	15	20	<5	0.05	<1	5	5	22	1.75	<10	0.04	82	3	<0.1	4	290	6	<5	<20	6	0.08	<10	85	<10	<1	32
123	315	<5	11.2	3.87	<5	70	<5	0.16	<1	28	27	46	5.13	<10	0.39	914	4	0.02	12	1320	24	<5	<20	10	0.10	<10	57	<10	30	79
124	316	<5	<2	1.79	<5	90	15	0.17	2	12	29	30	8.33	<10	0.24	182	2	<0.1	14	280	12	<5	<20	15	0.25	<10	138	<10	<1	58
125	317	5	4.6	3.28	<5	65	15	0.08	2	9	47	29	10.30	<10	0.23	118	9	<0.1	11	560	14	<5	<20	6	0.12	<10	102	<10	<1	47
126	318	<5	0.6	2.00	50	60	10	0.10	<1	11	23	24	5.57	<10	0.30	484	6	0.02	13	1290	24	<5	<20	7	0.11	<10	76	<10	2	71
127	319	10	0.6	2.12	<5	40	10	0.11	<1	9	8	11	5.77	<10	0.10	135	2	0.03	4	200	32	<5	<20	7	0.23	<10	59	<10	<1	48
128	320	<5	<2	1.87	<5	45	20	0.04	<1	9	50	25	7.15	<10	0.09	72	7	0.02	15	100	8	<5	<20	4	0.10	<10	141	<10	<1	69
129	321	<5	<2	1.88	35	65	<5	0.56	<1	12	20	35	3.53	<10	0.79	273	4	0.02	21	680	4	<5	<20	42	0.03	<10	55	<10	4	98
130	322	<5	<2	0.90	<5	45	10	0.16	<1	9	10	14	2.07	<10	0.15	197	<1	0.01	4	700	18	<5	<20	12	0.33	<10	113	<10	3	22

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	323	<5	0.6	2.60	<5	85	15	0.05	<1	10	42	34	11.00	<10	0.17	124	12	<0.01	17	240	18	<5	<20	6	0.10	<10	133	<10	<1	74
132	324	<5	<2	2.08	55	75	10	0.24	<1	11	28	18	4.92	<10	0.68	270	10	0.04	16	430	22	<5	<20	13	0.05	<10	97	<10	<1	87
133	325	<5	<2	0.83	<5	40	15	0.07	<1	10	4	10	1.54	10	0.05	59	<1	0.01	3	220	58	<5	<20	4	0.54	<10	65	<10	8	17
134	326	5	1.4	2.87	195	55	20	0.08	<1	11	18	34	11.00	<10	0.08	453	18	0.02	10	460	42	<5	<20	6	0.21	<10	66	<10	<1	90
135	327	<5	5.8	1.67	690	160	10	0.18	<1	8	6	19	4.78	<10	0.08	164	5	0.02	4	850	16	<5	<20	18	0.06	<10	56	<10	5	44
136	328	<5	0.8	2.57	15	75	10	0.07	<1	10	39	24	5.92	<10	0.80	472	6	0.02	16	390	16	<5	<20	3	0.05	<10	75	<10	<1	98
137	329	<5	1.6	0.59	20	80	<5	0.12	<1	7	4	8	2.25	<10	0.12	335	3	0.03	4	710	6	<5	<20	14	0.07	<10	48	<10	<1	32
138	330	5	3.0	1.89	120	100	20	0.04	<1	10	7	23	8.68	<10	0.09	202	9	0.01	4	910	38	<5	<20	2	0.07	<10	116	<10	<1	55
139	331	710	>30	1.55	685	180	20	0.08	<1	10	13	14	8.87	<10	0.03	55	24	<0.01	5	610	132	<5	<20	18	0.28	<10	132	<10	<1	36
140	332	55	2.2	1.86	110	130	10	0.98	<1	24	7	12	5.53	<10	1.16	797	<1	0.30	15	690	22	<5	<20	96	0.29	<10	110	<10	4	54
141	333	<5	0.2	1.77	10	115	<5	0.04	<1	6	12	9	3.72	<10	0.13	195	3	0.02	5	470	10	<5	<20	7	0.03	<10	97	<10	<1	25
142	334	<5	1.2	2.98	15	70	<5	0.11	1	10	31	32	5.94	<10	0.58	294	7	0.02	21	490	16	<5	<20	9	0.07	<10	67	<10	2	98
143	340	<5	<2	0.38	<5	115	<5	0.49	<1	3	<1	5	0.75	<10	0.12	120	<1	0.02	2	520	<2	<5	<20	30	0.05	<10	10	<10	<1	24
144	341	5	<2	3.25	40	80	15	0.05	<1	13	55	43	12.80	<10	0.19	111	10	<0.01	11	170	12	<5	<20	4	0.15	<10	147	<10	<1	101
145	342	<5	<2	1.14	<5	60	<5	0.99	<1	12	5	8	2.10	<10	0.47	156	<1	0.12	8	540	4	<5	<20	78	0.25	<10	47	<10	5	22
146	344	<5	<2	2.36	10	205	<5	2.52	<1	13	11	68	1.31	<10	0.23	550	<1	0.04	8	1060	8	<5	<20	311	0.42	<10	32	<10	13	42
147	345	5	<2	2.62	<5	165	<5	0.11	<1	11	12	56	7.67	<10	0.35	366	6	0.01	5	620	16	<5	<20	14	0.08	<10	104	<10	<1	35
148	346	<5	<2	1.68	<5	70	15	0.41	<1	15	7	25	5.12	<10	0.54	290	<1	0.09	7	490	12	<5	<20	49	0.30	<10	133	<10	2	28
149	347	5	0.4	3.58	5	55	15	0.08	<1	9	33	34	8.03	<10	0.19	166	9	0.02	11	310	26	<5	<20	10	0.11	<10	93	<10	<1	63
150	349	<5	<2	0.92	5	45	5	0.22	<1	9	10	16	3.22	<10	0.16	116	3	0.02	11	460	12	<5	<20	16	0.18	<10	89	<10	<1	63
151	350	<5	<2	1.60	10	45	5	0.07	<1	6	19	11	4.43	<10	0.18	59	7	<0.01	8	230	16	<5	<20	7	0.11	<10	99	<10	<1	48
152	351	5	0.6	2.71	35	100	<5	0.18	<1	24	20	26	5.68	<10	0.20	1309	11	0.01	10	850	20	<5	<20	11	0.11	<10	61	<10	13	65
153	352	<5	<2	2.17	10	75	20	0.11	1	14	29	31	12.00	<10	0.20	153	5	0.03	10	510	10	<5	<20	11	0.26	<10	145	<10	<1	60
154	353	<5	2.0	0.99	<5	45	15	0.20	<1	14	9	17	5.69	<10	0.20	170	<1	0.04	7	560	18	<5	<20	19	0.35	<10	115	<10	<1	34
155	354	5	3.2	2.71	335	180	<5	0.33	<1	28	24	41	9.06	<10	0.45	5913	15	0.05	16	2400	30	<5	<20	35	0.07	<10	67	<10	5	202
156	355	<5	1.0	2.67	80	160	20	0.05	1	16	12	24	> 15	<10	0.25	1639	16	<0.01	6	6620	56	<5	<20	3	0.08	<10	128	<10	<1	88
157	356	<5	4.6	0.44	<5	45	<5	0.08	<1	3	2	3	0.74	<10	0.05	31	<1	0.02	2	700	4	<5	<20	15	0.05	<10	15	<10	<1	15
158	357	5	0.8	0.89	<5	55	<5	0.31	<1	7	2	8	1.78	<10	0.20	172	<1	0.05	5	980	2	<5	<20	27	0.09	<10	29	<10	3	38
159	358	5	6.8	3.08	25	125	15	0.03	2	20	12	23	12.30	<10	0.30	1751	14	<0.01	5	1020	38	<5	<20	<1	0.06	<10	97	<10	<1	110
160	359	<5	0.2	2.06	20	55	20	0.06	1	9	21	18	7.19	<10	0.13	129	6	<0.01	7	320	26	<5	<20	3	0.19	<10	108	<10	<1	72

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Repeat:																														
1	001	<5	<2	0.99	<5	30	10	0.13	<1	10	17	15	4.65	<10	0.08	75	<1	0.01	8	600	10	<5	<20	7	0.24	<10	135	<10	<1	33
10	010	<5	<2	1.84	30	80	5	0.53	<1	14	25	24	4.11	<10	1.07	926	3	0.03	26	710	12	<5	<20	30	0.08	<10	68	<10	2	162
19	019	<5	<2	0.76	20	65	10	0.06	<1	11	14	21	5.57	<10	0.04	119	<1	<0.01	10	330	22	<5	<20	9	0.25	<10	94	<10	<1	46
28	028	<5	1.0	1.74	15	135	<5	0.03	<1	4	11	9	2.71	<10	0.16	43	4	<0.01	4	420	14	<5	<20	8	0.04	<10	75	<10	<1	18
36	036	<5	<2	1.65	5	90	<5	0.75	1	16	23	33	4.42	<10	0.86	932	3	0.03	26	940	10	<5	<20	35	0.07	<10	52	<10	3	126
45	045	<5	0.6	0.81	10	50	5	0.06	<1	12	15	29	4.51	<10	0.03	197	4	<0.01	11	380	12	<5	<20	5	0.15	<10	88	<10	<1	59
54	054	<5	2.8	1.96	45	100	15	0.12	<1	12	15	44	9.81	<10	0.56	957	10	<0.01	6	2800	26	<5	<20	10	0.13	<10	58	<10	<1	63
63	066	<5	<2	1.96	<5	115	15	0.29	<1	23	16	22	8.80	<10	0.61	884	<1	0.01	10	740	8	<5	<20	17	0.25	<10	210	<10	2	46
71	074	<5	0.6	3.44	5	90	5	1.42	3	17	14	23	5.62	50	0.19	1652	7	0.01	31	800	32	<5	<20	45	0.07	<10	23	<10	67	180
80	083	<5	0.2	2.63	10	145	5	0.18	<1	18	26	42	6.71	<10	0.83	553	7	<0.01	31	1020	18	<5	<20	9	0.05	<10	73	<10	5	166
89	127	<5	<2	2.19	<5	60	10	0.07	2	11	21	18	9.91	<10	0.20	380	11	0.01	15	370	28	<5	<20	7	0.18	<10	92	<10	<1	48
98	136	<5	0.4	2.96	10	40	5	0.04	<1	8	16	15	6.37	<10	0.17	328	7	0.03	9	440	26	<5	<20	2	0.11	<10	40	<10	5	53
106	146	<5	1.6	2.61	40	60	30	0.06	<1	14	16	27	14.40	<10	<0.01	281	45	0.01	6	200	44	<5	<20	3	0.41	<10	100	<10	<1	66
115	307	<5	0.8	3.92	<5	65	20	0.26	3	33	81	40	6.75	<10	0.59	1016	<1	0.03	21	470	12	<5	<20	11	0.46	<10	187	<10	30	49
124	316	<5	<2	1.78	<5	90	15	0.17	2	12	29	30	8.39	<10	0.23	176	3	<0.01	14	270	12	<5	<20	14	0.23	<10	138	<10	<1	59
133	325	<5	<2	0.79	<5	40	15	0.07	<1	10	4	9	1.40	10	0.04	58	<1	0.01	3	210	56	<5	<20	6	0.52	<10	63	<10	6	16
141	333	<5	0.2	1.75	15	120	5	0.04	<1	6	11	10	3.83	<10	0.11	204	3	0.02	6	470	8	<5	<20	6	0.03	<10	96	<10	<1	25
150	349	<5	<2	0.90	<5	50	5	0.21	<1	9	10	16	3.24	<10	0.15	114	4	0.03	11	460	12	<5	<20	16	0.17	<10	88	<10	<1	66
159	358	-	6.4	3.08	15	130	20	0.03	2	20	12	23	12.20	<10	0.31	1713	13	<0.01	5	1010	38	<5	<20	1	0.06	<10	96	<10	<1	118
Standard:																														
GEO'95		150	1.0	1.77	70	155	<5	1.67	<1	18	60	88	4.03	<10	0.94	661	<1	0.02	27	660	20	5	<20	57	0.11	<10	78	<10	5	74
GEO'95		150	1.0	1.67	65	150	<5	1.56	<1	18	57	83	3.91	<10	0.90	637	<1	0.02	27	620	20	<5	<20	55	0.11	<10	76	<10	4	72
GEO'95		140	1.0	1.65	60	155	<5	1.52	<1	17	55	82	3.85	<10	0.90	624	<1	0.02	24	600	18	<5	<20	55	0.10	<10	73	<10	6	70
GEO'95		150	1.2	1.73	65	150	5	1.60	<1	18	60	88	3.96	<10	0.93	649	<1	0.02	25	640	22	<5	<20	53	0.12	<10	77	<10	4	72
GEO'95		150	1.0	1.82	65	160	<5	1.65	<1	18	62	90	4.17	<10	0.96	685	<1	0.02	28	610	18	<5	<20	61	0.12	<10	81	<10	3	74

9-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-505
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

2 silt samples received July 17, 1995
Project #: FD5CA 0011
Shipment #: 1
P.O. #: 1976
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	0343	<5	1.2	2.18	135	225	<5	1.64	3	20	14	76	4.31	20	0.38	854	12	0.03	43	700	18	<5	<20	198	0.10	<10	40	<10	26	233
2	0348	<5	<2	1.97	60	90	5	0.79	1	17	31	29	4.82	<10	1.11	1315	4	0.03	33	870	12	10	<20	38	0.08	<10	68	<10	5	190

QC DATA:

Repeat:

1	0343	<5	1.2	2.20	145	235	<5	1.61	2	20	13	69	4.33	20	0.35	860	12	0.03	42	690	18	<5	<20	195	0.10	<10	39	<10	28	237
---	------	----	-----	------	-----	-----	----	------	---	----	----	----	------	----	------	-----	----	------	----	-----	----	----	-----	-----	------	-----	----	-----	----	-----

Standard:

GEO'95		150	1.6	1.64	65	155	<5	1.59	<1	17	51	87	3.72	<10	0.84	647	1	0.01	27	630	20	<5	<20	54	0.07	<10	66	<10	5	77
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	---	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

dt/514
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

3-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-495
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

226 Soil samples received July 21, 1995
Project #: FD5 CA 0011
Shipment #: 2
P.O. #: 1988

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	0092	<5	<2	2.89	10	90	<5	0.14	<1	13	33	52	4.45	<10	0.73	299	8	<.01	28	470	32	<5	<20	9	0.06	<10	71	<10	11	90
2	0093	<5	1.0	4.01	5	60	10	0.14	<1	11	7	28	6.27	20	0.08	1226	7	0.04	10	450	48	<5	<20	7	0.13	<10	18	<10	20	92
3	0094	<5	<2	2.42	<5	95	15	0.39	<1	13	29	31	6.37	<10	0.56	509	7	<.01	29	610	22	<5	<20	18	0.06	<10	57	<10	9	91
4	0095	<5	0.4	2.14	<5	70	10	0.06	1	8	24	22	6.13	<10	0.36	323	7	<.01	18	600	20	<5	<20	8	0.05	<10	62	<10	<1	40
5	0096	<5	0.6	2.37	<5	45	15	0.05	<1	6	16	23	7.26	<10	0.08	139	11	0.01	7	450	32	<5	<20	5	0.12	<10	41	<10	<1	36
6	0097	<5	0.4	2.73	<5	45	10	0.05	1	13	27	22	6.15	<10	0.40	744	7	<.01	23	720	26	<5	<20	5	0.08	<10	49	<10	<1	57
7	0098	<5	0.6	3.12	<5	35	15	0.07	<1	7	14	25	6.41	<10	0.08	286	6	0.03	4	530	34	<5	<20	6	0.17	<10	43	<10	12	38
8	0099	<5	0.8	1.96	<5	45	15	0.05	1	8	11	18	6.57	<10	0.03	160	6	0.02	4	350	34	<5	<20	8	0.22	<10	52	<10	8	31
9	0100	<5	<2	2.66	5	70	20	0.04	2	11	39	28	10.30	<10	0.59	420	9	<.01	26	430	24	<5	<20	5	0.06	<10	88	<10	<1	60
10	0101	<5	0.4	2.31	<5	25	15	0.04	<1	7	6	18	7.24	20	<.01	367	8	0.02	3	410	36	<5	<20	<1	0.14	<10	27	<10	17	41
11	0102	5	1.4	2.53	<5	50	25	0.05	1	11	14	26	11.80	<10	0.12	573	17	0.02	10	380	50	<5	<20	5	0.19	<10	48	<10	3	63
12	0103	<5	1.0	2.56	10	70	<5	0.33	<1	6	20	16	3.19	20	0.14	123	<1	0.04	6	660	34	<5	<20	24	0.13	<10	51	<10	14	16
13	0104	<5	<2	2.11	<5	45	15	0.05	1	7	21	19	6.81	10	0.10	449	7	0.02	7	830	26	<5	<20	5	0.13	<10	48	<10	18	41
14	0105	<5	0.2	2.05	<5	60	15	0.07	<1	15	31	21	6.68	<10	0.48	1344	10	<.01	23	700	14	<5	<20	9	0.04	<10	62	<10	<1	56
15	0106	<5	1.0	2.52	5	100	<5	0.12	2	34	26	47	5.64	20	0.51	3897	8	<.01	24	1170	20	<5	<20	9	0.03	<10	59	<10	31	130
16	0107	<5	<2	1.68	<5	75	5	0.39	1	14	30	23	4.67	<10	1.04	1136	3	0.02	37	1050	10	<5	<20	18	0.04	<10	59	<10	4	122
17	0109	<5	0.4	3.85	5	30	10	0.09	<1	5	9	12	3.70	20	0.04	131	3	0.02	3	650	38	<5	<20	7	0.12	<10	23	<10	17	36
18	0110	<5	0.4	2.39	<5	45	15	0.04	1	9	17	24	8.71	<10	0.16	309	12	<.01	11	310	34	<5	<20	4	0.14	<10	55	<10	<1	46
19	0111	<5	<2	2.22	<5	65	5	0.05	<1	8	31	22	8.23	<10	0.34	254	9	<.01	17	440	22	<5	<20	6	0.03	<10	73	<10	<1	39
20	0112	<5	<2	2.57	<5	120	15	1.18	4	25	28	20	5.93	<10	1.35	1239	<1	0.24	34	850	16	<5	<20	82	0.30	<10	87	<10	8	236
21	0113	<5	<2	2.72	<5	75	10	0.09	1	8	37	32	7.10	<10	0.62	276	7	<.01	27	400	22	<5	<20	6	0.01	<10	76	<10	<1	73
22	0114	5	1.4	2.53	15	70	10	0.32	2	21	34	58	8.79	<10	0.49	652	13	0.02	19	830	20	<5	<20	13	0.11	<10	71	<10	26	133
23	0115	5	1.4	3.07	40	75	15	0.29	2	30	24	48	11.80	<10	0.47	2018	13	0.02	12	1590	40	<5	<20	12	0.05	<10	66	<10	7	125
24	0138	<5	1.0	4.90	20	55	<5	0.04	<1	13	30	339	7.18	<10	0.37	551	9	0.01	14	540	62	<5	<20	4	0.09	<10	50	<10	22	95
25	0139	<5	<2	0.92	<5	65	<5	0.11	<1	9	14	108	2.98	<10	0.05	104	2	0.01	5	270	26	<5	<20	9	0.30	<10	99	<10	4	34

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	Li	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	0149	<5	0.6	3.33	<5	110	10	0.63	3	50	83	50	7.45	<10	0.82	6484	5	0.01	27	600	24	△	△20	34	0.20	<10	160	<10	23	54
27	0150	<5	<2	1.65	<5	75	10	0.08	<1	10	19	41	4.04	<10	0.13	79	<1	<0.1	9	320	18	△	△20	7	0.31	<10	107	<10	3	33
28	0151	<5	<2	1.09	<5	55	10	0.19	<1	8	12	39	4.73	<10	0.14	244	4	0.02	7	180	32	△	△20	14	0.27	<10	85	<10	4	59
29	0152	<5	0.6	2.88	<5	75	10	0.53	<1	41	53	26	6.28	<10	0.57	4914	8	0.02	25	1270	22	△	△20	16	0.08	<10	89	<10	11	92
30	0153	<5	<2	2.16	<5	95	10	0.37	1	17	20	13	7.24	<10	0.24	377	7	0.01	8	740	24	△	△20	15	0.08	<10	80	<10	5	39
31	0154	<5	<2	2.88	<5	100	20	0.03	2	11	43	33	11.30	<10	0.30	165	10	<0.1	17	450	18	△	△20	6	0.13	<10	119	<10	<1	48
32	0155	<5	<2	2.20	<5	65	20	0.05	2	11	34	28	10.20	<10	0.08	101	10	<0.1	8	300	20	△	△20	8	0.23	<10	125	<10	<1	29
33	0156	<5	1.4	2.68	<5	30	20	0.05	1	8	6	22	8.17	20	0.05	390	11	0.04	4	180	48	△	△20	<1	0.16	<10	22	<10	8	57
34	0157	<5	<2	2.30	15	80	25	0.29	3	14	22	19	8.75	<10	0.44	369	10	0.03	14	350	28	△	△20	12	0.19	<10	90	<10	2	68
35	0158	5	<2	2.32	<5	70	10	0.07	1	10	26	27	7.70	<10	0.44	246	8	<0.1	16	350	20	△	△20	9	0.10	<10	78	<10	<1	99
36	0159	<5	<2	2.07	20	110	10	0.10	1	14	9	8	5.98	<10	0.23	1079	17	<0.1	4	440	16	△	△20	12	0.04	<10	58	<10	2	97
37	0160	<5	1.8	3.40	45	90	5	0.10	<1	20	108	27	7.65	<10	1.27	654	12	<0.1	24	600	28	△	△20	10	0.08	<10	129	<10	<1	112
38	0161	<5	0.6	2.12	<5	90	10	0.07	1	12	25	31	7.53	<10	0.51	437	5	<0.1	19	530	18	△	△20	10	0.12	<10	91	<10	<1	84
39	0162	<5	2.4	3.20	<5	80	10	0.20	1	64	24	29	5.04	10	0.51	4695	1	0.04	11	780	22	△	△20	16	0.18	<10	89	<10	27	62
40	0163	<5	0.4	3.19	5	50	5	0.07	2	7	14	25	6.93	20	0.12	306	9	0.02	8	540	34	△	△20	7	0.09	<10	36	<10	36	50
41	0164	<5	0.4	2.13	<5	60	15	0.05	1	10	32	30	7.54	<10	0.35	394	9	<0.1	22	890	24	△	△20	7	0.07	<10	64	<10	<1	57
42	0165	<5	<2	4.58	<5	50	20	0.28	<1	14	25	35	3.34	20	0.27	129	<1	0.04	9	870	42	△	△20	17	0.58	<10	91	<10	33	50
43	0166	<5	<2	1.97	<5	120	5	0.54	4	17	31	19	5.15	<10	1.06	921	2	0.10	42	750	18	△	△20	41	0.12	<10	66	<10	3	136
44	0167	<5	2.0	2.89	15	165	<5	0.27	<1	4	12	15	2.11	40	0.28	138	3	0.02	14	230	54	△	△20	17	0.12	<10	50	<10	24	45
45	0168	<5	0.6	1.89	90	105	20	0.86	1	30	11	20	11.20	<10	0.87	7816	13	0.11	11	1200	18	△	△20	38	0.22	<10	63	<10	<1	143
46	0169	<5	0.4	1.48	10	100	15	0.35	<1	14	8	14	9.78	<10	0.43	1433	9	0.05	8	3180	12	△	△20	27	0.04	<10	54	<10	<1	94
47	0170	<5	3.4	1.78	135	125	15	0.16	<1	21	22	89	13.70	<10	0.53	1887	18	0.02	15	4100	28	△	△20	9	0.04	<10	58	<10	<1	118
48	0171	<5	0.6	1.36	25	75	5	0.13	2	11	52	27	3.93	<10	0.51	336	3	0.02	23	1160	8	△	△20	8	0.02	<10	92	<10	2	50
49	0172	<5	1.4	4.16	110	145	15	0.07	<1	20	57	71	11.70	<10	0.83	1087	9	<0.1	25	500	26	△	△20	5	0.08	<10	127	<10	<1	113
50	0173	<5	0.6	3.22	15	115	10	0.75	2	27	25	29	5.98	<10	0.55	3220	3	0.02	21	1160	20	△	△20	33	0.14	<10	79	<10	29	146
51	0174	<5	<2	0.20	<5	115	<5	1.08	3	1	1	11	0.70	<10	0.04	64	<1	0.01	5	580	2	△	△20	80	<0.1	<10	6	<10	4	5
52	0175	<5	0.8	3.70	<5	80	10	0.26	1	40	37	36	5.00	20	0.47	3625	7	0.03	18	790	26	△	△20	20	0.26	<10	82	<10	33	54
53	0176	<5	1.0	3.78	<5	45	10	0.05	1	7	23	20	7.22	<10	0.06	174	8	0.02	7	570	38	△	△20	7	0.15	<10	38	<10	2	30
54	0177	<5	0.2	1.82	10	190	<5	0.47	1	16	81	35	5.11	<10	1.12	1934	4	0.02	48	1160	12	△	△20	28	0.04	<10	65	<10	6	117
55	0178	<5	0.4	4.77	20	95	5	0.14	<1	7	25	40	2.59	30	0.35	148	4	0.02	34	820	40	△	△20	11	0.05	<10	44	<10	32	125
56	0179	<5	1.0	4.00	20	65	<5	0.12	<1	8	26	29	4.66	30	0.34	365	8	0.01	18	1340	32	△	△20	6	0.03	<10	55	<10	38	108
57	0180	<5	<2	2.69	<5	50	15	0.04	1	8	14	27	7.72	10	0.09	294	10	0.01	8	450	32	△	△20	6	0.13	<10	49	<10	20	56
58	0181	<5	0.6	3.01	<5	80	15	0.13	2	15	27	34	7.02	<10	0.46	838	7	0.02	25	700	30	△	△20	8	0.11	<10	70	<10	17	156
59	0182	<5	<2	1.60	<5	45	10	0.22	1	27	11	24	5.31	<10	0.24	1832	2	<0.1	4	1170	20	△	△20	11	0.15	<10	168	<10	3	34
60	0183	<5	<2	2.08	<5	80	10	0.34	3	16	21	22	4.95	<10	0.61	270	<1	0.09	15	470	16	△	△20	32	0.20	<10	112	<10	2	45

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
61	0184	<5	<2	3.02	<5	65	20	0.04	<1	14	61	27	7.74	<10	0.21	169	1	<0.1	16	210	24	<5	<20	4	0.27	<10	160	<10	1	41
62	0185	<5	<2	1.58	<5	55	10	0.15	<1	13	21	21	5.75	<10	0.66	538	4	0.04	23	820	18	<5	<20	14	0.10	<10	68	<10	<1	64
63	0186	<5	0.8	2.80	<5	50	10	0.06	<1	7	8	19	5.29	20	0.05	345	8	0.03	6	500	36	<5	<20	5	0.13	<10	22	<10	35	53
64	0187	<5	0.8	4.34	5	70	15	0.04	3	8	28	20	5.61	<10	0.27	254	4	0.02	13	1150	28	<5	<20	5	0.08	<10	53	<10	<1	55
65	0188	<5	<2	2.78	<5	95	15	0.03	2	11	35	25	8.49	<10	0.51	515	7	<0.1	22	430	24	<5	<20	8	0.08	<10	99	<10	<1	59
66	0190	<5	<2	2.68	<5	50	30	0.20	2	29	30	43	8.47	<10	0.40	409	<1	0.02	12	600	18	<5	<20	9	0.87	<10	471	<10	14	32
67	0191	<5	0.6	2.20	<5	60	15	0.14	1	14	43	18	5.08	<10	0.39	776	<1	0.03	15	780	24	<5	<20	12	0.23	<10	113	<10	1	53
68	0192	<5	<2	3.76	<5	95	25	0.48	2	43	165	24	9.50	<10	1.06	2605	<1	0.03	39	600	22	<5	<20	23	0.44	<10	260	<10	11	72
69	0193	<5	<2	1.64	<5	75	<5	0.48	2	12	20	29	4.23	<10	0.28	591	4	0.02	14	1750	10	<5	<20	24	0.06	<10	113	<10	<1	27
70	0194	<5	1.0	2.84	15	60	<5	0.70	8	12	41	60	2.63	40	0.29	742	2	0.04	13	1230	16	<5	<20	21	0.07	<10	70	<10	52	33
71	0195	<5	0.4	3.12	10	70	10	0.16	<1	12	22	18	7.60	<10	0.42	671	11	0.01	16	500	30	<5	<20	9	0.09	<10	72	<10	5	49
72	0196	<5	0.4	2.47	<5	130	10	0.28	1	45	41	21	7.01	<10	0.40	3027	6	<0.1	16	690	22	<5	<20	17	0.16	<10	129	<10	14	71
73	0197	<5	<2	2.31	<5	60	15	0.13	2	10	10	23	8.10	<10	0.05	614	11	0.02	7	510	34	<5	<20	9	0.17	<10	53	<10	10	58
74	0198	<5	0.6	2.41	<5	120	5	0.38	<1	10	28	26	3.28	10	0.71	445	4	0.02	30	1250	20	<5	<20	20	0.03	<10	49	<10	14	134
75	0199	5	<2	2.02	<5	125	20	0.14	4	20	29	21	8.60	<10	0.23	1225	8	0.02	13	430	26	<5	<20	17	0.19	<10	130	<10	3	62
76	0200	<5	0.6	2.73	<5	45	10	0.05	<1	7	13	19	5.53	10	0.07	352	7	0.02	4	870	32	<5	<20	6	0.13	<10	34	<10	12	52
77	0201	<5	<2	1.95	<5	70	10	0.43	<1	17	23	12	4.97	<10	1.19	1032	1	0.07	25	750	12	<5	<20	29	0.13	<10	67	<10	5	97
78	0202	<5	3.6	3.43	<5	75	20	0.09	2	13	23	30	12.40	<10	0.11	288	8	0.04	6	430	52	<5	<20	10	0.30	<10	67	<10	<1	43
79	0203	<5	0.4	2.17	10	75	15	0.06	2	11	24	27	9.48	<10	0.45	395	10	<0.1	20	940	28	<5	<20	7	0.11	<10	88	<10	<1	66
80	0204	<5	<2	2.25	10	165	<5	0.48	1	12	15	15	2.77	20	0.35	617	3	0.06	18	1130	20	<5	<20	24	0.12	<10	56	<10	17	126
81	0205	<5	<2	1.98	<5	55	25	0.06	<1	11	22	22	10.50	<10	0.07	129	12	<0.1	8	380	40	<5	<20	5	0.27	<10	101	<10	<1	33
82	0206	<5	0.6	0.93	<5	60	10	0.22	2	10	7	12	2.94	<10	0.17	94	<1	0.04	10	760	22	<5	<20	23	0.26	<10	66	<10	3	30
83	0207	<5	0.2	2.41	<5	55	10	0.05	1	11	22	25	8.11	<10	0.35	802	11	0.01	17	330	34	<5	<20	7	0.14	<10	69	<10	<1	74
84	0208	5	<2	3.82	<5	100	30	0.08	2	16	33	45	13.50	<10	0.25	199	3	<0.1	6	420	30	<5	<20	12	0.37	<10	180	<10	<1	42
85	0209	<5	0.6	2.13	<5	60	10	0.09	3	8	29	36	7.23	<10	0.12	145	4	<0.1	14	750	14	<5	<20	5	0.16	<10	119	<10	<1	15
86	0210	<5	0.4	0.68	<5	45	<5	0.25	<1	6	5	33	2.13	<10	0.07	90	<1	0.02	4	2050	6	<5	<20	14	0.15	<10	35	<10	3	19
87	0211	<5	<2	1.65	<5	40	10	0.18	<1	12	26	29	6.71	<10	0.38	413	5	0.03	13	580	18	<5	<20	14	0.15	<10	85	<10	<1	62
88	0212	<5	0.2	1.16	<5	85	10	0.56	3	11	8	28	6.24	<10	0.24	94	5	0.05	9	830	10	<5	<20	33	0.11	<10	107	<10	5	47
89	0213	<5	<2	2.33	5	85	10	1.18	4	25	30	22	5.23	<10	1.52	1111	<1	0.21	32	840	16	<5	<20	72	0.29	<10	93	<10	10	270
90	0214	<5	2.2	2.34	10	80	<5	0.64	2	15	27	49	5.51	<10	0.53	827	14	<0.1	39	900	22	<5	<20	16	0.07	<10	60	<10	19	285
91	0215	<5	<2	2.22	5	95	10	0.70	2	14	20	38	6.74	<10	0.44	934	17	<0.1	24	440	24	<5	<20	15	0.03	<10	122	<10	6	172
92	0216	5	7.2	2.53	25	50	10	0.04	2	11	48	70	11.00	<10	1.02	520	18	<0.1	13	1170	34	<5	<20	5	0.02	<10	69	<10	<1	237
93	0217	5	3.4	3.91	55	50	5	0.10	1	37	43	131	9.71	<10	1.03	1954	13	0.01	23	1440	32	<5	<20	8	0.03	<10	69	<10	2	216
94	0218	<5	<2	2.65	<5	80	10	0.69	3	22	72	32	5.89	<10	1.96	1240	2	0.01	37	850	12	<5	<20	19	0.13	<10	120	<10	7	225
95	0219	<5	<2	0.65	<5	155	20	0.33	5	13	27	21	3.98	<10	0.12	230	<1	0.01	19	350	12	<5	<20	50	0.47	<10	164	<10	5	50

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	0220	<5	<2	0.99	<5	100	5	0.68	2	13	6	11	2.31	<10	0.28	363	<1	0.04	10	770	6	<5	<20	55	0.13	<10	42	<10	5	45
97	0221	<5	0.6	2.18	80	90	5	1.20	2	19	25	35	5.02	<10	0.49	1677	8	0.01	26	1480	20	<5	<20	50	0.05	<10	72	<10	16	242
98	0222	<5	<2	1.99	20	80	<5	1.02	3	16	23	41	4.24	<10	0.92	1463	4	0.05	33	880	14	<5	<20	42	0.08	<10	65	<10	10	174
99	0223	<5	4.6	4.52	<5	50	<5	0.40	1	61	28	31	4.66	<10	0.21	2314	7	0.01	13	1230	34	<5	<20	15	0.07	<10	50	<10	19	61
100	0224	<5	1.4	1.96	<5	75	15	0.97	2	11	9	23	7.00	10	0.13	1387	11	0.02	10	540	30	<5	<20	29	0.17	<10	57	<10	11	90
101	0225	<5	1.2	1.63	15	75	5	0.12	3	6	15	25	4.68	<10	0.20	128	8	0.01	11	1010	18	<5	<20	10	0.04	<10	70	<10	<1	65
102	0226	<5	<2	2.44	15	50	<5	0.06	<1	6	23	21	4.38	<10	0.28	116	3	0.01	8	420	20	<5	<20	9	0.10	<10	102	<10	2	44
103	0227	<5	0.6	2.54	80	70	<5	0.32	<1	27	23	89	6.10	<10	0.72	1716	13	0.01	38	2190	28	<5	<20	19	0.06	<10	57	<10	5	225
104	0228	<5	<2	2.06	35	85	10	0.60	2	20	39	30	5.18	<10	1.32	1152	4	0.04	35	840	30	50	<20	30	0.11	<10	82	<10	6	205
105	0229	<5	<2	2.02	20	70	15	0.31	1	11	19	41	7.52	<10	0.42	492	16	<0.1	20	430	34	<5	<20	22	0.13	<10	79	<10	7	122
106	0230	<5	1.6	0.60	10	65	<5	0.17	2	5	3	10	1.32	<10	0.09	48	<1	0.04	6	600	6	<5	<20	18	0.08	<10	31	<10	1	32
107	0231	<5	<2	1.84	95	80	10	0.06	<1	9	23	28	9.04	<10	0.21	142	10	<0.1	12	360	22	<5	<20	11	0.13	<10	88	<10	<1	74
108	0232	<5	0.2	1.91	110	55	10	0.05	1	10	21	30	9.52	<10	0.16	197	13	<0.1	11	410	30	<5	<20	6	0.16	<10	92	<10	<1	91
109	0233	<5	<2	1.34	280	55	5	0.13	<1	10	18	18	5.22	<10	0.11	99	<1	0.02	9	410	18	<5	<20	14	0.28	<10	160	<10	<1	50
110	0234	<5	<2	1.80	20	85	30	0.19	2	18	39	29	8.01	<10	0.33	277	<1	0.02	14	460	22	<5	<20	18	0.48	<10	251	<10	3	49
111	0235	<5	0.2	2.21	45	65	5	0.03	<1	9	32	43	7.29	<10	0.57	288	16	<0.1	37	270	22	<5	<20	4	0.04	<10	85	<10	1	253
112	0236	<5	<2	0.35	120	35	<5	0.16	<1	5	5	21	1.71	<10	0.03	50	14	<0.1	15	80	4	<5	<20	6	0.02	<10	104	<10	<1	101
113	0335	<5	1.2	2.23	45	125	15	0.41	2	48	31	45	9.45	<10	0.83	3108	12	0.02	36	2180	18	<5	<20	18	0.04	<10	52	<10	20	259
114	0336	<5	1.4	2.27	45	100	10	0.58	3	43	32	40	11.10	<10	1.36	4259	9	0.01	27	1360	12	<5	<20	15	0.03	<10	50	<10	7	269
115	0337	<5	2.8	2.87	5	115	<5	0.44	1	20	35	45	3.76	30	0.39	1291	3	0.03	21	1290	20	<5	<20	33	0.12	<10	56	<10	52	58
116	0338	<5	3.0	3.09	10	75	10	0.20	3	54	29	38	6.75	<10	0.51	3220	6	0.04	19	2090	26	<5	<20	10	0.07	<10	93	<10	2	83
117	0339	<5	0.4	2.33	<5	50	20	0.17	<1	14	26	21	4.58	<10	0.43	914	3	0.04	14	810	22	<5	<20	16	0.13	<10	76	<10	2	50
118	0360	<5	0.8	1.91	<5	55	10	0.06	<1	14	21	18	5.09	<10	0.21	1751	4	0.01	12	740	24	<5	<20	8	0.15	<10	75	<10	<1	44
119	0361	<5	<2	2.12	<5	125	15	0.13	2	33	29	15	14.20	<10	0.28	1748	25	0.02	13	700	22	<5	<20	13	0.12	<10	90	<10	<1	67
120	0362	<5	1.4	2.98	<5	55	10	0.08	2	9	20	24	7.87	<10	0.29	266	10	0.02	14	510	34	<5	<20	9	0.12	<10	60	<10	6	50
121	0363	<5	0.8	3.30	5	90	5	0.12	<1	4	30	11	2.29	20	0.38	138	<1	0.02	15	1020	30	<5	<20	10	0.06	<10	85	<10	21	51
122	0364	<5	0.6	2.61	<5	60	5	0.08	2	9	17	22	9.05	<10	0.20	295	11	<0.1	10	890	28	<5	<20	9	0.12	<10	82	<10	6	50
123	0365	<5	2.6	1.27	<5	95	10	0.12	4	10	9	20	6.63	<10	0.24	1978	7	0.02	5	2190	20	<5	<20	14	0.10	<10	71	<10	<1	55
124	0366	<5	0.6	2.39	<5	40	15	0.06	1	7	13	20	5.70	<10	0.10	205	6	0.02	6	420	26	<5	<20	6	0.15	<10	52	<10	10	33
125	0367	<5	<2	3.03	<5	60	15	0.04	2	10	36	30	9.47	<10	0.41	272	10	<0.1	18	630	22	<5	<20	4	0.07	<10	108	<10	<1	60
126	0368	<5	0.8	3.79	10	70	<5	0.05	<1	9	39	35	6.67	<10	0.48	325	7	<0.1	23	910	22	<5	<20	8	0.03	<10	74	<10	<1	63
127	0369	<5	<2	2.69	<5	80	15	0.04	2	11	33	27	9.66	<10	0.37	242	8	<0.1	16	960	18	<5	<20	9	0.10	<10	132	<10	<1	47
128	0370	<5	1.0	3.45	<5	40	10	0.05	1	10	25	21	5.31	<10	0.15	452	4	0.02	7	660	32	<5	<20	6	0.17	<10	52	<10	15	37
129	0371	<5	2.8	2.42	<5	40	15	0.04	2	9	15	20	9.10	<10	0.07	321	10	0.01	7	490	40	<5	<20	7	0.19	<10	50	<10	3	35
130	0372	<5	<2	3.11	<5	100	<5	0.02	<1	10	43	44	7.96	<10	0.63	312	7	<0.1	28	1010	20	<5	<20	6	0.02	<10	95	<10	<1	85

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
131	0373	<5	0.4	1.58	<5	110	15	0.11	2	7	23	24	6.77	<10	0.28	172	5	0.01	18	740	12	<5	<20	12	0.06	<10	109	<10	<1	40
132	0374	<5	0.8	2.53	<5	50	20	0.05	2	10	22	26	9.19	<10	0.26	273	11	0.01	14	500	34	<5	<20	4	0.17	<10	62	<10	<1	58
133	0375	<5	0.2	2.94	<5	45	15	0.09	1	19	28	24	6.87	<10	0.33	1011	3	0.02	10	650	26	<5	<20	9	0.22	<10	91	<10	4	52
134	0376	<5	<2	0.68	<5	40	5	0.05	<1	6	17	8	1.45	<10	0.06	45	<1	0.01	4	640	12	<5	<20	7	0.12	<10	102	<10	2	12
135	0377	<5	0.6	2.60	<5	30	5	0.04	<1	9	13	22	4.55	10	0.13	675	5	0.02	9	620	26	<5	<20	4	0.12	<10	31	<10	16	52
136	0378	<5	<2	1.99	<5	55	10	0.04	1	7	20	19	6.38	<10	0.08	152	8	<0.1	6	330	24	<5	<20	5	0.14	<10	95	<10	2	40
137	0379	<5	<2	2.22	<5	70	10	0.08	<1	9	21	15	5.71	<10	0.22	244	<1	0.01	8	340	20	<5	<20	10	0.23	<10	105	<10	<1	38
138	0380	<5	1.2	4.68	10	90	<5	0.20	9	52	36	43	6.16	<10	0.56	2580	6	0.05	32	1200	30	<5	<20	21	0.11	<10	80	<10	15	149
139	0381	<5	<2	2.40	<5	60	15	0.07	2	11	27	20	8.31	<10	0.37	226	3	<0.1	15	250	16	<5	<20	10	0.16	<10	129	<10	<1	44
140	0382	<5	0.8	3.66	<5	75	10	0.04	1	7	30	26	5.57	<10	0.24	111	4	<0.1	13	340	26	<5	<20	4	0.10	<10	89	<10	<1	65
141	0383	75	4.6	1.75	35	125	10	0.04	2	11	22	72	12.20	<10	0.20	355	19	<0.1	11	1410	36	<5	<20	9	0.06	<10	94	<10	<1	155
142	0384	<5	1.0	3.02	30	55	<5	0.15	2	16	36	73	7.99	<10	0.42	530	9	<0.1	17	1420	14	<5	<20	7	0.05	<10	85	<10	5	38
143	0385	<5	0.4	2.09	30	60	15	0.03	1	9	26	38	10.80	<10	0.17	187	23	<0.1	29	370	36	<5	<20	6	0.07	<10	72	<10	<1	205
144	0386	<5	<2	2.01	160	75	10	0.08	1	9	23	27	7.23	<10	0.40	187	9	<0.1	23	490	22	<5	<20	10	0.07	<10	67	<10	<1	105
145	0387	<5	<2	2.20	110	75	20	0.05	<1	10	26	44	9.71	<10	0.37	220	15	<0.1	21	370	28	<5	<20	6	0.07	<10	66	<10	<1	151
146	0388	5	<2	1.98	20	60	10	0.06	1	10	18	32	7.37	<10	0.21	199	10	<0.1	15	390	26	<5	<20	6	0.16	<10	114	<10	<1	106
147	0389	<5	<2	2.23	<5	50	20	0.06	1	11	19	24	8.95	<10	0.11	124	5	<0.1	9	420	36	<5	<20	6	0.32	<10	109	<10	<1	50
148	0390	<5	<2	2.96	<5	55	10	0.05	1	9	40	20	7.79	<10	0.19	104	7	<0.1	12	430	26	<5	<20	6	0.17	<10	129	<10	<1	36
149	0391	<5	<2	2.37	15	65	10	0.09	1	10	37	32	9.31	<10	0.30	156	9	0.01	16	630	18	<5	<20	13	0.09	<10	114	<10	<1	84
150	0392	<5	0.2	2.56	15	50	15	0.08	1	8	31	33	6.66	<10	0.41	217	9	<0.1	22	690	24	<5	<20	7	0.06	<10	64	<10	<1	110
151	0393	<5	0.8	2.67	<5	35	15	0.07	<1	6	10	14	5.59	20	0.14	290	9	0.02	7	660	38	<5	<20	5	0.11	<10	28	<10	6	55
152	0394	<5	<2	1.91	<5	45	10	0.06	1	10	27	25	7.25	<10	0.48	318	10	<0.1	26	440	24	<5	<20	7	0.11	<10	64	<10	<1	84
153	0395	<5	<2	2.45	<5	55	20	0.04	2	12	38	30	10.00	<10	0.43	382	14	<0.1	24	610	28	<5	<20	6	0.11	<10	97	<10	<1	109
154	0396	<5	0.2	1.82	<5	50	10	0.05	1	8	25	28	7.41	<10	0.29	257	13	<0.1	21	860	24	<5	<20	7	0.08	<10	76	<10	<1	100
155	0397	<5	2.4	3.73	<5	45	15	0.04	1	7	16	28	8.34	<10	<0.1	329	14	0.01	5	570	56	<5	<20	4	0.12	<10	25	<10	<1	35
156	0398	<5	<2	1.74	<5	80	15	0.14	2	11	28	44	8.35	<10	0.30	221	14	0.01	22	630	18	<5	<20	14	0.12	<10	114	<10	<1	126
157	0399	<5	1.0	4.17	<5	35	10	0.05	<1	9	13	20	5.75	20	0.08	1497	10	0.05	7	830	46	<5	<20	6	0.08	<10	22	<10	19	49
158	0400	<5	1.8	2.59	<5	35	10	0.04	1	7	19	27	5.65	10	0.16	268	9	0.02	10	600	28	<5	<20	4	0.08	<10	44	<10	13	79
159	0401	<5	0.6	2.46	15	90	15	0.02	2	8	31	42	8.04	<10	0.27	128	11	<0.1	17	540	20	<5	<20	4	0.06	<10	125	<10	<1	116
160	0402	<5	0.6	1.17	<5	45	5	0.16	<1	4	13	7	1.44	<10	0.10	75	<1	0.03	3	760	22	<5	<20	13	0.08	<10	35	<10	3	14
161	0403	<5	0.4	2.34	<5	65	15	0.05	2	11	26	25	9.17	<10	0.22	158	9	<0.1	13	420	28	<5	<20	10	0.19	<10	113	<10	<1	49
162	0404	<5	<2	1.43	<5	50	10	0.03	<1	9	23	15	6.09	<10	0.38	293	4	<0.1	17	270	18	<5	<20	5	0.12	<10	67	<10	<1	41
163	0405	<5	<2	0.88	<5	85	20	0.14	4	15	10	11	3.85	<10	0.13	70	<1	0.03	6	330	14	<5	<20	19	0.59	<10	116	<10	6	20
164	0406	<5	0.4	2.63	<5	80	10	0.03	1	11	36	24	11.70	<10	0.26	195	10	<0.1	13	760	22	<5	<20	7	0.13	<10	113	<10	<1	54
165	0407	<5	1.0	2.75	<5	65	10	0.04	1	13	33	20	4.87	<10	0.23	1255	4	<0.1	10	910	20	<5	<20	7	0.13	<10	83	<10	<1	52


Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	0408	<5	<2	1.94	<5	75	15	0.08	2	10	25	28	7.64	<10	0.40	253	7	<0.1	19	1370	16	<5	<20	8	0.13	<10	108	<10	<1	69
167	0409	<5	1.0	1.76	<5	45	20	0.08	2	13	18	21	6.20	<10	0.21	223	<1	0.02	7	470	26	<5	<20	8	0.32	<10	79	<10	4	26
168	0410	<5	0.2	3.42	5	75	<5	0.09	5	8	28	30	5.77	<10	0.46	251	7	<0.1	22	830	24	<5	<20	5	0.07	<10	60	<10	5	91
169	0420	<5	<2	0.28	<5	85	<5	1.08	1	1	1	5	0.43	<10	0.03	16	<1	0.02	4	470	4	<5	<20	43	0.01	<10	6	<10	3	6
170	0421	<5	1.0	3.98	10	85	5	0.39	2	11	16	20	5.67	20	0.22	822	8	0.03	13	940	32	<5	<20	12	0.07	<10	41	<10	28	80
171	0422	<5	0.8	1.99	<5	60	10	0.07	<1	11	17	16	5.94	<10	0.26	451	6	0.01	10	500	22	<5	<20	5	0.17	<10	83	<10	<1	59
172	0423	<5	0.2	2.01	<5	65	10	0.08	1	7	19	21	5.71	<10	0.23	240	7	<0.1	10	1140	18	<5	<20	3	0.09	<10	81	<10	<1	71
173	0424	<5	<2	1.88	<5	70	15	0.05	<1	9	22	25	7.32	<10	0.24	181	6	<0.1	11	570	20	<5	<20	3	0.13	10	117	<10	<1	64
174	0425	<5	<2	1.79	<5	45	5	0.03	<1	7	22	17	6.53	<10	0.18	225	8	<0.1	10	480	20	<5	<20	4	0.09	<10	63	<10	<1	39
175	0426	<5	1.0	2.39	<5	35	10	0.06	<1	8	13	14	7.77	10	0.04	275	8	0.02	5	380	44	<5	<20	4	0.19	<10	39	<10	6	43
176	0427	<5	<2	2.42	<5	70	15	0.03	1	12	30	27	10.70	<10	0.27	197	8	<0.1	14	410	20	<5	<20	3	0.15	10	125	<10	<1	43
177	0428	<5	<2	3.01	<5	80	35	0.07	3	17	25	30	14.50	<10	0.24	447	10	0.01	14	1580	34	<5	<20	8	0.35	10	143	<10	<1	51
178	0429	<5	0.4	3.34	<5	60	5	0.02	<1	10	35	30	8.80	<10	0.28	408	9	0.01	15	560	34	<5	<20	4	0.11	<10	83	<10	<1	57
179	0430	<5	<2	3.95	15	85	10	0.13	<1	17	50	37	9.16	<10	0.94	751	8	0.02	33	1420	28	<5	<20	8	0.15	<10	112	<10	5	126
180	0431	<5	0.8	5.08	10	60	<5	0.11	<1	18	25	32	5.24	30	0.36	1491	5	0.03	20	1250	42	<5	<20	8	0.10	<10	51	<10	40	91
181	0432	<5	0.4	2.57	<5	65	5	0.03	<1	7	25	17	6.78	<10	0.20	169	7	<0.1	8	730	24	<5	<20	6	0.08	<10	118	<10	<1	31
182	0433	<5	1.4	3.74	15	45	10	0.05	<1	9	25	28	6.31	<10	0.35	341	7	0.01	19	870	30	<5	<20	3	0.08	<10	48	<10	9	57
183	0434	<5	<2	1.03	30	55	25	0.11	2	12	6	14	7.68	<10	0.02	42	<1	0.02	7	840	18	<5	<20	15	0.46	10	128	<10	1	21
184	0435	<5	<2	1.78	<5	60	10	0.07	<1	10	25	16	5.96	<10	0.08	185	<1	<0.1	9	370	20	<5	<20	7	0.23	<10	120	<10	<1	28
185	0436	<5	<2	2.26	<5	85	10	0.10	<1	9	40	24	7.95	<10	0.28	148	7	0.01	17	300	20	<5	<20	9	0.07	10	96	<10	<1	42
186	0437	<5	0.4	3.61	10	60	10	0.16	1	112	34	27	6.66	<10	0.42	5082	2	0.02	15	1100	26	<5	<20	8	0.22	<10	103	<10	10	62
187	0438	<5	<2	2.01	<5	90	10	0.13	2	15	30	54	9.12	<10	0.21	136	<1	0.03	12	300	22	<5	<20	14	0.35	20	192	<10	<1	31
188	0439	<5	0.6	1.53	<5	35	20	0.25	1	11	7	13	5.40	<10	0.25	136	2	0.05	8	660	28	<5	<20	21	0.23	<10	65	<10	<1	31
189	0440	<5	<2	1.75	<5	65	10	0.06	<1	9	21	22	6.63	<10	0.30	314	7	<0.1	12	360	14	<5	<20	6	0.07	<10	169	<10	<1	38
190	0441	<5	1.2	2.13	<5	40	10	0.09	<1	10	19	34	5.54	<10	0.12	148	4	0.02	12	370	26	<5	<20	8	0.24	<10	83	<10	19	47
191	0442	<5	0.6	1.96	<5	85	<5	0.13	2	8	24	21	4.25	<10	0.65	230	4	0.02	23	520	16	<5	<20	13	0.06	<10	71	<10	1	73
192	0443	<5	1.4	4.04	10	80	<5	0.51	2	50	24	34	6.25	<10	0.41	3203	8	0.02	26	1360	26	<5	<20	18	0.08	<10	84	<10	38	178
193	0444	<5	2.0	4.02	15	60	5	0.32	2	37	24	36	4.91	20	0.33	2364	5	0.02	19	1540	24	<5	<20	9	0.06	<10	62	<10	41	128
194	0445	<5	<2	3.23	5	85	5	0.10	<1	10	33	25	5.69	<10	0.68	276	10	<0.1	27	330	32	<5	<20	6	0.07	<10	80	<10	8	95
195	0446	<5	<2	2.38	<5	50	10	0.07	<1	11	25	20	7.81	<10	0.54	393	7	0.02	23	450	26	<5	<20	5	0.11	<10	68	<10	2	58
196	0447	<5	0.8	2.35	5	145	<5	0.22	1	16	27	20	4.84	<10	0.60	4320	7	0.01	24	980	20	<5	<20	11	0.09	<10	62	<10	16	105
197	0448	<5	0.4	1.83	<5	85	10	0.13	<1	10	24	21	5.35	<10	0.56	378	3	<0.1	22	670	16	<5	<20	9	0.12	<10	86	<10	<1	57
198	0449	<5	<2	3.13	<5	75	15	0.06	<1	10	31	24	7.55	<10	0.47	303	8	<0.1	19	930	30	<5	<20	3	0.07	<10	77	<10	<1	61
199	0450	<5	<2	2.10	<5	70	15	0.12	<1	14	20	21	7.86	<10	0.50	671	8	<0.1	18	330	30	<5	<20	7	0.19	<10	71	<10	2	64
200	0451	<5	0.6	2.77	5	100	5	0.42	1	21	28	30	6.43	<10	0.69	1440	8	0.01	29	1170	24	<5	<20	12	0.07	<10	64	<10	25	137

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	0452	<5	<2	2.80	35	100	5	0.50	<1	12	38	21	4.35	<10	0.81	357	6	0.01	33	1020	22	<5	<20	17	0.06	<10	82	<10	15	99
202	0453	<5	<2	1.95	<5	55	10	0.08	<1	10	26	30	6.98	<10	0.46	373	11	<0.01	23	540	20	<5	<20	4	0.08	<10	86	<10	<1	71
203	0454	<5	<2	1.74	<5	50	10	0.07	6	11	24	30	9.35	<10	0.23	271	22	<0.01	16	500	22	<5	<20	2	0.12	10	133	<10	<1	52
204	0455	<5	1.4	2.58	20	145	<5	2.02	4	20	41	65	3.26	10	0.55	7155	5	0.03	25	1640	18	<5	<20	39	0.08	<10	93	<10	36	116
205	0456	<5	<2	2.12	<5	60	10	0.09	<1	10	17	23	6.58	<10	0.27	325	8	0.01	12	670	26	<5	<20	8	0.15	<10	64	<10	3	63
206	0457	<5	0.6	3.88	5	50	10	0.13	<1	8	18	20	4.73	<10	0.24	295	6	0.04	11	1160	36	<5	<20	7	0.08	<10	38	<10	6	56
207	0458	<5	<2	2.69	<5	95	10	0.09	1	11	30	20	9.47	<10	0.46	333	7	<0.01	15	950	22	<5	<20	10	0.11	10	123	<10	<1	56
208	0459	<5	<2	2.81	<5	75	15	0.03	<1	11	45	23	9.07	<10	0.42	407	9	<0.01	20	650	34	<5	<20	4	0.10	<10	98	<10	<1	53
209	0460	<5	0.8	2.74	<5	45	15	0.11	2	9	20	15	6.98	20	0.15	204	6	0.04	6	640	42	<5	<20	8	0.20	<10	54	<10	8	38
210	0461	<5	<2	2.74	<5	45	5	0.08	<1	8	18	19	5.18	20	0.22	498	8	0.05	10	1010	38	<5	<20	6	0.11	<10	63	<10	8	49
211	0462	<5	0.4	2.32	<5	45	20	0.20	1	12	18	15	7.05	<10	0.21	294	3	0.06	8	690	32	<5	<20	14	0.28	<10	65	<10	7	34
212	0463	<5	<2	1.84	<5	75	10	0.08	<1	9	23	24	4.84	<10	0.63	312	4	0.01	24	510	16	<5	<20	9	0.08	<10	73	<10	<1	81
213	0464	<5	0.4	2.29	<5	45	15	0.12	<1	10	29	21	4.87	<10	0.31	227	1	0.04	10	830	34	<5	<20	7	0.17	<10	99	<10	7	37
214	0465	<5	0.8	3.63	<5	80	10	0.74	1	33	37	26	4.73	30	0.75	3528	7	0.06	28	1400	26	<5	<20	28	0.08	<10	104	<10	33	127
215	0466	<5	1.0	3.42	<5	60	15	0.15	1	12	30	25	5.57	20	0.58	627	7	0.03	20	910	30	<5	<20	10	0.10	<10	74	<10	13	86
216	0467	<5	0.8	3.30	10	150	<5	0.17	<1	3	14	20	2.10	100	0.13	108	7	0.05	15	1290	40	<5	<20	13	0.08	<10	24	<10	78	80
217	0468	<5	<2	1.73	<5	50	15	0.11	<1	10	22	15	6.03	<10	0.26	287	7	0.02	12	520	26	<5	<20	9	0.21	<10	93	<10	2	34
218	0469	<5	<2	2.16	<5	290	10	0.88	2	28	21	12	5.76	<10	0.97	2730	<1	0.20	33	890	14	<5	<20	70	0.23	<10	61	<10	13	157
219	0470	<5	0.2	1.86	<5	50	20	0.08	<1	11	20	17	6.23	<10	0.36	377	5	0.02	14	500	28	<5	<20	9	0.21	10	89	<10	1	47
220	0471	<5	0.2	2.32	<5	70	<5	0.06	1	13	31	24	8.33	<10	0.37	1082	10	0.01	18	1430	30	<5	<20	7	0.07	<10	73	<10	<1	90
221	0472	<5	0.8	2.46	<5	85	10	0.14	2	22	24	41	6.10	20	0.55	3006	7	0.02	26	1140	28	<5	<20	8	0.05	<10	54	<10	23	190
222	0473	<5	1.0	2.12	<5	70	15	0.40	1	21	16	20	4.25	10	0.36	1181	<1	0.06	10	770	22	<5	<20	25	0.14	<10	64	<10	19	70
223	0474	<5	1.2	2.95	15	40	<5	0.26	1	5	7	20	1.80	60	0.12	104	<1	0.03	14	930	44	<5	<20	10	0.09	<10	20	<10	49	147
224	0475	<5	3.8	2.43	<5	70	15	0.08	3	13	9	41	8.47	<10	0.29	782	12	0.01	6	950	28	<5	<20	9	0.10	<10	60	<10	3	91
225	0476	<5	0.2	3.48	<5	50	15	0.54	<1	18	17	16	5.98	20	0.53	1571	4	0.12	12	710	34	<5	<20	39	0.22	<10	69	<10	28	75
226	0477	<5	1.2	3.78	5	70	10	0.59	1	16	12	31	6.08	60	0.14	791	<1	0.05	11	640	42	<5	<20	21	0.27	<10	48	<10	50	124

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
<i>Repeat:</i>																															
1	0092	<5	<2	2.69	5	85	<5	0.13	<1	12	31	42	4.24	<10	0.69	282	7	<0.1	26	430	28	<5	<20	10	0.06	<10	67	<10	10	87	
10	0101	<5	0.4	2.22	<5	30	10	0.03	1	6	5	16	7.00	20	<0.1	361	7	0.02	3	380	32	<5	100	2	0.14	<10	26	<10	16	39	
19	0111	<5	0.2	2.41	<5	70	10	0.05	2	9	33	23	9.03	<10	0.36	250	10	<0.1	20	470	26	<5	70	5	0.03	<10	78	<10	<1	43	
28	0151	<5	<2	1.14	<5	55	15	0.20	<1	9	12	34	4.99	<10	0.16	260	4	0.02	7	190	32	<5	100	13	0.28	<10	89	<10	5	62	
36	0159	<5	<2	2.13	20	120	10	0.10	2	13	10	8	6.08	<10	0.22	1091	18	<0.1	5	470	18	<5	40	13	0.04	<10	59	<10	2	101	
45	0168	<5	0.8	2.02	100	110	25	0.69	1	32	12	21	11.90	<10	0.85	8205	16	0.10	10	1320	24	<5	70	38	0.22	<10	65	<10	<1	150	
54	0177	<5	<2	1.86	15	195	5	0.48	1	17	83	38	5.19	<10	1.14	1961	4	0.02	49	1230	12	<5	<20	28	0.04	<10	66	<10	6	119	
63	0186	<5	1.0	2.91	<5	50	10	0.06	<1	7	8	20	5.43	20	0.04	350	9	0.03	5	540	36	<5	80	5	0.14	<10	23	<10	36	54	
71	0195	<5	0.4	3.15	5	70	10	0.16	1	12	22	17	7.71	<10	0.43	664	11	0.01	16	490	28	<5	60	9	0.09	<10	74	<10	4	50	
80	0204	<5	<2	2.27	5	170	<5	0.50	2	13	14	15	2.80	20	0.34	629	3	0.07	19	1180	20	<5	<20	26	0.12	<10	58	<10	18	128	
89	0213	<5	<2	2.13	5	75	15	0.94	3	21	30	19	4.76	<10	1.44	984	<1	0.13	32	780	14	<5	<20	68	0.24	<10	90	<10	8	260	
98	0222	<5	0.2	2.02	20	85	5	1.10	3	16	25	41	4.28	<10	0.90	1547	4	0.05	31	940	16	<5	<20	45	0.08	<10	68	<10	11	172	
106	0230	<5	1.8	0.66	5	65	<5	0.18	3	6	3	11	1.37	<10	0.08	66	<1	0.03	6	620	6	<5	<20	19	0.06	<10	33	<10	2	35	
115	0337	<5	2.4	2.83	5	110	<5	0.45	2	21	35	45	3.74	30	0.38	1413	4	0.03	21	1300	20	<5	<20	31	0.11	<10	55	<10	51	59	
124	0366	<5	0.6	2.42	<5	35	15	0.06	<1	7	14	20	5.77	<10	0.10	203	5	0.02	5	420	28	<5	60	6	0.15	<10	53	<10	10	34	
133	0375	<5	<2	2.99	<5	45	20	0.09	2	19	28	25	6.95	<10	0.35	1001	3	0.02	11	730	28	<5	60	8	0.23	<10	92	<10	4	53	
141	0383	80	4.4	1.76	35	125	20	0.05	3	11	22	78	12.60	<10	0.21	375	19	<0.1	11	1410	32	<5	80	10	0.07	10	96	<10	<1	169	
150	0392	<5	<2	2.60	20	50	15	0.08	2	8	31	34	6.69	<10	0.43	223	9	<0.1	23	700	26	<5	40	8	0.07	<10	84	<10	<1	113	
159	0401	<5	0.4	2.45	10	90	10	0.02	4	8	30	42	8.06	<10	0.27	127	11	<0.1	17	510	16	<5	60	8	0.06	20	124	<10	<1	116	
168	0410	<5	0.2	3.40	10	75	5	0.08	<1	8	27	30	5.75	<10	0.45	247	7	<0.1	21	830	24	<5	<20	5	0.07	<10	58	<10	5	90	
178	0427	<5	<2	2.34	<5	75	15	0.03	1	11	29	27	10.60	<10	0.26	194	8	<0.1	13	380	20	<5	<20	5	0.14	20	122	<10	<1	43	
185	0436	<5	<2	2.27	<5	90	10	0.11	2	9	40	25	8.17	<10	0.26	152	7	0.01	16	350	18	<5	<20	11	0.07	10	100	<10	<1	42	
194	0445	<5	<2	3.15	<5	80	<5	0.10	<1	10	32	25	5.62	<10	0.68	273	10	<0.1	27	310	32	<5	<20	6	0.06	<10	78	<10	8	93	
203	0454	<5	<2	1.78	<5	60	15	0.08	2	12	24	30	8.73	<10	0.23	272	25	<0.1	18	530	26	<5	<20	3	0.12	<10	138	<10	<1	53	
211	0462	<5	0.4	2.42	<5	45	20	0.22	<1	13	18	16	7.45	<10	0.24	322	2	0.06	7	700	36	<5	<20	18	0.31	<10	68	<10	7	36	
220	0471	<5	0.4	2.26	<5	60	<5	0.05	1	11	28	21	7.89	<10	0.35	1047	8	0.01	17	1310	24	<5	<20	7	0.06	<10	67	<10	<1	81	

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Standard:																															
GEO95		145	1.2	1.64	60	155	<5	1.61	<1	17	57	80	3.66	<10	0.90	618	<1	0.01	27	600	20	<5	<20	54	0.10	<10	74	<10	6	72	
GEO95		150	1.2	1.72	65	160	<5	1.63	<1	17	58	82	3.70	<10	0.91	614	<1	0.02	26	630	18	5	<20	58	0.11	<10	76	<10	5	72	
GEO95		145	1.2	1.62	55	155	<5	1.59	<1	17	56	84	3.75	<10	0.89	612	<1	0.02	27	610	20	<5	<20	53	0.10	<10	73	<10	4	71	
GEO95		140	1.4	1.91	55	180	<5	1.84	<1	20	66	80	4.35	<10	1.04	731	<1	0.02	25	700	20	5	<20	65	0.11	<10	85	<10	5	70	
GEO95		150	1.2	1.67	55	150	<5	1.59	<1	17	58	87	3.82	<10	0.89	630	<1	0.02	26	620	24	<5	<20	54	0.11	<10	74	<10	5	71	
GEO95		145	1.0	1.66	45	155	<5	1.61	<1	17	56	88	3.78	<10	0.90	615	<1	0.02	25	640	22	<5	<20	55	0.11	<10	74	<10	5	70	
GEO95		150	1.2	1.53	50	150	<5	1.60	<1	16	53	80	3.99	<10	0.85	630	<1	0.02	25	600	18	<5	<20	50	0.10	<10	67	<10	5	66	

df/495/495A
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

8-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-515
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

319 Soil samples received July 27, 1995
Samples submitted by: T. Drown
Project #: FD 5 CA 0011
Shipment #: 3
P.O. #: 1989

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	0120	<5	2.2	3.86	15	55	20	0.05	17	15	45	63	9.69	<10	0.17	486	11	<0.1	14	1640	42	<5	<20	3	0.09	<10	140	<10	<1	91
2	0121	<5	2.0	1.88	25	130	20	0.09	<1	8	12	32	8.10	<10	0.07	123	15	<0.1	8	1370	28	<5	<20	7	0.08	<10	133	<10	<1	148
3	0122	<5	<2	0.71	<5	35	5	0.18	2	8	5	8	2.20	<10	0.26	131	<1	0.03	6	810	12	<5	<20	15	0.21	<10	58	<10	5	20
4	0123	<5	0.6	1.61	20	90	5	0.08	<1	7	20	33	5.15	<10	0.29	260	10	<0.1	14	790	18	<5	<20	9	0.06	<10	68	<10	<1	106
5	0124	<5	<2	2.07	30	50	5	0.05	1	9	26	49	6.58	<10	0.57	300	12	<0.1	26	460	20	<5	<20	3	0.04	<10	56	<10	<1	161
6	0125	<5	2.0	3.18	<5	85	15	0.12	4	12	11	59	14.70	<10	<0.1	455	15	<0.1	8	2110	46	<5	<20	13	0.03	<10	26	<10	<1	103
7	0126	<5	<2	2.09	<5	95	15	0.12	1	9	33	21	7.62	<10	0.11	158	6	<0.1	8	930	30	<5	<20	9	0.21	<10	153	<10	<1	39
8	0127	<5	<2	3.13	<5	50	15	0.07	<1	14	26	22	7.54	<10	0.32	818	11	<0.1	17	780	38	<5	<20	4	0.10	<10	54	<10	<1	80
9	0189	<5	2.2	3.85	<5	50	15	0.04	2	11	19	61	9.71	10	0.05	372	15	0.01	11	590	58	<5	<20	<1	0.14	<10	38	<10	6	75
10	0237	<5	<2	2.08	<5	55	15	0.05	1	11	21	26	8.81	<10	0.07	335	13	<0.1	12	510	38	<5	<20	2	0.22	<10	85	<10	4	68
11	0238	<5	<2	2.17	<5	45	10	0.05	<1	11	23	25	7.05	<10	0.24	288	7	<0.1	15	500	26	<5	<20	3	0.23	<10	86	<10	4	66
12	0239	<5	<2	1.58	<5	75	35	0.08	3	16	17	22	12.10	<10	0.03	198	15	0.01	9	350	46	<5	<20	8	0.47	<10	127	<10	2	51
13	0240	<5	<2	2.98	<5	70	20	0.05	2	14	54	30	13.20	<10	0.42	336	15	<0.1	24	390	34	<5	<20	5	0.14	<10	97	<10	<1	74
14	0241	<5	0.6	3.67	<5	25	15	0.03	<1	7	17	21	6.79	20	0.05	289	10	0.03	6	620	40	<5	<20	<1	0.09	<10	27	<10	17	61
15	0242	<5	<2	1.75	<5	120	20	0.06	2	13	23	30	10.50	<10	0.21	228	14	<0.1	18	540	30	<5	<20	7	0.22	<10	166	<10	<1	117
16	0243	<5	2.0	5.79	<5	25	<5	0.03	1	5	28	77	4.70	30	0.10	213	8	0.02	8	1350	46	<5	<20	2	0.03	<10	20	<10	48	40
17	0244	<5	<2	1.93	5	50	10	0.33	<1	11	19	25	5.72	<10	0.41	426	10	<0.1	20	340	20	<5	<20	7	0.06	<10	50	<10	8	135
18	0245	<5	0.2	2.43	<5	60	10	0.04	2	9	28	39	6.85	<10	0.10	412	14	<0.1	12	950	30	<5	<20	2	0.08	<10	97	<10	<1	113
19	0246	<5	0.6	3.04	<5	55	15	0.04	1	10	27	40	8.82	<10	0.15	181	14	<0.1	11	450	36	<5	<20	2	0.15	<10	101	<10	<1	76
20	0247	<5	<2	1.29	<5	40	10	0.05	<1	6	15	11	3.82	<10	0.04	68	5	0.01	5	250	18	<5	<20	4	0.16	<10	70	<10	3	21
21	0248	<5	<2	2.78	<5	115	25	0.17	<1	17	24	14	7.22	<10	0.22	1489	<1	0.02	9	270	24	<5	<20	11	0.47	<10	83	<10	13	32
22	0249	<5	<2	2.22	<5	65	15	0.04	1	12	26	24	8.44	<10	0.38	270	12	<0.1	18	480	24	<5	<20	2	0.14	<10	101	<10	<1	74
23	0250	<5	<2	0.69	<5	45	5	0.20	2	9	6	10	1.88	<10	0.10	127	<1	0.02	6	610	8	<5	<20	19	0.15	<10	53	<10	4	27
24	0251	<5	<2	2.17	25	45	5	0.08	<1	12	24	21	5.59	10	0.11	825	10	<0.1	9	930	28	<5	<20	1	0.07	<10	66	<10	19	60
25	0252	<5	0.8	2.33	75	55	10	0.11	1	24	33	22	5.89	<10	0.20	3013	5	<0.1	9	990	18	<5	<20	5	0.15	<10	139	<10	2	53

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	0253	<5	0.6	1.45	10	105	10	0.05	<1	6	19	16	5.25	<10	0.14	99	6	<0.1	12	740	16	<5	<20	<1	0.06	<10	75	<10	<1	31
27	0254	<5	<2	2.50	<5	45	10	0.04	<1	8	27	19	7.84	<10	0.28	192	9	<0.1	14	450	22	<5	<20	<1	0.09	<10	68	<10	<1	49
28	0255	<5	1.2	2.58	<5	35	15	0.04	1	8	14	15	8.34	10	0.07	281	12	0.03	6	310	38	<5	<20	2	0.15	<10	32	<10	8	53
29	0256	<5	2.6	2.30	30	125	10	0.21	3	40	17	40	8.53	<10	0.55	6093	13	0.02	16	3830	18	<5	<20	17	0.04	<10	74	<10	<1	215
30	0257	<5	0.2	3.11	<5	40	10	0.16	<1	17	20	25	5.07	50	0.21	861	5	0.03	13	500	32	<5	<20	5	0.16	<10	38	<10	78	91
31	0258	<5	0.2	1.59	<5	45	10	0.40	1	10	18	18	5.69	<10	0.13	174	3	0.02	11	420	40	<5	<20	18	0.23	<10	90	<10	8	43
32	0259	<5	<2	1.44	15	90	10	0.19	2	8	11	18	5.58	<10	0.06	420	10	0.01	10	370	18	<5	<20	6	0.09	<10	145	<10	3	84
33	0260	<5	1.6	5.76	20	65	<5	0.61	2	13	15	29	3.94	20	0.24	1603	5	0.02	28	960	38	<5	<20	14	0.04	<10	25	<10	37	205
34	0261	<5	<2	2.28	<5	75	5	0.21	<1	9	39	20	5.75	<10	0.49	538	9	<0.1	30	420	20	<5	<20	9	0.05	<10	63	<10	2	106
35	0262	<5	0.2	2.11	<5	110	10	0.74	4	19	40	25	8.32	<10	0.79	2187	9	0.01	43	830	24	<5	<20	23	0.03	<10	53	<10	3	188
36	0263	<5	0.2	2.75	<5	110	10	0.54	1	18	25	21	7.65	<10	0.60	2347	6	0.02	26	1180	12	<5	<20	23	0.13	<10	86	<10	6	172
37	0264	<5	0.4	3.88	5	60	10	0.12	1	8	39	14	5.65	<10	0.51	262	8	<0.1	29	700	8	<5	<20	4	0.03	<10	58	<10	2	77
38	0265	<5	<2	3.80	<5	90	5	0.20	1	31	19	12	5.06	10	0.21	7443	11	0.03	19	840	18	<5	<20	9	0.09	<10	42	<10	16	104
39	0266	<5	2.0	4.69	<5	95	10	1.12	2	14	33	18	4.22	70	0.37	1146	2	0.04	13	1170	4	<5	<20	43	0.28	<10	86	<10	87	54
40	0267	<5	<2	2.09	<5	110	15	0.10	1	12	19	10	9.07	<10	0.23	197	3	0.03	10	980	18	<5	<20	14	0.26	<10	129	<10	<1	36
41	0268	<5	0.6	2.88	<5	60	15	0.07	1	8	17	16	7.11	<10	0.24	367	9	0.03	12	1220	24	<5	<20	5	0.11	<10	51	<10	7	75
42	0269	<5	0.2	2.95	<5	80	10	0.04	<1	8	28	20	10.60	<10	0.19	172	10	<0.1	12	1290	8	<5	<20	4	0.07	<10	111	<10	<1	44
43	0270	<5	<2	2.67	<5	70	<5	0.06	1	8	28	19	6.06	<10	0.53	229	5	<0.1	18	750	8	<5	<20	5	0.07	<10	79	<10	<1	90
44	0271	<5	<2	1.69	<5	60	5	0.03	1	7	30	8	3.51	<10	0.09	70	<1	<0.1	7	370	12	<5	<20	3	0.19	<10	120	<10	<1	23
45	0272	<5	<2	1.80	<5	60	20	0.05	1	11	13	11	10.40	<10	0.06	256	10	<0.1	9	1940	24	<5	<20	4	0.22	<10	119	<10	<1	42
46	0273	<5	0.2	2.51	<5	45	5	0.05	1	8	9	9	10.60	<10	0.01	252	12	0.02	3	470	28	<5	<20	7	0.16	<10	54	<10	<1	40
47	0274	<5	<2	1.53	10	90	15	0.12	1	11	15	7	6.28	<10	0.18	131	<1	0.03	13	620	14	<5	<20	13	0.21	<10	196	<10	<1	33
48	0275	<5	<2	3.97	20	80	10	0.04	1	13	68	31	10.70	<10	0.22	349	19	<0.1	17	970	18	<5	<20	2	0.17	<10	94	<10	1	59
49	0276	<5	0.6	3.80	<5	65	<5	0.04	<1	7	37	17	5.85	<10	0.15	248	5	<0.1	13	830	8	<5	<20	9	0.07	<10	68	<10	3	48
50	0277	<5	0.4	2.70	<5	95	15	1.22	5	27	42	37	4.77	40	0.16	2166	3	0.01	29	1290	4	<5	<20	30	0.12	<10	71	<10	42	142
51	0278	<5	0.2	2.13	<5	90	15	0.44	2	24	42	20	7.72	<10	0.31	3078	7	0.01	17	2250	14	<5	<20	13	0.10	<10	138	<10	4	116
52	0279	<5	<2	0.80	<5	40	<5	0.31	<1	2	4	<1	1.14	10	0.03	73	1	<0.1	6	1550	2	<5	<20	5	0.01	<10	12	<10	8	8
53	0280	<5	<2	1.74	<5	75	15	0.12	1	12	18	9	7.76	<10	0.17	422	6	0.01	10	480	20	<5	<20	8	0.26	<10	93	<10	4	55
54	0281	<5	<2	3.37	<5	70	10	0.31	<1	12	23	7	6.76	<10	0.29	234	15	0.02	13	1240	14	<5	<20	12	0.11	<10	114	<10	19	66
55	0282	<5	<2	1.09	<5	70	<5	0.38	2	2	5	<1	1.05	10	0.04	42	<1	0.02	5	880	2	<5	<20	13	0.03	<10	17	<10	13	8
56	0283	<5	<2	2.42	<5	50	10	0.05	2	11	20	17	10.80	<10	0.28	441	13	0.01	15	430	24	<5	<20	5	0.15	<10	63	<10	<1	52
57	0284	<5	0.4	3.44	10	70	5	0.20	<1	17	31	13	4.82	<10	0.48	614	8	0.01	20	1320	12	<5	<20	9	0.05	<10	69	<10	13	64
58	0285	<5	<2	2.73	<5	75	15	0.04	1	11	30	15	10.30	<10	0.23	150	7	<0.1	11	570	18	<5	<20	6	0.22	<10	115	<10	<1	41
59	0286	<5	0.2	2.50	<5	85	15	0.05	2	10	32	15	9.15	<10	0.19	155	6	<0.1	13	2020	12	<5	<20	7	0.16	<10	185	<10	<1	34
60	0287	<5	1.4	2.64	<5	50	10	0.08	1	30	25	15	6.16	10	0.15	1716	2	0.02	8	540	14	<5	<20	8	0.32	<10	99	<10	13	39

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	0288	<5	<2	2.86	<5	65	20	0.07	2	10	26	11	9.20	<10	0.14	193	10	0.01	8	360	28	<5	<20	3	0.17	<10	122	<10	<1	41
62	0289	<5	0.2	2.90	<5	45	15	0.07	1	12	32	15	7.71	<10	0.07	262	3	0.01	7	330	20	<5	<20	4	0.28	<10	93	<10	7	37
63	0290	<5	<2	3.68	<5	85	25	0.08	1	13	34	15	12.00	<10	0.11	177	9	<0.1	10	810	24	<5	<20	3	0.27	<10	113	<10	<1	43
64	0291	<5	<2	2.99	<5	50	15	0.15	<1	18	35	14	5.43	<10	0.31	642	<1	0.02	11	690	8	<5	<20	16	0.22	<10	95	<10	5	32
65	0292	<5	1.4	2.00	5	50	25	0.11	1	15	21	12	8.61	<10	0.16	926	3	0.02	9	500	22	<5	<20	6	0.35	<10	109	<10	3	48
66	0293	<5	1.0	2.25	<5	45	<5	0.05	1	10	20	12	7.88	<10	0.08	185	5	0.01	6	400	24	<5	<20	10	0.29	<10	102	<10	4	37
67	0294	<5	<2	2.21	<5	95	15	0.07	2	12	32	23	13.60	<10	0.17	159	15	<0.1	14	1230	22	<5	<20	8	0.14	<10	159	<10	<1	80
68	0295	<5	0.4	1.60	<5	95	20	0.05	<1	9	17	7	5.52	<10	0.05	98	<1	<0.1	4	820	22	<5	<20	5	0.32	<10	109	<10	<1	22
69	0296	<5	0.4	2.15	<5	45	25	0.03	2	11	15	8	13.00	<10	<0.1	396	14	0.02	6	370	34	<5	<20	3	0.24	<10	56	<10	<1	56
70	0297	<5	<2	3.59	<5	60	15	0.05	1	10	24	17	7.70	<10	0.23	534	9	0.03	15	470	26	<5	<20	2	0.15	<10	49	<10	9	82
71	0298	<5	<2	3.14	10	65	20	0.05	<1	12	25	13	12.60	<10	0.19	289	14	<0.1	9	600	22	<5	<20	1	0.18	<10	87	<10	24	50
72	0299	<5	0.6	3.20	<5	40	5	0.05	1	7	9	8	5.76	20	0.07	622	6	0.05	6	580	24	<5	<20	6	0.12	<10	25	<10	28	52
73	0300	<5	<2	2.67	<5	85	20	0.09	2	15	30	17	9.77	<10	0.49	668	10	0.02	31	810	22	<5	<20	11	0.13	<10	75	<10	<1	78
74	0411	<5	1.0	2.17	<5	220	<5	2.18	5	19	10	24	5.95	<10	0.70	6169	4	0.11	20	1050	4	<5	<20	112	0.16	<10	62	<10	18	191
75	0412	<5	0.6	0.90	10	135	<5	1.99	2	6	9	10	1.74	<10	0.15	240	2	0.02	10	800	10	<5	<20	69	0.05	<10	31	<10	6	47
76	0413	<5	0.6	1.05	<5	105	10	1.90	2	8	6	10	5.36	<10	0.04	259	4	0.02	7	340	26	<5	<20	65	0.23	<10	67	<10	6	67
77	0414	<5	<2	1.98	<5	110	10	1.13	3	49	25	11	6.23	<10	0.40	4721	8	0.01	19	530	16	<5	<20	39	0.12	<10	74	<10	8	133
78	0415	<5	<2	1.67	<5	120	15	1.15	2	11	26	14	7.08	<10	0.13	353	7	0.02	10	450	18	<5	<20	42	0.19	<10	94	<10	1	59
79	0416	<5	0.6	0.45	<5	50	<5	0.38	2	3	2	2	1.21	<10	0.11	53	2	0.02	4	690	<2	<5	<20	23	0.02	<10	19	<10	<1	30
80	0417	<5	1.2	2.30	<5	70	15	0.12	2	9	16	16	8.36	<10	0.13	233	8	0.01	9	1320	10	<5	<20	10	0.11	<10	112	<10	<1	48
81	0418	<5	<2	2.57	35	75	25	0.11	1	16	10	17	12.90	<10	0.23	488	15	<0.1	5	930	16	<5	<20	5	0.11	<10	128	<10	<1	71
82	0419	<5	<2	1.61	<5	70	15	0.10	<1	9	22	6	5.72	<10	0.16	122	3	0.02	9	440	12	<5	<20	8	0.18	<10	137	<10	<1	30
83	0478	<5	<2	2.30	<5	90	20	1.04	2	14	14	13	8.77	<10	0.15	642	14	0.02	10	530	26	<5	<20	32	0.21	<10	77	<10	10	128
84	0479	<5	<2	1.62	10	85	15	0.25	1	9	25	15	7.43	<10	0.19	163	5	0.01	12	660	12	<5	<20	11	0.11	<10	96	<10	<1	60
85	0480	<5	<2	2.49	5	110	15	0.22	2	11	18	13	8.28	<10	0.17	369	10	0.01	12	880	22	<5	<20	22	0.07	<10	87	<10	<1	69
86	0481	<5	0.2	1.26	<5	50	10	0.12	2	9	9	10	7.50	<10	0.13	289	8	0.02	10	1300	18	<5	<20	10	0.08	<10	89	<10	<1	63
87	0482	<5	<2	1.82	25	35	15	0.11	<1	13	20	18	7.12	<10	0.12	746	9	0.01	9	1060	18	<5	<20	3	0.16	<10	99	<10	3	86
88	0483	<5	<2	0.82	<5	70	5	0.13	2	6	9	1	1.91	<10	0.06	52	<1	0.03	5	440	20	<5	<20	22	0.21	<10	58	<10	2	26
89	0484	<5	0.2	2.81	<5	35	25	0.08	1	11	26	17	8.19	<10	0.27	336	9	0.02	13	770	30	<5	<20	<1	0.15	<10	57	<10	<1	60
90	0485	<5	<2	2.11	<5	75	20	0.12	2	14	20	17	11.60	<10	0.15	322	11	0.02	11	380	34	<5	<20	11	0.34	<10	122	<10	<1	54
91	0486	<5	<2	3.34	<5	75	5	0.04	1	10	28	26	6.49	<10	0.40	343	6	<0.1	19	830	10	<5	<20	4	0.05	<10	62	<10	<1	80
92	0487	<5	<2	1.62	<5	100	5	0.12	2	9	27	17	8.89	<10	0.14	213	8	0.01	17	1120	12	<5	<20	20	0.12	<10	118	<10	<1	46
93	0488	<5	<2	0.94	<5	115	<5	0.06	<1	9	18	18	4.81	<10	0.12	266	3	<0.1	14	530	10	<5	<20	26	0.14	<10	93	<10	<1	45
94	0489	<5	<2	1.71	<5	40	10	0.17	1	15	55	25	7.58	<10	0.39	342	3	0.02	15	1970	16	<5	<20	9	0.18	<10	142	<10	<1	50
95	0490	<5	0.2	1.62	20	135	<5	2.20	2	14	17	72	2.90	<10	0.65	1168	2	0.05	28	1500	6	<5	<20	147	0.05	<10	36	<10	21	94

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	0703	<5	<2	2.22	<5	65	20	0.24	2	13	19	6	8.94	<10	0.24	711	10	0.01	10	650	20	<5	<20	12	0.14	<10	75	<10	7	69
132	0704	<5	0.2	3.65	15	70	10	0.38	1	21	31	29	7.59	<10	0.42	1697	6	0.02	22	1160	36	<5	<20	15	0.13	<10	65	<10	28	136
133	0705	<5	<2	2.33	<5	65	40	0.06	2	15	12	16	14.60	<10	<0.01	261	9	0.02	5	390	52	<5	<20	<1	0.39	<10	64	<10	2	47
134	0706	<5	0.2	2.69	<5	120	25	0.31	3	30	85	33	10.10	<10	0.50	906	<1	0.02	21	750	16	<5	<20	13	0.44	<10	209	<10	8	58
135	0707	<5	<2	3.24	<5	90	35	0.06	2	17	40	33	13.80	<10	0.12	328	7	<0.01	8	720	42	<5	<20	3	0.45	<10	140	<10	1	48
136	0708	<5	0.4	3.50	<5	60	10	0.05	<1	13	23	31	9.46	20	0.22	1675	9	0.03	9	410	38	<5	<20	5	0.21	<10	60	<10	20	75
137	0709	<5	<2	2.56	<5	60	25	0.07	2	13	24	17	10.10	<10	0.07	411	5	0.01	7	510	42	<5	<20	3	0.35	<10	87	<10	4	43
138	0710	<5	<2	2.83	<5	35	20	0.04	2	9	15	20	8.44	20	0.06	453	10	0.04	6	530	34	<5	<20	1	0.14	<10	42	<10	11	54
139	0711	<5	<2	1.99	<5	70	15	0.09	1	8	19	17	6.36	<10	0.15	138	5	<0.01	10	750	22	<5	<20	5	0.12	<10	111	<10	<1	36
140	0712	<5	<2	2.68	<5	70	30	0.06	2	13	27	21	11.80	<10	0.15	245	7	0.01	11	330	42	<5	<20	6	0.29	<10	103	<10	<1	45
141	0713	<5	0.4	3.56	20	80	5	0.07	<1	13	35	40	6.28	<10	0.61	597	6	0.01	37	520	24	<5	<20	3	0.06	<10	61	<10	9	121
142	0714	<5	<2	2.47	<5	35	20	0.06	1	9	9	6	9.07	<10	0.02	221	8	0.02	5	450	36	<5	<20	2	0.23	<10	50	<10	4	41
143	0715	<5	<2	2.82	<5	135	5	0.42	1	12	20	12	6.07	20	0.29	2749	9	0.02	16	1300	14	<5	<20	18	0.07	<10	55	<10	23	113
144	0716	<5	<2	2.79	10	60	<5	0.08	1	16	35	23	5.26	<10	0.50	946	5	<0.01	32	1270	10	<5	<20	7	0.04	<10	58	<10	5	109
145	0717	<5	<2	2.29	<5	35	15	0.12	2	8	9	14	8.28	20	0.01	583	12	0.02	8	450	28	<5	<20	4	0.12	<10	29	<10	33	80
146	0718	<5	0.4	1.80	<5	85	10	0.38	4	26	19	19	7.10	<10	0.38	2900	9	0.08	23	650	16	<5	<20	26	0.11	<10	73	<10	8	126
147	0719	<5	0.4	2.39	15	50	15	0.16	1	15	18	14	6.21	<10	0.42	519	<1	0.04	15	430	14	<5	<20	9	0.26	<10	94	<10	10	88
148	0720	<5	0.4	2.59	<5	55	15	0.21	2	16	16	14	5.96	<10	0.47	462	<1	0.05	14	450	10	<5	<20	17	0.31	<10	96	<10	11	77
149	0721	<5	<2	3.41	20	50	5	0.06	<1	12	26	22	8.35	20	0.39	790	8	0.02	21	650	20	<5	<20	4	0.08	<10	61	<10	27	136
150	0722	<5	<2	2.96	5	70	15	0.03	1	9	25	17	8.84	<10	0.13	286	10	0.01	10	420	14	<5	<20	4	0.09	<10	117	<10	<1	49
151	0723	<5	0.4	3.78	<5	40	5	0.39	1	12	36	32	4.22	90	0.53	186	<1	0.03	16	990	44	<5	<20	18	0.23	<10	75	<10	88	50
152	0724	<5	2.2	2.31	5	70	20	0.17	1	22	29	35	8.37	<10	0.45	547	<1	0.01	11	660	12	<5	<20	<1	0.28	<10	199	<10	10	60
153	0725	<5	0.4	3.12	<5	55	5	0.27	2	13	19	27	6.00	<10	0.56	352	4	0.05	16	860	6	<5	<20	18	0.12	<10	90	<10	11	73
154	0726	<5	0.2	3.10	<5	65	15	0.23	2	54	33	28	9.90	<10	0.98	2496	7	<0.01	18	1130	8	<5	<20	4	0.15	<10	140	<10	16	154
155	0727	<5	2.2	2.89	20	60	15	0.16	2	17	17	18	8.27	<10	0.24	1842	12	<0.01	13	1250	22	<5	<20	3	0.04	<10	56	<10	9	104
156	0728	<5	3.8	4.17	40	70	5	0.29	3	23	20	51	7.64	<10	0.49	3739	12	<0.01	15	5450	16	<5	<20	8	0.03	<10	51	<10	15	107
157	0729	<5	8.6	3.85	70	55	<5	0.09	2	30	30	69	9.19	<10	0.23	3652	14	<0.01	14	3520	34	<5	<20	3	0.05	<10	69	<10	5	102
158	0730	<5	1.2	5.42	35	50	<5	0.17	<1	9	4	63	6.81	40	0.03	1619	7	0.04	12	1050	34	<5	<20	<1	0.09	<10	14	<10	62	165
159	0731	<5	0.4	3.72	15	70	<5	0.18	3	12	10	26	5.61	40	0.19	1190	7	0.04	22	710	24	<5	<20	7	0.08	<10	32	<10	42	291
160	0732	<5	2.2	4.40	15	60	10	0.35	2	23	24	48	5.79	30	0.48	844	<1	0.04	19	960	10	<5	<20	17	0.25	<10	73	<10	58	170
161	0733	<5	1.0	3.21	10	60	15	0.08	2	22	29	23	8.00	<10	0.37	1821	12	0.02	18	770	20	<5	<20	6	0.12	<10	70	<10	8	105
162	0734	<5	1.6	4.29	55	65	15	0.11	2	17	19	31	10.20	<10	0.25	1269	14	0.01	18	1480	20	<5	<20	5	0.05	<10	48	<10	20	214
163	0735	<5	3.8	3.11	70	155	<5	0.71	14	51	20	109	9.60	30	0.39	5628	15	0.02	43	3260	12	<5	<20	21	0.04	<10	59	<10	40	437
164	0736	<5	2.4	3.77	10	125	<5	1.06	5	23	24	28	5.54	70	0.33	3108	6	0.01	43	1940	12	<5	<20	32	0.05	<10	41	<10	60	417
165	0737	<5	<2	3.64	50	105	10	0.58	5	17	18	20	9.36	40	0.42	3408	10	0.01	24	1070	16	<5	<20	15	0.05	<10	50	<10	68	443

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	0738	<5	0.2	4.05	10	95	5	0.32	2	10	13	42	6.32	70	0.24	750	6	0.03	29	820	28	<5	<20	10	0.10	<10	28	<10	82	287
167	0739	<5	0.6	4.72	25	95	15	0.05	<1	12	37	24	10.20	<10	0.36	338	7	<.01	20	690	26	<5	<20	<1	0.11	<10	82	<10	<1	83
168	0740	<5	<2	3.14	<5	55	35	0.04	2	13	20	15	12.90	<10	0.17	452	12	<.01	7	390	34	<5	<20	3	0.21	<10	69	<10	<1	58
169	0741	<5	<2	3.03	30	50	25	0.04	1	14	23	26	9.10	<10	0.23	598	10	<.01	14	230	30	<5	<20	<1	0.22	<10	115	<10	7	75
170	0742	<5	<2	3.12	<5	35	15	0.06	1	7	7	11	7.31	20	0.12	538	9	0.04	7	350	28	<5	<20	2	0.11	<10	28	<10	16	69
171	0743	<5	<2	3.04	<5	45	15	0.05	2	14	34	18	8.65	<10	0.33	702	11	0.02	17	410	20	<5	<20	3	0.15	<10	88	<10	4	62
172	0744	<5	0.4	3.69	<5	40	10	0.04	1	7	16	19	6.95	<10	0.07	441	10	0.05	8	370	28	<5	<20	2	0.10	<10	27	<10	12	63
173	0745	<5	<2	2.83	<5	120	30	0.08	2	16	53	47	13.10	<10	0.34	227	4	<.01	15	380	4	<5	<20	11	0.27	<10	294	<10	<1	47
174	0746	<5	<2	1.63	60	70	10	0.07	<1	6	8	6	7.71	<10	0.03	81	9	<.01	7	3170	10	<5	<20	10	0.06	<10	72	<10	<1	28
175	0747	<5	<2	3.23	<5	75	35	0.04	2	13	27	14	14.90	<10	0.25	350	15	<.01	13	730	22	<5	<20	4	0.14	<10	145	<10	<1	63
176	0748	<5	<2	3.44	<5	65	15	0.05	4	8	38	18	8.83	<10	0.24	450	13	<.01	11	2360	18	<5	<20	4	0.06	<10	88	<10	<1	51
177	0749	<5	2.0	3.28	<5	90	5	0.90	8	49	29	36	8.42	30	0.35	5512	13	0.02	28	2140	40	<5	<20	25	0.04	<10	69	<10	41	314
178	0750	<5	1.2	2.80	10	95	5	0.48	3	13	27	17	5.51	<10	0.53	756	7	0.01	29	840	12	<5	<20	16	0.03	<10	63	<10	11	302
179	0751	<5	1.0	2.64	10	85	10	0.32	2	13	26	22	7.47	<10	0.18	494	10	<.01	14	630	18	<5	<20	11	0.12	<10	100	<10	19	128
180	0752	<5	3.6	2.11	30	175	15	0.57	3	27	13	30	9.74	<10	0.35	4367	13	0.06	16	2100	26	<5	<20	36	0.05	<10	72	<10	<1	156
181	0753	<5	0.8	2.01	5	130	5	0.45	8	26	22	31	5.94	10	0.29	5318	10	0.02	20	2240	24	<5	<20	18	0.03	<10	60	<10	9	174
182	0754	<5	0.8	1.71	<5	65	15	0.29	12	11	16	4	7.78	<10	0.15	544	7	0.03	8	460	20	<5	<20	20	0.19	<10	76	<10	2	78
183	0755	<5	0.4	2.55	70	60	10	0.35	16	22	23	73	12.90	20	0.23	212	33	0.02	29	1170	10	<5	<20	17	0.02	<10	73	<10	37	411
184	0756	<5	1.0	3.96	<5	30	15	0.12	1	6	14	6	6.74	<10	0.04	127	7	0.02	5	600	28	<5	<20	5	0.13	<10	38	<10	4	40
185	0757	<5	<2	3.45	<5	30	15	0.05	1	7	11	9	7.03	20	0.13	310	6	0.04	10	510	26	<5	<20	3	0.14	<10	32	<10	39	63
186	0758	<5	<2	2.47	<5	45	<5	0.07	1	4	20	16	3.03	10	0.13	81	2	0.01	7	500	24	<5	<20	3	0.09	<10	49	<10	11	35
187	0759	<5	<2	4.79	<5	35	15	0.09	<1	4	5	2	4.44	10	0.01	126	4	0.03	3	470	34	<5	<20	2	0.12	<10	16	<10	12	38
188	0760	<5	<2	2.45	<5	85	5	0.18	1	9	33	23	7.30	<10	0.57	357	9	<.01	30	610	16	<5	<20	8	0.03	<10	58	<10	<1	88
189	0761	<5	0.2	4.11	<5	65	<5	0.33	<1	10	21	12	5.77	20	0.22	107	<1	0.03	5	550	10	<5	<20	22	0.37	<10	91	<10	24	31
190	0762	<5	<2	2.16	<5	80	15	0.07	1	9	34	18	9.41	<10	0.26	142	10	0.01	16	330	24	<5	<20	8	0.09	<10	118	<10	<1	37
191	0763	<5	<2	1.62	<5	80	5	0.12	1	11	17	11	10.30	<10	0.15	262	7	<.01	11	680	18	<5	<20	14	0.19	<10	107	<10	<1	42
192	0764	<5	<2	1.63	95	70	10	0.33	1	17	29	33	5.27	<10	0.94	1463	5	0.01	34	910	14	<5	<20	5	0.06	<10	67	<10	4	169
193	0765	<5	<2	2.16	30	90	<5	0.18	1	7	25	34	4.83	<10	0.62	314	8	<.01	22	1010	14	<5	<20	9	0.01	<10	61	<10	7	118
194	0766	<5	<2	1.60	<5	45	15	0.04	1	8	19	4	5.68	<10	0.04	63	3	<.01	4	320	28	<5	<20	<1	0.29	<10	120	<10	2	20
195	0767	<5	<2	1.84	<5	70	10	0.06	1	10	33	12	7.34	<10	0.06	187	3	<.01	9	790	18	<5	<20	6	0.22	<10	118	<10	<1	28
196	0768	<5	0.6	2.51	<5	95	10	0.27	1	13	28	8	6.22	<10	0.32	389	4	0.01	14	410	12	<5	<20	15	0.17	<10	88	<10	11	69
197	0769	<5	0.4	4.03	15	70	10	0.15	1	12	13	24	6.31	20	0.17	1059	7	0.05	13	700	34	<5	<20	6	0.09	<10	31	<10	30	146
198	0770	<5	0.2	3.29	<5	130	10	0.31	3	18	32	9	8.15	10	0.18	2511	11	0.02	18	630	22	<5	<20	17	0.08	<10	56	<10	23	121
199	0771	<5	<2	2.96	<5	90	15	0.05	2	13	33	27	10.70	<10	0.41	372	8	<.01	20	1020	22	<5	<20	9	0.16	<10	177	<10	<1	57
200	0772	<5	<2	1.97	<5	40	20	0.05	3	9	17	5	8.75	<10	0.19	306	15	0.02	15	470	24	<5	<20	4	0.13	<10	54	<10	2	50

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
201	0773	<5	<2	2.99	<5	70	10	0.03	2	13	32	17	9.46	<10	0.47	513	7	<0.1	21	930	16	<5	<20	3	0.16	<10	99	<10	<1	57
202	0774	<5	<2	2.67	<5	60	15	0.07	1	11	32	20	9.55	<10	0.41	317	8	<0.1	20	1870	26	<5	<20	5	0.12	<10	85	<10	<1	55
203	0775	<5	<2	2.08	<5	45	30	0.06	<1	12	23	18	9.57	<10	<0.1	149	6	0.01	3	370	56	<5	<20	<1	0.41	<10	83	<10	7	37
204	0776	<5	<2	0.60	10	25	15	0.11	1	8	10	9	2.90	<10	0.03	42	<1	<0.1	4	390	20	<5	<20	<1	0.32	<10	230	<10	5	69
205	0777	<5	<2	0.56	<5	20	10	0.11	<1	9	7	7	1.35	<10	0.10	73	<1	0.02	3	370	18	<5	<20	7	0.27	<10	71	<10	5	19
206	0778	<5	<2	3.20	<5	35	30	0.05	<1	9	15	20	10.20	<10	<0.1	289	11	0.02	3	350	48	<5	<20	<1	0.20	<10	44	10	10	49
207	0779	<5	<2	1.71	<5	70	35	0.08	1	23	27	24	11.80	<10	0.11	477	<1	<0.1	9	600	28	<5	<20	3	0.61	<10	262	<10	6	49
208	0780	<5	<2	1.61	<5	65	35	0.08	2	21	17	23	8.38	<10	0.07	149	<1	<0.1	8	390	14	<5	<20	7	0.73	<10	288	<10	8	33
209	0781	<5	<2	2.35	<5	60	25	0.12	1	14	18	19	6.00	<10	0.16	289	<1	0.02	6	660	20	<5	<20	9	0.40	<10	151	<10	4	30
210	0782	<5	<2	2.61	<5	65	15	0.06	2	9	23	22	7.23	<10	0.26	361	7	<0.1	9	600	22	<5	<20	3	0.08	<10	118	<10	<1	68
211	0783	<5	<2	1.46	<5	85	15	0.05	<1	12	16	18	5.82	<10	0.09	101	<1	<0.1	9	250	14	<5	<20	5	0.36	<10	126	<10	<1	28
212	0784	<5	0.2	3.67	15	55	20	0.08	<1	13	17	23	12.00	<10	0.05	727	12	0.01	7	1230	34	<5	<20	2	0.13	<10	62	<10	<1	60
213	0785	<5	0.2	2.61	30	280	10	1.26	2	18	21	24	8.23	<10	0.25	5740	13	<0.1	18	1130	18	<5	<20	63	0.06	<10	74	<10	13	209
214	0786	<5	<2	3.66	10	55	20	0.03	2	14	51	26	11.60	<10	0.45	411	12	<0.1	21	460	36	<5	<20	<1	0.15	<10	87	<10	<1	64
215	0787	<5	<2	2.14	<5	55	10	0.03	<1	8	23	21	6.48	<10	0.16	194	7	<0.1	9	910	22	<5	<20	3	0.08	<10	78	<10	<1	45
216	0788	<5	<2	3.63	<5	85	20	0.03	<1	10	30	33	13.30	<10	0.04	265	13	<0.1	9	1090	40	<5	<20	9	0.13	<10	84	<10	<1	47
217	0789	<5	<2	1.24	<5	80	10	0.09	1	9	15	32	6.52	<10	0.05	321	6	0.01	15	760	24	<5	<20	14	0.08	<10	93	<10	<1	40
218	0790	<5	0.2	3.18	15	65	5	0.17	1	27	31	55	5.16	<10	0.62	1847	7	<0.1	44	2050	22	<5	<20	6	0.03	<10	45	<10	7	156
219	0791	<5	<2	2.48	5	60	20	0.02	1	11	29	23	10.60	<10	0.21	401	15	<0.1	14	300	44	<5	<20	1	0.20	<10	73	<10	<1	68
220	0792	<5	<2	1.78	15	75	15	0.07	<1	13	44	22	9.42	<10	0.31	314	7	<0.1	21	1080	24	<5	<20	6	0.21	<10	138	<10	<1	47
221	0793	<5	<2	4.17	10	75	10	0.07	<1	9	44	28	11.80	<10	0.16	371	15	<0.1	12	4340	34	<5	<20	2	0.08	<10	81	<10	<1	38
222	0794	<5	<2	2.09	<5	100	25	0.09	1	11	28	29	10.50	<10	0.26	200	9	<0.1	17	1330	24	<5	<20	14	0.17	<10	145	<10	<1	51
223	0795	<5	<2	3.57	25	60	5	0.05	1	12	36	40	8.24	<10	0.36	450	13	<0.1	23	1150	32	<5	<20	2	0.05	<10	73	<10	<1	97
224	0796	<5	<2	3.42	5	80	<5	0.05	<1	11	21	70	7.54	<10	0.20	356	10	<0.1	12	1450	32	<5	<20	4	0.02	<10	94	<10	<1	56
225	0797	<5	1.1	3.86	45	80	<5	0.12	<1	9	25	78	7.97	<10	0.24	228	7	<0.1	11	1530	30	<5	<20	9	0.04	<10	71	<10	<1	50
226	0798	<5	0.8	3.07	35	110	<5	0.02	<1	21	26	178	8.72	<10	0.38	955	11	<0.1	39	1990	36	<5	<20	6	<0.1	<10	54	<10	<1	113
227	0799	<5	<2	3.28	70	60	5	0.04	<1	19	31	99	9.97	<10	0.70	905	12	<0.1	27	3630	34	<5	<20	2	0.02	<10	85	<10	<1	88
228	0800	<5	<2	3.59	35	75	<5	0.04	<1	12	27	69	6.75	<10	0.81	646	7	<0.1	20	1980	42	<5	<20	2	0.02	<10	56	<10	<1	77
229	0801	<5	1.2	3.05	10	50	5	0.03	<1	5	27	44	6.32	<10	0.05	144	7	<0.1	10	2140	22	<5	<20	5	0.02	<10	41	<10	<1	34
230	0802	<5	0.6	4.34	30	65	10	0.37	<1	13	19	49	9.68	<10	0.08	778	9	<0.1	10	3720	38	<5	<20	32	0.04	<10	34	<10	<1	82
231	0803	<5	<2	4.22	10	60	15	0.08	<1	11	37	30	11.40	<10	0.16	541	13	<0.1	13	4230	44	<5	<20	6	0.08	<10	77	<10	<1	68
232	0804	<5	<2	3.31	30	85	<5	0.09	1	16	69	45	11.50	<10	0.65	756	11	<0.1	22	2080	22	<5	<20	11	0.10	<10	146	<10	<1	85
233	0805	<5	<2	2.81	25	70	15	0.07	<1	19	52	41	9.39	<10	0.72	849	9	<0.1	21	610	30	<5	<20	6	0.12	<10	90	<10	<1	101
234	0806	<5	<2	2.43	30	135	<5	0.47	1	32	29	49	5.66	<10	0.69	1956	6	<0.1	24	1180	28	<5	<20	40	0.02	<10	57	<10	8	131
235	0807	<5	<2	1.83	10	100	<5	0.43	1	18	21	59	4.83	<10	0.96	1153	5	0.02	32	850	14	<5	<20	31	0.04	<10	44	<10	1	160

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
236	0808	<5	<.2	2.85	50	3025	<5	0.76	4	218	50	86	>15	<10	0.31	10000	22	<.01	84	2220	2	<5	<20	100	0.12	<10	61	<10	5	320
237	0809	<5	<.2	1.59	95	115	<5	0.57	2	24	18	92	5.75	<10	0.83	1221	6	0.02	30	1060	30	<5	<20	34	0.03	<10	40	<10	2	178
238	0810	<5	<.2	1.80	15	170	10	0.34	1	16	22	33	6.37	<10	0.41	686	7	0.02	12	900	20	<5	<20	38	0.07	<10	80	<10	<1	85
239	0811	<5	<.2	2.52	<5	660	20	0.77	1	25	23	42	9.74	<10	0.23	4388	11	0.02	14	1080	12	<5	<20	192	0.07	<10	79	<10	5	95
240	0812	<5	<.2	1.75	<5	110	15	0.14	2	11	27	19	7.34	<10	0.26	253	4	0.02	14	240	26	<5	<20	18	0.21	<10	107	<10	<1	53
241	0813	<5	0.6	1.14	<5	115	5	0.32	1	5	4	16	2.64	<10	0.07	38	<1	0.03	7	840	8	<5	<20	33	0.09	<10	25	<10	3	23
242	0814	<5	0.3	1.04	<5	55	15	0.28	2	13	4	10	2.54	<10	0.34	186	<1	0.09	7	700	16	<5	<20	20	0.22	<10	43	<10	3	31
243	0815	<5	<.2	2.07	<5	90	15	0.04	1	7	33	17	7.42	<10	0.36	106	13	<.01	17	360	18	<5	<20	<1	0.05	<10	103	<10	<1	56
244	0816	<5	<.2	3.11	<5	225	20	0.11	1	17	29	37	8.42	<10	0.27	342	5	0.02	12	480	26	<5	<20	6	0.17	<10	114	<10	<1	86
245	0817	<5	<.2	4.82	<5	85	15	0.06	2	10	48	40	12.30	<10	0.03	85	13	<.01	10	510	40	<5	<20	7	0.10	<10	94	<10	<1	42
246	0818	<5	0.2	2.00	270	130	<5	0.12	<1	17	17	128	6.56	<10	0.56	1104	9	<.01	18	1470	36	<5	<20	10	0.02	<10	51	<10	<1	142
247	0819	<5	0.6	1.17	135	135	<5	0.18	<1	9	4	42	3.94	<10	0.31	457	4	0.02	5	860	14	<5	<20	17	0.03	<10	74	<10	<1	77
248	0820	<5	<.2	1.51	10	55	35	0.80	<1	27	8	14	4.32	<10	1.20	376	<1	0.24	10	730	20	<5	<20	56	0.59	<10	86	<10	9	46
249	0821	<5	0.6	0.56	20	65	<5	0.36	<1	3	2	6	1.01	<10	0.09	31	2	0.03	4	460	6	<5	<20	47	0.02	<10	33	<10	<1	17
250	0822	<5	<.2	2.13	145	130	<5	1.50	1	24	17	59	4.71	<10	0.61	2326	5	0.04	24	1100	12	<5	<20	54	0.05	<10	52	<10	7	186
251	0823	<5	0.8	2.14	70	45	<5	0.05	<1	8	28	58	7.09	<10	0.51	244	9	<.01	23	400	20	<5	<20	3	0.03	<10	57	<10	<1	143
252	0824	<5	0.4	2.79	<5	55	20	0.19	3	13	19	33	8.01	<10	0.09	277	5	0.04	11	480	48	<5	<20	13	0.24	<10	71	<10	2	57
253	0825	<5	0.2	1.51	<5	60	15	0.24	2	13	20	17	4.68	<10	0.06	175	<1	0.02	6	390	30	<5	<20	27	0.46	<10	104	<10	<1	29
254	0826	<5	<.2	2.30	<5	55	20	0.07	1	10	26	23	9.07	<10	0.06	79	8	<.01	10	330	26	<5	<20	3	0.18	<10	129	<10	<1	64
255	0827	<5	<.2	1.78	10	45	35	0.20	<1	16	17	22	8.96	<10	0.23	171	3	0.04	11	470	32	<5	<20	11	0.31	<10	95	20	<1	50
256	0828	<5	<.2	0.77	<5	30	50	0.11	<1	18	13	14	5.40	<10	0.07	62	<1	0.02	4	120	18	<5	<20	4	0.82	<10	182	10	4	19
257	0829	<5	<.2	1.62	<5	55	35	0.09	1	17	23	21	7.92	<10	0.03	53	<1	<.01	5	200	24	<5	<20	<1	0.63	<10	232	<10	<1	21
258	0830	<5	<.2	3.17	50	60	15	0.18	<1	11	31	27	8.60	<10	0.36	291	4	<.01	17	390	22	<5	<20	5	0.17	<10	80	<10	1	96
259	0831	<5	<.2	0.91	<5	60	15	0.04	<1	9	12	14	3.51	<10	0.03	86	<1	<.01	8	120	16	<5	<20	4	0.25	<10	140	<10	<1	32
260	0832	<5	<.2	0.56	<5	25	30	0.11	<1	14	19	9	1.57	<10	0.06	51	<1	<.01	6	100	18	<5	<20	<1	0.64	<10	183	<10	6	14
261	0833	<5	<.2	0.44	<5	35	40	0.18	<1	22	17	13	2.66	<10	0.10	60	<1	<.01	9	110	22	<5	<20	5	1.12	<10	292	<10	7	11
262	0834	<5	<.2	0.92	<5	45	50	0.15	2	31	36	30	7.66	<10	0.11	225	<1	<.01	14	60	18	<5	<20	5	1.20	<10	503	<10	4	36
263	0835	<5	1.0	3.92	10	65	<5	0.03	2	12	63	31	13.70	<10	0.21	160	12	<.01	16	220	24	<5	<20	6	0.18	<10	108	<10	<1	80
264	0836	<5	<.2	1.55	<5	30	20	0.06	<1	10	21	14	4.10	<10	0.01	65	<1	<.01	6	260	46	<5	<20	2	0.42	<10	83	<10	<1	28
265	0837	<5	0.4	0.90	<5	55	15	0.06	1	9	14	10	3.22	<10	0.03	24	<1	<.01	6	360	18	<5	<20	3	0.29	<10	94	<10	1	19
266	0838	<5	0.4	3.32	5	55	20	0.07	2	12	56	25	8.87	<10	0.45	325	6	<.01	15	340	30	<5	<20	4	0.15	<10	146	<10	<1	79
267	0839	<5	<.2	0.24	<5	10	10	0.07	<1	9	8	9	1.57	<10	0.03	53	<1	<.01	6	100	10	<5	<20	2	0.28	<10	103	<10	<1	19
268	0840	<5	<.2	1.56	<5	55	25	0.30	<1	19	51	22	5.60	<10	0.29	93	<1	0.01	15	250	24	<5	<20	7	0.70	<10	337	<10	3	29
269	1000	<5	0.2	1.65	105	85	5	1.54	<1	30	29	31	5.54	<10	0.44	1822	3	0.02	19	960	14	<5	<20	28	0.11	<10	116	<10	1	71
270	1001	<5	0.2	2.23	125	75	<5	1.45	<1	25	41	42	4.91	<10	0.75	1145	1	0.02	35	910	14	<5	<20	27	0.11	<10	96	<10	9	93

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
271	1002	<5	<2	2.39	115	80	5	0.77	<1	29	47	44	4.94	<10	0.85	1369	<1	0.03	42	890	14	<5	<20	18	0.14	<10	97	<10	9	97
272	1003	<5	<2	2.40	110	65	10	0.17	<1	17	40	42	7.10	<10	0.44	817	7	<0.1	23	800	20	<5	<20	6	0.07	<10	113	<10	<1	97
273	1004	<5	0.4	2.81	70	90	10	0.70	<1	28	46	57	7.07	<10	0.71	1395	9	<0.1	41	690	22	<5	<20	7	0.06	<10	88	<10	15	181
274	1005	<5	0.2	3.17	85	105	<5	0.40	1	27	39	47	6.06	<10	0.40	1293	8	<0.1	26	790	18	<5	<20	16	0.08	<10	94	<10	16	117
275	1006	<5	0.4	3.34	55	105	<5	0.41	<1	15	32	41	6.40	<10	0.38	546	5	<0.1	22	590	20	<5	<20	20	0.12	<10	112	<10	<1	117
276	1007	<5	0.4	3.34	50	105	<5	0.14	<1	12	41	44	5.94	<10	0.36	323	7	<0.1	26	590	30	<5	<20	2	0.08	<10	87	<10	2	142
277	1301	<5	0.6	3.34	95	95	<5	0.13	<1	12	42	45	5.94	<10	0.35	316	7	<0.1	26	630	38	<5	<20	<1	0.08	<10	87	20	3	144
278	1302	<5	0.6	0.65	<5	140	5	0.12	1	6	6	9	1.97	<10	0.22	68	<1	0.04	7	490	8	<5	<20	24	0.09	<10	45	<10	<1	39
279	1303	<5	<2	3.94	25	115	10	0.06	<1	11	45	39	6.91	<10	0.46	188	8	<0.1	27	390	14	<5	<20	2	0.08	<10	102	<10	2	121
280	1304	<5	0.4	2.97	35	135	15	0.19	10	23	35	48	7.88	<10	0.46	628	8	0.03	27	620	18	<5	<20	12	0.15	<10	93	<10	6	171
281	1305	<5	<2	1.58	10	80	15	0.36	1	12	27	23	8.45	<10	0.10	216	6	<0.1	10	300	20	<5	<20	12	0.27	<10	155	<10	<1	71
282	1306	<5	1.4	3.12	25	220	<5	0.70	2	60	24	55	4.35	<10	0.46	4787	5	0.05	25	2100	12	<5	<20	27	0.04	<10	82	<10	19	98
283	1307	<5	0.4	3.52	45	115	10	0.15	<1	21	37	47	6.63	<10	0.43	917	6	0.01	24	1150	14	<5	<20	4	0.13	<10	105	<10	3	132
284	1308	<5	0.6	3.20	40	100	<5	0.07	3	17	35	62	6.62	<10	0.39	588	9	<0.1	27	910	16	<5	<20	3	0.07	<10	91	<10	<1	182
285	1309	<5	1.4	2.84	35	160	<5	0.17	<1	15	40	67	6.61	<10	0.38	584	8	0.02	27	1080	12	<5	<20	6	0.08	<10	99	<10	5	170
286	1310	<5	1.0	2.77	35	95	15	0.30	2	25	42	65	8.44	<10	0.50	1084	8	0.01	32	880	16	<5	<20	7	0.16	<10	116	<10	13	235
287	1311	<5	1.8	2.04	25	125	10	0.31	3	29	34	55	8.78	<10	0.22	1650	5	0.03	19	920	20	<5	<20	15	0.25	<10	134	<10	17	151
288	1312	<5	0.4	2.22	60	140	10	0.24	<1	12	33	41	5.41	<10	0.36	399	4	0.02	21	570	12	<5	<20	17	0.13	<10	88	<10	2	109
289	1313	<5	4.2	3.71	25	85	10	0.07	2	11	41	49	8.02	<10	0.24	510	9	0.01	21	770	20	<5	<20	7	0.07	<10	72	<10	<1	232
290	1314	<5	1.0	2.57	315	150	10	0.58	<1	28	48	57	5.94	<10	0.76	1832	4	0.03	33	1540	16	<5	<20	21	0.1	<10	111	<10	8	174
291	1315	<5	2.0	2.26	15	85	5	0.06	1	6	39	20	6.12	<10	0.18	101	10	<0.1	10	450	14	<5	<20	7	0.04	<10	92	<10	<1	65
292	1316	<5	1.2	4.35	10	70	10	0.04	1	10	52	22	9.00	<10	0.14	412	9	<0.1	12	770	20	<5	<20	4	0.08	<10	87	<10	<1	86
293	1317	<5	4.4	4.59	15	50	5	0.11	2	12	37	28	6.65	<10	0.38	306	7	0.02	28	670	22	<5	<20	7	0.08	<10	50	<10	<1	158
294	1318	<5	2.4	1.37	<5	105	<5	2.74	5	9	8	22	0.57	20	0.11	692	2	0.02	23	1070	4	5	<20	256	<0.1	<10	6	<10	13	111
295	1319	<5	5.4	5.56	15	70	10	0.11	2	10	27	25	6.89	<10	0.13	280	7	0.03	24	780	28	<5	<20	12	0.11	<10	39	<10	24	281
296	1320	<5	1.2	4.92	20	75	10	0.05	<1	12	49	33	7.27	<10	0.33	262	11	<0.1	34	590	24	<5	<20	3	0.03	<10	44	<10	<1	231
297	1321	<5	0.8	1.86	<5	60	15	0.11	<1	8	39	32	8.87	<10	0.06	113	11	<0.1	17	390	10	<5	<20	14	0.05	<10	96	<10	<1	109
298	1322	<5	1.4	1.03	<5	70	10	0.33	1	6	11	9	3.28	<10	0.11	81	<1	0.04	5	460	10	<5	<20	28	0.1	<10	25	<10	<1	35
299	1323	<5	2.2	3.38	5	195	<5	0.69	9	27	48	27	5.54	<10	0.66	10000	12	<0.1	78	1260	8	<5	<20	90	0.05	<10	54	<10	3	531
300	1324	<5	<2	2.84	270	85	5	0.86	<1	19	37	51	5.51	<10	1.00	846	4	0.01	40	1080	12	<5	<20	24	0.1	<10	102	<10	15	139
301	1325	<5	<2	2.94	255	105	15	0.31	<1	19	65	37	8.33	<10	0.61	264	<1	0.02	25	360	14	<5	<20	11	0.25	<10	226	<10	2	77
302	1326	<5	<2	1.14	140	75	10	0.82	<1	11	24	22	6.46	<10	0.12	89	6	0.02	10	240	8	<5	<20	25	0.18	<10	175	<10	<1	69
303	1327	<5	<2	2.31	335	95	5	0.18	<1	14	57	29	6.53	<10	0.37	302	1	0.01	20	560	12	<5	<20	9	0.16	<10	183	<10	<1	64
304	1328	<5	<2	2.21	30	100	10	0.25	<1	11	44	34	6.35	<10	0.30	222	4	0.01	18	680	14	<5	<20	16	0.14	<10	136	<10	<1	74
305	1329	<5	<2	2.64	45	75	10	0.08	<1	10	56	38	7.09	<10	0.21	232	4	0.02	16	630	10	<5	<20	8	0.14	<10	157	<10	<1	80
306	1330	<5	<2	3.05	40	110	15	0.19	<1	13	47	49	8.48	<10	0.18	446	9	0.01	21	850	20	<5	<20	9	0.1	<10	141	<10	<1	130

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	TI %	U	V	W	Y	Zn
307	1331	<5	1.0	2.52	25	90	10	0.08	2	12	49	38	8.95	<10	0.19	301	8	0.01	19	680	14	<5	<20	10	0.13	<10	116	<10	<1	70
308	1332	<5	1.2	2.56	30	120	15	0.31	1	17	33	42	6.95	<10	0.45	1069	7	0.05	24	1180	14	<5	<20	24	0.12	<10	91	<10	3	128
309	1333	<5	0.4	3.50	145	100	10	0.83	<1	17	53	35	8.92	<10	0.72	718	10	<0.1	38	880	18	<5	<20	32	0.06	<10	87	<10	2	201
310	1334	<5	1.4	2.52	55	90	10	0.08	<1	14	24	71	7.87	<10	0.37	765	14	<0.1	26	860	26	<5	<20	5	0.03	<10	57	<10	<1	308
-	1335 - 1349	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
311	1350	<5	3.4	4.14	15	95	10	0.04	11	8	41	31	7.88	<10	0.06	97	6	0.02	12	590	14	<5	<20	15	0.07	<10	79	<10	<1	63
312	1351	<5	0.4	2.69	35	55	10	0.06	<1	8	24	19	5.49	<10	0.10	225	8	<0.1	12	740	26	<5	<20	4	0.07	<10	83	<10	<1	97
313	1352	<5	0.4	2.79	<5	65	15	0.50	2	15	23	17	6.74	<10	0.20	436	<1	0.02	10	520	18	<5	<20	46	0.28	<10	87	<10	7	57
314	1353	<5	1.2	3.06	20	65	5	0.03	<1	18	25	27	7.29	<10	0.10	708	14	<0.1	12	1210	16	<5	<20	5	0.02	<10	88	<10	<1	131
315	1354	<5	2.8	3.24	<5	70	5	0.14	2	8	22	23	5.82	<10	0.17	207	7	0.03	16	680	26	<5	<20	14	0.1	<10	44	<10	<1	130
316	1355	<5	0.8	3.34	30	75	10	0.18	4	15	36	32	6.54	<10	0.33	2071	6	0.02	47	1090	24	<5	<20	13	0.09	<10	46	<10	14	536
317	1356	<5	1.8	4.59	20	70	5	0.09	1	18	37	30	6.93	<10	0.20	463	10	0.02	28	870	30	<5	<20	8	0.07	<10	58	<10	4	214
318	1357	<5	1.8	4.22	15	70	10	0.04	3	9	52	25	7.34	<10	0.12	169	7	0.01	18	740	20	<5	<20	3	0.08	<10	80	<10	<1	94
319	1358	<5	15.6	2.75	25	45	<5	0.04	2	11	23	51	4.90	<10	0.13	275	12	0.02	17	920	18	<5	<20	6	0.03	<10	70	<10	<1	148

QC DATA:**Repeat:**

1	0120	<5	2.4	3.59	15	55	10	0.04	12	14	42	59	9.19	<10	0.15	460	11	<0.1	14	1510	40	<5	<20	3	0.08	<10	131	<10	<1	86
10	0237	<5	<2	1.94	<5	45	15	0.04	1	9	19	23	8.23	<10	0.06	315	12	<0.1	13	480	32	<5	<20	3	0.18	<10	76	<10	3	63
19	0246	<5	0.6	3.18	<5	55	20	0.04	1	11	28	41	9.25	<10	0.15	190	14	<0.1	11	460	38	<5	<20	1	0.15	<10	105	<10	<1	79
28	0255	<5	1.4	2.72	<5	45	20	0.06	2	9	15	16	8.77	20	0.09	310	12	0.03	7	320	44	<5	<20	1	0.16	<10	35	<10	10	68
36	0263	<5	<2	2.71	<5	110	10	0.52	1	18	24	18	7.52	<10	0.58	2276	6	0.02	24	1200	12	<5	<20	23	0.14	<10	86	<10	6	171
45	0272	<5	<2	1.80	<5	60	15	0.05	2	11	13	11	10.30	<10	0.06	239	9	<0.1	7	1930	24	<5	<20	4	0.23	<10	118	<10	<1	42
54	0281	<5	<2	3.42	5	75	10	0.31	1	12	24	7	7.13	<10	0.33	255	17	0.02	13	1220	12	<5	<20	14	0.12	<10	120	<10	18	68
63	0290	<5	<2	4.00	<5	95	20	0.08	2	13	36	16	13.10	<10	0.11	188	11	<0.1	9	810	20	<5	<20	6	0.27	<10	121	<10	<1	46
71	0298	<5	<2	2.88	<5	60	25	0.08	1	11	21	10	11.50	<10	0.16	261	10	<0.1	8	550	14	<5	<20	1	0.18	<10	82	<10	19	46
80	0417	<5	0.8	2.03	<5	65	10	0.11	<1	9	14	15	7.03	<10	0.11	203	7	0.01	9	1290	12	<5	<20	9	0.10	<10	105	<10	<1	43
89	0484	<5	0.2	2.79	5	45	20	0.09	<1	11	27	18	8.24	<10	0.31	351	10	0.02	14	710	28	<5	<20	2	0.14	<10	58	<10	<1	62
98	0494	<5	<2	1.04	20	70	5	0.02	<1	4	12	11	2.74	<10	0.09	87	5	<0.1	8	340	6	<5	<20	1	0.03	<10	106	<10	<1	38
106	0502	<5	<2	1.64	10	50	10	0.03	1	8	30	28	8.33	<10	0.08	79	8	<0.1	7	410	4	<5	<20	5	0.08	<10	98	<10	<1	66
115	0511	<5	<2	1.70	10	60	5	0.08	2	10	13	22	5.90	<10	0.17	189	6	<0.1	10	350	14	<5	<20	8	0.11	<10	80	<10	<1	70
124	0520	<5	<2	0.60	<5	25	25	0.27	2	16	14	2	2.02	<10	0.25	110	<1	0.05	7	230	14	<5	<20	16	0.65	<10	169	<10	15	18
133	0705	<5	0.2	2.44	<5	75	40	0.06	2	14	12	16	> 15	<10	<0.1	263	11	0.02	6	400	58	<5	<20	3	0.39	<10	65	10	1	48
141	0713	<5	0.2	3.58	15	80	10	0.04	<1	12	33	31	6.27	<10	0.60	589	7	0.01	34	530	18	<5	<20	3	0.05	<10	60	<10	10	116
150	0722	<5	0.2	3.03	<5	70	15	0.04	1	9	24	18	8.75	<10	0.12	305	10	0.01	9	430	14	<5	<20	3	0.09	<10	116	<10	<1	51
159	0731	<5	0.6	3.82	20	70	<5	0.18	2	12	11	27	5.73	40	0.21	1191	6	0.04	21	730	24	<5	<20	4	0.08	<10	31	<10	43	302
168	0740	<5	<2	3.25	<5	55	30	0.04	5	13	21	15	13.60	<10	0.18	449	13	0.02	8	380	36	<5	<20	3	0.21	<10	73	<10	<1	60

NOTE: n/s = No sample submitted

3-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700

Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-518
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS


21 Rock samples received July 27, 1995
Project #: FD5CA 0011
Shipment #: 4
P.O. #: 1990

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	7310	5	<.2	1.38	<.5	190	<.5	1.69	1	39	46	107	7.75	<.10	1.07	1877	7	0.01	25	1870	12	<.5	<.20	49	0.03	<.10	90	<.10	<.1	106
2	7311	5	0.4	1.45	<.5	280	<.5	2.24	<.1	36	42	259	6.85	<.10	1.24	2166	5	0.01	24	1900	8	<.5	<.20	66	0.02	<.10	65	<.10	<.1	105
3	7312	5	<.2	1.22	<.5	1050	<.5	2.88	2	17	33	29	5.70	<.10	0.71	2243	5	<.01	15	1890	4	<.5	<.20	100	0.03	<.10	55	<.10	<.1	73
4	7313	5	<.2	3.07	<.5	1395	15	0.48	<.1	43	38	17	8.71	<.10	2.07	2211	7	<.01	17	1560	14	<.5	<.20	51	0.03	<.10	85	<.10	<.1	108
5	7314	10	<.2	2.55	<.5	1400	<.5	1.45	2	33	29	18	7.63	<.10	1.81	1839	5	<.01	15	1260	4	<.5	<.20	150	0.03	<.10	82	<.10	<.1	105
6	7315	5	<.2	2.62	<.5	325	<.5	0.84	<.1	35	55	130	7.02	<.10	1.81	1951	5	<.01	18	1780	12	<.5	<.20	34	0.02	<.10	98	<.10	<.1	100
7	7316	5	<.2	1.94	<.5	230	<.5	0.71	1	36	33	41	6.96	<.10	1.33	1758	6	0.01	17	1870	10	<.5	<.20	31	0.03	<.10	93	<.10	<.1	99
8	7317	5	<.2	2.22	<.5	255	<.5	4.33	<.1	42	34	160	6.82	<.10	1.43	1423	6	0.01	18	1860	8	<.5	<.20	128	0.02	<.10	92	<.10	<.1	111
9	7318	5	<.2	1.21	<.5	480	<.5	1.58	<.1	19	28	115	5.02	<.10	0.62	1277	4	<.01	15	1670	8	<.5	<.20	57	0.03	<.10	68	<.10	<.1	61
10	7319	5	<.2	1.99	<.5	550	<.5	1.84	<.1	31	28	106	6.51	<.10	1.05	1262	5	<.01	23	2090	12	<.5	<.20	69	0.03	<.10	76	<.10	<.1	94
11	7320	5	<.2	1.93	<.5	410	<.5	0.92	2	39	48	102	7.79	<.10	1.13	2371	6	<.01	24	2210	8	<.5	<.20	33	0.04	<.10	82	<.10	<.1	105
12	7321	5	<.2	1.17	<.5	535	<.5	2.48	1	30	43	92	6.00	<.10	0.95	2091	5	0.01	18	1870	8	<.5	<.20	74	0.03	<.10	88	<.10	<.1	108
13	7322	5	<.2	1.00	<.5	665	<.5	2.71	<.1	21	49	165	5.80	<.10	0.71	1806	5	0.02	15	1980	6	<.5	<.20	93	0.04	<.10	93	<.10	<.1	82
14	7323	5	<.2	1.77	<.5	485	<.5	2.03	<.1	37	46	82	7.28	<.10	1.13	2392	5	0.02	23	2370	8	<.5	<.20	83	0.03	<.10	123	<.10	<.1	151
15	7324	5	<.2	2.18	<.5	960	<.5	2.72	1	31	51	97	7.37	<.10	1.78	1639	6	0.02	19	2010	6	<.5	<.20	120	0.02	<.10	166	<.10	<.1	111
16	7325	5	<.2	2.37	<.5	1595	<.5	2.20	1	29	68	76	6.87	<.10	2.70	1341	4	0.02	21	1930	10	5	<.20	133	0.04	<.10	184	<.10	<.1	104
17	7326	5	<.2	1.61	<.5	1345	<.5	2.62	1	31	46	210	6.81	<.10	1.88	1721	5	0.02	22	2090	6	<.5	<.20	133	0.04	<.10	139	<.10	<.1	106
18	7327	55	0.8	1.51	15	130	<.5	4.15	1	24	37	42	6.46	<.10	1.04	2373	8	0.02	16	1730	10	<.5	<.20	103	0.02	<.10	52	<.10	2	120
19	7328	190	3.2	1.29	25	90	<.5	5.93	<.1	21	31	36	6.18	<.10	1.47	2919	7	<.01	10	1430	14	<.5	<.20	155	<.01	<.10	40	<.10	<.1	104
20	7329	5	0.6	1.12	<.5	215	<.5	4.23	1	28	32	71	5.85	<.10	0.91	1887	6	<.01	17	1870	4	<.5	<.20	101	<.01	<.10	58	<.10	<.1	89
21	7330	5	<.2	4.09	<.5	75	<.5	3.18	<.1	34	226	56	5.92	<.10	4.38	734	4	0.04	88	770	16	25	<.20	46	0.01	<.10	193	<.10	6	77

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
QC DATA:																														
<i>Resplit:</i>																														
R/S 1	7310	5	0.2	1.43	<5	200	<5	1.71	<1	40	47	105	7.90	<10	1.10	1852	6	0.01	26	1880	10	<5	<20	52	0.03	<10	91	<10	<1	110
<i>Repeat:</i>																														
1	7310	5	<.2	1.44	<5	190	5	1.75	1	41	49	110	7.98	<10	1.12	1944	7	0.01	27	1940	8	<5	<20	51	0.03	<10	92	<10	<1	110
10	7319	5	<.2	1.94	<5	520	<5	1.79	<1	30	26	102	6.22	<10	1.03	1227	5	<.01	24	2010	8	<5	<20	66	0.02	<10	72	<10	<1	91
19	7328	-	2.6	1.41	30	90	<5	6.24	<1	22	35	41	6.60	<10	1.57	3067	7	<.01	10	1520	16	<5	<20	163	<.01	<10	43	<10	<1	112
<i>Standard:</i>																														
GEO'95		150	1.2	1.64	65	150	<5	1.55	<1	16	53	85	3.62	<10	0.86	630	<1	0.01	25	620	22	<5	<20	47	0.08	<10	68	<10	5	70

d1/495A
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

11-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-546
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

11 rock samples received August 1, 1995
Project #: FD5CA0011
P.O. #: None given

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	7361	5	2.0	1.15	230	45	<5	0.40	<1	9	76	81	6.91	<10	1.06	469	12	<.01	5	1390	10	<5	<20	8	<.01	<10	59	<10	3	187
2	7362	5	6.2	1.32	135	40	<5	0.28	8	7	80	67	6.98	<10	1.27	478	8	<.01	4	1000	6	<5	<20	7	<.01	<10	63	<10	2	163
3	7363	5	1.8	1.27	120	35	5	0.37	<1	9	60	64	6.25	<10	1.20	454	9	<.01	8	1440	20	<5	<20	12	<.01	<10	63	<10	2	147
4	7364	5	3.2	1.53	50	35	5	0.30	<1	7	66	57	6.88	<10	1.42	699	7	<.01	3	1130	22	<5	<20	10	<.01	<10	67	<10	3	203
5	7365	5	8.0	1.08	35	35	<5	0.30	4	5	86	33	5.21	<10	0.94	585	8	<.01	3	1160	34	<5	<20	12	<.01	<10	53	<10	6	374
6	7366	5	3.8	1.47	165	45	10	0.34	3	6	60	41	6.44	<10	1.33	763	6	<.01	<1	1180	56	<5	<20	13	<.01	<10	70	<10	5	405
7	7453	540	19.6	0.14	170	15	<5	0.02	<1	4	141	17	1.97	<10	0.06	69	12	<.01	6	90	44	40	<20	1	<.01	<10	4	<10	<1	30
8	7454	705	27.0	0.09	165	20	<5	<.01	<1	3	142	22	2.02	<10	<.01	59	8	<.01	6	40	68	45	<20	2	<.01	<10	2	<10	<1	55
9	7455	515	21.4	0.12	140	20	<5	0.01	<1	3	137	19	1.83	<10	0.01	65	10	<.01	7	40	54	40	<20	2	<.01	<10	3	<10	<1	41
10	7456	380	26.6	0.09	85	35	<5	<.01	<1	2	131	19	1.44	<10	<.01	42	3	<.01	4	<10	50	55	<20	1	<.01	<10	2	<10	<1	21
11	7457	300	>30	0.08	155	90	<5	<.01	<1	<1	160	47	1.17	<10	<.01	30	11	<.01	4	50	156	190	<20	1	<.01	<10	3	<10	<1	10

QC DATA:

Resplit:

R/S 1	7361	5	2.8	1.15	235	40	<5	0.40	<1	9	68	88	6.90	<10	1.08	463	9	<.01	4	1440	10	<5	<20	9	<.01	<10	59	<10	3	196
-------	------	---	-----	------	-----	----	----	------	----	---	----	----	------	-----	------	-----	---	------	---	------	----	----	-----	---	------	-----	----	-----	---	-----


Repeat:

1	7361	5	2.4	1.09	225	40	5	0.36	<1	9	73	77	7.60	<10	1.01	438	12	<.01	5	1330	10	<5	<20	9	<.01	<10	56	<10	2	184
8	7454	700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	7456	-	27.4	0.09	85	30	<5	<.01	<1	3	133	19	1.45	<10	<.01	36	3	<.01	4	<10	50	55	<20	<1	<.01	<10	2	<10	<1	20

Standard:

GEO'95		150	1.2	1.78	75	155	<5	1.72	<1	18	62	80	3.86	<10	0.95	672	<1	0.02	26	600	20	<5	<20	59	0.12	<10	79	<10	4	75
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

dl/546
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

10-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-558
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

26 rock samples received August 2, 1995

Project #: FD5CA0011

Shipment #: 7

P.O. #: 1997

Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	7338	20	<.2	0.30	10	115	<.5	0.18	<.1	3	50	9	1.52	<.10	0.06	55	3	0.01	4	490	10	<.5	<.20	7	<.01	<.10	10	<.10	2	25
2	7370	115	4.8	1.64	20	60	<.5	0.25	<.1	4	79	23	4.99	<.10	1.45	572	6	<.01	3	1050	8	<.5	<.20	7	<.01	<.10	79	<.10	3	65
3	7371	55	3.0	1.88	40	50	5	0.22	<.1	5	58	23	5.79	<.10	1.67	615	8	<.01	2	1060	12	5	<.20	5	<.01	<.10	83	<.10	3	84
4	7372	580	5.2	3.14	115	85	<.5	0.70	<.1	7	50	13	7.00	<.10	2.94	1723	9	<.01	1	1490	18	10	<.20	22	<.01	<.10	91	<.10	6	222
5	7373	755	7.4	3.71	235	50	10	0.75	<.1	9	32	14	8.87	<.10	3.43	1847	19	<.01	<.1	1610	28	5	<.20	22	<.01	<.10	101	<.10	5	191
6	7374	350	10.6	2.58	200	55	<.5	0.86	<.1	6	51	18	7.47	<.10	2.11	1101	7	<.01	<.1	1660	16	<.5	<.20	22	<.01	<.10	91	<.10	9	198
7	7375	140	3.2	2.92	70	70	10	0.67	<.1	7	35	8	7.15	<.10	2.48	1334	6	<.01	<.1	1520	12	5	<.20	17	<.01	<.10	86	<.10	8	137
8	7376	5	1.8	1.84	15	70	<.5	0.20	<.1	4	43	9	5.79	<.10	1.20	629	5	<.01	<.1	1040	8	<.5	<.20	3	<.01	<.10	53	<.10	3	69
9	7377	20	0.6	2.14	20	95	10	0.18	<.1	4	23	4	6.56	<.10	1.18	632	5	<.01	<.1	930	4	<.5	<.20	3	0.01	<.10	65	<.10	3	74
10	7378	15	0.4	2.23	285	75	10	0.22	<.1	5	37	6	6.98	<.10	1.09	647	5	<.01	1	1110	4	<.5	<.20	3	0.01	<.10	66	<.10	4	83
11	7379	105	1.0	1.86	5	85	5	0.22	<.1	4	46	8	5.74	<.10	1.00	635	5	<.01	<.1	1170	4	<.5	<.20	2	<.01	<.10	60	<.10	4	85
12	7380	110	3.0	1.28	50	55	<.5	0.21	<.1	5	72	11	4.59	<.10	0.76	471	5	<.01	2	1030	14	<.5	<.20	2	<.01	<.10	52	<.10	4	61
13	7381	80	8.4	1.31	145	45	<.5	0.25	<.1	6	70	17	4.96	<.10	0.82	554	8	<.01	3	1130	26	<.5	<.20	6	<.01	<.10	55	<.10	4	123
14	7382	15	19.2	1.32	115	40	<.5	0.22	<.1	5	79	21	5.37	<.10	0.83	504	7	<.01	2	1070	36	5	<.20	3	<.01	<.10	68	<.10	3	128
15	7383	>1000	>30	0.65	1435	30	10	0.15	<.1	11	78	90	15.00	<.10	0.29	274	58	<.01	9	590	236	65	<.20	2	<.01	<.10	24	<.10	<.1	2249
16	7384	>1000	>30	1.24	1075	25	<.5	0.24	<.1	8	83	76	12.40	<.10	0.76	564	47	<.01	4	910	208	10	<.20	4	<.01	<.10	62	<.10	<.1	2105
17	7385	>1000	>30	0.58	1545	30	5	0.36	6	14	85	94	> 15	<.10	0.24	433	86	<.01	7	600	374	40	<.20	9	<.01	<.10	33	<.10	<.1	4402
18	7458	355	>30	0.09	360	50	<.5	<.01	<.1	2	131	24	1.66	<.10	<.01	42	8	<.01	4	60	176	135	<.20	1	<.01	<.10	3	<.10	<.1	58
19	7459	320	19.2	0.11	290	30	<.5	<.01	<.1	2	141	16	2.05	<.10	0.02	52	12	<.01	5	80	54	40	<.20	3	<.01	<.10	4	<.10	<.1	17
20	7460	410	>30	0.09	175	35	<.5	0.01	<.1	3	156	23	1.86	<.10	0.01	66	4	<.01	6	110	166	75	<.20	4	0.02	<.10	4	<.10	<.1	11
21	7461	365	13.6	0.11	145	45	<.5	0.03	<.1	1	127	12	1.44	<.10	0.01	35	7	<.01	4	290	34	25	<.20	7	<.01	<.10	3	<.10	<.1	30
22	7462	420	29.2	0.10	175	45	<.5	<.01	<.1	2	121	23	1.55	<.10	0.03	67	7	<.01	4	90	58	60	<.20	3	<.01	<.10	5	<.10	<.1	211
23	7463	705	>30	0.09	270	20	<.5	0.01	<.1	5	142	44	2.15	<.10	<.01	99	26	<.01	12	40	54	50	<.20	1	<.01	<.10	4	<.10	<.1	243
24	7464	490	22.8	0.09	230	25	<.5	<.01	<.1	5	126	31	2.24	<.10	<.01	110	17	<.01	11	40	40	30	<.20	3	<.01	<.10	3	<.10	<.1	39
25	7465	>1000	>30	0.10	240	30	<.5	0.01	<.1	3	137	52	2.06	<.10	<.01	87	26	<.01	19	80	196	105	<.20	2	<.01	<.10	6	<.10	<.1	732
26	7466	360	20.6	0.09	295	65	<.5	<.01	<.1	1	92	17	1.19	<.10	<.01	37	16	<.01	15	70	62	35	<.20	<.1	<.01	<.10	5	<.10	<.1	57

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
<i>Resplit:</i>																															
R/S 1	7338	10	0.4	0.30	10	110	<5	0.17	<1	3	47	9	1.54	<10	0.06	55	3	0.01	4	490	12	<5	<20	7	<0.1	<10	10	<10	1	25	
<i>Repeat:</i>																															
1	7338	-	<2	0.31	10	110	<5	0.17	<1	3	50	9	1.56	<10	0.07	58	3	0.01	4	480	10	<5	<20	7	<0.1	<10	11	<10	1	26	
5	7373	695	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	7378	10	0.4	2.27	305	75	10	0.22	<1	5	39	6	7.14	<10	1.11	659	5	<0.1	2	1150	8	<5	<20	2	0.01	<10	68	<10	4	87	
15	7383	>1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	7459	-	19.8	0.09	290	25	<5	<0.1	<1	2	143	16	2.04	<10	0.01	60	12	<0.1	5	80	56	40	<20	2	<0.1	<10	3	<10	<1	17	
<i>Standard:</i>																															
GEO'95		150	1.2	1.65	65	150	<5	1.57	<1	16	53	84	3.68	<10	0.83	633	<1	0.01	25	640	18	<5	<20	47	0.08	<10	67	<10	6	71	

dl/514
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

9-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700

Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-559
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

27 ROCK samples received August 2, 1995

Project #: FD5CA0010

Shipment #: 5

P.O. #: 1991

Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	7101	5	<2	0.89	<5	105	15	>15	<1	19	128	4	4.86	<10	6.58	2512	4	<.01	55	380	<2	25	<20	774	<.01	<10	34	<10	<1	28
2	7102	5	<2	0.27	<5	10	<5	0.14	<1	4	168	19	1.31	<10	0.17	200	5	<.01	5	150	4	<5	<20	5	<.01	<10	20	<10	<1	25
3	7103	5	<2	0.07	<5	20	<5	0.05	<1	3	187	15	0.99	<10	0.02	197	4	<.01	6	90	<2	<5	<20	3	<.01	<10	7	<10	<1	18
4	7104	5	<2	0.05	<5	<5	<5	0.02	<1	1	220	4	0.48	<10	0.02	56	6	<.01	4	40	<2	<5	<20	<1	<.01	<10	2	<10	<1	2
5	7331	10	0.2	0.31	5	90	<5	0.48	<1	3	114	8	1.72	<10	0.13	397	16	0.02	7	820	36	<5	<20	19	<.01	<10	3	<10	3	110
6	7332	5	<2	3.21	<5	60	30	1.56	<1	45	193	43	7.80	<10	3.17	1292	<1	0.02	87	1130	8	<5	<20	7	0.28	<10	153	<10	8	94
7	7333	5	0.4	1.01	<5	60	<5	0.15	1	8	50	36	4.60	<10	0.48	662	6	0.02	20	520	14	<5	<20	4	<.01	<10	22	<10	1	106
8	7334	15	<2	1.41	<5	60	<5	0.55	<1	11	44	44	4.61	<10	0.76	625	6	0.02	22	510	12	<5	<20	17	<.01	<10	31	<10	7	126
9	7335	5	<2	3.72	<5	40	20	1.10	<1	36	51	47	7.38	<10	2.89	846	<1	0.02	30	670	8	10	<20	<1	0.40	<10	137	<10	12	77
10	7336	5	<2	3.91	<5	50	20	1.07	<1	27	86	28	8.54	<10	4.21	1427	<1	0.02	16	1740	12	5	<20	10	0.29	<10	254	<10	9	79
11	7351	80	3.2	3.96	20	100	15	3.44	3	41	180	86	11.80	<10	3.43	4184	8	<.01	49	1370	12	10	<20	128	0.06	<10	307	<10	5	691
12	7352	105	1.4	3.15	55	130	15	12.00	<1	37	102	53	8.24	<10	2.22	6317	5	<.01	42	1080	<2	20	<20	308	0.08	<10	177	<10	6	125
13	7353	25	1.4	1.72	50	75	<5	4.74	<1	23	68	31	4.87	<10	1.20	2463	3	<.01	29	740	2	10	<20	109	0.03	<10	134	<10	4	77
14	7354	5	<2	4.21	95	200	20	6.68	<1	48	148	65	9.75	<10	2.85	2708	6	0.01	52	1130	6	15	<20	136	0.07	<10	305	<10	5	113
15	7355	10	0.4	5.02	95	155	20	4.43	<1	44	141	63	9.85	<10	4.07	2452	4	0.01	48	1110	4	10	<20	107	0.10	<10	307	<10	5	115
16	7356	5	2.2	2.67	50	175	<5	4.14	<1	30	81	44	5.95	<10	2.45	1565	3	<.01	34	800	2	30	<20	122	0.06	<10	172	<10	4	84
17	7357	235	1.6	4.52	200	90	15	2.58	<1	46	142	59	10.50	<10	4.16	2434	5	0.01	50	1070	12	15	<20	91	0.10	<10	326	<10	7	126
18	7358	30	0.8	4.71	70	100	10	3.36	<1	47	152	57	10.60	<10	4.88	2341	5	<.01	50	1140	12	10	<20	147	0.08	<10	354	<10	5	121
19	7359	5	1.0	3.07	30	95	20	0.70	1	33	115	69	9.07	<10	3.20	1279	5	<.01	34	1180	14	15	<20	23	0.09	<10	232	<10	4	159
20	7360	20	2.6	1.55	<5	80	<5	0.36	3	12	42	77	7.42	<10	1.54	602	8	<.01	8	1250	12	<5	<20	14	0.04	<10	79	<10	8	407

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	7367	10	2.4	1.38	265	35	5	0.34	<1	7	40	71	7.40	<10	1.32	530	13	<0.1	2	1380	10	10	<20	7	<0.1	<10	59	<10	3	299
22	7368	5	2.8	1.78	<5	65	10	0.37	1	7	48	70	8.29	<10	1.64	624	9	<0.1	2	1520	8	<5	<20	9	<0.1	<10	73	<10	5	166
23	7369	5	2.2	1.90	10	65	15	0.35	<1	6	59	56	7.35	<10	1.82	691	10	<0.1	3	1300	10	5	<20	9	0.01	<10	92	<10	4	118
24	7402	5	<2	3.13	20	35	15	0.84	<1	36	243	53	7.53	<10	3.45	497	6	0.03	101	2870	16	10	<20	32	<0.1	<10	232	<10	4	56
25	7403	5	0.6	0.71	10	45	10	6.91	1	12	50	5	5.13	<10	2.34	5026	7	<0.1	3	1780	10	15	<20	314	<0.1	<10	21	<10	10	40
26	7451	>1000	>30	0.09	125	40	<5	0.02	<1	2	76	7	1.50	<10	0.04	58	8	<0.1	3	80	64	60	<20	3	<0.1	<10	3	<10	<1	18
27	7452	490	20.0	0.14	155	30	<5	0.04	<1	4	142	13	2.00	<10	0.08	100	13	<0.1	7	140	50	40	<20	2	<0.1	<10	4	<10	<1	34

QC DATA:**Resplit:**

R/S 1	7101	5	0.2	0.88	<5	120	10	> 15	<1	19	122	4	4.84	<10	6.44	2490	3	<0.1	54	400	<2	30	<20	758	<0.1	<10	34	<10	<1	28
-------	------	---	-----	------	----	-----	----	------	----	----	-----	---	------	-----	------	------	---	------	----	-----	----	----	-----	-----	------	-----	----	-----	----	----

Repeat:

1	7101	5	<2	0.85	<5	100	10	> 15	<1	18	116	4	4.69	<10	6.30	2422	4	<0.1	53	380	<2	30	<20	746	<0.1	<10	32	<10	<1	27
10	7336	5	<2	3.95	<5	50	20	1.03	1	27	87	28	8.70	<10	4.24	1445	<1	0.02	18	1760	12	10	<20	9	0.27	<10	257	<10	8	80
19	7359	5	1.4	2.99	30	85	15	0.69	<1	32	113	70	8.94	<10	3.13	1260	6	<0.1	33	1180	14	10	<20	23	0.09	<10	227	<10	4	164

Standard:

GEO'95		145	1.0	1.63	60	165	<5	1.69	<1	19	54	88	4.11	<10	0.93	690	<1	0.02	26	610	20	<5	<20	52	0.09	<10	74	<10	4	74
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/540
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

4-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-563
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

131 Soil samples received August 1, 1995
PROJECT #: FDSCA0011
SHIPMENT #: 6
P.O. #: 1994
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	0525	<5	0.2	2.69	35	55	15	0.11	<1	21	17	20	7.29	<10	0.69	601	52	<0.1	11	840	24	<5	<20	7	0.04	<10	59	<10	6	122
2	0526	<5	<2	2.63	<5	50	10	0.13	<1	14	21	29	5.29	10	0.44	828	42	0.01	11	690	26	<5	<20	12	0.09	<10	68	<10	19	70
3	0527	<5	<2	2.06	<5	130	<5	0.56	1	19	17	73	5.21	<10	1.22	1049	6	0.01	16	1580	18	<5	<20	38	0.05	<10	97	<10	11	105
4	0528	<5	<2	2.30	<5	90	<5	0.34	<1	21	17	57	5.24	<10	1.06	1259	9	<0.1	16	1100	22	<5	<20	23	0.06	<10	94	<10	13	145
5	0529	5	<2	1.54	<5	55	10	0.45	2	15	9	32	4.75	<10	0.99	747	4	0.02	12	1260	12	<5	<20	33	0.04	<10	56	<10	4	102
6	0530	5	<2	2.88	<5	70	10	0.10	<1	9	25	33	4.90	<10	0.62	341	5	<0.1	20	510	26	<5	<20	7	0.02	<10	58	<10	<1	74
7	0531	<5	0.6	2.50	<5	40	25	0.06	<1	10	13	21	8.97	<10	0.18	361	9	0.02	7	320	32	<5	<20	4	0.18	<10	49	<10	<1	51
8	0532	<5	0.4	2.75	<5	40	10	0.05	1	12	26	25	5.85	<10	0.45	732	7	0.01	10	810	28	<5	<20	3	0.10	<10	63	<10	9	63
9	0533	<5	1.4	2.82	5	30	10	0.04	<1	7	2	16	7.18	20	0.07	282	6	0.05	6	350	38	<5	<20	<1	0.16	<10	16	<10	43	60
10	0534	<5	<2	2.44	<5	45	10	0.05	<1	12	22	27	4.47	<10	0.59	1074	7	<0.1	17	450	24	<5	<20	3	0.04	<10	54	<10	6	72
11	0535	10	<2	2.64	<5	45	10	0.03	<1	16	27	30	6.70	<10	0.26	1329	7	0.01	9	680	32	<5	<20	4	0.12	<10	65	<10	2	53
12	0536	5	<2	3.53	<5	115	25	0.53	3	21	20	24	1.61	20	0.40	204	<1	0.11	8	1160	28	<5	<20	37	0.96	<10	84	<10	13	60
13	0538	<5	<2	2.27	<5	40	5	0.07	<1	11	21	25	5.03	<10	0.69	531	3	<0.1	19	430	22	<5	<20	4	0.09	<10	58	<10	<1	75
14	0539	<5	1.6	3.44	<5	120	5	0.30	9	18	29	47	5.12	40	0.24	2496	7	0.01	27	880	30	<5	<20	9	0.07	<10	49	<10	81	295
15	0540	10	<2	2.57	<5	80	15	0.03	1	10	49	24	8.20	<10	0.41	315	9	<0.1	16	370	16	<5	<20	5	0.02	<10	128	<10	<1	40
16	0541	<5	0.2	2.90	<5	80	10	0.04	<1	10	28	29	8.87	<10	0.43	278	7	<0.1	15	450	28	<5	<20	5	0.06	10	81	<10	<1	57
17	0542	<5	1.4	3.25	<5	25	15	0.06	<1	8	7	20	8.62	20	0.03	214	7	0.02	2	320	50	<5	<20	2	0.16	<10	27	<10	16	45
18	0543	<5	0.6	3.00	<5	30	10	0.05	1	9	20	20	7.62	<10	0.10	317	6	0.02	6	370	40	<5	<20	2	0.18	<10	57	<10	6	40
19	0544	<5	<2	2.34	<5	60	20	0.18	3	14	16	22	8.11	<10	0.40	289	<1	0.04	11	370	28	<5	<20	12	0.25	20	96	<10	<1	43
20	0545	<5	1.4	4.08	<5	45	<5	0.10	<1	32	28	38	6.05	50	0.30	5530	15	0.02	11	1260	34	<5	<20	3	0.06	<10	59	<10	91	63
21	0546	5	1.0	4.00	<5	30	10	0.11	<1	16	18	22	5.20	10	0.18	1760	8	0.03	10	740	38	<5	<20	2	0.11	<10	33	<10	23	80
22	0547	5	<2	2.55	<5	50	15	0.08	1	9	22	28	6.10	<10	0.28	237	4	0.02	13	320	30	<5	<20	5	0.11	<10	72	<10	<1	41
23	0548	<5	0.4	2.77	<5	140	10	0.08	<1	11	39	32	9.36	<10	0.43	248	7	<0.1	20	220	26	<5	<20	6	0.06	20	83	<10	<1	59
24	0549	5	<2	2.36	<5	80	15	0.33	1	19	28	26	8.04	<10	0.61	301	<1	0.08	12	540	22	<5	<20	26	0.39	20	152	<10	<1	48
25	1008	<5	1.6	3.35	<5	65	20	0.04	1	13	29	27	9.52	<10	0.12	301	3	<0.1	11	1090	40	<5	<20	4	0.25	30	98	<10	<1	111

NOTE: Sample - 0537 - Missing

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	1009	5	0.8	3.44	<5	95	10	0.02	2	10	45	28	11.10	<10	0.13	233	14	<0.1	14	460	30	<5	<20	<1	0.04	20	89	<10	<1	90
27	1010	5	1.6	1.31	<5	85	5	0.07	4	6	24	31	4.53	<10	0.14	158	6	<0.1	18	690	16	<5	<20	7	0.03	<10	77	<10	<1	88
28	1011	<5	0.6	2.93	<5	95	15	0.29	2	9	40	29	7.82	<10	0.23	206	8	<0.1	16	530	26	<5	<20	17	0.05	<10	86	<10	<1	88
29	1012	<5	0.6	4.51	<5	115	10	0.09	5	13	49	35	7.19	<10	0.39	346	8	<0.1	30	490	34	<5	<20	3	0.06	<10	86	<10	<1	134
30	1013	5	2.0	4.24	<5	85	20	0.78	16	18	84	54	9.37	<10	0.10	161	<1	<0.1	18	330	18	<5	<20	24	0.31	20	171	<10	17	55
31	1014	<5	4.0	1.79	<5	170	<5	0.94	2	11	19	29	6.15	<10	0.08	288	7	<0.1	11	500	18	<5	<20	25	0.07	<10	109	<10	2	88
32	1015	<5	0.8	1.05	<5	60	10	2.74	2	14	7	18	2.16	<10	0.38	254	<1	0.05	13	440	6	10	<20	56	0.15	<10	41	<10	3	45
33	1016	<5	<2	1.92	<5	90	25	0.29	2	23	56	43	8.77	<10	0.20	516	<1	<0.1	14	370	16	<5	<20	11	0.43	20	216	<10	<1	48
34	1017	<5	<2	2.50	<5	80	15	0.66	1	65	34	58	7.41	<10	0.60	1679	<1	0.08	34	670	18	<5	<20	19	0.26	<10	120	<10	5	65
35	1018	<5	<2	2.00	<5	75	40	0.52	1	46	21	51	8.01	<10	0.38	1140	<1	0.06	20	400	20	<5	<20	32	0.37	<10	102	<10	9	63
36	1019	<5	<2	0.98	<5	45	10	0.57	<1	19	14	16	3.39	<10	0.80	255	<1	0.11	13	700	10	<5	<20	34	0.32	<10	104	<10	2	31
37	1020	5	<2	0.73	<5	85	15	0.34	<1	14	17	20	5.11	<10	0.09	635	<1	<0.1	9	320	20	<5	<20	20	0.33	<10	145	<10	<1	55
38	1021	<5	<2	0.69	<5	135	5	0.52	<1	13	10	14	2.54	<10	0.42	329	<1	0.05	10	840	8	<5	<20	32	0.16	<10	49	<10	<1	46
39	1022	5	<2	3.13	25	105	<5	0.35	<1	15	39	50	7.71	<10	0.56	533	8	0.01	28	720	18	<5	<20	13	0.06	<10	82	<10	<1	136
40	1023	<5	<2	1.59	<5	60	10	0.73	<1	48	19	29	5.67	<10	0.98	3125	<1	0.12	16	710	14	<5	<20	41	0.35	<10	127	<10	6	53
41	1024	<5	<2	3.03	<5	85	10	0.19	3	13	38	58	10.10	<10	0.21	213	7	0.02	20	450	14	<5	<20	10	0.16	<10	115	<10	3	67
42	1025	5	<2	0.69	<5	70	<5	0.63	<1	9	5	13	1.65	<10	0.22	62	<1	0.04	9	690	6	<5	<20	51	0.09	<10	28	<10	6	19
43	1026	<5	<2	1.31	5	40	10	0.53	<1	18	6	22	3.11	<10	0.71	200	<1	0.10	12	560	6	<5	<20	40	0.29	<10	61	<10	7	30
44	1027	5	<2	1.93	10	60	10	0.19	<1	9	22	23	5.42	<10	0.13	108	3	0.01	7	320	14	<5	<20	6	0.13	<10	112	<10	2	38
45	1028	<5	<2	4.36	<5	110	40	0.15	2	25	135	39	> 15	<10	0.39	166	<1	<0.1	20	160	14	<5	<20	7	0.77	<10	463	<10	<1	58
46	1029	<5	<2	1.08	<5	90	15	0.44	<1	16	17	11	2.49	<10	0.56	185	<1	0.09	10	410	24	5	<20	101	0.45	<10	94	<10	7	23
47	1030	5	<2	1.22	<5	50	20	0.55	<1	23	11	10	3.69	<10	1.04	336	<1	0.14	14	540	10	10	<20	42	0.45	<10	85	<10	8	32
48	1031	5	<2	5.66	<5	130	25	0.16	1	23	115	35	8.28	<10	0.49	519	<1	0.02	23	650	22	<5	<20	9	0.39	<10	182	<10	7	58
49	1032	<5	<2	3.27	<5	160	15	0.27	3	25	104	50	10.30	<10	0.78	818	6	<0.1	38	400	12	<5	<20	11	0.16	<10	126	<10	<1	147
50	1033	<5	<2	1.69	<5	85	15	0.37	<1	19	42	16	3.84	<10	0.61	261	<1	0.08	12	550	18	<5	<20	28	0.44	<10	122	<10	7	23
51	1034	<5	0.4	3.30	<5	145	20	0.21	2	24	100	39	10.40	<10	0.51	287	<1	0.02	22	360	18	<5	<20	21	0.44	<10	277	<10	2	46
52	1035	<5	<2	3.03	15	80	15	0.14	1	16	49	23	6.54	<10	0.30	251	<1	<0.1	18	430	20	<5	<20	5	0.27	<10	121	<10	5	104
53	1036	<5	1.6	2.95	<5	130	15	0.72	2	16	62	27	7.33	<10	0.38	492	9	0.01	20	890	18	<5	<20	23	0.05	<10	141	<10	<1	82
54	1037	<5	<2	2.45	<5	115	10	0.91	2	75	23	43	5.67	<10	0.95	3215	<1	0.11	24	610	12	<5	<20	54	0.25	<10	97	<10	2	76
55	1038	<5	<2	2.15	<5	135	10	0.35	2	27	22	26	5.68	<10	0.23	1300	4	0.02	13	700	18	<5	<20	21	0.11	<10	129	<10	2	92
56	1039	<5	0.2	2.88	10	70	25	0.07	2	14	40	41	9.95	<10	0.21	293	6	<0.1	14	460	30	<5	<20	2	0.22	20	140	<10	<1	72
57	1040	<5	<2	3.39	20	85	20	0.16	2	16	67	64	10.90	<10	0.59	280	3	<0.1	31	430	14	<5	<20	7	0.19	10	125	<10	<1	123
58	1041	<5	<2	1.28	<5	60	15	0.46	1	22	12	17	3.92	<10	0.77	272	<1	0.09	15	590	10	<5	<20	34	0.34	<10	83	<10	<1	37
59	1042	5	1.6	2.93	310	100	<5	0.82	<1	24	38	54	6.99	<10	0.42	918	7	<0.1	32	600	26	<5	<20	15	0.09	<10	80	<10	20	223
60	1043	<5	2.2	2.97	110	130	5	1.24	3	18	31	44	6.05	<10	0.28	1083	6	0.02	25	830	26	<5	<20	29	0.06	<10	73	<10	21	181

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	1044	<5	0.2	1.92	165	70	10	0.31	<1	16	47	31	5.23	<10	0.54	322	<1	0.03	19	440	16	<5	<20	17	0.15	<10	134	<10	<1	78
62	1045	<5	<2	1.63	10	120	10	0.59	<1	8	30	19	5.45	<10	0.46	219	7	<0.01	24	270	28	<5	<20	11	0.06	<10	62	<10	<1	271
63	1046	<5	0.6	2.55	10	175	10	0.06	2	14	34	33	5.77	<10	0.40	709	10	<0.01	27	310	32	<5	<20	3	0.04	<10	70	<10	5	191
64	1047	<5	0.4	1.37	<5	60	10	0.65	2	21	13	18	3.57	<10	0.79	333	<1	0.11	16	530	10	<5	<20	43	0.31	<10	67	<10	1	40
65	1048	<5	0.6	4.08	15	75	15	0.17	1	10	49	34	6.82	<10	0.39	243	6	<0.01	26	510	34	<5	<20	5	0.06	20	64	<10	<1	108
66	1049	<5	2.0	3.24	10	90	<5	0.12	4	24	57	43	5.13	20	0.70	3708	9	<0.01	52	820	26	<5	<20	6	0.05	<10	53	<10	33	251
67	1050	<5	0.2	2.60	<5	65	25	0.09	2	11	51	30	10.40	<10	0.13	206	6	<0.01	13	330	22	<5	<20	4	0.17	30	116	<10	<1	57
68	1051	5	2.2	3.79	<5	65	5	0.03	3	9	50	38	6.21	<10	0.53	241	6	<0.01	31	530	32	<5	<20	2	0.04	10	62	<10	<1	116
69	1052	<5	0.6	4.41	5	85	10	0.02	<1	10	51	36	7.96	<10	0.41	277	9	<0.01	26	620	34	<5	<20	1	0.05	20	66	<10	<1	155
70	1053	<5	1.2	3.36	5	110	<5	0.04	1	9	44	20	6.26	<10	0.23	218	8	<0.01	19	360	28	<5	<20	3	0.01	<10	74	<10	<1	107
71	1054	<5	<2	2.23	<5	65	15	0.05	1	11	46	29	8.16	<10	0.23	231	7	<0.01	18	330	20	<5	<20	4	0.09	<10	141	<10	<1	110
72	1055	<5	1.6	3.71	<5	145	20	0.27	3	17	65	45	13.20	<10	0.22	267	12	0.01	22	480	30	<5	<20	20	0.23	50	176	<10	<1	96
73	1056	<5	3.4	6.04	10	145	<5	0.04	1	22	96	66	7.07	<10	1.33	571	7	<0.01	59	500	34	<5	<20	5	0.03	<10	89	<10	<1	180
74	1057	<5	1.0	2.10	<5	65	25	0.03	1	13	27	21	8.92	<10	0.07	197	3	<0.01	9	310	36	<5	<20	<1	0.30	20	92	<10	<1	58
75	1058	5	1.4	1.63	<5	100	10	0.07	1	7	23	16	6.02	<10	0.10	105	5	<0.01	9	240	18	<5	<20	10	0.10	10	118	<10	<1	71
76	1059	<5	0.4	4.58	<5	70	15	0.04	2	10	66	31	9.32	<10	0.16	100	7	<0.01	13	370	34	<5	<20	7	0.13	30	119	<10	<1	79
77	1060	<5	1.4	3.51	<5	60	10	0.03	1	7	46	19	7.47	<10	0.02	105	6	<0.01	7	340	36	<5	<20	8	0.13	30	76	<10	<1	59
78	1061	<5	1.2	6.44	<5	65	10	0.09	<1	8	62	20	5.81	<10	0.04	99	<1	<0.01	9	600	58	<5	<20	11	0.12	30	45	<10	<1	51
79	1062	<5	0.6	0.71	<5	25	5	0.08	<1	7	9	7	1.44	<10	0.09	94	<1	0.01	4	270	12	<5	<20	9	0.24	<10	58	<10	<1	22
80	1063	<5	3.6	8.87	<5	80	30	0.39	1	28	121	38	12.90	<10	0.57	568	<1	<0.01	27	800	42	<5	<20	8	0.35	30	144	<10	<1	93
81	1064	5	4.6	4.28	<5	70	20	0.31	1	16	88	35	10.70	<10	0.11	510	11	<0.01	17	490	26	<5	<20	8	0.11	20	157	<10	<1	83
82	1065	<5	<2	0.53	<5	35	10	0.06	2	7	11	8	1.17	<10	0.05	48	<1	0.01	3	220	20	<5	<20	4	0.24	<10	61	<10	<1	14
83	1066	<5	<2	0.67	<5	35	5	0.06	<1	4	4	4	0.79	<10	0.09	34	<1	0.01	3	320	22	<5	<20	5	0.10	<10	42	<10	<1	11
84	1067	<5	1.0	1.04	<5	70	15	0.62	1	22	6	10	3.33	<10	0.86	430	<1	0.11	13	480	10	<5	<20	45	0.37	<10	68	<10	2	37
85	1068	<5	2.0	1.71	<5	280	<5	3.68	2	3	8	25	0.88	10	0.07	761	3	0.01	15	690	10	<5	<20	139	0.03	40	13	<10	12	61
86	1069	<5	2.8	5.42	10	50	10	0.12	<1	7	36	19	5.33	<10	0.14	363	6	0.02	10	470	56	<5	<20	5	0.11	<10	37	<10	2	73
87	1070	<5	0.6	0.93	<5	55	<5	0.06	<1	4	6	6	1.53	20	0.01	60	<1	<0.01	3	160	16	<5	<20	3	0.12	<10	50	<10	<1	18
88	1071	<5	<2	1.20	<5	50	35	0.10	5	19	10	20	9.60	<10	0.07	95	<1	0.02	5	190	24	<5	<20	8	0.60	50	193	<10	<1	52
89	1072	<5	0.4	0.65	<5	25	<5	0.05	1	2	8	5	1.13	20	0.03	157	2	<0.01	3	200	6	<5	<20	4	0.03	<10	24	<10	<1	18
90	1073	<5	<2	0.73	<5	40	20	0.33	1	15	5	8	2.34	<10	0.55	193	<1	0.06	9	500	16	<5	<20	18	0.31	20	48	<10	2	27
91	1074	<5	1.0	0.86	<5	90	<5	1.05	3	7	3	18	1.47	<10	0.17	61	<1	0.03	9	520	8	<5	<20	32	0.09	10	25	<10	6	33
92	1075	<5	<2	1.97	<5	130	15	0.47	2	15	31	35	6.91	<10	0.27	275	<1	0.03	11	510	14	<5	<20	28	0.28	<10	143	<10	<1	34
93	1076	<5	0.4	2.12	<5	60	<5	0.29	2	24	25	43	7.80	<10	0.20	1206	4	<0.01	13	830	4	<5	<20	11	0.07	<10	100	<10	<1	41
94	1077	5	0.4	1.13	<5	65	<5	0.43	5	7	13	26	3.74	<10	0.16	409	4	0.02	14	630	<2	<5	<20	28	0.05	<10	55	<10	<1	30
95	1078	<5	<2	3.09	90	120	10	0.31	1	33	52	39	6.46	<10	0.70	1825	<1	0.04	23	590	18	<5	<20	28	0.18	<10	125	<10	4	93


Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	1079	<5	<2	3.12	100	135	<5	0.31	3	32	53	39	6.54	<10	0.71	1844	8	0.04	28	510	14	25	<20	36	0.16	<10	128	<10	2	94
97	1080	5	0.8	1.60	5	90	20	0.23	1	11	40	34	7.58	<10	0.19	246	5	<0.1	17	530	16	<5	<20	10	0.12	<10	157	<10	<1	75
98	1081	<5	0.2	1.32	65	80	10	0.16	2	12	31	36	4.72	<10	0.35	462	2	0.02	18	410	14	<5	<20	8	0.10	<10	101	<10	<1	77
99	1082	<5	<2	2.93	115	90	10	0.08	<1	17	50	75	8.38	<10	0.27	385	4	<0.1	22	800	32	<5	<20	3	0.24	<10	138	<10	7	126
100	1083	5	0.2	2.46	70	65	10	0.18	1	17	49	57	8.21	<10	0.56	541	7	0.01	29	750	26	<5	<20	7	0.14	<10	117	<10	3	156
101	1084	<5	1.4	2.82	70	65	10	0.08	<1	15	48	43	7.37	<10	0.35	855	3	<0.1	21	730	28	<5	<20	6	0.16	<10	109	<10	<1	108
102	1085	<5	1.4	1.94	75	95	15	0.13	<1	10	37	36	7.52	<10	0.24	372	8	<0.1	15	600	20	<5	<20	10	0.08	<10	118	<10	<1	110
103	1086	<5	0.8	1.49	35	120	10	0.41	2	13	38	36	5.11	<10	0.24	501	4	0.01	18	950	14	<5	<20	21	0.07	<10	105	<10	<1	61
104	1087	<5	1.0	3.00	30	90	5	0.33	3	45	69	71	5.56	<10	0.99	1707	7	<0.1	76	880	26	<5	<20	8	0.04	<10	60	<10	10	223
105	1088	<5	<2	0.95	<5	40	5	0.49	<1	16	11	16	2.56	<10	0.48	245	<1	0.07	11	660	14	<5	<20	31	0.30	30	63	<10	2	31
106	1089	<5	<2	0.83	<5	45	15	0.33	1	11	15	19	2.48	<10	0.08	99	<1	0.01	6	390	16	<5	<20	10	0.33	<10	112	<10	2	26
107	1090	<5	0.6	3.00	30	110	<5	2.29	4	34	27	104	5.29	<10	0.81	2142	<1	0.12	23	1060	16	<5	<20	67	0.18	<10	104	<10	28	148
108	1091	<5	0.8	2.81	20	85	<5	2.03	3	24	25	77	4.75	<10	0.27	1537	3	0.01	21	830	16	<5	<20	43	0.07	<10	71	<10	21	132
109	1092	<5	2.4	2.92	50	100	5	0.59	3	17	15	58	7.08	<10	0.04	418	13	0.02	15	980	30	<5	<20	18	0.02	<10	29	<10	8	227
110	1093	<5	<2	2.11	5	120	15	0.04	1	9	36	41	8.93	<10	0.15	188	7	<0.1	23	430	18	<5	<20	7	0.08	20	104	<10	<1	89
111	1094	<5	<2	1.86	35	85	10	0.09	2	11	45	38	7.71	<10	0.70	424	8	<0.1	34	340	18	<5	<20	8	0.07	<10	76	<10	<1	140
112	1095	<5	1.0	2.34	65	115	5	1.22	3	17	32	54	6.08	<10	0.54	1067	7	0.01	32	940	20	<5	<20	28	0.06	<10	74	<10	9	259
113	1096	<5	1.2	2.47	25	85	15	0.44	2	10	21	30	8.35	<10	0.07	333	6	0.01	8	520	34	<5	<20	20	0.09	<10	46	<10	16	79
114	1097	<5	0.6	0.84	50	70	<5	4.45	3	7	15	50	1.24	<10	0.38	1164	<1	0.07	23	610	4	15	<20	84	0.07	<10	20	<10	7	33
115	1098	<5	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
116	1099	<5	1.2	3.52	<5	75	20	0.10	1	11	45	25	10.60	<10	0.29	253	9	<0.1	19	460	30	<5	<20	12	0.10	30	64	<10	<1	75
117	1100	<5	14.4	1.69	70	115	10	1.64	3	9	12	21	3.05	10	0.11	93	<1	0.01	13	330	16	<5	<20	40	0.24	<10	40	<10	15	52
118	1101	5	0.8	1.85	<5	60	15	0.10	<1	8	29	17	7.41	<10	0.10	86	3	<0.1	9	260	26	<5	<20	4	0.13	20	97	<10	<1	52
119	1102	<5	1.8	2.36	30	65	20	0.09	<1	11	26	20	11.40	<10	<0.1	146	6	<0.1	5	350	32	<5	<20	10	0.18	50	79	<10	<1	55
120	1103	5	12.2	1.59	125	80	20	0.44	<1	27	11	54	10.80	<10	0.88	441	6	0.13	17	1160	22	<5	<20	37	0.25	10	107	<10	<1	217
121	1104	<5	1.2	1.85	230	120	5	0.90	6	20	25	46	5.60	<10	0.77	1558	5	0.03	38	960	16	5	<20	31	0.05	<10	60	<10	6	512
122	1105	5	4.6	3.37	65	135	25	0.05	2	12	65	36	14.00	<10	0.20	215	12	<0.1	20	340	32	<5	<20	5	0.09	40	87	<10	<1	170
123	1106	<5	<2	0.80	<5	35	20	0.25	1	21	18	12	3.21	<10	0.53	152	<1	0.05	14	220	12	<5	<20	17	0.60	<10	163	<10	2	27
124	1107	<5	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
125	1108	5	2.0	3.17	<5	65	10	0.02	<1	9	32	25	5.41	<10	0.42	395	6	<0.1	23	310	34	<5	<20	<1	0.06	<10	46	<10	4	165
126	1109	<5	1.6	2.29	<5	165	5	0.95	5	30	25	21	5.79	<10	0.43	4572	5	0.04	32	880	18	<5	<20	39	0.08	<10	48	<10	3	245
127	1110	<5	<2	4.04	<5	125	30	0.09	<1	15	21	14	7.50	<10	0.10	157	<1	0.01	11	380	28	<5	<20	7	0.53	20	89	<10	<1	23
128	1111	5	<2	0.59	<5	25	10	0.17	1	10	6	5	1.78	<10	0.34	125	<1	0.05	7	260	6	<5	<20	12	0.22	<10	39	<10	<1	16
129	1112	<5	<2	0.91	<5	40	20	0.05	1	10	10	11	7.57	<10	<0.1	80	6	0.01	5	230	14	<5	<20	7	0.21	30	166	<10	<1	30
130	1113	<5	<2	0.71	<5	25	<5	0.07	1	8	14	15	2.81	<10	0.06	82	3	<0.1	10	120	10	<5	<20	6	0.12	<10	91	<10	<1	47
131	1114	5	<2	0.48	<5	20	5	0.04	<1	4	2	4	0.99	10	<0.1	24	<1	<0.1	2	120	64	<5	<20	<1	0.17	<10	21	<10	1	9

NOTE: n/s = Not enough sample

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Repeat:																															
1	0525	<5	<2	2.70	25	55	15	0.09	<1	20	16	18	7.29	<10	0.68	590	52	<0.1	12	840	24	<5	<20	6	0.04	<10	59	<10	5	122	
9	0533	-	1.6	3.09	<5	35	10	0.04	<1	7	3	18	7.84	20	0.08	308	7	0.05	7	330	38	<5	<20	1	0.16	<10	18	<10	46	66	
10	0534	<5	0.2	2.50	<5	45	<5	0.04	<1	12	22	27	4.54	<10	0.55	1058	6	<0.1	16	420	24	<5	<20	4	0.05	<10	54	<10	6	68	
19	0544	<5	<2	2.26	<5	65	20	0.17	2	13	15	21	8.13	<10	0.37	263	<1	0.03	11	330	26	<5	<20	13	0.24	10	95	<10	<1	40	
28	1011	<5	0.4	2.96	<5	85	15	0.33	1	10	34	26	7.27	<10	0.33	233	6	0.02	12	580	22	<5	<20	18	0.05	<10	90	<10	2	86	
36	1019	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
42	1025	-	<2	0.66	<5	65	<5	0.62	<1	8	5	13	1.58	<10	0.22	61	<1	0.03	8	680	6	<5	<20	51	0.09	<10	28	<10	6	19	
45	1028	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
51	1034	-	0.4	3.32	<5	145	30	0.21	2	24	100	39	10.40	<10	0.51	290	<1	0.01	24	380	18	<5	<20	20	0.45	<10	276	<10	3	46	
54	1037	<5	<2	2.38	<5	105	15	0.90	2	75	21	41	5.42	<10	0.89	3251	<1	0.11	24	630	14	<5	<20	56	0.23	<10	89	<10	3	80	
63	1046	<5	0.6	2.61	10	170	5	0.03	1	13	35	32	5.85	<10	0.38	680	9	<0.1	27	310	32	<5	<20	<1	0.03	<10	69	<10	5	191	
71	1054	<5	0.2	2.15	<5	65	15	0.05	1	11	44	27	7.81	<10	0.23	221	6	<0.1	17	330	20	<5	<20	4	0.10	<10	136	<10	<1	106	
80	1063	<5	3.4	8.04	<5	70	30	0.35	1	26	110	34	11.90	<10	0.55	535	<1	<0.1	26	700	38	<5	<20	8	0.33	20	136	<10	<1	85	
89	1072	<5	0.4	0.44	<5	25	<5	0.05	1	2	6	5	1.00	20	0.02	152	1	<0.1	3	210	6	<5	<20	4	0.02	<10	25	<10	<1	17	
98	1081	<5	0.2	1.35	70	75	5	0.17	1	12	32	37	4.75	<10	0.36	462	2	0.02	19	430	16	<5	<20	9	0.10	<10	101	<10	<1	76	
106	1089	<5	<2	0.79	<5	40	15	0.44	<1	12	14	19	2.28	<10	0.09	106	<1	0.01	6	410	18	<5	<20	11	0.33	10	110	<10	1	26	
115	1098	<5	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	
124	1107	<5	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	
Standard:																															
GEO'95		150	1.4	1.74	60	150	<5	1.71	<1	17	58	83	3.63	<10	0.84	626	<1	0.01	23	620	20	<5	<20	54	0.07	<10	74	<10	3	73	
GEO'95		150	1.4	1.76	60	150	<5	1.75	<1	17	61	82	3.65	<10	0.86	622	<1	0.01	25	640	20	<5	<20	57	0.08	<10	77	<10	4	71	
GEO'95		145	1.0	1.69	65	140	<5	1.72	<1	19	62	80	3.22	<10	0.79	573	<1	<0.1	22	680	18	5	<20	61	0.07	<10	76	<10	3	73	
GEO'95		150	1.2	1.60	60	160	<5	1.65	<1	17	53	82	3.85	<10	0.89	658	1	0.01	26	670	18	10	<20	50	0.07	<10	68	<10	4	72	
GEO'95		150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE: Sample - 0537 - Missing
n/s = Not enough sample

dl/563/654
 XLS/95Canamera


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

17-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-567
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

82 Soil samples received August 2, 1995
Project #: FD5CA0011
Shipment #: 7
P.O. #: 1997

Values in ppm unless otherwise reported


Et #.	Tag #	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	0537	5	0.4	2.29	45	160	10	0.80	13	33	11	130	8.28	<10	1.15	3403	83	0.05	198	1190	14	<5	<20	40	0.11	<10	67	<10	16	1069
2	0550	<5	<2	1.78	<5	120	10	1.51	8	11	18	37	3.14	<10	0.61	884	18	0.02	87	930	12	<5	<20	73	0.10	<10	50	<10	7	566
3	0551	5	<2	1.74	5	120	<5	1.64	8	11	18	40	2.92	<10	0.59	767	18	0.02	91	950	14	<5	<20	76	0.07	<10	48	<10	6	581
4	0552	<5	<2	1.66	60	80	<5	1.52	30	15	12	147	2.25	<10	0.38	393	45	0.03	159	1120	14	5	<20	70	0.14	<10	41	<10	18	721
5	0553	<5	<2	2.26	<5	75	10	0.12	2	9	25	28	6.71	<10	0.33	273	8	0.01	18	2060	16	<5	<20	7	0.05	<10	111	<10	<1	67
6	0554	<5	0.4	2.28	<5	65	15	0.06	1	14	26	17	7.02	<10	0.30	1390	5	<0.1	13	880	20	<5	<20	6	0.13	<10	96	<10	<1	51
7	0555	<5	<2	2.14	<5	135	20	1.00	1	22	10	29	6.23	<10	1.19	931	<1	0.15	12	1520	14	<5	<20	107	0.26	<10	82	<10	14	86
8	0556	<5	<2	2.06	<5	55	20	0.13	<1	11	14	15	6.37	<10	0.55	405	4	0.02	12	510	22	<5	<20	9	0.15	<10	69	<10	3	58
9	0557	5	<2	0.92	<5	50	<5	0.22	<1	2	10	<1	1.02	<10	0.04	23	<1	0.02	3	760	4	<5	<20	43	0.04	<10	20	<10	4	5
10	0558	<5	0.6	3.24	<5	100	20	0.08	2	11	18	27	8.90	<10	0.47	370	13	0.01	23	830	28	<5	<20	8	0.08	<10	73	<10	<1	82
11	0559	5	0.2	3.60	5	60	15	0.06	<1	14	17	28	7.28	10	0.34	1415	9	0.04	13	1050	32	<5	<20	4	0.14	<10	49	<10	12	110
12	0560	5	0.2	3.78	20	50	5	0.12	<1	14	21	28	6.28	30	0.46	581	7	0.02	15	770	30	<5	<20	5	0.13	<10	59	<10	51	96
13	0561	<5	0.4	3.72	55	95	20	0.05	1	15	17	25	11.70	<10	0.55	975	18	<0.1	8	1350	22	<5	<20	4	0.07	<10	70	<10	<1	131
14	0562	<5	0.6	3.04	10	75	10	0.14	<1	20	23	31	7.33	<10	0.58	2342	8	0.01	20	1740	28	<5	<20	9	0.10	<10	68	<10	5	91
15	0563	<5	<2	3.85	<5	85	10	0.22	2	16	50	45	6.03	10	1.07	692	4	0.02	33	1510	20	<5	<20	11	0.12	<10	113	<10	18	96
16	0564	<5	<2	2.65	<5	80	15	0.09	<1	13	23	22	6.66	<10	0.65	390	7	0.02	19	550	20	<5	<20	8	0.13	<10	95	<10	<1	76
17	0565	5	1.4	3.68	<5	40	15	0.06	<1	8	13	20	6.29	30	0.21	281	7	0.03	7	710	38	<5	<20	2	0.14	<10	46	<10	22	53
18	0566	<5	<2	3.55	10	50	20	0.11	<1	11	28	27	6.58	<10	0.48	283	6	0.02	15	1330	30	<5	<20	6	0.15	<10	81	<10	8	70
19	0567	5	<2	3.65	<5	80	10	0.22	1	12	30	38	5.55	20	0.71	289	1	0.02	22	1250	26	<5	<20	10	0.14	<10	81	<10	22	158
20	0568	5	<2	3.68	25	75	15	0.26	<1	50	52	105	7.86	<10	1.21	2252	<1	0.03	42	2500	22	<5	<20	11	0.22	<10	145	<10	18	130
21	0569	<5	1.4	5.46	15	50	15	0.05	<1	8	13	26	5.99	20	0.05	307	6	0.02	4	700	44	<5	<20	1	0.11	<10	23	<10	12	43
22	0570	5	<2	2.88	<5	50	10	0.06	<1	11	26	24	5.90	<10	0.71	467	6	<0.1	23	400	22	<5	<20	1	0.05	<10	62	<10	<1	75
23	0571	<5	<2	2.97	<5	125	15	0.29	1	20	14	6	6.78	<10	0.93	1063	38	0.02	10	990	18	<5	<20	28	0.03	<10	79	<10	7	126
24	0575	<5	0.4	3.60	<5	60	15	0.08	<1	10	22	18	5.95	<10	0.33	317	5	0.02	14	580	32	<5	<20	6	0.16	<10	65	<10	6	58
25	0576	<5	<2	2.65	<5	65	15	0.13	1	21	17	23	7.73	<10	0.78	1245	24	0.03	12	1510	18	<5	<20	16	0.07	<10	77	<10	<1	93

Et #.	Tag #	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	0577	<5	<2	3.58	10	80	10	0.19	<1	20	25	48	5.59	50	0.93	738	10	0.01	21	1060	24	<5	<20	23	0.08	<10	85	<10	77	115
27	0578	<5	<2	2.55	5	115	5	0.40	<1	10	21	26	3.51	20	0.84	314	18	0.02	16	970	22	<5	<20	30	0.07	<10	69	<10	23	92
28	0579	<5	0.4	2.39	20	75	10	0.10	2	19	11	60	7.00	<10	0.95	1030	28	0.01	44	960	18	<5	<20	8	0.10	<10	89	<10	6	414
29	0580	<5	1.4	3.88	<5	70	15	0.05	1	8	16	17	7.47	<10	0.11	166	4	0.01	7	840	32	<5	<20	12	0.13	<10	47	<10	<1	42
30	0581	<5	1.8	4.15	<5	45	25	0.07	<1	9	10	38	8.52	30	0.13	289	6	0.05	16	560	42	<5	<20	1	0.16	<10	30	<10	23	145
31	0583	<5	0.4	3.43	<5	85	25	0.07	2	9	17	15	9.73	<10	0.06	181	6	0.02	5	620	38	<5	<20	6	0.20	<10	72	<10	<1	43
32	0584	<5	<2	3.24	<5	70	15	0.07	2	12	27	24	7.83	20	0.44	681	9	0.02	15	640	32	<5	<20	5	0.13	<10	92	<10	17	89
33	0585	<5	0.6	3.58	<5	55	25	0.06	2	9	16	21	8.88	<10	0.17	488	12	0.02	10	590	34	<5	<20	2	0.13	<10	57	<10	5	92
34	0586	<5	<2	2.92	25	135	15	0.39	1	20	26	52	6.03	20	0.90	1351	4	0.01	44	1210	22	<5	<20	17	0.07	<10	80	<10	22	181
35	0587	<5	2.6	5.09	20	135	20	0.12	<1	13	13	58	11.70	30	0.28	382	34	0.04	21	560	38	<5	<20	3	0.11	<10	38	<10	56	222
36	0590	<5	1.2	3.54	15	75	15	0.11	<1	10	23	28	5.55	<10	0.43	426	6	0.02	16	790	26	<5	<20	7	0.07	<10	61	<10	4	69
37	0591	<5	0.4	2.74	<5	60	20	0.20	2	12	14	13	7.45	<10	0.35	325	4	0.05	8	810	30	<5	<20	17	0.18	<10	86	<10	3	48
38	0592	<5	<2	3.08	10	50	5	0.13	<1	10	24	33	5.57	<10	0.66	411	4	<0.01	21	860	22	<5	<20	5	0.09	<10	64	<10	4	87
39	0593	<5	<2	2.30	<5	85	45	0.15	2	15	20	15	> 15	<10	0.06	228	11	0.02	8	490	30	<5	<20	13	0.31	<10	88	<10	<1	47
40	0594	<5	0.4	3.96	<5	45	15	0.10	1	13	27	23	7.02	10	0.37	693	7	0.04	11	1080	28	<5	<20	6	0.14	<10	64	<10	16	66
41	0595	5	<2	3.62	10	90	15	0.24	<1	14	22	21	5.09	160	0.44	559	4	0.06	19	1120	26	<5	<20	8	0.15	<10	52	<10	179	130
42	0596	<5	0.2	3.83	<5	65	15	0.10	<1	11	26	11	6.93	30	0.51	423	6	0.03	18	810	32	<5	<20	3	0.12	<10	67	<10	21	108
43	0597	<5	<2	3.13	<5	55	10	0.24	<1	11	25	16	6.58	<10	0.34	184	<1	0.06	9	690	30	<5	<20	21	0.23	<10	92	<10	6	41
44	0598	<5	<2	4.34	<5	60	15	0.10	<1	11	29	27	6.00	20	0.26	300	3	0.02	17	620	26	<5	<20	6	0.13	<10	64	<10	30	70
45	0599	<5	0.6	3.19	<5	40	25	0.07	1	10	13	16	8.35	20	0.07	410	7	0.02	5	440	38	<5	<20	5	0.23	<10	60	<10	10	46
46	0600	<5	<2	3.08	<5	45	35	0.09	1	14	28	17	8.80	<10	0.30	376	3	0.02	11	490	30	<5	<20	3	0.25	<10	100	<10	7	52
47	0601	<5	1.0	4.36	<5	40	15	0.08	1	8	18	16	7.15	20	0.10	207	7	0.05	6	730	38	<5	<20	<1	0.17	<10	44	<10	14	45
48	0602	<5	<2	3.84	<5	100	25	0.04	2	13	38	40	11.00	<10	0.47	482	9	<0.01	20	930	26	<5	<20	1	0.09	<10	131	<10	<1	73
49	0603	<5	<2	2.12	<5	135	10	0.61	<1	17	7	28	5.63	<10	1.01	886	2	<0.01	7	1910	14	<5	<20	64	0.10	<10	63	<10	10	87
50	0604	<5	0.4	2.67	<5	75	15	0.06	<1	7	15	11	9.55	<10	0.03	114	8	<0.01	4	860	32	<5	<20	4	0.11	<10	63	<10	<1	23
51	0605	5	<2	4.58	<5	70	25	0.28	1	17	55	33	7.06	20	0.72	247	<1	0.03	24	1220	26	<5	<20	14	0.35	<10	133	<10	35	74
52	0606	<5	1.0	3.43	15	30	<5	0.10	<1	5	7	10	2.28	50	0.08	113	<1	0.07	6	480	48	<5	<20	3	0.16	<10	24	<10	49	56
53	0607	<5	1.2	1.69	<5	90	15	0.12	<1	12	13	4	4.94	10	0.10	646	<1	0.02	5	510	32	<5	<20	9	0.23	<10	69	<10	7	32
54	0608	<5	0.4	2.63	<5	70	30	0.06	2	11	7	11	12.90	<10	<0.01	252	12	0.02	3	510	38	<5	<20	7	0.24	<10	68	<10	<1	39
55	0609	<5	<2	2.90	<5	100	15	0.29	1	14	22	22	8.59	<10	0.78	348	4	0.07	18	1070	14	<5	<20	28	0.12	<10	103	<10	<1	73
56	0610	<5	<2	4.03	<5	55	15	0.15	<1	11	39	15	5.99	<10	0.22	200	<1	0.02	8	700	18	<5	<20	9	0.22	<10	98	<10	4	40
57	0611	<5	0.6	4.75	10	60	10	0.27	<1	8	26	32	4.46	70	0.28	327	3	0.04	11	1510	26	<5	<20	17	0.14	<10	45	<10	95	58
58	0612	<5	2.0	3.87	<5	55	25	0.11	2	8	9	8	10.40	<10	0.02	336	12	0.03	3	870	30	<5	<20	7	0.08	<10	29	<10	<1	39
59	0613	<5	0.8	2.30	<5	65	30	0.06	1	14	21	20	11.40	<10	0.39	514	11	0.01	14	360	28	<5	<20	5	0.19	<10	78	<10	<1	60
60	0614	<5	<2	1.39	<5	50	15	0.31	<1	11	25	5	3.70	<10	0.25	106	<1	0.06	7	760	16	<5	<20	24	0.31	<10	127	<10	5	18

Et #	Tag #	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	0615	<5	<2	1.87	<5	55	15	0.06	1	8	14	12	5.32	<10	0.25	201	3	<0.01	12	640	24	<5	<20	4	0.12	<10	69	<10	1	41
62	0616	5	0.4	4.31	20	85	15	0.21	1	32	29	49	6.55	30	0.49	1563	3	0.02	22	1010	32	<5	<20	8	0.17	<10	77	<10	38	164
63	0617	<5	<2	3.59	<5	65	10	0.70	2	56	31	21	6.83	<10	0.76	2481	6	0.04	16	1180	18	<5	<20	20	0.11	<10	124	<10	9	138
64	0618	<5	0.4	3.49	15	70	20	0.48	2	27	32	32	6.77	30	0.51	1833	2	0.02	19	670	26	<5	<20	12	0.21	<10	130	<10	30	93
65	0640	<5	<2	2.77	10	205	10	0.23	1	23	31	68	6.05	<10	0.90	1192	4	0.01	41	1300	28	<5	<20	17	0.06	<10	86	<10	13	142
66	0641	5	0.4	3.14	10	60	10	0.10	1	19	21	33	6.43	20	0.50	1229	6	0.02	15	1140	26	<5	<20	6	0.13	<10	65	<10	23	82
67	0642	<5	3.0	4.51	25	140	5	0.16	<1	7	9	16	2.29	70	0.24	176	<1	0.06	20	450	48	<5	<20	9	0.14	<10	30	<10	59	88
68	0643	<5	0.8	5.44	10	60	10	0.07	<1	13	17	19	5.84	20	0.21	540	8	0.02	10	950	32	<5	<20	5	0.07	<10	36	<10	11	65
69	0644	<5	0.8	2.57	<5	50	15	0.06	1	12	13	14	8.63	20	0.18	651	7	0.04	9	270	36	<5	<20	2	0.25	<10	40	<10	12	75
70	0645	<5	1.2	4.07	<5	40	20	0.05	<1	8	9	16	7.59	20	0.07	145	6	0.05	4	740	44	<5	<20	<1	0.18	<10	37	<10	19	46
71	0646	<5	<2	1.70	25	40	15	0.25	1	8	12	<1	3.04	<10	0.08	25	<1	0.02	4	760	12	<5	<20	19	0.23	<10	64	<10	8	14
72	0647	<5	0.2	1.86	<5	70	15	0.13	<1	13	25	26	7.17	<10	0.62	711	7	0.01	21	2370	18	<5	<20	6	0.11	<10	85	<10	<1	84
73	0648	<5	0.6	4.62	10	40	15	0.05	<1	6	11	11	6.10	10	0.11	295	9	0.03	4	770	36	<5	<20	<1	0.09	<10	26	<10	6	44
74	0649	5	0.6	3.50	<5	40	25	0.05	<1	7	13	14	8.63	20	0.04	225	11	0.04	4	520	40	<5	<20	1	0.15	<10	29	<10	8	45
75	0650	5	0.2	3.50	15	65	10	0.08	1	18	23	29	6.45	<10	0.63	880	6	<0.01	22	820	22	<5	<20	2	0.06	<10	64	<10	9	112
76	0651	<5	0.8	4.47	<5	50	10	0.08	2	10	19	32	6.91	20	0.29	747	11	0.04	13	1230	30	<5	<20	4	0.06	<10	47	<10	22	88
77	0652	<5	1.6	4.86	<5	55	25	0.03	2	9	10	11	11.10	<10	0.03	207	12	0.01	4	780	44	<5	<20	2	0.16	<10	36	<10	<1	41
78	0653	<5	<2	2.81	<5	60	20	0.12	2	14	31	19	9.92	<10	0.31	427	12	0.03	11	390	24	<5	<20	11	0.22	<10	118	<10	<1	49
79	0654	<5	<2	6.53	65	70	15	0.44	<1	19	68	55	5.91	<10	0.55	394	<1	0.04	18	710	20	<5	<20	19	0.20	<10	115	<10	11	49

Et #.	Tag #	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
<i>Repeat:</i>																															
1	0537	<5	0.6	2.25	40	150	10	0.82	12	31	11	125	8.69	<10	1.08	3246	76	0.05	188	1140	12	<5	<20	42	0.11	<10	64	<10	15	970	
10	0558	<5	0.4	3.16	<5	95	20	0.06	2	10	19	24	8.75	<10	0.50	334	12	0.01	21	800	28	<5	<20	7	0.08	<10	75	<10	<1	78	
19	0567	5	<2	3.58	15	75	15	0.21	1	12	30	38	5.37	20	0.71	288	2	0.02	22	1220	24	<5	<20	-8	0.13	<10	79	<10	22	154	
28	0579	<5	0.6	2.52	5	80	10	0.10	2	20	11	62	7.50	<10	0.97	1070	30	0.01	45	960	18	<5	<20	11	0.10	<10	91	<10	6	435	
36	0590	<5	1.8	3.90	<5	85	15	0.09	1	9	22	30	5.83	<10	0.36	389	6	0.02	15	820	24	<5	<20	10	0.07	<10	59	<10	4	65	
45	0599	<5	0.6	3.18	<5	40	20	0.07	1	10	14	15	8.28	20	0.07	368	8	0.02	4	430	38	<5	<20	3	0.20	<10	58	<10	9	44	
54	0608	<5	0.4	2.65	<5	65	35	0.06	1	12	8	12	13.10	<10	<0.01	280	13	0.02	3	490	38	<5	<20	5	0.23	<10	70	<10	<1	43	
63	0617	<5	<2	3.56	<5	60	15	0.70	2	55	30	22	6.57	<10	0.70	2423	6	0.03	14	1210	22	<5	<20	17	0.10	<10	121	<10	10	134	
71	0646	<5	<2	1.76	20	40	15	0.26	1	9	12	<1	2.89	<10	0.05	23	<1	0.03	4	740	10	<5	<20	19	0.30	<10	66	<10	9	14	
80	3001	-	1.2	2.06	15	205	<5	0.55	8	27	21	62	6.01	<10	0.61	1819	10	0.04	65	1640	18	<5	<20	50	0.04	<10	54	<10	12	484	
Standard:																															
GEO'95		150	1.2	2.00	55	180	5	1.80	<1	21	65	78	4.53	<10	1.04	779	<1	0.02	22	720	18	<5	<20	65	0.12	<10	88	<10	5	76	
GEO'95		150	1.2	1.90	80	180	<5	1.80	<1	20	66	80	4.38	<10	1.03	732	<1	0.02	24	710	20	<5	<20	64	0.11	<10	85	<10	5	81	
GEO'95		150	1.2	1.80	75	180	<5	1.79	<1	20	62	82	4.30	<10	1.03	742	<1	0.02	22	710	20	10	<20	58	0.09	<10	80	<10	4	78	

df/567
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

8-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-557
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

21 rock samples received August 2, 1995
Project #: FD5CA0011
Shipment #: 8
P.O. #: 5751
Samples submitted by: T. Drown


Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	7386	10	4.8	1.38	855	45	10	0.39	<1	13	74	74	8.91	<10	1.16	522	22	<.01	2	1420	24	<5	<20	17	<.01	<10	88	<10	<1	143
-	7387	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
2	7388	115	12.6	1.09	245	35	10	0.21	<1	9	95	31	6.15	<10	0.85	473	12	<.01	4	830	20	<5	<20	11	<.01	<10	72	<10	<1	95
3	7389	150	13.0	1.40	400	40	10	0.49	<1	10	78	33	7.79	<10	1.13	531	14	<.01	2	1730	26	<5	<20	23	<.01	<10	113	<10	2	106
4	7390	125	11.8	1.86	360	60	5	0.44	<1	9	46	32	8.20	<10	1.67	741	9	<.01	2	1740	24	<5	<20	18	<.01	<10	144	<10	2	82
5	7391	90	15.2	0.59	215	30	<5	0.25	<1	8	97	42	6.40	<10	0.42	283	14	<.01	3	970	20	<5	<20	10	<.01	<10	37	<10	2	92
6	7392	170	>30	0.54	650	40	<5	0.23	<1	14	71	129	13.90	<10	0.29	339	33	<.01	6	680	188	85	<20	9	<.01	<10	40	<10	<1	186
7	7393	5	4.2	0.83	115	35	<5	0.36	<1	6	87	41	5.95	<10	0.64	402	13	<.01	3	1160	14	<5	<20	9	<.01	<10	67	<10	5	89
8	7394	10	4.8	1.93	90	40	10	0.40	<1	8	46	55	9.61	<10	1.68	844	11	<.01	2	1370	16	<5	<20	15	<.01	<10	100	<10	1	164
9	7467	845	23.4	0.12	470	15	<5	0.12	<1	5	139	32	3.66	<10	<.01	74	23	<.01	18	500	56	55	<20	6	<.01	<10	6	<10	<1	37
10	7468	>1000	>30	0.09	830	15	<5	0.05	<1	4	124	66	4.91	<10	<.01	76	18	<.01	14	170	100	135	<20	2	<.01	<10	3	<10	<1	103
11	7469	>1000	>30	0.09	375	20	<5	0.02	<1	4	145	53	2.76	<10	<.01	93	21	<.01	15	110	90	95	<20	4	<.01	<10	3	<10	<1	69
12	7470	>1000	>30	0.23	665	20	<5	0.02	<1	6	84	42	8.11	<10	0.12	102	32	<.01	10	90	106	105	<20	1	<.01	<10	4	<10	<1	175
13	7471	>1000	>30	0.43	875	25	5	0.10	<1	7	91	48	6.79	<10	0.51	164	32	<.01	7	110	136	90	<20	7	<.01	<10	5	<10	<1	423
14	7472	380	14.4	0.32	350	20	5	0.06	<1	5	108	17	4.31	<10	0.30	121	14	<.01	7	110	64	40	<20	<1	<.01	<10	4	<10	<1	57
15	7473	395	11.2	0.15	220	20	<5	0.02	<1	4	112	15	2.91	<10	0.02	67	15	<.01	5	110	42	30	<20	1	<.01	<10	3	<10	<1	32
16	7474	375	10.2	0.12	165	35	<5	0.02	<1	4	109	16	2.01	<10	0.02	71	7	<.01	6	120	40	30	<20	6	<.01	<10	3	<10	<1	20
17	7475	505	10.6	0.12	215	35	<5	0.02	<1	3	78	15	2.29	<10	0.01	78	12	<.01	5	170	52	35	<20	3	<.01	<10	3	<10	<1	62
18	7501	10	1.8	2.23	15	65	<5	0.29	<1	8	40	55	9.10	<10	1.89	742	10	<.01	<1	1620	6	<5	<20	12	0.03	<10	115	<10	<1	85
19	7502	30	2.0	2.49	155	65	10	0.23	<1	7	34	52	9.93	<10	2.07	808	21	<.01	<1	1470	10	<5	<20	16	0.02	<10	109	<10	<1	133
20	7503	10	1.4	1.80	55	50	10	0.32	<1	7	34	58	9.15	<10	1.48	631	9	<.01	<1	1670	4	<5	<20	14	0.01	<10	84	<10	2	137
21	7504	125	12.0	2.19	70	65	5	0.30	<1	6	47	11	6.78	<10	1.54	781	8	<.01	<1	1440	24	5	<20	13	<.01	<10	102	<10	2	96

NOTE: n/s = No sample submitted

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
<i>Resplit:</i>																														
R/S 1	7386	5	5.0	1.35	795	40	5	0.36	<1	12	65	64	8.51	<10	1.17	523	20	<0.1	2	1350	22	<5	<20	15	<0.1	<10	88	<10	<1	126
<i>Repeat:</i>																														
5	7391	80	4.8	1.35	840	35	10	0.38	<1	13	73	72	8.81	<10	1.15	513	23	<0.1	3	1410	24	<5	<20	17	<0.1	<10	87	<10	<1	144
10	7468	>1000	>30	0.09	825	15	<5	0.05	<1	4	131	68	5.07	<10	<0.1	77	18	<0.1	15	160	104	145	<20	3	<0.1	<10	4	<10	<1	108
15	7473	375	1.8	2.62	160	65	15	0.24	<1	7	35	54	10.40	<10	2.17	848	21	<0.1	<1	1580	12	<5	<20	14	0.02	<10	115	<10	<1	139
20	7503	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Standard:</i>																														
GEO'95		150	1.2	1.62	70	160	<5	1.64	<1	18	57	81	3.92	<10	0.89	663	<1	0.01	27	650	20	<5	<20	53	0.09	<10	71	<10	4	76

dl/515D
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

14-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-586
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

8 Rock samples received August 4, 1995
Project #: FD5CA0011
Shipment #: 9
P.O. #: 5766

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	7387	10	3.0	1.08	165	60	5	0.34	<1	8	83	80	6.08	<10	0.84	432	12	<0.1	2	1110	22	<5	<20	16	<0.1	<10	69	<10	2	120
2	7339	5	<2	3.36	<5	35	<5	2.06	<1	39	212	83	4.16	<10	2.80	1054	<1	0.16	163	270	8	15	<20	24	0.14	<10	57	<10	5	66
3	7340	5	<2	0.42	<5	185	<5	0.09	<1	1	118	1	2.03	20	0.08	457	4	0.05	4	130	24	<5	<20	3	<0.1	<10	2	<10	6	93
4	7341	5	<2	0.14	30	70	20	0.07	<1	10	54	<1	4.14	<10	<0.1	35	<1	0.03	1	530	8	<5	<20	2	0.38	<10	15	<10	4	5
5	7342	5	<2	0.24	25	60	15	0.25	<1	5	43	<1	5.69	<10	<0.1	37	4	0.04	<1	1890	8	<5	<20	7	0.06	<10	14	<10	5	21
6	7476	455	>30	0.19	225	30	<5	0.06	<1	4	81	64	3.04	<10	0.05	83	7	<0.1	6	290	94	80	<20	10	<0.1	<10	4	<10	<1	157
7	7477	320	16.6	0.15	180	30	<5	0.03	<1	4	65	17	2.84	<10	0.02	72	10	<0.1	6	180	52	35	<20	8	<0.1	<10	3	<10	<1	132
8	7478	295	9.4	0.21	175	50	<5	0.06	<1	4	83	10	2.24	<10	0.04	99	6	<0.1	8	360	38	30	<20	7	<0.1	<10	4	<10	<1	95

QC DATA:

Resplit:

R/S 1	7387	10	3.6	1.07	175	65	<5	0.35	<1	7	84	75	6.01	<10	0.84	425	14	<0.1	2	1120	18	<5	<20	17	<0.1	<10	70	<10	2	112
-------	------	----	-----	------	-----	----	----	------	----	---	----	----	------	-----	------	-----	----	------	---	------	----	----	-----	----	------	-----	----	-----	---	-----


Repeat:

1	7387	-	3.2	1.04	180	60	<5	0.34	<1	7	83	92	6.06	<10	0.83	417	13	<0.1	4	1090	18	<5	<20	17	<0.1	<10	68	<10	2	120
3	7340	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	7478	480	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Standard:

GEO'95		150	1.2	1.80	75	180	<5	1.79	<1	20	62	82	4.30	<10	1.03	742	<1	0.02	22	710	20	10	<20	58	0.09	<10	80	<10	4	78
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

dt/567
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

17-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-587
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

80 Soil samples received August 4, 1995
PROJECT #: FDSCA0011
SHIPMENT #: 9
P.O. #: 6756
Samples submitted by: T. Drown

Values in ppm unless otherwise reported


Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	0582	<5	<2	1.82	<5	60	20	0.14	<1	10	9	20	9.08	<10	0.10	198	6	<0.01	5	440	30	<5	<20	10	0.20	10	109	<10	<1	43
2	0619	5	<2	1.52	10	60	10	0.39	2	15	12	44	4.89	<10	0.88	995	7	0.03	26	1110	12	<5	<20	25	0.06	<10	61	<10	5	134
3	0620	5	0.2	2.60	10	125	<5	0.17	<1	6	13	22	1.87	50	0.23	131	<1	0.05	11	690	34	<5	<20	13	0.13	<10	30	<10	35	66
4	0621	<5	<2	0.85	<5	70	5	0.42	<1	4	17	10	0.66	<10	0.06	41	<1	0.01	4	670	12	<5	<20	28	0.18	<10	22	<10	5	9
5	0622	<5	<2	1.67	<5	45	10	0.44	<1	12	13	11	1.93	<10	0.27	159	<1	0.11	6	600	18	<5	<20	36	0.32	<10	62	<10	8	27
6	0623	<5	<2	1.68	25	50	5	0.09	<1	4	9	5	1.01	20	0.04	36	<1	0.03	5	500	34	<5	<20	8	0.13	<10	26	<10	12	13
7	0624	<5	<2	2.01	<5	160	10	0.78	2	28	11	24	5.50	<10	0.72	810	<1	0.18	19	1230	22	<5	<20	68	0.26	<10	80	<10	13	108
8	0625	<5	<2	1.87	20	65	20	0.18	<1	14	24	12	1.42	20	0.22	95	<1	0.03	6	500	24	<5	<20	17	0.63	<10	119	<10	22	37
9	0626	5	0.6	2.15	<5	45	15	0.04	1	6	10	16	7.12	<10	<0.01	119	7	0.01	4	590	34	<5	<20	5	0.11	<10	34	<10	<1	23
10	0627	<5	1.2	2.65	<5	50	10	0.05	3	9	13	18	9.27	<10	0.08	578	15	0.01	10	600	32	<5	<20	7	0.09	<10	43	<10	<1	40
11	0628	<5	0.6	3.50	5	45	5	0.14	<1	7	18	15	5.36	<10	0.19	157	4	0.04	8	770	34	<5	<20	15	0.11	<10	46	<10	2	31
12	0629	<5	<2	2.63	20	65	5	0.09	<1	11	28	48	4.37	10	0.58	390	7	0.01	28	1130	30	<5	<20	9	0.05	<10	61	<10	29	102
13	0630	<5	0.2	2.88	35	80	5	0.13	<1	26	25	47	5.18	<10	0.61	1736	9	0.01	23	1410	30	<5	<20	8	0.07	<10	70	<10	23	117
14	0631	<5	0.6	3.03	<5	55	<5	0.06	1	10	17	24	8.11	<10	0.21	467	9	0.01	11	740	30	<5	<20	9	0.10	<10	54	<10	<1	47
15	0632	5	0.8	2.10	<5	65	5	0.22	<1	11	18	19	5.19	<10	0.21	542	4	0.02	10	520	22	<5	<20	18	0.12	<10	63	<10	16	42
16	0633	<5	0.4	2.31	<5	40	15	0.06	5	9	14	16	6.72	<10	0.08	178	7	0.01	6	380	32	<5	<20	6	0.20	<10	57	<10	6	34
17	0634	5	0.2	3.12	90	45	<5	0.07	<1	10	20	33	4.67	<10	0.41	423	7	<0.01	22	710	32	<5	<20	6	0.07	<10	59	<10	7	99
18	0635	<5	1.6	3.03	5	40	20	0.07	2	8	11	22	8.14	<10	0.09	349	11	0.02	7	520	42	<5	<20	4	0.08	<10	25	<10	<1	49
19	0636	<5	0.2	2.44	<5	35	10	0.05	<1	8	19	21	6.84	<10	0.14	201	4	0.01	6	510	32	<5	<20	8	0.18	<10	54	<10	<1	36
20	0841	<5	<2	2.96	.15	120	<5	0.66	3	15	29	34	5.18	10	0.63	830	3	0.02	36	1220	28	<5	<20	30	0.12	<10	64	<10	27	254
21	0842	<5	<2	3.59	70	85	10	0.43	<1	12	31	28	5.08	20	0.46	400	3	0.01	23	1110	30	<5	<20	15	0.11	<10	67	<10	27	149
22	0843	<5	0.6	4.24	20	195	10	0.13	1	10	44	48	7.28	10	0.39	510	11	0.01	33	860	36	<5	<20	6	0.04	<10	55	<10	44	169
23	0844	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
24	0845	<5	<2	2.98	170	80	10	0.19	<1	12	23	30	5.20	20	0.53	1761	6	<0.01	23	1760	32	<5	<20	9	0.04	<10	56	<10	30	198
25	0846	<5	0.8	3.17	45	70	5	0.12	<1	56	43	87	6.55	<10	0.83	2444	4	<0.01	39	1760	28	<5	<20	6	0.10	<10	91	<10	17	117

NOTE: n/s = No sample/ Missing from shipment

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	0882	<5	0.6	2.59	15	45	<5	0.09	<1	9	23	47	5.45	<10	0.53	320	6	0.02	17	680	60	<5	<20	9	0.10	<10	66	<10	1	83
62	0883	<5	<2	2.35	5	40	15	0.04	2	12	19	25	7.35	<10	0.41	477	8	<0.1	15	510	36	<5	<20	4	0.14	<10	71	<10	2	60
63	0884	<5	0.4	3.34	35	55	10	0.10	4	27	23	48	4.59	<10	0.64	1095	5	<0.1	29	980	36	<5	<20	<1	0.04	<10	56	<10	14	151
64	0885	<5	0.4	4.17	10	50	10	0.04	2	11	18	27	6.99	30	0.23	870	13	0.02	14	850	42	<5	<20	3	0.06	<10	38	<10	36	89
65	0886	<5	1.0	4.21	<5	20	15	0.04	2	14	10	29	5.95	20	0.11	934	9	0.02	8	700	46	<5	<20	<1	0.09	<10	23	<10	25	77
66	0887	<5	0.6	3.61	85	40	15	0.05	<1	18	18	44	5.66	20	0.44	1188	7	0.02	30	980	52	<5	<20	<1	0.08	<10	42	<10	36	273
67	0888	<5	0.6	3.41	50	55	15	0.05	<1	18	21	47	5.70	20	0.54	1248	5	0.01	37	1020	50	<5	<20	<1	0.08	<10	49	<10	41	335
68	0889	<5	<2	2.38	10	50	10	0.13	<1	15	21	28	8.03	<10	0.52	785	7	<0.1	18	910	32	<5	<20	6	0.09	<10	70	<10	<1	69
69	0890	<5	<2	2.75	10	55	10	0.05	<1	12	24	28	8.12	<10	0.57	554	7	<0.1	16	650	24	<5	<20	5	0.06	<10	88	<10	<1	62
70	0891	<5	<2	3.04	20	65	10	0.15	<1	10	20	26	5.00	10	0.32	463	4	0.02	13	1170	38	<5	<20	10	0.14	<10	50	<10	23	71
71	0892	<5	0.6	4.54	<5	30	10	0.06	<1	5	14	18	5.94	<10	0.04	224	6	0.02	3	740	34	<5	60	3	0.06	<10	18	<10	5	38
72	0893	<5	1.0	4.49	<5	30	10	0.04	<1	5	9	12	6.64	<10	<0.1	235	9	0.02	3	710	36	<5	60	<1	0.07	<10	26	<10	4	30
73	0894	<5	1.4	4.80	10	35	10	0.05	<1	9	15	19	6.61	20	0.08	656	8	0.03	7	800	42	<5	80	<1	0.08	<10	25	<10	25	48
74	0895	<5	0.4	4.80	10	225	<5	0.12	<1	17	40	87	7.60	<10	0.75	641	11	0.02	49	480	30	<5	20	10	0.02	<10	83	<10	22	171
75	0896	<5	<2	3.22	<5	60	20	0.24	<1	13	41	27	3.29	30	0.28	193	<1	0.03	13	610	32	<5	40	13	0.45	<10	74	<10	29	54
76	0897	<5	<2	2.15	15	200	<5	0.32	<1	14	28	51	4.25	10	0.67	413	20	0.01	37	770	24	<5	<20	27	0.06	<10	86	<10	21	121
77	0898	<5	1.0	3.35	<5	45	10	0.11	<1	18	28	28	5.90	<10	0.24	954	10	0.02	12	770	30	<5	40	8	0.05	<10	48	<10	<1	55
78	0899	<5	1.0	4.46	<5	85	<5	0.22	<1	6	10	30	5.49	80	0.17	180	5	0.03	14	950	38	<5	40	13	0.06	<10	28	<10	87	87
79	0900	<5	<2	1.90	<5	35	10	0.04	<1	7	8	16	5.92	10	0.07	225	6	0.02	5	320	36	<5	80	2	0.16	<10	45	<10	8	40
80	0901	<5	<2	1.93	10	150	<5	0.78	<1	22	20	103	5.77	<10	1.24	1259	3	0.02	22	1860	18	<5	<20	49	0.07	<10	107	<10	7	117

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Repeat:																															
1	0582	<5	<2	1.84	<5	60	15	0.14	1	10	9	20	9.22	<10	0.10	202	7	0.01	6	460	32	<5	<20	11	0.20	<10	109	<10	<1	45	
10	0627	<5	1.0	2.67	<5	45	15	0.05	2	9	14	18	9.13	<10	0.09	572	11	0.01	8	590	32	<5	<20	5	0.10	<10	41	<10	<1	40	
19	0636	<5	0.2	2.39	<5	30	10	0.07	<1	8	19	21	6.68	<10	0.15	199	4	0.03	7	510	34	<5	<20	6	0.18	<10	53	<10	<1	40	
28	0849	<5	<2	2.51	10	60	5	0.15	<1	15	21	42	4.69	<10	0.63	947	4	<0.01	23	1100	24	<5	<20	10	0.05	<10	58	<10	7	94	
36	0857	<5	0.4	2.50	20	65	5	0.13	<1	20	24	39	4.76	<10	0.68	1051	5	<0.01	28	1110	26	<5	<20	8	0.04	<10	63	<10	17	133	
45	0866	<5	2.6	4.30	15	60	<5	0.07	<1	10	<1	62	5.90	<10	0.05	885	8	0.05	6	480	42	<5	<20	5	0.11	<10	7	<10	17	86	
54	0875	<5	<2	2.96	20	80	10	0.16	<1	12	29	31	5.31	<10	0.59	357	5	0.01	25	990	32	<5	<20	7	0.09	<10	71	<10	8	103	
63	0884	<5	0.2	3.11	30	60	<5	0.09	<1	27	21	47	4.31	<10	0.64	1161	4	<0.01	28	940	32	<5	<20	2	0.04	<10	52	<10	15	151	
71	0892	<5	0.6	4.39	<5	25	10	0.05	<1	5	13	16	5.75	<10	0.03	214	7	0.02	4	710	36	<5	60	3	0.05	<10	17	<10	5	37	
80	0901	<5	<2	1.95	10	150	<5	0.80	1	22	21	106	5.86	<10	1.29	1289	3	0.02	23	1920	18	<5	<20	51	0.07	<10	110	<10	8	119	
Standard:																															
GEO'95		145	1.2	1.55	75	155	<5	1.57	<1	17	52	87	3.77	<10	0.85	659	<1	0.01	27	630	20	<5	<20	50	0.08	<10	67	<10	4	72	
GEO'95		150	1.0	1.59	60	145	<5	1.53	<1	18	52	85	3.77	<10	0.85	666	<1	0.01	26	640	22	15	<20	47	0.08	<10	68	<10	5	75	
GEO'95		150	1.2	1.64	70	160	<5	1.64	<1	18	57	84	3.92	<10	0.91	659	<1	0.02	25	650	20	<5	<20	56	0.09	<10	73	<10	4	73	

d1/592D/587
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

14-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-588
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9


ATTENTION: K. HICKS/ J. DUPUIS

7 Rock samples received August 4, 1995
Project #: FD5CA0011
Shipment #: 10
P.O. #: 5758

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	7479	10	1.4	2.70	170	60	<5	0.22	<1	9	30	72	4.97	<10	3.38	679	6	<.01	2	1180	56	35	<20	8	<.01	<10	76	<10	<1	84	
2	7480	5	0.6	2.66	125	70	10	0.15	<1	8	29	13	4.04	<10	3.52	619	4	<.01	2	820	20	30	<20	8	<.01	<10	65	<10	<1	48	
3	7481	20	0.8	2.43	255	60	<5	0.18	<1	9	24	12	4.62	<10	2.97	591	4	<.01	2	1090	14	20	<20	4	<.01	<10	64	<10	<1	41	
4	7482	10	1.4	2.53	75	110	5	0.23	<1	6	21	27	4.33	<10	2.93	744	4	<.01	2	1330	16	25	<20	11	<.01	<10	64	<10	<1	57	
5	7483	15	0.8	1.98	105	105	10	0.15	<1	4	33	20	3.66	<10	2.35	537	3	<.01	2	940	10	20	<20	7	<.01	<10	54	<10	<1	35	
6	7484	5	0.8	3.00	65	95	10	0.23	<1	5	21	10	5.37	<10	3.16	872	4	<.01	2	1360	12	20	<20	12	<.01	<10	64	<10	<1	67	
7	7485	45	3.2	1.14	335	60	<5	0.19	<1	8	33	57	3.51	<10	1.00	318	6	<.01	3	1000	32	15	<20	6	<.01	<10	33	<10	<1	71	
QC DATA:																															
Resplit:																															
R/S 1	7479	15	1.6	2.60	175	55	<5	0.20	<1	8	28	78	4.91	<10	3.22	655	5	<.01	2	1150	58	30	<20	8	<.01	<10	73	<10	<1	83	
Repeat:																															
1	7479	-	1.6	2.66	160	55	10	0.21	<1	9	28	74	4.92	<10	3.30	665	5	<.01	2	1160	58	30	<20	6	<.01	<10	74	<10	<1	85	
3	7481	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	7484	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																															
GEO'95		150	1.2	1.80	75	180	<5	1.79	<1	20	62	82	4.30	<10	1.03	742	<1	0.02	22	710	20	10	<20	58	0.09	<10	80	<10	4	78	

df/567
XLS/95Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

20-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-589
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

100 Soil sample received August 4, 1995

PROJECT #: FD5CA0011

SHIPMENT#: 10

P.O. #: 5758

Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	1115	<5	<2	1.99	10	115	15	1.30	1	38	27	35	6.47	<10	0.16	518	<1	0.04	10	500	18	<5	<20	34	0.33	<10	195	<10	10	46
2	1116	<5	<2	3.13	85	65	5	0.18	<1	24	36	56	6.11	<10	0.63	731	11	<0.1	39	700	26	<5	<20	4	0.03	<10	82	<10	8	252
3	1117	5	0.4	1.85	20	95	10	0.11	1	10	32	37	6.97	<10	0.35	237	10	0.03	20	590	16	<5	<20	12	0.06	<10	110	<10	<1	141
4	1118	<5	0.4	1.09	20	60	5	0.10	<1	8	13	19	3.80	<10	0.16	178	4	0.02	10	570	14	<5	<20	7	0.08	<10	97	<10	<1	54
5	1119	<5	2.6	2.17	5	95	10	0.14	1	9	34	32	7.17	<10	0.29	283	8	0.02	17	730	18	<5	<20	17	0.08	<10	91	<10	<1	96
6	1120	10	1.6	1.94	15	90	5	0.11	<1	8	35	31	7.84	<10	0.20	280	9	<0.1	16	610	20	<5	<20	10	0.06	<10	87	<10	<1	70
7	1121	<5	<2	1.33	25	65	10	0.06	<1	7	18	27	4.33	<10	0.07	80	7	0.02	10	380	20	<5	<20	5	0.11	<10	214	<10	<1	64
8	1122	<5	1.6	2.84	10	280	<5	0.72	6	22	33	44	5.31	10	0.46	8296	5	0.01	32	2170	24	<5	<20	18	0.08	<10	59	<10	19	228
9	1123	5	0.4	3.00	<5	65	20	0.33	1	18	52	26	6.92	<10	0.18	297	<1	0.01	12	510	16	<5	<20	16	0.35	<10	190	<10	2	34
10	1124	<5	3.2	2.63	25	80	10	0.05	<1	11	46	28	8.60	<10	0.24	315	10	<0.1	17	400	26	<5	<20	3	0.08	<10	137	<10	<1	92
11	1125	5	3.2	1.13	<5	70	20	0.18	<1	18	21	19	4.45	<10	0.20	139	<1	0.04	8	340	18	<5	<20	16	0.51	<10	254	<10	4	24
12	1126	<5	<2	1.56	<5	75	20	0.73	1	30	6	14	4.74	<10	1.30	363	<1	0.19	17	590	10	<5	<20	61	0.59	<10	92	<10	9	41
13	1127	<5	<2	1.10	<5	65	15	0.44	<1	15	15	17	2.82	<10	0.45	172	<1	0.07	10	700	14	<5	<20	31	0.32	<10	94	<10	6	33
14	1128	<5	<2	2.16	<5	60	20	0.73	<1	27	22	19	5.33	<10	1.09	382	<1	0.18	16	520	18	<5	<20	56	0.44	<10	137	<10	5	45
15	1129	<5	1.2	2.82	15	70	10	0.23	<1	16	40	33	7.86	<10	0.38	477	1	0.05	12	550	34	<5	<20	12	0.21	<10	163	<10	<1	80
16	1130	5	6.4	5.79	265	90	10	0.51	<1	44	55	60	8.86	<10	0.27	1744	4	0.01	26	1130	32	<5	<20	10	0.15	<10	152	<10	13	166
17	1131	<5	0.4	1.90	685	60	15	0.65	<1	10	26	46	6.14	<10	0.26	1006	2	0.02	19	680	28	<5	<20	13	0.14	<10	66	<10	12	215
18	1132	5	1.0	2.59	155	125	15	0.07	<1	11	19	49	10.60	<10	0.15	276	15	0.02	13	470	30	<5	<20	6	0.08	<10	139	<10	<1	505
19	1133	5	<2	2.11	20	95	15	0.16	1	11	25	37	8.81	<10	0.14	183	17	0.01	11	720	16	<5	<20	14	0.05	<10	219	<10	<1	121
20	1134	<5	<2	1.78	5	70	20	0.10	2	13	31	23	8.49	<10	0.44	283	7	0.03	28	440	26	<5	<20	14	0.14	<10	85	<10	<1	106
21	1135	<5	<2	0.97	<5	50	15	0.05	<1	11	20	20	4.27	<10	0.05	102	<1	0.01	13	250	20	<5	<20	6	0.30	<10	153	<10	<1	39
22	1136	5	<2	2.01	15	80	15	0.19	1	11	19	24	9.06	<10	0.12	118	6	0.02	9	400	18	<5	<20	11	0.17	<10	178	<10	<1	73
23	1137	<5	<2	1.16	<5	50	20	0.63	<1	25	12	14	3.96	<10	1.01	304	<1	0.16	15	670	10	<5	<20	55	0.52	<10	107	<10	6	36
24	1138	<5	<2	0.70	<5	25	15	0.46	<1	15	7	7	2.38	<10	0.56	209	<1	0.10	8	560	8	<5	<20	29	0.33	<10	67	<10	4	24
25	1139	<5	0.8	4.75	5	75	20	0.07	1	13	103	28	12.30	<10	0.24	262	7	0.03	23	360	36	<5	<20	7	0.18	<10	72	<10	<1	103

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	1140	<5	<2	0.66	<5	25	15	0.09	<1	9	19	11	3.30	<10	0.07	49	<1	0.02	6	70	10	<5	<20	8	0.28	<10	159	<10	<1	20
27	1141	<5	<2	2.17	<5	80	35	0.06	2	20	82	25	14.20	<10	<0.1	146	<1	0.03	11	400	40	<5	<20	3	0.57	20	208	<10	<1	42
28	1142	5	<2	0.70	<5	35	15	0.27	<1	13	19	10	1.61	<10	0.19	81	<1	0.04	6	320	20	<5	<20	16	0.47	<10	145	<10	5	18
29	1143	5	<2	1.49	<5	100	25	0.28	<1	19	54	32	3.85	<10	0.07	69	<1	0.02	15	250	22	<5	<20	15	0.66	<10	173	<10	9	25
30	1144	<5	<2	0.84	<5	45	25	0.32	1	23	42	15	3.42	<10	0.26	90	<1	0.03	11	90	24	<5	<20	15	0.98	<10	308	<10	10	15
31	1145	<5	<2	3.48	<5	100	45	0.27	3	38	197	46	> 15	<10	0.64	511	<1	0.02	37	250	16	<5	<20	23	1.10	<10	456	<10	<1	55
32	1146	<5	<2	0.96	<5	100	5	1.28	2	17	17	22	2.73	<10	0.09	991	<1	0.01	10	470	16	<5	<20	27	0.16	<10	73	<10	5	52
33	1147	<5	4.6	3.87	25	135	5	1.10	4	20	23	32	4.59	10	0.57	1683	2	0.20	24	1560	36	<5	<20	62	0.14	<10	62	<10	16	156
34	1148	<5	<2	0.41	<5	25	10	0.17	<1	10	11	7	1.66	<10	0.22	133	<1	0.04	7	230	8	<5	<20	12	0.23	<10	52	<10	3	23
35	1149	<5	0.6	0.64	<5	35	<5	0.15	<1	9	3	24	2.04	<10	0.19	94	<1	0.04	7	460	6	<5	<20	15	0.09	<10	38	<10	1	36
36	1150	<5	0.8	0.61	15	50	<5	0.32	4	10	3	13	2.25	<10	0.25	198	<1	0.05	8	570	6	<5	<20	25	0.14	<10	56	<10	2	36
37	1151	<5	<2	1.24	<5	50	20	0.85	7	28	6	12	4.25	<10	1.27	612	<1	0.19	19	1160	10	5	<20	62	0.52	<10	77	<10	6	52
38	1152	5	1.0	3.20	20	95	5	0.06	<1	10	13	52	7.67	<10	0.14	224	10	0.02	11	450	44	<5	<20	7	0.01	<10	33	<10	<1	119
39	1153	<5	3.0	1.37	<5	75	25	0.64	2	30	7	15	4.83	<10	1.17	353	<1	0.16	18	700	8	<5	<20	58	0.60	<10	91	<10	8	44
40	1154	<5	<2	1.53	<5	70	15	2.07	2	21	10	18	3.22	<10	0.97	278	<1	0.18	25	570	8	10	<20	72	0.29	<10	57	<10	7	35
41	1155	<5	0.6	0.76	<5	40	10	0.32	1	13	3	9	1.96	<10	0.40	131	<1	0.10	8	640	6	<5	<20	28	0.22	<10	35	<10	4	29
42	1156	<5	<2	1.42	<5	50	45	0.21	1	30	111	30	8.20	<10	0.19	74	<1	0.03	20	190	28	<5	<20	12	1.23	20	466	<10	9	20
43	1157	<5	<2	0.66	<5	25	10	0.22	<1	8	15	8	1.29	<10	0.16	173	<1	0.03	4	380	14	<5	<20	10	0.26	<10	67	<10	2	14
44	1158	<5	<2	0.90	<5	40	15	0.20	6	14	53	10	2.71	<10	0.17	103	<1	0.03	14	310	20	<5	<20	17	0.45	<10	209	<10	4	22
45	1159	<5	1.2	2.13	45	85	15	0.11	<1	8	25	15	7.55	<10	0.12	227	8	0.01	10	340	28	<5	<20	12	0.09	<10	117	<10	<1	79
46	1160	<5	0.2	1.03	10	35	5	0.09	<1	5	8	7	2.44	<10	0.08	143	4	0.02	3	290	10	<5	<20	18	0.05	<10	82	<10	<1	19
47	1161	5	<2	3.56	30	115	10	0.03	1	9	30	16	7.58	<10	0.20	273	12	<0.1	15	450	28	<5	<20	2	0.03	<10	93	<10	<1	105
48	1162	<5	<2	1.22	<5	55	10	0.33	2	12	5	7	2.74	<10	0.50	229	<1	0.06	7	580	10	<5	<20	31	0.25	<10	66	<10	2	27
49	1163	<5	1.6	3.29	15	135	<5	0.04	19	9	17	27	6.32	<10	0.08	138	8	<0.1	9	580	28	<5	<20	3	0.02	<10	70	<10	2	104
50	1164	<5	<2	1.11	<5	45	25	0.73	27	28	9	13	4.30	<10	1.23	397	<1	0.19	20	680	8	10	<20	57	0.55	<10	85	<10	7	44
51	1165	<5	0.6	0.78	<5	60	<5	0.30	2	10	2	15	2.68	<10	0.29	148	<1	0.05	8	540	8	<5	<20	24	0.11	<10	46	<10	<1	40
52	1166	<5	0.4	6.82	35	95	5	1.56	13	61	60	101	7.46	20	0.30	1755	4	0.03	28	910	26	<5	<20	34	0.13	<10	134	<10	67	88
53	1167	<5	<2	0.60	<5	55	5	0.79	3	11	3	15	1.71	<10	0.27	122	<1	0.06	7	580	6	<5	<20	43	0.19	<10	31	<10	3	39
54	1168	<5	0.4	2.37	35	75	15	0.12	1	12	37	45	8.44	<10	0.38	359	13	<0.1	24	530	22	<5	<20	5	0.08	<10	93	<10	<1	133
55	1169	<5	<2	2.25	210	135	25	0.13	<1	15	35	33	14.50	<10	0.15	375	13	<0.1	14	440	34	<5	<20	15	0.24	10	128	<10	<1	74
56	1170	<5	<2	2.67	50	105	<5	0.17	<1	15	33	51	5.57	<10	0.61	733	5	<0.1	30	740	20	<5	<20	8	0.07	<10	88	<10	<1	125
57	1171	<5	<2	0.86	<5	70	10	0.47	4	16	6	10	2.62	<10	0.62	190	<1	0.09	11	610	6	<5	<20	40	0.31	<10	49	<10	4	30
58	1172	<5	0.6	2.14	25	100	10	0.16	<1	11	35	39	8.42	<10	0.33	444	9	<0.1	19	890	18	<5	<20	13	0.07	<10	93	<10	<1	101
59	1173	<5	<2	0.93	<5	45	5	0.55	<1	12	10	18	2.52	<10	0.32	203	<1	0.06	9	750	6	<5	<20	28	0.16	<10	59	<10	3	36
60	1174	<5	2.4	4.40	30	60	10	0.16	<1	10	37	37	7.46	<10	0.25	318	7	<0.1	16	1170	30	<5	<20	7	0.09	<10	73	<10	<1	73

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	TI %	U	V	W	Y	Zn
61	1175	<5	<2	2.62	90	50	10	0.84	<1	20	34	38	6.46	<10	0.32	641	3	0.02	18	970	16	Δ	<20	23	0.12	<10	133	<10	5	112
62	1176	<5	1.0	3.10	25	70	15	0.23	<1	14	44	44	8.58	<10	0.55	535	9	<.01	33	910	24	Δ	<20	9	0.08	<10	81	<10	<1	116
63	1177	<5	<2	2.26	100	65	10	0.09	<1	21	23	38	10.70	<10	0.08	380	10	0.02	16	300	12	Δ	<20	8	0.07	<10	251	<10	<1	88
64	1178	<5	1.6	2.84	25	85	15	0.09	<1	12	39	37	8.40	<10	0.39	447	8	<.01	24	650	26	Δ	<20	6	0.12	<10	81	<10	<1	102
65	1179	<5	<2	1.72	10	85	20	0.17	1	13	20	28	8.18	<10	0.14	166	6	0.02	13	430	22	Δ	<20	12	0.23	<10	172	<10	<1	63
66	1180	<5	0.8	2.88	35	100	10	0.12	<1	8	33	22	6.13	<10	0.35	206	5	<.01	18	460	26	Δ	<20	4	0.09	<10	75	<10	1	108
67	1181	5	<2	2.21	5	65	15	0.14	2	12	16	21	6.06	<10	0.15	87	<1	0.03	7	490	30	Δ	<20	10	0.31	<10	134	<10	3	32
68	1182	<5	<2	2.38	40	75	10	0.54	<1	13	36	31	7.90	<10	0.65	470	8	<.01	31	510	28	Δ	<20	10	0.07	<10	70	<10	<1	177
69	1183	<5	<2	4.37	<5	85	10	0.12	3	16	74	45	9.58	<10	0.11	478	7	<.01	15	710	24	Δ	<20	7	0.17	<10	180	<10	<1	82
70	1184	<5	<2	2.31	30	55	20	0.07	3	24	62	46	11.70	<10	0.66	1126	12	<.01	40	750	24	Δ	<20	3	0.13	<10	102	<10	<1	138
71	1185	<5	1.0	2.88	15	90	20	0.11	2	13	44	34	9.83	<10	0.31	325	8	<.01	23	460	38	Δ	<20	12	0.15	<10	120	<10	<1	62
72	1186	<5	<2	3.04	<5	80	45	0.15	2	23	65	43	14.10	<10	0.13	154	<1	0.01	9	390	32	Δ	<20	11	0.61	30	275	<10	<1	49
73	1187	<5	0.8	2.99	25	75	15	0.06	1	11	49	39	7.38	<10	0.61	309	7	<.01	35	410	32	Δ	<20	4	0.07	<10	85	<10	<1	97
74	1188	5	<2	1.95	<5	75	35	0.17	2	25	9	33	12.40	<10	0.08	414	3	<.01	10	410	28	Δ	<20	11	0.30	20	300	<10	<1	130
75	1189	<5	0.4	2.03	<5	90	25	0.12	1	13	42	28	11.10	<10	0.22	278	8	0.02	17	560	32	Δ	<20	17	0.17	<10	122	<10	<1	59
76	1190	Δ	4.0	5.85	25	65	20	0.15	<1	11	52	50	9.67	<10	0.18	243	7	0.02	18	590	68	Δ	<20	6	0.15	10	74	<10	<1	81
77	1191	5	4.6	5.14	65	75	15	0.05	<1	10	39	39	6.15	<10	0.45	218	6	<.01	22	590	52	Δ	<20	3	0.09	<10	78	<10	1	133
78	1192	5	<2	3.00	Δ	105	85	0.21	2	46	61	65	> 15	<10	0.06	207	<1	<.01	9	400	28	Δ	<20	9	1.49	60	701	<10	1	49
79	1193	5	2.2	3.44	55	105	5	0.07	1	10	42	43	7.76	<10	0.51	298	9	<.01	27	420	42	Δ	<20	5	0.06	<10	87	<10	<1	163
80	1194	Δ	1.6	5.22	Δ	85	25	0.03	2	11	90	52	11.80	<10	0.19	160	13	<.01	21	490	54	Δ	<20	3	0.07	20	103	<10	<1	96
81	1195	Δ	<2	2.53	105	75	20	0.08	<1	13	61	37	9.04	<10	0.42	281	7	<.01	30	310	30	Δ	<20	7	0.12	<10	136	<10	<1	99
82	1196	Δ	<2	2.58	<5	140	40	0.57	3	20	31	40	12.30	<10	0.26	582	2	<.01	18	620	32	Δ	<20	19	0.32	<10	172	<10	5	114
83	1197	5	4.4	3.29	35	85	25	0.15	1	16	46	33	10.00	<10	0.07	393	2	<.01	10	350	36	Δ	<20	8	0.27	<10	162	<10	<1	87
84	1198	5	0.6	2.25	30	85	10	0.44	2	16	43	37	6.94	<10	0.59	491	7	<.01	35	580	26	Δ	<20	13	0.05	<10	73	<10	<1	114
85	1199	Δ	1.0	1.65	40	60	15	0.11	<1	10	24	21	6.13	<10	0.18	228	3	0.02	12	450	24	Δ	<20	8	0.13	<10	99	<10	<1	54
86	1200	Δ	<2	2.55	Δ	95	45	0.14	3	22	19	43	> 15	<10	0.01	191	<1	<.01	10	410	32	Δ	<20	13	0.60	30	232	<10	<1	78
87	1201	Δ	1.8	2.36	90	135	35	0.21	1	23	17	39	> 15	<10	0.18	823	2	<.01	13	720	24	Δ	<20	15	0.38	20	205	<10	<1	101
88	1202	Δ	<2	1.37	Δ	70	35	0.23	2	24	34	22	9.16	<10	0.33	290	<1	0.03	6	460	20	Δ	<20	17	0.83	<10	381	<10	2	36
89	1203	Δ	6.6	1.89	Δ	80	20	0.04	2	9	41	26	8.11	<10	0.16	123	5	<.01	16	500	20	Δ	<20	7	0.13	<10	119	<10	<1	43
90	1204	Δ	<2	4.02	Δ	90	80	0.17	2	43	65	53	> 15	<10	0.14	618	<1	<.01	10	830	28	Δ	<20	6	0.94	30	378	<10	<1	74
91	1205	Δ	<2	1.52	<5	50	20	0.10	2	11	23	17	9.25	<10	0.06	138	5	0.03	6	630	30	Δ	<20	9	0.26	<10	130	<10	<1	33
92	1206	Δ	0.4	4.92	45	115	40	0.14	<1	27	73	49	> 15	<10	0.25	425	<1	<.01	16	690	44	Δ	<20	4	0.44	30	294	<10	<1	219
93	1207	Δ	1.8	4.30	Δ	55	20	0.03	1	8	42	23	8.14	<10	0.03	88	5	<.01	5	460	54	Δ	<20	4	0.16	10	111	<10	<1	37
94	1208	Δ	<2	2.98	25	105	35	0.07	1	13	60	31	> 15	<10	0.13	144	10	<.01	13	380	44	Δ	<20	3	0.23	20	125	<10	<1	76
95	1209	5	17.2	7.68	290	55	10	0.33	<1	33	27	34	4.84	<10	0.12	721	2	<.01	14	810	72	Δ	<20	12	0.13	<10	60	<10	19	226

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
96	1210	<5	0.4	3.24	20	50	25	0.06	<1	12	20	37	8.61	20	0.08	215	<1	<0.1	8	280	52	<5	<20	2	0.29	<10	88	<10	18	76
97	1211	<5	1.6	1.06	55	85	20	0.40	1	16	7	18	5.31	<10	0.18	165	<1	0.03	7	540	18	<5	<20	26	0.36	10	148	<10	1	53
98	1212	<5	2.4	3.67	<5	70	45	0.09	2	16	51	33	> 15	<10	0.06	199	11	<0.1	9	310	58	<5	<20	7	0.35	40	98	<10	<1	54
99	1213	<5	0.2	2.34	15	85	25	0.16	2	13	64	34	11.20	<10	0.23	263	6	<0.1	25	490	30	<5	<20	7	0.20	20	116	<10	<1	88
100	1214	<5	1.2	4.49	15	55	20	0.04	1	8	51	37	10.80	<10	0.06	91	10	<0.1	10	900	58	<5	<20	3	0.08	20	135	<10	<1	74

QC DATA:**Repeat:**

1	1115	-	<2	1.94	10	110	15	1.22	1	36	27	30	6.40	<10	0.13	486	<1	0.02	10	480	12	<5	<20	32	0.31	<10	190	<10	8	41
10	1124	<5	3.2	2.57	30	75	10	0.04	2	10	44	28	8.43	<10	0.24	322	11	<0.1	17	380	28	<5	<20	2	0.07	<10	133	<10	<1	95
19	1133	5	<2	2.11	10	100	10	0.17	2	11	25	36	8.97	<10	0.13	185	16	0.02	10	660	18	<5	<20	15	0.08	10	217	<10	<1	122
28	1142	<5	<2	0.66	<5	35	15	0.26	<1	14	18	11	1.54	<10	0.19	74	<1	0.04	9	330	24	<5	<20	15	0.44	<10	139	<10	6	17
38	1150	<5	0.6	0.57	15	40	5	0.31	2	12	4	15	2.53	<10	0.35	217	<1	0.06	9	550	6	<5	<20	23	0.16	<10	60	<10	2	36
45	1159	<5	1.2	2.11	50	85	15	0.12	2	8	25	15	7.54	<10	0.11	230	9	0.01	14	360	28	<5	<20	12	0.08	<10	112	<10	<1	80
54	1168	<5	0.2	2.43	30	75	15	0.12	1	12	38	46	8.60	<10	0.38	367	12	<0.1	26	540	26	<5	<20	5	0.08	<10	94	<10	<1	136
63	1177	<5	<2	2.30	95	70	15	0.09	<1	21	23	39	11.00	<10	0.08	393	10	0.01	17	300	10	<5	<20	9	0.07	<10	259	<10	<1	90
71	1185	<5	1.2	2.94	25	95	15	0.11	<1	13	44	33	8.97	<10	0.32	329	7	<0.1	22	450	38	<5	<20	16	0.15	10	126	<10	<1	67
80	1194	<5	1.6	5.27	10	85	20	0.03	1	12	92	52	12.00	<10	0.21	166	12	<0.1	22	500	54	<5	<20	2	0.07	20	107	<10	<1	91
89	1203	<5	7.2	1.97	<5	85	15	0.05	2	10	42	27	8.29	<10	0.17	130	3	<0.1	15	520	22	<5	<20	8	0.15	10	124	<10	<1	45
98	1212	-	2.2	3.93	5	70	45	0.10	1	17	55	35	> 15	<10	0.06	207	13	<0.1	11	320	64	<5	<20	6	0.35	30	102	<10	<1	56

Standard:

GEO'95	150	1.0	1.64	65	165	<5	1.70	<1	19	60	82	4.08	<10	0.90	630	<1	0.02	27	640	22	<5	<20	57	0.11	<10	79	<10	4	76
GEO'95	145	1.0	1.63	75	165	<5	1.69	<1	19	61	83	4.29	<10	0.91	625	<1	0.02	28	620	22	<5	<20	57	0.11	<10	82	<10	4	78
GEO'95	145	1.0	1.70	60	150	<5	1.59	<1	17	56	84	3.82	<10	0.82	630	<1	0.02	26	630	24	5	<20	49	0.10	<10	73	<10	3	71

df/609/633F
XLS/95Canamera#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

21-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-608
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

8 Rock sample received August 10, 1995

PROJECT #: FD5CA0010

SHIPMENT#: 13

P.O. #: 6772

Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	7343	5	<2	1.03	<5	45	10	0.53	1	5	48	6	1.95	<10	0.43	455	<1	0.02	3	460	14	<5	<20	8	0.17	<10	9	<10	4	23
2	7344	5	8.4	0.19	115	135	5	0.25	<1	5	64	17	3.84	<10	<0.1	281	6	<0.1	4	1450	30	<5	<20	34	<0.1	<10	4	<10	1	27
3	7345	5	1.0	0.46	95	125	5	0.32	<1	3	69	14	3.87	<10	0.09	393	6	<0.1	3	1840	8	<5	<20	35	<0.1	<10	25	<10	3	117
4	7346	10	2.4	0.20	4365	75	<5	0.28	<1	5	73	9	2.68	<10	<0.1	214	4	<0.1	4	1610	10	55	<20	30	<0.1	<10	6	<10	4	39
5	7406	10	<2	0.55	530	30	5	0.12	<1	30	50	12	5.16	<10	0.16	113	7	<0.1	5	670	20	<5	<20	7	<0.1	<10	30	<10	<1	27
6	7705	>1000	0.8	0.10	105	30	20	0.20	<1	6	69	9	11.70	<10	<0.1	15	11	<0.1	4	1030	4	<5	<20	24	<0.1	20	8	<10	<1	4
7	7706	180	<2	0.13	145	25	10	0.21	<1	3	139	13	4.93	<10	<0.1	64	8	<0.1	5	1190	6	<5	<20	29	<0.1	<10	8	<10	<1	2
8	7707	20	<2	1.12	<5	45	<5	3.49	<1	15	34	128	4.96	<10	0.81	627	6	0.01	10	1510	10	<5	<20	108	<0.1	<10	46	<10	4	73

QC DATA:

Resplit:

RS/1	7343	5	<2	1.05	<5	50	5	0.56	<1	5	58	6	1.98	<10	0.43	464	<1	0.02	3	460	14	<5	<20	8	0.19	<10	9	<10	4	23
------	------	---	----	------	----	----	---	------	----	---	----	---	------	-----	------	-----	----	------	---	-----	----	----	-----	---	------	-----	---	-----	---	----


Repeat:

1	7343	5	<2	1.09	<5	50	10	0.56	<1	5	52	6	2.07	<10	0.46	482	<1	0.02	3	480	14	<5	<20	9	0.18	<10	9	<10	4	24
---	------	---	----	------	----	----	----	------	----	---	----	---	------	-----	------	-----	----	------	---	-----	----	----	-----	---	------	-----	---	-----	---	----

Standard:

GEO'95		150	1.2	1.57	75	150	<5	1.60	<1	18	55	88	3.80	<10	0.88	649	<1	0.01	25	640	22	<5	<20	51	0.09	<10	71	<10	4	70
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

dff/592D
XLS/95Canamera#2


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

23-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-611
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

10 Rock samples received August 10, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 12

P.O. #: 6771

Samples submitted by: T. Drown

Values in ppm unless otherwise reported

El #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	7551	5	<.2	0.12	80	85	15	0.05	<.1	8	52	7	4.26	<.10	<.01	10	<.1	0.04	2	1120	8	<.5	<.20	18	0.36	<.10	12	<.10	<.1	2
2	7552	5	<.2	0.12	60	35	15	0.06	<.1	8	65	6	3.95	<.10	<.01	11	<.1	0.04	2	1050	6	<.5	<.20	5	0.34	<.10	11	<.10	<.1	1
3	7553	5	<.2	0.11	60	85	15	0.08	<.1	7	56	6	2.96	<.10	<.01	11	<.1	0.04	1	990	6	<.5	<.20	5	0.30	<.10	8	<.10	2	1
4	7554	5	<.2	0.11	65	80	10	0.02	<.1	5	44	6	4.46	<.10	<.01	11	<.1	0.03	1	680	4	<.5	<.20	4	0.17	<.10	7	<.10	<.1	4
5	7555	5	<.2	0.20	10	10	5	0.27	<.1	7	36	13	4.05	<.10	<.01	10	4	0.03	1	490	10	<.5	<.20	5	0.04	<.10	12	<.10	3	7
6	7556	5	<.2	0.10	15	60	5	0.16	<.1	3	50	4	1.87	<.10	<.01	20	<.1	0.03	2	1160	4	<.5	<.20	2	0.09	<.10	6	<.10	4	17
7	7557	5	<.2	0.12	20	50	5	0.26	<.1	6	58	7	2.67	<.10	<.01	24	<.1	0.03	2	1310	8	<.5	<.20	4	0.15	<.10	7	<.10	6	8
8	7558	5	<.2	0.14	45	140	15	0.05	<.1	7	34	6	5.26	<.10	<.01	40	<.1	0.03	2	930	8	<.5	<.20	4	0.29	<.10	10	<.10	<.1	5
9	7559	5	<.2	0.13	45	55	15	0.17	<.1	8	43	6	5.66	<.10	<.01	17	<.1	0.03	2	1520	8	<.5	<.20	7	0.20	<.10	7	<.10	2	11
10	7560	5	<.2	0.12	35	70	10	0.19	<.1	5	47	5	3.34	<.10	<.01	25	<.1	0.03	1	1240	8	<.5	<.20	7	0.16	<.10	8	<.10	4	11

QC DATA:

Resplit:

7/51	7551	<.5	<.2	0.11	85	85	20	0.05	<.1	8	43	6	4.28	<.10	<.01	14	<.1	0.04	3	1160	6	<.5	<.20	16	0.35	<.10	11	<.10	<.1	4
------	------	-----	-----	------	----	----	----	------	-----	---	----	---	------	------	------	----	-----	------	---	------	---	-----	------	----	------	------	----	------	-----	---


Repeat:

1	7551	5	<.2	0.11	75	90	15	0.05	<.1	8	51	6	4.20	<.10	<.01	9	<.1	0.04	1	1110	8	<.5	<.20	18	0.36	<.10	12	<.10	<.1	2
10	7560	-	<.2	0.14	40	75	10	0.22	<.1	6	50	6	3.62	<.10	<.01	26	<.1	0.04	2	1280	10	<.5	<.20	9	0.18	<.10	9	<.10	4	13

Standard:

GEO'95	-	-	1.2	1.60	65	160	<.5	1.64	<.1	18	56	81	3.91	<.10	0.90	622	<.1	0.01	26	640	20	<.5	<.20	53	0.09	<.10	71	<.10	4	73
--------	---	---	-----	------	----	-----	-----	------	-----	----	----	----	------	------	------	-----	-----	------	----	-----	----	-----	------	----	------	------	----	------	---	----

d1/609
XLS/95Canamera#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

21-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-610
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

45 Rock samples received August 10, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 12
P.O. #: 5771
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	7505	5	<.2	0.80	2200	45	10	0.43	<.1	19	34	15	7.08	<.10	0.52	242	7	0.02	4	1400	12	<.5	<.20	7	0.08	<.10	23	<.10	5	313
2	7506	5	<.2	0.74	1030	35	10	0.49	<.1	15	43	11	5.72	<.10	0.51	296	7	0.02	5	1300	10	<.5	<.20	2	0.07	<.10	22	<.10	5	161
3	7507	5	<.2	1.30	<.5	50	5	0.38	<.1	16	23	11	6.11	<.10	0.91	481	5	0.02	6	1330	12	<.5	<.20	<.1	0.09	<.10	20	<.10	5	109
4	7508	5	<.2	1.25	<.5	60	10	1.02	<.1	13	27	11	6.49	<.10	0.90	673	5	0.02	5	1620	14	<.5	<.20	7	0.08	<.10	19	<.10	9	127
5	7509	5	<.2	1.05	365	40	10	0.57	<.1	18	37	13	7.24	<.10	0.79	432	13	0.03	5	1280	18	<.5	<.20	4	0.08	<.10	26	<.10	5	224
6	7510	15	<.2	1.39	70	45	10	0.53	<.1	25	30	11	6.36	<.10	1.11	480	7	0.02	7	1510	18	<.5	<.20	5	0.08	<.10	30	<.10	8	183
7	7511	5	<.2	0.67	915	40	10	0.47	<.1	19	26	14	6.52	<.10	0.46	207	22	0.02	5	1380	18	<.5	<.20	4	0.08	<.10	16	<.10	6	164
8	7512	10	<.2	0.45	1720	45	15	0.67	<.1	16	34	13	10.80	<.10	0.31	156	32	0.02	5	1290	8	<.5	<.20	6	0.06	<.10	12	<.10	<.1	206
9	7513	5	<.2	0.46	1120	40	20	0.52	<.1	15	39	14	8.62	<.10	0.30	143	35	0.02	3	1450	10	<.5	<.20	2	0.07	<.10	11	<.10	5	112
10	7514	5	<.2	0.36	2465	40	15	2.69	<.1	11	38	14	8.79	<.10	0.26	566	113	0.02	4	1010	8	<.5	<.20	13	0.05	<.10	13	<.10	<.1	154
11	7515	5	<.2	0.70	415	25	10	1.39	<.1	9	46	40	5.08	<.10	0.49	323	10	0.02	2	1320	18	<.5	<.20	11	0.07	<.10	25	<.10	5	154
12	7516	5	<.2	0.78	430	40	<.5	0.59	<.1	11	52	46	5.20	<.10	0.49	265	8	0.03	2	1770	14	<.5	<.20	7	0.10	<.10	20	<.10	12	167
13	7517	5	<.2	1.20	95	50	5	0.56	2	10	46	42	6.28	<.10	0.84	427	8	0.03	2	1770	18	<.5	<.20	7	0.12	<.10	29	<.10	10	525
14	7518	5	<.2	0.88	90	55	10	0.85	<.1	12	38	20	4.67	<.10	0.56	289	25	0.02	3	2210	14	<.5	<.20	7	0.09	<.10	22	<.10	17	157
15	7519	5	<.2	0.64	275	30	10	0.53	<.1	10	65	29	5.76	<.10	0.41	232	97	0.03	2	1660	16	<.5	<.20	5	0.10	<.10	38	<.10	11	194
16	7520	5	<.2	0.65	35	30	5	0.64	<.1	10	58	30	5.36	<.10	0.39	258	57	0.03	3	1700	20	<.5	<.20	5	0.09	<.10	25	<.10	10	349
17	7521	5	<.2	0.73	585	40	5	0.62	<.1	12	85	35	4.71	<.10	0.42	274	29	0.04	2	2010	20	<.5	<.20	7	0.10	<.10	29	<.10	12	454
18	7522	5	<.2	0.37	235	50	<.5	0.67	<.1	13	75	29	3.41	<.10	0.14	144	4	0.03	4	1850	20	<.5	<.20	6	0.12	<.10	14	<.10	17	47
19	7523	45	2.0	1.24	200	50	<.5	0.20	<.1	9	29	35	4.28	<.10	1.00	384	5	<.01	4	1020	26	15	<.20	7	<.01	<.10	27	<.10	<.1	47
20	7524	55	2.2	0.73	150	60	<.5	0.14	<.1	12	42	26	3.04	<.10	0.52	590	5	<.01	4	860	16	10	<.20	7	<.01	<.10	15	<.10	<.1	27
21	7525	50	1.6	0.70	185	65	<.5	0.17	<.1	9	32	34	2.59	<.10	0.51	397	3	<.01	4	930	16	5	<.20	10	<.01	<.10	17	<.10	<.1	32
22	7526	65	1.6	1.45	245	70	<.5	0.15	<.1	8	36	39	3.42	<.10	1.26	515	4	<.01	4	890	20	15	<.20	6	<.01	<.10	33	<.10	<.1	38
23	7527	505	3.4	0.45	700	80	<.5	0.10	<.1	3	43	37	1.70	<.10	0.34	178	2	<.01	2	630	138	15	<.20	5	<.01	<.10	14	<.10	<.1	235
24	7528	50	2.8	1.55	195	110	<.5	0.22	<.1	4	25	43	3.70	<.10	1.30	407	5	<.01	2	1280	22	20	<.20	12	<.01	<.10	36	<.10	<.1	38
25	7529	90	2.6	1.63	215	60	5	0.31	<.1	5	60	13	5.99	<.10	0.98	670	6	<.01	1	1290	14	<.5	<.20	8	<.01	<.10	74	<.10	8	95

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	7530	880	10.0	1.72	320	35	5	0.24	<1	6	39	27	6.93	<10	1.10	729	9	<0.1	3	1000	86	<5	<20	4	<0.1	<10	75	<10	3	352
27	7531	280	5.0	2.00	110	45	10	0.29	<1	6	49	23	7.34	<10	1.29	815	7	<0.1	2	1230	24	<5	<20	10	<0.1	<10	83	<10	4	92
28	7532	>1000	>30	0.49	2130	45	10	0.12	8	16	52	107	> 15	<10	0.19	219	128	<0.1	8	330	420	95	<20	5	<0.1	30	24	<10	<1	4694
29	7533	>1000	>30	0.37	1855	40	10	0.14	25	13	55	146	> 15	<10	0.10	169	55	<0.1	10	400	1306	115	<20	3	<0.1	30	22	<10	<1	7676
30	7534	800	15.8	1.78	335	30	<5	0.27	<1	8	71	52	9.01	<10	1.15	679	23	<0.1	4	1130	66	<5	<20	8	<0.1	<10	73	<10	2	246
31	7535	180	1.8	1.78	45	50	10	0.23	<1	6	80	19	6.94	<10	1.10	753	7	<0.1	2	1040	14	<5	<20	7	<0.1	<10	63	<10	4	144
32	7536	175	2.2	2.00	35	45	5	0.25	<1	6	64	24	6.90	<10	1.26	834	8	<0.1	3	1030	14	<5	<20	8	<0.1	<10	67	<10	3	140
33	7537	350	20.2	1.42	475	35	5	0.22	<1	10	60	65	8.49	<10	0.85	558	30	<0.1	3	1110	84	10	<20	11	<0.1	<10	61	<10	<1	431
34	7538	>1000	>30	1.78	590	35	10	0.19	2	15	53	62	10.40	<10	1.09	746	26	<0.1	5	1080	252	35	<20	18	<0.1	<10	63	<10	<1	435
35	7539	270	14.8	1.33	495	35	<5	0.20	<1	7	61	55	7.24	<10	0.74	493	14	<0.1	3	1160	50	20	<20	19	<0.1	10	52	<10	<1	75
36	7540	745	7.4	1.50	440	55	5	0.26	<1	6	63	24	6.48	<10	0.96	552	9	<0.1	3	1170	64	5	<20	17	<0.1	<10	107	<10	3	281
37	7541	>1000	7.6	1.20	315	40	<5	0.26	<1	8	60	28	6.28	<10	0.82	551	10	<0.1	3	1120	42	<5	<20	15	<0.1	<10	66	<10	3	186
38	7542	>1000	24.0	0.56	440	35	10	0.21	<1	9	80	30	7.07	<10	0.25	221	33	<0.1	4	1020	80	10	<20	12	<0.1	<10	36	<10	2	1058
39	7543	450	5.0	0.95	730	45	5	0.28	<1	6	74	19	5.22	<10	0.60	416	56	<0.1	3	1220	30	10	<20	14	<0.1	<10	46	<10	5	210
40	7544	70	2.8	1.07	300	120	5	0.08	<1	2	61	17	4.64	<10	0.98	235	5	<0.1	2	810	22	15	<20	21	<0.1	<10	68	<10	<1	34
41	7545	80	3.4	0.39	370	145	<5	0.02	<1	2	58	13	3.91	<10	0.29	76	8	0.01	2	560	44	20	<20	25	<0.1	<10	49	<10	<1	19
42	7546	190	1.8	0.26	485	50	<5	0.09	<1	5	47	12	3.33	<10	0.08	32	4	<0.1	3	910	12	10	<20	8	<0.1	<10	16	<10	<1	22
43	7547	80	1.2	0.40	410	95	5	0.06	<1	7	50	8	3.01	<10	0.27	90	5	<0.1	3	830	18	15	<20	7	<0.1	<10	25	<10	<1	21
44	7548	5	0.6	0.50	140	120	<5	0.10	<1	3	49	21	2.97	<10	0.39	130	4	<0.1	2	1080	10	15	<20	24	<0.1	<10	40	<10	<1	18
45	7549	375	2.6	1.46	795	105	10	0.27	<1	3	58	14	6.30	<10	1.00	314	76	<0.1	1	1830	44	5	<20	20	<0.1	<10	95	<10	3	80

QC DATA:**Resplit:**

R/S1	7505	5	<2	0.90	2215	50	5	0.48	<1	20	38	14	7.60	<10	0.57	260	6	0.03	5	1420	12	<5	<20	9	0.10	<10	25	<10	6	324
R/S36	7540	-	5.4	1.45	305	60	10	0.25	<1	6	67	19	5.77	<10	0.95	544	7	<0.1	1	1110	46	<5	<20	14	<0.1	<10	104	<10	3	247


Repeat:

1	7505	5	<2	0.79	2160	45	10	0.42	<1	19	33	14	7.11	<10	0.51	243	7	0.02	5	1420	12	<5	<20	5	0.08	<10	23	<10	5	318
10	7514	5	<2	0.36	2405	40	10	2.70	<1	11	35	12	8.39	<10	0.26	557	111	0.02	3	1030	8	<5	<20	13	0.05	<10	13	<10	<1	150
19	7523	45	2.0	1.18	185	50	<5	0.19	<1	9	27	33	4.09	<10	0.96	364	4	<0.1	4	980	26	10	<20	8	<0.1	<10	26	<10	<1	46
36	7540	780	7.4	1.45	425	55	10	0.25	<1	6	62	23	6.29	<10	0.93	536	8	<0.1	2	1140	60	<5	<20	16	<0.1	<10	103	<10	3	276
45	7549	-	2.4	1.36	735	95	10	0.26	<1	3	56	13	5.91	<10	0.94	296	71	<0.1	2	1720	42	5	<20	19	<0.1	<10	89	<10	3	74

Standard:

GEO'95	150	1.6	1.58	65	160	<5	1.63	<1	18	55	82	3.87	<10	0.87	630	<1	0.01	25	660	20	5	<20	53	0.08	<10	70	<10	4	75
GEO'95	150	1.2	1.62	65	165	<5	1.66	<1	18	56	80	3.95	<10	0.88	625	<1	0.01	26	660	22	<5	<20	54	0.09	<10	72	<10	4	74

df/609
XLS/95Canamera#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

25-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-625
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

231 soil samples received August 11, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 13

P.O. #: 5406

Samples submitted by: R. Verzosa

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	0001 E	<5	1.4	3.94	10	115	15	0.97	2	41	33	21	11.20	<10	0.21	5200	23	0.01	17	1330	34	<5	<20	40	0.11	<10	82	<10	14	110
2	0002 E	<5	0.4	0.58	<5	45	<5	4.18	<1	3	2	12	0.68	<10	0.12	91	<1	0.03	6	720	4	<5	<20	207	0.04	<10	11	<10	1	20
3	0003 E	<5	2.2	3.21	145	95	<5	2.10	<1	20	22	43	4.60	60	0.20	2579	11	0.02	22	3190	26	<5	<20	114	0.07	<10	70	<10	84	105
4	0004 E	<5	0.4	3.23	20	85	10	0.16	<1	8	27	36	8.26	<10	0.69	361	8	<0.1	22	610	28	<5	<20	11	0.05	<10	62	<10	<1	115
5	0005 E	<5	0.6	3.36	30	115	10	0.12	<1	15	30	24	7.61	<10	0.39	4007	9	0.01	14	1000	30	<5	<20	8	0.12	<10	93	<10	20	143
6	0006 E	5	1.0	1.79	<5	60	15	0.08	<1	9	10	14	7.12	<10	0.14	213	6	0.02	5	1240	22	<5	<20	8	0.17	<10	108	<10	<1	36
7	0007 E	5	<2	2.15	20	65	15	0.09	<1	12	38	28	8.68	<10	0.68	479	9	<0.1	25	1300	24	<5	<20	2	0.13	<10	98	<10	<1	79
8	0008 E	<5	0.2	2.38	5	65	15	0.07	<1	8	28	21	7.37	<10	0.24	186	8	<0.1	9	690	26	<5	<20	4	0.10	<10	98	<10	<1	52
9	0009 E	5	0.4	1.49	<5	75	<5	0.25	2	9	12	13	2.83	<10	0.30	145	1	0.04	8	1150	12	<5	<20	20	0.08	<10	62	<10	<1	39
10	0010 E	<5	0.6	1.36	15	75	5	0.19	<1	9	10	19	4.58	<10	0.10	219	7	0.02	7	650	16	<5	<20	13	0.06	<10	103	<10	<1	52
11	0011 E	<5	0.8	3.04	35	165	10	0.95	7	19	28	32	6.23	<10	0.43	4540	8	0.02	37	1650	22	<5	<20	37	0.08	<10	75	<10	17	419
12	0012 E	5	<2	1.21	<5	50	20	0.09	<1	11	11	34	6.47	<10	0.07	433	2	<0.1	10	1320	32	<5	<20	3	0.19	<10	109	<10	<1	51
13	0013 E	<5	<2	0.93	<5	35	20	0.33	<1	12	4	21	3.47	<10	0.23	163	<1	0.06	6	1280	10	<5	<20	25	0.30	<10	60	<10	2	29
14	0014 E	<5	0.6	2.66	10	50	10	0.06	<1	10	30	43	9.40	<10	0.21	420	9	<0.1	8	1200	30	<5	<20	3	0.12	20	111	<10	<1	76
15	0015 E	5	<2	2.09	25	105	5	0.79	<1	16	24	39	5.41	<10	0.60	1045	4	0.05	18	1210	22	<5	<20	47	0.10	<10	68	<10	7	179
16	0016 E	<5	1.0	1.58	10	190	10	0.32	<1	12	13	16	5.17	<10	0.32	247	<1	0.06	11	750	18	<5	<20	36	0.20	<10	229	<10	<1	35
17	0017 E	<5	<2	1.59	<5	70	25	0.13	1	14	37	22	8.99	<10	0.15	172	5	0.02	16	1040	22	<5	<20	9	0.26	10	157	<10	<1	40
18	0018 E	<5	0.6	2.58	5	70	20	0.09	<1	10	28	23	10.30	<10	0.15	151	11	0.01	12	690	30	<5	<20	9	0.15	20	126	<10	<1	55
19	0019 E	<5	<2	3.08	10	95	20	0.04	<1	11	54	28	9.77	<10	0.18	136	7	<0.1	14	520	26	<5	<20	3	0.18	20	146	<10	<1	58
20	0020 E	5	0.8	2.88	<5	115	20	0.06	2	11	32	42	10.40	<10	0.40	295	10	<0.1	17	950	30	<5	<20	8	0.06	10	117	<10	<1	83
21	0021 E	5	<2	3.93	20	90	15	0.03	<1	9	36	38	7.47	<10	0.30	221	8	<0.1	11	3220	38	<5	<20	1	0.07	20	101	<10	<1	57
22	0022 E	<5	1.2	3.84	10	75	15	0.05	<1	11	41	32	8.65	<10	0.43	348	9	<0.1	20	2440	32	<5	<20	3	0.08	<10	98	<10	<1	73
23	0023 E	<5	1.0	4.03	20	95	10	0.09	<1	11	27	60	7.27	<10	0.37	281	5	<0.1	14	1380	42	<5	<20	7	0.10	<10	84	<10	<1	69
24	0024 E	<5	1.8	2.86	5	60	15	0.03	<1	6	28	21	7.37	<10	0.28	222	8	<0.1	9	1850	28	<5	<20	4	0.04	<10	86	<10	<1	32
25	0025 E	10	2.4	2.28	10	190	<5	2.04	4	16	16	57	2.82	20	0.23	6603	4	0.02	24	1510	20	<5	<20	154	0.06	<10	35	<10	23	127

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	0026 E	5	<2	2.36	20	155	10	0.81	<1	18	38	29	7.61	<10	0.61	1217	6	<0.01	15	1200	20	<5	<20	65	0.13	<10	97	<10	5	122
27	0027 E	<5	0.4	2.47	25	70	5	0.31	<1	20	28	77	8.34	<10	0.58	979	8	0.03	17	2230	32	<5	<20	20	0.07	<10	71	<10	<1	92
28	0028 E	<5	<2	2.99	25	65	10	0.55	<1	17	33	58	7.35	<10	0.56	964	8	0.03	20	1130	32	<5	<20	34	0.10	<10	70	<10	<1	119
29	0029 E	<5	0.4	1.84	15	190	10	0.59	<1	13	29	25	6.11	<10	0.42	789	4	0.01	12	580	24	<5	<20	46	0.12	<10	86	<10	<1	55
30	0030 E	<5	0.4	2.95	30	130	5	0.10	<1	11	40	44	7.82	<10	0.77	426	9	<0.01	20	520	24	<5	<20	9	0.07	<10	126	<10	<1	106
31	0031 E	<5	0.8	1.39	10	55	<5	0.07	<1	7	15	26	3.17	<10	0.14	77	2	0.02	9	430	16	<5	<20	14	0.09	<10	126	<10	<1	45
32	0032 E	5	1.2	2.85	55	65	5	0.10	<1	25	26	62	6.62	<10	0.55	1752	9	<0.01	18	2090	88	<5	<20	3	0.03	<10	71	<10	5	112
33	0033 E	5	<2	2.00	20	190	15	0.09	<1	9	24	27	8.10	<10	0.16	182	8	<0.01	11	560	26	<5	<20	19	0.17	<10	149	<10	<1	60
34	0034 E	<5	0.6	4.20	5	75	25	0.05	<1	12	45	33	10.70	<10	0.10	268	11	<0.01	11	420	44	<5	<20	3	0.18	<10	135	<10	<1	65
35	0035 E	<5	0.6	4.24	5	75	15	0.02	<1	9	47	25	7.52	<10	0.27	201	7	<0.01	15	250	40	<5	<20	3	0.15	10	92	<10	<1	73
36	0036 E	<5	<2	1.76	20	135	10	0.15	<1	6	28	10	5.11	<10	0.55	183	10	<0.01	18	360	18	<5	<20	35	0.05	<10	72	<10	<1	59
37	0037 E	<5	<2	1.55	10	70	10	0.06	1	9	38	23	6.14	<10	0.11	83	7	0.01	13	290	14	<5	<20	11	0.08	<10	120	<10	<1	50
38	0038 E	<5	<2	0.97	<5	125	15	0.48	1	15	6	14	2.49	<10	0.23	104	<1	0.06	7	680	16	<5	<20	42	0.35	<10	56	<10	4	28
39	0039 E	<5	0.4	0.53	<5	65	5	0.09	<1	7	10	11	3.80	<10	0.05	41	<1	0.01	3	290	8	<5	<20	11	0.11	10	96	<10	<1	14
40	0040 E	<5	1.6	0.75	<5	125	10	0.48	<1	9	2	11	1.66	<10	0.27	134	<1	0.06	5	1150	8	<5	<20	39	0.14	<10	27	<10	2	23
41	0041 E	45	0.4	1.18	20	90	<5	0.04	<1	11	5	48	4.82	<10	0.28	378	5	<0.01	3	1430	12	<5	<20	<1	0.02	<10	65	<10	<1	37
42	0042 E	<5	<2	0.75	<5	120	25	0.29	<1	17	10	19	4.94	<10	0.31	151	<1	0.07	7	320	16	<5	<20	37	0.52	<10	187	<10	<1	28
43	0043 E	<5	<2	2.30	5	220	10	0.29	<1	15	40	33	4.74	<10	0.49	2906	2	0.02	23	630	26	<5	<20	40	0.16	<10	73	<10	3	107
44	0044 E	<5	<2	0.83	<5	585	10	2.52	2	5	11	18	2.46	<10	0.18	188	<1	0.02	6	810	10	<5	<20	222	0.20	<10	50	<10	5	24
45	0045 E	<5	<2	2.28	10	175	10	0.15	<1	9	31	31	6.95	<10	0.15	328	8	<0.01	10	340	26	<5	<20	16	0.10	<10	130	<10	<1	65
46	0046 E	<5	0.6	2.31	5	70	15	0.15	<1	12	29	24	5.88	<10	0.31	223	3	0.03	15	580	26	<5	<20	11	0.17	<10	88	<10	<1	73
47	0047 E	35	<2	1.16	<5	70	15	0.44	1	17	11	12	6.76	<10	0.66	258	<1	0.12	10	400	10	<5	<20	38	0.23	<10	143	<10	<1	63
48	0048 E	<5	<2	1.91	<5	130	15	0.26	1	11	34	20	5.89	<10	0.42	330	3	0.02	21	490	22	<5	<20	21	0.14	<10	86	<10	<1	71
49	0049 E	<5	<2	2.77	<5	340	10	0.35	<1	18	13	55	7.78	<10	0.33	973	2	0.02	8	630	22	<5	<20	20	0.16	<10	97	<10	<1	64
50	0050 E	<5	<2	1.70	<5	160	10	0.32	<1	14	15	33	5.79	<10	0.32	483	<1	0.04	8	1130	22	<5	<20	26	0.19	<10	79	<10	<1	47
51	0051 E	<5	<2	1.60	5	115	10	0.43	<1	13	9	22	4.58	<10	0.43	398	<1	0.07	7	580	18	<5	<20	41	0.22	<10	99	<10	<1	35
52	0052 E	<5	0.4	2.19	255	140	10	0.14	<1	19	15	54	7.23	<10	0.38	2600	5	0.01	9	2160	36	<5	<20	9	0.11	<10	79	<10	<1	123
53	0053 E	15	0.4	2.34	10	245	<5	0.30	<1	11	12	114	4.63	<10	0.43	520	5	0.02	7	1200	22	<5	<20	15	0.04	<10	83	<10	<1	60
54	0054 E	620	3.4	2.60	160	515	<5	0.98	2	39	4	251	8.64	<10	0.49	2867	9	0.02	4	1920	202	<5	<20	56	0.01	<10	56	<10	4	207
55	0055 E	<5	1.0	3.58	35	170	<5	0.09	72	19	23	105	6.84	<10	0.67	343	8	<0.01	24	630	32	<5	<20	5	0.02	<10	70	<10	<1	127
56	0056 E	<5	0.6	2.65	<5	275	5	0.69	3	25	6	86	6.18	<10	0.97	1582	3	0.09	10	1630	20	<5	<20	47	0.09	<10	73	<10	<1	85
57	0057 E	<5	0.8	3.08	15	260	5	0.55	2	29	14	93	7.79	<10	0.76	2988	5	0.05	11	1440	22	<5	<20	38	0.11	<10	86	<10	3	99
58	0058 E	<5	1.2	2.65	25	605	<5	0.80	2	27	16	98	7.08	<10	0.61	6572	7	0.02	12	2500	22	<5	<20	127	0.08	<10	74	<10	6	143
59	0059 E	<5	<2	3.06	50	135	<5	0.05	<1	15	21	156	8.62	<10	0.79	408	11	<0.01	22	780	30	<5	<20	7	<0.01	<10	62	<10	<1	171
60	0060 E	<5	0.2	2.95	<5	110	15	0.35	2	14	38	47	12.70	<10	0.53	498	13	<0.01	20	540	28	<5	<20	22	0.06	10	68	<10	<1	121

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	0061 E	6	<2	4.54	<5	60	35	0.14	2	29	14	35	13.40	<10	0.43	742	<1	0.02	5	1090	40	<5	<20	8	0.43	<10	251	<10	4	116
62	0062 E	6	<2	1.92	<5	60	30	0.25	1	20	31	18	8.29	<10	0.19	236	<1	0.04	7	500	38	<5	<20	18	0.62	10	138	<10	1	52
63	0063 E	6	<2	1.06	<5	40	10	0.18	<1	7	14	14	1.36	<10	0.08	60	<1	0.02	4	920	38	<5	<20	13	0.24	<10	47	<10	3	19
64	0064 E	6	<2	1.37	<5	30	35	0.38	1	20	17	11	4.95	<10	0.29	133	<1	0.07	6	200	20	<5	<20	23	0.80	<10	159	<10	4	23
65	0065 E	6	0.2	4.13	20	55	15	0.07	<1	11	63	39	10.60	<10	0.25	171	7	0.01	14	410	34	<5	<20	4	0.15	20	116	<10	<1	116
66	0066 E	6	<2	1.31	<5	50	30	0.13	2	13	14	19	8.03	<10	0.03	49	<1	0.02	4	160	26	<5	<20	6	0.50	20	161	<10	<1	24
67	0067 E	6	<2	0.33	<5	30	15	0.09	<1	9	9	6	1.57	<10	0.06	52	<1	0.02	2	270	10	<5	<20	7	0.38	<10	89	<10	1	14
68	0068 E	6	<2	2.43	10	60	45	0.12	2	27	70	48	12.50	<10	0.72	211	<1	0.01	19	340	24	<5	<20	3	0.80	20	347	<10	<1	41
69	0069 E	6	<2	0.58	<5	40	<5	0.76	<1	5	2	8	0.88	<10	0.17	77	<1	0.03	4	660	4	5	<20	27	0.09	<10	17	<10	<1	27
70	0070 E	6	<2	2.98	60	35	5	0.64	<1	15	26	22	5.49	<10	0.07	282	4	0.02	9	1470	16	<5	<20	20	0.04	<10	75	<10	6	38
71	0071 E	6	<2	1.37	<5	60	45	0.21	2	28	53	28	9.12	<10	0.11	53	<1	0.04	9	270	22	<5	<20	12	1.12	20	561	<10	5	24
72	0072 E	6	0.6	3.71	15	55	<5	1.04	3	31	24	39	2.71	<10	0.15	1266	3	0.03	20	2810	26	<5	<20	35	0.05	<10	38	<10	21	78
73	0073 E	6	<2	2.20	25	80	20	0.42	1	22	68	40	8.86	<10	0.74	290	<1	0.09	23	410	20	<5	<20	34	0.42	<10	211	<10	<1	75
74	0074 E	6	<2	5.55	<5	55	35	0.19	1	23	40	25	9.17	<10	0.28	207	<1	0.03	8	360	34	<5	<20	13	0.79	10	128	<10	2	35
75	0075 E	6	<2	0.97	<5	80	30	0.26	<1	20	16	16	3.26	<10	0.09	75	<1	0.02	6	290	22	<5	<20	21	0.93	<10	233	<10	6	23
76	0076 E	6	<2	5.46	<5	45	15	0.32	<1	17	68	36	8.69	<10	0.23	248	<1	<0.01	14	640	40	<5	<20	5	0.39	10	161	<10	3	45
77	0077 E	6	<2	0.88	<5	25	20	0.34	<1	16	18	10	2.35	<10	0.35	177	<1	0.05	9	610	18	<5	<20	19	0.56	<10	117	<10	3	23
78	0078 E	6	<2	1.67	5	60	25	0.28	1	17	20	22	6.52	<10	0.24	191	<1	0.05	11	470	30	<5	<20	24	0.52	<10	150	<10	2	46
79	0079 E	6	<2	3.85	20	85	15	0.06	<1	11	63	31	8.68	<10	0.41	166	7	<0.01	24	440	30	<5	<20	3	0.10	20	154	<10	<1	100
80	0080 E	6	2.2	5.63	95	70	15	0.05	<1	12	42	32	7.68	<10	0.39	260	6	0.02	18	310	62	<5	<20	<1	0.16	<10	81	<10	<1	110
81	0081 E	6	<2	1.91	<5	80	25	0.10	2	18	42	24	10.60	<10	0.10	215	<1	0.02	11	420	26	<5	<20	15	0.48	20	175	<10	<1	96
82	0082 E	6	0.2	4.30	<5	70	20	0.24	<1	14	65	37	10.30	<10	0.15	169	3	0.01	11	610	36	<5	<20	7	0.27	20	153	<10	<1	85
83	0083 E	6	<2	1.36	15	50	15	0.11	<1	9	18	16	3.30	<10	0.21	116	<1	0.02	12	290	42	<5	<20	8	0.31	<10	88	<10	2	68
84	0084 E	6	<2	2.19	<5	60	30	0.20	<1	16	49	20	7.27	<10	0.13	79	<1	0.02	8	550	40	<5	<20	11	0.54	20	134	<10	2	39
85	0085 E	6	<2	1.07	<5	55	25	0.15	<1	15	10	16	5.35	<10	0.14	244	<1	0.03	8	290	28	<5	<20	13	0.51	<10	111	<10	1	55
86	0086 E	6	<2	1.56	10	60	15	0.11	<1	8	20	9	3.49	<10	0.34	93	<1	0.02	9	380	34	<5	<20	6	0.22	<10	90	<10	<1	40
87	0087 E	6	<2	2.34	<5	90	40	0.22	<1	22	39	20	8.71	<10	0.17	283	<1	0.03	8	430	38	<5	<20	14	0.79	<10	213	<10	5	55
88	0088 E	6	1.0	3.57	20	50	15	0.09	<1	9	32	25	7.50	<10	0.10	149	5	0.02	15	460	46	<5	<20	8	0.20	10	50	<10	<1	45
89	0089 E	6	0.2	3.33	30	65	10	0.09	<1	8	43	30	6.08	<10	0.39	134	4	<0.01	12	330	28	<5	<20	5	0.10	<10	89	<10	<1	58
90	0090 E	6	1.6	5.24	15	60	15	0.08	<1	12	42	35	9.59	<10	0.18	164	5	0.02	12	340	50	<5	<20	4	0.25	20	104	<10	2	78
91	0091 E	6	1.4	6.76	25	55	15	0.04	<1	9	69	40	10.70	<10	0.15	186	10	0.01	12	480	54	<5	<20	2	0.09	20	74	<10	<1	104
92	0092 E	6	<2	2.54	<5	55	20	0.22	1	19	31	22	7.23	<10	0.19	322	<1	0.03	9	550	32	<5	<20	14	0.42	<10	94	<10	4	41
93	0093 E	6	0.2	3.39	40	85	20	0.04	<1	13	33	48	10.50	<10	0.45	259	8	<0.01	22	310	34	<5	<20	2	0.16	20	79	<10	<1	130
94	0094 E	6	<2	2.68	5	115	20	0.57	<1	102	23	24	6.24	<10	0.16	4241	<1	0.03	9	620	26	<5	<20	27	0.33	<10	97	<10	5	73
95	0095 E	6	2.6	3.77	20	400	<5	0.71	1	27	30	70	6.88	<10	0.52	>10000	8	0.05	18	1820	30	<5	<20	101	0.11	<10	74	<10	13	147

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	0096 E	<5	0.6	3.31	25	115	5	0.11	<1	22	38	67	7.02	<10	0.61	833	8	0.01	15	1160	30	<5	<20	8	0.06	<10	89	<10	<1	97
97	0097 E	<5	<2	1.74	5	145	20	0.21	1	15	35	39	9.35	<10	0.24	476	5	<0.01	14	1210	22	<5	<20	18	0.19	10	153	<10	<1	75
98	0098 E	<5	<2	0.73	10	60	<5	0.25	<1	6	9	13	2.39	<10	0.14	147	6	0.02	6	410	16	<5	<20	21	0.12	<10	86	<10	<1	36
99	0099 E	<5	1.0	3.37	45	100	10	0.07	<1	13	29	71	10.60	<10	0.34	452	10	<0.01	18	760	40	<5	<20	10	0.04	<10	66	<10	<1	62
100	0100 E	<5	0.8	0.73	5	100	<5	0.70	<1	6	10	23	1.89	<10	0.15	99	<1	0.01	8	620	8	<5	<20	66	0.09	<10	47	<10	<1	30
101	0101 E	<5	1.0	2.98	15	65	10	0.08	<1	14	22	49	8.20	<10	0.09	1261	10	<0.01	10	4390	32	<5	<20	8	0.03	<10	77	<10	<1	51
102	0102 E	<5	0.2	2.10	15	100	5	0.19	<1	15	11	56	6.22	<10	0.26	413	3	0.04	14	2490	26	<5	<20	20	0.10	<10	46	<10	<1	84
103	0103 E	<5	1.2	1.91	35	70	15	0.09	<1	9	18	49	7.68	<10	0.18	679	7	0.01	11	3750	24	<5	<20	14	0.06	<10	118	<10	<1	43
104	0104 E	<5	1.0	2.27	<5	95	5	0.14	<1	7	18	47	6.14	<10	0.38	220	7	0.01	12	1710	24	<5	<20	22	0.03	<10	84	<10	<1	51
105	0105 E	<5	0.2	2.67	20	60	20	0.18	<1	12	26	39	10.00	<10	0.30	405	12	0.01	15	5990	38	<5	<20	10	0.10	<10	109	<10	<1	62
106	0106 E	<5	1.0	2.03	25	90	25	0.20	1	13	21	26	12.90	<10	0.20	631	15	0.03	14	4860	38	<5	<20	23	0.21	<10	115	<10	<1	61
107	0107 E	<5	1.2	1.17	10	65	<5	0.04	<1	5	10	26	1.78	<10	0.16	64	3	<0.01	13	730	12	<5	<20	14	0.01	<10	51	<10	<1	36
108	0108 E	<5	0.4	4.03	5	135	20	0.01	<1	12	28	38	9.08	<10	0.78	764	9	<0.01	10	1140	36	<5	<20	2	0.01	<10	82	<10	<1	60
109	0109 E	<5	0.4	2.99	15	65	10	0.14	<1	8	26	44	6.48	<10	0.51	426	8	0.02	13	2180	36	<5	<20	8	0.06	<10	87	<10	<1	47
110	0110 E	<5	0.2	4.20	20	70	10	0.06	<1	9	31	45	7.39	<10	0.37	300	9	<0.01	14	1310	48	<5	<20	8	0.07	<10	62	<10	<1	61
111	0111 E	<5	0.2	1.60	15	70	10	0.04	<1	6	15	19	3.05	<10	0.16	87	4	<0.01	8	520	20	<5	<20	4	0.08	<10	88	<10	<1	34
112	0112 E	<5	<2	1.93	<5	100	15	0.11	<1	11	21	17	6.05	<10	0.22	476	3	0.01	16	820	18	<5	<20	14	0.12	<10	79	<10	<1	43
113	0113 E	<5	<2	2.07	15	80	10	0.04	<1	9	24	37	5.70	<10	0.41	211	5	<0.01	18	470	24	<5	<20	5	0.12	<10	108	<10	<1	116
114	0114 E	<5	<2	0.86	<5	50	20	0.15	<1	14	13	21	4.72	<10	0.13	734	<1	0.01	7	1150	14	<5	<20	9	0.35	<10	110	<10	<1	30
115	0115 E	<5	0.6	2.91	20	100	5	0.08	1	16	24	60	9.20	<10	0.12	710	11	<0.01	14	1100	34	<5	<20	8	0.02	<10	60	<10	<1	72
116	0116 E	<5	<2	1.73	15	70	10	0.15	<1	9	26	32	5.09	<10	0.47	269	6	0.02	18	830	18	<5	<20	7	0.07	<10	84	<10	<1	92
117	0117 E	<5	0.4	3.82	<5	130	20	0.10	<1	23	31	62	8.24	<10	0.39	1083	4	0.01	16	2220	44	<5	<20	7	0.16	<10	77	<10	<1	60
118	0118 E	<5	<2	2.38	30	75	20	0.35	<1	16	29	26	7.08	<10	0.73	545	<1	0.07	16	1170	20	<5	<20	28	0.24	<10	129	<10	<1	76
119	0119 E	<5	0.6	2.89	30	110	<5	0.10	<1	11	16	46	5.29	<10	0.16	274	8	0.02	9	700	32	<5	<20	10	0.02	<10	77	<10	<1	51
120	0120 E	<5	<2	2.10	5	160	20	0.40	1	11	19	21	8.89	<10	0.12	125	10	<0.01	10	560	26	<5	<20	32	0.17	<10	160	<10	<1	66
121	0121 E	<5	0.6	2.88	20	90	20	0.13	<1	11	26	22	7.59	<10	0.11	340	5	<0.01	8	960	28	<5	<20	10	0.17	<10	97	<10	1	90
122	0122 E	<5	1.0	2.58	20	105	10	0.52	<1	18	26	23	6.61	<10	0.46	1615	7	<0.01	15	1210	24	<5	<20	30	0.06	<10	81	<10	<1	107
123	0123 E	<5	0.8	0.85	5	40	10	0.13	<1	6	10	33	4.43	<10	0.04	220	6	<0.01	5	2660	12	<5	<20	10	0.03	<10	53	<10	<1	34
124	1215	<5	<2	2.51	<5	100	30	0.20	2	16	9	34	14.30	<10	<0.01	273	6	<0.01	9	520	68	<5	<20	7	0.41	20	114	<10	<1	76
125	1216	<5	0.4	0.63	<5	40	<5	0.31	<1	6	1	14	1.21	<10	0.07	51	<1	0.03	4	950	6	<5	<20	19	0.06	<10	15	<10	3	27
126	1217	<5	<2	1.75	<5	65	20	0.23	1	15	40	29	8.16	<10	0.13	127	<1	<0.01	15	380	26	<5	<20	11	0.39	<10	227	<10	<1	57
127	1218	<5	<2	2.20	25	80	20	0.18	1	21	27	30	8.54	<10	0.28	713	4	0.02	15	570	30	<5	<20	13	0.27	<10	191	<10	<1	101
128	1219	25	<2	4.09	125	80	15	0.16	<1	15	47	36	9.41	<10	0.37	285	5	0.01	16	730	46	<5	<20	5	0.20	<10	171	<10	<1	75
129	1220	<5	<2	3.85	45	70	20	0.07	<1	12	78	35	8.87	<10	0.30	110	4	0.01	20	380	32	<5	<20	5	0.22	10	171	<10	<1	64
130	1221	<5	1.4	3.16	60	130	20	0.15	1	17	57	51	12.90	<10	0.43	461	7	<0.01	25	480	32	<5	<20	16	0.21	10	125	<10	<1	116

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	1222	<5	<2	3.71	35	95	15	0.08	1	13	58	44	11.20	<10	0.53	280	11	<0.01	30	990	32	<5	<20	6	0.11	10	101	<10	<1	139
132	1223	<5	0.6	3.19	15	75	10	0.14	<1	12	36	63	7.03	<10	0.15	425	4	0.02	14	730	48	<5	<20	7	0.24	<10	100	<10	6	51
133	1224	<5	0.6	4.03	35	95	35	0.05	1	15	63	46	14.40	<10	0.28	371	13	<0.01	20	460	56	<5	<20	<1	0.26	10	112	<10	<1	94
134	1225	<5	2.0	2.72	<5	85	35	0.14	3	15	17	32	> 15	<10	0.04	637	14	0.01	14	560	60	<5	<20	12	0.27	<10	65	<10	<1	51
135	1226	<5	0.8	3.30	35	75	15	0.19	1	14	50	36	6.59	<10	0.55	584	3	0.04	26	730	30	<5	<20	16	0.15	<10	97	<10	<1	91
136	1227	<5	0.8	1.74	10	60	25	0.13	3	15	27	22	6.90	<10	0.10	134	<1	0.02	11	400	34	<5	<20	9	0.48	<10	202	<10	<1	42
137	1228	<5	5.6	3.96	50	70	15	0.09	2	13	37	36	11.00	<10	0.32	303	11	<0.01	19	540	44	<5	<20	6	0.16	<10	76	<10	<1	103
138	1229	<5	1.6	2.96	225	50	20	0.11	<1	16	20	37	10.70	<10	0.14	596	10	<0.01	9	930	40	<5	<20	<1	0.21	<10	174	<10	<1	135
139	1230	<5	<2	3.28	45	95	30	0.15	<1	14	50	34	13.00	<10	0.17	179	9	<0.01	13	390	34	<5	<20	11	0.25	10	209	<10	<1	83
140	1231	<5	1.4	3.63	90	115	15	0.09	<1	11	57	52	10.30	<10	0.51	283	10	<0.01	24	470	44	<5	<20	8	0.06	20	111	<10	<1	194
141	1232	<5	<2	1.56	30	60	25	0.48	<1	23	20	15	5.60	<10	0.83	295	<1	0.11	15	550	24	<5	<20	36	0.40	<10	120	<10	1	45
142	1233	<5	<2	3.11	75	65	30	0.06	<1	14	46	29	11.60	<10	0.11	142	5	0.01	10	360	48	<5	<20	4	0.26	<10	185	<10	<1	59
143	1234	<5	3.0	2.76	50	110	20	0.34	1	43	19	38	10.10	<10	0.15	9073	8	0.01	13	1400	76	<5	<20	15	0.08	<10	159	<10	<1	384
144	1235	50	<2	1.29	<5	50	30	0.52	<1	27	13	13	4.09	<10	0.86	281	<1	0.12	12	450	24	<5	<20	41	0.69	<10	142	<10	4	30
145	1236	<5	<2	1.09	<5	40	20	0.66	<1	24	11	12	3.47	<10	0.69	429	<1	0.11	11	1090	14	<5	<20	49	0.47	<10	72	<10	4	29
146	1237	<5	0.8	1.29	15	80	15	0.42	<1	16	33	17	5.30	<10	0.44	323	<1	0.07	14	570	18	<5	<20	29	0.26	<10	114	<10	<1	45
147	1238	<5	<2	1.81	<5	65	30	0.70	<1	34	18	14	5.64	<10	0.83	1327	<1	0.16	12	730	16	<5	<20	52	0.60	<10	123	<10	4	38
148	1239	<5	<2	3.95	<5	65	40	0.76	1	37	111	29	12.70	<10	0.55	1054	<1	0.02	31	1010	22	<5	<20	16	0.76	<10	299	<10	<1	78
149	1240	<5	<2	3.81	<5	65	30	0.24	1	21	93	32	13.50	<10	0.11	177	<1	<0.01	14	810	28	<5	<20	7	0.50	<10	309	<10	<1	69
150	1241	<5	<2	3.22	<5	60	20	0.08	<1	11	99	28	7.34	<10	0.35	157	3	<0.01	26	300	28	<5	<20	4	0.12	<10	149	<10	<1	60
151	1242	<5	<2	4.86	<5	60	35	0.84	2	45	114	39	10.20	<10	1.33	1178	<1	0.03	57	530	22	<5	<20	41	0.50	<10	206	<10	<1	83
152	1243	<5	0.8	2.06	<5	55	10	0.40	<1	14	42	25	5.87	<10	0.37	776	4	<0.01	17	680	26	<5	<20	14	0.13	<10	68	<10	6	109
153	1244	<5	0.4	4.13	15	80	10	0.67	<1	14	60	27	7.06	<10	0.31	273	4	<0.01	19	510	30	<5	<20	22	0.12	<10	98	<10	2	129
154	1245	<5	<2	1.14	<5	50	25	0.16	<1	15	43	20	4.30	<10	0.06	41	<1	0.01	10	360	22	<5	<20	7	0.50	<10	192	<10	2	24
155	1246	<5	<2	1.09	<5	60	60	0.14	<1	31	100	26	10.70	<10	0.03	90	<1	<0.01	9	30	22	<5	<20	7	1.25	<10	729	<10	<1	28
156	1247	<5	0.6	5.73	<5	125	35	0.22	<1	44	204	55	12.60	<10	1.36	765	<1	0.01	68	570	30	<5	<20	27	0.57	<10	298	<10	<1	113
157	1248	<5	<2	2.10	<5	85	30	0.29	1	23	119	32	7.94	<10	0.53	206	<1	0.01	25	240	20	<5	<20	18	0.50	<10	318	<10	<1	45
158	1249	<5	<2	2.49	<5	95	35	1.04	1	40	65	21	7.14	<10	1.34	534	<1	0.21	25	550	16	<5	<20	74	0.58	<10	197	<10	6	59
159	1250	<5	<2	1.94	5	85	20	0.14	<1	10	29	14	6.35	<10	0.10	130	4	<0.01	12	240	60	<5	<20	6	0.21	<10	79	<10	<1	154
160	1251	<5	3.0	2.47	75	540	15	0.60	5	46	29	24	12.30	<10	0.46	>10000	20	0.03	64	840	18	<5	<20	32	0.09	<10	48	<10	<1	474
161	1252	<5	2.0	5.68	25	50	25	0.06	<1	10	27	44	12.50	<10	<0.01	241	12	0.01	5	430	90	<5	<20	8	0.06	<10	40	<10	<1	108
162	1253	<5	<2	0.91	5	30	10	0.05	<1	5	6	8	2.73	<10	0.05	90	1	<0.01	3	200	16	<5	<20	5	0.10	<10	59	<10	<1	25
163	1254	<5	0.4	0.75	<5	55	5	0.61	<1	10	4	7	1.64	<10	0.29	100	<1	0.06	8	750	8	<5	<20	38	0.14	<10	27	<10	2	21
164	1255	<5	0.8	4.34	155	75	25	0.15	<1	22	205	30	11.30	<10	0.45	647	7	<0.01	57	510	58	<5	<20	8	0.04	<10	230	<10	<1	339
165	1256	<5	<2	2.12	<5	60	60	0.27	1	31	191	28	12.90	<10	0.28	206	<1	0.03	22	510	26	<5	<20	11	1.06	<10	588	<10	<1	46


Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
166	1257	<5	<2	1.27	<5	50	30	0.27	<1	18	90	15	3.67	<10	0.25	127	<1	<0.01	20	280	32	<5	<20	78	0.56	<10	313	<10	2	28
167	1258	<5	<2	5.18	<5	95	40	0.14	1	41	210	61	13.80	<10	0.57	504	<1	<0.01	82	720	30	<5	<20	10	0.46	<10	275	<10	<1	95
168	1259	<5	2.8	5.49	15	75	15	0.38	2	61	147	56	9.33	<10	1.85	1366	4	0.01	109	1280	32	<5	<20	14	0.14	<10	138	<10	15	169
169	1260 A	<5	2.0	4.05	25	150	15	0.04	<1	12	39	42	8.14	<10	0.20	229	13	<0.01	18	430	50	<5	<20	4	0.04	<10	98	<10	<1	278
170	1260 B	<5	4.0	3.50	<5	165	20	1.09	4	28	28	26	8.16	<10	0.20	1353	4	0.01	24	900	38	<5	<20	35	0.16	<10	68	<10	14	438
171	1262	<5	0.6	2.48	<5	90	45	1.52	<1	46	10	15	6.82	<10	2.05	670	<1	0.41	22	940	16	<5	<20	126	0.81	<10	128	<10	9	61
172	1263	<5	2.4	5.84	15	45	15	0.05	<1	9	23	21	8.03	<10	0.03	73	5	0.01	6	770	70	<5	<20	5	0.14	<10	58	<10	6	65
173	1264	<5	2.8	4.20	<5	245	15	0.86	2	62	33	15	9.70	<10	0.23	>10000	9	0.05	11	1760	56	<5	<20	46	0.17	<10	96	<10	3	119
174	1265	<5	<2	1.80	15	105	5	0.58	<1	26	51	63	6.11	<10	1.12	710	5	0.01	53	1740	18	<5	<20	24	0.05	<10	80	<10	4	120
175	1266	<5	<2	2.37	10	175	<5	0.65	1	16	57	97	4.35	<10	1.36	425	3	0.01	55	1660	32	<5	<20	30	0.06	<10	96	<10	8	186
176	1267	<5	<2	2.12	<5	105	<5	0.73	<1	9	53	36	3.35	<10	1.15	290	1	0.01	45	1820	18	<5	<20	27	0.04	<10	79	<10	4	108
177	1268	<5	<2	5.82	<5	55	25	0.68	2	44	189	45	7.62	<10	0.96	441	<1	0.01	110	650	32	<5	<20	16	0.43	<10	156	<10	13	84
178	1269	<5	<2	4.49	<5	50	20	1.26	1	46	226	47	7.52	<10	1.25	532	<1	0.01	144	640	22	<5	<20	29	0.30	<10	187	<10	4	89
179	1270	<5	<2	4.38	10	30	5	1.87	3	32	216	69	5.08	<10	1.63	481	<1	0.02	130	680	20	<5	<20	42	0.14	<10	118	<10	5	102
180	1271	<5	<2	5.30	<5	50	25	0.84	1	44	272	46	8.27	<10	1.76	496	<1	0.01	173	600	28	<5	<20	27	0.36	<10	200	<10	1	97
181	1272	<5	<2	6.88	<5	60	50	0.48	<1	43	263	40	12.30	<10	0.80	379	<1	0.01	68	470	36	<5	<20	17	0.81	<10	233	<10	2	57
182	1273	<5	<2	4.12	<5	65	30	0.36	2	35	190	39	10.40	<10	0.71	229	<1	<0.01	81	340	30	<5	<20	11	0.49	<10	284	<10	<1	230
183	1274	<5	<2	5.29	15	35	<5	0.11	<1	6	73	23	1.23	10	0.06	198	<1	0.02	12	1340	62	<5	<20	6	0.14	<10	25	<10	8	45
184	1275	<5	<2	1.31	<5	50	35	0.25	<1	17	44	17	4.80	<10	0.07	103	<1	0.01	7	490	22	<5	<20	12	0.64	<10	204	<10	2	19
185	1276	<5	<2	0.54	<5	30	5	0.06	<1	4	15	12	0.52	20	0.04	24	<1	<0.01	3	240	40	<5	<20	3	0.17	<10	19	<10	3	14
186	1277	<5	<2	3.76	<5	50	35	0.38	1	22	142	34	10.90	<10	0.28	215	<1	<0.01	20	620	34	<5	<20	7	0.60	<10	316	<10	<1	39
187	1278	<5	<2	4.42	<5	60	40	0.33	1	30	135	37	9.50	<10	0.65	423	<1	0.04	28	460	30	<5	<20	23	0.57	<10	192	<10	5	42
188	1279	65	<2	1.75	50	115	10	0.70	<1	19	33	68	5.16	<10	1.04	870	5	0.01	14	2290	30	<5	<20	35	0.12	<10	87	<10	3	99
189	1280	<5	<2	3.65	<5	75	40	0.47	1	24	117	43	12.60	<10	0.13	136	<1	<0.01	16	440	34	<5	<20	13	0.49	<10	221	<10	2	74
190	1281	90	<2	1.67	45	150	10	0.77	<1	21	41	86	5.25	<10	1.08	900	5	0.01	21	2190	30	<5	<20	38	0.12	<10	88	<10	3	107
191	1282	30	<2	5.23	<5	80	30	0.37	1	45	122	56	10.40	<10	1.68	562	<1	0.02	90	400	32	<5	<20	24	0.48	<10	168	<10	<1	120
192	1283	85	<2	1.66	50	150	<5	0.71	<1	22	37	112	5.20	<10	1.07	919	5	0.01	22	2180	28	<5	<20	33	0.12	<10	84	<10	4	109
193	1284	25	<2	2.15	<5	65	20	0.24	1	14	74	22	7.26	<10	0.12	132	<1	0.02	11	340	24	<5	<20	11	0.36	<10	200	<10	<1	54
194	1285	50	0.2	1.71	40	185	<5	0.75	<1	18	58	128	4.85	<10	1.20	910	4	0.01	28	1970	26	<5	<20	33	0.12	<10	90	<10	5	108
195	1286	<5	<2	2.02	<5	70	25	3.01	1	38	13	32	4.58	<10	1.62	928	<1	0.36	22	830	10	5	<20	118	0.52	<10	84	<10	17	48
196	1287	<5	<2	2.18	35	195	<5	0.83	1	25	47	120	6.12	<10	1.28	980	7	0.02	45	2080	32	<5	<20	34	0.09	<10	96	<10	6	182
197	1288	<5	<2	0.95	<5	65	10	1.19	1	11	28	15	1.67	<10	0.31	122	<1	0.05	12	860	14	<5	<20	43	0.19	<10	34	<10	3	37
198	1289	60	<2	2.05	50	220	<5	0.84	<1	22	43	160	6.08	<10	1.30	1165	5	0.02	33	2150	34	<5	<20	37	0.13	<10	97	<10	6	144
199	1290	30	<2	0.51	<5	70	20	0.21	<1	12	6	13	1.64	<10	0.16	79	<1	0.03	5	490	14	<5	<20	23	0.41	<10	89	<10	4	22
200	1291	<5	<2	1.87	25	195	10	0.61	1	22	49	73	5.48	<10	1.11	1043	6	0.01	60	1780	22	<5	<20	26	0.05	<10	82	<10	5	162

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	1292	<5	<2	1.14	<5	65	20	0.28	<1	15	100	19	4.38	<10	0.24	93	<1	0.01	17	340	18	<5	<20	13	0.45	<10	210	<10	2	25
202	1293	<5	<2	1.78	15	170	5	0.45	<1	20	52	64	5.30	<10	1.08	618	7	<0.01	66	1570	20	<5	<20	25	0.05	<10	75	<10	6	171
203	1294	<5	0.6	2.39	<5	55	10	1.64	1	27	46	61	3.61	<10	0.32	2162	<1	0.03	17	550	20	<5	<20	28	0.23	<10	61	<10	22	49
204	1295	<5	<2	1.80	25	175	10	0.61	<1	19	48	64	5.96	<10	1.08	563	5	0.01	47	2050	20	<5	<20	32	0.07	<10	84	<10	3	114
205	1296	<5	0.6	1.31	5	40	<5	2.45	<1	10	25	76	2.36	10	0.18	158	<1	0.02	15	660	12	<5	<20	31	0.14	<10	30	<10	19	20
206	1297	90	<2	1.37	70	75	5	0.69	<1	20	24	53	5.43	<10	0.84	778	5	0.01	14	2270	26	<5	<20	32	0.10	<10	75	<10	2	82
207	1298	<5	<2	1.81	10	85	20	0.53	<1	12	58	20	6.17	<10	0.31	144	<1	0.02	15	390	22	<5	<20	18	0.25	<10	166	<10	<1	85
208	1299	100	<2	1.53	70	295	<5	0.57	<1	22	28	147	6.93	<10	0.98	819	6	0.01	16	2050	34	<5	<20	34	0.12	<10	88	<10	<1	103
209	1300	70	<2	1.51	75	120	<5	0.69	<1	16	26	79	5.23	<10	1.03	763	4	0.01	15	2090	28	<5	<20	33	0.10	<10	80	<10	2	92
210	1500	400	1.6	1.43	75	135	20	0.48	<1	19	27	68	7.24	<10	0.81	564	7	0.01	13	1360	40	<5	<20	28	0.12	<10	115	<10	<1	70
211	1501	70	<2	1.58	60	80	15	0.75	<1	19	33	50	5.44	<10	1.02	800	5	0.01	14	2480	32	<5	<20	37	0.12	<10	85	<10	3	79
212	1502	55	<2	1.53	50	85	10	0.57	<1	23	31	63	5.64	<10	1.04	799	2	0.03	18	1830	26	<5	<20	30	0.13	<10	93	<10	<1	83
213	1503	65	<2	1.55	50	205	<5	0.67	1	18	34	139	5.08	<10	1.07	705	6	0.01	19	2070	26	<5	<20	32	0.10	<10	81	<10	5	110
214	1504	65	<2	1.59	60	225	<5	0.77	<1	22	27	156	5.61	<10	1.05	879	6	0.01	18	2270	30	<5	<20	38	0.11	<10	84	<10	5	100
215	1505	150	0.8	1.34	75	175	10	0.49	<1	18	26	64	6.57	<10	0.88	701	6	0.01	12	1840	32	<5	<20	26	0.12	<10	88	<10	<1	80
216	1506	125	<2	1.85	70	170	<5	0.77	<1	23	28	116	5.77	<10	1.20	1014	8	0.02	16	2160	34	<5	<20	40	0.13	<10	94	<10	4	108
217	1507	185	0.4	1.44	75	145	<5	0.76	<1	23	28	127	6.06	<10	0.96	819	8	0.01	19	2150	30	<5	<20	33	0.10	<10	80	<10	3	101
218	1508	55	0.4	1.49	65	120	10	0.68	<1	20	25	70	5.93	<10	1.02	807	5	0.01	15	2100	26	<5	<20	32	0.10	<10	85	<10	1	88
219	1509	<5	<2	2.22	<5	100	35	0.51	<1	23	142	22	6.00	<10	0.84	202	<1	0.03	40	660	24	<5	<20	34	0.61	<10	221	<10	3	42
220	1510	60	<2	1.45	50	155	<5	0.63	<1	21	24	96	4.83	<10	0.97	799	3	0.01	17	1950	24	<5	<20	30	0.10	<10	74	<10	3	95
221	1511	<5	1.6	5.34	25	80	20	0.21	1	11	98	37	7.44	<10	0.28	173	4	<0.01	27	780	44	<5	<20	9	0.11	<10	73	<10	4	96
222	1512	145	0.4	1.59	60	170	5	0.69	<1	22	26	113	5.49	<10	1.00	954	5	0.01	16	2200	30	<5	<20	34	0.11	<10	79	<10	2	95
223	1513	<5	<2	4.75	100	80	30	0.79	<1	46	195	78	10.50	<10	1.47	507	<1	0.02	106	390	16	<5	<20	27	0.49	<10	218	<10	6	102
224	1514	140	0.2	1.32	85	140	<5	0.56	<1	17	25	77	5.31	<10	0.95	730	6	<0.01	17	1970	22	<5	<20	25	0.07	<10	78	<10	<1	81
225	1515	<5	<2	5.44	55	110	35	0.43	<1	56	313	76	10.90	<10	2.00	603	<1	<0.01	235	460	20	<5	<20	14	0.53	<10	231	<10	7	141
226	1516	100	<2	1.27	80	95	5	0.56	<1	15	27	41	4.60	<10	0.89	582	5	<0.01	16	2210	22	<5	<20	27	0.07	<10	73	<10	1	80
227	3102	<5	0.2	1.96	40	85	5	0.50	<1	28	25	33	3.68	10	0.71	2541	14	0.05	27	1020	24	<5	<20	33	0.06	<10	56	<10	22	97
228	3103	<5	<2	1.91	50	75	15	1.24	<1	26	15	16	4.47	<10	1.18	844	7	0.18	22	730	10	<5	<20	117	0.28	<10	74	<10	13	89
229	3010	<5	0.2	2.88	5	205	10	2.09	1	19	21	19	4.04	10	0.72	2795	2	0.09	25	950	12	<5	<20	107	0.11	<10	50	<10	20	161
230	3011	<5	<2	1.84	30	170	<5	0.52	<1	24	20	179	6.12	<10	1.01	1334	6	0.02	29	1310	26	5	<20	34	0.03	<10	56	<10	3	256
231	3012	<5	0.2	1.71	40	140	<5	0.46	<1	27	19	70	6.21	<10	0.97	1319	6	0.02	31	1310	32	<5	<20	27	0.02	<10	52	<10	3	335

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Repeat:																															
1	0001 E	<5	1.4	3.90	10	115	15	0.94	2	43	32	21	11.00	<10	0.20	5315	22	0.01	16	1230	34	<5	<20	38	0.11	<10	82	<10	14	111	
10	0010 E	<5	0.4	1.32	15	70	5	0.17	<1	9	9	19	4.59	<10	0.12	213	6	0.01	6	620	16	<5	<20	12	0.07	<10	103	<10	<1	50	
19	0019 E	<5	<2	3.16	5	100	20	0.03	<1	11	55	30	10.00	<10	0.19	149	8	<0.1	14	540	26	<5	<20	4	0.18	30	148	<10	<1	58	
28	0028 E	<5	0.2	2.89	20	70	5	0.54	<1	16	31	55	7.08	<10	0.55	945	8	0.03	20	1100	30	<5	<20	35	0.11	<10	69	<10	<1	117	
36	0036 E	<5	<2	1.69	20	135	10	0.18	<1	6	27	9	4.82	<10	0.54	179	9	<0.1	17	350	18	<5	<20	36	0.06	<10	69	<10	<1	57	
45	0045 E	<5	<2	2.22	10	175	10	0.16	1	9	29	31	6.67	<10	0.15	307	7	0.01	10	360	26	<5	<20	18	0.10	<10	126	<10	<1	64	
54	0054 E	575	3.4	2.65	165	500	<5	0.98	<1	40	4	256	8.76	<10	0.50	2846	10	0.03	5	1960	204	<5	60	56	0.02	<10	57	<10	3	211	
63	0063 E	<5	<2	1.12	<5	40	10	0.17	<1	7	16	13	1.31	<10	0.08	52	<1	0.02	5	950	38	<5	<20	13	0.25	<10	49	<10	3	18	
71	0071 E	<5	<2	1.42	<5	60	45	0.19	1	28	55	28	9.56	<10	0.10	53	<1	0.02	8	230	20	<5	<20	11	1.14	30	568	<10	3	23	
80	0080 E	<5	2.2	5.52	85	65	10	0.04	<1	11	40	31	7.44	<10	0.37	251	6	0.02	18	310	60	<5	<20	1	0.15	<10	72	<10	<1	106	
89	0089 E	<5	<2	3.31	35	65	10	0.09	<1	9	43	31	6.14	<10	0.39	140	4	<0.1	13	350	28	<5	<20	6	0.10	10	91	<10	<1	59	
98	0098 E	<5	<2	0.69	10	60	5	0.26	<1	6	8	12	2.38	<10	0.13	142	6	0.02	6	420	14	<5	<20	21	0.11	<10	84	<10	<1	36	
106	0106 E	<5	1.0	2.03	35	85	30	0.19	1	14	21	26	13.00	<10	0.20	648	16	0.03	14	4910	38	<5	<20	20	0.22	<10	116	<10	<1	61	
115	0115 E	<5	0.8	2.89	25	100	5	0.08	<1	16	24	60	9.07	<10	0.12	698	10	<0.1	14	1080	34	<5	<20	7	0.02	<10	59	<10	<1	71	
124	1215	<5	<2	2.54	<5	100	35	0.20	2	16	9	34	14.40	<10	<0.1	273	6	0.01	10	520	68	<5	<20	8	0.42	20	116	<10	<1	77	
133	1224	<5	0.6	4.05	45	90	40	0.04	<1	15	65	46	14.50	<10	0.29	373	14	<0.1	20	480	58	<5	<20	<1	0.25	<10	113	<10	<1	96	
141	1232	<5	<2	1.60	25	65	25	0.40	<1	20	20	15	5.34	<10	0.74	281	<1	0.09	12	580	24	<5	<20	32	0.36	<10	118	<10	<1	42	
150	1241	<5	<2	3.30	<5	65	15	0.10	<1	12	100	28	7.33	<10	0.38	160	3	0.01	27	310	28	<5	<20	6	0.13	<10	152	<10	<1	61	
159	1250	<5	0.2	2.00	10	90	15	0.14	<1	11	33	15	6.54	<10	0.11	140	3	<0.1	14	250	58	<5	<20	8	0.22	<10	82	<10	<1	158	
168	1259	<5	2.8	5.63	10	85	10	0.40	3	63	147	58	9.45	<10	1.81	1408	3	0.02	108	1320	28	<5	<20	16	0.14	<10	137	<10	15	172	
176	1267	<5	<2	2.20	<5	105	5	0.75	<1	9	55	35	3.48	<10	1.17	289	1	0.01	46	1890	20	<5	<20	28	0.05	<10	84	<10	4	109	
185	1276	<5	<2	0.50	<5	25	5	0.05	<1	4	14	11	0.56	20	0.02	21	<1	<0.1	2	210	38	<5	<20	2	0.16	<10	20	<10	3	12	
194	1285	50	<2	1.74	40	190	<5	0.76	<1	19	59	130	4.94	<10	1.23	943	4	0.01	30	1990	26	<5	<20	30	0.12	<10	91	<10	5	112	
203	1294	<5	0.4	2.42	5	55	10	1.62	<1	28	49	59	3.83	<10	0.37	2079	<1	0.03	18	650	20	<5	<20	30	0.26	<10	66	<10	22	52	
211	1501	65	<2	1.57	65	75	10	0.72	<1	19	34	50	5.46	<10	1.02	790	5	0.01	16	2430	30	<5	<20	34	0.12	<10	86	<10	2	78	
220	1510	80	0.2	1.57	55	160	<5	0.63	<1	23	26	103	5.02	<10	1.05	872	4	0.01	18	1960	24	<5	<20	30	0.10	<10	76	<10	3	101	
223	1513	-	<2	4.91	110	85	30	0.81	<1	48	203	79	10.90	<10	1.52	524	<1	0.03	108	390	18	<5	<20	28	0.50	<10	229	<10	6	109	
229	3010	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Standard:																															
GEO'95		145	1.4	1.89	65	160	<5	1.74	<1	19	64	88	4.14	<10	0.97	662	<1	0.02	26	640	24	<5	<20	66	0.13	<10	83	<10	4	74	
GEO'95		140	1.2	1.95	65	160	<5	1.82	<1	19	68	90	4.19	<10	1.01	679	<1	0.02	28	680	24	<5	<20	68	0.14	<10	86	<10	4	75	
GEO'95		140	0.8	1.86	65	155	<5	1.79	<1	19	63	88	4.07	<10	0.97	661	<1	0.02	26	680	22	<5	<20	65	0.13	<10	84	<10	4	72	
GEO'95		140	1.0	1.99	65	165	<5	1.80	<1	19	66	90	4.35	<10	1.01	673	<1	0.02	28	670	24	5	<20	68	0.14	<10	87	<10	4	75	
GEO'95		135	1.4	1.63	60	155	5	1.65	<1	22	61	83	3.81	<10	0.85	652	<1	0.02	20	680	24	<5	20	54	0.12	<10	70	10	5	77	
GEO'95		150	1.4	1.70	60	160	5	1.90	<1	22	70	87	4.60	<10	0.98	731	<1	0.02	28	700	24	<5	<20	56	0.13	<10	74	<10	4	74	
GEO'95		140	0.8	1.75	55	150	<5	1.74	<1	19	63	79	4.12	<10	0.88	670	<1	0.02	24	730	24	<5	<20	58	0.12	<10	77	<10	4	70	
GEO'95		140	1.4	1.89	60	155	<5	1.84	<1	21	67	84	4.37	<10	0.95	697	<1	0.02	25	710	22	<5	<20	54	0.13	<10	70	<10	4	74	
GEO'95		-	1.2	1.64	70	155	<5	1.61	<1	18	64	86	3.90	<10	0.91	645	<1	0.01	27	630	22	<5	<20	51	0.10	<10	72	<10	4	72	

df/634/625g+A285G
XLS/95Canamera#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

23-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-628
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

10 Rock samples received August 11, 1995
Project #: FDSCA0011
Shipment #: 13
P.O. #: 6406
Submitted by: R. Verzosa

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	7395	150	8.4	0.13	715	20	5	0.21	<1	7	96	18	5.05	<10	<0.1	23	14	<0.1	2	990	28	<5	<20	11	<0.1	<10	6	<10	<1	74
2	7396	160	12.2	0.23	345	25	5	0.24	<1	8	67	27	4.60	<10	0.06	68	12	<0.1	2	1160	36	5	<20	12	<0.1	<10	19	<10	2	239
3	7397	>1000	>30	1.39	285	150	10	0.18	<1	3	94	50	6.16	<10	0.99	369	13	<0.1	2	1540	840	30	<20	14	<0.1	<10	70	<10	<1	92
4	7398	55	2.6	2.15	335	110	5	0.16	<1	4	40	14	5.07	<10	2.02	660	8	<0.1	1	1170	40	10	<20	7	<0.1	<10	96	<10	<1	62
5	7399	220	3.2	0.91	405	75	5	0.16	<1	4	65	13	4.52	<10	0.77	236	5	<0.1	1	1430	34	<5	<20	10	<0.1	<10	47	<10	<1	55
6	7400	955	>30	0.49	670	65	15	0.09	<1	4	80	18	8.27	<10	0.28	110	52	<0.1	<1	1310	284	65	<20	11	<0.1	<10	47	<10	<1	52
7	7601	210	4.0	1.10	255	125	10	0.17	<1	3	98	12	5.27	<10	0.74	303	12	<0.1	2	1430	194	<5	<20	9	<0.1	<10	57	<10	<1	164
8	7602	145	2.6	1.32	215	75	10	0.21	<1	4	63	13	5.72	<10	0.95	391	13	<0.1	<1	1450	104	<5	<20	7	<0.1	<10	65	<10	1	201
9	7347	5	<2	2.01	15	80	<5	2.99	<1	19	36	124	5.47	<10	1.54	711	5	0.01	44	1770	22	<5	<20	149	<0.1	<10	33	<10	<1	106
10	7348	10	0.2	0.82	145	105	10	0.20	<1	3	41	6	5.80	<10	0.34	182	9	0.04	<1	2550	14	<5	<20	14	<0.1	<10	22	<10	<1	29

QC DATA:

Resplit:

R/S 1	7395	145	7.8	0.16	655	20	5	0.20	<1	7	98	18	4.94	<10	<0.1	25	10	<0.1	2	1000	28	<5	<20	11	<0.1	<10	7	<10	<1	64
-------	------	-----	-----	------	-----	----	---	------	----	---	----	----	------	-----	------	----	----	------	---	------	----	----	-----	----	------	-----	---	-----	----	----


Repeat:

1	7395	145	9.2	0.13	675	20	10	0.22	<1	7	97	18	4.97	<10	<0.1	26	13	<0.1	3	990	26	10	<20	11	<0.1	<10	6	<10	<1	72
10	7348	-	<2	0.81	130	105	10	0.20	<1	3	41	6	5.77	<10	0.34	182	9	0.04	<1	2540	12	<5	<20	14	<0.1	<10	22	<10	<1	28

Standard:

GEO'95		150	1.0	1.87	65	155	<5	1.84	<1	21	68	84	4.40	<10	0.86	701	<1	0.02	26	710	22	<5	<20	58	0.13	<10	81	<10	4	74
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df1634
XLS/95Canamera#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

4-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-654
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS


34 Rock samples received August 16, 1995
PROJECT #: FD5CAD011
SHIPMENT #: 14
P.O. #: 5802
Samples submitted by: R. Verzosa

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	TI%	U	V	W	Y	Zn
1	7603	<5	<2	2.45	65	105	<5	0.32	<1	15	16	37	5.63	<10	1.47	871	4	<0.1	11	1060	24	<5	<20	14	<0.1	<10	29	<10	<1	136
2	7604	<5	<2	2.16	130	130	<5	0.19	<1	18	15	69	5.50	<10	0.84	465	4	<0.1	12	790	22	<5	<20	17	0.02	<10	35	10	<1	84
3	7605	<5	<2	2.68	60	150	<5	0.84	<1	21	19	100	5.90	<10	1.65	1250	7	<0.1	10	1410	52	10	<20	91	<0.1	<10	69	<10	<1	121
4	7606	<5	<2	2.38	90	105	5	0.21	<1	21	17	24	5.34	<10	1.39	558	4	<0.1	14	970	32	<5	<20	23	<0.1	<10	45	10	<1	70
5	7607	<5	<2	2.73	65	120	<5	0.75	<1	26	15	64	6.18	<10	1.36	834	4	<0.1	14	3370	42	<5	<20	104	<0.1	<10	62	<10	5	146
6	7608	<5	<2	3.18	15	115	10	0.30	<1	30	17	45	7.88	<10	1.52	607	5	<0.1	15	1280	34	<5	<20	31	0.01	<10	52	<10	<1	137
7	7609	<5	<2	2.53	30	100	<5	0.24	<1	12	15	26	5.90	<10	1.47	638	5	<0.1	11	1270	20	<5	<20	22	<0.1	<10	40	<10	<1	62
8	7610	230	>30	0.66	680	80	<5	0.01	<1	4	139	61	7.82	<10	0.14	63	61	<0.1	10	80	48	30	80	5	<0.1	<10	48	10	<1	54
9	7611	250	>30	0.49	510	90	45	0.03	<1	11	96	38	>15	<10	<0.1	42	73	<0.1	7	20	26	<5	140	4	<0.1	<10	24	<10	<1	153
10	7612	>1000	22.0	0.13	490	100	<5	<0.1	<1	1	78	3	1.86	<10	0.01	23	25	<0.1	4	20	42	55	20	5	<0.1	<10	4	20	<1	4
11	7613	15	0.8	2.46	35	125	15	0.20	<1	11	24	12	8.14	<10	1.36	424	9	<0.1	2	1510	26	<5	<20	5	<0.1	<10	29	<10	<1	94
12	7614	<5	<2	3.66	10	100	15	0.63	<1	15	27	8	10.20	<10	1.64	1117	9	<0.1	6	2980	28	<5	<20	25	<0.1	<10	50	<10	<1	149
13	7615	<5	<2	2.98	10	100	15	1.81	<1	12	43	2	7.68	<10	1.32	1205	6	<0.1	4	2180	24	<5	<20	72	<0.1	<10	44	<10	1	119
14	7616	680	>30	0.12	455	40	<5	0.02	<1	2	74	7	2.31	<10	<0.1	53	17	<0.1	3	150	68	90	20	2	<0.1	<10	3	20	<1	13
15	7617	>1000	8.0	0.19	490	85	<5	<0.1	<1	2	16	3	2.93	<10	<0.1	17	16	<0.1	1	390	28	45	20	<1	<0.1	<10	4	20	<1	12
16	7618	465	8.0	0.18	345	340	<5	<0.1	<1	<1	12	<1	1.42	<10	<0.1	3	11	<0.1	<1	90	26	35	<20	<1	<0.1	<10	3	20	<1	2
17	7619	<5	0.2	0.37	15	30	20	0.66	<1	14	47	11	10.10	<10	0.03	99	11	0.02	4	2250	20	<5	80	2	0.07	<10	16	<10	12	91
18	7620	<5	<2	0.29	<5	120	15	0.14	<1	5	30	4	4.01	<10	0.09	112	<1	0.02	1	1530	10	<5	<20	6	0.22	<10	13	<10	5	7
19	7621	<5	<2	0.37	15	125	10	0.13	<1	5	22	5	5.18	<10	0.15	188	<1	0.02	<1	2510	14	<5	<20	<1	0.21	<10	22	<10	3	9
20	7651	<5	<2	0.33	<5	25	<5	0.03	<1	<1	86	3	0.80	<10	0.13	91	3	0.02	2	90	8	<5	<20	<1	<0.1	<10	<1	<10	5	19
21	7652	<5	<2	0.35	<5	15	<5	0.15	<1	<1	96	5	0.87	<10	0.15	124	3	0.02	2	60	16	<5	<20	7	<0.1	<10	<1	<10	5	40
22	7653	<5	<2	0.41	<5	30	<5	<0.1	<1	<1	78	2	1.06	<10	0.16	64	3	0.02	2	60	8	<5	<20	<1	<0.1	<10	<1	<10	5	14
23	7654	<5	<2	0.43	<5	25	<5	0.07	<1	<1	81	4	1.09	<10	0.16	112	3	0.02	<1	40	12	<5	<20	3	<0.1	<10	<1	<10	5	26
24	7655	<5	<2	0.27	<5	20	<5	0.03	<1	<1	87	2	0.70	<10	0.09	118	2	0.02	3	60	8	<5	<20	1	<0.1	<10	<1	<10	4	13
25	7656	<5	<2	0.31	<5	10	<5	0.09	<1	<1	96	2	0.79	<10	0.12	109	2	0.02	1	50	10	<5	<20	3	<0.1	<10	<1	<10	6	16

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
26	7657	<5	<2	0.26	<5	10	<5	<0.01	<1	<1	84	2	0.77	<10	0.09	67	2	0.03	2	100	8	<5	<20	<1	<0.01	<10	<1	<10	4	12	
27	7658	<5	<2	0.28	<5	20	<5	0.02	<1	<1	77	3	0.78	<10	0.08	73	2	0.02	1	90	10	<5	<20	<1	<0.01	<10	<1	<10	5	14	
28	7659	<5	<2	0.25	<5	25	<5	0.07	<1	<1	87	3	0.73	<10	0.06	65	3	0.02	2	90	14	<5	<20	3	<0.01	<10	<1	<10	5	13	
29	7660	<5	<2	0.30	<5	20	<5	<0.01	<1	<1	56	2	0.83	<10	0.09	53	2	0.02	<1	110	8	<5	<20	<1	<0.01	<10	<1	<10	7	12	
30	7661	<5	<2	0.22	<5	15	<5	<0.01	<1	<1	85	2	0.57	<10	0.07	50	3	0.02	2	60	6	<5	<20	<1	<0.01	<10	<1	<10	4	11	
31	7662	<5	0.4	0.22	<5	25	<5	<0.01	<1	<1	81	2	0.56	<10	0.06	37	3	0.02	1	80	6	<5	<20	<1	<0.01	<10	<1	<10	5	8	
32	7663	<5	<2	0.17	<5	20	<5	<0.01	<1	<1	93	2	0.41	<10	0.05	33	2	0.02	2	30	4	<5	<20	<1	<0.01	<10	<1	<10	4	5	
33	7664	<5	<2	0.28	<5	25	<5	<0.01	<1	<1	77	2	0.63	<10	0.09	43	2	0.02	1	50	4	<5	<20	<1	<0.01	<10	<1	<10	7	11	
34	7665	<5	<2	0.21	<5	10	<5	0.01	<1	<1	90	1	0.54	<10	0.07	41	3	0.03	2	40	4	<5	<20	<1	<0.01	<10	<1	<10	5	9	
QC DATA:																															
Resplit:																															
R/S 1	7603	<5	<2	2.55	45	105	15	0.32	<1	15	18	31	5.82	<10	1.55	924	5	<0.01	12	1110	24	<5	<20	13	<0.01	<10	29	<10	<1	145	
Repeat:																															
1	7603	<5	<2	2.46	65	100	5	0.30	<1	15	16	36	5.88	<10	1.48	880	5	<0.01	11	1050	24	<5	<20	12	<0.01	<10	28	<10	<1	138	
10	7612	>1000	21.4	0.10	475	90	<5	<0.01	<1	<1	76	2	1.78	<10	<0.01	15	24	<0.01	4	30	38	55	<20	3	<0.01	<10	3	20	<1	2	
18	7620	-	<2	0.32	<5	130	10	0.15	<1	5	33	5	4.41	<10	0.10	123	<1	0.02	<1	1550	10	<5	<20	5	0.21	<10	14	<10	5	7	
19	7621	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	7658	-	<2	0.28	<5	25	<5	0.02	<1	<1	76	3	0.77	<10	0.08	73	2	0.02	<1	80	10	<5	<20	1	<0.01	<10	<1	<10	5	14	
Standard:																															
GEO'95		145	1.2	1.81	70	160	<5	1.76	<1	20	62	87	4.06	<10	0.93	698	<1	0.01	24	760	22	5	<20	55	0.11	<10	76	<10	3	82	
GEO'95		-	1.4	1.63	65	155	<5	1.62	<1	17	57	91	3.80	<10	0.89	639	<1	0.02	25	630	20	<5	<20	54	0.10	<10	72	<10	4	73	

dl/646R/654
XLS/95Canamera#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

31-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-659
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS


63 Soil samples received August 18, 1995
PROJECT #: FDSCA0011
SHIPMENT #: 15
P.O. #: 5805
Samples submitted by: Raul Verzosa

Values in ppm unless otherwise reported

Et.#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	0124E	<5	<2	2.24	65	85	15	0.11	<1	8	28	39	7.73	<10	0.20	139	6	<0.01	8	480	<2	<5	<20	6	0.16	40	161	<10	<1	48
2	0125E	<5	<2	1.06	<5	40	10	0.26	<1	14	10	17	3.03	<10	0.41	323	<1	0.06	8	590	<2	<5	<20	25	0.27	20	89	<10	4	23
3	0126E	<5	0.8	2.02	20	60	10	0.12	<1	9	20	23	5.08	<10	0.60	303	5	<0.01	18	430	<2	<5	<20	6	0.10	20	51	<10	4	73
4	0127E	<5	<2	2.21	<5	55	25	0.06	2	11	17	20	7.90	<10	0.06	250	3	0.01	5	320	<2	<5	<20	7	0.34	20	92	<10	6	30
5	0128E	<5	<2	2.63	15	65	20	0.05	<1	9	31	30	7.38	<10	0.47	205	7	<0.01	17	490	<2	<5	<20	3	0.14	20	91	<10	<1	60
6	0129E	<5	1.0	2.80	5	65	20	0.04	<1	10	41	30	8.70	<10	0.42	399	17	<0.01	18	290	<2	<5	<20	4	0.16	30	74	<10	<1	56
7	0130E	<5	1.8	1.71	<5	75	20	0.28	<1	11	17	18	5.32	<10	0.40	164	<1	0.06	9	590	<2	<5	<20	27	0.25	30	89	<10	<1	29
8	0131E	<5	<2	2.81	<5	95	20	0.09	1	9	39	26	8.10	<10	0.43	244	5	<0.01	16	290	<2	<5	<20	9	0.15	30	98	<10	<1	47
9	0157E	<5	1.0	3.42	60	80	5	0.54	<1	18	22	24	4.21	30	0.19	1075	5	<0.01	14	940	<2	<5	<20	17	0.12	<10	76	<10	30	90
10	2059	<5	<2	2.16	<5	80	15	0.06	<1	8	27	33	7.46	<10	0.19	126	5	<0.01	8	460	<2	<5	<20	7	0.16	40	155	<10	<1	38
11	2060	<5	0.4	1.68	<5	80	<5	0.18	<1	18	65	34	3.31	<10	1.29	660	3	<0.01	81	450	<2	<5	<20	26	0.02	<10	37	<10	2	81
12	2061	<5	0.4	1.73	<5	105	<5	0.19	1	17	66	35	3.37	<10	1.28	621	3	<0.01	83	470	<2	<5	<20	25	0.02	<10	38	<10	2	89
13	2062	<5	2.0	4.26	<5	70	25	0.03	1	14	33	41	9.81	<10	0.21	400	5	<0.01	9	470	<2	<5	<20	5	0.26	40	286	<10	<1	48
14	2063	<5	1.0	1.01	<5	80	<5	0.06	<1	1	4	9	1.32	<10	0.04	55	3	<0.01	4	890	<2	<5	<20	8	<0.01	<10	14	<10	<1	17
15	2064	<5	1.2	2.78	<5	70	30	0.09	4	13	16	20	7.53	<10	0.18	115	<1	0.01	6	290	<2	<5	<20	13	0.46	40	114	<10	2	30
16	2065	<5	0.6	1.45	<5	100	<5	0.20	<1	6	21	15	2.75	<10	0.41	112	<1	0.03	11	160	<2	<5	<20	18	0.10	20	91	<10	<1	26
17	2066	<5	0.8	3.02	<5	75	15	0.02	<1	5	22	15	6.73	<10	0.09	81	7	<0.01	8	290	<2	<5	<20	4	0.09	30	71	<10	<1	27
18	2067	<5	11.4	4.30	<5	60	35	0.03	1	12	246	29	12.80	<10	0.03	128	6	0.02	14	170	<2	<5	<20	3	0.24	50	105	<10	<1	37
19	2068	<5	0.2	3.29	10	135	15	0.06	1	8	28	31	8.97	<10	0.21	221	8	<0.01	15	180	<2	<5	<20	12	0.11	30	103	<10	<1	72
20	2069	<5	1.2	5.66	30	80	15	0.02	<1	6	36	19	8.07	<10	0.11	129	15	<0.01	8	200	<2	<5	<20	3	0.06	30	69	<10	<1	46
21	2070	35	1.0	2.87	<5	120	5	0.15	1	11	17	135	8.53	<10	0.14	373	9	<0.01	6	470	6	<5	<20	10	0.02	30	60	<10	<1	75
22	2071	10	<2	0.87	<5	35	10	0.14	<1	7	7	13	2.63	<10	0.18	69	<1	0.03	6	210	<2	<5	<20	12	0.14	20	96	<10	<1	23
23	2072	25	1.2	3.37	<5	170	<5	0.06	<1	10	20	93	4.91	<10	0.22	424	7	<0.01	9	470	<2	<5	<20	6	0.01	10	58	<10	<1	90
24	2073	<5	0.4	1.14	<5	65	<5	0.17	2	6	4	10	1.71	<10	0.23	70	<1	0.04	5	700	<2	<5	<20	19	0.10	<10	23	<10	2	20
25	2074	<5	<2	4.20	20	180	25	0.89	<1	21	38	37	4.32	<10	0.58	538	<1	0.05	30	960	<2	<5	<20	45	0.57	<10	135	<10	21	96

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn		
QC DATA:																																
Repeat:																																
1	0124E	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	2059	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	2068	<5	<.2	3.38	15	125	15	0.07	1	9	28	29	9.00	<10	0.22	224	8	<.01	14	180	<2	<5	<20	11	0.12	30	99	<10	<1	71		
28	2077	<5	<.2	0.80	<5	40	20	0.26	<1	13	17	15	2.94	<10	0.40	160	<1	0.06	9	240	<2	<5	<20	28	0.41	10	145	<10	6	26		
36	3036	10	<.2	1.25	<5	45	10	0.16	1	10	45	16	4.48	<10	0.17	73	<1	0.01	13	200	12	<5	<20	11	0.23	20	132	<10	<1	47		
45	3045	20	<.2	1.44	10	135	<5	0.63	1	17	48	50	4.43	<10	1.00	839	5	<.01	81	1030	14	5	<20	49	0.02	<10	49	<10	5	151		
54	3054	<5	<.2	0.70	5	140	<5	0.88	2	15	4	46	5.19	<10	0.23	647	15	<.01	32	830	16	<5	<20	51	<.01	<10	33	<10	8	207		
Standard:																																
GEO'95		140	1.2	1.64	55	150	5	1.57	<1	15	56	81	3.32	<10	0.88	620	<1	0.02	21	620	20	<5	<20	54	0.13	<10	77	<10	6	74		
GEO'95		155	1.0	1.74	65	155	<5	1.74	<1	19	63	84	3.85	<10	0.90	666	<1	0.02	24	680	22	<5	<20	57	0.13	<10	79	<10	4	74		

df/651/4015
XLS/95Canamera#3


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

30-Aug-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-682
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

1 Soil sample received August 15, 1995
PROJECT #: FD5CA0011
SHIPMENT #: None Given
P.O. #: None Given
Samples submitted by: Not indicated

Values in ppm unless otherwise reported


Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	0159E	<5	4.8	0.03	>10000	520	100	1.83	<1	41	<1	10	>15	<10	<0.1	>10000	74	<0.1	95	<10	<2	<5	<20	396	0.03	<10	4	<10	<1	1029

QC DATA:

Standard:

GEO'95	150	1.2	1.77	70	160	<5	1.83	<1	19	61	86	4.30	<10	0.93	680	<1	0.02	27	650	22	<5	<20	58	0.11	<10	77	<10	4	76
--------	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/660
XLS/95Canamera#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti; A.Sc.T.
B.S. Certified Assayer

7-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-716
#540-220 Cambie Street
VANCOUVER, B.C.
V8B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

163 Soil samples received August 28, 1995

PROJECT #: FD5CA0011

SHIPMENT #:16

P.O. #: 6812

Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	2078	<5	<2	0.81	5	50	10	0.19	<1	12	6	24	3.25	<10	0.25	214	6	0.04	13	290	10	5	<20	21	0.04	<10	112	<10	<1	67
2	2080	<5	<2	3.57	<5	185	15	0.18	1	21	188	36	8.27	<10	0.68	291	4	0.01	63	460	10	5	<20	14	0.09	10	165	<10	<1	68
3	2082	<5	<2	1.41	<5	70	40	0.21	<1	24	92	18	4.94	<10	0.38	176	<1	0.02	23	300	24	5	<20	13	0.90	20	251	<10	14	24
4	2084	<5	<2	0.65	<5	55	40	0.34	<1	20	52	11	2.89	<10	0.32	100	<1	0.04	13	180	18	5	<20	21	0.90	10	218	<10	14	19
5	2085	<5	<2	6.29	<5	50	25	0.23	<1	22	158	25	6.37	<10	0.48	554	<1	0.01	57	440	20	5	<20	10	0.33	<10	94	<10	9	43
6	2086	<5	<2	1.27	<5	60	40	0.49	1	27	24	19	7.56	<10	0.64	242	<1	0.10	25	380	22	5	<20	42	0.65	20	183	<10	6	39
7	2087	<5	0.8	4.47	5	65	15	0.02	<1	7	32	36	7.38	<10	0.17	95	10	<0.1	14	330	48	5	<20	2	0.02	20	42	<10	<1	153
8	2088	<5	<2	1.08	<5	45	20	0.30	<1	13	17	23	4.63	<10	0.32	90	<1	0.05	13	280	12	5	<20	30	0.25	10	240	<10	2	35
9	2089	<5	1.2	2.20	45	70	<5	0.16	1	21	11	143	7.25	<10	0.17	746	12	0.02	11	720	72	5	<20	11	0.02	<10	26	<10	<1	209
10	2090	<5	<2	1.28	<5	85	20	1.00	<1	21	5	10	3.23	<10	1.05	389	<1	0.24	13	800	8	10	<20	78	0.39	<10	62	<10	9	40
11	2091	<5	1.2	2.67	<5	120	10	0.12	1	12	10	46	6.90	<10	0.05	277	8	<0.1	6	830	32	5	<20	10	0.01	10	46	<10	<1	67
12	2092	<5	0.8	1.33	<5	70	<5	0.27	1	3	6	17	1.00	<10	0.03	98	2	0.02	5	1440	10	5	<20	13	<0.1	<10	16	<10	5	17
13	2093	<5	8.0	4.07	30	75	15	0.04	9	7	14	22	7.84	<10	0.04	302	15	<0.1	10	1110	56	5	<20	4	0.04	20	27	<10	<1	104
14	2094	<5	2.2	2.97	<5	80	40	0.07	2	16	17	18	> 15	<10	<0.1	183	7	0.01	5	270	44	5	<20	7	0.40	40	80	<10	<1	47
15	2095	<5	1.0	2.69	<5	90	5	0.01	<1	3	3	9	4.56	<10	<0.1	110	11	<0.1	3	410	20	5	<20	4	<0.1	<10	13	<10	<1	64
16	2096	<5	0.8	2.54	<5	60	20	0.11	<1	10	10	14	8.49	<10	0.05	496	7	0.02	7	450	44	5	<20	8	0.12	<10	47	<10	1	64
17	2097	<5	0.6	3.02	<5	170	<5	0.19	<1	7	8	11	3.97	<10	0.14	241	6	0.02	6	540	38	5	<20	21	0.07	<10	55	<10	<1	68
18	2098	<5	1.2	0.60	<5	35	10	0.15	<1	10	9	28	3.04	<10	0.20	147	1	0.04	10	310	10	5	<20	15	0.10	<10	103	<10	<1	63
19	2099	<5	1.2	4.04	<5	70	40	0.13	1	16	24	21	8.44	<10	0.12	116	<1	0.01	6	280	34	5	<20	9	0.48	20	123	<10	3	39
20	2100	<5	1.0	3.07	<5	215	10	0.28	<1	19	22	29	5.67	<10	0.25	227	6	<0.1	25	500	24	5	<20	17	0.02	<10	87	<10	<1	118
21	2101	<5	<2	1.77	<5	85	25	0.47	<1	23	9	15	5.71	<10	0.75	492	<1	0.12	14	570	18	5	<20	39	0.44	<10	127	<10	7	53
22	2102	<5	1.2	1.52	<5	195	<5	1.52	4	8	19	56	1.74	20	0.14	2247	2	0.03	24	1030	10	5	<20	70	0.05	<10	22	<10	27	91
23	2103	<5	0.6	4.08	5	90	15	0.10	23	9	35	38	6.55	<10	0.45	234	7	0.02	28	360	32	5	<20	10	0.02	10	58	<10	<1	150
24	2104	<5	0.4	1.99	<5	55	10	0.10	1	9	21	18	6.72	<10	0.19	139	8	0.02	12	290	16	5	<20	12	0.05	20	88	<10	<1	86
25	2105	<5	1.0	2.80	<5	60	15	0.02	1	8	24	17	9.74	<10	<0.1	129	12	<0.1	6	290	34	5	<20	2	0.06	20	85	<10	<1	74

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	2106	<5	1.6	3.96	10	60	10	0.08	<1	6	30	17	5.49	<10	0.06	215	7	0.01	11	300	60	<5	<20	8	0.06	10	42	<10	<1	90
27	2107	<5	<2	0.82	<5	55	20	0.21	2	12	7	14	4.32	<10	0.22	115	<1	0.04	8	290	14	<5	<20	22	0.29	20	98	<10	2	44
28	2108	<5	2.0	1.26	15	55	5	0.07	3	6	3	28	4.38	<10	0.05	161	8	<0.1	5	240	10	<5	<20	5	0.02	10	62	<10	<1	69
29	2109	<5	1.8	1.79	<5	285	15	0.50	8	19	9	19	9.78	<10	0.01	3550	14	0.02	12	1500	14	<5	<20	41	0.03	<10	41	<10	<1	87
30	2110	<5	4.0	4.63	<5	55	15	0.08	2	8	22	14	6.48	<10	0.09	260	5	0.02	9	330	44	<5	<20	9	0.12	20	35	<10	<1	121
31	2111	<5	0.4	0.92	<5	80	5	0.14	<1	7	8	18	3.27	<10	0.24	147	4	0.03	10	180	18	<5	<20	13	0.10	10	48	<10	<1	93
32	2112	<5	0.6	1.45	40	75	10	0.08	<1	7	12	43	6.06	<10	0.09	90	10	<0.1	11	380	18	<5	<20	8	0.03	10	89	<10	<1	114
33	2113	<5	<2	0.69	<5	40	10	0.22	2	10	4	18	1.92	<10	0.31	134	<1	0.04	7	350	10	<5	<20	19	0.20	<10	47	<10	4	26
34	2114	<5	2.0	4.60	<5	80	10	0.03	1	11	25	38	7.65	<10	0.16	265	10	<0.1	15	450	58	<5	<20	1	0.03	10	34	<10	<1	146
35	2115	<5	1.2	0.99	<5	75	10	0.25	<1	11	5	10	2.82	<10	0.39	280	<1	0.06	8	450	12	<5	<20	23	0.14	<10	71	<10	2	37
36	2116	<5	0.6	0.98	<5	65	25	0.24	<1	14	12	14	3.99	<10	0.29	181	<1	0.06	8	380	18	<5	<20	24	0.37	20	119	<10	5	41
37	2117	<5	0.4	1.32	<5	115	<5	0.46	<1	7	32	35	2.31	<10	0.72	310	2	0.01	36	1020	12	5	<20	29	0.03	<10	45	<10	4	95
38	2118	<5	0.2	1.62	80	330	15	0.61	1	16	39	79	8.09	<10	0.99	687	8	0.02	61	1620	20	<5	<20	40	0.05	<10	82	<10	4	158
39	2119	<5	<2	1.69	15	235	<5	0.66	1	23	37	82	5.05	<10	1.10	932	2	0.04	49	1670	20	<5	<20	43	0.11	<10	89	<10	7	138
40	2120	<5	0.4	1.78	5	165	5	0.48	1	25	44	69	5.13	<10	1.12	953	5	0.03	60	1320	20	<5	<20	32	0.07	<10	75	<10	6	160
41	2121	<5	0.2	1.66	<5	115	<5	0.40	<1	19	44	50	4.62	<10	1.08	726	4	0.01	51	1290	16	<5	<20	27	0.04	<10	74	<10	3	121
42	2122	<5	0.4	1.57	35	60	10	0.07	<1	7	24	39	5.74	<10	0.06	145	13	<0.1	13	540	14	<5	<20	9	0.05	20	245	<10	<1	131
43	2123	<5	<2	1.25	<5	85	20	0.19	<1	18	51	27	3.78	<10	0.42	149	<1	0.02	24	370	14	<5	<20	17	0.45	10	160	<10	7	23
44	2124	<5	<2	1.19	<5	55	35	0.13	1	28	65	37	6.97	<10	0.27	163	<1	0.01	21	140	18	<5	<20	9	0.70	20	431	<10	7	34
45	2125	<5	<2	1.82	<5	65	25	0.17	<1	24	88	30	5.06	<10	0.38	269	<1	0.03	35	300	26	<5	<20	14	0.39	<10	262	<10	3	34
46	2126	<5	<2	1.73	<5	100	20	0.32	<1	17	42	21	6.17	<10	0.50	215	<1	0.08	15	420	16	<5	<20	29	0.36	10	150	<10	2	52
47	2127	<5	<2	2.87	<5	75	40	0.19	1	27	161	33	9.52	<10	1.03	337	<1	0.03	39	290	20	<5	<20	13	0.89	10	234	<10	4	48
48	2128	<5	0.8	2.79	10	185	10	1.30	5	25	85	78	5.77	<10	0.96	988	<1	0.03	68	600	14	<5	<20	48	0.25	<10	95	<10	13	255
49	2129	<5	0.6	2.09	<5	135	15	0.37	<1	16	89	33	6.42	<10	0.53	344	2	0.06	28	550	18	<5	<20	28	0.22	<10	139	<10	<1	88
50	2130	<5	2.8	2.53	20	250	5	1.43	8	27	88	72	5.35	<10	0.91	3646	6	0.02	73	1070	16	<5	<20	55	0.08	<10	82	<10	16	262
51	2131	<5	0.4	0.75	<5	55	10	0.43	<1	12	6	23	2.86	<10	0.40	172	<1	0.07	11	360	10	<5	<20	38	0.18	10	90	<10	2	51
52	2132	<5	0.2	0.73	<5	45	15	0.32	<1	10	4	11	1.77	10	0.35	120	<1	0.06	8	390	10	<5	<20	24	0.21	<10	41	<10	5	23
53	2133	<5	<2	1.36	<5	60	30	0.83	<1	26	6	10	3.73	<10	1.28	350	<1	0.23	15	530	10	<5	<20	71	0.53	<10	87	<10	11	36
54	2134	<5	<2	2.95	<5	75	30	0.05	2	14	33	26	13.00	<10	0.03	79	12	0.02	9	310	28	<5	<20	9	0.27	40	146	<10	<1	86
55	2135	<5	<2	1.48	<5	60	35	0.22	2	14	10	21	10.40	<10	0.13	152	5	0.04	6	330	32	<5	<20	23	0.36	30	99	<10	<1	56
56	0132E	<5	1.4	4.60	80	50	5	0.72	<1	18	25	30	2.85	40	0.17	1044	5	0.03	10	1260	20	<5	<20	24	0.05	<10	78	<10	34	62
57	0133E	<5	0.4	1.94	<5	105	20	0.13	2	10	21	25	10.60	<10	0.08	180	9	0.02	11	650	28	<5	<20	13	0.15	30	97	<10	<1	47
58	0134E	<5	1.4	3.08	<5	65	15	0.07	1	9	25	31	7.04	<10	0.26	208	12	0.02	16	350	32	<5	<20	6	0.12	10	53	<10	<1	90
59	0135E	<5	1.0	3.06	<5	65	15	0.33	1	21	29	24	6.19	<10	0.29	3560	4	0.02	14	660	22	<5	<20	13	0.22	<10	91	<10	12	90
60	0136E	<5	<2	2.93	<5	60	15	0.04	<1	9	35	31	8.04	<10	0.35	179	13	<0.1	24	360	20	<5	<20	5	0.09	20	95	<10	<1	107


Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
61	0137E	<5	<2	2.42	<5	50	15	0.29	1	14	45	24	5.08	<10	0.32	487	<1	0.03	14	900	16	<5	<20	18	0.22	<10	144	<10	2	60
62	0138E	<5	0.4	1.34	<5	65	20	0.12	<1	9	18	20	6.77	<10	0.09	147	12	0.03	10	530	18	<5	<20	11	0.16	20	136	<10	<1	108
63	0139E	<5	<2	1.10	<5	90	10	0.18	<1	11	18	21	4.38	<10	0.30	158	3	0.05	12	390	12	<5	<20	25	0.19	20	100	<10	<1	66
64	0140E	<5	1.0	1.68	<5	65	30	0.44	2	12	15	28	7.15	<10	0.07	313	<1	0.03	8	460	30	<5	<20	16	0.38	<10	85	<10	5	51
65	0141E	<5	0.2	1.74	<5	65	15	0.10	2	9	20	23	7.48	<10	0.18	121	8	0.02	13	700	24	<5	<20	6	0.13	10	118	<10	<1	57
66	0142E	<5	2.2	1.77	<5	65	20	0.28	1	14	16	29	7.80	<10	0.51	507	6	0.08	14	660	24	<5	<20	23	0.20	<10	73	<10	1	78
67	0143E	<5	<2	1.35	<5	60	35	0.30	<1	21	35	21	6.02	<10	0.44	222	<1	0.05	16	410	18	<5	<20	23	0.56	20	262	<10	5	38
68	0144E	<5	<2	3.87	<5	50	30	0.32	<1	37	28	51	5.84	10	0.83	681	<1	0.04	15	780	20	<5	<20	15	0.64	<10	114	<10	42	53
69	0145E	<5	0.6	2.46	15	90	20	0.19	2	26	59	50	8.42	<10	0.51	984	4	0.03	21	800	20	<5	<20	14	0.23	<10	148	<10	2	87
70	0146E	<5	0.6	2.15	<5	65	10	0.08	4	9	23	34	6.55	<10	0.37	226	9	0.02	19	420	22	<5	<20	8	0.12	20	76	<10	<1	114
71	0147E	<5	<2	1.51	<5	75	15	0.09	1	8	29	14	5.79	<10	0.17	100	5	0.02	13	310	20	<5	<20	12	0.12	20	89	<10	<1	30
72	0148E	<5	0.6	3.05	15	60	10	0.06	<1	8	31	37	7.32	<10	0.24	159	12	<0.1	16	480	26	<5	<20	8	0.03	20	58	<10	<1	119
73	0149E	<5	<2	1.40	<5	50	20	0.05	1	8	18	13	6.36	<10	0.07	80	6	0.02	7	530	18	<5	<20	7	0.17	20	102	<10	<1	31
74	0150E	<5	1.6	2.81	<5	70	20	0.14	2	20	37	35	7.52	<10	0.54	2275	6	0.01	10	1440	20	<5	<20	8	0.17	<10	144	<10	<1	68
75	0151E	<5	1.0	1.27	<5	60	20	0.08	1	9	24	21	7.17	<10	0.05	160	9	0.02	10	200	22	<5	<20	8	0.20	20	90	<10	<1	46
76	0152E	<5	<2	1.12	<5	55	20	0.12	<1	16	17	12	5.30	<10	0.28	694	4	0.03	12	420	24	<5	<20	11	0.27	<10	103	<10	1	53
77	0153E	<5	0.6	1.45	<5	60	20	0.02	<1	7	18	11	6.03	<10	0.04	74	11	<0.1	6	250	30	<5	<20	2	0.15	20	119	<10	<1	26
78	0154E	<5	1.0	1.81	<5	50	30	0.07	<1	12	17	18	8.67	<10	0.12	269	8	0.02	9	410	36	<5	<20	3	0.28	20	79	<10	<1	48
79	0155E	<5	0.4	0.58	<5	70	5	0.31	<1	7	3	8	1.26	<10	0.17	83	<1	0.03	6	490	8	<5	<20	22	0.15	10	30	<10	3	16
80	0156E	<5	0.6	0.63	<5	30	<5	0.09	<1	5	7	9	1.81	<10	0.06	69	4	0.01	6	310	10	<5	<20	5	0.08	<10	81	<10	<1	34
81	0159E	<5	1.6	4.08	<5	115	20	0.99	2	31	25	21	4.63	<10	0.45	5736	<1	0.03	17	590	14	<5	<20	30	0.36	<10	81	<10	17	92
82	0160E	<5	0.4	1.78	<5	65	15	0.15	<1	10	12	16	5.83	<10	0.08	542	8	<0.1	7	520	22	<5	<20	6	0.16	<10	63	<10	3	57
83	0161E	<5	1.2	3.10	<5	60	15	0.23	1	26	39	26	6.09	<10	0.28	4473	5	<0.1	9	620	20	<5	<20	4	0.17	<10	122	<10	10	67
84	0162E	<5	0.6	1.86	<5	30	10	0.03	<1	6	22	20	4.60	10	0.02	220	9	<0.1	4	390	30	<5	<20	<1	0.14	<10	72	<10	6	31
85	0163E	<5	<2	1.55	<5	70	35	0.06	5	14	20	20	12.30	<10	0.09	250	10	0.01	16	580	34	<5	<20	7	0.27	30	90	<10	<1	44
86	0164E	<5	0.6	1.55	<5	50	15	0.05	2	8	15	18	7.96	<10	0.07	197	10	0.01	8	260	26	<5	<20	5	0.18	10	69	<10	<1	53
87	0165E	<5	0.2	2.95	<5	65	20	0.13	1	11	37	26	9.09	<10	0.26	208	11	0.01	16	400	24	<5	<20	13	0.11	20	102	<10	<1	99
88	0166E	<5	0.6	2.58	<5	55	15	0.06	1	9	26	21	7.55	<10	0.12	182	10	<0.1	12	2310	24	<5	<20	4	0.14	20	91	<10	<1	76
89	0167E	<5	2.2	2.86	<5	35	15	0.04	<1	7	16	26	5.19	30	0.23	283	7	0.03	13	600	28	<5	<20	<1	0.07	<10	37	<10	29	84
90	0168E	<5	1.6	4.21	<5	35	10	0.19	<1	19	32	35	4.19	<10	0.60	1350	2	0.04	20	1180	22	<5	<20	11	0.14	<10	65	<10	9	52
91	0169E	<5	1.2	1.73	<5	55	15	0.05	1	13	26	21	7.29	<10	0.06	1208	10	0.01	8	390	22	<5	<20	7	0.17	<10	110	<10	<1	56
92	0170E	<5	<2	2.99	<5	60	15	0.06	<1	12	43	26	7.35	<10	0.23	488	6	<0.1	11	480	16	<5	<20	6	0.15	10	124	<10	<1	49
93	0171E	<5	<2	1.96	<5	55	15	0.10	<1	11	26	18	4.39	<10	0.17	223	<1	0.01	10	200	16	<5	<20	9	0.25	10	127	<10	3	26
94	0172E	<5	<2	3.38	25	60	<5	2.51	<1	23	40	38	3.74	<10	0.32	1214	4	0.03	21	910	12	<5	<20	54	0.08	<10	131	<10	14	80
95	0173E	<5	2.0	3.20	20	80	20	0.13	<1	20	54	54	7.19	<10	0.50	671	8	0.02	21	850	16	<5	<20	10	0.06	<10	78	<10	4	60

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	0174E	<5	<2	1.69	<5	80	10	0.07	1	9	23	23	5.94	<10	0.30	161	6	0.01	18	270	14	<5	<20	10	0.07	20	80	<10	<1	63
97	0175E	<5	<2	2.07	<5	60	10	0.04	<1	7	26	23	6.11	<10	0.31	140	9	<0.1	15	370	16	<5	<20	5	0.06	20	80	<10	<1	75
98	0176E	<5	0.2	1.18	<5	75	20	0.10	1	9	14	15	5.93	<10	0.15	185	11	0.01	9	240	22	<5	<20	7	0.14	10	80	<10	<1	62
99	0177E	<5	<2	2.36	<5	100	15	0.91	<1	16	22	43	6.21	10	0.58	490	3	<0.1	14	180	22	<5	<20	16	0.20	<10	105	<10	11	139
100	0178E	<5	<2	0.89	<5	100	<5	0.39	<1	7	16	13	1.87	<10	0.21	80	<1	0.03	9	560	4	<5	<20	50	0.11	20	35	<10	3	23
101	0179E	<5	1.6	1.76	20	40	10	0.09	<1	21	21	31	7.83	<10	0.44	638	10	0.01	14	720	30	<5	<20	4	0.02	<10	51	<10	<1	53
102	0180E	<5	0.4	1.61	<5	45	10	0.07	<1	14	21	33	8.26	<10	0.59	993	10	<0.1	18	1360	16	<5	<20	3	0.01	<10	49	<10	<1	54
103	0181E	<5	0.4	2.04	10	45	15	0.12	1	16	127	28	8.69	<10	0.72	874	12	0.01	27	390	8	<5	<20	5	0.04	<10	120	<10	<1	43
104	0182E	<5	0.2	1.12	<5	55	10	0.38	<1	18	33	23	3.25	<10	0.52	723	<1	0.03	18	550	6	<5	<20	17	0.16	<10	69	<10	2	32
105	0183E	<5	<2	0.27	<5	95	30	0.19	<1	14	10	12	1.68	<10	0.08	184	<1	0.01	6	90	18	<5	<20	15	0.59	<10	135	<10	10	17
106	0184E	<5	<2	1.16	<5	100	10	0.66	<1	15	14	15	3.71	<10	0.50	166	<1	0.08	10	420	8	<5	<20	41	0.34	<10	84	<10	7	31
107	0185E	<5	<2	1.58	<5	50	20	0.48	1	9	10	18	7.41	<10	0.05	226	14	0.02	4	100	38	<5	<20	14	0.30	<10	93	<10	4	49
108	0186E	<5	0.8	2.50	<5	85	<5	2.23	8	21	20	87	3.08	20	0.43	1187	1	0.09	18	940	16	<5	<20	72	0.08	<10	84	<10	28	148
109	0187E	<5	0.6	2.24	15	85	<5	0.65	2	8	30	97	2.26	20	0.32	127	4	0.02	22	540	20	<5	<20	22	0.09	<10	55	<10	28	116
110	0188E	<5	1.2	0.87	50	130	<5	3.82	2	5	20	117	1.26	10	0.22	454	4	0.02	24	590	6	10	<20	109	<0.1	<10	15	<10	25	93
111	0250E	<5	1.0	2.69	15	80	<5	0.11	<1	14	20	59	6.50	<10	0.44	488	8	<0.1	14	1270	24	<5	<20	7	0.02	<10	73	<10	<1	67
112	0251E	<5	1.0	2.04	<5	75	15	0.09	1	10	19	35	8.83	<10	0.33	248	9	0.01	12	1420	16	<5	<20	20	0.05	20	93	<10	<1	54
113	0252E	<5	0.6	1.32	10	95	10	0.18	<1	7	16	18	7.19	<10	0.07	121	8	0.01	10	6950	20	<5	<20	17	0.03	20	91	<10	<1	27
114	0253E	<5	1.6	2.61	55	95	5	0.04	<1	9	24	53	7.63	<10	0.34	227	8	0.02	16	2690	24	<5	<20	4	0.02	10	88	<10	<1	45
115	0254E	<5	1.2	1.95	<5	65	10	0.05	<1	9	13	23	4.81	<10	0.19	427	<1	<0.1	8	1200	14	<5	<20	4	0.16	<10	86	<10	<1	27
116	0255E	<5	1.4	3.78	<5	70	10	0.07	1	19	27	66	8.27	<10	0.61	854	9	<0.1	18	1860	40	<5	<20	8	0.02	<10	57	<10	<1	80
117	0256E	<5	1.0	2.70	<5	90	10	0.09	<1	13	23	31	7.95	<10	0.33	931	7	<0.1	14	1460	24	<5	<20	10	0.08	<10	91	<10	<1	47
118	0257E	<5	0.6	2.33	<5	70	5	0.02	<1	6	17	27	4.35	<10	0.27	199	6	<0.1	11	820	22	<5	<20	3	0.01	<10	67	<10	<1	35
119	0258E	<5	0.8	2.16	<5	55	10	0.02	<1	8	18	32	6.20	<10	0.25	235	6	<0.1	10	1070	20	<5	<20	2	0.04	<10	84	<10	<1	45
120	0259E	<5	<2	2.10	<5	75	10	0.03	<1	8	26	29	7.15	<10	0.36	240	8	<0.1	17	1100	20	<5	<20	5	0.03	10	80	<10	<1	60
121	0260E	<5	0.2	1.35	<5	105	15	0.15	<1	10	28	38	9.20	<10	0.23	409	11	<0.1	16	5920	22	<5	<20	17	0.05	<10	116	<10	<1	69
122	0261E	<5	<2	1.53	15	55	15	0.06	<1	12	50	34	10.10	<10	0.46	500	13	0.01	14	3700	22	<5	<20	2	0.06	<10	183	<10	<1	61
123	0262E	<5	0.8	1.52	<5	155	5	1.33	2	14	25	33	3.46	<10	0.61	1953	4	0.02	29	1490	20	<5	<20	97	0.03	<10	44	<10	9	129
124	0263E	<5	0.4	1.88	<5	110	10	0.97	<1	15	29	17	4.65	<10	0.61	1112	4	0.01	17	830	14	<5	<20	65	0.06	<10	65	<10	6	101
125	0264E	<5	<2	1.03	<5	65	5	0.10	<1	6	14	9	3.41	<10	0.18	108	2	0.01	8	180	14	<5	<20	6	0.11	<10	98	<10	<1	27
126	0265E	<5	1.6	0.84	15	55	10	0.08	<1	9	23	18	4.53	<10	0.15	183	4	0.02	11	240	10	<5	<20	11	0.08	<10	149	<10	<1	44
127	0266E	<5	0.4	2.02	<5	100	15	0.12	<1	9	30	20	7.09	<10	0.27	193	7	0.02	13	390	18	<5	<20	13	0.08	<10	92	<10	<1	40
128	0267E	<5	<2	1.65	<5	70	<5	0.30	<1	10	29	32	2.67	<10	0.81	231	4	0.01	26	910	16	10	<20	16	0.03	<10	48	<10	3	115
129	0268E	<5	0.6	2.65	5	45	5	0.07	<1	15	32	38	6.58	<10	0.45	992	8	0.02	18	630	18	<5	<20	4	0.06	<10	66	<10	5	81
130	0269E	<5	1.0	2.04	10	90	10	0.45	<1	19	29	38	6.08	<10	0.64	690	8	<0.1	33	500	16	<5	<20	43	0.02	<10	65	<10	2	179

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	0270E	<5	3.2	0.35	7890	845	55	1.24	<1	26	1	9	>15	<10	<0.1	>10000	69	0.03	57	540	<2	<5	<20	186	0.04	<10	12	<10	<1	567
132	0271E	<5	5.0	0.04	7735	720	65	1.43	<1	36	<1	1	>15	<10	<0.1	>10000	51	0.02	171	<10	<2	<5	<20	310	0.04	<10	4	<10	<1	1168
133	0272E	<5	0.4	2.34	85	110	10	0.58	<1	32	30	30	6.76	<10	0.77	1449	9	<0.1	27	890	18	<5	<20	42	0.03	<10	68	<10	4	193
134	0273E	<5	<2	1.77	<5	80	10	0.04	1	10	26	35	7.13	<10	0.38	337	8	<0.1	17	900	14	<5	<20	4	0.09	<10	77	<10	<1	99
135	0274E	<5	0.6	0.80	5	65	<5	0.04	<1	5	10	12	2.73	<10	0.07	97	4	<0.1	5	430	12	<5	<20	4	0.08	<10	80	<10	<1	30
136	0275E	<5	3.8	0.22	3540	475	55	1.35	<1	42	<1	3	>15	<10	<0.1	>10000	48	0.03	66	<10	<2	<5	<20	275	0.05	<10	11	<10	<1	715
137	0276E	<5	<2	2.09	<5	70	15	0.25	<1	11	25	14	7.56	<10	0.56	338	6	0.03	19	240	20	<5	<20	12	0.15	<10	68	<10	<1	59
138	0277E	<5	<2	3.10	10	65	10	0.17	<1	10	24	12	3.04	30	0.34	157	<1	0.03	13	700	24	<5	<20	6	0.28	<10	81	<10	29	66
139	0278E	<5	2.6	2.86	<5	85	10	0.51	<1	7	29	10	3.60	20	0.44	412	4	0.02	18	1220	20	<5	<20	13	0.05	<10	45	<10	22	73
140	0279E	<5	0.4	1.74	<5	85	20	0.12	1	10	13	14	7.64	<10	0.12	491	9	0.02	8	570	22	<5	<20	8	0.13	<10	77	<10	7	48
141	0280E	<5	0.8	2.55	15	100	10	0.15	<1	19	25	29	6.13	<10	0.43	1321	6	<0.1	21	560	28	<5	<20	5	0.09	<10	65	<10	17	97
142	0281E	<5	0.8	2.09	<5	95	15	0.26	<1	18	24	22	6.32	<10	0.50	823	5	<0.1	19	560	16	<5	<20	9	0.11	<10	71	<10	10	82
143	0282E	<5	0.8	2.51	<5	110	10	0.91	1	23	30	12	6.43	<10	0.53	1245	12	0.02	18	1330	22	<5	<20	21	0.04	<10	86	<10	14	102
144	0283E	<5	0.4	2.13	<5	140	10	0.43	2	33	32	16	6.83	<10	0.58	2551	10	0.03	15	1300	28	<5	<20	15	0.07	<10	106	<10	2	135
145	0284E	<5	1.8	2.68	<5	40	<5	0.70	3	21	32	86	2.72	80	0.26	1897	7	0.03	26	1150	16	<5	<20	18	0.04	<10	49	<10	70	104
146	0285E	<5	0.8	2.08	<5	110	15	1.18	4	24	15	23	5.58	70	0.51	2820	13	0.06	12	630	10	<5	<20	48	0.15	<10	58	<10	69	208
147	0286E	<5	<2	0.45	<5	55	5	0.15	<1	7	7	7	1.37	<10	0.13	112	<1	0.03	5	230	8	<5	<20	16	0.16	<10	50	<10	4	23
148	0287E	<5	<2	1.80	<5	65	10	0.04	1	7	17	15	6.09	<10	0.21	150	8	<0.1	10	350	20	<5	<20	3	0.09	<10	75	<10	<1	49
149	0288E	<5	<2	0.87	<5	90	5	0.05	<1	5	6	8	2.74	<10	0.03	50	1	<0.1	5	270	12	<5	<20	7	0.12	<10	94	<10	<1	17
150	0289E	<5	1.4	1.77	<5	100	15	0.54	2	19	14	18	9.06	<10	0.37	1384	19	0.01	8	630	18	<5	<20	21	0.09	<10	69	<10	<1	180
151	0290E	<5	2.4	1.01	40	70	10	0.24	2	29	10	35	6.35	<10	0.20	782	28	0.03	11	940	34	<5	<20	14	0.05	<10	91	<10	<1	177
152	0291E	<5	6.0	1.94	30	95	15	0.05	<1	8	22	19	6.94	<10	0.22	284	14	<0.1	9	870	32	<5	<20	8	0.05	<10	77	<10	<1	142
153	0292E	200	7.0	2.37	730	270	15	0.39	<1	34	39	50	10.30	<10	0.58	1547	26	0.01	15	1490	46	15	<20	19	0.07	<10	152	<10	10	229
154	0293E	360	7.0	5.14	160	175	10	0.52	<1	9	49	49	5.81	<10	0.29	434	7	0.01	11	1670	44	<5	<20	21	0.07	<10	58	<10	9	52
155	0294E	5	<2	0.96	5	65	20	0.12	<1	13	12	19	5.14	<10	0.09	223	3	0.02	9	250	22	<5	<20	7	0.33	10	120	<10	4	52
156	0295E	<5	2.2	0.99	<5	50	10	0.07	<1	7	11	11	4.28	<10	0.06	93	3	0.01	6	740	14	<5	<20	5	0.11	10	91	<10	<1	28
157	0296E	<5	0.6	0.75	<5	45	20	0.07	17	9	11	12	7.07	<10	0.02	186	6	0.01	8	820	16	<5	<20	5	0.20	<10	114	<10	<1	37
158	0297E	<5	11.4	3.26	<5	95	<5	0.39	1	12	15	18	3.49	<10	0.58	254	2	0.10	10	980	16	<5	<20	30	0.09	<10	59	<10	10	43
159	0298E	90	17.2	2.40	20	95	25	0.05	1	13	31	32	10.60	<10	0.19	194	2	<0.1	7	400	28	<5	<20	4	0.29	20	134	<10	<1	51
160	0299E	<5	17.8	1.02	<5	140	70	0.07	4	19	9	13	>15	<10	<0.1	80	27	0.02	2	1430	18	<5	<20	8	0.16	90	60	<10	<1	85
161	0300E	30	8.6	2.61	30	80	20	0.05	2	10	21	27	8.13	<10	0.27	238	9	<0.1	10	660	24	<5	<20	3	0.10	<10	66	<10	3	85
162	0301E	<5	5.2	1.66	35	165	20	0.10	1	9	24	28	8.00	<10	0.29	220	9	<0.1	14	430	18	<5	<20	13	0.11	10	82	<10	<1	106
163	0302E	<5	0.6	0.64	15	65	5	0.04	<1	4	5	8	1.85	<10	0.08	46	3	0.01	4	230	12	<5	<20	14	0.05	<10	68	<10	<1	24

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
<i>Repeat:</i>																															
1	2078	<5	<2	0.81	<5	50	5	0.19	<1	11	5	23	3.21	<10	0.26	215	6	0.04	13	280	8	<5	<20	22	0.04	<10	108	<10	<1	66	
10	2090	<5	0.4	1.18	<5	70	15	0.97	1	5	2	8	3.00	<10	0.93	360	<1	0.20	10	580	8	10	<20	70	0.29	<10	58	<10	8	38	
19	2099	<5	1.0	3.92	<5	75	35	0.13	1	17	24	20	8.67	<10	0.14	110	<1	0.01	8	270	40	<5	<20	10	0.56	20	136	<10	2	40	
28	2108	<5	1.8	1.20	10	50	5	0.07	2	6	3	29	4.18	<10	0.05	151	8	0.01	5	220	10	<5	<20	6	0.01	<10	55	<10	<1	62	
36	2116	<5	0.6	0.97	<5	65	20	0.23	<1	14	12	13	3.99	<10	0.29	178	<1	0.05	8	380	18	<5	<20	24	0.37	20	121	<10	4	40	
45	2125	<5	<2	1.71	<5	60	20	0.16	<1	22	81	28	4.65	<10	0.34	246	<1	0.03	33	290	24	<5	<20	13	0.37	<10	239	<10	3	32	
54	2134	<5	<2	2.97	<5	75	35	0.05	2	13	33	27	13.20	<10	0.02	78	13	0.02	9	280	26	<5	<20	9	0.26	40	146	<10	<1	86	
63	0139E	<5	<2	1.07	<5	90	10	0.17	<1	10	17	21	4.24	<10	0.28	153	3	0.05	13	400	14	<5	<20	24	0.20	10	99	<10	1	64	
71	0147E	<5	<2	1.51	<5	70	10	0.08	1	8	27	12	5.89	<10	0.17	106	5	0.02	11	330	20	<5	<20	11	0.12	10	89	<10	<1	31	
80	0156E	<5	0.6	0.62	<5	35	5	0.09	<1	5	6	9	1.65	<10	0.06	67	3	0.02	6	320	12	<5	<20	6	0.08	10	79	<10	<1	34	
89	0167E	<5	2.2	2.86	<5	35	10	0.04	<1	7	17	26	5.22	30	0.29	282	6	0.02	11	590	30	<5	<20	<1	0.08	<10	36	<10	29	84	
98	0176E	<5	<2	1.13	<5	65	15	0.10	1	9	14	15	5.90	<10	0.14	182	11	0.02	9	250	18	<5	<20	6	0.14	<10	80	<10	<1	58	
106	0184E	<5	<2	1.25	<5	95	15	0.67	<1	19	15	14	3.81	<10	0.63	172	<1	0.10	12	440	8	<5	<20	44	0.38	<10	90	<10	8	33	
115	0254E	<5	1.0	1.95	<5	65	15	0.06	<1	9	13	23	4.77	<10	0.19	446	1	<0.1	8	1200	14	<5	<20	4	0.15	<10	85	<10	<1	28	
124	0263E	<5	0.4	1.98	10	120	10	1.02	<1	17	32	18	4.90	<10	0.64	1211	4	0.01	18	840	14	<5	<20	70	0.07	<10	69	<10	7	106	
133	0272E	<5	0.6	2.32	90	115	5	0.59	<1	31	30	29	8.83	<10	0.75	1483	9	0.01	26	820	20	<5	<20	45	0.03	<10	68	<10	4	190	
141	0280E	<5	1.0	2.46	10	100	10	0.13	<1	18	24	27	5.93	<10	0.43	1227	7	<0.1	22	540	22	<5	<20	6	0.08	<10	63	<10	15	95	
150	0289E	<5	1.4	1.75	<5	100	15	0.53	2	18	14	18	8.95	<10	0.37	1335	20	0.01	8	600	16	<5	<20	20	0.08	<10	69	<10	<1	159	
159	0298E	-	17.4	2.40	20	90	30	0.05	<1	13	32	33	10.50	<10	0.19	179	3	<0.1	7	420	28	<5	<20	3	0.29	20	134	<10	2	49	
Standard:																															
GEO'95	150	1.2	1.78	65	170	<5	1.74	<1	19	60	81	4.13	<10	0.97	620	<1	0.02	27	560	22	<5	<20	58	0.10	<10	77	<10	4	78		
GEO'95	150	1.2	1.75	60	160	<5	1.65	<1	18	59	86	3.95	<10	0.91	649	<1	0.02	26	610	20	5	<20	60	0.12	<10	79	<10	5	72		
GEO'95	140	1.4	1.60	60	150	<5	1.70	<1	17	55	80	3.72	<10	0.85	620	1	<0.1	23	590	18	5	<20	54	0.10	<10	70	<10	4	72		
GEO'95	140	1.2	1.62	60	150	<5	1.70	<1	17	55	80	3.75	<10	0.85	619	1	<0.1	24	610	20	5	<20	56	0.10	<10	71	<10	5	70		
GEO'95	150	1.2	1.62	65	150	<5	1.70	<1	16	55	82	3.72	<10	0.85	611	<1	<0.1	23	590	18	<5	<20	54	0.10	<10	74	<10	4	72		
GEO'95	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

df1716
XLS/95Canamera#3


ECO-TECH LABORATORIES LTD.
Per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

13-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-717
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

3 Rock samples received August 28, 1995

PROJECT #: FD5CA0011

SHIPMENT #:16


P.O. #: 6812

Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	7685	5	0.8	0.74	10	45	<5	1.41	<1	14	34	41	4.53	<10	0.49	400	5	0.01	15	700	12	<5	<20	86	<.01	<10	14	<10	<1	62
2	7686	5	0.2	0.76	<5	35	<5	0.37	<1	15	43	57	4.53	<10	0.37	134	6	0.01	16	910	12	<5	<20	20	<.01	<10	12	<10	<1	80
3	7687	5	<2	0.64	65	55	<5	1.20	<1	13	52	41	3.88	<10	0.35	359	6	0.01	17	740	10	<5	<20	88	<.01	<10	11	<10	<1	68

dl7716
XLS/95Canamera#4


 ECO-TECH LABORATORIES LTD.
 per Frank J. Pazzotti, A.Sc.T.
 B.C. Certified Assayer

19-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-750
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

62 Soil samples received August 28, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 21
P.O. #: 6777
Samples submitted by: T. Drown


Values in ppm unless otherwise reported

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	0189E	<5	<2	0.86	<5	95	10	2.78	2	10	16	55	2.80	<10	0.29	214	<1	0.03	11	660	20	<5	<20	75	0.21	<10	41	<10	13	61
2	0190E	<5	<2	1.88	185	195	5	4.06	<1	11	16	27	1.38	<10	0.38	511	<1	0.07	12	770	10	15	<20	357	0.29	<10	64	<10	10	57
3	0191E	5	<2	0.53	<5	65	10	0.20	<1	6	7	8	1.92	<10	0.10	55	<1	0.03	2	240	12	<5	<20	20	0.18	<10	37	<10	3	13
4	0192E	<5	<2	1.70	<5	60	15	0.18	1	14	28	24	7.52	<10	0.33	225	3	0.04	12	290	18	<5	<20	13	0.27	<10	131	<10	<1	53
5	0193E	<5	<2	1.67	<5	50	25	0.06	5	13	29	21	8.10	<10	0.10	114	<1	0.01	8	510	18	<5	<20	8	0.44	<10	148	<10	<1	46
6	0194E	5	<2	3.32	15	80	15	0.14	1	8	39	26	6.40	<10	0.21	125	7	0.02	15	370	28	<5	<20	12	0.07	<10	63	<10	<1	65
7	0195E	<5	0.4	1.88	95	105	10	0.28	<1	12	26	24	5.58	<10	0.50	1273	10	<0.1	14	810	16	<5	<20	10	0.03	<10	50	<10	9	132
8	0196E	<5	<2	1.52	5	50	15	0.09	1	10	14	19	5.49	<10	0.06	289	4	0.01	7	520	30	<5	<20	7	0.26	<10	101	<10	2	47
9	0197E	<5	0.8	1.28	30	50	15	0.23	<1	10	6	17	6.61	<10	0.29	1510	4	0.03	5	1150	28	<5	<20	13	0.12	<10	81	<10	<1	65
10	0198E	<5	0.8	1.59	5	70	20	0.72	<1	21	8	16	6.36	<10	1.04	718	<1	0.20	14	1130	16	<5	<20	60	0.30	<10	80	<10	3	50
11	0199E	<5	0.8	1.02	90	125	10	0.14	<1	10	15	20	8.80	<10	0.29	1589	9	0.03	6	5670	18	<5	<20	16	0.08	<10	69	<10	<1	46
12	0200E	5	1.4	0.58	90	55	10	0.17	<1	7	4	10	3.38	<10	0.16	171	3	0.04	4	770	6	<5	<20	19	0.11	<10	74	<10	<1	43
13	0201E	<5	0.4	1.30	40	45	15	0.15	<1	11	12	31	5.71	10	0.24	440	5	0.03	10	1280	20	<5	<20	11	0.15	<10	80	<10	9	93
14	0202E	<5	<2	2.33	50	55	10	0.40	<1	33	28	36	6.20	<10	0.80	1786	7	0.02	10	1010	20	<5	<20	16	0.08	<10	93	<10	11	118
15	0203E	5	0.4	1.59	15	70	10	0.14	<1	7	20	18	5.26	<10	0.26	159	5	0.01	9	420	10	<5	<20	7	0.08	<10	112	<10	<1	53
16	0204E	<5	<2	1.01	15	85	15	0.07	<1	11	14	17	4.66	<10	0.12	117	<1	0.02	7	280	14	<5	<20	9	0.35	<10	102	<10	<1	55
17	0205E	<5	0.4	1.65	95	55	15	0.08	<1	13	23	21	4.67	<10	0.53	525	7	<0.1	16	520	14	<5	<20	4	0.04	<10	51	<10	3	102
18	0206E	5	0.6	1.48	25	50	10	0.15	<1	10	26	28	7.42	<10	0.23	136	5	0.03	10	470	12	<5	<20	13	0.13	<10	99	<10	<1	73
19	0207E	<5	<2	1.21	<5	30	20	0.17	<1	11	15	12	2.34	<10	0.15	65	<1	0.03	5	360	18	<5	<20	13	0.42	<10	89	<10	5	17
20	0208E	<5	<2	1.84	<5	30	10	0.12	<1	8	29	14	2.85	<10	0.41	137	<1	0.01	16	330	16	<5	<20	6	0.17	<10	65	<10	1	58
21	0209E	<5	<2	1.62	<5	60	10	0.04	<1	9	49	20	4.76	<10	0.29	125	2	<0.1	24	150	10	<5	<20	5	0.13	<10	116	<10	<1	50
22	0210E	<5	<2	0.65	<5	40	5	0.19	1	8	8	17	2.47	<10	0.20	121	<1	0.04	7	360	8	<5	<20	19	0.17	<10	76	<10	<1	55
23	0211E	<5	0.4	2.24	60	100	20	0.35	<1	27	28	31	5.53	<10	0.66	3183	5	0.02	19	980	26	<5	<20	18	0.11	<10	81	<10	8	157
24	0212E	<5	<2	1.42	<5	55	15	0.23	1	13	18	19	7.27	<10	0.26	184	1	0.05	9	340	14	<5	<20	25	0.25	<10	90	<10	<1	62
25	0213E	5	0.4	2.10	55	140	10	0.27	<1	25	30	25	5.70	<10	0.69	4849	6	0.02	20	1220	26	<5	<20	16	0.07	<10	86	<10	3	142

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	0214E	<5	<2	0.52	10	50	<5	0.11	<1	3	7	11	0.99	<10	0.08	62	1	0.02	3	430	6	<5	<20	17	0.03	<10	44	<10	<1	26
27	0215E	5	<2	0.66	<5	50	10	0.38	<1	10	3	9	1.75	<10	0.30	110	<1	0.06	6	480	6	<5	<20	40	0.20	<10	38	<10	3	22
28	0216E	<5	<2	0.61	<5	80	10	0.60	<1	11	6	10	2.16	<10	0.30	132	<1	0.06	6	460	8	<5	<20	55	0.27	<10	49	<10	3	26
29	0217E	<5	<2	1.15	<5	85	10	0.40	<1	18	8	10	2.54	<10	0.25	1277	<1	0.03	5	420	18	<5	<20	45	0.19	<10	69	<10	3	23
30	0218E	<5	0.6	3.95	20	115	10	1.41	<1	15	17	45	1.56	30	0.17	1913	<1	0.04	15	1020	22	<5	<20	118	0.31	<10	25	<10	28	82
31	0219E	<5	<2	2.09	10	80	15	0.07	<1	6	21	14	6.74	<10	0.17	101	13	0.01	8	310	34	<5	<20	6	0.08	<10	114	<10	<1	62
32	0220E	<5	<2	2.04	10	60	10	0.10	<1	8	25	30	6.79	<10	0.11	70	10	<0.1	15	260	20	<5	<20	7	0.12	<10	150	<10	<1	103
33	0221E	<5	1.2	1.83	15	255	<5	1.30	2	19	11	16	3.85	10	0.47	1769	4	0.02	14	920	10	<5	<20	77	0.04	<10	39	<10	13	106
34	0222E	5	2.6	2.17	300	170	10	0.33	<1	15	24	36	5.71	<10	0.30	3821	8	0.01	18	930	20	<5	<20	25	0.11	<10	61	<10	12	260
35	0223E	<5	1.6	2.37	65	80	15	0.46	<1	18	20	33	7.93	<10	0.85	651	4	0.11	24	1470	22	<5	<20	39	0.20	<10	73	<10	<1	121
36	0224E	<5	<2	0.87	10	35	5	0.08	<1	6	9	22	3.04	<10	0.22	115	37	0.02	37	250	8	<5	<20	6	0.07	<10	121	<10	<1	151
37	0225E	<5	0.4	2.75	<5	115	10	0.05	1	9	31	34	10.10	<10	0.27	181	12	<0.1	13	300	28	<5	<20	4	0.08	<10	91	<10	<1	94
38	0226E	<5	<2	3.06	<5	75	25	0.08	1	12	52	32	14.80	<10	0.14	120	12	0.02	10	410	26	<5	<20	7	0.14	<10	99	<10	<1	64
39	0227E	<5	<2	3.02	<5	80	20	0.07	1	12	52	32	14.60	<10	0.13	118	12	0.02	10	380	24	<5	<20	8	0.13	<10	98	<10	<1	63
40	0228E	<5	0.4	1.56	35	105	15	0.09	<1	9	19	21	4.94	<10	0.19	114	3	0.02	8	300	18	<5	<20	11	0.20	<10	122	<10	<1	65
41	0229E	<5	0.2	0.50	<5	45	15	0.16	<1	8	6	6	1.03	<10	0.09	58	<1	0.02	2	320	16	<5	<20	13	0.36	<10	61	<10	5	16
42	0230E	<5	<2	3.92	<5	80	30	0.10	2	13	21	25	> 15	<10	0.20	235	15	0.03	9	680	38	<5	<20	10	0.11	<10	135	<10	<1	87
43	0231E	<5	0.2	2.50	<5	90	30	0.22	2	14	4	29	> 15	<10	<0.1	404	16	<0.1	5	1050	46	<5	<20	10	0.27	<10	98	<10	<1	70
44	0232E	<5	1.4	0.77	15	135	10	0.63	3	11	5	12	2.41	<10	0.12	123	<1	0.02	5	510	26	<5	<20	47	0.25	<10	52	<10	6	36
45	0233E	<5	1.4	1.68	<5	75	10	0.15	<1	8	9	11	4.74	<10	0.16	253	3	0.02	4	420	18	<5	<20	15	0.15	<10	149	<10	<1	56
46	0234E	<5	1.0	1.40	5	295	15	1.75	3	23	8	17	3.60	20	0.77	3602	<1	0.14	13	900	14	10	<20	124	0.23	<10	66	<10	20	78
47	0235E	5	1.0	1.48	<5	65	10	0.13	<1	7	8	10	4.22	<10	0.14	233	3	0.01	4	390	18	<5	<20	11	0.14	<10	131	<10	<1	49
48	0236E	<5	1.4	1.96	105	175	10	0.48	<1	14	21	74	9.18	<10	0.21	405	13	0.01	15	680	36	<5	<20	39	0.04	<10	77	<10	<1	106
49	0237E	<5	0.6	1.33	<5	195	10	0.58	2	11	21	31	7.66	<10	0.18	400	10	<0.1	12	810	20	<5	<20	57	0.07	<10	85	<10	<1	103
50	0238E	5	0.6	0.91	<5	170	10	1.15	<1	9	12	20	2.91	<10	0.23	211	<1	0.02	10	410	16	<5	<20	89	0.20	<10	47	<10	4	50
51	0239E	<5	<2	1.31	<5	50	10	0.33	1	14	11	22	5.07	<10	0.52	215	3	0.09	12	340	8	<5	<20	31	0.18	<10	118	<10	<1	67
52	0240E	<5	<2	1.27	<5	110	<5	0.77	1	4	18	23	1.59	<10	0.50	123	1	0.02	15	670	12	5	<20	54	0.05	<10	27	<10	6	58
53	0241E	<5	<2	0.87	<5	155	10	0.53	<1	5	9	16	3.91	<10	0.07	108	5	<0.1	5	210	12	<5	<20	36	0.08	<10	75	<10	<1	40
54	0242E	<5	<2	0.99	<5	130	15	1.13	<1	15	6	11	2.71	<10	0.65	216	<1	0.13	10	590	8	10	<20	101	0.30	<10	56	<10	5	38
55	0243E	<5	<2	2.29	<5	150	10	0.20	<1	26	23	43	10.20	<10	0.46	356	10	0.01	10	370	10	<5	<20	14	0.06	<10	127	<10	<1	122
56	0304E	<5	<2	1.77	<5	40	15	0.06	<1	10	27	16	4.66	<10	0.18	165	<1	0.02	6	320	18	<5	<20	3	0.30	<10	101	<10	4	28
57	0305E	<5	0.2	2.00	10	55	10	0.09	<1	11	32	24	6.36	<10	0.67	508	7	0.01	25	590	18	<5	<20	4	0.07	<10	65	<10	<1	86
58	0306E	<5	0.8	2.05	<5	65	5	0.51	<1	9	7	12	2.61	20	0.42	219	<1	0.10	10	1260	16	<5	<20	34	0.08	<10	35	<10	17	28
59	0307E	5	1.0	2.38	<5	45	25	0.16	<1	12	22	23	7.49	<10	0.14	170	<1	0.02	7	610	36	<5	<20	9	0.40	<10	64	<10	2	42
60	0308E	<5	<2	1.37	<5	55	25	0.07	1	14	16	19	8.73	<10	0.05	279	7	<0.1	8	580	28	<5	<20	6	0.42	<10	134	<10	<1	57
61	0309E	<5	0.4	2.36	<5	40	15	0.05	<1	8	22	17	6.06	<10	0.25	298	6	0.02	8	550	28	<5	<20	2	0.15	<10	53	<10	10	55
62	0310E	<5	<2	1.96	<5	65	10	0.44	<1	14	27	14	4.63	<10	1.03	616	<1	0.07	27	790	12	<5	<20	25	0.13	<10	65	<10	5	105

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
<i>Repeat:</i>																															
1	0189E	<5	<2	0.79	5	85	10	2.58	2	10	15	47	2.67	<10	0.25	195	<1	0.03	8	610	12	5	<20	65	0.23	<10	38	<10	12	58	
10	0198E	<5	0.8	1.58	<5	65	15	0.73	<1	21	8	15	6.15	<10	1.06	684	<1	0.20	13	1110	18	5	<20	61	0.31	<10	78	<10	3	49	
19	0207E	<5	<2	1.21	<5	30	20	0.18	<1	11	16	12	2.33	<10	0.14	62	<1	0.03	4	380	20	5	<20	14	0.44	<10	90	<10	6	17	
28	0216E	<5	<2	0.66	<5	90	10	0.65	<1	11	7	11	2.35	<10	0.33	142	<1	0.08	7	510	12	5	<20	58	0.26	<10	53	<10	3	31	
36	0224E	<5	<2	0.87	15	35	5	0.08	<1	6	9	22	3.12	<10	0.21	116	37	0.02	38	260	8	5	<20	7	0.07	<10	121	<10	<1	152	
45	0233E	<5	1.0	1.57	<5	65	10	0.11	1	6	6	8	4.40	<10	0.10	228	2	0.01	3	400	14	5	<20	12	0.13	<10	134	<10	<1	50	
54	0242E	<5	<2	0.95	<5	135	15	1.10	1	15	6	11	2.62	<10	0.63	208	<1	0.12	11	570	8	5	<20	97	0.29	<10	54	<10	6	38	
Standard:																															
GEO'95		150	1.0	1.71	55	150	<5	1.65	<1	18	60	85	3.88	<10	0.89	635	<1	0.02	26	620	20	5	<20	57	0.12	<10	77	<10	4	73	
GEO'95		140	1.0	1.70	60	155	5	1.64	<1	17	61	85	3.86	<10	0.89	634	<1	0.02	25	620	20	5	<20	58	0.12	<10	76	<10	4	75	

df/674
XLS/95Canamera#4


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

15-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-751
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

1 Rock sample received August 28, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 21

P.O. #: 5777

Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et#.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	7487	<5	<2	2.65	<5	65	<5	0.36	1	17	44	129	6.12	<10	1.72	431	8	0.01	25	1660	10	<5	<20	20	<0.01	<10	45	<10	<1	75

QC DATA:

Standard:

GEO95	-	1.2	1.61	55	150	<5	1.54	<1	17	55	80	4.07	<10	0.86	620	<1	0.01	26	620	16	<5	<20	51	0.10	<10	72	<10	5	72
-------	---	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/715w
XLS/95Canamera#4


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

20-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-673-6700
Fax : 604-673-4557

CANAMERA GEOLOGICAL LTD. AK 95-785
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

168 SOIL sample received Sept 1, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 22
P.O. #: 5778
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #	Tag #	Ag	Al %	As	Ba	BI	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	TI %	U	V	W	Y	Zn
1	0311E	0.2	1.96	20	80	<5	0.42	<1	17	25	36	4.92	<10	0.94	1057	6	0.02	30	1070	24	<5	<20	17	0.08	<10	55	<10	12	154
2	0312E	<2	2.06	<5	75	25	0.50	2	51	21	26	6.30	<10	0.21	2049	<1	0.02	10	390	32	<5	<20	14	0.41	<10	87	<10	35	91
3	0313E	<2	2.62	5	80	15	0.63	2	15	31	18	6.62	<10	0.35	553	10	0.02	17	580	84	<5	<20	15	0.28	<10	108	<10	13	256
4	0314E	1.4	3.29	60	115	15	0.64	4	49	13	74	7.30	10	0.36	2758	13	<0.1	10	3640	86	<5	<20	21	0.03	<10	42	<10	23	422
5	0315E	0.4	1.55	<5	85	15	0.14	1	8	18	18	7.93	<10	0.04	99	4	0.02	5	960	16	<5	20	13	0.14	20	83	<10	<1	31
6	0316E	0.6	1.60	<5	145	30	0.18	1	15	10	17	10.30	<10	0.34	301	3	0.05	8	1350	24	<5	<20	16	0.24	10	88	<10	<1	51
7	0317E	0.4	1.36	<5	110	15	0.06	<1	8	8	16	10.40	<10	0.08	117	9	0.03	8	1720	14	<5	<20	7	0.05	<10	55	<10	5	27
8	0318E	<2	1.22	<5	90	10	0.13	<1	7	12	13	4.27	<10	0.05	100	<1	<0.1	5	320	20	<5	<20	7	0.19	<10	91	<10	2	28
9	0319E	4.4	3.60	10	90	5	1.32	2	28	22	28	2.59	30	0.45	4806	1	0.12	14	1330	26	<5	<20	36	0.09	<10	35	<10	40	72
10	0320E	0.8	2.96	<5	80	10	0.28	<1	19	36	21	5.44	<10	0.62	2344	5	0.01	27	770	26	<5	<20	7	0.11	<10	54	<10	17	114
11	0321E	0.4	1.96	<5	45	10	0.09	<1	7	29	20	4.61	<10	0.20	147	<1	<0.1	8	450	22	<5	<20	5	0.17	<10	80	<10	4	36
12	0322E	0.6	2.33	25	85	10	0.23	<1	18	42	24	5.25	<10	0.74	931	5	0.03	20	1070	30	<5	<20	13	0.08	<10	71	<10	7	105
13	0323E	<2	1.76	<5	80	20	0.07	<1	12	21	18	8.56	<10	0.17	229	7	<0.1	9	350	24	<5	40	6	0.28	20	138	<10	<1	64
14	0324E	3.2	2.54	75	50	15	0.11	<1	26	16	41	7.29	<10	0.19	1869	9	0.02	7	1370	32	<5	<20	6	0.11	<10	71	<10	5	109
15	0325E	0.4	0.91	5	110	15	0.20	<1	8	7	7	1.76	<10	0.21	109	<1	0.05	4	420	24	<5	<20	14	0.27	<10	77	<10	4	29
16	0326E	0.4	1.59	10	50	15	0.08	<1	12	19	15	5.14	<10	0.14	750	9	<0.1	5	750	28	<5	<20	3	0.15	<10	72	<10	<1	66
17	0327E	4.8	2.71	3925	145	20	0.12	<1	34	61	90	> 15	<10	1.22	912	18	0.02	11	2240	34	<5	<20	10	0.07	<10	109	<10	<1	95
18	0328E	1.0	3.23	155	95	10	0.46	<1	52	60	75	7.86	<10	1.03	1983	4	<0.1	30	1710	34	<5	<20	14	0.13	<10	114	<10	16	134
19	0329E	0.6	1.88	25	50	15	0.12	<1	21	75	43	8.32	<10	0.93	1625	7	0.02	17	3450	22	<5	<20	3	0.07	<10	156	<10	<1	66
20	0330E	<2	2.38	<5	50	10	0.58	<1	33	23	54	6.48	<10	0.91	975	<1	0.15	20	1120	24	<5	<20	37	0.25	<10	123	<10	5	56
21	0331E	1.0	4.49	10	35	<5	0.31	<1	15	56	111	6.32	<10	0.43	649	2	0.03	14	1720	38	<5	<20	7	0.16	<10	109	<10	4	63
22	0332E	1.4	1.69	10	50	10	0.47	<1	30	14	42	4.93	10	0.36	1890	4	0.01	15	850	22	<5	<20	18	0.10	<10	56	<10	26	74
23	0333E	<2	0.27	<5	35	<5	1.80	<1	2	2	9	0.43	<10	0.13	47	<1	0.04	4	590	<2	5	<20	72	0.02	<10	9	<10	<1	21
24	0334E	<2	1.25	10	140	20	0.67	<1	11	24	14	5.43	<10	0.23	499	8	<0.1	12	300	16	<5	20	18	0.15	<10	111	<10	2	51
25	0335E	0.4	2.22	20	85	10	0.44	<1	15	37	45	5.90	<10	0.51	375	7	<0.1	29	650	28	<5	<20	16	0.10	<10	87	<10	5	183

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Bb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	0336E	<2	2.27	15	105	15	0.77	2	23	42	34	5.58	<10	1.34	1357	3	0.03	38	930	18	10	<20	29	0.12	<10	93	<10	7	219
27	0337E	<2	2.31	15	70	20	0.08	<1	14	29	34	11.40	<10	0.21	264	10	<0.01	14	280	30	△	40	3	0.23	10	128	<10	<1	98
28	0338E	<2	1.81	10	165	15	0.21	<1	10	12	18	4.39	<10	0.41	198	2	0.07	8	460	16	△	<20	23	0.13	<10	121	<10	<1	41
29	0339E	0.6	2.34	<5	85	30	0.05	<1	12	24	24	11.90	<10	0.03	235	13	<0.01	7	480	42	△	80	6	0.28	20	82	<10	<1	68
30	0340E	0.6	1.81	10	80	15	0.08	<1	11	30	28	7.62	<10	0.45	266	8	0.03	21	340	20	△	20	8	0.16	<10	95	<10	<1	94
31	0341E	0.6	2.56	15	85	25	0.03	1	10	31	27	9.50	<10	0.11	131	7	<0.01	10	330	28	△	40	1	0.20	10	156	<10	<1	54
32	0342E	2.2	3.18	35	65	15	0.35	<1	16	25	22	5.90	<10	0.29	1740	3	0.02	12	800	28	△	<20	13	0.18	<10	80	<10	8	81
33	0343E	<2	1.11	155	55	15	0.11	<1	9	8	16	4.42	<10	0.04	172	5	<0.01	9	360	24	△	40	6	0.29	<10	97	<10	2	43
34	0344E	2.2	4.25	130	35	15	0.17	<1	17	40	27	5.56	<10	0.18	285	2	0.01	12	630	46	△	40	5	0.19	<10	66	<10	9	76
35	0345E	1.0	1.53	105	55	10	0.14	<1	9	14	15	3.64	<10	0.18	95	<1	0.02	7	320	28	△	<20	9	0.23	10	106	<10	3	40
36	0346E	0.2	2.32	185	50	25	0.08	<1	9	31	31	8.19	<10	0.31	207	11	0.02	19	480	26	△	<20	3	0.11	10	102	<10	<1	124
37	0347E	<2	2.16	40	55	30	0.07	<1	12	18	25	10.60	<10	0.02	215	14	0.03	7	320	44	△	100	6	0.33	10	105	<10	<1	63
38	0348E	1.8	2.11	35	85	10	0.08	<1	7	33	33	7.15	<10	0.26	117	11	0.02	14	560	20	△	<20	7	0.07	10	108	<10	<1	101
39	0349E	<2	3.12	30	65	10	0.52	<1	33	39	49	7.16	<10	0.55	2213	<1	0.05	21	680	20	15	<20	29	0.25	<10	140	<10	2	62
40	0350E	1.0	2.03	<5	55	20	0.11	<1	11	24	29	7.20	<10	0.05	127	3	0.03	8	440	36	△	40	8	0.27	<10	74	<10	3	29
41	0351E	0.4	1.03	<5	70	15	0.24	<1	12	5	11	4.21	<10	0.26	163	<1	0.06	7	510	22	△	<20	22	0.27	<10	96	<10	2	25
42	0352E	0.8	1.95	135	160	<5	0.17	<1	21	25	71	6.45	<10	0.60	2011	3	0.03	10	4950	22	△	<20	21	0.11	<10	111	<10	3	55
43	0353E	0.4	0.26	5	40	<5	3.10	<1	<1	1	8	0.28	<10	0.11	37	2	0.05	3	480	<2	10	<20	127	<0.01	<10	6	<10	<1	22
44	0354E	1.8	1.70	40	215	<5	4.66	1	6	8	50	1.19	20	0.28	2005	2	0.09	11	820	10	10	<20	187	0.04	<10	18	<10	13	87
45	0355E	0.6	0.32	<5	110	<5	2.57	<1	<1	1	11	0.36	<10	0.07	17	3	0.07	3	350	2	10	<20	126	0.01	<10	7	<10	2	20
46	0356E	1.8	0.29	5	75	<5	1.94	<1	3	2	7	0.50	<10	0.15	38	<1	0.06	3	450	2	10	<20	102	0.05	<10	12	<10	<1	25
47	0357E	0.8	0.46	15	160	<5	5.22	<1	2	2	10	0.56	<10	0.07	44	2	0.03	6	400	2	10	<20	283	0.05	<10	10	<10	2	29
48	0358E	1.2	1.96	50	80	25	0.21	<1	11	10	18	9.38	<10	<0.01	233	30	0.02	5	410	40	△	80	16	0.25	10	74	<10	5	63
49	0359E	0.4	2.39	105	95	10	0.06	<1	7	31	29	5.96	<10	0.37	188	9	0.02	10	320	32	△	<20	3	0.04	<10	114	<10	<1	71
50	0360E	<2	3.48	70	80	30	0.05	<1	13	29	27	11.90	<10	0.03	270	12	0.02	8	340	42	△	60	3	0.18	20	90	<10	<1	60
51	0361E	0.5	2.77	90	95	15	0.03	<1	10	42	39	9.87	<10	0.24	143	12	0.02	16	320	26	△	20	<1	0.06	10	99	<10	<1	87
52	0362E	<2	1.99	45	130	10	0.78	3	25	28	27	6.89	<10	0.95	2447	6	0.09	33	840	14	△	<20	42	0.14	<10	78	<10	4	185
53	0363E	0.2	0.91	10	120	<5	2.60	4	5	5	44	2.16	<10	0.13	403	3	0.05	9	930	4	△	<20	105	0.04	<10	21	<10	8	14
54	0364E	<2	2.64	<5	70	20	0.09	<1	11	46	24	10.10	<10	0.35	134	10	0.02	16	240	30	△	<20	8	0.11	20	98	<10	<1	56
55	0365E	<2	1.07	<5	65	20	0.68	<1	19	7	12	3.81	<10	0.77	230	<1	0.15	14	670	10	5	<20	47	0.39	<10	60	<10	6	33
56	0366E	0.4	1.83	15	90	20	0.19	<1	14	18	66	12.50	<10	0.29	433	14	0.04	9	1790	24	△	<20	15	0.06	<10	55	<10	2	72
57	0367E	0.4	1.33	30	230	5	0.62	<1	7	19	23	5.30	<10	0.15	215	14	0.03	11	370	20	△	<20	93	0.04	<10	59	<10	<1	58
58	0368E	<2	2.12	75	65	10	0.23	<1	21	28	33	4.86	<10	0.83	1360	8	<0.01	22	840	20	△	<20	11	0.05	<10	67	<10	7	146
59	0369E	<2	4.29	30	85	15	1.56	<1	57	39	30	3.40	20	0.40	1034	<1	0.05	20	610	30	△	<20	84	0.33	<10	66	<10	26	86
60	0370E	<2	2.18	5	55	25	0.10	<1	12	23	18	10.20	<10	0.04	128	5	0.03	7	370	34	△	60	6	0.26	30	112	<10	<1	43


Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	0371E	0.2	2.91	<5	50	20	0.07	<1	11	28	20	9.18	<10	0.03	163	5	0.03	7	250	40	△	80	6	0.23	20	84	<10	<1	45
62	0372E	<2	1.06	<5	35	10	0.19	<1	9	14	18	3.02	<10	0.12	84	<1	0.03	8	550	20	△	<20	12	0.25	<10	69	<10	3	19
63	0373E	1.0	4.24	15	55	15	0.06	<1	10	43	33	7.22	<10	0.38	168	3	0.03	19	340	38	△	20	2	0.15	<10	68	<10	2	95
64	0374E	<2	0.73	<5	30	25	0.22	<1	13	8	11	3.91	<10	0.17	74	<1	0.05	5	230	12	△	<20	14	0.47	<10	122	<10	3	20
65	0375E	1.0	1.85	<5	40	<5	0.11	<1	4	13	17	3.42	<10	0.05	23	4	0.03	6	1090	22	△	<20	9	0.05	20	33	<10	3	14
66	0376E	<2	1.12	<5	60	15	0.11	<1	13	16	20	5.28	<10	0.09	78	<1	0.03	9	320	14	△	<20	10	0.38	10	130	<10	2	45
67	0377E	<2	1.71	<5	40	35	0.22	<1	19	26	14	7.22	<10	0.21	161	<1	0.03	7	1000	16	△	40	7	0.71	20	149	<10	3	26
68	0244E	0.2	1.06	<5	55	10	0.14	<1	6	14	13	1.03	<10	0.13	59	<1	0.03	5	330	34	△	<20	8	0.28	<10	26	<10	4	21
69	0245E	1.0	1.80	<5	120	5	0.21	<1	12	14	55	5.81	<10	0.38	532	6	0.01	11	570	18	△	<20	15	0.02	<10	56	<10	<1	91
70	0248E	0.4	1.50	<5	185	10	0.49	1	21	15	55	6.53	<10	0.34	2015	3	0.03	15	1040	18	△	<20	33	0.13	<10	64	<10	5	118
71	0247E	0.4	2.00	<5	70	15	0.04	1	10	72	33	9.74	<10	0.18	131	10	0.03	23	620	22	△	40	8	0.06	20	90	<10	<1	53
72	0248E	1.6	2.64	15	135	10	0.56	<1	6	13	19	5.20	<10	0.19	173	11	0.03	10	420	34	△	40	120	0.08	<10	31	<10	<1	67
73	0249E	<2	2.83	20	260	25	1.63	1	14	70	32	1.85	10	0.10	49	<1	0.05	16	380	26	△	20	239	0.71	<10	85	<10	20	40
74	2136	<2	1.07	<5	50	15	0.41	<1	16	8	12	3.26	<10	0.59	217	<1	0.11	11	460	10	△	<20	39	0.30	<10	80	<10	4	43
75	2137	0.6	1.47	<5	50	15	0.23	<1	12	9	17	5.96	<10	0.28	166	<1	0.06	8	420	22	△	20	21	0.25	10	82	<10	<1	44
76	2138	<2	0.85	<5	70	25	0.10	<1	16	18	15	5.24	<10	0.11	111	<1	0.04	7	200	24	△	40	16	0.60	<10	153	<10	3	33
77	2139	2.6	1.62	5	80	5	0.13	<1	9	18	23	5.54	<10	0.19	188	6	0.04	11	450	26	△	<20	18	0.07	<10	82	<10	<1	86
78	2140	0.8	2.55	20	90	10	0.13	<1	11	17	26	5.47	<10	0.31	302	6	0.05	12	780	28	△	20	12	0.04	<10	72	<10	<1	111
79	2141	1.4	0.82	<5	50	<5	0.19	<1	8	5	13	2.25	<10	0.25	117	<1	0.06	8	580	6	△	<20	20	0.11	<10	48	<10	1	38
80	2142	<2	1.73	<5	35	35	0.33	<1	22	20	14	5.87	<10	0.28	225	<1	0.06	6	560	20	△	20	14	0.88	<10	168	<10	8	37
81	2143	<2	2.73	<5	60	30	0.11	<1	16	30	20	6.19	<10	0.20	114	<1	0.03	8	490	28	△	40	10	0.47	10	157	<10	2	33
82	2144	<2	1.79	<5	75	10	0.11	1	13	21	14	7.74	<10	0.16	562	9	0.04	13	440	22	△	<20	11	0.03	<10	75	<10	<1	78
83	2145	0.8	2.68	5	105	10	0.24	<1	8	12	27	5.98	<10	0.13	197	8	0.04	9	630	24	△	20	22	0.10	<10	67	<10	<1	69
84	2146	1.8	1.98	20	250	<5	0.85	1	18	16	41	4.40	<10	0.23	3255	5	0.01	21	1140	24	△	<20	48	0.04	<10	42	<10	16	134
85	2147	1.0	2.08	<5	90	25	0.15	2	13	14	26	7.98	<10	0.11	342	<1	<0.01	11	540	28	△	20	16	0.26	<10	80	<10	<1	44
86	2148	<2	0.49	<5	30	15	0.10	<1	10	10	15	2.97	<10	0.09	158	<1	0.04	8	220	10	△	<20	8	0.22	<10	97	<10	1	50
87	2149	1.4	4.03	25	150	5	0.04	<1	13	21	38	7.38	<10	0.13	501	10	<0.01	15	780	38	△	40	3	0.02	<10	54	<10	2	151
88	2150	0.8	1.01	<5	200	15	1.87	5	13	6	12	2.32	<10	0.40	349	<1	0.09	13	500	8	△	<20	191	0.19	<10	40	<10	4	150
89	2151	1.4	2.42	10	80	20	0.09	<1	11	30	47	9.27	<10	0.10	151	8	0.03	8	790	26	△	40	8	0.16	20	112	<10	<1	85
90	2152	0.8	2.48	10	100	5	0.05	<1	4	28	18	2.31	<10	0.32	72	10	<0.01	23	440	36	△	<20	7	0.04	<10	40	<10	2	132
91	2153	1.0	4.08	20	115	10	0.03	1	7	18	34	5.79	<10	0.14	426	10	<0.01	16	470	40	△	<20	4	<0.01	<10	33	<10	<1	147
92	2154	<2	0.61	10	45	10	0.09	<1	5	4	10	1.84	<10	0.05	64	1	0.02	8	170	14	△	<20	10	0.13	<10	78	<10	<1	56
93	2155	1.0	2.41	25	100	5	0.07	<1	14	18	41	5.25	<10	0.30	376	7	0.03	19	640	34	△	<20	8	0.01	<10	48	<10	<1	134
94	2156	0.6	2.38	<5	50	20	0.14	<1	9	13	21	8.59	<10	0.08	206	9	0.04	5	1040	40	△	40	12	0.13	10	64	<10	<1	69
95	2157	3.0	7.22	25	65	10	0.03	<1	6	44	19	5.44	<10	0.18	205	6	<0.01	15	720	64	△	40	5	0.05	<10	32	<10	6	117

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
96	2158	<2	1.10	<5	55	40	0.06	<1	15	10	16	7.50	<10	0.02	152	<1	0.03	5	210	28	<5	80	3	0.58	20	192	<10	1	53
97	2159	1.8	0.35	<5	170	<5	0.41	<1	2	<1	12	0.50	<10	0.08	19	<1	0.10	5	480	4	<5	<20	79	0.02	<10	9	<10	1	32
98	2160	1.2	1.34	<5	95	5	0.27	<1	10	5	22	3.90	<10	0.34	209	3	0.07	8	540	16	<5	<20	26	0.10	<10	69	<10	<1	38
99	2161	2.6	6.17	25	75	10	0.34	<1	38	14	75	8.54	<10	0.05	885	8	0.03	9	3290	68	<5	20	15	0.04	<10	37	<10	<1	135
100	2162	<2	1.26	<5	40	20	0.07	<1	12	19	17	3.85	<10	0.05	161	<1	0.02	5	270	16	<5	<20	4	0.35	<10	119	<10	2	33
101	2163	<2	2.28	<5	50	25	0.08	<1	18	50	19	7.49	<10	0.07	102	<1	<0.01	9	210	18	<5	40	5	0.48	20	271	<10	2	43
102	2164	3.4	2.46	<5	75	20	0.04	<1	7	23	20	6.88	<10	0.08	118	9	0.03	11	350	28	<5	20	2	0.07	20	91	<10	<1	82
103	2165	1.2	5.17	25	75	10	0.08	<1	6	19	30	5.68	<10	0.13	110	11	0.03	11	560	38	<5	<20	8	0.02	10	49	<10	<1	78
104	2166	1.2	3.23	10	85	5	0.05	<1	8	21	51	4.90	<10	0.14	151	8	0.02	13	540	38	<5	20	4	0.02	<10	64	<10	<1	105
105	2167	0.6	1.86	10	65	15	0.05	<1	8	14	19	8.99	<10	0.03	92	12	0.03	7	320	32	<5	40	8	0.11	20	81	<10	<1	62
106	2168	1.0	1.37	15	95	5	0.27	<1	10	5	23	3.92	<10	0.34	223	3	0.07	8	530	16	<5	<20	26	0.09	<10	71	<10	<1	38
107	2169	1.2	2.51	<5	100	15	0.05	1	8	26	38	11.00	<10	0.07	120	13	0.03	9	470	34	<5	40	14	0.04	20	91	<10	<1	105
108	2170	0.6	2.44	10	65	20	0.03	<1	11	35	33	10.70	<10	0.15	122	8	0.03	18	220	29	<5	40	4	0.11	20	91	<10	<1	89
109	2171	0.4	3.48	10	115	10	0.04	<1	4	7	10	5.50	<10	0.10	129	12	0.04	3	310	42	<5	<20	4	<0.01	<10	37	<10	<1	129
110	2172	0.2	2.81	<5	85	15	0.02	1	8	40	27	9.78	<10	0.13	120	12	<0.01	15	300	26	<5	20	5	0.03	20	106	<10	<1	86
111	2173	1.4	2.45	<5	125	20	0.17	3	10	32	25	11.40	<10	0.06	169	11	0.04	12	290	32	<5	60	21	0.12	20	77	<10	<1	199
112	2174	1.8	3.36	<5	60	25	0.09	1	10	25	18	10.10	<10	0.03	122	8	0.03	8	280	40	<5	40	4	0.16	20	102	<10	<1	69
113	2175	0.6	3.62	15	95	15	0.11	<1	9	14	11	8.30	<10	0.08	139	8	0.04	7	1620	40	<5	40	11	0.09	20	68	<10	<1	91
114	2176	<2	2.91	<5	110	25	0.18	<1	15	29	38	10.30	<10	0.23	206	<1	0.04	9	320	44	<5	40	14	0.32	10	154	<10	<1	61
115	2177	1.8	6.25	15	60	15	0.04	<1	6	27	16	6.56	<10	0.07	91	8	0.03	10	500	56	<5	40	3	0.03	<10	45	<10	<1	79
116	2178	<2	0.42	5	35	10	0.04	<1	7	9	20	2.36	<10	0.03	98	1	0.02	8	140	6	<5	<20	5	0.12	10	95	<10	<1	48
117	2179	1.8	0.89	20	40	<5	0.15	<1	10	3	48	3.96	<10	0.12	199	6	0.03	8	400	8	<5	<20	14	0.02	<10	77	<10	<1	42
118	2180	<2	1.05	<5	55	5	0.14	<1	10	12	25	3.48	<10	0.12	86	<1	0.03	9	240	18	<5	<20	10	0.26	<10	169	<10	2	25
119	2181	1.2	2.16	<5	65	10	0.04	1	10	13	40	9.21	<10	0.06	366	9	0.03	8	550	34	<5	<20	7	0.07	<10	88	<10	<1	84
120	2182	2.4	5.02	<5	40	15	0.05	<1	7	21	11	7.20	<10	0.03	177	6	0.03	5	640	58	<5	60	5	0.13	10	43	<10	<1	73
121	2183	0.4	2.18	<5	150	20	0.05	<1	13	30	37	9.16	<10	0.07	69	2	0.02	10	340	28	<5	40	3	0.26	20	197	<10	<1	35
122	2184	0.8	3.18	10	220	10	0.14	1	11	20	28	6.06	<10	0.28	495	8	0.05	15	640	30	<5	<20	10	0.02	<10	83	<10	<1	90
123	2185	1.4	5.39	25	70	10	0.03	<1	8	41	30	7.77	<10	0.13	119	9	0.03	15	400	52	<5	40	2	0.05	10	72	<10	<1	97
124	2186	0.6	4.34	15	265	10	0.07	<1	26	31	37	6.44	<10	1.15	354	5	0.03	46	510	26	<5	<20	7	<0.01	<10	73	<10	14	123
125	2187	<2	1.49	5	50	<5	0.06	<1	6	3	53	3.86	<10	0.08	103	8	0.03	7	420	14	<5	<20	9	<0.01	<10	57	<10	<1	78
126	2188	1.4	3.69	<5	130	20	0.07	1	16	37	39	13.40	<10	0.51	362	11	0.02	15	860	24	<5	<20	8	0.02	20	139	<10	<1	70
127	2189	0.6	5.11	15	290	10	0.08	<1	20	88	45	7.33	<10	0.77	386	8	<0.01	45	640	36	<5	<20	6	0.01	<10	114	<10	<1	109
128	2190	0.8	3.58	10	80	20	0.03	<1	9	25	20	9.54	<10	0.16	117	11	0.02	14	1180	38	<5	<20	5	0.11	20	75	<10	<1	146
129	2191	<2	1.93	<5	65	20	0.03	<1	9	13	13	7.68	<10	0.02	129	5	<0.01	5	340	24	<5	40	3	0.17	10	114	<10	<1	36
130	2192	1.8	1.84	15	115	10	0.06	<1	7	19	14	7.33	<10	0.11	159	12	0.03	11	770	18	<5	<20	18	0.03	<10	79	<10	<1	91

Et #.	Tag #	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	2193	<2	2.11	<5	80	15	0.10	<1	8	16	22	4.37	<10	0.18	283	<1	0.03	5	650	22	△	<20	6	0.15	<10	133	<10	<1	39
132	2194	1.4	1.40	<5	115	10	2.57	9	23	5	18	4.13	<10	0.45	342	3	0.10	25	520	6	△	<20	294	0.13	<10	34	<10	4	294
133	2195	0.6	3.55	5	105	25	0.04	1	11	43	19	13.70	<10	0.08	171	12	0.02	13	400	38	△	20	4	0.11	20	65	<10	<1	71
134	2196	0.8	4.85	20	120	<5	0.02	<1	10	47	41	8.31	<10	0.53	129	9	<0.01	55	390	36	△	<20	3	<0.01	10	45	<10	<1	304
135	2197	<2	3.73	<5	75	20	0.06	<1	9	12	11	6.32	<10	0.11	112	1	0.04	6	270	32	△	<20	4	0.24	<10	91	<10	<1	56
136	2198	1.2	4.34	10	95	10	0.06	<1	13	30	21	7.96	<10	0.17	178	7	0.01	18	520	40	△	<20	5	0.08	10	82	<10	3	146
137	2199	0.6	2.63	10	185	15	0.08	<1	5	5	6	7.05	10	0.07	913	14	<0.01	3	480	36	△	<20	5	<0.01	<10	27	<10	<1	110
138	2200	1.8	3.69	<5	80	15	0.05	2	9	24	19	8.48	<10	0.07	151	8	<0.01	11	530	50	△	20	8	0.08	10	40	<10	<1	134
139	2201	4.6	5.89	20	565	<5	2.47	6	13	25	33	3.20	20	0.11	10000	11	0.02	18	4370	46	△	<20	229	0.06	<10	26	<10	52	325
140	2202	3.2	2.17	30	285	5	1.03	2	8	26	43	5.99	<10	0.25	534	12	<0.01	23	880	20	△	<20	63	0.03	<10	82	<10	3	421
141	2203	1.4	2.72	10	160	15	0.04	<1	5	8	17	6.44	<10	0.04	135	12	<0.01	6	1030	34	△	<20	4	<0.01	<10	41	<10	<1	99
142	2204	0.6	2.99	<5	60	20	0.09	<1	11	17	15	7.51	<10	0.08	189	3	0.02	7	290	38	△	60	8	0.32	<10	77	<10	<1	43
143	2205	2.0	3.58	15	190	5	0.11	<1	12	9	52	6.19	<10	0.16	485	8	<0.01	10	850	36	△	<20	9	<0.01	<10	49	<10	<1	139
144	2206	0.4	2.13	<5	105	10	0.11	<1	9	14	17	5.92	<10	0.22	171	4	0.02	14	600	20	△	<20	18	0.09	<10	75	<10	<1	63
145	2207	3.4	3.82	<5	80	20	0.13	<1	10	48	24	9.62	<10	0.14	205	10	0.03	12	1490	38	△	20	16	0.09	20	65	<10	<1	128
146	2208	<2	2.24	<5	95	15	0.05	<1	16	23	49	8.25	<10	0.13	255	6	0.01	16	450	14	△	<20	6	0.07	20	147	<10	<1	54
147	2209	0.4	2.74	10	65	20	0.06	1	9	34	27	12.40	<10	<0.01	147	18	<0.01	10	610	38	△	<20	7	0.07	30	93	<10	<1	96
148	2210	0.2	3.14	<5	135	10	0.09	<1	13	15	28	5.67	<10	0.24	200	8	0.02	17	470	28	△	<20	7	0.01	<10	76	<10	<1	101
149	2211	8.0	4.53	15	70	10	0.03	1	7	35	27	7.73	<10	0.26	131	11	<0.01	23	490	38	△	<20	5	0.02	10	54	<10	<1	209
150	2212	1.0	3.32	10	115	15	1.06	2	13	15	13	4.12	<10	0.47	411	<1	0.06	21	520	36	△	<20	75	0.14	<10	43	<10	6	249
151	2213	0.8	3.34	15	80	20	0.04	1	7	42	49	8.47	<10	0.48	146	16	<0.01	24	740	32	△	<20	3	0.03	10	77	<10	<1	302
152	2214	<2	0.75	<5	85	10	0.27	<1	11	8	11	2.24	<10	0.23	85	<1	0.04	10	300	10	△	<20	35	0.32	<10	112	<10	4	35
153	2215	10.4	2.92	55	120	10	0.07	<1	7	21	26	8.20	<10	0.09	186	21	<0.01	7	1220	32	△	<20	7	0.06	10	98	<10	<1	96
154	2216	0.8	4.17	20	65	15	0.08	<1	11	26	29	7.27	<10	0.22	291	12	0.02	17	850	30	△	<20	9	0.06	<10	60	<10	<1	125
155	2217	3.4	3.05	5	95	20	0.76	1	9	18	15	9.60	<10	0.06	536	9	0.02	8	410	44	△	40	45	0.18	<10	41	<10	<1	140
156	2218	2.2	1.60	<5	100	10	1.52	3	13	18	22	5.08	<10	0.27	563	6	0.01	30	520	20	△	<20	152	0.10	<10	60	<10	4	508
157	2219	2.2	4.09	60	95	15	0.10	<1	10	21	21	6.83	<10	0.27	414	9	0.02	16	630	42	△	<20	13	0.06	<10	50	<10	<1	250
158	2220	0.2	2.00	5	70	15	0.23	1	9	30	24	6.53	<10	0.52	178	8	0.02	30	410	20	△	<20	23	0.06	10	69	<10	<1	119
159	2221	3.8	2.69	45	90	15	0.09	1	9	37	47	10.40	<10	0.23	111	38	0.02	16	650	32	△	<20	12	0.08	20	173	<10	<1	200
160	2222	2.0	1.66	<5	95	15	0.43	1	15	19	13	5.13	<10	0.62	176	<1	0.09	14	480	20	△	<20	48	0.25	<10	99	<10	3	81
161	2223	5.0	2.77	<5	75	15	0.15	2	13	25	24	6.19	<10	0.19	576	8	0.02	14	550	40	△	<20	13	0.17	<10	76	<10	8	213
162	2224	0.8	2.27	5	65	15	0.07	1	8	31	19	7.17	<10	0.13	110	6	0.02	12	520	30	△	<20	12	0.09	20	67	<10	<1	68
163	2225	1.4	3.94	10	85	10	0.09	<1	8	40	27	7.97	<10	0.29	158	10	0.02	17	500	34	△	<20	9	0.09	10	111	<10	<1	124
164	2226	1.8	3.14	<5	60	20	0.04	<1	9	22	15	9.25	<10	<0.01	233	7	0.01	6	490	42	△	40	6	0.19	20	77	<10	<1	50
165	2227	0.6	4.84	<5	130	20	0.18	2	17	38	17	6.40	30	0.20	220	4	0.01	16	590	40	△	<20	10	0.24	<10	66	<10	33	263
166	2228	1.0	2.55	<5	90	10	0.12	1	13	34	32	3.67	10	0.24	179	3	0.02	19	480	28	△	<20	9	0.19	<10	62	<10	23	129
167	2229	<2	1.33	<5	85	15	0.65	<1	9	14	10	5.27	<10	0.07	102	3	0.01	6	240	22	△	<20	37	0.31	<10	125	<10	3	57
168	A0331E	<2	3.18	30	85	25	0.08	<1	14	15	35	13.90	<10	0.23	250	12	<0.01	9	490	34	△	<20	10	0.16	20	75	<10	<1	91

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
Repeat:																													
1	0311E	0.4	1.89	20	75	5	0.40	<1	18	25	38	4.91	<10	0.85	1058	8	0.01	30	1080	28	<5	<20	15	0.05	<10	53	<10	12	156
10	0320E	0.8	2.96	5	75	10	0.27	<1	19	36	22	5.48	<10	0.61	2286	5	0.01	27	780	26	<5	<20	5	0.10	<10	53	<10	18	113
19	0329E	0.4	1.77	20	50	15	0.10	<1	19	71	41	7.97	<10	0.86	1555	6	0.02	15	3430	20	<5	<20	3	0.07	<10	148	<10	<1	63
28	0338E	<2	1.70	10	170	10	0.20	<1	9	10	16	4.19	<10	0.37	184	3	0.06	8	440	18	<5	<20	18	0.11	<10	116	<10	<1	38
36	0346E	0.2	2.22	175	55	20	0.10	<1	9	29	30	7.83	<10	0.30	224	11	0.03	18	440	24	<5	<20	4	0.10	<10	102	<10	<1	119
45	0355E	0.4	0.30	<5	105	<5	2.52	1	<1	1	11	0.32	<10	0.06	18	3	0.06	3	350	2	10	<20	123	0.01	<10	6	<10	2	17
54	0364E	<2	2.55	<5	70	15	0.05	<1	11	44	22	9.83	<10	0.33	131	9	0.02	14	250	32	<5	20	5	0.11	20	96	<10	<1	54
63	0373E	1.0	4.49	20	60	15	0.06	<1	11	45	35	7.42	<10	0.35	172	4	0.02	18	360	40	<5	20	2	0.15	<10	69	<10	2	97
71	0247E	0.4	2.09	<5	65	10	0.04	1	10	77	33	10.30	<10	0.20	134	10	0.03	24	810	24	<5	40	7	0.05	20	91	<10	<1	53
80	2142	<2	1.79	<5	40	45	0.38	<1	23	20	13	6.01	<10	0.30	239	<1	0.05	7	570	20	<5	40	16	0.91	<10	171	<10	8	39
89	2151	1.4	2.45	10	85	20	0.09	<1	11	31	49	9.29	<10	0.12	162	8	0.03	8	780	28	<5	40	9	0.15	20	110	<10	<1	89
115	2177	1.8	6.33	15	60	10	0.04	<1	6	28	16	6.45	<10	0.08	93	7	0.03	8	490	56	<5	40	3	0.03	<10	43	<10	<1	82
124	2186	0.4	4.30	10	265	10	0.11	1	28	31	37	6.40	<10	1.09	349	5	0.03	46	520	24	<5	<20	13	<0.01	<10	72	<10	13	128
133	2195	0.8	3.70	<5	105	30	0.05	1	11	44	20	13.80	<10	0.09	182	11	<0.01	13	400	36	<5	<20	8	0.11	30	67	<10	<1	76
141	2203	1.4	2.59	5	155	10	0.03	<1	5	8	16	6.10	10	0.05	131	11	<0.01	8	980	32	<5	<20	6	<0.01	<10	39	<10	<1	101
150	2212	0.8	3.31	5	110	15	1.03	2	13	15	13	4.04	<10	0.48	387	<1	0.06	22	500	32	<5	<20	74	0.14	<10	42	<10	6	245
Standard:																													
GEO'95		1.2	1.61	60	155	<5	1.63	<1	16	53	79	3.59	<10	0.82	624	<1	0.01	24	600	20	<5	<20	55	0.10	<10	72	<10	6	68
GEO'95		1.0	1.62	55	160	<5	1.62	<1	16	51	77	3.50	<10	0.79	630	<1	0.01	23	590	20	5	<20	54	0.10	<10	74	<10	4	72
GEO'95		1.2	1.60	60	155	<5	1.63	<1	16	52	78	3.56	<10	0.80	620	<1	0.01	24	590	22	5	<20	55	0.09	<10	72	<10	6	68
GEO'95		1.2	1.68	55	150	<5	1.53	<1	17	56	82	3.98	<10	0.85	610	<1	0.02	24	630	20	10	<20	52	0.11	<10	72	<10	4	73
GEO'95		1.2	1.60	60	160	<5	1.54	<1	17	55	83	3.84	<10	0.86	617	<1	0.01	25	630	22	5	<20	50	0.10	<10	70	<10	4	71

d1779N777
XLS/95Canamer#4


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

21-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-788
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

1 Rock sample received September 9, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 22
P.O. #: 5778
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn		
1	7801	5	2.0	1.63	55	35	<5	0.04	3	16	37	130	5.94	<10	0.70	259	23	0.01	77	300	20	<5	<20	2	<.01	10	61	<10	<1	263		
QC DATA:																																
<i>Resplit:</i>																																
R/S1	7801	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Repeat:</i>																																
1	7801	5	2.0	1.60	55	35	<5	0.04	3	15	40	125	5.73	<10	0.68	248	20	0.01	74	310	18	<5	<20	3	<.01	<10	61	<10	<1	249		
<i>Standard:</i>																																
GEO'95		140	1.0	1.50	65	150	<5	1.54	<1	16	54	80	3.64	<10	0.84	608	<1	0.01	25	620	18	<5	<20	50	0.09	<10	68	<10	4	70		

df/788
XLS/95Canamera#4


per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

21-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-801
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

2 Rock samples received September 12, 1995
PROJECT #: FD6CA0011
SHIPMENT #: 24
P.O. #: 6784
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	TI %	U	V	W	Y	Zn
1	7802	5	<2	2.67	<5	30	5	1.51	2	37	158	52	6.31	<10	2.64	952	<1	0.02	49	940	<2	15	<20	5	0.21	<10	204	<10	7	121
2	7803	5	<2	3.32	<5	40	15	4.55	1	21	130	61	4.87	<10	0.59	456	<1	<0.01	22	580	<2	<5	20	6	0.23	<10	122	<10	8	56

QC DATA:

Resplit:

R/S 1	7802	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-------	------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---


Repeat:

1	7802	-	<2	2.75	<5	30	10	1.57	1	38	159	54	6.18	<10	2.59	948	<1	0.02	49	860	<2	15	<20	5	0.22	<10	204	<10	6	118
---	------	---	----	------	----	----	----	------	---	----	-----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	---	------	-----	-----	-----	---	-----

Standard:

GEO'95		140	1.0	1.50	65	150	<5	1.54	<1	16	54	80	3.64	<10	0.84	608	<1	0.01	25	620	18	<5	<20	50	0.09	<10	68	<10	4	70
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/788
XLS/95Canamera#4


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

21-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-818
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

21 Core samples received September 18, 1995

PROJECT #: FDSCA0011

SHIPMENT #: 26

P.O. #: 5798


Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	15151	40	1.8	2.08	115	70	10	1.02	<1	6	42	25	7.18	<10	1.97	1137	7	<.01	3	1540	24	5	<20	45	0.02	<10	85	<10	7	134
2	15152	5	1.6	3.48	<5	100	15	2.63	2	8	25	42	9.90	<10	3.42	2277	8	<.01	<1	1620	28	<5	<20	116	0.04	<10	123	<10	1	216
3	15153	105	1.8	3.31	<5	95	20	1.05	1	9	20	27	9.85	<10	3.15	1617	8	<.01	1	1730	30	<5	<20	35	0.02	<10	118	<10	3	130
4	15154	40	2.4	2.87	<5	95	10	1.64	1	10	26	40	8.63	<10	2.82	1814	7	<.01	<1	1510	28	<5	<20	49	0.01	<10	115	<10	4	135
5	15155	50	2.0	2.95	<5	95	20	1.79	<1	9	19	37	8.81	<10	2.78	1823	8	<.01	<1	1600	26	<5	<20	74	0.01	<10	97	<10	4	107
6	15156	170	3.8	3.39	10	75	15	2.94	4	8	18	16	7.59	<10	2.79	2490	6	<.01	<1	1370	32	<5	<20	123	0.01	<10	64	<10	4	140
7	15157	5	8.0	3.16	20	75	10	0.72	<1	8	25	23	7.92	<10	2.45	1014	6	<.01	<1	1750	34	10	<20	23	<.01	<10	97	<10	5	141
8	15158	5	1.0	2.27	135	75	15	1.45	2	6	38	10	7.27	<10	1.74	993	8	<.01	<1	1580	64	5	<20	46	<.01	<10	84	<10	10	191
9	15159	5	1.4	1.60	180	70	10	2.04	7	5	57	5	5.93	<10	1.18	1222	5	<.01	3	1510	302	<5	<20	61	<.01	<10	50	<10	9	646
10	15160	10	4.4	1.15	135	50	15	0.54	<1	6	55	10	6.16	<10	0.75	482	11	<.01	<1	1470	78	<5	<20	16	<.01	<10	82	<10	7	119
11	15161	10	2.2	1.37	160	55	5	0.58	2	5	77	7	5.09	<10	0.93	483	7	<.01	2	1480	26	<5	<20	23	<.01	<10	84	<10	8	305
12	15162	25	4.4	2.48	120	70	15	0.98	2	8	53	15	7.87	<10	1.55	825	8	<.01	2	1640	74	<5	<20	40	0.01	<10	104	<10	7	383
13	15163	5	2.4	4.09	55	70	20	0.48	<1	11	19	13	11.30	<10	2.69	1186	9	<.01	<1	1720	46	<5	<20	17	0.02	<10	151	<10	1	243
14	15164	5	1.8	3.64	735	70	25	0.70	<1	9	22	13	10.40	<10	2.27	1045	10	<.01	<1	1750	38	<5	<20	21	0.02	<10	130	<10	3	182
15	15165	5	10.8	2.29	135	75	15	0.52	<1	8	54	16	7.04	<10	1.32	682	10	<.01	1	1500	40	10	<20	23	0.01	<10	85	<10	3	248
16	15168	5	2.8	2.52	30	70	20	0.94	2	9	38	19	8.25	<10	1.41	711	9	<.01	<1	1680	50	<5	<20	32	<.01	<10	95	<10	4	268
17	15167	5	1.2	2.79	<5	75	10	0.96	<1	7	33	11	8.74	<10	1.55	756	6	<.01	<1	1700	28	<5	<20	34	0.01	<10	101	<10	4	203
18	15168	5	3.2	3.94	155	80	20	0.60	<1	13	23	7	11.50	<10	2.11	938	14	<.01	4	1880	46	<5	<20	23	0.01	<10	118	<10	<1	192
19	15169	230	1.6	1.85	10	75	10	2.20	3	6	43	9	6.67	<10	0.85	942	5	<.01	3	1840	30	<5	<20	65	<.01	<10	98	<10	8	614
20	15170	5	3.6	2.83	90	70	15	0.58	<1	9	31	31	9.32	<10	1.71	811	10	<.01	2	1580	38	<5	<20	19	0.02	<10	103	<10	3	237
21	15171	40	2.0	1.52	30	65	10	1.32	<1	7	50	14	6.25	<10	0.67	623	6	<.01	2	1760	24	<5	<20	42	<.01	<10	81	<10	8	190

Et #	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
<i>Resplit:</i>																														
R/S 1	15151	45	1.8	2.21	100	75	15	1.07	<1	7	41	25	7.44	<10	2.10	1226	7	<.01	2	1670	28	10	<20	43	0.02	<10	89	<10	8	145
<i>Repeat:</i>																														
1	15151	-	2.0	2.14	105	70	15	1.06	<1	6	41	25	7.40	<10	2.02	1172	8	<.01	2	1590	28	<5	<20	47	0.02	<10	87	<10	7	142
10	15160	-	4.2	1.19	145	50	10	0.56	<1	6	55	10	6.37	<10	0.77	498	11	<.01	2	1540	82	<5	<20	18	<.01	<10	63	<10	7	123
19	15169	245	1.6	1.93	5	75	15	2.29	4	6	41	9	6.95	<10	0.89	966	6	<.01	3	1720	30	<5	<20	68	<.01	<10	102	<10	9	637
<i>Standard:</i>																														
GEO95		150	1.0	1.69	65	155	<5	1.69	<1	19	61	83	3.85	<10	0.89	615	<1	0.02	27	720	22	<5	<20	54	0.11	<10	75	<10	4	72

df/4027
XLS/95Canamera#4


ECO-TECH LABORATORIES LTD.
Per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-845
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

116 Soil samples received Sept. 21, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 27

P.O. #: 6788

Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	0902	310	2.2	3.15	195	465	<5	0.63	<1	32	4	304	10.10	<10	0.63	1881	9	0.02	7	2200	116	<5	<20	33	0.01	<10	57	<10	8	191
2	0903	125	1.6	3.53	60	675	<5	0.69	<1	30	9	251	8.81	<10	0.69	3595	8	0.02	8	1940	28	<5	<20	34	0.02	<10	60	<10	17	110
3	0904	150	2.6	2.95	90	870	<5	1.17	<1	36	5	218	9.83	<10	0.50	4060	10	<0.1	5	1910	68	<5	<20	57	<0.1	<10	53	<10	5	130
4	0905	105	1.4	3.25	75	680	<5	0.92	<1	37	8	247	9.97	<10	0.55	4123	10	<0.1	8	2160	46	<5	<20	44	0.01	<10	57	<10	7	124
5	0906	60	1.2	2.25	65	250	<5	0.39	1	20	4	142	7.45	<10	0.33	646	8	<0.1	4	1890	18	<5	<20	18	<0.1	<10	55	<10	<1	67
6	0907	20	0.8	3.08	<5	705	<5	0.41	<1	23	7	160	8.40	<10	0.63	2267	9	0.02	8	1950	14	<5	<20	22	0.02	<10	75	<10	<1	100
7	0908	90	3.0	3.85	25	1345	<5	1.43	2	28	10	303	7.55	<10	0.94	9830	10	0.02	8	2020	26	<5	<20	70	0.02	<10	61	<10	33	102
8	0909	50	0.8	2.34	<5	295	<5	0.31	<1	20	6	81	7.09	<10	0.48	625	4	0.04	6	820	10	<5	<20	24	0.05	<10	82	<10	<1	68
9	0910	80	0.6	2.31	25	185	<5	0.14	<1	17	5	86	8.12	<10	0.34	502	8	<0.1	6	1140	12	<5	<20	9	0.04	<10	78	<10	<1	67
10	0911	460	0.8	3.20	10	820	<5	0.56	<1	24	3	235	8.42	<10	0.62	1770	9	<0.1	5	2000	20	<5	<20	21	<0.1	<10	68	<10	8	116
11	0912	115	3.4	1.22	55	75	<5	0.02	<1	15	7	80	8.01	<10	0.09	185	5	<0.1	4	770	16	<5	<20	2	0.09	20	109	<10	<1	34
12	0913	85	0.6	3.68	50	560	<5	0.38	<1	19	20	117	6.33	<10	0.52	1042	7	<0.1	22	1440	20	<5	<20	26	0.02	<10	58	<10	7	117
13	0914	425	2.0	2.41	100	395	<5	0.80	<1	30	2	151	7.70	<10	0.57	1836	7	<0.1	4	2000	116	<5	<20	40	<0.1	<10	43	<10	<1	156
14	0915	190	2.8	3.04	140	430	<5	0.76	<1	37	4	252	9.05	<10	0.63	3315	9	<0.1	5	2240	78	<5	<20	36	<0.1	<10	50	<10	11	150
15	0916	140	3.4	3.15	60	590	<5	0.79	1	40	6	232	8.62	<10	0.71	7653	9	<0.1	6	2160	46	<5	<20	34	0.02	<10	53	<10	10	128
16	0917	90	3.2	3.28	45	645	<5	0.79	1	40	7	241	9.15	<10	0.72	8002	10	<0.1	7	2180	48	<5	<20	34	0.02	<10	57	<10	11	133
17	0918	<5	0.8	2.44	60	120	<5	0.74	9	27	12	152	9.08	<10	0.87	2376	85	0.01	164	1480	12	<5	<20	32	0.04	<10	57	<10	18	1058
18	0919	<5	1.2	2.57	60	155	<5	0.76	11	59	12	147	9.20	<10	0.85	4584	85	<0.1	184	1490	12	<5	<20	29	0.04	<10	56	<10	23	1004
19	0920	<5	1.0	2.33	50	135	<5	0.77	16	22	13	146	7.62	<10	0.85	2442	71	<0.1	194	1360	14	<5	<20	31	0.04	<10	58	<10	17	1233
20	0921	<5	0.6	2.10	40	135	<5	0.77	12	25	12	105	7.43	<10	0.98	2997	62	0.04	177	1150	12	<5	<20	38	0.10	<10	61	<10	11	866
21	0922	<5	0.6	2.69	65	140	<5	0.78	12	36	12	144	10.30	<10	1.04	3147	82	0.05	194	1440	14	<5	<20	37	0.10	<10	66	<10	16	1047
22	0923	<5	<2	2.61	45	70	15	0.89	3	28	12	57	7.29	<10	1.41	884	35	0.18	72	1090	10	<5	<20	77	0.25	<10	90	<10	12	467
23	0924	<5	0.2	2.57	30	175	<5	1.18	22	55	11	154	8.75	<10	1.47	5297	60	0.14	379	1210	10	<5	<20	68	0.26	<10	76	<10	17	1454
24	0925	<5	1.2	2.43	40	130	<5	0.69	18	32	11	185	8.76	<10	0.94	3131	76	<0.1	254	1580	12	<5	<20	33	0.04	<10	55	<10	18	1440
25	0926	<5	<2	2.76	30	90	10	1.37	3	31	12	53	7.74	<10	1.39	805	24	0.20	71	1250	10	<5	<20	88	0.32	<10	92	<10	9	495

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	0927	<5	2.2	3.27	65	90	<5	0.82	5	25	11	246	>15	<10	0.51	813	216	0.02	91	1800	18	<5	<20	45	0.06	<10	82	<10	55	684
27	0928	<5	13.6	3.32	215	2150	<5	1.46	255	104	48	613	13.80	20	0.28	>10000	316	<.01	2195	1470	<2	<5	<20	92	0.16	<10	51	<10	59	6604
28	0929	<5	<2	2.47	35	80	5	0.93	4	29	12	88	7.97	<10	1.22	1178	42	0.15	103	1150	12	<5	<20	69	0.28	<10	81	<10	8	557
29	0930	<5	0.8	2.54	45	130	<5	0.81	10	26	13	148	9.49	<10	0.98	2558	87	0.02	178	1450	12	<5	<20	40	0.06	<10	62	<10	16	1132
30	0931	<5	1.8	2.56	55	275	<5	0.88	49	49	17	190	9.01	<10	0.91	9434	114	<.01	433	1550	14	<5	<20	34	0.04	<10	62	<10	21	1840
31	0932	<5	0.8	2.42	50	135	<5	0.81	15	24	13	156	8.20	<10	0.90	2973	78	0.01	200	1400	12	<5	<20	34	0.04	<10	60	<10	18	1256
32	0933	<5	0.8	2.33	50	120	<5	0.74	12	23	13	141	8.03	<10	0.88	2560	75	<.01	179	1370	14	<5	<20	29	0.04	<10	59	<10	16	1144
33	0934	<5	1.0	2.37	50	110	<5	0.72	8	20	13	138	8.10	<10	0.86	1799	73	<.01	146	1420	16	<5	<20	30	0.04	<10	59	<10	16	1051
34	0935	<5	<2	1.89	20	80	<5	0.69	<1	12	26	23	4.55	<10	0.61	810	44	0.01	29	900	16	<5	<20	45	0.05	<10	73	<10	5	109
35	0936	<5	<2	2.44	70	65	10	0.81	<1	16	17	18	5.74	<10	0.77	1009	23	0.02	10	690	16	<5	<20	58	0.08	<10	93	<10	6	83
36	0937	<5	<2	3.27	10	75	<5	0.20	<1	19	11	25	7.24	<10	0.83	1240	14	0.03	9	1530	16	<5	<20	16	0.04	<10	82	<10	2	112
37	0938	<5	<2	2.82	5	65	10	0.06	<1	9	15	19	5.07	<10	0.37	650	6	<.01	7	1040	14	<5	<20	5	0.06	<10	78	<10	<1	70
38	0939	<5	<2	2.09	75	70	15	1.25	<1	30	15	18	5.88	<10	1.54	888	4	0.20	18	870	16	<5	<20	96	0.41	<10	104	<10	28	92
39	0940	<5	1.2	1.73	55	195	<5	0.78	34	24	12	108	6.65	<10	0.72	4967	98	0.01	207	1460	12	<5	<20	37	0.03	<10	54	<10	12	1126
40	0941	<5	<2	2.67	25	90	<5	1.10	2	12	20	110	4.19	<10	0.76	348	25	0.02	80	1110	14	<5	<20	52	0.25	<10	53	<10	21	829
41	0942	<5	0.6	2.01	55	150	<5	0.95	10	19	13	87	6.12	<10	1.07	2565	67	0.02	141	1130	12	<5	<20	48	0.04	<10	55	<10	11	650
42	0943	<5	0.2	1.87	95	135	15	0.76	16	90	13	54	9.46	<10	0.75	5123	183	0.02	157	840	8	<5	<20	44	0.15	<10	68	<10	3	728
43	0944	5	7.0	1.84	100	90	25	0.89	13	44	19	62	6.81	<10	0.84	2632	92	0.02	138	1200	38	30	<20	31	0.10	<10	71	<10	14	751
44	0945	<5	<2	1.61	45	85	<5	0.54	4	17	15	38	4.16	<10	0.67	506	45	<.01	64	1110	8	<5	<20	29	0.03	<10	62	<10	7	382
45	0946	<5	0.8	2.65	5	55	15	0.12	<1	11	22	27	6.41	<10	0.46	413	8	0.01	20	790	18	<5	<20	7	0.11	<10	56	<10	8	102
46	0947	5	<2	2.02	25	65	<5	0.11	<1	13	24	37	5.18	<10	0.72	590	7	<.01	31	550	16	<5	<20	4	0.04	<10	54	<10	4	147
47	0948	<5	<2	2.13	25	65	5	0.13	<1	16	25	42	5.17	<10	0.72	742	7	<.01	31	620	14	<5	<20	5	0.04	<10	54	<10	6	165
48	0949	<5	<2	2.12	20	75	5	0.12	<1	17	25	51	5.37	<10	0.73	828	7	<.01	33	600	16	<5	<20	5	0.04	<10	55	<10	6	171
49	0950	<5	0.6	2.31	<5	65	15	0.09	1	11	26	19	8.92	<10	0.4	300	8	<.01	16	530	20	<5	<20	6	0.14	<10	80	<10	<1	78
50	0951	<5	<2	2.12	15	55	15	0.09	<1	11	25	22	5.78	<10	0.57	308	4	<.01	22	620	18	<5	<20	4	0.15	<10	65	<10	7	117
51	0952	<5	0.4	3.19	10	45	10	0.10	<1	11	22	25	6.95	20	0.36	369	8	0.02	15	850	22	<5	<20	6	0.15	<10	58	<10	27	86
52	0953	<5	<2	2.27	<5	60	15	0.08	<1	10	24	21	8.85	<10	0.32	236	10	<.01	14	600	22	<5	<20	6	0.16	<10	71	<10	3	70
53	0954	<5	0.2	3.21	<5	45	15	0.06	<1	11	21	23	9.02	<10	0.18	320	10	0.01	11	590	32	<5	<20	4	0.21	<10	61	<10	16	61
54	0955	<5	0.4	3.64	10	50	10	0.17	<1	12	23	21	4.28	10	0.35	315	<1	0.03	12	1470	18	<5	<20	9	0.29	<10	68	<10	20	64
55	0956	<5	6.8	3.96	30	60	<5	0.34	<1	18	35	68	4.65	20	0.43	1132	2	0.04	16	1630	14	<5	<20	16	0.14	<10	80	<10	34	70
56	0957	<5	<2	2.22	<5	50	15	0.09	1	14	23	22	7.98	<10	0.17	542	4	0.02	8	470	22	<5	<20	6	0.28	<10	90	<10	4	45
57	0958	<5	1.4	2.77	<5	50	15	0.04	<1	10	34	26	8.55	<10	0.18	233	8	<.01	10	690	16	<5	<20	2	0.12	<10	91	<10	<1	42
58	0959	<5	0.4	2.94	<5	70	15	0.11	1	18	30	35	8.08	<10	0.38	630	7	0.02	19	640	22	<5	<20	6	0.18	<10	73	<10	19	124
59	0960	<5	0.4	2.11	<5	70	5	0.19	<1	14	30	24	5.51	<10	0.33	1056	4	0.01	13	1440	14	<5	<20	10	0.10	<10	97	<10	<1	60
60	0961	<5	0.4	2.33	5	55	10	0.15	<1	11	30	22	7.00	<10	0.54	448	7	<.01	20	1110	18	<5	<20	8	0.10	<10	69	<10	<1	76

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
61	0962	<5	0.2	0.70	5	35	<5	0.22	<1	5	6	9	1.73	<10	0.07	51	<1	0.02	5	710	6	△	<20	13	0.06	<10	58	<10	2	29
62	0963	<5	<2	0.67	5	30	5	0.11	<1	4	8	9	2.10	<10	0.05	65	<1	<0.01	3	320	6	△	<20	6	0.09	<10	86	<10	<1	20
63	0964	<5	<2	3.36	<5	70	10	0.07	1	10	41	34	10.60	<10	0.22	226	9	<0.01	12	830	20	△	<20	5	0.11	<10	96	<10	<1	54
64	0965	<5	<2	3.63	<5	65	15	0.05	1	10	46	35	10.60	<10	0.37	296	9	<0.01	19	860	20	△	<20	3	0.10	<10	105	<10	<1	65
65	0966	<5	<2	4.56	<5	70	15	0.06	2	11	48	35	11.00	<10	0.29	327	9	<0.01	15	1170	22	△	<20	5	0.13	<10	92	<10	<1	65
66	0967	<5	<2	5.06	20	60	5	0.08	<1	10	49	33	7.30	<10	0.43	376	7	<0.01	22	1360	20	△	<20	3	0.08	<10	58	<10	<1	90
67	0968	<5	<2	4.55	20	60	10	0.07	<1	9	46	32	6.68	<10	0.5	336	5	<0.01	22	1180	20	△	<20	3	0.07	<10	57	<10	<1	93
68	0969	<5	<2	3.53	10	60	10	0.10	<1	10	41	27	6.43	<10	0.57	401	4	<0.01	20	880	26	△	<20	9	0.09	<10	68	<10	<1	81
69	0970	<5	<2	1.36	<5	70	10	0.03	<1	7	17	14	3.98	<10	0.08	56	1	0.02	5	280	12	△	<20	3	0.16	<10	121	<10	<1	25
70	0971	<5	<2	3.52	<5	95	15	0.05	2	13	56	41	> 15	<10	0.15	138	12	0.02	10	860	22	△	<20	7	0.19	30	194	<10	<1	52
71	0972	<5	<2	0.35	<5	20	<5	0.06	<1	2	7	5	0.86	<10	0.04	36	<1	<0.01	2	160	4	△	<20	4	0.05	<10	31	<10	<1	11
72	0973	<5	<2	0.70	10	30	<5	0.04	<1	4	9	9	1.76	<10	0.06	49	2	<0.01	4	290	6	△	<20	5	0.05	<10	88	<10	<1	20
73	0974	<5	<2	3.12	<5	70	15	0.03	<1	9	31	21	8.18	<10	0.15	149	6	<0.01	10	890	18	△	<20	2	0.16	<10	117	<10	<1	37
74	0975	<5	<2	2.43	<5	75	10	0.06	1	11	42	32	9.49	<10	0.47	324	7	<0.01	21	1300	16	△	<20	6	0.13	<10	107	<10	<1	76
75	0976	<5	<2	3.30	10	60	10	0.05	<1	10	43	36	8.21	<10	0.44	339	8	<0.01	21	1000	18	△	<20	3	0.09	<10	82	<10	<1	81
76	0977	<5	<2	2.74	<5	145	20	0.03	2	13	46	31	12.50	<10	0.13	211	7	<0.01	10	710	16	△	<20	6	0.23	20	161	<10	<1	41
77	0978	<5	<2	4.04	<5	85	15	0.03	<1	10	49	26	9.40	<10	0.46	239	7	<0.01	21	500	20	△	<20	3	0.09	10	73	<10	<1	65
78	0979	<5	<2	0.63	<5	65	5	0.08	<1	8	17	12	2.10	<10	0.11	80	<1	0.01	7	260	8	△	<20	9	0.18	<10	99	<10	2	25
79	0980	<5	<2	2.54	<5	130	20	0.05	2	16	31	32	> 15	<10	0.09	199	7	0.01	10	610	30	△	<20	9	0.34	20	161	<10	<1	43
80	0981	<5	<2	2.34	<5	80	15	0.03	1	13	31	27	10.10	<10	0.13	200	6	<0.01	10	610	16	△	<20	5	0.24	10	187	<10	<1	36
81	0982	10	<2	1.86	15	95	5	0.07	<1	19	7	63	7.51	<10	0.49	822	8	<0.01	6	2630	12	△	<20	3	0.02	<10	80	<10	<1	64
82	0983	<5	<2	1.73	<5	145	<5	0.15	<1	21	7	47	5.82	<10	0.6	441	5	<0.01	7	1450	6	△	<20	6	0.02	<10	66	<10	<1	78
83	0984	15	<2	1.51	15	150	10	0.15	<1	25	6	46	7.17	<10	0.31	1657	2	<0.01	4	1700	12	△	<20	11	0.20	<10	87	<10	<1	51
84	0985	490	<2	3.13	160	375	<5	0.22	<1	32	8	121	11.60	<10	0.54	2104	12	<0.01	6	2940	22	△	<20	12	0.19	<10	96	<10	<1	95
85	0986	<5	<2	2.06	<5	145	5	0.13	1	15	11	77	12.30	<10	0.11	274	13	<0.01	5	1550	22	△	<20	11	0.04	<10	95	<10	<1	41
86	0987	<5	<2	1.67	<5	160	<5	0.07	1	20	10	54	6.88	<10	0.36	883	6	<0.01	7	780	12	△	<20	6	0.04	<10	83	<10	<1	60
87	0988	20	<2	2.68	45	295	<5	0.21	<1	32	8	127	10.40	<10	0.51	1528	8	<0.01	6	4840	14	△	<20	12	0.10	<10	94	<10	<1	83
88	0989	50	0.4	1.86	20	455	5	0.48	<1	27	3	58	7.10	<10	0.48	2884	8	0.02	4	1520	12	△	<20	29	0.03	<10	75	<10	<1	65
89	0990	5	0.8	3.27	35	565	<5	0.51	<1	39	8	212	9.71	<10	0.90	5342	12	0.03	9	1950	20	△	<20	33	0.08	<10	81	<10	3	109
90	0991	<5	0.6	1.95	<5	150	15	0.15	<1	24	14	82	8.97	<10	0.80	923	7	0.01	11	1350	16	△	<20	13	0.04	<10	87	<10	<1	70
91	0992	<5	0.2	2.16	<5	300	<5	0.09	<1	17	17	96	7.76	<10	0.25	527	5	0.01	10	860	16	△	<20	12	0.07	<10	96	<10	<1	51
92	0993	<5	1.6	3.94	<5	590	<5	0.20	1	40	18	192	9.89	<10	0.39	2145	11	<0.01	10	1890	28	△	<20	19	0.03	<10	62	<10	1	82
93	0994	<5	<2	1.54	<5	70	35	0.96	<1	40	10	18	6.13	<10	1.99	561	<1	0.29	24	840	8	△	<20	84	0.71	<10	118	<10	5	53
94	0995	<5	1.0	5.20	5	60	20	0.05	1	10	51	22	10.20	<10	0.12	231	9	0.01	13	540	50	△	<20	8	0.14	<10	78	<10	<1	71
95	0996	<5	0.6	4.30	10	100	10	0.06	<1	9	58	31	8.34	<10	0.26	185	9	<0.01	25	580	36	△	<20	9	0.05	<10	56	<10	<1	101

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
96	0997	10	1.2	1.79	<5	425	<5	0.21	1	29	18	320	7.81	<10	0.39	1010	10	<0.1	9	590	12	<5	<20	23	0.05	<10	127	<10	<1	77	
97	0998	<5	<2	2.08	5	110	5	0.14	<1	12	40	34	7.85	<10	0.21	453	10	<0.1	16	320	20	<5	<20	6	0.02	<10	108	<10	<1	107	
98	0999	<5	2.0	7.79	10	70	25	0.05	<1	10	81	31	10.10	<10	0.07	217	8	<0.1	11	650	52	<5	<20	6	0.09	<10	76	<10	<1	68	
99	10001	<5	0.6	1.65	<5	195	15	0.20	<1	17	19	21	7.84	<10	0.11	278	7	0.01	6	520	20	<5	<20	20	0.03	<10	104	<10	<1	94	
100	10002	<5	<2	1.71	5	80	15	0.08	<1	8	35	16	4.02	<10	0.39	232	3	<0.1	20	280	24	<5	<20	7	0.12	<10	92	<10	<1	68	
101	10003	<5	0.4	3.49	<5	385	20	0.56	2	88	31	26	12.30	<10	0.30	3476	12	<0.1	18	1760	30	<5	<20	33	0.06	<10	95	<10	<1	173	
102	10004	10	0.2	4.28	30	355	15	0.37	<1	42	29	67	10.40	<10	0.18	935	10	<0.1	16	690	76	<5	<20	23	0.07	<10	78	<10	11	159	
103	10005	<5	2.8	0.43	>10000	270	75	0.08	<1	31	<1	29	>15	<10	<0.1	>10000	90	<0.1	19	1350	<2	<5	<20	12	0.04	<10	12	<10	<1	532	
104	10006	<5	5.6	0.20	>10000	1025	55	1.23	<1	32	7	22	>15	<10	<0.1	>10000	71	0.01	142	430	<2	<5	<20	213	0.06	<10	10	<10	<1	595	
105	10007	<5	0.8	2.29	1165	95	15	1.44	<1	13	28	46	7.93	<10	0.59	564	9	0.02	36	1210	14	<5	<20	133	0.14	<10	54	<10	17	244	
106	10008	<5	1.0	2.55	2260	145	20	0.63	<1	23	29	55	11.20	<10	0.65	2274	20	<0.1	48	1100	14	<5	<20	63	0.04	<10	52	<10	11	321	
107	10009	<5	0.6	2.71	345	110	10	0.61	<1	19	44	81	6.59	<10	0.92	922	11	<0.1	52	1500	20	<5	<20	55	0.04	<10	69	<10	17	264	
108	10010	15	3.0	3.21	360	105	15	0.82	<1	20	39	57	9.92	<10	0.76	562	18	0.01	24	2230	38	<5	<20	70	0.06	<10	115	<10	16	163	
109	10011	<5	<2	2.95	200	120	20	0.83	<1	16	32	35	3.65	<10	0.60	250	<1	0.02	20	870	22	<5	<20	72	0.34	<10	69	<10	14	175	
110	10012	<5	<2	1.75	160	55	15	0.71	<1	13	29	20	6.61	<10	0.48	507	6	0.02	13	480	18	<5	<20	69	0.11	<10	96	<10	<1	106	
111	10013	<5	0.8	2.94	285	115	10	0.91	<1	28	28	46	6.14	<10	0.50	1484	7	0.01	23	1230	22	<5	<20	78	0.05	<10	63	<10	17	182	
112	10014	<5	5.0	0.13	8365	610	60	1.50	<1	37	4	11	>15	<10	<0.1	>10000	51	<0.1	141	<10	<2	<5	<20	345	0.04	<10	6	<10	<1	1114	
113	10015	<5	1.6	0.08	>10000	415	75	0.98	<1	22	<1	10	>15	<10	<0.1	4999	57	<0.1	15	<10	<2	<5	<20	206	0.02	<10	5	<10	<1	233	
114	10016	<5	0.8	0.04	>10000	285	80	0.64	<1	21	<1	11	>15	<10	<0.1	542	63	<0.1	18	<10	<2	<5	<20	146	<0.1	<10	3	<10	<1	1141	
115	10017	<5	1.4	5.53	140	105	5	0.41	<1	76	37	98	4.75	40	0.51	6856	5	0.01	38	1440	30	<5	<20	30	0.12	<10	53	<10	153	287	
116	10018	<5	1.0	2.34	35	90	15	0.19	1	70	52	41	9.45	<10	0.09	5650	5	<0.1	15	840	22	<5	<20	18	0.23	<10	103	<10	2	80	
QC DATA:																															
Repeat:																															
1	0902	405	2.2	3.09	195	455	<5	0.60	<1	31	4	294	9.89	<10	0.62	1808	10	0.02	7	2140	112	<5	<20	30	0.01	<10	56	<10	7	187	
10	0911	410	0.8	3.14	10	810	<5	0.56	<1	24	3	228	8.34	<10	0.62	1819	10	<0.1	8	2020	18	<5	<20	22	<0.1	<10	67	<10	8	128	
19	0920	<5	0.8	2.33	45	120	<5	0.77	17	23	13	145	7.63	<10	0.85	2479	72	<0.1	198	1340	14	<5	<20	31	0.04	<10	58	<10	17	1253	
28	0929	-	<2	2.60	40	75	5	1.00	3	31	13	88	8.30	<10	1.25	1115	42	0.16	103	1200	12	<5	<20	74	0.30	<10	87	<10	9	550	
29	0930	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
36	0937	<5	<2	3.24	5	75	10	0.19	<1	19	10	25	7.20	<10	0.82	1240	14	0.03	11	1520	14	<5	<20	16	0.04	<10	81	<10	2	118	
45	0946	<5	0.8	2.67	10	55	10	0.11	<1	11	22	25	6.49	<10	0.44	363	7	0.01	19	780	20	<5	<20	6	0.11	<10	55	<10	8	95	
54	0955	<5	0.6	3.72	10	50	10	0.16	<1	12	23	21	4.26	10	0.33	328	<1	0.03	12	1520	22	<5	<20	9	0.29	<10	69	<10	20	65	
63	0964	<5	<2	3.49	<5	75	15	0.07	1	10	42	36	10.90	<10	0.22	230	9	<0.1	13	870	20	<5	<20	6	0.11	10	98	<10	<1	55	
71	0972	<5	<2	0.31	<5	15	<5	0.04	<1	2	6	4	0.83	<10	0.03	32	<1	<0.1	2	140	4	<5	<20	3	0.05	<10	30	<10	<1	10	
80	0981	<5	<2	2.28	<5	85	15	0.04	2	13	29	28	9.85	<10	0.13	216	6	<0.1	9	650	18	<5	<20	5	0.23	<10	182	<10	<1	37	
89	0990	5	0.8	3.03	40	525	<5	0.48	1	37	9	193	9.00	<10	0.86	5232	12	0.03	9	1860	20	<5	<20	30	0.07	<10	76	<10	2	104	
98	0999	<5	1.8	7.44	15	60	20	0.06	<1	9	79	26	8.67	<10	0.06	194	7	<0.1	11	590	48	<5	<20	10	0.10	<10	73	<10	<1	67	
106	10008	<5	1.0	2.45	2225	145	15	0.59	<1	21	28	52	11.10	<10	0.65	2411	21	<0.1	47	1060	12	<5	<20	62	0.03	<10	52	<10	10	325	
115	10017	-	1.6	5.64	120	100	<5	0.41	1	79	39	100	4.56	40	0.50	7084	4	0.01	37	1460	30	<5	<20	29	0.13	<10	54	<10	158	285	

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Standard:																															
GEO'95		140	1.0	1.72	65	155	<5	1.60	<1	18	56	84	3.75	<10	0.87	659	<1	0.02	24	710	22	<5	<20	52	0.10	<10	70	<10	5	72	
GEO'95		145	1.2	1.74	65	160	<5	1.65	<1	19	59	82	4.24	<10	0.86	659	<1	0.01	24	670	18	<5	<20	54	0.10	<10	77	<10	4	77	
GEO'95		150	1.2	1.64	60	155	<5	1.63	<1	18	61	80	3.72	<10	0.93	680	<1	0.02	24	590	24	<5	<20	55	0.10	<10	65	<10	8	64	
GEO'95		145	1.2	1.68	65	150	<5	1.57	<1	18	57	86	3.85	<10	0.89	640	<1	0.02	25	580	20	<5	<20	54	0.10	<10	64	<10	6	66	

d1/828/853
XLS/95Canamera#5


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

26-Sep--

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AX 85-844
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

50 core samples received September 21, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 27

P.O. #: 5798

Samples submitted by: Tom Drown

Values in ppm unless otherwise reported

Et #	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	15172	190	12.8	0.95	930	50	15	0.23	<1	10	78	30	6.60	<10	0.41	248	10	<0.1	4	960	36	<5	<20	13	<0.1	20	54	<10	1	780
2	15173	75	17.0	0.64	625	55	10	0.24	<1	12	114	34	6.83	<10	0.26	181	20	<0.1	5	1090	40	5	<20	14	<0.1	20	51	<10	1	1111
3	15174	205	>30	0.95	1735	60	20	0.59	<1	16	114	71	11.40	<10	0.38	410	24	<0.1	7	1300	68	<5	<20	26	<0.1	20	48	<10	<1	309
4	15175	20	10.0	1.14	100	65	10	0.65	<1	5	84	19	5.13	<10	0.65	456	5	<0.1	2	1270	20	10	<20	36	<0.1	<10	66	<10	7	69
5	15176	35	9.4	0.81	205	55	10	0.74	<1	9	112	29	5.68	<10	0.45	413	7	<0.1	3	1350	22	<5	<20	23	<0.1	<10	42	<10	9	162
6	15177	45	8.2	0.99	295	60	10	0.32	<1	8	94	25	6.00	<10	0.54	406	7	<0.1	4	1220	22	5	<20	14	<0.1	<10	71	<10	5	176
7	15178	110	7.4	0.27	1385	50	10	0.30	<1	8	184	22	4.55	<10	0.05	196	13	<0.1	8	1230	34	10	<20	20	<0.1	<10	24	<10	5	82
8	15179	105	5.2	0.35	4620	45	15	0.31	<1	9	104	12	5.45	<10	0.11	120	13	<0.1	8	1270	42	5	<20	17	<0.1	20	26	<10	4	48
9	15180	35	2.8	0.51	1240	75	5	0.44	<1	6	126	13	3.43	<10	0.21	301	3	<0.1	3	1670	18	<5	<20	24	<0.1	<10	31	<10	8	49
10	15181	80	10.8	0.50	1910	60	10	1.80	<1	9	113	32	5.62	<10	0.17	508	11	<0.1	4	1240	28	10	<20	58	<0.1	<10	28	<10	9	227
11	15182	280	3.8	0.58	2340	60	5	1.02	<1	8	109	14	4.87	<10	0.22	342	13	<0.1	5	1280	30	<5	<20	46	<0.1	<10	28	<10	8	283
12	15183	55	5.4	1.50	485	60	15	0.30	<1	10	117	16	8.85	<10	0.82	514	20	<0.1	8	1130	32	5	<20	19	<0.1	<10	56	<10	2	280
13	15184	40	1.8	1.36	160	60	15	0.78	3	7	79	20	6.52	<10	0.68	548	8	<0.1	3	1390	96	<5	<20	31	<0.1	<10	97	<10	5	479
14	15185	50	2.2	0.47	140	50	10	0.44	<1	8	122	13	4.89	<10	0.15	186	6	<0.1	5	1220	70	<5	<20	20	<0.1	<10	53	<10	4	282
15	15186	5	0.2	1.48	<5	65	5	1.20	2	6	59	13	6.63	<10	0.76	707	6	<0.1	3	1450	18	<5	<20	36	<0.1	<10	144	<10	6	201
16	15187	5	0.6	1.80	<5	65	15	2.51	4	6	60	10	6.60	<10	0.88	1149	3	<0.1	3	1500	114	<5	<20	97	<0.1	<10	128	<10	8	417
17	15188	5	1.0	0.43	10	55	<5	1.69	11	4	72	11	2.82	<10	0.18	659	2	<0.1	3	1520	184	<5	<20	55	<0.1	<10	21	<10	11	996
18	15189	20	5.0	0.46	155	45	20	0.96	<1	13	104	15	5.99	<10	0.14	356	9	<0.1	6	1220	36	20	<20	28	<0.1	<10	43	<10	5	88
19	15190	10	2.2	0.93	55	50	5	0.80	16	8	75	17	5.12	<10	0.38	406	4	<0.1	3	1710	492	5	<20	30	<0.1	<10	81	<10	8	1305
20	15191	30	2.6	0.35	90	60	10	0.46	6	15	189	42	8.35	<10	0.04	257	9	<0.1	7	820	108	<5	<20	23	<0.1	20	23	<10	<1	757
21	15192	5	1.2	1.54	85	65	15	2.85	<1	9	74	16	6.18	<10	0.62	1672	6	<0.1	4	1350	38	<5	<20	88	0.01	<10	82	<10	6	145
22	15193	5	0.2	2.95	<5	80	25	1.30	5	8	58	11	9.32	<10	1.14	1007	6	<0.1	<1	1710	18	<5	<20	40	0.02	<10	94	<10	5	861
23	15194	5	<2	3.28	<5	65	15	1.53	1	8	52	9	9.86	<10	1.30	1058	7	<0.1	2	1600	16	<5	<20	55	0.02	<10	99	<10	3	392
24	15195	5	<2	3.19	<5	70	20	0.88	3	10	43	11	9.87	<10	1.30	722	6	<0.1	<1	1660	22	<5	<20	28	0.02	10	95	<10	4	701
25	15196	5	0.4	2.69	<5	65	20	0.85	<1	10	70	12	8.48	<10	1.08	675	4	<0.1	3	1570	26	<5	<20	30	0.03	<10	87	<10	4	311

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	15197	5	<.2	2.86	<5	70	15	2.31	2	13	51	13	9.32	<10	1.18	980	5	<.01	<1	1670	34	<5	<20	103	0.01	<10	88	<10	7	481
27	15198	65	2.0	2.11	75	90	20	2.17	<1	6	51	18	6.38	<10	1.99	1730	7	<.01	1	1440	16	<5	<20	75	<.01	<10	89	<10	9	151
28	15199	105	4.8	2.89	65	95	25	1.35	<1	8	27	49	10.30	<10	2.82	1685	14	<.01	<1	1880	24	<5	<20	48	0.02	<10	121	<10	6	164
29	15200	120	1.8	2.57	105	95	15	0.67	<1	7	41	39	8.22	<10	2.44	1123	7	<.01	1	1750	14	<5	<20	25	0.02	<10	114	<10	7	181
30	15201	5	1.6	3.12	<5	110	20	1.04	1	8	23	45	9.28	<10	3.03	1315	6	<.01	<1	1940	16	<5	<20	45	0.04	<10	142	<10	6	113
31	15202	140	2.2	3.17	35	100	5	0.90	<1	9	37	47	9.61	<10	3.01	1496	7	<.01	<1	1740	18	<5	<20	33	0.02	<10	148	<10	6	189
32	15203	140	2.2	2.47	35	100	10	1.63	<1	8	38	26	8.10	<10	2.14	1500	6	<.01	2	1620	16	<5	<20	69	0.01	<10	89	<10	7	157
33	15204	15	1.2	3.04	35	100	15	2.14	<1	8	33	16	8.71	<10	2.45	1853	6	<.01	<1	1690	18	<5	<20	95	<.01	<10	76	<10	7	155
34	15205	10	1.6	3.07	70	90	15	2.74	<1	9	29	18	8.06	<10	2.50	2206	8	<.01	2	1670	18	<5	<20	77	0.01	<10	108	<10	7	125
35	15206	85	6.4	2.16	610	70	20	3.32	<1	16	40	26	13.10	<10	1.94	2412	20	<.01	2	1560	22	5	<20	98	<.01	<10	94	<10	<1	117
36	15207	90	10.2	0.60	1400	65	20	0.59	<1	13	74	36	12.00	<10	0.35	328	17	<.01	5	1010	22	<5	<20	27	<.01	30	41	20	<1	36
37	15208	60	2.6	1.67	1030	75	10	0.41	<1	10	78	23	8.27	<10	1.17	553	11	<.01	4	1300	32	<5	<20	16	<.01	40	58	<10	5	110
38	15209	10	2.6	1.49	1695	75	5	0.78	<1	9	98	33	7.83	<10	0.97	569	15	<.01	4	1300	126	<5	<20	31	<.01	<10	65	<10	5	632
39	15210	100	2.4	1.36	405	60	10	0.60	<1	8	85	17	7.11	<10	0.93	503	13	<.01	3	1220	32	<5	<20	23	<.01	<10	62	<10	4	223
40	15211	10	7.4	1.18	750	60	15	0.64	7	15	74	32	7.52	<10	0.75	459	14	<.01	3	1190	128	<5	<20	21	<.01	10	56	<10	2	2598
41	15212	140	7.4	1.40	30	70	10	0.97	5	10	66	27	8.06	<10	0.93	727	12	<.01	2	1340	216	<5	<20	31	<.01	<10	56	<10	3	513
42	15213	5	2.6	1.80	65	65	20	0.61	1	9	84	14	7.66	<10	1.04	560	9	<.01	2	1390	72	<5	<20	22	<.01	<10	71	<10	5	236
43	15214	5	2.6	1.99	100	60	20	1.07	<1	12	69	11	7.88	<10	1.00	546	11	<.01	2	1350	34	<5	<20	38	0.01	<10	82	<10	6	166
44	15215	5	1.2	2.42	50	60	15	0.66	<1	10	54	10	8.43	<10	1.14	450	8	<.01	2	1400	28	<5	<20	27	0.02	<10	95	<10	4	194
45	15216	5	1.0	2.50	20	60	20	0.73	2	8	45	8	8.30	<10	1.16	540	10	<.01	1	1500	82	<5	<20	22	0.01	<10	98	<10	7	312
46	15217	15	1.0	2.81	40	75	20	1.28	<1	11	57	10	9.51	<10	1.23	553	14	<.01	2	1780	30	<5	<20	59	0.02	20	116	<10	7	241
47	15218	20	0.8	2.64	15	75	20	1.14	<1	10	49	9	8.58	<10	1.06	463	10	<.01	3	1680	32	<5	<20	49	0.02	<10	113	<10	6	274
48	15219	5	1.0	3.31	<5	60	10	3.37	<1	10	23	17	9.48	<10	1.27	1822	7	0.02	1	1770	20	<5	<20	85	0.02	<10	89	<10	6	149
49	15220	5	0.4	3.66	<5	70	15	3.52	<1	10	14	15	10.60	<10	1.33	1822	5	0.02	<1	1910	14	<5	<20	89	0.02	<10	97	<10	3	180
50	15221	5	0.6	3.02	<5	70	20	2.00	<1	10	30	12	9.05	<10	1.01	1244	7	0.01	2	1580	26	<5	<20	47	0.02	<10	66	<10	4	133

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
<i>Resplit:</i>																															
R/S 1	15172	190	14.0	1.08	1000	50	15	0.25	<1	12	75	32	7.69	<10	0.47	309	11	<0.1	5	1010	46	5	<20	17	<0.1	20	58	<10	<1	815	
R/S 36	15207	90	9.8	0.66	1545	75	15	0.74	<1	13	85	35	12.00	<10	0.40	392	17	<0.1	3	1030	24	<5	<20	35	<0.1	20	43	<10	<1	34	
<i>Repeat:</i>																															
1	15172	200	13.6	0.99	980	55	10	0.24	<1	11	81	31	7.08	<10	0.42	252	11	<0.1	5	1020	38	<5	<20	13	<0.1	10	55	<10	1	828	
10	15181	75	10.0	0.47	1890	60	15	1.74	<1	8	109	30	5.34	<10	0.17	495	10	<0.1	5	1210	30	15	<20	56	<0.1	<10	28	<10	8	216	
19	15190	10	1.8	0.94	45	50	10	0.82	16	8	76	18	5.21	<10	0.40	436	3	<0.1	3	1720	508	<5	<20	32	<0.1	<10	82	<10	8	1327	
36	15207	90	10.0	0.61	1400	75	10	0.58	<1	12	75	36	12.00	<10	0.35	334	18	<0.1	5	990	22	<5	<20	23	<0.1	10	41	<10	<1	35	
45	15216	5	0.6	2.51	20	60	<5	0.74	2	8	47	8	8.34	<10	1.15	546	9	<0.1	2	1520	84	<5	<20	22	0.01	<10	98	<10	7	319	
<i>Standard:</i>																															
GEO'85		140	1.2	1.75	65	170	<5	1.71	<1	19	66	86	4.02	<10	0.93	677	<1	0.01	25	690	22	10	<20	54	0.10	<10	82	<10	2	74	
GEO'95		145	1.0	1.76	70	170	<5	1.71	<1	18	58	86	3.95	<10	0.93	676	<1	0.01	22	690	22	<5	<20	57	0.10	<10	80	<10	3	75	

dt/826
XLS/95Canamera#4


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

28-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-843
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

32 Rock samples received September 21, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 27
P.O. #: 5798
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	7851	5	<.2	1.21	<5	210	<5	0.42	<.1	9	59	11	3.39	<10	0.86	437	2	0.02	4	1150	6	<5	<20	21	0.02	<10	41	<10	<.1	219
2	7852	5	<.2	0.72	<5	140	15	5.18	<.1	24	41	5	5.82	<10	0.35	1578	2	0.02	18	2510	8	<5	<20	163	0.06	<10	110	<10	<.1	47
3	7853	5	<.2	4.15	<5	160	<5	3.11	<.1	35	50	126	10.80	<10	1.26	1382	10	<.01	19	1350	2	<5	<20	102	<.01	<10	98	<10	<.1	103
4	7854	5	0.4	0.89	<5	310	<5	4.31	<.1	16	17	73	5.61	<10	0.36	1494	3	0.01	3	2310	4	<5	<20	105	0.03	<10	48	<10	2	65
5	7855	5	<.2	1.28	<5	1005	<5	4.00	<.1	14	22	150	3.91	<10	0.84	1587	3	0.02	4	2070	4	<5	<20	254	0.03	<10	57	<10	2	68
6	7856	5	<.2	0.74	<5	140	5	4.34	<.1	33	20	3	3.78	<10	2.05	1513	2	0.02	5	2110	<2	15	<20	138	0.02	<10	52	<10	4	102
7	7857	5	<.2	2.93	<5	190	<5	4.70	<.1	28	31	73	7.30	<10	1.23	1652	7	<.01	2	2120	4	<5	<20	173	<.01	<10	53	<10	<.1	112
8	7858	5	1.4	2.69	<5	235	<5	5.08	<.1	34	20	852	6.42	<10	1.05	1456	6	<.01	4	2410	4	<5	<20	171	<.01	<10	50	<10	<.1	104
9	7859	5	<.2	0.51	15	50	<5	0.17	<.1	2	88	13	0.97	<10	0.35	80	25	0.01	16	240	8	<5	<20	9	0.05	<10	32	<10	2	76
10	7860	5	<.2	2.38	<5	45	10	2.83	<.1	13	45	9	5.91	<10	1.39	1438	4	0.03	3	2280	8	<5	<20	105	<.01	<10	99	<10	12	116
11	7861	5	0.2	0.97	35	70	<5	0.44	1	9	27	50	2.99	<10	0.64	578	47	<.01	54	1000	12	<5	<20	19	0.05	<10	36	<10	7	246
12	7862	5	<.2	3.27	<5	35	10	1.28	<.1	17	33	6	7.69	<10	2.22	416	8	0.03	3	2340	8	<5	<20	61	0.01	<10	192	<10	5	134
13	7863	5	<.2	1.81	<5	70	<5	3.06	<.1	17	67	97	4.73	<10	1.67	759	2	0.03	24	1290	12	<5	<20	87	0.10	<10	160	<10	6	86
14	7864	5	<.2	3.13	<5	50	<5	1.33	<.1	29	58	54	4.76	<10	1.81	487	<.1	0.09	56	520	4	5	<20	17	0.19	<10	63	<10	4	58
15	7865	5	<.2	2.52	<5	35	5	1.32	<.1	31	67	71	5.08	<10	2.02	696	<.1	0.04	45	470	4	<5	<20	13	0.13	<10	76	<10	1	58
16	7866	5	<.2	2.90	<5	25	5	1.09	<.1	29	40	76	4.98	<10	1.55	504	<.1	0.13	42	570	6	<5	<20	19	0.15	<10	69	<10	4	57
17	7867	5	<.2	2.92	<5	25	<5	0.98	1	31	36	74	5.42	<10	1.71	674	<.1	0.10	43	560	4	<5	<20	16	0.15	<10	71	<10	2	61
18	7868	5	<.2	2.51	<5	50	5	2.24	<.1	33	56	73	4.57	<10	1.71	710	<.1	0.08	47	510	4	<5	<20	22	0.23	<10	82	<10	4	62
19	7869	10	0.2	1.85	25	320	<5	0.74	<.1	18	47	48	4.52	<10	0.90	932	9	<.01	11	1780	12	<5	<20	25	<.01	<10	40	<10	<.1	95
20	7870	5	<.2	2.23	<5	145	15	0.79	<.1	40	119	7	7.11	<10	1.46	1091	3	0.03	22	1600	6	<5	<20	28	0.04	<10	141	<10	<.1	120
21	7871	5	0.4	1.28	<5	340	<5	9.30	<.1	29	67	90	4.95	<10	1.55	2512	5	0.03	17	2200	4	<5	<20	389	0.03	<10	88	<10	<.1	72
22	7872	5	0.2	2.93	<5	310	<5	3.80	<.1	24	23	125	6.59	<10	1.27	1598	5	0.01	3	2610	4	<5	<20	119	<.01	<10	61	<10	<.1	114
23	7873	5	<.2	2.51	<5	190	<5	5.06	<.1	24	28	43	5.40	<10	1.87	1462	5	0.02	4	2010	6	<5	<20	192	0.02	<10	81	<10	3	91
24	7874	5	0.2	2.67	<5	320	<5	9.02	<.1	16	24	100	6.06	<10	1.00	3069	4	0.01	2	2190	<2	<5	<20	316	0.01	<10	50	<10	<.1	95
25	7875	10	0.4	1.44	<5	210	<5	1.21	<.1	26	33	561	4.43	<10	1.05	1133	4	0.02	9	860	8	<5	<20	34	0.02	<10	35	<10	<.1	97

Et.#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	7876	5	<2	0.70	<5	165	10	0.33	1	34	74	15	7.83	<10	0.19	1180	4	0.03	15	1620	10	<5	<20	14	0.06	<10	139	<10	<1	93
27	7877	5	<2	4.01	<5	370	5	3.14	<1	46	99	56	9.40	<10	2.15	1124	9	<0.1	21	1730	<2	<5	<20	146	0.01	<10	135	<10	<1	178
28	7878	5	<2	2.91	<5	425	10	1.50	<1	34	60	47	7.64	<10	2.39	1438	4	0.03	11	1920	4	<5	<20	75	0.03	<10	170	<10	<1	118
29	7879	5	<2	2.54	<5	95	5	0.28	<1	19	20	35	6.21	<10	1.02	409	5	<0.1	12	1100	4	<5	<20	18	<0.1	<10	34	<10	<1	84
30	7880	5	0.4	2.60	1625	155	<5	0.45	<1	20	15	138	11.00	<10	1.13	2138	14	<0.1	22	1290	4	20	<20	36	0.01	<10	53	<10	<1	175
31	7881	5	<2	4.08	<5	40	15	2.60	1	42	40	33	10.10	<10	3.06	1634	1	0.02	10	1450	<2	<5	<20	48	0.22	<10	269	<10	10	105
32	7882	5	<2	3.51	<5	85	15	0.08	<1	11	26	9	9.80	<10	1.02	498	7	<0.1	9	340	4	<5	<20	5	0.01	<10	30	<10	<1	112

QC DATA:**Resplit:**

R/S1	7851	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
------	------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Repeat:


1	7851	5	<2	1.26	<5	220	<5	0.43	<1	9	61	7	3.45	<10	0.89	451	2	0.02	4	1190	6	<5	<20	24	0.02	<10	42	<10	<1	226
10	7860	5	<2	2.36	<5	45	10	2.79	<1	13	44	9	5.85	<10	1.37	1421	4	0.03	2	2240	6	<5	<20	104	<0.1	<10	98	<10	12	114
19	7869	10	0.4	1.83	20	320	<5	0.72	<1	17	49	47	4.45	<10	0.89	915	9	<0.1	10	1750	12	<5	<20	26	<0.1	<10	39	<10	<1	94
28	7878	-	<2	2.84	<5	410	5	1.47	<1	34	57	46	7.50	<10	2.35	1408	4	0.02	10	1860	4	<5	<20	71	0.02	<10	168	<10	<1	116

Standard:

GEO95		140	1.2	1.60	65	150	<5	1.53	<1	16	51	84	3.80	<10	0.85	623	<1	0.01	25	630	18	<5	<20	53	0.08	<10	71	<10	4	68
-------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

dt/4029

XLS/95Canamera#4


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-856
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

B1 Core samples received September 22, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 29

P.O. #: 5957

Samples submitted by: Tom Drown

Values in ppm unless otherwise reported


Et #	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	15222	5	<.2	3.31	<5	60	15	1.58	<1	10	36	7	10.10	<10	0.91	901	8	0.02	2	1840	<2	<5	<20	65	0.03	<10	105	<10	5	175
2	15223	5	<.2	3.22	<5	65	15	1.65	<1	8	35	20	10.50	<10	0.91	1020	8	0.02	1	1810	<2	<5	<20	64	0.02	<10	118	<10	7	169
3	15224	5	<.2	4.19	<5	65	20	1.10	2	13	21	13	11.80	<10	1.52	993	10	<.01	1	1800	18	<5	<20	40	0.02	<10	108	<10	2	297
4	15225	5	0.4	2.83	50	55	10	0.76	4	11	53	6	9.20	<10	1.05	650	9	<.01	3	1570	136	<5	<20	30	<.01	<10	104	<10	3	421
5	15226	5	1.2	1.52	145	50	10	0.48	<1	11	67	8	6.47	<10	0.55	342	13	<.01	4	1610	10	<5	<20	20	<.01	<10	93	<10	7	78
6	15227	5	0.8	2.67	175	60	10	0.61	2	9	47	9	9.53	<10	0.88	502	10	<.01	2	1590	112	<5	<20	24	0.01	<10	105	<10	3	368
7	15228	5	<.2	3.05	10	65	15	1.68	3	8	37	8	9.00	<10	1.01	1039	12	0.01	1	1580	66	<5	<20	63	0.01	<10	110	<10	5	316
8	15229	5	0.2	3.09	<5	75	10	1.40	2	8	32	14	8.97	<10	0.98	1043	8	0.01	2	1110	4	<5	<20	62	0.01	<10	78	<10	3	201
9	15230	5	0.2	2.80	<5	80	10	2.40	17	9	24	13	7.98	<10	0.93	1357	8	0.02	2	1870	20	<5	<20	96	0.02	<10	87	<10	7	1906
10	15231	5	0.8	1.06	15	45	<5	1.13	4	10	66	18	5.14	<10	0.31	740	7	<.01	3	1540	34	<5	<20	45	<.01	<10	31	<10	8	517
11	15232	5	0.6	4.04	<5	75	15	1.80	2	16	16	32	11.70	<10	1.35	2013	16	<.01	2	1640	12	<5	<20	76	0.01	<10	71	<10	<1	194
12	15233	5	0.6	0.76	20	50	<5	3.70	9	11	35	22	4.10	<10	0.96	816	4	<.01	8	890	110	5	<20	113	<.01	<10	14	<10	5	965
13	15234	5	0.8	0.68	25	55	<5	8.95	2	7	22	23	3.74	<10	0.36	1344	16	<.01	17	1000	20	<5	<20	313	<.01	<10	8	<10	9	165
14	15235	5	<.2	0.89	30	35	<5	2.53	2	12	29	40	4.78	<10	0.40	349	21	<.01	25	720	18	10	<20	142	<.01	<10	11	<10	2	194
15	15236	5	<.2	0.87	35	40	5	3.28	<1	12	22	43	4.90	<10	0.41	390	23	<.01	24	720	10	10	<20	155	<.01	<10	11	<10	1	93
16	15237	5	<.2	0.86	50	35	<5	2.30	<1	10	24	39	4.39	<10	0.45	345	26	<.01	34	780	10	10	<20	155	<.01	<10	11	<10	1	147
17	15238	5	1.4	0.45	20	45	<5	3.14	11	8	50	49	2.94	<10	0.49	458	19	0.01	28	730	8	<5	<20	188	<.01	<10	12	<10	8	744
18	15239	5	1.2	1.15	<5	55	<5	1.16	2	8	37	36	3.57	<10	0.80	391	8	<.01	14	960	6	<5	<20	46	<.01	<10	12	<10	9	166
19	15240	5	1.2	1.01	<5	65	<5	1.92	4	7	56	37	3.37	<10	0.64	485	11	<.01	23	900	4	<5	<20	66	<.01	<10	17	<10	5	267
20	15241	5	1.4	1.35	15	40	<5	1.01	4	11	42	56	4.68	<10	0.93	438	10	0.01	22	790	8	<5	<20	36	<.01	<10	29	<10	3	241
21	15242	5	1.4	0.85	<5	60	<5	3.04	10	7	48	52	3.45	<10	0.68	613	12	0.01	28	2580	6	10	<20	86	<.01	<10	27	<10	12	644
22	15243	5	1.8	1.15	<5	45	<5	1.69	14	9	40	56	3.75	<10	0.75	526	17	<.01	37	980	8	5	<20	46	<.01	<10	41	<10	3	885
23	15244	5	1.0	0.80	45	45	<5	2.79	9	7	46	41	2.91	<10	0.55	438	15	0.01	36	770	4	<5	<20	56	0.01	<10	33	<10	5	586
24	15245	5	1.0	0.83	<5	55	<5	3.82	8	7	48	33	2.78	<10	0.56	749	9	0.01	25	1810	4	<5	<20	69	0.01	<10	28	<10	10	518
25	15246	5	1.2	1.06	<5	50	<5	3.02	8	9	37	47	3.60	<10	0.80	766	15	0.01	32	750	4	<5	<20	58	0.03	<10	36	<10	5	508

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	TI %	U	V	W	Y	Zn
26	15247	5	1.4	1.69	5	45	5	1.94	3	20	32	42	5.22	<10	1.39	941	5	0.01	14	990	8	10	<20	39	0.08	<10	30	<10	8	213
27	15248	5	1.0	2.23	<5	50	10	1.89	2	19	29	42	5.80	<10	1.87	1173	4	0.01	11	1050	4	5	<20	36	0.10	<10	47	<10	9	206
28	15249	5	0.4	2.31	<5	45	<5	1.14	<1	18	24	34	5.14	<10	1.95	1102	2	0.02	6	1060	6	10	<20	27	0.08	<10	67	<10	8	102
29	15250	5	0.4	1.98	<5	50	<5	1.53	1	17	29	36	5.00	<10	1.61	1034	3	0.01	8	1110	8	5	<20	31	0.09	<10	35	<10	9	113
30	15251	5	<2	1.09	<5	50	<5	1.28	<1	6	22	20	3.03	<10	0.81	475	3	<0.1	7	520	4	<5	<20	33	0.06	<10	4	<10	18	106
31	15252	5	0.2	0.75	<5	45	<5	0.68	<1	4	54	18	2.60	<10	0.52	269	6	<0.1	18	350	8	<5	<20	22	0.02	<10	11	<10	5	102
32	15253	5	<2	1.25	<5	50	<5	3.38	<1	9	39	20	3.39	<10	0.94	1108	<1	<0.1	7	1040	8	10	<20	45	0.09	<10	9	<10	17	67
33	15254	5	<2	1.15	<5	55	<5	3.62	<1	6	29	14	2.64	<10	0.92	1085	3	<0.1	9	600	4	10	<20	46	0.07	<10	8	<10	12	98
34	15255	5	0.4	1.36	10	40	<5	1.15	2	7	29	37	3.67	<10	1.09	441	11	<0.1	23	630	6	10	<20	29	0.01	<10	16	<10	8	145
35	15256	5	0.6	0.66	120	30	<5	1.62	7	10	44	54	3.87	<10	0.34	289	43	0.01	93	1210	18	15	<20	66	<0.1	<10	36	<10	2	770
36	15257	5	0.8	0.65	250	30	<5	0.42	7	12	47	88	4.77	<10	0.35	198	62	0.01	118	490	16	20	<20	26	<0.1	<10	43	<10	<1	991
37	15258	5	<2	0.29	35	45	<5	1.99	<1	2	123	13	1.22	<10	0.15	122	5	<0.1	13	70	6	<5	<20	90	<0.1	<10	5	<10	3	138
38	15259	5	<2	0.88	60	35	<5	0.81	<1	2	100	33	2.85	<10	0.66	162	11	<0.1	11	30	12	<5	<20	41	<0.1	<10	5	<10	<1	122
39	15260	5	0.2	0.61	95	30	<5	0.39	6	8	50	48	3.39	<10	0.31	129	51	<0.1	99	700	26	5	<20	25	<0.1	<10	29	<10	5	779
40	15261	5	<2	0.54	40	40	<5	1.42	<1	2	111	16	2.15	<10	0.37	160	11	0.01	10	40	10	<5	<20	52	<0.1	<10	5	<10	2	122
41	15262	5	0.6	0.38	100	30	<5	0.69	4	11	33	63	4.07	<10	0.29	193	117	0.01	116	830	44	<5	<20	43	<0.1	<10	16	<10	4	561
42	15263	30	>30	0.54	70	35	<5	4.79	5	10	35	4631	3.75	<10	0.33	595	34	<0.1	73	1020	78	5	<20	213	<0.1	<10	17	290	6	614
43	15264	5	3.0	0.56	55	30	<5	2.96	9	11	30	50	4.66	<10	0.35	332	33	0.01	44	770	114	<5	<20	96	<0.1	<10	7	<10	7	744
44	15265	5	0.8	0.68	40	30	5	3.03	2	11	23	42	4.48	<10	0.28	301	25	<0.1	34	1000	46	<5	<20	106	<0.1	<10	7	<10	7	177
45	15266	5	0.6	0.88	50	30	<5	3.77	<1	10	27	39	4.47	<10	0.46	352	35	0.01	47	720	26	5	<20	117	<0.1	<10	10	<10	5	117
46	15267	5	<2	0.94	40	35	<5	2.89	<1	12	23	38	4.57	<10	0.48	384	33	0.01	37	810	14	10	<20	48	0.05	<10	10	<10	8	118
47	15268	5	<2	0.95	35	35	<5	2.28	<1	12	26	38	4.60	<10	0.45	284	24	0.01	33	800	14	<5	<20	44	0.06	<10	11	<10	8	146
48	15269	5	<2	0.91	40	35	5	3.43	<1	11	19	38	4.80	<10	0.44	381	20	<0.1	28	970	14	<5	<20	55	0.05	<10	10	<10	7	127
49	15270	5	<2	0.91	35	35	5	3.27	<1	13	22	40	4.98	<10	0.44	409	22	0.01	30	940	14	<5	<20	50	0.06	<10	12	<10	5	128
50	15271	5	<2	0.86	25	40	<5	2.99	<1	11	20	38	5.04	<10	0.41	400	21	<0.1	27	840	14	<5	<20	41	0.05	<10	10	<10	3	139
51	15272	5	<2	0.83	15	40	5	2.91	<1	11	21	33	5.00	<10	0.39	503	16	0.01	18	870	14	<5	<20	48	0.04	<10	7	<10	7	102
52	15273	5	<2	0.77	15	40	<5	7.82	<1	8	25	23	3.98	<10	0.37	1474	16	<0.1	18	1330	10	<5	<20	87	0.03	<10	7	<10	10	87
53	15274	5	0.4	0.82	15	40	5	2.55	<1	9	26	24	3.77	<10	0.38	394	18	<0.1	23	830	12	5	<20	50	0.04	<10	8	<10	7	131
54	15275	5	<2	0.76	25	35	5	2.91	<1	11	22	26	4.40	<10	0.36	450	17	<0.1	23	850	16	<5	<20	51	0.04	<10	7	<10	5	112
55	15276	5	<2	0.83	15	35	<5	3.90	<1	10	22	27	4.21	<10	0.32	618	38	<0.1	22	990	14	<5	<20	65	0.03	<10	8	<10	8	119
56	15277	5	<2	0.81	20	35	5	3.61	<1	10	23	24	4.15	<10	0.34	619	16	<0.1	23	960	16	5	<20	52	0.04	<10	7	<10	6	97
57	15278	5	<2	0.87	20	30	<5	2.70	1	10	22	26	4.37	<10	0.35	448	21	<0.1	24	900	22	<5	<20	70	0.03	<10	8	<10	6	170
58	15279	5	<2	0.93	10	35	<5	2.66	<1	10	21	26	4.30	<10	0.36	423	16	<0.1	21	850	24	<5	<20	76	0.02	<10	9	<10	6	57
59	15280	5	<2	0.79	15	40	<5	7.16	1	9	23	22	4.00	<10	0.29	1059	26	<0.1	21	1010	14	<5	<20	102	<0.1	<10	7	<10	10	127
60	15281	5	0.2	0.59	10	40	<5	4.07	<1	9	17	21	4.01	<10	0.24	623	22	0.01	20	1070	16	<5	<20	93	<0.1	<10	5	<10	8	93
61	15282	5	0.2	0.66	15	40	<5	6.41	<1	10	18	26	4.66	<10	0.26	875	16	0.01	22	1120	18	<5	<20	170	<0.1	<10	8	<10	8	90
62	15283	5	<2	0.59	15	30	<5	1.72	<1	11	23	27	4.56	<10	0.21	283	21	0.01	21	750	20	<5	<20	64	<0.1	<10	6	<10	2	87
63	15284	5	<2	0.76	15	35	5	3.90	<1	10	20	25	4.40	<10	0.27	522	14	0.01	23	770	18	<5	<20	136	<0.1	<10	9	<10	7	91
64	15285	5	<2	0.83	10	45	10	5.63	<1	11	18	26	4.80	<10	0.26	843	13	<0.1	18	1030	10	<5	<20	94	<0.1	<10	8	<10	13	119
65	15286	5	<2	0.91	10	35	<5	2.73	<1	10	20	27	4.54	<10	0.27	506	12	<0.1	22	890	16	<5	<20	64	<0.1	<10	9	<10	5	110

Et.#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
66	15287	5	<2	0.74	<5	35	5	5.04	<1	10	26	20	5.42	<10	0.28	671	14	<0.1	17	960	14	<5	<20	82	<0.1	<10	7	<10	5	80
67	15288	5	<2	0.63	<5	35	5	1.98	1	11	16	19	4.47	<10	0.23	390	10	<0.1	20	790	12	<5	<20	37	0.06	<10	6	<10	9	137
68	15289	5	<2	0.66	<5	50	<5	4.93	<1	9	17	21	4.77	<10	0.26	964	11	<0.1	16	860	8	<5	<20	80	0.03	<10	6	<10	11	102
69	15290	5	<2	0.67	<5	40	<5	1.30	<1	12	15	22	5.15	<10	0.28	390	10	<0.1	15	690	10	<5	<20	33	0.05	<10	6	<10	11	122
70	15291	5	<2	0.70	<5	35	5	1.32	<1	11	19	21	4.83	<10	0.29	411	11	<0.1	15	730	20	<5	<20	36	0.01	<10	7	<10	7	99
71	15292	5	<2	0.67	<5	35	<5	2.00	5	11	13	21	5.55	<10	0.28	401	13	<0.1	18	990	72	<5	<20	51	<0.1	<10	6	<10	7	373
72	15293	5	<2	0.62	<5	40	10	3.72	<1	10	15	18	4.93	<10	0.29	742	12	<0.1	11	960	8	<5	<20	81	<0.1	<10	4	<10	9	129
73	15294	5	<2	0.52	<5	40	5	2.42	1	10	18	15	4.65	<10	0.23	540	8	<0.1	12	830	10	<5	<20	42	0.03	<10	4	<10	10	120
74	15295	5	<2	0.57	125	40	5	2.20	<1	11	18	17	5.20	<10	0.23	573	14	<0.1	16	870	10	<5	<20	36	0.03	<10	5	<10	10	178
75	15296	5	<2	0.65	125	45	<5	1.37	<1	10	32	14	4.93	<10	0.26	390	10	<0.1	11	790	8	<5	<20	42	<0.1	<10	5	<10	7	97
76	15297	5	<2	0.87	40	55	5	2.97	<1	12	31	9	5.21	<10	0.35	521	7	<0.1	8	1700	8	<5	<20	78	<0.1	<10	8	<10	13	86
77	15298	5	<2	1.25	40	50	5	1.22	<1	12	25	12	5.19	<10	0.49	550	8	<0.1	7	920	10	<5	<20	29	0.04	<10	10	<10	7	127
78	15299	5	<2	1.78	<5	90	10	2.73	<1	9	33	10	5.50	<10	0.60	780	6	<0.1	7	1450	8	<5	<20	66	0.02	<10	19	<10	11	117
79	15300	5	<2	1.93	<5	100	5	1.00	<1	12	38	13	5.86	<10	0.65	727	8	0.01	8	1030	12	<5	<20	27	0.07	<10	24	<10	7	112
80	15301	5	<2	1.89	<5	90	10	1.27	<1	16	60	6	5.31	<10	0.66	821	6	0.02	9	1550	6	<5	<20	33	0.06	<10	57	<10	12	101
81	15302	5	<2	1.80	60	65	10	1.31	<1	27	30	18	5.75	<10	0.62	923	10	0.01	14	1990	6	<5	<20	30	0.07	<10	47	<10	18	67
QC DATA:																														
<i>Resplit:</i>																														
R/S 1	15222	5	<2	3.39	<5	55	15	1.62	1	11	34	8	10.50	<10	0.93	986	10	0.02	2	1870	<2	<5	<20	73	0.03	<10	105	<10	5	182
R/S 36	15257	5	0.6	0.64	235	25	<5	0.50	7	12	42	83	4.55	<10	0.35	198	62	0.01	119	500	16	20	<20	26	<0.1	<10	42	<10	<1	965
R/S 71	15292	5	<2	0.71	<5	35	<5	1.97	5	11	20	25	5.72	<10	0.30	415	12	<0.1	18	970	80	<5	<20	52	<0.1	<10	6	<10	7	349
<i>Repeat:</i>																														
1	15222	5	<2	3.32	<5	55	20	1.55	1	10	37	7	10.10	<10	0.92	897	8	0.02	3	1860	<2	<5	<20	61	0.03	<10	104	<10	5	178
10	15231	5	0.4	1.06	15	50	<5	1.13	4	10	68	18	5.15	<10	0.31	748	7	<0.1	3	1550	34	<5	<20	44	<0.1	<10	32	<10	8	526
19	15240	5	1.2	0.99	<5	65	<5	1.89	4	7	53	36	3.33	<10	0.63	480	10	<0.1	22	890	4	<5	<20	65	<0.1	<10	17	<10	5	265
35	15256	-	0.6	0.66	120	30	<5	1.60	7	9	44	53	3.81	<10	0.33	285	42	0.01	92	1190	18	20	<20	65	<0.1	<10	37	<10	3	764
36	15257	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	15265	-	0.8	0.67	40	35	<5	2.97	2	10	23	40	4.40	<10	0.27	297	25	<0.1	34	960	46	<5	<20	104	<0.1	<10	7	<10	7	175
45	15266	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	15274	-	<2	0.81	15	45	5	2.49	<1	9	25	24	3.71	<10	0.37	386	17	<0.1	21	810	12	<5	<20	47	0.04	<10	7	<10	6	128
54	15275	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	15283	-	<2	0.59	15	30	<5	1.73	<1	11	24	28	4.60	<10	0.21	286	21	0.01	20	750	20	<5	<20	65	<0.1	<10	7	<10	2	87
69	15290	-	<2	0.70	<5	35	5	1.34	1	12	16	23	5.29	<10	0.29	402	10	<0.1	15	710	12	<5	<20	35	0.05	<10	6	<10	11	124
71	15292	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78	15299	-	<2	1.78	<5	95	5	2.68	<1	9	32	9	5.44	<10	0.58	767	6	<0.1	6	1420	8	<5	<20	64	0.02	<10	20	<10	10	116

El#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
QC DATA:																															
<i>Standard:</i>																															
GEO'95		150	1.2	1.69	60	150	<5	1.59	<1	17	55	85	3.74	<10	0.88	622	<1	0.01	25	610	18	<5	<20	51	0.09	<10	70	<10	6	74	
GEO'95		140	1.2	1.69	60	155	<5	1.60	<1	18	57	84	3.82	<10	0.88	646	<1	0.01	26	690	24	<5	<20	51	0.09	<10	70	<10	4	79	
GEO'95		145	1.0	1.73	55	160	<5	1.66	<1	18	58	82	3.86	<10	0.90	658	<1	0.01	27	710	20	<5	<20	53	0.09	<10	71	<10	6	75	

df/856/828
XLS/95Canamera#5


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

29-Sep-

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-857
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

12 Soil samples received Sept. 22, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 29
P.O. #: 6957
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	BI	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	10019	<5	1.4	0.94	10	95	10	0.17	2	10	9	15	3.40	<10	0.32	121	<1	0.04	10	370	10	<5	<20	20	0.23	<10	100	<10	2	40	
2	10020	<5	0.2	0.78	15	50	5	0.19	1	11	8	17	3.95	<10	0.29	130	2	0.04	8	820	8	<5	<20	19	0.18	<10	74	<10	<1	67	
3	10021	50	1.0	0.93	65	85	<5	0.17	1	11	13	43	7.05	<10	0.36	333	12	0.06	13	1030	16	<5	<20	19	0.12	<10	109	<10	<1	195	
4	10022	75	2.4	1.61	60	110	5	0.04	1	8	20	54	11.00	<10	0.20	257	20	<.01	8	1090	26	<5	<20	6	0.09	<10	110	<10	<1	148	
5	10023	30	0.4	1.16	15	110	5	0.43	1	19	11	31	7.10	<10	0.78	309	<1	0.10	13	1020	14	<5	<20	37	0.36	<10	97	<10	<1	89	
6	10024	50	2.2	1.72	50	120	10	0.03	1	7	22	65	11.60	<10	0.18	141	21	0.02	8	1130	22	<5	<20	7	0.04	<10	107	<10	<1	129	
7	10025	30	3.8	0.81	75	55	<5	0.20	2	7	10	25	5.41	<10	0.19	223	11	0.03	7	1210	14	<5	<20	16	0.07	<10	77	<10	<1	87	
8	10026	5	0.4	3.50	20	90	10	0.02	1	9	25	40	12.30	<10	0.17	186	17	<.01	12	840	18	<5	<20	4	0.03	<10	65	<10	<1	78	
9	10027	<5	2.2	3.02	<5	130	15	0.23	2	49	28	34	10.90	<10	0.18	4573	6	0.01	10	480	14	<5	<20	17	0.48	<10	130	<10	5	75	
10	10028	66	5.4	2.50	50	115	<5	0.03	1	7	24	63	11.10	<10	0.19	220	19	<.01	8	1190	22	<5	<20	5	0.03	<10	98	<10	<1	117	
11	10029	<5	<2	0.78	<5	80	5	0.55	1	13	8	19	3.56	<10	0.52	191	<1	0.08	9	670	8	<5	<20	35	0.26	<10	77	<10	2	58	
12	10030	20	1.4	1.46	85	80	5	0.12	<1	11	16	53	9.21	<10	0.32	940	14	<.01	10	2380	28	<5	<20	9	0.04	<10	80	<10	<1	103	
QC DATA:																															
Repeat:																															
1	10019	<5	1.6	0.98	5	95	10	0.16	1	10	9	15	3.49	<10	0.28	122	<1	0.04	9	390	10	<5	<20	19	0.22	<10	101	<10	2	39	
10	10028	60	5.8	2.70	50	125	5	0.03	2	8	26	68	11.80	<10	0.22	233	20	<.01	8	1290	22	<5	<20	6	0.04	<10	105	<10	<1	123	
Standard:																															
GEO'95		150	1.2	1.52	65	155	<5	1.63	<1	17	54	82	3.77	<10	0.89	657	<1	0.01	26	630	20	<5	<20	53	0.09	<10	69	<10	4	74	

dl/846
XLS/95Canamera#5


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

2-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-860
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

8 Rock samples received Sept. 22, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 29


P.O. #: 5957

Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Str	Ti %	U	V	W	Y	Zn	
1	7227	5	<.2	0.61	<5	60	<5	0.55	<1	1	107	5	0.66	<10	0.09	215	<1	<.01	3	110	24	<5	<20	16	0.04	<10	1	<10	3	42	
2	7417	80	5.2	0.96	140	25	5	0.45	2	20	37	40	5.31	<10	0.60	782	2	<.01	15	1860	60	<5	<20	8	0.06	<10	17	<10	<1	539	
3	7710	5	<.2	2.38	<5	70	10	5.13	<1	13	67	8	6.33	<10	0.59	485	4	0.05	2	1170	2	<5	<20	187	<.01	<10	291	<10	6	205	
4	7716	5	<.2	1.27	<5	50	<5	2.15	<1	19	75	6	3.71	<10	0.27	269	3	0.06	4	1200	6	<5	<20	252	<.01	<10	153	<10	4	37	
5	7717	5	<.2	0.49	<5	480	<5	1.98	<1	<1	114	4	1.13	<10	0.15	384	1	0.02	5	170	20	<5	<20	183	<.01	<10	6	<10	5	61	
6	7720	5	<.2	0.14	<5	35	<5	0.26	<1	3	131	5	1.03	<10	<.01	130	<1	0.03	4	500	4	<5	<20	8	<.01	<10	4	<10	10	66	
QC DATA:																															
Resplit:																															
R/S 1	7227	5	<.2	0.60	<5	55	<5	0.58	<1	1	106	7	0.66	<10	0.10	224	<1	<.01	5	110	24	<5	<20	12	0.04	<10	1	<10	2	44	
Repeat:																															
1	7227	-	<.2	0.58	<5	55	<5	0.52	<1	1	108	4	0.66	<10	0.09	213	<1	<.01	4	110	24	<5	<20	13	0.04	<10	1	<10	2	42	
4	7716	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																															
GEO'95		-	1.2	1.87	65	160	<5	1.74	<1	19	63	82	3.70	<10	0.85	689	<1	0.02	22	740	20	5	<20	57	0.10	<10	76	<10	5	81	

df/828
XLS/95Canamera#5


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

29-Sep-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-859
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

2 Silt samples received Sept. 22, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 29
P.O. #: 6957
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	BI	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	TI %	U	V	W	Y	Zn
1	3125	145	0.6	1.63	190	75	<5	1.30	<1	30	18	162	6.29	<10	1.41	1685	3	0.01	17	3020	32	<5	<20	40	0.07	<10	67	<10	1	251
2	3126	60	0.6	2.22	60	125	<5	0.86	1	32	39	152	6.67	<10	1.94	1679	2	0.01	25	2210	32	<5	<20	28	0.12	<10	89	<10	<1	200

QC DATA:

Repeat:

1	3125	140	1.0	1.69	195	80	<5	1.38	<1	30	19	166	6.45	<10	1.46	1725	3	0.01	16	3100	32	<5	<20	41	0.08	<10	70	<10	1	251
---	------	-----	-----	------	-----	----	----	------	----	----	----	-----	------	-----	------	------	---	------	----	------	----	----	-----	----	------	-----	----	-----	---	-----

Standard:

GEO'95		150	1.0	1.50	70	155	<5	1.65	<1	17	54	82	3.69	<10	0.88	648	<1	0.01	25	620	18	<5	<20	52	0.09	<10	68	<10	4	73
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/B46
XLS/95Canamera#5


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

6-Oct-9.

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 85-858
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

7 Rock samples received September 22, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 29
P.O. #: 5967
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et.#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
1	7883	10	.8	1.25	60	90	<5	0.06	<1	5	80	62	5.04	<10	0.82	307	11	<0.01	7	460	18	<5	<20	5	0.02	<10	38	<10	<1	59	
2	7884	10	1.0	0.89	65	110	<5	0.13	<1	5	52	25	3.63	<10	0.75	294	4	0.01	3	890	22	10	<20	3	0.13	<10	43	<10	4	45	
3	7885	5	<2	1.65	15	65	<5	0.52	<1	18	83	32	4.55	<10	1.03	557	2	0.02	15	560	14	<5	<20	14	0.05	<10	83	<10	<1	67	
4	7886	5	<2	2.10	<5	35	10	0.23	<1	9	79	27	4.72	<10	1.90	638	5	0.03	13	1040	4	5	<20	7	0.01	<10	148	<10	2	54	
5	7887	5	<2	3.58	<5	55	20	1.29	1	38	29	19	9.86	<10	2.44	1124	<1	0.02	10	1590	4	<5	<20	12	0.27	<10	243	<10	13	101	
6	7888	10	.6	3.17	35	65	25	0.42	<1	23	35	47	10.10	<10	3.06	1166	<1	0.01	15	1170	14	5	<20	3	0.34	<10	170	<10	5	96	
7	7889	10	<2	0.66	20	75	15	0.11	<1	7	44	31	5.68	<10	0.50	197	7	0.02	5	830	8	<5	<20	5	0.18	<10	35	<10	1	65	
QC DATA:																															
Resplit:																															
R/S1	7883	15	.6	1.29	60	80	<5	0.05	<1	5	75	53	4.76	<10	0.99	306	11	<0.01	6	440	16	<5	<20	2	0.02	<10	38	<10	<1	57	
Repeat:																															
1	7883	-	.8	1.18	55	85	<5	0.05	<1	5	88	75	4.75	<10	0.88	288	11	<0.01	4	470	18	<5	<20	3	0.02	<10	37	<10	<1	56	
5	7887	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																															
GEO'95		-	1.4	1.48	70	160	<5	1.62	<1	17	53	86	3.75	<10	0.88	658	<1	0.01	25	650	20	<5	<20	58	0.08	<10	67	<10	4	73	

df/858
XLS/95Canamera#5


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

5-Oct-93

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 85-875
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

64 CORE samples received September 26, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 32

P.O. #: 5986

Samples submitted by: T. Drown


Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	15303	985	15.2	0.13	295	15	Δ	0.03	<1	5	101	23	4.24	<10	<.01	51	26	<.01	16	60	36	35	<20	4	<.01	10	3	<10	<1	55
2	15304	840	21.2	0.14	860	20	Δ	0.04	<1	7	116	22	5.18	<10	<.01	61	20	<.01	7	<10	72	15	<20	1	<.01	20	3	<10	<1	546
3	15305	655	12.0	0.20	875	15	Δ	0.21	<1	15	69	17	3.98	<10	<.01	66	18	<.01	12	500	34	25	<20	14	<.01	10	5	<10	<1	50
4	15306	>1000	23.6	0.22	1350	15	Δ	0.22	<1	12	59	28	4.39	<10	0.01	48	19	<.01	15	1020	56	35	<20	21	<.01	10	6	<10	<1	95
5	15307	>1000	25.4	0.14	350	10	Δ	0.08	<1	6	76	24	3.71	<10	<.01	39	19	<.01	11	530	72	45	<20	6	<.01	10	3	<10	<1	81
6	15308	535	14.4	0.14	700	15	Δ	0.07	<1	9	112	19	3.16	<10	<.01	50	12	<.01	5	430	70	25	<20	15	<.01	10	4	<10	<1	163
7	15309	665	25.6	0.13	465	15	Δ	<.01	<1	4	76	25	2.32	<10	<.01	35	9	<.01	5	120	66	25	<20	6	<.01	<10	3	<10	<1	158
8	15310	>1000	>30	0.15	950	15	Δ	0.13	<1	10	109	53	4.63	<10	<.01	56	19	<.01	15	530	118	95	<20	7	<.01	10	4	<10	<1	140
9	15311	>1000	>30	0.14	450	15	Δ	0.13	<1	8	113	65	3.55	<10	<.01	53	20	<.01	19	550	220	85	<20	10	<.01	<10	4	<10	<1	358
10	15312	>1000	>30	0.10	355	20	Δ	0.68	<1	7	151	71	2.77	<10	<.01	115	18	<.01	13	330	178	75	<20	31	<.01	<10	3	<10	<1	255
11	15313	>1000	>30	0.14	335	15	Δ	0.18	<1	9	108	45	3.58	<10	<.01	60	19	<.01	17	760	172	75	<20	9	<.01	<10	4	<10	2	245
12	15314	>1000	>30	0.09	295	15	Δ	0.02	3	5	125	109	2.95	<10	<.01	51	16	<.01	10	90	314	145	<20	2	<.01	10	3	<10	<1	1587
13	15315	495	24.6	0.14	715	15	Δ	0.09	<1	9	91	31	4.13	<10	<.01	36	16	<.01	6	710	104	60	<20	3	<.01	10	5	<10	<1	90
14	15316	>1000	>30	0.15	3495	15	Δ	0.15	<1	5	125	51	4.90	<10	<.01	50	14	<.01	7	730	82	70	<20	6	<.01	10	6	<10	<1	73
15	15317	>1000	>30	0.16	9930	20	Δ	0.23	<1	7	98	55	7.26	<10	0.02	122	14	<.01	6	910	96	150	<20	11	<.01	10	8	<10	<1	150
16	15318	>1000	>30	0.15	5525	15	Δ	0.28	<1	6	122	72	5.34	<10	0.02	79	15	<.01	11	1240	156	105	<20	12	<.01	20	8	<10	3	218
17	15319	>1000	>30	0.32	2760	20	Δ	0.32	<1	7	78	153	7.54	<10	0.23	161	16	<.01	19	1290	432	160	<20	12	<.01	30	11	<10	2	710
18	15320	560	7.8	1.99	325	20	10	0.20	<1	9	56	38	6.42	<10	2.35	702	7	<.01	2	740	36	10	<20	6	<.01	<10	22	<10	<1	108
19	15321	200	7.8	1.25	310	15	5	0.04	<1	11	40	39	4.92	<10	1.27	382	8	<.01	7	140	36	20	<20	2	<.01	<10	11	<10	<1	92
20	15322	260	6.2	1.13	355	20	5	0.04	<1	9	53	32	4.34	<10	1.20	328	7	<.01	6	120	30	20	<20	<1	<.01	<10	6	<10	<1	70
21	15323	120	5.0	1.08	1245	25	Δ	0.01	<1	5	58	22	3.41	<10	1.20	329	5	<.01	2	60	28	35	<20	<1	<.01	<10	3	<10	<1	156
22	15324	>1000	13.4	1.09	340	30	Δ	0.18	<1	3	81	203	2.78	<10	1.28	399	5	<.01	3	40	126	35	<20	4	<.01	<10	5	<10	<1	646
23	15325	205	6.8	1.11	655	20	Δ	0.02	<1	9	43	49	4.21	<10	1.14	306	7	<.01	10	90	30	30	<20	<1	<.01	<10	11	<10	<1	127
24	15326	275	6.6	0.96	665	25	Δ	0.01	<1	9	54	22	3.32	<10	0.95	261	5	<.01	5	30	30	25	<20	1	<.01	<10	6	<10	<1	66
25	15327	255	6.0	1.10	575	20	Δ	0.02	<1	5	34	15	3.32	<10	1.13	313	4	<.01	2	60	18	20	<20	<1	<.01	<10	5	<10	<1	89
26	15328	135	6.0	1.37	545	25	5	0.08	<1	8	42	28	4.53	<10	1.42	358	7	<.01	4	200	24	25	<20	2	<.01	<10	10	<10	<1	104
27	15329	100	7.6	1.86	150	30	Δ	0.70	<1	12	35	51	4.89	<10	2.34	580	6	<.01	6	1360	28	30	<20	34	<.01	<10	50	<10	2	38
28	15330	55	4.4	2.03	215	30	Δ	0.51	<1	11	50	54	5.03	<10	2.44	607	9	<.01	11	1300	20	35	<20	18	<.01	<10	56	<10	2	60

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
29	15331	50	3.6	2.07	175	30	<5	0.85	<1	11	35	43	5.33	<10	2.49	679	8	<.01	14	1290	18	30	<20	37	<.01	<10	51	<10	2	84
30	15332	45	3.0	2.16	125	30	5	0.61	2	13	47	45	6.04	<10	2.34	671	9	<.01	13	1420	26	20	<20	18	<.01	<10	53	<10	1	403
31	15333	30	2.4	2.60	160	40	<5	0.82	<1	15	28	54	6.20	<10	2.58	935	7	<.01	7	1580	28	20	<20	27	<.01	<10	58	<10	2	94
32	15334	10	1.2	2.69	120	40	5	0.97	6	13	37	61	6.33	<10	2.49	1058	6	<.01	4	1480	18	10	<20	37	<.01	<10	54	<10	1	916
33	15335	20	1.4	2.21	130	35	<5	0.46	8	11	31	63	5.83	<10	1.97	672	6	<.01	6	1560	22	20	<20	11	<.01	<10	50	<10	2	1016
34	15336	40	1.6	2.10	275	35	<5	0.47	<1	12	33	45	6.14	<10	1.78	620	10	<.01	17	1610	20	25	<20	11	<.01	<10	54	<10	2	185
35	15337	65	1.2	1.76	365	35	<5	0.62	<1	11	32	38	5.91	<10	1.40	607	8	<.01	6	1550	28	10	<20	15	<.01	<10	42	<10	3	293
36	15338	60	3.4	1.40	325	30	10	0.85	6	18	48	53	6.37	<10	1.13	672	10	<.01	21	1520	24	25	<20	18	<.01	<10	39	<10	2	852
37	15339	30	2.0	1.83	220	35	5	0.64	<1	15	45	52	6.47	<10	1.47	654	8	<.01	12	1470	18	15	<20	18	<.01	<10	43	<10	2	427
38	15340	10	1.0	2.24	90	45	5	1.09	<1	14	32	53	6.06	<10	1.78	936	7	<.01	5	1520	18	20	<20	39	<.01	<10	52	<10	2	234
39	15341	5	0.8	2.05	100	45	<5	1.11	15	13	36	75	5.59	<10	1.65	904	6	<.01	5	1510	22	15	<20	27	<.01	<10	43	<10	3	1838
40	15342	15	0.8	2.45	200	45	<5	1.00	<1	14	26	59	6.26	<10	2.06	949	6	<.01	6	1540	16	10	<20	37	<.01	<10	58	<10	2	138
41	15343	5	0.4	2.15	125	45	5	0.82	<1	15	38	54	5.70	<10	1.68	695	7	<.01	6	1600	16	15	<20	27	<.01	<10	51	<10	4	110
42	15344	5	0.6	1.60	30	35	<5	1.07	<1	12	30	8	4.87	<10	1.15	696	5	<.01	6	1610	14	20	<20	32	<.01	<10	41	<10	4	68
43	15345	5	0.8	1.85	165	30	<5	0.79	<1	13	37	44	5.89	<10	1.57	505	10	<.01	6	1550	20	25	<20	23	<.01	<10	47	<10	3	84
44	15346	5	0.6	2.15	290	35	<5	0.47	<1	13	24	28	6.00	<10	2.01	561	8	<.01	5	1340	16	20	<20	12	<.01	<10	54	<10	1	68
45	15347	5	0.8	2.17	290	35	<5	0.76	<1	13	39	31	6.07	<10	2.04	628	8	<.01	6	1550	18	20	<20	23	<.01	<10	58	<10	3	73
46	15348	5	0.6	2.04	85	55	10	2.03	2	16	23	22	6.04	<10	1.41	1021	6	<.01	4	1510	20	<5	<20	73	<.01	<10	53	<10	3	388
47	15349	5	0.2	1.65	10	80	10	1.85	4	16	28	6	5.00	<10	1.10	935	5	<.01	4	1460	28	10	<20	46	<.01	<10	33	<10	4	567
48	15350	5	2.0	1.91	30	65	<5	1.47	10	22	21	303	6.08	<10	1.16	941	6	<.01	9	1950	20	<5	<20	53	<.01	<10	34	<10	2	1081
49	15351	90	1.8	0.64	260	25	<5	1.05	<1	17	46	48	3.66	<10	0.54	505	7	<.01	6	1060	20	10	<20	22	<.01	<10	20	<10	2	281
50	15352	60	2.2	0.71	230	30	<5	0.95	<1	11	44	53	3.00	<10	0.73	481	7	<.01	5	1000	22	20	<20	26	<.01	<10	24	<10	2	143
51	15353	100	2.0	0.67	295	25	<5	0.68	<1	13	55	66	3.08	<10	0.59	310	5	<.01	8	1000	16	15	<20	19	<.01	<10	22	<10	<1	55
52	15354	85	2.0	1.01	325	35	<5	2.68	<1	12	45	46	3.50	<10	0.92	973	5	<.01	7	1020	24	20	<20	114	<.01	<10	41	<10	3	123
53	15355	130	2.8	0.93	445	25	<5	0.98	<1	14	53	43	4.17	<10	0.87	452	8	<.01	5	990	28	15	<20	48	<.01	<10	36	<10	<1	191
54	15356	80	2.8	1.00	355	20	<5	0.55	<1	17	31	56	3.86	<10	0.88	400	9	<.01	7	1000	28	25	<20	17	<.01	<10	27	<10	<1	109
55	15357	10	1.6	1.27	95	40	<5	1.84	6	14	27	37	4.12	<10	1.00	1288	5	<.01	6	1210	74	20	<20	40	<.01	<10	25	<10	2	838
56	15358	5	0.6	1.84	20	65	<5	2.56	3	14	16	65	4.36	<10	1.41	1965	4	<.01	6	860	28	15	<20	79	<.01	<10	32	<10	<1	258
57	15359	10	1.0	1.12	115	45	<5	1.42	<1	14	39	54	3.53	<10	0.83	890	6	<.01	6	870	16	15	<20	72	<.01	<10	32	<10	<1	57
58	15360	5	1.2	0.87	175	30	<5	1.26	<1	15	34	53	3.65	<10	0.64	711	6	<.01	5	1310	38	20	<20	52	<.01	<10	29	<10	2	179
59	15361	10	1.2	1.02	150	35	<5	2.00	<1	17	36	85	3.85	<10	0.79	1350	7	<.01	8	1320	16	25	<20	79	<.01	<10	27	<10	3	49
60	15362	5	0.6	1.41	85	50	<5	2.22	<1	16	24	59	3.80	<10	1.09	1740	5	<.01	7	1600	12	20	<20	79	<.01	<10	35	<10	2	46
61	15363	5	1.0	0.92	90	40	<5	6.38	<1	17	44	32	2.83	<10	0.81	4049	6	<.01	10	1260	18	25	<20	240	<.01	<10	25	<10	3	39
62	15364	5	0.8	1.31	85	50	<5	5.57	<1	17	20	37	3.59	<10	1.00	3099	4	<.01	8	1310	10	15	<20	220	<.01	<10	29	<10	2	38
63	15365	5	0.6	1.16	95	45	<5	4.04	<1	15	21	55	3.69	<10	0.78	2189	5	<.01	5	1220	12	15	<20	155	<.01	<10	23	<10	2	37
64	15366	5	1.0	0.77	205	40	<5	3.64	<1	15	25	62	3.63	<10	0.55	1965	5	<.01	7	1060	22	20	<20	129	<.01	<10	20	<10	1	87

Et#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
<i>Resplit:</i>																														
RS1	15303	900	16.0	0.19	320	15	5	0.04	<1	6	93	22	4.49	<10	0.02	61	25	<0.1	15	70	38	35	<20	4	<0.1	20	4	<10	<1	64
RS36	15338	45	3.0	1.31	310	30	10	0.94	9	17	36	50	6.18	<10	1.07	701	10	<0.1	20	1550	26	30	<20	21	<0.1	<10	37	<10	2	1237
<i>Repeat:</i>																														
1	15303	905	15.6	0.13	295	15	<5	0.02	<1	5	102	23	4.27	<10	<0.1	47	26	<0.1	16	40	36	35	<20	3	<0.1	20	3	<10	<1	56
10	15312	965	>30	0.13	370	15	<5	0.66	<1	7	151	74	2.88	<10	0.02	127	18	<0.1	14	350	186	80	<20	29	<0.1	<10	3	<10	<1	260
19	15321	210	7.0	1.27	300	20	<5	0.04	<1	11	38	37	4.87	<10	1.29	384	7	<0.1	8	130	32	15	<20	<1	<0.1	<10	11	<10	<1	85
36	15338	65	3.2	1.41	325	30	5	0.85	6	17	47	52	6.42	<10	1.15	671	11	<0.1	21	1530	24	25	<20	18	<0.1	<10	39	<10	2	958
45	15347	10	0.6	2.14	300	35	<5	0.78	<1	13	39	32	6.03	<10	2.02	628	8	<0.1	5	1560	20	15	<20	24	<0.1	<10	58	<10	4	66
54	15356	65	3.0	1.08	385	20	<5	0.60	<1	19	34	61	4.20	<10	0.95	420	9	<0.1	8	1040	32	20	<20	21	<0.1	<10	29	<10	<1	116
<i>Standard:</i>																														
GEO'95		150	1.4	1.58	75	155	<5	1.70	<1	18	59	83	3.99	<10	0.88	683	<1	0.01	27	690	24	5	<20	50	0.10	<10	71	<10	4	70
GEO'95		150	1.2	1.87	65	155	<5	1.67	<1	18	56	86	3.77	<10	0.88	657	<1	0.01	24	580	24	5	<20	50	0.09	<10	65	<10	4	65

dtr/882
XLS/85 Canamera


ECO-TECH LABORATORIES LTD.
Frank J. Pazzotti, A.Sc.T.
B.C. Certified Assayer

5-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-882
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M8

ATTENTION: K. HICKS/ J. DUPUIS

53 Core samples received September 27, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 34 (part II)
P.O. #: 5969
Samples submitted by: R. Verzosa


Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	15367	5	0.8	1.10	180	35	<5	1.87	<1	15	46	56	4.10	<10	0.62	1474	8	<0.1	6	1050	14	10	<20	72	0.01	<10	31	<10	1	142
2	15368	5	0.6	1.60	20	65	10	1.29	2	10	67	23	6.31	<10	0.44	666	12	<0.1	2	1600	76	<5	<20	71	0.04	<10	126	<10	7	340
3	15369	20	<2	2.38	<5	85	10	2.67	1	9	37	18	8.87	<10	0.56	1188	9	<0.1	2	1620	10	<5	<20	118	0.06	<10	129	<10	7	184
4	15370	5	<2	3.31	<5	60	10	2.20	2	11	28	3	10.90	<10	0.89	1006	9	0.01	1	1760	4	<5	<20	187	0.05	<10	134	<10	7	201
5	15371	5	<2	2.87	<5	60	20	1.64	2	10	22	10	9.75	<10	0.78	669	8	0.02	2	1710	6	<5	<20	114	0.05	<10	129	<10	4	165
6	15372	5	<2	2.28	<5	100	10	2.12	2	7	42	11	8.13	<10	0.50	917	8	<0.1	3	1640	22	<5	<20	135	0.05	<10	120	<10	9	194
7	15373	5	<2	2.21	<5	115	10	1.20	2	7	37	19	6.52	<10	0.40	490	8	<0.1	<1	1720	6	<5	<20	81	0.06	<10	134	<10	7	126
8	15374	15	<2	2.55	<5	90	15	1.66	3	8	42	5	8.72	<10	0.74	740	8	<0.1	1	1910	34	<5	<20	129	0.04	<10	126	<10	8	368
9	15375	5	0.4	2.36	<5	105	5	1.14	1	10	29	14	6.61	<10	1.14	571	7	<0.1	<1	1520	30	<5	<20	78	<0.1	<10	61	<10	7	208
10	15376	5	0.2	2.79	<5	100	15	0.37	2	13	10	28	7.67	<10	1.22	384	6	<0.1	5	1320	14	<5	<20	27	0.04	<10	30	<10	2	202
11	15377	5	<2	2.60	<5	75	10	2.30	3	10	45	11	8.01	<10	1.24	1030	10	0.03	3	1790	38	10	<20	216	0.01	<10	110	<10	9	222
12	15378	10	<2	2.53	<5	45	10	3.20	3	9	32	12	7.03	<10	1.22	1223	7	0.03	2	1850	50	<5	<20	291	0.01	<10	112	<10	11	251
13	15379	5	0.4	1.61	<5	45	10	4.49	7	11	49	14	6.26	<10	1.17	1374	9	0.02	3	1550	74	<5	<20	288	<0.1	<10	59	<10	12	275
14	15380	15	0.2	1.65	70	55	5	4.89	2	30	58	40	7.23	<10	2.27	1044	10	0.01	36	830	16	20	<20	219	<0.1	<10	120	<10	9	210
15	15381	5	<2	1.46	<5	30	<5	2.22	2	12	89	28	5.03	<10	1.04	720	24	0.04	40	1670	<2	5	<20	59	<0.1	<10	210	<10	7	205
16	15382	5	<2	1.47	<5	20	<5	1.28	<1	7	104	16	3.79	<10	1.10	655	21	0.04	30	2020	<2	20	<20	30	<0.1	<10	227	<10	7	125
17	15383	5	<2	1.14	<5	15	<5	0.51	<1	6	122	12	2.85	<10	0.88	480	13	0.04	18	680	2	<5	<20	12	<0.1	<10	166	<10	4	143
18	15384	5	<2	1.76	<5	20	<5	1.87	<1	10	82	24	4.25	<10	1.41	722	19	0.04	31	3380	<2	15	<20	35	<0.1	<10	252	<10	6	108
19	15385	5	<2	2.47	40	30	<5	4.33	<1	25	106	53	6.43	<10	2.25	1132	12	0.03	29	1350	<2	10	<20	72	0.01	<10	250	<10	6	72
1920/20	15386	10	<2	1.02	175	20	<5	1.68	<1	6	91	20	2.68	<10	0.86	507	13	0.04	17	480	2	15	<20	41	<0.1	<10	145	<10	3	21
21	15387	5	0.8	1.36	<5	45	<5	0.80	3	10	87	56	4.66	<10	1.13	617	16	0.03	23	520	4	5	<20	26	0.05	<10	128	<10	6	197
22	15388	5	1.2	1.02	<5	40	5	2.67	7	11	29	44	4.08	<10	0.76	855	22	<0.1	32	970	6	15	<20	65	0.04	<10	41	<10	8	462
23	15389	5	1.8	0.66	55	35	<5	3.21	6	10	39	40	3.47	<10	0.46	692	13	<0.1	26	650	6	15	<20	68	0.07	<10	19	<10	7	386
24	15390	10	1.6	0.57	110	20	<5	0.61	<1	10	27	39	4.16	<10	0.25	230	20	<0.1	30	1020	8	40	<20	23	0.06	<10	16	<10	10	170
25	15391	5	1.2	0.43	185	20	5	0.91	<1	14	25	48	5.04	<10	0.14	152	25	0.01	31	1210	8	75	<20	45	0.05	<10	15	<10	14	177

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	15392	5	1.6	0.66	105	20	<5	1.39	2	11	23	55	4.58	<10	0.46	462	19	0.01	35	540	8	35	<20	49	<0.1	<10	19	<10	6	214
27	15393	5	1.6	0.59	60	20	<5	0.82	2	12	30	48	4.00	<10	0.51	396	16	0.01	40	740	10	30	<20	44	<0.1	<10	18	<10	3	167
28	15394	5	1.4	0.40	60	25	<5	1.74	2	9	20	33	2.98	<10	0.46	448	15	0.01	34	500	12	30	<20	98	<0.1	<10	19	<10	3	215
29	15395	5	1.4	0.60	80	25	<5	1.61	4	13	24	63	4.49	<10	0.56	506	24	0.01	44	800	10	30	<20	62	<0.1	<10	23	<10	3	289
30	15396	5	1.4	0.45	155	25	<5	2.87	9	11	21	73	3.82	<10	0.30	394	51	0.01	103	1860	8	45	<20	90	<0.1	<10	41	<10	5	952
31	15397	5	0.8	0.37	680	25	<5	2.59	<1	8	45	57	3.89	<10	0.28	232	45	<0.1	75	680	12	30	<20	79	<0.1	<10	27	<10	2	791
32	15398	5	0.2	0.38	1570	40	<5	5.27	<1	2	85	8	2.30	<10	0.38	249	9	<0.1	3	40	6	10	<20	141	<0.1	<10	1	<10	4	84
33	15399	5	<2	0.24	320	55	<5	4.09	<1	1	94	7	1.40	<10	0.28	240	5	<0.1	3	<10	2	5	<20	150	<0.1	<10	<1	<10	3	64
34	15400	5	0.8	0.35	295	20	<5	1.03	5	11	32	66	4.31	<10	0.22	192	73	0.01	118	550	22	25	<20	67	<0.1	<10	23	<10	<1	782
35	15401	5	0.6	0.33	190	15	<5	0.57	2	10	23	73	4.25	<10	0.18	134	55	0.01	100	570	14	10	<20	43	<0.1	<10	15	<10	<1	460
36	15402	5	<2	0.27	130	35	<5	3.09	4	10	35	55	4.37	<10	0.28	359	49	0.01	63	550	10	10	<20	134	<0.1	<10	14	<10	4	418
37	15403	5	<2	0.32	90	45	<5	4.17	3	10	26	44	4.19	<10	0.31	453	45	0.01	68	1310	8	15	<20	131	<0.1	<10	15	<10	8	359
38	15404	5	<2	0.42	60	40	5	2.72	<1	10	23	39	4.62	<10	0.35	270	29	0.01	39	620	10	<5	<20	96	<0.1	<10	8	<10	4	158
39	15405	5	0.2	0.69	50	40	<5	3.20	<1	10	24	40	4.42	<10	0.32	388	30	0.01	29	850	10	5	<20	83	<0.1	<10	9	<10	6	114
40	15406	5	0.4	0.81	40	40	<5	3.54	4	10	21	38	4.84	<10	0.32	619	26	0.01	25	850	18	<5	<20	118	<0.1	<10	9	<10	5	394
41	15407	5	0.2	0.80	40	40	10	3.58	1	11	28	30	5.05	<10	0.30	663	17	0.01	22	880	16	<5	<20	114	0.03	<10	9	<10	7	124
42	15408	5	<2	0.78	35	55	5	5.49	<1	9	25	17	4.25	<10	0.28	943	14	<0.1	22	930	6	<5	<20	113	0.03	<10	8	<10	11	110
43	15409	5	<2	0.83	35	35	10	2.11	<1	12	36	22	4.83	<10	0.33	502	12	0.01	25	740	12	<5	<20	45	0.10	<10	8	<10	10	115
44	15410	5	<2	0.83	30	40	15	2.55	<1	14	23	24	5.48	<10	0.38	614	10	<0.1	17	800	14	<5	<20	53	0.11	<10	8	<10	9	100
45	15411	5	<2	0.67	15	50	5	4.35	<1	11	28	20	4.66	<10	0.33	784	9	<0.1	14	890	10	<5	<20	74	0.10	<10	6	<10	10	111
46	15412	5	<2	0.69	15	55	5	4.64	<1	10	18	17	4.02	<10	0.35	890	11	<0.1	10	1080	8	<5	<20	84	0.07	<10	5	<10	12	136
47	15413	5	<2	0.68	<5	45	<5	3.54	6	9	25	13	4.37	<10	0.28	898	8	<0.1	11	790	12	<5	<20	68	0.03	<10	5	<10	10	485
48	15414	5	<2	0.67	<5	50	5	2.70	<1	11	15	17	4.78	<10	0.37	586	6	<0.1	10	850	8	<5	<20	60	0.06	<10	5	<10	9	74
49	15415	5	<2	0.95	<5	50	10	3.48	<1	11	21	16	5.58	<10	0.52	698	10	<0.1	10	1030	8	<5	<20	88	0.02	<10	7	<10	6	113
50	15416	5	<2	0.67	<5	45	10	2.88	<1	10	21	16	5.83	<10	0.44	623	13	<0.1	10	1080	10	<5	<20	109	<0.1	<10	6	<10	5	77
51	15417	5	<2	0.70	<5	40	10	1.88	<1	10	31	12	4.71	<10	0.26	394	10	<0.1	14	740	12	<5	<20	77	<0.1	<10	6	<10	3	73
52	15418	5	<2	0.74	<5	40	10	1.52	<1	11	23	16	5.31	<10	0.29	359	16	<0.1	14	980	10	<5	<20	54	<0.1	<10	6	<10	6	74
53	15419	5	<2	0.75	<5	45	15	1.83	1	11	26	15	5.19	<10	0.39	554	15	<0.1	11	820	10	<5	<20	55	<0.1	<10	6	<10	3	172

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
<i>Resplit:</i>																															
R/S1	15367	5	1.0	1.22	200	35	<5	1.83	<1	17	42	59	4.61	<10	0.68	1456	10	<0.1	8	1130	18	15	<20	65	0.01	<10	34	<10	<1	158	
R/S36	15402	5	0.2	0.30	150	40	<5	3.15	4	11	28	60	4.57	<10	0.34	367	53	0.02	70	600	20	<5	<20	140	<0.1	<10	16	<10	6	424	
<i>Repeat:</i>																															
1	15367	5	0.8	1.10	195	40	<5	1.87	<1	15	45	55	4.15	<10	0.62	1474	8	<0.1	6	1060	14	20	<20	70	0.01	<10	31	<10	<1	147	
10	15376	5	0.2	2.69	<5	100	10	0.36	1	12	10	27	7.40	<10	1.19	370	5	<0.1	4	1260	12	<5	<20	27	0.04	<10	30	<10	2	196	
19	15385	5	<2	2.45	30	30	<5	4.35	<1	25	107	55	6.48	<10	2.24	1143	13	0.03	30	1340	<2	15	<20	73	0.01	<10	250	<10	5	73	
36	15402	5	0.2	0.30	135	40	<5	3.41	4	11	39	60	4.50	<10	0.31	370	56	0.01	73	570	10	15	<20	141	<0.1	<10	16	<10	4	424	
45	15411	5	<2	0.67	10	50	10	4.25	<1	11	31	19	4.70	<10	0.33	779	8	<0.1	14	880	8	<5	<20	71	0.10	<10	6	<10	10	120	
<i>Standard:</i>																															
GEO'95		145	1.2	1.87	70	150	<5	1.63	<1	17	57	83	3.83	<10	0.87	635	<1	0.02	25	590	20	<5	<20	52	0.10	<10	65	<10	4	78	
EO'95		150	1.2	1.60	55	160	10	1.78	<1	20	66	84	3.72	<10	1.00	644	<1	0.02	22	730	22	<5	<20	51	0.08	<10	66	<10	6	70	

df/894/882
XLS/95Canamera#5


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

5-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-892
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

75 Core samples received September 27, 1995
PROJECT #: F05CA0011
SHIPMENT #: 36
P.O. #: 6974
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
1	15420	>1000	21.6	0.27	255	30	5	0.09	<1	8	46	23	4.12	<10	0.11	71	24	<.01	31	450	58	35	<20	9	<.01	<10	5	<10	<1	181
2	15421	>1000	21.4	0.11	910	25	10	0.01	<1	7	94	27	6.14	<10	<.01	56	35	<.01	26	<10	54	45	20	2	<.01	<10	3	<10	<1	243
3	15422	>1000	>30	0.10	1430	30	15	<.01	<1	6	89	34	8.08	<10	<.01	61	22	<.01	12	40	62	65	20	3	<.01	10	2	<10	<1	88
4	15423	785	>30	0.14	1770	30	15	<.01	<1	7	108	44	9.11	<10	<.01	99	29	<.01	6	<10	74	30	40	<1	<.01	<10	2	<10	<1	41
5	15424	350	12.2	0.16	995	40	<5	0.03	<1	4	97	24	2.76	<10	<.01	43	10	<.01	7	80	32	25	20	4	<.01	10	1	<10	<1	107
6	15425	465	11.4	0.19	2675	30	5	0.20	<1	19	65	21	3.96	<10	<.01	64	14	<.01	14	510	48	65	20	13	<.01	<10	5	<10	<1	53
7	15426	700	10.6	0.16	1915	45	<5	0.10	<1	14	59	21	3.23	<10	<.01	60	11	<.01	11	410	54	55	<20	12	<.01	<10	4	<10	<1	214
8	15427	575	15.6	0.12	910	35	5	0.05	<1	9	91	23	2.84	<10	<.01	36	10	<.01	6	300	58	30	<20	8	<.01	<10	4	<10	<1	53
9	15428	390	11.0	0.12	605	35	5	0.01	<1	8	93	18	3.59	<10	<.01	33	20	<.01	5	620	78	25	<20	44	<.01	<10	4	<10	<1	39
10	15429	360	12.0	0.11	465	85	<5	<.01	<1	2	128	10	2.27	<10	<.01	27	12	<.01	3	500	134	35	20	49	<.01	<10	3	<10	<1	33
11	15430	670	29.0	0.10	440	40	<5	0.24	<1	4	113	37	3.75	<10	<.01	74	12	<.01	6	200	68	45	<20	20	<.01	<10	1	<10	<1	160
12	15431	>1000	>30	0.10	2690	35	5	0.18	<1	7	95	40	6.58	<10	<.01	37	16	<.01	5	760	74	60	20	14	<.01	<10	4	<10	<1	56
13	15432	>1000	>30	0.10	1215	30	5	0.18	<1	6	83	67	6.56	<10	<.01	73	15	<.01	14	720	194	60	20	13	<.01	<10	4	<10	<1	353
14	15433	>1000	>30	0.17	1745	30	10	0.37	<1	8	95	52	8.25	<10	<.01	81	17	<.01	11	1290	98	60	<20	19	<.01	10	6	<10	3	185
15	15434	>1000	>30	0.10	1250	35	10	0.27	<1	7	69	49	6.90	<10	<.01	41	16	<.01	5	1150	62	40	20	15	<.01	<10	4	<10	2	201
16	15435	>1000	>30	0.08	810	40	<5	0.25	<1	4	96	51	3.79	<10	<.01	46	11	<.01	5	1030	86	45	<20	18	<.01	<10	4	<10	3	64
17	15436	>1000	29.6	0.11	980	35	5	0.35	<1	5	74	49	5.10	<10	<.01	49	12	<.01	7	1210	98	40	<20	21	<.01	<10	4	<10	2	60
18	15437	>1000	>30	0.10	1000	40	<5	0.84	<1	4	74	53	4.21	<10	<.01	160	10	<.01	7	1100	112	50	<20	37	<.01	<10	4	<10	4	123
19	15438	>1000	>30	0.11	4635	35	<5	0.96	<1	5	102	53	5.22	<10	<.01	188	18	<.01	9	830	92	85	20	78	<.01	<10	4	<10	1	103
20	15439	>1000	29.6	0.12	720	40	<5	0.82	<1	6	85	71	4.26	<10	<.01	113	13	<.01	9	1220	128	45	20	42	<.01	<10	4	<10	3	260
21	15440	>1000	>30	0.10	1120	35	<5	0.29	6	8	53	897	7.41	<10	<.01	56	14	<.01	6	880	1570	450	20	15	<.01	<10	3	<10	<1	3636
22	15441	>1000	12.4	0.19	1025	35	10	2.06	<1	6	72	52	5.96	<10	0.13	1103	31	<.01	4	950	68	25	<20	82	<.01	<10	8	<10	2	122
23	15442	>1000	>30	0.11	2200	35	<5	4.42	<1	5	78	165	4.45	<10	<.01	2909	14	<.01	7	1000	428	150	<20	148	<.01	<10	5	<10	8	1119
24	15443	>1000	>30	0.55	2100	35	<5	1.46	<1	7	68	101	5.13	<10	0.55	1255	14	<.01	5	890	190	85	<20	55	<.01	<10	8	<10	3	733
25	15444	810	5.0	1.86	380	40	10	0.11	<1	13	40	39	6.02	<10	1.81	509	6	<.01	10	420	32	15	<20	9	<.01	<10	19	<10	<1	98

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	15445	260	7.4	1.73	435	40	<5	0.16	<1	8	48	78	5.82	<10	2.00	518	6	<.01	7	600	26	20	<20	11	<.01	<10	16	<10	<1	100
27	15446	265	10.6	1.13	375	45	<5	0.21	<1	9	44	67	3.85	<10	1.45	348	6	<.01	6	740	34	45	<20	9	<.01	<10	27	<10	1	111
28	15447	310	10.4	1.15	180	45	<5	0.34	<1	10	46	65	4.22	<10	1.39	295	6	<.01	7	1450	42	30	<20	13	<.01	<10	33	<10	4	82
29	15448	416	12.4	1.59	235	45	<5	0.33	<1	14	100	72	5.65	<10	1.90	454	8	<.01	6	1250	42	20	<20	13	<.01	<10	47	<10	2	99
30	15449	>1000	>30	1.77	325	50	<5	0.40	<1	11	47	90	5.81	<10	1.93	469	7	<.01	5	1510	52	40	<20	15	<.01	<10	44	<10	3	107
31	15450	235	8.0	2.03	280	45	5	0.59	<1	12	48	48	5.39	<10	2.43	641	8	<.01	6	1620	30	35	<20	20	<.01	<10	53	<10	4	56
32	15451	105	8.2	1.53	130	45	10	0.39	<1	11	44	41	4.16	<10	1.85	354	6	0.01	6	1620	36	35	<20	14	<.01	<10	45	<10	6	46
33	15452	70	6.4	1.58	160	50	<5	0.44	<1	11	45	54	4.56	<10	1.77	432	6	<.01	7	1540	22	20	<20	19	<.01	<10	46	<10	4	36
34	15453	80	2.4	1.58	250	55	<5	0.43	<1	9	45	52	5.05	<10	1.34	498	6	<.01	6	1660	14	5	<20	15	<.01	<10	47	<10	5	97
35	15454	160	10.4	1.83	275	45	10	0.79	<1	11	46	55	6.39	<10	2.01	719	9	<.01	14	1480	36	25	<20	35	<.01	<10	58	<10	2	168
36	15455	275	19.2	0.95	520	40	5	0.75	<1	12	45	69	6.55	<10	0.90	331	10	<.01	12	1520	62	45	<20	41	<.01	<10	28	<10	2	65
37	15456	140	6.6	1.37	315	50	<5	0.56	<1	10	51	44	4.93	<10	1.44	417	9	<.01	12	1690	28	40	<20	23	<.01	<10	40	<10	4	65
38	15457	195	10.8	0.82	600	40	5	0.60	<1	16	50	64	5.66	<10	0.66	216	9	<.01	12	2340	38	30	<20	22	<.01	<10	25	<10	7	31
39	15458	85	8.6	1.02	305	45	<5	0.41	<1	9	56	55	4.76	<10	0.90	264	8	<.01	6	1560	26	20	<20	16	<.01	<10	33	<10	4	32
40	15459	100	6.6	1.24	270	50	5	0.53	<1	10	56	63	5.34	<10	1.15	407	8	0.01	8	1550	40	20	<20	20	<.01	<10	41	<10	3	109
41	15460	125	9.4	1.34	360	45	<5	0.42	<1	13	49	67	6.40	<10	1.31	351	9	<.01	19	1490	44	30	<20	17	<.01	<10	38	<10	2	141
42	15461	130	9.2	0.81	480	35	<5	0.41	<1	18	58	64	6.45	<10	0.64	228	11	<.01	15	1370	44	15	<20	14	<.01	<10	22	<10	1	69
43	15462	140	8.0	0.35	330	35	5	0.51	<1	15	67	49	4.75	<10	0.15	185	10	<.01	15	1250	34	20	40	19	<.01	<10	13	<10	2	58
44	15463	190	17.8	0.32	620	30	<5	0.36	<1	24	57	81	7.52	<10	0.07	123	16	<.01	22	1320	52	25	<20	15	<.01	<10	11	<10	<1	92
45	15464	75	3.8	1.12	175	45	<5	0.42	<1	10	64	46	4.45	<10	0.91	327	7	0.01	7	1500	22	10	<20	16	<.01	<10	34	<10	4	39
46	15465	90	6.6	1.29	295	45	5	0.35	<1	9	50	62	6.08	<10	1.07	341	9	0.01	10	1440	30	20	<20	14	<.01	<10	42	<10	2	74
47	15466	105	8.6	0.85	295	40	<5	0.46	<1	13	53	71	5.56	<10	0.57	250	11	0.01	14	1570	36	30	<20	17	<.01	<10	26	<10	3	79
48	15467	40	3.6	1.63	265	60	10	0.98	<1	9	44	67	5.52	<10	1.31	680	7	0.01	7	1490	22	15	<20	47	<.01	<10	46	<10	3	77
49	15468	25	2.4	1.83	365	65	5	0.45	<1	11	48	67	5.13	<10	1.48	612	8	0.01	7	1490	22	25	<20	19	<.01	<10	53	<10	3	155
50	15469	95	5.8	0.98	380	50	<5	0.86	<1	15	68	68	5.17	<10	0.79	560	10	0.01	10	1460	22	30	<20	31	<.01	<10	28	<10	4	64
51	15470	60	2.8	1.52	255	45	10	0.53	<1	13	46	58	5.73	<10	1.18	524	10	<.01	8	1460	18	25	<20	20	<.01	<10	36	<10	3	84
52	15471	85	2.2	1.56	390	45	10	0.50	<1	9	31	55	5.49	<10	1.23	481	6	<.01	4	1630	12	15	<20	21	<.01	<10	32	<10	3	69
53	15472	145	5.0	0.73	540	40	<5	0.57	<1	10	41	63	5.36	<10	0.44	242	10	<.01	6	1570	28	30	<20	31	<.01	<10	20	<10	3	88
54	15473	75	2.8	0.77	295	45	<5	0.52	<1	8	47	49	4.27	<10	0.46	263	11	0.01	6	1560	12	25	<20	22	<.01	<10	20	<10	4	47
55	15474	85	6.6	1.04	315	50	5	1.03	<1	11	45	52	5.57	<10	0.87	601	11	0.01	11	1470	18	30	<20	31	<.01	<10	29	<10	4	60
56	15475	50	3.4	0.99	265	50	<5	0.64	<1	10	41	58	4.02	<10	0.81	382	6	<.01	6	1580	16	25	<20	29	<.01	<10	28	<10	4	62
57	15476	160	6.8	0.68	1230	40	10	0.49	<1	17	55	61	9.45	<10	0.48	316	15	0.01	8	1170	38	20	<20	26	<.01	<10	21	<10	<1	76
58	15477	90	3.0	1.07	325	40	<5	0.45	<1	7	46	52	4.59	<10	0.87	422	6	<.01	5	1400	12	10	<20	13	<.01	<10	31	<10	4	59
59	15478	70	1.6	1.49	260	55	<5	0.39	<1	8	44	57	4.20	<10	1.22	434	6	0.01	5	1570	16	15	<20	14	<.01	<10	45	<10	5	100
60	15479	65	1.4	2.09	220	70	10	0.45	<1	10	35	52	5.11	<10	1.67	636	6	0.01	5	1580	18	5	<20	18	<.01	<10	58	<10	4	99

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	Lu	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
61	15486	5	1.4	1.78	275	55	5	0.80	<1	10	38	67	5.59	<10	1.44	729	6	0.01	5	1490	12	10	<20	61	<0.01	<10	54	<10	3	66
62	15487	70	5.6	0.74	1880	35	10	0.95	<1	15	37	67	7.64	<10	0.49	511	9	<0.01	7	1380	34	5	<20	79	<0.01	<10	24	<10	<1	105
63	15488	50	2.8	0.63	295	40	<5	1.68	<1	10	43	47	4.11	<10	0.39	743	7	0.01	5	1570	18	<5	<20	130	<0.01	<10	22	<10	5	69
64	15489	30	2.0	1.52	405	50	<5	1.32	<1	10	33	52	5.44	<10	1.20	786	7	0.01	5	1570	20	10	<20	133	<0.01	<10	53	<10	4	63
65	15490	55	2.2	2.13	390	65	15	1.47	<1	15	37	50	7.22	<10	1.71	1009	11	0.01	6	1610	34	10	<20	120	<0.01	<10	65	<10	3	182
66	15491	5	1.0	2.67	105	90	5	1.25	<1	14	23	88	6.34	<10	2.06	901	17	<0.01	5	1620	32	5	<20	119	<0.01	<10	64	<10	3	139
67	15492	110	5.0	1.95	310	60	10	1.58	<1	17	38	47	8.87	<10	2.00	1220	17	<0.01	6	1070	22	15	<20	133	<0.01	<10	48	<10	<1	208
68	15493	130	2.8	4.54	240	80	10	1.71	<1	10	16	10	9.09	<10	5.04	2153	8	<0.01	<1	1700	14	10	<20	139	<0.01	<10	96	<10	4	148
69	15494	150	3.0	4.82	355	75	15	4.23	<1	11	31	13	8.82	<10	5.25	3139	11	<0.01	<1	1460	16	10	<20	386	0.01	<10	104	<10	6	123
70	15495	170	2.6	3.81	165	120	15	2.84	<1	8	37	10	7.98	<10	3.74	2395	8	<0.01	<1	1520	20	15	<20	149	0.01	<10	92	<10	6	107
71	15496	80	2.0	3.06	50	120	15	1.39	<1	8	57	8	6.56	<10	2.92	1597	6	<0.01	<1	1280	14	5	<20	83	<0.01	<10	83	<10	4	88
72	15497	350	4.6	0.55	375	45	15	0.86	<1	9	90	11	7.28	<10	0.71	627	19	<0.01	4	1130	62	10	<20	74	<0.01	<10	28	<10	<1	247
73	15498	100	3.4	0.96	120	55	10	0.66	<1	8	78	11	5.42	<10	0.61	553	9	<0.01	3	1480	20	<5	<20	32	<0.01	<10	46	<10	6	227
74	15499	335	15.0	0.94	535	40	15	0.42	<1	13	98	29	7.81	<10	0.51	514	49	<0.01	4	1480	66	<5	<20	19	<0.01	<10	52	<10	4	856
75	15500	5	3.4	1.02	120	75	10	0.72	11	7	105	10	4.09	<10	0.65	602	7	<0.01	3	1700	380	<5	<20	29	<0.01	<10	42	<10	10	1048
QC DATA:																														
<i>Resplit:</i>																														
R/S 1	15420	>1000	23.2	0.29	275	25	10	0.09	<1	9	47	25	4.42	<10	0.11	76	26	<0.01	35	440	64	40	<20	9	<0.01	<10	6	<10	<1	201
R/S 36	15455	285	20.0	0.94	545	35	<5	0.77	<1	13	52	73	6.86	<10	0.89	331	12	<0.01	12	1590	66	55	<20	40	<0.01	<10	27	<10	2	60
R/S 71	15496	90	1.8	3.01	55	115	15	1.49	<1	8	55	8	6.48	<10	2.92	1645	7	<0.01	<1	1340	14	10	<20	86	<0.01	<10	80	<10	5	83
<i>Repeat:</i>																														
1	15420	>1000	22.0	0.26	260	30	<5	0.08	<1	9	47	25	4.19	<10	0.10	70	24	<0.01	33	440	60	30	<20	9	<0.01	<10	5	<10	<1	195
10	15429	355	10.8	0.10	435	90	<5	<0.01	<1	2	117	9	2.13	<10	<0.01	24	11	<0.01	3	480	124	30	<20	44	<0.01	<10	3	<10	<1	31
19	15438	>1000	>30	0.11	4615	35	<5	0.96	<1	5	104	53	5.22	<10	<0.01	189	18	<0.01	9	830	82	90	<20	75	<0.01	<10	4	<10	2	103
36	15455	285	19.4	0.94	535	40	5	0.77	<1	13	44	70	6.66	<10	0.81	336	10	<0.01	13	1560	62	50	<20	41	<0.01	<10	28	<10	2	67
45	15464	65	4.0	1.09	175	45	<5	0.41	<1	10	62	45	4.38	<10	0.89	322	7	<0.01	7	1480	20	15	<20	15	<0.01	<10	33	<10	4	39
54	15473	75	2.8	0.77	295	45	5	0.53	<1	8	48	48	4.32	<10	0.47	265	11	0.01	5	1560	12	20	<20	21	<0.01	<10	20	<10	4	49
71	15496	75	2.2	3.14	55	120	15	1.41	<1	8	57	8	6.69	<10	2.99	1636	7	<0.01	<1	1320	16	5	<20	82	<0.01	<10	85	<10	5	90
<i>Standard:</i>																														
GEO'95		150	1.2	1.62	55	165	<5	1.63	<1	18	57	88	3.95	<10	0.90	676	<1	0.02	24	590	22	<5	<20	55	0.09	<10	65	<10	6	71
GEO'95		150	1.2	1.63	60	170	<5	1.65	<1	18	58	88	3.89	<10	0.90	672	<1	0.01	26	580	20	<5	<20	54	0.09	<10	72	<10	6	70
GEO'95		150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

dt/894
XLS/95Canamera#5

13-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-916
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

148 Core samples received Oct. 4, 1995
PROJECT #: FD5CA0011
SHIPMENT #: None given
P.O. #: 6382
Samples submitted by: Raul Verzosa

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	15480	5	2.2	1.98	235	50	<5	0.56	<1	13	47	81	5.08	<10	1.59	637	6	<.01	7	1570	22	20	<20	26	<.01	<10	58	<10	4	62
2	15481	35	2.8	2.43	235	50	<5	1.00	<1	12	44	63	5.93	<10	2.06	1039	5	<.01	4	1520	18	20	<20	59	<.01	<10	67	<10	3	58
3	15482	5	1.6	2.50	110	60	5	0.83	<1	9	33	55	5.64	<10	2.08	922	5	<.01	4	1600	12	15	<20	48	<.01	<10	66	<10	4	54
4	15483	10	1.8	1.65	165	45	<5	1.07	<1	9	44	64	4.36	<10	1.33	812	5	<.01	5	1410	12	15	<20	60	<.01	<10	44	<10	4	49
5	15484	5	1.4	2.00	150	50	<5	0.94	<1	10	36	56	5.21	<10	1.58	811	6	<.01	5	1560	12	10	<20	47	<.01	<10	54	<10	4	53
6	15485	30	3.0	1.60	350	45	<5	0.92	<1	12	42	79	5.33	<10	1.26	703	6	<.01	5	1580	18	10	<20	66	<.01	<10	51	<10	4	125
7	15501	5	3.2	1.31	105	55	<5	0.57	29	5	75	11	4.61	<10	0.74	635	4	<.01	3	1820	546	<5	<20	18	<.01	<10	65	<10	8	2675
8	15502	90	10.2	0.91	1005	35	<5	0.37	<1	10	93	19	8.67	<10	0.43	279	37	<.01	7	1410	74	5	40	18	<.01	<10	41	<10	2	734
9	15503	10	5.2	0.95	290	30	<5	0.72	<1	8	83	13	6.24	<10	0.54	503	8	<.01	4	1210	28	<5	<20	27	<.01	<10	28	<10	4	248
10	15504	5	3.8	0.77	2250	45	<5	3.73	<1	7	92	12	5.36	<10	0.60	1703	11	<.01	4	1240	22	15	<20	137	<.01	<10	27	<10	11	75
11	15505	30	4.2	1.28	120	35	15	0.63	<1	10	81	14	7.12	<10	0.70	680	12	<.01	5	1650	24	<5	40	34	<.01	<10	43	<10	3	152
12	15506	5	6.0	1.52	190	40	<5	0.85	<1	8	69	21	8.12	<10	0.88	815	10	<.01	3	1610	28	<5	20	34	<.01	<10	66	<10	5	275
13	15507	5	1.2	2.88	50	55	15	0.96	<1	10	30	15	10.30	<10	1.44	1182	12	<.01	3	1820	8	<5	<20	56	<.01	<10	85	<10	5	143
14	15508	10	0.4	1.59	<5	65	<5	2.24	<1	6	44	6	5.79	<10	0.71	1368	5	<.01	2	1890	6	<5	<20	137	<.01	<10	56	<10	12	124
15	15509	50	2.2	0.89	135	40	<5	2.71	<1	11	70	12	6.99	<10	0.38	1240	9	<.01	4	1410	18	<5	20	160	<.01	<10	44	<10	8	141
16	15510	25	0.8	0.56	25	45	5	2.34	<1	6	77	9	6.09	<10	0.36	1035	8	<.01	3	1580	8	<5	20	117	<.01	<10	36	<10	10	87
17	15511	5	0.6	0.53	<5	55	5	1.37	2	4	55	12	7.33	<10	0.61	784	7	<.01	2	1750	12	<5	20	71	<.01	<10	46	<10	8	263
18	15512	10	1.0	0.33	56	40	<5	1.21	<1	6	64	11	6.09	<10	0.43	507	9	<.01	5	1580	8	<5	40	64	<.01	<10	20	<10	7	53
19	15513	5	1.2	2.64	85	65	5	4.11	<1	30	81	49	7.37	<10	2.10	932	10	0.02	27	960	8	10	<20	268	0.05	<10	161	<10	7	115
20	15514	5	0.4	2.70	20	80	<5	1.49	<1	25	24	88	7.27	<10	1.29	455	7	<.01	16	580	8	<5	<20	71	<.01	<10	53	<10	<1	104
21	15515	5	0.4	2.71	20	90	<5	1.65	<1	26	22	85	7.16	<10	1.28	473	6	<.01	15	570	8	<5	<20	78	<.01	<10	53	<10	<1	103
22	15516	5	<.2	3.19	15	105	<5	1.65	<1	23	22	87	8.18	<10	1.45	467	6	<.01	14	1140	4	<5	<20	77	<.01	<10	74	<10	<1	98
23	15517	5	<.2	2.82	15	90	<5	1.20	<1	26	18	88	7.43	<10	1.32	357	6	<.01	18	580	4	<5	<20	62	<.01	<10	58	<10	<1	92
24	15518	5	<.2	2.69	<5	95	<5	1.17	<1	17	15	84	7.01	<10	1.31	334	6	<.01	13	300	6	<5	<20	55	<.01	<10	41	<10	<1	85
25	15519	5	<.2	2.95	<5	95	<5	1.07	<1	17	18	127	7.63	<10	1.42	353	6	<.01	10	570	4	<5	<20	45	<.01	<10	46	<10	<1	82

Et#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	15520	5	1.8	1.70	<5	40	<5	2.06	3	12	51	63	7.45	<10	0.80	355	14	0.02	15	1510	12	<5	<20	83	<.01	<10	30	<10	5	224
27	15521	35	9.6	1.25	255	30	<5	1.74	7	13	75	70	7.24	<10	0.50	319	28	0.02	58	1960	26	10	20	88	<.01	<10	62	<10	2	671
28	15522	35	7.4	1.17	415	30	<5	1.76	<1	14	72	58	7.62	<10	1.02	591	32	0.02	40	700	22	30	<20	102	<.01	<10	43	<10	<1	277
29	15523	5	0.8	1.21	80	30	<5	1.45	1	12	98	61	6.44	<10	1.12	675	17	0.04	29	710	6	10	<20	64	<.01	<10	77	<10	<1	134
30	15524	5	<2	0.95	40	35	<5	2.76	<1	9	109	41	3.85	<10	0.76	649	21	0.04	35	610	<2	<5	<20	120	<.01	<10	85	<10	2	20
31	15525	5	<2	0.96	55	50	5	1.60	<1	12	45	15	4.81	<10	0.54	517	3	<.01	24	890	10	<5	<20	31	0.06	<10	16	<10	7	87
32	15526	5	1.4	1.12	20	45	<5	2.15	14	10	55	59	3.90	<10	0.65	521	20	0.01	49	720	12	10	<20	56	<.01	<10	48	<10	3	808
33	15527	10	1.0	1.79	50	55	<5	3.53	7	12	78	50	4.61	<10	1.39	792	11	0.02	33	880	12	15	<20	92	<.01	<10	66	<10	4	438
34	15528	15	<2	1.43	30	45	<5	5.34	5	15	88	35	3.88	<10	1.25	770	5	0.02	23	840	8	10	<20	170	<.01	<10	64	<10	8	190
35	15529	95	1.0	1.90	45	60	<5	5.48	6	18	93	40	5.37	<10	1.41	1085	7	0.02	27	1340	16	15	<20	249	<.01	<10	64	<10	10	247
36	15530	25	2.4	1.50	230	35	<5	2.31	<1	12	42	32	7.42	<10	0.93	524	18	<.01	15	1660	34	10	<20	81	<.01	<10	29	<10	7	183
37	15531	45	3.2	0.83	100	45	<5	4.69	2	11	33	53	3.88	<10	0.38	843	26	<.01	48	750	16	25	<20	117	<.01	<10	21	<10	7	175
38	15532	5	0.8	1.71	50	90	<5	10.80	2	18	79	44	4.16	<10	1.17	1327	7	<.01	29	750	6	15	<20	447	<.01	<10	62	<10	8	154
39	15533	10	0.6	2.72	20	60	<5	2.95	4	22	62	60	7.09	<10	1.85	924	9	0.01	22	1150	16	10	<20	78	<.01	<10	78	<10	<1	138
40	15534	5	0.4	2.57	20	55	<5	1.79	7	20	72	80	7.49	<10	1.73	754	19	0.01	39	1410	28	<5	<20	58	<.01	<10	81	<10	2	429
41	15535	5	0.6	3.68	15	70	<5	3.32	15	21	92	78	9.54	<10	2.57	1189	14	<.01	37	1750	20	<5	<20	155	<.01	<10	116	<10	<1	294
42	15536	5	<2	2.81	<5	60	<5	1.24	5	16	141	60	7.31	<10	2.02	807	10	0.01	27	1430	16	<5	<20	44	<.01	<10	86	<10	<1	374
43	15537	5	<2	3.34	50	85	<5	3.47	<1	32	170	25	7.04	<10	2.63	1148	6	<.01	39	550	6	15	<20	167	0.04	<10	163	<10	1	109
44	15538	5	<2	3.29	90	120	<5	11.90	<1	43	141	41	7.30	<10	2.51	2021	6	<.01	49	940	4	<5	<20	542	0.04	<10	120	<10	7	99
45	15539	20	0.8	2.17	55	55	5	3.28	4	15	80	41	5.53	<10	1.70	784	12	<.01	38	1480	16	15	<20	75	<.01	<10	53	<10	6	168
46	15540	25	1.0	2.14	90	65	<5	6.70	2	28	68	51	5.78	<10	1.81	1447	10	<.01	44	800	12	10	<20	128	<.01	<10	54	<10	4	163
47	15541	10	0.8	2.18	35	60	<5	5.35	<1	22	55	56	5.81	<10	1.61	1111	9	<.01	26	1250	16	10	<20	122	<.01	<10	42	<10	4	120
48	15542	5	1.4	1.80	20	35	<5	1.24	12	12	41	57	5.99	<10	1.41	387	23	<.01	40	870	16	<5	<20	28	<.01	<10	47	<10	<1	710
49	15543	10	1.4	1.75	70	45	<5	3.79	2	17	61	64	6.34	<10	1.39	890	19	<.01	30	620	12	5	<20	78	<.01	<10	53	<10	<1	166
50	15544	30	1.0	0.89	120	30	<5	2.21	<1	10	37	37	4.26	<10	0.37	341	15	<.01	29	670	20	<5	<20	57	<.01	<10	16	<10	2	138
51	15545	5	0.6	0.55	75	25	<5	0.64	2	11	14	41	4.64	<10	0.22	163	17	<.01	28	720	16	<5	20	9	<.01	<10	7	<10	<1	119
52	15546	5	0.6	1.73	35	60	<5	5.93	2	16	47	34	5.27	<10	1.36	1095	9	0.01	22	1430	10	10	<20	109	<.01	<10	39	<10	7	167
53	15547	5	0.8	2.98	55	75	5	6.78	2	30	162	58	7.44	<10	2.50	1489	8	0.01	47	910	12	10	<20	125	<.01	<10	108	<10	6	145
54	15548	20	0.6	2.46	85	60	<5	5.07	<1	23	79	50	6.59	<10	2.01	1019	8	0.01	33	1160	16	10	<20	109	<.01	<10	74	<10	6	141
55	15549	10	0.4	2.69	85	55	<5	3.57	8	21	69	49	6.81	<10	2.28	832	10	0.01	28	1150	18	10	<20	83	0.02	<10	79	<10	3	165
56	15550	25	0.6	3.11	115	70	10	5.46	<1	31	92	61	7.87	<10	2.54	1199	7	0.01	40	1150	18	15	<20	139	0.04	<10	113	<10	5	139
57	15551	5	<2	2.33	25	95	<5	3.98	<1	20	36	60	6.03	<10	1.58	962	5	<.01	14	1620	14	5	<20	80	0.03	<10	47	<10	3	86
58	15552	5	<2	3.32	60	95	<5	4.47	<1	28	129	63	7.03	<10	2.77	1087	5	0.01	41	1010	14	10	<20	99	0.03	<10	124	<10	5	96
59	15553	5	<2	4.41	70	70	10	5.50	<1	40	253	59	7.91	<10	4.30	1269	2	0.01	69	800	12	10	<20	151	0.11	<10	212	<10	7	103
60	15554	5	<2	4.82	55	50	10	6.29	<1	43	255	62	8.44	<10	5.00	1625	1	0.01	75	760	10	10	<20	169	0.14	<10	253	<10	9	99
61	15555	5	<2	3.79	20	65	5	5.42	1	30	164	47	7.53	<10	3.57	1299	2	0.01	40	1040	8	10	<20	177	0.11	<10	198	<10	6	83
62	15556	5	<2	3.33	5	75	10	4.96	1	28	152	42	7.16	<10	3.02	1229	3	0.01	45	900	12	10	<20	155	0.11	<10	142	<10	4	81
63	15557	5	<2	4.38	40	80	10	5.14	<1	37	247	49	8.35	<10	4.28	1328	<1	0.01	82	750	12	10	<20	171	0.14	<10	200	<10	6	104
64	15558	5	<2	4.67	85	80	10	4.26	<1	42	317	59	8.92	<10	4.56	1341	<1	0.01	96	850	10	<5	<20	138	0.16	<10	236	<10	9	110
65	15559	5	<2	4.18	65	90	10	5.02	<1	43	255	58	8.03	<10	3.99	1443	<1	0.02	65	940	12	15	<20	143	0.20	<10	237	<10	13	109

Et #	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
66	15560	5	<.2	3.62	35	75	<5	4.66	2	29	139	44	8.30	<10	3.08	1256	3	0.02	32	1180	10	<5	<20	160	0.14	<10	191	<10	8	121
67	15561	5	<.2	2.63	<5	75	<5	3.90	2	16	49	37	8.17	<10	1.89	1069	8	0.02	3	2240	10	<5	<20	115	0.14	<10	109	<10	9	120
68	15562	5	<.2	3.39	56	65	<5	6.46	2	27	182	37	7.08	<10	2.83	1505	5	0.02	55	1140	10	35	<20	225	0.04	<10	179	<10	8	125
69	15563	5	<.2	2.98	100	60	<5	5.23	<1	26	159	40	7.73	<10	2.64	1225	4	0.03	49	1640	12	20	<20	160	0.11	<10	168	<10	13	120
70	15564	5	<.2	3.15	120	75	<5	4.95	<1	29	185	40	7.76	<10	2.64	1216	5	0.02	56	1020	16	5	<20	148	0.10	<10	163	<10	8	131
71	15565	5	<.2	2.14	95	55	<5	3.47	<1	23	131	37	6.73	<10	1.75	914	8	0.02	44	870	16	<5	<20	93	0.08	<10	102	<10	8	133
72	15566	5	0.4	2.73	60	55	5	3.89	1	24	100	48	8.36	<10	2.32	964	12	0.01	48	910	18	15	<20	120	0.04	<10	73	<10	5	163
73	15567	5	0.2	1.25	190	55	<5	5.37	<1	18	79	40	5.84	<10	0.95	1122	18	0.01	45	840	12	5	<20	184	<.01	<10	38	<10	5	144
74	15568	10	0.6	0.99	325	60	<5	4.71	<1	15	59	41	4.95	<10	0.50	723	28	0.01	53	790	16	<5	20	193	<.01	<10	27	<10	5	203
75	15569	5	<.2	1.11	56	40	<5	2.19	<1	13	61	31	5.98	<10	0.71	421	16	0.01	23	990	14	<5	20	86	<.01	<10	22	<10	4	158
76	15570	5	<.2	1.97	25	55	<5	2.69	<1	26	37	74	7.54	<10	1.02	859	7	0.01	13	1460	14	<5	40	89	0.02	<10	48	<10	4	112
77	15571	5	<.2	0.40	15	70	<5	3.92	<1	11	75	32	2.81	<10	0.11	621	2	0.02	12	700	8	<5	20	105	0.04	<10	10	<10	4	40
78	15572	5	<.2	1.12	20	120	<5	8.24	<1	16	65	42	3.93	<10	0.45	1227	3	0.02	12	1020	12	<5	<20	182	0.03	<10	30	<10	4	55
79	15573	5	<.2	1.56	45	115	<5	6.02	<1	21	49	62	5.17	<10	0.65	1319	4	0.01	16	1510	14	<5	<20	149	0.04	<10	39	<10	5	76
80	15574	5	<.2	2.22	20	125	<5	6.62	<1	23	36	67	7.37	<10	0.94	1785	5	0.01	17	1950	16	<5	40	167	0.05	<10	72	<10	3	83
81	15575	5	<.2	0.59	35	85	<5	3.83	<1	13	75	37	2.60	<10	0.21	771	3	0.02	13	820	22	<5	<20	98	0.05	<10	16	<10	2	81
82	15576	5	<.2	0.64	15	95	<5	3.47	<1	13	53	42	3.16	<10	0.36	691	<1	0.02	13	980	12	<5	<20	82	0.06	<10	19	<10	3	60
83	15577	5	<.2	1.22	35	55	<5	4.09	<1	17	56	54	5.33	<10	0.61	754	7	0.01	18	1160	16	<5	<20	111	0.03	<10	30	<10	3	113
84	15578	5	<.2	1.31	100	70	<5	5.31	<1	16	59	40	5.25	<10	0.70	939	11	0.01	21	1320	14	<5	<20	149	0.02	<10	39	<10	8	120
85	15579	5	<.2	2.21	50	70	<5	5.02	1	23	124	51	7.79	<10	1.39	1248	10	0.01	42	1150	20	<5	20	124	0.02	<10	87	<10	6	161
86	15580	5	<.2	1.98	30	70	<5	4.35	2	26	100	64	6.76	<10	1.11	1046	7	0.01	45	1390	20	<5	20	110	0.03	<10	58	<10	6	146
87	15581	5	<.2	1.18	15	110	<5	8.37	2	16	36	33	4.02	<10	0.52	933	12	0.01	18	1000	14	<5	20	179	0.06	<10	29	<10	4	116
88	15582	5	<.2	1.88	15	115	<5	7.19	<1	19	39	40	5.97	<10	0.73	830	3	0.01	20	1160	18	<5	40	154	0.06	<10	38	<10	<1	84
89	15583	5	<.2	1.42	15	90	<5	12.00	<1	19	32	32	4.65	<10	0.52	1260	3	0.01	18	1070	14	<5	20	223	0.06	<10	30	<10	3	56
90	15584	5	<.2	1.67	20	95	<5	5.72	<1	18	34	35	5.11	<10	0.58	775	2	0.01	17	1100	14	<5	20	125	0.04	<10	32	<10	1	69
91	15585	5	<.2	1.47	30	90	<5	10.10	<1	15	35	30	4.37	<10	0.52	1143	4	<.01	17	1060	10	<5	20	204	0.02	<10	29	<10	3	60
92	15586	5	<.2	1.63	25	100	<5	5.92	<1	19	32	45	5.30	<10	0.54	894	3	0.01	19	1160	14	<5	20	117	0.03	<10	32	<10	<1	77
93	15587	5	<.2	1.47	30	100	<5	6.29	<1	18	34	46	4.67	<10	0.44	884	4	0.01	20	1180	14	<5	20	123	0.02	<10	27	<10	1	82
94	15588	5	<.2	1.49	25	90	<5	6.37	<1	21	28	44	5.00	<10	0.48	848	3	0.01	22	1130	24	<5	40	113	0.04	<10	27	<10	<1	75
95	15589	5	<.2	1.08	20	95	<5	7.79	<1	17	25	44	3.67	<10	0.32	1003	3	0.01	18	1180	10	<5	20	141	0.02	<10	19	<10	2	66
96	15590	5	<.2	1.30	20	85	<5	10.30	<1	16	28	39	4.39	<10	0.42	1259	3	0.01	16	1100	8	<5	<20	206	<.01	<10	26	<10	2	53
97	15591	5	<.2	0.37	15	45	<5	6.36	<1	11	61	36	3.59	<10	0.04	721	9	0.02	13	670	10	<5	40	117	<.01	<10	7	<10	<1	61
98	15592	5	<.2	0.54	<5	80	<5	5.78	<1	8	66	19	2.28	<10	0.12	752	2	0.01	8	690	8	<5	20	81	0.02	<10	8	<10	2	29
99	15593	5	<.2	0.53	<5	65	<5	3.77	<1	11	82	29	3.06	<10	0.10	512	5	0.02	11	800	10	<5	40	61	<.01	<10	9	<10	2	34
100	15594	5	<.2	0.39	<5	80	<5	4.35	<1	9	84	28	2.83	<10	0.06	615	2	0.01	10	850	8	<5	<20	69	<.01	<10	6	<10	3	37
101	15595	5	<.2	0.42	<5	70	<5	3.10	<1	10	51	28	2.32	<10	0.06	452	3	0.01	11	610	10	<5	<20	46	0.02	<10	6	<10	1	38
102	15596	5	<.2	0.48	5	65	<5	3.40	<1	11	65	30	3.04	<10	0.10	486	3	0.01	11	830	10	<5	20	54	<.01	<10	7	<10	3	31
103	15597	5	<.2	0.47	<5	65	<5	3.58	<1	10	58	30	2.74	<10	0.10	531	2	0.01	11	620	10	<5	40	50	0.01	<10	6	<10	2	37
104	15598	5	<.2	0.45	5	66	<5	4.72	<1	10	66	29	2.56	<10	0.09	618	1	0.01	11	600	8	<5	40	68	0.03	<10	6	<10	2	35
105	15599	5	<.2	0.49	<5	60	<5	4.28	<1	10	59	23	2.73	<10	0.10	569	2	0.01	10	600	8	<5	20	62	0.01	<10	6	<10	2	38

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
106	15600	5	0.2	0.47	20	60	5	4.82	<1	11	61	36	2.89	<10	0.10	609	3	0.01	12	610	8	<5	<20	67	<0.01	<10	7	<10	3	48
107	15601	5	<2	0.75	5	55	<5	6.92	<1	11	54	21	3.03	<10	0.20	828	4	0.01	11	630	4	<5	<20	84	0.01	<10	10	<10	2	40
108	15602	5	<2	0.88	<5	75	<5	3.35	<1	12	48	59	3.25	<10	0.23	499	5	0.01	12	960	8	<5	<20	43	<0.01	<10	14	<10	3	67
109	15603	5	<2	1.04	<5	70	<5	7.75	<1	8	68	17	3.27	<10	0.27	866	5	0.02	8	620	6	<5	<20	75	0.01	<10	14	<10	<1	39
110	15604	5	<2	0.52	<5	60	<5	10.80	<1	8	43	20	2.76	<10	0.18	855	4	0.01	9	580	<2	<5	<20	90	<0.01	<10	11	<10	<1	39
111	15605	5	0.2	1.14	<5	45	<5	6.71	<1	15	29	84	4.29	<10	0.33	859	5	<0.01	16	1600	12	<5	<20	122	<0.01	<10	20	<10	5	78
112	15606	5	0.2	0.95	<5	60	<5	9.34	<1	14	46	41	4.10	<10	0.27	1217	9	<0.01	16	720	6	<5	<20	89	0.01	<10	19	<10	2	49
113	15607	5	<2	0.45	<5	20	<5	4.05	<1	15	49	30	2.83	<10	0.07	478	8	0.01	15	770	10	<5	20	41	<0.01	<10	8	<10	1	59
114	15608	5	<2	0.72	<5	55	5	8.09	<1	8	56	11	2.53	<10	0.19	900	3	0.01	7	460	4	<5	<20	128	<0.01	<10	9	10	1	25
115	15609	5	<2	0.74	<5	60	<5	4.65	<1	7	68	10	2.21	<10	0.18	626	4	0.01	7	460	6	<5	<20	85	<0.01	<10	8	<10	<1	26
116	15610	5	<2	0.74	<5	65	<5	2.91	<1	8	67	16	2.36	<10	0.17	451	2	0.02	9	580	8	<5	<20	46	0.02	<10	10	<10	2	30
117	15611	5	<2	0.78	<5	55	5	3.43	<1	6	75	9	2.26	<10	0.19	539	4	0.02	6	480	8	<5	20	47	0.01	<10	10	<10	2	25
118	15612	5	<2	0.70	<5	60	<5	3.99	<1	8	64	15	2.25	<10	0.19	560	2	0.01	9	520	8	<5	<20	53	0.01	<10	9	<10	2	28
119	15613	5	<2	0.60	<5	60	<5	5.82	<1	7	64	11	2.10	<10	0.16	660	3	0.01	8	490	4	<5	<20	89	0.01	<10	8	<10	3	24
120	15614	5	<2	0.63	<5	80	<5	5.55	<1	13	60	41	2.86	<10	0.17	687	4	0.01	14	720	8	<5	<20	97	<0.01	<10	11	<10	3	44
121	15615	5	<2	1.00	<5	70	<5	9.65	<1	10	44	38	3.29	<10	0.34	1245	3	0.01	11	780	2	<5	<20	132	0.03	<10	18	<10	4	42
122	15616	5	0.4	1.03	10	60	<5	> 15	<1	14	30	67	3.16	<10	0.46	1983	3	<0.01	11	1210	4	<5	<20	434	0.02	<10	16	<10	6	96
123	15617	5	<2	1.46	20	75	<5	7.26	<1	23	62	61	4.88	<10	0.68	1196	5	<0.01	18	1530	8	<5	<20	275	0.03	<10	27	<10	2	72
124	15618	5	0.4	0.89	10	110	<5	11.80	<1	12	60	52	3.14	<10	0.42	1527	4	<0.01	14	1040	6	<5	<20	384	<0.01	<10	16	<10	5	63
125	15619	5	0.6	1.79	<5	55	5	2.41	9	14	63	92	6.65	<10	1.44	757	23	<0.01	42	1370	22	<5	<20	121	<0.01	<10	49	<10	<1	580
126	15620	5	1.2	2.07	<5	60	10	2.51	5	14	67	65	6.51	<10	1.83	909	13	<0.01	31	1220	28	<5	<20	130	<0.01	<10	53	<10	2	354
127	15621	5	0.6	2.72	10	80	<5	1.53	1	21	35	65	6.96	<10	2.14	1256	7	0.02	12	1580	18	5	<20	47	0.03	<10	102	<10	2	118
128	15622	5	<2	2.58	60	55	<5	5.21	<1	20	45	66	5.96	<10	1.66	1804	4	0.02	11	1430	6	<5	<20	119	0.03	<10	85	<10	1	87
129	15623	5	<2	2.47	15	85	<5	2.67	1	19	36	64	5.74	<10	1.53	1194	4	0.02	13	1290	20	<5	<20	93	0.04	<10	72	<10	3	104
130	15624	5	0.4	2.11	20	80	<5	1.71	4	31	43	112	6.81	<10	1.20	685	6	<0.01	23	1200	36	<5	<20	87	0.10	<10	47	<10	3	289
131	15625	5	0.4	1.77	15	65	<5	1.75	6	28	19	88	5.91	<10	1.11	704	5	<0.01	28	1180	30	<5	<20	48	0.15	<10	39	<10	11	379
132	15626	5	0.4	2.72	15	95	5	1.45	3	31	21	133	7.29	<10	1.57	908	2	<0.01	16	1470	20	<5	<20	52	0.13	<10	70	<10	1	156
133	15627	5	0.2	2.86	40	130	<5	0.96	<1	34	17	147	7.43	<10	1.36	806	2	<0.01	14	1810	20	<5	<20	32	0.09	<10	59	<10	<1	120
134	15628	5	<2	2.52	40	125	<5	2.41	<1	34	21	135	6.52	<10	1.14	970	3	<0.01	15	1970	22	<5	<20	91	0.10	<10	56	<10	3	121
135	15629	5	<2	2.57	15	140	<5	0.62	<1	27	14	87	7.00	<10	0.94	443	3	<0.01	12	1160	18	<5	<20	24	0.07	<10	44	<10	<1	109
136	15630	5	<2	2.10	50	130	<5	0.82	4	41	29	145	5.67	<10	0.70	322	2	<0.01	18	1040	34	<5	20	30	0.07	<10	65	<10	3	118
137	15631	5	<2	2.80	10	150	<5	1.70	<1	26	32	104	8.13	<10	0.76	412	5	<0.01	11	1520	14	<5	40	93	0.06	<10	84	<10	4	108
138	15632	5	<2	2.71	20	155	<5	1.14	<1	32	23	141	7.78	<10	0.73	355	3	<0.01	13	1490	14	<5	40	46	0.09	<10	72	<10	2	110
139	15633	5	<2	3.11	5	175	<5	1.68	1	32	32	355	9.11	<10	0.81	405	3	0.01	12	1680	16	<5	60	65	0.11	<10	116	<10	<1	132
140	15634	5	0.2	2.56	30	130	<5	2.67	<1	25	21	116	6.60	<10	1.09	767	6	<0.01	10	1590	24	<5	20	82	<0.01	<10	52	<10	1	119

Et.#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	TI %	U	V	W	Y	Zn	
141	15635	5	<2	1.57	15	90	<5	3.94	<1	15	19	110	4.35	<10	0.66	1051	5	0.01	5	1260	14	<5	<20	117	<0.01	<10	22	<10	7	84	
142	15636	5	<2	1.87	10	50	5	2.61	1	11	19	16	6.11	<10	0.89	719	9	<0.01	6	1140	18	<5	<20	92	<0.01	<10	17	<10	6	142	
143	15637	5	<2	1.65	30	55	5	1.32	<1	11	16	8	5.34	<10	0.87	377	9	<0.01	5	1160	20	<5	<20	33	<0.01	<10	12	<10	2	118	
144	15638	5	0.6	1.14	1890	40	<5	3.54	<1	13	46	50	5.64	<10	0.53	441	38	<0.01	54	710	22	<5	<20	132	<0.01	<10	18	<10	<1	242	
145	15639	10	0.4	1.42	25	55	<5	3.64	10	9	38	46	4.04	<10	0.86	558	13	<0.01	26	640	14	5	<20	100	<0.01	<10	50	<10	2	622	
146	15640	5	1.2	1.56	35	45	5	2.31	15	11	42	50	4.63	<10	0.95	655	16	<0.01	37	980	18	10	<20	68	<0.01	<10	61	<10	1	682	
QC DATA:																															
<i>Resplit:</i>																															
RS1	15480	10	2.4	2.02	215	50	<5	0.63	<1	13	38	77	5.21	<10	1.64	663	6	<0.01	6	1610	24	25	<20	26	<0.01	<10	60	<10	4	67	
RS36	15530	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RS71	15585	5	<2	2.25	115	65	<5	3.67	3	24	127	35	6.98	<10	1.85	931	7	0.02	46	820	22	5	<20	103	0.08	<10	110	<10	7	133	
RS106	15600	5	<2	0.47	20	65	<5	5.33	<1	13	69	36	2.78	<10	0.10	673	4	0.01	14	650	8	<5	20	76	<0.01	<10	7	<10	2	51	
RS141	15635	5	<2	1.69	10	105	<5	4.11	1	17	22	109	4.52	<10	0.76	1103	6	0.01	6	1300	16	<5	<20	123	<0.01	<10	24	<10	7	95	
<i>Repeat:</i>																															
1	15480	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	15504	10	3.8	0.76	2315	45	<5	3.81	<1	6	93	11	5.42	<10	0.60	1738	12	<0.01	4	1260	22	10	20	138	<0.01	<10	27	<10	11	76	
19	15513	5	1.2	2.71	75	65	5	4.16	<1	31	85	51	7.57	<10	2.13	933	10	0.02	27	970	10	15	<20	270	0.05	<10	164	<10	8	125	
36	15530	35	2.4	1.56	240	35	5	2.52	1	12	44	32	7.00	<10	0.96	546	17	<0.01	15	1700	34	5	<20	86	<0.01	<10	31	<10	7	186	
45	15539	25	0.8	2.13	55	60	<5	3.25	2	15	79	41	5.45	<10	1.67	756	11	<0.01	37	1450	16	10	<20	72	<0.01	<10	52	<10	6	168	
54	15548	25	0.8	2.51	80	65	<5	5.16	<1	24	81	51	6.67	<10	2.08	1036	8	0.01	31	1200	18	5	<20	110	0.01	<10	77	<10	6	142	
71	15565	5	0.2	2.12	90	60	10	3.53	<1	23	129	37	6.76	<10	1.72	920	9	0.02	44	860	18	<5	<20	93	0.08	<10	100	<10	7	135	
80	15574	5	<2	2.17	25	125	<5	6.55	<1	22	35	85	7.23	<10	0.90	1750	5	0.01	17	1920	18	<5	40	160	0.05	<10	70	<10	3	83	
89	15583	5	<2	1.45	15	95	<5	12.30	<1	19	34	33	4.68	<10	0.52	1280	3	0.01	17	1090	16	<5	<20	229	0.06	<10	30	<10	3	57	
106	15600	5	<2	0.48	25	60	<5	5.03	<1	11	64	36	2.78	<10	0.10	629	3	0.01	12	620	8	<5	20	70	<0.01	<10	7	<10	3	51	
115	15609	5	<2	0.75	<5	70	<5	4.63	<1	8	63	11	2.22	<10	0.18	628	3	0.01	7	470	8	<5	20	90	<0.01	<10	8	<10	1	27	
124	15618	5	0.6	0.94	5	105	<5	12.40	1	13	61	53	3.25	<10	0.44	1575	5	<0.01	14	1100	6	<5	<20	400	<0.01	<10	17	<10	4	66	
141	15635	5	0.2	1.71	15	105	<5	4.07	<1	18	22	120	4.63	<10	0.76	1109	6	0.01	7	1310	18	<5	<20	124	<0.01	<10	26	<10	8	96	
<i>Standard:</i>																															
GEO'95	150	1.2	1.62	65	175	<5	<5	1.61	2	20	67	83	4.50	<10	0.88	630	<1	0.02	26	620	22	5	<20	63	0.11	<10	83	<10	4	74	
GEO'95	150	1.0	1.64	60	170	<5	<5	1.66	<1	20	68	82	4.54	<10	0.82	640	<1	0.02	24	610	20	5	<20	63	0.11	<10	84	<10	4	74	
GEO'95	145	1.0	1.65	60	165	<5	<5	1.62	<1	20	69	84	4.56	<10	0.96	614	<1	0.02	22	620	22	5	<20	59	0.12	<10	82	<10	4	72	
GEO'95	145	1.0	1.66	60	150	<5	<5	1.69	<1	20	64	82	3.80	<10	0.88	618	<1	0.02	28	629	22	5	<20	62	0.11	<10	71	<10	4	74	
GEO'95	150	1.2	1.69	70	155	<5	<5	1.63	<1	20	64	83	3.98	<10	0.87	624	<1	0.02	28	600	20	<5	<20	59	0.11	<10	70	<10	4	77	

24-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-950
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

90 Core samples received Oct. 11, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 39

P.O. #: 5979

Samples submitted by: Raul Verzosa

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	15641	5	1.2	1.40	35	55	5	3.91	8	9	43	40	3.90	<10	0.89	870	11	<.01	25	820	10	5	<20	103	<.01	<10	47	<10	2	490
2	15642	5	0.8	1.34	25	65	<5	8.53	4	10	26	38	3.45	<10	0.84	1717	13	<.01	18	650	6	10	<20	189	<.01	<10	29	<10	5	264
3	15643	5	0.8	1.38	25	55	<5	4.68	8	8	46	53	3.97	<10	0.86	1459	16	<.01	32	1120	14	10	<20	121	<.01	<10	63	<10	4	636
4	15644	5	0.4	1.77	40	50	<5	2.51	1	11	33	38	5.03	<10	1.07	758	10	<.01	23	790	18	5	<20	82	<.01	<10	40	<10	1	173
5	15645	5	0.8	0.98	70	45	<5	3.44	1	12	23	37	4.90	<10	0.58	879	69	<.01	33	1070	30	20	<20	196	<.01	<10	17	<10	5	147
6	15646	5	1.4	1.10	95	40	<5	1.91	<1	11	23	31	6.11	<10	0.65	522	24	<.01	27	650	34	20	<20	135	<.01	<10	13	<10	<1	161
7	15647	5	0.6	0.96	55	35	10	1.05	<1	9	25	17	4.47	<10	0.48	298	9	<.01	9	440	30	10	<20	65	<.01	<10	7	<10	<1	136
8	15648	5	0.2	1.56	40	65	5	4.32	<1	10	28	8	4.41	<10	0.95	947	6	<.01	5	1480	10	5	<20	282	<.01	<10	14	<10	10	83
9	15649	5	<.2	2.74	<5	585	10	3.86	<1	22	70	29	6.29	40	2.86	917	2	0.07	37	4290	2	10	<20	405	0.15	<10	115	<10	12	88
10	15650	5	0.4	1.67	50	55	10	2.97	<1	31	31	8	5.68	<10	0.75	868	7	0.01	7	1680	32	5	<20	134	<.01	<10	22	<10	6	93
11	15656	5	0.2	2.57	25	140	<5	3.97	5	23	25	107	5.58	<10	1.77	1070	8	0.02	9	1240	20	5	<20	356	<.01	<10	56	<10	3	528
12	15657	5	0.4	2.43	10	115	<5	3.27	20	18	22	102	5.82	<10	1.54	836	5	0.01	8	1670	18	5	<20	299	<.01	<10	47	<10	4	1889
13	15658	5	<.2	3.48	<5	300	15	1.42	<1	35	77	58	6.47	<10	2.14	667	<1	0.08	45	820	4	5	<20	25	0.23	<10	126	<10	10	110
14	15659	215	<.2	4.93	30	350	15	2.74	<1	39	152	36	9.86	<10	4.22	1292	4	0.01	39	1170	<2	5	<20	79	0.09	<10	324	<10	15	92
15	15660	5	<.2	5.45	40	135	25	3.05	<1	47	163	30	10.40	<10	6.21	1353	2	0.01	44	1070	<2	5	<20	67	0.17	<10	341	<10	13	97
16	15661	5	<.2	3.49	<5	90	20	2.11	1	43	40	56	8.35	<10	2.97	993	<1	0.02	38	1040	<2	5	<20	30	0.37	<10	230	<10	17	89
17	15662	5	<.2	3.79	<5	310	25	3.75	<1	47	125	61	9.79	<10	3.54	1237	<1	0.02	42	970	<2	5	<20	107	0.29	<10	312	<10	19	96
18	15663	5	0.6	0.78	<5	35	<5	4.62	3	6	69	18	4.36	<10	0.65	767	8	0.03	7	520	4	5	<20	147	<.01	<10	26	<10	9	173
19	15664	5	<.2	1.33	<5	20	5	4.04	<1	6	87	23	3.37	<10	1.11	716	9	0.04	10	490	<2	10	<20	90	<.01	<10	68	<10	7	29
20	15665	5	<.2	1.26	<5	20	5	3.09	<1	7	105	20	3.27	<10	1.03	565	12	0.06	13	1430	<2	5	<20	47	<.01	<10	83	<10	10	60
21	15666	5	<.2	1.36	<5	20	10	3.68	<1	10	86	24	4.05	<10	1.21	777	5	0.05	11	2970	2	5	<20	54	0.05	<10	88	<10	16	66
22	15667	5	0.2	2.06	<5	35	5	4.31	<1	19	99	27	5.65	<10	1.91	941	10	0.04	15	810	<2	10	<20	83	0.05	<10	116	<10	8	59
23	15668	5	<.2	5.03	20	60	20	5.70	<1	49	156	46	11.30	<10	5.36	1480	2	0.02	42	1150	<2	5	<20	144	0.13	<10	386	<10	14	93
24	15669	5	1.0	1.27	15	60	<5	7.22	<1	20	67	34	4.99	<10	1.21	1282	14	0.03	28	600	6	20	<20	345	<.01	<10	62	<10	14	21
25	15670	5	<.2	0.90	<5	40	<5	4.47	<1	3	101	4	2.34	<10	0.80	712	5	0.04	11	340	<2	10	<20	116	<.01	<10	40	<10	9	6

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	15676	5	0.6	2.40	90	55	5	4.77	16	15	86	59	7.08	<10	2.01	1349	20	0.03	40	1840	2	10	<20	207	<.01	<10	260	<10	6	1171
27	15677	5	<2	1.56	<5	40	<5	2.74	1	8	92	20	3.70	<10	1.31	773	11	0.04	23	830	10	10	<20	106	<.01	<10	132	<10	6	85
28	15678	5	<2	1.47	<5	30	<5	2.03	1	9	110	26	3.57	<10	1.26	638	15	0.05	20	1740	12	10	<20	74	<.01	<10	160	<10	7	94
29	15679	5	0.4	1.69	<5	50	<5	2.36	2	8	77	46	4.10	<10	1.40	789	13	0.03	20	1080	10	10	<20	114	<.01	<10	113	<10	5	130
30	15680	5	1.6	2.07	90	40	<5	2.08	4	16	62	54	5.62	<10	1.45	631	18	0.03	33	1200	14	10	<20	118	<.01	<10	87	<10	7	335
31	15681	5	0.4	2.80	45	70	10	4.11	2	14	62	33	7.10	<10	1.66	1282	10	0.02	17	1400	4	<5	<20	185	<.01	<10	91	<10	10	166
32	15682	5	0.6	2.61	75	80	10	5.06	<1	24	98	39	7.13	<10	1.78	1749	7	0.02	37	1170	8	<5	<20	182	<.01	<10	76	<10	7	119
33	15683	5	0.4	2.89	95	100	10	6.01	<1	27	159	41	7.35	<10	1.99	1938	8	0.02	47	1260	4	<5	<20	218	0.01	<10	100	<10	10	147
34	15684	5	0.6	3.04	105	85	10	4.20	2	23	98	41	7.67	<10	2.11	1553	9	0.02	37	1240	10	<5	<20	157	<.01	<10	92	<10	6	142
35	15685	5	0.6	2.70	2630	70	10	2.99	<1	20	124	26	7.97	<10	1.96	1276	10	0.03	35	1500	6	<5	<20	123	<.01	<10	97	<10	6	146
36	15686	5	0.6	2.12	30	75	10	2.82	<1	14	30	46	5.21	<10	1.52	793	7	0.01	19	920	16	<5	<20	98	<.01	<10	33	<10	2	159
37	15687	5	0.8	1.83	40	50	5	1.81	2	12	45	46	4.94	<10	1.41	502	9	0.01	21	1820	12	<5	<20	78	<.01	<10	37	<10	4	190
38	15688	5	0.6	2.80	40	45	5	1.11	3	14	34	46	7.43	<10	2.15	648	12	0.01	20	1280	16	<5	<20	44	<.01	<10	44	<10	3	221
39	15689	5	0.4	2.93	5	80	15	1.77	<1	14	21	37	6.51	<10	2.24	708	6	0.01	10	790	10	<5	<20	44	<.01	<10	37	<10	2	129
40	15690	5	0.2	3.06	80	100	10	5.72	<1	29	149	40	7.30	<10	2.17	1401	7	0.02	55	1080	6	<5	<20	237	<.01	<10	97	<10	5	119
41	15696	5	<2	2.20	5	65	10	2.42	1	10	30	30	6.20	<10	1.58	792	7	0.01	14	930	8	10	<20	122	<.01	<10	34	<10	2	133
42	15697	5	<2	2.57	70	75	15	4.25	<1	14	23	11	9.34	<10	1.00	1359	9	0.04	4	1890	8	<5	<20	158	0.02	<10	76	<10	5	146
43	15698	5	0.4	2.74	25	175	10	5.72	<1	20	43	26	7.50	<10	1.16	1544	7	0.02	18	1180	8	<5	<20	227	0.03	<10	56	<10	6	127
44	15699	5	<2	1.49	<5	140	5	6.69	2	10	49	13	4.03	<10	0.53	1858	6	0.03	4	930	16	<5	<20	246	0.01	<10	21	<10	17	143
45	15700	5	<2	2.07	<5	220	10	5.10	1	11	20	9	5.43	10	0.72	1213	6	0.02	5	1000	12	<5	<20	255	0.02	<10	15	<10	12	125
46	15706	5	<2	3.07	<5	160	<5	3.62	2	20	23	52	6.41	<10	2.24	1111	6	0.02	8	1030	6	5	<20	159	<.01	<10	68	<10	<1	70
47	15707	5	<2	2.60	<5	125	<5	3.05	<1	19	24	59	5.65	<10	1.86	855	6	0.02	10	1350	10	<5	<20	112	<.01	<10	50	<10	1	88
48	15708	5	<2	3.82	25	115	10	6.93	1	26	103	58	7.92	<10	2.84	1641	9	0.02	27	1460	6	<5	<20	278	<.01	<10	144	<10	1	95
49	15709	5	0.4	0.84	105	50	5	4.24	<1	10	19	22	4.32	<10	0.41	849	11	0.01	17	960	16	5	<20	147	<.01	<10	11	<10	4	134
50	15710	190	1.4	1.39	245	40	10	0.96	<1	10	20	21	6.22	<10	0.83	390	17	<.01	14	730	24	<5	<20	36	<.01	<10	11	<10	<1	112
51	15711	80	0.4	2.22	110	75	15	5.17	<1	16	24	12	8.52	<10	1.20	1420	13	0.02	2	1990	10	<5	<20	242	<.01	<10	40	<10	4	141
52	15712	5	0.4	2.69	15	100	10	7.67	1	14	22	10	7.48	<10	1.39	1754	9	0.02	1	2260	8	<5	<20	356	<.01	<10	49	<10	6	153
53	15713	5	0.4	2.52	180	80	10	7.66	<1	13	20	28	8.64	<10	1.34	1925	12	<.01	5	1640	38	<5	<20	306	<.01	<10	33	<10	4	238
54	15714	5	0.6	1.34	70	40	10	1.56	8	12	29	23	6.22	<10	0.66	509	12	<.01	18	850	116	<5	<20	73	<.01	<10	17	<10	<1	637
55	15715	5	0.6	1.52	185	45	10	3.03	<1	15	40	23	5.78	<10	0.79	711	14	<.01	21	1100	24	<5	<20	118	<.01	<10	25	<10	4	156
56	15716	5	0.6	1.69	370	45	10	2.55	3	15	53	27	6.50	<10	0.90	663	15	0.01	20	1050	50	<5	<20	104	<.01	<10	27	<10	2	429
57	15717	65	<2	3.65	25	85	20	3.51	<1	18	35	16	9.85	<10	1.70	1101	9	0.02	4	1980	14	<5	<20	108	<.01	<10	86	<10	3	122
58	15718	5	<2	3.86	40	80	15	2.90	4	16	40	15	10.30	<10	1.74	1001	11	0.02	5	1990	14	<5	<20	86	<.01	<10	92	<10	2	161
59	15719	5	<2	2.95	15	85	10	4.78	5	13	37	19	7.93	<10	1.38	1257	8	0.02	6	1830	148	<5	<20	160	<.01	<10	77	<10	4	334
60	15720	5	0.4	3.37	105	70	10	2.64	2	20	88	32	8.84	<10	2.22	976	13	0.02	29	1480	18	10	<20	84	<.01	<10	105	<10	2	201

El #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	15721	5	0.4	1.54	70	60	10	3.95	2	16	60	39	5.73	<10	1.15	756	21	0.01	57	1090	20	10	<20	129	<0.1	<10	49	<10	2	236
62	15722	5	<.2	1.65	90	50	10	3.34	3	20	81	55	6.08	<10	1.26	475	19	0.02	50	1020	16	10	<20	106	0.02	<10	56	<10	3	174
63	15723	5	<.2	3.64	110	125	10	7.70	<1	45	321	57	7.40	<10	3.07	1036	6	0.02	110	670	10	10	<20	275	0.04	<10	184	<10	5	111
64	15724	5	<.2	3.35	170	95	15	5.61	<1	33	218	48	7.54	<10	2.83	890	9	0.02	57	760	12	10	<20	205	<0.1	<10	184	<10	2	133
65	15725	5	0.4	2.78	115	90	5	6.33	<1	33	206	53	7.42	<10	2.01	980	7	0.02	81	980	14	<5	<20	198	<0.1	<10	96	<10	2	132
66	15726	5	<.2	3.01	<5	85	20	3.33	1	13	35	19	10.50	<10	1.01	454	10	0.03	5	1890	10	<5	<20	122	0.01	<10	94	<10	<1	159
67	15727	5	<.2	3.11	20	100	10	9.13	<1	25	63	35	8.38	<10	1.61	1461	6	0.02	25	1360	8	<5	<20	281	0.01	<10	174	<10	7	117
68	15728	5	<.2	4.99	110	70	5	6.40	<1	52	433	55	8.26	<10	5.21	1450	<1	0.01	148	920	12	<5	<20	231	0.06	<10	225	<10	6	102
69	15729	5	<.2	2.83	50	70	10	4.48	1	24	166	43	5.85	<10	2.78	935	10	0.02	60	870	20	15	<20	145	0.06	<10	103	<10	7	152
70	15730	5	<.2	3.61	55	85	10	6.21	<1	26	151	50	6.87	<10	3.50	1439	10	0.01	55	1000	18	15	<20	203	0.03	<10	125	<10	7	122
71	15736	5	2.2	1.93	140	70	10	6.00	1	27	136	46	6.05	<10	1.60	1278	13	0.01	54	950	22	5	<20	147	0.08	<10	90	<10	9	193
72	15737	5	2.2	1.95	425	65	5	2.61	<1	43	210	63	5.27	<10	1.58	614	8	0.01	87	810	26	20	<20	88	0.08	<10	102	<10	8	217
73	15738	20	2.0	1.47	150	50	5	2.83	<1	23	79	44	5.83	<10	1.12	628	10	0.02	37	1320	20	10	<20	105	0.06	<10	52	<10	8	190
74	15739	5	0.8	2.57	75	60	15	3.40	1	22	108	46	6.92	<10	2.17	988	6	0.02	34	1210	22	10	<20	95	0.07	<10	84	<10	7	159
75	15740	10	0.6	2.95	170	65	5	4.58	<1	29	131	63	7.94	<10	2.49	1251	8	0.01	52	1050	36	<5	<20	127	0.04	<10	115	<10	3	184
76	15746	5	0.4	1.89	115	55	<5	4.73	<1	19	102	37	5.79	<10	1.45	1045	6	0.02	29	1170	16	<5	<20	161	<0.1	<10	71	<10	5	146
77	15747	5	0.4	2.89	<5	75	20	6.91	1	14	42	24	9.21	<10	2.07	1928	11	0.02	10	1610	16	<5	<20	199	0.01	<10	77	<10	6	153
78	15748	5	0.8	2.04	20	65	15	5.55	2	15	49	29	7.23	<10	1.50	1368	8	0.02	12	1450	20	<5	<20	172	<0.1	<10	62	<10	6	153
79	15749	5	0.8	1.51	<5	40	10	1.80	3	11	14	40	6.27	<10	1.35	473	9	0.01	12	1230	24	5	<20	110	<0.1	<10	11	<10	5	151
80	15750	5	1.8	1.14	70	40	<5	2.12	11	12	51	67	5.38	<10	0.80	607	22	0.01	49	790	20	<5	<20	120	0.01	<10	54	<10	1	693
81	15751	5	1.2	1.43	25	40	10	1.43	17	13	70	64	5.85	<10	1.13	497	20	0.03	51	2540	18	<5	<20	81	0.03	<10	153	<10	9	958
82	15752	5	1.2	1.28	45	50	<5	2.86	13	10	55	54	5.32	<10	0.95	568	20	0.02	36	5610	14	<5	<20	153	<0.1	<10	88	<10	16	784
83	15753	5	1.0	0.75	15	50	5	1.81	16	9	65	45	4.36	<10	0.49	487	19	0.02	37	1820	14	<5	<20	88	0.03	<10	46	<10	7	911
84	15754	5	1.0	0.58	35	45	5	1.99	21	10	43	46	3.63	<10	0.31	556	22	<0.1	37	1550	14	<5	<20	76	0.07	<10	27	<10	9	1232
85	15755	5	1.4	0.50	125	45	<5	2.75	14	11	42	48	3.69	<10	0.20	686	20	<0.1	36	2030	14	<5	<20	85	0.09	<10	23	<10	12	903
86	15756	5	1.8	0.47	90	40	5	2.40	8	11	39	48	4.08	<10	0.14	551	17	<0.1	36	2240	12	<5	<20	85	0.05	<10	22	<10	9	551
87	15757	5	0.6	0.19	100	35	5	2.35	2	7	109	27	4.87	<10	<0.1	467	35	0.01	38	540	4	<5	<20	72	0.03	<10	12	<10	1	186
88	15758	5	2.0	0.47	70	35	5	2.55	10	10	39	46	4.87	<10	0.15	564	25	<0.1	41	1690	12	<5	<20	79	0.01	<10	24	<10	6	668
89	15759	5	2.8	0.76	100	30	<5	1.25	6	11	52	48	5.20	<10	0.43	434	16	0.01	33	1680	42	5	<20	53	0.03	<10	31	<10	6	465
90	15760	5	2.8	0.75	50	30	<5	0.73	7	13	37	63	5.82	<10	0.47	370	12	<0.1	37	1840	26	<5	<20	32	0.06	<10	32	<10	9	543

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
QC DATA:																														
<i>Resplit:</i>																														
R/S 1	15641	5	1.2	1.41	40	45	10	3.95	7	9	40	37	3.90	<10	0.91	911	11	<0.01	25	780	8	10	<20	96	<0.01	<10	46	<10	2	464
R/S 36	15686	5	0.8	2.11	45	75	<5	3.08	<1	15	25	47	5.51	<10	1.51	814	6	0.01	22	900	22	5	<20	103	<0.01	<10	31	<10	2	169
R/S 71	15736	5	2.6	1.93	130	70	10	6.05	1	26	131	51	5.88	<10	1.56	1255	15	0.01	55	1010	28	10	<20	143	0.08	<10	87	<10	9	198
<i>Repeat:</i>																														
1	15641	5	1.0	1.41	30	50	<5	3.90	9	9	43	40	3.92	<10	0.90	873	10	<0.01	25	830	8	10	<20	103	<0.01	<10	47	<10	2	498
10	15650	5	0.6	1.65	45	55	5	2.97	<1	31	31	8	5.70	<10	0.76	866	7	0.01	6	1670	28	<5	<20	136	<0.01	<10	22	<10	6	84
19	15664	5	<2	1.34	<5	25	<5	4.07	<1	6	86	23	3.40	<10	1.13	725	9	0.04	10	500	<2	10	<20	93	<0.01	<10	70	<10	7	31
36	15686	5	0.6	2.00	30	80	5	2.69	2	14	30	43	4.93	<10	1.43	757	7	0.01	18	890	14	<5	<20	93	<0.01	<10	31	<10	2	153
45	15700	5	<2	2.09	<5	215	10	5.21	<1	11	20	9	5.58	<10	0.73	1239	6	0.02	4	1030	16	<5	<20	258	0.02	<10	15	<10	11	130
54	15714	5	0.6	1.35	75	40	15	1.54	9	12	30	23	6.27	<10	0.65	501	11	<0.01	17	850	120	<5	<20	75	<0.01	<10	18	<10	<1	680
71	15736	5	2.4	1.92	145	70	10	6.09	1	27	136	46	5.98	<10	1.59	1279	14	0.01	53	950	24	10	<20	149	0.07	<10	90	<10	9	191
80	15750	5	1.8	1.12	70	40	5	2.11	11	12	51	67	5.36	<10	0.79	605	23	0.01	48	780	18	<5	<20	121	<0.01	<10	53	<10	1	699
<i>Standard:</i>																														
GEO'95		150	1.2	1.72	85	160	5	1.77	<1	19	62	81	3.80	<10	0.98	635	<1	0.02	24	640	18	<5	<20	57	0.11	<10	72	<10	5	74
GEO'95		145	1.2	1.70	80	170	10	1.86	<1	20	67	84	3.75	<10	0.92	630	<1	0.02	26	680	20	5	<20	61	0.12	<10	72	<10	4	72
GEO'95		145	1.0	1.72	80	170	5	1.64	<1	20	66	83	4.33	<10	0.97	715	<1	0.02	24	660	22	<5	<20	59	0.11	<10	74	<10	4	72
GEO'95		150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

dt/975
XLS/95Canamera#6


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

26-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-986
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

181 Core samples received Oct. 18, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 41
P.O. #: 5984
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	15671	<.2	1.56	5	80	<.5	2.86	<.1	6	100	19	3.71	<.10	1.35	737	17	0.04	33	1230	<.2	15	<.20	100	<.01	<.10	121	<.10	8	55
2	15672	<.2	1.65	<.5	60	5	2.70	1	8	91	21	4.21	<.10	1.41	778	17	0.04	35	1040	<.2	20	<.20	84	<.01	<.10	169	<.10	7	102
3	15673	<.2	2.04	<.5	35	<.5	2.12	<.1	14	121	24	4.92	<.10	1.84	806	17	0.04	35	1430	<.2	20	<.20	41	<.01	<.10	279	<.10	7	48
4	15674	<.2	4.03	20	80	15	7.00	<.1	32	153	53	8.07	<.10	3.76	1800	12	0.03	51	1010	<.2	20	<.20	104	0.07	<.10	370	<.10	7	119
5	15675	0.8	2.88	<.5	90	10	4.25	<.1	14	104	32	6.42	<.10	2.56	1389	27	0.02	56	950	<.2	35	<.20	64	<.01	<.10	355	<.10	4	156
6	15691	<.2	1.67	75	85	5	11.30	<.1	22	104	32	5.47	<.10	1.05	3054	6	0.02	34	2350	4	10	<.20	349	0.01	<.10	69	<.10	9	111
7	15692	<.2	3.09	40	105	10	6.40	<.1	23	87	30	7.57	<.10	1.79	1913	6	0.02	30	2290	<.2	5	<.20	205	<.01	<.10	86	<.10	4	157
8	15693	<.2	3.73	35	85	20	3.94	<.1	28	93	46	10.20	<.10	2.26	1291	9	0.02	25	1940	<.2	<.5	<.20	156	<.01	<.10	92	<.10	1	192
9	15694	<.2	3.61	65	100	5	7.67	<.1	37	225	50	8.43	<.10	2.31	1919	87	0.02	64	1470	<.2	<.5	<.20	278	0.01	<.10	156	<.10	4	150
10	15695	<.2	3.68	70	100	10	7.63	<.1	30	198	39	8.16	<.10	2.70	1906	6	0.02	61	1250	<.2	10	<.20	279	<.01	<.10	132	<.10	4	124
11	15731	<.2	2.83	40	85	5	5.27	<.1	26	89	49	6.31	<.10	2.41	1210	5	0.02	32	1500	<.2	15	<.20	166	0.03	<.10	95	<.10	5	95
12	15732	<.2	2.44	35	70	10	5.17	<.1	25	128	62	6.12	<.10	1.91	1078	5	0.03	18	1620	14	10	<.20	166	<.01	<.10	109	<.10	6	112
13	15733	0.4	2.51	260	55	10	4.80	<.1	29	143	43	6.56	<.10	2.37	1256	6	0.01	51	1230	12	20	<.20	133	0.05	<.10	92	<.10	5	171
14	15734	0.8	1.21	85	40	5	2.84	2	15	47	43	5.27	<.10	0.84	571	11	<.01	26	1950	18	<.5	<.20	84	0.04	<.10	25	<.10	10	238
15	15735	1.8	2.51	140	55	15	3.03	<.1	25	92	50	7.11	<.10	2.16	883	7	0.01	38	1350	14	15	<.20	98	0.06	<.10	76	<.10	6	232
16	15741	<.2	1.94	15	40	10	2.81	<.1	14	71	30	6.70	<.10	1.69	778	6	0.02	7	1650	12	<.5	<.20	107	0.02	<.10	60	<.10	3	102
17	15742	0.2	3.01	385	65	10	5.11	<.1	21	72	40	6.86	<.10	2.80	1265	6	0.01	18	1680	6	20	<.20	165	<.01	<.10	84	<.10	2	112
18	15743	0.6	3.01	95	60	15	5.07	<.1	23	70	46	8.17	<.10	2.44	1299	9	0.02	23	1560	8	10	<.20	145	0.02	<.10	87	<.10	4	175
19	15744	<.2	2.44	15	65	15	6.10	1	21	53	50	6.33	<.10	1.79	1596	5	0.01	17	1690	<.2	15	<.20	169	0.04	<.10	80	<.10	3	96
20	15745	0.4	3.09	80	65	10	4.39	<.1	31	116	57	7.48	<.10	2.53	1362	7	0.02	41	1370	8	15	<.20	118	0.04	<.10	117	<.10	6	147
21	15761	1.4	0.61	50	20	<.5	0.63	18	13	46	67	5.05	<.10	0.43	352	25	<.01	56	1030	14	<.5	<.20	25	<.01	<.10	31	<.10	4	1120
22	15762	1.4	0.46	105	25	<.5	2.40	24	11	38	72	5.23	<.10	0.21	389	48	<.01	78	1370	16	15	<.20	154	<.01	<.10	25	<.10	2	1574
23	15763	1.6	0.54	50	25	<.5	2.20	<.1	9	59	43	4.85	<.10	0.26	615	7	0.01	22	1740	10	<.5	<.20	80	<.01	<.10	21	<.10	5	165
24	15764	1.0	0.84	40	30	<.5	2.02	<.1	17	39	70	6.87	<.10	0.54	853	7	<.01	26	1970	16	<.5	<.20	56	0.03	<.10	30	<.10	2	168
25	15765	0.8	1.10	60	30	10	1.91	<.1	20	21	60	7.66	<.10	0.80	932	8	<.01	25	3030	18	<.5	<.20	56	0.04	<.10	23	<.10	5	210

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	15766	1.0	0.99	25	30	10	1.93	<1	15	40	69	7.00	<10	0.78	868	6	<0.1	37	3490	16	<5	<20	51	0.06	<10	37	<10	6	232
27	15767	1.2	1.07	30	35	<5	2.56	<1	17	32	64	6.44	<10	0.89	1109	7	<0.1	29	1690	16	<5	<20	77	0.03	<10	33	<10	3	198
28	15768	1.0	0.70	30	45	10	4.54	<1	8	67	33	4.51	<10	0.37	1052	7	<0.1	14	3080	10	<5	<20	144	0.01	<10	24	<10	10	140
29	15769	1.6	0.40	50	25	<5	2.79	7	8	109	29	3.48	<10	0.16	560	8	0.04	18	850	26	5	<20	70	0.02	<10	26	<10	4	436
30	15770	1.6	0.26	50	25	5	2.97	7	8	167	31	3.13	<10	0.12	524	5	0.04	14	510	44	<5	40	59	0.06	<10	31	<10	3	554
31	15771	2.0	0.96	50	20	10	1.83	7	16	104	61	5.91	<10	0.75	785	8	0.02	35	1080	52	5	20	36	0.03	<10	67	<10	3	602
32	15772	1.0	0.77	375	25	<5	1.82	2	13	80	51	6.38	<10	0.52	692	17	0.02	34	1110	20	10	20	39	0.06	<10	39	<10	4	526
33	15773	1.4	0.59	150	20	5	1.53	5	12	43	43	4.92	<10	0.18	435	30	<0.1	52	1070	16	15	20	46	0.06	<10	22	<10	6	527
34	15774	<2	0.27	10	65	<5	1.23	<1	2	166	13	1.49	20	0.11	266	7	0.02	11	110	4	<5	40	27	<0.1	<10	3	<10	7	113
35	15775 'A'	<2	0.19	125	45	<5	0.70	<1	2	168	16	1.71	10	0.06	185	6	0.04	6	50	12	<5	40	17	<0.1	<10	3	<10	7	75
36	15775 'B'	<2	2.35	15	120	<5	6.69	<1	19	26	66	4.98	<10	1.38	1445	4	0.02	9	1630	12	5	<20	319	<0.1	<10	49	<10	3	83
37	15776	<2	0.23	5	30	<5	0.88	1	2	168	11	1.31	20	0.14	226	7	0.05	11	70	12	<5	40	20	<0.1	<10	8	<10	10	114
38	15777	<2	0.12	10	40	<5	1.97	<1	2	166	12	1.42	10	0.02	375	4	0.04	7	50	10	<5	40	31	<0.1	<10	3	<10	9	114
39	15778	2.0	0.96	20	25	<5	1.73	8	13	107	53	5.56	<10	0.83	710	12	0.02	31	1010	36	10	40	52	0.06	<10	63	<10	5	659
40	15779	2.2	0.86	10	25	<5	1.66	29	12	104	75	5.01	<10	0.75	647	22	0.02	43	1620	32	5	<20	56	0.06	<10	72	<10	7	1911
41	15780	2.2	1.17	<5	30	10	1.34	24	13	82	65	6.28	<10	1.02	702	17	0.02	36	830	32	5	<20	47	0.03	<10	96	<10	3	1488
42	15781	1.8	1.35	<5	30	10	1.19	28	17	105	72	7.22	<10	1.32	731	16	0.03	43	880	22	<5	<20	31	0.08	<10	143	<10	5	1692
43	15782	1.4	1.45	215	30	<5	0.67	30	17	80	100	7.49	<10	1.42	672	11	0.02	37	1020	20	<5	<20	19	0.07	<10	128	<10	5	1817
44	15783	1.0	1.36	25	30	15	1.52	22	18	97	83	7.31	<10	1.37	720	28	0.02	50	970	20	<5	<20	39	0.10	<10	198	<10	5	1262
45	15784	1.4	1.30	50	40	10	3.90	13	12	78	69	7.05	<10	1.27	926	13	0.02	33	6490	14	<5	<20	109	0.06	<10	105	<10	9	865
46	15785	6.6	0.91	55	40	10	13.60	2	9	66	59	6.81	<10	0.75	1976	7	0.01	25	10000	48	30	<20	338	0.03	<10	83	<10	13	201
47	15786	3.8	1.24	50	30	<5	2.58	20	14	73	85	7.34	<10	1.07	800	25	0.02	51	4000	56	20	<20	80	<0.1	<10	107	<10	4	1101
48	15787	1.2	1.86	75	30	<5	0.62	2	17	136	85	8.82	<10	1.85	941	13	0.02	53	1460	32	<5	<20	23	0.04	<10	210	<10	6	194
49	15788	<2	1.53	30	40	10	0.89	6	13	123	58	6.18	<10	1.43	871	5	0.03	33	800	20	5	<20	38	0.06	<10	182	<10	5	420
50	15789	<2	1.17	95	45	10	0.87	2	11	139	40	4.55	<10	0.98	696	3	0.04	15	860	8	<5	20	20	0.07	<10	137	<10	7	211
51	15790	<2	0.88	5	65	<5	0.80	1	7	130	33	3.10	<10	0.67	483	2	0.04	10	950	6	<5	20	22	0.05	<10	77	<10	7	122
52	15791	<2	1.57	<5	40	10	0.90	2	13	129	67	5.81	<10	1.25	795	5	0.04	30	980	6	<5	<20	30	0.06	<10	192	<10	6	145
53	15792	<2	0.74	<5	75	<5	1.83	<1	5	133	28	2.75	<10	0.53	451	4	0.04	10	850	<2	<5	<20	32	0.03	<10	67	<10	7	59
54	15793	<2	1.94	<5	45	5	1.21	1	16	125	29	7.13	<10	1.39	1108	6	0.04	24	1500	4	<5	<20	28	0.08	<10	244	<10	10	164
55	15794	<2	1.84	<5	60	15	1.36	1	13	129	16	5.94	<10	1.23	1017	5	0.04	21	1170	4	<5	<20	40	0.06	<10	217	<10	9	168
56	15795	<2	1.30	<5	65	15	0.83	<1	9	103	17	4.23	<10	0.87	694	4	0.04	15	890	6	<5	20	21	0.08	<10	132	<10	10	111
57	15796	<2	1.65	5	75	10	1.09	<1	11	148	14	4.60	<10	0.99	785	3	0.04	24	600	8	<5	20	51	0.08	<10	170	<10	9	146
58	15797	<2	2.84	<5	115	10	0.68	1	18	135	32	7.47	<10	1.81	1095	31	0.03	33	890	8	<5	<20	19	0.13	<10	310	<10	10	218
59	15798	<2	1.67	15	60	10	1.36	<1	19	150	29	4.88	<10	1.11	754	<1	0.04	31	770	8	<5	<20	45	0.11	<10	215	<10	12	51
60	15799	<2	1.33	45	25	<5	3.04	<1	11	109	10	3.82	<10	1.05	578	<1	0.04	27	790	4	10	<20	162	0.12	<10	202	<10	12	32

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	15800	<2	2.07	<5	55	20	3.57	<1	16	122	6	7.96	<10	1.27	809	6	0.03	33	2010	<2	<5	<20	166	0.07	<10	280	<10	9	67
62	15801	<2	1.81	10	40	10	3.07	<1	22	89	3	5.93	<10	1.50	683	3	0.04	22	780	2	<5	<20	137	0.12	<10	162	<10	7	52
63	15802	<2	3.52	<5	65	20	3.81	1	33	94	58	11.40	<10	2.58	1236	5	0.03	36	1070	<2	5	<20	154	0.11	<10	263	<10	4	56
64	15803	0.6	2.96	5	35	<5	4.00	2	23	86	136	6.95	<10	3.11	1024	<1	0.03	35	1520	14	15	<20	180	0.12	<10	166	<10	11	105
65	15804	<2	3.00	25	60	25	2.56	<1	26	142	13	5.82	<10	3.17	944	<1	0.03	43	1520	12	20	<20	128	0.16	<10	175	<10	9	111
66	15805	<2	3.75	30	60	20	2.23	1	31	118	15	8.79	<10	3.42	1111	<1	0.03	36	1490	14	15	<20	95	0.14	<10	200	<10	6	133
67	15806	1.4	3.35	45	80	20	4.97	10	30	181	27	8.01	<10	3.34	1354	<1	0.03	59	1130	12	15	<20	181	0.14	<10	260	<10	8	949
68	15807	2.4	2.40	20	45	20	6.52	3	18	106	15	7.07	<10	2.21	1741	2	0.04	38	1250	34	20	<20	165	0.11	<10	207	<10	9	273
69	15808	<2	3.56	45	40	10	3.25	<1	27	159	33	7.02	<10	3.94	1227	<1	0.03	33	1590	4	25	<20	109	0.16	<10	209	<10	8	56
70	15809	<2	3.18	35	95	15	1.68	<1	24	40	60	6.58	<10	2.84	1138	4	0.02	14	1760	14	20	<20	65	0.07	<10	142	<10	1	114
71	15810	<2	2.23	25	95	<5	2.74	<1	20	39	67	5.44	<10	2.02	972	3	0.02	14	1590	10	15	<20	120	0.08	<10	71	<10	2	117
72	15811	<2	2.11	30	60	<5	2.65	3	27	36	98	6.81	<10	1.92	869	4	0.02	16	2410	6	<5	<20	127	0.09	<10	66	<10	3	217
73	15812	<2	2.76	30	130	<5	2.17	<1	21	37	63	5.78	<10	2.22	1080	3	0.02	12	1330	6	<5	<20	97	0.06	<10	100	<10	<1	112
74	15813	<2	2.15	15	85	5	2.70	<1	19	56	40	4.42	<10	1.88	862	3	0.03	13	1480	6	10	<20	111	0.05	<10	127	<10	3	66
75	15814	<2	2.99	<5	115	<5	1.26	1	18	49	65	5.66	<10	2.70	1136	5	0.04	12	1270	4	5	<20	72	0.02	<10	152	<10	<1	93
76	15815	<2	2.81	15	80	<5	3.78	7	18	41	87	5.61	<10	2.33	1621	4	0.03	10	1280	4	5	<20	145	0.01	<10	137	<10	1	573
77	15816	<2	2.36	<5	50	<5	0.91	35	12	142	104	6.13	<10	1.89	912	28	0.03	53	920	4	<5	<20	56	<0.1	<10	414	<10	<1	1700
78	15817	<2	1.67	<5	45	<5	1.16	1	10	108	63	4.79	<10	1.27	713	8	0.04	21	740	2	<5	<20	55	0.01	<10	188	<10	4	91
79	15818	0.4	1.18	<5	30	<5	1.31	4	12	138	51	4.60	<10	1.08	466	6	0.06	18	660	6	<5	<20	45	0.01	<10	153	<10	2	186
80	15819	1.8	1.17	45	35	<5	1.81	11	15	80	52	4.93	<10	1.00	573	16	0.03	33	1980	32	10	<20	80	<0.1	<10	120	<10	7	815
81	15820	0.6	2.56	40	115	<5	4.09	4	22	35	56	5.53	<10	1.92	1501	5	0.02	12	1580	8	5	<20	193	0.02	<10	75	<10	3	330
82	15821	<2	2.65	20	135	<5	2.01	<1	19	38	62	5.73	<10	1.90	1028	3	0.02	13	1330	8	5	<20	116	0.04	<10	71	<10	<1	107
83	15822	0.2	2.57	25	130	<5	4.41	<1	21	38	61	5.56	<10	1.80	1741	4	0.02	11	1530	4	10	<20	234	0.04	<10	76	<10	<1	90
84	15823	0.8	1.57	<5	60	<5	3.79	1	16	48	50	5.28	<10	1.22	1047	6	0.02	13	1960	8	<5	<20	179	0.02	<10	50	<10	6	133
85	15824	2.4	0.95	<5	40	<5	1.27	8	10	39	53	5.49	<10	0.74	434	17	0.02	35	1200	16	<5	<20	51	<0.1	<10	33	<10	5	511
86	15825	1.8	1.25	<5	35	<5	1.54	23	12	69	81	5.73	<10	0.90	474	29	0.03	59	3700	18	<5	<20	81	<0.1	<10	81	<10	14	1206
87	15826	0.6	1.17	<5	40	<5	0.90	3	11	96	50	4.23	<10	0.80	423	10	0.04	23	670	14	<5	<20	55	<0.1	<10	70	<10	<1	163
88	15827	1.4	0.93	10	40	<5	2.63	8	12	66	59	4.03	<10	0.52	629	48	0.03	74	1040	18	<5	<20	150	<0.1	<10	48	<10	4	667
89	15828	1.4	4.87	30	80	<5	4.78	4	34	116	175	8.89	<10	4.50	2027	14	0.02	39	1050	<2	<5	<20	385	0.01	<10	278	<10	3	309
90	15829	<2	3.97	10	50	<5	1.32	22	14	75	56	6.39	<10	3.97	1162	26	0.02	47	1040	10	15	<20	89	0.01	<10	280	<10	2	1071
91	15830	0.6	2.10	10	40	<5	1.46	78	16	87	80	4.31	<10	1.85	633	6	0.03	16	1170	16	15	<20	84	<0.1	<10	173	<10	<1	2638
92	15831	2.6	2.68	45	55	<5	1.46	6	22	93	317	5.50	<10	2.56	893	10	0.03	23	860	8	<5	<20	89	<0.1	<10	164	<10	<1	389
93	15832	1.8	1.30	35	35	<5	1.39	10	11	39	53	4.64	<10	1.02	614	15	0.02	33	1060	14	5	<20	88	<0.1	<10	41	<10	2	639
94	15833	1.0	0.84	20	45	<5	1.18	12	7	82	39	3.07	<10	0.71	483	16	0.02	32	610	10	10	<20	90	<0.1	<10	26	<10	<1	705
95	15834	1.4	1.08	30	40	<5	1.55	5	11	56	45	4.20	<10	0.85	659	15	0.02	29	1140	12	10	<20	133	<0.1	<10	29	<10	2	375

El #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	15835	0.8	1.20	15	45	<5	1.83	6	10	86	45	4.03	<10	0.81	692	18	0.02	33	760	12	5	<20	150	<0.1	<10	35	<10	1	421
97	15836	0.8	1.10	20	35	<5	9.41	4	9	73	36	4.48	<10	1.02	1563	15	0.02	24	810	6	10	<20	1038	<0.1	<10	25	<10	6	248
98	15837	0.8	0.84	35	40	<5	3.05	10	9	80	51	3.57	<10	0.51	664	17	0.02	35	1240	14	5	<20	254	<0.1	<10	22	<10	4	782
99	15838	1.2	0.83	50	40	<5	3.30	5	11	56	57	3.96	<10	0.60	704	20	0.02	38	900	12	5	<20	283	<0.1	<10	25	<10	2	452
100	15839	2.0	0.93	70	35	<5	2.03	21	11	66	63	4.28	<10	0.60	516	23	0.02	49	980	20	10	<20	166	<0.1	<10	35	<10	1	1360
101	15840	1.6	0.85	35	40	<5	2.44	9	9	55	44	3.99	<10	0.80	645	12	0.02	36	700	10	10	<20	194	<0.1	<10	31	<10	1	596
102	15841	1.2	1.06	20	40	<5	1.72	10	9	51	47	4.62	<10	0.96	559	16	0.02	36	920	10	5	<20	168	<0.1	<10	29	<10	2	636
103	15842	1.4	1.00	20	40	<5	1.42	8	9	63	53	4.23	<10	0.87	490	13	0.02	30	920	12	<5	<20	175	<0.1	<10	29	<10	2	502
104	15843	1.2	1.08	20	35	<5	1.83	10	9	82	47	4.09	<10	0.84	604	17	0.02	31	650	10	<5	<20	196	<0.1	<10	25	<10	1	589
105	15844	1.0	0.36	25	45	<5	3.61	5	7	116	36	3.47	<10	1.06	774	15	0.02	21	850	6	10	<20	327	<0.1	<10	18	<10	5	363
106	15845	1.2	0.75	30	35	<5	2.39	6	9	75	42	3.71	<10	0.70	519	16	0.01	27	1040	10	<5	<20	226	<0.1	<10	21	<10	3	488
107	15846	1.8	0.86	45	35	<5	4.16	3	12	73	41	4.42	<10	0.99	1014	102	0.02	22	720	16	10	<20	338	<0.1	<10	21	<10	2	261
108	15847	2.6	0.93	95	25	5	3.56	8	13	41	58	4.96	<10	0.96	941	46	0.01	36	1050	24	15	<20	237	<0.1	<10	27	<10	2	712
109	15848	2.6	1.02	145	40	<5	4.57	7	10	87	64	5.27	<10	0.97	1191	32	<0.1	45	1150	22	15	<20	329	<0.1	<10	46	<10	4	598
110	15849	2.2	0.64	2350	45	<5	5.51	<1	19	77	60	5.71	<10	1.48	1776	11	0.02	30	1400	54	10	<20	427	<0.1	<10	46	<10	6	211
111	15850	0.8	1.37	140	85	<5	4.65	<1	22	83	80	5.51	<10	1.01	1444	7	0.02	17	1700	8	<5	<20	257	<0.1	<10	32	<10	3	153
112	15851	0.4	1.73	25	65	<5	3.67	1	19	105	68	5.12	<10	0.85	978	5	0.01	12	1530	18	<5	<20	310	<0.1	<10	41	<10	2	151
113	15852	0.8	1.63	20	55	<5	4.35	5	22	66	76	5.64	<10	0.89	1401	8	0.02	15	1760	12	<5	<20	332	<0.1	<10	43	<10	4	155
114	15853	0.6	1.36	10	70	<5	3.17	4	17	60	64	5.91	<10	1.00	1354	8	0.02	17	1600	10	<5	<20	185	<0.1	<10	42	<10	4	261
115	15854	0.6	1.49	15	55	<5	5.67	6	23	63	71	5.84	<10	0.95	1730	9	0.02	20	2150	14	<5	<20	363	<0.1	<10	42	<10	5	172
116	15855	1.0	2.22	35	65	<5	2.29	1	31	51	124	6.63	<10	1.22	1245	6	0.02	20	1980	12	<5	<20	146	<0.1	<10	58	<10	2	115
117	15861	0.8	0.82	535	65	<5	3.99	<1	28	123	29	5.01	<10	1.19	1205	10	0.02	17	1240	10	15	<20	308	<0.1	<10	46	<10	3	101
118	15862	0.6	2.74	15	110	<5	2.51	<1	21	70	62	7.47	<10	2.45	1225	7	0.02	16	1600	16	<5	<20	203	<0.1	<10	90	<10	2	108
119	15863	1.0	0.82	<5	50	<5	5.63	3	15	99	74	7.20	<10	0.98	1955	39	0.02	19	1240	8	<5	<20	453	<0.1	<10	34	<10	3	171
120	15864	0.6	1.47	<5	45	<5	2.35	3	24	64	67	7.03	<10	1.27	1080	6	0.02	17	2050	8	<5	<20	180	<0.1	<10	41	<10	3	185
121	15865	1.0	0.70	70	40	<5	6.34	9	10	71	64	4.33	<10	0.71	745	37	0.02	78	1320	22	15	<20	355	<0.1	<10	37	<10	2	867
122	15866	0.4	0.76	25	50	<5	9.45	13	11	68	77	4.49	<10	0.57	805	69	0.02	121	1850	12	<5	<20	702	<0.1	<10	70	<10	4	1067
123	15867	0.8	0.56	105	40	<5	9.37	11	10	58	81	3.94	<10	0.50	723	55	0.02	126	1460	14	40	<20	716	<0.1	<10	55	<10	2	964
124	15868	1.2	0.59	110	30	<5	6.98	11	11	51	74	4.59	<10	0.48	652	59	0.02	118	1760	18	25	<20	488	<0.1	<10	48	<10	2	940
125	15869	<2	1.49	40	45	<5	6.35	6	10	113	54	4.74	<10	0.98	735	47	0.01	80	2090	14	5	<20	537	<0.1	<10	63	<10	5	499
126	15870	0.6	0.77	85	30	<5	5.34	8	13	36	82	6.04	<10	0.49	526	116	0.02	113	1470	18	5	<20	449	<0.1	<10	39	<10	<1	696
127	15871	0.4	1.19	55	30	<5	5.23	2	12	37	47	5.53	<10	0.79	674	49	0.02	51	1330	18	<5	<20	261	<0.1	<10	21	<10	3	210
128	15872	0.4	1.17	40	35	<5	4.27	<1	13	50	45	5.66	<10	0.70	537	30	0.02	37	930	18	<5	<20	227	<0.1	<10	16	<10	2	150
129	15873	<2	1.02	35	30	<5	4.28	<1	12	52	28	4.85	<10	0.55	676	22	0.01	24	980	18	<5	<20	249	<0.1	<10	12	<10	3	134
130	15874	<2	1.63	30	35	<5	3.65	<1	12	42	27	6.16	<10	0.99	750	20	0.01	16	1380	14	<5	<20	214	<0.1	<10	14	<10	4	133

Et #.	Tag #	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
131	15875	<2	1.39	30	25	<5	3.14	<1	12	62	22	5.99	<10	0.65	579	13	0.02	16	1510	16	<5	<20	175	<0.1	<10	12	<10	3	126
132	15881	<2	1.22	65	30	5	2.34	<1	12	37	14	5.47	<10	0.52	623	11	0.01	12	820	16	<5	<20	113	<0.1	<10	10	<10	2	154
133	15882	<2	1.21	100	20	<5	1.62	<1	12	53	14	5.38	<10	0.49	512	11	0.01	12	790	20	5	<20	79	<0.1	<10	10	<10	1	148
134	15883	<2	1.20	350	30	5	3.47	<1	11	31	13	5.95	<10	0.53	854	13	0.01	11	1420	18	5	<20	145	<0.1	<10	9	<10	3	175
135	15884	0.2	1.43	100	30	<5	3.16	<1	11	90	13	5.57	<10	0.49	787	12	0.02	10	1910	18	15	<20	130	<0.1	<10	11	<10	5	100
136	15885	0.4	1.18	145	25	10	2.78	<1	12	37	13	5.70	<10	0.45	650	8	0.01	10	1310	22	10	<20	133	<0.1	<10	10	<10	3	97
137	15886	0.2	1.43	70	30	5	1.77	<1	13	42	13	6.25	<10	0.57	582	10	0.01	10	1020	18	<5	<20	106	<0.1	<10	11	<10	<1	117
138	15887	0.4	1.41	85	25	5	1.64	<1	12	32	14	6.39	<10	0.61	688	13	0.01	10	1000	20	<5	<20	80	<0.1	<10	11	<10	<1	162
139	15888	0.2	1.27	120	15	10	1.32	<1	12	48	13	5.71	<10	0.49	540	13	0.01	10	920	20	<5	<20	71	<0.1	<10	11	<10	<1	159
140	15889	0.2	1.19	95	30	<5	3.83	<1	11	34	13	5.36	<10	0.42	858	9	0.01	10	1020	18	10	<20	293	<0.1	<10	10	<10	3	92
141	15890	<2	1.22	70	30	<5	3.31	<1	11	50	11	5.04	<10	0.41	970	9	0.01	8	1330	16	10	<20	182	<0.1	<10	10	<10	4	101
142	15891	<2	1.29	215	30	<5	3.10	<1	12	33	14	5.70	<10	0.37	878	9	0.01	9	2290	16	10	<20	141	<0.1	<10	10	<10	6	138
143	15892	<2	1.12	35	35	5	2.89	<1	11	27	12	4.82	<10	0.33	900	6	0.01	8	1240	14	5	<20	122	<0.1	<10	9	<10	3	91
144	15893	<2	1.07	100	35	<5	2.77	<1	11	33	12	5.25	<10	0.30	765	9	<0.1	9	1010	16	10	<20	128	<0.1	<10	8	<10	3	85
145	15894	<2	1.03	90	25	10	0.86	<1	11	29	14	5.78	<10	0.38	486	10	<0.1	10	760	18	10	<20	40	<0.1	<10	9	<10	<1	101
146	15895	<2	1.04	70	25	<5	2.14	<1	10	34	12	5.24	<10	0.34	841	10	<0.1	10	820	22	5	<20	97	<0.1	<10	8	<10	<1	96
147	15896	0.4	0.85	105	30	10	1.52	<1	12	28	13	5.08	<10	0.25	583	10	<0.1	10	660	20	<5	<20	65	<0.1	<10	7	<10	<1	111
148	15897	<2	0.79	235	35	<5	3.22	<1	10	19	11	5.69	<10	0.31	1008	13	<0.1	9	920	14	<5	<20	100	<0.1	<10	6	<10	2	144
149	15898	<2	0.91	20	40	<5	2.23	<1	11	33	10	4.53	<10	0.30	696	5	<0.1	6	950	14	<5	<20	98	<0.1	<10	8	<10	2	84
150	15899	0.2	0.99	110	50	<5	3.65	<1	10	24	10	4.47	<10	0.32	914	8	<0.1	7	880	14	<5	<20	169	<0.1	<10	9	<10	4	76
151	15900	<2	0.93	45	40	<5	3.17	<1	10	34	10	4.53	<10	0.26	835	5	<0.1	6	960	14	<5	<20	158	<0.1	<10	8	<10	4	74
152	15901	0.2	0.60	55	35	<5	2.70	<1	9	22	8	4.95	<10	0.20	633	12	<0.1	7	640	14	5	<20	104	<0.1	<10	4	<10	<1	101
153	15902	<2	0.79	40	45	5	3.21	<1	10	22	9	5.02	<10	0.28	1063	8	<0.1	7	860	12	<5	<20	125	<0.1	<10	6	<10	2	183
154	15903	0.2	0.94	130	50	10	5.42	<1	9	27	10	5.11	<10	0.38	1882	7	<0.1	5	1060	10	<5	<20	164	<0.1	<10	7	<10	5	136
155	15904	<2	1.02	5	45	<5	2.67	<1	11	25	9	4.69	<10	0.38	918	6	<0.1	6	830	12	<5	<20	103	<0.1	<10	8	<10	3	71
156	15905	<2	0.91	<5	50	<5	3.50	<1	10	23	11	4.98	<10	0.34	1269	8	<0.1	7	830	12	<5	<20	112	<0.1	<10	7	<10	3	89
157	15906	0.2	0.89	25	40	<5	4.04	<1	9	24	8	5.01	<10	0.30	1852	17	<0.1	5	840	12	<5	<20	150	<0.1	<10	6	<10	3	157
158	15907	<2	0.87	20	35	<5	1.87	<1	11	17	9	4.68	<10	0.33	815	7	<0.1	7	790	12	<5	<20	71	<0.1	<10	7	<10	2	54
159	15908	0.2	0.79	340	35	10	2.93	<1	10	27	7	5.36	<10	0.23	1178	9	<0.1	8	710	14	5	<20	105	<0.1	<10	6	<10	1	115
160	15909	0.4	0.75	680	45	<5	3.83	<1	10	22	9	5.66	<10	0.22	1535	10	<0.1	8	1150	16	<5	<20	142	<0.1	<10	6	<10	3	96
161	15910	<2	0.70	155	30	5	2.03	<1	9	28	8	3.82	<10	0.17	816	7	<0.1	7	670	12	<5	<20	77	<0.1	<10	5	<10	2	100
162	21001	0.4	1.87	<5	570	5	3.24	<1	10	39	26	4.99	<10	1.12	1134	6	0.02	3	1430	6	<5	<20	179	0.02	<10	47	<10	<1	209
163	21002	3.4	2.49	30	50	<5	5.43	3	31	40	192	6.47	<10	1.65	2321	9	0.01	11	2110	62	<5	<20	192	<0.1	<10	54	<10	<1	328
164	21003	2.2	2.21	25	55	<5	4.84	2	27	70	117	5.88	<10	1.27	1585	10	0.01	10	2090	38	<5	<20	159	<0.1	<10	59	<10	<1	193
165	21004	0.4	1.87	<5	785	<5	9.29	<1	14	44	79	5.95	<10	0.75	1952	5	0.01	11	2210	8	<5	<20	381	0.03	<10	79	<10	<1	65

El #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	21005	0.2	1.25	<5	790	<5	5.88	1	26	45	91	7.48	<10	1.88	1847	5	0.01	16	2000	4	<5	<20	331	0.04	<10	86	<10	<1	67
167	21006	0.4	2.23	40	75	<5	7.50	<1	25	33	107	5.54	<10	1.00	1487	6	0.02	7	2700	10	<5	<20	314	<0.1	<10	46	<10	2	99
168	21007	<2	2.30	<5	500	<5	7.01	1	23	16	124	6.54	<10	0.86	1464	6	0.02	2	2940	6	<5	<20	291	0.02	<10	67	<10	3	97
169	21008	0.4	2.47	<5	700	<5	6.51	<1	24	31	95	6.99	<10	1.09	1444	5	0.02	2	2890	6	<5	<20	355	0.03	<10	76	<10	1	104
170	21009	1.0	2.91	45	65	<5	5.97	<1	28	14	125	6.85	<10	1.25	1620	8	0.02	3	3110	16	<5	<20	256	<0.1	<10	52	<10	1	119
171	21010	0.6	3.50	<5	145	<5	7.14	<1	28	13	124	7.64	<10	1.46	1856	6	0.02	3	3140	10	<5	<20	272	<0.1	<10	72	<10	<1	132
172	21011	0.6	3.15	<5	840	<5	7.92	1	23	13	107	7.32	<10	1.59	2266	6	0.02	3	2930	4	<5	<20	318	<0.1	<10	71	<10	<1	114
173	21012	0.4	2.43	15	225	<5	8.10	<1	28	25	83	7.16	<10	1.52	2520	6	0.03	4	2800	8	<5	<20	247	0.01	<10	84	<10	3	126
174	21013	<2	0.52	<5	470	<5	3.82	<1	11	34	30	4.69	<10	1.11	1027	5	0.05	3	2080	4	<5	<20	308	<0.1	<10	45	<10	1	365
175	21014	<2	0.74	<5	1015	<5	4.03	<1	10	24	68	5.31	<10	1.42	1481	3	0.07	3	1960	6	<5	<20	612	0.01	<10	72	<10	2	337
176	21015	<2	0.69	<5	895	<5	4.70	1	14	30	78	5.61	<10	0.99	2066	5	0.07	4	1970	8	<5	<20	496	0.02	<10	72	<10	2	310
177	21016	<2	1.76	<5	895	<5	1.28	<1	31	25	99	7.78	<10	0.69	985	7	0.05	8	1930	8	<5	<20	829	0.02	<10	76	<10	<1	576
178	21017	<2	2.01	<5	200	<5	0.58	<1	24	64	88	9.55	<10	0.32	372	11	0.07	19	2100	10	<5	<20	593	0.02	<10	178	<10	<1	407
179	21018	<2	0.93	<5	140	<5	1.12	<1	12	74	30	6.53	<10	0.07	183	7	0.06	10	4810	4	<5	<20	676	0.03	<10	112	<10	<1	79
180	21019	<2	2.50	<5	1085	<5	0.48	1	12	44	88	8.06	<10	0.33	482	7	0.08	10	1810	12	<5	<20	547	0.01	<10	103	<10	<1	431
181	21020	0.8	3.45	<5	1445	<5	4.03	<1	24	26	73	7.55	<10	1.36	5972	7	0.04	8	1980	10	<5	<20	622	0.01	<10	69	<10	<1	604
QC DATA:																													
Resplit:																													
R/S 1	15671	<2	1.58	<5	70	<5	2.63	1	7	111	21	3.84	<10	1.34	692	19	0.04	37	1330	<2	20	<20	94	<0.1	<10	122	<10	9	63
R/S 36	15775 "B"	<2	2.39	10	130	5	6.88	<1	20	26	67	5.00	<10	1.41	1480	4	0.02	9	1700	16	10	<20	338	<0.1	<10	50	<10	2	85
R/S 71	15810	<2	2.41	25	90	<5	2.86	<1	21	43	70	5.81	<10	2.14	1050	3	0.02	17	1550	12	15	<20	128	0.08	<10	75	<10	1	121
R/S 106	15845	1.2	0.75	25	30	<5	2.43	5	10	75	39	3.91	<10	0.70	521	16	0.02	29	1130	16	5	<20	242	<0.1	<10	21	<10	3	425
R/S 141	15890	<2	1.20	60	30	<5	3.06	<1	11	49	11	4.98	<10	0.43	907	6	0.01	7	1380	16	5	<20	176	<0.1	<10	10	<10	3	93
R/S 176	21015	0.2	0.66	<5	920	<5	4.46	<1	12	26	72	5.54	<10	0.94	1935	5	0.06	3	2000	6	<5	<20	480	0.02	<10	72	<10	1	303
Repeat:																													
1	15671	<2	1.55	<5	85	<5	2.83	<1	6	101	17	3.67	<10	1.32	737	17	0.04	32	1200	<2	25	<20	101	<0.1	<10	120	<10	8	56
10	15695	<2	3.54	60	110	15	7.33	<1	29	191	36	7.85	<10	2.59	1835	7	0.02	59	1220	<2	10	<20	268	0.01	<10	128	<10	4	123
19	15744	<2	2.53	20	65	10	6.36	<1	22	56	52	6.56	<10	1.86	1658	4	0.02	17	1750	<2	10	<20	177	0.05	<10	83	<10	3	100
36	15775 "B"	<2	2.34	15	110	<5	6.68	<1	20	26	67	5.04	<10	1.39	1464	4	0.02	8	1650	12	5	<20	322	<0.1	<10	49	<10	2	86
45	15784	1.6	1.33	40	40	10	3.97	14	12	81	69	7.33	<10	1.30	948	13	0.02	33	8820	18	<5	<20	113	0.05	<10	107	<10	9	909
54	15793	<2	1.90	<5	50	10	1.19	1	16	123	28	7.00	<10	1.35	1087	6	0.04	23	1460	4	<5	<20	32	0.08	<10	239	<10	10	161
71	15810	<2	2.21	30	85	<5	2.70	1	20	38	66	5.39	<10	1.99	963	4	0.02	15	1570	8	15	<20	117	0.07	<10	70	<10	2	116
80	15819	1.8	1.16	35	35	<5	1.81	10	15	79	52	4.91	<10	0.99	566	16	0.03	31	1990	40	5	<20	80	<0.1	<10	119	<10	7	824
89	15828	1.6	4.93	35	85	<5	4.84	4	35	117	177	8.98	<10	4.52	2051	14	0.02	39	1060	<2	<5	<20	397	0.01	<10	281	<10	3	305
106	15845	1.4	0.75	20	25	<5	2.39	7	9	76	41	3.72	<10	0.70	521	16	0.01	27	1050	12	5	<20	223	<0.1	<10	21	<10	2	494

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
Repeat:																													
115	15854	0.8	1.52	10	55	<5	5.72	3	23	64	69	5.89	<10	0.96	1748	8	0.02	18	2210	12	<5	<20	368	<0.01	<10	42	<10	4	173
124	15868	1.0	0.58	120	20	<5	7.53	9	11	50	71	4.52	<10	0.46	638	58	0.02	117	1730	14	20	<20	487	<0.01	<10	46	<10	<1	935
141	15890	<2	1.20	60	25	<5	3.30	<1	11	49	11	5.00	<10	0.41	964	8	0.01	8	1340	18	10	<20	178	<0.01	<10	10	<10	3	102
150	15899	0.4	0.94	100	50	<5	3.44	<1	9	22	10	4.21	<10	0.31	868	7	<0.01	6	820	8	<5	<20	162	<0.01	<10	8	<10	3	70
159	15908	<2	0.78	355	30	5	2.94	<1	10	24	8	5.41	<10	0.22	1176	10	<0.01	7	710	16	<5	<20	104	<0.01	<10	6	<10	<1	114
176	21015	0.4	0.70	<5	905	<5	4.67	<1	13	29	77	5.66	<10	0.98	2049	5	0.07	4	1970	6	<5	<20	498	0.02	<10	73	<10	1	308
Standard:																													
GEO'95		1.2	1.70	80	165	<5	1.63	<1	19	62	84	4.22	<10	0.92	642	<1	0.01	24	640	24	<5	<20	60	0.11	<10	77	<10	4	72
GEO'95		1.2	1.72	70	175	<5	1.74	<1	22	73	87	3.98	<10	0.87	650	<1	0.02	22	600	22	<5	<20	62	0.14	<10	72	<10	6	72
GEO'95		1.2	1.76	75	175	<5	1.68	<1	21	72	85	3.85	<10	0.90	640	<1	0.02	26	610	24	<5	<20	60	0.14	<10	74	<10	4	74
GEO'95		1.2	1.72	75	170	<5	1.66	<1	21	70	83	3.75	<10	0.87	650	<1	0.02	22	620	22	5	<20	60	0.13	<10	74	<10	6	72
GEO'95		1.2	1.76	70	175	5	1.68	<1	21	65	82	3.96	<10	0.87	690	<1	0.02	24	650	20	<5	<20	62	0.13	<10	84	<10	5	72
GEO'95		1.2	1.76	70	170	<5	1.58	<1	21	67	85	4.43	<10	0.94	650	<1	0.02	26	680	22	<5	<20	59	0.11	<10	80	<10	5	74

d1/978
XLS/95Canamera#6


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

26-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-989
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

94 Core samples received October 18, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 42
P.O. #: 5984
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	15911	<2	3.35	<5	100	10	1.49	2	15	46	12	8.46	<10	1.41	1136	6	0.02	15	1460	<2	<5	<20	69	0.05	<10	67	<10	3	155
2	15912	0.6	3.09	10	115	15	2.35	2	25	32	17	9.15	<10	1.11	1673	22	0.02	6	2290	<2	<5	<20	113	<0.1	<10	53	<10	4	172
3	15913	0.2	2.30	<5	85	15	3.02	1	11	34	6	7.16	<10	0.83	1353	10	0.02	3	1830	<2	<5	<20	168	<0.1	<10	43	<10	5	150
4	15914	0.4	2.19	<5	75	10	3.21	1	18	32	10	7.12	<10	0.80	1243	11	0.02	4	2520	<2	<5	<20	156	<0.1	<10	43	<10	6	121
5	15915	0.4	2.20	<5	95	10	2.35	1	19	26	7	6.66	<10	0.82	843	8	0.01	5	2110	<2	<5	<20	117	<0.1	<10	34	<10	3	130
6	15916	0.4	2.13	<5	90	10	3.11	1	14	10	13	7.04	<10	0.70	972	8	<0.1	4	1480	<2	<5	<20	138	<0.1	<10	25	<10	<1	106
7	15917	0.4	2.63	<5	90	10	2.66	1	10	16	9	7.42	<10	0.83	897	7	<0.1	3	1630	<2	<5	<20	132	<0.1	<10	29	<10	1	130
8	15918	0.2	2.67	<5	135	10	3.39	<1	8	45	5	7.36	<10	0.77	1149	8	0.02	3	2110	<2	<5	<20	190	0.01	<10	43	<10	3	161
9	15919	0.2	2.41	<5	95	10	2.62	1	10	24	15	6.52	<10	0.76	900	6	0.01	3	2680	<2	<5	<20	129	<0.1	<10	36	<10	4	124
10	15920	0.6	3.21	10	110	15	3.61	1	26	21	12	8.76	<10	1.06	1798	10	0.01	5	2760	<2	<5	<20	166	<0.1	<10	51	<10	2	150
11	15921	0.4	3.71	<5	115	15	3.36	2	22	25	12	10.50	<10	1.31	1891	10	0.02	6	2800	<2	<5	<20	144	<0.1	<10	61	<10	2	161
12	15922	1.4	1.17	380	40	10	1.72	<1	17	27	11	6.21	<10	0.57	658	13	<0.1	11	1760	28	10	<20	82	<0.1	<10	16	<10	3	501
13	15923	0.4	1.06	130	40	5	1.26	<1	15	30	14	5.75	<10	0.50	467	10	<0.1	4	1230	8	<5	<20	60	<0.1	<10	14	<10	2	122
14	15924	0.4	2.56	130	80	<5	2.85	3	35	15	13	6.93	<10	1.31	886	10	<0.1	11	1530	10	<5	<20	109	<0.1	<10	29	<10	2	247
15	15925	0.2	2.93	15	110	10	6.44	<1	18	23	14	6.79	<10	1.60	1725	6	<0.1	7	1350	<2	<5	<20	366	<0.1	<10	46	<10	2	115
16	15926	<2	2.96	<5	90	15	4.25	2	9	24	3	8.85	<10	1.05	1332	8	0.02	4	2070	<2	<5	<20	199	0.02	<10	52	<10	4	146
17	15927	0.6	3.90	<5	60	10	8.14	<1	14	19	16	10.10	<10	2.31	1924	11	0.01	5	1690	<2	<5	<20	496	0.01	<10	66	<10	<1	148
18	15928	0.4	2.59	<5	90	5	5.49	1	11	28	10	7.87	<10	1.02	2091	9	0.02	4	1720	<2	<5	<20	274	0.02	<10	45	<10	5	156
19	15929	0.4	2.40	10	135	5	4.26	1	29	14	38	7.77	<10	0.95	1803	6	0.01	12	1220	<2	<5	<20	216	0.03	<10	44	<10	<1	110
20	15930	0.2	1.59	<5	105	10	0.84	<1	15	15	22	5.44	<10	0.61	479	5	<0.1	8	460	<2	<5	<20	43	0.03	<10	23	<10	<1	97
21	15931	0.8	3.05	20	135	<5	0.96	2	21	33	106	7.23	<10	1.67	743	6	0.01	7	1740	<2	<5	<20	55	0.01	<10	50	<10	<1	132
22	15932	2.2	3.29	75	115	<5	1.46	<1	47	24	176	8.10	<10	2.26	1070	7	<0.1	14	1970	28	15	<20	100	0.01	<10	64	<10	<1	117
23	15933	9.8	1.14	520	45	<5	0.81	<1	13	58	76	8.28	<10	0.70	456	20	<0.1	14	550	60	25	40	59	<0.1	<10	21	<10	<1	137
24	15934	14.0	0.28	825	25	<5	1.05	<1	9	91	56	6.15	<10	0.06	361	30	<0.1	17	1400	70	40	40	84	<0.1	<10	8	<10	3	185
25	15935	21.0	0.77	900	35	5	1.04	<1	10	58	47	9.91	<10	0.68	589	44	<0.1	17	1420	76	60	40	43	<0.1	<10	18	<10	1	201

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	15936	25.0	0.82	855	35	<5	0.62	<1	9	110	39	6.00	<10	0.62	302	11	<.01	8	1270	50	55	<20	45	<.01	<10	17	<10	2	293
27	15937	>30	0.77	680	35	<5	0.53	<1	8	74	72	6.87	<10	0.55	256	14	<.01	16	1620	64	45	<20	31	<.01	<10	19	<10	4	85
28	15938	>30	0.74	395	35	<5	0.73	<1	12	61	254	6.56	<10	0.52	408	10	<.01	14	890	60	50	20	39	<.01	<10	17	<10	<1	171
29	15939	>30	0.65	760	35	<5	1.22	<1	13	63	100	6.85	<10	0.32	622	16	<.01	22	1590	114	85	20	50	<.01	<10	19	<10	3	715
30	15940	9.0	1.13	125	55	<5	1.42	<1	10	46	49	3.79	<10	1.18	709	5	<.01	8	1860	40	40	<20	88	<.01	<10	33	<10	6	64
31	15941	10.0	1.15	190	50	<5	1.46	<1	12	78	58	4.36	<10	1.20	926	8	<.01	9	1610	42	40	<20	99	<.01	<10	31	<10	5	74
32	15942	23.8	0.64	1040	30	10	1.15	<1	15	85	76	8.32	<10	0.33	746	17	<.01	21	1790	104	80	40	37	<.01	<10	19	<10	2	256
33	15943	>30	0.33	1960	30	<5	2.03	<1	14	85	79	9.87	<10	0.02	1322	28	<.01	20	1470	108	160	20	100	<.01	<10	10	10	<1	151
34	15944	11.4	0.61	330	30	<5	0.82	<1	15	66	62	5.41	<10	0.33	373	8	<.01	12	1760	44	35	20	38	<.01	<10	19	<10	4	42
35	15945	15.4	0.33	630	30	<5	1.14	<1	13	70	48	5.99	<10	0.04	378	12	<.01	16	1830	58	50	60	64	<.01	<10	11	<10	4	62
36	15946	18.4	0.36	610	35	5	1.59	<1	13	82	60	5.81	<10	0.07	786	17	<.01	16	1690	66	75	40	69	<.01	<10	12	20	4	21
37	15947	9.0	1.26	250	50	<5	1.79	<1	12	63	67	5.41	<10	1.04	1705	10	<.01	11	1860	36	35	<20	59	<.01	<10	39	<10	6	97
38	15948	13.2	0.53	635	40	<5	1.69	<1	17	91	58	7.55	<10	0.25	1180	12	<.01	12	1530	62	50	40	65	<.01	<10	17	<10	2	87
39	15949	7.2	1.45	275	50	<5	0.65	<1	11	65	65	5.11	<10	1.27	573	9	<.01	6	1840	30	35	<20	26	<.01	<10	39	<10	4	83
40	15950	12.0	0.75	495	35	<5	0.65	<1	14	77	58	6.73	<10	0.46	321	12	<.01	12	1570	56	40	40	36	<.01	<10	20	<10	2	95
41	15951	19.4	0.37	1380	30	<5	0.67	<1	16	75	52	10.40	<10	0.03	186	29	<.01	22	1570	88	135	20	42	<.01	<10	13	<10	<1	84
42	15952	13.2	1.03	470	45	<5	0.61	<1	14	71	68	7.40	<10	0.75	334	10	<.01	9	1670	54	20	20	34	<.01	<10	32	<10	1	60
43	15953	1.6	2.08	170	55	<5	0.43	<1	14	52	46	5.95	<10	1.69	665	8	<.01	8	1860	28	15	<20	22	<.01	<10	78	<10	3	181
44	15954	2.0	2.25	210	80	10	0.52	<1	10	52	53	5.70	<10	1.81	841	6	0.01	5	1970	18	10	<20	22	0.01	<10	67	10	5	138
45	15955	2.4	1.81	270	70	5	0.55	<1	12	54	46	5.93	<10	1.41	607	8	0.01	6	1840	26	10	<20	27	<.01	<10	64	<10	3	120
46	15956	1.2	2.22	145	85	5	0.44	<1	13	45	41	5.80	<10	1.77	690	6	0.01	7	1920	24	10	<20	27	<.01	<10	83	<10	4	159
47	15957	2.0	1.98	275	75	<5	0.84	<1	9	56	39	5.72	<10	1.60	956	9	0.01	7	1770	22	15	<20	44	<.01	<10	62	<10	4	131
48	15958	0.2	2.22	70	100	<5	0.43	<1	10	53	38	5.04	<10	1.57	709	7	0.01	7	1920	24	10	<20	15	<.01	<10	72	<10	4	101
49	15959	0.8	2.60	155	95	5	0.52	<1	12	40	62	6.46	<10	1.99	751	8	0.01	4	1850	8	5	<20	30	0.01	<10	78	<10	4	79
50	15960	9.6	1.18	320	35	10	2.36	<1	8	73	20	6.24	<10	1.71	1184	12	<.01	2	1620	24	25	<20	201	<.01	<10	30	<10	7	117
51	15961	7.6	0.85	90	70	5	5.25	<1	6	67	8	4.83	<10	2.44	2553	10	<.01	<1	1570	12	25	<20	416	<.01	<10	26	<10	17	53
52	15962	8.4	1.24	170	70	10	4.64	<1	7	90	14	5.49	<10	2.59	2461	11	<.01	2	1400	18	25	<20	346	<.01	<10	36	<10	12	305
53	15963	4.2	3.20	100	100	5	3.03	<1	8	49	6	7.64	<10	4.12	2205	9	<.01	1	1500	6	25	<20	197	<.01	<10	68	<10	9	145
54	15964	6.8	3.26	180	115	20	2.15	1	11	59	23	9.47	<10	3.68	1721	19	<.01	2	1950	26	15	<20	113	0.01	<10	91	<10	8	686
55	15965	5.0	4.39	185	100	15	1.38	<1	11	53	16	10.00	<10	4.96	1821	13	<.01	<1	1770	26	15	<20	69	0.02	<10	107	<10	2	205
56	15966	6.2	4.08	210	125	10	2.85	<1	9	57	9	8.48	<10	4.68	2312	13	<.01	<1	1860	18	10	<20	146	0.02	<10	88	<10	5	169
57	15967	3.0	3.95	85	205	15	5.05	<1	6	49	3	6.56	<10	4.42	2352	6	<.01	<1	1850	8	25	<20	311	0.02	<10	103	<10	8	115
58	15968	5.2	3.46	130	170	10	3.46	<1	7	47	15	7.52	<10	3.76	2374	8	<.01	<1	2140	12	20	<20	138	0.02	<10	87	<10	11	159
59	15969	5.0	4.09	250	75	15	3.56	<1	10	46	7	9.56	<10	4.85	2328	14	<.01	<1	1870	14	20	<20	246	0.01	<10	87	<10	8	236
60	15970	>30	2.25	390	90	<5	3.50	<1	9	67	33	7.26	<10	2.55	2247	9	<.01	1	1770	182	75	<20	124	<.01	<10	66	<10	12	771

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	15971	6.0	3.83	185	145	10	1.22	<1	10	54	12	9.60	<10	3.49	1748	11	<0.1	<1	1660	20	15	<20	47	0.02	<10	93	<10	2	222
62	15972	8.0	2.67	415	130	10	0.61	<1	9	60	10	9.05	<10	2.20	1051	14	<0.1	3	1780	18	20	<20	19	0.01	<10	92	<10	3	213
63	15973	2.2	3.08	50	175	10	0.46	<1	9	74	7	7.61	<10	2.45	1192	8	<0.1	2	1670	12	10	<20	18	0.01	<10	81	<10	3	283
64	15974	2.6	2.79	85	140	15	0.44	<1	9	54	9	7.85	<10	2.11	1025	11	<0.1	2	1820	12	15	<20	19	0.01	<10	82	<10	3	175
65	15975	1.8	3.16	45	115	15	0.96	<1	7	47	4	8.24	<10	2.35	1348	8	<0.1	2	2120	10	10	<20	36	0.02	<10	74	<10	5	175
66	15976	2.8	3.31	50	110	15	0.61	<1	7	44	4	9.10	<10	2.22	1130	10	<0.1	3	2310	30	<5	<20	19	0.02	<10	70	<10	6	129
67	15977	4.4	2.82	90	115	10	1.02	<1	7	83	5	7.37	<10	1.88	1122	8	<0.1	2	2090	32	10	<20	36	0.02	<10	68	<10	7	161
68	15978	3.2	3.18	210	95	15	0.95	<1	9	51	6	8.28	<10	2.10	1291	9	<0.1	1	2090	40	10	<20	31	0.02	<10	67	<10	6	319
69	15979	4.4	4.80	165	75	25	1.06	<1	16	45	10	13.20	<10	3.27	1922	13	<0.1	1	2010	26	<5	<20	31	0.03	<10	101	<10	<1	229
70	15980	6.4	2.10	230	60	10	0.44	1	11	79	15	9.65	<10	1.30	762	15	<0.1	2	1790	102	<5	<20	20	0.01	<10	66	<10	1	485
71	15981	4.0	1.76	270	55	5	0.37	<1	8	80	9	6.54	<10	1.15	654	17	<0.1	2	1560	118	15	40	15	<0.1	<10	48	<10	3	387
72	15982	5.0	1.33	470	45	10	0.35	<1	8	89	22	6.69	<10	0.81	440	13	<0.1	2	1430	82	<5	40	14	<0.1	<10	46	<10	6	639
73	15983	3.2	0.67	300	45	<5	0.40	4	6	100	10	4.10	<10	0.37	249	9	<0.1	3	1530	62	<5	40	13	<0.1	<10	33	<10	7	933
74	15984	5.4	0.76	220	35	10	0.71	5	7	94	18	5.59	<10	0.47	470	13	<0.1	4	1560	196	15	40	15	<0.1	<10	41	<10	7	954
75	15985	4.8	0.85	185	45	<5	0.43	9	5	107	17	5.39	<10	0.52	484	8	<0.1	4	1500	146	<5	20	12	<0.1	<10	50	<10	6	1197
76	15986	6.2	0.69	506	40	10	0.83	4	6	111	6	5.54	<10	0.47	535	17	<0.1	3	1460	116	10	40	11	<0.1	<10	38	<10	6	1157
77	15987	5.8	0.56	720	35	5	0.55	47	7	119	22	4.69	<10	0.31	352	12	<0.1	5	1390	548	5	40	14	<0.1	<10	27	<10	3	6355
78	15988	2.4	0.80	220	65	5	1.45	3	5	122	3	4.35	<10	0.52	766	12	<0.1	3	1670	28	<5	<20	33	<0.1	<10	42	<10	9	685
79	15989	3.8	1.58	95	45	15	0.74	3	12	73	12	7.55	<10	0.93	832	10	<0.1	3	2040	38	<5	20	31	<0.1	<10	55	<10	3	435
80	15990	2.2	1.60	115	50	5	0.55	4	9	94	6	6.44	<10	0.91	534	14	<0.1	3	1670	130	<5	20	19	<0.1	<10	59	<10	4	629
81	15991	1.8	1.89	120	40	15	1.25	<1	12	86	12	9.89	<10	1.04	950	12	<0.1	4	1680	54	<5	40	51	<0.1	<10	84	<10	<1	159
82	15992	0.8	1.62	20	70	15	1.36	2	6	82	3	6.56	<10	0.87	861	8	<0.1	1	2200	54	<5	20	43	<0.1	<10	81	<10	8	378
83	15993	1.4	3.21	35	100	10	6.33	<1	31	80	44	9.04	<10	1.84	3404	7	0.01	29	1560	6	<5	<20	245	0.01	<10	130	<10	11	144
84	15994	0.6	0.49	10	90	<5	6.13	<1	6	71	<1	1.35	<10	0.19	2505	4	<0.1	3	2420	<2	5	<20	204	<0.1	<10	18	<10	16	15
85	15995	0.4	0.34	5	80	<5	4.59	<1	3	93	<1	1.30	<10	0.22	1854	5	<0.1	3	1830	<2	<5	<20	150	<0.1	<10	10	10	15	4
86	15996	0.8	0.64	15	70	5	4.54	3	9	95	1	3.84	<10	0.56	2176	6	0.03	4	900	20	<5	<20	122	<0.1	<10	12	<10	10	296
87	15997	4.4	1.43	150	45	5	1.69	2	15	66	40	7.10	<10	0.76	574	14	<0.1	16	980	16	<5	40	100	<0.1	<10	21	<10	<1	124
88	15998	3.6	1.16	90	45	<5	1.36	<1	11	60	31	6.04	<10	0.55	417	12	<0.1	10	1030	18	5	40	76	<0.1	<10	11	<10	1	187
89	15999	3.6	0.76	125	55	<5	5.73	<1	8	135	24	4.71	<10	0.32	805	13	<0.1	16	740	12	<5	40	312	<0.1	<10	11	<10	4	75
90	16600	4.8	0.64	320	35	10	3.09	<1	12	56	24	5.20	<10	0.24	461	27	<0.1	31	2070	16	15	20	143	<0.1	<10	11	<10	5	224
91	16601	4.0	0.64	240	40	<5	4.75	<1	9	122	25	4.98	<10	0.19	603	22	0.01	25	2780	16	<5	60	213	<0.1	<10	12	<10	12	222
92	16602	7.0	0.37	2195	35	10	2.16	<1	8	159	15	11.60	<10	0.15	315	38	0.01	21	180	20	<5	40	97	<0.1	<10	13	<10	<1	299
93	16603	2.0	1.50	205	45	<5	2.21	<1	14	191	27	5.11	<10	1.24	699	12	0.02	23	1370	12	15	<20	130	<0.1	<10	69	<10	4	210
94	16604	1.0	0.69	50	45	<5	2.35	<1	10	158	41	3.31	<10	0.49	522	16	0.04	25	1000	8	<5	40	70	<0.1	<10	50	<10	6	61

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
QC DATA:																													
<i>Resplit:</i>																													
R/S 1	15911	<2	3.31	<5	95	15	1.47	1	15	43	11	8.75	<10	1.37	1182	6	0.02	14	1530	<2	<5	<20	64	0.04	<10	64	<10	2	169
R/S 36	15946	18.6	0.35	615	30	<5	1.52	<1	14	80	60	6.32	<10	0.07	706	17	<0.1	17	1800	72	80	60	70	<0.1	<10	11	10	4	24
R/S 71	15981	4.6	1.70	285	50	10	0.40	<1	8	82	10	6.89	<10	1.10	644	19	<0.1	2	1680	138	15	40	17	<0.1	<10	46	<10	3	415
<i>Repeat:</i>																													
1	15911	<2	3.34	<5	100	5	1.49	1	15	42	11	8.49	<10	1.40	1136	6	0.02	13	1490	<2	<5	<20	67	0.05	<10	66	<10	3	158
10	15920	0.4	3.26	5	120	15	3.64	1	26	20	12	8.77	<10	1.06	1809	9	0.01	5	2800	<2	<5	20	169	0.01	<10	52	<10	2	152
19	15929	0.4	2.30	15	125	10	4.21	<1	30	11	34	7.71	<10	0.92	1772	5	0.01	12	1220	<2	<5	20	209	0.02	<10	42	<10	<1	116
36	15946	18.6	0.33	605	30	<5	1.62	<1	13	80	60	5.93	<10	0.07	798	18	<0.1	16	1710	70	75	40	68	<0.1	<10	11	20	3	22
45	15955	2.4	1.83	280	75	<5	0.57	<1	11	55	46	5.89	<10	1.44	622	9	0.01	8	1800	22	20	<20	31	<0.1	<10	64	<10	3	115
54	15964	6.8	3.27	190	125	20	2.16	<1	11	52	21	9.50	<10	3.69	1679	20	<0.1	1	1960	26	20	<20	111	0.01	<10	92	<10	8	705
71	15981	4.0	1.76	260	50	10	0.37	<1	8	85	9	6.56	<10	1.15	660	17	<0.1	4	1570	118	10	20	16	<0.1	<10	48	<10	3	396
80	15990	2.2	1.56	110	50	5	0.55	4	9	91	6	6.30	<10	0.87	523	13	<0.1	3	1660	130	<5	40	18	<0.1	<10	57	<10	4	622
89	15999	3.6	0.74	135	50	<5	5.87	<1	8	139	25	4.74	<10	0.32	810	13	<0.1	20	750	14	<5	60	315	<0.1	<10	11	20	4	68
<i>Standard:</i>																													
GEO'95		1.2	1.81	70	175	<5	1.74	<1	20	66	83	4.01	<10	0.99	676	<1	0.02	24	680	22	5	<20	60	0.11	<10	79	<10	4	72
GEO'95		1.4	1.78	70	165	<5	1.72	<1	21	68	82	3.98	<10	0.99	688	<1	0.01	22	660	24	5	<20	59	0.11	<10	79	<10	6	72
GEO'95		1.2	1.80	70	165	<5	1.77	<1	21	72	79	4.00	<10	0.99	690	<1	0.02	24	680	24	5	<20	59	0.12	<10	70	<10	4	74

df/989
XLS/95Canamera#7


ECO-TECH LABORATORIES LTD.
Per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

24-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-992
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/J. DUPUIS

79 Core samples received October 19, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 43

P.O. #: 5987

Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	16005	<2	1.05	10	30	<5	6.17	3	11	145	33	3.58	<10	0.91	1171	5	0.04	19	870	4	10	<20	165	0.04	<10	151	<10	11	230
2	16006	<2	4.17	5	50	15	11.10	<1	43	153	56	10.40	<10	4.18	2559	5	0.02	41	1040	<2	<5	<20	322	0.09	<10	386	<10	12	92
3	16007	0.2	2.50	<5	125	10	2.44	1	22	43	10	7.25	<10	0.93	951	7	0.02	6	2290	8	<5	<20	117	<0.1	<10	38	<10	4	141
4	16008	0.4	2.55	<5	100	20	3.27	<1	23	34	13	8.33	<10	0.92	1178	8	0.02	4	2030	14	<5	<20	168	<0.1	<10	40	<10	5	134
5	16009	0.8	3.10	35	125	20	4.11	<1	18	34	12	8.80	<10	1.02	1563	40	0.01	4	2030	16	<5	<20	187	<0.1	<10	44	<10	2	149
6	16010	0.2	3.05	<5	130	15	3.84	<1	15	30	17	8.29	<10	0.95	1404	11	0.01	3	2380	14	<5	<20	193	<0.1	<10	51	<10	4	155
7	16011	0.4	2.98	<5	140	15	3.66	1	11	37	24	8.02	<10	0.88	1459	10	0.02	2	2310	12	<5	<20	153	<0.1	<10	45	<10	3	163
8	16012	0.4	4.64	<5	130	20	3.49	<1	26	26	20	12.70	<10	1.54	2219	11	0.01	5	2460	6	<5	<20	165	0.01	<10	74	<10	<1	168
9	16013	0.4	2.67	75	65	10	2.50	2	21	21	18	8.19	<10	1.36	1059	14	<0.1	11	1210	32	<5	<20	100	<0.1	<10	42	<10	<1	249
10	16014	0.4	2.57	45	80	10	2.72	<1	38	24	16	7.61	<10	1.38	801	9	<0.1	9	2140	16	<5	<20	141	<0.1	<10	22	<10	3	97
11	16015	0.2	3.05	<5	90	15	4.27	<1	15	23	56	8.43	<10	1.66	1286	9	0.01	16	1620	10	<5	<20	264	<0.1	<10	43	<10	1	122
12	16016	0.2	3.88	<5	100	25	5.56	<1	14	32	14	9.95	<10	2.00	1777	10	0.01	5	1820	6	<5	<20	315	<0.1	<10	57	<10	2	176
13	16017	<2	3.97	<5	100	20	4.15	1	14	31	13	10.40	<10	1.80	1752	8	0.01	3	1620	6	<5	<20	219	<0.1	<10	62	<10	<1	128
14	16018	<2	3.35	<5	130	15	4.55	1	14	29	13	8.34	<10	1.56	1776	7	0.01	3	2370	6	<5	<20	231	<0.1	<10	46	<10	1	136
15	16019	18.6	0.21	630	35	5	0.82	4	7	85	24	4.42	<10	0.28	253	22	<0.1	56	260	86	75	<20	115	<0.1	<10	6	<10	<1	812
16	16020	11.4	0.18	170	35	<5	0.84	9	5	100	16	2.79	<10	0.21	244	6	<0.1	16	300	194	35	<20	56	<0.1	<10	3	<10	<1	1091
17	16021	>30	0.18	765	35	5	0.38	14	8	100	73	7.90	<10	0.12	211	70	<0.1	161	180	418	255	<20	72	<0.1	<10	5	<10	<1	2635
18	16022	17.2	0.14	365	30	<5	0.46	5	5	136	20	3.55	<10	0.14	173	19	<0.1	21	190	254	45	<20	61	<0.1	<10	3	<10	<1	665
19	16023	26.0	0.14	475	25	10	0.60	<1	5	137	31	4.97	<10	0.24	209	27	<0.1	18	190	68	70	<20	119	<0.1	<10	4	<10	<1	263
20	16024	20.6	0.15	680	25	15	0.23	<1	5	141	29	6.37	<10	0.11	130	37	<0.1	22	80	50	56	<20	29	<0.1	<10	5	<10	<1	93
21	16025	>30	0.13	985	25	5	0.39	<1	7	112	67	8.65	<10	0.13	167	54	<0.1	26	70	94	115	<20	60	<0.1	<10	4	<10	<1	220
22	16026	>30	0.18	815	30	10	0.84	1	6	122	33	4.94	<10	0.32	328	83	<0.1	50	200	360	105	<20	115	<0.1	<10	6	<10	<1	691
23	16027	24.4	0.16	1075	35	20	0.11	18	9	120	26	10.20	<10	<0.1	126	44	<0.1	16	60	282	110	<20	9	<0.1	<10	4	<10	<1	2457
24	16028	>30	0.12	2355	55	30	0.03	<1	9	128	24	>15	<10	<0.1	42	64	<0.1	8	<10	54	280	<20	5	<0.1	<10	2	<10	<1	931
25	16029	27.0	0.13	1275	40	20	0.13	<1	8	153	17	10.60	<10	<0.1	102	47	<0.1	11	230	54	100	<20	14	<0.1	<10	4	<10	<1	1057

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	16030	>30	0.10	1840	45	30	0.04	<1	9	111	23	12.40	<10	<.01	59	67	<.01	11	70	52	185	<20	5	<.01	<10	3	<10	<1	530
27	16031	>30	0.10	1930	50	25	0.06	<1	8	110	27	13.50	<10	<.01	59	63	<.01	10	50	60	170	<20	12	<.01	<10	3	<10	<1	1033
28	16032	>30	0.16	530	30	<5	0.07	<1	5	124	26	4.07	<10	<.01	73	27	<.01	17	220	84	75	<20	9	<.01	<10	3	<10	<1	364
29	16033	24.8	0.15	400	25	5	0.08	<1	5	124	21	3.35	<10	<.01	84	31	<.01	14	220	60	60	<20	13	<.01	<10	3	<10	<1	266
30	16034	28.8	0.16	515	25	10	0.15	<1	5	124	27	4.35	<10	<.01	107	51	<.01	16	320	84	75	<20	14	<.01	<10	4	<10	<1	311
31	16035	>30	0.20	590	25	10	0.33	<1	6	128	35	4.83	<10	0.05	255	35	<.01	15	320	146	90	<20	21	<.01	<10	4	<10	<1	324
32	16036	>30	0.14	365	25	<5	0.07	3	5	148	70	4.60	<10	0.01	106	32	<.01	13	210	298	165	<20	9	<.01	<10	3	<10	<1	943
33	16037	28.4	0.13	380	30	<5	0.11	<1	5	152	27	4.09	<10	<.01	97	43	<.01	13	230	146	55	<20	13	<.01	<10	4	<10	<1	335
34	16038	>30	0.13	635	30	<5	0.47	<1	6	144	32	5.04	<10	<.01	227	47	<.01	18	280	202	110	<20	39	<.01	<10	4	<10	<1	516
35	16039	23.2	0.13	230	25	<5	0.19	5	5	146	24	3.39	<10	0.01	137	32	<.01	17	220	116	50	<20	14	<.01	<10	3	<10	<1	583
36	16040	>30	0.12	345	30	<5	0.36	73	6	137	36	3.95	<10	<.01	244	29	<.01	20	170	450	110	<20	30	<.01	<10	3	<10	<1	1689
37	16041	20.6	0.11	350	30	<5	0.08	<1	5	148	19	3.58	<10	<.01	119	69	<.01	14	230	60	50	<20	8	<.01	<10	3	<10	<1	51
38	16042	15.8	0.14	325	25	10	0.07	<1	6	155	18	3.60	<10	<.01	98	87	<.01	11	220	60	40	<20	5	<.01	<10	3	<10	<1	114
39	16043	10.4	0.12	205	40	<5	0.09	<1	4	156	15	2.13	<10	<.01	87	19	<.01	15	240	32	30	<20	12	<.01	<10	3	<10	<1	25
40	16044	20.4	0.27	430	30	10	0.24	<1	9	59	33	5.58	<10	<.01	136	23	<.01	24	880	42	65	<20	17	<.01	<10	5	<10	<1	193
41	16045	10.2	0.36	1150	30	10	0.35	<1	10	31	19	6.32	<10	0.05	167	32	<.01	18	1080	38	55	<20	25	<.01	<10	5	<10	<1	185
42	16046	22.2	0.28	1025	40	15	0.86	<1	12	89	22	10.10	<10	0.04	485	24	<.01	13	1180	56	160	<20	53	<.01	<10	5	<10	<1	66
43	16047	>30	0.11	2880	60	25	0.22	<1	20	99	33	> 15	<10	<.01	308	31	<.01	12	70	202	540	<20	27	<.01	<10	5	<10	<1	259
44	16048	>30	0.12	2390	55	20	0.16	<1	18	90	30	> 15	<10	<.01	158	29	<.01	10	30	250	490	<20	15	<.01	<10	4	<10	<1	369
45	16049	>30	0.15	6420	60	25	0.23	<1	34	90	28	> 15	<10	<.01	139	43	<.01	14	140	164	545	<20	18	<.01	<10	5	<10	<1	115
46	16050	>30	0.09	3550	50	25	0.56	<1	12	110	27	14.50	<10	<.01	317	45	<.01	9	200	136	485	<20	43	<.01	<10	5	<10	<1	162
47	16051	>30	0.09	1750	50	25	0.84	<1	13	118	25	13.50	<10	<.01	516	51	<.01	12	30	168	390	<20	57	<.01	<10	2	<10	<1	388
48	16052	>30	0.15	1575	60	25	1.06	<1	15	89	39	> 15	<10	<.01	607	43	<.01	8	750	112	225	<20	60	<.01	<10	6	<10	<1	315
49	16053	5.2	1.93	475	45	10	0.26	<1	11	55	33	5.61	<10	2.05	619	6	<.01	9	410	24	35	<20	26	<.01	<10	16	<10	<1	67
50	16054	2.8	2.62	110	70	<5	0.44	<1	14	41	59	5.44	<10	2.58	759	4	<.01	7	790	18	25	<20	37	<.01	<10	32	<10	<1	57
51	16055	2.2	2.65	305	65	10	1.10	<1	18	38	17	6.11	<10	3.21	922	7	<.01	6	1390	22	35	<20	87	<.01	<10	59	<10	<1	45
52	16056	1.2	2.49	185	75	10	0.66	<1	12	46	19	4.80	<10	2.82	875	4	<.01	5	1100	16	30	<20	56	<.01	<10	56	<10	<1	43
53	16057	0.8	2.72	145	85	<5	0.67	<1	14	47	33	4.25	<10	3.23	1042	2	<.01	5	990	14	25	<20	52	<.01	<10	69	<10	<1	45
54	16058	2.4	2.46	235	80	5	0.55	<1	13	55	34	3.99	<10	3.06	958	3	<.01	6	890	18	40	<20	35	<.01	<10	79	<10	<1	54
55	16059	1.2	2.80	285	70	<5	0.61	<1	16	35	33	4.69	<10	3.33	1123	3	<.01	6	1100	16	25	<20	57	<.01	<10	54	<10	<1	53
56	16060	1.2	2.26	315	70	15	0.86	<1	15	46	20	4.26	<10	2.72	1124	3	<.01	6	930	18	20	<20	43	<.01	<10	61	<10	<1	44
57	16061	9.8	1.98	280	55	5	0.76	<1	18	50	75	5.69	<10	2.24	916	7	<.01	8	1050	16	30	<20	38	<.01	<10	39	<10	<1	57
58	16062	3.0	0.82	390	40	5	0.73	<1	18	63	22	5.15	<10	0.82	529	7	<.01	7	660	20	15	<20	35	<.01	<10	19	<10	<1	46
59	16063	3.4	2.22	290	65	5	0.79	<1	17	40	95	5.37	<10	2.14	864	8	<.01	3	1730	20	35	<20	52	<.01	<10	61	<10	<1	79
60	16064	3.4	3.57	445	80	5	0.93	<1	30	24	71	7.91	<10	3.42	1199	7	<.01	6	2140	22	35	<20	71	<.01	<10	105	<10	<1	63

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	16065	1.4	3.20	110	85	10	1.15	<1	17	51	49	7.76	<10	2.62	1068	6	<0.1	7	1280	12	10	<20	83	<0.1	<10	46	<10	<1	83
62	16066	>30	0.28	1935	45	25	0.34	<1	9	156	24	12.80	<10	0.05	111	91	<0.1	23	140	76	125	<20	8	<0.1	<10	9	<10	<1	495
63	16067	>30	0.20	2230	55	25	0.32	<1	8	130	29	13.60	<10	0.02	104	83	<0.1	23	40	112	220	<20	10	<0.1	<10	6	<10	<1	258
64	16068	>30	0.20	1895	50	20	0.27	<1	8	128	34	12.20	<10	0.01	95	35	<0.1	19	60	172	250	<20	11	<0.1	<10	8	<10	<1	598
65	16069	>30	0.62	2035	60	20	0.33	<1	9	149	103	> 15	<10	0.12	154	54	<0.1	42	510	168	310	<20	10	<0.1	<10	19	<10	<1	194
66	16070	>30	0.74	2045	115	20	0.16	<1	12	120	173	> 15	<10	<0.1	84	85	<0.1	39	220	262	345	<20	6	<0.1	<10	19	<10	<1	607
67	16071	>30	1.19	580	80	25	0.06	1	9	150	174	> 15	<10	0.07	158	46	<0.1	47	<10	176	250	<20	<1	<0.1	<10	39	<10	<1	536
68	16072	>30	1.14	755	80	10	0.53	<1	11	122	169	> 15	<10	0.06	192	50	<0.1	66	760	166	260	<20	3	<0.1	<10	29	<10	<1	697
69	16073	>30	2.85	235	190	15	8.07	23	12	73	244	> 15	<10	0.64	2790	107	0.02	207	1850	744	645	<20	124	<0.1	<10	65	<10	<1	3103
70	16074	1.2	3.04	25	185	<5	3.48	<1	33	28	113	7.36	<10	1.42	1248	6	<0.1	13	1850	26	<5	<20	302	<0.1	<10	91	<10	<1	108
71	16075	0.8	2.17	30	150	<5	2.72	<1	30	46	73	5.27	<10	1.01	978	2	0.01	14	970	18	<5	<20	248	<0.1	<10	44	<10	<1	90
72	16076	0.2	2.56	10	110	10	3.65	<1	18	65	38	6.30	<10	1.27	1169	4	0.02	13	1080	12	<5	<20	327	<0.1	<10	71	<10	<1	82
73	16077	<2	2.26	30	90	10	3.34	<1	28	60	54	6.48	<10	1.24	1027	7	0.02	18	1480	20	<5	<20	280	<0.1	<10	60	<10	<1	83
74	16078	1.0	2.35	10	120	<5	3.31	<1	19	72	36	5.69	<10	1.06	1026	4	0.02	13	800	18	<5	<20	282	<0.1	<10	79	<10	<1	81
75	16079	<2	3.60	<5	130	<5	1.27	<1	34	38	145	8.80	<10	1.46	519	5	<0.1	18	1160	18	<5	<20	180	<0.1	<10	71	<10	<1	136
76	16080	1.6	2.25	85	120	<5	4.35	<1	29	45	81	5.88	<10	1.31	1221	6	<0.1	14	1020	38	10	<20	338	<0.1	<10	36	<10	<1	122
77	16081	<2	3.04	10	140	<5	1.32	<1	24	19	116	7.05	<10	1.28	523	4	<0.1	11	880	30	<5	<20	120	<0.1	<10	52	<10	<1	106
78	16082	0.2	2.87	<5	135	<5	2.28	<1	25	18	211	6.72	<10	1.20	657	8	<0.1	11	1220	40	<5	<20	220	<0.1	<10	51	<10	<1	118
79	16083	<2	2.86	<5	135	<5	1.79	2	31	18	129	7.28	<10	1.27	641	7	<0.1	14	960	22	<5	<20	180	<0.1	<10	64	<10	<1	112
QC DATA:																													
Resplit:																													
R/S 1	16005	<2	0.96	10	20	<5	6.09	3	10	139	29	3.33	<10	0.82	1072	4	0.05	18	850	4	5	<20	144	0.05	<10	134	<10	10	227
R/S 38	16040	>30	0.13	355	25	5	0.42	70	6	125	41	4.06	<10	<0.1	250	25	<0.1	18	190	482	135	50	33	<0.1	<10	3	<10	<1	1808
R/S 71	16075	<2	2.16	35	140	5	2.67	<1	31	46	82	5.17	<10	0.99	952	3	0.01	15	990	18	<5	<20	238	<0.1	<10	43	<10	<1	102
Repeat:																													
1	16005	<2	0.95	5	20	5	6.05	3	9	127	25	3.35	<10	0.83	1062	3	0.04	15	830	2	<5	<20	154	0.05	<10	143	<10	10	205
10	16014	0.2	2.53	50	75	5	2.68	<1	37	24	15	7.53	<10	1.35	792	10	<0.1	8	2120	14	<5	<20	140	<0.1	<10	22	<10	3	97
19	16023	26.0	0.14	500	30	5	0.60	<1	5	137	32	5.01	<10	0.23	211	28	<0.1	18	170	70	65	<20	121	<0.1	<10	4	<10	<1	267
36	16040	>30	0.12	350	30	5	0.36	65	6	144	35	3.94	<10	<0.1	237	28	<0.1	13	170	446	115	<20	28	<0.1	<10	3	<10	<1	1679
45	16049	>30	0.17	6435	60	30	0.23	<1	34	92	28	> 15	<10	<0.1	143	40	<0.1	10	150	164	530	<20	17	<0.1	<10	6	<10	<1	111
54	16058	2.2	2.52	230	90	10	0.56	<1	13	56	35	4.04	<10	3.12	974	2	<0.1	5	880	16	35	<20	38	<0.1	<10	81	<10	<1	55
71	16075	0.6	2.15	25	150	<5	2.66	<1	29	46	72	5.17	<10	1.00	961	4	0.01	15	940	18	5	<20	243	<0.1	<10	43	<10	<1	87
Standard:																													
GEO'95		1.2	1.66	60	165	5	1.87	<1	20	65	86	4.32	<10	1.01	620	<1	0.02	24	640	24	5	<20	63	0.11	<10	81	<10	5	81
GEO'95		1.2	1.68	60	170	5	1.72	<1	20	67	82	4.12	<10	1.02	640	<1	0.02	22	620	22	5	<20	64	0.12	<10	85	<10	4	72


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

27-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-990
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

56 Core sample received October 19, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 44
P.O. #: 5988
Samples submitted by: T. Drown


Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Ct	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	15701	5	0.6	2.39	5	210	15	3.53	1	16	23	42	6.44	<10	1.02	905	8	0.01	11	1320	34	<5	<20	132	0.01	<10	22	<10	5	183
2	15702	5	0.2	2.03	20	205	<5	8.71	<1	17	32	71	5.12	<10	0.99	1067	7	0.02	18	1710	20	10	<20	234	0.01	<10	33	<10	3	101
3	15703	5	<2	2.29	25	205	<5	3.92	<1	19	51	59	5.86	<10	1.13	885	5	0.02	25	960	18	<5	<20	146	0.01	<10	54	<10	1	97
4	15704	5	0.8	2.09	270	85	<5	5.70	<1	21	52	40	7.10	<10	1.18	1146	8	0.02	22	2040	26	<5	20	211	<0.1	<10	48	<10	5	198
5	15705	5	0.2	2.96	5	195	10	4.05	1	23	39	60	7.38	<10	1.85	1127	7	0.02	15	1850	22	<5	<20	148	0.01	<10	75	<10	1	154
6	15856	5	0.6	1.20	40	85	<5	3.70	<1	29	56	40	4.33	<10	0.74	1212	5	0.03	25	1120	10	10	<20	295	<0.1	<10	43	<10	<1	103
7	15857	5	0.6	1.63	<5	55	<5	2.89	5	15	74	60	6.95	<10	1.04	904	9	0.02	22	2390	26	<5	<20	194	<0.1	<10	53	<10	8	321
8	15858	5	1.8	1.21	90	50	<5	3.58	6	15	47	49	8.30	<10	0.94	1560	15	0.02	26	5340	24	<5	<20	182	<0.1	<10	57	<10	10	491
9	15859	5	2.2	0.91	<5	35	10	2.00	4	20	68	94	10.70	<10	0.85	946	13	0.02	41	3470	48	<5	60	120	<0.1	<10	71	<10	2	325
10	15860	5	1.6	1.05	<5	45	<5	5.31	8	16	56	81	8.96	<10	0.60	1258	17	0.02	33	6010	30	<5	40	321	<0.1	<10	51	<10	7	510
11	15876	5	<2	1.14	30	40	<5	2.69	<1	12	22	19	5.66	<10	0.62	503	11	0.01	18	1250	20	<5	<20	109	<0.1	<10	11	<10	4	150
12	15877	5	0.2	1.14	40	45	5	4.62	<1	11	25	15	5.54	<10	0.59	952	10	0.01	15	1310	20	<5	<20	170	0.02	<10	11	<10	5	135
13	15878	5	<2	0.98	75	40	10	2.68	<1	11	23	12	5.28	<10	0.45	507	11	0.01	15	1070	20	<5	20	104	0.01	<10	8	<10	4	149
14	15879	5	<2	1.04	45	35	10	1.72	<1	11	23	13	5.16	<10	0.49	483	8	<0.1	13	910	18	<5	20	85	0.02	<10	8	<10	3	145
15	15880	5	<2	1.09	60	35	15	3.23	<1	11	18	12	5.49	<10	0.50	770	9	<0.1	11	1050	18	<5	20	111	<0.1	<10	9	<10	4	177
16	21021	5	<2	1.17	<5	605	10	0.65	<1	8	30	15	5.35	<10	0.16	390	4	0.03	5	880	8	<5	40	140	0.03	<10	43	<10	<1	185
17	21022	5	<2	2.50	<5	120	15	0.35	1	9	16	15	6.41	<10	0.13	189	7	0.03	5	1140	18	<5	60	75	<0.1	<10	29	<10	<1	278
18	21023	5	0.2	2.24	5	65	<5	0.51	<1	9	33	203	6.24	<10	0.06	113	6	0.02	4	2250	46	<5	40	72	<0.1	<10	29	<10	<1	151
19	21024	5	0.6	2.08	<5	90	10	0.63	1	10	21	45	6.89	<10	0.11	144	12	0.03	5	2470	122	<5	60	98	<0.1	<10	29	<10	<1	117
20	21025	5	7.0	2.12	25	105	<5	0.47	<1	12	79	45	6.97	<10	0.24	265	7	0.02	5	1880	332	<5	40	59	<0.1	<10	60	<10	<1	123
21	21026	5	1.6	3.11	445	155	5	2.96	<1	20	31	48	8.78	<10	0.79	2446	7	0.02	7	2180	102	<5	60	164	<0.1	<10	74	<10	<1	187
22	21027	5	<2	2.28	105	100	5	3.84	<1	20	30	33	7.67	<10	1.00	1127	7	0.02	13	1190	58	<5	20	163	<0.1	<10	79	<10	<1	121
23	21028	5	<2	2.30	245	80	10	5.28	<1	21	46	37	7.96	<10	1.18	863	7	0.01	15	1280	66	<5	<20	297	<0.1	<10	70	<10	<1	114
24	21029	5	0.4	1.86	105	65	<5	6.38	<1	22	35	82	6.49	<10	1.25	731	6	0.02	22	2270	26	<5	<20	412	<0.1	<10	38	<10	<1	151
25	21030	5	<2	2.09	95	50	<5	6.44	<1	24	34	82	7.10	<10	1.21	606	7	0.02	24	2220	26	<5	20	316	<0.1	<10	47	<10	<1	142

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	21031	5	0.2	2.56	85	55	<5	7.57	<1	23	35	90	7.44	<10	1.45	739	8	0.02	25	2200	28	15	<20	408	<.01	<10	57	<10	<1	151
27	21032	5	<2	2.79	65	75	<5	5.38	<1	24	35	100	7.70	<10	1.61	600	7	0.02	27	2410	28	5	<20	271	<.01	<10	56	20	<1	150
28	21033	5	<2	2.30	55	60	<5	6.94	<1	26	37	91	7.81	<10	1.61	791	9	0.02	26	2170	30	<5	<20	449	<.01	<10	57	<10	<1	155
29	21034	5	<2	1.15	65	60	<5	4.83	<1	21	30	92	6.66	<10	1.32	565	7	0.02	24	1900	26	15	<20	260	<.01	<10	30	<10	<1	165
30	21035	5	0.2	0.47	170	60	10	5.13	<1	21	27	43	7.77	<10	1.26	667	7	0.02	14	1360	22	10	<20	223	<.01	<10	25	<10	<1	104
31	21036	5	<2	0.38	200	70	5	6.27	<1	26	19	71	7.99	<10	1.43	859	8	0.02	20	1720	20	10	<20	204	<.01	<10	23	<10	<1	148
32	21037	5	0.2	1.70	65	85	10	7.63	<1	25	25	63	7.99	<10	1.39	822	7	0.02	20	1720	24	<5	<20	282	<.01	<10	42	<10	<1	143
33	21038	5	<2	1.46	65	75	<5	8.05	<1	21	22	62	8.42	<10	1.34	750	6	0.02	19	1800	22	<5	<20	307	<.01	<10	29	<10	<1	131
34	21039	5	<2	1.64	50	65	<5	8.70	<1	21	43	72	6.61	<10	1.52	821	6	0.01	21	1900	18	10	<20	471	<.01	<10	33	<10	<1	141
35	21040	5	0.2	1.98	35	65	<5	10.10	<1	21	32	81	6.35	<10	1.36	919	7	0.02	24	2040	22	<5	<20	653	<.01	<10	43	<10	<1	136
36	21041	5	<2	2.34	20	65	<5	5.86	<1	22	29	89	6.62	<10	1.56	732	7	0.02	24	2220	24	<5	<20	297	<.01	<10	48	<10	<1	146
37	21042	5	0.2	2.32	5	55	<5	6.35	1	22	30	96	6.92	<10	1.49	771	7	0.02	24	2170	26	<5	<20	341	<.01	<10	49	10	<1	141
38	21043	5	0.2	2.42	<5	55	<5	5.32	1	22	31	92	7.03	<10	1.56	669	8	0.02	27	2130	26	<5	<20	284	<.01	<10	56	<10	<1	147
39	21044	5	<2	2.34	5	55	<5	5.69	1	22	29	96	6.91	<10	1.65	754	8	0.02	27	2290	24	<5	<20	307	<.01	<10	50	<10	<1	156
40	21045	5	<2	2.61	5	55	<5	6.19	<1	23	33	121	6.39	<10	1.99	774	8	0.02	60	2110	26	5	<20	382	<.01	<10	59	<10	<1	160
41	21046	5	<2	2.48	10	50	<5	6.16	1	22	34	105	6.07	<10	1.89	792	6	0.02	59	2020	30	5	<20	339	<.01	<10	48	<10	<1	160
42	21047	5	<2	2.69	<5	50	<5	6.06	1	22	44	106	6.29	<10	2.00	760	6	0.02	75	2040	26	<5	<20	345	<.01	<10	51	<10	<1	162
43	21048	5	<2	2.71	10	55	<5	5.99	<1	22	42	104	6.11	<10	1.99	748	6	0.02	75	2030	22	15	<20	326	<.01	<10	50	<10	<1	161
44	21049	5	<2	2.62	10	50	<5	6.07	<1	23	40	102	6.49	<10	2.02	764	6	0.02	73	2100	30	5	<20	329	<.01	<10	50	<10	<1	161
45	21050	5	0.2	1.88	10	60	<5	6.29	1	21	25	95	6.20	<10	1.74	760	6	0.02	33	2050	24	15	<20	340	<.01	<10	38	<10	<1	159
46	21051	5	<2	0.91	15	60	<5	6.21	<1	21	25	88	6.31	<10	1.67	751	7	0.02	32	2190	18	15	<20	298	<.01	<10	26	<10	2	149
47	21052	5	0.4	0.47	35	45	<5	5.97	<1	22	20	77	6.30	<10	1.47	724	8	0.01	36	2070	20	30	<20	267	<.01	<10	20	<10	3	124
48	21053	5	3.2	0.42	40	50	<5	6.76	<1	21	22	91	6.32	<10	1.63	812	11	0.02	28	2070	18	40	<20	274	<.01	40	22	<10	3	132
49	21054	5	0.2	0.37	40	50	<5	5.65	<1	23	16	106	6.50	<10	1.51	698	8	0.02	33	2060	14	40	<20	255	<.01	<10	19	<10	2	136
50	21055	5	<2	0.94	25	50	<5	6.12	2	20	21	89	5.96	<10	1.45	764	12	0.02	30	2040	20	20	<20	319	<.01	<10	24	<10	2	127
51	21055A	5	<2	1.53	10	55	<5	7.83	1	21	30	81	6.66	<10	1.84	901	7	0.02	34	2530	14	10	<20	440	<.01	<10	40	<10	2	130
52	21056	5	<2	2.13	5	45	<5	5.44	<1	22	31	92	6.61	<10	1.70	756	7	0.02	31	2250	22	10	<20	313	<.01	<10	44	<10	<1	150
53	21057	5	0.4	2.33	5	45	<5	6.34	1	20	30	109	6.20	<10	1.72	800	7	0.02	33	2140	20	<5	<20	350	<.01	<10	45	<10	<1	153
54	21058	10	0.4	2.38	40	<5	<5	4.55	<1	17	26	94	5.62	<10	1.61	620	5	0.01	34	2520	<2	<5	<20	154	<.01	<10	47	<10	<1	142
55	21059	10	<2	2.70	10	60	<5	5.84	<1	24	37	106	6.17	<10	1.89	842	7	0.01	54	1880	22	10	<20	313	<.01	<10	47	<10	1	132
56	21060	5	<2	2.66	20	50	<5	5.47	<1	23	28	115	5.85	<10	1.82	794	6	0.01	43	2040	20	10	<20	280	<.01	<10	43	<10	<1	142

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
QC DATA:																															
Resplit:																															
R/S 1	15701	5	0.4	2.30	10	205	10	3.49	<1	16	19	47	6.07	<10	1.01	880	7	0.01	11	1280	30	<5	<20	136	<0.1	<10	22	<10	5	178	
R/S 36	21041	5	0.2	2.27	25	60	<5	5.82	<1	21	27	91	6.33	<10	1.51	718	6	0.02	25	2120	20	<5	<20	306	<0.1	<10	47	<10	<1	138	
Repeat:																															
1	15701	5	0.4	2.27	<5	195	10	3.37	2	15	22	39	6.20	<10	0.98	873	8	0.01	10	1310	30	<5	<20	127	<0.1	<10	21	<10	5	175	
10	15860	5	1.6	1.05	<5	45	<5	5.23	8	16	55	81	8.70	<10	0.78	1216	17	0.02	34	5740	26	<5	40	318	<0.1	<10	50	<10	7	495	
19	21024	5	0.6	2.20	5	95	5	0.76	<1	11	22	47	7.09	<10	0.14	151	12	0.03	5	2530	124	<5	40	105	<0.1	<10	31	<10	<1	114	
36	21041	5	<2	2.34	20	60	<5	5.84	<1	22	28	90	6.63	<10	1.57	727	7	0.02	28	2230	26	5	<20	295	<0.1	<10	48	<10	<1	146	
45	21050	5	<2	1.84	<5	55	<5	6.18	<1	20	24	95	6.06	<10	1.74	749	5	0.02	31	2040	18	20	<20	342	<0.1	<10	37	<10	<1	150	
54	21058	-	0.2	2.50	20	10	<5	4.78	1	22	30	102	5.96	<10	1.72	684	6	0.02	37	2390	4	5	<20	161	<0.1	<10	51	<10	<1	151	
Standard:																															
GEO'95		150	1.2	1.76	65	170	<5	1.66	<1	21	66	79	3.89	<10	0.97	686	<1	0.02	24	690	22	10	<20	65	0.11	<10	77	<10	5	70	
GEO'95		150	1.2	1.81	70	175	<5	1.59	<1	21	68	82	3.92	<10	0.99	668	<1	0.02	22	700	20	5	<20	58	0.12	<10	70	<10	4	72	

dl/989
XLS/95Canamera#7


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-1012
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

75 core samples received October 24, 1995

PROJECT #: FD5CA0011

SHIPMENT #: 48

P.O. #: 6992

Samples submitted by: Raul Verzosa

Values in ppm unless otherwise reported

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	21081	5	0.8	2.77	210	75	<5	4.91	2	26	118	88	6.76	<10	2.45	849	20	0.01	50	680	<2	40	<20	137	<0.1	<10	187	<20	5	237
2	21082	5	1.4	0.33	825	30	<5	1.12	<1	8	409	34	5.47	<10	0.21	150	28	<0.1	41	170	2	25	20	35	<0.1	20	22	<20	<1	84
3	21083	5	0.6	0.27	1050	40	10	2.36	<1	5	152	15	7.05	<10	0.16	200	24	<0.1	24	50	6	10	60	84	<0.1	<10	9	<20	<1	86
4	21084	5	0.6	0.58	485	40	5	1.21	<1	4	85	9	5.44	<10	0.44	138	15	<0.1	9	60	16	5	<20	38	<0.1	10	5	<20	<1	93
5	21085	5	0.8	0.35	300	50	5	4.32	<1	4	172	20	3.75	<10	0.22	424	20	<0.1	25	120	8	<5	60	84	<0.1	<10	13	<20	7	64
6	21086	5	2.0	0.64	240	20	10	2.51	<1	8	97	43	3.98	<10	0.51	405	26	0.01	43	370	8	10	<20	75	<0.1	<10	28	<20	<1	132
7	21087	5	1.2	1.82	55	30	15	2.62	2	13	61	48	4.95	<10	1.76	594	16	0.02	23	790	8	25	<20	79	<0.1	<10	49	<20	2	127
8	21088	5	<2	4.83	40	120	20	7.17	<1	43	147	54	8.76	<10	4.43	1009	2	0.02	41	1080	<2	<5	<20	165	0.09	<10	332	<20	10	109
9	21089	5	<2	5.68	<5	130	20	4.25	1	47	158	56	9.78	<10	5.62	1567	<1	0.03	41	1160	<2	10	<20	86	0.20	<10	343	<20	10	114
10	21090	5	<2	5.70	<5	125	30	3.14	1	52	171	62	10.20	<10	6.14	1760	<1	0.02	47	1210	<2	5	<20	72	0.27	<10	320	<20	12	105
11	21091	5	<2	4.89	10	145	30	4.45	3	53	143	66	10.00	<10	5.46	1577	<1	0.02	48	1150	<2	15	<20	109	0.37	<10	310	<20	16	233
12	21092	5	<2	5.14	40	70	25	3.56	<1	51	167	74	10.30	<10	5.78	1828	3	0.02	46	1140	<2	10	<20	122	0.11	<10	363	<20	13	94
13	21093	5	0.8	2.36	<5	50	<5	3.99	<1	14	108	110	7.18	<10	2.04	1174	27	0.03	33	2070	<2	5	<20	87	<0.1	<10	250	<20	4	29
14	21094	5	0.4	1.49	<5	30	<5	2.65	<1	11	86	49	4.65	<10	1.20	701	9	0.05	7	690	8	5	<20	61	0.01	<10	75	<20	3	29
15	21095	5	<2	0.86	<5	20	<5	1.07	<1	5	142	17	2.39	<10	0.66	426	9	0.05	8	670	6	<5	20	28	<0.1	<10	49	<20	5	34
16	21096	5	0.4	1.58	<5	25	<5	5.02	2	13	75	43	4.70	<10	1.24	1136	8	0.05	12	1070	14	<5	<20	164	0.01	<10	140	<20	5	142
17	21097	5	0.2	0.76	10	25	<5	1.51	9	6	127	25	2.44	<10	0.63	437	9	0.05	9	780	34	<5	<20	45	<0.1	<10	64	<20	3	673
18	21098	5	0.8	1.03	180	45	<5	3.69	3	11	89	45	5.89	<10	0.86	645	25	0.03	38	980	14	20	40	109	<0.1	<10	113	<20	3	361
19	21099	5	1.2	2.30	90	55	<5	4.45	4	14	85	40	6.73	<10	1.36	871	19	0.04	34	1580	26	10	<20	360	<0.1	<10	92	<20	11	345
20	21100	10	1.0	2.77	110	75	<5	5.84	2	21	79	49	7.30	<10	1.77	1039	13	0.03	32	1840	32	15	<20	576	<0.1	<10	64	<20	10	257
21	21101	5	<2	3.90	10	100	<5	8.36	<1	26	39	61	7.66	<10	2.83	1521	6	0.04	13	1370	16	10	<20	1290	<0.1	<10	160	<20	<1	91
22	21102	10	<2	3.30	10	95	5	4.15	<1	25	43	88	6.76	<10	2.21	1308	6	0.03	18	1680	24	5	<20	296	<0.1	<10	122	<20	2	85
23	21103	5	<2	4.12	<5	105	<5	4.45	<1	33	42	91	8.38	<10	3.02	1698	7	0.03	17	1620	24	10	<20	289	0.02	<10	189	<20	2	103
24	21104	5	<2	3.08	30	120	15	3.18	<1	23	47	33	7.73	<10	1.94	861	5	0.02	18	1890	28	<5	<20	123	0.09	<10	61	<20	9	169
25	21105	10	<2	3.34	30	120	15	3.52	<1	23	63	26	7.77	<10	2.06	1064	4	0.03	21	1880	30	<5	<20	146	0.09	<10	79	<20	9	137

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	21106	5	0.2	3.22	65	130	10	2.06	1	25	59	48	7.67	<10	2.34	868	7	0.02	27	1700	32	10	<20	77	0.06	<10	69	<20	5	201
27	21107	5	0.4	3.39	50	120	15	2.46	3	20	88	45	8.02	<10	2.78	908	22	0.02	37	1500	38	10	<20	88	0.07	<10	88	<20	7	252
28	21108	5	0.6	3.85	85	115	<5	5.64	1	31	129	46	9.67	<10	2.97	1705	9	0.02	55	1610	34	<5	<20	172	0.04	<10	121	<20	4	193
29	21109	10	0.2	2.77	85	105	<5	6.97	<1	27	123	40	6.69	<10	2.25	1943	6	0.02	48	1470	22	10	<20	230	0.03	<10	95	<20	6	125
30	21110	5	0.4	3.35	125	100	10	6.41	<1	31	137	48	8.17	<10	2.88	1726	7	0.02	57	1600	26	15	<20	210	0.04	<10	121	<20	7	116
31	21111	5	0.4	3.15	105	110	<5	10.30	<1	28	108	46	8.28	<10	2.65	1935	8	0.02	46	1390	26	10	<20	319	0.03	<10	101	<20	6	114
32	21112	5	<2	3.54	110	140	5	8.56	<1	35	195	52	8.23	<10	2.91	1815	4	0.02	59	1230	26	15	<20	287	0.07	<10	130	<20	4	122
33	21113	5	0.4	3.88	50	115	5	4.01	<1	21	117	28	9.23	<10	2.90	1436	7	0.02	29	1870	26	<5	<20	164	0.02	<10	127	<20	5	196
34	21114	10	1.2	2.14	40	80	10	1.63	4	15	37	54	6.41	<10	1.74	529	17	0.01	31	1710	32	5	<20	59	<0.1	<10	40	<20	2	357
35	21115	5	1.6	1.91	150	85	<5	1.68	5	14	38	56	6.30	<10	1.63	478	17	0.01	32	1420	34	10	<20	68	<0.1	<10	43	<20	1	453
36	21116	5	1.0	2.00	50	95	<5	3.61	2	15	51	50	5.92	<10	1.64	832	10	0.01	32	2810	28	15	<20	133	<0.1	<10	58	<20	6	227
37	21117	5	2.2	2.12	65	60	<5	2.76	7	15	25	50	6.55	<10	1.69	799	15	0.02	26	1640	30	10	<20	113	<0.1	<10	39	<20	2	519
38	21118	5	1.4	2.02	85	75	<5	1.26	7	14	39	60	6.38	<10	1.66	458	16	0.01	35	1290	44	10	<20	52	<0.1	<10	46	<20	<1	504
39	21119	5	1.2	2.37	55	85	<5	1.57	3	15	51	56	6.70	<10	1.91	568	11	0.01	37	1650	42	10	<20	69	<0.1	<10	61	<20	1	336
40	21120	5	1.2	2.35	100	90	<5	5.42	2	17	62	66	7.37	<10	1.78	1298	17	0.01	34	7350	66	15	<20	250	<0.1	<10	70	<20	19	200
41	21121	5	0.6	1.31	225	85	<5	5.54	<1	16	87	40	5.06	<10	0.88	1053	11	0.01	28	1820	28	<5	<20	301	<0.1	<10	35	<20	4	142
42	21122	5	0.8	1.03	35	110	<5	3.85	2	12	115	37	5.12	<10	0.71	779	12	<0.1	24	720	20	<5	40	259	<0.1	<10	17	<20	<1	181
43	21123	5	0.4	3.19	50	140	15	5.58	1	31	121	44	8.76	<10	1.96	1391	8	0.02	40	1640	28	<5	<20	211	0.01	<10	110	<20	3	215
44	21124	5	<2	3.22	55	120	10	9.18	2	35	242	44	7.83	<10	1.97	2033	7	0.03	62	1330	22	5	40	333	0.01	<10	158	<20	5	205
45	21125	5	0.2	2.89	70	165	10	2.78	<1	26	48	32	8.13	<10	1.50	809	8	0.03	18	2170	40	<5	<20	123	<0.1	<10	72	<20	4	136
46	21126	5	0.2	2.85	20	160	10	4.10	<1	25	113	37	7.48	<10	1.40	1174	6	0.02	20	1580	24	<5	20	164	0.01	<10	95	<20	6	160
47	21127	5	<2	2.96	<5	140	5	3.22	1	13	53	24	8.59	<10	1.32	897	9	0.03	4	2580	20	<5	<20	127	0.01	<10	71	<20	4	168
48	21128	5	<2	3.57	25	165	15	5.21	<1	23	97	35	9.08	<10	1.99	1243	9	0.02	24	1950	28	<5	<20	222	0.01	<10	137	<20	4	170
49	21129	5	<2	4.40	35	100	5	7.40	<1	39	267	55	7.96	<10	4.05	1345	7	0.03	71	940	26	10	<20	323	0.02	<10	266	<20	5	124
50	21130	5	<2	4.49	<5	165	20	3.64	1	22	93	24	11.80	<10	2.50	1207	8	0.02	24	2210	22	<5	20	158	0.04	<10	125	<20	1	163
51	21131	5	<2	3.74	<5	145	25	3.02	2	13	29	12	10.30	<10	1.39	1391	9	0.01	6	2300	26	<5	20	106	0.01	<10	59	<20	<1	159
52	21132	5	0.4	3.04	<5	135	10	4.01	1	11	31	18	8.84	<10	1.08	1424	8	0.01	5	1990	24	<5	40	132	0.01	<10	44	<20	<1	160
53	21133	5	0.4	3.13	5	160	20	4.53	<1	14	30	30	8.67	<10	1.17	1630	7	0.01	6	2440	26	<5	40	154	0.01	<10	47	<20	<1	165
54	21134	5	0.6	2.21	35	155	<5	6.29	1	17	57	35	6.49	<10	1.16	1414	72	0.02	30	1950	32	<5	<20	238	<0.1	<10	44	<20	5	169
55	21135	130	1.6	3.31	185	180	10	9.11	<1	21	93	29	7.95	<10	2.58	1704	10	0.02	38	1640	26	15	<20	277	<0.1	<10	77	<20	4	199
56	21136	345	4.2	1.76	310	105	15	10.80	<1	18	70	32	6.22	<10	1.28	1407	21	0.01	30	1710	32	15	<20	369	<0.1	<10	37	<20	5	126
57	21137	5	0.2	3.04	<5	265	15	4.17	<1	19	34	28	7.68	<10	1.39	1073	7	0.02	13	2030	32	<5	40	203	<0.1	<10	40	<20	10	174
58	21138	5	0.6	2.83	25	240	<5	4.40	1	21	34	89	7.46	<10	1.40	1142	9	0.02	14	2000	34	5	<20	215	<0.1	<10	45	<20	7	174
59	21139	5	<2	2.45	25	175	10	4.85	1	20	57	43	7.13	<10	1.49	1027	19	0.02	22	1700	34	10	20	198	<0.1	<10	60	<20	2	193
60	21140	5	0.4	3.12	95	150	15	3.51	<1	11	50	11	7.62	<10	2.10	755	9	0.02	10	2240	30	<5	<20	118	<0.1	<10	67	<20	5	139

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	21141	60	3.6	1.92	190	90	5	4.84	2	17	54	33	6.17	<10	1.32	763	14	0.01	29	1250	36	15	<20	192	<0.1	<10	43	<20	5	276
62	21142	160	7.6	1.19	265	70	<5	3.03	3	12	38	37	4.53	<10	0.91	384	23	<0.1	29	1640	48	20	<20	132	<0.1	<10	25	<20	1	407
63	21143	10	0.8	2.44	250	110	10	5.85	<1	23	81	38	7.44	<10	1.69	1170	10	0.01	35	1870	34	10	20	183	<0.1	<10	58	<20	3	205
64	21144	25	1.0	2.07	375	100	10	4.97	<1	21	72	33	6.90	<10	1.37	1014	12	0.01	39	1650	30	10	20	149	<0.1	<10	46	<20	4	238
65	21145	5	0.6	2.45	300	120	<5	5.72	<1	14	33	27	7.83	<10	1.52	1122	14	0.01	16	2150	30	10	<20	176	<0.1	<10	39	<20	3	233
66	21146	5	0.4	2.21	85	105	10	5.80	<1	13	61	20	8.45	<10	1.24	1099	9	0.01	14	1700	26	<5	<20	219	<0.1	<10	39	<20	5	128
67	21147	5	<2	1.91	50	90	10	3.70	1	12	49	26	8.84	<10	1.21	804	12	0.01	19	1620	26	<5	<20	125	<0.1	<10	41	<20	2	168
68	21148	5	<2	2.10	110	95	10	3.67	<1	17	71	28	8.72	<10	1.37	828	11	0.01	31	1300	28	<5	<20	116	<0.1	<10	52	<20	2	167
69	21149	5	0.2	1.01	70	50	<5	1.91	<1	12	18	33	4.93	<10	0.48	386	14	0.01	22	1310	36	<5	40	71	<0.1	<10	9	<20	1	169
70	21150	5	0.4	1.54	100	80	5	2.95	<1	18	37	40	6.30	<10	0.91	663	16	0.01	37	1540	36	5	<20	108	<0.1	<10	25	<20	2	218
71	21151	5	0.8	1.97	95	95	5	2.71	2	22	63	52	6.56	<10	1.24	719	21	0.01	50	1270	36	<5	<20	95	<0.1	<10	50	<20	<1	327
72	21152	5	0.6	1.06	85	80	<5	2.66	2	18	45	48	5.99	<10	0.64	664	19	0.01	53	1280	36	<5	40	93	<0.1	<10	17	<20	2	241
73	21153	5	<2	5.55	15	250	15	6.74	<1	46	634	61	9.31	<10	5.60	1665	<1	0.02	121	1120	42	10	40	343	0.22	<10	223	<20	4	120
74	21154	5	<2	5.08	30	210	<5	4.99	<1	45	477	72	8.44	<10	5.19	1442	<1	0.03	79	1000	42	15	<20	233	0.20	<10	237	<20	5	117
75	21155	5	<2	3.63	90	110	10	5.09	<1	32	171	42	8.17	<10	3.28	1205	6	0.02	49	1450	40	15	<20	205	0.08	<10	181	<20	3	156

QC DATA:**Resplit:**

R/S1	21081	5	0.6	2.82	220	85	10	5.08	1	28	130	79	7.02	<10	2.59	694	22	0.01	58	710	<2	45	<20	150	<0.1	<10	203	<20	5	254
R/S36	21116	5	0.8	2.04	55	85	<5	3.99	1	16	56	46	6.00	<10	1.63	886	12	0.02	31	3180	30	15	<20	143	<0.1	<10	59	<20	8	234
R/S71	21151	5	1.0	1.96	105	95	5	2.73	2	20	52	51	6.46	<10	1.23	721	23	0.01	50	1300	36	<5	<20	94	<0.1	<10	45	<20	<1	307


Repeat:

1	21081	5	0.8	2.88	185	60	5	4.94	4	27	121	90	6.69	<10	2.64	671	21	<0.1	48	700	<2	30	<20	146	<0.1	<10	197	<20	4	235
10	21090	5	<2	5.78	5	110	25	3.35	<1	55	177	61	11.10	<10	5.87	1792	<1	0.02	53	1360	<2	10	<20	67	0.28	<10	318	<20	10	121
19	21099	5	1.6	2.34	105	50	<5	4.56	4	14	86	42	6.90	<10	1.38	890	20	0.04	36	1650	30	<5	<20	367	<0.1	<10	94	<20	12	364
36	21116	5	1.0	2.01	50	90	<5	3.64	2	15	51	50	5.95	<10	1.65	838	10	0.01	31	2780	28	15	<20	133	<0.1	<10	58	<20	6	228
45	21125	5	0.6	2.88	65	170	<5	2.78	<1	26	48	33	8.14	<10	1.50	808	8	0.03	16	2180	44	<5	<20	127	<0.1	<10	71	<20	4	136
54	21134	5	0.6	2.23	45	160	10	6.43	<1	17	58	35	6.60	<10	1.17	1437	74	0.02	31	1990	34	<5	<20	242	<0.1	<10	44	<20	6	177
71	21151	5	0.4	1.95	80	110	<5	2.67	3	21	61	51	6.42	<10	1.22	705	20	0.01	51	1220	34	5	<20	101	<0.1	<10	49	<10	<1	315

Standard:

GEO'95	145	1.4	1.73	95	180	<5	2.10	<1	22	70	90	4.04	<10	1.06	752	<1	0.02	24	730	22	10	<20	65	0.12	<10	84	<20	3	80
GEO'95	145	1.4	1.81	100	165	<5	2.08	<1	22	70	88	4.15	<10	1.03	740	<1	0.02	22	760	24	10	<20	59	0.12	<10	82	<20	4	82
GEO'95	140	1.0	1.84	105	165	<5	2.03	<1	21	68	86	4.02	<10	1.01	736	<1	0.01	24	740	22	<5	<20	62	0.11	<10	80	<20	3	83

df/1000
XLS/95Canamera#7


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

1-Nov-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-1017
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

169 Core samples received October 24, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 47
P.O. #: 6993
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	16084	5	0.6	2.31	<5	100	15	1.28	<1	15	36	18	7.13	<10	0.78	902	13	0.02	4	1600	14	<5	<20	63	<0.1	<10	35	<10	1	106
2	16085	5	<2	2.40	<5	125	5	1.69	1	13	28	10	6.33	<10	0.80	788	7	0.02	4	2280	4	<5	<20	84	0.01	<10	36	<10	3	136
3	16086	5	0.4	3.28	<5	100	25	2.24	2	11	31	8	9.81	<10	0.99	1031	9	0.02	2	1790	<2	<5	<20	109	0.01	<10	48	<10	2	193
4	16087	5	0.2	1.99	5	120	15	6.46	2	15	36	23	7.14	<10	1.72	2050	8	0.01	6	1270	<2	<5	<20	227	0.01	<10	37	<10	9	131
5	16088	5	<2	0.73	130	70	15	1.42	1	17	36	14	6.12	<10	0.67	466	13	0.01	4	1770	18	5	<20	72	<0.1	<10	11	<10	4	162
6	16089	5	0.4	0.60	125	70	10	1.57	4	20	34	21	7.23	<10	0.61	486	15	<0.1	4	1830	34	<5	<20	71	<0.1	<10	10	<10	4	196
7	16090	5	0.6	0.36	35	85	20	2.22	<1	26	19	18	7.40	<10	1.35	788	11	<0.1	7	1870	12	<5	<20	99	<0.1	<10	13	<10	6	78
8	16091	640	2.8	1.47	225	140	<5	3.05	<1	17	33	52	5.89	<10	1.03	1126	7	<0.1	11	1400	8	5	<20	169	<0.1	<10	26	<10	<1	154
9	16092	>1000	>30	0.14	2325	55	10	2.15	<1	7	85	36	8.32	<10	0.03	301	54	<0.1	94	170	124	325	20	379	<0.1	<10	5	<10	<1	2755
10	16093	>1000	26.0	0.15	1160	45	15	0.37	<1	8	109	28	8.45	<10	0.01	131	54	<0.1	57	240	92	160	40	43	<0.1	<10	5	<10	<1	165
11	16094	>1000	20.8	0.18	735	40	<5	0.20	<1	6	66	20	3.93	<10	0.10	103	26	<0.1	26	350	58	60	20	24	<0.1	<10	3	<10	<1	211
12	16095	>1000	>30	0.13	800	40	<5	0.25	1	5	79	46	4.21	<10	0.11	122	40	<0.1	55	210	312	150	<20	52	<0.1	<10	3	<10	<1	1256
13	16096	>1000	19.8	0.13	445	55	<5	0.42	<1	4	78	23	3.32	<10	0.23	171	33	<0.1	20	190	102	80	20	75	<0.1	<10	3	<10	<1	319
14	16097	825	18.6	0.12	300	50	<5	0.26	<1	4	88	27	2.87	<10	0.10	111	22	<0.1	13	210	112	60	20	48	<0.1	<10	3	<10	<1	299
15	16098	>1000	>30	0.10	890	45	10	0.14	<1	6	105	29	7.28	<10	0.02	90	80	<0.1	41	140	94	100	40	35	<0.1	<10	5	<10	<1	361
16	16099	525	17.2	0.10	815	45	<5	0.10	<1	4	119	19	4.58	<10	0.02	69	45	<0.1	32	230	56	45	40	18	<0.1	<10	5	<10	<1	160
17	16100	360	13.6	0.10	555	55	<5	0.07	<1	3	122	16	2.43	<10	0.02	45	40	<0.1	26	190	46	45	20	9	<0.1	<10	5	<10	<1	120
18	16101	495	16.8	0.13	605	60	<5	0.06	<1	4	135	16	3.08	<10	0.04	77	55	<0.1	26	90	42	65	40	12	<0.1	<10	4	<10	<1	174
19	16102	785	25.6	0.11	1550	75	15	0.04	<1	7	121	21	9.77	<10	<0.1	74	124	<0.1	24	40	52	140	20	7	<0.1	30	6	<10	<1	1784
20	16103	820	27.4	0.11	925	60	15	0.09	<1	8	109	19	8.36	<10	0.03	98	68	<0.1	22	110	68	140	20	17	<0.1	10	5	<10	<1	816
21	16104	>1000	22.6	0.05	1945	70	35	0.05	<1	9	87	15	> 15	<10	<0.1	61	79	<0.1	6	<10	20	165	40	12	<0.1	30	2	<10	<1	3920
22	16105	>1000	>30	0.14	965	70	15	0.09	<1	8	119	26	9.05	<10	0.03	71	108	<0.1	17	110	60	120	20	15	<0.1	20	5	<10	<1	676
23	16106	560	18.2	0.11	715	45	10	0.12	<1	7	91	22	5.93	<10	0.05	79	47	<0.1	11	110	40	75	20	18	<0.1	<10	4	<10	<1	288
24	16107	>1000	27.8	0.13	810	50	5	0.14	<1	6	113	23	6.09	<10	0.04	151	107	<0.1	15	140	80	120	<20	16	<0.1	<10	5	<10	<1	148
25	16108	>1000	>30	0.15	740	40	10	0.13	<1	6	125	25	6.11	<10	0.07	105	50	<0.1	16	150	68	125	20	10	<0.1	<10	4	<10	<1	371

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	16109	>1000	22.4	0.13	585	45	10	0.29	<1	5	108	19	5.04	<10	0.12	124	41	<0.1	14	190	62	80	20	31	<0.1	<10	4	<10	<1	464
27	16110	805	28.2	0.14	905	45	10	0.36	<1	6	74	20	6.99	<10	0.06	143	60	<0.1	16	270	84	130	20	30	<0.1	<10	4	<10	<1	330
28	16111	660	>30	0.10	1875	50	10	0.05	<1	8	100	19	9.49	<10	<0.1	56	339	<0.1	13	110	124	165	<20	5	<0.1	20	4	<10	<1	443
29	16112	>1000	>30	0.07	995	60	20	0.03	<1	7	75	20	12.70	<10	<0.1	43	77	<0.1	6	20	64	190	20	3	<0.1	30	3	<10	<1	157
30	16113	765	28.2	0.08	1590	55	15	0.07	<1	8	88	23	9.92	<10	<0.1	51	139	<0.1	10	80	78	120	<20	10	<0.1	20	3	<10	<1	548
31	16114	800	19.6	0.09	1350	45	10	0.13	<1	7	78	18	8.01	<10	<0.1	77	103	<0.1	12	190	62	110	40	12	<0.1	10	4	<10	<1	124
32	16115	630	22.4	0.10	720	40	10	0.09	<1	6	85	17	6.05	<10	<0.1	75	45	<0.1	12	120	68	115	20	10	<0.1	10	3	<10	<1	185
33	16116	425	14.6	0.11	395	45	<5	0.07	<1	4	71	13	2.92	<10	<0.1	50	16	<0.1	13	220	42	75	<20	9	<0.1	<10	3	<10	<1	107
34	16117	>1000	>30	0.11	925	40	10	0.08	<1	6	63	18	6.88	<10	<0.1	69	23	<0.1	13	160	80	150	40	8	<0.1	20	2	<10	<1	220
35	16118	370	12.4	0.12	215	50	<5	0.08	<1	4	63	13	2.21	<10	<0.1	61	15	<0.1	12	240	34	45	<20	8	<0.1	<10	2	<10	<1	56
36	16119	435	15.0	0.12	280	45	<5	0.14	<1	5	83	17	2.90	<10	<0.1	99	25	<0.1	10	280	40	70	<20	13	<0.1	<10	3	<10	<1	83
37	16120	580	20.4	0.10	590	40	10	0.11	<1	6	82	21	5.94	<10	<0.1	86	72	<0.1	10	150	46	75	20	12	<0.1	<10	2	<10	<1	298
38	16121	360	17.0	0.12	410	40	5	0.19	1	4	70	17	3.16	<10	<0.1	92	20	<0.1	14	260	50	70	<20	12	<0.1	<10	2	<10	<1	788
39	16122	365	13.2	0.11	355	35	10	0.23	<1	5	76	16	3.85	<10	<0.1	112	37	<0.1	13	140	46	45	<20	12	<0.1	<10	2	<10	<1	432
40	16123	830	>30	0.10	930	40	20	0.24	<1	6	71	26	8.97	<10	<0.1	160	69	<0.1	8	160	114	230	20	14	<0.1	20	2	<10	<1	198
41	16124	565	12.6	0.20	330	45	<5	0.21	<1	5	69	15	3.06	<10	0.08	108	19	<0.1	12	470	30	50	<20	13	<0.1	<10	3	<10	<1	128
42	16125	>1000	13.0	0.32	2060	40	<5	0.21	<1	9	26	20	5.15	<10	0.15	138	23	<0.1	18	800	14	70	<20	18	<0.1	<10	4	<10	<1	252
43	16126	>1000	4.8	0.39	1275	40	5	0.27	<1	9	17	17	4.60	<10	0.15	152	21	<0.1	17	980	14	65	<20	21	<0.1	<10	4	<10	2	156
44	16127	>1000	7.0	0.27	1235	35	10	0.33	<1	11	30	21	6.55	<10	0.02	166	26	<0.1	19	670	22	110	<20	23	<0.1	10	4	<10	<1	91
45	16128	>1000	7.8	0.24	1025	30	10	0.24	<1	10	20	19	4.79	<10	<0.1	90	19	<0.1	28	930	36	65	<20	18	<0.1	<10	4	<10	<1	69
46	16129	625	19.2	0.41	1595	45	20	2.03	<1	14	62	18	9.49	<10	0.14	523	26	0.01	4	1140	48	175	<20	133	<0.1	<10	8	<10	<1	593
47	16130	5	0.4	0.77	265	50	10	1.54	<1	13	28	16	5.49	<10	0.42	419	15	<0.1	10	1260	22	20	<20	79	<0.1	<10	9	<10	3	119
48	16131	5	<2	1.20	125	55	10	4.13	<1	11	36	14	5.63	<10	0.66	1151	14	<0.1	11	860	18	20	<20	118	<0.1	<10	14	<10	6	67
49	16132	5	0.4	0.61	160	50	<5	2.25	<1	9	18	16	4.33	<10	0.22	567	12	<0.1	12	760	34	25	<20	59	<0.1	<10	5	<10	3	74
50	16133	5	1.0	0.52	145	45	5	1.84	<1	8	23	15	3.85	<10	0.17	476	14	<0.1	12	540	44	25	<20	59	<0.1	<10	5	<10	1	130
51	16134	5	<2	2.44	<5	150	<5	2.96	<1	18	16	83	6.42	<10	0.73	975	5	<0.1	13	2570	6	<5	<20	324	0.03	<10	38	<10	<1	80
52	16135	5	0.2	2.65	<5	125	<5	2.44	1	25	38	329	7.49	<10	0.85	857	7	<0.1	15	1600	10	<5	<20	373	0.02	<10	65	<10	<1	94
53	16136	5	<2	3.55	<5	205	<5	1.52	<1	35	16	143	8.79	<10	1.22	585	6	<0.1	19	1220	6	<5	<20	179	0.02	<10	67	<10	<1	168
54	21061	5	<2	2.66	10	55	<5	4.70	<1	19	34	112	5.36	<10	1.84	746	6	0.02	37	1660	12	10	<20	231	<0.1	<10	43	<10	<1	110
55	21062	5	<2	2.08	25	45	<5	9.57	<1	16	49	82	4.30	<10	1.59	1282	5	0.02	37	1240	8	10	<20	814	<0.1	<10	34	<10	3	85
56	21063	5	<2	2.14	40	60	<5	3.35	<1	19	22	90	4.60	<10	1.55	686	6	0.01	21	870	32	10	<20	187	<0.1	<10	19	<10	<1	86
57	21064	5	<2	2.35	25	65	<5	3.30	<1	16	25	82	4.48	<10	1.63	655	4	0.02	19	1420	10	<5	<20	181	<0.1	<10	30	<10	<1	92
58	21065	5	<2	2.37	10	70	<5	4.09	<1	18	28	83	5.03	<10	1.58	856	5	0.01	29	1460	10	<5	<20	227	<0.1	<10	34	<10	<1	96
59	21066	5	<2	2.07	10	75	5	4.57	<1	16	27	85	5.04	<10	1.55	982	5	0.02	22	1440	8	<5	<20	238	<0.1	<10	35	<10	1	94
60	21067	5	<2	2.29	10	85	<5	4.90	<1	18	26	76	5.04	<10	1.50	1298	5	0.02	22	1440	10	10	<20	320	<0.1	<10	38	<10	<1	88

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	21068	5	<2	2.22	<5	90	<5	5.32	<1	16	31	50	4.91	<10	1.42	1431	5	0.02	16	1230	6	<5	<20	315	<0.01	<10	39	<10	<1	83
62	21069	5	<2	2.13	<5	85	<5	7.65	<1	16	32	35	4.64	<10	1.35	1797	4	0.02	13	1180	8	<5	<20	468	<0.01	<10	52	<10	<1	68
63	21070	5	<2	2.43	10	80	<5	4.46	<1	23	30	74	5.93	<10	1.53	1285	6	0.03	18	1540	12	<5	<20	249	<0.01	<10	49	<10	<1	96
64	21071	5	<2	2.48	10	95	<5	3.76	<1	18	27	91	5.27	<10	1.61	846	4	0.03	22	1650	12	5	<20	262	<0.01	<10	41	<10	1	112
65	21072	5	<2	2.36	<5	80	5	3.83	<1	18	30	72	5.19	<10	1.55	999	5	0.02	19	1420	14	10	<20	263	<0.01	<10	41	<10	<1	83
66	21073	5	<2	3.18	10	80	10	4.53	<1	22	34	53	6.67	<10	2.07	1356	6	0.02	16	1760	6	10	<20	249	<0.01	<10	71	<10	<1	89
67	21074	5	<2	2.37	15	70	<5	8.00	<1	16	30	52	5.03	<10	1.58	2049	5	0.02	16	1460	6	5	<20	428	<0.01	<10	48	<10	2	77
68	21075	5	<2	2.49	5	70	5	6.59	<1	18	33	59	5.35	<10	1.67	1749	5	0.02	18	1580	8	5	<20	358	<0.01	<10	50	<10	<1	81
69	21076	5	<2	2.31	15	80	10	4.22	<1	18	37	66	5.61	<10	1.84	1178	5	0.02	22	1470	10	15	<20	263	<0.01	<10	49	<10	<1	89
70	21077	5	<2	0.35	40	65	<5	5.89	<1	21	30	58	5.20	<10	1.66	1519	6	0.03	24	1510	14	15	<20	356	<0.01	<10	20	<10	2	79
71	21078	5	<2	1.72	10	60	<5	4.23	<1	18	29	67	5.57	<10	1.47	1493	5	0.02	19	1420	8	10	<20	276	<0.01	<10	33	<10	<1	91
72	21079	10	3.2	1.30	385	50	<5	7.88	<1	21	72	36	4.92	<10	1.24	1685	17	0.02	44	1580	6	20	<20	219	<0.01	<10	139	<10	7	105
73	21080	10	0.8	1.78	1810	50	<5	7.56	<1	19	98	38	4.40	<10	1.88	1424	12	0.02	29	1130	2	20	<20	227	<0.01	<10	187	<10	7	61
74	21156	40	1.4	2.04	55	75	<5	5.77	<1	25	44	116	5.39	<10	1.38	2254	8	<0.01	12	1970	24	<5	<20	166	<0.01	<10	41	<10	<1	103
75	21157	305	3.6	1.61	105	55	<5	2.93	1	26	91	426	5.22	<10	1.03	1257	12	<0.01	14	1580	144	<5	<20	92	<0.01	<10	47	<10	<1	222
76	21158	125	2.6	0.83	85	40	<5	2.08	4	23	91	276	3.97	<10	0.62	982	15	<0.01	10	1440	146	<5	<20	53	<0.01	<10	31	<10	<1	342
77	21159	5	0.4	2.28	50	180	<5	4.72	<1	22	129	101	5.66	<10	1.14	1446	11	<0.01	13	1590	14	<5	<20	183	<0.01	<10	56	<10	<1	130
78	21160	5	1.0	2.28	125	75	<5	3.36	<1	34	62	320	8.92	<10	1.33	1134	25	<0.01	12	2070	6	<5	<20	95	<0.01	<10	50	<10	<1	120
79	21161	5	<2	2.56	<5	515	<5	4.71	1	18	39	116	5.89	<10	1.31	1255	8	<0.01	8	2130	4	5	<20	166	<0.01	<10	41	<10	<1	124
80	21162	5	<2	1.66	<5	740	<5	8.01	<1	25	41	129	5.72	<10	2.05	1804	7	<0.01	17	2060	2	5	<20	648	0.02	<10	67	<10	<1	73
81	21163	730	0.2	1.53	<5	235	<5	6.63	<1	29	41	119	5.66	<10	1.66	1449	6	0.01	17	1990	8	<5	<20	262	0.02	<10	76	<10	<1	83
82	21164	35	0.2	2.19	45	135	<5	3.90	<1	28	22	79	5.91	<10	1.23	1342	7	<0.01	9	2350	6	<5	<20	172	<0.01	<10	42	<10	<1	97
83	21165	5	0.4	2.28	25	70	<5	7.50	<1	29	16	111	6.34	<10	0.97	2407	8	0.01	3	2790	6	<5	<20	237	<0.01	<10	44	<10	1	96
84	21166	5	<2	3.17	<5	90	<5	4.15	<1	31	16	141	6.96	<10	1.74	1457	7	0.01	4	2860	8	<5	<20	166	<0.01	<10	72	<10	<1	141
85	21167	5	0.2	2.72	<5	110	<5	4.34	<1	36	22	374	6.34	<10	1.48	1403	11	0.02	6	2750	8	<5	<20	157	<0.01	<10	116	<10	<1	124
86	21168	5	<2	0.88	<5	875	<5	6.25	<1	17	29	27	5.24	<10	1.46	1760	5	0.03	3	2310	<2	<5	<20	237	0.01	<10	85	<10	6	69
87	21169	35	1.0	2.77	<5	745	<5	7.02	<1	19	39	95	5.96	<10	1.87	2123	6	<0.01	11	1970	6	<5	<20	216	<0.01	<10	64	<10	<1	103
88	21170	5	0.4	2.79	15	270	<5	3.19	<1	26	32	95	8.31	<10	1.53	964	9	<0.01	9	2570	8	<5	<20	165	<0.01	<10	53	<10	<1	119
89	21171	5	1.2	2.37	30	520	<5	3.95	<1	25	57	1183	5.35	<10	1.70	1190	11	<0.01	16	1990	10	20	<20	252	<0.01	<10	74	<10	<1	103
90	21172	5	1.0	0.71	<5	855	<5	4.64	<1	16	49	190	4.45	<10	1.64	1332	4	<0.01	12	1990	<2	10	<20	477	0.02	<10	56	<10	<1	55
91	21173	375	>30	1.08	100	35	<5	6.49	1	28	57	338	4.64	<10	1.35	1405	10	<0.01	14	1940	266	10	<20	428	<0.01	<10	28	<10	<1	171
92	21174	5	0.8	2.03	<5	690	<5	8.24	1	35	42	58	6.97	<10	1.94	1857	5	0.02	21	2050	4	<5	<20	454	0.01	<10	73	<10	<1	104
93	21175	5	<2	2.21	20	135	<5	7.54	<1	23	22	93	5.16	<10	0.96	1574	8	0.02	4	2360	4	<5	<20	273	<0.01	<10	51	<10	2	81
94	21176	5	<2	2.12	50	80	<5	8.03	<1	28	26	163	5.52	<10	1.00	1494	8	0.02	5	2250	6	<5	<20	245	<0.01	<10	48	<10	1	78
95	21177	5	<2	2.91	<5	175	5	4.62	<1	15	16	69	6.39	<10	0.97	2001	7	0.02	4	1190	6	<5	<20	240	<0.01	<10	53	<10	<1	361
96	21178	5	<2	2.28	<5	170	<5	0.42	<1	11	28	46	5.73	<10	0.43	271	5	0.02	5	1220	10	<5	<20	76	<0.01	<10	41	<10	<1	156
97	21179	5	<2	2.39	50	95	<5	0.37	<1	11	38	97	8.94	<10	0.44	239	10	0.02	6	1330	12	<5	<20	77	<0.01	<10	53	<10	<1	103
98	21180	5	<2	2.46	40	85	<5	2.43	<1	21	42	165	5.71	<10	1.59	573	5	0.01	31	1810	12	<5	<20	223	<0.01	<10	37	<10	<1	134

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
99	21181	5	<2	1.79	35	60	<5	4.31	<1	19	23	111	5.37	<10	1.56	667	6	0.02	29	1950	20	15	<20	253	<0.1	<10	32	<10	<1	120
100	21182	5	<2	2.49	15	55	<5	5.66	<1	21	32	109	5.44	<10	1.79	873	5	0.01	41	1720	16	<5	<20	391	<0.1	<10	38	<10	<1	111
101	21183	5	<2	1.99	5	60	<5	5.51	<1	20	31	100	5.46	<10	1.81	938	6	0.02	45	1620	14	10	<20	339	<0.1	<10	35	<10	<1	102
102	21184	5	<2	0.76	30	70	<5	4.30	<1	19	21	98	5.35	<10	1.62	840	6	0.02	41	1560	12	15	<20	202	<0.1	<10	22	<10	<1	102
103	21185	5	0.2	0.39	25	80	<5	3.64	<1	19	27	95	5.18	<10	1.51	670	5	0.02	30	1630	8	10	<20	150	<0.1	<10	17	<10	<1	102
104	21186	5	<2	0.37	25	75	<5	3.75	<1	19	19	95	5.28	<10	1.55	689	5	0.02	32	1640	10	15	<20	153	<0.1	<10	17	<10	1	103
105	21187	5	<2	1.86	5	30	<5	0.33	2	13	58	51	5.58	<10	1.84	529	5	0.04	20	1140	22	<5	<20	6	0.08	<10	122	<10	5	221
106	21188	5	<2	3.57	<5	80	20	4.21	<1	10	34	6	10.40	<10	0.97	2351	11	0.01	<1	1930	<2	<5	<20	218	0.02	<10	67	<10	2	169
107	21189	5	<2	2.97	<5	105	10	2.70	<1	7	40	6	8.89	<10	0.72	1435	8	0.02	1	2090	<2	<5	<20	169	0.02	<10	53	<10	3	115
108	21190	5	0.4	5.10	<5	80	25	3.95	1	16	20	11	14.20	<10	1.28	3593	13	0.01	2	2000	<2	<5	<20	259	0.03	<10	93	<10	<1	236
109	21191	5	<2	4.15	<5	110	20	2.80	1	13	18	8	11.20	<10	1.26	2177	12	0.01	2	2010	2	<5	<20	177	0.02	<10	70	<10	<1	201
110	21192	5	<2	2.93	<5	105	10	2.52	1	8	43	6	8.64	<10	0.75	949	10	0.02	1	1990	8	<5	<20	147	0.02	<10	53	<10	3	157
111	21193	5	<2	3.16	<5	110	15	2.83	<1	9	30	6	8.94	<10	0.98	1021	8	0.02	1	1840	4	<5	<20	161	0.02	<10	55	<10	<1	202
112	21194	5	<2	2.59	<5	115	<5	0.21	<1	22	19	70	8.14	<10	0.90	404	5	<0.1	12	730	8	<5	<20	22	0.04	<10	50	<10	<1	116
113	21195	5	<2	2.44	<5	130	<5	0.22	<1	20	62	144	6.75	<10	0.99	427	7	<0.1	12	500	38	<5	<20	34	0.02	<10	49	<10	<1	107
114	21196	5	<2	2.00	5	135	<5	0.34	<1	20	109	94	4.97	<10	0.83	398	8	<0.1	12	350	8	<5	<20	67	0.02	<10	36	<10	<1	84
115	23001	5	<2	1.46	<5	580	5	2.38	<1	8	27	10	3.83	<10	0.87	848	4	0.03	2	1330	4	<5	<20	176	0.02	<10	38	<10	<1	156
116	23002	10	0.4	2.40	<5	490	10	4.79	<1	20	46	47	5.77	<10	1.53	1535	5	0.01	9	1530	4	<5	<20	218	0.01	<10	60	<10	<1	146
117	23003	5	0.8	1.72	<5	300	<5	6.42	<1	20	48	63	5.06	<10	0.83	1327	7	<0.1	13	2080	8	<5	<20	349	0.02	<10	57	<10	<1	76
118	23004	5	<2	3.44	<5	820	<5	7.30	<1	31	56	141	7.18	<10	2.43	1430	6	<0.1	17	2110	<2	<5	<20	391	0.01	<10	105	<10	<1	100
119	23005	5	<2	4.11	<5	145	<5	5.61	1	41	60	138	8.50	<10	3.35	1256	9	<0.1	18	1990	4	<5	<20	275	<0.1	<10	167	<10	<1	131
120	23006	5	<2	4.55	<5	260	<5	4.03	<1	45	64	100	8.92	<10	3.45	1017	8	<0.1	19	2110	4	<5	<20	208	<0.1	<10	171	<10	<1	124
121	23007	10	<2	3.02	<5	410	<5	5.46	<1	26	18	120	6.41	<10	1.41	1962	7	0.02	3	2470	2	<5	<20	217	<0.1	<10	66	<10	<1	106
122	23008	45	<2	2.82	240	80	<5	2.89	<1	40	18	113	8.25	<10	1.16	900	14	0.01	9	5380	8	<5	<20	124	<0.1	<10	62	<10	<1	165
123	23009	5	<2	3.00	<5	980	<5	4.10	1	26	20	224	6.43	<10	1.66	1370	8	0.02	9	1580	2	<5	<20	285	0.01	<10	64	<10	<1	195
124	23010	5	<2	1.06	<5	1330	<5	3.21	<1	10	28	102	4.51	<10	0.59	1492	3	0.04	3	450	4	<5	<20	1096	0.02	<10	56	<10	<1	333
125	23011	5	<2	2.57	5	170	5	0.34	<1	22	20	124	6.32	<10	0.99	744	8	0.03	7	940	10	<5	<20	399	<0.1	<10	52	<10	<1	616
126	23012	5	<2	1.45	10	190	<5	0.72	<1	20	45	95	6.45	<10	0.21	155	6	0.05	29	2960	4	<5	20	303	0.02	<10	119	<10	<1	194
127	23013	5	<2	0.88	<5	100	<5	0.46	<1	14	28	129	5.70	<10	0.10	116	5	0.04	15	1770	<2	<5	<20	285	0.02	<10	83	<10	<1	109
128	23014	5	<2	1.65	10	160	<5	0.35	<1	20	24	73	5.34	<10	0.20	238	5	0.04	15	1310	4	<5	<20	166	0.01	<10	67	<10	<1	273
129	23015	5	<2	3.32	<5	755	<5	0.44	<1	15	14	52	7.94	<10	0.71	795	8	0.03	8	1590	8	<5	<20	521	<0.1	<10	81	<10	<1	808
130	23016	5	0.6	2.67	<5	770	<5	5.16	<1	18	12	81	5.62	<10	1.49	4778	5	0.04	6	1930	<2	<5	<20	684	0.01	<10	53	<10	<1	599
131	23017	5	0.4	2.27	<5	680	<5	4.77	<1	19	12	61	5.01	<10	1.20	3576	4	0.04	5	1930	4	<5	<20	774	0.01	<10	50	<10	<1	315
132	23018	5	0.4	2.03	<5	790	<5	6.06	<1	16	10	61	4.62	<10	1.48	4493	4	0.04	4	1750	2	10	<20	402	<0.1	<10	43	<10	1	241
133	23019	5	0.2	1.07	<5	950	<5	4.84	2	7	66	31	3.38	<10	0.57	2199	5	0.02	4	870	6	<5	<20	564	0.01	<10	27	<10	3	252
134	23020	5	<2	1.34	<5	1275	<5	4.55	<1	15	15	28	4.87	<10	0.79	2350	4	0.03	4	1470	6	<5	<20	322	0.02	<10	45	<10	<1	387
135	23035	5	<2	3.07	<5	95	<5	2.34	<1	23	38	110	7.56	<10	1.41	1100	7	<0.1	14	1740	8	<5	<20	131	<0.1	<10	101	<10	<1	121
136	23036	5	<2	1.55	15	90	<5	3.91	<1	23	48	105	5.77	<10	0.83	1083	4	0.01	10	1290	2	<5	<20	271	<0.1	<10	30	<10	1	94

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
137	23037	5	<.2	1.81	25	130	<5	2.72	<1	30	21	39	6.98	<10	0.99	836	6	0.02	11	2310	4	<5	<20	210	0.01	<10	43	<10	1	91
138	23038	5	<.2	2.66	235	110	<5	0.51	<1	13	31	51	6.87	<10	0.99	380	7	<.01	5	1790	8	<5	<20	51	<.01	<10	56	<10	<1	220
139	23039	5	<.2	2.73	20	105	<5	0.42	<1	16	19	96	7.06	<10	0.93	439	7	0.01	6	1270	10	<5	<20	42	<.01	<10	52	<10	<1	257
140	23040	10	0.2	3.31	<5	195	<5	2.70	<1	24	28	252	8.13	<10	1.38	1065	10	0.01	8	1130	10	<5	<20	117	<.01	<10	53	<10	<1	389
141	23041	5	<.2	0.22	<5	220	<5	1.48	<1	4	46	5	0.61	<10	0.11	216	7	<.01	1	270	12	<5	<20	85	<.01	<10	<1	<10	2	38
142	23042	5	<.2	0.29	5	245	<5	1.00	<1	6	70	5	0.83	<10	0.15	176	7	<.01	3	180	12	<5	<20	70	<.01	<10	2	<10	2	33
143	23043	5	<.2	1.40	<5	320	<5	1.72	<1	10	25	53	4.69	<10	0.62	453	4	0.02	3	1740	8	<5	<20	128	<.01	<10	34	<10	<1	210
144	23044	5	<.2	0.75	30	85	<5	3.00	<1	19	20	87	6.14	<10	1.57	807	6	0.02	20	1460	12	<5	<20	134	<.01	<10	28	<10	<1	100
145	23045	5	<.2	1.96	15	60	<5	5.45	<1	18	31	75	5.47	<10	1.48	1326	9	0.02	15	1310	14	<5	<20	298	<.01	<10	40	<10	<1	83
146	23046	5	<.2	2.51	30	60	<5	4.05	<1	19	31	86	5.79	<10	1.54	1258	6	0.02	21	1470	22	10	<20	248	<.01	<10	43	<10	<1	101
147	23047	5	<.2	1.96	20	65	<5	3.84	<1	19	29	85	5.27	<10	1.40	1116	5	0.02	21	1620	18	10	<20	191	<.01	<10	31	<10	<1	94
148	23048	5	0.2	1.35	35	65	<5	5.38	<1	24	18	83	4.72	<10	1.23	1715	5	0.01	21	1690	18	5	<20	289	<.01	<10	21	<10	<1	69
149	23049	5	<.2	2.52	40	75	<5	2.84	<1	26	26	114	6.18	<10	1.49	1058	7	<.01	26	1660	14	5	<20	167	<.01	<10	40	<10	<1	91
150	23050	5	0.2	1.25	65	85	<5	4.83	<1	21	43	118	5.44	<10	1.61	1332	5	0.02	41	1670	18	10	<20	333	<.01	<10	27	<10	1	86
151	23051	5	<.2	1.91	25	135	<5	0.93	1	12	50	76	4.44	<10	0.78	435	7	0.01	5	1650	12	<5	<20	91	<.01	<10	27	<10	<1	234
152	23052	5	<.2	2.51	15	95	5	1.34	<1	16	35	79	5.14	<10	1.38	938	4	0.02	3	1470	14	<5	<20	83	<.01	<10	66	<10	<1	267
153	23053	5	<.2	2.87	<5	90	5	2.44	<1	18	27	76	5.85	<10	1.62	1895	5	0.03	4	1840	12	<5	<20	146	<.01	<10	88	<10	<1	246
154	23054	5	<.2	2.36	<5	510	<5	2.30	<1	13	31	88	5.34	<10	1.52	1297	3	0.02	4	1520	10	<5	<20	170	<.01	<10	52	<10	<1	266
155	23055	5	<.2	1.99	<5	320	<5	2.52	<1	13	29	103	5.35	<10	0.81	882	6	0.02	3	790	6	<5	<20	176	<.01	<10	34	<10	<1	278
156	23056	5	<.2	0.76	<5	95	<5	2.64	<1	8	104	30	2.31	<10	0.41	482	8	0.01	3	710	10	5	<20	111	<.01	<10	6	<10	3	81
157	23057	5	<.2	1.16	<5	245	<5	2.17	1	7	70	22	3.24	<10	0.71	582	11	0.01	2	930	12	<5	<20	91	<.01	<10	12	<10	2	120
158	23058	5	<.2	2.65	<5	350	<5	2.93	<1	17	29	88	6.67	<10	1.42	1250	6	0.02	4	1440	6	<5	<20	117	<.01	<10	47	<10	<1	221
159	23059	5	<.2	1.77	<5	230	<5	2.01	<1	12	44	3321	5.37	<10	0.90	655	8	0.02	4	1870	12	<5	<20	404	<.01	<10	38	<10	<1	173
160	23060	5	<.2	0.86	<5	240	<5	3.35	<1	12	58	68	4.70	<10	0.98	1050	7	0.02	3	1220	<2	<5	<20	111	<.01	<10	18	<10	<1	93
161	23061	5	<.2	2.39	<5	115	10	2.98	<1	20	35	39	8.11	<10	1.45	1004	10	0.02	3	2340	8	<5	<20	127	<.01	<10	53	<10	<1	225
162	23062	5	<.2	2.60	<5	165	10	6.13	<1	13	40	27	6.50	<10	1.00	1330	8	0.02	5	1880	18	<5	<20	219	<.01	<10	41	<10	<1	188
163	23063	5	<.2	2.17	<5	265	<5	3.57	<1	10	33	32	4.90	<10	0.96	914	8	0.02	2	1350	12	<5	<20	212	<.01	<10	31	<10	<1	187
164	23064	5	<.2	2.86	135	90	5	4.32	<1	22	43	48	7.84	<10	1.34	1576	8	0.01	12	1270	52	<5	<20	154	<.01	<10	73	<10	<1	126
165	23065	5	<.2	3.03	55	105	10	5.78	<1	18	52	53	7.48	<10	1.34	1988	7	0.02	9	1210	22	<5	<20	200	<.01	<10	96	<10	<1	114
166	23066	5	0.4	2.12	330	75	10	3.70	<1	35	42	60	8.07	<10	0.97	1326	10	0.01	17	940	90	<5	<20	140	<.01	<10	50	<10	<1	114
167	23067	5	0.6	2.17	325	80	10	4.99	<1	21	41	50	8.29	<10	1.03	1569	15	0.02	9	1060	96	<5	<20	208	<.01	<10	49	<10	<1	150
168	23068	5	<.2	2.41	155	90	10	3.67	<1	20	46	50	5.62	<10	1.13	1167	9	0.02	10	1270	56	<5	<20	132	<.01	<10	47	<10	<1	115
169	23069	5	0.4	0.26	30	110	10	4.86	<1	12	31	37	5.77	<10	0.98	1017	6	0.04	8	860	42	<5	<20	263	<.01	<10	28	<10	<1	64

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Resplit:																															
R/S # 1	16084	5	0.2	2.20	<5	105	10	1.15	<1	12	51	15	6.55	<10	0.72	863	10	0.02	4	1590	12	<5	<20	60	<0.1	<10	33	<10	<1	107	
R/S # 36	16119	420	15.4	0.11	270	40	<5	0.14	<1	5	75	16	2.77	<10	<0.1	99	24	<0.1	10	280	44	65	20	13	<0.1	<10	3	<10	<1	90	
R/S #71	21078	5	<2	1.72	15	65	<5	4.54	<1	19	32	70	5.68	<10	1.45	1617	6	0.02	19	1470	12	10	<20	287	<0.1	<10	34	<10	<1	92	
R/S #106	21188	5	<2	3.58	<5	85	15	4.35	1	10	42	5	10.20	<10	0.97	2373	11	0.02	2	1990	<2	<5	<20	223	0.02	<10	67	<10	4	162	
R/S #141	23041	5	<2	0.27	5	220	<5	1.52	1	5	49	6	0.64	<10	0.16	224	7	<0.1	2	300	16	<5	<20	89	<0.1	<10	1	<10	2	42	
Repeat:																															
1	16084	5	<2	2.32	<5	100	10	1.28	1	15	37	19	7.14	<10	0.78	904	13	0.02	4	1620	18	<5	<20	65	<0.1	<10	35	<10	<1	109	
10	16093	>1000	25.4	0.15	1120	50	10	0.36	<1	8	108	28	8.32	<10	0.01	130	54	<0.1	55	230	94	155	40	40	<0.1	<10	5	<10	<1	169	
19	16102	765	25.0	0.11	1555	60	10	0.04	<1	7	112	20	9.63	<10	<0.1	64	123	<0.1	23	40	54	135	<20	5	<0.1	20	6	<10	<1	1761	
36	16119	450	15.0	0.12	280	40	<5	0.14	<1	5	82	17	2.89	<10	<0.1	98	25	<0.1	11	280	40	65	<20	10	<0.1	<10	3	<10	<1	94	
45	16128	>1000	8.0	0.25	1045	30	10	0.24	<1	10	21	19	4.90	<10	<0.1	92	20	<0.1	29	960	36	70	<20	19	<0.1	<10	4	<10	<1	73	
54	21061	5	<2	2.70	15	60	<5	4.73	<1	19	34	113	5.42	<10	1.85	754	5	0.02	39	1690	12	15	<20	234	<0.1	<10	44	<10	<1	111	
71	21078	5	<2	1.72	15	60	<5	4.22	<1	18	30	66	5.56	<10	1.46	1496	7	0.02	20	1410	8	15	<20	275	<0.1	<10	33	<10	<1	91	
80	21162	5	<2	1.68	<5	780	<5	8.07	<1	25	43	119	5.84	<10	2.07	1819	7	<0.1	17	2080	2	<5	<20	667	0.02	<10	69	<10	<1	74	
89	21171	5	1.4	2.40	25	525	<5	3.94	<1	25	58	1201	5.35	<10	1.70	1189	12	0.01	16	2010	10	20	<20	256	<0.1	<10	76	<10	<1	103	
106	21188	5	<2	3.55	<5	80	25	4.18	2	10	33	6	10.40	<10	0.96	2333	11	0.02	2	1920	<2	<5	<20	215	0.02	<10	67	<10	2	164	
115	23001	5	<2	1.52	<5	600	5	2.39	<1	8	27	11	3.89	<10	0.88	855	4	0.03	3	1340	6	<5	<20	180	0.02	<10	40	<10	<1	158	
124	23010	5	<2	1.05	<5	1270	<5	3.24	<1	11	27	100	4.57	<10	0.60	1507	3	0.04	4	440	4	<5	<20	1084	0.02	<10	56	<10	<1	337	
141	23041	5	<2	0.22	5	235	<5	1.45	1	4	46	5	0.61	<10	0.11	212	7	<0.1	2	270	12	<5	<20	86	<0.1	<10	<1	<10	2	37	
150	23050	5	<2	1.27	65	95	<5	4.86	<1	21	44	118	5.47	<10	1.62	1341	5	0.02	43	1690	18	10	<20	344	<0.1	<10	27	<10	2	86	
159	23059	5	<2	1.81	<5	220	<5	2.04	<1	13	44	3350	5.46	<10	0.91	665	8	0.02	4	1880	10	10	<20	414	<0.1	<10	39	<10	<1	175	
168	23068	-	<2	2.09	115	95	10	3.39	<1	16	42	43	6.44	10	1.03	1194	8	0.01	7	1190	54	<5	<20	124	<0.1	<10	45	<10	<1	115	
Standard:																															
GEO'95		150	1.2	1.66	70	165	<5	1.72	<1	18	63	79	3.87	<10	0.94	687	<1	0.01	24	710	22	10	<20	54	0.10	<10	74	<10	4	74	
GEO'95		150	1.2	1.72	70	170	5	1.79	<1	19	65	80	4.03	<10	0.96	708	<1	0.02	24	760	22	<5	<20	57	0.11	<10	77	<10	4	77	
GEO'95		150	1.0	1.72	70	165	<5	1.75	<1	18	64	80	3.99	<10	0.96	712	<1	0.02	23	750	20	<5	<20	54	0.11	<10	75	<10	4	78	
GEO'95		145	1.2	1.73	80	165	<5	1.77	<1	19	64	81	4.06	<10	0.97	723	<1	0.02	22	740	24	<5	<20	56	0.10	<10	76	<10	4	81	
GEO'95		-	1.2	1.76	65	170	<5	1.79	<1	19	62	81	4.06	<10	0.97	716	<1	0.02	24	740	24	<5	<20	58	0.11	<10	76	<10	4	80	

df/1017
XLS/95Canamera#7


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

3-Nov-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-1021
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

78 Core samples received Oct. 26, 1995
PROJECT #: FD5CA0011
SHIPMENT #: 48
P.O. #: 5809
Samples submitted by: T. Drown

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	21197	10	0.8	4.16	30	90	20	3.34	5	72	29	26	13.00	<10	1.48	2238	14	0.02	13	1680	10	<5	<20	190	0.02	<10	71	<10	<1	324
2	21198	5	0.4	4.43	<5	55	25	4.55	3	29	24	8	12.70	<10	1.38	3394	15	0.01	7	1740	<2	<5	20	238	0.02	<10	84	<10	<1	262
3	21199	5	0.2	3.92	<5	85	25	3.31	<1	12	34	4	10.90	<10	1.06	2756	9	0.01	2	1570	<2	<5	40	178	0.03	<10	67	<10	<1	173
4	21200	5	<2	3.63	<5	75	20	4.83	2	14	40	16	11.00	<10	0.86	2751	11	0.02	3	1940	<2	<5	20	286	0.03	<10	67	<10	4	161
5	21201	5	0.4	3.70	<5	115	15	3.89	2	13	31	15	10.90	<10	0.83	2831	11	0.01	4	1940	<2	<5	20	194	0.04	<10	70	<10	2	154
6	21202	10	0.6	4.51	<5	85	20	5.40	1	15	20	7	13.20	<10	1.13	4521	10	0.01	<1	1820	<2	<5	20	303	0.04	<10	93	<10	<1	172
7	21203	5	0.4	2.92	<5	120	15	2.53	1	10	14	10	7.96	<10	0.98	1494	8	0.01	3	2410	2	<5	<20	127	0.02	<10	42	30	2	143
8	21204	115	12.8	1.36	250	50	<5	1.20	<1	14	37	51	5.82	<10	1.54	719	7	<0.1	7	1810	40	35	<20	109	<0.1	<10	51	<10	2	53
9	21205	5	3.8	1.80	155	50	<5	0.65	<1	10	29	55	4.87	<10	1.82	602	6	<0.1	4	1700	20	15	<20	50	<0.1	<10	52	<10	3	61
10	21206	10	4.6	1.61	170	50	<5	0.99	<1	12	40	64	4.92	<10	1.69	728	5	<0.1	5	1720	22	20	<20	88	<0.1	<10	43	<10	4	63
11	21207	30	4.4	1.37	140	50	<5	1.02	<1	11	45	51	3.95	<10	1.43	696	7	<0.1	5	1810	20	25	<20	72	<0.1	<10	46	<10	5	37
12	21208	205	11.2	1.37	490	40	<5	1.11	<1	20	38	93	7.47	<10	1.41	714	10	<0.1	10	1520	64	30	<20	87	<0.1	<10	42	<10	<1	181
13	21209	10	2.2	1.89	155	65	<5	1.70	<1	12	35	60	4.73	<10	1.76	1246	7	<0.1	5	1640	16	20	<20	112	<0.1	<10	56	<10	4	67
14	21210	5	1.4	2.04	150	65	<5	0.75	<1	9	39	51	5.13	<10	1.73	773	5	<0.1	5	1760	14	10	<20	52	<0.1	<10	58	<10	3	79
15	21211	5	1.4	2.70	180	65	<5	1.46	<1	12	39	62	6.65	<10	2.22	1340	8	<0.1	3	1510	22	10	<20	80	<0.1	<10	73	<10	2	127
16	21212	5	3.0	2.65	210	55	5	2.69	<1	15	41	70	7.26	<10	2.12	1947	9	<0.1	8	1550	32	25	<20	186	<0.1	<10	73	<10	3	179
17	21213	5	2.4	2.09	310	50	<5	1.33	<1	14	52	65	6.12	<10	1.68	1192	8	<0.1	6	1660	24	15	<20	76	<0.1	<10	64	<10	3	83
18	21214	5	1.8	1.79	130	55	<5	0.99	<1	8	44	48	4.79	<10	1.43	942	5	<0.1	4	1850	12	15	<20	75	<0.1	<10	49	<10	4	94
19	21215	70	4.8	0.91	530	50	<5	3.27	<1	13	36	63	4.29	<10	0.74	1565	7	<0.1	7	1760	20	20	<20	188	<0.1	<10	28	<10	7	239
20	21216	60	3.0	1.49	390	50	<5	1.16	<1	8	34	51	4.57	<10	1.24	873	5	<0.1	4	1750	18	15	<20	90	<0.1	<10	46	<10	5	108
21	21217	35	5.2	1.95	405	55	10	1.53	<1	9	27	37	5.89	<10	1.63	1238	8	<0.1	7	1790	32	25	<20	110	<0.1	<10	55	<10	3	131
22	21218	10	2.4	2.20	235	60	<5	1.64	<1	11	46	45	5.85	<10	1.75	1389	7	<0.1	6	1690	26	15	<20	103	<0.1	<10	64	<10	4	104
23	21219	5	2.2	1.99	200	70	5	1.43	<1	10	27	42	5.50	<10	1.48	1186	10	<0.1	6	1720	30	20	<20	99	<0.1	<10	60	<10	4	120
24	21220	5	5.2	2.12	365	65	10	1.19	<1	13	33	58	5.75	<10	1.69	1138	24	<0.1	6	1730	54	25	<20	61	<0.1	<10	62	<10	3	452
25	21221	5	3.6	1.93	300	65	5	0.66	<1	11	32	45	5.46	<10	1.49	649	9	<0.1	6	1780	38	20	<20	40	<0.1	<10	48	<10	3	133

6-Nov-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-1042
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

48 Core samples received October 30, 1995

PROJECT #: FD5CA-0011

SHIPMENT #: 49

P.O. #: 6810


Samples submitted by: R. Verzosa

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	23070	5	0.6	2.88	70	70	<5	6.18	1	49	28	79	6.74	<10	1.66	2482	11	<.01	12	1740	56	<5	<20	458	<.01	<10	77	<10	<1	115
2	23071	5	<.2	2.53	20	90	<5	0.44	<1	26	14	107	6.94	<10	0.85	440	6	<.01	12	1760	16	<5	<20	36	0.01	<10	38	<10	<1	108
3	23072	5	0.4	2.38	5	80	<5	4.06	6	21	24	109	7.86	<10	0.97	2498	7	<.01	13	2450	36	<5	<20	182	<.01	<10	62	<10	1	665
4	23073	5	0.4	2.16	30	65	<5	2.29	<1	22	20	71	6.14	<10	0.85	971	5	<.01	14	2930	26	<5	<20	159	<.01	<10	32	<10	2	116
5	23074	5	0.2	2.01	55	70	<5	5.96	<1	17	29	100	5.53	<10	0.83	2451	5	<.01	10	3420	30	5	<20	274	<.01	<10	39	<10	5	132
6	23075	5	0.4	2.22	45	70	<5	3.43	<1	26	26	121	6.11	<10	0.96	1107	6	<.01	14	3920	20	<5	<20	354	<.01	<10	39	<10	3	84
7	23076	5	0.4	1.43	45	30	<5	8.17	<1	13	52	94	3.74	<10	0.72	1791	5	<.01	8	1620	20	<5	<20	1213	<.01	<10	24	<10	5	85
8	23077	5	<.2	1.33	35	50	<5	2.26	<1	21	71	44	4.25	<10	0.91	1005	6	<.01	10	1220	8	<5	<20	80	<.01	<10	23	<10	<1	33
9	23078	5	<.2	3.01	45	95	5	0.46	<1	34	17	120	8.22	<10	1.12	514	6	<.01	15	1440	22	<5	<20	39	<.01	<10	73	<10	<1	132
10	23079	5	0.4	1.27	130	55	<5	2.26	<1	15	23	30	4.31	<10	1.08	986	5	<.01	6	1280	14	10	<20	156	<.01	<10	28	<10	2	44
11	23080	5	0.2	1.45	110	70	<5	1.18	<1	12	32	22	3.67	<10	0.88	714	4	<.01	5	1350	16	5	<20	90	<.01	<10	32	<10	2	50
12	23081	5	0.2	2.56	45	70	10	1.77	<1	12	22	21	7.14	<10	1.23	1336	7	<.01	2	1750	20	<5	<20	109	0.01	<10	53	<10	2	123
13	23082	5	0.4	3.60	<5	75	25	2.28	<1	12	30	13	10.70	<10	1.36	2006	10	<.01	2	2030	16	<5	<20	146	0.02	<10	83	<10	4	177
14	23083	5	0.2	2.00	<5	65	15	2.74	2	9	49	10	7.07	<10	0.72	1584	10	<.01	3	1420	20	<5	<20	154	0.02	<10	77	<10	5	237
15	23084	5	0.4	2.51	<5	80	20	2.30	<1	9	50	12	8.16	<10	0.84	1503	9	<.01	2	1770	18	<5	<20	134	0.02	<10	91	<10	6	237
16	23085	5	0.2	3.04	<5	70	20	1.23	<1	11	27	22	11.10	<10	0.97	1173	11	0.01	2	2240	24	<5	<20	85	0.02	<10	117	<10	3	387
17	23086	5	<.2	2.67	<5	80	15	1.67	1	8	48	11	8.85	<10	0.87	1084	10	0.01	2	1920	14	<5	<20	108	0.03	<10	101	<10	3	169
18	23087	5	<.2	2.64	<5	75	10	1.70	1	11	48	8	7.75	<10	1.01	948	8	0.01	3	1580	40	<5	<20	112	0.02	<10	62	<10	4	258
19	23088	5	<.2	2.68	<5	70	10	2.28	2	8	51	12	8.27	<10	0.98	1307	8	0.02	3	1590	60	<5	<20	153	0.02	<10	89	<10	3	295
20	23089	5	<.2	3.29	<5	145	15	5.19	3	8	17	8	9.66	<10	1.11	2450	9	0.01	1	2270	20	<5	<20	294	0.02	<10	105	<10	11	326
21	23090	5	<.2	3.51	<5	80	25	2.33	4	10	13	9	10.80	<10	1.14	1241	9	0.02	<1	2350	52	<5	<20	122	0.01	<10	121	<10	7	522
22	23091	5	<.2	3.11	<5	70	15	2.40	1	8	18	8	9.32	<10	1.22	1156	9	0.02	1	1960	24	<5	<20	132	0.02	<10	100	<10	4	165
23	23092	5	<.2	4.36	30	55	10	4.25	3	32	22	48	8.01	<10	4.03	2347	15	0.01	7	1250	40	15	<20	332	0.01	<10	245	<10	<1	120
24	23093	440	0.2	2.98	<5	135	20	5.63	1	10	16	7	8.32	<10	1.15	2555	7	0.02	2	1950	14	<5	<20	284	0.01	<10	60	<10	4	169
25	23094	>1000	1.2	0.20	1250	35	10	5.80	<1	9	24	20	7.19	<10	0.07	1534	35	<.01	18	560	16	120	<20	272	<.01	<10	5	<10	<1	311
26	23095	>1000	14.2	0.20	1170	40	10	0.39	<1	10	22	23	8.07	<10	<.01	118	34	0.02	23	510	44	135	<20	33	<.01	20	4	<10	<1	795
27	23096	625	25.8	0.22	1295	50	5	1.10	<1	11	18	30	7.75	<10	0.02	189	56	0.01	30	590	34	175	<20	69	<.01	20	5	<10	<1	612
28	23097	420	>30	1.24	1285	55	10	0.84	<1	7	122	29	7.93	<10	0.12	222	103	0.01	39	100	54	310	<20	5	<.01	<10	23	<10	<1	325
29	23098	>1000	>30	0.85	2115	90	20	0.43	<1	7	90	33	12.30	<10	0.09	148	106	<.01	27	<10	50	300	<20	<1	<.01	<10	16	<10	<1	595
30	23099	>1000	>30	0.89	2305	115	15	0.12	<1	7	103	39	10.90	<10	<.01	97	46	<.01	30	<10	80	410	<20	<1	<.01	30	10	<10	<1	237

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
31	23100	565	>30	0.54	1860	30	5	0.10	<1	5	160	28	6.17	<10	<0.1	83	27	<0.1	33	<10	42	260	<20	<1	<0.1	50	17	<10	<1	178	
32	23101	350	>30	0.26	1000	30	<5	0.21	<1	3	141	16	3.86	<10	0.02	103	22	<0.1	17	20	60	180	<20	5	<0.1	<10	16	<10	<1	448	
33	23102	>1000	>30	0.08	4535	35	25	0.13	<1	6	96	24	10.40	<10	<0.1	97	32	<0.1	26	<10	22	345	<20	3	<0.1	20	5	<10	<1	223	
34	23103	>1000	>30	0.19	7460	50	25	0.23	<1	9	87	27	14.70	<10	<0.1	108	69	<0.1	57	60	70	500	<20	<1	<0.1	20	14	<10	<1	303	
35	23104	270	>30	0.79	1675	40	<5	0.35	<1	6	156	27	5.03	<10	0.06	123	37	0.01	52	250	28	215	<20	3	0.01	<10	46	<10	<1	430	
36	23105	115	>30	1.41	395	60	<5	0.50	<1	4	169	21	2.17	<10	0.12	213	23	0.02	29	190	26	85	<20	15	0.01	<10	52	<10	<1	257	
37	23106	260	>30	0.47	1040	40	<5	1.65	6	11	100	143	5.09	<10	0.26	441	50	<0.1	71	370	228	190	<20	59	<0.1	<10	37	<10	<1	1404	
38	23107	390	20.8	0.45	1500	30	5	1.09	<1	14	32	67	7.01	<10	0.23	349	78	<0.1	119	1020	60	175	<20	48	<0.1	<10	33	<10	<1	463	
39	23108	205	3.2	0.15	465	35	<5	0.89	<1	7	108	22	2.64	<10	<0.1	162	15	<0.1	20	570	10	45	<20	38	<0.1	<10	5	<10	2	85	
40	23109	675	1.4	0.20	1560	25	5	0.18	<1	11	20	67	7.24	<10	<0.1	88	79	<0.1	94	670	34	145	<20	17	<0.1	10	14	<10	<1	869	
41	23110	625	0.6	0.21	1070	20	<5	0.17	<1	10	28	52	4.57	<10	<0.1	112	45	<0.1	70	590	28	115	<20	11	<0.1	10	8	<10	<1	485	
42	23111	620	<2	0.20	1165	25	<5	0.62	<1	11	25	35	5.09	<10	<0.1	244	28	<0.1	35	820	18	95	<20	33	<0.1	<10	5	<10	<1	198	
43	23112	275	4.0	0.57	1710	30	<5	0.82	<1	11	17	37	5.15	<10	0.25	413	27	<0.1	30	1080	26	70	<20	38	<0.1	<10	7	<10	<1	923	
44	23113	5	10.2	1.20	525	95	<5	6.46	<1	13	52	30	5.33	<10	1.06	1613	13	<0.1	17	1490	26	25	<20	496	<0.1	<10	52	<10	3	206	
45	23114	5	2.4	0.40	345	45	5	2.07	<1	8	19	9	3.71	<10	0.11	594	7	<0.1	7	1130	14	10	<20	63	<0.1	<10	3	<10	4	75	
46	23115	5	1.6	1.02	155	45	15	0.52	<1	12	26	12	5.47	<10	0.43	420	12	<0.1	11	1690	18	<5	<20	24	0.02	<10	13	<10	7	215	
47	23116	5	1.6	0.65	390	50	10	0.54	<1	14	32	9	4.40	<10	0.21	313	10	<0.1	11	1860	14	<5	<20	28	0.01	<10	8	<10	7	96	
48	23117	5	5.4	0.18	965	45	<5	2.30	<1	14	92	11	3.14	<10	<0.1	730	6	<0.1	4	1280	14	20	<20	116	<0.1	<10	7	<10	5	13	
QC DATA:																															
Resplit:																															
R/S 1	23070	5	0.6	2.91	70	65	<5	5.92	<1	48	26	78	6.87	<10	1.69	2423	11	<0.1	10	1820	58	5	<20	433	<0.1	<10	77	<10	<1	115	
R/S 36	23105	120	>30	1.49	440	50	<5	0.52	<1	4	183	24	2.25	<10	0.12	198	21	0.02	31	230	34	105	<20	13	0.01	<10	52	<10	<1	292	
Repeat:																															
1	23070	5	0.6	2.88	65	75	5	6.14	<1	48	28	79	6.73	<10	1.66	2474	10	<0.1	12	1740	56	5	<20	457	<0.1	<10	77	<10	<1	114	
10	23079	5	0.4	1.26	130	60	<5	2.26	<1	15	23	30	4.35	<10	1.07	984	5	<0.1	7	1290	14	5	<20	156	<0.1	<10	28	<10	2	48	
19	23088	5	<2	2.70	<5	80	5	2.32	2	9	51	12	8.39	<10	0.99	1322	7	0.02	2	1630	66	<5	<20	154	0.02	<10	89	<10	3	301	
36	23105	120	>30	1.44	410	55	<5	0.51	<1	4	168	21	2.19	<10	0.12	199	23	0.02	30	180	30	85	<20	19	0.01	<10	52	<10	<1	269	
45	23114	5	2.4	0.40	335	50	10	2.06	<1	9	19	8	3.71	<10	0.11	592	6	<0.1	7	1130	16	10	<20	63	<0.1	<10	3	<10	4	73	
Standard:																															
GEO'95		150	1.2	1.51	75	155	5	1.63	<1	17	54	75	3.71	<10	0.87	665	<1	0.01	23	740	24	5	<20	48	0.09	<10	67	<10	2	74	
GEO'95		150	1.4	1.54	75	155	<5	1.66	<1	18	56	77	3.81	<10	0.86	672	<1	0.01	23	780	24	10	<20	49	0.09	<10	68	<10	2	77	

dl/1036
XLS/95Canamera#7


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-1062
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

50 Core samples received Oct. 30, 1995
PROJECT #: FD5CA0010
SHIPMENT #: none given
P.O. #: none given

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	23118	5	0.4	0.88	5	55	<5	2.64	<1	10	58	21	2.93	<10	0.43	465	4	0.02	10	650	10	<5	<20	155	<.01	<10	12	<10	<1	35
2	23119	5	<.2	1.10	5	55	<5	4.09	<1	12	.58	27	3.11	<10	0.65	743	4	0.02	10	860	14	<5	<20	266	<.01	<10	20	<10	<1	29
3	23120	5	0.2	1.77	20	65	<5	9.06	<1	19	44	83	4.18	<10	0.87	2069	5	<.01	14	1960	10	5	<20	505	<.01	<10	32	<10	4	62
4	23121	5	<.2	1.58	5	65	<5	1.18	<1	11	123	34	3.77	<10	0.75	411	7	<.01	12	1160	8	<5	<20	77	<.01	<10	28	<10	<1	54
5	23122	5	<.2	1.41	10	50	<5	5.18	<1	15	72	51	3.92	<10	0.73	995	6	<.01	14	1380	6	<5	<20	415	<.01	<10	21	<10	3	47
6	23123	5	0.4	2.73	20	90	<5	5.52	<1	26	35	182	7.26	<10	1.04	2722	6	<.01	12	2130	12	<5	<20	328	0.02	<10	97	<10	<1	92
7	23124	5	0.2	2.64	15	95	<5	2.82	<1	25	36	104	6.47	<10	1.12	900	6	<.01	10	1560	18	<5	<20	226	0.02	<10	51	<10	<1	89
8	23125	5	0.4	2.31	15	95	<5	1.23	<1	23	34	114	5.44	<10	1.15	525	5	<.01	12	510	14	<5	<20	115	<.01	<10	36	<10	<1	94
9	23126	5	<.2	2.38	5	90	<5	0.68	<1	23	13	127	5.81	<10	1.14	388	4	<.01	11	660	18	<5	<20	36	<.01	<10	38	<10	<1	86
10	23127	5	0.4	3.25	<5	90	10	2.83	1	18	19	64	8.37	<10	1.37	1158	7	<.01	7	2180	14	<5	<20	251	0.01	<10	51	<10	<1	144
11	23128	5	<.2	2.86	<5	95	<5	1.01	<1	30	15	10	7.77	<10	1.01	482	5	<.01	14	1410	14	<5	<20	93	0.03	<10	50	<10	<1	97
12	23129	10	0.6	2.88	10	105	<5	3.68	10	26	24	76	8.21	<10	1.29	1998	6	<.01	12	1160	256	<5	<20	251	<.01	<10	76	<10	<1	957
13	23130	190	6.0	1.36	185	60	<5	2.41	9	19	29	88	5.95	<10	0.98	929	8	<.01	9	1410	92	15	<20	266	<.01	<10	28	<10	2	1081
14	23131	825	>30	0.77	285	40	<5	1.87	1	11	60	48	6.50	<10	1.44	849	7	<.01	6	1430	90	45	<20	138	<.01	<10	33	<10	1	495
15	23132	155	28.8	1.12	220	50	15	1.08	<1	11	41	38	6.16	<10	1.77	663	7	<.01	4	1430	84	35	<20	70	<.01	<10	43	<10	<1	356
16	23133	165	21.4	1.04	260	60	10	0.80	<1	10	47	31	5.22	<10	1.57	501	9	<.01	4	1450	42	45	<20	50	<.01	<10	46	<10	1	328
17	23134	155	13.0	0.96	475	65	10	1.00	<1	10	44	35	7.43	<10	1.31	506	28	<.01	5	1610	46	55	<20	62	<.01	<10	41	<10	<1	536
18	23135	70	6.6	1.72	170	65	<5	1.33	<1	9	33	30	4.04	<10	2.46	843	6	<.01	3	1630	30	40	<20	100	<.01	<10	59	<10	4	89
19	23136	85	8.6	1.45	250	45	5	1.10	<1	9	40	31	5.36	<10	2.14	747	10	<.01	3	1470	28	40	<20	59	<.01	<10	48	<10	2	92
20	23137	70	7.2	0.92	295	50	<5	1.16	<1	8	41	24	4.97	<10	1.34	583	10	<.01	5	1530	36	45	<20	85	<.01	<10	32	<10	2	74
21	23138	160	16.0	0.17	1015	45	20	0.41	<1	9	37	24	> 15	<10	0.05	277	84	<.01	6	550	146	120	<20	45	<.01	20	4	<10	<1	281
22	23139	50	7.2	0.57	250	50	10	0.76	<1	9	47	27	5.50	<10	0.59	388	13	<.01	6	1420	42	35	<20	48	<.01	<10	19	<10	1	149
23	23140	280	26.4	0.28	740	45	20	0.39	<1	11	38	41	> 15	<10	0.04	122	27	<.01	26	860	84	120	<20	39	<.01	20	6	<10	<1	490
24	23141	30	8.2	0.96	155	50	<5	0.94	<1	12	45	43	4.06	<10	0.99	487	7	<.01	7	1670	28	30	<20	86	<.01	<10	31	<10	3	50
25	23142	45	9.4	0.66	275	45	<5	1.04	<1	16	53	48	5.21	<10	0.57	474	8	<.01	9	1470	34	25	<20	90	<.01	<10	22	<10	2	48
26	23143	65	7.6	0.76	395	50	<5	1.10	<1	11	44	43	4.34	<10	0.62	558	7	<.01	7	1600	30	20	<20	84	<.01	<10	22	<10	3	104
27	23144	30	5.8	0.93	260	65	<5	1.99	<1	9	44	32	3.76	<10	0.77	1017	6	<.01	7	1610	26	20	<20	166	<.01	<10	24	<10	4	306
28	23145	85	7.0	0.90	310	45	5	1.12	<1	10	43	40	4.84	<10	0.73	548	8	<.01	9	1590	36	20	<20	112	<.01	<10	26	<10	3	218
29	23146	515	26.6	0.37	650	35	<5	1.05	<1	13	51	68	7.72	<10	0.12	317	11	<.01	10	1300	94	45	<20	79	<.01	<10	10	<10	<1	219
30	23147	140	13.2	0.93	215	55	<5	0.99	<1	9	56	61	4.13	<10	0.65	423	8	<.01	9	1900	40	25	<20	76	<.01	<10	29	<10	3	237

16-Nov-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-1079
#540-220 Cambie Street
VANCOUVER, B.C.
V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

140 Core samples received Nov. 8, 1995
PROJECT #: FDSCA0010
SHIPMENT #: none given
P.O. #: none given

Values in ppm unless otherwise reported

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	15651	5	0.2	2.17	<5	70	10	3.01	3	13	30	11	7.02	<10	0.89	1248	10	0.02	5	1780	18	<5	<20	89	<.01	<10	25	<10	4	328
2	15652	5	0.2	2.39	35	70	5	1.45	6	18	30	15	7.53	<10	0.90	892	10	0.02	4	1500	14	<5	<20	74	<.01	<10	33	<10	3	619
3	15654	5	<.2	3.09	<5	115	20	2.16	2	14	23	20	8.26	<10	1.10	906	8	0.02	4	1020	<2	<5	<20	120	<.01	<10	55	<10	2	168
4	15655	5	<.2	3.73	<5	105	25	2.45	4	13	28	8	9.77	<10	1.39	1420	9	0.02	3	1740	<2	<5	<20	101	0.01	<10	73	<10	2	393
5	16137	5	0.2	2.87	5	130	5	3.52	<1	15	18	25	7.65	<10	1.35	1140	7	<.01	4	2320	4	<5	<20	136	<.01	<10	36	<10	3	123
6	16138	5	<.2	0.98	80	35	15	1.85	1	11	15	20	8.15	<10	0.45	552	21	<.01	16	810	26	<5	<20	55	<.01	<10	11	<10	<1	202
7	16139	5	<.2	0.89	410	40	10	1.61	<1	16	15	17	7.97	<10	0.37	524	17	<.01	19	820	8	30	<20	50	<.01	<10	12	<10	<1	130
8	16140	5	<.2	0.52	360	30	10	1.88	<1	20	9	10	8.93	<10	0.17	401	9	<.01	10	1460	8	<5	<20	60	<.01	<10	10	<10	3	47
9	16141	5	0.2	1.65	75	45	5	1.68	<1	19	16	18	8.80	<10	1.04	607	7	<.01	4	1840	12	<5	<20	60	<.01	<10	23	<10	5	145
10	16142	5	0.6	1.72	50	55	10	2.24	2	22	13	22	7.70	<10	1.13	781	9	<.01	8	2040	24	10	<20	98	<.01	<10	21	<10	5	168
11	16143	5	<.2	1.73	20	50	15	1.69	1	19	16	18	8.88	<10	1.31	620	7	<.01	6	2080	8	5	<20	72	<.01	<10	22	<10	6	144
12	16144	5	<.2	2.01	20	60	15	2.28	<1	21	12	24	7.87	<10	1.45	884	8	<.01	5	2200	12	5	<20	63	<.01	<10	24	<10	7	140
13	16145	5	<.2	1.91	15	45	15	1.42	<1	18	24	22	6.35	<10	1.37	629	6	<.01	6	2520	14	5	<20	41	<.01	<10	21	<10	11	134
14	16146	5	<.2	1.56	30	25	10	0.95	<1	17	21	19	5.66	<10	1.11	422	5	<.01	5	1860	12	<5	<20	26	<.01	<10	19	<10	6	115
15	16147	5	<.2	1.82	40	45	10	1.93	<1	27	17	23	5.97	<10	1.22	719	7	<.01	6	2160	12	10	<20	66	<.01	<10	22	<10	7	123
16	16148	5	<.2	1.57	10	110	5	3.42	<1	16	22	20	4.12	<10	0.92	1306	3	<.01	5	1780	6	10	<20	117	<.01	<10	22	<10	6	81
17	16149	5	<.2	2.27	80	45	5	2.02	<1	27	22	26	8.39	<10	1.55	940	7	<.01	7	1660	12	<5	<20	51	<.01	<10	30	<10	2	145
18	16150	5	0.4	1.75	25	40	15	3.46	<1	26	27	37	8.33	<10	1.11	1324	7	<.01	7	1980	18	<5	<20	137	<.01	<10	25	<10	4	135
19	16151	10	0.2	2.38	10	130	5	3.84	<1	21	19	54	7.02	<10	1.46	1744	7	<.01	7	1930	4	10	<20	164	<.01	<10	40	<10	4	132
20	16152	>1000	6.2	1.41	400	50	<5	3.25	1	18	38	63	7.29	<10	1.04	859	14	<.01	38	1240	42	30	<20	221	<.01	<10	24	<10	<1	302
21	16153	>1000	13.8	0.23	240	25	<5	0.18	<1	9	26	26	4.25	<10	<.01	102	23	<.01	25	620	44	55	<20	11	<.01	20	5	<10	<1	168
22	16154	>1000	24.4	0.23	765	25	10	0.16	<1	11	28	28	4.73	<10	<.01	101	26	<.01	26	810	34	75	<20	10	<.01	<10	5	<10	<1	138
23	16155	955	28.0	0.20	175	25	5	0.13	<1	7	51	28	3.41	<10	<.01	80	21	<.01	17	490	68	65	<20	8	<.01	<10	4	<10	<1	84
24	16156	590	16.2	0.16	220	30	<5	0.14	<1	6	116	20	3.26	<10	<.01	60	15	<.01	14	560	68	60	<20	14	<.01	<10	3	<10	<1	95
25	16157	990	>30	0.13	620	25	<5	0.10	<1	6	156	75	4.97	<10	0.05	68	27	<.01	21	110	130	130	<20	10	<.01	10	5	<10	<1	375

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	16158	700	>30	0.13	610	25	<5	0.23	<1	5	147	38	4.24	<10	0.08	170	48	<0.1	22	180	58	90	<20	44	<0.1	<10	4	<10	<1	139
27	16159	>1000	>30	0.11	1320	35	5	0.30	<1	7	150	38	8.08	<10	0.08	120	90	<0.1	23	160	98	125	<20	79	<0.1	<10	5	<10	<1	410
28	16160	670	>30	0.12	1495	30	5	0.10	<1	7	118	38	8.35	<10	<0.1	88	29	<0.1	25	120	100	150	<20	12	<0.1	<10	5	<10	<1	84
29	16161	780	>30	0.14	935	25	10	0.35	<1	8	172	28	6.38	<10	0.04	82	29	<0.1	18	140	78	120	<20	25	<0.1	<10	4	<10	<1	104
30	16162	5	4.0	4.72	110	135	15	4.83	<1	58	149	85	12.20	<10	5.07	1817	8	<0.1	57	1310	4	35	<20	307	<0.1	<10	301	<10	3	164
31	16163	5	0.2	2.15	70	120	10	8.74	<1	43	74	54	7.99	<10	3.15	1437	8	0.02	40	1190	<2	25	<20	422	<0.1	<10	142	<10	13	36
32	16164	5	0.4	2.01	15	85	<5	4.25	<1	25	22	92	8.27	<10	1.14	1048	8	0.01	14	1200	10	15	<20	265	<0.1	<10	49	<10	2	58
33	16165	5	0.4	2.08	<5	110	<5	8.21	2	20	24	60	7.54	<10	1.87	1837	7	0.01	11	740	4	<5	<20	287	<0.1	<10	51	<10	<1	227
34	16166	5	<2	1.30	<5	105	10	8.80	<1	21	21	49	8.98	<10	1.40	1557	7	0.01	14	960	<2	<5	<20	310	<0.1	<10	37	<10	<1	90
35	16167	5	<2	2.39	10	90	10	10.90	1	32	26	67	8.20	<10	1.28	1687	8	<0.1	18	1580	20	5	<20	451	<0.1	<10	88	<10	1	115
36	16168	5	<2	1.80	10	75	5	2.08	<1	32	24	79	5.17	<10	0.88	509	5	<0.1	18	1300	24	5	<20	97	<0.1	<10	38	<10	<1	109
37	16169	5	<2	2.97	<5	110	<5	0.66	<1	28	16	108	7.77	<10	1.50	424	8	<0.1	14	580	10	<5	<20	36	<0.1	<10	81	<10	<1	87
38	16170	5	<2	1.99	<5	95	<5	2.56	1	32	16	120	5.24	<10	0.96	535	7	<0.1	15	1030	50	10	<20	134	<0.1	<10	37	<10	<1	66
39	16171	5	0.4	2.22	<5	110	<5	7.70	<1	22	28	72	5.91	<10	1.48	1688	5	<0.1	9	2170	14	10	<20	391	<0.1	<10	45	<10	5	71
40	16172	5	<2	1.62	<5	115	<5	4.93	1	15	22	74	6.73	<10	1.57	1440	6	<0.1	9	730	<2	10	<20	148	<0.1	<10	35	<10	3	42
41	16173	5	<2	2.29	15	110	10	4.80	<1	24	10	40	5.58	<10	1.37	1142	4	0.01	8	1270	4	<5	<20	240	<0.1	<10	41	<10	<1	72
42	16174	5	0.2	2.38	15	125	<5	3.80	<1	22	13	53	5.92	<10	1.43	1015	5	0.01	8	1080	4	10	<20	178	<0.1	<10	38	<10	<1	74
43	16175	5	<2	1.36	15	115	<5	6.31	1	15	13	49	4.98	<10	1.29	1320	5	0.01	5	1330	4	15	<20	348	<0.1	<10	24	<10	4	56
44	16176	5	0.2	0.54	50	45	<5	2.75	<1	12	42	14	4.18	<10	0.23	468	9	0.01	5	2700	14	<5	<20	147	<0.1	<10	9	<10	10	45
45	16177	5	2.0	0.98	105	40	5	1.06	<1	18	17	18	5.47	<10	0.58	368	12	<0.1	12	750	42	15	<20	83	<0.1	<10	14	<10	<1	40
46	16178	5	0.8	2.24	55	65	15	1.17	<1	12	45	18	7.83	<10	1.63	734	12	0.01	8	890	18	<5	<20	70	<0.1	<10	45	<10	<1	67
47	16179	5	<2	0.38	<5	35	5	9.49	<1	2	97	5	2.99	<10	0.84	2063	2	<0.1	5	250	<2	15	<20	573	<0.1	<10	12	<10	15	20
48	16180	5	0.8	1.91	40	60	5	2.91	1	15	35	24	6.91	<10	1.13	854	15	0.02	12	2770	16	<5	<20	170	<0.1	<10	43	<10	9	153
49	16181	5	1.2	1.07	45	65	<5	4.30	2	10	48	38	4.62	<10	0.63	677	29	0.01	50	1230	18	10	<20	272	<0.1	<10	23	<10	3	214
50	16182	40	3.2	0.96	40	45	5	3.66	5	13	21	55	5.14	<10	0.55	564	46	0.01	78	960	30	20	<20	227	<0.1	<10	21	<10	1	265
51	16183	80	2.8	1.22	75	45	<5	4.17	9	15	68	63	5.62	<10	0.78	694	30	0.01	62	950	28	5	<20	281	<0.1	<10	34	<10	1	727
52	16184	10	1.0	2.69	50	80	<5	6.29	2	27	119	51	6.64	<10	2.15	1344	13	0.01	50	1050	12	20	<20	209	<0.1	<10	89	<10	<1	174
53	16185	5	<2	3.66	40	60	15	9.41	<1	34	172	41	6.85	<10	3.27	1700	5	0.01	88	970	10	30	<20	272	<0.1	<10	141	<10	3	90
54	16186	5	<2	3.26	60	75	15	10.20	1	40	191	49	6.69	<10	2.87	1893	8	0.01	112	810	12	20	<20	293	<0.1	<10	120	<10	2	124
55	16187	5	0.6	0.90	130	35	5	1.14	2	12	24	31	6.01	<10	0.66	331	22	0.01	33	1190	16	<5	<20	47	<0.1	<10	20	<10	<1	304
56	16188	5	1.4	0.90	75	40	<5	1.38	4	12	39	37	5.31	<10	0.70	337	19	0.01	38	670	18	5	<20	79	<0.1	<10	27	<10	<1	277
57	16189	5	2.6	0.93	75	40	<5	1.28	11	11	39	62	4.23	<10	0.73	363	18	0.01	56	1730	16	20	<20	67	<0.1	<10	36	<10	2	672
58	16190	5	2.4	0.75	45	60	<5	3.95	7	8	84	43	3.44	<10	0.70	768	16	0.01	32	700	12	15	<20	171	<0.1	<10	27	<10	1	409
59	16191	5	1.2	0.68	60	40	<5	4.77	6	9	93	57	3.88	<10	0.65	672	17	0.02	43	880	10	15	<20	397	<0.1	<10	22	<10	4	444
60	16192	5	1.2	0.82	25	40	<5	1.57	3	12	52	45	5.00	<10	1.02	528	13	0.02	25	890	10	10	<20	152	<0.1	<10	15	<10	2	199

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	16193	5	1.0	1.15	35	65	10	1.52	4	8	43	34	3.95	<10	1.09	482	11	0.02	26	910	12	20	<20	144	<.01	<10	22	<10	2	307
62	16194	5	1.2	1.13	30	60	<5	2.20	6	8	45	48	3.60	<10	0.95	603	18	0.02	34	1020	10	15	<20	113	<.01	<10	43	<10	1	434
63	16195	5	1.2	1.22	25	55	<5	1.76	6	11	44	45	3.89	<10	1.12	552	18	0.02	30	730	12	20	<20	107	<.01	<10	54	<10	<1	391
64	16196	5	1.4	1.06	35	55	<5	2.00	11	10	43	57	3.90	<10	0.89	518	19	0.02	39	940	12	20	<20	121	<.01	<10	46	<10	<1	701
65	16197	5	1.2	0.75	20	65	5	2.63	18	9	45	50	3.60	<10	0.79	549	15	0.02	39	2120	12	20	<20	176	<.01	<10	41	<10	4	1029
66	16198	5	0.8	0.87	120	45	<5	1.11	3	11	24	30	5.90	<10	0.64	321	21	<.01	32	1180	14	<5	<20	48	<.01	<10	19	<10	<1	307
67	16199	5	0.8	0.57	15	65	<5	4.12	3	7	41	28	3.00	<10	0.35	910	9	<.01	15	710	8	10	<20	152	<.01	<10	10	<10	3	195
68	16200	5	1.2	0.39	10	50	<5	1.03	35	8	51	44	3.10	<10	0.19	303	35	<.01	70	690	10	<5	<20	33	<.01	<10	25	<10	<1	2411
69	16201	5	0.8	1.04	20	65	<5	4.18	12	9	52	58	4.16	<10	0.81	835	20	0.02	34	1090	14	5	<20	129	<.01	<10	50	<10	2	832
70	23168	5	<2	2.64	20	135	<5	3.95	<1	14	20	27	7.49	<10	1.09	1134	7	<.01	3	3230	24	<5	<20	139	<.01	<10	37	<10	4	175
71	23169	5	<2	2.84	<5	150	10	4.52	1	11	19	17	7.45	<10	1.20	1357	6	<.01	4	2470	14	<5	<20	161	<.01	<10	41	<10	4	147
72	23170	5	<2	2.54	<5	120	15	3.54	1	13	13	28	7.35	<10	1.24	1224	7	<.01	5	2070	22	<5	<20	112	<.01	<10	36	<10	2	167
73	23171	5	0.2	1.12	335	45	10	1.85	<1	13	16	21	8.79	<10	0.49	686	21	<.01	20	970	34	20	<20	61	0.01	<10	18	<10	<1	251
74	23172	5	<2	1.42	75	70	<5	1.46	<1	21	12	20	5.63	<10	0.84	536	7	0.01	4	3100	18	5	<20	50	<.01	<10	18	<10	8	173
75	23173	5	<2	2.64	15	145	15	2.86	<1	19	9	18	7.72	<10	1.54	1150	7	<.01	5	2330	18	<5	<20	107	<.01	<10	35	<10	7	151
76	23174	535	0.4	2.11	20	205	<5	6.05	<1	21	12	26	5.97	<10	1.17	2025	6	<.01	6	1870	12	5	<20	389	<.01	<10	35	<10	4	134
77	23175	>1000	1.6	1.76	500	55	10	1.89	<1	25	14	46	6.86	<10	1.18	966	7	<.01	8	1470	12	5	<20	84	<.01	<10	29	<10	<1	117
78	23176	>1000	25.8	0.45	1120	30	5	0.97	2	15	46	36	6.99	<10	0.34	265	69	<.01	184	540	122	170	<20	79	<.01	<10	9	<10	<1	845
79	23177	>1000	>30	0.28	745	30	10	0.14	<1	8	86	35	6.00	<10	0.12	105	48	<.01	41	550	100	105	<20	7	<.01	<10	6	<10	<1	351
80	23178	800	>30	0.27	475	25	<5	0.15	<1	8	23	32	4.38	<10	0.05	73	30	<.01	21	630	60	75	<20	8	<.01	<10	5	<10	<1	77
81	23179	855	>30	0.22	940	20	<5	0.04	<1	4	138	46	3.19	<10	0.17	78	38	<.01	33	170	280	140	<20	2	<.01	<10	11	<10	<1	522
82	23180	350	>30	0.31	370	50	<5	0.04	2	3	129	85	2.05	<10	0.37	140	13	<.01	29	150	438	135	<20	3	<.01	<10	16	<10	<1	863
83	23181	780	>30	0.23	1215	30	<5	0.03	9	4	156	116	4.87	<10	0.20	68	21	<.01	21	80	936	200	<20	3	<.01	<10	12	<10	<1	3692
84	23182	185	>30	0.37	415	35	<5	0.07	3	3	133	35	2.58	<10	0.37	125	6	<.01	13	100	202	60	<20	5	<.01	<10	15	<10	<1	1194
85	23183	970	>30	0.27	485	25	5	0.12	<1	10	33	35	5.05	<10	0.01	114	28	<.01	27	580	74	80	<20	5	<.01	<10	5	<10	<1	211
86	23184	925	27.4	0.35	540	25	<5	0.06	<1	5	76	26	3.37	<10	0.32	134	17	<.01	17	300	132	80	<20	5	<.01	<10	6	<10	<1	115
87	23185	>1000	>30	0.09	420	45	<5	0.06	6	3	132	124	2.07	<10	0.01	71	35	<.01	38	210	510	175	<20	6	<.01	<10	7	<10	<1	1476
88	23186	835	>30	0.16	745	30	<5	0.12	<1	4	110	42	2.86	<10	0.10	82	28	<.01	37	340	174	85	<20	10	<.01	<10	10	<10	<1	341
89	23187	>1000	>30	0.20	840	30	<5	0.05	2	5	151	64	3.37	<10	0.06	65	36	<.01	48	310	346	140	20	8	<.01	<10	14	<10	<1	816
90	23188	>1000	>30	0.14	765	20	<5	0.02	1	4	164	145	3.61	<10	<.01	63	24	<.01	46	80	232	245	<20	4	<.01	<10	9	<10	<1	1032
91	23189	490	29.6	0.12	925	25	<5	0.03	<1	4	163	38	2.86	<10	<.01	50	34	<.01	47	150	100	105	<20	4	<.01	<10	10	<10	<1	300
92	23190	>1000	>30	0.13	2945	50	<5	0.04	<1	8	128	165	12.40	<10	<.01	57	48	<.01	52	70	340	375	<20	4	<.01	30	11	<10	<1	1103
93	23191	720	>30	0.15	590	20	<5	0.12	<1	6	190	59	3.67	<10	0.01	81	42	<.01	50	300	262	155	<20	6	<.01	<10	12	<10	<1	539
94	23192	>1000	>30	0.49	865	30	<5	0.11	<1	6	123	71	5.71	<10	0.65	242	32	<.01	35	210	302	170	<20	10	<.01	<10	12	<10	<1	1353
95	23193	>1000	>30	0.82	1620	40	20	0.20	<1	7	97	47	9.19	<10	1.30	396	28	<.01	11	170	188	100	<20	23	<.01	<10	12	<10	<1	792

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	23194	>1000	27.6	0.21	890	25	10	0.08	<1	8	87	21	5.52	<10	0.12	105	58	<0.1	19	200	90	85	<20	6	<0.1	<10	5	<10	<1	471
97	23195	750	27.8	0.13	720	25	<5	0.09	<1	6	132	23	4.91	<10	<0.1	110	38	<0.1	18	220	52	70	<20	7	<0.1	<10	4	<10	<1	295
98	23196	690	>30	0.10	445	25	<5	0.07	<1	5	98	22	3.21	<10	<0.1	68	25	<0.1	15	270	80	85	<20	4	<0.1	<10	3	<10	<1	160
99	23197	695	26.4	0.10	815	30	<5	0.09	<1	6	140	27	4.54	<10	<0.1	80	30	<0.1	15	350	68	80	<20	6	<0.1	<10	4	<10	<1	92
100	23198	910	>30	0.08	925	35	15	0.19	<1	6	112	26	7.61	<10	<0.1	133	23	<0.1	15	170	90	195	<20	18	<0.1	10	3	<10	<1	280
101	23199	565	24.2	0.18	365	20	<5	0.24	<1	6	61	24	3.92	<10	<0.1	132	34	<0.1	18	400	60	80	<20	16	<0.1	<10	4	<10	<1	93
102	23200	515	19.2	0.15	395	30	<5	0.18	<1	5	73	21	2.89	<10	<0.1	117	20	<0.1	18	430	46	55	<20	13	<0.1	<10	3	<10	<1	45
103	23201	525	29.0	0.10	400	30	<5	0.16	<1	5	108	24	3.84	<10	<0.1	147	22	<0.1	18	350	78	105	<20	13	<0.1	<10	3	<10	<1	240
104	23202	650	>30	0.09	745	30	5	0.26	<1	5	126	24	5.15	<10	<0.1	145	19	<0.1	15	260	98	135	<20	19	<0.1	<10	3	<10	<1	137
105	23203	465	>30	0.07	420	30	<5	0.15	<1	5	124	47	4.24	<10	<0.1	133	17	<0.1	11	200	408	290	<20	11	<0.1	<10	2	<10	<1	995
106	23204	205	13.6	0.08	180	40	<5	0.08	<1	4	119	14	2.58	<10	<0.1	89	21	<0.1	10	270	36	45	<20	8	<0.1	<10	3	<10	<1	49
107	23205	175	15.6	0.08	345	30	<5	0.08	2	5	113	13	3.83	<10	<0.1	91	40	<0.1	13	270	30	55	<20	5	<0.1	<10	2	<10	<1	209
108	23206	135	>30	0.08	180	45	<5	0.14	<1	4	145	28	2.42	<10	<0.1	136	13	<0.1	9	360	56	75	<20	12	<0.1	<10	2	<10	<1	291
109	23207	555	>30	0.07	650	30	<5	0.07	4	6	137	28	6.53	<10	<0.1	99	63	<0.1	13	160	98	110	<20	5	<0.1	20	3	<10	<1	1775
110	23208	110	11.6	1.43	405	45	<5	0.68	<1	11	116	24	5.20	<10	1.99	655	13	<0.1	8	440	50	50	<20	56	<0.1	<10	26	<10	<1	129
111	23209	15	19.4	2.11	310	40	<5	0.13	<1	11	43	59	6.29	<10	2.57	642	14	<0.1	6	150	46	65	<20	11	<0.1	<10	18	<10	<1	207
112	23210	40	14.8	1.60	170	45	<5	0.34	<1	17	53	49	3.97	<10	1.80	457	6	<0.1	8	1090	16	55	<20	15	<0.1	<10	38	<10	<1	45
113	23211	80	13.2	1.66	205	60	<5	1.42	<1	17	54	67	4.41	<10	2.04	750	7	<0.1	6	1790	26	65	<20	79	<0.1	<10	63	<10	1	56
114	23212	125	9.0	1.18	245	55	<5	0.94	<1	11	63	28	3.77	<10	1.43	631	8	<0.1	4	1310	26	40	<20	69	<0.1	<10	64	<10	2	81
115	23213	195	22.0	1.58	180	55	<5	0.69	1	13	88	97	4.85	<10	1.59	709	5	<0.1	8	1300	28	65	<20	30	<0.1	<10	25	<10	2	522
116	23214	70	8.6	1.34	140	45	10	0.55	<1	14	52	29	7.02	<10	1.05	483	8	<0.1	4	1780	28	20	<20	26	<0.1	<10	29	<10	2	56
117	23215	160	7.0	1.44	220	55	10	0.80	<1	10	66	14	8.34	<10	1.27	818	10	<0.1	2	1570	30	5	<20	34	<0.1	<10	55	<10	5	67
118	23216	185	5.4	0.76	155	40	10	0.54	<1	8	75	9	7.38	<10	0.59	311	11	<0.1	2	1560	26	<5	<20	18	<0.1	<10	44	<10	5	70
119	23217	100	9.6	1.24	150	50	10	0.62	<1	9	83	15	6.96	<10	0.98	525	7	<0.1	4	1550	26	<5	<20	30	<0.1	<10	58	<10	3	51
120	23218	110	0.4	4.21	175	60	15	6.62	<1	39	164	48	8.79	<10	4.39	1650	4	0.01	47	990	22	30	<20	334	0.04	<10	293	<10	7	113
121	23219	140	<2	3.96	50	80	20	5.44	<1	47	129	56	9.11	<10	4.44	1459	<1	0.02	51	1030	14	35	<20	173	0.19	<10	264	<10	12	97
122	23220	5	<2	3.77	<5	100	40	2.22	<1	51	13	22	11.40	<10	3.42	1146	<1	0.02	4	2240	14	<5	<20	62	0.55	<10	284	<10	26	160
123	23221	5	1.4	1.15	85	55	10	2.27	5	12	34	30	5.34	<10	0.53	462	18	<0.1	29	1440	34	15	<20	91	<0.1	<10	34	<10	9	410
124	23222	5	1.0	2.12	20	80	<5	7.97	<1	9	8	41	6.42	<10	1.60	1734	6	<0.1	8	9430	16	10	<20	229	<0.1	<10	18	<10	22	85
125	23223	5	1.2	1.89	15	60	5	2.92	1	15	50	60	7.27	<10	1.33	843	8	0.01	32	2160	28	5	<20	99	<0.1	<10	61	<10	1	222
126	23224	5	1.4	2.08	20	60	5	3.73	2	20	47	68	7.89	<10	1.51	877	9	0.01	37	5140	28	<5	<20	112	<0.1	<10	80	<10	13	232
127	23225	5	1.6	1.65	25	55	10	1.89	2	17	49	58	6.87	<10	1.15	638	9	0.01	31	2070	22	15	<20	77	<0.1	<10	53	<10	3	236
128	23226	5	1.2	1.77	60	65	<5	3.10	2	18	44	44	5.90	<10	1.35	883	10	0.01	26	1270	20	20	<20	112	<0.1	<10	43	<10	2	219
129	23227	5	1.0	2.58	50	70	10	3.82	1	22	58	45	6.78	<10	2.06	1273	7	0.02	24	1470	24	10	<20	129	0.01	<10	67	<10	3	193
130	23228	5	2.0	1.83	150	50	10	2.50	<1	18	32	25	7.78	<10	1.51	792	15	<0.1	16	1330	30	20	<20	135	<0.1	<10	37	<10	3	211

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	23229	5	3.8	1.75	260	56	15	3.56	<1	29	42	28	8.72	<10	1.32	849	20	<0.1	23	1350	28	15	<20	207	<0.1	<10	45	<10	2	160
132	23230	5	2.6	0.96	85	45	10	2.93	<1	11	41	17	5.59	<10	0.70	559	16	<0.1	18	920	22	20	<20	180	<0.1	<10	10	<10	3	114
133	23231	10	6.6	0.88	230	35	5	2.04	<1	13	29	29	5.49	<10	0.48	421	13	<0.1	16	1020	28	25	<20	111	<0.1	<10	15	<10	2	97
134	23232	40	4.6	0.84	610	50	5	2.52	<1	15	74	45	7.03	<10	0.66	503	34	<0.1	47	930	30	40	<20	164	<0.1	<10	30	<10	2	350
135	23233	5	3.8	0.77	690	40	5	2.14	<1	14	71	56	6.21	<10	0.42	417	36	<0.1	61	1010	40	25	<20	128	<0.1	<10	20	<10	2	155
136	23234	5	2.6	0.57	470	45	5	1.98	<1	12	112	43	6.91	<10	0.49	405	25	<0.1	32	730	30	5	<20	81	<0.1	<10	12	<10	<1	37
137	23235	5	2.4	0.17	1015	35	10	0.60	<1	7	115	28	6.01	<10	0.07	145	35	<0.1	57	140	30	15	<20	25	<0.1	<10	13	<10	<1	107
138	23236	5	1.6	0.34	120	60	10	3.19	<1	9	111	20	4.03	<10	0.52	731	25	0.01	42	820	28	20	<20	98	<0.1	<10	16	<10	4	30
139	23237	5	0.8	0.44	35	95	<5	8.51	3	8	83	37	4.61	<10	1.40	1017	12	0.02	21	900	10	20	<20	231	<0.1	<10	18	<10	9	251
140	23238	5	<2	4.47	15	80	20	7.01	1	47	142	54	10.50	<10	4.57	1718	4	0.02	36	1180	14	10	<20	195	0.10	<10	306	<10	12	130


QC DATA:

Repeat:																														
R/S 1	15651	5	0.2	1.96	<5	70	10	2.92	3	12	33	10	6.99	<10	0.75	1219	10	0.01	5	1720	18	<5	<20	86	<0.1	<10	22	<10	4	304
R/S 36	16168	5	<2	1.81	15	75	<5	2.16	1	32	23	76	5.40	<10	0.86	519	6	<0.1	19	1380	30	10	<20	106	<0.1	<10	36	<10	<1	120
R/S 71	23169	5	<2	2.92	<5	155	10	4.41	1	12	17	18	7.68	<10	1.23	1343	7	<0.1	4	2480	16	<5	<20	155	<0.1	<10	43	<10	4	148
R/S 106	23204	190	14.0	0.09	175	40	<5	0.10	<1	4	129	14	2.57	<10	<0.1	82	27	<0.1	10	300	38	45	<20	9	<0.1	<10	3	<10	<1	56

Repeat:																														
1	15651	5	<2	1.93	<5	70	<5	2.95	2	11	27	9	6.90	<10	0.74	1157	9	0.01	4	1600	14	<5	<20	83	<0.1	<10	21	<10	3	315
10	16142	5	0.6	1.85	55	55	10	2.44	2	23	14	24	8.35	<10	1.21	827	9	<0.1	8	2210	26	<5	<20	110	<0.1	<10	22	<10	6	180
19	16151	15	0.2	2.34	25	115	<5	3.82	<1	21	24	53	6.96	<10	1.43	1740	7	<0.1	8	1910	6	10	<20	161	<0.1	<10	40	<10	3	131
36	16168	5	<2	1.81	10	80	<5	2.12	1	32	24	80	5.31	<10	0.86	519	4	<0.1	19	1330	22	<5	<20	101	<0.1	<10	38	<10	<1	115
45	16177	5	2.0	0.94	95	40	10	1.03	<1	15	16	15	5.30	<10	0.54	357	11	<0.1	10	720	40	10	<20	81	<0.1	<10	14	<10	<1	40
64	16186	5	<2	3.03	65	80	10	9.53	<1	37	179	45	6.25	<10	2.65	1770	8	0.01	103	760	8	25	<20	274	<0.1	<10	112	<10	2	113
71	23169	5	<2	2.89	<5	150	15	4.64	<1	11	20	17	7.58	<10	1.22	1387	6	<0.1	2	2540	14	<5	<20	161	<0.1	<10	42	<10	5	152
80	23178	810	29.8	0.25	465	30	<5	0.13	<1	8	23	30	4.14	<10	0.05	69	27	<0.1	19	590	58	70	<20	7	<0.1	10	4	<10	<1	75
89	23187	>1000	>30	0.19	775	30	<5	0.05	3	5	144	60	3.17	<10	0.05	61	33	<0.1	45	300	324	130	<20	5	<0.1	<10	13	<10	<1	769
106	23204	210	13.6	0.08	200	35	<5	0.09	<1	5	127	14	2.70	<10	<0.1	96	23	<0.1	11	280	36	45	<20	8	<0.1	<10	3	<10	<1	52
115	23213	220	21.8	1.44	175	60	<5	0.63	1	12	82	92	4.69	<10	1.45	646	4	<0.1	7	1180	24	60	<20	27	<0.1	<10	23	<10	2	504
124	23222	5	0.8	1.94	20	80	<5	7.42	<1	9	8	36	5.89	<10	1.46	1590	5	<0.1	5	8710	16	10	<20	211	<0.1	<10	16	<10	21	79

Standard:																													
GEO'95		1.2	1.66	70	165	<5	1.73	<1	17	55	79	3.80	<10	0.88	640	<1	0.01	22	620	18	5	<20	51	0.09	<10	72	<10	6	77
GEO'95		1.2	1.70	70	170	<5	1.77	2	18	57	79	3.93	<10	0.88	649	<1	0.01	24	640	22	10	<20	51	0.09	<10	70	<10	4	74
GEO'95		1.0	1.66	75	175	<5	1.70	<1	19	63	80	3.93	<10	0.91	631	<1	0.01	24	640	20	<5	<20	54	0.11	<10	77	<10	4	72
GEO'95		1.0	1.65	70	170	<5	1.72	<1	20	63	79	3.90	<10	0.91	640	<1	0.01	22	640	22	<5	<20	53	0.11	<10	76	<10	4	74

dt#1079
XLS/95Canamera#7


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

APPENDIX 6

(Induced Polarization Survey)

PETER E. WALCOTT
& ASSOCIATES LTD

A LOGISTICAL REPORT

ON

INDUCED POLARIZATION SURVEYING

Unuk River Area, B.C.
56° 32'N, 130° 12'W
N.T.S. 104/W

FOR

CANAMERA GEOLOGICAL LTD.

Vancouver, B.C.

BY

PETER E. WALCOTT & ASSOCIATES LIMITED

Vancouver, B.C.

DECEMBER 1995

PETER E. WALCOTT
& ASSOCIATES LTD

INTRODUCTION.

Between August 14th and 26th, 1995, Peter E. Walcott & Associates Limited carried out induced polarization (I.P.) surveying over parts of the TV property, located in the Unuk River area of British Columbia for Canamera Geological Ltd.

The surveying was conducted over twelve flagged lines that were established in approximately "east-west" directions by Canamera personnel.

Measurements (first to sixth separation) of apparent chargeability (the I.P. response parameter) and resistivity were made every 50 metres along the lines using the pole-dipole method of surveying with a 50 metre dipole.

The progress of the survey was severely hampered by the topography of the grid area with its numerous cliffs some of which were unscalable necessitating the frequent rerouting of the current line.

The I.P. data are presented on individual pseudo-sections at a scale of 1:5000.

PETER E. WALCOTT
& ASSOCIATES LTD

SURVEY SPECIFICATIONS.

The induced polarization (I.P.) survey was conducted using a pulse type system, the principal components of which are manufactured by Huntect Limited and Androtex Limited, of Metropolitan Toronto, Ontario, and Iris Instruments of Orleans, France.

The system consists basically of three units, a receiver (BRGM), a transmitter (Androtex - modified Huntect) and a motor generator (Huntect). The transmitter, which provided a maximum of 7.5kw d.c. to the ground, obtains its power from a 7.5 kw 400 c.p.s. three phase alternator driven by a gasoline engine. The cycling rate of the transmitter is 2 seconds "current-on" and 2 seconds "current-off" with the pulses reversing continuously in polarity. The data recorded in the field consists of careful measurements of the current (I) in amperes flowing through the current electrodes C_1 and C_2 , the primary voltages (V) appearing between any two potential electrodes, P_1 through P_7 , during the "current-on" part of the cycle, and the apparent chargeability, (M_a) presented as a direct readout in millivolts per volt using a 100 millisecond delay and a 1000 millisecond sample window by the receiver, a digital receiver controlled by a micro-processor - the sample window is actually the total of ten individual windows of 200 millisecond widths.

The apparent resistivity (ρ_a) in ohm metres is proportional to the ratio of the primary voltage and the measured current, the proportionality factor depending on the geometry of the array used. The chargeability and resistivity are called apparent as they are values which that portion of the earth sampled would have if it were homogeneous. As the earth sampled is usually inhomogeneous the calculated apparent chargeability and resistivity are functions of the actual chargeability and resistivity of the rocks.

The survey grid was carried out using the "pole-dipole" method of surveying. In this method the current electrode, C_1 , and the potential electrodes, P_1 through P_7 , are moved in unison along the survey lines at a spacing of "a" (the dipole) apart, while the second current electrode, C_2 , is kept constant at "infinity". The distance, "na" between C_1 and the nearest potential electrode generally controls the the depth to be explored by the particular separation, "n", traverse.

On this survey a 50 metre dipole was employed and first to sixth separation readings were obtained.

In all some 14.9 kilometres of I.P. traversing were completed, using the above method.

PETER E. WALCOTT
& ASSOCIATES LTD

PERSONNEL EMPLOYED ON SURVEY.

<u>Name</u>	<u>Occupation</u>	<u>Address</u>	<u>Dates</u>
Peter E. Walcott	Geophysicist	Peter E. Walcott & Assoc. 605 Rutland Court, Coquitlam, B.C. V3J 3T8	Sept. 12th -13th, 95 Dec. 12th, 1995
A. Walcott	Geophysical Operator	" "	Aug. 14th - 26th, 95
R. Grummish	"	" "	"
S. Lehman	"	" "	"
G. Karacunte	Geophysical Assistant	" "	"
J. Desjarlais	"	" "	"
J. Walcott	Typing	" "	Dec. 20th, 1995

Prepared (Aug. 19-20)

By David Awram and Greg Davis (inspiration by Alex)

Geophysics Grid	TV Slope Corrected Grid							
	4+00 N	2+00 N	0+00	2+00 S	4+00 S	5+00 S	6+00 S	8+00 S
0+50 E	0+77							
0+00	1+26	0+00		0+00	0+00			
0+50 W	1+72	0+48		0+46	0+49			
1+00 W	2+16	0+97	1+65	0+94	0+95			
1+50 W	2+61	1+47	2+09	1+35	1+68			
2+00 W	2+98	1+93	2+57	1+76	2+15			
2+50 W	3+47	2+36	3+02		2+51			
3+00 W	3+95	2+78	3+45					
3+50 W	4+42	3+17	3+89					
4+00 W	4+89	3+60	4+36					
4+50 W	5+36	4+08	4+86	4+69	4+63			
5+00 W	5+75	4+57	5+31	5+10	5+14	5+13		
5+50 W	6+19	5+04	5+77	5+53	5+57	5+58	5+59	5+73
6+00 W	6+65	5+46	6+22	6+01	6+03	6+00	6+04	6+13
6+50 W	7+14	5+87	6+70	6+50	6+50	6+50	6+50	6+50
7+00 W	7+57	6+32	7+15	6+99	6+98	5+75	7+00	6+95
7+50 W	7+98	6+75	7+59	7+46	7+42	6+20	7+45	7+39
8+00 W	8+45	7+21	8+08	7+95	8+23	6+65	7+92	7+87
8+50 W	8+93	7+71	8+56	8+59	8+69	7+15	8+41	8+32
9+00 W	9+41	8+17	9+03	9+04	9+10		9+09	8+90
9+50 W	9+83	8+62	9+51	9+50	9+52		9+51	9+46
10+00 W	10+27	9+12	10+00	10+00	10+00		10+00	10+00
10+50 W	10+77	9+60	10+46	10+44	10+44		10+47	10+44
11+00 W	11+21	10+04	10+90	10+81	10+88		10+88	10+89
11+50 W	11+67	10+38	11+34	11+32	11+35		11+39	11+36
12+00 W	12+16	10+80	11+80	11+75	11+81		11+83	11+84
12+50 W	12+66	11+24	12+27	12+20	12+23		12+28	12+30
13+00 W	13+14	11+68	12+73	12+60	12+68		12+77	12+74
13+50 W	13+60	12+17	13+19	12+79	13+03		13+20	13+23
14+00 W	14+04	12+61	13+64		13+37		13+59	13+73
14+50 W	14+52	13+10	14+08		13+77		13+93	14+16
15+00 W	15+00	13+57	14+53		14+25		14+34	14+53
15+50 W		14+06			14+73		14+84	
16+00 W		14+48						
16+50 W		14+94						

These are the conversions of the geophysics grid. Some of the geophysics points overlap


due to running from different tie lines. Some of our grid lines overlap as well due to the same fact.

The overlaps are listed as follows:

	Geop	6+50 W	10+00 W
2+00 S:	8+50	8+44	8+59
	9+00	8+92	9+04
4+00 S:	8+00	7+89	8+23
8+00 S:	9+00	8+76	8+90


On the 5+00 S line the old co-ordinates are used from the 6+50 W tie line west so it is gimpy

* coord them with the map.



RESISTMTY
ohm-metres

Filter
n=1
n=2
n=3
n=4
n=5
n=6




Filter
n=1
n=2
n=3
n=4
n=5
n=6

RESISTMTY
ohm-metres

INTERPRETATION

CHARGEABILITY
millivolts/volt

Filter
n=1
n=2
n=3
n=4
n=5
n=6




Filter
n=1
n=2
n=3
n=4
n=5
n=6

CHARGEABILITY
millivolts/volt

METAL FACTOR
CH/RES X 100


Filter
n=1
n=2
n=3
n=4
n=5
n=6



Filter
n=1
n=2
n=3
n=4
n=5
n=6

METAL FACTOR
CH/RES X 100

Line 1500 S



Instrument:
Huntec 7.5 kw. Tx., BRGM Elrec 6 Rx.
Frequency: 0.125 Hz.
Operators: A.W., R.G.

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...


INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.


Poorly defined polarization increase.

Resistivity feature.




24373


CANAMERA GEOLOGICAL LTD.
INDUCED POLARIZATION SURVEY
TV ZONE
UNUK RIVER AREA, BRITISH COLUMBIA
Date: AUGUST 1995 N.T.S.: 104/9W
Interpretation:
PETER E. WALCOTT & ASSOC. LTD.



RESISTIVITY
ohm-metres




RESISTIVITY
ohm-metres




INTERPRETATION

CHARGEABILITY
millivolts/volt




INTERPRETATION


CHARGEABILITY
millivolts/volt




METAL FACTOR
CH/RES X 100



METAL FACTOR
CH/RES X 100



Line 1400 S



Instrument:
Huntec 7.5 kw. Tx., BRGM Elrec 6 Rx.
Frequency: 0.125 Hz.
Operators: A.W., R.G.

Logarithmic
Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...


INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.



24,373


CANAMERA GEOLOGICAL LTD.

INDUCED POLARIZATION SURVEY
TV ZONE


UNUK RIVER AREA, BRITISH COLUMBIA

Date: AUGUST 1995 N.T.S.: 104/9W
Interpretation:

PETER E. WALCOTT & ASSOC. LTD.




RESISTIVITY
ohm-metres




INTERPRETATION


CHARGEABILITY
millivolts/volt



METAL FACTOR
CH/RES x 100



Line 1200 S



Instrument:
Huntec 7.5 kw. Tx., BRGM Elrec 6 Rx.
Frequency: 0.125 Hz.
Operators: A.W., R.G.

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...


INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.



24373

CANAMERA GEOLOGICAL LTD.

INDUCED POLARIZATION SURVEY

TV ZONE


UNUK RIVER AREA, BRITISH COLUMBIA

Date: AUGUST 1995


N.T.S.: 104/9W

Interpretation:

PETER E. WALCOTT & ASSOC. LTD.



RESISTIVITY
ohm-metres




RESISTIVITY
ohm-metres

Filter
n=1
n=2
n=3
n=4
n=5
n=6

INTERPRETATION


CHARGEABILITY
millivolts/volt



CHARGEABILITY
millivolts/volt

Filter
n=1
n=2
n=3
n=4
n=5
n=6


METAL FACTOR
CH/RES X 100



METAL FACTOR
CH/RES X 100

Filter
n=1
n=2
n=3
n=4
n=5
n=6

Line 1000 S



Instrument:
Huntec 7.5 kw. Tx., BRGM Elrec 6 Rx.
Frequency: 0.125 Hz.
Operators: A.W., R.G.

Logarithmic
Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...


INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.



24,373



CANAMERA GEOLOGICAL LTD.

INDUCED POLARIZATION SURVEY
TV ZONE


UNUK RIVER AREA, BRITISH COLUMBIA

Date: AUGUST 1995 N.T.S.: 104/9W
Interpretation:


PETER E. WALCOTT & ASSOC. LTD.



RESISTMTY
ohm-metres




RESISTMTY
ohm-metres




INTERPRETATION

INTERPRETATION


CHARGEABILITY
millivolts/volt




CHARGEABILITY
millivolts/volt




METAL FACTOR
CH/RES X 100



METAL FACTOR
CH/RES X 100



Line 800 S



Instrument:
 Huntec 7.5 kw. Tx., BRGM Elrec 6 Rx.
 Frequency: 0.125 Hz.
 Operators: A.W., R.G.

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...


INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.


Poorly defined polarization increase.

Resistivity feature.




24,373

CANAMERA GEOLOGICAL LTD.
 INDUCED POLARIZATION SURVEY
 TV ZONE
 UNUK RIVER AREA, BRITISH COLUMBIA
 Date: AUGUST 1995 N.T.S.: 104/9W
 Interpretation:
PETER E. WALCOTT & ASSOC. LTD.




RESISTMTY
ohm-metres



RESISTMTY
ohm-metres

INTERPRETATION


CHARGEABILITY
millivolts/volt



INTERPRETATION


CHARGEABILITY
millivolts/volt

METAL FACTOR
CH/RES X 100



METAL FACTOR
CH/RES X 100

Line 600 S



Instrument:
Huntec 7.5 kw. Tx., BRGM Elrec 6 Rx.
Frequency: 0.125 Hz.
Operators: A.W., R.G.

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...


INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.



24,373


CANAMERA GEOLOGICAL LTD.

INDUCED POLARIZATION SURVEY
TV ZONE

UNUK RIVER AREA, BRITISH COLUMBIA


Date: AUGUST 1995 N.T.S.: 104/9W
Interpretation:

PETER E. WALCOTT & ASSOC. LTD.



RESISTIVITY
ohm-metres


Filter
n=1
n=2
n=3
n=4
n=5
n=6



INTERPRETATION


CHARGEABILITY
millivolts/volt

Filter
n=1
n=2
n=3
n=4
n=5
n=6



METAL FACTOR
CH/RES X 100

Filter
n=1
n=2
n=3
n=4
n=5
n=6



RESISTIVITY
ohm-metres

Filter
n=1
n=2
n=3
n=4
n=5
n=6

INTERPRETATION


CHARGEABILITY
millivolts/volt

Filter
n=1
n=2
n=3
n=4
n=5
n=6

METAL FACTOR
CH/RES X 100

Filter
n=1
n=2
n=3
n=4
n=5
n=6

Line 500 S



Instrument:
Huntec 7.5 kw. Tx., BRGM Elrec 6 Rx.
Frequency: 0.125 Hz.
Operators: A.W., R.G.

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...


INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.



24,373


CANAMERA GEOLOGICAL LTD.

INDUCED POLARIZATION SURVEY
TV ZONE


UNUK RIVER AREA, BRITISH COLUMBIA

Date: AUGUST 1995 N.T.S.: 104/9W
Interpretation:

PETER E. WALCOTT & ASSOC. LTD.




RESISTIVITY
ohm-metres



RESISTIVITY
ohm-metres

INTERPRETATION


CHARGEABILITY
millivolts/volt



INTERPRETATION


CHARGEABILITY
millivolts/volt

METAL FACTOR
CH/RES X 100



METAL FACTOR
CH/RES X 100

Line 400 S




Instrument:
Huntec 7.5 kw. Tx., BRGM Elrec 6 Rx.
Frequency: 0.125 Hz.
Operators: A.W., R.G.

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10,...



INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.
Fairly well defined moderate increase in polarization.
Poorly defined polarization increase.
Resistivity feature.




24,373

CANAMERA GEOLOGICAL LTD.
INDUCED POLARIZATION SURVEY
TV ZONE
UNUK RIVER AREA, BRITISH COLUMBIA
Date: AUGUST 1995 N.T.S.: 104/9W
Interpretation:
PETER E. WALCOTT & ASSOC. LTD.



RESISTIVITY
ohm-metres




RESISTIVITY
ohm-metres

INTERPRETATION


INTERPRETATION

CHARGEABILITY
millivolts/volt



CHARGEABILITY
millivolts/volt

METAL FACTOR
CH/RES X 100



METAL FACTOR
CH/RES X 100


INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.


Poorly defined polarization increase.

Resistivity feature.




24,373

CANAMERA GEOLOGICAL LTD.
INDUCED POLARIZATION SURVEY
TV ZONE
UNUK RIVER AREA, BRITISH COLUMBIA
 Date: AUGUST 1995 N.T.S.: 104/9W
 Interpretation:
PETER E. WALCOTT & ASSOC. LTD.




RESISTIVITY
ohm-metres




INTERPRETATION


CHARGEABILITY
millivolts/volt



METAL FACTOR
CH/RES X 100



Line 0



Instrument:
Huntec 7.5 kw. Tx., BRGM Elrec 6 Rx.
Frequency: 0.125 Hz.
Operators: A.W., R.G.

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10,...

INTERPRETATION


Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.

Scale 1:5000



24,373

RESISTIVITY
ohm-metres

Filter
n=1
n=2
n=3
n=4
n=5
n=6

INTERPRETATION

CHARGEABILITY
millivolts/volt

Filter
n=1
n=2
n=3
n=4
n=5
n=6


METAL FACTOR
CH/RES X 100

Filter
n=1
n=2
n=3
n=4
n=5
n=6


CANAMERA GEOLOGICAL LTD.
INDUCED POLARIZATION SURVEY
TV ZONE
UNUK RIVER AREA, BRITISH COLUMBIA

Date: AUGUST 1995 N.T.S.: 104/9W
Interpretation:

PETER E. WALCOTT & ASSOC. LTD.




RESISTIVITY
ohm-metres




INTERPRETATION


CHARGEABILITY
millivolts/volt



METAL FACTOR
CH/RES x 100



Line 200 N



Instrument:
Huntec 7.5 kw. Tx., BRGM Erec 6 Rx.
Frequency: 0.125 Hz.
Operators: A.W., R.G.

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10,...


INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.



24,373



CANAMERA GEOLOGICAL LTD.

INDUCED POLARIZATION SURVEY


TV ZONE
UNUK RIVER AREA, BRITISH COLUMBIA

Date: AUGUST 1995 N.T.S.: 104/9W
Interpretation:

PETER E. WALCOTT & ASSOC. LTD.



RESISTIVITY
ohm-metres




RESISTIVITY
ohm-metres

INTERPRETATION

INTERPRETATION

CHARGEABILITY
millivolts/volt



CHARGEABILITY
millivolts/volt


INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.


Poorly defined polarization increase.

Resistivity feature.



24,373

METAL FACTOR
CH/RES X 100



METAL FACTOR
CH/RES X 100

CANAMERA GEOLOGICAL LTD.

INDUCED POLARIZATION SURVEY

TV ZONE

UNUK RIVER AREA, BRITISH COLUMBIA

Date: AUGUST 1995

N.T.S.: 104/9W

Interpretation:

PETER E. WALCOTT & ASSOC. LTD.