

RECEIVED
APR 24 1997
Gold Commissioner's Office
VANCOUVER, B.C.

APPENDIX C

MOSS MAT SAMPLING TECHNIQUES

**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

24,965

Moss Mat Sampling Techniques

Sediment sampling was performed while doing mapping and prospecting traverses up the many creek valleys that cut the property. Where possible, samples were taken every five hundred metres along the creek and at all stream junctions. Stream sediment analyses give an integrated value for the metal content in the stream drainage and provide a vector for the location of base metal and precious metal mineralization.

Due to the nugget affect of gold in stream sediments, it is important to analyse a much finer fraction of sediment than the normal -80 mesh fraction that is analysed for standard base metal geochemistry. For the Corey Property, the laboratory analysed sediments that were finer than -200 mesh.

Due to the steep terraine and heavy rainfall, most of the silt sized and finer sediments have been flushed from the valleys and so it was very difficult to sample a sufficient amount of fine sediments in order to both a gold analysis and base metal analysis.

In order to improve the chances of obtaining sufficient fine sample, moss mat samples were taken at each sample point. This sampling technique is quite quick and simple, since moss mats are found in all of the stream drainages on the west coast of British Columbia. At the high water mark of each sample site, enough moss mat material was scraped off the rocks to fill a 12 inch by 17 inch plastic bag. This sample was dried and sent to the lab where the silt in it was removed and sieved to minus 200 mesh. The minus .200 mesh fraction was assayed for gold and analysed for base metals.

APPENDIX D

GEOCHEMICAL ANALYSIS TECHNIQUES



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

Analytical Procedure Assessment Report

MULTI ELEMENT ICP ANALYSIS

Samples are catalogued and dried. Soil samples are screened to obtain a -80 mesh sample. Rock samples are 2 stage crushed to minus 10 mesh and pulverized on a ring mill pulverizer to minus 140 mesh, rolled and homogenized.

A 0.5 gram sample is digested with aqua regia which contain beryllium which acts as an internal standard. The sample is analyzed on a Jarrell Ash ICP unit.

Results are collated by computer and are printed along with accompanying quality control data (repeats and standards). Results are printed on a laser printer and are faxed and/or mailed to the client.



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557


Analytical Procedure Assessment Report

GEOCHEMICAL GOLD ANALYSIS

Samples are catalogued and dried. Soils are prepared by sieving through an 80 mesh screen to obtain a minus 80 mesh fraction. Rock samples are 2 stage crushed to minus 10 mesh and a 250 gram subsample is pulverized on a ring mill pulverizer to -140 mesh. The subsample is rolled, homogenized and bagged in a prenumbered bag.

The sample is weighed to 10 grams and fused along with proper fluxing materials. The bead is digested in aqua regia and analyzed on an atomic absorption instrument. Over-range values for rocks are re-analyzed using gold assay methods.

Appropriate reference materials accompany the samples through the process allowing for quality control assessment. Results are entered and printed along with quality control data (repeats and standards). The data is faxed and/or mailed to the client.



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (804) 573-5700
Fax (804) 573-4557

Analytical Method Assessment for

GOLD ASSAY

Samples are sorted and dried (if necessary). The samples are crushed through a jaw crusher and cone or rolls crusher to -10 mesh. The sample is split through a Jones riffle until a ~250 gram subsample is achieved. The subsample is pulverized in a ring & puck pulverizer to 95% -140 mesh. The sample is rolled and homogenized.

A 1/2 or 1.0 A.T. sample size is fused along with proper fluxes. The resultant bead is digested with acid and analyzed on a Perkin Elmer AA instrument.

Appropriate standards and repeat samples (Quality Control components) accompany the samples on the data sheet.



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 2J3 Phone (604) 573-5700
Fax (604) 573-4557

Analytical Procedure Assessment Report

BASE METAL ASSAYS (Ag, Cu, Pb, Zn)

Samples are catalogued and dried. Rock samples are 2 stage crushed followed by pulverizing a 250 gram subsample. The subsample is rolled and homogenized and bagged in a prenumbered bag.

A suitable sample weight is digested with aqua regia. The sample is allowed to cool, bulked up to a suitable volume and analyzed by an atomic absorption instrument, to .01 ppm detection limit.

Appropriate certified reference materials accompany the samples through the process providing accurate quality control.

Result data is entered along with standards and repeat values and are faxed and/or mailed to the client.

APPENDIX E

ROCK, SOIL, STREAM SEDIMENT AND MOSS MAT RESULTS

KENRICH MINING CORPORATION

Sample No.	Grid		Sample Type	Rock Type	Description	1996 TV ROCK SAMPLE ANALYSES									
	Northing	Easting				Au	Au	Ag	Ag	Cu	Pb	Zn	Au	Ag	Al
						ppb	ppm	%	%	%	ppb	ppm	%	ppm	
					resampling Tr 95-02 west side	0.06	0.002								
					Green plag/amph/phyric, diss po, py		<.001								
38570	4+23S	8+05W	Grab			350	6.8								
38589	5+50S	6+35W	Grab	Mafic dyke		545	10.2								
38590	4+21S	7+04W	Chip 1.3m	bl Sed, Qtz stockw	W contin Tr95-05, <1%Py	475	13.0								
38591	4+21S	7+06W	Chip 1.2m	gy (tuffac) Sed, fol	W contin Tr95-05, <1%Py	720	25.0								
38592	4+21S	7+07W	Chip 2.0m	gy Tuff, fol, (shear)	W cont Tr95-05, tr-3%Py	230	8.2								
38593	4+22S	7+09W	Chip 1.5m	gy tuff Sed, fol, Qtz	W cont Tr95-05, tr-4%Py	735	16.8								
38594	4+23S	7+11W	Chip 1.9m	gy (tuff) Sed, silic	W cont Tr95-05, tr-2%Py	>1000	22.0								
38595	4+26S	7+12W	Chip 2.5m	gy Tuff/Sed, shear	W cont Tr95-05, tr-15%Py (1.5%)	>1000	>30								
38596	4+28S	7+13W	Chip 23cm	gy Tuff, fol, shear	W part of 38595, 5-15% Py	2.38	0.069	105.8	3.09						
38597	4+22S	6+93W	Chip 1.1m	bk Sed, silic, Qtz v	mid-TR95-05, 5-25%Py (5%)	2.05	0.060	65.7	1.92						
38598	4+22S	6+94W	Chip 90cm	bk tuffac Sed, fol	mid-TR95-05, 1-20%Py (3), fract										
38599	4+32S	7+13W	Grab	lgy Tuff, silic	TR95-05W-extens; loc dis Py up to 3% (1%)	295	10.8								
38600	4+33S	7+23W	Grab	felsic TuffBx + Qtzv	TR93-05 S-extens; Py, Apy, (Sph, Ga, tetraed)	5	0.4								
38601	3+68So	1+75Wo	Grab	bl tuffac grity Mdst	5% Po (blebs, clastic?), tr Py; foliated	5	<0.2								
38602	2+80So	1+75Wo	Grab	amygd interm Volc	1-2% Py, Po, nearby fault	5	<0.2								
38603	2+88So	1+61Wo	Grab	bl tuffac grity Mdst	loc 1-5% Py+Po, foliated	5	0.8								
38604	2+76So	1+55Wo	Grab	BISH, folded foliat	loc tr Py; loc vuggy Qtz	15	0.8								
38605	2+82So	1+52Wo	Grab	bl tuffac Sed, foliat	1% Py (+Po)	5	0.2								
38606	2+00N	2+55W o	Grab	gy Tuff/LT foliated	abundant rusty spots, tr Sph?	5	0.8								
38607	2+00N	3+50W o	Float	gy Tuff/LT foliated	ab, rusty spots, loc blebs of Py, Qtz	5	1.2								
38608	5+00S?	4+95W	Grab	inf/felsic Tuff, fol	loc dis Py 1-3%	5	1.4								
38609	5+00S?	4+75W	Grab	fel Tuff/BM LT	loc dis Py 1%	5	1.2								
38610	5+10S?	4+23W	Grab	BISH foliated	loc dis Py <1%	5	1.4								
38611	2+85S	9+15W	Grab	maf Tuff/LT alt	1%Py mostly fract-controlled	5	10.4								
38612	3+40S	9+00W	Grab	maf Volc brecc/silic	1-10%Py mostly fract-controlled	5	1.2								
38613	3+30S	8+50W	Grab	maf Volc (basalt)	tr-1%Py	150	7.2								
38614	4+02S	8+22W	Grab	fel Tuff silic	TR95-04(7377)brecc zone; 1%Py	11.22	0.327	211.2	6.16	1.72	>1000	>30	0.23	1610	
38615	4+05S	8+30W	Grab	brecc fel Volc, silic	TR95-04(7385)mas surf. 80%Py, 2%Sph, trGa, Apy	125	7.0								
38616	6+50S	6+80W	Grab	BISH, (silic)	dis Py <1%, mostly in vuggy Qtz v	35	1.4								
38617	7+00S	5+83W	Grab	BIMbx tuffac Mdst	tr Py	5	1.6								
38618	6+00S	6+15W	Grab	Shear complex	mafic rocks + Qtz v; loc Py 1-3%	5	0.4								
38619	8+00S	5+70W	Grab	alt Volc (fels, brecc)	loc dis + fract-controlled Py 1-3%	5	0.4								
38620	8+00S	5+50W?	Grab	alt Volc + int/fel Tuff	dis + fract-contr Py	5	1.2								
38621	3+25S	8+50W	Grab	maf Volc - bx zone	tr Py; abundant carbonate in fill, Barite?	5	0.4								
38622	7+80S	5+10W	Grab	alt, bx felsic Volc	1-3% Py, loc up to 7%	5	1.0								
38623	21+50So	0+00o	Float	BISH haieroliths	dis + layer-like Py 1-5%	5	0.4								
38624	21+75So	0+00o	Float	BISH haieroliths + Tuff	dis + layer-like Py+Po 3-10%; loc 15%	5	1.6								
38625	25+00So	0+75Wo	Grab	PilLava/Seds contact	10-25% dis Po (Ilmenite?), loc massive Po	460	>30								
38626	4+40S	7+20W	Chip 1 m	Brx sil, volc felsic	TR96-2, diss / frac, py / po 3-15%, avg 5-7	445	26.2								
38627	4+41S	7+19W	Chip 1 m	Brx sil, volc, qtz vns	TR96-2, diss / frac, py+tr po loc, 3-12%	35	15.4								
38628	4+42S	7+18W	Chip 1 m	Alt brx sil volc, q. v.	TR96-2, diss / frac control, py + loc po	110	>30								
38629	4+43S	7+17W	Chip 1 m	Alt sil, brx volc	TR96-2, diss / frac, py - tr po, up to 7-10%	210	>30								
38630	4+44S	7+16W	Chip 1 m	Alt sil, brx, vol felsic	TR96-2, Diss py 1-3%, loc up to 5%	175	29.8								
38631	4+44S	7+15W	Chip 1 m	Alt fol, volc, sil, q. t.	TR96-2, py 1-5%, up 7%, avg 2-3%	>1000	>30								
38632	4+44S	7+14W	Chip 1 m	Alt sil, tr brx, vol fels	TR96-2, ab po+py 3-10%, tr apy / gn ?	905	>30								
38633	4+55S	6+71W	Chip 1 m	fn gr Tuff/ Sed	TR96-5, brx loc, py str 2-3% loc	>1000	>30								
38634	4+55S	6+72W	Chip 1 m	fn gr Tuff/ Sed	TR96-5, brx loc, py str 2-3% loc	1.19	0.360	150.8	4.4						
38635	4+55S	6+73W	Chip 1 m	fn gr Tuff/ Sed	TR96-5, brx loc, py str 2-3% loc	1.72	0.056	189.6	5.63						
38636	4+55S	6+74W	Chip 1 m	fn gr Tuff/ Sed	TR96-5, brx loc, py str 2-3% loc	44.6	1.3								
38637	4+69S	6+72W	Grab	Sil Bk Sed	TR96-4, blk sulf-gn/Aq sulf?, cpy-po-py	3.64	0.106	6166	179.82		1.20%	>1000	>30	4.37	
38638	4+58S	6+81W	Chip 1 m	Bk sed / shear	TR96-5a, broken, graph, py str / along frac 5-7% locally	200	>30								
38639	4+58S	6+80W	Chip 1 m	Bk sed / shear	TR96-5a, broken, graph, py str / along frac 5-7% locally	410	>30								
38640	4+58S	6+79W	Chip 1 m	Bk sed / shear	TR96-5a, Qtz stwk, graph, py str / mass loc 10-15% tr gn	195	>30								
38641	4+03S	8+22W	Chip 1 m	Brx Vol, Sil, tuff	TR95-04, diss py po, tr sph, semi-mass loc	205	11.2								
38642	4+03S	8+23W	Chip 1 m	Brx Vol, Sil, tuff	TR95-04, diss py po, tr sph, semi-mass loc	570	>30								
38643	4+03S	8+24W	Chip 1 m	Brx Vol, Sil, tuff	TR95-04, diss py po, tr sph, semi-mass loc	740	5.6								
38644	4+04S	8+25W	Chip 1 m	Brx Vol, Sil, tuff	TR95-04, diss py po (sph-gn-cpy) mass/semi fn gr sulf	>1000	>30								
38645	4+04S	8+26W	Chip 1 m	Brx Vol, Sil, tuff	TR95-04, diss py po (sph-gn-cpy) mass/semi fn gr sulf	>1000	>30								
38646	4+04S	8+27W	Chip 1 m	Brx Vol, Sil, tuff	TR95-04, diss py po (sph-gn-cpy) mass/semi fn gr sulf	>1000	>30								
38647	4+58S	6+78W	Chip 1 m	Bk sed / shear	TR96-5a, Qtz stwk, graph, py str / mass loc 10-15% tr gn	180	>30								
38648	4+57S	6+77W	Chip 1.4 m	Bk sed / shear	TR96-5a, Qtz stwk, graph, py str / mass loc 10-15% tr gn	260	>30								
38649	4+40S	6+61W	Chip 1 m	Lt gry fn gr tuff	TR96-8, Fault / Shear, slickenside type, qtz vnt, tr py	545	28.2								
38650	4+41S	6+61W	Chip 1 m	Lt gry fn gr tuff	TR96-8, Fault / Shear, slickenside type, qtz vnt, tr py	320	22.2								
38651	5+40S	6+57W	Grab	Mafic dyke	TR96-12, 15cm from contact, fine grained, trace py	55	>0.2								
38652	5+39S	6+57W	Grab	Felsic vol. cont / dyke	TR96-12, py 10%, fine py cubed, massive	>1000	2.8								
38653	5+37S	6+56W	Chip 1 m	Fine grained tuff	TR96-12, next to mafic dyke contact, tr diss py	30	13.8								
38654	5+36S	6+56W	Chip 1 m	Tuff w / qtz vns, iam	TR96-12, next to fault / contact, tr py	125	9.8								
38655	5+36S	6+56W	Chip 1 m	Sed w / qtz vns, brx	TR96-12, py diss & along frac 1-3%, loc 5%	100	>30								
38656	5+35S	6+55W	Chip 1 m	Sed w / qtz vns, brx	TR96-12, py diss & along frac, loc 5%, tr sph / blk sulfide	200	22.2								
38657	5+34S	6+54W	Chip 1 m	Sed w / qtz vns, brx	TR96-12, py diss & along frac, loc 5%, tr sph / blk sulfide	40	>30								
38658	5+49S	6+25W	Grab	Mafic dyke pink / gry	TR96-12, py diss & along frac, loc 5%, tr sph / blk sulfide	130	4.8								
38659	4+87S	6+55W	Chip 1 m	Bk sed w/sil, fn gr tuff	Diss py 2%, qtz vnt @ contact w / sed / tuff	50.7	1.48								
38660	4+86S	6+55W	Chip 1 m	Bk sed w/sil, fn gr tuff	TR96-13, qtz vns & stkwk, sulfides po, py, gn, blk dull	80.3	2.34								
38661	4+85S	6+56W	Chip 1 m	Bk sed w/sil, fn gr tuff	TR96-13, qtz vns & stkwk, sulfides po, py, gn, blk dull	70.9	2.07								
38662	4+84S	6+56W	Chip 1 m	Bk sed w/sil, fn gr tuff	TR96-13, qtz vns & stkwk, sulfides po, py, gn, blk dull	1.18	0.034	52.2	1.52						

KENRICH MINING CORPORATION

Sample ID	Location	Depth	Orientation	Sample Type	Description	Py	Qtz	Sph	Sul	Other	Py	Qtz	Sph	Sul	Other
38663	4+84S	6+57W	Chip 1 m	Blk sed w/sil, qtz stwk	TR96-13, lam fn gr tuff, py prevailing	1.35	0.038	31.1	0.91		>1000	>30	0.19	470	
38664	4+83S	6+57W	Chip 1 m	Blk sed w/sil, qtz stwk	TR96-13, lam fn gr tuff, py prevailing	1.93	0.053				>1000	>30	0.02	450	
38665	4+82S	6+58W	Chip 1 m	Blk sed w/sil, qtz stwk	TR96-13, lam fn gr tuff, py prevailing	3.02	0.088				>1000	>30	0.19	350	
38666	4+82S	6+59W	Chip 1 m	Blk sed w/sil, qtz stwk	TR96-13, lam fn gr tuff, py prevailing	5.42	0.158	37.8	1.10		>1000	>30	0.16	410	
38667	4+82S	6+59W	Chip 1 m	Blk sed w/sil, qtz stwk	TR96-13, lam fn gr tuff, py prevailing	5.07	0.148	31.8	0.93		>1000	>30	0.20	460	
38668	4+81S	6+60W	Chip 1 m	Blk sed w/sil, qtz stwk	TR96-13, lam fn gr tuff, py prevailing	4.41	0.129				>1000	28.8	0.19	415	
38669	4+80S	6+61W	Chip 1 m	Blk sed w/sil, qtz stwk	TR96-13, lam fn gr tuff, py prevailing	3087	0.133				>1000	27	0.20	465	
38670	4+79S	6+61W	Chip 1 m	Blk sed, highly sil	TR96-13, fn gr tuff, py-asy	2015	0.063				>1000	25	0.02	495	
38671	4+79S	6+62W	Chip 1 m	Blk sed, highly sil	TR96-13, fn gr tuff, py-asy	3.42	0.100				>1000	27	0.24	850	
38672	4+78S	6+63W	Chip 1 m	Blk sed, highly sil	TR96-13, fn gr tuff, py-asy	3.00	0.087	30.5	0.89		>1000	>30	0.27	1010	
38673	4+78S	6+64W	Chip 1 m	Blk sed, highly sil	TR96-13, fn gr tuff, py-asy	3.12	0.091	32.3	0.94		>1000	>30	0.33	650	
38674	4+77S	6+65W	Chip 1 m	Blk sed, highly sil	TR96-13, fn gr tuff, aspy / py massive, aspy crystals	8.01	0.234	165.5	4.83		>1000	>30	0.44	3685	
38675	4+77S	6+66W	Chip 1 m	Blk sed, highly sil	TR96-13, fn gr tuff, py-asy	1.91	0.058	74.4	2.17		>1000	>30	0.42	830	
38676	4+98S	9+35W	Grab	Lap tuff w / blk mtx	Trace pyrite, small creek @ El. 770 m.						30	0.8	2.13	20	
38677	c4+01S	c10+25W	Chip 1 m	Felsic, mod sil, brx	TR-DF-01, tuff / rhy, stry alt, py diss & along frac, 3-5%						5	1.2	0.36	430	
38678	c4+00S	c10+26W	Chip 1 m	Felsic, mod sil, brx	TR-DF-01, tuff / rhy, stry alt, py diss & along frac, 3-5%						5	2.8	0.30	2290	
38679	c3+99S	c10+26W	Chip 1 m	Felsic, mod sil, brx	TR-DF-01, tuff / rhy, stry alt, py diss & along frac, 3-5%						5	1.6	0.25	1355	
38680	c3+99S	c10+27W	Chip 1 m	Felsic, mod sil, brx	TR-DF-01, tuff / rhy, stry alt, py diss & along frac, 3-5%						5	3.8	0.28	2050	
38681	c3+98S	c10+27W	Chip 1 m	Felsic, mod sil, brx	TR-DF-01, tuff / rhy, stry alt, py diss & along frac, 3-5%						10	4.2	0.29	3035	
38682	c3+98S	c10+28W	Chip 1 m	Felsic, mod sil, brx	TR-DF-01, tuff / rhy, stry alt, py diss & along frac, 3-5%						5	3.6	0.25	3015	
38683	c3+97S	c10+04W	Chip 1 m	Felsic, mod sil, brx	TR-DF-01, tuff / rhy, stry alt, py diss & along frac, 3-5%						10	2.8	0.26	2880	
38684	c3+96S	c10+29W	Chip 1 m	Felsic, mod sil, brx	TR-DF-01, tuff / rhy, stry alt, py diss & along frac, 3-5%						5	2.6	0.26	3605	
38685	c3+95S	c10+30W	Chip 1 m	Felsic, mod sil, brx	TR-DF-01, tuff / rhy, stry alt, py diss & along frac, 3-5%						5	2.2	0.25	3860	
38686	c3+07S	c10+36W	Chip 1.10m	Sil rhy brx	TR-DF-02, py diss & along frac, fn gr-med gr, 7-10%						5	5.8	0.22	405	
38687	c3+06S	c10+36W	Chip 80cm	Sil rhy brx	TR-DF-02, py diss & along frac, fn gr-med gr, 7-10%						5	6.0	0.20	805	
38688	c3+05S	c10+36W	Chip 1 m	Sil rhy brx	TR-DF-02, py diss & along frac, fn gr-med gr, 7-10%						5	4.8	0.17	1675	
38689	c3+04S	c10+36W	Chip 80cm	Brx lap tuff, sil, qt vn	TR-DF-02, py vy fn gr to med gr, diss/along frac, rhy frg						5	2.0	0.18	185	
38690	c3+03S	c10+36W	Chip 1 m	Brx lap tuff, sil, qt vn	TR-DF-02, py vy fn gr to med gr, diss/along frac, rhy frg						5	2.4	0.20	200	
38691	c3+02S	c10+36W	Chip 1 m	Brx lap tuff, sil, qt vn	TR-DF-02, py vy fn gr to med gr, diss/along frac, rhy frg						6	3.4	0.25	620	
38692	c3+02S	c10+37W	Chip 1 m	Brx lap tuff, sil, qt vn	TR-DF-02, py vy fn gr to med gr, diss/along frac, rhy frg						5	3.0	0.20	190	
38693	c3+02S	c10+38W	Chip 1 m	Brx lap tuff, sil, qt vn	TR-DF-02, py vy fn gr to med gr, diss/along frac, rhy frg						10	4.8	0.21	210	
38694	c3+03S	c10+40W	Chip 80cm	Brx lap tuff, sil, qt vn	TR-DF-02, py vy fn gr to med gr, diss/along frac, rhy frg						25	3.0	0.56	405	
38695	c3+22S	c9+93W	Chip 80cm	Tuff brx, mod sil, fel	Footwall, py diss/along frac 5-10%, plus blk sulfide						5	0.6	0.39	220	
38696	c2+89S	c9+94W	Chip 1 m	Lap tuff / rhy brx	TR-DF-03, qt vn/str, py/po diss/along frac, fn to cr gr 10%						5	1.2	0.34	330	
38697	c2+88S	c9+95W	Chip 1 m	Lap tuff / rhy brx	TR-DF-03, qt vn/str, py/po diss/along frac, fn to cr gr 10%						5	1.6	0.31	95	
38698	c2+87S	c9+95W	Chip 1 m	Lap tuff / rhy brx	TR-DF-03, qt vn/str, py/po diss/along frac, fn to cr gr 10%						5	1.0	0.33	110	
38699	c2+86S	c9+96W	Chip 1 m	Lap tuff / rhy brx	TR-DF-03, qt vn/str, py/po diss/along frac, fn to cr gr 10%						5	0.6	0.43	435	
38700	c2+86S	c9+97W	Chip 1 m	Lap tuff / rhy brx	TR-DF-03, qt vn/str, py/po diss/along frac, fn to cr gr 10%						20	1.0	0.61	30	
38705	2+00S	6+25W	Grab	sericitized tuff	10% Py in silicified zones - boulder in creek						5	0.4	2.91	<5	
38706	5+00S	4+79W	Grab	fold volc wacke	10% Py in silicified zones						5	0.4	0.43	60	
38707	5+20S	4+50W	Grab	sil/alt lapilli tuff	10% Py in silicified zones						830	>30	0.17	230	
38708	4+35S	6+76W	Chip 1 m	Sed w/ qtz str	Py along frac 1-2%, rusty, LS-A-R-188			66.2	1.93		>1000	>30	0.14	230	
38709	4+35S	6+76W	Chip 60cm	Sed w/ qtz str	Py along frac 1%, rusty / vuggy	1.01	0.029	41.6	1.21		>1000	>30	0.16	290	
38710	4+35S	6+76W	Chip 1 m	Sed / tuff, qtz str	Py along frac 1%, rusty / vuggy	1.02	0.030	67.9	1.88		>1000	>30	0.18	210	
38711	4+35S	6+76W	Grab	Sed / tuff, Fault	Py along frac 1-2%, LS-A-R-188/1350ppb Au	1.04	0.030	56.6	1.85		>1000	23.0	0.15	405	
38712	4+60S	6+61W	Grab	Blk sed/ tuff	TR96-5, fn gr py along frac, tr diss py, poss gn / sph	1.02	0.030				>1000	>30	0.28	685	
38713	4+60S	6+73W	Chip 1.1 m	Blk sed/ Qtz stwk	TR96-3, fault / tr py 1%, qtz str, py frags	2.01	0.059	251.8	7.34		>1000	>30	1.04	645	
38714	4+59S	6+71W	Chip 1.1 m	Blk sed/ Qtz stwk	TR96-3, fn gr py, tr cpy / gn, 1% locally			178.5	5.21		465	>30	1.50	500	
38715	4+60S	6+70W	Chip 1 m	Blk sed/ Qtz stwk	TR96-3, fn gr py, tr cpy / gn 2% locally			889.0	20.09		500	>30	1.55	500	
38716	4+60S	6+69W	Chip 1 m	Blk sed/ Qtz stwk	TR96-3, ft, py / cpy / fn gr gn, 5-10% loc			594.0	17.32		655	>30	1.50	755	
38717	4+60S	6+68W	Chip 1 m	Blk sed/ Qtz stwk	TR96-3, py / cpy / gn / sph, 5-15% loc			355.5	10.37		310	>30	0.77	100	
38718	4+60S	6+67W	Chip 1 m	Blk sed/ Qtz stwk	TR96-3, 1-3% py, tr cpy / gn, poss sph			45.5	1.33		350	>30	1.09	220	
38719	4+61S	6+66W	Chip 1 m	Blk sed/ Qtz stwk	TR96-3, 1% py, tr cpy, poss gn			32.2	0.94		775	>30	0.58	395	
38720	4+62S	6+65W	Chip 1.6 m	Blk sed/ Qtz stwk	TR96-3, fn gr py along frac 1-2% loc	2.29	0.067	47.0	1.37		>1000	>30	0.23	500	
38725	4+72S	6+67W	Chip 1 m	Sil Blk sed/Qtz stwk	TR96-4, 1% py			39.2	1.14		355	>30	0.60	170	
38726	4+72S	6+68W	Chip 1 m	Sil Blk sed/Qtz stwk	TR96-4, 1% py			68.4	2.00		315	>30	1.02	245	
38727	4+70S	6+69W	Chip 1 m	Sil Blk sed/Qtz stwk	TR96-4, massive fn gr py loc, tr sph	2.49	0.073	198.8	5.80		>1000	>30	0.80	2370	
38728	4+70S	6+70W	Chip 1 m	Sil Blk sed	TR96-4, coarse gr py to massive py loc	2.22	0.065	129.4	3.77		>1000	>30	0.68	1165	
38729	4+70S	6+71W	Chip 1 m	Sil Blk sed/Qtz stwk	TR96-4, po, py, gn fn gr sulfides			193.6	5.65		705	>30	1.03	350	
38730	4+69S	6+72W	Chip 1 m	Sil Blk sed/ bx stwk	TR96-4, fn gr po, py, gn, tr sp, cpy, blk sul, 5-10%, tuff lys	2.46	0.072	1936.0	56.48		>1000	>30	2.97	530	
38731	4+69S	6+73W	Chip 1 m	Sil Blk sed w/ th tuff	TR96-4, thin tuff layers, loc, Ser All., 1% py, Qtz str			693.0	20.21		480	>30	2.26	140	
38732	4+69S	6+74W	Chip 1 m	Sil Blk sed w/ th tuff	TR96-4, thin tuff layers, loc, Ser All., 1% py, Qtz str			1043.0	30.42		505	>30	1.47	90	
38733	4+58S	6+63W	Chip 1 m	Sil Blk sed	TR96-5, diss fn gr py 1%, Qtz str						100	17.8	0.19	160	
38734	4+57S	6+64W	Chip 1 m	Sil Blk sed	TR96-5, diss fn gr py 1-2%, Qtz str			65.5	1.91		405	>30	0.29	295	
38735	4+56S	6+74W	Chip 1 m	Sil Blk sed w/ str jntg	TR96-5, Qtz stwk, tr gn, 2-3% py			1659.2	48.39		960	>30	1.30	735	
38736	4+56S	6+65W	Chip 1 m	Sil Blk sed/Qtz stwk	TR96-5, fn gr, tr-1% gn, poss sph, 3% py-po			480.8	14.02		235	>30	1.02	200	
38737	4+55S	6+66W	Chip 1 m	Sil Blk sed/Qtz stwk	TR96-5, cr gr po, 4% py, 1-2% fn gn-blk sulf			908.0	26.48		625	>30	1.30	525	
38738	4+54S	6+67W	Chip 1 m	Sil Blk sed/Qtz stwk	TR96-5, cr gr po, 4% py, 1-2% fn gn-blk sulf			395.6	11.54		560	>30	0.87	540	
38739	4+55S	6+68W	Chip 1 m	Sil Blk sed/Qtz stwk	TR96-5, cr gr po, 4% py, 1-2% fn gn-blk sulf			442.4	12.90		980	>30	1.80	660	
38740	4+54S	6+69W	Chip 60cm	Fn gr tuff/Sed, bx loc	TR96-5, py str 2-3 loc	3.49	0.102	538.4	15.70		>1000	>30	2.28	1060	
38741	4+49S	6+62W	Chip 1 m	Qtz w/Blk Sed	TR96-6, vuggy, no sulfides seen			278.6	8.13		825	>30	0.13	220	
38742	4+48S	6+63W	Chip 1 m	Qtz w/Tuff	TR96-6, no sulfides seen			234.0	6.82		895	>30	0.13	145	
38743	4+47S	6+64W	Chip 1 m	Qtz	TR96-6, tr py, w/ py loc 10%			200.2	5.84		540	>30	0.13	130	
38744	4+47S	6+65W	Chip 1 m	La tuff/Blk sed stwk	TR96-6, fn gr / cr gr py 5-7% with tr sph	2.05	0.060	204.2	5.96		>1000	>30	0.12	320	
38745	4+47S	6+65W	Chip 1 m	La tuff/Blk sed stwk	TR96-6, fn gr / cr gr py 5-7% with tr sph			49.1	1.43		310	>30	0.20	355	

KENRICH MINING CORPORATION

						CORE PROJECT				ROCK SAMPLE ANALYSES			
						1.47	0.043	103.3	3.01	>1000	>30	0.15	420
36748	4+46S	6+88W	Chip 1 m	Lap tuff/blk mtx	TR96-6, tr sulfides in bedding					375	21.0	0.27	320
36749	4+78S	7+14W	Chip 1 m	Sil tuff with qtz str	TR96-7, fn-med gr py diss / frac. 5-10% locally					180	11.2	0.22	265
36750	4+80S	7+14W	Chip 1.4 m	Sil tuff with qtz str	TR96-7, fn-med gr py diss / frac. 5-10% locally								
36770	4+40S	7+09W	Chip 1 m	Tuff, TH-A-R-014	Tr cpy, asy 5-10%, py up to 15%	0.22	0.008				28.0	0.99	6510
36771	4+40S	7+09W	Grab	Tuff, TH-A-R-014	Py 1-5%, fn gr apy > 1%	0.03	0.001				2.8	5.33	2035
36772	4+53S	6+73W	Chip 2 m	Blk sed., silicified	TR96-5, Qtz stwk, py 3%, fault zone	1.33	0.039	1193.0	34.79		>30	1.25	290
36773	4+53S	6+73W	Chip 1 m	Blk sed., silicified	TR96-5, qtz stwk, poss sp/gra? py fault zone	0.86	0.025	294.6	8.59		>30	1.05	705
36774	4+53S	6+80W	Chip 2.64m	Blk sed., silic loc	TR96-5, 1% py, qtz stwk, blk fg	0.42	0.012	338.4	8.67		>30	1.29	145
36775	4+56S	6+80W	Chip 70cm	Blk sed., qtz vning	TR96-5, foliated tuff, tr diss py on bndries	1.68	0.049	44.6	1.30		>30	0.19	320
36776	4+50S	6+80W	Chip 1 m	Blk sed.-alt'n	TR96-8, Shear/ft zone, no sx vis	1.22	0.036	126.9	3.70		>30	0.14	115
36777	4+95S	8+89W	Grab	meta-tuff	diss py loc 1%, close to ft, qtz vns	0.03	0.001				2.4	3.73	<5
36778	4+95S	8+89W	Chip 1.2m	meta-tuff	tr loc py, close to ft, qtz vns	<.03	<.001				1.4	1.14	<5
36779	4+77S	8+89W	Grab	sil tuff locally	vfg py/ps & qtz	0.10	0.003				1.8	1.21	20
36780	3+54S	6+80W	Grab	Sil. brx tuff	Fg diss py 5%, along frac 7-10%, vuggy spots	0.24	0.007				8.0	0.67	340
36781	3+50S	6+83W	Chip 1 m	Sil. tuff	Py up to 3%, diss & along frac, fine grained	0.36	0.010				14.0	0.25	210
36782	3+47S	6+87W	Grab	Sil. brx tuff	Weathered, vuggy, diss & along frac 3-5% py	0.20	0.006				17.2	0.21	230
36783	3+44S	6+90W	Grab	Tuff, sil. locally	Fg diss & along frac py up to 3%	<.03	<.001				5.2	0.20	85
36784	3+43S	6+82W	Chip 40cm	Sil. brx tuff	Py diss & along frac, in vugs, up to 6%, 40cm	0.04	0.001				7.2	0.14	360
36785	3+50S	7+20W	Grab	Sil tuff	Diss & frac contrlled py, 2-4% locally	0.04	0.001				4.6	0.88	470
36790	4+00S	6+72W	Grab	bl Sed silic (tuff/frac)	disPy + Py-Qtz v, 1-25% Py (3-5%)					5	20.4	2.78	205
36791	4+25S	7+22W	Grab	fel T/LT brecc/fof	TR93-05-04; loc dis Py 1-2%					805	17.8	4.02	220
36792	4+29S	7+35W	Grab	felsic TBx/LT	TR93-04; loc dis Py 1-3%	6.16	0.180			>1000	19.4	0.12	1440
36793	4+29S	7+35W	Grab	fel [T/Tuff foliated	TR93-04 SWextension; dis Py 1%					495	2.8	3.04	205
36794	4+45S	7+50W	Chip 50cm	min v (fel/Voic bx/sil)	TR93-07(CK-A-C-033); 35-40% Py + sulphides					525	28.6	0.69	715
36795	4+45S	7+50W	Chip 50cm	min v (fel/Voic bx/sil)	TR93-07(CK-A-C-031); 50% Py + sulphides					145	17.2	0.32	820
36796	2+00S	9+12W	Grab	mafic Tuff/flow?	tr Py					5	0.6	2.89	15
36797	2+40S	8+83W	Grab	maf Voic brecc/silic	1%Py fract-controlled					5	1.2	1.78	<5
36798	3+00S	7+85W	Grab	int/maf Tuff altered	loc dis Py					5	0.4	2.35	15
36799	2+92S	8+85W	Grab	maf Voic brecc/silic	loc dis Py within patches of brecciated rock					5	0.8	2.56	<5
36800	3+00S	8+75W	Float, subc	alt maf Volc (br/sil)	loc abundant diss/fr-contr Py; float - subcrop					5	1.2	2.13	<5
36804	4+34S	6+89W	Chip 1 m	bl shale	loc Py in qtz veinlets			76.6	2.23	810	>30	0.16	620
36805	4+34S	6+90W	Chip 1 m	bl shale	loc Py in qtz veinlets			79.3	2.31	985	>30	0.20	610
36806	4+34S	6+91W	Chip 1 m	bl shale	loc Py in qtz veinlets			130.9	3.82	880	>30	0.17	275
36901	4+41S	6+80W	Chip 1 m	Lt gry fn gr tuff	TR96-8, Fault / Shear, slickenside type, qtz vnit, tr py					360	16.2	0.33	210
36902	4+42S	6+59W	Chip 1 m	Lt gry fn gr tuff	TR96-8, Fault / Shear, slickenside type, qtz vnit, tr py					165	17.6	0.18	135
36903	4+43S	6+59W	Chip 1 m	Lt gry fn gr tuff	TR96-8, Fault / Shear, slickenside type, qtz vnit, tr py					350	16.2	0.19	200
36904	4+44S	6+58W	Chip 1 m	Lt gry fn gr tuff / till	TR96-8, Ft / Shr, slickenside type, qtz vnit, tr py / till					115	9.8	0.97	1660
36905	4+30S	7+22W	Chip 1 m	Brx felsic vol, sil / qtz	TR96-9, Py and po locally, tr sph, gn, bornite (cpy ?)					90	18.8	0.56	165
36906	4+31S	7+22W	Chip 1.1 m	Brx felsic vol, sil / qtz	TR96-9, Py and po locally, tr sph, gn, bornite (cpy ?)					60	15.6	0.66	155
36907	4+32S	7+22W	Chip 1 m	Shear zone, vol. tuff	TR96-9, loc gouge, jointed, vol frags w/ diss py			33.8	0.99	440	>30	1.24	220
36908	4+32S	7+21W	Chip 1 m	Shear zone, vol. tuff	TR96-9, loc gouge, jointed, vol frags w/ diss py	2.09	0.061			>1000	25.8	1.28	295
36909	4+33S	7+20W	Chip 1 m	Shear zone, vol. tuff	TR96-9, loc gouge, jointed, vol frags w/ diss py	5.96	0.174	89.2	2.6	>1000	>30	1.21	420
36910	4+33S	7+19W	Chip 1.3 m	Shear zone, vol. tuff	TR96-9, loc gouge, jointed, vol frags w/ diss py	1.27	0.037			>1000	19.2	1.00	725
36911	4+33S	7+18W	Chip 1 m	Slightly brx sil. vol	TR96-9, py (po + tr blk sulfide), 3-7%, loc cubed py	1.54	0.045			>1000	21.4	2.26	385
36912	4+33S	7+17W	Chip 1.3 m	Sheared sil vol tuff	TR96-9, diss fn gr py sulfides	3.03	0.088			>1000	23.8	1.88	370
36913	4+44S	7+16W	Grab	Qtz vn w / brx felsic	TR96-2, blk vuggy sulfides, gry sulfides vuggy					65	23.6	0.68	630
36914	4+44S	6+57W	Grab	Till	TR96-8, hard packed till, glacial or soil creep					45	6.4	1.50	360
36915	4+58S	6+81W	Grab	Qtz vn w / in fill vugs	TR96-5, 1.) blk vy fn gr, 2) lt gry to white fn gr, 1-2%					15	1.8	0.27	25
36916	4+44S	7+14W	Grab	Alt. sil felsic vol	TR96-2, fine brx with 7% po	1.71	0.050	91.3	2.663	>1000	>30	0.61	2255
36917	4+41S	7+41S	Grab	Brx felsic vol	TR96-2, sil. with 3% py, tr po, extension east trench					5	12.4	1.80	350
36918	4+33S	6+67W	Grab	Blk sed / shale	Py str and layers 1-3%					502	12.0	0.46	125
36919	5+35S	6+55W	Grab	Blk shale, sil qtz vnit	TR96-12, gry tuff bnds, diss vuggy py loc 1-5%					10	19.6	2.53	210
36920	6+32S	5+82W	Grab	Gry fol felsic tuff	Qtz vn, loc vuggy fn gr diss py < 1%					5	0.2	0.98	40
36921	5+48S	6+26W	Grab / subc	Gry med gr tuff	Non fol. loc alt. py diss+cr crys 3-7%					40	16.0	6.11	585
36922	3+88S	8+25W	Grab	Greenish brx sil vol	Po + py diss 1-2% with trace gn, rusty outcrop					5	0.8	1.73	15
36923	3+90S	8+33W	Grab	Alt sil intermed vol	Frac controlled py, diss very fn gr py loc 5%					5	1.6	2.90	65
36924	3+60S	8+10W	Grab	Qtz vein 15cm	Rusty sulfides vuggy-py, strike of qv 140/45W					5	<0.2	0.47	<5
36925	3+82S	8+31W	Grab	Gry-green int. brx vol	Loc sil, diss / along frac py 1-3%					5	1.8	1.93	20
36926	4+26S	7+46W	Grab	Vol loc brx, mod sil	Original lap tuff, fol py diss / along frac 2-3%					660	5.2	3.97	455
36927	4+26S	7+48W	Grab	Vol loc brx, mod sil	Diss / along frac py 3-5%					415	3.4	3.88	75
36928	3+00S	9+62W	Float	Intern med gr tuff	Brx - loc sil, py str - along frac tr py					275	9.8	2.16	<5
36929	3+02S	10+36W	Grab	Tuff brx cont rhy brx	Gray, felsic, sil, py w/ sil, qtz vn at cont w/ rhy brx, tr gn					5	4.4	0.31	665
36930	3+09S	10+36W	Grab	Tuff brx cont rhy brx	Gray, felsic, sil, py w/ sil, qtz vn at cont w/ rhy brx, tr gn					5	6.6	0.38	950
36931	3+16S	10+37W	Grab	Rhy brx close tuff brx	Silicified, fn - cr diss py 3%					10	4.0	0.32	935
36932	3+10W	10+26W	Grab	Sil felsic vol brx	Cont w / intern vol. loc vuggy parts, trace py					5	10.6	0.92	190
36933	3+10S	10+24W	Grab	Rhy brx close int vol	Sil, qtz vn, very fn gr diss py w / tr gn, vuggy					25	25.2	0.31	215
36934	3+02S	10+83W	Grab	Fel. vol brx / tuff brx	Rhy, mod sil, diss py 1-2%, vuggy blk sulfide, ang clasts					5	1.2	0.82	30
36935	c3+94S	c10+53W	Grab	L gy felsic tuff bx	Minor silicified, various clasts, loc ab py 3%					5	1.4	0.21	2955
36936	c4+25S	c10+60W	Grab	Quartz vein	From int tuff?					5	<0.2	2.19	<5
36937	c4+38S	c10+37S	Grab	L gy felsic lap tuff	Ang clasts, fol diss py 1%					5	3.0	0.21	765
36938	c4+16S	c10+29W	Grab	L gy felsic lap tuff/bx	Ang clasts, silic, slgt fol, diss py 1-3%, loc vuggy					5	1.8	0.25	2185
36939	c3+82S	c9+73W	Grab / float	Bx volcanic	Silic. loc felsic?, loc diss+vein related py 1%					10	1.0	0.48	75
36940	c3+96S	c10+29W	Grab	Tuff brx, mod sil	TR-df-01, Felsic, loc highly alt (Rhy Bx), dis py 3-7%					5	3.2	0.28	4320
36941	3+18S	10+37W	Grab	Quartz vein	Po in Rhy brx, loc py, po, blk dull sulf 1-3%					5	2.4	0.14	120
36942	3+16S	10+37W	Grab	Fel lap tuff (Rhy)	Py + tr po w/fin qv, up to 10% qtz str					5	5.8	0.29	815
36943	c3+17S	c9+82W	Grab	Fol felsic tuff	Fn gr, lt gry, transition zone, tr diss py 1%					5	2.4	0.19	65
36944	c3+22S	c9+93W	Grab	Felsic tuff brx	Lt gry, mod sil, ab dis+frac py 5-12% (py+blk sulf)					10	6.4	0.23	1375

KENRICH MINING CORPORATION

COREY PROJECT										ROCK SAMPLE ANALYSES				
38945	c3+20S	c9+92W	Grab	Int fesc tuff	Middle part of middle rock, fol, tr py					5	0.8	1.41	35	
38946	c2+46S	c10+04W	Grab	Brx volcanic	Felsic? mod sil, qtz veins w/py, po					5	0.8	1.00	20	
38947	c2+46S	c10+21W	Grab	Felsic Vbx/Tbx	Altered, sil, py in fract, dis 1-3%					5	2.0	0.84	470	
38948	c2+52S	c9+94W	Grab	Felsic Vbx+Qtz vein	Lt gry, dis+layered py 3-7%					10	5.8	0.26	1320	
38949	c2+22S	c10+03W	Grab	Brx Rhy	Qtz str/py str w/Qtz shear, 2-3% fract contr, tr gn					5	1.4	0.73	120	
38950	c2+15S	c10+10W	Grab	Brx Rhy	Sil, loc fol, py along frac, tr dis 3-5%					5	3.2	0.16	215	
38951	c4+52S	c9+73W	Grab	Blk sed	Fissile, dis py 1%					5	<0.2	0.41	115	
38952	c4+61S	c9+92W	Grab	Felsic tuff	Dis py 1-2%					5	0.2	0.99	<5	
38953	c4+32S	c9+92W	Grab	Blk sed	Folded, loc fol, sil, dis-tens like py 1-3%					5	<0.2	0.99	525	
38954	c4+31S	c9+93W	Grab	Blk sed	Sil, dis py 1-3%, along bedding					5	<0.2	0.46	160	
38955	c4+35S	c9+91W	Grab	Tuffaceous sed	Fn gr, cont between sed/tuff, py+po 1-2%					5	<0.2	1.28	<5	
38956	c4+35S	c9+92W	Grab	Fol tuff/Lap tuff	Felsic, mix of ep-clasts, tr dis po					5	<0.2	3.09	<5	
38957	c4+40S	c9+93W	Grab	Fol tuff/Lap tuff	Felsic, mix of ep-clasts, 1-2% dis po					5	<0.2	3.89	<5	
38958	c4+65S	c10+09W	Grab	Tuff-mudstones	Unsorted, blk mbx, tr dis py-po					5	<0.2	2.40	45	
38959	c4+80S	c9+94W	Grab	Felsic tuff/Lap tuff	Dis layered py 1%					5	0.2	0.57	340	
38960	1+50S	7+25W	Grab	Sediment	Py along fract 1%, sed w/tuff material (sp-hem?)					5	<0.2	1.17	35	
38961	1+46S	7+58W	Grab	Grayw/poly cong	Volcanic, fesc clasts, dis py 1-3%					5	0.6	0.34	15	
38962	1+58S	9+03W	Grab	Int tuff	Sand grade, no sulfide					5	<0.2	2.69	<5	
38963	c1+60S	c9+95W	Grab	Basalt	Py-tr po pods, str dis >1% sulf, frac controlled					5	<0.2	1.59	<5	
38964	c2+85S	c9+97W	Chip 1 m	Lap tuff / rhy brx	TR-DF-03, qt vn/str, py/po diss/along frac, fn to cr gr 10%					5	0.6	0.35	355	
38965	c2+84S	c9+98W	Chip 1 m	Lap tuff / rhy brx	TR-DF-03, qt vn/str, py/po diss/along frac, fn to cr gr 10%					5	0.8	0.27	975	
38966	c2+84S	c9+99W	Chip 1 m	Lap tuff / rhy brx	TR-DF-03, qt vn/str, py/po diss/along frac, fn to cr gr 10%					5	2.2	0.39	85	
38967	c2+85S	c10+00W	Chip 60cm	Lap tuff / rhy brx	TR-DF-03, qt vn/str, py/po diss/along frac 5-10%, tr blk sul					15	0.4	0.28	2005	
38968	c2+40S	c10+48W	Grab	Tuff/Lap tuff	Matrix supported, sil, 1-2% dis/blebs py					35	9.4	0.17	680	
38969	c2+34S	c10+44W	Grab	Felsic Vbx	Sil, tr py+vuggy blk sulfide, lgy coarse-frags					25	6.6	0.19	725	
38970	c2+30S	c10+42W	Grab	LT/Tbx	Dis, cement-rd py 1-3%, dgy mbx, rx rims					35	5.6	0.20	1305	
38971	c2+27S	c10+40W	Grab	Felsic Vbx	Heavily sil, gry, cement rel py 1-3%, aphanitic frag					15	4.8	0.22	3525	
38972	c2+22S	c10+37W	Grab	Felsic Tbx	Fn gr, gry mbx, dis, cement rel py 1-3%, rx rims					5	2.8	0.18	2690	
38973	c2+17S	c10+33W	Grab	Felsic Volcanic	Alt, brx, sil (weakly chl), tr dis py					5	2.0	0.30	145	
38974	c1+75S	c10+03W	Chip 1 m	Felsic Tuff	Fol, mgr, alt?, tr py					5	0.6	0.47	60	
38975	c1+74S	c10+38W	Grab	Bx Felsic Vol(Rhy)	Sil, tr dis vgr py, sericif, bleached					5	1.4	0.29	650	
38976	c1+81S	c10+01W	Grab	Lap Tuff	Mfc/Int, ang frags, poor mbx, loc thin layers py (<1%)					5	<0.2	2.88	<5	
38977	3+05S	10+86W	Grab	Felsic Lap Tuff	Fn gr, ang frags, ab dgy mbx, tr dis py, blebs py 1%					5	3.4	0.19	85	
38978	3+08S	10+88W	Grab	Felsic Tuff	Coarse gr, ang frags, ab dgy mbx, bleb py, blk sulf 3%					5	4.0	0.25	515	
38979	3+15S	10+93W	Grab	Felsic Lap Tuff	Fn gr, ang frags, ab dgy mbx, tr dis py, blebs py 1%					5	8.8	0.19	320	
38980	3+00S	12+00W	Grab	Int Tuff	Med gr, greenish, loc dis tr po					5	<0.2	3.29	<5	
38981	4+05S	5+21W	Float	Blk Sed / Mdstone	Dis py <1%					5	0.2	2.13	<5	
38982	0+99S	5+48W	Grab	Dk gry tuffeous sed	No sulfides seen					10	<0.2	1.26	30	
38983	0+42S	4+85W	Grab	Graywacke / tuffeous	Sed / mudstone interbedded, carb					5	0.4	0.03	<5	
38984	0+13S	6+73W	Grab	Blk tuffeo siltstone	No sulfides seen					5	<0.2	2.36	<5	
38985	0+19S	6+68W	Grab	Blk siltstone	Pyrite diss <1%					5	0.4	3.23	10	
38986	c2+50N	c10+00W	Grab	Mafic / intermed tuff	Fol, rock fragments from old soil hole					220	1.6	0.68	45	
38987	c2+35N	c10+00W	Grab	Qtz / carb vn w/in tuff	Tuff mafic intermed, diss py 3-5%, cubic/brassy, 5cm					5	<0.2	2.69	10	
38988	0+86N	7+23W	Grab	dgy/blk Shale	tr dis Py					5	<0.2	2.43	10	
38989	1+15N	7+40W	Grab	dgy/blk calc Shale	tr dis Py					5	<0.2	2.32	<5	
38990	0+12S	12+77W	Grab	lgy/gr T/LT foliated	tr dis Py					480	2.4	1.52	165	
38991	4+95N	8+15W	Grab	lgy/gr T fol + Qtz v	dis cubed Py 1-3%					5	<0.2	1.84	<5	
38992	4+75N	11+55W	Grab	gy/gr epical/maf Tuff	tr-1% dis Py around Qtz v					5	<0.2	3.66	<5	
38993		far W	Grab	blk Sh; silic, lamin	dis cubed Py ca. 1%					5	<0.2	1.12	<5	
38994			Grab	Blk Sh (+1 Mdst)	loc dis Py + redeposited clasts of Marcasite: 1%					5	0.4	0.95	<5	
38995	9+95S	5+70W 93'grid	Grab	Blk Sh Heterolith	dis Py + blebs of Po 1-2%; tr Marcasite					5	<0.2	1.76	140	
38996			Grab	fel LT/T foliated	dis Py + blk sulph 3-5%					5	0.4	1.03	<5	
38997	7+86S	4+35W 95'grid	Grab	fel T f-grained, fol	v finely dis Py <1%					5	<0.2	0.34	15	
38998	7+85S	4+50W 95'grid	Grab	fel Volc (Bx?) silic/chl	tr dis Py					5	<0.2	0.20	30	
38999			Grab	fel Volc (Bx/T) sil/chl	dis Py + blk sulph 1%						>1000	>30	0.50	1000
39000						2.37	0.069	360.0	10.50					
39055			Grab	blk silty shale (tuffaceous)	diss pyrite, locally enriched, 1-5%					5	<0.2	0.17	290	
39060			Grab	Blk Sh, loc tuffac, sil	dis + cement infills Py 3% (TV type shale)					5	0.4	0.13	305	
39061			Grab	Blk Sh, tuffac, vuggy	vuggy Py + blk sulf 10-25%					5	0.2	0.16	255	
39062			Grab	Blk Sh, tuffac clasts	dis Py + redeposited blebs of Marcasite 3%					5	<0.2	0.33	225	
39063			Grab	blk mbx tuffac Mdst	tr dis Py					15	<0.2	0.17	105	
39064			Grab	fel? Volc, brecciated	Chlorite + Silica altn, finely dis Py <1%					5	<0.2	0.29	360	
39065			Grab	T/LT, dgray matrix	Chl + Sil altn; dis Py + blk Sulf 2-3%					5	<0.2	0.53	55	
39066			Grab	fel Volc, brecciated	Chl + mod Sil altn, dis Py + blk Sulf 3-5%, tr Sph					5	<0.2	0.38	75	
39067			Grab	fel Volc, brecciated	Chl + Sil altn, dis Py, Po + Blk Sulf 3-7%, tr Sph, Gn, Apy					5	0.4	0.18	175	
39068			Grab	fel? Tbx/LT bcc	Chl + mod Sil, dis + fr-filled Py 3% (tr Sph)					5	<0.2	3.14	<5	
39069			Grab	Blk Sh (allochthonous)	No apparent mineralization					5	0.8	2.57	35	
39070			Grab	Gritty, blk-mbx Mdst	tr Py					5	<0.2	0.51	165	
39071			Grab	fel Volc Bx	Sil + Chl altn, dis + fr-filled Py + blk sulf 2-3%; pink Flds					5	0.6	2.76	5	
39072			Grab	Blk Sh, certified	Po blebs + fr-fill Py 1-3%					5	1.0	2.72	<5	
39073			Grab	Blk heterolith Sh	dis Py 1-5%, tr Po					10	<0.2	1.60	15	
39074			Grab	Blk heterolith Sh	dis Py + Py, reddep Marc; 5%					5	<0.2	0.79	5	
39075			Grab	Volc Bx	Chl altn; blebs Po 3%					5	0.6	0.34	10	
39076			Grab	Volc Bx (conduit)	Chl altn, rounded frags; Py infills 5%, tr Po, blk sulf, Sph					5				

KENRICH MINING CORPORATION

MOORE PROJECT 2004 ROCK SAMPLE ANALYSES																								
Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	La	Mg	Mn	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn		
ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm		
55	5	0.34	<1	14	74	98	12.00	<10	0.41	274	18	<0.01	1250	26	<5	60	10	<0.01	30	48	<10	<1	305	
80	20	1.53	<1	60	14	78	10.60	<10	2.97	1015	<1	0.02	1400	<2	<5	40	14	0.79	<10	427	<10	<1	90	
150	<5	0.01	<1	<1	67	8	1.49	<10	<0.01	32	5	<0.01	160	36	25	<20	4	<0.01	<10	3	<10	<1	28	
80	<5	0.01	<1	2	62	10	1.76	<10	<0.01	38	7	<0.01	130	44	35	20	4	<0.01	<10	3	<10	<1	29	
50	<5	0.02	<1	3	78	9	2.96	<10	<0.01	29	9	<0.01	2	140	50	40	60	4	<0.01	<10	4	<10	<1	18
105	5	<0.01	<1	2	61	13	3.64	<10	<0.01	22	15	<0.01	2	180	78	110	80	4	<0.01	<10	7	<10	<1	35
190	<5	<0.01	<1	<1	71	5	1.86	<10	<0.01	27	18	<0.01	2	110	30	35	<20	2	<0.01	<10	3	<10	<1	15
55	<5	0.02	<1	2	81	9	3.08	<10	0.05	40	30	<0.01	2	110	68	75	80	3	<0.01	<10	3	<10	<1	40
40	5	0.05	<1	6	57	21	6.31	<10	1.15	379	27	<0.01	2	380	94	60	100	5	<0.01	<10	10	<10	<1	73
25	<5	0.02	<1	5	99	71	6.45	<10	0.01	68	34	<0.01	9	130	282	260	140	3	<0.01	<10	5	<10	<1	398
25	<5	0.05	<1	6	55	54	6.43	<10	0.01	68	38	<0.01	16	450	164	185	140	3	<0.01	10	6	<10	<1	212
40	5	0.15	<1	8	78	18	4.45	<10	0.28	113	7	<0.01	5	920	58	20	80	10	<0.01	<10	23	<10	<1	51
45	<5	0.06	<1	3	102	11	3.67	<10	0.10	50	11	<0.01	3	670	50	15	60	6	<0.01	<10	10	<10	<1	15
120	10	2.13	<1	18	26	25	8.53	<10	1.73	840	1	0.02	8	2070	28	<5	180	21	0.20	<10	50	<10	10	139
50	15	2.26	1	44	30	68	>10	<10	4.27	1276	<1	0.04	9	1840	18	<5	240	17	0.37	<10	321	<10	13	102
85	10	1.73	1	18	38	32	8.26	<10	1.57	757	<1	0.05	9	2050	18	<5	180	22	0.23	<10	72	<10	14	136
40	<5	0.20	<1	5	54	25	0.97	<10	0.10	42	40	0.02	3	520	30	<5	<20	<1	0.20	<10	42	<10	14	44
70	<5	0.54	<1	17	45	42	4.74	<10	1.30	504	2	0.01	9	1110	18	<5	80	12	0.08	<10	43	<10	<1	72
205	5	1.81	1	18	19	47	7.39	<10	0.77	929	8	0.05	13	2970	24	<5	160	125	0.04	<10	44	<10	7	135
105	10	4.24	1	12	41	29	8.52	<10	0.84	3153	7	0.05	3	2220	14	<5	200	294	0.06	<10	64	<10	4	130
105	5	0.24	<1	6	62	8	4.45	<10	0.23	82	7	0.01	3	2400	14	<5	<20	18	<0.01	<10	22	<10	1	31
60	<5	0.18	<1	5	74	7	3.44	<10	<0.01	31	7	0.02	3	1380	18	<5	<20	15	<0.01	<10	6	<10	<1	8
85	10	0.30	2	17	53	60	7.77	<10	2.44	498	8	<0.01	17	1490	42	<5	<20	11	<0.01	<10	84	<10	<1	140
85	15	0.78	1	10	40	15	8.80	<10	1.37	914	7	<0.01	<1	1710	38	<5	<20	35	0.02	<10	80	<10	3	177
50	15	0.23	<1	11	54	37	>10	<10	0.80	485	22	<0.01	3	1260	88	<5	<20	18	0.01	<10	93	<10	<1	124
115	15	0.39	<1	8	54	4	8.47	<10	0.44	1125	7	<0.01	2	1650	24	<5	<20	22	0.03	<10	54	<10	5	85
85	15	0.09	<1	7	42	17	8.75	<10	1.35	641	16	<0.01	4	850	48	<5	<20	5	0.01	<10	86	<10	<1	93
45	<5	0.05	62	10	45	207	>10	<10	0.05	345	24	<0.01	5	<10	1040	100	<20	3	<0.01	40	11	<10	<1	>10000
35	<5	0.44	2	13	59	57	4.15	<10	0.60	305	9	0.01	21	2190	42	<5	<20	9	0.01	<10	32	<10	3	238
95	5	0.22	<1	15	80	31	5.20	<10	0.92	269	8	0.02	11	1250	24	<5	<20	7	0.08	<10	72	<10	4	81
70	10	0.20	1	6	84	49	9.22	<10	1.48	624	8	0.01	2	1300	44	<5	<20	10	<0.01	<10	68	<10	<1	140
55	10	0.48	<1	12	77	7	5.18	<10	0.02	42	<1	0.03	2	1900	12	<5	<20	10	0.36	<10	21	<10	6	26
85	10	0.29	<1	11	37	11	3.79	<10	0.13	89	<1	0.03	<1	1930	16	<5	<20	9	0.37	<10	23	<10	6	25
100	15	>10	1	9	32	8	>10	<10	1.31	4184	10	<0.01	2	910	2	<5	<20	110	0.01	<10	32	<10	6	89
35	10	0.70	<1	20	24	19	8.05	<10	0.24	185	<1	0.03	<1	1990	14	<5	<20	8	0.28	<10	23	<10	8	163
45	15	1.56	<1	24	44	49	9.31	<10	2.07	594	<1	0.01	12	1500	16	<5	<20	12	0.35	<10	98	<10	5	113
50	<5	2.86	15	17	74	67	7.90	<10	2.97	386	<1	0.01	21	620	24	<5	<20	12	0.31	20	218	<10	5	807
75	20	0.63	2	39	48	117	>10	<10	0.82	411	21	<0.01	38	<10	<2	<5	<20	4	0.06	50	52	<10	<1	55
60	<5	0.28	<1	8	42	93	9.66	<10	1.40	453	17	<0.01	2	1160	178	40	<20	9	<0.01	<10	52	<10	<1	744
85	5	0.17	<1	11	55	72	>10	<10	1.66	510	72	<0.01	5	600	56	<5	<20	10	<0.01	10	36	<10	<1	399
45	<5	0.14	<1	8	59	129	9.84	<10	0.38	192	33	<0.01	9	430	34	<5	<20	5	<0.01	<10	22	<10	<1	275
50	<5	0.11	<1	16	64	160	>10	<10	0.84	345	22	<0.01	7	350	406	80	<20	2	0.01	<10	43	<10	<1	945
40	<5	0.10	<1	17	69	59	5.21	<10	0.18	97	9	<0.01	6	550	204	50	<20	8	<0.01	<10	10	<10	<1	419
35	10	0.14	<1	17	65	55	7.57	<10	0.46	305	14	<0.01	6	590	74	10	<20	5	<0.01	<10	13	<10	<1	114
35	<5	0.21	<1	23	67	100	9.42	<10	0.11	128	37	<0.01	6	840	82	55	<20	7	<0.01	10	14	<10	<1	388
40	<5	0.05	<1	3	157	27	2.19	<10	0.05	49	19	<0.01	20	230	84	110	<20	5	<0.01	<10	25	<10	<1	50
95	<5	0.01	<1	2	163	41	1.80	<10	0.04	29	20	<0.01	10	50	426	320	<20	5	<0.01	<10	28	<10	<1	160
35	<5	<0.01	<1	3	173	157	2.57	<10	0.05	52	17	<0.01	15	20	572	340	<20	4	<0.01	<10	27	<10	<1	666
545	<5	<0.01	<1	<1	94	11	1.58	<10	0.05	26	15	<0.01	3	180	76	90	<20	4	<0.01	<10	16	<10	<1	22
95	<5	0.57	43	11	138	311	9.43	<10	0.84	241	115	0.01	104	2520	6216	2075	20	4	<0.01	10	169	<10	<1	>10000
190	<5	0.02	<1	2	206	33	2.04	<10	<0.01	46	49	<0.01	15	140	124	95	<20	4	<0.01	<10	24	<10	<1	117
25	<5	0.04	<1	6	229	69	5.89	<10	0.08	69	39	<0.01	36	190	102	80	<20	3	<0.01	<10	74	<10	<1	430
>10000	<5	0.11	<1	<1	127	51	5.07	<10	0.61	199	74	0.03	42	970	90	125	<20	54	<0.01	<10	304	<10	2	190
60	10	0.34	<1	6	39	25	7.22	<10	1.26	873	8	<0.01	4	1380	40	<5	<20	8	<0.01	<10	83	<10	5	113
55	10	0.26	8	8	71	47	7.84	<10	0.62	431	26	<0.01	5	1080	154	20	<20	8	<0.01	<10	46	<10	1	1378
85	5	0.28	1	5	60	22	5.26	<10	0.84	586	7	<0.01	2	1270	72	<5	<20	7	<0.01	<10	49	<10	5	402
45	15	0.25	<1	12	61	65	>10	<10	0.71	490	45	<0.01	6	880	172	10	<20	8	<0.01	<10	45	<10	<1	1041
45	10	0.18	23	13	54	127	>10	<10	0.47	443	104	<0.01	5	400	1240	70	<20	7	<0.01	20	38	<10	<1	4829
50	10	0.27	<1	9	55	59	9.72	<10	0.98	613	60	<0.01	5											

KENRICH MINING CORPORATION

CORE PROJECT															1996 TV ROCK SAMPLE ANALYSES														
55	<5	<0.01	<1	2	183	14	2.68	<10	0.03	60	9	50	44	75	<20	8	<0.01	<10	8	<10	<1	24							
35	<5	<0.01	<1	3	169	11	2.69	<10	0.03	44	40	50	46	95	<20	3	<0.01	<10	6	<10	<1	15							
45	<5	<0.01	<1	3	226	11	2.77	<10	0.03	42	11	40	44	80	<20	9	<0.01	<10	7	<10	<1	7							
40	<5	<0.01	<1	3	137	10	2.67	<10	0.03	33	29	<0.01	5	40	<20	7	<0.01	<10	6	<10	<1	11							
60	<5	<0.01	<1	2	169	6	2.42	<10	0.02	30	19	<0.01	7	40	<20	3	<0.01	<10	5	<10	<1	7							
30	<5	<0.01	<1	3	132	19	2.75	<10	0.02	45	20	<0.01	9	50	<20	3	<0.01	<10	5	<10	<1	40							
25	<5	0.01	<1	4	129	23	3.44	<10	0.03	64	21	<0.01	12	70	<20	2	<0.01	<10	5	<10	<1	38							
25	<5	0.02	<1	4	162	21	3.72	<10	0.02	47	28	<0.01	11	80	<20	3	<0.01	<10	4	<10	<1	45							
30	<5	0.03	<1	5	145	25	4.81	<10	0.04	57	24	<0.01	17	50	<20	3	<0.01	<10	5	<10	<1	372							
30	<5	0.01	<1	5	198	29	5.51	<10	0.05	75	39	<0.01	15	40	<20	2	<0.01	<10	6	<10	<1	382							
30	<5	0.02	<1	4	163	24	3.61	<10	0.13	77	18	<0.01	16	70	<20	3	<0.01	<10	11	<10	<1	375							
55	10	0.04	<1	8	174	73	>10	<10	0.24	74	96	<0.01	18	30	<20	5	<0.01	<10	20	<10	<1	867							
35	<5	0.02	<1	5	236	47	4.18	<10	0.20	86	34	<0.01	19	50	<20	5	<0.01	<10	26	<10	<1	406							
220	10	0.6	<1	20	50	53	5.24	<10	1.34	794	<1	0.02	11	1510	<20	13	0.17	<10	52	<10	7	121							
65	<5	0.38	<1	23	91	13	5.05	<10	0.03	98	12	<0.01	6	2490	<20	28	0.01	<10	18	<10	3	6							
70	<5	0.36	<1	28	60	13	5.20	<10	<0.01	160	13	<0.01	8	2660	<20	26	<0.01	<10	12	<10	3	2							
65	<5	0.37	<1	26	92	11	4.24	<10	<0.01	188	13	<0.01	9	2510	<20	8	<0.01	<10	10	<10	4	<1							
65	5	0.47	<1	27	74	17	7.84	<10	<0.01	121	20	<0.01	18	2680	<20	33	<0.01	<10	8	<10	2	1							
65	5	0.44	<1	56	100	24	8.03	<10	<0.01	368	26	<0.01	24	2380	<20	35	<0.01	<10	8	<10	2	13							
60	<5	0.41	<1	18	79	120	7.09	<10	<0.01	177	13	<0.01	4	2170	<20	10	90	<20	34	<0.01	<10	2	4						
60	<5	0.53	<1	17	99	155	7.10	<10	<0.01	109	14	<0.01	3	2750	<20	51	<0.01	<10	9	<10	3	14							
55	<5	0.59	<1	21	86	165	5.00	<10	<0.01	112	13	<0.01	4	3110	<20	62	<0.01	<10	9	<10	6	9							
70	<5	0.19	<1	13	121	78	4.35	<10	0.02	201	21	<0.01	3	2190	<20	14	125	<20	29	0.01	<10	15	<10	1	7				
60	<5	0.12	<1	11	78	13	3.12	<10	<0.01	24	6	<0.01	3	1210	<20	8	45	<20	9	<0.01	<10	11	<10	1	<1				
55	<5	0.02	<1	9	98	7	3.38	<10	<0.01	16	9	<0.01	2	1120	<20	6	45	<20	8	<0.01	<10	9	<10	<1	5				
75	<5	0.02	<1	6	108	4	5.12	<10	<0.01	21	8	<0.01	<1	4460	<20	8	55	<20	25	<0.01	<10	10	<10	<1	<1				
60	<5	0.06	<1	11	145	9	1.66	<10	<0.01	32	8	<0.01	2	480	<20	6	10	<20	8	<0.01	<10	7	<10	<1	3				
65	<5	0.10	<1	10	114	10	2.22	<10	<0.01	55	5	<0.01	2	1100	<20	12	<0.01	<10	6	<10	1	8							
60	<5	0.10	<1	9	135	12	3.05	<10	<0.01	30	9	<0.01	2	1210	<20	8	10	<20	12	<0.01	<10	8	<10	1	40				
55	<5	0.14	<1	8	92	6	3.05	<10	<0.01	30	5	<0.01	2	1320	<20	6	<5	<20	15	<0.01	<10	6	<10	<1	3				
55	<5	0.15	<1	9	147	8	2.35	<10	<0.01	30	9	<0.01	3	1010	<20	8	<5	<20	15	<0.01	<10	8	<10	<1	7				
55	<5	0.27	<1	12	114	10	3.00	<10	<0.01	37	6	<0.01	2	2020	<20	12	10	<20	23	<0.01	<10	8	<10	<1	8				
75	<5	0.10	<1	11	93	8	4.02	<10	0.13	382	9	<0.01	3	870	<20	9	20	<20	9	<0.01	<10	12	<10	<1	40				
75	<5	0.23	<1	10	189	8	3.97	<10	0.02	339	8	<0.01	3	1100	<20	4	<5	<20	16	<0.01	<10	8	<10	2	65				
60	5	0.33	<1	13	141	10	4.84	<10	0.02	281	12	<0.01	3	1500	<20	10	<5	<20	20	<0.01	<10	7	<10	3	27				
60	10	0.40	<1	16	100	14	7.08	<10	<0.01	354	11	<0.01	2	1780	<20	12	<5	<20	23	<0.01	<10	8	<10	2	72				
65	<5	0.46	<1	10	137	10	4.26	<10	<0.01	376	12	<0.01	3	1890	<20	10	<5	<20	29	<0.01	<10	8	<10	4	38				
95	<5	0.34	<1	10	130	10	4.31	<10	0.07	593	7	<0.01	2	1510	<20	6	<5	<20	24	0.01	<10	10	<10	4	17				
120	<5	0.60	<1	5	34	11	1.64	<10	0.14	135	3	0.01	2	3000	<20	16	<5	<20	19	<0.01	<10	14	<10	12	61				
80	10	1.05	<1	12	17	13	8.72	<10	1.10	931	7	<0.01	2	1830	<20	24	<5	<20	40	<0.01	<10	37	<10	<1	194				
40	<5	0.30	<1	22	38	14	4.25	<10	0.08	37	7	<0.01	4	2040	<20	6	<5	<20	13	<0.01	<10	10	<10	3	62				
55	<5	0.04	<1	4	147	39	3.21	<10	0.03	81	15	<0.01	9	310	<20	6	<0.01	<10	5	<10	<1	192							
55	<5	0.01	<1	3	133	21	2.66	<10	<0.01	77	19	<0.01	6	160	<20	8	<0.01	<10	5	<10	<1	337							
65	<5	0.03	<1	4	126	13	3.02	<10	0.01	83	15	<0.01	5	420	<20	15	<0.01	<10	7	<10	<1	91							
70	<5	0.02	<1	3	138	19	3.14	<10	0.02	41	12	<0.01	5	280	<20	115	<20	8	<0.01	<10	9	<10	<1	139					
35	<5	0.03	<1	4	169	35	2.90	<10	0.04	45	18	<0.01	10	170	<20	3	<0.01	<10	7	<10	<1	160							
75	<5	0.02	<1	3	198	170	3.25	<10	0.07	36	21	<0.01	8	150	<20	4	<0.01	<10	33	<10	<1	1052							
185	<5	0.01	<1	5	193	104	3.34	<10	0.35	120	36	0.01	34	100	<20	7	<0.01	<10	190	<10	<1	1789							
365	<5	0.02	14	4	191	161	3.22	<10	0.38	126	63	<0.01	29	110	<20	18	1494	<20	3	0.01	<10	68	<10	<1	3938				
175	<5	0.06	13	9	171	157	7.64	<10	0.27	117	94	<0.01	34	270	<20	15	130	<20	5	<0.01	<10	28	<10	<1	2002				
145	<5	0.03	10	3	242	99	3.33	<10	0.13	73	31	<0.01	15	130	<20	8	680	<20	8	<0.01	<10	32	<10	<1	253				
140	<5	0.02	<1	4	230	32	2.76	<10	0.18	91	32	<0.01	13	130	<20	<1	<0.01	<10	48	<10	<1	77							
145	5	0.02	<1	6	214	76	6.94	<10	0.29	95	41	<0.01	13	180	<20	<1	<0.01	<10	12	<10	<1	1421							
60	<5	0.02	7	5	130	36	4.95	<10	0.09	61	33	<0.01	11	170	<20	7	<0.01	<10	31	<10	<1	120							
45	<5	0.03	<1	4	235	39	2.89	<10	0.17	80	16	<0.01	18	50	<20	4	<0.01	<10	43	<10	<1	263							
55	<5	0.021	<1	5	178	58	4.09	<10	0.23	100	45	<0.01	20	40	<20	4	<0.01	<10	33	<10	<1	3111							
50	<5	<0.01	<1	8	131	100	>10	<10	0.08	64	116	<0.01	16	<10	<20	1	<0.01	<10	22	<10	<1	527							
40	<5	<0.01	<1	6	239	67	9.10	<10	0.03	45	35	<0.01	18	<10	<20	2	<0.01	<10	23	<10	<1	1128							
55	<5	0.02	2	6	240	114	8.26	<10	0.06	69	18	<0.01	20	<10	<20	1	<0.01	<10	23	<10	<1	3787							
55	<5	0.28	14	7	170	268	5.48	<10	0.43	145	64	0.01	59	1130	<20	9	2346	<20	22	<0.01	<10	66	<10	<1	561				
175	<5	0.09	2	4	209	205	2.63	<10	0.16	111	16	<0.01	33	210	<20	22	396	<20	5	<0.01	<10	57	<10	<1	1838				
305	<5	0.38	10	2	262																								

KENRICH MINING CORPORATION

BOREY PROJECT
1998 TV ROCK SAMPLE ANALYSES

40	<5	<0.01	<1	3	188	40	2.85	<10	<0.01	36	30	118	115	<20	4	<0.01	<10	11	<10	<1	48
30	<5	0.85	<1	7	128	16	4.13	<10	0.02	208	830	48	25	<20	23	<0.01	<10	7	<10	6	52
35	<5	0.11	<1	6	112	12	3.32	<10	0.02	124	480	24	10	<20	5	<0.01	<10	5	<10	1	41
70	5	0.20	<1	21	65	155	>15	<10	0.87	327	80	<0.01	4	810	42	<0.01	60	35	<10	<1	498
70	10	0.19	<1	12	35	24	8.91	<10	6.30	1783	10	<0.01	2	950	2	15	20	8	0.01	<10	103
80	<5	0.04	<1	3	188	226	3.09	<10	0.34	93	25	<0.01	16	340	1010	690	<20	9	<0.01	20	1506
40	<5	<0.01	<1	3	164	205	3.49	<10	0.38	100	32	0.01	16	30	516	310	<20	6	<0.01	40	717
140	<5	0.10	<1	3	227	95	3.46	<10	0.34	136	61	<0.01	19	710	300	250	<20	16	<0.01	20	1227
135	<5	0.01	<1	3	117	45	4.60	<10	0.04	35	18	<0.01	8	180	102	50	40	37	<0.01	<10	26
605	<5	<0.01	<1	<1	98	7	0.78	<10	0.02	50	18	<0.01	4	180	220	120	<20	4	<0.01	<10	38
50	10	0.15	<1	14	37	24	11.50	<10	2.05	1431	10	<0.01	4	790	24	<5	40	4	<0.01	<10	106
90	<5	0.23	<1	14	39	14	5.02	<10	0.48	513	7	<0.01	3	1600	14	<5	20	10	<0.01	<10	55
75	<5	0.55	<1	6	96	20	3.33	<10	0.76	1028	5	0.04	6	960	4	<5	<20	15	0.01	<10	42
35	5	0.21	<1	6	64	24	5.49	<10	0.39	193	9	<0.01	7	1750	30	5	20	14	<0.01	20	29
35	<5	0.04	<1	7	96	15	3.25	<10	0.05	40	10	<0.01	5	480	72	15	20	10	<0.01	20	28
80	<5	0.11	<1	3	58	41	5.90	<10	<0.01	545	10	0.01	3	1680	40	<5	20	48	<0.01	<10	29
30	<5	0.03	<1	4	118	19	2.94	<10	0.02	42	6	0.01	4	610	20	<5	20	14	<0.01	<10	7
20	5	0.03	<1	4	108	21	5.38	<10	<0.01	83	12	<0.01	4	790	24	<5	20	7	<0.01	<10	16
20	5	0.06	<1	6	92	15	4.81	<10	0.98	262	32	<0.01	4	360	20	10	<20	2	<0.01	10	39
20	10	5.07	<1	45	219	40	7.51	<10	4.25	8327	3	0.01	186	480	36	20	40	49	0.02	<10	1681
120	5	0.32	<1	8	16	52	>10	<10	4.37	1227	12	<0.01	<1	2090	114	<5	<20	18	0.06	<10	180
105	5	0.02	<1	2	127	7	2.86	<10	0.04	58	13	<0.01	1	380	188	80	<20	5	<0.01	<10	69
110	10	0.23	<1	3	34	13	5.10	<10	4.51	643	7	<0.01	<1	1680	52	10	<20	5	<0.01	<10	288
45	10	0.17	<1	13	65	42	>10	<10	0.57	302	23	<0.01	5	800	60	<5	<20	6	<0.01	10	127
70	<5	0.12	<1	18	62	87	>10	<10	0.14	85	24	<0.01	7	590	34	<5	<20	7	<0.01	30	205
120	10	0.95	<1	13	33	6	>10	<10	0.54	778	9	0.03	<1	1790	26	<5	<20	41	0.01	<10	235
110	<5	0.50	<1	10	44	75	>10	<10	0.40	777	16	0.01	1	1760	78	<5	<20	46	0.05	<10	88
65	10	0.36	<1	18	30	9	5.95	<10	1.69	1744	4	0.03	5	1440	16	<5	<20	33	<0.01	<10	141
105	15	1.17	<1	12	14	13	>10	<10	0.53	1322	11	0.04	1	1810	20	<5	<20	84	0.02	<10	167
225	15	0.72	<1	8	38	8	9.37	<10	0.54	792	8	0.01	<1	1750	74	<5	<20	41	0.03	<10	562
15	<5	0.01	<1	3	136	66	3.37	<10	0.02	48	35	<0.01	28	40	210	120	<20	<1	<0.01	10	562
25	<5	0.01	<1	4	161	149	5.92	<10	0.03	63	52	<0.01	24	<10	130	180	<20	3	<0.01	<10	567
25	<5	<0.01	<1	2	125	73	2.65	<10	0.01	43	27	<0.01	10	<10	190	180	<20	9	<0.01	<10	41
1030	5	<0.01	<1	<1	139	15	4.18	<10	0.19	60	14	<0.01	3	280	42	25	<20	9	<0.01	<10	23
920	<5	<0.01	<1	<1	150	4	1.97	<10	0.09	34	11	<0.01	3	220	32	20	<20	9	<0.01	<10	45
325	<5	<0.01	<1	<1	113	7	2.74	<10	0.10	45	13	<0.01	3	230	28	20	<20	6	<0.01	<10	199
325	15	0.05	<1	7	94	23	>10	<10	0.22	107	26	0.01	8	1600	54	<5	20	6	0.06	10	62
70	<5	0.29	<1	10	133	50	4.51	<10	0.36	180	16	<0.01	4	1310	32	20	<20	9	<0.01	<10	69
65	<5	0.32	<1	9	156	37	5.98	<10	0.56	386	15	<0.01	4	870	42	15	<20	11	0.01	<10	85
120	<5	0.21	<1	10	126	30	4.24	<10	1.12	536	10	<0.01	5	1140	44	45	<20	11	<0.01	<10	239
115	<5	0.16	<1	7	81	34	4.73	<10	1.18	415	7	<0.01	3	1050	144	35	<20	9	<0.01	<10	555
80	<5	0.16	<1	8	64	79	5.77	<10	1.02	387	10	<0.01	3	1110	396	95	<20	9	<0.01	<10	32
115	<5	0.11	<1	6	99	22	4.69	<10	0.73	292	9	<0.01	3	950	52	30	<20	5	<0.01	<10	42
605	5	0.18	<1	6	452	<10	1.18	<10	1.18	387	4	0.02	5	970	36	35	<20	15	0.08	<10	86
555	5	0.14	<1	5	65	28	3.74	<10	0.97	334	4	0.02	3	840	72	50	<20	12	0.05	<10	22
490	5	0.03	<1	17	90	51	5.50	<10	0.17	99	22	<0.01	6	250	44	30	<20	5	0.03	<10	1168
370	15	0.05	<1	12	42	95	>10	<10	0.20	81	2	<0.01	8	110	18	<5	<20	13	0.11	50	14
1360	<5	<0.01	<1	<1	179	20	0.96	<10	0.09	44	2	<0.01	6	110	18	<5	<20	5	0.01	<10	92
650	10	0.20	<1	15	80	80	8.97	<10	0.09	72	19	0.01	5	780	62	80	<20	11	0.03	20	83
1105	5	0.30	<1	2	92	48	6.57	<10	1.02	478	4	0.02	4	1370	18	<5	<20	17	0.07	<10	38
775	<5	<0.01	<1	<1	122	8	2.28	<10	0.05	46	11	<0.01	5	140	36	40	<20	7	0.01	<10	112
1880	<5	0.08	<1	<1	139	45	3.45	<10	0.14	90	34	0.02	27	730	48	45	<20	21	0.01	<10	54
195	15	0.06	<1	5	97	3	8.54	<10	0.17	239	14	0.12	2	820	10	<5	<20	24	0.04	<10	61
2785	15	0.16	<1	17	156	15	>10	<10	3.62	580	6	0.04	27	980	10	<5	<20	16	0.05	<10	130
300	5	0.36	<1	5	75	<1	5.35	<10	0.61	215	4	<0.01	2	1560	54	<5	<20	16	0.05	<10	61
270	15	0.33	<1	9	36	2	9.23	<10	1.26	350	7	0.01	<1	1670	22	<5	<20	16	0.08	<10	29
90	<5	0.02	<1	3	187	<1	1.56	<10	0.02	239	3	0.07	4	70	4	<5	<20	4	0.01	<10	491
185	10	0.23	<1	6	63	9	6.80	<10	0.72	263	5	<0.01	1	1290	22	<5	<20	12	0.05	<10	67
65	15	0.08	<1	6	53	11	8.34	<10	6.37	924	23	<0.01	<1	880	68	15	<20	4	0.07	<10	96
215	10	0.26	<1	8	42	8	8.31	<10	4.06	1042	5	<0.01	<1	1320	20	<5	<20	10	0.06	<10	75
265	10	0.39	<1	7	60	12	7.31	<10	0.59	626	3	0.09	<1	1560	44	<5	<20	25	0.13	<10	11
85	5	0.24	<1	9	118	2	4.10	<10	0.01	21	5	<0.01	3	1280	8	20	<20	17	0.02	<10	11
100	5	0.36	<1	8	71	2	4.41	<10	<0.01	45	3	<0.01	2	2410	8	65	<20	21	0.03	<10	7
100	<5	0.42	<1	11	87	<1	2.89	<10	<0.01	25	3	<0.01	3	2330	14	10	<20	36	0.02	<10	<1
285	10	0.08	<1	3	79	<1	6.54	<10	0.36	218	22	0.01	4	980	34	<5	<20	23	0.02	<10	25
225	<5	0.03	<1	2	195	<1	3.53	<10	<0.01	51	48	<0.01	4	310	52	20	<20	13	0.02	<10	18
105	<5	0.34	<1	8	87	9	4.23	<10	0.18	405	6	<0.01	4	2090	12	<5	<20	42	0.01	<10	15
40	<5	0.25	<1	10	115	9	3.44	<10	<0.01	132	6	<0.01	6	1750	14	90	<20	22	&		

KENRICH MINING CORPORATION

GOREY PROJECT															1996 TV ROCK SAMPLE ANALYSES														
100	<5	0.11	<1	6	33	7	4.44	<10	0.50	398	<1	960	8	<5	<20	10	0.04	<10	23	<10	<1	28							
155	<5	0.32	<1	8	72	6	6.58	<10	0.28	632	<1	1960	4	<5	<20	23	0.01	<10	34	<10	6	129							
130	<5	0.59	<1	8	76	7	5.23	<10	0.23	449	<1	3900	10	<5	<20	45	0.02	<10	63	<10	9	49							
45	<5	0.25	14	9	110	7	4.08	<10	<0.01	65	7	1500	246	30	<20	16	<0.01	<10	7	<10	<1	1293							
130	<5	3.86	1	17	78	14	4.31	<10	0.22	3669	8	3330	16	15	<20	124	0.02	<10	25	<10	18	60							
45	<5	0.07	<1	9	163	6	4.22	<10	<0.01	93	13	170	6	10	<20	6	<0.01	<10	5	<10	<1	17							
50	<5	0.07	<1	8	24	15	5.12	<10	0.11	147	9	800	16	10	<20	7	<0.01	<10	6	<10	<1	40							
125	<10	4.32	<1	24	11	6	>10	<10	0.76	3194	9	850	8	<5	<20	124	0.02	<10	12	<10	<1	115							
55	<5	0.14	<1	12	31	11	5.28	<10	0.40	453	11	520	12	<5	<20	7	<0.01	<10	10	<10	<1	56							
45	<5	0.30	<1	8	28	10	4.44	<10	0.03	105	9	1900	20	<5	<20	15	<0.01	<10	4	<10	1	15							
85	<5	0.45	2	13	19	10	5.82	<10	0.58	651	16	1100	10	<5	<20	16	<0.01	<10	12	<10	<1	117							
240	<10	5.14	1	13	28	6	7.16	<10	0.86	2263	5	3130	10	<5	<20	168	0.07	<10	43	<10	14	104							
240	<15	4.60	1	10	16	5	>10	<10	1.21	2318	7	3310	6	<5	<20	160	0.07	<10	52	<10	8	127							
300	<10	1.12	1	61	16	6	7.65	<10	0.62	1133	7	1680	16	<5	<20	35	0.03	<10	27	<10	5	150							
80	<5	0.69	<1	18	15	6	6.54	<10	0.09	1516	8	3150	16	<5	<20	26	<0.01	<10	11	<10	10	76							
65	<5	0.19	<1	15	52	53	5.26	<10	0.66	268	7	1030	16	<5	<20	11	<0.01	<10	23	<10	<1	54							
60	<5	2.12	2	9	82	20	2.61	<10	0.28	488	4	680	74	<5	<20	51	<0.01	<10	6	<10	<1	174							
265	<5	4.21	<1	19	30	118	5.39	<10	1.53	1499	4	1250	12	<5	<20	153	0.04	<10	70	<10	2	77							
125	<5	0.55	2	10	86	13	9.72	<10	0.25	689	11	2180	38	<5	<20	49	0.03	<10	76	<10	3	140							
85	<5	0.29	<1	7	124	9	3.94	<10	0.02	236	10	1730	8	<5	<20	31	0.01	<10	10	<10	3	15							
65	<5	0.43	<1	8	132	8	3.86	<10	0.01	498	6	1630	6	<5	<20	19	<0.01	<10	7	<10	4	12							
70	<5	0.43	<1	10	112	11	4.54	<10	0.05	232	9	1980	12	<5	<20	25	<0.01	<10	13	<10	5	14							
65	<5	0.44	<1	11	103	7	2.56	<10	<0.01	186	5	2090	6	<5	<20	21	<0.01	<10	6	<10	5	7							
65	<5	0.06	<1	9	150	5	2.44	<10	<0.01	27	9	750	16	50	<20	11	<0.01	<10	5	<10	<1	24							
105	<5	0.29	<1	11	137	6	2.09	<10	<0.01	81	14	2320	14	30	<20	24	<0.01	<10	6	<10	4	<1							
55	<5	0.49	<1	17	155	11	5.64	<10	<0.01	84	26	2490	26	15	<20	38	<0.01	<10	5	<10	3	2							
55	<5	0.28	<1	12	136	12	4.70	<10	<0.01	869	57	1320	32	65	<20	17	<0.01	<10	9	<10	2	210							
75	<5	0.41	<1	7	150	7	2.57	<10	<0.01	152	13	2490	16	55	<20	26	<0.01	<10	7	<10	5	14							
75	<5	0.45	<1	6	133	7	4.66	<10	0.03	479	13	2720	12	<5	<20	34	<0.01	<10	12	<10	4	95							
120	<10	0.45	<1	16	62	6	6.31	<10	<0.01	1721	11	4210	14	<5	<20	18	<0.01	<10	19	<10	10	58							
85	<5	0.38	<1	6	113	7	2.85	<10	<0.01	163	7	2370	16	35	<20	36	<0.01	<10	6	<10	5	13							
100	<15	3.20	3	40	102	19	>10	<10	2.31	1478	8	1490	18	<5	<20	16	0.32	<10	151	<10	16	176							
95	<5	0.13	<1	8	94	5	2.21	<10	<0.01	63	4	1310	12	10	<20	15	<0.01	<10	8	<10	<1	6							
70	<5	0.31	<1	8	110	4	3.04	<10	<0.01	107	6	2530	12	20	<20	26	<0.01	<10	5	<10	3	28							
75	<5	0.03	<1	6	98	3	2.08	<10	<0.01	28	7	240	10	35	<20	5	<0.01	<10	5	<10	<1	7							
420	<5	3.35	1	22	23	87	6.39	<10	1.92	1666	2	1950	30	<5	<20	83	0.14	<10	83	<10	5	84							
60	<5	7.51	<1	9	21	12	4.38	<10	1.39	710	3	1190	<2	<5	<20	67	0.08	<10	47	<10	7	51							
120	<5	0.94	<1	16	53	36	3.71	<10	0.30	275	4	1130	12	<5	<20	42	<0.01	<10	24	<10	2	58							
<5	<5	0.03	<1	<1	1	<1	0.12	<10	<0.01	9	<1	30	<2	<5	<20	<1	<0.01	<10	<1	<10	<1	<1							
65	<5	1.35	<1	16	36	45	6.04	<10	1.73	599	5	1470	4	<5	<20	75	<0.01	<10	59	<10	<1	74							
55	<5	1.77	<1	17	45	40	4.82	<10	1.79	505	4	1150	4	<5	<20	94	<0.01	<10	54	<10	<1	56							
135	<5	2.97	<1	24	7	94	8.08	<10	1.09	1690	6	2540	<2	<5	<20	86	<0.01	<10	56	<10	<1	95							
55	<5	>10	<1	19	14	438	5.27	<10	1.30	3266	7	920	14	<5	<20	475	<0.01	<10	22	<10	<1	35							
95	<5	0.59	<1	16	58	90	5.11	<10	1.91	381	4	1510	30	<5	<20	31	<0.01	<10	46	<10	<1	73							
90	<5	0.38	<1	13	24	101	4.98	<10	1.33	415	4	1510	14	<5	<20	14	<0.01	<10	38	<10	<1	75							
20	<5	1.34	<1	14	73	34	5.82	<10	0.91	698	3	2250	12	<5	<20	57	0.03	<10	95	<10	4	82							
85	<5	5.57	<1	26	47	47	6.93	<10	1.35	2619	8	1270	12	<5	<20	111	0.02	<10	59	<10	<1	71							
35	<5	2.10	<1	12	93	12	4.00	<10	1.23	894	3	910	10	<5	<20	166	0.01	<10	118	<10	<1	34							
45	<10	1.22	<1	17	53	16	6.23	<10	2.76	625	<1	1070	14	<5	<20	2	0.31	<10	148	<10	10	73							
25	<5	0.24	<1	6	36	26	2.79	<10	0.78	386	<1	1060	10	<5	<20	<1	0.09	<10	28	<10	1	39							
20	<5	0.89	<1	6	41	17	2.66	<10	0.89	292	<1	3380	10	<5	<20	<1	0.08	<10	20	<10	14	86							
25	<5	0.39	<1	20	21	11	7.88	<10	0.85	574	6	1610	20	<5	<20	<1	0.11	<10	57	<10	2	175							
95	<10	0.65	<1	12	45	8	4.46	<10	0.31	313	<1	2170	14	<5	<20	5	0.25	<10	30	<10	13	36							
80	<5	0.33	<1	7	45	4	3.25	<10	0.19	76	<1	1520	4	<5	<20	2	0.33	<10	34	<10	7	13							
30	<10	0.22	<1	5	93	4	3.65	<10	0.01	33	<1	1560	2	<5	<20	3	0.12	<10	10	<10	2	5							
35	<5	0.24	56	5	143	514	6.58	<10	0.32	209	17	60	2866	1005	<20	13	<0.01	<10	24	<10	<1	>10000							
65	<15	0.01	1	5	282	15	7.74	<10	<0.01	66	47	80	2	<5	<20	<1	0.05	<10	8	<10	<1	18							
55	<15	0.02	<1	7	171	14	7.71	<10	<0.01	42	75	170	10	<5	<20	5	0.10	<10	20	<10	<1	7							
50	<25	0.02	2	7	228	18	7.20	<10	<0.01	56	102	150	2	<5	<20	<1	0.09	<10	15	<10	<1	8							
150	<20	0.02	2	7	180	13	5.31	<10	0.08	98	69	160	10	<5	<20	18	0.15	<10	6	<10	<1	32							
60	<30	0.20	<1	15	165	14	6.37	<10	<0.01	53	<1	740	8	<5	<20	16	0.44	<10	26	<10	<1	23							
75	<30	0.10	<1	17	112	9	7.66	<10	<0.01	19	<1	740	12	<5	<20	19	0.59	<10	24	<10	<1	7							
40	<25	0.93	<1	20	99	17	5.72	<10	0.03	34	<1	2490	14	<5	<20	9	0.40	<10	19	<10	14	66							
50	<15	0.70	<1	19	96	16	6.79	<10	<0.01	22	<1	2210	20	<5	<20	17	0.35	<10	19	<10	8	10							
45	<25	0.10	<1	12	190	8	>10	<10	<0.01	31	12	340	<2	<5	<20	12	0.11	<10	13	<10	<1	7							
235																													

KENRICH MINING CORPORATION
COREY PROJECT
1996 REGIONAL ROCK SAMPLE ANALYSES

Sample Number	UTM (North)	UTM (East)	Map Sheet	Creek/Location	Sample Type	Rock Type	Description	Au g/t	Au oz/t	Ag g/t	Ag oz/t	Cu %	Pb %	Zn %	As %	Au ppb	Ag ppm	Al %
38259	6247680	412480	1	Eileen	grab	gouge @ ls/mfc	10-15% diss py									5	1.8	1.00
38260	6247680	412480	1	Eileen	grab	mfc volc - hornfels	mat staining									15	1.8	0.19
38261	6247680	412480	1	Eileen	grab	blind duplicate										5	1.6	0.19
38262	6247750	412550	1	Eileen	grab	felsic dyke	10%+ diss py + po									170	0.4	0.16
37962	6247980	412000	1	Shania	grab	Hornfels	3% Py									90	<2	3.00
37963	6248030	411090	1	Allen	grab	40 cm Qz vein	int-mfc Volc?									5	<2	0.13
37964	6248090	412000	1	Allen	grab	int-mfc Volc?	5% Py									50	<2	1.33
38254	6248405	411560	1	Sheelagh	1 m chip	gouge - 1st ac	7-10% mg pods pyrite									>1000	>30	0.12
38253	6248415	411545	1	Sheelagh	float	qtz vein	1-3% diss py, tr po	19.78	0.577	61.3	1.78					5	<2	2.73
38257	6248420	411495	1	Sheelagh	grab	hbz dyke?	aerobar texture, 10-15% py									280	0.8	0.29
38255	6248430	411520	1	Sheelagh	grab	30 cm qtz vein										810	<2	0.14
38256	6248430	411520	1	Sheelagh	grab	20 cm qtz vein	mal/azurite staining, 2-10% py									70	1.6	1.10
38345	6248430	411590	1	Sheelagh	70 cm chip	qtz/chlorite vein	3-5% diss/m py									5	<2	2.62
37965	6248480	412075	1	up on ridge	grab	Hmfs Int Volc?	1% Po, Gossanous									5	<2	0.94
37966	6248480	412075	1	up on ridge	grab	Hmfs Int Volc?	1% Po, Gossanous									>1000	>30	0.57
38346	6248545	411600	1	Sheelagh	1 m chip	qtz vein	3-5% diss py + asp?	27.93	0.815	95.6	2.73					>1000	>30	0.10
38347	6248545	411600	1	Sheelagh	1 m chip	qtz vein	5-7% (10-15% locally) py, strong chlorite	17.61	0.514	31.9	0.83					>1000	2.2	0.81
38348	6248545	411600	1	Sheelagh	1 m chip	qtz vein / hfs	3-7% diss med-coarse grained py	1.34	0.039							>1000	>30	0.19
38349	6248545	411600	1	Sheelagh	grab	qtz vein	70% qtz, 30% hfs, 7-10% locally 15% py	61.40	1.791	109.5	3.19					5	<2	0.62
38258	6248565	411680	1	Sheelagh	grab	15 cm qtz vein	3-4% diss py	<.03	<.001								<.02	0.48
37978	6248770	412000	1	Sheelagh	grab	Silicified Volc	5% Bx (Py)-Po, possible CPy	<.03	<.001								<.02	0.89
37979	6248770	412000	1	Sheelagh	grab	int Volc	2% Py	<.03	<.001								<.02	0.91
38274	6248770	412000	1	Sheelagh	grab	mfc volcs	shattered rock, limonite	<.03	<.001								<.02	1.46
38275	6248770	412000	1	Sheelagh	grab	qtz vns in mfc	strong limonite, 2-3% po, tr py	<.03	<.001							10	<2	0.95
38267	6248830	410570	1	Jenny	1 m chip	lam'd hfs, limonitic	limonitic									10	<2	0.33
38269	6248885	410190	1	Cathy	1 m chip	sst/sst int volcs	tr py									5	<2	0.76
38268	6248990	410675	1	Jenny	60 cm chip	lam'd sst/volcs	5-10% py, po									10	<2	0.41
38273	6248935	410230	1	Cathy	1 m chip	sst/sst int	tr-1% py, limonitic									30	<2	1.38
38271	6248945	410240	1	Cathy	1 m chip	bx'd sst int/sst/sst?	taken below dlc w/ glauco									5	<2	0.60
38272	6248945	410260	1	Cathy	1 m chip	sst/sst int	5%+ py in mtx									45	<2	1.05
38270	6248950	410245	1	Cathy	1 m chip	orange-red gouge?	mod limonitic									5	<2	1.11
37957	6249020	409920	1	Gina	grab	Hornfels	4% Py									10	<2	1.76
38286	6249035	410690	1	Jenny	1 m chip	trace po, trace - 1% py, epidots	skam?									5	<2	0.97
37958	6249050	409995	1	Gina	grab	Hornfelsed Arg?	Gossanous									5	<2	0.27
37959	6249105	410050	1	Gina	grab	Hornfels	2% Po									5	0.8	1.26
38365	6249140	413840	1	Einar Kwale ridge	grab/float	felsic volcanics	1% py?									5	<2	0.50
37961	6249195	410135	1	Gina	grab	Qtz vein / gouge	Gossanous									5	<2	0.41
37960	6249210	410135	1	Gina	grab	Hornfels	2-4% fg diss py									15	<2	0.45
38285	6249240	411045	1	Jenny	grab	qtz vein	3% Py (& Mag?)									10	<2	1.43
37973	6249240	4101250	1	Gina	grab	Hfs	Gossanous									5	0.2	0.90
37974	6249370	4101415	1	Gina	grab	int Volc	Gossanous									10	1.8	0.75
38264	6249710	410140	1	Maggie	grab	lam'd int volcs	trace po									5	<2	3.26
38263	6249930	410230	1	Maggie	grab	sst'd int flow?	2-4% diss py									10	0.4	1.56
38362	6250800	411330	1	Lee Brant South Ridge	grab	qtz veinlets	limonitic, graphitic									5	<.02	1.88
38363	6250800	411330	1	Lee Brant South Ridge	grab	biotite hornfels	3-5% diss and cube pyrite									5	0.2	0.21
37967	6250810	410380	1	Josephine	grab	Lgt B; intrusive?	1% Mg									15	1.2	1.89
37968	6250915	410230	1	Josephine	grab	Int Tuff?	3% Po									30	0.4	2.81
37969	6250925	410290	1	Josephine	grab	Int Tuff?	5% Po									10	<2	1.56
37972	6250925	410290	1	Josephine	grab	Bik MtSt	Gossanous									5	<2	2.70
38250	6251075	409440	1	Græme	grab	skam?	<10% tr/pe									75	<2	1.86
38251	6251075	409440	1	Græme	grab	skam	<10% po/py									90	<2	1.66
38252	6251080	409470	1	Græme	grab	alt'd intrusive?	10% diss/m py, tr-1% po									35	2.0	3.17
37970	6251080	410030	1	Josephine	grab	Int Tuff?	4% Py									55	1.8	1.76
37571	6251080	410030	1	Josephine	grab	Bik MtSt	3% Py, trace CPy									5	<2	1.30
38249	6251100	409390	1	Græme	grab	intercal sst/inter	<10% py									5	0.8	2.23
38245	6251110	409150	1	Græme	grab	lam int volcs	leached gossan by vein									5	<2	2.38
38246	6251110	409220	1	Græme	grab	alt'd int volcs	1-5% py, trace po									5	<2	1.90
38247	6251110	409220	1	Græme	grab	int int volcs	5-10% py, tr-1% po, tr cpy									5	<2	3.58
38248	6251110	409240	1	Græme	grab	intercal sst/inter	5-10% py, tr-1% po, tr cpy									80	>30	0.02
38243	6251335	412320	1	Lee Brant	grab	CB Showing -qtz	malachite/azurite staining			34.7	1.012					70	>30	0.32
38244	6251335	412320	1	Lee Brant	grab	CB Showing -qtz	semi-mv to massive eg py			108.7	3.170					5	2.0	0.23
38259	6251335	412320	1	Lee Brant	grab	CB Showing	CB Showing 5cm qtz vn, 25m below, py			39.2	1.14					5	<2	0.89
38260	6251335	412320	1	Lee Brant	grab	CB Showing	Chilled zone-qtz vn, diss py thout									5	<2	0.37
37954	6251375	409865	1	Locus	grab	Qtz vein										735	3.0	0.11
38271	6251425	412350	1	Lee Brant	1 m chip	pods of massive pyrite										825	>30	0.35
38272	6251425	412350	1	Lee Brant	grab	CB Showing Qtz vn-poddy py 5-15%										>1000	16.0	0.10
38273	6251425	412350	1	Lee Brant	60 cm chip	CB Showing Qtz vn-poddy py 15-20% kcc		2.31	0.067	33.2	0.67					>1000	>30	0.18
38274	6251425	412350	1	Lee Brant	grab	CB Showing Qtz vn, py 5-7% kcc		4.54	0.132	50.6	1.48					>1000	>30	0.10
38275	6251425	412350	1	Lee Brant	grab	CB Showing	fg felsic dyke, diss tr py	3.18	0.092	119.8	3.49					5	<2	0.84
38261	6251425	412350	1	Lee Brant	grab	Gossanous										5	<2	1.75
37956	6251440	409700	1	Josephine	grab	Skamoid	5% Py									5	<2	1.06
37953	6251480	409710	1	Josephine	grab	Hornfels	2% Py									5	<2	0.97
37950	6251490	409470	1	Josephine	grab	Hornfels	3% Py, magnetic									5	<2	0.84
37952	6251495	409490	1	Josephine	grab	Gouge	Gossanous									5	<2	1.28
37951	6251516	409490	1	Josephine	grab	Hornfels	10% Py									55	3.0	0.34
37955	6251510	409570	1	Josephine	float	matc	4-5% diss py/po									5	0.2	1.57
38242	6251740																	

KENRICH MINING CORPORATION

COREY PROJECT

1996 REGIONAL ROCK SAMPLE ANALYSES

As ppm	Ba* ppm	Bi ppm	Ca* %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe* %	La ppm	Mg* %	Mn* ppm	Mo ppm	Na* %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sn ppm	Sr* ppm	Ti* %	U ppm	V ppm	W* ppm	Y ppm	Zn ppm
<5	105	<5	> 15	4	150	83	6753	> 15	<10	0.75	2247	8	0.03	38	550	108	<5	40	261	0.10	<10	30	<10	<1	109
<5	45	<5	7.15	6	56	36	5105	> 15	<10	<0.1	1320	11	<0.1	6	880	<2	<5	40	92	0.06	<10	17	<10	<1	115
<5	40	<5	6.79	6	74	24	4202	> 15	<10	<0.1	1652	13	<0.1	8	780	<2	<5	40	95	0.05	<10	19	<10	<1	119
<5	75	<5	0.06	<1	2	59	28	2.07	<10	<0.1	57	3	0.05	1	10	<2	<5	<20	2	<0.1	<10	2	<10	<1	3
<5	85	20	6.14	1	43	73	5	6.62	<10	2.84	3769	<1	0.01	48	1040	<2	<5	20	126	0.34	<10	140	<10	4	90
<5	20	<5	0.08	<1	1	39	1	0.28	<10	0.06	161	<1	0.02	3	40	4	<5	<20	<1	<0.1	<10	2	<10	12	6
<5	50	10	0.01	<1	29	68	28	6.29	<10	1.32	312	<1	0.04	24	1930	<2	<5	20	15	0.16	<10	139	<10	<1	25
<5	150	10	0.41	<1	4	85	3	5.18	<10	0.26	27	8	0.02	3	<10	<2	<5	20	3	<0.1	<10	2	<10	<1	3
<5	20	5	0.05	2	16	156	9	7.50	<10	<0.1	33	18	0.03	26	<10	18	<5	40	6	<0.1	<10	3	<10	<1	17
<5	40	15	3.16	1	61	57	46	5.54	<10	2.48	383	<1	0.16	18	340	4	<5	<20	63	0.29	<10	202	<10	<1	18
<5	65	<5	6.02	2	57	111	1071	7.89	<10	1.29	1422	12	<0.1	31	40	<2	<5	20	89	<0.1	<10	16	<10	<1	24
<5	65	10	2.81	<1	15	140	12	5.84	<10	0.80	649	6	<0.1	8	<10	<2	<5	20	48	<0.1	<10	10	<10	<1	12
<5	90	<5	1.56	<1	11	82	43	3.02	<10	0.90	456	<1	0.03	9	330	22	<5	<20	50	0.08	<10	48	<10	4	85
<5	255	10	1.05	<1	10	76	26	4.62	<10	0.77	496	2	0.09	8	1340	4	<5	20	65	0.13	<10	100	<10	<1	42
<5	90	<5	3.06	<1	10	27	73	2.22	<10	0.57	425	<1	0.12	6	1630	<2	<5	<20	46	0.06	<10	61	<10	3	18
<5	25	10	9.48	<1	18	31	19	>10	<10	0.31	1544	109	<0.01	21	600	36	<5	<20	159	<0.01	<10	6	<10	2	50
<5	50	<5	0.07	<1	4	141	2	2.10	120	<0.01	43	87	<0.01	6	150	28	<5	<20	18	<0.01	<10	1	<10	2	13
<5	55	10	0.59	<1	11	53	2	2.85	20	0.47	208	26	0.04	7	1570	18	<5	<20	26	0.07	<10	26	20	3	22
<5	45	20	0.03	<1	25	55	8	>10	80	<0.01	18	96	<0.01	31	30	48	<5	<20	29	<0.01	<10	8	<10	<1	6
<5	70	20	> 15	2	47	59	25	13.10	<10	0.70	1288	12	<0.1	11	210	<2	<5	40	155	0.03	<10	38	<10	<1	11
<5	30	<5	0.39	<1	39	72	334	5.33	<10	0.34	152	4	0.05	23	340	<2	<5	80	10	0.08	<10	10	<10	3	14
<5	40	<5	0.22	<1	31	47	255	5.82	<10	0.68	136	3	0.07	17	490	<2	<5	80	11	0.11	<10	23	<10	7	17
<5	35	<5	0.82	<1	57	47	266	6.42	<10	0.81	196	1	0.04	54	2010	<2	<5	80	12	0.17	<10	65	<10	1	14
<5	80	<5	0.14	<1	20	73	111	4.36	<10	1.12	181	<1	0.05	7	1910	<2	<5	<20	8	0.20	<10	29	<10	5	21
<5	55	<5	0.68	<1	45	113	237	3.71	<10	0.73	231	1	0.05	49	670	<2	<5	<20	5	0.19	<10	79	<10	4	8
<5	35	<5	0.45	<1	26	34	133	4.16	<10	0.14	179	4	0.05	6	1120	<2	<5	<20	8	0.10	<10	32	<10	2	4
<5	205	<5	3.99	1	20	52	125	3.91	<10	0.75	753	7	0.04	20	220	<2	<5	<20	29	0.07	<10	73	<10	6	12
<5	55	<5	0.23	<1	18	54	48	5.57	<10	0.18	374	6	0.06	9	860	4	<5	<20	27	0.34	<10	120	<10	3	76
<5	195	5	0.20	2	42	58	86	12.70	<10	0.80	759	27	0.03	24	1820	<2	<5	48	6	0.11	<10	258	<10	8	45
<5	70	<5	0.33	<1	10	93	168	2.64	<10	0.51	121	7	0.07	8	790	<2	<5	<20	9	0.17	<10	57	<10	11	49
<5	70	<5	0.85	2	57	50	121	11.80	<10	0.81	593	19	0.03	45	1650	<2	<5	40	12	0.11	<10	130	<10	2	68
<5	45	<5	1.87	<1	31	76	107	5.89	<10	1.31	262	1	0.07	51	1790	<2	<5	20	11	0.17	<10	84	<10	<1	37
<5	115	<5	0.50	1	41	64	84	6.65	<10	1.51	226	4	0.09	4	630	<2	<5	<20	8	0.03	<10	86	<10	<1	31
<5	10	40	<5	0.81	<1	15	56	4.4	<10	0.81	538	6	0.04	12	960	<2	<5	<20	29	0.16	<10	83	<10	2	9
<5	15	<5	2.68	<1	41	26	62	2.24	<10	0.27	280	3	0.02	23	900	<2	<5	<20	4	0.09	<10	22	<10	3	3
<5	65	<5	0.03	<1	5	82	367	6.67	<10	0.58	127	17	0.05	4	490	142	<5	<20	<1	0.04	<10	17	<10	<1	80
<5	40	<5	1.07	<1	11	39	44	2.21	<10	0.52	182	<1	0.05	3	690	<2	<5	<20	4	0.07	<10	63	<10	3	5
<5	30	<5	1.95	<1	5	37	2	1.40	<10	0.36	372	<1	0.05	3	700	<2	<5	<20	14	0.02	<10	25	<10	2	12
<5	25	<5	0.27	<1	57	96	140	5.11	<10	0.21	126	11	<0.1	4	220	<2	<5	<20	20	0.07	<10	20	<10	<1	8
<5	30	5	2.52	1	22	27	10	7.27	<10	1.45	399	3	0.03	2	1780	<2	<5	<20	21	0.06	<10	185	<10	<1	14
<5	75	<5	7.42	2	22	25	82	4.24	<10	0.18	210	8	0.07	42	1520	<2	<5	20	63	0.10	<10	16	<10	<1	64
<5	185	<5	0.87	4	11	105	81	2.78	<10	0.44	147	20	0.03	49	3550	4	<5	<20	12	0.07	<10	83	<10	3	147
<5	170	<5	1.00	1	31	52	140	7.87	<10	2.14	652	2	0.05	18	710	<2	<5	<20	148	0.21	<10	200	<10	<1	87
<5	50	<5	0.29	<1	32	82	238	6.50	<10	1.04	390	3	0.08	9	530	4	<5	<20	18	0.10	<10	80	<10	<1	24
<5	85	<5	0.77	<1	29	42	335	6.48	<10	0.90	292	<1	0.15	8	1340	4	<5	<20	42	0.22	<10	128	<10	2	19
<5	30	<5	1.00	<1	2	87	2	1.32	20	0.04	307	<1	0.03	3	1830	<2	<5	<20	21	0.01	<10	13	<10	3	10
<5	85	<5	0.98	3	86	177	235	> 15	<10	1.88	491	7	0.08	136	2980	<2	<5	20	10	0.24	<10	207	<10	<1	104
<5	65	<5	1.17	3	45	219	151	8.17	<10	2.81	649	2	0.07	99	4340	<2	<5	<20	10	0.21	<10	223	<10	6	173
<5	160	<5	1.65	<1	35	118	68	4.80	<10	0.70	328	3	0.09	52	4300	<2	<5	<20	43	0.10	<10	110	<10	6	68
<5	40	<5	0.70	<1	30	71	101	7.00	<10	3.52	63	<1	0.05	31	1390	4	<5	<20	6	0.19	<10	159	<10	<1	34
<5	35	<5	0.50	<1	49	67	73	5.91	<10	2.71	218	<1	0.03	36	1050	4	<5	<20	2	0.13	<10	115	<10	<1	29
<5	50	5	0.43	<1	7	47	3	3.35	<10	1.77	175	2	0.05	3	1560	2	<5	<20	3	0.05	<10	72	<10	8	32
<5	100	<5	2.12	1	58	67	90	6.83	<10	1.00	424	7	0.17	66	2500	<2	<5	<20	99	0.05	<10	45	<10	<1	44
<5	75	5	0.98	<1	18	127	56	5.43	<10	1.02	1117	48	0.01	65	1760	<2	<5	<20	1	0.08	<10	198	<10	<1	34
<5	335	5	1.26	<1	21	67	14	5.14	<10	0.89	1011	<1	0.04	31	2700	<2	<5	20	10	0.20	<10	54	<10	7	116
<5	195	<5	1.87	<1	24	53	44	2.97	<10	0.71	438	1	0.08	8	680	8	<5	<20	80	0.13	<10	56	<10	<1	42
<5	40	<5	1.09	<1	14	130	45	3.50	<10	0.83	508	7	0.16												

KENRICH MINING CORPORATION
COREY PROJECT
1996 REGIONAL ROCK SAMPLE ANALYSES

Sample Number	UTM (North)	UTM (East)	Map Sheet	Creek/Location	Sample Type	Rock Type	Description	Au g/t	Au oz/t	Ag g/t	Ag oz/t	Cu %	Pb %	Zn %	As %	Au ppb	Ag ppm	As %
38369	6248410	414015	2	Einar Kvale rdge	grab	qtz/cc vein	trace - 1% py									5	<0.2	0.30
38368	6248460	414040	2	Einar Kvale rdge	grab	mfc tufts/flow?	trace pyrite?									5	<0.2	1.10
38364	6248830	414030	2	Einar Kvale rdge	grab	phyllitic giorite?	3-5% oss pyrite									5	<0.2	3.28
38387	6248870	413990	2	Einar Kvale rdge	grab	phyllitic giorite?	3-5% diss py, yellow limonite									5	0.4	2.24
38366	6249050	413980	2	Einar Kvale rdge	float	felsics?	tr-10% (locally) py									5	<0.2	2.04
38050	6252320	415800	2	NE of Lea Brant	float	Phyllite	1% Py									150	1.0	1.65

KENRICH MINING CORPORATION
COREY PROJECT

1996 REGIONAL ROCK SAMPLE ANALYSES

As ppm	Ba* ppm	Bi ppm	Ca* %	Cd ppm	Co ppm	Cr* ppm	Cu ppm	Fe* %	La ppm	Mg* %	Mn* ppm	Mo ppm	Na* %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sn ppm	Sr* ppm	Ti* %	U ppm	V ppm	W* ppm	Y ppm	Zn ppm
<5	1440	10	>10	<1	<1	42	8	5.60	<10	3.81	1547	3	<0.01	9	50	<2	<5	<20	197	<0.01	<10	47	<10	<1	10
<5	20	<5	0.04	<1	9	90	128	4.54	<10	0.23	255	10	0.14	3	180	2	<5	<20	<1	0.05	<10	24	<10	<1	36
<5	50	<5	0.03	1	16	174	100	3.66	<10	3.25	349	2	0.04	18	470	12	<5	<20	2	0.02	<10	150	<10	<1	235
<5	105	<5	0.03	<1	6	64	71	7.49	<10	1.57	105	13	0.09	6	780	10	<5	<20	6	0.04	20	131	<10	<1	94
<5	240	<5	0.05	<1	5	135	63	2.05	<10	0.69	193	2	0.05	9	360	28	<5	<20	<1	0.03	<10	44	<10	<1	50
10	30	10	2.40	<1	24	52	50	5.88	<10	0.02	309	1	<0.01	10	1450	6	<5	<20	25	0.13	<10	65	<10	<1	6

KENRICH MINING CORPORATION
COREY PROJECT
1996 REGIONAL ROCK SAMPLE ANALYSES

Sample Number	UTM (North)	UTM (East)	Map Sheet	Creek/Location	Sample Type	Rock Type	Description	Au g/t	Au oz/t	Ag g/t	Ag oz/t	Cu %	Pb %	Zn %	As %	Al ppm	Ag ppm	Al %
38235	8253510	410965	3	Tanya	grab	dyke/QM dlc	limonitic									5	<2	2.68
38233	8254250	410680	3	Debbie	grab	homfels	trace fuchsta?									5	<2	1.24
38234	8254265	410740	3	Debbie	grab	calcite vein	3% py									5	1.6	0.43
38235	8254280	410810	3	Debbie	grab	hfs/QM contact	fr py									5	<2	0.84
38231	8254760	410400	3	Waterfall	grab	skarn?	5% py, po									5	<2	1.16
38230	8254770	410380	3	Waterfall	grab	skarn?	2-3% diss py									5	<2	1.23
37922	8255170	409810	3	Shear	grab	Homfels?	2% py; gm-bk; purp bndng									5	<2	3.03
37919	8255475	409560	3	Petunia	grab	Skarn	py, cp, po; f g w/ chl									5	1.6	1.16
37921	8255480	409545	3	Shear	grab	aphant volc?	5% py, po; gm-gy									5	<2	2.05
37918	8255500	409555	3	Petunia	grab	mudstone	graphitic, cp, py, po									5	0.4	1.42
37911	8255560	410100	3	GPS	grab	arg										5	<0.2	2.92
37920	8255575	409460	3	Eva	grab	arg/siltst	0.5% po, minor volcan.									5	<2	2.42
38201	8255580	409475	3	Eva	grab	volc int/mfc										5	<2	3.37
38202	8255580	409475	3	Eva	grab	volc int/mfc float	2% dissem po									5	<2	3.15
38203	8255580	409475	3	Eva	grab	volc int/mfc	3-4% dissem po									5	<2	1.03
38204	8255810	409420	3	gully btwn Eva & Sarah	grab	volc int tuff?	1-2% dissem po									5	<2	3.61
38205	8255810	409420	3	gully btwn Eva & Sarah	grab	siltst	up to 10% dissem po									5	<2	4.93
38206	8255810	409420	3	gully btwn Eva & Sarah	grab	mfc? tuff	1-2% dissem po									5	<2	5.78
37907	8255830	410660	3	Snow Chute	grab	arg/siltst	2-3% dissem py									5	2.4	0.84
37908	8255830	410660	3	Snow Chute	grab	biotite hfs	2-3% dissem py									5	<0.2	1.59
37909	8255830	410660	3	Snow Chute	grab	biotite hfs	2-3% dissem py									50	1.6	1.06
37906	8255830	410720	3	Snow Chute	grab	gossan arg										5	<0.2	2.97
37910	8255645	410675	3	Snow Chute	grab	arg	1-2% dissem py									5	<0.2	4.82
37916	8255775	409350	3	Eva	grab											5	<2	0.45
37915	8255780	409965	3	Eva	grab	tal? tuff	1% dissem py									5	<2	2.48
37914	8255785	410135	3	Eva	grab	int/mfc volc	3-4% sx's, py, po, cp									40	3.6	3.36
37913	8255790	410150	3	Eva	grab	int/mfc volc	3-4% sx's, py, po, cp									5	1.2	1.09
37917	8255795	409940	3	Eva	grab	arg	1% py									5	<2	1.74
38207	8255840	409550	3	Sarah	grab	arg/siltst	2-3% dissem pu									5	<2	1.73
38208	8255840	409550	3	Sarah	grab	sheared int/mfc	sheared/gossan									5	<2	1.84
38209	8255840	409550	3	Sarah	grab	qtz vein	py									5	<2	0.52
38210	8255880	409630	3	Sarah	grab	gossan arg	po, py									5	0.8	1.53
37912	8255885	410500	3	Eva	grab	sheared int volc?	1-2% py									5	<2	1.81
38218	8255985	410010	3	Sarah	grab	int-mfc volc	py									5	0.2	2.78
38211	8255990	410300	3	feeder to Eva	grab	pyroxene andes										5	<2	0.31
38212	8255990	410300	3	feeder to Eva	grab	pyroxene andes	5-10% py									5	<2	0.50
38213	8255990	410300	3	feeder to Eva	grab	pyroxene andes	5-10% py									5	0.2	0.87
38214	8256020	410080	3	Sarah	grab	felsic bx	5-7% py, po									5	<2	4.07
38215	8256020	410080	3	Sarah	grab	siltstone	5-10% frac fill py									5	<2	3.37
38216	8256020	410060	3	Sarah	grab	siltstone	5-10% frac fill py									5	0.2	1.53
38217	8256020	410080	3	Sarah	grab	mfc tuff										5	0.2	2.66
38293	8256020	410080	3	Sarah	grab	int volc, bx'd	2% diss/ff py	0.05	0.001							50	0.4	1.96
38294	8256020	410080	3	Sarah	grab	int volc, bx'd	3-5% diss/ff py	<0.03	<0.001							5	0.8	1.42
38225	8256030	409940	3	Kumiko	grab	felsic dyke	2% py & ga?									5	2.4	0.27
38219	8256040	410905	3	Sarah	grab	int-mfc volc	py									5	<2	4.02
38220	8256030	410040	3	Sarah	grab	qtz vein	py									5	0.6	1.68
38221	8256080	410040	3	Kumiko	grab	qtz vein/sheared	5-10% py, po	3.31	0.097	864.0	25.20		3.04		>1000	>30	1.71	
38286	8256080	410040	3	Kumiko	1 m chip	int volc	5-7% po, fr py in mtx	12.97	0.378	56.4	1.65				>1000	>30	1.98	
38287	8256060	410040	3	Kumiko	1 m chip	int volc, sheared	limonitic	0.05	0.001							50	1.4	1.78
38288	8256060	410040	3	Kumiko	1 m chip	int volc, sheared	1-2% diss py	0.05	0.001							50	6.4	1.67
38289	8256080	410040	3	Kumiko	1 m chip	int volc, sheared	3-5% diss py	<0.03	<0.001							5	0.4	1.77
38290	8256080	410040	3	Kumiko	grab	int volc	3-5% diss py	0.09	0.003							90	1.6	2.72
38291	8256080	410040	3	Kumiko	grab	int volc	5-7% diss/ff py	0.09	0.003							90	1.0	0.41
38292	8256080	410040	3	Kumiko	grab	int volc, bx'd	10% diss/ff py	<0.03	<0.001							5	<2	1.76
38232	8256085	410580	3	Kumiko	grab	mfc intrusive	5% py, po									5	<2	3.68
37905	8256110	410960	3	Eva	grab	siltst	py, ga									5	0.4	1.88
38222	8256125	410160	3	Kumiko	grab	blind duplicate	3% diss py									5	15.2	3.55
38223	8256125	410160	3	Kumiko	grab	qtz vein										5	4.6	1.56
38224	8256125	410160	3	Kumiko	grab	carbonate										5	4.0	1.64
37928	8256145	409150	3	Macarena	grab	carbonate	altered									5	<2	3.48
37928	8256155	409150	3	Macarena	grab	gm-bk foliated, w/sx's	sheared arg/felsic contact									5	<2	1.80
37933	8256160	409270	3	Macarena	grab	mudstone	py									5	1.8	1.65
37930	8256175	409180	3	Macarena	grab	mudstone	py									5	<2	3.01
37931	8256180	409170	3	Macarena	grab	mudstone	coarsely dissem py									5	<2	2.92
37932	8256180	409270	3	Macarena	grab	mudstone	contact w/ felsic, sx's									5	0.8	0.69
37904	8256295	410825	3	Eva	grab	gossan, arg										5	0.2	2.29
37903	8256330	410875	3	Eva	grab	arg	1% py									5	2.4	3.43
37902	8256370	410900	3	Eva	grab	sheared int/mfc?										5	<0.2	0.59
37923	8256550	409200	3	Shear	grab	arg	1% py									5	<2	2.10
37924	8256620	409310	3	Ruby	grab	qtz bx	sx's in f.g. blk mudstone									5	<2	0.29
37925	8256630	409335	3	Ruby	grab	arg	gossan									5	<2	0.48
38226	8256960	409070	3	Kenrich	grab	alt'd andes?	1% diss py									5	<2	0.55
38227	8256960	409070	3	Kenrich	grab	blk fault gouge	1% diss py									5	0.6	1.57
38228	8256960	409070	3	Kenrich	grab	qtz vein										5	0.4	0.40
38229	8256975	409095	3	Kenrich	grab	siltst	fr py									5	0.4	0.44
37901	8257040	408920	3	Konkin	grab	sheared arg/tuff?	1% py									5	0.4	1.14
37945	8257390	408430	3	Toley	grab	Tuff?	1% po, sheared, drk gry									5	<2	3.16
37946	8257405	408430	3	Toley	grab	Tuff?	1% po, sheared, lgt gry									5	<2	3.11
37947	8257440	408465	3	Toley	grab	qtz vein	minor cp									5	<2	2.29
37948	8257495	408560	3	Toley	grab	mudstone	gossanous									5	<2	1.62
37949	8257810	411510	3	Toley	grab	Gry banded siliceous sed?	2% py									5	<0.2	2.48
37949	8257740	408750	3	Toley	grab	Dolomite	5% dissem(coarse) py, clasts									5	<2	3.37
39407	8258010	409650	3	Konkin	grab	bx'd mudstone	trace pyrta									15	3.0	2.06
39406	8258030	409680	3	Konkin	grab	blk mdst	2-3% pyrite + sphawrite									5	1.4	1.07

KENRICH MINING CORPORATION
COREY PROJECT
1996 REGIONAL ROCK SAMPLE ANALYSES

38406	6258155	408750	3	Konkun	grab	mudstone	limonitic				5	<0.2	0.32
37934	6258165	408450	3	Angela	grab	mudstone	bluish grey, dissem(clots) py				5	<2	0.95
37942	6258180	408240	3	Mathew	grab	felsic volc	gristly gry, 2% po				5	<2	0.70
37943	6258190	412730	3	South of Joe	50 cm chip	Int-Mfc volc + Qz vns	Gossanous				5	<0.2	1.78
37944	6258200	411575	3	C-10	grab	Lgt gry tuff?	2% Py				135	3.4	1.61
37945	6258220	411575	3	C-10	grab	Gry - gm tuff	1% Py				10	0.6	3.35
37946	6258245	411560	3	C-10	grab	Md gry tuff	2% Py & malachite staining	1.21			245	9.0	1.42
37943	6258270	408540	3	Mathew	grab	mudstone	pyritic				5	<2	2.31
37944	6258270	408540	3	Mathew	grab	my breccia	gossanous				5	<2	2.17
37945	6258300	411400	3	C-10	grab	Sx vln (20 cm)	Ba, Fe carbonate, Py & Arpentine	1972.0	57.51		280	>30	0.11
37935	6258465	408165	3	Angela	grab	mudstone	5-10% py in bands (1cm wide)				5	0.6	0.88
37936	6258495	408190	3	Angela	grab	Cc + Qz Vein					5	0.2	0.48
37937	6258530	408430	3	Angela	grab	breccia	As 37938				5	4.8	0.45
37938	6258530	408430	3	Angela	grab	breccia	py matrix(40%), felsic/mudst clast				5	<2	0.10
37939	6258530	408430	3	Angela	grab	Mudstone	Pyritic				5	<2	1.14
37940	6258530	408430	3	Angela	grab	breccia	felsic w/ 15% coarse py				10	<2	0.35
37941	6258530	408430	3	Angela	grab	breccia	gossanous, lgt gry band felsic				5	<2	0.16
37978	6258790	408155	3	Shelly	grab	Int Tuff Bx	Gossanous, Trace Py				5	0.2	0.52
37977	6258790	408155	3	Shelly	grab	40 cm Qz vein					5	<2	0.26
37978	6258810	410475	3	north of C-10	grab	Air'd mfc (like CBL)	3% Sph	30.6	0.89	2.07	5	28.2	0.89
37979	6258860	410470	3	north of C-10	grab	Blk MqSt	3% Py				20	<0.2	0.41
37980	6258890	410440	3	north of C-10	grab	Air'd mfc	1% Py				5	20.6	0.64
37975	6259105	409275	3	NT	grab	Sulfid'd Volc	3% Po				10	<2	2.17
37976	6259185	410985	3	west of Mandy	grab	Air'd mfc (like CBL)	3% Sph	32.2	0.94		10	>30	0.83
37977	6259280	411270	3	west of Mandy	float	Gry clastic	4% Py				5	<0.2	0.31
37978	6259400	410580	3	west of Mandy	grab	Black MqSt	4% Py				5	<0.2	1.35
37979	6259815	408470	3	west of Cumberland	grab	Gm-brn clastic					5	1.0	3.55
37980	6259950	411640	3	Mandy	float	massive Py, 10% fel?					140	16.2	0.07

KENRICH MINING CORPORATION
COREY PROJECT

1996 REGIONAL ROCK SAMPLE ANALYSES

As	Ba*	Bi	Ce*	Cd	Co	Cr*	Cu	Fe*	LA	Mg*	Mn*	Mo	Na*	Ni	P	Pb	Sb	Sn	Sr*	Ti*	V	W*	Y	Zn	
ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
<5	395	10	6.33	1	36	356	41	6.00	<10	4.77	1100	2	0.03	146	1030	30	<5	<20	206	0.05	<10	94	<10	<1	92
<5	55	<5	3.31	<1	34	52	281	3.96	<10	0.49	247	1	0.15	25	2520	2	<5	40	82	0.25	<10	55	<10	6	422
30	105	<5	>15	11	38	22	258	9.28	<10	0.68	3151	14	<0.10	59	70	82	<5	40	470	0.01	<10	31	<10	<1	42
<5	55	5	1.08	<1	7	39	40	3.50	<10	0.50	293	<1	0.10	2	1210	<2	<5	20	15	0.15	<10	139	<10	5	28
<5	145	<5	1.19	<1	20	70	113	3.51	<10	0.64	305	<1	0.07	7	2090	4	<5	<20	41	0.26	<10	67	<10	17	27
<5	70	<5	1.14	<1	34	105	92	4.72	<10	1.25	287	<1	0.10	37	1890	4	<5	20	12	0.27	<10	137	<10	6	34
10	180	<5	1.89	<1	33	333	93	3.10	<10	2.38	289	<1	0.17	199	1870	<2	10	<20	276	0.17	<10	82	<10	<1	24
<5	70	<5	1.08	3	212	14	3943	>15	<10	0.39	228	21	0.07	180	900	8	<5	40	51	0.10	10	24	<10	<1	18
<5	60	<5	1.55	2	132	25	811	>15	<10	0.30	106	18	0.20	107	800	<2	<5	20	204	0.08	20	21	310	<1	14
<5	55	<5	1.33	1	146	27	1029	>15	<10	0.38	188	10	0.07	124	1040	<2	<5	40	89	0.11	20	17	10	<1	23
<5	85	<5	1.51	<1	10	48	57	5.37	<10	0.58	288	12	0.05	17	890	14	<5	20	172	0.08	<10	126	<10	1	54
<5	75	<5	2.17	<1	22	71	123	3.47	<10	1.30	242	<1	0.27	35	1870	<2	<5	<20	128	0.19	<10	88	<10	4	21
<5	130	<5	2.50	<1	38	143	123	3.15	<10	1.29	215	<1	0.22	102	2140	<2	<5	<20	230	0.16	<10	73	<10	<1	24
<5	95	<5	1.84	1	180	167	492	12.00	<10	1.74	247	5	0.17	492	1410	<2	<5	20	113	0.20	10	115	40	<1	29
<5	45	<5	3.98	<1	27	91	85	3.55	<10	0.28	126	6	0.14	43	2460	2	<5	20	158	0.17	<10	31	<10	3	12
<5	105	<5	2.55	<1	42	238	211	4.93	<10	1.32	263	<1	0.31	138	2360	<2	<5	<20	241	0.18	<10	118	20	<1	25
<5	110	<5	3.62	<1	27	449	156	3.68	<10	1.17	239	<1	0.37	128	1780	<2	<5	<20	279	0.18	<10	113	<10	<1	14
20	180	10	2.85	<1	20	55	32	5.11	<10	1.42	695	<1	0.28	13	1410	<2	<5	<20	147	0.28	<10	106	<10	3	48
<5	35	<5	2.33	2	116	63	2032	12.60	<10	0.17	311	13	0.04	54	630	4	<5	20	73	0.07	<10	18	20	<1	45
<5	110	<5	3.43	<1	19	40	118	3.57	<10	0.75	580	<1	0.10	9	890	6	10	<20	68	0.17	<10	80	<10	4	68
<5	30	<5	2.52	1	66	55	1869	7.33	<10	0.12	254	6	0.06	34	900	6	<5	20	49	0.09	<10	16	<10	<1	39
<5	230	5	0.63	<1	16	46	43	5.69	<10	1.13	882	<1	0.08	10	1220	6	<5	20	48	0.33	<10	103	<10	2	50
<5	100	<5	2.78	<1	22	79	157	4.91	<10	1.06	482	<1	0.18	12	1170	14	<5	40	223	0.22	<10	114	<10	3	38
45	100	5	0.46	<1	2	121	4	1.49	<10	0.38	436	4	0.04	5	280	12	10	<20	16	0.02	<10	3	<10	3	52
<5	305	15	6.99	<1	25	75	44	8.04	60	2.14	873	<1	0.04	28	4860	18	5	20	332	0.29	<10	113	<10	4	139
345	85	<5	0.98	<1	36	103	468	>15	<10	1.67	6157	12	0.01	35	1860	24	<5	40	25	0.17	<10	124	<10	<1	283
<5	75	<5	0.82	2	58	113	724	11.70	<10	0.63	2851	38	0.02	52	580	<2	<5	40	12	0.07	<10	54	<10	<1	79
40	95	10	0.54	<1	11	50	47	4.08	<10	0.95	492	11	0.06	15	1140	16	15	20	20	0.09	<10	41	<10	6	143
<5	285	<5	0.17	<1	14	108	67	4.67	<10	1.17	198	25	0.05	52	650	4	<5	20	8	0.18	<10	178	<10	4	135
<5	45	<5	0.32	<1	5	170	18	1.77	<10	0.34	377	<1	0.15	52	940	<2	<5	<20	29	0.24	<10	110	<10	4	24
15	80	<5	0.12	4	10	65	32	3.95	<10	0.95	253	20	0.03	31	750	14	<5	<20	8	<0.1	<10	48	<10	<1	155
20	80	<5	0.48	<1	22	80	27	4.82	<10	1.39	868	<1	0.02	19	1630	10	<5	<20	14	0.12	<10	119	<10	6	89
5	90	5	1.95	<1	17	92	43	3.93	<10	1.32	248	1	0.16	39	1130	118	5	<20	69	0.10	<10	61	<10	<1	46
<5	35	<5	2.86	<1	2	98	<1	1.18	<10	0.15	1140	4	0.03	4	210	10	<5	<20	74	<0.1	<10	4	<10	3	10
15	50	<5	0.47	<1	21	42	94	4.14	<10	0.20	187	7	<0.01	12	710	24	<5	40	30	0.01	<10	69	<10	2	53
30	75	<5	0.22	1	33	55	84	6.39	<10	0.37	427	8	<0.1	22	610	18	<5	20	87	0.16	<10	245	<10	3	89
<5	100	10	5.07	<1	42	60	61	8.00	<10	2.66	925	3	0.21	47	1780	<2	<5	20	67	0.11	<10	91	<10	<1	95
20	90	10	0.66	<1	23	42	41	6.55	<10	2.21	334	7	0.10	22	790	10	<5	20	28	0.10	<10	27	<10	<1	106
10	45	<5	0.33	<1	15	36	40	4.72	<10	0.89	205	7	0.04	14	890	18	<5	20	10	0.03	<10	61	<10	<1	49
<5	95	<5	2.04	<1	17	98	41	3.62	<10	1.36	259	<1	0.17	40	1130	134	<5	<20	71	0.10	<10	61	<10	<1	68
115	50	<5	0.34	<1	28	30	39	7.72	<10	1.08	390	7	0.03	4	1640	10	<5	100	8	0.16	<10	154	<10	<1	48
175	50	<5	0.56	<1	20	43	62	5.69	<10	0.65	373	5	0.03	4	1430	10	<5	80	14	0.10	<10	88	<10	<1	68
50	25	5	1.07	<1	3	104	<1	3.55	<10	0.05	205	9	0.08	3	520	96	<5	40	44	<0.1	<10	2	<10	1	22
<5	150	<5	8.33	<1	43	107	200	8.10	<10	3.40	1377	<1	0.05	27	3990	<2	<5	20	200	0.41	<10	309	<10	5	81
<5	75	<5	13.30	<1	22	63	13	3.68	<10	1.09	2787	9	0.08	8	1260	4	10	<20	260	0.06	<10	68	<10	<1	25
79	105	<5	0.48	34	14	74	987	6.27	<10	0.71	482	14	0.05	4	990	>10000	45	20	30	0.16	<10	61	<10	<1	4188
45	90	<5	0.41	2	15	30	90	4.23	<10	0.83	635	3	0.03	4	1180	1620	<5	40	49	0.15	<10	55	<10	1	400
5	120	<5	0.32	1	12	52	36	4.66	<10	0.88	557	5	0.04	4	1120	112	<5	40	13	0.12	<10	57	<10	2	124
26	90	10	0.33	<1	15	31	21	4.55	<10	0.88	387	3	0.02	3	1310	22	<5	40	11	0.13	<10	59	<10	<1	67
35	120	<5	0.33	<1	15	36	38	4.41	<10	0.91	1151	3	0.02	3	1250	34	<5	40	10	0.15	<10	56	<10	2	82
190	90	10	1.31	<1	87	144	87	11.50	<10	1.38	444	5	0.02	44	5700	18	<5	190	67	0.14	<10	142	<10	<1	86
220	35	<5	0.24	<1	19	70	15	5.51	<10	0.11	170	7	<0.1	7	1120	6	<5	80	7	0.01	<10	23	<10	<1	16
10	115	5	0.47	2	25	39	7	5.41	<10	0.93	501	<1	0.04	5	1640	12	<5	80	15	0.15	<10	75	<10	<1	258
<5	195	5	5.01	<1	41	387	42	5.58	<10	5.56	1129	<1	0.05	181	1170	6	5	<20	182	0.25	<10	145	<10	2	78
<5	35	10	0.70	1	15	106	62	7.30	<10	0.91	673	1	0.06	31	2040	10	<5	40	15	0.28	<10	298	<10	17	86
10	100	5	1.70	<1	16	69	45	4.73	<10	0.84	281	3	0.25	13	1620	578	<5	40	74	0.12	<10	69	<10	2	194
15	90	<5	>15	3	10	47	47																		

KENRICH MINING CORPORATION
COREY PROJECT

1996 REGIONAL ROCK SAMPLE ANALYSES

39014	6258410	413560	4	HSOV Showing	1 m chip	alt. silic felsic Volc	dis, vuggy + veinlets Py/Marc 1-3 (loc 5)%; hangingwall	5	<0.2	1.44
39015	6258410	413560	4	HSOV Showing	1 m chip	alt. silic felsic Volc	same: 1-3%; hangingwall	5	<0.2	0.77
39016	6258410	413560	4	HSOV Showing	1 m chip	alt. silic felsic Volc	same: 1-3 (loc 5)%; hangingwall	5	<0.2	0.82
39017	6258410	413560	4	HSOV Showing	1 m chip	alt fels Volc, fault z	dis Py (+Marc) 1-3%	5	<0.2	0.18
39018	6258410	413560	4	HSOV Showing	1.1 m chip	fault gouge; gr Mdst	dis Py 1-3 (loc 5)%	5	<0.2	0.30
39019	6258410	413560	4	HSOV Showing	1 m chip	gr/gry interm Tuff; fol	dis Py 1-2%; tr Cpy	15	0.4	2.59
39020	6258410	413560	4	HSOV Showing	2 m chip	gr/gry interm Tuff; fol	loc dis Py 1-2%; tr Cpy	15	<0.2	2.37
39021	6258410	413560	4	HSOV Showing	1 m chip	gr/gry interm Tuff; fol	dis Py 1-2%; tr Cpy	5	0.6	0.38
39022	6258410	413560	4	HSOV Showing	Grab	fault/shear gouge	black gritty Mdst (soft); dis + blebs of Sulf 1-3%	10	0.4	0.48
39023	6258410	413560	4	HSOV Showing	1 m chip	fault/shear gouge	black gritty Mdst + alt Volc; dis Sulf 1-3%; graphite	5	0.6	0.52
39024	6258410	413560	4	HSOV Showing	1 m chip	fault/shear gouge	black gritty Mdst + alt Volc; dis Sulf 1-3%; graphite	5	0.6	0.49
39025	6258410	413560	4	HSOV Showing	1 m chip	Blk Sh, tuffac	dis Py 1-2%; tr Po, (graphite), footwall	5	0.8	0.33
39026	6258410	413560	4	HSOV Showing	1.2 m chip	Blk Sh, tuffac	dis Py 1-2%; tr Po, (graphite), footwall	5	0.8	0.25
39027	6258410	413560	4	HSOV Showing	Grab	Blk Sh, tuffac	dis + tr-cntr, loc vuggy Py 1-3%, (graphite), footwall	5	<0.2	0.24
39028	6258410	413560	4	HSOV Showing	Grab	Blk Shgritty Mdst	dis Py 1-2 (loc 3-5)%; loc vuggy, footwall	5	<0.2	0.48
39029	6258410	413560	4	HSOV Showing	Grab	blk gritty Mdst	dis + tr-cntr Py 1-3%; footwall	5	0.8	0.18
39030	6258410	413560	4	HSOV Showing	1.2 m chip	Blk Sm Rock	spongy encrust & cement of Marc/Py 10-15%; alt fels Volc	10	0.4	0.12
39031	6258410	413560	4	HSOV Showing	Chip 80cm	Blk Sm + Tuff Bx	spongy encrust & cement of Marc/Py 5-10%; alt fels Volc	5	0.4	0.14
39032	6258410	413560	4	HSOV Showing	1.15 m chip	alt. silic felsic? Volc	dis Py + blk sulf, loc vuggy, 2-3%; hangingwall	15	0.8	0.41
39053	6258410	413560	4	HSOV Showing	Grab	blk shale, graphitic	1% pyrite blebs	5	0.8	0.51
39054	6258410	413560	4	HSOV Showing	Grab	fault gouge; graphite/clay	py+marcasite ~2%	5	0.4	0.27
39056	6258410	413560	4	HSOV Showing	Grab	volcaniclastic grit	blk shale	825	<0.2	0.66
39057	6258410	413560	4	HSOV Showing	Grab	vent material	redeposited marcasite (~5%)	5	<0.2	0.20
39060	6258410	413590	4	Joe	selected grab	vent material?	marcasite sulphosalts, (graphite?), gypsum	5	<0.2	0.20
39061	6258410	413590	4	Joe	1 m chip	Lgt gry silic'd classic	marcasite, sulphosalts?	10	<0.2	0.21
39059	6258410	413590	4	Joe	1m chip	Gry - gm tuff?	4% Py	95	1.2	1.87
39060	6258420	413530	4	near HSOV	1 m chip	qtz veins	2% Py + tr CPy	5	4.2	0.21
38372	6258430	418135	4	Lavonne	grab	gouge	limonitic, graphitic	10	3.8	0.32
38373	6258430	418135	4	Lavonne	grab	qtz veins in mdst	1-2% py	55	>30	0.28
38374	6258450	418140	4	Lavonne	float	qtz/oc vein	strong carbonitization	5	1.2	0.89
52370	6258470	418200	4	Lavonne	grab	blk mdst	1-2% py	10	0.4	0.28
38371	6258480	418160	4	Lavonne	grab	Gry tuff	1-3% Py	5	0.8	2.39
38372	6258545	413400	4	near HSOV	grab	Graphitic Blk Mdst	3-5% Py	10	5.2	0.44
38373	6258545	413405	4	near HSOV	grab	Blk Mdst	1% Py	5	1.8	0.22
38374	6258545	413420	4	near HSOV	grab	Blk Mdst	Silic'd	5	1.8	0.82
38375	6258545	413440	4	near HSOV	grab	Blk Mdst	1-2% Py	5	1.4	1.09
38376	6258545	413455	4	near HSOV	grab	Blk Mdst	1% Py	10	0.2	0.29
38377	6258545	413470	4	near HSOV	grab	Gry brx	3-5% Py	5	0.8	0.48
38063	6258580	413145	4	Joe Ck feeder	grab	Lgt gry alt'd tuff	1% Py	5	0.8	0.41
38412	6258590	413335	4	near HSOV showing	grab	black mudstone, bx'd	limonitic, pyritic?	5	<0.2	0.05
38409	6258600	413330	4	near HSOV showing	grab	felsic grit/breccia	1-3% pyrite + sphalerite	5	<0.2	0.16
38410	6258600	413330	4	near HSOV showing	grab	black mudstone	massive pyrite	5	1.2	0.51
38411	6258600	413330	4	near HSOV showing	grab	black mudstone	20-25% pods, wisps of pyrite	5	1.8	1.81
38413	6258610	413290	4	near HSOV showing	1 metre chip	Mdst, gouge, Qz vn	2-3% pyrite?	10	0.8	0.91
38064	6258615	413215	4	Joe Ck feeder	1m chip	blk mdst	4% Py in Mdst (fract fill)	25	0.2	1.89
38361	6258620	415200	4	Emily	float	Felsic Brx	sericitic, chloritic, 5-7% diss/ff py	5	0.2	0.20
38067	6258655	413330	4	Joe Ck feeder	grab	Gritty Mdst	4% Py (clots & dissem)	5	<0.2	0.31
38066	6258675	413345	4	Joe Ck feeder	grab	mudstone/breccia	Gossanous	45	5.0	0.32
38414	6258680	413230	4	near HSOV showing	grab	Graphitic Mdst	graphitic, limonitic	10	2.2	0.19
38065	6258680	413270	4	Joe Ck feeder	grab	blk mdst	Gossanous	10	<0.2	1.49
38360	6258700	415490	4	Emily	float	fl gry mdst	1-3% diss py	35	0.8	0.22
38354	6258740	415555	4	Emily	float	qtz/oc vein	strongly siliceous, 3-7% diss / ff py	20	<0.2	0.44
38355	6258790	415475	4	Emily	grab	felsic tuff	20-25% diss and semi-msv py	50	0.6	0.89
38356	6258850	416190	4	Emily	grab	dk gry mdst	limonitic - trace diss py?	5	0.6	0.89
38359	6258850	416190	4	Emily	grab	dk gry sst	tr - 1% diss py	10	0.4	0.30
38357	6258810	415850	4	Emily	grab	fl gry sst/gwke	2-3% diss py	25	<0.2	1.18
38356	6258920	415860	4	Emily	grab	blk fissile mdst	foliated, sericitic - <= 10% diss/ff py	5	<0.2	1.18
38061	6259075	413590	4	NW of HSOV	grab	Lgt gry alt'd volc	2% Py	5	0.4	0.22
38062	6259110	413470	4	NW of HSOV	grab	Lgt gry alt'd volc	4% Py	5	<0.2	0.08
38063	6259430	414015	4	Elgar Showing	float	20 cm Qz vn & gouge	Weathered Sx vn in gossanous boulder	5	<0.2	0.13
38068	6259440	414035	4	Elgar Showing	grab	Bl-gry Mdst		115	6.2	0.51
38069	6259875	413775	4	Elgar Showing	grab	Bl-gry Mdst		135	3.8	5.75
38070	6259875	413885	4	Elgar Showing	grab	Blk Mdst	5 cm Py vn	5	1.0	0.88
38068	6259900	413640	4	Elgar Showing	grab	Lgt gry tuff	Qz / Py (3%) banding	5	1.6	2.21
38070	6259900	413745	4	Elgar Showing	grab	tuffaceous sed	4% Py	375	15.6	0.41
38071	6259900	413750	4	Elgar Showing	grab	Bl-gry Mdst	7% Py	5	1.0	3.98
38072	6259900	413850	4	Elgar Showing	grab	Bl-gry Mdst	2% Py	20	2.1	1.13
38073	6259960	412450	4	Mandy	grab	Bl-gry Mdst				

KENRICH MINING CORPORATION
COREY PROJECT
1998 REGIONAL ROCK SAMPLE ANALYSES

As ppm	Ba* ppm	Bi ppm	Ca* %	Cd ppm	Co ppm	Cr* ppm	Cu ppm	Fe* %	La ppm	Mg* %	Mn* ppm	Mo ppm	Na* ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Sn ppm	Sr* ppm	Ti* %	U ppm	V ppm	W* ppm	Y ppm	Zn ppm
<5	25	<5	0.59	<1	96	95	1195	>10	<10	0.23	99	18	0.07	91	860	<2	<20	5	0.10	10	29	1850	<1	12	
<5	95	<5	1.09	<1	75	37	678	7.62	<10	0.14	79	227	0.08	9	1530	4	<5	<20	0.11	<10	60	<10	<1	9	
5	30	<5	0.85	12	25	69	106	5.78	<10	2.04	1075	<1	0.07	9	2250	8	<5	<20	0.29	<10	170	<10	<1	1868	
40	130	10	4.72	<1	24	15	55	7.66	<10	2.75	1825	7	<0.01	6	2430	4	<5	<20	<0.01	<10	26	<10	<1	49	
8210	90	<5	0.12	<1	50	75	7625	>10	<10	0.42	>10000	18	<0.01	16	<10	132	20	5	0.02	<10	6	<10	<1	367	
75	90	10	2.74	40	10	95	22	5.36	<10	0.22	2046	6	<0.01	6	2310	2328	<5	128	0.01	<10	23	<10	<1	1468	
145	80	<5	0.09	<1	4	171	127	1.99	<10	0.01	2149	6	<0.01	5	80	6	<5	6	<0.01	<10	4	<10	<1	24	
>10000	50	100	0.06	<1	20	111	577	5.86	<10	0.01	267	7	<0.01	4	50	258	175	<20	4	<0.01	<10	4	<10	<1	109
>10000	35	100	<0.01	<1	104	157	124	>10	<10	<0.01	43	12	<0.01	13	<10	830	25	<20	4	<0.01	10	3	<10	<1	282
280	80	<5	0.87	<1	4	88	18	1.75	<10	0.01	1100	2	<0.01	2	40	8	<5	<20	7	<0.01	<10	9	<10	<1	26
8970	85	185	0.10	<1	21	118	717	5.12	<10	0.08	1257	8	<0.01	5	40	458	585	20	11	<0.01	<10	7	<10	<1	270
725	65	<5	0.17	<1	8	164	>10000	4.65	<10	0.04	1081	11	<0.01	5	29	528	100	20	3	<0.01	<10	5	<10	<1	72
<5	100	<5	>15	<1	2	84	<1	1.05	<10	8.44	1451	3	<0.01	9	130	<2	10	<20	2532	<0.01	<10	6	<10	<1	46
<5	50	5	0.82	<1	8	200	4	2.38	<10	0.06	907	8	<0.01	6	640	<2	10	<20	18	<0.01	<10	13	<10	<1	32
40	50	10	7.12	<1	40	71	4	8.03	<10	3.47	1719	6	<0.01	69	640	<2	10	<20	269	<0.01	<10	22	<10	<1	142
35	65	5	6.80	<1	22	52	16	5.37	<10	1.33	1440	4	<0.01	7	1600	8	<5	<20	388	0.03	<10	28	<10	<1	44
60	40	<5	2.36	<1	398	21	971	>10	<10	0.95	853	19	<0.01	11	100	6	<5	<20	21	0.03	<10	20	<10	<1	20
<5	110	<5	2.87	<1	17	49	862	8.83	<10	1.33	1155	5	<0.01	4	1780	10	<5	<20	102	0.03	<10	50	<10	<1	106
10	130	<5	1.00	<1	11	83	177	5.41	<10	1.10	818	6	0.01	3	1440	14	<5	<20	38	0.01	<10	38	<10	<1	75
<5	80	<5	1.06	<1	15	326	144	6.46	<10	0.22	>10000	6	0.02	8	230	8	<5	<20	41	0.02	<10	14	<10	<1	72
30	125	20	3.01	<1	20	42	51	6.53	<10	0.46	1917	3	0.02	9	3650	16	<5	<20	82	0.10	<10	25	<10	<1	29
40	60	<5	1.24	<1	50	51	246	>10	<10	1.28	743	14	<0.01	3	1940	14	<5	<20	21	0.08	<10	48	<10	<1	32
50	40	<5	2.60	<1	18	41	2786	3.65	<10	0.83	621	16	0.01	4	1020	2	<5	<20	26	0.05	<10	17	<10	<1	46
80	105	20	0.68	<1	23	48	156	>10	<10	2.79	2796	11	0.03	12	2400	56	<5	<20	27	0.14	<10	218	<10	<1	190
<5	95	<5	0.68	<1	20	81	131	6.32	<10	3.06	890	19	0.03	8	3610	14	<5	<20	21	0.18	<10	197	<10	<1	76
30	45	<5	>10	<1	37	36	3203	1.36	<10	0.31	8089	2	<0.01	3	90	<2	5	<20	742	0.02	<10	7	<10	17	17
<5	100	<5	4.43	<1	63	97	4182	9.49	<10	2.15	1106	69	0.03	15	3180	8	<5	<20	82	0.15	<10	192	<10	<1	89
155	85	<5	0.08	<1	5	168	124	1.95	<10	<0.01	2108	5	<0.01	5	70	8	<5	<20	5	<0.01	<10	4	<10	<1	23
70	25	<5	0.33	<1	31	28	43	0.17	<10	0.46	213	5	0.01	13	1850	10	<5	<20	2	<0.01	40	<10	<1	18	
65	135	10	0.37	<1	9	57	14	3.10	<10	0.18	128	<1	0.03	3	1110	68	<5	<20	33	0.25	<10	44	<10	<1	44
85	110	<5	7.79	<1	22	33	45	4.94	<10	0.57	1496	5	<0.01	6	1450	<2	10	<20	327	<0.01	<10	22	<10	5	28
40	55	<5	0.18	<1	9	25	15	5.38	<10	0.18	181	12	<0.01	10	880	18	<5	<20	7	<0.01	<10	7	<10	<1	81
10	60	<5	<0.01	<1	3	111	3	1.51	<10	<0.01	45	2	0.03	3	40	6	<5	<20	4	<0.01	<10	<1	<10	<1	13
35	55	15	2.69	2	35	55	60	6.06	<10	0.24	498	<1	0.02	17	3410	14	<5	<20	25	0.22	<10	33	<10	<1	60
5	65	<5	0.02	<1	<1	83	<1	0.51	10	<0.01	16	4	0.02	1	50	12	<5	<20	4	<0.01	<10	2	<10	<1	10
20	30	5	0.02	<1	12	114	<1	3.92	<10	<0.01	24	12	0.03	9	40	18	<5	<20	4	<0.01	<10	2	<10	<1	45
10	50	<5	<0.01	<1	1	718	<1	1.07	10	<0.01	44	1	0.03	2	70	8	<5	<20	8	<0.01	<10	<1	<10	<1	3
10	85	<5	0.32	<1	5	32	29	3.31	<10	0.06	159	5	<0.01	5	780	12	<5	<20	20	<0.01	10	8	<10	<1	38
>10000	45	30	0.06	<1	26	105	21	>10	<10	0.26	>10000	29	<0.01	11	<10	30	<5	<20	<1	0.02	<10	7	<10	<1	31
25	40	<5	0.32	<1	27	40	80	>10	<10	2.65	908	21	0.02	6	1480	42	<5	<20	6	<0.01	<10	93	<10	<1	58
60	30	<5	2.67	<1	10	150	40	3.69	<10	0.50	401	3	<0.01	21	720	16	<5	<20	113	<0.01	<10	4	<10	2	53
<5	80	<5	0.02	<1	<1	148	3	1.04	<10	<0.01	55	3	0.03	4	30	2	<5	<20	<1	<0.01	<10	2	<10	<1	<1
<5	105	<5	<0.01	<1	<1	102	2	0.76	10	<0.01	25	6	0.03	2	240	10	<5	<20	24	<0.01	<10	2	<10	<1	<1
20	55	20	4.54	<1	28	81	56	>10	<10	1.57	>10000	8	<0.01	18	580	<2	10	<20	72	0.12	<10	157	<10	<1	43
15	60	<5	0.82	<1	21	44	98	4.62	<10	1.96	1306	<1	0.06	4	1480	6	<5	<20	27	0.14	<10	145	<10	<1	82
50	20	<5	2.05	<1	20	117	107	8.22	<10	0.81	1110	23	<0.01	5	740	64	<5	<20	2	0.07	<10	58	<10	<1	82
20	120	5	0.06	<1	4	39	7	1.14	<10	0.05	54	<1	0.02	2	840	18	<5	<20	3	0.20	<10	19	<10	<1	5
15	40	<5	1.87	1	32	02	15	9.96	<10	0.23	1829	28	0.02	3	2350	6	<5	<20	78	<0.01	<10	9	<10	3	178
35	45	<5	0.49	<1	14	14	10	>10	<10	0.69	203	44	<0.01	1	2350	14	<5	<20	25	<0.01	<10	17	<10	<1	44
65	25	20	0.20	1	25	19	11	>10	<10	0.44	137	44	<0.01	<1	1970	26	<5	<20	6	<0.01	10	13	<10	<1	36
15	25	<5	6.01	2	8	18	41	4.67	<10	0.38	649	16	<0.01	26	1010	8	<5	<20	189	<0.01	<10	8	<10	4	158
15	45	5	0.70	<1	16	19	34	>10	10	0.86	327	19	0.01	2	3400	20	<5	<20	39	0.01	30	24	<10	<1	53
<5	75	5	0.23	43	13	45	76	6.23	<10	2.43	1880	5	0.03	20	1050	56	<5	<20	6	0.01	<10	119	<10	<1	3043
30	55	<5	<0.01	<1	1	80	2	1.71	<10	<0.01	21	35	0.03	2	10	4	<5	<20	<1	<0.01	<10	2	<10	<1	2
20	20	<5	0.12	<1	4	41	10	3.61	<10	<0.01	88	15	<0.01	8	40	16	<5	<20	<1	<0.01	<10	3	<10	<1	28
75	20	<5	0.38	<1	14	43	65	9.23	<10	0.49	389	13	<0.01	26	1570	12	<5	<20	5	<0.01	10	27	<10	<1	109
20	15	<5	0.54	<1	2	111	4	2.35	<10	0.01	101														

KENRICH MINING CORPORATION
COREY PROJECT

1996 REGIONAL ROCK SAMPLE ANALYSES

<5	155	5	0.59	<1	10	61	6	4.33	<10	0.40	690	9	0.05	2	1710	18	<5	<20	14	0.01	<10	8	<10	9	118	
5	80	<5	0.83	<1	7	44	8	4.16	<10	0.10	142	10	0.02	2	1900	22	<5	<20	15	<0.01	<10	4	<10	5	33	
10	85	<5	1.43	<1	6	35	8	3.08	<10	0.15	248	6	0.03	2	1970	22	<5	<20	36	<0.01	<10	4	<10	10	79	
20	140	<5	1.03	<1	6	82	1	0.88	<20	<0.01	17	6	0.02	2	100	14	<5	<20	5	<0.01	<10	<1	<10	1	5	
<5	180	<5	<0.01	<1	1	82	1	1.41	<10	0.02	15	16	0.03	1	340	36	<5	<20	19	<0.01	<10	2	<10	<1	2	
55	90	<5	1.57	<1	1	22	43	88	6.93	<10	1.85	614	6	<0.01	16	1720	22	<5	<20	80	<0.01	<10	125	<10	<1	71
<5	45	<5	2.43	<1	26	55	460	6.84	<10	2.05	821	4	<0.01	17	1750	36	<5	<20	159	<0.01	<10	<10	<10	<1	69	
15	65	<5	2.51	2	32	75	399	6.59	<10	1.94	936	17	0.01	15	1590	32	<5	<20	272	<0.01	<10	212	<10	<1	63	
20	45	<5	4.68	3	7	57	29	3.18	<10	0.87	670	9	<0.01	22	910	4	<5	<20	231	<0.01	<10	14	<10	4	152	
25	50	5	4.55	4	13	26	34	5.41	<10	0.84	1166	7	0.01	15	1670	<2	<5	<20	175	<0.01	<10	14	<10	6	157	
130	70	<5	4.15	4	13	88	41	3.15	<10	0.67	1097	4	0.01	23	1020	8	<5	<20	191	<0.01	<10	11	<10	10	172	
<5	70	10	3.15	2	4	13	25	6.43	<10	0.13	576	20	<0.01	4	1190	6	<5	<20	51	<0.01	<10	25	<10	<1	77	
<5	85	15	0.06	<1	6	24	16	>10	<10	0.10	23	27	<0.01	5	1080	8	<5	<20	8	<0.01	30	28	<10	<1	100	
20	105	10	0.01	<1	5	7	8	>10	<10	0.07	9	37	<0.01	<1	2510	6	<5	<20	10	<0.01	40	32	<10	<1	58	
<5	50	<5	0.04	<1	<1	53	3	0.88	<10	0.03	27	11	<0.01	4	50	6	<5	<20	2	<0.01	<10	6	<10	<1	5	
<5	45	<5	>10	<1	11	12	18	3.82	<10	0.47	1774	4	<0.01	5	1170	<2	<5	<20	179	<0.01	<10	6	<10	12	62	
20	30	<5	0.07	<1	<1	101	2	1.27	<10	<0.01	45	19	0.02	3	40	24	<5	<20	<1	<0.01	10	2	<10	<1	<1	
<5	30	<5	<0.01	<1	1	55	2	2.10	<10	<0.01	56	23	0.02	3	<10	4	<5	<20	<1	<0.01	<10	<1	<10	<1	<1	
<5	55	<5	<0.01	<1	<1	98	2	1.24	<10	<0.01	27	7	0.03	3	20	2	<5	<20	4	<0.01	10	<1	<10	<1	<1	
80	30	<5	0.38	<1	10	30	56	4.45	<10	0.01	182	24	<0.01	22	1900	14	<5	<20	12	<0.01	<10	12	<10	2	88	
80	40	<5	0.40	3	9	30	41	4.57	<10	0.10	180	23	<0.01	34	650	32	<5	<20	17	<0.01	10	12	<10	<1	304	
50	30	5	0.05	<1	8	20	18	4.84	<10	<0.01	150	28	<0.01	17	550	12	<5	<20	5	<0.01	10	4	<10	<1	45	
40	35	10	3.39	<1	9	33	24	5.23	<10	0.72	637	10	0.02	6	960	12	<5	<20	84	<0.01	<10	9	<10	6	49	
185	30	20	0.02	<1	15	99	10	>10	<10	<0.01	44	67	0.02	12	<10	4	<5	<20	<1	<0.01	30	2	<10	<1	20	
95	30	20	0.02	<1	10	82	10	>10	<10	<0.01	80	59	0.02	9	<10	8	<5	<20	<1	<0.01	20	3	<10	<1	16	
<5	115	<5	<0.01	<1	<1	95	3	1.48	20	<0.01	78	10	0.05	2	180	30	<5	<20	29	<0.01	<10	1	<10	<1	4	
45	80	<5	6.31	<1	22	33	82	6.32	<10	1.12	1815	6	0.02	6	1990	14	<5	<20	198	0.02	<10	47	<10	3	66	
40	35	<5	0.28	7	3	200	71	1.40	<10	0.02	41	57	<0.01	22	360	44	<5	<20	2	<0.01	<10	92	<10	1	525	
75	60	<5	0.26	2	6	127	39	1.95	<10	0.04	42	145	<0.01	43	130	28	10	<20	<1	<0.01	<10	152	<10	<1	210	
515	65	<5	0.09	19	4	73	258	4.58	<10	0.02	263	129	<0.01	33	640	825	<5	<20	1	<0.01	<10	20	<10	<1	1880	
<5	110	<5	>10	<1	21	76	132	2.73	<10	0.90	1308	3	<0.01	20	530	12	<5	<20	515	<0.01	<10	24	<10	9	17	
60	105	<5	0.10	<1	5	72	85	5.78	<10	0.06	47	31	<0.01	14	4790	8	5	<20	2	<0.01	<10	47	<10	<1	89	
25	60	<5	>10	1	19	23	1936	6.91	<10	1.48	1936	8	0.02	6	1450	14	<5	<20	307	<0.01	<10	74	<10	<1	115	
30	100	<5	0.44	<1	1	81	6	1.40	10	0.08	107	14	0.01	4	610	20	10	<20	17	<0.01	<10	30	<10	3	69	
30	65	<5	0.18	<1	1	126	4	0.75	<10	0.03	63	11	<0.01	5	80	8	<5	<20	4	<0.01	20	11	<10	<1	29	
20	45	<5	0.14	<1	12	54	42	6.10	<10	0.35	348	11	0.02	29	680	20	<5	<20	7	<0.01	<10	24	<10	<1	129	
10	55	5	0.23	<1	7	67	21	4.00	<10	0.75	197	17	0.01	16	1080	14	<5	<20	6	<0.01	<10	44	<10	<1	73	
30	40	5	0.10	<1	4	82	5	6.25	<10	<0.01	47	61	0.03	2	1890	12	<5	<20	40	23	<0.01	<10	3	<10	<1	16
25	195	<5	4.30	2	29	23	109	5.16	<10	0.87	1683	3	<0.01	6	1840	24	10	<20	81	<0.01	<10	30	<10	<1	102	
10	195	<5	0.24	<1	1	133	7	1.81	20	0.04	53	8	0.05	5	510	14	<5	<20	18	<0.01	<10	5	<10	2	18	
<5	20	<5	0.04	<1	2	16	3	2.96	<10	<0.01	323	3	<0.01	2	<10	<2	<5	<20	8	<0.01	<10	<1	<10	<1	15	
<5	70	<5	1.71	<1	4	12	122	1.85	<10	0.01	303	3	<0.01	<1	430	<2	<5	<20	71	<0.01	<10	1	<10	3	16	
25	90	15	1.06	<1	8	113	16	8.17	<10	0.06	227	25	0.02	4	2810	14	<5	<20	57	<0.01	<10	9	<10	<1	58	
25	85	<5	0.67	4	14	64	50	5.90	<10	1.32	745	18	0.04	22	2840	14	<5	<20	24	<0.01	<10	45	<10	6	191	
35	60	<5	3.47	<1	14	64	84	3.98	<10	0.81	1090	6	<0.01	16	950	8	<5	<20	154	<0.01	<10	14	<10	3	57	
<5	100	<5	0.48	2	17	23	95	5.13	<10	0.61	432	9	<0.01	16	1830	24	<5	<20	25	0.06	<10	47	<10	4	137	
<5	70	<5	0.18	<1	<1	98	8	1.88	<10	<0.01	60	3	0.02	4	200	<2	<5	<20	2	<0.01	<10	1	<10	<1	30	
10	110	5	0.11	<1	2	46	6	2.28	<10	0.09	75	4	0.02	2	570	8	<5	<20	4	<0.01	<10	4	<10	<1	19	
70	100	30	0.13	<1	11	84	13	>10	<10	0.01	190	108	0.01	<1	<10	32	<5	<20	24	<0.01	<10	5	<10	<1	23	
105	75	5	0.25	<1	2	158	14	3.06	<10	0.04	172	20	<0.01	12	870	16	<5	<20	17	<0.01	<10	39	<10	2	277	
<5	115	10	0.57	<1	16	32	5	5.24	<10	0.70	327	4	0.04	1	2920	10	<5	<20	22	0.05	<10	45	<10	7	74	
80	35	20	8.69	<1	9	33	19	>10	<10	2.70	7529	89	<0.01	2	50	8	<5	<20	427	0.01	<10	14	<10	<1	31	
30	50	<5	0.34	<1	18	43	35	5.41	<10	0.07	90	6	<0.01	10	1080	8	<5	<20	11	<0.01	<10	8	<10	<1	54	
<5	70	<5	0.17	<1	7	63	31	3.00	<10	0.33	127	4	0.02	4	760	14	<5	<20	5	0.07	<10	22	<10	2	33	
<5	85	<5	0.37	<1	8	69	39	2.61	<10	0.50	156	<1	0.02	5	680	18	<5	<20	10	0.12	<10	27	<10	3	29	
35	60	<5	0.10	<1	3	88	7	1.41	<10	0.02	23	<1	0.02	2	410	8	<5	<20	8	0.11	<10	5	<10	1	7	
<5	85	<5	0.83	<1	20	27	73	4.10	<10	0.25	326	2	<0.01	9	1900	8	<5	<20	19	0.06	<10	37	<10	2	34	
5	210	<5	0.45	<1	5	50	4	3.11	<10	0.49	220	2	0.07	1	1780	8	<5	<20	17	0.02	<10	13	<10	11	1	

Sample No.	Class	UTM	Location	Map Sheet	Grid	Description	Au	Ag	Al	As	Ba	Bi	Ca	Co	Cu	Cr	Fe	La	Mn	Mo	Ni	Pb	P	Pt	Sb	Se	Si	Te	Ti	V	Zn				
							ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm					
37460	Page 2	8201805	413000	A	6	North side of Sulphurite	10.9	1.64	45	40	1	2.85	2	29	87	3.01	150	1.52	1000	1	0.05	9	4745	33	150	0.15	110	224	110	5	71				
37461	Page 2	8201805	413000	6	6	North side of Sulphurite	10.9	1.50	10	40	1	3.16	3	18	30	70	3.94	110	0.82	1155	1	0.05	43	2150	22	145	0.04	110	83	130	2	234			
37462	Page 2	8201810	413000	6	6	North side of Sulphurite	10.9	0.4	0.34	10	20	1	3.46	1	5	12	44	0.82	110	0.23	106	1	0.05	8	2730	12	1	34	150	2	87				
37463	Page 2	8201820	413000	6	6	North side of Sulphurite	10.9	0.6	0.60	15	25	1	4.82	1	11	25	56	2.08	110	0.30	1200	3	0.05	12	2010	14	5	20	130	0.04	110	81	110	6	81
36753	Corey 7	820480	415475	Regional		Emb	10.9	10.2	2.27	30	85	1	0.87	1	34	25	18	126	7.01	150	130	1	0.01	14	2430	12	1	50	0.05	110	175	110	1	10	
37464	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37465	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37466	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37467	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37468	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37469	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37470	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37471	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37472	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37473	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37474	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37475	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37476	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37477	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37478	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37479	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37480	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37481	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37482	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37483	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37484	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37485	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37486	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37487	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37488	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37489	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37490	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37491	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37492	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37493	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37494	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37495	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37496	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37497	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31	2070	1	0.03	27	2000	20	1	30	0.09	110	36	110	1	10	
37498	Corey 38			Cumbernauld			10.9	1.0	3.75	10	10	1	1.50	2	40	50	48	3.28	10	0.31															

BATTLESON

Table with columns: LWB, STATION, DEPTH, COLOR, TEXTURE, SLOPE, MOISTURE, ORGANIC, DESCRIPTION, and various chemical/physical parameters (pH, Ca, Mg, S, etc.).

LINE	STATION	DEPTH	COLOR	TEXTURE	SLOPE	MOISTURE	ORGANIC	Au	Ag	Al	As	Br	B	Ca	Co	Cr	Cu	Fe	K	Mn	Mo	Ni	P	Pb	Sb	Se	Si	Sr	Ti	V	W	Y	Zn			
300m	0-500	30	dk-brn	clay	30	moist	20	+1	0.8	2.11	70	85	+6	0.36	2	84	29	82	4.19	+10	0.71	1225	3	0.07	44	620	12	+5	20	38	0.09	+10	80	+10	12	119
300m	0-750	30	dk-brn	silt	25	moist	20	+1	0.6	1.85	70	85	+6	0.36	2	84	29	82	4.19	+10	0.71	1225	3	0.07	44	620	12	+5	20	38	0.09	+10	80	+10	12	119
300m	0-750	15	dk-brn	silt	30	moist	20	+1	0.6	1.85	70	85	+6	0.36	2	84	29	82	4.19	+10	0.71	1225	3	0.07	44	620	12	+5	20	38	0.09	+10	80	+10	12	119
300m	0-750	15	dk-brn	silt	10	moist	10	+6	1.8	3.35	+5	85	10	-0.23	2	111	21	14	4.52	+10	0.65	206	9	0.03	27	240	8	-5	40	10	0.07	+10	80	+10	-1	103
300m	1-000	20	dk-brn	silt	20	moist	5	+5	0.6	2.87	+5	80	+5	0.25	-1	10	21	37	6.38	+10	0.66	206	9	0.03	27	240	8	-5	40	22	0.06	+10	71	+10	-1	82
300m	1-250	15	dk-brn	sand	25	dry	5	+5	2.2	2.87	+5	80	+5	0.25	-1	10	21	37	6.38	+10	0.66	206	9	0.03	27	240	8	-5	40	15	0.10	+10	71	+10	-1	85
300m	1-500	0	dk-brn	silt	0	moist	0	+8	2.2	2.87	15	35	+5	2.04	-1	8	15	21	9.81	+10	0.02	536	3	0.04	8	820	10	-5	40	15	0.12	+10	80	+10	-1	87
300m	1-750	15	dk-brn	clay	20	moist	5	+5	1.2	2.57	+5	80	+5	0.08	-1	10	21	37	6.38	+10	0.30	137	4	0.03	25	360	10	-5	40	8	0.04	+10	71	+10	-1	106
300m	2-000	10	dk-brn	clay	20	moist	5	+5	1.2	2.57	+5	80	+5	0.08	-1	10	21	37	6.38	+10	0.30	137	4	0.03	25	360	10	-5	40	8	0.04	+10	71	+10	-1	106
300m	2-250	15	dk-brn	clay	10	moist	5	+5	1.4	3.47	+5	70	8	0.13	1	10	40	27	6.71	+10	0.32	204	7	0.03	23	470	10	-5	40	10	0.06	+10	87	+10	-1	109
300m	2-500	20	dk-brn	clay	10	moist	5	+5	1.4	3.47	+5	70	8	0.13	1	10	40	27	6.71	+10	0.32	204	7	0.03	23	470	10	-5	40	10	0.06	+10	87	+10	-1	109
300m	2-750	20	dk-brn	sand	10	moist	5	+5	0.2	2.84	10	85	+5	0.04	-1	8	33	33	9.19	+10	0.46	345	6	0.01	22	410	10	-5	40	10	0.04	+10	95	+10	-1	147
300m	3-000	20	dk-brn	sand	10	moist	10	+5	0.6	4.37	15	70	+5	0.10	-1	11	60	33	9.19	+10	0.08	205	3	0.02	8	340	18	-5	40	18	0.30	+10	81	+10	-1	80
300m	3-250	15	dk-brn	silt	20	moist	0	+5	0.8	2.26	+5	105	10	0.18	2	12	31	15	9.80	+10	0.08	205	3	0.02	13	310	8	-5	40	7	0.22	+10	71	+10	-1	51
300m	3-500	10	rd	silt	15	dry	0	+5	1.4	1.77	+5	88	+6	0.06	-1	8	20	17	4.20	+10	0.20	71	6	0.02	13	310	8	-5	40	7	0.22	+10	71	+10	-1	51
300m	3-750	15	dk-brn	sand	20	moist	15	+5	0.2	2.94	10	135	+6	0.42	-1	20	42	29	9.19	+10	0.11	307	11	0.01	46	430	8	-5	40	15	0.07	+10	31	+10	-1	86
300m	3-750	20	dk-brn	silt	10	moist	0	+5	2.2	3.64	10	85	+5	0.15	1	7	25	18	9.54	+10	0.26	180	5	0.01	24	810	10	-5	40	22	0.82	+10	128	+10	-1	40
300m	4-000	25	dk-brn	clay	0	moist	0	+5	0.7	0.68	+5	90	10	0.27	-1	10	19	18	2.26	+10	0.38	206	9	0.01	8	360	18	-5	40	22	0.27	+10	75	+10	-1	26
300m	4-250	15	dk-brn	silt	5	moist	5	+5	5.2	1.84	+5	105	5	0.26	-1	13	6	12	4.15	+10	0.27	190	-1	0.05	8	520	16	-5	40	22	0.27	+10	74	+10	-1	26
300m	4-500	25	dk-brn	silt	10	moist	2	+4	8.7	1.64	+6	110	5	0.27	2	12	28	12	4.07	+10	0.26	164	-1	0.06	7	480	20	-5	40	24	0.27	+10	74	+10	-1	26
300m	4-750	30	dk-brn	silt	20	moist	5	+5	1.0	1.80	+5	55	5	0.26	2	12	28	21	11.50	+10	0.08	174	6	0.02	10	430	12	-5	40	10	0.32	+10	138	+10	-1	88
300m	5-000	20	brn	clay	15	moist	15	+5	2.1	1.63	+5	75	5	0.07	2	11	17	14	5.88	+10	0.04	140	3	0.01	8	330	16	-5	40	20	0.3	+10	112	+10	-1	88
300m	5-250	10	org	sand	0	dry	10	+6	2.1	1.77	+5	85	15	0.08	2	13	9	17	11.30	+10	0.06	180	5	0.01	8	360	18	-5	40	20	0.3	+10	112	+10	-1	88
300m	5-500	15	brn	silt	30	dry	40	+5	2.2	1.44	+5	80	5	0.74	2	21	8	16	4.85	+10	0.83	297	-1	0.20	6	340	8	-5	40	30	0.28	+10	56	+10	-1	26
300m	5-750	15	brn-silt	clay	45	moist	30	+5	2.2	0.86	+5	55	+5	0.40	-1	14	4	5	2.48	+10	0.87	210	-1	0.10	8	490	2	-5	40	30	0.28	+10	56	+10	-1	26
300m	6-000	20	org	silt	35	moist	0	+6	0.2	2.77	+9	80	5	0.04	1	7	31	17	6.78	+10	0.18	108	7	0.01	13	290	10	-5	40	3	0.09	+10	99	+10	-1	46
300m	6-250	15	org-brn	silt	40	moist	10	+5	0.4	2.58	+9	120	+5	0.05	-1	1	9	8	8.91	+10	0.23	318	7	0.02	3	660	8	-5	40	3	0.09	+10	158	+10	-1	46
300m	6-500	15	rd-org	silt	35	dry	0	+5	1.2	2.29	+5	105	+5	0.08	-1	11	4	5	2.17	+10	0.40	181	-1	0.08	6	940	12	-5	40	33	0.21	+10	40	+10	-1	26
300m	6-750	20	brn-silt	clay	45	moist	30	+5	2.2	0.86	+5	55	+5	0.40	-1	14	4	5	2.48	+10	0.87	210	-1	0.10	8	490	2	-5	40	30	0.28	+10	56	+10	-1	26
300m	7-000	20	org-brn	silt	30	moist	0	+5	0.4	2.58	+9	120	+5	0.05	-1	1	9	8	8.91	+10	0.23	318	7	0.02	3	660	8	-5	40	3	0.09	+10	158	+10	-1	46
300m	7-250	20	dk-brn	silt	10	moist	5	+5	1.8	5.03	10	55	+5	0.13	-1	18	27	33	5.41	+10	0.70	879	8	0.01	40	540	8	-5	40	8	0.11	+10	52	+10	-1	81
300m	7-500	25	rd	silt	15	dry	0	+5	0.4	3.24	+5	80	15	0.03	2	10	43	27	10.30	+10	0.24	184	13	0.02	25	360	18	-5	40	13	0.12	+10	48	+10	-1	87
300m	8-000	20	rd	clay	5	moist	5	+5	4.8	9.42	5	60	+5	0.02	-1	6	36	23	6.84	+10	0.18	147	11	0.01	17	840	10	-5	40	2	0.08	+10	51	+10	-1	89
300m	8-250	15	dk-brn	clay	10	moist	15	+5	1.4	0.97	+8	50	+5	0.28	2	7	7	14	3.88	+10	0.85	94	-1	0.03	7	420	6	-5	40	24	0.24	+10	87	+10	-1	43
300m	8-500	20	rd	clay	15	moist	15	+5	1.4	0.97	+8	50	+5	0.28	2	7	7	14	3.88	+10	0.85	94	-1	0.03	7	420	6	-5	40	24	0.24	+10	87	+10	-1	43
300m	8-750	15	dk-brn	clay	10	moist	15	+5	1.4	0.97	+8	50	+5	0.28	2	7	7	14	3.88	+10	0.85	94	-1	0.03	7	420	6	-5	40	24	0.24	+10	87	+10	-1	43
300m	9-000	20	rd	clay	15	moist	15	+5	1.4	0.97	+8	50	+5	0.28	2	7	7	14	3.88	+10	0.85	94	-1	0.03	7	420	6	-5	40	24	0.24	+10	87	+10	-1	43
300m	9-250	15	dk-brn	clay	10	moist	15	+5	1.4	0.97	+8	50	+5	0.28	2	7	7	14	3.88	+10	0.85	94	-1	0.03	7	420	6	-5	40	24	0.24	+10	87	+10	-1	43
300m	9-500	20	brn	clay	10	moist	15	+5	1.4	0.97	+8	50	+5	0.28	2	7	7	14	3.88	+10	0.85	94	-1	0.03	7	420	6	-5	40	24	0.24	+10	87	+10	-1	43
300m	9-750	15	brn	clay	10	moist	15	+5	1.4	0.97	+8	50	+5	0.28	2	7	7	14	3.88	+10	0.85	94	-1	0.03	7	420	6	-5	40	24	0.24	+10	87	+10	-1	43
300m	10-000	20	brn	clay	10	moist	15	+5	1.4	0.97	+8	50	+5	0.28	2	7	7	14	3.88	+10	0.85	94	-1	0.03	7	420	6	-5	40	24	0.24	+10	87	+10	-1	43
300m	10-250	15	dk-brn	clay	40	moist	40	+5	1.8	3.73	+5	80	10	0.23	2	30	27	20	11.30	+10	0.26	100	11	0.01	23	410	12	-5	40	1	0.07	+10	80	+10	-1	100
300m	10-500	20	dk-brn	clay	20	moist	40	+5	1.8	3.73	+5	80	10	0.23	2	30	27	20	11.30	+10	0.26	100	11	0.01	23	410	12	-5	40	1	0.07	+10	80	+10	-1	100
300m	10-750	25	dk-brn	silt	20	moist	20	+5	2.2	0.80	+5	60	+5	0.05	1	10	2	4	1.53	+10	0.17	245	6	0.01	46	280	18	-5	40	8	0.01	+10	90	+10	-1	104
300m	11-000																																			

APPENDIX F

ECO-TECH ANALYSES



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 96-841

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

15-Aug-96

ATTENTION: RAUL VERZOSA/KEN TROCIUK

No. of samples received: 29

Sample type: ROCK

PROJECT #:

SHIPMENT #: 12

Samples submitted by: BILL TELFORD

ET #.	Tag #	Ag (g/t)	Ag (oz/t)	Zn (%)
1	38637	6166.0	179.82	1.20
2	38638	74.4	2.17	-
3	38639	105.8	3.09	-
4	38640	80.2	2.34	-
5	38647	100.2	2.92	-
6	38648	97.5	2.84	-
15	38907	33.8	0.99	-
17	38908	89.2	2.60	-
27	38015	33.6	0.98	-
28	38016	5600.0	163.31	-
29	38017	95.0	2.77	-

QC DATA:

Resplit:

R/S 1 6095.0 177.75 1.15

Standard:

CPB-1 634.0 18.49 4.45
KCl_a 1655.0 48.27 -

XLS/96kenrich#2


Eco-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CB

15-Aug-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-841

KENRICH
910-5101
VANCOU
V6C 3A8

ATTENT

Phone: 604-573-5700
Fax : 604-573-4557

No. of sa
Sample t
PROJEC
SHIPMEI
Samples

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)*	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn
1	38637	>30	4.37	935	95	<5	0.57	43	11	138	311	9.43	<10	0.84	241	115	0.01	104	2520	6216	2075	20	
2	38638	>30	0.23	190	190	<5	0.02	<1	2	206	33	2.04	<10	<0.01	46	49	<0.01	15	140	124	95	<20	
3	38639	>30	0.73	510	25	<5	0.04	<1	6	229	69	5.88	<10	0.08	69	39	<0.01	36	190	102	80	<20	
4	38640	>30	4.38	445	>10000	<5	0.11	<1	<1	127	51	5.07	<10	0.61	199	74	0.03	42	970	90	125	<20	
5	38647	>30	3.31	360	7780	<5	0.06	<1	<1	233	58	3.60	<10	0.95	246	63	0.01	32	530	152	145	<20	
8	38648	>30	0.46	915	40	<5	0.03	<1	6	203	99	6.55	<10	0.12	77	31	<0.01	30	130	118	95	<20	
7	38649	28.2	0.32	165	935	<5	<0.01	<1	<1	164	10	2.64	<10	0.18	64	13	<0.01	4	250	86	70	<20	
8	38650	22.2	0.22	90	1265	<5	<0.01	<1	<1	199	7	2.33	<10	0.09	41	15	<0.01	3	150	44	30	<20	
9	38901	16.2	0.33	210	1030	5	<0.01	<1	<1	139	15	4.18	<10	0.19	60	14	<0.01	3	280	42	25	<20	
10	38902	17.6	0.18	135	920	<5	<0.01	<1	<1	150	4	1.97	<10	0.09	34	11	<0.01	3	220	32	20	<20	
11	38903	16.2	0.19	200	325	<5	<0.01	<1	<1	113	7	2.74	<10	0.10	45	13	<0.01	3	230	28	20	<20	
12	38904	9.8	0.97	1660	325	15	0.05	<1	7	94	23	>10	<10	0.22	107	26	0.01	8	1600	54	<5	20	
13	38905	18.8	0.56	165	70	<5	0.29	<1	10	133	50	4.51	<10	0.36	180	16	<0.01	4	1310	32	20	<20	
14	38906	15.6	0.66	155	65	<5	0.32	<1	9	156	37	5.98	<10	0.56	386	15	<0.01	4	870	42	15	<20	
15	38907	>30	1.24	220	120	<5	0.21	<1	10	126	30	4.24	<10	1.12	536	10	<0.01	5	1140	44	45	<20	
16	38908	25.8	1.28	295	115	<5	0.16	<1	7	81	34	4.73	<10	1.18	415	7	<0.01	3	1050	144	35	<20	
17	38909	>30	1.21	420	80	<5	0.16	<1	8	64	79	5.77	<10	1.02	397	10	<0.01	3	1110	396	95	<20	
18	38910	19.2	1.00	725	115	<5	0.11	<1	6	99	22	4.69	<10	0.73	292	9	<0.01	3	950	52	30	<20	
19	38007	0.2	0.83	<5	40	5	0.68	<1	11	93	7	3.62	<10	0.61	419	12	0.05	10	560	14	<5	<20	
20	38008	0.8	1.25	15	105	<5	0.21	<1	6	45	19	4.40	<10	0.63	243	17	0.01	9	770	24	<5	<20	
21	38009	0.4	1.26	35	125	<5	0.65	<1	11	70	40	4.41	<10	0.46	284	11	0.01	17	2000	36	<5	<20	
22	38010	1.0	1.51	10	80	<5	0.18	1	8	39	21	5.08	<10	0.86	477	8	<0.01	15	900	16	<5	<20	
23	38011	1.4	1.79	20	65	5	0.36	<1	11	71	41	5.43	<10	1.22	275	5	0.02	26	830	22	<5	<20	
24	38012	0.6	1.45	10	65	<5	0.26	3	9	70	36	5.18	<10	0.91	229	20	<0.01	21	730	22	<5	<20	
25	38013	0.6	2.53	15	60	5	0.61	1	15	67	34	8.58	<10	2.14	581	4	0.03	12	440	12	<5	<20	

CB

08/16/96 14:47 604 573 4557 ECO-TECH KAM. KENRICH 003

MINING CORPORATION
RARRARD STREET
ER, BC

N: JOHN KOWALCHUK

amples received: 29

ie: ROCK

#: NONE GIVEN

#: 12

Submitted by: BILL TELFORD

Sr	Ti %	U	V	W	Y	Zn
4	<0.01	10	169	<10	<1	>10000
4	<0.01	<10	24	<10	<1	117
3	<0.01	<10	74	<10	<1	430
54	<0.01	<10	304	<10	2	190
36	<0.01	<10	345	<10	<1	282
1	<0.01	<10	70	<10	<1	468
7	<0.01	<10	22	<10	<1	31
10	<0.01	<10	12	<10	<1	17
9	<0.01	<10	14	<10	<1	41
9	<0.01	<10	7	<10	<1	23
6	<0.01	<10	7	<10	<1	45
6	0.06	10	72	<10	<1	199
9	<0.01	<10	24	<10	4	62
11	0.01	<10	26	<10	4	69
11	<0.01	<10	45	<10	<1	65
9	<0.01	<10	45	<10	<1	239
9	<0.01	<10	34	<10	<1	555
5	<0.01	<10	37	<10	<1	32
4	0.19	<10	55	<10	11	80
4	0.08	<10	23	<10	4	55
10	0.14	<10	38	<10	11	81
8	<0.01	<10	30	<10	3	102
8	0.15	<10	63	<10	9	67
4	0.04	<10	26	<10	3	140
43	0.24	<10	142	<10	4	60

03

004

KENRICH

ECO-TECH KAM.

604 573 4557

14:48

08/16/96

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-841

Et #.	Tag#	Au (ppb)*	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn
26	38014		<0.2	6.39	<5	40	<5	3.45	2	54	508	62	7.85	<10	6.42	1562	<1	0.24	211	390	4	<5	<20
27	38015		>30	3.96	175	65	<5	1.62	36	56	318	70	>10	<10	3.62	>10000	3	0.08	200	310	52	15	<20
28	38016		>30	0.44	1570	140	<5	0.28	31	22	34	5491	>10	<10	1.46	<1	39	<0.01	23	<10	1380	7025	40
29	38017		>30	0.79	360	55	10	0.33	26	52	122	92	>10	<10	1.96	>10000	11	<0.01	191	140	40	85	20

QC DATA:

Resplit:

1	38637		>30	4.35	910	105	<5	0.56	42	9	142	299	8.40	<10	0.86	252	105	0.01	97	2470	6530	2040	<20
---	-------	--	-----	------	-----	-----	----	------	----	---	-----	-----	------	-----	------	-----	-----	------	----	------	------	------	-----

Repeat:

1	38637		>30	4.36	920	85	<5	0.56	43	11	137	307	9.36	<10	0.84	237	114	0.01	101	2520	6224	2070	20
10	38902		16.6	0.18	130	950	<5	<0.01	<1	<1	154	4	1.97	<10	0.09	36	11	<0.01	3	200	32	20	<20
19	38007		<0.2	0.85	<5	40	5	0.70	<1	12	93	8	3.66	<10	0.63	435	12	0.05	10	560	14	<5	<20

Standard:

GEO'96			2.0	1.85	65	170	<5	2.04	<1	21	71	80	4.04	<10	0.98	782	<1	0.02	20	770	24	<5	<20
--------	--	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----

NOTE: * RESULTS TO FOLLOW

dl/814R

XLS/96Kenrich#2

per

CB


ECO-TECH LABORATORIES LTD.

Ir	Ti %	U	V	W	Y	Zn
15	0.25	<10	191	<10	9	153
17	0.11	<10	127	<10	<1	3460
6	0.13	10	37	<10	<1	707
3	0.05	<10	47	<10	<1	2470

19 <0.01 10 169 <10 <1 >10000

5 <0.01 10 168 <10 <1 >10000
 9 <0.01 <10 7 <10 <1 21
 4 0.20 <10 56 <10 12 79

64 0.14 <10 85 <10 4 81


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 C. Certified Assayer

CERTIFICATE OF ANALYSIS AS 96-5017

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

3-Jul-96

ATTENTION: KEN TROCIUK*No. of samples received: 26**Sample type: Moss**PROJECT #: Corey**SHIPMENT #: 3**Samples submitted by: Bill*

ET #.	Tag #	Au (ppb)
1	37757	<5
2	37758	<5
3	37759	80
4	37760	40
5	37761	35
6	37762	<5
7	37763	<5
8	37764	5
9	37765	<5
10	37766	<5
11	37767	<5
12	37768	<5
13	37824	<5
14	37825	<5
15	37826	<5
16	37827	5
17	37851	<5
18	37852	<5
19	37853	10
20	37854	<5
21	37855	<5
22	37856	<5
23	37857	<5
24	37858	<5
25	37859	<5
26	37860	<5

KENRICH MINING CORPORATION AS 96-5017

3-Jul-96

<u>ET #.</u>	<u>Tag #</u>	<u>Au</u> <u>(ppb)</u>
--------------	--------------	---------------------------

QC DATA:

Repeat:

1	37757	<5
16	37827	5

Standard:

GEO'96	150
--------	-----

XLS/96kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5026

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

3-Jul-96

ATTENTION: RAUL VERZOSA/KEN TROCIUK

No. of samples received: 67

Sample type: Rock

PROJECT #: COREY

SHIPMENT #: 4

Samples submitted by: Bill Telford

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
24	28243	-	-	34.7	1.012
25	28244	-	-	108.7	3.170
34	38253	19.78	0.577	61.3	1.788
65	38761	3.16	0.092	119.8	3.494

QC/DATA

Standard:

CPb-1	-	-	620	18.081
CPb-1	-	-	619	18.052

XLS/96kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 96-5027

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

4-Jul-96

ATTENTION: RAUL VERZOSA/KEN TROCIUK

No. of samples received: 28

Sample type: Core

PROJECT #: COREY

SHIPMENT #: Core #2

Samples submitted by: not indicated

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
1	40047	<.03	<.001	0.2	0.006
2	40048	<.03	<.001	4.2	0.122
3	40049	<.03	<.001	2.3	0.067
4	40050	<.03	<.001	3.1	0.090
5	40051	0.03	0.001	0.7	0.020
6	40052	<.03	<.001	3.6	0.105
7	40053	<.03	<.001	1.9	0.055
8	40054	0.03	0.001	0.8	0.023
9	40055	<.03	<.001	6.8	0.198
10	40056	<.03	<.001	4.5	0.131
11	40057	<.03	<.001	2.3	0.067
12	40058	<.03	<.001	2.2	0.064
13	40059	<.03	<.001	0.2	0.006
14	40060	<.03	<.001	0.2	0.006
15	40061	<.03	<.001	0.2	0.006
16	40062	<.03	<.001	1.4	0.041
17	40063	<.03	<.001	2.8	0.082
18	40064	<.03	<.001	2.5	0.073
19	40065	<.03	<.001	4.5	0.131
20	40066	<.03	<.001	7.3	0.213
21	40067	<.03	<.001	3.5	0.102
22	40068	<.03	<.001	2.7	0.079
23	40069	0.03	0.001	4.8	0.140


 Frank J. Pezzotti, A.Sc. T. B.C. Certified Assayer

KENRICH MINING CORPORATION AS 96-5027

4-Jul-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
24	40070	0.03	0.001	6.3	0.184
25	40071	0.05	0.001	3.3	0.096
26	40072	<.03	<.001	0.2	0.006
27	40073	0.03	0.001	0.2	0.006
28	40074	<.03	<.001	0.2	0.006

QC DATA:**Resplit:**

R/S 1	40047	<.03	<.001	0.3	0.009
-------	-------	------	-------	-----	-------

Repeat:

1	40047	<.03	<.001	0.2	0.006
10	40056	<.03	<.001	4.4	0.128
19	40065	0.03	0.001	4.6	0.134

Standard:

STD-M		3.22	0.094	-	-
CPb-1		-	-	625.0	18.227

XLS/96kenrich


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

CERTIFICATE OF ANALYSIS AS 96-5028

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

4-Jul-96

ATTENTION: KEN TROCIUK

No. of samples received: 5

Sample type: Silt

PROJECT #: Corey

SHIPMENT #: none given

ET #.	Tag #	Au (ppb)
1	38101	5
2	38102	10
3	38103	5
4	39501	5
5	39502	5

QC DATA:

Repeat:

1	38101	10
---	-------	----

XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

CERTIFICATE OF ANALYSIS AS 96-5029

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

4-Jul-96

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 17
Sample type: Moss
PROJECT #: Corey
SHIPMENT #: 4

ET #.	Tag #	Au (ppb)
1	37769	350
2	37770	10
3	37771	10
4	37772	30
5	37773	10
6	37774	10
7	37775	<5
8	77776	<5
9	37861	<5
10	37862	<5
11	37863	490
12	37864	<5
13	37865	<5
14	37866	40
15	37867	30
16	37868	560
17	37869	<5

KENRICH MINING CORPORATION AS 96-5029

4-Jul-96

<u>ET #.</u>	<u>Tag #</u>	<u>Au</u> <u>(ppb)</u>
--------------	--------------	---------------------------

QC DATA:

Repeat:

1	37769	290
10	37862	<5

Standard:

GEO'96		140
--------	--	-----

XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5034

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

9-Jul-96

ATTENTION: JOHN KOWALCHUK/ KEN TROCIUK

No. of samples received: 64


Sample type: Core

PROJECT #: Corey

SHIPMENT #: Core #3

Samples submitted by: M. Dittrick

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
1	40075	<.03	<.001	0.2	0.01
2	40076	<.03	<.001	0.2	0.01
3	40077	<.03	<.001	0.1	0.00
4	40078	<.03	<.001	0.2	0.01
5	40079	<.03	<.001	0.3	0.01
6	40080	<.03	<.001	0.5	0.02
7	40081	<.03	<.001	0.2	0.01
8	40082	<.03	<.001	0.2	0.01
9	40083	<.03	<.001	2.2	0.06
10	40084	<.03	<.001	0.9	0.03
11	40085	<.03	<.001	1.0	0.03
12	40086	<.03	<.001	1.8	0.05
13	40087	<.03	<.001	1.5	0.04
14	40088	<.03	<.001	1.2	0.04
15	40089	<.03	<.001	1.3	0.04
16	40090	<.03	<.001	0.2	0.01
17	40091	<.03	<.001	0.2	0.01
18	40092	<.03	<.001	4.9	0.14
19	40093	<.03	<.001	2.2	0.06
20	40094	0.06	0.002	3.1	0.09
21	40095	<.03	<.001	0.6	0.02
22	40096	<.03	<.001	3.2	0.09


 Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

KENRICH MINING CORPORATION AS 96-5034

9-Jul-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
23	40097	<.03	<.001	2.8	0.08
24	40098	<.03	<.001	3.6	0.11
25	40099	<.03	<.001	3.7	0.11
26	40100	<.03	<.001	1.7	0.05
27	40101	<.03	<.001	11.4	0.33
28	40102	<.03	<.001	2.2	0.06
29	40103	<.03	<.001	1.2	0.04
30	40104	<.03	<.001	1.4	0.04
31	40105	<.03	<.001	2.7	0.08
32	40106	<.03	<.001	2.1	0.06
33	40107	<.03	<.001	5.8	0.17
34	40108	<.03	<.001	2.6	0.08
35	40109	<.03	<.001	0.7	0.02
36	40110	<.03	<.001	0.2	0.01
37	40111	<.03	<.001	0.2	0.01
38	40112	<.03	<.001	0.2	0.01
39	40113	<.03	<.001	0.3	0.01
40	40114	<.03	<.001	0.5	0.02
41	40115	<.03	<.001	0.2	0.01
42	40116	<.03	<.001	0.2	0.01
43	40117	<.03	<.001	1.2	0.04
44	40118	<.03	<.001	2.8	0.08
45	40119	<.03	<.001	1.0	0.03
46	40120	<.03	<.001	1.8	0.05
47	40121	<.03	<.001	0.6	0.02
48	40122	<.03	<.001	0.6	0.02
49	40123	<.03	<.001	0.3	0.01
50	40124	<.03	<.001	0.4	0.01
51	40125	<.03	<.001	0.2	0.01
52	40126	<.03	<.001	0.3	0.01
53	40127	<.03	<.001	1.0	0.03
54	40128	<.03	<.001	1.6	0.05
55	40129	<.03	<.001	0.9	0.03
56	40130	<.03	<.001	0.3	0.01
57	40131	<.03	<.001	0.8	0.02
58	40132	<.03	<.001	1.6	0.05
59	40133	<.03	<.001	2.9	0.09
60	40134	<.03	<.001	1.0	0.03
61	40135	<.03	<.001	0.2	0.01
62	40136	<.03	<.001	0.2	0.01
63	40137	<.03	<.001	0.2	0.01
64	40138	<.03	<.001	0.2	0.01


 Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer
 ECO-TECH LABORATORIES LTD.

KENRICH MINING CORPORATION AS 96-5034

9-Jul-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
QC DATA:					
Resplit:					
R/S 1	40075	<.03	<.001	0.2	0.01
R/S 36	40110	<.03	<.001	0.2	0.01
Repeat:					
1	40075	<.03	<.001	0.2	0.01
10	40084	<.03	<.001	1.0	0.03
19	40093	<.03	<.001	2.2	0.06
36	40110	<.03	<.001	0.2	0.01
45	40119	<.03	<.001	1.0	0.03
54	40128	<.03	<.001	1.4	0.04
Standard:					
STD-M		3.20	0.093	-	-
STD-M		3.22	0.094	-	-
CPb-1		-	-	625.0	18.23
CPb-1		-	-	625.0	18.23

XLS/96Kenrich


 ECO-TECH LABORATORIES LTD.
 per Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5038

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

10-Jul-96

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 14

Sample type: Silt

PROJECT #: Corey

SHIPMENT #: None Given

Samples submitted by: None Given

ET #.	Tag #	Au (ppb)
1	37834	5
2	37835	5
3	37836	5
4	37837	10
5	37838	5
6	37839	10
7	37840	10
8	39503	295
9	39504	15
10	39505	5
11	39506	15
12	39507	5
13	39508	5
14	39509	5

KENRICH MINING CORPORATION AS 96-5038

10-Jul-96

ET #.	Tag #	Au (ppb)
-------	-------	-------------

QC DATA:

Repeat:

1	37834	5
---	-------	---

Standard:

GEO'96		150
--------	--	-----

XLS/96Kenrich


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (804) 573-5700
Fax (804) 573-4557

CERTIFICATE OF ASSAY AS 96-5045

**KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8**

12-Jul-96

ATTENTION: J. KOWALCHUK, K. TROCIUK

*No. of samples received: 85
Sample type: Core
PROJECT #: none given
SHIPMENT #: CORE #4*

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
1	40139	<.03	<.001	0.2	0.01
2	40140	<.03	<.001	4.4	0.13
3	40141	<.03	<.001	0.2	0.01
4	40142	<.03	<.001	0.3	0.01
5	40143	<.03	<.001	0.7	0.02
6	40144	<.03	<.001	2.6	0.08
7	40145	<.03	<.001	6.1	0.18
8	40146	<.03	<.001	2.3	0.07
9	40147	<.03	<.001	0.2	0.01
10	40148	<.03	<.001	0.5	0.02
11	40149	<.03	<.001	6.2	0.18
12	40150	<.03	<.001	5.8	0.17
13	40151	<.03	<.001	0.3	0.01
14	40152	<.03	<.001	0.5	0.02
15	40153	<.03	<.001	0.5	0.02
16	40154	<.03	<.001	0.3	0.01
17	40155	<.03	<.001	0.2	0.01
18	40156	<.03	<.001	0.9	0.03
19	40157	<.03	<.001	4.4	0.13
20	40158	<.03	<.001	2.1	0.06
21	40159	<.03	<.001	1.6	0.05
22	40160	<.03	<.001	0.3	0.01

none

per 
Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

KENRICH MINING CORPORATION AS 96-5045

12-Jul-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
23	40161	<.03	<.001	0.3	0.01
24	40162	<.03	<.001	0.3	0.01
25	40163	<.03	<.001	0.2	0.01
26	40164	<.03	<.001	0.2	0.01
27	40165	<.03	<.001	0.3	0.01
28	40166	<.03	<.001	0.3	0.01
29	40167	<.03	<.001	0.4	0.01
30	40168	<.03	<.001	0.2	0.01
31	40169	<.03	<.001	1.3	0.04
32	40170	<.03	<.001	1.3	0.04
33	40171	<.03	<.001	0.4	0.01
34	40172	<.03	<.001	0.6	0.02
35	40173	<.03	<.001	1.1	0.03
36	40174	<.03	<.001	0.4	0.01
37	40175	<.03	<.001	0.3	0.01
38	40176	<.03	<.001	0.3	0.01
39	40177	<.03	<.001	0.2	0.01
40	40178	<.03	<.001	0.4	0.01
41	40179	<.03	<.001	1.9	0.06
42	40180	<.03	<.001	5.0	0.15
43	40181	<.03	<.001	2.6	0.08
44	40182	<.03	<.001	2.8	0.08
45	40183	<.03	<.001	3.4	0.10
46	40184	<.03	<.001	3.0	0.09
47	40185	<.03	<.001	3.9	0.11
48	40186	<.03	<.001	7.0	0.20
49	40187	<.03	<.001	16.9	0.49
50	40188	<.03	<.001	29.4	0.86
51	40189	<.03	<.001	8.3	0.24
52	40190	<.03	<.001	8.0	0.23
53	40191	<.03	<.001	0.6	0.02
54	40192	<.03	<.001	0.2	0.01
55	40193	<.03	<.001	0.2	0.01
56	40194	<.03	<.001	0.2	0.01
57	40195	<.03	<.001	0.3	0.01
58	40196	<.03	<.001	0.4	0.01
59	40197	<.03	<.001	0.6	0.02
60	40198	<.03	<.001	6.2	0.18
61	40199	<.03	<.001	0.2	0.01
62	40200	<.03	<.001	0.2	0.01
63	39301	<.03	<.001	3.7	0.11


Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

KENRICH MINING CORPORATION AS 96-5045

12-Jul-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
64	39302	<.03	<.001	0.3	0.01
65	39303	<.03	<.001	0.4	0.01
66	39304	<.03	<.001	1.4	0.04
67	39305	<.03	<.001	4.0	0.12
68	39306	<.03	<.001	2.7	0.08
69	39307	<.03	<.001	1.1	0.03
70	39308	<.03	<.001	1.1	0.03
71	39309	<.03	<.001	1.0	0.03
72	39310	<.03	<.001	0.9	0.03
73	39311	<.03	<.001	1.2	0.04
74	39312	<.03	<.001	1.2	0.04
75	39313	<.03	<.001	0.9	0.03
76	39314	<.03	<.001	1.2	0.04
77	39315	<.03	<.001	0.4	0.01
78	39316	<.03	<.001	5.5	0.16
79	39317	<.03	<.001	1.3	0.04
80	39318	<.03	<.001	2.2	0.06
81	39319	<.03	<.001	4.2	0.12
82	39320	<.03	<.001	1.1	0.03
83	39321	<.03	<.001	1.5	0.04
84	39322	<.03	<.001	0.2	0.01
85	39323	<.03	<.001	0.2	0.01



Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.

KENRICH MINING CORPORATION AS 96-5045

12-Jul-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
QC DATA:					
Resplit:					
R/S1	40139	<.03	<.001	0.2	0.01
R/S36	40174	<.03	<.001	0.6	0.02
R/S71	39309	<.03	<.001	1.2	0.04
Repeat:					
1	40139	<.03	<.001	0.2	0.01
10	40148	<.03	<.001	0.5	0.02
19	40157	<.03	<.001	4.2	0.12
36	40174	<.03	<.001	0.4	0.01
45	40183	<.03	<.001	3.2	0.09
54	40192	<.03	<.001	0.2	0.01
71	39309	<.03	<.001	0.9	0.03
80	39318	<.03	<.001	-	-
Standard:					
STD-M		3.22	0.094	-	-
STD-M		3.28	0.096	-	-
STD-M		3.30	0.096	-	-
CPb-1		-	-	625.0	18.23
CPb-1		-	-	622.0	18.14
CPb-1		-	-	626.0	18.26

XLS/96Kenrich



 ECO-TECH LABORATORIES LTD.

 per  Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5046

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

12-Jul-96

ATTENTION: J. KOWALCHUCK, K. TROCIUK

No. of samples received: 15

Sample type: Core

PROJECT #: none given

SHIPMENT #: Core #5

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	As (%)
1	39324	<.03	<.001	0.3	0.01	-
2	39325	<.03	<.001	1.0	0.03	-
3	39326	<.03	<.001	0.9	0.03	-
4	39327	<.03	<.001	1.2	0.04	-
5	39328	<.03	<.001	1.7	0.05	-
6	39329	<.03	<.001	1.3	0.04	-
7	39330	<.03	<.001	0.8	0.02	-
8	39331	<.03	<.001	0.9	0.03	-
9	39332	<.03	<.001	1.2	0.04	-
10	39333	<.03	<.001	0.9	0.03	-
11	39334	<.03	<.001	0.9	0.03	-
12	39335	<.03	<.001	1.2	0.04	-
13	39336	<.03	<.001	0.6	0.02	-
14	39337	<.03	<.001	5.3	0.16	1.05
15	39338	<.03	<.001	1.0	0.03	-


 per Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

KENRICH MINING CORPORATION AS 96-5048

12-Jul-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	As (%)
QC DATA:						
<i>Resplit:</i>						
R/S 1	39324	<.03	<.001	-	-	-
<i>Repeat:</i>						
1	39324	-	-	0.3	0.01	-
5	39328	<.03	<.001	-	-	-
<i>Standard:</i>						
STD-M		3.28	0.096	-	-	-
CPb-1		-	-	623.0	18.17	-

XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS-5058

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

16-Jul-96

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 48

Sample type: Rock

PROJECT #: None Given

SHIPMENT #: None Given

Samples submitted by: Bill Telford

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
1	38768	<.03	<.001	-	-
2	38769	<.03	<.001	-	-
3	38770	0.22	0.006	-	-
4	38771	0.03	0.001	-	-
5	38772	1.33	0.039	1193.0	34.79
6	38773	0.66	0.025	294.6	8.59
7	38774	0.42	0.012	338.4	9.87
8	38775	1.68	0.049	44.6	1.30
9	38776	1.22	0.036	126.9	3.70
10	38777	0.03	0.001	-	-
11	38778	<.03	<.001	-	-
12	38779	0.10	0.003	-	-
13	38583	<.03	<.001	-	-
14	38584	<.03	<.001	-	-
15	38585	<.03	<.001	-	-
16	38586	<.03	<.001	-	-
17	38587	<.03	<.001	-	-
18	38588	<.03	<.001	-	-
19	38589	<.03	<.001	-	-
20	38780	0.24	0.007	-	-
21	38781	0.36	0.010	-	-
22	38782	0.20	0.006	-	-
23	38783	<.03	<.001	-	-

per 
Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

KENRICH MINING CORPORATION - AS-5058

16-Jul-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
24	38784	0.04	0.001	-	-
25	38785	0.04	0.001	-	-
26	38786	<.03	<.001	-	-
27	38787	<.03	<.001	-	-
28	38788	<.03	<.001	-	-
29	38789	<.03	<.001	-	-
30	38295	<.03	<.001	-	-
31	38296	<.03	<.001	-	-
32	38297	<.03	<.001	-	-
33	38298	<.03	<.001	-	-
34	38299	<.03	<.001	-	-
35	38300	<.03	<.001	-	-
36	38301	<.03	<.001	-	-
37	38302	<.03	<.001	-	-
38	38303	<.03	<.001	-	-
39	38304	<.03	<.001	-	-
40	38305	<.03	<.001	-	-
41	38306	<.03	<.001	-	-
42	38307	<.03	<.001	-	-
43	38308	<.03	<.001	-	-
44	38309	<.03	<.001	-	-
45	38310	<.03	<.001	-	-
46	38311	<.03	<.001	-	-
47	38312	<.03	<.001	-	-
48	38570	0.06	0.002	-	-

per 
Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

KENRICH MINING CORPORATION - AS-5058

16-Jul-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
QC DATA:					
Resplit:					
R/S 1	38768	<.03	<.001	-	-
R/S 36	38301	<.03	<.001	-	-
Repeat:					
1	38768	<.03	<.001	-	-
10	38777	0.03	0.001	-	-
19	38589	<.03	<.001	-	-
36	38301	<.03	<.001	-	-
Standard:					
STD-M		3.20	0.093	-	-
STD-M		3.22	0.094	-	-
CPb-1		-	-	623.0	18.17

XLS/96Kenrich#2


 ECO-TECH LABORATORIES LTD.
 per Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5061

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8.

31-Jul-96

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 12
Sample type: Core
PROJECT #: Corey
SHIPMENT #: Core #6
Samples submitted by: None Given

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
1	39339	<.03	<.001	1.4	0.04
2	39340	<.03	<.001	1.6	0.05
3	39341	<.03	<.001	0.4	0.01
4	39342	<.03	<.001	1.0	0.03
5	39343	<.03	<.001	3.2	0.09
6	39344	<.03	<.001	2.1	0.06
7	39345	<.03	<.001	1.3	0.04
8	39346	<.03	<.001	0.8	0.02
9	39347	<.03	<.001	0.5	0.02
10	39348	<.03	<.001	1.0	0.03
11	37349	<.03	<.001	0.1	0.00
12	37350	<.03	<.001	0.4	0.01

per 
ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CB

KENRICH MINING CORPORATION - AS96-5081

31-Jul-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
-------	-------	-------------	--------------	-------------	--------------

QC DATA:

Resplit:

R/S 1 39339 <.03 <.001 1.5 0.04

Repeat:

1 39339 <.03 <.001 1.3 0.04

10 39348 - - 0.9 0.03

Standard:

Cpb-1 - - 625.0 18.23

STD-M 3.22 0.09 - -

XLS/96Kenrich#2

per 
ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 96-5095

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

31-Jul-96

ATTENTION: RAUL VERZOSA/KEN TROCIUK

No. of samples received: 57
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: 9
Submitted by: C. LOUIE

Post-It™ Fax Note	7671E	Date	July 31	# of pages	10
To		From	Eco-Tech		
Co./Dept.		Co.	JOBS: 5095		
Phone #		Phone #	5098, 5100		
Fax #		Fax #	5096		

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	Zn (%)
3	37999	-	-	4062.0	118.46	-
4	38000	-	-	49.6	1.45	-
5	38001	-	-	40.4	1.18	-
9	38004	-	-	1512.0	44.09	-
18	38615	11.22	0.327	211.2	6.16	1.72
33	38792	6.16	0.180	-	-	-
43	38642	-	-	48.7	1.42	-
45	38644	1.58	0.046	37.8	1.10	-
46	38645	1.94	0.057	121.0	3.53	-
47	38646	5.18	0.151	-	-	-
51	38626	-	-	75.4	2.20	-
54	38629	-	-	142.3	4.15	-
55	38630	-	-	59.7	1.74	-
57	38632	5.60	0.163	44.1	1.29	-

n - ENRICHED
 ON DATABASE

QC DATA:

Standard:

STD-M	3.22	0.094	-	-	-
CPb-1	-	-	635.0	18.52	4.48
CPb-1	-	-	631.0	18.40	-


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 8T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5098

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

31-Jul-96

ATTENTION: RAUL VERZOSA/KEN TROCIUK

No. of samples received: 54

Sample type: ROCK

PROJECT #: Corey

SHIPMENT #: 8

Samples submitted by: BILL TELFORD

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	Zn (%)
7	38596	1.19	0.035	-	-	-
8	38597	2.38	0.069	105.8	3.09	-
9	38598	2.05	0.060	65.7	1.92	-
20	37986	-	-	194.5	5.67	-
21	37987	-	-	107.3	3.13	-
30	38313	-	-	214.0	6.24	-
31	38314	-	-	3485.0	101.63	-
32	38315	-	-	72.7	2.12	-
33	38316	-	-	33.6	0.98	-
34	38317	-	-	4445.0	129.63	-
35	38318	-	-	311.0	9.07	-
36	38319	-	-	98.5	2.87	-
41	38324	-	-	63.9	1.86	-

QC DATA:

Resplit:


36 38319

Standard:

CPb-1

STD-M

36	38319	-	-	98.0	2.86	-
CPb-1		-	-	635.0	18.52	4.48
STD-M		3.22	0.094	-	-	-


ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

XLS/96kenrich#2



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5111

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

31-Jul-96

ATTENTION: JOHN KOWALCHUK

No. of samples received: 15
Sample type: Rock
PROJECT #: Corey Camp
SHIPMENT #: 10
Samples submitted by: Tim Hutchings

Post-it™ Fax Note	7671E	Date	July 31	# of pages	10
To		From	Kenrich		
Co./Dept		Co.	Job: 5111		
Phone #		Phone #	5061, 5097		
Fax #		Fax #	5099		

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
3	38708	-	-	66.2	1.93
4	38709	1.01	0.029	41.6	1.21
5	38710	1.02	0.030	67.9	1.98
6	38711	1.04	0.030	56.6	1.65
7	38712	1.02	0.030	-	-
8	38713	2.01	0.059	251.8	7.34
9	38714	-	-	178.5	5.21
10	38715	-	-	689.0	20.09
11	38716	-	-	594.0	17.32
12	38717	-	-	355.5	10.37
13	38718	-	-	45.5	1.33
14	38719	-	-	32.2	0.94
15	38720	2.29	0.067	47.0	1.37

QC DATA:

Standard:

CPb-1	-	-	620.0	18.08
-------	---	---	-------	-------


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CB

CERTIFICATE OF ANALYSIS AS 96-5155

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

15-Aug-96

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 5
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: 1
Samples submitted by: BILL TELFORD

Post-It™ Fax Note	7671E	Date	Aug 16	# of pages	4
To	John Kowalchuk		From		
Co./Dept.			Co.	841 - wait for Au	
Phone #			Phone #	5155 - ICP to Come	
Fax #	688-3346		Fax #		

MGT (1000000000)

ET #.	Tag #	Au (ppb)
1	38934	5
2	38935	5
3	38936	5
4	38937	5
5	38938	5

QC DATA:

Resplit:
1 38934 5

Repeat:
5 38938 5

Standard:
GEO'96 140

XLS/96Kenrich#3


ECO-TECH LABORATORIES LTD.
 per Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 96-5157

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

16-Aug-96

ATTENTION: RAUL VERZOSA/KEN TROCIUK

No. of samples received: 36

Sample type: ROCK

PROJECT #: NONE GIVEN

SHIPMENT #: 13

Samples submitted by: BILL TELFORD

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	Cu (%)	Zn (%)	Sb (%)
1	38911	1.54	0.045	-	-	-	-	-
2	38912	3.03	0.088	-	-	-	-	-
6	38916	1.71	0.050	91.3	2.663	-	-	-
26	38020	-	-	121.4	3.540	-	-	-
27	38021	-	-	6620.0	193.059	-	1.43	-
30	38024	-	-	12180.0	355.206	1.89	4.26	2.37
32	38026	-	-	34.8	1.015	-	-	-
36	38030	-	-	163.6	4.771	-	-	-

QC DATA:

Resplt:

36 - - 127.0 3.704 - - -

Standard:

CPb-1 - - 624.0 18.198 0.25 4.44 -

XLS/96kenrich#3

for 
ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CB



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (804) 573-5700
Fax (804) 573-4557

CERTIFICATE OF ASSAY AK 96-5174R

KENRICH MINING CORPORATION
10-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

4-Sep-96

ATTENTION: KEN TROCIUK

No. of samples received: 29.
Sample type: Rock
PROJECT #: None Given
SHIPMENT #: 15
Samples submitted by: Bill Telford

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
3	38652	1.40	0.041	-	-
6	38655	-	-	45.6	1.33
8	38657	-	-	36.3	1.06
10	38659	-	-	50.7	1.48
11	38660	-	-	80.3	2.34
12	38661	-	-	70.9	2.07
13	38662	1.18	0.034	52.2	1.52
14	38663	1.35	0.039	31.1	0.91
15	38664	1.93	0.056	-	-
16	38665	3.02	0.088	-	-
17	38666	5.42	0.158	37.8	1.10
18	38667	5.07	0.148	31.9	0.93
19	38668	4.41	0.129	-	-
20	38669	3.87	0.113	-	-
21	38670	2.15	0.063	-	-
22	38671	3.42	0.100	-	-
23	38672	3.00	0.087	30.5	0.89
24	38673	3.12	0.091	32.3	0.94
25	38674	8.01	0.234	165.5	4.83
26	38675	1.91	0.056	74.4	2.17


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

KENRICH MINING CORPORATION AS 96-5174R

4-Sep-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
QC DATA:					
Standard:					
CPb-I		-	-	631.0	18.40

XLS/96kenrich#3


ECO-TECH LABORATORIES LTD.
Frank J. Pazzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5215

**KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8**

4-Sep-96

ATTENTION: J.KOWALCHUK

*No. of samples received: 47
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: 17
Samples submitted by: BILL TELFORD*


ET #.	Tag #	Ag (g/t)	Ag (oz/t)	As (%)	Zn (%)
3	38344	-	-	-	1.48
5	38346	93.6	2.73	-	-
6	38347	31.9	0.93	-	-
8	38349	109.5	3.19	-	-
28	38038	-	-	2.78	-
29	38039	-	-	4.21	-

QC DATA:

Standard:

CD-1	-	-	0.66	-
CPb-1	620.0	18.08	-	4.42

XLS/96Kenrich#3

per

ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5215

**KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8**

11-Sep-98

ATTENTION: J.KOWALCHUK

No. of samples received: 47

Sample type: ROCK

PROJECT #: NONE GIVEN

SHIPMENT #: 17

Samples submitted by: BILL TELFORD

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	As (%)	Zn (%)
3	38344	-	-	-	-	-	1.48
5	38346	27.93	0.815	93.6	2.73	-	-
6	38347	17.61	0.514	31.9	0.93	-	-
7	38348	1.34	0.039	-	-	-	-
8	38349	61.40	1.791	109.5	3.19	-	-
28	38038	2.51	0.073	-	-	2.78	-
29	38039	42.10	1.228	-	-	4.21	-

QC DATA:

Standard:

CD-1	-	-	-	-	-	0.66	-
CPb-1	-	-	620.0	18.08	-	-	4.42

XLS/96Kenrich#3


ECO-TECH LABORATORIES LTD.
 per Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5245

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

5-Sep-96

ATTENTION: RAUL VERZOSA/KEN TROCIUK


No. of samples received: 54
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: NOT INDICATED

ET #.	Tag #	Ag (g/t)	Ag (oz/t)	Pb (%)
7	38057	34.0	0.99	-
26	38374	61.4	1.79	2.23

QC DATA:

Standard:
CPb-I 630.0 18.37 -

XLS/96kenrich#3


ECO-TECH LABORATORIES LTD.

per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CP3



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5277

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

16-Sep-96

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 24

Sample type: Core

PROJECT #: Kenrich Mining

SHIPMENT #: 2

Samples submitted by: Curtis Louie

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
1	39451	-	-	34.2	1.00
3	39453	-	-	37.5	1.09
4	39754	1.29	0.038	93.5	2.73
7	39457	-	-	33.5	0.98
8	39458	2.06	0.060	67.2	1.96
11	39461	-	-	37.9	1.11
14	39464	1.77	0.052	-	-
15	39465	2.92	0.085	-	-
16	39466	2.19	0.064	-	-
17	39467	3.32	0.097	39.4	1.15
19	39469	-	-	103.4	3.02
20	39470	-	-	39.2	1.14
21	39471	-	-	39.7	1.16
22	39472	-	-	71.6	2.09

QC DATA:

Standard:

CPb-1 - - 631.0 18.40

per 
ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 96-5293

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

20-Sep-98

ATTENTION: J.KOWALCHUK/K. TROCIUK

No. of samples received: 41

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE 8

Samples submitted by: C. LOUIE

ET #.	Tag #	Au (g/t)	Au (oz/t)
1	39475	1.55	0.046
2	39476	1.90	0.055
4	39478	1.02	0.030
8	39482	1.63	0.048
10	39484	1.13	0.033
11	39485	5.73	0.167
12	39486	2.95	0.086
13	39487	1.40	0.041
14	39488	2.03	0.059
15	39489	3.28	0.096
16	39490	1.41	0.041
17	39491	3.86	0.113
18	39492	1.01	0.029
25	39499	1.12	0.033
39	39413	1.31	0.038

QC DATA:*Resplit:*

R/S 1 39475 1.88 0.055

XLS/96Kenrich#3
fax:688-3346/j.kowalchuk/k.trociuk
cc:fax:682-7903/j.blackwell/j.foster


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CERTIFICATE OF ANALYSIS AS 96-5293

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

20-Sep-96

ATTENTION: J.KOWALCHUK/K. TROCIUK*No. of samples received: 41**Sample type: CORE**PROJECT #: KENRICH MINING**SHIPMENT #: CORE 8**Samples submitted by: C. LOUIE*

ET #.	Tag #	Au (ppb)
1	39475	>1000
2	39476	>1000
3	39477	730
4	39478	>1000
5	39479	580
6	39480	780
7	39481	755
8	39482	>1000
9	39483	855
10	39484	>1000
11	39485	>1000
12	39486	>1000
13	39487	>1000
14	39488	>1000
15	39489	>1000
16	39490	>1000
17	39491	>1000
18	39492	>1000
19	39493	705
20	39494	390
21	39495	620
22	39496	265
23	39497	215
24	39498	230

KENRICH MINING CORPORATION AS 96-5293

20-Sep-96

ET #.	Tag #	Au (ppb)
25	39499	>1000
26	39500	280
27	39401	360
28	39402	170
29	39403	375
30	39404	520
31	39405	425
32	39406	525
33	39407	745
34	39408	65
35	39409	150
36	39410	90
37	39411	245
38	39412	215
39	39413	>1000
40	39414	120
41	39415	190

QC DATA:**Resplit:**

1	39475	>1000
36	39410	85

Repeat:

1	39475	>1000
10	39484	>1000
19	39493	590
27	39401	370
36	39409	155
41	39415	205

Standard:

GEO'96	150
GEO'96	150

XLS/96Kenrich#3

fax:688-3346/j.kowalchuk/k.trociuk

cc:fax:682-7903/j.blackwell/j.foster



ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5293

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

26-Sep-96

ATTENTION: J.KOWALCHUK/K. TROCIUK

No. of samples received: 41
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE 8
Samples submitted by: C. LOUIE

ET #.	Tag #	Ag (ppm)
1	39475	6.2
2	39476	17.8
3	39477	23.0
4	39478	28.7
5	39479	>30
6	39480	>30
7	39481	>30
8	39482	>30
9	39483	>30
10	39484	>30
11	39485	>30
12	39486	>30
13	39487	>30
14	39488	>30
15	39489	>30
16	39490	>30
17	39491	>30
18	39492	14.1
19	39493	13.0
20	39494	12.5
21	39495	15.6
22	39496	9.0
23	39497	10.9
24	39498	11.9

KENRICH MINING CORPORATION AS 96-5293

26-Sep-96

ET #.	Tag #	Ag (ppm)
25	39499	22.4
26	39500	15.1
27	39401	29.1
28	39402	14.1
29	39403	7.9
30	39404	29.8
31	39405	19.3
32	39406	26.9
33	39407	22.4
34	39408	4.8
35	39409	9.0
36	39410	2.9
37	39411	14.7
38	39412	17.0
39	39413	24.3
40	39414	10.9
41	39415	11.1

QC DATA:**Resplit:**

1	39475	8.8
36	39410	4.4

Repeat:

1	39475	8.6
10	39484	>30
19	39493	13.4
36	39410	3.3

Standard:

GEO'96	1.8
GEO'96	1.8

XLS/96Kenrich#3
 fax:688-3346/j.kowalchuk/k.trociuk
 cc:fax:682-7903/j.blackwell/j.foster

per 
 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5293

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

26-Sep-96

ATTENTION: J.KOWALCHUK/K. TROCIUK

No. of samples received: 41


Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE 8

Samples submitted by: C. LOUIE

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
1	39475	1.55	0.045	-	-
2	39476	1.90	0.055	-	-
4	39478	1.02	0.030	-	-
5	39479	-	-	31.6	0.92
6	39480	-	-	34.6	1.01
7	39481	-	-	48.9	1.43
8	39482	1.63	0.048	52.5	1.53
9	39483	-	-	30.2	0.88
10	39484	1.13	0.033	93.3	2.72
11	39485	5.73	0.167	612.0	17.85
12	39486	2.95	0.086	226.7	6.61
13	39487	1.40	0.041	97.4	2.84
14	39488	2.03	0.059	91.7	2.67
15	39489	3.28	0.096	146.4	4.27
16	39490	1.41	0.041	40.9	1.19
17	39491	3.86	0.113	66.2	1.99
18	39492	1.01	0.029	-	-
25	39499	1.12	0.033	-	-
39	39413	1.31	0.038	-	-

pr 
Frank J. Pezzotti, A.Sc.T.B.C. Certified Assayer

KENRICH MINING CORPORATION - AS 5293

26-Sep-96

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
-------	-------	-------------	--------------	-------------	--------------

QC DATA:**Resplit:**

R/S 1 39475

1.88 0.055 - -

Standard:

Cpb-1

- - 630.0 18.37

XLS/96Kenrich#3

fax:688-3346/j.kowalchuk/k.trociuk

cc:fax:682-7903/j.blackwell/j.foster


ECO-TECH LABORATORIES LTD.

per Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 96-5318

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

20-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 23

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #9

Samples submitted by: C. LOUIS

ET #.	Tag #	Au (g/t)	Au (oz/t)
1	39416	7.61	0.222
2	39417	1.25	0.036
3	39418	1.79	0.052
7	39422	1.18	0.034
8	39423	1.38	0.040
9	39424	2.21	0.064
10	39425	1.35	0.039
11	39426	1.65	0.048
12	39427	1.19	0.035
22	39437	1.98	0.058

QC DATA:

Resplit:

R/S 1	39416	8.58	0.250
-------	-------	------	-------

XLS/96Kenrich#3

fax:688-3346/j.kowalchuk/k.trociuk

cc:fax:682-7903/j.blackwell/j.foster


ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer

CERTIFICATE OF ANALYSIS AS 96-5318

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

20-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK*No. of samples received: 23**Sample type: CORE**PROJECT #: KENRICH MINING**SHIPMENT #: CORE #9**Samples submitted by: C. LOUIS*

ET #.	Tag #	Au (ppb)
1	39416	>1000
2	39417	>1000
3	39418	>1000
4	39419	610
5	39420	825
6	39421	630
7	39422	>1000
8	39423	>1000
9	39424	>1000
10	39425	>1000
11	39426	>1000
12	39427	>1000
13	39428	660
14	39429	565
15	39430	625
16	39431	440
17	39432	665
18	39433	630
19	39434	380
20	39435	200
21	39436	250
22	39437	>1000
23	39438	575



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., H.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 96-5318

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

30-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 23

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #9

Samples submitted by: C. LOUIS

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
1	39416	7.61	0.222	28.9	0.84
2	39417	1.25	0.036	-	-
3	39418	1.79	0.052	-	-
4	39419	-	-	26.8	0.78
6	39421	-	-	37.8	1.10
7	39422	1.18	0.034	48.7	1.42
8	39423	1.38	0.040	62.9	1.83
9	39424	2.21	0.064	210.8	6.15
10	39425	1.35	0.039	63.5	1.85
11	39426	1.65	0.048	91.9	2.68
12	39427	1.19	0.035	33.3	0.97
15	39430	-	-	49.2	1.44
17	39432	-	-	31.8	0.93
22	39437	1.98	0.058	104.7	3.05

TU 24
TU 25

QC DATA:

Resplit:

R/S 1 39416 8.58 0.250 31.2 0.91

Standard:

CPb-I - - 632.0 18.43

XLS/96Kenrich#3


fax:688-3346/j.kowalchuk/k.trociuk

cc:fax:682-7903/j.blackwell/j.foster

ECO-TECH LABORATORIES LTD.

per Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5318

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

30-Sep-98

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 23

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #9

Samples submitted by: C. LOUIS

ET #.	Tag #	Ag (ppm)
1	39416	28.4
2	39417	15.8
3	39418	19.7
4	39419	26.6
5	39420	21.6
6	39421	>30.0
7	39422	>30.0
8	39423	>30.0
9	39424	>30.0
10	39425	>30.0
11	39426	>30.0
12	39427	>30.0
13	39428	19.7
14	39429	17.1
15	39430	>30.0
16	39431	20.3
17	39432	>30.0
18	39433	17.9
19	39434	16.7
20	39435	13.8
21	39436	21.6
22	39437	>30.0
23	39438	24.2

KENRICH MINING CORPORATION AS 96-5318


30-Sep-96

ET #.	Tag #	Ag (ppm)
QC DATA:		
<i>Resplit</i>		
1	39416	29.9
<i>Repeat:</i>		
1	39416	27.6
10	39425	>30.0
Standard:		
STD-M		2.0

XLS/96Kenrich#4

fax:688-3346/j.kowalchuk/k.trociuk

cc:fax:682-7903/j.blackwell/j.foster


ECO-TECH LABORATORIES LTD.

per Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer

TU 27

CERTIFICATE OF ANALYSIS AS 96-5319

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

20-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK*No. of samples received: 43**Sample type: CORE**PROJECT #: KENRICH MINING**SHIPMENT #: CORE #10**Samples submitted by: C. LOUIS*

ET #.	Tag #	Au (ppb)
1	39439	10
2	39440	5
3	39441	10
4	39442	5
5	39443	5
6	39444	5
7	39445	5
8	39446	5
9	39447	5
10	39448	5
11	39449	5
12	39450	5
13	39351	5
14	39352	5
15	39353	5
16	39354	5
17	39355	5
18	39356	5
19	39357	5
20	39358	5
21	39359	5
22	39360	5
23	39361	5
24	39362	5

KENRICH MINING CORPORATION AS 96-5319

20-Sep-96

ET #.	Tag #	Au (ppb)
25	39363	5
26	39364	5
27	39365	5
28	39366	5
29	39367	5
30	39368	5
31	39369	5
32	39370	5
33	39371	5
34	39372	5
35	39373	5
36	39374	5
37	39375	5
38	39376	5
39	39377	5
40	39378	5
41	39379	5
42	39380	5
43	39381	5

QC DATA:**Resplit**

1	39439	5
36	39374	5

Repeat:

1	39439	5
10	39448	5
13	39351	5
31	39369	5

Standard:

GEO'96	150
GEO'96	140

XLS/96Kenrich#3

fax:688-3346/j.kowalchuk/k.trociuk

cc:fax:682-7903/j.blackwell/j.foster



 ECO-TECH LABORATORIES LTD.

 per
 Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5319

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

26-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 43

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #10

Samples submitted by: C. LOUIS

ET #.	Tag #	Ag (ppm)
1	39439	0.9
2	39440	0.9
3	39441	0.7
4	39442	0.8
5	39443	0.9
6	39444	0.8
7	39445	0.7
8	39446	0.7
9	39447	0.8
10	39448	0.7
11	39449	0.9
12	39450	1.2
13	39351	1.0
14	39352	0.4
15	39353	1.0
16	39354	0.5
17	39355	1.0
18	39356	1.0
19	39357	0.9
20	39358	1.3
21	39359	1.2
22	39360	0.5
23	39361	0.7
24	39362	1.3

KENRICH MINING CORPORATION AS 96-5319

26-Sep-96

ET #.	Tag #	Ag (ppm)
25	39363	0.9
26	39364	0.5
27	39365	0.8
28	39366	1.0
29	39367	0.8
30	39368	1.4
31	39369	0.8
32	39370	1.1
33	39371	1.2
34	39372	1.0
35	39373	1.0
36	39374	0.8
37	39375	0.9
38	39376	1.3
39	39377	0.9
40	39378	0.9
41	39379	0.5
42	39380	0.5
43	39381	0.8

QC DATA:**Resplit**

1	39439	0.9
36	39374	0.8

Repeat:

1	39439	0.8
10	39448	0.9
19	39357	0.8
36	39374	1.0


Standard:

GEO'96	1.8
GEO'96	1.8

XLS/96Kenrich#4

fax:688-3346/j.kowalchuk/k.trociuk

cc:fax:682-7903/j.blackwell/j.foster



ECO-TECH LABORATORIES LTD.

per Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 96-5320

KENRICH MINING CORPORATION
 910-510 BURRARD STREET
 VANCOUVER, BC
 V6C 3A8

20-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 12

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #11

Samples submitted by: C. LOUIS

ET #.	Tag #	Au (g/t)	Au (oz/t)
2	39383	3.66	0.107
3	39384	1.11	0.032
4	39385	1.56	0.045
5	39386	1.84	0.054
6	39387	1.21	0.035

XLS/96Kenrich#3

fax:688-3346/j.kowalchuk/k.trociuk

cc:fax:682-7903/j.blackwell/j.foster


ECO-TECH LABORATORIES LTD.
 Per Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

CERTIFICATE OF ANALYSIS AS 96-5320

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

20-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK


No. of samples received: 12
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE #11
Samples submitted by: C. LOUIS

ET #.	Tag #	Au (ppb)
1	39382	330
2	39383	>1000
3	39384	>1000
4	39385	>1000
5	39386	>1000
6	39387	>1000
7	39388	800
8	39389	320
9	39390	330
10	39391	270
11	39392	125
12	39393	5

QC DATA:

<i>Resplit</i>		
1	39382	195
<i>Repeat:</i>		
1	39382	300
10	39391	255
<i>Standard:</i>		
GEO'96		150

XLS/96Kenrich#3
fax:688-3346/j.kowalchuk/k.trociuk
cc:fax:682-7903/j.blackwell/j.foster


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 96-5320

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

30-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 12

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #11


Samples submitted by: C. LOUIS

ET #.	Tag #	Au (g/t)	Au (oz/t)
2	39383	3.66	0.107
3	39384	1.11	0.032
4	39385	1.56	0.045
5	39386	1.84	0.054
6	39387	1.21	0.035

XLS/96Kenrich#3

fax:688-3346/j.kowalchuk/k.trociuk

cc:fax:682-7903/j.blackwell/j.foster


ECO-TECH LABORATORIES LTD.

pr Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5320

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

30-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 12

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #11

Samples submitted by: C. LOUIS

ET #.	Tag #	Ag (ppm)
1	39382	1.7
2	39383	10.2
3	39384	12.1
4	39385	13.5
5	39386	3.8
6	39387	0.5
7	39388	1.8
8	39389	0.9
9	39390	1.3
10	39391	0.3
11	39392	0.9
12	39393	1.4

QC DATA:

Resplit

1 39382 1.7

Repeat:

1 39382 1.6

Standard:

STD-M 2.0

XLS/96Kenrich#4

fax:688-3346/j.kowalchuk/k.trociuk

cc:fax:682-7903/j.blackwell/j.foster


ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5344

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

25-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 22
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE #12
Samples submitted by: C. LOUIE


ET #.	Tag #	Au (g/t)	Au (oz/t)
1	39101	2.35	0.069
2	39102	1.31	0.038
4	39104	1.32	0.038
5	39105	2.10	0.061
6	39106	1.64	0.048
7	39107	1.16	0.034
12	39112	1.25	0.036

QC DATA:

Resplit:

R/S 1 39101 2.33 0.068

XLS/96kenrich
fax @: 604-688-3346/J.Kowalchuk/K.Trociuk
fax @: 604-682-7903/J.Blackwell/J.Foster


ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CERTIFICATE OF ANALYSIS AS 96-5344

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

25-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK*No. of samples received: 22**Sample type: CORE**PROJECT #: KENRICH MINING**SHIPMENT #: CORE #12**Samples submitted by: C. LOUIE*

ET #.	Tag #	Au (ppb)
1	39101	>1000
2	39102	>1000
3	39103	715
4	39104	>1000
5	39105	>1000
6	39106	>1000
7	39107	>1000
8	39108	315
9	39109	535
10	39110	700
11	39111	575
12	39112	>1000
13	39113	820
14	39114	915
15	39115	650
16	39116	770
17	39117	755
18	39118	750
19	39119	740
20	39120	120
21	39121	395
22	39122	35

KENRICH MINING CORPORATION - AS 5344

25-Sep-96

ET #.	Tag #	Au (ppb)
-------	-------	-------------

QC DATA:**Resplit:**


1	39101	>1000
---	-------	-------

Repeat:

1	39101	>1000
10	39110	550
19	39119	690

Standard:

GEO'96		140
--------	--	-----


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

XLS/96Kenrich
fax @: 604-888-3346/J.Kowaichuk/K.Trociuk
fax @: 604-882-7903/J.Blackwell/J.Foster



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5344

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

1-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 22

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #12

Samples submitted by: C. LOUIE

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
1	39101	2.35	0.069	40.3	1.18
2	39102	1.31	0.038	-	-
4	39104	1.32	0.038	-	-
5	39105	2.10	0.061	-	-
6	39106	1.64	0.048	52.7	1.54
7	39107	1.16	0.034	45.9	1.34
11	39111	-	-	31.7	0.92
12	39112	1.25	0.036	43.8	1.28
13	39113	-	-	42.3	1.23
15	39115	-	-	35.4	1.03
16	39116	-	-	47.4	1.38
17	39117	-	-	43.6	1.27
18	39118	-	-	33.1	0.97
19	39119	-	-	33.6	0.98

QC DATA:

Resplit:

R/S 1 39101 2.33 0.068 42.9 1.25

Standard:

CPb-1 - - 620.0 18.08

XLS/96kenrich

fax @: 604-688-3346/J.Kowalchuk/K.Trociuk

fax @: 604-682-7903/J.Blackwell/J.Foster

ECO-TECH LABORATORIES LTD.

per  Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5344

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V8C 3A8

1-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 22
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE #12
Samples submitted by: C. LOUIE

ET #.	Tag #	Ag (ppm)
1	39101	>30
2	39102	29.2
3	39103	24.0
4	39104	27.8
5	39105	27.9
6	39106	>30
7	39107	>30
8	39108	25.4
9	39109	25.4
10	39110	23.8
11	39111	>30
12	39112	>30
13	39113	>30
14	39114	29.8
15	39115	>30
16	39116	>30
17	39117	>30
18	39118	>30
19	39119	>30
20	39120	29.2
21	39121	20.8
22	39122	6.6

KENRICH MINING CORPORATION - AS 5344

1-Oct-96

ET #.	Tag #	Ag (ppm)
-------	-------	-------------

QC DATA:

Resplit:

1	39101	>30
---	-------	-----

Repeat:

1	39101	>30
10	39110	24.1

Standard:


GEO'96		3.0
--------	--	-----

XLS/96Kenrich

fax @: 604-688-3346/J.Kowalchuk/K.Trocluk

fax @: 604-682-7903/J.Blackwell/J.Foster

per 
ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



TU 30

**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5345

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

25-Sep-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 15

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #13

Samples submitted by: C. LOUIE

ET #.	Tag #	Au (g/t)	Au (oz/t)
2	39124	1.33	0.039
3	39125	1.43	0.042
4	39126	3.12	0.091
5	39127	2.53	0.074


ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer

XLS/96kenrich

fax @: 604-688-3346/J.Kowalchuk/K.Trociuk

fax @: 604-682-7903/J.Blackwell/J.Foster



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5345

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

1-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 15

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #13

Samples submitted by: C. LOUIE

ET #.	Tag #	Ag (ppm)
1	39123	24.7
2	39124	>30.0
3	39125	>30.0
4	39126	>30.0
5	39127	23.8
6	39128	4.3
7	39129	2.4
8	39130	4.3
9	39131	29.0
10	39132	4.6
11	39133	4.2
12	39134	4.4
13	39135	3.7
14	39136	3.6
15	39137	3.9

TU 30

KENRICH MINING CORPORATION - AS 5345

1-Oct-96

ET #.	Tag #	Ag (ppm)
QC DATA:		
Resplit:		
1	39123	24.3
Repeat:		
1	39123	24.7
Standard:		
STD		2.4

XLS/96Kenrich#4

fax @: 604-688-3346/J.Kowalchuk/K.Trociuk

fax @: 604-682-7903/J.Blackwell/J.Foster


ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AS 96-5345

KENRICH MINING CORPORATION
810-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

1-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 15

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #13

Samples submitted by: C. LOUIE

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
2	39124	1.33	0.039	39.5	1.15
3	39125	1.43	0.042	53.6	1.58
4	39126	3.12	0.091	76.3	2.23
5	39127	2.53	0.074	-	-

QC DATA:

CPb-I

620.0 18.08

XLS/96kenrich#4

fax @: 604-888-3346/J.Kowalchuk/K.Trociuk

fax @: 604-882-7903/J.Blackwell/J.Foster


ECO-TECH LABORATORIES LTD.

per Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer

CERTIFICATE OF ANALYSIS AS 96-5347

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

27-Sep-96

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 21

Sample type: Moss

PROJECT #: None given

SHIPMENT #: 21

Samples submitted by: Ryan Walton

ET #.	Tag #	Au (ppb)
1	39554	<5
2	39555	<5
3	39556	5
4	39557	>1000
5	39558	5
6	39559	195
7	39560	<5
8	39561	<5
9	39562	<5
10	39563	<5
11	39564	<5
12	39565	80
13	39566	65
14	39778	<5
15	39779	<5
16	39781	<5
17	39782	<5
18	39783	5
19	39567	660
20	39568	<5
21	39569	10

KENRICH MINING CORPORATION - AS 5347

27-Sep-96

ET #.	Tag #	Au (ppb)
-------	-------	-------------

QC DATA:**Repeat:**

1	39554	<5
10	39563	<5
19	39567	510

Standard:

GEO'96	150
--------	-----

XLS/96Kenrich#4


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (804) 573-5700
Fax (804) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5383

**KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8**

4-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 23

Sample type: Core

PROJECT #: Kenrich Mining

SHIPMENT #: Core#14

Samples submitted by: C. Louie

ET #.	Tag #	Ag (ppm)
1	39138	13.4
2	39139	11.2
3	39140	10.9
4	39141	29.3
5	39142	29.8
6	39143	17.0
7	39144	24.6
8	39145	>30
9	39146	>30
10	39147	>30
11	39148	>30
12	39149	>30
13	39150	>30
14	39151	>30
15	39152	14.4
16	39153	10.3
17	39154	6.9
18	39155	8.6
19	39156	9.8
20	39157	3.0
21	39158	5.9
22	39159	2.5
23	39160	1.8

TV-31

KENRICH MINING CORPORATION AS 96-5383

4-Oct-96

ET #.	Tag #	Ag (ppm)
QC DATA:		
Resplit:		
R/S 1	39138	14.0
Repeat:		
1	39138	13.3
10	39147	>30
Standard:		
GEO'96		1.8

XLS/96Kenrich
Fax to John Kowalchuk 604-688-3346
& Mail to Vancouver


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ASSAY AS 96-5383

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

4-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 23
Sample type: Core
PROJECT #: Kenrich Mining
SHIPMENT #: Core#14
Samples submitted by: C. Louie

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
4	39141	2.35	0.069	-	-
5	39142	1.14	0.033	-	-
7	39144	1.01	0.029	-	-
8	39145	1.47	0.043	46.3	1.35
9	39146	1.32	0.038	145.6	4.25
10	39147	-	-	83.2	2.43
11	39148	1.71	0.050	102.6	2.99
12	39149	1.06	0.031	31.4	0.92
13	39150	1.83	0.053	77.4	2.26
14	39151	12.75	0.372	213.2	6.22
15	39152	1.52	0.044	-	-
16	39153	1.22	0.036	-	-
18	39155	1.07	0.031	-	-
23	39160	1.78	0.051	-	-

QC DATA:

Standard:

CPb-1 - - 626.0 18.26

XLS/96Kenrich
Fax to John Kowalchuk 604-688-3346
& Mail to Vancouver

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5384

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

4-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 13
Sample type: Core
PROJECT #: Kenrich Mining
SHIPMENT #: Core#15
Samples submitted by: C. Louie

Post-it™ Fax Note	7671E	Date	Oct 4	# of pages	4
To	J. Kowalchuk				
From	Eco-TECH				
Co./Dept.	Co.				
Phone #	Phone #				
Fax #	Fax #				

ET #.	Tag #	Ag (ppm)
1	39161	0.2
2	39162	0.4
3	39163	0.1
4	39164	0.5
5	39165	0.3
6	39166	0.6
7	39167	0.4
8	39168	0.6
9	39169	0.2
10	39170	0.4
11	39171	0.3
12	39172	0.3
13	39173	0.4

70 3?

QC DATA:

Resplit:

R/S 1 39161 0.2

Repeat:


1 39161 0.1

Standard:

GEO'96 1.8

XLS/96Kenrich

Fax to John Kowalchuk 604-688-3346
& Mail hard copies to Vancouver


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5385

**KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8**

4-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 13

Sample type: CORE

PROJECT #: Corey

SHIPMENT #: CORE#16

Samples submitted by: C. LOUIE

ET #.	Tag #	Ag (ppm)
1	39174	3.1
2	39175	1.5
3	39176	0.6
4	39177	0.9
5	39178	2.4
6	39179	1.8
7	39180	2.0
8	39181	1.4
9	39182	1.6
10	39183	1.3
11	39184	2.0
12	39185	3.5
13	39186	1.4

Handwritten notes: } 8023 (next to rows 1-4), } TV 25 (next to rows 5-13)

QC DATA:

Resplit:

R/S 1 39174 3.2

Standard:


GEO'96 1.7

XLS/96Kenrich

Fax to John Kowalchuk 604-688-3348

& Mail hard copies to Vancouver


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ASSAY AK 96-5386

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

4-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of sampled received: 42

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE#17

Samples submitted by: J. DENNIS

ET #.	Tag #	Ag (g/t)	Ag (oz/t)
5	39205	111.3	3.25
30	39230	70.4	2.05

QC DATA:

Standard:

GEO'96 626.0 18.26


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

XLS/96kenrich#4

Fax to John Kowalchuk 604-688-3346

& Mail to Vancouver



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5386

**KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8**

4-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of sampled received: 42

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE#17

Samples submitted by: J. DENNIS

ET #.	Tag #	Ag (ppm)
1	39201	0.4
2	39202	0.4
3	39203	0.9
4	39204	1.1
5	39205	>30
6	39206	4.3
7	39207	2.8
8	39208	0.8
9	39209	0.8
10	39210	0.7
11	39211	17.3
12	39212	1.6
13	39213	0.6
14	39214	0.7
15	39215	0.4
16	39216	0.2
17	39217	0.3
18	39218	0.6
19	39219	11.7
20	39220	1.1
21	39221	0.8
22	39222	8.7
23	39223	0.3
24	39224	1.1

KENRICH MINING CORPORATION AS 96-5386

4-Oct-96

ET #.	Tag #	Ag (ppm)
25	39225	9.5
26	39226	0.6
27	39227	0.6
28	39228	0.5
29	39229	1.4
30	39230	>30
31	39231	0.6
32	39232	0.9
33	39233	0.3
34	39234	0.3
35	39235	0.5
36	39236	0.8
37	39237	0.7
38	39238	2.6
39	39239	0.4
40	39240	0.4
41	39241	0.6
42	39242	0.5

QC/DATA:**Resplit:**

1	39201	0.2
36	39236	0.6

Repeat:


1	39201	0.3
10	39210	0.7
19	39219	12.2
36	39236	0.7

Standard:

GEO 96	1.6
GEO 96	1.8

XLS/96Kenrich#4

Fax to John Kowalchuk 604-688-3346
& Mail to Vancouver



 ECO-TECH LABORATORIES LTD.

per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5387

**KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8**

4-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 29

Sample type: Core

PROJECT #: Kenrich Mining

SHIPMENT #: Core#18

Samples submitted by: J. Dennis

ET #.	Tag #	Ag (ppm)
1	39243	0.1
2	39244	6.5
3	39245	1.4
4	39246	0.2
5	39247	0.1
6	39248	0.3
7	39249	11.1
8	39250	1.7
9	39251	0.2
10	39252	0.1
11	39253	0.1
12	39254	0.1
13	39255	1.8
14	39256	0.1
15	39257	3.4
16	39258	24.3
17	39259	0.1
18	39260	0.1
19	39261	0.2
20	39262	27.6
21	39263	3.2
22	39264	0.2
23	39265	3.2
24	39266	0.3

CBL -2

KENRICH MINING CORPORATION AS 96-5387

4-Oct-98

ET #.	Tag #	Ag (ppm)
25	39287	1.1
26	39288	0.6
27	39289	0.6
28	39270	0.2
29	39271	0.3

QC DATA:**Resplit:**

R/S 1 39243 0.1

Repeat:

1 39243 0.2

10 39252 0.1

19 39261 0.2

Standard:

GEO'96 1.5

XLS/98Kenrich
Fax to John Kowalchuk 604-688-3346
& Mail to Vancouver


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5388

**KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8**

4-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 19

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #19

Samples submitted by: C.LOUIE


ET #.	Tag #	Ag (ppm)
1	39272	0.3
2	39273	0.6
3	39274	0.3
4	39275	6.8
5	39276	1.0
6	39277	0.4
7	39278	0.4
8	39279	0.2
9	39280	0.5
10	39281	0.6
11	39282	9.8
12	39283	0.7
13	39284	1.0
14	39285	1.1
15	39286	2.6
16	39287	0.4
17	39288	0.7
18	39289	0.4
19	39290	0.8

0.05 3

KENRICH MINING CORPORATION - AS5388

4-Oct-96

ET #.	Tag #	Ag (ppm)
QC DATA:		
Repeat:		
1	39272	0.2
Repeat:		
1	39272	0.3
10	39281	0.5
Standard:		
STD		1.4


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

XLS/96Kenrich#4
 Fax to John Kowalchuk 604-688-3346

CERTIFICATE OF ANALYSIS AS 96-5402

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

8-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 28

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #20

Samples submitted by: J.DENNIS

ET #.	Tag #	Au (ppb)
1	39291	5
2	39292	5
3	39293	120
4	39294	165
5	39295	510
6	39296	210
7	39297	45
8	39298	65
9	39299	60
10	39300	210
11	39801	135
12	39802	90
13	39803	110
14	39804	515
15	39805	155
16	39806	405
17	39807	375
18	39808	440
19	39809	205
20	39810	215
21	39811	10
22	39812	5
23	39813	5
24	39814	5

CBL
4

KENRICH MINING CORPORATION AS 96-5402

8-Oct-96

ET #.	Tag #	Au (ppb)
25	39815	5
26	39816	10

QC DATA:**Resplit:**

1	39291	5
---	-------	---


Repeat:


1	39291	5
10	39300	220

Standard:

GEO'96	145
GEO'96	145

XLS/96Kenrich#4
Fax to John Kowalchuk 604-688-3346
& Mail to Vancouver


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5402

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

11-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 26

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #20

Samples submitted by: J.DENNIS

ET #.	Tag #	Ag (ppm)
1	39291	0.8 NOT ON DATA BASE
2	39292	0.6
3	39293	2.0
4	39294	2.2
5	39295	5.0
6	39296	2.8
7	39297	0.8
8	39298	2.0
9	39299	2.2
10	39300	3.0
11	39801	3.4
12	39802	2.0
13	39803	1.8
14	39804	11.2
15	39805	20.1
16	39806	19.7
17	39807	12.2
18	39808	18.8
19	39809	6.0
20	39810	5.8
21	39811	0.8
22	39812	0.6
23	39813	0.8
24	39814	0.8

KENRICH MINING CORPORATION AS 96-5402

11-Oct-96

ET #.	Tag #	Ag (ppm)
25	39815	0.6
26	39816	0.8

QC DATA:**Resplit:**

1 39291 NOT ON DATA BASE 1.6

Repeat:

1 39291 1.5

10 39300 4.7

Standard:

GEO'96 1.7

XLS/96Kenrich#5


Fax to John Kowalchuk 604-688-3346

& Mail to Vancouver


ECO-TECH LABORATORIES LTD.

per Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5403

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

11-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 16

Sample type: CORE

PROJECT #: Kenrich Mining

SHIPMENT #: CORE#21

Samples submitted by: J. Dennis

ET #.	Tag #	Ag (ppm)
1	39817	0.6
2	39818	0.6
3	39819	0.8
4	39820	1.0
5	39821	4.2
6	39822	1.2
7	39823	0.4
8	39824	7.2
9	39825	1.6
10	39826	1.8
11	39827	2.2
12	39828	0.6
13	39829	2.0
14	39830	2.0
15	39831	1.8
16	39832	0.6

QC DATA:

Resplit:

R/S 1 39817 0.8

Repeat:

1 39817 0.6

Standard:

GEO'96 1.6

XLS/96Kenrich#5

Fax to John Kowalchuk 604-688-3346


& Mail to Vancouver

ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer

CB



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5404

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

11-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 24

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #22

Samples submitted by: J.DENNIS

ET #.	Tag #	Ag (ppm)
1	39188	1.2
2	39189	1.9
3	39190	1.3
4	39191	2.3
5	39192	1
6	39193	2.1
7	39194	1.9
8	39195	1.7
9	39196	1.1
10	39197	1.1
11	39198	1.7
12	39199	1.5
13	39833	1.5
14	39834	1.6
15	39835	1.2
16	39836	1.0
17	39837	1.1
18	39838	1.0
19	39839	1.0
20	39840	0.9
21	39841	1.7
22	39842	1.8
23	39843	3.0
24	39844	2.3

KENRICH MINING CORPORATION AS 96-5404

11-Oct-96

ET #.	Tag #	Ag (ppm)
-------	-------	-------------

QC DATA:**Resplit:**

1	39188	1.3
---	-------	-----

Repeat:

1	39188	1.5
10	39197	0.9

Standard:

GEO'96		1.9
--------	--	-----

XLS/96Kenrich#5

*Fax to John Kowalchuk 604-688-3346
& Mail to Vancouver*


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ASSAY AK 96-5405

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

15-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 9

Sample type: ROCK

PROJECT #: NONE GIVEN

SHIPMENT #: NONE GIVEN

Samples submitted by: NOT INDICATED

ET #.	Tag #	Au (g/t)	Au (oz/t)	Cu (%)
1	38097	4.04	0.118	
2	38098	29.77	0.868	1.51
4	38100	27.56	0.804	

QC DATA:


Resplit:

R/S 1 38097 3.81 0.111

XLS/96kenrich#5
fax@888-3346/j.kowalchuk

Frank J. Pezzotti
ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CB



**ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING**

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ANALYSIS AS 96-5405

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

11-Oct-96

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 9
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: NOT INDICATED

ET #.	Tag #	Ag (ppm)
1	38097	>30.0
2	38098	>30.0
3	38099	1.0
4	38100	>30.0
5	38957	0.4
6	39053	0.6
7	39054	0.5
8	39056	0.2
9	39058	1.0

QC DATA:

Resplit:

1 38097 >30.0

Repeat:

1 38097 >30.0

Standard:

GEO'96 1.8

XLS/96Kenrich#5

Fax to John Kowalchuk 604-688-3346
& Mail to Vancouver


ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CB

21-May-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

FEED FAX THIS END

FAX

To: *Raul*

Dept.: *Kentick*

Fax No.: *(604) 688-3346*

No. of Pages: *1*

From: *Diane*

Date: *May 21*

Company: *ICP + Auger*

Fax No.: *100 319*

Comments: *ICP + Auger*

Fax 604 7706

KENRICH MINING CORPORATION AK 96-319
Sta. 910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: Raoul Verzoos

No. of samples received: 14

Sample type: Core

PROJECT #: None given

SHIPMENT #: None given

Samples submitted by: Not indicated

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	#001, 15.2-16.7	5	<2	3.25	6	165	5	3.25	<1	27	76	68	7.77	10	1.14	973	8	<0.1	13	2590	10	<5	<20	265	0.01	<10	52	<10	2	103
2	#002, 16.7-18.3	5	<2	2.60	6	145	6	1.05	<1	22	23	147	5.66	10	1.23	501	5	<0.1	11	1000	8	<5	<20	57	<0.1	<10	44	<10	<1	89
3	#003, 18.3-19.8	5	<2	2.76	5	175	6	0.73	<1	27	23	129	8.12	<10	1.31	500	5	<0.1	13	1010	18	<5	<20	42	<0.1	<10	48	<10	<1	102
4	#004, 19.8-21.3	5	<2	2.39	5	135	6	1.10	<1	26	171	100	5.50	<10	1.12	501	12	<0.1	15	660	34	<5	<20	70	<0.1	<10	42	<10	<1	80
5	#005, 21.3-22.8	5	<2	2.61	30	150	6	0.69	<1	28	103	156	5.74	10	1.23	423	7	<0.1	14	690	10	<5	<20	55	<0.1	<10	46	<10	<1	95
6	#006, 22.8-24.4	5	<2	3.52	10	165	5	2.24	<1	31	78	128	8.18	<10	1.52	830	10	<0.1	15	1320	4	<5	<20	215	0.01	<10	72	<10	<1	110
7	#007, 24.4-25.9	5	<2	3.09	6	180	6	2.28	<1	26	64	119	7.22	10	1.23	720	8	<0.1	16	1450	12	<5	<20	207	<0.1	<10	64	<10	<1	98
8	#008, 25.9-27.4	5	<2	3.87	6	150	15	2.60	1	10	40	7	9.59	20	1.28	905	9	0.02	<1	1860	4	<5	<20	172	0.03	<10	65	<10	2	165
9	#009, 27.4-28.9	5	<2	3.69	6	135	20	3.87	1	11	32	5	9.68	20	1.30	1055	8	0.02	<1	2010	<2	<5	<20	228	0.04	<10	63	<10	3	159
10	#010, 28.9-30.5	5	<2	2.80	6	185	10	3.78	2	11	37	16	8.27	20	0.74	1092	8	0.02	1	1940	10	<5	<20	231	0.09	<10	50	<10	6	167
11	#011, 30.5-32.0	5	<2	3.55	6	145	15	3.51	2	11	27	7	9.57	20	1.24	1058	7	0.02	2	2100	6	<5	<20	245	0.05	<10	64	<10	4	164
12	#012, 51.8-53.3	5	<2	3.59	6	210	6	1.21	<1	27	21	365	7.50	10	1.87	870	6	0.01	14	2840	10	<5	<20	135	0.01	<10	71	<10	<1	103
13	#013, 53.3-54.9	5	<2	3.08	6	195	6	2.40	<1	22	20	199	6.23	20	1.58	1060	5	0.01	12	5300	8	<5	<20	261	<0.1	<10	49	<10	8	89
14	#014, 54.9-56.4	5	<2	3.60	6	230	6	1.05	1	29	18	107	7.82	20	1.73	748	5	0.01	13	2070	12	<5	<20	108	0.03	<10	80	<10	<1	110
QC DATA:																														
Resplit:																														
R/S 1	#001, 15.2-16.7	5	<2	3.24	6	145	10	3.18	1	29	77	66	7.78	10	1.15	941	8	<0.1	13	2600	12	<5	<20	263	<0.1	<10	51	<10	2	103
Repeat:																														
1	#001, 15.2-16.7	5	<2	3.26	6	165	10	3.26	1	27	75	69	7.79	10	1.14	973	9	<0.1	14	2820	14	<5	<20	288	<0.1	<10	52	<10	2	105
10	#010, 28.9-30.5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Standard:																														
GEO'96		145	1.0	1.66	60	175	5	1.63	<1	20	71	82	4.01	<10	0.92	630	<1	0.02	22	720	18	<5	<20	62	0.14	<10	72	<10	6	76

df/319
XLS/96Kmisc.#3


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

05/21/96 13:40 604 573 4557 ECO-TECH KAM.

29-Aug-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-946

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J. KOWALCHUK

No. of samples received: 66
Sample type: Rock
PROJECT #: None Given
SHIPMENT #: 16
Samples submitted by: Bill Telford

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	38341	5	<0.2	2.53	<5	120	15	1.04	2	50	142	109	9.87	10	1.65	759	87	0.15	53	2480	12	<5	<20	10	0.38	<10	394	<10	26	134
2	38677	5	1.2	0.36	430	65	<5	0.38	<1	23	91	13	5.05	<10	0.03	98	12	<0.01	6	2490	6	<5	<20	28	0.01	<10	18	<10	3	6
3	38678	5	2.8	0.30	2290	70	<5	0.36	<1	28	60	13	5.20	<10	<0.01	160	13	<0.01	8	2860	10	60	<20	26	<0.01	10	12	<10	3	2
4	38679	5	1.6	0.25	1355	65	<5	0.37	<1	26	92	11	4.24	<10	<0.01	188	13	<0.01	9	2510	8	40	<20	28	<0.01	<10	10	<10	4	<1
5	38680	5	3.8	0.28	2050	65	5	0.47	2	47	74	17	7.84	<10	<0.01	121	20	<0.01	18	2680	14	65	<20	33	<0.01	<10	8	<10	2	1
6	38681	10	4.2	0.29	3035	65	5	0.44	<1	56	100	24	8.03	<10	<0.01	368	26	<0.01	24	2360	16	100	<20	35	<0.01	<10	8	<10	2	3
7	38682	5	3.6	0.25	3015	60	<5	0.41	<1	18	79	120	7.09	<10	<0.01	177	13	<0.01	4	2170	10	90	<20	34	<0.01	10	9	<10	2	14
8	38683	10	2.8	0.26	2880	60	<5	0.53	<1	17	99	155	7.10	<10	<0.01	109	14	<0.01	3	2750	8	90	<20	51	<0.01	<10	9	<10	3	14
9	38684	5	2.6	0.26	3605	55	<5	0.59	<1	21	86	165	5.00	<10	<0.01	112	13	<0.01	4	3110	16	115	<20	62	<0.01	<10	9	<10	6	9
10	38685	5	2.2	0.25	3860	70	<5	0.19	1	13	121	76	4.35	<10	0.02	201	21	<0.01	3	2190	14	125	<20	29	0.01	<10	15	<10	1	7
11	38686	5	5.8	0.22	405	60	<5	0.12	<1	11	78	13	3.12	<10	<0.01	24	6	<0.01	3	1210	8	45	<20	9	<0.01	<10	11	<10	1	<1
12	38687	5	6.0	0.20	805	55	<5	0.02	<1	9	98	7	3.38	<10	<0.01	16	9	<0.01	2	1120	6	45	<20	8	<0.01	10	9	<10	<1	5
13	38688	5	4.8	0.17	1675	75	<5	0.02	<1	6	108	4	5.12	<10	<0.01	21	8	<0.01	<1	4460	8	55	<20	25	<0.01	<10	10	<10	<1	<1
14	38689	5	2.0	0.18	185	60	<5	0.06	<1	11	145	9	1.66	<10	<0.01	32	8	<0.01	2	480	6	10	<20	8	<0.01	<10	7	<10	<1	3
15	38690	5	2.4	0.20	200	65	<5	0.10	<1	10	114	10	2.22	<10	<0.01	55	5	<0.01	2	1100	6	10	<20	12	<0.01	<10	6	<10	1	8
16	38691	5	3.4	0.25	620	60	<5	0.10	<1	9	135	12	3.05	<10	<0.01	30	9	<0.01	2	1210	8	10	<20	12	<0.01	<10	8	<10	1	40
17	38692	5	3.0	0.20	190	55	<5	0.14	<1	8	92	6	3.05	<10	<0.01	30	5	<0.01	2	1320	6	<5	<20	15	<0.01	<10	6	<10	<1	3
18	38693	5	3.2	0.18	155	55	<5	0.15	<1	9	147	8	2.35	<10	<0.01	30	9	<0.01	3	1010	8	<5	<20	15	<0.01	<10	6	<10	<1	7
19	38694	10	4.8	0.21	210	55	<5	0.27	<1	12	114	10	3.00	<10	<0.01	37	6	<0.01	2	2020	12	10	<20	23	<0.01	<10	6	<10	3	8
20	38695	25	3.0	0.56	405	75	<5	0.10	<1	11	93	8	4.02	<10	0.13	362	9	<0.01	3	870	12	20	<20	9	<0.01	<10	12	<10	<1	40
21	38696	5	0.6	0.39	220	75	<5	0.23	<1	10	189	8	3.97	<10	0.02	339	8	<0.01	3	1100	4	<5	<20	16	<0.01	<10	8	<10	2	65
22	38697	5	1.2	0.34	330	60	5	0.33	<1	13	141	10	4.84	<10	0.02	281	12	<0.01	3	1500	10	<5	<20	20	<0.01	<10	7	<10	3	27
23	38698	5	1.6	0.31	95	60	10	0.40	<1	16	100	14	7.06	<10	<0.01	354	11	<0.01	2	1780	12	<5	<20	23	<0.01	<10	8	<10	2	72
24	38699	5	1.0	0.33	110	65	<5	0.46	<1	10	137	10	4.26	<10	<0.01	376	12	<0.01	3	1990	10	<5	<20	29	<0.01	<10	8	<10	4	38
25	38700	5	0.6	0.43	435	95	<5	0.34	<1	10	130	10	4.31	<10	0.07	593	7	<0.01	2	1510	6	<5	<20	24	0.01	<10	10	<10	4	17

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	38802	515	3.4	0.41	425	475	10	0.40	4	19	134	71	9.30	<10	0.33	150	18	0.02	8	1340	104	<5	<20	10	0.29	20	51	<10	9	782
27	38803	505	3.4	1.16	440	1120	15	0.55	11	22	101	99	>10	<10	1.28	432	16	0.04	15	1820	116	<5	<20	13	0.31	<10	83	<10	10	1599
28	38941	5	2.4	0.14	120	85	<5	0.82	<1	5	247	11	2.09	<10	<0.01	412	14	<0.01	4	1010	4	<5	<20	47	<0.01	<10	5	<10	3	11
29	38942	5	5.8	0.29	815	55	10	0.64	<1	48	111	13	4.11	<10	<0.01	48	8	<0.01	11	3390	16	15	<20	44	<0.01	<10	9	<10	9	27
30	38943	5	2.4	0.19	65	120	<5	0.01	<1	3	85	3	3.57	<10	<0.01	18	8	<0.01	2	370	10	<5	<20	11	<0.01	<10	4	<10	<1	2
31	38944	10	6.4	0.23	1375	65	10	0.15	2	12	129	15	9.87	<10	<0.01	80	13	<0.01	3	1160	22	25	<20	14	<0.01	20	8	<10	<1	229
32	38945	5	0.8	1.41	35	100	<5	0.11	<1	6	33	7	4.44	10	0.50	398	5	<0.01	<1	960	8	<5	<20	10	0.04	<10	23	<10	<1	28
33	38946	5	0.8	1.00	20	155	5	0.32	<1	8	72	6	6.58	<10	0.28	632	9	<0.01	2	1960	4	<5	<20	23	0.01	<10	34	<10	6	129
34	38947	5	2.0	0.84	470	130	<5	0.59	<1	8	76	7	5.23	<10	0.23	449	10	<0.01	1	3900	10	<5	<20	45	0.02	<10	63	<10	9	49
35	38948	10	5.8	0.26	1320	45	<5	0.25	14	9	110	7	4.08	<10	<0.01	65	7	<0.01	3	1500	246	30	<20	16	<0.01	<10	7	<10	<1	1293
36	38949	5	1.4	0.73	120	130	<5	3.86	1	17	78	14	4.31	10	0.22	3669	8	<0.01	2	3330	16	15	<20	124	0.02	<10	25	<10	18	60
37	38950	5	3.2	0.16	215	45	<5	0.07	<1	9	163	6	4.22	<10	<0.01	93	13	<0.01	3	170	6	10	<20	6	<0.01	<10	5	<10	<1	17
38	38951	5	<0.2	0.41	115	50	<5	0.07	<1	8	24	15	5.12	10	0.11	147	9	<0.01	6	800	16	10	<20	7	<0.01	<10	6	<10	<1	40
39	38952	5	0.2	0.99	<5	125	10	4.32	<1	24	11	6	>10	<10	0.76	3194	9	<0.01	8	850	8	<5	<20	124	0.02	<10	12	<10	<1	115
40	38953	5	<0.2	0.99	525	55	5	0.14	<1	12	31	11	6.28	<10	0.40	453	11	<0.01	5	520	12	<5	<20	7	<0.01	<10	10	<10	<1	56
41	38954	5	<0.2	0.46	180	45	<5	0.30	<1	8	28	10	4.44	<10	0.03	105	9	<0.01	5	1900	20	<5	<20	15	<0.01	<10	4	<10	1	15
42	38955	5	<0.2	1.28	<5	85	<5	0.45	2	13	19	10	5.82	<10	0.58	651	16	<0.01	5	1100	10	<5	<20	16	<0.01	<10	12	<10	<1	117
43	38956	5	<0.2	3.09	<5	240	10	5.14	1	13	28	6	7.16	10	0.86	2263	5	<0.01	4	3130	10	<5	<20	168	0.07	<10	43	<10	14	104
44	38957	5	<0.2	3.89	<5	240	15	4.60	1	10	16	5	>10	10	1.21	2318	7	<0.01	2	3310	6	<5	<20	160	0.07	<10	52	<10	8	127
45	38958	5	<0.2	2.40	45	300	10	1.12	1	61	16	6	7.65	10	0.62	1133	7	<0.01	13	1660	16	<5	<20	35	0.03	<10	27	<10	5	150
46	38959	5	0.2	0.57	340	80	5	0.69	<1	18	15	6	6.54	<10	0.09	1516	8	<0.01	7	3150	16	<5	<20	26	<0.01	<10	11	<10	10	76
47	38960	5	<0.2	1.17	35	65	<5	0.19	<1	15	52	53	5.26	<10	0.66	268	7	0.02	16	1030	16	<5	<20	11	<0.01	<10	23	<10	<1	54
48	38961	5	0.6	0.34	15	60	<5	2.12	2	9	82	20	2.61	<10	0.28	488	4	0.02	8	680	74	<5	<20	51	<0.01	<10	8	<10	<1	174
49	38962	5	<0.2	2.69	<5	265	<5	4.21	<1	19	30	118	5.39	<10	1.53	1499	4	0.07	7	1250	12	<5	<20	153	0.04	<10	70	<10	2	77
50	38963	5	<0.2	1.59	<5	125	10	0.55	2	10	86	13	9.72	<10	0.25	689	11	0.12	3	2180	36	<5	<20	49	0.03	<10	76	<10	3	140
51	38964	5	0.6	0.35	355	85	<5	0.29	<1	7	124	9	3.94	<10	0.02	236	10	<0.01	1	1730	8	<5	<20	31	0.01	<10	10	<10	3	15
52	38965	5	0.8	0.27	975	65	<5	0.43	<1	8	132	8	3.86	<10	0.01	498	6	<0.01	2	1630	6	<5	<20	19	<0.01	<10	7	<10	4	12
53	38966	5	2.2	0.39	85	70	<5	0.43	<1	10	112	11	4.54	<10	0.05	232	9	<0.01	1	1980	12	<5	<20	25	<0.01	<10	13	<10	5	14
54	38967	15	0.4	0.28	2005	65	<5	0.44	<1	11	103	7	2.56	<10	<0.01	186	5	<0.01	3	2090	6	<5	<20	21	<0.01	<10	6	<10	5	7
55	38968	35	9.4	0.17	680	65	<5	0.06	<1	9	150	5	2.44	<10	<0.01	27	9	<0.01	5	750	16	50	<20	11	<0.01	<10	5	<10	<1	24
56	38969	25	6.6	0.19	725	105	<5	0.29	<1	11	137	6	2.09	<10	<0.01	81	14	<0.01	4	2320	14	30	<20	24	<0.01	<10	6	<10	4	<1
57	38970	35	5.6	0.20	1305	55	5	0.49	<1	17	155	11	5.64	<10	<0.01	84	26	<0.01	4	2490	26	15	<20	38	<0.01	<10	5	<10	3	2
58	38971	15	4.8	0.22	3525	55	<5	0.28	<1	12	136	12	4.70	<10	<0.01	869	57	<0.01	4	1320	32	65	<20	17	<0.01	<10	9	<10	2	210
59	38972	5	2.8	0.18	2690	75	<5	0.41	<1	7	150	7	2.57	<10	<0.01	152	13	<0.01	3	2490	16	55	<20	26	<0.01	<10	7	<10	5	14
60	38973	5	2.0	0.30	145	75	5	0.45	<1	6	133	7	4.66	<10	0.03	479	13	<0.01	2	2720	12	<5	<20	34	<0.01	<10	12	<10	4	95

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	38974	5	0.6	0.47	60	120	10	0.45	<1	16	62	6	6.91	<10	<0.01	1721	11	<0.01	1	4210	14	<5	<20	18	<0.01	<10	19	<10	10	58
62	38975	5	1.4	0.29	650	85	<5	0.38	<1	6	113	7	2.85	<10	<0.01	163	7	<0.01	2	2370	16	35	<20	36	<0.01	<10	6	<10	5	13
63	38976	5	<0.2	2.88	<5	100	15	3.20	3	40	102	19	>10	<10	2.31	1478	8	0.06	14	1490	18	<5	<20	16	0.32	<10	151	<10	16	176
64	38978	5	4.0	0.25	515	70	<5	0.31	<1	8	110	4	3.04	<10	<0.01	107	6	<0.01	4	2530	12	20	<20	26	<0.01	<10	5	<10	3	28
65	38979	5	8.8	0.19	320	75	<5	0.03	<1	6	98	3	2.08	<10	<0.01	28	7	<0.01	3	240	10	35	<20	5	<0.01	<10	5	<10	<1	7
66	38980	5	<0.2	3.29	<5	420	<5	3.35	1	22	23	87	6.39	<10	1.92	1666	2	0.06	8	1950	30	<5	<20	83	0.14	<10	83	<10	5	84

QC DATA:

Resplit:

R/S 1	38341	5	<0.2	2.42	15	110	10	1.05	3	54	152	107	>10	10	1.57	769	85	0.12	56	2530	10	<5	<20	8	0.38	<10	388	<10	26	140
R/S 36	38949	5	1.4	0.71	125	115	<5	3.97	<1	18	86	14	4.59	<10	0.22	3751	7	<0.01	4	3550	20	20	<20	120	0.02	<10	24	<10	17	64

Repeat:

1	38341	5	<0.2	2.43	<5	115	15	1.00	2	51	143	105	>10	10	1.59	755	87	0.14	53	2550	10	<5	<20	9	0.35	<10	385	<10	25	139
10	38685	5	2.2	0.21	3845	65	<5	0.18	<1	12	121	71	4.24	<10	<0.01	192	19	<0.01	3	2150	14	130	<20	28	<0.01	<10	10	<10	<1	5
19	38694	10	4.8	0.22	200	55	<5	0.28	<1	12	122	11	3.18	<10	0.01	41	6	<0.01	3	2040	12	<5	<20	22	<0.01	<10	7	<10	3	10
36	38949	10	1.4	0.77	120	130	5	4.01	1	17	77	14	4.54	<10	0.22	3745	8	<0.01	3	3440	14	15	<20	122	0.02	<10	24	<10	17	65
45	38958	5	<0.2	2.42	50	300	5	1.08	1	63	17	6	7.80	<10	0.62	1103	7	<0.01	13	1670	18	<5	<20	32	0.03	<10	27	<10	5	158
54	38967	10	0.4	0.26	2020	65	5	0.44	<1	10	104	7	2.56	<10	<0.01	186	6	<0.01	2	2100	6	<5	<20	21	<0.01	<10	6	<10	5	7

Standard:

GEO'96		150	1.2	1.84	60	170	<5	1.99	<1	22	69	89	4.02	<10	1.11	763	2	0.02	22	710	18	<5	<20	58	0.12	<10	87	<10	7	81
GEO'96		145	1.2	1.75	55	170	<5	1.90	1	23	73	80	4.10	<10	1.05	710	<1	0.01	20	720	20	<5	<20	52	0.12	<10	83	<10	7	72

df/946
XLS/96Kenrich#3


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

13-Sep-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-947

Post-it™ Fax Note 7671E Date Sept 16 # of pages 4

To	J. Kowalchuk	From	
Co./Dept.		Co.	Jobs 947/5216
Phone #		Phone #	5217
Fax #		Fax #	

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: J.KOWALCHUK

No. of samples received: 26
Sample type: SOILS
PROJECT #: NONE GIVEN
SHIPMENT #: 16
Samples submitted by: B.TELFORD

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	41+03N 46+25 W	5	<0.2	6.83	<5	50	15	0.91	<1	40	253	44	7.63	<10	1.58	446	<1	0.03	120	330	12	<5	<20	38	0.52	<10	170	<10	4	89
2	41+03N 46+50 W	5	<0.2	5.98	<5	65	15	0.21	<1	24	158	35	9.43	<10	0.59	432	<1	0.03	50	400	24	<5	<20	24	0.47	<10	160	<10	<1	114
3	41+03N 46+75 W	10	1.8	6.79	15	40	10	0.05	<1	8	160	24	6.23	<10	0.11	124	4	0.02	14	470	38	<5	<20	3	0.11	<10	39	<10	<1	68
4	41+03N 47+50 W	5	1.4	5.39	20	65	5	0.05	<1	7	45	22	7.88	<10	0.13	123	9	0.02	9	350	36	<5	<20	4	0.06	10	70	<10	<1	119
5	41+03N 47+75 W	5	<0.2	1.46	5	55	10	0.16	<1	12	35	26	7.91	<10	0.08	84	2	0.03	6	110	12	<5	<20	14	0.26	10	193	<10	<1	60
6	41+03N 48+50 W	5	4.4	4.70	10	35	5	0.07	<1	9	9	25	7.58	<10	0.04	204	4	0.04	4	270	48	<5	<20	4	0.24	<10	39	<10	<1	110
7	41+03N 48+75 W	10	2.0	5.16	35	55	<5	0.05	<1	10	24	55	6.56	<10	0.16	403	9	0.03	12	410	62	<5	<20	3	0.08	<10	38	<10	17	199
8	41+03N 49+00 W	5	<0.2	4.54	<5	60	20	0.10	<1	18	183	27	>10	<10	0.25	133	<1	0.02	15	250	20	<5	<20	7	0.51	10	233	<10	<1	67
9	41+03N 49+50 W	5	1.0	5.32	15	40	5	0.68	<1	35	119	56	4.88	40	0.89	1238	<1	0.05	32	1030	26	<5	<20	18	0.64	<10	107	<10	39	34
10	41+03N 49+75 W	5	0.6	7.79	20	60	5	0.38	<1	42	123	30	5.73	<10	0.32	677	<1	0.02	30	850	26	<5	<20	24	0.25	<10	101	<10	9	118
11	41+03N 50+00 W	5	<0.2	2.72	<5	50	20	0.10	<1	24	103	29	>10	<10	0.17	174	<1	0.02	17	230	20	<5	<20	4	0.71	10	289	<10	<1	82
12	41+25N 50+00 W	5	0.4	4.60	10	65	10	0.08	<1	17	65	28	9.12	<10	0.24	190	3	0.02	19	430	28	<5	<20	7	0.26	10	132	<10	<1	119
13	41+75N 50+00 W	5	<0.2	3.67	<5	65	25	0.13	<1	24	175	36	>10	<10	0.32	82	<1	0.02	13	130	6	<5	<20	6	0.83	10	405	<10	<1	29
14	42+00N 46+25 W	5	3.4	3.75	10	55	5	0.10	<1	15	97	32	8.75	<10	0.18	259	5	0.02	20	930	4	<5	<20	6	0.23	10	158	<10	<1	76
15	42+00N 46+50 W	5	<0.2	0.04	<5	<5	<5	<0.01	<1	<1	<1	<1	0.12	<10	<0.01	3	<1	<0.01	<1	<10	<2	<5	<20	<1	<0.01	<10	2	<10	<1	<1
16	42+00N 46+75 W	10	2.6	2.71	30	65	<5	0.09	<1	15	44	53	7.77	<10	0.06	377	9	0.02	25	1340	6	<5	<20	10	0.02	<10	80	<10	<1	193
17	42+00N 47+00 W	5	<0.2	4.09	30	60	<5	0.12	<1	5	45	21	1.83	10	0.31	101	3	0.02	14	650	16	<5	<20	4	0.09	<10	60	<10	7	138
18	42+00N 47+50 W	10	2.0	6.42	<5	40	10	0.04	<1	9	41	19	>10	<10	0.07	203	7	0.02	5	300	16	<5	<20	3	0.14	20	61	<10	<1	73
19	42+00N 48+00 W	5	2.0	9.18	20	30	<5	0.03	<1	6	44	23	6.36	<10	0.07	99	6	0.02	7	590	16	<5	<20	<1	0.06	10	38	<10	1	75
20	42+00N 48+50 W	10	<0.2	0.86	10	15	<5	0.03	<1	4	5	16	1.69	<10	0.04	74	3	0.01	2	140	4	<5	<20	2	0.03	<10	58	<10	<1	22
21	42+00N 48+75 W	20	3.0	6.66	25	50	5	0.09	<1	9	27	52	6.99	<10	0.19	214	6	0.02	7	690	16	<5	<20	7	0.06	<10	54	<10	<1	109
22	42+00N 49+00 W	5	1.6	5.58	10	140	<5	0.57	3	18	95	53	4.38	<10	0.06	8174	5	0.02	43	2600	<2	<5	<20	16	0.09	<10	41	<10	19	153
23	42+00N 49+25 W	5	<0.2	2.29	<5	90	<5	0.41	4	20	82	27	4.79	<10	0.67	290	17	0.03	41	390	<2	85	<20	41	0.06	<10	90	<10	<1	28
24	42+00N 49+50 W	10	<0.2	6.55	<5	50	10	0.48	<1	54	106	50	7.09	<10	0.90	642	<1	0.03	55	440	<2	<5	<20	43	0.51	<10	127	<10	11	65
25	42+00N 49+75 W	5	<0.2	7.08	20	55	<5	1.65	<1	52	184	69	6.88	<10	0.59	354	<1	0.03	143	390	<2	<5	<20	26	0.31	<10	156	<10	33	77
26	42+00N 50+00 W	5	<0.2	3.42	<5	40	25	0.16	<1	25	149	45	>10	<10	1.02	266	<1	0.03	21	250	<2	<5	<20	7	0.73	20	326	<10	<1	39

CP

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	------	----------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:

Repeat:

1	41+03N 46+25 W	5	<0.2	7.03	<5	50	15	0.94	<1	41	260	45	7.91	<10	1.63	466	<1	0.03	124	360	14	<5	<20	39	0.52	<10	176	<10	4	95
10	41+03N 49+75 W	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	42+00N 46+25 W	-	2.6	4.78	20	55	5	0.16	<1	20	101	30	7.95	<10	0.22	274	3	0.02	22	880	<2	<5	20	8	0.24	<10	142	<10	2	84

Standard:

GEO'96		150	1.0	1.86	65	155	<5	1.76	<1	20	63	71	3.99	<10	0.97	685	<1	0.02	21	860	18	<5	<20	58	0.14	<10	82	<10	6	71
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

dl/947/947A/947B
XLS/96Kenrich#3


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

1-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-1176

KENRICH MINING CORPORATION
910-510 BURNARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J.KOWALCHUCK/K.TROCIUK

No. of samples received: 1
Sample type: CORE
PROJECT #: NONE GIVEN
SHIPMENT #: NOPE GIVEN
Samples submitted by: COLIN RUSSELL

Values in ppm unless otherwise reported

Et #	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	39187	<5	<0.2	4.03	<5	20	5	2.64	<1	38	295	58	4.97	<10	4.16	527	<1	0.11	131	360	4	<5	<20	27	0.29	<10	74	<10	8	38	
QC DATA:																															
Resplit:																															
1	39187	<5	<0.2	4.21	<5	15	<5	2.85	<1	41	317	65	5.21	<10	4.41	550	<1	0.12	145	400	2	<5	<20	25	0.30	<10	76	<10	10	39	
Repeat:																															
1	39187	<5	<0.2	4.27	<5	20	5	2.76	<1	41	310	60	5.22	<10	4.40	551	<1	0.12	140	380	2	<5	<20	26	0.30	<10	77	<10	10	40	
Standard:																															
GEO96		140	1.4	2.13	65	150	<5	2.14	<1	22	73	79	4.17	<10	1.17	751	<1	0.02	25	760	18	<5	<20	57	0.12	<10	93	<10	5	72	

dl/1176
XLS/96Kenrich#4


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

10/02/96 09:04

07/19/96 17:12 604 573 4557 ECO-TECH KAM. →→→ KENRICH 002

19-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5004

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: RAUL VERZOSA/KEN TROCIUK

No. of samples received: 15
Sample type: Rock
PROJECT #: COREY
SHIPMENT #: 2
Samples submitted by: Bill

Values in ppm unless otherwise reported


Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	38522	5	0.2	0.34	10	65	<5	0.05	<1	1	131	2	0.94	40	0.08	392	6	0.04	5	150	36	<5	20	9	<0.1	<10	2	<10	2	23
2	38523	5	1.0	0.60	25	70	<5	0.43	2	5	55	26	2.98	<10	0.16	610	6	0.01	20	360	12	<5	20	12	<0.1	<10	10	<10	4	206
3	38532	5	0.6	1.52	15	85	<5	0.08	<1	4	63	38	3.88	<10	0.78	170	14	0.02	26	690	16	<5	<20	6	<0.1	<10	85	<10	<1	217
4	38533	5	<2	2.08	5	90	5	0.16	1	6	75	31	5.07	<10	1.15	230	9	0.02	66	850	26	<5	20	14	<0.1	<10	38	<10	<1	101
5	38534	5	0.4	1.49	40	125	<5	0.03	<1	3	80	31	4.21	<10	0.70	111	14	0.02	46	550	22	10	40	9	<0.1	<10	82	<10	<1	120
6	38535	5	0.4	1.36	<5	105	<5	1.05	25	13	134	34	4.40	<10	0.51	1118	10	0.01	82	810	10	<5	40	107	<0.1	<10	27	<10	7	1146
7	38536	5	0.4	1.61	<5	110	10	0.09	1	4	55	36	4.46	<10	0.77	167	8	0.02	29	690	28	<5	20	15	<0.1	<10	31	<10	<1	108
8	37912	5	<2	1.81	20	60	<5	0.48	<1	22	80	27	4.82	<10	1.39	868	<1	0.02	19	1830	10	<5	<20	14	0.12	<10	119	<10	8	69
9	37913	5	1.2	1.09	<5	75	<5	0.82	2	58	113	724	11.70	<10	0.63	2851	38	0.02	52	580	<2	<5	40	12	0.07	<10	54	<10	<1	79
10	37914	40	3.8	3.36	345	85	<5	0.98	<1	36	103	468	> 15	<10	1.67	6157	12	0.01	35	1860	24	<5	40	25	0.17	<10	124	<10	<1	283
11	37915	5	<2	2.48	<5	305	15	6.99	<1	25	75	44	6.04	60	2.14	873	<1	0.04	28	4860	18	5	20	332	0.29	<10	113	<10	4	139
12	37916	5	<2	0.45	45	100	5	0.48	<1	2	121	4	1.49	<10	0.38	436	4	0.04	5	280	12	10	<20	16	0.02	<10	3	<10	3	52
13	37917	5	<2	1.74	40	95	10	0.54	2	11	50	47	4.08	<10	0.95	492	11	0.06	15	1140	16	15	20	20	0.09	<10	41	<10	8	143
14	37918	5	0.4	1.42	<5	55	<5	1.33	1	148	27	1029	> 15	<10	0.38	189	10	0.07	124	1040	<2	<5	40	89	0.11	20	17	10	<1	23
15	37919	5	1.6	1.18	<5	70	<5	1.08	3	212	14	3943	> 15	<10	0.39	228	21	0.07	180	900	8	<5	40	51	0.10	10	24	10	<1	38

53

Et #	Tag#	Au(ppb)*	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
QC DATA:																															
<i>Resplit:</i>																															
R/S1	38522		<.2	0.34	5	65	<5	0.06	<1	4	128	42	1.23	40	0.07	356	6	0.04	6	160	32	<5	<20	9	<.01	<10	2	10	2	22	
<i>Repeat:</i>																															
1	38522		0.2	0.33	10	60	<5	0.04	<1	2	122	4	1.04	30	0.08	402	6	0.04	4	140	48	<5	<20	7	<.01	<10	3	<10	2	27	
<i>Standard:</i>																															
GEO'96			1.2	1.70	45	180	5	1.90	<1	22	72	82	4.02	<10	1.01	784	<1	0.02	20	710	20	<5	<20	66	0.13	<10	84	<10	5	72	
GEO'96			1.4	1.77	60	170	<5	1.96	<1	20	66	80	4.02	<10	0.97	762	<1	0.02	22	720	20	<5	<20	60	0.12	<10	80	<10	5	72	

NOTE: * = Results to follow

dt/5010r
XLS/96Kennich


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

28-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5004A

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: KEN TROCIUK

No. of samples received: 7
Sample type: Moss
PROJECT #: COREY
SHIPMENT #: 2
Samples submitted by: Bill

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37709	10	<2	3.18	15	105	5	1.57	2	36	110	108	5.65	<10	2.10	905	<1	0.04	73	1380	8	<5	<20	63	0.18	<10	130	<10	5	153
2	37710	5	<2	3.53	10	120	<5	1.42	2	43	159	97	6.62	<10	2.72	862	<1	0.04	99	1190	12	<5	<20	54	0.23	<10	148	<10	4	151
3	37714	<5	<2	0.99	35	135	<5	3.58	3	11	44	62	1.70	<10	0.69	845	1	0.02	79	1990	8	5	<20	130	0.04	<10	47	<10	3	148
4	37716	<5	<2	3.08	35	125	<5	1.34	1	38	142	80	6.54	<10	2.40	862	<1	0.03	82	1560	12	<5	<20	50	0.21	<10	147	<10	3	116
5	37721	95	<2	1.08	<5	125	<5	0.91	<1	19	39	42	6.84	<10	0.72	426	4	0.03	21	2260	22	<5	40	40	0.09	<10	154	<10	<1	48
6	37913	<5	<2	3.01	30	160	<5	1.23	2	29	81	72	4.91	<10	1.30	1173	1	0.02	57	1670	8	<5	<20	62	0.13	<10	97	<10	6	141
7	37914	<5	<2	3.09	25	155	<5	1.25	2	28	84	60	5.11	<10	1.30	1091	1	0.02	58	1570	8	<5	<20	69	0.15	<10	98	<10	5	150

QC DATA:

Repeat:

1	37709	5	<2	3.18	15	110	<5	1.62	2	37	109	110	5.62	<10	2.08	926	<1	0.04	73	1370	8	<5	<20	65	0.19	<10	129	<10	5	153
---	-------	---	----	------	----	-----	----	------	---	----	-----	-----	------	-----	------	-----	----	------	----	------	---	----	-----	----	------	-----	-----	-----	---	-----

Standard:

GEO'96		150	1.4	1.76	65	160	<5	1.88	<1	19	63	80	4.28	<10	1.00	742	<1	0.02	22	710	18	<5	<20	55	0.11	<10	78	<10	5	72
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

dl/504r
XLS/96kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

001

20-Jun-96

ECO-TECH LABORA
10041 East Trans Car
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

FEED FAX THIS END

FAX	
To: K. Trociuk	
Dept.: (604) 688-3346	
Fax No.: (604) 688-3346	
No. of Pages: 1	
From: Diane	
Date: JUN 20 1996	
Company:	
Fax No.:	
Comments: Job 5001B	
IPR	
Postnet:	
(in part 780E)	

ICP CERTIFICATE OF ANALYSIS AS 96-5004B

KENRICH MINING CORPORATION
910-510 BURREARD STREET
VANCOUVER, BC
V6C 3A8


ATTENTION: KEN TROCIUK

No. of samples received: 6
Sample type: Silt
PROJECT #: Corey
SHIPMENT #: 2
Samples submitted by: Bill

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	37711	<5	<2	0.34	<5	80	<5	0.03	<1	<1	133	1	0.88	40	0.07	370	6	0.04	3	130	18	<5	<20	6	<0.1	<10	2	<10	2	20	
2	37712	<5	1.0	0.62	25	80	5	0.41	2	5	55	26	2.94	<10	0.15	601	5	<0.1	19	370	10	<5	<20	8	<0.1	<10	11	<10	4	196	
3	37717	<5	<2	1.57	15	85	<5	0.06	<1	3	63	38	3.82	<10	0.79	156	15	0.01	25	690	12	10	<20	6	<0.1	<10	88	<10	<1	206	
4	37718	<5	<2	2.17	5	95	<5	0.14	<1	6	77	32	5.07	<10	1.19	224	8	0.01	64	860	22	<5	<20	11	<0.1	<10	39	<10	<1	95	
5	37719	<5	<2	1.55	35	130	<5	0.02	<1	3	79	32	4.15	<10	0.71	105	14	0.01	42	540	18	5	20	8	<0.1	<10	86	<10	<1	112	
6	37720	<5	<2	1.38	<5	105	5	1.02	25	13	149	35	4.30	<10	0.51	1096	9	<0.1	79	800	4	<5	20	112	<0.1	<10	27	<10	7	1082	
QC DATA:																															
Resplit:																															
R/S1	37711	-	<2	0.33	10	55	<5	0.03	<1	<1	131	<1	0.86	40	0.07	354	5	0.04	2	130	16	<5	<20	4	<0.1	<10	1	<10	2	21	
Repeat:																															
1	37711	<5	<2	0.34	10	55	<5	0.03	<1	<1	131	<1	0.88	40	0.07	372	6	0.04	3	140	18	<5	<20	4	<0.1	<10	1	<10	2	25	
Standard:																															
GEO'96		-	1.0	1.87	70	165	<5	1.99	<1	21	71	83	4.01	<10	1.03	780	<1	0.02	22	710	20	10	20	65	0.15	<10	82	<10	4	74	

df/459r
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

25-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5008

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: RAUL VERZOSA/KEN TROCIUK

No. of samples received: 55
Sample type: Rock
PROJECT #: Corey
SHIPMENT #: None given
Samples submitted by: Bill

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37920	5	<2	2.42	<5	75	<5	2.17	<1	22	71	129	3.47	<10	1.30	242	<1	0.27	35	1670	<2	<5	<20	126	0.19	<10	68	<10	4	21
2	37921	5	<2	2.05	<5	60	<5	1.55	2	132	25	811	> 15	<10	0.30	106	18	0.20	107	800	<2	<5	20	204	0.08	20	21	310	<1	14
3	37922	5	<2	3.03	10	180	<5	1.89	<1	33	333	93	3.10	<10	2.38	289	<1	0.17	199	1870	<2	10	<20	276	0.17	<10	82	<10	<1	24
4	37923	5	<2	2.10	<5	95	10	2.60	<1	16	42	30	4.95	<10	1.03	570	3	0.03	16	1200	2	<5	20	82	0.06	<10	60	<10	3	63
5	37924	5	<2	0.29	<5	55	5	> 15	1	8	27	2	4.12	<10	5.65	1170	9	0.02	17	350	<2	15	<20	426	<0.1	<10	22	<10	3	90
6	37925	5	<2	0.48	5	80	<5	0.34	<1	4	60	8	1.94	<10	0.19	138	8	0.02	6	450	16	<5	<20	21	<0.1	<10	3	<10	2	46
7	37927	5	0.4	0.20	<5	100	<5	> 15	<1	2	84	<1	1.05	<10	0.44	1451	3	<0.1	9	130	<2	10	<20	2532	<0.1	<10	6	<10	4	46
8	37928	5	<2	1.80	<5	95	<5	6.39	<1	41	315	102	5.05	<10	1.81	615	<1	0.09	106	2570	<2	<5	<20	278	0.15	<10	128	<10	<1	42
9	37929	5	<2	3.48	5	150	10	1.01	<1	20	63	56	6.15	<10	1.54	709	<1	0.15	16	1710	4	<5	20	73	0.27	<10	119	<10	3	55
10	37930	5	<2	3.01	5	175	10	0.78	<1	18	55	39	5.46	<10	1.06	535	<1	0.09	11	1440	2	<5	20	50	0.24	<10	75	<10	3	55
11	37931	5	<2	2.92	<5	135	10	0.74	<1	17	60	29	4.91	<10	1.07	417	<1	0.14	12	1050	<2	<5	20	67	0.22	<10	84	<10	2	43
12	37932	5	0.8	0.69	45	65	<5	4.15	1	15	20	42	5.43	<10	0.95	897	5	0.01	13	1780	40	<5	20	140	<0.1	<10	14	<10	5	97
13	37933	5	1.8	1.65	60	90	5	1.29	21	12	104	55	4.78	<10	0.53	434	16	<0.1	49	1310	176	<5	20	58	<0.1	<10	47	<10	2	1206
14	38201	5	<2	3.37	<5	130	<5	2.50	<1	38	143	123	3.15	<10	1.29	215	<1	0.22	102	2140	<2	<5	<20	230	0.16	<10	73	<10	<1	24
15	38202	5	<2	3.15	<5	95	<5	1.84	1	180	167	492	12.00	<10	1.74	247	5	0.17	492	1410	<2	<5	20	113	0.20	10	115	40	<1	29
16	38203	5	<2	1.03	<5	45	<5	3.98	<1	27	51	85	3.55	<10	0.29	126	6	0.14	43	2480	2	<5	20	158	0.17	<10	31	<10	3	12
17	38204	5	<2	3.61	<5	105	<5	2.55	<1	42	238	211	4.93	<10	1.32	263	<1	0.31	138	2360	<2	<5	<20	241	0.18	<10	118	20	<1	25
18	38205	5	<2	4.93	<5	110	<5	3.62	<1	27	449	156	3.66	<10	1.17	239	<1	0.37	128	1780	<2	<5	<20	279	0.18	<10	113	<10	<1	14
19	38206	5	<2	5.78	20	160	10	2.85	<1	20	55	32	5.11	<10	1.42	695	<1	0.28	13	1410	<2	<5	40	147	0.28	<10	106	<10	3	48
20	38207	5	<2	1.73	<5	265	<5	0.17	<1	14	108	67	4.67	<10	1.17	198	25	0.05	52	650	4	<5	<20	8	0.18	<10	178	<10	4	135
21	38208	5	<2	1.84	<5	40	10	1.21	<1	34	117	73	4.76	<10	1.34	377	<1	0.15	52	940	<2	<5	<20	20	0.24	<10	110	<10	4	24
22	38209	5	<2	0.52	<5	45	<5	0.32	<1	5	170	18	1.77	<10	0.28	146	7	0.06	10	120	2	<5	<20	8	0.02	<10	23	<10	7	27
23	38210	5	0.8	1.53	15	80	<5	0.12	4	10	65	32	3.95	<10	0.95	253	20	0.03	31	750	14	<5	<20	8	<0.1	<10	48	<10	<1	155
24	38211	5	<2	0.31	<5	35	<5	2.66	<1	2	98	<1	1.18	<10	0.15	1140	4	0.03	4	210	10	<5	<20	74	<0.1	<10	4	<10	3	10
25	38212	5	<2	0.50	15	50	<5	0.47	<1	21	42	94	4.14	<10	0.20	187	7	<0.1	12	710	24	<5	40	30	0.01	<10	69	<10	2	53

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	38213	5	0.2	0.87	30	75	<5	0.22	1	33	55	94	6.39	<10	0.37	427	8	<0.1	22	810	16	<5	20	30	0.07	<10	149	<10	<1	84
27	38214	5	<2	4.07	<5	100	10	5.07	<1	42	80	61	8.00	<10	2.66	925	3	0.21	47	1780	<2	<5	20	87	0.18	<10	245	<10	3	89
28	38215	5	<2	3.37	20	90	10	0.66	<1	23	42	41	6.55	<10	2.21	334	7	0.10	22	790	10	<5	20	26	0.11	<10	91	<10	<1	95
29	38216	5	0.2	1.53	10	45	<5	0.33	<1	15	38	40	4.72	<10	0.89	205	7	0.04	14	890	18	<5	20	10	0.03	<10	27	<10	<1	106
30	38217	5	0.2	2.86	<5	95	<5	2.04	<1	17	96	41	3.62	<10	1.36	259	<1	0.17	40	1130	134	<5	<20	71	0.10	<10	61	<10	<1	46
31	38218	5	0.2	2.78	5	90	5	1.95	<1	17	90	43	3.63	<10	1.32	248	1	0.16	39	1130	118	5	<20	69	0.10	<10	61	<10	<1	46
32	38219	5	<2	4.02	<5	150	<5	8.33	<1	43	107	200	8.10	<10	3.40	1377	<1	0.05	27	3990	<2	<5	20	200	0.41	<10	309	<10	5	81
33	38220	5	0.6	1.68	<5	75	<5	13.30	<1	22	63	13	3.68	<10	1.09	2767	9	0.06	8	1260	4	10	<20	260	0.06	<10	68	<10	<1	25
34	38221	>1000	>30	1.71	75	105	<5	0.48	34	14	74	987	6.27	<10	0.71	482	14	0.05	4	990	>10000	45	20	30	0.16	<10	61	<10	<1	4188
35	38222	5	15.2	3.55	10	100	5	1.70	<1	16	69	45	4.73	<10	0.84	281	3	0.25	13	1620	578	<5	40	74	0.12	<10	69	<10	2	164
36	38223	5	4.6	1.56	15	90	<5	> 15	3	10	47	47	2.88	<10	0.39	970	2	0.09	9	830	242	<5	40	354	0.06	<10	28	<10	3	210
37	38224	5	4.0	1.64	15	95	<5	> 15	3	10	51	43	2.87	<10	0.39	1006	2	0.10	7	820	246	<5	20	364	0.06	<10	29	<10	2	214
38	38225	5	2.4	0.27	50	25	5	1.07	<1	3	104	<1	3.55	<10	0.05	205	9	0.08	3	520	96	<5	40	44	<0.1	<10	2	<10	1	22
39	38537	5	1.6	1.20	15	65	5	0.67	6	7	64	19	4.03	<10	0.66	470	5	0.01	15	1720	30	<5	40	20	0.09	<10	57	<10	15	157
40	38538	5	0.6	3.39	5	85	10	3.17	1	16	81	27	6.64	<10	1.38	751	4	0.02	12	630	26	<5	20	27	0.14	<10	91	<10	5	136
41	38539	5	0.8	0.48	5	55	<5	0.13	<1	4	78	6	1.71	<10	0.21	211	<1	0.02	7	250	22	<5	<20	4	0.12	<10	23	<10	3	25
42	38543	5	<2	2.91	<5	40	15	0.73	2	26	72	67	10.90	<10	1.51	765	<1	0.06	14	2250	14	<5	20	6	0.33	<10	298	<10	6	145
43	38544	5	0.6	0.47	<5	55	<5	0.10	<1	3	138	<1	1.80	<10	0.25	154	6	0.01	5	400	24	<5	<20	4	0.03	<10	18	<10	2	36
44	38545	5	0.2	2.18	<5	65	<5	0.09	<1	7	92	15	6.50	<10	1.52	866	9	<0.1	14	560	28	<5	40	4	<0.1	<10	156	<10	<1	83
45	38546	5	1.2	1.63	25	65	10	0.29	<1	12	39	33	5.29	<10	1.18	535	2	0.01	18	580	20	<5	40	5	0.15	<10	50	<10	4	120
46	38547	5	>30	1.22	250	45	10	0.40	107	43	125	41	15.00	<10	1.74	550	7	<0.1	152	210	10	15	20	1	0.04	<10	55	<10	<1	>10000
47	38548	5	>30	0.12	3105	135	<5	0.48	<1	22	22	1266	> 15	<10	3.25	600	37	<0.1	21	<10	1608	1930	20	13	0.15	<10	20	<10	<1	606
48	38549	5	>30	0.13	2995	130	<5	0.40	20	20	33	1023	> 15	<10	2.61	620	33	<0.1	14	<10	2702	1845	20	2	0.11	<10	25	<10	<1	1983
49	38550	5	15.8	3.53	30	10	<5	10.20	<1	30	247	122	4.15	<10	2.70	1086	<1	<0.1	134	430	46	30	<20	23	0.11	<10	51	<10	2	75
50	38551	5	3.6	3.60	<5	25	10	3.18	<1	41	346	53	5.81	<10	3.60	706	<1	0.07	188	340	18	5	<20	15	-0.29	<10	75	<10	5	64
51	38552	5	1.8	2.18	15	70	10	2.90	10	15	29	24	7.99	<10	1.39	683	12	0.02	16	720	10	<5	20	40	0.16	<10	67	<10	33	353
52	38553	5	3.6	0.24	45	100	<5	0.22	2	4	91	4	1.91	<10	0.05	166	17	<0.1	11	720	76	30	<20	9	<0.1	<10	9	<10	2	207
53	38554	5	1.4	0.91	30	40	<5	0.14	<1	9	64	26	4.10	<10	0.61	540	7	<0.1	32	370	16	<5	20	2	<0.1	<10	28	<10	<1	85
54	38751	5	<2	3.28	<5	40	15	1.22	1	50	259	50	8.78	<10	3.35	1034	<1	0.05	55	910	8	<5	40	4	-0.30	<10	226	<10	5	100
55	38752	5	0.8	0.28	20	65	<5	0.11	1	2	96	4	1.89	<10	0.09	79	27	0.01	6	170	20	<5	<20	8	<0.1	<10	5	<10	2	94

Et #	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Resplit:																															
R/S1	37920	5	<2	2.30	<5	70	<5	2.11	<1	23	68	126	3.55	<10	1.20	228	<1	0.24	37	1740	2	5	<20	117	0.18	<10	83	<10	4	22	
R/S36	38223	5	3.8	1.41	15	85	<5	> 15	3	9	44	43	2.95	<10	0.36	986	2	0.08	6	730	232	<5	<20	416	0.05	<10	26	<10	3	306	
Repeat:																															
1	37920	5	<2	2.40	<5	70	<5	2.12	<1	22	70	126	3.45	<10	1.28	238	<1	0.26	35	1680	<2	10	<20	122	0.18	<10	87	<10	4	21	
10	37930	5	<2	3.04	<5	170	<5	0.80	<1	19	59	40	5.60	<10	1.07	547	<1	0.09	11	1490	4	<5	40	49	0.24	<10	76	<10	3	57	
19	38206	5	<2	5.68	20	160	15	2.84	<1	21	54	33	5.13	<10	1.42	694	<1	0.27	14	1410	2	<5	40	142	0.28	<10	105	<10	3	50	
36	38223	5	4.2	1.56	15	90	<5	> 15	3	11	48	43	2.95	<10	0.38	986	3	0.09	7	850	248	<5	40	353	0.06	<10	28	<10	3	216	
45	38546	5	1.0	1.63	20	60	10	0.26	<1	12	42	34	5.30	<10	1.18	528	2	0.01	16	580	20	<5	40	4	0.14	<10	50	<10	3	120	
Standard:																															
GEO'96		145	1.2	1.76	65	160	<5	1.87	<1	20	63	75	4.32	<10	0.98	739	<1	0.02	22	710	20	<5	<20	56	0.11	<10	80	<10	5	70	
GEO'96		150	1.2	1.79	65	165	<5	2.00	<1	20	65	75	4.43	<10	1.00	760	<1	0.01	20	720	22	<5	20	59	0.11	<10	80	<10	4	75	

df/5008
XLS/96kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

25-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AS 96-5009

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: KEN TROCIUK

No. of samples received: 17
Sample type: Soil
PROJECT #: Corey
SHIPMENT #: None given
Samples submitted by: Bill

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37722	<5	0.2	3.16	15	95	<5	0.37	<1	21	88	82	6.17	<10	1.20	490	<1	0.02	41	1150	24	<5	<20	21	0.20	<10	135	<10	5	82
2	37723	<5	<2	4.24	20	170	<5	0.78	<1	44	161	111	6.88	<10	2.16	1284	<1	0.02	102	1350	28	<5	<20	45	0.28	<10	154	<10	9	117
3	37724	35	<2	2.97	35	220	<5	0.96	1	37	79	98	6.67	<10	1.66	1366	<1	0.02	47	1790	24	<5	<20	28	0.23	<10	128	<10	8	155
4	37730	5	0.2	2.84	45	145	5	1.44	1	37	118	73	6.67	<10	2.12	2342	<1	0.02	68	1890	30	<5	<20	38	0.24	<10	131	<10	7	139
5	37731	<5	<2	2.33	5	110	5	1.17	<1	26	101	54	4.68	<10	1.68	510	<1	0.03	55	1870	18	<5	<20	41	0.24	<10	110	<10	6	102
6	37732	5	<2	2.62	35	120	5	2.32	1	35	118	64	6.10	<10	2.13	1335	<1	0.03	69	1700	28	<5	<20	43	0.24	<10	118	<10	7	120
7	37733	5	0.2	2.69	30	140	<5	1.36	1	35	112	66	6.46	<10	2.06	1977	<1	0.02	63	1900	28	<5	<20	38	0.23	<10	127	<10	6	128
8	37734	<5	<2	2.39	25	155	<5	0.93	2	28	101	34	6.18	<10	1.81	2952	3	0.02	60	1190	16	10	<20	37	0.17	<10	95	<10	3	109
9	37735	<5	<2	2.38	30	105	5	0.87	1	27	117	47	5.54	<10	1.96	1012	<1	0.02	68	1340	18	10	<20	28	0.17	<10	102	<10	4	118
10	37736	<5	<2	2.78	35	150	<5	1.71	1	36	111	78	6.35	<10	2.03	1821	<1	0.02	65	2060	22	<5	<20	51	0.21	<10	128	<10	6	149
11	37737	<5	<2	2.96	85	165	<5	1.30	<1	34	110	69	6.47	<10	2.07	1559	<1	0.04	67	1980	24	<5	<20	54	0.20	<10	141	<10	5	161
12	37811	5	<2	3.65	40	225	<5	1.50	2	35	89	65	5.28	<10	1.37	1502	<1	0.04	65	1630	22	5	<20	64	0.17	<10	111	<10	12	159
13	37812	<5	<2	2.98	25	160	5	1.21	1	33	109	52	5.50	<10	1.63	1109	<1	0.03	69	1250	18	<5	<20	44	0.21	<10	111	<10	8	127
14	37813	45	<2	2.95	45	190	<5	1.37	2	39	114	79	6.73	<10	2.10	1321	<1	0.03	64	2070	28	<5	<20	51	0.28	<10	143	<10	6	153
15	37814	10	<2	2.16	<5	130	5	1.29	1	28	116	28	4.72	<10	1.73	1310	<1	0.03	52	1330	10	<5	<20	26	0.27	<10	98	<10	7	87
16	37815	<5	<2	4.95	40	125	<5	0.68	<1	56	92	99	9.10	<10	1.52	3041	3	0.02	45	2050	46	<5	<20	71	0.27	<10	146	<10	8	168
17	37816	10	<2	3.45	15	255	<5	1.75	1	41	95	92	7.67	<10	2.44	1518	<1	0.04	44	3050	24	<5	<20	91	0.31	<10	199	<10	6	118

0002/002
 KENRICH
 KAM.
 573 4331

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5009

ECO-TECH LABORATORIES LTD.

Et #	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Repeat:																															
1	37722	<5	0.4	3.16	20	95	<5	0.38	<1	21	88	82	6.17	<10	1.20	495	<1	0.02	41	1150	24	<5	20	20	0.20	<10	134	<10	5	82	
10	37736	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																															
GEO'96		150	1.2	2.03	60	170	<5	1.96	<1	23	70	83	4.02	<10	1.05	720	<1	0.02	22	720	20	5	<20	70	0.15	<10	93	<10	4	76	

df/5012ar
 XLS/96kenrich


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

28-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5009A

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: KEN TROCIUK

No. of samples received: 24
Sample type: Moss
PROJECT #: none given
SHIPMENT #: none given
Samples submitted by: Bill

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37725	<5	<2	2.32	25	125	10	1.34	<1	23	61	66	4.65	<10	1.22	954	<1	0.03	37	1460	12	<5	<20	55	0.13	<10	102	<10	4	90
2	37726	55	<2	2.30	15	165	<5	0.87	<1	27	83	58	5.29	<10	1.55	973	<1	0.02	48	1890	10	<5	<20	33	0.15	<10	109	<10	3	88
3	37727	240	<2	2.16	25	185	<5	1.02	1	27	54	76	5.33	<10	1.43	1196	<1	0.02	34	2070	14	<5	<20	30	0.12	<10	103	<10	5	118
4	37728	<5	0.4	1.46	90	110	<5	2.11	<1	21	39	114	3.93	<10	0.92	4543	5	0.03	26	2280	16	<5	<20	91	0.07	<10	111	<10	1	95
5	37729	25	<2	2.35	50	115	<5	1.24	<1	28	90	74	5.64	<10	1.86	1530	<1	0.01	48	2020	18	<5	<20	36	0.13	<10	109	<10	4	113
6	37751	<5	<2	2.24	25	125	5	1.09	<1	29	98	62	5.69	<10	1.75	1709	2	0.01	52	1570	8	<5	<20	46	0.12	<10	100	<10	3	91
7	37752	<5	1.8	1.78	50	425	<5	2.04	2	31	60	52	9.16	<10	0.97	10000	8	0.01	48	2120	<2	<5	40	78	0.08	<10	77	<10	<1	103
8	37753	35	<2	2.46	45	140	<5	1.11	<1	30	97	60	6.64	<10	1.91	1217	1	0.03	54	2360	8	<5	<20	51	0.14	<10	127	<10	2	112
9	37754	<5	<2	2.03	20	105	<5	1.52	1	24	86	68	4.49	<10	1.62	1347	1	0.02	50	1970	10	<5	<20	46	0.10	<10	91	<10	4	104
10	37755	50	<2	2.66	60	145	5	1.12	1	31	102	68	6.64	<10	1.99	1288	2	0.03	60	2440	12	<5	<20	55	0.14	<10	135	<10	3	122
11	37756	<5	<2	2.90	75	205	<5	1.24	2	32	101	76	6.51	<10	2.07	1713	1	0.03	61	2680	14	<5	<20	69	0.16	<10	142	<10	4	153
12	37801	<5	<2	2.74	25	175	<5	1.57	2	24	78	47	3.86	<10	1.22	1136	1	0.03	56	1640	8	<5	<20	64	0.10	<10	78	<10	6	114
13	37802	5	<2	2.69	20	205	<5	1.48	2	25	63	60	3.95	<10	1.11	1427	1	0.03	50	1680	12	<5	<20	67	0.10	<10	82	<10	6	138
14	37804	10	<2	2.65	30	160	<5	1.12	1	33	96	86	5.72	<10	1.97	1172	<1	0.02	54	2030	16	<5	<20	46	0.16	<10	121	<10	4	123
15	37805	<5	<2	2.80	30	175	<5	1.16	2	35	104	89	5.83	<10	2.12	1236	<1	0.02	61	2010	16	<5	<20	47	0.17	<10	125	<10	4	132
16	37806	<5	<2	1.61	10	155	<5	1.38	1	21	83	116	3.51	<10	1.19	1200	1	0.02	49	1800	10	5	<20	26	0.08	<10	74	<10	4	111
17	37807	<5	<2	1.64	10	175	<5	1.08	1	24	79	104	3.80	<10	1.20	1175	<1	0.02	45	1100	8	<5	<20	29	0.13	<10	81	<10	4	100
18	37808	<5	<2	1.29	10	175	<5	1.44	1	17	55	75	2.37	<10	0.85	1525	2	0.02	38	2350	8	<5	<20	38	0.04	<10	46	<10	4	101
19	37809	<5	0.4	2.46	5	75	10	0.48	<1	30	49	30	4.34	<10	0.87	1351	1	0.03	24	1600	10	<5	<20	20	0.14	<10	79	<10	6	73
20	37810	45	<2	2.77	<5	165	<5	1.24	2	31	97	62	5.46	<10	1.97	1420	<1	0.03	47	2040	10	<5	<20	61	0.17	<10	135	<10	4	129
21	37821	55	<2	2.83	20	200	<5	1.39	1	30	77	66	5.87	<10	1.89	1368	<1	0.03	38	2400	14	<5	<20	66	0.18	<10	135	<10	4	98
22	37822	<5	<2	3.10	15	210	10	2.02	<1	29	68	47	4.62	<10	1.63	1802	<1	0.11	44	1710	8	<5	<20	105	0.18	<10	120	<10	6	87
23	37823	<5	<2	2.98	15	195	10	1.51	2	34	78	81	6.44	<10	2.20	1284	<1	0.03	37	2810	12	<5	<20	73	0.20	<10	166	<10	4	99
24	37926	<5	<2	2.32	25	100	<5	1.80	<1	23	82	64	4.50	<10	1.84	1533	<1	0.01	38	2100	8	<5	<20	47	0.10	<10	98	<10	3	90

002

ECO-TECH KAM.

604 573 4557

11:34

00/00/00

ICP CERTIFICATE OF ANALYSIS AS 96-5009A

KENRICH MINING CORPORATION

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Repeat:																															
1	37725	<5	<2	2.35	30	125	10	1.36	<1	23	62	66	4.68	<10	1.23	949	<1	0.03	36	1470	14	<5	<20	56	0.14	<10	103	<10	4	90	
10	37755	35	<2	2.67	60	150	<5	1.15	1	31	102	68	6.65	<10	2.01	1314	2	0.03	60	2470	12	<5	<20	57	0.14	<10	136	<10	3	123	
Standard:																															
GEO'96		150	1.2	1.68	60	155	<5	1.82	<1	19	59	78	4.14	<10	0.97	735	<1	0.01	22	710	20	<5	<20	60	0.10	<10	74	<10	4	71	

[Signature]
 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

dt/504r
 XLS/96Kenrich

003

ECO-TECH KAM.

0604 573 4557

06/28/96 17:35

19-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 8T4

ICP CERTIFICATE OF ANALYSIS AS 96-5010

KENRICH MINING CORP.
#910-510 BURRARD STREET
VANCOUVER, B.C.
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: K. TROCIUK

No. of samples received: 40
Sample type: Rock
PROJECT: # None given
SHIPMENT: # 1
Samples submitted by: Colin

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37901	5	0.4	1.14	20	75	5	3.87	<1	8	50	16	2.87	<10	0.58	768	5	0.01	7	590	8	<5	<20	247	<0.01	<10	14	<10	2	47
2	37902	5	<2	0.59	Δ	45	<5	3.03	1	49	144	230	5.61	<10	0.54	321	<1	0.06	65	980	28	<5	20	13	-0.45	<10	88	<10	12	51
3	37903	5	2.4	3.43	150	75	<5	2.57	3	17	36	86	7.56	<10	1.79	2498	6	<0.01	29	2730	92	<5	40	79	0.12	<10	102	<10	7	296
4	37904	5	0.2	2.29	Δ	125	5	0.46	3	16	74	54	5.24	<10	1.27	669	<1	0.03	19	1230	12	<5	20	12	-0.30	<10	181	<10	8	152
5	37905	5	0.4	1.86	Δ	35	10	0.70	1	15	106	62	7.30	<10	0.91	673	1	0.06	31	2040	10	<5	40	15	-0.28	<10	269	<10	17	86
6	37906	5	<2	2.97	Δ	230	5	0.63	<1	16	48	43	5.69	<10	1.13	682	<1	0.08	10	1220	6	<5	20	48	-0.33	<10	103	<10	2	50
7	37907	5	2.4	0.84	Δ	35	<5	2.33	2	116	63	2032	12.60	<10	0.17	311	13	0.04	54	630	4	<5	20	73	0.07	<10	16	20	<1	45
8	37908	5	<2	1.59	Δ	110	<5	3.43	<1	19	40	118	3.57	<10	0.75	580	<1	0.10	9	690	6	10	<20	66	0.17	<10	80	<10	4	68
9	37909	50	1.6	1.06	Δ	30	<5	2.52	1	66	55	1869	7.33	<10	0.12	254	6	0.06	34	900	6	<5	40	79	0.09	<10	16	<10	<1	39
10	37910	5	<2	4.82	Δ	100	<5	2.78	<1	22	79	157	4.91	<10	1.06	482	<1	0.18	12	1170	14	<5	40	223	0.22	<10	114	<10	3	38
11	37911	5	<2	2.92	Δ	65	<5	1.51	<1	10	48	57	5.37	<10	0.58	288	12	0.05	17	890	14	<5	20	172	0.08	<10	126	<10	1	54
12	38501	5	<2	3.47	10	80	<5	3.82	<1	40	220	59	7.77	<10	4.66	1387	4	0.03	81	1060	10	30	<20	98	<0.01	<10	163	<10	3	101
13	38502	5	0.6	1.15	15	90	<5	0.13	<1	3	39	22	2.66	10	0.60	113	16	0.02	21	590	16	5	<20	11	<0.01	<10	39	<10	<1	84
14	38503	5	0.4	1.05	10	75	<5	0.16	<1	7	49	33	3.98	<10	0.41	457	21	0.02	19	410	14	<5	40	4	0.06	<10	25	<10	2	90
15	38504	5	0.4	0.47	Δ	80	10	2.14	<1	6	108	8	10.50	<10	0.51	454	9	<0.01	6	<10	<2	<5	40	46	0.01	<10	20	<10	<1	21
16	38505	5	4.2	1.52	25	45	<5	0.34	10	17	86	87	6.45	<10	0.83	154	6	0.01	40	1230	16	<5	20	7	0.11	10	136	<10	7	137
17	38506	5	1.8	1.41	310	205	15	0.10	<1	11	87	75	> 15	<10	0.66	85	12	<0.01	5	1910	10	<5	40	4	0.17	10	151	<10	<1	115
18	38507	5	<2	3.34	Δ	185	20	3.54	1	60	235	54	7.88	<10	2.54	1346	<1	0.07	141	1020	6	<5	20	46	0.46	<10	221	<10	13	126
19	38508	5	1.0	1.11	15	95	<5	0.76	<1	6	62	19	3.09	<10	0.55	246	3	0.02	12	1410	10	<5	<20	26	<0.01	<10	17	<10	7	93
20	38509	5	<2	3.56	Δ	65	25	4.48	2	37	52	36	9.39	<10	2.66	1531	<1	0.03	20	2210	14	<5	40	29	-0.42	<10	275	<10	21	153

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	38510	5	3.6	0.50	55	65	<5	0.30	3	8	73	38	4.65	<10	0.10	779	8	<0.01	20	1050	82	<5	20	12	<0.01	<10	36	<10	<1	594
22	38511	5	<2	3.09	<5	70	25	3.03	<1	28	138	46	6.88	<10	1.56	677	<1	0.02	70	700	14	<5	20	59	0.40	<10	159	<10	7	85
23	38512	5	<2	2.69	30	75	5	1.48	<1	28	176	47	6.63	<10	1.88	766	<1	0.02	54	680	20	<5	<20	18	0.32	<10	155	<10	7	99
24	38513	5	<2	3.14	<5	60	30	2.23	<1	38	151	35	7.31	<10	2.77	1251	<1	0.02	64	640	14	<5	40	9	0.34	<10	135	<10	8	91
25	38514	5	<2	0.47	10	55	<5	0.35	1	5	121	10	1.73	<10	0.24	279	4	0.03	11	620	14	<5	<20	5	0.10	<10	23	<10	6	103
26	38515	5	<2	3.64	10	65	10	3.06	1	45	52	48	9.11	<10	2.08	1223	<1	0.02	23	1790	14	<5	40	19	0.41	<10	202	<10	12	133
27	38516	5	<2	3.14	<5	80	15	2.90	1	47	218	46	7.15	<10	1.54	1031	<1	0.02	68	1170	8	<5	40	16	0.51	<10	196	<10	12	119
28	38517	5	0.2	1.91	<5	100	<5	0.98	4	15	110	23	4.36	<10	1.46	567	<1	0.02	23	840	18	5	<20	13	0.23	<10	120	<10	10	291
29	38518	5	1.2	0.32	20	50	<5	0.37	<1	5	121	16	2.16	<10	0.10	344	11	0.03	11	360	10	<5	<20	13	<0.01	<10	11	<10	2	77
30	38519	5	0.2	2.48	10	80	10	2.42	2	15	128	33	4.72	<10	1.34	707	3	0.03	28	990	20	10	<20	9	0.22	<10	92	<10	12	116
31	38520	5	0.8	0.93	35	115	<5	0.23	<1	3	44	19	2.20	<10	0.21	114	14	0.01	28	710	12	<5	<20	7	<0.01	<10	77	<10	1	216
32	38521	5	0.8	0.44	30	95	<5	0.12	<1	1	62	11	1.32	<10	0.07	56	16	0.02	8	620	12	<5	<20	6	0.02	<10	40	<10	2	49
33	38524	5	2.6	0.97	35	135	10	0.11	2	9	43	47	5.64	<10	0.23	334	11	0.01	18	1050	20	<5	40	8	<0.01	10	30	<10	<1	193
34	38525	15	2.0	1.14	55	100	<5	0.16	3	12	37	49	5.12	<10	0.38	476	15	0.02	25	1150	16	<5	20	7	<0.01	<10	36	<10	1	310
35	38526	5	1.8	0.78	75	40	<5	0.27	<1	19	35	74	9.06	<10	0.17	182	17	0.01	74	1090	24	<5	40	9	<0.01	<10	25	<10	<1	168
36	38527	5	1.0	0.57	20	130	<5	0.38	<1	5	84	14	2.24	<10	0.31	277	2	0.02	9	450	14	<5	<20	15	0.09	<10	27	<10	5	75
37	38528	5	0.4	2.27	15	60	5	4.14	<1	15	88	13	5.01	<10	1.51	843	5	0.01	58	790	14	<5	<20	119	<0.01	<10	34	<10	1	115
38	38529	5	<2	4.36	<5	65	20	2.05	1	43	188	57	8.64	<10	3.95	1275	<1	0.02	51	1050	10	<5	<20	12	0.32	<10	204	<10	8	110
39	38530	5	<2	1.64	10	75	<5	1.78	3	10	51	28	3.73	<10	1.17	343	11	<0.01	42	650	16	10	<20	48	<0.01	<10	37	<10	<1	246
40	38531	5	<2	1.38	10	75	10	0.08	1	10	62	25	4.43	<10	0.82	156	9	0.01	61	660	16	<5	<20	5	<0.01	<10	32	<10	<1	181

WUWU/000

ECO-TECH LAB.

604 573 4557

15:52

06/19/96

#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn		
GC DATA:																																
Resplit:																																
	R/S 1	37901	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R/S 36	38527	5	0.8	0.62	15	125	5	0.43	<1	5	90	14	2.26	<10	0.33	290	3	0.02	10	450	12	<5	<20	15	0.09	<10	28	<10	5	78	
Repeat:																																
	1	37901	5	0.2	1.12	25	75	<5	3.99	<1	9	51	20	3.07	<10	0.56	781	5	0.01	9	610	10	<5	<20	236	<0.01	<10	14	<10	2	50	
	10	37910	5	<2	4.92	5	100	<5	2.80	<1	22	81	145	5.12	<10	1.10	493	<1	0.18	14	1220	16	5	40	225	0.23	<10	119	<10	3	40	
	19	38508	5	0.8	1.09	10	90	<5	0.78	<1	6	63	17	3.10	<10	0.55	257	3	0.01	12	1420	12	<5	<20	24	0.01	<10	18	<10	8	97	
	36	38527	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																																
	GEO'96		155	1.4	1.72	65	170	<5	2.03	<1	21	70	82	4.01	<10	0.99	779	<1	0.02	22	700	20	<5	20	59	0.13	<10	84	<10	4	72	
	GEO'96		145	1.4	1.88	60	180	<5	2.06	<1	21	71	81	4.01	<10	1.01	720	<1	0.02	22	720	22	<5	<20	62	0.14	<10	85	<10	6	74	

ECO-TECH LAB.

06/19/96 15:52

06/19/96 15:52

df/5010r
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

001

28-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5010A

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: KEN TROCIUK

No. of samples received: 2
Sample type: Moss
PROJECT #: none given
SHIPMENT #: 1
Samples submitted by: Colin

Values in ppm unless otherwise reported

Et.#.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	F	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37705	135	<2	1.92	5	160	10	1.03	<1	25	56	68	5.46	<10	1.21	720	<1	0.03	35	1930	12	<5	<20	43	0.14	<10	118	<10	2	87
2	37708	25	<2	1.95	10	165	<5	1.10	1	24	57	60	4.36	<10	1.28	680	<1	0.02	36	1820	8	<5	<20	38	0.15	<10	95	<10	3	82

QC DATA:

Repeat

1	37705	115	<2	1.94	<5	160	5	1.04	1	25	57	68	5.53	<10	1.23	718	<1	0.03	36	1910	8	<5	<20	44	0.15	<10	120	<10	2	80
---	-------	-----	----	------	----	-----	---	------	---	----	----	----	------	-----	------	-----	----	------	----	------	---	----	-----	----	------	-----	-----	-----	---	----

Standard:

GEO'96		150	1.2	1.72	60	160	<5	1.86	<1	19	61	79	4.25	<10	0.98	735	<1	0.01	20	710	20	<5	<20	60	0.11	<10	77	<10	4	71
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/504r
XLS/96kenrich


per FRANK J. PEZZOTTI, A.Sc.T.
B.C. Certified Assayer

ECO-TECH KAM.

604 573 4557

06/28/96 17:34

25-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5010B

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: KEN TROCIUK

No. of samples received: 6
Sample type: *Silt*
PROJECT #: COREY
SHIPMENT #: 1
Samples submitted by: *Colin*

Values in ppm unless otherwise reported

El #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37701	<5	<2	2.54	15	215	5	0.92	1	31	55	116	6.98	<10	1.37	950	<1	0.03	43	1540	18	<5	20	62	0.15	<10	124	<10	1	120
2	37702	15	<2	1.13	<5	115	<5	1.38	<1	17	41	34	3.89	<10	0.75	375	<1	0.02	24	1760	6	<5	<20	36	0.09	<10	87	<10	1	47
3	37703	10	0.2	2.81	15	260	<5	0.88	1	32	54	145	7.24	<10	1.36	1200	<1	0.03	46	1600	24	<5	20	71	0.17	<10	122	<10	2	145
4	37704	5	<2	1.45	<5	130	<5	1.28	<1	19	50	47	3.88	<10	0.93	461	<1	0.02	30	1750	8	<5	<20	43	0.12	<10	86	<10	2	60
5	37706	10	<2	1.43	<5	135	5	1.55	<1	19	49	43	3.93	<10	0.95	505	<1	0.02	30	1780	8	<5	<20	44	0.12	<10	87	<10	2	58
6	37707	<5	<2	1.53	5	130	<5	1.34	<1	20	51	45	3.73	<10	1.00	558	<1	0.02	31	1590	10	10	<20	43	0.12	<10	79	<10	2	66

QC DATA:

Repeat:

1	37701	<5	<2	2.51	10	210	5	0.87	2	28	51	121	6.79	<10	1.33	961	2	0.03	43	1440	16	<5	20	61	0.14	<10	119	<10	1	116
---	-------	----	----	------	----	-----	---	------	---	----	----	-----	------	-----	------	-----	---	------	----	------	----	----	----	----	------	-----	-----	-----	---	-----

Standard:

GEO'96		150	1.2	1.75	55	175	<5	1.95	<1	20	65	85	4.41	<10	0.99	720	<1	0.01	22	720	22	<5	<20	58	0.10	<10	78	<10	3	80
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/5007r
XLS/96kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

001/001
KENRICH
ECO-TECH KAM.
604 573 4557
12:01
06/25/96

27-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5015

KENRICH MINING CORPORATION
910-510 BURREARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: RAUL VERZOSA/KEN TROCIUK

No. of samples received: 37
Sample type: Rock
PROJECT #: Corey
SHIPMENT #: 3
Samples submitted by: Bill

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37934	5	<2	0.95	10	70	<5	0.16	<1	13	67	43	4.66	<10	0.31	130	6	0.02	15	820	20	<5	20	15	<0.01	<10	22	<10	<1	58
2	37935	5	0.6	0.88	<5	25	5	0.12	3	11	23	38	7.11	<10	0.21	50	19	<0.01	10	790	16	<5	20	6	<0.01	<10	13	<10	<1	98
3	37936	5	0.2	0.48	<5	<5	<5	> 15	<1	4	76	<1	1.53	<10	0.59	2201	2	<0.01	15	590	<2	5	<20	2944	<0.01	<10	13	<10	7	16
4	37937	5	4.8	0.45	2625	590	<5	0.46	<1	<1	<1	<1	> 15	<10	0.22	<1	68	0.02	55	<10	<2	160	<20	443	<0.01	<10	17	<10	<1	33
5	37938	5	<2	0.10	1650	20	<5	0.13	<1	2	120	<1	3.79	<10	<0.01	28	12	0.07	4	<10	8	<5	20	7	<0.01	<10	<1	<10	<1	3
6	37939	5	<2	1.14	40	45	<5	0.91	<1	12	49	31	4.43	<10	0.52	167	15	<0.01	15	1160	14	<5	<20	66	<0.01	<10	17	<10	<1	96
7	37940	10	<2	0.35	1995	45	15	6.70	<1	17	50	14	10.80	<10	1.93	1168	33	0.03	21	800	12	<5	40	354	<0.01	<10	24	<10	<1	142
8	37941	5	<2	0.16	50	20	<5	0.17	<1	1	176	<1	0.75	20	0.06	63	4	0.05	4	70	4	<5	<20	18	<0.01	<10	4	<10	2	10
9	37942	5	<2	0.70	<5	10	<5	1.14	<1	8	171	2	2.61	<10	0.55	387	11	0.04	9	370	4	<5	<20	29	0.11	<10	23	<10	4	50
10	37943	5	<2	2.31	20	60	<5	0.59	1	25	58	33	5.61	<10	1.57	474	6	<0.01	39	2230	14	<5	20	12	0.13	<10	51	<10	5	102
11	37944	5	<2	2.17	35	85	10	13.60	<1	21	58	20	7.54	<10	5.83	1875	4	0.03	30	1840	<2	<5	<20	703	<0.01	<10	88	<10	<1	75
12	37945	5	<2	3.16	<5	35	<5	4.92	<1	33	55	150	7.78	<10	2.68	1120	<1	0.04	18	1210	6	<5	20	172	0.32	<10	237	<10	7	85
13	37946	5	<2	3.11	<5	35	<5	4.57	<1	30	27	121	7.98	<10	2.48	1168	<1	0.04	8	1500	2	<5	20	161	0.24	<10	197	<10	6	58
14	37947	5	<2	2.29	<5	15	5	2.73	3	22	194	44	4.33	<10	2.22	522	<1	0.02	32	770	4	<5	<20	54	0.18	<10	120	<10	3	158
15	37948	5	<2	1.62	<5	95	<5	0.88	<1	12	36	28	4.83	<10	0.88	432	4	0.02	9	1200	4	<5	40	36	<0.01	<10	29	<10	<1	72
16	37949	5	<2	3.37	10	40	5	6.65	<1	39	52	47	9.27	<10	3.90	1922	8	0.02	18	3360	6	10	20	242	0.02	<10	279	<10	<1	102
17	38226	5	<2	0.55	10	30	<5	0.06	<1	2	119	4	3.02	<10	0.18	109	8	0.06	3	40	14	<5	20	3	<0.01	<10	3	<10	<1	74
18	38227	5	0.6	1.57	40	65	<5	8.31	5	15	51	43	5.84	<10	3.55	2074	17	<0.01	57	780	14	10	<20	298	<0.01	<10	49	<10	3	509
19	38228	5	0.4	0.40	10	<5	<5	> 15	<1	6	85	1	1.57	<10	0.62	2262	2	<0.01	11	550	<2	5	<20	2605	<0.01	<10	13	<10	9	24
20	38229	5	0.4	0.44	20	60	<5	0.34	1	7	46	24	3.58	<10	0.10	150	26	0.01	23	810	20	<5	40	18	<0.01	<10	9	<10	<1	87
21	38230	5	<2	1.23	<5	70	<5	1.14	<1	34	105	92	4.72	<10	1.25	287	<1	0.10	37	1890	4	<5	20	12	0.27	<10	137	<10	6	34
22	38231	5	<2	1.16	<5	145	<5	1.19	<1	20	70	113	3.51	<10	0.64	305	<1	0.07	7	2090	4	<5	<20	41	0.26	<10	67	<10	11	27
23	38232	5	<2	3.68	<5	195	5	5.01	<1	41	387	42	5.58	<10	5.56	1129	<1	0.05	181	1170	6	5	<20	192	0.25	<10	145	<10	2	78
24	38233	5	<2	1.24	<5	55	<5	3.31	<1	34	52	281	3.96	<10	0.49	247	1	0.15	25	2520	2	<5	40	82	0.25	<10	55	<10	6	42
25	38234	5	1.6	0.43	30	105	<5	> 15	11	38	22	258	9.28	<10	0.68	3151	14	<0.01	59	70	82	<5	40	470	0.01	<10	31	<10	<1	422

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
26	38235	5	<2	0.64	<5	55	5	1.06	<1	7	39	40	3.50	<10	0.50	293	<1	0.10	2	1210	<2	<5	20	15	0.15	<10	139	<10	5	28	
27	38236	5	<2	2.56	<5	395	10	6.33	1	36	358	41	6.00	<10	4.77	1100	2	0.03	146	1030	30	<5	<20	206	0.05	<10	94	<10	<1	92	
28	38555	5	0.8	0.51	40	40	<5	1.43	3	15	17	64	7.17	<10	0.61	714	12	<0.1	45	390	12	10	40	118	<0.1	<10	20	<10	<1	304	
29	38556	5	<2	4.19	<5	95	20	9.01	<1	56	48	43	9.93	<10	3.35	2012	<1	0.02	34	2430	4	<5	40	67	0.92	<10	334	<10	32	141	
30	38557	5	<2	3.29	55	145	10	3.55	<1	76	311	54	7.72	<10	2.81	1124	<1	0.03	151	990	6	<5	20	40	0.54	<10	278	<10	16	116	
31	38558	5	3.6	2.52	70	45	15	0.52	2	15	84	62	14.30	<10	0.87	155	27	<0.1	55	2810	10	<5	60	11	<0.1	<10	197	<10	<1	190	
32	38559	5	<2	4.60	<5	55	25	2.81	<1	57	134	71	10.30	<10	3.60	1920	<1	0.03	45	780	6	<5	20	20	0.53	<10	275	<10	14	109	
33	38560	5	1.8	0.63	35	90	5	0.08	<1	7	62	32	5.85	<10	0.11	174	11	0.01	17	720	18	<5	20	4	<0.1	<10	17	<10	<1	171	
34	38753	5	1.4	1.77	<5	45	5	0.34	6	19	67	60	7.69	<10	1.26	246	1	<0.1	35	360	12	<5	20	2	0.24	<10	144	<10	4	320	
35	38754	5	<2	2.62	5	65	10	4.21	2	40	42	34	9.51	<10	3.14	1568	9	0.02	20	1860	4	<5	20	91	<0.1	<10	207	<10	7	145	
36	38755	5	2.6	0.53	85	105	5	0.10	<1	7	156	56	9.47	<10	0.01	192	16	<0.1	11	1080	20	<5	40	7	<0.1	<10	32	<10	<1	251	
37	38756	5	0.8	2.40	10	35	20	0.72	2	22	70	59	8.93	<10	1.61	600	<1	<0.1	23	690	22	<5	40	7	0.32	<10	94	<10	2	135	
QC DATA:																															
Resplit:																															
R/S1	37934	5	<2	1.01	5	70	<5	0.19	<1	14	66	43	5.08	<10	0.32	132	6	0.02	15	900	20	<5	20	15	<0.1	<10	24	<10	<1	88	
R/S36	38755	5	2.8	0.56	90	115	5	0.10	<1	7	159	60	9.83	<10	0.01	196	21	<0.1	13	1040	22	<5	20	6	<0.1	<10	35	<10	<1	264	
Repeat:																															
1	37934	5	<2	0.99	10	70	<5	0.18	<1	14	71	44	4.99	<10	0.31	137	7	0.02	15	900	22	<5	<20	13	<0.1	<10	22	<10	<1	66	
10	37943	5	<2	2.42	25	70	5	0.64	1	26	61	36	5.87	<10	1.64	500	7	<0.1	42	2390	16	<5	40	12	0.14	<10	53	<10	5	109	
19	38228	5	0.2	0.41	<5	<5	<5	> 15	<1	6	87	2	1.57	<10	0.63	2233	2	0.01	11	540	<2	10	<20	2599	<0.1	<10	13	<10	10	23	
36	38755	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																															
GEO'96		145	1.4	1.99	60	175	<5	2.03	<1	21	72	82	4.01	<10	1.06	710	<1	0.02	24	710	22	<5	20	62	0.14	<10	89	<10	5	81	
GEO'96		150	1.4	1.96	60	170	<5	1.98	<1	21	72	82	4.04	<10	1.03	720	<1	0.02	22	720	22	<5	20	64	0.14	<10	88	<10	4	80	

2-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5016

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: KEN TROCIUK

No. of samples received: 13
Sample type: Silt
PROJECT #: Corey
SHIPMENT #: 3
Samples submitted by: Bill


Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37738	10	0.4	2.44	55	110	<5	0.97	1	30	104	69	5.81	<10	2.08	1365	<1	0.02	63	1390	20	<5	20	30	0.16	<10	96	<10	4	168
2	37739	5	0.4	2.36	70	125	5	1.19	2	30	98	68	5.81	<10	1.99	1431	<1	0.02	60	1450	22	<5	40	39	0.16	<10	100	<10	4	180
3	37740	10	2.0	2.97	185	215	<5	1.06	5	41	144	133	7.66	<10	2.83	2304	3	0.01	101	1530	58	<5	<20	36	0.14	<10	118	<10	4	450
4	37741	15	<2	1.67	20	95	<5	0.90	<1	20	47	50	4.32	<10	1.09	764	<1	0.02	27	1610	18	<5	20	44	0.13	<10	95	<10	3	78
5	37742	5	0.4	1.60	85	155	<5	0.98	2	31	17	76	6.44	<10	0.67	1950	11	<0.1	48	1790	18	<5	40	75	0.02	<10	35	<10	4	264
6	37743	10	<2	2.04	35	110	<5	0.94	<1	27	43	92	5.76	<10	1.47	1231	3	<0.1	30	2060	24	<5	20	54	0.06	<10	93	<10	3	131
7	37744	10	0.4	2.04	40	110	<5	0.82	<1	29	44	105	6.38	<10	1.48	1167	3	<0.1	33	2020	26	<5	20	47	0.08	<10	97	<10	2	127
8	37745	5	0.6	2.42	40	140	10	1.29	<1	27	60	58	5.84	<10	1.22	2913	<1	0.02	34	1570	16	<5	20	113	0.16	<10	112	<10	5	102
9	37817	10	0.4	2.63	50	125	<5	1.06	2	32	104	72	6.04	<10	1.91	1925	1	0.02	65	1460	16	<5	20	34	0.15	<10	100	<10	4	203
10	37818	5	0.8	2.38	50	150	<5	1.34	3	34	86	82	5.90	<10	1.76	2524	4	0.01	65	1680	18	<5	20	44	0.10	<10	87	<10	5	262
11	37819	5	<2	0.92	<5	115	5	0.71	<1	13	49	27	2.90	<10	0.80	349	<1	0.02	35	1910	4	<5	<20	35	0.10	<10	61	<10	1	41
12	37820	5	<2	0.68	<5	90	<5	0.85	<1	12	32	27	4.25	<10	0.54	267	<1	0.01	20	2750	<2	<5	40	31	0.08	<10	95	<10	<1	41
13	37828	5	<2	1.18	<5	180	<5	0.71	<1	15	42	34	3.43	<10	0.95	442	<1	0.02	28	1740	4	<5	<20	36	0.15	<10	78	<10	<1	50

QC DATA:

Repeat:		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37738	10	0.6	2.43	65	110	<5	0.99	1	30	102	76	5.81	<10	2.06	1324	<1	0.02	62	1360	18	<5	40	29	0.16	<10	96	<10	4	168
10	37818	5	1.0	2.39	50	165	<5	1.35	4	33	84	85	5.89	<10	1.75	2508	3	0.01	65	1720	20	<5	40	42	0.10	<10	87	<10	5	254
Standard:		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
GEO'96		150	1.2	1.87	55	160	<5	1.88	<1	20	66	81	4.31	<10	1.00	735	<1	0.02	22	710	18	<5	20	63	0.14	<10	83	<10	5	74

dt/494r
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

16-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5017

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: KEN TROCIUK

No. of samples received: 26
Sample type: Moss
PROJECT #: Corey
SHIPMENT #: 3
Samples submitted by: Bill

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37757	<5	0.6	1.56	135	230	<5	1.49	3	36	16	266	7.81	<10	0.53	3110	14	0.01	57	2670	24	<5	40	133	0.02	<10	34	<10	7	347
2	37758	<5	0.8	1.45	300	200	<5	1.86	6	32	13	319	8.34	<10	0.45	3882	16	0.01	80	2480	26	<5	20	150	0.02	<10	31	<10	8	820
3	37759	80	1.0	1.77	45	175	<5	1.51	2	27	39	225	5.14	<10	1.04	1640	4	<.01	36	2520	30	<5	20	90	0.03	<10	78	<10	7	169
4	37760	40	1.0	2.00	70	170	<5	1.20	<1	33	42	165	6.18	<10	1.23	1885	4	<.01	36	2480	32	<5	20	86	0.05	<10	97	<10	7	147
5	37761	35	0.6	1.81	60	150	<5	1.83	<1	22	48	144	4.66	<10	1.17	1577	3	0.01	23	2430	22	<5	<20	95	0.06	<10	92	<10	5	128
6	37762	<5	0.6	2.07	45	145	<5	1.32	<1	28	57	71	6.13	<10	1.07	2868	2	0.02	33	2310	10	<5	20	118	0.12	<10	117	<10	4	88
7	37763	<5	0.2	1.63	30	115	<5	1.63	<1	20	41	72	4.32	<10	0.91	1153	2	0.02	27	1890	10	<5	20	77	0.07	<10	95	<10	4	99
8	37764	5	<2	1.45	20	100	<5	1.40	1	19	39	74	4.18	<10	0.82	935	2	0.02	25	1910	8	<5	20	61	0.07	<10	91	<10	4	87
9	37765	<5	0.6	1.68	25	145	<5	2.10	3	17	34	91	3.00	<10	0.46	1602	4	0.01	39	1890	12	<5	<20	148	0.03	<10	48	<10	16	141
10	37766	<5	0.8	1.40	45	110	<5	2.21	<1	15	39	83	3.20	<10	0.76	1538	2	0.01	21	2220	10	<5	<20	83	0.04	<10	87	<10	4	86
11	37767	<5	0.8	1.08	35	115	<5	2.12	<1	13	29	121	2.12	<10	0.46	1639	2	<.01	16	2390	8	<5	<20	84	0.01	<10	63	<10	4	104
12	37768	<5	1.0	2.32	45	150	<5	1.29	4	30	89	112	5.29	<10	1.71	1979	3	0.02	66	2160	14	<5	<20	38	0.07	<10	87	<10	6	232
13	37824	<5	1.2	2.49	80	180	<5	0.99	4	36	101	103	7.13	<10	1.88	2392	5	0.01	73	1680	16	<5	20	36	0.07	<10	103	<10	4	281
14	37825	<5	0.6	1.74	20	235	<5	2.28	1	15	53	67	3.21	<10	0.72	1909	1	0.01	27	2060	12	<5	<20	91	0.07	<10	58	<10	5	122
15	37826	<5	2.2	1.00	10	300	<5	1.97	2	12	19	69	1.91	<10	0.28	2135	<1	0.03	24	2260	10	<5	<20	95	0.08	<10	31	<10	9	79
16	37827	5	<2	1.54	<5	235	<5	0.95	<1	19	56	61	4.71	<10	1.18	573	<1	0.03	36	2320	6	<5	20	58	0.17	<10	115	<10	3	60
17	37851	<5	<2	3.14	<5	420	<5	1.47	<1	39	90	161	4.75	<10	2.03	989	<1	0.05	71	1660	4	5	<20	74	0.23	<10	149	<10	2	122
18	37852	<5	<2	1.67	5	195	<5	0.97	<1	20	61	92	4.06	<10	1.32	598	<1	0.03	41	2110	10	<5	<20	86	0.19	<10	116	<10	3	68
19	37853	10	<2	1.54	<5	235	<5	0.87	<1	19	56	73	4.17	<10	1.18	614	<1	0.03	38	2320	6	<5	<20	40	0.17	<10	104	<10	3	61
20	37854	<5	<2	1.62	10	260	<5	1.14	<1	19	78	109	3.18	<10	1.29	397	<1	0.02	53	2500	6	5	<20	118	0.18	<10	106	<10	3	63

ECO-TECH K.A.M.

604 573 4557

18:47

07/18/96

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	37855	<5	<2	1.07	<5	210	<5	0.68	<1	9	13	51	2.37	<10	0.67	607	<1	0.02	9	2050	6	<5	<20	41	0.10	<10	46	<10	2	81
22	37856	<5	0.2	1.08	<5	125	<5	0.43	<1	9	14	56	2.74	<10	0.56	526	<1	0.01	9	1620	8	<5	<20	32	0.08	<10	50	<10	<1	48
23	37857	<5	<2	1.24	<5	205	<5	0.86	<1	12	13	17	3.32	20	0.80	584	<1	0.01	8	2950	6	<5	20	38	0.12	<10	60	<10	3	57
24	37858	<5	0.4	1.36	5	490	<5	2.12	<1	4	17	71	1.11	30	0.33	944	<1	0.01	11	2360	8	<5	<20	196	0.03	50	24	<10	22	66
25	37859	<5	<2	1.03	<5	825	<5	1.21	<1	5	21	79	2.12	30	0.50	1160	2	0.01	13	2710	10	<5	<20	42	0.02	<10	28	<10	11	62
26	37860	<5	0.4	1.03	35	120	<5	2.17	<1	9	31	70	1.90	<10	0.49	1248	2	0.02	18	2750	8	<5	<20	94	0.02	<10	53	<10	5	78

QC DATA:

Repeat:

1	37757	<5	0.6	1.57	135	235	<5	1.54	4	36	17	255	7.77	<10	0.53	3138	14	0.01	59	2720	24	<5	40	138	0.02	<10	34	<10	7	346
10	37766	-	1.0	1.37	45	105	<5	2.19	<1	15	39	79	3.10	<10	0.74	1505	2	0.01	22	2230	10	5	<20	81	0.04	<10	85	<10	4	85
16	37827	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Standard:

GEO'96		150	1.4	1.63	60	155	<5	1.72	<1	18	57	77	3.95	<10	0.92	708	<1	0.01	25	780	20	<5	<20	53	0.10	<10	78	<10	3	70
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

d/5027r
XLS/96kenrich#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5026

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: KEN TROCIUK

No. of samples received: 67
Sample type: Rock
PROJECT #: Corey
SHIPMENT #: 4
Samples submitted by: Bill Telford

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37950	5	<.2	1.06	<.5	85	<.5	12.50	<.1	49	177	74	3.21	<.10	1.22	157	<.1	0.04	126	3060	<.2	<.5	<.20	34	0.25	<.10	77	<.10	2	11
2	37951	5	<.2	0.84	<.5	30	10	0.83	<.1	20	27	9	3.68	<.10	0.67	129	2	0.04	17	1180	<.2	<.5	20	19	0.11	<.10	48	<.10	<.1	8
3	37952	5	<.2	0.97	<.5	35	<.5	0.67	<.1	62	28	171	5.04	<.10	0.84	205	4	0.05	16	1040	<.2	<.5	40	2	0.15	<.10	119	<.10	<.1	15
4	37953	5	<.2	1.75	<.5	45	<.5	1.92	1	22	35	260	5.14	<.10	1.88	381	7	0.06	10	1030	<.2	<.5	<.20	26	0.05	<.10	96	<.10	8	19
5	37954	5	<.2	0.37	<.5	65	<.5	0.30	<.1	3	93	9	0.71	<.10	0.13	141	2	0.04	3	220	<.2	<.5	<.20	6	<.01	<.10	5	<.10	1	7
6	37955	5	<.2	1.28	<.5	40	15	1.10	<.1	322	33	14	8.14	<.10	1.12	227	1	0.05	11	1360	<.2	<.5	20	27	0.16	<.10	62	<.10	<.1	16
7	37956	5	<.2	0.84	<.5	120	15	0.76	3	163	29	145	>.15	<.10	0.52	334	25	0.03	20	830	<.2	<.5	40	21	0.07	20	179	<.10	<.1	14
8	37957	5	<.2	1.11	<.5	45	<.5	1.87	<.1	31	76	107	5.89	<.10	1.31	262	1	0.07	51	1790	<.2	<.5	20	11	0.17	<.10	64	<.10	<.1	37
9	37958	5	<.2	0.97	10	40	<.5	0.81	<.1	15	56	44	4.02	<.10	0.81	538	6	0.04	12	960	<.2	<.5	<.20	29	0.16	<.10	83	<.10	2	9
10	37959	5	<.2	0.27	<.5	15	<.5	2.66	<.1	41	26	62	2.24	<.10	0.27	280	3	0.02	23	900	<.2	<.5	<.20	4	0.09	<.10	22	<.10	3	3
11	37960	5	<.2	0.41	<.5	30	<.5	1.95	<.1	5	37	2	1.40	<.10	0.36	372	<.1	0.05	3	700	<.2	<.5	<.20	14	0.02	<.10	25	<.10	2	12
12	37961	5	<.2	0.50	<.5	40	<.5	1.07	<.1	11	39	44	2.21	<.10	0.52	182	<.1	0.05	3	690	<.2	<.5	<.20	4	0.07	<.10	63	<.10	3	5
13	37962	90	<.2	3.00	<.5	85	20	6.14	1	43	73	5	6.82	<.10	2.84	3769	<.1	0.01	48	1040	<.2	<.5	20	126	0.34	<.10	140	<.10	4	90
14	37963	5	<.2	0.13	<.5	20	<.5	0.08	<.1	1	39	1	0.28	<.10	0.06	161	<.1	0.02	3	40	4	<.5	<.20	<.1	<.01	<.10	2	<.10	12	6
15	37964	5	<.2	1.33	<.5	50	10	0.81	<.1	29	68	28	6.29	<.10	1.32	312	<.1	0.04	24	1930	<.2	<.5	20	15	0.19	<.10	139	<.10	<.1	25
16	37965	5	<.2	2.62	<.5	255	10	1.05	<.1	10	76	26	4.62	<.10	0.77	466	2	0.09	8	1340	4	<.5	20	65	0.13	<.10	100	<.10	<.1	42
17	37966	5	<.2	0.94	<.5	90	<.5	3.06	<.1	10	27	73	2.22	<.10	0.57	425	<.1	0.12	6	1630	<.2	<.5	<.20	46	0.06	<.10	81	<.10	3	18
18	38237	5	<.2	2.25	<.5	50	<.5	1.24	<.1	54	106	360	6.80	<.10	1.67	180	3	0.06	122	2330	<.2	<.5	40	121	0.23	<.10	120	<.10	<.1	28
19	38238	5	1.0	0.98	<.5	50	<.5	0.18	1	77	55	511	6.17	<.10	0.82	139	15	0.03	73	1030	2	<.5	20	7	0.03	<.10	55	<.10	<.1	27
20	38239	5	0.4	2.15	<.5	30	<.5	0.33	1	116	146	1157	8.72	<.10	2.45	316	45	0.02	118	1280	2	<.5	20	2	0.05	<.10	136	<.10	<.1	56
21	38240	110	26.4	0.10	<.5	40	30	1.65	44	427	80	77	>.15	<.10	0.40	807	16	<.01	38	40	1026	<.5	40	31	<.01	<.10	6	<.10	<.1	1643
22	38241	5	0.2	1.57	<.5	60	<.5	0.41	2	43	36	258	5.32	<.10	0.88	202	3	0.03	16	760	24	<.5	20	5	0.09	<.10	73	<.10	<.1	41
23	38242	55	3.0	0.34	<.5	55	<.5	3.42	2	19	48	4774	1.83	<.10	0.25	547	<.1	0.06	5	1280	6	<.5	<.20	66	0.09	<.10	27	<.10	4	87
24	38243	80	>.30	0.02	<.5	40	35	0.05	3	699	104	121	>.15	<.10	<.01	22	16	<.01	97	<.10	18	<.5	40	<.1	<.01	30	1	<.10	<.1	69
25	38244	70	>.30	0.32	<.5	190	320	0.11	9	900	7	78	>.15	<.10	<.01	406	53	<.01	120	140	142	<.5	60	32	<.01	120	4	<.10	<.1	213

HAVE NOT BEEN ENTERED

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	38245	5	0.8	2.23	<5	195	<5	1.87	<1	24	53	44	2.97	<10	0.71	438	1	0.06	8	680	8	<5	<20	80	0.13	<10	56	<10	<1	42
27	38246	5	<2	2.38	<5	40	<5	1.09	<1	14	130	45	3.50	<10	0.83	508	7	0.16	9	660	6	<5	<20	133	<0.1	<10	32	<10	<1	38
28	38247	5	<2	1.90	<5	80	<5	0.65	<1	11	76	28	2.96	<10	0.88	335	3	0.07	7	660	4	<5	<20	51	0.05	<10	44	<10	<1	22
29	38248	5	<2	3.58	<5	880	5	1.15	<1	11	77	18	4.42	<10	1.40	457	<1	0.15	18	1120	10	<5	20	50	0.23	<10	103	<10	<1	47
30	38249	5	<2	1.30	<5	335	5	1.25	<1	21	67	14	5.14	<10	0.98	1011	<1	0.04	31	2700	<2	<5	20	10	0.20	<10	54	<10	7	116
31	38250	5	<2	2.70	<5	40	<5	0.70	<1	30	71	101	7.00	<10	3.52	63	<1	0.05	31	1390	4	<5	<20	6	0.19	<10	159	<10	<1	34
32	38251	75	<2	1.96	<5	35	<5	0.50	<1	49	67	73	5.91	<10	2.71	218	<1	0.03	36	1050	4	<5	<20	2	0.13	<10	115	<10	<1	29
33	38252	90	<2	1.66	<5	50	5	0.46	<1	7	47	3	3.35	<10	1.77	175	2	0.05	3	1560	2	<5	<20	3	0.05	<10	72	<10	8	32
34	38253	>1000	>30	0.12	<5	20	5	0.05	2	16	156	9	7.50	<10	<0.1	33	19	0.03	26	<10	18	<5	40	6	<0.1	<10	3	<10	<1	17
35	38254	50	<2	0.53	<5	150	10	0.41	<1	4	85	3	5.18	<10	0.26	27	8	0.02	3	<10	<2	<5	20	3	<0.1	<10	2	<10	<1	3
36	38255	280	0.8	0.29	<5	65	<5	6.02	2	57	111	1071	7.89	<10	1.29	1422	12	<0.1	31	40	<2	<5	20	89	<0.1	<10	18	<10	<1	24
37	38256	610	<2	0.14	<5	65	10	2.81	<1	15	140	12	5.94	<10	0.60	649	6	<0.1	8	<10	<2	<5	20	48	<0.1	<10	10	<10	<1	12
38	38257	5	<2	2.73	<5	40	15	3.16	1	61	57	46	5.54	<10	2.48	383	<1	0.16	18	340	4	<5	<20	63	0.29	<10	202	<10	<1	18
39	38258	5	<2	0.62	<5	70	20	> 15	2	47	59	25	13.10	<10	0.70	1268	12	<0.1	11	210	<2	<5	40	155	0.03	<10	38	<10	<1	11
40	38259	5	1.8	1.00	<5	105	<5	> 15	4	150	83	6753	> 15	<10	0.75	2247	8	0.03	38	550	108	<5	40	261	0.10	<10	30	<10	<1	109
41	38260	15	1.8	0.19	<5	45	<5	7.15	6	58	36	5105	> 15	<10	<0.1	1320	11	<0.1	6	860	<2	<5	40	92	0.06	<10	17	<10	<1	115
42	38261	5	1.6	0.19	<5	40	<5	6.79	6	74	24	4202	> 15	<10	<0.1	1652	13	<0.1	8	780	<2	<5	40	96	0.05	<10	19	<10	<1	119
43	38262	170	0.4	0.16	<5	75	<5	0.06	<1	2	59	28	2.07	<10	<0.1	57	3	0.05	1	10	<2	<5	<20	2	<0.1	<10	2	<10	<1	3
44	38561	15	<2	2.80	<5	40	10	1.42	1	26	93	30	5.80	<10	2.09	870	<1	0.02	29	930	2	<5	<20	4	0.27	<10	140	<10	6	82
45	38562	10	1.2	1.77	35	55	<5	0.23	<1	9	51	49	5.85	<10	1.28	587	4	0.02	19	530	10	<5	20	11	0.10	<10	87	<10	<1	69
46	38563	5	<2	1.89	<5	85	10	0.52	<1	10	18	20	4.33	<10	1.12	550	<1	0.01	4	760	4	<5	20	22	0.30	<10	9	<10	20	93
47	38564	10	1.0	1.32	15	40	<5	0.55	4	22	87	86	4.36	<10	1.27	381	<1	0.02	44	330	10	<5	<20	3	0.34	<10	162	<10	4	149
48	38565	5	5.0	0.64	50	30	10	0.24	<1	4	44	13	2.11	<10	0.27	141	3	<0.1	11	210	18	15	<20	<1	0.02	<10	23	<10	<1	16
49	38566	5	0.4	1.11	<5	75	<5	2.66	10	10	137	89	3.93	<10	0.88	662	4	0.03	21	800	<2	<5	<20	28	0.15	<10	104	<10	8	175
50	38567	5	<2	1.07	10	100	<5	0.36	<1	7	38	12	3.07	<10	0.42	126	4	0.01	8	700	10	<5	<20	9	<0.1	<10	19	<10	2	70
51	38568	5	<2	0.63	<5	125	<5	0.25	<1	6	74	10	2.35	<10	0.15	179	3	0.02	6	550	10	<5	<20	9	0.03	<10	12	<10	4	39
52	38569	10	<2	2.67	<5	230	<5	1.43	<1	17	32	26	6.10	<10	1.54	1275	5	0.03	5	1430	2	<5	20	38	<0.1	<10	82	<10	1	82
53	38571	5	<2	2.80	5	90	5	3.18	<1	35	87	60	5.22	<10	3.05	1053	<1	0.01	63	430	4	5	<20	30	0.19	<10	119	<10	8	52
54	38572	5	<2	0.97	15	120	<5	1.78	<1	8	50	10	3.08	<10	0.50	302	3	0.02	8	960	10	<5	<20	42	<0.1	<10	20	<10	5	68
55	38573	5	<2	1.28	15	115	10	0.28	<1	8	42	11	3.49	<10	0.53	179	1	0.01	6	650	12	<5	<20	6	0.08	<10	25	<10	3	59
56	38574	10	0.6	0.52	35	165	10	0.11	<1	5	90	14	1.98	<10	0.18	132	<1	0.02	3	350	12	<5	<20	1	0.28	<10	37	<10	5	22
57	38701	5	<2	3.87	<5	55	5	1.14	1	53	116	56	8.36	<10	3.46	1372	<1	0.03	39	1450	<2	<5	<20	6	0.52	<10	265	<10	16	99
58	38702	5	0.6	1.29	10	90	<5	0.26	1	9	49	38	4.96	<10	0.68	559	3	0.01	14	870	8	<5	20	6	0.16	<10	53	<10	8	96
59	38703	5	<2	4.44	<5	50	10	3.98	<1	31	156	78	8.21	<10	2.09	680	<1	<0.1	22	730	<2	<5	20	5	0.52	<10	163	<10	4	41
60	38704	5	<2	4.80	<5	75	10	1.43	<1	40	163	61	7.20	<10	4.81	1453	<1	0.09	45	1120	<2	<5	<20	17	0.34	<10	240	<10	12	80

NOT IN DATABASE

NOT IN DATABASE

Et.#	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	38757	5	<.2	0.61	5	85	<5	0.19	<1	8	65	40	2.05	<10	0.27	195	2	0.01	15	450	8	<5	<20	5	<0.1	<10	20	<10	2	82
62	38758	5	<.2	1.82	10	75	15	0.56	<1	17	9	31	4.27	<10	1.22	482	<1	0.01	8	810	8	<5	<20	12	0.42	<10	15	<10	18	86
63	38759	5	2.0	0.23	<5	25	15	0.54	2	74	104	6	6.00	<10	<.01	181	137	<.01	6	270	18	<5	20	18	<.01	<10	2	<10	<1	32
64	38780	5	<.2	0.89	<5	220	<5	8.49	2	30	47	20	5.37	20	2.82	1086	4	0.03	42	2910	6	<5	<20	255	<.01	<10	58	<10	3	89
65	38761	>1000	>30	0.10	<5	30	250	0.05	2	90	144	288	12.50	<10	<.01	48	15	<.01	13	<10	280	<5	40	<1	<.01	20	3	<10	<1	30
66	38762	5	0.8	0.34	<5	55	<5	0.02	<1	<1	43	2	1.05	40	0.03	167	4	<.01	1	100	6	<5	<20	<1	<.01	<10	<1	<10	1	15
67	38763	5	<.2	3.66	<5	100	15	8.98	<1	38	65	45	8.82	<10	3.45	1714	5	0.05	56	860	<2	<5	20	75	0.02	<10	172	<10	<1	74

NOT IN
DATABASE

QC DATA:

Resplit:

R/S1	37950	5	<.2	1.02	<5	80	<5	12.70	<1	54	175	83	3.41	<10	1.18	139	<1	0.03	133	3150	<2	<5	<20	32	0.22	<10	73	<10	<1	12
R/S36	38255	285	1.0	0.33	<5	56	<5	6.04	1	56	120	971	7.95	<10	1.39	1433	13	<.01	28	30	<2	<5	20	92	<.01	<10	19	<10	<1	23

Repeat:

1	37950	5	<.2	1.06	<5	80	<5	12.40	<1	53	179	76	3.71	<10	1.21	155	<1	0.03	134	3040	<2	<5	<20	31	0.26	<10	77	<10	1	11
10	37959	5	<.2	0.27	<5	15	<5	2.61	<1	41	26	55	2.17	<10	0.26	289	2	0.02	23	890	<2	<5	<20	5	0.10	<10	22	<10	3	4
19	38238	5	1.0	0.98	<5	50	<5	0.18	1	77	54	507	6.16	<10	0.83	140	15	0.03	73	1040	2	<5	20	6	0.03	<10	55	<10	<1	27
36	38255	240	0.6	0.29	<5	60	<5	5.73	2	54	108	1086	7.55	<10	1.31	1384	11	<.01	27	30	<2	<5	<20	89	<.01	<10	17	<10	<1	22
45	38562	10	1.0	1.76	30	55	5	0.22	<1	8	51	46	5.81	<10	1.28	582	4	0.02	21	510	10	<5	20	10	0.10	<10	86	<10	<1	67
54	38572	5	<.2	0.96	10	120	<5	1.79	<1	8	50	10	3.08	<10	0.50	305	4	0.02	7	950	8	<5	<20	45	<.01	<10	19	<10	5	66
63	38759	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Standard:

GEO'96		150	1.0	1.63	55	150	<5	1.78	<1	19	59	78	4.07	<10	0.92	714	<1	0.01	22	780	18	<5	20	48	0.10	<10	72	<10	5	70
GEO'96		150	1.0	1.66	50	160	<5	1.83	<1	20	66	82	4.28	<10	1.00	730	<1	0.02	20	750	18	<5	<20	60	0.13	<10	82	<10	5	69

d#5026r
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

3-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5027

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: KEN TROCIUK

No. of samples received: 29
Sample type: Core
PROJECT #: Corey
SHIPMENT #: Core #2
Samples submitted by: None given

Values in ppm unless otherwise reported

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	40047	0.2	1.09	<5	70	5	1.25	3	4	86	5	2.92	<10	0.70	746	5	0.07	4	750	8	<5	<20	46	0.02	<10	19	<10	3	204
2	40048	5.0	0.95	60	40	<5	2.42	17	10	85	72	5.52	<10	0.48	609	13	0.01	34	2080	14	<5	20	99	<0.1	<10	26	<10	7	651
3	40049	3.2	1.08	45	50	<5	3.88	17	11	63	68	5.20	<10	0.70	769	17	0.01	36	2080	10	<5	20	132	<0.1	<10	27	<10	7	685
4	40050	3.4	0.98	75	40	<5	2.37	22	14	42	95	7.98	<10	0.42	521	23	0.01	53	1870	14	<5	20	102	<0.1	<10	34	<10	3	1096
5	40051	1.2	1.03	25	60	<5	4.19	5	11	70	50	4.28	<10	0.62	848	11	0.01	25	1990	12	<5	<20	138	<0.1	<10	25	<10	7	250
6	40052	4.6	1.11	90	45	<5	4.42	28	12	83	89	6.04	<10	0.69	1044	17	<0.1	45	2040	22	<5	20	157	<0.1	<10	38	<10	6	1155
7	40053	2.6	0.94	75	45	<5	4.67	8	12	63	63	5.66	<10	0.56	827	15	0.02	41	3040	20	<5	20	129	<0.1	<10	31	<10	9	424
8	40054	1.0	1.18	30	50	<5	3.28	5	10	74	38	3.80	<10	0.80	729	9	0.01	23	1550	12	5	<20	108	<0.1	<10	21	<10	4	294
9	40055	7.8	1.04	115	40	<5	2.97	8	13	56	79	7.28	<10	0.73	1041	24	<0.1	56	1510	26	15	20	108	<0.1	<10	79	<10	4	541
10	40056	5.8	0.64	30	55	<5	3.62	2	10	36	61	7.71	<10	1.25	984	12	<0.1	25	360	14	<5	20	131	<0.1	<10	26	<10	<1	179
11	40057	3.0	0.53	45	45	<5	2.45	5	13	35	72	7.53	<10	1.01	321	16	<0.1	36	470	10	<5	20	118	<0.1	<10	19	<10	<1	305
12	40058	2.8	1.49	85	50	5	4.02	11	15	39	66	12.00	<10	1.43	420	13	<0.1	32	1730	10	<5	20	136	<0.1	<10	74	<10	<1	542
13	40059	<2	3.86	<5	130	<5	8.28	<1	43	306	77	7.02	<10	3.39	1153	<1	0.06	133	370	<2	<5	<20	72	0.14	<10	177	<10	2	54
14	40060	<2	2.31	<5	60	10	11.90	1	35	231	59	7.54	<10	1.95	1264	<1	0.02	100	840	<2	<5	20	72	0.14	<10	134	<10	<1	45
15	40061	<2	4.18	<5	75	5	6.62	<1	40	216	74	6.99	<10	4.45	1076	<1	0.04	111	310	<2	<5	<20	69	0.16	<10	121	<10	2	58
16	40062	2.4	2.05	80	55	5	3.08	10	19	57	79	9.96	<10	1.10	999	14	<0.1	58	520	14	<5	40	90	<0.1	<10	63	<10	<1	520
17	40063	4.2	1.89	95	45	5	2.64	34	18	46	110	10.50	<10	1.02	791	21	<0.1	69	770	12	<5	40	85	<0.1	<10	71	<10	<1	1540
18	40064	3.8	1.13	50	50	5	3.31	13	14	32	77	8.38	<10	0.50	529	18	<0.1	41	560	16	<5	40	111	<0.1	<10	28	<10	<1	626
19	40065	6.0	1.20	110	50	<5	6.14	41	13	50	108	9.32	10	0.39	786	20	<0.1	64	>10000	30	<5	40	169	<0.1	<10	99	<10	42	1720
20	40066	9.2	0.98	140	45	<5	4.19	22	13	44	111	7.88	<10	0.48	945	17	<0.1	57	4520	44	25	20	127	<0.1	<10	41	<10	14	1032
21	40067	4.6	0.91	90	45	<5	5.81	12	13	25	97	7.02	<10	0.46	1225	16	<0.1	48	4040	42	15	20	122	<0.1	<10	35	<10	15	530
22	40068	3.4	1.23	80	45	<5	3.85	13	13	35	90	7.95	<10	0.62	861	13	0.01	52	7940	42	5	20	115	<0.1	<10	45	<10	22	696
23	40069	6.0	1.10	135	45	<5	2.55	41	16	53	120	8.97	<10	0.65	609	29	0.01	69	2690	68	<5	40	64	<0.1	<10	52	<10	2	1860
24	40070	7.8	1.25	135	50	<5	3.24	47	15	42	121	10.40	<10	0.65	546	32	<0.1	77	8390	82	15	40	78	<0.1	<10	88	<10	7	1974

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
25	40071	4.2	2.17	70	50	5	1.82	14	15	39	97	10.50	<10	1.46	683	14	<.01	40	460	54	<5	40	65	<.01	<10	60	<10	<1	797
26	40072	<2	3.11	<5	95	<5	9.05	1	42	265	86	7.83	<10	2.31	1275	1	0.06	99	320	<2	<5	<20	76	0.16	<10	163	<10	3	77
27	40073	<2	3.74	<5	200	<5	10.30	<1	40	244	83	5.66	<10	3.25	1184	<1	0.11	104	350	<2	<5	<20	80	0.15	<10	154	<10	5	52
28	40074	<2	4.24	<5	170	5	5.26	<1	43	257	83	7.03	<10	3.83	1184	<1	0.12	111	270	<2	<5	<20	57	0.13	<10	154	<10	2	57

QC DATA:

Resplit:

RS1	40047	<2	1.10	<5	70	5	1.33	3	4	71	3	2.99	<10	0.75	780	4	0.04	3	780	6	<5	<20	44	0.01	<10	19	<10	3	222
-----	-------	----	------	----	----	---	------	---	---	----	---	------	-----	------	-----	---	------	---	-----	---	----	-----	----	------	-----	----	-----	---	-----

Repeat:

1	40047	0.2	1.12	<5	70	5	1.24	3	4	86	4	2.91	<10	0.70	739	5	0.07	3	770	6	<5	<20	44	0.02	<10	20	<10	3	213
10	40056	5.8	0.65	35	60	10	3.60	2	10	36	61	7.71	<10	1.25	979	12	<.01	25	370	14	<5	20	130	<.01	<10	26	<10	<1	177
19	40065	6.0	1.26	100	60	10	6.16	41	13	52	108	9.31	10	0.41	785	20	<.01	63	>10000	30	10	20	171	<.01	<10	106	<10	42	1709

Standard:

GEO'96		1.4	1.70	65	160	<5	1.75	<1	19	59	79	4.07	<10	0.96	724	<1	0.01	22	760	18	<5	<20	53	0.10	<10	75	<10	4	68
--------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

dl/5027r
 XLS/96kenrich

(B)

28-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5028

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: KEN TROCIUK

No. of samples received: 5
Sample type: Silt
PROJECT #: Corey
SHIPMENT #: none given

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	38101	5	<2	2.39	<5	205	<5	2.56	<1	24	31	92	5.63	<10	1.88	571	2	0.02	22	1830	<2	<5	<20	59	0.11	<10	112	<10	3	60
2	38102	10	<2	1.17	<5	135	<5	1.30	<1	17	30	43	3.79	<10	0.80	873	<1	0.02	17	1150	4	<5	<20	30	0.10	<10	88	<10	1	44
3	38103	5	<2	1.41	<5	175	<5	1.13	<1	22	29	72	4.07	<10	0.97	555	<1	0.02	21	1330	<2	<5	<20	33	0.11	<10	90	<10	1	44
4	39501	5	<2	1.20	<5	150	<5	0.69	<1	15	35	40	3.25	<10	0.74	382	<1	0.03	23	1230	<2	<5	<20	18	0.10	<10	77	<10	1	45
5	39502	5	<2	0.97	<5	140	<5	0.61	<1	10	23	23	2.53	<10	0.53	297	<1	0.03	16	1230	<2	<5	<20	17	0.08	<10	56	<10	1	42

QC DATA:


Repeat:

1	38101	10	<2	2.40	<5	205	<5	2.48	1	24	31	91	5.68	<10	1.89	578	2	0.02	21	1800	<2	<5	<20	57	0.11	<10	113	<10	3	61
---	-------	----	----	------	----	-----	----	------	---	----	----	----	------	-----	------	-----	---	------	----	------	----	----	-----	----	------	-----	-----	-----	---	----

Standard:

GEO'96	-	1.4	1.65	85	150	<5	1.69	<1	17	57	82	3.98	<10	0.93	687	1	0.01	25	690	18	<5	<20	58	0.11	<10	75	<10	3	72
--------	---	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	---	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/560r
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

001
KENRICH
ECO-TECH KAM.
NCF IN DATABASE
604 573 4557
15:56
07/08/96

8-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5029

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 17
Sample type: Moss
PROJECT #: Corey
SHIPMENT #: 4

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37769	350	1.0	1.97	50	185	<5	1.33	1	38	40	139	6.45	<10	1.19	2529	5	<0.1	38	2420	22	<5	<20	70	0.06	<10	85	<10	5	146
2	37770	10	0.4	1.33	<5	175	<5	1.56	1	19	38	54	4.55	<10	0.86	1217	1	0.03	21	1480	10	<5	<20	37	0.11	<10	102	<10	2	56
3	37771	10	<2	1.80	<5	245	<5	1.36	1	31	35	105	5.53	<10	1.22	733	2	0.02	24	1810	4	<5	<20	42	0.14	<10	121	<10	2	58
4	37772	30	<2	2.05	<5	250	<5	1.73	1	34	32	132	5.73	<10	1.45	1028	3	0.02	25	1990	4	<5	<20	47	0.13	<10	122	<10	3	66
5	37773	10	<2	2.32	<5	310	<5	1.57	1	33	35	145	5.44	<10	1.58	1068	2	0.02	28	2010	6	<5	<20	52	0.13	<10	121	<10	3	71
6	37774	10	<2	1.60	<5	180	<5	0.84	1	20	49	55	4.44	<10	0.98	463	<1	0.04	30	1650	<2	<5	<20	21	0.13	<10	108	<10	2	58
7	37775	<5	<2	1.33	<5	190	<5	0.89	2	14	34	36	3.53	<10	0.73	392	<1	0.03	22	1810	<2	<5	<20	23	0.11	<10	80	<10	2	57
8	37776	<5	<2	1.05	<5	150	<5	0.78	<1	13	31	25	3.25	<10	0.60	330	<1	0.03	20	1870	<2	<5	<20	19	0.10	<10	75	<10	1	43
9	37881	<5	<2	2.03	<5	260	<5	1.21	<1	18	31	73	4.16	<10	1.18	831	<1	0.03	23	2230	<2	<5	<20	41	0.15	<10	103	<10	4	76
10	37882	<5	<2	1.97	<5	100	<5	0.27	<1	14	21	38	3.54	<10	0.55	340	<1	0.03	12	1460	<2	<5	<20	20	0.25	<10	82	<10	2	45
11	37863	490	<2	2.26	5	300	<5	1.64	2	20	31	99	4.19	<10	1.35	1061	1	0.03	27	2000	<2	5	<20	44	0.14	<10	106	<10	5	88
12	37864	<5	0.2	1.16	<5	185	<5	2.82	2	21	33	89	2.98	<10	0.62	1283	5	<0.1	39	2540	2	5	<20	82	0.03	<10	71	<10	4	87
13	37865	<5	<2	2.38	<5	320	<5	1.68	<1	20	35	116	4.51	<10	1.88	1070	<1	0.02	21	1370	<2	<5	<20	61	0.17	<10	117	<10	3	81
14	37866	40	<2	1.68	<5	220	<5	2.20	2	23	47	82	5.03	<10	1.24	709	2	0.03	29	1770	2	<5	<20	61	0.12	<10	108	<10	2	77
15	37867	30	<2	2.85	<5	305	<5	5.68	2	26	49	131	5.38	<10	3.06	832	<1	0.01	31	1790	8	5	<20	54	0.20	<10	164	<10	4	85
16	37868	560	<2	2.31	<5	255	<5	0.89	2	24	39	95	4.62	<10	1.24	1048	<1	0.02	28	1610	<2	<5	<20	34	0.15	<10	107	<10	2	78
17	37869	<5	<2	1.38	<5	125	<5	1.63	<1	15	22	44	3.11	<10	1.00	738	<1	0.02	14	2270	<2	<5	<20	23	0.11	<10	86	<10	<1	60

0003
KENRICH
ECO-TECH KAM.
PAGE
604 573 4557
15:57
07/08/96

004

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5029

ECO-TECH LABORATORIES LTD.

Et.#	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
------	------	---------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:

Repeat:

1	37769	290	1.2	1.97	45	175	<5	1.31	1	37	39	141	6.32	<10	1.19	2527	5	<.01	37	2420	20	<5	<20	72	0.04	<10	83	<10	4	142
10	37862	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Standard:

GEO'96

		140	1.2	1.65	55	145	<5	1.66	<1	17	56	83	3.89	<10	0.94	685	<1	0.02	23	680	20	<5	<20	59	0.11	<10	74	<10	5	70
--	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

d#560r
XLS/96Kenrich


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

KENRICH

ECO-TECH KAM.

604 573 4557

15:57

07/08/96

07/08/96 15:56 604 573 4557 ECO-TECH KAM. →→→ KENRICH 002

8-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5030

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 10
Sample type: Silt
PROJECT #: Corey
SHIPMENT #: 4

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37746	10	0.8	2.10	35	150	<5	1.14	1	39	37	133	6.58	<10	1.25	1932	4	<0.1	38	1840	14	<5	<20	61	0.04	<10	80	<10	4	152
2	37747	10	<2	2.34	<5	215	<5	2.30	1	22	30	83	5.49	<10	1.75	570	3	0.02	24	1930	<2	5	<20	53	0.10	<10	110	<10	3	58
3	37748	5	<2	2.17	<5	190	<5	2.44	1	23	32	87	5.99	<10	1.63	545	1	0.02	22	1800	<2	<5	<20	54	0.10	<10	118	<10	2	54
4	37749	10	<2	2.41	<5	205	<5	2.99	1	23	33	101	5.68	<10	1.86	590	1	0.02	22	1900	<2	<5	<20	61	0.10	<10	112	<10	3	60
5	37750	10	<2	1.83	<5	190	<5	0.91	1	19	27	69	4.06	<10	1.11	610	<1	0.03	19	1570	<2	<5	<20	41	0.12	<10	86	<10	2	43
6	37829	5	<2	1.98	<5	270	<5	1.11	2	18	26	78	4.06	<10	1.17	873	1	0.03	24	1480	<2	<5	<20	40	0.14	<10	99	<10	3	65
7	37830	<5	<2	1.75	<5	250	<5	0.99	1	16	22	68	3.63	<10	1.08	567	<1	0.03	21	1330	<2	<5	<20	39	0.14	<10	87	<10	3	62
8	37831	10	<2	1.56	<5	155	<5	1.63	1	24	34	88	4.93	<10	1.22	580	2	0.03	27	1360	<2	<5	<20	50	0.12	<10	110	<10	1	58
9	37832	10	<2	2.00	<5	200	<5	1.28	1	27	51	109	5.29	<10	1.49	708	<1	0.04	38	1570	<2	<5	<20	65	0.20	<10	130	<10	2	78
10	37833	15	<2	1.87	<5	205	<5	0.97	1	26	42	101	4.91	<10	1.28	592	<1	0.05	34	1360	<2	<5	<20	35	0.15	<10	122	<10	2	68

Not an
analyte

QC DATA:

Repeat:

1	37746	10	0.8	2.07	25	145	<5	1.07	1	36	36	128	6.33	<10	1.25	1795	5	<0.1	36	1800	12	<5	<20	58	0.04	<10	79	<10	3	142
---	-------	----	-----	------	----	-----	----	------	---	----	----	-----	------	-----	------	------	---	------	----	------	----	----	-----	----	------	-----	----	-----	---	-----

Standard:

GEO'96		-	1.8	1.67	65	150	<5	1.69	<1	18	58	84	3.98	<10	0.94	700	1	0.02	25	700	20	<5	<20	58	0.11	<10	75	<10	3	70
--------	--	---	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	---	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

dt/56Dr
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

9-Jul-98

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 98-5034

KENRICH MINING CORPORATION
910-510 BURREARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 64

Sample type: Core

PROJECT #: Corey

SHIPMENT #: Core #3

Samples submitted by: M. Dittrick

Values in ppm unless otherwise reported

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	40075	<2	0.31	<5	35	<5	1.12	<1	<1	123	<1	0.74	30	0.20	339	3	0.02	3	80	12	<5	<20	31	<0.1	<10	<1	<10	1	25
2	40076	0.8	0.87	<5	55	5	2.80	2	4	57	13	2.33	<10	0.49	856	7	<0.1	8	640	12	<5	<20	107	<0.1	<10	6	<10	6	94
3	40077	0.6	0.91	5	70	5	2.44	1	6	60	18	2.79	<10	0.54	820	6	0.01	14	1100	8	<5	<20	79	<0.1	<10	10	<10	7	107
4	40078	0.2	0.58	<5	100	<5	1.71	1	4	62	8	1.75	<10	0.35	735	3	0.02	9	490	8	<5	<20	61	<0.1	<10	4	<10	6	92
5	40079	1.2	1.11	20	65	10	2.52	1	11	10	43	4.77	10	0.57	1366	6	<0.1	35	1320	10	<5	<20	92	<0.1	<10	12	<10	6	176
6	40080	1.4	0.95	10	55	5	1.22	2	8	29	44	4.24	10	0.51	963	6	0.01	29	1530	14	<5	<20	38	<0.1	<10	14	<10	6	229
7	40081	<2	0.71	<5	45	<5	0.87	<1	<1	51	<1	1.08	40	0.47	421	5	0.02	1	120	20	<5	<20	24	<0.1	<10	<1	<10	2	35
8	40082	0.2	0.67	<5	45	5	1.34	1	1	57	<1	1.33	30	0.50	531	11	0.02	2	180	20	5	<20	49	<0.1	<10	4	<10	3	88
9	40083	2.4	0.80	20	65	<5	0.60	19	6	34	55	3.05	<10	0.34	394	14	0.01	27	600	10	5	<20	18	<0.1	<10	29	<10	5	1011
10	40084	1.6	0.83	10	55	<5	1.43	11	5	31	32	2.80	<10	0.40	568	11	0.02	15	580	8	<5	<20	24	<0.1	<10	27	<10	8	566
11	40085	1.4	1.03	<5	75	<5	1.20	9	5	39	29	3.00	<10	0.49	613	7	0.01	14	550	10	<5	<20	29	<0.1	<10	30	<10	9	495
12	40086	2.2	0.78	15	70	<5	1.51	12	5	24	38	3.40	10	0.46	795	28	0.01	19	940	8	<5	<20	39	<0.1	<10	22	<10	9	637
13	40087	2.0	0.57	20	65	<5	1.16	12	5	26	40	3.31	<10	0.40	624	10	0.01	18	480	8	<5	<20	31	<0.1	<10	20	<10	6	644
14	40088	1.6	0.67	15	70	<5	1.40	10	6	19	32	3.45	<10	0.41	658	10	<0.1	16	500	8	<5	<20	53	<0.1	<10	14	<10	7	560
15	40089	2.0	0.63	200	55	5	1.26	8	5	26	26	2.80	<10	0.35	693	17	<0.1	13	470	48	5	<20	54	<0.1	<10	11	<10	5	538
16	40090	<2	0.89	<5	455	<5	1.04	<1	<1	62	<1	1.07	30	0.79	538	15	0.02	2	850	20	10	<20	42	<0.1	<10	1	<10	3	57
17	40091	0.2	1.20	<5	165	<5	2.01	<1	<1	40	<1	1.23	20	1.33	380	40	0.02	3	80	24	15	<20	82	<0.1	<10	2	<10	3	43
18	40092	5.4	0.95	215	55	<5	0.96	15	10	56	64	5.93	<10	0.69	316	18	<0.1	37	800	62	15	<20	42	<0.1	<10	32	<10	<1	902
19	40093	3.0	1.65	75	50	10	1.61	5	14	38	68	6.76	30	0.97	290	13	<0.1	48	6810	20	25	<20	86	<0.1	<10	54	<10	29	319
20	40094	3.8	0.92	105	65	5	1.86	7	15	38	81	8.30	10	0.51	524	16	0.02	47	1030	18	<5	<20	61	<0.1	<10	36	<10	<1	332
21	40095	1.0	0.79	30	85	<5	4.15	1	11	62	45	3.92	10	0.39	597	9	0.02	22	2750	10	<5	<20	133	<0.1	<10	23	<10	11	119
22	40096	4.2	0.99	120	70	<5	4.39	18	15	35	80	8.88	10	0.39	936	27	0.01	57	980	12	<5	<20	114	<0.1	<10	48	<10	<1	838
23	40097	3.2	1.69	85	60	5	2.63	23	16	50	79	9.53	30	0.80	558	25	0.01	60	5000	20	<5	<20	73	<0.1	<10	89	<10	14	1092
24	40098	4.2	1.61	80	70	15	2.01	24	15	43	81	10.10	10	0.87	601	22	<0.1	57	700	20	<5	<20	50	<0.1	<10	70	<10	<1	1141
25	40099	5.0	1.58	85	65	10	2.39	30	15	46	87	8.84	20	0.91	644	17	0.01	62	1370	26	<5	<20	63	<0.1	<10	69	<10	2	1480

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	Ls	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	40100	2.8	1.56	30	75	10	2.54	4	15	25	64	7.37	10	0.87	675	12	<.01	40	980	22	<5	<20	83	<.01	<10	30	<10	3	325
27	40101	13.2	1.45	1645	80	10	2.36	13	12	39	67	7.87	10	0.87	794	6	<.01	28	450	52	<5	<20	68	<.01	<10	34	<10	<1	1299
28	40102	3.2	1.72	25	80	<5	0.98	3	11	48	43	6.34	<10	1.28	434	7	<.01	31	480	28	<5	<20	38	<.01	<10	39	<10	<1	333
29	40103	1.8	1.60	15	65	10	0.30	3	11	39	40	6.36	10	1.17	268	10	<.01	37	510	24	<5	<20	22	<.01	<10	36	<10	<1	238
30	40104	2.2	1.44	30	70	5	1.33	5	12	21	43	6.62	<10	1.07	496	11	<.01	28	640	28	10	<20	43	<.01	<10	25	<10	<1	296
31	40105	3.8	0.98	180	85	10	4.64	10	12	24	51	7.00	10	0.70	1268	11	<.01	27	2300	26	10	<20	108	<.01	<10	36	<10	7	546
32	40106	3.0	0.94	90	70	5	2.44	2	11	31	34	5.32	<10	0.68	754	6	<.01	26	850	22	<5	<20	79	<.01	<10	24	<10	2	139
33	40107	6.6	1.29	185	70	10	5.79	79	13	31	51	8.85	10	1.30	2511	14	<.01	30	4000	68	30	<20	153	<.01	<10	64	<10	4	7097
34	40108	3.6	0.72	1435	85	10	4.36	24	15	18	46	8.89	10	0.95	1191	15	<.01	38	570	58	15	<20	129	<.01	<10	39	<10	<1	1937
35	40109	1.4	0.85	20	85	5	3.23	2	15	16	45	5.99	<10	0.86	516	6	<.01	35	490	16	5	<20	121	<.01	<10	19	<10	<1	211
36	40110	0.8	1.12	<5	85	10	2.39	1	10	18	44	5.68	<10	0.88	217	6	<.01	19	350	14	<5	<20	93	<.01	<10	20	<10	<1	129
37	40111	0.6	1.63	<5	115	5	3.30	<1	11	22	35	6.03	20	1.17	242	5	<.01	24	2940	18	<5	<20	108	<.01	<10	28	<10	10	168
38	40112	0.4	1.70	<5	125	10	3.26	<1	9	20	32	5.54	10	1.24	328	6	<.01	18	580	20	<5	<20	79	<.01	<10	23	<10	<1	111
39	40113	1.4	2.26	<5	85	10	2.92	2	14	30	51	6.96	10	1.49	508	8	<.01	31	570	30	<5	<20	68	<.01	<10	51	<10	<1	183
40	40114	1.2	2.07	50	75	10	2.30	1	14	32	47	6.37	20	1.26	401	7	<.01	27	2630	28	<5	<20	65	<.01	<10	48	<10	10	189
41	40115	0.6	2.12	65	80	10	7.15	<1	8	16	33	6.10	40	1.14	651	6	<.01	23	10000	20	10	<20	162	<.01	<10	24	<10	54	140
42	40116	0.4	1.80	5	65	15	5.00	<1	8	16	21	5.34	20	1.10	866	5	<.01	16	6360	20	5	<20	126	<.01	<10	27	<10	26	139
43	40117	2.2	1.51	165	55	5	2.54	13	12	38	55	7.13	10	1.19	792	11	<.01	29	2290	70	15	<20	85	<.01	<10	52	<10	5	868
44	40118	4.0	0.75	230	60	15	2.89	7	14	39	51	8.66	10	0.80	849	11	<.01	29	1820	92	35	<20	85	<.01	<10	35	<10	4	460
45	40119	2.0	0.68	140	75	10	6.03	11	13	36	51	7.49	10	1.32	2284	11	<.01	26	2780	66	45	<20	156	<.01	<10	37	<10	4	657
46	40120	3.0	0.83	160	50	5	4.71	18	14	33	67	7.88	10	0.85	776	15	<.01	40	3950	28	30	<20	139	<.01	<10	37	<10	10	960
47	40121	1.8	0.74	30	90	10	7.22	3	14	31	50	6.32	10	0.97	949	10	0.01	33	2020	16	15	<20	182	<.01	<10	34	<10	4	231
48	40122	1.0	1.34	5	75	5	2.05	2	15	30	55	6.82	10	1.00	260	9	<.01	37	1000	24	5	<20	78	<.01	<10	31	<10	5	188
49	40123	0.6	1.00	5	80	5	3.56	1	11	25	37	5.71	<10	1.01	308	6	<.01	29	540	20	10	<20	106	<.01	<10	17	<10	2	157
50	40124	1.0	1.04	55	70	<5	2.55	<1	14	23	50	6.30	10	0.97	275	8	<.01	32	620	18	<5	<20	100	<.01	<10	19	<10	<1	167
51	40125	0.8	0.91	<5	95	<5	4.60	<1	10	16	33	5.83	20	1.02	690	5	<.01	17	2580	10	<5	<20	161	<.01	<10	15	<10	8	118
52	40126	1.2	0.98	30	65	5	5.31	4	12	18	53	7.01	10	0.94	885	9	<.01	31	2470	16	<5	<20	150	<.01	<10	20	<10	3	285
53	40127	2.0	0.70	40	75	10	4.09	3	13	29	62	7.51	10	0.98	577	11	<.01	32	480	16	10	<20	145	<.01	<10	22	<10	<1	193
54	40128	2.2	1.11	40	60	<5	4.39	8	14	29	92	7.51	10	1.05	670	21	<.01	43	680	26	20	<20	145	<.01	<10	28	<10	<1	396
55	40129	2.0	1.12	50	70	5	5.41	8	16	22	73	6.22	10	0.79	640	17	<.01	54	790	16	20	<20	169	<.01	<10	21	<10	<1	323
56	40130	1.6	1.18	40	105	10	12.40	5	12	21	61	6.39	20	1.05	826	10	<.01	40	1520	14	20	<20	238	<.01	<10	30	<10	3	382
57	40131	1.6	1.00	30	70	10	4.00	2	16	34	82	8.27	20	1.01	848	12	<.01	42	1120	14	<5	<20	155	<.01	<10	27	<10	<1	188
58	40132	2.4	0.90	35	65	5	3.07	6	17	21	84	7.61	10	0.92	537	12	<.01	47	930	16	<5	<20	137	<.01	<10	26	<10	<1	370
59	40133	3.6	1.23	65	70	5	3.61	12	16	25	86	7.83	20	0.77	522	14	<.01	51	4040	24	<5	<20	161	<.01	<10	40	<10	15	587
60	40134	1.8	0.69	15	85	10	5.20	4	16	29	63	9.53	10	0.95	578	14	<.01	35	730	24	<5	<20	206	<.01	<10	23	<10	<1	245

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
61	40135	<2	3.15	<5	125	15	10.90	2	52	225	46	8.34	20	2.48	1661	2	0.03	127	1620	10	5	<20	211	0.19	<10	221	<10	13	109
62	40136	<2	4.13	<5	230	15	6.35	<1	54	261	45	8.70	20	3.28	1651	<1	0.05	131	1280	20	5	<20	78	0.32	<10	259	<10	17	104
63	40137	<2	3.78	<5	325	15	8.01	1	52	238	46	7.92	20	3.05	1870	<1	0.03	125	1020	20	5	<20	68	0.41	<10	239	<10	19	110
64	40138	<2	3.96	<5	240	20	6.05	<1	57	254	49	8.42	20	3.04	1721	<1	0.07	149	1140	22	5	<20	62	0.49	<10	236	<10	24	103

QC DATA:

Resplit:

R/S 1	40075	<2	0.28	<5	35	<5	1.20	<1	<1	118	<1	0.75	30	0.19	320	1	0.01	2	100	16	5	<20	25	<0.1	<10	<1	<10	2	29
R/S 36	40110	0.6	1.12	<5	75	15	2.40	1	10	20	42	5.57	<10	0.89	222	6	<0.1	21	350	14	5	<20	93	<0.1	<10	20	<10	<1	131

Repeat:

1	40075	0.2	0.31	<5	40	<5	1.11	<1	<1	125	<1	0.72	30	0.19	319	3	0.01	4	90	12	5	<20	30	<0.1	<10	<1	<10	2	25
10	40084	1.6	0.83	5	60	<5	1.47	11	5	32	33	2.87	<10	0.40	581	12	0.01	15	590	10	5	<20	23	<0.1	<10	28	<10	8	593
19	40093	3.0	1.64	80	50	<5	1.66	5	15	40	65	6.97	20	0.94	295	13	<0.1	49	7000	26	20	<20	78	<0.1	<10	55	<10	30	345
36	40110	0.6	1.11	<5	75	15	2.39	1	10	17	43	5.65	<10	0.89	219	6	<0.1	19	370	16	5	<20	89	<0.1	<10	19	<10	<1	127
45	40119	2.0	0.64	135	75	<5	5.85	11	13	34	53	7.32	10	1.33	2249	10	<0.1	24	2700	62	40	<20	163	<0.1	<10	36	<10	3	619
54	40128	2.2	1.07	45	60	<5	4.43	7	15	28	92	7.57	10	1.04	678	21	<0.1	40	680	30	15	<20	146	<0.1	<10	27	<10	<1	402

Standard:

GEO'96		1.2	1.80	65	165	5	1.94	<1	21	68	80	4.01	10	0.93	736	<1	0.02	22	720	20	5	<20	59	0.14	<10	83	<10	6	72
GEO'96		1.2	1.85	75	170	<5	1.91	<1	19	65	78	4.01	10	1.06	710	<1	0.02	20	720	18	5	<20	60	0.10	<10	82	<10	6	80


ECO-TECH KAM.

604 573 4557

09:58

07/10/98

dt/5034r
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 98-5036

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 32

Sample type: Rock

PROJECT #: Corey

SHIPMENT #: 5

Samples submitted by: Bill Telford

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	37967	5	0.2	0.21	<5	30	<5	1.00	<1	2	87	2	1.32	20	0.04	307	<1	0.03	3	1830	<2	<5	<20	21	0.01	<10	13	<10	3	10
2	37968	15	1.2	1.89	<5	65	<5	0.96	3	86	177	235	> 15	<10	1.69	491	7	0.06	136	2980	<2	<5	20	10	0.24	10	207	<10	<1	104
3	37969	30	0.4	2.81	<5	65	<5	1.17	3	45	219	151	8.17	<10	2.81	649	2	0.07	99	4340	<2	<5	<20	10	0.21	<10	223	<10	6	173
4	37970	35	2.0	3.17	<5	100	<5	2.12	1	56	67	90	6.83	<10	1.00	424	7	0.17	66	2500	<2	<5	<20	99	0.05	<10	45	<10	<1	44
5	37971	55	1.6	1.76	<5	75	5	0.98	<1	18	127	56	5.43	<10	1.02	1117	48	0.01	65	1760	<2	<5	<20	17	0.08	<10	188	<10	<1	34
6	37972	10	<2	1.56	45	160	<5	1.65	<1	35	118	68	4.80	<10	0.70	328	3	0.09	52	4300	<2	<5	<20	43	0.10	<10	110	<10	6	68
7	37973	10	<2	1.43	<5	30	5	2.52	1	22	27	10	7.27	<10	1.45	399	3	0.03	2	1780	<2	<5	<20	21	0.06	<10	185	<10	<1	14
8	37974	5	0.2	0.90	<5	75	<5	7.42	2	22	25	92	4.24	<10	0.18	210	8	0.07	42	1520	<2	<5	20	63	0.10	<10	16	<10	<1	64
9	37975	10	<2	2.17	<5	50	10	4.23	1	33	73	5	7.89	<10	2.04	1058	<1	0.03	15	820	<2	<5	<20	15	0.28	<10	257	<10	6	45
10	37976	5	0.2	0.52	<5	150	<5	> 15	2	26	48	34	5.08	<10	5.87	2100	3	0.03	67	1920	<2	15	<20	523	<0.1	<10	44	<10	2	46
11	37977	5	<2	0.26	<5	15	<5	7.59	<1	8	138	4	1.46	<10	0.62	478	1	0.02	22	800	<2	<5	<20	393	<0.1	<10	11	<10	<1	22
12	38263	5	<2	3.26	<5	170	<5	1.00	1	31	52	140	7.87	<10	2.14	652	2	0.05	16	710	<2	<5	<20	148	0.21	<10	200	<10	<1	87
13	38264	10	1.8	0.75	<5	185	<5	0.87	4	11	105	81	2.78	<10	0.44	147	20	0.03	49	3550	4	<5	<20	12	0.07	10	83	<10	3	147
14	38265	15	<2	0.45	<5	25	<5	0.27	<1	57	96	140	5.11	<10	0.21	126	11	<0.1	4	220	<2	<5	<20	20	0.07	10	20	<10	<1	8
15	38266	10	<2	1.76	<5	115	<5	0.50	1	41	64	84	6.65	<10	1.51	228	4	0.06	4	630	<2	<5	<20	6	0.03	<10	86	<10	<1	31
16	38267	10	<2	0.95	<5	55	<5	0.68	<1	45	113	237	3.71	<10	0.73	231	1	0.05	49	670	<2	<5	<20	5	0.19	<10	79	<10	4	8
17	38268	5	<2	0.76	<5	205	<5	3.99	1	20	52	125	3.91	<10	0.75	753	7	0.04	20	920	<2	<5	<20	29	0.07	<10	73	<10	6	12
18	38269	10	<2	0.33	<5	35	<5	0.45	<1	28	34	133	4.16	<10	0.14	179	4	0.05	6	1120	<2	<5	<20	8	0.10	10	32	<10	2	4
19	38270	45	<2	1.05	<5	70	<5	0.65	2	57	50	121	11.80	<10	0.61	593	19	0.03	45	1650	<2	<5	40	12	0.11	10	130	<10	2	66
20	38271	30	<2	1.36	<5	195	5	0.20	2	42	56	86	12.70	<10	0.60	759	27	0.03	24	1820	<2	<5	40	6	0.11	<10	258	<10	8	45

Et #	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	38272	5	<2	0.60	<5	70	<5	0.33	<1	10	93	168	2.64	<10	0.51	121	7	0.07	8	790	<2	<5	<20	9	0.17	<10	57	<10	11	49
22	38273	10	<2	0.41	<5	55	<5	0.23	<1	18	54	48	5.57	<10	0.18	374	8	0.06	9	860	4	<5	20	27	0.34	<10	120	<10	3	76
23	38581	5	<2	3.12	<5	40	<5	2.18	2	58	203	127	12.30	<10	2.48	717	2	0.02	61	800	<2	<5	<20	11	0.31	<10	162	<10	1	80
24	38582	5	7.4	0.37	40	55	<5	12.90	<1	20	42	66	6.93	<10	3.43	2035	4	0.02	43	980	6	20	<20	395	<0.1	<10	37	<10	9	23
25	38575	15	<2	1.63	35	80	5	0.34	<1	14	34	54	7.99	<10	1.06	668	3	<0.1	14	770	8	<5	20	12	0.35	<10	95	<10	3	87
26	38576	10	0.4	1.52	<5	40	<5	0.93	<1	15	44	42	6.63	<10	0.93	723	5	0.02	11	1080	<2	<5	<20	34	0.18	<10	34	<10	7	106
27	38577	10	<2	1.42	<5	45	<5	1.24	<1	6	101	8	6.10	<10	1.17	192	3	<0.1	5	5080	<2	<5	<20	18	0.05	10	35	<10	18	29
28	38578	15	2.2	0.33	40	40	<5	0.21	<1	12	20	53	5.81	<10	0.10	232	10	<0.1	31	680	12	<5	20	7	<0.1	10	17	<10	2	156
29	38579	15	1.2	0.89	25	35	<5	0.65	2	18	26	89	6.91	<10	0.42	443	7	<0.1	55	410	6	<5	20	17	<0.1	<10	18	<10	<1	200
30	38764	10	0.4	0.33	<5	10	<5	0.02	<1	<1	99	1	0.72	20	0.24	254	4	0.05	3	70	8	<5	<20	3	<0.1	<10	2	<10	<1	17
31	38765	5	1.4	0.87	25	90	<5	0.03	2	7	31	54	4.74	<10	0.25	278	11	0.01	20	400	4	<5	<20	7	<0.1	<10	46	<10	<1	319
32	38766	10	<2	3.94	<5	80	<5	4.19	<1	39	229	59	7.01	<10	4.18	1064	3	0.04	98	790	<2	<5	<20	57	0.02	<10	176	<10	3	72

QC DATA:

Repeat:

1	37967	5	<2	0.21	<5	30	<5	1.00	<1	2	85	1	1.33	20	0.04	289	<1	0.03	3	1810	<2	<5	<20	20	0.01	<10	14	<10	2	10
10	37976	5	0.4	0.53	<5	150	<5	> 15	1	26	47	34	5.03	<10	5.85	2075	2	0.03	66	1870	<2	10	<20	521	<0.1	<10	44	<10	1	45
19	38270	45	<2	1.05	<5	70	<5	0.63	2	56	49	121	11.70	<10	0.60	585	20	0.03	46	1620	<2	<5	40	12	0.11	<10	130	<10	2	64

Resplit:

RS/1	37967	5
------	-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Standard:

GEO'96		150	1.4	1.62	60	160	<5	1.87	2	18	63	78	4.35	<10	0.91	755	2	0.01	22	680	20	<5	<20	59	0.11	<10	77	<10	2	75
--------	--	-----	-----	------	----	-----	----	------	---	----	----	----	------	-----	------	-----	---	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/560r
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

ECO-TECH KAM. +--> KENRICH

07/10/96 17:37

604 573 4557

07/10/96 17:37

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5038

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 14

Sample type: Silt

PROJECT #: Corey

SHIPMENT #: 5

Samples submitted by: None Given

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37834	5	<.2	2.22	<5	230	10	1.06	<1	25	41	65	5.32	<10	1.30	565	<1	0.04	23	2000	14	<5	<20	56	0.18	<10	114	<10	5	54
2	37835	5	<.2	2.16	<5	210	5	0.98	<1	22	33	63	4.71	<10	1.21	520	<1	0.04	19	1690	<2	<5	<20	76	0.17	<10	108	<10	4	42
3	37836	5	<.2	1.35	<5	175	<5	1.23	<1	20	39	51	3.69	<10	1.01	458	2	0.03	24	1290	14	<5	<20	53	0.12	<10	79	<10	3	46
4	37837	10	<.2	2.10	<5	305	<5	1.71	<1	30	37	115	5.24	<10	1.50	638	<1	0.03	31	1760	12	<5	<20	52	0.17	<10	115	<10	4	70
5	37838	5	<.2	2.06	<5	300	<5	1.37	<1	29	36	107	5.29	<10	1.50	616	<1	0.03	30	1770	10	<5	<20	52	0.17	<10	118	<10	4	68
6	37839	10	<.2	2.05	<5	295	<5	2.05	1	30	39	127	5.47	<10	1.47	675	1	0.03	36	1820	16	<5	<20	51	0.16	<10	116	<10	4	82
7	37840	10	<.2	2.02	<5	175	<5	1.40	<1	35	48	93	5.18	<10	1.55	758	2	0.02	38	1400	2	<5	<20	72	0.16	<10	107	<10	4	40
8	39503	295	<.2	2.97	<5	355	<5	1.38	1	34	57	138	6.12	<10	2.30	1440	<1	0.02	37	2130	<2	<5	<20	47	0.21	<10	145	<10	4	80
9	39504	15	<.2	2.79	<5	345	10	4.62	<1	25	33	83	5.24	<10	2.07	665	<1	0.03	25	1890	<2	<5	<20	98	0.19	<10	110	<10	7	65
10	39505	5	<.2	2.38	<5	235	10	1.34	1	32	46	58	6.57	<10	1.68	562	<1	0.03	30	2080	<2	<5	<20	95	0.22	<10	151	<10	5	59
11	39506	15	0.6	2.21	35	135	<5	0.85	<1	22	50	82	5.09	<10	1.27	847	3	0.01	40	1600	16	<5	<20	35	0.10	<10	89	<10	10	145
12	39507	5	0.6	2.18	50	135	5	1.20	<1	18	44	52	4.70	<10	1.02	856	2	0.04	27	1280	18	<5	<20	73	0.11	<10	99	<10	10	116
13	39508	5	0.4	2.03	35	120	<5	0.81	<1	18	43	64	4.56	<10	1.12	980	3	0.02	34	1400	6	<5	<20	41	0.08	<10	88	<10	7	115
14	39509	5	0.8	3.06	15	310	<5	1.03	<1	19	43	49	5.87	10	0.88	2124	7	0.01	31	1900	6	<5	<20	91	0.07	<10	74	<10	17	113

Et #.	Tag#	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn		
QC DATA:																																
Repeat:																																
1	37834	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Standard:																																
GEO'96		150	1.2	1.92	65	165	<5	1.98	<1	21	70	85	4.02	<10	1.07	776	<1	0.02	20	790	20	<5	<20	64	0.14	<10	87	<10	5	75		

df/5063r
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
Resplit:																													
R/S1	40139	<2	3.57	<5	45	10	4.50	2	33	192	46	6.04	<10	3.15	874	9	0.06	77	690	4	<5	<20	61	0.16	<10	100	<10	5	118
R/S36	40174	1.2	1.28	70	30	<5	5.98	<1	9	40	50	6.20	<10	0.66	1521	8	<0.1	18	3980	10	<5	20	200	<0.1	<10	18	<10	12	146
R/S71	39309	1.6	1.21	45	35	<5	1.87	1	14	81	76	6.34	<10	0.62	800	11	0.01	41	1200	18	<5	20	41	0.05	<10	51	<10	7	213
Repeat:																													
1	40139	<2	3.69	<5	50	<5	4.63	2	31	189	48	5.97	<10	3.25	856	10	0.07	73	700	<2	<5	<20	66	0.17	<10	102	<10	4	122
10	40148	1.8	0.70	40	30	<5	13.70	24	14	67	68	4.06	<10	0.67	2106	14	0.02	46	760	8	20	<20	170	0.02	<10	46	<10	4	1344
19	40157	4.6	0.92	810	25	<5	1.94	<1	12	28	57	6.31	<10	0.32	1715	9	<0.1	46	2370	12	<5	20	53	<0.1	<10	13	<10	6	135
36	40174	1.0	1.30	85	30	<5	6.02	<1	10	52	49	6.68	<10	0.66	1524	9	<0.1	20	4300	14	<5	20	184	<0.1	<10	19	<10	12	166
45	40183	5.2	1.13	90	40	<5	14.60	14	12	66	69	8.07	<10	0.69	2473	14	0.01	38	7900	22	<5	40	246	<0.1	<10	61	<10	8	629
54	40192	0.4	1.26	30	75	<5	10.10	2	11	80	44	3.62	<10	0.77	1974	6	0.02	15	6480	10	<5	<20	198	<0.1	<10	48	<10	9	124
71	39309	1.2	1.10	90	35	<5	3.03	1	14	66	69	6.67	<10	0.49	961	13	0.02	38	1220	22	<5	20	77	<0.1	<10	32	<10	7	196
Standard:																													
GEO'96		1.2	1.74	55	155	<5	2.01	<1	21	69	78	4.04	<10	0.96	740	<1	0.01	20	710	18	<5	<20	61	0.12	<10	81	<10	4	72
GEO'96		1.2	1.89	60	150	<5	1.97	<1	20	69	84	4.06	<10	1.03	740	<1	0.02	22	700	20	<5	<20	61	0.14	<10	86	<10	4	74
GEO'96		1.0	1.85	60	160	<5	2.01	<1	22	72	79	4.10	<10	1.00	720	<1	0.02	24	720	20	<5	20	60	0.14	<10	87	<10	4	72

NOT ON CHART

df/5045ar
XLS/96Kenrich


per **ECO-TECH LABORATORIES LTD.**
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5046

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J. KOWALCHUCK, K. TROCIUK

No. of samples received: 15
Sample type: Core
PROJECT #: none given
SHIPMENT #: Core #5

Values in ppm unless otherwise reported

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39324	<2	3.83	<5	70	15	4.98	2	41	16	23	11.50	<10	3.69	1933	<1	0.02	5	1680	<2	<5	<20	77	0.43	<10	299	<10	18	126
2	39325	1.0	1.25	15	35	5	3.66	2	11	54	36	6.53	<10	1.04	546	8	<0.1	18	440	4	<5	<20	103	0.05	<10	60	<10	1	164
3	39326	0.4	1.40	5	50	10	3.26	1	15	19	46	7.06	<10	1.22	530	3	<0.1	23	920	4	<5	<20	82	0.17	<10	35	<10	8	153
4	39327	0.6	1.53	<5	55	10	2.75	7	21	26	44	6.97	<10	1.18	641	<1	0.01	20	2480	2	<5	<20	63	0.30	<10	42	<10	18	340
5	39328	1.0	1.78	10	55	10	3.89	13	18	31	56	7.84	<10	1.38	670	4	<0.1	21	3190	4	<5	<20	84	0.22	<10	72	<10	20	540
6	39329	0.8	1.67	15	50	10	4.88	3	16	21	34	7.24	<10	1.25	1016	<1	<0.1	14	2350	2	<5	<20	90	0.26	<10	47	<10	17	201
7	39330	0.4	1.47	10	60	10	1.93	<1	14	23	40	5.96	<10	1.07	519	<1	<0.1	20	920	4	<5	<20	47	0.24	<10	30	<10	15	140
8	39331	0.2	1.57	<5	55	10	2.54	2	18	15	59	7.45	<10	1.16	759	2	<0.1	27	1990	6	<5	<20	70	0.24	<10	38	<10	17	175
9	39332	0.8	1.52	25	40	10	8.18	1	20	27	71	8.85	<10	1.01	1846	6	<0.1	35	430	2	<5	<20	132	0.18	<10	40	<10	4	108
10	39333	0.6	1.38	30	50	10	3.43	1	20	25	68	6.77	<10	1.00	829	2	<0.1	32	1530	6	<5	<20	67	0.23	<10	45	<10	12	161
11	39334	<2	1.84	<5	60	<5	2.23	2	21	34	70	8.19	<10	1.32	796	2	0.01	43	1880	6	<5	<20	53	0.27	<10	75	<10	13	186
12	39335	0.2	2.19	10	70	10	2.71	1	16	54	49	7.70	<10	1.37	904	4	<0.1	26	1990	6	<5	<20	59	0.24	<10	115	<10	14	167
13	39336	<2	3.74	<5	70	15	2.65	2	39	29	21	11.00	<10	2.31	1583	<1	0.02	7	1930	<2	<5	<20	45	0.38	<10	200	<10	20	137
14	39337	6.4	0.49	>10000	35	10	7.49	<1	19	111	9	7.41	<10	1.75	3308	11	<0.1	5	1580	16	50	<20	130	<0.1	<10	42	<10	3	1174
15	39338	<2	2.34	605	55	15	2.78	<1	32	23	16	9.39	<10	1.70	1512	3	0.02	3	1790	32	<5	<20	48	0.18	<10	121	<10	13	290

ECO-TECH KAM.

604 573 4557

07/12/96 13:15

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
<i>Resplit:</i>																													
R/S1		<2	3.86	<5	75	20	5.38	1	45	20	22	11.80	<10	3.66	2022	<1	0.03	5	1740	<2	<5	<20	80	0.50	<10	312	<10	24	131
<i>Repeat:</i>																													
1		<2	3.91	<5	70	20	5.24	2	44	18	22	11.90	<10	3.74	2001	<1	0.02	8	1730	<2	<5	<20	78	0.50	<10	312	<10	21	135
<i>Standard:</i>																													
GEO'96		1.2	1.80	60	155	<5	1.87	<1	20	64	84	4.39	<10	1.01	747	<1	0.01	25	730	18	<5	<20	55	0.12	<10	82	<10	5	71

dl/525br
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	38292	<.2	1.76	10	115	5	0.47	2	25	39	7	5.41	<10	0.93	501	<1	0.04	5	1640	12	<5	60	16	0.15	<10	75	<10	<1	258
27	38293	0.4	1.96	115	50	<5	0.34	<1	28	30	39	7.72	<10	1.08	390	7	0.03	4	1640	10	<5	100	8	0.16	<10	154	<10	<1	68
28	38294	0.8	1.42	175	50	<5	0.56	<1	20	43	92	5.68	<10	0.65	373	5	0.03	4	1430	10	<5	80	14	0.10	<10	88	<10	<1	46
29	38767	0.4	1.76	10	45	<5	0.45	<1	14	65	52	5.83	<10	1.17	772	3	0.03	27	850	14	<5	40	4	0.16	<10	83	<10	9	157

QC DATA:

Resplit:

R/S 1	37978	<.2	0.48	<5	25	<5	0.36	<1	39	67	294	5.39	<10	0.33	153	4	0.04	25	350	<2	<5	80	7	0.07	<10	10	<10	3	16
-------	-------	-----	------	----	----	----	------	----	----	----	-----	------	-----	------	-----	---	------	----	-----	----	----	----	---	------	-----	----	-----	---	----

Repeat:

1	37978	<.2	0.48	<5	30	<5	0.40	<1	40	72	330	5.37	<10	0.33	152	4	0.05	24	350	<2	<5	80	9	0.08	<10	10	<10	3	15
10	38275	<.2	0.55	75	160	<5	0.10	<1	9	21	47	3.31	<10	0.06	53	7	<.01	35	600	12	<5	60	11	<.01	<10	12	<10	<1	86
19	38285	<.2	1.34	10	100	<5	0.12	<1	8	49	35	4.56	<10	0.54	153	7	<.01	6	850	14	<5	40	6	<.01	<10	29	<10	<1	59

Standard:

GEO'96		1.2	1.61	50	145	<5	1.76	<1	18	59	78	4.07	<10	0.92	695	<1	0.01	25	730	22	<5	<20	50	0.10	<10	73	<10	3	67
--------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/5047r
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

Handwritten mark

ECO-TECH LABORATORIES LTD.
 10041 East Trans Canada Highway
 KAMLOOPS, B.C.
 V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5048

KENRICH MINING CORPORATION
 910-510 BURRARD STREET
 VANCOUVER, BC
 V6C 3A8

Phone: 604-573-5700
 Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 3
 Sample type: Silt
 PROJECT #: Corey
 SHIPMENT #: 6
 Samples submitted by: Not indicated

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37841	35	1.6	1.77	15	120	<5	0.53	3	25	43	56	5.19	<10	1.04	1148	7	0.02	89	1050	24	<5	20	47	0.02	<10	47	<10	3	279
2	37842	70	1.0	1.70	20	100	<5	0.53	2	19	50	36	4.36	<10	1.15	916	4	<.01	73	1030	22	<5	<20	44	0.02	<10	41	<10	3	180
3	39510	20	3.8	0.15	105	645	60	3.49	6	82	<1	15	> 15	<10	0.22	10000	62	0.03	62	940	<2	<5	40	862	0.05	<10	7	<10	14	591

QC DATA:

Repeat:

1	37841	15	1.2	1.76	20	125	<5	0.51	3	24	42	57	5.14	<10	1.04	1153	7	0.02	90	1020	20	<5	20	49	0.02	<10	47	<10	2	271
---	-------	----	-----	------	----	-----	----	------	---	----	----	----	------	-----	------	------	---	------	----	------	----	----	----	----	------	-----	----	-----	---	-----

Standard:

GEO'96		130	1.2	1.90	50	180	<5	1.89	1	19	65	83	4.24	<10	1.03	725	3	0.02	22	680	18	20	<20	78	0.11	<10	84	<10	2	67
--------	--	-----	-----	------	----	-----	----	------	---	----	----	----	------	-----	------	-----	---	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/5049r
 XLS/96Kenrich


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

CB

07/16/98 18:46 804 573 4557 ECO-TECH KAM. 001

12-Jul-98

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 98-5049

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 12

Sample type: Moss

PROJECT #: None Given

SHIPMENT #: None Given

Samples submitted by: Not Indicated

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37885	5	1.4	1.68	25	140	<5	0.72	4	25	42	60	4.90	<10	0.92	1627	7	<0.1	85	1430	26	6	20	62	0.02	<10	41	<10	4	293
2	37886	<5	2.0	1.71	20	225	<5	2.20	3	19	26	94	3.75	<10	0.39	2533	5	0.02	42	1850	18	6	20	123	0.02	<10	32	<10	10	204
3	37887	<5	2.6	2.42	10	360	<5	2.21	6	21	33	63	3.02	20	0.33	3770	3	0.02	49	2380	24	6	20	157	0.05	<10	30	<10	17	211
4	37888	<5	1.6	1.89	15	215	<5	2.61	2	18	27	70	2.93	<10	0.38	3429	3	0.02	31	1960	20	6	20	132	0.04	<10	33	<10	9	148
5	37889	<5	1.6	2.53	10	195	<5	1.93	2	14	21	54	3.23	10	0.28	4512	2	0.02	21	2130	18	6	20	85	0.08	<10	41	<10	11	124
6	37890	<5	1.6	2.19	15	280	<5	2.30	3	16	45	71	3.43	<10	0.49	2885	4	0.02	37	1870	18	6	20	99	0.05	<10	42	<10	10	153
7	37891	375	2.0	1.49	30	90	<5	0.54	2	21	45	44	4.51	<10	1.00	911	6	<0.1	72	1370	26	6	<20	40	0.02	<10	36	<10	3	195
8	37892	70	2.0	1.66	35	150	<5	0.68	4	26	39	69	5.49	<10	0.89	1372	8	<0.1	86	1390	26	6	20	53	0.01	<10	43	<10	4	324
9	37893	<5	1.4	1.45	10	195	<5	2.03	2	15	34	163	2.80	<10	0.38	2315	3	0.01	36	1430	16	6	20	96	0.05	<10	29	<10	5	154
10	39601	10	1.6	1.81	35	300	<5	1.45	2	19	29	104	4.70	<10	0.52	2860	8	0.01	35	1710	22	6	20	82	0.03	<10	50	<10	8	191
11	39602	<5	1.8	1.20	10	270	<5	3.84	2	8	14	136	1.48	<10	0.25	2329	1	0.01	16	1660	12	6	<20	122	0.02	<10	17	<10	5	143
12	39603	<5	1.6	1.38	10	305	<5	3.26	3	10	19	149	2.25	<10	0.31	2585	2	0.02	24	1820	14	6	20	128	0.03	<10	23	<10	6	126

QC DATA:

Repeat:

1	37885	10	1.6	1.66	20	145	<5	0.72	4	24	41	59	4.84	<10	0.92	1600	6	<0.1	83	1380	26	6	20	65	0.02	<10	41	<10	4	292
3	37886	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	39601	-	1.6	1.81	30	295	<5	1.42	3	19	28	99	4.71	<10	0.52	2798	8	0.01	34	1720	22	6	40	80	0.03	<10	50	<10	8	187

Standard:

GEO'96	-	1.2	1.69	50	155	<5	1.75	<1	18	59	81	3.98	<10	0.97	701	<1	0.01	20	730	18	6	<20	53	0.10	<10	74	<10	3	70
--------	---	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	---	-----	----	------	-----	----	-----	---	----

dl/5049r
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5058

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 48
Sample type: Rock
PROJECT #: None Given
SHIPMENT #: None Given
Samples submitted by: Bill Telford

Values in ppm unless otherwise reported

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	38768	<2	2.13	<5	70	5	1.29	<1	19	36	28	5.49	<10	1.37	984	3	0.03	5	1260	12	<5	20	33	0.17	<10	62	<10	5	65
2	38769	<2	3.22	<5	95	5	2.28	<1	26	50	19	6.78	<10	2.98	1210	2	0.05	6	1100	<2	<5	20	38	0.19	<10	184	<10	10	71
3	38770	28.0	0.99	6510	70	5	0.20	<1	21	65	155	> 15	<10	0.87	327	80	<0.1	4	810	42	<5	40	8	<0.1	60	35	<10	<1	498
4	38771	2.8	5.33	2035	70	10	0.19	<1	12	35	24	8.91	<10	6.30	1783	10	<0.1	2	950	2	15	20	8	0.01	<10	127	<10	<1	103
5	38772	>30	1.25	290	80	<5	0.04	9	3	188	226	3.09	<10	0.34	93	25	<0.1	16	340	1010	690	<20	9	<0.1	20	88	<10	<1	1506
6	38773	>30	1.05	705	40	<5	<0.1	<1	3	164	205	3.49	<10	0.38	100	32	0.01	16	30	516	310	<20	6	<0.1	40	104	<10	<1	717
7	38774	>30	1.29	145	140	<5	0.10	7	3	227	95	3.46	<10	0.34	136	61	<0.1	19	710	300	250	<20	16	<0.1	20	83	<10	<1	1227
8	38775	>30	0.19	320	135	<5	0.01	<1	3	117	45	4.60	<10	0.04	35	18	<0.1	6	180	102	50	40	37	<0.1	<10	18	<10	<1	26
9	38776	>30	0.14	115	605	<5	<0.1	<1	<1	98	7	0.78	<10	0.02	50	18	<0.1	2	160	220	120	<20	4	<0.1	<10	7	<10	<1	38
10	38777	2.4	3.73	<5	50	10	0.15	1	14	37	24	11.50	<10	2.05	1431	10	<0.1	4	790	24	<5	40	4	<0.1	<10	28	<10	<1	106
11	38778	1.4	1.14	<5	90	5	0.23	<1	5	39	14	5.02	<10	0.48	513	7	<0.1	3	1600	14	<5	20	10	<0.1	<10	12	<10	<1	55
12	38779	1.8	1.21	20	75	<5	0.55	<1	7	96	20	3.33	<10	0.76	1028	5	0.04	6	960	4	<5	<20	15	0.01	<10	42	<10	4	42
13	38583	1.0	0.32	10	85	<5	0.45	<1	2	138	4	2.09	<10	0.11	335	7	0.03	7	100	22	<5	<20	5	<0.1	<10	<1	<10	2	148
14	38584	4.6	0.63	30	105	<5	0.06	<1	7	35	37	3.80	<10	0.05	160	8	<0.1	4	1010	28	<5	20	6	<0.1	10	17	<10	<1	56
15	38585	2.2	0.34	10	205	<5	0.42	3	4	93	22	2.87	10	0.09	1102	8	<0.1	10	150	6	<5	<20	8	<0.1	<10	2	<10	2	325
16	38586	0.6	4.19	<5	125	10	5.40	<1	35	76	60	8.27	<10	3.94	1762	6	0.05	64	1000	<2	<5	20	80	<0.1	<10	139	<10	6	83
17	38587	0.6	2.84	<5	105	10	3.07	<1	27	49	25	7.09	<10	1.88	1148	6	0.03	15	1330	4	<5	20	51	<0.1	<10	127	<10	5	52
18	38588	0.8	2.12	15	55	5	0.60	<1	19	53	42	5.91	<10	1.48	598	4	0.02	14	1350	14	<5	20	8	0.14	<10	80	<10	6	70
19	38589	<2	3.90	<5	80	20	1.53	<1	60	14	78	10.60	<10	2.97	1015	<1	0.02	18	1400	<2	<5	40	14	0.79	<10	427	<10	17	90
20	38780	8.0	0.67	340	35	5	0.21	<1	6	64	24	5.49	<10	0.39	193	9	<0.1	7	1750	30	5	20	14	<0.1	20	20	<10	<1	29
21	38781	14.0	0.25	210	35	<5	0.04	<1	3	96	15	3.25	<10	0.05	40	10	<0.1	5	480	72	15	20	10	<0.1	20	10	<10	<1	28
22	38782	17.2	0.21	230	80	<5	0.11	<1	7	58	41	5.90	<10	<0.1	545	10	0.01	3	1680	40	<5	20	48	<0.1	<10	7	<10	<1	29
23	38783	5.2	0.20	85	30	<5	0.03	<1	4	118	19	2.94	<10	0.02	42	6	0.01	4	610	20	<5	20	14	<0.1	20	7	<10	<1	7
24	38784	7.2	0.14	360	20	5	0.03	<1	4	108	21	5.38	<10	<0.1	83	12	<0.1	4	790	24	<5	20	7	<0.1	20	5	<10	<1	16
25	38785	4.6	0.88	470	20	5	0.06	<1	6	92	15	4.81	<10	0.98	262	32	<0.1	4	360	20	10	<20	2	<0.1	10	22	<10	<1	39

→→→ KENRICH

ECO-TECH KAM.

604 573 4557

10:28

07/17/96

07/17/96 10:28 604 573 4557 ECO-TECH KAM. KENRICH

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS 7000 5058

DO-TE 30RA S LTD

Et #	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	38786	0.8	1.09	<5	195	<5	0.80	<1	8	52	99	4.37	<10	0.22	595	9	0.01	5	940	40	<5	20	20	<0.1	<10	23	<10	2	112
27	38787	0.8	0.46	5	115	<5	0.42	<1	2	138	5	2.84	10	0.11	311	13	0.03	5	140	18	<5	<20	17	<0.1	<10	1	<10	5	45
28	38788	0.8	0.55	35	100	<5	0.02	<1	3	44	23	3.12	<10	0.10	55	5	0.02	5	560	18	<5	20	5	<0.1	20	36	<10	<1	54
29	38789	0.4	2.04	<5	195	<5	1.16	<1	21	58	36	4.80	<10	1.96	1121	4	0.04	5	1400	10	<5	20	59	0.22	<10	97	<10	4	73
30	38295	<.2	2.82	<5	60	15	2.25	<1	35	49	17	8.19	<10	2.62	879	<1	0.04	8	1820	4	<5	20	27	0.47	<10	330	<10	16	128
31	38296	1.2	1.87	5	50	5	0.82	2	8	60	56	4.76	<10	1.33	644	5	0.02	8	3630	28	<5	20	10	0.21	<10	126	<10	9	93
32	38297	<.2	2.29	<5	65	10	1.51	1	27	95	21	6.25	<10	2.20	755	<1	0.04	17	2040	12	<5	20	16	0.39	<10	178	<10	14	92
33	38298	<.2	2.94	<5	50	5	1.56	4	20	96	61	6.53	<10	2.44	791	6	0.03	38	2180	32	<5	20	12	0.32	<10	212	<10	12	350
34	38299	<.2	2.92	<5	40	15	1.33	2	28	58	18	6.95	<10	2.40	1204	<1	0.03	13	2510	14	<5	20	7	0.51	<10	192	<10	20	120
35	38300	<.2	2.85	<5	55	15	0.86	7	26	38	67	7.42	<10	2.38	1222	16	0.04	46	1320	90	<5	20	6	0.54	<10	344	<10	17	525
36	38301	<.2	3.91	<5	70	15	1.37	2	39	16	21	11.20	<10	3.11	1676	<1	0.04	9	2520	8	<5	40	17	0.40	<10	393	<10	17	143
37	38302	<.2	3.11	<5	50	20	1.72	1	40	10	16	9.43	<10	3.44	1034	<1	0.05	<1	2010	8	<5	40	16	0.52	<10	306	<10	13	100
38	38303	<.2	3.25	<5	35	15	2.16	<1	35	16	11	9.76	<10	2.90	1341	<1	0.05	3	1980	6	<5	40	11	0.34	<10	238	<10	11	98
39	38304	0.4	2.04	5	40	10	0.63	<1	17	54	25	5.59	<10	1.90	662	1	0.03	13	2130	14	<5	20	5	0.20	<10	165	<10	13	100
40	38305	<.2	3.57	<5	45	15	0.77	2	32	51	113	13.10	<10	1.72	910	<1	0.02	15	2080	8	<5	40	5	0.42	10	383	<10	4	111
41	38306	1.0	1.66	15	35	5	0.26	<1	10	87	71	7.36	<10	0.81	360	10	<0.1	36	1500	40	<5	20	<1	<0.1	20	108	<10	<1	95
42	38307	0.8	1.92	<5	40	<5	0.31	<1	9	80	55	5.60	<10	1.08	493	7	<0.1	27	1560	20	<5	20	1	0.02	<10	91	<10	6	146
43	38308	1.2	2.02	<5	60	<5	0.83	<1	7	98	42	6.69	<10	1.02	449	9	<0.1	18	4500	32	<5	20	11	0.03	<10	127	<10	10	47
44	38309	<.2	2.55	<5	45	15	0.66	<1	22	57	14	7.50	<10	1.94	1003	3	0.03	13	2110	16	<5	20	4	0.23	<10	174	<10	13	120
45	38310	0.2	3.60	<5	20	<5	7.97	<1	31	241	55	4.50	<10	3.96	955	<1	0.01	126	370	4	5	<20	22	0.10	<10	76	<10	3	44
46	38311	1.0	1.60	<5	60	5	0.32	<1	9	50	28	4.81	<10	1.11	488	2	0.01	15	390	12	<5	20	7	0.10	<10	33	<10	3	60
47	38312	1.0	1.26	<5	60	5	0.18	<1	9	37	34	5.66	<10	0.77	370	2	0.01	11	390	10	<5	20	3	0.13	10	39	<10	<1	88
48	38570	11.8	0.59	220	55	5	0.34	<1	14	74	98	12.00	<10	0.41	274	18	<0.1	3	1250	26	<5	60	10	<0.1	30	48	<10	<1	305

07/17/86 10:29 0604 573 4557 KENRICH KAM. KENRICH

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:

Resplit:

R/S 1	38768	0.4	2.16	<5	75	10	1.24	<1	19	40	28	5.65	<10	1.38	986	2	0.03	4	1330	16	<5	20	32	0.18	<10	62	<10	5	71
R/S 36	38301	<2	3.92	<5	70	10	1.37	4	39	14	20	11.40	<10	3.11	1878	11	0.04	17	2560	6	30	40	18	0.30	<10	393	<10	15	144

Repeat:

1	38768	0.4	2.12	<5	70	10	1.29	<1	19	35	28	5.50	<10	1.38	980	3	0.03	3	1260	12	<5	20	30	0.18	<10	61	<10	5	66
10	38777	2.2	3.79	<5	50	15	0.15	<1	14	39	24	11.70	<10	2.08	1454	10	<0.1	6	790	28	<5	40	4	<0.1	<10	28	<10	<1	106
19	38589	<2	3.94	<5	80	25	1.57	1	61	14	79	10.70	<10	2.99	1024	<1	0.02	18	1440	<2	<5	40	12	0.82	<10	434	<10	17	91
36	38301	<2	4.00	<5	70	20	1.42	2	40	17	21	11.50	<10	3.17	1714	<1	0.04	9	2610	8	<5	40	16	0.41	<10	401	<10	17	148

Standard:

GEO'96		1.0	1.93	55	170	<5	2.00	1	20	69	84	4.04	<10	1.04	768	3	0.02	20	760	22	5	<20	60	0.11	<10	86	<10	3	76
GEO'96		1.4	1.73	55	165	<5	1.85	<1	19	61	81	4.19	<10	0.98	734	<1	0.01	25	780	20	<5	20	57	0.11	<10	76	<10	3	72

df/5058r
XLS/96Kenrich#2


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

19-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5059

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 2
Sample type: Moss
PROJECT #: None Given
SHIPMENT #: None Given
Samples submitted by: Bill Telford

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	39604	<5	1.4	2.55	80	45	<5	4.31	3	12	45	46	1.39	20	0.17	2849	1	<0.01	23	1390	14	<5	<20	77	0.03	<10	37	<10	20	120	
2	39605	<5	6.8	1.84	25	40	<5	3.13	6	15	84	104	2.23	<10	0.57	1948	1	0.01	46	2040	14	<5	<20	48	0.04	<10	52	<10	15	164	
QC DATA:																															
Repeat:																															
2	39605	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	39604	-	1.6	2.59	80	45	<5	4.29	3	12	45	47	1.41	20	0.17	2887	1	<0.01	23	1400	10	<5	<20	77	0.03	<10	37	<10	21	120	
Standard:																															
GEO'96																															
		145	1.2	1.79	70	170	<5	1.89	<1	19	64	79	4.25	<10	0.97	743	<1	0.02	24	680	20	5	<20	60	0.11	<10	79	<10	5	74	

df/627r
XLS/96Kenrich#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

29

00:00
KENRICH
KAM.
4557
17:12
07/19/96

18-Jul-96
ECO-TECH LABORATORIES LTD.
 10041 East Trans Canada Highway
KAMLOOPS, B.C.
 V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5060

KENRICH MINING CORPORATION
 910-510 BURRARD STREET
VANCOUVER, BC
 V8C 3A8

Phone: 604-573-5700
 Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 83
Sample type: Soil
PROJECT #: None Given
SHIPMENT #: None Given
Samples submitted by: Bill Telford

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	300M 0+00 S	<5	0.8	2.11	20	65	<5	0.35	2	44	29	62	4.09	<10	0.72	1725	3	0.07	44	820	12	<5	20	28	0.09	<10	50	<10	12	119
2	300M 0+25 S	<5	0.4	1.74	<5	55	<5	0.04	1	8	16	41	7.46	<10	0.04	71	12	<0.1	15	270	6	<5	40	7	0.08	10	112	<10	<1	74
3	300M 0+50 S	<5	1.6	4.15	20	95	<5	0.02	2	15	42	33	6.82	<10	0.41	497	11	0.01	44	350	14	<5	40	4	0.02	<10	52	<10	<1	215
4	300M 0+75 S	<5	1.6	1.35	<5	85	10	0.23	2	11	21	14	4.53	<10	0.45	179	3	0.05	21	300	8	<5	20	29	0.20	<10	80	<10	<1	84
5	300M 1+00 S	<5	0.6	2.67	<5	80	<5	0.10	<1	10	37	37	6.36	<10	0.55	209	5	0.03	27	240	6	<5	40	10	0.07	<10	90	<10	<1	103
6	300M 1+25 S	<5	2.2	2.87	<5	85	5	0.25	1	15	28	29	5.99	<10	0.55	223	5	0.07	18	520	<2	<5	40	22	0.08	<10	71	<10	<1	52
7	300M 1+50 S	<5	2.2	6.27	15	35	<5	0.04	<1	8	16	21	5.61	10	0.02	536	5	0.04	6	520	10	<5	40	<1	0.10	<10	8	<10	14	93
8	300M 1+75 S	<5	1.2	2.57	<5	90	<5	0.09	<1	8	36	22	6.95	<10	0.30	137	4	0.03	20	390	10	<5	40	15	0.12	10	80	<10	<1	87
9	300M 2+00 S	<5	0.4	4.59	10	80	5	0.07	<1	10	61	29	10.80	<10	0.30	116	10	0.01	24	390	2	<5	40	5	0.04	20	71	<10	<1	109
10	300M 2+25 S	<5	1.4	3.47	<5	70	5	0.13	1	10	40	27	6.71	<10	0.32	204	7	0.03	23	470	10	<5	40	16	0.06	<10	67	<10	<1	106
11	300M 2+50 S	<5	0.2	2.84	10	65	<5	0.04	<1	9	33	22	5.21	<10	0.28	167	6	0.01	22	410	10	<5	20	4	0.08	<10	90	<10	<1	102
12	300M 2+75 S	<5	0.6	4.37	15	70	<5	0.10	1	11	50	33	5.19	<10	0.45	345	6	0.02	39	440	12	<5	20	10	0.04	<10	45	<10	<1	147
13	300M 3+00 S	<5	0.8	2.26	<5	100	10	0.15	2	12	31	18	9.60	<10	0.08	205	3	0.02	9	340	16	<5	40	16	0.30	10	91	<10	<1	80
14	300M 3+25 S	<5	1.4	1.77	<5	85	<5	0.05	<1	5	20	17	4.20	<10	0.20	71	6	0.02	13	210	8	<5	20	7	0.02	<10	71	<10	<1	51
15	300M 3+50 S	<5	0.2	2.94	10	135	<5	0.42	<1	20	42	29	5.19	<10	0.71	397	7	0.01	46	630	8	<5	20	36	0.02	<10	50	<10	<1	160
16	300M 3+75 S	<5	2.2	3.64	10	65	<5	0.15	1	7	25	18	5.54	<10	0.26	190	5	0.01	24	610	10	<5	40	15	0.07	<10	31	<10	4	95
17	300M 4+00 S	<5	<2	0.98	<5	50	10	0.27	<1	19	19	16	3.29	<10	0.35	209	<1	0.06	11	390	18	<5	20	22	0.62	<10	126	<10	3	42
18	300M 4+25 S	<5	5.2	1.69	<5	105	5	0.26	<1	13	9	12	4.15	<10	0.27	190	<1	0.05	8	500	18	<5	20	22	0.27	<10	78	<10	3	29
19	300M 4+50 S	<5	6.2	1.64	<5	110	5	0.27	2	12	9	12	4.07	<10	0.26	184	<1	0.06	7	480	20	<5	20	24	0.27	<10	74	<10	3	44
20	300M 4+75 S	<5	1.0	1.80	<5	55	5	0.09	2	13	28	21	11.50	<10	0.06	174	6	0.02	10	430	12	<5	40	10	0.32	30	138	<10	<1	66
21	300M 5+00 S	<5	<2	1.63	<5	75	5	0.07	2	11	17	14	5.96	<10	0.04	140	3	0.01	8	330	16	<5	20	8	0.32	<10	112	<10	<1	58
22	300M 5+25 S	<5	<2	1.77	<5	65	15	0.09	2	12	9	17	11.30	<10	0.05	169	9	0.04	6	260	18	<5	60	9	0.33	20	182	<10	<1	55
23	300M 5+50 S	<5	<2	1.44	<5	60	5	0.74	2	21	8	15	4.95	<10	0.83	377	<1	0.20	11	640	6	<5	20	57	0.42	<10	92	<10	3	43
24	300M 5+75 S	<5	<2	0.86	<5	55	<5	0.40	<1	14	4	5	2.48	<10	0.57	210	<1	0.10	8	490	2	<5	20	33	0.29	<10	55	<10	2	26
25	300M 6+00 S	<5	0.2	2.77	<5	60	5	0.04	1	7	31	17	6.76	<10	0.18	106	7	0.01	13	390	10	<5	40	3	0.09	<10	99	<10	<1	68

07/19/96 13:52 604 573 4557 ECO-TECH KAM. ->>> KENRICH

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn		
26	300M	6+25	S	<5	0.4	2.58	<5	120	<5	0.05	1	9	6	8	6.61	<10	0.23	318	8	0.02	3	590	8	<5	40	7	0.02	<10	156	<10	<1	44
27	300M	6+50	S	<5	1.2	3.29	<5	105	10	0.09	4	14	31	24	14.70	<10	0.03	100	15	0.02	10	240	12	<5	60	7	0.33	30	132	<10	<1	64
28	300M	6+75	S	<5	<2	0.82	<5	45	<5	0.56	<1	11	4	5	2.27	<10	0.40	181	<1	0.08	6	940	<2	<5	20	33	0.21	<10	40	<10	2	26
29	300M	7+00	S	<5	0.2	3.35	15	220	<5	0.13	<1	18	27	33	5.41	<10	0.70	875	9	0.01	40	540	6	<5	20	8	<0.1	<10	50	<10	1	161
30	300M	7+25	S	<5	1.6	5.03	10	55	<5	0.11	2	7	34	15	6.91	<10	0.10	271	6	0.03	10	690	16	<5	40	13	0.12	<10	49	<10	<1	67
31	300M	7+50	S	<5	0.4	3.34	<5	80	15	0.03	2	10	43	27	10.30	<10	0.24	184	13	0.02	25	880	10	<5	40	7	0.06	10	96	<10	<1	87
32	300M	7+75	S	<5	2.0	5.46	10	50	<5	0.02	1	6	38	23	6.84	<10	0.16	147	11	0.01	17	640	10	<5	40	2	0.05	<10	51	<10	<1	66
33	300M	8+00	S	<5	4.8	6.42	5	60	10	0.06	2	10	47	20	10.90	<10	0.26	164	11	0.02	19	830	16	<5	60	8	0.15	<10	55	<10	<1	55
34	300M	8+25	S	<5	1.4	0.92	<5	50	<5	0.25	2	7	7	14	3.39	<10	0.05	64	<1	0.03	7	420	6	<5	20	24	0.24	<10	87	<10	<1	43
35	300M	8+50	S	<5	1.4	4.01	<5	70	15	0.03	3	8	60	35	11.60	<10	0.23	77	16	0.02	25	620	6	<5	60	6	0.05	<10	120	<10	<1	90
36	300M	8+75	S	<5	0.8	0.84	<5	30	<5	0.28	1	8	3	4	2.00	<10	0.26	100	<1	0.07	6	770	<2	<5	20	26	0.21	<10	35	<10	2	32
37	300M	9+00	S	<5	0.6	0.46	<5	125	<5	0.02	2	<1	1	<1	0.11	<10	0.05	8	<1	0.04	7	170	<2	<5	<20	49	<0.1	20	2	<10	<1	63
38	300M	9+25+	S	<5	0.4	1.13	<5	80	5	0.23	1	11	15	13	5.43	<10	0.39	133	4	0.06	16	570	<2	<5	40	32	0.14	20	76	<10	<1	49
39	300M	9+50	S	<5	2.4	2.86	<5	75	<5	0.03	2	8	36	30	9.54	<10	0.17	93	13	0.01	20	310	8	<5	40	2	0.08	20	107	<10	<1	104
40	300M	9+75	S	<5	1.6	3.28	<5	80	10	0.03	2	10	57	30	11.30	<10	0.28	160	13	0.01	23	410	12	<5	<20	1	0.05	20	92	<10	<1	112
41	300M	10+00	S	<5	0.8	0.80	<5	40	<5	0.41	1	11	3	3	2.06	<10	0.45	143	<1	0.10	8	600	<2	<5	<20	48	0.24	<10	35	<10	2	39
42	300M	10+25	S	<5	2.2	0.80	<5	60	<5	0.95	1	10	2	4	1.53	<10	0.37	102	<1	0.08	7	660	<2	<5	<20	66	0.16	<10	25	<10	3	34
43	300M	10+50	S	<5	0.2	2.53	10	45	<5	0.03	1	9	38	19	8.47	<10	0.41	223	11	0.07	30	280	10	<5	40	1	0.07	<10	89	<10	<1	100
44	300M	10+75	S	<5	2.4	2.82	15	100	<5	0.04	3	10	47	46	6.18	<10	0.77	245	8	0.01	46	260	16	<5	20	8	0.01	<10	60	<10	<1	195
45	300M	11+00	S	<5	1.6	4.57	<5	60	10	0.03	4	12	57	19	> 15	<10	0.21	278	17	0.01	19	540	10	<5	60	1	0.10	20	112	<10	<1	121
46	300M	11+25	S	<5	2.0	1.65	5	30	5	0.08	3	7	18	15	6.40	<10	0.10	88	7	0.02	15	490	8	<5	40	3	0.14	10	105	<10	<1	58
47	300M	11+50	S	<5	0.4	0.88	<5	30	<5	0.17	1	8	9	10	3.22	<10	0.20	89	7	0.04	8	560	4	<5	20	17	0.20	<10	116	<10	<1	52
48	300M	11+75	S	<5	2.8	3.38	<5	65	<5	0.07	2	8	27	13	8.22	<10	0.15	153	10	0.03	13	710	16	<5	40	6	0.15	20	81	<10	<1	81
49	300M	12+00	S	<5	0.4	1.11	<5	40	5	0.03	1	6	18	12	4.57	<10	0.06	53	3	0.01	7	530	10	<5	40	6	0.22	20	106	<10	<1	52
50	300M	12+25	S	<5	1.2	1.26	<5	100	<5	0.17	2	8	14	11	5.70	<10	0.13	83	5	0.03	13	610	6	<5	40	27	0.10	10	71	<10	<1	57
51	300M	12+50	S	<5	0.6	2.37	<5	45	<5	0.40	1	9	20	18	6.53	<10	0.28	157	9	0.05	16	610	6	<5	40	20	0.05	10	83	<10	<1	142
52	300M	12+75	S	<5	0.6	3.59	10	45	5	0.19	1	13	34	25	7.20	<10	0.36	307	6	0.05	25	690	6	<5	40	12	0.16	<10	74	<10	<1	106
53	300M	13+00	S	<5	1.2	0.68	<5	30	<5	0.41	<1	9	3	6	1.78	<10	0.34	156	<1	0.06	7	840	<2	<5	<20	40	0.21	<10	33	<10	2	33
54	65+50N	77+00	E	<5	1.6	0.93	<5	45	5	0.24	2	7	4	11	2.58	<10	0.06	33	<1	0.02	5	860	8	<5	20	12	0.12	20	56	<10	3	35
55	65+50N	77+25	E	<5	<2	1.63	<5	65	15	0.20	2	16	23	12	6.07	<10	0.11	174	<1	0.02	7	430	12	<5	40	11	0.65	20	244	<10	4	25
56	65+50N	77+50	E	<5	<2	1.91	<5	70	10	1.25	1	35	10	9	6.01	<10	1.76	524	<1	0.33	21	730	<2	<5	20	90	0.76	<10	141	<10	5	47
57	65+50N	77+75	E	<5	<2	2.16	<5	45	10	0.23	1	17	103	15	7.93	<10	0.91	206	<1	0.05	25	70	<2	<5	20	12	0.49	10	446	<10	<1	33
58	65+50N	78+00	E	<5	0.6	0.29	<5	15	<5	0.56	2	3	2	4	0.57	<10	0.16	82	<1	0.04	4	440	<2	<5	<20	15	0.05	<10	14	<10	<1	36
59	65+50N	78+25	E	<5	0.4	1.33	<5	65	5	1.02	1	27	27	12	4.29	<10	1.39	437	<1	0.23	22	700	<2	<5	<20	61	0.56	<10	87	<10	4	51
60	65+50N	78+75	E	<5	0.4	1.57	<5	55	10	0.56	3	17	38	22	3.86	<10	0.67	278	<1	0.11	14	730	2	<5	20	23	0.33	<10	101	<10	3	39

07/19/96 13:53 604 573 4557 ECO-TECH :AM. KENRICH

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5060

ECO-TECH LABORATORIES LTD.

MINERAL TICKETS
NOT ON DATA BASE
EG. NI, CU, PB, etc.

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
61	65+50N 79+00	E	<5	0.6	2.77	10	85	15	0.09	2	11	48	15	9.24	<10	0.13	122	4	0.03	8	490	14	<5	40	9	0.25	20	107	<10	<1	49
62	65+50N 79+25	E	<5	<.2	1.26	<5	60	15	0.77	1	34	13	20	7.09	<10	1.06	360	<1	0.17	13	300	12	<5	40	47	1.15	<10	390	<10	3	42
63	65+50N 79+50	E	<5	<.2	0.57	<5	25	<5	0.38	<1	11	5	8	2.06	<10	0.31	168	<1	0.06	7	650	6	<5	<20	19	0.32	<10	67	<10	2	28
64	63+50N 77+10	E	<5	<.2	2.86	<5	55	10	0.33	2	37	215	62	13.40	<10	1.71	437	<1	0.03	84	370	<2	<5	40	24	0.72	<10	258	<10	<1	62
65	63+50N 77+25	E	<5	<.2	2.99	<5	55	20	0.36	2	34	160	25	11.00	<10	1.68	990	<1	0.03	59	710	<2	<5	20	61	0.84	<10	238	<10	<1	61
66	63+50N 77+50	E	<5	16.0	3.22	70	45	10	0.18	<1	23	166	35	13.60	<10	0.32	1200	8	0.02	49	190	10	<5	60	4	0.12	<10	213	<10	<1	423
67	63+50N 77+75	E	<5	6.6	2.81	50	45	10	0.26	2	12	98	21	9.11	<10	0.22	484	9	0.03	24	240	30	<5	40	8	0.05	<10	191	<10	<1	168
68	63+50N 78+00	E	<5	5.8	2.60	75	65	5	0.27	<1	19	143	34	9.87	<10	0.44	741	9	0.02	50	250	24	5	40	11	0.02	<10	142	<10	<1	223
69	63+50N 78+25	E	<5	0.8	0.71	<5	30	5	0.75	1	13	29	10	2.85	<10	0.37	151	<1	0.06	12	530	8	<5	20	21	0.36	<10	131	<10	2	35
70	63+50N 78+75	E	<5	1.2	7.48	5	30	<5	0.35	1	57	174	37	7.40	<10	0.23	367	<1	0.03	33	690	<2	<5	20	9	0.30	<10	108	<10	12	65
71	63+50N 79+00	E	<5	5.4	1.59	10	30	<5	3.95	8	4	21	33	0.85	<10	0.16	289	<1	0.03	38	670	<2	5	<20	66	0.02	<10	18	<10	11	212
72	63+50N 79+25	E	<5	0.6	0.37	<5	30	<5	2.58	5	2	9	6	0.51	<10	0.14	16	1	0.03	5	640	<2	<5	<20	47	0.02	<10	9	<10	<1	22
73	63+50N 79+50	E	<5	17.4	1.20	<5	45	15	0.22	2	21	108	17	6.98	<10	0.29	253	<1	0.03	19	330	12	<5	20	13	0.71	<10	317	<10	<1	43
74	64+50N 77+25	E	<5	<.2	1.36	<5	70	10	0.15	1	15	31	5	4.74	<10	0.26	241	<1	0.04	9	500	26	<5	20	10	0.53	<10	220	<10	1	32
75	64+50N 77+50	E	<5	0.6	1.19	<5	55	10	0.27	2	12	8	10	6.83	<10	0.15	137	<1	0.04	6	570	16	<5	40	15	0.43	20	157	<10	<1	31
76	64+50N 77+75	E	<5	0.4	3.36	<5	50	15	0.78	2	25	165	41	10.90	<10	0.65	202	<1	0.02	39	400	2	<5	40	16	0.65	10	255	<10	8	56
77	64+50N 78+00	E	<5	2.2	0.88	<5	55	<5	0.29	2	7	13	13	2.93	<10	0.17	139	1	0.02	9	710	<2	<5	20	13	0.11	<10	56	<10	2	28
78	64+50N 78+25	E	<5	<.2	3.80	<5	60	10	0.13	2	22	213	23	12.80	<10	1.00	304	3	0.01	37	270	20	<5	40	4	0.36	10	322	<10	<1	80
79	64+50N 78+75	E	<5	<.2	1.69	<5	40	15	0.55	1	26	64	18	5.62	<10	0.99	281	<1	0.10	31	570	4	<5	20	35	0.68	<10	179	<10	5	34
80	64+50N 79+00	E	<5	1.0	5.65	<5	40	<5	0.70	2	45	219	55	5.17	<10	1.43	1232	<1	0.05	93	910	<2	<5	<20	22	0.18	<10	129	<10	15	83
81	64+50N 79+25	E	<5	21.6	3.95	40	40	5	0.82	2	36	221	68	5.87	<10	1.92	2344	1	0.03	83	800	44	15	<20	19	0.15	<10	128	<10	1	206
82	64+50N 79+50	E	<5	<.2	4.85	<5	55	10	0.19	2	34	52	96	> 15	<10	0.14	436	<1	0.02	13	540	<2	<5	60	4	0.69	20	355	<10	<1	75
83	64+50N 79+75	E	<5	<.2	1.44	<5	60	20	0.38	2	27	26	25	10.60	<10	0.15	238	<1	0.01	7	<10	16	<5	60	26	1.36	20	538	<10	5	27

07/19/96 13:54 804 573 4557 ECO-TECH KAM. KENRICH

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	------	----------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:

Repeat:

1	300M	0+00	S	Δ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	300M	2+25	S	Δ	1.2	3.56	10	75	5	0.13	2	10	41	27	6.80	<10	0.32	206	10	0.03	25	470	10	<5	140	16	0.08	<10	68	<10	<1	109
19	300M	4+50	S	Δ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	300M	6+75	S	Δ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38	300M	8+75	S	Δ	0.6	0.89	<5	30	<5	0.32	1	10	5	5	2.10	<10	0.35	118	<1	0.10	8	780	2	<5	<20	26	0.23	<10	39	<10	2	32
45	300M	11+00	S	Δ	1.6	4.62	<5	65	5	0.03	2	12	58	19	> 15	<10	0.21	280	16	0.01	20	520	12	<5	60	<1	0.11	30	114	<10	<1	121
54	65+50N	77+00	E	Δ	1.4	0.90	<5	45	<5	0.24	2	7	4	10	2.54	<10	0.07	39	1	0.03	5	890	6	<5	20	12	0.14	10	58	<10	3	31
71	63+50N	79+00	E	Δ	5.0	1.45	10	35	<5	3.65	7	4	19	30	0.81	<10	0.16	278	<1	0.04	34	610	4	5	<20	63	0.02	<10	18	<10	10	190

Standard:

GEO'96	150	1.4	1.86	55	160	<5	1.66	<1	19	64	85	4.27	<10	1.01	730	<1	0.03	27	720	14	<5	20	58	0.12	<10	82	<10	3	75
GEO'96	150	1.4	1.81	55	150	<5	1.84	<1	19	64	79	4.34	<10	0.97	730	<1	0.02	22	720	18	<5	<20	54	0.13	<10	82	<10	5	71
GEO'96	150	1.4	1.75	65	160	<5	1.76	2	18	60	76	4.21	<10	0.93	694	<1	0.02	25	700	20	<5	<20	58	0.13	<10	82	<10	6	70

df/5060r
XLS/96Kenrich#2


FRANK J. PEZZOTTI, A.Sc.T.
B.C. Certified Assayer

CB

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5061

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 12

Sample type: Core

PROJECT #: Corey

SHIPMENT #: Core #6

Samples submitted by: None Given

Values in ppm unless otherwise reported

Et #.	Tag#	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39339	1.6	1.06	5	60	5	1.59	8	10	90	36	4.00	<10	0.48	610	2	0.02	22	1790	6	<5	<20	31	0.12	<10	35	<10	15	350
2	39340	1.8	1.02	10	45	<5	0.27	5	9	57	43	4.27	<10	0.39	368	10	0.01	30	1020	8	<5	<20	8	<.01	<10	29	<10	5	247
3	39341	0.8	1.05	<5	60	<5	4.73	1	6	65	20	3.57	<10	0.40	1157	7	0.01	14	1070	4	<5	<20	136	<.01	<10	21	<10	4	99
4	39342	1.4	1.28	5	55	<5	1.99	<1	11	50	51	5.22	<10	0.46	818	7	0.02	46	1030	8	<5	<20	58	<.01	<10	30	<10	3	184
5	39343	3.4	1.21	45	45	<5	1.69	10	14	76	92	6.50	<10	0.62	853	14	0.01	47	600	10	<5	<20	63	<.01	<10	75	<10	<1	565
6	39344	2.4	1.01	40	60	<5	6.14	22	10	63	75	4.56	<10	0.90	986	21	0.02	32	1050	8	<5	<20	168	<.01	<10	63	<10	3	1128
7	39345	1.6	1.20	35	55	<5	2.86	9	12	101	59	5.22	<10	1.20	806	14	0.01	42	1110	14	<5	<20	193	<.01	<10	43	<10	3	491
8	39346	0.8	1.74	15	55	<5	2.65	4	15	74	44	5.06	<10	1.21	447	10	0.01	63	910	12	<5	<20	103	<.01	<10	44	<10	<1	293
9	39347	0.6	1.97	10	65	<5	3.37	6	15	71	43	5.01	<10	1.40	448	13	0.01	70	740	8	<5	<20	115	<.01	<10	43	<10	<1	396
10	39348	1.0	1.76	20	70	<5	1.94	9	16	66	50	4.88	<10	1.17	312	14	<.01	82	630	10	<5	<20	90	<.01	<10	38	<10	<1	535
11	39349	0.4	2.09	<5	70	<5	5.47	5	16	82	45	4.78	<10	1.52	561	9	0.01	71	750	4	<5	<20	226	<.01	<10	46	<10	<1	333
12	39350	0.2	2.45	<5	65	5	3.16	3	18	88	41	5.18	<10	1.79	438	8	<.01	100	760	8	<5	<20	150	<.01	<10	45	<10	<1	222
QC DATA:																													
Resplit:																													
RS/1	39339	1.4	1.06	5	60	<5	1.65	8	10	79	34	4.10	<10	0.49	658	3	0.01	23	1820	8	<5	<20	31	0.12	<10	35	<10	15	360
Repeat:																													
1	39339	1.6	1.07	<5	60	5	1.65	8	10	74	35	4.15	<10	0.48	632	3	0.02	24	1870	10	<5	<20	31	0.13	<10	36	<10	14	382
10	39348	1.2	1.75	15	70	<5	1.95	9	16	66	50	4.91	<10	1.17	313	13	<.01	83	630	12	<5	<20	90	<.01	<10	38	<10	<1	549
Standard:																													
GEO'96		1.2	1.97	65	170	<5	2.07	<1	21	72	82	4.67	<10	1.05	781	<1	0.02	29	790	16	<5	<20	70	0.16	<10	90	<10	6	79


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

df/5063r
XLS/96Kenrich

Et #. Tag# Au (ppb) Ag Al% As Ba Bi Ca % Cd Co Cr Cu Fe % La Mg % Mn Mo Na % Ni P Pb Sb Sn Sr TI % U V W Y Zn

QC DATA:

Resplit:

1	37997	5	0.4	5.45	<5	40	5	1.27	1	57	461	69	7.21	<10	6.75	959	<1	0.12	223	330	18	<5	<20	14	0.40	<10	138	<10	4	101
36	38795	130	16.2	0.29	800	65	5	0.12	<1	17	57	75	>10	<10	0.12	70	22	<0.01	6	540	30	<5	<20	5	<0.01	40	14	<10	<1	117

Repeat:

1	37997	5	0.2	5.48	<5	45	<5	1.28	<1	56	459	71	7.19	<10	6.75	1005	<1	0.12	222	310	16	<5	<20	15	0.41	<10	140	<10	4	99
10	38006	5	1.6	0.14	45	45	<5	0.04	<1	<1	104	3	0.71	40	<0.01	90	3	0.04	1	90	62	<5	<20	3	<0.01	<10	<1	<10	<1	30
19	38616	135	7.0	0.81	55	40	<5	0.45	2	13	61	57	4.21	<10	0.61	309	8	0.01	22	2260	44	<5	<20	11	0.01	<10	34	<10	3	244
36	38795	155	16.6	0.31	740	65	5	0.12	<1	18	59	82	>10	<10	0.14	64	22	<0.01	8	570	34	<5	<20	6	<0.01	40	16	<10	<1	124
45	38644	>1000	>30	1.10	890	45	10	0.25	<1	13	60	65	>10	<10	0.71	490	45	<0.01	6	890	172	15	<20	9	<0.01	10	45	<10	<1	1048

Standard:

GEO'96		150	1.4	1.86	50	160	<5	1.67	<1	20	67	60	4.22	<10	1.00	708	<1	0.02	26	740	26	<5	<20	66	0.14	<10	83	<10	2	70
GEO'96		150	1.4	1.80	60	155	<5	1.86	<1	19	64	81	4.20	<10	0.99	717	<1	0.02	26	770	24	<5	<20	58	0.12	<10	80	<10	5	70

df/5095r
XLS/96Kenrich#2


ECO-TECH LABORATORIES LTD.
pcr Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH KAM. →→→ KENRICH

804 573 4557

07/31/86 17:38

KENRICH MINING CORPORATION
 910-510 BARRARD STREET
 VANCOUVER, BC
 V6C 3A8

ATTENTION: R. VERZOSAJ K. TROCIUK

No. of samples received: 6
 Sample type: Moss
 PROJECT #: None Given
 SHIPMENT #: 9
 Samples submitted by: None Given

ECO-TECH LABORATORIES LTD.
 10041 East Trans Canada Highway
 KAMLOOPS, B.C.
 V2C 6T4

Phone: 604-573-5700
 Fax : 604-573-4557

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	37896	5	0.2	3.75	45	100	10	2.31	2	39	171	66	4.90	10	2.18	2337	1	0.03	89	1680	18	<5	<20	49	0.11	<10	142	<10	13	151	
2	37897	10	0.2	2.24	85	30	<5	2.74	<1	12	133	36	1.57	<10	0.51	957	<1	0.08	24	1580	14	5	<20	57	0.05	<10	98	<10	10	116	
3	37898	<5	0.4	2.27	50	70	<5	3.13	1	21	78	48	1.99	30	0.31	2428	2	0.04	39	1820	16	<5	<20	65	0.03	<10	124	<10	25	129	
4	37899	<5	1.2	3.34	5	140	<5	1.91	2	58	34	35	3.78	20	0.36	5520	4	0.04	41	2380	22	<5	<20	41	0.06	<10	49	<10	21	184	
5	37900	5	1.6	1.92	<5	170	<5	1.66	3	41	26	31	3.97	20	0.41	8091	4	0.05	28	2330	18	<5	<20	29	0.07	<10	49	<10	15	153	
6	39606	20	0.8	3.66	30	115	5	1.89	2	41	148	89	5.99	20	2.01	2054	2	0.03	82	1660	24	<5	<20	53	0.13	<10	138	<10	16	197	
QC DATA:																															
Repeat:																															
1	37896	10	0.2	3.74	40	100	5	2.28	2	39	171	65	4.89	10	2.19	2262	1	0.04	90	1700	16	<5	<20	49	0.11	<10	140	<10	13	154	
Standard:																															
GEO'96		150	1.8	1.77	65	165	5	1.88	1	20	64	87	4.22	<10	1.06	724	<1	0.01	20	720	22	<5	<20	55	0.11	<10	77	<10	6	73	


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

CB

dt/5096r
 XLS/96Kenrich#2

KENRICH

ECO-TECH LAB.

604 573 4557

17:47

07/31/96

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 27

Sample type: SOIL

PROJECT #: NONE GIVEN

SHIPMENT #: 9

Samples submitted by: C.LOUIE

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	4+00S 7+75 W	<5	0.4	3.37	<5	110	10	0.05	<1	9	45	23	8.26	<10	0.26	109	5	<0.01	9	740	138	<5	<20	9	0.16	20	121	<10	<1	37
2	4+00S 7+50 W	<5	1.8	2.47	<5	80	20	0.07	<1	12	28	22	9.58	10	0.37	392	10	<0.01	12	770	34	<5	<20	7	0.16	10	75	<10	<1	54
3	4+00S 7+00 W	10	3.0	1.57	30	120	30	0.10	2	20	18	23	>10	<10	0.08	580	63	<0.01	7	1750	56	<5	<20	7	0.41	30	128	<10	<1	63
4	4+00S 6+75 W	<5	5.0	4.67	15	90	15	0.06	<1	15	31	31	7.91	20	0.42	959	10	<0.01	14	820	40	<5	<20	2	0.08	<10	56	<10	8	83
5	4+00S 6+25 E	<5	<0.2	2.88	10	90	15	0.05	1	14	51	25	8.32	20	1.09	451	8	<0.01	15	560	22	<5	<20	4	0.09	<10	129	<10	11	98
6	4+00S 8+00 E	<5	0.4	1.52	<5	125	<5	0.57	<1	10	22	36	3.92	<10	0.51	655	8	<0.01	15	1830	18	<5	<20	55	0.02	<10	33	<10	8	140
7	4+00S 5+75 E	<5	0.4	0.87	<5	40	<5	0.05	<1	9	8	51	5.58	<10	0.29	477	7	<0.01	6	3220	20	<5	<20	4	<0.01	<10	25	<10	<1	51
8	4+00S 5+50 E	5	<0.2	2.21	35	110	10	0.11	<1	23	82	42	9.78	<10	1.22	837	9	<0.01	26	1140	32	<5	<20	7	0.12	<10	136	<10	<1	92
9	4+00S 5+25 E	<5	0.8	3.07	50	95	15	0.19	1	48	90	47	>10	10	1.49	2124	9	<0.01	26	1960	30	<5	<20	7	0.12	<10	123	<10	5	102
10	4+00S 5+00 E	<5	0.4	1.09	10	60	15	0.14	<1	11	50	34	7.34	<10	0.27	205	5	0.02	11	1500	18	<5	<20	5	0.18	20	119	<10	5	60
11	4+00S 4+75 E	<5	<0.2	1.95	10	60	15	0.24	<1	27	41	25	7.17	<10	0.83	1763	<1	0.02	12	1810	24	<5	<20	10	0.27	<10	128	<10	6	54
12	4+00S 4+50 E	5	0.8	1.71	15	70	15	0.15	<1	25	61	30	7.84	<10	0.92	1790	8	<0.01	15	2120	26	<5	<20	4	0.23	<10	115	<10	5	68
13	4+00S 4+25 E	<5	1.0	1.63	40	65	5	0.10	<1	19	80	74	7.73	10	0.87	626	11	<0.01	19	3440	26	<5	<20	3	0.09	<10	98	<10	12	95
14	4+00S 4+00 E	<5	<0.2	1.06	<5	25	5	0.22	<1	9	36	26	3.56	<10	0.26	114	<1	0.02	15	970	10	<5	<20	4	0.13	<10	101	<10	3	44
15	5+00S 5+00 E	<5	0.8	0.78	150	95	20	0.07	2	9	6	17	>10	<10	0.11	165	20	0.03	4	7210	20	<5	<20	61	0.01	30	32	<10	<1	29
16	5+00S 5+50 E	<5	1.4	3.65	30	110	<5	0.36	1	72	36	185	6.37	20	0.83	2813	8	<0.01	36	2020	36	<5	<20	19	0.03	<10	55	<10	35	200
17	5+00S 5+75 E	<5	0.2	4.28	35	70	15	0.32	<1	61	130	85	8.77	10	2.27	1751	2	0.01	40	1600	32	<5	<20	13	0.20	<10	171	<10	16	101
18	5+00S 6+00 E	<5	<0.2	3.02	20	125	10	0.39	1	30	61	42	6.85	10	1.61	1408	2	0.02	25	1060	24	<5	<20	17	0.17	<10	126	<10	10	116
19	5+00S 6+25 E	5	<0.2	2.21	<5	115	15	0.47	<1	32	25	18	7.11	10	0.83	1395	3	0.06	10	1510	24	<5	<20	37	0.21	<10	100	<10	8	104
20	5+00S 6+75 W	<5	1.0	3.45	<5	95	25	0.09	1	16	34	26	>10	10	0.23	273	11	<0.01	9	810	44	<5	<20	5	0.32	30	102	<10	<1	52
21	5+00S 7+00 W	<5	0.6	3.15	<5	95	20	0.08	1	14	38	23	9.97	<10	0.49	314	8	<0.01	16	990	30	<5	<20	6	0.16	10	111	<10	<1	53
22	5+00S 7+25 W	10	1.4	3.23	15	70	20	0.07	<1	13	32	26	8.84	20	0.28	297	7	0.01	11	960	42	<5	<20	5	0.25	20	80	<10	5	50
23	5+00S 7+50 W	<5	0.2	1.91	<5	95	5	0.93	4	10	21	18	2.27	20	0.52	198	<1	0.12	13	1380	16	<5	<20	50	0.13	<10	48	<10	21	64
24	5+00S 7+75 W	<5	1.0	2.43	<5	40	<5	0.39	<1	4	18	28	0.76	30	0.16	58	<1	0.04	7	1480	20	<5	<20	15	0.09	<10	28	<10	26	45
25	5+00S 8+25 W	<5	0.2	0.33	<5	145	<5	0.45	<1	3	4	8	0.55	<10	0.10	69	<1	0.03	5	1020	4	<5	<20	31	0.02	<10	7	<10	2	38

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	5+00S 8+50 W	<5	<0.2	2.12	<5	90	15	0.10	<1	33	31	14	8.23	10	0.55	3141	8	<0.01	17	600	24	<5	<20	9	0.18	<10	64	<10	2	54
27	5+00S 8+75 W	<5	<0.2	2.06	<5	120	15	0.15	1	12	30	16	8.22	<10	0.45	228	3	<0.01	15	380	22	<5	<20	18	0.20	20	128	<10	<1	43

QC DATA:

Repeat:

1	4+00S 7+75 W	<5	0.4	3.34	<5	105	15	0.04	<1	10	45	23	8.20	<10	0.26	110	5	<0.01	9	730	134	<5	<20	7	0.18	10	120	<10	<1	37
10	4+00S 5+00 E	<5	0.2	1.07	<5	55	15	0.15	<1	12	49	34	7.17	<10	0.27	211	4	<0.01	11	1520	18	<5	<20	4	0.19	10	118	<10	5	55
19	5+00S 6+25 E	-	<0.2	2.24	<5	115	15	0.47	2	32	25	18	7.22	10	0.85	1373	3	0.06	12	1470	24	<5	<20	38	0.22	<10	101	<10	8	105

Standard:

GEO'86		155	1.0	1.76	40	150	<5	1.81	<1	20	63	77	4.04	<10	0.99	657	<1	0.02	24	790	24	<5	<20	59	0.13	<10	78	<10	7	66
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/5096r
XLS/96Kenrich#2


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

KENRICH

ECO-TECH LAB.

804 573 4557

17:31

07/31/96

Et #. Tag# Au (ppb) Ag Al % As Ba Bi Ca % Cd Co Cr Cu Fe % La Mg % Mn Mo Na % Ni P Pb Sb Sn Sr Tl % U V W Y Zn

DC DATA:

Resplit:

R/S 1	38590	360	1.2	0.10	100	140	<5	0.02	<1	1	66	11	1.56	<10	<0.01	40	5	<0.01	2	160	40	30	20	6	<0.01	<10	3	<10	<1	31
R/S 36	38319	5	>30	1.37	295	80	5	0.57	121	40	118	119	>10	<10	1.88	>10000	9	<0.01	152	190	276	150	320	12	0.08	<10	53	<10	<1	9078

Repeat:

1	38590	355	7.0	0.10	90	140	<5	0.01	<1	1	66	8	1.52	<10	<0.01	32	6	<0.01	3	140	36	25	20	6	<0.01	<10	3	<10	<1	32
10	38599	585	22.4	0.43	630	45	5	0.16	<1	8	76	19	4.55	<10	0.26	120	7	<0.01	4	960	60	15	80	9	<0.01	<10	23	<10	<1	54
19	37985	5	3.0	0.98	40	40	5	4.16	<1	20	39	38	4.86	<10	1.72	1132	6	<0.01	55	1110	40	10	60	117	<0.01	<10	15	<10	4	130
36	38319	5	>30	1.37	290	70	10	0.58	117	41	118	120	>10	<10	1.88	>10000	9	<0.01	152	200	246	145	300	5	0.08	<10	53	<10	<1	8826
45	38328	5	1.2	2.41	10	40	10	3.24	2	38	357	48	4.73	<10	2.25	537	<1	0.03	139	760	22	<5	<20	26	0.32	<10	157	<10	11	134

Standard:

GEO'96		150	1.6	1.71	70	160	<5	1.77	<1	19	62	76	4.06	<10	0.94	684	<1	0.02	25	740	20	<5	60	61	0.12	<10	77	<10	6	71
GEO'96		-	1.2	1.83	60	155	<5	1.85	<1	20	66	80	4.28	<10	0.99	719	<1	0.02	20	800	22	<5	60	57	0.12	<10	81	<10	7	73

ECO-TECH KAM. → KENRICH

604 573 4557

07/31/98 17:45

dl/5095r
XLS/96Kenrich#2


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 98-5099

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 35

Sample type: SOIL

PROJECT #: Corey

SHIPMENT #: 8

Samples submitted by: BILL TELFORD

Values in ppm unless otherwise reported

Et #	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	62+50N 78+00 E	<5	<0.2	1.14	10	35	10	0.09	<1	9	27	24	1.44	<10	0.11	39	<1	0.02	23	250	34	10	<20	8	0.31	<10	115	<10	<1	81
2	62+50N 78+25 E	<5	3.4	4.84	30	70	10	0.04	<1	13	98	40	9.31	<10	0.61	282	8	0.02	35	340	60	Δ	<20	3	0.10	<10	76	<10	<1	191
3	62+50N 78+50 E	<5	1.6	4.42	30	40	15	0.29	<1	27	171	36	6.86	<10	0.93	356	<1	0.03	63	860	36	Δ	<20	18	0.32	<10	120	<10	4	95
4	62+50N 78+75 E	5	12.2	3.99	10	65	10	0.85	1	40	81	32	5.45	<10	0.62	1900	<1	0.06	43	1000	38	Δ	<20	25	0.22	<10	92	<10	15	175
5	62+50N 79+00 E	<5	<0.2	2.78	<5	60	25	0.41	2	36	190	33	>10	<10	1.19	376	<1	0.03	63	440	32	Δ	<20	20	0.76	<10	330	<10	<1	118
6	62+50N 79+75 E	5	14.6	4.19	45	70	10	0.11	2	31	437	31	>10	<10	1.56	585	2	0.02	100	250	66	Δ	<20	8	0.13	<10	276	<10	<1	421
7	62+06N 78+00 E	<5	<0.2	1.60	<5	60	5	0.89	<1	24	28	13	4.11	<10	0.95	291	<1	0.16	22	980	18	Δ	<20	58	0.39	<10	67	<10	3	101
8	62+06N 78+50 E	<5	0.2	1.63	25	40	5	0.10	<1	7	53	7	3.13	<10	0.32	98	<1	0.02	15	380	40	Δ	<20	6	0.18	10	124	<10	<1	99
9	62+06N 78+75 E	5	1.2	1.32	<5	35	10	0.14	<1	11	38	13	3.33	<10	0.27	197	<1	0.02	16	690	28	Δ	<20	10	0.20	<10	78	<10	1	81
10	62+06N 79+00 E	<5	16.2	2.86	<5	45	15	0.26	2	27	184	20	9.06	<10	1.40	902	<1	0.04	64	550	36	Δ	<20	15	0.19	<10	159	<10	<1	135
11	62+06N 79+25 E	5	3.4	3.09	5	45	15	0.37	2	26	147	23	5.67	<10	1.08	398	<1	0.02	56	470	38	Δ	<20	20	0.40	<10	146	<10	<1	181
12	62+06N 79+50 E	<5	1.2	3.87	30	75	10	0.20	1	26	193	35	8.62	<10	1.45	306	<1	0.03	63	510	42	Δ	<20	18	0.39	<10	164	<10	<1	162
13	61+50N 78+05 E	<5	<0.2	0.59	15	20	<5	0.05	<1	6	15	10	2.10	<10	0.06	57	6	0.02	8	250	12	Δ	<20	6	0.06	10	116	<10	<1	111
14	61+50N 78+25 E	<5	<0.2	2.07	<5	85	10	0.13	2	12	44	15	9.56	<10	0.15	99	4	0.02	14	510	34	Δ	<20	10	0.23	20	147	<10	<1	98
15	61+50N 78+50 E	5	0.2	1.20	20	45	5	0.10	<1	10	37	17	3.58	<10	0.13	81	4	0.02	14	370	20	Δ	<20	7	0.18	<10	237	<10	<1	140
16	61+50N 78+75 E	<5	3.8	2.27	5	55	10	0.18	<1	12	66	22	6.24	<10	0.39	252	2	0.03	21	630	40	Δ	<20	11	0.21	10	89	<10	<1	145
17	61+50N 79+00 E	<5	6.0	3.18	15	30	5	0.09	<1	11	66	31	6.76	<10	0.16	269	6	0.02	13	770	36	Δ	<20	4	0.08	<10	55	<10	7	112
18	61+50N 79+25 E	<5	3.4	2.25	<5	50	15	0.30	1	22	139	20	7.35	<10	0.55	259	<1	0.03	32	520	28	Δ	<20	13	0.48	<10	136	<10	2	89
19	61+50N 79+50 E	<5	15.2	5.45	55	80	<5	0.44	2	35	235	81	5.99	<10	1.34	1517	<1	0.04	76	1260	34	Δ	<20	25	0.18	<10	131	<10	12	230
20	61+50N 79+75 E	<5	1.6	3.09	<5	60	10	0.40	1	29	144	28	6.04	<10	0.70	1529	<1	0.04	40	1140	36	Δ	<20	21	0.33	<10	118	<10	<1	120
21	61+00N 78+00 E	<5	<0.2	3.14	15	50	10	0.11	<1	11	92	21	9.08	<10	0.16	82	4	0.03	14	780	38	Δ	<20	7	0.19	20	144	<10	<1	107
22	61+00N 78+25 E	5	1.0	1.91	<5	60	10	0.26	1	17	133	22	6.50	<10	0.74	187	<1	0.04	24	740	22	Δ	<20	16	0.27	<10	124	<10	<1	78
23	61+00N 78+50 E	<5	15.0	5.42	35	30	20	0.44	2	37	237	80	6.04	<10	1.33	1516	<1	0.03	78	1410	52	Δ	<20	6	0.18	<10	130	<10	13	239
24	61+00N 78+75 E	5	<0.2	1.98	<5	50	15	0.17	1	17	107	13	5.87	<10	0.60	146	<1	0.03	31	420	40	Δ	<20	9	0.39	<10	159	<10	<1	102
25	61+00N 79+00 E	<5	<0.2	2.03	<5	40	15	0.21	1	17	128	20	8.09	<10	0.57	142	<1	0.03	27	560	30	Δ	<20	12	0.40	<10	178	<10	<1	84

KENRICH

ECO-TECH K.A.M.

604 573 4557

17:32

07/31/96

Lot #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	61+00N 79+25 E	<5	22.8	4.80	30	75	5	0.61	2	42	209	47	6.79	<10	1.20	1897	<1	0.03	80	910	58	<5	<20	29	0.20	<10	106	<10	6	245
27	61+00N 79+50 E	<5	<0.2	1.49	45	5	25	0.20	<1	17	54	18	4.17	<10	0.29	135	<1	0.03	7	560	42	<5	<20	<1	0.73	120	187	70	10	97
28	61+00N 79+75 E	<5	<0.2	4.69	15	55	<5	0.65	<1	36	211	63	7.07	<10	1.39	613	<1	0.02	101	700	42	<5	<20	17	0.18	<10	131	<10	5	140
29	61+00N 80+25 E	<5	1.8	5.77	40	95	15	0.46	2	75	73	52	>10	<10	0.86	2433	6	0.03	61	3180	70	<5	<20	14	0.15	<10	117	<10	24	350
30	66+50N 78+25 E	<5	9.4	4.04	15	55	15	0.88	1	45	254	43	9.09	<10	3.14	1278	<1	0.05	106	640	56	<5	<20	30	0.34	<10	158	<10	<1	213
31	66+50N 78+50 E	<5	<0.2	1.90	<5	90	30	0.16	1	26	73	23	>10	<10	0.18	128	<1	0.03	13	170	42	<5	<20	8	0.89	30	378	<10	<1	101
32	66+50N 78+75 E	5	15.2	5.53	55	45	<5	0.46	1	37	235	83	6.01	<10	1.43	1606	<1	0.04	77	1290	32	<5	<20	18	0.19	<10	134	<10	13	218
33	66+50N 79+00 E	5	<0.2	0.85	<5	45	20	0.31	<1	26	47	9	2.51	<10	0.30	90	<1	0.05	10	140	60	<5	<20	16	1.12	<10	328	<10	5	69
34	66+50N 79+25 E	<5	2.4	5.96	40	50	15	0.08	<1	12	50	23	>10	<10	0.04	183	5	0.04	4	450	94	<5	<20	2	0.25	20	85	<10	<1	112
35	66+50N 79+50 E	<5	<0.2	0.73	<5	35	<5	0.42	<1	9	7	8	1.50	<10	0.33	133	<1	0.08	6	820	6	<5	<20	32	0.14	<10	27	<10	2	74

QC DATA:

Repeat:

1	62+50N 78+00 E	<5	<0.2	1.16	5	35	5	0.08	<1	8	28	6	1.42	<10	0.11	39	<1	0.02	18	240	30	<5	<20	9	0.31	<10	116	<10	<1	72
10	62+06N 79+00 E	<5	16.4	2.89	15	45	15	0.26	2	27	186	20	9.01	<10	1.37	908	<1	0.04	62	590	38	<5	<20	14	0.19	<10	156	<10	<1	142
19	61+50N 79+50 E	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	61+00N 79+75 E	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Standard:

GEO'96		150	1.0	1.82	65	160	<5	2.00	<1	22	69	77	4.12	<10	0.99	755	<1	0.02	20	710	24	<5	<20	62	0.14	<10	82	<10	4	85
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

KENRICH

ECO-TECH KAM.

804 573 4557

07/31/98 17:33

df/5108ar
XLS/96Kenrich#2


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5100

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 2

Sample type: Moss

PROJECT #: None Given

SHIPMENT #: 8

Samples submitted by: Bill Telford

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	37894	<5	>30	2.69	120	70	<5	2.87	7	37	117	146	4.31	10	1.55	2128	1	0.03	100	1560	200	55	<20	48	0.08	<10	76	<10	16	442
2	37895	<5	1.0	3.75	<5	110	5	1.55	2	49	50	46	3.29	10	0.31	2070	1	0.03	27	2080	20	<5	<20	36	0.09	<10	56	<10	17	137

QC DATA:


Repeat:

1	37894	<5	>30	2.77	115	70	<6	2.85	8	38	122	147	4.45	10	1.66	2141	2	0.02	103	1590	200	60	<20	46	0.08	<10	77	<10	15	442
---	-------	----	-----	------	-----	----	----	------	---	----	-----	-----	------	----	------	------	---	------	-----	------	-----	----	-----	----	------	-----	----	-----	----	-----

Standard:

GEO'96	-	1.8	1.77	65	165	5	1.88	1	20	64	87	4.22	<10	1.06	724	<1	0.01	20	720	22	<5	<20	55	0.11	<10	77	<10	6	73
--------	---	-----	------	----	-----	---	------	---	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/5096r
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CB

ECO-TECH KAM. →→→ KENRICH
604 573 4557
07/31/96 17:46

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 98-5111

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V8C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: JOHN KOWALCHUK

No. of samples received: 15
Sample type: Rock
PROJECT #: Corey Camp
SHIPMENT #: 10
Samples submitted by: Tim Hutchings

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	38338	10	7.6	0.34	70	155	<5	3.24	7	9	88	27	6.51	<10	0.51	8322	9	<0.01	23	1900	862	260	<20	88	0.01	<10	23	<10	6	150
2	38339	10	0.4	0.90	40	75	<5	1.53	9	9	40	34	3.91	20	0.04	313	10	0.01	21	8350	36	<5	<20	83	<0.01	<10	28	<10	29	500
3	38708	830	>30	0.17	230	55	<5	0.04	<1	4	147	39	3.21	<10	0.03	81	15	<0.01	9	310	218	130	<20	6	<0.01	<10	5	<10	<1	192
4	38709	>1000	>30	0.14	230	55	<5	0.01	<1	3	133	21	2.66	<10	<0.01	77	19	<0.01	6	160	248	75	<20	8	<0.01	<10	5	<10	<1	337
5	38710	>1000	>30	0.16	290	65	<5	0.03	<1	4	126	13	3.02	<10	0.01	63	15	<0.01	5	420	264	145	<20	15	<0.01	<10	7	<10	<1	91
6	38711	>1000	>30	0.19	210	70	<5	0.02	<1	3	138	19	3.14	<10	0.02	41	12	<0.01	5	280	214	115	<20	8	<0.01	<10	9	<10	<1	139
7	38712	>1000	23.0	0.15	405	35	<5	0.03	<1	4	169	35	2.90	<10	0.04	45	18	<0.01	10	170	108	60	<20	3	<0.01	<10	7	<10	<1	160
8	38713	>1000	>30	0.28	685	75	<5	0.02	<1	3	198	170	3.25	<10	0.07	38	21	<0.01	8	150	888	480	<20	4	<0.01	<10	33	<10	<1	1052
9	38714	465	>30	1.04	645	185	<5	0.01	6	5	193	104	3.34	<10	0.35	120	36	0.01	34	100	964	230	<20	7	<0.01	<10	190	<10	<1	1789
10	38715	500	>30	1.55	500	365	<5	0.02	14	4	191	161	3.22	<10	0.38	126	63	<0.01	29	110	1494	640	<20	18	0.01	<10	160	<10	<1	2119
11	38716	655	>30	1.50	755	175	<5	0.06	13	9	171	157	7.64	<10	0.27	117	94	<0.01	34	270	1434	485	<20	3	<0.01	<10	68	<10	<1	3938
12	38717	310	>30	0.77	100	145	<5	0.03	10	3	242	99	3.33	<10	0.13	73	31	<0.01	15	130	680	235	<20	5	<0.01	<10	28	<10	<1	2002
13	38718	350	>30	1.09	220	140	<5	0.02	<1	4	230	32	2.76	<10	0.18	91	32	<0.01	13	130	90	60	<20	8	<0.01	<10	32	<10	<1	253
14	38719	775	>30	0.56	395	145	5	0.02	<1	6	214	76	6.94	<10	0.29	95	41	<0.01	13	180	118	30	<20	<1	<0.01	<10	46	<10	<1	77
15	38720	>1000	>30	0.23	500	60	<5	0.02	7	5	130	36	4.95	<10	0.09	61	33	<0.01	11	170	232	85	<20	<1	<0.01	<10	12	<10	<1	1421

ECO-TECH KAM. --- KENRICH

604 573 4557

07/31/86 17:19

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
<i>Resplit:</i>																															
R/S 1	38338	5	8.6	0.33	80	145	10	3.07	7	8	74	28	6.26	<10	0.48	5945	11	<0.01	23	1840	914	290	<20	82	<0.01	<10	22	<10	6	160	
<i>Repeat:</i>																															
1	38338	10	7.0	0.29	65	135	5	3.08	6	7	59	23	6.19	<10	0.43	6012	8	<0.01	19	1830	822	225	<20	60	<0.01	<10	20	<10	5	136	
10	38715	525	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Standard:</i>																															
GEO96	-	1.6	1.99	60	175	<5	1.96	<1	23	77	83	4.16	<10	1.08	720	<1	0.02	24	720	22	<5	<20	68	0.15	<10	91	<10	4	72		

d/5108ar
XLS/96Kenrich#2


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5154

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 32
Sample type: SOIL
PROJECT #: NONE GIVEN
SHIPMENT #: 14
Samples submitted by: BILL TELFORD

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	9+00W 62+50 N	<5	<0.2	2.92	5	265	<5	2.08	<1	11	57	29	1.15	<10	0.40	1385	<1	0.10	9	2910	18	5	<20	142	0.38	<10	49	<10	<1	64
2	9+00W 62+75 N	<5	2.4	1.30	<5	110	10	0.59	<1	12	7	10	2.53	<10	0.33	334	<1	0.11	8	940	16	5	<20	62	0.29	<10	50	<10	<1	43
3	9+00W 63+00 N	<5	2.4	6.36	20	70	15	0.05	<1	11	48	27	9.91	<10	0.24	116	5	0.03	17	570	52	5	<20	9	0.15	30	65	<10	<1	101
4	9+00W 63+25 N	5	1.2	5.99	15	90	20	0.04	<1	9	38	29	9.89	<10	0.13	261	10	0.01	9	690	50	5	<20	8	0.03	20	60	<10	<1	80
5	9+00W 63+50 N	<5	0.8	3.15	15	110	5	0.03	<1	5	9	28	5.67	<10	0.17	64	8	<0.01	3	420	32	5	<20	5	<0.01	20	79	<10	<1	45
6	9+00W 63+75 N	<5	2.0	4.83	20	70	5	0.02	<1	9	70	30	7.47	<10	0.51	204	6	<0.01	33	440	46	5	<20	6	0.05	<10	57	<10	<1	90
7	9+00W 64+00 N	5	0.4	3.61	<5	140	10	0.20	<1	13	21	32	8.20	<10	0.31	169	8	0.02	10	740	24	5	<20	15	0.02	10	115	<10	<1	60
8	9+00W 64+25 N	<5	1.4	5.85	15	65	10	0.05	<1	8	56	24	7.45	<10	0.19	160	7	0.03	15	590	56	5	<20	5	0.06	10	76	<10	<1	89
9	9+00W 64+50 N	<5	2.0	5.66	15	80	20	0.02	1	14	54	29	>10	<10	0.15	437	13	<0.01	8	390	56	5	<20	8	0.13	30	174	<10	<1	50
10	9+00W 64+75 N	<5	0.2	4.44	20	55	10	0.07	<1	9	48	35	7.51	<10	0.37	228	7	<0.01	24	690	42	5	<20	6	0.07	<10	75	<10	<1	80
11	9+00W 65+00 N	<5	1.8	4.48	15	100	10	0.25	<1	9	71	29	6.38	<10	0.32	209	7	0.02	24	870	52	5	<20	15	0.05	<10	98	<10	<1	107
12	63+00N 9+25 W	<5	0.6	3.37	10	85	10	0.07	<1	12	52	24	6.78	<10	0.16	172	<1	0.02	8	460	36	5	<20	7	0.25	10	157	<10	<1	57
13	63+00N 9+50 W	5	0.6	3.40	40	65	5	0.05	<1	11	62	28	9.20	<10	0.51	242	8	<0.01	39	320	36	5	<20	9	0.10	10	71	<10	<1	122
14	63+00N 10+25 W	<5	1.4	4.53	15	30	<5	0.04	<1	6	29	16	3.45	20	0.06	83	5	0.02	5	610	62	5	<20	4	0.17	<10	41	<10	7	36
15	63+00N 10+50 W	<5	0.4	3.75	5	95	10	0.05	<1	9	64	40	8.72	<10	0.47	129	8	<0.01	28	620	30	5	<20	9	0.05	10	103	<10	<1	81
16	63+00N 10+75 W	5	3.2	4.92	5	45	20	0.08	<1	12	24	21	9.12	<10	0.12	235	5	0.05	8	440	52	5	<20	8	0.32	10	62	<10	<1	69
17	63+00N 11+00 W	<5	<0.2	5.59	5	115	15	0.21	<1	24	65	41	8.43	<10	0.33	524	<1	0.01	17	570	48	5	<20	16	0.45	<10	171	<10	<1	86
18	63+00N 11+25 W	5	0.6	3.75	20	95	15	0.05	<1	12	56	28	8.81	<10	0.71	344	8	0.01	43	510	44	5	<20	7	0.15	<10	79	<10	<1	107
19	63+00N 11+50 W	<5	1.4	3.98	<5	70	20	0.03	<1	12	50	23	>10	<10	0.33	218	9	0.02	22	600	44	5	<20	7	0.21	20	58	<10	<1	82
20	63+00N 11+75 W	<5	<0.2	4.64	<5	80	5	0.13	<1	21	23	61	8.74	<10	0.40	309	<1	0.02	8	840	38	5	<20	11	0.53	10	233	<10	<1	55
21	63+00N 12+00 W	5	0.8	4.12	<5	70	15	0.09	<1	13	39	19	8.36	<10	0.15	164	<1	0.02	10	460	46	5	<20	11	0.38	<10	124	<10	<1	55
22	63+00N 12+25 W	<5	<0.2	3.47	<5	80	10	0.10	<1	12	54	27	8.36	<10	0.32	183	3	0.01	18	510	38	5	<20	13	0.21	10	115	<10	<1	61
23	63+00N 12+50 W	<5	4.0	4.77	10	40	10	0.06	<1	9	41	23	9.68	<10	0.07	331	11	0.03	8	440	66	5	<20	3	0.19	<10	31	<10	14	57
24	63+00N 12+75 W	5	0.8	3.34	45	65	10	0.03	<1	9	56	40	9.48	<10	0.46	173	8	<0.01	27	400	42	5	<20	7	0.04	20	70	<10	<1	99
25	63+00N 13+00 W	<5	1.8	2.55	50	80	10	0.09	<1	13	45	37	7.11	<10	0.57	573	8	<0.01	37	970	42	5	<20	11	0.05	<10	55	<10	<1	121

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5174R

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: KEN TROCIUK

No. of samples received: 29

Sample type: Rock

PROJECT #: None Given

SHIPMENT #: 15

Samples submitted by: Bill Telford

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	38340	5	26.2	3.04	155	35	5	4.74	38	48	274	65	8.66	<10	3.26	>10000	1	0.05	189	460	68	90	<20	38	0.07	<10	122	<10	2	4019
2	38651	55	<0.2	4.77	15	110	20	1.96	<1	55	164	47	>10	<10	4.33	1059	<1	0.05	45	1060	18	<5	<20	33	0.42	<10	389	<10	9	63
3	38652	>1000	2.8	2.90	1925	50	10	1.27	<1	46	113	66	>10	<10	3.75	933	3	0.02	39	1080	12	5	<20	23	0.16	<10	158	<10	4	80
4	38653	30	13.8	0.69	140	5980	<5	0.07	<1	<1	300	10	1.01	<10	0.07	246	8	<0.01	11	350	8	10	<20	19	<0.01	<10	15	<10	1	10
5	38654	125	9.8	0.77	365	120	<5	0.10	<1	2	101	6	3.44	<10	0.31	85	30	<0.01	4	990	26	65	<20	19	<0.01	<10	113	<10	<1	19
6	38655	100	>30	0.80	620	60	<5	0.38	6	15	73	72	4.28	<10	0.38	148	31	<0.01	22	2060	208	60	<20	11	<0.01	<10	67	<10	5	230
7	38656	200	22.2	1.01	170	90	<5	0.04	25	6	230	114	3.25	<10	0.07	164	46	<0.01	33	370	60	55	<20	8	<0.01	<10	40	<10	<1	1343
8	38657	40	>30	3.77	205	1070	<5	0.19	38	5	200	54	3.51	<10	0.15	191	28	0.02	31	1100	118	50	<20	39	<0.01	<10	41	<10	<1	2604
9	38658	130	4.8	7.27	185	260	5	0.38	<1	43	179	68	9.89	<10	4.33	850	<1	0.04	42	1170	46	<5	<20	34	0.19	<10	427	<10	4	131
10	38659	350	>30	0.33	4595	40	<5	0.06	<1	9	158	117	8.42	<10	0.07	147	234	<0.01	28	210	126	45	<20	3	<0.01	<10	17	<10	<1	9069
11	38660	380	>30	0.48	8225	115	<5	0.05	<1	9	182	165	9.75	<10	0.14	112	137	<0.01	28	100	146	70	<20	7	<0.01	<10	29	<10	<1	9409
12	38661	570	>30	0.83	3250	50	5	0.02	<1	8	189	82	7.13	<10	0.18	92	81	<0.01	26	50	106	85	<20	3	<0.01	<10	33	<10	<1	512
13	38662	>1000	>30	0.85	1630	50	<5	0.02	<1	4	263	33	4.15	<10	0.13	100	74	<0.01	18	100	64	80	<20	4	<0.01	<10	26	<10	<1	135
14	38663	>1000	>30	0.19	470	55	<5	<0.01	<1	2	183	14	2.68	<10	0.03	60	42	<0.01	9	50	44	75	<20	8	<0.01	<10	8	<10	<1	24
15	38664	>1000	28.0	0.16	450	35	<5	<0.01	<1	3	169	11	2.68	<10	0.03	44	50	<0.01	8	50	46	95	<20	3	<0.01	<10	6	<10	<1	15
16	38665	>1000	27.0	0.19	350	45	<5	<0.01	<1	3	226	11	2.77	<10	0.03	42	40	<0.01	11	40	44	60	<20	9	<0.01	<10	7	<10	<1	7
17	38666	>1000	>30	0.16	410	40	<5	<0.01	<1	3	137	10	2.87	<10	0.03	33	29	<0.01	5	40	52	105	<20	7	<0.01	<10	6	<10	<1	11
18	38667	>1000	>30	0.20	460	60	<5	<0.01	<1	2	169	8	2.42	<10	0.02	30	19	<0.01	7	40	50	95	<20	3	<0.01	<10	5	<10	<1	7
19	38668	>1000	28.8	0.19	415	30	<5	<0.01	<1	3	132	19	2.75	<10	0.02	45	20	<0.01	9	50	46	90	<20	3	<0.01	<10	5	<10	<1	40
20	38669	>1000	27.0	0.20	485	25	<5	0.01	<1	4	129	23	3.44	<10	0.03	64	21	<0.01	12	70	44	85	<20	2	<0.01	<10	5	<10	<1	38
21	38670	>1000	25.0	0.21	495	25	<5	0.02	<1	4	162	21	3.72	<10	0.02	47	28	<0.01	11	80	54	75	<20	2	<0.01	<10	4	<10	<1	45
22	38671	>1000	27.0	0.24	850	30	<5	0.03	<1	5	145	25	4.81	<10	0.04	57	24	<0.01	17	50	58	100	<20	3	<0.01	<10	5	<10	<1	372
23	38672	>1000	>30	0.27	1010	30	<5	0.01	<1	5	198	29	5.51	<10	0.05	75	39	<0.01	15	40	58	115	<20	2	<0.01	<10	6	<10	<1	382
24	38673	>1000	>30	0.33	650	30	<5	0.02	<1	4	163	24	3.81	<10	0.13	77	18	<0.01	16	70	76	105	<20	3	<0.01	<10	11	<10	<1	375
25	38674	>1000	>30	0.44	3685	55	10	0.04	<1	8	174	73	>10	<10	0.24	74	96	<0.01	18	30	194	400	<20	5	<0.01	20	24	<10	<1	867

Et #	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Ni	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	38675	>1000	>30	0.42	830	35	<5	0.02	<1	5	236	47	4.16	<10	0.20	88	34	<0.01	19	50	130	205	<20	5	<0.01	<10	28	<10	<1	408
27	38676	30	0.6	2.13	20	220	10	0.60	1	20	50	53	5.24	<10	1.34	794	<1	0.02	11	1510	24	<6	<20	13	0.17	<10	52	<10	7	121
28	38939	10	1.0	0.48	75	150	5	0.18	<1	3	121	2	3.55	<10	0.13	272	6	<0.01	4	1290	12	<6	<20	14	0.02	<10	36	<10	2	58
29	38940	5	3.2	0.28	4320	25	10	0.35	<1	18	116	23	7.31	<10	<0.01	110	14	<0.01	7	1710	14	125	<20	25	<0.01	<10	12	<10	<1	19

QC DATA:

Resplit:

R/S 1	38340	10	23.6	3.15	140	45	5	5.01	37	47	278	83	8.44	<10	3.28	9595	<1	0.06	185	450	60	90	<20	40	0.08	<10	125	<10	2	3897
-------	-------	----	------	------	-----	----	---	------	----	----	-----	----	------	-----	------	------	----	------	-----	-----	----	----	-----	----	------	-----	-----	-----	---	------

Repeat:

1	38340	5	25.6	3.05	150	40	5	4.71	38	48	273	84	8.58	<10	3.25	>10000	2	0.06	185	460	68	95	<20	37	0.07	<10	122	<10	2	4008
10	38656	340	>30	0.32	4040	45	<5	0.06	<1	8	157	114	8.06	<10	0.07	146	228	<0.01	27	210	122	55	<20	3	<0.01	<10	18	<10	<1	3204
19	38668	>1000	28.0	0.19	415	35	<5	<0.01	<1	3	135	19	2.75	<10	0.02	46	21	<0.01	8	50	46	90	<20	5	<0.01	<10	5	<10	<1	41
28	38938	-	0.6	0.48	85	150	<5	0.18	<1	3	122	2	3.55	<10	0.13	275	6	<0.01	4	1280	12	<6	<20	16	0.02	<10	36	<10	2	58

Standard:

GEO96		150	1.0	1.91	75	160	<5	1.94	<1	20	67	78	4.21	<10	0.98	732	<1	0.02	22	750	24	<6	<20	67	0.14	<10	84	<10	3	71
-------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

dt/5176r
XLS/96kenrich#3


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

27-Aug-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 8T4

ICP CERTIFICATE OF ANALYSIS AS 96-5175

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

13

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 100
Sample type: SOIL
PROJECT #: NONE GIVEN
SHIPMENT #:15
Samples submitted by: B.TELFORD

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	9+00W 65+25 N	<5	1.2	3.96	15	75	10	0.02	<1	9	66	23	7.79	<10	0.30	197	8	<0.01	25	430	30	<5	<20	<1	0.05	<10	78	<10	<1	86
2	9+00W 65+50 N	<5	3.2	3.90	15	55	10	0.06	<1	10	67	26	7.84	<10	0.50	236	8	<0.01	30	460	22	<5	<20	5	0.05	<10	61	<10	<1	94
3	9+00W 65+75 N	<5	2.4	4.84	15	70	5	0.04	<1	15	19	18	5.67	10	0.14	697	9	0.03	14	480	36	<5	<20	<1	0.07	<10	20	<10	21	136
4	9+00W 66+00 N	<5	0.4	3.38	15	95	5	0.07	<1	9	47	24	5.81	<10	0.38	147	4	0.02	25	280	22	<5	<20	6	0.09	<10	86	<10	<1	100
5	9+00W 66+50 N	<5	2.4	2.60	<5	120	20	0.15	<1	64	48	16	7.11	<10	0.37	2103	<1	0.02	11	760	40	<5	<20	12	0.62	<10	141	<10	<1	67
6	9+00W 66+75 N	<5	4.0	3.02	<5	60	15	0.10	2	13	32	23	>10	<10	0.08	340	7	<0.01	10	430	36	<5	<20	9	0.32	<10	101	<10	<1	58
7	9+00W 67+00 N	<5	2.8	2.83	25	120	<5	0.02	<1	10	50	50	4.81	<10	0.55	159	8	<0.01	47	250	26	<5	<20	3	<0.01	<10	62	<10	<1	188
8	9+00W 67+25 N	5	3.2	3.96	35	90	<5	0.02	<1	15	59	41	5.78	<10	0.77	360	8	<0.01	54	540	34	<5	<20	3	0.01	<10	44	<10	<1	186
9	9+00W 67+50 N	<5	3.0	4.27	10	130	10	0.06	<1	14	31	43	7.90	<10	0.43	290	8	<0.01	21	730	26	<5	<20	5	0.04	<10	110	<10	<1	104
10	9+00W 67+75 N	<5	0.4	4.78	10	180	<5	0.01	<1	20	71	35	8.00	<10	0.35	324	7	<0.01	19	640	26	<5	<20	2	0.02	<10	155	<10	<1	77
11	9+00W 68+00 N	<5	1.4	5.66	15	65	10	0.03	<1	10	42	22	9.12	<10	0.09	155	8	<0.01	8	660	40	<5	<20	3	0.08	10	79	<10	<1	51
12	9+00W 68+25 N	<5	1.2	4.27	15	130	10	0.05	<1	15	70	34	8.09	<10	0.29	197	8	<0.01	27	2840	24	<5	<20	4	0.02	<10	96	<10	<1	73
13	9+00W 68+50 N	<5	0.2	3.98	<5	155	20	0.23	<1	29	28	25	8.64	<10	0.27	377	<1	0.02	14	1250	22	<5	<20	20	0.74	<10	195	<10	<1	57
14	9+00W 68+75 N	<5	0.2	2.76	<5	65	10	0.05	1	12	46	27	>10	<10	0.10	138	10	<0.01	14	360	24	<5	<20	5	0.17	<10	132	<10	<1	65
15	59+97N 2+25 W	<5	7.0	6.57	30	55	<5	0.02	<1	7	57	42	6.39	<10	0.34	257	10	0.01	25	450	34	<5	<20	<1	0.06	<10	56	<10	4	374
16	59+97N 2+50 W	<5	2.0	4.25	10	60	15	0.04	1	10	49	20	>10	<10	0.03	208	12	<0.01	6	460	36	<5	<20	5	0.16	<10	95	<10	<1	65
17	59+97N 2+75 W	<5	2.0	3.41	15	80	5	0.12	2	12	45	31	6.11	<10	0.82	327	7	0.01	86	620	24	<5	<20	7	0.08	<10	84	<10	4	725
18	59+97N 3+00 W	<5	0.6	3.14	<5	80	5	0.03	<1	7	44	20	7.35	<10	0.33	123	8	<0.01	19	730	18	<5	<20	6	0.08	<10	95	<10	<1	84
19	59+97N 3+25 W	<5	3.0	3.30	20	95	<5	0.12	<1	14	50	45	6.46	<10	0.58	497	13	0.01	27	570	24	<5	<20	11	0.09	<10	106	<10	1	279
20	59+97N 3+50 W	5	2.0	3.65	55	85	10	0.08	<1	7	49	17	9.28	<10	0.19	72	50	0.01	12	800	26	<5	<20	13	0.02	10	107	<10	<1	110
21	59+97N 3+75 W	<5	2.2	4.25	20	130	15	0.27	6	69	28	25	8.12	<10	0.30	3177	13	0.02	49	720	28	<5	<20	26	0.08	<10	42	<10	11	441
22	59+97N 4+00 W	<5	1.8	3.86	25	100	<5	0.02	1	7	32	36	7.62	<10	0.13	141	24	<0.01	29	520	20	<5	<20	8	0.02	<10	137	<10	<1	310
23	59+97N 4+50 W	<5	1.6	4.55	15	80	5	0.02	<1	7	43	39	5.94	<10	0.53	129	8	<0.01	43	360	30	<5	<20	3	0.01	<10	48	<10	<1	238
24	65+00N 9+25 W	<5	1.6	2.91	<5	65	15	0.10	2	13	21	21	>10	<10	0.06	365	8	0.01	10	440	42	<5	<20	13	0.32	10	71	<10	<1	77
25	65+00N 9+50 W	<5	0.2	4.62	<5	90	15	0.02	1	13	23	21	>10	<10	0.15	563	9	<0.01	2	710	20	<5	<20	3	0.01	<10	96	<10	<1	61

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
26	65+00N 10+00	W	5	1.2	3.43	15	100	<5	0.12	<1	10	12	41	5.21	<10	0.30	253	7	<0.01	8	660	20	<5	<20	6	<0.01	<10	85	<10	<1	46
27	65+00N 10+25	W	<5	0.4	3.68	<5	70	5	0.06	<1	8	19	35	8.88	<10	0.12	87	8	<0.01	7	250	18	<5	<20	5	<0.01	10	127	<10	<1	51
28	65+00N 10+50	W	<5	1.2	5.77	20	60	5	0.03	<1	9	58	29	6.48	<10	0.40	258	6	0.01	31	410	38	<5	<20	2	0.06	<10	44	<10	<1	106
29	65+00N 10+75	W	<5	0.4	5.49	20	50	10	0.04	<1	10	78	29	7.11	<10	0.50	278	6	<0.01	47	670	32	<5	<20	1	0.04	<10	50	<10	<1	89
30	65+00N 11+00	W	<5	0.4	4.74	<5	115	15	0.04	<1	15	17	37	9.80	<10	0.32	441	7	<0.01	5	1270	18	<5	<20	5	0.05	<10	160	<10	<1	72
31	65+00N 11+25	W	5	0.6	3.16	<5	80	10	0.05	<1	9	33	25	8.86	<10	0.23	228	7	0.01	11	690	14	<5	<20	9	0.07	10	194	<10	<1	76
32	65+00N 11+50	W	<5	<0.2	2.29	15	65	<5	0.03	<1	8	63	36	4.84	<10	0.89	264	5	<0.01	54	450	24	<5	<20	6	0.01	<10	61	<10	<1	109
33	65+00N 11+75	W	<5	1.6	5.71	20	70	10	0.03	<1	10	60	20	9.44	<10	0.37	197	9	<0.01	25	560	34	<5	<20	4	0.11	<10	69	<10	<1	77
34	65+00N 12+00	W	<5	0.8	2.25	15	145	<5	0.29	1	19	59	40	4.88	<10	1.00	734	5	<0.01	72	780	26	<5	<20	33	0.04	<10	53	<10	4	188
35	65+00N 12+25	W	<5	0.6	2.33	20	140	<5	0.67	<1	20	59	37	4.97	<10	1.06	1219	6	<0.01	72	1210	24	<5	<20	60	0.05	<10	53	<10	4	197
36	65+00N 12+50	W	20	6.8	1.85	15	125	<5	0.59	<1	16	56	44	4.07	<10	1.09	635	4	<0.01	74	1160	38	<5	<20	51	0.02	<10	41	<10	5	174
37	65+00N 12+75	W	<5	<0.2	2.10	<5	60	15	0.05	<1	12	9	19	7.73	<10	0.12	567	7	<0.01	6	480	18	<5	<20	7	0.06	<10	102	<10	<1	35
38	65+00N 13+00	W	<5	1.0	3.45	10	90	5	0.14	<1	11	17	29	5.06	<10	0.13	171	5	<0.01	7	470	32	<5	<20	15	0.07	<10	129	<10	2	66
39	65+00N 13+25	W	5	0.2	4.93	20	65	5	0.05	<1	11	62	39	8.40	<10	0.29	196	7	<0.01	24	720	36	<5	<20	8	0.09	<10	76	<10	<1	80
40	65+00N 13+50	W	<5	<0.2	4.30	10	105	10	0.05	<1	22	31	31	6.57	<10	0.91	723	6	<0.01	12	1220	28	<5	<20	4	<0.01	<10	155	<10	<1	73
41	65+00N 13+75	W	<5	1.0	4.07	10	60	<5	0.10	<1	39	48	24	6.48	<10	0.41	2185	7	0.01	24	630	36	<5	<20	8	0.12	<10	72	<10	4	76
42	65+00N 14+00	W	<5	<0.2	3.50	<5	75	30	0.05	<1	16	43	27	>10	<10	0.25	272	11	<0.01	19	830	28	<5	<20	1	0.24	<10	144	<10	<1	66
43	65+00N 14+25	W	5	<0.2	2.53	5	90	10	0.04	<1	7	37	18	6.70	<10	0.22	104	9	<0.01	14	430	18	<5	<20	4	0.03	<10	124	<10	<1	59
44	65+00N 14+50	W	<5	0.2	4.62	10	80	10	0.06	<1	13	42	32	8.68	<10	0.50	356	9	<0.01	19	530	24	<5	<20	6	0.02	<10	131	<10	<1	85
45	67+00N 9+00	W	<5	4.0	4.28	20	105	<5	0.03	<1	10	65	50	7.88	<10	0.51	238	10	<0.01	43	450	30	<5	<20	2	0.01	<10	85	<10	<1	130
46	67+00N 9+25	W	<5	2.2	3.83	20	75	10	0.07	<1	13	83	37	>10	<10	0.38	346	9	<0.01	29	2490	28	<5	<20	7	0.09	<10	110	<10	<1	95
47	67+00N 9+50	W	<5	0.8	4.59	20	90	5	0.04	<1	12	69	31	7.11	<10	0.63	285	6	<0.01	44	1310	34	<5	<20	5	0.03	<10	71	<10	<1	151
48	67+00N 9+75	W	<5	0.8	2.45	10	130	10	0.28	<1	78	55	18	5.25	<10	0.95	3460	7	<0.01	65	530	20	<5	<20	25	0.03	<10	53	<10	<1	151
49	67+00N 10+00	W	5	0.8	4.45	25	110	<5	0.03	<1	18	35	62	7.86	<10	0.55	554	7	<0.01	19	900	42	<5	<20	7	<0.01	<10	106	<10	<1	99
50	67+00N 10+25	W	<5	<0.2	0.60	<5	110	<5	4.44	<1	6	6	12	1.01	<10	0.30	621	1	0.05	7	700	<2	10	<20	375	0.09	<10	19	<10	1	20
51	67+00N 10+50	W	<5	1.6	5.29	10	70	15	0.14	<1	10	51	20	>10	<10	0.13	389	10	<0.01	12	1470	46	<5	<20	14	0.14	<10	45	<10	<1	66
52	67+00N 10+75	W	<5	1.6	3.72	15	95	5	0.06	<1	9	78	38	6.33	<10	0.39	177	7	<0.01	31	450	32	<5	<20	7	0.03	<10	99	<10	<1	100
53	67+00N 11+00	W	<5	2.2	4.83	5	65	15	0.02	<1	11	47	25	>10	<10	0.15	195	12	<0.01	13	380	44	<5	<20	2	0.18	10	79	<10	<1	62
54	67+00N 11+25	W	<5	1.2	5.20	15	55	15	0.05	<1	10	32	25	>10	<10	0.05	270	13	0.01	4	370	44	<5	<20	2	0.14	<10	89	<10	<1	40
55	67+00N 11+50	W	10	1.0	2.88	70	205	<5	0.67	<1	31	16	137	8.58	<10	0.33	2929	11	<0.01	19	1750	74	<5	<20	42	0.01	<10	85	<10	15	140
56	67+00N 11+75	W	5	<0.2	2.34	15	125	<5	0.19	<1	19	63	43	4.75	<10	1.08	573	6	<0.01	81	440	26	<5	<20	18	0.02	<10	55	<10	<1	185
57	67+00N 12+00	W	<5	0.4	1.96	15	105	<5	0.22	<1	22	61	47	4.47	<10	1.13	778	4	<0.01	83	900	28	<5	<20	23	0.02	<10	44	<10	2	192
58	67+00N 12+25	W	<5	1.6	4.11	15	65	15	0.04	<1	13	58	25	9.40	<10	0.20	308	10	<0.01	19	420	40	<5	<20	2	0.25	<10	81	<10	<1	90
59	67+00N 12+50	W	<5	1.4	4.12	10	85	5	0.20	<1	10	41	28	5.55	<10	0.44	313	5	<0.01	31	690	30	<5	<20	13	0.09	<10	63	<10	4	115
60	67+00N 12+75	W	5	0.8	3.50	15	115	10	0.15	<1	15	63	37	9.79	<10	0.38	437	10	<0.01	29	480	32	<5	<20	9	0.12	<10	107	<10	1	101

08/27/88 12:42 3004 013 400 LCU LCU 11.11.11

Et#	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	67+00N 13+00 W	<5	0.8	2.79	5	100	10	0.04	2	9	51	26	7.68	<10	0.05	91	6	<0.01	10	550	28	5	<20	4	0.17	<10	123	<10	<1	45
62	67+00N 13+25 W	5	<0.2	3.49	15	90	10	0.15	<1	19	26	14	7.14	<10	0.24	463	8	<0.01	7	620	28	5	<20	10	0.02	<10	183	<10	<1	54
63	67+00N 13+50 W	<5	0.8	5.31	20	110	5	0.02	<1	9	77	27	7.90	<10	0.60	155	7	<0.01	43	360	40	5	<20	5	0.03	<10	61	<10	<1	101
64	69+00N 5+25 W	<5	2.8	4.41	25	95	5	0.04	1	8	29	34	9.51	<10	0.10	331	15	<0.01	16	5210	38	5	<20	5	0.03	<10	62	<10	<1	160
65	69+00N 5+50 W	<5	1.0	2.83	10	185	5	0.23	1	10	13	29	8.64	<10	0.20	376	15	<0.01	8	1350	24	5	<20	16	0.01	<10	81	<10	<1	139
66	69+00N 5+75 W	5	1.0	3.26	5	80	10	0.04	2	10	51	30	>10	<10	0.30	120	9	<0.01	21	520	28	5	<20	5	0.07	<10	81	<10	<1	72
67	69+00N 6+25 W	5	1.8	2.98	30	125	10	0.48	1	31	41	39	7.55	<10	0.78	1244	11	<0.01	67	1000	38	5	<20	50	0.02	<10	51	<10	4	275
68	69+00N 6+50 W	<5	0.8	2.23	<5	110	15	0.12	1	13	21	20	8.38	<10	0.21	266	9	<0.01	17	350	28	5	<20	10	0.13	<10	75	<10	<1	132
69	69+00N 6+75 W	<5	0.4	2.69	<5	60	10	0.05	<1	11	35	24	9.47	<10	0.24	228	7	<0.01	15	280	22	5	<20	8	0.09	10	100	<10	<1	135
70	69+00N 7+00 W	<5	0.6	1.81	<5	145	5	0.43	2	9	9	18	6.77	20	0.07	484	7	0.02	9	450	30	5	<20	28	0.18	<10	31	<10	10	107
71	69+00N 7+25 W	<5	0.4	1.88	<5	125	10	0.45	<1	15	20	18	6.95	<10	0.25	363	2	0.03	15	430	30	5	<20	31	0.33	<10	78	<10	3	83
72	69+00N 7+50 W	<5	1.6	2.80	5	155	5	0.36	3	81	35	24	5.94	<10	0.20	7502	10	<0.01	29	710	32	5	<20	24	0.08	<10	51	<10	11	172
73	69+00N 7+75 W	<5	0.6	4.29	25	65	10	0.06	<1	10	57	25	8.58	<10	0.21	309	10	<0.01	26	500	34	5	<20	8	0.04	<10	76	<10	<1	92
74	69+00N 8+00 W	5	1.2	3.85	10	115	5	0.09	<1	13	34	19	5.83	<10	0.20	186	6	<0.01	26	440	38	5	<20	11	0.06	<10	54	<10	3	172
75	69+00N 8+25 W	25	1.0	3.04	10	75	10	0.07	1	14	30	20	7.38	<10	0.11	484	4	<0.01	14	370	68	5	<20	5	0.23	<10	80	<10	<1	89
76	69+00N 8+50 W	<5	1.0	2.86	<5	55	15	0.08	<1	11	18	16	9.14	<10	0.03	269	4	<0.01	8	410	46	5	<20	11	0.32	<10	73	<10	<1	55
77	69+00N 8+75 W	<5	1.6	3.35	15	250	<5	0.84	<1	7	8	12	2.61	30	0.17	238	<1	0.02	36	1350	40	5	<20	68	0.12	<10	18	<10	19	183
78	69+00N 9+25 W	<5	4.0	3.95	20	75	5	0.05	<1	8	63	40	6.69	<10	0.25	162	9	<0.01	29	600	40	5	<20	4	0.04	<10	71	<10	<1	121
79	69+00N 9+50 W	<5	2.8	3.30	5	85	5	0.03	<1	8	66	39	9.40	<10	0.56	150	9	<0.01	37	470	26	5	<20	6	0.03	20	88	<10	<1	111
80	69+00N 9+75 W	<5	5.4	2.36	5	275	<5	2.44	14	83	23	82	6.46	20	0.15	>10000	10	0.04	85	1230	22	5	<20	272	0.06	<10	30	<10	37	129
81	69+00N 10+00 W	<5	0.4	2.15	20	115	5	0.05	<1	9	55	32	4.73	<10	0.85	283	7	<0.01	47	400	28	5	<20	10	<0.01	<10	50	<10	<1	98
82	69+00N 10+25 W	5	1.4	3.13	10	110	5	0.04	<1	13	59	54	6.81	<10	0.74	381	10	<0.01	65	450	32	5	<20	5	0.03	<10	75	<10	1	195
83	69+00N 10+50 W	<5	1.6	2.45	5	80	15	0.02	1	11	70	32	>10	<10	0.46	168	9	<0.01	34	590	20	5	<20	2	0.11	10	99	<10	<1	83
84	69+00N 10+75 W	<5	2.0	3.23	10	100	10	0.02	1	9	63	29	6.76	<10	0.54	181	7	<0.01	39	440	26	5	<20	4	0.02	<10	83	<10	<1	93
85	69+00N 11+00 W	15	2.8	4.03	20	100	<5	0.02	<1	11	66	37	6.63	<10	0.55	258	9	<0.01	45	430	44	5	<20	7	0.03	<10	57	<10	<1	120
86	69+00N 11+25 W	<5	0.8	3.34	10	125	5	0.05	1	10	77	34	6.99	<10	0.87	245	9	<0.01	60	360	22	5	<20	10	0.02	<10	69	<10	<1	119
87	69+00N 11+50 W	5	0.4	3.05	10	125	<5	0.04	<1	9	72	36	7.38	<10	0.77	210	8	<0.01	52	350	20	5	<20	12	0.03	<10	71	<10	<1	111
88	69+00N 11+75 W	<5	0.4	1.82	20	100	<5	0.30	1	16	61	39	4.27	<10	1.19	773	5	<0.01	77	820	26	5	<20	33	0.01	<10	41	<10	3	155
89	69+00N 12+00 W	<5	0.6	2.39	10	310	5	0.16	4	30	31	45	5.71	<10	0.61	1935	8	<0.01	51	1040	24	5	<20	19	0.01	<10	60	<10	10	231
90	69+00N 12+25 W	<5	0.8	3.78	10	160	<5	0.07	1	17	41	45	7.08	<10	0.55	427	9	<0.01	40	470	28	5	<20	7	<0.01	<10	90	<10	<1	234
91	69+00N 12+50 W	<5	3.4	3.47	5	85	10	0.08	1	8	68	29	8.17	<10	0.38	169	9	<0.01	29	460	20	5	<20	15	0.02	<10	69	<10	<1	78
92	69+00N 12+75 W	<5	4.6	5.35	20	95	<5	0.03	<1	8	56	30	6.59	<10	0.30	211	7	0.01	29	570	40	5	<20	5	0.05	<10	44	<10	2	97
93	69+00N 13+00 W	<5	0.8	2.69	<5	95	5	0.06	<1	8	52	34	6.61	<10	0.47	153	8	<0.01	35	360	18	5	<20	9	0.04	<10	83	<10	<1	105
94	69+00N 13+25 W	<5	1.6	2.76	5	535	5	2.70	28	31	38	44	4.82	<10	0.90	>10000	33	0.06	79	1040	14	5	<20	193	0.36	<10	75	<10	7	156
95	69+00N 13+50 W	<5	1.0	2.78	<5	80	5	0.05	<1	9	23	39	7.45	<10	0.16	201	9	<0.01	7	580	16	5	<20	8	0.01	<10	100	<10	<1	40

Et#	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Se	Sr	Ti %	U	V	W	Y	Zn
96	69+00N 14+00 W	<5	<0.2	2.95	40	85	10	0.20	<1	14	9	51	8.91	<10	0.23	532	13	<0.01	6	1090	36	<5	<20	14	0.01	<10	95	<10	<1	55
97	69+00N 14+25 W	<5	0.8	3.43	<5	140	10	1.58	12	17	21	66	>10	<10	0.28	308	8	0.02	8	3420	26	<5	<20	113	0.15	<10	88	<10	<1	54
98	69+00N 14+50 W	<5	<0.2	1.84	20	115	<5	0.52	3	27	7	75	8.18	<10	0.28	1888	10	0.02	6	2010	44	<5	<20	31	0.03	<10	179	<10	<1	90
99	69+00N 14+75 W	<5	0.4	3.98	15	125	<5	0.31	<1	39	7	122	8.28	<10	0.98	2107	11	<0.01	10	1750	38	<5	<20	20	<0.01	<10	113	<10	11	117
100	69+00N 15+00 W	<5	0.4	2.47	10	135	5	0.32	<1	14	7	45	5.10	<10	0.43	855	6	0.02	6	1180	28	<5	<20	24	<0.01	<10	81	<10	<1	75

QC DATA:

Repeat:

1	9+00W 65+25 N	<5	1.2	3.84	20	75	10	0.02	<1	9	63	23	7.66	<10	0.28	191	8	<0.01	24	410	30	<5	<20	3	0.04	<10	74	<10	<1	84
10	9+00W 67+75 N	<5	0.8	4.65	15	175	<5	0.01	<1	20	69	35	7.97	<10	0.34	321	7	<0.01	17	640	24	<5	<20	<1	0.01	<10	162	<10	<1	76
19	59+97N 3+25 W	<5	3.0	3.24	15	90	5	0.11	1	14	48	45	8.44	<10	0.57	500	13	0.01	27	570	24	<5	<20	9	0.08	<10	104	<10	<1	272
28	85+00N 10+50 W	<5	1.2	5.68	20	80	10	0.03	<1	9	57	28	6.37	<10	0.41	263	7	0.01	31	410	38	<5	<20	3	0.06	<10	42	<10	<1	104
36	85+00N 12+50 W	15	6.8	1.88	10	120	<5	0.58	<1	16	56	43	4.15	<10	1.08	631	4	<0.01	75	1170	38	<5	<20	50	0.02	<10	42	<10	5	173
45	67+00N 9+00 W	<5	3.8	4.25	20	105	5	0.03	<1	10	64	49	7.95	<10	0.49	231	11	<0.01	41	420	32	<5	<20	3	0.01	<10	83	<10	<1	130
54	67+00N 11+25 W	<5	1.2	5.20	10	55	15	0.05	<1	10	32	25	>10	<10	0.04	273	13	0.01	4	380	50	<5	<20	3	0.13	<10	89	<10	<1	40
63	67+00N 13+50 W	<5	0.8	5.20	15	110	10	0.03	<1	9	76	27	7.78	<10	0.59	154	7	<0.01	44	360	40	<5	<20	6	0.03	<10	58	<10	<1	100
71	69+00N 7+25 W	<5	0.4	1.90	<5	120	15	0.43	1	15	21	18	8.90	<10	0.25	348	2	0.03	14	450	30	<5	<20	28	0.33	<10	77	<10	2	84
80	69+00N 9+75 W	<5	5.2	2.44	5	295	<5	2.53	16	88	24	85	6.65	20	0.16	>10000	12	0.04	88	1250	20	<5	<20	288	0.06	<10	30	<10	39	131
89	69+00N 12+00 W	<5	0.4	2.49	5	320	10	0.18	4	30	31	46	5.93	<10	0.62	1957	9	0.01	52	1090	28	<5	<20	19	0.01	<10	62	<10	10	238
98	69+00N 14+50 W	-	0.2	1.79	15	110	<5	0.51	2	27	7	73	7.94	<10	0.28	1822	10	0.02	7	1980	44	<5	<20	29	0.03	<10	174	<10	<1	84

Standard:

GEO'98	145	1.2	1.90	60	155	<5	1.82	<1	19	63	82	4.17	<10	0.98	710	<1	0.02	26	720	20	<5	<20	59	0.12	<10	80	<10	5	67
GEO'98	150	1.2	1.88	70	160	<5	1.81	<1	19	63	82	4.22	<10	0.99	703	<1	0.02	20	720	22	<5	<20	60	0.13	<10	80	<10	5	68
GEO'98	140	1.2	1.76	65	150	<5	1.73	<1	18	65	81	4.01	<10	0.94	703	<1	0.01	25	730	20	<5	<20	53	0.10	<10	75	<10	3	66

d#5175
XLS/66Kenrich#3


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 98-5215

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J.KOWALCHUK

No. of samples received: 47
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: 17
Samples submitted by: BILL TELFORD

Values in ppm unless otherwise reported

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	38342	10	3.2	3.00	20	180	<5	0.66	34	24	25	730	>10	<10	1.76	923	6	<0.01	3	1990	278	<5	<20	4	0.28	<10	119	<10	6	5224
2	38343	495	1.6	1.57	5	395	<5	1.48	9	18	23	210	6.53	<10	1.17	812	<1	0.04	3	2110	588	<5	<20	62	0.33	<10	115	<10	17	3476
3	38344	720	12.4	1.97	15	445	<5	1.29	39	27	12	1338	7.83	<10	1.59	946	<1	0.04	6	1970	2568	<5	<20	45	0.48	<10	144	<10	17	>10000
4	38345	10	1.6	1.10	<5	90	<5	1.56	<1	11	82	43	3.02	<10	0.90	456	<1	0.03	9	330	22	<5	<20	50	0.06	<10	48	<10	9	85
5	38346	>1000	>30	0.57	<5	25	10	9.48	<1	18	31	19	>10	<10	0.31	1544	109	<0.01	21	600	36	<5	<20	159	<0.01	<10	6	<10	2	50
6	38347	>1000	>30	0.10	<5	50	<5	0.07	<1	4	141	2	2.10	120	<0.01	43	67	<0.01	6	150	28	<5	<20	18	<0.01	<10	1	<10	2	13
7	38348	>1000	2.2	0.81	<5	55	10	0.59	<1	11	53	2	2.95	20	0.47	208	26	0.04	7	1570	18	<5	<20	28	0.07	<10	28	20	3	22
8	38349	>1000	>30	0.19	<5	45	20	0.03	<1	25	55	8	>10	80	<0.01	18	96	<0.01	31	30	48	<5	<20	29	<0.01	<10	8	<10	<1	8
9	38350	95	0.8	0.49	<5	110	<5	7.79	<1	22	33	45	4.94	<10	0.57	1496	5	<0.01	6	1450	<2	<5	<20	327	<0.01	<10	22	<10	5	28
10	38351	90	0.6	0.13	5	65	<5	0.02	<1	<1	83	<1	0.51	10	<0.01	16	4	0.02	1	50	12	<5	<20	4	<0.01	<10	2	<10	<1	10
11	38352	30	0.6	0.13	20	30	5	0.02	<1	12	114	3	3.92	<10	<0.01	24	12	0.03	9	40	18	<5	<20	4	<0.01	<10	2	<10	<1	45
12	38353	25	0.4	0.17	10	50	<5	<0.01	<1	1	118	<1	1.07	10	<0.01	44	1	0.03	2	70	6	<5	<20	8	<0.01	<10	<1	<10	<1	3
13	38354	35	0.8	0.22	80	35	20	8.69	<1	9	33	19	>10	<10	2.70	7529	69	<0.01	2	50	8	<5	<20	427	0.01	<10	14	<10	<1	31
14	38355	20	<0.2	0.44	30	50	<5	0.34	<1	18	43	35	5.41	<10	0.07	90	6	<0.01	10	1080	8	<5	<20	11	<0.01	<10	8	<10	<1	54
15	38356	25	<0.2	1.19	<5	85	<5	0.83	<1	20	27	73	4.10	<10	0.25	326	2	<0.01	9	1900	8	<5	<20	19	0.06	<10	37	<10	2	34
16	38357	10	0.4	0.30	35	80	<5	0.10	<1	3	68	7	1.41	<10	0.02	23	<1	0.02	2	410	8	<5	<20	8	0.11	<10	5	<10	1	7
17	38358	50	0.6	0.89	<5	70	<5	0.17	<1	7	63	31	3.00	<10	0.33	127	4	0.02	4	780	14	<5	<20	5	0.07	<10	22	<10	2	33
18	38359	5	0.6	0.89	<5	85	<5	0.37	<1	8	69	39	2.61	<10	0.50	156	<1	0.02	5	880	18	<5	<20	10	0.12	<10	27	<10	3	29
19	38360	10	<0.2	1.49	<5	115	10	0.57	<1	16	32	5	5.24	<10	0.70	327	4	0.04	1	2920	10	<5	<20	22	0.05	<10	45	<10	7	74
20	38361	25	0.2	1.69	<5	100	<5	0.48	2	17	23	95	5.13	<10	0.61	432	9	<0.01	16	1630	24	<5	<20	25	0.06	<10	47	<10	4	137
21	38031	95	4.4	0.35	75	30	<5	0.03	<1	9	39	29	6.62	<10	0.03	29	12	0.01	21	140	38	<5	<20	2	<0.01	20	38	<10	<1	26
22	38032	15	<0.2	3.18	<5	55	<5	6.53	<1	43	320	55	6.65	<10	4.09	982	3	<0.01	155	480	<2	<5	<20	294	<0.01	<10	170	<10	12	42
23	38033	10	1.0	0.70	25	90	10	0.55	3	30	37	27	>10	<10	0.12	3657	18	<0.01	32	1050	12	<5	<20	26	<0.01	<10	11	<10	<1	475
24	38034	10	1.0	0.58	40	55	<5	0.18	<1	9	25	15	5.38	<10	0.18	181	12	<0.01	10	880	16	<5	<20	7	<0.01	<10	7	<10	<1	81
25	38035	40	0.2	0.12	10	60	<5	<0.01	<1	3	111	3	1.51	<10	<0.01	45	2	0.03	3	40	8	<5	<20	4	<0.01	<10	<1	<10	<1	13

ECO-TECH KAM.

604 573 4557

15:01

09/11/98

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	38036	20	1.4	0.25	155	85	<5	0.08	<1	5	168	124	1.95	<10	<0.01	2108	5	<0.01	5	70	8	<5	<20	8	<0.01	<10	4	<10	<1	23
27	38037	50	1.4	0.24	145	80	<5	0.09	<1	4	171	127	1.98	<10	0.01	2149	6	<0.01	5	80	6	<5	<20	6	<0.01	<10	4	<10	<1	24
28	38038	>1000	20.6	0.27	>10000	50	100	0.06	<1	20	111	577	5.86	<10	0.01	267	7	<0.01	4	50	256	175	<20	4	<0.01	<10	4	<10	<1	109
29	38039	>1000	20.8	0.20	>10000	35	100	<0.01	<1	104	157	124	>10	<10	<0.01	43	12	<0.01	13	<10	630	25	<20	4	<0.01	10	3	<10	<1	282
30	38040	145	0.8	0.23	280	80	<5	0.87	<1	4	88	18	1.75	<10	0.01	1100	2	<0.01	2	40	8	<5	<20	7	<0.01	<10	9	<10	<1	26
31	38041	60	7.4	0.41	75	90	10	8.74	40	10	95	22	5.36	<10	0.22	2046	6	<0.01	6	2310	2328	<5	<20	128	0.01	<10	23	<10	6	1468
32	38042	15	2.2	2.58	<5	110	<5	2.87	<1	17	49	662	6.83	<10	1.33	1155	5	<0.01	4	1780	10	<5	<20	102	0.03	<10	50	<10	<1	106
33	38043	5	0.2	0.45	35	85	5	8.60	<1	22	52	16	5.37	<10	1.33	1440	4	<0.01	7	1600	6	<5	<20	388	0.03	<10	28	<10	<1	44
34	38044	5	0.6	1.93	10	130	<5	1.00	<1	11	83	177	5.41	<10	1.10	818	6	0.01	3	1440	14	<5	<20	38	0.01	<10	38	<10	<1	75
35	38045	60	<0.2	0.34	40	50	10	7.12	<1	40	71	4	8.03	<10	3.47	1719	6	<0.01	69	640	<2	<5	<20	269	<0.01	<10	22	<10	<1	142
36	38046	35	1.2	1.01	60	40	<5	2.36	<1	398	21	971	>10	<10	0.95	853	19	<0.01	11	100	6	<5	<20	21	0.03	<10	20	<10	<1	20
37	38047	5	<0.2	0.20	<5	50	5	0.82	<1	8	200	4	2.36	<10	0.06	907	8	<0.01	6	640	<2	<5	<20	18	<0.01	<10	13	<10	<1	32
38	38977	5	3.4	0.19	85	95	<5	0.13	<1	8	94	5	2.21	<10	<0.01	63	4	<0.01	3	1310	12	10	<20	15	<0.01	<10	8	<10	<1	6
39	38981	5	0.2	2.13	<5	60	<5	7.51	<1	9	21	12	4.38	<10	1.39	710	3	0.01	4	1190	<2	<5	<20	67	0.08	<10	47	<10	7	51
40	38982	10	<0.2	1.26	30	120	<5	0.94	<1	16	53	36	3.71	<10	0.30	275	4	0.01	13	1130	12	<5	<20	42	<0.01	<10	24	<10	2	58
41	38983	5	0.4	0.03	<5	<5	<5	0.03	<1	<1	1	<1	0.12	<10	<0.01	9	<1	<0.01	<1	30	<2	<5	<20	<1	<0.01	10	<1	<10	<1	<1
42	38984	5	<0.2	2.63	<5	65	<5	1.35	<1	16	36	45	6.04	<10	1.73	599	5	0.02	17	1470	4	<5	<20	75	<0.01	<10	59	<10	<1	74
43	38985	5	<0.2	2.36	<5	55	<5	1.77	<1	17	45	40	4.82	<10	1.79	505	4	0.02	23	1150	4	<5	<20	94	<0.01	<10	54	<10	<1	56
44	38986	5	0.4	3.23	10	135	<5	2.97	<1	24	7	94	8.08	<10	1.09	1690	6	<0.01	3	2540	<2	<5	<20	86	<0.01	<10	56	<10	<1	95
45	38987	220	1.6	0.68	45	55	<5	>10	<1	19	14	438	5.27	<10	1.30	3266	7	<0.01	<1	920	14	<5	<20	475	<0.01	<10	22	<10	<1	35
46	39501	5	<0.2	1.06	<5	85	<5	6.97	<1	37	139	58	4.83	<10	3.82	1171	3	<0.01	144	150	<2	<5	<20	115	<0.01	<10	44	<10	3	31
47	39502	5	1.6	0.59	45	75	<5	>10	<1	18	13	352	5.05	<10	1.06	3008	7	<0.01	2	980	16	<5	<20	368	<0.01	<10	20	<10	<1	36

Et.#	Tag#	Au(ppb)*	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Resplit:																															
1	38342		3.0	2.92	15	170	<5	0.70	30	24	30	688	>10	<10	1.70	885	5	<0.01	3	1930	286	<5	<20	5	0.32	<10	116	<10	7	5030	
36	38046		1.2	0.98	70	40	<5	2.27	<1	407	18	885	>10	<10	0.82	773	20	<0.01	10	110	10	<5	<20	19	0.03	<10	17	<10	<1	20	
Repeat:																															
1	38342		3.0	2.89	20	170	<5	0.64	32	22	24	710	>10	<10	1.70	854	4	<0.01	1	1990	292	<5	<20	4	0.26	<10	110	<10	5	5370	
10	38351		0.6	0.14	5	70	<5	0.02	<1	<1	84	<1	0.51	10	<0.01	18	4	0.02	2	50	12	<5	<20	8	<0.01	<10	1	<10	<1	6	
19	38360		<0.2	1.45	<5	110	10	0.56	<1	18	32	5	5.18	<10	0.69	325	4	0.04	2	2920	10	<5	<20	21	0.05	<10	44	<10	6	74	
36	38046		1.2	1.03	75	45	<5	2.32	<1	444	20	1011	>10	<10	0.93	834	21	<0.01	11	80	8	<5	<20	20	0.03	10	19	<10	<1	20	
45	38987		1.6	0.59	45	75	<5	>10	<1	18	13	352	5.05	<10	1.06	3008	7	<0.01	2	980	16	<5	<20	388	<0.01	<10	20	<10	<1	38	
Standard:																															
GEO'96																															
			1.0	1.76	50	130	<5	1.84	<1	20	85	63	4.18	<10	0.91	699	<1	0.02	23	780	16	<5	<20	55	0.13	<10	79	<10	4	68	
GEO'96																															
			1.2	1.89	45	140	<5	1.87	<1	19	66	72	4.14	<10	1.00	713	<1	0.02	23	720	14	<5	<20	60	0.13	<10	82	<10	4	59	

Note: * = Result to follow

dtf/5227
XLS/96kenrich#3


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

11-Sep-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5216

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: J.KOWALCHUK

No. of samples received: 12

Sample type: MOSS

PROJECT #: NONE GIVEN


SHIPMENT #: 17

Samples submitted by: BILL TELFORD

Values in ppm unless otherwise reported

Et.#	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39511	<5	14.4	3.73	65	80	<5	3.27	5	27	73	47	3.14	10	0.25	3706	2	0.07	32	1660	<2	<5	<20	28	0.06	<10	71	<10	15	319
2	39512	<5	21.0	3.77	35	70	<5	2.85	3	38	61	41	1.78	10	0.17	3253	<1	0.02	30	1600	2	<5	<20	23	0.04	<10	31	<10	17	231
3	39513	10	0.8	2.20	70	125	<5	1.33	<1	33	67	69	4.34	<10	0.86	2798	5	0.04	48	2400	16	<5	<20	36	0.06	<10	151	<10	9	124
4	39514	20	0.4	3.30	20	70	<5	1.20	<1	35	177	101	5.74	<10	2.42	1057	<1	0.04	88	1740	6	<5	<20	31	0.18	<10	123	<10	9	109
5	39515	<5	<0.2	0.79	10	20	<5	3.20	<1	4	30	25	0.96	<10	0.42	207	2	0.03	13	2450	22	10	<20	55	0.02	<10	37	<10	2	46
6	39516	355	0.8	2.41	60	120	<5	1.05	<1	40	26	142	8.25	<10	1.68	1976	6	0.02	16	3360	20	<5	<20	40	0.06	<10	113	<10	3	117
7	39517	185	0.4	2.20	100	125	<5	0.88	<1	44	17	151	9.25	<10	1.41	2747	7	0.02	16	3050	16	<5	<20	36	0.06	<10	109	<10	2	132
8	39754	<5	<0.2	1.13	<5	125	<5	2.42	<1	11	42	53	2.37	<10	0.99	595	2	0.03	20	1880	6	5	<20	82	0.08	<10	79	<10	2	58
9	39755	<5	<0.2	2.56	<5	210	<5	1.64	<1	24	44	89	5.13	<10	2.23	762	<1	0.04	21	1700	<2	<5	<20	67	0.24	<10	152	<10	7	65
10	39756	15	0.2	1.95	55	70	<5	1.10	<1	28	17	89	7.38	<10	1.30	979	6	<0.01	13	4110	8	<5	<20	44	0.08	<10	73	<10	5	89
11	39757	<5	<0.2	2.22	30	85	<5	0.87	<1	34	16	129	7.20	<10	1.35	1197	5	0.01	14	2420	12	<5	<20	50	0.08	<10	125	<10	3	95
12	37843	5	0.2	1.58	20	85	<5	1.85	1	22	20	119	4.99	<10	1.04	1131	5	<0.01	14	1860	20	<5	<20	80	0.04	<10	59	<10	4	110
QC DATA:																														
Repeat:																														
1	39511	<5	14.4	3.76	65	75	<5	3.35	5	28	75	47	3.22	10	0.26	3789	2	0.03	34	1700	<2	<5	<20	28	0.06	<10	72	<10	15	332
10	39756	.	<0.2	1.92	50	70	<5	1.08	<1	27	16	90	7.41	<10	1.30	946	6	<0.01	12	4200	8	<5	<20	44	0.07	<10	72	<10	5	95
Standard:																														
GEO'96		150	<0.2	1.92	60	140	<5	1.88	<1	22	58	90	4.10	<10	1.06	720	6	<0.01	18	720	18	<5	<20	54	0.07	<10	72	<10	5	72

dt/5216
XLS/96Kenrich

per 
ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

001

ECO-TECH KAM.

604 573 4557

18:15

09/18/96

1703-511-2111

1/No

12-Sep-86

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5217

KENRICH MINING CORPORATION
910-510 BURREARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 1
Sample type: SOIL
PROJECT #: NONE GIVEN
SHIPMENT #: 17
Samples submitted by: BILL TELFORD

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sa	Sr	Ti %	U	V	W	Y	Zn
1	TL10+00W-2+50N	155	3.6	2.93	55	485	<5	0.80	1	40	8	225	8.90	<10	0.62	5628	8	<0.01	8	1960	88	<5	20	28	0.01	<10	55	<10	14	103

NOT FOUND

QC DATA:

Repeat:

1	TL10+00W-2+50N	170	3.6	2.93	55	485	<5	0.80	1	40	8	225	8.90	<10	0.62	5628	8	<0.01	8	1960	88	<5	20	28	0.01	<10	55	<10	14	103
---	----------------	-----	-----	------	----	-----	----	------	---	----	---	-----	------	-----	------	------	---	-------	---	------	----	----	----	----	------	-----	----	-----	----	-----

Standard:

GEO'98		140	1.4	1.70	65	165	<5	1.84	<1	18	60	84	3.88	<10	0.93	667	<1	0.02	21	680	24	<5	20	60	0.12	<10	76	<10	5	70
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	----	----	------	-----	----	-----	---	----

dl/5270
XLS/96Kenrich


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 8T4

ICP CERTIFICATE OF ANALYSIS - AK96-5243

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J. KOWALCHUK

No. of samples received: 16
Sample type: SOIL
PROJECT #: NONE GIVEN
SHIPMENT #: 18
Samples submitted by: BILL TELFORD

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39+75N 47+00N W	<5	1.6	6.49	<5	45	<5	0.05	<1	8	59	18	7.93	<10	0.09	86	4	0.03	5	150	8	<5	<20	3	0.21	20	66	<10	<1	41
2	39+75N 47+25N W	<5	<0.2	1.90	<5	50	10	0.38	<1	21	169	26	8.23	<10	0.92	200	<1	0.05	37	180	4	<5	<20	20	0.67	<10	329	<10	5	33
3	39+75N 47+50N W	<5	<0.2	4.83	<5	80	<5	0.30	<1	37	250	82	9.16	<10	1.51	588	<1	0.04	123	370	<2	<5	<20	12	0.30	<10	205	<10	7	69
4	39+75N 47+75N W	10	<0.2	0.54	<5	25	<5	0.19	<1	9	23	58	1.95	<10	0.08	84	<1	0.01	6	100	8	<5	<20	9	0.33	<10	217	<10	4	40
5	39+75N 48+00N W	5	<0.2	5.27	<5	65	10	0.14	<1	34	166	52	>10	<10	1.78	838	<1	0.02	40	210	<2	<5	<20	9	0.36	<10	185	<10	<1	49
6	39+75N 48+25N W	5	<0.2	0.68	<5	35	<5	0.22	<1	7	15	20	1.84	<10	0.19	69	<1	0.02	5	270	4	<5	<20	17	0.20	<10	141	<10	2	21
7	39+75N 48+75N W	<5	<0.2	1.38	<5	60	10	0.36	<1	31	117	27	8.58	<10	0.54	113	<1	0.02	26	<10	16	<5	<20	67	1.36	<10	641	<10	15	19
8	39+75N 49+00N W	<5	<0.2	3.12	<5	60	5	0.19	1	12	77	19	9.51	<10	0.35	151	6	0.03	13	140	10	<5	<20	13	0.20	20	133	<10	<1	67
9	39+75N 49+25N W	<5	<0.2	1.35	<5	40	<5	0.24	1	22	104	19	6.46	<10	0.42	89	<1	<0.01	18	<10	12	<5	<20	4	1.01	<10	474	<10	13	16
10	39+75N 49+75N W	<5	0.4	6.84	<5	80	<5	0.88	<1	43	90	39	5.82	<10	0.73	563	<1	0.02	67	850	<2	<5	<20	86	0.21	<10	100	<10	11	79
11	39+75N 50+25N W	<5	<0.2	5.85	<5	60	15	0.14	2	21	100	25	>10	<10	0.37	138	<1	0.01	19	20	<2	<5	<20	7	0.63	20	270	<10	2	76
12	39+75N 50+50N W	<5	2.8	5.07	<5	55	15	0.07	2	9	36	16	8.03	<10	0.11	134	7	0.01	10	300	18	<5	<20	7	0.16	<10	72	<10	<1	58
13	39+75N 50+75N W	5	<0.2	3.58	<5	65	5	0.31	<1	15	118	40	>10	<10	0.43	208	1	0.01	19	320	<2	<5	<20	13	0.32	<10	177	<10	<1	69
14	39+75N 51+00N W	<5	1.4	0.51	<5	35	<5	0.59	<1	5	4	13	1.05	<10	0.17	96	<1	0.04	2	750	<2	<5	<20	30	0.10	<10	21	<10	2	22
15	39+75N 51+25N W	<5	<0.2	2.19	<5	70	<5	0.14	<1	10	44	34	4.93	<10	0.51	296	3	0.01	16	360	<2	<5	<20	13	0.12	<10	99	<10	<1	49
16	39+75N 51+50N W	<5	0.4	1.04	<5	50	<5	0.62	<1	14	16	20	2.45	<10	0.58	482	<1	0.08	9	630	<2	<5	<20	44	0.23	<10	54	<10	3	34

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5244

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 19
Sample type: Moss
PROJECT #: None Given
SHIPMENT #: 18
Samples submitted by: Bill Telford

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39518	<5	<0.2	3.82	10	145	<5	0.54	<1	28	125	210	6.32	<10	2.50	632	4	0.03	66	1410	50	<5	<20	15	0.38	<10	187	<10	3	97
2	39519	10	0.2	4.11	25	215	<5	0.48	<1	32	55	158	6.30	<10	2.15	931	<1	0.04	19	1740	70	<5	<20	13	0.38	<10	198	<10	5	153
3	39520	20	<0.2	3.41	10	315	<5	0.46	<1	27	46	130	5.78	<10	2.04	831	<1	0.04	21	1390	46	<5	<20	10	0.34	<10	174	<10	2	110
4	39521	30	<0.2	2.56	<5	175	5	0.37	<1	17	71	91	4.47	<10	1.53	482	<1	0.04	49	1040	38	<5	<20	18	0.28	<10	114	<10	3	75
5	39522	70	<0.2	3.09	<5	125	<5	1.06	<1	24	57	68	4.54	<10	1.62	621	<1	0.05	48	1940	48	<5	<20	57	0.25	<10	115	<10	2	101
6	39523	30	<0.2	2.15	<5	125	5	1.39	<1	18	53	35	3.52	<10	1.17	431	<1	0.07	45	1940	30	<5	<20	67	0.20	<10	81	<10	1	90
7	39524	<5	<0.2	1.91	<5	110	5	1.45	<1	15	42	26	3.17	<10	0.98	359	<1	0.07	34	2040	22	<5	<20	65	0.18	<10	74	<10	<1	47
8	39525	170	2.4	2.47	180	180	<5	0.96	2	41	24	156	9.99	<10	1.62	2281	10	<0.01	28	3070	66	<5	<20	37	0.03	<10	90	<10	4	328
9	39526	125	2.4	3.27	145	140	<5	1.12	<1	47	32	167	9.91	<10	2.54	2252	7	0.02	18	3030	72	<5	<20	38	0.11	<10	151	<10	4	197
10	39527	180	1.6	3.03	260	100	<5	1.04	<1	46	19	173	8.19	<10	2.09	2651	5	0.01	16	3100	72	<5	<20	40	0.10	<10	112	<10	8	192
11	39528	<5	2.2	0.05	555	215	45	3.99	<1	60	<1	5	>10	<10	<0.01	9454	34	0.04	162	<10	<2	<5	<20	523	0.02	<10	3	<10	<1	580
12	39758	<5	<0.2	2.91	5	150	<5	0.80	<1	25	37	77	5.29	<10	1.28	430	<1	0.05	23	2240	42	<5	<20	29	0.22	<10	125	<10	2	63
13	39759	40	5.4	0.96	50	160	<5	1.33	28	49	31	267	9.50	<10	0.73	1950	44	<0.01	293	2230	128	5	<20	62	0.02	<10	84	<10	4	1782
14	39760	45	4.0	0.89	50	145	<5	0.85	9	46	29	175	7.52	<10	0.67	1876	27	<0.01	149	2070	118	25	<20	38	0.03	<10	69	<10	7	843
15	39761	<5	1.0	1.18	45	95	<5	3.23	3	20	19	509	4.23	<10	0.81	656	7	0.05	70	2920	44	5	<20	92	0.04	<10	52	<10	7	255
16	39762	30	0.4	2.49	50	440	<5	2.38	<1	30	31	108	5.98	<10	2.01	1345	<1	0.04	26	4260	70	<5	<20	98	0.20	<10	170	<10	6	158
17	39763	5	<0.2	3.29	20	610	<5	2.56	2	35	25	128	7.22	<10	2.84	1480	<1	0.08	24	4480	80	<5	<20	98	0.23	<10	219	<10	5	150
18	39764	45	<0.2	3.00	30	320	<5	1.79	1	36	36	140	7.35	<10	2.63	1537	1	0.03	37	4300	62	<5	<20	89	0.20	<10	190	<10	6	171
19	39765	10	<0.2	2.89	30	200	<5	1.50	1	33	43	119	6.75	<10	2.62	1349	2	0.02	38	3250	56	<5	<20	75	0.17	<10	173	<10	3	175

ECO-TECH KAM.

604 573 4557

16:14

08/18/88

16-Sep-98

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AS 96-5277

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: R. VERZOSA/ K. TROCIUK

No. of samples received: 24

Sample type: Core

PROJECT #: Kenrich Mining

SHIPMENT #: 2

Samples submitted by: Curtis Louie

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39451	675	>30	0.12	405	25	Δ	0.02	<1	8	100	55	3.84	<10	<0.01	64	29	<0.01	11	130	218	110	<20	<1	<0.01	<10	4	<10	<1	230
2	39452	530	21.2	0.11	335	15	Δ	0.03	<1	5	104	19	3.77	<10	<0.01	64	44	<0.01	12	90	46	45	<20	<1	<0.01	<10	4	<10	<1	70
3	39453	420	>30	0.13	265	30	Δ	0.03	<1	5	201	22	3.73	<10	<0.01	83	32	<0.01	14	150	52	40	<20	<1	<0.01	<10	4	<10	<1	149
4	39454	>1000	>30	0.09	465	25	Δ	0.02	<1	5	119	47	4.52	<10	<0.01	67	35	<0.01	15	40	222	130	<20	<1	<0.01	<10	3	<10	<1	639
5	39455	205	11.8	0.08	205	40	Δ	0.03	<1	6	187	15	3.00	<10	<0.01	84	23	<0.01	12	40	78	55	<20	3	<0.01	<10	2	<10	<1	146
6	39456	290	17.8	0.08	210	20	Δ	<0.01	<1	5	123	27	4.15	<10	<0.01	68	28	<0.01	9	<10	74	45	<20	2	<0.01	<10	2	<10	<1	224
7	39457	670	>30	0.09	270	25	Δ	0.02	<1	6	196	49	4.42	<10	<0.01	97	20	<0.01	12	30	204	105	<20	1	<0.01	<10	3	<10	<1	700
8	39458	>1000	>30	0.11	2135	45	Δ	0.02	<1	11	105	29	>10	<10	<0.01	78	63	<0.01	13	<10	112	285	<20	<1	<0.01	<10	3	<10	<1	166
9	39459	715	11.4	2.37	170	75	Δ	0.38	<1	13	83	65	4.62	<10	2.86	769	5	<0.01	6	1700	74	35	<20	10	<0.01	<10	102	<10	2	124
10	39460	295	7.6	1.79	150	45	Δ	0.70	<1	13	73	25	5.13	<10	1.86	602	8	<0.01	5	1040	40	15	<20	20	<0.01	<10	66	<10	<1	105
11	39461	415	>30	1.44	435	50	Δ	0.36	<1	18	75	45	4.97	<10	1.49	454	7	<0.01	7	1120	50	45	<20	7	<0.01	<10	76	<10	<1	176
12	39462	320	14.6	1.14	1095	45	Δ	1.22	<1	15	63	28	4.29	<10	1.14	505	7	<0.01	5	1060	24	25	<20	31	<0.01	<10	73	<10	<1	149
13	39463	810	5.4	1.14	390	65	Δ	0.18	<1	13	92	18	3.99	<10	1.04	337	4	<0.01	7	790	34	10	<20	10	<0.01	<10	47	<10	<1	62
14	39464	>1000	14.0	1.45	235	55	Δ	0.20	<1	14	51	37	4.57	<10	1.41	459	8	<0.01	7	900	92	20	<20	6	<0.01	<10	59	<10	<1	243
15	39465	>1000	8.8	1.75	265	60	Δ	0.73	<1	18	83	35	5.84	<10	1.70	743	7	<0.01	7	1220	46	15	<20	54	<0.01	<10	86	<10	<1	141
16	39466	>1000	21.0	0.76	440	30	Δ	0.37	<1	26	61	56	6.48	<10	0.61	242	14	<0.01	12	1360	76	25	<20	12	<0.01	<10	33	<10	<1	241
17	39467	>1000	>30	0.69	640	35	Δ	0.35	<1	27	120	67	8.83	<10	0.54	207	18	<0.01	12	1200	74	45	<20	11	<0.01	<10	31	<10	<1	169
18	39468	775	11.2	0.67	330	35	Δ	0.34	<1	12	89	24	5.97	<10	0.83	279	19	<0.01	6	730	32	15	<20	9	<0.01	<10	25	<10	<1	152
19	39469	435	>30	1.66	290	50	Δ	0.39	<1	17	76	114	9.78	<10	2.16	486	23	<0.01	6	1260	72	10	<20	13	<0.01	<10	51	70	<1	58
20	39470	200	>30	2.52	440	45	Δ	0.32	<1	16	34	32	>10	<10	3.44	916	16	<0.01	2	1050	58	<5	<20	11	<0.01	<10	59	<10	<1	62
21	39471	140	>30	3.57	130	45	Δ	2.48	<1	9	42	20	7.50	<10	5.19	1963	9	<0.01	1	1220	56	20	<20	128	0.01	<10	57	<10	1	59
22	39472	325	>30	1.58	195	55	Δ	1.51	<1	12	57	33	9.90	<10	2.05	1032	15	<0.01	3	1110	50	<5	<20	36	<0.01	<10	53	<10	<1	36
23	39473	155	15.0	1.26	315	55	Δ	0.81	<1	12	102	13	>10	<10	1.37	774	14	<0.01	2	990	36	<5	<20	23	<0.01	<10	44	<10	<1	48
24	39474	130	27.0	1.92	150	90	Δ	2.43	<1	11	49	19	6.94	<10	2.11	1292	13	<0.01	3	1640	46	<5	<20	131	<0.01	<10	68	<10	6	81

J/18/98 16:18 604 573 4557

26-Sep-98

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5293

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V8C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J.KOWALCHUK/K. TROCIUK

No. of samples received: 41
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE 8
Samples submitted by: C. LOUIE

Values in ppm unless otherwise reported

Et #	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	39475	>1000	4.8	1.91	630	70	5	1.34	3	21	53	42	6.70	<10	1.47	682	13	<0.01	26	1160	34	<5	<20	57	<0.01	<10	31	<10	<1	450
2	39476	>1000	14.2	0.41	236	45	<5	0.18	<1	7	95	24	3.52	<10	0.21	117	21	<0.01	16	440	66	20	<20	22	<0.01	<10	7	<10	1	154
3	39477	730	18.8	0.55	350	45	<5	0.19	2	7	131	25	3.78	<10	0.33	118	10	<0.01	19	610	74	30	<20	21	<0.01	<10	9	<10	1	148
4	39478	>1000	25.0	0.97	165	40	<5	0.11	2	7	58	25	3.88	<10	1.12	236	11	<0.01	12	380	110	40	<20	11	<0.01	<10	10	<10	<1	165
5	39479	580	>30	0.80	175	55	<5	0.16	2	6	138	26	3.20	<10	0.86	252	9	<0.01	13	330	122	60	<20	29	<0.01	<10	11	<10	2	223
6	39480	780	>30	0.44	250	40	10	0.12	5	6	156	31	3.36	<10	0.35	117	12	<0.01	12	380	168	95	<20	15	<0.01	<10	6	<10	<1	730
7	39481	755	>30	0.19	575	40	<5	0.08	4	7	117	61	5.49	<10	0.08	76	58	<0.01	29	110	340	125	<20	13	<0.01	<10	10	<10	<1	771
8	39482	>1000	>30	0.27	525	35	<5	0.08	5	5	146	73	3.96	<10	0.20	98	39	<0.01	33	180	420	80	<20	13	<0.01	<10	16	<10	<1	899
9	39483	855	>30	0.34	415	50	<5	0.08	2	5	154	62	2.60	<10	0.30	99	29	<0.01	33	360	200	55	<20	14	<0.01	<10	17	<10	<1	324
10	39484	>1000	>30	0.19	360	55	<5	0.07	4	5	134	87	2.48	<10	0.08	64	32	<0.01	37	240	228	75	<20	14	<0.01	<10	15	<10	<1	681
11	39485	>1000	>30	0.14	1180	35	<5	0.05	26	6	184	346	6.21	<10	0.02	83	28	<0.01	36	140	1456	540	<20	12	<0.01	<10	15	<10	<1	5088
12	39486	>1000	>30	0.25	380	29	<5	0.07	5	2	148	88	4.80	<10	0.06	90	20	<0.01	20	230	593	215	<20	7	<0.01	<10	<1	<10	1	1410
13	39487	>1000	>30	0.19	275	40	<5	0.09	7	9	171	92	4.05	<10	0.03	101	27	<0.01	16	370	514	140	<20	14	<0.01	<10	7	<10	<1	1083
14	39488	>1000	>30	0.21	335	50	<5	0.10	7	7	90	126	4.79	<10	0.02	77	28	<0.01	27	410	412	145	<20	21	<0.01	<10	7	<10	<1	991
15	39489	>1000	>30	0.38	1350	65	<5	0.17	5	10	182	153	>10	<10	0.39	212	72	<0.01	5	130	288	180	<20	30	<0.01	<10	7	<10	<1	758
16	39490	>1000	>30	0.18	420	55	<5	0.08	2	10	164	35	4.92	<10	<0.01	90	30	<0.01	12	290	134	45	<20	22	<0.01	<10	5	<10	<1	335
17	39491	>1000	>30	0.21	540	45	<5	0.09	4	9	151	49	5.31	<10	0.08	98	24	<0.01	11	350	222	65	<20	14	<0.01	<10	5	<10	<1	983
18	39492	>1000	12.6	0.67	200	45	10	0.09	1	7	71	21	3.76	<10	0.89	244	13	<0.01	10	380	64	25	<20	16	<0.01	<10	10	<10	<1	68
19	39493	705	12.0	0.24	190	55	<5	0.08	<1	7	208	19	3.55	<10	0.09	142	20	<0.01	10	300	38	15	<20	17	<0.01	<10	7	<10	<1	70
20	39494	390	11.8	0.15	225	55	<5	0.08	<1	7	203	19	3.59	<10	<0.01	122	30	<0.01	13	310	40	20	<20	18	<0.01	<10	5	<10	<1	98
21	39495	620	14.2	0.15	335	55	10	0.08	1	7	183	21	3.59	<10	0.01	124	18	<0.01	11	300	64	30	<20	18	<0.01	<10	4	<10	<1	154
22	39496	265	8.4	0.23	150	50	5	0.13	1	7	187	15	3.09	<10	0.03	123	20	<0.01	10	580	36	15	<20	19	<0.01	<10	6	<10	<1	79
23	39497	215	10.6	0.17	130	60	5	0.14	<1	7	172	12	3.12	<10	0.02	120	17	<0.01	8	420	24	20	<20	19	<0.01	<10	5	<10	<1	53
24	39498	230	11.2	0.14	130	35	<5	0.14	1	8	119	13	3.40	<10	0.02	159	15	<0.01	8	350	36	25	<20	7	<0.01	<10	3	<10	<1	100
25	39499	>1000	21.0	0.22	560	45	10	0.18	4	10	208	26	6.72	<10	<0.01	113	29	<0.01	7	620	84	30	<20	16	<0.01	<10	6	<10	<1	388

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5293

ECO-TECH LABORATORIES LTD.

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	39500	260	13.6	0.16	545	60	15	0.08	4	11	176	16	7.22	<10	<0.01	58	31	<0.01	10	240	38	35	<20	21	<0.01	<10	3	<10	<1	259
27	39401	360	26.2	0.20	755	55	<5	0.36	2	21	206	28	>10	<10	<0.01	155	18	<0.01	8	1450	32	<5	<20	22	<0.01	<10	12	<10	<1	290
28	39402	170	13.0	0.49	775	80	15	0.45	1	14	149	28	9.24	<10	0.33	363	14	<0.01	2	1650	42	<5	<20	40	<0.01	<10	26	<10	3	92
29	39403	375	8.8	0.54	2090	55	15	0.45	5	11	186	18	>10	<10	0.26	313	15	<0.01	4	1850	16	15	<20	19	<0.01	<10	28	<10	<1	141
30	39404	520	28.2	0.14	1995	75	20	0.22	16	16	182	30	>10	<10	<0.01	186	50	<0.01	4	400	46	55	<20	15	<0.01	<10	6	<10	<1	4132
31	39405	425	18.6	0.16	815	55	15	0.33	2	25	227	23	8.20	<10	<0.01	209	26	<0.01	15	770	58	60	<20	27	<0.01	<10	6	<10	<1	281
32	39406	525	28.8	0.22	935	50	15	0.27	4	14	185	30	>10	<10	<0.01	136	35	<0.01	15	640	92	105	<20	18	<0.01	<10	8	<10	<1	269
33	39407	745	21.2	0.38	1620	50	10	0.60	4	12	192	25	>10	<10	0.13	249	23	<0.01	10	450	76	125	<20	30	<0.01	<10	6	<10	<1	212
34	39408	65	3.6	3.02	285	60	10	1.19	<1	19	45	23	6.91	<10	4.06	988	7	<0.01	5	1350	30	15	<20	52	<0.01	<10	68	<10	<1	54
35	39409	150	8.2	1.87	220	75	20	1.36	1	14	120	20	8.43	<10	1.75	1232	8	<0.01	1	2430	28	<5	<20	71	<0.01	<10	100	<10	7	77
36	39410	90	3.8	2.33	305	65	<5	0.66	<1	10	68	12	7.85	<10	2.01	830	8	<0.01	<1	2660	18	<5	<20	30	<0.01	<10	115	<10	7	76
37	39411	245	16.0	1.57	230	70	25	0.66	4	14	78	25	9.72	<10	1.23	614	10	<0.01	2	2510	36	<5	<20	33	<0.01	<10	72	<10	7	283
38	39412	215	19.4	1.96	400	65	45	0.53	3	18	105	22	>10	<10	1.49	670	17	<0.01	8	2170	36	<5	<20	17	<0.01	<10	103	<10	2	76
39	39413	>1000	27.0	1.46	1265	80	15	0.49	2	18	79	28	>10	<10	0.91	479	21	<0.01	4	1850	78	5	<20	26	<0.01	<10	62	<10	<1	171
40	39414	120	11.8	1.89	195	60	10	0.51	<1	13	117	12	8.99	<10	1.25	636	10	<0.01	2	2190	22	<5	<20	24	<0.01	<10	96	<10	6	63
41	39415	190	13.2	1.32	280	40	15	2.04	2	19	102	20	7.83	<10	0.85	627	10	<0.01	3	2180	34	<5	<20	48	<0.01	<10	92	<10	8	80

09/26/86 16:50 0004 010 4001

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5293

ECO-TECH LABORATORIES LTD.

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Resplit:																														
1	39475	>1000	5.2	2.16	630	70	5	1.42	7	22	58	48	7.31	<10	1.58	712	15	<0.01	29	1220	36	<5	<20	63	<0.01	<10	36	<10	<1	595
36	39410	85	3.8	2.49	285	65	<5	0.71	1	12	72	13	8.30	<10	2.09	884	8	0.01	<1	2810	20	<5	<20	36	<0.01	<10	122	<10	8	77
Repeat:																														
1	39475	>1000	5.2	1.91	655	70	5	1.45	3	23	57	45	7.28	<10	1.60	738	13	<0.01	26	1260	40	<5	<20	60	<0.01	<10	33	<10	<1	493
10	39484	>1000	>30	0.21	350	60	<5	0.07	6	6	145	95	2.74	<10	0.08	70	35	<0.01	41	250	248	90	<20	16	<0.01	<10	15	<10	<1	747
19	39493	590	12.2	0.25	180	45	10	0.09	2	7	218	18	3.87	<10	0.08	136	21	<0.01	13	340	38	20	<20	10	<0.01	<10	7	<10	<1	73
27	39401	370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	39409	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	39410	-	4.0	2.15	285	70	<5	0.54	<1	8	67	12	7.61	<10	1.98	810	1	<0.01	<1	2550	14	<5	<20	41	<0.01	<10	92	<10	8	71
41	39415	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Standard:																														
GEO'96		150	1.4	1.91	60	180	10	2.05	<1	22	75	86	4.41	<10	1.12	747	<1	0.03	25	710	22	<5	<20	70	0.18	<10	110	<10	4	77
GEO'96		150	1.0	1.77	60	175	<5	1.78	2	19	80	64	4.07	<10	0.93	695	1	0.02	24	660	18	5	<20	66	0.12	<10	78	<10	3	70

df/5393
 XLS/98Kenrich
 Fax @: 604-688-3346/J.Kowachuk/K.Trociuk
 Fax cc: @: 604-682-7903/J.Blackwell/J.Foster


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

26-Sep-98

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AS 96-5294

KENRICH MINING CORPORATION
910-510 BURNARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: J.KOWALCHUK

No. of samples received: 56
Sample type: ROCK
PROJECT #: NOT GIVEN
SHIPMENT #: NOT GIVEN
Samples submitted by: RYAN WALTON

Post-It™ Fax Note	7671E	Date	Sept 30	# of pages	10
To	J. Kowalchuk	From			
Co./Dept.		Co.	Jobs 5294-3pgs		
Phone #		Phone #	5319-5pgs		
Fax #		Fax #	65347-2pgs		

ICP still to come

Values in ppm unless otherwise reported

Et #	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	38071	5	1.0	3.98	<5	25	10	>10	<1	12	23	69	6.99	<10	5.33	3794	4	<0.01	3	1000	<2	<5	<20	598	0.01	<10	124	<10	<1	35
2	38072	135	3.8	5.75	65	100	40	0.49	1	76	185	72	>10	<10	6.20	917	26	0.01	21	570	16	<5	<20	16	0.01	<10	196	<10	<1	65
3	38073	115	6.2	0.51	185	55	15	0.48	<1	15	125	44	>10	<10	0.21	65	15	0.03	7	460	32	<5	<20	18	<0.01	<10	10	<10	<1	28
4	38074	375	15.6	0.41	415	75	15	0.50	1	19	124	70	>10	<10	0.03	81	25	0.02	9	590	38	<5	<20	17	<0.01	<10	9	<10	<1	28
5	38075	5	1.6	2.21	20	65	25	1.23	2	19	68	55	8.50	<10	1.51	297	11	0.04	4	4630	28	<5	<20	31	<0.01	<10	27	<10	4	94
6	38076	5	1.0	3.55	95	80	<5	>10	2	52	400	75	8.77	<10	7.15	1745	1	0.02	227	600	<2	<5	<20	67	<0.01	<10	113	<10	7	228
7	38077	5	<0.2	0.31	<5	70	10	0.20	<1	7	240	12	3.14	<10	0.05	304	3	0.08	8	50	16	<5	<20	10	0.13	<10	9	<10	3	31
8	38078	5	<0.2	1.35	10	60	15	0.46	1	12	161	46	4.99	<10	0.92	790	<1	0.09	20	560	20	<5	<20	5	0.25	<10	110	<10	13	64
9	38079	10	>30	0.83	275	60	25	0.87	15	67	155	60	>10	<10	3.58	>10000	17	0.02	162	750	96	<5	<20	6	0.05	<10	96	<10	<1	1708
10	38080	5	29.2	0.89	65	60	10	5.61	33	33	97	48	7.54	<10	2.49	9353	2	0.01	59	490	6	10	<20	26	0.01	<10	31	<10	<1	4314
11	38081	20	<0.2	0.41	<5	15	<5	0.21	<1	4	17	9	1.20	<10	0.35	289	<1	<0.01	7	170	6	<5	<20	9	0.04	<10	20	<10	2	64
12	38082	5	20.6	0.64	220	90	45	0.57	13	56	112	34	>10	<10	1.97	>10000	15	0.01	134	900	70	<5	<20	10	0.04	<10	60	<10	<1	1535
13	38083	20	2.1	1.13	40	125	<5	0.45	<1	4	69	35	4.84	<10	0.52	1425	3	0.02	15	842	18	<5	<20	14	0.24	<10	61	<10	<1	147
14	38084	140	16.2	0.07	2445	90	35	0.03	6	32	96	43	>10	<10	<0.01	176	28	<0.01	9	<10	192	<5	<20	12	<0.01	<10	5	<10	<1	409
15	38397	>1000	3.8	2.28	40	60	<5	1.24	<1	50	51	246	>10	<10	1.28	743	14	<0.01	3	1940	14	<5	<20	21	0.08	<10	48	<10	<1	32
16	39398	5	0.4	0.84	35	55	15	2.69	2	35	55	60	6.08	<10	0.24	498	<1	0.02	17	3410	14	<5	<20	25	0.22	<10	33	<10	<1	90
17	39399	50	2.4	0.63	65	135	10	0.37	<1	9	57	14	3.10	<10	0.16	128	<1	0.03	3	1110	68	<5	<20	33	0.25	<10	44	<10	<1	44
18	39400	80	1.8	2.31	<5	95	<5	0.68	<1	20	81	131	8.32	<10	3.08	890	19	0.03	8	3610	14	<5	<20	21	0.18	<10	197	<10	<1	76
19	39401	155	1.6	0.82	30	45	<5	>10	<1	37	36	3503	1.36	<10	0.31	6089	2	<0.01	3	90	<2	5	<20	742	0.02	<10	7	<10	17	17
20	39402	290	9.0	1.87	<5	100	<5	4.43	<1	63	97	4182	9.49	<10	2.16	1106	69	0.03	15	3180	8	<5	<20	82	0.15	<10	192	<10	<1	69
21	39403	195	1.6	3.88	80	105	20	0.88	<1	23	48	156	>10	<10	2.79	2796	11	0.03	12	2400	58	<5	<20	27	0.14	<10	218	<10	<1	100
22	39404	5	1.0	1.00	30	125	20	3.01	<1	20	42	51	6.53	<10	0.46	1017	3	0.02	9	3650	16	<5	<20	82	0.10	<10	25	<10	<1	29
23	39405	405	2.6	0.53	<5	80	<5	1.06	<1	15	326	144	6.46	<10	0.22	>10000	6	0.02	8	230	6	<5	<20	41	0.02	<10	14	<10	<1	72
24	39406	5	<0.2	0.32	<5	105	<5	0.18	2	5	50	15	1.22	<10	0.27	265	2	0.01	7	90	4	<5	<20	66	0.08	<10	59	<10	<1	147
25	39407	15	3.0	2.08	100	75	10	4.73	23	27	99	96	9.07	<10	1.11	2189	17	0.03	30	1610	22	<5	<20	77	<0.01	<10	39	<10	1	1095

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5294

ECO-TECH LABORATORIES LTD.

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	39408	5	1.8	1.07	20	65	20	0.38	4	8	83	13	4.25	<10	0.27	8414	9	<0.01	16	720	18	<5	<20	14	0.01	<10	17	<10	1	315
27	39409	5	<0.2	0.05	<5	20	<5	0.04	<1	2	16	3	2.96	<10	<0.01	323	3	<0.01	2	<10	<2	<5	<20	8	<0.01	<10	<1	<10	<1	15
28	39410	5	<0.2	0.16	<5	70	<5	1.71	<1	4	12	122	1.85	<10	0.01	303	3	<0.01	<1	430	<2	<5	<20	71	<0.01	<10	1	<10	3	16
29	39411	5	1.2	0.51	25	90	15	1.08	<1	8	113	16	8.17	<10	0.08	227	25	0.02	4	2810	14	<5	<20	57	<0.01	<10	9	<10	<1	58
30	39412	5	0.8	0.41	10	195	<5	0.24	<1	1	133	7	1.81	20	0.04	53	8	0.05	5	510	14	<5	<20	18	<0.01	<10	5	<10	2	18
31	39413	5	1.8	1.81	25	65	<5	0.67	4	14	64	50	5.90	<10	1.32	745	18	0.04	22	2940	14	<5	<20	24	<0.01	<10	45	<10	6	181
32	39414	45	5.0	0.32	70	100	30	0.13	<1	11	84	13	>10	<10	0.01	190	108	0.01	<1	<10	32	<5	<20	24	<0.01	<10	5	<10	<1	23
33	39415	10	12.4	0.66	150	185	10	0.61	4	17	128	63	9.92	<10	0.04	5519	19	<0.01	23	2750	1350	410	<20	31	<0.01	<10	32	<10	7	185
34	39416	5	1.2	0.47	15	110	<5	0.16	2	4	208	7	1.78	50	0.03	1465	4	0.05	7	280	78	20	<20	14	<0.01	<10	3	<10	3	47
35	39417	5	0.2	0.65	20	175	<5	0.37	3	6	130	22	2.64	20	0.07	606	6	0.03	14	930	18	<5	<20	25	<0.01	<10	14	<10	9	181
36	39418	5	0.8	0.63	20	140	<5	0.04	1	6	117	5	1.49	80	0.04	622	6	0.04	7	210	10	<5	<20	7	<0.01	<10	2	<10	<1	113
37	39419	5	1.6	0.35	20	405	<5	0.67	11	10	205	17	4.06	20	0.03	3654	8	0.01	23	90	38	<5	<20	48	<0.01	<10	6	<10	6	792
38	39420	5	0.2	2.44	10	120	15	0.09	<1	18	72	84	7.49	<10	1.01	248	15	0.02	78	840	30	<5	<20	12	<0.01	<10	62	<10	<1	115
39	39421	10	1.4	2.44	25	180	<5	0.12	1	8	58	44	6.35	10	1.02	200	29	0.03	33	1080	32	<5	<20	17	<0.01	<10	99	<10	<1	132
40	39080	5	<0.2	0.17	290	65	15	0.01	1	5	282	15	7.74	<10	<0.01	66	47	0.01	10	80	2	<5	<20	<1	0.05	<10	8	<10	<1	18
41	39061	5	0.4	0.13	305	55	15	0.02	<1	7	171	14	7.71	<10	<0.01	42	75	0.03	7	170	10	<5	<20	5	0.10	<10	20	<10	<1	7
42	39062	5	0.2	0.16	256	50	25	0.02	2	7	228	18	7.20	<10	<0.01	56	102	0.03	10	150	2	<5	<20	<1	0.09	<10	15	<10	<1	8
43	39063	5	<0.2	0.33	225	150	20	0.02	2	7	180	13	5.31	<10	0.06	96	68	0.01	8	160	10	<5	<20	18	0.15	<10	6	<10	<1	32
44	39064	15	<0.2	0.17	105	80	30	0.20	<1	15	165	14	6.37	<10	<0.01	53	<1	0.08	4	740	8	<5	<20	16	0.44	<10	26	<10	<1	23
45	39065	5	<0.2	0.29	380	75	30	0.10	<1	17	112	9	7.66	<10	<0.01	19	<1	0.08	4	740	12	<5	<20	19	0.59	<10	24	<10	<1	7
46	39066	5	<0.2	0.53	55	40	25	0.93	<1	20	99	17	5.72	<10	0.03	34	<1	0.05	<1	2490	14	<5	<20	9	0.40	<10	19	<10	14	66
47	39067	5	<0.2	0.38	75	50	15	0.70	<1	19	96	16	6.79	<10	<0.01	22	<1	0.05	3	2210	20	<5	<20	17	0.35	<10	19	<10	8	10
48	39068	5	0.4	0.18	175	45	25	0.10	<1	12	190	8	>10	<10	<0.01	31	12	0.11	2	340	<2	<5	<20	12	0.11	<10	13	<10	<1	7
49	39069	5	<0.2	3.14	<5	235	35	0.32	<1	14	20	28	7.64	<10	1.93	645	<1	0.01	6	790	28	<5	<20	8	0.41	<10	32	<10	10	66
50	39070	5	0.8	2.57	85	140	15	3.25	<1	35	65	31	6.36	20	1.71	1899	<1	0.07	37	2700	16	<5	<20	81	0.17	<10	88	<10	33	158
51	39071	5	<0.2	0.51	185	60	20	1.08	<1	27	63	17	7.14	<10	0.29	118	<1	0.10	3	3700	18	<5	<20	17	0.47	<10	175	<10	14	23
52	39072	5	0.6	2.76	5	90	<5	2.25	4	28	92	57	9.41	<10	2.46	1925	10	0.04	22	1640	10	<5	<20	38	0.09	<10	263	<10	3	265
53	39073	5	1.0	2.72	<5	90	<5	1.08	<1	30	78	164	9.67	<10	2.13	1198	6	0.03	29	2070	14	<5	<20	31	0.19	<10	166	<10	8	84
54	39074	10	<0.2	1.80	15	60	20	0.38	<1	21	86	63	5.39	<10	1.13	360	13	<0.01	25	1570	20	<5	<20	<1	0.15	<10	65	<10	10	24
55	39075	5	<0.2	0.79	5	75	<5	2.79	<1	10	93	13	6.08	<10	0.49	603	6	0.07	3	5020	10	<5	<20	36	0.03	<10	47	<10	28	116
56	39076	5	0.6	0.34	10	85	10	0.35	<1	13	121	13	7.56	<10	0.03	170	5	0.04	4	1470	6	<5	<20	19	0.19	<10	16	<10	2	29

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5294

ECO-TECH LABORATORIES LTD.

Et #	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
QC DATA:																															
Repeat:																															
1	38071	5	0.8	3.83	5	30	5	>10	<1	11	22	65	6.40	<10	5.19	3528	5	0.02	5	910	<2	<5	<20	561	0.01	<10	120	<10	<1	32	
36	38418	5	0.4	0.67	25	155	<5	0.04	<1	7	111	6	1.60	90	0.04	646	6	0.04	7	240	10	<5	<20	9	<0.01	<10	2	<10	2	122	
Repeat:																															
1	38071	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	38080	5	>30	0.95	70	65	15	5.82	38	37	101	52	7.88	<10	2.54	>10000	1	0.01	68	580	4	<5	<20	26	0.02	<10	36	<10	<1	4866	
19	38401	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31	38413	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
36	38418	-	0.4	0.67	25	150	<5	0.04	<1	6	118	5	1.53	80	0.04	626	6	0.04	7	210	10	<5	<20	11	<0.01	<10	2	<10	2	114	
40	38080	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45	38085	-	<0.2	0.34	365	65	30	0.12	1	18	115	10	7.87	<10	0.02	22	<1	0.08	4	800	12	<5	<20	16	0.59	<10	26	<10	<1	8	
49	38089	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
56	38076	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																															
GEO'86		150	1.4	1.85	70	175	<5	2.12	1	24	73	84	4.40	<10	1.20	780	<1	0.04	24	740	24	<5	<20	89	0.18	<10	125	<10	5	77	
GEO'86		150	1.4	1.90	80	170	<5	2.14	1	24	72	84	4.32	<10	1.20	783	<1	0.03	23	760	24	<5	<20	68	0.18	<10	125	<10	4	75	

d/5293
 XLS/96Kenrich#4
 fax:888-3346/j.kowalchuk/k.trociuk
 cc:fax:882-7903/j.blackwell/j.foster


 ECO-TECH LABORATORIES LTD.
 per Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

30-Sep-98

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AS 98-5318

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 23
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE #9
Samples submitted by: C. LOUIS

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	39416	>1000	>30	0.14	1335	50	5	4.37	<1	7	65	42	>10	<10	0.09	636	57	<0.01	43	<10	170	100	<20	20	<0.01	<10	3	<10	<1	1250
2	39417	>1000	17.2	0.26	255	30	<5	0.13	<1	5	137	21	3.44	<10	0.15	90	23	<0.01	31	300	62	30	<20	7	<0.01	<10	5	<10	<1	234
3	39418	>1000	21.6	0.49	190	30	<5	0.09	<1	4	126	27	3.14	<10	0.59	118	20	<0.01	13	280	84	50	<20	7	<0.01	<10	9	<10	<1	174
4	39419	610	>30	0.20	275	30	<5	0.32	<1	6	104	31	3.90	<10	0.12	197	11	<0.01	16	390	58	45	<20	10	<0.01	<10	3	<10	<1	124
5	39420	825	28.0	0.81	260	35	<5	0.05	2	5	59	29	4.48	<10	1.22	213	14	<0.01	11	180	72	40	<20	4	<0.01	<10	14	<10	<1	336
6	39421	630	>30	0.18	210	30	<5	0.12	1	5	168	44	2.96	<10	0.10	121	16	<0.01	14	200	122	65	<20	8	<0.01	<10	5	<10	<1	227
7	39422	>1000	>30	0.21	315	35	<5	0.07	3	4	107	50	2.78	<10	0.20	105	31	<0.01	21	180	294	90	<20	5	<0.01	<10	6	<10	<1	859
8	39423	>1000	>30	0.15	530	30	<5	0.05	2	4	142	90	2.91	<10	0.10	74	28	<0.01	37	160	300	105	<20	4	<0.01	<10	13	<10	<1	751
9	39424	>1000	>30	0.11	580	30	<5	0.05	3	4	90	136	3.20	<10	0.07	54	37	<0.01	40	200	310	185	<20	5	<0.01	<10	9	<10	<1	903
10	39425	>1000	>30	0.14	485	30	<5	0.08	3	5	151	94	5.50	<10	0.09	89	49	<0.01	63	200	276	155	<20	4	<0.01	<10	15	<10	<1	621
11	39428	>1000	>30	0.12	505	35	<5	0.12	4	6	113	98	6.22	<10	0.05	131	45	<0.01	40	210	404	195	<20	8	<0.01	<10	8	<10	<1	1050
12	39427	>1000	>30	0.09	270	30	<5	0.08	1	6	96	34	3.83	<10	0.01	94	16	<0.01	13	250	106	45	<20	5	<0.01	<10	3	<10	<1	267
13	39428	660	21.4	0.09	320	30	<5	0.08	1	5	92	21	4.14	<10	<0.01	72	34	<0.01	11	270	78	30	<20	5	<0.01	<10	3	<10	<1	343
14	39429	565	18.8	0.12	375	30	<5	0.08	<1	5	145	19	3.27	<10	0.01	75	16	<0.01	14	290	42	30	<20	5	<0.01	<10	4	<10	<1	185
15	39430	625	>30	0.10	215	35	<5	0.08	1	5	117	27	3.33	<10	0.01	71	27	<0.01	11	260	86	60	<20	4	<0.01	<10	3	<10	<1	392
16	39431	440	22.2	0.07	175	35	<5	0.08	<1	4	103	15	3.24	<10	<0.01	70	19	<0.01	10	260	42	35	<20	5	<0.01	<10	2	<10	<1	136
17	39432	665	>30	0.06	410	30	5	0.10	2	5	103	18	5.14	<10	<0.01	123	22	<0.01	14	300	162	135	<20	5	<0.01	<10	2	<10	<1	700
18	39433	630	20.0	0.10	315	30	<5	0.08	<1	5	126	17	4.56	<10	<0.01	78	27	<0.01	15	250	30	55	<20	5	<0.01	<10	3	<10	<1	136
19	39434	360	16.4	0.07	195	30	<5	0.08	<1	5	123	14	3.28	<10	<0.01	85	21	<0.01	10	260	32	40	<20	4	<0.01	<10	3	<10	<1	109
20	39435	200	14.8	0.06	140	35	<5	0.08	<1	4	96	12	2.79	<10	<0.01	82	14	<0.01	10	280	22	25	<20	5	<0.01	<10	2	<10	<1	60

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5318

ECO-TECH LABORATORIES LTD.

Et#.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	39438	250	23.6	0.07	215	30	<5	0.08	<1	5	146	13	3.72	<10	<0.01	103	20	<0.01	9	210	32	45	<20	5	<0.01	<10	2	<10	<1	180
22	39437	>1000	>30	0.07	350	30	<5	0.09	3	5	108	39	4.84	<10	<0.01	94	28	<0.01	8	200	160	130	<20	5	<0.01	<10	3	<10	<1	948
23	39438	575	23.4	1.83	225	40	<5	0.92	1	9	52	51	5.58	<10	2.35	904	9	<0.01	3	690	54	25	<20	43	<0.01	<10	42	<10	<1	181

QC DATA:

Repeat																															
1	39416	>1000	>30	0.17	1380	60	5	5.52	<1	8	68	41	>10	<10	0.08	669	60	<0.01	46	<10	188	110	<20	30	<0.01	<10	4	<10	<1	1242	
Repeat:																															
1	39416	>1000	>30	0.14	1395	55	5	4.79	<1	8	73	42	>10	<10	0.08	696	62	<0.01	46	<10	180	110	<20	25	<0.01	<10	4	<10	<1	1383	
10	39425	>1000	>30	0.14	485	30	<5	0.07	2	5	156	92	5.56	<10	0.09	94	50	<0.01	84	220	278	150	<20	4	<0.01	<10	16	<10	<1	640	
19	39434	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																															
GEO'96		150	1.8	1.85	40	160	<5	1.89	2	19	62	92	4.41	<10	1.05	759	<1	0.02	26	710	12	<5	<20	51	0.12	<10	82	<10	<1	70	

dt/5318
 XLS/96Kenrich#4
 fax@668-3346/j.kowalchuk/k.trociuk
 cc:fax@682-7903/j.blackwell/j.foster


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

26-Sep-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AS 96-5319

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 43
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE #10
Samples submitted by: C. LOUIS

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39439	10	0.8	0.38	65	25	<5	1.53	<1	8	30	15	2.31	10	0.05	251	4	<0.01	12	2170	<2	<5	<20	99	<0.01	<10	6	<10	5	129
2	39440	5	0.8	0.36	80	35	<5	1.79	<1	12	50	19	4.48	20	0.04	272	6	<0.01	13	2530	6	<5	<20	77	<0.01	<10	7	<10	2	80
3	39441	10	0.6	0.67	25	40	<5	0.85	<1	11	29	18	3.36	20	0.14	204	5	<0.01	12	2800	<2	<5	<20	45	<0.01	<10	11	<10	2	107
4	39442	5	0.6	1.48	<5	90	<5	0.88	2	8	17	15	4.07	20	0.64	581	2	0.01	20	2860	<2	<5	<20	47	<0.01	<10	23	<10	2	217
5	39443	5	0.8	1.67	<5	105	<5	1.14	<1	9	18	18	4.27	30	0.70	744	3	0.01	<1	3090	<2	<5	<20	64	0.01	<10	17	<10	2	147
6	39444	5	0.8	1.97	<5	110	5	1.20	<1	8	20	13	5.86	30	0.94	1087	1	<0.01	4	2470	<2	<5	<20	48	0.01	<10	28	<10	<1	144
7	39445	5	0.8	0.45	45	55	5	0.83	<1	14	32	16	6.50	20	0.08	215	8	<0.01	7	2230	8	<5	<20	29	<0.01	<10	8	<10	<1	40
8	39446	5	0.6	0.35	50	35	<5	0.79	<1	13	45	18	5.12	20	0.04	67	4	<0.01	6	2630	4	<5	<20	34	<0.01	<10	6	<10	<1	8
9	39447	5	0.8	0.40	40	25	<5	0.77	<1	11	32	17	3.70	20	0.05	64	4	<0.01	6	3030	4	<5	<20	44	<0.01	<10	9	<10	4	34
10	39448	5	0.6	0.46	25	45	<5	1.19	<1	8	42	15	2.63	10	0.06	216	1	<0.01	3	2880	4	<5	<20	52	<0.01	<10	7	<10	7	41
11	39449	5	0.8	0.47	45	45	<5	1.32	<1	12	47	16	5.78	20	0.08	306	4	<0.01	6	2340	<2	<5	<20	53	<0.01	<10	7	<10	<1	39
12	39450	5	1.0	0.57	65	45	5	0.67	<1	11	38	15	6.58	20	0.19	204	4	<0.01	4	2110	<2	<5	<20	26	<0.01	<10	10	<10	<1	282
13	39351	5	0.8	0.49	40	40	<5	1.15	<1	12	37	18	4.21	20	0.07	219	5	<0.01	7	2510	4	<5	<20	42	<0.01	<10	9	<10	2	40
14	39352	5	0.2	0.43	45	35	<5	0.93	<1	11	41	16	4.21	20	0.06	112	4	<0.01	7	2860	4	<5	<20	39	<0.01	<10	9	<10	2	36
15	39353	5	0.8	0.36	75	35	<5	1.00	<1	12	46	16	3.64	10	0.03	107	5	<0.01	7	3100	2	<5	<20	28	<0.01	<10	8	<10	4	30
16	39354	5	0.4	0.36	30	50	<5	0.93	<1	9	70	12	5.06	20	0.08	139	4	<0.01	6	2090	4	<5	<20	26	<0.01	<10	7	<10	<1	70
17	39355	5	0.8	0.32	105	45	<5	1.10	<1	8	60	12	4.84	20	0.08	190	5	<0.01	9	2000	4	<5	<20	34	<0.01	<10	6	<10	2	42
18	39356	5	0.8	0.22	40	30	<5	0.73	<1	9	65	12	4.80	20	0.02	90	4	<0.01	6	1810	2	<5	<20	24	<0.01	<10	4	<10	<1	26
19	39357	5	0.6	0.23	115	40	<5	0.68	<1	11	48	16	6.60	20	0.03	72	8	<0.01	7	1750	6	<5	<20	22	<0.01	<10	6	<10	<1	25
20	39358	5	1.0	0.25	110	30	5	0.56	<1	11	43	16	4.86	20	0.02	23	4	<0.01	3	2300	2	<5	<20	18	<0.01	<10	4	<10	<1	16
21	39359	5	1.0	0.32	70	45	5	0.87	<1	17	43	15	6.05	20	0.05	92	6	<0.01	8	2000	2	<5	<20	23	<0.01	<10	6	<10	<1	46
22	39360	5	0.4	0.25	90	35	<5	0.77	<1	15	53	15	4.89	10	0.01	49	7	<0.01	7	2410	4	<5	<20	18	<0.01	<10	5	<10	<1	12
23	39361	5	0.6	0.28	70	40	<5	0.90	<1	17	40	17	6.55	20	0.02	55	9	<0.01	5	2530	4	<5	<20	27	<0.01	<10	4	<10	<1	14
24	39362	5	1.0	0.35	50	35	<5	0.73	<1	13	51	14	5.38	20	0.07	90	6	<0.01	5	2280	<2	<5	<20	23	<0.01	<10	8	<10	<1	26
25	39363	5	0.8	0.21	60	45	5	0.68	<1	10	77	8	5.41	10	<0.01	89	9	<0.01	1	1620	4	<5	<20	18	<0.01	<10	5	10	<1	51

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5319

ECO-TECH LABORATORIES LTD.

Et #	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	39364	5	0.2	0.25	65	35	<5	0.70	<1	12	79	11	5.03	20	0.02	88	5	<0.01	3	2170	2	<5	<20	20	<0.01	<10	8	<10	<1	24
27	39365	5	0.6	0.42	15	50	<5	0.94	<1	12	52	13	5.41	20	0.09	392	7	<0.01	4	2270	2	<5	<20	34	<0.01	<10	8	<10	<1	46
28	39366	5	0.8	0.31	50	70	<5	0.98	2	22	56	16	>10	50	0.09	317	11	<0.01	4	2020	<2	<5	<20	31	<0.01	<10	8	<10	<1	69
29	39367	5	0.6	0.30	40	55	5	0.98	<1	17	33	15	9.91	40	0.07	220	9	<0.01	4	2310	2	<5	<20	36	<0.01	<10	8	<10	<1	56
30	39368	5	1.0	0.26	55	55	5	0.96	<1	18	53	14	9.78	20	0.01	121	9	<0.01	5	2370	4	<5	<20	22	<0.01	<10	7	<10	<1	30
31	39369	5	0.6	0.43	80	45	<5	1.64	1	16	43	15	6.69	20	0.07	211	9	<0.01	28	2370	4	<5	<20	57	<0.01	<10	10	<10	<1	176
32	39370	5	1.0	0.33	35	55	<5	1.28	<1	12	50	14	7.80	30	0.06	153	7	<0.01	4	2380	8	<5	<20	43	<0.01	<10	7	<10	<1	86
33	39371	5	1.0	0.42	20	40	<5	1.61	2	11	54	14	5.14	20	0.07	221	10	<0.01	4	2720	4	<5	<20	50	<0.01	<10	10	<10	3	158
34	39372	5	0.8	0.71	<5	45	<5	0.92	<1	8	52	13	5.85	30	0.23	211	4	0.01	3	2410	<2	<5	<20	35	<0.01	<10	8	<10	<1	78
35	39373	5	0.8	0.42	35	60	10	0.93	2	11	51	13	9.05	40	0.07	132	9	<0.01	5	2120	6	<5	<20	31	<0.01	<10	7	<10	<1	89
36	39374	5	0.6	0.51	40	50	5	1.03	<1	10	54	15	5.70	20	0.13	167	6	<0.01	10	2220	4	<5	<20	43	<0.01	<10	8	<10	<1	136
37	39375	5	0.8	0.51	80	50	<5	1.21	<1	12	86	14	7.29	30	0.09	172	7	<0.01	8	1860	6	<5	<20	48	<0.01	<10	8	<10	<1	59
38	39376	5	1.0	0.38	75	45	5	0.91	1	10	87	17	6.96	30	0.08	93	6	0.01	6	1500	8	<5	<20	58	<0.01	<10	9	<10	<1	98
39	39377	5	0.8	0.38	80	55	10	1.14	<1	10	70	15	8.46	30	0.07	123	8	<0.01	6	1910	6	<5	<20	55	<0.01	<10	7	<10	<1	93
40	39378	5	1.0	0.38	160	75	<5	2.36	<1	13	58	14	9.96	40	0.09	321	10	<0.01	6	1710	8	<5	<20	92	<0.01	<10	7	<10	<1	27
41	39379	5	0.2	0.37	115	40	<5	0.79	<1	11	76	12	5.74	30	0.05	90	6	0.01	4	2210	4	<5	<20	49	<0.01	<10	8	<10	<1	37
42	39380	5	0.4	0.39	200	35	<5	0.83	<1	9	75	13	5.94	30	0.06	75	9	<0.01	2	2300	6	<5	<20	41	<0.01	<10	7	<10	<1	30
43	39381	5	0.6	0.44	110	45	<5	1.01	<1	8	128	9	5.81	20	0.08	139	8	0.01	9	1890	<2	<5	<20	38	<0.01	<10	8	<10	<1	150

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5319

ECO-TECH LABORATORIES LTD.

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
<i>Resplit</i>																															
1	39439	5	0.8	0.42	70	30	<5	1.80	1	9	40	14	2.48	20	0.06	260	3	<0.01	13	2360	<2	<5	<20	80	<0.01	<10	7	<10	7	138	
36	39374	5	0.6	0.56	35	45	5	0.91	1	8	54	17	5.29	30	0.16	160	5	0.02	8	2240	<2	<5	<20	50	<0.01	<10	10	<10	<1	134	
<i>Repeat:</i>																															
1	39438	5	0.6	0.41	75	15	<5	1.66	2	8	33	15	2.48	20	0.06	270	4	<0.01	14	2270	<2	<5	<20	101	<0.01	<10	8	<10	4	133	
10	39448	5	0.6	0.44	30	45	<5	1.30	<1	9	47	13	2.84	10	0.05	228	1	<0.01	5	2860	<2	<5	<20	39	<0.01	<10	7	<10	7	47	
19	39357	-	0.8	0.24	115	35	<5	0.64	<1	10	46	16	6.36	20	0.04	72	6	<0.01	6	1750	4	<5	<20	24	<0.01	<10	6	<10	<1	26	
13	39351	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31	39369	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
36	39374	-	0.6	0.54	45	35	<5	0.90	<1	9	50	14	5.21	30	0.14	160	4	0.01	9	2150	<2	<5	<20	49	<0.01	<10	9	<10	<1	123	
<i>Standard:</i>																															
GEO'96		150	1.4	2.01	70	175	<5	2.07	<1	19	72	82	4.12	20	1.09	720	<1	0.02	22	690	18	<5	<20	63	0.12	<10	82	<10	5	78	
GEO'96		140	1.2	2.18	85	155	<5	1.74	<1	18	60	80	4.26	30	1.04	685	<1	0.03	20	690	20	<5	<20	64	0.10	<10	86	<10	6	69	


ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

d/5319
 XLS/96Kenrich
 Fax @: 804-888-3346/j.kowalchuk/k.Trociuk
 Fax cc: @: 804-882-7903/j.blackwell/j.foster

30-Sep-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 8T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AS 96-5320

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 12
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE #11
Samples submitted by: C. LOUIS

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	39382	330	1.2	1.32	405	50	<5	1.65	<1	21	55	46	8.07	<10	1.11	584	3	<0.01	7	1340	10	<5	<20	147	<0.01	<10	26	<10	<1	60	
2	39383	>1000	11.4	0.24	2370	35	5	2.06	<1	15	98	45	8.13	<10	0.07	323	5	<0.01	7	1270	30	15	<20	169	<0.01	<10	8	<10	2	116	
3	39384	>1000	14.0	0.25	1500	30	<5	0.82	<1	9	131	40	8.11	<10	0.06	134	6	<0.01	11	1550	22	15	<20	60	<0.01	<10	7	<10	<1	142	
4	39385	>1000	15.6	0.30	1135	40	<5	2.06	<1	18	99	61	8.08	<10	0.15	377	10	<0.01	18	1180	36	20	<20	143	<0.01	<10	8	<10	<1	95	
	39386	>1000	3.6	1.09	1720	45	<5	3.16	<1	25	43	60	7.29	<10	1.16	1192	4	<0.01	10	1720	8	5	<20	236	<0.01	<10	18	<10	<1	83	
6	39387	>1000	<0.2	0.73	915	35	<5	0.97	<1	14	30	14	6.24	<10	0.61	477	3	<0.01	8	840	4	<5	<20	61	<0.01	<10	14	<10	<1	50	
7	39388	800	0.4	1.07	905	45	5	3.88	<1	18	45	18	8.95	<10	1.03	1875	3	<0.01	7	1800	4	<5	<20	191	<0.01	<10	21	<10	<1	70	
8	39389	320	0.2	1.36	705	45	5	3.44	<1	17	37	16	6.20	<10	1.19	1429	3	<0.01	5	2150	<2	<5	<20	171	<0.01	<10	26	<10	<1	65	
9	39390	330	0.8	1.45	700	45	<5	2.71	<1	22	43	86	5.89	<10	1.39	1345	2	<0.01	8	1130	4	5	<20	104	<0.01	<10	29	<10	<1	72	
10	39391	270	<0.2	1.24	655	45	<5	2.62	<1	23	19	16	6.88	<10	1.09	1139	3	<0.01	7	1580	6	<5	<20	104	<0.01	<10	22	<10	<1	88	
11	39392	125	0.6	1.35	460	45	5	3.34	<1	18	37	12	5.46	<10	1.32	1503	1	0.01	7	1350	4	<5	<20	121	<0.01	<10	30	<10	<1	104	
12	39393	5	1.4	1.11	390	40	<5	3.32	<1	20	20	9	5.76	<10	1.41	1888	3	<0.01	4	1300	6	<5	<20	112	<0.01	<10	24	<10	<1	36	
QC DATA:																															
Resplit																															
1	39382	195	1.4	1.29	425	45	<5	1.89	<1	20	63	45	5.77	<10	1.02	557	3	<0.01	7	1340	12	<5	<20	133	<0.01	<10	26	<10	<1	68	
Repeat:																															
1	39382	300	1.0	1.34	425	50	<5	1.78	<1	22	60	46	6.42	<10	1.13	625	3	<0.01	5	1410	8	<5	<20	139	<0.01	<10	28	<10	<1	66	
10	39391	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																															
GEO'96		150	1.8	1.84	35	165	<5	2.01	2	20	66	89	4.16	<10	1.04	728	<1	0.02	25	740	18	<5	<20	60	0.12	<10	84	<10	<1	73	

dl/5318
XLS/96Kenrich#4
fax:688-3346/j.kowalchuk/k.trociuk
cc:fax:682-7903/j.blackwell/j.foster


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

1-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5344

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 22
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE #12
Samples submitted by: C. LOUIE

Values in ppm unless otherwise reported

Et.#	Tag#	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
1	39101	>1000	>30	0.28	715	30	<5	1.14	<1	10	108	58	8.83	<10	0.22	383	15	<0.01	9	1460	68	20	<20	61	<0.01	<10	6	<10	<1	51
2	39102	>1000	29.4	0.12	340	35	<5	1.13	<1	6	130	30	4.69	<10	0.28	458	29	<0.01	18	240	104	65	<20	56	<0.01	<10	4	<10	<1	219
3	39103	715	23.4	0.15	385	40	5	1.09	<1	8	123	28	6.13	<10	0.21	497	26	<0.01	22	80	60	40	<20	50	<0.01	<10	5	<10	<1	142
4	39104	>1000	25.8	0.43	735	35	<5	0.90	<1	12	164	37	>10	<10	0.29	646	19	<0.01	14	610	54	15	<20	32	<0.01	<10	15	<10	<1	137
5	39105	>1000	25.4	1.20	1185	40	10	1.39	<1	14	47	58	>10	<10	1.16	792	17	<0.01	9	1810	66	20	<20	71	<0.01	<10	38	<10	<1	194
6	39106	>1000	>30	0.39	1225	40	<5	2.11	<1	12	102	84	>10	<10	0.60	1153	19	<0.01	44	1510	78	70	<20	73	<0.01	<10	13	<10	1	152
7	39107	>1000	>30	0.34	720	40	<5	1.99	<1	9	72	71	7.82	<10	0.54	763	18	<0.01	40	1050	80	70	<20	138	<0.01	<10	11	<10	1	160
8	39108	315	24.8	0.15	470	40	<5	0.54	<1	6	168	26	4.13	<10	0.12	252	22	<0.01	18	250	60	60	<20	27	<0.01	<10	4	<10	<1	38
9	39109	535	25.0	0.13	915	30	<5	0.26	<1	8	105	21	8.27	<10	0.03	177	43	<0.01	16	70	78	70	<20	19	<0.01	<10	4	<10	<1	22
10	39110	700	24.4	0.16	630	35	<5	0.36	<1	6	143	24	5.88	<10	0.07	208	23	<0.01	15	160	82	60	<20	14	<0.01	<10	4	<10	<1	22
11	39111	575	>30	0.23	1105	35	<5	0.61	<1	11	108	39	>10	<10	0.19	336	26	<0.01	11	1020	72	55	<20	45	<0.01	<10	8	<10	<1	185
12	39112	>1000	>30	0.17	2170	45	<5	1.38	<1	13	90	42	>10	<10	0.30	452	21	<0.01	5	1520	64	75	<20	68	<0.01	<10	8	<10	<1	147
13	39113	820	>30	0.17	935	40	10	0.83	<1	14	130	30	>10	<10	0.10	245	21	<0.01	7	1510	60	35	<20	30	<0.01	<10	7	<10	<1	165
14	39114	915	27.8	0.21	1500	45	10	1.52	<1	13	83	20	>10	<10	0.35	559	38	<0.01	5	1780	36	40	<20	37	<0.01	<10	10	<10	<1	135
15	39115	650	>30	0.15	4955	35	<5	1.87	<1	9	81	22	>10	<10	0.11	608	18	<0.01	4	1330	28	70	<20	44	<0.01	<10	7	<10	<1	61
16	39116	770	>30	0.15	8045	45	5	3.15	<1	13	103	34	>10	<10	<0.01	1075	48	<0.01	6	1380	70	220	<20	65	<0.01	<10	7	<10	<1	500
17	39117	755	>30	0.14	4210	45	<5	1.66	<1	17	75	32	>10	<10	<0.01	460	24	<0.01	7	820	78	155	<20	32	<0.01	<10	6	<10	<1	426
18	39118	750	>30	0.18	585	45	<5	2.63	<1	12	103	25	8.25	<10	0.11	597	18	<0.01	12	900	66	100	<20	49	<0.01	<10	6	<10	5	155
19	39119	740	>30	0.29	930	40	10	0.91	<1	25	54	19	9.88	<10	0.02	157	20	<0.01	18	1970	72	100	<20	22	<0.01	<10	7	<10	2	363
20	39120	120	27.8	0.48	1160	50	<5	0.68	5	100	70	19	7.83	<10	0.20	342	12	<0.01	15	1100	44	55	<20	11	<0.01	<10	14	<10	<1	1182
21	39121	395	16.8	0.52	810	65	<5	0.54	<1	75	68	15	4.84	<10	0.19	284	7	<0.01	10	800	34	30	<20	12	<0.01	<10	13	<10	3	638
22	39122	35	4.4	0.94	305	70	<5	0.33	<1	7	59	11	5.78	<10	0.55	511	6	<0.01	2	500	18	<5	<20	12	<0.01	<10	15	<10	<1	262

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 98-5344

ECO-TECH LABORATORIES LTD.

Et #.	Tag#	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn		
QC DATA:																																
Resplit:																																
1	39101	>1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Repeat:																																
1	39101	>1000	>30	0.28	790	35	<5	1.19	<1	11	116	58	9.34	<10	0.21	396	17	<0.01	10	1520	72	25	<20	58	<0.01	<10	7	<10	<1	53		
10	39110	550	24.6	0.16	630	30	<5	0.36	<1	7	144	25	5.90	<10	0.06	204	23	<0.01	16	170	82	50	<20	14	<0.01	<10	4	<10	<1	23		
19	39119	690	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																																
GEO'96		140	1.0	1.95	70	140	<5	2.08	<1	21	73	77	4.12	<10	1.04	771	<1	0.02	24	710	22	<5	<20	57	0.12	<10	84	<10	5	78		

df/1026
 XLS/96Kenrich#4
 fax @: 604-888-3346/J.Kowalchuk/K.Trociuk
 fax @: 604-882-7903/J.Blackwell/J.Foster


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

1-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5345

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 15
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE #13
Samples submitted by: C. LOUIE

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39123	615	20.6	0.29	1180	35	15	0.51	<1	11	120	26	>10	<10	0.15	288	31	0.01	15	330	46	60	20	38	<0.01	10	8	<10	<1	203
2	39124	>1000	>30	0.15	1445	40	25	0.21	<1	12	127	29	>10	<10	0.02	256	35	<0.01	10	<10	204	215	20	9	<0.01	10	6	<10	<1	794
3	39125	>1000	>30	0.15	815	40	15	0.37	<1	13	115	45	>10	<10	<0.01	201	43	<0.01	6	860	194	230	20	12	<0.01	10	8	<10	<1	808
4	39126	>1000	>30	0.16	990	40	20	0.19	<1	11	107	31	>10	<10	<0.01	81	42	<0.01	6	520	108	180	20	8	<0.01	10	7	<10	<1	255
5	39127	>1000	19.6	1.47	385	30	5	0.49	<1	9	106	30	6.17	<10	1.57	552	13	<0.01	4	960	70	35	<20	26	<0.01	<10	41	<10	<1	337
6	39128	45	1.8	2.54	155	45	5	2.07	<1	21	61	14	5.39	<10	3.30	1199	4	<0.01	5	1080	16	10	<20	101	<0.01	<10	126	<10	<1	38
7	39129	180	0.6	1.39	125	70	<5	0.93	<1	13	90	18	3.64	<10	1.22	633	7	<0.01	5	1100	24	<5	<20	33	<0.01	<10	94	<10	<1	61
8	39130	65	0.8	3.19	110	60	10	0.72	1	13	47	28	9.11	<10	2.05	1223	6	<0.01	3	1750	100	<5	<20	25	0.02	<10	84	<10	<1	245
9	39131	280	24.8	0.96	130	30	<5	0.91	<1	14	91	23	6.34	<10	0.66	490	11	<0.01	2	1860	44	<5	<20	38	<0.01	<10	71	<10	4	96
10	39132	5	1.8	2.81	<5	70	5	2.69	10	7	55	34	7.69	<10	1.57	2152	7	<0.01	<1	1460	318	<5	<20	67	0.02	<10	84	<10	6	692
11	39133	20	1.8	1.66	55	50	10	0.73	18	11	114	15	7.77	<10	0.78	627	12	<0.01	2	1590	702	<5	<20	22	0.01	<10	80	<10	6	1200
12	39134	5	1.6	1.98	85	65	10	1.16	24	7	84	12	7.57	<10	0.98	705	8	<0.01	2	1550	828	<5	<20	39	<0.01	<10	76	<10	7	1698
13	39135	10	1.2	2.37	20	70	5	1.10	19	8	80	14	8.37	<10	1.12	794	11	<0.01	2	1560	584	<5	<20	38	<0.01	<10	83	<10	6	1363
14	39136	75	2.4	0.97	155	30	<5	1.12	<1	15	104	41	6.02	<10	0.58	408	5	<0.01	6	2200	20	<5	<20	55	<0.01	<10	32	<10	5	32
15	39137	10	2.6	0.51	885	25	<5	0.83	<1	11	98	43	5.86	<10	0.18	352	9	<0.01	3	2410	44	<5	<20	36	<0.01	<10	14	<10	4	245

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5345

ECO-TECH LABORATORIES LTD.

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
QC DATA:																															
<i>Resplit</i>																															
1	39123	590	20.8	0.25	1230	35	10	0.53	<1	12	110	26	>10	<10	0.14	305	36	<0.01	16	340	48	65	20	40	<0.01	10	8	<10	<1	281	
<i>Repeat:</i>																															
1	39123	615	20.8	0.29	1245	30	15	0.53	<1	11	124	26	>10	<10	0.15	294	31	0.01	15	370	50	60	20	38	<0.01	10	9	<10	<1	217	
10	39132	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Standard:</i>																															
GEO'96		150	1.0	2.09	70	150	<5	2.06	<1	21	75	77	4.10	<10	1.09	720	<1	0.03	25	780	20	<5	<20	65	0.12	<10	94	<10	5	66	

dl/5353
 XLS/96Kenrich#4
 fax @: 604-688-3346/J.Kowalchuk/K.Trociuk
 fax @: 604-682-7903/J.Blackwell/J.Foster

per 
 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

4-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5383

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 23
Sample type: Core
PROJECT #: Kenrich Mining
SHIPMENT #: Core#14
Samples submitted by: C. Louis

Values in ppm unless otherwise reported

Et.#	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	39138	720	10.2	0.15	340	20	5	0.02	<1	6	91	14	4.52	<10	<0.01	44	21	<0.01	16	<10	30	35	<20	4	<0.01	10	4	<10	<1	74
2	39139	390	8.4	0.14	295	25	5	0.04	<1	10	73	10	3.01	<10	<0.01	41	7	<0.01	9	110	20	10	<20	5	<0.01	<10	4	<10	<1	82
3	39140	480	7.8	0.21	820	20	<5	0.14	<1	11	53	11	2.94	<10	<0.01	43	5	<0.01	9	550	28	20	<20	9	<0.01	<10	5	<10	1	29
4	39141	>1000	21.2	0.19	430	20	<5	0.16	<1	8	38	20	3.67	<10	<0.01	44	15	<0.01	13	720	54	30	<20	9	<0.01	<10	4	<10	<1	116
5	39142	>1000	23.6	0.14	335	15	<5	0.26	<1	6	81	23	3.26	<10	<0.01	79	14	<0.01	13	530	78	35	<20	11	<0.01	10	4	<10	<1	99
6	39143	755	13.2	0.18	335	25	<5	0.12	<1	9	76	17	3.19	<10	<0.01	44	10	<0.01	13	490	54	20	<20	9	<0.01	<10	5	<10	<1	111
7	39144	>1000	18.4	0.13	270	20	<5	0.11	<1	8	86	23	3.28	<10	<0.01	36	9	<0.01	12	480	80	30	<20	7	<0.01	20	4	<10	<1	163
8	39145	>1000	>30	0.09	275	20	<5	0.07	<1	5	94	40	3.73	<10	<0.01	44	12	<0.01	8	270	122	75	<20	5	<0.01	<10	3	<10	<1	128
9	39146	>1000	>30	0.06	360	20	<5	0.07	1	5	118	105	3.08	<10	<0.01	35	18	<0.01	8	270	190	160	<20	4	<0.01	<10	3	<10	<1	728
10	39147	800	>30	0.11	350	20	<5	0.15	<1	9	96	42	3.91	<10	<0.01	61	11	<0.01	7	450	118	105	<20	10	<0.01	<10	4	<10	<1	201
11	39148	>1000	>30	0.10	210	20	<5	0.10	2	6	87	46	2.72	<10	<0.01	44	10	<0.01	11	400	234	95	<20	6	<0.01	<10	4	<10	<1	775
12	39149	>1000	23.4	0.13	655	20	<5	0.11	<1	6	88	24	3.80	<10	<0.01	48	12	<0.01	7	440	60	35	<20	4	<0.01	<10	4	<10	<1	71
13	39150	>1000	>30	0.13	1045	20	<5	0.23	<1	5	79	78	4.72	<10	<0.01	108	8	<0.01	9	980	178	105	<20	8	<0.01	<10	6	<10	2	246
14	39151	>1000	>30	0.16	855	25	<5	0.28	<1	7	67	189	5.70	<10	<0.01	63	14	<0.01	31	920	476	200	<20	15	<0.01	10	8	<10	<1	949
15	39152	>1000	11.2	0.94	770	25	5	0.21	<1	8	56	27	4.46	<10	0.98	287	6	<0.01	4	870	54	25	<20	8	<0.01	<10	10	<10	<1	108
16	39153	>1000	7.0	1.17	385	25	<5	0.05	<1	6	43	18	4.00	<10	1.44	345	6	<0.01	3	240	30	20	<20	2	<0.01	<10	8	<10	<1	43
17	39154	990	5.0	0.87	310	30	<5	<0.01	<1	4	41	19	3.27	<10	0.95	236	4	<0.01	<1	30	22	10	<20	1	<0.01	<10	3	<10	<1	36
18	39155	>1000	6.0	1.28	635	25	<5	0.07	<1	9	28	24	4.59	<10	1.63	391	5	<0.01	5	260	22	20	<20	3	<0.01	<10	9	<10	<1	32
19	39156	540	7.4	0.97	585	25	<5	0.04	<1	9	24	25	4.25	<10	1.05	270	4	<0.01	3	180	30	25	<20	2	<0.01	<10	4	<10	<1	49
20	39157	140	2.0	0.82	195	35	5	0.39	<1	11	63	23	3.43	<10	0.84	284	5	<0.01	6	800	28	5	<20	15	<0.01	<10	45	<10	<1	117
21	39158	170	4.2	0.86	425	35	<5	0.27	<1	16	55	34	4.66	<10	0.78	241	8	<0.01	7	810	34	10	<20	14	<0.01	<10	35	<10	<1	210
22	39159	75	1.8	0.98	225	40	<5	0.37	<1	12	59	21	4.02	<10	0.87	327	8	<0.01	6	870	18	<5	<20	22	<0.01	<10	62	<10	<1	70
23	39160	>1000	1.2	1.32	100	60	5	0.49	<1	8	60	11	5.35	<10	0.71	450	8	<0.01	<1	1640	14	<5	<20	15	<0.01	<10	55	<10	8	164

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5383

ECO-TECH LABORATORIES LTD.

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Repeat:																															
1	39138	755	9.6	0.13	320	15	6	<0.01	<1	5	88	13	4.19	<10	<0.01	36	20	<0.01	15	<10	28	35	<20	2	<0.01	<10	3	<10	<1	68	
10	39147	810	>30	0.12	380	20	6	0.15	<1	9	100	45	4.12	<10	<0.01	56	12	<0.01	7	470	126	115	<20	10	<0.01	<10	4	<10	<1	206	
Resplits:																															
1	39138	705	11.6	0.13	400	20	6	<0.01	<1	6	81	15	4.64	<10	<0.01	38	27	<0.01	17	<10	34	35	<20	1	<0.01	10	3	<10	<1	64	
Standard:																															
GEO'96		150	1.0	1.62	45	155	6	1.63	<1	17	58	75	3.72	<10	0.88	637	<1	0.02	21	640	22	<5	<20	80	0.11	<10	74	<10	4	67	

dt/5370
 XLS/96Kenrich
 Fax to John Kowalchuk 604-688-3346
 & Mail to Vancouver


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

4-Oct-86

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 8T4

ICP CERTIFICATE OF ANALYSIS AS 96-5385

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 13

Sample type: CORE

PROJECT #: Corey

SHIPMENT #: CORE#16

Samples submitted by: C. LOUIE

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	39174	5	2.2	1.91	195	90	10	0.49	<1	9	40	13	7.42	<10	0.97	388	9	<0.01	<1	1890	22	<5	<20	17	0.03	<10	39	<10	6	339
2	39175	5	0.8	1.91	140	90	5	1.41	<1	10	48	8	7.43	<10	0.55	873	13	<0.01	2	1480	16	<5	<20	48	0.03	<10	119	<10	6	303
3	39176	5	<0.2	1.08	<5	70	<5	1.84	<1	6	75	8	4.34	<10	0.40	580	4	<0.01	3	1360	8	<5	<20	57	0.04	<10	84	<10	7	114
4	39177	10	0.2	1.00	385	80	10	1.48	<1	9	69	12	6.15	<10	0.28	510	11	<0.01	2	1500	10	<5	<20	56	0.04	<10	90	<10	6	193
5	39178	5	2.0	0.78	170	45	<5	4.51	<1	9	68	34	3.81	<10	0.35	774	17	<0.01	28	920	26	15	<20	120	<0.01	<10	26	<10	8	169
6	39179	10	1.2	1.16	60	50	<5	4.63	4	12	60	41	4.78	<10	0.82	737	10	<0.01	23	1180	20	<5	<20	212	<0.01	<10	41	<10	5	340
7	39180	5	1.8	0.54	480	30	<5	1.67	2	7	81	29	4.71	<10	0.25	270	30	<0.01	41	370	24	<5	<20	65	<0.01	<10	23	<10	<1	377
8	39181	5	1.0	0.50	35	55	<5	2.93	2	6	117	25	3.13	<10	0.49	718	11	0.03	15	570	12	<5	<20	134	<0.01	<10	20	<10	5	174
9	39182	10	0.8	1.51	10	60	<5	5.98	2	7	54	24	5.57	<10	1.16	748	8	0.01	13	2080	14	<5	<20	204	<0.01	<10	32	<10	5	184
10	39183	5	1.2	0.74	70	55	<5	0.32	<1	4	125	25	5.13	<10	0.30	198	14	<0.01	16	20	12	<5	<20	31	<0.01	<10	10	<10	<1	47
11	39184	10	1.6	0.48	285	55	<5	0.69	<1	6	144	27	3.09	<10	0.24	206	23	0.01	46	190	16	<5	<20	39	<0.01	<10	29	<10	<1	100
12	39185	75	2.8	0.58	140	35	5	1.83	<1	10	60	26	4.19	<10	0.42	463	20	<0.01	19	710	22	5	<20	87	<0.01	<10	13	<10	2	70
13	39186	10	0.8	0.75	30	50	<5	2.31	<1	10	59	23	3.74	<10	0.75	556	9	0.01	14	1170	12	5	<20	100	<0.01	<10	20	<10	5	38


KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5385

ECO-TECH LABORATORIES LTD.

Et#	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Repeat:																															
1	39174	5	2.2	1.85	200	80	15	0.48	<1	9	40	12	7.33	<10	0.93	378	9	<0.01	<1	1990	22	<5	<20	14	0.02	<10	38	<10	5	347	
10	39183	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	39186	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Resplit:																															
1	39174	10	2.2	1.62	185	70	5	0.43	<1	8	41	11	6.89	<10	0.80	328	8	<0.01	<1	1800	22	<5	<20	13	0.02	<10	34	<10	5	252	
Standard:																															
GEO'96		150	1.0	1.78	45	140	<5	1.78	<1	18	64	74	3.98	<10	0.93	875	<1	0.02	23	710	24	<5	<20	59	0.14	<10	79	<10	4	73	

df/5370
 XLS/96Kenrich
 Fax to John Kowalchuk 604-688-3348
 & Mail hard copies to Vancouver


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

4-Oct-86

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS - AS96-5386

KENRICH MINING CORPORATION
810-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 42
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE#17
Samples submitted by: J.DENNIS

Values in ppm unless otherwise reported

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39201	5	<0.2	4.20	<5	20	5	3.51	<1	41	293	54	4.58	<10	4.96	662	<1	0.16	188	290	14	15	<20	33	0.16	<10	76	<10	4	34
2	39202	10	<0.2	4.45	<5	15	<5	6.88	<1	42	301	54	5.05	<10	5.92	962	<1	0.10	170	270	14	5	<20	32	0.17	<10	117	<10	6	43
3	39203	5	0.6	4.72	<5	15	<5	6.63	<1	43	362	53	5.85	<10	6.32	1769	<1	0.05	177	280	14	<5	<20	34	0.04	<10	164	<10	7	39
4	39204	5	0.8	5.34	<5	20	<5	5.97	<1	45	372	60	6.50	<10	7.00	1387	2	0.06	190	250	16	<5	<20	27	0.02	<10	162	<10	5	47
5	39205	5	>30	2.21	210	30	<5	4.30	30	35	165	137	9.76	<10	3.28	10000	6	<0.01	123	880	180	140	<20	22	0.02	<10	71	<10	<1	1854
6	39206	5	3.4	2.98	20	25	<5	5.60	4	39	303	56	6.25	<10	3.65	1888	2	0.06	139	770	52	10	<20	39	0.04	<10	139	<10	5	312
7	39207	5	2.2	3.03	15	20	5	3.84	2	32	250	51	6.26	<10	3.49	2142	4	0.04	101	1080	34	<5	<20	32	0.04	<10	151	<10	7	235
8	39208	5	0.6	2.84	<5	25	<5	2.93	<1	27	208	44	5.48	<10	3.26	1025	2	0.02	71	1780	20	<5	<20	18	0.11	<10	153	<10	6	94
9	39209	5	0.6	3.58	<5	30	5	2.95	1	38	364	51	7.52	<10	3.87	907	<1	0.05	98	1820	12	<5	<20	16	0.14	<10	227	<10	8	92
10	39210	5	0.4	2.70	<5	20	5	6.08	2	37	326	54	5.88	<10	2.87	903	2	0.04	124	1070	12	5	<20	24	0.11	<10	183	<10	7	106
11	39211	10	13.8	0.93	30	30	<5	7.81	19	15	57	66	7.01	<10	1.57	5297	8	<0.01	59	950	46	10	<20	44	0.01	<10	124	<10	3	1304
12	39212	5	1.0	2.77	<5	20	<5	6.84	1	35	268	49	5.54	<10	2.99	1146	1	0.07	124	730	14	15	<20	34	0.12	<10	155	<10	7	90
13	39213	5	0.4	3.12	<5	20	<5	3.14	1	40	312	50	5.31	<10	4.00	688	<1	0.06	149	520	14	<5	<20	16	0.16	<10	109	<10	5	79
14	39214	5	0.4	3.58	<5	20	10	1.87	<1	40	344	49	5.49	<10	4.78	657	<1	0.03	168	520	20	<5	<20	11	0.15	<10	98	<10	4	80
15	39215	5	<0.2	3.35	<5	15	10	2.53	<1	41	330	55	5.10	<10	4.19	592	<1	0.06	172	500	18	<5	<20	12	0.26	<10	83	<10	8	64
16	39216	5	<0.2	3.07	<5	15	5	2.11	<1	39	299	51	4.87	<10	3.84	569	<1	0.05	155	500	16	<5	<20	11	0.20	<10	74	<10	6	64
17	39217	5	<0.2	3.24	<5	20	<5	3.17	<1	43	302	58	5.04	<10	3.84	621	<1	0.07	166	470	16	<5	<20	16	0.28	<10	85	<10	8	62
18	39218	10	0.4	2.94	<5	15	10	3.43	<1	40	281	52	4.57	<10	3.43	607	<1	0.08	159	400	16	<5	<20	17	0.25	<10	72	<10	8	61
19	39219	5	8.8	3.57	55	25	10	5.03	6	39	271	49	8.30	<10	3.90	5814	<1	0.04	137	490	54	30	<20	32	0.13	<10	119	<10	4	440
20	39220	5	0.8	2.89	<5	15	<5	3.89	<1	38	258	55	4.55	<10	3.21	558	<1	0.07	162	420	12	<5	<20	20	0.20	<10	66	<10	7	53

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS - AS96-5386

ECO-TECH LABORATORIES LTD.

Et#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	39221	5	0.8	3.07	<5	15	<5	2.15	<1	41	311	57	4.65	<10	3.56	483	<1	0.07	160	470	18	<5	<20	15	0.25	<10	78	<10	7	63
22	39222	5	5.6	3.59	10	20	<5	5.42	<1	41	312	49	6.12	<10	3.95	3199	<1	0.08	162	330	14	5	<20	47	0.09	<10	115	<10	4	49
23	39223	5	<0.2	2.78	<5	10	<5	4.04	1	37	287	53	4.36	<10	3.14	596	<1	0.08	143	690	12	<5	<20	17	0.20	<10	84	<10	7	90
24	39224	5	0.6	3.32	<5	15	5	3.83	<1	37	291	51	5.35	<10	4.05	1312	<1	0.05	140	510	14	<5	<20	20	0.18	<10	106	<10	6	53
25	39225	5	7.4	4.04	15	25	5	5.19	2	42	310	53	7.24	<10	4.89	4000	<1	0.04	143	570	20	<5	<20	45	0.11	<10	166	<10	7	304
26	39226	5	0.4	4.75	<5	20	5	3.22	<1	44	414	85	5.81	<10	6.28	1118	<1	0.08	162	350	20	<5	<20	32	0.15	<10	192	<10	8	44
27	39227	5	0.4	4.55	<5	20	15	3.21	<1	45	378	54	5.59	<10	6.15	920	<1	0.09	169	330	22	<5	<20	23	0.20	<10	149	<10	6	42
28	39228	5	0.2	3.41	<5	15	5	4.05	<1	39	285	54	4.19	<10	3.95	633	<1	0.11	171	380	16	10	<20	24	0.14	<10	76	<10	5	35
29	39229	5	1.0	4.63	<5	15	10	5.81	<1	43	333	51	5.36	<10	6.49	1213	<1	0.07	173	320	18	20	<20	30	0.13	<10	138	<10	5	49
30	39230	5	>30	3.20	185	25	<5	5.80	3	37	239	74	7.10	<10	4.13	6233	3	0.05	149	230	282	75	<20	50	0.03	<10	98	<10	1	454
31	39231	5	0.4	4.18	<5	15	<5	4.10	<1	39	323	49	4.90	<10	5.11	882	<1	0.12	154	370	20	10	<20	30	0.18	<10	116	<10	7	38
32	39232	5	0.8	3.79	<5	15	<5	2.89	<1	35	300	49	4.60	<10	4.71	816	<1	0.10	147	310	20	<5	<20	20	0.13	<10	93	<10	4	36
33	39233	5	<0.2	3.25	<5	15	<5	3.91	<1	32	242	49	3.44	<10	3.55	405	<1	0.09	140	320	16	10	<20	81	0.16	<10	40	<10	3	29
34	39234	5	<0.2	4.51	<5	15	10	4.11	<1	48	360	55	5.79	<10	5.88	780	<1	0.06	163	280	22	<5	<20	17	0.24	<10	115	<10	4	54
35	39235	5	0.2	4.27	<5	15	5	4.26	<1	38	321	53	4.66	<10	5.06	623	<1	0.05	153	360	20	5	<20	19	0.26	<10	83	<10	5	34
36	39236	10	0.8	3.71	<5	15	<5	2.85	<1	40	340	56	4.98	<10	4.84	554	<1	0.03	168	310	14	<5	<20	18	0.19	<10	73	<10	3	46
37	39237	10	0.6	4.82	<5	20	5	4.71	<1	45	400	55	6.15	<10	6.26	1087	<1	0.01	161	360	16	<5	<20	15	0.20	<10	152	<10	7	44
38	39238	5	2.0	4.28	<5	20	10	6.49	<1	41	337	53	6.75	<10	5.59	2516	3	<0.01	155	360	12	<5	<20	30	0.01	<10	122	<10	5	54
39	39239	5	<0.2	4.04	<5	15	10	6.20	<1	38	356	28	5.29	<10	5.23	886	<1	0.01	139	300	10	<5	<20	20	0.16	<10	130	<10	4	38
40	39240	5	<0.2	3.98	<5	15	15	6.02	<1	39	327	8	5.42	<10	5.10	1280	<1	0.01	140	250	10	<5	<20	25	0.16	<10	125	<10	4	78
41	39241	5	0.2	4.51	<5	20	5	4.04	<1	44	396	60	6.11	<10	5.96	876	<1	<0.01	161	460	14	<5	<20	21	0.16	<10	136	<10	5	51
42	39242	5	0.2	4.02	<5	20	10	2.78	<1	43	331	60	6.26	<10	4.66	713	<1	0.02	138	650	14	<5	<20	9	0.21	<10	97	<10	4	56


KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS - AS96-5386

ECO-TECH LABORATORIES LTD.

Et#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC/DATA:																															
Resplit:																															
1	39201	5	<0.2	3.96	<5	15	5	3.21	<1	40	281	50	4.64	<10	4.94	661	<1	0.13	185	270	20	10	<20	27	0.14	<10	73	<10	3	36	
36	39236	10	<0.2	3.79	<5	20	10	2.64	<1	43	363	59	5.15	<10	4.96	566	<1	0.04	176	330	16	<5	<20	16	0.20	<10	75	<10	3	43	
Repeat:																															
1	39201	5	<0.2	4.16	<5	20	5	3.50	<1	41	298	54	4.65	<10	5.00	667	<1	0.15	191	280	14	15	<20	32	0.14	<10	75	<10	4	36	
10	39210	5	0.2	2.55	<5	20	5	5.84	2	35	316	50	5.69	<10	2.70	865	2	0.03	121	1040	14	10	<20	23	0.10	<10	173	<10	6	103	
19	39219	5	9.6	3.61	60	25	15	5.09	6	39	273	51	6.35	<10	3.97	5678	<1	0.04	137	430	52	30	<20	32	0.13	<10	120	<10	4	438	
31	39231	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
36	39236	-	0.8	3.81	<5	15	10	2.73	<1	41	350	56	5.13	<10	4.97	569	<1	0.04	174	330	18	5	<20	19	0.20	<10	78	<10	3	48	
40	39240	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																															
GEO 96		150	1.2	1.78	65	145	5	1.83	<1	19	64	74	4.19	<10	1.02	726	<1	0.01	24	760	24	<5	<20	52	0.11	<10	78	<10	3	68	
GEO 96		150	1.2	1.73	65	150	5	1.82	<1	19	62	72	4.14	<10	1.00	711	<1	0.01	23	760	24	<5	<20	50	0.11	<10	76	<10	3	68	

d/5398
 XLS/96Kenrich#4
 Fax to John Kowalchuk 604-886-3346
 & Mail to Vancouver


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

4-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AS 96-5387

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 29
Sample type: Core
PROJECT #: Kenrich Mining
SHIPMENT #: Core#18
Samples submitted by: J. Dennis

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	39243	5	<0.2	4.09	<5	15	5	4.64	<1	37	276	47	4.35	<10	5.28	710	<1	0.11	150	230	6	<5	<20	24	0.16	<10	84	<10	4	37
2	39244	5	5.6	4.02	65	20	<5	5.45	3	46	287	48	6.64	<10	5.05	3992	2	0.07	181	230	22	5	<20	36	0.03	<10	119	<10	3	367
3	39245	5	1.4	4.43	<5	15	<5	5.27	<1	40	276	54	5.45	<10	5.15	1879	<1	0.13	151	240	8	<5	<20	29	0.07	<10	112	<10	3	69
4	39246	5	<0.2	4.16	<5	15	<5	3.61	<1	42	318	57	4.64	<10	4.76	709	<1	0.13	187	310	10	<5	<20	25	0.14	<10	83	<10	5	33
5	39247	5	<0.2	3.82	<5	15	<5	4.11	<1	37	261	49	3.58	<10	3.60	485	<1	0.07	177	300	8	<5	<20	52	0.15	<10	48	<10	4	28
6	39248	10	<0.2	4.49	<5	10	5	4.34	<1	26	200	37	3.03	<10	2.81	533	<1	0.02	104	230	12	15	<20	26	0.13	<10	56	<10	4	48
7	39249	5	10.0	3.66	80	20	5	8.13	3	34	212	47	7.30	<10	4.01	4979	4	0.06	131	230	102	50	<20	27	0.03	<10	88	<10	2	306
8	39250	5	1.6	1.72	10	20	<5	>10	1	35	225	60	6.10	<10	1.64	1403	10	0.04	124	1150	8	40	<20	35	0.06	<10	145	<10	7	90
9	39251	10	<0.2	2.93	<5	20	5	7.28	<1	42	336	56	5.94	<10	3.35	944	<1	0.06	155	540	4	<5	<20	22	0.16	<10	182	<10	6	51
10	39252	5	<0.2	3.26	<5	20	5	5.60	<1	41	313	52	5.24	<10	3.96	820	<1	0.08	151	460	6	<5	<20	21	0.20	<10	114	<10	7	58
11	39253	5	<0.2	3.31	<5	15	10	3.98	<1	37	287	46	5.13	<10	4.06	713	<1	0.07	144	400	8	<5	<20	16	0.17	<10	84	<10	5	52
12	39254	5	<0.2	3.94	<5	20	10	3.58	<1	39	307	50	6.06	<10	5.02	849	<1	0.05	147	400	10	<5	<20	14	0.20	<10	103	<10	6	59
13	39255	5	1.2	3.62	35	20	5	6.93	8	39	292	48	5.84	<10	4.33	1376	<1	0.03	149	330	100	20	<20	47	0.12	<10	125	<10	7	432
14	39256	5	<0.2	3.90	<5	20	5	3.09	<1	43	340	53	6.08	<10	5.14	1065	<1	0.05	153	430	10	<5	<20	15	0.30	<10	149	<10	9	72
15	39257	5	2.4	4.14	15	20	5	4.70	2	38	314	48	6.11	<10	5.21	2710	<1	0.03	138	440	14	15	<20	34	0.13	<10	158	<10	7	206
16	39258	5	20.2	3.85	60	25	5	3.84	10	42	304	68	8.17	<10	3.92	4133	1	0.03	143	360	42	10	<20	25	0.11	<10	150	<10	2	744
17	39259	5	<0.2	3.51	<5	15	10	2.41	<1	42	345	54	4.94	<10	4.41	764	<1	0.08	164	400	10	<5	<20	14	0.23	<10	104	<10	6	57
18	39260	5	<0.2	3.44	<5	15	10	2.06	<1	39	308	56	4.59	<10	4.15	518	<1	0.07	168	320	12	<5	<20	55	0.24	<10	62	<10	6	40
19	39261	5	<0.2	3.96	<5	15	10	3.98	<1	46	349	59	5.34	<10	4.48	790	<1	0.11	195	400	12	<5	<20	22	0.31	<10	113	<10	10	40
20	39262	5	24.6	2.72	140	30	10	2.97	16	44	235	58	>10	<10	3.90	10000	5	0.03	170	290	30	10	<20	21	0.06	<10	96	<10	<1	1547
21	39263	10	2.0	4.32	25	20	10	5.14	<1	46	340	56	6.58	<10	5.44	2006	<1	0.07	173	310	12	<5	<20	44	0.16	<10	146	<10	7	81
22	39264	5	<0.2	3.41	<5	15	<5	3.35	<1	40	285	58	4.77	<10	4.21	662	<1	0.08	154	360	10	<5	<20	19	0.22	<10	77	<10	6	41
23	39265	5	1.8	4.69	10	20	5	3.61	<1	46	333	61	6.94	<10	6.31	1610	<1	0.03	148	390	12	<5	<20	26	0.24	<10	126	<10	6	81
24	39266	5	<0.2	3.48	<5	15	5	3.13	<1	39	297	53	4.85	<10	4.41	654	<1	0.07	152	310	10	<5	<20	16	0.23	<10	87	<10	6	35
25	39267	5	0.6	3.79	35	15	10	5.18	<1	42	306	53	5.92	<10	4.78	1563	<1	0.04	163	320	10	<5	<20	31	0.13	<10	115	<10	5	131

10/07/96 10:30

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5387

ECO-TECH LABORATORIES LTD.

Et #	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
28	39268	10	<0.2	4.58	<5	20	5	5.90	<1	45	365	52	6.33	<10	6.43	947	<1	0.02	141	340	10	<5	<20	26	0.39	<10	157	<10	12	48	
27	39269	5	<0.2	4.28	<5	20	<5	2.03	<1	47	331	60	5.95	<10	5.23	678	<1	0.08	168	380	12	<5	<20	22	0.33	<10	94	<10	6	52	
28	39270	5	<0.2	4.11	<5	20	5	2.13	<1	44	313	49	6.20	<10	5.07	752	<1	0.04	162	390	12	<5	<20	22	0.16	<10	81	<10	3	48	
29	39271	5	<0.2	4.08	<5	20	10	3.29	<1	42	337	55	6.10	<10	4.96	877	<1	0.09	161	460	10	<5	<20	16	0.28	<10	117	<10	8	60	
QC DATA:																															
Repeat:																															
1	39243	5	<0.2	4.18	<5	15	<5	4.81	<1	38	286	47	4.54	<10	5.40	739	<1	0.10	158	240	8	<5	<20	24	0.15	<10	86	<10	4	40	
10	39252	5	<0.2	3.15	<5	20	5	5.51	<1	40	307	50	5.17	<10	3.87	805	<1	0.08	151	450	8	<5	<20	22	0.17	<10	110	<10	6	56	
19	39261	5	<0.2	4.01	<5	15	10	4.00	<1	46	351	61	5.38	<10	4.58	797	<1	0.10	198	410	10	<5	<20	21	0.28	<10	114	<10	10	40	
Resplit:																															
1	39243	5	<0.2	4.19	<5	15	<5	4.81	<1	40	305	50	4.70	<10	5.58	780	<1	0.09	164	250	12	<5	<20	22	0.14	<10	88	<10	4	41	
Standard:																															
GEO98		150	1.4	1.88	55	145	<5	1.94	<1	21	66	77	4.41	<10	1.08	769	<1	0.02	25	800	20	<5	<20	53	0.12	<10	83	<10	3	70	

dl/5387
 XLS/98Kenrich
 Fax to John Kowalchuk 604-888-3346
 & Mail to Vancouver


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

10/07/98 16:36 09604 573 4557

4-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AS 96-5388

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 19

Sample type: CORE

PROJECT #: KENRICH MINING

SHIPMENT #: CORE #19

Samples submitted by: C.LOUIE

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	39272	5	<0.2	2.90	<5	15	10	8.60	<1	31	241	46	3.56	<10	3.31	533	<1	0.02	109	290	4	10	<20	42	0.32	<10	77	<10	7	28
2	39273	5	0.4	3.71	<5	20	10	4.33	<1	43	311	50	5.13	<10	4.98	864	<1	0.04	153	330	8	15	<20	21	0.36	<10	114	<10	10	35
3	39274	5	<0.2	4.62	<5	20	20	6.28	<1	48	378	56	6.30	<10	5.97	1335	<1	0.02	174	320	6	20	<20	31	0.45	<10	182	<10	13	49
4	39275	10	5.6	4.79	10	25	<5	6.21	<1	42	290	48	7.28	<10	5.74	5140	3	<0.01	154	360	12	50	<20	37	0.02	<10	103	<10	4	52
5	39276	5	0.6	4.21	<5	30	10	8.44	<1	43	330	49	5.56	<10	5.47	1636	<1	0.02	153	340	6	10	<20	44	0.25	<10	154	<10	9	38
6	39277	5	0.2	3.45	<5	15	15	5.64	<1	36	318	61	4.56	<10	3.83	710	<1	0.04	125	350	4	5	<20	19	0.35	<10	109	<10	10	40
7	39278	5	0.4	4.86	<5	25	5	5.06	1	46	374	78	6.28	<10	4.32	746	<1	0.03	134	520	8	5	<20	14	0.44	<10	178	<10	13	86
8	39279	10	<0.2	3.65	<5	20	5	5.00	<1	42	361	59	4.74	<10	4.08	667	<1	0.04	152	360	6	5	<20	21	0.36	<10	100	<10	10	37
9	39280	10	0.4	3.55	<5	15	10	3.66	1	37	213	68	5.21	<10	3.35	621	<1	0.06	89	530	8	5	<20	12	0.33	<10	123	<10	12	92
10	39281	5	0.8	4.05	10	15	<5	4.51	<1	42	325	69	5.29	<10	4.09	681	<1	0.03	116	390	8	5	<20	11	0.27	<10	121	<10	8	56
11	39282	5	9.2	3.14	50	25	5	8.01	<1	36	291	59	5.53	<10	4.39	2101	<1	<0.01	105	310	12	25	<20	46	0.11	<10	127	<10	5	125
12	39283	10	0.4	3.81	<5	25	10	6.36	1	37	322	54	5.54	<10	4.27	1105	<1	0.03	93	450	8	10	<20	31	0.27	<10	168	<10	12	63
13	39284	10	1.0	4.23	<5	25	<5	4.68	<1	41	412	65	6.07	<10	4.96	1503	<1	0.03	124	450	8	30	<20	32	0.20	<10	175	<10	11	52
14	39285	15	1.4	4.57	<5	20	10	5.68	<1	43	488	51	6.13	<10	5.76	1793	<1	0.03	132	300	4	10	<20	32	0.15	<10	195	<10	7	45
15	39286	15	2.4	3.88	20	25	<5	8.38	<1	37	347	52	5.77	<10	5.11	2193	2	<0.01	118	340	2	20	<20	42	0.03	<10	125	<10	5	49
16	39287	10	0.4	5.87	<5	20	10	5.05	<1	48	491	63	6.26	<10	5.08	815	<1	<0.01	166	620	8	5	<20	16	0.34	<10	170	<10	10	50
17	39288	5	0.4	5.10	<5	30	<5	6.40	<1	48	780	68	6.55	<10	6.32	973	<1	<0.01	218	800	6	5	<20	34	0.28	<10	150	<10	9	54
18	39289	15	0.2	5.43	<5	30	10	6.12	<1	50	750	64	6.94	<10	6.75	1086	<1	<0.01	208	1240	6	5	<20	39	0.31	<10	183	<10	12	64
19	39290	5	0.6	5.26	<5	35	<5	5.88	2	50	799	80	7.09	<10	5.98	984	<1	0.01	227	1970	6	5	<20	31	0.33	<10	189	<10	16	95


KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5388

ECO-TECH LABORATORIES LTD.

Et#	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Resplit:																														
1	39272	5	<0.2	3.06	<5	15	10	9.51	<1	33	250	46	3.86	<10	3.47	548	<1	0.03	115	300	4	15	<20	43	0.33	<10	81	<10	8	25
Repeat:																														
1	39272	5	<0.2	2.91	<5	15	10	9.90	<1	31	238	49	3.52	<10	3.31	534	<1	0.03	109	290	2	15	<20	44	0.31	<10	77	<10	7	25
10	39281	5	1.0	4.12	10	20	10	4.52	<1	41	324	73	5.27	<10	4.11	683	<1	0.04	116	380	4	<5	<20	13	0.28	<10	123	<10	8	54
19	39290	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Standard:																														
GEO'96		155	1.2	2.17	60	155	<5	2.00	<1	21	74	80	4.02	<10	1.15	769	<1	0.02	28	750	16	<5	<20	66	0.16	<10	95	<10	5	68

df/5388
 XLS/96Kenrich
 Fax @: John Kowalchuk 604-688-3348


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

10-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AS 98-5402

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V8C 3A8

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 26
Sample type: CORE
PROJECT #: KENRICH MINING
SHIPMENT #: CORE #20
Samples submitted by: J.DENNIS

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39291	5	<0.2	2.75	<5	35	15	2.62	<1	32	69	40	9.02	<10	1.49	890	<1	0.02	10	1220	8	<5	<20	17	0.45	<10	234	<10	9	93
2	39292	5	<0.2	2.92	<5	65	15	1.42	<1	31	17	20	>10	<10	2.36	919	<1	0.02	6	2130	8	<5	<20	19	0.29	<10	146	<10	13	117
3	39293	120	1.0	2.46	75	35	15	1.69	<1	40	33	20	8.58	<10	1.55	599	6	<0.01	15	2630	14	<5	<20	5	0.23	<10	109	<10	12	109
4	39294	165	1.8	2.45	65	30	10	3.09	<1	34	20	7	6.87	<10	1.91	690	2	<0.01	15	2460	12	<5	<20	10	0.22	<10	75	<10	15	102
5	39295	510	4.0	2.36	170	30	15	3.16	<1	32	29	8	7.63	<10	1.78	632	4	<0.01	12	2280	16	<5	<20	11	0.19	<10	79	<10	12	104
6	39296	210	2.2	2.22	60	30	15	3.51	<1	30	20	11	6.72	<10	1.99	770	1	0.01	5	2250	32	<5	<20	12	0.27	<10	89	<10	17	127
7	39297	45	<0.2	2.68	40	35	15	4.92	<1	28	8	8	6.17	<10	2.65	1022	<1	<0.01	8	2360	56	<5	<20	16	0.24	<10	96	<10	20	193
8	39298	55	1.0	2.37	65	25	15	1.85	<1	30	18	11	6.62	<10	2.29	806	<1	0.01	7	2170	46	<5	<20	6	0.27	<10	97	<10	18	153
9	39299	60	1.4	1.91	65	30	15	3.77	<1	34	25	21	5.64	<10	1.78	841	<1	0.01	23	2330	76	<5	<20	12	0.30	<10	94	<10	20	181
10	39300	210	2.6	1.66	60	30	15	3.66	<1	29	32	16	5.98	<10	1.34	762	<1	0.01	12	2210	50	<5	<20	14	0.26	<10	74	<10	17	175
11	39801	135	2.8	1.76	80	25	10	4.96	<1	29	52	15	5.96	<10	1.60	825	2	<0.01	13	2320	24	<5	<20	25	0.28	<10	90	<10	19	134
12	39802	90	1.6	1.47	75	30	10	6.43	1	38	26	10	5.41	<10	1.20	820	<1	<0.01	26	2250	22	<5	<20	20	0.23	<10	81	<10	18	118
13	39803	110	1.4	1.86	95	25	15	6.13	<1	32	34	10	6.21	<10	1.76	1004	1	<0.01	17	2320	28	<5	<20	19	0.25	<10	89	<10	18	126
14	39804	515	10.2	1.45	215	25	15	3.83	1	31	66	35	7.96	<10	1.02	687	6	0.01	21	1920	246	<5	<20	12	0.24	<10	85	<10	13	314
15	39805	155	19.0	2.85	145	35	20	3.00	<1	41	13	11	8.98	<10	2.07	1484	4	0.02	30	2580	104	<5	<20	9	0.24	<10	96	<10	20	209
16	39806	405	19.6	2.97	135	30	20	2.18	1	45	20	13	8.38	<10	2.18	958	<1	0.03	31	2770	24	<5	<20	15	0.30	<10	119	<10	22	164
17	39807	375	10.4	2.56	100	30	15	2.01	1	35	16	30	8.49	<10	1.97	1063	1	0.02	12	2200	310	<5	<20	7	0.28	<10	108	<10	17	322
18	39808	440	18.0	2.39	250	30	20	2.02	4	42	28	18	6.73	<10	1.47	771	4	0.02	27	2190	220	<5	<20	5	0.27	<10	91	<10	16	489
19	39809	205	4.0	2.14	70	40	15	3.05	1	44	22	12	7.78	<10	1.33	1095	<1	0.02	16	3000	46	<5	<20	12	0.32	<10	107	<10	24	264
20	39810	215	4.4	2.19	115	40	20	4.92	<1	46	17	11	7.75	<10	1.21	1239	<1	0.02	21	2670	26	<5	<20	18	0.31	<10	102	<10	22	166

10/10/96 16:04

KENRICH MINING CORPORATION

ICP CERTIFICATE OF ANALYSIS AS 96-5402

ECO-TECH LABORATORIES LTD.

Et #	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
21	39811	10	0.4	3.00	10	140	15	3.42	1	31	16	18	8.13	<10	2.00	1295	<1	0.02	11	2470	14	<5	<20	14	0.32	<10	121	<10	20	173	
22	39812	5	<0.2	3.00	<5	55	20	6.51	<1	26	18	21	7.89	<10	1.85	1086	<1	0.03	3	2010	18	<5	<20	37	0.37	<10	116	<10	17	141	
23	39813	5	<0.2	3.10	<5	45	10	2.20	<1	53	40	66	8.26	<10	2.24	912	<1	0.02	33	950	8	<5	<20	12	0.44	<10	180	<10	17	90	
24	39814	5	<0.2	3.11	<5	35	15	3.62	<1	46	34	56	7.83	<10	1.65	886	<1	0.02	28	920	8	<5	<20	17	0.56	<10	169	<10	20	74	
25	39815	5	<0.2	3.23	<5	30	10	4.70	<1	44	36	57	7.64	<10	1.70	848	<1	0.02	25	790	8	<5	<20	19	0.46	<10	153	<10	14	75	
26	39816	10	<0.2	3.22	<5	25	15	4.01	<1	43	36	60	7.17	<10	1.61	718	<1	0.02	24	740	8	<5	<20	16	0.48	<10	162	<10	16	68	
QC DATA:																															
Resplit:																															
1	39291	5	<0.2	2.90	<5	40	20	2.70	1	38	67	45	>10	<10	1.52	910	<1	0.02	11	1240	8	<5	<20	19	0.51	<10	246	<10	11	103	
Repeat:																															
1	39291	5	<0.2	2.63	<5	25	20	2.44	<1	30	64	35	8.31	<10	1.42	824	<1	0.01	9	1140	10	<5	<20	11	0.41	<10	213	<10	8	91	
10	39300	220	2.8	1.72	60	30	15	3.93	<1	32	34	19	8.05	<10	1.40	786	<1	0.01	14	2370	48	<5	<20	18	0.30	<10	78	<10	20	181	
19	39809	-	3.8	2.00	60	35	20	2.97	1	43	22	11	7.47	<10	1.22	1043	<1	0.02	15	2920	48	<5	<20	10	0.33	<10	104	<10	23	269	
Standard:																															
GEO'96		145	1.0	1.84	65	160	<5	1.84	<1	19	63	73	4.26	<10	1.02	741	<1	0.01	22	750	18	<5	<20	58	0.11	<10	80	<10	5	70	
GEO'96		145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

10/10/98 16:02 39804 3/3 4337

d/5402
 XLS/96Kenrich
 Fax to John Kowalchuk 604-688-3346
 & Mail to Vancouver


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

10-Oct-86

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AS 96-5403

KENRICH MINING CORPORATION
910-510 BARRARD STREET
VANCOUVER, BC
V6C 3A8

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 16
Sample type: CORE
PROJECT #: Kenrich Mining
SHIPMENT #: CORE#21
Samples submitted by: J. Dennis

Post-It™ Fax Note	7671E	Date	OCT 10	# of pages	5
To	J. Kowalchuk	From	Donna		
Co./Dept.	JORDAN 5102 / 5103 / 5104				
Phone #	ACT TO FOLLOW				
Fax #					

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39817	5	<0.2	3.38	<5	45	20	2.27	2	35	30	40	>10	<10	2.22	1096	<1	0.01	10	1730	6	<5	<20	12	0.34	<10	278	<10	12	131
2	39818	5	<0.2	3.41	<5	75	15	1.39	<1	32	21	30	>10	<10	2.92	1110	1	0.02	7	1910	8	<5	<20	18	0.27	<10	186	<10	10	121
3	39819	40	<0.2	3.83	25	60	20	1.57	<1	51	18	27	>10	<10	2.59	1390	1	0.02	21	1920	10	<5	<20	6	0.30	<10	231	<10	13	130
4	39820	15	0.4	2.32	30	40	15	1.58	<1	35	38	15	6.91	<10	1.13	573	2	0.01	14	3000	12	<5	<20	7	0.28	<10	88	<10	17	111
5	39821	210	3.4	1.33	90	30	10	2.21	<1	34	55	9	6.18	<10	0.57	282	3	<0.01	20	2400	14	<5	<20	6	0.21	<10	51	<10	11	115
6	39822	100	0.8	3.16	105	40	20	1.63	1	39	7	8	>10	<10	2.41	1054	6	0.02	14	2810	12	<5	<20	8	0.19	<10	106	<10	14	151
7	39823	110	0.2	2.90	110	35	15	2.48	1	37	18	15	8.17	<10	2.01	972	<1	0.02	14	2720	14	<5	20	14	0.30	<10	117	<10	20	124
8	39824	445	6.8	1.70	120	20	25	2.64	<1	31	29	9	9.81	<10	0.83	400	9	<0.01	10	1890	18	<5	<20	<1	0.20	20	60	<10	7	131
9	39825	85	1.4	1.81	75	30	10	5.82	<1	33	21	8	6.22	<10	1.48	916	<1	0.01	17	2390	22	<5	<20	17	0.27	<10	87	<10	18	100
10	39826	365	2.0	2.03	265	35	15	1.96	<1	35	22	17	7.96	<10	1.49	739	6	0.01	13	2720	152	<5	<20	8	0.20	<10	75	<10	16	233
11	39827	90	1.8	2.16	70	30	20	2.67	1	34	27	14	7.30	<10	1.41	843	<1	0.02	13	2850	90	<5	<20	9	0.30	<10	81	<10	23	234
12	39828	75	0.2	1.97	30	40	15	2.77	1	37	34	10	6.32	<10	1.44	801	<1	0.02	22	2810	50	<5	<20	10	0.29	<10	87	<10	24	185
13	39829	115	2.8	1.27	85	30	10	4.24	<1	35	74	15	5.15	<10	0.77	579	<1	<0.01	25	2040	58	<5	<20	10	0.24	<10	66	<10	14	107
14	39830	60	2.4	2.00	65	35	15	3.45	<1	40	27	10	6.44	<10	1.35	743	<1	<0.01	24	2950	36	<5	<20	6	0.23	<10	83	<10	18	137
15	39831	100	2.2	2.98	100	40	20	2.38	<1	37	23	9	8.24	<10	1.70	1037	3	0.02	20	2850	24	<5	<20	5	0.23	<10	104	<10	16	149
16	39832	10	<0.2	3.38	<5	225	20	1.77	<1	25	16	4	9.67	<10	1.99	1282	3	0.01	4	2540	18	<5	<20	11	0.17	<10	91	<10	14	130

9-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5405

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 9
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: NOT INDICATED

Values in ppm unless otherwise reported

Et #.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	38097	>1000	>30	0.35	8970	85	185	0.10	<1	21	118	717	5.12	<10	0.08	1257	8	<0.01	5	40	458	585	20	11	<0.01	<10	7	<10	<1	270
2	38098	>1000	>30	0.30	725	65	<5	0.17	<1	6	164	>10000	4.65	<10	0.04	1081	11	<0.01	5	20	528	100	20	3	<0.01	<10	5	<10	<1	72
3	38099	5	0.6	0.64	40	130	10	4.72	<1	24	15	55	7.68	<10	2.75	1625	7	<0.01	5	2430	4	<5	<20	299	<0.01	<10	26	<10	<1	49
4	38100	>1000	>30	0.09	8210	60	<5	0.12	<1	50	75	7625	>10	<10	0.42	>10000	18	<0.01	16	<10	132	<5	20	5	0.02	<10	6	<10	<1	367
5	38957	925	<0.2	0.66	40	35	10	3.39	<1	9	33	24	5.23	<10	0.72	637	10	0.02	6	960	12	<5	<20	84	<0.01	<10	9	<10	6	49
6	39053	15	0.8	0.41	80	30	<5	0.38	<1	10	30	56	4.45	<10	0.01	162	24	<0.01	22	1900	14	<5	<20	12	<0.01	<10	12	<10	2	88
7	39054	5	0.6	0.51	60	40	<5	0.40	3	9	30	41	4.57	<10	0.10	180	23	<0.01	34	650	32	<5	20	17	<0.01	10	12	<10	<1	304
8	39056	5	0.4	0.27	50	30	5	0.05	<1	8	20	18	4.84	<10	<0.01	150	28	<0.01	17	550	12	<5	20	5	<0.01	10	4	<10	<1	45
9	39058	5	0.6	0.88	80	40	<5	8.43	<1	43	117	58	5.23	<10	3.14	1512	3	<0.01	165	270	<2	20	<20	95	<0.01	<10	35	<10	4	34

QC DATA:

Resplit:																															
1	38097	>1000	>30	0.31	9595	75	195	0.11	<1	22	94	684	5.03	<10	0.08	1309	6	<0.01	3	30	432	520	20	12	<0.01	<10	8	<10	<1	265	
Repeat:																															
1	38097	>1000	>30	0.36	9205	85	185	0.10	<1	21	118	728	5.16	<10	0.08	1254	8	<0.01	4	40	460	580	<20	11	<0.01	<10	8	<10	<1	263	
5	38957	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Standard:																															
GEO'96		150	1.2	1.92	65	145	<5	1.88	<1	20	66	74	4.26	<10	1.03	736	<1	0.02	23	770	24	<5	<20	57	0.13	<10	85	<10	4	74	

df/5387
XLS/96Kenrich#4
Fax to John Kowalchuk 604-688-3346

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CS

10/18/96 10:01

11-Oct-86

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AS 96-5406

KENRICH MINING CORPORATION
910-510 BURRARD STREET
VANCOUVER, BC
V6C 3A8

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: J. KOWALCHUK/ K. TROCIUK

No. of samples received: 2
Sample type: SOIL
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: NOT INDICATED


Values in ppm unless otherwise reported

Et#.	Tag#	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	39607	225	1.6	1.62	205	215	<5	1.13	12	29	46	151	8.33	<10	1.17	9905	7	0.02	75	2320	20	<5	<20	67	0.11	<10	86	<10	4	408
2	39608	470	5.0	2.96	95	125	<5	0.82	2	41	58	183	8.68	<10	2.39	1927	7	0.01	35	2210	40	<5	<20	31	0.09	<10	121	<10	4	158

QC DATA:

Repeat:																															
1	39607	350	1.8	1.63	195	215	<5	1.12	13	29	47	151	8.31	<10	1.18	9837	7	0.02	75	2310	24	<5	<20	66	0.10	<10	86	<10	4	404	
Standard:																															
GEO'96		150	1.2	1.73	70	160	<5	1.74	<1	18	58	73	3.96	<10	0.97	705	<1	0.01	21	710	18	<5	<20	60	0.11	<10	75	<10	6	68	

d/5337
XLS/96Kenrich#4
Fax to John Kowalchuk 604-688-3346
& Mail to Vancouver


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer