GETTY COPPER CORP.
1000 Austin Ave.
Coquitlam, B. C. V3K 3P3
(604) 931-3231 / 2814 fax

Toronto Stock Exchange symbol: GTY

REPORT ON SOIL AND STREAM SEDIMENT GEOCHEMICAL SURVEYS PERFORMED AT THE GETTY NORTH (KRAIN), GETTY SOUTH (TROJAN) AND GETTY WEST (TRANSVAAL) AREAS OF HIGHLAND VALLEY, BRITISH COLUMBIA, CANADA (MAY 1996 - SEPTEMBER 1996).

KAMLOOPS MINING DIVISION
NTS 92 I 10W/11E
Lat: 121^0 00′ Long: 50 ^{0} 35′

BRUCE J. PERRY, M. Sc., Ph. D.
Highland Valley Project Office
145 Apex Dr., Logan Lake, B. C.
V0K 1W0 (250) 523-9616 / 9315 fax

January 08, 1997

MINERAL SURVEY BRANCH
ASSESSMENT REPORT

25,048

TABLE OF CONTENTS

SUMMARY 1

LOCATION AND ACCESS 1

CLAIM STATUS 4

PREVIOUS GEOCHEMICAL SURVEYS 4

GEOLOGY OF THE PROPERTY 5

CURRENT GEOCHEMICAL EXPLORATION PROGRAM 9

CONCLUSIONS 10

REFERENCES 12

STATEMENT OF COSTS 13

QUALIFICATIONS 14

TABLES

TABLE 1. CLAIM STATUS 6

TABLE 2. STATEMENT OF COSTS 13

FIGURES

FIGURE 1. PROPERTY LOCATION MAP 2

FIGURE 2. CLAIM MAP 3

FIGURE 3A. SOIL SURVEY AND STREAM SEDIMENT SURVEY LOCATIONS ... (back pocket)

FIGURE 3B. DISTRIBUTION OF COPPER: A HORIZON SOIL ... (back pocket)

FIGURE 3C. DISTRIBUTION OF COPPER: B HORIZON SOIL ... (back pocket)

FIGURE 3D. DISTRIBUTION OF IRON: A HORIZON SOIL ... (back pocket)

FIGURE 3E. DISTRIBUTION OF IRON : B HORIZON SOIL ... (back pocket)

FIGURE 3F. DISTRIBUTION OF MOLYBDENUM, SILVER, GOLD: A, B HORIZON SOIL ... (back pocket)

FIGURE 3G. DISTRIBUTION OF COPPER AND GOLD IN STREAM SEDIMENTS ... (back pocket)

APPENDICES

APPENDIX A CERTIFICATES OF ASSAY

APPENDIX B LETTER-APPLICATION FOR PORTABLE ASSESSMENT CREDIT (PAC)

SUMMARY

The purpose of this report is to support an application for portable assessment credit (Appendix B). This report covers the period May 15, 1996 to September 30, 1996. Costs claimed include those of consulting, soil and stream sediment (silt) samples, assaying soil and silt samples, preparation of surface plans showing distribution of copper, iron, molybdenum, gold and silver over areas surveyed, interpreting the results of the surveys, and the preparation of this report (Table 2. Statement of Costs).

As part of an extensive program of exploration and development, Getty Copper Corp. is conducting geochemical surveys on its Highland Valley mineral tenure in the Kamloops Mining District of British Columbia, Canada. During the period covered by this report, 4,376 soil samples and 134 silt samples were collected, and 3,558 soil samples and 134 silt samples were assayed by 28 element ICP and Au fire assay methods (Eco-Tech Labs, Kamloops; Chemex Labs, Vancouver). Soil sampling took place on the 1995 IP grid and extensions of this grid, while stream sediment sampling was conducted along various streams and drainages throughout the property (Figure 3A. Soil Survey and Stream Sediment Survey Locations). Sampling was done at these locales for the purposes of obtaining data that would be used during selection of targets for diamond drilling.

LOCATION AND ACCESS

Getty Copper Corp.'s Highland Valley mineral tenure comprises approximately 110 sq. km of mineral rights, the south boundary of which is located approximately 3 km north of the Highland Valley Copper Mine, currently one of the largest open pit copper mines in the world. The property is adjacent to the past producing Bethlehem Mine property (Figure 1. Property Location Map). The claims are located on and around Woods Creek, Forge Mountain, Cinder Hill and Bose Hill in an area of moderate relief, 1500 to 1830 meters above sea level. The Town of Logan Lake is located approximately 15 km to the east southeast, and Kamloops is situated about 70 km to the northeast of the property. Access to the property from B. C. Highway 97C, connecting the towns of Logan Lake and Ashcroft, is via the Bose Lake Forest Service Rd., which connects with B. C. Highway 97C at the old Bethlehem Mine property approximately 15 km west of the Town of Logan Lake. From this point, it is 3.5 km north on Bose Lake F. S. Rd. to Krain Rd., which is followed due north to the Getty South Deposit and camp/yard area at approximately 5.5 km, and to the Getty North Deposit area, which is at approximately 10 km. The Krain Rd. intersects the Forge Mtn. F. S. Rd. at approximately 11.5 km, at the boundary of the Transvaal Crown Grants (Getty Copper Corp. / Globe Resources Ltd. option). Except during Winter, one may return to the Krain Rd. from the Transvaal area via the Transvaal Rd. which joins the Krain R. at approximately 5 km on the Krain Rd. Alternate access to the Getty West-Transvaal area and the Getty North-Krain Deposit area can be gained from B.C. Highway 97C at approximately 5 km west of the Highland Valley Copper Mine viewpoint near the Bethlehem Mine by following the Cinder Hill F. S. Rd. for approximately 2.5 km to the Forge Mtn. F. S. Rd., and thence east approximately 6 km to the Getty West-Transvaal area.





Figure 1.

PROPERTY LOCATION MAP

Watts, Griffis and McOuat

Figure 2
Claim Map



CLAIM STATUS

Getty Copper Corp.'s Highland Valley mineral tenure is comprised of contiguous, staked mineral claims (600 units) and Crown granted mineral claims (Trojan / South Seas property, 24 units; Transvaal property, 9 units) encompassing approximately 110 sq. km. (Figure 2. Claim Map; Table 1. Claim status). All of the key claims (262 units) are in good standing until the year 2006, either because of approved assessment work credit, or because they are Crown Granted mineral claims which do not require yearly assessment work. The more recently staked claims (in 1996, 370 units) are in good standing until at least March, 1997. A Statement of Work being prepared for filing in early 1997 will bring the new claims to good standing until the year 2001. A substantial proportion of the key claims are held by the Company by virtue of agreements with Robak Industries Ltd. and Globe Resources Ltd., both of Coquitlam, B. C.

PREVIOUS GEOCHEMICAL SURVEYS

Since the turn of the century, various portions of the property have been explored by various individuals and mining companies. The most significant results of the historic explorations were the discoveries of the Krain Deposit (presently referred to as the Getty North Deposit) and the Trojan / South Seas Deposit (presently referred to as the Getty South Deposit). Other discoveries of significant copper mineralization were made at the Transvaal, Imperial, Highland, Glossie, and Canzac properties, all of which are contained within the Company's present mineral tenure. Several geochemical surveys are known to have been performed within the present mineral tenure. Previous geochemical soil surveys performed within, or near, the Company's present mineral tenure are:

Company	(B. C. assessment report #)	Year	Location of survey
Tri-Side Mining Corp.	(131)	1956	E. side of Bose Hill
Green Bay Mining Co.	(171)	1957	NE. of Krain deposit
Northwestern Exploration Ltd.	(207)	1958	Krain area
Cominco/Valley Copper Mines	(784)	1966	S. of Company's property
Mastodon Highland Bell Mines Ltd.	(2184)	1969	S. of Company's property
South Seas Mining Corp.	(2158)	1969	MARSZ claim, 1 mi. west of Trojan
Noranda	(1917)	1969	Krain deposit and area
Continental Cinder	(2193)	1970	Cinder Hill area
Crest Laboratories Ltd.	(2312)	1970	Guichon Creek drainage
Croydon Mines Ltd.	(2490)	1970	Cinder Hill
North Pacific Mines Ltd.	(806)	?	S. Forge Mtn.
South Seas Mining Corp.	(2788)	1970	MOX etc. claims, west of Trojan
United Hearn Resources	(6277)	1977	N. of Company property / N. Forge Mtn. area
Robak Ind.	(12902)	1984	Krain deposit area

GEOLOGY OF THE PROPERTY

(Summarized from: Gower, 1993; Gower, 1995; Blann, 1996; Watts Griffis McOuat, 1996)

The Highland Valley area porphyry copper deposits, including those found within Getty Copper Corp.'s mineral tenure, occur within the Upper Triassic (205-230 m.a.) granodioritic Guichon Creek Batholith, which intrudes Permian and Triassic sedimentary and volcanic strata. Locally, these rocks are overlain unconformably by early Jurassic to mid-Tertiary sedimentary and volcanic strata.

The Bethlehem, Lornex, Highmont, Valley and JA deposits occur in rocks similar to those hosting the Getty North Deposit (includes the Krain deposit), Getty South Deposit (includes the Trojan/South Seas deposit) and Getty West / Transvaal mineralization and underground workings. In the unweathered portions of these deposits and showings, copper occurs principally as the sulphides chalcopyrite >> bornite > chalcocite > covellite, while in the weathered/oxidized portions of some these deposits and showings, copper occurs principally as copper carbonates (malachite, azurite) > native copper > copper phyllosilicate (chrysocolla) > copper oxides (cuprite, tenorite). The deposits generally display alteration zoning typical of porphyry-copper systems, consisting of a potassium enriched core surrounded by argillic + phyllic zones which are in turn surrounded by intense, pervasive propylitic alteration that decreases outward from the deposit until only chlorite/epidote fracture filling in otherwise fresh rock remains as the distal indication of the presence of the porphyry copper system.

The Getty North Deposit, situated in the north-central portion of the Guichon Creek Batholith, is underlain predominantly by Guichon variety quartz diorite, and has been intruded by Bethlehem phase porphyry dikes and various other smaller, moderate to weakly porphyritic intrusive units. Ore occurs mainly in very altered Guichon (monzo)granodiorite in close proximity to Bethlehem phase intrusives. At these locales, the margins of the dikes usually contain substantial concentrations of copper, and occasionally contribute to the ore reserves. The deposit is approximately 300 m NW by 200 m NE by 300 m deep and is open at depth to the northwest, west, and south. A thick, well developed oxide cap produced by surface weathering has been preserved over the central and northern parts of deposit, and may exceed 100 m in thickness. In this layer, oxidation of primary ore sulphides is generally complete, and copper exists as malachite, azurite, chrysocolla, cuprite, tenorite, chalcocite and native copper. Primary sulphides generally occur beneath the oxidized zone. The deposit may have been fragmented by faulting, especially on its west side, where movement within the orebody along a steep (-75°), westerly-dipping splay of the Krain fault appears to have caused vertical displacement of ore on the order of 400 - 500 feet. The latest global resource estimate calculated for the Getty North Deposit is approximately 80,000,000 tonnes grading 0.31 % Cu (pers. comm., December, 1996; D. McCombe; Watts, Griffis, McOuat).

The Getty South (Trojan / South Seas) deposit is contained within a large body of polymictic breccia of undetermined depth, having surface dimensions of approximately 500 m by 300 m. The breccia zone is slightly elongated along its N-S axis, appears to be fault bounded on its eastern side, and dips moderately to the west. The breccia consists of fragments of Guichon quartz diorite, porphyritic quartz diorite and dacite porphyry cemented together by cryptocrystalline tourmaline and quartz. Chalcopyrite is the primary copper ore mineral, bornite is infrequent. In the near-surface weathered layer, malachite and native copper also occur in addition to chalcopyrite. Accessory gangue minerals include brown mica, calcite, chlorite, and specular hematite. Previous underground

Table 1: Claim Status

Claim #	Tenure #	Units	Grp #	Expiry	Claim #	Tenure #	Units	Grp #	Expiry
Getty 1	221561	1	5	16-Aug-06	Getty 42	218433	1		13-May-06
Getty 2	221562	1	5	16-Aug-06	Getty 43	218434	1		13-May-06
Getty 3	221563	1	5	16-Aug-06	Getty 44	218435	1		13-May-06
Getty 4	221564	1	5	16-Aug-06	Getty 45	218436	1	4	15-May-06
Getty 5	221565	1	5	16-Aug-06	Getty 46	218437	1		15-May-06
Getty 6	221566	1	5	16-Aug-06	Getty 47	218438	1		15-May-06
Getty 7	221567	1	5	16-Aug-06	Getty 48	218439	8	4	17-May-06
Getty 8	221568	1	5	16-Aug-06	Getty 49	218440	1	4	16-May-06
Getty 9	221569	1	5	16-Aug-06	Getty 50	218441	1	4	16-May-06
Getty 10	221570	1	5	16-Aug-06	Getty 51	218442	1	4	16-May-06
Getty 11	221571	1	5	16-Aug-06	Getty 52	218443	1	4	16-May-06
Getty 12	221572	1	5	16-Aug-06	Getty 53	218444	1	4	17-May-06
Getty 13	221573	1	5	16-Aug-06	Getty 54	218445	4	4	19-May-06
Getty 14	221574	1	5	16-Aug-06	Getty 55	218446	1	4	19-May-06
Getty 15	221575	1	5	16-Aug-06	Getty 56	218447	1	4	19-May-06
Getty 16	221576	1	5	16-Aug-06	Getty 57	218448	1		19-May-06
Getty 17	221577	1	5	16-Aug-06	Getty 58	218449	1		19-May-06
Getty 18	221578	1	5	16-Aug-06	Getty 59	218450	1		19-May-06
Getty 19	221579	1	5	16-Aug-06	Getty 60	218451	1	4	19-May-06
Getty 20	221580	1	5	16-Aug-06	Getty 61	218489	9	4	06-Jun-06
Getty 21	221581	1	5	16-Aug-06	Getty 62	218490	9	4	06-Jun-06
Getty 22	221582	1	5	16-Aug-06	Getty 63	218491	1	4	06-Jun-06
Getty "A"	221585	1	5	16-Aug-06	Getty 64	218492	1	4	06-Jun-06
Getty 23	221583	1	4	16-Aug-06	Getty 65	218493	1	4	06-Jun-06
Getty 24	221584	1	4	16-Aug-06	Getty 66	218494	1	4	06-Jun-06
Getty 26	218221	8		07-Jan-06	Getty 67 Fr	218495	1	4	06-Jun-06
Getty 27	218222	1		05-Jan-06	Getty 68	218496	1	4	07-Jun-06
Getty 28	218223	1		05-Jan-06	Getty 69	218497	1	4	07-Jun-06
Getty 29	218224	1		05-Jan-06	Getty 70	218498	1	4	07-Jun-06
Getty 30	218225	1		07-Jan-06	Getty 71	218499	1	4	07-Jun-06
Getty 31	218226	1	4	06-Jan-06	Getty 72	218500	1	4	08-Jun-06
Getty 32	218227	1	4	06-Jan-06	Getty 73	218501	1	4	08-Jun-06
Getty 33	218228	1		06-Jan-06	Getty 74	218502	1	4	08-Jun-06
Getty 34	218229	1		06-Jan-06	Getty 75 Fr	218503	1	4	08-Jun-06
Getty 35	218230	1		06-Jan-06	Getty 76 Fr	218504	1	4	08-Jun-06
Getty 36	218231	1		06-Jan-06	Getty 77 Fr	218505	1	4	08-Jun-06
Getty 37	218232	1		07-Jan-06	Getty 78 Fr	218506	1	4	09-Jun-06
Getty 38	218233	1		07-Jan-06	Getty 79 Fr	218507	1	4	09-Jun-06
Getty 39	218430	1	4	13-May-06	Getty 80	218508	1	4	10-Jun-06

Table 1: Claim Status

Claim #	Tenure #	Units	Grp #	Expiry	Claim #	Tenure #	Units	Grp #	Expiry
Getty 40	218431	1	4	13-May-06	Getty 81	218509	1	4	10-Jun-06
Getty 41	218432	1	4	13-May-06	Getty 82 Fr	218510	1	4	10-Jun-06
Getty 83 Fr	218511	1	4	10-Jun-06	Getty 95	347448	16		16-Jun-06
Getty 85	218513	1	4	11-Jun-06	Getty 96	347449	20		26-Jun-06
Getty 86	218514	1	4	11-Jun-06	Getty 97	347996	20		*04-Jul-97*
Getty 87	218515	1	4	11-Jun-06	Getty 98	350444	20		*10-Sep-97*
Getty 88	218522	1	4	11-Jun-06	Getty 1000	345941	1		*16-May-97*
Getty 89	218523	1	4	11-Jun-06	Getty 2000	345942	1		*16-May-97*
Getty 90	218524	1	4	11-Jun-06	Getty 3000	345943	1		*16-May-97*
Getty 91	218557	1	4	01-Jul-06	Getty 4000	345944	1		*16-May-97*
Getty 92	218558	1	4	01-Jul-06	Getty 5000	345938	1		*17-May-97*
Getty 93	318212	20		16-Jun-06	Getty 6000	345939	1		18-May-06
Getty 94	318213	5		17-Jun-06	Getty 7000	345940	1		18-May-06
Bill No 1	Lot 5601	1		-	Cinder 1	344815	15		*03-Apr-97*
Bill No 3	Lot 5603	1		-	Cinder 2	344816	18		*04-Apr-97*
Bill No 4	Lot 5604	1		-	Cinder 3	344817	20		*02-Apr-97*
Bill No 5	Lot 5605	1		-	Cinder 4	344818	20		*03-Apr-97*
Bill No 6	Lot 5606	1		-	Cinder 5	344819	8		*02-Apr-97*
Bill No 7	Lot 5607	1		-	Cinder 6	344820	20		*02-Apr-97*
Bill No 8	Lot 5608	1		-	Cinder 7	344821	20		*31-Mar-97*
Bill No 9	Lot 5609	1		-	Cinder 8	350442	20		*09-Sep-97*
Bill No 10	Lot 5610	1		-	Cinder 9	350443	9		*08-Sep-97*
Bill No 11	Lot 5611	1		-	Forge 1	344822	1		*03-Apr-97*
Bill No 12	Lot 5612	1		-	Forge 2	344823	1		*03-Apr-97*
Bill No 13	Lot 5613	1		-	Forge 3	344824	1		*03-Apr-97*
Bill No 14	Lot 5614	1		-	Forge 4	344825	1		*03-Apr-97*
Bill No 15	Lot 5615	1		-	Forge 5	344826	1		*01-Apr-97*
Bill No 16	Lot 5616	1		-	Forge 6	344827	1		*01-Apr-97*
AJ No 1 Fr	Lot 5602	1		-	Forge 7	344828	1		*01-Apr-97*
AJ No 1 CG	Lot 5441	1		-	Forge 8	344829	1		*01-Apr-97*
AJ No 2 CG	Lot 5442	1		-	Forge 9	344830	1		*31-Mar-97*
AJ No 3	Lot 5483	1		-	Forge 10	344831	1		*31-Mar-97*
AJ No 4	Lot 5621	1		-	Forge 11	344832	1		*31-Mar-97*
AJ No 5	Lot 5619	1		-	Forge 12	344833	1		*31-Mar-97*
AJ No 6	Lot 5620	1		-	Forge 13	344834	1		*31-Mar-97*
AJ No 7	Lot 5617	1		-	Forge 14	344835	1		*31-Mar-97*
AJ No 8	Lot 5618	1			Forge 15	344836	1		*30-Mar-97*
GTY #1	322034	20	5	*18-Oct-05*	Forge 16	344837	1		*30-Mar-97*
GTY #2	322035	15	5	17-Oct-06	Forge 17	344838	1		*30-Mar-97*

Table 1: Claim Status

Claim #		Tenure #	Units	Grp #	Expiry	Claim #	Tenure #	Units	Grp #	Expiry
Forge	18	344839	1		*30-Mar-97*	Mafeking	Lot 198A	1		-
GTY	#3	322036	6	5	*19-Oct-05*	Imperial	Lot 196A	1		-
BRAM	1	332394	20		29-Oct-06	Transvaal	Lot 194A	1		-
BRAM	2	332395	20		08-Nov-06	Chamberlain	Lot 197A	1		-
Getty	99	352201	8		*23-Oct-97*	Pretoria	Lot 195A	1		-
Getty	100	352202	20		*22-Oct-97*	Pretoria Fr.	Lot 200A	1		-
Getty	101	352203	20		*21-Oct-97*	Highland #2	Lot 4468	1		-
Getty	102	352204	20		*21-Oct-97*	Glenora	Lot 4467	1		-
Getty	103	352205	20		*23-Oct-97*	Ladysmith	Lot 199A	1		-
Getty	104	352206	20		*23-Oct-97*					
Getty	#105	352207	1		*23-Oct-97*					
Getty	#106	352208	1		*24-Oct-97*					
Getty	#107	352209	1		*24-Oct-97*					
Getty	#108	352181	1		*24-Oct-97*					
Getty	#109	352182	1		*24-Oct-97*					
Getty	#110	352183	1		*24-Oct-97*					
Getty	#111	352184	1		*24-Oct-97*					
Getty	112	352185	1		*24-Oct-97*					
Getty	113	352186	1		*24-Oct-97*					
Getty	114	352187	1		*24-Oct-97*					
Getty	115	352188	1		*24-Oct-97*					
Getty	116	353121	20		*20-Dec-97*					
Getty	117	353122	20		*20-Dec-97*					
TOTAL UNITS:			*673*							

development (approximately 1800 m) accessed mineralized zones grading 0.39% Cu over 95 m, 0.19% over 105 m, and 0.58% over 69 m. A geological resource of 35,000,000 tonnes grading 0.47% Cu is inferred by Gower (1992).

The Getty West - Transvaal area hosts numerous surface showings of chalcopyrite, malachite, azurite and chrysocolla. Historically, a small amount of high grade copper ore was mined from narrow structures accessed by the Transvaal adit and the Chamberlain shaft. Gold has been reported in two zones containing high grade copper mineralization (0.04 oz Au/tonne with 1.8% Cu; and 0.07 oz Au/tonne with 4.8% Cu). The Transvaal area is underlain by Guichon quartz diorite which has been intruded by Bethlehem phase quartz diorite porphyry dikes and stocks. West and northwest of the Transvaal area these rocks have been intruded by what appears to be a (Tertiary) biotite-quartz-latite plug and associated dikes. Copper mineralization at the Getty West - Transvaal area is spatially related to the Bethlehem phase intrusives. Numerous intensely altered, well mineralized granitic crush zones are exposed at the surface.

1996 GEOCHEMICAL SURVEYS

Soil sampling

Geochemical soil sampling was conducted at 100 m spacing along 120 km of existing, E-W oriented, grid lines cut for the Company's 1995 IP survey and along 12 km of extensions of this grid to the northeast and southeast (Figure 3A. Soil Survey and Stream Sediment Survey Locations). Where available, separate samples of A-horizon and B-horizon material were collected at each sampling location and placed into separate Kraft-paper soil sample bags. The samples were hung to air-dry in the Company's warehouse in Logan Lake before they were shipped to Eco-Tech Laboratories Ltd., Kamloops, B. C.. The samples were analyzed at the lab by ICP spectroscopy for 28 elements including Cu, Fe, Ag, and Mo. Additionally, some of the B-horizon samples and many of the A-horizon samples were analyzed for Au by fire assay - graphite furnace atomic absorption spectroscopy. The results were plotted on surface plans (Figures 3A - 3F) and also as line profiles. Follow-up, detailed sampling was performed at 25 m intervals along several lines in various areas that contained sites from which anomalous concentrations of copper were obtained. The results lead to the identification of several areas of geochemical interest (Figure 3E.), which are discussed below.

Stream sediment (silt) sampling

Geochemical stream sediment sampling was performed at 250 m intervals along several streams and drainages located on the property (Figure 3A. Soil Survey and Stream Sediment Survey Locations). The samples were air-dried in the Company's warehouse in Logan Lake, and then shipped to Chemex Labs, Vancouver, B. C.. The minus 180 mesh fraction was obtained and analyzed by ICP spectroscopy for 28 elements (including Cu, Fe, Ag, and Mo) and for Au by fire assay - graphite furnace atomic absorption spectroscopy. The results for Cu and Au were plotted onto a 1: 15,000 scale surface plan (Figure 3G).

CONCLUSIONS

Areas of Interest Identified by Geochemical Surveys (1996)

Area 1 This area of interest contains 3 distinct anomalous zones:

The central zone contains the soil geochemical signature of the Trojan / South Seas copper deposit. This zone is roughly circular in plan, and has a diameter of approximately 350 metres. It is distinguished from background by high copper concentrations in the B-horizon, and by B-horizon copper to iron ratios which increase toward the center of the zone. This zone is on the northeast flank of the Getty South I.P. anomaly.

West and southwest of the old Trojan Mine, anomalous copper concentrations, along with elevated copper to iron ratios, exist in B-horizon soils within a north-south trending area that lies mostly west of the creek, and occasionally beyond the western boundary of the Getty (Trojan) Crown Grants. The fact that anomalous copper concentrations exist to the west, on the opposite side of the creek, suggests that copper mineralized bedrock may exist upslope from the creek.

Anomalously high concentrations of copper occur to the east and southeast of the Trojan deposit within an irregular shaped area approximately 400 m by 900 m. Contained within this is a north-east trending geochemically anomalous zone which is defined by high copper to iron ratios in B Horizon soil. Follow-up prospecting revealed weak copper mineralization in bedrock Guichon granodiorite over approximately 100 m on Line 200 N at about 2100-2200 E. In addition, "Trojan style" breccia ± chalcopyrite + malachite was found over an area 25 m wide by 60 m long on Line 00 N at approximately 2450 E. An excavator was brought into both areas, additional bedrock exposure was gained, and mapping and rock sampling was conducted. Further prospecting is warranted northeast of the area along the spatial trend of high copper to iron ratios in the B-horizon soil.

Area 2 This area is approximately 2 km east northeast of the Trojan deposit, and encompasses part of the southeast flank of Bose Hill at the contact between the Guichon granodiorite and the overlying Tertiary volcanics. The area was re-visited after follow-up, detailed soil sampling confirmed the presence of anomalous concentrations of copper in the B-horizon soil. However, no indication of bedrock copper mineralization was found. To the north and upslope from this area is located a large, subdued I. P. anomaly that is covered by the volcanics. Perhaps the chemical anomaly is caused by copper escaping from this I.P. anomaly, migrating along the Tertiary volcanics - granodiorite contact, and accumulating down-slope.

Area 3 This area is approximately 250-400 m wide by 1700 m long, and forms a continuous band between the Trojan deposit area and the Krain deposit area to the north. Within this area, very high concentrations of copper occur in the B-horizon, often exceeding 1000 ppm, and Cu:Fe in the B-horizon is distinctly elevated. The area of interest contains a long, narrow N/S trending ravine, which is thought by some workers to be the surface expression of the Lornex fault. South of L2300N, highly anomalous concentrations of copper in soil generally occur west of the ravine, while north of 2300N the zone widens and very high concentrations of copper are found in B-horizon soil for 200-250m both to the east and to the west of the creek. After the results of the detailed soil sampling were received, the area was prospected. Very little outcrop exists in the ravine south of 2300N. An old pit dug by hand into the west side of the ravine at 2300N/2275E contained

abundant malachite in subcropping Guichon granodiorite. North of 2300N, malachite was observed in Guichon granodiorite outcrop at many locations along the ravine. On the flat above and west of the ravine, an old drill road runs along the west side of the area of interest. A branch of this old road crosses the ravine at about 2600N and continues east to join Krain Rd just north of the old settling pond at 8.5 km on the Krain Rd.

Area 4 This arcuate-shaped area lies on the east and northeast flanks of Bose Hill near the contact between the Guichon granodiorite and Tertiary volcanics. The area contains numerous pits and trenches (mostly Canzac, 1962-65) and is directly adjacent to, and down-slope of, a large, subdued I. P. anomaly defined by both Canzac (circa 1964) and the Company (1995). East of Bose Hill, the Guichon granodiorite appears fresh and unmineralized, but the soil contains elevated copper concentrations. These may be the result of hydromorphic dispersion from the I.P. anomaly located upslope, under the Tertiary volcanics. Two of Canzac's trenches located north and east of the I.P. anomaly were re-excavated recently, and malachite mineralization was found in both. A narrow set of complex fractures carrying chalcopyrite and bornite, referred to by Canzac as the "bornite vein", was found on the northeast flank of Bose Hill at approximately 3200N 4350E, not far below the Tertiary/Guichon contact. The presence of copper mineralization in favorable bedrock at several locations near the Tertiary covered I.P. anomaly, combined with the geochemical halo represented by this geochemical area of interest, makes the Tertiary covered I.P. anomaly a very important drilling target.

Area 5 This area contains soil geochemical signatures of parts of both the Krain and Transvaal Deposits. Portion 5a is coincident with an area of high chargeability within the northern half of the Getty West/Transvaal I.P. anomaly, while Portion 5b is coincident with the southwestern portion of the Getty North/Krain I. P. Anomaly. The geochemical results support the importance of these two I. P. anomalies as important drilling targets.

Area 6 This large area of geochemical interest is approximately 900 m - 1600 m wide by 1000 m long, and contains the soil geochemical signature of the Getty North / Krain deposit. The center of the deposit, as presently defined by drilling, lies at approximately 3875N/1800E on the northwestern edge of the geochemical area of interest. Its subcrop should extend over a slightly ovoid area approximately 250m by 300m, but north of 3950N the deposit is overlain by Tertiary volcanics. The Tertiary cover very effectively attenuates the soil geochemical signature associated with the northern portion of this deposit. Within the area of the deposit's subcrop not covered by Tertiary volcanics, and also immediately down slope to the east of the deposit, concentrations of copper contained within the B-horizon occasionally exceed 1000 ppm.

Besides the small, discrete zone of very high copper concentrations above and near the Krain deposit, another discrete zone that contains similarly high concentrations of copper in the B-horizon soil is centered at approximately 3200N/2225E. This zone is approximately 250m wide and 400m long, and covers a distortion on the southeastern flank of the Getty North / Krain I.P. anomaly. This is a very high priority drill target.

Area 7 This area hosts a small anomalous zone that lies on the west-northwest flank of the Getty West / Transvaal I. P. anomaly. Other than follow-up detailed geochemical sampling, the area has not been re-visited, and consequently the source of the anomalous copper concentrations found in the B-horizon soil is not yet known.

REFERENCES

Blann, D. E. (1996) Report on the Getty Copper Property, Highland Valley, British Columbia. *for* Getty Copper Corp. 1000 Austin Ave., Coquitlam, B. C.

Gower, S. C. (1996) Report on diamond drilling on the Getty North Property. *for* Getty Copper Corp. 1000 Austin Ave., Coquitlam, B. C.

Gower, S. C. (1993) Preliminary Evaluation of the Getty West Mineral Prospect. *for* Globe Resources Inc. 1000 Austin Ave., Coquitlam, B. C.

Gower, S. C., (1992) Compilation report on the Getty South property. *for* J. B. Lepinski, 1000 Austin Ave., Coquitlam, B. C. V3K 3P3

Skopos, M. J. (1996) Geology and Evaluation Report of the Getty Copper Project, Highland Valley, British Columbia. *for* Getty Copper Corp., 1000 Austin Ave., Coquitlam, B. C. V3K 3P3

Watts, Griffis and McOuat Ltd. (1996) Getty Copper Corp. Highland Valley Project Summary. Watts, Griffis and McOuat Ltd., Toronto. *for* Getty Copper Corp., 1000 Austin Ave., Coquitlam, B. C. V3K 3P3

STATEMENT OF COSTS

This statement of costs includes costs incurred during the period May 15, 1996 to September 30, 1996 in connection with soil and stream sediment geochemical surveys performed on Getty Copper Corp.'s Highland Valley mineral tenure, which consists of approximately 110 sq. km. of contiguous, staked mineral claims and Crown-granted mineral claims. The worked covered by this Statement of Cost consisted of field supervision; collecting soil samples (4,376); collecting silt samples (134), assaying 3,558 soil and 134 silt samples for copper and other metal concentrations, production of plans and profiles of element distributions. and the preparation of this report (Total: $88,802). The entire amount is to be credited to the portable assessment credit account (PAC) of Getty Copper Corp.

TABLE 2. Costs of Geochemical Surveys at Highland Valley Project (May 15, 1996 to September 30, 1996).

Wages: 6 Summer students (sampling crew); I. Saunders and B Perry (supervisors)		$44,454
Assaying (Eco-tech Labs, Kamloops; Chemex Labs, Vancouver)		$32,348
Plotting, interpretations, report writing (Getty Copper Corp. staff)		$12,000
	Total	$88,802

STATEMENT OF QUALIFICATIONS

I, BRUCE J. PERRY (Ph. D.), of Kamloops, B.C., do hereby certify that:

1) I obtained a Geology Specialist B. Sc. Degree (with distinction) from the University of Toronto in 1987, an M. Sc. Degree in Geology and Analytical Geochemistry from the University of Toronto in 1990, and a Ph. D. Degree in Geology and Analytical Geochemistry from the University of Toronto in 1994.

2) I have been Practicing as a Geologist and Analytical Geochemist nearly continuously for a period of approximately 10 years, and have worked in this capacity for a variety of mining, exploration and consulting companies in Canada.


3) In British Columbia, I have been continuously employed as a Geologist, working in the field of mineral exploration, development and production, since August, 1993. I hold B. C. Supervisor certification for surface exploration, open pit and underground operations (each valid until 2001).

4) I am registered with the Association of Professional Engineers and Geoscientists of the Province of B.C. as a practicing Geologist, and have applied for P. Geo. designation within the Association.

5) I have been working on contract to Getty Copper Corp.'s Highland Valley Project, exclusively and continuously, since April 04, 1996, initially as assistant Manager until mid-December 1996, then as Manager, through to the present.

BRUCE J. PERRY, M. Sc. , Ph. D.
LOGAN LAKE, B.C.
January 08, 1996

Appendix A
Certificates of Assay




EoTech

REDONE DETAILED SAMPLING:
LINES: 2600, 2900, 3750, 4000,
4250, 4550, 5000, 7001N.

12-Aug-96
ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-662

Post-it™ Fax Note 7671E	Date Aug 14	# of pages ▸ 6
To	From	
Co./Dept	Co. JOB 6662	
Phone #	Phone #	
Fax #	Fax #	

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 146
Sample type: Soil
PROJECT #: None given
SHIPMENT #: None given

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L2600N 4750 E B	<0.2	1.12	<5	165	<5	0.46	<1	10	30	39	3.34	<10	0.31	304	<1	<0.01	12	220	8	<5	<20	79	0.13	<10	119	<10	<1	54
2	L2600N 4775 E B	<0.2	1.64	<5	190	<5	0.53	<1	15	32	64	3.84	<10	0.69	486	<1	<0.01	17	280	10	<5	<20	54	0.18	<10	124	<10	<1	153
3	L2600N 4825 E B	<0.2	1.51	<5	150	<5	0.48	<1	14	34	63	3.85	<10	0.66	413	<1	<0.01	16	370	10	<5	<20	55	0.16	<10	122	<10	<1	142
4	L2600N 4850 E B	<0.2	1.56	<5	160	<5	1.07	1	12	26	187	2.98	<10	0.57	591	<1	0.01	17	1180	10	<5	<20	97	0.10	<10	76	<10	5	150
5	L2600N 4875 E B	0.4	1.34	15	95	<5	4.09	<1	6	18	433	1.71	<10	0.55	213	1	0.01	18	1080	8	<5	<20	242	0.03	40	95	<10	19	27
6	L2600N 4925 E B	<0.2	2.06	<5	170	<5	0.42	<1	9	28	24	3.02	<10	0.24	298	<1	<0.01	16	2860	10	<5	<20	33	0.10	<10	81	<10	<1	90
7	L2600N 4950 E B	<0.2	1.83	<5	115	<5	0.22	<1	8	24	15	2.61	<10	0.16	205	<1	<0.01	16	2020	10	<5	<20	15	0.10	<10	70	<10	<1	56
8	L2600N 4975 E B	<0.2	1.05	<5	90	<5	0.25	<1	9	34	17	3.32	<10	0.16	279	1	<0.01	14	1030	6	<5	<20	16	0.09	<10	122	<10	<1	41
9	L2600N 5025 E B	<0.2	2.80	<5	225	<5	0.32	<1	11	27	65	2.99	<10	0.45	364	<1	<0.01	22	1010	14	<5	<20	28	0.12	<10	72	<10	<1	80
10	L2600N 5050 E B	<0.2	1.64	<5	155	<5	0.28	<1	9	24	24	2.59	<10	0.22	298	<1	<0.01	15	990	10	<5	<20	26	0.10	<10	75	<10	<1	57
11	L2600N 5075 E B	<0.2	0.91	<5	75	<5	0.30	<1	9	38	24	3.57	<10	0.23	161	<1	<0.01	14	590	6	<5	<20	23	0.09	<10	136	<10	<1	35
12	L2600N 5125 E B	<0.2	2.74	<5	150	<5	0.20	<1	10	17	24	2.39	<10	0.22	454	<1	<0.01	18	3940	14	<5	<20	14	0.13	<10	46	<10	<1	109
13	L2600N 5175 E B	<0.2	1.54	<5	270	<5	0.40	<1	9	21	23	2.65	<10	0.30	1813	<1	<0.01	14	520	10	<5	<20	30	0.11	<10	75	<10	<1	130
14	L2600N 5225 E B	<0.2	1.88	<5	240	<5	0.42	<1	11	21	24	2.73	<10	0.40	2721	<1	<0.01	17	800	14	<5	<20	31	0.11	<10	71	<10	<1	211
15	L2600N 5250 E B	<0.2	2.07	<5	220	<5	0.41	<1	16	35	60	4.29	<10	0.67	934	<1	<0.01	20	340	14	<5	<20	43	0.14	<10	138	<10	<1	142
16	L2600N 5275 E B	<0.2	2.17	<5	190	5	0.46	<1	16	33	53	4.11	<10	0.69	384	<1	<0.01	19	440	14	<5	<20	48	0.16	<10	125	<10	<1	110
17	L2600N 5325 E B	<0.2	1.78	<5	205	<5	0.36	<1	10	20	40	2.40	<10	0.44	1010	<1	<0.01	14	590	12	<5	<20	31	0.10	<10	60	<10	<1	118
18	L2600N 5375 E B	<0.2	1.19	<5	140	<5	0.28	<1	9	32	17	3.71	<10	0.20	230	2	<0.01	14	1020	8	<5	<20	16	0.07	<10	132	<10	<1	56
19	L2900N 5025 E B	0.4	4.27	10	325	<5	1.50	1	18	54	498	5.87	20	1.23	1531	4	0.03	50	1040	14	<5	<20	111	0.07	<10	101	<10	36	103
20	L2900N 5050 E B	<0.2	1.59	<5	185	<5	0.49	<1	15	33	47	4.01	<10	0.70	395	<1	<0.01	18	460	8	<5	<20	77	0.17	<10	131	<10	<1	94
21	L2900N 5075 E B	<0.2	1.99	<5	225	5	0.41	<1	12	24	32	2.97	<10	0.54	905	<1	<0.01	16	430	12	<5	<20	48	0.14	<10	80	<10	<1	118
22	L2900N 5125 E B	<0.2	1.21	<5	90	5	0.25	<1	8	26	15	2.55	<10	0.19	227	<1	<0.01	11	350	8	<5	<20	17	0.10	<10	81	<10	<1	40
23	L2900N 5150 E B	<0.2	1.32	<5	140	<5	0.15	<1	8	16	14	2.15	<10	0.24	167	<1	<0.01	10	440	10	<5	<20	18	0.10	<10	61	<10	<1	106
24	L2900N 5175 E B	<0.2	1.87	<5	135	<5	0.10	<1	8	17	15	1.77	<10	0.13	210	<1	0.01	11	1380	12	<5	<20	7	0.10	<10	38	<10	<1	82
25	L2900N 5225 E B	<0.2	2.58	<5	190	<5	0.24	<1	11	36	31	3.65	<10	0.30	153	<1	<0.01	20	1130	12	<5	<20	17	0.12	<10	114	<10	<1	57

GETTY COPPER CORPORATION ICP CERTIFICATE OF ANALYSIS AK 96-662 **ECO-TECH LABORATORIES LTD.**

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L2900N 5250 E B	<0.2	2.51	<5	200	<5	0.23	<1	11	25	36	3.11	<10	0.42	545	<1	<0.01	18	900	14	<5	<20	29	0.11	<10	83	<10	<1	121
27	L2900N 5275 E B	<0.2	1.96	<5	180	<5	0.27	<1	10	20	20	2.69	<10	0.33	830	<1	<0.01	17	900	12	<5	<20	20	0.11	<10	70	<10	<1	153
28	L2900N 5325 E B	<0.2	1.60	<5	125	<5	0.35	<1	12	36	61	3.80	<10	0.43	341	<1	<0.01	19	980	10	<5	<20	26	0.11	<10	126	<10	<1	59
29	L2900N 5350 E B	<0.2	2.43	<5	185	<5	0.41	<1	10	24	29	3.00	<10	0.40	246	3	<0.01	21	2110	14	<5	<20	26	0.10	<10	69	<10	<1	81
30	L2900N 5500 E B	<0.2	1.74	<5	95	<5	0.38	<1	5	17	103	1.81	<10	0.25	143	<1	0.02	14	280	10	<5	<20	25	0.08	<10	30	<10	10	29
31	L3750N 3725 E B	<0.2	1.44	<5	140	<5	0.62	<1	10	35	45	2.75	<10	0.42	318	<1	0.02	19	300	8	<5	<20	51	0.11	<10	76	<10	7	35
32	L3750N 3750 E B	<0.2	2.33	<5	190	<5	0.75	<1	13	42	53	3.53	<10	0.54	568	<1	0.02	26	350	10	<5	<20	65	0.12	<10	84	<10	8	48
33	L3750N 3775 E B	<0.2	1.56	<5	120	5	0.31	<1	10	38	23	3.05	<10	0.30	220	<1	0.01	18	430	8	<5	<20	27	0.11	<10	86	<10	<1	54
34	L3750N 3825 E B	<0.2	3.90	<5	250	<5	1.15	<1	16	46	236	4.58	10	0.69	597	<1	0.03	36	330	14	<5	<20	71	0.13	<10	68	<10	12	101
35	L3750N 3850 E B	<0.2	3.50	<5	240	<5	1.04	<1	18	46	72	4.34	10	0.72	807	<1	0.03	34	390	12	<5	<20	73	0.12	<10	76	<10	11	68
36	L3750N 3875 E B	<0.2	1.06	<5	100	<5	0.47	<1	8	30	25	2.13	<10	0.37	200	<1	0.01	13	480	8	<5	<20	30	0.12	<10	59	<10	3	33
37	L3750N 3925 E B	<0.2	1.88	<5	120	<5	0.50	<1	11	29	59	3.08	<10	0.69	377	<1	0.01	17	210	14	<5	<20	34	0.13	<10	74	<10	2	98
38	L3750N 3950 E B	<0.2	2.60	<5	110	<5	0.74	<1	22	40	164	5.21	<10	1.42	554	<1	<0.01	25	390	14	<5	<20	44	0.13	<10	140	<10	3	130
39	L3750N 3975 E B	<0.2	1.67	<5	125	<5	0.68	<1	14	35	88	3.06	<10	0.67	636	<1	0.01	19	240	12	<5	<20	49	0.14	<10	77	<10	10	66
40	L3750N 4025 E B	<0.2	1.63	<5	105	<5	0.38	<1	10	28	39	2.47	<10	0.42	243	<1	0.01	17	250	16	<5	<20	24	0.14	<10	60	<10	2	70
41	L3750N 4050 E B	<0.2	2.50	<5	165	<5	0.79	<1	12	30	100	2.81	30	0.62	728	<1	0.01	20	320	16	<5	<20	63	0.10	<10	61	<10	28	59
42	L3750N 4075 E B	<0.2	1.27	<5	95	<5	0.48	<1	12	35	57	3.05	<10	0.49	518	<1	0.01	18	460	12	<5	<20	32	0.12	<10	99	<10	5	57
43	L3750N 4125 E B	0.4	4.43	<5	340	<5	1.15	<1	18	51	127	6.06	<10	1.06	4933	3	0.03	45	980	16	<5	<20	113	0.11	<10	99	<10	12	90
44	L3750N 4150 E B	<0.2	1.15	<5	85	5	0.28	<1	12	35	27	3.75	<10	0.33	663	1	<0.01	15	980	8	<5	<20	23	0.07	<10	129	<10	<1	89
45	L3750N 4175 E B	<0.2	1.89	<5	85	5	0.13	<1	7	17	8	2.34	<10	0.10	184	<1	<0.01	11	2480	12	<5	<20	10	0.10	<10	57	<10	<1	49
46	L3750N 4225 E B	<0.2	1.07	<5	85	5	0.17	<1	7	27	12	2.48	<10	0.13	374	<1	<0.01	11	1090	8	<5	<20	12	0.08	<10	79	<10	<1	48
47	L3750N 4250 E B	<0.2	1.75	<5	85	5	0.15	<1	9	31	16	3.33	<10	0.17	146	<1	<0.01	15	1990	12	<5	<20	13	0.12	<10	98	<10	<1	67
48	L3750N 4275 E B	<0.2	1.95	<5	125	<5	0.64	<1	18	34	81	3.27	<10	0.40	1113	<1	0.01	20	170	10	<5	<20	34	0.12	<10	88	<10	7	49
49	L3750N 4325 E B	<0.2	1.14	<5	75	5	0.41	<1	12	33	28	3.52	<10	0.34	266	<1	<0.01	14	150	10	<5	<20	23	0.15	<10	127	<10	<1	43
50	L3750N 4350 E B	<0.2	1.00	<5	30	<5	0.47	<1	2	4	79	0.68	10	0.10	35	<1	0.02	5	410	4	<5	<20	18	0.05	<10	14	<10	20	10
51	L3750N 4375 E B	<0.2	0.84	<5	40	<5	0.19	<1	6	16	10	1.68	<10	0.16	89	<1	<0.01	7	280	8	<5	<20	11	0.09	<10	45	<10	<1	48
52	L4000N 4125 E B	<0.2	3.21	<5	200	<5	0.34	<1	17	49	69	4.10	<10	0.24	227	<1	0.01	27	1640	14	<5	<20	27	0.12	<10	90	<10	2	42
53	L4000N 4150 E B	<0.2	1.25	<5	95	<5	0.44	<1	11	40	32	2.85	<10	0.27	210	<1	0.01	15	180	8	<5	<20	29	0.14	<10	79	<10	2	29
54	L4000N 4175 E B	<0.2	1.63	<5	130	<5	0.70	<1	13	40	65	3.80	<10	0.45	362	<1	0.02	18	170	10	<5	<20	37	0.13	<10	105	<10	4	47
55	L4000N 4250 E B	<0.2	1.03	<5	65	<5	0.48	<1	10	33	34	3.03	<10	0.36	271	<1	0.01	15	210	6	<5	<20	34	0.10	<10	95	<10	2	35
56	L4000N 4275 E B	<0.2	1.10	<5	105	<5	0.54	<1	12	36	39	3.03	<10	0.28	285	<1	0.01	14	200	8	<5	<20	32	0.11	<10	100	<10	6	36
57	L4000N 4325 E B	<0.2	0.77	<5	65	<5	0.52	<1	8	21	32	2.02	<10	0.33	303	<1	<0.01	13	630	6	<5	<20	22	0.07	<10	64	<10	2	32
58	L4000N 4350 E B	<0.2	2.06	<5	115	<5	1.04	<1	8	18	55	2.22	<10	0.27	198	<1	0.01	11	210	12	<5	<20	31	0.10	<10	50	<10	12	38
59	L4000N 4375 E B	<0.2	2.92	<5	195	<5	0.60	<1	12	21	33	2.95	<10	0.54	229	<1	0.02	18	1220	14	<5	<20	30	0.15	<10	63	<10	2	75
60	L4000N 4425 E B	<0.2	1.62	<5	115	<5	0.78	<1	9	14	62	2.14	<10	0.37	546	<1	0.01	10	240	12	<5	<20	28	0.09	<10	57	<10	11	52

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-662 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L4000N 4450 E B	<0.2	1.90	<5	180	<5	0.89	<1	10	18	38	2.69	<10	0.47	240	<1	0.01	12	260	10	<5	<20	30	0.13	<10	81	<10	4	37
62	L4000N 4475 E B	<0.2	2.70	<5	225	<5	0.35	<1	8	20	18	2.59	<10	0.21	95	<1	0.01	16	2950	14	<5	<20	18	0.12	<10	48	<10	2	53
63	L4000N 4525 E B	<0.2	2.21	<5	140	<5	0.36	<1	8	17	10	2.20	<10	0.15	124	<1	0.01	13	3750	12	<5	<20	14	0.10	<10	42	<10	<1	57
64	L4000N 4550 E B	<0.2	1.28	<5	100	<5	0.44	<1	6	12	18	1.56	<10	0.15	523	<1	0.01	8	310	10	<5	<20	13	0.07	<10	39	<10	3	63
65	L4000N 4575 E B	<0.2	1.30	<5	110	<5	0.42	<1	9	18	28	2.64	<10	0.44	209	<1	<0.01	10	450	10	<5	<20	21	0.09	<10	73	<10	<1	61
66	L4000N 4625 E B	<0.2	2.74	<5	125	<5	1.08	<1	7	14	55	2.09	10	0.30	294	<1	0.03	15	260	14	<5	<20	32	0.09	<10	34	<10	17	40
67	L4000N 4650 E B	<0.2	2.56	<5	175	<5	0.43	<1	11	23	42	3.11	<10	0.32	185	<1	0.01	16	1600	16	<5	<20	19	0.10	<10	78	<10	1	70
68	L4000N 4675 E B	<0.2	1.83	<5	125	<5	0.62	<1	12	35	69	3.48	<10	0.59	171	<1	<0.01	16	440	12	<5	<20	25	0.14	<10	106	<10	<1	43
69	L4000N 4925 E B	<0.2	2.40	<5	195	<5	0.37	<1	11	21	34	2.55	<10	0.47	582	<1	<0.01	15	420	16	<5	<20	32	0.15	<10	56	<10	1	56
70	L4000N 4950 E B	<0.2	2.05	<5	175	<5	0.26	<1	10	16	25	2.30	<10	0.31	1270	<1	<0.01	15	730	16	<5	<20	14	0.13	<10	51	<10	<1	105
71	L4000N 4975 E B	<0.2	2.17	<5	215	<5	0.49	<1	14	23	42	3.27	<10	0.66	1849	<1	<0.01	14	420	10	<5	<20	40	0.16	<10	91	<10	2	113
72	L4000N 5025 E B	<0.2	3.08	<5	280	<5	0.39	<1	15	21	20	3.00	<10	0.51	2849	<1	0.01	19	300	10	<5	<20	23	0.22	<10	68	<10	2	209
73	L4000N 5050 E B	<0.2	3.80	5	280	5	0.52	<1	15	21	48	3.09	<10	0.52	1037	<1	0.02	24	510	14	<5	<20	31	0.23	<10	65	<10	3	164
74	L4000N 5075 E B	<0.2	1.98	<5	150	<5	0.33	<1	11	21	19	2.53	<10	0.38	786	<1	0.01	11	120	8	<5	<20	21	0.12	<10	66	<10	<1	140
75	L4000N 5125 E B	<0.2	1.80	<5	150	<5	0.39	<1	12	36	24	3.46	<10	0.28	437	<1	0.01	18	640	6	<5	<20	24	0.16	<10	98	<10	<1	94
76	L4000N 5150 E B	<0.2	1.34	<5	145	<5	0.42	<1	10	26	16	2.81	<10	0.18	680	<1	0.01	14	1460	6	<5	<20	26	0.13	<10	83	<10	<1	71
77	L4000N 5500 E B	<0.2	1.93	<5	100	<5	0.48	<1	8	24	26	2.49	<10	0.25	181	<1	0.02	12	290	8	<5	<20	24	0.13	<10	58	<10	2	36
78	L4000N 5600 E B	<0.2	1.86	<5	110	<5	0.32	<1	11	33	22	2.97	<10	0.26	183	<1	0.01	14	1040	6	<5	<20	18	0.13	<10	78	<10	<1	52
79	L4000N 5700 E B	<0.2	1.10	<5	135	<5	0.43	<1	9	29	29	2.84	<10	0.19	594	<1	0.02	11	200	4	<5	<20	29	0.15	<10	93	<10	1	49
80	L4250N 4225 E B	<0.2	1.23	<5	85	<5	0.48	<1	11	39	27	3.21	<10	0.29	172	<1	0.02	14	250	4	<5	<20	26	0.15	<10	107	<10	<1	31
81	L4250N 4250 E B	<0.2	3.26	<5	220	<5	1.20	<1	10	27	56	2.80	<10	0.34	421	<1	0.03	23	340	6	<5	<20	42	0.15	<10	49	<10	11	30
82	L4250N 4275 E B	<0.2	1.97	<5	105	<5	0.45	<1	8	19	18	1.95	<10	0.15	177	<1	0.02	14	530	6	<5	<20	22	0.11	<10	44	<10	2	38
83	L4250N 4325 E B	<0.2	3.24	<5	310	<5	1.89	<1	11	33	242	3.36	20	0.43	627	<1	0.04	42	1460	4	<5	<20	65	0.12	<10	83	<10	20	27
84	L4250N 4350 E B	<0.2	1.73	<5	110	5	0.80	<1	16	48	59	4.27	<10	0.61	260	<1	0.02	15	160	4	<5	<20	51	0.21	<10	135	<10	2	39
85	L4250N 4375 E B	<0.2	2.48	<5	160	<5	1.02	<1	15	33	78	3.92	<10	0.63	849	<1	0.02	20	240	4	<5	<20	45	0.15	<10	107	<10	7	51
86	L4250N 4425 E B	<0.2	1.57	<5	75	<5	0.53	<1	12	49	32	3.40	<10	0.36	190	<1	0.02	15	160	4	<5	<20	35	0.19	<10	105	<10	3	37
87	L4250N 4450 E B	<0.2	2.71	<5	135	<5	0.33	<1	12	27	33	3.04	<10	0.30	190	<1	0.01	17	3240	6	<5	<20	23	0.15	<10	70	<10	1	61
88	L4250N 4475 E B	<0.2	2.60	<5	140	<5	0.46	<1	13	34	23	3.15	<10	0.34	842	<1	0.01	23	1500	6	<5	<20	28	0.15	<10	80	<10	<1	106
89	L4250N 4525 E B	<0.2	2.16	<5	195	<5	0.66	<1	12	32	46	3.08	<10	0.48	705	<1	0.01	20	1620	4	<5	<20	54	0.12	<10	89	<10	2	72
90	L4250N 4550 E B	<0.2	3.33	<5	140	<5	1.28	<1	14	37	126	3.82	10	0.60	520	<1	0.02	28	280	4	<5	<20	72	0.14	<10	84	<10	18	40
91	L4250N 4575 E B	<0.2	2.07	<5	80	<5	0.59	<1	10	26	27	2.76	<10	0.29	195	<1	0.02	13	240	6	<5	<20	32	0.13	<10	71	<10	2	59
92	L4250N 4625 E B	<0.2	1.99	<5	130	<5	0.36	<1	13	49	30	3.60	<10	0.27	143	<1	0.02	20	1020	4	<5	<20	27	0.15	<10	100	<10	<1	49
93	L4250N 4650 E B	<0.2	1.85	<5	70	<5	0.35	<1	8	20	16	2.16	<10	0.17	103	<1	0.02	10	210	6	<5	<20	18	0.12	<10	49	<10	<1	35
94	L4250N 4675 E B	<0.2	2.01	<5	110	<5	1.06	<1	12	31	52	3.11	10	0.30	665	<1	0.02	17	180	6	<5	<20	34	0.13	<10	83	<10	11	43
95	L4250N 4725 E B	<0.2	0.68	<5	45	<5	0.32	<1	4	13	6	1.21	<10	0.07	202	<1	0.01	4	210	4	<5	<20	12	0.08	<10	36	<10	1	35

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-662

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L4250N 4750 E B	<0.2	1.57	<5	85	<5	0.41	<1	7	19	19	1.99	<10	0.15	135	<1	0.02	9	290	4	<5	<20	18	0.12	<10	49	<10	2	30
97	L4250N 4775 E B	<0.2	0.96	<5	60	<5	0.21	<1	6	16	22	2.05	<10	0.16	147	<1	<0.01	6	420	6	<5	<20	10	0.14	<10	68	<10	1	49
98	L4250N 4825 E B	<0.2	2.14	<5	155	<5	0.28	<1	10	25	22	2.99	<10	0.22	122	<1	0.01	11	1530	8	<5	<20	15	0.08	<10	70	<10	<1	81
99	L4250N 4850 E B	<0.2	2.10	<5	100	<5	0.83	<1	11	22	29	2.90	<10	0.35	224	<1	0.02	10	130	6	<5	<20	26	0.19	<10	71	<10	4	44
100	L4250N 4875 E B	0.8	1.28	<5	145	<5	1.75	<1	3	11	279	1.07	30	0.19	55	<1	0.03	19	990	6	<5	<20	50	0.07	20	110	<10	35	19
101	L4550N 4325 E B	<0.2	2.35	<5	95	<5	0.27	<1	11	26	38	2.74	<10	0.21	101	<1	0.01	17	1030	10	<5	<20	16	0.17	<10	68	<10	2	32
102	L4550N 4350 E B	<0.2	0.46	<5	25	<5	0.14	<1	3	12	6	0.98	<10	0.05	48	<1	<0.01	3	140	4	<5	<20	8	0.07	<10	32	<10	<1	10
103	L4550N 4375 E B	<0.2	2.36	<5	115	<5	0.34	<1	13	54	31	3.97	<10	0.22	252	<1	0.02	23	2650	8	<5	<20	19	0.17	<10	112	<10	<1	89
104	L4550N 4425 E B	<0.2	2.91	<5	150	<5	1.08	<1	10	24	108	2.73	20	0.27	582	<1	0.03	23	480	8	<5	<20	40	0.13	<10	64	<10	13	40
105	L4550N 4450 E B	<0.2	2.19	<5	110	<5	1.50	<1	12	32	85	3.09	<10	0.32	388	<1	0.02	17	270	8	<5	<20	43	0.14	<10	76	<10	9	31
106	L4550N 4475 E B	<0.2	1.82	<5	125	<5	1.03	<1	13	72	105	5.13	<10	0.73	212	<1	0.03	19	320	6	<5	<20	45	0.20	<10	111	<10	5	38
107	L4550N 4525 E B	<0.2	2.12	<5	95	<5	0.92	<1	16	41	70	3.84	<10	0.45	268	<1	0.02	17	140	6	<5	<20	39	0.16	<10	94	<10	6	33
108	L4550N 4550 E B	<0.2	2.37	<5	95	<5	0.68	<1	8	22	21	2.42	<10	0.19	94	<1	0.03	9	110	6	<5	<20	25	0.13	<10	44	<10	2	20
109	L4550N 4575 E B	<0.2	1.31	<5	80	<5	0.63	<1	10	35	41	3.09	<10	0.29	237	<1	0.02	14	170	6	<5	<20	33	0.13	<10	103	<10	4	41
110	L4550N 4625 E B	<0.2	1.97	<5	130	<5	0.79	<1	10	40	85	3.89	<10	0.54	271	<1	0.03	16	270	12	<5	<20	45	0.14	<10	76	<10	12	37
111	L4550N 4700 E B	0.2	2.90	<5	255	<5	1.25	<1	11	45	525	3.63	50	0.58	355	<1	0.04	52	1150	6	<5	<20	82	0.13	<10	79	<10	52	34
112	L4550N 4800 E B	<0.2	1.69	<5	130	<5	0.35	<1	9	36	29	3.03	<10	0.19	130	<1	0.02	17	1790	4	<5	<20	19	0.11	<10	88	<10	2	35
113	L4550N 4900 E B	<0.2	1.98	<5	85	<5	0.19	<1	8	22	16	2.56	<10	0.14	112	<1	0.02	13	3220	4	<5	<20	11	0.11	<10	56	<10	<1	59
114	L4550N 5000 E B	<0.2	1.26	<5	85	<5	0.23	<1	7	21	11	2.20	<10	0.16	166	<1	0.02	10	840	4	<5	<20	11	0.11	<10	61	<10	<1	41
115	L4550N 5100 E B	<0.2	3.61	<5	365	<5	1.00	<1	22	31	166	4.72	10	1.24	2041	<1	0.02	23	290	14	<5	<20	46	0.20	<10	138	<10	16	180
116	L4550N 5200 E B	<0.2	1.60	<5	165	<5	0.35	<1	7	22	34	2.47	<10	0.33	535	1	0.01	11	500	6	<5	<20	16	0.08	<10	66	<10	<1	96
117	L4550N 5300 E B	<0.2	1.55	<5	240	<5	0.45	<1	6	15	30	1.98	<10	0.20	173	1	0.01	9	2060	6	<5	<20	20	0.08	<10	38	<10	<1	48
118	L4550N 5400 E B	<0.2	1.25	<5	150	<5	1.12	<1	13	50	73	3.86	<10	0.64	356	<1	0.02	23	1210	2	<5	<20	42	0.14	<10	109	<10	5	54
119	L4550N 5600 E B	<0.2	1.19	<5	90	<5	1.23	<1	10	15	43	2.43	<10	0.50	265	2	0.02	10	640	4	<5	<20	31	0.08	<10	66	<10	<1	46
120	L4550N 5700 E B	<0.2	1.81	<5	155	5	0.36	<1	10	21	17	2.45	<10	0.26	1072	<1	0.03	16	940	2	<5	<20	19	0.12	<10	59	<10	<1	87
121	L4550N 5800 E B	<0.2	1.00	<5	80	<5	0.80	<1	6	14	49	1.64	<10	0.22	316	<1	0.03	10	380	4	<5	<20	22	0.08	<10	33	<10	3	21
122	L4550N 5900 E B	<0.2	1.64	<5	150	5	0.19	<1	7	15	6	1.87	<10	0.11	241	1	0.02	12	2360	4	<5	<20	9	0.10	<10	35	<10	<1	49
123	L500N 1625 E B	<0.2	1.92	<5	170	<5	0.27	<1	8	12	20	1.86	<10	0.19	791	<1	0.02	19	1370	6	<5	<20	21	0.13	<10	36	<10	2	86
124	L500N 1650 E B	<0.2	2.42	<5	180	<5	0.25	<1	10	23	17	2.42	<10	0.26	383	<1	0.02	23	240	4	<5	<20	30	0.13	<10	53	<10	<1	62
125	L500N 1675 E B	<0.2	1.56	<5	125	<5	0.18	<1	8	13	11	1.77	<10	0.17	623	<1	0.02	15	650	4	<5	<20	17	0.11	<10	37	<10	<1	71
126	L500N 1725 E B	<0.2	2.98	<5	195	<5	0.22	<1	11	26	32	2.86	<10	0.25	209	1	0.02	26	860	4	<5	<20	31	0.12	<10	58	<10	<1	59
127	L500N 1750 E B	<0.2	1.72	<5	135	<5	0.20	<1	8	23	29	2.11	<10	0.20	636	<1	0.02	18	300	2	<5	<20	23	0.11	<10	46	<10	<1	58
128	L500N 1775 E B	<0.2	2.05	<5	255	<5	0.32	<1	7	16	21	1.97	<10	0.19	636	<1	0.02	21	3080	2	<5	<20	26	0.10	<10	36	<10	<1	51
129	L500N 1825 E B	<0.2	2.20	<5	265	<5	0.32	<1	7	23	172	2.50	<10	0.26	125	1	0.02	19	1590	4	<5	<20	29	0.09	<10	45	<10	<1	38
130	L500N 1850 E B	<0.2	2.21	<5	155	<5	0.23	<1	9	24	22	2.56	<10	0.23	169	<1	0.02	19	2270	2	<5	<20	18	0.12	<10	53	<10	<1	58
131	L500N 1875 E B	<0.2	1.65	<5	130	<5	0.21	<1	9	24	23	2.34	<10	0.24	600	<1	0.02	16	440	4	<5	<20	24	0.11	<10	56	<10	<1	56

GETTY COPPER CORPORATION ICP CERTIFICATE OF ANALYSIS AK 96-662 **ECO-TECH LABORATORIES LTD.**

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
132	L500N 1925 E B	<0.2	1.99	<5	170	<5	0.45	<1	7	21	161	2.17	<10	0.18	133	<1	0.02	19	1920	4	<5	<20	33	0.10	<10	48	<10	3	32
133	L500N 1950 E B	<0.2	2.98	<5	135	<5	0.17	<1	9	18	30	2.63	<10	0.22	199	1	0.02	19	1000	4	<5	<20	14	0.13	<10	54	<10	1	64
134	L500N 1975 E B	<0.2	2.20	<5	130	<5	0.20	<1	8	15	24	2.08	<10	0.15	945	<1	0.02	15	1040	4	<5	<20	11	0.13	<10	45	<10	1	74
135	L500N 2025 E B	<0.2	1.26	<5	145	<5	0.70	<1	7	20	57	2.30	<10	0.32	160	<1	0.02	12	310	<2	<5	<20	33	0.06	<10	58	<10	<1	29
136	L500N 2050 E B	<0.2	1.96	<5	145	<5	0.30	<1	9	25	50	2.66	<10	0.29	615	<1	0.02	18	440	12	<5	<20	26	0.09	<10	65	<10	<1	59
137	L700N 1625 E B	<0.2	1.82	<5	170	<5	0.20	<1	8	14	10	1.79	<10	0.12	692	1	0.02	14	2560	4	<5	<20	21	0.10	<10	33	<10	2	46
138	L700N 1650 E B	<0.2	2.03	<5	190	<5	0.46	<1	7	15	124	1.97	<10	0.22	295	2	0.02	16	1970	<2	<5	<20	37	0.09	<10	39	<10	6	36
139	L700N 1675 E B	<0.2	1.96	<5	195	<5	0.41	<1	9	17	44	2.28	<10	0.30	267	2	0.02	17	1830	<2	<5	<20	32	0.09	<10	46	<10	1	44
140	L700N 1725 E B	<0.2	1.66	<5	325	<5	0.39	<1	7	19	85	2.23	<10	0.27	145	3	0.02	13	2830	4	<5	<20	32	0.09	<10	43	<10	1	71
141	L700N 1775 E B	<0.2	1.49	<5	360	<5	0.71	<1	4	13	47	1.76	<10	0.16	69	2	0.02	11	4240	4	<5	<20	57	0.08	<10	29	<10	1	48
142	L700N 1825 E B	<0.2	2.25	5	150	<5	0.22	<1	9	19	36	2.62	<10	0.26	911	<1	0.01	17	580	4	<5	<20	25	0.10	<10	59	<10	<1	55
143	L700N 1850 E B	<0.2	1.86	<5	125	<5	0.14	<1	8	15	22	2.33	<10	0.19	173	<1	0.02	14	1570	6	<5	<20	18	0.10	<10	46	<10	<1	81
144	L700N 1875 E B	<0.2	2.01	<5	145	<5	0.16	<1	7	11	19	2.08	<10	0.17	367	<1	0.02	14	700	4	<5	<20	21	0.11	<10	43	<10	<1	48
145	L700N 1925 E B	<0.2	1.71	<5	185	<5	0.21	<1	9	19	41	2.62	<10	0.21	1812	1	0.01	13	900	8	<5	<20	29	0.07	<10	63	<10	<1	65
146	L700N 1950 E B	<0.2	1.63	<5	125	<5	0.21	<1	8	18	23	2.44	<10	0.22	617	<1	0.01	16	1070	2	<5	<20	13	0.08	<10	59	<10	<1	73

QC DATA:

Repeat:

1	L2600N 4750 E B	<0.2	1.11	<5	160	<5	0.45	<1	9	29	38	3.18	<10	0.30	296	<1	<0.01	12	240	8	<5	<20	76	0.12	<10	111	<10	<1	53
10	L2600N 5050 E B	<0.2	1.62	<5	155	5	0.28	<1	8	24	23	2.57	<10	0.22	300	<1	<0.01	14	1020	10	<5	<20	24	0.10	<10	74	<10	<1	57
19	L2900N 5025 E B	0.4	4.19	15	325	<5	1.49	<1	18	52	500	5.80	20	1.22	1564	4	0.02	50	990	12	<5	<20	110	0.07	<10	101	<10	36	100
36	L3750N 3875 E B	<0.2	1.07	<5	100	<5	0.47	<1	8	30	25	2.16	<10	0.37	210	<1	0.01	13	500	8	<5	<20	30	0.13	<10	60	<10	3	34
45	L3750N 4175 E B	<0.2	1.89	<5	85	<5	0.13	<1	7	18	8	2.38	<10	0.10	180	<1	<0.01	10	2480	14	<5	<20	10	0.10	<10	59	<10	<1	49
54	L4000N 4175 E B	<0.2	1.54	<5	125	<5	0.67	<1	12	38	63	3.73	<10	0.44	337	<1	0.01	18	180	10	<5	<20	34	0.13	<10	106	<10	4	45
71	L4000N 4975 E B	<0.2	1.91	<5	190	10	0.43	<1	14	28	37	3.73	<10	0.62	1724	<1	<0.01	14	400	12	<5	<20	38	0.15	<10	102	<10	<1	103
80	L4250N 4225 E B	<0.2	1.21	<5	80	5	0.44	<1	12	45	24	3.52	<10	0.27	178	<1	0.01	15	280	12	<5	<20	22	0.15	<10	100	<10	<1	35
89	L4250N 4525 E B	<0.2	2.10	<5	180	<5	0.51	<1	13	38	42	3.18	<10	0.45	621	<1	0.01	22	1610	6	<5	<20	41	0.12	<10	95	<10	<1	76
108	L4550N 4550 E B	<0.2	2.17	<5	80	10	0.50	<1	10	30	18	2.14	<10	0.31	106	<1	0.02	6	130	4	<5	<20	40	0.10	<10	29	<10	4	25
119	L4550N 5600 E B	<0.2	1.12	<5	90	<5	1.30	<1	10	15	43	2.32	<10	0.50	265	2	0.02	10	640	4	<5	<20	31	0.08	<10	66	<10	<1	46
128	L500N 1775 E B	<0.2	2.15	<5	250	<5	0.32	<1	7	18	21	1.97	<10	0.19	636	<1	0.02	21	3100	2	<5	<20	26	0.10	<10	36	<10	<1	50
137	L700N 1625 E B	<0.2	1.92	<5	180	<5	0.20	<1	8	16	10	1.79	<10	0.12	680	1	0.02	14	2500	4	<5	<20	21	0.10	<10	33	<10	2	42
145	L700N 1925 E B	<0.2	1.80	<5	190	<5	0.21	<1	9	20	41	2.62	<10	0.21	1812	1	0.01	13	900	8	<5	<20	29	0.07	<10	63	<10	<1	60

GETTY COPPER CORPORATION ICP CERTIFICATE OF ANALYSIS AK 96-662 **ECO-TECH LABORATORIES LTD.**

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
Standard:																													
GEO'96		1.4	1.74	65	160	<5	1.82	<1	19	60	83	4.12	<10	1.00	723	<1	0.02	25	750	20	<5	<20	57	0.11	<10	77	<10	4	69
GEO'96		1.4	1.71	70	160	<5	1.79	<1	18	59	82	4.07	<10	0.97	715	<1	0.01	25	740	18	<5	<20	59	0.10	<10	76	<10	4	66
GEO'96		1.6	2.06	70	170	<5	2.02	<1	21	71	87	4.10	<10	1.08	770	<1	0.02	22	770	22	<5	<20	64	0.15	<10	91	<10	4	72
GEO'96		1.2	1.94	60	165	5	1.91	<1	20	68	83	4.32	<10	1.04	741	<1	0.02	27	780	26	<5	<20	64	0.14	<10	86	<10	4	70
GEO'96		1.8	1.86	60	160	<5	1.83	<1	20	64	82	4.21	<10	1.01	730	<1	0.02	26	810	34	<5	<20	59	0.12	<10	81	<10	3	71
GEO'96		1.2	1.83	60	155	<5	1.85	<1	19	63	82	4.29	<10	1.01	734	<1	0.02	25	770	18	<5	<20	60	0.13	<10	82	<10	5	68

df/662r/662ar785br
XLS/96G.Copper#7

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

DETAILED SAMPLING:

1-Aug-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-675

Post-it™ Fax Note 7671E | Date Aug 1 | # of pages ▸ 6
To Tanya | From Karen
Co./Dept. | Co.
Phone # | Phone # JOBS 675 &
Fax # | Fax # 658

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 13
Sample type: SOIL
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN

Values in ppm unless otherwise reported

LINES: 4775N & 5100N

Et #.	Tag #		Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L4775N 4700	EB	<0.2	2.21	<5	155	<5	1.18	<1	11	35	68	2.87	<10	0.36	230	<1	0.03	20	390	28	<5	<20	45	0.14	<10	56	<10	8	27
2	L4775N 4800	EB	<0.2	1.82	<5	130	<5	0.98	<1	15	62	100	4.98	<10	0.61	248	<1	0.02	23	530	24	<5	<20	52	0.17	<10	123	<10	9	45
3	L4775N 4900	EB	<0.2	0.89	<5	75	<5	0.43	<1	12	34	25	3.43	<10	0.26	346	<1	0.01	14	330	14	<5	<20	23	0.14	<10	123	<10	<1	44
4	L4775N 5000	EB	<0.2	2.52	<5	185	<5	0.28	<1	11	19	19	2.45	<10	0.25	690	<1	0.01	20	2530	34	<5	<20	20	0.15	<10	50	<10	<1	123
5	L5100N 4700	EB	<0.2	1.56	<5	75	<5	0.51	<1	11	22	29	2.33	<10	0.20	293	<1	0.01	15	300	24	<5	<20	24	0.11	<10	60	<10	2	51
6	L5100N 4800	EB	<0.2	1.77	<5	115	5	0.80	<1	17	42	38	3.94	<10	0.45	419	<1	0.01	19	420	22	<5	<20	38	0.17	<10	103	<10	<1	67
7	L5100N 4900	EB	<0.2	1.41	<5	105	<5	0.23	<1	9	25	12	2.75	<10	0.16	179	<1	<0.01	12	610	22	<5	<20	20	0.12	<10	78	<10	<1	49
8	L5100N 5000	EB	<0.2	1.37	<5	120	<5	1.10	<1	12	31	27	3.01	<10	0.37	251	<1	0.02	16	660	18	<5	<20	56	0.14	<10	83	<10	<1	51
9	L5100N 5100	EB	<0.2	2.51	<5	190	5	0.25	<1	13	27	27	3.01	<10	0.21	881	<1	0.01	23	2350	36	<5	<20	18	0.16	<10	67	<10	<1	156
10	L5100N 5200	EB	<0.2	2.12	<5	130	<5	0.24	<1	11	31	17	3.10	<10	0.17	562	<1	<0.01	20	990	30	<5	<20	18	0.14	<10	83	<10	<1	67
11	L5100N 5300	EB	<0.2	1.60	<5	125	<5	0.26	<1	10	34	15	3.15	<10	0.18	340	<1	<0.01	16	820	22	<5	<20	20	0.14	<10	91	<10	<1	66
12	L5100N 5400	EB	<0.2	1.62	<5	135	<5	0.23	<1	10	24	9	2.54	<10	0.14	438	<1	0.01	13	1060	22	<5	<20	18	0.12	<10	65	<10	<1	71
13	L5100N 5500	EB	<0.2	1.87	<5	175	<5	0.30	<1	12	36	21	3.02	<10	0.22	707	<1	0.01	17	580	26	<5	<20	28	0.16	<10	78	<10	<1	88
QC DATA:																														
Repeat:																														
1	L4775N 4700	EB	<0.2	2.22	<5	160	<5	1.15	<1	11	36	64	2.88	<10	0.36	226	<1	0.03	20	410	30	<5	<20	46	0.15	<10	56	<10	7	30
Standard:																														
GEO'96			1.6	1.88	65	180	<5	2.09	<1	22	74	89	4.02	<10	1.09	710	<1	0.02	24	710	22	<5	<20	62	0.15	<10	91	<10	3	72

df/666ar
XLS/96G.Copper

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

DETAILED SAMPLING

1-Aug-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-658

LINES: 2600, 2900, 3200, 3450, 3750, 4000, 4250 &4550 N (every 1175 N sample)

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 112
Sample type: Soil
PROJECT #: None given
SHIPMENT #: None given

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L26+00N 55+00 EB	<0.2	1.55	<5	155	10	0.30	<1	9	32	21	2.91	<10	0.27	463	<1	<0.01	14	410	18	<5	<20	21	0.11	<10	90	<10	<1	71
2	L26+00N 56+00 EB	<0.2	1.19	<5	150	5	0.25	<1	8	23	8	2.31	<10	0.17	911	<1	<0.01	10	420	14	<5	<20	15	0.11	<10	70	<10	<1	63
3	L26+00N 57+00 EB	<0.2	1.73	<5	220	10	0.21	<1	8	21	12	2.50	<10	0.20	1916	<1	<0.01	15	740	22	<5	<20	9	0.10	<10	65	<10	<1	145
4	L26+00N 58+00 EB	<0.2	1.87	<5	175	5	0.26	<1	8	22	26	2.37	<10	0.23	238	<1	<0.01	14	1260	22	<5	<20	19	0.11	<10	56	<10	2	79
5	L26+00N 59+00 EB	<0.2	1.70	<5	175	5	0.31	<1	8	21	19	2.32	<10	0.22	722	<1	<0.01	15	650	20	<5	<20	16	0.12	<10	62	<10	1	92
6	L26+00N 61+00 EB	<0.2	1.47	<5	150	10	0.42	<1	10	31	19	3.00	<10	0.24	799	<1	<0.01	15	270	18	<5	<20	24	0.14	<10	93	<10	1	53
7	L26+00N 62+00 EB	<0.2	1.47	<5	145	5	0.34	<1	9	20	17	2.64	<10	0.23	183	<1	<0.01	14	1240	16	<5	<20	18	0.10	<10	74	<10	<1	54
8	L26+00N 63+00 EB	<0.2	1.22	<5	150	10	0.33	<1	10	28	19	3.84	<10	0.28	176	<1	<0.01	14	1130	16	<5	<20	19	0.09	<10	137	<10	<1	44
9	L26+00N 64+00 EB	<0.2	2.95	<5	145	5	0.68	<1	13	30	55	2.87	20	0.35	331	<1	0.01	21	400	32	<5	<20	35	0.13	<10	71	<10	12	45
10	L26+00N 65+00 EB	<0.2	0.93	<5	110	5	0.42	<1	10	31	29	2.90	<10	0.29	307	<1	0.01	14	1210	12	<5	<20	21	0.10	<10	87	<10	1	40
11	L26+00N 57+00 EB	0.6	3.04	<5	705	<5	1.46	<1	15	62	216	5.16	20	0.84	6023	5	0.03	48	750	28	<5	<20	77	0.13	<10	124	<10	13	55
12	L29+00N 58+00 EB	<0.2	1.51	<5	125	10	0.36	<1	10	29	20	2.99	<10	0.25	216	<1	0.01	12	290	18	<5	<20	24	0.15	<10	91	<10	2	44
13	L29+00N 59+00 EB	<0.2	1.90	<5	195	5	0.31	<1	10	24	22	2.68	<10	0.33	890	<1	<0.01	16	480	24	<5	<20	18	0.12	<10	70	<10	1	61
14	L29+00N 60+00 EB	<0.2	0.96	<5	115	<5	0.23	<1	7	19	10	1.90	<10	0.13	848	<1	<0.01	9	520	12	<5	<20	12	0.09	<10	53	<10	<1	60
15	L29+00N 61+00 EB	<0.2	2.18	<5	210	10	0.22	<1	10	25	21	2.81	<10	0.25	593	<1	0.01	20	2510	26	<5	<20	12	0.12	<10	70	<10	1	181
16	L29+00N 62+00 EB	<0.2	2.66	<5	180	5	0.36	<1	13	38	51	3.71	<10	0.44	540	<1	<0.01	24	510	32	<5	<20	20	0.18	<10	111	<10	2	66
17	L29+00N 63+00 EB	<0.2	3.27	<5	185	10	0.23	<1	11	21	22	2.95	<10	0.24	370	<1	0.01	16	3010	40	<5	<20	12	0.16	<10	60	<10	3	107
18	L29+00N 64+00 EB	<0.2	1.81	<5	105	<5	0.38	<1	8	19	27	1.82	<10	0.26	163	<1	0.01	11	410	24	<5	<20	25	0.13	<10	43	<10	3	68
19	L29+00N 65+00 EB	<0.2	1.11	<5	115	5	0.25	<1	7	17	8	1.95	<10	0.12	438	<1	<0.01	8	540	14	<5	<20	13	0.09	<10	51	<10	<1	47
20	L32+00N 54+00 EB	<0.2	1.32	<5	135	15	0.38	<1	13	33	28	5.30	<10	0.39	395	2	<0.01	16	330	16	<5	<20	20	0.10	<10	213	<10	<1	51
21	L32+00N 55+00 EB	<0.2	1.34	<5	155	5	0.31	<1	9	24	30	2.63	<10	0.24	1128	<1	<0.01	14	470	16	<5	<20	16	0.10	<10	86	<10	1	60
22	L32+00N 56+00 EB	<0.2	1.25	<5	100	5	0.24	<1	7	18	11	1.92	<10	0.15	434	<1	0.01	9	420	18	<5	<20	10	0.12	<10	47	<10	<1	60
23	L32+00N 57+00 EB	<0.2	1.64	<5	130	5	0.28	<1	7	19	25	1.84	<10	0.22	408	<1	0.01	11	380	24	<5	<20	17	0.10	<10	47	<10	2	55
24	L32+00N 58+00 EB	<0.2	1.25	<5	95	10	0.35	<1	11	34	20	3.44	<10	0.25	232	<1	<0.01	17	740	16	<5	<20	15	0.14	<10	117	<10	1	64
25	L32+00N 59+00 EB	<0.2	1.68	<5	140	5	0.20	<1	9	15	13	2.00	<10	0.17	1238	<1	0.01	15	1430	26	<5	<20	11	0.12	<10	46	<10	1	146

GETTY COPPER CORPORATION — ICP CERTIFICATE OF ANALYSIS AK 96-658 — ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L32+00N 60+00 EB	<0.2	2.46	<5	205	10	0.27	<1	12	26	24	3.05	<10	0.31	679	<1	0.01	21	950	30	<5	<20	16	0.12	<10	79	<10	<1	90
27	L32+00N 61+00 EB	<0.2	3.37	<5	175	10	0.36	<1	13	23	34	2.87	<10	0.31	1021	<1	0.01	21	1700	40	<5	<20	14	0.19	<10	66	<10	3	130
28	L32+00N 62+00 EB	<0.2	2.28	<5	205	10	0.29	<1	10	20	16	2.53	<10	0.26	1289	<1	0.01	18	460	28	<5	<20	14	0.12	<10	63	<10	<1	118
29	L32+00N 63+00 EB	<0.2	1.04	<5	85	5	0.45	<1	11	31	27	2.92	<10	0.26	378	<1	0.01	13	170	12	<5	<20	24	0.14	<10	100	<10	3	42
30	L32+00N 64+00 EB	<0.2	2.02	<5	300	<5	0.54	<1	11	20	49	2.40	<10	0.51	453	<1	<0.01	14	610	26	<5	<20	135	0.14	<10	71	<10	2	90
31	L32+00N 65+00 EB	<0.2	2.70	<5	235	10	0.42	<1	11	29	34	3.07	<10	0.35	499	<1	0.01	22	990	32	<5	<20	26	0.13	<10	70	<10	1	96
32	L34+50N 51+25 EB	<0.2	1.61	<5	140	10	0.41	<1	11	35	25	3.64	<10	0.30	302	<1	<0.01	20	1510	20	<5	<20	20	0.11	<10	117	<10	<1	69
33	L34+50N 51+50 EB	<0.2	2.44	<5	145	5	0.23	<1	11	23	39	2.75	<10	0.27	838	<1	0.01	17	2660	30	<5	<20	13	0.12	<10	66	<10	2	119
34	L34+50N 51+75 EB	<0.2	2.31	<5	280	<5	0.36	<1	9	21	19	2.46	<10	0.20	603	<1	0.01	16	4880	30	<5	<20	19	0.11	<10	46	<10	2	194
35	L34+50N 52+25 EB	<0.2	2.05	<5	165	10	0.53	<1	13	37	44	4.56	10	0.39	674	<1	<0.01	23	850	24	<5	<20	29	0.12	<10	157	<10	5	137
36	L34+50N 52+50 EB	<0.2	2.75	<5	135	10	0.23	<1	10	16	18	2.30	<10	0.16	607	<1	0.01	15	2400	36	<5	<20	8	0.13	<10	50	<10	3	119
37	L34+50N 52+75 EB	<0.2	2.23	<5	165	5	0.29	<1	9	19	15	2.11	<10	0.23	562	<1	0.01	19	1240	28	<5	<20	19	0.12	<10	46	<10	2	89
38	L34+50N 53+25 EB	<0.2	1.46	<5	205	5	0.38	<1	8	24	13	2.41	<10	0.22	1257	<1	<0.01	14	840	20	<5	<20	20	0.10	<10	66	<10	<1	139
39	L34+50N 53+50 EB	<0.2	3.05	<5	195	10	0.25	<1	11	21	15	2.58	<10	0.21	461	<1	0.01	26	4300	36	<5	<20	9	0.13	<10	46	<10	2	145
40	L34+50N 53+75 EB	<0.2	2.34	<5	210	10	0.33	<1	11	26	27	2.75	<10	0.35	421	<1	<0.01	20	770	30	<5	<20	19	0.11	<10	67	<10	1	91
41	L34+50N 55+00 EB	<0.2	1.25	<5	125	10	0.28	<1	12	40	17	3.68	<10	0.24	758	<1	<0.01	15	660	16	<5	<20	15	0.11	<10	131	<10	<1	80
42	L34+50N 56+00 EB	<0.2	0.89	<5	110	10	0.37	<1	9	37	19	3.39	<10	0.22	132	<1	<0.01	11	580	14	<5	<20	19	0.11	<10	116	<10	<1	34
43	L34+50N 57+00 EB	<0.2	1.48	<5	170	<5	1.49	<1	8	24	114	2.54	20	0.47	502	<1	0.02	16	1320	16	<5	<20	43	0.07	<10	47	<10	27	30
44	L34+50N 58+00 EB	<0.2	1.34	<5	120	5	0.30	<1	7	32	13	2.72	<10	0.17	146	<1	<0.01	12	1010	18	<5	<20	12	0.10	<10	82	<10	<1	67
45	L34+50N 59+00 EB	<0.2	2.18	<5	230	5	0.41	<1	11	29	40	2.98	<10	0.37	196	<1	0.01	16	1430	28	<5	<20	22	0.11	<10	71	<10	1	65
46	L34+50N 61+00 EB	<0.2	1.32	<5	120	5	0.71	<1	13	30	64	2.91	10	0.48	320	<1	0.01	17	420	16	<5	<20	31	0.13	<10	63	<10	5	38
47	L34+50N 62+00 EB	<0.2	1.79	<5	120	10	0.75	<1	12	28	81	3.66	<10	0.40	290	<1	0.02	15	180	22	<5	<20	28	0.12	<10	93	<10	4	49
48	L34+50N 63+00 EB	<0.2	1.81	<5	215	10	0.25	<1	8	20	15	2.25	<10	0.16	203	<1	<0.01	13	4140	24	<5	<20	15	0.10	<10	43	<10	1	65
49	L34+50N 64+00 EB	<0.2	3.32	<5	175	<5	0.27	<1	10	18	42	2.50	<10	0.28	153	<1	0.01	16	3260	44	<5	<20	18	0.14	<10	48	<10	2	82
50	L37+50N 44+25 EB	<0.2	2.20	<5	225	5	0.77	<1	21	40	132	5.17	20	0.99	625	<1	<0.01	26	1000	40	<5	<20	59	0.18	<10	177	<10	6	119
51	L37+50N 44+50 EB	<0.2	2.34	<5	195	<5	1.15	<1	20	35	138	4.98	20	1.15	686	<1	<0.01	25	680	42	<5	<20	84	0.19	<10	174	<10	6	125
52	L37+50N 44+75 EB	<0.2	2.55	<5	155	5	0.73	<1	11	27	33	2.75	<10	0.39	174	<1	0.02	19	240	32	<5	<20	26	0.13	<10	64	<10	3	61
53	L37+50N 45+25 EB	<0.2	2.19	<5	220	<5	1.14	<1	27	32	238	5.59	20	1.52	834	<1	<0.01	24	940	42	<5	<20	49	0.26	<10	193	<10	10	230
54	L37+50N 45+50 EB	<0.2	2.27	<5	430	<5	1.24	2	29	33	344	6.04	30	1.78	1336	<1	<0.01	28	1270	192	<5	<20	53	0.23	<10	226	<10	13	426
55	L37+50N 45+75 EB	<0.2	2.46	<5	165	<5	0.93	<1	12	32	127	3.19	30	0.48	451	<1	0.01	19	280	32	<5	<20	32	0.14	<10	77	<10	20	76
56	L37+50N 46+25 EB	<0.2	2.59	<5	170	5	0.57	<1	11	30	45	2.91	10	0.49	478	<1	0.01	23	520	34	<5	<20	32	0.16	<10	65	<10	6	81
57	L37+50N 46+50 EB	<0.2	2.41	<5	120	10	0.24	<1	12	16	22	2.55	<10	0.25	771	<1	<0.01	14	2020	32	<5	<20	6	0.19	<10	56	<10	4	152
58	L37+50N 49+25 EB	<0.2	3.07	<5	180	<5	1.07	<1	11	24	66	3.00	30	0.35	1071	<1	0.01	18	420	40	<5	<20	26	0.13	<10	68	<10	26	135
59	L37+50N 49+50 EB	<0.2	2.70	<5	155	5	0.89	<1	13	29	59	3.34	20	0.39	827	<1	0.01	17	270	34	<5	<20	22	0.13	<10	86	<10	15	120
60	L37+50N 49+75 EB	<0.2	2.53	<5	190	10	0.68	<1	12	26	52	3.15	10	0.41	390	<1	0.01	17	280	34	<5	<20	22	0.16	<10	87	<10	8	88

GETTY COPPER CORPORATION — ICP CERTIFICATE OF ANALYSIS AK 96-658 — ECO-TECH LABORATORIES LTD.

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L37+50N 50+25 EB	<0.2	1.97	<5	135	5	0.33	<1	9	19	32	2.19	<10	0.31	192	<1	<0.01	12	530	28	<5	<20	13	0.13	<10	54	<10	2	51
62	L37+50N 50+50 EB	<0.2	2.20	<5	185	10	0.79	<1	15	39	81	4.11	10	0.59	259	<1	0.01	19	220	26	<5	<20	29	0.16	<10	121	<10	4	68
63	L37+50N 50+75 EB	<0.2	2.73	<5	175	<5	0.46	<1	7	15	96	1.55	20	0.29	98	<1	0.02	21	940	42	<5	<20	15	0.12	<10	36	<10	11	114
64	L37+50N 51+25 EB	<0.2	0.99	<5	90	10	0.46	<1	11	38	31	3.62	<10	0.27	252	<1	0.01	15	390	14	<5	<20	16	0.14	<10	135	<10	2	38
65	L37+50N 51+50 EB	<0.2	1.15	<5	90	10	0.35	<1	10	29	24	3.22	<10	0.23	222	<1	<0.01	15	550	14	<5	<20	11	0.10	<10	113	<10	2	47
66	L37+50N 51+75 EB	<0.2	2.22	<5	100	5	0.73	<1	7	14	27	1.89	<10	0.18	182	<1	0.02	8	220	28	<5	<20	16	0.10	<10	32	<10	4	40
67	L37+50N 52+25 EB	<0.2	0.91	<5	60	10	0.26	<1	6	22	14	2.11	<10	0.16	157	<1	<0.01	8	490	14	<5	<20	7	0.09	<10	69	<10	<1	49
68	L37+50N 52+50 EB	<0.2	2.53	<5	130	<5	0.92	<1	9	22	69	3.02	20	0.61	152	<1	0.01	12	280	30	<5	<20	26	0.07	<10	51	<10	9	40
69	L37+50N 52+75 EB	<0.2	2.91	<5	195	10	0.34	<1	11	23	26	2.88	<10	0.26	227	<1	0.01	17	2940	38	<5	<20	18	0.14	<10	58	<10	3	74
70	L37+50N 53+25 EB	<0.2	2.31	<5	135	10	0.29	<1	9	23	21	2.42	<10	0.19	202	<1	0.01	18	2420	28	<5	<20	11	0.12	<10	54	<10	2	52
71	L37+50N 53+50 EB	<0.2	1.59	<5	130	10	0.29	<1	8	17	11	1.91	<10	0.18	667	<1	0.01	11	1270	22	<5	<20	12	0.09	<10	42	<10	1	73
72	L37+50N 55+00 EB	<0.2	1.38	<5	105	5	0.43	<1	10	36	19	3.33	<10	0.25	233	<1	0.01	13	190	20	<5	<20	15	0.13	<10	114	<10	1	51
73	L37+50N 56+00 EB	<0.2	1.45	<5	120	10	1.28	<1	11	23	31	2.59	<10	0.36	200	<1	0.01	12	280	20	<5	<20	32	0.12	<10	68	<10	2	41
74	L37+50N 58+00 EB	<0.2	1.81	<5	140	10	0.29	<1	10	27	14	2.91	<10	0.17	249	<1	0.01	18	1510	24	<5	<20	15	0.12	<10	79	<10	1	69
75	L37+50N 59+00 EB	<0.2	1.47	<5	95	5	0.24	<1	8	24	11	2.51	<10	0.16	172	<1	0.01	11	550	20	<5	<20	13	0.11	<10	72	<10	<1	35
76	L37+50N 60+00 EB	<0.2	1.43	<5	120	5	0.26	<1	9	24	12	2.40	<10	0.16	293	<1	<0.01	10	990	20	<5	<20	12	0.10	<10	63	<10	<1	55
77	L37+50N 61+00 EB	<0.2	2.75	<5	180	10	0.23	<1	11	23	23	2.69	<10	0.22	647	<1	0.01	22	2570	34	<5	<20	8	0.13	<10	61	<10	2	125
78	L37+50N 62+00 EB	<0.2	1.43	<5	85	10	0.48	<1	8	26	26	2.27	<10	0.27	172	<1	0.01	10	220	20	<5	<20	18	0.14	<10	45	<10	4	48
79	L37+50N 63+00 EB	<0.2	2.40	<5	280	5	0.30	<1	11	27	32	2.79	<10	0.26	653	<1	<0.01	20	3980	32	<5	<20	14	0.13	<10	56	<10	1	107
80	L37+50N 64+00 EB	<0.2	3.15	<5	220	10	0.21	<1	12	21	40	2.81	<10	0.34	725	<1	0.01	21	2650	42	<5	<20	10	0.16	<10	56	<10	3	113
81	L37+50N 65+00 EB	<0.2	1.25	<5	155	5	0.29	<1	8	22	9	2.02	<10	0.18	987	<1	0.01	10	340	18	<5	<20	16	0.12	<10	53	<10	2	72
82	L40+00N 58+00 EB	<0.2	2.24	<5	325	<5	0.26	<1	10	23	24	2.37	<10	0.24	449	<1	0.01	24	3900	30	<5	<20	22	0.12	<10	45	<10	2	205
83	L40+00N 59+00 EB	<0.2	1.08	<5	195	5	0.39	<1	10	23	15	2.30	<10	0.16	1667	<1	<0.01	13	680	16	<5	<20	20	0.11	<10	66	<10	1	136
84	L40+00N 60+00 EB	<0.2	1.41	<5	245	10	0.47	<1	8	24	11	2.36	<10	0.20	1120	<1	0.01	14	1350	20	<5	<20	20	0.11	<10	59	<10	1	75
85	L40+00N 61+00 EB	<0.2	1.71	<5	175	10	0.36	<1	10	33	12	2.74	<10	0.23	715	<1	0.01	16	480	22	<5	<20	22	0.13	<10	71	<10	2	95
86	L40+00N 62+00 EB	<0.2	2.85	<5	170	<5	0.42	<1	7	25	68	2.25	20	0.33	159	<1	0.01	17	710	40	<5	<20	27	0.14	10	55	<10	10	86
87	L40+00N 63+00 EB	<0.2	2.02	<5	235	10	0.46	<1	11	19	32	2.38	<10	0.36	1777	<1	0.01	17	2330	26	<5	<20	14	0.14	<10	53	<10	3	190
88	L40+00N 64+00 EB	<0.2	1.34	<5	155	10	0.45	<1	12	29	20	3.02	<10	0.30	709	<1	0.01	14	260	18	<5	<20	28	0.17	<10	94	<10	3	55
89	L40+00N 65+00 EB	<0.2	1.68	<5	300	5	0.86	<1	8	19	37	2.38	<10	0.33	1623	<1	<0.01	12	1150	22	<5	<20	38	0.11	<10	62	<10	1	204
90	L42+00N 61+00 EB	<0.2	1.34	<5	110	10	0.49	<1	11	27	25	3.05	<10	0.35	185	<1	<0.01	14	690	20	<5	<20	25	0.11	<10	85	<10	<1	47
91	L42+50N 50+00 EB	<0.2	2.17	<5	165	10	0.24	<1	10	25	17	2.68	<10	0.17	525	<1	0.01	17	2960	30	<5	<20	19	0.11	<10	57	<10	2	69
92	L42+50N 51+00 EB	<0.2	2.22	<5	220	10	0.28	<1	11	18	18	2.42	<10	0.27	2519	<1	0.01	18	1410	30	<5	<20	11	0.14	<10	52	<10	2	176
93	L42+50N 52+00 EB	0.2	5.35	<5	720	<5	2.44	2	15	48	453	4.84	40	0.91	1231	<1	0.05	49	2020	54	<5	<20	104	0.13	<10	90	<10	40	112
94	L42+50N 53+00 EB	<0.2	2.18	<5	225	5	0.31	<1	9	18	25	2.31	<10	0.32	1282	<1	0.01	15	670	28	<5	<20	13	0.09	<10	51	<10	1	154
95	L42+50N 54+00 EB	<0.2	1.61	<5	260	5	0.41	<1	11	26	29	3.12	<10	0.43	1102	<1	<0.01	12	260	24	<5	<20	25	0.12	<10	94	<10	1	100

GETTY COPPER CORPORATION — ICP CERTIFICATE OF ANALYSIS AK 96-658 — ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
96	L42+50N 55+00 EB	<0.2	1.81	<5	175	5	0.37	<1	9	28	20	2.69	<10	0.33	611	<1	0.01	14	540	26	<5	<20	18	0.11	<10	71	<10	1	160
97	L42+50N 56+00 EB	<0.2	2.89	<5	210	10	0.31	<1	12	23	25	2.82	<10	0.40	978	<1	0.01	23	2150	36	<5	<20	19	0.13	<10	59	<10	2	155
98	L42+50N 57+00 EB	<0.2	1.82	<5	160	<5	0.98	<1	5	19	453	1.88	50	0.28	121	<1	0.02	35	570	24	<5	<20	39	0.10	<10	44	<10	50	31
99	L42+50N 58+00 EB	<0.2	3.43	<5	245	10	0.29	2	13	21	68	3.21	10	0.55	441	<1	0.01	20	920	96	<5	<20	15	0.16	<10	66	<10	3	347
100	L42+50N 59+00 EB	<0.2	1.59	<5	135	10	0.24	<1	8	26	21	2.23	<10	0.20	441	<1	<0.01	12	480	22	<5	<20	12	0.11	<10	54	<10	2	104
101	L42+50N 60+00 EB	<0.2	1.98	<5	145	10	0.34	<1	7	15	16	1.75	<10	0.19	307	<1	0.01	12	340	24	<5	<20	14	0.11	<10	36	<10	2	49
102	L42+50N 62+00 EB	<0.2	1.40	<5	125	10	0.35	<1	11	30	22	3.07	<10	0.28	270	<1	0.01	17	510	18	<5	<20	17	0.15	<10	87	<10	2	40
103	L42+50N 63+00 EB	<0.2	2.96	5	190	5	0.31	<1	11	20	61	2.68	<10	0.30	495	<1	0.01	16	2600	38	<5	<20	14	0.16	<10	60	<10	4	84
104	L42+50N 64+00 EB	<0.2	2.76	<5	345	10	0.57	<1	13	44	47	3.86	10	0.30	180	<1	0.01	24	3180	30	<5	<20	49	0.13	<10	102	<10	3	57
105	L42+50N 65+00 EB	<0.2	2.01	<5	390	5	0.40	<1	10	22	34	2.57	<10	0.32	1429	<1	<0.01	16	3860	26	<5	<20	20	0.14	<10	62	<10	2	149
106	L45+50N 60+00 EB	<0.2	1.85	<5	160	10	0.39	<1	14	36	30	3.65	10	0.37	938	<1	0.01	23	570	24	<5	<20	24	0.15	<10	103	<10	2	88
107	L45+50N 61+00 EB	<0.2	0.99	<5	105	<5	0.16	<1	7	17	8	1.96	<10	0.14	432	1	<0.01	8	590	12	<5	<20	8	0.09	<10	55	<10	<1	46
108	L45+50N 62+00 EB	<0.2	2.02	<5	240	10	0.37	<1	11	27	22	3.35	<10	0.31	1168	<1	0.01	18	690	26	<5	<20	23	0.13	<10	100	<10	1	105
109	L45+50N 63+00 EB	<0.2	1.02	<5	165	5	0.39	<1	9	22	18	2.14	<10	0.21	730	<1	0.02	11	600	14	<5	<20	23	0.10	<10	51	<10	2	42
110	L45+50N 64+00 EB	<0.2	1.00	<5	135	5	0.27	<1	7	20	8	1.94	<10	0.16	490	<1	0.01	9	450	12	<5	<20	12	0.12	<10	51	<10	2	76
111	L45+50N 65+00 EB	<0.2	1.07	<5	150	10	0.40	<1	12	24	15	3.44	<10	0.27	676	<1	0.01	13	390	16	<5	<20	17	0.12	<10	114	<10	<1	50
112	L17+25N 43+75 EB	<0.2	1.46	<5	115	10	0.28	<1	9	32	12	2.66	<10	0.20	263	<1	0.01	15	400	18	<5	<20	20	0.12	<10	81	<10	1	46

GETTY COPPER CORPORATION — ICP CERTIFICATE OF ANALYSIS AK 96-658 — ECO-TECH LABORATORIES LTD.

Et #.	Tag #			Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																															
Resplit:																															
R/S 71	L37+50N	53+50	EB	<0.2	0.02	<5	<5	<5	<0.01	<1	<1	<1	<1	0.02	<10	<0.01	<1	<1	<0.01	<1	10	<2	<5	<20	<1	<0.01	<10	<1	<10	<1	<1
Repeat:																															
1	L26+00N	55+00	EB	<0.2	1.61	<5	145	5	0.31	<1	10	32	21	2.93	<10	0.27	428	<1	<0.01	15	390	18	<5	<20	17	0.11	<10	90	<10	1	71
10	L26+00N	65+00	EB	<0.2	0.96	<5	115	10	0.42	<1	10	32	29	2.89	<10	0.30	309	<1	0.01	15	1240	12	<5	<20	21	0.10	<10	86	<10	1	40
19	L29+00N	65+00	EB	<0.2	1.19	<5	115	<5	0.25	<1	8	19	8	2.02	<10	0.12	450	<1	0.01	8	540	16	<5	<20	14	0.10	<10	53	<10	<1	50
36	L34+50N	52+50	EB	<0.2	2.74	<5	135	10	0.24	<1	10	16	18	2.28	<10	0.17	595	<1	0.01	15	2370	36	<5	<20	10	0.13	<10	50	<10	3	121
45	L34+50N	59+00	EB	<0.2	2.24	<5	235	5	0.44	<1	12	30	46	3.10	<10	0.41	201	<1	0.01	17	1410	28	<5	<20	25	0.12	<10	76	<10	2	69
54	L37+50N	45+50	EB	<0.2	2.24	<5	420	<5	1.18	2	29	30	325	5.75	20	1.79	1241	<1	<0.01	27	1120	176	<5	<20	51	0.26	<10	206	<10	12	405
71	L37+50N	53+50	EB	<0.2	1.62	<5	130	10	0.28	<1	8	16	11	1.92	<10	0.18	669	<1	0.01	11	1330	22	<5	<20	10	0.09	<10	42	<10	<1	75
80	L37+50N	64+00	EB	<0.2	3.18	<5	225	5	0.22	<1	12	22	41	2.86	<10	0.34	736	<1	0.01	22	2640	44	<5	<20	15	0.16	<10	58	<10	3	114
89	L40+00N	65+00	EB	<0.2	1.74	<5	305	5	0.92	<1	8	18	36	2.31	<10	0.34	1667	<1	<0.01	12	1150	22	<5	<20	40	0.11	<10	58	<10	1	207
106	L45+50N	60+00	EB	<0.2	1.90	<5	160	10	0.40	<1	14	39	30	3.83	10	0.37	954	<1	0.01	26	560	24	<5	<20	25	0.16	<10	112	<10	2	89
Standard:																															
GEO'96				1.0	1.83	60	170	5	1.84	<1	19	64	81	4.15	10	1.00	714	<1	0.02	25	740	20	<5	<20	57	0.13	<10	80	<10	5	71
GEO'96				1.0	1.85	60	170	10	1.85	1	19	64	81	4.20	20	1.02	710	<1	0.02	22	770	20	<5	<20	56	0.13	<10	82	<10	6	70
GEO'96				1.0	1.87	70	160	10	1.83	<1	20	64	82	4.19	20	1.01	737	<1	0.02	20	720	20	<5	<20	58	0.13	<10	82	<10	6	72
GEO'96				1.0	1.92	70	180	5	1.91	<1	20	67	84	4.35	20	1.05	745	<1	0.02	22	770	22	<5	<20	64	0.13	<10	85	<10	6	74

df/658r
XLS/96G.Copper

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

12-Aug-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-662R

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 146
Sample type: Soil
PROJECT #: None given
SHIPMENT #: None given

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L2600N 4750 E B	<0.2	1.12	<5	165	<5	0.46	<1	10	30	39	3.34	<10	0.31	304	<1	<0.01	12	220	8	<5	<20	79	0.13	<10	119	<10	<1	54
2	L2600N 4775 E B	<0.2	1.64	<5	190	<5	0.53	<1	15	32	64	3.84	<10	0.69	486	<1	<0.01	17	280	10	<5	<20	54	0.18	<10	124	<10	<1	153
3	L2600N 4825 E B	<0.2	1.51	<5	150	<5	0.48	<1	14	34	63	3.85	<10	0.66	413	<1	<0.01	16	370	10	<5	<20	55	0.16	<10	122	<10	<1	142
4	L2600N 4850 E B	<0.2	1.56	<5	160	<5	1.07	1	12	26	187	2.98	<10	0.57	591	<1	0.01	17	1180	10	<5	<20	97	0.10	<10	76	<10	5	150
5	L2600N 4875 E B	0.4	1.34	15	95	<5	4.09	<1	6	18	433	1.71	<10	0.55	213	1	0.01	18	1080	8	<5	<20	242	0.03	40	95	<10	19	27
6	L2600N 4925 E B	<0.2	2.06	<5	170	<5	0.42	<1	9	28	24	3.02	<10	0.24	298	<1	<0.01	16	2860	10	<5	<20	33	0.10	<10	81	<10	<1	90
7	L2600N 4950 E B	<0.2	1.83	<5	115	<5	0.22	<1	8	24	15	2.61	<10	0.16	205	<1	<0.01	16	2020	10	<5	<20	15	0.10	<10	70	<10	<1	56
8	L2600N 4975 E B	<0.2	1.05	<5	90	<5	0.25	<1	9	34	17	3.32	<10	0.16	279	1	<0.01	14	1030	6	<5	<20	16	0.09	<10	122	<10	<1	41
9	L2600N 5025 E B	<0.2	2.80	<5	225	<5	0.32	<1	11	27	65	2.99	<10	0.45	364	<1	<0.01	22	1010	14	<5	<20	28	0.12	<10	72	<10	<1	80
10	L2600N 5050 E B	<0.2	1.64	<5	155	<5	0.28	<1	9	24	24	2.59	<10	0.22	298	<1	<0.01	15	990	10	<5	<20	26	0.10	<10	75	<10	<1	57
11	L2600N 5075 E B	<0.2	0.91	<5	75	<5	0.30	<1	9	38	24	3.57	<10	0.23	161	<1	<0.01	14	590	6	<5	<20	23	0.09	<10	136	<10	<1	35
12	L2600N 5125 E B	<0.2	2.74	<5	150	<5	0.20	<1	10	17	24	2.39	<10	0.22	454	<1	<0.01	18	3940	14	<5	<20	14	0.13	<10	46	<10	<1	109
13	L2600N 5175 E B	<0.2	1.54	<5	270	<5	0.40	<1	9	21	23	2.65	<10	0.30	1813	<1	<0.01	14	520	10	<5	<20	30	0.11	<10	75	<10	<1	130
14	L2600N 5225 E B	<0.2	1.88	<5	240	<5	0.42	<1	11	21	24	2.73	<10	0.40	2721	<1	<0.01	17	800	14	<5	<20	31	0.11	<10	71	<10	<1	211
15	L2600N 5250 E B	<0.2	2.07	<5	220	<5	0.41	<1	16	35	60	4.29	<10	0.67	934	<1	<0.01	20	340	14	<5	<20	43	0.14	<10	138	<10	<1	142
16	L2600N 5275 E B	<0.2	2.17	<5	190	5	0.46	<1	16	33	53	4.11	<10	0.69	384	<1	<0.01	19	440	14	<5	<20	48	0.16	<10	125	<10	<1	110
17	L2600N 5325 E B	<0.2	1.78	<5	205	<5	0.36	<1	10	20	40	2.40	<10	0.44	1010	<1	<0.01	14	590	12	<5	<20	31	0.10	<10	60	<10	<1	118
18	L2600N 5375 E B	<0.2	1.19	<5	140	<5	0.28	<1	9	32	17	3.71	<10	0.20	230	2	<0.01	14	1020	8	<5	<20	16	0.07	<10	132	<10	<1	56
19	L2900N 5025 E B	0.4	4.27	10	325	<5	1.50	1	18	54	498	5.87	20	1.23	1531	4	0.03	50	1040	14	<5	<20	111	0.07	<10	101	<10	36	103
20	L2900N 5050 E B	<0.2	1.59	<5	185	<5	0.49	<1	15	33	47	4.01	<10	0.70	395	<1	<0.01	18	460	8	<5	<20	77	0.17	<10	131	<10	<1	94
21	L2900N 5075 E B	<0.2	1.99	<5	225	5	0.41	<1	12	24	32	2.97	<10	0.54	905	<1	<0.01	16	430	12	<5	<20	48	0.14	<10	80	<10	<1	118
22	L2900N 5125 E B	<0.2	1.21	<5	90	5	0.25	<1	8	26	15	2.55	<10	0.19	227	<1	<0.01	11	350	8	<5	<20	17	0.10	<10	81	<10	<1	40
23	L2900N 5150 E B	<0.2	1.32	<5	140	<5	0.15	<1	8	16	14	2.15	<10	0.24	167	<1	<0.01	10	440	10	<5	<20	18	0.10	<10	61	<10	<1	106
24	L2900N 5175 E B	<0.2	1.87	<5	135	<5	0.10	<1	8	11	15	1.77	<10	0.13	210	<1	0.01	11	1380	12	<5	<20	7	0.10	<10	38	<10	<1	82
25	L2900N 5225 E B	<0.2	2.58	<5	190	<5	0.24	<1	11	36	31	3.65	<10	0.30	153	<1	<0.01	20	1130	12	<5	<20	17	0.12	<10	114	<10	<1	57

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-662R

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L2900N 5250 E B	<0.2	2.51	<5	200	<5	0.23	<1	11	25	36	3.11	<10	0.42	545	<1	<0.01	18	900	14	<5	<20	29	0.11	<10	83	<10	<1	121
27	L2900N 5275 E B	<0.2	1.96	<5	180	<5	0.27	<1	10	20	20	2.69	<10	0.33	830	<1	<0.01	17	900	12	<5	<20	20	0.11	<10	70	<10	<1	153
28	L2900N 5325 E B	<0.2	1.60	<5	125	<5	0.35	<1	12	36	61	3.80	<10	0.43	341	<1	<0.01	19	980	10	<5	<20	26	0.11	<10	126	<10	<1	59
29	L2900N 5350 E B	<0.2	2.43	<5	185	<5	0.41	<1	10	24	29	3.00	<10	0.40	246	3	<0.01	21	2110	14	<5	<20	26	0.10	<10	69	<10	<1	81
30	L2900N 5500 E B	<0.2	1.74	<5	95	<5	0.38	<1	5	17	103	1.81	<10	0.25	143	<1	0.02	14	280	10	<5	<20	25	0.08	<10	30	<10	10	29
31	L3750N 3725 E B	<0.2	1.44	<5	140	<5	0.62	<1	10	35	45	2.75	<10	0.42	318	<1	0.02	19	300	8	<5	<20	51	0.11	<10	76	<10	7	35
32	L3750N 3750 E B	<0.2	2.33	<5	190	<5	0.75	<1	13	42	53	3.53	<10	0.54	568	<1	0.02	26	350	10	<5	<20	65	0.12	<10	84	<10	8	48
33	L3750N 3775 E B	<0.2	1.56	<5	120	5	0.31	<1	10	38	23	3.05	<10	0.30	220	<1	0.01	18	430	8	<5	<20	27	0.11	<10	86	<10	<1	54
34	L3750N 3825 E B	<0.2	3.90	<5	250	<5	1.15	<1	16	46	236	4.58	10	0.69	597	<1	0.03	36	330	14	<5	<20	71	0.13	<10	68	<10	12	101
35	L3750N 3850 E B	<0.2	3.50	<5	240	<5	1.04	<1	18	46	72	4.34	10	0.72	807	<1	0.03	34	390	12	<5	<20	73	0.12	<10	76	<10	11	68
36	L3750N 3875 E B	<0.2	1.06	<5	100	<5	0.47	<1	8	30	25	2.13	<10	0.37	200	<1	0.01	13	480	8	<5	<20	30	0.12	<10	59	<10	3	33
37	L3750N 3925 E B	<0.2	1.88	<5	120	<5	0.50	<1	11	29	59	3.08	<10	0.69	377	<1	0.01	17	210	14	<5	<20	34	0.13	<10	74	<10	2	98
38	L3750N 3950 E B	<0.2	2.60	<5	110	<5	0.74	<1	22	40	164	5.21	<10	1.42	554	<1	<0.01	25	390	14	<5	<20	44	0.13	<10	140	<10	3	130
39	L3750N 3975 E B	<0.2	1.67	<5	125	<5	0.68	<1	14	35	88	3.06	<10	0.67	636	<1	0.01	19	240	12	<5	<20	49	0.14	<10	77	<10	10	66
40	L3750N 4025 E B	<0.2	1.63	<5	105	<5	0.38	<1	10	28	39	2.47	<10	0.42	243	<1	0.01	17	250	16	<5	<20	24	0.14	<10	60	<10	2	70
41	L3750N 4050 E B	<0.2	2.50	<5	165	<5	0.79	<1	12	30	100	2.81	30	0.62	728	<1	0.01	20	320	16	<5	<20	63	0.10	<10	61	<10	28	59
42	L3750N 4075 E B	<0.2	1.27	<5	95	<5	0.48	<1	12	35	57	3.05	<10	0.49	518	<1	0.01	18	460	12	<5	<20	32	0.12	<10	99	<10	5	57
43	L3750N 4125 E B	0.4	4.43	<5	340	<5	1.15	<1	18	51	127	6.06	<10	1.06	4933	3	0.03	45	980	16	<5	<20	113	0.11	<10	99	<10	12	90
44	L3750N 4150 E B	<0.2	1.15	<5	85	5	0.28	<1	12	35	27	3.75	<10	0.33	663	1	<0.01	15	980	8	<5	<20	23	0.07	<10	129	<10	<1	89
45	L3750N 4175 E B	<0.2	1.89	<5	85	5	0.13	<1	7	17	8	2.34	<10	0.10	184	<1	<0.01	11	2480	12	<5	<20	10	0.10	<10	57	<10	<1	49
46	L3750N 4225 E B	<0.2	1.07	<5	85	5	0.17	<1	7	27	12	2.48	<10	0.13	374	<1	<0.01	11	1090	8	<5	<20	12	0.08	<10	79	<10	<1	48
47	L3750N 4250 E B	<0.2	1.75	<5	85	5	0.15	<1	9	31	16	3.33	<10	0.17	146	<1	<0.01	15	1990	12	<5	<20	13	0.12	<10	98	<10	<1	67
48	L3750N 4275 E B	<0.2	1.95	<5	125	<5	0.64	<1	18	34	81	3.27	<10	0.40	1113	<1	0.01	20	170	10	<5	<20	34	0.12	<10	88	<10	7	49
49	L3750N 4325 E B	<0.2	1.14	<5	75	5	0.41	<1	12	33	28	3.52	<10	0.34	266	<1	<0.01	14	150	10	<5	<20	23	0.15	<10	127	<10	<1	43
50	L3750N 4350 E B	<0.2	1.00	<5	30	<5	0.47	<1	2	4	79	0.68	10	0.10	35	<1	0.02	5	410	4	<5	<20	18	0.05	<10	14	<10	20	10
51	L3750N 4375 E B	<0.2	0.84	<5	40	<5	0.19	<1	6	16	10	1.68	<10	0.16	89	<1	<0.01	7	280	8	<5	<20	11	0.09	<10	45	<10	<1	48
52	L4000N 4125 E B	<0.2	3.21	<5	200	<5	0.34	<1	17	49	69	4.10	<10	0.24	227	<1	0.01	27	1640	14	<5	<20	27	0.12	<10	90	<10	2	42
53	L4000N 4150 E B	<0.2	1.25	<5	95	<5	0.44	<1	11	40	32	2.85	<10	0.27	210	<1	0.01	15	180	8	<5	<20	29	0.14	<10	79	<10	2	29
54	L4000N 4175 E B	<0.2	1.63	<5	130	<5	0.70	<1	13	40	65	3.80	<10	0.45	362	<1	0.02	18	170	10	<5	<20	37	0.13	<10	105	<10	4	47
55	L4000N 4250 E B	<0.2	1.03	<5	65	<5	0.48	<1	10	33	34	3.03	<10	0.36	271	<1	0.01	15	210	6	<5	<20	34	0.10	<10	95	<10	2	35
56	L4000N 4275 E B	<0.2	1.10	<5	105	<5	0.54	<1	12	36	39	3.03	<10	0.28	285	<1	0.01	14	200	8	<5	<20	32	0.11	<10	100	<10	6	36
57	L4000N 4325 E B	<0.2	0.77	<5	65	<5	0.52	<1	8	21	32	2.02	<10	0.33	303	<1	<0.01	13	630	6	<5	<20	22	0.07	<10	64	<10	2	32
58	L4000N 4350 E B	<0.2	2.06	<5	115	<5	1.04	<1	8	18	55	2.22	<10	0.27	198	<1	0.01	11	210	12	<5	<20	31	0.10	<10	50	<10	12	38
59	L4000N 4375 E B	<0.2	2.92	<5	195	<5	0.60	<1	12	21	33	2.95	<10	0.54	229	<1	0.02	18	1220	14	<5	<20	30	0.15	<10	63	<10	2	75
60	L4000N 4425 E B	<0.2	1.62	<5	115	<5	0.78	<1	9	14	62	2.14	<10	0.37	546	<1	0.01	10	240	12	<5	<20	28	0.09	<10	57	<10	11	52

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-662R

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L4000N 4450 E B	<0.2	1.90	<5	180	<5	0.89	<1	10	18	38	2.69	<10	0.47	240	<1	0.01	12	260	10	<5	<20	30	0.13	<10	81	<10	4	37
62	L4000N 4475 E B	<0.2	2.70	<5	225	<5	0.35	<1	8	20	18	2.59	<10	0.21	95	<1	0.01	16	2950	14	<5	<20	18	0.12	<10	48	<10	2	53
63	L4000N 4525 E B	<0.2	2.21	<5	140	<5	0.36	<1	8	17	10	2.20	<10	0.15	124	<1	0.01	13	3750	12	<5	<20	14	0.10	<10	42	<10	<1	57
64	L4000N 4550 E B	<0.2	1.28	<5	100	<5	0.44	<1	6	12	18	1.56	<10	0.15	523	<1	0.01	8	310	10	<5	<20	13	0.07	<10	39	<10	3	63
65	L4000N 4575 E B	<0.2	1.30	<5	110	<5	0.42	<1	9	18	28	2.64	<10	0.44	209	<1	<0.01	10	450	10	<5	<20	21	0.09	<10	73	<10	<1	61
66	L4000N 4625 E B	<0.2	2.74	<5	125	<5	1.08	<1	7	14	55	2.09	10	0.30	294	<1	0.03	15	260	14	<5	<20	32	0.09	<10	34	<10	17	40
67	L4000N 4650 E B	<0.2	2.56	<5	175	<5	0.43	<1	11	23	42	3.11	<10	0.32	185	<1	0.01	16	1600	16	<5	<20	19	0.10	<10	78	<10	1	70
68	L4000N 4675 E B	<0.2	1.83	<5	125	<5	0.62	<1	12	35	69	3.48	<10	0.59	171	<1	<0.01	16	440	12	<5	<20	25	0.14	<10	106	<10	<1	43
69	L4000N 4925 E B	<0.2	2.40	<5	195	<5	0.37	<1	11	21	34	2.55	<10	0.47	582	<1	<0.01	15	420	16	<5	<20	32	0.15	<10	56	<10	1	56
70	L4000N 4950 E B	<0.2	2.05	<5	175	<5	0.26	<1	10	16	25	2.30	<10	0.31	1270	<1	<0.01	15	730	16	<5	<20	14	0.13	<10	51	<10	<1	105
71	L4000N 4975 E B	<0.2	2.17	<5	215	<5	0.49	<1	14	23	42	3.27	<10	0.66	1849	<1	<0.01	14	420	10	<5	<20	40	0.16	<10	91	<10	2	113
72	L4000N 5025 E B	<0.2	3.08	<5	280	<5	0.39	<1	15	21	20	3.00	<10	0.51	2849	<1	0.01	19	300	10	<5	<20	23	0.22	<10	68	<10	2	209
73	L4000N 5050 E B	<0.2	3.80	5	280	5	0.52	<1	15	21	48	3.09	<10	0.52	1037	<1	0.02	24	510	14	<5	<20	31	0.23	<10	65	<10	3	164
74	L4000N 5075 E B	<0.2	1.98	<5	150	<5	0.33	<1	11	21	19	2.53	<10	0.38	786	<1	0.01	11	120	8	<5	<20	21	0.12	<10	66	<10	<1	140
75	L4000N 5125 E B	<0.2	1.80	<5	150	<5	0.39	<1	12	36	24	3.46	<10	0.28	437	<1	0.01	18	640	6	<5	<20	24	0.16	<10	98	<10	<1	94
76	L4000N 5150 E B	<0.2	1.34	<5	145	<5	0.42	<1	10	26	16	2.81	<10	0.18	680	<1	0.01	14	1460	6	<5	<20	26	0.13	<10	83	<10	<1	71
77	L4000N 5500 E B	<0.2	1.93	<5	100	<5	0.48	<1	8	24	26	2.49	<10	0.25	181	<1	0.02	12	290	8	<5	<20	24	0.13	<10	58	<10	2	36
78	L4000N 5600 E B	<0.2	1.86	<5	110	<5	0.32	<1	11	33	22	2.97	<10	0.26	183	<1	0.01	14	1040	6	<5	<20	18	0.13	<10	78	<10	<1	52
79	L4000N 5700 E B	<0.2	1.10	<5	135	<5	0.43	<1	9	29	29	2.84	<10	0.19	594	<1	0.02	11	200	4	<5	<20	29	0.15	<10	93	<10	1	49
80	L4250N 4225 E B	<0.2	1.23	<5	85	<5	0.48	<1	11	39	27	3.21	<10	0.29	172	<1	0.02	14	250	4	<5	<20	26	0.15	<10	107	<10	<1	31
81	L4250N 4250 E B	<0.2	3.26	<5	220	<5	1.20	<1	10	27	56	2.80	<10	0.34	421	<1	0.03	23	340	6	<5	<20	42	0.15	<10	49	<10	11	30
82	L4250N 4275 E B	<0.2	1.97	<5	105	<5	0.45	<1	8	19	18	1.95	<10	0.15	177	<1	0.02	14	530	6	<5	<20	22	0.11	<10	44	<10	2	38
83	L4250N 4325 E B	<0.2	3.24	<5	310	<5	1.89	<1	11	33	242	3.36	20	0.43	627	<1	0.04	42	1460	4	<5	<20	65	0.12	<10	83	<10	20	27
84	L4250N 4350 E B	<0.2	1.73	<5	110	5	0.80	<1	16	48	59	4.27	<10	0.61	260	<1	0.02	15	160	4	<5	<20	51	0.21	<10	135	<10	2	39
85	L4250N 4375 E B	<0.2	2.48	<5	160	<5	1.02	<1	15	33	78	3.92	<10	0.63	849	<1	0.02	20	240	4	<5	<20	45	0.15	<10	107	<10	7	51
86	L4250N 4425 E B	<0.2	1.57	<5	75	<5	0.53	<1	12	49	32	3.40	<10	0.36	190	<1	0.02	15	160	4	<5	<20	35	0.19	<10	105	<10	3	37
87	L4250N 4450 E B	<0.2	2.71	<5	135	<5	0.33	<1	12	27	33	3.04	<10	0.30	190	<1	0.01	17	3240	6	<5	<20	23	0.15	<10	70	<10	1	61
88	L4250N 4475 E B	<0.2	2.60	<5	140	<5	0.46	<1	13	34	23	3.15	<10	0.34	842	<1	0.01	23	1500	6	<5	<20	28	0.15	<10	80	<10	<1	106
89	L4250N 4525 E B	<0.2	2.16	<5	195	<5	0.66	<1	12	32	46	3.08	<10	0.48	705	<1	0.01	20	1620	4	<5	<20	54	0.12	<10	89	<10	2	72
90	L4250N 4550 E B	<0.2	3.33	<5	140	<5	1.28	<1	14	37	126	3.82	10	0.60	520	<1	0.02	28	280	4	<5	<20	72	0.14	<10	84	<10	18	40
91	L4250N 4575 E B	<0.2	2.07	<5	80	<5	0.59	<1	10	26	27	2.76	<10	0.29	195	<1	0.02	13	240	6	<5	<20	32	0.13	<10	71	<10	2	59
92	L4250N 4625 E B	<0.2	1.99	<5	130	<5	0.36	<1	13	49	30	3.60	<10	0.27	143	<1	0.02	20	1020	4	<5	<20	27	0.15	<10	100	<10	<1	49
93	L4250N 4650 E B	<0.2	1.85	<5	70	<5	0.35	<1	8	20	16	2.16	<10	0.17	103	<1	0.02	10	210	6	<5	<20	18	0.12	<10	49	<10	<1	35
94	L4250N 4675 E B	<0.2	2.01	<5	110	<5	1.06	<1	12	31	52	3.11	10	0.30	665	<1	0.02	17	180	6	<5	<20	34	0.13	<10	83	<10	11	43
95	L4250N 4725 E B	<0.2	0.68	<5	45	<5	0.32	<1	4	13	6	1.21	<10	0.07	202	<1	0.01	4	210	4	<5	<20	12	0.08	<10	36	<10	1	35

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-662R

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L4250N 4750 E B	<0.2	1.57	<5	85	<5	0.41	<1	7	19	19	1.99	<10	0.15	135	<1	0.02	9	290	4	<5	<20	18	0.12	<10	49	<10	2	30
97	L4250N 4775 E B	<0.2	0.96	<5	60	<5	0.21	<1	6	16	22	2.05	<10	0.16	147	<1	<0.01	6	420	6	<5	<20	10	0.14	<10	68	<10	1	49
98	L4250N 4825 E B	<0.2	2.14	<5	155	<5	0.28	<1	10	25	22	2.99	<10	0.22	122	<1	0.01	11	1530	8	<5	<20	15	0.08	<10	70	<10	<1	81
99	L4250N 4850 E B	<0.2	2.10	<5	100	<5	0.83	<1	11	22	29	2.90	<10	0.35	224	<1	0.02	10	130	6	<5	<20	26	0.19	<10	71	<10	4	44
100	L4250N 4875 E B	0.8	1.28	<5	145	<5	1.75	<1	3	11	279	1.07	30	0.19	55	<1	0.03	19	990	6	<5	<20	50	0.07	20	110	<10	35	19
101	L4550N 4325 E B	<0.2	2.35	<5	95	<5	0.27	<1	11	26	38	2.74	<10	0.21	101	<1	0.01	17	1030	10	<5	<20	16	0.17	<10	68	<10	2	32
102	L4550N 4350 E B	<0.2	0.46	<5	25	<5	0.14	<1	3	12	6	0.98	<10	0.05	48	<1	<0.01	3	140	4	<5	<20	8	0.07	<10	32	<10	<1	10
103	L4550N 4375 E B	<0.2	2.36	<5	115	<5	0.34	<1	13	54	31	3.97	<10	0.22	252	<1	0.02	23	2650	8	<5	<20	19	0.17	<10	112	<10	<1	89
104	L4550N 4425 E B	<0.2	2.91	<5	150	<5	1.08	<1	10	24	108	2.73	20	0.27	582	<1	0.03	23	480	8	<5	<20	40	0.13	<10	64	<10	13	40
105	L4550N 4450 E B	<0.2	2.19	<5	110	<5	1.50	<1	12	32	85	3.09	<10	0.32	388	<1	0.02	17	270	8	<5	<20	43	0.14	<10	76	<10	9	31
106	L4550N 4475 E B	<0.2	1.82	<5	125	<5	1.03	<1	13	72	105	5.13	<10	0.73	212	<1	0.03	19	320	6	<5	<20	45	0.20	<10	111	<10	5	38
107	L4550N 4525 E B	<0.2	2.12	<5	95	<5	0.92	<1	16	41	70	3.84	<10	0.45	268	<1	0.02	17	140	6	<5	<20	39	0.16	<10	94	<10	6	33
108	L4550N 4550 E B	<0.2	2.37	<5	95	<5	0.68	<1	8	22	21	2.42	<10	0.19	94	<1	0.03	9	110	6	<5	<20	25	0.13	<10	44	<10	2	20
109	L4550N 4575 E B	<0.2	1.31	<5	80	<5	0.63	<1	10	35	41	3.09	<10	0.29	237	<1	0.02	14	170	6	<5	<20	33	0.13	<10	103	<10	4	41
110	L4550N 4625 E B	<0.2	1.97	<5	130	<5	0.79	<1	10	40	85	3.89	<10	0.54	271	<1	0.03	16	270	12	<5	<20	45	0.14	<10	76	<10	12	37
111	L4550N 4700 E B	0.2	2.90	<5	255	<5	1.25	<1	11	45	525	3.63	50	0.58	355	<1	0.04	52	1150	6	<5	<20	82	0.13	<10	79	<10	52	34
112	L4550N 4800 E B	<0.2	1.69	<5	130	<5	0.35	<1	9	36	29	3.03	<10	0.19	130	<1	0.02	17	1790	4	<5	<20	19	0.11	<10	88	<10	2	35
113	L4550N 4900 E B	<0.2	1.98	<5	85	<5	0.19	<1	8	22	16	2.56	<10	0.14	112	<1	0.02	13	3220	4	<5	<20	11	0.11	<10	56	<10	<1	59
114	L4550N 5000 E B	<0.2	1.26	<5	85	<5	0.23	<1	7	21	11	2.20	<10	0.16	166	<1	0.02	10	840	4	<5	<20	11	0.11	<10	61	<10	<1	41
115	L4550N 5100 E B	<0.2	3.61	<5	365	<5	1.00	<1	22	31	166	4.72	10	1.24	2041	<1	0.02	23	290	14	<5	<20	46	0.20	<10	138	<10	16	180
116	L4550N 5200 E B	<0.2	1.60	<5	165	<5	0.35	<1	7	22	34	2.47	<10	0.33	535	1	0.01	11	500	6	<5	<20	16	0.08	<10	66	<10	<1	96
117	L4550N 5300 E B	<0.2	1.55	<5	240	<5	0.45	<1	6	15	30	1.98	<10	0.20	173	1	0.01	9	2060	6	<5	<20	20	0.08	<10	38	<10	<1	48
118	L4550N 5400 E B	<0.2	1.25	<5	150	<5	1.12	<1	13	50	73	3.86	<10	0.64	356	<1	0.02	23	1210	2	<5	<20	42	0.14	<10	109	<10	5	54
119	L4550N 5600 E B	<0.2	1.19	<5	90	<5	1.23	<1	10	15	43	2.43	<10	0.50	265	2	0.02	10	640	4	<5	<20	31	0.08	<10	66	<10	<1	46
120	L4550N 5700 E B	<0.2	1.81	<5	155	5	0.36	<1	10	21	17	2.45	<10	0.26	1072	<1	0.03	16	940	2	<5	<20	19	0.12	<10	59	<10	<1	87
121	L4550N 5800 E B	<0.2	1.00	<5	80	<5	0.80	<1	6	14	49	1.64	<10	0.22	316	<1	0.03	10	380	4	<5	<20	22	0.08	<10	33	<10	3	21
122	L4550N 5900 E B	<0.2	1.64	<5	150	5	0.19	<1	7	15	6	1.87	<10	0.11	241	1	0.02	12	2360	4	<5	<20	9	0.10	<10	35	<10	<1	49
123	L500N 1625 E B	<0.2	1.92	<5	170	<5	0.27	<1	8	12	20	1.86	<10	0.19	791	<1	0.02	19	1370	6	<5	<20	21	0.13	<10	36	<10	2	86
124	L500N 1650 E B	<0.2	2.42	<5	180	<5	0.25	<1	10	23	17	2.42	<10	0.26	383	<1	0.02	23	240	4	<5	<20	30	0.13	<10	53	<10	<1	62
125	L500N 1675 E B	<0.2	1.56	<5	125	<5	0.18	<1	8	13	11	1.77	<10	0.17	623	<1	0.02	15	650	4	<5	<20	17	0.11	<10	37	<10	<1	71
126	L500N 1725 E B	<0.2	2.98	<5	195	<5	0.22	<1	11	26	32	2.86	<10	0.25	209	1	0.02	26	860	4	<5	<20	31	0.12	<10	58	<10	<1	59
127	L500N 1750 E B	<0.2	1.72	<5	135	<5	0.20	<1	8	23	29	2.11	<10	0.20	636	<1	0.02	18	300	2	<5	<20	23	0.11	<10	46	<10	<1	58
128	L500N 1775 E B	<0.2	2.05	<5	255	<5	0.32	<1	7	16	21	1.97	<10	0.19	636	<1	0.02	21	3080	2	<5	<20	26	0.10	<10	36	<10	<1	51
129	L500N 1825 E B	<0.2	2.20	<5	265	<5	0.32	<1	7	23	172	2.50	<10	0.26	125	1	0.02	19	1590	4	<5	<20	29	0.09	<10	45	<10	<1	38
130	L500N 1850 E B	<0.2	2.21	<5	155	<5	0.23	<1	9	24	22	2.56	<10	0.23	169	<1	0.02	19	2270	2	<5	<20	18	0.12	<10	53	<10	<1	58
131	L500N 1875 E B	<0.2	1.65	<5	130	<5	0.21	<1	9	24	23	2.34	<10	0.24	600	<1	0.02	16	440	4	<5	<20	24	0.11	<10	56	<10	<1	56

GETTY COPPER CORPORATION — ICP CERTIFICATE OF ANALYSIS AK 96-662R — ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
132	L500N 1925 E B	<0.2	1.99	<5	170	<5	0.45	<1	7	21	161	2.17	<10	0.18	133	<1	0.02	19	1920	4	<5	<20	33	0.10	<10	48	<10	3	32
133	L500N 1950 E B	<0.2	2.98	<5	135	<5	0.17	<1	9	18	30	2.63	<10	0.22	199	1	0.02	19	1000	4	<5	<20	14	0.13	<10	54	<10	1	64
134	L500N 1975 E B	<0.2	2.20	<5	130	<5	0.20	<1	8	15	24	2.08	<10	0.15	945	<1	0.02	15	1040	4	<5	<20	11	0.13	<10	45	<10	1	74
135	L500N 2025 E B	<0.2	1.26	<5	145	<5	0.70	<1	7	20	57	2.30	<10	0.32	160	<1	0.02	12	310	<2	<5	<20	33	0.06	<10	58	<10	<1	29
136	L500N 2050 E B	<0.2	1.96	<5	145	<5	0.30	<1	9	25	50	2.66	<10	0.29	615	<1	0.02	18	440	12	<5	<20	26	0.09	<10	65	<10	<1	59
137	L700N 1625 E B	<0.2	1.82	<5	170	<5	0.20	<1	8	14	10	1.79	<10	0.12	692	1	0.02	14	2560	4	<5	<20	21	0.10	<10	33	<10	2	46
138	L700N 1650 E B	<0.2	2.03	<5	190	<5	0.46	<1	7	15	124	1.97	<10	0.22	295	2	0.02	16	1970	<2	<5	<20	37	0.09	<10	39	<10	6	36
139	L700N 1675 E B	<0.2	1.96	<5	195	<5	0.41	<1	9	17	44	2.28	<10	0.30	267	2	0.02	17	1830	<2	<5	<20	32	0.09	<10	46	<10	1	44
140	L700N 1725 E B	<0.2	1.66	<5	325	<5	0.39	<1	7	19	85	2.23	<10	0.27	145	3	0.02	13	2830	4	<5	<20	32	0.09	<10	43	<10	1	71
141	L700N 1775 E B	<0.2	1.49	<5	360	<5	0.71	<1	4	13	47	1.76	<10	0.16	69	2	0.02	11	4240	4	<5	<20	57	0.08	<10	29	<10	1	48
142	L700N 1825 E B	<0.2	2.25	5	150	<5	0.22	<1	9	19	36	2.62	<10	0.26	911	<1	0.01	17	580	4	<5	<20	25	0.10	<10	59	<10	<1	55
143	L700N 1850 E B	<0.2	1.86	<5	125	<5	0.14	<1	8	15	22	2.33	<10	0.19	173	<1	0.02	14	1570	6	<5	<20	18	0.10	<10	46	<10	<1	81
144	L700N 1875 E B	<0.2	2.01	<5	145	<5	0.16	<1	7	11	19	2.08	<10	0.17	367	<1	0.02	14	700	4	<5	<20	21	0.11	<10	43	<10	<1	48
145	L700N 1925 E B	<0.2	1.71	<5	185	<5	0.21	<1	9	19	41	2.62	<10	0.21	1812	1	0.01	13	900	8	<5	<20	29	0.07	<10	63	<10	<1	65
146	L700N 1950 E B	<0.2	1.63	<5	125	<5	0.21	<1	8	18	23	2.44	<10	0.22	617	<1	0.01	16	1070	2	<5	<20	13	0.08	<10	59	<10	<1	73
QC DATA:																													
Repeat:																													
1	L2600N 4750 E B	<0.2	1.11	<5	160	<5	0.45	<1	9	29	38	3.18	<10	0.30	296	<1	<0.01	12	240	8	<5	<20	76	0.12	<10	111	<10	<1	53
10	L2600N 5050 E B	<0.2	1.62	<5	155	5	0.28	<1	8	24	23	2.57	<10	0.22	300	<1	<0.01	14	1020	10	<5	<20	24	0.10	<10	74	<10	<1	57
19	L2900N 5025 E B	0.4	4.19	15	325	<5	1.49	<1	18	52	500	5.80	20	1.22	1564	4	0.02	50	990	12	<5	<20	110	0.07	<10	101	<10	36	100
36	L3750N 3875 E B	<0.2	1.07	<5	100	<5	0.47	<1	8	30	25	2.16	<10	0.37	210	<1	0.01	13	500	8	<5	<20	30	0.13	<10	60	<10	3	34
45	L3750N 4175 E B	<0.2	1.89	<5	85	<5	0.13	<1	7	18	8	2.38	<10	0.10	180	<1	<0.01	10	2480	14	<5	<20	10	0.10	<10	59	<10	<1	49
54	L4000N 4175 E B	<0.2	1.54	<5	125	<5	0.67	<1	12	38	63	3.73	<10	0.44	337	<1	0.01	18	180	10	<5	<20	34	0.13	<10	106	<10	4	45
71	L4000N 4975 E B	<0.2	1.91	<5	190	10	0.43	<1	14	28	37	3.73	<10	0.62	1724	<1	<0.01	14	400	12	<5	<20	38	0.15	<10	102	<10	<1	103
80	L4250N 4225 E B	<0.2	1.21	<5	80	5	0.44	<1	12	45	24	3.52	<10	0.27	178	<1	0.01	15	280	12	<5	<20	22	0.15	<10	100	<10	<1	35
89	L4250N 4525 E B	<0.2	2.10	<5	180	<5	0.51	<1	13	38	42	3.18	<10	0.45	621	<1	0.01	22	1610	6	<5	<20	41	0.12	<10	95	<10	<1	76
108	L4550N 4550 E B	<0.2	2.17	<5	80	10	0.50	<1	10	30	18	2.14	<10	0.31	106	<1	0.02	6	130	4	<5	<20	40	0.10	<10	29	<10	4	25
119	L4550N 5600 E B	<0.2	1.12	<5	90	<5	1.30	<1	10	15	43	2.32	<10	0.50	265	2	0.02	10	640	4	<5	<20	31	0.08	<10	66	<10	<1	46
128	L500N 1775 E B	<0.2	2.15	<5	250	<5	0.32	<1	7	18	21	1.97	<10	0.19	636	<1	0.02	21	3100	2	<5	<20	26	0.10	<10	36	<10	<1	50
137	L700N 1625 E B	<0.2	1.92	<5	180	<5	0.20	<1	8	16	10	1.79	<10	0.12	680	1	0.02	14	2500	4	<5	<20	21	0.10	<10	33	<10	2	42
145	L700N 1925 E B	<0.2	1.80	<5	190	<5	0.21	<1	9	20	41	2.62	<10	0.21	1812	1	0.01	13	900	8	<5	<20	29	0.07	<10	63	<10	<1	60

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-662R | ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
Standard:																													
GEO'96		1.4	1.74	65	160	<5	1.82	<1	19	60	83	4.12	<10	1.00	723	<1	0.02	25	750	20	<5	<20	57	0.11	<10	77	<10	4	69
GEO'96		1.4	1.71	70	160	<5	1.79	<1	18	59	82	4.07	<10	0.97	715	<1	0.01	25	740	18	<5	<20	59	0.10	<10	76	<10	4	66
GEO'96		1.6	2.06	70	170	<5	2.02	<1	21	71	87	4.10	<10	1.08	770	<1	0.02	22	770	22	<5	<20	64	0.15	<10	91	<10	4	72
GEO'96		1.2	1.94	60	165	5	1.91	<1	20	68	83	4.32	<10	1.04	741	<1	0.02	27	780	26	<5	<20	64	0.14	<10	86	<10	4	70
GEO'96		1.8	1.86	60	160	<5	1.83	<1	20	64	82	4.21	<10	1.01	730	<1	0.02	26	810	34	<5	<20	59	0.12	<10	81	<10	3	71
GEO'96		1.2	1.83	60	155	<5	1.85	<1	19	63	82	4.29	<10	1.01	734	<1	0.02	25	770	18	<5	<20	60	0.13	<10	82	<10	5	68

df/662r/662ar785br
XLS/96G.Copper#7

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

1-Aug-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-658

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 112
Sample type: Soil
PROJECT #: None given
SHIPMENT #: None given

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L26+00N 55+00 EB	<0.2	1.55	<5	155	10	0.30	<1	9	32	21	2.91	<10	0.27	463	<1	<0.01	14	410	18	<5	<20	21	0.11	<10	90	<10	<1	71
2	L26+00N 56+00 EB	<0.2	1.19	<5	150	5	0.25	<1	8	23	8	2.31	<10	0.17	911	<1	<0.01	10	420	14	<5	<20	15	0.11	<10	70	<10	<1	63
3	L26+00N 57+00 EB	<0.2	1.73	<5	220	10	0.21	<1	8	21	12	2.50	<10	0.20	1916	<1	<0.01	15	740	22	<5	<20	9	0.10	<10	65	<10	<1	145
4	L26+00N 58+00 EB	<0.2	1.87	<5	175	5	0.26	<1	8	22	26	2.37	<10	0.23	238	<1	<0.01	14	1280	22	<5	<20	19	0.11	<10	56	<10	2	79
5	L26+00N 59+00 EB	<0.2	1.70	<5	175	5	0.31	<1	8	21	19	2.32	<10	0.22	722	<1	<0.01	15	650	20	<5	<20	16	0.12	<10	62	<10	1	92
6	L26+00N 61+00 EB	<0.2	1.47	<5	150	10	0.42	<1	10	31	19	3.00	<10	0.24	799	<1	<0.01	15	270	18	<5	<20	24	0.14	<10	93	<10	1	53
7	L26+00N 62+00 EB	<0.2	1.47	<5	145	5	0.34	<1	9	20	17	2.64	<10	0.23	183	<1	<0.01	14	1240	16	<5	<20	18	0.10	<10	74	<10	<1	54
8	L26+00N 63+00 EB	<0.2	1.22	<5	150	10	0.33	<1	10	28	19	3.84	<10	0.28	176	<1	<0.01	14	1130	16	<5	<20	19	0.09	<10	137	<10	<1	44
9	L26+00N 64+00 EB	<0.2	2.95	<5	145	5	0.68	<1	13	30	55	2.87	20	0.35	331	<1	0.01	21	400	32	<5	<20	35	0.13	<10	71	<10	12	45
10	L26+00N 65+00 EB	<0.2	0.93	<5	110	5	0.42	<1	10	31	29	2.90	<10	0.29	307	<1	0.01	14	1210	12	<5	<20	21	0.10	<10	87	<10	1	40
11	L26+00N 57+00 EB	0.6	3.04	<5	705	<5	1.46	<1	15	52	216	5.16	20	0.84	6023	5	0.03	48	750	28	<5	<20	77	0.13	<10	124	<10	13	55
12	L29+00N 58+00 EB	<0.2	1.51	<5	125	10	0.36	<1	10	29	20	2.99	<10	0.25	216	<1	0.01	12	290	18	<5	<20	24	0.15	<10	91	<10	2	44
13	L29+00N 59+00 EB	<0.2	1.90	<5	195	5	0.31	<1	10	24	22	2.68	<10	0.33	890	<1	<0.01	16	480	24	<5	<20	18	0.12	<10	70	<10	1	61
14	L29+00N 60+00 EB	<0.2	0.96	<5	115	<5	0.23	<1	7	19	10	1.90	<10	0.13	848	<1	<0.01	9	520	12	<5	<20	12	0.09	<10	53	<10	<1	60
15	L29+00N 61+00 EB	<0.2	2.18	<5	210	10	0.22	<1	10	25	21	2.81	<10	0.25	593	<1	0.01	20	2510	26	<5	<20	12	0.12	<10	70	<10	1	181
16	L29+00N 62+00 EB	<0.2	2.66	<5	180	5	0.36	<1	13	38	51	3.71	<10	0.44	540	<1	<0.01	24	510	32	<5	<20	20	0.18	<10	111	<10	2	66
17	L29+00N 63+00 EB	<0.2	3.27	<5	185	10	0.23	<1	11	21	22	2.95	<10	0.24	370	<1	0.01	16	3010	40	<5	<20	12	0.16	<10	60	<10	3	107
18	L29+00N 64+00 EB	<0.2	1.81	<5	105	<5	0.38	<1	8	19	27	1.82	<10	0.26	163	<1	0.01	11	410	24	<5	<20	25	0.13	<10	43	<10	3	68
19	L29+00N 65+00 EB	<0.2	1.11	<5	115	5	0.25	<1	7	17	8	1.95	<10	0.12	438	<1	<0.01	8	540	14	<5	<20	13	0.09	<10	51	<10	<1	47
20	L32+00N 54+00 EB	<0.2	1.32	<5	135	15	0.38	<1	13	33	28	5.30	<10	0.39	395	2	<0.01	16	330	16	<5	<20	20	0.10	<10	213	<10	<1	51
21	L32+00N 55+00 EB	<0.2	1.34	<5	155	5	0.31	<1	9	24	30	2.63	<10	0.24	1128	<1	<0.01	14	470	16	<5	<20	16	0.10	<10	86	<10	1	60
22	L32+00N 56+00 EB	<0.2	1.25	<5	100	5	0.24	<1	7	18	11	1.92	<10	0.15	434	<1	0.01	9	420	18	<5	<20	10	0.12	<10	47	<10	<1	60
23	L32+00N 57+00 EB	<0.2	1.64	<5	130	5	0.28	<1	7	19	25	1.84	<10	0.22	408	<1	0.01	11	380	24	<5	<20	17	0.10	<10	47	<10	2	55
24	L32+00N 58+00 EB	<0.2	1.25	<5	95	10	0.35	<1	11	34	20	3.44	<10	0.25	232	<1	<0.01	17	740	16	<5	<20	15	0.14	<10	117	<10	1	64
25	L32+00N 59+00 EB	<0.2	1.88	<5	140	5	0.20	<1	9	15	13	2.00	<10	0.17	1238	<1	0.01	15	1430	26	<5	<20	11	0.12	<10	46	<10	1	146

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-658

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L32+00N 60+00 EB	<0.2	2.46	<5	205	10	0.27	<1	12	26	24	3.05	<10	0.31	679	<1	0.01	21	950	30	<5	<20	16	0.12	<10	79	<10	<1	90
27	L32+00N 61+00 EB	<0.2	3.37	<5	175	10	0.36	<1	13	23	34	2.87	<10	0.31	1021	<1	0.01	21	1700	40	<5	<20	14	0.19	<10	66	<10	3	130
28	L32+00N 62+00 EB	<0.2	2.28	<5	205	10	0.29	<1	10	20	16	2.53	<10	0.26	1289	<1	0.01	18	460	28	<5	<20	14	0.12	<10	63	<10	<1	118
29	L32+00N 63+00 EB	<0.2	1.04	<5	85	5	0.45	<1	11	31	27	2.92	<10	0.26	378	<1	0.01	13	170	12	<5	<20	24	0.14	<10	100	<10	3	42
30	L32+00N 64+00 EB	<0.2	2.02	<5	300	<5	0.54	<1	11	20	49	2.40	<10	0.51	453	<1	<0.01	14	610	26	<5	<20	135	0.14	<10	71	<10	2	90
31	L32+00N 65+00 EB	<0.2	2.70	<5	235	10	0.42	<1	11	29	34	3.07	<10	0.35	499	<1	0.01	22	990	32	<5	<20	26	0.13	<10	70	<10	1	96
32	L34+50N 51+25 EB	<0.2	1.61	<5	140	10	0.41	<1	11	35	25	3.64	<10	0.30	302	<1	<0.01	20	1510	20	<5	<20	20	0.11	<10	117	<10	<1	69
33	L34+50N 51+50 EB	<0.2	2.44	<5	145	5	0.23	<1	11	23	39	2.75	<10	0.27	838	<1	0.01	17	2660	30	<5	<20	13	0.12	<10	66	<10	2	119
34	L34+50N 51+75 EB	<0.2	2.31	<5	280	<5	0.36	<1	9	21	19	2.46	<10	0.20	603	<1	0.01	16	4880	30	<5	<20	19	0.11	<10	46	<10	2	194
35	L34+50N 52+25 EB	<0.2	2.05	<5	165	10	0.53	<1	13	37	44	4.56	10	0.39	674	<1	<0.01	23	850	24	<5	<20	29	0.12	<10	157	<10	5	137
36	L34+50N 52+50 EB	<0.2	2.75	<5	135	10	0.23	<1	10	16	18	2.30	<10	0.16	607	<1	0.01	15	2400	36	<5	<20	8	0.13	<10	50	<10	3	119
37	L34+50N 52+75 EB	<0.2	2.23	<5	165	5	0.29	<1	9	19	15	2.11	<10	0.23	562	<1	0.01	19	1240	28	<5	<20	19	0.12	<10	46	<10	2	89
38	L34+50N 53+25 EB	<0.2	1.46	<5	205	5	0.38	<1	8	24	13	2.41	<10	0.22	1257	<1	<0.01	14	840	20	<5	<20	20	0.10	<10	66	<10	<1	139
39	L34+50N 53+50 EB	<0.2	3.05	<5	195	10	0.25	<1	11	21	15	2.58	<10	0.21	461	<1	0.01	26	4300	36	<5	<20	9	0.13	<10	46	<10	2	145
40	L34+50N 53+75 EB	<0.2	2.34	<5	210	10	0.33	<1	11	26	27	2.75	<10	0.35	421	<1	<0.01	20	770	30	<5	<20	19	0.11	<10	67	<10	1	91
41	L34+50N 55+00 EB	<0.2	1.25	<5	125	10	0.28	<1	12	40	17	3.68	<10	0.24	758	<1	<0.01	15	660	16	<5	<20	15	0.11	<10	131	<10	<1	80
42	L34+50N 56+00 EB	<0.2	0.89	<5	110	10	0.37	<1	9	37	19	3.39	<10	0.22	132	<1	<0.01	11	580	14	<5	<20	19	0.11	<10	116	<10	<1	34
43	L34+50N 57+00 EB	<0.2	1.48	<5	170	<5	1.49	<1	8	24	114	2.54	20	0.47	502	<1	0.02	16	1320	16	<5	<20	43	0.07	<10	47	<10	27	30
44	L34+50N 58+00 EB	<0.2	1.34	<5	120	5	0.30	<1	7	32	13	2.72	<10	0.17	146	<1	<0.01	12	1010	18	<5	<20	12	0.10	<10	82	<10	<1	67
45	L34+50N 59+00 EB	<0.2	2.18	<5	230	5	0.41	<1	11	29	40	2.98	<10	0.37	196	<1	0.01	16	1430	28	<5	<20	22	0.11	<10	71	<10	1	65
46	L34+50N 61+00 EB	<0.2	1.32	<5	120	5	0.71	<1	13	30	64	2.91	10	0.48	320	<1	0.01	17	420	16	<5	<20	31	0.13	<10	63	<10	5	38
47	L34+50N 62+00 EB	<0.2	1.79	<5	120	10	0.75	<1	12	28	81	3.66	<10	0.40	290	<1	0.02	15	180	22	<5	<20	28	0.12	<10	93	<10	4	49
48	L34+50N 63+00 EB	<0.2	1.81	<5	215	10	0.25	<1	8	20	15	2.25	<10	0.16	203	<1	<0.01	13	4140	24	<5	<20	15	0.10	<10	43	<10	1	65
49	L34+50N 64+00 EB	<0.2	3.32	<5	175	<5	0.27	<1	10	18	42	2.50	<10	0.28	153	<1	0.01	16	3260	44	<5	<20	18	0.14	<10	48	<10	2	82
50	L37+00N 44+25 EB	<0.2	2.20	<5	225	5	0.77	<1	21	40	132	5.17	20	0.99	625	<1	<0.01	26	1000	40	<5	<20	59	0.18	<10	177	<10	6	119
51	L37+50N 44+50 EB	<0.2	2.34	<5	195	<5	1.15	<1	20	35	138	4.98	20	1.15	686	<1	<0.01	25	680	42	<5	<20	84	0.19	<10	174	<10	6	125
52	L37+50N 44+75 EB	<0.2	2.55	<5	155	5	0.73	<1	11	27	33	2.75	<10	0.39	174	<1	0.02	19	240	32	<5	<20	26	0.13	<10	64	<10	3	61
53	L37+50N 45+25 EB	<0.2	2.19	<5	220	<5	1.14	<1	27	32	238	5.59	20	1.52	834	<1	<0.01	24	940	42	<5	<20	49	0.26	<10	193	<10	10	230
54	L37+50N 45+50 EB	<0.2	2.27	<5	430	<5	1.24	2	29	33	344	6.04	30	1.78	1336	<1	<0.01	28	1270	192	<5	<20	53	0.23	<10	226	<10	13	426
55	L37+50N 45+75 EB	<0.2	2.46	<5	165	<5	0.93	<1	12	32	127	3.19	30	0.48	451	<1	0.01	19	280	32	<5	<20	32	0.14	<10	77	<10	20	76
56	L37+50N 46+25 EB	<0.2	2.59	<5	170	5	0.57	<1	11	30	45	2.91	10	0.49	478	<1	0.01	23	520	34	<5	<20	32	0.16	<10	65	<10	6	81
57	L37+50N 46+50 EB	<0.2	2.41	<5	120	10	0.24	<1	12	16	22	2.55	<10	0.25	771	<1	<0.01	14	2020	32	<5	<20	6	0.19	<10	56	<10	4	152
58	L37+50N 49+25 EB	<0.2	3.07	<5	180	<5	1.07	<1	11	24	66	3.00	30	0.35	1071	<1	0.01	18	420	40	<5	<20	26	0.13	<10	68	<10	26	135
59	L37+50N 49+50 EB	<0.2	2.70	<5	155	5	0.89	<1	13	29	59	3.34	20	0.39	827	<1	0.01	17	270	34	<5	<20	22	0.13	<10	86	<10	15	120
60	L37+50N 49+75 EB	<0.2	2.53	<5	190	10	0.68	<1	12	26	52	3.15	10	0.41	390	<1	0.01	17	280	34	<5	<20	22	0.16	<10	87	<10	8	88

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-658

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L37+50N 50+25 EB	<0.2	1.97	<5	135	5	0.33	<1	9	19	32	2.19	<10	0.31	192	<1	<0.01	12	530	28	<5	<20	13	0.13	<10	54	<10	2	51
62	L37+50N 50+50 EB	<0.2	2.20	<5	185	10	0.79	<1	15	39	81	4.11	10	0.59	259	<1	0.01	19	220	26	<5	<20	29	0.16	<10	121	<10	4	68
63	L37+50N 50+75 EB	<0.2	2.73	<5	175	<5	0.46	<1	7	15	96	1.55	20	0.29	98	<1	0.02	21	940	42	<5	<20	15	0.12	<10	36	<10	11	114
64	L37+50N 51+25 EB	<0.2	0.99	<5	90	10	0.46	<1	11	38	31	3.62	<10	0.27	252	<1	0.01	15	390	14	<5	<20	16	0.14	<10	135	<10	2	38
65	L37+50N 51+50 EB	<0.2	1.15	<5	90	10	0.35	<1	10	29	24	3.22	<10	0.23	222	<1	<0.01	15	550	14	<5	<20	11	0.10	<10	113	<10	2	47
66	L37+50N 51+75 EB	<0.2	2.22	<5	100	5	0.73	<1	7	14	27	1.89	<10	0.18	182	<1	0.02	8	220	28	<5	<20	16	0.10	<10	32	<10	4	40
67	L37+50N 52+25 EB	<0.2	0.91	<5	60	10	0.26	<1	6	22	14	2.11	<10	0.16	157	<1	<0.01	8	490	14	<5	<20	7	0.09	<10	69	<10	<1	49
68	L37+50N 52+50 EB	<0.2	2.53	<5	130	<5	0.92	<1	9	22	69	3.02	20	0.61	152	<1	0.01	12	280	30	<5	<20	26	0.07	<10	51	<10	9	40
69	L37+50N 52+75 EB	<0.2	2.91	<5	195	10	0.34	<1	11	23	26	2.88	<10	0.26	227	<1	0.01	17	2940	38	<5	<20	18	0.14	<10	58	<10	3	74
70	L37+50N 53+25 EB	<0.2	2.31	<5	135	10	0.29	<1	9	23	21	2.42	<10	0.19	202	<1	0.01	18	2420	28	<5	<20	11	0.12	<10	54	<10	2	52
71	L37+50N 53+50 EB	<0.2	1.59	<5	130	10	0.29	<1	8	17	11	1.91	<10	0.18	667	<1	0.01	11	1270	22	<5	<20	12	0.09	<10	42	<10	1	73
72	L37+50N 55+00 EB	<0.2	1.38	<5	105	5	0.43	<1	10	36	19	3.33	<10	0.25	233	<1	0.01	13	190	20	<5	<20	15	0.13	<10	114	<10	1	51
73	L37+50N 56+00 EB	<0.2	1.45	<5	120	10	1.28	<1	11	23	31	2.59	<10	0.36	200	<1	0.01	12	280	20	<5	<20	32	0.12	<10	68	<10	2	41
74	L37+50N 58+00 EB	<0.2	1.81	<5	140	10	0.29	<1	10	27	14	2.91	<10	0.17	249	<1	0.01	18	1510	24	<5	<20	15	0.12	<10	79	<10	1	69
75	L37+50N 59+00 EB	<0.2	1.47	<5	95	5	0.24	<1	8	24	11	2.51	<10	0.16	172	<1	0.01	11	550	20	<5	<20	13	0.11	<10	72	<10	<1	35
76	L37+50N 60+00 EB	<0.2	1.43	<5	120	5	0.26	<1	9	24	12	2.40	<10	0.16	293	<1	<0.01	10	990	20	<5	<20	12	0.10	<10	63	<10	<1	55
77	L37+50N 61+00 EB	<0.2	2.75	<5	180	10	0.23	<1	11	23	23	2.69	<10	0.22	647	<1	0.01	22	2570	34	<5	<20	8	0.13	<10	61	<10	2	125
78	L37+50N 62+00 EB	<0.2	1.43	<5	85	10	0.48	<1	8	26	26	2.27	<10	0.27	172	<1	0.01	10	220	20	<5	<20	18	0.14	<10	45	<10	4	48
79	L37+50N 63+00 EB	<0.2	2.40	<5	280	5	0.30	<1	11	27	32	2.79	<10	0.26	653	<1	<0.01	20	3980	32	<5	<20	14	0.13	<10	56	<10	1	107
80	L37+50N 64+00 EB	<0.2	3.15	<5	220	10	0.21	<1	12	21	40	2.81	<10	0.34	725	<1	0.01	21	2650	42	<5	<20	10	0.16	<10	56	<10	3	113
81	L37+50N 65+00 EB	<0.2	1.25	<5	155	5	0.29	<1	8	22	9	2.02	<10	0.18	987	<1	0.01	10	340	18	<5	<20	16	0.12	<10	53	<10	2	72
82	L40+00N 58+00 EB	<0.2	2.24	<5	325	<5	0.26	<1	10	23	24	2.37	<10	0.24	449	<1	0.01	24	3900	30	<5	<20	22	0.12	<10	45	<10	2	205
83	L40+00N 59+00 EB	<0.2	1.08	<5	195	5	0.39	<1	10	23	15	2.30	<10	0.16	1667	<1	<0.01	13	680	16	<5	<20	20	0.11	<10	66	<10	1	136
84	L40+00N 60+00 EB	<0.2	1.41	<5	245	10	0.47	<1	8	24	11	2.36	<10	0.20	1120	<1	0.01	14	1350	20	<5	<20	20	0.11	<10	59	<10	1	75
85	L40+00N 61+00 EB	<0.2	1.71	<5	175	10	0.36	<1	10	33	12	2.74	<10	0.23	715	<1	0.01	16	480	22	<5	<20	22	0.13	<10	71	<10	2	95
86	L40+00N 62+00 EB	<0.2	2.85	<5	170	<5	0.42	<1	7	25	68	2.25	20	0.33	159	<1	0.01	17	710	40	<5	<20	27	0.14	10	55	<10	10	86
87	L40+00N 63+00 EB	<0.2	2.02	<5	235	10	0.46	<1	11	19	32	2.38	<10	0.36	1777	<1	0.01	17	2330	26	<5	<20	14	0.14	<10	53	<10	3	190
88	L40+00N 64+00 EB	<0.2	1.34	<5	155	10	0.45	<1	12	29	20	3.02	<10	0.30	709	<1	0.01	14	260	18	<5	<20	28	0.17	<10	94	<10	3	55
89	L40+00N 65+00 EB	<0.2	1.68	<5	300	5	0.86	<1	8	19	37	2.38	<10	0.33	1623	<1	<0.01	12	1150	22	<5	<20	38	0.11	<10	62	<10	1	204
90	L42+00N 61+00 EB	<0.2	1.34	<5	110	10	0.49	<1	11	27	25	3.05	<10	0.35	185	<1	<0.01	14	690	20	<5	<20	25	0.11	<10	85	<10	<1	47
91	L42+50N 50+00 EB	<0.2	2.17	<5	165	10	0.24	<1	10	25	17	2.68	<10	0.17	525	<1	0.01	17	2960	30	<5	<20	19	0.11	<10	57	<10	2	69
92	L42+50N 51+00 EB	<0.2	2.22	<5	220	10	0.28	<1	11	18	18	2.42	<10	0.27	2519	<1	0.01	18	1410	30	<5	<20	11	0.14	<10	52	<10	2	176
93	L42+50N 52+00 EB	0.2	5.35	<5	720	<5	2.44	2	15	48	453	4.84	40	0.91	1231	<1	0.05	49	2020	54	<5	<20	104	0.13	<10	90	<10	40	112
94	L42+50N 53+00 EB	<0.2	2.18	<5	225	5	0.31	<1	9	18	25	2.31	<10	0.32	1282	<1	0.01	15	670	28	<5	<20	13	0.09	<10	51	<10	1	154
95	L42+50N 54+00 EB	<0.2	1.61	<5	260	5	0.41	<1	11	26	29	3.12	<10	0.43	1102	<1	<0.01	12	260	24	<5	<20	25	0.12	<10	94	<10	1	100

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-658

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L42+50N 55+00 EB	<0.2	1.81	<5	175	5	0.37	<1	9	28	20	2.69	<10	0.33	611	<1	0.01	14	540	26	<5	<20	18	0.11	<10	71	<10	1	160
97	L42+50N 56+00 EB	<0.2	2.89	<5	210	10	0.31	<1	12	23	25	2.82	<10	0.40	978	<1	0.01	23	2150	36	<5	<20	19	0.13	<10	59	<10	2	155
98	L42+50N 57+00 EB	<0.2	1.82	<5	160	<5	0.98	<1	5	19	453	1.88	50	0.28	121	<1	0.02	35	570	24	<5	<20	39	0.10	<10	44	<10	50	31
99	L42+50N 58+00 EB	<0.2	3.43	<5	245	10	0.29	2	13	21	68	3.21	10	0.55	441	<1	0.01	20	920	96	<5	<20	15	0.16	<10	66	<10	3	347
100	L42+50N 59+00 EB	<0.2	1.59	<5	135	10	0.24	<1	8	26	21	2.23	<10	0.20	441	<1	<0.01	12	480	22	<5	<20	12	0.11	<10	54	<10	2	104
101	L42+50N 60+00 EB	<0.2	1.98	<5	145	10	0.34	<1	7	15	16	1.75	<10	0.19	307	<1	0.01	12	340	24	<5	<20	14	0.11	<10	36	<10	2	49
102	L42+50N 62+00 EB	<0.2	1.40	<5	125	10	0.35	<1	11	30	22	3.07	<10	0.28	270	<1	0.01	17	510	18	<5	<20	17	0.15	<10	87	<10	2	40
103	L42+50N 63+00 EB	<0.2	2.96	5	190	5	0.31	<1	11	20	61	2.68	<10	0.30	495	<1	0.01	16	2600	38	<5	<20	14	0.16	<10	60	<10	4	84
104	L42+50N 64+00 EB	<0.2	2.76	<5	345	10	0.57	<1	13	44	47	3.86	10	0.30	180	<1	0.01	24	3180	30	<5	<20	49	0.13	<10	102	<10	3	57
105	L42+50N 65+00 EB	<0.2	2.01	<5	390	5	0.40	<1	10	22	34	2.57	<10	0.32	1429	<1	<0.01	18	3860	26	<5	<20	20	0.14	<10	62	<10	2	149
106	L45+50N 60+00 EB	<0.2	1.85	<5	160	10	0.39	<1	14	36	30	3.65	10	0.37	938	<1	0.01	23	570	24	<5	<20	24	0.15	<10	103	<10	2	88
107	L45+50N 61+00 EB	<0.2	0.99	<5	105	<5	0.16	<1	7	17	8	1.96	<10	0.14	432	1	<0.01	8	590	12	<5	<20	8	0.09	<10	55	<10	<1	46
108	L45+50N 62+00 EB	<0.2	2.02	<5	240	10	0.37	<1	11	27	22	3.35	<10	0.31	1168	<1	0.01	18	690	26	<5	<20	23	0.13	<10	100	<10	1	105
109	L45+50N 63+00 EB	<0.2	1.02	<5	165	5	0.39	<1	9	22	18	2.14	<10	0.21	730	<1	0.02	11	600	14	<5	<20	23	0.10	<10	51	<10	2	42
110	L45+50N 64+00 EB	<0.2	1.00	<5	135	5	0.27	<1	7	20	8	1.94	<10	0.16	490	<1	0.01	9	450	12	<5	<20	12	0.12	<10	51	<10	2	76
111	L45+50N 65+00 EB	<0.2	1.07	<5	150	10	0.40	<1	12	24	15	3.44	<10	0.27	676	<1	0.01	13	390	16	<5	<20	17	0.12	<10	114	<10	<1	50
112	L17+25N 43+75 EB	<0.2	1.46	<5	115	10	0.28	<1	9	32	12	2.66	<10	0.20	263	<1	0.01	15	400	18	<5	<20	20	0.12	<10	81	<10	1	46

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-658 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #			Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																															
Resplit:																															
R/S 71	L37+50N	53+50	EB	<0.2	0.02	<5	<5	<5	<0.01	<1	<1	<1	<1	0.02	<10	<0.01	<1	<1	<0.01	<1	10	<2	<5	<20	<1	<0.01	<10	<1	<10	<1	<1
Repeat:																															
1	L26+00N	55+00	EB	<0.2	1.61	<5	145	5	0.31	<1	10	32	21	2.93	<10	0.27	428	<1	<0.01	15	390	18	<5	<20	17	0.11	<10	90	<10	1	71
10	L26+00N	65+00	EB	<0.2	0.96	<5	115	10	0.42	<1	10	32	29	2.89	<10	0.30	309	<1	0.01	15	1240	12	<5	<20	21	0.10	<10	86	<10	1	40
19	L29+00N	65+00	EB	<0.2	1.19	<5	115	<5	0.25	<1	8	19	8	2.02	<10	0.12	450	<1	0.01	8	540	16	<5	<20	14	0.10	<10	53	<10	<1	50
36	L34+50N	52+50	EB	<0.2	2.74	<5	135	10	0.24	<1	10	16	18	2.28	<10	0.17	595	<1	0.01	15	2370	36	<5	<20	10	0.13	<10	50	<10	3	121
45	L34+50N	59+00	EB	<0.2	2.24	<5	235	5	0.44	<1	12	30	46	3.10	<10	0.41	201	<1	0.01	17	1410	28	<5	<20	25	0.12	<10	76	<10	2	69
54	L37+50N	45+50	EB	<0.2	2.24	<5	420	<5	1.18	2	29	30	325	5.75	20	1.79	1241	<1	<0.01	27	1120	176	<5	<20	51	0.26	<10	206	<10	12	405
71	L37+50N	53+50	EB	<0.2	1.62	<5	130	10	0.28	<1	8	16	11	1.92	<10	0.18	669	<1	0.01	11	1330	22	<5	<20	10	0.09	<10	42	<10	<1	75
80	L37+50N	64+00	EB	<0.2	3.18	<5	225	5	0.22	<1	12	22	41	2.86	<10	0.34	736	<1	0.01	22	2640	44	<5	<20	15	0.16	<10	58	<10	3	114
89	L40+00N	65+00	EB	<0.2	1.74	<5	305	5	0.92	<1	8	18	36	2.31	<10	0.34	1667	<1	<0.01	12	1150	22	<5	<20	40	0.11	<10	58	<10	1	207
106	L45+50N	60+00	EB	<0.2	1.90	<5	160	10	0.40	<1	14	39	30	3.83	10	0.37	954	<1	0.01	26	560	24	<5	<20	25	0.16	<10	112	<10	2	89
Standard:																															
GEO'96				1.0	1.83	60	170	5	1.84	<1	19	64	81	4.15	10	1.00	714	<1	0.02	25	740	20	<5	<20	57	0.13	<10	80	<10	5	71
GEO'96				1.0	1.85	60	170	10	1.85	1	19	64	81	4.20	20	1.02	710	<1	0.02	22	770	20	<5	<20	56	0.13	<10	82	<10	6	70
GEO'96				1.0	1.87	70	180	10	1.83	<1	20	64	82	4.19	20	1.01	737	<1	0.02	20	720	20	<5	<20	58	0.13	<10	82	<10	6	72
GEO'96				1.0	1.92	70	180	5	1.91	<1	20	67	84	4.35	20	1.05	745	<1	0.02	22	770	22	<5	<20	64	0.13	<10	85	<10	6	74

df/658r
XLS/96G.Copper

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

19-Jul-96

DETAILED SAMPLING - no Au

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-639

LINES: 0, 200, 350, 600
2000, 2300, 2900, 3050,
3200, 3325, 3450, 3600,
3750 & 3875 (N)

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 276
Sample type: Soil
PROJECT #: None given
SHIPMENT #: None given

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L0+00 N 18+25 E B	<.2	1.61	<5	165	<5	0.34	<1	7	25	27	2.85	<10	0.24	111	2	<.01	11	2100	2	<5	20	29	0.08	<10	65	<10	<1	27
2	L0+00 N 18+50 E B	0.2	3.11	5	490	<5	2.66	<1	15	38	1966	4.04	30	0.87	1127	3	0.04	43	1390	4	<5	20	141	0.10	<10	83	<10	36	65
3	L0+00 N 18+75 E B	<.2	1.95	<5	255	<5	0.68	<1	15	41	366	5.13	<10	0.51	323	2	0.01	22	270	<2	<5	20	53	0.14	<10	157	<10	6	46
4	L0+00 N 19+25 E B	<.2	2.05	<5	480	<5	0.76	<1	8	31	93	3.04	<10	0.31	1360	4	0.02	19	2860	18	<5	20	64	0.09	<10	72	<10	1	90
5	L0+00 N 19+50 E B	<.2	2.17	<5	435	<5	1.38	<1	10	32	426	3.90	<10	0.46	389	2	0.03	24	1300	2	<5	20	79	0.09	<10	103	<10	8	50
6	L2+00 N 18+25 E B	<.2	3.44	<5	420	<5	1.93	1	9	36	763	3.47	30	0.54	220	<1	0.03	45	1000	<2	<5	<20	100	0.10	<10	64	<10	42	54
7	L2+00 N 18+50 E B	0.4	6.37	10	765	<5	2.62	<1	13	73	2578	6.20	60	1.01	719	3	0.03	99	1010	<2	<5	20	145	0.11	<10	89	<10	66	62
8	L2+00 N 18+75 E B	<.2	2.38	<5	225	<5	0.32	<1	9	22	112	2.76	<10	0.22	202	3	0.01	18	2280	4	<5	20	24	0.13	<10	62	<10	1	33
9	L2+00 N 19+25 E B	<.2	4.37	5	775	<5	1.54	<1	12	53	2026	4.61	40	0.66	1216	2	0.03	48	2570	<2	<5	20	117	0.12	<10	78	<10	46	58
10	L2+00 N 19+50 E B	<.2	1.89	<5	410	<5	0.57	<1	7	23	81	2.62	<10	0.24	149	<1	0.01	15	3080	4	<5	20	42	0.10	<10	49	<10	1	53
11	L2+00 N 20+25 E B	<.2	3.72	<5	255	10	0.28	<1	10	18	31	2.99	<10	0.23	218	<1	0.02	29	2640	4	<5	20	29	0.16	<10	52	<10	<1	72
12	L2+00 N 20+50 E B	<.2	3.63	5	225	<5	0.25	<1	12	29	44	3.83	<10	0.29	227	2	0.01	25	1820	<2	<5	20	29	0.10	<10	84	<10	<1	68
13	L2+00 N 20+75 E B	<.2	2.22	<5	220	<5	0.30	<1	10	23	30	2.87	<10	0.28	421	<1	0.01	20	400	4	<5	20	39	0.11	<10	68	<10	<1	56
14	L2+00 N 21+25 E B	<.2	2.17	<5	170	5	0.25	<1	10	22	16	2.73	<10	0.22	920	<1	0.01	20	1030	4	<5	20	28	0.14	<10	59	<10	<1	91
15	L2+00 N 21+50 E B	<.2	2.39	<5	190	<5	0.20	<1	10	19	20	2.64	<10	0.18	1461	<1	0.01	19	1450	6	<5	20	20	0.13	<10	53	<10	<1	89
16	L2+00 N 21+75 E B	<.2	3.50	<5	275	<5	0.24	<1	12	24	30	3.26	<10	0.29	1688	<1	0.01	28	900	4	<5	20	31	0.13	<10	69	<10	<1	99
17	L3+50 N 17+25 E B	<.2	3.14	10	230	<5	0.32	<1	14	36	67	3.96	<10	0.45	803	3	0.01	31	1420	4	<5	20	33	0.14	<10	92	<10	<1	72
18	L3+50 N 17+50 E B	<.2	2.16	<5	340	<5	0.52	<1	10	32	39	3.37	<10	0.31	323	2	0.02	22	1640	2	<5	20	44	0.12	<10	71	<10	<1	36
19	L3+50 N 17+75 E B	<.2	4.51	10	150	<5	0.16	<1	10	18	19	2.70	<10	0.17	577	<1	0.02	25	1840	2	<5	20	16	0.18	<10	48	<10	1	66
20	L3+50 N 18+25 E B	<.2	3.05	<5	335	<5	0.38	<1	12	24	22	3.18	<10	0.26	492	3	0.01	22	6130	4	<5	20	28	0.13	<10	54	<10	<1	64
21	L3+50 N 18+50 E B	<.2	1.28	<5	170	<5	0.42	<1	11	26	56	3.50	<10	0.38	210	3	0.03	15	970	<2	<5	20	27	0.08	<10	95	<10	<1	38
22	L3+50 N 18+65 E B	0.2	6.89	10	990	<5	2.15	<1	15	59	3190	6.15	20	0.94	1278	3	0.04	86	1190	<2	<5	20	143	0.13	<10	70	<10	28	64
23	L3+50 N 19+50 E B	<.2	1.51	<5	260	<5	0.99	<1	11	42	367	3.46	<10	0.65	260	<1	0.02	24	1090	<2	<5	<20	64	0.10	<10	84	<10	7	35
24	L3+50 N 20+25 E B	<.2	2.99	10	140	<5	0.17	<1	7	11	19	2.03	<10	0.11	333	<1	0.02	16	1890	4	<5	20	10	0.13	<10	36	<10	1	55
25	L3+50 N 20+50 E B	<.2	3.14	<5	160	<5	0.21	<1	12	21	51	3.25	<10	0.26	663	<1	0.01	25	1470	4	<5	20	18	0.16	<10	71	<10	<1	87

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-639 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L3+50 N 20+75 E B	<.2	1.67	<5	290	<5	1.04	<1	19	34	348	3.94	<10	0.85	989	<1	0.03	29	1300	6	<5	20	78	0.14	<10	107	<10	8	58
27	L3+50 N 21+25 E B	<.2	1.16	<5	105	<5	0.27	<1	6	16	47	1.85	<10	0.16	96	<1	0.01	9	670	2	<5	<20	24	0.09	<10	42	<10	<1	25
28	L3+50 N 21+50 E B	<.2	2.06	<5	165	<5	0.29	<1	13	47	73	4.31	<10	0.39	193	<1	0.01	25	630	<2	<5	20	31	0.11	<10	124	<10	<1	34
29	L3+50 N 21+75 E B	<.2	2.35	<5	195	<5	0.43	<1	13	34	79	3.66	<10	0.38	837	<1	0.01	25	740	4	<5	20	33	0.14	<10	96	<10	<1	58
30	L3+50 N 22+25 E B	<.2	2.71	<5	200	<5	0.53	<1	12	29	170	3.65	<10	0.36	638	1	0.01	25	1630	6	<5	20	30	0.12	<10	81	<10	<1	74
31	L3+50 N 22+50 E B	<.2	2.30	<5	180	<5	0.28	<1	12	33	64	3.66	<10	0.34	288	<1	0.01	25	1430	<2	<5	20	26	0.11	<10	87	<10	<1	49
32	L6+00 N 16+25 E B	<.2	2.70	<5	220	<5	0.32	<1	12	27	27	3.12	<10	0.34	304	2	0.01	28	1120	<2	<5	20	45	0.14	<10	67	<10	<1	60
33	L6+00 N 16+50 E B	<.2	2.76	<5	150	5	0.21	<1	11	20	14	2.64	<10	0.22	435	2	0.02	25	1270	4	<5	20	24	0.17	<10	55	<10	<1	91
34	L6+00 N 16+75 E B	<.2	3.52	5	550	<5	0.54	<1	7	19	984	2.77	20	0.30	1017	5	0.02	42	520	2	<5	20	35	0.11	<10	43	<10	21	47
35	L6+00 N 17+25 E B	<.2	2.70	<5	185	<5	0.19	<1	12	29	42	3.23	<10	0.26	218	5	0.01	29	2330	<2	<5	20	23	0.14	<10	68	<10	<1	67
36	L6+00 N 18+25 E B	<.2	1.94	<5	295	<5	0.42	<1	9	24	28	2.79	<10	0.27	259	4	0.01	19	2850	2	<5	20	40	0.10	<10	60	<10	<1	62
37	L6+00 N 18+50 E B	<.2	2.07	<5	165	<5	0.23	<1	10	22	12	2.70	<10	0.18	384	3	0.01	16	2480	4	<5	20	22	0.13	<10	59	<10	<1	55
38	L6+00 N 18+75 E B	<.2	2.24	<5	290	<5	0.34	<1	7	17	209	2.09	<10	0.17	269	<1	0.02	18	740	4	<5	20	31	0.09	<10	42	<10	7	29
39	L6+00 N 19+25 E B	<.2	2.81	5	290	<5	0.70	<1	8	27	274	2.95	<10	0.44	391	<1	0.02	22	380	4	<5	20	62	0.12	<10	62	<10	6	40
40	L6+00 N 19+50 E B	<.2	3.38	<5	180	<5	0.21	<1	12	21	27	3.13	<10	0.25	598	2	0.01	24	1850	<2	<5	20	22	0.15	<10	65	<10	<1	95
41	L6+00 N 19+75 E B	<.2	1.63	<5	160	<5	0.25	<1	9	20	46	2.68	<10	0.22	1383	2	0.01	14	500	4	<5	20	25	0.10	<10	71	<10	<1	74
42	L20+00 N 19+75 E B	<.2	3.26	5	125	5	0.12	<1	9	13	11	2.31	<10	0.11	402	<1	0.02	18	2270	4	<5	20	13	0.15	<10	42	<10	2	47
43	L20+00 N 22+25 E B	<.2	3.13	<5	145	<5	0.15	<1	12	18	37	2.85	<10	0.17	447	2	0.02	21	1520	4	<5	20	18	0.12	<10	54	<10	<1	59
44	L20+00 N 22+50 E B	<.2	3.58	<5	255	<5	0.27	<1	13	32	188	3.71	<10	0.49	264	1	0.01	25	910	<2	<5	20	39	0.06	<10	80	<10	<1	47
45	L20+00 N 22+75 E B	<.2	3.09	<5	200	<5	0.29	<1	12	25	61	3.48	<10	0.24	174	2	0.01	24	3200	6	<5	20	26	0.13	<10	71	<10	<1	70
46	L20+00 N 23+25 E B	<.2	3.74	<5	190	<5	0.22	1	13	30	108	3.66	<10	0.30	303	2	0.01	29	1620	<2	<5	20	21	0.13	<10	82	<10	<1	68
47	L20+00 N 23+50 E B	<.2	1.94	<5	145	<5	0.24	<1	14	41	136	3.84	<10	0.37	535	2	0.01	24	480	<2	<5	20	27	0.09	<10	108	<10	<1	45
48	L20+00 N 23+75 E B	<.2	1.64	<5	160	5	0.59	1	15	50	58	4.47	<10	0.47	555	<1	0.01	23	880	2	<5	20	45	0.13	<10	135	<10	<1	74
49	L20+00 N 24+25 E B	<.2	2.02	<5	335	5	0.43	<1	9	21	11	2.66	<10	0.27	1240	<1	0.01	13	420	2	<5	20	142	0.12	<10	58	<10	1	48
50	L20+00 N 24+75 E B	<.2	3.54	10	220	<5	0.23	<1	11	25	30	2.99	<10	0.25	677	<1	0.02	25	1930	4	<5	20	28	0.17	<10	60	<10	2	60
51	L20+00 N 25+25 E B	<.2	2.87	<5	185	<5	0.27	<1	12	41	29	3.52	<10	0.29	339	<1	0.01	26	1250	<2	<5	20	43	0.13	<10	88	<10	<1	57
52	L20+00 N 25+50 E B	<.2	3.28	<5	210	<5	0.28	<1	10	30	23	2.88	<10	0.26	289	<1	0.02	27	2200	<2	<5	20	43	0.14	<10	60	<10	2	53
53	L20+00 N 25+75 E B	<.2	2.16	<5	120	<5	0.24	<1	9	26	16	2.70	<10	0.20	158	<1	0.01	17	2110	4	<5	20	48	0.12	<10	60	<10	<1	53
54	L20+00 N 26+25 E B	<.2	2.27	<5	125	<5	0.23	<1	6	31	21	1.66	<10	0.25	99	<1	0.01	20	1360	<2	<5	<20	47	0.11	<10	34	<10	<1	49
55	L23+00 N 20+25 E B	<.2	1.39	<5	635	<5	1.42	<1	2	9	550	1.62	<10	0.28	274	2	0.02	11	530	2	<5	<20	71	0.03	<10	34	<10	13	27
56	L23+00 N 20+50 E B	<.2	0.24	<5	55	<5	0.18	<1	2	8	7	0.82	<10	0.04	40	1	<.01	3	120	2	<5	<20	10	0.05	<10	25	<10	<1	8
57	L23+00 N 21+25 E B	<.2	3.49	<5	195	<5	0.21	<1	11	31	166	4.25	<10	0.39	185	5	<.01	25	1870	2	<5	20	15	0.06	<10	87	<10	<1	63
58	L23+00 N 21+50 E B	<.2	3.22	<5	115	<5	0.12	<1	8	15	65	2.69	<10	0.15	165	<1	0.01	11	1190	6	<5	20	10	0.17	<10	56	<10	2	45
59	L23+00 N 21+75 E B	<.2	5.18	<5	450	<5	0.98	<1	13	32	2561	4.36	10	0.50	1569	4	0.02	31	790	<2	<5	20	59	0.12	<10	95	<10	13	67
60	L23+00 N 22+25 E B	0.2	5.60	<5	470	<5	0.45	<1	8	25	2845	3.89	10	0.29	868	1	0.02	38	1000	2	<5	20	24	0.11	<10	69	<10	12	51

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-639

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L23+00 N 22+50 E B	<.2	1.94	<5	175	<5	0.26	<1	13	56	446	4.20	<10	0.46	289	4	0.01	23	350	<2	<5	20	24	0.05	<10	122	<10	<1	42
62	L23+00 N 22+75 E B	<.2	2.35	<5	220	<5	0.43	<1	11	23	196	3.24	<10	0.49	354	3	<.01	16	330	2	<5	<20	36	0.03	<10	79	<10	<1	46
63	L23+00 N 23+25 E B	<.2	3.58	<5	175	<5	0.29	<1	9	18	165	3.10	<10	0.15	176	<1	0.01	13	3550	6	<5	20	18	0.14	<10	57	<10	<1	73
64	L23+00 N 23+75 E B	<.2	1.30	<5	145	<5	0.27	<1	8	21	20	2.20	<10	0.20	503	<1	0.01	11	440	2	<5	20	55	0.10	<10	52	<10	<1	39
65	L23+00 N 24+25 E B	<.2	2.20	<5	135	5	0.24	<1	12	44	37	3.70	<10	0.30	186	<1	0.01	23	740	<2	<5	20	31	0.12	<10	104	<10	<1	41
66	L23+00 N 24+50 E B	<.2	2.13	<5	140	<5	0.28	<1	12	36	28	3.40	<10	0.28	479	<1	0.01	24	1100	4	<5	20	26	0.13	<10	85	<10	<1	56
67	L23+00 N 24+75 E B	<.2	2.69	<5	120	10	0.27	<1	14	44	25	3.79	<10	0.30	206	<1	0.01	29	1520	<2	<5	20	32	0.14	<10	100	<10	<1	71
68	L29+00 N 6+25 E B	<.2	2.71	10	485	<5	1.31	<1	4	28	1970	2.63	30	0.36	231	1	0.02	18	970	6	<5	<20	76	0.09	<10	49	<10	32	37
69	L29+00 N 6+50 E B	<.2	3.50	<5	290	<5	0.31	<1	19	50	140	4.16	<10	0.40	333	<1	0.02	50	1840	2	<5	20	35	0.20	<10	86	<10	<1	71
70	L29+00 N 6+75 E B	<.2	2.91	<5	195	<5	0.31	<1	20	56	146	4.21	<10	0.45	212	<1	0.03	55	930	<2	<5	20	36	0.19	<10	91	<10	1	51
71	L29+00 N 7+25 E B	<.2	3.32	<5	165	<5	0.19	<1	16	46	50	3.76	<10	0.39	188	<1	0.02	49	3170	<2	<5	20	24	0.16	<10	69	<10	<1	69
72	L29+00 N 7+50 E B	<.2	3.73	<5	160	<5	0.23	<1	19	45	26	3.88	<10	0.35	434	<1	0.02	53	2430	<2	<5	20	33	0.17	<10	72	<10	<1	59
73	L29+00 N 7+75 E B	<.2	3.20	<5	190	<5	0.43	<1	28	61	47	4.52	<10	0.57	276	<1	0.03	68	1040	<2	<5	20	63	0.18	<10	88	<10	<1	52
74	L29+00 N 8+25 E B	<.2	4.50	5	105	<5	0.11	<1	9	21	45	3.21	<10	0.20	105	<1	0.01	16	4940	<2	<5	20	13	0.17	<10	52	<10	<1	58
75	L29+00 N 8+50 E B	<.2	4.08	<5	295	5	0.23	<1	25	60	42	4.57	<10	0.43	205	<1	0.03	75	880	<2	<5	20	46	0.19	<10	76	<10	<1	46
76	L29+00 N 8+75 E B	<.2	4.55	10	365	<5	0.31	<1	9	34	2373	3.31	<10	0.47	294	<1	0.02	38	1130	<2	<5	20	37	0.19	<10	59	<10	4	59
77	L29+00 N 9+25 E B	<.2	3.83	<5	185	<5	0.20	<1	12	39	591	3.83	<10	0.33	245	<1	0.01	32	1950	24	<5	20	21	0.15	<10	79	<10	<1	85
78	L29+00 N 9+50 E B	<.2	3.36	<5	155	<5	0.16	<1	14	38	66	3.40	<10	0.30	173	<1	0.02	38	2530	<2	<5	20	30	0.15	<10	66	<10	<1	56
79	L29+00 N 9+75 E B	<.2	2.69	<5	695	<5	0.58	<1	18	41	446	5.56	<10	1.18	436	<1	<.01	24	470	<2	<5	20	131	0.25	<10	184	<10	<1	48
80	L29+00 N 10+25 E B	<.2	4.50	5	100	<5	0.09	<1	9	21	111	3.76	<10	0.19	213	<1	0.01	13	1520	<2	<5	20	12	0.19	<10	70	<10	<1	43
81	L29+00 N 10+50 E B	<.2	4.25	<5	375	<5	0.23	<1	14	38	326	5.75	<10	0.80	322	2	<.01	24	1370	<2	<5	20	79	0.18	<10	116	<10	<1	70
82	L29+00 N 10+75 E B	<.2	3.79	<5	215	<5	0.17	<1	12	25	391	4.27	<10	0.43	320	<1	0.01	19	1860	<2	<5	20	19	0.16	<10	78	<10	<1	66
83	L29+00 N 11+25 E B	<.2	3.65	5	315	<5	0.17	<1	7	21	280	3.61	<10	0.30	124	1	0.01	10	2360	<2	<5	20	41	0.11	<10	69	<10	<1	53
84	L29+00 N 11+50 E B	<.2	4.41	<5	130	<5	0.11	<1	9	21	45	3.30	<10	0.20	154	<1	0.01	15	2170	<2	<5	20	8	0.20	<10	62	<10	<1	44
85	L29+00 N 11+75 E B	<.2	3.38	<5	225	<5	0.24	1	17	61	127	4.41	<10	0.51	786	3	0.01	45	2580	<2	<5	20	37	0.11	<10	83	<10	<1	78
86	L29+00 N 12+25 E B	<.2	3.50	<5	195	<5	0.23	<1	14	38	29	3.38	<10	0.29	440	<1	0.02	38	3050	2	<5	20	34	0.19	<10	66	<10	<1	79
87	L29+00 N 12+50 E B	<.2	2.93	<5	250	<5	0.44	<1	14	46	50	3.38	<10	0.54	395	<1	0.03	40	840	2	<5	20	68	0.19	<10	76	<10	2	72
88	L29+00 N 12+75 E B	<.2	3.57	<5	305	<5	0.31	<1	17	54	38	3.75	<10	0.49	381	<1	0.02	53	1320	2	<5	20	58	0.20	<10	73	<10	2	81
89	L29+00 N 13+25 E B	<.2	4.18	<5	305	5	0.55	<1	14	51	36	4.16	<10	0.49	620	<1	0.03	49	2760	<2	<5	20	87	0.21	<10	80	<10	2	104
90	L29+00 N 13+50 E B	<.2	2.76	<5	275	<5	0.30	<1	13	42	34	3.12	<10	0.33	775	<1	0.02	37	1080	2	<5	20	49	0.18	<10	70	<10	4	65
91	L29+00 N 13+75 E B	<.2	1.86	<5	195	<5	0.40	<1	13	53	35	3.18	<10	0.36	337	<1	0.02	28	580	2	<5	20	61	0.20	<10	74	<10	2	58
92	L29+00 N 14+25 E B	<.2	1.84	<5	185	<5	0.30	<1	9	28	22	2.23	<10	0.31	296	<1	0.02	20	450	4	<5	<20	41	0.17	<10	55	<10	3	60
93	L29+00 N 14+50 E B	<.2	1.06	<5	120	<5	0.27	<1	5	20	11	1.35	<10	0.15	120	<1	0.01	14	410	8	<5	<20	41	0.11	<10	30	<10	2	33
94	L29+00 N 14+75 E B	<.2	1.84	<5	175	<5	0.21	<1	6	24	23	1.73	<10	0.20	135	<1	0.02	24	710	4	<5	<20	37	0.13	<10	35	<10	2	40
95	L29+00 N 15+25 E B	<.2	2.34	<5	60	<5	0.17	<1	6	15	53	2.30	<10	0.09	91	<1	0.01	9	2840	<2	<5	20	14	0.12	<10	48	<10	<1	40

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-639

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L29+00 N 15+50 E B	<.2	2.56	10	165	<5	0.24	<1	7	15	25	2.53	<10	0.10	208	<1	0.01	10	4290	4	<5	20	25	0.13	<10	47	<10	<1	49
97	L29+00 N 15+75 E B	<.2	2.14	<5	370	<5	0.89	<1	10	32	145	2.52	<10	0.34	1011	<1	0.02	30	1920	2	<5	20	95	0.10	<10	50	<10	3	51
98	L29+00 N 16+25 E B	<.2	0.99	<5	75	<5	0.10	<1	5	14	26	2.02	<10	0.12	199	<1	<.01	7	650	8	<5	20	13	0.10	<10	50	<10	<1	35
99	L29+00 N 16+50 E B	<.2	1.76	<5	55	<5	0.06	<1	4	15	8	2.11	<10	0.03	61	<1	<.01	3	5740	4	<5	20	1	0.13	<10	38	<10	<1	22
100	L29+00 N 16+75 E B	<.2	2.79	<5	175	<5	0.27	<1	13	32	94	3.64	<10	0.43	303	3	0.01	26	720	4	<5	20	33	0.07	<10	80	<10	<1	68
101	L29+00 N 17+25 E B	<.2	3.00	<5	235	<5	0.42	<1	18	54	108	4.21	<10	0.47	368	<1	0.02	42	2860	<2	<5	20	55	0.12	<10	87	<10	<1	76
102	L29+00 N 17+50 E B	0.2	2.63	<5	240	<5	0.43	<1	11	38	161	4.39	<10	0.43	243	5	0.01	24	1810	2	<5	20	40	0.03	<10	89	<10	<1	92
103	L29+00 N 17+75 E B	<.2	2.98	<5	540	<5	0.78	<1	15	33	564	4.56	20	0.43	820	6	0.01	40	1860	<2	<5	20	63	0.04	<10	84	<10	15	76
104	L29+00 N 18+25 E B	<.2	3.19	<5	290	<5	0.30	<1	12	32	214	4.03	<10	0.40	193	2	0.01	25	2220	4	<5	20	38	0.06	<10	78	<10	<1	86
105	L29+00 N 18+50 E B	<.2	4.35	5	210	<5	0.19	<1	12	33	217	4.22	<10	0.25	257	2	0.02	22	870	<2	<5	20	19	0.06	<10	92	<10	<1	76
106	L29+00 N 18+75 E B	<.2	2.30	<5	205	<5	0.16	<1	8	21	112	3.27	<10	0.29	189	4	<.01	13	410	6	<5	<20	16	0.04	<10	74	<10	<1	58
107	L30+50 N 6+25 E B	<.2	2.01	<5	170	<5	0.50	<1	8	34	43	2.33	<10	0.39	194	<1	0.03	23	330	4	<5	<20	65	0.18	<10	48	<10	5	42
108	L30+50 N 6+50 E B	<.2	2.33	<5	285	<5	0.58	<1	15	39	59	2.89	20	0.41	1293	<1	0.02	30	630	6	<5	<20	85	0.19	<10	73	<10	8	68
109	L30+50 N 6+75 E B	<.2	1.61	<5	170	<5	0.46	<1	11	19	41	2.59	<10	0.42	278	<1	0.02	17	470	6	<5	<20	59	0.14	<10	62	<10	2	57
110	L30+50 N 7+25 E B	<.2	2.69	<5	235	<5	0.46	<1	13	33	65	3.46	<10	0.43	723	2	0.01	28	1230	6	<5	<20	69	0.14	<10	76	<10	<1	74
111	L30+50 N 7+50 E B	<.2	3.71	<5	225	<5	0.25	<1	14	34	66	3.73	<10	0.42	424	<1	0.01	31	1700	4	<5	<20	34	0.15	<10	78	<10	<1	74
112	L30+50 N 7+75 E B	<.2	3.13	<5	220	<5	0.46	<1	14	27	100	3.43	<10	0.51	903	<1	0.01	26	1310	6	<5	<20	62	0.17	<10	78	<10	<1	71
113	L30+50 N 8+25 E B	<.2	3.14	<5	295	<5	0.65	<1	12	28	355	3.50	<10	0.47	263	<1	0.02	33	1390	4	<5	<20	65	0.15	<10	78	<10	3	65
114	L30+50 N 8+50 E B	<.2	2.52	<5	200	<5	0.27	<1	8	21	116	2.73	<10	0.22	149	<1	0.01	21	1600	6	<5	<20	35	0.15	<10	60	<10	2	52
115	L30+50 N 8+75 E B	<.2	2.07	<5	150	<5	0.14	<1	9	24	53	3.45	<10	0.27	229	<1	0.01	14	1720	6	<5	<20	15	0.15	10	71	<10	<1	70
116	L30+50 N 10+50 E B	<.2	3.96	10	145	<5	0.21	<1	9	22	108	3.19	<10	0.17	114	3	0.01	17	3340	<2	<5	<20	20	0.15	<10	61	<10	<1	45
117	L30+50 N 10+75 E B	<.2	3.12	<5	145	<5	0.17	<1	11	28	95	3.47	<10	0.25	372	1	0.01	22	1680	4	<5	<20	17	0.16	<10	73	<10	<1	66
118	L30+50 N 11+25 E B	< 2	3.93	<5	145	<5	0.22	<1	12	30	137	3.55	<10	0.27	742	<1	0.01	27	1600	<2	<5	<20	21	0.18	<10	73	<10	<1	76
119	L30+50 N 11+50 E B	<.2	3.64	10	100	<5	0.13	<1	8	19	52	2.82	<10	0.13	243	<1	0.01	14	1830	<2	<5	<20	12	0.16	<10	56	<10	<1	54
120	L30+50 N 11+75 E B	< 2	2.99	5	105	<5	0.11	<1	10	23	99	3.08	<10	0.21	365	1	0.01	20	1120	4	<5	<20	10	0.16	<10	66	<10	<1	66
121	L30+50 N 12+25 E B	<.2	3.69	<5	215	<5	0.22	<1	19	51	32	4.24	<10	0.37	307	<1	0.02	49	1240	<2	<5	<20	28	0.21	<10	92	<10	<1	93
122	L30+50 N 12+50 E B	< 2	5.07	<5	195	<5	0.20	<1	19	48	34	4.45	<10	0.34	440	<1	0.01	43	1040	<2	<5	<20	21	0.25	<10	91	<10	<1	63
123	L30+50 N 12+75 E B	< 2	4.32	<5	165	<5	0.23	<1	16	37	89	3.87	<10	0.29	941	<1	0.02	39	1370	<2	<5	<20	23	0.22	<10	79	<10	<1	74
124	L30+50 N 13+25 E B	< 2	3.04	<5	220	<5	0.28	<1	19	70	55	4.25	<10	0.37	1049	<1	0.02	50	1100	4	<5	<20	36	0.20	<10	87	<10	<1	77
125	L30+50 N 13+50 E B	<.2	3.26	<5	205	<5	0.33	<1	19	54	74	3.84	<10	0.34	884	<1	0.02	51	2520	4	<5	<20	38	0.19	<10	74	<10	<1	73
126	L30+50 N 13+75 E B	< 2	3.97	5	280	<5	0.48	<1	23	85	191	4.42	<10	0.56	637	<1	0.03	57	2220	<2	<5	<20	57	0.23	<10	96	<10	1	80
127	L30+50 N 14+25 E B	< 2	1.36	<5	250	<5	1.53	1	27	51	323	3.38	<10	0.97	984	3	0.05	56	2020	6	10	<20	165	0.09	<10	92	<10	5	64
128	L30+50 N 14+50 E B	< 2	1.47	<5	185	<5	1.12	<1	22	79	337	4.28	<10	1.17	656	<1	0.04	67	2160	<2	<5	<20	159	0.11	<10	116	<10	5	58
129	L30+50 N 14+75 E B	< 2	3.14	<5	315	<5	0.59	<1	17	76	82	4.21	<10	0.52	615	<1	0.02	54	2030	<2	<5	<20	106	0.16	<10	77	<10	<1	73
130	L30+50 N 15+25 E B	<.2	1.68	<5	225	<5	0.67	<1	18	67	118	3.92	<10	0.63	432	<1	0.03	38	1280	<2	<5	<20	163	0.15	<10	79	<10	1	48

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-639

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	L30+50 N 15+50 E B	<.2	2.66	<5	310	<5	0.62	<1	26	100	202	4.71	<10	0.64	989	1	0.02	53	290	<2	<5	<20	235	0.17	<10	86	<10	6	56
132	L30+50 N 15+75 E B	<.2	1.97	<5	360	<5	0.75	<1	25	91	176	4.70	<10	0.62	767	<1	0.02	48	600	<2	<5	<20	198	0.18	<10	85	<10	2	70
133	L30+50 N 16+25 E B	<.2	2.54	<5	370	<5	0.36	<1	13	44	97	3.56	<10	0.46	500	3	<.01	24	510	<2	<5	<20	39	0.07	<10	76	<10	<1	60
134	L30+50 N 16+50 E B	<.2	2.70	<5	200	<5	0.41	<1	12	46	263	3.22	<10	0.37	242	<1	0.01	28	240	4	<5	<20	31	0.14	<10	82	<10	<1	85
135	L30+50 N 16+75 E B	0.6	2.33	<5	430	<5	0.76	<1	13	16	395	3.30	<10	0.55	1274	6	0.02	22	510	12	<5	<20	43	0.03	<10	75	<10	<1	86
136	L30+50 N 17+25 E B	0.2	1.71	<5	235	<5	0.36	<1	9	19	49	2.51	<10	0.32	340	4	0.01	13	480	4	<5	<20	38	0.04	<10	54	<10	<1	51
137	L30+50 N 17+50 E B	<.2	3.45	<5	205	<5	0.28	<1	12	30	35	3.59	<10	0.25	209	2	0.01	38	3820	<2	<5	<20	25	0.14	<10	60	<10	<1	90
138	L30+50 N 17+75 E B	<.2	2.02	<5	140	<5	0.16	<1	11	20	17	2.70	<10	0.20	942	<1	0.01	17	1920	4	<5	<20	20	0.13	<10	55	<10	<1	67
139	L30+50 N 19+25 E B	<.2	2.91	<5	265	<5	0.49	<1	15	37	382	4.86	<10	0.72	435	5	0.01	28	1180	<2	<5	<20	46	0.05	<10	97	<10	<1	79
140	L30+50 N 19+50 E B	<.2	3.16	<5	310	<5	0.60	<1	14	30	420	3.67	<10	0.48	760	7	0.01	27	1600	4	<5	<20	44	0.09	<10	78	<10	<1	77
141	L30+50 N 19+75 E B	<.2	3.77	5	235	<5	0.58	<1	15	33	526	4.51	<10	0.71	352	8	0.01	27	1690	2	<5	<20	35	0.08	<10	102	<10	<1	79
142	L30+50 N 20+25 E B	<.2	2.50	<5	365	<5	0.73	<1	14	43	367	3.92	<10	0.44	270	2	0.02	32	2280	<2	<5	<20	61	0.13	<10	82	<10	3	70
143	L30+50 N 20+50 E B	<.2	2.67	<5	490	<5	0.86	<1	14	38	567	4.13	<10	0.52	394	3	0.02	39	1850	<2	<5	<20	71	0.08	<10	82	<10	6	89
144	L30+50 N 20+75 E B	<.2	3.18	<5	350	<5	0.79	<1	13	38	663	4.47	<10	0.45	374	3	0.02	30	1760	<2	<5	<20	53	0.06	<10	99	<10	3	86
145	L30+50 N 21+50 E B	<.2	0.83	<5	55	<5	0.11	<1	5	12	8	1.62	<10	0.08	70	<1	<.01	7	960	4	<5	<20	10	0.11	<10	39	<10	<1	38
146	L30+50 N 21+75 E B	<.2	2.88	<5	85	<5	0.10	<1	9	19	19	2.57	<10	0.11	135	<1	0.01	16	2860	6	<5	<20	12	0.15	<10	50	<10	<1	49
147	L30+50 N 22+25 E B	<.2	3.52	5	195	<5	0.36	<1	13	30	58	3.51	<10	0.30	388	<1	0.01	37	1170	<2	<5	<20	48	0.17	<10	71	<10	<1	60
148	L30+50 N 22+50 E B	<.2	3.54	5	210	<5	0.24	<1	13	29	51	3.49	<10	0.27	245	1	0.01	37	2110	4	<5	<20	37	0.17	<10	69	<10	<1	67
149	L30+50 N 22+75 E B	<.2	3.44	<5	195	<5	0.29	<1	14	35	79	3.61	<10	0.30	346	2	0.01	38	1420	<2	<5	<20	35	0.16	<10	74	<10	<1	55
150	L30+50 N 23+25 E B	<.2	3.20	<5	205	<5	0.24	<1	13	26	82	3.27	<10	0.27	634	1	0.01	32	1680	<2	<5	<20	34	0.16	<10	65	<10	<1	72
151	L30+50 N 23+50 E B	<.2	2.41	<5	155	<5	0.23	<1	9	18	24	2.44	<10	0.16	614	<1	0.01	19	1590	4	<5	<20	25	0.13	<10	50	<10	<1	62
152	L30+50 N 23+75 E B	<.2	3.54	<5	260	<5	0.33	<1	15	33	85	3.90	<10	0.39	703	2	0.01	42	1620	4	<5	<20	48	0.16	<10	79	<10	<1	81
153	L30+50 N 24+25 E B	<.2	3.55	<5	200	<5	0.24	<1	15	34	57	3.73	<10	0.37	343	2	0.01	43	2180	<2	<5	<20	33	0.16	<10	70	<10	<1	63
154	L30+50 N 24+50 E B	<.2	3.16	<5	230	<5	0.35	<1	16	30	48	3.47	<10	0.34	715	<1	0.02	41	2090	<2	<5	<20	46	0.17	<10	68	<10	<1	70
155	L30+50 N 24+75 E B	<.2	2.98	<5	335	<5	0.44	<1	26	54	273	5.78	<10	0.76	443	3	0.02	63	1590	4	<5	<20	94	0.16	<10	146	<10	<1	61
156	L30+50 N 25+25 E B	<.2	3.00	<5	220	<5	0.28	<1	16	39	127	4.01	<10	0.31	337	2	0.02	42	2420	<2	<5	<20	41	0.17	<10	87	<10	<1	54
157	L30+50 N 25+50 E B	<.2	2.83	<5	225	<5	0.33	<1	15	46	74	4.10	<10	0.27	193	<1	0.02	37	2580	4	<5	<20	41	0.19	<10	86	<10	<1	47
158	L30+50 N 25+75 E B	<.2	2.43	<5	245	<5	0.60	<1	16	54	118	4.31	<10	0.41	454	<1	0.02	37	1850	<2	<5	<20	62	0.17	<10	104	<10	<1	54
159	L30+50 N 26+25 E B	<.2	3.13	<5	205	<5	0.31	<1	17	51	75	4.38	<10	0.32	352	1	0.01	45	3030	2	<5	<20	36	0.18	<10	98	<10	<1	66
160	L30+50 N 26+50 E B	<.2	3.35	<5	200	<5	0.23	<1	16	40	102	4.18	<10	0.28	427	1	0.01	39	2330	<2	<5	<20	36	0.16	<10	88	<10	<1	66
161	L30+50 N 26+75 E B	<.2	2.63	<5	420	<5	4.70	<1	28	40	736	5.31	<10	1.71	1090	<1	0.02	37	1530	<2	<5	<20	160	0.14	<10	136	<10	7	68
162	L32+00 N 1+75 E B	<.2	1.72	<5	205	<5	0.47	<1	12	49	19	3.06	<10	0.42	293	<1	0.03	26	430	4	<5	<20	58	0.25	<10	72	<10	3	52
163	L32+00 N 1+50 E B	<.2	4.06	5	235	<5	0.36	<1	19	55	22	4.32	<10	0.36	226	<1	0.02	44	2900	<2	<5	<20	39	0.23	<10	91	<10	1	89
164	L32+00 N 1+25 E B	<.2	3.09	<5	345	<5	0.85	<1	13	62	49	3.92	40	0.77	511	<1	0.04	56	820	2	<5	<20	119	0.22	<10	84	<10	21	68
165	L32+00 N 0+75 E B	<.2	3.87	<5	385	<5	1.04	<1	19	61	58	4.36	30	0.88	649	<1	0.03	55	1010	<2	<5	<20	154	0.20	<10	91	<10	13	69

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-639

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
Standard:																													
GEO'96		1.2	1.80	70	170	<5	1.20	1	21	70	80	4.01	<10	1.05	720	<1	0.02	20	720	16	<5	<20	62	0.13	<10	82	<10	5	72
GEO'96		1.4	1.85	75	170	<5	1.94	<1	20	72	82	4.10	<10	1.06	710	<1	0.02	22	710	18	<5	<20	64	0.15	<10	81	<10	5	74
GEO'96		1.2	1.80	70	165	<5	1.90	<1	21	70	80	4.08	<10	1.08	720	<1	0.02	24	710	18	<5	<20	62	0.15	<10	81	<10	5	72
GEO'96		1.2	1.80	65	170	<5	1.92	1	21	70	80	4.01	<10	1.03	710	<1	0.02	22	720	18	<5	<20	60	0.13	<10	82	<10	4	72
GEO'96		1.2	1.80	65	175	<5	1.91	<1	20	72	82	4.02	<10	1.04	720	<1	0.02	20	710	18	<5	<20	60	0.15	<10	81	<10	5	74
GEO'96		1.1	1.83	70	180	<5	1.93	<1	20	69	76	4.49	<10	0.97	748	<1	0.02	29	670	10	<5	<20	69	0.14	<10	84	<10	3	74
GEO'96		1.0	1.84	50	150	<5	1.83	<1	18	64	81	4.26	<10	1.00	722	<1	0.02	26	710	18	<5	<20	58	0.12	<10	82	<10	4	67
GEO'96		1.1	1.79	70	180	<5	1.90	<1	19	67	76	4.47	<10	0.96	739	<1	0.02	28	620	14	<5	<20	70	0.13	<10	83	<10	2	74

df/639R/639CA/639RA
XLS/96G.Copper#5

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A. Sc. T.
B.C. Certified Assayer

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-639 | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	L32+00 N 0+50 E B	<.2	5.11	10	520	<5	1.24	<1	23	83	174	5.47	60	1.12	2122	<1	0.04	97	1260	<2	<5	<20	173	0.25	<10	136	<10	37	79
167	L32+00 N 0+25 E B	<.2	2.92	<5	245	<5	0.53	<1	13	48	28	3.57	<10	0.50	248	<1	0.02	45	730	2	<5	<20	70	0.23	<10	81	<10	6	71
168	L32+00 N 0+25 W B	<.2	3.45	<5	330	<5	0.92	<1	13	59	66	3.66	20	0.68	1049	<1	0.03	46	670	4	<5	<20	120	0.23	<10	97	<10	19	53
169	L32+00 N 0+50 W B	<.2	3.69	5	200	<5	0.35	<1	16	41	17	3.88	<10	0.29	426	<1	0.02	40	3540	<2	<5	<20	34	0.20	<10	79	<10	<1	88
170	L32+00 N 0+75 W B	<.2	3.12	<5	570	<5	1.28	<1	15	64	160	3.90	50	0.83	774	<1	0.04	55	830	<2	<5	<20	177	0.21	<10	86	<10	35	53
171	L32+00 N 1+25 W B	<.2	3.75	<5	355	<5	1.35	<1	20	74	173	4.59	30	1.00	879	<1	0.05	61	1360	<2	<5	<20	179	0.18	<10	94	<10	23	71
172	L32+00 N 1+50 W B	<.2	2.10	<5	290	<5	0.67	<1	19	56	29	3.80	<10	0.56	803	<1	0.03	49	1360	<2	<5	<20	72	0.23	<10	97	<10	4	76
173	L32+00 N 1+75 W B	<.2	3.99	<5	205	5	0.28	<1	20	57	15	4.18	<10	0.36	276	<1	0.02	52	2000	<2	<5	<20	28	0.24	<10	93	<10	<1	98
174	L33+25 N 1+75 E B	<.2	2.59	<5	235	<5	0.50	<1	17	59	27	3.98	<10	0.46	317	<1	0.03	41	940	<2	<5	<20	67	0.24	<10	90	<10	9	57
175	L33+25 N 1+50 E B	<.2	2.92	<5	330	<5	0.50	<1	18	68	26	4.53	<10	0.42	252	<1	0.03	41	1760	<2	<5	<20	65	0.28	<10	97	<10	<1	84
176	L33+25 N 1+25 E B	<.2	2.79	<5	230	7	0.25	<1	17	48	24	3.42	<10	0.33	214	<1	0.02	37	1480	<2	<5	28	31	0.23	<10	73	<10	1	70
177	L33+25 N 0+75 E B	<.2	1.65	<5	150	<5	0.40	<1	11	43	16	2.48	<10	0.39	232	<1	0.04	25	250	<2	<5	<20	48	0.20	<10	60	<10	4	40
178	L33+25 N 0+50 E B	<.2	1.31	<5	210	<5	0.46	<1	13	49	22	2.90	<10	0.41	373	<1	0.04	30	530	<2	<5	<20	59	0.21	<10	74	<10	2	41
179	L33+25 N 0+25 E B	<.2	2.86	<5	220	<5	0.34	<1	10	34	16	2.80	<10	0.33	279	<1	0.02	33	2060	<2	<5	14	39	0.18	<10	54	<10	2	69
180	L33+25 N 0+25 W B	<.2	2.37	<5	190	3.5	0.36	<1	13	43	21	2.97	<10	0.39	351	<1	0.03	33	920	<2	<5	<20	45	0.19	<10	67	<10	<1	62
181	L33+25 N 0+50 W B	<.2	1.43	<5	180	<5	0.62	<1	15	41	26	2.86	<10	0.46	839	<1	0.04	31	600	<2	<5	<20	76	0.18	<10	72	<10	4	51
182	L33+25 N 0+75 W B	<.2	1.95	<5	220	<5	0.82	<1	15	46	57	3.08	20	0.53	644	<1	0.04	43	900	<2	<5	<20	101	0.18	<10	79	<10	14	49
183	L33+25 N 1+25 W B	<.2	2.24	<5	130	<5	0.28	<1	10	22	8	2.06	<10	0.15	584	<1	0.01	29	1800	<2	<5	<20	33	0.14	<10	39	<10	<1	54
184	L33+25 N 1+50 W B	<.2	2.05	<5	110	3.5	0.16	<1	11	26	7	2.31	<10	0.14	492	<1	0.01	30	1050	<2	<5	<20	18	0.17	<10	46	<10	<1	57
185	L33+25 N 1+75 W B	<.2	2.65	<5	170	7	0.18	<1	13	32	12	2.70	<10	0.20	270	<1	0.01	38	1830	<2	<5	<20	23	0.19	<10	50	<10	<1	64
186	L33+25 N 2+25 W B	<.2	2.84	<5	280	<5	0.28	<1	13	36	20	2.98	<10	0.26	323	<1	0.02	49	1110	<2	<5	<20	54	0.20	<10	49	<10	<1	57
187	L33+25 N 2+50 W B	<.2	2.86	<5	290	3.5	0.38	<1	15	39	27	3.20	<10	0.33	379	<1	0.02	50	980	<2	<5	<20	75	0.22	<10	57	<10	<1	55
188	L33+25 N 2+75 W B	<.2	2.69	<5	220	<5	0.25	<1	15	37	16	2.95	<10	0.25	362	<1	0.02	51	1310	<2	<5	<20	44	0.20	<10	50	<10	<1	66
189	L34+50 N 16+50 E B	<.2	3.42	5	280	<5	1.09	<1	18	27	550	3.27	<10	0.48	1583	4.2	0.01	25	1310	<2	<5	<20	47	0.11	<10	55	<10	1	140
190	L34+50 N 16+75 E B	<.2	1.94	<5	180	<5	0.85	<1	14	25	267	2.86	<10	0.57	501	<1	0.02	24	580	<2	<5	<20	67	0.11	<10	71	<10	5	58
191	L34+50 N 17+25 E B	<.2	2.58	<5	250	<5	1.04	<1	13	26	432	2.60	10	0.51	1663	<1	0.02	34	610	<2	<5	<20	85	0.11	<10	68	<10	12	47
192	L34+50 N 17+50 E B	<.2	1.83	<5	140	<5	0.27	<1	8	20	84	2.46	<10	0.28	254	2.8	0.01	14	780	<2	<5	<20	26	0.06	<10	53	<10	<1	46
193	L34+50 N 17+75 E B	<.2	2.30	10	270	<5	0.58	<1	9	15	307	2.72	<10	0.48	326	4.2	0.02	18	390	<2	<5	<20	36	0.04	<10	52	<10	4	40
194	L36+00 N 15+25 E B	<.2	3.58	10	160	<5	0.13	<1	11	23	13	2.36	<10	0.17	120	<1	0.01	36	2510	<2	<5	<20	18	0.18	<10	38	<10	<1	58
195	L36+00 N 15+50 E B	<.2	2.38	<5	160	<5	0.27	<1	11	28	34	2.52	<10	0.29	218	<1	0.01	22	1700	<2	<5	<20	33	0.15	<10	43	<10	<1	58
196	L36+00 N 15+75 E B	<.2	2.28	<5	260	<5	0.51	<1	18	43	94	3.59	<10	0.66	1017	<1	0.01	27	320	<2	<5	<20	53	0.16	<10	80	<10	1	72
197	L36+00 N 16+50 E B	<.2	2.14	<5	200	<5	0.57	<1	21	48	274	4.41	<10	0.83	501	3.5	0.01	38	880	<2	<5	<20	52	0.17	<10	105	<10	1	51
198	L36+00 N 16+75 E B	<.2	1.66	<5	210	<5	0.70	<1	20	57	169	3.72	<10	0.65	545	<1	0.04	43	1110	<2	<5	<20	74	0.19	<10	91	<10	6	46
199	L36+00 N 17+25 E B	<.2	1.53	<5	180	<5	0.38	<1	10	19	99	3.00	<10	0.48	373	2.8	0.01	13	300	<2	<5	<20	18	0.04	<10	59	<10	<1	36
200	L36+00 N 17+75 E B	<.2	1.48	<5	170	<5	0.34	<1	14	59	46	3.16	<10	0.29	397	<1	0.03	23	180	<2	<5	<20	46	0.18	<10	88	<10	<1	34

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-639 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	L36+00 N 18+25 E B	<.2	2.23	<5	120	<5	0.29	<1	13	46	20	3.00	<10	0.27	276	<1	0.01	32	850	<2	<5	<20	33	0.16	<10	60	<10	<1	48
202	L36+00 N 18+50 E B	< 2	1.91	<5	140	<5	0.36	<1	11	42	22	2.88	<10	0.30	326	<1	0.02	32	1240	<2	<5	<20	45	0.15	<10	58	<10	<1	37
203	L36+00 N 18+75 E B	<.2	2.00	<5	170	<5	0.22	<1	8	29	17	2.34	<10	0.22	300	<1	0.02	21	630	<2	<5	<20	40	0.14	<10	48	<10	1	32
204	L36+00 N 19+25 E B	<.2	1.58	<5	180	<5	0.39	<1	11	46	25	2.88	<10	0.33	315	<1	0.03	25	560	<2	<5	<20	53	0.16	<10	71	<10	1	32
205	L36+00 N 19+50 E B	<.2	1.22	<5	160	<5	0.50	<1	13	40	29	2.93	<10	0.43	398	<1	0.04	28	830	<2	<5	<20	56	0.15	<10	77	<10	3	31
206	L36+00 N 19+75 E B	< 2	1.44	<5	180	<5	0.47	<1	12	50	29	3.13	<10	0.40	315	<1	0.04	28	830	<2	<5	<20	59	0.17	<10	81	<10	2	34
207	L36+00 N 20+25 E B	<.2	2.35	<5	170	<5	0.32	<1	11	25	108	3.06	<10	0.37	338	<1	0.01	39	1560	<2	<5	<20	43	0.12	<10	67	<10	<1	48
208	L36+00 N 20+50 E B	<.2	1.15	<5	80	<5	0.11	<1	7	14	10	1.53	<10	0.09	568	<1	0.01	11	1480	2	<5	<20	11	0.10	<10	32	<10	<1	44
209	L36+00 N 20+75 E B	<.2	2.44	<5	140	<5	0.33	<1	11	25	36	2.58	<10	0.22	528	<1	0.01	32	2000	<2	<5	<20	42	0.14	<10	50	<10	<1	59
210	L36+00 N 21+25 E B	<.2	2.66	<5	140	<5	0.22	<1	10	22	23	2.25	<10	0.17	288	<1	0.01	26	1820	<2	<5	<20	21	0.15	<10	44	<10	1	47
211	L36+00 N 21+50 E B	<.2	2.63	<5	110	<5	0.32	<1	12	35	42	3.17	<10	0.28	219	<1	0.01	31	1400	<2	<5	<20	41	0.15	<10	74	<10	<1	54
212	L36+00 N 21+75 E B	<.2	2.42	<5	190	<5	0.33	<1	14	27	93	2.82	<10	0.27	1000	<1	0.01	29	1150	<2	<5	<20	35	0.13	<10	62	<10	<1	64
213	L36+00 N 22+25 E B	<.2	1.88	<5	190	<5	0.94	<1	17	42	365	3.20	10	0.48	392	<1	0.03	36	330	<2	<5	<20	82	0.18	<10	69	<10	8	34
214	L36+00 N 22+50 E B	<.2	1.59	<5	200	<5	0.48	<1	12	44	81	2.88	<10	0.34	159	<1	0.03	31	400	<2	<5	<20	54	0.18	<10	59	<10	4	31
215	L36+00 N 22+75 E B	<.2	3.26	<5	310	<5	0.97	<1	20	57	258	4.26	20	0.71	1249	<1	0.03	64	500	<2	<5	<20	87	0.19	<10	78	<10	18	50
216	L36+00 N 23+25 E B	<.2	1.16	<5	140	<5	0.56	<1	10	41	32	2.61	<10	0.36	165	<1	0.04	20	330	<2	<5	<20	59	0.18	<10	59	<10	3	27
217	L36+00 N 23+50 E B	<.2	1.62	<5	190	<5	0.83	<1	11	43	42	2.95	<10	0.46	394	<1	0.04	28	260	<2	<5	<20	77	0.18	<10	61	<10	4	29
218	L36+00 N 23+75 E B	<.2	1.55	<5	200	<5	0.66	<1	12	46	51	3.08	<10	0.48	224	<1	0.04	29	530	<2	<5	<20	64	0.18	<10	61	<10	3	29
219	L36+00 N 24+25 E B	<.2	1.65	<5	190	<5	0.74	<1	14	42	138	3.07	<10	0.45	484	<1	0.04	29	420	<2	<5	<20	70	0.18	<10	71	<10	4	32
220	L36+00 N 24+75 E B	< 2	2.03	<5	200	<5	0.34	<1	15	46	27	3.32	<10	0.26	330	<1	0.02	28	1980	<2	<5	<20	34	0.18	<10	74	<10	<1	52
221	L36+00 N 25+25 E B	<.2	1.29	<5	180	<5	0.42	<1	11	43	23	2.62	<10	0.29	131	<1	0.03	19	530	<2	<5	<20	53	0.20	<10	59	<10	2	31
222	L36+00 N 25+75 E B	<.2	1.55	<5	180	<5	0.50	<1	9	41	33	2.62	<10	0.38	218	<1	0.04	22	290	<2	<5	<20	56	0.20	<10	56	<10	5	35
223	L37+50 N 14+25 E B	<.2	2.65	5	190	<5	0.31	<1	10	26	10	2.53	<10	0.25	358	<1	0.01	32	2260	<2	<5	<20	38	0.18	<10	38	<10	1	62
224	L37+50 N 14+75 E B	<.2	1.34	<5	130	<5	0.35	<1	7	27	13	1.74	<10	0.26	341	<1	0.02	17	670	<2	<5	<20	43	0.10	<10	41	<10	1	25
225	L37+50 N 15+25 E B	<.2	1.89	<5	180	<5	0.25	<1	8	22	13	2.20	<10	0.24	116	<1	0.02	17	920	<2	<5	<20	34	0.13	<10	40	<10	1	37
226	L37+50 N 15+50 E B	<.2	2.16	<5	400	<5	0.46	<1	15	26	81	3.32	<10	0.65	630	<1	0.02	22	440	<2	<5	<20	158	0.15	<10	71	<10	<1	50
227	L37+50 N 15+75 E B	<.2	2.02	<5	600	<5	0.43	<1	16	18	85	2.98	<10	0.61	620	<1	0.02	16	690	<2	<5	<20	140	0.13	<10	53	<10	1	41
228	L37+50 N 16+25 E B	<.2	2.53	<5	220	<5	0.32	<1	15	49	50	3.11	<10	0.33	405	<1	0.02	35	860	<2	<5	<20	41	0.15	<10	63	<10	<1	37
229	L37+50 N 16+50 E B	< 2	3.00	5	110	<5	0.15	<1	12	23	15	2.57	<10	0.17	127	<1	0.01	30	2710	<2	<5	<20	13	0.16	<10	42	<10	<1	56
230	L37+50 N 16+75 E B	< 2	3.26	<5	200	<5	0.19	<1	13	39	63	3.15	<10	0.33	154	<1	0.01	44	2620	<2	<5	<20	22	0.15	<10	57	<10	<1	57
231	L37+50 N 17+25 E B	< 2	1.68	<5	140	<5	0.40	<1	15	44	112	3.38	<10	0.38	331	1.4	0.02	22	550	<2	<5	<20	41	0.18	<10	83	<10	<1	40
232	L37+50 N 17+75 E B	< 2	1.75	<5	300	<5	0.64	<1	18	27	673	3.96	<10	0.88	614	5.6	0.02	25	910	4	5	<20	50	0.09	<10	88	<10	6	71
233	L37+50 N 18+25 E B	<.2	2.60	<5	180	<5	0.21	<1	11	34	18	2.62	<10	0.17	125	<1	0.02	25	670	<2	<5	<20	35	0.15	<10	51	<10	<1	27
234	L37+50 N 18+50 E B	< 2	1.32	<5	90	<5	0.21	<1	6	22	18	1.77	<10	0.17	165	<1	0.01	14	430	<2	<5	<20	25	0.12	<10	39	<10	1	26
235	L37+50 N 18+75 E B	< 2	1.58	<5	80	<5	0.24	<1	9	30	19	2.32	<10	0.18	253	<1	0.01	23	1040	4	<5	<20	29	0.13	<10	50	<10	<1	41

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-639

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
236	L37+50 N 19+25 E B	<.2	1.33	<5	130	<5	0.27	1	12	25	360	2.71	<10	0.28	363	3.5	0.01	15	530	4	<5	<20	24	0.12	<10	58	<10	1	39
237	L37+50 N 19+75 E B	<.2	1.22	30	170	<5	0.50	<1	22	25	1117	4.19	<10	0.56	580	16.1	0.02	20	1090	4	<5	<20	41	0.08	<10	79	<10	4	47
238	L37+50 N 20+25 E B	<.2	2.06	<5	180	<5	0.38	<1	11	37	48	3.15	<10	0.33	214	<1	0.02	24	1090	<2	<5	<20	48	0.15	<10	76	<10	1	38
239	L37+50 N 20+75 E B	<.2	1.97	<5	120	<5	0.43	<1	11	34	14	2.58	<10	0.25	594	<1	0.02	25	2000	<2	<5	<20	43	0.12	<10	59	<10	<1	35
240	L37+50 N 21+25 E B	<.2	1.95	<5	150	<5	0.22	<1	12	41	15	2.88	<10	0.22	441	<1	0.01	29	1290	<2	<5	<20	29	0.16	<10	64	<10	<1	35
241	L37+50 N 21+50 E B	<.2	1.49	<5	140	<5	0.34	<1	11	41	12	2.59	<10	0.16	494	<1	0.01	27	1510	<2	<5	<20	39	0.13	<10	60	<10	<1	34
242	L37+50 N 21+75 E B	<.2	2.16	<5	190	10	0.21	<1	12	39	12	2.80	<10	0.18	721	<1	0.01	32	3430	<2	<5	<20	24	0.16	<10	54	<10	<1	36
243	L37+50 N 22+25 E B	<.2	1.73	<5	160	<5	0.43	<1	11	39	28	2.69	<10	0.34	276	<1	0.02	27	450	<2	<5	<20	43	0.17	<10	55	<10	2	30
244	L37+50 N 22+50 E B	<.2	1.69	<5	140	<5	0.29	<1	13	43	23	2.98	<10	0.27	155	<1	0.02	27	1500	<2	<5	<20	33	0.17	<10	67	<10	<1	33
245	L37+50 N 22+75 E B	<.2	1.21	<5	130	<5	0.29	<1	8	34	20	2.28	<10	0.24	143	<1	0.02	17	200	<2	<5	<20	33	0.16	<10	48	<10	<1	22
246	L37+50 N 23+25 E B	<.2	2.86	<5	250	<5	0.77	<1	12	52	69	3.80	<10	0.64	412	<1	0.04	39	260	<2	<5	<20	77	0.19	<10	69	<10	6	32
247	L37+50 N 23+50 E B	<.2	1.89	<5	170	<5	0.65	<1	12	38	44	2.81	<10	0.45	400	<1	0.04	25	180	<2	<5	<20	65	0.15	<10	54	<10	6	27
248	L37+50 N 23+75 E B	<.2	1.18	<5	120	<5	0.52	<1	8	32	20	2.15	<10	0.28	172	<1	0.03	15	170	<2	<5	<20	52	0.15	<10	46	<10	3	22
249	L37+50 N 24+25 E B	<.2	1.46	<5	130	<5	0.47	<1	11	34	30	2.53	<10	0.34	377	<1	0.03	19	120	<2	<5	<20	46	0.14	<10	59	<10	3	21
250	L37+50 N 24+50 E B	<.2	1.14	<5	110	<5	0.43	<1	11	42	22	2.84	<10	0.26	208	<1	0.02	18	250	<2	<5	<20	43	0.16	<10	80	<10	2	31
251	L37+50 N 24+75 E B	<.2	2.42	<5	280	<5	0.99	<1	14	60	88	3.91	30	0.59	498	<1	0.03	49	540	<2	<5	<20	90	0.18	<10	90	<10	22	43
252	L37+50 N 26+25 E B	<.2	2.53	<5	240	<5	0.78	<1	13	64	87	4.25	<10	0.62	339	<1	0.03	46	560	<2	<5	<20	67	0.20	<10	83	<10	6	43
253	L37+50 N 26+50 E B	<.2	2.48	<5	230	<5	0.77	<1	13	55	74	4.15	<10	0.61	408	<1	0.03	39	410	<2	<5	<20	68	0.20	<10	82	<10	6	38
254	L37+50 N 26+75 E B	<.2	1.80	<5	200	<5	0.72	<1	11	48	57	3.20	<10	0.50	229	<1	0.04	34	530	<2	<5	<20	67	0.18	<10	68	<10	6	34
255	L37+50 N 27+25 E B	<.2	1.16	<5	120	<5	0.29	<1	8	32	17	2.33	<10	0.21	106	<1	0.02	13	150	<2	<5	<20	32	0.15	<10	48	<10	3	27
256	L37+50 N 27+50 E B	<.2	1.46	<5	150	<5	0.29	<1	11	39	22	2.72	<10	0.24	125	<1	0.01	19	900	<2	<5	<20	35	0.16	<10	64	<10	1	41
257	L37+50 N 27+75 E B	<.2	1.58	<5	190	<5	0.34	<1	11	37	25	2.81	<10	0.27	128	<1	0.02	20	630	<2	<5	<20	39	0.17	<10	62	<10	1	34
258	L37+50 N 28+75 E B	<.2	2.02	<5	250	<5	0.92	<1	14	47	466	3.16	10	0.44	533	<1	0.03	32	810	<2	<5	<20	69	0.15	<10	71	<10	11	33
259	L37+50 N 29+25 E B	<.2	2.96	<5	240	<5	1.57	<1	15	62	119	4.42	20	0.64	694	<1	0.03	53	1020	<2	<5	<20	133	0.15	<10	95	<10	19	39
260	L38+75 N 15+25 E B	<.2	2.53	<5	210	<5	0.27	<1	8	16	13	2.01	<10	0.27	197	<1	0.01	19	720	<2	<5	<20	39	0.14	<10	40	<10	1	35
261	L38+75 N 15+50 E B	<.2	1.93	<5	130	<5	0.12	<1	6	13	8	1.85	<10	0.14	127	<1	0.01	12	1620	<2	<5	<20	15	0.12	<10	35	<10	<1	27
262	L38+75 N 15+75 E B	<.2	1.53	<5	110	<5	0.25	<1	9	19	34	2.04	<10	0.37	115	<1	0.01	11	420	4	<5	<20	28	0.14	<10	41	<10	<1	37
263	L38+75 N 16+25 E B	<.2	2.57	10	220	<5	0.41	<1	18	29	386	4.14	<10	0.68	278	3.5	0.01	25	1020	4	<5	<20	39	0.13	<10	94	<10	<1	69
264	L38+75 N 16+75 E B	<.2	1.91	<5	170	<5	0.34	<1	8	18	163	2.15	<10	0.27	156	<1	0.02	16	1010	6	<5	<20	40	0.13	<10	43	<10	1	46
265	L38+75 N 17+25 E B	<.2	1.33	<5	110	<5	0.17	<1	6	24	11	1.88	<10	0.15	103	<1	0.01	12	480	<2	<5	<20	22	0.13	<10	34	<10	<1	32
266	L38+75 N 17+50 E B	<.2	1.65	<5	160	<5	0.69	<1	14	26	1001	2.65	<10	0.45	776	2.1	0.02	18	660	4	<5	<20	60	0.12	<10	88	<10	2	57
267	L38+75 N 17+75 E B	<.2	1.58	<5	200	<5	0.58	<1	16	32	2481	3.11	<10	0.78	509	9.8	0.03	25	710	<2	5	<20	67	0.13	<10	84	<10	6	42
268	L38+75 N 19+25 E B	<.2	1.67	<5	170	<5	0.63	<1	20	29	1359	3.17	<10	0.85	820	7	0.02	29	760	<2	<5	<20	59	0.15	<10	86	<10	6	42
269	L38+75 N 19+50 E B	<.2	1.77	<5	110	<5	0.58	<1	24	19	1664	4.02	10	0.88	1308	4.9	<.01	25	720	8	<5	<20	32	0.01	<10	48	<10	13	83
270	L38+75 N 19+75 E B	<.2	1.75	40	360	<5	0.90	<1	22	34	1002	4.15	<10	0.70	758	9.8	0.02	28	780	6	20	<20	39	0.12	<10	97	<10	7	86

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-639 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
271	L38+75 N 20+25 E B	<.2	2.93	<5	100	<5	0.22	<1	11	33	31	3.21	<10	0.25	143	1.4	0.01	27	3970	<2	<5	<20	20	0.13	<10	67	<10	<1	48
272	L38+75 N 20+50 E B	<.2	1.42	<5	250	<5	0.72	2	13	34	169	3.26	<10	0.67	454	1.4	0.03	21	990	30	<5	<20	45	0.12	<10	83	<10	2	73
273	L38+75 N 20+75 E B	<.2	1.04	<5	80	<5	0.24	<1	6	19	10	1.53	<10	0.14	156	<1	0.01	13	670	<2	<5	<20	22	0.10	<10	34	<10	<1	31
274	L38+75 N 21+25 E B	<.2	1.67	<5	170	<5	0.43	<1	10	22	30	2.11	<10	0.21	680	0.7	0.01	22	2000	<2	<5	<20	45	0.10	<10	41	<10	<1	42
275	L38+75 N 21+50 E B	<.2	1.48	<5	150	<5	0.44	<1	9	22	30	2.12	<10	0.28	594	<1	0.02	26	1310	3	<5	<20	43	0.12	<10	46	<10	<1	40
276	L38+75 N 21+75 E B	<.2	4.68	<5	270	<5	0.30	<1	13	39	48	3.23	<10	0.29	101	<1	0.02	51	4000	<2	<5	<20	36	0.20	<10	63	<10	4	38
QC DATA:																													
Repeat:																													
1	L0+00 N 18+25 E B	<.2	1.58	<5	165	<5	0.34	<1	7	26	30	2.92	<10	0.23	117	3	<.01	12	2100	2	<5	40	26	0.08	<10	69	<10	<1	28
10	L2+00 N 19+50 E B	<.2	1.86	<5	410	<5	0.56	<1	7	23	77	2.59	<10	0.23	147	<1	0.01	13	3070	2	<5	40	42	0.10	<10	49	<10	1	53
19	L3+50 N 17+75 E B	<.2	4.51	5	150	5	0.15	<1	10	18	20	2.67	<10	0.16	578	2	0.02	25	1810	<2	<5	<20	13	0.17	<10	48	<10	1	63
36	L6+00 N 18+25 E B	<.2	1.96	<5	285	5	0.42	<1	9	23	29	2.79	<10	0.27	264	4	0.01	15	2830	2	<5	<20	38	0.10	<10	59	<10	<1	62
45	L20+00 N 22+75 E B	<.2	3.16	<5	200	<5	0.29	<1	12	25	63	3.52	<10	0.24	175	3	0.01	25	3240	4	<5	<20	27	0.12	<10	71	<10	<1	71
54	L20+00 N 26+25 E B	<.2	2.27	<5	130	<5	0.24	<1	7	32	26	1.69	<10	0.26	103	<1	0.01	20	1350	4	<5	<20	48	0.12	<10	35	<10	2	50
71	L29+00 N 7+25 E B	<.2	3.28	<5	170	<5	0.19	<1	16	44	52	3.76	<10	0.39	188	<1	0.02	46	3120	2	<5	<20	23	0.17	<10	69	<10	<1	68
80	L29+00 N 10+25 E B	<.2	4.50	<5	100	<5	0.11	<1	9	21	113	3.80	<10	0.19	217	<1	0.03	14	1500	2	<5	<20	13	0.20	10	70	<10	<1	57
89	L29+00 N 13+25 E B	<.2	4.16	<5	310	5	0.53	<1	15	52	36	4.23	<10	0.50	633	<1	0.02	49	2830	<2	<5	<20	87	0.21	<10	81	<10	3	94
106	L29+00 N 18+75 E B	0.4	2.23	<5	205	<5	0.15	<1	7	22	109	3.24	<10	0.29	185	4	<.01	12	410	4	<5	20	15	0.04	10	74	<10	<1	57
115	L30+50 N 8+75 E B	<.2	2.07	<5	155	<5	0.14	<1	9	24	52	3.47	<10	0.26	235	1	0.01	15	1700	6	<5	40	16	0.14	<10	72	<10	<1	69
124	L30+50 N 13+25 E B	<.2	2.95	<5	205	<5	0.27	<1	19	66	55	4.11	<10	0.36	1028	<1	0.02	47	1080	<2	<5	40	32	0.19	<10	84	<10	<1	73
141	L30+50 N 19+75 E B	<.2	3.66	<5	230	<5	0.56	<1	14	32	498	4.42	<10	0.68	338	7	0.01	26	1650	4	<5	40	37	0.08	<10	99	<10	<1	78
150	L30+50 N 23+25 E B	<.2	3.13	<5	200	<5	0.24	<1	14	26	78	3.28	<10	0.26	623	2	0.01	32	1700	4	<5	40	33	0.14	<10	65	<10	<1	72
159	L30+50 N 26+25 E B	<.2	3.12	<5	205	<5	0.30	<1	17	51	73	4.41	<10	0.32	346	1	0.01	46	3000	<2	<5	60	37	0.18	<10	100	<10	<1	66
176	L33+25 N 1+25 E B	<.2	2.79	<5	220	3.5	0.25	<1	17	48	23	3.41	<10	0.32	213	<1	0.02	35	1480	<2	<5	<20	30	0.23	<10	72	<10	<1	72
185	L33+25 N 1+75 W B	<.2	2.70	<5	180	7	0.19	<1	13	33	14	2.74	<10	0.21	274	<1	0.01	39	1820	<2	<5	<20	24	0.19	<10	50	<10	<1	65
194	L36+00 N 15+25 E B	<.2	3.60	<5	160	<5	0.13	<1	11	23	12	2.37	<10	0.17	122	<1	0.01	36	2460	<2	<5	<20	18	0.18	<10	39	<10	<1	58
211	L36+00 N 21+50 E B	<.2	2.49	<5	110	<5	0.32	<1	11	32	42	3.12	<10	0.28	218	<1	0.01	29	1370	<2	<5	<20	39	0.13	<10	74	<10	<1	51
220	L36+00 N 24+75 E B	<.2	1.99	<5	200	<5	0.32	<1	14	46	26	3.27	<10	0.25	330	<1	0.02	27	1990	<2	<5	<20	32	0.18	<10	73	<10	<1	52
229	L37+50 N 16+50 E B	<.2	2.99	<5	120	<5	0.14	<1	11	24	25	2.58	<10	0.18	128	<1	0.01	29	2710	<2	<5	<20	13	0.16	<10	42	<10	<1	53
246	L37+50 N 23+25 E B	<.2	2.86	<5	240	<5	0.76	<1	12	51	69	3.77	<10	0.64	407	<1	0.04	39	260	<2	<5	<20	76	0.20	<10	69	<10	6	33
255	L37+50 N 27+25 E B	<.2	1.17	<5	110	<5	0.28	<1	8	32	19	2.32	<10	0.22	106	<1	0.02	14	150	<2	<5	<20	31	0.16	<10	48	<10	2	27
264	L38+75 N 16+75 E B	<.2	1.93	<5	170	<5	0.35	<1	8	18	162	2.18	<10	0.27	159	<1	0.01	16	1020	8	<5	<20	41	0.15	<10	44	<10	1	48

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-639

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
Standard:																													
GEO'96		1.2	1.80	70	170	<5	1.20	1	21	70	80	4.01	<10	1.05	720	<1	0.02	20	720	16	<5	<20	62	0.13	<10	82	<10	5	72
GEO'96		1.4	1.85	75	170	<5	1.94	<1	20	72	82	4.10	<10	1.06	710	<1	0.02	22	710	18	<5	<20	64	0.15	<10	81	<10	5	74
GEO'96		1.2	1.80	70	165	<5	1.90	<1	21	70	80	4.08	<10	1.08	720	<1	0.02	24	710	18	<5	<20	62	0.15	<10	81	<10	5	72
GEO'96		1.2	1.80	65	170	<5	1.92	1	21	70	80	4.01	<10	1.03	710	<1	0.02	22	720	18	<5	<20	60	0.13	<10	82	<10	4	72
GEO'96		1.2	1.80	65	175	<5	1.91	<1	20	72	82	4.02	<10	1.04	720	<1	0.02	20	710	18	<5	<20	60	0.15	<10	81	<10	5	74
GEO'96		1.1	1.83	70	180	<5	1.93	<1	20	69	76	4.49	<10	0.97	748	<1	0.02	29	670	10	<5	<20	69	0.14	<10	84	<10	3	74
GEO'96		1.0	1.84	50	150	<5	1.83	<1	18	64	81	4.26	<10	1.00	722	<1	0.02	26	710	18	<5	<20	58	0.12	<10	82	<10	4	67
GEO'96		1.1	1.79	70	180	<5	1.90	<1	19	67	76	4.47	<10	0.96	739	<1	0.02	28	620	14	<5	<20	70	0.13	<10	83	<10	2	74

df/639R/639CA/639RA
XLS/96G.Copper#5

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A. Sc. T.
B.C. Certified Assayer

19-Jul-96

DETAILED SAMPLING

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-624

LINES: 600, 700, 1200, 1450, 1725, 2000, 2600, 3200, 3325 & 3450 (N)

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 149
Sample type: soil
PROJECT #: none given
SHIPMENT #: none given

Values in ppm unless otherwise reported

Et #.	Tag #			Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L 6 + 00 N	29 + 25	E B	<.2	2.28	<5	135	<5	0.21	<1	9	17	13	2.28	<10	0.18	316	<1	0.02	18	1490	12	<5	<20	21	0.12	<10	52	<10	<1	68
2	L 6 + 00 N	29 + 50	E B	<.2	2.62	<5	145	<5	0.19	<1	10	19	35	2.40	<10	0.22	319	<1	0.01	24	1360	12	<5	<20	19	0.12	<10	50	<10	<1	77
3	L 6 + 00 N	29 + 75	E B	<.2	1.82	<5	115	<5	0.23	<1	10	24	106	3.08	<10	0.39	194	1	<.01	19	560	8	<5	<20	21	0.07	<10	88	<10	<1	40
4	L 6 + 00 N	30 + 25	E B	<.2	1.89	<5	130	<5	0.35	<1	10	19	62	2.44	<10	0.37	713	<1	0.02	18	510	8	<5	<20	28	0.08	<10	60	<10	<1	56
5	L 6 + 00 N	30 + 50	E B	<.2	1.68	<5	120	<5	0.32	<1	9	22	49	2.68	<10	0.34	324	<1	<.01	17	300	8	<5	<20	32	0.08	<10	74	<10	<1	40
6	L 6 + 00 N	30 + 75	E B	<.2	1.98	<5	145	<5	0.40	<1	8	19	57	2.20	<10	0.30	281	<1	<.01	17	540	10	<5	<20	38	0.07	<10	54	<10	<1	43
7	L 6 + 00 N	31 + 25	E B	<.2	1.18	<5	140	<5	0.27	<1	6	7	14	1.61	<10	0.18	157	<1	0.01	6	390	6	<5	<20	80	0.08	<10	38	<10	<1	26
8	L 6 + 00 N	31 + 50	E B	<.2	0.83	<5	50	<5	0.13	<1	5	9	7	1.61	<10	0.13	110	<1	<.01	6	590	6	<5	<20	20	0.08	<10	41	<10	<1	27
9	L 6 + 00 N	31 + 75	E B	<.2	1.51	<5	80	<5	0.10	<1	6	8	14	1.52	<10	0.07	362	<1	0.01	10	1270	10	<5	<20	5	0.10	<10	34	<10	<1	53
10	L 7 + 00 N	29 + 25	E B	<.2	2.15	<5	100	<5	0.17	<1	7	14	13	1.89	<10	0.13	211	<1	0.01	17	1390	12	<5	<20	18	0.11	10	38	<10	<1	53
11	L 7 + 00 N	29 + 50	E B	<.2	1.98	<5	130	<5	0.29	<1	8	13	25	1.92	<10	0.14	1012	<1	0.02	14	1560	12	<5	<20	28	0.10	<10	38	<10	<1	68
12	L 7 + 00 N	29 + 75	E B	<.2	2.09	<5	135	<5	0.29	<1	10	21	58	2.77	<10	0.30	646	<1	0.02	18	440	10	<5	<20	30	0.07	<10	70	<10	<1	55
13	L 7 + 00 N	30 + 25	E B	<.2	2.27	<5	165	<5	0.25	<1	8	21	48	2.34	<10	0.26	233	<1	<.01	16	270	12	<5	<20	37	0.08	<10	52	<10	<1	34
14	L 7 + 00 N	30 + 50	E B	<.2	2.25	<5	145	<5	0.35	<1	12	29	76	3.38	<10	0.44	314	<1	<.01	21	380	10	<5	<20	42	0.09	<10	97	<10	<1	47
15	L 7 + 00 N	30 + 75	E B	<.2	2.27	<5	105	5	0.16	<1	10	20	27	2.43	<10	0.20	332	<1	<.01	20	880	12	<5	<20	18	0.11	<10	54	<10	<1	86
16	L 7 + 00 N	31 + 25	E B	<.2	2.07	<5	195	5	0.19	<1	9	20	40	2.50	<10	0.27	359	<1	<.01	15	1200	10	<5	<20	60	0.09	<10	56	<10	<1	51
17	L 7 + 00 N	31 + 50	E B	<.2	1.46	<5	115	<5	0.19	<1	7	14	18	1.95	<10	0.16	435	<1	<.01	11	1450	8	<5	<20	21	0.09	<10	46	<10	<1	71
18	L 7 + 00 N	31 + 75	E B	<.2	1.08	<5	95	<5	0.19	<1	4	8	10	1.32	<10	0.08	67	<1	0.02	5	1290	8	<5	<20	20	0.07	<10	26	<10	<1	34
19	L 12 + 00 N	20 + 00	E B	<.2	3.64	5	100	<5	0.20	<1	9	15	26	2.52	<10	0.12	215	<1	0.02	19	3290	20	<5	<20	13	0.15	<10	45	<10	<1	62
20	L 12 + 00 N	20 + 50	E B	<.2	2.53	<5	160	<5	0.22	<1	7	16	189	2.22	<10	0.12	108	<1	<.01	18	1720	16	<5	<20	15	0.14	20	48	<10	1	29
21	L 12 + 00 N	20 + 75	E B	<.2	2.24	<5	125	<5	0.29	<1	10	23	58	2.44	<10	0.27	891	<1	0.02	26	820	12	<5	<20	19	0.14	<10	55	<10	<1	62
22	L 12 + 00 N	21 + 25	E B	<.2	2.93	<5	215	<5	0.29	<1	13	34	65	2.97	<10	0.34	641	<1	0.01	36	410	16	<5	<20	48	0.14	<10	60	<10	<1	56
23	L 12 + 00 N	21 + 50	E B	<.2	2.55	<5	205	<5	0.28	<1	10	23	61	2.43	<10	0.32	170	<1	0.01	31	660	12	<5	<20	30	0.10	10	49	<10	<1	50
24	L 12 + 00 N	21 + 75	E B	<.2	2.07	5	115	<5	0.23	<1	9	23	82	2.39	<10	0.30	344	<1	0.02	24	800	8	<5	<20	14	0.10	<10	51	<10	<1	47
25	L 12 + 00 N	22 + 25	E B	<.2	1.25	<5	145	5	0.27	<1	9	39	50	2.80	<10	0.28	135	<1	<.01	16	370	6	<5	<20	29	0.10	<10	75	<10	<1	25

GETTY COPPER CORPORATION — ICP CERTIFICATE OF ANALYSIS AK 96-624 — ECO-TECH LABORATORIES LTD.

Et #	Tag #			Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L 12 + 00 N	22 + 50	E B	<.2	1.59	<5	160	<5	0.25	<1	10	37	40	3.16	<10	0.34	241	<1	<.01	18	760	6	<5	<20	32	0.11	<10	90	<10	<1	51
27	L 12 + 00 N	22 + 75	E B	<.2	1.74	<5	175	<5	0.36	<1	10	27	89	2.79	<10	0.34	173	<1	0.02	18	1960	8	<5	<20	29	0.07	<10	69	<10	<1	63
28	L 12 + 00 N	23 + 25	E B	<.2	1.07	<5	195	<5	0.27	<1	10	21	94	2.48	<10	0.44	233	<1	<.01	15	730	6	<5	<20	25	0.07	<10	57	<10	<1	35
29	L 12 + 00 N	23 + 50	E B	<.2	1.14	<5	220	<5	0.62	<1	13	26	84	2.62	<10	0.48	260	<1	0.01	18	540	4	<5	<20	50	0.09	<10	59	<10	<1	31
30	L 12 + 00 N	24 + 25	E B	<.2	2.92	5	190	<5	0.20	<1	10	23	93	2.68	<10	0.27	277	<1	<.01	25	1010	12	<5	<20	15	0.09	<10	57	<10	<1	53
31	L 12 + 00 N	24 + 50	E B	0.2	2.84	<5	155	<5	0.18	<1	15	28	75	2.93	<10	0.34	323	<1	<.01	29	620	12	<5	<20	21	0.07	20	64	<10	<1	69
32	L 12 + 00 N	24 + 75	E B	<.2	2.75	<5	140	<5	0.16	<1	11	31	57	2.91	<10	0.26	392	<1	<.01	26	800	14	<5	<20	23	0.12	<10	66	<10	<1	52
33	L 12 + 00 N	25 + 25	E B	<.2	2.31	<5	150	<5	0.24	<1	10	30	78	2.64	<10	0.33	439	<1	<.01	19	380	12	<5	<20	31	0.07	<10	57	<10	<1	36
34	L 12 + 00 N	25 + 50	E B	<.2	1.76	<5	125	<5	0.13	<1	8	17	27	1.96	<10	0.20	222	<1	<.01	17	320	12	<5	<20	13	0.09	<10	44	<10	<1	43
35	L 12 + 00 N	25 + 75	E B	<.2	1.65	<5	190	<5	0.41	<1	12	25	259	3.13	<10	0.60	335	1	<.01	20	590	6	<5	<20	42	0.07	10	74	<10	<1	36
36	L 12 + 00 N	26 + 25	E B	<.2	2.36	<5	105	<5	0.11	<1	8	15	37	2.41	<10	0.12	378	<1	0.01	12	1970	2	<5	<20	9	0.12	<10	53	<10	1	69
37	L 12 + 00 N	26 + 50	E B	<.2	3.11	<5	145	<5	0.17	<1	10	25	57	2.90	<10	0.20	160	<1	0.01	17	3590	<2	<5	<20	22	0.10	<10	55	<10	2	53
38	L 12 + 00 N	26 + 75	E B	<.2	2.75	<5	140	<5	0.23	<1	10	19	26	2.51	<10	0.22	204	<1	0.01	19	2860	<2	<5	<20	28	0.13	<10	49	<10	1	37
39	L 14 + 50 N	22 + 00	E B	<.2	1.47	<5	190	<5	0.37	<1	11	36	147	3.02	<10	0.36	176	<1	<.01	15	280	<2	<5	<20	57	0.09	<10	77	<10	2	24
40	L 14 + 50 N	22 + 25	E B	<.2	3.26	5	155	<5	0.21	<1	13	26	80	3.01	<10	0.29	474	<1	0.01	33	1040	4	<5	<20	23	0.13	<10	61	<10	<1	91
41	L 14 + 50 N	22 + 75	E B	<.2	1.25	<5	165	<5	0.50	<1	13	24	217	3.43	<10	0.58	441	1	0.01	22	660	<2	<5	<20	41	0.07	<10	93	<10	2	35
42	L 14 + 50 N	23 + 25	E B	<.2	1.50	<5	380	<5	1.12	<1	12	33	1323	3.19	30	0.50	597	1	0.01	24	760	<2	<5	<20	65	0.07	<10	80	<10	32	31
43	L 14 + 50 N	23 + 50	E B	<.2	2.63	<5	425	<5	0.57	<1	12	36	83	3.52	<10	0.41	1483	<1	0.01	17	480	<2	<5	<20	149	0.10	<10	95	<10	7	43
44	L 14 + 50 N	23 + 75	E B	<.2	1.38	<5	380	<5	0.46	<1	9	35	58	3.05	<10	0.35	314	<1	0.01	14	240	<2	<5	<20	161	0.10	<10	90	<10	2	29
45	L 14 + 50 N	24 + 25	E B	<.2	2.52	<5	155	<5	0.19	<1	12	26	53	2.66	<10	0.24	153	<1	0.01	25	800	4	<5	<20	21	0.10	<10	60	<10	<1	53
46	L 14 + 50 N	24 + 50	E B	<.2	2.69	<5	145	<5	0.26	<1	13	28	71	2.82	<10	0.28	619	<1	0.01	27	650	4	<5	<20	25	0.10	<10	64	<10	<1	84
47	L 14 + 50 N	24 + 75	E B	<.2	3.86	<5	120	<5	0.15	<1	9	14	23	2.15	<10	0.11	167	<1	0.02	16	1960	8	<5	<20	16	0.14	<10	37	<10	3	40
48	L 14 + 50 N	25 + 25	E B	<.2	1.68	<5	165	<5	0.26	<1	9	24	50	2.16	<10	0.27	571	<1	0.01	16	270	4	<5	<20	27	0.07	<10	50	<10	<1	43
49	L 14 + 50 N	25 + 50	E B	<.2	2.21	<5	165	<5	0.30	<1	10	23	107	2.49	<10	0.35	282	2	<.01	15	270	2	<5	<20	34	0.04	<10	56	<10	<1	45
50	L 14 + 50 N	26 + 25	E B	<.2	1.15	<5	100	<5	0.23	<1	6	12	12	1.70	<10	0.17	197	<1	0.01	6	170	4	<5	<20	33	0.11	<10	39	<10	2	23
51	L 14 + 50 N	26 + 50	E B	<.2	1.87	<5	130	5	0.23	<1	11	40	24	2.92	<10	0.24	143	<1	<.01	20	530	2	<5	<20	32	0.13	<10	79	<10	1	30
52	L 14 + 50 N	26 + 75	E B	<.2	2.46	<5	155	<5	0.23	<1	11	28	17	2.61	<10	0.20	126	<1	0.01	24	2540	4	<5	<20	28	0.14	<10	54	<10	2	48
53	L 17 + 25 N	22 + 00	E B	<.2	1.76	<5	275	<5	0.46	<1	11	27	222	3.14	<10	0.50	267	2	< 01	17	1230	<2	<5	<20	43	0.04	<10	65	<10	<1	37
54	L 17 + 25 N	22 + 25	E B	<.2	2.23	<5	310	<5	0.77	<1	12	36	530	3.23	<10	0.49	492	<1	0.02	23	340	4	<5	<20	71	0.13	<10	73	<10	9	30
55	L 17 + 25 N	22 + 75	E B	<.2	2.38	<5	130	<5	0.21	<1	12	25	127	2.83	<10	0.28	531	2	0.01	23	650	6	<5	<20	20	0.09	<10	64	<10	<1	84
56	L 17 + 25 N	23 + 25	E B	<.2	3.07	5	555	<5	1.38	<1	7	20	1166	2.57	20	0.30	1065	<1	0.02	44	690	<2	<5	<20	75	0.09	<10	49	<10	22	44
57	L 17 + 25 N	23 + 75	E B	<.2	1.33	<5	135	<5	0.31	<1	11	37	63	2.96	<10	0.28	198	<1	0.01	20	480	2	<5	<20	42	0.11	<10	82	<10	<1	28
58	L 17 + 25 N	24 + 25	E B	<.2	1.24	<5	145	<5	0.39	<1	11	33	31	2.79	<10	0.31	256	<1	0.01	14	340	2	<5	<20	60	0.16	<10	77	<10	2	31
59	L 17 + 25 N	24 + 50	E B	<.2	1.92	<5	165	<5	0.31	<1	12	37	48	2.99	<10	0.29	249	<1	0.02	19	1450	4	<5	<20	37	0.12	<10	80	<10	3	49
60	L 17 + 25 N	24 + 75	E B	<.2	1.99	<5	135	<5	0.26	<1	12	38	19	3.13	<10	0.24	514	<1	0.01	20	1550	4	<5	<20	26	0.12	<10	85	<10	1	48

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-624

ECO-TECH LABORATORIES LTD.

Et #.	Tag #			Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L 17 + 25 N	25 + 25	E B	<.2	2.66	<5	160	<5	0.25	<1	11	29	81	2.74	<10	0.29	557	<1	0.01	28	700	6	<5	<20	29	0.12	<10	61	<10	1	64
62	L 17 + 25 N	25 + 50	E B	<.2	1.99	<5	125	<5	0.18	<1	9	22	8	2.27	<10	0.16	325	<1	0.01	16	1450	4	<5	<20	16	0.11	<10	52	<10	2	48
63	L 17 + 25 N	25 + 75	E B	<.2	2.23	<5	125	<5	0.25	<1	10	22	16	2.29	<10	0.18	264	<1	0.01	24	2110	4	<5	<20	25	0.13	<10	48	<10	2	50
64	L 17 + 25 N	26 + 25	E B	<.2	2.88	<5	110	<5	0.18	<1	10	16	54	2.34	<10	0.17	539	<1	0.01	20	1520	8	<5	<20	17	0.14	<10	47	<10	2	76
65	L 17 + 25 N	26 + 50	E B	<.2	3.41	<5	185	<5	0.17	<1	10	26	29	2.51	<10	0.21	170	<1	0.02	22	1980	6	<5	<20	31	0.15	<10	51	<10	3	38
66	L 17 + 25 N	26 + 75	E B	<.2	3.18	<5	130	5	0.18	<1	13	36	14	2.89	<10	0.26	653	<1	0.01	33	1380	4	<5	<20	31	0.16	<10	60	<10	1	57
67	L 20 + 00 N	19 + 00	E B	<.2	0.40	<5	115	<5	0.40	<1	2	7	34	0.78	<10	0.06	41	2	<.01	4	200	2	<5	<20	19	0.05	<10	21	<10	2	10
68	L 20 + 00 N	19 + 25	E B	<.2	2.33	<5	135	<5	0.25	<1	12	31	69	2.99	<10	0.35	306	1	<.01	25	920	6	<5	<20	29	0.11	<10	65	<10	<1	59
69	L 20 + 00 N	19 + 50	E B	<.2	1.03	<5	85	<5	0.28	<1	7	41	46	2.01	<10	0.23	148	3	<.01	16	300	4	<5	<20	25	0.06	<10	52	<10	<1	21
70	L 20 + 00 N	20 + 25	E B	<.2	1.50	<5	295	<5	0.36	<1	7	18	31	2.14	<10	0.23	300	2	<.01	14	1840	4	<5	<20	21	0.07	<10	44	<10	<1	46
71	L 20 + 00 N	20 + 50	E B	<.2	2.45	<5	460	<5	1.45	<1	10	31	857	3.24	10	0.55	477	<1	0.02	32	340	<2	<5	<20	81	0.12	<10	72	<10	14	23
72	L 20 + 00 N	20 + 75	E B	<.2	1.26	<5	190	<5	0.44	<1	7	15	60	2.02	<10	0.27	829	2	<.01	11	870	4	<5	<20	42	0.03	<10	44	<10	<1	41
73	L 20 + 00 N	21 + 25	E B	<.2	2.69	<5	215	<5	0.42	<1	12	29	65	2.73	<10	0.36	409	2	0.01	30	1390	8	<5	<20	32	0.07	<10	51	<10	<1	63
74	L 20 + 00 N	21 + 50	E B	<.2	2.22	<5	360	<5	0.67	<1	16	20	137	3.74	<10	0.76	876	<1	<.01	17	1000	6	<5	<20	64	0.19	<10	97	<10	3	53
75	L 20 + 00 N	21 + 75	E B	<.2	3.22	<5	495	<5	1.11	<1	7	17	1326	2.55	20	0.36	1924	2	0.01	24	1590	4	<5	<20	70	0.09	<10	58	<10	21	59
76	L 20 + 00 N	26 + 50	E B	<.2	2.11	<5	120	<5	0.36	<1	7	31	42	1.50	<10	0.34	134	<1	0.01	21	340	8	<5	<20	57	0.13	<10	33	<10	7	46
77	L 20 + 00 N	26 + 75	E B	<.2	1.42	<5	80	<5	0.19	<1	9	23	11	2.03	<10	0.15	654	<1	0.01	15	1030	6	<5	<20	30	0.11	<10	48	<10	1	41
78	L 26 + 00 N	20 + 25	E B	<.2	1.51	<5	300	<5	0.61	<1	4	11	121	1.67	<10	0.28	128	3	<.01	11	360	4	<5	<20	27	<.01	<10	31	<10	2	22
79	L 26 + 00 N	20 + 50	E B	0.2	5.35	5	745	<5	1.27	<1	9	28	1836	5.49	60	0.27	188	<1	0.02	25	3810	2	<5	<20	42	0.13	<10	89	<10	37	49
80	L 26 + 00 N	20 + 75	E B	<.2	4.10	<5	335	<5	0.41	<1	10	22	251	3.84	<10	0.19	96	2	0.01	20	1000	8	<5	<20	19	0.16	<10	84	<10	3	36
81	L 26 + 00 N	21 + 25	E B	<.2	2.15	<5	155	<5	0.16	<1	7	11	58	2.22	<10	0.22	202	3	<.01	9	370	6	<5	<20	8	0.01	<10	50	<10	<1	52
82	L 26 + 00 N	21 + 50	E B	<.2	2.09	<5	295	<5	0.45	<1	7	16	195	2.34	<10	0.35	451	2	<.01	13	810	6	<5	<20	20	0.04	<10	50	<10	2	46
83	L 26 + 00 N	22 + 25	E B	0.4	1.93	<5	255	<5	0.64	<1	13	10	444	2.74	<10	0.57	1256	4	<.01	10	260	2	<5	<20	19	<.01	<10	45	<10	1	43
84	L 26 + 00 N	22 + 50	E B	<.2	2.09	<5	190	<5	0.82	<1	15	17	1654	3.53	<10	0.75	608	3	<.01	14	430	<2	<5	<20	24	0.01	<10	59	<10	2	40
85	L 26 + 00 N	22 + 75	E B	<.2	1.77	<5	115	<5	0.27	<1	10	28	37	2.43	<10	0.20	321	<1	0.01	22	600	6	<5	<20	23	0.11	<10	61	<10	<1	47
86	L 26 + 00 N	23 + 25	E B	<.2	1.99	<5	135	<5	0.22	<1	12	36	39	2.97	<10	0.24	384	<1	0.01	22	1170	6	<5	<20	20	0.11	<10	78	<10	<1	40
87	L 26 + 00 N	23 + 50	E B	<.2	3.89	<5	160	<5	0.22	<1	11	30	129	3.37	<10	0.18	108	<1	0.01	27	4110	8	<5	<20	21	0.13	<10	71	<10	4	27
88	L 26 + 00 N	23 + 75	E B	<.2	2.59	<5	125	<5	0.25	<1	13	37	63	3.70	<10	0.29	277	2	<.01	24	1790	6	<5	<20	24	0.09	<10	92	<10	<1	33
89	L 26 + 00 N	24 + 25	E B	<.2	4.08	<5	180	<5	0.25	<1	13	31	289	3.60	<10	0.27	163	4	0.01	32	2490	8	<5	<20	33	0.13	<10	75	<10	2	33
90	L 26 + 00 N	24 + 50	E B	<.2	2.73	<5	105	<5	0.17	<1	11	28	57	3.03	<10	0.21	250	<1	0.01	20	2150	8	<5	<20	15	0.11	<10	71	<10	<1	42
91	L 26 + 00 N	24 + 75	E B	<.2	1.53	<5	115	<5	0.50	<1	6	20	233	1.73	<10	0.17	110	<1	0.02	11	230	8	<5	<20	35	0.08	<10	42	<10	7	18
92	L 26 + 00 N	25 + 25	E B	<.2	1.81	<5	80	<5	0.33	<1	11	41	51	3.31	<10	0.30	177	<1	<.01	21	1090	4	<5	<20	35	0.09	10	94	<10	<1	32
93	L 26 + 00 N	25 + 50	E B	<.2	1.53	<5	80	<5	0.16	<1	9	24	12	2.35	<10	0.12	372	<1	<.01	13	1820	6	<5	<20	14	0.11	<10	60	<10	<1	59
94	L 26 + 00 N	25 + 75	E B	<.2	2.61	<5	165	5	0.29	<1	13	40	41	3.48	<10	0.34	172	<1	0.01	29	1120	<2	<5	<20	55	0.12	<10	91	<10	<1	37
95	L 26 + 00 N	26 + 25	E B	<.2	2.64	<5	175	5	0.31	<1	14	62	21	3.32	<10	0.40	150	<1	0.01	36	530	2	<5	<20	71	0.17	<10	71	<10	1	29

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-624

ECO-TECH LABORATORIES LTD.

Et #.	Tag #			Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L 26 + 00 N	26 + 50	E B	<.2	2.72	<5	120	5	0.31	<1	12	49	20	2.96	<10	0.36	126	<1	0.01	34	1450	4	<5	<20	66	0.14	<10	53	<10	1	37
97	L 26 + 00 N	26 + 75	E B	<.2	3.66	<5	140	<5	0.19	<1	13	33	15	3.06	<10	0.24	157	<1	0.01	40	2860	6	<5	<20	29	0.16	<10	55	<10	2	60
98	L 32 + 00 N	19 + 25	E B	<.2	1.81	<5	175	<5	0.25	<1	7	16	29	2.01	<10	0.20	266	1	0.01	14	430	8	<5	<20	30	0.07	<10	45	<10	<1	41
99	L 32 + 00 N	19 + 50	E B	<.2	2.46	<5	205	<5	0.26	<1	12	24	69	2.50	<10	0.28	435	<1	0.01	27	730	10	<5	<20	24	0.12	<10	52	<10	1	60
100	L 32 + 00 N	19 + 75	E B	<.2	2.58	<5	205	<5	0.42	<1	12	28	450	3.17	<10	0.54	231	3	<.01	25	840	10	<5	<20	34	0.09	<10	72	<10	<1	58
101	L 32 + 00 N	20 + 25	E B	<.2	3.24	<5	75	<5	0.11	<1	8	12	14	2.22	<10	0.07	113	<1	0.01	15	2500	12	<5	<20	10	0.12	<10	42	<10	2	52
102	L 32 + 00 N	20 + 50	E B	<.2	2.07	<5	165	<5	0.72	<1	12	21	103	2.48	<10	0.34	394	<1	<.01	28	1000	8	<5	<20	96	0.10	<10	52	<10	<1	47
103	L 32 + 00 N	20 + 75	E B	<.2	2.45	<5	120	<5	0.24	<1	8	14	126	1.88	<10	0.12	416	<1	0.01	17	2130	10	<5	<20	21	0.12	<10	35	<10	2	46
104	L 32 + 00 N	21 + 50	E B	<.2	2.23	<5	325	<5	0.49	<1	10	26	102	2.68	<10	0.25	139	<1	0.01	27	3600	8	<5	<20	48	0.11	<10	45	<10	2	122
105	L 32 + 00 N	21 + 75	E B	<.2	3.03	<5	420	<5	0.89	<1	11	33	838	3.05	10	0.40	405	<1	0.01	45	1890	8	<5	<20	61	0.11	<10	55	<10	9	106
106	L 32 + 00 N	22 + 25	E B	<.2	3.76	<5	335	<5	0.79	<1	13	33	1434	3.31	20	0.42	671	<1	0.02	51	630	12	<5	<20	59	0.16	<10	67	<10	17	50
107	L 32 + 00 N	22 + 50	E B	<.2	3.26	<5	405	<5	1.46	<1	11	28	1077	2.90	10	0.41	346	<1	0.02	40	830	6	<5	<20	98	0.12	<10	51	<10	15	40
108	L 32 + 00 N	22 + 75	E B	<.2	2.83	<5	185	<5	0.24	<1	11	25	107	2.88	<10	0.27	266	<1	0.01	31	1430	14	<5	<20	48	0.09	<10	56	<10	<1	57
109	L 32 + 00 N	23 + 25	E B	<.2	3.07	5	235	<5	1.02	<1	12	29	1194	3.06	40	0.43	306	<1	0.02	42	790	10	<5	<20	98	0.14	<10	70	<10	36	36
110	L 32 + 00 N	23 + 50	E B	<.2	3.07	<5	215	<5	0.28	<1	13	28	183	3.20	<10	0.35	210	3	0.01	35	1360	10	<5	<20	72	0.09	<10	61	<10	<1	57
111	L 32 + 00 N	23 + 75	E B	<.2	1.75	<5	95	<5	0.19	<1	8	17	63	1.87	<10	0.22	249	<1	<.01	16	440	10	<5	<20	27	0.09	<10	40	<10	<1	47
112	L 32 + 00 N	24 + 25	E B	<.2	1.89	<5	145	<5	0.68	<1	11	20	422	2.22	<10	0.28	382	<1	0.02	24	450	10	<5	<20	71	0.11	<10	53	<10	5	33
113	L 32 + 00 N	24 + 50	E B	<.2	1.69	<5	150	<5	0.18	<1	8	20	109	2.11	<10	0.17	193	<1	0.01	19	1380	8	<5	<20	27	0.11	<10	44	<10	2	48
114	L 32 + 00 N	24 + 75	E B	<.2	2.06	<5	175	<5	0.27	<1	12	29	95	2.75	<10	0.26	231	<1	0.01	24	1510	8	<5	<20	42	0.14	<10	58	<10	1	39
115	L 32 + 00 N	25 + 25	E B	<.2	2.56	<5	175	<5	0.26	<1	15	40	73	3.40	<10	0.30	289	<1	0.01	42	2050	10	<5	<20	42	0.13	<10	76	<10	<1	51
116	L 32 + 00 N	25 + 50	E B	<.2	1.44	<5	105	<5	0.16	<1	11	23	30	2.28	<10	0.18	224	<1	<.01	20	1350	8	<5	<20	21	0.10	<10	51	<10	<1	38
117	L 32 + 00 N	25 + 75	E B	<.2	2.10	<5	155	<5	0.28	<1	14	43	40	3.03	<10	0.23	192	<1	0.01	31	1140	10	<5	<20	36	0.14	<10	70	<10	1	35
118	L 32 + 00 N	26 + 25	E B	<.2	1.75	<5	200	<5	0.24	<1	15	46	32	3.21	<10	0.22	1340	<1	0.01	30	1910	8	<5	<20	31	0.14	<10	75	<10	1	43
119	L 32 + 00 N	26 + 50	E B	<.2	1.70	<5	150	<5	0.29	<1	15	49	29	3.14	<10	0.31	234	<1	0.02	32	1480	6	<5	<20	34	0.15	<10	76	<10	2	35
120	L 32 + 00 N	26 + 75	E B	<.2	1.11	<5	165	<5	0.52	<1	12	49	37	2.88	<10	0.40	212	<1	0.03	30	660	6	<5	<20	51	0.16	<10	70	<10	6	31
121	L 33 + 25 N	18 + 25	E B	<.2	2.60	<5	170	<5	0.22	<1	15	34	24	2.84	<10	0.21	295	<1	0.01	34	2440	24	<5	20	33	0.13	<10	52	<10	2	69
122	L 33 + 25 N	19 + 25	E B	<.2	2.47	<5	160	<5	0.27	<1	12	23	40	2.54	<10	0.24	177	3	0.01	20	2150	24	5	20	33	0.10	<10	50	<10	2	67
123	L 33 + 25 N	19 + 50	E B	<.2	2.47	<5	300	<5	0.37	<1	17	36	517	2.97	20	0.40	438	5	0.02	36	760	22	5	<20	53	0.10	<10	61	<10	14	40
124	L 33 + 25 N	20 + 25	E B	<.2	3.31	<5	450	<5	0.88	1	14	34	464	3.15	<10	0.46	484	2	0.01	47	1360	28	5	<20	78	0.11	<10	44	<10	12	86
125	L 33 + 25 N	20 + 50	E B	<.2	2.47	<5	190	<5	0.36	<1	11	22	59	2.69	<10	0.28	267	<1	0.01	27	2390	10	<5	<20	42	0.09	<10	46	<10	<1	68
126	L 33 + 25 N	20 + 75	E B	<.2	3.73	<5	330	<5	0.43	<1	10	30	464	2.93	<10	0.43	445	<1	0.01	31	1200	<2	<5	<20	50	0.12	<10	43	<10	2	45
127	L 33 + 25 N	21 + 25	E B	<.2	2.72	<5	205	<5	0.33	<1	9	23	119	2.49	<10	0.31	552	2	0.01	21	1130	<2	<5	<20	63	0.08	<10	50	<10	<1	42
128	L 33 + 25 N	21 + 50	E B	<.2	1.80	<5	180	<5	0.53	<1	7	14	97	1.70	<10	0.22	491	2	0.01	17	1400	<2	<5	<20	64	0.07	<10	36	<10	1	40
129	L 33 + 25 N	21 + 75	E B	<.2	3.00	<5	160	<5	0.22	<1	12	27	101	2.75	<10	0.32	148	<1	0.01	31	930	<2	<5	<20	36	0.10	10	59	<10	<1	43
130	L 33 + 25 N	22 + 25	E B	<.2	2.44	<5	265	<5	0.63	<1	13	20	777	2.45	20	0.42	298	<1	0.02	33	1200	<2	<5	<20	58	0.11	<10	54	<10	12	41

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-624

ECO-TECH LABORATORIES LTD.

Et #	Tag #			Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	L 33 + 25 N	22 + 50	E B	<.2	2.77	5	180	<5	0.35	<1	14	27	133	3.02	<10	0.40	235	3	0.01	35	970	8	<5	<20	51	0.08	<10	61	<10	<1	51
132	L 33 + 25 N	22 + 75	E B	<.2	1.92	<5	275	<5	1.14	<1	12	22	721	2.43	20	0.34	467	<1	0.01	27	980	6	<5	<20	75	0.08	<10	57	<10	13	43
133	L 33 + 25 N	23 + 25	E B	<.2	1.71	<5	185	<5	0.32	<1	9	25	212	2.27	<10	0.20	130	<1	0.01	22	1120	8	<5	<20	49	0.11	<10	48	<10	6	36
134	L 33 + 25 N	23 + 50	E B	<.2	2.88	<5	175	<5	0.25	<1	15	34	79	3.19	<10	0.30	262	<1	0.01	38	2110	8	<5	<20	41	0.14	<10	66	<10	2	59
135	L 33 + 25 N	23 + 75	E B	<.2	2.06	<5	210	<5	0.35	<1	14	31	145	3.77	<10	0.41	186	3	0.01	30	1690	8	<5	<20	69	0.11	<10	85	<10	<1	46
136	L 33 + 25 N	24 + 25	E B	<.2	2.38	<5	160	<5	0.24	<1	13	36	38	3.08	<10	0.25	289	<1	0.01	28	810	4	<5	<20	38	0.15	<10	74	<10	1	38
137	L 33 + 25 N	24 + 50	E B	<.2	2.06	<5	145	<5	0.25	<1	14	38	63	2.86	<10	0.28	206	<1	0.02	25	1470	<2	<5	<20	34	0.16	<10	70	<10	3	35
138	L 33 + 25 N	24 + 75	E B	<.2	3.91	<5	315	<5	1.47	<1	14	47	1952	3.98	50	0.74	488	<1	0.02	67	810	<2	<5	<20	174	0.16	<10	69	<10	39	33
139	L 33 + 25 N	25 + 25	E B	<.2	2.65	<5	95	<5	0.15	<1	10	18	23	2.13	<10	0.13	137	<1	0.01	20	3960	<2	<5	<20	18	0.13	10	43	<10	2	26
140	L 33 + 25 N	25 + 50	E B	<.2	3.25	5	145	<5	0.24	<1	10	24	22	2.27	<10	0.25	114	<1	0.02	30	2240	<2	<5	<20	28	0.14	<10	46	<10	3	31
141	L 33 + 25 N	25 + 75	E B	<.2	1.98	<5	185	5	0.22	<1	12	33	19	2.78	<10	0.20	274	<1	0.01	27	2600	4	<5	<20	30	0.14	<10	57	<10	2	32
142	L 33 + 25 N	26 + 25	E B	<.2	2.56	<5	135	<5	0.17	<1	12	39	43	3.10	<10	0.24	116	<1	0.01	32	2800	4	<5	<20	26	0.14	<10	64	<10	3	33
143	L 33 + 25 N	26 + 50	E B	<.2	1.20	<5	155	<5	0.30	<1	10	37	31	2.61	<10	0.29	128	<1	0.02	20	1000	2	<5	<20	41	0.14	<10	54	<10	2	28
144	L 33 + 25 N	26 + 75	E B	<.2	1.14	<5	140	<5	0.30	<1	10	36	19	2.46	<10	0.23	107	<1	0.02	17	430	2	<5	<20	41	0.14	<10	62	<10	3	24
145	L 34 + 50 N	18 + 25	E B	<.2	2.79	<5	425	<5	1.55	<1	10	31	1102	2.83	40	0.47	662	2	0.02	36	450	<2	<5	<20	96	0.09	<10	47	<10	29	38
146	L 34 + 50 N	19 + 25	E B	<.2	2.13	<5	190	<5	0.32	<1	9	21	183	2.47	<10	0.32	149	<1	<.01	18	930	2	<5	<20	32	0.08	<10	57	<10	5	42
147	L 34 + 50 N	19 + 50	E B	<.2	1.86	<5	360	<5	0.47	<1	16	19	343	2.74	<10	0.53	604	4	0.01	25	1720	<2	<5	<20	40	0.08	<10	56	<10	3	54
148	L 34 + 50 N	20 + 75	E B	<.2	3.60	<5	575	<5	1.00	<1	12	42	586	3.37	20	0.60	754	<1	0.01	48	1150	2	<5	<20	109	0.12	<10	56	<10	25	59
149	L 34 + 50 N	21 + 25	E B	<.2	2.17	<5	180	<5	0.18	<1	6	14	29	2.08	<10	0.08	310	<1	<.01	14	3860	6	<5	<20	20	0.12	<10	39	<10	2	43
150	L 34 + 50 N	21 + 50	E B	<.2	1.88	<5	285	<5	0.67	<1	9	17	100	2.20	<10	0.32	774	2	<.01	20	1250	<2	<5	<20	95	0.07	<10	47	<10	1	33
151	L 34 + 50 N	21 + 75	E B	<.2	2.35	<5	170	<5	0.23	<1	12	23	78	2.59	<10	0.28	202	1	0.01	26	1240	2	<5	<20	38	0.10	<10	53	<10	2	52
152	L 34 + 50 N	22 + 25	E B	<.2	3.22	<5	430	<5	1.44	<1	16	33	585	3.74	20	0.87	1794	2	0.21	40	5690	4	<5	<20	149	0.13	<10	88	<10	12	184
153	L 34 + 50 N	22 + 50	E B	<.2	1.76	<5	235	<5	0.40	<1	13	24	105	2.96	<10	0.34	222	1	0.01	27	1560	4	<5	<20	58	0.09	<10	64	<10	<1	49
154	L 34 + 50 N	22 + 75	E B	<.2	1.80	<5	180	<5	0.29	<1	11	25	86	2.68	<10	0.29	272	2	<.01	21	750	4	<5	<20	43	0.08	<10	60	<10	<1	48
155	L 34 + 50 N	23 + 75	E B	<.2	1.53	<5	250	<5	0.27	<1	8	24	34	2.35	<10	0.17	136	<1	<.01	18	2030	4	<5	<20	33	0.10	<10	45	<10	1	36
156	L 34 + 50 N	24 + 25	E B	<.2	1.04	<5	130	<5	0.25	<1	7	25	122	1.94	<10	0.17	160	<1	0.01	15	290	6	<5	<20	30	0.12	<10	44	<10	4	23
157	L 34 + 50 N	24 + 50	E B	<.2	1.20	<5	190	<5	0.37	<1	13	42	26	2.70	<10	0.29	163	<1	0.02	24	910	2	<5	<20	53	0.15	<10	69	<10	3	33
158	L 34 + 50 N	25 + 25	E B	<.2	2.18	<5	170	<5	0.19	<1	12	39	28	2.95	<10	0.21	105	<1	0.01	28	3100	6	<5	<20	25	0.14	<10	54	<10	3	41
159	L 34 + 50 N	25 + 50	E B	<.2	1.49	<5	150	<5	0.28	<1	11	40	27	2.87	<10	0.28	148	<1	0.01	24	1160	2	<5	<20	37	0.14	<10	62	<10	2	37
160	L 34 + 50 N	25 + 75	E B	<.2	1.63	<5	165	<5	0.26	<1	11	41	23	2.93	<10	0.23	145	<1	0.01	25	940	2	<5	<20	37	0.15	<10	65	<10	2	32
161	L 17 + 25 N	23 + 50	E B	<.2	2.15	<5	125	<5	0.12	<1	8	12	25	1.88	<10	0.13	317	<1	<.01	20	770	4	<5	<20	12	0.11	<10	37	<10	2	49

GETTY COPPER CORPORATION — ICP CERTIFICATE OF ANALYSIS AK 96-624 — ECO-TECH LABORATORIES LTD.

Et #	Tag #			Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																															
Repeat:																															
1	L 6 + 00 N	29 + 25	E B	<.2	2.28	<5	130	<5	0.20	<1	9	16	13	2.25	<10	0.17	315	<1	0.01	19	1460	10	<5	<20	19	0.12	<10	51	<10	<1	66
10	L 7 + 00 N	29 + 25	E B	<.2	2.14	<5	90	5	0.18	<1	7	13	14	1.89	<10	0.13	208	<1	0.01	17	1390	12	<5	<20	13	0.11	<10	38	<10	<1	54
19	L 12 + 00 N	20 + 00	E B	<.2	3.65	10	95	<5	0.20	<1	9	15	27	2.53	<10	0.12	218	<1	0.01	19	3320	18	<5	<20	12	0.15	<10	45	<10	<1	59
36	L 12 + 00 N	26 + 25	E B	<.2	2.34	<5	105	<5	0.11	<1	8	16	36	2.42	<10	0.12	381	<1	0.01	11	2050	4	<5	<20	11	0.12	<10	53	<10	1	73
45	L 14 + 50 N	24 + 25	E B	<.2	2.52	<5	155	<5	0.20	<1	12	28	55	2.71	<10	0.24	153	<1	0.01	26	780	2	<5	<20	21	0.11	<10	63	<10	<1	53
54	L 17 + 25 N	22 + 25	E B	<.2	2.04	<5	270	<5	0.69	<1	12	34	481	3.20	<10	0.48	518	<1	0.02	21	310	2	<5	<20	62	0.12	<10	77	<10	8	28
71	L 20 + 00 N	20 + 50	E B	<.2	2.41	<5	460	<5	1.39	<1	10	32	822	3.27	<10	0.54	429	<1	0.02	31	340	4	<5	<20	83	0.12	<10	71	<10	13	23
80	L 26 + 00 N	20 + 75	E B	<.2	4.10	<5	330	<5	0.41	<1	10	22	248	3.84	<10	0.19	97	2	0.02	22	1010	10	<5	<20	18	0.17	<10	83	<10	3	37
89	L 26 + 00 N	24 + 25	E B	<.2	4.22	<5	185	<5	0.26	<1	13	32	302	3.63	<10	0.28	167	3	0.01	33	2490	8	<5	<20	34	0.14	<10	76	<10	2	34
106	L 32 + 00 N	22 + 25	E B	<.2	3.78	<5	330	<5	0.78	<1	13	34	1415	3.34	20	0.41	665	<1	0.02	52	640	14	<5	<20	57	0.16	<10	67	<10	17	51
115	L 32 + 00 N	25 + 25	E B	<.2	2.50	<5	200	<5	0.27	<1	16	44	66	3.65	<10	0.30	294	2	0.01	45	2110	20	<5	20	54	0.13	<10	81	<10	<1	57
124	L 33 + 25 N	20 + 25	E B	<.2	3.46	<5	445	<5	0.84	<1	12	32	502	3.09	10	0.50	430	<1	0.02	44	1260	8	<5	<20	70	0.12	<10	46	<10	12	75
141	L 33 + 25 N	25 + 75	E B	<.2	1.96	<5	185	5	0.22	<1	12	33	19	2.78	<10	0.20	276	<1	0.01	27	2550	2	<5	<20	28	0.14	<10	57	<10	2	32
150	L 34 + 50 N	21 + 50	E B	<.2	1.91	<5	315	<5	0.78	<1	10	17	102	2.10	<10	0.31	804	2	<.01	20	1310	<2	<5	<20	108	0.07	<10	42	<10	1	32
Standard:																															
GEO'96				1.2	1.86	60	160	<5	1.86	<1	19	64	83	4.22	<10	1.03	730	<1	0.02	22	740	16	<5	<20	60	0.12	<10	82	<10	3	72
GEO'96				1.4	1.92	60	165	<5	1.93	<1	20	68	81	4.35	<10	1.05	746	<1	0.02	20	760	18	<5	<20	67	0.14	<10	85	<10	5	67
GEO'96				1.4	1.89	60	165	<5	1.95	<1	21	69	80	4.42	<10	1.05	751	<1	0.02	22	720	20	<5	<20	65	0.14	<10	86	<10	5	71
GEO'96				1.2	1.84	40	150	<5	1.69	<1	18	61	83	3.85	<10	1.04	670	<1	0.02	22	660	4	<5	<20	65	0.13	<10	80	<10	6	52
GEO'96				1.0	1.70	60	155	<5	1.75	<1	19	58	78	4.07	<10	0.96	702	2	0.01	25	700	18	<5	<20	56	0.10	<10	76	<10	5	72

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

df/605/624r/624ar
XLS/96G.Copper#5

19-Jul-96

DETAILED SAMPLING

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-569

LINES: 0, 200, 350, 500 + 1450, 1600 & 1725

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 149
Sample type: Soil
PROJECT #: None Given
SHIPMENT #: None Given

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L00+00N 24+25 EB	<.2	1.54	<5	145	<5	0.26	<1	9	24	17	2.14	<10	0.19	768	<1	0.01	18	970	2	<5	<20	36	0.10	<10	49	<10	<1	52
2	L00+00N 24+50 EB	<.2	1.51	<5	205	<5	0.63	<1	18	24	412	3.79	<10	0.85	692	1	0.01	21	930	<2	<5	<20	77	0.09	<10	90	<10	3	41
3	L00+00N 24+75 EB	<.2	1.61	<5	250	<5	0.65	<1	12	28	276	3.45	<10	0.52	428	<1	0.01	16	590	<2	<5	<20	88	0.10	<10	97	<10	3	41
4	L00+00N 25+25 EB	0.2	1.72	<5	290	<5	0.30	<1	7	14	39	2.00	<10	0.23	2292	<1	0.01	14	710	4	<5	<20	22	0.09	<10	45	<10	<1	173
5	L00+00N 25+50 EB	<.2	2.38	10	145	<5	0.28	<1	9	21	231	2.44	<10	0.27	523	<1	0.01	19	720	2	<5	<20	25	0.10	<10	59	<10	2	89
6	L00+00N 25+75 EB	<.2	1.25	<5	160	<5	0.41	<1	8	21	20	2.13	<10	0.22	196	<1	0.01	11	410	<2	<5	<20	39	0.11	<10	51	<10	<1	42
7	L00+00N 26+25 EB	<.2	1.40	<5	130	<5	0.26	<1	8	23	31	2.39	<10	0.21	266	<1	<.01	14	210	<2	<5	<20	25	0.08	<10	63	<10	<1	43
8	L00+00N 26+50 EB	<.2	1.00	<5	125	<5	0.21	<1	7	21	33	2.24	<10	0.19	302	<1	<.01	10	190	<2	<5	<20	32	0.07	<10	60	<10	<1	31
9	L00+00N 26+75 EB	<.2	0.81	<5	175	<5	0.21	<1	8	19	7	1.81	<10	0.14	1145	<1	0.01	10	230	2	<5	<20	44	0.11	<10	45	<10	<1	36
10	L00+00N 27+25 EB	<.2	2.12	<5	355	<5	0.47	<1	13	24	126	3.19	<10	0.57	1335	<1	0.01	16	240	4	<5	<20	100	0.10	<10	78	<10	3	66
11	L00+00N 27+50 EB	<.2	2.20	<5	310	<5	0.73	<1	13	25	184	3.66	<10	0.69	767	1	<.01	19	350	<2	<5	<20	116	0.08	<10	71	<10	7	57
12	L00+00N 28+25 EB	<.2	1.59	<5	290	<5	0.63	<1	14	30	67	3.12	<10	0.52	1036	<1	0.01	19	260	<2	<5	<20	142	0.16	<10	87	<10	5	58
13	L00+00N 28+50 EB	<.2	1.71	<5	215	<5	0.47	<1	12	35	44	3.26	<10	0.32	538	<1	0.01	18	860	<2	<5	<20	67	0.13	<10	92	<10	<1	69
14	L00+00N 28+75 EB	<.2	1.06	<5	220	<5	0.46	<1	12	33	52	2.94	<10	0.33	517	<1	0.02	17	220	<2	<5	<20	88	0.13	<10	84	<10	5	39
15	L00+00N 29+25 EB	< 2	0.94	<5	165	<5	0.33	<1	7	20	21	2.10	<10	0.19	518	<1	0.01	10	60	2	<5	<20	42	0.12	<10	55	<10	<1	38
16	L00+00N 29+50 EB	< 2	0.72	<5	170	<5	0.40	<1	10	28	53	2.61	<10	0.21	695	<1	0.02	12	140	<2	<5	<20	61	0.12	<10	83	<10	<1	34
17	L00+00N 29+75 EB	< 2	0.90	<5	170	<5	0.31	<1	9	24	31	2.49	<10	0.26	270	<1	0.02	12	90	<2	<5	<20	65	0.13	<10	72	<10	<1	30
18	L00+00N 30+25 EB	< 2	1.53	<5	155	<5	0.27	<1	9	21	30	2.36	<10	0.25	242	<1	0.01	14	190	<2	<5	<20	43	0.10	<10	62	<10	<1	46
19	L00+00N 30+50 EB	< 2	1.84	<5	180	<5	0.59	<1	12	33	187	3.28	<10	0.51	360	<1	0.02	22	630	<2	<5	<20	84	0.13	<10	81	<10	4	42
20	L2+00N 24+25 EB	< 2	1.10	<5	85	<5	0.23	<1	5	14	65	1.51	<10	0.16	151	<1	0.01	10	150	2	<5	<20	18	0.08	<10	37	<10	1	30
21	L2+00N 24+50 EB	< 2	0.74	<5	90	<5	0.19	<1	7	17	10	1.81	<10	0.12	728	<1	<.01	8	190	<2	<5	<20	16	0.07	<10	52	<10	<1	36
22	L2+00N 24+75 EB	< 2	1.04	<5	230	<5	0.45	<1	12	35	57	3.16	<10	0.33	362	<1	0.01	17	520	<2	<5	<20	77	0.12	<10	85	<10	<1	44
23	L2+00N 25+50 EB	< 2	2.94	<5	160	<5	0.66	<1	8	16	47	2.57	10	0.38	264	<1	0.03	14	1300	<2	<5	<20	91	0.09	<10	75	<10	12	56
24	L2+00N 25+75 EB	< 2	2.84	<5	225	<5	0.66	<1	14	14	44	2.97	<10	0.37	891	<1	0.02	17	1350	<2	<5	<20	92	0.09	<10	90	<10	6	52
25	L2+00N 26+25 EB	< 2	1.20	<5	160	<5	0.27	<1	9	23	38	2.65	<10	0.23	214	<1	0.02	12	210	<2	<5	<20	41	0.10	<10	79	<10	<1	38

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-569 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #			Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L2+00N	26+50	EB	<.2	1.20	<5	85	<5	0.26	<1	7	18	33	2.08	<10	0.21	289	<1	0.02	11	200	<2	<5	<20	27	0.10	<10	63	<10	<1	44
27	L2+00N	26+75	EB	<.2	1.47	<5	125	<5	0.25	<1	8	17	10	1.94	<10	0.18	443	<1	0.01	14	490	<2	<5	<20	25	0.09	<10	52	<10	<1	61
28	L2+00N	27+25	EB	<.2	1.23	<5	200	<5	0.33	<1	9	26	27	2.64	<10	0.22	355	<1	0.02	13	240	2	<5	<20	57	0.13	<10	71	<10	<1	36
29	L2+00N	27+50	EB	<.2	1.19	<5	170	<5	0.25	<1	7	19	15	2.02	<10	0.18	488	<1	0.01	11	180	2	<5	<20	45	0.12	<10	52	<10	<1	34
30	L2+00N	27+75	EB	<.2	1.04	<5	100	<5	0.24	<1	8	22	23	2.08	<10	0.18	343	<1	0.01	11	260	2	<5	<20	34	0.12	<10	57	<10	<1	49
31	L2+00N	28+25	EB	<.2	1.69	<5	155	<5	0.25	<1	8	23	24	2.36	<10	0.21	359	<1	0.01	16	950	<2	<5	<20	35	0.10	<10	60	<10	<1	52
32	L2+00N	28+50	EB	<.2	0.96	<5	70	<5	0.15	<1	4	11	8	1.31	<10	0.10	297	<1	<.01	8	570	4	<5	<20	16	0.08	<10	32	<10	<1	38
33	L2+00N	28+75	EB	<.2	0.96	<5	120	<5	0.33	<1	8	26	27	2.42	<10	0.21	338	<1	0.01	11	340	<2	<5	<20	38	0.09	<10	76	<10	<1	34
34	L2+00N	29+25	EB	<.2	2.53	<5	145	<5	0.26	<1	10	17	29	2.69	<10	0.30	301	<1	<.01	18	640	4	<5	<20	41	0.11	<10	64	<10	<1	53
35	L2+00N	29+50	EB	<.2	0.67	<5	50	<5	0.17	<1	4	8	39	1.09	<10	0.10	79	<1	0.01	6	120	<2	<5	<20	15	0.07	<10	29	<10	1	17
36	L2+00N	29+75	EB	<.2	1.70	<5	125	<5	0.24	<1	9	18	37	2.20	<10	0.21	717	<1	<.01	15	780	6	<5	<20	28	0.09	<10	53	<10	<1	64
37	L2+00N	30+25	EB	<.2	1.08	<5	120	<5	0.26	<1	7	19	13	1.88	<10	0.16	616	<1	0.01	9	300	2	<5	<20	32	0.10	<10	49	<10	<1	49
38	L2+00N	30+75	EB	<.2	0.99	<5	135	<5	0.25	<1	7	21	27	2.12	<10	0.21	272	<1	0.01	10	140	<2	<5	<20	30	0.10	<10	59	<10	<1	29
39	L2+00N	31+25	EB	<.2	1.53	<5	125	<5	0.24	<1	9	23	37	2.44	<10	0.24	393	<1	<.01	14	270	<2	<5	<20	32	0.08	<10	66	<10	<1	62
40	L2+00N	31+50	EB	<.2	1.21	<5	75	<5	0.14	<1	7	9	7	1.53	<10	0.08	471	<1	0.01	9	950	4	<5	<20	10	0.08	<10	36	<10	<1	65
41	L2+00N	31+75	EB	<.2	2.15	<5	140	<5	0.15	<1	10	19	41	2.34	<10	0.25	627	<1	0.01	20	270	4	<5	<20	18	0.09	<10	56	<10	<1	72
42	L2+00N	32+25	EB	<.2	1.50	<5	100	<5	0.17	<1	8	19	45	2.17	<10	0.24	651	<1	0.01	14	340	2	<5	<20	22	0.09	<10	53	<10	<1	66
43	L2+00N	32+50	EB	<.2	1.20	<5	220	<5	0.56	<1	10	20	46	2.42	<10	0.29	1083	<1	0.01	13	580	<2	<5	<20	49	0.07	<10	63	<10	<1	65
44	L2+00N	32+75	EB	<.2	0.88	<5	115	<5	0.26	<1	9	22	23	2.50	<10	0.22	290	<1	0.01	11	90	<2	<5	<20	40	0.11	<10	76	<10	<1	36
45	L3+50N	26+25	EB	<.2	1.81	<5	150	<5	0.27	<1	10	26	105	2.78	<10	0.28	360	<1	<.01	19	660	2	<5	<20	25	0.09	<10	70	<10	<1	42
46	L3+50N	26+50	EB	<.2	1.86	<5	115	<5	0.19	<1	10	23	151	2.52	<10	0.22	306	<1	<.01	19	800	4	<5	<20	19	0.09	<10	61	<10	<1	53
47	L3+50N	26+75	EB	<.2	1.73	<5	130	<5	0.26	<1	11	33	138	3.01	<10	0.31	208	<1	<.01	18	460	<2	<5	<20	31	0.08	<10	81	<10	<1	39
48	L3+50N	27+25	EB	<.2	1.71	<5	115	<5	0.17	<1	8	20	12	2.05	<10	0.17	480	<1	0.01	19	440	4	<5	<20	21	0.12	<10	51	<10	<1	62
49	L3+50N	27+38	EB	<.2	2.60	<5	170	<5	0.16	<1	10	21	21	2.58	<10	0.22	359	<1	0.01	22	950	2	<5	<20	26	0.13	<10	62	<10	<1	50
50	L3+50N	27+50	EB	<.2	2.73	<5	220	<5	0.20	<1	10	21	14	2.54	<10	0.21	306	<1	0.02	25	700	2	<5	<20	39	0.14	<10	63	<10	<1	54
51	L3+50	27+25	EB	<.2	2.28	<5	145	5	0.18	<1	9	15	11	2.21	<10	0.17	451	<1	0.01	19	360	4	<5	<20	23	0.12	<10	54	<10	<1	50
52	L3+50	28+25	EB	<.2	1.42	<5	135	<5	0.26	<1	10	27	17	2.60	<10	0.20	489	<1	<.01	13	270	2	<5	<20	32	0.11	<10	77	<10	<1	44
53	L3+50	28+50	EB	<.2	2.03	<5	105	<5	0.22	<1	9	19	33	2.40	<10	0.22	1076	<1	0.01	19	510	4	<5	<20	19	0.12	<10	61	<10	<1	91
54	L3+50	28+75	EB	<.2	2.88	<5	145	<5	0.16	<1	9	14	29	2.08	<10	0.15	475	<1	0.01	26	1170	4	<5	<20	16	0.12	<10	38	<10	1	58
55	L3+50	29+25	EB	<.2	1.72	<5	185	<5	0.30	<1	8	20	33	2.24	<10	0.27	295	<1	0.01	15	260	4	<5	<20	34	0.08	<10	55	<10	<1	42
56	L3+50	29+50	EB	<.2	0.63	<5	45	<5	0.14	<1	4	10	17	1.23	<10	0.09	119	<1	<.01	6	180	4	<5	<20	13	0.09	<10	36	<10	<1	33
57	L3+50	29+75	EB	<.2	1.32	<5	110	<5	0.36	<1	8	26	64	2.22	<10	0.27	161	<1	0.02	14	140	4	<5	<20	40	0.15	<10	60	<10	3	48
58	L3+50	30+25	EB	<.2	1.66	<5	175	<5	0.44	<1	16	27	205	3.53	<10	0.75	1203	<1	<.01	18	160	<2	<5	<20	95	0.10	<10	96	<10	3	73
59	L3+50	30+50	EB	<.2	1.20	<5	140	5	0.19	<1	9	22	9	2.40	<10	0.15	361	<1	0.01	11	590	2	<5	<20	27	0.11	<10	67	<10	<1	67
60	L3+50	30+75	EB	<.2	1.51	<5	75	5	0.17	<1	9	13	27	2.12	<10	0.23	894	<1	<.01	11	750	4	<5	<20	13	0.11	<10	57	<10	<1	69

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-569

ECO-TECH LABORATORIES LTD.

Et #.	Tag #			Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L3+50	31+25	EB	<.2	1.35	<5	150	<5	0.30	<1	8	17	34	2.01	<10	0.21	1557	<1	<.01	14	320	6	<5	<20	35	0.10	<10	49	<10	<1	75
62	L3+50	31+50	EB	<.2	0.68	<5	110	5	0.26	<1	7	25	14	2.40	<10	0.17	242	<1	<.01	9	110	<2	<5	<20	46	0.11	<10	79	<10	<1	24
63	L3+50	31+75	EB	<.2	1.13	<5	130	<5	0.33	<1	10	29	40	2.96	<10	0.33	281	<1	<.01	12	320	<2	<5	<20	37	0.08	<10	97	<10	<1	39
64	L5+00N	27+50	EB	<.2	2.05	<5	120	<5	0.15	<1	9	22	22	2.45	<10	0.15	181	1	0.01	17	750	4	<5	<20	18	0.09	<10	60	<10	<1	47
65	L5+00N	27+75	EB	<.2	1.99	<5	110	5	0.19	<1	8	16	26	2.33	<10	0.18	455	<1	<.01	16	720	4	<5	<20	18	0.09	<10	56	<10	<1	62
66	L5+00N	28+25	EB	<.2	2.51	<5	165	<5	0.24	<1	10	21	94	2.60	<10	0.30	403	<1	0.01	21	870	4	<5	<20	32	0.10	<10	58	<10	<1	54
67	L5+00N	28+50	EB	<.2	2.03	<5	150	<5	0.21	<1	9	19	55	2.21	<10	0.21	574	<1	0.01	18	970	2	<5	<20	22	0.09	<10	52	<10	<1	68
68	L5+00N	28+75	EB	<.2	1.99	<5	150	<5	0.31	<1	9	27	57	2.63	<10	0.32	266	<1	<.01	17	460	<2	<5	<20	36	0.08	<10	67	<10	<1	42
69	L5+00N	29+25	EB	<.2	1.59	<5	110	5	0.20	<1	9	19	15	2.36	<10	0.17	182	<1	0.01	15	750	<2	<5	<20	25	0.11	<10	70	<10	<1	38
70	L5+00N	29+50	EB	<.2	2.07	<5	140	<5	0.22	<1	10	23	36	2.56	<10	0.23	336	<1	0.01	20	960	<2	<5	<20	26	0.12	<10	64	<10	<1	57
71	L5+00N	29+75	EB	<.2	1.06	<5	95	5	0.26	<1	8	30	13	2.55	<10	0.15	210	<1	<.01	12	260	4	<5	<20	31	0.11	<10	81	<10	<1	24
72	L5+00N	30+25	EB	<.2	1.05	<5	105	<5	0.40	<1	6	18	49	1.88	<10	0.21	438	<1	0.01	11	220	<2	<5	<20	44	0.09	<10	51	<10	4	26
73	L5+00N	30+50	EB	<.2	1.84	<5	150	<5	0.59	<1	8	24	91	2.38	<10	0.36	564	<1	0.02	16	280	<2	<5	<20	53	0.11	<10	53	<10	6	33
74	L5+00N	30+75	EB	<.2	1.48	<5	135	<5	0.46	<1	7	17	76	1.86	<10	0.25	646	<1	0.01	11	190	4	<5	<20	42	0.09	<10	45	<10	6	37
75	L5+00N	31+25	EB	<.2	3.00	<5	145	<5	0.18	<1	11	19	35	2.90	<10	0.35	538	<1	<.01	23	2930	4	<5	<20	21	0.14	<10	62	<10	<1	123
76	L5+00N	31+50	EB	<.2	2.29	<5	200	<5	0.27	<1	8	14	35	2.16	<10	0.21	279	<1	0.01	16	1650	2	<5	<20	49	0.10	<10	44	<10	<1	43
77	L5+00N	31+75	EB	<.2	2.17	<5	140	<5	0.20	<1	9	18	32	2.32	<10	0.22	343	<1	0.01	20	860	4	<5	<20	33	0.11	<10	52	<10	<1	53
78	L14+50N	41+25	EB	<.2	1.52	<5	100	<5	0.30	<1	9	34	12	2.53	<10	0.21	198	<1	0.01	15	500	4	<5	<20	32	0.12	<10	73	<10	<1	42
79	L14+50N	41+50	EB	<.2	1.35	<5	90	<5	0.26	<1	8	33	9	2.57	<10	0.15	205	<1	0.01	12	360	4	<5	<20	23	0.13	<10	77	<10	<1	32
80	L14+50N	41+75	EB	<.2	1.27	<5	115	5	0.24	<1	8	32	10	2.51	<10	0.14	612	<1	<.01	13	340	2	<5	<20	20	0.11	<10	79	<10	<1	39
81	L14+50N	42+25	EB	<.2	1.44	<5	125	5	0.27	<1	8	28	10	2.40	<10	0.17	258	<1	0.01	16	500	4	<5	<20	23	0.12	<10	72	<10	<1	38
82	L14+50N	42+50	EB	<.2	1.48	<5	150	5	0.26	<1	8	29	11	2.46	<10	0.16	454	<1	0.01	19	1340	4	<5	<20	23	0.11	<10	68	<10	<1	38
83	L14+50N	42+75	EB	<.2	1.47	<5	130	<5	0.26	<1	8	28	15	2.41	<10	0.18	203	<1	0.01	15	840	2	<5	<20	19	0.10	<10	67	<10	<1	32
84	L14+50N	43+25	EB	<.2	1.61	<5	120	<5	0.32	<1	7	25	29	2.11	<10	0.18	250	<1	0.02	16	450	4	<5	<20	25	0.10	<10	50	<10	4	31
85	L14+50N	43+50	EB	<.2	2.07	<5	160	<5	0.92	<1	9	23	41	2.50	<10	0.32	477	<1	0.01	17	360	2	<5	<20	53	0.13	<10	69	<10	9	33
86	L14+50N	43+75	EB	<.2	1.92	<5	190	<5	0.36	<1	9	20	18	2.35	<10	0.23	608	<1	0.01	15	2370	2	<5	<20	26	0.12	<10	58	<10	<1	68
87	L14+50N	44+25	EB	<.2	1.53	<5	100	<5	0.31	<1	7	22	18	1.88	<10	0.18	311	<1	0.02	12	370	2	<5	<20	32	0.09	<10	43	<10	2	61
88	L14+50N	44+50	EB	<.2	2.09	<5	150	<5	0.35	<1	10	26	24	2.58	<10	0.37	230	<1	0.01	15	460	4	<5	<20	37	0.14	<10	61	<10	<1	74
89	L14+50N	44+75	EB	<.2	1.85	<5	150	<5	0.39	<1	12	28	30	3.13	<10	0.38	601	<1	0.01	15	1420	2	<5	<20	25	0.16	<10	91	<10	<1	120
90	L14+50N	45+25	EB	<.2	1.61	<5	160	5	0.48	<1	11	25	23	2.74	<10	0.43	862	<1	0.01	15	520	<2	<5	<20	29	0.15	<10	80	<10	<1	94
91	L14+50N	45+50	EB	<.2	1.40	<5	115	<5	0.59	<1	9	31	57	2.76	<10	0.27	513	<1	0.01	15	330	<2	<5	<20	37	0.11	<10	84	<10	11	51
92	L14+50N	45+75	EB	<.2	2.97	<5	170	<5	0.51	<1	11	30	79	3.12	<10	0.38	355	<1	0.01	19	370	2	<5	<20	26	0.12	<10	59	<10	7	44
93	L14+50N	46+25	EB	<.2	1.06	<5	105	<5	0.49	<1	6	13	42	1.64	<10	0.24	406	<1	0.02	9	120	4	<5	<20	28	0.08	<10	37	<10	3	25
94	L14+50N	46+50	EB	<.2	2.24	<5	145	<5	0.33	<1	11	28	27	3.18	<10	0.39	407	<1	<.01	17	1250	4	<5	<20	28	0.12	<10	87	<10	<1	107
95	L14+50N	46+75	EB	<.2	1.99	<5	115	<5	0.21	<1	8	16	12	2.18	<10	0.23	551	<1	0.01	14	1190	6	<5	<20	13	0.12	<10	50	<10	<1	128

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-569

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L14+50N 47+25	EB	<.2	2.21	<5	170	<5	0.46	<1	12	27	53	3.36	<10	0.53	425	<1	<.01	20	1150	4	<5	<20	41	0.13	<10	99	<10	<1	111
97	L14+50N 47+50	EB	<.2	2.27	<5	200	<5	0.36	<1	10	19	40	2.49	<10	0.35	443	<1	0.01	17	930	4	<5	<20	27	0.13	<10	59	<10	<1	134
98	L14+50N 47+75	EB	<.2	1.96	<5	180	<5	0.37	<1	8	18	23	2.23	<10	0.21	448	<1	0.01	16	2480	4	<5	<20	24	0.11	<10	46	<10	<1	115
99	L14+50N 48+25	EB	0.4	1.17	5	240	<5	5.78	<1	4	22	603	1.15	20	0.51	1909	1	0.02	21	1810	<2	5	<20	251	0.02	<10	48	<10	33	17
100	L14+50N 48+50	EB	<.2	2.57	5	155	<5	0.27	<1	9	14	33	1.93	<10	0.17	713	<1	0.01	18	3540	2	<5	<20	16	0.14	<10	39	<10	2	104
101	L14+50N 48+75	EB	<.2	1.69	<5	145	<5	0.53	<1	12	18	45	2.59	<10	0.45	1300	<1	<.01	15	880	2	<5	<20	36	0.14	<10	77	<10	<1	73
102	L16+00N 41+25	EB	<.2	1.50	<5	125	5	0.21	<1	9	28	14	2.49	<10	0.19	363	<1	<.01	14	510	4	<5	<20	22	0.11	<10	73	<10	<1	44
103	L16+00N 41+50	EB	<.2	1.33	<5	145	<5	0.29	<1	7	21	15	2.24	<10	0.18	507	<1	<.01	15	1440	4	<5	<20	26	0.09	<10	65	<10	<1	49
104	L16+00N 41+75	EB	<.2	1.67	<5	165	<5	0.33	<1	9	33	13	2.91	<10	0.19	1414	<1	<.01	19	1500	2	<5	<20	28	0.11	<10	89	<10	<1	83
105	L16+00N 42+00	EB	<.2	1.22	<5	115	5	0.25	<1	9	34	12	2.86	<10	0.15	308	<1	<.01	15	1040	<2	<5	<20	23	0.10	<10	96	<10	<1	35
106	L16+00N 42+25	EB	<.2	2.64	<5	210	5	0.29	<1	10	36	18	3.27	<10	0.23	183	<1	0.01	28	1400	<2	<5	<20	27	0.12	<10	91	<10	<1	50
107	L16+00N 42+50	EB	<.2	1.50	<5	110	<5	0.29	<1	9	20	15	2.17	<10	0.19	629	<1	<.01	15	500	4	<5	<20	25	0.10	<10	62	<10	<1	42
108	L16+00N 42+75	EB	<.2	0.94	<5	105	<5	0.23	<1	6	19	12	1.80	<10	0.11	327	<1	<.01	10	700	4	<5	<20	16	0.10	<10	51	<10	<1	34
109	L16+00N 43+00	EB	<.2	0.85	<5	155	<5	0.52	<1	7	25	16	2.23	<10	0.16	177	<1	0.01	10	760	<2	<5	<20	58	0.09	<10	70	<10	2	39
110	L16+00N 43+25	EB	<.2	0.91	<5	90	<5	0.39	<1	8	35	16	2.74	<10	0.19	105	<1	0.01	13	300	<2	<5	<20	38	0.12	<10	96	<10	2	33
111	L16+00N 43+50	EB	<.2	1.41	<5	170	<5	0.27	<1	7	24	13	2.39	<10	0.15	105	<1	0.01	13	1840	4	<5	<20	25	0.09	<10	60	<10	<1	36
112	L16+00N 43+75	EB	<.2	2.02	<5	145	<5	0.24	<1	9	25	25	2.70	<10	0.21	262	<1	0.01	17	2100	4	<5	<20	16	0.11	<10	70	<10	<1	81
113	L16+00N 44+00	EB	<.2	1.60	<5	120	5	0.26	<1	9	33	15	2.91	<10	0.20	141	<1	<.01	16	1210	<2	<5	<20	19	0.10	<10	89	<10	<1	48
114	L16+00N 44+25	EB	<.2	1.74	<5	180	5	0.30	<1	10	35	19	3.14	<10	0.23	400	<1	0.01	20	2020	2	<5	<20	23	0.12	<10	94	<10	<1	96
115	L16+00N 44+50	EB	<.2	0.89	<5	100	<5	0.31	<1	9	32	9	2.71	<10	0.13	993	<1	<.01	12	910	2	<5	<20	23	0.10	<10	91	<10	<1	59
116	L16+00N 44+75	EB	<.2	1.31	<5	150	<5	0.33	<1	8	19	10	1.96	<10	0.15	1530	<1	0.01	11	2020	4	<5	<20	22	0.09	<10	48	<10	<1	91
117	L16+00N 45+00	EB	<.2	1.13	<5	90	5	0.20	<1	8	31	10	2.67	<10	0.15	199	<1	0.01	12	710	<2	<5	<20	14	0.10	<10	86	<10	<1	30
118	L16+00N 45+25	EB	<.2	1.53	<5	140	5	0.22	<1	8	21	9	2.20	<10	0.15	572	<1	0.01	16	1550	4	<5	<20	14	0.10	<10	55	<10	<1	83
119	L16+00N 45+50	EB	<.2	2.44	5	165	<5	0.29	<1	10	18	18	2.31	<10	0.20	648	<1	0.01	17	3000	4	<5	<20	21	0.13	<10	48	<10	<1	123
120	L16+00N 45+75	EB	<.2	1.61	<5	140	<5	0.31	<1	9	24	19	2.60	<10	0.24	234	<1	<.01	13	950	2	<5	<20	25	0.11	<10	70	<10	<1	68
121	L16+00N 46+00	EB	<.2	2.25	<5	145	<5	0.24	<1	9	18	14	2.22	<10	0.23	498	<1	<.01	17	2040	4	<5	<20	17	0.11	<10	48	<10	<1	98
122	L16+00N 46+25	EB	<.2	2.40	<5	205	5	0.21	<1	10	18	11	2.22	<10	0.19	1135	<1	0.01	20	1430	4	<5	<20	14	0.13	<10	44	<10	1	133
123	L16+00N 46+50	EB	<.2	1.79	<5	190	5	0.25	<1	10	17	23	2.27	<10	0.22	2101	<1	<.01	16	1130	6	<5	<20	17	0.13	<10	54	<10	<1	163
124	L16+00N 46+75	EB	<.2	1.34	<5	150	<5	0.40	<1	9	17	19	2.27	<10	0.29	1405	<1	<.01	11	580	4	<5	<20	42	0.09	<10	67	<10	<1	85
125	L16+00N 47+00	EB	<.2	1.51	<5	95	<5	0.29	<1	6	19	11	2.00	<10	0.17	202	<1	0.01	9	180	4	<5	<20	19	0.11	<10	54	<10	<1	36
126	L16+00N 47+25	EB	<.2	1.59	<5	195	<5	0.59	<1	8	18	18	2.26	<10	0.24	965	<1	<.01	13	1810	4	<5	<20	32	0.10	<10	57	<10	<1	80
127	L16+00N 47+50	EB	<.2	2.05	<5	200	<5	0.35	<1	8	19	18	2.31	<10	0.20	202	<1	0.01	14	3350	4	<5	<20	26	0.11	<10	49	<10	<1	62
128	L16+00N 47+75	EB	<.2	0.94	<5	175	<5	0.54	<1	10	39	27	3.26	<10	0.22	780	<1	0.02	15	540	2	<5	<20	40	0.13	<10	115	<10	1	58
129	L16+00N 48+00	EB	<.2	1.43	<5	140	5	0.59	<1	11	22	49	3.01	<10	0.45	224	<1	<.01	12	440	2	<5	<20	70	0.20	<10	112	<10	<1	40
130	L16+00N 48+25	EB	<.2	2.73	<5	255	<5	0.31	<1	10	25	37	2.92	<10	0.36	266	<1	0.01	20	1170	<2	<5	<20	32	0.13	<10	70	<10	<1	102

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-569 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	L16+00N 48+50	EB	<.2	2.47	<5	195	<5	0.39	<1	12	27	30	3.31	<10	0.50	411	<1	0.01	17	320	4	<5	<20	66	0.16	<10	92	<10	<1	95
132	L17+25N 42+25	EB	<.2	0.48	<5	45	<5	0.13	<1	3	9	4	0.78	<10	0.07	89	<1	<.01	4	130	<2	<5	<20	13	0.05	<10	22	<10	<1	15
133	L17+25N 42+50	EB	<.2	1.44	<5	175	<5	0.66	<1	6	19	25	1.72	20	0.26	961	<1	0.01	17	410	<2	<5	<20	71	0.09	<10	51	<10	13	34
134	L17+25N 42+75	EB	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
135	L17+25N 43+25	EB	<2	1.01	<5	70	<5	0.20	<1	6	24	10	1.71	<10	0.14	144	<1	0.01	11	230	4	<5	<20	21	0.10	<10	50	<10	<1	35
136	L17+25N 43+50	EB	<.2	1.16	<5	100	5	0.23	<1	7	29	12	2.27	<10	0.16	261	<1	0.01	11	260	2	<5	<20	22	0.11	<10	70	<10	<1	38
137	L17+25N 43+75	EB	<.2	1.15	<5	95	<5	0.34	<1	8	26	15	2.66	<10	0.20	316	<1	<.01	14	450	<2	<5	<20	27	0.09	<10	91	<10	<1	39
138	L17+25N 44+25	EB	<.2	0.93	<5	100	5	0.35	<1	9	37	16	3.01	<10	0.17	266	<1	0.01	14	500	2	<5	<20	24	0.12	<10	104	<10	<1	24
139	L17+25N 44+50	EB	<.2	1.39	<5	145	<5	0.27	<1	8	24	11	2.43	<10	0.18	338	<1	0.01	12	1190	<2	<5	<20	15	0.11	<10	72	<10	<1	40
140	L17+25N 44+75	EB	<.2	1.50	<5	175	5	0.40	<1	9	29	19	2.77	<10	0.26	708	<1	0.02	12	450	<2	<5	<20	35	0.14	<10	88	<10	<1	51
141	L17+25N 45+25	EB	<.2	1.46	<5	135	<5	0.35	<1	8	28	17	2.71	<10	0.19	364	<1	0.01	13	310	4	<5	<20	24	0.13	<10	85	<10	<1	47
142	L17+25N 45+50	EB	<.2	1.94	<5	190	<5	1.16	<1	9	21	58	2.24	10	0.30	1658	<1	0.01	19	430	<2	<5	<20	60	0.10	<10	68	<10	10	50
143	L17+25N 45+75	EB	<.2	0.95	<5	55	<5	0.39	<1	5	15	11	1.69	<10	0.16	160	<1	0.01	7	240	2	<5	<20	21	0.08	<10	44	<10	<1	52
144	L17+25N 46+25	EB	<.2	2.25	<5	245	5	0.82	<1	25	37	140	5.22	<10	1.19	859	<1	<.01	27	470	<2	<5	<20	122	0.39	<10	192	<10	1	74
145	L17+25N 46+50	EB	<.2	0.96	<5	90	5	0.23	<1	8	26	6	2.49	<10	0.11	584	<1	<.01	10	340	2	<5	<20	14	0.10	<10	85	<10	<1	46
146	L17+25N 46+75	EB	<.2	3.06	5	115	<5	0.16	<1	9	16	24	2.07	<10	0.15	166	<1	0.01	20	1560	4	<5	<20	12	0.14	<10	39	<10	2	91
147	L17+25N 47+25	EB	<.2	2.12	<5	340	<5	0.38	<1	11	29	43	3.07	<10	0.35	868	<1	0.01	20	420	6	<5	<20	37	0.16	<10	89	<10	<1	98
148	L17+25N 47+50	EB	<.2	1.46	<5	145	<5	0.70	<1	14	25	57	2.83	<10	0.63	584	<1	<.01	17	280	2	<5	<20	57	0.14	<10	89	<10	2	52
149	L17+25N 47+75	EB	<.2	0.97	<5	155	<5	0.29	<1	7	20	17	2.20	<10	0.15	616	1	<.01	10	440	4	<5	<20	21	0.07	<10	73	<10	<1	36

Note: * = no sample

GETTY COPPER CORPORATION — ICP CERTIFICATE OF ANALYSIS AK 96-569 — ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Repeat:																														
1	L00+00N 24+25	EB	<.2	1.52	<5	150	5	0.26	<1	9	23	16	2.17	<10	0.19	780	<1	0.01	18	980	2	<5	<20	35	0.11	<10	49	<10	<1	52
10	L00+00N 27+25	EB	<.2	2.06	<5	355	<5	0.46	<1	13	24	123	3.13	<10	0.56	1301	<1	0.01	16	240	2	<5	<20	100	0.09	<10	76	<10	3	64
19	L00+00N 30+50	EB	<.2	1.80	<5	180	<5	0.58	<1	12	32	187	3.23	<10	0.51	350	<1	0.02	21	610	<2	<5	<20	82	0.12	<10	79	<10	4	40
36	L2+00N 29+75	EB	<.2	1.79	<5	120	<5	0.25	<1	9	18	39	2.25	<10	0.23	737	<1	<.01	16	810	4	<5	<20	27	0.10	<10	53	<10	<1	67
45	L3+50N 26+25	EB	<.2	1.87	<5	150	<5	0.27	<1	10	26	109	2.79	<10	0.28	365	<1	<.01	20	670	2	<5	<20	24	0.09	<10	69	<10	<1	43
54	L3+50 28+75	EB	<.2	2.90	<5	145	<5	0.16	<1	9	14	29	2.08	<10	0.16	477	<1	0.01	26	1180	4	<5	<20	19	0.12	<10	37	<10	1	59
71	L5+00N 29+75	EB	<.2	1.12	<5	90	<5	0.27	<1	8	32	13	2.56	<10	0.15	212	<1	<.01	12	270	<2	<5	<20	29	0.11	<10	81	<10	<1	25
80	L14+50N 41+75	EB	<.2	1.31	<5	115	5	0.25	<1	8	31	11	2.51	<10	0.15	639	<1	<.01	14	340	2	<5	<20	21	0.12	<10	78	<10	<1	40
89	L14+50N 44+75	EB	<.2	1.86	<5	150	5	0.40	<1	12	29	30	3.17	<10	0.38	594	<1	0.01	16	1410	4	<5	<20	26	0.17	<10	93	<10	<1	121
106	L16+00N 42+25	EB	<.2	2.77	<5	215	5	0.29	<1	11	37	18	3.33	<10	0.23	181	<1	0.01	29	1440	4	<5	<20	28	0.14	<10	91	<10	<1	54
115	L16+00N 44+50	EB	<.2	0.94	<5	105	5	0.33	<1	9	32	10	2.71	<10	0.13	1033	<1	<.01	12	950	2	<5	<20	24	0.11	<10	89	<10	<1	62
124	L16+00N 46+75	EB	<.2	1.40	<5	165	<5	0.47	<1	10	17	20	2.08	<10	0.31	1442	<1	<.01	12	610	4	<5	<20	46	0.10	<10	60	<10	<1	90
141	L17+25N 45+25	EB	<.2	1.52	<5	135	<5	0.35	<1	8	27	17	2.74	<10	0.19	368	<1	0.01	13	300	4	<5	<20	25	0.13	<10	85	<10	<1	49
Standard:																														
GEO'96			1.2	1.83	65	155	<5	1.81	<1	18	62	83	4.13	<10	1.01	713	<1	0.02	25	700	10	<5	<20	61	0.12	<10	81	<10	4	65
GEO'96			1.2	1.84	70	160	<5	1.85	<1	19	63	82	4.18	<10	1.00	722	<1	0.02	22	690	18	<5	<20	64	0.12	<10	82	<10	4	67
GEO'96			1.0	1.84	65	155	<5	1.81	<1	19	63	83	4.14	<10	1.01	713	<1	0.02	25	690	20	<5	<20	60	0.12	<10	82	<10	4	70
GEO'96			0.8	1.85	70	160	<5	1.83	<1	19	63	83	4.18	<10	1.00	727	<1	0.02	20	680	20	<5	<20	63	0.12	<10	83	<10	4	74
GEO'96			0.8	1.81	65	150	<5	1.80	<1	18	62	82	4.12	<10	0.98	714	<1	0.02	22	670	18	5	<20	59	0.11	<10	80	<10	4	72

df/569r
XLS/96G.Copper#5

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

14-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-559

Lines 4775, 5100, 5400, 5700, 6000, 6300, & 6600

RECEIVED July 15

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 348
Sample type: Soil
PROJECT #: None Given
SHIPMENT #: None Given

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg-%	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L47+75N 6+00 EA	<5	<.2	0.81	<5	80	<5	0.87	<1	3	9	72	0.71	<10	0.11	497	<1	0.01	11	1170	20	<5	<20	52	0.03	<10	15	<10	<1	53
2	L47+75N 7+00 EA	<5	<.2	1.09	<5	125	<5	0.32	<1	6	17	79	1.32	<10	0.16	997	2	0.02	15	1610	16	<5	<20	29	0.07	<10	29	<10	<1	54
3	L47+75N 8+00 EA	<5	<.2	0.52	<5	125	<5	0.78	<1	2	6	44	0.48	<10	0.10	731	<1	0.01	7	1220	20	<5	<20	58	0.02	<10	10	<10	<1	36
4	L47+75N 9+00 EA	<5	0.2	0.61	<5	85	<5	0.70	<1	3	9	63	0.63	<10	0.11	1150	<1	0.01	10	1350	14	<5	<20	46	0.03	<10	13	<10	<1	46
5	L47+75N 10+00 EA	<5	0.2	0.40	<5	120	<5	0.68	<1	2	4	94	0.42	<10	0.08	664	1	0.02	8	1250	30	<5	<20	60	0.01	<10	8	<10	<1	28
6	L47+75N 11+00 EA	<5	<.2	0.30	<5	70	<5	0.49	<1	1	3	121	0.28	<10	0.06	447	2	0.01	6	1520	24	<5	<20	36	<.01	<10	5	<10	<1	53
7	L47+75N 12+00 EA	<5	<.2	0.38	<5	80	<5	0.51	<1	1	3	45	0.27	<10	0.05	445	<1	0.01	6	1380	20	<5	<20	39	<.01	<10	5	<10	<1	30
8	L47+75N 13+00 EA	<5	<.2	0.51	<5	65	<5	0.48	<1	3	4	72	0.43	<10	0.07	334	1	0.02	9	1630	20	<5	<20	42	0.01	<10	7	<10	<1	36
9	L47+75N 14+00 EA	<5	<.2	0.53	<5	170	<5	1.08	<1	3	7	122	0.49	<10	0.10	1666	2	0.02	10	1270	22	<5	<20	103	0.02	<10	10	<10	<1	36
10	L47+75N 15+00 EA	<5	0.4	0.61	<5	115	<5	0.50	<1	5	9	120	0.73	<10	0.12	1558	2	0.02	14	1560	24	<5	<20	45	0.02	<10	12	<10	<1	41
11	L47+75N 16+00 EA	<5	0.6	0.85	<5	215	<5	0.65	<1	5	11	135	0.92	<10	0.12	4024	2	0.02	14	1150	32	<5	<20	79	0.05	<10	19	<10	<1	48
12	L47+75N 17+00 EA	<5	<.2	0.51	<5	150	<5	1.19	<1	2	5	52	0.35	<10	0.21	1140	1	0.01	11	1330	16	<5	<20	146	0.01	<10	22	<10	7	41
13	L47+75N 18+00 EA	<5	<.2	0.57	<5	155	<5	0.96	<1	1	5	112	0.48	<10	0.11	462	2	0.02	6	1220	24	<5	<20	103	0.02	<10	10	<10	<1	42
14	L47+75N 19+00 EA	<5	<.2	0.56	<5	200	<5	0.95	<1	3	5	148	0.60	<10	0.16	904	4	0.02	7	1310	22	<5	<20	96	0.03	<10	11	<10	1	30
15	L47+75N 20+00 EA	<5	<.2	0.37	<5	90	<5	0.76	<1	2	4	97	0.36	<10	0.09	974	2	0.01	5	1230	16	<5	<20	54	0.02	<10	8	<10	<1	62
16	L47+75N 21+00 EA	<5	0.2	0.27	<5	140	<5	0.72	<1	1	3	86	0.34	<10	0.10	1097	3	0.01	4	1980	18	<5	<20	70	0.01	<10	10	<10	6	32
17	L47+75N 22+00 EA	<5	<.2	0.31	<5	120	<5	0.72	<1	1	3	117	0.31	<10	0.07	1239	3	0.02	4	2140	24	<5	<20	72	<.01	<10	6	<10	<1	47
18	L47+75N 23+00 EA	<5	<.2	0.43	<5	170	<5	1.08	<1	2	5	44	0.47	<10	0.11	817	8	0.01	8	1340	12	<5	<20	99	0.02	<10	11	<10	<1	38
19	L47+75N 24+00 EA	<5	<.2	0.57	<5	170	<5	0.82	<1	3	10	56	0.95	<10	0.14	1140	3	0.02	7	1060	10	<5	<20	66	0.05	<10	23	<10	<1	53
20	L47+75N 25+00 EA	<5	0.6	0.15	<5	250	<5	1.46	<1	1	3	121	0.18	<10	0.08	3393	2	0.01	4	1860	12	<5	<20	102	<.01	<10	4	<10	<1	47
21	L47+75N 26+00 EA	<5	<.2	0.27	<5	105	<5	0.85	<1	2	4	57	0.34	<10	0.10	1120	2	0.02	6	1530	12	<5	<20	60	<.01	<10	8	<10	<1	48
22	L47+75N 27+00 EA	<5	<.2	0.31	<5	115	<5	0.98	<1	3	7	153	0.59	<10	0.11	679	4	0.01	7	1330	20	<5	<20	84	0.02	<10	15	<10	<1	39
23	L51+00N 10+00 EA	<5	<.2	0.43	<5	110	<5	0.73	<1	2	5	53	0.38	<10	0.08	788	<1	0.02	8	1500	16	<5	<20	54	0.01	<10	7	<10	<1	33
24	L51+00N 11+00 EA	<5	<.2	0.44	<5	90	<5	0.57	<1	3	6	110	0.49	<10	0.08	455	2	0.02	10	1570	32	<5	<20	36	0.01	<10	9	<10	<1	41
25	L51+00N 12+00 EA	<5	<.2	0.12	<5	120	<5	1.18	<1	<1	3	53	0.20	<10	0.13	883	2	0.01	4	2070	12	<5	<20	104	<.01	<10	3	<10	<1	24

GETTY COPPER CORPORATION - AK559 | ICP CERTIFICATE OF ANALYSIS AK 96-559 | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L51+00N 13+00 EA	5100	<5	<.2	0.52	<5	90	<5	0.62	<1	2	14	65	0.54	<10	0.08	467	<1	0.01	11	1190	22	<5	<20	38	0.02	<10	11	<10	<1	36
27	L51+00N 14+00 EA		<5	<.2	0.26	<5	135	<5	1.56	<1	1	6	31	0.38	<10	0.30	51	1	0.02	7	1050	10	<5	<20	236	<.01	<10	13	<10	2	24
28	L51+00N 15+00 EA		<5	<.2	0.36	<5	45	<5	1.49	<1	1	9	89	0.39	<10	0.54	68	1	0.02	6	1580	12	5	<20	177	0.01	<10	16	<10	2	12
29	L51+00N 16+00 EA		<5	<.2	1.29	<5	360	<5	1.32	<1	4	12	124	1.06	10	0.27	2873	2	0.02	12	1170	26	<5	<20	202	0.05	<10	24	<10	5	60
30	L51+00N 17+00 EA		<5	0.2	0.54	<5	285	<5	0.64	<1	3	8	105	0.76	<10	0.13	2555	4	0.02	10	1350	34	<5	<20	82	0.03	<10	15	<10	<1	38
31	L51+00N 18+00 EA		<5	0.4	1.00	<5	220	<5	1.00	<1	5	12	126	1.00	<10	0.18	3066	3	0.02	14	1280	26	<5	<20	108	0.05	<10	31	<10	3	43
32	L51+00N 19+00 EA		<5	0.4	0.57	<5	105	<5	0.48	<1	4	5	141	0.70	<10	0.09	1375	3	0.02	6	1730	30	<5	<20	35	0.02	<10	13	<10	<1	51
33	L51+00N 20+00 EA		<5	0.2	1.27	<5	155	<5	0.59	<1	6	10	82	1.65	<10	0.18	2004	3	0.02	10	1260	16	<5	<20	62	0.06	<10	33	<10	<1	58
34	L51+00N 21+00 EA		<5	<.2	0.20	<5	110	<5	0.59	<1	<1	3	96	0.29	<10	0.06	312	2	0.01	3	810	14	<5	<20	49	<.01	<10	6	<10	<1	26
35	L51+00N 22+00 EA		<5	<.2	0.25	<5	165	<5	1.98	<1	<1	3	53	0.28	20	0.43	191	<1	0.01	12	1160	8	10	<20	229	<.01	<10	78	<10	16	15
36	L51+00N 23+00 EA		<5	<.2	0.82	<5	115	<5	0.64	<1	6	17	100	1.52	<10	0.21	494	2	0.02	12	1020	8	<5	<20	52	0.06	<10	43	<10	<1	52
37	L51+00N 24+00 EA		<5	<.2	0.58	<5	120	<5	0.74	<1	6	10	69	0.99	<10	0.17	580	2	0.02	8	1020	12	<5	<20	82	0.03	<10	27	<10	3	38
38	L51+00N 25+00 EA		<5	0.6	0.27	<5	255	<5	1.29	2	1	5	117	0.37	<10	0.14	2912	3	0.01	7	1660	16	<5	<20	88	0.01	<10	11	<10	3	76
39	L51+00N 26+00 EA		<5	<.2	0.11	<5	225	<5	2.28	<1	<1	2	159	0.17	<10	0.19	826	3	<.01	3	1400	8	5	<20	164	<.01	<10	4	<10	<1	87
40	L51+00N 27+00 EA		<5	<.2	0.19	<5	95	<5	0.91	<1	<1	3	124	0.29	<10	0.13	124	3	0.02	6	1290	18	<5	<20	93	<.01	<10	13	<10	3	27
41	L51+00N 28+00 EA		<5	0.2	0.10	<5	95	<5	0.85	<1	<1	2	89	0.16	<10	0.09	136	2	0.02	3	1290	10	<5	<20	76	<.01	<10	5	<10	<1	27
42	L51+00N 29+00 EA		<5	<.2	1.09	<5	140	<5	0.72	<1	8	21	86	1.78	<10	0.26	361	<1	0.02	12	460	6	<5	<20	74	0.08	<10	56	<10	4	38
43	L51+00N 30+00 EA		<5	<.2	1.12	<5	140	<5	0.66	<1	7	21	148	1.80	<10	0.23	1975	4	0.01	15	1110	16	<5	<20	40	0.07	<10	52	<10	<1	77
44	L51+00N 31+00 EA		<5	<.2	0.41	<5	130	<5	0.54	<1	2	8	128	0.67	<10	0.10	421	5	0.02	6	1020	18	<5	<20	41	0.03	<10	18	<10	<1	40
45	L51+00N 32+00 EA		<5	<.2	0.31	<5	110	<5	0.54	<1	2	4	154	0.43	<10	0.09	345	4	0.02	5	1570	20	<5	<20	42	<.01	<10	9	<10	<1	35
46	L51+00N 33+00 EA		<5	<.2	0.77	<5	330	<5	1.03	<1	5	14	112	1.30	<10	0.15	746	4	0.02	12	930	16	<5	<20	91	0.05	<10	36	<10	<1	56
47	L51+00N 34+00 EA		<5	<.2	0.86	<5	115	<5	0.56	<1	5	20	154	1.72	<10	0.19	879	4	0.02	11	670	14	<5	<20	37	0.06	<10	58	<10	<1	49
48	L51+00N 35+00 EA		<5	<.2	0.77	<5	100	<5	0.49	4	5	17	161	1.42	<10	0.16	1393	5	0.02	14	770	14	<5	<20	31	0.06	<10	44	<10	<1	66
49	L51+00N 37+00 EA		<5	<.2	0.19	<5	175	<5	2.18	<1	<1	3	65	0.24	<10	0.14	931	5	0.02	3	1200	10	<5	<20	75	<.01	<10	6	<10	<1	85
50	L51+00N 38+00 EA		<5	<.2	0.82	<5	175	<5	0.76	<1	7	18	194	1.55	<10	0.22	3702	6	0.02	12	950	14	<5	<20	53	0.06	<10	41	<10	<1	69
51	L51+00N 39+00 EA		<5	0.4	0.35	<5	165	<5	0.91	<1	3	8	170	0.58	<10	0.14	1986	6	0.02	6	1450	14	<5	<20	62	0.02	<10	15	<10	<1	52
52	L51+00N 43+00 EA		<5	<.2	1.06	<5	235	<5	1.98	<1	9	24	101	2.04	<10	0.46	612	3	0.02	17	1010	4	<5	<20	125	0.09	<10	53	<10	3	38
53	L51+00N 44+00 EA		<5	<.2	0.68	<5	220	<5	5.31	<1	6	14	189	1.07	10	0.35	542	2	0.03	27	1430	<2	<5	<20	137	0.03	<10	78	<10	17	18
54	L51+00N 46+50 EA		<5	<.2	1.44	<5	120	<5	1.04	<1	9	24	64	2.07	<10	0.28	561	<1	0.02	16	730	4	<5	<20	48	0.10	<10	53	<10	4	44
55	L54+00N 10+00 EA	5400	<5	<.2	0.64	<5	90	<5	0.48	<1	4	13	33	0.83	<10	0.12	330	<1	0.01	12	1340	12	<5	<20	50	0.04	<10	18	<10	<1	41
56	L54+00N 11+00 EA		<5	<.2	0.30	<5	110	<5	0.37	<1	1	4	25	0.30	<10	0.04	523	<1	0.02	5	1280	14	<5	<20	35	0.01	<10	6	<10	<1	29
57	L54+00N 12+00 EA		<5	0.4	0.47	<5	145	<5	1.22	<1	3	8	70	0.51	<10	0.15	2767	2	0.02	9	1610	28	<5	<20	131	0.02	<10	24	<10	8	43
58	L54+00N 13+00 EA		<5	<.2	0.33	<5	140	<5	0.58	<1	3	6	91	0.45	<10	0.07	1466	1	0.02	5	1620	18	<5	<20	43	0.02	<10	10	<10	<1	38
59	L54+00N 14+00 EA		<5	<.2	0.28	<5	145	<5	0.76	<1	1	5	113	0.38	<10	0.09	1715	3	0.02	5	1510	20	<5	<20	60	0.01	<10	7	<10	<1	48
60	L54+00N 15+00 EA		<5	0.4	0.54	<5	200	<5	1.94	<1	3	9	43	0.67	<10	0.17	3051	3	0.02	7	1290	16	<5	<20	163	0.05	<10	14	<10	<1	30

GETTY COPPER CORPORATION - AK559 | ICP CERTIFICATE OF ANALYSIS AK 96-559 | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L54+00N 16+00 EA	5400	<5	<.2	0.15	<5	145	<5	1.00	<1	<1	3	24	0.22	<10	0.12	680	2	0.01	4	1780	8	<5	<20	76	<.01	<10	4	<10	<1	37
62	L54+00N 17+00 EA	↓	<5	<.2	0.31	<5	200	<5	0.86	<1	2	5	33	0.39	10	0.09	70	4	0.02	7	1540	12	<5	<20	132	0.01	<10	19	<10	5	13
63	L54+00N 18+00 EA		<5	<.2	0.45	<5	160	<5	1.80	<1	1	10	74	0.43	<10	0.25	284	2	0.02	7	1290	8	5	<20	158	0.01	<10	12	<10	3	21
64	L54+00N 19+00 EA		<5	<.2	0.64	<5	125	<5	1.98	<1	7	22	30	1.27	<10	0.63	244	<1	0.03	13	860	4	<5	<20	238	0.07	<10	79	<10	4	22
65	L54+00N 20+00 EA		<5	<.2	0.13	<5	95	<5	1.02	<1	<1	3	46	0.21	<10	0.16	244	2	0.02	4	1010	8	<5	<20	102	<.01	<10	7	<10	<1	20
66	L54+00N 21+00 EA		<5	<.2	1.14	<5	115	<5	0.91	<1	10	28	35	1.83	10	0.48	389	<1	0.03	17	420	4	<5	<20	106	0.12	<10	51	<10	8	30
67	L54+00N 22+00 EA		<5	<.2	0.36	<5	170	<5	1.44	1	4	11	108	0.73	<10	0.39	689	3	0.03	11	1200	16	10	<20	130	0.03	<10	26	<10	6	63
68	L54+00N 23+00 EA		<5	<.2	0.27	<5	100	<5	1.13	<1	1	5	25	0.40	<10	0.18	84	2	0.01	5	1130	8	<5	<20	103	<.01	<10	17	<10	4	19
69	L54+00N 26+00 EA		<5	<.2	0.50	<5	115	<5	0.88	<1	4	11	125	0.90	<10	0.17	932	3	0.02	7	1010	6	<5	<20	52	0.04	<10	24	<10	<1	45
70	L54+00N 27+00 EA		<5	<.2	0.76	<5	235	<5	1.19	<1	5	16	92	1.24	20	0.27	953	3	0.03	20	750	8	<5	<20	97	0.05	<10	38	<10	12	48
71	L54+00N 29+00 EA		<5	0.4	2.16	<5	230	<5	0.64	<1	11	27	49	2.55	<10	0.39	477	<1	0.02	26	2090	16	<5	20	47	0.13	10	64	<10	<1	72
72	L54+00N 30+00 EA		<5	0.6	1.14	<5	195	<5	1.38	<1	10	21	77	1.83	10	0.42	1384	<1	0.03	25	650	10	<5	20	91	0.09	<10	56	<10	12	66
73	L54+00N 31+00 EA		<5	0.8	0.36	<5	295	<5	2.02	<1	<1	6	46	0.49	<10	0.26	660	3	0.02	9	970	8	<5	<20	160	0.01	<10	21	<10	3	66
74	L54+00N 32+00 EA		<5	0.6	0.64	<5	165	<5	1.24	<1	4	13	77	1.01	<10	0.31	348	2	0.02	11	850	10	<5	<20	115	0.05	<10	28	<10	6	47
75	L54+00N 33+00 EA		<5	0.8	1.06	<5	280	<5	2.35	<1	3	14	100	1.23	30	0.60	591	1	0.02	29	1180	10	<5	<20	220	0.03	<10	54	<10	26	60
76	L54+00N 34+00 EA		<5	0.6	0.40	<5	140	<5	0.68	<1	2	7	46	0.59	<10	0.15	173	3	0.01	6	700	10	<5	<20	61	0.02	20	15	<10	<1	45
77	L54+00N 35+00 EA		<5	0.4	2.22	<5	300	<5	1.79	<1	11	34	109	2.91	30	0.63	897	<1	0.03	41	870	12	<5	20	141	0.11	<10	74	<10	20	53
78	L54+00N 36+00 EA		<5	0.4	2.81	<5	275	<5	1.23	<1	12	38	170	3.34	30	0.57	663	<1	0.03	35	850	16	<5	20	84	0.15	<10	83	<10	32	46
79	L54+00N 38+00 EA		<5	0.6	0.56	<5	95	<5	0.67	<1	3	12	96	0.98	<10	0.13	1365	4	0.02	8	990	16	<5	<20	37	0.04	<10	27	<10	<1	48
80	L54+00N 39+00 EA		<5	0.8	0.19	<5	65	<5	0.44	<1	<1	3	205	0.27	<10	0.08	267	6	0.02	3	1120	16	<5	<20	25	<.01	20	6	<10	<1	32
81	L54+00N 40+00 EA		<5	0.2	0.99	<5	100	<5	0.63	<1	5	13	153	1.23	<10	0.15	2077	6	0.02	12	1280	24	<5	<20	35	0.04	<10	30	<10	<1	44
82	L54+00N 41+00 EA		<5	0.6	0.25	<5	100	<5	0.99	<1	<1	3	83	0.30	<10	0.10	589	5	0.01	3	1170	12	<5	<20	37	0.01	<10	8	<10	<1	37
83	L54+00N 42+00 EA		<5	0.8	0.19	<5	150	<5	1.34	<1	1	4	114	0.32	<10	0.12	539	8	0.01	5	1340	14	<5	<20	89	<.01	10	10	<10	<1	39
84	L57+00N 6+50 EA		<5	0.4	0.48	<5	85	<5	0.43	<1	2	5	77	0.50	<10	0.08	788	2	0.01	9	1470	26	<5	<20	29	0.02	<10	10	<10	<1	34
85	L57+00N 7+00 EA	5700	<5	0.6	0.51	<5	115	<5	0.60	<1	2	6	96	0.47	<10	0.09	551	1	0.01	9	1430	24	<5	<20	61	0.02	<10	9	<10	<1	39
86	L57+00N 8+00 EA	↓	<5	0.6	0.37	<5	125	<5	0.69	<1	1	4	34	0.40	<10	0.08	410	<1	0.01	8	1010	20	<5	<20	81	0.02	<10	7	<10	<1	42
87	L57+00N 9+00 EA		<5	0.6	0.43	<5	85	<5	0.46	<1	2	5	140	0.51	<10	0.09	675	3	0.02	7	1650	30	<5	<20	33	0.02	<10	9	<10	<1	55
88	L57+00N 10+00 EA		<5	0.6	0.50	<5	80	<5	0.42	<1	3	7	90	0.48	<10	0.08	568	2	0.02	7	1270	28	<5	<20	31	0.01	<10	9	<10	<1	59
89	L57+00N 11+00 EA		<5	1.0	0.82	<5	145	<5	0.58	<1	3	7	111	0.58	<10	0.09	2598	3	0.02	9	1380	30	<5	<20	45	0.02	<10	12	<10	<1	59
90	L57+00N 12+00 EA		<5	1.0	0.58	<5	145	<5	0.52	<1	4	8	96	0.62	<10	0.10	4466	2	0.01	8	1570	36	<5	<20	52	0.02	<10	12	<10	<1	61
91	L57+00N 13+00 EA		<5	0.8	0.26	<5	115	<5	0.67	<1	3	4	95	0.31	<10	0.13	440	4	0.02	5	1780	18	<5	<20	67	0.01	10	6	<10	<1	32
92	L57+00N 14+00 EA		<5	0.4	0.41	<5	250	<5	1.63	<1	4	7	38	0.54	20	0.27	764	3	0.02	10	1070	14	<5	<20	181	0.02	<10	25	<10	5	35
93	L57+00N 15+00 EA		<5	0.6	1.24	<5	240	<5	2.30	<1	5	17	47	1.15	50	0.63	572	<1	0.03	35	1440	10	<5	<20	288	0.04	<10	69	<10	28	25
94	L57+00N 16+00 EA		<5	0.8	0.18	<5	280	<5	2.52	<1	<1	3	30	0.23	<10	0.15	2119	2	0.02	7	1370	12	<5	<20	173	<.01	<10	5	<10	<1	54
95	L57+00N 17+00 EA		<5	0.8	1.07	<5	375	<5	1.65	<1	7	16	65	1.28	30	0.48	5433	3	0.02	29	1320	20	5	<20	193	0.05	<10	56	<10	17	70

GETTY COPPER CORPORATION - AK559 | ICP CERTIFICATE OF ANALYSIS AK 96-559 | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L57+00N 18+00 EA	5700	<5	0.2	0.78	<5	125	<5	1.04	<1	5	18	53	1.06	<10	0.37	229	<1	0.03	11	850	14	<5	<20	113	0.08	<10	34	<10	2	25
97	L57+00N 19+00 EA		<5	0.6	0.77	<5	190	<5	1.41	<1	5	15	64	0.95	20	0.36	622	<1	0.03	13	870	12	<5	<20	152	0.06	<10	37	<10	8	41
98	L57+00N 20+00 EA		<5	0.6	1.40	<5	190	<5	0.82	<1	10	29	33	1.95	20	0.47	339	<1	0.03	17	560	10	<5	<20	89	0.11	20	46	<10	8	46
99	L57+00N 21+00 EA		<5	0.6	0.46	<5	275	<5	1.96	<1	2	7	19	0.62	<10	0.20	1619	6	0.02	7	1120	10	<5	<20	117	0.03	<10	14	<10	<1	88
100	L57+00N 23+00 EA		<5	0.4	2.03	<5	160	<5	0.89	<1	16	72	69	3.20	10	0.88	501	<1	0.03	34	780	12	<5	<20	94	0.15	10	96	<10	12	60
101	L57+00N 24+00 EA		<5	0.6	0.29	<5	175	<5	1.27	<1	2	6	60	0.44	<10	0.23	855	3	0.03	9	1460	12	<5	<20	122	0.01	<10	17	<10	2	42
102	L57+00N 25+00 EA		<5	0.4	0.59	<5	160	<5	2.16	1	2	11	83	0.82	30	0.59	708	2	0.02	30	1320	10	5	<20	220	0.02	<10	100	<10	25	31
103	L57+00N 26+00 EA		<5	0.8	0.15	<5	80	<5	0.71	<1	<1	2	169	0.25	<10	0.18	194	4	0.01	4	1220	16	<5	<20	58	<.01	20	7	<10	<1	39
104	L57+00N 27+00 EA		<5	0.6	0.38	<5	90	<5	0.74	<1	3	6	133	0.57	<10	0.12	857	3	0.02	7	1140	20	<5	<20	41	0.02	<10	14	<10	<1	60
105	L57+00N 28+00 EA		<5	0.8	0.19	<5	75	<5	0.67	<1	<1	3	139	0.27	<10	0.13	497	4	0.02	4	1140	14	<5	<20	33	<.01	<10	6	<10	<1	64
106	L57+00N 29+00 EA		<5	<.2	0.11	<5	250	<5	1.90	<1	<1	2	143	0.17	<10	0.35	650	2	0.03	7	1270	8	10	<20	118	<.01	<10	9	<10	2	60
107	L57+00N 30+00 EA		<5	<.2	0.20	<5	140	<5	1.34	<1	<1	3	92	0.29	<10	0.26	352	3	0.03	7	1310	6	10	<20	83	<.01	<10	11	<10	6	52
108	L57+00N 31+00 EA		<5	<.2	0.72	<5	230	<5	1.09	<1	3	10	75	0.91	10	0.19	841	3	0.02	19	830	8	<5	<20	77	0.03	<10	19	<10	6	43
109	L57+00N 32+00 EA		<5	0.6	0.53	<5	365	<5	1.66	<1	2	9	141	0.85	<10	0.18	2951	5	0.03	7	1640	12	<5	<20	78	0.03	<10	19	<10	<1	84
110	L57+00N 33+00 EA		<5	<.2	2.02	<5	385	<5	2.97	<1	6	27	208	2.43	90	0.70	1193	2	0.03	44	1380	<2	<5	<20	194	0.07	<10	63	<10	59	65
111	L57+00N 34+00 EA		<5	0.2	0.18	<5	155	<5	2.30	<1	<1	3	118	0.25	<10	0.42	209	2	0.03	9	1300	6	10	<20	120	<.01	<10	11	<10	5	54
112	L57+00N 35+00 EA		<5	0.2	0.66	<5	195	<5	3.35	<1	2	9	183	0.91	50	0.49	238	2	0.03	29	1410	2	10	<20	156	0.02	<10	107	<10	51	33
113	L57+00N 36+00 EA		<5	<.2	1.52	<5	305	<5	2.22	<1	10	25	118	2.11	40	0.70	762	2	0.03	30	1800	<2	<5	<20	196	0.05	<10	61	<10	38	65
114	L57+00N 37+00 EA		<5	<.2	2.37	<5	200	<5	2.16	<1	9	39	134	2.77	10	0.62	587	2	0.04	39	910	<2	<5	<20	143	0.09	<10	73	<10	20	31
115	L57+00N 39+00 EA		<5	<.2	0.36	<5	115	<5	1.02	<1	2	6	123	0.55	<10	0.19	952	4	0.03	5	990	10	<5	<20	83	0.02	<10	17	<10	3	40
116	L57+00N 40+00 EA		<5	<.2	0.29	<5	90	<5	0.43	<1	2	7	195	0.55	<10	0.08	306	5	0.03	4	1130	14	<5	<20	33	0.02	<10	14	<10	<1	29
117	L57+00N 41+00 EA		<5	0.2	0.11	<5	140	<5	1.33	<1	<1	2	129	0.18	<10	0.08	470	5	0.02	3	1270	12	<5	<20	57	<.01	<10	7	<10	<1	20
118	L57+00N 42+00 EA		<5	<.2	0.52	<5	195	<5	1.15	<1	4	10	108	0.82	<10	0.12	1398	6	0.03	9	1090	16	<5	<20	70	0.04	<10	22	<10	<1	53
119	L60+00N 7+00 EA	1000	<5	<.2	0.26	<5	75	<5	0.56	<1	1	3	76	0.27	<10	0.07	581	1	0.02	5	1480	16	<5	<20	45	<.01	<10	5	<10	<1	52
120	L60+00N 8+00 EA		<5	<.2	0.93	<5	120	<5	0.66	<1	6	10	92	1.10	<10	0.18	1267	2	0.02	17	1190	12	<5	<20	61	0.06	<10	18	<10	<1	49
121	L60+00N 9+00 EA		<5	<.2	0.58	<5	190	<5	0.76	<1	5	9	70	0.92	<10	0.18	381	1	0.03	19	1140	10	<5	<20	84	0.04	<10	14	<10	<1	36
122	L60+00N 10+00 EA		<5	0.4	0.48	<5	115	<5	0.66	<1	3	5	86	0.50	<10	0.09	1870	1	0.02	7	1520	20	<5	<20	38	0.02	<10	10	<10	<1	42
123	L60+00N 11+00 EA		<5	<.2	0.77	<5	95	<5	0.71	<1	6	14	55	0.87	<10	0.13	1463	1	0.02	16	1490	12	<5	<20	34	0.03	<10	18	<10	<1	46
124	L60+00N 12+00 EA		<5	<.2	0.15	<5	55	<5	0.76	<1	<1	2	85	0.22	<10	0.08	543	2	0.02	3	1440	12	<5	<20	52	<.01	<10	5	<10	<1	33
125	L60+00N 13+00 EA		<5	<.2	0.79	<5	220	<5	2.02	<1	4	14	92	0.94	30	0.35	1534	2	0.03	25	1140	10	<5	<20	215	0.04	<10	63	<10	16	67
126	L60+00N 14+00 EA		<5	<.2	0.16	<5	50	<5	0.58	<1	<1	3	21	0.26	<10	0.10	84	1	0.02	6	960	8	<5	<20	57	<.01	<10	10	<10	2	42
127	L60+00N 15+00 EA		<5	0.2	0.33	<5	70	<5	0.85	<1	2	6	66	0.57	<10	0.16	913	2	0.02	6	1790	12	<5	<20	64	0.01	<10	14	<10	<1	53
128	L60+00N 27+00 EA		<5	0.4	0.38	<5	365	<5	1.94	<1	<1	6	120	0.50	<10	0.15	3002	3	0.01	5	2220	10	<5	<20	107	<.01	<10	8	<10	<1	97
129	L60+00N 28+00 EA		<5	0.6	0.46	<5	195	<5	1.21	<1	3	8	77	0.75	<10	0.16	1007	2	0.02	9	1300	8	<5	<20	82	0.03	<10	15	<10	<1	47
130	L60+00N 29+00 EA		<5	<.2	0.21	<5	195	<5	2.04	<1	<1	3	188	0.32	<10	0.26	1061	3	0.02	9	1520	6	5	<20	150	<.01	<10	21	<10	7	64

GETTY COPPER CORPORATION - AK559 ICP CERTIFICATE OF ANALYSIS AK 96-559 ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	L60+00N 30+00 EA	<5	<.2	2.09	<5	310	<5	2.77	<1	7	36	208	2.88	80	0.75	1646	2	0.03	50	1410	<2	<5	<20	293	0.08	<10	83	<10	59	47
132	L60+00N 31+00 EA	<5	0.4	0.14	<5	110	<5	0.87	<1	<1	2	81	0.17	<10	0.07	1538	2	0.02	2	1630	10	<5	<20	53	<.01	<10	4	<10	<1	50
133	L60+00N 32+00 EA	<5	<.2	0.18	<5	105	<5	1.93	<1	<1	3	126	0.30	10	0.47	168	2	0.03	15	1190	8	10	<20	170	<.01	<10	55	<10	7	20
134	L60+00N 33+00 EA	<5	<.2	0.31	<5	120	<5	2.04	<1	<1	6	116	0.48	20	0.54	234	1	0.03	18	1130	4	10	<20	169	<.01	<10	60	<10	15	28
135	L60+00N 34+00 EA	<5	<.2	0.43	<5	245	<5	3.10	<1	1	8	160	0.63	30	0.46	521	2	0.02	34	1710	8	10	<20	145	0.01	<10	77	<10	43	43
136	L60+00N 35+00 EA	<5	0.2	0.24	<5	245	<5	2.04	<1	1	6	58	0.39	<10	0.26	173	4	0.02	15	1240	16	<5	<20	124	<.01	<10	20	<10	10	64
137	L60+00N 36+00 EA	<5	<.2	0.10	<5	270	<5	2.76	<1	<1	3	127	0.18	<10	0.27	352	4	0.03	5	1290	14	10	<20	143	<.01	<10	4	<10	1	149
138	L60+00N 37+00 EA	<5	<.2	1.92	<5	190	<5	0.73	<1	11	44	57	3.18	<10	0.34	314	<1	0.03	23	1470	8	<5	<20	57	0.17	<10	75	<10	2	74
139	L60+00N 38+00 EA	<5	0.4	0.23	<5	165	<5	3.47	<1	3	6	59	0.41	<10	0.48	1556	5	0.02	16	1490	10	10	<20	186	<.01	<10	34	<10	7	44
140	L60+00N 39+00 EA	<5	<.2	0.28	<5	195	<5	1.86	<1	1	5	104	0.35	<10	0.19	299	4	0.03	6	1240	16	<5	20	91	<.01	<10	8	<10	6	37
141	L60+00N 40+00 EA	<5	0.6	0.22	<5	250	<5	1.40	<1	<1	4	207	0.25	<10	0.10	2534	4	0.03	4	1680	8	<5	<20	79	<.01	<10	5	<10	<1	81
142	L66+00N 7+00 EA	<5	<.2	0.51	<5	240	<5	0.77	<1	3	10	87	0.84	<10	0.11	834	3	0.03	9	1800	18	<5	<20	82	0.04	<10	15	<10	<1	69
143	L66+00N 8+00 EA	<5	0.6	0.59	<5	180	<5	0.83	<1	3	9	103	0.76	<10	0.15	1233	2	0.02	9	1530	16	<5	<20	68	0.04	<10	15	<10	<1	65
144	L66+00N 9+00 EA	<5	0.2	0.53	<5	200	<5	0.86	<1	2	7	93	0.62	<10	0.15	659	4	0.03	8	1320	18	<5	<20	112	0.04	<10	14	<10	<1	34
145	L66+00N 10+00 EA	<5	0.4	0.57	<5	65	<5	0.63	<1	3	7	91	0.75	<10	0.12	291	2	0.04	8	1070	8	<5	<20	53	0.04	<10	15	<10	<1	46
146	L66+00N 11+00 EA	<5	0.4	0.51	<5	205	<5	1.13	<1	5	12	61	0.97	<10	0.18	1053	2	0.03	9	1660	16	<5	<20	136	0.05	<10	22	<10	<1	39
147	L66+00N 12+00 EA	<5	0.2	0.53	<5	70	<5	0.69	<1	2	6	89	0.61	<10	0.11	314	2	0.03	7	1120	10	<5	<20	57	0.03	<10	12	<10	<1	47
148	L66+00N 13+00 EA	<5	0.2	0.23	<5	125	<5	1.19	<1	2	3	96	0.34	<10	0.18	1202	3	0.05	6	1450	12	<5	<20	86	0.01	<10	7	<10	<1	56
149	L66+00N 14+00 EA	<5	0.2	0.17	<5	145	<5	0.93	<1	<1	3	26	0.25	<10	0.10	340	1	0.03	5	1350	8	<5	<20	77	<.01	<10	6	<10	<1	47
150	L60+00N 15+00 EA	<5	<.2	1.74	<5	205	<5	2.72	<1	11	23	82	1.88	40	0.50	335	<1	0.08	47	1620	<2	<5	<20	221	0.07	<10	138	<10	43	25
151	L66+00N 16+00 EA	<5	<.2	0.63	<5	155	<5	0.76	<1	4	11	117	0.94	<10	0.13	1152	4	0.04	12	1390	14	<5	<20	61	0.04	<10	21	<10	<1	40
152	L66+00N 17+00 EA	<5	0.6	0.46	<5	225	<5	1.55	<1	2	7	79	0.57	<10	0.11	2331	3	0.03	6	1840	14	<5	<20	104	0.02	<10	12	<10	<1	53
153	L66+00N 18+00 EA	<5	0.6	0.54	<5	150	<5	0.73	<1	3	7	123	0.71	<10	0.11	3060	4	0.02	8	1380	18	<5	<20	45	0.03	<10	14	<10	<1	67
154	L66+00N 19+00 EA	<5	0.4	1.00	<5	235	<5	1.53	<1	4	11	106	1.05	30	0.31	735	<1	0.02	14	1250	4	<5	<20	152	0.02	<10	33	<10	24	29
155	L66+00N 20+00 EA	<5	1.0	0.20	<5	325	<5	2.81	<1	<1	4	80	0.28	<10	0.14	4483	2	0.04	6	1690	10	<5	<20	134	0.01	<10	8	<10	<1	109
156	L66+00N 21+00 EA	<5	0.8	0.15	<5	220	<5	2.88	<1	<1	3	82	0.20	<10	0.13	3921	3	0.03	6	1410	10	<5	<20	133	0.01	<10	5	<10	<1	130
157	L66+00N 22+00 EA	<5	0.6	0.38	<5	140	<5	0.81	<1	2	5	93	0.50	<10	0.13	564	4	0.02	7	1470	14	<5	<20	63	0.01	<10	10	<10	5	37
158	L66+00N 23+00 EA	<5	0.4	0.40	<5	220	<5	1.83	<1	2	6	125	0.50	20	0.20	1255	3	0.02	15	1440	10	<5	<20	113	0.01	<10	20	<10	15	67
159	L66+00N 24+00 EA	<5	<.2	0.56	<5	185	<5	0.91	<1	4	12	66	1.03	<10	0.14	820	3	0.03	9	700	10	<5	<20	64	0.06	<10	26	<10	1	73
160	L66+00N 25+00 EA	<5	0.4	0.24	<5	125	<5	0.64	<1	1	5	53	0.39	<10	0.09	644	4	0.03	3	1290	12	<5	<20	36	0.02	<10	9	<10	<1	52
161	L66+00N 26+00 EA	<5	0.2	0.09	<5	70	<5	1.73	<1	1	1	102	0.16	<10	0.21	273	3	0.03	5	1450	8	5	<20	64	<.01	<10	7	<10	<1	27
162	L66+00N 27+00 EA	<5	<.2	0.53	<5	105	<5	0.42	<1	3	7	99	0.71	<10	0.11	1133	6	0.03	6	1640	12	<5	<20	28	0.03	<10	16	<10	<1	53
163	L66+00N 28+00 EA	<5	1.2	0.32	<5	475	<5	1.51	1	<1	5	51	0.45	<10	0.09	4809	8	0.02	6	1270	14	<5	<20	58	0.02	<10	11	<10	<1	81
164	L66+00N 29+00 EA	<5	0.6	0.30	<5	160	<5	1.08	<1	1	5	52	0.36	<10	0.08	233	5	0.02	5	1120	10	<5	<20	52	<.01	<10	10	<10	<1	21
165	L66+00N 30+00 EA	<5	0.4	0.17	<5	110	<5	1.45	<1	<1	2	49	0.23	<10	0.08	380	3	0.02	3	1220	10	<5	<20	45	<.01	<10	5	<10	<1	40

GETTY COPPER CORPORATION - AK559 | ICP CERTIFICATE OF ANALYSIS AK 96-559 | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	L66+00N 31+00 EA	6600	<5	0.8	0.73	5	400	<5	4.63	<1	2	7	394	0.75	120	0.28	1315	<1	0.03	27	1100	4	<5	<20	176	0.03	<10	114	<10	99	20
167	L66+00N 32+00 EA		<5	0.4	0.24	<5	135	<5	1.59	<1	<1	4	46	0.31	<10	0.11	713	5	0.03	4	1140	6	<5	<20	52	0.01	<10	7	<10	<1	53
168	L66+00N 33+00 EA		<5	0.6	0.21	<5	245	<5	2.10	<1	<1	5	107	0.35	<10	0.09	1299	4	0.06	5	990	10	<5	<20	65	0.01	<10	11	<10	<1	53
169	L66+00N 34+00 EA		<5	0.4	0.28	<5	110	<5	0.83	<1	1	5	130	0.47	<10	0.11	471	7	0.02	4	1190	16	<5	<20	36	0.02	<10	11	<10	<1	35
170	L66+00N 35+00 EA		<5	0.2	0.18	<5	95	<5	1.60	<1	<1	2	106	0.26	<10	0.16	252	4	0.02	5	1010	8	<5	<20	63	<.01	<10	28	<10	2	14
171	L66+00N 35+50 EA		<5	<.2	0.42	5	225	<5	4.69	<1	<1	5	195	0.49	90	0.38	343	1	0.02	24	1570	6	10	<20	179	0.01	<10	89	<10	46	11
172	L66+00N 36+00 EA		<5	<.2	1.33	<5	250	<5	2.46	<1	7	22	240	1.65	40	0.47	385	<1	0.04	32	1050	<2	<5	<20	105	0.07	<10	48	<10	25	26
173	L66+00N 37+00 EA		<5	<.2	0.19	<5	165	<5	4.16	<1	1	4	26	0.72	<10	0.31	71	2	0.02	10	1260	<2	10	<20	146	<.01	<10	20	<10	2	6
174	L66+00N 38+00 EA		<5	0.8	0.31	<5	180	<5	1.15	<1	2	5	122	0.44	<10	0.13	3261	3	0.03	5	1560	10	<5	<20	56	0.02	<10	10	<10	<1	89
175	L47+75 6+00 EB	4775	<.2	4.17	<5	195	<5	0.27	<1	18	49	34	3.68	<10	0.36	444	<1	0.04	39	1000	<2	<5	<20	27	0.25	<10	76	<10	2	59
176	L47+75N 7+00 EB	-	<.2	3.22	<5	195	<5	0.23	<1	14	40	20	2.94	<10	0.28	288	<1	0.02	29	1210	<2	<5	<20	36	0.21	<10	66	<10	3	49
177	L47+75N 8+00 EB	-	<.2	3.57	<5	190	<5	0.29	<1	17	45	26	3.43	<10	0.33	611	<1	0.02	38	1090	<2	<5	<20	40	0.23	<10	73	<10	2	54
178	L47+75N 9+00 EB	-	<.2	3.38	<5	155	5	0.24	<1	16	43	25	3.28	<10	0.32	432	<1	0.02	41	1740	<2	<5	<20	25	0.22	<10	69	<10	2	54
179	L47+75N 10+00 EB	-	<.2	1.91	<5	80	<5	0.15	<1	8	17	9	2.13	<10	0.21	221	<1	0.02	17	840	<2	<5	<20	18	0.15	<10	51	<10	2	50
180	L47+75N 11+00 EB	-	<.2	2.53	<5	65	<5	0.11	<1	8	17	9	2.19	<10	0.13	227	<1	0.01	13	1520	<2	<5	<20	11	0.15	<10	48	<10	1	40
181	L47+75N 12+00 EB	-	<.2	2.21	<5	110	<5	0.19	<1	12	23	12	2.22	<10	0.19	569	<1	0.02	16	1010	<2	<5	<20	24	0.15	<10	51	<10	2	50
182	L47+75N 13+00 EB	-	<.2	3.89	<5	110	<5	0.23	<1	20	29	27	2.96	<10	0.34	465	<1	0.02	72	1490	<2	<5	<20	24	0.16	<10	48	<10	1	77
183	L47+75N 14+00 EB	-	<.2	3.57	<5	195	<5	0.28	<1	21	60	29	3.39	<10	0.34	337	<1	0.03	52	1360	<2	<5	<20	39	0.23	<10	60	<10	2	60
184	L47+75N 15+00 EB	-	<.2	5.84	5	220	<5	0.36	<1	21	48	84	4.48	<10	0.86	191	<1	0.02	118	1420	<2	<5	<20	120	0.17	<10	56	<10	<1	60
185	L47+75N 16+00 EB	-	<.2	4.83	<5	255	<5	0.27	<1	15	42	50	3.73	<10	0.34	513	<1	0.02	44	930	<2	<5	<20	83	0.31	<10	77	<10	2	62
186	L47+75N 17+00 EB1	-	<.2	3.16	<5	190	<5	0.35	<1	15	31	17	2.76	<10	0.26	385	<1	0.02	50	1530	<2	<5	<20	52	0.18	<10	53	<10	2	79
187	L47+75N 17+00 EB2	-	<.2	4.76	5	210	<5	0.32	<1	9	37	71	2.30	10	0.45	200	<1	0.02	42	1420	<2	<5	<20	51	0.18	<10	52	<10	9	42
188	L47+75N 18+00 EB	-	<.2	5.50	10	315	<5	0.31	<1	15	33	44	3.62	<10	0.32	194	<1	0.02	25	470	<2	<5	<20	60	0.33	<10	76	<10	3	53
189	L47+75N 19+00 EB	-	<.2	3.53	<5	185	<5	0.65	<1	15	27	154	2.99	<10	0.72	285	<1	0.03	21	780	<2	<5	<20	98	0.25	<10	52	<10	4	53
190	L47+75N 20+00 EB	-	<.2	2.67	<5	170	<5	0.32	<1	12	35	17	2.78	<10	0.28	957	<1	0.02	23	1020	<2	<5	<20	37	0.19	<10	62	<10	2	71
191	L47+75N 21+00 EB	-	<.2	1.03	<5	80	<5	0.31	<1	5	10	10	1.22	10	0.18	103	<1	0.02	7	310	2	<5	<20	46	0.09	<10	23	<10	14	18
192	L47+75N 22+00 EB	-	<.2	3.55	5	115	<5	0.14	<1	9	17	10	2.45	<10	0.16	206	<1	0.02	16	1580	<2	<5	<20	21	0.17	<10	50	<10	3	73
193	L47+75N 23+00 EB	-	<.2	2.05	<5	135	<5	0.22	<1	10	21	9	2.20	<10	0.18	436	<1	0.02	21	1270	<2	<5	<20	30	0.14	<10	50	<10	1	52
194	L47+75N 24+00 EB	-	<.2	2.32	<5	235	<5	0.35	<1	8	20	24	2.46	<10	0.16	127	2	0.02	15	1760	<2	<5	<20	79	0.08	<10	51	<10	7	30
195	L47+75N 25+00 EB	-	<.2	1.62	<5	145	<5	0.35	<1	13	38	23	3.74	<10	0.23	151	<1	0.02	16	670	<2	<5	<20	94	0.14	<10	99	<10	2	39
196	L47+75N 26+00 EB	-	<.2	1.73	<5	130	<5	0.23	<1	11	35	20	2.87	<10	0.22	166	<1	0.01	18	1280	<2	<5	<20	27	0.14	<10	77	<10	<1	38
197	L47+75N 27+00 EB	-	<.2	1.46	<5	90	<5	0.39	<1	12	51	22	3.69	<10	0.23	165	<1	0.02	20	690	<2	<5	<20	46	0.18	<10	113	<10	1	35
198	L51+00N 10+00 EB	-	<.2	3.16	<5	95	<5	0.24	<1	17	41	23	3.15	<10	0.35	515	<1	0.02	45	1470	<2	<5	<20	22	0.19	<10	72	<10	2	50
199	L51+00N 11+00 EB	5100	<.2	2.62	<5	90	<5	0.14	<1	9	30	14	2.84	<10	0.16	110	<1	0.01	24	1240	<2	<5	<20	13	0.16	10	70	<10	<1	39
200	L51+00N 12+00 EB	-	<.2	2.30	<5	225	<5	0.30	<1	10	105	44	2.11	10	0.25	410	<1	0.02	43	2080	<2	<5	<20	49	0.12	<10	48	<10	11	27

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	L51+00N 13+00 EB	5100	<.2	4.39	<5	90	<5	0.16	<1	14	116	38	3.85	<10	0.45	258	<1	0.02	40	1770	<2	<5	<20	15	0.16	<10	97	<10	1	50
202	L51+00N 15+65 EB		<.2	3.68	<5	195	<5	0.17	<1	12	24	21	2.62	<10	0.22	142	<1	0.02	22	1290	<2	<5	<20	39	0.18	<10	34	<10	2	42
203	L51+00N 16+00 EB		<.2	4.27	5	275	<5	0.44	<1	15	40	41	3.66	<10	0.45	1100	<1	0.02	28	870	<2	<5	<20	82	0.29	<10	73	<10	3	78
204	L51+00N 17+00 EB		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
205	L51+00N 18+00 EB		<.2	4.17	<5	230	<5	0.33	<1	11	30	18	2.93	<10	0.32	317	<1	0.02	46	870	<2	<5	<20	54	0.20	<10	76	<10	4	48
206	L51+00N 19+00 EB		<.2	3.71	<5	160	5	0.22	<1	11	16	16	2.79	<10	0.27	172	<1	0.02	18	710	<2	<5	<20	30	0.19	<10	54	<10	1	70
207	L51+00N 20+00 EB		<.2	2.55	<5	130	<5	0.22	<1	10	16	11	2.36	<10	0.20	426	<1	0.02	14	1240	<2	<5	<20	25	0.16	<10	42	<10	1	57
208	L51+00N 21+00 EB		<.2	1.44	<5	240	<5	0.27	<1	8	29	10	2.21	<10	0.11	176	<1	0.02	15	4040	2	<5	<20	33	0.13	<10	41	<10	2	38
209	L51+00N 23+00 EB		<.2	3.29	<5	170	<5	0.36	<1	18	52	41	4.05	<10	0.44	220	<1	0.02	38	1990	<2	<5	<20	34	0.19	<10	95	<10	2	73
210	L51+00N 24+00 EB		<.2	1.42	<5	80	<5	0.39	<1	12	47	24	3.40	<10	0.31	193	<1	0.02	18	440	<2	<5	<20	41	0.19	<10	99	<10	2	39
211	L51+00N 25+00 EB		<.2	1.33	<5	85	<5	0.36	<1	9	30	17	2.28	<10	0.27	191	<1	0.03	14	160	<2	<5	<20	30	0.17	<10	60	<10	2	37
212	L51+00N 26+00 EB		<.2	1.87	<5	180	<5	0.63	<1	11	28	40	2.47	<10	0.54	398	<1	0.03	16	640	<2	<5	<20	68	0.15	<10	56	<10	9	36
213	L51+00N 27+00 EB		<.2	2.07	<5	235	<5	0.84	<1	12	37	63	2.99	20	0.59	642	<1	0.03	25	690	<2	<5	<20	96	0.14	<10	78	<10	19	41
214	L51+00N 28+00 EB		<.2	1.77	<5	160	<5	0.60	<1	12	38	36	2.86	<10	0.51	467	<1	0.04	17	260	<2	<5	<20	67	0.19	<10	72	<10	7	38
215	L51+00N 29+00 EB		<.2	2.19	<5	175	<5	0.39	<1	11	36	28	2.90	<10	0.40	162	<1	0.03	21	350	<2	<5	<20	40	0.16	<10	77	<10	2	44
216	L51+00N 30+00 EB		<.2	3.62	<5	185	<5	0.46	<1	16	51	37	3.95	<10	0.51	216	<1	0.01	43	2430	<2	<5	<20	37	0.15	<10	95	<10	<1	81
217	L51+00N 31+00 EB		<.2	2.71	<5	190	<5	0.47	<1	11	32	60	2.73	<10	0.40	427	<1	0.03	29	180	<2	<5	<20	46	0.18	<10	57	<10	7	35
218	L51+00N 32+00 EB		<.2	2.18	<5	145	<5	0.30	<1	11	36	21	2.81	<10	0.22	161	<1	0.02	23	1000	<2	<5	<20	32	0.15	<10	68	<10	2	61
219	L51+00N 33+00 EB		<.2	4.08	<5	245	<5	0.33	<1	17	43	41	3.82	<10	0.49	185	<1	0.01	43	2010	<2	<5	<20	35	0.16	<10	82	<10	<1	79
220	L51+00N 34+00 EB		<.2	2.94	<5	180	<5	0.35	<1	15	60	33	4.24	<10	0.45	216	<1	0.02	33	460	<2	<5	<20	35	0.16	<10	127	<10	<1	71
221	L51+00N 35+00 EB		<.2	3.90	<5	170	<5	0.28	<1	17	41	22	3.46	<10	0.32	391	<1	0.02	37	1840	<2	<5	<20	27	0.17	<10	79	<10	<1	110
222	L51+00N 37+00 EB		<.2	2.58	<5	185	<5	0.67	<1	16	68	76	5.31	<10	0.53	193	<1	0.02	28	810	<2	<5	<20	45	0.16	<10	157	<10	<1	50
223	L51+00N 38+00 EB		<.2	2.42	<5	165	<5	0.22	<1	14	31	17	3.09	<10	0.26	1003	<1	0.02	24	1040	<2	<5	<20	21	0.14	<10	76	<10	<1	87
224	L51+00N 39+00 EB		<.2	1.46	<5	125	<5	0.36	<1	15	54	31	3.46	<10	0.31	395	<1	0.02	23	1000	<2	<5	<20	31	0.18	<10	101	<10	1	51
225	L51+00N 40+00 EB		<.2	1.93	<5	135	<5	0.40	<1	14	62	34	4.07	<10	0.39	205	<1	0.02	27	750	<2	<5	<20	31	0.17	<10	122	<10	1	48
226	L51+00N 41+00 EB		<.2	1.80	<5	155	<5	0.33	<1	12	45	23	3.28	<10	0.24	167	<1	0.01	18	2150	<2	<5	<20	26	0.13	<10	81	<10	<1	35
227	L51+00N 42+00 EB		<.2	2.09	<5	145	<5	0.26	<1	12	45	21	3.24	<10	0.20	205	<1	0.01	22	2880	<2	<5	<20	23	0.13	<10	86	<10	<1	52
228	L51+00N 43+00 EB		<.2	2.13	<5	200	<5	0.97	<1	15	49	183	3.97	<10	0.61	371	<1	0.02	28	650	<2	<5	<20	67	0.18	<10	90	<10	7	49
229	L51+00N 44+00 EB		<.2	1.37	<5	160	<5	1.06	<1	12	42	56	3.05	<10	0.57	401	<1	0.03	21	1050	<2	<5	<20	53	0.15	<10	69	<10	5	38
230	L51+00N 44+50 EB		<.2	1.67	<5	115	<5	0.39	<1	11	55	25	3.56	<10	0.23	209	<1	0.02	20	350	<2	<5	<20	31	0.16	<10	109	<10	2	30
231	L51+00N 45+00 EB		<.2	1.95	<5	105	<5	0.33	<1	5	17	14	1.78	<10	0.15	71	<1	0.03	12	200	<2	<5	<20	22	0.09	<10	25	<10	2	12
232	L51+00N 46+00 EB		<.2	2.50	<5	220	5	0.34	<1	14	42	22	3.49	<10	0.26	144	<1	0.02	24	3000	<2	<5	<20	25	0.16	<10	81	<10	<1	77
233	L51+00N 46+50 EB		<.2	1.81	<5	125	<5	1.57	<1	9	22	90	1.74	10	0.28	281	<1	0.03	19	330	<2	<5	<20	54	0.11	<10	58	<10	15	21
234	L54+00N 10+00 EB	5400	<.2	2.82	<5	160	<5	0.30	<1	18	47	30	3.63	<10	0.41	249	<1	0.02	47	1430	<2	<5	<20	35	0.21	<10	79	<10	3	61
235	L54+00N 11+00 EB		<.2	3.07	<5	80	<5	0.11	<1	11	19	9	2.36	<10	0.13	458	<1	0.02	15	1180	<2	<5	<20	14	0.16	<10	46	<10	2	37

GETTY COPPER CORPORATION - AK559 | ICP CERTIFICATE OF ANALYSIS AK 96-559 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
236	L54+00N 12+00 EB	5400	-	<.2	2.82	<5	255	<5	0.91	<1	12	36	23	2.31	30	0.32	2691	<1	0.02	46	1010	<2	<5	<20	122	0.14	<10	74	<10	28	45
237	L54+00N 13+00 EB	↓	-	<.2	2.47	<5	90	<5	0.15	<1	13	25	17	2.82	<10	0.20	372	<1	0.02	17	1320	<2	<5	<20	17	0.16	<10	62	<10	2	59
238	L54+00N 14+00 EB		-	<.2	1.92	<5	100	<5	0.22	<1	8	23	19	2.18	<10	0.19	116	<1	0.02	14	1410	4	<5	<20	33	0.16	<10	38	<10	1	43
239	L54+00N 15+00 EB		-	<.2	3.31	<5	190	<5	0.49	<1	11	30	35	2.64	<10	0.40	127	<1	0.02	21	1380	<2	<5	<20	83	0.21	<10	39	<10	3	36
240	L54+00N 16+00 EB		-	<.2	0.69	<5	80	<5	0.22	<1	3	15	10	0.99	<10	0.09	52	<1	0.01	6	350	2	<5	<20	30	0.09	<10	22	<10	<1	18
241	L54+00N 18+00 EB		-	<.2	2.03	<5	270	<5	0.97	<1	19	62	47	3.25	<10	0.82	437	<1	0.06	36	1190	8	<5	<20	117	0.24	<10	80	<10	9	55
242	L54+00N 19+00 EB		-	<.2	1.64	<5	200	<5	0.97	<1	15	85	58	2.41	10	0.60	249	<1	0.06	33	1010	2	<5	<20	109	0.23	<10	76	<10	13	48
243	L54+00N 21+00 EB		-	<.2	1.08	<5	95	<5	0.59	<1	9	31	22	1.80	<10	0.42	165	<1	0.04	11	380	2	<5	<20	59	0.18	<10	41	<10	4	28
244	L54+00N 22+00 EB		-	<.2	0.93	<5	85	<5	0.54	<1	9	30	21	1.72	<10	0.33	252	<1	0.04	9	390	<2	<5	<20	54	0.16	<10	39	<10	5	26
245	L54+00N 23+00 EB		-	<.2	1.36	<5	135	<5	0.72	<1	11	35	34	2.32	<10	0.52	339	<1	0.03	14	540	<2	<5	<20	70	0.15	<10	54	<10	11	34
246	L54+00N 26+00 EB		-	<.2	1.30	<5	110	<5	0.38	4	14	44	26	3.23	<10	0.35	216	<1	0.02	17	320	<2	<5	<20	30	0.14	<10	95	<10	<1	44
247	L54+00N 27+00 EB		-	<.2	0.78	<5	80	<5	0.32	1	7	24	14	1.81	<10	0.26	131	<1	0.02	11	200	2	<5	<20	24	0.13	<10	53	<10	3	29
248	L54+00N 28+00 EB		-	<.2	1.75	<5	190	<5	0.74	<1	14	37	39	2.86	20	0.43	674	<1	0.02	23	470	<2	<5	<20	59	0.14	<10	74	<10	9	44
249	L54+00N 29+00 EB		-	<.2	2.56	<5	235	<5	0.45	1	13	33	37	3.22	<10	0.44	311	<1	0.03	32	2440	<2	<5	<20	36	0.12	<10	75	<10	2	65
250	L54+00N 30+00 EB		-	<.2	1.04	<5	115	<5	0.44	<1	11	46	29	2.93	<10	0.39	192	<1	0.02	20	340	<2	<5	<20	36	0.16	<10	91	<10	5	32
251	L54+00N 31+00 EB		-	<.2	1.29	<5	100	<5	0.41	<1	6	26	21	2.04	<10	0.31	127	<1	0.02	16	240	<2	<5	<20	37	0.10	<10	48	<10	5	31
252	L54+00N 32+00 EB		-	<.2	1.63	<5	230	<5	0.79	<1	14	38	46	2.87	20	0.50	794	<1	0.03	23	400	<2	<5	<20	89	0.12	<10	72	<10	17	38
253	L54+00N 33+00 EB		-	<.2	1.00	<5	80	<5	0.44	<1	8	35	21	2.68	<10	0.37	164	<1	0.02	14	130	<2	<5	<20	41	0.12	<10	81	<10	3	38
254	L54+00N 34+00 EB		-	<.2	1.66	<5	120	<5	0.24	1	11	34	29	3.07	<10	0.38	148	<1	<.01	22	990	<2	<5	<20	23	0.11	<10	84	<10	<1	46
255	L54+00N 35+00 EB		-	<.2	2.39	<5	235	<5	0.83	2	16	45	122	4.14	20	0.73	631	<1	0.03	41	580	<2	<5	<20	73	0.14	<10	92	<10	13	60
256	L54+00N 36+00 EB		-	<.2	2.26	<5	250	<5	0.82	1	14	41	156	3.59	10	0.58	1689	2	0.04	35	840	<2	<5	<20	57	0.14	<10	93	<10	20	45
257	L54+00N 37+00 EB		-	<.2	1.07	<5	110	<5	0.42	<1	12	37	39	3.05	<10	0.38	282	<1	0.01	20	750	<2	<5	<20	27	0.12	<10	96	<10	2	41
258	L54+00N 38+00 EB		-	<.2	1.97	<5	155	<5	0.22	<1	12	44	23	3.30	<10	0.27	231	<1	0.01	27	1960	<2	<5	<20	20	0.12	<10	86	<10	<1	51
259	L54+00N 39+00 EB		-	<.2	2.08	<5	145	<5	0.34	<1	13	48	34	3.71	<10	0.31	158	<1	0.01	24	1990	<2	<5	<20	27	0.13	<10	99	<10	<1	48
260	L54+00N 40+00 EB		-	<.2	1.70	<5	65	<5	0.19	<1	10	25	11	2.56	<10	0.17	157	<1	<.01	19	940	2	<5	<20	13	0.12	<10	68	<10	<1	43
261	L54+00N 41+00 EB		-	<.2	1.31	<5	90	<5	0.31	<1	8	28	12	2.18	<10	0.14	97	<1	0.02	11	130	4	<5	<20	18	0.12	<10	58	<10	1	19
262	L54+00N 42+00 EB		-	<.2	1.12	<5	110	<5	0.19	<1	7	24	7	2.06	<10	0.11	247	<1	<.01	11	1740	4	<5	<20	15	0.09	<10	50	<10	<1	42
263	L54+00N 43+00 EB		-	<.2	1.23	<5	125	<5	0.48	<1	12	63	38	4.19	<10	0.41	199	<1	0.02	22	400	<2	<5	<20	28	0.15	<10	133	<10	2	38
264	L57+00N 6+50 EB	5700	-	<.2	1.43	<5	80	<5	0.13	<1	8	19	8	2.00	<10	0.14	555	<1	<.01	20	630	4	<5	<20	12	0.11	<10	46	<10	<1	57
265	L57+00N 7+00 EB	↓	-	<.2	3.24	<5	205	<5	0.19	<1	15	38	18	3.12	<10	0.27	197	<1	0.01	40	1050	<2	<5	<20	27	0.20	<10	63	<10	2	43
266	L57+00N 8+00 EB		-	<.2	1.58	<5	85	<5	0.16	<1	8	15	15	2.08	<10	0.18	125	<1	0.01	30	620	2	<5	<20	25	0.12	<10	33	<10	1	33
267	L57+00N 9+00 EB		-	<.2	2.78	<5	150	<5	0.21	<1	14	16	14	2.66	<10	0.17	274	<1	0.02	28	1070	<2	<5	<20	21	0.18	<10	42	<10	2	52
268	L57+00N 10+00 EB		-	<.2	2.54	<5	85	<5	0.09	<1	7	15	6	2.08	<10	0.07	77	<1	0.01	15	4350	4	<5	<20	13	0.14	<10	51	<10	2	38
269	L57+00N 11+00 EB		-	<.2	2.60	<5	155	<5	0.18	<1	9	19	15	2.46	<10	0.16	321	<1	0.01	22	1040	4	<5	<20	24	0.17	<10	52	<10	1	60
270	L57+00N 12+00 EB		-	<.2	2.46	<5	100	<5	0.12	<1	8	16	11	1.86	<10	0.15	154	<1	0.01	17	1290	<2	<5	<20	25	0.12	<10	35	<10	1	46

GETTY COPPER CORPORATION - AK559 | ICP CERTIFICATE OF ANALYSIS AK 96-559 | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
271	L57+00N 13+00 EB	-	<.2	1.69	<5	125	<5	0.18	<1	12	25	14	2.07	<10	0.17	181	<1	0.01	16	2340	<2	<5	<20	25	0.10	<10	41	<10	1	22
272	L57+00N 14+00 EB	-	<.2	0.94	<5	115	<5	0.39	<1	11	32	18	2.34	<10	0.32	321	<1	0.02	20	600	2	<5	<20	46	0.14	<10	57	<10	2	32
273	L57+00N 15+00 EB	-	<.2	1.33	<5	170	<5	0.73	<1	13	44	25	2.46	10	0.44	345	<1	0.02	25	740	<2	<5	<20	89	0.13	<10	68	<10	7	32
274	L57+00N 16+00 EB	-	<.2	1.87	<5	145	<5	0.32	<1	11	35	17	2.81	<10	0.28	134	<1	0.01	20	2990	<2	<5	<20	32	0.13	<10	61	<10	1	62
275	L57+00N 17+00 EB	-	<.2	1.34	<5	135	<5	0.38	<1	10	27	25	2.31	<10	0.39	436	<1	0.02	21	620	<2	<5	<20	46	0.13	<10	67	<10	4	46
276	L57+00N 18+00 EB	-	<.2	1.26	<5	150	<5	0.73	3	10	28	68	2.08	<10	0.51	294	<1	0.04	19	420	10	<5	<20	89	0.12	<10	49	<10	7	42
277	L57+00N 19+00 EB	-	<.2	0.92	<5	115	<5	0.40	<1	7	25	15	1.48	<10	0.29	175	<1	0.03	10	250	4	<5	<20	46	0.14	<10	31	<10	3	28
278	L57+00N 20+00 EB	-	<.2	1.05	<5	160	<5	0.79	<1	9	25	25	1.84	10	0.43	654	<1	0.04	17	500	<2	<5	<20	87	0.08	<10	48	<10	9	41
279	L57+00N 21+00 EB	-	<.2	2.35	<5	145	<5	0.19	<1	7	24	20	2.28	<10	0.27	71	<1	0.01	18	1400	<2	<5	<20	25	0.09	<10	29	<10	<1	60
280	L57+00N 22+00 EB	-	<.2	1.92	<5	180	<5	0.56	<1	11	33	18	2.45	<10	0.41	258	<1	0.02	19	1070	<2	<5	<20	66	0.12	<10	54	<10	3	101
281	L57+00N 24+00 EB	-	<.2	3.24	<5	350	<5	0.89	<1	19	74	79	4.93	10	0.83	460	<1	0.05	36	1430	<2	<5	<20	115	0.13	<10	131	<10	16	52
282	L57+00N 25+00 EB	-	<.2	1.36	<5	110	<5	0.58	<1	11	31	35	2.39	<10	0.64	242	<1	0.03	16	190	<2	<5	<20	60	0.13	<10	48	<10	4	47
283	L57+00N 26+00 EB	-	<.2	0.94	<5	115	<5	0.51	<1	8	32	28	1.91	<10	0.36	154	<1	0.03	12	260	2	<5	<20	47	0.15	<10	44	<10	7	30
284	L57+00N 27+00 EB	-	<.2	1.98	<5	205	<5	0.26	<1	14	33	22	3.10	<10	0.25	1014	<1	0.01	25	1770	<2	<5	<20	22	0.14	<10	71	<10	1	75
285	L57+00N 28+00 EB	-	<.2	1.36	<5	145	<5	0.35	<1	9	32	26	2.45	<10	0.31	141	<1	0.02	16	210	<2	<5	<20	30	0.12	<10	66	<10	3	42
286	L57+00N 29+00 EB	-	<.2	1.23	<5	120	<5	0.47	<1	10	41	36	2.89	<10	0.42	161	<1	0.02	18	140	<2	<5	<20	40	0.12	<10	79	<10	5	37
287	L57+00N 30+00 EB	-	<.2	1.32	<5	105	<5	0.38	<1	10	28	27	2.46	<10	0.37	294	<1	0.02	16	150	<2	<5	<20	32	0.12	<10	64	<10	4	39
288	L57+00N 31+00 EB	-	<.2	1.89	<5	205	<5	0.47	<1	10	30	54	2.64	<10	0.39	756	<1	0.02	30	210	<2	<5	<20	41	0.12	<10	58	<10	8	35
289	L57+00N 32+00 EB	-	<.2	2.93	<5	170	<5	0.39	<1	11	25	23	2.86	<10	0.27	171	<1	0.01	26	4040	<2	<5	<20	26	0.11	<10	53	<10	1	69
290	L57+00N 33+00 EB	-	<.2	1.05	<5	100	<5	0.46	<1	9	36	33	2.66	<10	0.29	194	<1	0.02	16	180	<2	<5	<20	36	0.12	<10	76	<10	6	31
291	L57+00N 34+00 EB	-	<.2	2.06	<5	175	<5	0.69	<1	12	43	80	3.62	10	0.56	243	<1	0.03	25	210	<2	<5	<20	51	0.16	<10	75	<10	14	39
292	L57+00N 35+00 EB	-	<.2	2.39	<5	225	<5	0.84	<1	11	39	108	3.62	<10	0.55	337	<1	0.03	29	410	<2	<5	<20	56	0.14	<10	67	<10	11	36
293	L57+00N 36+00 EB	-	<.2	2.10	<5	210	<5	0.84	1	28	47	62	4.42	10	0.63	1024	<1	0.04	27	830	<2	<5	<20	81	0.12	<10	149	<10	16	53
294	L57+00N 38+00 EB	-	<.2	3.35	<5	180	<5	0.33	<1	14	39	35	3.66	<10	0.32	149	<1	0.03	31	2500	<2	<5	<20	32	0.14	<10	75	<10	<1	58
295	L57+00N 39+00 EB	-	<.2	1.53	<5	110	<5	0.35	1	9	33	21	2.61	<10	0.27	151	<1	0.02	18	370	<2	<5	<20	31	0.13	<10	71	<10	3	38
296	L57+00N 40+00 EB	-	<.2	2.56	<5	135	<5	0.18	<1	11	33	18	3.08	<10	0.17	139	<1	0.03	24	3290	<2	<5	<20	17	0.13	<10	69	<10	3	41
297	L57+00N 41+00 EB	-	<.2	0.84	<5	50	<5	0.27	<1	6	24	9	1.90	<10	0.12	94	<1	0.01	9	240	<2	<5	<20	16	0.09	<10	51	<10	<1	17
298	L57+00N 42+00 EB	-	<.2	1.42	<5	95	<5	0.24	<1	7	25	9	2.22	<10	0.13	94	<1	<.01	14	1670	<2	<5	<20	21	0.11	<10	50	<10	<1	30
299	L60+00N 7+00 EB	-	<.2	2.83	5	100	<5	0.15	<1	10	16	9	2.49	<10	0.12	246	<1	0.01	24	1610	<2	<5	<20	18	0.16	<10	54	<10	2	50
300	L60+00N 8+00 EB	-	<.2	3.24	5	180	<5	0.17	<1	17	24	25	3.08	<10	0.26	366	<1	0.02	51	910	<2	<5	<20	29	0.20	<10	50	<10	1	54
301	L60+00N 9+00 EB	-	<.2	2.27	<5	210	<5	0.41	<1	15	28	23	2.77	<10	0.33	399	<1	0.03	40	890	2	<5	<20	55	0.16	<10	48	<10	2	41
302	L60+00N 10+00 EB	-	<.2	4.10	<5	110	<5	0.16	<1	14	26	12	3.12	<10	0.19	263	<1	0.01	34	3330	<2	<5	<20	16	0.17	<10	64	<10	2	41
303	L60+00N 11+00 EB	-	<.2	3.45	<5	130	<5	0.23	<1	22	48	26	3.39	<10	0.32	468	<1	0.03	57	2450	<2	<5	<20	22	0.14	<10	60	<10	2	72
304	L60+00N 12+00 EB	-	<.2	1.30	<5	205	<5	0.67	<1	12	52	20	1.77	20	0.27	111	<1	0.04	19	630	<2	<5	<20	110	0.15	<10	52	<10	16	19
305	L60+00N 13+00 EB	-	<.2	1.03	<5	130	<5	0.40	<1	8	29	14	1.94	<10	0.25	172	<1	0.04	15	140	2	<5	<20	58	0.15	<10	42	<10	4	29

GETTY COPPER CORPORATION - AK559 | ICP CERTIFICATE OF ANALYSIS AK 96-559 | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
306	L60+00N 14+00 EB	6000	-	<.2	1.35	<5	115	<5	0.24	<1	8	31	21	2.35	<10	0.28	163	<1	0.01	17	670	<2	<5	<20	27	0.13	<10	55	<10	2	57
307	L60+00N 15+00 EB	↓	-	<.2	1.84	<5	130	<5	0.39	<1	16	29	68	3.32	<10	0.77	493	<1	0.03	24	1480	<2	<5	<20	32	0.06	<10	72	<10	3	99
308	L60+00N 26+00 EB		-	<.2	1.56	<5	175	<5	0.43	<1	16	36	92	3.53	<10	0.74	366	<1	0.03	28	430	2	<5	<20	38	0.15	<10	99	<10	4	57
309	L60+00N 27+00 EB		-	<.2	2.07	<5	180	<5	0.24	<1	12	33	22	2.95	<10	0.25	201	<1	0.01	24	2320	<2	<5	<20	23	0.11	<10	71	<10	2	71
310	L60+00N 28+00 EB		-	<.2	1.06	<5	140	<5	0.50	<1	9	19	21	2.24	<10	0.27	116	<1	0.01	15	850	<2	<5	<20	49	0.14	<10	48	<10	3	29
311	L60+00N 29+00 EB		-	<.2	2.25	<5	225	<5	0.95	1	17	47	113	4.32	20	0.98	912	<1	0.03	32	520	<2	<5	<20	106	0.15	<10	101	<10	18	58
312	L60+00N 31+00 EB	5missing	-	<.2	2.64	<5	115	<5	0.18	<1	12	32	17	3.15	<10	0.26	141	<1	<.01	25	3500	<2	<5	<20	18	0.13	<10	66	<10	<1	83
313	L60+00N 37+00 EB		-	<.2	2.53	<5	155	5	0.32	<1	12	43	22	3.44	<10	0.31	129	<1	0.01	22	1900	<2	<5	<20	30	0.18	<10	73	<10	1	58
314	L60+00N 39+00 EB		-	<.2	2.14	<5	170	<5	0.90	1	10	35	82	3.07	10	0.47	185	<1	0.04	24	500	<2	<5	<20	61	0.15	<10	52	<10	18	28
315	L60+00N 40+00 EB		-	<.2	1.63	<5	120	<5	0.29	<1	9	33	14	2.59	<10	0.19	106	<1	0.01	15	700	<2	<5	<20	26	0.16	<10	60	<10	2	32
316	L63+00N 18+00 EB	6300	-	<.2	3.04	<5	175	<5	0.20	<1	15	43	22	3.92	<10	0.31	416	<1	0.01	37	1290	<2	<5	<20	20	0.15	<10	100	<10	<1	69
317	L66+00N 7+00 EB		-	<.2	2.79	<5	150	<5	0.20	<1	11	33	15	2.95	<10	0.16	136	<1	0.01	24	5030	<2	<5	<20	24	0.16	<10	58	<10	2	43
318	L66+00N 8+00 EB	6600	-	<.2	3.40	<5	220	<5	0.24	<1	11	25	12	2.57	<10	0.17	499	<1	0.01	33	2300	<2	<5	<20	28	0.17	<10	55	<10	4	54
319	L66+00N 9+00 EB		-	<.2	4.11	<5	255	<5	0.30	<1	13	30	16	3.16	<10	0.20	492	<1	0.01	31	4370	<2	<5	<20	48	0.18	<10	68	<10	4	60
320	L66+00N 10+00 EB	↓	-	<.2	1.63	<5	170	<5	0.33	<1	13	36	19	2.98	<10	0.26	374	<1	0.02	21	2060	<2	<5	<20	45	0.16	<10	72	<10	2	48
321	L66+00N 11+00 EB		-	<.2	1.44	<5	150	<5	0.21	<1	10	28	13	2.36	<10	0.18	222	<1	0.01	20	890	<2	<5	<20	29	0.13	<10	55	<10	1	27
322	L66+00N 12+00 EB		-	<.2	1.09	<5	155	<5	0.42	<1	10	17	23	2.19	<10	0.28	319	<1	0.03	13	1120	4	<5	<20	50	0.12	<10	41	<10	2	38
323	L66+00N 13+00 EB		-	<.2	0.83	<5	125	<5	0.51	<1	12	34	26	2.47	20	0.35	334	<1	0.04	25	800	2	<5	<20	54	0.13	<10	74	<10	17	32
324	L66+00N 14+00 EB		-	<.2	2.96	5	225	<5	1.45	<1	6	46	106	1.99	40	0.40	40	<1	0.03	59	850	<2	<5	<20	130	0.12	<10	99	<10	45	17
325	L66+00N 15+00 EB		-	<.2	2.46	<5	140	<5	0.21	<1	13	34	17	2.90	<10	0.20	166	<1	0.01	51	2240	<2	<5	<20	28	0.15	<10	61	<10	2	39
326	L66+00N 16+00 EB		-	<.2	1.76	<5	135	<5	0.29	<1	12	46	19	3.07	<10	0.22	123	<1	0.01	29	1340	<2	<5	<20	36	0.16	<10	73	<10	1	29
327	L66+00N 17+00 EB		-	<.2	1.89	<5	90	<5	0.17	<1	11	32	10	2.54	<10	0.14	180	<1	0.01	22	1190	<2	<5	<20	19	0.14	<10	59	<10	<1	32
328	L66+00N 18+00 EB		-	<.2	2.84	<5	190	<5	0.18	<1	11	21	13	2.39	<10	0.15	206	<1	0.01	32	3030	<2	<5	<20	21	0.14	<10	45	<10	3	54
329	L66+00N 19+00 EB		-	<.2	2.74	<5	185	<5	0.47	<1	12	32	55	3.43	<10	0.49	295	<1	0.03	27	1900	<2	<5	<20	46	0.11	<10	77	<10	6	62
330	L66+00N 20+00 EB		-	<.2	1.51	<5	165	<5	0.35	<1	15	34	35	3.54	<10	0.35	1577	<1	0.01	20	2890	<2	<5	<20	29	0.10	<10	96	<10	<1	95
331	L66+00N 21+00 EB		-	<.2	1.85	<5	200	<5	0.26	<1	10	35	24	2.79	<10	0.27	165	<1	0.01	25	1420	<2	<5	<20	34	0.11	<10	66	<10	1	35
332	L66+00N 22+00 EB		-	<.2	1.09	<5	80	<5	0.20	<1	6	17	14	1.63	<10	0.18	96	<1	0.01	9	180	2	<5	<20	20	0.09	<10	38	<10	1	31
333	L66+00N 23+00 EB		-	<.2	2.75	<5	270	<5	0.73	1	20	51	57	3.99	<10	0.53	850	2	0.03	39	540	8	5	<20	61	0.12	<10	69	<10	7	100
334	L66+00N 24+00 EB		-	<.2	1.01	<5	105	<5	0.32	<1	8	31	16	2.50	<10	0.21	108	<1	0.02	13	240	2	<5	<20	25	0.13	<10	70	<10	1	43
335	L66+00N 25+00 EB		-	<.2	2.39	<5	365	<5	0.39	<1	13	37	29	3.55	<10	0.27	138	<1	0.01	31	2790	8	<5	<20	41	0.14	<10	69	<10	2	62
336	L66+00N 26+00 EB		-	<.2	1.21	<5	145	<5	0.50	<1	21	40	32	3.88	<10	0.39	380	<1	0.02	24	250	6	<5	<20	39	0.16	<10	110	<10	2	50
337	L66+00N 27+00 EB		-	<.2	2.61	<5	190	<5	0.18	<1	12	24	22	2.74	<10	0.27	576	3	0.01	24	2050	10	<5	<20	22	0.10	<10	53	<10	1	92
338	L66+00N 28+00 EB		-	<.2	2.00	<5	180	<5	0.15	<1	8	20	12	2.23	<10	0.14	134	3	< 01	14	4890	<2	<5	<20	11	0.08	<10	39	<10	<1	65
339	L66+00N 29+00 EB		-	<.2	2.90	<5	140	<5	0.64	<1	15	46	63	2.93	<10	1.43	234	<1	0.02	58	400	<2	5	<20	36	0.14	<10	45	<10	2	28
340	L66+00N 30+00 EB		-	<.2	1.32	<5	160	<5	0.24	<1	6	15	19	1.74	<10	0.15	77	<1	< 01	13	960	<2	<5	<20	13	0.09	<10	38	<10	1	33

GETTY COPPER CORPORATION - AK559 | ICP CERTIFICATE OF ANALYSIS AK 96-559 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
341	L66+00N 31+00 EB	-	<.2	2.08	<5	275	<5	1.45	2	11	20	246	2.48	40	0.34	1428	<1	0.03	29	500	4	<5	<20	64	0.10	<10	72	<10	40	31
342	L66+00N 32+00 EB	-	<.2	2.37	<5	165	<5	0.23	<1	10	28	18	2.70	<10	0.25	121	<1	<.01	18	2400	<2	<5	<20	15	0.14	<10	49	<10	<1	43
343	L66+00N 33+00 EB	-	<.2	1.65	<5	140	<5	0.53	<1	11	43	29	3.19	<10	0.31	149	<1	0.02	18	430	<2	<5	<20	28	0.17	<10	82	<10	2	35
344	L66+00N 34+00 EB	-	<.2	1.74	<5	140	<5	0.29	<1	10	34	20	2.70	<10	0.29	130	<1	0.01	16	480	<2	<5	<20	25	0.14	<10	63	<10	1	38
345	L66+00N 35+00 EB	-	<.2	1.19	<5	105	<5	0.64	<1	12	24	43	2.65	<10	0.37	561	<1	0.03	17	150	2	<5	<20	34	0.14	<10	66	<10	3	28
346	L66+00N 35+50 EB	-	<.2	1.72	<5	165	<5	0.81	<1	8	23	76	2.44	10	0.43	178	<1	0.02	19	280	<2	<5	<20	42	0.12	<10	47	<10	11	25
347	L66+00N 36+00 EB	-	<.2	1.03	<5	180	<5	0.71	<1	12	38	45	2.97	<10	0.53	262	<1	0.02	25	1240	<2	<5	<20	45	0.14	<10	76	<10	6	37
348	L66+00N 38+00 EB	-	<.2	1.89	<5	185	<5	0.26	<1	10	33	14	2.53	<10	0.19	252	<1	0.01	16	600	<2	<5	<20	26	0.15	<10	52	<10	1	44

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Repeat:																														
1	L47+75N 6+00 EA	<5	<.2	0.82	<5	80	<5	0.86	<1	4	9	75	0.74	<10	0.13	500	1	0.01	11	1140	20	<5	<20	52	0.04	<10	15	<10	<1	52
10	L47+75N 15+00 EA	<5	0.2	0.60	<5	115	<5	0.50	<1	5	8	118	0.70	<10	0.11	1589	2	0.01	13	1620	22	<5	<20	45	0.02	<10	11	<10	<1	40
19	L47+75N 24+00 EA	<5	<.2	0.57	<5	175	<5	0.86	<1	3	11	55	0.98	<10	0.14	1175	3	0.02	7	1060	10	<5	<20	69	0.05	<10	24	<10	<1	55
28	L51+00N 15+00 EA	<5																												
36	L51+00N 23+00 EA	<5	<.2	0.82	<5	120	<5	0.67	<1	5	15	99	1.40	<10	0.19	508	2	0.02	11	1070	8	<5	<20	53	0.06	<10	40	<10	<1	52
45	L51+00N 32+00 EA	<5	<.2	0.31	<5	110	<5	0.57	<1	2	4	150	0.43	<10	0.09	343	4	0.01	4	1600	20	<5	<20	41	<.01	<10	9	<10	<1	34
54	L51+00N 46+50 EA	<5	<.2	1.43	<5	135	<5	1.08	<1	9	22	64	2.01	<10	0.28	614	<1	0.02	15	780	4	<5	<20	50	0.09	<10	52	<10	4	44
63	L54+00N 18+00 EA	<5																												
71	L54+00N 29+00 EA	<5	0.4	2.17	<5	220	<5	0.62	<1	11	29	48	2.57	<10	0.41	493	<1	0.02	28	2110	14	<5	20	43	0.12	<10	65	<10	<1	71
80	L54+00N 39+00 EA	<5	0.8	0.17	<5	70	<5	0.44	<1	<1	3	188	0.26	<10	0.07	262	5	0.02	3	1160	16	<5	<20	28	<.01	20	6	<10	<1	31
89	L57+00N 11+00 EA	<5	0.8	0.83	<5	140	<5	0.58	<1	3	7	110	0.57	<10	0.09	2689	3	0.01	8	1390	28	<5	<20	42	0.02	<10	12	<10	<1	59
98	L57+00N 20+00 EA	<5																												
106	L57+00N 29+00 EA	<5	<.2	0.12	<5	250	<5	1.88	<1	<1	2	144	0.19	<10	0.35	656	2	0.02	7	1280	6	10	<20	118	<.01	<10	9	<10	2	63
115	L57+00N 39+00 EA	<5	<.2	0.37	<5	115	<5	1.01	<1	2	7	136	0.63	<10	0.19	1034	4	0.03	5	970	10	<5	<20	81	0.03	<10	20	<10	3	42
124	L60+00N 12+00 EA	<5	<.2	0.15	<5	55	<5	0.74	<1	<1	2	85	0.23	<10	0.08	541	2	0.03	3	1430	10	<5	<20	52	<.01	<10	5	<10	<1	32
133	L60+00N 32+00 EA	<5																												
141	L60+00N 40+00 EA	<5	0.6	0.21	<5	245	<5	1.38	<1	<1	4	202	0.23	<10	0.10	2479	3	0.03	4	1670	8	<5	<20	78	<.01	<10	4	<10	<1	76
150	L66+00N 15+00 EA	<5	0.2	1.83	<5	205	<5	2.71	<1	11	23	82	1.97	40	0.51	326	<1	0.03	49	1690	<2	<5	<20	220	0.07	<10	140	<10	45	17
159	L66+00N 24+00 EA	<5	0.2	0.54	<5	200	<5	0.96	<1	4	12	74	0.98	<10	0.14	840	4	0.03	9	740	12	<5	<20	67	0.05	<10	24	<10	1	77
176	L47+75N 7+00 EB		<.2	3.19	<5	195	<5	0.22	<1	14	39	20	2.94	<10	0.27	290	<1	0.02	30	1210	<2	<5	<20	35	0.20	<10	65	<10	2	49
185	L47+75N 16+00 EB	-	<.2	4.68	5	250	<5	0.26	<1	15	42	48	3.67	<10	0.32	531	<1	0.02	42	920	<2	<5	<20	79	0.30	<10	76	<10	2	61
194	L47+75N 24+00 EB	-	<.2	2.34	<5	240	<5	0.36	<1	8	19	23	2.49	<10	0.16	129	2	0.02	14	1820	<2	<5	<20	78	0.08	<10	51	<10	7	30
211	L51+00N 25+00 EB	-	<.2	1.26	<5	85	<5	0.33	<1	9	29	17	2.21	<10	0.26	183	<1	0.02	12	150	<2	<5	<20	28	0.16	<10	58	<10	2	35
220	L51+00N 34+00 EB	-	<.2	2.82	<5	175	5	0.33	<1	15	58	33	4.14	<10	0.44	209	<1	0.01	32	450	<2	<5	<20	33	0.15	<10	125	<10	<1	68
229	L51+00N 44+00 EB	-	<.2	1.32	<5	160	<5	1.02	<1	12	41	55	3.00	<10	0.56	392	<1	0.03	21	1010	<2	<5	<20	48	0.14	<10	66	<10	5	37
255	L54+00N 35+00 EB	-	<.2	2.39	<5	230	<5	0.82	4	16	44	112	4.09	20	0.73	636	<1	0.04	42	560	<2	<5	<20	74	0.14	<10	90	<10	13	58
264	L57+00N 6+50 EB	-	<.2	1.48	<5	80	<5	0.13	<1	9	19	8	2.04	<10	0.14	572	<1	<.01	20	650	4	<5	<20	12	0.12	<10	47	<10	<1	59
281	L57+00N 24+00 EB	-	<.2	3.30	<5	355	<5	0.89	<1	19	75	81	5.02	10	0.83	453	<1	0.04	35	1420	<2	<5	<20	115	0.14	<10	131	<10	16	53
290	L57+00N 33+00 EB	-	<.2	1.03	<5	95	<5	0.46	<1	9	36	32	2.66	<10	0.28	188	<1	0.02	16	170	<2	<5	<20	33	0.12	<10	76	<10	5	32
299	L60+00N 7+00 EB	-	<.2	2.92	<5	100	<5	0.15	<1	10	16	10	2.53	<10	0.12	257	<1	0.03	25	1650	<2	<5	<20	19	0.16	<10	54	<10	1	52

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Repeat: (Cont'd)																														
316	L63+00N 18+00 EB	-	<.2	2.90	<5	175	<5	0.21	<1	15	47	22	4.15	<10	0.30	406	<1	<.01	38	1270	<2	<5	<20	21	0.15	<10	111	<10	<1	69
325	L66+00N 15+00 EB	-	<.2	2.28	<5	150	<5	0.21	<1	13	32	16	2.94	<10	0.18	170	<1	0.01	33	2230	4	<5	20	35	0.14	<10	59	<10	2	42
334	L66+00N 24+00 EB	-	<.2	0.97	<5	105	<5	0.31	<1	8	30	16	2.45	<10	0.20	104	<1	0.02	13	230	<2	<5	<20	24	0.13	<10	70	<10	1	42
343	L66+00N 33+00 EB	-	<.2	1.61	<5	140	<5	0.53	<1	11	41	28	3.19	<10	0.31	149	<1	0.02	19	410	<2	<5	<20	28	0.16	<10	83	<10	2	34
Standard:																														
GEO'96		150	1.2	1.97	65	170	<5	2.01	<1	20	73	82	4.06	<10	1.02	764	<1	0.02	20	690	18	10	<20	64	0.15	<10	80	<10	3	73
GEO'96		150	1.0	2.04	65	175	<5	2.01	1	20	71	85	4.08	<10	1.05	757	1	0.02	20	740	18	<5	<20	64	0.14	<10	82	<10	4	69
GEO'96		150	1.4	1.95	65	170	<5	2.07	<1	21	75	80	4.06	<10	1.03	780	<1	0.02	20	710	18	5	<20	65	0.15	<10	91	<10	3	78
GEO'96		150	1.4	1.70	50	160	<5	1.98	<1	20	71	89	4.02	<10	1.09	756	<1	0.02	25	770	18	<5	<20	76	0.15	<10	80	<10	5	69
GEO'96		150	1.2	1.72	60	160	<5	2.00	<1	20	72	89	4.04	<10	1.06	765	<1	0.02	27	780	20	<5	<20	74	0.15	<10	81	<10	5	70
GEO'96		-	1.4	1.80	50	160	<5	1.96	<1	20	70	86	4.02	<10	1.02	758	<1	0.02	27	750	20	<5	<20	71	0.15	<10	80	<10	5	71
GEO'96		-	1.4	1.78	55	155	<5	1.84	<1	19	64	83	4.27	<10	0.97	732	<1	0.02	25	740	18	<5	<20	59	0.12	<10	80	<10	4	68
GEO'96		-	1.4	1.81	50	160	<5	1.88	<1	20	65	87	4.39	<10	1.01	755	<1	0.02	27	780	20	<5	<20	61	0.11	<10	81	<10	5	69
GEO'96		-	1.2	1.93	60	160	<5	1.89	1	19	68	79	4.25	<10	1.03	718	<1	0.02	20	650	20	<5	<20	66	0.15	<10	86	<10	<1	70

NOTE: * = Sample Missing

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

df/571ar/559r/572ar/559ar
XLS/96G.Copper#5

16-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-512

Lines: 200S-800S, 200N, 6000 & 6300.

RECEIVED

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 281
Sample type: Soil
PROJECT #: None given
Samples submitted by: Getty Copper Corp.

Values in ppm unless otherwise reported

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L2+00S	25+00EA	<5	0.4	0.38	<5	250	<5	1.42	<1	3	21	458	0.74	<10	0.17	1991	11	0.01	15	1080	18	<5	<20	112	0.02	<10	16	<10	<1	110
2	L2+00S	26+00EA	<5	0.2	0.26	<5	315	<5	2.16	<1	1	10	332	0.42	<10	0.16	1857	7	0.02	10	1030	16	<5	<20	151	0.01	<10	9	<10	<1	57
3	L2+00S	27+00EA	<5	0.4	0.31	<5	165	<5	0.98	<1	1	5	593	0.53	<10	0.15	1566	11	0.02	5	910	16	<5	<20	69	0.02	<10	11	<10	<1	64
4	L2+00S	28+00EA	<5	0.4	0.45	<5	170	<5	0.88	<1	2	10	604	0.89	<10	0.18	1984	12	0.01	7	750	12	<5	<20	65	0.03	<10	22	<10	<1	69
5	L2+00S	29+00EA	<5	0.6	0.78	<5	470	<5	1.81	<1	2	10	619	0.87	20	0.29	4751	10	0.01	19	1050	18	<5	<20	174	0.03	<10	21	<10	11	92
6	L2+00S	41+00EA	<5	0.4	0.69	<5	215	<5	0.70	<1	4	10	478	1.07	<10	0.16	2619	10	0.01	9	840	14	<5	<20	52	0.04	<10	25	<10	<1	103
7	L2+00S	42+00EA	<5	0.2	0.69	<5	355	<5	0.93	<1	5	16	527	1.40	<10	0.21	2936	12	0.01	10	550	14	<5	<20	69	0.05	<10	40	<10	<1	129
8	L2+00S	43+00EA	<5	0.4	0.29	<5	110	<5	1.76	<1	2	5	476	0.53	<10	0.18	1444	19	0.01	5	930	8	<5	<20	76	0.02	<10	13	<10	<1	53
9	L2+00S	44+00EA	<5	<.2	0.46	<5	120	<5	0.65	<1	3	11	438	0.81	<10	0.13	444	21	0.02	7	900	14	<5	<20	39	0.02	<10	20	<10	<1	57
10	L2+00S	45+00EA	<5	<.2	0.19	<5	65	<5	5.40	<1	<1	4	96	0.84	<10	0.36	361	2	0.03	6	1230	<2	10	<20	154	<.01	<10	95	<10	2	8
11	L2+00S	46+00EA	<5	<.2	0.19	<5	110	<5	3.78	<1	1	7	437	0.31	<10	0.32	766	6	0.02	7	1230	6	10	<20	174	<.01	<10	10	<10	<1	87
12	L2+00S	47+00EA	<5	0.4	0.58	<5	135	<5	0.76	<1	4	21	872	0.99	<10	0.20	2233	10	0.02	14	800	16	<5	<20	49	0.04	<10	24	<10	<1	95
13	L2+00S	48+00EA	<5	0.4	0.39	<5	100	<5	0.59	<1	2	10	492	0.75	<10	0.11	1233	7	0.01	6	800	12	<5	<20	32	0.03	<10	20	<10	<1	58
14	L2+00S	49+00EA	<5	0.4	0.34	<5	85	<5	0.73	<1	2	5	520	0.54	<10	0.11	829	6	0.01	5	910	14	<5	<20	37	0.01	<10	10	<10	<1	59
15	L2+00S	50+00EA	<5	0.4	0.19	<5	160	<5	2.43	<1	1	7	27	0.50	<10	0.13	830	5	0.01	5	670	<2	<5	<20	97	0.01	<10	16	<10	<1	39
16	L2+00S	51+00EA	<5	0.4	0.58	<5	160	<5	0.93	<1	4	21	830	1.16	<10	0.24	1597	13	0.01	15	900	10	<5	<20	51	0.03	<10	32	<10	<1	98
17	L2+00S	52+00EA	<5	0.6	0.09	<5	260	<5	4.92	<1	4	5	127	0.57	<10	0.35	6034	5	0.02	12	1270	2	10	<20	170	0.01	<10	68	<10	1	12
18	L2+00S	53+00EA	<5	0.8	0.59	<5	345	<5	1.12	<1	3	11	425	0.81	<10	0.17	4704	9	0.01	10	930	18	<5	<20	60	0.03	<10	21	<10	<1	142
19	L2+00S	54+00EA	<5	0.4	0.38	<5	270	<5	0.89	<1	2	9	826	0.64	<10	0.14	1764	9	<.01	7	920	16	<5	<20	55	0.02	<10	15	<10	<1	78
20	L2+00S	55+00E	<5	0.6	0.57	<5	220	<5	1.74	<1	5	16	353	1.06	<10	0.21	3639	16	0.01	14	790	14	<5	<20	63	0.04	<10	30	<10	<1	72
21	L3+00S	30+00EA	<5	0.4	0.51	<5	370	<5	0.86	<1	3	12	162	0.88	<10	0.11	3421	7	0.02	9	590	10	<5	<20	78	0.04	<10	23	<10	2	64
22	L4+00S	25+00EA	<5	0.2	0.28	<5	355	<5	2.39	<1	1	9	678	0.63	<10	0.19	2496	8	0.01	8	840	12	<5	<20	120	0.02	<10	17	<10	<1	134
23	L4+00S	26+00EA	<5	0.2	0.35	<5	325	<5	1.70	<1	<1	9	193	0.42	<10	0.14	3287	5	0.01	9	860	14	5	<20	124	0.02	<10	11	<10	3	110
24	L4+00S	27+00EA	<5	0.4	0.29	<5	175	<5	0.82	<1	1	5	369	0.43	<10	0.12	1597	5	0.01	6	690	10	<5	<20	77	0.01	<10	10	<10	<1	99
25	L4+00S	28+00EA	<5	<.2	0.23	<5	445	<5	2.30	1	<1	6	49	0.39	<10	0.13	2364	5	0.01	8	830	4	<5	<20	136	0.02	<10	8	<10	<1	109

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-512

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L4+00S	29+00EA	<5	<.2	0.51	<5	215	<5	1.01	<1	3	10	473	1.12	<10	0.19	1453	10	0.01	7	440	12	<5	<20	77	0.04	<10	30	<10	<1	50
27	L4+00S	30+00EA	<5	<.2	0.38	<5	150	<5	0.59	<1	2	7	559	0.65	<10	0.14	767	11	0.02	7	810	14	<5	<20	58	0.02	<10	14	<10	<1	34
28	L4+00S	31+00EA	<5	0.2	0.45	<5	325	<5	1.93	<1	2	7	595	0.71	<10	0.25	2413	13	0.02	9	950	16	5	<20	172	0.02	<10	18	<10	2	64
29	L4+00S	32+00EA	<5	0.4	0.31	<5	135	<5	0.64	<1	2	7	548	0.55	<10	0.14	1223	12	0.02	6	970	16	<5	<20	49	0.02	<10	12	<10	<1	49
30	L4+00S	33+00EA	<5	<.2	0.66	<5	265	<5	1.33	<1	6	20	395	1.53	<10	0.23	1884	7	0.01	14	930	10	<5	<20	82	0.03	<10	44	<10	3	72
31	L4+00S	34+00EA	<5	<.2	0.46	<5	220	<5	1.12	<1	2	8	289	0.71	<10	0.14	836	7	0.01	7	760	14	<5	<20	72	0.02	<10	18	<10	<1	48
32	L4+00S	35+00EA	<5	0.2	0.72	<5	160	<5	0.65	<1	5	17	603	1.25	<10	0.22	1726	12	0.02	11	620	14	<5	<20	50	0.04	<10	28	<10	<1	34
33	L4+00S	36+00EA	<5	<.2	0.71	<5	120	<5	0.59	<1	5	18	579	1.41	<10	0.18	926	9	0.01	11	490	12	<5	<20	52	0.04	<10	37	<10	<1	59
34	L4+00S	37+00EA	<5	0.2	0.84	<5	160	<5	1.39	<1	3	12	591	1.09	40	0.28	947	10	0.01	21	1140	6	<5	<20	134	0.02	<10	30	<10	30	33
35	L4+00S	38+00EA	<5	0.4	0.40	<5	190	<5	0.73	<1	2	8	989	0.79	<10	0.16	1501	19	0.02	7	930	20	<5	<20	64	0.02	<10	18	<10	<1	50
36	L4+00S	39+00EA	<5	0.2	0.96	<5	95	<5	0.87	<1	6	21	305	1.62	<10	0.22	635	5	0.02	12	550	32	<5	<20	64	0.05	<10	39	<10	5	40
37	L4+00S	41+00EA	<5	0.8	0.62	<5	140	<5	0.57	<1	4	8	902	1.05	<10	0.17	2827	11	0.01	7	760	16	<5	<20	44	0.03	<10	25	<10	<1	60
38	L4+00S	42+00EA	<5	0.4	0.39	<5	185	<5	0.74	<1	2	7	875	0.79	<10	0.14	1673	11	0.01	5	480	16	<5	<20	43	0.03	<10	18	<10	<1	46
39	L4+00S	43+00EA	<5	0.6	0.43	<5	210	<5	0.91	<1	2	7	1156	0.79	<10	0.18	1361	15	0.01	6	810	16	<5	<20	67	0.02	<10	16	<10	<1	55
40	L4+00S	44+00EA	<5	0.6	0.30	<5	95	<5	0.92	<1	2	4	904	0.52	<10	0.14	1499	14	0.01	4	950	10	<5	<20	38	0.01	<10	11	<10	<1	78
41	L4+00S	45+00EA	<5	0.6	0.38	<5	135	<5	0.66	<1	3	8	847	0.70	<10	0.14	3591	18	0.02	5	880	16	<5	<20	39	0.02	<10	16	<10	<1	69
42	L4+00S	46+00EA	<5	0.4	0.55	<5	130	<5	0.53	<1	3	10	948	1.15	<10	0.17	906	17	0.01	6	630	12	<5	<20	40	0.03	<10	30	<10	<1	44
43	L4+00S	47+00EA	<5	0.4	0.45	<5	175	<5	0.65	<1	3	7	990	0.87	<10	0.19	1171	19	0.01	5	700	16	<5	<20	41	0.03	<10	19	<10	<1	50
44	L4+00S	48+00EA	<5	1	0.50	<5	110	<5	0.70	<1	3	7	1731	0.88	<10	0.21	2549	26	0.01	6	860	14	<5	<20	50	0.02	<10	18	<10	<1	53
45	L4+00S	49+00EA	<5	0.6	0.57	<5	220	<5	1.68	<1	5	9	880	0.97	<10	0.25	2894	15	0.01	9	1110	10	<5	<20	69	0.04	<10	23	<10	<1	173
46	L4+00S	50+00EA	<5	0.6	0.57	<5	190	<5	0.80	<1	4	10	1076	1.06	<10	0.23	1326	14	0.01	8	670	16	<5	<20	57	0.03	<10	26	<10	<1	62
47	L4+00S	51+00EA	<5	0.6	0.41	<5	135	<5	0.81	<1	4	8	1227	0.86	<10	0.20	1685	18	0.01	6	1010	14	<5	<20	53	0.02	<10	20	<10	<1	76
48	L4+00S	52+00EA	<5	<.2	0.09	<5	25	<5	3.58	<1	<1	1	20	0.17	<10	0.40	32	5	0.07	2	540	<2	10	<20	112	<.01	<10	19	<10	<1	10
49	L4+00S	53+00EA	<5	0.4	0.33	<5	155	<5	0.82	<1	1	3	708	0.45	<10	0.12	824	6	0.01	4	960	16	<5	<20	48	0.01	<10	9	<10	<1	72
50	L4+00S	54+00EA	<5	0.6	0.28	<5	150	<5	1.02	<1	1	3	1024	0.43	<10	0.13	2042	12	0.02	4	1170	16	<5	<20	62	<.01	<10	7	<10	<1	69
51	L4+00S	55+00EA	<5	0.8	0.52	<5	290	<5	0.89	<1	2	7	617	0.82	<10	0.15	3466	10	0.01	6	770	18	<5	<20	55	0.03	<10	21	<10	<1	108
52	L5+00S	30+00EA	<5	0.6	0.31	<5	175	<5	1.05	<1	2	4	774	0.52	<10	0.17	2651	14	0.01	5	1200	16	<5	<20	72	0.01	<10	11	<10	<1	80
53	L6+00S	48+00EA	<5	0.6	0.47	<5	310	<5	1.08	<1	3	7	973	0.95	<10	0.18	2046	11	0.02	6	930	20	<5	<20	75	0.03	<10	25	<10	<1	72
54	L6+00S	49+00EA	<5	0.4	0.39	<5	110	<5	0.79	<1	3	4	1326	0.72	<10	0.16	1241	15	0.02	4	1090	18	<5	<20	47	0.02	<10	15	<10	<1	56
55	L6+00S	50+00EA	<5	0.8	0.56	<5	150	<5	0.79	<1	4	6	1168	0.94	<10	0.17	4290	12	0.01	5	1040	18	<5	<20	46	0.02	<10	21	<10	<1	74
56	L6+00S	51+00EA	<5	0.8	0.39	<5	210	<5	0.93	<1	2	5	1019	0.66	<10	0.15	2909	8	0.02	5	910	18	<5	<20	59	0.02	<10	16	<10	<1	89
57	L6+00S	52+00EA	<5	0.4	0.65	<5	340	<5	1.31	<1	5	13	683	1.53	<10	0.26	2184	6	0.01	10	720	14	<5	<20	84	0.04	<10	50	<10	<1	125
58	L6+00S	53+00EA	<5	0.4	0.37	<5	175	<5	0.71	<1	2	3	974	0.58	<10	0.15	1142	10	0.01	4	1100	18	<5	<20	49	0.01	<10	12	<10	<1	76
59	L6+00S	54+00EA	<5	<.2	0.07	<5	60	<5	3.51	<1	<1	<1	303	0.17	<10	0.25	701	6	0.03	4	1200	6	5	<20	118	<.01	<10	46	<10	<1	15
60	L6+00S	55+00EA	<5	0.2	0.38	<5	270	<5	1.90	<1	2	5	500	0.66	<10	0.15	1931	6	0.02	5	1190	12	<5	<20	78	0.02	<10	21	<10	<1	97

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-512

ECO-TECH LABORATORIES LTD.

Et #	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L8+00S	30+00EA	<5	0.6	0.51	<5	250	<5	1.48	<1	5	6	916	0.85	<10	0.28	2942	13	0.01	8	1010	18	5	<20	104	0.02	<10	19	<10	<1	94
62	L8+00S	31+00EA	<5	0.6	0.30	<5	175	<5	1.21	<1	2	4	874	0.53	<10	0.20	2579	11	0.01	4	910	16	<5	<20	69	0.01	<10	11	<10	<1	77
63	L8+00S	32+00EA	<5	0.4	0.27	<5	155	<5	1.00	<1	2	4	886	0.55	<10	0.15	1031	8	0.02	4	780	14	<5	<20	64	0.01	<10	11	<10	<1	53
64	L8+00S	33+00EA	<5	0.2	0.76	<5	240	<5	2.85	<1	2	11	262	0.99	<10	0.28	778	3	0.01	14	1490	10	<5	<20	176	0.02	<10	15	<10	7	48
65	L8+00S	34+00EA	<5	0.2	0.24	<5	110	<5	1.32	<1	1	3	960	0.49	<10	0.18	1047	12	0.02	4	930	14	5	<20	78	<.01	<10	11	<10	<1	67
66	L8+00S	35+00EA	<5	0.4	0.42	<5	270	<5	1.92	<1	3	5	1024	0.85	<10	0.26	1534	11	0.01	7	850	16	<5	<20	110	0.02	<10	17	<10	<1	102
67	L8+00S	36+00EA	<5	0.4	0.17	<5	155	<5	1.01	<1	<1	2	834	0.36	<10	0.11	627	7	0.01	4	550	12	<5	<20	60	<.01	<10	6	<10	<1	61
68	L8+00S	37+00EA	<5	0.4	0.86	<5	325	<5	0.46	<1	7	16	275	1.87	<10	0.24	2753	4	0.01	10	340	12	<5	<20	50	0.05	<10	52	<10	<1	115
69	L8+00S	38+00EA	<5	0.8	0.37	<5	505	<5	2.02	<1	<1	5	1200	0.74	<10	0.21	2434	16	0.01	5	820	18	<5	<20	105	0.02	<10	15	<10	<1	139
70	L8+00S	39+00EA	<5	1	0.24	<5	140	<5	1.34	<1	1	3	1275	0.52	<10	0.18	1256	14	0.01	4	940	16	<5	<20	76	<.01	<10	9	<10	<1	82
71	L8+00S	40+00EA	<5	<.2	0.99	<5	255	<5	0.93	<1	10	25	129	2.56	<10	0.36	875	1	0.02	13	400	8	<5	<20	87	0.07	<10	78	<10	2	49
72	L8+00S	41+00EA	<5	0.8	0.43	<5	265	<5	1.27	<1	3	6	779	0.64	<10	0.17	2338	9	0.01	6	840	22	<5	<20	95	0.02	<10	13	<10	<1	171
73	L8+00S	42+00EA	<5	0.8	0.33	<5	115	<5	1.06	<1	2	4	1294	0.54	<10	0.15	2764	13	0.01	4	1020	22	<5	<20	62	0.01	<10	10	<10	1	76
74	L8+00S	43+00EA	<5	0.2	0.25	<5	75	<5	1.36	<1	2	3	793	0.43	<10	0.22	751	7	0.01	3	980	22	5	<20	53	0.01	<10	10	<10	<1	75
75	L8+00S	44+00EA	<5	0.4	0.43	<5	95	<5	0.69	<1	3	5	1011	0.85	<10	0.16	612	10	0.01	4	570	14	<5	<20	43	0.03	<10	22	<10	<1	50
76	L8+00S	45+00EA	<5	0.6	0.60	5	145	<5	0.97	<1	5	5	991	0.99	<10	0.26	1418	10	0.01	6	740	18	<5	<20	51	0.02	<10	20	<10	1	69
77	L8+00S	46+00EA	<5	0.6	0.38	<5	215	<5	0.73	<1	3	7	750	0.81	<10	0.14	1704	9	0.01	5	540	14	<5	<20	49	0.03	<10	21	<10	<1	84
78	L8+00S	47+00EA	<5	0.8	0.26	<5	75	<5	0.72	<1	2	3	1012	0.50	<10	0.12	776	8	0.01	3	650	12	<5	<20	44	<.01	<10	11	<10	<1	49
79	L60+00N	16+00EA	<5	0.4	0.38	<5	85	<5	0.67	<1	3	6	156	0.54	<10	0.10	1330	3	0.01	6	1460	16	<5	<20	47	0.02	<10	12	<10	<1	43
80	L60+00N	17+00EA	<5	<.2	0.28	<5	95	<5	1.07	<1	2	3	151	0.33	<10	0.11	943	2	0.01	6	1120	18	<5	<20	96	<.01	<10	7	<10	<1	39
81	L60+00N	18+00EA	<5	<.2	0.68	<5	225	<5	0.76	<1	5	11	128	0.87	<10	0.13	2341	3	0.01	11	1180	24	<5	<20	82	0.04	<10	21	<10	2	45
82	L60+00N	19+00EA	<5	<.2	0.35	<5	110	<5	1.60	<1	2	7	68	0.49	<10	0.34	677	1	0.01	11	1270	18	5	<20	153	0.02	<10	35	<10	5	34
83	L60+00N	20+00EA	<5	<.2	0.43	<5	85	<5	0.44	<1	3	7	62	0.81	<10	0.09	305	2	0.01	7	1370	20	<5	<20	35	0.02	<10	19	<10	<1	59
84	L60+00N	21+00EA	<5	<.2	0.36	<5	195	<5	1.86	<1	3	4	52	0.40	30	0.27	1443	2	0.01	15	1000	14	5	<20	197	0.01	<10	41	<10	17	35
85	L60+00N	22+00EA	<5	0.2	0.18	<5	145	<5	1.03	<1	2	4	162	0.37	<10	0.16	1349	3	0.02	4	1140	22	<5	<20	66	0.02	<10	9	<10	<1	61
86	L60+00N	23+00EA	<5	0.2	0.51	<5	235	<5	1.40	<1	3	9	100	0.77	20	0.34	1772	3	0.02	17	1050	18	<5	<20	109	0.03	<10	25	<10	10	77
87	L60+00N	24+00EA	<5	0.6	0.32	<5	255	<5	1.23	<1	3	7	128	0.62	<10	0.17	5383	3	0.02	6	1000	24	<5	<20	59	0.03	<10	19	<10	<1	71
88	L60+00N	25+00EA	<5	1.0	0.19	<5	295	<5	2.26	<1	<1	4	66	0.20	<10	0.16	7176	2	0.01	5	1460	10	5	<20	91	0.02	<10	6	<10	<1	124
89	L63+00N	6+00EA	<5	<.2	0.42	<5	165	<5	0.62	<1	2	4	61	0.49	<10	0.10	615	2	0.01	6	1080	18	<5	<20	67	0.02	<10	8	<10	<1	50
90	L63+00N	7+00EA	<5	<.2	0.17	<5	95	<5	0.62	<1	<1	1	77	0.17	<10	0.07	301	1	0.01	4	1010	18	<5	<20	60	<.01	<10	3	<10	<1	39
91	L63+00N	8+00EA	<5	<.2	0.41	<5	70	<5	0.58	<1	1	4	45	0.40	<10	0.07	141	<1	0.01	5	1210	14	<5	<20	50	0.02	<10	7	<10	<1	34
92	L63+00N	9+00EA	<5	<.2	0.61	<5	130	<5	0.50	<1	3	9	86	0.86	<10	0.12	662	2	0.01	9	1300	22	<5	<20	52	0.03	<10	18	<10	<1	36
93	L63+00N	10+00EA	<5	<.2	1.23	<5	260	<5	1.19	<1	6	17	48	1.32	30	0.37	1606	<1	0.02	20	990	14	<5	<20	148	0.07	<10	45	<10	15	31
94	L63+00N	11+00EA	<5	<.2	1.23	<5	245	<5	1.96	<1	3	18	72	1.32	60	0.59	565	<1	0.02	34	1090	8	<5	<20	216	0.05	<10	49	<10	42	26
95	L63+00N	12+00EA	<5	<.2	0.29	<5	210	<5	0.92	<1	1	7	13	0.50	<10	0.12	254	1	0.01	7	850	10	<5	<20	79	0.02	<10	12	<10	3	53

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-512

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L63+00N 13+00EA	<5	0.2	1.17	<5	295	<5	1.75	<1	4	18	71	1.32	50	0.48	1420	<1	0.02	33	1350	10	<5	<20	169	0.05	<10	38	<10	25	55
97	L63+00N 15+00EA	<5	0.2	0.28	<5	195	<5	1.37	<1	1	4	114	0.39	<10	0.11	2359	2	0.01	6	1270	22	5	<20	102	0.02	<10	9	<10	<1	57
98	L63+00N 16+00EA	<5	<.2	0.24	<5	105	<5	0.66	<1	2	4	91	0.33	<10	0.11	749	2	0.01	6	1050	20	<5	<20	63	0.02	<10	8	<10	<1	34
99	L63+00N 17+00EA	<5	0.2	0.59	<5	75	<5	0.36	<1	4	12	95	1.05	<10	0.10	1656	1	0.01	7	1110	20	<5	<20	20	0.04	<10	27	<10	<1	50
100	L63+00N 19+00EA	<5	0.8	0.15	<5	260	<5	1.78	<1	<1	4	153	0.18	<10	0.13	4491	2	0.02	5	1400	20	5	<20	105	0.01	<10	5	<10	<1	83
101	L63+00N 20+00EA	<5	0.2	0.26	<5	100	<5	0.88	<1	2	6	129	0.40	<10	0.14	689	4	0.01	6	1230	20	<5	<20	62	0.02	<10	10	<10	<1	37
102	L63+00N 21+00EA	<5	0.2	0.56	<5	155	<5	0.62	<1	4	14	111	1.00	<10	0.11	584	3	0.01	10	950	20	<5	<20	54	0.04	<10	27	<10	<1	41
103	L63+00N 22+00EA	<5	<.2	0.88	<5	160	<5	0.51	<1	7	23	64	1.64	<10	0.19	759	1	0.02	16	1110	20	<5	<20	51	0.07	<10	40	<10	1	54
104	L63+00N 23+00EA	<5	0.4	0.20	<5	100	<5	1.19	<1	<1	3	171	0.22	<10	0.12	1544	3	0.01	5	1280	20	<5	<20	83	<.01	<10	11	<10	2	70
105	L63+00N 24+00EA	<5	0.4	0.18	<5	100	<5	0.75	<1	1	2	155	0.27	<10	0.09	701	3	0.01	4	1240	20	<5	<20	44	<.01	<10	5	<10	<1	53
106	L63+00N 25+00EA	<5	0.4	0.62	<5	120	<5	0.35	<1	5	9	81	1.04	<10	0.10	1879	3	0.01	7	1050	18	<5	<20	25	0.03	<10	25	<10	<1	50
107	L63+00N 26+00EA	<5	0.6	0.12	<5	230	<5	1.56	<1	<1	2	213	0.21	<10	0.11	1966	3	0.01	3	1430	16	<5	<20	54	<.01	<10	4	<10	<1	70
108	L63+00N 27+00EA	<5	<.2	2.18	<5	135	10	0.23	<1	12	36	21	3.29	<10	0.28	420	<1	0.02	26	1740	8	<5	<20	21	0.11	<10	93	<10	<1	66
109	L63+00N 28+00EA	<5	0.2	0.15	<5	80	<5	0.54	<1	1	2	181	0.22	<10	0.07	496	3	0.01	3	1500	20	<5	<20	27	<.01	<10	4	<10	<1	32
110	L63+00N 29+00EA	<5	<.2	0.22	<5	160	<5	0.51	<1	1	3	133	0.33	<10	0.07	423	3	0.02	4	1240	20	<5	<20	41	<.01	<10	7	<10	<1	40
111	L63+00N 30+00EA	<5	0.4	0.16	<5	110	<5	1.51	<1	<1	2	60	0.20	10	0.22	271	3	0.02	7	1210	10	5	<20	83	<.01	<10	18	<10	9	30
112	L63+00N 31+00EA	<5	0.6	0.13	<5	405	<5	2.80	<1	<1	2	169	0.20	<10	0.14	1812	3	0.02	5	1440	14	<5	<20	102	<.01	<10	4	<10	<1	151
113	L63+00N 32+00EA	<5	<.2	0.13	<5	110	<5	0.91	<1	<1	2	202	0.18	<10	0.06	1108	3	0.01	2	1210	16	<5	<20	27	<.01	<10	3	<10	<1	68
114	L63+00N 33+00EA	<5	0.2	0.11	<5	195	<5	1.96	<1	<1	2	138	0.19	<10	0.14	1084	2	0.01	4	1450	14	5	<20	127	<.01	<10	5	<10	<1	63
115	L63+00N 34+00EA	<5	<.2	1.14	<5	160	<5	1.08	<1	9	27	89	2.09	10	0.49	631	<1	0.02	24	1110	10	<5	<20	98	0.07	<10	60	<10	12	39
116	L63+00N 35+00EA	<5	0.4	0.09	<5	100	<5	0.91	<1	<1	2	154	0.15	<10	0.08	1356	3	0.01	3	1440	12	<5	<20	36	<.01	<10	3	<10	<1	77
117	L63+00N 36+00EA	<5	<.2	0.26	<5	135	<5	1.71	<1	<1	5	154	0.41	10	0.40	524	3	0.02	17	1530	8	10	<20	137	0.01	<10	43	<10	13	41
118	L63+00N 37+00EA	<5	<.2	0.98	<5	225	<5	1.53	<1	4	18	141	1.50	20	0.40	480	<1	0.03	20	720	8	<5	<20	143	0.06	<10	47	<10	14	63
119	L200N 16+00EA	<5	0.2	0.32	<5	115	<5	0.99	<1	3	5	135	0.45	<10	0.11	1481	10	0.02	6	1120	14	<5	<20	50	0.02	<10	10	<10	<1	42
120	L200N 17+00EA	<5	0.4	0.39	<5	205	<5	0.99	<1	1	5	301	0.46	<10	0.11	2182	7	0.02	6	1030	18	<5	<20	67	0.02	<10	10	<10	<1	84
121	L200N 18+00EA	<5	0.2	0.41	<5	145	<5	1.12	<1	1	4	381	0.50	<10	0.14	503	23	0.01	8	1400	16	<5	<20	59	0.01	<10	9	<10	4	23
122	L200N 19+00EA	<5	0.4	0.43	<5	125	<5	0.62	<1	2	4	347	0.55	<10	0.08	902	11	0.01	4	1320	18	<5	<20	32	0.01	<10	12	<10	<1	40
123	L600S 25+00EA	<5	0.6	0.31	<5	135	<5	0.97	<1	2	5	485	0.57	<10	0.11	2950	9	0.01	4	1100	16	<5	<20	54	0.02	<10	13	<10	<1	52
124	L600S 26+00EA	<5	1.0	0.33	<5	280	<5	1.98	<1	1	5	747	0.53	<10	0.19	4052	10	0.02	5	1010	18	<5	<20	100	0.02	<10	11	<10	<1	101
125	L600S 27+00EA	<5	0.6	0.20	<5	180	<5	1.38	<1	<1	2	625	0.40	<10	0.13	1409	9	0.01	2	1150	14	5	<20	72	<.01	<10	8	<10	<1	68
126	L600S 28+00EA	<5	0.4	0.21	<5	95	<5	2.38	<1	1	2	366	0.31	<10	0.16	871	4	0.01	5	1120	12	<5	<20	111	<.01	<10	41	<10	2	28
127	L600S 29+00EA	<5	<.2	1.23	<5	125	<5	0.81	<1	6	16	597	1.54	<10	0.27	759	6	0.02	12	850	12	<5	<20	57	0.04	<10	25	<10	3	45
128	L600S 30+00EA	<5	<.2	0.85	<5	215	<5	0.50	<1	7	16	279	1.88	<10	0.23	1370	5	0.02	11	330	10	<5	<20	44	0.07	<10	49	<10	1	48
129	L600S 32+00EA	<5	0.6	0.62	<5	350	<5	2.52	<1	3	6	1039	0.94	<10	0.27	1502	9	0.01	6	860	20	<5	<20	120	0.02	<10	19	<10	1	86
130	L600S 33+00EA	<5	0.6	0.44	<5	180	<5	1.21	<1	4	9	794	1.05	<10	0.21	1088	12	0.01	6	810	12	<5	<20	68	0.03	<10	25	<10	<1	72

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-512

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	L600S	34+00EA	<5	0.6	0.22	<5	290	<5	1.62	<1	<1	4	331	0.39	<10	0.12	995	9	0.02	4	740	20	<5	<20	99	0.01	<10	9	<10	<1	47
132	L600S	35+00EA	<5	0.6	2.43	<5	225	<5	2.85	<1	5	29	1020	2.44	70	0.49	660	<1	0.02	39	890	6	<5	<20	168	0.05	<10	74	<10	65	47
133	L600S	36+00EA	<5	0.4	0.36	<5	195	<5	1.83	<1	2	4	900	0.55	<10	0.33	1042	9	0.02	4	790	16	5	<20	106	0.01	<10	11	<10	1	32
134	L600S	37+00EA	<5	0.4	0.21	<5	380	<5	2.98	<1	<1	3	604	0.33	<10	0.19	1405	4	0.02	4	950	14	5	<20	133	<.01	<10	7	<10	<1	110
135	L600S	38+00EA	<5	0.8	0.49	<5	315	<5	1.39	<1	2	7	839	0.66	<10	0.18	3106	11	0.02	14	940	20	<5	<20	90	0.02	<10	13	<10	<1	97
136	L600S	39+00EA	<5	0.4	0.38	<5	265	<5	1.47	<1	3	12	216	1.05	<10	0.15	3618	4	0.02	7	630	10	<5	<20	96	0.03	<10	36	<10	<1	104
137	L600S	42+00EA	<5	0.6	0.64	<5	435	<5	2.84	1	3	8	296	0.74	<10	0.21	3614	2	0.02	8	1540	22	<5	<20	161	0.04	<10	15	<10	1	241
138	L600S	43+00EA	<5	0.8	0.66	<5	275	<5	1.36	<1	4	6	421	0.76	<10	0.17	4044	4	0.02	7	1260	22	<5	<20	59	0.04	<10	16	<10	<1	162
139	L600S	44+00EA	<5	0.8	0.63	<5	430	<5	1.29	<1	3	8	399	0.88	<10	0.16	4154	5	0.02	6	690	18	<5	<20	64	0.04	<10	22	<10	<1	112
140	L600S	45+00EA	<5	0.8	0.42	<5	245	<5	1.21	<1	3	7	394	0.72	<10	0.15	3748	8	0.02	6	580	18	<5	<20	53	0.03	<10	18	<10	<1	79
141	L600S	46+00EA	<5	0.4	0.41	<5	360	<5	2.40	<1	2	6	508	0.74	<10	0.21	2099	5	0.01	5	760	16	<5	<20	104	0.02	<10	18	<10	<1	144
142	L600S	47+00EA	<5	0.4	0.34	<5	190	<5	1.04	<1	3	7	105	0.77	<10	0.14	2246	4	0.01	5	600	10	<5	<20	52	0.02	<10	24	<10	<1	102
143	L700S	30+00EA	<5	0.2	0.31	<5	195	<5	0.79	<1	2	4	704	0.61	<10	0.12	724	7	0.01	4	750	18	<5	<20	59	0.01	<10	12	<10	<1	41
144	L2+00S	25+00EB	-	<.2	0.78	<5	130	5	0.20	<1	6	19	17	1.77	<10	0.13	465	<1	0.01	10	480	6	<5	<20	29	0.08	<10	45	<10	<1	45
145	L2+00S	26+00EB	-	<.2	0.63	<5	100	5	0.25	<1	6	21	15	1.79	<10	0.14	302	<1	0.02	8	140	4	<5	<20	31	0.08	<10	48	<10	<1	25
146	L2+00S	27+00EB	-	<.2	1.51	<5	165	5	0.19	<1	6	19	21	2.20	<10	0.16	225	<1	0.02	14	1510	8	<5	<20	23	0.07	<10	45	<10	<1	49
147	L2+00S	28+00EB	-	<.2	0.78	<5	110	<5	0.18	<1	6	18	13	1.90	<10	0.14	315	<1	0.01	9	310	4	<5	<20	24	0.07	<10	53	<10	<1	27
148	L2+00S	29+00EB	-	<.2	0.71	<5	110	<5	0.26	<1	6	16	30	1.59	<10	0.15	296	<1	0.02	10	260	4	<5	<20	38	0.08	<10	45	<10	4	26
149	L2+00S	41+00EB	-	<.2	2.02	<5	190	<5	0.23	<1	7	12	26	1.88	<10	0.17	761	<1	0.02	17	1480	8	<5	<20	19	0.10	<10	39	<10	2	113
150	L2+00S	42+00EB	-	<.2	1.19	<5	180	10	0.33	<1	9	28	29	3.16	<10	0.30	309	<1	0.01	12	300	6	<5	<20	42	0.11	<10	108	<10	<1	60
151	L2+00S	43+00EB	-	<.2	1.15	<5	245	<5	0.33	<1	6	15	16	1.81	<10	0.18	637	3	0.01	10	2540	6	<5	<20	27	0.07	<10	43	<10	1	65
152	L2+00S	44+00EB	-	<.2	1.57	<5	155	5	0.29	<1	9	20	22	2.33	<10	0.33	970	2	0.01	13	1000	8	<5	<20	26	0.09	<10	59	<10	<1	94
153	L2+00S	47+00EB	-	<.2	2.05	<5	170	10	0.23	<1	11	26	51	3.26	<10	0.33	820	<1	0.02	21	970	48	<5	<20	21	0.13	<10	79	<10	<1	105
154	L2+00S	48+00EB	-	<.2	1.37	<5	185	5	0.23	<1	7	19	16	2.15	<10	0.21	1337	<1	0.01	13	2740	10	<5	<20	14	0.10	<10	51	<10	<1	104
155	L2+00S	49+00EB	-	<.2	1.26	<5	145	<5	0.18	<1	8	14	7	1.98	<10	0.16	1473	<1	0.01	12	1240	8	<5	<20	10	0.10	<10	50	<10	<1	121
156	L2+00S	50+00EB	-	<.2	0.88	<5	120	5	0.30	<1	7	26	13	2.66	<10	0.19	338	<1	0.01	11	600	6	<5	<20	20	0.07	<10	84	<10	<1	47
157	L2+00S	51+00EB	-	<.2	1.77	<5	170	10	0.33	<1	11	29	21	3.07	<10	0.38	997	<1	0.01	18	550	8	<5	<20	25	0.09	<10	87	<10	<1	116
158	L2+00S	53+00EB	-	<.2	1.27	<5	165	<5	0.27	<1	7	14	40	1.85	<10	0.23	1769	2	0.01	13	590	8	<5	<20	15	0.08	<10	46	<10	<1	124
159	L2+00S	54+00EB	-	<.2	2.04	<5	210	5	0.23	<1	10	22	12	2.65	<10	0.32	713	1	0.01	18	420	8	<5	<20	16	0.08	<10	65	<10	<1	107
160	L2+00S	55+00EB	-	<.2	1.58	<5	190	5	0.32	<1	8	21	11	2.54	<10	0.29	394	<1	0.02	13	950	6	<5	<20	15	0.08	<10	66	<10	<1	61
161	L3+00S	30+00EB	-	<.2	1.26	<5	160	5	0.22	<1	6	16	23	1.91	<10	0.13	384	<1	0.01	13	1010	6	<5	<20	25	0.07	<10	43	<10	2	43
162	L4+00S	25+00EB	-	<.2	0.62	<5	160	<5	0.41	<1	8	29	30	2.34	<10	0.18	498	<1	0.01	12	220	4	<5	<20	39	0.09	<10	71	<10	2	28
163	L4+00S	26+00EB	-	<.2	0.87	<5	90	5	0.23	<1	6	23	20	1.87	<10	0.17	173	<1	<.01	11	170	4	<5	<20	26	0.08	<10	53	<10	2	32
164	L4+00S	27+00EB	-	<.2	0.77	<5	95	<5	0.21	<1	6	20	20	1.76	<10	0.14	589	<1	<.01	9	270	4	<5	<20	27	0.08	<10	50	<10	<1	35
165	L4+00S	29+00EB	-	<.2	0.74	<5	165	5	0.24	<1	6	18	14	1.83	<10	0.13	548	<1	<.01	8	190	4	<5	<20	26	0.08	<10	49	<10	<1	35

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-512

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	L4+00S	30+00EB	-	<.2	0.77	<5	95	<5	0.20	<1	4	11	33	1.25	<10	0.12	135	<1	0.01	8	220	4	<5	<20	22	0.06	<10	30	<10	2	20
167	L4+00S	31+00EB	-	<.2	0.59	<5	90	<5	0.21	<1	4	10	8	1.15	<10	0.09	478	<1	<.01	5	180	4	<5	<20	19	0.06	<10	31	<10	1	22
168	L4+00S	32+00EB	-	<.2	0.73	<5	100	<5	0.17	<1	4	11	10	1.29	<10	0.11	193	<1	<.01	7	290	4	<5	<20	18	0.06	<10	31	<10	<1	37
169	L4+00S	33+00EB	-	<.2	0.78	<5	160	10	0.40	<1	10	27	14	2.71	<10	0.20	644	<1	<.01	12	380	6	<5	<20	34	0.11	<10	90	<10	1	51
170	L4+00S	34+00EB	-	<.2	1.43	<5	170	<5	0.20	<1	7	18	23	2.08	<10	0.19	417	<1	<.01	13	1180	6	<5	<20	22	0.08	<10	48	<10	<1	55
171	L400S	35+00EB	-	<.2	1.54	<5	170	<5	0.23	<1	8	16	19	2.07	<10	0.21	462	<1	<.01	12	1380	8	<5	<20	28	0.07	<10	42	<10	<1	48
172	L400S	36+00EB	-	<.2	1.69	<5	140	5	0.18	<1	9	25	11	2.43	<10	0.19	163	<1	<.01	15	410	6	<5	<20	26	0.10	<10	61	<10	<1	50
173	L400S	37+00EB	-	<.2	2.76	<5	195	<5	0.83	<1	11	40	98	3.35	10	0.56	980	<1	0.02	29	550	8	<5	<20	101	0.08	<10	67	<10	9	68
174	L400S	38+00EB	-	<.2	2.02	<5	165	5	0.23	<1	9	32	21	3.33	<10	0.23	289	<1	<.01	20	1610	6	<5	<20	23	0.09	<10	101	<10	<1	80
175	L400S	39+00EB	-	<.2	1.18	<5	100	<5	0.75	<1	7	24	63	2.59	<10	0.23	592	<1	0.01	16	310	4	<5	<20	61	0.07	<10	81	<10	8	37
176	L400S	40+00EB	-	<.2	2.19	<5	220	<5	0.31	<1	10	18	65	2.28	<10	0.28	1140	<1	0.01	18	350	8	<5	<20	29	0.12	<10	56	<10	3	71
177	L4+00S	41+00EB	-	<.2	1.89	<5	165	<5	0.21	<1	8	16	22	2.18	<10	0.22	777	<1	<.01	16	450	8	<5	<20	16	0.11	<10	55	<10	2	91
178	L4+00S	42+00EB	-	<.2	0.94	<5	115	<5	0.19	<1	4	10	6	1.38	<10	0.16	605	<1	<.01	5	160	6	<5	<20	12	0.05	<10	35	<10	<1	62
179	L4+00S	43+00EB	-	<.2	2.18	<5	180	<5	0.13	<1	7	10	16	1.58	<10	0.12	914	<1	0.01	12	820	6	<5	<20	9	0.09	<10	29	<10	4	81
180	L4+00S	44+00EB	-	<.2	1.03	<5	95	<5	0.19	<1	6	15	12	1.86	<10	0.17	204	<1	<.01	8	810	6	<5	<20	11	0.07	<10	49	<10	1	68
181	L4+00S	45+00EB	-	<.2	1.66	<5	155	<5	0.19	<1	6	12	17	1.67	<10	0.12	420	<1	0.01	12	2550	8	<5	<20	13	0.08	<10	32	<10	2	90
182	L400S	46+00EB	-	<.2	2.07	<5	140	<5	0.16	<1	8	21	19	2.66	<10	0.18	525	<1	0.01	13	1570	8	<5	<20	12	0.09	<10	71	<10	2	83
183	L4+00S	47+00EB	-	<.2	2.08	<5	90	<5	0.14	<1	7	10	14	1.75	<10	0.10	421	<1	0.01	11	2150	8	<5	<20	7	0.10	<10	32	<10	3	64
184	L4+00S	48+00EB	-	<.2	2.01	<5	160	<5	0.20	<1	9	23	24	2.48	<10	0.28	248	<1	0.01	19	1340	8	<5	<20	16	0.11	<10	64	<10	3	70
185	L4+00S	49+00EB	-	<.2	2.23	<5	165	<5	0.30	<1	9	16	28	2.22	<10	0.24	409	<1	0.01	21	2020	10	<5	<20	15	0.11	<10	50	<10	3	112
186	L4+00S	50+00EB	-	<.2	1.65	<5	215	<5	0.35	<1	12	30	30	3.10	<10	0.47	1323	<1	0.01	18	240	6	<5	<20	27	0.11	<10	90	<10	2	91
187	L4+00S	51+00EB	-	<.2	1.78	<5	195	<5	0.30	<1	10	25	22	2.80	<10	0.35	524	<1	<.01	16	1140	8	<5	<20	20	0.07	<10	71	<10	<1	141
188	L4+00S	53+00EB	-	<.2	2.37	<5	185	<5	0.17	<1	8	15	19	2.09	<10	0.24	608	<1	0.01	15	700	8	<5	<20	12	0.07	<10	43	<10	<1	91
189	L4+00S	54+00EB	-	<.2	2.22	<5	220	<5	0.21	<1	8	18	20	2.21	<10	0.30	295	<1	0.01	18	820	8	<5	<20	12	0.08	<10	48	<10	1	94
190	L4+00S	55+00EB	-	<.2	1.30	<5	200	<5	0.14	<1	5	9	5	1.35	<10	0.13	965	<1	0.01	12	680	6	<5	<20	9	0.07	<10	29	<10	2	91
191	L5+00S	30+00EB	-	<.2	0.75	<5	85	<5	0.15	<1	4	12	13	1.32	<10	0.10	323	<1	0.01	7	300	4	<5	<20	15	0.06	<10	34	<10	1	35
192	L6+00S	48+00EB	-	<.2	2.35	<5	155	<5	0.23	<1	9	15	16	2.18	<10	0.19	1553	<1	0.01	16	2360	10	<5	<20	14	0.12	<10	46	<10	3	149
193	L6+00S	49+00EB	-	<.2	3.00	<5	140	<5	0.35	<1	10	15	22	2.29	<10	0.16	143	<1	0.02	19	1260	10	<5	<20	20	0.14	<10	49	<10	4	64
194	L6+00S	50+00EB	-	<.2	1.22	<5	225	<5	0.25	<1	6	14	15	1.79	<10	0.15	1469	<1	0.02	11	560	6	<5	<20	15	0.08	<10	48	<10	1	106
195	L6+00S	51+00EB	-	<.2	2.23	<5	235	<5	0.25	<1	10	26	28	3.02	<10	0.35	1144	<1	0.01	18	370	10	<5	<20	20	0.08	<10	85	<10	<1	92
196	L6+00S	52+00EB	-	<.2	1.42	<5	200	<5	0.39	<1	14	44	44	4.02	<10	0.43	606	<1	0.01	21	350	6	<5	<20	34	0.11	<10	136	<10	1	62
197	L6+00S	53+00EB	-	<.2	1.40	<5	215	<5	0.20	<1	8	17	9	2.05	<10	0.22	1421	<1	0.01	13	560	6	<5	<20	14	0.07	<10	55	<10	1	113
198	L6+00S	55+00EB	-	<.2	1.45	<5	165	<5	0.34	<1	12	40	70	4.67	<10	0.37	457	3	<.01	18	660	4	<5	<20	25	0.06	<10	177	<10	<1	60
199	L8+00S	30+00EB	-	<.2	1.55	<5	160	<5	0.17	<1	7	18	19	2.04	<10	0.15	122	<1	0.01	17	1530	6	<5	<20	17	0.08	<10	47	<10	1	45
200	L8+00S	31+00EB	-	<.2	0.82	<5	125	<5	0.20	<1	6	20	9	1.92	<10	0.14	405	<1	0.01	8	250	4	<5	<20	18	0.08	<10	54	<10	1	40

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-512

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	L8+00S	32+00EB	-	<.2	0.71	<5	115	<5	0.35	<1	7	24	16	2.21	<10	0.12	270	<1	0.01	8	240	6	<5	<20	26	0.09	<10	69	<10	1	36
202	L8+00S	34+00EB	-	<.2	2.23	<5	245	<5	0.70	<1	13	32	227	2.88	10	0.52	1196	<1	0.03	26	310	10	<5	<20	59	0.10	<10	42	<10	8	76
203	L8+00S	35+00EB	-	<.2	0.76	<5	125	<5	0.25	<1	8	19	26	2.26	<10	0.21	234	<1	0.03	12	210	4	<5	<20	29	0.08	<10	61	<10	1	41
204	L8+00S	36+00EB	-	<.2	1.55	<5	195	<5	0.22	<1	6	15	14	1.71	<10	0.16	317	<1	0.01	12	850	6	<5	<20	21	0.07	<10	35	<10	1	83
205	L8+00S	37+00EB	-	<.2	1.31	<5	190	<5	0.26	<1	10	21	18	2.10	<10	0.26	765	<1	0.01	13	430	4	<5	<20	36	0.07	<10	53	<10	1	55
206	L8+00S	38+00EB	-	<.2	0.96	<5	200	<5	0.36	<1	6	15	19	1.62	<10	0.18	411	<1	0.01	8	260	4	<5	<20	28	0.08	<10	36	<10	1	55
207	L8+00S	39+00EB	-	<.2	0.61	<5	110	<5	0.27	<1	8	28	25	2.45	<10	0.15	328	<1	0.01	9	110	4	<5	<20	32	0.08	<10	80	<10	2	28
208	L8+00S	40+00EB	-	<.2	0.98	<5	165	<5	0.36	<1	10	21	36	2.57	<10	0.36	782	<1	<.01	13	70	4	<5	<20	47	0.08	<10	78	<10	2	42
209	L8+00S	41+00EB	-	<.2	0.86	<5	180	<5	0.43	<1	5	9	55	1.15	<10	0.12	1389	<1	0.02	5	1000	12	<5	<20	34	0.05	<10	24	<10	<1	103
210	L8+00S	42+00EB	-	<.2	1.20	<5	120	<5	0.21	<1	7	14	21	1.90	<10	0.15	709	<1	0.02	10	660	8	<5	<20	16	0.08	<10	50	<10	1	100
211	L8+00S	43+00EB	-	<.2	0.77	<5	110	<5	0.32	<1	7	22	26	2.26	<10	0.23	505	<1	0.02	10	370	4	<5	<20	22	0.07	<10	73	<10	<1	43
212	L8+00S	44+00EB	-	<.2	1.88	<5	140	<5	0.24	<1	10	19	46	2.46	<10	0.37	424	<1	0.01	15	360	6	<5	<20	28	0.12	<10	68	<10	2	59
213	L8+00S	45+00EB	-	<.2	1.33	<5	125	<5	0.34	<1	9	13	99	2.44	<10	0.54	707	1	<.01	9	100	8	<5	<20	25	0.04	<10	58	<10	<1	69
214	L8+00S	46+00EB	-	<.2	0.94	<5	95	<5	0.22	<1	7	16	16	2.02	<10	0.18	362	<1	<.01	7	130	4	<5	<20	12	0.08	<10	62	<10	1	46
215	L8+00S	47+00EB	-	<.2	0.94	<5	95	<5	0.21	<1	5	15	8	1.95	<10	0.15	416	<1	<.01	7	480	4	<5	<20	12	0.06	<10	57	<10	<1	34
216	L60+00N	16+00EB	-	<.2	1.68	<5	125	<5	0.18	<1	11	26	12	2.37	<10	0.14	246	<1	0.01	20	1890	8	<5	<20	18	0.11	<10	53	<10	3	37
217	L60+00N	17+00EB	-	<.2	1.97	<5	130	<5	0.16	<1	10	28	10	2.42	<10	0.14	100	<1	0.01	24	780	4	<5	<20	18	0.11	<10	55	<10	2	30
218	L60+00N	18+00EB	-	<.2	2.64	<5	165	<5	0.22	<1	10	30	15	2.63	<10	0.22	238	<1	0.01	28	1850	8	<5	<20	30	0.12	<10	51	<10	2	41
219	L60+00N	19+00EB	-	<.2	1.30	<5	140	<5	0.44	<1	12	33	23	2.44	10	0.36	497	<1	0.03	22	490	6	<5	<20	52	0.11	<10	69	<10	5	51
220	L60+00N	20+00EB	-	<.2	1.75	<5	125	<5	0.16	<1	10	19	12	2.17	<10	0.15	971	<1	0.01	18	1650	6	<5	<20	16	0.08	<10	49	<10	2	59
221	L60+00N	21+00EB	-	<.2	0.95	<5	85	<5	0.21	<1	5	16	9	1.26	<10	0.19	96	<1	0.02	10	230	8	<5	<20	23	0.08	<10	30	<10	2	32
222	L60+00N	22+00EB	-	<.2	0.93	<5	105	<5	0.51	<1	7	25	20	1.54	10	0.41	136	<1	0.02	11	540	4	<5	<20	44	0.10	<10	37	<10	7	27
223	L60+00N	23+00EB	-	<.2	1.04	<5	110	<5	0.31	<1	11	39	29	3.08	<10	0.38	403	<1	0.01	17	160	4	<5	<20	27	0.12	<10	107	<10	3	56
224	L60+00N	24+00EB	-	<.2	2.40	<5	245	<5	0.60	<1	26	41	135	5.43	20	1.44	634	<1	<.01	23	670	8	<5	<20	61	0.27	<10	166	<10	7	101
225	L60+00N	25+00EB	-	<.2	2.75	<5	200	<5	0.36	<1	15	29	45	3.57	<10	0.58	219	<1	0.01	30	1660	8	<5	<20	25	0.13	<10	80	<10	3	102
226	L63+00N	6+00EB	-	<.2	2.13	<5	175	<5	0.17	<1	4	7	8	1.58	10	0.10	52	<1	0.01	8	3080	6	<5	<20	51	0.08	<10	26	<10	2	22
227	L63+00N	7+00EB	-	<.2	2.41	<5	115	5	0.19	<1	10	15	6	2.28	<10	0.16	189	<1	0.01	31	2040	8	<5	<20	29	0.14	<10	44	<10	3	51
228	L63+00N	8+00EB	-	<.2	2.86	<5	85	5	0.08	<1	9	15	6	2.06	<10	0.11	92	<1	0.01	24	1240	10	<5	<20	8	0.14	<10	41	<10	4	33
229	L63+00N	9+00EB	-	<.2	2.25	<5	150	<5	0.14	<1	10	25	12	2.45	<10	0.19	319	<1	0.01	24	1580	8	<5	<20	21	0.14	<10	54	<10	3	46
230	L63+00N	10+00EB	-	<.2	0.67	<5	90	<5	0.19	<1	5	14	6	1.23	<10	0.17	135	<1	0.02	7	160	4	<5	<20	29	0.10	<10	28	<10	4	14
231	L63+00N	11+00EB	-	<.2	0.73	<5	120	<5	0.28	<1	5	22	11	1.44	<10	0.23	122	<1	0.02	10	300	4	<5	<20	38	0.11	<10	30	<10	5	19
232	L63+00N	12+00EB	-	<.2	1.50	<5	145	<5	0.16	<1	6	19	7	1.96	<10	0.11	125	<1	0.01	14	2150	10	<5	<20	17	0.11	<10	43	<10	3	45
233	L63+00N	13+00EB	-	<.2	0.96	<5	120	<5	0.27	<1	5	25	12	1.59	<10	0.23	172	<1	0.02	13	220	4	<5	<20	33	0.10	<10	36	<10	4	21
234	L63+00N	14+00EB	-	<.2	2.62	<5	215	<5	0.29	<1	11	36	17	3.09	20	0.27	288	<1	0.02	39	3780	8	<5	<20	27	0.12	<10	69	<10	6	69
235	L63+00N	15+00EB	-	<.2	3.13	<5	110	<5	0.09	<1	9	16	6	2.28	<10	0.11	424	<1	0.01	21	1940	10	<5	<20	7	0.12	<10	45	<10	3	46

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-512 | ECO-TECH LABORATORIES LTD.

Et #	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
236	L63+00N	16+00EB	-	<.2	1.72	<5	70	<5	0.09	<1	8	16	6	1.90	<10	0.11	100	<1	0.01	15	1140	6	<5	<20	9	0.10	<10	40	<10	2	34
237	L63+00N	17+00EB	-	<.2	2.72	<5	125	5	0.12	<1	10	18	9	2.26	<10	0.09	290	<1	0.01	22	2200	10	<5	<20	10	0.12	<10	43	<10	3	40
238	L63+00N	19+00EB	-	<.2	1.31	<5	130	<5	0.42	<1	12	34	46	2.63	<10	0.31	376	<1	0.03	25	760	4	<5	<20	40	0.12	<10	76	<10	4	49
239	L63+00N	20+00EB	-	<.2	1.32	<5	155	<5	0.20	<1	9	33	11	2.34	<10	0.17	108	<1	0.01	18	1260	4	<5	<20	23	0.11	<10	53	<10	2	30
240	L63+00N	21+00EB	-	<.2	1.51	<5	170	<5	0.18	<1	12	42	20	2.84	<10	0.20	122	<1	0.02	25	620	4	<5	<20	24	0.12	<10	82	<10	2	29
241	L63+00N	22+00EB	-	<.2	1.16	<5	195	5	0.31	<1	11	42	25	2.81	10	0.40	194	<1	0.02	27	660	4	<5	<20	35	0.13	<10	83	<10	4	33
242	L63+00N	23+00EB	-	<.2	1.06	<5	120	<5	0.29	<1	8	29	20	2.09	10	0.26	361	<1	0.02	18	200	6	<5	<20	32	0.11	<10	59	<10	10	30
243	L63+00N	24+00EB	-	<.2	1.79	<5	155	5	0.25	<1	11	32	19	3.04	<10	0.39	269	1	0.01	21	780	4	<5	<20	22	0.06	<10	89	<10	<1	63
244	L63+00N	25+00EB	-	<.2	2.23	<5	135	<5	0.19	<1	12	22	17	2.76	<10	0.33	915	<1	0.02	24	1620	6	<5	<20	14	0.08	<10	72	<10	<1	91
245	L63+00N	26+00EB	-	<.2	1.09	<5	70	<5	0.23	<1	6	16	11	1.55	<10	0.18	133	<1	0.02	7	140	6	<5	<20	14	0.08	<10	31	<10	2	30
246	L63+00N	27+00EB	-	<.2	0.61	<5	150	<5	0.51	<1	5	5	82	0.65	<10	0.13	1659	3	0.01	8	1480	14	<5	<20	45	0.02	<10	15	<10	<1	28
247	L63+00N	28+00EB	-	<.2	1.76	<5	130	5	0.22	<1	10	26	22	3.17	<10	0.31	276	<1	0.01	18	510	8	<5	<20	16	0.12	<10	102	<10	2	42
248	L63+00N	29+00EB	-	<.2	2.71	<5	150	10	0.18	<1	12	29	21	2.86	<10	0.31	386	<1	0.02	28	1070	8	<5	<20	17	0.10	<10	71	<10	2	109
249	L63+00N	30+00EB	-	0.2	3.63	<5	290	<5	0.99	<1	12	38	230	3.94	50	0.70	1498	<1	0.02	50	540	8	<5	<20	66	0.13	<10	63	<10	34	70
250	L63+00N	31+00EB	-	<.2	1.85	<5	135	5	0.51	<1	10	33	50	2.65	10	0.38	267	<1	0.03	20	230	8	<5	<20	35	0.16	<10	62	<10	8	48
251	L63+00N	32+00EB	-	<.2	2.11	<5	165	5	0.22	<1	13	40	20	2.97	<10	0.23	141	<1	0.02	25	2160	8	<5	<20	20	0.13	<10	74	<10	3	53
252	L63+00N	33+00EB	-	<.2	1.92	<5	265	5	0.52	<1	11	40	40	2.76	20	0.44	371	<1	0.03	25	1350	8	<5	<20	61	0.13	<10	65	<10	9	48
253	L63+00N	35+00EB	-	<.2	1.73	<5	100	5	0.27	<1	8	29	16	2.20	<10	0.25	157	<1	0.02	15	310	8	<5	<20	26	0.13	<10	50	<10	3	64
254	L63+00N	37+00EB	-	<.2	2.10	<5	110	5	0.31	<1	7	21	17	1.96	<10	0.23	65	<1	0.05	20	600	10	<5	<20	29	0.12	<10	32	<10	3	55
255	L200S	16+00EB	-	<.2	1.09	<5	130	5	0.33	<1	9	18	47	2.42	10	0.28	149	<1	0.02	17	740	4	<5	<20	42	0.10	<10	60	<10	4	26
256	L200S	17+00EB	-	<.2	2.12	<5	170	<5	0.25	<1	9	17	15	2.07	<10	0.21	294	<1	0.02	21	1430	12	<5	<20	27	0.13	<10	41	<10	3	73
257	L200S	18+00EB	-	<.2	2.35	<5	305	<5	1.30	<1	7	23	789	2.30	50	0.36	690	<1	0.02	34	540	8	<5	<20	87	0.08	<10	47	<10	50	23
258	L200S	19+00EB	-	<.2	1.55	<5	160	10	0.22	<1	6	15	26	2.15	<10	0.20	232	<1	0.01	10	740	6	<5	<20	24	0.09	<10	51	<10	2	42
259	L600S	25+00EB	-	<.2	1.34	<5	120	5	0.24	<1	7	22	11	2.03	<10	0.15	182	<1	0.01	12	960	6	<5	<20	23	0.09	<10	51	<10	1	43
260	L600S	26+00EB	-	<.2	1.11	<5	150	5	0.29	<1	9	31	29	2.78	<10	0.24	358	<1	0.02	14	500	4	<5	<20	36	0.11	<10	84	<10	2	39
261	L600S	27+00EB	-	<.2	1.22	<5	210	<5	0.46	<1	7	16	18	1.82	<10	0.19	776	<1	0.01	8	870	6	<5	<20	37	0.09	<10	46	<10	2	58
262	L600S	28+00EB	-	< 2	2.16	<5	160	<5	0.77	<1	7	21	179	1.94	10	0.28	165	<1	0.03	23	590	8	<5	<20	52	0.10	<10	37	<10	12	40
263	L600S	29+00EB	-	< 2	2.92	<5	175	<5	0.74	<1	12	36	264	2.91	10	0.49	1148	<1	0.02	27	300	8	<5	<20	55	0.11	<10	55	<10	9	58
264	L600S	30+00EB	-	< 2	1.27	<5	165	5	0.31	<1	8	22	25	2.22	<10	0.26	359	<1	0.02	12	150	4	<5	<20	44	0.12	<10	54	<10	2	33
265	L600S	31+00EB	-	< 2	1.03	<5	125	<5	0.58	<1	12	26	76	2.93	10	0.37	504	<1	0.02	15	180	4	<5	<20	40	0.13	<10	95	<10	5	37
266	L600S	32+00EB	-	<.2	2.89	<5	285	<5	0.68	<1	13	23	64	3.41	10	0.65	1270	<1	0.02	18	310	10	<5	<20	60	0.14	<10	87	<10	4	110
267	L600S	33+00EB	-	< 2	0.84	<5	140	<5	0.32	<1	7	21	22	2.03	<10	0.18	549	<1	0.02	8	110	4	<5	<20	33	0.11	<10	55	<10	2	37
268	L600S	34+00EB	-	<.2	1.03	<5	140	<5	0.21	<1	5	15	15	1.68	<10	0.15	128	<1	0.01	6	280	6	<5	<20	26	0.10	<10	45	<10	2	38
269	L600S	35+00EB	-	< 2	2.56	<5	120	<5	0.66	<1	7	23	254	2.33	10	0.35	303	<1	0.03	17	220	10	<5	<20	48	0.11	<10	39	<10	10	39
270	L600S	36+00EB	-	<.2	1.59	<5	115	<5	0.53	<1	9	19	39	2.08	<10	0.29	263	<1	0.02	9	160	8	<5	<20	55	0.12	<10	45	<10	4	21

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-512

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
271	L600S	37+00EB	-	<.2	1.68	<5	200	5	0.44	<1	9	22	37	2.48	<10	0.28	453	<1	0.02	15	300	8	<5	<20	49	0.11	<10	59	<10	2	63
272	L600S	38+00EB	-	<.2	1.92	<5	210	<5	0.29	<1	8	18	46	2.22	<10	0.23	352	<1	0.02	15	320	8	<5	<20	35	0.10	<10	47	<10	2	52
273	L600S	39+00EB	-	<.2	0.94	<5	135	<5	0.39	<1	9	36	29	2.98	<10	0.21	232	<1	0.02	13	350	4	<5	<20	52	0.11	<10	102	<10	2	32
274	L600S	40+00EB	-	<.2	1.31	<5	245	<5	0.44	<1	10	35	66	3.06	10	0.31	429	<1	0.02	15	110	6	<5	<20	72	0.13	<10	100	<10	5	35
275	L600S	41+00EB	-	<.2	1.48	<5	150	5	0.28	<1	8	20	20	2.16	<10	0.19	396	<1	0.01	11	170	6	<5	<20	35	0.11	<10	58	<10	2	47
276	L600S	43+00EB	-	<.2	2.37	<5	220	5	0.40	<1	11	15	78	2.40	<10	0.33	1507	<1	0.03	19	2340	10	<5	<20	31	0.17	<10	50	<10	4	265
277	L600S	44+00EB	-	<.2	1.52	<5	160	10	0.29	<1	9	14	20	2.01	<10	0.24	1884	<1	0.01	13	620	8	<5	<20	16	0.14	<10	54	<10	3	144
278	L600S	45+00EB	-	<.2	0.58	<5	85	<5	0.24	<1	3	6	17	0.76	<10	0.07	873	<1	0.01	3	200	4	<5	<20	14	0.05	<10	18	<10	1	26
279	L600S	46+00EB	-	<.2	1.59	<5	165	<5	0.99	<1	8	19	71	2.70	10	0.47	865	<1	0.02	11	320	8	<5	<20	53	0.07	<10	71	<10	6	77
280	L600S	47+00EB	-	<.2	1.04	<5	140	5	0.27	<1	6	16	7	1.86	<10	0.18	400	<1	0.01	7	420	6	<5	<20	22	0.08	<10	56	<10	1	66
281	L700S	30+00EB	-	<.2	2.24	<5	230	5	0.33	<1	8	24	38	2.65	<10	0.27	216	<1	0.02	16	450	10	<5	<20	36	0.10	<10	64	<10	1	48
QC DATA:																															
Repeat:																															
1	L2+00S	25+00EA	<5	<.2	0.38	<5	225	<5	1.34	<1	3	18	437	0.80	<10	0.16	1927	9	0.01	13	960	18	<5	<20	100	0.02	<10	18	<10	<1	99
10	L2+00S	45+00EA	<5	<.2	0.18	<5	65	<5	5.59	<1	<1	4	98	0.85	<10	0.37	384	2	0.02	6	1180	<2	10	<20	156	<.01	<10	98	<10	2	9
19	L2+00S	54+00EA	<5	0.6	0.38	<5	275	<5	0.87	<1	2	9	828	0.66	<10	0.14	1751	9	0.01	7	920	18	<5	<20	57	0.02	<10	16	<10	<1	79
28	L4+00S	31+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	L4+00S	39+00EA	<5	<.2	0.99	<5	100	<5	0.85	<1	6	23	312	1.73	<10	0.22	648	7	0.01	13	520	26	<5	<20	64	0.06	<10	44	<10	5	38
45	L4+00S	49+00EA	<5	0.4	0.56	<5	220	<5	1.71	<1	4	8	897	0.90	<10	0.25	2907	16	0.01	9	1130	10	<5	<20	69	0.04	<10	20	<10	<1	170
54	L6+00S	49+00EA	<5	0.6	0.40	<5	105	<5	0.79	<1	3	4	1294	0.73	<10	0.16	1227	16	0.01	4	1040	18	<5	<20	46	0.02	<10	15	<10	<1	51
63	L8+00S	32+00EA	<5																												
71	L8+00S	40+00EA	<5	<.2	1.00	<5	250	<5	0.90	<1	10	24	131	2.57	<10	0.37	903	2	0.01	13	410	6	<5	<20	85	0.07	<10	78	<10	1	51
80	L60+00N	17+00EA	<5	<.2	0.25	<5	90	<5	1.00	<1	2	3	146	0.30	<10	0.10	889	2	0.01	5	1060	18	<5	<20	90	<.01	<10	7	<10	<1	36
89	L63+00N	6+00EA	<5	<.2	0.41	<5	160	<5	0.58	<1	2	3	56	0.52	<10	0.10	573	1	0.02	6	1010	16	<5	<20	63	0.03	<10	9	<10	<1	52
98	L63+00N	16+00EA	<5																												
106	L63+00N	25+00EA	<5	0.4	0.58	<5	120	<5	0.38	<1	5	7	87	0.96	<10	0.10	2005	2	0.01	6	1130	20	<5	<20	28	0.02	<10	18	<10	<1	50
115	L63+00N	34+00EA	<5	<.2	1.10	<5	150	<5	1.03	<1	9	26	90	2.09	10	0.49	629	<1	0.02	24	1090	10	<5	<20	93	0.07	<10	60	<10	12	38
124	L600S	26+00EA	<5	1.0	0.33	<5	275	<5	2.02	<1	1	5	749	0.52	<10	0.19	4040	9	0.02	5	1000	18	<5	<20	100	0.02	<10	11	<10	1	101
133	L600S	36+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	L600S	46+00EA	-	0.4	0.49	<5	350	<5	2.29	<1	3	7	497	0.84	<10	0.22	1993	6	0.01	6	770	16	<5	<20	100	0.03	<10	25	20	1	143
150	L2+00S	42+00EB	-	<.2	1.25	<5	180	5	0.31	<1	10	28	24	3.15	<10	0.30	310	<1	0.01	12	310	6	<5	<20	42	0.12	<10	108	<10	<1	60
159	L2+00S	54+00EB	-	<.2	2.14	<5	215	5	0.23	<1	10	23	13	2.76	<10	0.33	738	<1	<.01	19	440	10	<5	<20	16	0.09	<10	69	<10	<1	110
176	L400S	40+00EB	-	<.2	2.10	<5	210	<5	0.30	<1	9	17	62	2.17	<10	0.27	1098	<1	0.01	17	350	10	<5	<20	27	0.12	<10	52	<10	3	69

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-512

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																															
Repeat:																															
185	L4+00S	49+00EB	-	<.2	2.28	<5	160	<5	0.30	<1	9	19	28	2.28	<10	0.25	408	<1	0.01	22	2030	10	<5	<20	14	0.11	<10	53	<10	2	112
194	L6+00S	50+00EB	-	<.2	1.19	<5	215	<5	0.24	<1	6	14	16	1.78	<10	0.15	1397	<1	0.01	10	500	8	<5	<20	15	0.08	<10	48	<10	1	104
211	L8+00S	43+00EB	-	<.2	0.75	<5	105	<5	0.30	<1	7	21	27	2.28	<10	0.24	482	<1	<.01	9	240	4	<5	<20	21	0.08	<10	76	<10	1	39
220	L60+00N	20+00EB	-	<.2	1.73	<5	125	<5	0.16	<1	10	20	11	2.16	<10	0.15	974	<1	0.01	19	1690	6	<5	<20	16	0.08	<10	48	<10	2	60
229	L63+00N	9+00EB	-	<.2	2.28	<5	145	<5	0.14	<1	10	25	12	2.46	<10	0.18	320	<1	0.01	25	1610	8	<5	<20	20	0.14	<10	55	<10	3	46
246	L63+00N	27+00EB	-	<.2	0.59	<5	155	<5	0.52	<1	5	5	82	0.53	<10	0.12	1663	3	0.02	7	1580	16	<5	<20	50	0.01	<10	10	<10	<1	28
255	L200S	16+00EB	-	<.2	1.16	<5	140	<5	0.31	<1	9	21	48	2.50	<10	0.28	147	<1	0.02	18	730	6	<5	<20	40	0.10	<10	61	<10	3	27
264	L600S	30+00EB	-	<.2	1.33	<5	170	5	0.32	<1	8	23	24	2.30	<10	0.26	365	<1	0.02	13	150	8	<5	<20	44	0.13	<10	56	<10	3	34
Standard:																															
GEO'96			150	1.2	1.68	60	160	<5	1.82	<1	18	59	81	4.03	<10	0.94	700	<1	0.02	25	700	20	<5	<20	57	0.11	<10	75	<10	3	72
GEO'96			150	1.2	1.75	55	155	<5	1.77	<1	19	60	86	4.11	<10	0.98	719	<1	0.02	25	740	20	5	<20	55	0.11	<10	77	<10	4	68
GEO'96			145	1.2	1.70	50	160	<5	1.82	<1	18	58	77	3.97	<10	0.93	691	<1	0.01	25	720	20	<5	<20	55	0.11	<10	73	<10	4	72
GEO'96			150	1.2	1.72	50	155	<5	1.84	<1	18	58	79	3.99	<10	0.94	707	1	0.02	25	730	20	<5	<20	53	0.10	<10	74	<10	4	70
GEO'96			-	1.2	1.60	60	155	<5	1.81	1	17	54	76	3.77	<10	0.90	664	<1	0.02	22	670	18	<5	<20	57	0.05	<10	71	<10	4	70
GEO'96			-	1.2	1.55	55	155	<5	1.60	<1	17	63	76	3.74	<10	0.90	663	<1	0.01	23	690	18	<5	<20	57	0.09	<10	79	<10	4	72
GEO'96			-	1.0	1.84	60	165	5	1.74	<1	18	63	79	4.03	10	0.98	693	<1	0.02	25	700	18	<5	<20	58	0.13	<10	80	<10	5	67
GEO'96			-	1.4	1.71	60	155	<5	1.71	<1	18	56	75	3.90	<10	0.92	679	<1	0.01	24	700	18	<5	<20	54	0.10	<10	72	<10	4	70

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

df/512r, 512ar, 512cr, 512dr
XLS/96G.Copper#5

2-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-494

Lines: 100S, 200S.
4775 and 5400 N

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 65
Sample type: Soil
PROJECT #: none given
SHIPMENT #: none given
Sample Submitted by: Getty Copper Corp.

Values in ppm unless otherwise reported

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L1+00S- 30+00 E A	<5	0.4	0.40	<5	385	<5	1.46	<1	3	7	538	0.81	<10	0.20	1765	8	0.02	8	820	22	<5	<20	119	0.02	<10	17	<10	<1	66
2	L2+00S- 30+00 E A	<5	0.4	2.39	5	385	<5	3.25	1	7	32	362	2.09	<10	0.53	1782	1	0.05	37	2880	6	<5	<20	168	0.06	<10	77	<10	11	98
3	L2+00S- 31+00 E A	<5	<.2	1.96	<5	190	<5	1.64	<1	10	24	755	2.80	30	0.45	564	<1	0.02	28	660	8	<5	<20	101	0.07	<10	60	<10	35	34
4	L2+00S- 32+00 E A	<5	<.2	0.11	<5	120	<5	2.24	<1	<1	2	290	0.20	<10	0.26	173	3	0.03	2	1380	4	10	<20	129	<.01	<10	4	<10	<1	54
5	L2+00S- 33+00 E A	<5	<.2	0.29	<5	375	<5	1.10	<1	1	5	95	0.57	<10	0.09	1109	5	0.02	7	960	14	<5	<20	71	0.02	<10	14	<10	<1	62
6	L2+00S- 34+00 E A	<5	0.4	0.24	<5	225	<5	0.85	<1	1	5	226	0.36	<10	0.10	3011	7	0.03	5	780	10	<5	<20	54	0.01	<10	8	<10	<1	82
7	L2+00S- 35+00 E A	<5	0.6	0.60	<5	180	<5	1.49	<1	3	8	290	0.68	10	0.17	4296	5	0.03	15	860	16	<5	<20	93	0.03	<10	24	<10	9	82
8	L2+00S- 36+00 E A	<5	0.4	0.87	<5	230	<5	1.79	<1	3	9	510	1.01	40	0.30	1288	6	0.02	18	1320	14	<5	<20	176	0.02	<10	35	<10	23	39
9	L2+00S- 37+00 E A	<5	0.4	0.68	<5	225	<5	1.38	<1	2	7	289	0.66	20	0.22	1598	6	0.01	12	1340	12	<5	<20	155	0.02	<10	21	<10	9	48
10	L2+00S- 38+00 E A	<5	0.4	0.93	<5	310	<5	1.14	<1	4	15	143	1.24	20	0.18	3278	4	0.01	16	1140	14	<5	<20	96	0.05	<10	32	<10	8	121
11	L2+00S- 39+00 E A	<5	0.2	0.44	<5	190	<5	1.12	<1	3	7	409	0.71	<10	0.18	3405	9	0.02	6	830	14	<5	<20	85	0.03	<10	16	<10	<1	102
12	L2+00S- 40+00 E A	<5	<.2	0.35	<5	215	<5	0.69	<1	3	5	215	0.65	<10	0.12	620	4	0.02	5	1340	16	<5	<20	30	0.04	<10	17	<10	<1	41
13	L47+75N- 28+00 E A	<5	<.2	0.59	<5	95	<5	0.41	<1	4	18	83	1.37	<10	0.10	333	3	0.02	10	790	14	<5	<20	32	0.05	<10	35	<10	<1	40
14	L47+75N- 29+00 E A	<5	<.2	0.67	<5	175	<5	0.90	<1	4	11	227	1.14	<10	0.16	2422	6	0.02	9	1360	20	<5	<20	61	0.03	<10	28	<10	<1	89
15	L47+75N- 30+00 E A	<5	<.2	0.37	<5	105	<5	0.49	<1	2	5	148	0.58	<10	0.09	628	4	0.01	6	1510	18	<5	<20	34	0.01	<10	12	<10	<1	45
16	L47+75N- 31+00 E A	<5	<.2	0.33	<5	140	<5	0.77	<1	1	5	63	0.49	<10	0.11	913	2	0.02	6	1100	12	<5	<20	42	0.02	<10	13	<10	<1	57
17	L47+75N- 32+00 E A	<5	<.2	0.49	<5	235	<5	1.24	<1	3	14	102	1.24	<10	0.10	1309	2	0.02	9	950	12	<5	<20	78	0.05	<10	40	<10	<1	49
18	L47+75N- 34+00 E A	<5	<.2	0.20	<5	205	<5	2.15	<1	3	5	95	0.41	<10	0.22	1252	4	0.02	6	1310	10	<5	<20	141	0.01	<10	10	<10	<1	88
19	L47+75N- 36+00 E A	<5	0.4	0.82	<5	265	<5	1.41	<1	5	13	214	1.25	<10	0.22	3460	4	0.03	12	1630	22	<5	<20	93	0.04	<10	34	<10	<1	142
20	L47+75N- 37+00 E A	<5	0.2	0.55	<5	165	<5	0.54	<1	4	10	130	0.87	<10	0.11	2287	3	0.02	8	1120	22	<5	<20	39	0.03	<10	22	<10	<1	53
21	L47+75N- 38+00 E A	<5	<.2	0.36	<5	90	<5	0.53	<1	1	5	248	0.57	<10	0.08	561	5	0.02	4	1400	22	<5	<20	27	0.01	<10	10	<10	<1	39
22	L47+75N- 39+00 E A	<5	0.2	0.32	<5	115	<5	0.48	<1	3	9	260	0.75	<10	0.10	1186	7	0.02	5	1280	20	<5	<20	32	0.01	<10	21	<10	<1	53
23	L47+75N- 40+00 E A	<5	0.2	0.32	<5	175	<5	1.20	<1	3	10	177	0.88	<10	0.16	2393	5	0.01	8	1860	18	<5	<20	61	0.02	<10	28	<10	<1	52
24	L47+75N- 41+00 E A	<5	<.2	0.25	<5	95	<5	0.56	<1	2	5	237	0.51	<10	0.10	914	5	0.01	5	1290	14	<5	<20	26	0.02	<10	12	<10	<1	41

07/04/96 10:32 604 573 4557 ECO-TECH KAM. +++ GETTY SITE 011

ECO-TECH LABORATORIES LTD.

ICP CERTIFICATE OF ANALYSIS AK 96-494

GETTY COPPER CORPORATION

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
25	L47+75N- 42+00 E A	<5	<.2	0.66	<5	100	<5	0.51	<1	6	21	90	1.77	<10	0.17	597	3	<.01	12	1070	10	<5	<20	34	0.05	<10	55	<10	<1	45
26	L47+75N- 43+00 E A	<5	0.2	0.14	<5	60	<5	0.68	<1	<1	2	103	0.22	<10	0.05	379	2	0.02	3	1340	12	<5	<20	24	<.01	<10	5	<10	<1	48
27	L47+75N- 44+00 E A	<5	<.2	0.21	<5	105	<5	0.51	<1	1	6	101	0.49	<10	0.08	333	3	0.02	5	1110	14	<5	<20	34	0.02	<10	15	<10	<1	31
28	L47+75N- 45+00 E A	<5	<.2	0.15	<5	85	<5	4.40	<1	<1	3	34	0.23	<10	0.21	186	3	0.02	3	700	2	5	<20	87	<.01	<10	19	<10	<1	39
29	L47+75N- 46+00 E A	<5	<.2	0.86	<5	160	<5	1.88	<1	4	17	35	1.62	<10	0.17	248	2	0.02	9	1260	8	<5	<20	62	0.04	<10	44	<10	<1	38
30	L54+00N- 24+00 E A	<5	<.2	1.07	<5	200	<5	1.58	<1	8	22	61	1.87	10	0.52	843	<1	0.03	20	830	8	<5	<20	116	0.05	<10	71	<10	11	48
31	L54+00N- 25+00 E A	<5	<.2	0.34	<5	100	<5	0.59	<1	2	6	54	0.57	<10	0.09	507	2	0.04	6	1270	16	<5	<20	46	0.02	<10	13	<10	<1	51
32	L54+00N- 26+00 E A	<5	<.2	0.60	<5	215	<5	1.14	<1	4	12	36	1.03	<10	0.28	680	1	0.03	16	570	8	<5	<20	97	0.04	<10	30	<10	7	49
33	L1+00S- 30+00 E B	-	<.2	0.74	<5	205	<5	0.33	<1	8	20	36	2.01	<10	0.19	612	<1	0.03	11	120	6	<5	<20	55	0.09	<10	52	<10	<1	36
34	L2+00S- 30+00 E B	-	<.2	1.49	<5	245	5	0.41	<1	9	26	26	2.60	<10	0.23	290	<1	0.02	14	2110	8	<5	<20	50	0.09	<10	60	<10	<1	79
35	L2+00S- 31+00 E B	-	<.2	1.09	<5	135	<5	0.38	<1	8	18	60	2.32	<10	0.23	136	<1	0.02	11	530	6	<5	<20	40	0.08	<10	53	<10	<1	28
36	L2+00S- 33+00 E B	-	<.2	1.51	<5	180	5	0.26	<1	9	24	24	2.48	<10	0.22	542	<1	0.01	15	410	8	<5	40	29	0.12	<10	62	<10	<1	64
37	L2+00S- 34+00 E B	-	<.2	0.78	<5	110	5	0.25	<1	6	19	12	1.74	<10	0.14	301	<1	0.01	8	150	4	<5	<20	28	0.10	<10	44	<10	<1	27
38	L2+00S- 35+00 E B	-	<.2	1.78	5	155	<5	0.52	<1	8	21	269	1.97	20	0.28	1351	<1	0.01	22	310	10	<5	<20	49	0.09	<10	41	<10	20	41
39	L2+00S- 36+00 E B	-	<.2	0.90	<5	70	<5	0.24	<1	4	12	20	1.14	<10	0.14	107	<1	0.02	7	220	4	<5	<20	30	0.07	<10	24	<10	<1	25
40	L2+00S- 37+00 E B	-	<.2	1.27	<5	90	<5	0.28	<1	5	19	22	1.54	<10	0.19	198	<1	0.01	12	290	8	<5	<20	42	0.09	<10	32	<10	1	35
41	L2+00S- 38+00 E B	-	<.2	0.96	<5	140	<5	0.36	<1	9	34	24	2.71	<10	0.19	637	<1	0.01	14	310	6	<5	40	56	0.13	<10	81	<10	2	43
42	L2+00S- 39+00 E B	-	<.2	0.93	<5	95	<5	0.28	<1	4	12	7	1.37	<10	0.12	463	<1	0.01	6	380	6	<5	<20	38	0.08	<10	28	<10	<1	44
43	L2+00S- 40+00 E B	-	<.2	2.54	<5	150	<5	0.19	<1	8	11	23	2.24	<10	0.12	224	<1	0.01	10	2980	14	<5	20	11	0.14	<10	46	<10	<1	58
44	L47+75N- 28+00 E B	-	<.2	1.67	<5	90	5	0.31	<1	11	42	22	3.16	<10	0.23	158	<1	0.01	24	1040	8	<5	20	28	0.14	<10	79	<10	<1	43
45	L47+75N- 29+00 E B	-	<.2	2.59	<5	175	5	0.39	<1	14	43	27	3.54	<10	0.38	210	<1	< 01	27	930	12	<5	20	39	0.14	<10	86	<10	<1	52
46	L47+75N- 30+00 E B	-	<.2	2.89	<5	160	5	0.29	<1	15	38	24	3.46	<10	0.37	248	<1	0.01	38	2380	12	<5	20	30	0.14	<10	84	<10	<1	58
47	L47+75N- 31+00 E B	-	<.2	2.85	5	145	<5	0.44	<1	13	34	23	3.26	<10	0.34	170	<1	< 01	29	1800	14	<5	20	35	0.14	<10	77	<10	<1	49
48	L47+75N- 32+00 E B	-	<.2	1.74	<5	140	<5	0.35	<1	14	55	36	4.37	<10	0.42	190	<1	0.01	25	240	6	<5	20	32	0.15	<10	146	<10	<1	50
49	L47+75N- 33+00 E B	-	<.2	2.10	<5	290	<5	1.55	<1	14	48	62	3.70	<10	0.52	588	<1	0.07	27	1650	8	<5	20	117	0.14	<10	97	<10	4	59
50	L47+75N- 34+00 E B	-	<.2	1.13	<5	145	<5	0.61	<1	17	53	44	4.20	<10	0.65	372	<1	0.02	27	1420	4	<5	20	39	0.14	<10	132	<10	<1	46
51	L47+75N- 35+00 E B	-	<.2	2.52	<5	520	<5	0.60	<1	19	51	71	4.67	<10	0.96	419	<1	0.01	41	1340	<2	<5	20	47	0.19	<10	139	<10	<1	80
52	L47+75N- 36+00 E B	-	<.2	2.90	<5	180	5	0.26	<1	17	52	41	4.71	<10	0.53	277	<1	<.01	36	1480	10	<5	20	23	0.14	<10	142	<10	<1	76
53	L47+75N- 37+00 E B	-	<.2	2.75	<5	140	5	0.20	<1	14	37	18	3.22	<10	0.30	945	<1	0.01	32	1790	14	<5	40	19	0.13	<10	84	<10	<1	96
54	L47+75N- 38+00 E B	-	<.2	2.64	<5	150	5	0.17	<1	12	33	17	3.25	<10	0.16	451	<1	0.01	28	4020	12	<5	40	15	0.12	<10	78	<10	<1	61
55	L47+75N- 39+00 E B	-	<.2	1.32	<5	105	<5	0.27	<1	13	54	23	4.02	<10	0.24	342	<1	< 01	21	990	6	<5	20	21	0.13	<10	128	<10	<1	50
56	L47+75N- 40+00 E B	-	<.2	1.27	<5	140	5	0.38	<1	14	51	45	3.85	<10	0.48	277	<1	0.02	29	800	6	<5	40	30	0.14	<10	114	<10	<1	43
57	L47+75N- 41+00 E B	-	<.2	1.58	<5	125	5	0.23	<1	11	36	27	2.99	<10	0.27	196	<1	<.01	19	1370	8	<5	40	18	0.10	<10	69	<10	<1	48
58	L47+75N- 42+00 E B	-	<.2	1.50	<5	115	5	0.27	<1	13	48	26	3.78	<10	0.27	302	<1	<.01	23	1450	8	<5	20	23	0.12	<10	117	<10	<1	43
59	L47+75N- 43+00 E B	-	<.2	1.97	<5	135	5	0.23	<1	11	38	19	3.06	<10	0.21	167	<1	0.01	22	2470	10	<5	40	19	0.12	<10	74	<10	<1	49

07/04/96 10:33 604 573 4557 ECO-TECH KAM. ... GETTY SITE 012

ECO-TECH LABORATORIES LTD.

ICP CERTIFICATE OF ANALYSIS AK 96-494

GETTY COPPER CORPORATION

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
60	L47+75N- 44+00 E B	4775	<.2	1.62	<5	105	10	0.31	<1	15	49	34	4.02	<10	0.34	242	<1	<.01	26	1050	8	<5	20	18	0.12	<10	133	<10	<1	48
61	L47+75N- 45+00 E B	-	<.2	2.32	<5	110	<5	0.99	<1	10	38	54	3.43	<10	0.30	134	<1	0.02	17	220	12	<5	20	31	0.15	<10	69	<10	2	40
62	L47+75N- 46+00 E B	-	<.2	1.92	<5	135	<5	0.42	<1	12	43	25	3.50	<10	0.24	156	<1	0.01	25	1390	8	<5	20	20	0.13	<10	104	<10	<1	52
63	L54+00N- 24+00 E B	5420	<.2	1.18	<5	115	<5	0.48	<1	11	34	22	2.40	<10	0.36	348	<1	0.03	14	280	8	<5	<20	42	0.17	<10	66	<10	2	38
64	L54+00N- 25+00 E B	-	<.2	1.47	<5	115	<5	0.27	<1	13	36	24	3.24	<10	0.32	287	<1	0.01	26	840	6	<5	40	20	0.12	<10	92	<10	<1	45
65	L54+00N- 26+00 E B	-	<.2	1.27	<5	85	<5	0.32	<1	7	25	13	1.97	<10	0.22	120	<1	0.02	12	190	8	<5	<20	24	0.12	<10	46	<10	<1	36
QC DATA:																														
Repeat:																														
1	L1+00S- 30+00 E A	<5	0.4	0.42	<5	405	<5	1.54	<1	3	7	559	0.82	<10	0.21	1846	9	0.02	8	870	24	<5	<20	125	0.03	<10	17	<10	<1	68
10	L2+00S- 38+00 E A	<5	0.4	0.94	<5	325	<5	1.21	<1	4	14	138	1.21	20	0.19	3393	4	0.01	16	1190	14	<5	<20	103	0.05	<10	32	<10	9	122
19	L47+75N- 36+00 E A	<5	0.6	0.81	<5	260	<5	1.36	<1	5	13	210	1.26	<10	0.22	3350	4	0.02	12	1580	22	<5	<20	91	0.04	<10	34	<10	<1	140
28	L47+75N- 45+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	L2+00S- 33+00 E B	-	<.2	1.55	<5	175	<5	0.25	<1	10	23	23	2.49	<10	0.22	544	<1	0.01	15	430	8	<5	20	29	0.12	<10	61	<10	<1	66
45	L47+75N- 29+00 E B	-	<.2	2.76	<5	175	<5	0.40	<1	15	45	29	3.66	<10	0.40	223	<1	0.01	29	930	10	<5	40	40	0.15	<10	89	<10	<1	54
54	L47+75N- 38+00 E B	-	<.2	2.68	<5	150	5	0.17	<1	12	33	17	3.27	<10	0.18	437	<1	0.01	29	4120	12	<5	40	17	0.13	<10	79	<10	<1	62
63	L54+00N- 24+00 E B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Standard:																														
GEO'96		150	1.2	1.79	65	160	<5	1.87	<1	19	64	82	4.26	<10	0.99	731	<1	0.02	26	710	20	<5	20	58	0.12	<10	79	<10	3	72
GEO'96		-	1.2	1.66	60	160	<5	1.88	<1	19	65	81	4.27	<10	0.99	730	<1	0.02	20	710	18	<5	20	59	0.12	<10	81	<10	5	72

per ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

df/494r
XLS/96G.Copper#4

07/04/96 10:34 604 573 4557 ECO-TECH KAM. ---> GETTY SITE 013

2-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-484

Lines: 3875, 4000, 4250 & 4550N

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 289
Sample type: Soil
PROJECT #: none given
SHIPMENT #: none given
Sample Submitted by: Getty Copper Corp.

Values in ppm unless otherwise reported

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L38+75 N 1+00 E A	<5	<.2	0.27	<5	120	<5	0.75	<1	2	3	57	0.32	<10	0.11	471	1	0.01	6	1040	18	<5	<20	62	0.01	<10	7	<10	<1	48
2	L38+75 N 2+00 E A	<5	<.2	0.44	<5	155	<5	0.82	<1	2	6	98	0.50	<10	0.13	690	2	0.01	9	1070	14	<5	<20	47	0.02	<10	10	<10	<1	57
3	L38+75 N 3+00 E A	<5	<.2	0.57	<5	95	<5	0.78	<1	2	7	33	0.62	<10	0.12	257	<1	0.01	8	860	14	<5	<20	65	0.02	<10	13	<10	<1	43
4	L38+75 N 4+00 E A	<5	<.2	0.51	<5	65	<5	0.62	<1	3	9	56	0.67	<10	0.11	395	<1	0.02	10	910	14	<5	<20	40	0.03	<10	15	<10	<1	57
5	L38+75 N 5+00 E A	<5	<.2	0.52	<5	195	<5	0.97	<1	2	4	71	0.45	<10	0.11	619	1	0.02	9	1030	20	<5	<20	114	0.02	<10	9	<10	<1	35
6	L38+75 N 6+00 E A	<5	<.2	0.44	<5	170	<5	0.96	<1	1	4	12	0.35	<10	0.10	493	<1	0.02	6	1040	10	<5	<20	94	0.01	<10	7	<10	<1	42
7	L38+75 N 7+00 E A	<5	<.2	0.87	<5	120	<5	0.71	<1	4	13	57	0.98	<10	0.15	886	<1	0.02	15	1140	26	<5	<20	67	0.04	<10	19	<10	<1	43
8	L38+75 N 8+00 E A	<5	<.2	0.41	<5	75	<5	0.61	<1	1	4	76	0.34	<10	0.07	354	<1	0.01	6	1230	20	<5	<20	48	0.01	<10	6	<10	<1	42
9	L38+75 N 9+00 E A	<5	<.2	0.67	<5	270	<5	1.07	<1	4	9	34	0.75	<10	0.13	1324	2	0.02	13	1160	22	<5	<20	128	0.03	<10	15	<10	<1	41
10	L38+75 N 10+00 E A	<5	0.2	0.42	<5	165	<5	1.54	<1	1	4	80	0.26	<10	0.09	2060	1	0.03	7	1420	28	<5	<20	191	0.01	<10	6	<10	<1	33
11	L38+75 N 11+00 E A	<5	0.4	0.56	<5	140	<5	0.96	<1	2	6	105	0.45	<10	0.10	3128	2	0.02	8	1600	30	<5	<20	84	0.02	<10	9	<10	<1	52
12	L38+75 N 12+00 E A	<5	0.4	0.83	<5	225	<5	1.26	<1	5	18	37	0.86	<10	0.19	3408	<1	0.02	16	1030	26	<5	<20	113	0.03	<10	18	<10	<1	65
13	L38+75 N 13+00 E A	<5	0.2	0.47	<5	135	<5	1.27	<1	4	13	159	0.63	<10	0.17	1021	3	0.02	12	1320	28	5	<20	159	0.03	<10	13	<10	<1	54
14	L38+75 N 14+00 E A	<5	<.2	0.39	<5	130	<5	0.75	<1	3	4	101	0.45	<10	0.10	618	2	0.02	8	1340	24	<5	<20	73	0.01	<10	8	<10	<1	39
15	L38+75 N 15+00 E A	<5	<.2	0.41	<5	185	<5	0.55	<1	2	6	85	0.51	<10	0.12	771	2	0.02	10	970	16	<5	<20	46	0.03	<10	11	<10	<1	41
16	L38+75 N 16+00 E A	<5	0.6	0.25	<5	355	<5	0.63	<1	2	5	92	0.34	<10	0.09	3631	4	0.02	5	1750	20	<5	<20	48	0.01	<10	7	<10	<1	43
17	L38+75 N 17+00 E A	<5	0.6	0.26	<5	175	<5	0.71	<1	1	5	153	0.34	<10	0.11	3311	4	0.02	5	1430	22	<5	<20	46	0.02	<10	7	<10	<1	46
18	L38+75 N 18+50 E A	<5	0.4	0.28	<5	145	<5	0.80	<1	2	6	135	0.43	<10	0.09	1970	3	0.02	6	1360	24	<5	<20	55	0.02	<10	9	<10	<1	38
19	L38+75 N 20+00 E A	<5	<.2	0.98	<5	160	<5	0.63	<1	7	22	48	1.86	<10	0.24	1154	1	0.02	17	850	10	<5	<20	64	0.07	<10	52	<10	<1	34
20	L38+75 N 21+00 E A	<5	<.2	0.27	<5	130	<5	1.78	<1	<1	3	28	0.22	<10	0.19	190	4	<.01	7	1140	14	5	<20	146	<.01	<10	11	<10	1	43
21	L38+75 N 23+00 E A	<5	<.2	0.08	<5	145	<5	1.47	<1	<1	3	186	0.16	<10	0.10	465	4	0.02	3	1000	10	<5	<20	65	<.01	<10	3	<10	<1	35
22	L38+75 N 24+00 E A	<5	<.2	1.37	<5	250	<5	1.60	<1	7	30	85	2.00	30	0.42	987	1	0.02	26	1020	8	<5	<20	134	0.06	<10	60	<10	24	37
23	L38+75 N 25+00 E A	<5	<.2	0.76	<5	215	<5	0.53	<1	5	17	134	1.32	<10	0.14	1047	4	0.02	11	820	20	<5	<20	51	0.05	<10	30	<10	<1	48
24	L38+75 N 26+00 E A	<5	0.4	1.49	<5	450	<5	1.00	<1	14	23	112	1.77	20	0.26	4598	7	0.01	28	1550	16	<5	<20	129	0.06	<10	50	<10	10	40
25	L38+75 N 27+00 E A	<5	<.2	1.97	<5	250	<5	2.22	<1	7	39	64	2.79	50	0.60	442	<1	0.03	33	1100	4	<5	<20	172	0.07	<10	64	<10	32	34

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-484

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L38+75 N 28+00 E A	3575	<5	<.2	0.62	<5	190	<5	0.73	<1	4	17	79	1.19	<10	0.17	279	2	0.03	11	740	12	<5	<20	60	0.05	<10	26	<10	<1	66
27	L38+75 N 29+00 E A		<5	0.4	0.33	<5	190	<5	1.22	<1	3	7	69	0.47	<10	0.13	772	3	0.02	8	980	10	<5	<20	83	0.01	<10	11	<10	<1	60
28	L38+75 N 30+00 E A		<5	<.2	0.59	<5	200	<5	0.83	<1	6	16	65	1.13	<10	0.13	1903	4	0.01	11	1140	12	<5	<20	72	0.04	<10	25	<10	<1	68
29	L38+75 N 3+00 W A		<5	0.2	0.60	<5	240	<5	1.22	<1	2	10	151	0.62	<10	0.13	1261	2	0.02	10	1170	26	<5	<20	128	0.03	<10	12	<10	<1	61
30	L38+75 N 4+00 W A		<5	0.4	0.73	<5	205	<5	1.39	<1	4	8	91	0.66	<10	0.18	2271	2	0.02	9	1260	26	<5	<20	148	0.02	<10	14	<10	<1	51
31	L38+75 N 5+00 W A		<5	0.2	0.37	<5	80	<5	0.40	<1	1	6	96	0.40	<10	0.08	730	2	0.02	5	1560	20	<5	<20	30	0.02	<10	8	<10	<1	46
32	L38+75 N 6+00 W A		<5	<.2	0.46	<5	140	<5	0.82	<1	2	7	52	0.52	<10	0.08	1027	<1	0.01	7	1180	26	<5	<20	78	0.02	<10	10	<10	<1	50
33	L4000 N 3+50 E A	4000	<5	<.2	0.39	<5	115	<5	0.65	<1	1	4	50	0.37	<10	0.08	355	<1	0.03	6	1430	18	<5	<20	59	0.02	<10	7	<10	<1	50
34	L4000 N 4+00 E A		<5	<.2	1.44	<5	205	<5	1.05	<1	7	12	69	1.29	<10	0.20	1181	1	0.02	23	1640	18	<5	<20	121	0.05	<10	25	<10	<1	51
35	L4000 N 5+00 E A		<5	0.4	0.52	<5	195	<5	0.92	<1	3	6	77	0.46	<10	0.14	2034	2	<.01	8	1480	26	<5	<20	105	0.01	<10	9	<10	<1	29
36	L4000 N 6+00 E A		<5	<.2	0.37	<5	95	<5	0.84	<1	1	4	46	0.28	<10	0.12	767	<1	0.01	5	1320	14	<5	<20	78	0.01	<10	6	<10	<1	37
37	L4000 N 7+00 E A		<5	<.2	1.46	5	400	<5	1.10	<1	7	17	66	1.50	<10	0.32	746	<1	0.03	27	1010	20	<5	<20	186	0.08	<10	30	<10	<1	38
38	L4000 N 8+00 E A		<5	<.2	0.86	<5	90	<5	0.64	<1	3	9	31	0.71	<10	0.11	347	<1	0.02	11	1330	16	<5	<20	42	0.03	<10	15	<10	<1	45
39	L4000 N 9+00 E A		<5	<.2	0.56	<5	60	<5	0.67	<1	2	6	52	0.41	<10	0.09	229	<1	0.02	9	1130	16	<5	<20	44	0.02	<10	9	<10	<1	41
40	L4000 N 10+00 E A		<5	<.2	1.14	<5	215	<5	0.95	<1	5	12	75	1.00	<10	0.17	1617	<1	0.02	16	1300	22	<5	<20	120	0.05	<10	20	<10	<1	40
41	L4000 N 11+00 E A		<5	0.4	0.38	5	175	<5	1.47	<1	1	4	90	0.26	<10	0.19	1891	2	0.03	7	1320	30	5	<20	201	0.01	<10	6	<10	<1	41
42	L4000 N 12+00 E A		<5	<.2	0.65	<5	115	<5	0.59	<1	3	7	100	0.65	<10	0.10	1075	2	0.04	11	1450	22	<5	<20	45	0.03	<10	12	<10	<1	44
43	L4000 N 13+00 E A		<5	<.2	0.30	<5	80	<5	1.52	<1	2	5	24	0.31	<10	0.32	1200	<1	0.04	9	1870	20	10	<20	152	0.01	<10	45	<10	<1	26
44	L4000 N 14+00 E A		<5	<.2	0.42	<5	125	<5	1.16	<1	3	8	64	0.41	<10	0.15	1909	2	0.01	8	1400	20	<5	<20	106	0.02	<10	9	<10	<1	52
45	L4000 N 15+00 E A		<5	<.2	0.21	<5	115	<5	0.70	<1	2	3	73	0.25	<10	0.10	699	3	0.02	4	1260	14	<5	<20	62	0.01	<10	4	<10	<1	26
46	L4000 N 16+00 E A		<5	<.2	0.17	<5	270	<5	1.37	<1	1	2	66	0.18	<10	0.16	1493	2	0.02	5	1460	14	<5	<20	144	<.01	<10	4	<10	<1	24
47	L4000 N 41+00 E A		<5	<.2	0.22	<5	70	<5	0.83	<1	1	5	116	0.39	<10	0.09	143	3	0.01	4	1180	14	<5	<20	33	0.01	<10	10	<10	<1	50
48	L4000 N 42+00 E A		<5	<.2	0.49	<5	155	<5	2.93	<1	1	7	105	0.59	20	0.43	452	2	0.02	14	1130	8	10	<20	213	0.01	<10	23	<10	21	32
49	L4000 N 43+00 E A		<5	<.2	0.46	<5	150	<5	1.69	<1	4	17	117	1.45	<10	0.23	646	2	0.02	11	960	6	<5	<20	55	0.05	<10	60	<10	3	58
50	L4000 N 44+00 E A		<5	<.2	1.11	<5	170	<5	3.13	1	6	13	193	1.53	30	0.33	2717	3	0.02	13	880	12	<5	<20	68	0.05	<10	53	<10	31	78
51	L4000 N 45+00 E A		<5	<.2	0.48	<5	225	<5	3.28	<1	1	5	150	0.53	20	0.16	1007	3	0.02	8	1070	14	<5	<20	75	0.02	<10	38	<10	17	47
52	L4000 N 46+00 E A		<5	<.2	0.32	<5	130	<5	1.49	<1	2	6	201	0.52	<10	0.11	696	6	0.02	4	1040	18	<5	<20	52	0.02	<10	25	<10	4	63
53	L4000 N 47+00 E A		<5	0.8	0.34	<5	140	<5	1.30	<1	3	8	102	0.70	<10	0.13	1459	7	0.01	6	1120	12	<5	<20	31	0.03	<10	19	<10	<1	75
54	L4000 N 48+00 E A		<5	0.6	2.02	<5	315	<5	1.26	<1	7	19	183	1.95	50	0.49	3559	3	0.01	22	1250	16	<5	<20	103	0.04	<10	36	<10	27	53
55	L4000 N 50+00 E A		<5	0.4	1.25	<5	315	<5	0.92	<1	10	13	215	1.83	<10	0.43	5078	1	0.02	14	1030	16	<5	<20	29	0.14	<10	51	<10	<1	210
56	L4000 N 53+00 E A		<5	<.2	0.19	<5	155	<5	1.23	<1	1	5	278	0.37	<10	0.11	1044	6	0.02	4	1360	16	<5	<20	44	0.01	<10	9	<10	<1	48
57	L4250 N 5+00 E A	4250	<5	<.2	0.55	<5	135	<5	0.65	<1	2	8	72	0.52	<10	0.10	532	2	0.02	9	1330	20	<5	<20	60	0.02	<10	11	<10	<1	36
58	L4250 N 6+00 E A		<5	<.2	0.55	<5	180	<5	0.67	<1	2	6	58	0.46	<10	0.12	1426	1	0.02	10	1550	22	<5	<20	76	0.02	<10	10	<10	<1	43
59	L4250 N 7+00 E A		<5	<.2	0.40	<5	130	<5	0.84	<1	2	6	106	0.41	<10	0.10	617	2	0.02	8	1650	28	<5	<20	84	0.02	<10	8	<10	<1	37
60	L4250 N 8+00 E A		<5	<.2	0.94	<5	225	<5	0.99	<1	5	12	69	1.11	<10	0.19	1507	1	0.01	19	1170	20	<5	<20	179	0.04	<10	21	<10	<1	37

only B 3100

only B 4900

only B 5100 5200

only B 5400

07/04/96 10:23 ☎604 573 4557 ECO-TECH K.M. GETTY SITE 002

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-484

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L4250 N 9+00 E A	<5	<.2	0.40	<5	115	<5	0.53	<1	1	5	141	0.40	<10	0.08	1283	3	0.03	6	1530	26	<5	<20	40	0.01	<10	7	<10	<1	31
62	L4250 N 10+00 E A	<5	0.2	0.48	<5	145	<5	0.57	<1	4	7	104	0.57	<10	0.12	2140	2	0.03	13	1540	34	<5	<20	39	0.02	<10	11	<10	<1	41
63	L4250 N 11+00 E A	<5	<.2	1.37	<5	245	<5	0.83	<1	7	16	75	1.52	<10	0.26	1994	2	0.03	25	1650	18	<5	<20	95	0.07	<10	30	<10	<1	53
64	L4250 N 12+00 E A	<5	<.2	0.32	<5	130	<5	0.41	<1	2	4	79	0.40	<10	0.09	680	2	0.02	7	1470	28	<5	<20	46	0.01	<10	7	<10	<1	38
65	L4250 N 13+00 E A	<5	<.2	0.35	<5	85	<5	0.52	<1	2	3	116	0.31	<10	0.08	1434	2	0.03	7	1990	30	<5	<20	26	<.01	<10	6	<10	<1	61
66	L4250 N 14+00 E A	<5	<.2	2.55	<5	175	<5	0.36	<1	13	42	27	2.30	<10	0.24	2203	<1	0.02	39	1460	8	<5	<20	34	0.10	<10	49	<10	1	118
67	L4250 N 15+00 E A	<5	0.6	0.69	<5	225	<5	1.55	<1	3	7	44	0.64	<10	0.17	3859	<1	0.01	11	970	26	5	<20	161	0.03	<10	11	<10	<1	76
68	L4250 N 16+00 E A	<5	0.6	0.63	<5	200	<5	1.10	<1	4	10	102	0.73	<10	0.17	5227	3	0.03	12	1390	28	<5	<20	106	0.03	<10	15	<10	<1	74
69	L4250 N 17+00 E A	<5	0.4	0.62	<5	325	<5	0.98	<1	2	5	77	0.72	<10	0.12	2429	4	0.02	6	1110	24	<5	<20	124	0.03	<10	11	<10	<1	39
70	L4250 N 18+00 E A	<5	0.6	0.53	<5	340	<5	0.53	<1	5	9	22	0.81	<10	0.08	6158	3	0.02	8	1220	14	<5	<20	64	0.03	<10	16	<10	<1	68
71	L4250 N 19+00 E A	<5	<.2	0.61	<5	430	<5	0.92	<1	3	6	64	0.96	<10	0.14	2051	2	0.02	9	1230	18	<5	<20	103	0.03	<10	17	<10	<1	58
72	L4250 N 20+00 E A	<5	<.2	0.30	<5	95	<5	0.59	<1	2	4	102	0.39	<10	0.08	701	3	0.01	6	1190	26	<5	<20	48	0.01	<10	7	<10	<1	37
73	L4250 N 21+00 E A	<5	<.2	0.51	<5	175	<5	0.56	<1	4	9	61	0.90	<10	0.12	303	2	0.02	9	1090	18	<5	<20	70	0.04	<10	19	<10	2	51
74	L4250 N 22+00 E A	<5	<.2	0.29	<5	115	<5	0.99	<1	1	4	115	0.33	<10	0.11	1613	3	0.03	6	1460	24	<5	<20	81	<.01	<10	6	<10	<1	33
75	L4250 N- 24+00 E A	<5	<.2	0.83	<5	290	<5	2.04	<1	3	14	43	1.11	20	0.36	1549	<1	0.04	20	1080	14	<5	<20	163	0.03	<10	36	<10	13	60
76	L4250 N- 25+00 E A	<5	<.2	0.26	<5	145	<5	0.76	<1	2	6	115	0.47	<10	0.10	798	3	0.02	6	980	22	<5	<20	49	0.02	<10	12	<10	<1	55
77	L4250 N- 26+00 E A	<5	<.2	1.65	<5	395	<5	2.03	<1	4	25	136	1.82	70	0.50	2121	2	0.02	46	1520	14	<5	<20	211	0.04	<10	47	<10	35	50
78	L4250 N- 27+00 E A	<5	<.2	1.91	<5	280	<5	1.74	<1	7	29	99	2.44	60	0.50	1250	2	0.02	38	1320	6	<5	<20	158	0.04	<10	62	<10	32	30
79	L4250 N- 28+00 E A	<5	<.2	0.44	<5	175	<5	1.15	<1	3	11	52	0.86	<10	0.19	528	2	0.02	8	820	14	<5	<20	70	0.03	<10	21	<10	<1	48
80	L4250 N- 29+00 E A	<5	<.2	1.10	<5	310	<5	1.81	<1	9	23	45	2.02	<10	0.36	1158	<1	0.02	20	770	14	<5	<20	128	0.06	<10	60	<10	5	70
81	L4250 N- 30+00 E A	<5	<.2	1.59	<5	285	<5	1.90	<1	20	33	65	2.91	20	0.59	3850	<1	0.03	39	1300	6	<5	<20	157	0.08	<10	65	<10	22	47
82	L4250 N- 31+00 E A	<5	<.2	0.99	<5	210	<5	1.60	<1	10	23	52	2.20	<10	0.45	880	1	0.03	22	1370	6	<5	<20	126	0.05	<10	54	<10	4	48
83	L4250 N- 32+00 E A	<5	<.2	0.46	<5	250	<5	1.98	<1	4	12	127	0.92	<10	0.27	921	3	0.02	13	1090	10	5	<20	129	0.03	<10	30	<10	2	62
84	L4250 N- 34+00 E A	<5	<.2	1.47	<5	165	<5	0.57	<1	12	38	53	2.75	<10	0.28	493	<1	0.03	23	1130	8	<5	<20	49	0.12	<10	70	<10	2	53
85	L4250 N- 35+00 E A	<5	<.2	1.17	<5	170	<5	1.03	<1	9	30	36	2.39	<10	0.34	249	<1	0.04	20	540	4	<5	<20	70	0.09	<10	65	<10	4	41
86	L4250 N- 37+00 E A	<5	<.2	1.28	<5	170	<5	1.52	<1	7	26	72	2.14	20	0.35	432	<1	0.03	24	720	6	<5	<20	92	0.06	<10	65	<10	13	46
87	L4250 N- 38+00 E A	<5	<.2	0.25	<5	115	<5	1.07	<1	1	4	19	0.41	<10	0.10	89	5	0.02	5	780	10	<5	<20	47	0.01	<10	10	<10	<1	37
88	L4250 N- 39+00 E A	<5	<.2	0.15	<5	70	<5	1.30	<1	<1	2	28	0.20	<10	0.12	35	2	0.03	4	840	10	<5	<20	47	<.01	<10	17	<10	4	44
89	L4250 N- 40+00 E A	<5	<.2	0.23	<5	90	<5	2.22	<1	1	4	189	0.39	<10	0.25	349	3	0.02	8	1200	8	5	<20	76	<.01	<10	18	<10	5	27
90	L4250 N- 41+00 E A	<5	<.2	0.96	<5	140	<5	1.25	<1	11	24	80	1.99	10	0.28	1363	2	0.03	16	620	6	<5	<20	57	0.05	<10	63	<10	6	40
91	L4250 N- 42+00 E A	<5	<.2	0.28	<5	105	<5	2.17	<1	1	4	82	0.40	<10	0.21	257	2	0.03	4	700	8	5	<20	69	<.01	<10	16	<10	<1	32
92	L4250 N- 43+00 E A	<5	<.2	1.11	<5	110	<5	1.11	<1	6	18	53	1.80	<10	0.20	260	1	0.03	11	680	8	<5	<20	39	0.06	<10	54	<10	3	24
93	L4250 N- 44+00 E A	<5	<.2	1.25	<5	185	<5	2.58	<1	7	18	110	1.71	<10	0.35	978	1	0.03	13	750	8	<5	<20	117	0.06	<10	53	<10	8	59
94	L4250 N- 45+00 E A	<5	<.2	0.86	<5	115	<5	0.63	<1	8	19	39	1.95	<10	0.25	935	3	0.01	13	950	10	<5	<20	32	0.05	<10	63	<10	<1	76
95	L4250 N- 46+00 E A	<5	<.2	1.16	<5	105	<5	1.51	<1	8	24	79	2.57	<10	0.40	351	1	0.02	16	540	6	<5	<20	72	0.07	<10	82	<10	4	45

07/04/96 10:24 ☎604 573 4557 ECO-TECH KAM. ... GETTY SITE ☎003

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-484

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L4250 N- 47+00 E A	4250 ↓ <5	<.2	0.15	<5	90	<5	4.51	<1	<1	3	38	0.19	<10	0.20	338	2	0.04	4	700	8	10	<20	80	<.01	<10	44	<10	4	39
97	L4250 N- 48+00 E A	<5	0.4	0.33	<5	100	<5	3.47	1	1	4	177	0.38	40	0.18	554	2	0.05	9	1160	18	<5	<20	69	<.01	<10	83	<10	42	37
98	L4250 N- 49+00 E A	<5	<.2	0.28	<5	100	<5	0.76	<1	2	7	87	0.60	<10	0.08	330	3	0.02	5	850	10	<5	<20	37	0.02	<10	19	<10	<1	50
99	L45+50 N- 4+00 E A	4550 ↓ <5	<.2	0.93	<5	145	<5	0.68	<1	5	14	86	1.00	<10	0.17	674	1	0.02	14	1310	18	<5	<20	60	0.04	<10	22	<10	<1	54
100	L45+50 N- 5+00 E A	<5	<.2	0.55	<5	80	<5	0.69	<1	2	6	60	0.48	<10	0.09	502	<1	0.01	8	1240	18	<5	<20	45	0.02	<10	10	<10	<1	42
101	L45+50 N- 6+00 E A	<5	<.2	0.67	<5	160	<5	0.68	<1	3	10	114	0.68	<10	0.12	1997	2	0.03	10	1480	18	<5	<20	56	0.03	<10	14	<10	<1	41
102	L45+50 N- 7+00 E A	<5	<.2	0.90	<5	155	<5	0.52	<1	5	12	122	0.94	<10	0.14	1791	3	0.02	14	1540	28	<5	<20	46	0.03	<10	19	<10	<1	37
103	L45+50 N- 8+00 E A	<5	<.2	1.70	<5	260	<5	0.54	<1	7	19	28	1.79	<10	0.20	898	<1	0.01	24	730	12	<5	<20	84	0.08	<10	39	<10	<1	41
104	L45+50 N- 9+00 E A	<5	<.2	0.41	<5	215	<5	1.05	<1	3	8	51	0.46	<10	0.22	794	<1	0.01	13	1260	22	<5	<20	180	0.02	<10	10	<10	<1	19
105	L45+50 N- 10+00 E A	<5	<.2	0.52	<5	130	<5	0.50	<1	3	7	49	0.59	<10	0.08	453	<1	0.04	9	1270	22	<5	<20	40	0.03	<10	11	<10	<1	64
106	L45+50 N- 11+00 E A	<5	<.2	0.92	<5	290	<5	0.80	1	4	10	72	1.02	<10	0.15	1058	1	0.02	15	1000	26	<5	<20	95	0.05	<10	20	<10	<1	35
107	L45+50 N- 12+00 E A	<5	<.2	0.46	<5	115	<5	0.51	<1	2	6	93	0.46	<10	0.06	863	1	0.02	7	1310	24	<5	<20	32	0.01	<10	10	<10	<1	44
108	L45+50 N- 13+00 E A	<5	<.2	0.63	<5	115	<5	0.72	<1	4	7	61	0.56	<10	0.11	1551	<1	0.02	13	1220	24	<5	<20	50	0.02	<10	10	<10	<1	43
109	L45+50 N- 14+00 E A	<5	<.2	0.64	<5	95	<5	0.76	<1	4	7	37	0.58	<10	0.12	565	<1	0.02	15	1420	16	<5	<20	79	0.02	<10	8	<10	<1	35
110	L45+50 N- 15+00 E A	<5	<.2	0.36	<5	195	<5	0.94	<1	1	4	131	0.37	<10	0.13	1729	4	0.02	6	1380	26	<5	<20	120	0.02	<10	6	<10	<1	41
111	L45+50 N- 16+00 E A	<5	<.2	0.58	<5	325	<5	1.68	1	3	9	46	0.66	<10	0.19	2103	2	0.02	10	930	14	<5	<20	212	0.02	<10	13	<10	<1	58
112	L45+50 N- 17+00 E A	<5	0.6	0.52	<5	470	<5	2.07	1	2	7	101	0.50	<10	0.19	5176	4	0.03	7	1240	28	<5	<20	210	0.02	<10	10	<10	3	84
113	L45+50 N- 18+00 E A	<5	<.2	1.13	<5	200	<5	0.65	<1	7	15	84	1.29	<10	0.13	2972	2	0.02	18	1670	20	<5	<20	75	0.06	<10	24	<10	<1	86
114	L45+50 N- 19+00 E A	<5	0.2	0.52	<5	280	<5	0.72	<1	2	7	127	0.64	<10	0.12	3235	5	0.02	7	960	28	<5	<20	72	0.03	<10	12	<10	<1	55
115	L45+50 N- 20+00 E A	<5	<.2	0.92	<5	195	<5	0.64	<1	5	9	41	0.99	<10	0.13	2463	2	0.02	10	1250	16	<5	<20	95	0.05	<10	16	<10	<1	85
116	L45+50 N- 21+00 E A	<5	0.6	0.70	<5	270	<5	0.87	<1	4	16	46	0.71	<10	0.10	4587	2	0.02	11	1150	12	<5	<20	83	0.03	<10	15	<10	<1	57
117	L45+50 N- 22+00 E A	<5	<.2	1.43	<5	310	<5	0.74	<1	9	21	43	1.93	<10	0.22	2317	<1	0.05	21	1180	10	<5	<20	90	0.09	<10	42	<10	<1	71
118	L45+50 N- 23+00 E A	<5	<.2	0.70	<5	160	<5	0.44	<1	5	18	22	1.55	<10	0.11	580	<1	0.01	12	560	8	<5	<20	43	0.07	<10	42	<10	<1	44
119	L45+50 N- 24+00 E A	<5	<.2	0.50	<5	170	<5	0.49	<1	5	10	76	0.80	<10	0.11	2513	4	0.03	9	1090	22	<5	<20	40	0.03	<10	21	<10	<1	50
120	L45+50 N- 25+00 E A	<5	<.2	0.35	<5	155	<5	0.95	<1	2	7	46	0.69	<10	0.10	500	4	0.03	5	1090	14	<5	<20	83	0.02	<10	16	<10	<1	31
121	L45+50 N- 26+00 E A	<5	<.2	0.34	<5	175	<5	0.67	<1	2	4	115	0.42	<10	0.07	1535	2	0.02	4	1600	22	<5	<20	43	0.01	<10	7	<10	<1	51
122	L45+50 N- 27+00 E A	<5	<.2	0.09	<5	90	<5	1.06	<1	<1	1	21	0.13	<10	0.16	67	2	0.02	5	890	8	<5	<20	98	<.01	<10	3	<10	<1	11
123	L45+50 N- 28+00 E A	<5	<.2	0.37	<5	210	<5	2.03	<1	<1	4	23	0.48	10	0.18	94	2	0.02	10	840	6	<5	<20	197	0.01	<10	43	<10	15	11
124	L45+50 N- 29+00 E A	<5	<.2	1.39	<5	315	<5	2.40	<1	4	20	60	1.96	40	0.61	679	<1	0.02	29	1140	4	<5	<20	256	0.04	<10	56	<10	49	27
125	L45+00 N- 31+00 E A	<5	0.2	0.34	<5	225	<5	0.81	<1	2	5	174	0.45	<10	0.19	1856	4	0.10	6	1050	22	<5	<20	67	0.02	<10	11	<10	<1	43
126	L45+50 N- 32+00 E A	<5	0.6	0.48	<5	270	<5	0.62	<1	3	9	128	0.67	<10	0.11	2767	3	0.03	9	1950	22	<5	<20	54	0.04	<10	14	<10	<1	105
127	L45+50 N- 33+00 E A	<5	<.2	0.31	<5	180	<5	0.66	<1	2	5	46	0.44	<10	0.08	1091	2	0.03	6	1450	12	<5	<20	54	0.01	<10	10	<10	<1	27
128	L45+50 N- 34+00 E A	<5	<.2	0.07	<5	35	<5	0.69	<1	<1	2	69	0.12	<10	0.09	81	1	0.03	2	940	14	<5	<20	36	<.01	<10	2	<10	<1	27
129	L45+50 N- 35+00 E A	<5	<.2	0.76	<5	115	<5	0.56	<1	6	15	17	1.44	<10	0.12	1487	2	0.01	10	750	6	<5	<20	36	0.06	<10	40	<10	<1	51
130	L45+50 N- 37+00 E A	<5	<.2	0.42	<5	165	<5	1.36	<1	5	7	12	0.65	<10	0.18	371	2	0.02	7	1060	8	<5	<20	83	0.02	<10	17	<10	<1	36

only B 3000

only B 3600

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-484

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	L45+50 N- 38+00 E A	4550 <5	0.2	0.58	<5	110	<5	0.70	<1	4	9	114	0.79	<10	0.08	2081	2	0.02	7	1230	18	<5	<20	41	0.03	<10	20	<10	<1	67
132	L45+50 N- 39+00 E A	<5	<.2	0.29	<5	150	<5	1.29	<1	1	6	31	0.44	<10	0.09	868	<1	0.01	5	990	8	<5	<20	71	0.02	<10	12	<10	<1	54
133	L45+50 N- 40+00 E A	<5	<.2	0.18	<5	305	<5	2.04	<1	<1	4	105	0.22	<10	0.14	2719	2	0.01	5	1330	12	5	<20	85	<.01	<10	6	<10	<1	96
134	L45+50 N- 41+00 E A	<5	<.2	0.64	<5	180	<5	1.24	<1	4	11	118	1.05	10	0.15	1193	3	0.01	12	920	18	<5	<20	70	0.03	<10	29	<10	7	49
135	L45+50 N- 42+00 E A	<5	<.2	0.21	<5	110	<5	1.47	<1	<1	4	78	0.34	<10	0.13	685	3	0.02	6	950	12	<5	<20	46	<.01	<10	15	<10	2	31
136	L45+50 N- 43+00 E A	<5	<.2	0.27	<5	65	<5	2.64	<1	1	5	177	0.41	<10	0.21	202	3	0.03	7	1250	6	<5	<20	56	0.01	<10	36	<10	6	26
137	L45+50 N- 44+00 E A	<5	<.2	0.53	<5	90	<5	2.48	<1	2	7	115	0.74	20	0.17	336	1	0.02	9	680	8	<5	<20	61	0.02	<10	76	<10	14	20
138	L45+50 N- 45+00 E A	<5	<.2	0.52	<5	110	<5	4.44	<1	3	6	144	0.64	10	0.25	296	1	0.03	7	730	8	5	<20	102	0.02	<10	61	<10	10	41
139	L45+50 N- 46+00 E A	<5	0.6	0.52	<5	130	<5	3.69	<1	2	8	159	0.62	40	0.25	733	2	0.03	13	930	6	<5	<20	113	0.02	<10	61	<10	32	45
140	L38+75 N- 1+00 E B	385 -	<.2	1.87	<5	165	5	0.42	<1	12	36	20	2.51	<10	0.32	360	<1	0.03	26	500	6	<5	<20	49	0.17	<10	64	<10	3	43
141	L38+75 N- 2+00 E B	-	<.2	2.62	<5	185	<5	0.39	<1	17	48	25	3.14	<10	0.37	539	<1	0.02	39	810	6	<5	<20	55	0.21	<10	77	<10	3	52
142	L38+75 N- 3+00 E B	-	<.2	3.75	5	210	5	0.20	<1	17	52	23	3.44	<10	0.37	236	<1	0.02	46	790	8	<5	20	36	0.21	<10	73	<10	<1	63
143	L38+75 N- 4+00 E B	-	<.2	3.56	<5	1070	5	0.22	<1	10	36	20	3.11	<10	0.38	344	<1	0.02	53	1470	6	<5	<20	35	0.15	<10	61	<10	<1	76
144	L38+75 N- 5+00 E B	-	<.2	3.81	<5	175	10	0.27	<1	19	43	27	3.57	<10	0.41	322	<1	0.03	49	1050	6	<5	20	36	0.19	<10	69	<10	<1	61
145	L38+75 N- 6+00 E B	-	<.2	3.76	<5	240	5	0.35	<1	17	41	24	3.29	<10	0.37	412	<1	0.03	47	950	6	<5	<20	57	0.19	<10	69	<10	1	53
146	L38+75 N- 7+00 E B	-	<.2	3.61	<5	215	<5	0.26	<1	16	39	22	3.19	<10	0.34	340	<1	0.02	44	830	8	<5	<20	41	0.19	<10	65	<10	<1	49
147	L38+75 N- 8+00 E B	-	<.2	3.25	5	120	10	0.16	<1	10	24	13	2.45	<10	0.24	125	<1	0.02	34	1110	10	<5	<20	28	0.15	<10	49	<10	1	50
148	L38+75 N- 9+00 E B	-	<.2	2.47	<5	230	5	0.39	<1	15	28	17	2.74	<10	0.28	897	<1	0.02	42	1470	8	<5	<20	56	0.18	<10	50	<10	<1	59
149	L38+75 N- 10+00 E B	-	<.2	3.30	<5	170	10	0.20	<1	14	27	17	2.79	<10	0.24	468	<1	0.02	39	1120	8	<5	<20	33	0.16	<10	49	<10	<1	57
150	L38+75 N- 11+00 E B	-	<.2	3.51	5	175	5	0.23	<1	16	32	22	3.00	<10	0.31	383	<1	0.03	46	1370	8	<5	<20	32	0.18	<10	57	<10	<1	57
151	L38+75 N- 12+00 E B	-	<.2	3.49	10	130	<5	0.17	<1	15	36	20	2.92	<10	0.30	435	<1	0.02	44	1580	6	<5	<20	21	0.17	<10	57	<10	<1	66
152	L38+75 N- 13+00 E B	-	<.2	2.83	<5	210	10	0.43	<1	17	68	20	3.19	<10	0.44	526	<1	0.02	52	680	4	<5	<20	102	0.20	<10	59	<10	<1	61
153	L38+75 N- 14+00 E B	-	<.2	3.83	<5	325	10	0.36	<1	16	30	24	3.75	<10	0.45	433	<1	0.03	43	1750	6	<5	20	55	0.19	<10	47	<10	<1	57
154	L38+75 N- 15+00 E B	-	<.2	1.93	<5	140	<5	0.20	<1	6	15	8	1.52	<10	0.19	136	<1	0.01	13	600	6	<5	<20	24	0.11	<10	29	<10	<1	31
155	L38+75 N- 16+00 E B	-	<.2	1.73	<5	130	<5	0.17	<1	14	18	60	2.61	<10	0.42	368	<1	<.01	11	950	8	<5	<20	16	0.12	<10	60	<10	<1	54
156	L38+75 N- 17+00 E B	-	<.2	2.22	<5	175	<5	0.37	<1	14	49	36	3.20	<10	0.36	347	<1	0.04	36	710	6	<5	<20	55	0.18	<10	59	<10	1	40
157	L38+75 N- 18+50 E B	-	<.2	1.88	<5	115	5	0.21	<1	11	29	10	2.47	<10	0.17	212	<1	0.02	18	720	6	<5	<20	25	0.15	<10	60	<10	<1	35
158	L38+75 N- 19+00 E B	-	<.2	1.55	<5	140	<5	0.47	<1	17	34	669	4.00	<10	0.54	413	2	0.02	20	690	4	<5	20	53	0.13	<10	87	<10	3	39
159	L38+75 N- 20+00 E B	-	<.2	1.75	<5	130	5	0.29	<1	10	31	26	2.65	<10	0.21	319	<1	0.02	22	910	4	<5	<20	30	0.12	<10	73	<10	<1	37
160	L38+75 N- 21+00 E B	-	<.2	1.85	<5	160	<5	0.46	<1	11	32	41	2.55	<10	0.35	235	<1	0.02	30	730	4	<5	<20	50	0.12	<10	59	<10	2	45
161	L38+75 N- 22+00 E B	-	<.2	1.82	<5	130	5	0.26	<1	12	37	13	2.62	<10	0.20	453	<1	0.01	25	1370	6	<5	<20	31	0.14	<10	59	<10	<1	46
162	L38+75 N- 23+00 E B	-	<.2	1.08	<5	90	<5	0.34	<1	12	34	16	2.31	<10	0.24	169	<1	0.02	16	140	4	<5	<20	42	0.15	<10	55	<10	2	24
163	L38+75 N- 24+00 E B	-	<.2	1.56	<5	195	<5	0.74	<1	16	41	31	2.76	10	0.37	1001	<1	0.03	20	340	4	<5	<20	73	0.14	<10	82	<10	13	31
164	L38+75 N- 25+00 E B	-	<.2	3.26	<5	190	5	0.35	<1	15	45	35	3.55	<10	0.35	168	<1	0.01	35	1610	8	<5	20	42	0.16	<10	72	<10	<1	49
165	L38+75 N- 26+00 E B	-	<.2	1.26	<5	140	<5	0.33	<1	8	31	19	2.23	<10	0.27	127	<1	0.02	16	310	4	<5	<20	40	0.14	<10	47	<10	1	26

B

BJH0R1ZON SL

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-484

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	L38+75 N- 27+00 E B	385	<.2	2.96	<5	295	<5	1.17	<1	16	68	89	4.67	30	0.70	789	<1	0.04	48	710	4	<5	20	103	0.16	<10	137	<10	19	48
167	L38+75 N- 28+00 E B	-	<.2	1.24	<5	145	5	0.42	<1	12	43	26	2.85	<10	0.33	177	<1	0.03	18	430	4	<5	<20	41	0.18	<10	74	<10	2	34
168	L38+75 N- 29+00 E B	-	<.2	2.27	<5	155	10	0.25	<1	13	41	22	3.27	<10	0.25	134	<1	0.01	26	2730	6	<5	<20	29	0.16	<10	79	<10	<1	46
169	L38+75 N- 30+00 E B	-	<.2	1.87	5	175	<5	0.32	<1	10	39	19	2.78	<10	0.25	144	<1	0.01	22	1930	6	<5	<20	37	0.14	<10	59	<10	<1	54
170	L38+75 N- 31+00 E B	-	<.2	1.34	<5	160	<5	0.46	<1	11	39	32	2.65	<10	0.34	347	<1	0.02	20	790	4	<5	<20	48	0.15	<10	71	<10	3	40
171	L38+75 N- 3+00 W B	-	<.2	3.63	5	90	5	0.17	<1	11	20	9	2.28	<10	0.16	170	<1	0.01	28	1870	10	<5	<20	18	0.17	<10	42	<10	3	60
172	L38+75 N- 4+00 W B	-	<.2	3.40	<5	490	<5	0.17	<1	12	43	40	3.12	10	0.21	135	<1	0.05	27	1080	8	<5	20	137	0.23	<10	63	<10	<1	35
173	L38+75 N- 5+00 W B	-	<.2	2.76	<5	140	5	0.21	<1	11	26	11	2.32	<10	0.17	777	<1	0.03	26	1780	6	<5	<20	27	0.15	<10	48	<10	1	64
174	L38+75 N- 6+00 W B	-	<.2	3.79	5	260	5	0.21	<1	15	39	22	3.22	<10	0.31	243	<1	0.04	47	1360	6	<5	<20	36	0.21	<10	63	<10	<1	64
175	L4000 N- 3+50 E B	4200	<.2	3.41	5	155	5	0.20	<1	15	33	20	3.04	<10	0.32	329	<1	0.02	40	1500	8	<5	<20	25	0.19	<10	61	<10	<1	66
176	L4000 N- 4+00 E B	-	<.2	3.49	<5	240	5	0.36	<1	23	26	35	3.39	<10	0.44	348	<1	0.03	68	770	6	<5	<20	48	0.21	<10	56	<10	1	51
177	L4000 N- 5+00 E B	-	<.2	3.64	<5	185	5	0.23	<1	16	37	19	3.16	<10	0.32	537	<1	0.02	42	1210	8	<5	20	34	0.20	<10	67	<10	1	64
178	L4000 N- 6+00 E B	-	<.2	3.77	10	240	10	0.24	<1	18	49	24	3.53	<10	0.36	605	<1	0.01	48	1230	8	<5	<20	34	0.22	<10	76	<10	2	65
179	L4000 N- 7+00 E B	-	<.2	4.41	<5	225	5	0.19	<1	18	42	32	3.62	<10	0.47	452	<1	0.01	53	1310	8	<5	<20	33	0.23	<10	72	<10	<1	63
180	L4000 N- 8+00 E B	-	<.2	4.17	5	185	5	0.20	<1	15	41	25	3.26	<10	0.37	403	<1	0.01	39	1180	8	<5	20	27	0.19	<10	67	<10	<1	52
181	L4000 N- 9+00 E B	-	<.2	3.94	10	165	5	0.27	3	15	37	23	3.07	<10	0.38	408	<1	0.03	41	970	12	<5	20	31	0.20	<10	61	<10	<1	63
182	L4000 N- 10+00 E B	-	<.2	3.65	<5	195	5	0.22	<1	17	37	22	3.14	<10	0.36	518	<1	0.01	50	1280	8	<5	<20	33	0.19	<10	63	<10	1	63
183	L4000 N- 11+00 E B	-	<.2	2.71	<5	145	10	0.24	<1	14	19	10	2.50	<10	0.22	228	<1	0.01	41	1130	10	<5	<20	34	0.18	<10	45	<10	<1	70
184	L4000 N- 12+00 E B	-	<.2	3.52	10	130	10	0.23	5	16	32	22	3.04	<10	0.33	475	<1	0.03	47	1330	14	<5	<20	29	0.16	<10	58	<10	<1	83
185	L4000 N- 13+00 E B	-	<.2	2.46	<5	105	<5	0.41	<1	19	43	32	2.79	<10	0.51	641	<1	0.02	44	430	6	<5	<20	57	0.19	<10	67	<10	6	40
186	L4000 N- 14+00 E B	-	<.2	3.50	<5	235	5	0.46	1	21	80	26	3.41	<10	0.57	849	<1	0.03	72	1020	6	<5	<20	86	0.16	<10	71	<10	<1	74
187	L4000 N- 15+00 E B	-	<.2	3.31	5	170	10	0.29	1	16	27	23	3.17	<10	0.45	190	<1	0.03	28	740	10	<5	20	48	0.24	<10	46	<10	<1	41
188	L4000 N- 16+00 E B	-	<.2	1.85	<5	275	<5	0.26	<1	8	9	14	1.89	<10	0.55	136	<1	0.02	8	230	4	<5	<20	45	0.18	<10	33	<10	<1	31
189	L40+00 N- 41+00 E B	-	<.2	0.99	<5	65	<5	0.14	<1	6	23	5	1.69	<10	0.10	128	<1	<.01	9	780	6	<5	<20	7	0.11	<10	49	<10	<1	46
190	L40+00 N- 42+00 E B	-	0.2	3.99	<5	235	<5	1.04	<1	16	51	132	5.32	<10	0.89	1226	<1	0.03	37	550	8	<5	<20	91	0.12	<10	93	<10	9	70
191	L40+00 N- 43+00 E B	-	<.2	1.63	<5	115	<5	0.77	<1	9	26	55	2.59	<10	0.27	275	<1	0.02	17	420	6	<5	<20	32	0.10	<10	68	<10	6	37
192	L40+00 N- 44+00 E B	-	<.2	2.57	<5	110	<5	0.80	<1	11	17	43	2.76	<10	0.47	292	<1	0.02	13	160	8	<5	<20	29	0.12	<10	62	<10	5	69
193	L40+00 N- 45+00 E B	-	<.2	2.06	<5	155	<5	0.62	<1	9	17	33	2.21	<10	0.25	346	<1	0.02	14	250	8	<5	<20	22	0.11	<10	53	<10	5	65
194	L40+00 N- 46+00 E B	-	<.2	1.53	<5	105	10	0.78	<1	11	24	38	3.26	<10	0.44	185	<1	0.02	14	200	4	<5	<20	31	0.15	<10	114	<10	4	61
195	L40+00 N- 47+00 E B	-	<.2	1.49	<5	90	10	0.61	<1	11	35	32	3.37	<10	0.30	177	<1	0.01	15	340	6	<5	<20	20	0.15	<10	95	<10	<1	49
196	L40+00 N- 48+00 E B	-	<.2	1.82	<5	110	<5	0.41	<1	10	31	34	3.02	<10	0.39	510	<1	0.01	17	300	6	<5	<20	27	0.14	<10	93	<10	2	54
197	L40+00 N- 49+00 E B	-	<.2	2.37	<5	195	5	0.40	<1	16	24	35	3.29	<10	0.55	1787	<1	0.01	18	470	8	<5	<20	25	0.25	<10	89	<10	<1	113
198	L40+00 N- 50+00 E B	-	<.2	3.17	<5	200	10	0.67	<1	24	25	85	4.58	<10	1.07	411	<1	0.02	26	730	8	<5	<20	24	0.39	<10	143	<10	1	127
199	L40+00 N- 51+00 E B	-	<.2	2.12	<5	100	<5	0.65	<1	10	21	70	2.89	<10	0.52	219	<1	0.02	14	290	10	<5	<20	30	0.06	<10	64	<10	<1	72
200	L40+00 N- 52+00 E B	-	<.2	1.84	<5	190	<5	0.42	<1	10	20	22	2.74	<10	0.38	1855	<1	<.01	13	540	8	<5	<20	17	0.11	<10	72	<10	<1	132

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-484

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	L40+00 N- 53+00 E B	-	<.2	2.13	<5	145	<5	0.27	<1	11	27	28	2.97	<10	0.38	399	<1	0.01	19	840	8	<5	<20	14	0.12	<10	79	<10	<1	84
202	L40+00 N- 54+00 E B	-	<.2	2.49	<5	235	5	0.33	<1	14	32	26	3.47	<10	0.43	1627	<1	<.01	21	370	6	<5	<20	23	0.12	<10	100	<10	<1	98
203	L4250 N- 5+00 E B	-	<.2	3.63	<5	195	5	0.23	2	17	50	26	3.53	<10	0.36	378	<1	0.02	45	1170	8	<5	<20	29	0.20	<10	75	<10	<1	59
204	L4250 N- 6+00 E B	-	< 2	3.92	<5	205	<5	0.24	<1	17	48	24	3.59	<10	0.44	668	<1	0.02	49	1000	10	<5	20	47	0.24	<10	73	<10	<1	72
205	L4250 N- 7+00 E B	-	<.2	3.00	<5	170	<5	0.37	<1	12	32	18	2.74	<10	0.27	219	<1	0.03	32	1110	8	<5	<20	56	0.17	<10	56	<10	1	54
206	L4250 N- 8+00 E B	-	<.2	3.16	<5	195	5	0.33	<1	16	30	36	3.06	<10	0.44	442	<1	0.03	48	1080	34	<5	<20	42	0.19	<10	62	<10	1	54
207	L4250 N- 9+00 E B	-	<.2	3.55	<5	190	10	0.28	<1	16	35	29	3.24	<10	0.43	426	<1	0.03	46	1420	8	<5	<20	39	0.19	<10	70	<10	<1	60
208	L4250 N- 10+00 E B	-	<.2	3.45	<5	230	10	0.29	1	16	35	21	3.02	<10	0.37	584	<1	0.03	52	1600	6	<5	<20	39	0.17	<10	59	<10	1	63
209	L4250 N- 11+00 E B	-	<.2	3.04	<5	140	5	0.19	<1	12	27	17	2.58	<10	0.25	342	<1	0.02	38	1490	6	<5	<20	24	0.14	<10	54	<10	1	57
210	L4250 N- 12+00 E B	-	<.2	4.25	5	150	5	0.14	<1	14	37	25	3.01	<10	0.34	213	<1	0.03	43	1280	10	<5	<20	21	0.18	<10	60	<10	2	49
211	L4250 N- 13+00 E B	-	<.2	2.82	5	120	<5	0.21	<1	15	49	25	2.72	<10	0.30	336	<1	0.02	47	1600	6	<5	<20	33	0.13	<10	36	<10	<1	71
212	L4250 N- 14+00 E B	-	<.2	3.92	5	210	5	0.30	<1	18	58	23	3.03	<10	0.44	746	<1	0.02	58	1680	8	<5	<20	31	0.14	<10	64	<10	2	73
213	L4250 N- 15+00 E B	-	< 2	3.32	<5	185	5	0.27	<1	13	23	28	2.82	<10	0.25	320	<1	0.02	34	730	8	<5	<20	37	0.17	<10	40	<10	1	51
214	L4250 N- 16+00 E B	-	< 2	3.35	<5	140	5	0.19	<1	15	38	20	3.00	<10	0.28	553	<1	0.04	42	1510	8	<5	<20	22	0.16	<10	60	<10	<1	65
215	L4250 N- 17+00 E B	-	<.2	2.13	<5	105	5	0.38	<1	13	6	15	2.92	<10	0.37	265	<1	0.02	9	620	8	<5	<20	61	0.18	<10	34	<10	3	42
216	L4250 N- 18+00 E B	-	<.2	2.49	<5	225	5	0.32	<1	12	31	15	2.55	<10	0.27	236	<1	0.02	33	3020	8	<5	<20	42	0.15	<10	42	<10	1	55
217	L4250 N- 19+00 E B	-	<.2	1.72	<5	95	<5	0.09	<1	8	16	4	2.12	<10	0.13	558	<1	0.01	12	2870	8	<5	<20	10	0.14	<10	38	<10	<1	52
218	L4250 N- 20+00 E B	-	<.2	1.94	<5	305	<5	0.15	<1	6	7	6	2.29	<10	0.19	120	<1	0.01	7	1920	8	<5	<20	25	0.10	<10	42	<10	<1	38
219	L4250 N- 21+00 E B	-	< 2	2.38	<5	250	<5	0.29	<1	8	24	11	2.23	<10	0.20	562	<1	0.02	25	2480	8	<5	<20	43	0.14	<10	43	<10	5	56
220	L4250 N- 22+00 E B	-	<.2	2 70	<5	125	<5	0 21	<1	10	25	8	2.47	<10	0.17	453	<1	0.02	29	1570	10	<5	<20	21	0 15	<10	48	<10	<1	53
221	L4250 N- 23+00 E B	-	< 2	1 64	<5	120	10	0.27	<1	11	55	17	3.09	<10	0.23	132	<1	0.02	20	220	4	<5	<20	35	0.18	<10	73	<10	<1	29
222	L4250 N- 24+00 E B	-	<.2	1.23	<5	85	5	0 29	<1	6	28	10	1.95	<10	0.21	96	<1	0.02	12	110	6	<5	<20	27	0.15	<10	43	<10	1	23
223	L4250 N- 25+00 E B	-	<.2	1 54	<5	120	10	0 29	<1	10	40	17	2.80	<10	0.23	218	<1	0.02	26	370	6	<5	<20	26	0.16	<10	76	<10	1	42
224	L4250 N- 26+00 E B	-	< 2	1 71	<5	150	<5	0 35	<1	8	31	22	2.17	<10	0.35	217	<1	0 02	16	230	6	<5	<20	39	0 16	<10	45	<10	2	36
225	L4250 N- 27+00 E B	-	< 2	3.15	<5	285	5	0 73	<1	15	62	57	4 64	20	0 59	1684	<1	0.02	35	690	8	<5	<20	74	0 17	<10	162	<10	10	52
226	L4250 N- 28+00 E B	-	< 2	1.41	<5	195	<5	0.45	<1	13	41	29	3.06	<10	0.44	212	<1	0.02	17	210	4	<5	<20	55	0.16	<10	80	<10	<1	39
227	L4250 N- 29+00 E B	-	< 2	1.27	<5	120	5	0 37	<1	8	36	15	2.56	<10	0.23	128	<1	0 02	16	260	4	<5	<20	29	0.12	<10	67	<10	2	33
228	L4250 N- 30+00 E B	-	< 2	2.12	5	265	<5	0 93	<1	18	46	58	3.74	10	0.63	942	<1	0.02	34	940	4	<5	<20	85	0.16	<10	95	<10	14	57
229	L4250 N- 31+00 E B	-	< 2	1 41	<5	185	<5	0 54	<1	14	44	31	2.94	<10	0.43	341	<1	0.02	23	800	4	<5	<20	43	0.16	<10	75	<10	3	53
230	L4250 N- 32+00 E B	-	<.2	1 29	<5	155	<5	0 47	<1	15	47	33	3.26	<10	0.47	304	<1	0.02	27	1020	2	<5	<20	40	0.15	<10	92	<10	2	43
231	L4250 N- 33+00 E B	-	<.2	2 32	<5	150	10	0.29	<1	14	44	17	3 12	<10	0.22	166	<1	0.01	29	2240	6	<5	<20	31	0.13	<10	76	<10	<1	39
232	L4250 N- 34+00 E B	-	<.2	2 23	<5	170	5	0 34	<1	15	47	23	3 25	<10	0.30	150	<1	0.01	30	1000	4	<5	<20	39	0.17	<10	74	<10	<1	40
233	L4250 N- 35+00 E B	-	<.2	1 56	<5	150	<5	0.55	<1	14	51	29	3 46	<10	0.38	273	<1	0 02	25	370	4	<5	<20	42	0.17	<10	99	<10	3	43
234	L4250 N- 36+00 E B	-	< 2	1 72	<5	145	<5	0.47	<1	11	41	27	2.91	<10	0.37	261	<1	0.02	22	570	4	<5	<20	42	0.16	<10	70	<10	2	44
235	L4250 N- 37+00 E B	-	< 2	1 59	<5	110	5	0 45	<1	10	49	21	3 34	<10	0.29	180	<1	0.02	20	220	4	<5	<20	35	0.15	<10	100	<10	1	41

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-484

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
236	L4250 N- 38+00 E B	4250	<.2	1.00	<5	70	10	0.41	<1	14	47	27	6.36	<10	0.30	181	1	0.01	21	110	<2	<5	20	18	0.13	<10	262	<10	<1	34
237	L4250 N- 39+00 E B		<.2	1.31	<5	95	<5	0.62	<1	15	40	54	3.82	<10	0.42	424	<1	0.02	21	200	4	<5	<20	33	0.13	<10	124	<10	6	49
238	L4250 N- 40+00 E B		<.2	1.75	<5	80	5	0.39	<1	7	23	24	2.04	<10	0.24	126	<1	0.02	13	370	8	<5	<20	21	0.12	<10	45	<10	2	42
239	L4250 N- 41+00 E B		<.2	1.39	<5	105	<5	0.55	<1	14	48	43	3.70	<10	0.39	240	<1	0.02	19	190	4	<5	<20	31	0.16	<10	117	<10	2	34
240	L4250 N- 42+00 E B		<.2	1.42	<5	85	5	0.39	<1	8	33	12	2.37	<10	0.18	95	<1	0.02	10	150	6	<5	<20	19	0.13	<10	62	<10	<1	23
241	L4250 N- 43+00 E B		<.2	2.27	<5	105	<5	0.47	<1	9	29	30	2.78	<10	0.21	183	<1	0.02	18	810	6	<5	<20	22	0.13	<10	64	<10	1	32
242	L4250 N- 44+00 E B		<.2	2.44	<5	95	<5	0.75	1	12	28	39	2.79	<10	0.30	189	<1	0.03	15	200	6	<5	<20	34	0.14	<10	55	<10	5	36
243	L4250 N- 45+00 E B		<.2	2.11	<5	150	<5	0.51	2	15	37	59	4.07	<10	0.67	421	<1	0.03	24	1710	6	<5	<20	35	0.12	<10	134	<10	<1	85
244	L4250 N- 46+00 E B		<.2	1.10	<5	80	<5	0.74	2	9	22	53	2.76	<10	0.35	228	<1	0.02	15	320	4	<5	<20	36	0.09	<10	93	<10	3	37
245	L4250 N- 47+00 E B		<.2	1.31	<5	90	<5	0.75	<1	13	35	47	3.75	<10	0.44	347	<1	0.02	17	120	2	<5	<20	27	0.15	<10	115	<10	1	33
246	L4250 N- 48+00 E B		<.2	2.35	5	130	<5	0.67	<1	9	18	48	2.33	<10	0.21	988	<1	0.02	14	190	10	<5	<20	21	0.12	<10	58	<10	7	51
247	L4250 N- 49+00 E B		<.2	1.46	<5	80	5	0.22	1	9	28	7	2.60	<10	0.14	133	<1	0.03	15	870	6	<5	<20	11	0.12	<10	75	<10	<1	45
248	L45+50 N- 4+00 E B	4550	<.2	3.50	<5	205	10	0.31	<1	18	54	26	3.63	<10	0.36	640	<1	0.03	45	970	8	<5	<20	42	0.20	<10	76	<10	<1	64
249	L45+50 N- 5+00 E B		<.2	3.93	5	170	5	0.18	<1	15	41	22	3.17	<10	0.32	343	<1	0.04	40	1270	10	<5	<20	24	0.18	<10	65	<10	2	63
250	L45+50 N- 6+00 E B		<.2	3.30	<5	155	<5	0.28	<1	14	35	24	2.91	<10	0.32	633	<1	0.04	36	1150	10	<5	<20	31	0.16	<10	62	<10	<1	58
251	L45+50 N- 7+00 E B		<.2	3.80	5	195	5	0.21	<1	15	42	22	3.24	<10	0.33	334	<1	0.02	44	1050	50	<5	<20	28	0.20	<10	69	<10	<1	53
252	L45+50 N- 8+00 E B		<.2	4.15	<5	155	5	0.19	<1	13	32	19	2.95	<10	0.31	146	<1	0.02	38	1360	8	<5	20	29	0.16	<10	59	<10	2	45
253	L45+50 N- 9+00 E B		<.2	3.33	5	110	<5	0.18	<1	12	29	54	2.87	<10	0.28	222	<1	0.02	34	1290	8	<5	<20	24	0.16	<10	60	<10	<1	56
254	L45+50 N- 10+00 E B		<.2	2.12	<5	110	<5	0.24	<1	11	22	16	2.05	<10	0.29	507	<1	0.02	49	730	6	<5	<20	38	0.08	<10	46	<10	1	43
255	L45+50 N- 11+00 E B		<.2	3.24	5	105	<5	0.21	<1	15	20	16	2.79	<10	0.25	302	<1	0.03	30	1380	8	<5	<20	21	0.18	<10	54	<10	<1	65
256	L45+50 N- 12+00 E B		<.2	3.33	10	80	5	0.09	<1	8	16	11	2.20	<10	0.15	155	<1	0.01	15	1230	10	<5	<20	11	0.14	<10	49	<10	3	47
257	L45+50 N- 13+00 E B		<.2	3.70	5	140	<5	0.25	<1	18	32	24	2.70	<10	0.30	616	<1	0.04	48	1270	8	<5	<20	32	0.12	<10	55	<10	<1	69
258	L45+50 N- 14+00 E B		<.2	4.23	10	170	<5	0.35	<1	24	54	29	3.40	<10	0.43	856	<1	0.04	95	1810	8	<5	<20	62	0.11	<10	43	<10	<1	69
259	L45+50 N- 15+00 E B		<.2	2.91	<5	165	<5	0.38	<1	12	20	25	2.70	<10	0.30	298	<1	0.01	30	600	6	<5	<20	70	0.14	<10	24	<10	<1	42
260	L45+50 N- 16+00 E B		<.2	3.28	<5	240	<5	0.23	<1	11	26	11	2.46	<10	0.22	123	<1	0.01	30	1230	8	<5	<20	34	0.17	<10	44	<10	<1	50
261	L45+50 N- 17+00 E B		<.2	4.28	10	220	<5	0.18	<1	10	22	15	2.64	<10	0.18	84	<1	0.01	27	3130	14	<5	20	27	0.16	<10	43	<10	3	57
262	L45+50 N- 18+00 E B		<.2	4.41	<5	205	5	0.24	<1	18	39	23	3.45	<10	0.36	317	<1	0.01	56	1510	10	<5	<20	46	0.20	<10	61	<10	<1	75
263	L45+50 N- 19+00 E B		<.2	2.48	<5	160	<5	0.23	<1	9	12	9	2.44	<10	0.23	189	<1	0.01	12	990	8	<5	<20	32	0.13	<10	31	<10	<1	49
264	L45+50 N- 20+00 E B		<.2	1.89	<5	210	<5	0.36	<1	9	18	12	2.07	<10	0.18	3070	<1	0.03	17	2090	6	<5	<20	63	0.13	<10	31	<10	<1	183
265	L45+50 N- 21+00 E B		<.2	3.75	5	165	5	0.14	<1	12	22	11	2.49	<10	0.24	695	<1	0.01	33	1750	10	<5	<20	19	0.16	<10	55	<10	7	55
266	L45+50 N- 22+00 E B		<.2	3.17	5	170	<5	0.22	<1	15	34	13	2.96	<10	0.23	591	<1	0.01	35	1980	6	<5	<20	29	0.18	<10	56	<10	<1	73
267	L45+50 N- 23+00 E B		<.2	2.91	<5	130	10	0.23	<1	13	39	14	3.30	<10	0.24	268	<1	0.01	35	2070	6	<5	<20	22	0.17	<10	76	<10	<1	56
268	L45+50 N- 24+00 E B		<.2	2.41	<5	190	5	0.27	<1	12	27	12	2.75	<10	0.25	398	<1	0.01	23	1600	6	<5	<20	30	0.12	<10	62	<10	<1	54
269	L45+50 N- 25+00 E B		<.2	1.42	<5	110	<5	0.23	<1	8	21	9	2.41	<10	0.19	130	<1	0.01	10	990	6	<5	<20	32	0.12	<10	55	<10	<1	34
270	L45+50 N- 26+00 E B		<.2	2.70	<5	195	5	0.20	<1	8	20	10	2.85	<10	0.18	184	<1	<.01	14	1720	10	<5	20	48	0.10	<10	56	<10	<1	55

07/04/96 10:30 ☎604 573 4557 ECO-TECH KAM. +++ GETTYSITE 009

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-484

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
271	L45+50 N- 27+00 E B	4550	<.2	1.37	<5	150	<5	0.54	<1	6	19	23	1.89	<10	0.28	211	<1	0.02	14	320	6	<5	<20	70	0.09	<10	40	<10	11	23
272	L45+50 N- 28+00 E B	-	<.2	1.22	<5	125	<5	0.47	<1	9	28	18	2.30	<10	0.33	278	<1	0.02	13	210	4	<5	<20	61	0.12	<10	54	<10	4	25
273	L45+50 N- 29+00 E B	-	<.2	1.35	<5	155	<5	0.55	<1	12	35	24	2.57	<10	0.41	572	<1	0.03	15	270	4	<5	<20	66	0.15	<10	60	<10	5	30
274	L45+50 N- 30+00 E B	-	<.2	1.78	<5	140	5	0.30	<1	13	46	15	3.33	<10	0.26	1176	<1	0.01	25	1170	4	<5	<20	27	0.14	<10	98	<10	<1	94
275	L45+50 N- 31+00 E B	-	<.2	2.41	<5	110	<5	0.19	<1	11	24	6	2.48	<10	0.17	458	<1	0.04	24	1110	6	<5	<20	16	0.13	<10	59	<10	<1	66
276	L45+50 N- 32+00 E B	-	<.2	2.74	<5	185	5	0.27	<1	15	33	19	2.70	<10	0.28	437	<1	0.02	36	2180	6	<5	<20	26	0.15	<10	54	<10	<1	80
277	L45+50 N- 33+00 E B	-	<.2	2.58	<5	165	10	0.24	<1	14	33	12	3.21	<10	0.30	609	<1	0.03	28	1080	6	<5	20	23	0.14	<10	80	<10	<1	89
278	L45+50 N- 35+00 E B	-	<.2	1.57	<5	75	5	0.12	<1	6	13	3	1.73	<10	0.08	135	<1	0.01	11	1970	6	<5	<20	9	0.11	<10	38	<10	<1	32
279	L45+50 N- 36+00 E B	-	<.2	3.15	<5	120	<5	0.22	<1	15	38	26	3.71	<10	0.35	396	<1	0.01	31	2200	8	<5	20	16	0.14	<10	96	<10	<1	77
280	L45+50 N- 37+00 E B	-	<.2	2.03	<5	165	<5	0.26	<1	16	52	34	4.63	<10	0.42	292	<1	0.02	27	1830	4	<5	40	19	0.14	<10	142	<10	<1	71
281	L45+50 N- 38+00 E B	-	<.2	2.02	<5	95	10	0.20	<1	14	50	11	3.96	<10	0.21	629	<1	0.01	25	1970	6	<5	40	13	0.14	<10	123	<10	<1	67
282	L45+50 N- 39+00 E B	-	<.2	2.00	<5	125	<5	0.26	<1	14	45	20	3.45	<10	0.28	208	<1	0.01	27	1450	6	<5	<20	22	0.13	<10	95	<10	<1	48
283	L45+50 N- 40+00 E B	-	<.2	1.25	<5	130	<5	0.29	<1	12	50	28	3.35	<10	0.31	171	<1	0.02	21	700	4	<5	<20	26	0.14	<10	96	<10	<1	42
284	L45+50 N- 41+00 E B	-	<.2	1.96	<5	140	5	0.44	<1	12	42	32	3.55	<10	0.31	157	<1	0.01	25	890	4	<5	20	30	0.13	<10	104	<10	<1	55
285	L45+50 N- 42+00 E B	-	<.2	1.60	<5	100	5	0.44	<1	8	35	22	2.82	<10	0.21	116	<1	0.01	16	170	6	<5	<20	21	0.13	<10	82	<10	2	25
286	L45+50 N- 43+00 E B	-	<.2	2.91	<5	195	<5	1.00	<1	12	41	100	3.37	<10	0.46	160	<1	0.03	28	370	6	<5	20	36	0.17	<10	59	<10	11	30
287	L45+50 N- 44+00 E B	-	<.2	1.50	<5	70	<5	0.44	<1	10	45	35	3.31	<10	0.23	199	<1	0.02	17	140	4	<5	<20	16	0.12	<10	123	<10	<1	34
288	L45+50 N- 45+00 E B	-	<.2	2.26	<5	95	<5	0.91	1	11	38	84	3.80	<10	0.46	183	<1	0.02	14	90	6	<5	<20	33	0.14	<10	90	<10	4	36
289	L45+50 N- 46+00 E B	-	<.2	1.86	<5	95	<5	0.64	2	18	67	80	5.11	<10	0.33	521	<1	0.01	22	70	4	<5	40	29	0.17	<10	165	<10	7	42

QC DATA:

Repeat:																														
1	L38+75 N 1+00 E A	<5	<.2	0.28	<5	120	<5	0.76	<1	2	3	56	0.33	<10	0.12	477	1	0.01	6	1040	18	<5	<20	63	0.01	<10	7	<10	<1	48
10	L38+75 N 10+00 E A	<5	0.4	0.41	<5	165	<5	1.53	<1	1	4	81	0.26	<10	0.08	2017	2	0.02	6	1400	28	<5	<20	187	0.01	<10	6	<10	<1	31
19	L38+75 N 20+00 E A	<5	<.2	1.00	<5	165	<5	0.64	<1	8	22	49	1.82	<10	0.24	1199	1	0.03	17	860	10	<5	<20	65	0.07	<10	50	<10	<1	33
28	L38+75 N 30+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	L4000 N 6+00 E A	<5	<.2	0.35	<5	95	<5	0.35	<1	1	6	47	0.27	<10	0.12	796	<1	0.01	18	1320	14	<5	<20	77	0.01	<10	6	<10	<1	35
45	L4000 N 15+00 E A	<5	<.2	0.21	<5	115	<5	0.70	<1	2	3	75	0.25	<10	0.10	673	3	0.02	4	1220	14	<5	<20	61	0.01	<10	5	<10	<1	27
54	L4000 N 48+00 E A	<5	0.6	1.99	5	305	<5	1.23	<1	7	19	176	1.92	50	0.48	3580	3	0.02	21	1220	14	<5	<20	98	0.04	<10	36	<10	26	52
63	L4250 N 11+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	L4250 N 19+00 E A	<5	<.2	0.66	<5	420	<5	0.85	<1	3	6	63	1.00	<10	0.14	2040	2	0.01	6	1220	16	<5	<20	97	0.03	<10	20	<10	<1	55
80	L4250 N- 29+00 E A	<5	<.2	1.12	<5	295	<5	1.79	<1	9	25	42	2.16	<10	0.34	1088	<1	0.04	19	750	14	<5	<20	118	0.07	<10	66	<10	4	70

07/04/96 10:31 ☎604 573 4557 ECO-TECH LAB. PAGE 009

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-484

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Repeat:																														
89 L4250	N- 40+00 E A	<5	<.2	0.20	<5	85	<5	2.17	<1	1	3	175	0.34	<10	0.24	343	3	0.02	8	1190	10	<5	<20	75	<.01	<10	16	<10	5	26
98 L4250	N- 49+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106 L45+50	N- 11+00 E A	<5	<.2	0.92	<5	300	<5	0.81	<1	4	10	68	0.99	<10	0.15	1094	1	0.02	15	1040	26	<5	<20	99	0.05	<10	19	<10	<1	31
115 L45+50	N- 20+00 E A	<5	0.2	0.92	<5	205	<5	0.71	<1	5	8	43	0.95	<10	0.13	2698	2	0.02	9	1330	18	<5	<20	100	0.05	<10	15	<10	<1	88
124 L45+50	N- 29+00 E A	<5	<.2	1.32	<5	320	<5	2.43	<1	4	19	61	1.88	40	0.61	668	<1	0.03	28	1100	4	<5	<20	259	0.04	<10	56	<10	49	26
133 L45+50	N- 40+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141 L38+75	N- 2+00 E B	-	<.2	2.63	<5	180	5	0.39	<1	17	48	24	3.12	<10	0.37	541	<1	0.02	38	800	6	<5	<20	54	0.21	<10	77	<10	3	51
150 L38+75	N- 11+00 E B	-	<.2	3.55	<5	180	5	0.24	<1	16	32	27	3.01	<10	0.32	384	<1	0.04	46	1370	6	<5	<20	34	0.18	<10	57	<10	<1	57
159 L38+75	N- 20+00 E B	-	<.2	1.73	<5	125	5	0.29	<1	10	31	23	2.67	<10	0.21	299	<1	0.01	20	910	4	<5	<20	29	0.12	<10	74	<10	<1	36
176 L4000	N- 4+00 E B	-	<.2	3.32	<5	235	5	0.36	<1	22	24	35	3.39	<10	0.45	348	<1	0.03	68	740	6	<5	<20	48	0.21	<10	53	<10	<1	50
185 L4000	N- 13+00 E B	-	<.2	2.38	<5	105	5	0.41	<1	19	42	32	2.76	<10	0.51	624	<1	0.02	42	410	6	<5	<20	57	0.19	<10	67	<10	5	40
194 L40+00	N- 46+00 E B	-	<.2	1.60	<5	115	5	0.87	<1	11	23	39	3.14	<10	0.47	194	<1	0.02	14	210	4	<5	<20	34	0.15	<10	107	<10	5	65
211 L4250	N- 13+00 E B	-	<.2	2.93	<5	125	<5	0.24	<1	17	56	30	2.95	<10	0.33	361	<1	0.03	53	1690	6	<5	<20	34	0.14	<10	31	<10	1	72
220 L4250	N- 22+00 E B	-	<.2	2.68	<5	125	5	0.21	<1	11	26	8	2.48	<10	0.18	465	<1	0.02	29	1540	10	<5	<20	22	0.15	<10	50	<10	<1	52
229 L4250	N- 31+00 E B	-	<.2	1.35	<5	175	<5	0.52	<1	14	42	30	2.91	<10	0.43	335	<1	0.02	23	740	4	<5	<20	41	0.15	<10	75	<10	3	51
246 L4250	N- 48+00 E B	-	<.2	1.95	<5	125	<5	0.62	<1	8	17	41	2.25	<10	0.20	911	<1	0.02	14	190	8	<5	<20	19	0.12	<10	57	<10	7	47
255 L45+50	N- 11+00 E B	-	<.2	3.29	<5	110	<5	0.20	<1	14	19	16	2.75	<10	0.23	300	<1	0.03	29	1410	8	<5	<20	22	0.17	<10	53	<10	<1	63
264 L45+50	N- 20+00 E B	-	<.2	1.77	<5	195	5	0.33	<1	9	18	11	1.99	<10	0.18	2922	<1	0.03	17	1980	6	<5	<20	55	0.11	<10	30	<10	<1	176
281 L45+50	N- 38+00 E B	-	<.2	1.96	<5	90	10	0.19	1	13	46	15	3.85	<10	0.20	618	<1	<.01	25	1980	6	<5	40	12	0.13	<10	117	<10	<1	69
Standard:																														
GEO'96		150	1.2	1.81	60	160	<5	1.82	<1	19	63	83	4.24	<10	1.00	738	<1	0.01	22	750	18	<5	<20	59	0.11	<10	80	<10	3	70
GEO'96		150	1.4	1.78	65	160	<5	1.78	<1	19	62	82	4.20	<10	0.99	734	<1	0.01	22	750	18	<5	<20	57	0.11	<10	78	<10	4	72
GEO'96		140	1.2	1.81	60	160	<5	1.81	<1	19	62	82	4.20	<10	1.00	732	<1	0.02	22	740	18	<5	<20	60	0.11	<10	80	<10	5	72
GEO'96		150	1.2	1.80	60	160	<5	1.83	<1	19	62	82	4.19	<10	0.99	726	<1	0.02	20	730	18	<5	<20	60	0.11	<10	80	<10	5	67
GEO'96		-	1.4	1.89	60	170	<5	1.86	<1	19	65	80	4.26	<10	1.01	734	<1	0.02	22	750	18	<5	<20	67	0.13	<10	84	<10	3	68
GEO'96		-	1.2	1.85	60	170	<5	1.82	1	19	65	80	4.23	<10	1.01	729	<1	0.02	20	750	18	<5	<20	62	0.12	<10	81	<10	4	68
GEO'96		-	1.2	1.93	55	160	<5	1.88	<1	19	67	82	4.37	<10	1.03	749	<1	0.02	22	740	18	<5	<20	63	0.13	<10	86	<10	4	68
GEO'96		-	1.4	1.90	55	165	<5	1.85	<1	19	66	81	4.30	<10	1.01	738	<1	0.02	20	730	20	<5	<20	64	0.13	<10	83	<10	3	68
GEO'96		-	1.2	1.95	60	160	<5	1.88	<1	20	68	83	4.37	<10	1.03	754	<1	0.02	20	770	18	<5	<20	63	0.14	<10	87	<10	4	69

ECO-TECH LABORATORIES LTD.
per: Frank J. Pezzotti, A.Sc.T
B.C. Certified Assayer

df/484r, 484ar,
XLS/96G Copper#1

07/04/96 10:31 9604 573 4557 ECO TECH KAM. GETTYSITE 010

21-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-477

Lines: 3200, 3325, 3450, 3600, 3750, 3875 & 4000N

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 352
Sample type: Soil
PROJECT #: none given
SHIPMENT #: none given
Sample submitted by: Getty Copper Corp.

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L32+00N 1+00 W A	<5	<.2	0.22	<5	95	<5	1.64	<1	<1	3	37	0.28	<10	0.24	737	<1	0.04	8	910	2	5	<20	161	0.01	<10	10	<10	<1	76
2	L32+00N 2+00 W A	<5	<.2	0.43	<5	155	<5	0.97	<1	1	5	95	0.50	<10	0.16	908	2	0.03	8	1000	14	<5	<20	71	0.02	<10	10	<10	<1	61
3	L32+00N 3+00 W A	<5	0.4	0.49	<5	375	<5	1.00	<1	2	6	108	0.56	<10	0.11	2079	2	0.02	13	1000	22	<5	<20	110	0.02	<10	11	<10	<1	89
4	L32+00N 4+00 W A	15	<.2	0.44	<5	185	<5	0.99	<1	3	7	170	0.60	<10	0.12	1918	4	0.02	9	930	16	<5	<20	95	0.02	<10	11	<10	<1	82
5	L32+00N 5+00 W A	10	<.2	0.55	<5	180	<5	0.78	<1	3	7	173	0.71	<10	0.12	1587	4	0.02	10	1180	18	<5	<20	78	0.02	<10	13	<10	<1	72
6	L32+00N 6+00 W A	<5	<.2	1.20	<5	195	<5	0.62	<1	8	19	56	1.72	<10	0.19	1643	<1	0.02	24	960	6	<5	<20	64	0.10	<10	34	<10	<1	83
7	L33+25N 1+00 W A	<5	<.2	0.43	<5	130	<5	1.06	<1	2	6	40	0.54	<10	0.17	521	1	0.02	11	1040	<2	<5	<20	74	0.03	<10	13	<10	<1	82
8	L33+25N 2+00 W A	<5	<.2	0.66	<5	230	<5	0.94	<1	6	9	70	0.82	<10	0.15	1685	3	0.02	15	840	16	<5	<20	112	0.04	<10	15	<10	<1	39
9	L33+25N 3+00 W A	<5	0.2	0.38	<5	100	<5	0.77	<1	2	4	131	0.41	<10	0.11	750	1	0.02	8	1250	10	<5	<20	59	0.02	<10	7	<10	<1	65
10	L33+25N 4+00 W A	<5	<.2	1.17	<5	365	<5	1.05	<1	6	16	141	1.45	<10	0.20	3322	3	0.03	22	1070	16	<5	<20	130	0.06	<10	27	<10	<1	122
11	L33+25N 5+00 W A	<5	0.4	0.33	<5	165	<5	1.07	<1	<1	5	123	0.42	<10	0.12	779	2	0.02	7	920	14	<5	<20	108	0.02	<10	8	<10	<1	59
12	L33+25N 6+00 W A	<5	<.2	0.54	<5	175	<5	1.32	<1	2	6	163	0.60	<10	0.15	1383	4	0.02	10	1340	14	<5	<20	109	0.03	<10	10	<10	<1	76
13	L34+50N 39+00 E A	<5	0.4	0.58	<5	115	<5	0.78	<1	4	8	392	1.00	<10	0.23	1125	7	0.02	9	980	18	<5	<20	45	0.03	<10	23	<10	1	67
14	L34+50N 38+00 E A	<5	0.8	0.31	<5	160	<5	1.17	<1	1	4	293	0.37	<10	0.12	4193	5	0.02	6	1230	16	<5	<20	76	0.02	<10	8	<10	<1	72
15	L34+50N 37+00 E A	<5	<.2	2.04	<5	250	<5	1.45	<1	8	32	73	2.64	30	0.39	874	<1	0.03	22	840	4	<5	<20	106	0.08	<10	61	<10	15	71
16	L34+50N 36+00 E A	<5	<.2	0.93	<5	100	<5	0.66	<1	7	21	85	1.86	<10	0.23	456	<1	0.02	12	550	2	<5	<20	48	0.06	<10	57	<10	<1	47
17	L34+50N 35+00 E A	<5	<.2	0.58	<5	130	<5	1.38	<1	2	6	200	0.82	20	0.23	414	4	0.03	11	1440	2	<5	<20	143	0.01	<10	23	<10	10	31
18	L34+50N 34+00 E A	<5	0.6	0.19	<5	90	<5	0.85	<1	<1	2	239	0.21	<10	0.10	1153	4	0.03	5	1080	8	<5	<20	46	<.01	<10	4	<10	<1	51
19	L34+50N 33+00 E A	<5	<.2	0.30	<5	115	<5	0.56	<1	<1	3	165	0.42	<10	0.08	303	3	0.01	6	1030	10	<5	<20	29	0.01	<10	9	<10	<1	27
20	L34+50N 32+00 E A	<5	<.2	0.73	<5	115	<5	0.71	<1	4	15	59	1.34	<10	0.12	1010	<1	0.02	11	950	<2	<5	<20	50	0.04	<10	39	<10	<1	46
21	L34+50N 31+00 E A	<5	<.2	0.52	<5	125	<5	1.75	<1	2	7	45	0.60	10	0.29	515	2	0.04	12	910	10	<5	<20	169	0.02	<10	23	<10	9	60
22	L34+50N 30+00 E A	<5	<.2	1.09	<5	300	<5	1.42	<1	7	17	49	1.41	<10	0.27	3595	<1	0.02	20	1130	6	<5	<20	119	0.06	<10	30	<10	<1	82
23	L34+50N 29+00 E A	<5	<.2	0.70	<5	115	<5	1.14	<1	6	21	39	1.56	<10	0.23	562	<1	0.02	9	610	8	<5	<20	112	0.07	<10	44	<10	<1	75
24	L34+50N 27+00 E A	<5	0.2	0.52	<5	190	<5	1.25	<1	5	11	273	0.81	<10	0.22	931	8	0.02	12	1860	18	<5	<20	107	0.02	<10	19	<10	3	56
25	L34+50N 26+00 E A	<5	0.2	0.68	<5	305	<5	1.34	<1	7	13	214	1.00	10	0.25	1960	8	0.02	20	1380	14	<5	<20	139	0.03	<10	20	<10	4	31

RECEIVED
June 24
Au - June 20

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-477

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L34+50N 25+00 E A	<5	0.4	0.53	<5	225	<5	2.26	<1	2	9	388	0.71	30	0.37	1675	3	0.02	51	1290	12	<5	<20	177	0.02	<10	50	<10	31	31
27	L34+50N 24+00 E A	<5	<.2	0.28	<5	85	<5	0.87	<1	1	4	263	0.37	<10	0.12	1272	4	0.02	5	1530	14	<5	<20	58	0.01	<10	8	<10	<1	60
28	L34+50N 23+00 E A	<5	0.2	0.17	<5	65	<5	0.87	<1	<1	2	59	0.17	<10	0.08	328	2	0.02	3	1240	10	<5	<20	50	<.01	<10	3	<10	<1	58
29	L34+50N 22+00 E A	20	<.2	0.52	<5	370	<5	2.51	<1	1	6	898	0.60	20	0.30	1400	4	0.02	24	1110	18	5	<20	170	0.02	<10	28	<10	21	40
30	L34+50N 21+00 E A	<5	<.2	1.66	<5	305	<5	0.75	<1	8	18	110	2.20	<10	0.26	629	3	0.02	21	1350	6	<5	<20	93	0.06	<10	45	<10	<1	51
31	L34+50N 20+00 E A	<5	<.2	2.30	<5	425	<5	2.09	<1	7	30	670	2.32	30	0.55	670	2	0.02	37	1400	<2	<5	<20	156	0.06	<10	75	<10	31	39
32	L34+50N 19+00 E A	<5	<.2	0.62	<5	220	<5	1.37	<1	2	9	68	0.92	<10	0.25	465	2	0.02	8	830	8	<5	<20	86	0.03	<10	25	<10	<1	50
33	L34+50N 18+00 E A	<5	<.2	1.52	5	370	<5	2.72	<1	3	15	724	1.53	20	0.37	446	5	0.02	26	1010	2	<5	<20	134	0.04	<10	48	<10	19	50
34	L34+50N 14+00 E A	<5	<.2	1.57	<5	230	<5	1.15	<1	7	23	41	1.69	<10	0.26	2650	1	0.02	26	1520	12	<5	<20	166	0.07	<10	28	<10	<1	73
35	L34+50N 13+00 E A	<5	<.2	1.46	<5	145	<5	0.61	<1	6	18	70	1.56	<10	0.20	1051	1	0.02	22	1630	8	<5	<20	76	0.04	<10	30	<10	<1	64
36	L34+50N 12+00 E A	<5	<.2	1.05	<5	280	<5	1.30	<1	6	16	60	1.30	<10	0.23	1695	<1	0.03	21	940	12	<5	<20	182	0.06	<10	27	<10	<1	66
37	L34+50N 11+00 E A	<5	<.2	0.36	<5	85	<5	0.73	<1	2	4	131	0.36	<10	0.08	1267	2	0.03	6	1160	22	<5	<20	52	0.01	<10	7	<10	<1	55
38	L34+50N 10+00 E A	<5	<.2	0.52	<5	250	<5	2.17	1	3	6	93	0.55	<10	0.23	1243	1	0.02	12	1050	20	<5	<20	321	0.02	<10	11	<10	<1	44
39	L34+50N 9+00 E A	<5	<.2	0.59	<5	145	<5	0.74	<1	4	12	113	0.88	<10	0.16	675	2	0.02	15	1250	16	<5	<20	75	0.03	<10	18	<10	<1	53
40	L34+50N 8+00 E A	<5	<.2	0.83	<5	95	<5	0.43	<1	6	19	40	1.46	<10	0.15	277	<1	0.03	19	590	10	<5	<20	49	0.07	<10	33	<10	<1	42
41	L34+50N 7+00 E A	<5	<.2	0.15	<5	95	<5	1.00	<1	1	3	88	0.22	<10	0.16	253	2	0.04	7	1520	18	<5	<20	89	<.01	<10	7	<10	<1	34
42	L34+50N 6+00 E A	<5	<.2	0.95	<5	245	<5	1.23	<1	5	16	78	1.26	<10	0.21	1067	2	0.02	16	1180	12	<5	<20	122	0.06	<10	29	<10	<1	78
43	L34+50N 5+00 E A	<5	0.4	0.48	<5	280	<5	1.25	<1	2	7	123	0.59	<10	0.14	784	4	0.03	9	1150	20	<5	<20	146	0.03	<10	13	<10	<1	55
44	L34+50N 4+00 E A	<5	0.2	0.25	<5	160	<5	2.65	<1	2	6	188	0.41	<10	0.26	1273	3	0.02	13	1030	14	<5	<20	226	0.02	<10	11	<10	6	47
45	L34+50N 3+00 E A	<5	<.2	0.88	<5	225	<5	0.95	<1	7	19	69	1.44	<10	0.21	1434	<1	0.02	16	1080	18	<5	<20	97	0.07	<10	34	<10	<1	64
46	L34+50N 2+00 E A	<5	<.2	0.70	<5	185	<5	0.81	<1	5	12	96	0.92	<10	0.13	858	2	0.02	10	1300	20	<5	<20	79	0.04	<10	20	<10	<1	52
47	L34+50N 1+00 E A	<5	<.2	0.69	<5	210	<5	1.47	<1	6	19	55	1.18	10	0.33	865	<1	0.03	22	1140	6	<5	<20	149	0.06	<10	40	<10	9	54
48	L34+50N 0+00 E A	<5	<.2	0.51	<5	130	<5	0.68	<1	2	7	50	0.59	<10	0.12	254	1	0.02	14	1200	14	<5	<20	54	0.02	<10	11	<10	<1	44
49	L34+50N 1+00 W A	<5	0.4	0.47	<5	325	<5	1.54	<1	2	7	144	0.60	<10	0.17	2688	5	0.02	10	1350	24	<5	<20	173	0.03	<10	12	<10	<1	61
50	L34+50N 2+00 W A	<5	<.2	0.87	<5	305	<5	1.06	<1	4	11	132	1.07	<10	0.14	2105	2	0.02	14	1030	22	<5	<20	126	0.04	<10	20	<10	<1	93
51	L34+50N 3+00 W A	<5	<.2	1.68	<5	260	<5	0.65	<1	9	20	58	2.09	<10	0.21	2168	<1	0.02	29	1110	12	<5	<20	90	0.11	<10	41	<10	<1	82
52	L34+50N 4+00 W A	<5	<.2	0.86	<5	250	<5	0.71	<1	5	13	96	1.28	<10	0.14	2344	2	0.02	16	870	18	<5	<20	93	0.06	<10	23	<10	<1	71
53	L34+50N 5+00 W A	<5	<.2	2.21	<5	190	<5	0.37	<1	15	75	64	2.95	<10	0.36	2532	<1	0.03	53	740	8	<5	<20	47	0.11	<10	68	<10	<1	85
54	L34+50N 6+00 W A	<5	<.2	1.59	<5	185	<5	0.54	<1	10	31	96	2.08	<10	0.23	2134	<1	0.02	31	1090	16	<5	<20	54	0.10	<10	41	<10	<1	84
55	L34+50N 7+00 W A	<5	<.2	0.71	<5	215	<5	0.90	<1	4	12	115	1.10	<10	0.15	1326	1	0.02	14	1200	20	<5	<20	91	0.05	<10	22	<10	<1	60
56	L34+50N 8+00 W A	<5	0.4	0.52	<5	245	<5	0.95	<1	3	8	38	0.58	<10	0.11	3453	1	0.02	9	1180	16	<5	<20	89	0.03	<10	12	<10	<1	61
57	L36+00N 30+00 E A	<5	<.2	1.41	<5	160	<5	0.44	<1	8	27	51	2.50	<10	0.22	665	<1	0.02	19	1440	6	<5	<20	37	0.14	<10	51	<10	<1	52
58	L36+00N 28+00 E A	<5	<.2	0.79	<5	110	<5	0.48	<1	7	28	98	2.07	<10	0.17	1064	1	0.02	15	1000	6	<5	<20	34	0.08	<10	60	<10	<1	58
59	L36+00N 27+00 E A	<5	<.2	1.08	<5	285	<5	0.82	<1	6	22	175	1.80	10	0.22	1805	4	0.02	20	1130	18	<5	<20	107	0.06	<10	45	<10	6	63
60	L36+00N 26+00 E A	<5	0.2	0.38	<5	200	<5	1.16	<1	3	7	213	0.59	<10	0.16	1319	4	0.02	10	1300	18	<5	<20	115	0.02	<10	17	<10	2	65

GETTY COPPER CORPORATION ICP CERTIFICATE OF ANALYSIS AK 96-477 ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L36+00N 25+00 E A	<5	<.2	0.67	<5	155	<5	0.58	<1	6	14	209	1.16	<10	0.15	1100	5	0.02	12	1080	14	<5	<20	56	0.05	<10	25	<10	<1	45
62	L36+00N 24+00 E A	<5	<.2	2.70	<5	395	<5	2.60	<1	11	47	138	3.94	40	0.77	333	<1	0.05	63	930	<2	<5	<20	184	0.11	<10	77	<10	24	50
63	L36+00N 23+00 E A	<5	<.2	0.31	<5	95	<5	0.69	<1	2	6	133	0.55	<10	0.13	447	4	0.02	8	1010	12	<5	<20	46	0.02	<10	11	<10	<1	31
64	L36+00N 22+00 E A	<5	<.2	0.77	<5	155	<5	0.75	<1	5	12	169	1.32	<10	0.17	667	4	0.02	12	1420	14	<5	<20	60	0.05	<10	27	<10	<1	51
65	L36+00N 21+00 E A	<5	<.2	0.71	<5	190	<5	1.13	<1	3	8	182	0.85	<10	0.18	1662	4	0.02	11	1220	16	<5	<20	95	0.03	<10	19	<10	<1	57
66	L36+00N 19+00 E A	<5	0.2	0.30	<5	340	<5	1.84	<1	<1	4	112	0.35	<10	0.14	2125	2	0.02	7	1460	16	<5	<20	161	0.01	<10	8	<10	<1	68
67	L36+00N 18+00 E A	<5	0.4	1.01	<5	340	<5	0.88	<1	8	21	44	1.63	<10	0.15	3899	1	0.03	15	1070	14	<5	<20	90	0.06	<10	34	<10	<1	70
68	L36+00N 16+00 E A	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
69	L36+00N 15+50 E A	<5	0.2	0.42	<5	160	<5	0.75	<1	4	9	63	0.62	<10	0.09	2703	2	0.02	7	860	18	<5	<20	62	0.03	<10	13	<10	<1	56
70	L36+00N 15+00 E A	<5	<.2	<.01	<5	<5	<5	<.01	<1	<1	<1	<1	<.01	<10	<.01	13	<1	<.01	<1	<10	<2	<5	<20	<1	<.01	<10	<1	<10	<1	<1
71	L36+00N 14+00 E A	<5	<.2	0.66	<5	180	<5	0.57	<1	6	16	44	1.01	<10	0.10	2324	<1	0.02	14	1290	6	<5	<20	64	0.04	<10	18	<10	<1	65
72	L36+00N 13+00 E A	<5	<.2	0.64	<5	145	<5	0.79	<1	3	10	64	0.82	<10	0.13	954	2	0.02	14	1300	14	<5	<20	91	0.03	<10	16	<10	<1	63
73	L36+00N 12+00 E A	<5	0.4	1.23	<5	255	<5	0.89	<1	8	28	176	1.41	<10	0.30	2288	3	0.02	26	920	20	<5	<20	149	0.04	<10	27	<10	<1	69
74	L36+00N 11+00 E A	<5	0.4	0.89	<5	155	<5	0.80	<1	6	16	155	0.98	<10	0.15	3477	2	0.02	15	1080	40	<5	<20	89	0.04	<10	19	<10	<1	65
75	L36+00N 10+00 E A	<5	0.6	0.80	<5	215	<5	1.07	<1	4	10	282	0.78	<10	0.17	3486	5	0.02	13	1100	36	<5	<20	123	0.03	<10	16	<10	<1	85
76	L36+00N 9+00 E A	<5	<.2	1.00	<5	170	<5	1.00	<1	8	11	117	1.10	<10	0.20	756	1	0.02	16	910	22	<5	<20	186	0.04	<10	21	<10	1	55
77	L36+00N 8+00 E A	<5	<.2	0.53	<5	165	<5	0.75	<1	4	8	117	0.66	<10	0.11	836	1	0.03	12	1330	26	<5	<20	81	0.03	<10	12	<10	1	83
78	L36+00N 7+00 E A	<5	<.2	1.59	<5	215	<5	0.54	<1	9	33	99	1.84	<10	0.26	1117	<1	0.03	31	1080	14	<5	<20	106	0.08	<10	35	<10	<1	69
79	L36+00N 6+00 E A	<5	0.4	0.54	<5	265	<5	1.38	<1	2	8	204	0.62	<10	0.19	1431	3	0.03	12	1200	28	<5	<20	192	0.02	<10	13	<10	<1	53
80	L36+00N 5+00 E A	<5	<.2	0.24	<5	150	<5	0.89	<1	<1	3	239	0.30	<10	0.10	419	4	0.02	6	1020	26	<5	<20	76	0.01	<10	6	<10	<1	33
81	L36+00N 4+00 E A	<5	<.2	0.72	<5	235	<5	1.04	<1	4	11	162	0.95	<10	0.17	747	3	0.02	12	1290	20	<5	<20	120	0.05	<10	22	<10	<1	41
82	L36+00N 3+00 E A	<5	0.4	0.77	<5	495	<5	2.06	<1	3	11	167	0.89	<10	0.26	1735	4	0.02	13	1370	20	<5	<20	290	0.03	<10	20	<10	<1	83
83	L36+00N 2+00 E A	10	0.2	0.57	<5	245	<5	1.30	<1	3	9	98	0.65	<10	0.18	1121	2	0.02	11	980	22	5	<20	148	0.03	<10	15	<10	<1	53
84	L36+00N 1+00 E A	<5	<.2	0.47	<5	190	<5	1.75	<1	3	9	162	0.68	20	0.35	715	2	0.02	19	1080	16	5	<20	217	0.03	<10	27	<10	14	35
85	L36+00N 0+00 E A	<5	<.2	1.44	<5	480	<5	1.36	<1	10	30	68	2.12	30	0.36	1621	<1	0.02	34	1240	12	<5	<20	197	0.11	<10	52	<10	15	95
86	L36+00N 1+00 W A	<5	<.2	0.33	<5	150	<5	0.75	<1	<1	3	141	0.27	<10	0.07	1151	2	0.01	4	1060	24	<5	<20	57	<.01	<10	6	<10	<1	57
87	L36+00N 2+00 W A	<5	<.2	0.57	<5	200	<5	1.22	<1	2	6	90	0.56	<10	0.12	1223	1	0.02	8	1040	20	<5	<20	148	0.02	<10	11	<10	<1	46
88	L36+00N 3+00 W A	40	<.2	1.71	<5	360	<5	0.65	<1	8	21	54	1.96	<10	0.22	1726	<1	0.02	28	850	14	<5	<20	122	0.11	<10	40	<10	<1	58
89	L36+00N 4+00 W A	<5	<.2	1.40	<5	390	<5	0.96	<1	7	18	101	1.79	<10	0.22	1981	1	0.02	25	1150	22	<5	<20	158	0.08	<10	36	<10	<1	72
90	L36+00N 5+00 W A	<5	<.2	1.56	<5	455	<5	1.22	<1	5	19	114	1.61	<10	0.20	1272	<1	0.02	19	1240	16	<5	<20	216	0.09	<10	33	<10	<1	70
91	L36+00N 6+00 W A	<5	<.2	1.88	<5	230	<5	0.61	<1	10	29	104	2.34	<10	0.28	1137	<1	0.02	34	950	16	<5	<20	103	0.11	<10	51	<10	<1	74
92	L36+00N 7+00 W A	<5	<.2	1.70	<5	215	<5	0.48	<1	9	21	69	2.20	<10	0.23	724	<1	0.02	29	750	16	<5	<20	70	0.12	<10	49	<10	1	55
93	L37+50N 54+00 E A	<5	0.6	0.79	<5	255	<5	1.38	<1	5	14	129	1.49	<10	0.23	4946	3	0.02	10	700	10	<5	<20	59	0.05	<10	42	<10	<1	222
94	L37+50N 53+00 E A	<5	<.2	0.42	<5	140	<5	0.54	<1	3	7	274	0.96	<10	0.11	1236	7	0.02	6	990	18	<5	<20	25	0.02	<10	28	<10	<1	62
95	L37+50N 51+00 E A	<5	<.2	0.32	<5	245	<5	1.05	<1	2	5	229	0.62	<10	0.09	561	8	0.02	5	950	18	<5	<20	36	0.02	<10	17	<10	1	66

NOTE: * = Sample missing from shipment

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-477

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L37+50N 50+00 E A	<5	0.6	0.25	<5	315	<5	1.25	<1	1	4	290	0.38	<10	0.08	3675	6	0.02	4	1210	24	<5	<20	42	0.02	<10	8	<10	<1	82
97	L37+50N 49+00 E A	<5	0.4	0.27	<5	130	<5	0.77	<1	2	3	263	0.33	<10	0.07	2249	4	0.02	3	1170	14	<5	<20	25	0.01	<10	7	<10	<1	90
98	L37+50N 48+00 E A	<5	0.2	0.95	<5	310	<5	0.87	2	6	13	147	1.59	<10	0.28	3033	5	0.02	10	560	20	<5	<20	35	0.08	<10	43	<10	<1	147
99	L37+50N 47+00 E A	<5	0.2	0.87	<5	265	<5	3.27	<1	3	9	311	0.94	20	0.41	2597	3	0.02	13	1060	18	5	<20	158	0.02	<10	26	<10	18	67
100	L37+50N 46+00 E A	<5	0.4	0.26	<5	130	<5	1.21	<1	1	3	192	0.37	<10	0.12	449	4	0.01	5	1010	12	<5	<20	54	0.01	<10	7	<10	2	57
101	L37+50N 44+00 E A	<5	0.4	0.53	<5	225	<5	0.69	<1	2	24	230	0.92	<10	0.13	2260	9	0.01	16	930	18	<5	<20	28	0.02	<10	22	<10	<1	65
102	L37+50N 43+00 E A	<5	1.0	0.41	<5	110	<5	1.64	<1	2	8	236	0.43	10	0.12	2540	9	0.02	7	1320	20	<5	<20	65	0.02	<10	12	<10	9	77
103	L37+50N 42+00 E A	<5	0.4	0.19	<5	85	<5	0.76	<1	<1	2	50	0.18	<10	0.05	1138	1	0.03	4	910	12	<5	<20	43	<.01	<10	4	<10	<1	72
104	L37+50N 41+00 E A	<5	<.2	0.30	<5	120	<5	0.76	<1	2	5	221	0.53	<10	0.10	746	5	0.02	6	980	22	<5	<20	50	0.02	<10	12	<10	<1	62
105	L37+50N 40+00 E A	<5	<.2	0.88	<5	80	<5	1.95	<1	6	11	282	1.35	<10	0.53	538	2	0.03	11	1040	16	10	<20	95	0.04	<10	41	<10	11	64
106	L37+50N 39+00 E A	<5	<.2	1.41	<5	195	<5	2.80	<1	5	16	228	1.63	60	0.53	615	3	0.03	27	1090	16	<5	<20	149	0.04	<10	49	<10	44	59
107	L37+50N 38+00 E A	<5	<.2	0.95	<5	125	<5	1.62	<1	2	13	43	1.12	30	0.23	55	2	0.02	16	910	6	<5	<20	112	0.02	<10	33	<10	20	28
108	L37+50N 37+00 E A	<5	<.2	0.34	<5	100	<5	2.38	<1	<1	5	43	0.48	10	0.24	79	2	0.03	10	1060	8	5	<20	117	0.01	<10	20	<10	9	21
109	L37+50N 36+00 E A	<5	<.2	1.96	10	255	<5	2.65	<1	5	24	142	2.22	60	0.47	608	2	0.03	28	1110	12	<5	<20	197	0.05	<10	44	<10	34	40
110	L37+50N 35+00 E A	<5	<.2	0.49	<5	140	<5	1.24	<1	2	8	176	0.71	10	0.18	882	4	0.02	11	1250	22	<5	<20	103	0.02	<10	18	<10	8	41
111	L37+50N 34+00 E A	<5	<.2	2.03	<5	220	<5	1.27	<1	13	30	104	2.53	30	0.32	2141	2	0.02	27	1240	18	<5	<20	104	0.08	<10	61	<10	12	67
112	L37+50N 33+00 E A	<5	<.2	0.98	<5	135	<5	0.70	<1	7	18	66	1.53	<10	0.14	992	1	0.03	13	680	10	<5	<20	54	0.06	<10	41	<10	3	46
113	L37+50N 32+00 E A	<5	<.2	1.71	<5	275	<5	1.18	<1	11	20	122	1.94	20	0.25	2132	4	0.02	19	1450	18	<5	<20	92	0.05	<10	30	<10	8	72
114	L37+50N 31+00 E A	<5	<.2	1.10	<5	160	<5	0.69	<1	6	26	88	1.93	<10	0.19	931	2	0.03	15	890	12	<5	<20	61	0.07	<10	57	<10	<1	56
115	L37+50N 29+00 E A	<5	<.2	0.31	<5	155	<5	2.45	<1	1	6	190	0.46	<10	0.34	409	9	0.02	8	1370	10	5	<20	157	0.01	<10	12	<10	2	52
116	L37+50N 28+00 E A	<5	<.2	2.23	<5	330	<5	1.86	<1	9	37	867	2.52	20	0.49	469	1	0.03	35	1290	8	<5	<20	127	0.10	<10	51	<10	19	41
117	L37+50N 27+00 E A	<5	<.2	0.45	<5	140	<5	2.16	<1	1	7	177	0.60	20	0.36	623	3	0.03	28	1280	12	5	<20	131	0.02	<10	48	<10	15	34
118	L37+50N 26+00 E A	<5	<.2	0.24	<5	130	<5	1.86	<1	1	4	205	0.36	10	0.31	369	3	0.03	14	1260	10	10	<20	115	<.01	<10	29	<10	9	44
119	L37+50N 25+00 E A	<5	<.2	0.13	<5	30	<5	0.77	<1	<1	3	77	0.19	<10	0.19	56	1	0.04	7	1090	6	5	<20	47	<.01	<10	6	<10	2	19
120	L37+50N 24+00 E A	<5	<.2	0.22	<5	165	<5	1.81	<1	<1	3	149	0.28	<10	0.22	892	3	0.02	8	1210	4	5	<20	108	<.01	<10	13	<10	3	42
121	L37+50N 23+00 E A	<5	<.2	0.15	<5	110	<5	0.98	<1	<1	3	210	0.24	<10	0.10	697	4	0.02	5	1350	14	<5	<20	56	<.01	<10	7	<10	<1	33
122	L37+50N 21+00 E A	<5	1.2	0.43	<5	220	<5	1.66	<1	3	8	159	0.63	<10	0.26	1209	6	0.09	14	1160	16	<5	<20	169	0.03	<10	14	<10	1	34
123	L37+50N 20+00 E A	<5	<.2	0.41	<5	160	<5	0.54	<1	3	7	235	0.74	<10	0.10	480	6	0.02	6	1120	28	<5	<20	61	0.02	<10	17	<10	<1	33
124	L37+50N 19+00 E A	<5	<.2	0.31	<5	215	<5	1.85	<1	1	4	222	0.43	<10	0.15	1505	5	0.02	7	1300	16	<5	<20	142	0.01	<10	7	<10	<1	50
125	L37+50N 18+00 E A	<5	0.6	0.19	<5	390	<5	1.58	<1	<1	7	105	0.26	<10	0.14	4920	2	0.02	8	1430	16	5	<20	98	0.01	<10	6	<10	<1	98
126	L37+50N 17+00 E A	<5	<.2	0.52	<5	165	<5	0.74	<1	3	10	310	0.68	<10	0.10	1267	3	0.02	9	930	18	<5	<20	57	0.03	<10	14	<10	<1	75
127	L37+50N 16+00 E A	<5	<.2	0.11	<5	255	<5	1.13	<1	<1	2	39	0.15	<10	0.08	452	<1	0.02	4	1140	10	<5	<20	71	<.01	<10	3	<10	<1	61
128	L37+50N 15+00 E A	<5	<.2	1.88	<5	240	<5	0.74	<1	16	44	104	2.82	<10	0.68	697	<1	0.04	29	860	6	<5	<20	92	0.15	<10	61	<10	2	50
129	L37+50N 14+00 E A	<5	<.2	0.77	<5	145	<5	1.06	<1	4	12	67	0.84	<10	0.21	935	2	0.02	11	990	22	<5	<20	112	0.04	<10	21	<10	<1	78
130	L37+50N 13+00 E A	<5	<.2	1.37	<5	225	<5	1.11	<1	7	19	44	1.42	<10	0.23	2578	2	0.02	23	1070	18	<5	<20	163	0.07	<10	28	<10	<1	44

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-477 | ECO-TECH LABORATORIES LTD.

Et #	Tag #				Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	L37+50N	12+00	E	A	<5	<.2	2.19	<5	315	<5	1.22	<1	12	33	109	2.23	<10	0.35	1495	<1	0.03	34	950	16	<5	<20	210	0.12	<10	41	<10	<1	66
132	L37+50N	11+00	E	A	<5	<.2	0.35	<5	90	<5	0.70	<1	2	4	74	0.36	<10	0.09	565	1	0.03	6	1350	22	<5	<20	82	0.02	<10	7	<10	<1	60
133	L37+50N	10+00	E	A	<5	<.2	0.54	5	175	<5	1.82	<1	3	8	104	0.58	<10	0.20	1869	1	0.02	9	1040	30	5	<20	286	0.02	<10	12	<10	<1	31
134	L37+50N	9+00	E	A	<5	<.2	1.66	5	230	<5	1.34	<1	9	15	61	1.52	<10	0.32	1331	<1	0.03	21	940	32	<5	<20	336	0.08	<10	25	<10	<1	52
135	L37+50N	8+00	E	A	<5	<.2	0.58	<5	460	<5	2.93	<1	2	12	69	0.81	<10	0.23	1568	<1	0.02	14	1060	36	5	<20	324	0.03	<10	15	<10	<1	89
136	L37+50N	7+00	E	A	<5	<.2	1.87	<5	270	<5	1.10	<1	11	29	84	2.06	<10	0.34	974	<1	0.03	31	1510	16	<5	<20	123	0.13	<10	37	<10	<1	82
137	L37+50N	6+00	E	A	<5	<.2	0.61	<5	205	<5	1.22	<1	3	9	157	0.65	<10	0.17	1192	4	0.02	11	1420	20	5	<20	120	0.03	<10	14	<10	<1	54
138	L37+50N	5+00	E	A	<5	<.2	0.58	<5	290	<5	1.45	<1	3	9	94	0.68	<10	0.15	1402	2	0.02	11	1170	26	<5	<20	196	0.03	<10	14	<10	<1	39
139	L37+50N	4+00	E	A	<5	<.2	0.52	<5	185	<5	1.19	<1	2	6	58	0.41	<10	0.11	1925	<1	0.02	6	1450	20	<5	<20	147	0.02	<10	9	<10	<1	51
140	L37+50N	3+00	E	A	<5	0.2	0.70	<5	415	<5	1.49	<1	3	10	57	0.74	<10	0.13	2181	1	0.03	12	930	22	<5	<20	200	0.04	<10	18	<10	2	63
141	L37+50N	2+00	E	A	<5	<.2	1.10	<5	345	<5	1.62	<1	6	16	115	1.16	40	0.32	1290	3	0.02	29	1570	18	<5	<20	220	0.06	<10	31	<10	19	63
142	L37+50N	1+00	E	A	<5	<.2	0.56	<5	185	<5	0.77	<1	5	10	59	0.81	<10	0.16	1316	2	0.04	12	1160	20	<5	<20	98	0.04	<10	17	<10	<1	40
143	L37+50N	0+00	E	A	<5	<.2	0.48	<5	135	<5	0.46	<1	3	9	57	0.75	<10	0.10	1284	1	0.02	8	1290	22	<5	<20	46	0.04	<10	17	<10	<1	54
144	L37+50N	1+00	W	A	<5	<.2	0.64	<5	145	<5	0.59	<1	4	10	76	0.77	<10	0.11	1109	1	0.02	11	1180	24	<5	<20	59	0.03	<10	17	<10	<1	67
145	L37+50N	2+00	W	A	<5	<.2	0.69	<5	365	<5	1.90	<1	2	8	67	0.69	<10	0.19	1173	1	0.02	9	1150	20	<5	<20	273	0.04	<10	14	<10	<1	33
146	L37+50N	3+00	W	A	<5	<.2	0.73	<5	335	<5	0.50	<1	2	4	32	0.71	<10	0.06	160	2	0.02	9	1350	12	<5	<20	122	<.01	<10	7	<10	<1	27
147	L37+50N	4+00	W	A	<5	<.2	2.63	<5	240	<5	0.46	<1	15	33	56	2.53	<10	0.29	1380	<1	0.02	38	1070	16	<5	<20	56	0.14	<10	54	<10	<1	72
148	L37+50N	5+00	W	A	<5	<.2	1.78	<5	425	<5	0.92	<1	8	21	53	1.89	<10	0.21	1517	<1	0.03	24	1300	18	<5	<20	172	0.12	<10	44	<10	<1	68
149	L38+75N	0+00	W	A	<5	<.2	1.14	<5	85	<5	0.38	<1	7	23	55	1.74	<10	0.21	236	<1	0.02	20	1420	6	<5	<20	29	0.10	<10	41	<10	<1	61
150	L38+75N	1+00	W	A	<5	<.2	0.52	<5	200	<5	0.82	<1	2	8	74	0.58	<10	0.12	643	3	0.02	9	980	18	<5	<20	78	0.03	<10	12	<10	<1	52
151	L38+75N	2+00	W	A	<5	<.2	0.50	<5	115	<5	0.62	<1	3	8	30	0.65	<10	0.09	258	<1	0.03	8	1370	12	<5	<20	63	0.03	<10	15	<10	<1	43
152	L40+00N	40+00	E	A	<5	<.2	0.33	<5	115	<5	0.75	<1	2	5	181	0.53	<10	0.11	966	6	0.02	4	1070	16	<5	<20	32	0.02	<10	14	<10	<1	52
153	L40+00N	39+00	E	A	<5	<.2	3.04	<5	250	<5	2.32	<1	7	34	136	3.09	40	0.53	369	2	0.02	33	980	4	<5	<20	127	0.07	<10	48	<10	29	91
154	L40+00N	38+00	E	A	<5	<.2	1.90	5	190	<5	2.17	<1	4	25	174	2.24	50	0.46	304	2	0.02	30	1090	6	<5	<20	144	0.05	<10	48	<10	40	50
155	L40+00N	37+00	E	A	<5	<.2	1.03	<5	210	<5	4.34	<1	2	14	126	1.28	50	0.38	449	1	0.02	29	1110	4	5	<20	156	0.03	<10	79	<10	38	27
156	L40+00N	36+00	E	A	<5	<.2	3.59	<5	270	<5	1.49	<1	13	63	97	4.84	10	0.68	680	<1	0.03	46	720	<2	<5	20	111	0.15	<10	97	<10	10	81
157	L40+00N	35+00	E	A	<5	<.2	1.68	<5	260	<5	1.15	<1	13	37	87	2.85	10	0.34	1018	<1	0.05	28	1240	4	<5	<20	108	0.11	<10	74	<10	8	72
158	L40+00N	34+00	E	A	<5	<.2	4.50	<5	350	<5	1.36	<1	16	73	122	5.40	50	0.79	1233	<1	0.03	60	990	<2	<5	20	141	0.15	<10	99	<10	28	73
159	L40+00N	33+00	E	A	<5	<.2	3.40	<5	320	<5	1.18	<1	13	54	148	4.22	50	0.61	620	<1	0.05	58	1420	2	<5	<20	115	0.13	<10	73	<10	28	74
160	L40+00N	32+00	E	A	<5	<.2	1.30	<5	215	<5	0.95	<1	10	36	76	2.42	<10	0.35	422	<1	0.04	22	890	6	<5	<20	80	0.11	<10	59	<10	3	70
161	L40+00N	31+00	E	A	<5	<.2	0.67	<5	200	5	3.63	<1	9	13	30	4.55	<10	0.47	766	3	0.03	22	2840	<2	<5	20	373	0.02	<10	93	<10	3	21
162	L40+00N	30+00	E	A	<5	<.2	0.44	<5	220	<5	1.44	<1	3	11	87	0.92	<10	0.21	767	2	0.03	11	870	4	<5	<20	90	0.03	<10	27	<10	2	68
163	L40+00N	29+00	E	A	<5	<.2	0.97	<5	160	<5	0.58	<1	6	23	135	1.51	<10	0.18	781	3	0.02	12	1150	12	<5	<20	51	0.09	<10	35	<10	<1	72
164	L40+00N	28+00	E	A	<5	0.2	1.91	<5	375	<5	1.28	<1	13	31	123	2.35	10	0.39	4131	3	0.03	26	1390	10	<5	<20	151	0.09	<10	58	<10	5	115
165	L40+00N	27+00	E	A	<5	<.2	1.51	<5	295	<5	1.86	<1	17	21	87	1.93	50	0.42	365	2	0.03	32	1260	4	<5	<20	195	0.05	<10	44	<10	28	47

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	L40+00N 26+00 E A	<5	<.2	1.46	<5	260	<5	2.17	<1	6	27	67	2.09	50	0.52	379	<1	0.02	33	970	<2	<5	<20	192	0.05	<10	61	<10	31	35
167	L40+00N 25+00 E A	<5	<.2	2.90	<5	375	<5	1.86	<1	21	58	119	4.23	50	0.76	1199	<1	0.03	54	870	2	<5	<20	172	0.13	<10	100	<10	24	68
168	L40+00N 24+00 E A	<5	<.2	1.44	<5	350	<5	1.82	<1	8	33	89	2.29	30	0.47	1898	3	0.03	40	870	8	<5	<20	179	0.09	<10	70	<10	17	55
169	L40+00N 23+00 E A	<5	<.2	1.44	<5	305	<5	1.52	<1	10	34	85	2.18	30	0.41	1150	1	0.03	42	700	10	<5	<20	143	0.10	<10	55	<10	23	50
170	L40+00N 22+00 E A	<5	<.2	0.98	<5	165	<5	0.78	<1	8	29	69	1.84	<10	0.22	1098	3	0.03	16	970	6	<5	<20	75	0.09	<10	47	<10	1	59
171	L40+00N 20+00 E A	<5	<.2	0.30	<5	90	<5	0.52	<1	2	5	138	0.42	<10	0.10	887	4	0.02	6	1200	16	<5	<20	40	0.01	<10	9	<10	<1	45
172	L40+00N 19+00 E A	<5	<.2	1.01	<5	380	<5	1.37	<1	4	7	179	1.00	<10	0.18	1796	4	0.02	9	990	22	<5	<20	157	0.04	<10	21	<10	1	64
173	L40+00N 18+00 E A	<5	<.2	2.54	<5	285	<5	0.84	<1	14	25	44	2.53	<10	0.26	4335	<1	0.03	22	870	14	<5	<20	104	0.11	<10	57	<10	1	93
174	L40+00N 17+00 E A	<5	<.2	0.47	<5	290	<5	0.74	<1	2	5	89	0.62	<10	0.09	678	2	0.02	6	1090	14	<5	<20	79	0.02	<10	12	<10	<1	40
175	L32+00N 1+00 W B	-	<.2	2.68	<5	285	<5	1.01	<1	14	51	131	2.96	30	0.61	735	<1	0.05	41	860	4	<5	<20	152	0.15	<10	66	<10	19	47
176	L32+00N 2+00 W B	-	<.2	3.19	<5	190	10	0.26	<1	13	40	20	3.05	<10	0.28	204	<1	0.02	44	2690	6	<5	20	36	0.20	<10	67	<10	2	53
177	L32+00N 3+00 W B	-	<.2	4.27	<5	155	5	0.29	<1	13	32	11	2.63	<10	0.16	588	<1	0.03	66	3850	10	<5	20	36	0.18	<10	43	<10	2	53
178	L32+00N 4+00 W B	-	<.2	3.44	<5	200	10	0.28	<1	16	44	18	3.18	<10	0.27	166	<1	0.02	69	2010	6	<5	20	39	0.21	<10	49	<10	<1	60
179	L32+00N 5+00 W B	-	<.2	2.96	5	195	5	0.31	<1	14	33	14	2.91	<10	0.24	334	<1	0.02	54	1830	8	<5	20	40	0.20	<10	51	<10	<1	81
180	L32+00N 0+00 W B	-	<.2	3.37	10	255	10	0.28	<1	19	56	27	3.72	<10	0.31	245	<1	0.02	50	860	6	<5	20	54	0.26	<10	68	<10	<1	50
181	L33+25N 1+00 W B	-	<.2	2.78	<5	250	10	0.54	<1	16	56	35	3.44	<10	0.52	361	<1	0.04	46	790	6	<5	<20	75	0.22	<10	76	<10	6	63
182	L33+25N 2+00 W B	-	<.2	2.96	<5	285	10	0.30	<1	17	50	30	3.53	<10	0.33	235	<1	0.03	55	1140	4	<5	20	64	0.24	<10	58	<10	<1	51
183	L33+25N 3+0 W B	-	<.2	3.27	<5	335	5	0.34	<1	18	50	32	3.64	<10	0.36	246	<1	0.03	62	1160	4	<5	20	73	0.24	<10	60	<10	<1	53
184	L33+25N 4+00 W B	-	<.2	2.96	<5	280	10	0.33	<1	18	44	25	3.33	<10	0.31	345	<1	0.03	61	970	6	<5	20	49	0.24	<10	54	<10	<1	64
185	L33+25N 5+00 W B	-	<.2	3.76	<5	180	10	0.32	<1	18	53	20	3.20	<10	0.34	479	<1	0.02	73	1200	8	<5	20	42	0.21	<10	59	<10	<1	97
186	L33+25N 6+00 W B		<.2	3.54	<5	310	10	0.33	<1	19	51	26	3.65	<10	0.39	244	<1	0.03	74	990	4	<5	20	58	0.22	<10	53	<10	<1	53
187	L34+50N 39+00 E B	-	<.2	1.50	<5	130	5	0.44	<1	10	41	22	2.83	<10	0.28	245	<1	0.02	18	160	6	<5	<20	39	0.17	<10	85	<10	3	37
188	L34+50N 38+00 E B	-	<.2	2.23	<5	95	5	0.28	<1	9	29	17	2.46	<10	0.23	125	<1	0.01	22	830	8	<5	20	28	0.15	<10	59	<10	<1	49
189	L34+50N 37+00 E B	-	<.2	1.27	<5	120	5	0.47	<1	10	53	26	3.12	<10	0.35	192	<1	0.03	16	170	4	<5	<20	46	0.20	<10	89	<10	2	36
190	L34+50N 36+00 E B	-	<.2	1.83	<5	115	<5	0.39	<1	15	44	25	3.32	<10	0.31	407	<1	0.02	20	460	6	<5	20	36	0.15	<10	99	<10	1	48
191	L34+50N 35+00 E B	-	<.2	2.01	<5	115	10	0.42	<1	9	42	20	2.91	<10	0.34	182	<1	0.03	19	210	6	<5	<20	45	0.17	<10	73	<10	1	44
192	L34+50N 34+00 E B	-	<.2	1.53	<5	100	5	0.30	<1	9	40	19	2.80	<10	0.24	171	<1	0.02	17	270	6	<5	<20	28	0.15	<10	81	<10	<1	42
193	L34+50N 33+00 E B	-	<.2	2.27	<5	85	5	0.19	<1	10	39	14	3.43	<10	0.16	141	<1	0.01	21	2150	8	<5	20	18	0.15	<10	90	<10	<1	49
194	L34+50N 32+00 E B	-	<.2	2.86	<5	135	5	0.29	<1	13	41	19	3.53	<10	0.22	244	<1	0.01	30	2510	6	<5	20	32	0.16	<10	90	<10	<1	58
195	L34+50N 31+00 E B	-	<.2	1.81	<5	120	10	0.37	<1	11	49	22	3.09	<10	0.31	201	<1	0.02	26	260	6	<5	20	42	0.19	<10	79	<10	2	45
196	L34+50N 30+00 E B	-	<.2	3.04	<5	135	5	0.32	<1	15	51	22	3.70	<10	0.40	423	<1	0.01	39	1180	8	<5	20	40	0.24	<10	80	<10	<1	60
197	L34+50N 29+00 E B	-	<.2	1.72	<5	155	10	0.45	<1	13	52	29	3.48	<10	0.40	166	<1	0.03	25	470	4	<5	<20	65	0.22	<10	85	<10	<1	49
198	L34+50N 28+00 E B	-	<.2	1.87	<5	195	<5	0.45	<1	13	41	37	2.74	<10	0.35	438	<1	0.03	25	380	6	<5	<20	54	0.16	<10	62	<10	6	45
199	L34+50N 27+00 E B	-	<.2	1.61	<5	135	10	0.34	<1	12	38	25	2.45	<10	0.28	203	<1	0.03	21	220	4	<5	<20	42	0.17	<10	49	<10	2	35
200	L34+50N 26+00 E B	-	<.2	1.46	<5	170	5	0.44	<1	10	46	25	2.59	<10	0.32	167	<1	0.03	21	370	6	<5	<20	60	0.20	<10	49	<10	3	28

Et #	Tag #				Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	L34+50N	25+0	E	B	-	<.2	1.37	<5	185	<5	0.58	<1	9	41	100	2.37	<10	0.37	148	<1	0.04	22	490	6	<5	<20	70	0.19	<10	43	<10	5	30
202	L34+50N	24+00	E	B	-	<.2	1.71	<5	140	<5	0.43	<1	12	32	51	3.28	<10	0.41	313	<1	0.02	30	1160	2	<5	20	42	0.15	<10	85	<10	<1	43
203	L34+50N	23+00	E	B	-	<.2	2.24	<5	145	<5	0.30	<1	14	34	148	3.49	<10	0.38	180	1	0.02	31	1480	2	<5	<20	42	0.13	<10	80	<10	<1	56
204	L34+50N	22+00	E	B	-	<.2	3.13	5	360	<5	0.81	<1	13	32	838	3.48	20	0.67	530	<1	0.02	53	820	6	<5	<20	81	0.14	<10	76	<10	17	46
205	L34+50N	21+00	E	B	-	<.2	2.63	<5	310	<5	0.49	<1	13	29	234	3.55	<10	0.54	258	2	0.02	40	910	6	<5	<20	115	0.12	<10	72	<10	<1	47
206	L34+50N	19+00	E	B	-	<.2	2.24	<5	160	<5	0.52	<1	18	36	396	3.71	<10	0.78	224	2	0.02	29	690	6	<5	<20	44	0.13	<10	93	<10	1	53
207	L34+50N	14+00	E	B	-	<.2	2.95	<5	210	5	0.36	<1	15	50	36	3.10	<10	0.43	935	<1	0.02	59	1760	6	<5	<20	83	0.16	<10	56	<10	<1	75
208	L34+50N	13+00	E	B	-	<.2	3.06	<5	115	10	0.25	<1	15	48	22	3.33	<10	0.34	209	<1	0.02	57	1890	6	<5	20	50	0.17	<10	70	<10	<1	67
209	L34+50N	12+00	E	B	-	<.2	2.79	<5	170	<5	0.41	<1	15	38	20	2.85	<10	0.30	1027	<1	0.02	51	1620	6	<5	<20	45	0.16	<10	59	<10	<1	82
210	L34+50N	11+00	E	B	-	<.2	3.28	<5	205	5	0.27	<1	20	58	49	3.79	<10	0.39	480	<1	0.03	58	630	2	<5	20	48	0.22	<10	74	<10	<1	53
211	L34+50N	10+00	E	B	-	<.2	2.22	<5	205	<5	0.37	<1	19	49	34	3.38	<10	0.48	210	<1	0.04	68	670	2	<5	<20	63	0.17	<10	63	<10	1	38
212	L34+50N	9+00	E	B	-	<.2	2.50	<5	195	5	0.42	<1	20	53	34	3.44	<10	0.51	318	<1	0.03	65	1030	2	<5	<20	62	0.18	<10	68	<10	2	45
213	L34+50N	8+00	E	B	-	<.2	2.63	<5	195	10	0.33	<1	17	49	25	3.31	<10	0.36	320	<1	0.03	57	790	4	<5	<20	49	0.21	<10	71	<10	1	48
214	L34+50N	7+00	E	B	-	<.2	1.49	<5	200	<5	0.77	<1	16	56	39	2.90	10	0.46	419	<1	0.07	39	680	4	<5	<20	95	0.20	<10	74	<10	8	54
215	L34+50N	6+00	E	B	-	<.2	2.79	<5	195	10	0.39	<1	15	44	24	3.28	<10	0.32	495	<1	0.03	41	1640	6	<5	<20	50	0.21	<10	72	<10	1	73
216	L34+50N	5+00	E	B	-	<.2	2.87	<5	195	10	0.30	<1	17	50	25	3.30	<10	0.34	327	<1	0.02	47	1200	2	<5	<20	45	0.21	<10	72	<10	1	58
217	L34+50N	4+00	E	B	-	<.2	1.79	<5	160	<5	0.76	<1	17	60	59	3.21	40	0.51	434	<1	0.04	39	800	6	<5	<20	104	0.22	<10	79	<10	28	43
218	L34+50N	3+00	E	B	-	<.2	2.72	<5	215	<5	0.39	<1	18	55	30	3.50	<10	0.36	292	<1	0.03	42	1280	2	<5	<20	51	0.24	<10	79	<10	3	52
219	L34+50N	2+00	E	B	-	<.2	2.79	<5	230	10	0.33	<1	19	56	27	3.60	<10	0.31	202	<1	0.03	40	1280	2	<5	20	49	0.24	<10	82	<10	1	51
220	L34+50N	1+00	E	B	-	<.2	1.79	<5	210	5	0.69	<1	16	55	35	2.97	20	0.47	762	<1	0.04	38	850	4	<5	<20	88	0.20	<10	85	<10	15	46
221	L34+50N	0+00	E	B	-	<.2	2.93	10	205	5	0.21	<1	11	31	17	2.61	<10	0.23	233	<1	0.02	37	2520	4	<5	<20	27	0.18	<10	57	<10	3	51
222	L34+50N	1+00	E	B	-	<.2	3.11	<5	280	5	0.25	<1	16	43	24	3.21	<10	0.28	352	<1	0.02	52	1140	4	<5	<20	48	0.23	<10	62	<10	<1	73
223	L34+50N	2+00	E	B	-	<.2	3.08	<5	200	10	0.25	<1	17	48	20	3.25	<10	0.21	252	<1	0.03	52	1520	4	<5	<20	35	0.23	<10	56	<10	2	79
224	L34+50N	3+00	E	B	-	<.2	5.10	<5	540	10	0.32	<1	19	49	37	3.95	<10	0.45	283	<1	0.02	77	860	6	<5	20	63	0.27	<10	66	<10	<1	62
225	L34+50N	4+00	E	B	-	<.2	3.07	<5	195	10	0.26	<1	16	38	21	3.02	<10	0.28	201	<1	0.02	65	1480	2	<5	<20	37	0.21	<10	51	<10	<1	56
226	L34+50N	5+00	W	B	-	<.2	4.58	<5	300	10	0.26	<1	21	85	32	4.13	<10	0.45	222	<1	0.02	71	510	4	<5	<20	50	0.24	<10	80	<10	<1	55
227	L34+50N	6+00	W	B	-	<.2	3.56	<5	270	10	0.26	<1	16	47	19	3.14	<10	0.33	381	<1	0.02	58	660	6	<5	<20	40	0.21	<10	57	<10	<1	54
228	L34+50N	7+00	W	B	-	<.2	2.86	<5	135	10	0.21	<1	15	39	16	3.07	<10	0.27	249	<1	0.02	45	1010	4	<5	<20	23	0.21	<10	64	<10	1	68
229	L34+50N	8+00	W	B	-	<.2	3.75	<5	210	10	0.30	<1	19	58	24	3.68	<10	0.34	264	<1	0.02	57	1430	6	<5	20	39	0.23	<10	75	<10	<1	72
230	L36+00N	30+00	E	B	-	<.2	3.17	<5	125	10	0.18	<1	14	38	17	3.31	<10	0.26	130	<1	0.01	37	1520	4	<5	<20	25	0.21	<10	66	<10	<1	49
231	L36+00N	29+00	E	B	-	<.2	2.20	<5	130	<5	0.37	<1	14	50	34	3.93	<10	0.34	315	<1	0.01	28	1600	2	<5	<20	34	0.16	<10	113	<10	<1	51
232	L36+00N	28+00	E	B	-	<.2	2.27	<5	155	5	0.31	<1	15	55	26	3.46	<10	0.31	382	<1	0.01	36	1490	4	<5	<20	33	0.16	<10	89	<10	1	50
233	L36+00N	27+00	E	B	-	<.2	2.37	<5	175	5	0.33	<1	16	45	34	3.40	<10	0.30	725	<1	0.02	33	1240	4	<5	<20	39	0.18	<10	83	<10	3	52
234	L36+00N	26+00	E	B	-	<.2	1.32	<5	145	<5	0.39	<1	9	41	21	2.36	<10	0.28	157	<1	0.03	16	210	4	<5	<20	50	0.20	<10	49	<10	2	28
235	L36+00N	25+00	E	B	-	<.2	1.91	<5	190	10	0.39	<1	13	46	29	3.09	<10	0.31	408	<1	0.02	28	1070	4	<5	<20	47	0.19	<10	66	<10	2	49

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
236	L36+00N 24+00 E B	-	<.2	1.76	<5	200	<5	0.69	<1	13	46	64	3.22	<10	0.51	232	<1	0.05	32	360	2	<5	<20	68	0.18	<10	65	<10	6	34
237	L36+00N 23+00 E B	-	<.2	1.56	<5	180	5	0.52	<1	13	47	34	2.97	<10	0.35	243	<1	0.03	25	300	4	<5	<20	58	0.20	<10	67	<10	3	33
238	L36+00N 22+00 E B	-	<.2	2.60	<5	205	<5	0.45	<1	14	32	121	3.17	<10	0.29	481	<1	0.02	35	2110	4	<5	<20	49	0.15	<10	65	<10	<1	73
239	L36+00N 21+00 E B	-	<.2	3.55	<5	145	<5	0.34	<1	13	35	27	2.94	<10	0.28	210	<1	0.02	40	1610	4	<5	<20	40	0.17	<10	62	<10	<1	71
240	L36+00N 20+00 E B	-	<.2	2.13	<5	180	<5	0.48	<1	11	29	53	2.51	<10	0.26	978	<1	0.02	31	1270	6	<5	<20	51	0.14	<10	57	<10	<1	71
241	L36+00N 18+00 E B	-	<.2	2.56	<5	160	<5	0.27	<1	14	49	40	3.15	<10	0.29	164	<1	0.04	38	1060	<2	<5	<20	34	0.17	<10	69	<10	<1	45
242	L36+00N 17+00 E B	-	<.2	2.41	<5	175	<5	0.33	<1	15	56	78	3.32	<10	0.34	316	<1	0.02	31	960	4	<5	<20	36	0.14	<10	71	<10	<1	48
243	L36+00N 16+00 E B	-	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
244	L36+00N 15+50 E B	-	<.2	1.74	<5	120	<5	0.23	<1	9	39	14	2.02	<10	0.21	225	<1	0.02	25	600	6	<5	<20	29	0.15	<10	40	<10	1	51
245	L36+00N 15+00 E B	-	<.2	2.27	<5	140	10	0.21	<1	14	43	18	2.70	<10	0.21	321	<1	0.02	38	2230	6	<5	<20	23	0.16	<10	52	<10	1	72
246	L36+00N 14+00 E B	-	<.2	2.97	<5	125	10	0.23	<1	16	43	20	3.01	<10	0.29	203	<1	0.02	53	3120	8	<5	<20	34	0.17	<10	56	<10	1	73
247	L36+00N 13+00 E B	-	<.2	4.32	<5	270	5	0.35	<1	24	94	46	4.19	<10	0.66	508	<1	0.02	75	930	6	<5	<20	133	0.22	<10	71	<10	<1	63
248	L36+00N 12+00 E B	-	<.2	3.60	<5	245	10	0.34	<1	17	74	24	3.52	<10	0.39	450	<1	0.02	52	1220	4	<5	<20	83	0.20	<10	61	<10	<1	84
249	L36+00N 11+00 E B	-	<.2	3.19	<5	225	10	0.44	<1	17	46	26	3.21	<10	0.35	764	<1	0.02	46	1270	6	<5	<20	75	0.21	<10	64	<10	2	81
250	L36+00N 10+00 E B	-	<.2	3.35	<5	230	5	0.65	36	20	41	33	3.37	<10	0.56	613	<1	0.02	59	540	6	<5	<20	349	0.19	<10	56	<10	3	88
251	L36+00N 9+00 E B	-	<.2	2.70	<5	175	10	0.36	<1	18	42	22	3.21	<10	0.35	449	<1	0.03	48	1310	6	<5	<20	59	0.21	<10	60	<10	2	80
252	L36+00N 8+00 E B	-	<.2	3.55	<5	280	10	0.34	15	19	85	27	3.59	<10	0.43	550	<1	0.02	72	940	4	<5	<20	106	0.21	<10	63	<10	1	95
253	L36+00N 7+00 E B	-	<.2	3.11	<5	220	5	0.33	5	19	60	25	3.62	<10	0.44	406	<1	0.02	62	700	4	<5	<20	49	0.21	<10	80	<10	1	64
254	L36+00N 6+00 E B	-	<.2	2.71	<5	220	5	0.30	<1	17	53	29	3.54	<10	0.38	236	<1	0.02	52	1280	2	<5	<20	47	0.22	<10	80	<10	2	52
255	L36+00N 5+00 E B	-	<.2	2.75	<5	195	10	0.37	<1	17	46	32	3.55	<10	0.38	374	<1	0.02	44	1440	2	<5	<20	50	0.23	<10	80	<10	1	60
256	L36+00N 4+00 E B	-	<.2	2.82	5	230	10	0.35	<1	18	50	31	3.45	<10	0.38	402	<1	0.02	40	1240	4	<5	<20	52	0.23	<10	76	<10	2	56
257	L36+00N 3+00 E B	-	<.2	2.80	<5	195	10	0.39	<1	18	52	30	3.52	<10	0.41	206	<1	0.02	49	940	2	<5	<20	55	0.22	<10	78	<10	1	46
258	L36+00N 2+00 E B	-	<.2	1.79	<5	135	10	0.54	<1	17	53	31	3.13	10	0.41	630	<1	0.04	37	360	2	<5	<20	80	0.20	<10	82	<10	12	39
259	L36+00N 1+00 E B	-	<.2	2.08	<5	220	5	0.54	<1	18	46	31	3.31	10	0.42	947	<1	0.03	37	840	4	<5	<20	74	0.21	<10	86	<10	7	57
260	L36+00N 0+00 E B	-	<.2	3.25	<5	200	5	0.21	<1	14	42	23	3.11	<10	0.26	285	<1	0.02	37	1780	2	<5	<20	32	0.20	<10	64	<10	2	64
261	L36+00N 1+00 W B	-	<.2	2.93	<5	195	5	0.28	<1	14	34	21	2.85	<10	0.24	437	<1	0.02	39	1370	6	<5	<20	44	0.20	<10	59	<10	2	67
262	L36+00N 2+00 W B	-	<.2	3.59	<5	295	10	0.25	<1	18	44	30	3.37	<10	0.33	465	<1	0.02	49	1310	6	<5	<20	44	0.21	<10	66	<10	1	70
263	L36+00N 3+00 W B	-	<.2	3.21	<5	225	<5	0.19	<1	14	32	23	2.91	<10	0.27	211	<1	0.02	44	1220	6	<5	<20	38	0.19	<10	60	<10	2	69
264	L36+00N 4+00 W B	-	<.2	3.21	<5	225	<5	0.19	<1	14	32	23	2.91	<10	0.27	211	<1	0.02	44	1220	6	<5	<20	38	0.19	<10	60	<10	2	69
265	L36+00N 5+00 W B	-	<.2	4.10	<5	265	5	0.24	<1	16	48	44	3.60	<10	0.26	193	<1	0.02	50	1090	6	<5	<20	53	0.27	<10	70	<10	1	61
266	L36+00N 6+00 W B	-	<.2	4.40	<5	265	10	0.20	<1	19	62	34	3.83	<10	0.44	228	<1	0.02	62	840	6	<5	20	31	0.25	<10	80	<10	1	59
267	L36+00N 7+00 W B	-	<.2	3.08	5	120	5	0.20	<1	13	27	25	3.00	<10	0.28	200	<1	0.02	43	1000	4	<5	<20	25	0.21	<10	65	<10	2	48
268	L37+50N 54+00 W B	-	<.2	2.36	<5	145	5	0.28	<1	13	33	29	3.24	<10	0.41	1601	<1	<.01	22	580	4	<5	<20	18	0.13	<10	93	<10	<1	155
269	L37+50N 53+00 W B	-	<.2	2.57	<5	155	5	0.23	<1	11	22	23	2.76	<10	0.29	863	<1	0.01	20	1630	8	<5	<20	12	0.12	<10	66	<10	<1	122
270	L37+50N 52+00 W B	-	<.2	1.88	<5	115	<5	0.74	<1	11	28	66	2.96	<10	0.35	392	<1	0.02	15	240	6	<5	<20	27	0.14	<10	78	<10	6	51

NOTE: ** = Missing - empty sample bag

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-477

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
271	L37+50N 51+00 W B	-	<.2	2.96	<5	170	<5	0.50	<1	13	26	34	3.53	<10	0.48	207	<1	0.01	22	1380	6	<5	<20	19	0.13	<10	87	<10	<1	95
272	L37+50N 50+00 W B	-	<.2	2.74	<5	140	<5	0.53	<1	10	19	44	2.46	<10	0.31	577	<1	0.01	17	590	8	<5	<20	19	0.15	<10	61	<10	5	97
273	L37+50N 49+00 W B	-	<.2	1.45	<5	100	5	0.24	<1	9	25	15	2.67	<10	0.18	338	<1	<.01	11	800	4	<5	<20	14	0.11	<10	78	<10	<1	73
274	L37+50N 48+00 W B	-	<.2	2.29	<5	140	5	0.35	<1	15	27	32	3.33	<10	0.52	478	<1	0.01	18	410	6	<5	<20	15	0.23	<10	100	<10	<1	127
275	L37+50N 47+00 W B	-	<.2	1.48	<5	100	10	0.51	<1	11	40	34	3.15	<10	0.35	254	<1	0.02	16	160	4	<5	<20	32	0.20	<10	100	<10	3	46
276	L37+50N 46+00 E B	-	<.2	1.71	<5	100	<5	0.45	<1	8	25	28	2.50	<10	0.26	152	<1	0.02	15	220	4	<5	<20	24	0.13	<10	65	<10	4	62
277	L37+50N 45+00 E B	-	<.2	2.52	<5	255	<5	1.15	1	25	34	299	5.56	<10	1.49	1089	<1	<.01	26	910	152	<5	<20	49	0.28	<10	207	<10	11	357
278	L37+50N 44+00 E B	-	<.2	2.08	<5	200	<5	0.55	<1	11	26	63	3.44	<10	0.52	360	<1	<.01	16	450	8	<5	<20	43	0.10	<10	101	<10	2	72
279	L37+50N 43+00 E B	-	<.2	3.06	<5	145	<5	0.80	<1	11	23	134	2.72	20	0.38	1797	1	0.02	20	400	8	<5	<20	46	0.11	<10	74	<10	16	80
280	L37+50N 42+00 E B	-	<.2	4.35	<5	185	5	0.34	<1	15	37	39	3.84	<10	0.33	202	<1	0.02	37	3670	6	<5	<20	35	0.17	<10	84	<10	<1	78
281	L37+50N 41+00 E B	-	<.2	3.20	<5	120	5	0.22	<1	14	34	23	3.38	<10	0.27	311	<1	0.01	27	3110	6	<5	<20	15	0.17	<10	73	<10	<1	109
282	L37+50N 40+00 E B	-	<.2	2.63	<5	95	<5	0.82	<1	18	32	104	3.97	<10	0.88	716	<1	0.02	19	310	8	<5	<20	40	0.22	<10	116	<10	6	89
283	L37+50N 39+00 E B	-	<.2	4.44	<5	230	<5	0.92	<1	17	45	93	4.55	<10	0.83	690	<1	0.03	39	480	8	<5	<20	57	0.16	<10	79	<10	8	95
284	L37+50N 38+00 E B	-	<.2	3.09	<5	210	<5	0.96	<1	18	54	87	4.53	10	0.69	717	<1	0.03	38	260	6	<5	<20	72	0.18	<10	98	<10	12	78
285	L37+50N 37+00 E B	-	<.2	1.43	<5	115	5	0.52	<1	10	40	29	2.67	<10	0.35	209	<1	0.03	17	120	4	<5	<20	44	0.19	<10	68	<10	3	35
286	L37+50N 36+00 E B	-	<.2	1.49	<5	125	5	0.53	<1	10	48	25	3.07	<10	0.37	209	<1	0.03	17	130	4	<5	<20	47	0.20	<10	86	<10	3	38
287	L37+50N 35+00 E B	-	<.2	1.37	<5	100	<5	0.49	<1	9	40	22	2.59	<10	0.30	168	<1	0.03	15	270	4	<5	<20	47	0.19	<10	60	<10	3	32
288	L37+50N 34+00 E B	-	<.2	1.43	<5	95	5	0.42	<1	10	43	22	2.87	<10	0.27	149	<1	0.03	18	160	4	<5	<20	41	0.20	<10	72	<10	3	32
289	L37+50N 33+00 E B	-	<.2	2.33	<5	90	5	0.28	<1	12	43	18	3.28	<10	0.23	158	<1	0.01	27	650	6	<5	<20	22	0.16	<10	86	<10	<1	44
290	L37+50N 32+00 E B	-	<.2	1.76	<5	120	<5	0.37	<1	10	37	22	2.72	<10	0.28	198	<1	0.02	19	340	6	<5	<20	37	0.16	<10	73	<10	2	34
291	L37+50N 31+00 E B	-	<.2	3.09	<5	115	5	0.25	<1	15	56	21	4.18	<10	0.27	319	<1	0.01	35	2140	4	<5	<20	21	0.17	<10	110	<10	<1	76
292	L37+50N 30+00 E B	-	<.2	1.38	<5	125	10	0.55	<1	14	50	30	3.43	<10	0.38	190	<1	0.04	23	670	2	<5	<20	70	0.22	<10	89	<10	2	40
293	L37+50N 29+00 E B	-	<.2	2.98	<5	255	<5	1.38	<1	15	63	158	4.12	20	0.66	849	<1	0.03	43	950	4	<5	<20	125	0.18	<10	84	<10	17	50
294	L37+50N 28+00 E B	-	<.2	2.49	<5	340	<5	1.71	<1	10	43	990	2.95	20	0.56	337	<1	0.03	40	920	<2	<5	<20	125	0.13	<10	56	<10	19	39
295	L37+50N 26+00 E B	-	<.2	4.23	<5	360	<5	1.40	<1	19	76	163	5.75	20	0.86	1061	<1	0.02	76	930	<2	<5	20	120	0.19	<10	134	<10	21	51
296	L37+50N 24+00 E B	-	<.2	1.80	<5	135	<5	0.54	<1	9	35	34	2.55	<10	0.36	249	<1	0.03	19	230	2	<5	<20	50	0.15	<10	53	<10	4	24
297	L37+50N 23+00 E B	-	<.2	1.72	<5	175	<5	0.62	<1	12	42	47	2.78	<10	0.44	509	<1	0.04	27	180	4	<5	<20	69	0.18	<10	63	<10	7	29
298	L37+50N 22+00 E B	-	<.2	1.86	<5	205	5	0.42	<1	16	60	29	3.59	<10	0.36	213	<1	0.03	36	880	<2	<5	<20	61	0.21	<10	89	<10	2	40
299	L37+50N 21+00 E B	-	<.2	1.81	<5	155	10	0.36	<1	13	48	19	3.10	<10	0.24	196	<1	0.02	28	1720	6	<5	<20	50	0.17	<10	70	<10	<1	43
300	L37+50N 20+00 E B	-	<.2	1.78	<5	140	5	0.30	<1	13	43	24	3.35	<10	0.25	161	<1	0.02	20	370	4	<5	<20	42	0.18	<10	90	<10	1	30
301	L37+50N 19+00 E B 3	-	<.2	3.68	<5	130	5	0.22	<1	13	33	17	3.19	<10	0.20	203	<1	0.02	34	4520	8	<5	20	29	0.16	<10	56	<10	<1	62
302	L37+50N 18+00 E B 3	-	<.2	3.05	<5	175	<5	0.30	<1	16	45	60	3.48	<10	0.30	227	<1	0.02	32	1060	2	<5	<20	32	0.17	<10	81	<10	<1	63
303	L37+50N 17+00 E B 3	-	<.2	3.51	<5	210	<5	0.26	<1	15	39	28	3.09	<10	0.25	288	<1	0.02	49	3240	6	<5	<20	33	0.17	<10	54	<10	<1	82
304	L37+50N 16+00 E B 3	-	<.2	1.94	<5	175	<5	0.19	<1	6	15	48	2.04	<10	0.30	234	5	<.01	10	1520	4	<5	<20	19	0.01	<10	34	<10	<1	53
305	L37+50N 15+00 E B 3	-	<.2	2.38	<5	290	<5	0.58	<1	17	51	100	3.22	<10	0.75	569	<1	0.03	33	760	6	<5	<20	81	0.18	<10	67	<10	3	49

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-477

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
306	L37+50N 14+00 E B 3	-	<.2	4.29	<5	190	5	0.46	<1	14	44	25	2.97	<10	0.43	458	<1	0.02	51	1710	12	<5	<20	52	0.18	<10	64	<10	<1	105
307	L37+50N 13+00 E B 3	-	<.2	3.37	<5	185	10	0.34	<1	16	51	22	3.11	<10	0.33	509	<1	0.02	57	1180	6	<5	<20	50	0.20	<10	58	<10	1	74
308	L37+50N 12+00 E B 3	-	<.2	4.35	<5	260	5	0.36	<1	22	67	31	4.10	<10	0.48	638	<1	0.02	62	780	8	<5	<20	89	0.25	<10	72	<10	2	72
309	L37+50N 11+00 E B 3	-	<.2	3.37	<5	190	10	0.31	<1	18	50	21	3.34	<10	0.31	751	<1	0.02	49	1600	6	<5	<20	56	0.21	<10	65	<10	1	80
310	L37+50N 10+00 E B 3	-	<.2	4.15	5	240	5	0.25	<1	19	47	36	3.82	<10	0.46	289	<1	0.02	50	1680	10	<5	20	36	0.23	<10	81	<10	3	67
311	L37+50N 9+00 E B 3	-	<.2	4.19	<5	255	10	0.51	<1	18	32	29	3.48	<10	0.55	284	<1	0.02	45	960	8	<5	<20	428	0.21	<10	53	<10	2	64
312	L37+50N 8+00 E B 3	-	<.2	4.10	<5	200	5	0.49	<1	18	40	21	3.25	<10	0.50	472	<1	0.02	47	1840	8	<5	<20	95	0.18	<10	72	<10	3	50
313	L37+50N 7+00 E B 3	-	<.2	3.51	<5	305	5	0.42	<1	17	51	30	3.30	<10	0.40	437	<1	0.03	51	1890	4	<5	<20	68	0.20	<10	62	<10	2	84
314	L37+50N 6+00 E B 3	-	<.2	3.40	<5	245	5	0.38	<1	18	54	29	3.65	<10	0.42	467	<1	0.02	53	1420	6	<5	<20	61	0.22	<10	77	<10	2	62
315	L37+50N 5+00 E B 3	-	<.2	3.30	<5	235	10	0.30	<1	18	51	26	3.56	<10	0.38	471	<1	0.02	54	1160	4	<5	<20	48	0.22	<10	73	<10	1	62
316	L37+50N 4+00 E B 3	-	<.2	3.91	<5	265	10	0.31	<1	20	57	31	3.88	<10	0.35	486	<1	0.02	44	860	8	<5	20	46	0.27	<10	82	<10	2	59
317	L37+50N 3+00 E B 3	-	<.2	3.59	<5	215	10	0.27	<1	17	52	24	3.57	<10	0.35	442	<1	0.02	43	950	6	<5	<20	37	0.22	<10	78	<10	2	61
318	L37+50N 2+00 E B 3	-	<.2	1.54	<5	105	5	0.26	<1	10	31	12	2.10	<10	0.25	212	<1	0.02	25	290	4	<5	<20	34	0.17	<10	52	<10	2	40
319	L37+50N 1+00 E B 3	-	<.2	2.40	<5	200	10	0.41	<1	20	53	29	3.52	<10	0.40	455	<1	0.03	50	1190	4	<5	<20	66	0.22	<10	76	<10	2	53
320	L37+50N 0+00 E B 3	-	<.2	2.58	<5	185	10	0.26	<1	17	44	26	3.34	<10	0.35	467	<1	0.02	41	910	4	<5	<20	27	0.22	<10	76	<10	2	68
321	L37+50N 1+00 W B 3	-	<.2	3.42	<5	150	10	0.22	<1	15	42	17	3.12	<10	0.23	448	<1	0.02	43	2020	6	<5	<20	27	0.20	<10	62	<10	2	75
322	L37+50N 2+00 W B 3	-	<.2	3.44	<5	190	<5	0.20	<1	13	32	18	2.92	<10	0.24	460	<1	0.03	33	1330	8	<5	<20	36	0.20	<10	60	<10	2	69
323	L37+50N 3+00 W B 3	-	<.2	2.12	<5	95	<5	0.10	<1	5	14	7	1.28	<10	0.11	101	<1	0.02	11	940	6	<5	<20	12	0.11	<10	29	<10	2	43
324	L37+50N 4+00 W B 3	-	<.2	4.23	<5	255	<5	0.21	<1	20	48	30	3.63	<10	0.35	367	<1	0.02	50	930	8	<5	<20	34	0.22	<10	73	<10	2	65
325	L37+50N 5+00 W B 3	-	<.2	3.66	5	330	5	0.30	<1	16	44	36	3.41	20	0.32	244	<1	0.02	46	1090	10	<5	<20	105	0.23	<10	75	<10	3	61
326	L37+50N 6+00 W B	-	<.2	2.97	<5	305	5	0.22	<1	15	42	43	3.56	<10	0.32	387	<1	0.02	43	1070	6	<5	20	78	0.21	<10	67	<10	2	54
327	L38+75N 0+00 W B	-	<.2	3.06	<5	185	5	0.35	<1	16	49	23	3.41	<10	0.32	297	<1	0.02	40	2200	6	<5	<20	42	0.20	<10	76	<10	2	74
328	L38+75N 1+00 W B	-	<.2	2.83	<5	225	10	0.38	<1	16	49	27	3.21	<10	0.34	432	<1	0.02	40	1690	4	<5	<20	48	0.20	<10	68	<10	3	64
329	L38+75N 2+00 W B	-	<.2	2.63	<5	200	5	0.32	<1	18	49	25	3.40	<10	0.30	499	<1	0.02	36	1060	4	<5	<20	43	0.23	<10	79	<10	2	54
330	L40+00N 40+00 E B	-	<.2	2.11	<5	105	5	0.28	<1	8	30	18	2.83	<10	0.23	150	<1	<.01	16	2350	8	<5	<20	16	0.12	<10	67	<10	<1	83
331	L40+00N 39+00 E B	-	<.2	2.68	<5	185	<5	0.68	<1	13	40	63	3.55	<10	0.53	412	<1	0.06	25	310	8	<5	<20	48	0.20	<10	90	<10	6	68
332	L40+00N 38+00 E B	-	<.2	1.36	<5	105	<5	0.60	<1	10	44	35	2.68	<10	0.41	253	<1	0.03	15	180	8	<5	<20	43	0.23	<10	78	<10	5	53
333	L40+00N 37+00 E B	-	<.2	1.90	<5	120	5	0.80	<1	13	52	48	3.78	<10	0.40	305	<1	0.03	22	120	4	<5	<20	41	0.19	<10	98	<10	3	44
334	L40+00N 36+00 E B	-	<.2	2.82	<5	195	<5	0.75	<1	13	53	54	4.24	<10	0.52	464	<1	0.03	32	300	2	<5	<20	60	0.16	<10	93	<10	5	60
335	L40+00N 35+00 E B	-	<.2	1.45	<5	155	10	0.49	<1	10	45	30	2.94	<10	0.34	164	<1	0.03	17	250	4	<5	<20	54	0.23	<10	73	<10	3	31
336	L40+00N 34+00 E B	-	<.2	1.42	<5	145	10	0.44	<1	12	53	29	3.23	<10	0.32	190	<1	0.02	20	380	4	<5	<20	50	0.18	<10	87	<10	2	39
337	L40+00N 33+00 E B	-	<.2	1.31	<5	135	10	0.43	<1	11	40	24	2.66	<10	0.28	210	<1	0.02	17	280	4	<5	<20	40	0.19	<10	65	<10	4	39
338	L40+00N 32+00 E B	-	<.2	1.52	<5	190	5	0.56	<1	16	51	40	3.54	<10	0.47	246	<1	0.03	26	640	4	<5	<20	61	0.19	<10	92	<10	4	50
339	L40+00N 30+00 E B	-	<.2	1.64	<5	225	5	0.72	<1	18	59	53	3.98	10	0.62	735	<1	0.04	41	900	4	<5	<20	74	0.22	<10	104	<10	8	60
340	L40+00N 29+00 E B	-	<.2	2.44	<5	180	5	0.33	<1	16	49	28	3.60	<10	0.31	258	<1	0.02	29	1820	6	<5	<20	34	0.19	<10	80	<10	2	49

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-477 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
341	L40+00N 28+00 E B	-	<.2	1.59	<5	180	10	0.47	<1	11	49	29	3.20	<10	0.35	198	<1	0.03	18	610	4	<5	<20	61	0.20	<10	79	<10	3	42
342	L40+00N 27+00 E B	-	<.2	1.43	<5	160	<5	0.42	<1	10	42	25	2.51	<10	0.28	149	<1	0.03	17	270	4	<5	<20	46	0.19	<10	53	<10	3	32
343	L40+00N 26+00 E B	-	<.2	1.38	<5	160	5	0.46	<1	11	41	30	2.62	<10	0.35	304	<1	0.03	17	240	4	<5	<20	53	0.18	<10	58	<10	3	34
344	L40+00N 25+00 E B	-	<.2	2.21	<5	250	<5	0.77	<1	22	57	64	3.88	20	0.57	858	<1	0.03	32	490	8	<5	<20	75	0.19	<10	110	<10	13	49
345	L40+00N 24+00 E B	-	<.2	1.25	<5	110	10	0.44	<1	9	49	20	2.62	<10	0.28	164	<1	0.03	16	140	4	<5	<20	47	0.19	<10	64	<10	3	32
346	L40+00N 23+00 E B	-	<.2	1.12	<5	120	<5	0.43	<1	9	48	20	2.53	<10	0.28	176	<1	0.03	18	140	4	<5	<20	47	0.19	<10	58	<10	4	29
347	L40+00N 22+00 E B	-	<.2	1.91	<5	190	5	0.37	<1	12	55	26	3.18	<10	0.29	189	<1	0.02	28	730	4	<5	<20	43	0.20	<10	75	<10	2	42
348	L40+00N 21+00 E B	-	<.2	2.21	<5	105	5	0.24	<1	9	17	12	2.20	<10	0.16	605	<1	0.03	16	2200	10	<5	<20	22	0.14	<10	45	<10	1	62
349	L40+00N 20+00 E B	-	<.2	3.01	<5	180	10	0.25	<1	13	32	14	2.74	<10	0.27	346	<1	0.02	46	1270	6	<5	<20	31	0.18	<10	54	<10	1	78
350	L40+00N 19+00 E B	-	<.2	4.22	<5	460	10	0.57	<1	15	33	22	3.31	<10	0.42	2642	<1	0.02	31	580	8	<5	<20	101	0.18	<10	67	<10	6	69
351	L40+00N 18+00 E B	-	<.2	5.03	<5	155	5	0.42	<1	17	48	22	3.91	<10	0.49	335	<1	0.01	37	750	6	<5	<20	60	0.19	<10	83	<10	2	67
352	L40+00N 17+00 E B	-	<.2	2.18	<5	205	5	0.25	<1	10	28	11	2.90	<10	0.24	185	<1	0.03	16	440	8	<5	<20	56	0.16	<10	59	<10	<1	29
QC DATA:																														
Repeat:																														
1	L32+00N 1+00 W A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	L32+00N 2+00 W A	-	<.2	0.30	<5	105	<5	1.44	<1	1	5	92	0.45	<10	0.15	913	1	0.02	7	990	12	<5	<20	70	0.02	<10	9	<10	<1	58
10	L33+25N 4+00 W A	<5	<.2	1.14	<5	385	<5	1.04	<1	7	16	141	1.43	<10	0.20	3430	3	0.03	22	980	18	<5	<20	143	0.06	<10	27	<10	<1	118
19	L34+50N 33+00 E A	<5	<.2	0.27	<5	135	<5	0.63	<1	<1	3	165	0.35	<10	0.07	339	3	0.02	5	1110	18	<5	<20	40	<.01	<10	7	<10	<1	30
28	L34+50N 23+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	L34+50N 12+00 E A	<5	<.2	1.04	<5	300	<5	1.42	<1	6	16	59	1.27	<10	0.22	1884	<1	0.02	19	980	14	<5	<20	199	0.06	<10	27	<10	<1	64
45	L34+50N 3+00 E A	<5	<.2	0.86	<5	225	<5	0.94	<1	7	19	65	1.42	<10	0.21	1376	1	0.02	16	1100	16	<5	<20	97	0.07	<10	33	<10	<1	61
54	L34+50N 6+00 W A	<5	<.2	1.53	<5	195	<5	0.57	<1	9	25	100	1.92	<10	0.22	2259	1	0.02	29	1170	18	<5	<20	66	0.08	<10	38	<10	<1	87
63	L36+00N 23+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	L36+00N 14+00 E A	<5	0.2	0.66	<5	180	<5	0.58	<1	5	17	42	1.01	<10	0.10	2312	1	0.02	14	1300	8	<5	<20	67	0.04	<10	19	<10	<1	69
80	L36+00N 5+00 E A	<5	<.2	0.22	<5	145	<5	0.88	<1	<1	3	217	0.26	<10	0.10	424	3	0.02	6	1060	26	<5	<20	72	<.01	<10	5	<10	<1	33
89	L36+00N 4+00 W A	<5	<.2	1.37	<5	385	<5	0.97	<1	6	17	106	1.73	<10	0.22	1983	1	0.02	25	1170	22	<5	<20	159	0.08	<10	35	<10	<1	77
98	L37+50N 48+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	L37+50N 39+00 E A	<5	<.2	1.35	5	185	<5	2.70	<1	5	14	220	1.54	60	0.51	599	2	0.03	24	1110	10	<5	<20	141	0.04	<10	49	<10	43	58
115	L37+50N 29+00 E A	<5	<.2	0.28	<5	150	<5	2.46	<1	<1	6	183	0.43	<10	0.34	390	8	0.02	8	1340	10	10	<20	159	0.01	<10	11	<10	<1	48
124	L37+50N 19+00 E A	<5	0.2	0.36	<5	220	<5	1.81	<1	1	4	222	0.51	<10	0.16	1562	5	0.02	8	1340	16	5	<20	140	0.02	<10	9	<10	<1	51
133	L37+50N 10+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	L37+50N 2+00 E A	<5	<.2	1.07	<5	345	<5	1.61	<1	6	16	120	1.15	40	0.31	1349	3	0.02	29	1540	18	<5	<20	220	0.05	<10	31	<10	19	62
150	L38+75N 1+00 W A	<5	<.2	0.53	<5	200	<5	0.82	<1	2	8	69	0.60	<10	0.12	662	3	0.02	9	1010	18	<5	<20	79	0.03	<10	12	<10	<1	52
159	L40+00N 33+00 E A	<5	<.2	3.42	<5	320	<5	1.16	<1	13	53	147	4.27	50	0.61	608	1	0.05	57	1400	<2	<5	<20	115	0.12	<10	75	<10	28	70

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-477 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Repeat:																														
168	L40+00N 24+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176	L32+00N 2+00 W B	-	<.2	3.17	<5	185	<5	0.26	<1	13	39	19	3.02	<10	0.28	201	<1	0.02	45	2660	6	<5	20	34	0.20	<10	66	<10	2	53
185	L33+25N 5+00 W B	-	<.2	3.85	<5	185	10	0.33	<1	18	52	21	3.23	<10	0.35	493	<1	0.02	75	1190	8	<5	20	44	0.21	<10	59	<10	<1	99
194	L34+50N 32+00 E B	-	<.2	2.84	<5	135	10	0.29	<1	14	43	20	3.58	<10	0.22	242	<1	0.01	30	2480	6	<5	20	34	0.16	<10	91	<10	<1	59
211	L34+50N 10+00 E B	-	<.2	2.26	<5	205	10	0.37	<1	19	50	34	3.38	<10	0.49	208	<1	0.04	68	670	<2	<5	<20	65	0.17	<10	64	<10	<1	36
220	L34+50N 1+00 E B	-	<.2	1.80	<5	210	10	0.68	<1	16	55	35	2.97	20	0.47	749	<1	0.04	39	870	4	<5	<20	87	0.20	<10	85	<10	15	46
229	L34+50N 8+00 W B	-	<.2	3.76	<5	210	10	0.30	<1	19	58	24	3.70	<10	0.34	258	<1	0.02	58	1440	6	<5	<20	39	0.23	<10	76	<10	<1	72
246	L36+00N 14+00 E B	-	<.2	2.78	<5	145	10	0.21	<1	14	43	18	2.89	<10	0.21	219	<1	0.02	48	3180	4	<5	<20	30	0.16	<10	52	<10	<1	71
255	L36+00N 5+00 E B	-	<.2	2.66	<5	220	10	0.32	<1	17	49	30	3.51	<10	0.39	333	<1	0.02	52	1340	4	<5	<20	50	0.21	<10	78	<10	2	52
264	L36+00N 4+00 W B	-	<.2	3.27	<5	225	10	0.20	<1	14	33	25	3.00	<10	0.28	217	<1	0.02	44	1240	6	<5	<20	40	0.19	<10	63	<10	2	70
281	L37+50N 41+00 E B	-	<.2	3.20	<5	125	10	0.23	<1	15	36	22	3.40	<10	0.27	311	<1	0.01	32	3130	8	<5	<20	16	0.17	<10	74	<10	<1	111
290	L37+50N 32+00 E B	-	<.2	1.74	<5	120	<5	0.38	<1	10	37	23	2.71	<10	0.29	195	<1	0.02	18	310	4	<5	<20	38	0.16	<10	73	<10	2	33
299	L37+50N 21+00 E B	-	<.2	1.86	<5	155	5	0.36	<1	13	48	19	3.13	<10	0.24	204	<1	0.03	28	1720	4	<5	<20	50	0.17	<10	71	<10	<1	44
316	L37+50N 4+00 E B 3	-	<.2	4.02	<5	270	5	0.32	<1	20	58	32	3.94	<10	0.36	489	<1	0.02	46	870	10	<5	20	47	0.27	<10	82	<10	2	61
325	L37+50N 5+00 W B 3	-	<.2	3.61	<5	310	<5	0.29	<1	16	42	35	3.35	10	0.32	241	<1	0.02	45	1050	8	<5	<20	100	0.22	<10	75	<10	2	61
334	L40+00N 36+00 E B	-	< 2	2.81	<5	190	5	0.75	<1	14	53	53	4.30	<10	0.52	490	<1	0.03	31	310	6	<5	<20	58	0.16	<10	95	<10	5	61
Standard:																														
GEO'96		145	1.0	1.87	50	165	<5	2.09	2	21	70	80	4.01	<10	1.08	710	2	0.01	22	710	20	5	<20	66	0.10	<10	88	<10	5	79
GEO'96		135	1.0	1.86	55	165	<5	1.93	<1	19	66	82	4.02	<10	1.01	766	<1	0.02	24	770	18	<5	<20	61	0.12	<10	84	<10	5	74
GEO'96		140	1.2	1.77	50	175	<5	1.88	<1	19	62	82	4.01	<10	0.99	754	<1	0.01	22	760	18	<5	<20	63	0.11	<10	79	<10	5	76
GEO'96		150	1.2	1.80	60	165	<5	1.99	<1	20	72	82	4.01	<10	1.06	763	<1	0.02	22	760	18	<5	<20	75	0.16	<10	91	<10	4	74
GEO'96		145	1.2	1.80	60	170	<5	2.03	<1	21	73	87	4.02	<10	1.06	773	<1	0.02	24	770	20	<5	<20	77	0.16	<10	92	<10	4	74
GEO'96		-	1.2	1.75	60	180	<5	2.02	<1	21	71	87	4.01	<10	1.05	776	<1	0.02	22	780	18	<5	<20	75	0.15	<10	80	<10	4	77
GEO'96		-	1.2	1.85	60	165	<5	1.96	<1	20	70	86	4.01	<10	1.05	746	<1	0.02	22	780	18	<5	<20	70	0.14	<10	88	<10	5	74
GEO'96		-	1.2	1.97	60	170	<5	1.93	<1	20	68	85	4.02	<10	1.04	752	<1	0.02	22	780	18	<5	<20	70	0.14	<10	87	<10	4	73
GEO'96		-	1.2	1.75	65	170	<5	2.00	<1	20	72	85	4.01	<10	1.06	764	<1	0.02	22	720	18	5	<20	75	0.15	<10	81	<10	5	75
GEO'96		-	1.2	2.04	60	175	<5	2.00	<1	20	73	84	4.02	<10	1.05	767	<1	0.02	24	760	18	<5	<20	76	0.15	<10	81	<10	4	75
GEO'96		-	1.2	1.70	65	165	<5	1.99	<1	20	72	85	4.02	<10	1.05	760	<1	0.02	22	780	18	<5	<20	73	0.15	<10	81	<10	5	74

ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

df/477br, 477cr, 477dr, 477fr, 477gr, 477hr, 477i
XLS/96G.Copper#4

20-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-445

Lines: 2900, 3050, 3200, 3325 & 3450 N

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 291
Sample type: Soil
PROJECT #: None given
Samples submitted by: Getty Copper Corp.

Values in ppm unless otherwise reported

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L29+00N	0+00EA	<5	<.2	1.13	<5	195	<5	0.75	6	5	11	115	1.20	<10	0.18	1477	3	0.02	12	1500	14	<5	<20	66	0.05	<10	24	<10	<1	67
2	L29+00N	0+00EB	-	<.2	2.55	<5	170	5	0.19	<1	10	22	42	2.38	<10	0.18	397	<1	<.01	19	1410	22	<5	<20	24	0.13	<10	46	<10	<1	54
3	L29+00N	1+00EA	<5	<.2	2.26	<5	180	5	0.41	<1	10	23	53	2.37	<10	0.20	1024	<1	0.02	23	1250	28	<5	<20	48	0.12	<10	46	<10	<1	74
4	L29+00N	1+00EB	-	<.2	2.95	5	140	10	0.16	<1	12	27	22	2.75	<10	0.19	518	<1	0.02	27	1440	22	<5	20	18	0.15	<10	52	<10	<1	73
5	L29+00N	2+00EA	<5	<.2	1.29	<5	220	<5	0.68	3	7	19	120	1.56	<10	0.18	2034	2	0.01	22	1470	26	<5	<20	79	0.06	<10	30	<10	<1	54
6	L29+00N	2+00EB	-	<.2	3.00	<5	250	10	0.29	<1	17	51	29	3.61	<10	0.31	291	<1	0.02	46	1200	20	<5	20	44	0.18	<10	74	<10	<1	53
7	L29+00N	3+00EA	<5	<.2	2.40	<5	260	<5	0.71	2	13	34	103	2.68	<10	0.32	1107	<1	0.02	38	1080	32	<5	<20	112	0.13	<10	53	<10	<1	55
8	L29+00N	3+00EB	-	<.2	3.50	<5	255	10	0.23	5	18	47	28	3.64	<10	0.32	581	<1	0.02	53	1420	26	<5	20	35	0.18	<10	70	<10	<1	62
9	L29+00N	4+00EA	<5	<.2	2.10	<5	170	<5	0.51	<1	12	32	75	2.55	<10	0.26	609	<1	0.02	30	1430	22	<5	<20	55	0.13	<10	53	<10	<1	67
10	L29+00N	4+00EB	-	<.2	3.33	<5	255	10	0.27	<1	17	48	27	3.68	<10	0.30	449	<1	0.01	44	1600	26	<5	40	36	0.19	<10	73	<10	<1	64
11	L29+00N	5+00EA	<5	<.2	1.68	<5	215	5	0.63	4	10	18	79	2.21	<10	0.43	598	<1	0.02	21	1180	16	<5	<20	92	0.10	<10	46	<10	1	58
12	L29+00N	5+00EB	-	<.2	1.64	<5	225	<5	0.59	<1	10	18	60	2.23	<10	0.42	496	<1	0.02	21	1070	14	<5	<20	93	0.11	<10	47	<10	1	56
13	L29+00N	44+00EA	<5	<.2	0.27	<5	320	<5	2.35	7	1	4	107	0.35	<10	0.17	2740	7	0.03	14	1270	20	<5	<20	190	0.01	<10	6	<10	<1	164
14	L29+00N	44+00EB	-	<.2	2.73	<5	290	10	0.37	1	8	22	11	2.43	<10	0.15	472	<1	0.02	26	6210	22	<5	<20	42	0.11	<10	40	<10	<1	156
15	L29+00N	45+00EA	<5	<.2	0.83	<5	335	<5	0.66	<1	6	10	21	1.44	<10	0.24	1926	5	<.01	10	680	12	<5	<20	63	0.03	<10	32	<10	<1	115
16	L29+00N	45+00EB	-	<.2	0.87	<5	170	<5	0.51	<1	6	16	22	2.12	<10	0.33	311	<1	<.01	8	480	10	<5	<20	53	0.05	<10	56	<10	2	58
17	L29+00N	46+00EA	<5	0.4	0.33	<5	160	<5	0.97	1	2	5	309	0.43	<10	0.13	7217	11	0.02	6	2200	32	5	<20	50	0.02	<10	9	<10	<1	110
18	L29+00N	46+00EB	-	<.2	1.07	<5	110	10	0.46	<1	11	31	29	3.28	<10	0.29	969	<1	0.01	15	650	10	<5	20	24	0.11	<10	111	<10	<1	66
19	L29+00N	47+00EA	<5	<.2	0.79	<5	325	<5	0.78	2	10	9	136	1.25	<10	0.16	3814	10	0.02	10	770	28	<5	<20	74	0.04	<10	28	<10	<1	102
20	L29+00N	47+00EB	-	<.2	1.39	<5	215	10	0.34	4	6	10	15	1.82	<10	0.26	135	<1	<.01	7	300	14	<5	<20	57	0.10	<10	36	<10	2	47
21	L29+00N	48+00EA	<5	<.2	0.65	<5	255	<5	1.24	2	6	13	118	1.61	<10	0.22	3199	7	0.01	10	790	18	<5	<20	61	0.04	<10	51	<10	<1	199
22	L29+00N	48+00EB	-	<.2	1.15	<5	190	10	0.56	<1	11	26	41	3.29	<10	0.37	404	<1	<.01	13	330	14	<5	<20	39	0.10	<10	103	<10	<1	85
23	L29+00N	49+00EA	<5	<.2	0.37	<5	115	<5	0.62	2	4	5	132	0.73	<10	0.12	1439	26	<.01	5	1230	18	<5	<20	42	0.02	<10	14	<10	<1	94
24	L29+00N	49+00EB	-	<.2	1.35	<5	170	10	0.31	<1	10	18	26	2.55	<10	0.25	333	2	<.01	10	1470	12	<5	<20	27	0.09	<10	47	<10	<1	89
25	L29+00N	50+00EA	<5	<.2	0.17	<5	55	<5	0.70	<1	<1	1	195	0.27	<10	0.08	515	8	0.01	2	1280	14	<5	<20	27	<.01	<10	4	<10	<1	79

RECEIVED
Jun - June 20

ECO-TECH LABORATORIES LTD. ICP CERTIFICATE OF ANALYSIS AK 96-445 GETTY COPPER CORPORATION

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L29+00N	50+00EB	-	<.2	1.05	<5	140	5	0.29	<1	8	20	27	2.40	<10	0.17	423	<1	0.02	11	960	8	<5	<20	23	0.08	<10	70	<10	2	88
27	L29+00N	51+00EA	<5	<.2	0.92	5	295	<5	1.46	<1	5	7	500	1.29	<10	0.14	2977	10	0.02	6	1960	34	<5	<20	61	0.02	<10	21	<10	<1	96
28	L29+00N	51+00EB	-	<.2	2.03	<5	130	10	0.26	<1	9	17	17	2.56	<10	0.19	358	<1	<.01	12	3780	18	<5	<20	16	0.12	<10	49	<10	<1	154
29	L29+00N	52+00EA	<5	<.2	1.10	<5	180	<5	0.66	<1	10	24	77	2.77	<10	0.25	1563	1	<.01	15	760	20	<5	<20	26	0.09	<10	84	<10	<1	128
30	L29+00N	52+00EB	-	<.2	2.77	<5	240	5	0.36	<1	12	37	70	3.75	<10	0.43	286	<1	0.01	23	830	20	<5	20	28	0.13	<10	99	<10	<1	74
31	L29+00N	53+00EA	<5	<.2	0.31	<5	90	<5	1.02	<1	2	4	135	0.38	<10	0.11	3040	7	<.01	4	1700	22	<5	<20	28	0.01	<10	7	<10	<1	123
32	L29+00N	53+00EB	-	<.2	1.70	<5	135	10	0.27	<1	9	17	15	2.38	<10	0.21	611	<1	<.01	14	1950	16	<5	<20	12	0.11	<10	54	<10	<1	141
33	L29+00N	54+00EA	<5	<.2	0.74	<5	155	<5	0.60	<1	6	19	85	2.30	<10	0.17	877	5	<.01	11	1710	12	<5	<20	27	0.06	<10	72	<10	<1	120
34	L29+00N	54+00EB	-	<.2	1.54	<5	260	10	0.37	<1	8	19	16	2.41	<10	0.18	629	<1	0.02	13	3900	12	<5	<20	27	0.09	<10	54	<10	<1	108
35	L30+50N	0+00EA	<5	<.2	0.51	<5	185	<5	0.85	<1	3	6	128	0.65	<10	0.12	1134	3	0.01	8	1570	32	<5	<20	69	0.02	<10	11	<10	<1	55
36	L30+50N	0+00EB	-	<.2	3.07	<5	165	<5	0.25	<1	12	35	33	3.19	<10	0.30	259	<1	0.01	35	2060	6	<5	<20	29	0.16	<10	61	<10	<1	59
37	L30+50N	1+00EA	<5	<.2	0.50	<5	100	<5	0.80	<1	1	5	74	0.44	<10	0.10	426	<1	0.02	7	1040	12	<5	<20	61	0.02	<10	8	<10	<1	55
38	L30+50N	1+00EB	-	<.2	2.94	<5	240	5	0.24	<1	15	51	30	3.31	<10	0.33	182	<1	0.01	38	1010	6	<5	<20	44	0.17	<10	73	<10	<1	43
39	L30+50N	2+00EA	<5	<.2	0.87	<5	215	<5	0.81	<1	8	13	96	1.10	<10	0.22	2050	1	0.02	15	1110	18	<5	<20	103	0.05	<10	25	<10	1	72
40	L30+50N	2+00EB	-	<.2	1.87	<5	200	<5	0.30	<1	12	40	25	2.80	<10	0.34	203	<1	0.02	29	530	6	<5	<20	43	0.18	<10	59	<10	<1	42
41	L30+50N	3+00EA	<5	<.2	0.66	<5	295	<5	1.20	<1	6	9	98	0.83	20	0.27	1311	2	0.03	16	1350	22	<5	<20	169	0.03	<10	18	<10	6	43
42	L30+50N	3+00EB	-	<.2	1.43	<5	130	<5	0.23	<1	6	25	14	1.74	<10	0.24	107	<1	0.02	19	250	6	<5	<20	31	0.15	<10	33	<10	<1	40
43	L30+50N	4+00EA	<5	<.2	2.04	<5	195	<5	0.56	<1	11	31	46	2.29	<10	0.36	994	<1	0.03	38	1150	6	<5	<20	80	0.12	<10	47	<10	2	59
44	L30+50N	4+00EB	-	<.2	1.76	<5	185	5	0.28	<1	9	29	17	2.00	<10	0.28	303	<1	0.02	27	280	6	<5	<20	44	0.14	<10	39	<10	2	32
45	L30+50N	5+00EA	<5	<.2	0.78	<5	350	<5	1.25	2	7	12	69	0.87	20	0.26	3390	2	0.02	17	1430	16	<5	<20	162	0.04	<10	20	<10	6	54
46	L30+50N	5+00EB	-	<.2	1.44	<5	150	5	0.34	<1	9	37	22	2.34	<10	0.31	254	<1	0.02	20	490	6	<5	<20	43	0.18	<10	52	<10	1	42
47	L30+50N	6+00EA	<5	<.2	2.67	<5	465	<5	1.52	<1	11	36	78	2.65	60	0.51	1651	<1	0.02	38	940	8	<5	<20	196	0.11	<10	52	<10	23	55
48	L30+50N	6+00EB	-	<.2	1.32	<5	130	<5	0.28	<1	6	21	16	1.53	<10	0.23	225	<1	0.02	14	170	6	<5	<20	32	0.14	<10	32	<10	1	29
49	L30+50N	7+00EB	-	<.2	2.51	<5	155	<5	0.22	<1	9	21	32	2.40	<10	0.23	331	<1	<.01	19	1480	6	<5	<20	23	0.11	<10	49	<10	<1	51
50	L30+50N	8+00EA	<5	<.2	0.27	<5	80	<5	0.54	<1	<1	2	92	0.32	<10	0.07	471	1	0.02	3	1140	18	<5	<20	37	0.01	<10	5	<10	<1	44
51	L30+50N	8+00EB	-	<.2	1.82	<5	140	<5	0.21	<1	8	18	61	2.21	<10	0.27	278	<1	<.01	17	1020	8	<5	<20	22	0.11	<10	53	<10	<1	55
52	L30+50N	9+00EA	<5	<.2	0.39	<5	260	<5	1.14	<1	2	5	223	0.50	<10	0.13	2658	2	0.03	9	1680	20	<5	<20	76	0.02	<10	11	<10	<1	89
53	L30+50N	9+00EB	-	<.2	1.22	<5	85	<5	0.14	<1	4	11	62	1.59	<10	0.14	111	<1	<.01	10	890	6	<5	<20	11	0.09	<10	36	<10	<1	35
54	L30+50N	10+00EA	<5	<.2	0.12	<5	255	<5	2.68	2	<1	1	750	0.14	<10	0.22	495	<1	0.03	5	1310	4	5	<20	181	<.01	<10	31	<10	<1	11
55	L30+50N	11+00EA	<5	<.2	0.83	<5	170	<5	0.45	<1	4	9	139	1.16	<10	0.13	2414	1	0.02	11	1250	26	<5	<20	27	0.04	<10	24	<10	<1	43
56	L30+50N	11+00EB	-	<.2	2.77	<5	80	<5	0.12	2	7	15	61	2.18	<10	0.12	248	<1	0.02	14	1270	8	<5	<20	9	0.11	<10	44	<10	<1	45
57	L30+50N	12+00EA	<5	<.2	0.50	<5	270	<5	1.17	2	<1	5	115	0.52	<10	0.08	3279	1	0.02	7	1450	22	<5	<20	76	0.02	<10	9	<10	<1	93
58	L30+50N	12+00EB	-	<.2	2.95	<5	90	<5	0.11	2	8	14	104	2.40	<10	0.12	491	<1	0.01	15	1500	8	<5	<20	5	0.13	<10	47	<10	<1	72
59	L30+50N	13+00EA	<5	<.2	0.33	<5	110	<5	0.61	4	1	3	210	0.44	<10	0.09	510	3	0.02	6	1440	22	<5	<20	43	0.02	<10	7	<10	<1	54
60	L30+50N	13+00EB	-	<.2	2.67	<5	150	5	0.21	3	11	28	41	2.66	<10	0.19	168	<1	0.02	34	1630	6	<5	<20	19	0.14	<10	52	<10	<1	59

ECO-TECH LABORATORIES LTD. **ICP CERTIFICATE OF ANALYSIS AK 96-445** **GETTY COPPER CORPORATION**

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L30+50N	14+00EA	<5	<.2	0.88	<5	380	<5	0.82	2	5	13	339	1.36	<10	0.27	964	1	0.02	15	1170	20	<5	<20	60	0.03	<10	28	<10	<1	79
62	L30+50N	14+00EB	-	<.2	1.23	<5	170	<5	0.78	3	19	62	122	2.99	10	0.89	596	<1	0.05	59	1620	2	<5	<20	146	0.10	<10	71	<10	4	47
63	L30+50N	15+00EA	<5	<.2	0.52	<5	85	<5	0.76	<1	2	4	154	0.52	<10	0.10	312	<1	0.01	6	1040	22	<5	<20	41	0.02	<10	9	<10	<1	42
64	L30+50N	15+00EB	-	<.2	2.99	<5	120	<5	0.13	<1	8	20	34	2.43	<10	0.12	214	<1	0.01	19	1610	10	<5	<20	10	0.12	<10	45	<10	<1	72
65	L30+50N	16+00EA	<5	<.2	1.42	<5	455	<5	1.45	2	6	17	289	1.87	<10	0.38	1133	2	0.01	19	980	16	<5	<20	106	0.04	<10	37	<10	<1	80
66	L30+50N	16+00EB	-	<.2	2.12	<5	255	<5	0.65	2	20	37	656	3.62	10	0.76	884	<1	0.02	38	430	4	<5	<20	81	0.08	<10	76	<10	4	58
67	L30+50N	17+00EA	<5	<.2	0.70	<5	180	<5	0.77	1	4	12	128	1.14	<10	0.17	551	2	0.01	10	820	20	<5	<20	66	0.02	<10	24	<10	<1	58
68	L30+50N	17+00EB	-	<.2	1.55	<5	185	<5	0.24	<1	10	45	47	2.45	<10	0.25	275	<1	0.01	20	220	4	<5	<20	40	0.06	<10	54	<10	<1	36
69	L30+50N	18+00EA	<5	<.2	0.24	<5	90	<5	0.67	3	<1	2	125	0.27	<10	0.06	326	4	0.02	5	1360	18	<5	<20	29	<.01	<10	4	<10	<1	70
70	L30+50N	18+00EB	-	<.2	1.82	<5	125	<5	0.21	2	6	18	30	1.94	<10	0.13	91	<1	0.02	14	1510	6	<5	<20	20	0.09	<10	35	<10	<1	40
71	L30+50N	19+00EA	<5	<.2	0.57	<5	245	<5	1.20	<1	2	6	260	0.59	<10	0.13	3384	8	0.02	7	1500	22	<5	<20	58	0.02	<10	11	<10	<1	96
72	L30+50N	19+00EB	-	<.2	2.09	<5	155	<5	0.15	<1	8	17	28	2.04	<10	0.15	271	<1	0.02	16	1510	10	<5	<20	14	0.10	<10	39	<10	<1	68
73	L30+50N	20+00EA	<5	<.2	0.58	<5	350	<5	0.95	<1	3	7	203	0.89	<10	0.16	1020	6	0.03	8	1070	22	<5	<20	75	0.01	<10	21	<10	<1	70
74	L30+50N	20+00EB	-	<.2	4.17	<5	125	<5	0.21	<1	11	22	131	2.99	<10	0.21	142	<1	0.02	27	2740	16	<5	20	17	0.12	<10	57	<10	<1	99
75	L30+50N	21+00EA	<5	< 2	0.84	<5	280	<5	2.74	<1	3	9	982	0.86	20	0.21	666	2	0.02	20	1220	12	<5	<20	158	0.03	<10	43	<10	11	32
76	L30+50N	21+00EB	-	<.2	1.51	<5	165	<5	0.24	<1	6	15	57	1.85	<10	0.12	178	<1	0.01	12	2930	8	<5	<20	20	0.09	<10	37	<10	<1	69
77	L30+50N	22+00EA	<5	< 2	0.78	<5	230	<5	0.52	<1	3	8	142	0.95	<10	0.11	328	5	0.02	12	1020	28	<5	<20	64	0.04	<10	19	<10	<1	47
78	L30+50N	22+00EB	-	<.2	2.86	5	135	5	0.15	<1	6	15	18	2.45	<10	0.07	114	<1	0.02	15	3120	14	<5	20	24	0.15	<10	54	<10	<1	39
79	L30+50N	23+00EA	<5	<.2	0.60	<5	155	<5	0.54	<1	3	6	787	0.72	<10	0.12	1306	7	0.02	10	1730	28	<5	<20	55	0.02	<10	15	<10	<1	52
80	L30+50N	23+00EB	-	< 2	2.48	<5	150	<5	0.22	<1	11	21	93	2.55	<10	0.25	389	<1	0.02	29	1260	10	<5	<20	30	0.11	<10	53	<10	<1	62
81	L30+50N	24+00EA	<5	<.2	0.38	<5	125	<5	0.63	<1	2	3	313	0.43	<10	0.10	802	6	0.03	6	1710	26	<5	<20	54	0.01	<10	7	<10	<1	65
82	L30+50N	24+00EB	-	< 2	2.76	<5	135	10	0.20	<1	13	23	46	2.70	<10	0.25	426	<1	0.02	32	1720	10	<5	<20	22	0.14	<10	55	<10	<1	75
83	L30+50N	25+00EA	<5	<.2	0.67	<5	140	<5	0.69	<1	4	10	314	1.12	<10	0.17	877	11	0.02	12	1100	16	<5	<20	62	0.04	<10	25	<10	<1	49
84	L30+50N	25+00EB	-	<.2	2.02	<5	255	<5	0.40	<1	24	61	231	4.47	<10	1.16	305	<1	0.03	94	1130	6	<5	<20	96	0.19	<10	109	<10	<1	46
85	L30+50N	26+00EA	<5	< 2	2.53	<5	350	<5	1.84	<1	11	35	369	2.76	40	0.40	1782	1	0.02	53	1210	14	<5	<20	145	0.11	<10	55	<10	17	58
86	L30+50N	26+00EB	-	<.2	1.52	<5	140	<5	0.44	<1	11	39	150	2.86	<10	0.32	291	<1	0.03	27	220	6	<5	<20	53	0.17	<10	70	<10	2	35
87	L30+50N	27+00EA	<5	<.2	0.42	<5	145	<5	0.76	<1	3	7	239	0.64	<10	0.12	346	7	0.02	8	1220	20	<5	<20	69	0.02	<10	14	<10	<1	50
88	L30+50N	27+00EB	-	<.2	1.87	<5	165	5	0.29	<1	13	52	45	3.19	<10	0.31	156	<1	0.03	28	1040	6	<5	<20	44	0.16	<10	82	<10	<1	41
89	L30+50N	28+00EA	<5	< 2	0.39	<5	135	<5	0.63	<1	2	5	287	0.48	<10	0.11	1176	5	0.02	6	1450	22	<5	<20	54	0.02	<10	9	<10	<1	57
90	L30+50N	28+00EB	-	<.2	3.35	<5	160	5	0.22	<1	12	44	26	3.26	<10	0.28	130	<1	0.03	29	1330	76	<5	20	36	0.16	<10	69	<10	<1	46
91	L30+50N	29+00EA	<5	< 2	0.92	<5	140	<5	1.56	<1	4	14	104	0.85	<10	0.28	1990	1	0.03	13	1250	14	<5	<20	155	0.03	<10	37	<10	3	54
92	L30+50N	29+00EB	-	<.2	1.31	<5	130	10	0.36	<1	5	35	18	1.42	<10	0.29	135	<1	0.03	12	200	8	<5	<20	57	0.15	<10	26	<10	2	32
93	L30+50N	30+00EA	<5	< 2	1.77	<5	130	<5	2.30	<1	4	23	96	1.49	30	0.58	309	<1	0.02	23	1140	14	<5	<20	242	0.05	<10	64	<10	22	29
94	L30+50N	30+00EB	-	<.2	1.96	<5	210	5	0.57	<1	9	50	36	2.92	<10	0.64	158	<1	0.02	22	220	8	<5	<20	104	0.20	<10	66	<10	3	36
95	L32+00N	0+00EA	<5	< 2	1.42	<5	410	<5	1.78	<1	6	19	160	1.38	30	0.35	1951	3	0.03	33	1630	24	<5	<20	216	0.05	<10	43	<10	17	55

ECO-TECH LABORATORIES LTD.

ICP CERTIFICATE OF ANALYSIS AK 96-445

GETTY COPPER CORPORATION

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L32+00N	0+00EB	-	<.2	2.69	<5	180	<5	0.37	<1	7	30	46	2.17	<10	0.38	274	<1	0.03	32	390	12	<5	<20	49	0.16	<10	62	<10	7	43
97	L32+00N	1+00EA	<5	<.2	1.18	<5	230	<5	1.63	<1	3	17	145	1.11	30	0.50	224	2	0.03	32	1860	6	5	<20	219	0.03	<10	33	<10	17	46
98	L32+00N	1+00EB	-	<.2	2.13	<5	255	<5	0.60	<1	18	47	45	3.12	10	0.55	882	<1	0.04	37	670	8	<5	<20	89	0.18	<10	83	<10	6	58
99	L32+00N	2+00EA	<5	<.2	0.31	<5	190	<5	0.86	<1	2	7	46	0.46	<10	0.13	70	7	0.15	9	1000	14	<5	<20	120	0.02	<10	10	<10	<1	76
100	L32+00N	2+00EB	-	<.2	1.69	<5	245	10	0.52	<1	11	41	28	2.63	<10	0.35	297	<1	0.08	29	680	8	<5	<20	73	0.19	<10	63	<10	6	47
101	L32+00N	3+00EA	<5	<.2	1.49	<5	275	<5	1.58	<1	4	23	38	1.57	10	0.40	173	1	0.03	26	1500	8	<5	<20	189	0.06	<10	33	<10	8	50
102	L32+00N	3+00EB	-	<.2	1.40	<5	190	10	0.53	<1	11	41	26	2.34	<10	0.36	269	<1	0.04	21	470	8	<5	<20	68	0.19	<10	55	<10	5	41
103	L32+00N	4+00EA	<5	<.2	0.48	5	200	<5	1.76	2	42	10	97	5.19	20	0.15	2083	8	0.03	34	4140	8	<5	20	189	0.01	<10	154	<10	22	28
104	L32+00N	5+00EA	<5	<.2	0.18	<5	125	<5	2.03	<1	2	3	95	0.34	<10	0.26	652	5	0.03	8	1590	10	5	<20	158	<.01	<10	14	<10	1	62
105	L32+00N	6+00EA	<5	<.2	1.66	<5	205	<5	0.54	<1	7	29	154	1.84	<10	0.25	196	<1	0.04	30	1710	8	<5	<20	54	0.05	<10	100	<10	5	40
106	L32+00N	7+00EA	<5	<.2	0.27	<5	320	<5	3.17	<1	40	6	67	2.16	<10	0.70	6376	3	0.03	30	2440	6	<5	<20	323	0.02	<10	65	<10	<1	35
107	L32+00N	8+00EA	<5	<.2	0.18	<5	100	<5	0.91	<1	<1	2	84	0.23	<10	0.18	193	2	0.03	4	1090	12	<5	<20	73	<.01	<10	7	<10	<1	42
108	L32+00N	8+00EB	-	<.2	2.18	<5	140	<5	0.23	<1	9	22	61	2.34	<10	0.40	126	<1	0.02	21	2230	10	<5	<20	29	0.08	<10	50	<10	<1	52
109	L32+00N	9+00EA	<5	<.2	0.93	<5	130	<5	0.40	<1	6	14	118	1.32	<10	0.21	878	4	0.02	14	1080	26	<5	<20	31	0.05	<10	27	<10	<1	55
110	L32+00N	9+00EB	-	<.2	2.60	<5	155	5	0.22	<1	11	27	41	2.60	<10	0.31	353	<1	0.02	27	2260	10	<5	<20	22	0.13	<10	55	<10	<1	66
111	L32+00N	10+00EA	<5	<.2	0.60	<5	235	<5	1.31	<1	2	7	118	0.64	<10	0.18	1761	2	0.02	9	1500	18	<5	<20	98	0.02	<10	14	<10	<1	85
112	L32+00N	10+00EB	-	<.2	3.19	<5	180	5	0.27	<1	13	33	60	3.01	<10	0.32	367	<1	0.03	37	1840	10	<5	<20	27	0.15	<10	63	<10	<1	76
113	L32+00N	11+00EA	<5	<.2	1.57	<5	315	<5	1.36	<1	7	24	88	1.72	<10	0.31	1157	<1	0.02	29	1210	14	<5	<20	140	0.09	<10	45	<10	4	61
114	L32+00N	11+00EB	-	<.2	2.36	<5	215	5	0.51	<1	11	38	34	2.60	<10	0.32	710	<1	0.02	36	580	10	<5	<20	57	0.17	<10	63	<10	3	51
115	L32+00N	12+00EA	<5	<.2	1.89	<5	435	<5	1.45	<1	11	44	187	2.57	10	0.45	1705	<1	0.12	47	2630	8	<5	<20	231	0.12	<10	62	<10	7	55
116	L32+00N	12+00EB	-	<.2	1.40	<5	195	<5	0.74	<1	18	44	72	3.24	10	0.78	463	<1	0.06	62	1490	4	<5	<20	83	0.17	<10	70	<10	6	42
117	L32+00N	13+00EA	<5	<.2	1.50	<5	260	<5	1.10	<1	8	25	106	1.65	<10	0.30	870	1	0.02	30	1850	10	<5	<20	129	0.07	<10	32	<10	<1	66
118	L32+00N	13+00EB	-	<.2	2.64	5	165	<5	0.28	<1	14	42	45	2.76	<10	0.31	413	<1	0.03	43	2280	10	<5	<20	37	0.14	<10	54	<10	<1	65
119	L32+00N	14+00EA	<5	<.2	2.15	<5	195	<5	0.60	<1	17	50	86	3.07	<10	0.66	442	<1	0.04	64	1590	8	<5	<20	85	0.15	<10	67	<10	3	58
120	L32+00N	15+00EA	<5	<.2	0.24	<5	230	<5	2.99	<1	<1	5	109	0.25	<10	0.19	2998	2	0.02	13	1400	20	5	<20	131	0.01	<10	5	<10	<1	75
121	L32+00N	15+00EB	-	<.2	1.99	<5	155	5	0.35	<1	10	32	21	2.47	<10	0.24	145	<1	0.04	30	2520	8	<5	<20	29	0.13	<10	47	<10	<1	49
122	L32+00N	16+00EA	<5	<.2	0.57	<5	195	<5	0.75	<1	3	9	72	0.93	<10	0.11	1322	7	0.02	9	860	20	<5	<20	27	0.03	<10	21	<10	<1	63
123	L32+00N	16+00EB	-	<.2	1.08	<5	165	<5	0.32	<1	6	14	43	1.69	<10	0.15	460	4	0.01	10	590	8	<5	<20	15	0.07	<10	37	<10	<1	52
124	L32+00N	17+00EA	<5	<.2	1.11	<5	185	<5	0.61	<1	6	16	81	1.26	<10	0.17	2043	<1	0.02	13	900	20	<5	<20	50	0.05	<10	27	<10	<1	55
125	L32+00N	17+00EB	-	<.2	3.55	<5	185	<5	0.21	<1	13	46	92	3.32	<10	0.40	238	<1	0.01	35	310	12	<5	<20	28	0.17	<10	73	<10	<1	45
126	L32+00N	18+00EA	<5	<.2	0.32	<5	235	<5	1.30	<1	1	4	153	0.32	<10	0.10	4577	5	0.03	6	1620	20	<5	<20	77	0.02	<10	7	<10	<1	106
127	L32+00N	18+00EB	-	<.2	1.81	<5	175	<5	0.22	<1	8	17	27	2.19	<10	0.15	460	<1	0.03	14	2950	10	<5	<20	20	0.12	<10	38	<10	<1	91
128	L32+00N	19+00EA	<5	<.2	0.42	<5	130	<5	0.90	<1	2	4	264	0.50	<10	0.12	1586	4	0.02	6	1540	26	<5	<20	46	0.01	<10	9	<10	<1	65
129	L32+00N	19+00EB	-	<.2	2.79	<5	180	<5	0.22	<1	9	17	43	2.47	<10	0.23	191	<1	0.01	20	960	12	<5	<20	22	0.09	<10	51	<10	<1	50
130	L32+00N	20+00EA	<5	<.2	3.32	<5	320	<5	0.93	<1	12	25	1223	2.94	<10	0.44	1079	2	0.03	31	1030	14	<5	<20	62	0.09	<10	54	<10	9	61

ECO-TECH LABORATORIES LTD.

ICP CERTIFICATE OF ANALYSIS AK 96-445

GETTY COPPER CORPORATION

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	L32+00N	21+00EA	<5	<.2	0.27	<5	255	<5	1.62	<1	<1	2	213	0.30	<10	0.15	589	5	0.03	8	1350	20	<5	<20	73	<.01	<10	5	<10	<1	92
132	L32+00N	21+00EB	-	<.2	3.75	<5	515	<5	0.67	<1	9	35	2079	3.22	30	0.36	495	<1	0.04	51	1640	14	<5	<20	54	0.13	<10	55	<10	32	71
133	L32+00N	22+00EA	<5	<.2	2.14	5	310	<5	0.74	<1	10	25	565	2.65	<10	0.40	432	2	0.03	34	1440	12	<5	<20	54	0.09	<10	55	<10	6	70
134	L32+00N	22+00EB	-	<.2	2.24	<5	285	<5	0.61	<1	13	28	387	3.40	<10	0.48	353	<1	0.03	41	1250	10	<5	<20	58	0.10	<10	80	<10	4	65
135	L32+00N	23+00EA	<5	<.2	0.64	<5	245	<5	0.56	<1	4	8	145	1.00	<10	0.16	486	5	0.02	10	1110	16	<5	<20	86	0.03	<10	25	<10	<1	38
136	L32+00N	23+00EB	-	<.2	2.81	<5	275	<5	0.25	<1	12	25	169	3.13	<10	0.34	330	1	0.01	32	880	14	<5	<20	75	0.09	<10	61	<10	<1	59
137	L32+00N	24+00EA	<5	<.2	0.56	<5	135	<5	0.40	<1	3	6	130	0.77	<10	0.13	219	8	0.02	9	1210	16	<5	<20	56	0.02	<10	16	<10	<1	38
138	L32+00N	24+00EB	-	<.2	2.49	<5	135	<5	0.16	<1	9	21	128	2.64	<10	0.21	121	2	0.01	25	1260	10	<5	<20	34	0.10	<10	53	<10	<1	53
139	L32+00N	25+00EA	<5	<.2	0.34	<5	90	<5	0.58	<1	1	3	234	0.43	<10	0.09	454	4	0.03	5	1400	20	<5	<20	50	0.01	<10	8	<10	<1	41
140	L32+00N	25+00EB	-	<.2	2.65	<5	170	5	0.26	<1	15	42	61	3.62	<10	0.33	271	<1	0.01	40	1700	10	<5	<20	42	0.15	<10	87	<10	<1	47
141	L32+00N	26+00EA	<5	<.2	0.20	<5	140	<5	0.72	<1	<1	2	117	0.25	<10	0.08	552	2	0.04	5	1140	22	<5	<20	60	<.01	<10	4	<10	<1	43
142	L32+00N	26+00EB	-	<.2	2.12	<5	185	<5	0.26	<1	13	48	111	3.86	<10	0.38	180	<1	0.01	37	1470	22	<5	<20	58	0.11	<10	103	<10	<1	35
143	L32+00N	27+00EA	<5	0.4	0.35	<5	140	<5	0.58	<1	3	8	147	0.65	<10	0.12	739	8	0.03	8	1150	18	<5	<20	51	0.02	<10	15	<10	<1	39
144	L32+00N	27+00EB	-	<.2	0.84	<5	175	<5	0.59	<1	14	44	44	2.99	<10	0.53	391	<1	0.03	40	1050	4	<5	<20	55	0.14	<10	87	<10	5	37
145	L32+00N	28+00EA	<5	<.2	0.44	<5	205	<5	0.70	<1	4	15	107	0.82	<10	0.12	1021	2	0.03	10	1260	16	<5	<20	61	0.02	<10	21	<10	<1	64
146	L32+00N	28+00EB	-	<.2	1.30	<5	110	<5	0.15	<1	8	38	20	2.07	<10	0.16	139	<1	0.01	17	880	8	<5	<20	15	0.09	<10	54	<10	<1	37
147	L32+00N	29+00EA	<5	<.2	0.39	<5	120	<5	1.17	<1	2	6	182	0.56	<10	0.20	102	5	0.03	8	1090	16	<5	<20	124	0.02	<10	19	<10	<1	52
148	L32+00N	29+00EB	-	<.2	1.79	<5	185	<5	0.41	<1	10	43	27	2.80	<10	0.44	127	<1	0.01	26	720	8	<5	<20	110	0.15	<10	62	<10	<1	43
149	L32+00N	30+00EA	<5	<.2	0.80	<5	170	<5	0.63	<1	6	10	228	1.09	<10	0.15	1804	4	0.02	16	1120	20	<5	<20	54	0.05	<10	19	<10	<1	69
150	L32+00N	30+00EB	-	<.2	2.82	<5	205	5	0.24	<1	16	33	18	3.03	<10	0.25	392	<1	0.01	45	1160	12	<5	<20	36	0.20	<10	54	<10	<1	57
151	L32+00N	31+00EA	<5	<.2	0.26	<5	95	<5	0.68	<1	1	3	119	0.39	<10	0.09	195	3	0.03	5	1120	20	<5	<20	59	0.01	<10	8	<10	<1	56
152	L32+00N	31+00EB	-	<.2	1.97	<5	130	<5	0.32	<1	8	37	16	2.95	<10	0.21	93	<1	<.01	19	2190	10	<5	<20	39	0.10	<10	83	<10	<1	38
153	L32+00N	32+00EA	<5	<.2	0.70	<5	105	<5	1.04	<1	4	12	123	1.03	<10	0.22	821	3	0.03	11	1030	16	<5	<20	114	0.03	<10	31	<10	5	47
154	L32+00N	32+00EB	-	<.2	1.94	<5	125	<5	0.29	<1	9	28	16	2.63	<10	0.18	228	<1	0.01	17	2460	8	<5	<20	38	0.10	<10	69	<10	<1	67
155	L32+00N	33+00EA	<5	<.2	0.58	<5	125	<5	0.53	<1	3	6	230	0.67	<10	0.07	1687	3	0.03	6	1260	26	<5	<20	43	0.02	<10	14	<10	<1	44
156	L32+00N	33+00EB	-	<.2	2.62	<5	105	<5	0.14	<1	8	16	11	2.22	<10	0.08	345	<1	0.01	13	2030	12	<5	<20	14	0.11	<10	46	<10	<1	44
157	L32+00N	34+00EA	<5	0.4	1.02	<5	305	<5	1.13	<1	5	13	366	1.29	10	0.27	4145	6	0.04	15	1290	30	5	<20	116	0.03	<10	29	<10	7	78
158	L32+00N	34+00EB	-	<.2	2.66	<5	245	<5	0.56	<1	13	36	44	3.56	<10	0.52	2312	<1	0.03	25	940	8	<5	<20	61	0.11	<10	95	<10	3	90
159	L32+00N	35+00EA	<5	<.2	0.42	<5	110	<5	0.66	<1	3	7	302	0.74	<10	0.11	730	4	0.03	7	920	26	<5	<20	41	0.02	<10	19	<10	<1	50
160	L32+00N	35+00EB	-	<.2	1.34	<5	95	5	0.23	<1	10	37	18	3.00	<10	0.15	325	<1	0.01	17	1140	8	<5	<20	16	0.11	<10	96	<10	<1	41
161	L32+00N	36+00EA	<5	<.2	0.53	<5	175	<5	1.44	<1	3	7	172	0.80	<10	0.22	689	3	0.03	8	1330	20	<5	<20	149	0.02	<10	40	<10	2	43
162	L32+00N	36+00EB	-	<.2	2.00	<5	220	<5	0.44	<1	10	30	35	3.02	<10	0.34	336	<1	0.01	20	1440	10	<5	<20	46	0.10	<10	81	<10	2	60
163	L32+00N	37+00EA	<5	0.2	0.36	<5	130	<5	0.96	<1	2	5	169	0.54	<10	0.14	1562	3	0.03	7	1450	20	<5	<20	79	0.01	<10	13	<10	1	75
164	L32+00N	37+00EB	-	<.2	2.05	<5	105	5	0.26	<1	12	29	21	2.90	<10	0.20	510	<1	0.01	21	1580	10	<5	<20	22	0.11	<10	81	<10	1	55
165	L32+00N	38+00EA	<5	<.2	0.35	<5	105	<5	0.67	<1	3	5	152	0.57	<10	0.08	671	2	0.03	6	1280	20	<5	<20	50	0.02	<10	12	<10	<1	42

ECO-TECH LABORATORIES LTD.

ICP CERTIFICATE OF ANALYSIS AK 96-445

GETTY COPPER CORPORATION

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	L32+00N	38+00EB	-	<.2	2.14	<5	130	<5	0.23	<1	10	25	17	2.44	<10	0.21	249	<1	0.01	23	1080	12	<5	<20	24	0.11	<10	58	<10	<1	45
167	L32+00N	39+00EA	<5	0.4	0.90	<5	175	<5	1.79	<1	4	9	181	0.82	30	0.32	2612	2	0.02	18	1330	18	<5	<20	220	0.02	<10	28	<10	18	53
168	L32+00N	39+00EB	-	<.2	1.23	<5	85	<5	0.31	<1	7	24	23	1.84	<10	0.24	147	<1	0.02	13	260	8	<5	<20	33	0.11	<10	48	<10	5	29
169	L32+00N	40+00EA	<5	<.2	0.74	<5	115	<5	0.80	<1	4	13	207	1.21	<10	0.14	1541	3	0.02	10	850	18	<5	<20	59	0.04	<10	35	<10	<1	43
170	L32+00N	40+00EB	-	<.2	2.21	<5	120	<5	0.19	<1	10	31	17	2.75	<10	0.19	331	<1	0.01	23	900	12	<5	<20	15	0.12	<10	75	<10	<1	42
171	L32+00N	41+00EA	<5	<.2	0.27	<5	115	<5	1.14	<1	1	3	240	0.35	<10	0.10	867	6	0.02	6	1430	20	<5	<20	73	0.01	<10	7	<10	<1	48
172	L32+00N	41+00EB	-	<.2	1.15	<5	95	<5	0.27	<1	6	21	15	1.92	<10	0.14	223	<1	<.01	12	1040	8	<5	<20	21	0.10	<10	50	<10	<1	45
173	L32+00N	42+00EA	<5	<.2	0.53	<5	140	<5	0.61	<1	4	15	116	1.38	<10	0.12	1039	2	<.01	8	580	14	<5	<20	45	0.04	<10	48	<10	<1	40
174	L32+00N	42+00EB	-	<.2	1.30	<5	75	<5	0.24	<1	9	37	20	3.28	<10	0.18	160	<1	0.01	17	580	8	<5	<20	14	0.10	<10	121	<10	<1	36
175	L32+00N	43+00EA	<5	0.4	0.38	<5	180	<5	1.18	<1	4	8	38	0.95	<10	0.17	2287	4	0.02	8	880	10	<5	<20	118	0.03	<10	32	<10	<1	86
176	L32+00N	43+00EB	-	<.2	1.53	<5	210	5	0.59	<1	13	30	32	3.50	<10	0.34	974	<1	0.05	15	1020	8	<5	<20	93	0.14	<10	115	<10	2	107
177	L32+00N	44+00EA	<5	0.6	0.47	<5	310	<5	1.88	<1	4	9	192	0.83	<10	0.19	4691	4	0.04	10	1290	26	<5	<20	96	0.03	<10	24	<10	<1	145
178	L32+00N	44+00EB	-	<.2	2.17	<5	225	10	0.66	<1	19	45	61	4.11	<10	0.57	738	<1	0.03	25	1440	10	<5	<20	67	0.20	<10	117	<10	1	107
179	L32+00N	45+00EA	<5	<.2	1.03	<5	355	<5	2.62	<1	7	12	238	1.85	10	0.55	2277	4	0.02	17	1860	10	10	<20	239	0.03	<10	41	<10	11	107
180	L32+00N	45+00EB	-	<.2	2.02	<5	245	<5	1.09	<1	14	29	87	3.25	10	0.67	1467	<1	0.03	21	840	8	<5	<20	134	0.10	<10	90	<10	11	87
181	L32+00N	46+00EA	<5	<.2	0.75	<5	190	<5	0.59	<1	5	11	130	1.44	<10	0.18	1034	6	0.03	9	930	20	<5	<20	46	0.05	<10	42	<10	<1	87
182	L32+00N	46+00EB	-	<.2	2.14	<5	195	5	0.34	<1	12	27	26	3.13	<10	0.36	1812	<1	0.02	22	1050	12	<5	<20	29	0.14	<10	89	<10	<1	162
183	L32+00N	47+00EA	<5	<.2	0.62	<5	165	<5	1.56	<1	4	8	146	0.97	<10	0.22	1540	5	0.04	7	1090	14	<5	<20	65	0.03	<10	28	<10	<1	85
184	L32+00N	47+00EB	-	<.2	2.46	<5	205	<5	0.42	<1	13	26	52	3.13	<10	0.47	850	<1	0.02	20	1250	10	<5	<20	32	0.15	<10	85	<10	2	120
185	L32+00N	48+00EA	<5	0.2	0.42	<5	210	<5	0.94	<1	3	5	420	0.77	<10	0.17	1030	11	0.02	5	1080	22	<5	<20	60	0.03	<10	19	<10	<1	67
186	L32+00N	48+00EB	-	<.2	1.92	<5	245	5	0.56	<1	12	26	43	3.43	<10	0.62	350	<1	0.02	14	530	12	<5	<20	155	0.18	<10	100	<10	2	108
187	L32+00N	49+00EA	<5	0.4	0.74	<5	145	<5	0.64	<1	5	9	314	1.20	<10	0.20	2426	7	0.01	8	1200	20	<5	<20	34	0.05	<10	32	<10	<1	71
188	L32+00N	49+00EB	-	<.2	2.69	<5	215	5	0.27	<1	11	22	46	2.73	<10	0.36	660	<1	0.02	19	1310	12	<5	<20	23	0.17	<10	65	<10	2	95
189	L32+00N	50+00EA	<5	0.4	0.50	<5	125	<5	0.93	<1	3	6	303	0.68	<10	0.13	1756	6	0.01	7	1070	28	<5	<20	54	0.03	<10	16	<10	<1	73
190	L32+00N	50+00EB	-	<.2	1.55	<5	125	5	0.25	<1	7	13	17	1.83	<10	0.13	568	<1	0.02	14	1530	10	<5	<20	19	0.10	<10	45	<10	<1	63
191	L32+00N	51+00EA	<5	0.4	0.58	<5	440	<5	2.69	2	9	8	105	1.02	<10	0.22	3763	7	0.01	8	940	12	<5	<20	143	0.04	<10	28	<10	<1	191
192	L32+00N	51+00EB	-	<.2	2.19	<5	240	10	0.93	<1	15	34	56	4.38	<10	0.70	341	<1	0.02	19	630	10	<5	<20	125	0.21	<10	137	<10	1	91
193	L32+00N	52+00EA	<5	0.2	0.67	<5	240	<5	0.99	<1	4	9	121	1.15	<10	0.16	1013	4	0.02	8	830	14	<5	<20	48	0.05	<10	25	<10	<1	98
194	L32+00N	52+00EB	-	<.2	1.97	<5	205	5	0.38	<1	13	22	33	2.71	<10	0.25	867	<1	0.02	15	2230	16	<5	<20	20	0.14	<10	54	<10	<1	209
195	L32+00N	53+00EA	<5	0.8	0.54	<5	200	<5	1.32	<1	3	9	372	0.99	<10	0.17	3588	7	0.02	7	930	28	<5	<20	49	0.04	<10	27	<10	<1	123
196	L32+00N	53+00EB	-	<.2	1.56	<5	125	<5	0.32	<1	10	23	23	2.60	<10	0.20	1260	<1	0.02	13	770	10	<5	<20	18	0.12	<10	77	<10	<1	124
197	L32+00N	54+00EA	<5	0.4	0.18	<5	205	<5	3.00	<1	1	2	298	0.29	<10	0.17	1593	9	0.02	4	1290	12	5	<20	83	< 01	<10	6	<10	<1	111
198	L33+25N	0+00EA	<5	<.2	0.46	<5	385	<5	1.11	<1	1	7	47	0.59	<10	0.14	597	6	0.02	8	1420	14	<5	<20	92	0.03	<10	12	<10	<1	67
199	L33+25N	0+00EB	-	<.2	3.00	<5	215	5	0.34	<1	12	34	28	3.02	<10	0.27	352	<1	0.02	33	3480	14	<5	<20	33	0.18	<10	64	<10	2	87
200	L33+25N	1+00EA	<5	<.2	1.07	<5	410	<5	1.75	<1	4	17	49	1.15	20	0.32	977	<1	0.02	21	1120	12	<5	<20	212	0.05	<10	36	<10	12	43

ECO-TECH LABORATORIES LTD. ICP CERTIFICATE OF ANALYSIS AK 96-445 GETTY COPPER CORPORATION

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	L33+25N	1+00EB	-	<.2	1.36	<5	160	5	0.38	<1	11	42	23	2.59	<10	0.30	257	<1	0.05	24	370	8	<5	<20	50	0.20	<10	65	<10	4	40
202	L33+25N	2+00EA	<5	<.2	1.33	<5	325	<5	1.79	<1	5	22	167	1.49	60	0.55	875	2	0.03	64	1280	20	5	<20	204	0.06	<10	55	<10	45	45
203	L33+25N	2+00EB	-	<.2	1.67	<5	210	5	0.51	<1	11	43	35	2.69	20	0.40	297	<1	0.05	35	480	8	<5	<20	69	0.19	<10	67	<10	16	45
204	L33+25N	3+00EA	<5	<.2	1.47	<5	145	<5	2.29	<1	5	25	156	1.50	80	0.61	316	<1	0.03	52	1560	12	<5	<20	238	0.06	<10	54	<10	58	28
205	L33+25N	3+00EB	-	<.2	1.28	<5	155	5	0.61	<1	12	44	41	2.59	20	0.41	318	<1	0.05	29	640	10	<5	<20	81	0.19	<10	69	<10	15	38
206	L33+25N	4+00EA	<5	<.2	1.75	<5	360	<5	1.17	<1	8	26	79	1.88	30	0.42	1752	<1	0.03	33	1030	20	<5	<20	155	0.11	<10	49	<10	16	70
207	L33+25N	4+00EB	-	<.2	1.81	<5	170	5	0.32	<1	9	32	22	2.19	<10	0.30	280	<1	0.03	27	340	10	<5	<20	46	0.16	<10	48	<10	5	45
208	L33+25N	5+00EA	<5	0.2	0.51	<5	235	<5	1.41	<1	4	10	155	0.74	<10	0.28	1698	7	0.02	13	1710	24	5	<20	124	0.03	<10	20	<10	2	75
209	L33+25N	5+00EB	-	<.2	1.50	<5	160	5	0.36	<1	11	36	22	2.36	<10	0.29	189	<1	0.03	23	430	8	<5	<20	44	0.18	<10	54	<10	3	42
210	L33+25N	6+00EA	<5	<.2	1.29	<5	225	<5	0.97	<1	13	36	68	2.23	<10	0.39	452	<1	0.03	32	1050	10	<5	<20	99	0.14	<10	54	<10	4	49
211	L33+25N	6+00EB	-	<.2	1.67	<5	210	<5	0.52	<1	15	51	28	2.75	<10	0.38	346	<1	0.03	36	810	8	<5	<20	64	0.18	<10	65	<10	6	46
212	L33+25N	7+00EA	<5	0.2	0.77	<5	265	<5	1.89	<1	3	12	57	0.80	<10	0.36	2115	3	0.02	23	1540	14	5	<20	158	0.04	<10	56	<10	4	57
213	L33+25N	7+00EB	-	<.2	1.41	<5	160	<5	0.45	<1	11	37	19	2.40	<10	0.30	362	<1	0.04	24	400	8	<5	<20	52	0.17	<10	62	<10	3	37
214	L33+25N	8+00EA	<5	0.4	0.95	<5	305	<5	1.45	<1	6	17	91	1.23	<10	0.20	1688	1	0.02	17	1350	14	<5	<20	144	0.06	<10	28	<10	<1	88
215	L33+25N	8+00EB	-	<.2	2.35	<5	180	10	0.27	<1	16	48	21	3.05	<10	0.22	681	<1	0.03	36	1580	10	<5	<20	38	0.19	<10	67	<10	1	61
216	L33+25N	9+00EA	<5	0.2	1.15	<5	380	<5	1.77	<1	6	19	130	1.40	<10	0.24	2560	2	0.02	21	1250	18	<5	<20	206	0.07	<10	30	<10	<1	76
217	L33+25N	9+00EB	-	<.2	2.62	5	185	<5	0.25	<1	19	54	27	3.36	<10	0.30	385	<1	0.03	44	800	10	<5	20	42	0.21	<10	73	<10	1	45
218	L33+25N	10+00EA	<5	<.2	2.21	<5	205	<5	0.88	<1	13	33	68	2.27	<10	0.51	655	<1	0.03	59	1150	12	5	<20	101	0.11	<10	55	<10	4	64
219	L33+25N	10+00EB	-	<.2	3.26	<5	240	<5	0.45	<1	15	40	74	2.88	<10	0.47	499	<1	0.03	74	1260	12	<5	<20	62	0.16	<10	70	<10	5	68
220	L33+25N	11+00EA	<5	0.4	0.41	<5	115	<5	0.86	<1	2	5	155	0.42	<10	0.11	1279	3	0.02	8	1080	28	<5	<20	80	0.02	<10	8	<10	<1	53
221	L33+25N	11+00EB	-	<.2	3.06	<5	210	10	0.20	<1	15	43	26	3.05	<10	0.26	284	<1	0.03	49	1330	12	<5	20	25	0.19	<10	63	<10	1	68
222	L33+25N	12+00EA	<5	<.2	1.20	<5	220	<5	1.38	<1	7	15	27	1.31	<10	0.24	989	<1	0.03	25	1220	16	<5	<20	194	0.06	<10	26	<10	<1	57
223	L33+25N	12+00EB	-	<.2	2.12	<5	115	10	0.22	<1	10	23	12	2.09	<10	0.18	170	<1	0.03	33	1140	12	<5	<20	32	0.14	<10	43	<10	1	60
224	L33+25N	13+00EA	<5	0.2	1.22	<5	320	<5	1.21	<1	5	14	78	1.23	<10	0.23	2477	1	0.02	22	1690	20	<5	<20	137	0.06	<10	24	<10	<1	100
225	L33+25N	13+00EB	-	<.2	1.99	<5	120	<5	0.31	<1	9	19	18	1.95	<10	0.18	787	<1	0.02	24	2380	12	<5	<20	34	0.11	<10	39	<10	<1	83
226	L33+25N	14+00EA	<5	<.2	1.80	<5	330	<5	1.32	<1	12	55	135	2.23	<10	0.35	1868	<1	0.02	32	910	16	<5	<20	148	0.08	<10	42	<10	1	61
227	L33+25N	14+00EB	-	<.2	2.49	<5	190	<5	0.47	<1	16	92	95	3.30	<10	0.38	882	<1	0.03	42	470	10	<5	<20	105	0.15	<10	59	<10	2	52
228	L33+25N	15+00EA	<5	<.2	0.74	<5	220	<5	0.88	<1	5	15	73	1.00	<10	0.17	709	3	0.02	17	1110	20	<5	<20	116	0.04	<10	23	<10	<1	38
229	L33+25N	15+00EB	-	<.2	2.60	<5	155	<5	0.22	<1	13	35	22	2.57	<10	0.28	243	<1	0.03	43	1470	12	<5	<20	31	0.14	<10	53	<10	1	60
230	L33+25N	16+00EA	<5	<.2	0.64	<5	270	<5	1.50	<1	4	11	155	0.89	<10	0.20	1755	6	0.02	11	1160	14	<5	<20	74	0.04	<10	19	<10	<1	76
231	L33+25N	16+00EB	-	<.2	2.05	<5	180	<5	0.28	<1	13	46	84	2.96	<10	0.33	197	<1	0.03	29	380	10	<5	<20	38	0.16	<10	61	<10	1	44
232	L33+25N	17+00EA	<5	<.2	0.31	<5	130	<5	1.10	<1	2	4	169	0.40	<10	0.11	408	13	0.02	6	1420	24	<5	<20	48	0.01	<10	8	<10	<1	47
233	L33+25N	17+00EB	-	<.2	1.40	<5	120	<5	0.27	<1	6	17	60	1.95	<10	0.23	110	5	0.02	10	280	10	<5	<20	25	0.07	<10	43	<10	<1	30
234	L33+25N	18+00EA	<5	0.6	0.69	<5	595	<5	0.50	<1	2	9	111	0.94	<10	0.10	4583	5	0.01	8	1410	26	<5	<20	47	0.03	<10	21	<10	<1	70
235	L33+25N	18+00EB	-	<.2	2.26	<5	160	<5	0.16	<1	8	16	45	2.25	<10	0.21	193	<1	0.02	17	730	14	<5	<20	17	0.11	<10	47	<10	<1	46

ECO-TECH LABORATORIES LTD. ICP CERTIFICATE OF ANALYSIS AK 96-445 GETTY COPPER CORPORATION

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
236	L33+25N	19+00EA	<5	<.2	2.95	<5	415	<5	1.09	<1	11	40	495	2.93	10	0.61	363	<1	0.03	33	500	10	<5	<20	81	0.12	<10	48	<10	15	50
237	L33+25N	20+00EA	<5	<.2	4.42	5	595	<5	1.34	<1	12	47	1590	3.81	30	0.70	645	<1	0.03	62	840	16	<5	<20	100	0.13	<10	65	<10	33	54
238	L33+25N	21+00EA	<5	<.2	1.94	<5	255	<5	0.78	<1	7	16	165	1.93	<10	0.23	824	7	0.02	22	1860	18	<5	<20	71	0.07	<10	37	<10	<1	70
239	L33+25N	21+00EB	-	<.2	3.09	<5	180	<5	0.21	<1	9	19	131	2.38	<10	0.18	315	<1	0.02	26	2340	14	<5	<20	21	0.12	<10	44	<10	2	59
240	L33+25N	22+00EA	<5	<.2	0.58	<5	115	<5	0.54	<1	3	5	165	0.71	<10	0.11	475	4	0.02	8	1490	22	<5	<20	44	0.02	<10	14	<10	<1	52
241	L33+25N	22+00EB	-	<.2	2.46	<5	165	<5	0.21	<1	11	21	67	2.61	<10	0.22	337	<1	0.02	26	830	12	<5	<20	24	0.11	<10	54	<10	<1	63
242	L33+25N	23+00EA	<5	0.4	0.37	<5	135	<5	0.66	<1	2	4	164	0.47	<10	0.10	242	5	0.02	7	1140	22	<5	<20	55	0.02	<10	10	<10	<1	54
243	L33+25N	23+00EB	-	<.2	2.19	<5	230	<5	0.27	<1	12	32	79	3.12	<10	0.25	288	<1	0.02	28	1750	10	<5	<20	41	0.13	<10	66	<10	<1	91
244	L33+25N	24+00EA	<5	<.2	0.72	<5	120	<5	0.53	<1	3	8	259	1.02	<10	0.13	589	8	0.02	11	1370	22	<5	<20	38	0.03	<10	20	<10	<1	53
245	L33+25N	24+00EB	-	<.2	2.48	<5	140	<5	0.21	<1	10	23	90	2.73	<10	0.21	158	<1	0.03	24	1790	12	<5	<20	34	0.12	10	56	<10	<1	54
246	L33+25N	25+00EA	<5	0.6	0.47	<5	290	<5	1.14	<1	3	9	99	0.76	<10	0.12	1976	5	0.02	9	1200	20	<5	<20	73	0.03	<10	16	<10	<1	80
247	L33+25N	25+00EB	-	<.2	2.06	<5	185	<5	0.24	<1	12	37	64	3.03	<10	0.25	173	<1	0.02	27	2830	8	<5	<20	38	0.15	<10	65	<10	1	49
248	L33+25N	26+00EA	<5	0.4	0.41	<5	300	<5	0.55	<1	3	8	135	0.69	<10	0.09	1144	7	0.02	9	1000	16	<5	<20	54	0.02	<10	16	<10	<1	38
249	L33+25N	26+00EB	-	<.2	2.10	<5	175	5	0.17	<1	11	34	23	2.70	<10	0.19	299	<1	0.02	29	2110	10	<5	<20	25	0.15	<10	55	<10	<1	43
250	L33+25N	27+00EA	<5	<.2	0.95	<5	195	<5	0.39	<1	7	20	104	1.65	<10	0.13	409	3	0.02	15	1710	16	<5	<20	54	0.08	<10	34	<10	<1	42
251	L33+25N	27+00EB	-	<.2	3.22	<5	210	10	0.29	<1	17	49	32	3.56	<10	0.30	238	<1	0.03	46	2270	10	<5	<20	44	0.18	<10	77	<10	2	44
252	L33+25N	28+00EA	<5	<.2	0.80	<5	105	<5	2.89	<1	2	11	135	0.80	20	0.43	281	3	0.03	24	1420	12	10	<20	200	0.02	<10	60	<10	17	30
253	L33+25N	28+00EB	-	<.2	2.70	<5	175	<5	0.82	<1	11	57	106	3.44	10	0.55	299	<1	0.03	40	530	8	<5	<20	78	0.17	<10	63	<10	10	46
254	L33+25N	29+00EA	<5	<.2	0.73	<5	65	<5	2.63	<1	3	12	145	0.82	<10	0.48	831	2	0.02	20	1120	8	10	<20	233	0.03	<10	74	<10	4	56
255	L33+25N	29+00EB	-	<.2	3.66	<5	530	5	0.56	<1	16	60	46	3.85	<10	0.84	214	<1	0.02	56	1090	8	<5	<20	324	0.21	<10	76	<10	<1	43
256	L33+25N	30+00EB	-	<.2	3.74	<5	355	15	0.46	<1	19	49	37	4.23	<10	0.80	199	<1	0.03	69	1430	8	<5	<20	92	0.28	<10	69	<10	<1	70
257	L34+50N	15+00EA	<5	<.2	1.20	<5	215	<5	0.55	<1	8	20	63	1.62	<10	0.25	1191	<1	0.02	26	830	14	<5	<20	76	0.07	<10	33	<10	<1	56
258	L34+50N	15+00EB	-	<.2	2.77	<5	120	5	0.16	<1	11	27	19	2.37	<10	0.19	122	<1	0.02	32	1420	10	<5	<20	28	0.13	<10	49	<10	1	49
259	L34+50N	16+00EA	<5	0.2	0.79	<5	200	<5	0.75	<1	4	6	92	0.81	<10	0.17	789	4	0.02	9	1250	16	<5	<20	91	0.03	<10	15	<10	<1	43
260	L34+50N	16+00EB	-	<.2	1.70	<5	135	<5	0.22	<1	8	16	18	1.92	<10	0.20	346	<1	0.02	14	880	10	<5	<20	31	0.11	<10	38	<10	<1	70
261	L34+50N	17+00EA	<5	0.4	0.61	<5	180	<5	1.67	<1	4	8	214	0.78	<10	0.24	1579	5	0.02	11	1300	20	5	<20	98	0.02	<10	31	<10	3	46
262	L34+50N	17+00EB	-	<.2	1.63	<5	165	<5	0.41	<1	9	25	80	2.23	<10	0.29	155	<1	0.02	17	810	8	<5	<20	36	0.10	<10	46	<10	<1	49
263	L34+50N	40+00EA	<5	0.6	0.37	<5	115	<5	1.01	<1	2	4	156	0.54	<10	0.14	547	3	0.01	7	1280	16	<5	<20	67	0.02	<10	13	<10	<1	31
264	L34+50N	40+00EB	-	<.2	1.10	<5	75	<5	0.34	<1	10	31	23	2.76	<10	0.30	322	<1	0.02	14	230	8	<5	<20	24	0.15	<10	98	<10	1	53
265	L34+50N	41+00EA	<5	0.6	0.30	<5	85	<5	1.00	<1	4	7	170	0.78	<10	0.15	2171	4	0.01	6	1210	18	<5	<20	40	0.03	<10	26	<10	<1	75
266	L34+50N	41+00EB	-	<.2	1.11	<5	100	5	0.46	<1	12	28	34	3.56	<10	0.34	727	<1	0.02	14	790	8	<5	<20	21	0.12	<10	128	<10	<1	82
267	L34+50N	42+00EA	<5	0.2	2.31	<5	295	<5	0.65	<1	11	19	52	2.81	10	0.47	2550	2	0.02	16	750	12	<5	<20	87	0.07	<10	62	<10	8	82
27[illegible]	L34+50N	42+00EB	-	<.2	1.14	<5	115	<5	0.38	<1	6	16	15	1.72	<10	0.27	159	<1	0.03	7	130	8	<5	<20	61	0.14	<10	43	<10	2	40
269	L34+50N	43+00EA	<5	0.6	0.71	<5	330	<5	0.78	<1	7	14	102	1.67	<10	0.19	3353	7	0.02	12	1270	16	<5	<20	64	0.03	<10	49	<10	<1	127
270	L34+50N	43+00EB	-	<.2	1.98	<5	190	5	0.31	<1	15	35	53	4.19	<10	0.60	1744	1	0.02	22	660	10	<5	<20	42	0.11	<10	131	<10	<1	189

ECO-TECH LABORATORIES LTD. ICP CERTIFICATE OF ANALYSIS AK 96-445 GETTY COPPER CORPORATION

Et #	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
271	L34+50N	44+00EB	-	<.2	1.72	<5	85	5	0.26	<1	10	26	18	2.73	<10	0.21	717	<1	0.02	19	840	8	<5	<20	15	0.13	<10	78	<10	<1	110
272	L34+50N	45+00EA	<5	0.6	0.85	<5	215	<5	0.66	<1	6	13	319	1.50	<10	0.21	3455	7	0.02	10	800	30	<5	<20	46	0.04	<10	39	<10	<1	81
273	L34+50N	45+00EB	-	<.2	2.71	<5	120	<5	0.21	<1	11	25	32	2.99	<10	0.29	394	<1	0.02	21	930	14	<5	<20	13	0.13	<10	71	<10	<1	109
274	L34+50N	46+00EA	<5	0.6	0.55	<5	325	<5	1.22	<1	5	8	81	0.97	<10	0.17	4114	4	0.02	11	810	16	<5	<20	65	0.04	<10	28	<10	<1	100
275	L34+50N	46+00EB	-	<.2	1.70	<5	100	<5	0.28	<1	7	14	31	1.91	<10	0.20	258	<1	0.02	11	840	8	<5	<20	15	0.10	<10	41	<10	1	86
276	L34+50N	47+00EA	<5	0.6	0.49	<5	210	<5	0.67	<1	4	11	195	1.14	<10	0.12	2517	4	0.02	7	580	20	<5	<20	40	0.04	<10	36	<10	<1	52
277	L34+50N	47+00EB	-	<.2	1.20	<5	80	5	0.25	<1	7	24	12	2.52	<10	0.15	206	<1	0.02	11	590	8	<5	<20	13	0.12	<10	81	<10	<1	49
278	L34+50N	48+00EA	<5	0.6	2.46	<5	425	<5	1.67	<1	10	23	153	2.41	60	0.55	3884	3	0.02	25	1140	16	<5	<20	129	0.05	<10	49	<10	34	77
279	L34+50N	48+00EB	-	<.2	1.33	<5	95	<5	0.28	<1	5	14	22	1.53	<10	0.23	209	<1	0.03	10	260	6	<5	<20	18	0.09	<10	34	<10	2	38
280	L34+50N	49+00EA	<5	1.0	0.38	<5	145	<5	0.81	<1	3	4	420	0.52	<10	0.11	2691	8	0.02	5	1210	28	<5	<20	47	0.02	<10	11	<10	<1	59
281	L34+50N	49+00EB	-	<.2	1.77	<5	150	<5	0.27	<1	9	26	26	2.66	<10	0.24	458	<1	0.02	18	960	10	<5	<20	18	0.10	<10	73	<10	1	65
282	L34+50N	50+00EA	<5	0.6	0.34	<5	110	<5	0.88	<1	2	6	197	0.61	<10	0.11	1848	6	0.02	5	1220	28	<5	<20	47	0.02	<10	17	<10	<1	55
283	L34+50N	50+00EB	-	<.2	1.41	<5	80	5	0.24	<1	9	32	16	3.28	<10	0.18	154	<1	0.02	14	1630	12	<5	<20	14	0.11	<10	103	<10	<1	58
284	L34+50N	51+00EA	<5	0.8	0.23	<5	235	<5	2.64	1	<1	4	192	0.34	<10	0.14	3333	5	0.02	6	1560	24	<5	<20	93	0.01	<10	9	<10	<1	111
285	L34+50N	51+00EB	-	<.2	1.36	<5	100	5	0.36	<1	10	31	20	3.25	<10	0.25	656	<1	0.02	18	1360	8	<5	<20	16	0.10	<10	103	<10	<1	90
286	L34+50N	52+00EA	<5	0.6	4.06	<5	315	<5	1.82	<1	14	47	299	4.35	20	0.89	960	<1	0.02	50	660	14	<5	<20	107	0.10	<10	58	<10	28	134
287	L34+50N	52+00EB	-	0.4	4.43	<5	280	<5	1.76	1	17	54	258	4.88	20	1.02	853	<1	0.03	47	570	14	<5	<20	103	0.11	<10	68	<10	25	134
288	L34+50N	53+00EA	<5	0.8	0.43	<5	180	<5	0.85	<1	3	7	290	0.74	<10	0.13	3843	7	0.02	6	1120	22	<5	<20	43	0.02	<10	18	<10	<1	72
289	L34+50N	53+00EB	-	<.2	1.16	<5	105	5	0.26	<1	8	21	22	2.20	<10	0.25	615	<1	0.02	12	470	10	<5	<20	15	0.09	<10	66	<10	<1	84
290	L34+50N	54+00EA	<5	0.8	0.44	<5	230	<5	0.74	<1	3	7	335	0.87	<10	0.13	3097	8	0.02	6	940	26	<5	<20	42	0.02	<10	23	<10	<1	89
291	L34+50N	54+00EB	-	0.2	1.17	<5	130	<5	0.28	<1	9	21	20	2.40	<10	0.26	1120	<1	0.02	13	430	10	<5	<20	16	0.11	<10	71	<10	<1	108

QC DATA:

Repeat:

1	L29+00N	0+00EA	<5	< 2	1 20	<5	195	<5	0.75	4	5	11	121	1.26	<10	0.19	1465	2	0.01	11	1510	14	<5	<20	69	0.05	<10	25	<10	<1	68
10	L29+00N	4+00EB	-	< 2	3.41	<5	255	15	0.27	<1	18	49	26	3.72	<10	0.30	447	<1	0.01	45	1600	24	<5	20	33	0.19	<10	74	<10	<1	65
19	L29+00N	47+00EA	<5	< 2	0 81	<5	325	<5	0.80	<1	10	9	138	1.24	<10	0.16	3699	10	0.01	9	790	30	<5	<20	76	0.05	<10	28	<10	<1	104
36	L30+50N	0+00EB	-	0.2	2 96	<5	165	5	0.24	<1	12	34	32	3.14	<10	0.29	257	<1	0 01	34	2010	8	<5	<20	32	0.16	<10	61	<10	<1	58
37	L30+50N	1+00EA	<5																												
45	L30+50N	5+00EA	<5	< 2	0 76	<5	350	<5	1 27	<1	6	11	74	0 86	20	0 26	3558	2	0 02	18	1510	16	<5	<20	161	0.03	<10	20	<10	6	56
54	L30+50N	10+00EA	-	< 2	0 13	<5	250	<5	2 68	2	<1	2	744	0.16	<10	0.22	474	1	0 01	6	1340	4	<5	<20	178	< 01	<10	31	<10	<1	11
71	L30+50N	19+00EA	<5	< 2	0.56	<5	255	<5	1.22	<1	2	6	247	0 55	<10	0.13	3354	8	0 02	7	1570	24	<5	<20	61	0.02	<10	10	<10	<1	92
80	L30+50N	23+00EB	-	< 2	2.48	<5	150	<5	0.21	<1	12	22	89	2 62	<10	0.25	371	<1	0.02	29	1230	12	<5	<20	30	0 11	<10	56	<10	<1	61
89	L30+50N	28+00EA	<5	< 2	0 40	<5	130	<5	0 65	<1	2	5	295	0.49	<10	0.12	1172	6	0.02	7	1490	22	<5	<20	53	0.02	<10	9	<10	<1	61
105	L32+00N	6+00EA	<5																												
106	L32+00N	7+00EA	-	< 2	0 29	<5	305	<5	3 03	<1	38	6	67	2.07	<10	0 68	6212	3	0.03	28	2360	6	<5	<20	308	0.02	<10	64	<10	<1	32

ECO-TECH LABORATORIES LTD. ICP CERTIFICATE OF ANALYSIS AK 96-445 GETTY COPPER CORPORATION

Et #	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																															
Repeat:																															
115	L32+00N	12+00EA	-	<.2	1.85	<5	430	<5	1.42	<1	11	44	183	2.60	10	0.45	1652	<1	0.11	48	2560	6	<5	<20	227	0.12	<10	63	<10	7	51
124	L32+00N	17+00EA	-	<.2	1.07	<5	185	<5	0.63	<1	5	13	93	1.17	<10	0.15	2059	1	0.03	13	910	22	<5	<20	50	0.04	<10	24	<10	<1	56
125	L32+00N	23+00EA	<5																												
141	L32+00N	26+00EA	-	<.2	0.21	<5	140	<5	0.71	<1	<1	2	116	0.26	<10	0.08	569	2	0.03	5	1150	20	<5	<20	59	<.01	<10	4	<10	<1	42
150	L32+00N	30+00EB	-	<.2	2.86	<5	210	10	0.24	<1	16	33	15	3.05	<10	0.25	404	<1	0.01	44	1190	10	<5	<20	32	0.19	<10	55	<10	<1	57
153	L32+00N	32+00EA	<5																												
159	L32+00N	35+00EA	-	<.2	0.39	<5	105	<5	0.68	<1	3	6	275	0.63	<10	0.10	783	4	0.02	7	970	26	<5	<20	41	0.02	<10	16	<10	<1	50
171	L32+00N	41+00EA	<5																												
176	L32+00N	43+00EB	-	<.2	1.57	<5	210	<5	0.54	<1	13	31	33	3.62	<10	0.34	981	<1	0.02	16	1040	8	<5	<20	94	0.14	<10	120	<10	2	98
185	L32+00N	48+00EA	-	<.2	0.39	<5	215	<5	0.95	<1	3	5	396	0.72	<10	0.16	1035	10	0.02	5	1080	22	<5	<20	59	0.02	<10	15	<10	<1	66
194	L32+00N	52+00EB	-	<.2	1.94	<5	195	5	0.38	<1	13	22	31	2.66	<10	0.25	819	<1	0.02	16	2110	14	<5	<20	20	0.14	<10	54	<10	1	204
208	L33+25N	5+00EA	<5																												
211	L33+25N	6+00EB	-	<.2	1.71	<5	210	<5	0.53	<1	15	50	28	2.76	<10	0.39	358	<1	0.04	38	820	8	<5	<20	64	0.18	<10	66	<10	6	46
220	L33+25N	11+00EA	-	<.2	0.39	<5	120	<5	0.87	<1	2	5	154	0.41	<10	0.10	1353	3	0.02	8	1110	28	<5	<20	81	0.02	<10	8	<10	<1	51
222	L33+25N	12+00EA	<5																												
229	L33+25N	15+00EB	-	<.2	2.69	<5	160	<5	0.23	<1	13	36	30	2.65	<10	0.29	236	<1	0.02	44	1430	10	<5	<20	29	0.14	<10	54	<10	1	61
238	L33+25N	21+00EA	<5																												
246	L33+25N	25+00EA	-	0.4	0.47	<5	275	<5	1.13	<1	3	9	99	0.72	<10	0.12	1847	5	0.02	9	1170	18	<5	<20	72	0.03	<10	16	<10	<1	76
255	L33+25N	29+00EB	-	<.2	3.73	<5	525	10	0.55	<1	16	61	48	3.83	<10	0.84	195	<1	0.02	54	1120	10	<5	<20	319	0.22	<10	74	<10	<1	43
264	L34+50N	40+00EB	-	<.2	1.11	<5	75	5	0.34	<1	10	31	25	2.70	<10	0.30	330	<1	0.02	14	220	8	<5	<20	21	0.16	<10	96	<10	2	55
274	L34+50N	46+00EA	<5																												
281	L34+50N	49+00EB	-	<.2	1.78	<5	150	<5	0.26	<1	9	25	27	2.54	<10	0.24	474	<1	0.02	18	960	8	<5	<20	17	0.11	<10	68	<10	2	64
Standard:																															
GEO'96			145	1.0	1.77	55	175	<5	1.95	2	20	65	80	4.01	<10	0.95	710	<1	0.01	20	720	22	<5	<20	58	0.12	<10	80	<10	5	72
GEO'96			155	1.0	1.71	55	155	<5	1.78	<1	18	59	81	4.08	<10	0.95	707	<1	0.01	25	730	18	<5	<20	53	0.10	<10	75	<10	5	68
GEO'96			145	1.0	1.74	65	160	<5	1.80	<1	18	64	82	4.10	<10	0.98	722	<1	0.02	22	740	18	5	<20	57	0.11	<10	77	<10	4	71
GEO'96			155	1.2	1.98	60	170	<5	1.97	<1	20	68	82	3.98	<10	1.07	764	<1	0.02	20	700	18	<5	<20	62	0.15	<10	88	<10	5	75
GEO'96			150	1.4	1.87	55	160	<5	1.85	<1	19	64	84	4.19	<10	1.01	724	<1	0.02	22	760	18	<5	<20	61	0.13	<10	82	<10	4	74
GEO'96			-	1.4	1.80	60	165	<5	1.88	<1	19	66	85	4.33	<10	1.03	741	<1	0.02	20	770	16	<5	<20	61	0.14	<10	85	<10	6	73
GEO'96			-	1.4	1.86	60	170	<5	1.87	<1	19	64	84	4.28	<10	1.01	754	<1	0.02	22	760	18	5	<20	61	0.13	<10	82	<10	6	74
GEO'96			-	1.2	1.86	60	160	<5	1.85	<1	19	65	84	4.25	<10	1.01	733	<1	0.02	20	750	20	<5	<20	61	0.13	<10	83	<10	5	73
GEO'96			-	1.2	1.86	60	165	10	1.85	<1	19	64	85	4.26	<10	1.01	728	<1	0.02	22	770	18	<5	<20	61	0.13	<10	83	<10	6	72

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A Sc T
B.C. Certified Assayer

14-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-421

repeated in Jzb412

Lines: 1450, 2000, 2300, 2600 & 2900N

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 300
Sample type: Soil
PROJECT #: None given
Samples submitted by: Getty Copper Corp.

Values in ppm unless otherwise reported

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	14+50N	35+00EA	<5	<.2	0.37	<5	150	<5	0.95	<1	3	5	192	0.46	<10	0.15	1392	4	0.02	10	1230	18	<5	<20	88	0.01	<10	7	<10	<1	35
2	14+50N	35+00EB	-	<.2	1.42	<5	220	10	0.29	<1	10	68	16	2.75	<10	0.22	127	<1	0.02	23	530	8	<5	<20	80	0.14	<10	76	<10	<1	29
3	14+50N	36+00EA 1450	<5	<.2	0.51	<5	155	<5	0.62	<1	2	7	321	0.76	<10	0.12	1407	6	0.02	7	820	16	<5	<20	62	0.03	<10	15	<10	<1	45
4	14+50N	36+00EB	-	<.2	1.11	<5	125	10	0.22	<1	7	22	14	2.12	<10	0.16	263	<1	0.02	12	540	6	<5	<20	40	0.12	<10	53	<10	<1	32
5	14+50N	37+00EA	<5	<.2	0.25	<5	115	<5	0.73	<1	2	3	379	0.39	<10	0.13	360	6	0.02	5	1140	14	<5	<20	65	<.01	<10	6	<10	<1	36
6	14+50N	37+00EB	-	<.2	0.94	<5	125	<5	0.30	<1	5	17	18	1.41	<10	0.19	162	<1	0.02	11	220	6	<5	<20	36	0.10	<10	32	<10	<1	34
7	14+50N	38+00EA	<5	<.2	0.28	<5	190	<5	1.11	<1	2	3	213	0.39	<10	0.12	1185	7	0.02	5	1140	12	<5	<20	88	0.01	<10	7	<10	<1	70
8	14+50N	38+00EB	-	<.2	1.50	<5	140	15	0.35	<1	9	35	18	2.84	<10	0.22	152	<1	0.01	17	870	8	<5	<20	36	0.12	<10	83	<10	<1	40
9	14+50N	39+00EA	<5	<.2	0.40	<5	225	<5	0.83	<1	3	9	239	0.78	<10	0.14	2549	6	0.02	7	1020	14	<5	<20	52	0.03	<10	19	<10	<1	71
10	14+50N	39+00EB	-	<.2	1.05	<5	135	5	0.38	<1	6	22	26	2.21	<10	0.19	227	<1	0.02	12	320	6	<5	<20	29	0.08	<10	66	<10	<1	34
11	14+50N	40+00EA	<5	<.2	0.50	<5	220	<5	1.89	<1	<1	6	51	0.64	10	0.19	114	3	0.02	13	890	6	5	<20	125	0.02	<10	21	<10	5	47
12	14+50N	40+00EB	-	<.2	0.95	<5	165	10	0.48	<1	8	29	31	2.63	<10	0.26	377	<1	0.01	15	210	2	<5	<20	41	0.10	<10	89	<10	<1	33
13	14+50N	41+00EA	<5	<.2	0.26	<5	235	<5	1.80	<1	<1	3	336	0.38	<10	0.25	2369	5	0.04	6	1000	12	5	<20	134	0.01	<10	7	<10	<1	107
14	14+50N	41+00EB	-	<.2	1.37	<5	180	10	0.28	<1	7	37	15	2.43	<10	0.19	119	<1	0.01	14	730	8	<5	<20	46	0.13	10	69	<10	<1	34
15	14+50N	42+00EA	<5	<.2	0.35	<5	185	<5	1.18	<1	2	5	286	0.53	<10	0.13	3286	7	0.04	6	1110	12	<5	<20	84	0.02	<10	11	<10	<1	99
16	14+50N	42+00EB	-	<.2	1.45	<5	140	10	0.25	<1	8	24	16	2.17	<10	0.14	234	<1	0.03	16	990	8	<5	<20	26	0.10	<10	58	<10	<1	45
17	14+50N	43+00EA	<5	<.2	0.52	<5	195	<5	1.39	<1	3	10	170	1.01	<10	0.20	2416	8	0.02	10	870	18	<5	<20	77	0.03	<10	28	<10	<1	24
18	14+50N	43+00EB	-	<.2	1.57	<5	125	10	0.36	<1	8	27	16	2.49	<10	0.19	332	<1	0.01	17	1890	8	<5	<20	22	0.10	<10	66	<10	<1	35
19	14+50N	44+00EA	<5	<.2	0.41	<5	135	<5	1.68	<1	<1	4	414	0.49	20	0.20	885	8	0.02	9	1160	10	<5	<20	95	0.01	<10	22	<10	11	49
20	14+50N	44+00EB	-	<.2	3.46	<5	250	<5	1.07	<1	10	42	106	3.42	20	0.49	899	<1	0.03	33	610	18	<5	<20	71	0.12	<10	61	<10	24	57

RCVD June 14

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-421

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	14+50N	45+00EA	<5	<.2	0.44	<5	185	<5	1.53	<1	3	8	191	0.79	<10	0.19	3038	5	0.02	7	1010	12	<5	<20	69	0.03	<10	22	<10	<1	93
22	14+50N	45+00EB	1450	<.2	1.63	<5	165	<5	0.50	<1	15	43	67	4.82	<10	0.65	276	<1	<.01	20	490	8	<5	20	41	0.15	<10	173	<10	<1	59
23	14+50N	46+00EA	<5	<.2	0.23	<5	130	<5	2.37	<1	<1	2	418	0.39	<10	0.19	666	7	0.02	5	1030	14	5	<20	82	<.01	<10	21	<10	<1	15
24	14+50N	46+00EB	-	<.2	1.75	<5	140	<5	0.94	<1	7	20	139	2.21	<10	0.35	338	<1	0.02	12	270	8	<5	<20	38	0.09	<10	40	<10	5	26
25	14+50N	47+00EA	<5	<.2	0.49	<5	200	<5	1.05	<1	2	5	719	0.73	<10	0.19	3750	10	0.01	6	1140	24	<5	<20	56	0.02	<10	15	<10	<1	104
26	14+50N	47+00EB	-	<.2	2.29	<5	150	10	0.25	<1	10	22	32	2.85	<10	0.33	583	<1	0.02	19	1220	14	<5	<20	18	0.13	<10	70	<10	<1	159
27	14+50N	48+00EA	<5	<.2	0.21	<5	80	<5	1.02	<1	<1	1	206	0.28	<10	0.11	290	7	0.01	4	1080	10	<5	<20	47	<.01	<10	4	<10	<1	32
28	14+50N	48+00EB	-	<.2	1.87	<5	215	10	0.29	<1	6	15	18	1.90	<10	0.13	279	<1	0.01	11	4600	12	<5	<20	20	0.10	<10	34	<10	<1	51
29	14+50N	49+00EA	<5	<.2	0.49	<5	240	<5	1.78	<1	3	7	401	0.83	<10	0.20	3328	9	0.02	8	1130	20	<5	<20	83	0.03	<10	21	<10	<1	180
30	14+50N	49+00EB	-	<.2	1.74	<5	145	10	0.40	<1	10	29	22	2.99	<10	0.27	439	<1	0.01	15	910	10	<5	<20	27	0.12	<10	89	<10	<1	8
31	14+50N	50+00EA	<5	<.2	0.42	<5	255	<5	2.52	1	2	4	314	0.56	<10	0.23	2665	9	0.01	7	1070	22	<5	<20	116	0.03	<10	10	<10	<1	145
32	14+50N	50+00EB	-	<.2	1.77	<5	170	10	0.33	<1	9	27	24	2.93	<10	0.28	300	<1	0.01	16	430	10	<5	<20	27	0.11	<10	89	<10	<1	54
33	14+50N	51+00EA	<5	<.2	0.37	<5	465	<5	3.68	<1	<1	5	247	0.53	<10	0.17	3488	3	0.02	5	1290	10	5	<20	106	0.02	<10	11	<10	<1	111
34	14+50N	51+00EB	-	<.2	1.68	<5	650	10	1.01	<1	7	16	38	2.10	<10	0.31	2266	<1	0.02	17	3120	10	<5	<20	57	0.11	<10	45	<10	<1	161
35	14+50N	52+00EA	<5	<.2	1.47	<5	155	<5	0.50	<1	12	27	76	3.13	<10	0.30	4202	<1	0.02	16	690	10	<5	<20	25	0.11	<10	102	<10	<1	119
36	14+50N	52+00EB	-	<.2	2.52	<5	210	10	0.34	<1	11	35	42	3.48	<10	0.33	436	<1	0.05	21	470	14	<5	<20	24	0.16	<10	108	<10	<1	53
37	14+50N	53+00EA	<5	<.2	0.50	<5	395	<5	1.26	<1	2	7	392	0.79	<10	0.15	3527	9	0.02	8	1050	22	<5	<20	52	0.04	<10	18	<10	<1	56
38	14+50N	53+00EB	-	<.2	1.77	<5	190	10	0.32	<1	8	19	21	2.33	<10	0.23	568	<1	0.02	14	670	12	<5	<20	16	0.11	<10	60	<10	<1	75
39	14+50N	54+00EA	<5	<.2	1.15	<5	195	<5	0.83	<1	9	13	239	1.76	<10	0.30	2738	7	0.02	12	1870	22	<5	<20	39	0.05	<10	46	<10	<1	61
40	14+50N	54+00EB	-	<.2	2.58	<5	225	5	0.54	<1	13	27	48	3.43	<10	0.54	1727	<1	0.02	21	500	14	<5	<20	28	0.15	<10	107	<10	<1	82
41	20+00N	29+00EA	2000	<.2	0.56	<5	140	<5	0.64	<1	4	9	285	0.92	<10	0.13	2325	6	0.02	8	1410	24	<5	<20	44	0.03	<10	21	<10	<1	72
42	20+00N	29+00EB	-	<.2	2.43	<5	185	10	0.26	<1	11	39	20	3.02	<10	0.27	468	<1	0.02	23	1980	14	<5	<20	49	0.15	<10	67	<10	<1	55
43	20+00N	30+00EA	<5	<.2	0.96	<5	180	<5	0.60	<1	6	10	303	1.04	<10	0.12	3824	5	0.02	11	1580	30	<5	<20	64	0.03	<10	18	<10	<1	61
44	20+00N	30+00EB	-	<.2	2.02	<5	145	15	0.27	<1	10	29	18	2.49	<10	0.25	1117	<1	0.01	18	1230	12	<5	<20	54	0.15	<10	50	<10	<1	4
45	20+00N	31+00EA	<5	<.2	0.64	<5	240	<5	0.65	<1	3	8	294	0.82	<10	0.12	3653	5	0.02	9	1450	26	<5	<20	53	0.03	<10	15	<10	<1	63
46	20+00N	31+00EB	-	<.2	3.14	<5	185	10	0.18	<1	10	26	19	2.69	<10	0.22	688	<1	0.03	27	2470	20	<5	<20	25	0.14	<10	51	<10	<1	63
47	20+00N	32+00EA	<5	<.2	0.59	<5	180	<5	0.56	<1	3	7	291	0.69	<10	0.10	3160	5	0.02	8	1320	24	<5	<20	49	0.02	<10	12	<10	<1	67
48	20+00N	32+00EB	-	<.2	2.20	<5	130	10	0.17	<1	9	20	11	2.26	<10	0.13	379	<1	0.02	16	1720	14	<5	<20	17	0.13	<10	45	<10	<1	51
49	20+00N	33+00EA	<5	0.4	0.59	<5	250	<5	0.92	<1	2	8	162	0.63	<10	0.12	6858	3	0.01	7	1430	16	<5	<20	80	0.03	<10	12	<10	<1	74
50	20+00N	33+00EB	-	<.2	2.33	<5	150	10	0.17	<1	9	25	9	2.24	<10	0.17	737	<1	0.02	25	740	14	<5	<20	38	0.14	<10	48	<10	<1	55

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-421

ECO-TECH LABORATORIES LTD.

Et #	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
51	20+00N	34+00EA	<5	<.2	0.54	<5	375	<5	1.28	<1	2	7	115	0.58	<10	0.12	5088	2	0.02	8	1520	22	<5	<20	138	0.02	<10	10	<10	<1	98
52	20+00N	34+00EB	-	<.2	2.25	<5	115	10	0.23	<1	8	20	7	2.16	<10	0.15	153	<1	0.03	23	900	14	<5	<20	37	0.16	<10	43	<10	<1	47
53	20+00N	35+00EA	<5	<.2	0.22	<5	230	<5	2.48	<1	<1	4	98	0.25	<10	0.19	1377	4	0.02	6	1210	6	5	<20	267	<.01	<10	15	<10	<1	81
54	20+00N	36+00EA	<5	<.2	0.42	<5	100	<5	3.53	<1	<1	8	99	0.31	<10	0.54	297	2	0.03	6	940	4	5	<20	364	<.01	<10	78	<10	<1	18
55	20+00N	37+00EA	<5	<.2	0.81	<5	170	<5	1.03	<1	4	10	229	0.90	<10	0.14	1629	3	0.01	9	1010	18	<5	<20	82	0.04	<10	22	<10	<1	71
56	20+00N	37+00EB	-	<.2	3.31	<5	185	10	0.29	<1	16	50	23	3.38	<10	0.27	948	<1	0.02	31	820	20	<5	20	32	0.18	<10	85	<10	<1	89
57	20+00N	38+00EA	<5	<.2	0.82	<5	145	<5	0.82	<1	4	12	606	1.13	<10	0.18	1694	11	0.02	9	1090	30	<5	<20	74	0.03	<10	26	<10	<1	72
58	20+00N	38+00EB	-	<.2	2.88	<5	230	10	0.35	<1	12	39	27	2.89	<10	0.26	413	<1	0.02	28	680	18	<5	<20	47	0.17	<10	72	<10	<1	62
59	20+00N	39+00EA	<5	<.2	0.60	<5	240	<5	1.07	<1	3	7	328	0.64	<10	0.13	3390	4	0.02	8	1040	30	<5	<20	101	0.02	<10	11	<10	<1	65
60	20+00N	39+00EB	-	<.2	2.07	<5	235	5	0.33	<1	10	27	20	2.29	<10	0.25	1164	<1	0.02	21	1120	14	<5	<20	45	0.12	<10	55	<10	<1	7
61	20+00N	40+00EA	<5	<.2	2.45	<5	415	5	0.38	<1	12	38	51	2.63	<10	0.26	2196	<1	0.02	25	780	18	<5	<20	49	0.10	<10	70	<10	<1	75
62	20+00N	40+00EB	-	<.2	3.49	<5	170	10	0.34	<1	11	61	33	3.55	<10	0.38	243	<1	0.02	24	440	20	<5	20	50	0.16	<10	98	<10	<1	42
63	20+00N	41+00EA	<5	<.2	0.82	<5	235	<5	1.24	<1	4	11	455	0.92	<10	0.22	4745	9	0.03	11	1270	22	<5	<20	111	0.03	<10	22	<10	1	87
64	20+00N	41+00EB	-	<.2	1.27	<5	90	5	0.24	<1	6	17	15	1.56	<10	0.15	193	<1	0.02	11	390	8	<5	<20	26	0.09	<10	40	<10	<1	32
65	20+00N	42+00EA	<5	<.2	0.50	<5	165	<5	1.54	<1	2	6	266	0.49	<10	0.18	3040	4	0.03	8	1090	22	<5	<20	136	0.02	<10	9	<10	<1	73
66	20+00N	42+00EB	-	<.2	1.99	<5	155	10	0.31	<1	11	52	17	3.28	<10	0.21	236	<1	0.01	33	670	10	<5	40	36	0.16	<10	105	<10	<1	46
67	20+00N	43+00EA	<5	<.2	0.28	<5	140	<5	1.21	<1	1	4	257	0.36	<10	0.14	3220	7	0.03	6	1230	16	5	<20	87	0.01	<10	7	<10	<1	89
68	20+00N	43+00EB	-	<.2	1.33	<5	115	10	0.35	<1	8	33	20	2.38	<10	0.22	186	<1	0.02	17	280	8	<5	<20	32	0.14	<10	69	<10	<1	42
69	20+00N	44+00EA	<5	<.2	0.58	<5	435	<5	1.80	<1	1	8	352	0.78	<10	0.21	3151	9	0.02	8	950	26	<5	<20	162	0.03	<10	17	<10	<1	111
70	20+00N	44+00EB	-	<.2	2.32	<5	200	10	0.38	<1	12	44	30	3.40	<10	0.29	591	<1	0.01	23	660	14	<5	40	37	0.15	<10	100	<10	<1	69
71	20+00N	45+00EA	<5	<.2	0.36	<5	145	<5	1.34	1	3	5	415	0.61	<10	0.19	2249	9	0.03	5	940	22	5	<20	66	0.02	<10	15	<10	<1	69
72	20+00N	45+00EB	-	<.2	1.17	<5	150	10	0.32	<1	9	32	19	2.84	<10	0.19	154	<1	0.01	13	890	10	<5	40	27	0.13	10	88	<10	<1	41
73	20+00N	46+00EA	<5	<.2	0.56	<5	245	<5	1.67	1	4	9	419	1.05	<10	0.23	3085	8	0.02	8	910	22	<5	<20	84	0.04	<10	30	<10	<1	117
74	20+00N	46+00EB	-	<.2	1.50	<5	175	10	0.37	<1	9	20	26	2.43	<10	0.27	569	<1	0.01	10	260	12	<5	40	40	0.15	20	68	<10	<1	6
75	20+00N	47+00EA	<5	<.2	0.61	<5	270	<5	1.06	1	3	7	319	0.92	<10	0.17	3643	7	0.02	6	1100	26	<5	<20	63	0.04	<10	20	<10	<1	86
76	20+00N	47+00EB	-	<.2	2.76	<5	235	10	0.36	<1	12	20	33	2.69	<10	0.32	585	<1	0.01	23	1340	20	<5	20	26	0.18	20	59	<10	<1	136
77	20+00N	48+00EA	<5	<.2	0.56	<5	345	<5	1.63	1	4	8	571	1.01	<10	0.27	2808	10	0.02	8	1030	28	<5	<20	68	0.04	<10	25	<10	<1	95
78	20+00N	48+00EB	-	<.2	1.13	<5	120	15	0.46	<1	15	40	49	4.62	<10	0.50	444	<1	<.01	16	200	8	<5	20	27	0.17	20	188	<10	<1	57
79	20+00N	49+00EA	<5	0.2	0.36	<5	155	<5	1.39	1	2	5	507	0.60	<10	0.19	2589	13	0.02	4	920	24	<5	<20	69	0.02	<10	14	<10	<1	114
80	20+00N	49+00EB	-	<.2	1.07	<5	135	10	0.35	1	8	20	23	2.15	<10	0.20	399	<1	0.01	9	960	10	<5	40	26	0.12	10	62	<10	<1	58

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-421

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
81	20+00N	50+00EA	<5	<.2	0.31	<5	220	<5	2.50	1	1	3	452	0.45	<10	0.21	2217	10	0.02	4	1040	20	5	<20	105	0.02	<10	9	<10	<1	121
82	20+00N	50+00EB	-	<.2	2.07	<5	195	10	0.53	<1	11	24	44	3.11	<10	0.45	351	<1	0.02	17	730	16	<5	40	45	0.13	10	84	<10	<1	152
83	20+00N	51+00EA	<5	<.2	0.54	<5	355	<5	1.55	1	3	8	462	0.92	<10	0.20	3349	11	0.02	7	680	18	<5	<20	70	0.04	<10	23	<10	<1	168
84	20+00N	51+00EB	-	<.2	1.92	<5	240	10	0.29	<1	7	12	20	1.83	<10	0.15	779	<1	0.03	13	3620	14	<5	40	19	0.10	10	31	<10	<1	236
85	20+00N	52+00EA	<5	<.2	0.43	<5	255	<5	0.98	<1	3	6	374	0.74	<10	0.14	2504	7	0.02	5	1130	26	<5	<20	49	0.02	<10	17	<10	<1	100
86	20+00N	52+00EB	-	<.2	2.22	<5	160	5	0.34	<1	10	25	23	2.86	<10	0.55	331	<1	0.01	15	410	16	<5	40	30	0.06	10	74	<10	<1	126
87	20+00N	53+00EA	<5	<.2	0.26	<5	630	<5	3.84	1	<1	3	101	0.40	<10	0.19	1670	<1	0.01	4	750	10	5	<20	121	0.02	<10	10	<10	<1	96
88	20+00N	53+00EB	-	<.2	1.84	<5	215	10	0.51	1	13	42	52	3.82	<10	0.41	690	<1	0.02	19	380	14	<5	20	31	0.14	10	133	<10	<1	90
89	20+00N	54+00EA	<5	<.2	0.62	<5	255	<5	0.96	1	3	9	551	1.04	<10	0.16	3132	8	0.02	7	840	32	<5	<20	47	0.03	<10	26	<10	<1	63
90	20+00N	54+00EB	-	<.2	2.20	<5	205	<5	0.32	2	10	32	32	3.21	<10	0.30	361	3	0.01	18	240	16	5	20	29	0.08	<10	99	<10	<1	52
91	23+00N	20+00EA	<5	<.2	0.40	<5	270	<5	0.76	1	1	6	91	0.66	<10	0.08	187	10	0.01	6	750	14	<5	<20	36	0.02	10	15	<10	<1	39
92	23+00N	20+00EB	-	<.2	1.77	<5	245	<5	0.47	<1	6	19	110	2.18	<10	0.25	116	1	0.01	12	650	12	<5	40	32	0.05	10	45	<10	<1	27
93	23+00N	21+00EA	<5	<.2	0.20	<5	405	<5	1.36	1	<1	2	165	0.28	<10	0.10	201	7	0.01	4	1190	16	<5	<20	55	<.01	10	4	<10	<1	27
94	23+00N	22+00EA	<5	<.2	0.51	<5	105	<5	0.45	1	3	6	114	1.01	<10	0.09	196	3	0.01	5	470	18	<5	<20	18	0.03	10	29	<10	<1	35
95	23+00N	22+00EB	-	<.2	2.31	<5	165	<5	0.31	1	10	15	533	3.25	<10	0.51	247	4	<.01	9	350	18	<5	40	25	0.03	20	82	<10	<1	51
96	23+00N	23+00EA	<5	<.2	3.05	<5	315	<5	1.17	<1	8	21	9268	2.64	100	0.39	1347	1	0.03	24	610	18	<5	20	53	0.04	<10	49	<10	122	40
97	23+00N	23+00EB	-	<.2	2.45	<5	230	<5	0.78	<1	10	22	5059	2.91	50	0.47	625	<1	0.01	20	300	14	<5	<20	37	0.05	10	65	<10	56	41
98	23+00N	24+00EA	<5	<.2	0.94	<5	150	<5	0.75	1	6	16	354	1.52	<10	0.23	943	7	0.02	11	730	18	<5	<20	71	0.04	<10	39	<10	<1	44
99	23+00N	24+00EB	-	<.2	1.88	<5	175	<5	0.36	<1	13	50	96	3.66	<10	0.37	605	<1	0.01	22	380	12	<5	40	70	0.12	20	113	<10	<1	42
100	23+00N	25+00EA	<5	<.2	0.46	<5	165	<5	1.76	1	2	6	233	0.67	<10	0.24	1834	5	0.01	10	1150	18	<5	<20	129	0.03	<10	17	<10	<1	33
101	23+00N	25+00EB	-	<.2	2.19	<5	175	10	0.29	<1	12	42	62	3.50	<10	0.33	210	<1	0.03	22	840	14	<5	20	37	0.13	20	102	<10	<1	36
102	23+00N	26+00EA	<5	<.2	0.27	<5	80	<5	0.57	1	1	3	300	0.37	<10	0.08	1102	5	0.01	4	1190	16	<5	<20	46	0.01	<10	7	<10	<1	58
103	23+00N	26+00EB	-	<.2	2.96	<5	155	5	0.27	<1	14	36	43	3.24	<10	0.30	269	<1	0.03	33	1500	20	<5	20	37	0.14	20	75	<10	<1	56
104	23+00N	27+00EA	<5	<.2	0.91	<5	170	<5	0.54	1	6	24	186	1.60	<10	0.18	2238	4	0.02	14	1070	20	<5	20	58	0.07	<10	39	<10	<1	75
105	23+00N	27+00EB	-	<.2	2.03	<5	130	10	0.25	<1	11	40	19	2.60	<10	0.25	232	<1	0.03	29	1140	14	<5	40	49	0.14	10	62	<10	<1	56
106	23+00N	28+00EA	<5	<.2	0.38	<5	140	<5	0.89	1	3	7	362	0.62	<10	0.16	1336	8	0.02	6	1170	20	<5	<20	80	0.02	10	12	<10	<1	47
107	23+00N	28+00EB		<.2	1.62	<5	255	10	0.52	<1	12	44	40	3.12	<10	0.50	192	<1	0.02	29	600	10	<5	40	96	0.18	10	74	<10	<1	35
108	23+00N	29+00EA	<5	<.2	0.31	<5	125	<5	1.13	1	2	4	463	0.43	<10	0.14	1982	7	0.01	4	1060	16	<5	<20	98	0.01	<10	7	<10	<1	84
109	23+00N	29+00EB		<.2	2.44	<5	180	10	0.41	<1	12	40	26	2.85	<10	0.30	262	<1	0.02	27	600	18	<5	40	66	0.21	10	61	<10	<1	50
110	23+00N	30+00EA	<5	<.2	0.44	<5	90	<5	0.63	1	<1	6	403	0.58	<10	0.11	2367	7	0.01	7	1580	26	<5	<20	47	0.02	<10	10	<10	<1	65

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-421

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
111	23+00N	30+00EB	2300 -	<.2	2.33	<5	165	10	0.25	<1	10	26	21	2.32	<10	0.19	551	<1	0.02	26	2550	20	<5	40	30	0.14	30	44	<10	<1	75
112	23+00N	31+00EA	<5	0.2	0.63	<5	220	<5	1.17	1	2	7	221	0.58	<10	0.12	3632	4	0.03	7	1290	18	<5	<20	119	0.03	<10	11	<10	<1	92
113	23+00N	31+00EB	-	<.2	2.32	<5	155	10	0.22	<1	9	25	11	2.19	<10	0.15	227	<1	0.03	23	1090	18	<5	40	36	0.14	30	43	<10	<1	50
114	23+00N	32+00EA	<5	<.2	0.62	<5	175	<5	0.64	<1	4	8	302	0.71	<10	0.11	2029	6	0.01	7	1270	20	<5	<20	71	0.02	<10	13	<10	<1	47
115	23+00N	32+00EB	-	<.2	2.15	<5	175	15	0.21	<1	12	40	26	2.85	<10	0.25	340	<1	0.02	26	630	16	<5	20	54	0.18	10	66	<10	<1	40
116	23+00N	33+00EA	<5	<.2	0.63	<5	175	<5	0.46	1	2	8	205	0.77	<10	0.12	706	5	0.02	7	1110	20	<5	<20	58	0.04	20	17	<10	<1	34
117	23+00N	33+00EB	-	<.2	1.33	<5	135	5	0.20	<1	5	14	11	1.29	<10	0.15	260	<1	0.02	10	430	12	<5	20	32	0.10	20	30	<10	<1	27
118	23+00N	34+00EA	<5	<.2	1.23	<5	275	<5	0.53	1	7	19	134	1.56	<10	0.17	4343	2	0.02	12	980	22	<5	<20	61	0.09	<10	33	<10	<1	72
119	23+00N	34+00EB	-	<.2	2.28	<5	190	10	0.22	<1	10	25	12	2.27	<10	0.21	981	<1	0.03	20	930	18	<5	40	40	0.15	<10	44	<10	<1	64
120	23+00N	35+00EA	<5	<.2	0.19	<5	205	<5	1.11	<1	<1	3	48	0.22	<10	0.09	41	1	0.03	4	930	8	<5	<20	157	<.01	10	5	<10	<1	3(
121	23+00N	35+00EB	-	<.2	1.30	<5	130	10	0.21	<1	5	17	10	1.31	<10	0.12	57	<1	0.01	8	690	12	<5	40	39	0.11	10	26	<10	<1	32
122	23+00N	36+00EA	<5	<.2	0.79	<5	205	<5	0.63	1	5	12	207	1.13	<10	0.12	4023	3	0.01	9	900	22	<5	<20	67	0.05	<10	26	<10	<1	87
123	23+00N	36+00EB	-	<.2	3.76	<5	190	15	0.22	<1	14	41	19	3.33	<10	0.29	411	<1	0.02	37	990	24	<5	20	31	0.17	10	79	<10	<1	90
124	23+00N	37+00EA	<5	<.2	1.03	<5	220	<5	0.46	1	6	18	107	1.58	<10	0.13	2105	2	0.01	11	720	16	<5	20	48	0.08	<10	42	<10	<1	67
125	23+00N	37+00EB	-	<.2	2.83	<5	155	10	0.25	1	11	32	13	2.81	<10	0.16	205	<1	0.01	30	1880	22	<5	20	26	0.16	10	63	<10	<1	63
126	23+00N	37+90EA	<5	<.2	0.46	<5	130	<5	0.68	1	2	6	206	0.58	<10	0.11	361	2	0.02	7	1390	16	<5	<20	75	0.02	30	13	<10	1	36
127	23+00N	37+90EB	-	<.2	1.92	<5	175	10	0.23	<1	9	43	21	2.93	<10	0.20	108	<1	0.01	16	2240	14	<5	20	36	0.13	10	82	<10	<1	33
128	23+00N	39+00EA	<5	<.2	3.26	<5	315	<5	1.99	1	7	38	82	2.60	40	0.54	990	<1	0.03	29	1320	20	<5	40	227	0.07	<10	48	<10	28	43
129	23+00N	39+00EB	-	<.2	6.63	<5	480	<5	1.02	1	19	83	104	5.37	20	0.73	1527	<1	0.03	57	2520	32	<5	40	134	0.15	<10	96	<10	14	137
130	23+00N	40+00EA	<5	<.2	1.06	<5	115	<5	0.52	1	6	20	246	1.94	<10	0.18	713	5	0.02	13	880	22	<5	40	40	0.06	20	55	<10	<1	44
131	23+00N	40+00EB	-	<.2	2.53	<5	150	10	0.29	1	13	51	28	3.71	<10	0.27	213	<1	0.03	27	1450	16	<5	20	24	0.14	10	115	<10	<1	48
132	23+00N	41+00EA	<5	<.2	0.50	<5	135	<5	0.64	1	2	6	473	0.67	<10	0.13	1309	6	0.02	6	1220	28	<5	<20	45	0.02	<10	13	<10	<1	48
133	23+00N	41+00EB	-	<.2	2.56	<5	115	10	0.19	1	10	30	21	2.93	<10	0.24	244	<1	0.02	21	1250	18	<5	20	20	0.14	40	73	<10	<1	46
134	23+00N	42+00EA	<5	<.2	1.09	<5	130	<5	0.69	1	6	16	374	1.38	<10	0.17	1932	7	0.02	12	920	26	<5	<20	55	0.05	<10	35	<10	<1	5(
135	23+00N	42+00EB	-	<.2	2.85	<5	150	10	0.21	<1	14	42	24	3.16	<10	0.25	657	<1	0.02	28	630	20	<5	20	28	0.16	20	90	<10	<1	57
136	23+00N	43+00EA	<5	<.2	0.54	<5	180	<5	1.27	1	2	6	242	0.60	<10	0.15	2859	5	0.02	6	1150	20	<5	<20	106	0.02	<10	12	<10	<1	77
137	23+00N	43+00EB	-	<.2	1.24	<5	145	10	0.27	<1	7	19	9	1.72	<10	0.10	1465	<1	0.01	11	1460	10	<5	20	26	0.10	<10	41	<10	<1	92
138	23+00N	44+00EA	<5	<.2	0.69	<5	160	<5	0.73	<1	5	11	252	1.04	<10	0.13	2023	5	0.02	7	1220	24	<5	<20	69	0.05	<10	22	<10	<1	68
139	23+00N	44+00EB	-	<.2	2.40	<5	145	10	0.23	1	9	15	11	1.79	<10	0.13	644	<1	0.03	21	2620	20	<5	40	25	0.12	20	32	<10	<1	81
140	23+00N	45+00EA	<5	<.2	0.82	<5	300	<5	1.45	2	4	10	656	1.00	<10	0.20	3651	4	0.03	9	840	20	<5	<20	158	0.05	<10	24	<10	<1	131

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-421

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
141	23+00N	45+00EB	-	<.2	2.76	<5	230	<5	0.25	<1	10	21	11	2.63	<10	0.21	760	<1	0.03	23	790	16	<5	<20	26	0.15	<10	58	<10	<1	124
142	23+00N	46+00EA	<5	<.2	1.09	<5	280	<5	1.22	<1	9	6	141	2.16	<10	0.32	1072	2	0.05	11	810	12	<5	<20	114	0.13	<10	53	<10	<1	75
143	23+00N	46+00EB	-	<.2	1.74	<5	265	5	0.93	<1	17	9	40	3.69	<10	0.43	795	<1	0.08	15	600	8	<5	20	113	0.24	<10	94	<10	4	52
144	23+00N	47+00EA	<5	<.2	0.51	<5	185	<5	0.64	<1	5	20	197	2.15	<10	0.15	1696	6	0.03	9	400	8	<5	<20	39	0.06	<10	78	<10	<1	69
145	23+00N	47+00EB	-	<.2	0.94	<5	75	10	0.35	<1	10	40	15	3.79	<10	0.16	306	<1	0.01	13	160	4	<5	20	21	0.15	<10	138	<10	<1	37
146	23+00N	48+00EA	<5	<.2	0.59	<5	155	<5	1.14	<1	4	11	116	1.27	<10	0.14	2924	4	0.01	7	730	8	<5	<20	55	0.04	<10	37	<10	<1	128
147	23+00N	48+00EB	-	<.2	1.34	<5	95	<5	0.31	<1	9	24	10	2.76	<10	0.21	1237	<1	0.02	12	490	8	<5	<20	17	0.12	<10	82	<10	<1	101
148	23+00N	49+00EA	<5	<.2	1.66	<5	240	<5	1.12	<1	8	15	176	2.01	<10	0.31	3817	3	0.02	14	910	16	<5	<20	44	0.11	<10	49	<10	<1	157
149	23+00N	49+00EB	-	<.2	3.74	<5	180	<5	0.26	<1	14	23	46	3.55	<10	0.49	466	<1	0.03	24	1500	20	<5	20	17	0.20	<10	76	<10	<1	117
150	23+00N	50+00EA	<5	<.2	5.16	<5	435	<5	1.89	<1	11	43	535	4.52	<10	0.91	644	<1	0.04	41	1140	20	<5	<20	140	0.10	<10	65	<10	7	74
151	23+00N	51+00EA	<5	<.2	1.61	<5	370	<5	0.71	<1	8	19	195	2.13	<10	0.25	3826	6	0.02	14	540	16	<5	<20	58	0.09	<10	54	<10	<1	122
152	23+00N	51+00EB	-	<.2	2.13	<5	145	<5	0.36	<1	9	32	34	3.05	<10	0.32	203	<1	0.01	15	240	10	<5	<20	32	0.17	<10	81	<10	<1	48
153	23+00N	52+00EA	<5	<.2	0.71	<5	425	<5	1.89	<1	3	13	396	1.58	<10	0.20	2359	10	0.03	9	740	14	<5	<20	70	0.04	<10	47	<10	<1	68
154	23+00N	52+00EB	-	<.2	1.69	<5	155	5	0.46	<1	9	33	22	3.56	<10	0.31	274	<1	0.01	15	260	6	<5	20	23	0.11	<10	117	<10	<1	54
155	23+00N	53+00EA	<5	<.2	0.58	<5	255	<5	1.69	<1	2	5	305	0.75	<10	0.18	1360	5	0.01	6	650	8	<5	<20	41	0.03	<10	15	<10	<1	99
156	23+00N	53+00EB	-	<.2	2.76	<5	165	<5	0.31	<1	12	19	61	3.01	<10	0.42	826	<1	0.02	18	1300	20	<5	<20	13	0.17	<10	62	<10	<1	230
157	23+00N	54+00EA	<5	<.2	1.37	<5	200	<5	0.94	<1	8	21	189	2.47	<10	0.32	1256	4	0.01	12	610	14	<5	<20	44	0.07	<10	73	<10	<1	79
158	23+00N	54+00EB	-	<.2	1.79	<5	190	<5	0.33	<1	10	30	20	3.23	<10	0.28	1003	<1	0.01	15	150	8	<5	<20	15	0.12	<10	99	<10	<1	68
159	26+00N	20+00EA	<5	<.2	0.61	<5	355	<5	0.87	<1	2	5	267	0.67	<10	0.11	1080	7	0.02	7	1010	20	<5	<20	49	0.02	<10	11	<10	<1	21
160	26+00N	20+00EB	-	<.2	1.75	<5	245	<5	0.31	<1	3	9	316	1.43	<10	0.12	112	1	0.02	10	270	12	<5	<20	21	0.05	<10	24	<10	3	17
161	26+00N	21+00EA	<5	<.2	1.74	<5	470	<5	2.09	<1	3	9	505	1.44	30	0.16	2933	6	0.03	13	970	24	<5	<20	51	0.04	<10	26	<10	11	59
162	26+00N	21+00EB	-	<.2	2.60	<5	300	<5	0.88	<1	6	11	284	2.12	10	0.13	1559	2	0.03	12	330	16	<5	<20	22	0.08	<10	48	<10	4	28
163	26+00N	22+00EA	<5	<.2	1.95	<5	1010	<5	0.63	<1	13	21	1214	3.90	10	0.90	1117	3	0.01	20	790	8	<5	<20	37	0.05	<10	64	<10	7	55
164	26+00N	23+00EA	<5	<.2	0.46	<5	180	<5	1.27	<1	3	6	135	0.74	<10	0.18	517	4	0.02	8	920	12	<5	<20	130	0.02	<10	16	<10	<1	21
165	26+00N	23+00EB	-	<.2	2.18	<5	130	<5	0.28	<1	11	39	81	3.52	<10	0.30	216	<1	0.02	24	800	10	<5	<20	28	0.10	<10	93	<10	<1	38
166	26+00N	24+00EA	<5	<.2	0.49	<5	110	<5	0.63	<1	2	5	393	0.64	<10	0.11	1178	10	0.02	6	1360	18	<5	<20	34	0.01	<10	12	<10	<1	44
167	26+00N	24+00EB	-	<.2	2.95	<5	190	<5	0.25	<1	12	37	138	3.81	<10	0.33	185	3	0.02	31	1720	14	<5	20	24	0.11	<10	90	<10	<1	34
168	26+00N	25+00EA	<5	<.2	1.33	<5	100	<5	0.42	<1	7	20	144	2.12	<10	0.22	1060	4	0.01	15	1060	14	<5	<20	22	0.06	<10	53	<10	<1	45
169	26+00N	25+00EB	-	<.2	2.77	<5	145	<5	0.21	<1	12	38	59	3.58	<10	0.29	214	<1	0.02	27	1060	14	<5	<20	20	0.12	<10	83	<10	<1	42
170	26+00N	26+00EA	<5	<.2	1.44	<5	295	<5	0.75	<1	8	27	243	1.88	<10	0.24	1285	6	0.03	20	980	16	<5	<20	105	0.05	<10	36	<10	<1	44

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-421

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
171	26+00N	26+00EB	-	<.2	2.82	<5	290	<5	0.41	<1	18	64	40	4.11	<10	0.56	277	<1	0.02	48	710	10	<5	<20	76	0.19	<10	83	<10	<1	35
172	26+00N	27+00EA	<5	<.2	1.11	<5	130	<5	0.61	<1	6	23	164	1.61	<10	0.19	933	5	0.03	19	1090	18	<5	<20	58	0.06	<10	31	<10	<1	50
173	26+00N	27+00EB	-	<.2	4.35	<5	230	5	0.24	<1	17	58	24	3.82	<10	0.39	153	<1	0.03	58	1550	20	<5	20	42	0.18	<10	67	<10	<1	61
174	26+00N	28+00EA	<5	<.2	0.41	<5	120	<5	0.52	<1	2	4	308	0.46	<10	0.10	758	7	0.03	7	1310	16	<5	<20	45	0.01	<10	6	<10	<1	47
175	26+00N	28+00EB	-	<.2	2.28	<5	110	<5	0.26	<1	10	51	20	2.64	<10	0.35	110	<1	0.01	30	510	12	<5	<20	40	0.16	<10	50	<10	<1	34
176	26+00N	29+00EA	<5	<.2	0.78	<5	130	<5	0.47	<1	2	6	342	0.89	<10	0.08	697	5	0.03	6	1530	30	<5	<20	39	0.02	<10	13	<10	<1	52
177	26+00N	29+00EB	-	<.2	3.41	<5	190	10	0.15	<1	11	26	18	2.83	<10	0.20	228	<1	0.03	29	1750	20	<5	20	20	0.16	<10	47	<10	<1	39
178	26+00N	30+00EA	<5	<.2	0.68	<5	120	<5	0.46	<1	4	8	289	0.88	<10	0.09	3310	6	0.03	7	1280	26	<5	<20	35	0.03	<10	16	<10	<1	60
179	26+00N	30+00EB	-	<.2	2.30	<5	85	<5	0.10	<1	8	15	9	1.98	<10	0.08	558	<1	0.01	15	1760	14	<5	<20	8	0.11	<10	35	<10	<1	52
180	26+00N	31+00EA	<5	<.2	0.53	<5	275	<5	1.09	<1	5	14	136	0.82	<10	0.20	956	4	0.04	12	860	10	<5	<20	132	0.03	<10	18	<10	<1	20
181	26+00N	31+00EB	-	<.2	1.64	<5	195	<5	0.26	<1	8	34	11	2.53	<10	0.17	147	<1	0.02	17	750	10	<5	<20	51	0.14	20	52	<10	<1	25
182	26+00N	32+00EA	<5	<.2	0.71	<5	175	<5	0.72	<1	4	12	173	1.21	<10	0.14	688	3	0.03	10	740	20	<5	<20	81	0.05	<10	25	<10	<1	29
183	26+00N	32+00EB	-	<.2	1.57	<5	175	<5	0.31	<1	7	30	14	2.32	<10	0.18	125	<1	0.01	15	520	8	<5	<20	90	0.12	10	54	<10	<1	22
184	26+00N	33+00EA	<5	<.2	0.34	<5	185	<5	1.14	<1	1	4	319	0.44	<10	0.15	2539	6	0.03	8	1590	26	<5	<20	113	0.01	<10	6	<10	<1	53
185	26+00N	33+00EB	-	<.2	2.49	<5	95	<5	0.11	<1	7	14	12	1.95	<10	0.07	365	<1	0.01	14	3010	16	<5	<20	12	0.11	<10	29	<10	<1	63
186	26+00N	34+00EA	<5	<.2	1.43	<5	230	<5	0.63	<1	6	16	271	1.50	<10	0.17	2269	5	0.02	16	1000	30	<5	<20	57	0.06	<10	29	<10	<1	69
187	26+00N	34+00EB	-	<.2	3.98	<5	280	<5	0.32	<1	12	43	24	3.40	<10	0.31	632	<1	<.01	30	1020	20	<5	20	48	0.17	<10	69	<10	<1	64
188	26+00N	35+00EA	<5	<.2	0.52	<5	190	<5	0.72	1	2	5	429	0.61	<10	0.11	3007	7	0.03	7	1270	28	<5	<20	65	0.02	<10	9	<10	<1	70
189	26+00N	35+00EB	-	<.2	1.83	<5	190	<5	0.21	<1	8	21	12	2.17	<10	0.17	1002	<1	0.01	18	850	12	<5	<20	29	0.12	<10	44	<10	<1	64
190	26+00N	36+00EA	<5	<.2	0.30	<5	100	<5	0.66	<1	1	3	349	0.44	<10	0.11	419	6	0.03	5	1660	20	<5	<20	58	0.01	<10	6	<10	<1	83
191	26+00N	36+00EB	-	<.2	1.64	<5	200	<5	0.39	<1	7	34	19	2.47	<10	0.28	101	<1	0.03	13	860	12	<5	<20	58	0.13	<10	51	<10	<1	40
192	26+00N	37+00EA	<5	<.2	0.47	<5	150	<5	0.91	<1	1	4	233	0.53	<10	0.10	703	4	0.03	6	1140	22	<5	<20	69	0.02	<10	9	<10	<1	56
193	26+00N	37+00EB	-	<.2	2.53	<5	170	<5	0.18	<1	9	25	18	2.65	<10	0.18	722	<1	0.01	22	1780	14	<5	<20	15	0.13	<10	55	<10	<1	75
194	26+00N	38+00EA	<5	<.2	0.81	<5	105	<5	0.55	<1	4	10	308	1.07	<10	0.13	893	6	0.03	9	960	24	<5	<20	47	0.03	<10	24	<10	<1	48
195	26+00N	38+00EB	-	<.2	2.33	<5	115	5	0.23	<1	10	35	19	2.91	<10	0.24	279	<1	0.04	24	720	16	<5	<20	21	0.12	<10	75	<10	<1	52
196	26+00N	39+00EA	<5	<.2	0.58	<5	100	<5	0.54	<1	3	8	326	0.87	<10	0.10	1850	5	0.03	7	1090	32	<5	<20	38	0.02	<10	19	<10	<1	53
197	26+00N	39+00EB	-	<.2	2.75	<5	250	<5	0.23	<1	11	47	30	3.79	<10	0.31	331	<1	0.01	29	990	14	<5	20	23	0.12	<10	109	<10	<1	50
198	26+00N	40+00EA	<5	<.2	0.48	<5	105	<5	0.80	<1	2	5	317	0.58	<10	0.10	2577	5	0.05	7	1520	30	<5	<20	50	0.02	<10	10	<10	<1	83
199	26+00N	40+00EB		<.2	1.04	<5	60	<5	0.10	<1	6	15	6	1.89	<10	0.08	237	<1	0.01	9	450	8	<5	<20	7	0.09	<10	49	<10	<1	31
200	26+00N	41+00EA	<5	0.6	2.50	<5	350	<5	1.42	<1	10	24	196	1.81	50	0.24	7047	4	0.04	25	2550	16	<5	<20	211	0.05	<10	43	<10	26	136

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-421

ECO-TECH LABORATORIES LTD.

Et #	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	26+00N	41+00EB	-	< 2	2 45	<5	140	<5	0.17	<1	8	19	11	1.81	<10	0.12	425	<1	0.02	13	1640	16	<5	<20	23	0.09	<10	36	<10	2	60
202	26+00N	42+00EA	<5	< 2	0.35	<5	130	<5	1.00	<1	1	4	168	0.45	<10	0.11	935	3	0.04	5	1000	16	<5	<20	59	0.01	<10	9	<10	<1	91
203	26+00N	42+00EB	-	< 2	1.26	<5	140	5	0.36	<1	12	51	31	3.62	<10	0.27	167	<1	0.02	23	540	6	<5	<20	35	0.15	<10	115	<10	<1	32
204	26+00N	43+00EA	<5	< 2	0.56	<5	130	<5	0.97	<1	3	9	335	0.95	<10	0.16	1052	5	0.03	7	980	24	<5	<20	68	0.02	<10	23	<10	<1	63
205	26+00N	43+00EB	-	< 2	1.66	<5	130	<5	0.34	<1	9	36	21	2.90	<10	0.27	237	<1	0.01	17	560	10	<5	<20	33	0.13	10	79	<10	<1	53
206	26+00N	44+00EA	<5	< 2	0.54	<5	90	<5	0.72	<1	2	5	211	0.67	<10	0.12	1422	4	0.03	7	1300	22	<5	<20	40	0.02	<10	13	<10	<1	66
207	26+00N	44+00EB	-	< 2	3 02	<5	145	5	0.17	<1	10	24	15	3.09	<10	0.21	215	<1	0.01	22	1590	18	<5	20	18	0.14	<10	66	<10	<1	84
208	26+00N	45+00EA	<5	< 2	0.50	<5	150	<5	1.13	<1	1	3	341	0.46	<10	0.12	2303	5	0.04	5	1330	26	<5	<20	74	0.01	<10	7	<10	<1	59
209	26+00N	45+00EB	-	< 2	3.85	<5	175	<5	0.24	<1	12	24	23	3.32	<10	0.30	193	<1	0.01	25	1170	22	<5	20	29	0.18	20	66	<10	<1	58
210	26+00N	46+00EA	<5	0.2	0.67	<5	290	<5	1.07	<1	4	7	333	1.09	<10	0.16	2999	13	0.03	9	1300	26	<5	<20	100	0.03	<10	22	<10	<1	97
211	26+00N	46+00EB	-	< 2	2.78	<5	285	5	0.29	<1	10	25	20	3.09	<10	0.22	473	<1	0.02	30	2730	18	<5	<20	34	0.12	10	75	<10	<1	137
212	26+00N	47+00EA	<5	0.2	0.38	<5	220	<5	1.33	1	3	5	289	0.64	<10	0.13	2305	12	0.04	7	1210	22	<5	<20	103	0.02	<10	14	<10	<1	110
213	26+00N	47+00EB	-	< 2	0.91	<5	130	<5	0.24	<1	5	11	13	1.62	<10	0.13	130	<1	<.01	6	1620	8	<5	<20	22	0.11	10	37	<10	<1	35
214	26+00N	48+00EA	<5	< 2	0.64	<5	260	<5	1.44	3	4	9	253	1.23	<10	0.30	1980	4	0.03	7	870	18	<5	<20	68	0.06	<10	34	<10	<1	231
215	26+00N	48+00EB	-	< 2	1.52	<5	200	<5	0.48	2	10	19	32	2.53	<10	0.48	1030	<1	0.03	12	410	14	<5	<20	36	0.16	<10	67	<10	<1	192
216	26+00N	49+00EA	<5	0.6	3.78	<5	250	<5	1.44	2	14	43	969	4.63	20	1.03	1749	2	0.03	51	920	20	<5	<20	116	0.08	<10	99	<10	35	119
217	26+00N	49+00EB	-	0.2	2.82	5	175	<5	1.65	<1	13	34	441	3.68	<10	0.76	2021	3	0.03	30	1210	16	<5	<20	104	0.07	<10	95	<10	17	101
218	26+00N	50+00EA	<5	< 2	0 36	<5	140	<5	0.88	<1	1	9	64	0.96	<10	0.11	277	2	0.04	5	730	8	<5	<20	55	0.02	20	31	<10	<1	44
219	26+00N	50+00EB	-	< 2	1.02	<5	110	<5	0.31	<1	7	27	14	2.78	<10	0.16	170	<1	0.01	11	900	8	<5	<20	20	0.09	10	90	<10	<1	33
220	26+00N	51+00EA	<5	0 2	0.33	<5	105	<5	0 71	<1	<1	4	289	0.54	<10	0.10	970	6	0.03	3	1090	18	<5	<20	31	0.01	<10	12	<10	<1	62
221	26+00N	51+00EB	-	< 2	1.59	<5	210	<5	0.29	<1	7	24	24	2.67	<10	0.17	1311	<1	0.01	14	2170	14	<5	20	21	0.09	<10	74	<10	<1	99
222	26+00N	52+00EA	<5	1 0	0.47	<5	285	<5	0 40	2	4	12	149	1.07	<10	0.10	>10000	9	0.03	7	680	22	<5	<20	19	0.05	<10	29	<10	<1	120
223	26+00N	52+00EB	-	< 2	3.49	<5	175	<5	0 18	<1	8	16	22	2.44	<10	0.20	238	<1	0.01	14	5260	24	<5	20	11	0.13	20	38	<10	<1	134
224	26+00N	53+00EA	<5	0 4	0.81	<5	450	<5	1 97	2	3	12	243	1.48	<10	0.30	5547	3	0.03	9	970	18	<5	<20	80	0 05	<10	44	<10	<1	188
225	26+00N	53+00EB		< 2	2 69	<5	285	<5	0 60	<1	14	27	73	3.71	<10	0 84	504	<1	0.02	20	690	20	<5	<20	59	0 13	20	96	<10	<1	160
226	26+00N	54+00EA	<5	0 6	0.25	<5	165	<5	1 01	<1	<1	2	177	0 38	<10	0.08	332	6	0 04	2	1080	16	<5	<20	22	0 01	10	8	<10	<1	58
227	26+00N	54+00EB		< 2	2 26	<5	415	<5	0 53	<1	4	13	31	1.85	<10	0 14	584	<1	0 02	14	770	16	<5	<20	17	0 10	<10	35	<10	7	67
228	29+00N	6+00EA	<5	< 2	1 56	<5	315	<5	0 77	<1	11	25	35	2 10	<10	0 30	1068	2	0 02	35	1130	16	<5	<20	95	0 09	<10	41	<10	<1	68
229	29+00N	6+00EB		< 2	2.47	<5	230	<5	0 36	<1	16	38	35	3 02	<10	0 35	391	<1	0 02	44	1250	16	<5	<20	45	0 14	20	61	<10	<1	49
230	29+00N	7+00EA	<5	< 2	0 18	<5	180	<5	0 80	<1	<1	2	331	0.28	<10	0 12	689	4	0 04	4	1720	22	<5	<20	58	< 01	<10	5	<10	<1	56

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-421

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
231	29+00N	7+00EB	-	<.2	3.06	<5	560	<5	0.95	<1	15	44	1516	3.43	20	0.65	683	<1	0.04	58	950	20	<5	<20	95	0.11	<10	63	<10	11	63
232	29+00N	8+00EA	<5	< 2	0.34	<5	140	<5	0.56	1	<1	3	244	0.42	<10	0.10	387	3	0.03	6	1180	20	<5	<20	36	0.01	10	6	<10	<1	47
233	29+00N	8+00EB	-	<.2	1.93	<5	475	<5	0.71	<1	10	30	1006	2.51	<10	0.39	1184	<1	0.03	30	660	14	<5	<20	61	0.09	<10	43	<10	4	67
234	29+00N	8+80EA	<5	< 2	0.23	<5	70	<5	0.57	<1	<1	1	286	0.25	<10	0.07	614	3	0.03	2	1450	12	<5	<20	18	<.01	<10	3	<10	<1	58
235	29+00N	8+80EB	-	< 2	3.43	<5	85	<5	0.07	<1	3	15	515	3.40	<10	0.05	59	4	0.02	2	3900	24	<5	20	5	0.10	10	55	<10	<1	21
236	29+00N	10+00EA	<5	< 2	0.49	<5	115	<5	0.37	<1	1	5	151	0.67	<10	0.08	931	1	0.03	5	1040	26	<5	<20	17	0.02	<10	12	<10	<1	45
237	29+00N	10+00EB	-	< 2	2.40	<5	105	<5	0.08	<1	5	14	75	2.37	<10	0.12	200	<1	0.01	9	1000	20	<5	20	8	0.11	20	46	<10	<1	36
238	29+00N	11+00EA	<5	< 2	0.15	<5	155	<5	0.82	<1	<1	2	290	0.26	<10	0.07	170	3	0.03	2	1450	20	<5	<20	36	<.01	20	3	<10	<1	33
239	29+00N	12+00EA	<5	< 2	0.53	<5	165	<5	0.92	<1	2	7	315	0.67	<10	0.14	2170	5	0.02	8	1540	24	<5	<20	73	0.02	<10	11	<10	<1	60
240	29+00N	12+00EB	-	< 2	2.94	<5	200	<5	0.23	<1	13	40	44	2.96	<10	0.26	300	<1	0.01	39	1750	20	<5	20	31	0.14	20	56	<10	<1	5
241	29+00N	13+00EA	<5	< 2	0.32	<5	185	<5	0.60	2	<1	3	286	0.39	<10	0.09	912	4	0.04	6	1860	28	<5	<20	69	0.01	<10	5	<10	<1	52
242	29+00N	13+00EB	-	< 2	2.07	<5	210	<5	0.34	<1	12	50	38	3.27	<10	0.37	234	<1	0.02	35	770	12	<5	20	57	0.18	20	65	<10	<1	50
243	29+00N	14+00EA	<5	< 2	0.57	<5	275	<5	0.91	1	3	8	275	0.71	10	0.18	2903	5	0.03	11	1440	34	<5	<20	114	0.03	<10	15	<10	4	59
244	29+00N	14+00EB	-	< 2	1.63	<5	190	<5	0.24	<1	6	25	28	1.81	<10	0.22	431	<1	0.02	20	640	14	<5	<20	34	0.12	20	38	<10	<1	53
245	29+00N	15+00EA	<5	0.2	0.22	<5	120	<5	0.77	1	<1	2	306	0.26	<10	0.10	2960	4	0.03	4	1520	20	<5	<20	57	<.01	<10	3	<10	<1	111
246	29+00N	15+00EB	-	< 2	2.93	<5	150	<5	0.20	<1	7	28	30	2.41	<10	0.16	110	<1	0.01	37	3350	22	<5	20	37	0.15	10	48	<10	3	46
247	29+00N	16+00EA	<5	< 2	0.24	<5	130	<5	0.45	<1	<1	2	274	0.30	<10	0.08	611	5	0.03	3	1590	24	<5	<20	31	<.01	10	4	<10	<1	46
248	29+00N	16+00EB	-	< 2	3.65	<5	190	<5	0.16	<1	7	19	99	2.88	<10	0.17	197	<1	0.02	17	7390	34	<5	20	15	0.14	10	42	<10	<1	84
249	29+00N	17+00EA	<5	< 2	0.20	<5	165	<5	1.67	1	<1	2	238	0.21	<10	0.12	2662	4	0.03	3	1700	10	5	<20	70	<.01	<10	3	<10	<1	90
250	29+00N	17+00EB	-	< 2	1.89	<5	270	<5	0.75	<1	15	36	352	3.02	10	0.64	704	<1	0.04	33	470	12	<5	<20	74	0.10	<10	64	<10	7	54
251	29+00N	18+00EA	<5	< 2	0.14	<5	280	<5	1.88	2	<1	1	142	0.21	<10	0.11	215	2	0.04	5	1410	16	<5	<20	76	<.01	20	3	<10	<1	73
252	29+00N	19+00EA	<5	0.2	0.31	<5	160	<5	0.75	<1	<1	3	406	0.38	<10	0.09	2023	8	0.02	2	1380	28	<5	<20	32	0.01	<10	5	<10	<1	63
253	29+00N	19+00EB	-	< 2	3.28	<5	200	<5	0.16	<1	7	11	45	2.14	<10	0.10	144	<1	0.03	16	1920	24	<5	20	11	0.11	10	35	<10	<1	64
254	29+00N	19+95EA	<5	< 2	0.43	<5	170	<5	0.73	<1	1	3	340	0.45	<10	0.10	1898	5	0.03	5	1590	28	<5	<20	38	0.01	<10	7	<10	<1	6
255	29+00N	19+95EB	-	< 2	4.07	<5	155	<5	0.14	<1	8	14	51	2.82	<10	0.09	419	<1	0.03	19	2880	30	<5	20	11	0.14	20	51	<10	<1	5
256	29+00N	21+00EA	<5	< 2	0.61	<5	450	<5	1.01	<1	1	7	242	1.01	<10	0.21	880	4	0.03	5	760	18	<5	<20	73	0.02	<10	20	<10	<1	57
257	29+00N	21+00EB		< 2	1.56	<5	450	<5	0.29	<1	7	22	57	2.61	<10	0.36	1001	1	<.01	14	950	10	<5	<20	30	0.05	<10	52	<10	<1	65
258	29+00N	22+00EA	<5	< 2	0.63	<5	145	<5	0.53	<1	2	7	230	0.79	<10	0.12	1272	3	0.03	7	1040	26	<5	<20	43	0.02	<10	15	<10	<1	63
259	29+00N	22+00EB		< 2	2.61	<5	125	<5	0.13	<1	8	16	60	2.61	<10	0.15	288	<1	0.02	17	2140	20	<5	20	13	0.12	10	49	<10	<1	61
260	29+00N	23+00EA	<5	< 2	0.31	<5	135	<5	0.78	<1	2	2	126	0.37	<10	0.09	240	3	0.04	6	1190	18	<5	<20	76	<.01	20	5	<10	<1	41

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-421

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
261	29+00N	23+00EB	-	< 2	0.81	<5	60	<5	0.11	<1	2	8	7	0.97	<10	0.09	62	<1	0.01	4	180	8	<5	<20	13	0.07	10	25	<10	<1	16
262	29+00N	24+00EA	<5	< 2	0.49	<5	255	<5	0.82	<1	<1	5	148	0.54	<10	0.10	258	2	0.02	5	970	20	<5	<20	111	0.02	20	8	<10	<1	24
263	29+00N	24+00EB	-	< 2	3.32	<5	165	<5	0.18	<1	11	32	48	2.80	<10	0.23	101	<1	0.03	31	2430	22	<5	20	26	0.14	20	57	<10	<1	45
264	29+00N	25+00EA	<5	< 2	0.35	<5	155	<5	0.49	<1	<1	2	140	0.31	<10	0.08	332	3	0.04	6	1610	16	<5	<20	45	<.01	20	5	<10	<1	46
265	29+00N	25+00EB	-	< 2	3.72	<5	205	<5	0.21	<1	13	37	80	3.60	<10	0.34	176	<1	0.01	38	1560	22	<5	20	32	0.11	10	77	<10	<1	51
266	29+00N	26+00EA	<5	< 2	1.27	<5	270	<5	0.60	<1	7	23	61	1.81	<10	0.23	1662	1	0.03	16	1240	18	<5	<20	86	0.08	<10	36	<10	<1	74
267	29+00N	26+00EB	-	< 2	2.86	<5	300	5	0.39	<1	14	54	36	3.62	<10	0.46	322	<1	0.01	34	1450	16	<5	20	81	0.15	10	83	<10	<1	49
268	29+00N	27+00EA	<5	< 2	0.38	<5	110	<5	0.45	<1	1	5	185	0.53	<10	0.08	535	3	0.03	6	1120	22	<5	<20	38	0.02	<10	9	<10	<1	47
269	29+00N	27+00EB	-	< 2	3.54	<5	295	<5	0.41	<1	12	51	29	3.64	<10	0.43	178	<1	0.01	30	1200	20	<5	20	77	0.16	20	79	<10	<1	44
270	29+00N	28+00EA	<5	< 2	0.49	<5	190	<5	0.92	<1	1	6	165	0.64	<10	0.12	635	3	0.03	6	1250	22	<5	<20	93	0.02	<10	12	<10	<1	56
271	29+00N	28+00EB	-	< 2	2.56	<5	330	<5	0.41	<1	12	45	21	3.13	<10	0.31	228	<1	0.04	25	1300	20	<5	20	81	0.16	10	66	<10	<1	46
272	29+00N	29+00EA	<5	< 2	0.33	<5	135	<5	0.49	<1	<1	4	255	0.47	<10	0.11	595	6	0.03	5	1760	20	<5	<20	44	0.01	<10	8	<10	<1	58
273	29+00N	29+00EB	-	< 2	2.56	<5	275	<5	0.36	<1	8	45	31	3.03	<10	0.44	102	<1	0.01	18	2430	18	<5	<20	77	0.16	10	52	<10	<1	51
274	29+00N	30+00EA	<5	< 2	1.03	<5	245	<5	0.74	<1	4	16	128	1.36	<10	0.15	1837	2	0.02	11	1240	24	<5	<20	84	0.04	<10	30	<10	<1	81
275	29+00N	30+00EB	-	< 2	3.08	<5	240	<5	0.33	<1	9	40	19	3.04	<10	0.28	598	<1	0.01	25	1320	22	<5	20	57	0.13	<10	57	<10	<1	67
276	29+00N	31+00EA	<5	< 2	1.44	<5	235	<5	0.62	<1	7	20	185	1.87	<10	0.19	1007	2	0.03	19	800	24	<5	<20	64	0.08	<10	37	<10	<1	52
277	29+00N	31+00EB	-	< 2	2.64	<5	225	<5	0.32	<1	12	41	19	3.25	<10	0.29	208	<1	0.01	36	790	16	<5	20	49	0.18	10	69	<10	<1	35
278	29+00N	32+00EA	<5	< 2	0.95	<5	275	<5	0.71	<1	4	14	220	1.37	<10	0.15	1704	4	0.03	12	1170	26	<5	<20	93	0.05	<10	28	<10	<1	79
279	29+00N	32+00EB	-	< 2	2.41	<5	155	<5	0.19	<1	9	31	15	2.73	<10	0.18	583	<1	0.01	23	1550	18	<5	20	29	0.12	20	59	<10	<1	60
280	29+00N	33+00EA	<5	< 2	2.06	<5	430	<5	0.70	<1	10	40	173	2.19	<10	0.43	1724	<1	0.04	21	780	28	<5	<20	119	0.10	<10	42	<10	<1	74
281	29+00N	33+00EB	-	< 2	4.57	<5	610	5	0.58	<1	18	71	42	3.77	<10	0.81	615	<1	0.03	36	1320	24	<5	<20	167	0.18	30	58	<10	<1	63
282	29+00N	34+00EA	<5	0.2	0.52	<5	130	<5	0.69	1	2	6	269	0.52	<10	0.12	1390	4	0.03	6	1200	24	5	<20	60	0.02	<10	9	<10	<1	61
283	29+00N	34+00EB	-	< 2	3.96	<5	420	10	0.24	1	9	43	19	2.88	<10	0.22	1581	<1	0.02	18	1840	26	<5	<20	51	0.17	<10	70	<10	<1	110
284	29+00N	35+00EA	<5	0.6	0.98	<5	210	<5	0.64	1	6	16	213	1.37	<10	0.15	4474	3	0.02	13	1170	26	<5	<20	62	0.04	<10	32	<10	<1	80
285	29+00N	35+00EB	-	< 2	3.21	<5	240	5	0.29	1	11	42	21	3.21	<10	0.30	481	<1	0.01	30	600	20	<5	<20	42	0.14	40	77	<10	<1	57
286	29+00N	36+00EA	<5	0.2	0.76	<5	235	<5	0.53	1	5	10	238	1.00	<10	0.13	2427	5	0.04	11	1130	30	<5	<20	57	0.03	<10	21	<10	<1	43
287	29+00N	36+00EB	-	< 2	3.06	<5	160	10	0.15	1	12	30	15	2.64	<10	0.25	584	<1	0.01	34	630	22	<5	<20	21	0.14	40	62	<10	<1	54
288	29+00N	37+00EA	<5	< 2	0.55	<5	125	<5	0.35	1	3	6	151	0.71	<10	0.09	671	3	0.03	9	1420	20	<5	<20	30	0.02	30	15	<10	<1	32
289	29+00N	37+00EB		< 2	3.49	<5	170	15	0.14	<1	11	28	24	2.84	<10	0.23	167	<1	0.01	25	1740	22	<5	<20	17	0.15	20	63	<10	2	61
290	29+00N	38+00EA	<5	< 2	1.85	<5	370	<5	1.03	1	15	19	258	1.88	20	0.24	1945	4	0.03	19	1230	28	<5	<20	170	0.05	<10	49	<10	6	34

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-421

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
291	29+00N	38+00EB	-	<.2	3.32	<5	145	5	0.26	<1	8	31	20	2.72	<10	0.30	121	<1	0.01	19	370	22	<5	<20	38	0.13	20	66	<10	<1	29
292	29+00N	39+00EA	2900	0.4	0.67	<5	180	<5	0.88	1	4	13	369	1.21	<10	0.16	2541	7	0.02	9	1010	26	<5	<20	66	0.04	<10	32	<10	<1	79
293	29+00N	39+00EB	-	<.2	2.24	<5	160	<5	0.26	<1	10	30	17	2.89	<10	0.20	248	<1	0.01	26	1270	14	<5	<20	22	0.13	20	75	<10	<1	50
294	29+00N	40+00EA	<5	0.4	0.54	<5	150	<5	0.89	1	3	7	361	0.79	<10	0.14	2323	5	0.04	7	1160	30	<5	<20	72	0.03	<10	17	<10	<1	43
295	29+00N	40+00EB	-	<.2	2.34	<5	120	<5	0.18	1	9	20	13	2.32	<10	0.15	414	<1	0.03	20	1850	18	<5	<20	19	0.12	40	58	<10	<1	49
296	29+00N	41+00EA	<5	0.6	0.60	<5	170	<5	0.90	1	3	7	213	0.62	<10	0.11	3754	2	0.03	8	1140	30	<5	<20	61	0.02	<10	13	<10	<1	67
297	29+00N	41+00EB	-	<.2	1.95	<5	135	<5	0.22	1	11	33	16	2.61	<10	0.24	816	<1	0.03	24	540	14	<5	<20	25	0.12	40	71	<10	<1	82
298	29+00N	42+00EA	<5	0.4	0.46	<5	130	<5	0.93	1	3	6	433	0.70	<10	0.14	2146	6	0.03	8	1170	22	<5	<20	66	0.02	<10	15	<10	<1	57
299	29+00N	42+00EB	-	<.2	2.32	<5	160	5	0.21	1	9	24	18	2.82	<10	0.19	201	<1	0.03	17	2370	18	<5	<20	22	0.09	20	65	<10	<1	57
300	29+00N	43+00EB	-	<.2	2.89	<5	190	<5	0.26	<1	13	40	19	3.22	<10	0.32	583	<1	0.03	26	420	22	<5	<20	34	0.14	40	88	<10	<1	63

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-421 | ECO-TECH LABORATORIES LTD.

Et #	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																															
Repeat:																															
1	14+50N	35+00EA	<5	< 2	0.38	<5	150	<5	0.93	<1	3	5	190	0.48	<10	0.15	1394	4	0.02	7	1190	18	<5	<20	85	0.01	<10	8	<10	<1	36
10	14+50N	39+00EB	-	< 2	1.14	<5	140	5	0.38	<1	7	23	24	2.15	<10	0.20	210	<1	0.02	12	320	6	<5	<20	34	0.09	10	60	<10	<1	35
19	14+50N	44+00EA	<5	< 2	0.40	<5	140	<5	1.74	<1	<1	4	410	0.45	20	0.20	850	7	0.02	11	1190	10	5	<20	101	0.01	<10	22	<10	11	48
36	14+50N	52+00EB	-	< 2	2.48	<5	205	10	0.34	<1	11	35	42	3.39	<10	0.33	452	<1	0.06	20	490	14	<5	20	22	0.15	<10	105	<10	<1	53
37	14+50N	53+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	20+00N	31+00EA	-	< 2	0.61	<5	240	<5	0.67	<1	3	8	305	0.80	<10	0.12	3450	6	0.02	8	1430	26	<5	<20	55	0.03	<10	15	<10	<1	63
54	20+00N	36+00EA	-	< 2	0.46	<5	95	<5	3.42	<1	<1	8	102	0.34	<10	0.54	283	2	0.03	7	950	4	10	<20	351	<.01	<10	70	<10	<1	19
69	20+00N	44+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	20+00N	45+00EA	-	< 2	0.37	<5	140	<5	1.34	1	3	5	421	0.60	<10	0.19	2237	9	0.02	5	940	22	<5	<20	64	0.02	<10	14	<10	<1	70
80	20+00N	49+00EB	-	< 2	1.12	<5	140	10	0.35	<1	8	21	20	2.20	<10	0.20	387	<1	0.01	9	960	10	<5	40	27	0.12	10	63	<10	<1	59
87	20+00N	53+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89	20+00N	54+00EA	-	0.2	0.60	<5	255	<5	0.97	1	3	8	593	0.93	<10	0.16	3062	8	0.02	6	890	32	<5	<20	50	0.03	<10	22	<10	<1	61
104	23+00N	27+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	23+00N	28+00EA	-	< 2	0.37	<5	135	<5	0.86	1	3	6	377	0.61	<10	0.15	1336	8	0.02	6	1180	20	<5	<20	75	0.02	<10	12	<10	<1	49
115	23+00N	32+00EB	-	< 2	2.15	<5	175	10	0.20	<1	12	41	22	2.85	<10	0.25	323	<1	0.02	26	610	16	<5	20	52	0.17	10	66	<10	<1	39
124	23+00N	37+00EA	-	< 2	0.98	<5	220	<5	0.50	1	6	17	138	1.47	<10	0.13	2380	2	0.02	9	800	18	<5	20	48	0.07	<10	39	<10	<1	69
138	23+00N	44+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	23+00N	45+00EB	-	< 2	2.83	<5	240	<5	0.25	<1	10	20	12	2.58	<10	0.21	748	<1	0.02	22	840	16	<5	<20	26	0.15	<10	54	<10	<1	125
150	23+00N	50+00EA	-	< 2	5.20	<5	440	<5	1.92	<1	11	44	542	4.58	<10	0.91	641	2	0.04	41	1130	18	<5	<20	140	0.10	<10	67	<10	7	72
155	23+00N	53+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	26+00N	20+00EA	-	< 2	0.52	<5	360	<5	0.85	<1	2	4	261	0.60	<10	0.08	1048	7	0.02	6	1020	18	<5	<20	50	0.02	<10	10	<10	<1	21
172	26+00N	27+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176	26+00N	29+00EA	-	< 2	0.84	<5	120	<5	0.47	<1	2	7	358	0.95	<10	0.08	701	6	0.03	9	1490	30	<5	<20	37	0.02	<10	15	<10	<1	50
185	26+00N	33+00EB	-	< 2	2.48	<5	90	<5	0.10	<1	8	14	8	1.98	<10	0.07	349	<1	0.01	14	2940	16	<5	<20	9	0.11	<10	30	<10	<1	62
194	26+00N	38+00EA	-	< 2	0.75	<5	105	<5	0.59	<1	3	10	303	1.00	<10	0.13	915	6	0.03	8	960	26	<5	<20	49	0.03	<10	23	<10	<1	46

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-421 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																															
Repeat:																															
206	26+00N	44+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211	26+00N	46+00EB	-	<.2	2.71	<5	285	<5	0.29	<1	9	24	21	3.03	<10	0.22	437	<1	0.01	29	2650	16	<5	20	33	0.12	10	72	<10	<1	132
220	26+00N	51+00EA	-	0.4	0.30	<5	110	<5	0.72	<1	<1	3	277	0.50	<10	0.10	1025	7	0.02	3	1120	16	<5	<20	35	0.01	<10	11	<10	<1	60
224	26+00N	53+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
229	29+00N	6+00EB	-	<.2	2.49	<5	235	<5	0.34	<1	15	37	31	3.02	<10	0.34	376	<1	0.02	43	1250	16	<5	20	45	0.13	10	61	<10	<1	48
241	29+00N	13+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
246	29+00N	15+00EB	-	<.2	2.89	<5	145	<5	0.20	<1	7	27	35	2.36	<10	0.15	132	<1	0.01	36	3340	22	<5	20	36	0.14	10	47	<10	2	45
255	29+00N	19+95EB	-	<.2	4.10	<5	155	<5	0.14	<1	8	14	50	2.83	<10	0.09	412	<1	0.03	18	2860	30	<5	20	10	0.14	10	51	<10	<1	51
264	29+00N	25+00EA	-	<.2	0.27	<5	155	<5	0.49	<1	<1	2	139	0.26	<10	0.08	326	3	0.04	5	1580	18	<5	<20	48	<.01	10	4	<10	<1	47
274	29+00N	30+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
281	29+00N	33+00EB	-	<.2	4.43	<5	575	10	0.54	1	17	70	41	3.66	<10	0.77	562	<1	0.04	35	1290	24	<5	<20	157	0.17	30	57	<10	<1	62
290	29+00N	38+00EA	-	0.2	1.75	<5	365	<5	1.04	1	14	16	247	1.79	20	0.21	1971	4	0.03	17	1210	28	<5	<20	173	0.04	<10	45	<10	7	32
292	29+00N	39+00EA	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Standard:																															
GEO'96			140	1.0	1.79	65	165	5	1.79	<1	19	61	78	4.12	<10	0.99	724	<1	0.02	22	740	18	<5	<20	57	0.12	<10	77	<10	5	72
GEO'96			145	1.2	1.66	70	170	10	1.80	<1	19	66	82	4.31	<10	1.03	738	<1	0.02	20	710	20	<5	<20	60	0.13	<10	82	<10	6	73
GEO'96			140	1.0	1.66	60	170	10	1.82	1	19	65	80	4.22	<10	0.99	711	<1	0.02	22	740	22	<5	<20	64	0.14	10	82	<10	5	71
GEO'96			145	1.2	1.72	60	175	<5	1.86	1	19	64	83	4.27	<10	0.99	736	<1	0.02	20	750	20	<5	<20	63	0.14	10	83	<10	5	72
GEO'96			140	1.0	1.66	60	175	5	1.90	<1	19	66	80	4.00	<10	1.02	734	<1	0.02	20	790	18	<5	<20	61	0.13	<10	83	<10	5	72
GEO'96			-	1.2	1.70	60	170	<5	1.83	<1	18	60	83	3.98	<10	0.98	737	1	0.02	22	780	20	<5	<20	54	0.11	<10	77	<10	5	73
GEO'96			-	1.0	1.77	60	180	<5	1.84	<1	18	60	83	4.20	<10	0.99	738	<1	0.02	25	770	22	<5	<20	56	0.11	<10	76	<10	5	71
GEO'96			-	1.0	1.77	60	180	<5	1.83	<1	18	61	80	4.22	<10	0.99	729	<1	0.02	25	760	20	<5	<20	57	0.10	<10	76	<10	5	71
GEO'96			-	1.2	1.86	60	160	<5	1.87	1	19	62	82	4.34	<10	1.01	748	<1	0.02	20	770	20	<5	<20	59	0.11	10	79	<10	5	73

ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T
B.C. Certified Assayer

df/421r, 421ar, 421br, 421dr, 421cr
XLS/96G.Copper#3

20-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-412

Lines 600, 700, 900, 1200, 1450 & 1725

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 230
Sample type: Soil
PROJECT #: none given
SHIPMENT #: none given

Values in ppm unless otherwise reported

Et #.	Tag #		Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L6+00N	21+00 E A	<5	0.2	1.03	<5	160	<5	0.50	1	8	16	145	1.83	<10	0.26	1345	3	0.01	14	770	34	<5	<20	36	0.06	<10	36	<10	<1	86
2	L6+00N	21+00 E B	-	<.2	2.26	<5	215	<5	0.28	<1	9	20	25	2.17	<10	0.27	473	<1	0.02	26	990	14	<5	20	31	0.12	<10	43	<10	<1	82
3	L7+00N	21+00 E A	<5	<.2	0.88	<5	180	<5	0.49	<1	5	11	74	1.49	<10	0.15	960	1	0.01	11	710	18	<5	<20	43	0.05	<10	36	<10	<1	46
4	L7+00N	21+00 E B	-	<.2	1.82	<5	175	<5	0.26	<1	11	29	55	3.07	<10	0.34	185	<1	0.01	24	830	8	<5	40	28	0.09	<10	82	<10	<1	43
5	L7+00N	48+00 E A	<5	0.4	0.42	<5	155	<5	0.91	1	4	8	644	0.94	<10	0.19	1994	15	0.01	6	980	18	<5	<20	49	0.02	<10	25	<10	<1	94
6	L7+00N	48+00 E B	-	<.2	1.93	<5	175	<5	0.34	<1	9	25	52	2.65	<10	0.36	254	<1	0.01	16	770	10	<5	40	30	0.10	<10	62	<10	<1	70
7	L7+00N	49+00 E A	<5	0.4	0.43	<5	140	<5	0.88	<1	2	4	885	0.65	<10	0.15	1434	11	0.01	5	980	24	<5	<20	50	0.02	<10	12	<10	<1	83
8	L7+00N	49+00 E B	-	<.2	1.96	<5	130	<5	0.44	<1	8	14	31	2.29	<10	0.14	230	<1	0.01	10	4490	14	<5	40	29	0.09	<10	45	<10	<1	78
9	L7+00N	50+00 E A	<5	0.2	0.76	<5	140	<5	0.64	1	5	10	561	1.33	<10	0.19	2133	7	0.01	9	850	14	<5	<20	36	0.05	<10	36	<10	<1	119
10	L7+00N	50+00 E B	-	<.2	1.31	<5	145	<5	0.19	<1	8	14	18	1.90	<10	0.18	1410	<1	0.01	12	890	12	<5	20	10	0.12	<10	47	<10	<1	135
11	L7+00N	51+00 E A	<5	0.6	0.67	<5	135	<5	0.66	<1	5	8	951	1.11	<10	0.23	3193	12	0.01	7	810	30	<5	<20	42	0.05	<10	26	<10	<1	90
12	L7+00N	51+00 E B	-	<.2	1.92	<5	140	<5	0.31	<1	10	20	44	2.45	<10	0.29	485	<1	0.02	17	460	12	<5	20	23	0.13	<10	62	<10	<1	102
13	L7+00N	52+00 E A	<5	0.4	0.36	<5	95	<5	0.80	<1	2	3	730	0.59	<10	0.13	1206	9	0.01	4	1060	22	<5	<20	35	0.02	<10	12	<10	<1	73
14	L7+00N	52+00 E B	-	<.2	1.34	<5	110	<5	0.30	<1	10	30	44	3.30	<10	0.24	416	<1	0.02	15	620	8	<5	20	16	0.12	<10	113	<10	<1	79
15	L7+00N	53+00 E A	<5	0.2	0.47	<5	200	<5	0.90	<1	4	7	660	1.00	<10	0.19	1741	13	0.01	6	890	20	<5	<20	47	0.03	<10	27	<10	<1	90
16	L7+00N	53+00 E B	-	<.2	1.19	<5	125	<5	0.36	<1	9	25	49	2.69	<10	0.31	445	<1	0.01	12	270	6	<5	40	21	0.13	<10	83	<10	<1	62
17	L7+00N	54+00 E A	<5	0.2	0.61	<5	200	<5	0.86	<1	4	9	866	1.24	<10	0.25	1410	14	0.01	7	790	22	<5	<20	50	0.04	<10	31	<10	<1	88
18	L7+00N	54+00 E B	-	<.2	1.54	<5	180	<5	0.24	<1	7	15	35	2.10	<10	0.21	169	<1	0.01	15	970	10	<5	40	17	0.09	20	43	<10	<1	80
19	L9+00N	21+00 E A	<5	<.2	0.36	<5	150	<5	0.58	<1	3	4	262	0.61	<10	0.12	1341	7	0.01	5	1310	20	<5	<20	45	0.02	<10	13	<10	<1	33
20	L9+00N	21+00 E B	-	<.2	1.13	<5	145	<5	0.26	<1	7	19	33	2.21	<10	0.21	159	<1	0.02	11	230	6	<5	20	39	0.09	<10	55	<10	<1	28

RECEIVED

Au - 1 Assay

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-412

ECO-TECH LABORATORIES LTD.

Et #	Tag #		Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	L9+00N	22+00 E A	<5	0.2	1.08	<5	245	<5	0.64	<1	6	13	187	1.45	<10	0.18	3510	4	0.01	13	920	20	<5	<20	50	0.06	<10	31	<10	<1	124
22	L9+00N	22+00 E B	-	<.2	2.48	<5	155	<5	0.22	<1	10	23	63	2.41	<10	0.24	664	<1	0.01	27	1240	14	<5	40	22	0.10	<10	48	<10	<1	80
23	L9+00N	23+00 E A	<5	0.2	0.62	<5	130	<5	0.66	<1	3	7	355	0.86	<10	0.13	2641	5	0.01	6	1120	22	<5	<20	37	0.03	<10	18	<10	<1	61
24	L9+00N	23+00 E B	-	<.2	3.26	<5	145	<5	0.17	<1	11	22	64	2.62	<10	0.25	268	<1	0.02	27	1230	18	<5	40	18	0.13	10	51	<10	<1	62
25	L9+00N	24+00 E A	<5	<.2	0.66	<5	305	<5	0.56	1	6	7	83	1.21	<10	0.11	1384	3	0.01	7	860	10	<5	<20	76	0.04	<10	25	<10	<1	63
26	L9+00N	25+00 E A	<5	<.2	0.64	<5	335	<5	0.61	<1	7	7	91	1.19	<10	0.11	1630	3	0.02	6	940	10	<5	<20	81	0.04	<10	24	<10	1	66
27	L9+00N	25+00 E B	-	<.2	1.22	<5	240	<5	0.45	<1	13	14	40	2.85	<10	0.30	352	<1	0.03	14	130	6	<5	40	137	0.11	<10	85	<10	2	38
28	L9+00N	26+00 E A	<5	0.8	0.49	<5	235	<5	0.88	<1	3	6	554	0.66	<10	0.12	6128	7	<.01	5	1210	30	<5	<20	73	0.02	<10	12	<10	<1	87
29	L9+00N	26+00 E B	-	<.2	1.92	<5	170	<5	0.24	<1	10	30	46	3.05	<10	0.28	278	<1	0.01	21	850	10	<5	20	36	0.08	<10	78	<10	<1	58
30	L9+00N	27+00 E A	<5	<.2	1.11	<5	145	<5	0.39	<1	13	15	197	2.76	<10	0.29	558	3	0.02	16	550	10	<5	40	72	0.08	<10	86	<10	<1	47
31	L9+00N	27+00 E B	-	<.2	1.11	<5	130	<5	0.31	<1	13	19	34	3.11	<10	0.26	347	<1	0.02	17	240	4	<5	20	62	0.12	<10	103	<10	<1	40
32	L9+00N	28+00 E A	<5	0.4	0.47	<5	235	<5	0.69	<1	3	6	398	0.73	<10	0.12	4981	7	0.01	5	1110	24	<5	<20	46	0.03	<10	15	<10	<1	64
33	L9+00N	28+00 E B	-	<.2	0.89	<5	90	<5	0.15	<1	5	6	22	1.10	<10	0.09	416	<1	0.01	6	490	8	<5	<20	17	0.08	<10	25	<10	<1	30
34	L9+00N	29+00 E A	<5	0.8	0.26	<5	165	<5	0.90	1	1	3	709	0.40	<10	0.12	5543	11	0.01	4	1330	12	<5	<20	58	0.02	<10	7	<10	<1	85
35	L9+00N	29+00 E B	-	<.2	0.95	<5	95	<5	0.13	<1	6	8	13	1.42	<10	0.11	325	<1	0.01	8	510	10	<5	<20	11	0.11	<10	31	<10	<1	52
36	L9+00N	30+00 E A	<5	0.2	0.12	<5	185	<5	2.12	<1	<1	2	442	0.26	<10	0.13	1504	5	0.01	2	1410	8	<5	<20	105	<.01	<10	4	<10	<1	50
37	L9+00N	31+00 E A	<5	<.2	0.47	<5	125	<5	0.63	<1	1	3	330	0.48	<10	0.07	947	4	<.01	4	1120	22	<5	<20	47	<.01	<10	7	<10	<1	51
38	L9+00N	31+00 E B	-	<.2	2.00	<5	120	<5	0.22	<1	6	8	16	1.82	<10	0.14	231	<1	0.02	13	820	14	<5	<20	19	0.10	<10	37	<10	<1	57
39	L9+00N	32+00 E A	<5	0.6	0.42	<5	145	<5	0.76	<1	2	5	937	0.64	<10	0.14	2893	17	0.01	5	1260	22	<5	<20	61	0.02	<10	11	<10	<1	71
40	L9+00N	32+00 E B	-	<.2	2.34	<5	140	<5	0.17	<1	8	19	35	2.18	<10	0.14	395	<1	0.02	22	1670	16	<5	20	23	0.12	<10	42	<10	<1	66
41	L9+00N	33+00 E A	<5	0.4	0.46	<5	180	<5	1.19	<1	2	5	722	0.60	<10	0.15	4373	12	0.01	6	1160	24	<5	<20	87	0.02	<10	11	<10	<1	84
42	L9+00N	33+00 E B	-	<.2	1.71	<5	110	<5	0.16	<1	6	18	26	2.01	<10	0.09	511	<1	0.02	15	1300	12	<5	20	21	0.09	10	40	<10	<1	48
43	L9+00N	34+00 E A	<5	0.4	0.52	<5	295	<5	1.16	<1	1	5	755	0.71	<10	0.16	2986	13	<.01	6	1210	20	<5	<20	105	0.02	<10	14	<10	<1	52
44	L9+00N	34+00 E B	-	<.2	1.97	<5	135	<5	0.20	<1	6	12	28	1.77	<10	0.11	517	<1	0.02	12	1690	12	<5	<20	22	0.11	<10	37	<10	<1	38
45	L9+00N	35+00 E A	<5	0.4	0.61	<5	150	<5	0.65	<1	3	8	587	0.90	<10	0.14	2565	10	<.01	7	1080	20	<5	<20	62	0.03	<10	19	<10	<1	56
46	L9+00N	35+00 E B	-	<.2	1.94	<5	215	<5	0.31	<1	10	30	40	2.60	<10	0.24	1148	<1	0.01	18	640	12	<5	40	72	0.11	<10	62	<10	<1	44
47	L9+00N	36+00 E A	<5	0.6	1.32	<5	305	<5	0.98	<1	6	14	394	1.48	10	0.23	3728	6	0.01	18	940	22	<5	<20	107	0.05	<10	36	<10	5	80
48	L9+00N	36+00 E B	-	<.2	1.44	<5	160	<5	0.34	<1	6	20	24	1.87	<10	0.21	601	<1	0.02	14	520	10	<5	<20	50	0.10	<10	48	<10	1	37
49	L9+00N	37+00 E A	<5	0.6	0.36	<5	165	<5	1.39	<1	2	5	807	0.52	<10	0.20	3780	15	<.01	8	1300	16	5	<20	107	0.02	<10	9	<10	<1	97
50	L9+00N	37+00 E B	-	<.2	1.29	<5	110	<5	0.24	<1	4	13	32	1.35	<10	0.15	287	<1	0.01	10	590	12	<5	<20	31	0.08	<10	27	<10	<1	37

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-412

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
51	L12+00N 21+00 E A	<5	<.2	1.09	<5	230	<5	0.54	<1	6	12	227	1.46	<10	0.21	1567	4	0.02	18	640	18	<5	<20	61	0.07	<10	30	<10	<1	80
52	L12+00N 21+00 E B	-	<.2	2.11	<5	255	<5	0.32	<1	13	31	86	3.17	<10	0.54	204	<1	0.02	43	540	12	<5	40	58	0.13	20	70	<10	<1	35
53	L12+00N 22+00 E A	<5	<.2	1.28	<5	175	<5	0.45	<1	8	21	233	1.98	<10	0.27	1891	4	0.01	18	560	14	<5	<20	43	0.06	<10	48	<10	<1	76
54	L12+00N 22+00 E B	-	<.2	2.06	<5	225	<5	0.29	<1	9	24	137	2.40	<10	0.34	313	2	0.01	21	440	12	<5	20	41	0.05	<10	50	<10	<1	36
55	L12+00N 23+00 E A	<5	<.2	1.35	<5	230	<5	1.49	<1	8	19	260	2.12	<10	0.48	693	<1	0.01	23	700	8	<5	<20	85	0.04	<10	47	<10	5	40
56	L12+00N 23+00 E B	-	<.2	0.87	<5	105	<5	0.51	<1	11	16	168	2.26	<10	0.56	355	<1	0.02	21	800	6	<5	<20	33	0.06	<10	51	<10	3	34
57	L12+00N 24+00 E A	<5	<.2	0.77	<5	200	<5	0.70	<1	6	11	252	1.35	<10	0.22	1701	3	0.03	12	810	18	<5	<20	40	0.03	<10	33	<10	<1	47
58	L12+00N 24+00 E B	-	<.2	1.28	<5	175	<5	0.40	<1	9	27	145	2.94	<10	0.41	486	1	0.03	17	300	8	<5	<20	33	0.04	10	80	<10	<1	35
59	L12+00N 25+00 E A	<5	0.2	0.65	<5	215	<5	0.56	<1	5	10	296	1.19	<10	0.19	3355	5	0.01	8	940	24	<5	<20	41	0.03	<10	27	<10	<1	51
60	L12+00N 25+00 E B	-	<.2	1.18	<5	115	<5	0.23	<1	8	14	57	2.18	<10	0.29	481	1	0.01	12	460	8	<5	<20	22	0.04	10	53	<10	<1	33
61	L12+00N 26+00 E A	<5	<.2	0.56	<5	145	<5	0.51	<1	3	6	473	0.89	<10	0.13	567	9	0.01	7	1060	24	<5	<20	37	0.02	<10	17	<10	<1	63
62	L12+00N 26+00 E B	-	<.2	2.95	<5	180	<5	0.22	<1	11	24	113	2.95	<10	0.33	547	1	0.01	24	1660	16	<5	40	27	0.07	<10	58	<10	<1	82
63	L12+00N 27+00 E A	<5	<.2	0.26	<5	135	<5	0.63	<1	<1	2	216	0.42	<10	0.09	436	4	0.01	4	1170	14	<5	<20	33	0.01	<10	7	<10	<1	41
64	L12+00N 27+00 E B	-	<.2	0.32	<5	90	<5	0.10	<1	1	3	13	0.49	<10	0.04	49	<1	0.01	2	200	6	<5	<20	12	0.04	20	11	<10	<1	10
65	L12+00N 28+00 E A	<5	<.2	0.11	<5	125	<5	1.81	<1	<1	1	175	0.16	<10	0.15	393	3	0.03	2	1480	8	<5	<20	99	<.01	<10	3	<10	<1	21
66	L12+00N 29+00 E A	<5	0.2	0.35	<5	220	<5	1.23	<1	2	4	364	0.53	<10	0.14	1386	6	0.02	5	1290	22	<5	<20	99	0.01	<10	9	<10	1	47
67	L12+00N 29+00 E B	-	<.2	0.92	<5	105	<5	0.32	<1	3	12	26	1.12	<10	0.14	103	<1	0.02	6	190	8	<5	<20	44	0.06	10	17	<10	2	22
68	L12+00N 30+00 E A	<5	<.2	1.45	<5	300	<5	1.56	<1	6	19	160	1.53	<10	0.26	2999	2	0.02	13	1470	12	<5	<20	203	0.05	<10	38	<10	7	59
69	L12+00N 30+00 E B	-	<.2	0.92	<5	105	<5	0.29	<1	4	19	11	1.34	<10	0.17	153	<1	0.02	8	160	8	<5	<20	89	0.09	<10	28	<10	<1	24
70	L12+00N 31+00 E A	<5	<.2	0.70	<5	130	<5	0.46	<1	3	8	298	1.00	<10	0.11	401	5	0.01	6	1080	12	<5	<20	42	0.04	20	21	<10	<1	69
71	L12+00N 31+00 E B	-	<.2	1.67	<5	130	<5	0.26	<1	7	18	9	2.21	<10	0.15	454	<1	0.01	11	1240	12	<5	<20	49	0.09	<10	46	<10	<1	59
72	L12+00N 32+00 E A	<5	0.2	0.41	<5	255	<5	2.34	<1	<1	4	309	0.44	<10	0.24	2067	3	0.02	10	1040	20	<5	<20	236	0.01	<10	8	<10	<1	26
73	L12+00N 32+00 E B	-	<.2	1.44	<5	120	<5	0.30	<1	6	16	17	1.72	<10	0.12	320	<1	0.02	16	850	10	<5	<20	49	0.09	<10	34	<10	<1	35
74	L12+00N 33+00 E A	<5	<.2	0.49	<5	140	<5	0.80	<1	2	6	406	0.71	<10	0.12	2035	6	0.01	7	1180	26	<5	<20	78	0.02	<10	15	<10	<1	43
75	L12+00N 33+00 E B	-	<.2	1.89	<5	145	<5	0.21	<1	7	27	22	2.46	<10	0.17	240	<1	0.01	16	800	12	<5	40	61	0.10	<10	60	<10	<1	34
76	L12+00N 34+00 E A	<5	0.4	0.37	<5	135	<5	1.01	<1	<1	4	176	0.37	<10	0.12	2848	3	0.02	6	1300	16	<5	<20	70	0.02	<10	7	<10	<1	79
77	L12+00N 34+00 E B	-	<.2	2.21	<5	335	<5	0.31	<1	9	30	24	3.02	<10	0.25	522	<1	0.01	20	1680	12	<5	40	60	0.10	10	79	<10	<1	54
78	L12+00N 35+00 E A	<5	<.2	0.17	<5	40	<5	2.03	<1	<1	2	25	0.20	<10	0.32	55	3	0.03	5	1020	<2	5	<20	194	<.01	<10	18	<10	<1	14
79	L12+00N 36+00 E A	<5	<.2	0.56	<5	250	<5	1.00	<1	4	10	225	1.00	<10	0.16	1930	5	0.01	8	890	22	<5	<20	107	0.03	<10	25	<10	<1	43
80	L12+00N 36+00 E B	-	<.2	1.58	<5	155	<5	0.19	<1	8	24	12	2.33	<10	0.15	322	<1	0.01	14	1340	10	<5	20	29	0.10	<10	59	<10	<1	60

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-412

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
81	L12+00N 37+00 E A	<5	<.2	0.35	<5	185	<5	0.98	<1	2	4	287	0.45	<10	0.13	1077	4	0.01	5	1340	18	<5	<20	78	0.01	<10	9	<10	<1	101
82	L12+00N 37+00 E B	-	<.2	2.60	<5	155	<5	0.24	<1	9	25	22	2.70	<10	0.21	266	<1	0.02	22	2070	14	<5	40	27	0.10	<10	63	<10	<1	82
83	L12+00N 38+00 E A	<5	<.2	0.58	<5	125	<5	1.19	<1	3	9	209	0.82	<10	0.18	913	6	0.02	8	1020	16	<5	<20	92	0.03	<10	20	<10	2	36
84	L12+00N 38+00 E B	-	<.2	1.14	<5	125	<5	0.57	<1	8	27	32	2.59	<10	0.25	286	<1	0.02	15	280	6	<5	20	54	0.09	<10	81	<10	8	28
85	L12+00N 39+00 E A	<5	<.2	0.48	<5	175	<5	0.71	<1	3	12	91	1.16	<10	0.10	227	7	0.09	8	680	12	<5	<20	61	0.04	10	35	<10	<1	42
86	L12+00N 39+00 E B	-	<.2	2.06	<5	195	<5	0.31	<1	8	31	16	2.90	<10	0.21	156	<1	0.02	23	1670	14	<5	40	39	0.11	20	73	<10	<1	57
87	L12+00N 40+00 E A	<5	<.2	0.29	<5	290	<5	2.42	<1	<1	4	65	0.36	<10	0.17	1552	5	0.02	6	1010	12	<5	<20	146	0.01	<10	10	<10	<1	58
88	L12+00N 40+00 E B	-	<.2	1.17	<5	125	<5	0.39	1	5	21	13	1.85	<10	0.16	116	<1	0.02	12	690	8	<5	<20	34	0.07	20	48	<10	<1	31
89	L12+00N 41+00 E A	<5	<.2	1.23	<5	175	<5	1.20	<1	9	31	84	2.28	<10	0.35	651	1	0.02	18	1160	8	<5	<20	61	0.06	<10	61	<10	4	35
90	L12+00N 41+00 E B	-	<.2	1.45	<5	190	<5	0.71	<1	12	46	46	3.05	<10	0.41	370	<1	0.02	19	850	8	<5	20	50	0.10	<10	87	<10	3	42
91	L12+00N 42+00 E A	<5	0.4	0.63	<5	290	<5	1.50	<1	4	9	379	1.18	<10	0.23	2532	7	0.01	7	920	22	<5	<20	110	0.03	<10	30	<10	<1	59
92	L12+00N 42+00 E B	-	<.2	2.28	<5	205	<5	0.33	3	11	23	32	2.69	<10	0.35	538	<1	0.01	18	890	14	<5	20	34	0.15	<10	67	<10	<1	77
93	L12+00N 43+00 E A	<5	0.2	0.24	<5	110	<5	0.65	<1	<1	2	585	0.43	<10	0.11	536	11	0.01	3	1170	10	<5	<20	33	0.01	<10	8	<10	<1	33
94	L12+00N 43+00 E B	-	<.2	1.34	<5	150	<5	0.31	<1	8	20	45	2.16	<10	0.32	145	<1	0.01	11	820	10	<5	<20	26	0.12	20	53	<10	<1	39
95	L12+00N 44+00 E A	<5	<.2	0.75	<5	210	<5	0.73	<1	4	10	431	1.14	<10	0.18	3431	10	0.01	8	880	28	<5	<20	47	0.04	<10	29	<10	<1	80
96	L12+00N 44+00 E B	-	<.2	2.13	<5	185	<5	0.27	<1	9	20	27	2.28	<10	0.24	951	<1	0.02	18	1580	14	<5	<20	25	0.12	<10	50	<10	<1	102
97	L12+00N 45+00 E A	<5	0.4	0.33	<5	130	<5	1.12	<1	1	4	441	0.45	<10	0.12	3664	10	0.01	4	1200	20	<5	<20	43	0.02	<10	9	<10	<1	101
98	L12+00N 45+00 E B	-	<.2	1.51	<5	145	<5	0.32	<1	8	18	16	2.10	<10	0.21	341	<1	0.01	11	810	10	<5	<20	20	0.10	<10	51	<10	<1	75
99	L12+00N 46+00 E A	<5	0.2	0.63	<5	255	<5	2.34	<1	3	7	634	0.94	<10	0.21	1594	13	0.02	5	1500	22	<5	<20	91	0.02	<10	20	<10	<1	61
100	L12+00N 46+00 E B	-	<.2	1.71	<5	330	<5	0.49	<1	5	14	34	1.93	<10	0.18	267	<1	0.01	11	3130	12	<5	<20	27	0.09	<10	35	<10	<1	58
101	L12+00N 47+00 E A	<5	0.2	0.40	<5	175	<5	1.32	<1	2	5	657	0.71	<10	0.21	2219	13	0.01	5	1110	22	<5	<20	82	0.02	<10	17	<10	<1	117
102	L12+00N 47+00 E B	-	<.2	1.52	<5	155	5	0.42	1	11	32	57	3.72	<10	0.52	316	<1	0.01	14	450	10	<5	40	68	0.13	<10	127	<10	<1	80
103	L12+00N 48+00 E A	<5	<.2	0.55	<5	165	<5	0.70	<1	4	9	375	1.28	<10	0.17	1260	6	0.01	7	730	22	<5	<20	46	0.03	<10	39	<10	<1	98
104	L12+00N 48+00 E B	-	<.2	1.70	<5	175	<5	0.32	2	10	17	31	2.48	<10	0.33	658	<1	0.01	15	630	12	<5	<20	28	0.11	<10	64	<10	<1	118
105	L12+00N 49+00 E A	<5	0.2	0.53	<5	165	<5	0.99	<1	3	7	412	0.90	<10	0.18	1910	7	0.01	10	1010	20	<5	<20	47	0.02	<10	23	<10	<1	98
106	L12+00N 49+00 E B	-	<.2	2.81	<5	285	<5	0.34	<1	10	22	42	2.82	<10	0.44	521	<1	0.03	22	1600	8	<5	<20	37	0.13	<10	65	<10	<1	132
107	L12+00N 50+00 E A	<5	<.2	0.69	<5	165	<5	0.77	<1	6	10	475	1.33	<10	0.19	1358	6	0.04	9	670	14	5	<20	35	0.06	<10	37	<10	<1	69
108	L12+00N 50+00 E B	-	<.2	1.84	<5	170	<5	0.30	<1	9	18	36	2.24	<10	0.21	220	<1	0.01	19	640	4	<5	<20	12	0.13	<10	51	<10	<1	44
109	L12+00N 51+00 E A	<5	0.6	0.40	<5	225	<5	1.35	<1	2	5	947	0.72	<10	0.19	2823	13	0.03	5	760	18	<5	<20	68	0.02	<10	17	<10	<1	119
110	L12+00N 51+00 E B	-	<.2	1.05	<5	100	<5	0.31	<1	8	28	39	2.81	<10	0.22	296	<1	<.01	12	280	4	<5	<20	17	0.11	<10	96	<10	<1	42

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-412

ECO-TECH LABORATORIES LTD.

Et #	Tag #		Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
111	L12+00N	52+00 E A	<5	0.4	0.53	<5	200	<5	0.85	1	4	9	427	1.10	<10	0.19	3201	7	0.02	7	920	20	<5	<20	42	0.03	<10	32	<10	<1	110
112	L12+00N	52+00 E B	-	<.2	2.00	<5	150	<5	0.33	<1	11	27	38	3.15	<10	0.45	402	<1	<.01	19	390	6	<5	<20	24	0.10	<10	91	<10	<1	84
113	L12+00N	52+90 E A	<5	<.2	0.38	<5	235	<5	1.25	<1	1	4	604	0.58	<10	0.13	1592	6	0.02	4	1200	24	5	<20	70	0.01	<10	11	<10	<1	80
114	L12+00N	52+90 E B	-	<.2	2.05	<5	285	<5	0.24	<1	9	18	29	2.54	<10	0.24	734	<1	0.01	15	1890	4	<5	<20	18	0.09	<10	54	<10	<1	81
115	L12+00N	54+00 E A	<5	0.4	0.29	<5	325	<5	1.33	<1	<1	3	460	0.39	<10	0.10	2859	5	0.04	5	790	22	10	<20	65	0.01	<10	7	<10	<1	79
116	L12+00N	54+00 E B	-	<.2	1.04	<5	155	<5	0.25	<1	6	17	16	1.88	<10	0.19	287	<1	<.01	10	220	2	5	<20	21	0.09	<10	55	<10	<1	36
117	L14+50N	22+50 E A	<5	<.2	1.26	<5	225	<5	0.60	1	4	8	327	1.12	<10	0.09	2166	6	0.03	8	1000	18	<5	<20	38	0.03	<10	22	<10	<1	63
118	L14+50N	22+50 E B	-	<.2	2.16	<5	115	<5	0.14	4	8	13	24	1.91	<10	0.12	304	<1	0.01	16	830	8	<5	<20	13	0.11	<10	38	<10	<1	59
119	L14+50N	23+00 E A	<5	<.2	0.79	<5	360	<5	1.30	<1	6	13	801	1.57	20	0.25	527	8	0.04	14	1030	8	<5	<20	62	0.04	<10	38	<10	14	30
120	L14+50N	23+00 E B	-	<.2	0.97	<5	300	<5	0.89	<1	8	23	607	2.37	10	0.38	318	1	0.02	16	790	<2	<5	<20	49	0.05	<10	58	<10	11	26
121	L14+50N	24+00 E A_1	<5	<.2	0.38	<5	85	<5	0.72	3	2	3	321	0.51	<10	0.10	746	4	0.04	5	1230	24	<5	<20	36	0.01	<10	9	<10	<1	60
122	L14+50N	24+00 E A_2	<5	<.2	0.67	<5	155	<5	0.70	1	3	7	483	0.96	<10	0.15	1231	8	0.03	9	1010	28	<5	<20	42	0.03	<10	19	<10	<1	58
123	L14+50N	24+00 E B_1	-	<.2	1.61	<5	195	<5	0.34	1	10	21	163	3.17	<10	0.33	237	3	0.03	20	820	4	<5	<20	34	0.03	10	82	<10	<1	35
124	L14+50N	24+00 E B_2	-	<.2	1.28	<5	110	<5	0.13	<1	6	11	20	1.72	<10	0.14	243	<1	0.03	9	400	6	<5	<20	16	0.10	10	39	<10	<1	56
125	L14+50N	25+00 E A	<5	<.2	0.57	<5	185	<5	0.88	1	3	6	329	0.88	<10	0.18	2120	4	0.03	7	860	24	5	<20	58	0.02	<10	19	<10	<1	63
126	L14+50N	25+00 E B	-	<.2	1.72	<5	250	<5	0.38	<1	9	24	147	2.45	<10	0.38	250	2	0.03	15	300	6	<5	<20	48	0.04	<10	55	<10	<1	33
127	L14+50N	26+00 E A	<5	<.2	0.81	<5	95	<5	0.38	<1	5	10	188	1.24	<10	0.15	2735	4	0.02	8	730	18	<5	<20	24	0.04	<10	28	<10	<1	66
128	L14+50N	26+00 E B	-	<.2	3.44	<5	170	<5	0.17	<1	11	25	88	2.92	<10	0.35	243	1	0.01	25	1030	6	<5	<20	17	0.09	<10	57	<10	<1	59
129	L14+50N	27+00 E A	<5	0.4	0.58	<5	130	<5	0.52	<1	4	6	342	0.94	<10	0.14	2638	5	0.02	6	810	16	<5	<20	40	0.03	<10	21	<10	<1	57
130	L14+50N	27+00 E B	-	<.2	1.51	<5	100	<5	0.12	<1	7	15	14	1.92	<10	0.14	148	<1	<.01	13	390	4	<5	<20	16	0.11	<10	48	<10	<1	31
131	L14+50N	28+00 E A	<5	0.4	0.46	<5	135	<5	0.78	<1	3	5	344	0.62	<10	0.12	4296	5	0.02	6	960	26	5	<20	64	0.02	<10	12	<10	<1	72
132	L14+50N	28+00 E B	-	<.2	2.05	<5	120	<5	0.18	<1	8	15	15	1.92	<10	0.14	618	<1	0.01	18	1300	6	<5	<20	27	0.12	<10	38	<10	<1	68
133	L14+50N	29+00 E A	<5	0.2	0.63	<5	95	<5	0.58	<1	3	6	445	0.86	<10	0.10	1789	6	0.02	5	1080	22	<5	<20	44	0.03	<10	16	<10	<1	48
134	L14+50N	29+00 E B	-	<.2	2.13	<5	165	<5	0.20	<1	8	27	28	2.50	<10	0.20	243	<1	0.01	19	950	4	<5	<20	59	0.10	<10	58	<10	<1	33
135	L14+50N	30+00 E A	<5	0.4	0.71	<5	135	<5	0.42	<1	4	10	277	1.11	<10	0.09	3330	4	0.03	7	1170	18	<5	<20	33	0.04	<10	22	<10	<1	58
136	L14+50N	30+00 E B	-	<.2	1.74	<5	140	<5	0.18	<1	7	16	12	2.00	<10	0.14	586	<1	0.01	13	770	4	<5	<20	70	0.10	<10	41	<10	<1	43
137	L14+50N	31+00 E A	<5	<.2	0.78	<5	65	<5	2.52	<1	1	7	69	0.53	20	0.32	208	1	0.04	11	1330	10	10	<20	229	0.01	<10	41	<10	17	13
138	L14+50N	31+00 E B	-	<.2	3.33	<5	145	<5	1.15	<1	9	35	67	2.80	20	0.47	402	<1	0.02	22	730	4	<5	<20	129	0.07	<10	38	<10	13	26
139	L14+50N	32+00 E A	<5	0.2	0.54	<5	125	<5	0.66	<1	3	6	452	0.73	<10	0.13	2572	6	0.03	6	1180	22	5	<20	61	0.02	<10	15	<10	<1	51
140	L14+50N	32+00 E B	-	<.2	2.72	<5	180	<5	0.21	<1	8	15	16	2.24	<10	0.13	276	<1	0.01	17	1330	6	<5	<20	73	0.12	<10	42	<10	<1	36

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-412

ECO-TECH LABORATORIES LTD.

Et #.	Tag #				Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
141	L14+50N	33+00	E	A	<5	<.2	0.13	<5	75	<5	1.17	<1	1	1	195	0.19	<10	0.11	162	3	0.06	3	1220	18	10	<20	112	<.01	<10	5	<10	<1	24
142	L14+50N	33+00	E	B	-	<.2	1.46	<5	215	<5	0.69	<1	8	24	24	2.19	<10	0.33	363	<1	0.03	14	450	4	<5	<20	200	0.12	<10	47	<10	7	27
143	L14+50N	34+00	E	A	<5	<.2	1.06	<5	230	<5	0.57	<1	5	14	172	1.58	<10	0.17	712	6	0.03	10	1060	16	<5	<20	73	0.06	<10	37	<10	<1	48
144	L14+50N	34+00	E	B	-	<.2	2.26	<5	225	<5	0.31	<1	10	26	22	2.91	<10	0.27	530	<1	0.01	19	1180	4	<5	<20	47	0.12	<10	72	<10	<1	62
145	L14+50N	35+00	E	A	<5	<.2	0.45	<5	190	<5	1.07	<1	3	4	366	0.48	<10	0.14	3017	7	0.04	7	1380	24	10	<20	99	0.02	<10	9	<10	<1	45
146	L14+50N	35+00	E	B	-	<.2	1.62	<5	130	<5	0.25	<1	8	34	20	2.08	<10	0.15	399	<1	0.02	21	480	4	<5	<20	38	0.14	<10	49	<10	<1	36
147	L17+25N	22+50	E	A	<5	<.2	0.41	<5	100	<5	0.90	<1	2	5	303	0.56	<10	0.11	1072	6	0.03	5	1050	24	5	<20	38	0.02	<10	12	<10	<1	65
148	L17+25N	22+50	E	B	-	<.2	2.18	<5	155	<5	0.38	<1	9	21	77	2.69	<10	0.32	533	2	<.01	17	460	6	<5	<20	29	0.06	<10	67	<10	<1	47
149	L17+25N	23+00	E	A	<5	0.4	0.69	<5	300	<5	1.10	<1	3	9	166	0.89	<10	0.12	1767	5	0.03	11	1260	14	<5	<20	61	0.02	<10	19	<10	<1	121
150	L17+25N	23+00	E	B	-	<.2	2.67	<5	140	<5	0.32	<1	9	26	117	2.81	<10	0.29	176	1	0.01	23	1350	4	<5	<20	27	0.07	10	58	<10	<1	90
151	L17+25N	24+00	E	A	<5	<.2	0.93	<5	145	<5	0.66	<1	6	18	163	1.79	<10	0.20	615	5	0.04	12	560	12	<5	<20	46	0.05	<10	51	<10	<1	39
152	L17+25N	24+00	E	B	-	<.2	1.55	<5	125	<5	0.30	<1	10	38	33	2.99	<10	0.23	237	<1	0.01	18	380	4	<5	<20	28	0.13	10	88	<10	<1	33
153	L17+25N	25+00	E	A	<5	<.2	0.85	<5	190	<5	0.78	<1	9	23	204	2.12	<10	0.25	1171	5	0.03	16	780	14	<5	<20	63	0.07	<10	67	<10	<1	30
154	L17+25N	25+00	E	B	-	<.2	1.73	<5	150	<5	0.32	<1	12	42	40	3.22	<10	0.27	179	<1	0.02	22	980	<2	<5	<20	36	0.13	<10	90	<10	<1	34
155	L17+25N	26+00	E	A	<5	<.2	0.33	<5	85	<5	0.48	<1	2	3	301	0.41	<10	0.08	523	4	0.05	4	1310	20	5	<20	40	0.01	<10	6	<10	<1	45
156	L17+25N	26+00	E	B	-	<.2	2.39	<5	110	<5	0.19	<1	11	24	37	2.59	<10	0.20	369	<1	0.02	27	1780	6	<5	<20	18	0.13	<10	54	<10	<1	67
157	L17+25N	27+00	E	A	<5	<.2	2.03	<5	210	<5	2.43	<1	5	24	61	1.66	20	0.38	69	<1	0.04	23	1070	<2	5	<20	342	0.04	<10	37	<10	14	22
158	L17+25N	27+00	E	B	-	<.2	2.70	<5	125	<5	0.20	<1	10	25	13	2.48	<10	0.16	165	<1	0.04	24	3150	10	<5	<20	24	0.13	10	49	<10	<1	65
159	L17+25N	28+00	E	A	<5	<.2	0.43	<5	160	<5	0.67	<1	2	4	385	0.52	<10	0.10	1859	8	0.03	7	1230	26	10	<20	72	0.02	<10	8	<10	<1	58
160	L17+25N	28+00	E	B	-	<.2	2.44	<5	165	<5	0.25	<1	9	23	22	2.42	<10	0.18	193	<1	0.01	17	1780	6	<5	<20	80	0.12	10	45	<10	2	40
161	L17+25N	29+00	E	A	<5	<.2	0.40	<5	90	<5	0.76	<1	1	3	349	0.45	<10	0.10	1436	6	0.03	5	1110	22	<5	<20	69	0.02	<10	7	<10	<1	54
162	L17+25N	29+00	E	B	-	<.2	1.61	<5	190	<5	0.32	<1	7	23	17	2.32	<10	0.17	248	<1	0.01	11	570	2	<5	<20	165	0.12	<10	39	<10	<1	24
163	L17+25N	30+00	E	A	<5	0.4	0.84	<5	150	<5	0.60	<1	4	8	278	0.92	<10	0.10	4060	5	0.03	8	1070	22	<5	<20	59	0.04	<10	18	<10	<1	72
164	L17+25N	30+00	E	B	-	<.2	1.77	<5	140	<5	0.25	<1	7	17	15	2.05	<10	0.15	419	<1	0.02	13	850	4	<5	<20	84	0.12	<10	39	<10	<1	33
165	L17+25N	31+00	E	A	<5	<.2	0.17	<5	95	<5	0.80	<1	<1	1	333	0.27	<10	0.07	1014	4	0.03	3	1420	18	5	<20	69	<.01	<10	4	<10	<1	52
166	L17+25N	31+00	E	B	-	<.2	2.63	<5	160	<5	0.24	<1	9	24	24	2.81	<10	0.28	193	<1	0.01	19	1170	4	<5	<20	77	0.13	<10	54	<10	<1	44
167	L17+25N	32+00	E	A	<5	0.2	0.37	<5	120	<5	0.67	<1	1	3	512	0.49	<10	0.13	1921	9	0.04	5	1690	26	5	<20	64	0.02	<10	9	<10	<1	76
168	L17+25N	32+00	E	B	-	<.2	1.19	<5	140	<5	0.28	<1	6	17	19	1.91	<10	0.18	212	<1	0.02	10	200	4	<5	<20	96	0.12	<10	32	<10	<1	24
169	L17+25N	33+00	E	A	<5	0.6	0.35	<5	120	<5	0.66	<1	2	3	444	0.42	<10	0.09	4236	6	0.03	5	1370	24	5	<20	51	0.02	<10	7	<10	<1	68
170	L17+25N	33+00	E	B	-	<.2	2.46	<5	185	<5	0.18	<1	7	16	17	1.90	<10	0.12	493	<1	0.02	20	1330	8	<5	<20	36	0.13	<10	33	<10	<1	38

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-412

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
171	L17+25N 34+00 E A	<5	<.2	0.43	<5	110	<5	0.57	<1	2	4	505	0.55	<10	0.11	1322	9	0.04	5	1520	20	5	<20	49	0.01	<10	10	<10	<1	70
172	L17+25N 34+00 E B	-	<.2	2.68	<5	160	<5	0.33	<1	10	31	24	2.79	<10	0.25	305	<1	0.01	20	1040	6	<5	<20	46	0.14	<10	64	<10	<1	56
173	L17+25N 35+00 E A	<5	<.2	0.94	<5	190	<5	0.77	<1	5	13	394	1.27	<10	0.19	1564	8	0.03	13	1060	16	<5	<20	76	0.05	<10	27	<10	<1	56
174	L17+25N 35+00 E B	-	<.2	2.80	<5	190	5	0.25	<1	12	31	22	2.76	<10	0.21	254	<1	0.04	26	2310	6	<5	<20	41	0.16	<10	55	<10	<1	65
175	L17+25N 36+00 E A	<5	0.6	0.73	<5	385	<5	1.22	<1	3	10	355	0.78	<10	0.19	4852	8	0.04	12	1190	24	5	<20	135	0.03	<10	19	<10	2	57
176	L17+25N 36+00 E B	-	<.2	2.17	<5	175	5	0.43	<1	10	34	23	2.53	<10	0.31	253	<1	0.04	19	500	8	<5	<20	68	0.17	<10	61	<10	2	41
177	L17+25N 37+00 E A	<5	0.4	0.52	<5	300	<5	0.92	<1	2	7	461	0.72	<10	0.13	4387	7	0.03	8	1000	22	<5	<20	99	0.03	<10	16	<10	<1	77
178	L17+25N 37+00 E B	-	<.2	1.92	<5	135	5	0.24	<1	9	29	21	2.52	<10	0.18	478	<1	0.02	20	490	4	<5	<20	31	0.16	<10	66	<10	<1	59
179	L17+25N 38+00 E A	<5	<.2	0.53	<5	265	<5	1.26	<1	2	6	404	0.58	20	0.20	3107	7	0.04	12	1180	18	<5	<20	142	0.02	<10	19	<10	8	61
180	L17+25N 38+00 E B	-	<.2	2.02	<5	140	<5	0.38	<1	8	23	61	1.97	<10	0.24	444	<1	0.02	17	360	4	<5	<20	56	0.12	<10	48	<10	4	37
181	L17+25N 39+00 E A	<5	<.2	0.96	<5	215	<5	1.05	<1	5	13	161	1.34	<10	0.22	1519	4	0.04	11	900	12	<5	<20	90	0.07	<10	34	<10	<1	77
182	L17+25N 39+00 E B	-	<.2	1.73	<5	135	10	0.42	<1	11	39	39	3.15	<10	0.38	239	<1	0.02	18	370	4	<5	<20	50	0.18	<10	89	<10	1	59
183	L17+25N 40+00 E A	<5	<.2	0.53	<5	245	<5	1.78	<1	2	11	418	1.06	<10	0.23	1559	10	0.03	8	910	10	<5	<20	139	0.04	<10	31	<10	<1	63
184	L17+25N 40+00 E B	-	<.2	1.38	<5	125	5	0.34	<1	9	39	22	2.96	<10	0.19	303	<1	0.02	16	250	<2	<5	<20	35	0.14	<10	97	<10	<1	35
185	L17+25N 41+00 E A	<5	0.4	0.48	<5	370	<5	1.23	<1	2	9	313	0.75	<10	0.16	5973	10	0.04	8	830	18	<5	<20	126	0.03	<10	19	<10	<1	114
186	L17+25N 41+00 E B	-	<.2	2.20	<5	200	5	0.27	1	9	29	17	2.52	<10	0.19	208	<1	0.01	21	2680	<2	<5	<20	37	0.12	<10	55	<10	<1	73
187	L17+25N 42+00 E A	<5	<.2	0.57	<5	230	<5	2.26	<1	2	6	434	0.64	<10	0.35	2287	7	0.03	7	1120	22	5	<20	222	0.02	<10	14	<10	4	72
188	L17+25N 42+00 E B	-	<.2	1.54	<5	155	<5	0.53	<1	8	26	42	2.28	10	0.27	765	<1	0.05	17	470	8	<5	<20	60	0.11	<10	69	<10	7	42
189	L17+25N 43+00 E A	<5	<.2	0.44	<5	280	<5	2.20	<1	1	5	586	0.54	<10	0.27	3622	12	0.04	7	1170	24	5	<20	193	0.02	<10	11	<10	<1	123
190	L17+25N 43+00 E B	-	<.2	1.70	<5	165	<5	0.50	<1	10	34	42	3.18	<10	0.26	530	<1	0.04	19	1320	4	<5	<20	47	0.12	<10	98	<10	<1	52
191	L17+25N 44+00 E A	<5	<.2	0.27	<5	135	<5	1.61	<1	<1	3	180	0.30	<10	0.17	1716	9	0.04	5	1280	16	<5	<20	84	<.01	<10	6	<10	<1	83
192	L17+25N 44+00 E B	-	<.2	0.76	<5	85	10	0.37	<1	7	24	22	2.62	<10	0.17	259	<1	0.01	11	510	<2	<5	<20	22	0.10	<10	94	<10	<1	32
193	L17+25N 45+00 E A	<5	<.2	0.27	<5	140	<5	0.95	<1	2	4	348	0.50	<10	0.12	1398	21	0.04	4	1230	20	<5	<20	48	0.02	<10	11	<10	<1	60
194	L17+25N 45+00 E B	-	<.2	1.00	<5	125	5	0.46	<1	10	30	26	3.37	<10	0.21	441	<1	0.01	13	480	<2	<5	<20	28	0.12	<10	122	<10	<1	42
195	L17+25N 46+00 E A	<5	<.2	0.17	<5	80	<5	1.04	<1	<1	2	295	0.32	<10	0.10	78	5	0.04	4	1110	14	<5	<20	56	<.01	<10	7	<10	<1	27
196	L17+25N 46+00 E B	-	<.2	1.18	<5	120	5	0.48	<1	12	27	43	3.07	<10	0.33	411	<1	0.02	15	220	2	<5	<20	38	0.14	<10	104	<10	3	50
197	L17+25N 47+00 E A	<5	<.2	0.26	<5	50	<5	4.42	<1	<1	2	322	0.29	<10	0.45	90	2	0.06	4	1340	<2	5	<20	158	<.01	10	26	<10	5	16
198	L17+25N 47+00 E B	-	<.2	1.77	<5	225	<5	0.69	<1	22	46	150	5.39	<10	0.83	793	<1	0.01	22	406	16	<5	60	58	0.15	<10	193	<10	<1	69
199	L17+25N 48+00 E A	<5	<.2	0.68	<5	235	<5	0.37	<1	5	16	188	1.73	<10	0.14	1726	4	0.03	8	340	16	<5	<20	29	0.07	<10	55	<10	<1	70
200	L17+25N 48+00 E B	-	<.2	1.55	<5	115	10	0.30	<1	11	42	29	3.78	<10	0.20	232	<1	0.01	21	710	<2	<5	<20	22	0.15	<10	135	<10	<1	44

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-412

ECO-TECH LABORATORIES LTD.

Et #	Tag #		Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	L17+25N	49+00 E A	<5	<.2	0.74	<5	335	<5	1.04	<1	3	10	239	1.09	<10	0.14	3463	7	0.04	7	760	18	<5	<20	61	0.05	<10	29	<10	<1	127
202	L17+25N	49+00 E B	-	<.2	1.72	<5	185	5	0.31	<1	8	22	22	2.38	<10	0.19	1268	<1	0.01	12	550	4	<5	<20	18	0.12	<10	65	<10	<1	124
203	L17+25N	50+00 E A	<5	<.2	1.17	<5	130	<5	0.49	<1	9	25	267	2.44	<10	0.30	1753	5	0.05	12	540	26	<5	<20	31	0.10	<10	80	<10	<1	88
204	L17+25N	50+00 E B	-	<.2	2.47	<5	135	5	0.32	<1	11	25	26	2.69	<10	0.30	987	<1	0.03	24	530	8	<5	<20	23	0.15	<10	72	<10	<1	173
205	L17+25N	51+00 E A	<5	<.2	1.04	<5	180	<5	0.42	<1	10	18	114	2.53	<10	0.23	3541	<1	0.04	12	530	12	<5	<20	20	0.13	<10	79	<10	<1	124
206	L17+25N	51+00 E B	-	<.2	2.33	<5	130	10	0.24	<1	12	21	25	3.12	<10	0.32	791	<1	0.04	15	1620	6	<5	<20	11	0.19	<10	79	<10	1	131
207	L17+25N	52+00 E A	<5	<.2	0.46	<5	185	<5	0.73	<1	2	6	352	0.80	<10	0.12	2097	8	0.04	5	910	18	<5	<20	48	0.03	<10	20	<10	<1	76
208	L17+25N	52+00 E B	-	<.2	2.83	<5	190	10	0.27	<1	11	27	35	3.13	<10	0.31	289	<1	0.02	21	2300	4	<5	<20	22	0.14	<10	74	<10	<1	115
209	L17+25N	53+00 E A	<5	<.2	1.01	<5	275	<5	0.71	<1	4	11	424	1.55	<10	0.21	2439	8	0.03	10	1060	12	<5	<20	32	0.05	<10	41	<10	<1	131
210	L17+25N	53+00 E B	-	<.2	2.19	<5	190	5	0.22	<1	9	17	20	2.43	<10	0.25	756	<1	0.01	15	1000	6	<5	<20	16	0.10	<10	61	<10	<1	117
211	L17+25N	54+00 E A	<5	<.2	0.38	<5	175	<5	0.50	<1	2	5	564	0.65	<10	0.11	2838	12	0.03	4	1120	32	<5	<20	31	0.02	<10	15	<10	<1	80
212	L17+25N	54+00 E B	-	<.2	1.90	<5	115	5	0.19	<1	8	22	21	2.45	<10	0.17	625	<1	0.03	15	1230	6	<5	<20	10	0.13	<10	63	<10	<1	110
213	L20+00N	20+00 E A	<5	<.2	0.48	<5	525	<5	1.88	1	2	7	112	0.65	<10	0.15	2686	13	0.03	11	1020	14	<5	<20	84	0.03	<10	12	<10	<1	50
214	L20+00N	20+00 E B	-	<.2	0.70	<5	150	5	0.32	<1	5	12	20	1.38	<10	0.12	189	1	0.01	8	520	<2	<5	<20	17	0.09	<10	32	<10	<1	33
215	L20+00N	21+00 E A	<5	<.2	0.68	<5	185	<5	0.84	<1	4	7	254	1.01	<10	0.14	2128	6	0.03	8	990	10	<5	<20	52	0.04	<10	21	<10	<1	81
216	L20+00N	21+00 E B	-	<.2	1.81	<5	130	<5	0.26	<1	8	14	52	2.27	<10	0.19	329	<1	0.03	14	680	6	<5	<20	21	0.11	<10	50	<10	<1	67
217	L20+00N	22+00 E A	<5	<.2	1.10	<5	180	<5	0.29	<1	5	10	214	1.50	<10	0.19	806	4	0.03	9	520	12	<5	<20	37	0.05	<10	38	<10	<1	39
218	L20+00N	22+00 E B	-	<.2	2.35	<5	255	<5	0.26	<1	9	20	148	2.66	<10	0.32	335	<1	0.01	18	660	6	<5	<20	57	0.09	<10	61	<10	<1	73
219	L20+00N	23+00 E A	<5	<.2	0.90	<5	170	<5	0.74	<1	4	10	264	1.40	<10	0.17	510	7	0.03	11	1200	12	<5	<20	36	0.04	<10	33	<10	<1	54
220	L20+00N	23+00 E B	-	<.2	2.57	<5	205	<5	0.34	<1	9	25	104	2.81	<10	0.25	226	3	0.04	23	1730	8	<5	<20	30	0.10	<10	59	<10	<1	61
221	L20+00N	24+00 E A	<5	<.2	2.55	<5	245	<5	1.24	<1	12	34	364	3.21	<10	0.61	599	<1	0.04	28	1210	<2	<5	<20	80	0.09	<10	90	<10	10	67
222	L20+00N	24+00 E B	-	<.2	2.01	<5	195	<5	0.81	<1	14	42	409	3.44	<10	0.56	424	<1	0.03	25	830	<2	<5	<20	56	0.16	<10	106	<10	15	64
223	L20+00N	25+00 E A	<5	<.2	1.31	<5	105	<5	0.33	<1	9	32	97	2.46	<10	0.25	636	1	0.04	16	430	4	<5	<20	34	0.08	<10	71	<10	<1	36
224	L20+00N	25+00 E B	-	<.2	1.91	<5	145	10	0.28	<1	11	44	47	3.16	<10	0.26	168	<1	0.02	23	480	<2	<5	<20	46	0.13	<10	88	<10	<1	32
225	L20+00N	26+00 E A	<5	<.2	1.49	<5	110	<5	0.25	<1	7	30	101	1.88	<10	0.18	498	2	0.03	20	870	6	<5	<20	31	0.08	<10	46	<10	<1	51
226	L20+00N	26+00 E B	-	<.2	1.95	<5	140	10	0.32	<1	11	52	31	3.17	<10	0.34	208	<1	0.01	28	390	<2	<5	<20	100	0.12	<10	85	<10	<1	31
227	L20+00N	27+00 E A	<5	<.2	1.25	<5	115	<5	0.24	<1	9	41	60	2.14	<10	0.16	1588	<1	0.03	20	500	10	<5	<20	27	0.11	<10	55	<10	<1	55
228	L20+00N	27+00 E B	-	<.2	1.71	<5	85	10	0.13	<1	10	45	12	2.38	<10	0.18	420	<1	0.01	26	730	4	<5	<20	17	0.13	<10	59	<10	<1	50
229	L20+00N	28+00 E A	<5	<.2	0.65	<5	115	<5	0.63	<1	4	5	181	0.73	<10	0.13	1098	4	0.03	5	930	16	<5	<20	173	0.03	<10	11	<10	<1	44
230	L20+00N	28+00 E B	-	<.2	1.24	<5	90	5	0.16	<1	4	13	8	1.40	<10	0.09	210	<1	0.01	7	1200	4	<5	<20	53	0.10	<10	26	<10	<1	28

GETTY COPPER CORPORATION — ICP CERTIFICATE OF ANALYSIS AK 96-412 — ECO-TECH LABORATORIES LTD.

Et #	Tag #			Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																															
Repeat:																															
1	L6+00N	21+00 E	A -	<.2	0.95	<5	160	<5	0.43	<1	7	14	152	1.69	<10	0.23	1358	2	0.01	12	770	30	<5	<20	36	0.05	<10	34	<10	<1	82
9	L7+00N	50+00 E	A <5																												
10	L7+00N	50+00 E	B -	<.2	1.29	<5	145	5	0.18	<1	7	13	16	1.88	<10	0.18	1406	<1	0.01	11	880	10	<5	20	10	0.12	<10	45	<10	<1	130
19	L9+00N	21+00 E	A -	<.2	0.35	<5	145	<5	0.58	<1	3	5	265	0.64	<10	0.12	1281	7	0.02	5	1300	18	<5	<20	45	0.02	<10	15	<10	<1	30
21	L9+00N	22+00 E	A <5																												
36	L9+00N	30+00 E	A -	0.2	0.16	<5	190	<5	2.08	<1	<1	2	444	0.28	<10	0.13	1509	7	<.01	2	1350	8	<5	<20	108	<.01	<10	4	<10	<1	47
43	L9+00N	34+00 E	A <5																												
45	L9+00N	35+00 E	A -	0.4	0.64	<5	150	<5	0.63	<1	4	9	592	0.96	<10	0.15	2790	11	<.01	8	1100	22	<5	<20	61	0.03	<10	20	<10	<1	59
54	L12+00N	22+00 E	B -	<.2	2.19	<5	225	<5	0.29	<1	9	26	133	2.49	<10	0.36	291	1	0.01	23	450	12	<5	<20	42	0.05	10	52	<10	<1	37
68	L12+00N	30+00 E	A <5																												
71	L12+00N	31+00 E	B -	<.2	1.63	<5	135	<5	0.27	<1	7	17	13	2.17	<10	0.15	490	<1	0.01	12	1240	12	<5	<20	55	0.08	<10	46	<10	<1	59
80	L12+00N	36+00 E	B -	<.2	1.60	<5	155	<5	0.20	<1	8	25	11	2.33	<10	0.16	300	<1	0.01	15	1360	12	<5	40	29	0.10	10	57	<10	<1	61
85	L12+00N	39+00 E	A <5																												
89	L12+00N	41+00 E	A -	<.2	1.23	<5	175	<5	1.25	<1	9	31	90	2.25	<10	0.35	751	<1	0.02	17	1170	8	<5	<20	62	0.07	<10	59	<10	4	38
103	L12+00N	48+00 E	A <5																												
106	L12+00N	49+00 E	B -	<.2	2.71	<5	270	<5	0.32	<1	10	23	42	2.89	<10	0.42	502	<1	0.03	21	1520	8	<5	<20	33	0.12	<10	72	<10	<1	124
115	L12+00N	54+00 E	A -	0.4	0.28	<5	330	<5	1.35	2	<1	3	473	0.39	<10	0.10	2819	6	0.03	5	800	24	10	<20	68	0.01	<10	7	<10	<1	76
124	L14+50N	24+00 E	B_2 -	<.2	1.29	<5	105	<5	0.11	<1	6	10	18	1.72	<10	0.14	229	<1	0.03	9	400	6	<5	<20	11	0.10	<10	39	<10	<1	54
137	L14+50N	31+00 E	A <5																												
141	L14+50N	33+00 E	A -	<.2	0.15	<5	75	<5	1.16	<1	1	2	197	0.20	<10	0.11	189	4	0.04	3	1250	12	5	<20	109	<.01	10	6	<10	<1	23
150	L17+25N	23+00 E	B -	<.2	2.86	<5	145	<5	0.32	<1	9	25	120	2.88	<10	0.30	167	2	0.03	24	1430	8	<5	<20	27	0.07	10	57	<10	<1	97
155	L17+25N	26+00 E	A <5																												
159	L17+25N	28+00 E	A -	<.2	0.40	<5	160	<5	0.69	<1	2	3	402	0.49	<10	0.10	1980	8	0.03	5	1260	28	5	<20	72	0.02	<10	8	<10	<1	58
173	L17+25N	35+00 E	A <5																												
176	L17+25N	36+00 E	B -	<.2	2.08	<5	160	10	0.41	<1	10	34	23	2.45	<10	0.29	236	<1	0.04	18	480	10	<5	<20	62	0.16	<10	59	<10	2	40
185	L17+25N	41+00 E	A -	0.6	0.45	<5	405	<5	1.25	<1	2	9	267	0.73	<10	0.15	6609	9	0.04	8	820	20	<5	<20	129	0.03	<10	19	<10	<1	120
194	L17+25N	45+00 E	B -	<.2	1.07	<5	130	10	0.46	<1	9	25	27	2.92	<10	0.21	454	<1	0.04	12	530	6	<5	<20	28	0.13	<10	97	<10	<1	46
207	L17+25N	52+00 E	A <5																												
211	L17+25N	54+00 E	A -	<.2	0.36	<5	170	<5	0.49	<1	2	5	566	0.61	<10	0.10	2596	11	0.03	4	1110	20	<5	<20	29	0.02	<10	13	<10	<1	78
220	L20+00N	23+00 E	B -	<.2	2.52	<5	210	<5	0.35	<1	9	26	92	2.83	<10	0.25	206	2	0.03	23	1750	6	<5	<20	30	0.10	<10	59	<10	<1	59

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-412

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
Standard:																													
GEO'96	145	1.2	1.72	50	165	<5	1.82	<1	18	59	81	4.10	<10	0.98	719	<1	0.02	20	760	18	<5	<20	56	0.10	<10	74	<10	5	72
GEO'96	150	1.2	1.71	65	170	<5	1.78	<1	18	59	80	4.02	<10	0.94	700	<1	0.02	22	730	18	<5	<20	56	0.11	<10	74	<10	3	71
GEO'96	140	1.0	1.73	60	170	<5	1.80	1	18	59	83	4.06	<10	0.97	716	<1	0.02	20	760	20	<5	<20	55	0.10	<10	76	<10	3	72
GEO'96	150	1.0	1.73	65	160	<5	1.76	<1	18	59	82	4.04	<10	0.95	705	<1	0.02	22	730	18	5	<20	56	0.11	<10	75	<10	3	71
GEO'96	-	1.0	1.83	60	165	<5	1.88	<1	19	66	86	4.27	<10	1.03	740	<1	0.02	20	750	18	5	<20	64	0.14	<10	85	<10	4	70
GEO'96	-	1.0	1.73	65	165	<5	1.88	<1	19	66	85	4.32	<10	1.02	738	<1	0.02	22	780	18	<5	<20	64	0.14	<10	84	<10	4	71
GEO'96	-	1.0	1.75	60	165	5	1.90	<1	19	66	84	4.33	<10	1.02	737	<1	0.02	24	760	20	<5	<20	62	0.14	<10	85	<10	4	71

df/412. 412a, 412br, 412dr
XLS/96G.Copper#3

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

12-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-398R

Lines: 200, 350, 500
700, 800 ; 900 N

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 227
Sample type: Soil
PROJECT #: none given
SHIPMENT #: none given

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L200N- 31+00 E A	200	<5	<.2	0.69	<5	375	<5	1.18	<1	5	12	394	1.39	<10	0.27	1442	6	0.03	11	600	10	<5	<20	97	0.04	<10	36	<10	<1	60
2	L200N- 31+00 E B		<5	< 2	1.19	<5	225	<5	0.54	<1	11	23	165	2.74	<10	0.44	443	<1	<.01	16	250	4	<5	<20	79	0.08	<10	76	<10	<1	37
3	L200N- 32+00 E A	↓	<5	0.2	0.41	<5	195	<5	0.66	<1	3	5	456	0.62	<10	0.11	2742	5	0.03	6	840	16	<5	<20	53	0.02	<10	14	<10	<1	62
4	L200N- 32+00 E B		<5	<.2	1.68	<5	180	<5	0.25	<1	7	19	66	2.20	<10	0.25	195	<1	<.01	14	430	<2	<5	<20	40	0.10	<10	50	<10	<1	39
5	L200N- 33+00 E A		<5	<.2	0.87	<5	170	<5	0.36	<1	11	22	66	2.52	<10	0.21	1066	<1	<.01	12	130	4	<5	<20	45	0.11	<10	81	<10	<1	40
6	L200N- 33+00 E B		<5	<.2	0.76	<5	120	<5	0.28	<1	9	24	18	2.59	<10	0.19	335	<1	0.01	11	60	2	<5	<20	38	0.13	<10	88	<10	<1	32
7	L200N- 34+00 E A		<5	0.2	0.36	<5	195	<5	1.00	<1	1	4	681	0.59	<10	0.19	1263	11	0.03	6	1030	16	<5	<20	111	0.01	<10	13	<10	2	47
8	L200N- 34+00 E B		<5	<.2	1.09	<5	100	<5	0.29	<1	7	30	27	2.24	<10	0.24	139	<1	0.01	13	210	2	<5	<20	53	0.12	<10	62	<10	2	36
9	L200N- 35+00 E A		<5	<.2	1.38	<5	265	<5	1.40	<1	3	13	457	1.29	40	0.32	2082	7	0.04	20	1360	10	<5	<20	183	0.03	<10	32	<10	23	43
10	L200N- 35+00 E B		<5	<.2	1.22	<5	140	<5	0.31	<1	5	19	26	1.53	<10	0.23	191	<1	0.02	9	230	2	<5	<20	80	0.10	<10	32	<10	2	32
11	L200N- 36+00 E A		<5	0.2	0.41	<5	160	<5	0.77	<1	3	5	778	0.69	<10	0.18	1453	12	0.02	5	1130	14	<5	<20	74	0.02	<10	14	<10	1	55
12	L200N- 36+00 E B		<5	< 2	0.82	<5	160	<5	0.42	<1	7	24	36	2.04	<10	0.26	194	<1	0.02	10	550	4	<5	<20	116	0.13	<10	49	<10	3	24
13	L200N- 37+00 E A		<5	0.6	0.54	<5	410	<5	1.23	<1	2	8	622	0.84	<10	0.19	4705	11	0.03	7	1030	16	<5	<20	118	0.03	<10	18	<10	<1	116
14	L200N- 37+00 E B		<5	< 2	1.30	<5	145	<5	0.26	<1	5	20	26	1.90	<10	0.18	293	<1	0.01	11	610	4	<5	<20	44	0.09	<10	47	<10	<1	48
15	L200N- 38+00 E A		<5	0.4	0.56	<5	175	<5	0.80	<1	4	10	362	0.97	<10	0.16	3264	7	0.03	9	730	12	<5	<20	81	0.03	<10	24	<10	<1	50
16	L200N- 38+00 E B		<5	<.2	1.30	<5	185	<5	0.25	<1	7	26	16	2.19	<10	0.16	240	<1	0.02	11	570	2	<5	<20	74	0.11	<10	53	<10	<1	27
17	L200N- 39+00 E A		<5	0.6	0.56	<5	160	<5	0.87	<1	3	6	770	0.70	<10	0.17	3607	11	0.03	5	1280	16	<5	<20	59	0.02	<10	15	<10	<1	66
18	L200N- 39+00 E B		<5	<.2	2.95	<5	300	<5	0.34	<1	10	29	44	2.90	<10	0.35	566	<1	0.01	21	780	4	<5	<20	45	0.13	<10	70	<10	<1	68
19	L200N- 40+00 E A		<5	<.2	0.25	<5	105	<5	1.04	<1	1	4	108	0.36	<10	0.09	1377	5	0.03	4	910	10	<5	<20	56	0.02	<10	9	<10	<1	46
20	L200N- 40+00 E B		<5	<.2	2.36	<5	190	<5	0.26	<1	8	19	17	2.26	<10	0.21	323	<1	<.01	19	2600	4	<5	<20	28	0.11	<10	41	<10	<1	98

RECEIVED
June 10

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-398R

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	L200N- 41+00 E A	<5	<.2	0.98	<5	135	<5	2.04	<1	3	12	572	1.11	30	0.32	972	6	0.03	22	1060	10	<5	<20	146	0.03	<10	43	<10	27	32
22	L200N- 41+00 E B	<5	<.2	2.02	<5	110	<5	0.64	<1	11	40	85	3.26	<10	0.40	282	<1	0.01	22	340	<2	<5	<20	62	0.13	<10	82	<10	7	41
23	L200N- 42+00 E A	<5	<.2	1.11	<5	265	<5	1.58	<1	8	15	242	1.72	<10	0.25	797	4	0.04	12	2970	8	<5	<20	106	0.06	<10	43	<10	<1	169
24	L200N- 42+00 E B	<5	<.2	2.05	<5	290	<5	0.47	<1	9	22	38	2.61	<10	0.30	269	<1	0.01	18	2870	4	<5	<20	50	0.09	<10	53	<10	1	191
25	L200N- 43+00 E A	<5	0.6	1.00	<5	180	<5	0.68	<1	7	13	375	1.52	<10	0.21	6096	6	0.03	10	920	20	<5	<20	46	0.05	<10	42	<10	<1	106
26	L200N- 43+00 E B	<5	<.2	2.60	<5	180	<5	0.17	<1	9	16	22	2.23	<10	0.23	344	<1	<.01	19	510	4	<5	<20	20	0.12	<10	51	<10	<1	77
27	L200N- 44+00 E A	<5	<.2	0.49	<5	255	<5	1.37	<1	2	5	920	0.72	<10	0.18	2135	9	0.03	5	710	14	<5	<20	79	0.02	<10	16	<10	<1	114
28	L200N- 44+00 E B	<5	<.2	1.48	<5	215	<5	0.23	<1	7	11	18	1.70	<10	0.18	795	<1	0.01	13	580	4	<5	<20	16	0.11	<10	40	<10	<1	152
29	L200N- 45+00 E A	<5	0.6	0.26	<5	105	<5	1.70	<1	1	3	914	0.45	<10	0.19	1114	10	0.04	3	1030	10	<5	<20	82	<.01	<10	9	<10	<1	90
30	L200N- 45+00 E B	<5	<.2	2.11	<5	470	<5	0.52	<1	6	16	37	2.07	<10	0.28	634	<1	0.01	14	5840	4	<5	<20	49	0.09	<10	34	<10	1	152
31	L200N- 46+00 E A	<5	0.2	0.51	<5	210	<5	0.77	<1	3	6	898	0.90	<10	0.18	2074	13	0.02	5	970	18	<5	<20	48	0.03	<10	21	<10	<1	88
32	L200N- 46+00 E B	<5	<.2	2.16	<5	125	<5	0.16	<1	7	14	31	1.98	<10	0.15	626	<1	0.01	12	2980	4	<5	<20	12	0.11	<10	40	<10	<1	104
33	L200N- 47+00 E A	<5	0.2	0.79	<5	250	<5	0.67	<1	4	8	671	1.21	<10	0.22	1988	9	0.02	8	860	20	<5	<20	53	0.04	<10	29	<10	<1	94
34	L200N- 47+00 E B	<5	<.2	2.73	<5	230	<5	0.24	<1	9	18	34	2.37	<10	0.28	855	<1	0.01	20	1800	4	<5	<20	31	0.12	<10	50	<10	<1	117
35	L200N- 48+00 E A	<5	<.2	1.09	<5	260	<5	0.65	<1	8	16	347	2.04	<10	0.30	2790	7	0.03	13	850	18	<5	<20	43	0.07	<10	54	<10	<1	159
36	L200N- 48+00 E B	<5	<.2	3.12	5	205	<5	0.19	<1	9	16	18	2.17	<10	0.19	1338	<1	0.01	21	2870	4	<5	<20	15	0.14	<10	41	<10	3	125
37	L200N- 49+00 E A	<5	0.2	0.41	<5	390	<5	2.28	<1	<1	4	526	0.50	<10	0.19	1581	5	0.02	5	840	12	<5	<20	142	0.02	<10	12	<10	<1	133
38	L200N- 49+00 E B	<5	<.2	1.35	<5	125	5	0.30	<1	9	24	22	2.53	<10	0.27	468	<1	<.01	13	300	2	<5	<20	24	0.11	<10	78	<10	<1	71
39	L200N- 50+00 E A	<5	0.8	0.45	<5	215	<5	1.07	<1	2	5	1004	0.75	<10	0.18	2612	13	0.02	4	1210	22	<5	<20	61	0.02	<10	17	<10	<1	100
40	L200N- 50+00 E B	<5	<.2	2.87	<5	225	<5	0.18	<1	8	14	58	1.80	<10	0.17	295	<1	0.02	22	3170	4	<5	<20	18	0.13	<10	28	<10	4	64
41	L200N- 51+00 E A	<5	0.2	0.56	<5	240	<5	1.64	<1	3	7	459	0.79	<10	0.20	2908	8	0.02	7	880	16	<5	<20	84	0.03	<10	20	<10	<1	152
42	L200N- 51+00 E B	<5	<.2	1.76	<5	150	5	0.28	<1	10	23	17	2.66	<10	0.31	797	<1	<.01	17	800	4	<5	<20	20	0.11	<10	69	<10	<1	93
43	L200N- 52+00 E A	<5	<.2	1.29	<5	285	<5	0.75	1	9	23	264	3.01	<10	0.37	1348	4	0.03	14	420	12	<5	<20	42	0.09	<10	101	<10	<1	103
44	L200N- 52+00 E B	<5	<.2	2.27	<5	240	5	0.45	<1	12	31	49	3.50	<10	0.47	420	<1	0.01	19	310	4	<5	<20	35	0.13	<10	96	<10	<1	91
45	L200N- 53+00 E A	<5	<.2	0.69	<5	230	<5	5.19	1	3	7	216	0.87	<10	0.40	1005	5	0.03	13	1360	4	10	<20	193	0.02	<10	65	<10	7	18
46	L200N- 53+00 E B	<5	<.2	3.73	<5	955	<5	2.73	2	15	37	468	5.42	10	0.78	3475	3	0.09	46	2790	<2	<5	20	211	0.09	<10	113	<10	17	87
47	L200N- 54+00 E A	<5	0.6	0.60	<5	130	<5	0.78	<1	3	7	1105	0.97	<10	0.18	2221	14	0.03	7	950	16	<5	<20	44	0.03	<10	22	<10	<1	79
48	L200N- 54+00 E B	<5	<.2	2.40	<5	155	<5	0.24	<1	10	23	41	2.70	<10	0.25	468	<1	0.01	20	910	4	<5	<20	17	0.12	<10	73	<10	<1	78
49	L350N- 31+00 E A	<5	0.2	1.19	<5	225	<5	0.54	<1	6	15	179	1.76	<10	0.18	2936	3	0.04	17	550	14	<5	<20	58	0.07	<10	44	<10	<1	106
50	L350N- 31+00 E B	<5	<.2	3.23	<5	290	<5	0.30	<1	10	29	60	3.02	<10	0.32	194	<1	<.01	21	500	4	<5	<20	80	0.11	<10	68	<10	<1	43

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-398R

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
51	L350N- 32+00 E A	350	<5	0.2	0.32	<5	105	<5	0.64	<1	1	4	146	0.46	<10	0.07	457	2	0.04	4	1040	10	<5	<20	48	0.01	<10	11	<10	<1	46
52	L350N- 32+00 E B	↓	<5	<.2	1.13	<5	95	<5	0.20	<1	8	19	14	2.19	<10	0.14	359	<1	0.01	11	640	4	<5	<20	25	0.10	<10	60	<10	<1	40
53	L350N- 33+00 E A		<5	0.6	0.52	<5	220	<5	1.29	<1	2	6	754	0.69	<10	0.21	3695	11	0.04	9	1190	24	<5	<20	114	0.02	<10	16	<10	2	82
54	L350N- 33+00 E B		<5	<.2	1.11	<5	80	<5	0.26	<1	5	18	17	1.70	<10	0.18	235	<1	0.01	10	260	4	<5	<20	29	0.10	<10	46	<10	<1	44
55	L350N- 34+00 E A		<5	0.6	1.07	<5	430	<5	1.50	<1	4	13	128	1.08	30	0.23	5306	4	0.03	21	1060	12	<5	<20	170	0.03	<10	29	<10	15	69
56	L350N- 34+00 E B		<5	<.2	1.05	<5	125	5	0.26	<1	6	22	15	1.87	<10	0.19	180	<1	0.01	11	180	4	<5	<20	68	0.12	<10	49	<10	1	34
57	L350N- 35+00 E A		<5	<.2	0.83	<5	160	<5	1.10	<1	3	10	618	1.00	20	0.26	642	8	0.05	12	1360	14	<5	<20	117	0.02	<10	30	<10	13	36
58	L350N- 35+00 E B		<5	<.2	1.04	<5	115	<5	0.31	<1	5	21	26	1.59	<10	0.21	136	<1	0.02	9	170	2	<5	<20	80	0.11	<10	32	<10	3	25
59	L350N- 36+00 E A		<5	0.4	0.49	<5	260	<5	1.03	<1	2	7	477	0.72	<10	0.17	3672	8	0.04	7	1090	18	<5	<20	91	0.03	<10	16	<10	<1	49
60	L350N- 36+00 E B		<5	<.2	1.29	<5	140	<5	0.19	<1	6	17	16	1.68	<10	0.12	666	<1	0.01	11	420	4	<5	<20	32	0.10	<10	39	<10	<1	41
61	L350N- 37+00 E A		<5	<.2	0.90	<5	235	<5	1.21	<1	3	9	532	0.95	20	0.23	2696	7	0.03	14	1130	14	<5	<20	135	0.03	<10	24	<10	13	60
62	L350N- 37+00 E B		<5	<.2	0.97	<5	75	<5	0.24	<1	4	11	24	1.09	<10	0.15	134	<1	0.01	8	220	4	<5	<20	35	0.08	<10	23	<10	2	22
63	L350N- 38+00 E A		<5	0.2	0.38	<5	125	<5	1.10	<1	2	5	702	0.50	<10	0.14	2738	7	0.03	5	1100	18	<5	<20	81	0.01	<10	10	<10	<1	79
64	L350N- 38+00 E B		<5	<.2	2.48	<5	235	<5	0.29	<1	8	26	32	2.56	<10	0.24	195	<1	0.01	22	2960	4	<5	<20	43	0.11	<10	46	<10	<1	57
65	L350N- 39+00 E A		<5	<.2	0.38	<5	120	<5	1.29	<1	2	6	465	0.58	<10	0.19	1128	8	0.03	4	940	16	<5	<20	97	0.02	<10	12	<10	<1	31
66	L350N- 39+00 E B		<5	<.2	0.89	<5	110	<5	0.22	<1	6	23	17	1.82	<10	0.14	103	<1	0.01	9	300	2	<5	<20	38	0.10	<10	45	<10	<1	18
67	L350N- 40+00 E A		<5	<.2	0.91	<5	495	<5	2.09	<1	4	9	135	1.19	<10	0.24	2080	2	0.02	10	940	12	<5	<20	151	0.06	<10	31	<10	<1	36
68	L350N- 41+00 E A		<5	0.2	0.61	<5	485	<5	1.51	<1	2	8	342	0.88	<10	0.17	4015	6	0.02	6	820	16	<5	<20	90	0.04	<10	24	<10	<1	139
69	L350N- 41+00 E B		<5	<.2	2.66	<5	235	<5	0.22	<1	10	19	26	2.38	<10	0.25	432	<1	0.01	19	730	4	<5	<20	18	0.14	<10	55	<10	<1	128
70	L5+00N- 39+00 E A	500	<5	0.4	0.36	<5	175	<5	1.52	<1	2	5	684	0.53	<10	0.20	2240	10	0.05	7	1170	20	<5	<20	113	0.02	<10	11	<10	<1	52
71	L5+00N- 39+00 E B	↓	<5	<.2	1.01	<5	115	<5	0.33	<1	8	40	21	2.59	<10	0.21	205	<1	0.01	15	210	2	<5	<20	53	0.13	<10	79	<10	3	28
72	L5+00N- 40+00 E A		<5	<.2	0.43	<5	270	<5	0.93	<1	2	5	313	0.62	<10	0.13	2003	5	0.03	5	970	18	<5	<20	65	0.02	<10	15	<10	<1	66
73	L5+00N- 40+00 E B		<5	<.2	1.85	<5	235	<5	0.41	<1	11	26	40	2.75	<10	0.36	463	<1	<.01	15	180	4	<5	<20	57	0.18	<10	78	<10	<1	49
74	L5+00N- 41+00 E A		<5	<.2	0.35	<5	175	<5	0.85	<1	1	3	658	0.51	<10	0.12	1222	7	0.02	4	1030	20	<5	<20	68	0.01	<10	10	<10	<1	42
75	L5+00N- 41+00 E B		<5	<.2	0.70	<5	115	<5	0.26	<1	5	11	20	1.22	<10	0.08	331	<1	<.01	6	600	4	<5	<20	25	0.08	<10	32	<10	<1	38
76	L5+00N- 42+00 E A		<5	<.2	0.95	<5	350	<5	1.12	<1	6	12	107	1.48	<10	0.26	2356	3	0.04	10	900	12	<5	<20	69	0.02	<10	33	<10	<1	108
77	L5+00N- 42+00 E B		<5	<.2	3.99	5	145	<5	0.30	<1	10	16	35	2.82	<10	0.34	468	<1	0.01	17	2100	6	<5	<20	26	0.16	<10	50	<10	1	163
78	L5+00N- 43+00 E A		<5	0.6	0.55	<5	255	<5	1.36	<1	3	8	562	1.00	<10	0.15	3831	9	0.03	7	870	14	<5	<20	70	0.03	<10	28	<10	<1	93
79	L5+00N- 43+00 E B		<5	<.2	1.59	<5	155	<5	0.34	<1	8	24	27	2.69	<10	0.26	379	<1	<.01	13	870	4	<5	<20	28	0.10	<10	76	<10	<1	90
80	L5+00N- 44+00 E A		<5	0.2	0.29	<5	125	<5	1.59	<1	2	3	624	0.50	<10	0.17	1499	7	0.03	4	1260	16	5	<20	105	0.01	<10	11	<10	<1	76

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-398R | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
81	L5+00N- 44+00 E B	500	<5	<.2	1.88	<5	465	<5	0.52	<1	8	21	32	2.62	<10	0.25	324	<1	0.01	13	6430	6	<5	<20	73	0.10	<10	57	<10	1	107
82	L5+00N- 45+00 E A		<5	0.2	0.42	<5	360	<5	1.53	<1	2	6	386	0.66	<10	0.24	1887	4	0.02	7	1040	14	<5	<20	97	0.02	<10	16	<10	<1	107
83	L5+00N- 45+00 E B		<5	<.2	1.81	<5	175	<5	0.42	<1	12	29	57	2.95	<10	0.40	368	<1	<.01	15	690	2	<5	<20	38	0.14	<10	80	<10	<1	66
84	L5+00N- 46+00 E A		<5	0.4	0.64	<5	300	<5	1.01	<1	4	10	540	1.16	<10	0.25	3315	8	0.03	8	650	16	<5	<20	59	0.05	<10	34	<10	<1	114
85	L5+00N- 46+00 E B		<5	<.2	2.09	<5	200	<5	0.56	<1	12	27	64	2.97	<10	0.64	304	<1	<.01	17	200	4	<5	<20	98	0.19	<10	82	<10	<1	72
86	L5+00N- 47+00 E A		<5	0.8	0.39	<5	200	<5	1.02	<1	3	6	691	0.71	<10	0.19	5001	11	0.03	5	1060	22	<5	<20	57	0.03	<10	18	<10	<1	58
87	L5+00N- 47+00 E B		<5	<.2	1.18	<5	150	<5	0.25	<1	7	33	22	2.64	<10	0.16	127	<1	<.01	13	570	<2	<5	<20	25	0.11	<10	82	<10	<1	39
88	L5+00N- 48+00 E A		<5	<.2	1.08	<5	135	<5	0.41	<1	7	12	442	1.71	<10	0.26	1551	6	0.02	10	670	18	<5	<20	27	0.08	<10	43	<10	<1	97
89	L5+00N- 48+00 E B		<5	<.2	3.89	<5	270	<5	0.28	<1	12	24	86	3.15	<10	0.36	1228	<1	0.01	23	1320	4	<5	<20	28	0.20	<10	69	<10	2	111
90	L5+00N- 49+00 E A		<5	0.6	0.46	<5	130	<5	0.59	<1	3	5	1085	0.81	<10	0.17	2464	15	0.02	5	1070	18	<5	<20	40	0.02	<10	17	<10	<1	60
91	L5+00N- 49+00 E B		<5	<.2	2.28	<5	140	<5	0.24	<1	12	31	80	3.39	<10	0.49	587	2	<.01	19	740	4	<5	<20	20	0.08	<10	89	<10	<1	93
92	L5+00N- 50+00 E A		<5	0.4	0.36	<5	130	<5	0.70	<1	2	4	751	0.64	<10	0.13	1243	12	0.03	4	1260	18	<5	<20	38	0.02	<10	14	<10	<1	70
93	L5+00N- 50+00 E B		<5	<.2	3.44	<5	205	<5	0.19	<1	10	15	83	2.54	<10	0.15	252	<1	0.01	17	5730	6	<5	<20	11	0.17	<10	44	<10	2	111
94	L5+00N- 51+00 E A		<5	0.6	0.30	<5	125	<5	1.23	<1	2	3	1157	0.57	<10	0.18	2219	30	0.02	3	1020	12	<5	<20	53	0.02	<10	11	<10	<1	64
95	L5+00N- 51+00 E B		<5	<.2	1.62	<5	115	<5	0.25	<1	8	13	45	1.90	<10	0.15	403	3	<.01	13	1110	4	<5	<20	12	0.12	<10	43	<10	<1	69
96	L5+00N- 52+00 E A		<5	0.2	0.53	<5	285	<5	0.80	<1	3	10	573	1.22	<10	0.17	2382	12	0.04	6	670	20	<5	<20	53	0.04	<10	37	<10	<1	85
97	L5+00N- 52+00 E B		<5	<.2	1.33	<5	125	<5	0.43	<1	12	32	47	3.70	<10	0.41	233	<1	<.01	14	530	4	<5	<20	26	0.14	<10	126	<10	<1	52
98	L5+00N- 53+00 E A		<5	0.4	0.41	<5	180	<5	1.00	<1	2	4	784	0.59	<10	0.15	2180	13	0.03	4	1000	24	<5	<20	43	0.02	<10	12	<10	<1	64
99	L5+00N- 53+00 E B		<5	<.2	3.69	10	165	<5	0.23	<1	9	15	42	2.44	<10	0.11	166	<1	0.01	16	3050	6	<5	<20	10	0.14	<10	38	<10	1	41
100	L5+00N- 54+00 E A		<5	0.4	1.04	<5	290	<5	1.09	<1	5	8	884	1.55	<10	0.20	2866	13	0.03	7	1100	28	<5	<20	61	0.04	<10	30	<10	<1	65
101	L5+00N- 54+00 E B		<5	<.2	1.90	<5	210	<5	0.28	<1	8	18	40	2.13	<10	0.25	535	<1	0.01	15	350	6	<5	<20	19	0.13	<10	50	<10	<1	80
102	L7+00N- 44+00 E A	700	<5	0.4	0.47	<5	170	<5	0.91	<1	3	6	928	0.89	<10	0.19	2186	12	0.04	6	990	24	<5	<20	57	0.03	<10	22	<10	<1	82
103	L7+00N- 44+00 E B		<5	<.2	2.13	<5	195	<5	0.32	<1	10	25	42	2.73	<10	0.30	801	<1	0.01	17	970	6	<5	<20	33	0.10	<10	71	<10	<1	115
104	L7+00N- 45+00 E A		<5	<.2	0.56	<5	210	<5	0.92	<1	3	7	260	0.84	<10	0.11	1301	3	0.02	7	800	16	<5	<20	53	0.03	<10	22	<10	<1	83
105	L7+00N- 45+00 E B		<5	<.2	3.73	<5	220	<5	0.24	<1	13	33	67	3.57	<10	0.36	240	<1	<.01	27	1490	6	<5	<20	26	0.15	<10	84	<10	<1	80
106	L7+00N- 46+00 E A		<5	0.6	0.41	<5	230	<5	1.84	3	2	5	714	0.53	<10	0.16	4924	8	0.02	6	970	26	5	<20	92	0.02	<10	10	<10	<1	313
107	L7+00N- 46+00 E B		<5	<.2	2.58	<5	165	<5	0.35	<1	6	19	34	2.51	<10	0.16	224	<1	<.01	12	3380	6	<5	<20	23	0.05	<10	50	<10	<1	85
108	L7+00N- 47+00 E A		<5	0.6	0.50	<5	190	<5	0.82	<1	7	13	251	1.22	<10	0.15	6188	6	0.03	7	870	12	<5	<20	40	0.06	<10	36	<10	<1	136
109	L7+00N- 47+00 E B		<5	<.2	1.25	<5	120	<5	0.25	<1	6	11	30	1.70	<10	0.14	234	<1	<.01	9	1010	4	<5	<20	15	0.10	<10	39	<10	<1	75
110	L8+00N- 12+00 E A	500	<5	<.2	0.19	<5	105	<5	1.22	<1	<1	2	384	0.34	<10	0.12	640	11	0.03	3	790	16	<5	<20	51	<.01	<10	6	<10	<1	56

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-398R

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
111	L8+00N- 12+00 E B	<5	<.2	1.12	<5	160	<5	0.27	<1	5	16	56	1.71	<10	0.17	146	<1	0.01	10	210	4	<5	<20	23	0.09	<10	41	<10	3	29
112	L8+00N- 13+00 E A	<5	<.2	0.30	<5	305	<5	2.38	<1	<1	2	661	0.37	20	0.26	504	23	0.02	10	1410	8	10	<20	109	<.01	<10	16	<10	17	42
113	L8+00N- 13+00 E B	<5	<.2	1.79	<5	275	<5	0.71	<1	5	15	149	1.96	<10	0.25	109	<1	0.02	13	330	2	<5	<20	42	0.09	<10	38	<10	5	29
114	L8+00N- 14+00 E A	<5	<.2	0.66	<5	120	<5	0.58	<1	4	7	247	0.94	<10	0.14	1516	8	0.02	8	760	16	<5	<20	44	0.03	<10	20	<10	<1	35
115	L8+00N- 14+00 E B	<5	<.2	2.42	<5	225	<5	0.28	<1	10	21	45	2.61	<10	0.30	209	<1	0.01	18	780	2	<5	<20	43	0.10	<10	51	<10	<1	32
116	L8+00N- 15+00 E A	<5	0.4	0.69	<5	105	<5	0.56	<1	5	10	242	1.12	<10	0.15	4332	6	0.03	8	930	22	<5	<20	40	0.03	<10	25	<10	<1	63
117	L8+00N- 15+00 E B	<5	<.2	1.97	<5	155	<5	0.30	<1	9	24	41	2.46	<10	0.27	328	<1	0.01	18	630	2	<5	<20	37	0.11	<10	55	<10	<1	32
118	L8+00N- 16+00 E A	<5	<.2	0.27	<5	65	<5	0.62	<1	1	2	571	0.38	<10	0.08	785	11	0.02	4	1290	18	<5	<20	25	<.01	<10	6	<10	<1	37
119	L8+00N- 16+00 E B	<5	<.2	2.49	<5	170	<5	0.20	<1	10	20	45	2.52	<10	0.21	249	3	0.01	20	2270	4	<5	<20	18	0.12	<10	49	<10	<1	44
120	L8+00N- 17+00 E A	<5	0.2	0.22	<5	145	<5	2.32	<1	<1	2	342	0.29	<10	0.16	2158	15	0.03	3	1530	14	5	<20	66	0.01	<10	5	<10	<1	53
121	L8+00N- 17+00 E B	<5	<.2	2.03	<5	175	<5	0.55	<1	7	18	101	2.06	<10	0.18	112	4	0.01	16	1070	4	<5	<20	34	0.10	<10	39	<10	<1	26
122	L8+00N- 18+00 E A	<5	<.2	0.55	<5	115	<5	0.61	<1	3	5	477	0.69	<10	0.12	1699	9	0.02	6	1280	24	<5	<20	34	0.02	<10	14	<10	<1	46
123	L8+00N- 18+00 E B	<5	<.2	2.09	<5	115	<5	0.18	<1	9	18	46	2.29	<10	0.19	244	1	0.01	16	1740	4	<5	<20	15	0.11	<10	48	<10	<1	48
124	L8+00N- 19+00 E A	<5	<.2	0.57	<5	135	<5	0.55	<1	3	5	400	0.76	<10	0.12	1863	8	0.02	5	1140	24	<5	<20	36	0.02	<10	16	<10	<1	47
125	L8+00N- 19+00 E B	<5	<.2	2.25	<5	170	<5	0.20	<1	8	22	54	2.67	<10	0.29	217	<1	<.01	16	680	4	<5	<20	38	0.08	<10	60	<10	<1	39
126	L8+00N- 20+00 E A	<5	<.2	0.68	<5	215	<5	1.48	<1	6	12	266	1.41	<10	0.37	1496	9	0.03	14	1230	12	5	<20	97	0.04	<10	37	<10	2	72
127	L8+00N- 20+00 E B	<5	<.2	1.34	<5	195	<5	0.64	<1	13	33	161	3.57	<10	0.52	609	<1	0.01	21	920	<2	<5	<20	67	0.12	<10	109	<10	6	46
128	L8+00N- 21+00 E A	<5	<.2	0.34	<5	135	<5	0.83	<1	2	6	304	0.71	<10	0.12	438	8	0.02	5	800	14	<5	<20	49	0.02	<10	17	<10	<1	48
129	L8+00N- 21+00 E B	<5	<.2	0.97	<5	140	<5	0.27	<1	8	22	34	2.59	<10	0.21	159	<1	0.01	11	850	4	<5	<20	32	0.10	<10	63	<10	<1	24
130	L8+00N- 22+00 E A	<5	0.2	0.45	<5	120	<5	0.84	<1	3	5	451	0.64	<10	0.13	1598	7	0.03	6	1010	30	<5	<20	58	0.02	<10	12	<10	<1	56
131	L8+00N- 22+00 E B	<5	<.2	2.34	<5	190	<5	0.33	<1	10	27	102	2.70	<10	0.33	224	<1	0.01	23	470	2	<5	<20	51	0.09	<10	55	<10	<1	37
132	L8+00N- 23+00 E A	<5	0.2	0.59	<5	165	<5	0.65	<1	4	11	341	1.24	<10	0.18	2890	9	0.03	7	870	18	<5	<20	52	0.03	<10	35	<10	<1	47
133	L8+00N- 23+00 E B	<5	<.2	1.47	<5	135	<5	0.53	<1	14	37	116	3.82	<10	0.76	332	<1	<.01	19	640	<2	<5	<20	61	0.14	<10	114	<10	1	39
134	L8+00N- 24+00 E A	<5	0.2	0.39	<5	165	<5	0.59	<1	2	4	517	0.56	<10	0.11	2672	8	0.03	5	1190	26	<5	<20	48	0.02	<10	11	<10	<1	41
135	L8+00N- 24+00 E B	<5	<.2	2.33	<5	145	<5	0.21	<1	9	21	44	2.49	<10	0.22	280	<1	0.01	20	1470	4	<5	<20	27	0.12	<10	53	<10	<1	40
136	L8+00N- 25+00 E B	<5	<.2	2.18	<5	400	<5	0.43	<1	12	25	83	3.29	<10	0.43	298	<1	0.01	17	240	<2	<5	<20	194	0.10	<10	90	<10	<1	44
137	L8+00N- 26+00 E A	<5	0.4	0.61	<5	125	<5	0.67	<1	4	7	615	1.00	<10	0.19	2402	13	0.03	8	970	18	<5	<20	57	0.02	<10	22	<10	<1	56
138	L8+00N- 26+00 E B	<5	<.2	2.00	<5	220	<5	0.31	<1	9	27	78	2.66	<10	0.28	226	<1	0.01	18	470	4	<5	<20	45	0.07	<10	64	<10	<1	35
139	L8+00N- 27+00 E A	<5	0.4	0.58	<5	180	<5	0.62	<1	3	7	528	0.94	<10	0.16	2665	8	0.03	7	930	22	<5	<20	54	0.02	<10	22	<10	<1	67
140	L8+00N- 27+00 E B	<5	<.2	2.42	<5	220	<5	0.30	<1	10	25	93	2.85	<10	0.38	331	1	<.01	19	280	2	<5	<20	55	0.06	<10	67	<10	<1	47

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-398R

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
141	L8+00N- 28+00 E A	<5	0.8	0.32	<5	120	<5	1.07	<1	2	4	467	0.39	<10	0.13	4546	8	0.02	6	1020	18	<5	<20	51	0.02	<10	8	<10	<1	121
142	L8+00N- 28+00 E B	<5	<.2	1.18	<5	190	<5	0.27	<1	8	24	45	2.54	<10	0.24	203	<1	0.01	11	260	2	<5	<20	46	0.11	<10	67	<10	<1	35
143	L8+00N- 29+00 E A	<5	0.4	0.50	<5	140	<5	0.67	<1	3	4	415	0.49	<10	0.09	2994	5	0.02	6	1680	22	<5	<20	44	0.01	<10	9	<10	<1	43
144	L8+00N- 29+00 E B	<5	<.2	2.25	<5	160	<5	0.22	<1	9	23	88	2.74	<10	0.32	196	<1	0.02	17	580	4	<5	<20	43	0.09	<10	65	<10	<1	41
145	L8+00N- 30+00 E A	<5	0.8	0.76	<5	210	<5	0.49	<1	4	8	279	0.95	<10	0.11	5107	5	0.02	7	1230	20	<5	<20	35	0.03	<10	21	<10	<1	70
146	L8+00N- 30+00 E B	<5	<.2	2.54	<5	130	<5	0.14	<1	8	13	22	2.03	<10	0.14	188	<1	0.01	19	1010	2	<5	<20	15	0.13	<10	40	<10	2	60
147	L8+00N- 31+00 E A	<5	0.8	0.43	<5	195	<5	0.79	<1	2	5	667	0.54	<10	0.14	4526	10	0.03	5	1370	24	<5	<20	52	0.02	<10	11	<10	<1	79
148	L8+00N- 31+00 E B	<5	<.2	2.81	5	95	<5	0.13	<1	7	11	27	1.93	<10	0.09	292	<1	0.04	17	2010	6	<5	<20	11	0.13	<10	33	<10	2	75
149	L8+00N- 32+00 E B	<5	<.2	2.09	<5	120	<5	0.29	<1	12	14	25	3.07	<10	0.34	256	<1	0.02	16	350	2	<5	<20	50	0.15	<10	82	<10	1	44
150	L8+00N- 33+00 E A	<5	0.4	0.36	<5	135	<5	0.51	<1	2	5	555	0.57	<10	0.12	3665	11	0.04	5	1390	20	<5	<20	49	0.02	<10	12	<10	<1	61
151	L8+00N- 33+00 E B	<5	<.2	1.11	<5	115	5	0.20	<1	6	22	16	1.93	<10	0.12	202	<1	<.01	10	330	4	<5	<20	69	0.11	<10	43	<10	1	26
152	L8+00N- 34+00 E A	<5	0.6	0.56	<5	235	<5	0.96	<1	3	8	508	0.86	<10	0.16	4600	10	0.02	7	1110	20	<5	<20	97	0.03	<10	19	<10	<1	61
153	L8+00N- 34+00 E B	<5	<.2	1.40	<5	170	<5	0.29	<1	9	34	17	2.76	<10	0.18	162	<1	0.01	15	250	2	<5	<20	73	0.14	<10	72	<10	1	29
154	L8+00N- 35+00 E A	<5	<.2	0.27	<5	125	<5	0.60	<1	<1	3	340	0.41	<10	0.09	307	5	0.03	5	1140	16	<5	<20	51	0.01	<10	9	<10	<1	59
155	L8+00N- 35+00 E B	<5	<.2	2.80	<5	145	<5	0.20	<1	8	29	25	3.02	<10	0.21	109	<1	0.01	18	3370	6	<5	<20	31	0.14	<10	59	<10	<1	52
156	L8+00N- 36+00 E A	<5	0.6	0.65	<5	410	<5	1.30	<1	3	10	293	0.88	<10	0.19	4543	6	0.03	15	920	16	<5	<20	163	0.04	<10	20	<10	2	87
157	L8+00N- 36+00 E B	<5	<.2	1.43	<5	240	10	0.47	<1	11	45	33	3.43	<10	0.42	288	<1	0.01	23	360	2	<5	<20	108	0.19	<10	96	<10	2	35
158	L8+00N- 37+00 E A	<5	1.2	0.42	<5	260	<5	1.42	<1	2	6	332	0.45	<10	0.19	7864	7	0.04	9	1440	16	5	<20	129	0.03	<10	9	<10	<1	95
159	L8+00N- 37+00 E B	<5	<.2	2.04	<5	190	<5	0.21	<1	7	21	20	2.08	<10	0.16	238	<1	0.03	18	2300	6	<5	<20	32	0.11	<10	39	<10	1	48
160	L8+00N- 38+00 E A	<5	0.4	0.34	<5	130	<5	1.04	<1	2	5	370	0.47	<10	0.16	2457	8	0.02	5	1260	18	<5	<20	88	0.02	<10	12	<10	<1	58
161	L8+00N- 38+00 E B	<5	<.2	0.48	<5	45	<5	0.13	<1	2	6	10	0.60	<10	0.06	69	<1	0.01	3	120	4	<5	<20	17	0.06	<10	14	<10	<1	18
162	L8+00N- 39+00 E A	<5	0.4	0.54	<5	180	<5	0.74	<1	3	7	484	0.81	<10	0.16	2270	8	0.02	7	1030	20	<5	<20	81	0.03	<10	20	<10	<1	40
163	L8+00N- 39+00 E B	<5	<.2	2.02	<5	170	<5	0.29	<1	11	31	25	2.81	<10	0.25	665	<1	<.01	21	450	4	<5	<20	38	0.14	<10	78	<10	<1	58
164	L8+00N- 40+00 E A	<5	0.4	0.60	<5	250	<5	1.44	1	3	7	609	0.84	<10	0.19	2720	7	0.03	7	950	26	<5	<20	90	0.04	<10	19	<10	<1	80
165	L8+00N- 40+00 E B	<5	<.2	4.64	<5	225	<5	0.35	<1	17	44	118	4.26	<10	0.61	642	<1	0.03	41	2930	6	<5	<20	46	0.20	<10	91	<10	1	110
166	L8+00N- 41+00 E A	<5	<.2	1.07	<5	85	<5	0.38	<1	7	17	177	2.03	<10	0.24	630	2	0.02	12	560	12	<5	<20	23	0.10	<10	61	<10	<1	50
167	L8+00N- 41+00 E B	<5	<.2	1.94	<5	80	5	0.23	<1	12	23	38	3.10	<10	0.33	643	<1	0.03	19	620	6	<5	<20	19	0.18	<10	93	<10	<1	69
168	L8+00N- 42+00 E A	<5	0.4	0.31	<5	95	<5	0.68	<1	2	3	570	0.51	<10	0.11	670	7	0.03	4	850	14	<5	<20	39	0.01	<10	11	<10	<1	63
169	L8+00N- 42+00 E B	<5	<.2	2.06	<5	240	<5	0.24	<1	9	16	26	2.21	<10	0.17	1553	<1	0.01	18	2600	6	<5	<20	20	0.14	<10	48	<10	<1	195
170	L8+00N- 43+00 E A	<5	0.4	0.41	<5	310	<5	1.38	<1	2	8	139	0.74	<10	0.14	3306	9	0.03	6	850	12	<5	<20	88	0.03	<10	22	<10	1	51

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-398R | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
171	L8+00N- 43+00 E B	<5	<.2	1.14	<5	100	5	0.33	<1	8	23	25	2.31	<10	0.22	294	<1	<.01	11	260	4	<5	<20	24	0.13	<10	71	<10	<1	55
172	L8+00N- 44+00 E A	<5	<.2	2.81	10	170	<5	0.23	<1	11	18	47	2.62	<10	0.28	1085	<1	0.03	18	730	8	<5	<20	21	0.13	<10	62	<10	1	81
173	L8+00N- 44+00 E B	<5	<.2	4.04	<5	470	<5	0.36	<1	14	36	79	3.56	<10	0.48	191	<1	0.01	25	500	4	<5	<20	55	0.18	<10	81	<10	3	57
174	L8+00N- 45+00 E A	<5	<.2	0.56	<5	135	<5	0.87	<1	4	9	647	1.24	<10	0.19	1682	13	0.02	7	1070	14	<5	<20	45	0.03	<10	38	<10	<1	78
175	L8+00N- 45+00 E B	<5	<.2	2.67	<5	185	<5	0.32	<1	10	19	30	2.74	<10	0.25	542	<1	0.03	19	3230	4	<5	<20	24	0.12	<10	64	<10	1	131
176	L8+00N- 46+00 E A	<5	0.6	0.60	<5	140	<5	0.95	2	4	9	510	1.08	<10	0.21	3159	10	0.03	8	860	20	<5	<20	51	0.04	<10	30	<10	<1	71
177	L8+00N- 46+00 E B	<5	<.2	1.75	<5	135	<5	0.32	<1	10	20	26	2.52	<10	0.27	415	<1	<.01	14	660	6	<5	20	22	0.12	<10	69	<10	<1	51
178	L8+00N- 47+00 E A	<5	<.2	0.38	<5	230	<5	0.93	3	3	6	430	0.76	<10	0.14	1138	9	0.03	6	1080	18	<5	<20	68	0.02	<10	21	<10	<1	71
179	L8+00N- 47+00 E B	<5	<.2	1.56	<5	180	<5	0.35	<1	11	36	38	3.40	<10	0.40	289	<1	0.01	17	430	4	<5	40	51	0.14	<10	112	<10	<1	67
180	L8+00N- 48+00 E A	<5	<.2	0.75	<5	220	<5	0.71	<1	5	11	243	1.50	<10	0.18	1681	9	0.04	9	890	16	<5	<20	42	0.05	<10	42	<10	<1	69
181	L8+00N- 48+00 E B	<5	<.2	3.17	<5	170	<5	0.23	<1	11	23	38	3.11	<10	0.27	315	<1	0.01	23	4750	6	<5	40	21	0.12	<10	65	<10	<1	81
182	L8+00N- 49+00 E A	<5	0.4	0.59	<5	130	<5	0.94	1	3	7	331	0.90	<10	0.17	1892	5	0.02	7	970	14	<5	<20	44	0.03	<10	25	<10	<1	102
183	L8+00N- 49+00 E B	<5	<.2	3.52	<5	185	5	0.29	<1	9	16	34	2.39	<10	0.24	223	<1	0.01	20	1950	8	<5	20	21	0.13	<10	47	<10	1	80
184	L8+00N- 50+00 E A	<5	0.6	0.44	<5	90	<5	0.90	4	2	5	378	0.59	<10	0.11	223	10	0.03	7	1200	16	<5	<20	56	0.02	<10	13	<10	<1	34
185	L8+00N- 50+00 E B	<5	<.2	1.95	<5	180	<5	0.65	<1	9	26	65	2.57	<10	0.29	205	<1	0.02	15	270	6	<5	20	43	0.11	<10	52	<10	4	30
186	L8+00N- 51+00 E A	<5	0.2	0.53	<5	105	<5	0.53	3	4	8	461	1.07	<10	0.14	1185	7	0.03	8	1110	20	<5	<20	30	0.04	<10	30	<10	<1	74
187	L8+00N- 51+00 E B	<5	<.2	2.18	<5	145	<5	0.26	<1	12	33	44	3.42	<10	0.32	597	<1	<.01	21	740	6	<5	20	18	0.14	<10	104	<10	<1	75
188	L8+00N- 52+00 E A	<5	0.4	0.39	<5	205	<5	0.85	3	2	5	412	0.68	<10	0.13	1624	10	0.03	6	1230	18	<5	<20	43	0.02	<10	18	<10	<1	73
189	L8+00N- 52+00 E B	<5	<.2	2.23	<5	150	<5	0.26	<1	8	17	29	2.26	<10	0.20	477	<1	0.01	15	2030	4	<5	<20	17	0.10	<10	52	<10	<1	79
190	L8+00N- 53+00 E A	<5	0.4	0.31	<5	175	<5	0.77	2	1	4	240	0.46	<10	0.08	392	7	0.03	5	1020	14	<5	<20	39	0.02	<10	10	<10	<1	65
191	L8+00N- 53+00 E B	<5	<.2	1.86	<5	130	<5	0.17	<1	6	11	23	1.66	<10	0.07	343	<1	0.01	9	4370	6	<5	<20	13	0.09	<10	27	<10	<1	77
192	L8+00N- 54+00 E A	<5	1.0	0.76	<5	275	<5	1.24	2	3	7	893	1.09	<10	0.18	4994	13	0.03	8	1490	22	<5	<20	64	0.03	<10	19	<10	<1	90
193	L8+00N- 54+00 E B	<5	<.2	2.39	5	185	<5	0.24	<1	9	18	42	2.18	<10	0.19	290	<1	0.01	24	2310	6	<5	<20	15	0.11	<10	44	<10	<1	93
194	L900N- 38+00 E A	<5	0.6	0.53	<5	250	<5	1.49	2	3	7	490	0.64	<10	0.23	5215	9	0.02	11	1240	24	5	<20	145	0.03	<10	15	<10	<1	109
195	L900N- 38+00 E B	<5	<.2	1.31	<5	140	<5	0.32	<1	8	29	20	2.01	<10	0.22	272	<1	0.01	14	240	6	<5	<20	52	0.12	<10	51	<10	2	38
196	L900N- 39+00 E A	<5	0.6	0.33	<5	155	<5	1.20	2	2	4	604	0.51	<10	0.21	1881	8	0.03	6	1300	18	5	<20	106	0.02	<10	10	<10	<1	54
197	L900N- 39+00 E B	<5	<.2	1.39	<5	215	<5	0.45	<1	9	32	40	2.45	<10	0.36	171	<1	0.02	16	750	4	<5	<20	86	0.14	<10	48	<10	2	29
198	L900N- 40+00 E A	<5	0.6	0.34	<5	180	<5	1.29	2	2	6	234	0.54	<10	0.14	3689	7	0.03	6	970	16	<5	<20	79	0.02	<10	15	<10	<1	96
199	L900N- 40+00 E B	<5	<.2	1.18	<5	145	<5	0.26	<1	7	25	16	2.16	<10	0.16	276	<1	0.01	13	640	4	<5	<20	30	0.10	<10	59	<10	<1	46
200	L900N- 41+00 E A	<5	0.2	0.93	<5	300	<5	0.70	1	5	11	426	1.17	<10	0.15	2933	7	0.03	10	890	20	<5	<20	77	0.04	<10	27	<10	<1	68

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-398R | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	L900N- 41+00 E B	<5	<.2	1.85	<5	230	<5	0.27	<1	10	38	24	2.86	<10	0.20	451	<1	0.01	18	340	4	<5	20	63	0.15	<10	81	<10	<1	36
202	L900N- 42+00 E A	<5	<.2	2.22	<5	165	<5	1.01	1	12	22	424	2.89	<10	0.72	1269	5	0.03	18	850	12	<5	<20	78	0.09	<10	79	<10	1	114
203	L900N- 42+00 E B	<5	<.2	3.53	10	275	<5	1.25	<1	17	34	149	3.98	<10	0.82	2058	<1	<.01	26	1030	8	<5	<20	105	0.14	<10	99	<10	3	138
204	L900N- 43+00 E A	<5	0.4	0.48	<5	215	<5	1.74	<1	2	6	313	0.69	<10	0.19	2327	7	0.02	6	1150	18	<5	<20	93	0.02	<10	20	<10	<1	89
205	L900N- 43+00 E B	<5	<.2	1.98	<5	145	<5	0.30	<1	11	24	31	2.85	<10	0.33	498	<1	<.01	17	910	6	<5	20	21	0.13	<10	78	<10	<1	84
206	L900N- 44+00 E A	<5	0.4	1.06	<5	195	<5	0.62	4	6	10	325	1.35	<10	0.20	2653	4	0.03	12	1260	18	<5	<20	41	0.06	<10	32	<10	<1	129
207	L900N- 44+00 E B	<5	<.2	4.14	<5	170	<5	0.20	<1	12	22	60	3.01	<10	0.37	279	<1	0.01	26	2540	6	<5	20	23	0.17	<10	60	<10	2	85
208	L900N- 45+00 E A	<5	0.2	0.92	<5	145	<5	0.81	2	6	13	594	1.67	<10	0.29	1310	10	0.02	10	850	14	<5	<20	48	0.05	<10	48	<10	<1	85
209	L900N- 45+00 E B	<5	<.2	2.19	<5	170	<5	0.43	<1	11	30	51	3.25	<10	0.50	350	<1	<.01	17	390	6	<5	<20	55	0.12	<10	90	<10	<1	79
210	L900N- 46+00 E A	<5	0.2	0.32	<5	105	<5	0.63	<1	2	3	597	0.51	<10	0.11	799	9	0.03	4	1030	18	<5	<20	38	0.01	<10	11	<10	<1	64
211	L900N- 46+00 E B	<5	<.2	3.13	<5	180	<5	0.26	<1	10	23	66	2.86	<10	0.19	125	<1	0.01	20	3270	6	<5	40	19	0.14	<10	59	<10	2	68
212	L900N- 47+00 E A	<5	0.6	0.30	5	125	<5	1.20	1	2	3	782	0.48	<10	0.18	1333	11	0.03	4	1510	12	<5	<20	64	0.01	<10	9	<10	<1	81
213	L900N- 47+00 E B	<5	<.2	1.95	<5	165	<5	0.49	<1	12	28	50	3.25	<10	0.53	286	<1	<.01	17	600	6	<5	<20	49	0.12	<10	93	<10	<1	78
214	L900N- 48+00 E A	<5	0.4	0.75	<5	255	<5	0.94	2	5	12	543	1.66	<10	0.19	2591	9	0.03	9	650	20	<5	<20	53	0.05	<10	51	<10	<1	116
215	L900N- 48+00 E B	<5	<.2	2.10	<5	155	<5	0.34	<1	10	21	40	2.77	<10	0.36	398	<1	<.01	15	910	6	<5	<20	28	0.09	<10	74	<10	<1	89
216	L900N- 49+00 E A	<5	0.4	0.40	<5	295	<5	0.77	<1	1	5	500	0.67	<10	0.10	1825	8	0.03	5	770	20	<5	<20	51	0.02	<10	16	<10	<1	80
217	L900N- 49+00 E B	<5	<.2	3.35	<5	105	<5	0.14	<1	9	13	23	2.46	<10	0.09	339	<1	0.01	12	2520	10	<5	20	10	0.13	<10	45	<10	<1	86
218	L900N- 49+50 E A	<5	<.2	0.15	<5	55	<5	1.36	<1	2	1	367	0.25	<10	0.11	328	8	0.04	3	1360	12	<5	<20	61	<.01	<10	6	<10	<1	34
219	L900N- 49+50 E B	<5	<.2	1.08	<5	105	<5	1.87	<1	8	30	47	2.84	<10	0.30	198	<1	0.02	13	190	2	<5	<20	63	0.09	<10	90	<10	<1	24
220	L900N- 51+00 E A	<5	<.2	0.60	<5	105	<5	0.36	1	4	10	532	1.42	<10	0.13	493	9	0.03	6	700	16	<5	<20	27	0.05	<10	41	<10	<1	50
221	L900N- 51+00 E B	<5	<.2	2.24	<5	125	<5	0.19	<1	9	27	30	3.06	<10	0.14	439	<1	0.01	18	1960	6	<5	40	13	0.11	<10	95	<10	<1	68
222	L900N- 52+00 E A	<5	<.2	1.05	<5	205	<5	0.60	<1	9	20	210	2.61	<10	0.30	1496	4	0.03	13	730	14	<5	<20	32	0.08	<10	84	<10	<1	118
223	L900N- 52+00 E B	<5	<.2	2.26	<5	275	<5	0.37	<1	10	23	48	2.89	<10	0.37	475	<1	0.01	18	1260	6	<5	<20	26	0.10	<10	68	<10	<1	93
224	L900N- 53+00 E A	<5	0.6	0.44	5	350	<5	1.74	<1	1	4	809	0.62	<10	0.18	2127	10	0.02	4	890	24	10	<20	98	0.02	<10	13	<10	<1	97
225	L900N- 53+00 E B	<5	<.2	1.82	<5	215	<5	0.24	<1	8	12	25	1.73	<10	0.15	1003	<1	0.01	17	1530	6	<5	<20	15	0.11	<10	37	<10	<1	161
226	L900N- 54+00 E A	<5	0.8	0.39	5	145	<5	1.41	<1	3	4	839	0.59	<10	0.18	3420	11	0.03	6	1240	20	<5	<20	67	0.02	<10	12	<10	<1	116
227	L900N- 54+00 E B	<5	<.2	2.15	<5	105	<5	1.19	<1	13	20	106	2.88	<10	0.68	875	<1	0.02	16	1250	6	<5	<20	47	0.12	<10	90	<10	<1	91

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-398R | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Repeat:																														
1	L200N- 31+00 E A	<5	<.2	0.70	<5	375	<5	1.19	<1	6	12	382	1.42	<10	0.28	1439	7	0.03	11	590	10	<5	<20	100	0.04	<10	38	<10	<1	59
10	L200N- 35+00 E B	<5	<.2	1.31	<5	140	<5	0.31	<1	5	20	26	1.62	<10	0.24	193	<1	0.02	9	240	4	<5	<20	80	0.11	<10	33	<10	2	33
19	L200N- 40+00 E A	<5	<.2	0.24	<5	115	<5	1.11	<1	1	4	118	0.35	<10	0.09	1443	5	0.02	4	980	10	<5	<20	58	0.02	<10	9	<10	<1	47
28	L200N- 44+00 E B	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	L200N- 48+00 E B	<5	<.2	3.17	<5	205	5	0.20	<1	9	17	19	2.21	<10	0.19	1336	<1	0.01	22	2920	6	<5	<20	16	0.14	<10	42	<10	3	130
45	L200N- 53+00 E A	<5	<.2	0.61	<5	215	<5	5.13	1	3	6	217	0.78	<10	0.39	1001	6	0.05	12	1350	2	<5	<20	192	0.01	<10	65	<10	7	18
54	L350N- 33+00 E B	<5	<.2	1.13	<5	75	<5	0.21	<1	6	19	14	1.70	<10	0.17	222	<1	0.01	11	230	<2	<5	<20	28	0.10	<10	45	<10	<1	44
69	L350N- 41+00 E B	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	L5+00N- 39+00 E B	<5	<.2	1.00	<5	110	<5	0.32	<1	8	38	22	2.49	<10	0.20	207	<1	0.01	15	220	2	<5	<20	52	0.12	<10	76	<10	3	28
80	L5+00N- 44+00 E A	<5	<.2	0.28	<5	125	<5	1.61	<1	2	3	595	0.50	<10	0.16	1537	6	0.03	3	1300	16	<5	<20	105	0.01	<10	11	<10	<1	77
89	L5+00N- 48+00 E B	<5	<.2	3.77	5	265	<5	0.27	<1	12	24	77	3.15	<10	0.35	1245	<1	0.01	23	1280	6	<5	<20	27	0.20	<10	70	<10	2	109
99	L5+00N- 53+00 E B	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	L7+00N- 46+00 E A	<5	0.8	0.41	<5	230	<5	1.84	3	2	5	697	0.54	<10	0.16	4996	8	0.03	5	970	30	<5	<20	93	0.02	<10	11	<10	<1	319
115	L8+00N- 14+00 E B	<5	<.2	2.33	<5	215	<5	0.25	<1	10	21	36	2.68	<10	0.29	188	1	0.01	18	750	2	<5	<20	42	0.10	<10	55	<10	<1	29
124	L8+00N- 19+00 E A	<5	<.2	0.56	<5	135	<5	0.56	<1	3	5	399	0.80	<10	0.12	1917	8	0.02	6	1140	24	<5	<20	36	0.02	<10	17	<10	<1	47
133	L8+00N- 23+00 E B	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	L8+00N- 28+00 E A	<5	0.6	0.33	<5	110	<5	1.05	<1	2	4	488	0.41	<10	0.14	4183	8	0.03	5	1030	16	<5	<20	49	0.02	<10	8	<10	<1	120
150	L8+00N- 33+00 E A	<5	0.6	0.37	<5	135	<5	0.51	<1	2	7	559	0.58	<10	0.13	3595	11	0.03	5	1360	20	<5	<20	50	0.02	<10	13	<10	<1	59
159	L8+00N- 37+00 E B	<5	<.2	2.09	<5	195	<5	0.21	<1	7	22	18	2.13	<10	0.17	221	<1	0.03	19	2320	4	<5	<20	33	0.11	<10	40	<10	1	48
168	L8+00N- 42+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176	L8+00N- 46+00 E A	<5	0.6	0.63	<5	145	<5	0.95	5	5	10	506	1.13	<10	0.23	3175	9	0.03	9	850	22	<5	<20	53	0.04	<10	30	<10	<1	77
185	L8+00N- 50+00 E B	<5	<.2	1.98	<5	175	<5	0.64	<1	8	26	58	2.57	<10	0.30	185	<1	0.02	16	290	4	<5	<20	39	0.12	<10	53	<10	4	30
194	L900N- 38+00 E A	<5	0.8	0.54	5	250	<5	1.49	4	2	7	488	0.64	<10	0.24	5204	8	0.03	10	1240	26	5	<20	147	0.03	<10	15	<10	<1	116
207	L900N- 44+00 E B	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211	L900N- 46+00 E B	<5	<.2	3.13	<5	185	<5	0.27	<1	10	23	66	2.84	<10	0.18	123	<1	0.01	19	3260	6	<5	40	22	0.14	<10	57	<10	2	67
220	L900N- 51+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-398

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Standard:																														
GEO'96		150	1.2	1.82	65	165	<5	1.85	<1	19	63	82	4.24	<10	1.01	746	<1	0.02	22	750	18	<5	<20	62	0.12	<10	81	<10	3	73
GEO'96		150	1.2	1.88	60	170	<5	1.91	<1	19	64	82	4.32	<10	1.04	761	<1	0.02	24	720	20	<5	<20	65	0.12	<10	83	<10	4	73
GEO'96		150	1.2	1.72	55	165	<5	1.87	<1	19	63	87	4.32	<10	1.02	748	<1	0.01	22	750	20	<5	<20	59	0.12	<10	81	<10	4	73
GEO'96		150	1.2	1.70	55	165	<5	1.88	<1	19	64	88	4.36	<10	1.03	747	<1	0.02	24	750	18	<5	<20	61	0.13	<10	84	<10	4	73
GEO'96		150	1.2	1.87	55	165	<5	1.89	<1	19	65	87	4.35	<10	1.02	749	<1	0.02	22	760	20	<5	<20	62	0.13	<10	83	<10	4	73
GEO'96		150	1.4	1.80	60	165	<5	1.84	<1	19	62	82	4.22	<10	1.01	732	<1	0.02	22	750	18	<5	<20	60	0.11	<10	80	<10	3	72
GEO'96		150	1.4	1.80	60	165	<5	1.84	<1	19	63	82	4.26	<10	1.01	749	<1	0.01	20	770	20	<5	<20	60	0.11	<10	80	<10	3	75

ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

df/398ar, 398rr, 398br, 398cr
XLS/96G.Copper#2

7-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-396

Lines : 0, 200, 350, 500, 600 & 700N

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 220
Sample type: Soil
PROJECT #: none given
SHIPMENT #: none given
Samples submitted by: B. Perry

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L0+00N 15+00 E A	<5	<.2	0.47	<5	225	<5	1.21	<1	2	6	322	0.63	<10	0.14	1711	13	0.03	12	860	16	<5	<20	69	0.02	<10	13	<10	5	82
2	L0+00N 15+00 E B	<5	<.2	1.31	<5	145	<5	0.35	<1	6	15	75	1.71	<10	0.21	236	3	0.03	17	290	4	<5	<20	27	0.07	<10	41	<10	5	38
3	L0+00N 16+00 E A	<5	<.2	0.26	<5	85	<5	1.02	<1	1	3	543	0.39	<10	0.11	923	23	0.02	4	1120	16	<5	<20	56	<.01	<10	7	<10	<1	38
4	L0+00N 16+00 E B	<5	<.2	1.74	<5	190	<5	0.33	<1	4	8	33	1.32	<10	0.10	204	<1	0.01	9	2880	4	<5	<20	22	0.09	<10	24	<10	3	27
5	L0+00N 17+00 E A	<5	<.2	0.23	<5	265	<5	2.26	<1	<1	2	391	0.32	<10	0.19	1065	21	0.03	8	1040	14	5	<20	139	<.01	<10	6	<10	<1	36
6	L0+00N 17+00 E B	<5	<.2	1.10	<5	390	<5	1.29	2	2	11	455	1.31	20	0.15	83	1	0.03	17	2030	4	<5	<20	125	0.06	<10	32	<10	19	20
7	L0+00N 18+00 E A	<5	<.2	0.32	<5	175	<5	2.96	1	<1	3	386	0.41	<10	0.27	748	10	0.02	11	1190	16	10	<20	126	<.01	<10	12	<10	4	27
8	L0+00N 18+00 E B	<5	<.2	1.05	<5	215	<5	0.93	<1	6	19	229	2.21	<10	0.31	214	<1	<.01	16	270	2	<5	<20	68	0.07	<10	55	<10	7	21
9	L0+00N 19+00 E B	<5	<.2	1.66	<5	225	<5	0.43	<1	11	35	107	3.79	<10	0.44	269	2	<.01	19	1120	<2	<5	<20	68	0.07	<10	109	<10	<1	38
10	L0+00N 20+00 E A	<5	<.2	0.59	<5	175	<5	0.60	6	4	8	290	1.07	<10	0.16	1105	6	0.02	8	690	16	<5	<20	42	0.03	<10	26	<10	<1	46
11	L0+00N 20+00 E B	<5	<.2	1.55	<5	170	<5	0.24	<1	8	21	45	2.43	<10	0.24	237	<1	<.01	16	1160	2	<5	<20	26	0.07	<10	57	<10	<1	32
12	L0+00N 41+00 E A	<5	<.2	0.72	<5	200	<5	0.98	<1	3	7	764	0.91	<10	0.17	1169	8	0.03	7	840	20	<5	<20	61	0.03	<10	20	<10	<1	60
13	L0+00N 41+00 E B	<5	<.2	2.88	<5	285	5	0.33	<1	10	27	47	2.81	<10	0.32	164	<1	0.01	20	220	8	<5	<20	39	0.17	<10	64	<10	2	42
14	L0+00N 42+00 E A	<5	0.4	0.74	<5	305	<5	1.50	<1	3	7	1022	1.01	<10	0.23	1716	11	0.03	7	900	16	<5	<20	76	0.04	<10	22	<10	<1	115
15	L0+00N 42+00 E B	<5	<.2	3.24	<5	230	<5	0.33	<1	9	14	43	2.08	<10	0.21	393	<1	0.01	19	2700	6	<5	<20	22	0.15	<10	34	<10	4	93
16	L0+00N 43+00 E A	<5	0.8	0.51	<5	230	<5	1.59	<1	3	6	1251	0.79	<10	0.23	4269	15	0.02	6	960	18	5	<20	88	0.02	<10	16	<10	<1	155
17	L0+00N 43+00 E B	<5	<.2	1.95	<5	225	<5	0.47	<1	9	25	62	2.85	<10	0.36	385	<1	<.01	20	950	6	<5	<20	34	0.10	<10	76	<10	<1	112
18	L0+00N 44+00 E A	<5	<.2	0.91	<5	340	<5	1.14	<1	7	15	308	1.83	<10	0.27	3420	7	0.02	11	510	12	<5	<20	59	0.06	<10	55	<10	<1	155
19	L0+00N 44+00 E B	100	<.2	1.80	<5	185	<5	0.48	<1	11	31	57	3.49	<10	0.51	310	<1	0.02	17	840	6	<5	<20	41	0.10	<10	108	<10	<1	77
20	L0+00N 45+00 E A	<5	<.2	0.91	<5	175	<5	0.52	2	5	11	459	1.58	<10	0.22	1285	9	0.03	10	810	14	<5	<20	31	0.05	<10	43	<10	<1	115

RECEIVED

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-396

ECO-TECH LABORATORIES LTD.

Et #.	Tag #		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	L0+00N	45+00 E B	<5	<.2	2.45	<5	210	<5	0.33	<1	11	22	40	3.03	<10	0.43	592	<1	0.03	19	1930	4	<5	<20	29	0.11	<10	77	<10	<1	134
22	L0+00N	46+00 E A	5	<.2	0.48	<5	190	<5	0.67	<1	3	9	698	1.09	<10	0.18	1753	11	0.03	6	780	14	<5	<20	48	0.03	<10	31	<10	<1	71
23	L0+00N	46+00 E B	<5	<.2	1.73	<5	165	<5	0.31	3	10	31	42	3.14	<10	0.39	255	<1	0.03	19	990	4	<5	<20	38	0.09	<10	93	<10	<1	58
24	L0+00N	47+00 E A	<5	<.2	0.32	<5	80	<5	0.90	3	2	4	952	0.61	<10	0.15	422	9	0.03	6	1160	16	<5	<20	44	0.01	<10	12	<10	<1	54
25	L0+00N	47+00 E B	10	<.2	2.09	<5	100	<5	0.35	<1	6	14	32	1.38	<10	0.13	109	<1	0.02	14	1200	4	<5	<20	14	0.09	<10	32	<10	2	55
26	L0+00N	48+00 E A	60	<.2	0.42	<5	115	<5	0.51	1	3	10	469	1.06	<10	0.11	855	8	0.02	7	830	10	<5	<20	32	0.03	<10	32	<10	<1	62
27	L0+00N	48+00 E B	<5	<.2	1.92	<5	160	5	0.24	<1	9	30	35	2.98	<10	0.28	444	<1	<.01	20	1460	4	<5	<20	22	0.10	<10	87	<10	<1	79
28	L0+00N	49+00 E A	<5	0.2	0.44	<5	90	<5	3.32	2	3	4	995	0.71	20	0.25	830	8	0.03	9	1200	14	5	<20	89	0.01	<10	70	<10	29	22
29	L0+00N	49+00 E B	<5	<.2	1.96	<5	110	<5	1.14	2	10	29	102	3.71	<10	0.43	246	<1	0.04	15	140	4	<5	<20	35	0.11	<10	93	<10	6	34
30	L0+00N	50+00 E B	225	<.2	1.63	<5	190	<5	0.44	2	14	35	58	4.50	<10	0.59	240	<1	0.02	23	700	4	<5	<20	37	0.12	<10	148	<10	<1	83
31	L0+00N	51+00 E A	<5	0.2	0.35	<5	110	<5	1.94	3	2	4	1008	0.69	<10	0.22	992	10	0.03	4	1090	8	5	<20	75	0.01	<10	17	<10	<1	84
32	L0+00N	51+00 E B	<5	<.2	1.05	<5	110	<5	0.47	1	13	45	62	5.50	<10	0.41	236	2	0.03	19	450	2	<5	<20	26	0.08	<10	222	<10	<1	60
33	L0+00N	52+00 E A	<5	0.2	0.51	<5	180	<5	1.26	2	2	8	543	1.04	<10	0.23	1944	7	0.02	7	900	10	<5	<20	58	0.02	<10	34	<10	<1	111
34	L0+00N	52+00 E B	<5	<.2	2.27	<5	210	<5	0.31	<1	10	30	38	3.31	<10	0.39	493	1	<.01	19	810	6	<5	<20	21	0.09	<10	91	<10	<1	97
35	L0+00N	53+00 E A	10	<.2	0.57	<5	250	<5	0.98	3	3	10	549	1.18	<10	0.16	2361	8	0.02	8	810	14	<5	<20	50	0.03	<10	34	<10	<1	85
36	L0+00N	53+00 E B	<5	<.2	2.82	<5	210	<5	0.30	<1	11	27	31	2.96	<10	0.27	243	<1	0.02	22	1430	8	<5	<20	21	0.16	<10	71	<10	1	105
37	L0+00N	54+00 E A	<5	0.6	0.63	<5	150	<5	0.67	<1	4	11	772	1.15	<10	0.16	2787	15	0.02	6	760	14	<5	<20	42	0.04	<10	32	<10	<1	67
38	L0+00N	54+00 E B	<5	<.2	2.49	<5	145	5	0.27	<1	10	26	34	2.74	<10	0.22	534	<1	0.02	21	1950	4	<5	<20	16	0.15	<10	72	<10	2	92
39	L2+00N	27+00 E B	<5	<.2	1.57	<5	320	<5	0.54	<1	14	31	122	3.57	<10	0.43	324	<1	0.03	19	300	2	<5	<20	163	0.18	<10	105	<10	3	37
40	L2+00N	28+00 E A	<5	0.6	0.63	<5	360	<5	1.35	<1	3	9	620	0.98	<10	0.23	3610	18	0.03	9	960	20	<5	<20	115	0.04	<10	24	<10	<1	117
41	L2+00N	28+00 E B	<5	<.2	2.46	<5	230	<5	0.31	<1	10	29	110	2.95	<10	0.25	201	<1	0.02	27	1410	4	<5	<20	41	0.14	<10	73	<10	2	65
42	L2+00N	29+00 E A	<5	0.8	0.65	<5	235	<5	1.37	<1	3	8	697	0.85	<10	0.22	5024	18	0.02	9	1300	20	<5	<20	87	0.03	<10	18	<10	<1	95
43	L2+00N	30+00 E A	<5	0.6	0.45	<5	300	<5	1.18	<1	2	7	797	0.71	<10	0.19	4014	20	0.02	6	1260	26	<5	<20	87	0.02	<10	14	<10	<1	75
44	L2+00N	30+00 EB 1	<5	<.2	1.89	<5	150	<5	0.38	<1	9	21	44	2.43	<10	0.25	298	<1	0.02	17	360	2	<5	<20	44	0.14	<10	57	<10	2	41
45	L2+00N	30+00 EB 2	<5	<.2	2.51	<5	175	<5	0.33	<1	11	25	51	2.97	<10	0.26	235	<1	0.01	25	1600	4	<5	<20	32	0.14	<10	73	<10	1	67
46	L3+50N	27+00 E A	<5	0.8	1.05	<5	175	<5	0.54	<1	6	14	360	1.37	<10	0.15	5472	8	<.01	11	1190	22	<5	<20	39	0.04	<10	33	<10	<1	78
47	L3+50N	27+00 E B	<5	<.2	2.14	<5	150	<5	0.25	<1	11	33	185	3.05	<10	0.29	265	<1	0.01	22	1030	4	<5	<20	27	0.14	<10	81	<10	2	67
48	L3+50N	28+00 E A	<5	<.2	0.64	<5	140	<5	0.60	<1	4	11	154	1.13	<10	0.14	1669	4	0.01	7	700	14	<5	<20	53	0.05	<10	32	<10	<1	76
49	L3+50N	28+00 E B	<5	<.2	2.03	<5	165	10	0.39	<1	11	29	27	3.12	<10	0.29	469	<1	0.02	19	380	<2	<5	<20	49	0.17	<10	92	<10	2	71
50	L3+50N	29+00 E A	<5	0.2	1.30	<5	225	<5	0.77	<1	6	14	446	1.62	<10	0.24	2389	11	0.02	14	880	16	<5	<20	58	0.07	<10	37	<10	<1	106

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-396 | ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
51	L3+50N 29+00 E B	350	<5	<.2	2.49	<5	210	<5	0.41	<1	13	34	87	3.74	<10	0.43	236	<1	0.02	23	270	4	<5	<20	55	0.18	<10	104	<10	2	54
52	L3+50N 29+91 E B		<5	<.2	1.38	<5	145	<5	0.39	<1	11	32	36	2.94	<10	0.28	189	<1	0.02	15	200	2	<5	<20	52	0.19	<10	90	<10	2	45
53	L5+00N 24+00 E A	500	<5	<.2	0.86	<5	275	<5	1.52	<1	5	10	451	1.46	<10	0.24	2253	9	<.01	9	800	18	<5	<20	58	0.03	<10	31	<10	2	72
54	L5+00N 24+00 E B		<5	<.2	2.00	<5	265	<5	0.70	<1	12	26	993	3.75	30	0.50	672	2	0.01	19	250	2	<5	<20	39	0.06	<10	76	<10	21	49
55	L5+00N 25+00 E A		<5	1.0	0.44	<5	365	<5	1.06	1	2	7	438	0.72	<10	0.14	4651	8	0.01	7	1480	18	<5	<20	52	0.02	<10	18	<10	<1	76
56	L5+00N 25+00 E B		<5	<.2	2.04	<5	165	<5	0.29	<1	14	34	203	4.27	<10	0.40	349	1	<.01	20	540	<2	<5	<20	22	0.06	<10	125	<10	<1	70
57	L5+00N 26+00 E A		<5	0.2	0.22	<5	85	<5	1.93	<1	1	2	469	0.38	<10	0.27	118	7	0.02	3	1490	12	5	<20	107	<.01	<10	8	<10	<1	15
58	L5+00N 26+00 E B		<5	<.2	2.83	<5	215	<5	1.03	<1	12	34	638	4.61	10	0.53	991	<1	0.03	29	770	2	<5	<20	75	0.16	<10	79	<10	9	31
59	L5+00N 27+00 E A		<5	0.4	1.35	<5	325	<5	0.91	<1	6	13	206	1.49	<10	0.18	4495	4	0.02	15	1140	12	<5	<20	94	0.06	<10	31	<10	2	78
60	L5+00N 27+00 E B	15	<5	<.2	2.13	<5	190	<5	0.42	<1	12	40	86	3.52	<10	0.44	285	<1	0.02	26	520	<2	<5	<20	66	0.16	<10	94	<10	2	54
61	L5+00N 28+00 E A		<5	0.4	0.96	<5	250	<5	0.51	<1	5	9	383	1.17	<10	0.13	2221	9	0.02	9	1000	18	<5	<20	49	0.05	<10	25	<10	<1	64
62	L5+00N 28+00 E B		<5	<.2	2.17	<5	175	<5	0.36	<1	13	31	181	3.60	<10	0.56	295	<1	0.01	23	460	4	<5	<20	45	0.14	<10	92	<10	1	49
63	L5+00N 29+00 E A		<5	0.6	0.70	<5	190	<5	0.81	<1	4	9	665	1.03	<10	0.16	2134	17	<.01	8	850	18	<5	<20	57	0.04	<10	25	<10	1	70
64	L5+00N 29+00 E B		<5	<.2	2.50	<5	170	<5	0.34	<1	12	29	92	3.47	<10	0.34	228	<1	0.01	22	520	4	<5	<20	45	0.13	<10	95	<10	<1	44
65	L5+00N 30+00 E A		<5	<.2	0.53	<5	110	<5	0.62	<1	3	6	251	0.75	<10	0.13	291	9	<.01	5	850	10	<5	<20	63	0.03	<10	19	<10	2	22
66	L5+00N 30+00 E B		<5	<.2	1.27	<5	115	<5	0.42	<1	9	23	70	2.46	<10	0.26	257	<1	0.02	12	190	2	<5	<20	64	0.13	<10	68	<10	6	29
67	L5+00N 31+00 E A		<5	0.6	0.48	<5	190	<5	1.61	<1	2	5	328	0.51	10	0.17	4769	6	0.02	9	1240	18	<5	<20	84	0.02	<10	17	<10	8	123
68	L5+00N 31+00 E B		<5	<.2	1.46	<5	125	<5	0.44	<1	10	23	88	3.40	<10	0.37	267	1	<.01	15	230	<2	<5	<20	32	0.06	<10	91	<10	<1	67
69	L5+00N 32+00 E A	20	0.2	0.39	<5	125	<5	0.70	<1	3	5	583	0.72	<10	0.17	2040	15	0.02	5	1220	18	<5	<20	55	0.02	<10	17	<10	<1	58
70	L5+00N 32+00 E B	<5	<.2	1.42	<5	140	<5	0.34	<1	8	27	47	2.56	<10	0.23	187	<1	0.02	14	330	4	<5	<20	54	0.15	<10	71	<10	2	44
71	L5+00N 33+00 E A		<5	0.6	0.27	<5	155	<5	0.90	<1	1	3	859	0.50	<10	0.15	1709	15	0.02	4	1410	12	<5	<20	71	0.01	<10	9	<10	<1	62
72	L5+00N 33+00 E B		<5	<.2	2.93	<5	230	<5	0.31	<1	11	27	57	2.84	<10	0.32	455	<1	0.02	25	520	6	<5	<20	59	0.16	<10	60	<10	2	72
73	L5+00N 34+00 E A		<5	<.2	0.67	<5	125	<5	0.67	<1	3	6	519	0.79	<10	0.15	1640	10	0.02	7	1230	14	<5	<20	62	0.03	<10	16	<10	<1	47
74	L5+00N 34+00 E B		<5	<.2	3.51	<5	210	<5	0.28	<1	10	29	46	2.77	<10	0.24	280	<1	0.02	24	1820	6	<5	<20	42	0.14	<10	56	<10	3	56
75	L5+00N 35+00 E A		<5	0.4	0.57	<5	170	<5	1.00	<1	3	8	644	0.81	<10	0.17	2004	14	0.02	8	820	14	<5	<20	77	0.03	<10	18	<10	<1	76
76	L5+00N 35+00 E B		<5	<.2	1.46	<5	115	5	0.30	<1	6	23	21	1.82	<10	0.15	154	<1	0.02	13	340	4	<5	<20	45	0.14	<10	40	<10	2	31
77	L5+00N 36+00 E A		<5	0.6	0.43	<5	150	<5	0.93	<1	2	6	464	0.59	<10	0.14	5393	9	0.02	6	1250	16	<5	<20	64	0.03	<10	14	<10	<1	100
78	L5+00N 36+00 E B		<5	<.2	1.46	<5	165	10	0.34	<1	9	34	16	2.73	<10	0.21	308	<1	0.02	16	410	2	<5	<20	75	0.15	<10	74	<10	2	49
79	L5+00N 37+00 E A		<5	0.4	0.84	<5	290	<5	1.37	<1	3	10	511	0.92	10	0.25	2892	14	0.02	14	850	20	<5	<20	171	0.04	<10	22	<10	6	48
80	L5+00N 37+00 E B		<5	<.2	1.82	<5	110	<5	0.36	<1	6	20	38	1.82	<10	0.28	161	<1	0.02	15	390	4	<5	<20	51	0.11	<10	36	<10	4	36

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-396

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
81	L5+00N 38+00 E A	500	<5	0.6	0.50	<5	280	<5	0.69	<1	3	10	317	0.86	<10	0.12	4276	9	0.02	8	680	14	<5	<20	75	0.04	<10	22	<10	<1	48
82	L5+00N 38+00 E B	↓	<5	<.2	1.47	<5	170	5	0.29	<1	9	41	17	2.89	<10	0.17	184	<1	0.02	14	300	4	<5	<20	63	0.19	<10	75	<10	2	29
83	L500N 13+50 E A		<5	<.2	1.06	<5	175	<5	0.61	<1	10	23	129	2.47	<10	0.44	508	5	0.02	18	650	2	<5	<20	57	0.10	<10	61	<10	3	45
84	L500N 14+00 E A		<5	<.2	2.45	<5	400	<5	2.41	<1	5	25	644	2.19	100	0.60	880	5	0.03	51	1170	6	5	<20	182	0.05	<10	42	<10	88	47
85	L500N 14+00 E B		<5	<.2	2.69	<5	205	<5	0.56	<1	10	34	190	2.83	<10	0.43	241	<1	0.03	25	230	2	<5	<20	55	0.15	<10	51	<10	8	40
86	L500N 15+00 E A		<5	0.2	0.79	<5	265	<5	1.42	<1	3	9	494	1.15	<10	0.21	1441	17	<.01	11	1050	12	<5	<20	92	0.05	<10	26	<10	1	49
87	L500N 15+00 E B		<5	<.2	2.43	<5	155	5	0.24	<1	10	19	36	2.23	<10	0.20	275	2	0.02	21	1930	4	<5	<20	21	0.14	<10	44	<10	2	60
88	L500N 16+00 E A		<5	<.2	0.97	<5	275	<5	0.60	<1	4	9	282	1.10	<10	0.13	2295	10	0.02	10	840	16	<5	<20	53	0.05	<10	22	<10	<1	76
89	L500N 16+00 E B		<5	<.2	2.65	<5	150	5	0.17	<1	8	13	11	1.92	<10	0.12	460	<1	0.02	20	2070	6	<5	<20	17	0.14	<10	34	<10	3	80
90	L500N 17+00 E A		<5	<.2	1.39	<5	110	<5	0.18	<1	6	12	38	1.79	<10	0.12	284	<1	0.01	12	430	8	<5	<20	18	0.12	<10	44	<10	1	65
91	L500N 17+00 E B		<5	<.2	3.31	<5	130	<5	0.13	<1	9	16	14	2.28	<10	0.14	296	<1	0.02	22	1150	6	<5	<20	12	0.16	<10	46	<10	3	74
92	L500N 18+00 E A		<5	<.2	0.70	<5	185	<5	0.80	<1	4	9	201	1.06	<10	0.18	575	37	<.01	10	1070	10	<5	<20	43	0.04	<10	24	<10	<1	31
93	L500N 18+00 E B		<5	<.2	2.23	<5	255	<5	0.36	<1	12	39	60	3.39	<10	0.34	258	3	0.02	27	1770	4	<5	<20	41	0.14	<10	81	<10	<1	45
94	L500N 19+00 E A		<5	<.2	0.20	<5	110	<5	1.42	<1	<1	2	223	0.29	<10	0.12	276	29	0.02	4	1210	10	<5	<20	58	<.01	<10	6	<10	<1	19
95	L500N 19+00 E B		<5	<.2	1.31	<5	190	<5	0.51	<1	8	27	114	2.57	<10	0.29	136	<1	0.02	13	480	<2	<5	<20	39	0.10	<10	58	<10	2	19
96	L500N 20+00 E A		<5	<.2	0.19	<5	290	<5	2.01	<1	<1	2	267	0.29	<10	0.18	1041	19	0.03	4	1370	12	5	<20	95	<.01	<10	8	<10	<1	49
97	L500N 20+00 E B		<5	<.2	1.32	<5	355	<5	1.92	<1	6	19	534	1.94	10	0.31	389	2	0.01	17	840	<2	<5	<20	129	0.06	<10	53	<10	12	27
98	L500N 21+00 E A		<5	<.2	1.11	<5	215	<5	1.50	<1	6	14	437	1.72	<10	0.31	892	12	0.01	12	990	12	<5	<20	83	0.05	<10	40	<10	3	47
99	L500N 21+00 E B		<5	<.2	3.63	<5	295	<5	0.55	<1	11	25	73	2.95	<10	0.36	802	<1	0.02	31	2130	4	<5	<20	39	0.15	<10	59	<10	4	79
100	L600N 13+20 E A	600	<5	<.2	0.26	<5	140	<5	1.29	<1	1	4	212	0.41	<10	0.18	756	16	0.02	6	980	8	<5	<20	78	0.01	<10	9	<10	<1	82
101	L600N 13+20 E B	↓	<5	<.2	1.45	<5	180	<5	0.46	<1	9	21	76	2.79	<10	0.34	224	<1	0.01	17	590	2	<5	<20	50	0.11	<10	66	<10	6	44
102	L600N 14+20 E A		<5	<.2	0.63	<5	195	<5	1.11	<1	3	8	240	0.96	<10	0.18	999	20	0.02	6	790	14	<5	<20	57	0.04	<10	22	<10	<1	42
103	L600N 14+20 E B		<5	<.2	1.59	<5	175	<5	0.46	<1	9	19	46	2.33	<10	0.36	183	<1	0.01	12	330	<2	<5	<20	39	0.11	<10	51	<10	1	26
104	L600N 15+20 E A		<5	<.2	0.94	<5	140	<5	0.50	<1	5	10	281	1.23	<10	0.17	608	13	0.02	10	700	12	<5	<20	36	0.07	<10	26	<10	<1	44
105	L600N 15+20 E B		<5	<.2	2.60	<5	160	<5	0.23	<1	10	21	45	2.58	<10	0.23	305	3	0.02	22	1510	4	<5	<20	20	0.15	<10	52	<10	2	58
106	L600N 16+20 E A		<5	0.6	0.52	<5	155	<5	0.70	<1	3	6	461	0.65	<10	0.13	3947	11	0.02	7	1300	22	<5	<20	57	0.03	<10	14	<10	<1	74
107	L600N 16+20 E B		<5	<.2	2.43	<5	140	5	0.23	<1	11	21	29	2.19	<10	0.23	488	<1	0.02	30	730	6	<5	<20	27	0.17	<10	48	<10	3	84
108	L600N 17+20 E A		<5	0.4	2.39	10	775	<5	1.27	<1	5	18	2031	2.11	80	0.23	3273	16	0.02	36	960	8	<5	<20	81	0.08	<10	49	<10	68	57
109	L600N 17+20 E B		<5	<.2	2.94	<5	385	<5	0.65	<1	10	24	567	2.95	20	0.32	1013	3	0.02	30	310	6	<5	<20	49	0.14	<10	68	<10	17	56
110	L600N 18+20 E A		<5	0.4	0.53	<5	125	<5	0.40	<1	3	8	247	0.92	<10	0.09	1495	9	<.01	5	720	16	<5	<20	23	0.04	<10	23	<10	1	65

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-396

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
111	L600N 18+20 E B	<5	<.2	3.09	<5	150	5	0.19	<1	10	17	22	2.53	<10	0.13	630	1	0.01	15	3120	8	<5	<20	15	0.15	<10	47	<10	2	121
112	L600N 19+20 E A	<5	0.2	1.10	5	410	<5	1.79	<1	2	11	510	1.15	70	0.20	131	3	0.02	16	1260	6	<5	<20	180	0.02	<10	43	<10	56	30
113	L600N 19+20 E B	<5	<.2	1.42	<5	225	<5	0.60	<1	9	27	260	2.50	20	0.40	399	<1	0.02	17	350	4	<5	<20	57	0.13	<10	71	<10	16	34
114	L600N 20+20 E A	<5	<.2	0.66	<5	140	<5	0.47	<1	5	12	143	1.37	<10	0.16	500	6	0.02	8	940	14	<5	<20	35	0.04	<10	41	<10	<1	42
115	L600N 20+20 E B	<5	<.2	1.71	<5	135	<5	0.32	<1	11	28	48	3.35	<10	0.29	374	<1	0.01	17	730	4	<5	<20	28	0.11	<10	99	<10	<1	49
116	L600N 20+50 E A	<5	<.2	1.23	<5	120	<5	0.37	<1	8	16	94	2.01	<10	0.23	856	3	0.01	13	550	12	<5	<20	30	0.07	<10	51	<10	<1	39
117	L600N 20+50 E B	<5	<.2	3.15	<5	215	<5	0.27	<1	10	19	54	2.70	<10	0.26	236	<1	0.01	21	700	6	<5	<20	33	0.11	<10	53	<10	1	56
118	L600N 22+00 E A	<5	0.2	0.86	<5	625	<5	2.06	<1	3	9	289	1.25	<10	0.31	1782	5	0.02	9	1000	24	<5	<20	60	0.05	<10	32	<10	2	59
119	L600N 22+00 E B	<5	<.2	2.82	<5	905	<5	1.04	<1	13	26	160	3.67	<10	0.94	1111	<1	<.01	20	420	8	<5	<20	51	0.17	<10	97	<10	3	66
120	L600N 23+00 E A	<5	0.6	0.89	<5	180	<5	0.85	<1	5	14	229	1.47	<10	0.19	1699	6	<.01	11	700	12	<5	<20	39	0.06	<10	37	<10	1	50
121	L600N 23+00 E B	<5	<.2	2.40	<5	160	5	0.20	<1	10	20	25	2.43	<10	0.18	983	<1	0.02	21	1810	6	<5	<20	14	0.14	<10	53	<10	2	119
122	L600N 24+00 E A	<5	0.2	0.66	<5	135	<5	0.82	<1	5	10	489	1.16	<10	0.20	1206	13	0.01	9	1050	10	<5	<20	58	0.03	<10	29	<10	<1	68
123	L600N 24+00 E B	<5	<.2	2.10	<5	195	<5	0.37	<1	12	32	154	3.28	<10	0.41	289	<1	0.01	21	780	4	<5	<20	44	0.11	<10	83	<10	2	46
124	L600N 25+00 E A	<5	0.4	0.88	<5	100	<5	0.53	<1	6	15	589	1.56	<10	0.19	2884	13	<.01	10	890	16	<5	<20	36	0.04	<10	44	<10	<1	68
125	L600N 25+00 E B	<5	<.2	2.69	<5	160	<5	0.25	<1	13	32	97	3.32	<10	0.40	344	<1	0.01	27	740	6	<5	<20	30	0.14	<10	86	<10	1	73
126	L600N 26+00 E A	<5	0.4	0.59	<5	135	<5	0.57	<1	3	8	414	0.86	<10	0.14	2052	13	0.02	6	920	14	<5	<20	44	0.03	<10	21	<10	<1	54
127	L600N 26+00 E B	<5	<.2	2.59	<5	185	<5	0.27	<1	8	19	56	2.50	<10	0.19	286	<1	0.01	16	2960	6	<5	<20	31	0.12	<10	44	<10	2	58
128	L600N 27+10 E A	<5	<.2	0.23	<5	130	<5	1.32	<1	<1	2	150	0.31	<10	0.14	312	7	0.02	3	1140	10	<5	<20	74	<.01	<10	6	<10	<1	49
129	L600N 28+00 E A	<5	<.2	1.06	<5	180	<5	0.60	<1	7	12	205	1.70	<10	0.21	1846	4	0.02	11	530	16	<5	<20	56	0.08	<10	44	<10	1	66
130	L600N 28+00 E B	<5	<.2	1.95	<5	140	5	0.23	<1	10	18	21	2.37	<10	0.20	305	<1	0.02	20	650	4	<5	<20	32	0.16	<10	62	<10	2	51
131	L600N 29+00 E A	<5	1.0	0.81	<5	245	<5	0.78	<1	6	11	335	1.12	<10	0.15	6238	8	0.03	10	1060	16	<5	<20	60	0.05	<10	25	<10	<1	119
132	L600N 29+00 E B	<5	<.2	2.16	<5	160	5	0.21	<1	10	22	32	2.15	<10	0.17	691	<1	0.02	25	2030	6	<5	<20	24	0.12	<10	44	<10	2	149
133	L600N 30+00 E A	<5	0.4	1.04	<5	220	<5	1.23	<1	5	15	333	1.64	<10	0.29	2332	8	0.02	12	770	14	<5	<20	129	0.06	<10	47	<10	<1	48
134	L600N 30+00 E B	<5	<.2	3.06	<5	235	<5	0.37	<1	14	36	140	3.63	<10	0.47	368	<1	0.02	28	1100	4	<5	<20	61	0.13	<10	87	<10	1	61
135	L600N 31+00 E A	<5	0.4	0.33	<5	100	<5	0.90	<1	2	4	437	0.48	<10	0.16	1099	8	0.02	5	1380	12	<5	<20	66	0.02	<10	13	<10	<1	48
136	L600N 31+00 E B	<5	<.2	2.69	<5	135	<5	0.89	<1	19	40	378	4.48	<10	1.14	440	<1	0.01	27	230	2	<5	<20	84	0.20	<10	148	<10	6	43
137	L600N 32+00 E A	<5	0.4	0.56	<5	95	<5	0.77	<1	2	5	647	0.60	<10	0.13	2476	11	0.02	5	1280	20	<5	<20	49	0.02	<10	13	<10	<1	81
138	L600N 32+00 E B	<5	<.2	3.19	5	160	5	0.23	<1	9	15	34	2.42	<10	0.19	724	<1	0.01	23	1040	8	<5	<20	29	0.15	<10	47	<10	2	101
139	L600N 33+00 E A	<5	1.0	0.84	<5	410	<5	2.04	<1	3	8	443	1.07	<10	0.20	5784	7	0.03	9	1090	14	<5	<20	168	0.04	<10	22	<10	<1	166
140	L600N 33+00 E B	<5	<.2	2.69	<5	210	<5	0.25	<1	11	21	34	2.58	<10	0.24	648	<1	0.02	24	640	6	<5	<20	41	0.14	<10	54	<10	2	91

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-396

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
141	L600N 34+00 E A		<5	<.2	1.60	<5	220	<5	1.66	<1	4	19	73	1.43	20	0.32	315	2	0.02	19	1390	4	<5	<20	187	0.05	<10	27	<10	14	60
142	L600N 35+00 E A		<5	0.2	0.40	<5	100	<5	0.67	<1	2	4	676	0.58	<10	0.14	1359	12	0.02	5	1490	20	<5	<20	50	0.02	<10	12	<10	<1	47
143	L600N 35+00 E B		<5	<.2	2.23	<5	140	5	0.27	<1	8	26	27	2.57	<10	0.17	275	<1	0.02	18	1540	4	<5	<20	32	0.13	<10	54	<10	3	49
144	L600N 36+00 E A		<5	0.2	0.56	<5	175	<5	1.18	<1	3	7	554	0.81	<10	0.18	1334	11	0.02	7	990	22	<5	<20	118	0.03	<10	18	<10	1	40
145	L600N 36+00 E B		<5	<.2	2.26	<5	195	10	0.46	<1	12	45	43	3.47	<10	0.44	245	<1	0.02	26	780	4	<5	<20	106	0.21	<10	84	<10	3	45
146	L600N 37+00 E A		<5	0.8	0.44	<5	200	<5	0.94	<1	2	6	755	0.64	<10	0.18	3843	19	0.02	6	1030	20	<5	<20	73	0.02	<10	14	<10	<1	87
147	L600N 37+00 E B		<5	<.2	1.66	<5	150	<5	0.35	<1	10	40	43	2.78	<10	0.25	300	<1	0.02	19	460	6	<5	<20	55	0.19	<10	71	<10	2	40
148	L600N 38+00 E A		<5	0.8	0.56	<5	285	<5	1.08	<1	2	8	302	0.73	<10	0.14	4220	7	0.02	8	850	18	<5	<20	87	0.04	<10	17	<10	1	83
149	L600N 38+00 E B		<5	<.2	2.55	<5	210	<5	0.20	<1	7	24	23	2.26	<10	0.16	234	<1	0.01	22	3050	6	<5	<20	31	0.13	<10	41	<10	3	47
150	L600N 39+00 E A		<5	0.8	0.55	<5	165	<5	0.80	<1	3	12	687	1.22	<10	0.17	3168	18	0.02	7	1030	18	<5	<20	61	0.03	<10	38	<10	<1	56
151	L600N 39+00 E B		<5	<.2	1.71	<5	145	<5	0.28	<1	12	60	32	4.94	<10	0.19	271	<1	0.02	22	1060	4	<5	20	36	0.14	<10	181	<10	<1	45
152	L600N 40+00 E A		<5	0.6	0.58	<5	240	<5	1.29	<1	2	6	560	0.70	<10	0.20	3095	11	0.02	7	1270	14	<5	<20	111	0.03	<10	16	<10	<1	109
153	L600N 40+00 E B		<5	<.2	1.85	<5	180	<5	0.30	<1	7	21	26	1.97	<10	0.17	434	<1	0.02	19	840	4	<5	<20	38	0.12	<10	46	<10	2	68
154	L600N 41+00 E A		<5	<.2	1.27	<5	140	<5	0.87	<1	9	14	222	1.82	<10	0.37	2237	3	0.02	13	860	16	<5	<20	51	0.10	<10	55	<10	2	103
155	L600N 42+00 E A		<5	<.2	1.28	<5	130	<5	0.99	<1	6	14	197	1.45	<10	0.20	1138	5	0.02	12	650	10	<5	<20	65	0.07	<10	45	<10	5	73
156	L600N 42+00 E B		<5	<.2	2.07	<5	135	5	0.55	<1	11	40	38	3.05	<10	0.29	525	<1	0.02	18	340	6	<5	<20	52	0.18	<10	87	<10	3	85
157	L600N 42+65 E A		<5	0.2	0.33	5	405	<5	1.52	<1	<1	4	111	0.37	<10	0.08	129	3	0.02	4	960	8	<5	<20	88	0.01	<10	7	<10	2	70
158	L600N 42+65 E B		<5	<.2	0.40	<5	95	<5	0.22	<1	2	6	20	0.67	<10	0.05	69	<1	<.01	3	210	4	<5	<20	16	0.05	10	19	<10	1	26
159	L700N 12+50 E A		<5	<.2	1.95	<5	220	<5	0.88	<1	15	35	248	3.55	<10	0.78	565	<1	0.02	27	710	6	<5	<20	70	0.13	<10	85	<10	6	45
160	L700N 12+50 E B		<5	<.2	1.57	<5	165	<5	0.82	<1	18	40	213	3.80	<10	0.82	510	<1	0.03	27	750	4	<5	<20	73	0.14	<10	101	<10	7	41
161	L700N 13+00 E A		<5	<.2	1.50	<5	170	<5	0.77	<1	14	33	179	3.26	<10	0.68	584	<1	0.02	24	1340	4	<5	<20	61	0.10	<10	81	<10	4	50
162	L700N 13+00 E B		<5	<.2	1.54	<5	170	<5	0.67	<1	14	31	171	3.25	<10	0.67	515	<1	0.02	23	1010	4	<5	<20	58	0.12	<10	79	<10	4	47
163	L700N 14+00 E A		<5	0.4	0.51	<5	270	<5	1.60	<1	3	6	355	0.76	<10	0.21	1093	21	0.02	7	810	14	<5	<20	76	0.03	<10	17	<10	1	53
164	L700N 14+00 E B		<5	<.2	1.58	<5	190	<5	0.39	<1	8	19	84	2.54	<10	0.35	185	2	<.01	15	550	4	<5	<20	35	0.10	<10	62	<10	3	28
165	L700N 15+00 E A		<5	<.2	0.87	<5	190	<5	0.79	<1	5	12	153	1.22	<10	0.19	1325	8	0.02	10	930	12	<5	<20	79	0.05	<10	28	<10	<1	43
166	L700N 15+00 E B		<5	<.2	2.04	<5	190	<5	0.33	<1	10	32	38	2.70	<10	0.25	396	<1	0.02	22	610	6	<5	<20	48	0.14	<10	62	<10	1	48
167	L700N 16+00 E A		<5	0.6	0.74	<5	195	<5	0.81	<1	4	10	307	1.05	<10	0.15	2759	9	0.02	9	820	20	<5	<20	65	0.05	<10	25	<10	<1	66
168	L700N 16+00 E B		<5	<.2	2.92	<5	195	<5	0.24	<1	12	27	45	2.78	<10	0.26	367	<1	0.02	30	910	6	<5	<20	37	0.15	<10	61	<10	2	59
169	L700N 17+00 E A		<5	<.2	0.19	<5	130	<5	1.36	<1	<1	2	319	0.27	<10	0.12	385	11	0.01	3	1520	12	<5	<20	51	<.01	<10	6	<10	<1	44
170	L700N 17+00 E B		<5	<.2	1.17	<5	215	<5	1.63	<1	6	14	234	1.61	<10	0.23	130	19	0.03	12	590	4	<5	<20	83	0.06	<10	37	<10	5	22

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-396

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
171	L700N 18+00 E A	<5	0.6	0.86	<5	225	<5	0.57	<1	4	10	546	1.08	<10	0.15	4202	10	0.02	10	1020	18	<5	<20	40	0.05	<10	24	<10	<1	93
172	L700N 18+00 E B	<5	<.2	4.61	<5	250	<5	0.37	<1	15	30	89	3.49	<10	0.44	401	<1	0.01	44	920	6	<5	<20	48	0.17	<10	63	<10	1	90
173	L700N 19+00 E A	<5	<.2	0.61	<5	210	<5	0.89	1	3	10	61	1.01	<10	0.13	1233	10	0.02	8	700	12	<5	<20	51	0.04	<10	27	<10	<1	33
174	L700N 19+00 E B	<5	<.2	2.55	<5	160	<5	0.29	<1	10	22	57	2.67	<10	0.21	166	<1	0.02	24	2150	4	<5	<20	24	0.13	<10	56	<10	1	49
175	L700N 20+00 E A	<5	<.2	0.48	<5	95	<5	0.66	<1	3	7	206	0.74	<10	0.12	559	5	0.02	6	1250	12	<5	<20	39	0.03	<10	18	<10	<1	46
176	L700N 20+00 E B	<5	<.2	3.35	5	245	5	0.43	<1	11	27	45	2.98	<10	0.30	196	<1	0.02	36	2980	6	<5	<20	39	0.16	<10	56	<10	3	75
177	L700N 22+00 E A	<5	0.2	0.49	<5	145	<5	0.85	<1	3	7	300	0.76	<10	0.14	1637	9	0.02	6	830	18	<5	<20	38	0.03	<10	17	<10	<1	56
178	L700N 22+00 E B	<5	<.2	1.19	<5	130	<5	0.29	<1	4	13	33	1.49	<10	0.14	136	<1	0.01	7	200	6	<5	<20	20	0.06	<10	34	<10	<1	32
179	L700N 23+00 E A	<5	0.2	0.56	<5	150	<5	0.71	<1	4	8	354	0.92	<10	0.14	1373	9	0.01	7	1130	20	<5	<20	52	0.03	<10	23	<10	<1	36
180	L700N 23+00 E B	<5	<.2	3.18	<5	205	<5	0.31	<1	14	36	89	3.59	<10	0.35	237	<1	0.01	37	4100	6	<5	<20	33	0.15	<10	74	<10	2	63
181	L700N 24+00 E A	<5	<.2	1.70	<5	135	5	0.24	<1	9	24	26	2.56	<10	0.22	459	<1	0.01	15	600	4	<5	<20	29	0.13	<10	63	<10	1	40
182	L700N 24+00 E B	<5	<.2	4.02	<5	250	<5	0.20	<1	13	29	99	3.33	<10	0.35	184	<1	0.02	29	2690	6	<5	<20	32	0.15	<10	67	<10	2	50
183	L700N 25+00 E A	<5	<.2	0.59	<5	140	<5	0.73	<1	3	6	350	0.80	<10	0.17	542	6	0.02	7	1080	20	<5	<20	70	0.03	<10	17	<10	1	37
184	L700N 25+00 E B	<5	<.2	3.19	<5	555	<5	0.98	<1	14	17	141	3.83	<10	1.08	787	<1	0.03	17	700	4	<5	<20	353	0.17	<10	90	<10	6	45
185	L700N 26+00 E A	<5	0.2	0.56	<5	130	<5	0.62	<1	3	7	392	0.89	<10	0.13	1170	9	0.02	7	730	18	<5	<20	46	0.04	<10	20	<10	<1	68
186	L700N 26+00 E B	<5	<.2	3.37	<5	175	<5	0.22	<1	12	20	39	2.81	<10	0.21	1413	<1	0.02	32	1190	10	<5	<20	22	0.16	<10	57	<10	2	126
187	L700N 27+00 E A	<5	<.2	0.80	<5	230	<5	0.74	<1	6	19	337	1.68	<10	0.22	2339	7	0.02	12	1000	16	<5	<20	67	0.04	<10	40	<10	<1	43
188	L700N 27+00 E B	<5	<.2	1.39	<5	250	<5	0.40	<1	12	45	153	3.55	<10	0.48	233	<1	0.02	19	390	4	<5	<20	55	0.14	<10	89	<10	2	35
189	L700N 28+00 E A	<5	<.2	0.65	<5	130	<5	0.87	<1	4	10	338	1.06	<10	0.16	1099	8	0.02	8	910	18	<5	<20	62	0.04	<10	27	<10	<1	52
190	L700N 28+00 E B	<5	<.2	2.85	<5	165	<5	0.25	<1	11	26	87	2.79	<10	0.21	175	<1	0.02	27	1180	6	<5	<20	30	0.15	<10	66	<10	1	67
191	L700N 29+00 E A	<5	<.2	0.60	<5	160	<5	0.31	<1	5	10	157	0.94	<10	0.10	2597	3	0.02	8	840	18	<5	<20	28	0.04	<10	24	<10	<1	40
192	L700N 29+00 E B	<5	<.2	2.34	<5	105	<5	0.15	<1	9	18	25	2.34	<10	0.16	412	<1	0.02	21	1250	6	<5	<20	15	0.14	<10	50	<10	<1	74
193	L700N 30+00 E A B/L	<5	<.2	0.85	<5	125	<5	0.37	<1	4	12	185	1.26	<10	0.14	759	4	0.02	9	410	10	<5	<20	33	0.05	<10	32	<10	<1	52
194	L700N 30+00 E B B/L	<5	<.2	3.20	<5	170	<5	0.22	<1	12	24	71	2.93	<10	0.28	346	<1	0.02	29	560	10	<5	<20	30	0.16	<10	64	<10	1	76
195	L700N 31+00 E A	<5	0.2	0.78	<5	185	<5	1.16	<1	5	9	340	1.04	<10	0.21	1710	9	0.02	9	1340	18	<5	<20	81	0.03	<10	22	<10	<1	41
196	L700N 31+00 E B	<5	<.2	1.85	<5	170	<5	0.30	<1	8	18	63	2.23	<10	0.23	264	<1	0.01	16	1200	4	<5	<20	40	0.11	<10	49	<10	2	50
197	L700N 32+00 E A	<5	<.2	1.12	<5	485	<5	1.03	<1	6	9	74	1.73	<10	0.21	3505	3	0.03	10	770	8	<5	<20	139	0.07	<10	38	<10	1	63
198	L700N 32+00 E B	<5	<.2	1.80	<5	285	<5	0.72	<1	10	9	16	2.35	<10	0.26	625	<1	0.03	9	740	4	<5	<20	139	0.10	<10	54	<10	2	58
199	L700N 33+00 E A	<5	0.4	0.60	5	245	<5	1.73	<1	3	6	633	0.80	<10	0.23	3063	12	0.02	7	1040	22	5	<20	154	0.03	<10	17	<10	<1	60
200	L700N 33+00 E B	<5	<.2	2.51	<5	135	<5	0.21	<1	10	18	35	2.35	<10	0.19	474	<1	0.02	28	610	6	<5	<20	25	0.15	<10	50	<10	1	99

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-396

ECO-TECH LABORATORIES LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	L700N 34+00 E A	<5	0.2	0.69	<5	230	<5	0.87	<1	4	9	216	0.91	<10	0.14	3036	6	0.02	8	960	16	<5	<20	81	0.04	<10	20	<10	<1	61
202	L700N 34+00 E B	<5	<.2	2.24	<5	165	<5	0.25	<1	9	26	21	2.60	<10	0.19	274	<1	0.01	18	1040	6	<5	<20	41	0.14	<10	56	<10	1	58
203	L700N 35+00 E A	<5	<.2	2.38	<5	175	<5	2.16	<1	6	26	121	1.81	20	0.50	1772	2	0.02	31	1540	4	<5	<20	218	0.06	<10	47	<10	21	70
204	L700N 35+00 E B	<5	<.2	4.57	<5	220	<5	1.36	<1	16	59	97	3.95	20	0.84	1300	<1	0.02	43	1210	<2	<5	<20	164	0.13	<10	66	<10	18	75
205	L700N 36+00 E A	<5	0.6	0.99	<5	355	<5	0.95	<1	6	16	618	1.32	<10	0.17	5045	3	0.02	16	780	12	<5	<20	124	0.06	<10	34	<10	<1	99
206	L700N 36+00 E B	<5	<.2	2.54	<5	205	<5	0.36	<1	11	37	16	3.22	<10	0.26	178	<1	0.02	22	460	4	<5	<20	86	0.18	<10	81	<10	1	41
207	L700N 37+00 E A	<5	1.4	0.57	<5	385	<5	1.44	<1	2	8	474	0.64	<10	0.18	8585	11	0.02	8	1290	24	<5	<20	114	0.03	<10	13	<10	<1	100
208	L700N 37+00 E B	<5	<.2	2.10	<5	185	5	0.26	<1	8	23	14	2.21	<10	0.18	228	<1	0.01	22	1840	6	<5	<20	28	0.13	<10	41	<10	1	56
209	L700N 38+00 E A	<5	0.8	0.45	<5	285	<5	1.98	<1	2	5	462	0.53	<10	0.22	5699	11	0.02	7	1380	20	5	<20	169	0.03	<10	11	<10	<1	87
210	L700N 38+00 E B	<5	<.2	2.07	<5	180	<5	0.24	<1	7	20	13	1.94	<10	0.16	296	<1	0.02	19	1700	6	<5	<20	34	0.13	<10	35	<10	2	52
211	L700N 39+00 E A	<5	0.6	0.51	<5	250	<5	1.28	<1	2	8	371	0.74	<10	0.16	4306	10	0.02	9	930	22	<5	<20	110	0.03	<10	18	<10	<1	72
212	L700N 39+00 E B	<5	<.2	1.45	<5	125	5	0.19	<1	6	13	14	1.53	<10	0.11	326	<1	0.01	10	950	6	<5	<20	22	0.10	<10	32	<10	1	41
213	L700N 40+00 E A	<5	<.2	1.70	<5	195	<5	2.13	<1	4	18	401	1.50	70	0.45	939	7	0.03	46	1160	10	<5	<20	189	0.05	<10	37	<10	60	43
214	L700N 40+00 E B	<5	<.2	4.62	<5	235	<5	1.13	<1	13	59	106	4.27	30	0.86	981	<1	0.03	48	710	4	<5	<20	128	0.18	<10	71	<10	26	69
215	L700N 41+00 E A	<5	<.2	1.15	<5	165	<5	2.38	<1	2	13	149	1.01	30	0.28	470	3	0.02	24	960	10	<5	<20	185	0.04	<10	50	<10	29	37
216	L700N 41+00 E B	<5	<.2	2.50	<5	135	<5	0.90	<1	10	38	51	2.79	<10	0.41	275	<1	0.03	27	490	4	<5	<20	84	0.14	<10	55	<10	11	63
217	L700N 42+00 E A	<5	0.6	0.78	<5	295	<5	1.48	<1	7	15	182	1.44	<10	0.22	4806	8	0.02	13	1110	18	<5	<20	101	0.06	<10	43	<10	<1	114
218	L700N 42+00 E B	<5	<.2	2.98	<5	195	10	0.36	<1	12	29	30	3.17	<10	0.36	424	<1	0.01	25	1880	6	<5	<20	30	0.16	<10	78	<10	1	128
219	L700N 43+00 E A	<5	<.2	1.47	<5	215	<5	0.89	<1	11	30	210	2.89	<10	0.38	2839	4	0.01	19	590	12	<5	<20	57	0.13	<10	98	<10	<1	130
220	L700N 43+00 E B	<5	<.2	3.21	<5	515	5	0.61	<1	15	47	76	4.20	<10	0.67	1344	<1	0.01	28	300	6	<5	<20	134	0.21	<10	124	<10	2	100

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-396 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Repeat:																														
1	L0+00N 15+00 E A	<5	<.2	0.48	<5	225	<5	1.24	<1	2	6	309	0.68	<10	0.14	1777	12	0.03	12	940	18	<5	<20	70	0.02	<10	15	<10	5	83
10	L0+00N 20+00 E A	<5	<.2	0.59	<5	175	<5	0.60	<1	4	8	285	1.04	<10	0.16	1099	6	0.02	7	690	16	<5	<20	40	0.03	<10	25	<10	<1	46
19	L0+00N 44+00 E B	180	<.2	1.90	<5	195	<5	0.47	3	11	33	54	3.72	<10	0.52	291	<1	0.03	20	880	4	<5	<20	44	0.10	<10	116	<10	<1	83
29	L0+00N 49+00 E B	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	L0+00N 53+00 E B	<5	<.2	2.82	<5	210	<5	0.29	<1	11	26	32	2.97	<10	0.27	249	<1	0.02	21	1440	6	<5	<20	21	0.16	<10	72	<10	2	103
45	L2+00N 30+00 EB 2	<5	<.2	2.45	<5	180	<5	0.36	<1	10	26	58	2.95	<10	0.27	258	<1	0.01	25	1550	2	<5	<20	34	0.13	<10	72	<10	<1	65
54	L5+00N 24+00 E B	<5	<.2	2.00	<5	265	<5	0.67	<1	12	26	958	3.71	20	0.52	688	2	0.01	18	240	<2	<5	<20	36	0.06	<10	75	<10	19	50
63	L5+00N 29+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	L5+00N 33+00 E A	<5	0.2	0.27	<5	160	<5	0.92	<1	<1	3	859	0.49	<10	0.15	1732	15	0.02	4	1420	12	<5	<20	72	0.01	<10	9	<10	<1	61
80	L5+00N 37+00 E B	<5	<.2	1.88	<5	110	<5	0.35	<1	6	21	29	1.86	<10	0.28	153	<1	0.02	16	370	4	<5	<20	51	0.12	<10	37	<10	4	37
89	L500N 16+00 E B	<5	<.2	2.64	<5	150	<5	0.16	<1	8	12	10	1.90	<10	0.12	465	<1	0.02	19	2060	6	<5	<20	17	0.14	<10	34	<10	3	81
98	L500N 21+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	L600N 16+20 E A	<5	0.8	0.52	<5	160	<5	0.68	<1	3	7	430	0.69	<10	0.13	3925	10	0.02	7	1270	22	<5	<20	56	0.03	<10	15	<10	<1	73
115	L600N 20+20 E B	<5	<.2	1.78	<5	135	<5	0.32	<1	12	29	45	3.40	<10	0.29	363	<1	0.01	18	760	4	<5	<20	28	0.11	<10	99	<10	<1	49
124	L600N 25+00 E A	<5	0.6	0.85	<5	100	<5	0.56	<1	5	14	597	1.47	<10	0.18	2964	13	<.01	9	920	16	<5	<20	37	0.04	<10	41	<10	<1	70
133	L600N 30+00 E A	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	L600N 34+00 E A	<5	<.2	1.55	<5	215	<5	1.62	<1	4	18	73	1.37	20	0.31	305	2	0.02	18	1360	4	<5	<20	182	0.05	<10	27	<10	13	60
150	L600N 39+00 E A	<5	0.6	0.54	<5	165	<5	0.81	<1	3	11	721	1.13	<10	0.17	3315	18	0.03	7	1030	18	<5	<20	62	0.03	<10	34	<10	<1	58
159	L700N 12+50 E A	<5	<.2	2.03	<5	225	<5	0.91	<1	16	35	251	3.55	<10	0.79	569	<1	0.02	26	700	6	<5	<20	73	0.14	<10	84	<10	6	45
168	L700N 16+00 E B	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176	L700N 20+00 E B	<5	<.2	3.35	<5	245	<5	0.42	<1	11	25	47	2.88	<10	0.30	202	<1	0.02	35	2950	6	<5	<20	40	0.16	<10	52	<10	2	73
185	L700N 26+00 E A	<5	0.2	0.55	<5	130	<5	0.59	<1	3	8	358	0.97	<10	0.12	1162	7	0.02	7	680	18	<5	<20	45	0.04	<10	23	<10	<1	65
194	L700N 30+00 E B B/L	<5	<.2	3.21	5	165	<5	0.21	<1	12	24	66	2.89	<10	0.28	331	<1	0.02	29	570	8	<5	<20	27	0.15	<10	63	<10	<1	74
206	L700N 36+00 E B	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211	L700N 39+00 E A	<5	0.4	0.53	<5	250	<5	1.25	<1	2	8	356	0.77	<10	0.16	4336	10	0.02	9	920	22	5	<20	107	0.03	<10	19	<10	<1	74

GETTY COPPER CORPORATION | ICP CERTIFICATE OF ANALYSIS AK 96-396 | ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Standard:																														
GEO'96		155	1.2	1.75	60	170	<5	1.84	<1	19	61	82	4.22	<10	0.99	750	<1	0.01	22	740	18	<5	<20	59	0.11	<10	78	<10	4	73
GEO'96		140	1.0	1.68	60	180	<5	2.01	<1	20	71	82	4.59	<10	1.11	785	<1	0.02	24	790	18	<5	<20	74	0.16	<10	82	<10	5	76
GEO'96		150	1.0	1.66	45	170	5	1.93	<1	20	71	80	4.47	<10	1.07	761	<1	0.02	22	770	20	<5	<20	70	0.15	<10	80	<10	6	73
GEO'96		140	1.2	1.75	60	175	10	2.03	<1	21	72	82	4.01	<10	1.09	784	<1	0.02	24	720	18	<5	<20	72	0.16	<10	80	<10	6	78
GEO'96		150	1.2	1.70	60	180	<5	2.01	<1	21	72	80	4.06	<10	1.07	778	<1	0.02	22	710	18	<5	<20	73	0.16	<10	81	<10	6	78
GEO'96		145	1.2	1.72	55	180	<5	1.99	<1	20	72	82	4.01	<10	1.08	775	<1	0.02	24	710	20	<5	<20	72	0.15	<10	91	<10	4	78
GEO'96		150	1.4	1.76	55	180	<5	2.04	<1	21	73	84	4.10	<10	1.10	720	<1	0.02	22	720	18	<5	<20	77	0.16	<10	95	<10	5	79
GEO'96		150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

df/396, 396A, 396B, 396C
:LS/96G.Copper#3

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

5-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 96-391

Line 0 ; 200N

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 55
Sample type: Soil
PROJECT #: none given
SHIPMENT #: none given
Samples submitted by: B. Perry

alues in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L0+00N 20+50 E A	<5	0.4	0.32	<5	220	<5	0.82	<1	2	5	338	0.67	<10	0.11	2161	6	0.03	5	700	18	<5	<20	52	0.02	<10	16	<10	<1	52
2	L0+00N 20+50 E B	<5	<.2	0.79	<5	135	<5	0.28	<1	4	9	58	1.24	<10	0.14	142	<1	<.01	7	220	4	<5	<20	23	0.05	<10	28	<10	2	20
3	L0+00N 21+00 E A	<5	<.2	0.76	<5	135	<5	0.31	<1	7	18	158	2.31	<10	0.21	888	3	0.03	11	380	6	<5	<20	35	0.04	<10	71	<10	<1	39
4	L0+00N 21+00 E B	<5	<.2	0.78	<5	125	<5	0.22	<1	8	27	50	2.85	<10	0.27	148	<1	<.01	13	350	2	<5	<20	29	0.06	<10	87	<10	<1	20
5	L0+00N 22+00 E A	<5	0.2	0.32	<5	110	<5	0.77	<1	3	6	825	0.68	<10	0.15	1474	11	0.03	6	1010	14	<5	<20	57	0.02	<10	13	<10	<1	50
6	L0+00N 22+00 E B	<5	<.2	0.71	<5	125	5	0.22	<1	6	27	28	1.97	<10	0.16	218	<1	<.01	13	290	4	<5	<20	49	0.08	<10	54	<10	<1	29
7	L0+00N 23+00 E A	<5	**4.0**	0.53	<5	175	<5	0.93	<1	3	7	424	0.81	<10	0.15	3036	5	0.03	6	1000	16	<5	<20	61	0.02	<10	18	<10	<1	87
8	L0+00N 23+00 E B	<5	<.2	1.29	<5	135	<5	0.19	<1	7	21	30	2.26	<10	0.18	228	<1	<.01	13	930	8	<5	<20	20	0.07	<10	59	<10	<1	35
9	L0+00N 24+00 E A	<5	0.2	0.57	<5	145	<5	1.30	<1	3	8	338	0.92	<10	0.19	2937	5	0.03	8	750	14	<5	<20	89	0.03	<10	22	<10	<1	71
10	L0+00N 24+00 E B	<5	<.2	1.23	<5	140	<5	0.27	<1	6	21	25	2.13	<10	0.18	411	<1	<.01	12	1070	6	<5	<20	32	0.06	<10	51	<10	<1	37
11	L0+00N 25+00 E A	<5	<.2	0.86	<5	245	<5	0.53	<1	7	15	147	2.33	<10	0.25	724	3	0.03	11	540	8	<5	<20	56	0.03	<10	65	<10	<1	54
12	L0+00N 25+00 E B	<5	<.2	1.20	<5	240	<5	0.44	<1	12	21	327	3.14	<10	0.61	319	1	<.01	26	700	<2	<5	<20	71	0.05	<10	83	<10	<1	36
13	L0+00N 26+10 E A	<5	<.2	0.31	<5	125	<5	0.57	<1	2	4	104	0.53	<10	0.09	936	4	0.03	5	660	12	<5	<20	45	0.02	<10	12	<10	<1	44
14	L0+00N 26+10 E B	<5	<.2	0.79	<5	205	5	0.33	<1	7	21	26	2.20	<10	0.17	176	<1	<.01	12	390	<2	<5	<20	52	0.07	<10	60	<10	<1	24
15	L0+00N 27+00 E A	<5	0.8	0.32	<5	510	<5	2.82	<1	<1	5	253	0.35	<10	0.18	6921	3	0.03	7	1050	20	5	<20	148	0.02	<10	8	<10	<1	89
16	L0+00N 27+00 E B	<5	<.2	1.26	<5	420	<5	0.40	<1	8	21	48	2.59	<10	0.36	379	<1	<.01	12	400	2	<5	<20	111	0.09	<10	79	<10	<1	53
17	L0+00N 28+00 E A	<5	<.2	1.07	<5	395	<5	1.17	<1	8	18	272	2.11	<10	0.33	1562	2	0.03	14	610	10	<5	<20	108	0.05	<10	57	<10	2	104
18	L0+00N 28+00 E B	<5	<.2	1.53	<5	340	<5	0.76	<1	12	25	91	2.78	10	0.37	1152	<1	0.01	19	390	4	<5	<20	89	0.10	<10	72	<10	6	74
19	L0+00N 29+00 E A	<5	0.2	0.23	<5	450	<5	2.50	<1	<1	3	488	0.37	<10	0.16	2325	5	0.02	4	830	12	5	<20	133	0.01	<10	8	<10	<1	120
20	L0+00N 29+00 E B	<5	<.2	0.57	<5	200	5	0.32	<1	7	24	27	2.29	<10	0.17	164	<1	<.01	13	200	4	<5	<20	60	0.09	<10	73	<10	1	28

RECEIVED

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-391

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	L0+00N 30+00 E A	<5	0.4	0.35	<5	395	<5	2.08	<1	<1	4	622	0.48	<10	0.19	3169	6	0.03	7	1210	18	<5	<20	122	0.01	<10	10	<10	<1	132
22	L0+00N 30+00 E B	<5	<.2	0.82	<5	135	5	0.31	<1	4	9	25	1.33	<10	0.15	173	<1	0.02	7	340	6	<5	<20	33	0.07	<10	34	<10	1	29
23	L0+00N 31+00 E A	<5	0.2	0.64	<5	260	<5	0.98	<1	6	12	224	1.44	<10	0.31	3359	3	0.02	10	490	14	<5	<20	57	0.06	<10	43	<10	<1	108
24	L0+00N 31+00 E B	<5	<.2	0.93	<5	185	<5	0.31	<1	9	16	37	2.16	<10	0.30	415	<1	<.01	11	320	4	<5	<20	63	0.07	<10	61	<10	<1	40
25	L0+00N 32+00 E A	<5	0.2	0.56	<5	385	<5	1.52	<1	2	7	546	0.98	<10	0.17	1581	5	0.05	8	700	16	<5	<20	115	0.03	<10	22	<10	<1	69
26	L0+00N 32+00 E B	<5	<.2	1.04	<5	160	<5	0.28	<1	6	13	29	1.86	<10	0.18	141	<1	0.01	9	240	4	<5	<20	45	0.07	<10	50	<10	<1	34
27	L0+00N 33+00 E A	<5	0.4	0.58	<5	175	<5	0.74	<1	3	5	664	0.78	<10	0.13	3100	8	0.03	6	980	14	<5	<20	50	0.02	<10	16	<10	<1	88
28	L0+00N 33+00 E B	<5	<.2	1.86	<5	190	<5	0.22	<1	6	13	26	1.94	<10	0.16	359	<1	<.01	15	630	4	<5	<20	19	0.09	<10	42	<10	<1	60
29	L0+00N 34+00 E A	<5	0.2	0.50	<5	150	<5	0.56	<1	3	5	396	0.89	<10	0.11	1166	4	0.03	6	690	14	<5	<20	42	0.03	<10	21	<10	<1	67
30	L0+00N 34+00 E B	<5	<.2	0.77	<5	145	<5	0.25	<1	5	11	19	1.83	<10	0.17	113	<1	<.01	7	250	2	<5	<20	46	0.06	<10	47	<10	<1	27
31	L0+00N 35+00 E A	<5	<.2	0.53	<5	160	<5	0.79	<1	3	8	703	1.00	<10	0.18	1876	8	0.03	7	740	12	5	<20	64	0.02	<10	25	<10	<1	73
32	L0+00N 35+00 E B	<5	<.2	1.47	<5	150	<5	0.22	<1	7	15	36	2.09	<10	0.19	334	<1	<.01	15	630	6	<5	<20	30	0.06	<10	50	<10	<1	49
33	L0+00N 36+00 E A	<5	0.4	0.37	<5	220	<5	0.89	<1	5	5	745	0.57	<10	0.13	4460	9	0.02	6	1360	20	<5	<20	89	0.02	<10	11	<10	<1	58
34	L0+00N 36+00 E B	<5	<.2	0.72	<5	105	5	0.21	<1	4	12	24	1.29	<10	0.13	226	<1	<.01	6	300	4	<5	<20	41	0.06	<10	30	<10	1	28
35	L0+00N 37+00 E A	<5	0.2	0.48	<5	225	<5	1.62	<1	2	6	916	0.74	20	0.23	1174	9	0.02	11	1270	14	<5	<20	122	0.01	<10	25	<10	11	31
36	L0+00N 37+00 E B	<5	<.2	0.95	<5	135	5	0.35	<1	7	23	25	1.79	<10	0.21	264	<1	0.01	12	200	4	<5	<20	49	0.09	<10	46	<10	3	29
37	L0+00N 38+00 E A	<5	<.2	0.41	<5	205	<5	0.95	2	3	7	794	0.80	<10	0.16	1616	9	0.03	6	760	20	<5	<20	85	0.02	<10	18	<10	<1	76
38	L0+00N 38+00 E B	<5	<.2	0.98	<5	195	5	0.31	<1	5	20	23	2.00	<10	0.17	149	<1	<.01	9	250	2	<5	<20	87	0.08	<10	54	<10	<1	33
39	L0+00N 39+00 E A	<5	0.8	0.36	<5	170	<5	1.51	5	2	4	**1195**	0.59	<10	0.23	**4357**	**14**	0.02	6	1040	14	5	<20	96	0.02	<10	11	<10	**<1**	**181**
40	L0+00N 39+00 E B	<5	<.2	0.82	<5	170	<5	0.31	<1	6	21	32	2.01	<10	0.18	322	<1	<.01	9	210	<2	<5	<20	58	0.09	<10	60	<10	<1	35
41	L0+00N 40+00 E A	<5	0.4	0.24	<5	220	<5	1.43	4	<1	3	635	0.43	<10	0.11	2118	**10**	0.03	4	1170	14	<5	<20	65	0.01	<10	8	<10	<1	104
42	L0+00N 40+00 E B	<5	<.2	0.49	<5	90	<5	0.10	<1	4	7	17	1.00	<10	0.07	553	<1	<.01	4	440	4	<5	<20	11	0.06	<10	27	<10	<1	60
43	L200N 19+32 E A	<5	0.2	1.13	<5	330	<5	3.63	1	2	12	2796	1.16	60	0.28	500	4	0.02	21	1520	2	5	<20	172	0.02	<10	32	<10	70	18
44	L200N 20+00 E A	<5	<.2	0.22	<5	150	<5	1.61	<1	<1	2	415	0.31	<10	0.14	880	7	0.03	5	1220	16	<5	<20	86	<.01	<10	6	<10	1	49
45	L200N 20+00 E B	<5	<.2	2.83	<5	190	10	0.15	<1	8	16	22	2.32	<10	0.16	336	<1	<.01	21	1210	8	<5	<20	17	0.11	<10	46	<10	1	54
46	L200N 21+00 E A	<5	<.2	1.24	<5	170	<5	0.39	2	6	13	218	1.79	<10	0.16	2568	4	0.03	13	750	14	<5	<20	30	0.06	<10	43	<10	<1	90
47	L200N 21+00 E B	<5	<.2	1.26	<5	255	<5	0.95	3	6	14	**173**	1.87	10	0.27	199	<1	0.03	15	980	4	<5	<20	71	0.05	<10	38	<10	10	36
48	L200N 22+00 E A	<5	<.2	0.52	<5	195	<5	1.23	<1	3	7	262	0.87	<10	0.15	2657	5	0.03	7	1010	14	<5	<20	75	0.03	<10	21	<10	<1	54
49	L200N 22+00 E B	<5	<.2	1.03	<5	115	<5	0.15	<1	5	11	20	1.66	<10	0.11	175	<1	<.01	8	2020	6	<5	<20	14	0.06	<10	38	<10	<1	33
50	L200N 23+00 E A	<5	<.2	0.41	<5	140	<5	0.73	1	3	7	382	0.74	<10	0.12	1849	6	0.03	6	960	18	<5	<20	48	0.02	<10	18	<10	<1	57

GETTY COPPER CORPORATION

ICP CERTIFICATE OF ANALYSIS AK 96-391

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
51	L200N 23+00 E B	<5	<.2	0.91	<5	135	<5	0.20	<1	7	23	35	2.49	<10	0.21	148	<1	<.01	11	590	2	<5	<20	26	0.06	<10	74	<10	<1	22
52	L200N 24+00 E A	<5	0.6	0.40	<5	280	<5	1.20	<1	2	5	446	0.48	<10	0.14	5482	9	0.02	8	1360	18	<5	<20	97	0.02	<10	15	<10	6	59
53	L200N 24+00 E B	<5	<.2	0.79	<5	95	<5	0.20	<1	4	14	58	1.45	<10	0.16	112	<1	<.01	8	150	<2	<5	<20	20	0.06	<10	38	<10	<1	22
54	L200N 25+00 E A	<5	<.2	0.12	<5	140	<5	2.86	1	<1	1	347	0.21	<10	0.18	438	4	0.02	3	1310	2	10	<20	105	<.01	<10	4	<10	<1	69
55	L200N 26+00 E A	<5	<.2	0.31	<5	225	<5	1.78	1	1	3	146	0.48	<10	0.11	1462	4	0.03	6	960	14	<5	<20	135	0.01	<10	12	<10	<1	94
QC DATA:																														
Repeat:																														
1	L0+00N 20+50 E A	<5	0.2	0.32	<5	225	<5	0.86	<1	2	6	333	0.64	<10	0.11	2283	6	0.03	6	750	16	<5	<20	54	0.02	<10	16	<10	<1	53
10	L0+00N 24+00 E B	<5	<.2	1.27	<5	145	10	0.27	<1	7	21	21	2.17	<10	0.19	389	<1	<.01	12	1080	4	<5	<20	34	0.07	<10	53	<10	<1	37
19	L0+00N 29+00 E A	<5	0.2	0.23	<5	450	<5	2.50	<1	<1	3	511	0.37	<10	0.16	2416	5	0.03	4	830	12	<5	<20	134	0.01	<10	8	<10	<1	124
36	L0+00N 37+00 E B	<5	<.2	0.93	<5	130	5	0.37	<1	7	22	30	1.74	<10	0.21	264	<1	0.01	11	220	4	<5	<20	50	0.09	<10	46	<10	3	29
45	L200N 20+00 E B	<5	<.2	2.85	<5	190	<5	0.14	<1	8	15	20	2.28	<10	0.16	329	<1	<.01	21	1160	4	<5	<20	19	0.11	<10	45	<10	<1	51
Standard:																														
GEO'96		140	1.2	1.85	50	180	<5	1.83	1	19	55	82	3.99	10	0.96	754	<1	0.01	24	760	20	<5	<20	56	0.08	<10	80	<10	4	71
GEO'96		150	1.2	1.85	55	185	<5	1.85	<1	19	57	82	4.10	<10	0.95	782	<1	0.01	22	710	20	10	<20	59	0.09	<10	76	<10	3	75

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

/380
XLS/96G.Copper#2

4-Jun-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS - AK96-380

LINE 350 N.

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 42
Sample type: Soil
PROJECT #: None Given
SHIPMENT #: None Given

1380E

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L350-N - EOL (W) A1	<5	0.4	0.56	5	130	<5	0.55	<1	3	8	234	0.87	<10	0.10	1847	8	0.02	8	700	20	<5	<20	49	0.04	<10	21	<10	<1	61
2	L350-N - EOL (W) A2	<5	0.2	0.67	<5	210	<5	1.07	<1	3	8	234	0.90	<10	0.17	2180	13	0.02	9	1050	24	<5	<20	92	0.05	<10	20	<10	<1	83
3	L350-N - EOL (W) A3	<5	0.2	1.05	<5	160	<5	0.58	<1	6	17	213	1.73	<10	0.18	1122	8	0.01	12	510	12	<5	<20	67	0.07	<10	43	<10	<1	44
4	L350-N - EOL (W) B1	<5	<.2	3.53	<5	160	10	0.23	<1	10	19	23	2.47	<10	0.18	276	<1	0.02	41	2000	8	<5	<20	28	0.15	<10	46	<10	<1	70
5	L350-N - EOL (W) B2	<5	<.2	2.67	<5	110	5	0.21	<1	8	14	15	1.97	<10	0.12	214	<1	0.02	23	2300	6	<5	<20	20	0.14	<10	38	<10	1	63
6	L350-N - EOL (W) B3	<5	<.2	3.09	<5	210	<5	0.21	<1	11	25	51	2.88	<10	0.25	152	<1	0.02	30	1190	8	<5	<20	33	0.15	<10	59	<10	<1	42
7	L350-N - 1500E - A	<5	<.2	1.50	<5	240	<5	1.08	<1	7	16	100	1.71	<10	0.27	555	9	0.03	16	1380	4	<5	<20	79	0.08	<10	38	<10	<1	55
8	L350-N - 1500E - B	<5	<.2	2.25	<5	340	5	0.41	<1	9	20	30	2.30	<10	0.25	178	<1	0.02	23	2290	4	<5	<20	52	0.12	<10	45	<10	2	48
9	L350-N - 1600E - A	<5	0.4	0.59	<5	190	<5	0.73	<1	4	7	378	0.77	<10	0.14	3349	11	0.03	7	950	24	<5	<20	53	0.03	<10	17	<10	<1	66
10	L350-N - 1600E - B	<5	0.2	2.16	<5	215	5	0.22	<1	9	17	22	2.11	<10	0.18	1370	<1	0.01	20	800	6	<5	<20	23	0.13	<10	44	<10	<1	105
11	L350-N - 1700E - A	<5	0.4	1.03	<5	135	<5	0.77	<1	4	10	419	1.15	<10	0.19	1109	11	0.03	12	730	18	<5	<20	50	0.05	<10	25	<10	<1	68
12	L350-N - 1700E - B	<5	<.2	3.67	10	265	<5	0.40	<1	13	34	84	3.48	<10	0.38	208	<1	0.02	32	1310	8	<5	<20	53	0.13	<10	75	<10	<1	49
13	L350-N - 1800E - A	<5	0.2	1.06	<5	245	<5	0.89	<1	5	14	251	1.50	<10	0.20	2028	12	0.02	13	740	16	<5	<20	64	0.06	<10	35	<10	<1	53
14	L350-N - 1800E - B	<5	<.2	2.77	<5	195	10	0.32	<1	12	31	49	3.12	<10	0.30	376	<1	0.02	26	1090	8	<5	<20	33	0.14	<10	72	<10	<1	65
15	L350-N - 1845E - A	<5	<.2	0.65	<5	145	<5	0.73	<1	5	13	220	1.34	<10	0.20	536	19	<.01	9	830	8	<5	<20	40	0.04	<10	35	<10	<1	35
16	L350-N - 1845E - B	<5	<.2	1.43	<5	225	<5	0.47	<1	9	30	78	2.81	<10	0.27	162	1	0.01	16	1040	6	<5	<20	36	0.09	<10	73	<10	1	30
17	L350-N - 2000E - A	<5	<.2	0.82	<5	120	<5	1.19	<1	6	11	157	1.20	<10	0.15	229	3	0.02	10	460	10	<5	<20	45	0.04	<10	33	<10	3	21
18	L350-N - 2000E - B	<5	<.2	3.08	<5	290	<5	1.10	<1	13	33	505	3.53	40	0.43	358	<1	0.02	30	330	16	<5	<20	59	0.12	<10	82	<10	16	56
19	L350-N - 2100E - A	<5	0.4	0.46	<5	155	<5	1.17	<1	3	6	479	0.69	<10	0.16	2742	10	0.08	6	900	18	5	<20	71	0.02	<10	16	<10	<1	41
20	L350-N - 2100E - A2	<5	0.2	0.29	<5	125	<5	1.22	<1	1	4	280	0.36	<10	0.13	1686	7	0.03	4	1130	14	<5	<20	73	0.01	<10	8	<10	<1	35
21	L350-N - 2100E - A3	<5	0.4	0.31	<5	130	<5	1.30	<1	2	4	453	0.47	<10	0.17	2553	11	0.04	5	1010	16	5	<20	78	0.02	<10	10	<10	<1	42
22	L350-N - 2100E - B	<5	<.2	3.66	10	240	<5	0.28	<1	10	21	88	2.76	<10	0.21	186	<1	0.02	33	3130	8	<5	<20	25	0.13	<10	50	<10	2	54
23	L350-N - 2100E - B2	<5	<.2	3.38	5	200	<5	0.27	<1	10	22	102	2.80	<10	0.21	148	<1	0.01	31	2390	8	<5	<20	26	0.14	<10	50	<10	<1	73
24	L350-N - 2100E - B3	<5	<.2	1.62	<5	155	<5	0.41	<1	10	33	78	3.13	<10	0.32	194	<1	0.02	18	250	2	<5	<20	46	0.14	<10	88	<10	1	37
25	L350-N - 2200E - A	<5	0.4	1.13	<5	195	<5	1.11	<1	6	11	598	1.73	<10	0.29	1001	16	0.02	12	980	14	5	<20	70	0.03	<10	25	<10	2	70

RECEIVED
June 4 P

ECO-TECH LABORATORIES LTD.

ICP CERTIFICATE OF ANALYSIS - AK96-380

GETTY COPPER CORPORATION

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L350-N - 2200E - A2	<5	0.4	1.11	<5	205	<5	1.05	<1	11	20	755	3.08	<10	0.47	1367	19	<.01	16	950	14	<5	<20	55	0.02	<10	31	<10	2	119
27	L350-N - 2200E - A3	<5	0.4	0.67	<5	210	<5	1.03	<1	3	7	459	0.91	<10	0.17	1428	9	0.02	8	670	16	<5	<20	77	0.03	<10	20	<10	<1	52
28	L350-N - 2200E - B	<5	<.2	2.76	<5	180	5	0.30	<1	10	17	67	2.25	<10	0.18	300	<1	0.02	22	1250	10	<5	<20	24	0.14	<10	46	<10	3	60
29	L350-N - 2200E - B2	<5	<.2	2.83	<5	120	5	0.29	<1	11	24	51	2.78	<10	0.22	380	<1	0.02	25	1250	8	<5	<20	20	0.14	<10	64	<10	2	57
30	L350-N - 2200E - B3	<5	<.2	2.96	<5	160	5	0.27	<1	12	25	69	2.97	<10	0.26	298	<1	0.01	27	1490	10	<5	<20	22	0.15	<10	67	<10	2	55
31	L350-N - 2300E - A	<5	<.2	1.14	<5	95	<5	0.38	<1	7	17	204	2.03	<10	0.19	1032	5	0.01	13	570	12	<5	<20	24	0.06	<10	58	<10	<1	61
32	L350-N - 2300E - B	<5	<.2	1.69	<5	110	5	0.23	<1	10	24	38	2.56	<10	0.21	302	<1	0.01	18	590	8	<5	<20	16	0.11	<10	67	<10	2	52
33	L350-N - 2400E - A	<5	0.2	0.42	<5	120	<5	1.09	<1	3	6	222	0.68	<10	0.15	1549	5	<.01	6	1290	16	<5	<20	68	0.02	<10	15	<10	<1	57
34	L350-N - 2400E - B	<5	<.2	1.78	<5	185	5	0.34	<1	11	25	70	2.83	10	0.33	278	<1	0.01	18	990	10	<5	<20	68	0.11	<10	61	<10	2	44
35	L350-N - 2500E - A	<5	<.2	0.78	<5	210	<5	1.61	1	9	16	480	1.98	10	0.47	625	10	0.02	13	950	6	<5	<20	106	0.05	<10	53	<10	2	92
36	L350-N - 2500E - B	<5	<.2	1.79	<5	305	<5	0.69	<1	17	41	308	4.30	10	0.78	772	<1	0.02	25	620	6	<5	<20	80	0.15	<10	116	<10	6	57
37	L350-N - 2600E - A	<5	0.2	1.02	<5	145	<5	0.65	<1	6	16	370	1.69	<10	0.21	1977	8	0.03	12	830	18	<5	<20	43	0.05	<10	42	<10	<1	79
38	L350-N - 2600E - A2	<5	0.2	0.60	<5	150	<5	0.81	<1	4	10	440	1.10	<10	0.15	2403	11	0.03	7	660	24	<5	<20	52	0.04	<10	28	<10	<1	72
39	L350-N - 2600E - A3	<5	0.2	0.67	5	115	<5	0.58	<1	4	10	576	1.19	<10	0.15	1576	15	0.02	8	680	24	<5	<20	40	0.04	<10	28	<10	<1	57
40	L350-N - 2600E - B	<5	<.2	2.71	<5	160	<5	0.24	<1	11	25	80	2.78	<10	0.22	306	<1	0.02	25	1300	8	<5	<20	24	0.14	<10	61	<10	<1	74
41	L350-N - 2600E - B2	<5	<.2	1.22	<5	75	<5	0.16	<1	7	12	23	1.71	<10	0.13	522	<1	0.01	13	720	6	<5	<20	12	0.10	<10	44	<10	<1	55
42	L350-N - 2600E - B3	<5	<.2	2.29	<5	130	5	0.20	<1	9	21	54	2.52	<10	0.19	213	<1	0.02	23	1490	6	<5	<20	18	0.12	<10	58	<10	<1	67

QC DATA:

Repeat:

1	L350-N - EOL (W) A1	<5	0.2	0.55	<5	125	<5	0.53	<1	3	8	225	0.90	<10	0.10	1717	8	0.03	7	660	20	<5	<20	47	0.04	<10	22	<10	<1	60
10	L350-N - 1600E - B	<5	<.2	2.13	<5	220	5	0.23	<1	10	17	25	2.10	<10	0.19	1217	<1	0.01	21	860	8	<5	<20	23	0.13	<10	44	<10	3	100
19	L350-N - 2100E - A	<5	0.4	0.46	<5	160	<5	1.18	<1	3	7	495	0.74	<10	0.16	2869	12	0.07	5	890	20	<5	<20	75	0.02	<10	18	<10	<1	39
28	L350-N - 2200E - B	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	L350-N - 2500E - B	<5	<.2	1.85	<5	305	<5	0.68	<1	17	38	308	4.36	<10	0.77	797	<1	0.02	24	620	4	<5	<20	82	0.15	<10	118	<10	5	58

Standard:

GEO'96	155	1.4	1.97	45	190	10	1.99	1	21	68	82	4.01	20	1.06	766	<1	0.02	24	770	20	5	<20	68	0.15	<10	80	<10	6	76
GEO'96	150	1.2	1.80	65	180	<5	1.97	<1	20	70	84	4.10	<10	1.02	801	<1	0.02	22	700	18	<5	<20	73	0.15	<10	80	<10	4	78

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

df/380A
XLS/96G.Copper

Soils - Au.

Lines: 4775, 5100, 5400, 5700, 6000 & 6600

CERTIFICATE OF ANALYSIS AK 96-559

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

10-Jul-96

ATTENTION: D. BLANN/ B.PERRY

No. of samples received: 348
Sample type: Soil
PROJECT #: None Given
SHIPMENT #: None Given

ET #.	Tag #	Au (ppb)
1	L47+75N 6+00 EA	<5
2	L47+75N 7+00 EA	<5
3	L47+75N 8+00 EA	<5
4	L47+75N 9+00 EA	<5
5	L47+75N 10+00 EA	<5
6	L47+75N 11+00 EA	<5
7	L47+75N 12+00 EA	<5
8	L47+75N 13+00 EA	<5
9	L47+75N 14+00 EA	<5
10	L47+75N 15+00 EA	<5
11	L47+75N 16+00 EA	<5
12	L47+75N 17+00 EA	<5
13	L47+75N 18+00 EA	<5
14	L47+75N 19+00 EA	<5
15	L47+75N 20+00 EA	<5
16	L47+75N 21+00 EA	<5
17	L47+75N 22+00 EA	<5
18	L47+75N 23+00 EA	<5
19	L47+75N 24+00 EA	<5
20	L47+75N 25+00 EA	<5
21	L47+75N 26+00 EA	<5
22	L47+75N 27+00 EA	<5
23	L51+00N 10+00 EA	<5



GETTY COPPER CORPORATION AK 96-559

10-Jul-96

ET #.	Tag #	Au (ppb)
24	L51+00N 11+00 EA	<5
25	L51+00N 12+00 EA	<5
26	L51+00N 13+00 EA	<5
27	L51+00N 14+00 EA	<5
28	L51+00N 15+00 EA	<5
29	L51+00N 16+00 EA	<5
30	L51+00N 17+00 EA	<5
31	L51+00N 18+00 EA	<5
32	L51+00N 19+00 EA	<5
33	L51+00N 20+00 EA	<5
34	L51+00N 21+00 EA	<5
35	L51+00N 22+00 EA	<5
36	L51+00N 23+00 EA	<5
37	L51+00N 24+00 EA	<5
38	L51+00N 25+00 EA	<5
39	L51+00N 26+00 EA	<5
40	L51+00N 27+00 EA	<5
41	L51+00N 28+00 EA	<5
42	L51+00N 29+00 EA	<5
43	L51+00N 30+00 EA	<5
44	L51+00N 31+00 EA	<5
45	L51+00N 32+00 EA	<5
46	L51+00N 33+00 EA	<5
47	L51+00N 34+00 EA	<5
48	L51+00N 35+00 EA	<5
49	L51+00N 37+00 EA	<5
50	L51+00N 38+00 EA	<5
51	L51+00N 39+00 EA	<5
52	L51+00N 43+00 EA	<5
53	L51+00N 44+00 EA	<5
54	L51+00N 46+50 EA	<5
55	L54+00N 10+00 EA	<5
56	L54+00N 11+00 EA	<5
57	L54+00N 12+00 EA	<5
58	L54+00N 13+00 EA	<5
59	L54+00N 14+00 EA	<5
60	L54+00N 15+00 EA	<5
61	L54+00N 16+00 EA	<5
62	L54+00N 17+00 EA	<5
63	L54+00N 18+00 EA	<5
64	L54+00N 19+00 EA	<5
65	L54+00N 20+00 EA	<5
66	L54+00N 21+00 EA	<5

GETTY COPPER CORPORATION AK 96-559 10-Jul-96

ET #.	Tag #	Au (ppb)
67	L54+00N 22+00 EA	<5
68	L54+00N 23+00 EA	<5
69	L54+00N 26+00 EA	<5
70	L54+00N 27+00 EA	<5
71	L54+00N 29+00 EA	<5
72	L54+00N 30+00 EA	<5
73	L54+00N 31+00 EA	<5
74	L54+00N 32+00 EA	<5
75	L54+00N 33+00 EA	<5
76	L54+00N 34+00 EA	<5
77	L54+00N 35+00 EA	<5
78	L54+00N 36+00 EA	<5
79	L54+00N 38+00 EA	<5
80	L54+00N 39+00 EA	<5
81	L54+00N 40+00 EA	<5
82	L54+00N 41+00 EA	<5
83	L54+00N 42+00 EA	<5
84	L57+00N 6+50 EA	<5
85	L57+00N 7+00 EA	<5
86	L57+00N 8+00 EA	<5
87	L57+00N 9+00 EA	<5
88	L57+00N 10+00 EA	<5
89	L57+00N 11+00 EA	<5
90	L57+00N 12+00 EA	<5
91	L57+00N 13+00 EA	<5
92	L57+00N 14+00 EA	<5
93	L57+00N 15+00 EA	<5
94	L57+00N 16+00 EA	<5
95	L57+00N 17+00 EA	<5
96	L57+00N 18+00 EA	<5
97	L57+00N 19+00 EA	<5
98	L57+00N 20+00 EA	<5
99	L57+00N 21+00 EA	<5
100	L57+00N 23+00 EA	<5
101	L57+00N 24+00 EA	<5
102	L57+00N 25+00 EA	<5
103	L57+00N 26+00 EA	<5
104	L57+00N 27+00 EA	<5
105	L57+00N 28+00 EA	<5
106	L57+00N 29+00 EA	<5
107	L57+00N 30+00 EA	<5
108	L57+00N 31+00 EA	<5
109	L57+00N 32+00 EA	<5

GETTY COPPER CORPORATION AK 96-559

10-Jul-96

ET #.	Tag #	Au (ppb)
110	L57+00N 33+00 EA	<5
111	L57+00N 34+00 EA	<5
112	L57+00N 35+00 EA	<5
113	L57+00N 36+00 EA	<5
114	L57+00N 37+00 EA	<5
115	L57+00N 39+00 EA	<5
116	L57+00N 40+00 EA	<5
117	L57+00N 41+00 EA	<5
118	L57+00N 42+00 EA	<5
119	L60+00N 7+00 EA	<5
120	L60+00N 8+00 EA	<5
121	L60+00N 9+00 EA	<5
122	L60+00N 10+00 EA	<5
123	L60+00N 11+00 EA	<5
124	L60+00N 12+00 EA	<5
125	L60+00N 13+00 EA	<5
126	L60+00N 14+00 EA	<5
127	L60+00N 15+00 EA	<5
128	L60+00N 27+00 EA	<5
129	L60+00N 28+00 EA	<5
130	L60+00N 29+00 EA	<5
131	L60+00N 30+00 EA	<5
132	L60+00N 31+00 EA	<5
133	L60+00N 32+00 EA	<5
134	L60+00N 33+00 EA	<5
135	L60+00N 34+00 EA	<5
136	L60+00N 35+00 EA	<5
137	L60+00N 36+00 EA	<5
138	L60+00N 37+00 EA	<5
139	L60+00N 38+00 EA	<5
140	L60+00N 39+00 EA	<5
141	L60+00N 40+00 EA	<5
142	L66+00N 7+00 EA	<5
143	L66+00N 8+00 EA	<5
144	L66+00N 9+00 EA	<5
145	L66+00N 10+00 EA	<5
146	L66+00N 11+00 EA	<5
147	L66+00N 12+00 EA	<5
148	L66+00N 13+00 EA	<5
149	L66+00N 14+00 EA	<5
150	L66+00N 15+00 EA	<5
151	L66+00N 16+00 EA	<5

ET #.	Tag #	Au (ppb)
152	L66+00N 17+00 EA	<5
153	L66+00N 18+00 EA	<5
154	L66+00N 19+00 EA	<5
155	L66+00N 20+00 EA	<5
156	L66+00N 21+00 EA	<5
157	L66+00N 22+00 EA	<5
158	L66+00N 23+00 EA	<5
159	L66+00N 24+00 EA	<5
160	L66+00N 25+00 EA	<5
161	L66+00N 26+00 EA	<5
162	L66+00N 27+00 EA	<5
163	L66+00N 28+00 EA	<5
164	L66+00N 29+00 EA	<5
165	L66+00N 30+00 EA	<5
166	L66+00N 31+00 EA	<5
167	L66+00N 32+00 EA	<5
168	L66+00N 33+00 EA	<5
169	L66+00N 34+00 EA	<5
170	L66+00N 35+00 EA	<5
171	L66+00N 35+50 EA	<5
172	L66+00N 36+00 EA	<5
173	L66+00N 37+00 EA	<5
174	L66+00N 38+00 EA	<5

QC DATA:

Repeat:

1	L47+75N 6+00 EA	<5
10	L47+75N 15+00 EA	<5
19	L47+75N 24+00 EA	<5
28	L51+00N 15+00 EA	<5
36	L51+00N 23+00 EA	<5
45	L51+00N 32+00 EA	<5
54	L51+00N 46+50 EA	<5
63	L54+00N 18+00 EA	<5
71	L54+00N 29+00 EA	<5
80	L54+00N 39+00 EA	<5
89	L57+00N 11+00 EA	<5
98	L57+00N 20+00 EA	<5
106	L57+00N 29+00 EA	<5
115	L57+00N 39+00 EA	<5
124	L60+00N 12+00 EA	<5
133	L60+00N 32+00 EA	<5
141	L60+00N 40+00 EA	<5
150	L66+00N 15+00 EA	<5
159	L66+00N 24+00 EA	<5

GETTY COPPER CORPORATION AK 96-559

10-Jul-96

ET #.	Tag #	Au (ppb)

QC DATA:

Standard:

GEO'96	150
GEO'96	150
GEO'96	150
GEO'96	150
GEO'96	150

per

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

XLS/96G.Copper#5

Lines: 100S, 200S, Au.
4775N, & 5400N

CERTIFICATE OF ANALYSIS AK 96-494


GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

25-Jun-96

ATTENTION: D.BLANN/B.PERRY

No. of samples received: 65
Sample type: Soil
PROJECT #: none given
SHIPMENT #: none given
Sample Submitted by: Getty Copper Corp.

ET #.	Tag #	Au (ppb)
1	L1+00S- 30+00 E A	<5
2	L2+00S- 30+00 E A	<5
3	L2+00S- 31+00 E A	<5
4	L2+00S- 32+00 E A	<5
5	L2+00S- 33+00 E A	<5
6	L2+00S- 34+00 E A	<5
7	L2+00S- 35+00 E A	<5
8	L2+00S- 36+00 E A	<5
9	L2+00S- 37+00 E A	<5
10	L2+00S- 38+00 E A	<5
11	L2+00S- 39+00 E A	<5
12	L2+00S- 40+00 E A	<5
13	L47+75N- 28+00 E A	<5
14	L47+75N- 29+00 E A	<5
15	L47+75N- 30+00 E A	<5
16	L47+75N- 31+00 E A	<5
17	L47+75N- 32+00 E A	<5
18	L47+75N- 34+00 E A	<5
19	L47+75N- 36+00 E A	<5
20	L47+75N- 37+00 E A	<5
21	L47+75N- 38+00 E A	<5
22	L47+75N- 39+00 E A	<5
23	L47+75N- 40+00 E A	<5
24	L47+75N- 41+00 E A	<5



GETTY COPPER CORPORATION AK 96-494

25-Jun-96

ET #.	Tag #	Au (ppb)
25	L47+75N- 42+00 E A	<5
26	L47+75N- 43+00 E A	<5
27	L47+75N- 44+00 E A	<5
28	L47+75N- 45+00 E A	<5
29	L47+75N- 46+00 E A	<5
30	L54+00N- 24+00 E A	<5
31	L54+00N- 25+00 E A	<5
32	L54+00N- 26+00 E A	<5

QC DATA:

Repeat:

1	L1+00S- 30+00 E A	<5
10	L2+00S- 38+00 E A	<5
19	L47+75N- 36+00 E A	<5
28	L47+75N- 45+00 E A	<5

Standard:

GEO'96	150

ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

XLS/96G.Copper#4

Lines: 3875, 4000, 4250, & 4550

Au.

CERTIFICATE OF ANALYSIS AK 96-484

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

25-Jun-96

ATTENTION: D.BLANN/B.PERRY

No. of samples received: 289
Sample type: Soil
PROJECT #: none given
SHIPMENT #: none given
Sample Submitted by: Getty Copper Corp.

ET #.	Tag #	Au (ppb)
1	L38+75 N 1+00 E A	<5
2	L38+75 N 2+00 E A	<5
3	L38+75 N 3+00 E A	<5
4	L38+75 N 4+00 E A	<5
5	L38+75 N 5+00 E A	<5
6	L38+75 N 6+00 E A	<5
7	L38+75 N 7+00 E A	<5
8	L38+75 N 8+00 E A	<5
9	L38+75 N 9+00 E A	<5
10	L38+75 N 10+00 E A	<5
11	L38+75 N 11+00 E A	<5
12	L38+75 N 12+00 E A	<5
13	L38+75 N 13+00 E A	<5
14	L38+75 N 14+00 E A	<5
15	L38+75 N 15 A	<5
16	L38+75 N 16 A	<5
17	L38+75 N 17+00 E A	<5
18	L38+75 N 18+50 E A	<5
19	L38+75 N 20+00 E A	<5
20	L38+75 N 21+00 E A	<5
21	L38+75 N 23+00 E A	<5
22	L38+75 N 24+00 E A	<5
23	L38+75 N 25+00 E A	<5
24	L38+75 N 26+00 E A	<5

RECEIVED June 25

GETTY COPPER CORPORATION AK 96-484

25-Jun-96

ET #.	Tag #					Au (ppb)
25	L38+75	N	27+00	E	A	<5
26	L38+75	N	28+00	E	A	<5
27	L38+75	N	29+00	E	A	<5
28	L38+75	N	30+00	E	A	<5
29	L38+75	N	3+00	W	A	<5
30	L38+75	N	4+00	W	A	<5
31	L38+75	N	5+00	W	A	<5
32	L38+75	N	6+00	W	A	<5
33	L4000	N	3+50	E	A	<5
34	L4000	N	4+00	E	A	<5
35	L4000	N	5+00	E	A	<5
36	L4000	N	6+00	E	A	<5
37	L4000	N	7+00	E	A	<5
38	L4000	N	8+00	E	A	<5
39	L4000	N	9+00	E	A	<5
40	L4000	N	10+00	E	A	<5
41	L4000	N	11+00	E	A	<5
42	L4000	N	12+00	E	A	<5
43	L4000	N	13+00	E	A	<5
44	L4000	N	14+00	E	A	<5
45	L4000	N	15+00	E	A	<5
46	L4000	N	16+00	E	A	<5
47	L4000	N	41+00	E	A	<5
48	L4000	N	42+00	E	A	<5
49	L4000	N	43+00	E	A	<5
50	L4000	N	44+00	E	A	<5
51	L4000	N	45+00	E	A	<5
52	L4000	N	46+00	E	A	<5
53	L4000	N	47+00	E	A	<5
54	L4000	N	48+00	E	A	<5
55	L4000	N	50+00	E	A	<5
56	L4000	N	53+00	E	A	<5
57	L4250	N	5+00	E	A	<5
58	L4250	N	6+00	E	A	<5
59	L4250	N	7+00	E	A	<5
60	L4250	N	8+00	E	A	<5
61	L4250	N	9+00	E	A	<5
62	L4250	N	10+00	E	A	<5
63	L4250	N	11+00	E	A	<5
64	L4250	N	12+00	E	A	<5
65	L4250	N	13+00	E	A	<5
66	L4250	N	14+00	E	A	<5
67	L4250	N	15+00	E	A	<5
68	L4250	N	16+00	E	A	<5

GETTY COPPER CORPORATION AK 96-484

25-Jun-96

ET #.	Tag #					Au (ppb)
69	L4250	N	17+00	E	A	<5
70	L4250	N	18+00	E	A	<5
71	L4250	N	19+00	E	A	<5
72	L4250	N	20+00	E	A	<5
73	L4250	N	21+00	E	A	<5
74	L4250	N	22+00	E	A	<5
75	L4250	N-	24+00	E	A	<5
76	L4250	N-	25+00	E	A	<5
77	L4250	N-	26+00	E	A	<5
78	L4250	N-	27+00	E	A	<5
79	L4250	N-	28+00	E	A	<5
80	L4250	N-	29+00	E	A	<5
81	L4250	N-	30+00	E	A	<5
82	L4250	N-	31+00	E	A	<5
83	L4250	N-	32+00	E	A	<5
84	L4250	N-	34+00	E	A	<5
85	L4250	N-	35+00	E	A	<5
86	L4250	N-	37+00	E	A	<5
87	L4250	N-	38+00	E	A	<5
88	L4250	N-	39+00	E	A	<5
89	L4250	N-	40+00	E	A	<5
90	L4250	N-	41+00	E	A	<5
91	L4250	N-	42+00	E	A	<5
92	L4250	N-	43+00	E	A	<5
93	L4250	N-	44+00	E	A	<5
94	L4250	N-	45+00	E	A	<5
95	L4250	N-	46+00	E	A	<5
96	L4250	N-	47+00	E	A	<5
97	L4250	N-	48+00	E	A	<5
98	L4250	N-	49+00	E	A	<5
99	L45+50	N-	4+00	E	A	<5
100	L45+50	N-	5+00	E	A	<5
101	L45+50	N-	6+00	E	A	<5
102	L45+50	N-	7+00	E	A	<5
103	L45+50	N-	8+00	E	A	<5
104	L45+50	N-	9+00	E	A	<5
105	L45+50	N-	10+00	E	A	<5
106	L45+50	N-	11+00	E	A	<5
107	L45+50	N-	12+00	E	A	<5
108	L45+50	N-	13+00	E	A	<5
109	L45+50	N-	14+00	E	A	<5
110	L45+50	N-	15+00	E	A	<5
111	L45+50	N-	16+00	E	A	<5
112	L45+50	N-	17+00	E	A	<5

ET #.	Tag #	Au (ppb)
113	L45+50 N- 18+00 E A	<5
114	L45+50 N- 19+00 E A	<5
115	L45+50 N- 20+00 E A	<5
116	L45+50 N- 21+00 E A	<5
117	L45+50 N- 22+00 E A	<5
118	L45+50 N- 23+00 E A	<5
119	L45+50 N- 24+00 E A	<5
120	L45+50 N- 25+00 E A	<5
121	L45+50 N- 26+00 E A	<5
122	L45+50 N- 27+00 E A	<5
123	L45+50 N- 28+00 E A	<5
124	L45+50 N- 29+00 E A	<5
125	L45+00 N- 31+00 E A	<5
126	L45+50 N- 32+00 E A	<5
127	L45+50 N- 33+00 E A	<5
128	L45+50 N- 34+00 E A	<5
129	L45+50 N- 35+00 E A	<5
130	L45+50 N- 37+00 E A	<5
131	L45+50 N- 38+00 E A	<5
132	L45+50 N- 39+00 E A	<5
133	L45+50 N- 40+00 E A	<5
134	L45+50 N- 41+00 E A	<5
135	L45+50 N- 42+00 E A	<5
136	L45+50 N- 43+00 E A	<5
137	L45+50 N- 44+00 E A	<5
138	L45+50 N- 45+00 E A	<5
139	L45+50 N- 46+00 E A	<5

ET #.	Tag #	Au (ppb)
QC DATA:		
Repeat:		
1	L38+75 N 1+00 E A	<5
10	L38+75 N 10+00 E A	<5
19	L38+75 N 20+00 E A	<5
28	L38+75 N 30+00 E A	<5
36	L4000 N 6+00 E A	<5
45	L4000 N 15+00 E A	<5
54	L4000 N 48+00 E A	<5
63	L4250 N 11+00 E A	<5
71	L4250 N 19+00 E A	<5
80	L4250 N- 29+00 E A	<5
89	L4250 N- 40+00 E A	<5
98	L4250 N- 49+00 E A	<5
106	L45+50 N- 11+00 E A	<5
115	L45+50 N- 20+00 E A	<5
124	L45+50 N- 29+00 E A	<5
133	L45+50 N- 40+00 E A	<5
Standard:		
GEO'96		150
GEO'96		150
GEO'96		140
GEO'96		150

ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

XLS/96G Copper#4

Au - Lines: 3200, 3325, 3400, 3600 3750 3875 4000

CERTIFICATE OF ANALYSIS AK 96-477

GETTY COPPER CORPORATION
1000 AUSTIN AVENUE
COQUITLAM, B.C.
V3K 3P3

20-Jun-96

ATTENTION: D.BLANN/B.PERRY

No. of samples received: 352
Sample type: Soil
PROJECT #: none given
SHIPMENT #: none given
Sample submitted by: Getty Copper Corp.

ET #.	Tag #	Au (ppb)
1	L32+00N 1+00 W A	<5
2	L32+00N 2+00 W A	<5
3	L32+00N 3+00 W A	<5
4	L32+00N 4+00 W A	15
5	L32+00N 5+00 W A	10
6	L32+00N 6+00 W A	<5
7	L33+25N 1+00 W A	<5
8	L33+25N 2+00 W A	<5
9	L33+25N 3+00 W A	<5
10	L33+25N 4+00 W A	<5
11	L33+25N 5+00 W A	<5
12	L33+25N 6+00 W A	<5
13	L34+50N 39+00 E A	<5
14	L34+50N 38+00 E A	<5
15	L34+50N 37+00 E A	<5
16	L34+50N 36+00 E A	<5
17	L34+50N 35+00 E A	<5
18	L34+50N 34+00 E A	<5
19	L34+50N 33+00 E A	<5
20	L34+50N 32+00 E A	<5
21	L34+50N 31+00 E A	<5
22	L34+50N 30+00 E A	<5
23	L34+50N 29+00 E A	<5
24	L34+50N 27+00 E A	<5
25	L34+50N 26+00 E A	<5
26	L34+50N 25+00 E A	<5

RCVD: June 20. TP

GETTY COPPER CORPORATION AK96-477 20-Jun-96

ET #.	Tag #	Au (ppb)
27	L34+50N 24+00 E A	<5
28	L34+50N 23+00 E A	<5
29	L34+50N 22+00 E A	20
30	L34+50N 21+00 E A	<5
31	L34+50N 20+00 E A	<5
32	L34+50N 19+00 E A	<5
33	L34+50N 18+00 E A	<5
34	L34+50N 14+00 E A	<5
35	L34+50N 13+00 E A	<5
36	L34+50N 12+00 E A	<5
37	L34+50N 11+00 E A	<5
38	L34+50N 10+00 E A	<5
39	L34+50N 9+00 E A	<5
40	L34+50N 8+00 E A	<5
41	L34+50N 7+00 E A	<5
42	L34+50N 6+00 E A	<5
43	L34+50N 5+00 E A	<5
44	L34+50N 4+00 E A	<5
45	L34+50N 3+00 E A	<5
46	L34+50N 2+00 E A	<5
47	L34+50N 1+00 E A	<5
48	L34+50N 0+00 E A	<5
49	L34+50N 1+00 W A	<5
50	L34+50N 2+00 W A	<5
51	L34+50N 3+00 W A	<5
52	L34+50N 4+00 W A	<5
53	L34+50N 5+00 W A	<5
54	L34+50N 6+00 W A	<5
55	L34+50N 7+00 W A	<5
56	L34+50N 8+00 W A	<5
57	L36+00N 30+00 E A	<5
58	L36+00N 28+00 E A	<5
59	L36+00N 27+00 E A	<5
60	L36+00N 26+00 E A	<5
61	L36+00N 25+00 E A	<5
62	L36+00N 24+00 E A	<5
63	L36+00N 23+00 E A	<5
64	L36+00N 22+00 E A	<5
65	L36+00N 21+00 E A	<5
66	L36+00N 19+00 E A	<5
67	L36+00N 18+00 E A	<5
68	L36+00N 16+00 E A	*
69	L36+00N 15+50 E A	<5
70	L36+00N 15+00 E A	<5
71	L36+00N 14+00 E A	<5
72	L36+00N 13+00 E A	<5
73	L36+00N 12+00 E A	<5

NOTE: * Sample missing from shipment

GETTY COPPER CORPORATION AK96-477 20-Jun-96

ET #.	Tag #				Au (ppb)
74	L36+00N	11+00	E	A	<5
75	L36+00N	10+00	E	A	<5
76	L36+00N	9+00	E	A	<5
77	L36+00N	8+00	E	A	<5
78	L36+00N	7+00	E	A	<5
79	L36+00N	6+00	E	A	<5
80	L36+00N	5+00	E	A	<5
81	L36+00N	4+00	E	A	<5
82	L36+00N	3+00	E	A	<5
83	L36+00N	2+00	E	A	10
84	L36+00N	1+00	E	A	<5
85	L36+00N	0+00	E	A	<5
86	L36+00N	1+00	W	A	<5
87	L36+00N	2+00	W	A	<5
88	L36+00N	3+00	W	A	40
89	L36+00N	4+00	W	A	<5
90	L36+00N	5+00	W	A	<5
91	L36+00N	6+00	W	A	<5
92	L36+00N	7+00	W	A	<5
93	L37+50N	54+00	E	A	<5
94	L37+50N	53+00	E	A	<5
95	L37+50N	51+00	E	A	<5
96	L37+50N	50+00	E	A	<5
97	L37+50N	49+00	E	A	<5
98	L37+50N	48+00	E	A	<5
99	L37+50N	47+00	E	A	<5
100	L37+50N	46+00	E	A	<5
101	L37+50N	44+00	E	A	<5
102	L37+50N	43+00	E	A	<5
103	L37+50N	42+00	E	A	<5
104	L37+50N	41+00	E	A	<5
105	L37+50N	40+00	E	A	<5
106	L37+50N	39+00	E	A	<5
107	L37+50N	38+00	E	A	<5
108	L37+50N	37+00	E	A	<5
109	L37+50N	36+00	E	A	<5
110	L37+50N	35+00	E	A	<5
111	L37+50N	34+00	E	A	<5
112	L37+50N	33+00	E	A	<5
113	L37+50N	32+00	E	A	<5
114	L37+50N	31+00	E	A	<5
115	L37+50N	29+00	E	A	<5
116	L37+50N	28+00	E	A	<5
117	L37+50N	27+00	E	A	<5
118	L37+50N	26+00	E	A	<5
119	L37+50N	25+00	E	A	<5
120	L37+50N	24+00	E	A	<5

GETTY COPPER CORPORATION AK96-477

20-Jun-96

ET #.	Tag #				Au (ppb)
121	L37+50N	23+00	E	A	<5
122	L37+50N	21+00	E	A	<5
123	L37+50N	20+00	E	A	<5
124	L37+50N	19+00	E	A	<5
125	L37+50N	18+00	E	A	<5
126	L37+50N	17+00	E	A	<5
127	L37+50N	16+00	E	A	<5
128	L37+50N	15+00	E	A	<5
129	L37+50N	14+00	E	A	<5
130	L37+50N	13+00	E	A	<5
131	L37+50N	12+00	E	A	<5
132	L37+50N	11+00	E	A	<5
133	L37+50N	10+00	E	A	<5
134	L37+50N	9+00	E	A	<5
135	L37+50N	8+00	E	A	<5
136	L37+50N	7+00	E	A	<5
137	L37+50N	6+00	E	A	<5
138	L37+50N	5+00	E	A	<5
139	L37+50N	4+00	E	A	<5
140	L37+50N	3+00	E	A	<5
141	L37+50N	2+00	E	A	<5
142	L37+50N	1+00	E	A	<5
143	L37+50N	0+00	E	A	<5
144	L37+50N	1+00	W	A	<5
145	L37+50N	2+00	W	A	<5
146	L37+50N	3+00	W	A	<5
147	L37+50N	4+00	W	A	<5
148	L37+50N	5+00	W	A	<5
149	L38+75N	0+00	W	A	<5
150	L38+75N	1+00	W	A	<5
151	L38+75N	2+00	W	A	<5
152	L40+00N	40+00	E	A	<5
153	L40+00N	39+00	E	A	<5
154	L40+00N	38+00	E	A	<5
155	L40+00N	37+00	E	A	<5
156	L40+00N	36+00	E	A	<5
157	L40+00N	35+00	E	A	<5
158	L40+00N	34+00	E	A	<5
159	L40+00N	33+00	E	A	<5
160	L40+00N	32+00	E	A	<5
161	L40+00N	31+00	E	A	<5
162	L40+00N	30+00	E	A	<5
163	L40+00N	29+00	E	A	<5
164	L40+00N	28+00	E	A	<5
165	L40+00N	27+00	E	A	<5
166	L40+00N	26+00	E	A	<5
167	L40+00N	25+00	E	A	<5

GETTY COPPER CORPORATION AK96-477 20-Jun-96

ET #.	Tag #	Au (ppb)
168	L40+00N 24+00 E A	<5
169	L40+00N 23+00 E A	<5
170	L40+00N 22+00 E A	<5
171	L40+00N 20+00 E A	<5
172	L40+00N 19+00 E A	<5
173	L40+00N 18+00 E A	<5
174	L40+00N 17+00 E A	<5
QC DATA:		
Repeat:		
1	L32+00N 1+00 W A	<5
10	L33+25N 4+00 W A	<5
19	L34+50N 33+00 E A	<5
28	L34+50N 23+00 E A	<5
36	L34+50N 12+00 E A	<5
45	L34+50N 3+00 E A	<5
54	L34+50N 6+00 W A	<5
63	L36+00N 23+00 E A	<5
71	L36+00N 14+00 E A	<5
80	L36+00N 5+00 E A	<5
89	L36+00N 4+00 W A	<5
98	L37+50N 48+00 E A	<5
106	L37+50N 39+00 E A	<5
115	L37+50N 29+00 E A	<5
124	L37+50N 19+00 E A	<5
133	L37+50N 10+00 E A	<5
141	L37+50N 2+00 E A	<5
150	L38+75N 1+00 W A	<5
159	L40+00N 33+00 E A	<5
168	L40+00N 24+00 E A	<5
Standard:		
GEO'96		145
GEO'96		135
GEO'96		140
GEO'96		150
GEO'96		145

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

XLS/96G.Copper#4

Chemex

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GETTY COPPER CORP.

145 APEX DR.
LOGAN LAKE, BC
V0K 1W0

Project : 0001
Comments: ATTN:DAVE BLANN/BRUCE PERRY-COQ.CC:DAVE BLANN/BRUCE-LOGAN LK

Page Number :1
Total Pages :3
Certificate Date: 08-AUG-96
Invoice No. :I9626059
P.O. Number :0001
Account :NSE

CERTIFICATE OF ANALYSIS A9626059

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm Aqua R	As ppm	Cu ppm	Mo ppm	Pb ppm	Sb ppm	Zn ppm		
47901	216 202	< 5	< 0.2	1	200	< 1	3	0.6	54		
47902	216 202	< 5	< 0.2	1	66	< 1	2	0.6	48		
47903	216 202	< 5	< 0.2	2	56	< 1	3	0.4	54		
47904	216 202	< 5	< 0.2	1	91	< 1	1	0.4	48		
47905	216 202	< 5	< 0.2	2	91	< 1	1	0.4	45		
47906	216 202	< 5	< 0.2	1	92	< 1	2	0.4	46		
47907	216 202	< 5	< 0.2	1	95	< 1	10	0.2	42		
47908	216 202	< 5	< 0.2	1	50	< 1	1	0.4	46		
47909	216 202	< 5	< 0.2	2	54	< 1	2	0.6	54		
47910	216 202	40	< 0.2	1	49	< 1	3	0.4	50		
47911	216 202	< 5	< 0.2	2	50	< 1	2	0.6	50		
47912	216 202	20	< 0.2	1	37	< 1	2	0.4	45		
47913	216 202	< 5	< 0.2	1	46	< 1	3	0.6	64		
47914	216 202	< 5	< 0.2	2	51	< 1	3	0.4	75		
47915	216 202	< 5	< 0.2	2	75	< 1	4	0.6	100		
47916	216 202	< 5	< 0.2	1	49	< 1	3	0.6	70		
47917	216 202	< 5	< 0.2	2	48	< 1	3	0.4	64		
47918	216 202	< 5	< 0.2	1	38	< 1	2	0.4	53		
47919	216 202	< 5	< 0.2	2	43	< 1	2	0.2	72		
47920	216 202	< 5	< 0.2	2	40	< 1	3	0.4	57		
47922	216 202	< 5	< 0.2	4	34	< 1	2	0.4	72		
47923	216 202	< 5	< 0.2	2	70	< 1	2	0.6	45		
47924	216 202	< 5	< 0.2	1	72	< 1	2	0.8	52		
47925	216 202	< 5	< 0.2	1	68	< 1	3	0.6	78		
47926	216 202	< 5	< 0.2	1	51	< 1	3	0.6	64		
47927	216 202	< 5	0.2	1	59	< 1	5	0.4	68		
47928	216 202	< 5	0.2	2	48	< 1	4	0.6	60		
47929	216 202	< 5	< 0.2	1	36	< 1	2	0.6	60		
47930	216 202	< 5	< 0.2	2	33	< 1	2	0.4	44		
47931	216 202	45	< 0.2	1	58	< 1	2	0.4	52		
47932	216 202	< 5	< 0.2	1	114	< 1	2	0.4	52		
47933	216 202	< 5	< 0.2	1	102	< 1	3	0.2	55		
47934	216 202	< 5	< 0.2	2	87	< 1	2	0.4	53		
47935	216 202	< 5	< 0.2	1	60	< 1	3	0.6	58		
47936	216 202	< 5	< 0.2	2	156	< 1	2	0.6	72		
47937	216 202	< 5	< 0.2	1	47	< 1	2	0.4	57		
47938	216 202	< 5	< 0.2	1	42	< 1	3	0.4	52		
47939	216 202	< 5	< 0.2	2	34	< 1	3	0.2	43		
47940	216 202	< 5	< 0.2	2	30	< 1	2	0.4	44		
47941	216 202	< 5	< 0.2	1	50	< 1	3	0.4	64		

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GETTY COPPER CORP.

145 APEX DR.
LOGAN LAKE, BC
V0K 1W0

Project : 0001
Comments: ATTN:DAVE BLANN/BRUCE PERRY-COQ.CC:DAVE BLANN/BRUCE-LOGAN LK

Page No. :2
Total Pages :3
Certificate Date: 08-AUG-96
Invoice No. :I9626059
P.O. Number :0001
Account :NSE

CERTIFICATE OF ANALYSIS A9626059

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm Aqua R	As ppm	Cu ppm	Mo ppm	Pb ppm	Sb ppm	Zn ppm		
47942	216 202	< 5	< 0.2	1	60	< 1	4	0.4	70		
47943	216 202	< 5	< 0.2	1	48	< 1	4	0.4	63		
47944	216 202	< 5	< 0.2	4	70	5	3	0.4	115		
47945	216 202	< 5	< 0.2	1	46	< 1	4	0.4	58		
47946	216 202	< 5	< 0.2	1	35	< 1	3	0.2	50		
47947	216 202	< 5	< 0.2	1	30	< 1	4	0.4	46		
47948	216 202	< 5	< 0.2	1	30	< 1	3	0.4	58		
47949	216 202	< 5	< 0.2	2	34	< 1	3	0.2	140		
47962	216 202	< 5	< 0.2	1	36	< 1	3	0.2	66		
47963	216 202	< 5	< 0.2	1	34	< 1	1	0.2	52		
47964	216 202	< 5	< 0.2	2	32	< 1	2	0.2	50		
47965	216 202	< 5	< 0.2	1	34	< 1	2	0.2	50		
47966	216 202	< 5	< 0.2	1	38	< 1	3	< 0.2	60		
47967	216 202	< 5	< 0.2	2	38	< 1	2	0.2	51		
47968	216 202	< 5	< 0.2	1	44	< 1	2	< 0.2	57		
47969	216 202	< 5	< 0.2	1	56	< 1	3	< 0.2	62		
47970	216 202	< 5	< 0.2	2	57	< 1	3	0.2	62		
47971	216 202	< 5	< 0.2	1	58	< 1	3	0.2	58		
47972	216 202	< 5	< 0.2	1	55	< 1	3	0.4	54		
47973	216 202	< 5	< 0.2	2	71	< 1	4	0.2	64		
47974	216 202	< 5	< 0.2	1	34	< 1	2	0.2	52		
47975	216 202	< 5	< 0.2	1	37	< 1	2	0.2	58		
47976	216 202	< 5	< 0.2	2	40	1	< 1	0.2	80		
47977	216 202	< 5	< 0.2	1	44	1	2	0.2	60		
47978	216 202	< 5	< 0.2	2	38	1	2	0.2	52		
47979	216 202	< 5	< 0.2	1	46	1	3	0.2	60		
47980	216 202	< 5	< 0.2	1	24	1	2	< 0.2	45		
47981	216 202	< 5	< 0.2	2	38	1	2	< 0.2	55		
47982	216 202	< 5	< 0.2	1	28	< 1	2	0.2	40		
47983	216 202	< 5	< 0.2	1	38	2	2	0.2	53		
47984	216 202	< 5	< 0.2	2	46	< 1	2	0.2	216		
47985	216 202	< 5	< 0.2	1	32	1	< 1	0.2	42		
47986	216 202	< 5	< 0.2	2	34	< 1	1	0.4	25		
47987	216 202	< 5	< 0.2	2	36	< 1	< 1	0.2	42		
47988	216 202	< 5	< 0.2	1	32	1	1	0.6	30		
47989	216 202	< 5	< 0.2	2	73	1	2	0.6	44		
47990	216 202	< 5	< 0.2	1	53	1	1	0.6	47		
47991	216 202	< 5	< 0.2	4	210	2	3	0.8	63		
47992	216 202	< 5	< 0.2	6	162	2	3	0.8	70		
47993	216 202	< 5	< 0.2	2	98	1	1	0.8	88		

CERTIFICATION: Stewart Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GETTY COPPER CORP.

145 APEX DR.
LOGAN LAKE, BC
V0K 1W0

Page Number :3
Total :3
Certificate Date: 08-AUG-96
Invoice No. :19626059
P.O. Number :0001
Account :NSE

Project : 0001
Comments: ATTN:DAVE BLANN/BRUCE PERRY-COQ.CC:DAVE BLANN/BRUCE-LOGAN LK

CERTIFICATE OF ANALYSIS A9626059

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm Aqua R	As ppm	Cu ppm	Mo ppm	Pb ppm	Sb ppm	Zn ppm		
47994	216 202	< 5	< 0.2	10	500	2	3	0.8	77		
47995	216 202	< 5	< 0.2	4	174	3	3	0.4	77		
47996	216 202	< 5	< 0.2	8	370	7	5	0.6	56		
47997	216 202	< 5	< 0.2	8	210	2	4	0.8	76		
47998	216 202	< 5	< 0.2	8	194	2	4	0.8	54		
47999	216 202	< 5	< 0.2	6	240	2	3	0.6	65		
48000	216 202	< 5	< 0.2	6	380	3	4	1.0	50		

CERTIFICATION: Stewart Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GETTY COPPER CORP.

145 APEX DR.
LOGAN LAKE, BC
V0K 1W0

(1)

Page Number :1
Total Pages :1
Certificate Date: 28-AUG-96
Invoice No. :19628330
P.O. Number :
Account :NSE

Project :
Comments: ATTN:DAVE BLANN/BRUCE PERRY-COQ CC:DAVE BLANN/PERRY LOGANLK.

CERTIFICATE OF ANALYSIS A9628330

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm Aqua R	As ppm	Cu ppm	Mo ppm	Pb ppm	Sb ppm	Zn ppm		
47251	216 202	30	< 0.2	1	33	< 1	1	0.2	47		
47252	216 202	< 5	< 0.2	1	35	1	< 1	< 0.2	54		
47253	216 202	15	< 0.2	1	35	1	2	< 0.2	55		
47254	216 202	125	< 0.2	4	35	1	7	< 0.2	51		
47255	216 202	< 5	< 0.2	1	29	< 1	< 1	< 0.2	35		
47256	216 202	< 5	< 0.2	2	26	< 1	< 1	< 0.2	42		
47257	216 202	< 5	< 0.2	1	22	< 1	< 1	< 0.2	30		
47258	216 202	< 5	< 0.2	1	41	1	3	< 0.2	54		
47259	216 202	< 5	< 0.2	2	38	1	4	< 0.2	58		
47260	216 202	< 5	< 0.2	1	38	< 1	2	< 0.2	52		
47261	216 202	< 5	< 0.2	1	44	1	2	< 0.2	58		
47262	216 202	< 5	< 0.2	1	44	1	2	< 0.2	61		
47263	216 202	< 5	< 0.2	2	36	1	2	< 0.2	53		
47264	216 202	< 5	< 0.2	1	32	< 1	1	< 0.2	48		
47265	216 202	< 5	< 0.2	1	34	1	2	< 0.2	51		
47266	216 202	< 5	< 0.2	1	37	< 1	2	< 0.2	52		
47267	216 202	< 5	< 0.2	1	46	< 1	< 1	< 0.2	58		
47268	216 202	< 5	< 0.2	2	40	< 1	2	< 0.2	58		
47269	216 202	< 5	< 0.2	1	41	< 1	< 1	< 0.2	65		
47270	216 202	< 5	< 0.2	1	50	1	3	< 0.2	71		
47271	216 202	< 5	< 0.2	1	43	1	2	< 0.2	58		
47272	216 202	< 5	< 0.2	1	42	< 1	3	< 0.2	59		
47273	216 202	< 5	< 0.2	2	40	< 1	2	< 0.2	56		
47274	216 202	< 5	< 0.2	1	47	< 1	3	< 0.2	62		
47275	216 202	< 5	< 0.2	1	40	< 1	4	< 0.2	57		
47276	216 202	< 5	< 0.2	2	91	1	2	< 0.2	63		
47277	216 202	< 5	< 0.2	1	51	1	2	< 0.2	68		
47278	216 202	< 5	< 0.2	1	45	< 1	2	< 0.2	60		
47279	216 202	< 5	< 0.2	2	33	1	3	< 0.2	45		
47280	216 202	< 5	< 0.2	1	40	< 1	4	< 0.2	54		
47281	216 202	< 5	< 0.2	1	30	< 1	2	< 0.2	43		
47282	216 202	< 5	< 0.2	2	37	1	4	< 0.2	50		
47283	216 202	< 5	< 0.2	1	36	< 1	4	< 0.2	57		
47284	216 202	< 5	< 0.2	1	29	< 1	< 1	< 0.2	45		
47285	216 202	< 5	< 0.2	1	38	< 1	3	< 0.2	51		
47950	216 202	< 5	< 0.2	2	37	< 1	4	< 0.2	60		

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GETTY COPPER CORP.

145 APEX DR.
LOGAN LAKE, BC
V0K 1W0

Project : GETTY COPPER
Comments: ATTN:D.BLANN

Page Number 1-A
Total Pages 1
Certificate Date 08-NOV-96
Invoice No. I-9638678
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9638678

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
47951	201 240	< 5	< 0.2	8.12	1020	0.5	2	3.48	< 0.5	23	236	48	4.26	1.53	1.93
47952	201 240	< 5	< 0.2	7.86	1090	0.5	2	3.06	< 0.5	29	153	58	4.07	1.36	1.51
47953	201 240	< 5	< 0.2	8.07	1020	0.5	6	3.32	0.5	23	211	55	4.10	1.40	1.70
47954	201 240	20	< 0.2	7.46	990	0.5	4	3.20	0.5	24	197	107	4.39	1.27	1.55
47955	201 240	< 5	< 0.2	7.95	970	0.5	6	3.19	< 0.5	24	211	62	4.37	1.40	1.73
47956	201 240	< 5	< 0.2	8.19	1030	0.5	4	3.07	< 0.5	23	187	58	4.12	1.44	1.60
47957	201 240	< 5	< 0.2	9.35	1520	0.5	2	3.29	< 0.5	22	201	75	4.37	0.87	1.73
47958	201 240	< 5	< 0.2	8.48	1040	0.5	6	2.97	< 0.5	22	195	55	4.16	1.50	1.64
47959	201 240	< 5	< 0.2	7.98	1120	0.5	2	3.32	< 0.5	30	259	46	4.19	1.50	1.81
47960	201 240	< 5	< 0.2	8.01	1020	< 0.5	< 2	3.86	< 0.5	20	285	43	3.66	1.62	2.05
47961	201 240	< 5	< 0.2	7.73	1000	0.5	< 2	3.54	< 0.5	22	282	40	3.89	1.52	1.93

CERTIFICATION:

11/08/96 3:47PM CHEMEX LABS VAX-FAX2 PAGE 002

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GETTY COPPER CORP.

145 APEX DR.
LOGAN LAKE, BC
V0K 1W0

Project : GETTY COPPER
Comments: ATTN:D.BLANN

Page Number 1-B
Total Pages 1
Certificate Date 08-NOV-96
Invoice No. I-9638678
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9638678

SAMPLE DESCRIPTION	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
47951	201	240	760	1	2.60	71	1180	8	849	0.52	136	10	90			
47952	201	240	2920	< 1	2.27	75	1540	8	782	0.46	118	< 10	88			
47953	201	240	990	1	2.38	68	1270	6	803	0.52	119	10	86			
47954	201	240	2250	2	2.18	60	1650	6	749	0.47	136	10	84			
47955	201	240	795	3	2.35	76	1370	8	777	0.53	135	10	88			
47956	201	240	810	< 1	2.44	67	1360	8	795	0.52	120	< 10	86			
47957	201	240	700	1	2.13	87	1230	10	936	0.53	74	10	102			
47958	201	240	755	1	2.43	73	1150	10	786	0.52	123	10	86			
47959	201	240	2540	1	2.53	71	1510	10	740	0.52	132	10	80			
47960	201	240	755	< 1	2.79	59	1180	10	872	0.50	111	10	70			
47961	201	240	935	1	2.53	61	1190	8	755	0.52	122	10	72			

CERTIFICATION

11/08/96 3:48PM CHEMEX LABS VAX-FAX2 PAGE 003

Appendix B
Letter - Application for
Portable Assessment Credit

GETTY COPPER CORP.
Project Office
145 Apex Drive, Box 1067, Logan Lake, B.C. V0K 1W0
Phone: 250-523-9616 Fax: 250-523-9315

December 31, 1996

Mr. Alan Wilcox,
Geological Survey Branch
Energy and Minerals Division
Ministry of Employment and Investment

Re: Unclaimed PAC / Geochemical soil and stream sediment survey / Highland Valley Project
Work Approval Number: KAM 96-0300511-235 (May 29, 1996)

Dear Alan:

During the previous year, the Company conducted soil and stream sediment geochemical surveys on portions of its Highland Valley Project mineral tenure. In addition, the Company hired consultants to provide interpretations of the results of these surveys and previous geochemical surveys. The interpretations were used during decision-making regarding prioritizing targets to be tested by core drilling. The cost of this work, conducted between May 1996 and September 1996, was approximately:

Wages: 6 - students (sampling crew), I. Saunders and B. Perry (supervisors)	$44,454
Assaying (Eco-Tech Labs, Kamloops; Chemex Labs, Vancouver)	$32,348
Plotting, interpretations, report writing	$12,000
	$88,802

Since the mineral claims on which this work was performed are in good standing until the year 2001, the Company (client #133231) would like to obtain only portable assessment credit (PAC) for the expenditures relating to the geochemical surveys conducted during 1996. No Statement of Work will be filed regarding this work. Enclosed please find two copies of the following supporting technical report:

REPORT ON SOIL AND STREAM SEDIMENT GEOCHEMICAL SURVEYS PERFORMED AT THE GETTY NORTH (KRAIN), GETTY SOUTH (TROJAN) AND GETTY WEST (TRANSVAAL) AREAS OF HIGHLAND VALLEY, BRITISH COLUMBIA, CANADA (MAY 1996 - SEPTEMBER 1996).

Thank you for attending to this matter.

Best regards,

Bruce J. Perry, Ph. D.
Site Manager, Highland Valley Project

R. 34

7
R. 34

TP.19 R.23 W.6M.

TP.19 R.22 W.6M.

4
R. 34

9
R. 34

CINDER HILL

FORGE MTN.

Woods Creek

Quichon Creek

Burr Creek

M.Cs.

M.C.

L1670

BCC 92013

BCB 92013

BC 7122

BCB 92017

BCC 92005

BCB 92015

Heavy Silt Location Map

GETTY COPPER CORP.

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

Scale 1:15000

25,048

Ivor Bowers

July 30 1996

HEAVY SILT LOCATION MAP
1:15000

640,000E

645,000E


5,605,000N

5,600,000N

FORGE MOUNTAIN

BOSE HILL

L 6600 N
L 6300 N
L 6000 N
L 5700 N
L 5400 N
L 5100 N
L 4775 N
L 4550 N
L 4250 N
L 4000 N
L 3875 N
L 3750 N
L 3600 N
L 3450 N
L 3325 N
L 3200 N
L 3050 N
L 2900 N
L 2750 N
L 2600 N
L 2300 N
L 2000 N
L 1725 N
L 1450 N
L 1200 N
L 900 N
L 800 N
L 700 N
L 600 N
L 500 N
L 350 N
L 200 N
L 0
L 200 S
L 400 S
L 600 S
L 800 S



A Horizon Soil: Mo (ppm)

- ≥20
- 15 – 19
- 10 – 14
- 5 – 9
- <4

- Property Boundary (from survey data)
- Property Boundary (assumed)
- Roads
- Topographic Contour
- Drainage
- 1995 IP Grid: Cutline
- Flagged Line Extension

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

25,048

N

0 200 400 1,000
Metres

Getty Copper Corp.

HIGHLAND VALLEY PROJECT

Highland Valley, B.C.

A Horizon Soil: Mo (ppm)
Soil Sample Locations

WORK BY: Site Staff	N.T.S.: 92-I/11E, 92-I/10W	SCALE: 1:10,000
REVISED BY: LC	REVISED: June 04, 1997	PROJ. NO.: GTY_COP
DATE:	FILENAME: (GTY_56(XF Mo_A_Horizon).dwg)	

M3

640,000E

645,000E


5,605,000N

5,600,000N

FORGE MOUNTAIN

BOSE HILL

L 6600 N
L 6300 N
L 6000 N
L 5700 N
L 5400 N
L 5100 N
L 4775 N
L 4550 N
L 4250 N
L 4000 N
L 3875 N
L 3750 N
L 3600 N
L 3450 N
L 3325 N
L 3200 N
L 3050 N
L 2900 N
L 2750 N
L 2600 N
L 2300 N
L 2000 N
L 1725 N
L 1450 N
L 1200 N
L 900 N
L 800 N
L 700 N
L 600 N
L 500 N
L 350 N
L 200 N
L 0
L 200 S
L 400 S
L 600 S
L 800 S
L 2300 N
L 2000 N
L 1725 N
L 1450 N
L 1200 N
L 900 N
L 800 N
L 700 N
L 600 N
I 500 N
L 350 N
L 200 N
L 0
L 200 S
L 400 S
L 600 S
L 800 S
L 4550 N
L 4250 N
L 4000 N
L 3750 N
L 3450 N
L 3200 N
L 2900 N
L 2600 N



B Horizon Soil: Fe (%)

- 4.00 – 100.00
- 3.00 – 3.99
- 2.00 – 2.99
- 1.00 – 1.99
- <0.99

- Property Boundary (from survey data)
- Property Boundary (assumed)
- Roads
- Topographic Contour
- Drainage
- 1995 IP Grid: Cutline
- Flagged Line Extension

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
25,048

N

0 200 400 1,000
Metres

Getty Copper Corp.

HIGHLAND VALLEY PROJECT

Highland Valley, B.C.

B Horizon Soil: Fe (%)
Soil Sample Locations

WORK BY: Site Staff	N.T.S.: 92-I/11E, 92-I/10W	SCALE: 1:10,000
REVISED BY: LC	REVISED: June 04, 1997	PROJ. NO.: GTY_COP
DATE:	FILENAME:	

M04

640,000E

645,000E


5,605,000N

5,600,000N

FORGE MOUNTAIN

BOSE HILL

L 6600 N
L 6300 N
L 6000 N
L 5700 N
L 5400 N
L 5100 N
L 4775 N
L 4550 N
L 4250 N
L 4000 N
L 3875 N
L 3750 N
L 3600 N
L 3450 N
L 3325 N
L 3200 N
L 3050 N
L 2900 N
L 2750 N
L 2600 N
L 2300 N
L 2000 N
L 1725 N
L 1450 N
L 1200 N
L 900 N
L 800 N
L 700 N
L 600 N
L 500 N
L 350 N
L 200 N
L 0
L 200 S
L 400 S
L 600 S
L 800 S
L 4775 N
L 4550 N
L 4250 N
L 4000 N
L 3750 N
L 3450 N
L 3200 N
L 2900 N
L 2600 N
L 2300 N
L 2000 N
L 1725 N
L 1450 N
L 1200 N
L 900 N
L 800 N
L 700 N
L 600 N
L 500 N
L 350 N
L 200 N
L 0
L 200 S
L 400 S
L 600 S
L 800 S



A Horizon Soil: Fe (%)

- 4.00 – 100.00
- 3.00 – 3.99
- 2.00 – 2.99
- 1.00 – 1.99
- <0.99

- Property Boundary (from survey data)
- Property Boundary (assumed)
- Roads
- Topographic Contour
- Drainage
- 1995 IP Grid: Cutline
- Flagged Line Extension

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
25,048

N

0 200 400 1,000
Metres

Getty Copper Corp.

HIGHLAND VALLEY PROJECT

Highland Valley, B.C.

A Horizon Soil: Fe (%)
Soil Sample Locations

WORK BY: Site Staff	N.T.S.: 92-I/11E, 92-I/10W	SCALE: 1:10,000
REVISED BY: LC	REVISED: June 04, 1997	PROJ. NO.: GTY_COP
DATE:	FILENAME: (GTY_54(XF Fe_A_Horizon).dwg)	

M5

640,000E


645,000E

5,605,000N

5,600,000N

FORGE MOUNTAIN

BOSE HILL



B Horizon Soil: Cu (ppm)

- ≥40
- 30 – 39
- 20 – 29
- 10 – 19
- <10

- Property Boundary (from survey data)
- Property Boundary (assumed)
- Roads
- Topographic Contour
- Drainage
- 1995 IP Grid: Cutline
- Flagged Line Extension

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

25,048

N

0 200 400 1,000

Metres

Getty Copper Corp.

HIGHLAND VALLEY PROJECT

Highland Valley, B.C.

B Horizon Soil: Cu (ppm) Soil Sample Locations

WORK BY: Site Staff	N.T.S.: 92-I/11E, 92-I/10W	SCALE: 1:10,000
REVISED BY: LC	REVISED: May 12, 1997	PROJ. NO.: GTY_COP
DATE:	FILENAME: (GTY_52(XF Cu_B_Horizon).dwg)	

M6

640,000E

645,000E

5,605,000N


5,600,000N

FORGE MOUNTAIN

BOSE HILL

L 6600 N
L 6300 N
L 6000 N
L 5700 N
L 5400 N
L 5100 N
L 4775 N
L 4550 N
L 4250 N
L 4000 N
L 3875 N
L 3750 N
L 3600 N
L 3450 N
L 3325 N
L 3200 N
L 3050 N
L 2900 N
L 2750 N
L 2600 N
L 2300 N
L 2000 N
L 1725 N
L 1450 N
L 1200 N
L 900 N
L 800 N
L 700 N
L 600 N
L 500 N
L 350 N
L 200 N
L 0
L 200 S
L 400 S
L 600 S
L 800 S

L 6600 N
L 6300 N
L 6000 N
L 5700 N
L 5400 N
L 5100 N
L 4550 N
L 4250 N
L 4000 N
L 3750 N
L 3450 N
L 3200 N
L 2900 N
L 2600 N
L 2300 N
L 2000 N
L 1725 N
L 1450 N
L 1200 N
L 900 N
L 800 N
L 700 N
L 600 N
L 500 N
L 350 N
L 200 N
L 0
L 200 S
L 400 S
L 600 S
L 800 S



A Horizon Soil: Cu (ppm)

- ≥700
- 300 – 699
- 200 – 299
- 100 – 199
- <100

- Property Boundary (from survey data)
- Property Boundary (assumed)
- Roads
- Topographic Contour
- Drainage
- 1995 IP Grid: Cutline
- Flogged Line Extension

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

25,048

N

0 200 400 1,000

Metres

Getty Copper Corp.

HIGHLAND VALLEY PROJECT

Highland Valley, B.C.

A Horizon Soil: Cu (ppm) Soil Sample Locations

WORK BY: Site Staff	N.T.S.: 92-I/11E, 92-I/10W	SCALE: 1:10,000
REVISED BY: LC	REVISED: June 04, 1997	PROJ. NO.: GTY_COP
DATE:	FILENAME: (GTY_53(XF Cu_A_Horizon).dwg)	

M7

640,000E

645,000E


5,605,000N

5,600,000N

FORGE MOUNTAIN

BOSE HILL

L 6600 N
L 6300 N
L 6000 N
L 5700 N
L 5400 N
L 5100 N
L 4775 N
L 4550 N
L 4250 N
L 4000 N
L 3875 N
L 3750 N
L 3600 N
L 3450 N
L 3325 N
L 3200 N
L 3050 N
L 2900 N
L 2750 N
L 2600 N
L 2300 N
L 2000 N
L 1725 N
L 1450 N
L 1200 N
L 900 N
L 800 N
L 700 N
L 600 N
L 500 N
L 350 N
L 200 N
L 0
L 200 S
L 400 S
L 600 S
L 800 S



A Horizon Soil: Au (ppb)
B Horizon Soil: Au (ppb)

>30
10 – 30

B Horizon Soil: Ag (ppm)

>0.2

A Horizon Soil: Au (ppb)
B Horizon Soil: Au (ppb)
B Horizon Soil: Ag (ppm)

Property Boundary (from survey data)
Property Boundary (assumed)
Roads
Topographic Contour
Drainage
1995 IP Grid: Cutline
Flagged Line Extension

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

25,048

N

0 200 400 1,000
Metres

Getty Copper Corp.

HIGHLAND VALLEY PROJECT

Highland Valley, B.C.

A & B Horizon Soil: Au (ppb)
B Horizon Soil: Ag (ppm)
Soil Sample Locations

WORK BY: Site Staff	N.T.S.: 92-I/11E, 92-I/10W	SCALE: 1:10,000
REVISED BY: LC	REVISED: May 12, 1997	PROJ. NO.: GTY_COP
DATE:	FILENAME: (GTY_00(XF Au&Ag_AB_Horizon).dwg)	