

Geochemical Report

Approval Number SMI-97-0200532-233

On Field Work Done

Between July 3 and October 6 1997

On

The Hope Mineral Claim Group

Located on Morice Mountain
Omineca Mining Division, B.C.

NTS Map 93 L/7

Latitude 54 deg. 17 min.

Longitude 127 deg. 46 min.

Owner/Operator Steve Bell

By

Steve Bell

June 1997

Steve Bell

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

25.560




Table of Contents

	<u>Page</u>
Introduction	1
Location and Access	1
Claims and Ownership	2
Geochemical Survey	2
Conclusion / Recommendations	12
Itemized Cost Statement	13
Record of Work	14
Authors Qualifications	16

Appendix

Analytical Procedure (Sample Preparation)	A-1
Analytical Procedure. (ICP Analysis)	A-2
Statistical Summary for Soil ICP Analysis	A-3
ICP Report	A-4

Figures

1. Hope Claim Group / Sample Locations	In Pocket
2. Copper Geochemistry	"
3. Zinc Geochemistry	"
4. Lead Geochemistry	"
5. Anomalous Silver	"
6. Anomalous Arsenic	"
7. Anomalous Barium	"
8. Anomalous Cadmium	"
9. Anomalous Antimony	"
10. Location Map	Page 2-1

Introduction

The following report is a record of the exploration work done on the Hope claim group between July 3 and October 6 1997. This property consists of one 16 unit 4 post claim and 3 one unit 2 post claims. No previous assessment has been recorded at this location. The property may host vein / disseminated / replacement type deposits related to intermediate - felsic intrusions.

Location and Access

The Claims are located on Morice Mountain near Peacock Creek. They lie about 13.5 km South - West of Houston B.C. The Hope claim legal post is located near grid coordinates 6018000 N and 646000 E. (N.T.S. Ref. 93L/~~7~~W). Morice mountain is accessed by vehicle via the Morice river forest service road. At 8km leave Morice river road and follow Peacock creek west road to its end at 6 km. Travel South from this point by foot through forested terrain. The Northern edge of the Hope claim group lies about 1.8 km to the South.

Claims And Ownership


The Hope claim group is owned by S. Bell of Houston B.C.

<u>Claim name</u>	<u>Record Nos.</u>
Hope	233733
Hope 2	659298 M
Hope 3	659291 M
Hope 4	659294 M
Copper Nail 1	659292 M
Copper Nail 2	659293 M

Geochemical Survey

A Geochemical survey was performed over the claim group where 583 soil samples and 2 rock samples were taken from specific locations and analysed for base metal and pathfinder elements. Threshold values were calculated from this data to identify anomalous terrain.

Sample locations are indicated on Fig. 1. Samples H1 through H7 correspond to Hope 1 through Hope 7 in the ICP report and are stream sediments. Samples T1 and T2 were taken from a tributary of Peacock creek just north of the Hope claim.



1. Soil Survey

Baselines were established for survey control in an East/West direction every 500m. Sample lines were spaced 100m apart and ran North/South to tie in with the baselines. Samples were taken along each sample line at 100m intervals forming a rectangular sample pattern. Samples were taken from the "C" horizon at depths between 50 and 70 cm. and put in 4"x 7" Kraft paper bags. In swampy areas the grey clay which underlies the organic soil was sampled. Each bag was filled to ensure adequate sample material. Sample locations were noted on each bag and in the field with red flagging.

The survey was designed to test for the following mineralization.

- A) Extensions of existing epithermal mineralization found in Hazelton volcanic rocks near an old adit located at 18,800 N x 46,625 W.
- B) Undiscovered polymetallic mineralization indicated by float recovered from Peacock creek.
- C) Vein/Disseminated/Replacement deposits related to Intermediate - felsic intrusions.

Note: In the vicinity of A) the sample spacing was decreased to 50m along sample lines.

Mineralized float found in Peacock creek assayed in p.p.m.

>10,000 Cu, >200 Ag, 6,459 Sb, 3013 Zn and 2,220 As

2. Soil Development

The soil overlies glacial till and locally derived colluvium which is typical of the area. It is primarily of the Podzolic order. Regosolic soils are found over small areas at the higher elevations near the western boundary of the claim group. This soil is poorly developed in places however not enough to hamper sampling. Occasionally small swampy areas were encountered where the soil is largely organic and directly overlies a light grey clay.

3. Analytical Procedure

Samples were transported from the field to Smithers B.C. for sample preparation at Mineral Environments Laboratory. Here the samples were dried and screened. A minus 80 mesh fraction sub sample was sent to Vancouver. At the Vancouver lab ICP analysis was performed to detect the following trace elements:

Cu, Zn, Pb, Ag, As, Ba, Cd, Sb, Mo, Ni, Fe, K

4. Rock Samples

Two rock samples were analysed. The first rock tested was a small plug of Nanika style granite found at 20,000 N x 45,100 W. The testing was performed to see if the plug was enriched in base metals. The results proved negative.

A second rock sample was taken from a pyrite bearing rhyolite encountered at 20,325 N x 44,400 E during a reconnaissance traverse to the north of the Hope claim. Tests proved negative for precious and base metals.

Interpretation of Results

Threshold values were calculated in order to interpret anomalous areas. Thresholds for the trace elements are defined as the geometric mean plus two times the standard deviation. Anomalous soil samples exceed the threshold values in p.p.m. trace elements.

Threshold values for pathfinder elements in p.p.m.

Element	Geometric Mean	Threshold Hope Project

Cu	23	51
Zn	88	148
Pb	23	44
Ag	0.14	0.8
As	7.4	31
Ba	185	465
Cd	.55	1.8
Sb	2.3	15

1. Geochemical Data

Raw data is located in the appendix with the statistical analysis. Geochemistry is plotted for individual elements on figures 1-9. All data for the most important path finder elements Cu, Zn, and Pb have been plotted. Only anomalous values of the other elements tested for are plotted. The exception is for antimony where all samples were plotted to indicate a problem possibly related to the 5 p.p.m. detection limit.

There are two blocks of samples indicated on figure 9 which are highly anomalous for antimony. R.W. Boyle (1979) suggests a mean of 0.7 p.p.m. for Sb in soils. These anomalous zones are suspect since they are so regular in shape. Furthermore the samples which define the anomaly were submitted for analysis at the same time. This suggests an analytical rather than geological cause for the elevated values.

2. Soil Anomalies

The amount of pathfinder elements normally found in weathered residuum and glacial material compares favourably with values determined by the survey. Low order Cu, Zn, Pb, and Ag anomalies encountered during the survey are interpreted as follows.

- A) Poly metallic anomalies consisting of more than two adjacent samples indicate the most extensive mineralization.

- B) Anomalies consisting of at least two adjacent samples represent localized sub economic enrichment of metals in the underlying Hazelton volcanic rock similar to that observed in Peacock creek.

C) Isolated anomalies consisting of one sample are considered to be mostly spurious and probably the result of enrichment due to adsorption or organic fixation. These anomalous samples were often collected from the clay underlying an organic soil in a swampy area. They are often mono metallic and unsupported by other pathfinder elements.

Frequency of anomalies encountered is as follows:

1 type "A" anomaly

7 type "B" anomalies

44 type "C" anomalies

Only the type "A" anomaly at 20,300 N x 44,300 E warrants further investigation.

3. Anomaly "A"

Anomaly "A" is a low order Zn-Pb-Ag anomaly located on a prominent ridge at 4,300 feet elevation. Local topography is flat however it rapidly falls away toward the east and west forming a water shed. Overburden is relatively thin with much locally derived colluvium. Angular rock fragments indicate nearby bedrock. The anomaly appears to stem from an area centered about 22,300 N x 44,300 E where there are several small outcrops of pyritic rhyolite and a circular patch of muskeg about 60 m in dia. which drains to the west. The Lead anomaly starts at this point and extends in a down slope direction to the North - East about 500 m. The zinc anomaly follows a similar pattern with some dispersion toward the western watershed. Topography seems to be the major control.

The pyritic rhyolite tested outcrops on Hope 2 claim near the head of anomaly "A". Here the rhyolite is brecciated, bleached and fractured. Fine grained pyrite occurs through out a micro felsitic and chlorite ? rich matrix which supports small white bleached and corroded breccia fragments. Pyrite is also localized on fine fractures which appear as small 1 mm wide veinlets in section. No flow structures were noted.

A kaolinized, lithic pyroclastic flow rock appears in a bed near 20,000 N x 44,500 E. Massive green propylitic volcanic rock of andesitic composition outcrops in a stream bed near H1. The andesite is characterized by fine grained pyrite and coarser calcite which occurs throughout.

Escaping hydrous fluids rich in carbon dioxide and sulfur related to the process of doming and localized venting of felsic intrusive rocks are likely responsible for the most intensive alteration found in the rhyolite at 20,350 N x 44,300. Near by andesites were probably propylitized by circulating fluids and later diagenesis.

Pyritic float was commonly encountered in sample holes on Hope 2 claim. No sulphide minerals other than pyrite were observed. Near the western boundary of the claim large 1 to 2 meter biotite-feldspar porphyry boulders can be found resting on surface. These boulders are probably float from a large bulkley intrusive which lies to the South West. This intrusion was not observed in the field however government mapping indicates the contact is very close possibly on Hope 3 or 4.

Conclusion

The source of the mineralized float found in Peacock creek remains a mystery. Geochemical sampling does not indicate underlying mineralization in the vicinity of Peacock creek canyon. A mineralized source could however escape detection if it does not penetrate overlying argillites which outcrop outside the canyon. In this case the source is probably small with low economic potential.

11.

A low order Zn, Pb, Ag anomaly was detected stemming from a source located near 54 19 50 N x 127 47 00 E. The associated underlying rocks are pyritic rhyolite and propylitic andesite. The altered and fractured rhyolite breccia found at the head of the anomaly indicates that localized venting or degassing of the volcanic rocks occurred here.

The rhyolite at 20,325 N x 44,400 E lies on the edge of the anomalous zone and assays in p.p.m.

62 Zn, 17 Pb, 16 Cu, 0.4 Ag and 0.01 Au

Residual soils overlie this outcrop and should reflect the chemistry of the underlying bed rock. This soil assays.

103 Zn, 41 Pb, 13 Cu and 0.8 Ag

Zn, Pb and Ag concentrations in the soil are approximately double that of the parent material. If these elements are being concentrated by adsorption or some organic process it has not affected the Cu which remains at a low background level. Contamination is likely from the anomalous area 100m to the west where these processes are taking place or the underlying rock is enriched in these metals.

Recommendations

The cause of the anomaly should be investigated by:

1) Taking more soil samples in an attempt to increase the magnitude of the anomaly and reduce the possibility that adsorption and organic fixation are the cause. Eight samples should be collected in a grid about point 20,300 N x 44,300 E. The samples should be taken as deep as possible greater than 1 meter. In addition bulk samples should be taken which are panned down to obtain heavy mineral concentrates. These concentrates should be analysed for gold.

2) The geology of the area should be mapped in detail. Attention should be paid to topographic lineaments and structures that might have channelled circulating fluids. Pyritic and altered outcrop should be analysed to identify lithogeochemical halos. The intrusive porphyry to the South - West should be investigated.

The target is a disseminated and/or stockwork gold - silver deposit in volcanic flows and associated volcanoclastic rocks. Unfortunately commercial deposits of this type are very rare because typical gold and silver values found in them are low. High grade shoots would have to be present since there is limited potential in this location for large tonnages.

ITEMIZED COST STATEMENT

=====

(a). Allocation for wages.

S. Bell	
Sample taking	
365 hours @ \$20 per hour	\$ 7,300.00
S. Bell	
Examine outcrop (Hope 2 claim)	
26 hours @ \$25 per hour	\$ 650.00
S. Bell	
Deliver samples to Min En lab.	
18.5 hours @ \$15 per hour	\$ 277.50
S. Bell	
Record keeping	
12 hours @ \$20 per hour	\$ 240.00
S. Bell	
Report writing	
37 hours @ \$20 per hour	\$740.00

(b). Analytical services	\$ 4,314.31
--------------------------	-------------

(c). Vehicle Operation	\$ 337.56
------------------------	-----------

(d). Supplies (Sample bags, Hipchain, flagging etc.)	\$ 532.89
--	-----------

Total expenditures	\$ 14,392.26
--------------------	--------------

RECORD OF WORK

DAILY REPORTS (diary)

	Project Area	Date	Hours	Work Performed
Day 1	Hope	18-06-97	----	Claim Staking
Day 2	"	1-07-97	----	Finish Staking
Day 3	"	2-07-97	----	Grid Preparation
Day 4	"	3-07-97	12	Samples # 1-21
Day 5	"	4-07-97	12	" # 22-46
Day 6	"	5-07-97	12	" # 47-64
Day 7	"	6-07-97	12	" # 65-72
Day 8	"	7-07-97	12	" # 73-84
Day 9	"	8-07-97	12	" # 85-108
Day 10	"	9-07-97	12	" # 109-127
Day 11	"	10-07-97	3	Samples to Smithers
Day 12	"	11-07-97	12	" # 128-156
Day 13	"	14-07-97	12	" # 157-179
Day 14	"	15-07-97	12	" # 180-200
Day 15	"	16-07-97	4	Record Keeping
Day 16	"	17-07-97	12	Samples # 201-222
Day 17	"	18-07-97	12	" # 223-244
Day 18	"	19-07-97	3	Record Keeping
Day 19	"	21-07-97	2.5	Samples to Smithers
Day 20	"	22-07-97	14	Samples # 245-264
Day 21	"	23-07-97	12	" # 265-286
Day 22	"	24-07-97	12	" # 287-306
Day 23	"	25-07-97	13	" # 307-326
Day 24	"	26-07-97	----	Repair Equipment
Day 25	"	28-07-97	2.5	Samples to Smithers

RECORD OF WORK

DAILY REPORTS (diary)

	Project Area	Date	Hours	Work Performed
Day 26	"	29-07-97	14	" # 327-342
Day 27	"	30-07-97	11	" # 343-367
Day 28	"	1-08-97	10	" # 368-384
Day 29	"	2-08-97	5	Record Keeping
Day 30	"	3-08-97	12	" # 385-400
Day 31	"	6-08-97	12	" # 401-423
Day 32	"	7-08-97	2.5	Samples to Smithers
Day 33	"	8-08-97	12	" # 424-453
Day 34	"	11-08-97	12	" # 454-475
Day 35	"	12-08-97	12	" # 476-496
Day 36	"	13-08-97	14	" # 497-518
Day 37	"	14-08-97	11	" # 519-540
Day 38	"	15-08-97	2.5	Samples to Smithers
Day 39	"	19-08-97	12	" # 541-550
Day 40	"	20-08-97	12	" # 551-564
Day 41	"	21-08-97	3.0	Samples to Smithers
Day 42	"	25-08-97	12	" # 565-572
Day 43	"	3-09-97	14	" # 573-583
Day 44	"	17-09-97	2.5	Samples to Smithers
Day 45	Hope 2	5-10-97	14	* Examine Outcrop
Day 46	Hope 2	6-10-97	12	* Examine Outcrop

Total Hours 421.5

* note outcrop was examined on Hope 2 Claim in order to aid in the interpretation of anomaly "A".

AUTHORS QUALIFICATIONS

This is to certify that I, Stephen Bell have graduated from Queen's University, Kingston, Ontario with the degree of Bachelor of Science, Mining Engineering on May 25 1985.

In 1989, I completed two years training in the department of Geological Engineering at Queen's University.

I have been employed in the mineral industry as a Mining Engineer and have a variety of experience working in various geology departments. I am now an independent Prospector.

<u>Period</u>	<u>Employer</u>	<u>Position</u>
1985 - 1987	-Randfontein Estates Gold Mines	Junior Engineer
	-Rustenberg Platinum Mines	Junior Engineer
	-Atok Platinum Mines	Junior Engineer
1987	-Noranda Mines Geco Div.	Junior Engineer
1988	-Teck Corona	Junior Engineer
1990 - 1994	-J.S Redpath Limited	Project Engineer
	-Mining Contracting	

Houston, B.C. July 1998

Steph Bell
Stephen Bell

Bibliography

Cameron, E.M.

1966: Proceedings, Symposium on geochemical prospecting,
Ottawa, April, 1966, GSC paper 66-54.

Boyle, R.W.

1976: The geochemistry of gold and its deposits,
GSC Bulletin 280.

Valentine, K.W.

1978: The soil landscapes of British Columbia,
Ministry of Environment, Victoria, British Columbia.

APPENDIX



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
8282 SHERBROOKE STREET
VANCOUVER, B.C. CANADA V5X 4E8
TELEPHONE (604) 327-3436
FAX (604) 327-3423

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TEL (604) 847-3004
FAX (604) 847-3005

ANALYTICAL PROCEDURE REPORT FOR ASSESSMENT WORK:
PROCEDURE FOR SAMPLE PREPARATION

- a.) The soil and stream sediment samples are dried at 60 Celsius. The sample is then screened by 80 mesh sieve to obtain the -80 mesh fraction for analysis.
- b.) The rock and core samples are dried at 60 Celsius and when dry are crushed in a jaw crusher. The 1/4 inch output of the jaw crusher is put through a secondary roll crusher to reduce it to -1/8 inch. The whole sample is then riffled on a Jones Riffle down to a statistically representative 300 gram sub-sample. This sub-sample is then pulverized on a ring pulverizer to 95% minus 150 mesh rolled and bagged for analysis. The remaining reject from the Jones Riffle is bagged and stored.

**MINERAL
ENVIRONMENTS
LABORATORIES LTD.**

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
8282 SHERBROOKE STREET
VANCOUVER, B.C., CANADA V5X 4E8
TELEPHONE (604) 327-3436
FAX (604) 327-3423

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C., CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Quality Assaying for over 25 Years

ANALYTICAL PROCEDURE REPORT FOR ASSESSMENT WORK:
PROCEDURE FOR TRACE ELEMENT ICP

Ag, Al, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, K, Li, Mg, Mn, Mo, Na, Ni, P,
Pb, Sb, Sn, Sr, Th, Ti, U, W, Zn.

0.50 grams for the sample pulp is digested for 2 hours with an 1:3:4 HNO₃:HCl:H₂O mixture.
After cooling, the sample is diluted to standard volume.

The solutions are analyzed by computer operated Perkin Elmer Optima 3000, Inductively Coupled
Plasma Spectrophotometers.

Statistical Summary for Soil ICP Analysis

Date	Sept 3/97
Client:	Steve Bell
Sample Type:	Soil
Analysis Type	ICP aqua regia leach
Elements	12
Min-En Files	7S-0142
	7S-0158
	7S-0165
	7S-0193
	7S-0221
	7S-0240

Summary of Statistics

Variable:	Ag	As	Ba
Units	ppm	ppm	ppm
Sample size	562	562	562
Average	0.204804	12.7224	217.868
Median	0.1	11	179
Mode	0.1	1	154
Geometric mean	0.137119	7.40763	185.405
Variance	0.0971427	135.595	19553.2
Standard deviation	0.311677	11.6445	139.833
Standard error	0.0131473	0.491194	5.89848
Minimum	0.1	1	33
Maximum	3.1	125	1099
Range	3	124	1066
Lower quartile	0.1	3	125
Upper quartile	0.1	19	264
Interquartile range	0	16	139
Skewness	4.91931	2.60317	2.22294
Standardized skewness	47.6098	25.1939	21.5139
Kurtosis	32.5425	17.4404	7.62641
Standardized kurtosis	157.476	84.3955	36.9048
Coeff. of variation	152.183	91.5275	64.1822
Sum	115.1	7150	122442

Variable:	Cd	Cu	Fe
Units	ppm	ppm	%
Sample size	562	562	562
Average	0.833986	25.9573	3.91859
Median	0.7	24	3.86
Mode	0.1	21	4.41
Geometric mean	0.547109	23.1098	3.83737
Variance	0.654297	198.996	0.632441
Standard deviation	0.808887	14.1066	0.795261
Standard error	0.0341208	0.595051	0.0335461
Minimum	0.1	1	1.38
Maximum	4.9	153	7.24
Range	4.8	152	5.86
Lower quartile	0.3	17	3.43
Upper quartile	1	31	4.34
Interquartile range	0.7	14	0.91
Skewness	2.51771	3.12351	0.523089
Standardized skewness	24.3668	30.2298	5.06254
Kurtosis	7.69085	19.476	1.56626
Standardized kurtosis	37.2166	94.2458	7.57924
Coeff. of variation	96.9905	54.3454	20.2946
Sum	468.7	14588	2202.25

Summary of Statistics

Variable:	K	Mo	Ni
Units	%	ppm	ppm
Sample size	562	562	562
Average	0.0586299	1.27758	11.7117
Median	0.05	1	11
Mode	0.05	1	10
Geometric mean	0.0553378	1.18496	10.0479
Variance	4.86E-04	0.3934	44.0308
Standard deviation	0.0220373	0.627216	6.63557
Standard error	9.30E-04	0.0264575	0.279905
Minimum	0.02	1	1
Maximum	0.2	7	54
Range	0.18	6	53
Lower quartile	0.05	1	8
Upper quartile	0.07	1	15
Interquartile range	0.02	0	7
Skewness	2.02793	3.10439	1.90452
Standardized skewness	19.6267	30.0448	18.4323
Kurtosis	6.96356	15.0889	6.81843
Standardized kurtosis	33.6972	73.0164	32.9949
Coeff. of variation	37.5871	49.0941	56.6574
Sum	32.95	718	6582

Variable:	Pb	Sb	Zn
Units	ppm	ppm	ppm
Sample size	562	562	562
Average	25.1655	4.51779	92.1192
Median	24	1	89
Mode	19	1	75
Geometric mean	22.87	2.25986	87.7639
Variance	110.506	39.1164	897.381
Standard deviation	10.5122	6.25431	29.9563
Standard error	0.443429	0.263822	1.26363
Minimum	1	1	22
Maximum	86	30	326
Range	85	29	304
Lower quartile	19	1	74
Upper quartile	29	4	105
Interquartile range	10	3	31
Skewness	1.59461	1.97794	1.84217
Standardized skewness	15.4329	19.1428	17.8288
Kurtosis	6.17633	3.01655	9.18647
Standardized kurtosis	29.8877	14.5973	44.454
Coeff. of variation	41.7721	138.437	32.5191
Sum	14143	2539	51771

Highest Values

Sample	Ag (ppm)	Sample	As (ppm)	Sample	Ba (ppm)
44400E20300N	3.1	46800E18900N	125	46300E19400N	1099
45400E19100N	3.1	46000E20000N	76	45000E20000N	1075
45500E19800N	2.1	46400E19000N	76	45500E19800N	889
17400N45400E	2.0	46600E19400N	51	45900E18700N	866
44300E20300N	1.5	44300E19100N	49	45700E19500N	808
46800E18750N	1.5	46600E18800N	48	45200E19200N	746
46900E18200N	1.5	46500E18200N	41	T-2	705
44500E20400N	1.3	46200E18850N	39	46100E19500N	675
44400E20400N	1.3	46400E18700N	39	46000E19400N	675
46800E18650N	1.3	46500E19050N	39	44800E19200N	647

Sample	Cd (ppm)	Sample	Cu (ppm)	Sample	Fe (%)
44600E19600N	4.9	45200E18100N	153	44500E20300N	7.24
44600E19900N	4.5	45000E20000N	136	44700E18500N	7.00
45700E18500N	4.5	46000E19400N	90	46600E19400N	6.88
44600E18900N	4.4	44800E18500N	86	45500E19800N	6.72
44700E18000N	4.3	45700E19500N	79	46600E18050N	6.45
44600E19000N	4.3	44800E19100N	74	46400E19000N	6.12
44600E19500N	4.3	44900E18800N	74	45400E19700N	6.06
45700E18600N	4.2	46300E19400N	70	46200E18850N	6.05
44600E19100N	4.2	45900E18700N	69	46100E19300N	6.03
45900E18700N	4.0	46500E19050N	68	45500E18100N	6.02

Sample	K (%)	Sample	Mo (ppm)	Sample	Ni (ppm)
45200E18100N	0.2	46600E18000N	7	46400E18600N	54
45300E19500N	0.2	44600E18500N	4	46500E19315N	50
45700E19500N	0.2	46800E19000N	4	46400E19000N	41
44200E19500N	0.2	46800E18800N	4	45900E18700N	39
44300E19500N	0.2	46800E18600N	4	46700E19475N	39
44900E19200N	0.1	44300E19500N	3	44700E18500N	37
46300E19400N	0.1	46600E18050N	3	46500E19250N	35
45000E20000N	0.1	45900E18700N	3	44200E20200N	35
46600E18500N	0.1	44900E20000N	3	46200E18800N	35
44700E18500N	0.1	46900E18300N	3	46300E19000N	32

Sample	Pb (ppm)	Sample	Sb (ppm)	Sample	Zn (ppm)
44700E18500N	86	44300E19500N	30	44200E20200N	326
45900E18700N	85	44300E19000N	29	44500E20400N	257
44600E18500N	79	44200E19500N	28	44600E18500N	229
44300E20300N	78	44200E19800N	28	45400E19700N	215
45300E19500N	64	44200E19400N	27	44300E20300N	198
44600E18700N	60	44300E19300N	27	45000E19100N	185
44500E20400N	57	46600E18500N	26	46500E19050N	183
46400E18600N	56	44400E19100N	26	46500E19050N	182
46300E19400N	56	44500E19400N	25	46400E19000N	174
46600E18500N	56	44200E19100N	24	44300E20250N	172

Frequency Tabulation for Silver


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		.000		0	.00000	0	.000
1	.000	.100	.0500	453	.80605	453	.806
2	.100	.200	.1500	16	.02847	469	.835
3	.200	.300	.2500	14	.02491	483	.859
4	.300	.400	.3500	25	.04448	508	.904
5	.400	.500	.4500	12	.02135	520	.925
6	.500	.600	.5500	6	.01068	526	.936
7	.600	.700	.6500	4	.00712	530	.943
8	.700	.800	.7500	6	.01068	536	.954
9	.800	.900	.8500	6	.01068	542	.964
10	.900	1.000	.9500	2	.00356	544	.968
11	1.000	1.100	1.0500	5	.00890	549	.977
12	1.100	1.200	1.1500	3	.00534	552	.982
13	1.200	1.300	1.2500	3	.00534	555	.988
14	1.300	1.400	1.3500	0	.00000	555	.988
15	1.400	1.500	1.4500	3	.00534	558	.993
16	1.500	1.600	1.5500	0	.00000	558	.993
17	1.600	1.700	1.6500	0	.00000	558	.993
18	1.700	1.800	1.7500	0	.00000	558	.993
19	1.800	1.900	1.8500	0	.00000	558	.993
20	1.900	2.000	1.9500	1	.00178	559	.995
21	2.000	2.100	2.0500	1	.00178	560	.996
22	2.100	2.200	2.1500	0	.00000	560	.996
23	2.200	2.300	2.2500	0	.00000	560	.996
24	2.300	2.400	2.3500	0	.00000	560	.996
25	2.400	2.500	2.4500	0	.00000	560	.996
26	2.500	2.600	2.5500	0	.00000	560	.996
27	2.600	2.700	2.6500	0	.00000	560	.996
28	2.700	2.800	2.7500	0	.00000	560	.996
above	2.800			2	.00356	562	1.000

Mean = 0.204804

Standard Deviation = 0.311677

Median = 0.1

Frequency Histogram for Silver



Frequency Tabulation for Arsenic


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		.00		0	.00000	0	.000
1	.00	2.00	1.00	130	.23132	130	.231
2	2.00	4.00	3.00	36	.06406	166	.295
3	4.00	6.00	5.00	33	.05872	199	.354
4	6.00	8.00	7.00	33	.05872	232	.413
5	8.00	10.00	9.00	36	.06406	268	.477
6	10.00	12.00	11.00	32	.05694	300	.534
7	12.00	14.00	13.00	42	.07473	342	.609
8	14.00	16.00	15.00	34	.06050	376	.669
9	16.00	18.00	17.00	39	.06940	415	.738
10	18.00	20.00	19.00	38	.06762	453	.806
11	20.00	22.00	21.00	27	.04804	480	.854
12	22.00	24.00	23.00	15	.02669	495	.881
13	24.00	26.00	25.00	18	.03203	513	.913
14	26.00	28.00	27.00	8	.01423	521	.927
15	28.00	30.00	29.00	7	.01246	528	.940
16	30.00	32.00	31.00	7	.01246	535	.952
17	32.00	34.00	33.00	6	.01068	541	.963
18	34.00	36.00	35.00	5	.00890	546	.972
19	36.00	38.00	37.00	5	.00890	551	.980
20	38.00	40.00	39.00	4	.00712	555	.988
21	40.00	42.00	41.00	1	.00178	556	.989
22	42.00	44.00	43.00	0	.00000	556	.989
23	44.00	46.00	45.00	0	.00000	556	.989
24	46.00	48.00	47.00	1	.00178	557	.991
25	48.00	50.00	49.00	1	.00178	558	.993
26	50.00	52.00	51.00	1	.00178	559	.995
27	52.00	54.00	53.00	0	.00000	559	.995
28	54.00	56.00	55.00	0	.00000	559	.995
29	56.00	58.00	57.00	0	.00000	559	.995
30	58.00	60.00	59.00	0	.00000	559	.995
above	60.00			3	.00534	562	1.000

Mean = 12.7224

Standard Deviation = 11.6445

Median = 11

Frequency Histogram for Arsenic



Frequency Tabulation for Barium


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		.00		0	.00000	0	.00000
1	.00	40.00	20.00	1	.00178	1	.00178
2	40.00	80.00	60.00	29	.05160	30	.05338
3	80.00	120.00	100.00	100	.17794	130	.23132
4	120.00	160.00	140.00	105	.18683	235	.41815
5	160.00	200.00	180.00	85	.15125	320	.56940
6	200.00	240.00	220.00	74	.13167	394	.70107
7	240.00	280.00	260.00	45	.08007	439	.78114
8	280.00	320.00	300.00	27	.04804	466	.82918
9	320.00	360.00	340.00	28	.04982	494	.87900
10	360.00	400.00	380.00	17	.03025	511	.90925
11	400.00	440.00	420.00	14	.02491	525	.93416
12	440.00	480.00	460.00	9	.01601	534	.95018
13	480.00	520.00	500.00	5	.00890	539	.95907
14	520.00	560.00	540.00	5	.00890	544	.96797
15	560.00	600.00	580.00	6	.01068	550	.97865
16	600.00	640.00	620.00	2	.00356	552	.98221
17	640.00	680.00	660.00	3	.00534	555	.98754
18	680.00	720.00	700.00	1	.00178	556	.98932
19	720.00	760.00	740.00	1	.00178	557	.99110
20	760.00	800.00	780.00	0	.00000	557	.99110
21	800.00	840.00	820.00	1	.00178	558	.99288
22	840.00	880.00	860.00	1	.00178	559	.99466
23	880.00	920.00	900.00	1	.00178	560	.99644
24	920.00	960.00	940.00	0	.00000	560	.99644
25	960.00	1000.00	980.00	0	.00000	560	.99644
above	1000.00			2	.00356	562	1.00000

Mean = 217.868

Standard Deviation = 139.833

Median = 179

Frequency Histogram for Barium



Frequency Tabulation for Cadmium


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		.000		0	.00000	0	.000
1	.000	.100	.0500	101	.17972	101	.180
2	.100	.200	.1500	22	.03915	123	.219
3	.200	.300	.2500	26	.04626	149	.265
4	.300	.400	.3500	33	.05872	182	.324
5	.400	.500	.4500	39	.06940	221	.393
6	.500	.600	.5500	40	.07117	261	.464
7	.600	.700	.6500	44	.07829	305	.543
8	.700	.800	.7500	37	.06584	342	.609
9	.800	.900	.8500	42	.07473	384	.683
10	.900	1.000	.9500	39	.06940	423	.753
11	1.000	1.100	1.0500	32	.05694	455	.810
12	1.100	1.200	1.1500	24	.04270	479	.852
13	1.200	1.300	1.2500	19	.03381	498	.886
14	1.300	1.400	1.3500	10	.01779	508	.904
15	1.400	1.500	1.4500	8	.01423	516	.918
16	1.500	1.600	1.5500	5	.00890	521	.927
17	1.600	1.700	1.6500	5	.00890	526	.936
18	1.700	1.800	1.7500	1	.00178	527	.938
19	1.800	1.900	1.8500	2	.00356	529	.941
20	1.900	2.000	1.9500	0	.00000	529	.941
21	2.000	2.100	2.0500	1	.00178	530	.943
22	2.100	2.200	2.1500	1	.00178	531	.945
23	2.200	2.300	2.2500	3	.00534	534	.950
24	2.300	2.400	2.3500	1	.00178	535	.952
25	2.400	2.500	2.4500	1	.00178	536	.954
26	2.500	2.600	2.5500	0	.00000	536	.954
27	2.600	2.700	2.6500	0	.00000	536	.954
28	2.700	2.800	2.7500	1	.00178	537	.956
29	2.800	2.900	2.8500	0	.00000	537	.956
30	2.900	3.000	2.9500	0	.00000	537	.956
31	3.000	3.100	3.0500	1	.00178	538	.957
32	3.100	3.200	3.1500	1	.00178	539	.959
33	3.200	3.300	3.2500	0	.00000	539	.959
34	3.300	3.400	3.3500	5	.00890	544	.968
35	3.400	3.500	3.4500	3	.00534	547	.973
36	3.500	3.600	3.5500	0	.00000	547	.973
37	3.600	3.700	3.6500	1	.00178	548	.975
38	3.700	3.800	3.7500	1	.00178	549	.977
39	3.800	3.900	3.8500	1	.00178	550	.979
40	3.900	4.000	3.9500	3	.00534	553	.984
41	4.000	4.100	4.0500	0	.00000	553	.984
42	4.100	4.200	4.1500	2	.00356	555	.988
43	4.200	4.300	4.2500	3	.00534	558	.993
44	4.300	4.400	4.3500	1	.00178	559	.995
45	4.400	4.500	4.4500	2	.00356	561	.998
46	4.500	4.600	4.5500	0	.00000	561	.998
47	4.600	4.700	4.6500	0	.00000	561	.998
48	4.700	4.800	4.7500	0	.00000	561	.998
49	4.800	4.900	4.8500	1	.00178	562	1.000
50	4.900	5.000	4.9500	0	.00000	562	1.000
above	5.000			0	.00000	562	1.000

Mean = 0.833986

Standard Deviation = 0.808887

Median = 0.7

Frequency Histogram for Cadmium



Frequency Tabulation for Copper


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		.00		0	.00000	0	.00000
1	.00	2.00	1.00	1	.00178	1	.00178
2	2.00	4.00	3.00	2	.00356	3	.00534
3	4.00	6.00	5.00	1	.00178	4	.00712
4	6.00	8.00	7.00	7	.01246	11	.01957
5	8.00	10.00	9.00	14	.02491	25	.04448
6	10.00	12.00	11.00	22	.03915	47	.08363
7	12.00	14.00	13.00	40	.07117	87	.15480
8	14.00	16.00	15.00	38	.06762	125	.22242
9	16.00	18.00	17.00	32	.05694	157	.27936
10	18.00	20.00	19.00	48	.08541	205	.36477
11	20.00	22.00	21.00	48	.08541	253	.45018
12	22.00	24.00	23.00	50	.08897	303	.53915
13	24.00	26.00	25.00	41	.07295	344	.61210
14	26.00	28.00	27.00	41	.07295	385	.68505
15	28.00	30.00	29.00	36	.06406	421	.74911
16	30.00	32.00	31.00	26	.04626	447	.79537
17	32.00	34.00	33.00	22	.03915	469	.83452
18	34.00	36.00	35.00	14	.02491	483	.85943
19	36.00	38.00	37.00	17	.03025	500	.88968
20	38.00	40.00	39.00	9	.01601	509	.90569
21	40.00	42.00	41.00	7	.01246	516	.91815
22	42.00	44.00	43.00	6	.01068	522	.92883
23	44.00	46.00	45.00	8	.01423	530	.94306
24	46.00	48.00	47.00	4	.00712	534	.95018
25	48.00	50.00	49.00	3	.00534	537	.95552
26	50.00	52.00	51.00	2	.00356	539	.95907
27	52.00	54.00	53.00	1	.00178	540	.96085
28	54.00	56.00	55.00	3	.00534	543	.96619
29	56.00	58.00	57.00	2	.00356	545	.96975
30	58.00	60.00	59.00	3	.00534	548	.97509
31	60.00	62.00	61.00	2	.00356	550	.97865
32	62.00	64.00	63.00	0	.00000	550	.97865
33	64.00	66.00	65.00	1	.00178	551	.98043
34	66.00	68.00	67.00	2	.00356	553	.98399
35	68.00	70.00	69.00	2	.00356	555	.98754
36	70.00	72.00	71.00	0	.00000	555	.98754
37	72.00	74.00	73.00	2	.00356	557	.99110
38	74.00	76.00	75.00	0	.00000	557	.99110
39	76.00	78.00	77.00	0	.00000	557	.99110
40	78.00	80.00	79.00	1	.00178	558	.99288
41	80.00	82.00	81.00	0	.00000	558	.99288
42	82.00	84.00	83.00	0	.00000	558	.99288
43	84.00	86.00	85.00	1	.00178	559	.99466
44	86.00	88.00	87.00	0	.00000	559	.99466
45	88.00	90.00	89.00	1	.00178	560	.99644
46	90.00	92.00	91.00	0	.00000	560	.99644
47	92.00	94.00	93.00	0	.00000	560	.99644
48	94.00	96.00	95.00	0	.00000	560	.99644
49	96.00	98.00	97.00	0	.00000	560	.99644
50	98.00	100.00	99.00	0	.00000	560	.99644
above	100.00			2	.00356	562	1.00000

Mean = 25.9573

Standard Deviation = 14.1066

Median = 24

Frequency Histogram for Copper



Frequency Tabulation for Iron


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		.000		0	.00000	0	.00000
1	.000	.160	.0800	0	.00000	0	.00000
2	.160	.320	.2400	0	.00000	0	.00000
3	.320	.480	.4000	0	.00000	0	.00000
4	.480	.640	.5600	0	.00000	0	.00000
5	.640	.800	.7200	0	.00000	0	.00000
6	.800	.960	.8800	0	.00000	0	.00000
7	.960	1.120	1.0400	0	.00000	0	.00000
8	1.120	1.280	1.2000	0	.00000	0	.00000
9	1.280	1.440	1.3600	1	.00178	1	.00178
10	1.440	1.600	1.5200	1	.00178	2	.00356
11	1.600	1.760	1.6800	0	.00000	2	.00356
12	1.760	1.920	1.8400	2	.00356	4	.00712
13	1.920	2.080	2.0000	3	.00534	7	.01246
14	2.080	2.240	2.1600	1	.00178	8	.01423
15	2.240	2.400	2.3200	2	.00356	10	.01779
16	2.400	2.560	2.4800	9	.01601	19	.03381
17	2.560	2.720	2.6400	8	.01423	27	.04804
18	2.720	2.880	2.8000	9	.01601	36	.06406
19	2.880	3.040	2.9600	26	.04626	62	.11032
20	3.040	3.200	3.1200	38	.06762	100	.17794
21	3.200	3.360	3.2800	28	.04982	128	.22776
22	3.360	3.520	3.4400	38	.06762	166	.29537
23	3.520	3.680	3.6000	41	.07295	207	.36833
24	3.680	3.840	3.7600	66	.11744	273	.48577
25	3.840	4.000	3.9200	54	.09609	327	.58185
26	4.000	4.160	4.0800	40	.07117	367	.65302
27	4.160	4.320	4.2400	49	.08719	416	.74021
28	4.320	4.480	4.4000	37	.06584	453	.80605
29	4.480	4.640	4.5600	29	.05160	482	.85765
30	4.640	4.800	4.7200	15	.02669	497	.88434
31	4.800	4.960	4.8800	12	.02135	509	.90569
32	4.960	5.120	5.0400	16	.02847	525	.93416
33	5.120	5.280	5.2000	11	.01957	536	.95374
34	5.280	5.440	5.3600	5	.00890	541	.96263
35	5.440	5.600	5.5200	3	.00534	544	.96797
36	5.600	5.760	5.6800	3	.00534	547	.97331
37	5.760	5.920	5.8400	3	.00534	550	.97865
38	5.920	6.080	6.0000	6	.01068	556	.98932
39	6.080	6.240	6.1600	1	.00178	557	.99110
40	6.240	6.400	6.3200	0	.00000	557	.99110
41	6.400	6.560	6.4800	1	.00178	558	.99288
42	6.560	6.720	6.6400	1	.00178	559	.99466
43	6.720	6.880	6.8000	1	.00178	560	.99644
44	6.880	7.040	6.9600	1	.00178	561	.99822
45	7.040	7.200	7.1200	0	.00000	561	.99822
46	7.200	7.360	7.2800	1	.00178	562	1.00000
47	7.360	7.520	7.4400	0	.00000	562	1.00000
48	7.520	7.680	7.6000	0	.00000	562	1.00000
49	7.680	7.840	7.7600	0	.00000	562	1.00000
50	7.840	8.000	7.9200	0	.00000	562	1.00000
above	8.000			0	.00000	562	1.00000

Mean = 3.91859

Standard Deviation = 0.795261

Median = 3.86

Frequency Histogram for Iron



Frequency Tabulation for Potassium


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		.0000		0	.00000	0	.00000
1	.0000	.0100	.00500	0	.00000	0	.00000
2	.0100	.0200	.01500	1	.00178	1	.00178
3	.0200	.0300	.02500	37	.06584	38	.06762
4	.0300	.0400	.03500	100	.17794	138	.24555
5	.0400	.0500	.04500	160	.28470	298	.53025
6	.0500	.0600	.05500	109	.19395	407	.72420
7	.0600	.0700	.06500	64	.11388	471	.83808
8	.0700	.0800	.07500	40	.07117	511	.90925
9	.0800	.0900	.08500	22	.03915	533	.94840
10	.0900	.1000	.09500	7	.01246	540	.96085
11	.1000	.1100	.10500	7	.01246	547	.97331
12	.1100	.1200	.11500	4	.00712	551	.98043
13	.1200	.1300	.12500	2	.00356	553	.98399
14	.1300	.1400	.13500	4	.00712	557	.99110
15	.1400	.1500	.14500	1	.00178	558	.99288
16	.1500	.1600	.15500	1	.00178	559	.99466
17	.1600	.1700	.16500	2	.00356	561	.99822
18	.1700	.1800	.17500	0	.00000	561	.99822
19	.1800	.1900	.18500	0	.00000	561	.99822
20	.1900	.2000	.19500	1	.00178	562	1.00000
21	.2000	.2100	.20500	0	.00000	562	1.00000
22	.2100	.2200	.21500	0	.00000	562	1.00000
23	.2200	.2300	.22500	0	.00000	562	1.00000
24	.2300	.2400	.23500	0	.00000	562	1.00000
above	.2400			0	.00000	562	1.00000

Mean = 0.0586299

Standard Deviation = 0.0220373

Median = 0.05

Frequency Histogram for Potassium



Frequency Tabulation for Molybdenum


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		-.500		0	.00000	0	.000
1	-.500	.500	.00	0	.00000	0	.000
2	.500	1.500	1.00	446	.79359	446	.794
3	1.500	2.500	2.00	84	.14947	530	.943
4	2.500	3.500	3.00	27	.04804	557	.991
5	3.500	4.500	4.00	4	.00712	561	.998
6	4.500	5.500	5.00	0	.00000	561	.998
7	5.500	6.500	6.00	0	.00000	561	.998
8	6.500	7.500	7.00	1	.00178	562	1.000
9	7.500	8.500	8.00	0	.00000	562	1.000
10	8.500	9.500	9.00	0	.00000	562	1.000
11	9.500	10.500	10.00	0	.00000	562	1.000
12	10.500	11.500	11.00	0	.00000	562	1.000
13	11.500	12.500	12.00	0	.00000	562	1.000
14	12.500	13.500	13.00	0	.00000	562	1.000
15	13.500	14.500	14.00	0	.00000	562	1.000
16	14.500	15.500	15.00	0	.00000	562	1.000
17	15.500	16.500	16.00	0	.00000	562	1.000
18	16.500	17.500	17.00	0	.00000	562	1.000
19	17.500	18.500	18.00	0	.00000	562	1.000
20	18.500	19.500	19.00	0	.00000	562	1.000
21	19.500	20.500	20.00	0	.00000	562	1.000
above	20.500			0	.00000	562	1.000

Mean = 1.27758

Standard Deviation = 0.627216

Median = 1

Frequency Histogram for Molybdenum



Frequency Tabulation for Nickel


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		.00		0	.00000	0	.00000
1	.00	1.00	.500	4	.00712	4	.00712
2	1.00	2.00	1.500	9	.01601	13	.02313
3	2.00	3.00	2.500	16	.02847	29	.05160
4	3.00	4.00	3.500	18	.03203	47	.08363
5	4.00	5.00	4.500	32	.05694	79	.14057
6	5.00	6.00	5.500	32	.05694	111	.19751
7	6.00	7.00	6.500	29	.05160	140	.24911
8	7.00	8.00	7.500	39	.06940	179	.31851
9	8.00	9.00	8.500	32	.05694	211	.37544
10	9.00	10.00	9.500	56	.09964	267	.47509
11	10.00	11.00	10.500	52	.09253	319	.56762
12	11.00	12.00	11.500	43	.07651	362	.64413
13	12.00	13.00	12.500	26	.04626	388	.69039
14	13.00	14.00	13.500	32	.05694	420	.74733
15	14.00	15.00	14.500	31	.05516	451	.80249
16	15.00	16.00	15.500	24	.04270	475	.84520
17	16.00	17.00	16.500	15	.02669	490	.87189
18	17.00	18.00	17.500	21	.03737	511	.90925
19	18.00	19.00	18.500	5	.00890	516	.91815
20	19.00	20.00	19.500	1	.00178	517	.91993
21	20.00	21.00	20.500	11	.01957	528	.93950
22	21.00	22.00	21.500	4	.00712	532	.94662
23	22.00	23.00	22.500	4	.00712	536	.95374
24	23.00	24.00	23.500	1	.00178	537	.95552
25	24.00	25.00	24.500	3	.00534	540	.96085
26	25.00	26.00	25.500	2	.00356	542	.96441
27	26.00	27.00	26.500	2	.00356	544	.96797
28	27.00	28.00	27.500	1	.00178	545	.96975
29	28.00	29.00	28.500	1	.00178	546	.97153
30	29.00	30.00	29.500	3	.00534	549	.97687
31	30.00	31.00	30.500	2	.00356	551	.98043
32	31.00	32.00	31.500	2	.00356	553	.98399
33	32.00	33.00	32.500	0	.00000	553	.98399
34	33.00	34.00	33.500	0	.00000	553	.98399
35	34.00	35.00	34.500	3	.00534	556	.98932
36	35.00	36.00	35.500	0	.00000	556	.98932
37	36.00	37.00	36.500	1	.00178	557	.99110
38	37.00	38.00	37.500	0	.00000	557	.99110
39	38.00	39.00	38.500	2	.00356	559	.99466
40	39.00	40.00	39.500	0	.00000	559	.99466
41	40.00	41.00	40.500	1	.00178	560	.99644
42	41.00	42.00	41.500	0	.00000	560	.99644
43	42.00	43.00	42.500	0	.00000	560	.99644
44	43.00	44.00	43.500	0	.00000	560	.99644
45	44.00	45.00	44.500	0	.00000	560	.99644
46	45.00	46.00	45.500	0	.00000	560	.99644
47	46.00	47.00	46.500	0	.00000	560	.99644
48	47.00	48.00	47.500	0	.00000	560	.99644
49	48.00	49.00	48.500	0	.00000	560	.99644
50	49.00	50.00	49.500	1	.00178	561	.99822
above	50.00			1	.00178	562	1.00000

Mean = 11.7117

Standard Deviation = 6.63557

Median = 11

Frequency Histogram for Nickel



Frequency Tabulation for Lead


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		.00		0	.00000	0	.00000
1	.00	2.00	1.00	5	.00890	5	.00890
2	2.00	4.00	3.00	2	.00356	7	.01246
3	4.00	6.00	5.00	2	.00356	9	.01601
4	6.00	8.00	7.00	5	.00890	14	.02491
5	8.00	10.00	9.00	11	.01957	25	.04448
6	10.00	12.00	11.00	9	.01601	34	.06050
7	12.00	14.00	13.00	18	.03203	52	.09253
8	14.00	16.00	15.00	29	.05160	81	.14413
9	16.00	18.00	17.00	45	.08007	126	.22420
10	18.00	20.00	19.00	65	.11566	191	.33986
11	20.00	22.00	21.00	58	.10320	249	.44306
12	22.00	24.00	23.00	55	.09786	304	.54093
13	24.00	26.00	25.00	38	.06762	342	.60854
14	26.00	28.00	27.00	51	.09075	393	.69929
15	28.00	30.00	29.00	47	.08363	440	.78292
16	30.00	32.00	31.00	27	.04804	467	.83096
17	32.00	34.00	33.00	18	.03203	485	.86299
18	34.00	36.00	35.00	19	.03381	504	.89680
19	36.00	38.00	37.00	18	.03203	522	.92883
20	38.00	40.00	39.00	6	.01068	528	.93950
21	40.00	42.00	41.00	5	.00890	533	.94840
22	42.00	44.00	43.00	4	.00712	537	.95552
23	44.00	46.00	45.00	4	.00712	541	.96263
24	46.00	48.00	47.00	4	.00712	545	.96975
25	48.00	50.00	49.00	1	.00178	546	.97153
26	50.00	52.00	51.00	2	.00356	548	.97509
27	52.00	54.00	53.00	4	.00712	552	.98221
28	54.00	56.00	55.00	3	.00534	555	.98754
29	56.00	58.00	57.00	1	.00178	556	.98932
30	58.00	60.00	59.00	1	.00178	557	.99110
31	60.00	62.00	61.00	0	.00000	557	.99110
32	62.00	64.00	63.00	1	.00178	558	.99288
33	64.00	66.00	65.00	0	.00000	558	.99288
34	66.00	68.00	67.00	0	.00000	558	.99288
35	68.00	70.00	69.00	0	.00000	558	.99288
36	70.00	72.00	71.00	0	.00000	558	.99288
37	72.00	74.00	73.00	0	.00000	558	.99288
38	74.00	76.00	75.00	0	.00000	558	.99288
39	76.00	78.00	77.00	1	.00178	559	.99466
40	78.00	80.00	79.00	1	.00178	560	.99644
41	80.00	82.00	81.00	0	.00000	560	.99644
42	82.00	84.00	83.00	0	.00000	560	.99644
43	84.00	86.00	85.00	2	.00356	562	1.00000
44	86.00	88.00	87.00	0	.00000	562	1.00000
45	88.00	90.00	89.00	0	.00000	562	1.00000
46	90.00	92.00	91.00	0	.00000	562	1.00000
47	92.00	94.00	93.00	0	.00000	562	1.00000
48	94.00	96.00	95.00	0	.00000	562	1.00000
49	96.00	98.00	97.00	0	.00000	562	1.00000
50	98.00	100.00	99.00	0	.00000	562	1.00000
above	100.00			0	.00000	562	1.00000

Mean = 25.1655

Standard Deviation = 10.5122

Median = 24

Frequency Histogram for Lead



Frequency Tabulation for Antimony


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		-.500		0	.00000	0	.000
1	-.500	.500	.00	0	.00000	0	.000
2	.500	1.500	1.00	312	.55516	312	.555
3	1.500	2.500	2.00	45	.08007	357	.635
4	2.500	3.500	3.00	40	.07117	397	.706
5	3.500	4.500	4.00	28	.04982	425	.756
6	4.500	5.500	5.00	11	.01957	436	.776
7	5.500	6.500	6.00	11	.01957	447	.795
8	6.500	7.500	7.00	12	.02135	459	.817
9	7.500	8.500	8.00	5	.00890	464	.826
10	8.500	9.500	9.00	5	.00890	469	.835
11	9.500	10.500	10.00	4	.00712	473	.842
12	10.500	11.500	11.00	5	.00890	478	.851
13	11.500	12.500	12.00	5	.00890	483	.859
14	12.500	13.500	13.00	10	.01779	493	.877
15	13.500	14.500	14.00	4	.00712	497	.884
16	14.500	15.500	15.00	6	.01068	503	.895
17	15.500	16.500	16.00	6	.01068	509	.906
18	16.500	17.500	17.00	11	.01957	520	.925
19	17.500	18.500	18.00	10	.01779	530	.943
20	18.500	19.500	19.00	7	.01246	537	.956
21	19.500	20.500	20.00	8	.01423	545	.970
22	20.500	21.500	21.00	3	.00534	548	.975
23	21.500	22.500	22.00	0	.00000	548	.975
24	22.500	23.500	23.00	1	.00178	549	.977
25	23.500	24.500	24.00	4	.00712	553	.984
26	24.500	25.500	25.00	1	.00178	554	.986
27	25.500	26.500	26.00	2	.00356	556	.989
28	26.500	27.500	27.00	2	.00356	558	.993
29	27.500	28.500	28.00	2	.00356	560	.996
30	28.500	29.500	29.00	1	.00178	561	.998
31	29.500	30.500	30.00	1	.00178	562	1.000
above	30.500			0	.00000	562	1.000

Mean = 4.51779

Standard Deviation = 6.25431

Median = 1

Frequency Histogram for Antimony



Frequency Tabulation for Zinc


Class	Lower Limit	Upper Limit	Midpoint	Frequency	Relative Frequency	Cumulative Frequency	Cum. Rel. Frequency
at or below		.00		0	.00000	0	.00000
1	.00	4.00	2.00	0	.00000	0	.00000
2	4.00	8.00	6.00	0	.00000	0	.00000
3	8.00	12.00	10.00	0	.00000	0	.00000
4	12.00	16.00	14.00	0	.00000	0	.00000
5	16.00	20.00	18.00	0	.00000	0	.00000
6	20.00	24.00	22.00	2	.00356	2	.00356
7	24.00	28.00	26.00	2	.00356	4	.00712
8	28.00	32.00	30.00	2	.00356	6	.01068
9	32.00	36.00	34.00	4	.00712	10	.01779
10	36.00	40.00	38.00	1	.00178	11	.01957
11	40.00	44.00	42.00	3	.00534	14	.02491
12	44.00	48.00	46.00	3	.00534	17	.03025
13	48.00	52.00	50.00	7	.01246	24	.04270
14	52.00	56.00	54.00	10	.01779	34	.06050
15	56.00	60.00	58.00	14	.02491	48	.08541
16	60.00	64.00	62.00	17	.03025	65	.11566
17	64.00	68.00	66.00	27	.04804	92	.16370
18	68.00	72.00	70.00	25	.04448	117	.20819
19	72.00	76.00	74.00	55	.09786	172	.30605
20	76.00	80.00	78.00	36	.06406	208	.37011
21	80.00	84.00	82.00	46	.08185	254	.45196
22	84.00	88.00	86.00	23	.04093	277	.49288
23	88.00	92.00	90.00	40	.07117	317	.56406
24	92.00	96.00	94.00	38	.06762	355	.63167
25	96.00	100.00	98.00	37	.06584	392	.69751
26	100.00	104.00	102.00	28	.04982	420	.74733
27	104.00	108.00	106.00	23	.04093	443	.78826
28	108.00	112.00	110.00	15	.02669	458	.81495
29	112.00	116.00	114.00	24	.04270	482	.85765
30	116.00	120.00	118.00	16	.02847	498	.88612
31	120.00	124.00	122.00	11	.01957	509	.90569
32	124.00	128.00	126.00	4	.00712	513	.91281
33	128.00	132.00	130.00	5	.00890	518	.92171
34	132.00	136.00	134.00	7	.01246	525	.93416
35	136.00	140.00	138.00	3	.00534	528	.93950
36	140.00	144.00	142.00	6	.01068	534	.95018
37	144.00	148.00	146.00	3	.00534	537	.95552
38	148.00	152.00	150.00	7	.01246	544	.96797
39	152.00	156.00	154.00	3	.00534	547	.97331
40	156.00	160.00	158.00	1	.00178	548	.97509
41	160.00	164.00	162.00	1	.00178	549	.97687
42	164.00	168.00	166.00	0	.00000	549	.97687
43	168.00	172.00	170.00	4	.00712	553	.98399
44	172.00	176.00	174.00	1	.00178	554	.98577
45	176.00	180.00	178.00	0	.00000	554	.98577
46	180.00	184.00	182.00	2	.00356	556	.98932
47	184.00	188.00	186.00	1	.00178	557	.99110
48	188.00	192.00	190.00	0	.00000	557	.99110
49	192.00	196.00	194.00	0	.00000	557	.99110
50	196.00	200.00	198.00	1	.00178	558	.99288
above	200.00			4	.00712	562	1.00000

Mean = 92.1192


Standard Deviation = 29.9563

Median = 89

Frequency Histogram for Zinc



ICP DATA



**MINERAL
ENVIRONMENTS
LABORATORIES LTD.**

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
8282 SHERBROOKE STREET
VANCOUVER, B.C., CANADA V5X 4E8
TELEPHONE (604) 327-3436
FAX (604) 327-3423

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C., CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Quality Assaying for over 25 Years

Assay Certificate

7S-0240-RA1

Company: **MR. STEVE BELL**
Project: **HOPE**
Attn: **Steve Bell**

Date: **SEP-02-97**

We hereby certify the following Assay of 1 ROCK samples
submitted AUG-21-97 by STEVE BELL.

Sample Number	Au-fire g/tonne
R20325N 44400E	.01

Certified by _____

MIN-EN LABORATORIES

COMP: MR. STEVE BELL
PROJ: HOPE
ATTN: Steve Bell

MIN-EN LABS — ICP REPORT
8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL: (604) 327-3436 FAX: (604) 327-3423

FILE NO: 7S-0240-RJ1
DATE: 97/09/02
* * (ACT:ICP 31)

[illegible]

COMP: MR. STEVE BELL
PROJ: HOPE
ATTN: Steve Bell

MIN-EN LABS — ICP REPORT
8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 7S-0330-SJ1
DATE: 97/10/24
* * (ACT:ICP 31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	FE %	K %	MO PPM	NI PPM	PB PPM	SB PPM	ZN Au-fire PPM
HOPE 1	.9	14	365	.5	57	2.72	.08	1	11	13	1	110
HOPE 2	.4	10	271	.4	30	3.53	.07	1	11	17	1	107
HOPE 3	.3	12	197	.3	24	3.81	.07	1	11	22	1	95
HOPE 4	.6	12	334	.2	37	3.62	.11	1	14	19	1	108
HOPE 5	.3	13	391	.2	43	3.58	.09	1	17	14	1	108
HOPE 6	.6	10	316	.3	17	4.41	.06	1	14	10	1	114
HOPE 7	1.3	17	668	.4	13	6.06	.06	2	12	13	1	178

FILE NO: 7S-0142-SJ1+2
DATE: 97/07/21
* * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	FE %	K %	MO PPM	NI PPM	PB PPM	SB PPM	ZN PPM
45500E 18000N	.1	13	57	1.2	12	4.02	.03	1	4	15	1	65
45500E 18100N	.1	26	264	.9	34	6.02	.07	1	14	48	1	128
45500E 18200N	.1	12	351	1.0	26	4.14	.03	1	9	31	1	93
45500E 18300N	.1	5	340	1.4	35	3.86	.09	1	15	29	1	103
45500E 18400N	.1	9	342	1.0	40	4.12	.09	1	14	32	1	105
45500E 18500N	.1	11	181	1.1	20	3.78	.05	1	13	26	1	95
45500E 18600N	.1	15	281	1.0	20	3.83	.05	1	15	26	1	80
45500E 18700N	.1	17	178	1.2	31	4.33	.07	1	13	22	1	100
45500E 18800N	.1	3	184	.9	16	2.91	.05	1	10	21	1	82
45500E 18900N	.1	6	344	1.4	37	4.57	.08	1	16	38	1	103
45500E 19000N	.1	22	151	.8	20	3.32	.05	1	11	20	1	75
45500E 19100N	.1	5	172	1.0	13	3.06	.05	1	8	17	1	64
45500E 19185N	.1	1	429	1.3	20	3.15	.06	1	13	33	1	95
45500E 19200N	.1	4	96	.8	16	3.47	.04	1	4	18	2	57
45500E 19300N	.1	4	324	1.2	25	3.82	.07	1	13	32	1	98
45500E 19400N	.1	4	156	1.0	10	2.91	.06	1	4	19	1	67
45500E 19500N	.1	5	146	1.0	13	3.56	.06	1	6	26	1	73
45500E 19600N	.1	8	100	1.0	17	3.63	.06	1	5	24	1	75
45500E 19700N	.1	1	94	1.3	15	2.54	.03	1	2	17	1	53
45500E 19800N	2.1	25	889	3.2	52	6.72	.08	3	18	38	3	86
45500E 19900N	.1	17	225	.8	13	3.05	.06	1	5	16	1	65
45500E 20000N	.1	7	140	1.9	13	5.63	.04	1	5	21	3	109
45600E 18000N	.1	37	113	.7	12	5.35	.04	1	3	12	5	70
45600E 18500N	.1	13	196	.9	20	3.54	.05	1	10	27	1	74
45600E 19000N	.1	1	145	1.2	13	3.01	.07	1	9	29	1	76
45600E 19100N	.1	14	139	.9	27	4.47	.06	1	12	28	2	97
45600E 19200N	.1	18	278	1.0	12	5.06	.09	1	11	20	3	92
45600E 19300N	.1	25	183	.5	27	3.88	.06	1	15	17	1	89
45600E 19400N	.1	11	150	.3	14	3.74	.05	1	9	19	1	70
45600E 19500N	.1	19	286	.3	14	3.91	.04	1	6	19	2	121
45600E 19600N	.1	21	106	1.2	17	3.67	.06	1	9	20	1	76
45600E 19700N	.1	1	54	.7	6	2.71	.04	1	2	13	2	44
45600E 19800N	.1	19	139	.6	21	3.70	.05	1	7	23	1	75
45600E 19900N	.1	14	273	.5	15	3.04	.06	1	8	20	1	89
45600E 20000N	.1	4	135	1.1	15	3.48	.08	1	4	21	5	74
45700E 18000N	.1	18	109	1.2	19	5.88	.04	1	10	23	3	105
45700E 18100N	.9	32	251	.5	48	4.32	.05	1	12	25	4	103
45700E 18200N	.1	23	302	.9	31	4.25	.07	1	11	24	4	64
45700E 18300N	.1	20	202	.6	18	3.92	.05	1	9	24	3	94
45700E 18400N	.1	11	294	1.3	38	4.10	.12	1	18	33	1	115
45700E 18500N	.1	13	213	4.5	19	3.87	.06	1	12	28	1	101
45700E 18600N	.2	15	496	4.2	33	4.73	.09	2	21	35	4	103
45700E 18700N	.1	15	145	.6	19	3.51	.05	1	11	23	1	82
45700E 18800N	.1	2	87	.5	9	2.48	.04	1	6	17	1	55
45700E 18900N	.1	15	273	4.0	19	3.99	.10	1	10	27	4	74
45700E 19000N	.1	5	124	.4	21	3.79	.07	1	10	27	2	78
45700E 19100N	.1	10	123	.5	29	4.06	.06	1	12	27	3	96
45700E 19200N	.1	18	107	.7	20	3.97	.07	1	11	17	1	92

COMP: MR STEVE BELL
PROJ: HOPE
ATTN: STEVE BELL

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL: (604) 327-3436 FAX: (604) 327-3423

FILE NO: 7S-0142-SJ3+4

DATE: 97/07/21

* * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	FE %	K %	MO PPM	NI PPM	PB PPM	SB PPM	ZN PPM
45700E 19300N	.1	18	289	.8	29	4.15	.07	1	11	22	2	123
45700E 19400N	.1	26	276	.3	30	4.47	.06	1	12	24	2	87
45700E 19500N	.6	4	808	2.4	79	4.34	.17	1	21	54	1	146
45700E 19600N	.1	13	150	1.2	17	3.57	.04	1	8	23	5	84
45700E 19700N	.1	18	203	.1	19	3.71	.04	1	11	26	4	92
45700E 19800N	.1	12	117	1.0	12	3.59	.05	1	6	21	4	104
45700E 19900N	.1	17	110	1.0	14	3.60	.05	1	6	21	1	82
45700E 20000N	.7	12	462	.6	10	2.84	.07	1	6	23	1	78
45800E 18000N	.1	16	90	1.4	17	3.68	.03	1	12	24	3	81
45800E 18100N	.1	22	172	1.2	28	4.60	.05	1	13	33	5	121
45800E 18200N	.1	17	302	.9	30	3.89	.07	1	10	28	3	93
45800E 18300N	.1	13	249	.9	37	4.03	.06	1	10	23	4	79
45800E 18400N	.1	11	240	1.0	19	3.33	.05	1	7	22	2	69
45800E 18500N	.1	17	188	.6	16	3.43	.05	1	7	20	2	81
45800E 18600N	.1	22	166	1.0	23	4.44	.07	1	11	29	4	111
45800E 18700N	.1	16	221	1.0	28	3.62	.07	1	13	30	6	105
45800E 18800N	.1	18	119	.5	14	3.42	.06	1	11	21	1	73
45800E 18900N	.1	5	143	.5	18	3.53	.06	1	10	28	2	108
45800E 19000N	.1	9	91	.1	14	3.26	.06	1	6	31	1	76
45800E 19100N	.1	17	112	.8	21	3.92	.05	1	12	30	4	87
45800E 19200N	.1	13	106	1.0	21	4.41	.05	1	11	26	4	97
45800E 19300N	.1	20	242	1.4	32	4.15	.07	1	15	23	2	99
45800E 19400N	.1	27	150	1.0	25	3.81	.06	1	14	22	3	95
45800E 19500N	.1	9	352	1.3	23	4.49	.06	1	20	34	3	103
45800E 19600N	.1	17	168	3.4	15	3.72	.04	1	9	25	3	98
45800E 19700N	.1	31	154	3.1	16	3.28	.05	1	10	17	1	74
45800E 19800N	.1	23	114	3.4	21	3.98	.04	1	9	27	5	112
45800E 19900N	.1	35	78	1.1	13	3.98	.04	1	5	23	4	91
45800E 20000N	.1	20	51	.3	4	2.47	.05	1	1	6	4	22
45900E 18000N	.1	15	151	.7	30	4.24	.05	1	16	34	2	99
45900E 18100N	.1	19	304	.6	43	3.84	.06	1	14	25	1	88
45900E 18200N	.1	12	80	1.1	9	3.34	.02	1	6	24	6	62
45900E 18300N	.1	33	264	1.0	21	4.52	.04	1	13	30	3	123
45900E 18400N	.1	13	250	1.4	35	3.86	.05	1	10	36	3	89
45900E 18500N	.1	16	173	1.7	20	3.96	.04	1	10	29	3	99
45900E 18600N	.1	20	145	1.0	17	4.08	.04	1	10	27	4	101
45900E 18700N	.5	1	866	4.0	69	4.65	.11	3	39	85	4	143</

COMP: MR STEVE BELL
PROJ: HOPE
ATTN: STEVE BELL

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL: (604) 327-3436 FAX: (604) 327-3423

FILE NO: 7S-0142-SJ5+6

DATE: 97/07/21

★ ★ (ACT:F31)

[illegible]

FILE NO: 7S-0158-SJ1+2
DATE: 97/07/31
* * (ACT: F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	FE %	K %	MO PPM	NI PPM	PB PPM	SB PPM	ZN PPM
44800E 19000N	.1	24	151	.4	21	3.88	.05	1	10	22	1	76
44800E 19100N	.1	1	453	2.3	74	4.57	.08	3	17	50	1	142
44800E 19200N	.6	1	647	2.3	31	4.24	.08	2	16	37	1	116
44800E 19300N	.1	7	181	.6	11	3.20	.05	1	6	14	1	67
44800E 19400N	.1	6	121	.9	11	2.96	.04	1	4	16	1	55
44800E 19500N	.2	14	173	.9	25	3.44	.06	1	6	21	1	66
44800E 19600N	.1	8	167	.6	20	2.97	.06	1	7	24	1	75
44800E 19700N	.1	9	132	.7	10	2.73	.06	1	3	19	1	51
44800E 19800N	.1	1	77	1.3	13	3.63	.05	1	4	23	1	66
44800E 19900N	.4	1	506	1.5	45	2.87	.07	1	7	28	1	79
44800E 20000N	.1	1	93	1.3	13	4.44	.03	2	6	40	1	102
44900E 19000N	.1	6	277	1.1	21	4.06	.03	2	12	28	1	84
44900E 19100N	.1	9	272	1.3	23	5.07	.04	2	17	38	1	143
44900E 19200N	.5	1	614	1.3	37	5.15	.14	2	14	47	1	111
44900E 19300N	.1	4	234	.7	10	2.64	.05	1	5	18	1	66
44900E 19400N	.1	5	139	.8	15	3.09	.06	1	5	22	1	73
44900E 19500N	.2	12	174	.9	12	2.94	.04	1	5	16	1	64
44900E 19600N	.4	1	234	.8	27	2.43	.08	1	3	29	1	46
44900E 19700N	.1	12	77	.6	11	3.02	.05	1	4	20	1	49
44900E 19800N	.4	7	99	1.2	19	3.80	.04	1	5	22	1	90
44900E 19900N	.1	3	90	1.5	13	3.95	.07	2	4	23	1	74
44900E 20000N	.6	1	433	2.1	50	4.65	.11	3	15	53	1	169
45000E 19000N	.3	9	290	1.0	14	3.27	.05	1	12	29	1	84
45000E 19100N	.3	1	192	1.7	31	5.28	.05	2	24	47	1	185
45000E 19200N	.1	15	136	1.3	25	5.02	.04	1	10	27	1	119
45000E 19300N	.1	1	433	1.5	32	3.69	.08	2	14	30	1	113
45000E 19400N	.1	9	137	1.6	26	4.39	.05	2	6	25	1	81
45000E 19500N	.1	6	175	1.2	36	3.52	.08	1	7	28	1	102
45000E 19600N	.1	4	84	1.1	13	2.08	.05	1	3	18	1	42
45000E 19700N	.1	1	154	.8	12	3.05	.06	1	4	28	1	64
45000E 19800N	.1	12	95	1.1	13	3.92	.05	1	2	12	3	65
45000E 19900N	.1	5	57	1.1	3	2.48	.03	1	1	11	2	36
45000E 20000N	1.1	1	1075	2.5	136	4.03	.14	2	16	51	1	151
45100E 19000N	.1	4	163	1.6	18	4.02	.03	2	15	40	1	116
45100E 19100N	.1	15	161	.7	14	3.20	.04	1	7	17	1	53
45100E 19200N	.1	16	122	.8	22	3.85	.05	1	8	21	1	74
45100E 19300N	.4	7	351	1.1	25	3.35	.06	1	10	21	1	74
45100E 19400N	.4	5	227	1.1	29	2.60	.05	1	8	20	1	79
45100E 19500N	.1	2	214	.9	18	3.24	.05	1	7	24	1	85
45100E 19600N	.1	4	130	1.0	25	3.17	.04	1	5	20	1	61
45100E 19700N	.1	7	126	.9	7	2.88	.05	2	6	8	4	78
45100E 19800N	.1	7	84	1.3	23	4.20	.04	1	3	19	4	60
45100E 19900N	.1	23	220	1.2	14	5.07	.03	2	5	3	4	109
45100E 20000N	.1	1	275	.7	15	1.38	.03	1	1	9	3	23
45200E 18000N	.1	12	67	.5	7	2.47	.03	1	4	9	2	36
45200E 18100N	1.1	1	597	.7	153	4.04	.20	1	22	46	1	113
45200E 18200N	.1	4	141	1.4	27	4.27	.06	1	14	38	1	118
45200E 18300N	.1	4	123	.8	20	3.05	.05	1	6	28	1	72

ATTN: STEVE BELL

MIN-EN LABS — ICP REPORT

TEL: (604) 327-3436 FAX: (604) 327-3423

FILE NO: 7S-0158-SJ3+4

DATE: 97/07/31

* * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	FE %	K %	MO PPM	NI PPM	PB PPM	SB PPM	ZN PPM
45200E 18400N	.1	12	102	1.3	21	4.58	.03	2	11	26	1	106
45200E 18500N	.1	18	226	.6	39	4.05	.03	1	8	16	1	93
45200E 18600N	.1	1	362	.5	27	3.34	.05	1	13	20	1	99
45200E 18700N	.1	14	186	.8	50	3.85	.05	1	10	18	1	83
45200E 18750N	.1	6	100	1.2	22	3.94	.05	1	8	23	1	78
45200E 18800N	.1	7	71	1.5	21	4.49	.04	2	6	22	2	82
45200E 18900N	.1	2	111	.9	29	4.63	.04	2	15	26	1	118
45200E 19000N	.1	9	111	1.4	35	3.98	.05	1	14	27	1	96
45200E 19100N	.1	12	210	1.1	31	3.38	.05	1	16	22	1	94
45200E 19125N	.1	13	139	1.2	30	3.79	.03	1	17	28	1	84
45200E 19150N	.1	10	130	.4	13	2.94	.04	1	9	13	1	61
45200E 19200N	.4	1	746	.7	45	4.51	.10	1	30	36	1	115
45200E 19300N	.5	1	430	1.6	26	2.99	.07	1	13	35	1	97
45200E 19400N	.1	1	137	.7	32	2.75	.04	1	3	9	1	55
45200E 19500N	.1	1	138	.6	12	2.71	.05	1	4	16	1	60
45200E 19600N	.1	10	102	.6	37	3.42	.05	1	2	19	1	61
45200E 19700N	.1	19	80	.7	15	3.13	.05	1	3	13	1	57
45200E 19800N	.1	1	394	1.6	38	3.44	.08	1	10	32	3	92
45200E 19900N	.1	1	348	1.0	17	3.30	.05	1	9	28	1	73
45200E 20000N	.1	1	126	1.0	23	3.45	.04	1	6	23	1	73
45300E 18000N	.1	16	108	.8	11	3.37	.04	1	5	18	2	54
45300E 18100N	.2	10	409	.4	37	3.92	.06	1	11	24	1	103
45300E 18200N	.1	2	97	.8	22	3.60	.05	1	6	20	1	66
45300E 18300N	.1	1	196	.7	27	3.79	.06	1	7	16	1	79
45300E 18400N	.1	1	221	1.1	32	3.62	.05	1	9	33	1	77
45300E 18500N	.1	15	318	.6	29	3.58	.05	1	12	20	1	94
45300E 18600N	.1	10	312	.1	18	3.51	.05	1	11	20	1	92
45300E 18700N	.1	14	254	.1	25	3.03	.05	1	10	20	1	70
45300E 18800N	.1	18	177	.6	23	4.17	.05	1	14	21	1	96
45300E 18900N	.1	16	131	.6	19	4.08	.03	1	15	30	1	94
45300E 19000N	.1	1	357	.4	36	3.74	.07	1	16	30	1	102
45300E 19100N	.1	4	310	.1	24	3.58	.06	1	12	25	1	78
45300E 19200N	.3	1	590	.2	37	4.45	.08	1	32	46	1	125
45300E 19300N	.6	1	501	1.0	25	3.07	.08	1	11	35	1	91
45300E 19400N	.1	1	243	.2	21	3.06	.07	1	8	27	1	101
45300E 19500N	.8	1	511	1.2	60	4.87	.17	2	12	64	1	138
45300E 19600N	.1	5	82	.5	22	3.61	.05	1	4	19	1	83
45300E 19700N	.1	8	160	.9	31	3.72	.05	1	7	22	1	82
45300E 19800N	.1	13	80	.9	14	3.74	.04	1	5	19	1	72
45300E 19900N	.1	11	250	.1	20	3.16	.05	1	6	16	1	70
45300E 20000N	.2	11	295	.4	15	3.10	.05	1	6	16	1	57
45400E 18000N	.1	29	115	1.2	21	5.70	.03	3	6	23	3	78
45400E 18100N	.1	7	328	.8	46	3.18	.05	1	12	27	1	71
45400E 18200N	.6	9	366	.3	59	3.22	.06	1	10	26	1	99
45400E 18300N	.1	13	305	.8	35	4.30	.07	2	12	35	2	116
45400E 18400N	.1	12	125	.1	23	3.52	.05	1	7	24	1	64
45400E 18500N	.1	7	364	.7	22	3.21	.05	1	13	31	1	96
45400E 18600N	.1	15	176	1.1	32	4.49	.04	2	14	26	1	108

ATTN: STEVE BELL

TEL: (604) 327-3436 FAX: (604) 327-3423

* * (ACT:F31)

[illegible]

COMP: MR. STEVE BELL
PROJ: HOPE
ATTN: STEVE BELL

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL: (604) 327-3436 FAX: (604) 327-3423

FILE NO: 7S-0175-SJ1+2

DATE: 97/08/06

* * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	FE %	K %	MO PPM	NI PPM	PB PPM	SB PPM	ZN PPM
44600E 18000N	.1	13	346	1.0	26	3.77	.06	1	11	27	1	101
44600E 18100N	.1	10	419	.9	30	4.09	.07	1	18	41	1	124
44600E 18200N	.1	21	85	1.1	21	5.05	.03	1	11	31	1	93
44600E 18300N	.1	21	123	.5	28	4.20	.05	1	14	33	1	82
44600E 18400N	.1	3	115	1.1	28	4.50	.08	1	11	36	1	98
44600E 18500N	.2	1	248	3.4	45	5.13	.08	4	28	79	1	229
44600E 18600N	.2	11	91	1.7	27	4.60	.05	1	12	31	1	87
44600E 18700N	.3	1	186	.9	59	5.76	.09	1	27	60	1	135
44600E 18800N	.3	5	102	3.9	20	4.22	.04	1	8	29	3	97
44600E 18900N	.3	4	162	4.4	18	4.34	.06	2	12	34	3	102
44600E 19000N	.3	1	234	4.3	38	4.84	.06	3	23	53	2	116
44600E 19100N	.4	21	212	4.2	27	4.49	.07	2	14	32	3	103
44600E 19200N	.4	13	320	4.0	30	3.95	.06	1	13	22	4	119
44600E 19300N	.5	3	447	3.8	28	4.06	.09	1	17	42	1	124
44600E 19400N	.4	17	177	3.4	22	3.12	.06	2	8	21	7	58
44600E 19500N	.4	10	184	4.3	24	4.17	.06	2	9	38	6	75
44600E 19600N	.8	1	583	4.9	32	3.32	.11	2	16	52	2	116
44600E 19700N	.4	5	220	3.5	15	3.22	.06	1	9	29	3	87
44600E 19800N	.5	22	128	3.4	20	3.73	.06	2	8	25	4	87
44600E 19900N	.5	1	226	4.5	29	4.26	.06	2	15	45	7	106
44600E 20000N	.4	19	136	3.7	29	5.28	.05	2	7	30	7	97
44700E 18000N	.5	1	421	4.3	29	3.85	.09	1	17	39	4	95
44700E 18100N	.4	19	209	3.5	24	4.41	.04	1	14	37	3	105
44700E 18200N	.3	18	123	3.5	26	4.92	.05	2	19	36	6	98
44700E 18300N	.1	2	138	.3	28	3.99	.06	1	14	29	1	74
44700E 18400N	.1	1	118	.2	11	3.45	.05	1	5	17	1	81
44700E 18500N	.1	1	295	.7	61	7.00	.13	1	37	86	1	164
44700E 18600N	.1	1	230	.2	11	4.82	.09	1	14	40	1	72
44700E 18700N	.1	1	156	.7	28	3.93	.08	1	8	22	1	83
44700E 18800N	.1	10	204	.3	21	3.90	.06	1	14	25	1	86
44700E 18900N	.1	3	373	1.0	33	4.28	.06	1	18	35	1	84
44700E 19000N	.1	1	396	.8	32	4.95	.08	1	19	46	1	133
44700E 19100N	.1	8	233	.3	22	4.50	.05	1	10	27	1	105
44700E 19200N	.1	7	231	.1	19	4.75	.05	1	8	26	1	98
44700E 19300N	.1	3	244	.4	19	3.45	.06	1	7	14	1	73
44700E 19400N	.1	1	280	.5	17	3.27	.06	1	5	19	1	56
44700E 19500N	.1	4	223	.6	28	3.44	.08	1	5	18	1	73
44700E 19600N	.1	6	298	1.3	31	4.00	.09	1	7	31	1	96
44700E 19700N	.2	3	370	.5	26	3.20	.10	1	9	28	1	95
44700E 19800N	.1	1	100	.5	19	3.94	.07	1	5	32	1	85
44700E 19900N	.1	6	96	.7	19	4.88	.05	1	6	20	1	97
44700E 20000N	.1	1	129	.8	14	4.58	.05	1	5	19	1	97
44800E 18000N	.1	1	310	1.0	27	3.70	.08	1	16	32	1	104
44800E 18100N	.1	1	232	1.1	28	4.21	.09	1	15	37	1	121
44800E 18200N	.1	4	151	.9	25	4.41	.06	1	16	31	1	95
44800E 18300N	.1	2	200	1.3	19	3.65	.06	1	7	19	1	83
44800E 18400N	.1	8	214	.9	28	3.93	.06	1	12	21	1	75
44800E 18500N	.7	3	361	1.2	86	4.17	.10	1	17	29	1	89

ATTN: STEVE BELL

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8

TEL: (604) 327-3436

FAX: (604) 327-3423

DATE: 97/08/06

* * (ACT:F31)

[illegible]

COMP: MR. STEVE BELL
PROJ: HOPE
ATTN: STEVE BELL

MIN-EN LABS — ICP REPORT
8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL: (604) 327-3436 FAX: (604) 327-3423

FILE NO: 7S-0175-LJ1
DATE: 97/08/06
* * (ACT:F31)

[illegible]

ATTN: Steve Bell

TEL: (604) 327-3436 FAX: (604) 327-3423

* * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	FE %	K %	MO PPM	NI PPM	PB PPM	SB PPM	ZN PPM
17400N 44700E	.1	16	135	.3	19	4.97	.04	1	8	24	1	90
17400N 44800E	.1	20	87	.3	14	5.16	.04	1	3	13	1	64
17400N 44900E	.1	15	125	.5	28	5.47	.03	1	3	19	2	112
17400N 45000E	.1	1	458	1.1	30	3.84	.05	1	10	33	1	140
17400N 45100E	.1	13	96	.1	27	4.83	.06	1	11	30	1	92
17400N 45200E	1.1	6	229	.1	31	4.19	.05	1	10	27	1	80
17400N 45300E	.1	17	278	.1	56	4.98	.06	1	25	41	1	113
17400N 45400E	2.0	1	415	.1	25	1.91	.05	1	3	22	1	50
17500N 44700E	.1	10	76	.1	19	4.65	.05	1	7	33	1	89
17500N 44800E	.1	10	82	.1	25	4.66	.06	1	8	33	1	104
17500N 44900E	.1	4	183	.3	21	3.69	.06	1	8	23	1	86
17500N 45000E	.4	1	464	1.1	21	4.22	.08	1	19	41	1	151
17500N 45100E	.1	19	94	.3	34	5.27	.03	1	10	34	1	90
17500N 45200E	.1	6	260	1.2	38	5.30	.05	1	12	35	1	107
17500N 45300E	.1	38	140	.1	37	4.49	.05	1	8	28	1	78
17500N 45400E	.1	9	262	.5	22	4.18	.05	1	10	22	1	89
46100E 18500N	.1	19	126	.4	24	3.63	.05	1	11	17	1	76
46100E 18600N	.1	14	172	.4	25	4.28	.03	1	15	24	1	88
46100E 18700N	.1	10	146	.1	22	3.08	.05	1	11	20	1	66
46100E 18800N	.1	3	234	.5	30	4.11	.05	1	10	27	1	111
46100E 18900N	.1	26	191	.7	24	4.91	.04	1	11	19	1	116
46100E 19000N	.1	11	217	.3	24	3.13	.05	1	10	16	1	73
46100E 19100N	.1	24	326	.1	28	4.29	.05	1	18	25	1	116
46100E 19200N	.1	29	188	.1	29	4.24	.05	1	17	19	1	90
46100E 19300N	.1	13	499	.8	66	6.03	.12	1	31	40	1	142
46100E 19400N	.1	33	289	.4	42	5.05	.06	1	17	19	1	115
46100E 19500N	.2	7	675	1.1	55	4.68	.11	1	22	37	1	142
46200E 18500N	.1	17	213	.7	27	3.36	.06	1	14	25	1	83
46200E 18600N	.1	22	130	1.0	23	5.39	.04	1	12	20	1	172
46200E 18650N	.1	30	129	.8	30	4.80	.04	1	13	23	1	97
46200E 18700N	.1	28	64	.7	18	4.33	.05	1	12	13	1	66
46200E 18750N	.1	15	119	.1	28	3.85	.06	1	15	15	1	73
46200E 18800N	.1	25	92	1.1	41	5.78	.05	1	35	10	3	156
46200E 18850N	.1	39	120	.6	37	6.05	.03	1	25	16	2	152
46200E 18900N	.1	5	212	.8	42	3.97	.07	1	21	29	1	106
46200E 19000N	.1	1	415	1.4	54	3.81	.08	1	17	31	1	106
46200E 19100N	.1	20	156	.9	43	4.43	.05	1	10	20	1	110
46200E 19200N	.1	3	264	.4	28	3.44	.07	1	21	24	1	87
46200E 19300N	.1	22	222	.4	20	3.75	.05	1	9	10	1	101
46200E 19400N	.1	17	235	.7	45	4.27	.07	1	18	29	1	100
46200E 19500N	.1	17	174	.7	17	3.34	.04	1	8	16	1	72
46300E 18500N	.1	25	251	.7	44	3.79	.08	1	17	22	1	94
46300E 18600N	.1	1	88	.4	10	4.01	.10	1	18	20	1	62
46300E 18700N	.1	1	180	1.1	36	3.70	.07	1	16	30	1	116
46300E 18800N	.1	10	112	.9	14	3.41	.04	1	6	22	1	119
46300E 18900N	.1	21	161	.7	27	3.60	.06	1	17	25	1	87
46300E 19000N	.1	26	338	.7	42	4.97	.08	1	32	32	1	110
46300E 19100N	.1	8	352	.8	38	3.94	.08	1	14	29	1	114

ATTN: Steve Bell

TEL: (604) 327-3436 FAX: (604) 327-3423

* * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	FE %	K %	MO PPM	NI PPM	PB PPM	SB PPM	ZN PPM
46300E 19200N	.1	23	131	1.0	33	4.33	.05	1	15	20	1	83
46300E 19300N	.1	20	166	.8	20	4.10	.05	1	14	19	1	92
46300E 19400N	.4	1	1099	2.8	70	4.53	.14	2	27	56	1	151
46300E 19500N	.1	22	452	1.4	40	4.65	.08	1	25	38	1	135
46400E 18500N	.1	10	335	1.2	40	3.67	.08	1	16	21	1	99
46400E 18600N	.4	1	228	.1	29	4.92	.08	1	54	56	1	101
46400E 18700N	.1	39	133	1.2	26	5.59	.04	1	18	21	2	153
46400E 18800N	.1	14	193	1.3	14	4.33	.07	1	14	28	1	75
46400E 18900N	.1	33	135	1.0	42	5.24	.04	1	22	21	2	118
46400E 19000N	.1	76	172	.6	28	6.12	.04	1	41	30	1	174
46400E 19100N	.1	14	138	1.7	30	3.92	.05	1	11	24	1	88
46400E 19200N	.1	14	105	.8	28	4.41	.05	1	13	27	2	103
46400E 19300N	.1	26	120	.9	25	5.09	.04	1	13	16	1	105
46400E 19400N	.1	23	118	1.2	21	3.84	.05	1	10	20	1	82
46400E 19500N	.1	17	147	.8	23	3.54	.05	1	9	19	1	87
46500E 18700N	.1	18	179	1.3	25	4.62	.04	1	17	25	1	112
46500E 18750N	.1	9	168	1.5	35	4.35	.05	1	23	26	1	109
46500E 18800N	.1	13	143	1.3	14	3.20	.03	1	8	14	1	82
46500E 18850N	.1	16	101	.9	15	2.85	.03	1	6	13	1	59
46500E 18900N	.1	21	166	1.5	28	4.17	.06	1	14	23	1	118
46500E 18950N	.1	20	240	1.6	30	3.77	.05	1	22	27	1	97
46500E 19000N	.1	4	235	.9	14	2.90	.04	1	15	22	1	84
46500E 19050N	.6	14	415	2.3	68	5.14	.11	1	30	44	1	183
46600E 18025N	.1	26	164	.9	24	4.39	.06	1	14	19	1	89
46600E 18800N	.1	48	242	.1	32	4.77	.09	1	21	11	1	100
46600E 18850N	.1	34	71	.1	16	3.87	.05	1	11	4	1	75
46600E 18900N	.1	19	163	.1	22	3.10	.04	1	13	17	1	67
46600E 19000N	.1	30	175	.2	24	3.97	.06	1	21	28	1	108
46600E 19050N	.1	18	163	.2	25	3.18	.04	1	15	18	1	74
46600E 19100N	.1	28	55	.1	14	4.13	.03	1	5	8	2	76
46600E 19150N	.1	32	111	.1	40	3.86	.04	1	9	14	1	83
46600E 19200N	.1	28	143	.1	20	4.25	.04	1	17	16	1	98
46600E 19250N	.1	31	76	.1	31	4.30	.03	1	14	10	3	128
46600E 19300N	.1	31	71	.1	24	4.03	.03	1	15	5	3	124
46600E 19350N	.1	26	115	.5	27	3.69	.06	1	10	17	1	92
46600E 19400N	.1	51	160	.7	27	6.88	.05	2	26	1	6	134
46600E 19500N	.1	24	157	.4	19	3.66	.04	1	9	19	1	86

COMP: MR. STEVE BELL
PROJ: HOPE
ATTN: STEVE BELL

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL: (604) 327-3436 FAX: (604) 327-3423

FILE NO: 7S-0221-SJ1+2

DATE: 97/08/22

* SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	FE %	K %	MO PPM	NI PPM	PB PPM	SB PPM	ZN PPM
44200E 19000N	.1	1	289	.4	26	4.40	.08	1	11	36	23	170
44200E 19100N	.1	2	372	.1	34	4.34	.12	2	16	38	24	117
44200E 19200N	.1	1	184	.1	21	3.80	.07	2	10	32	24	93
44200E 19300N	.3	1	94	.1	9	2.42	.07	2	2	21	17	33
44200E 19400N	.2	6	124	.1	24	4.18	.09	2	8	36	27	92
44200E 19500N	.4	1	620	1.1	45	4.18	.16	2	11	47	28	118
44200E 19600N	.1	1	90	.1	16	3.93	.07	2	5	31	24	75
44200E 19700N	.1	1	110	.1	15	3.65	.07	1	5	30	20	75
44200E 19800N	.4	1	176	.1	18	2.91	.08	2	6	39	28	61
44200E 19900N	.2	1	165	.1	17	3.53	.06	1	8	32	20	83
44200E 20000N	.1	7	80	.1	15	4.16	.06	1	7	28	24	82
44300E 19000N	.4	6	279	.1	23	4.69	.06	2	16	36	29	132
44300E 19100N	.4	49	354	.2	28	4.05	.05	2	8	25	21	105
44300E 19200N	.1	5	227	.1	21	4.17	.08	1	12	30	20	105
44300E 19300N	.1	1	97	.1	21	4.26	.06	2	7	35	27	75
44300E 19400N	.1	2	231	.1	15	3.14	.09	1	4	24	15	80
44300E 19500N	.4	1	422	.3	49	4.38	.15	3	11	53	30	132
44300E 19600N	.1	1	78	.2	11	2.65	.07	1	2	23	15	49
44300E 19700N	.1	1	95	.1	13	3.33	.06	1	4	27	20	60
44300E 19800N	.1	9	118	.1	22	4.00	.06	1	9	29	18	83
44300E 19900N	.3	1	146	.1	11	2.67	.06	1	4	22	16	54
44300E 20000N	.1	9	96	.1	14	3.71	.05	1	6	25	17	80
44400E 19000N	.1	1	327	.1	29	4.41	.09	1	14	32	20	108
44400E 19100N	.3	1	313	.1	36	4.23	.08	1	18	35	26	102
44400E 19200N	.1	11	284	1.1	24	4.01	.07	1	11	29	14	94
44400E 19300N	.1	20	205	.7	21	3.98	.09	1	8	26	17	96
44400E 19400N	.1	18	139	.2	16	3.20	.06	1	4	18	9	63
44400E 19500N	.1	10	214	.4	21	3.73	.05	1	6	22	13	53
44400E 19600N	.1	12	143	1.0	14	3.61	.06	2	5	23	17	72
44400E 19700N	.1	1	99	1.1	11	3.64	.05	2	2	21	19	58
44400E 19800N	.1	1	114	.9	18	3.73	.06	2	5	31	20	72
44400E 19900N	.1	11	70	1.2	14	4.75	.05	2	3	18	19	71
44400E 20000N	.1	7	235	1.0	37	3.84	.07	1	12	35	16	99
44500E 19000N	.1	1	159	.9	23	4.28	.06	1	13	32	18	85
44500E 19100N	.1	18	345	1.1	24	4.26	.07	1	13	29	13	99
44500E 19200N	.1	2	271	.8	30	3.76	.07	1	12	30	15	89
44500E 19300N	.1	9	344	.9	34	3.94	.10	1	11	30	15	107
44500E 19400N	.1	16	124	.7	23	4.49	.04	2	7	36	25	104
44500E 19500N	.1	11	262	.5	16	3.04	.06	1	3	19	9	57
44500E 19600N	.1	6	220	.5	15	3.51	.06	1	5	19	8	68
44500E 19700N	.1	2	208	.5	24	3.83	.08	1	9	26	13	83
44500E 19800N	.1	20	99	.6	19	5.43	.04	2	3	20	20	94
44500E 19900N	.1	16	106	.3	16	3.97	.04	2	5	24	18	93
44500E 20000N	.1	4	88	1.2	16	4.23	.04	2	5	25	18	128
46500E 18000N	.1	4	126	.5	20	3.41	.05	1	10	25	13	65
46500E 18100N	.1	36	43	.1	26	4.85	.04	2	13	8	16	83
46500E 18200N	.1	41	163	.7	28	5.94	.07	3	16	1	14	71
46500E 18300N	.1	13	233	1.1	33	4.41	.08	1	19	17	15	94

COMP: MR. STEVE BELL
PROJ: HOPE
ATTN: STEVE BELL

MIN-EN LABS — ICP REPORT
8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL: (604) 327-3436 FAX: (604) 327-3423

FILE NO: 7S-0221-SJ3+4
DATE: 97/08/22
* SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	FE %	K %	MO PPM	NI PPM	PB PPM	SB PPM	ZN PPM
46500E 18400N	.1	33	105	.1	33	4.28	.03	2	15	17	15	84
46500E 18500N	.1	5	240	.3	36	3.82	.07	1	21	23	8	98
46500E 19050N	.1	39	166	.6	45	6.01	.06	3	30	20	21	182
46500E 19075N	.1	11	395	1.2	33	4.61	.09	2	29	36	19	149
46500E 19100N	.1	34	112	.1	40	5.03	.04	2	18	17	17	118
46500E 19150N	.1	20	222	.1	29	4.56	.07	1	18	28	19	115
46500E 19200N	.1	13	201	.1	27	3.85	.05	1	21	19	12	115
46500E 19250N	.1	17	179	.1	37	4.34	.07	3	35	29	14	116
46500E 19300N	.1	22	154	.4	24	4.62	.05	1	23	29	19	130
46500E 19315N	.1	6	331	.1	40	4.41	.09	2	50	38	17	135
46500E 19350N	.1	17	97	.5	24	5.03	.05	2	16	23	20	119
46500E 19400N	.1	8	114	.1	17	3.43	.05	1	7	25	18	77
46600E 18000N	.1	35	110	1.3	37	5.52	.08	7	12	1	13	120
46600E 18050N	.1	37	337	.1	57	6.45	.11	3	21	1	10	80
46600E 18100N	.1	39	66	.5	52	4.22	.09	2	15	27	12	115
46600E 18200N	.1	7	231	.8	44	4.05	.11	1	18	12	12	69
46600E 18300N	.1	24	88	1.1	26	4.49	.04	2	8	15	19	92
46600E 18400N	.1	20	128	.5	24	4.25	.04	2	10	19	18	99
46600E 18500N	.9	1	545	.5	55	3.82	.14	1	21	56	26	121
46600E 18600N	.1	14	145	.5	23	3.83	.04	1	11	23	18	74
46700E 18000N	.1	25	54	.7	18	4.00	.07	3	4	15	17	60
46700E 18100N	.1	12	300	.6	31	3.76	.10	2	12	20	13	78
46700E 18200N	.1	8	257	.2	25	3.57	.07	1	12	18	11	64
46700E 18300N	.1	16	318	.6	25	3.87	.04	1	9	23	16	90
46700E 18400N	.3	1	216	.1	24	3.47	.06	2	11	20	10	74
46700E 18500N	.3	2	168	.5	15	2.95	.05	2	9	18	9	63
46700E 18600N	.5	1	187	.4	12	2.51	.04	2	7	18	8	55
46700E 18700N	.4	1	112	.4	23	4.10	.05	3	12	29	19	113
46700E 18750N	.8	1	189	1.1	27	3.49	.06	3	14	23	11	75
46700E 18800N	.5	1	155	.5	34	4.06	.07	3	18	27	13	97
46800E 18000N	.4	1	94	1.0	26	3.74	.04	2	8	17	12	79
46800E 18100N	.5	1	541	.6	21	3.75	.06	3	16	27	18	71
46800E 18200N	.5	1	108	.3	18	3.75	.04	3	9	19	17	78
46800E 18300N	.9	1	126	.7	19	3.18	.05	3	10	18	13	68
46800E 18400N	.9	1	217	.9	20	3.24	.06	2	12	22	11	74
46800E 18500N	1.2	1	274	.6	23	3.11	.06	3	13	23	13	72
46800E 18550N	1.0	4	181	.4	23	2.78	.05	3	8	17	11	52
46800E 18600N	.7	1	148	1.3	20	3.96	.04	4	10	21	17	82
46800E 18650N	1.3	1	326	.9	24	3.02	.07	2	11	21	11	69
46800E 18700N	1.0	1	171	1.1	21	3.45	.05	3	11	21	13	76
46800E 18750N	1.5	1	544	.9	37	3.43	.07	3	15	32	18	83
46800E 18800N	.9	1	378	.6	46	4.04	.06	4	10	31	21	129
46800E 18900N	.8	125	108	.1	20	3.62	.04	3	7	19	16	63
46800E 19000N	.9	19	308	.8	29	4.86	.06	4	18	20	17	88
46900E 18000N	1.2	1	76	.9	18	3.22	.03	3	5	16	17	50
46900E 18100N	1.1	8	190	.6	13	3.00	.04	3	7	17	14	60
46900E 18200N	1.5	1	173	1.7	12	2.33	.04	3	4	18	16	37
46900E 18300N	1.2	1	208	.9	17	3.25	.07	3	8	19	18	65

COMP: MR. STEVE BELL
PROJ: HOPE
ATTN: STEVE BELL

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL: (604) 327-3436 FAX: (604) 327-3423

FILE NO: 7S-0221-SJ5

DATE: 97/08/22

* SOIL * (ACT:F31)

[illegible]

COMP: MR. STEVE BELL
PROJ: HOPE
ATTN: Steve Bell

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL: (604) 327-3436 FAX: (604) 327-3423

FILE NO: 7S-0240-SJ1

DATE: 97/09/02

* * (ACT:ICP 31)

[illegible]

MIN-EN LABS — ICP REPORT
8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL: (604) 327-3436 FAX: (604) 327-3423


FILE NO: 7S-0282-SJ1
DATE: 97/09/23
* * (ACT:ICP 31)

[illegible]

MIN-EN LABS — ICP REPORT
8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL: (604) 327-3436 FAX: (604) 327-3423


FILE NO: 7S-0286-SJ1
DATE: 97/09/24
* * (ACT:F31)


[illegible]



GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

25,560





LEAD GEOCHEMISTRY

HOPE PROJECT

meters

0 100 200 300 400 500

S. BELL

NOV. 1 1997

FIG. 4


LEGEND


GREATER THAN 44 P.P.M.

PB

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

25,560





GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

25,560

