

Geological, Geophysical, and Geochemical Report

-- on the --

BOW Project

**Cariboo Mining Division
British Columbia**

-- for --

**Eureka Resources, Inc
#1000 - 355 Burrard Street
Vancouver, B.C. V6C 2G8**

**Located: - 53 21N; 121 36W,
- 93H/5E, and
- 25 km north of Wells, B.C.**

Prepared By:

**John R. Kerr, P. Eng.
#1003 - 470 Granville Street
Vancouver, B.C. V6C 1V5**

**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

November 25, 1998

25,746

SUMMARY

The Bow claims were staked during the period 1995 - 1997 to cover showings of massive sulphide boulders in a geological environment suitable to host volcanogenic massive sulphide deposits. Eureka Resources, Inc. entered an option-to-purchase agreement late in 1997 to earn a 100% interest in the property. Subsequent work has necessitated the staking of the additional Alpha, Bravo, and Charlie claims that now provides a claim block totalling 52 claims (approximately 12,500 hectares).

The claims are located in central British Columbia in the Cariboo Mining Division, approximately 25 km north of the village of Wells. Access is possible via a network of logging roads to the central portion of the claims. Limited upgrading will make good road access possible to all areas of the claims. The claims are located on the west side of the broad Bowron River valley, much of the area covered with deep glacial overburden. A large part of the claim area has been the subject of clear-cut logging, and is currently in various stages of secondary revegetation.

The entire claim area is underlain by volcanic rocks of the Mississippian Antler Formation. Rocks are mainly an intermediate to basic sequence of volcanic flows and tuffs, however one felsic volcanic unit has been identified on the claims. Chert horizons are commonly found in the rock sequence. Two main structures are interpreted from the results of airborne geophysical surveys being a N30W fault trending the full length of the central portion of the claims. An E-W trending structure has also been interpreted in the east-central portion of the claims.

Two areas of glacial boulders have been identified that contain economic contents of massive sulphides. The Bow area contains in excess of 50 boulders of massive pyrite and chalcopyrite, with up to 3% copper content, and only anomalous values of other metals. Three boulders have been found containing massive pyrite, chalcopyrite, and sphalerite in the Tow area. Assays indicate up to 7% copper, 5 g/t gold, 66 g/t silver, and .8% zinc from these rocks.

The 1998 field program consisted of a 377 km airborne magnetic and electromagnetic survey, 43 km of grid establishment in nine separate grid areas, 34 km of horizontal loop ground electromagnetic surveys, 2.5 km of ground magnetic surveys, 40 km of soil sampling, reconnaissance prospecting, geological mapping, and stream sediment sampling. In total, \$153,460.35 was expended on exploration during 1998.

Interpretation of all data has led to the conclusion that possible bedrock sources of the massive sulphide boulders has been located in two areas of the claims. Grid "A" contains three prominent electromagnetic conductors, interpreted over lengths of 400, 500, and 1600 meters, with associated copper, gold, silver, and zinc soil anomalies. The conductors are located 1500 - 2000 meters to the west of the Tow float area, and contain a metal suite similar in nature to the Tow float. The electromagnetic anomalies are described to have low conductivity, which is compatible with the conductivity of hand samples. Sufficient detail has been completed in this area to warrant a minimum of seven drill holes.

The stronger electromagnetic conductors were interpreted on grids "D", RD", and "RC", all located within 1000 meters of the Bow float area. The strength of the conductors is compatible with the conductivity measured in hand specimens. Copper soil anomalies are associated with the conductors on Grids "D", and "RC". It is believed that the float from the Bow area could have derived from any of these anomalies. A minimum of two drill holes is warranted on these targets.

The remaining five grid areas require further detailed ground surveys to refine drill targets. There are several other airborne conductors that have yet to be followed up with ground surveys. These ground surveys are included in ongoing work programs.

A 2000 meter diamond drill program, consisting of 12 - 15 holes, each hole to a depth of 125 - 150 meters is recommended as the next phase of exploration. Included with this work is additional surveys on existing grids to refine drill targets, and completing ground surveys over areas of untested airborne conductors. The cost of this program is estimated to be \$400,000.

Index


	Page No.
SUMMARY: -----	Foreward
INTRODUCTION:	
General Statement -----	1
Location -----	2
Topography and Vegetation -----	2
Claims -----	3
History -----	4
1998 FIELD PROGRAM:	
Airborne Geophysical Survey -----	5
Grid Surveys -----	6
Ground Geophysical Surveys -----	6
Geochemical Surveys -----	7
GEOLOGY: -----	9
DISCUSSION OF RESULTS: -----	13
RECOMMENDATIONS: -----	15

List of Appendices

- Appendix A - Cost Statement
- Appendix B - Geophysical Report, Paul Cartwright, P. Geo.
- Appendix C - Analytical Results
- Appendix D - Writer's Certificate

List of Maps

- Drawing #1 - Location Map
- Drawing #2 - Regional Geology
- Drawing #3 - Claim Map
- Drawing #4 - Compilation Plan
- Drawings # 5 - 9 - Geochemical Plans (Grids A, B, C and D)



Kilometres

0 50

EUREKA RESOURCES, INC.

BOW PROJECT
BRITISH COLUMBIA
LOCATION MAP

DRAWN BY: JOHN R. KERR

DATE: NOVEMBER, 1998

SCALE: AS SHOWN

FIGURE NO. 1

INTRODUCTION

General Statement

The Mississippian Antler Formation of rocks of central British Columbia has been regarded as a favourable rock type for the occurrence of volcanic massive sulphide (VMS) deposits for the past two decades. This interest was heightened in the early 1980s with the release of regional geochemical data. During the late 1980s and early 1990s several major mining companies embarked on grass-roots exploration programs in a 7500 square kilometer area east of Prince George and Quesnel attempting to trace the source of stream sediment geochemical anomalies to a bedrock source. Much of this early exploration was hampered by extensive and deep glacial overburden along the Bowron River valley, subsequently most activities had ended by 1994.

Logging activities increased during the late 1980s, opening road infrastructure into a large portion of the favourable area, and thereby exposing new outcrops and glacial strewn boulders along roadcuts that had previously been unnoticed. Continued prospecting along these logging roads led to the discovery of two areas of glacial boulders containing VMS style of mineralization, and evidence that major VMS types of mineral deposits may exist within a very short distance of the float occurrences. By late 1997, twenty claims were staked to cover both float areas and up-ice areas of potential bedrock sources.

Eureka Resources, Inc. had concluded an option-to-purchase agreement with the prospector, Martin Peter, by the end of 1997. Early in 1998, a 377 kilometer airborne magnetic and electromagnetic survey was completed over the claims and surrounding area. Interpretation of these results led to the conclusion that additional claims were required. Subsequent staking increased the total claim package to the existing fifty-two claims (522 claim units). The total land package covers some 12,500 hectares.

Nine target areas were selected from the results of the airborne survey for detailed ground surveys. During the period June 1 - July 15, grid lines were established on all targets, with detailed ground electromagnetic, magnetic and geochemical surveys conducted along all lines. In addition, geological mapping, prospecting, and reconnaissance stream sampling was completed in the general claim area. This report details the results and summarizes the costs.

Location

The claims are located in the Bowron River valley of central British Columbia. Geographic coordinates place the north and south boundaries of the claims at 53°25'N and 53°18'N respectively; and the east and west boundaries at 121°31'W and 121°42'W respectively, the entire claim block falling within NTS 93H/5E.

The principle showing areas are located approximately 25 km north of the small community of Wells, B.C. Wells is located on Highway #26, 80 km east of Quesnel. From Wells, the property is road accessible along a network of logging roads to Towkuh Creek, a driving distance of 37 km to the boundary of the Quesnel and Prince George forestry districts, and within the southern portion of the claims. Road access connecting the districts currently does not exist on the claims, however roads from the Prince George district come within 200 meters of the southern access roads.


Application has been made to and approved by the Ministry of Energy and Mines to connect the roads of the two forest districts. This is required prior to a drill program, which has also been approved under the same application.

Topography and Vegetation

The claims lie along the western side of the broad, relatively flat, Bowron River valley, part of the Fraser Plateau. The western portion of the claims rise to an unnamed mountain range, with elevations exceeding 1600 meters (asl). The elevation of the Bowron River is 900 meters (asl), therefore total relief on the property is over 700 meters. Although evidence of glacial activity is widespread on the property, glaciers were not alpine in nature, and did not carve steep and jagged cirques in mountainous terrain. All evidence of glaciers were plateau and valley, the dominant glacial direction being from the west-southwest. A local valley glacier along the Bowron River valley was believed the last glacial activity, advancing from south to north.

Vegetation at one time was heavily forested, consisting of commercial stands of pine, spruce, cedar, hemlock and balsam. Groves of aspen and poplar are common near major rivers. Underbrush is moderate to thick alder and devil's club.


During the past two decades, the general area of the Bowron River valley was intensely logged. Large clear-cut areas exist on both sides of the river valley, and are at varying stages of secondary growth. All clear-cuts have been reforested. Approximately one third of the claimed area has been the subject of clear-cut logging practices.



EUREKA RESOURCES, INC.
BOW PROJECT
 CARIBOO MINING DIVISION
 1:250,000 Drawing #2 May, 1998

MISSISSIPPIAN (ALL OR IN PART)

LOWER MISSISSIPPIAN AND/OR YOUNGER
 SLIDE MOUNTAIN GROUP (Mg and Ma)



Ma **ANTLER FORMATION:** pillow basalt, breccia, tuff, minor diorite and gabbro; chert, argillite, lithic sandstone


LOWER MISSISSIPPIAN AND/OR OLDER



Mg **GUYET FORMATION:** conglomerate, argillite, lithic sandstone, minor basalt; Mgg, Greenberry Limestone Member: crinoidal limestone at or near top of formation

DEVONIAN

LOWER DEVONIAN AND (?) YOUNGER



Obs **BLACK STUART FORMATION:** basalt chert, chert breccia and dolomite breccia, upper unit siliceous or cherty argillite and phyllite, chert, sandy limestone, and sandstone

PALEOZOIC

LOWER AND UPPER CAMBRIAN (MIDDLE MISSING ?)
 CARIBOO GROUP (Hi to Cdc)



Dc **DOMES CREEK FORMATION:** shale, siltstone, limestone, argillite, phyllite


Claims

The property consists of 52 (522 units) mineral claims, the details listed as follows:

Claim Name	Type of Claim	No. Units	Tenure No.	Expiry Date *
Bow 1	MGS	20	350849	September 17, 2002
Bow 2	MGS	20	360136	October 23, 2001
Bow 3	MGS	20	360137	October 23, 2001
Bow 4	MGS	20	360138	October 24, 2001
Bow 5	MGS	20	360139	October 24, 2001
Bow 6	MGS	20	360140	October 25, 2001
Bow 7	MGS	20	360141	October 25, 2001
Bow 8	MGS	8	360142	October 25, 2001
Bow 9	MGS	18	362313	April 30, 1999
Bow 10	MGS	12	362314	April 30, 2002
Bow 11	MGS	12	364208	July 15, 1999
Alpha 1	MGS	18	362948	May 22, 1999
Alpha 2	MGS	18	362949	May 22, 1999
Alpha 3	MGS	18	362950	May 22, 1999
Alpha 4	MGS	20	362951	May 22, 1999
Alpha 5	MGS	18	362952	May 22, 1999
Alpha 6	MGS	8	362953	May 22, 1999
Bravo 1	MGS	18	362954	May 23, 1999
Bravo 2	MGS	18	362955	May 23, 1999
Bravo 3	MGS	18	362956	May 23, 1999
Bravo 4	MGS	18	362957	May 23, 1999
Bravo 5	MGS	18	362958	May 22, 1999
Bravo 6	MGS	18	362959	May 22, 1999
Charlie 1	MGS	20	362960	May 24, 1999
Charlie 2	MGS	20	362961	May 24, 1999
Charlie 3	MGS	20	362962	May 23, 1999
Charlie 4	MGS	20	362963	May 22, 1999
Charlie 5	MGS	20	362964	May 22, 1999
Karen 1-8	2-Post	8	360283-290	November 1, 2001
North 1-4	2-Post	4	362315-318	April 30, 2002
North 5-8	2-Post	4	364209-212	July 15, 1999
Ron 1-3	2-Post	3	350850-852	September 15, 2002
Ron 4	2-Post	1	351101	September 17, 2002
Bowron 1-4	2-Post	4	363528-531	June 18, 2002

* Expiry dates shown are current at Mining Recorder's Office. Sufficient work is available in this report to record two years of work on all Alpha, Bravo, and Charlie claims, and three years of work on the Bow 9 & 11, and North 5-8 claims.

All claims are located in the Cariboo Mining Division, recorded in the name of Eureka Resources, Inc. The Bow, Ron, and Karen claims are subject to a option-to-purchase agreement with Martin C. Peter, whereby Eureka can earn 100% interest in the claims subject to cash payments totalling \$160,000, share issuances totalling 200,000 shares, and work obligations totalling \$550,000 over a four year option period, and subject to a 2% NSR interest.



The Alpha, Bravo, and Charlie claims are subject to joint-venture agreements with ITL Capital Corp., Ivory Oil and Gas Ltd., and Gun-loc Capital Industries Ltd., whereby each joint-venture partner can earn a 50% interest in their respective property by spending a total of \$50,000 on exploration over a two year period.

All claims are a contiguous package of claimss, the general configuration shown on Drawing #2 (1:50,000).

History

Prior to 1980, the area of the Bow project was limited to prospecting ventures. Placer and lode gold mining in the Wells/Barkerville area has persisted since the placer gold discoveries of 1858. The only other mining activity of significance in the general area was development of the Bowron River coal/resin resource, 50 km to the northwest.

The release of the government geochemical data in the early 1980s sparked an interest in early stage exploration for volcanogenic massive sulphide deposits in the Mississippian Antler Formation. Several of the major mining companies, including Noranda, BP Resources, Esso Minerals, Shell Canada, Kennecott, and Cominco conducted grass-roots exploration programs during the period 1981 - 1994, staking large tracts of land, in attempt to trace geochemical anomalies to a bedrock source. Normal gridwork consisting of geophysical and geochemical surveys, geological mapping, and prospecting was completed over most of the area of the claims and surrounding area during this period. At least one airborne geophysical survey was completed on ground now covered by a portion of the Alpha and Bravo claims and to the north by BP Resources in the mid 1980s. Esso Minerals held claims covering the southern portion of the claims, and extending to the south. They advanced their work to a trenching phase, having completed some back-hoe trenches in the area of the Tow float.

The only evidence of drilling in the general area was a three-hole program completed by BP Resources completed to the north of the property and on the Karen 1-4 claims. Details regarding the drilling are not public, however are summarized, in later 1990 public data. The hole on the Karen 1-4 claims reports a felsic volcanic unit with a 24 meter intersection of anomalous zinc and copper. Kennecott completed a drill program on their Indianpoint claim block, ten km to the northwest, which is the only claim block of the 1980s era to survive.

1998 FIELD PROGRAM

The 1998 field program was completed during the period February 11 to July 15, 1998 at an overall cost of \$153,460.35 (see Appendix A for details). Reporting endured until November, 1998.

Airborne Geophysical Program

During the period February 11 - 15, 1998, a 377 km airborne survey was completed over a 60 square kilometer area of the Bow claims, lines spaced at 100 meter intervals in the immediate vicinity of the massive sulphide float areas, and at 200 meter intervals in the peripheral portions of the area. The survey was contracted to Geoterrex-Dighem, a division of CGG Canada Ltd., of Mississauga, Ontario. The survey data, instrumentation, and results are documented in a report by Jonathan Rudd, P. Eng., dated March, 1998, and is filed under separate cover.

The survey included two components: first electromagnetic readings were taken continuously along all lines at five various frequencies; and second magnetic readings were taken continuously along all lines. Survey control was the use of on-board GPS navigation equipment, with assistance of visual navigation aids. An Alouette AS-350B2 helicopter was chartered from Questral Helicopters Ltd. to fly the survey. Sensor height was estimated at 30 - 50 meters above ground level. Further details of procedures and equipment are found in the text of the Geoterrex report.

Products received from Geoterrex were a detailed and contoured magnetic and vertical field gradient magnetic plans, resistivity plans of two frequencies, and a surface plan indicating all interpreted ground conductors. Detailed line plots showing electromagnetic profiles of all frequencies were also provided in draft form. The electromagnetic conductor map is considered the most valuable for the ongoing work programs on the claims, however the magnetic and resistivity plots are useful for geological interpretation.

The electromagnetic conductor plots indicated a plot of the location of the conductors along each flight line. Interpretation of various parameters of each conductor provided an interpretation of source (bedrock or overburden), tilt (flat-lying or vertical), strength and depth. The strike orientation is best interpreted from connecting the "bullseye" dots on the surface plan.

To assist with interpretation of the airborne geophysical data, Eureka retained Paul Cartwright, P. Geo. along with the writer to prioritize areas of interest within the surveyed area.

In summary, all bedrock conductors interpreted from the airborne survey are of significance to ongoing work programs, and were classified as weak conductors. None of the conductors indicated were of a nature that is generally associated with major graphitic horizons, that tend to overprint the more subtle bedrock conductors attributed to massive sulphides.

A total of 64 individual bedrock conductors were interpreted from the survey. Clustering of these anomalies were considered the most important criteria for screening areas of continued work. Two anomalies on adjacent flight lines were considered of significance. The relative locations of the bedrock anomalies to the areas of float were the second most important criteria. Anomaly strength was considered a low rank criterion, as the massive sulphides located were of general low conductivity. Eight areas of airborne anomaly clustering were subsequently selected for ground follow-up surveys. In addition, the prominent magnetic anomaly in the central portion of the claims was selected for reconnaissance ground surveys.

Grid Surveys

Airborne anomaly clustering, and relative location to a bedrock source gave rise to two approaches of ground follow-up surveys. Four detailed grids consisting of cut-and-chained lines were established on what was considered the most significant targets, as follows (location of grids are shown on Compilation Plan, Drawing #4):

Grid "A" - 22 airborne bedrock conductors	16.5 km
Grid "B" - 5 airborne bedrock conductors	8.8 km
Grid "C" - 11 airborne bedrock conductors	8.0 km
Grid "D" - 2 airborne bedrock conductors	<u>3.6 km</u>
Total	36.9 km

Four reconnaissance grids ("RA", "RB", "RC", and "RD") were established by chain and compass methods on the remaining areas. In addition a reconnaissance grid was established on the magnetometer anomaly in the central portion of the claim block. In total, 6.5 km of reconnaissance grids were established.

In total, 48 of the 64 airborne electromagnetic conductors related to bedrock were examined in detail by ground follow-up surveys.

Ground Geophysical Surveys

A ground horizontal loop max/min electromagnetic survey was contracted to Pacific Geophysical Ltd. to complete electromagnetic surveys along all cross-lines of each grid, with readings taken at 25 meter stations. Separation between transmitter and receiver was 100 meters, and readings were take at four various frequencies.

Paul Cartwright, P. Geo., has provided a report detailing equipment, procedures and interpretation, which is attached to this report as Appendix B. In total, 34 km of electromagnetic surveys were completed. In addition, 2.5 km of magnetometer survey was completed on the magnetic grid, which is also described in Appendix B.

Anomalies on all grids were interpreted, and are discussed in detail in the geophysical report, with reference letters identifying each anomaly. These anomalies were somewhat simplified and transferred to the individual metal geochemical plans, and the property compilation plan (Drawing #4).

Geochemical Surveys

All grid cross-lines were soil sampled at 50 meter intervals, where possible. Samples were avoided in swampy areas, where normal "B" horizon samples could not be practically obtained. In total, 808 soil samples were collected into brown kraft envelopes, each sample weighing 0.2 - 0.4 kg from all grids. Samples were shipped to the laboratories of Bondar-Clegg (ITS) in North Vancouver, B.C. for analysis. The 31 soils from the magnetic grid were analyzed for copper only, while the remaining 777 soils were analyzed for 34 elements by ICP techniques. 62 soil samples were selected (mainly from Grid A) and geochemically analyzed for gold. Laboratory techniques and results are attached as Appendix C.

A total of 39 silt samples were collected from both grid areas and areas off of the grids. As the claim area had previously been silt sampled, this exercise was done mainly to follow-up anomalous results of previous surveys, as well as sample previously unsurveyed streams. Samples were collected in brown kraft envelopes, and as with the soil samples, shipped to the laboratories of Bondar-Clegg for 34 element ICP analysis.

A total of 11 rock-chip samples were collected from outcrop areas encountered on grids. Due to lack of outcrop, only a few samples were collected. Most samples came from the "C" grid area, where most outcrop was encountered. Rock-chip samples were bagged and shipped to Bondar-Clegg for 34 element ICP analysis.

Individual metal maps were drawn for each of the four main grids, plotting copper, zinc, and silver values. Anomalous thresholds were derived for each element, and are shown and contoured as follows:

	Copper		Zinc	Silver
	Grids A, B, and C	Grid D	All Grids	All Grids
Negative	0 - 75 ppm	0 - 40ppm	0 - 75ppm	0 - 0.4ppm
Possibly Anomalous	75 - 150ppm	40 - 150ppm	75 - 100ppm	0.4 - 0.9ppm
Probably Anomalous	> 150ppm	>150ppm	>100ppm	>0.9ppm

Copper, zinc, and silver maps for Grid "A", and copper (only) maps for Grids "B", "C", and "D" are included with this report as Drawings # 5 through 10 respectively. Metal maps were not prepared for the reconnaissance grids, however anomalies are indicated on the compilation plan (Drawing # 4).

Silt and rock-chip samples are plotted on grid maps where applicable. Those silt samples collected off the grid are plotted on the compilation plan.

Bravo Claims

Alpha Claims

Bowon River

Creek

GRID "D"

GRID "RD"

BOW FLOAT AREA

MAGNETIC GRID

GRID "RC"

GRID "C"

GRID "B"

GRID "RB"

BOW CLAIMS

GRID "RA"

TOW FLOAT AREA

GRID "A"

Charlie Claims

Bowon Lake
To Hwy 24

Towkuh Creek

LEGEND

- Creek
- Logging Road (Driveable)
- Claim Boundary --- Other claims
- Lake/ Pond
- - - ATV Trail

GEOCHEMISTRY

- Soil Anomaly (≥ 75 ppm Copper)
- Stream Anomaly (Copper-ppm)

GEOPHYSICS

- Airborne Survey - Bedrock Conductors
- Ground Survey - Bedrock Conductors
- Ground Magnetic Anomaly

Scale

0 500m 1000m 1500m

EUREKA RESOURCES INC.

COMPILATION PLAN

BOW PROJECT


CARIBOO MINING DIVISION, BRITISH COLUMBIA

DRAWN BY: W. Gruswald

DATE: July, 1988

NTS NO.: 63H5

FIGURE NO.: 4



See
Compilation
Profile

EUREKA RESOURCES INC.	
GEOCHEMICAL PLAN - GRID "A"	
(COPPER)	
BOW PROJECT	
CARIBOO MINING DIVISION, B.C.	
DRAWN BY: WG	SCALE: 1:5,000
DATE: July, 1988	FIGURE NO.: 5

GEOCHEMICAL CATEGORIES

<75 ppm Negative

75-149 ppm Possibly Anomalous

≥150 ppm Probably/Definitely Anomalous

● Proposed Drill Holes

Baseline 0+00 (330° Az)

LEGEND

— Creek

— Logging Road

○ 57 Soil Sample Site


⊗ 100 Soil Profile (deep sample)

NS No Sample Taken

⊗ 62 Rock Sample Site

— Ground Contactor

Swampy Area



EUREKA RESOURCES INC.

GEOCHEMICAL PLAN - GRID "A"
(ZINC)

BOW PROJECT

CARIBOO MINING DIVISION, B.C.

DRAWN BY: WG

SCALE: 1:5,000

DATE: July, 1998


FIGURE NO.: 6

GEOCHEMICAL CATEGORIES

- <75 ppm Negative
- 75-99 ppm Possibly Anomalous
- ≥100 ppm Probably/Definitely Anomalous

LEGEND

- Creek
- Logging Road
- Soil Sample Site
- Soil Profile (deep sample)
- NS No Sample Taken
- X 82 Rock Sample Site
- Ground Conductor
- Swampy Area



EUREKA RESOURCES INC.

GEOCHEMICAL PLAN - GRID "A"
(SILVER)

BOW PROJECT

DRAWN BY: WG

SCALE: 1:5,000








DATE: July, 1998


FIGURE NO.: 2

GEOCHEMICAL CATEGORIES

<0.4 ppm	Negative
0.4-0.9 ppm	Possibly Anomalous
≥1.0 ppm	Probably/Definitely Anomalous

LEGEND

- | | | | |
|---|----------------------------|---|-------------|
|  | Creek |  | Swampy Area |
|  | Logging Road | | |
|  | Soil Sample Site | | |
|  | Soil Profile (deep sample) | | |
| NS | No Sample Taken | | |
|  | Rock Sample Site | | |
|  | Ground Conductor | | |




LEGEND


- ← Creek
- == Logging Road
- 23 Soil Sample Site
- 15 Silt Sample Site
- X 51 Rock Sample Site
- Ground Conductor
- NS No Sample Taken
- Swampy Area

GEOCHEMICAL CATEGORIES

- <75 ppm Negative
- 75-149 ppm Possibly Anomalous
- ≥150 ppm Probably/Definitely Anomalous

EUREKA RESOURCES INC.	
GEOCHEMICAL PLAN - GRID "B"	
(COPPER)	
BOW PROJECT	
CARIBOO MINING DIVISION, B.C.	
DRAWN BY: WG	SCALE: 1:5,000
DATE: July, 1998	FIGURE NO.: 8





LEGEND	
	Creek
	Swampy Area
	Logging Road
	Soil Sample Site
	Soil Profile (deep sample)
NS	No sample taken
X	Rock Sample Site
	Ground Conductor

GEOCHEMICAL CATEGORIES

<40 ppm	Negative
40-149 ppm	Possibly Anomalous
≥150 ppm	Probably/Definitely Anomalous
	Possible Drill Site

EUREKA RESOURCES INC.	
GEOCHEMICAL PLAN - GRID "D"	
(COPPER)	
BOW PROJECT	
CARIBOO MINING DIVISION, B.C.	
DRAWN BY: WG	SCALE: 1:5,000
DATE: July, 1998	FIGURE NO.: 10

GEOLOGY

Regional Geology

The geology of the general area is well-documented on the 1:250,000 scale McBride area map sheet (92H), by R. B. Campbell, 1966/67. The claim area and surrounding area is underlain by intermediate to basic volcanic rocks of the Mississippian Antler Formation. The rocks of the Antler Formation are described as pillow basalts, andesite to basalt flows, andesite tuffs, with minor dioritic-gabbroic near surface intrusive stocks and sills, cherts, argillitic cherts, and lithic sandstone. Covering much of the bedrock is a 5 - 100 meter thickness of unconsolidated glacial overburden.

Regional geology is reproduced from Campbell's map as Drawing #3.

Property Geology

Approximately 60% of the claim area is covered by a 5 - 100 meter thickness of glacial overburden. Outcrop areas are confined to mountainous terrain, prevalent in the western portion of the property. The mountain flanks are covered by a thin veneer of residual soil, with outcrops and sub/outcrops limited to only isolated areas, the main exposures along recently constructed logging roads. The property does not lend itself to an extensive geological mapping program, therefore gridded areas were not systematically mapped. Any outcrop area was identified along grid lines only, and no attempt was made to produce a detailed outcrop map.

Outcrops examined on the property confirmed the underlying presence of the intermediate to basic volcanic rocks of the Antler Formation. Considerable chert was mapped, both as float and as outcrop. Chert, as rusty, altered, and pyrite bearing, such as associated with the Bow float area, however was not identified in outcrop. This is believed as a potential marker horizon for VMS deposits.

In the northern portion of the Bow 1 claim and on the North 3 and 4 claims, suboutcrop and float examined in road cuts is evidence of a very light coloured, felsic volcanic unit, plus/minus considerable abundance of pyrite. This unit is similar in nature to the description of felsic volcanics in the northern portion of the property, near the reported drill hole on the Karen 1-4 claims. It is therefore possible that a major felsic unit exists in the northern portion of the claims, having a general northwesterly strike direction. Any attempt to provide dimensions of this unit with the current data, would be pure conjecture.

Structural Geology

There have been no major structures mapped or clearly identified on the property. Samples of sheared and brecciated rock have been found as float, which probably relate to structures of some magnitude within the property confines. The only other evidence of structures are from airborne geophysical data interpretation.

Three major lineaments are interpreted from the results of airborne geophysics:

- 1) A N30W lineament, interpreted from both magnetic and resistivity data, transect the entire property area in the central portion of the property. This lineament passes through Grids "A" and "B", and is coincident with one of the conductive bodies interpreted on Grid "A". It is believed that this lineament is a major north-south trending fault that offsets all bedding and most other structures.
- 2) An E-W trending lineament, interpreted from both resistivity and magnetic data, is located in the east-central portion of the property. The lineament is coincident with an east-west valley, and the strong resistivity feature is believed due to the deep glacial overburden along this valley. The lineament is truncated to the west by the N30W lineament in the vicinity of Grid "B". The lineament may continue westward, approximately 1200 meters to the north, which suggests that the N30W fault has lateral displacement in the magnitude of 1200 meters. This lineament is also interpreted as structural.
- 3) A N60W lineament, interpreted mainly from magnetic data, is located in the northeast corner of the property. The lineament coincides with the mapped felsic volcanic unit, and may reflect this bedding feature.

Three magnetic features stand out on the airborne maps that are related to possible intrusive bodies. The southwestern anomaly is coincident with the regional airborne magnetic feature trending to the west of the property, which has been interpreted as gabbroic sills or near surface basic members of the Antler Formation. The two small, round, pronounced magnetic features in the east-central portion of the property are probably due to small later intrusive stocks. Detailed magnetic surveys on the central anomaly suggest a buried body, 75 - 150 meters deep. Except for felsic and basic dykes, there is no evidence of intrusive rock on the property.

Alteration and Mineralization

The only noted occurrences of mineralization of potential economic worth are the two locations of glacial boulders, referred to as the Bow and Tow float areas.

1) Bow Float Area: Located on the Bow 1 claim, an area 500 meters by 250 meters, in excess of 50 various boulders up to 0.5 meters diameter have been located that exhibit features typical of of volcanogenic massive sulphide (VMS) mineralization. The principle sulphide is pyrite, however some boulders contain up to 10% chalcopyrite. The rock is 90 - 95% sulphides, and shows well-banded lineations, typical of VMS mineralization. Assays indicate up to 3% copper, and only anomalous contents of other valuable metals. Discernible gangue is dominantly quartz, which may be primary chert. A very distinctive rusty chert, with minor sulphide content, is associated as boulders with the VMS boulders. Also apparent are several rusty zones of ferricrete, which obviously formed from the oxidation of the massive sulphide boulders in overburden.

The boulders are partially rounded, with angular features remaining in tact. The opinion of most examining the nature of the boulders is that maximum glacial transport was 2 km, and probably less than 1 km.

Although the sulphides dominate the rock, an ohmeter placed on hand samples indicate the conductivity of the rock to be weak. This was confirmed when a "Beep Mat", engaged to assist prospecting for more boulders, failed to recognize the presence of known boulders. It is concluded that the boulders, and therefore the potential bedrock sources should only be reflected as weak bedrock conductors.

2) Tow Float Area: Located on the Bow 5 claim, and confined to only a small area of 5 square meters, only three cobbles with appreciable massive sulphide content, up to 0.1 meter diameter, have been located. There is much ferricrete and chert associated with the float in this area. The nature of the sulphides is only 70 - 75% content, and appears to be well-banded. The nature of the banding is due to bedding, structural, or a combination of both. The dominant sulphide is again pyrite, however chalcopyrite can be up to 20% content, much higher than the Bow float. Assays indicate up to 7% copper, 5 g/t gold, 66 g/t silver, and 0.8% zinc. The worth of the float in this area is obviously much more significant.

The angularity of the sulphide boulders located at the Tow area is not easily discernible, however judging from other boulders in the area, a more rounded nature than the Bow area is apparent. It is concluded the source may be further than those at the Bow area, however still confined to 2 km. Testing the conductivity of hand specimens indicates the Tow float to be less conductive than the Bow float, which would classify any bedrock conductor to be weak to very weak in nature.

Prospecting the remaining areas of the claims has not located any other areas of massive sulphides. Within the grid areas, weakly mineralized suboutcrop containing pyrite and chalcopyrite has been found in the western portion of Grid "A", as well as considerable float of altered and rusty chert. Several chert bands were recognized in outcrop located on grid "C".

DISCUSSION OF RESULTS

- 1) The two noted float areas of massive sulphide boulders contain metal values of definite economic significance.
- 2) The occurrences are located in an area of British Columbia where economic mineral deposits have not been discovered to date, however the Antler Formation can be geologically related to similar geologic rocks of southern B.C that host the CC and Goldstream deposits, and of northern B.C. and the Yukon that host the Kutchko Creek and Wolverine deposits.
- 3) The Tow float area is immediately down-ice from the large cluster of airborne electromagnetic anomalies that make up the Grid "A" area. Ground surveys on Grid "A" have revealed three prominent conductors over strike lengths of 400, 500, and 1600 meters. The company's geophysical consultant, Paul Cartwright, P. Geol., describes the anomalies to exhibit conductivity-thickness in the range of 0.3 - 0.5 siemens, and to be near vertically dipping. If the bodies have, in fact, conductivity in the order of 0.1 mhos, mineralized widths may be as great as 5 meters. Two of the conductors have associated intermittent, subparallel conductors which could reflect two parallel zones or possibly reflect an even wider zone of mineralization. Coincidental and/or slightly down-ice from the conductors, associated soil anomalies reflect a similar copper, gold, silver, and zinc geochemistry to the Tow float. Overburden depths of 8 - 20 meters are expected to cover the conductors.
- 4) The nature of conductivity of the Grid "A" electromagnetic anomalies is compatible with the conductivity of the massive sulphides boulders located in the Tow float area, therefore the nature of mineralization is anticipated to be similar.
- 5) Grid "A" area is very likely the bedrock source of the Tow float, located 1500 - 2000 meters to the east. The three interpreted conductors become the principle drill targets of the project area. These conductors and the several smaller ones on grid "A" are typical of the clustering of VMS deposits in known camps. The metal content of the float samples range \$100 - 220 per ton (at today's prices), therefore if sufficient volumes of rock were discovered, such a deposit would be very profitable. At least two diamond drill holes are recommended for each of the three conductors on Grid "A", each hole to 150 meter depth. As interpretation indicates near vertical anomalies, initial drill holes should be planned at angles of 40 - 50 degrees, and drilling in a westerly direction.
- 6) Gold was only analyzed on a selected number of the soil samples, therefore gold geochemical plans are not produced. Gold values up to 32ppb are obtained in the few samples analyzed which is considered significantly anomalous, considering overburden may be as deep as 20 meters. Anomalous values are in part correlated to anomalous values of other metals.

7) Three clusters of airborne anomalies are located to the northwest and southeast of the Bow float area. Three small grids were located on these conductors referred to as grids "D", "RC", and "RD". Resulting ground surveys indicate lineal conductors on all grids, described by the company's geophysicist to be stronger than those conductors on grid "A", and are also near vertically dipping. Soil samples collected on the grids revealed a weak copper anomaly associated with the conductors of grids "D" and "RC", with no values of gold, silver, and zinc. This is consistent with the metal values of the Bow float area, and all or one of these conductors is believed the source of the Bow float. Nearby roadcuts indicate that glacial overburden may be in excess of 5 meters, which could explain the low geochemistry of the area. The geophysical interpretation, however, concludes the conductors as being shallow. At least two diamond drill holes to depths of 150 meters each are recommended for this area.

8) The grid "C" area revealed two weak to moderate lineal ground conductors associated with related soil values of copper, silver, and zinc. Further ground surveys are required in this area to define drill targets.

9) Ground surveys on grids "B", "RA", and "RB" revealed only weak conductors with little or no associated metal values in soil. All of these areas are currently considered low priority targets for future exploration.

10) Several other conductors interpreted as bedrock source from the airborne survey remain unexplored, and are worthy of further exploration, especially if the initial drilling proves successful.

11) Several unusual and distinct magnetic anomalies are interpreted from the airborne geophysical data. Those in the southwestern portion of the claim area are considered to be magnetite-rich basaltic units of the Antler volcanic rocks. The two in the central and eastern portion of the claims are characteristic of small buried intrusive stocks. A reconnaissance grid was established over the central anomaly to verify its existence, and establish a possible relationship to various metals. The company's geophysicist interprets the top of the magnetic body to be 75 - 150 meters deep, and soil analysis indicates a significant association with a copper soil anomaly along the northern contact. This suggests the possible presence of a porphyry or contact metasomatic copper deposit. Induced polarisation and continued soil sampling is recommended for this area, to define the depth of possible mineralization.

12) The Antler Formation of rocks lack the extensive sedimentary horizons of the other volcanic formations in central British Columbia. This reduces the possibility that the interpreted conductors are graphite horizons in argillaceous sediments. The interpreted anomalies do not display characteristics of graphitic beds.

RECOMMENDATIONS

Work completed to date on the Bow project warrants continued exploration. Recommendations are as follows:

- 1) A 2000 meter NQ diamond drill program consisting of 12 - 15 drill holes, each hole 125 - 150 meters deep.
- 2) Further detailed ground electromagnetic surveys and soil geochemistry on existing grids to refine drill targets.
- 3) Grid establishment, with ground electromagnetic surveys and soil geochemistry, on untested airborne electromagnetic conductors.

Costs for this program are estimated as follows:

Diamond Drilling - 2000 meters @ 120 per meter (all inclusive)	\$ 240,00
Road Building and Site Preparation	35,000
Further Ground Surveys	70,000
Contingency (~15%)	<u>55,000</u>
Total	\$ 400,000

Respectfully Submitted By:


John R. Kerr, P. Eng.,

APPENDIX A - Cost Statement

Cost Statement:**A Airborne Geophysical Program (February 11 - 15, 1998):**

Survey Charges (Geoterrex-Dighem)	\$ 46,901.75
Supervision and Interpretation:	
John R. Kerr, P. Eng. 8 days @ 375 per day	3,000.00
Paul Cartwright, P. Geo. 1 day @ 400 per day	400.00
Travel, Room and Board	<u>752.00</u>
	<u>4,152.00</u>

\$ 51,053.75

B Ground Surveys (June 1 - July 15, 1998):

Project Supervision:	
John R. Kerr, P. Eng. 18 days @ 375 per day	6,750.00
W. Gruenwald, P. Geo. 22 days @ 375 per day	8,250.00
P. Cartwright, P. Geo. 8 days @ 350 per day	<u>2,800.00</u>
	\$ 17,800.00

Linecutting: Saber Exploration Services	
60 man days @ 250 per man per day	15,000.00

Labour: R. Montgomery, Geol. 26 days @ 300 per day	7,800.00
R. Lybarger, Asst 21 days @ 250 per day	<u>5,250.00</u>
	13,050.00

Electromagnetic Survey: Pacific Geophysical Ltd.	
17 days @ 1050 per day	17,850.00

Vehicle Rentals: 3 - 4X4s 18 days @ 75/d/vehicle	4,050.00
2 - ATVs 18 days @ 50/d/ATV	<u>1,800.00</u>
	5,850.00

Room and Board: 188 man days @ 55/m/d	10,340.00
Equipment Rentals: Power Saws - 48 days @ 25/d	1200.00
Beep Mat	280.00
Radios - 20 days @ 5/d	<u>100.00</u>

	1,580.00
Miscellaneous Travel:	3,264.70
Purchase Supplies:	<u>2,466.40</u>

Analytical Costs: 806 soils/silt ICP @ 7.60/sample	6,125.60
31 soils Cu only @ 4.50/sample	139.50
11 rocks ICP @ 9.20/sample	101.20
62 soils Au only @ 6.50/sample	<u>403.00</u>

	7,172.30
Helicopter Charter: (1.7 hrs.)	<u>1,290.30</u>

\$ 95,663.70

C Report Preparation (August 1 - November 30, 1998)

John R. Kerr, P. Eng 7 days @ 375/day	2,625.00
Paul Cartwright, P. Geo. 4 days @ 400/day	1,600.00
Drafting	2,062.50
Printing, copying and binding	<u>456.30</u>

\$ 6,743.80

Total Costs:

\$ 153,460.35

Appendix B - Geophysical Report
Pacific Geophysical Ltd.
By Paul Cartwright, P. Geo.

GEOPHYSICAL APPENDIX

Bow Project

Cariboo Mining Division, British Columbia

by

Paul A. Cartwright, P.Geo.

November 14, 1998

Index

Text

Introduction	Page 1
Method and Equipment	Page 1
Discussion of Results	Page 2
Summary of Results	Page 7

Illustrations - Horizontal Loop Electro-Magnetic Profiles

Grid A (Dwgs. A-7040, -3520, -880, -220, -110, -150m)

Grid B (Dwgs. B-7040, -3520, -880, -220)

Grid C (Dwgs. C-7040, -3520, -880, -220)

Grid D (Dwgs. D-7040, -3520, -880, -220)

Reconnaissance Grid A (Dwgs. RA-7040, -3520, -880, -220)

Reconnaissance Grid B (Dwgs. RB-7040, -3520, -880, -220)

Reconnaissance Grid C (Dwgs. RC-7040, -3520, -880, -220)

Reconnaissance Grid D (Dwgs. RD-7040, -3520, -880, -220)

Illustrations - Total Field Ground Magnetometer Profiles

Reconnaissance Magnetic Grid (Dwgs. Mag.)

Appendix on the Bow Project Ground Geophysical Surveys

This appendix is to accompany a report dated November 25, 1998, and titled "Geological, Geophysical, and Geochemical Report On The Bow Project", By J.R. Kerr, P.Eng.

Introduction

Horizontal Loop Electro-Magnetic (HLEM) surveys have been carried out on eight separate survey grids within the Bow Project area, together with another grid that has been evaluated using total field ground magnetics. Four of the HLEM grids consisted of cut and chained survey lines, while the remainder were classified as reconnaissance grids having uncut, flagged lines. All of the current ground geophysical work was completed to follow-up electro-magnetic and magnetic anomalies detected by an earlier airborne program. The original airborne survey was planned in order to locate the sources of very encouraging gold and copper float discovered by surface prospecting. The reader is referred to the Bow Project Compilation Plan map for the relative locations of all of the above features.

Method and Equipment

The horizontal loop electro-magnetic technique was employed using a 100 meter coil separation to measure all of the survey lines, with one of the lines (Line 600N) on Grid A also being evaluated using a 150 meter coil spacing. All lines were surveyed with at least four frequencies; 7040 hz, 3520 hz, 880 hz, and 220 hz. A number of lines on Grid A were also measured at 110 hz as well.

APEX MaxMin I-10 HLEM equipment, together with a Model MMC data logger, were utilized to collect the EM data at 25 meter intervals. The receiver operator, Ingo Jackisch, P.Geo., also used the data logger to enter terrain variations determined with a hand held inclinometer, in order to minimize the effect of uneven ground on the receiver-transmitter coil geometry. The HLEM crew used the receiver-transmitter reference cable to maintain a constant 100 meter, or 150 meter coil spacing.

The HLEM results are shown in the form of inphase and quadrature (out-of-phase) profiles, at a scale of 1:5000, with one frequency shown per drawing. Interpreted conductor axis have been marked on all frequencies; however, letters identifying the various conductors are only shown on the highest frequency (7040 hz) drawings. In those cases where two closely separated, parallel conductors are interpreted, the same letter identifier is assigned to each conductor axis, as a single, relatively wide conductor could be present. Discontinuous conductors are marked in a similar fashion.

A GEM Systems Model GSM-19 magnetometer, and an EDA Model PPM375 base station magnetometer, were used to survey three lines at 12.5 meter intervals across a prominent aeromagnetic anomaly. All of the ground magnetic data have been corrected for diurnal drift. Magnetic results are illustrated in profile form at a scale of 1:5000.

Discussion of Results

Results from each grid area are discussed in the following sub-sections. If the individual HLEM anomalies are of high enough intensity, and are fully delineated, an estimate can be made of the conductivity-thickness product and the depth to the top of the conductor being evaluated. It is not possible to ascertain the conductivity, or thickness of the EM source separately. The product of these two parameters, however, can be used to quantify individual HLEM responses. A particular conductivity-thickness can represent either a relatively thin conductor of higher conductivity, or a relatively thick structure of lesser conductivity. For example, a conductivity-thickness product of 0.5 siemens could be caused by a 1 meter thick conductor having a conductivity of 0.5 siemens per meter, or a 5 meter thick conductor having a conductivity of 0.1 siemens per meter.

Grid A (Dwgs. A-7040, -3520, -880, -220, -110, -150m)

Conductor A - This feature is seen in the data recorded on the extreme western ends of Lines 1700N and 1600N. While only part of the anomaly signature is present, it appears to be caused by a very weakly conducting source.

Conductors B1, B2 - Two closely spaced, roughly parallel striking conductors are marked on the northwestern part of Grid A. In the case of Line 1800N, a conductivity-thickness product of 0.3 siemens (mhos) is calculated, having a depth to the top of less than 5 meters.

Conductors C1, C2 - Again, two parallel conductors are thought to be present. A value of 0.6 siemens is estimated for C2 on Line 1800N. Depth to the top is calculated to be within 5 meters of the surface.

Conductors D1, D2 - The former trend (D1) displays the greatest strike length, at approximately 1600 meters, of any structure outlined on Grid A. Conductor D2 runs closely parallel to the southern end of D1, and may be a separate feature, or may indicate the presence of a single, wider structure, or a combination of both effects. Conductivity-thickness products are 0.5 siemens on both Line 1200N and 800N; however, burial depth increases from less than 5 meters in the case of the more northern line, to approximately 10 meters under the southern location.

Conductors E1, E2 - These are thought to be two parallel striking, discontinuous conductors interpreted along the western edge of the survey grid. Analysis of the data recorded on Line 1000 indicates a conductivity-thickness in the order of 0.4 siemens, within 5 meters of the surface. Total strike length of these structures could be 600 meters.

Conductor F - A conductivity-thickness product of approximately 0.3 siemens is estimated here, together with a depth of 10 to 15 meters sub-surface. It is quite possible that this zone is a deeper southern extension of Conductor C2, which would suggest a total strike length in excess of 700 meters.

Conductors G, H, I - These responses are all single line anomalies, with low inphase to quadrature ratios, thus pointing to the existence of very weak conductors.

Conductors J1, J2 - It is possible these closely parallel conductors that are the weaker southern extension of Conductors D1 and D2. A conductivity-thickness of 0.25 siemens is calculated, with a depth to the top of 5 to 10 meters under Line 0.

Grid B (Dwgs. B-7040, -3520, -880, -220)

All of the EM conductors indicated on this grid are interpreted to be striking at a somewhat oblique angle to the east-west grid lines.

Conductor A - Seen in the data on only one location, on Line 200N, this anomaly probably represents the northern extremity of a conductive zone that extends south of the existing grid.

Conductor B - This is the most prominent feature recorded in the HLEM data from Grid B, striking across all of the survey lines. At the point where the conductor crosses Line 700N, a conductivity-thickness product of 0.4 siemens is estimated. Depth to the top of the conductor is thought to be very shallow; ie., less than 5 meters.

Conductor C - Conductivity-thickness is estimated to be in the range of 0.2 siemens, with the burial depth being less than 5 meters, where the conductor crosses Line 500N.

Conductors D1, D2 - This is thought to be a discontinuous zone, which is complicated by cultural responses due to buried wire ropes near the eastern ends of Lines 600N and 550N. A conductivity-thickness estimate of 0.15 siemens is obtained from the HLEM data recorded on Line 800N.

Grid C (Dwgs. C-7040, -3520, -880, -220)

Conductor A - A very weak conductor is outlined in the data from the extreme western end of Line 400N.

Conductor B - This is also a very weak, single line response, possibly the northern end of another feature extending to the south of the present grid.

Conductors C1, C2 - Data recorded on Line 600N yields a calculated conductivity-thickness product of approximately 0.2 siemens, together with a depth of burial of less than 5 meters below the ground surface. The zone may be fault offset between Line 600N and 400N.

Conductors D1, D2 - These two parallel conductors are marked as being less than 50 meters apart, and could be outlining the edges of a single, wider conductive zone. Analysis as separate, narrow conductors gives rise to an estimate of 0.1 siemens in the case of that data measured on Line 800N. Very shallow burial depths are indicated; ie., less than 5 meters.

Grid D (Dwgs. D-7040, -3520, -880, -220)

This four line grid is dominated by a single, well defined conductor, which appears to be strengthening in a northerly direction off the existing grid lines. A shallow (less than 5 meters depth) conductor of approximately 0.4 siemens is evident in the data from the most northerly line surveyed, Line 300N.

Reconnaissance Grid A (Dwgs. RA-7040, -3520, -880, 220)

One marginally anomalous response is evident in the data recorded here. Only the quadrature component is deflected, which suggests a conductivity-thickness of less than 0.05 siemens.

Reconnaissance Grid B (Dwgs. RB-7040, -3520, -880, -220)

One weakly anomalous trend is interpreted to be present in this data, recorded on two adjacent east-west lines. There may, in fact, be two additional, even weaker conductive zones on either side of the marked conductor. The central feature displays a conductivity-thickness in the range of 0.15 siemens, with a conductor depth of less than 5 meters.

Reconnaissance Grid C (Dwgs. RC-7040, -3520, -880, -220)

A single conductor axis is indicated in the HLEM data measured on this grid. Conductivity-thickness product of the response on Line 100N is in the order of 0.3 siemens. The top of the conductive source is buried approximately 10 meters below the ground surface.

Reconnaissance Grid D (Dwgs. RD-7040, -3520, -880, -220)

Results from this area are the most anomalous of any of the HLEM reconnaissance grids. Two well defined conductors are seen in the data. The two responses are about 100 meters apart and are thought to be caused by two separate, and shallow structures, having conductivity-thickness products in the order of 0.5 siemens.

Reconnaissance Magnetism (Dwg. Mag.)

The ground magnetometer profiles surveyed over a pronounced aeromagnetic anomaly returned maximum values of 400 nano-teslas (gammas). It is thought that the magnetic source takes the approximate shape of a vertical cylinder, the bulk of which is buried in the order of 75 to 100 meters sub-surface.

Summary of Results

Eight separate grid areas within the Bow Project have been surveyed using the Horizontal Loop Electro-Magnetic (HLEM) method as a follow-up of previously outlined airborne EM anomalies. It would appear that the positions of the sources of the original airborne responses have been more accurately located by the ground HLEM data in all cases, with the possible exception of Grid B, where one probable airborne bedrock conductor was not detected by the ground survey.

Although many of the HLEM grids are located in areas of steep and variable terrain, the use of an inclinometer to measure average slope angles, together with the coil reference cable as a fixed length chain, has minimized any terrain effects in the data. Background conductivities are quite low, with the result that the response of the inphase component at the lowest frequencies can be used to indicate the system noise level, which in this case is, at most, several percent of the primary transmitted field.


All of the conductors detected by the HLEM survey are judged to be near-vertical, and exhibit conductivity-thickness products in a relatively narrow range of approximately 0.6 to 0.15 siemens. While this is at the low end of any scale comparing conductors from other world regions, the Cordilleran is known for hosting massive sulphide deposits of very low conductivity. This was confirmed on the Bow Project when a "Beep Mat" electro-magnetic prospecting unit was brought into contact with samples of the massive sulphide float originally located by surface prospecting. This unit operates at a very high frequency, and is sensitive enough to detect small concentrations of metallic mineralization located within several meters of the surface. However, it only weakly detected a 20 centimeter diameter massive sulphide boulder even when the unit was placed in direct contact with the sample. The exact reasons for this low conductivity are unclear, but are apparently related to the mineral texture.

The low apparent conductivity of the mineralized float greatly enhances the potential of the HLEM conductors to be outlining the bedrock sources of the float. One should not expect this type of mineralization to be particularly conductive.

The ground magnetic work has confirmed the presence of what appears to be a buried magnetic body, possibly a small intrusive.


Therefore, it is recommended that the next course of action should take the form of correlating all other available data with the presently available geophysical data, in order to establish drilling priorities.

Pacific Geophysical Limited


Paul Cartwright, P. Geo., Geophysicist

The image shows a handwritten signature of Paul Cartwright in cursive. Below the signature is a circular professional seal. The seal contains the text: 'PROFESSIONAL', 'OF', 'P. A. CARTWRIGHT', 'COLUMBIA', and 'GEOSCIENTIST' around the perimeter.

November 14, 1998



EUREKA RESOURCES INC.

Horizontal Loop EM Survey

7040 Hz


Grid A


Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited





EUREKA RESOURCES INC.

Horizontal Loop EM Survey

3520 Hz


Grid A


Bow Project, Cariboo M.D., B.C.


Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited







EUREKA RESOURCES INC.

Horizontal Loop EM Survey

220 Hz


Grid A


Bow Project, Cariboo M.D., B.C.


Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited







7040 Hz

3520 Hz

880 Hz

220 Hz

Inphase: ———
 Quadrature: - - -
 Vert. Scale: 1cm = 10%
 Cable Length = 150m

0m ————— 200m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey
 Line 600N — 150m Cable


Grid A


Bow Project, Cariboo M.D., B.C.


Scale : 1:5000


Date : June 1998


Pacific Geophysical Limited























Interpreted Conductor Axis

Inphase: ———
 Quadrature: - - -
 Vert. Scale: 1cm = 10%
 Cable Length = 100m

0m ————— 200m


EUREKA RESOURCES INC.

Horizontal Loop EM Survey
 7040 Hz
 Grid D
 Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited



Interpreted Conductor Axis

Inphase: ———
 Quadrature: - - -
 Vert. Scale: 1cm = 10%
 Cable Length = 100m

0m ————— 200m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

3520 Hz

Grid D


Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited

Dwg. D-3520



Interpreted Conductor Axis

Inphase: ———

Quadrature: - - -

Vert. Scale: 1cm = 10%

Cable Length = 100m

0m ————— 200m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

880 Hz

Grid D


Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited

Dwg. D-880



Interpreted Conductor Axis

Inphase: ———
 Quadrature: - - -
 Vert. Scale: 1cm = 10%
 Cable Length = 100m

0m 200m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

220 Hz

Grid D


Bow Project, Cariboo M.D., B.C.


Scale : 1:5000


Date : June 1998

Pacific Geophysical Limited

Dwg. D-220








1 00 NORTH



300 WEST

200 WEST

100 WEST



Interpreted Conductor Axis



Inphase: ———

Quadrature: - - -

Vert. Scale: 1cm = 10%

Cable Length = 100m

0m ————— 200m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

7040 Hz

Recon Grid B

Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited

Dwg. RB-7040




1 00 NORTH

O

300 WEST

200 WEST

100 WEST



Interpreted Conductor Axis

Inphase: _____

Quadrature: - - - -

Vert. Scale: 1cm = 10%

Cable Length = 100m

0m 200m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

3520 Hz

Recon Grid B

Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited

Dwg. RB-3520




1 00 NORTH

O

3 00 WEST

2 00 WEST

1 00 WEST



Interpreted Conductor Axis

Inphase: _____

Quadrature: - - - -

Vert. Scale: 1cm = 10%

Cable Length = 100m

0m 200m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

880 Hz

Recon Grid B

Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited

Dwg. RB-880




1 0 0 NORTH

O

3 0 0 WEST

2 0 0 WEST

1 0 0 WEST



Interpreted Conductor Axis



Inphase: ———

Quadrature: - - -

Vert. Scale: 1cm = 10%

Cable Length = 100m

0m 200m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

220 Hz

Recon Grid B

Bow Project, Cariboo M.D., B.C.

Scale : 1:5000


Date : June 1998

Pacific Geophysical Limited

Dwg. RB-220

1 00 NORTH

300 WEST
200 WEST
100 WEST



0m 200m

Interpreted Conductor Axis



Inphase: ———
Quadrature: - - -
Vert. Scale: 1cm = 10%
Cable Length = 100m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

7040 Hz

Recon. Grid C


Bow Project, Cariboo M.D., B.C.

Scale : 1:5000


Date : June 1998

Pacific Geophysical Limited

Dwg. RC-7040



Interpreted Conductor Axis



Inphase: ————

Quadrature: - - - -

Vert. Scale: 1cm = 10%

Cable Length = 100m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

3520 Hz

Recon. Grid C


Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited

Dwg. RC-3520



Interpreted Conductor Axis




Inphase: ———

Quadrature: - - -

Vert. Scale: 1cm = 10%

Cable Length = 100m



0m 200m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

220 Hz

Recon. Grid C

Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited

Dwg. RC-220



400 NORTH

300 NORTH

200 NORTH

100 NORTH

100 WEST



Interpreted Conductor Axis



Inphase: ———

Quadrature: - - -

Vert. Scale: 1cm = 10%

Cable Length = 100m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey
7040 Hz
Recon. Grid D

Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998


Pacific Geophysical Limited

Dwg. RD-7040

4 0 0 NORTH

1 0 0 NORTH

1 0 0 WEST



Interpreted Conductor Axis

== ::== ::

Inphase: ———

Quadrature: - - -

Vert. Scale: 1cm = 10%

Cable Length = 100m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

3520 Hz

Recon. Grid D

Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998



Pacific Geophysical Limited

Dwg. RD-3520

4 00 NORTH

1 00 NORTH

1 00 WEST



Interpreted Conductor Axis



Inphase: ———

Quadrature: - - -

Vert. Scale: 1cm = 10%

Cable Length = 100m

0m ————— 200m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

880 Hz

Recon. Grid D

Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998



Pacific Geophysical Limited

Dwg. RD-880

400 NORTH

100 NORTH

100 WEST



Interpreted Conductor Axis



Inphase: ———

Quadrature: - - -

Vert. Scale: 1cm = 10%

Cable Length = 100m

0m 200m

EUREKA RESOURCES INC.

Horizontal Loop EM Survey

220 Hz

Recon. Grid D


Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited

Dwg. RD-220



Vertical Scale : 200 nT / cm
Base Value of Profiles = 59500 nT

0m 200m

EUREKA RESOURCES INC.

Ground Magnetometer Survey
Total Field Profiles

Airborne Anomaly
Bow Project, Cariboo M.D., B.C.

Scale : 1:5000

Date : June 1998

Pacific Geophysical Limited

Dwg. Mag

Appendix C - Analytical Data



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

REPORT: V98-00964.0 (COMPLETE)

REFERENCE:

CLIENT: EUREKA RESOURCES, INC.

SUBMITTED BY: UNKNOWN

PROJECT: NONE GIVEN1

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

DATE APPROVED	ELEMENT	NUMBER OF ANALYSES	LOWER DETECTION	EXTRACTION	METHOD
980629	1 Ag Silver	276	0.2 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	2 Cu Copper	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	3 Pb Lead	276	2 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	4 Zn Zinc	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	5 Mo Molybdenum	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	6 Ni Nickel	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	7 Co Cobalt	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	8 Cd Cadmium	276	0.2 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	9 Bi Bismuth	276	5 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	10 As Arsenic	276	5 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	11 Sb Antimony	276	5 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	12 Fe Iron	276	0.01 PCT	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	13 Mn Manganese	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	14 Te Tellurium	276	10 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	15 Ba Barium	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	16 Cr Chromium	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	17 V Vanadium	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	18 Sn Tin	276	20 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	19 W Tungsten	276	20 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	20 La Lanthanum	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	21 Al Aluminum	276	0.01 PCT	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	22 Mg Magnesium	276	0.01 PCT	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	23 Ca Calcium	276	0.01 PCT	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	24 Na Sodium	276	0.01 PCT	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	25 K Potassium	276	0.01 PCT	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	26 Sr Strontium	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	27 Y Yttrium	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	28 Ga Gallium	276	2 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	29 Li Lithium	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	30 Nb Niobium	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	31 Sc Scandium	276	5 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	32 Ta Tantalum	276	10 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	33 Ti Titanium	276	0.01 PCT	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA
980629	34 Zr Zirconium	276	1 PPM	HCL:HNO3 (3:1)	INDUC. COUP. PLASMA

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
S SOIL	276	1 -80	276	DRY, SIEVE -80	276

REPORT COPIES TO: MR. JOHN R. KERR. P. ENG

INVOICE TO: MR. JOHN R. KERR. P. ENG

This report must not be reproduced except in full. The data presented in this report is specific to those samples identified under "Sample Number" and is applicable only to the samples as received expressed on a dry basis unless otherwise indicated



Intertek Testing Services

Bondar Clegg

Geochemical

Lab Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00964.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 1 OF 14

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
BLO+00-0+00		0.3	42	7	62	2	25	9	<.2	<.5	6	<.5	4.83	987	<10	265	55	134	<20	<20	4	2.01	0.52	0.73	<.01	0.05	14	3	6	14	2	<.5	<10	0.21	<.1
A0+0-0+50E		<.2	48	3	39	<.1	50	17	<.2	<.5	6	<.5	3.61	645	<10	240	54	103	<20	<20	6	2.73	1.09	1.07	0.02	0.04	17	10	4	12	2	7	<10	0.27	7
A0+0-1+00E		0.2	43	3	54	1	36	17	<.2	<.5	15	<.5	4.73	819	<10	192	73	128	<20	<20	6	2.77	0.86	0.85	0.01	0.04	15	9	5	20	1	7	<10	0.24	<.1
A0+0-1+50E		<.2	42	4	43	<.1	35	16	<.2	<.5	10	<.5	3.04	593	<10	150	48	105	<20	<20	6	2.21	0.89	1.10	0.01	0.03	13	15	4	15	2	9	<10	0.24	2
A0+0-2+00E		0.3	30	2	46	<.1	47	12	<.2	<.5	7	<.5	3.61	312	<10	163	49	94	<20	<20	4	2.73	0.79	1.04	0.01	0.02	17	7	3	12	1	<.5	<10	0.23	6
A0+0-3+00E		<.2	60	6	58	1	50	19	<.2	<.5	10	<.5	4.16	1104	<10	268	73	114	<20	<20	9	2.86	1.11	1.20	0.01	0.08	20	19	4	17	<.1	12	<10	0.23	<.1
A0+0-3+50E		<.2	75	3	54	1	68	22	<.2	<.5	11	<.5	4.51	1052	<10	283	72	115	<20	<20	8	3.07	1.27	1.17	0.01	0.05	21	17	4	16	<.1	10	<10	0.20	<.1
A0+0-4+00E		<.2	109	20	75	2	73	25	<.2	<.5	12	<.5	6.03	2604	<10	310	113	141	<20	<20	18	5.03	1.27	1.19	0.01	0.15	29	36	7	24	<.1	17	<10	0.13	<.1
A0+0-4+50E		0.2	88	13	66	2	54	19	<.2	<.5	10	<.5	4.83	1979	<10	243	85	125	<20	<20	12	3.53	0.97	1.38	0.01	0.10	27	22	6	19	<.1	13	<10	0.16	<.1
A0+0-5+00E		<.2	65	5	54	1	47	17	<.2	<.5	9	<.5	4.51	951	<10	199	85	122	<20	<20	10	3.09	1.02	1.27	0.01	0.08	21	20	5	20	<.1	13	<10	0.19	<.1
ABL2+00N		<.2	44	10	52	1	47	17	<.2	<.5	14	<.5	4.49	800	<10	255	65	120	<20	<20	6	2.82	0.97	0.86	0.01	0.04	14	13	5	17	<.1	8	<10	0.21	<.1
A2+00N-0+50E		0.2	29	6	45	2	34	12	<.2	<.5	10	<.5	5.98	474	<10	238	66	150	<20	<20	4	2.41	0.68	0.90	0.01	0.04	18	8	6	18	2	<.5	<10	0.23	2
A2+00N-1+00E		0.2	19	3	101	2	25	11	<.2	<.5	7	<.5	6.46	928	<10	425	64	161	<20	<20	6	2.46	0.56	0.59	0.01	0.04	13	3	7	24	2	<.5	<10	0.22	<.1
A2+00N-1+50E		<.2	26	5	57	1	35	13	<.2	<.5	6	<.5	4.40	1155	<10	100	61	130	<20	<20	9	2.70	0.84	1.06	0.01	0.03	14	27	6	16	<.1	9	<10	0.28	<.1
A2+00N-2+00E		0.3	14	7	54	1	9	7	<.2	<.5	<.5	<.5	3.41	484	<10	147	42	154	<20	<20	4	1.27	0.17	0.68	<.01	0.02	8	4	7	2	2	<.5	<10	0.30	<.1
A2+00N-2+50E		0.3	22	<.2	52	1	34	14	<.2	<.5	8	<.5	5.17	523	<10	147	61	131	<20	<20	5	3.14	0.81	0.91	0.01	0.03	14	7	5	16	1	5	<10	0.31	5
A2+00N-3+00E		<.2	33	3	54	1	40	18	<.2	<.5	7	<.5	4.86	861	<10	134	61	141	<20	<20	5	3.10	1.07	1.23	0.01	0.03	15	12	5	13	<.1	7	<10	0.33	2
A2+00N-3+50E		<.2	38	3	49	1	41	18	<.2	<.5	7	<.5	4.01	843	<10	126	67	113	<20	<20	10	2.64	1.08	1.23	0.02	0.04	20	18	4	18	<.1	11	<10	0.27	3
A2+00N-4+00E		<.2	23	2	52	1	35	15	<.2	<.5	7	<.5	3.99	673	<10	136	63	116	<20	<20	8	2.78	1.03	1.20	0.02	0.05	17	12	5	19	<.1	7	<10	0.28	2
A2+00N-4+50E		<.2	17	5	65	1	28	11	<.2	<.5	6	<.5	4.31	345	<10	173	60	120	<20	<20	7	2.23	0.61	0.72	0.01	0.04	12	6	5	16	1	<.5	<10	0.24	1
A2+00N-5+00E		<.2	133	8	63	2	72	26	<.2	<.5	20	<.5	6.40	1475	<10	357	140	151	<20	<20	18	4.28	1.30	1.41	0.01	0.09	27	50	5	29	<.1	25	<10	0.19	<.1
A0+00-0+50W		<.2	23	3	41	1	39	13	<.2	<.5	7	<.5	4.26	312	<10	161	58	114	<20	<20	6	2.86	0.68	0.60	0.01	0.03	9	5	5	16	1	<.5	<10	0.24	5
A0+00-1+00W		0.2	29	2	48	1	43	15	<.2	<.5	6	<.5	4.26	397	<10	247	61	110	<20	<20	7	3.06	0.74	0.65	0.01	0.04	11	6	4	18	1	<.5	<10	0.24	5
A0+00-1+50W		0.3	16	3	66	2	35	13	<.2	<.5	8	<.5	5.95	352	<10	215	67	165	<20	<20	6	3.26	0.62	0.47	<.01	0.04	12	4	6	23	2	<.5	<10	0.28	3
A0+00-2+00W		0.3	24	<.2	39	2	49	15	<.2	<.5	10	<.5	6.46	322	<10	132	81	145	<20	<20	4	3.42	0.89	0.68	0.01	0.02	11	5	5	23	1	6	<10	0.28	5
A0+00-2+50W		<.2	15	4	35	1	27	9	<.2	<.5	6	<.5	4.09	329	<10	105	55	164	<20	<20	6	2.17	0.54	0.82	0.01	0.03	12	5	7	11	2	<.5	<10	0.33	2
A0+00-3+00W		<.2	67	2	44	1	49	17	<.2	<.5	7	<.5	4.20	592	<10	159	76	140	<20	<20	8	3.11	0.98	1.08	0.02	0.04	16	13	5	24	<.1	8	<10	0.25	3
A0+00-3+50W		<.2	109	4	58	1	61	23	<.2	<.5	9	<.5	4.62	1929	<10	220	114	157	<20	<20	11	3.53	1.16	1.31	0.02	0.06	22	38	5	25	<.1	23	<10	0.21	<.1
A0+00-4+00W		<.2	41	2	48	1	54	19	<.2	<.5	7	<.5	4.06	656	<10	153	64	114	<20	<20	7	3.10	1.07	1.10	0.02	0.04	16	9	5	16	<.1	6	<10	0.26	4
A0+00-4+50W		0.3	70	5	50	1	51	18	<.2	<.5	10	<.5	4.95	763	<10	167	87	140	<20	<20	7	3.18	0.92	1.11	0.01	0.04	17	21	5	18	2	11	<10	0.26	3



Intertek Testing Services

Bondar Clegg

Geochemical

Lab

Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00964.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 2 OF 14

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
A0+00-5+00W		<.2	51	5	37	<1	50	16	<.2	<5	8	<5	3.44	596	<10	150	64	90	<20	<20	8	2.33	0.88	0.91	0.01	0.04	14	17	3	18	<1	9	<10	0.20	2
A2+00-0+50W		<.2	29	4	47	1	34	13	<.2	<5	6	<5	4.37	457	<10	205	61	114	<20	<20	7	2.44	0.78	0.68	0.01	0.04	11	6	4	16	1	<5	<10	0.26	3
A2+00-1+00W		0.4	25	5	51	2	31	13	<.2	<5	9	<5	4.77	1363	<10	278	58	139	<20	<20	3	2.22	0.70	1.01	<.01	0.06	14	4	5	12	1	<5	<10	0.17	<1
A2+00-1+50W		<.2	27	11	62	1	38	16	<.2	<5	7	<5	3.57	1050	<10	233	55	115	<20	<20	4	2.29	0.82	0.90	0.01	0.05	15	4	6	15	1	<5	<10	0.20	<1
A2+00-2+00W		0.3	17	3	64	2	33	14	<.2	<5	7	<5	5.89	719	<10	221	68	168	<20	<20	5	2.81	0.67	0.55	0.01	0.03	12	4	7	25	2	<5	<10	0.23	<1
A2+00-2+50W		0.3	27	3	62	1	60	20	<.2	<5	10	<5	4.49	503	<10	192	63	112	<20	<20	6	3.48	1.15	0.92	0.01	0.04	15	8	4	18	1	6	<10	0.22	6
A2+00-3+00W		<.2	15	6	43	1	26	10	<.2	<5	6	<5	4.57	414	<10	156	60	141	<20	<20	5	2.19	0.60	0.72	0.01	0.03	9	4	5	16	1	<5	<10	0.30	1
A2+00-3+50W		<.2	17	6	42	1	29	12	<.2	<5	<5	<5	4.04	374	<10	139	54	113	<20	<20	6	2.34	0.62	0.66	0.01	0.03	9	5	4	15	1	<5	<10	0.26	3
A2+00-4+00W		<.2	40	5	45	1	37	15	<.2	<5	5	<5	3.84	620	<10	193	58	109	<20	<20	8	2.48	0.79	0.94	0.01	0.04	14	11	4	19	1	5	<10	0.22	1
A2+00N-4+50W		<.2	16	3	50	<1	28	12	<.2	<5	<5	<5	3.76	363	<10	173	53	111	<20	<20	7	2.46	0.61	0.75	0.01	0.03	10	6	5	13	1	<5	<10	0.28	6
A2+00N-5+00W		<.2	49	5	38	1	34	12	<.2	<5	6	<5	4.05	516	<10	188	63	117	<20	<20	15	2.43	0.73	1.07	0.01	0.04	18	36	4	16	2	9	<10	0.23	<1
A4+00N-0+50W		0.3	29	<2	33	1	48	19	<.2	<5	10	<5	5.16	456	<10	230	75	104	<20	<20	4	5.23	0.93	0.90	0.01	0.02	20	9	4	16	2	8	<10	0.19	6
A4+00N-1+00W		0.2	31	<2	52	1	48	21	0.3	<5	9	<5	5.07	567	<10	112	86	133	<20	<20	5	3.51	1.17	1.10	0.01	0.04	15	8	5	22	<1	7	<10	0.33	8
A4+00N-1+50W		0.3	29	<2	63	1	45	18	<.2	<5	8	<5	4.74	550	<10	110	82	128	<20	<20	5	3.49	1.07	1.04	0.02	0.03	15	8	4	20	<1	7	<10	0.32	8
A4+00N-2+00W		0.2	17	4	64	1	30	11	<.2	<5	7	<5	4.96	363	<10	195	66	131	<20	<20	7	2.51	0.77	0.87	0.01	0.03	13	5	5	20	1	<5	<10	0.29	2
A4+00N-2+50W		0.2	28	2	49	1	42	16	<.2	<5	8	<5	4.54	440	<10	104	77	124	<20	<20	7	3.31	0.91	0.90	0.01	0.03	11	7	4	20	<1	7	<10	0.30	6
A4+00N-3+00W		<.2	15	8	55	2	30	13	<.2	<5	6	<5	5.14	342	<10	105	69	136	<20	<20	7	2.75	0.72	0.58	<.01	0.03	9	5	5	23	1	<5	<10	0.33	6
A4+00N-3+50W		<.2	26	3	38	<1	37	16	<.2	<5	5	<5	3.19	405	<10	166	48	84	<20	<20	7	2.50	0.80	0.73	0.02	0.04	11	6	3	14	<1	<5	<10	0.23	7
A4+00N-4+00W		0.2	14	5	46	1	25	10	<.2	<5	5	<5	4.18	391	<10	161	59	126	<20	<20	7	2.27	0.56	0.67	0.01	0.03	11	6	5	14	<1	<5	<10	0.27	2
A4+00N-4+50W		<.2	29	<2	43	1	37	14	<.2	<5	6	<5	3.55	470	<10	149	52	97	<20	<20	8	2.66	0.80	0.82	0.02	0.03	11	10	3	14	<1	5	<10	0.22	3
A4+00N-5+00W		0.2	15	5	48	1	23	9	<.2	<5	6	<5	3.85	393	<10	165	51	114	<20	<20	8	2.05	0.56	0.67	0.01	0.04	10	5	5	16	2	<5	<10	0.23	<1
A4+00N-5+50W		<.2	43	4	49	<1	43	16	<.2	<5	6	<5	3.54	691	<10	189	62	102	<20	<20	9	2.80	0.89	0.97	0.02	0.04	15	15	4	15	1	8	<10	0.24	2
A4+00N-6+00W		<.2	56	4	42	1	33	15	0.2	<5	5	<5	3.80	834	<10	144	65	119	<20	<20	12	2.48	0.68	1.03	0.01	0.04	18	23	4	15	<1	11	<10	0.22	<1
A4+00N-0+00E		<.2	118	7	61	2	60	23	0.3	<5	12	<5	5.37	866	<10	182	116	142	<20	<20	15	3.71	1.30	1.24	0.02	0.08	24	33	6	28	<1	20	<10	0.21	<1
A4+00N-0+50E		<.2	25	3	39	1	42	19	<.2	<5	13	<5	3.70	564	<10	134	62	105	<20	<20	9	2.71	0.91	0.99	0.02	0.05	12	9	4	19	<1	6	<10	0.28	8
A4+00N-1+00E		<.2	239	5	61	2	22	22	0.3	<5	26	<5	5.38	1807	<10	286	45	95	<20	<20	7	2.68	0.75	0.38	<.01	0.05	14	5	5	27	2	5	<10	0.19	<1
A4+00N-1+50E		<.2	28	<2	57	2	40	18	<.2	<5	11	<5	5.67	604	<10	126	68	135	<20	<20	5	2.93	1.13	1.17	0.01	0.02	16	8	5	21	1	6	<10	0.31	4
A4+00N-2+00E		0.5	601	14	49	2	47	22	0.4	<5	22	<5	5.24	2061	<10	268	159	129	<20	<20	49	3.22	0.97	1.72	0.01	0.04	34	118	5	20	1	33	<10	0.12	<1
A4+00N-2+50E		<.2	71	14	53	2	36	17	<.2	<5	14	<5	5.99	1199	<10	141	75	126	<20	<20	13	3.42	0.84	0.83	0.01	0.03	19	23	4	22	<1	7	<10	0.19	<1
A4+00N-3+00E		<.2	20	9	65	2	19	10	<.2	<5	11	<5	5.69	1540	<10	287	67	193	<20	<20	6	2.11	0.42	0.95	<.01	0.03	17	9	8	11	<1	<5	<10	0.33	<1



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00964.0 (COMPLETE)

PROJECT: NONE GIVEN1

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 3 OF 14

SAMPLE NUMBER	ELEMENT UNITS	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
A4+00N-3+50E	0.3	36	4	66	2	44	17	<.2	<.5	13	<.5	6.90	600	<10	152	80	166	<20	<20		6	3.29	0.87	0.72	0.01	0.04	13	7	5	25	<1	7	<10	0.33	2
A4+00N-4+00E	0.3	34	<2	35	1	41	18	<.2	<.5	10	<.5	4.37	554	<10	84	53	129	<20	<20		5	3.38	1.06	1.45	0.02	0.02	18	11	5	13	<1	7	<10	0.36	8
BLA6+00N	0.2	32	4	53	1	40	18	0.2	<.5	9	<.5	4.64	726	<10	150	71	121	<20	<20		6	3.08	0.94	0.99	0.01	0.03	13	7	4	18	<1	6	<10	0.26	2
A6+00N-0+50E	<.2	83	2	46	2	54	24	0.4	<.5	14	<.5	5.42	758	<10	135	102	147	<20	<20		14	3.44	0.91	1.12	0.01	0.04	21	35	5	24	2	16	<10	0.22	<1
A6+00N-1+00E	<.2	98	6	47	1	39	17	<.2	<.5	10	<.5	4.75	852	<10	116	88	142	<20	<20		26	2.91	0.82	1.10	0.01	0.04	21	44	5	20	1	15	<10	0.23	<1
A6+00N-1+50E	0.4	49	5	93	2	57	30	<.2	<.5	20	<.5	6.75	867	<10	172	113	193	<20	<20		2	4.05	1.24	0.99	0.01	0.03	13	8	6	32	1	9	<10	0.30	4
A6+00N-2+00E	<.2	50	<2	52	1	68	25	<.2	<.5	8	<.5	5.02	1208	<10	188	97	122	<20	<20		7	3.07	2.19	1.18	0.01	0.07	29	15	5	19	1	12	<10	0.25	3
A6+00N-2+50E	<.2	90	4	65	2	79	33	<.2	<.5	21	<.5	6.39	1158	<10	347	133	143	<20	<20		13	4.09	1.58	1.40	0.01	0.05	28	34	6	27	<1	17	<10	0.22	<1
A6+00N-3+00E	<.2	24	3	63	1	30	12	<.2	<.5	9	<.5	4.67	665	<10	251	58	129	<20	<20		6	2.43	0.81	0.96	0.01	0.03	15	7	5	17	<1	5	<10	0.28	<1
A6+00N-3+50E	<.2	17	6	63	1	20	11	<.2	<.5	10	<.5	5.05	1100	<10	161	63	162	<20	<20		6	2.24	0.52	0.88	<.01	0.03	13	5	7	15	1	<5	<10	0.32	<1
A6+00N-4+00E	0.2	15	6	49	1	17	9	<.2	<.5	7	<.5	4.16	1108	<10	159	47	159	<20	<20		5	1.83	0.42	0.96	<.01	0.04	14	4	6	7	1	<5	<10	0.32	<1
A6+00N-0+50W	0.4	37	4	58	2	39	22	0.3	<.5	10	<.5	6.28	809	<10	150	94	140	<20	<20		3	3.55	0.80	0.96	0.01	0.03	13	8	4	16	1	7	<10	0.21	<1
A6+00N-1+00W	0.3	24	6	71	2	35	15	0.3	<.5	8	<.5	5.39	673	<10	109	86	152	<20	<20		4	2.96	0.92	1.13	0.01	0.04	14	7	5	22	<1	6	<10	0.32	3
A6+00N-1+50W	0.3	26	2	50	1	31	12	0.2	<.5	5	<.5	5.03	526	<10	115	74	130	<20	<20		4	2.68	0.79	0.86	0.01	0.03	8	6	5	16	<1	5	<10	0.29	2
A6+00N-2+00W	0.3	17	3	61	1	27	12	<.2	<.5	6	<.5	6.02	425	<10	83	84	151	<20	<20		4	2.79	0.73	0.78	0.01	0.03	8	5	5	18	<1	5	<10	0.38	4
A6+00N-2+50W	0.3	20	4	54	1	19	9	0.2	<.5	6	<.5	5.02	498	<10	120	68	168	<20	<20		6	2.20	0.45	0.64	<.01	0.03	9	5	6	16	<1	<5	<10	0.34	<1
A6+00N-3+00W	<.2	39	<2	45	1	39	14	<.2	<.5	8	<.5	4.24	558	<10	108	79	135	<20	<20		6	2.69	1.01	1.30	0.02	0.03	16	15	5	25	1	10	<10	0.26	2
A6+00N-3+50W	<.2	72	5	51	1	40	24	0.2	<.5	9	<.5	4.43	987	<10	108	91	123	<20	<20		8	2.72	1.03	1.57	0.02	0.04	22	41	4	23	<1	18	<10	0.23	<1
A6+00N-4+00W	0.2	24	3	61	2	32	14	<.2	<.5	10	<.5	6.74	351	<10	75	87	188	<20	<20		7	2.89	0.86	0.93	0.01	0.03	16	9	7	29	2	7	<10	0.36	4
A6+00N-4+50W	0.2	41	<2	53	1	45	20	<.2	<.5	9	<.5	5.37	553	<10	151	80	140	<20	<20		5	3.29	1.10	1.10	0.02	0.03	13	9	5	23	<1	7	<10	0.35	6
A6+00N-5+00W	<.2	25	<2	47	1	39	17	<.2	<.5	8	<.5	5.04	549	<10	154	68	142	<20	<20		5	3.21	1.03	1.11	0.02	0.04	11	9	5	19	<1	8	<10	0.40	11
A6+00N-5+50W	<.2	25	2	58	1	33	13	<.2	<.5	7	<.5	4.94	493	<10	194	63	144	<20	<20		5	2.76	0.86	0.98	0.02	0.03	11	7	5	16	1	6	<10	0.35	3
A6+00N-6+00W	<.2	33	3	55	1	39	16	<.2	<.5	7	<.5	4.42	1297	<10	231	57	121	<20	<20		3	2.71	1.10	1.15	0.01	0.05	10	6	4	15	1	6	<10	0.26	<1
A6+00N-6+50W	0.2	22	3	94	1	25	15	<.2	<.5	9	<.5	5.01	801	<10	230	62	148	<20	<20		6	2.38	0.58	0.73	0.01	0.03	10	6	5	18	1	5	<10	0.27	<1
A6+00N-7+00W	<.2	153	7	97	1	55	19	0.4	<.5	37	<.5	4.48	1802	<10	312	101	135	<20	<20		15	2.66	0.81	0.93	0.01	0.05	15	61	4	32	1	41	<10	0.16	<1
A6+00N-7+50W	0.3	205	11	78	2	61	20	0.5	<.5	31	<.5	4.65	2986	<10	271	113	106	<20	<20		19	2.87	0.77	1.31	0.01	0.06	26	72	4	19	2	31	<10	0.12	<1
A6+00N-8+00W	<.2	28	6	45	2	45	18	<.2	<.5	15	<.5	4.19	712	<10	255	69	99	<20	<20		11	2.78	0.74	0.58	0.01	0.05	12	8	5	24	<1	6	<10	0.19	<1
A6+00N-8+50W	<.2	38	7	58	1	41	18	<.2	<.5	6	<.5	3.75	1152	<10	221	72	113	<20	<20		9	2.57	0.97	1.17	0.02	0.06	18	16	5	17	<1	11	<10	0.22	<1
A6+00N-9+00W	<.2	36	9	41	1	35	14	<.2	<.5	7	<.5	3.25	486	<10	167	62	95	<20	<20		9	2.17	0.72	1.04	0.01	0.05	18	12	4	18	1	8	<10	0.19	2
A8+00N-0+00E	0.3	41	<2	80	2	54	28	<.2	<.5	11	<.5	7.02	649	<10	99	114	198	<20	<20		3	3.97	1.24	1.28	0.01	0.03	13	9	6	25	<1	8	<10	0.44	12



Intertek Testing Services

Bondar Clegg

Geochemical

Lab Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00964.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 4 OF 14

SAMPLE NUMBER	ELEMENT UNITS	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
A8+00N-0+50E		<.2	33	3	74	1	60	23	<.2	<5	14	<5	5.37	438	<10	114	94	140	<20	<20	8	3.42	1.07	0.91	0.01	0.03	12	13	5	24	<1	9	<10	0.34	15
A8+00N-1+00E		<.2	68	4	63	2	63	20	0.2	<5	29	<5	5.18	757	<10	220	104	130	<20	<20	9	3.27	1.13	1.34	0.01	0.06	24	25	4	33	<1	17	<10	0.20	<1
A8+00N-1+50E		<.2	27	<2	43	1	59	25	<.2	<5	17	<5	6.49	786	<10	130	125	151	<20	<20	9	4.01	1.95	1.48	0.01	0.03	19	30	5	25	1	17	<10	0.24	4
A8+00N-2+00E		0.3	24	<2	65	1	38	15	0.2	<5	9	<5	5.33	614	<10	137	87	146	<20	<20	4	2.99	0.99	0.94	0.01	0.03	8	7	6	27	1	7	<10	0.37	4
A8+00N-2+50E		<.2	52	5	78	2	73	23	0.2	<5	23	<5	4.43	690	<10	227	76	105	<20	<20	6	3.69	1.10	0.84	0.02	0.03	8	7	3	24	<1	6	<10	0.26	9
A8+00N-3+00E		0.3	27	4	73	1	28	11	0.3	<5	11	<5	4.94	755	<10	226	85	151	<20	<20	6	2.75	0.70	0.85	0.01	0.03	10	5	6	22	<1	6	<10	0.34	<1
A8+00N-3+50E		0.2	31	<2	54	1	45	18	<.2	<5	12	<5	5.16	458	<10	143	82	132	<20	<20	6	3.33	1.03	0.93	0.02	0.03	12	9	4	25	2	7	<10	0.31	11
A8+00N-0+50W		<.2	24	<2	61	1	37	15	0.2	<5	9	<5	5.16	382	<10	84	76	133	<20	<20	8	2.97	0.89	0.87	0.01	0.03	15	10	5	24	<1	7	<10	0.29	5
A8+00N-1+00W		0.2	37	<2	46	1	47	20	<.2	<5	9	<5	4.89	569	<10	112	85	130	<20	<20	6	3.19	1.12	1.11	0.02	0.04	11	10	5	20	<1	7	<10	0.33	8
A8+00N-1+50W		<.2	25	<2	43	1	33	13	<.2	<5	7	<5	4.49	401	<10	116	72	129	<20	<20	6	3.05	0.79	0.95	0.01	0.03	11	7	4	15	<1	6	<10	0.32	6
A8+00N-2+00W		<.2	36	2	51	2	39	13	0.3	<5	18	<5	5.86	387	<10	123	83	171	<20	<20	7	2.99	0.74	0.81	0.01	0.04	16	14	6	24	<1	9	<10	0.29	4
A8+00N-2+50W		<.2	31	<2	67	1	47	22	<.2	<5	12	<5	5.08	774	<10	123	80	154	<20	<20	4	2.73	1.40	1.32	0.01	0.03	17	18	5	20	1	14	<10	0.25	<1
A8+00N-3+00W		<.2	29	4	47	<1	35	15	<.2	<5	7	<5	3.48	655	<10	127	72	95	<20	<20	10	2.29	1.02	1.00	0.02	0.04	18	13	4	22	1	8	<10	0.22	2
A8+00N-3+50W		<.2	36	3	55	1	52	17	<.2	<5	8	<5	4.03	2705	<10	222	84	112	<20	<20	9	3.07	1.22	1.04	0.02	0.05	16	17	4	25	<1	14	<10	0.25	<1
A8+00N-4+00W		0.3	26	3	52	1	25	10	0.3	<5	9	<5	5.22	356	<10	180	66	160	<20	<20	5	2.28	0.56	0.82	0.01	0.02	14	6	5	18	2	<5	<10	0.36	4
A8+00N-4+50W		<.2	61	4	49	1	32	16	0.4	<5	23	<5	4.52	817	<10	167	66	147	<20	<20	9	2.69	0.75	1.03	0.01	0.03	14	25	5	17	2	11	<10	0.24	<1
A8+00N-5+00W		<.2	35	3	45	1	47	17	<.2	<5	10	<5	4.35	696	<10	154	68	114	<20	<20	9	2.73	1.01	1.05	0.02	0.04	14	16	4	18	1	8	<10	0.26	2
A8+00N-5+50W		<.2	43	3	46	1	50	18	<.2	<5	13	<5	4.18	878	<10	200	75	118	<20	<20	7	2.64	1.09	1.21	0.02	0.04	14	16	4	23	<1	10	<10	0.29	3
A8+00N-6+00W		<.2	33	3	42	1	34	16	0.2	<5	11	<5	4.31	744	<10	133	70	117	<20	<20	9	2.50	0.82	1.06	0.01	0.03	16	21	4	17	<1	10	<10	0.23	<1
A10+00N-0+00E		0.3	19	3	81	2	29	11	<.2	<5	8	<5	5.81	490	<10	286	76	160	<20	<20	5	2.20	0.72	0.75	<.01	0.03	25	4	6	18	1	<5	<10	0.27	<1
A10+00N-0+50E		<.2	30	<2	49	1	51	22	<.2	<5	8	<5	3.67	500	<10	238	57	108	<20	<20	5	3.07	1.18	0.87	0.01	0.02	17	7	4	16	<1	6	<10	0.24	3
A10+00N-1+00E		0.2	41	3	58	1	41	18	0.3	<5	15	<5	4.04	1772	<10	151	90	130	<20	<20	6	2.72	1.16	1.61	0.01	0.04	25	18	5	22	1	14	<10	0.19	<1
A10+00N-1+50E		<.2	78	2	53	1	49	25	0.4	<5	19	<5	5.11	1324	<10	151	108	137	<20	<20	7	3.14	1.31	1.51	0.02	0.04	20	26	5	29	<1	16	<10	0.23	<1
A10+00N-2+00E		<.2	52	4	66	1	51	24	<.2	<5	14	<5	4.98	1072	<10	179	102	130	<20	<20	8	3.10	1.42	1.45	0.01	0.05	19	17	5	29	1	12	<10	0.23	<1
A10+00N-2+50E		<.2	37	<2	56	1	44	21	<.2	<5	11	<5	5.03	860	<10	161	95	146	<20	<20	7	3.12	1.29	1.55	0.01	0.05	23	12	5	28	<1	10	<10	0.26	<1
A10+00N-3+00E		<.2	25	<2	47	1	44	21	<.2	<5	12	<5	4.38	890	<10	121	81	129	<20	<20	5	2.75	1.35	1.44	0.02	0.03	16	10	5	26	<1	8	<10	0.31	3
A10+00N-3+50E		<.2	35	<2	43	1	51	21	<.2	<5	9	<5	4.60	595	<10	136	95	138	<20	<20	5	3.39	1.54	1.57	0.02	0.04	19	13	6	34	<1	11	<10	0.33	5
A10+00N-4+00E		<.2	27	<2	46	1	39	20	<.2	<5	13	<5	4.21	847	<10	131	73	129	<20	<20	8	2.79	1.21	1.40	0.02	0.04	18	13	5	23	1	10	<10	0.32	5
A10+00N-0+50W		<.2	132	7	84	1	54	23	0.3	<5	21	<5	4.36	2136	<10	139	79	117	<20	<20	10	2.42	0.76	0.99	0.01	0.04	20	18	4	29	1	9	<10	0.11	<1
A10+00N-1+00W		0.2	30	4	49	2	31	13	0.2	<5	17	<5	4.82	468	<10	137	74	165	<20	<20	8	2.48	0.66	0.85	<.01	0.04	14	14	7	22	<1	7	<10	0.27	<1



Intertek Testing Services

Bondar Clegg

Geochemical

Lab

Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00964.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 5 OF 14

SAMPLE NUMBER	ELEMENT UNITS	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
A10+00N-1+50W		0.6	143	4	49	1	40	10	0.3	<5	6	<5	1.21	379	<10	231	111	41	<20	<20	23	2.89	0.47	1.12	0.01	0.03	24	62	3	11	<1	11	<10	0.04	<1
A10+00N-2+50W		0.6	130	5	36	1	34	10	0.4	<5	13	<5	3.74	249	<10	167	75	117	<20	<20	10	2.45	0.41	1.24	<.01	0.02	21	28	6	17	2	11	<10	0.19	2
A10+00N-3+00W		0.4	139	5	84	1	50	16	0.4	<5	19	<5	3.22	1270	<10	273	92	73	<20	<20	13	2.52	0.70	1.34	0.01	0.04	29	56	3	19	<1	11	<10	0.04	<1
A10+00N-3+50W		0.5	49	6	52	2	42	18	0.3	<5	14	<5	6.12	773	<10	238	86	142	<20	<20	9	2.49	0.71	0.94	0.01	0.03	21	25	5	19	1	8	<10	0.19	<1
A10+00N-4+00W		0.2	17	4	51	1	39	11	<.2	<5	8	<5	5.54	424	<10	164	100	155	<20	<20	6	2.40	0.77	0.63	0.01	0.04	9	4	6	19	<1	<5	<10	0.29	<1
A10+00N-4+50W		0.4	46	3	55	2	53	15	<.2	<5	18	<5	5.02	531	<10	181	94	131	<20	<20	7	3.51	0.95	0.75	0.01	0.03	9	11	4	23	<1	7	<10	0.31	6
A10+00N-5+00W		0.2	180	5	63	1	57	17	0.3	<5	11	<5	4.61	665	<10	253	131	102	<20	<20	22	2.20	0.74	0.39	<.01	0.02	9	58	3	25	1	13	<10	0.12	<1
A10+00N-5+50W		0.4	31	2	78	2	42	18	0.3	<5	11	<5	6.24	545	<10	472	84	138	<20	<20	7	3.05	0.82	0.44	<.01	0.04	13	6	5	32	2	5	<10	0.20	<1
A10+00N-6+00W		0.2	29	<2	71	2	36	14	<.2	<5	10	<5	5.75	403	<10	333	79	153	<20	<20	6	2.74	0.84	0.61	<.01	0.04	12	4	7	32	2	<5	<10	0.19	<1
A11+00N-0+00E		<.2	48	2	74	1	40	17	<.2	<5	9	<5	3.42	951	<10	295	54	106	<20	<20	4	2.65	1.25	1.49	0.01	0.08	22	11	4	17	1	8	<10	0.20	<1
A11+00N-0+50E		<.2	31	<2	50	1	39	21	<.2	<5	9	<5	4.38	671	<10	210	47	120	<20	<20	5	3.99	1.17	1.07	0.01	0.03	21	10	5	15	<1	8	<10	0.22	2
A11+00N-1+00E		<.2	40	<2	44	1	49	20	<.2	<5	8	<5	3.92	770	<10	185	68	120	<20	<20	6	2.77	1.33	1.24	0.02	0.05	21	11	5	18	<1	10	<10	0.26	3
A11+00N-1+50E		<.2	50	2	46	1	48	20	<.2	<5	16	<5	4.10	776	<10	130	86	130	<20	<20	7	2.67	1.39	1.63	0.02	0.04	20	19	4	23	<1	15	<10	0.32	12
A11+00N-2+00E		0.2	78	3	71	1	54	23	0.3	<5	17	<5	4.81	1170	<10	140	91	133	<20	<20	9	3.08	1.32	1.49	0.02	0.05	24	20	5	27	2	16	<10	0.23	<1
A11+00N-2+50E		0.3	66	2	55	1	44	20	0.3	<5	16	<5	5.20	639	<10	115	91	135	<20	<20	7	3.12	1.05	1.39	0.01	0.04	22	20	5	33	<1	11	<10	0.26	2
A11+00N-3+00E		<.2	53	2	55	1	41	20	0.2	<5	13	<5	4.21	899	<10	173	67	122	<20	<20	7	2.84	1.17	1.32	0.02	0.05	21	14	5	23	<1	10	<10	0.27	<1
A11+00N-3+50E		<.2	32	2	47	1	37	17	<.2	<5	13	<5	3.95	640	<10	133	64	121	<20	<20	6	2.57	1.00	1.03	0.01	0.04	15	9	4	19	<1	7	<10	0.28	4
A11+00N-4+00E		<.2	28	<2	43	1	36	16	<.2	<5	12	<5	4.12	571	<10	158	65	120	<20	<20	6	2.67	0.91	1.03	0.01	0.03	16	8	4	20	<1	7	<10	0.30	5
A11+00N-0+50W		0.2	39	<2	52	1	45	19	<.2	<5	14	<5	4.94	768	<10	159	83	159	<20	<20	5	2.85	1.17	1.13	0.01	0.04	14	10	6	20	<1	9	<10	0.36	5
A11+00N-1+00W		0.3	41	3	66	1	63	18	0.3	<5	19	<5	5.43	593	<10	172	93	121	<20	<20	4	3.10	1.06	0.73	0.01	0.03	10	7	4	24	1	6	<10	0.21	<1
A11+00N-1+50W		0.2	16	3	30	2	27	8	<.2	<5	11	<5	4.96	214	<10	179	72	156	<20	<20	5	2.66	0.49	0.61	<.01	0.04	10	3	6	13	2	<5	<10	0.25	4
A11+00N-2+00W		0.7	48	4	81	2	35	10	0.2	<5	16	<5	4.81	561	<10	302	66	128	<20	<20	7	2.58	0.69	0.82	0.01	0.03	18	12	7	22	2	6	<10	0.19	<1
A11+00N-2+50W		0.4	121	6	72	2	50	18	0.3	<5	25	<5	3.82	1564	<10	302	93	89	<20	<20	13	2.62	0.82	1.42	0.02	0.05	31	49	3	18	1	11	<10	0.07	<1
A11+00N-3+00W		<.2	28	6	63	2	60	12	0.3	<5	13	<5	4.09	551	<10	269	93	106	<20	<20	8	2.23	1.12	0.64	0.01	0.05	9	5	5	16	<1	<5	<10	0.19	<1
A11+00N-3+50W		0.5	21	5	72	1	24	8	0.3	<5	9	<5	5.48	903	<10	264	55	138	<20	<20	6	2.14	0.57	0.55	<.01	0.08	11	3	6	16	<1	<5	<10	0.16	<1
A11+00N-4+00W		0.2	47	2	43	1	78	16	0.3	<5	7	<5	4.17	613	<10	212	92	97	<20	<20	4	2.98	1.49	0.94	0.02	0.05	10	4	4	20	1	<5	<10	0.15	<1
A11+00N-4+50W		0.4	167	2	49	1	246	23	0.3	<5	12	<5	4.58	403	<10	274	138	78	<20	<20	12	3.12	1.20	0.89	0.02	0.03	22	34	4	37	<1	9	<10	0.08	<1
A11+00N-5+00W		1.7	401	5	68	2	81	20	0.7	<5	19	<5	4.34	1288	<10	507	127	98	<20	<20	27	3.42	0.89	1.49	0.02	0.05	34	87	5	27	<1	27	<10	0.11	<1
A11+00N-5+50W		0.2	19	6	186	1	20	11	0.4	<5	<5	<5	5.54	684	<10	349	55	163	<20	<20	9	2.12	0.48	0.56	<.01	0.04	14	4	8	22	1	<5	<10	0.20	<1
A11+00N-6+00W		0.2	196	5	110	1	58	20	0.4	<5	20	<5	4.16	2525	<10	410	78	105	<20	<20	13	2.72	0.77	1.09	0.01	0.04	21	42	4	31	<1	14	<10	0.16	<1



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00964.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 6 OF 14

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
A12+00N-0+00E	<.2	60	2	72	1	52	23	0.4	<5	18	<5	4.64	1783	<10	165	93	132	<20	<20	7	3.14	1.23	1.60	0.01	0.05	26	23	5	24	<1	16	<10	0.17	<1	
A12+00N-0+50E	<.2	32	4	59	<1	41	14	<.2	<5	8	<5	3.39	652	<10	148	54	98	<20	<20	8	2.28	1.16	1.03	0.02	0.03	21	9	4	16	<1	8	<10	0.22	4	
A12+00N-1+00E	<.2	39	3	49	1	59	20	<.2	<5	10	<5	3.39	610	<10	131	89	108	<20	<20	6	2.58	1.51	1.44	0.02	0.03	19	13	4	24	<1	11	<10	0.25	3	
A12+00N-1+50E	<.2	60	5	66	1	62	21	0.4	<5	15	<5	4.48	986	<10	123	100	113	<20	<20	8	2.80	1.40	1.33	0.01	0.05	20	14	5	31	1	10	<10	0.21	<1	
A12+00N-2+00E	<.2	79	6	78	<1	56	24	0.5	<5	21	<5	5.35	1563	<10	186	103	138	<20	<20	12	3.53	1.27	1.41	0.02	0.08	24	27	6	30	<1	19	<10	0.23	<1	
A12+00N-2+50E	<.2	54	4	67	1	55	20	0.3	<5	15	<5	4.57	927	<10	163	87	108	<20	<20	10	3.16	1.27	1.14	0.02	0.07	22	18	4	32	<1	14	<10	0.20	<1	
A12+00N-3+00E	<.2	41	5	88	1	44	22	0.3	<5	14	<5	4.81	1115	<10	150	76	123	<20	<20	7	3.07	1.05	1.13	0.01	0.06	18	13	5	23	<1	9	<10	0.23	<1	
A12+00N-3+50E	<.2	28	2	55	1	34	12	0.3	<5	17	<5	5.19	387	<10	90	71	125	<20	<20	10	2.94	0.86	1.04	0.01	0.03	21	18	4	31	<1	8	<10	0.29	4	
A12+00N-4+00E	<.2	25	4	46	<1	40	16	<.2	<5	14	<5	3.48	449	<10	106	52	89	<20	<20	11	2.54	0.88	0.88	0.02	0.05	16	7	4	24	<1	6	<10	0.20	4	
A12+00N-0+50W	<.2	35	4	71	1	35	15	<.2	<5	9	<5	3.83	1026	<10	222	50	119	<20	<20	4	2.46	0.95	1.19	0.01	0.08	19	8	5	15	<1	6	<10	0.22	<1	
A12+00N-1+00W	<.2	20	4	49	1	25	10	0.3	<5	7	<5	5.40	344	<10	167	53	164	<20	<20	5	2.85	0.55	0.56	0.01	0.03	10	4	7	12	1	<5	<10	0.24	2	
A12+00N-1+50W	<.2	87	5	51	2	28	11	0.5	<5	9	<5	4.79	457	<10	207	67	119	<20	<20	13	2.61	0.54	0.92	0.01	0.03	24	30	6	15	2	9	<10	0.13	<1	
A12+00N-2+50W	<.2	39	5	46	2	34	13	0.2	<5	7	<5	3.74	635	<10	196	55	108	<20	<20	13	2.67	0.71	0.68	0.01	0.04	17	15	7	20	<1	7	<10	0.15	<1	
A12+00N-3+00W	<.2	30	3	46	1	35	12	<.2	<5	11	<5	6.29	322	<10	139	56	149	<20	<20	6	2.80	0.90	0.66	0.01	0.03	17	5	6	21	2	5	<10	0.28	3	
A12+00N-4+00W	0.4	39	2	67	1	35	11	0.3	<5	9	<5	5.21	366	<10	259	53	111	<20	<20	8	3.22	0.79	0.48	0.01	0.04	12	7	5	20	<1	5	<10	0.15	<1	
A12+00N-4+50W	0.4	19	3	90	2	20	10	0.3	<5	6	<5	6.76	474	<10	217	53	169	<20	<20	7	2.53	0.56	0.51	<.01	0.04	14	5	7	20	<1	<5	<10	0.22	<1	
A12+00N-5+00W	0.4	17	3	86	1	21	8	0.2	<5	6	<5	5.29	355	<10	211	54	124	<20	<20	8	2.79	0.46	0.41	<.01	0.04	14	4	6	19	1	<5	<10	0.19	<1	
A12+00N-5+50W	0.5	23	3	89	1	23	9	0.3	<5	5	<5	5.38	310	<10	219	66	146	<20	<20	5	2.15	0.52	0.58	<.01	0.04	15	4	7	14	1	<5	<10	0.17	<1	
A12+00N-6+00W	0.4	36	4	81	1	31	10	0.2	<5	6	<5	4.57	614	<10	311	105	123	<20	<20	4	2.59	0.68	0.97	<.01	0.07	29	4	7	16	1	<5	<10	0.12	<1	
A13+00N-0+00E	<.2	38	4	58	1	50	20	<.2	<5	11	<5	4.37	744	<10	154	72	124	<20	<20	8	2.82	1.39	1.08	0.02	0.04	20	12	5	18	<1	9	<10	0.25	<1	
A13+00N-0+50E	<.2	35	<2	60	1	45	17	0.2	<5	16	<5	5.09	615	<10	124	78	126	<20	<20	8	3.15	1.20	0.94	0.02	0.04	15	12	5	28	<1	8	<10	0.26	3	
A13+00N-1+00E	0.2	128	7	66	2	43	21	0.6	<5	20	<5	4.25	2119	<10	169	106	127	<20	<20	12	2.93	1.00	1.70	0.01	0.06	35	37	5	18	<1	17	<10	0.11	<1	
A13+00N-1+50E	0.2	110	9	60	2	32	17	0.3	<5	18	<5	3.42	1971	<10	148	83	101	<20	<20	11	2.00	0.64	1.98	0.01	0.04	38	24	4	14	<1	11	<10	0.11	<1	
A13+00N-2+00E	0.3	138	6	70	1	49	21	0.8	<5	20	<5	4.84	1643	<10	153	92	138	<20	<20	11	3.01	0.93	1.69	0.02	0.05	28	26	5	23	1	16	<10	0.19	<1	
A13+00N-2+50E	<.2	26	4	56	1	33	13	<.2	<5	15	<5	5.39	408	<10	113	66	155	<20	<20	5	2.53	0.92	1.15	0.01	0.04	26	5	6	24	2	6	<10	0.33	5	
A13+00N-3+00E	0.2	52	4	52	1	27	13	0.4	<5	15	<5	5.23	475	<10	84	72	139	<20	<20	6	2.45	0.65	1.12	0.01	0.03	24	15	5	22	1	8	<10	0.24	2	
A13+00N-3+50E	0.2	30	3	58	2	28	10	0.6	<5	11	<5	5.07	315	<10	167	68	128	<20	<20	7	2.78	0.63	0.72	0.01	0.03	12	6	5	23	2	6	<10	0.29	6	
A13+00N-4+00E	<.2	93	3	70	1	48	19	0.4	<5	24	<5	4.50	762	<10	196	92	135	<20	<20	10	3.37	1.02	1.45	0.02	0.07	26	30	5	33	<1	17	<10	0.21	<1	
A14+00N-0+00E	<.2	76	2	67	1	58	24	0.3	<5	19	<5	4.81	678	<10	155	89	122	<20	<20	9	3.51	1.22	0.85	0.02	0.05	14	18	5	22	<1	13	<10	0.22	2	
A14+00N-0+50E	<.2	30	<2	44	1	44	17	0.3	<5	18	<5	4.89	417	<10	92	69	121	<20	<20	5	2.98	1.03	0.82	0.01	0.02	10	11	5	24	<1	7	<10	0.33	10	



Intertek Testing Services

Bondar Clegg

Geochemical

Lab

Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00964.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98 PAGE 7 OF 14

PROJECT: NONE GIVEN1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
A14+00N-1+00E		<.2	25	2	63	1	34	13	0.3	<5	17	<5	5.07	398	<10	147	76	150	<20	<20	4	2.82	0.81	0.89	0.01	0.02	13	8	5	21	2	7	<10	0.35	8
A14+00N-1+50E		0.3	66	6	58	2	27	11	0.5	<5	9	<5	2.23	1134	<10	104	47	69	<20	<20	6	1.67	0.68	2.60	<.01	0.03	45	17	3	10	<1	<5	<10	0.07	<1
A14+00N-2+00E		<.2	44	4	67	<1	42	18	0.2	<5	14	<5	4.25	847	<10	113	67	112	<20	<20	7	2.69	1.11	1.08	0.01	0.03	16	13	5	24	<1	9	<10	0.21	<1
A14+00N-2+50E		<.2	57	4	60	1	39	17	0.4	<5	16	<5	4.43	757	<10	82	67	123	<20	<20	6	2.72	0.85	1.24	0.02	0.03	16	19	5	21	1	9	<10	0.23	1
A14+00N-3+00E		0.3	55	5	68	2	24	8	0.4	<5	12	<5	5.51	315	<10	104	69	134	<20	<20	6	2.17	0.38	1.03	<.01	0.02	22	13	4	22	2	7	<10	0.21	2
A14+00N-3+50E		0.2	37	4	71	1	31	19	0.3	<5	15	<5	6.22	918	<10	223	71	146	<20	<20	3	2.38	0.74	0.91	0.01	0.03	12	7	4	21	<1	6	<10	0.26	<1
A14+00N-4+00E		<.2	23	4	55	1	30	12	0.2	<5	13	<5	4.98	604	<10	108	61	133	<20	<20	6	2.23	0.67	0.85	0.01	0.03	13	7	5	18	<1	5	<10	0.24	<1
A14+00N-0+50W		<.2	52	6	72	1	34	15	0.3	<5	14	<5	3.65	561	<10	112	63	101	<20	<20	8	2.10	0.82	1.17	0.02	0.04	20	13	4	17	1	9	<10	0.16	<1
A14+00N-1+00W		<.2	31	3	114	<1	64	21	<.2	<5	7	<5	3.48	780	<10	201	109	99	<20	<20	8	2.95	1.56	1.14	0.02	0.04	17	21	5	23	<1	15	<10	0.22	<1
A14+00N-2+00W		<.2	22	4	82	1	32	14	<.2	<5	14	<5	5.94	535	<10	238	67	150	<20	<20	3	2.47	0.92	0.59	<.01	0.02	10	3	5	25	2	<5	<10	0.21	<1
A14+00N-2+50W		<.2	17	6	55	1	18	6	0.3	<5	9	<5	4.40	216	<10	185	52	127	<20	<20	7	1.96	0.39	0.46	<.01	0.03	6	5	5	15	2	<5	<10	0.20	1
A14+00N-3+00W		<.2	111	2	77	1	84	32	0.3	<5	40	<5	5.37	928	<10	302	103	134	<20	<20	8	3.49	1.35	0.75	0.01	0.04	11	23	5	36	<1	14	<10	0.17	<1
A14+00N-3+50W		<.2	31	2	49	1	35	11	0.2	<5	11	<5	5.84	338	<10	208	83	125	<20	<20	5	2.90	0.81	0.40	<.01	0.02	7	3	4	27	2	<5	<10	0.23	3
A14+00N-4+00W		0.2	23	5	55	1	24	12	0.2	<5	8	<5	5.95	1034	<10	565	75	151	<20	<20	3	2.33	0.64	0.59	<.01	0.03	29	3	6	15	<1	<5	<10	0.19	<1
A14+00N-4+50W		0.4	36	4	54	1	22	10	0.2	<5	9	<5	5.13	350	<10	222	62	136	<20	<20	4	2.25	0.39	0.57	<.01	0.02	12	8	6	14	2	<5	<10	0.11	<1
A14+00N-5+00W		<.2	36	<2	55	1	31	10	<.2	<5	12	<5	5.24	233	<10	110	61	107	<20	<20	6	3.17	0.76	0.36	<.01	0.03	14	3	5	28	1	5	<10	0.09	<1
A14+00N-5+50W		<.2	20	5	60	1	17	8	0.2	<5	<5	<5	3.25	748	<10	219	68	113	<20	<20	5	1.78	0.35	0.53	<.01	0.04	13	2	7	8	1	<5	<10	0.06	<1
A14+00N-6+00W		<.2	62	4	68	1	33	13	0.3	<5	10	<5	4.55	560	<10	129	58	112	<20	<20	8	2.75	0.83	1.10	0.01	0.03	23	26	5	24	<1	7	<10	0.09	<1
A15+00N-0+00E		<.2	35	3	63	1	30	15	0.3	<5	14	<5	4.59	626	<10	98	74	119	<20	<20	6	2.28	0.83	0.94	0.01	0.03	14	14	5	21	1	8	<10	0.26	2
A15+00N-0+50E		<.2	53	4	72	1	43	20	0.5	<5	19	<5	4.56	790	<10	110	78	120	<20	<20	7	2.65	0.93	0.75	0.01	0.03	11	13	5	21	1	9	<10	0.19	<1
A15+00N-1+00E		<.2	30	4	54	1	39	16	<.2	<5	11	<5	3.42	511	<10	101	61	103	<20	<20	6	2.18	1.13	1.22	0.02	0.03	15	10	4	18	<1	8	<10	0.27	7
A15+00N-1+50E		<.2	19	3	74	3	35	25	<.2	<5	16	<5	4.37	827	<10	97	82	121	<20	<20	5	2.27	1.03	1.20	0.01	0.03	15	11	3	17	<1	10	<10	0.22	<1
A15+00N-2+00E		<.2	18	3	51	<1	34	15	<.2	<5	10	<5	3.29	473	<10	87	50	82	<20	<20	9	2.12	0.86	0.82	0.01	0.03	12	7	3	22	<1	5	<10	0.19	3
A15+00N-2+50E		<.2	61	4	63	1	42	21	0.5	<5	14	<5	4.28	804	<10	97	69	105	<20	<20	10	3.12	0.94	0.82	0.01	0.04	13	20	4	23	1	10	<10	0.20	1
A15+00N-3+00E		<.2	33	5	55	<1	36	17	<.2	<5	13	<5	3.77	829	<10	94	61	108	<20	<20	8	2.43	1.03	1.27	0.02	0.04	16	13	4	19	<1	9	<10	0.26	1
A15+00N-3+50E		0.3	101	5	95	1	46	23	0.6	<5	18	<5	4.83	2083	<10	139	89	139	<20	<20	10	3.07	0.92	1.37	0.01	0.05	22	27	5	22	<1	15	<10	0.17	<1
A15+00N-4+00E		<.2	39	3	53	1	42	20	0.2	<5	13	<5	4.13	1135	<10	119	74	117	<20	<20	7	2.85	1.20	1.47	0.02	0.04	19	15	5	21	<1	11	<10	0.22	<1
A15+00N-0+50W		<.2	25	5	46	1	28	10	<.2	<5	12	<5	4.61	349	<10	96	63	141	<20	<20	8	2.46	0.78	0.86	0.01	0.03	15	14	7	19	<1	8	<10	0.31	4
A15+00N-1+50W		<.2	24	3	52	<1	28	11	<.2	<5	11	<5	4.11	446	<10	146	65	116	<20	<20	7	2.64	0.67	0.50	0.01	0.02	7	7	5	21	1	5	<10	0.24	2
A15+00N-2+00W		<.2	36	<2	58	1	51	13	<.2	<5	12	<5	3.69	415	<10	220	75	95	<20	<20	4	2.94	1.06	0.64	0.01	0.03	6	6	3	23	<1	6	<10	0.21	6



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

REPORT: V98-00964.0 (COMPLETE)

PROJECT: NONE GIVEN1

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 8 OF 14

SAMPLE NUMBER	ELEMENT UNITS	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
A15+00N-2+50W		0.3	26	4	60	2	25	14	0.3	<5	14	<5	8.10	505	<10	311	88	169	<20	<20	3	2.60	0.61	0.56	<.01	0.03	13	4	5	16	2	<5	<10	0.25	1
A15+00N-3+00W		<.2	20	7	90	1	28	13	0.2	<5	11	<5	6.63	2170	<10	386	72	146	<20	<20	2	2.50	0.74	0.78	<.01	0.08	16	3	6	27	1	<5	<10	0.15	<1
A15+00N-3+50W		0.3	29	5	65	2	21	7	0.4	<5	9	<5	6.25	259	<10	354	71	176	<20	<20	3	1.98	0.51	0.68	<.01	0.04	13	3	7	14	2	<5	<10	0.18	<1
A15+00N-4+00W		0.3	27	4	76	2	25	10	0.3	<5	14	<5	5.95	376	<10	278	67	128	<20	<20	8	2.84	0.51	0.37	<.01	0.03	10	8	5	24	2	<5	<10	0.18	<1
A15+00N-4+50W		0.2	13	7	61	1	18	8	<.2	<5	13	<5	4.23	554	<10	274	42	172	<20	<20	7	1.47	0.38	0.46	<.01	0.05	7	2	8	7	2	<5	<10	0.14	<1
A15+00N-5+00W		0.2	24	4	92	2	29	11	<.2	<5	14	<5	6.48	555	<10	318	63	157	<20	<20	6	2.57	0.72	0.32	<.01	0.03	9	3	6	24	1	<5	<10	0.17	<1
A15+00N-5+50W		<.2	50	3	89	2	59	19	0.3	<5	22	<5	6.52	709	<10	253	100	119	<20	<20	9	2.59	1.13	0.78	<.01	0.04	17	26	4	29	2	7	<10	0.09	<1
A15+00N-6+00W		0.3	58	<2	50	2	161	26	0.2	<5	16	<5	6.35	477	<10	513	171	112	<20	<20	3	3.60	2.57	0.33	<.01	0.01	6	4	3	53	<1	6	<10	0.12	<1
A16+00N-0+00E		<.2	29	3	49	<1	38	14	0.2	<5	14	<5	4.05	724	<10	89	68	111	<20	<20	6	2.52	1.03	0.91	0.01	0.03	9	12	4	19	<1	8	<10	0.29	5
A16+00N-0+50E		<.2	43	4	62	1	40	18	0.2	<5	15	<5	3.77	869	<10	149	61	110	<20	<20	5	2.44	1.08	1.17	0.01	0.06	14	12	4	18	1	8	<10	0.26	2
A16+00N-1+00E		<.2	18	4	51	1	23	10	0.3	<5	10	<5	3.83	476	<10	111	59	122	<20	<20	5	2.44	0.60	0.64	0.01	0.03	8	4	5	17	1	<5	<10	0.27	3
A16+00N-1+50E		<.2	76	4	78	2	52	24	0.5	<5	28	<5	5.50	6169	<10	237	109	163	<20	<20	10	3.36	1.15	1.20	0.02	0.06	21	29	5	30	<1	19	<10	0.21	<1
A16+00N-2+00E		0.2	26	6	42	1	22	9	0.2	<5	5	<5	2.17	409	<10	106	45	87	<20	<20	3	1.78	0.54	1.26	0.01	0.02	22	8	4	14	<1	<5	<10	0.21	3
A16+00N-2+50E		<.2	29	2	54	1	40	18	0.2	<5	15	<5	5.46	539	<10	125	73	117	<20	<20	6	3.14	0.99	1.05	0.01	0.03	16	10	3	27	1	7	<10	0.26	5
A16+00N-3+00E		<.2	96	6	110	1	53	23	0.6	<5	19	<5	5.15	1358	<10	172	98	125	<20	<20	10	3.24	1.19	1.31	0.01	0.07	22	24	5	26	1	16	<10	0.19	<1
A16+00N-3+50E		<.2	28	3	59	<1	39	18	<.2	<5	12	<5	3.80	837	<10	135	67	108	<20	<20	5	2.51	1.13	1.15	0.01	0.04	14	9	4	24	1	7	<10	0.22	<1
A16+00N-4+00E		<.2	28	4	72	1	34	18	<.2	<5	13	<5	3.86	1300	<10	135	58	105	<20	<20	4	2.33	0.84	1.44	0.01	0.03	22	9	4	19	1	6	<10	0.21	<1
A16+00N-0+50W		<.2	21	3	38	1	20	7	0.3	<5	10	<5	3.50	228	<10	62	66	115	<20	<20	5	2.71	0.54	0.47	<.01	0.02	4	4	6	19	2	<5	<10	0.29	5
A16+00N-1+50W		<.2	30	2	80	1	37	13	0.3	<5	18	<5	4.59	462	<10	211	91	128	<20	<20	5	2.83	0.93	0.51	0.01	0.02	5	5	5	28	1	7	<10	0.27	3
A16+00N-2+00W		<.2	33	2	52	1	45	13	<.2	<5	18	<5	5.64	384	<10	276	90	123	<20	<20	5	2.96	1.03	0.51	0.01	0.02	5	5	4	34	1	6	<10	0.25	6
A16+00N-2+50W		0.3	86	30	92	2	31	22	0.5	<5	55	<5	6.98	1144	<10	486	76	165	<20	<20	7	3.24	0.67	0.66	<.01	0.02	14	24	4	45	2	8	<10	0.11	<1
A16+00N-3+00W		<.2	41	3	60	1	37	15	0.4	<5	21	<5	4.87	574	<10	380	79	130	<20	<20	4	2.95	0.97	0.42	<.01	0.02	4	7	5	28	2	7	<10	0.23	3
A16+00N-3+50W		<.2	26	8	33	2	18	6	0.3	<5	12	<5	3.21	281	<10	268	53	134	<20	<20	6	1.49	0.33	0.50	<.01	0.04	8	3	6	7	2	<5	<10	0.17	<1
A16+00N-4+00W		<.2	60	6	90	2	30	12	0.4	<5	24	<5	5.33	988	<10	227	82	143	<20	<20	10	2.51	0.61	0.57	<.01	0.03	15	18	6	23	2	7	<10	0.16	<1
A16+00N-4+50W		<.2	34	6	92	1	29	9	0.4	<5	15	<5	4.95	924	<10	233	63	110	<20	<20	10	2.06	0.54	0.20	<.01	0.03	5	5	5	21	<1	<5	<10	0.08	<1
A16+00N-5+00W		<.2	50	7	70	3	38	14	0.3	<5	16	<5	4.10	3280	<10	302	91	127	<20	<20	10	2.68	0.63	0.78	0.01	0.04	18	23	4	17	1	5	<10	0.06	<1
A16+00N-5+50W		<.2	19	5	51	1	17	6	0.2	<5	11	<5	5.45	274	<10	273	50	154	<20	<20	9	1.80	0.39	0.43	<.01	0.03	9	9	7	10	2	<5	<10	0.12	<1
A16+00N-6+00W		<.2	36	<2	46	2	30	9	0.3	<5	17	<5	5.51	272	<10	211	71	116	<20	<20	5	2.80	0.58	0.36	<.01	0.02	7	5	4	20	<1	<5	<10	0.12	<1
A17+00N-0+00E		<.2	35	3	53	<1	29	11	0.2	<5	11	<5	3.74	615	<10	92	64	116	<20	<20	7	2.41	0.75	0.67	0.01	0.03	8	8	5	16	<1	6	<10	0.26	<1
A17+00N-0+50E		<.2	28	3	56	<1	32	12	0.2	<5	9	<5	3.13	479	<10	112	67	105	<20	<20	7	2.41	0.89	0.71	0.01	0.03	7	7	6	19	<1	6	<10	0.26	<1



Intertek Testing Services

Bondar Clegg

Geochemical

Lab

Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00964.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PROJECT: NONE GIVEN1

PAGE 9 OF 14

SAMPLE NUMBER	ELEMENT	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
	UNITS	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
A17+00N-1+00E		<.2	23	3	46	1	28	9	0.3	<.5	12	<.5	3.85	411	<10	109	54	108	<20	<20	7	2.56	0.66	0.60	0.01	0.03	8	6	4	18	2	5	<10	0.24	3
A17+00N-1+50E		<.2	15	4	42	1	21	9	0.3	<.5	13	<.5	4.29	293	<10	132	51	114	<20	<20	6	2.03	0.56	0.61	0.01	0.02	10	5	4	16	<1	<.5	<10	0.27	3
A17+00N-2+00E		<.2	34	4	49	1	27	11	0.3	<.5	34	<.5	4.38	361	<10	109	60	129	<20	<20	6	2.47	0.64	1.42	0.01	0.03	23	12	4	20	1	6	<10	0.26	4
A17+00N-2+50E		<.2	19	5	51	1	22	10	0.2	<.5	19	<.5	4.80	360	<10	110	57	146	<20	<20	6	2.20	0.62	0.99	0.01	0.03	17	4	6	20	2	<.5	<10	0.30	2
A17+00N-3+00E		<.2	50	4	54	1	39	19	0.2	<.5	33	<.5	3.77	721	<10	160	63	109	<20	<20	5	2.36	1.09	1.60	0.01	0.05	23	14	4	23	<1	10	<10	0.24	7
A17+00N-3+50E		0.3	104	6	53	1	37	17	0.6	<.5	29	<.5	4.71	584	<10	139	91	120	<20	<20	9	2.49	0.72	1.53	0.01	0.03	28	33	4	24	2	14	<10	0.18	2
A17+00N-4+00E		<.2	28	3	46	<1	34	15	0.2	<.5	16	<.5	4.47	483	<10	90	61	117	<20	<20	5	2.59	0.96	0.90	0.01	0.04	13	7	4	25	<1	6	<10	0.27	5
A17+00N-0+50W		<.2	15	4	43	1	22	9	0.3	<.5	13	<.5	5.15	264	<10	102	74	148	<20	<20	4	2.20	0.61	0.50	0.01	0.02	5	5	5	18	1	<.5	<10	0.34	5
A17+00N-1+00W		<.2	22	4	52	1	26	9	<.2	<.5	12	<.5	4.02	247	<10	160	73	94	<20	<20	7	3.11	0.64	0.39	0.01	0.02	4	8	4	25	1	6	<10	0.19	3
A17+00N-1+50W		<.2	32	<2	42	1	38	14	<.2	<.5	14	<.5	3.73	386	<10	179	64	97	<20	<20	5	2.86	0.90	0.72	0.02	0.02	6	9	3	24	<1	7	<10	0.24	5
A17+00N-2+00W		<.2	34	4	52	<1	35	13	<.2	<.5	12	<.5	4.31	351	<10	160	63	99	<20	<20	8	2.62	0.85	0.49	0.01	0.03	7	7	4	25	<1	6	<10	0.23	3
A17+00N-2+50W		<.2	77	5	59	2	20	9	0.4	<.5	24	<.5	4.26	603	<10	206	49	111	<20	<20	6	2.13	0.40	0.86	0.01	0.02	19	10	5	31	2	<.5	<10	0.11	<1
A17+00N-3+00W		0.2	29	4	53	1	47	16	0.2	<.5	13	<.5	3.75	591	<10	155	97	95	<20	<20	6	3.15	0.84	0.46	<.01	0.02	5	5	4	22	<1	<.5	<10	0.17	<1
A17+00N-3+50W		0.3	18	4	69	2	27	9	<.2	<.5	12	<.5	6.87	780	<10	340	81	166	<20	<20	7	2.30	0.54	0.32	<.01	0.03	8	4	7	16	2	<.5	<10	0.15	<1
A17+00N-4+00W		0.3	48	<2	39	1	69	21	0.2	<.5	20	<.5	4.11	541	<10	210	111	98	<20	<20	5	2.98	1.19	0.69	0.01	0.02	10	9	4	27	<1	6	<10	0.15	<1
A17+00N-4+50W		<.2	82	2	50	2	82	23	0.3	<.5	32	<.5	5.61	543	<10	305	80	129	<20	<20	8	3.74	0.90	0.73	0.01	0.03	16	17	4	26	1	9	<10	0.13	<1
ABL18+00N		0.2	37	3	55	1	38	16	0.2	<.5	16	<.5	4.14	1102	<10	141	76	120	<20	<20	8	2.94	0.98	1.06	0.02	0.05	15	13	5	26	1	10	<10	0.19	<1
A18+00N-0+50E		0.3	32	6	70	1	30	15	0.3	<.5	17	<.5	4.97	666	<10	149	66	143	<20	<20	7	2.37	0.76	0.71	0.01	0.04	11	6	6	23	2	5	<10	0.23	<1
A18+00N-1+00E		<.2	24	6	53	1	24	10	0.3	<.5	14	<.5	4.05	298	<10	106	51	132	<20	<20	7	2.04	0.60	0.62	0.01	0.04	16	4	5	16	<1	<.5	<10	0.26	3
A18+00N-1+50E		<.2	38	5	72	1	28	13	0.4	<.5	15	<.5	4.27	717	<10	148	64	134	<20	<20	7	2.16	0.55	0.84	0.01	0.07	13	9	5	18	1	6	<10	0.24	<1
A18+00N-2+00E		<.2	34	4	63	<1	35	15	<.2	<.5	19	<.5	4.62	472	<10	122	68	120	<20	<20	7	2.73	0.80	0.86	0.01	0.04	14	10	4	29	1	6	<10	0.25	2
A18+00N-2+50E		<.2	52	3	55	1	51	21	0.3	<.5	21	<.5	4.57	620	<10	129	84	122	<20	<20	7	3.14	1.17	0.73	0.01	0.04	9	10	5	31	2	10	<10	0.24	4
A18+00N-3+00E		<.2	51	5	51	1	42	15	0.3	<.5	20	<.5	4.64	556	<10	174	87	138	<20	<20	15	2.83	0.97	1.13	0.02	0.04	20	43	5	27	2	17	<10	0.25	2
A18+00N-3+50E		<.2	38	2	44	<1	49	20	0.2	<.5	17	<.5	3.84	793	<10	162	70	120	<20	<20	6	2.73	1.29	1.35	0.02	0.03	15	13	4	25	<1	10	<10	0.32	9
A18+00N-4+00E		<.2	91	3	62	<1	54	22	0.4	<.5	38	<.5	4.91	1037	<10	229	99	139	<20	<20	11	3.25	1.31	1.34	0.02	0.07	22	31	6	29	<1	19	<10	0.25	2
A18+00N-0+50W		<.2	55	4	62	1	43	16	0.3	<.5	18	<.5	4.13	1391	<10	153	81	121	<20	<20	8	2.92	1.10	1.39	0.02	0.05	21	22	5	25	1	15	<10	0.21	<1
A18+00N-1+50W		0.2	31	5	55	2	28	16	0.2	<.5	17	<.5	5.15	1232	<10	170	72	156	<20	<20	5	2.23	0.65	0.45	<.01	0.04	11	4	6	13	<1	<.5	<10	0.20	<1
A18+00N-2+00W		0.2	17	6	67	1	19	8	<.2	<.5	16	<.5	5.37	605	<10	258	47	159	<20	<20	9	2.11	0.45	0.26	<.01	0.04	5	3	8	13	2	<.5	<10	0.16	<1
A18+00N-2+50W		<.2	18	6	63	2	21	7	0.3	<.5	9	<.5	5.36	364	<10	164	56	132	<20	<20	9	2.08	0.54	0.54	<.01	0.03	12	7	6	16	<1	<.5	<10	0.16	<1
A18+00N-3+00W		<.2	21	7	110	2	28	9	0.3	<.5	18	<.5	5.81	579	<10	244	79	112	<20	<20	10	1.94	0.55	0.26	<.01	0.04	7	3	4	22	1	<.5	<10	0.11	<1



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00964.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 10 OF 14

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
A18+00N-3+50W		<.2	86	27	109	2	41	23	0.3	<5	40	<5	4.99	2589	<10	548	60	111	<20	<20	20	1.63	0.57	0.36	<.01	0.05	7	4	3	14	1	<5	<10	0.04	<1
A18+00N-4+00W		0.2	24	4	50	1	42	12	0.3	<5	12	<5	3.88	989	<10	249	85	107	<20	<20	4	2.46	0.83	0.65	0.01	0.02	8	4	4	18	1	<5	<10	0.17	<1
A18+00N-4+50W		<.2	15	6	54	2	18	8	0.3	<5	9	<5	5.24	363	<10	146	47	138	<20	<20	7	1.75	0.43	0.36	<.01	0.05	9	2	6	13	3	<5	<10	0.14	<1
A18+00N-5+00W		<.2	33	4	40	1	25	8	0.3	<5	7	<5	4.30	582	<10	97	57	147	<20	<20	5	1.99	0.37	0.44	<.01	0.03	5	6	6	9	2	<5	<10	0.17	<1
A18+00N-5+50W		<.2	25	2	52	1	31	13	0.2	<5	12	<5	5.48	395	<10	174	51	160	<20	<20	6	3.08	0.92	0.56	<.01	0.06	11	6	6	25	1	5	<10	0.18	<1
A18+00N-6+00W		<.2	35	<2	59	1	50	18	<.2	<5	7	<5	5.87	457	<10	128	132	162	<20	<20	2	3.68	1.32	0.69	0.01	0.02	15	6	8	34	1	7	<10	0.23	2



Intertek Testing Services

Bondar Clegg

Geochemical

Lab Report

CLIENT: GEOQUEST CONSULTING LTD.
REPORT: V98-01237.0 (COMPLETE)

PROJECT: NONE GIVEN

DATE RECEIVED: 20-JUL-98 DATE PRINTED: 27-JUL-98 PAGE 1 OF 4

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
A4+00N 0+75E	<.2	33	3	41	<1	42	16	<.2	<5	11	<5	3.47	623	<10	139	60	106	<20	<20	9	2.92	1.04	1.11	0.02	0.06	16	12	6	17	<1	8	<10	0.28	5	
A4+00N 1+00E	<.2	218	5	57	<1	24	23	<.2	<5	30	<5	4.18	1976	<10	269	42	80	<20	<20	11	2.69	0.78	0.43	0.01	0.08	13	7	6	21	<1	6	<10	0.18	<1	
A4+00N 1+50E	<.2	31	<2	67	<1	53	24	<.2	<5	12	<5	6.22	890	<10	144	76	150	<20	<20	5	3.78	1.66	1.51	0.01	0.04	19	12	10	22	<1	9	<10	0.29	<1	
A4+00N 2+00E	<.2	224	6	53	<1	47	20	<.2	<5	16	<5	4.45	1313	<10	318	103	105	<20	<20	25	2.93	1.12	1.22	0.02	0.06	28	46	6	25	<1	20	<10	0.16	<1	
A7+00N 1+00E	<.2	69	<2	55	1	57	24	0.3	<5	24	<5	5.96	924	<10	196	96	155	<20	<20	9	3.81	1.14	1.18	0.02	0.07	25	20	8	29	<1	13	<10	0.25	<1	
A7+00N 1+50E	<.2	45	4	73	1	56	18	<.2	<5	29	<5	5.43	581	<10	185	82	138	<20	<20	13	3.42	1.03	0.85	0.02	0.07	18	19	8	34	<1	11	<10	0.20	<1	
A7+00N 2+00E	<.2	40	3	44	<1	44	21	<.2	<5	13	<5	4.03	964	<10	215	67	110	<20	<20	9	3.01	1.24	1.09	0.02	0.06	20	16	6	21	<1	11	<10	0.25	<1	
A7+00N 2+50E	<.2	46	<2	48	<1	81	30	<.2	<5	9	<5	5.41	1160	<10	255	111	134	<20	<20	6	3.96	2.80	1.26	0.02	0.04	26	14	8	32	<1	13	<10	0.26	<1	
A7+00N 3+00E	<.2	55	3	57	<1	36	18	<.2	<5	10	<5	3.85	955	<10	212	59	104	<20	<20	10	2.57	0.94	1.04	0.01	0.05	23	10	7	26	<1	8	<10	0.19	<1	
A7+00N 3+50E	<.2	152	7	69	1	46	19	0.2	<5	13	<5	4.25	907	<10	209	87	123	<20	<20	18	3.19	1.03	1.14	0.02	0.06	25	30	7	27	<1	16	<10	0.21	<1	
A7+00N 4+00E	<.2	46	10	89	<1	27	13	<.2	<5	7	<5	4.18	2483	<10	452	63	135	<20	<20	7	2.38	0.59	0.91	0.01	0.04	23	7	8	13	<1	6	<10	0.21	<1	
A10+00N 2+50W	<.2	43	<2	54	<1	47	20	<.2	<5	13	<5	4.82	572	<10	271	73	129	<20	<20	4	3.48	1.10	1.13	0.02	0.03	10	10	6	23	<1	8	<10	0.32	7	
A10+00N 2+75W	<.2	21	2	57	<1	32	8	<.2	<5	5	<5	4.57	283	<10	219	81	152	<20	<20	5	1.88	0.62	0.56	0.01	0.03	11	4	8	11	<1	<5	<10	0.17	<1	
A10+00N 3+00W	0.2	136	5	93	<1	55	23	0.6	<5	17	<5	3.53	1448	<10	251	91	73	<20	<20	16	2.58	0.84	1.00	0.02	0.05	27	41	5	24	<1	14	<10	0.06	<1	
A10+00N 4+55W	0.3	101	8	83	1	70	21	0.3	<5	21	<5	3.85	1980	<10	300	87	108	<20	<20	14	2.69	0.97	1.29	0.02	0.05	24	35	6	21	<1	14	<10	0.18	<1	
A10+00N 5+00W	<.2	92	2	49	<1	90	22	0.2	<5	11	<5	4.91	594	<10	209	140	97	<20	<20	13	2.77	1.63	0.73	0.02	0.03	12	33	5	32	<1	11	<10	0.19	<1	
A10+05N 4+87W	<.2	27	<2	44	<1	95	23	<.2	<5	7	<5	4.29	563	<10	275	105	112	<20	<20	6	2.78	1.73	0.82	0.02	0.03	12	6	6	21	<1	<5	<10	0.26	1	
A10+45N 4+50W	0.3	58	36	97	2	29	20	0.2	<5	47	<5	6.33	1668	<10	475	61	80	<20	<20	16	1.99	0.24	0.36	<.01	0.09	15	10	4	22	<1	<5	<10	0.04	<1	
A11+00N 2+50W	<.2	74	4	72	<1	59	21	<.2	<5	22	<5	4.29	1085	<10	323	88	107	<20	<20	10	2.97	1.34	1.27	0.02	0.05	25	30	6	21	<1	15	<10	0.16	<1	
A11+00N 4+50W	0.5	91	<2	42	<1	187	28	0.2	<5	<5	<5	5.67	398	<10	112	192	75	<20	<20	8	3.15	1.87	0.62	0.01	0.02	14	24	5	37	<1	8	<10	0.11	<1	
A11+00N 4+75W	0.3	91	<2	52	<1	194	38	<.2	<5	20	<5	4.69	594	<10	306	191	73	<20	<20	8	3.23	3.13	0.92	0.02	0.03	21	28	4	36	<1	13	<10	0.11	<1	
A11+00N 5+00W	<.2	133	3	48	1	51	16	0.2	<5	15	<5	3.55	484	<10	317	75	103	<20	<20	19	2.70	0.89	1.01	0.02	0.04	20	34	6	30	<1	15	<10	0.22	3	
A11+00N 5+25W	0.7	224	3	102	1	91	28	0.4	<5	22	<5	4.61	969	<10	427	77	93	<20	<20	19	3.64	0.96	1.29	0.01	0.07	31	51	6	27	<1	15	<10	0.10	<1	
A11+00N 5+50W	0.3	35	<2	95	1	35	18	0.2	<5	9	<5	5.35	555	<10	276	57	127	<20	<20	6	3.40	0.88	0.92	0.01	0.03	22	9	8	21	<1	6	<10	0.20	<1	
A11+00N 5+75W	0.3	24	<2	81	1	21	9	<.2	<5	6	<5	5.74	369	<10	248	49	154	<20	<20	7	2.64	0.58	0.54	0.01	0.03	13	5	8	19	<1	<5	<10	0.23	<1	
A12+00N 4+75W	0.3	22	<2	69	1	23	9	<.2	<5	6	<5	5.32	761	<10	305	53	142	<20	<20	8	2.66	0.68	0.62	0.01	0.04	13	5	8	19	<1	<5	<10	0.18	<1	
A12+00N 5+00W	0.3	27	<2	78	<1	31	12	<.2	<5	8	<5	5.10	407	<10	260	58	115	<20	<20	9	3.63	0.73	0.55	0.01	0.04	16	9	7	20	<1	6	<10	0.17	<1	
A12+00N 5+25W	0.6	31	<2	63	1	29	9	0.2	<5	8	<5	5.03	357	<10	275	57	119	<20	<20	6	3.43	0.68	0.53	0.01	0.03	12	5	7	20	<1	5	<10	0.17	<1	
A13+00N 1+50W	<.2	42	2	47	<1	45	21	<.2	<5	11	<5	3.74	1303	<10	151	95	121	<20	<20	8	2.89	1.42	1.73	0.02	0.04	24	16	7	24	<1	14	<10	0.31	2	
A13+00N 2+00W	<.2	40	2	47	<1	41	21	<.2	<5	16	<5	4.14	970	<10	141	71	121	<20	<20	9	2.79	1.25	1.37	0.02	0.05	19	12	6	26	<1	11	<10	0.28	3	



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: GEOQUEST CONSULTING LTD.

REPORT: V98-01237.0 (COMPLETE)

PROJECT: NONE GIVEN

DATE RECEIVED: 20-JUL-98

DATE PRINTED: 27-JUL-98

PAGE 2 OF 4

SAMPLE	ELEMENT	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
NUMBER	UNITS	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
A13+00N	4+00W	0.3	249	4	90	1	91	21	0.5	<5	35	<5	4.22	1606	<10	283	139	90	<20	<20	19	4.48	0.89	0.79	0.01	0.05	23	60	5	36	<1	42	<10	0.11	<1
A13+00N	4+25W	<.2	91	4	66	<1	73	15	<.2	<5	17	<5	3.25	352	<10	299	98	91	<20	<20	14	3.44	1.12	0.92	0.02	0.05	26	23	7	43	<1	14	<10	0.12	<1
A13+00N	4+50W	<.2	72	4	73	1	55	26	<.2	<5	14	<5	4.70	844	<10	303	73	102	<20	<20	11	3.08	0.92	0.86	0.01	0.05	23	11	7	24	<1	7	<10	0.13	<1
A13+00N	4+75W	<.2	102	5	68	<1	52	21	0.4	<5	11	<5	3.69	2096	<10	381	77	98	<20	<20	9	2.86	1.12	1.52	0.02	0.06	35	22	6	22	<1	12	<10	0.13	<1
A13+00N	5+00W	<.2	106	5	101	<1	58	21	0.3	<5	14	<5	3.99	2123	<10	363	83	100	<20	<20	10	3.07	1.24	1.30	0.02	0.06	33	26	5	28	<1	18	<10	0.14	<1



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

REPORT: V98-00971.0 (COMPLETE)

PROJECT: NONE GIVEN1

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 1 OF 17

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
BBL2+00N		<.2	48	4	65	<1	40	19	<.2	<5	14	<5	3.82	994	<10	176	58	116	<20	<20	9	2.65	1.06	1.20	0.02	0.04	25	20	5	20	6	12	<10	0.20	3
B2+00N-0+50E		0.2	53	4	66	<1	32	18	0.2	<5	11	<5	4.33	675	<10	148	66	132	<20	<20	9	2.76	0.69	0.79	0.02	0.03	20	9	7	22	8	7	<10	0.20	3
B2+00N-1+00E		<.2	14	6	67	<1	17	11	<.2	<5	5	<5	4.75	391	<10	85	51	162	<20	<20	9	2.13	0.51	0.47	0.01	0.03	10	3	9	16	10	<5	<10	0.30	3
B2+00N-1+50E		<.2	16	4	77	<1	24	11	<.2	<5	7	<5	4.83	305	<10	93	56	105	<20	<20	10	2.80	0.64	0.42	<.01	0.05	11	4	6	24	7	<5	<10	0.20	4
B2+00N-2+00E		<.2	17	4	48	<1	15	10	0.2	<5	<5	<5	4.52	246	<10	137	47	169	<20	<20	10	1.65	0.35	0.70	0.01	0.03	18	4	7	8	10	<5	<10	0.27	2
B2+00N-0+50W		<.2	45	7	75	<1	29	14	<.2	<5	12	<5	4.57	382	<10	158	66	136	<20	<20	9	2.78	0.67	0.72	0.01	0.05	19	8	8	22	8	6	<10	0.20	2
B2+00N-1+00W		<.2	28	4	48	<1	21	13	0.2	<5	9	<5	5.13	386	<10	118	63	182	<20	<20	7	2.52	0.53	0.61	0.01	0.03	14	4	10	14	11	6	<10	0.36	5
B2+00N-1+50W		<.2	25	7	41	<1	13	10	0.3	<5	<5	<5	4.06	401	<10	196	50	179	<20	<20	8	1.86	0.31	0.73	<.01	0.04	17	6	9	8	11	<5	<10	0.24	2
B2+00N-2+00W		0.2	17	3	92	<1	18	9	<.2	<5	5	<5	3.82	602	<10	222	47	120	<20	<20	9	1.96	0.45	0.68	0.01	0.04	16	3	7	18	7	<5	<10	0.17	1
B2+00N-2+50W		<.2	23	6	85	<1	25	14	<.2	<5	8	<5	5.91	728	<10	168	56	165	<20	<20	7	2.45	0.64	0.58	0.01	0.04	12	3	8	26	10	<5	<10	0.24	2
B2+00N-3+00W		<.2	31	4	56	<1	22	11	0.2	<5	6	<5	4.63	391	<10	161	51	138	<20	<20	7	2.24	0.57	0.44	0.01	0.03	12	4	7	17	9	<5	<10	0.22	3
B2+00N-3+50W		<.2	15	7	51	<1	17	12	<.2	<5	5	<5	5.35	371	<10	60	50	241	<20	<20	7	2.20	0.51	0.50	<.01	0.03	7	3	12	8	14	<5	<10	0.38	3
B2+00N-4+00W		<.2	16	7	58	<1	13	13	<.2	<5	<5	<5	4.38	533	<10	251	45	230	<20	<20	6	1.71	0.35	0.72	0.01	0.05	11	3	11	6	14	<5	<10	0.40	3
B2+00N-4+50W		<.2	27	4	51	<1	21	17	<.2	<5	5	<5	4.62	1761	<10	182	51	157	<20	<20	6	1.83	0.45	0.55	0.01	0.04	10	4	7	8	10	<5	<10	0.25	2
B2+00N-5+00W		<.2	11	8	64	<1	14	12	<.2	<5	<5	<5	5.21	351	<10	284	56	242	<20	<20	9	2.30	0.42	0.52	0.01	0.03	9	3	13	10	14	<5	<10	0.37	3
B2+00N-5+50W		0.3	21	4	51	<1	26	13	<.2	<5	8	<5	4.67	605	<10	221	52	153	<20	<20	6	1.99	0.69	0.75	0.01	0.04	15	3	7	13	10	<5	<10	0.23	3
B2+00N-6+00W		<.2	20	4	95	<1	25	16	<.2	<5	7	<5	6.04	754	<10	245	62	191	<20	<20	8	2.63	0.71	0.65	0.01	0.03	13	4	9	24	11	<5	<10	0.28	2
B2+00N-6+50W		<.2	30	6	65	<1	30	22	<.2	<5	8	<5	5.34	1888	<10	229	63	151	<20	<20	8	2.79	0.72	0.66	0.01	0.04	12	7	8	18	9	6	<10	0.22	4
B2+00N-7+00W		<.2	21	3	57	<1	28	15	0.2	<5	6	<5	4.77	522	<10	160	61	129	<20	<20	10	2.46	0.74	0.59	0.01	0.03	13	4	7	18	8	<5	<10	0.25	2
B2+00N-7+50W		<.2	11	9	39	<1	9	8	0.2	<5	<5	<5	3.45	328	<10	150	39	158	<20	<20	10	1.17	0.18	0.42	<.01	0.04	10	2	9	3	10	<5	<10	0.26	<1
B2+00N-8+00W		0.4	33	4	63	<1	26	12	0.2	<5	8	<5	5.48	719	<10	237	56	147	<20	<20	8	1.97	0.66	0.71	0.01	0.04	15	4	6	13	9	<5	<10	0.18	1
BBL300+00N		<.2	42	3	45	<1	42	20	<.2	<5	6	<5	3.54	319	<10	160	52	101	<20	<20	11	2.89	0.84	0.78	0.02	0.03	14	8	5	17	6	6	<10	0.22	13
B3+00N-0+50E		<.2	46	6	68	<1	41	17	<.2	<5	5	<5	2.87	357	<10	170	74	111	<20	<20	10	2.94	1.04	0.86	0.02	0.04	19	14	7	23	7	12	<10	0.23	4
B3+00N-1+50E		<.2	34	2	55	<1	37	22	<.2	<5	10	<5	4.64	672	<10	111	61	124	<20	<20	9	2.78	1.01	1.08	0.02	0.03	23	14	7	20	7	9	<10	0.24	5
B3+00N-2+00E		<.2	31	4	79	<1	26	18	0.3	<5	7	<5	5.55	862	<10	158	65	177	<20	<20	5	2.43	0.69	0.80	0.02	0.03	19	6	8	14	10	6	<10	0.28	3
B3+00N-0+50W		<.2	31	3	69	<1	40	21	<.2	<5	9	<5	6.18	596	<10	135	71	180	<20	<20	5	3.22	1.12	0.85	0.02	0.04	12	5	8	26	10	7	<10	0.37	11
B3+00N-1+00W		<.2	40	4	63	<1	44	23	<.2	<5	14	<5	5.46	533	<10	138	83	150	<20	<20	10	3.40	1.04	0.93	0.02	0.03	18	10	8	34	9	8	<10	0.26	4
B3+00N-1+50W		0.4	171	8	69	<1	41	21	0.3	<5	24	<5	4.27	2566	<10	192	143	162	<20	<20	20	2.46	0.64	1.07	0.01	0.05	26	60	7	25	10	18	<10	0.12	1
B3+00N-2+50W		<.2	33	4	63	<1	39	20	<.2	<5	9	<5	5.00	770	<10	202	63	151	<20	<20	9	2.57	1.06	1.16	0.02	0.03	21	9	8	24	9	6	<10	0.26	3
B3+00N-3+00W		<.2	24	3	79	<1	33	17	<.2	<5	7	<5	6.03	601	<10	243	64	179	<20	<20	6	2.77	0.94	0.65	0.01	0.03	13	5	9	26	10	5	<10	0.31	5



Intertek Testing Services

Bondar Clegg

Geochemical

Lab

Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00971.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 2 OF 17

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
B3+00N-3+50W	<.2	31	<2	86	<1	35	16	<.2	<5	8	<5	5.90	395	<10	169	70	139	<20	<20	6	3.49	0.86	0.56	0.01	0.04	11	5	7	30	9	6	<10	0.25	8	
B3+00N-4+00W	<.2	33	7	54	<1	34	16	<.2	<5	10	<5	4.78	588	<10	199	61	144	<20	<20	10	2.36	0.76	0.64	0.01	0.03	18	8	7	18	9	6	<10	0.19	2	
B3+00N-4+50W	<.2	17	6	56	<1	19	13	<.2	<5	<5	<5	5.14	2298	<10	227	57	190	<20	<20	7	2.07	0.46	0.52	0.01	0.03	10	5	10	8	11	<5	<10	0.24	<1	
B3+00N-5+00W	<.2	26	2	51	<1	47	18	<.2	<5	7	<5	3.91	381	<10	188	51	113	<20	<20	6	2.53	0.99	0.85	0.01	0.02	13	6	6	20	6	6	<10	0.23	7	
B3+00N-5+50W	<.2	28	3	74	<1	44	16	<.2	<5	8	<5	4.10	437	<10	210	55	108	<20	<20	9	2.66	1.02	0.75	0.01	0.03	13	6	5	21	6	6	<10	0.22	5	
B3+00N-6+00W	<.2	30	3	53	<1	47	20	<.2	<5	9	<5	4.10	495	<10	190	57	123	<20	<20	7	2.93	0.94	0.75	0.02	0.03	12	7	6	17	7	6	<10	0.24	6	
B3+00N-6+50W	<.2	23	7	59	<1	39	17	0.3	<5	7	<5	3.68	530	<10	113	58	103	<20	<20	11	2.50	0.76	0.53	0.01	0.04	12	5	6	16	6	<5	<10	0.21	3	
B3+00N-7+00W	<.2	34	3	63	<1	54	21	<.2	<5	8	<5	3.83	875	<10	231	56	113	<20	<20	7	2.52	1.04	0.73	0.01	0.03	14	8	5	15	6	6	<10	0.21	4	
B3+00N-7+50W	<.2	22	6	58	<1	29	14	0.2	<5	6	<5	5.26	760	<10	185	62	152	<20	<20	7	2.40	0.68	0.51	0.01	0.03	11	5	8	12	9	<5	<10	0.21	1	
B3+00N-8+00W	<.2	23	4	80	<1	43	18	<.2	<5	8	<5	4.37	434	<10	233	63	116	<20	<20	10	3.20	0.81	0.55	0.01	0.03	13	6	6	20	7	6	<10	0.23	5	
BBL4+00N	<.2	39	3	63	<1	35	16	0.3	<5	9	<5	4.98	497	<10	172	61	140	<20	<20	6	2.60	0.92	0.89	0.02	0.04	18	6	7	15	9	6	<10	0.23	6	
B4+00N-0+50E	<.2	17	8	46	<1	17	12	<.2	<5	<5	<5	3.95	605	<10	164	41	153	<20	<20	11	1.96	0.41	0.48	0.01	0.05	11	4	9	8	10	<5	<10	0.23	2	
B4+00N-1+00E	<.2	38	6	63	<1	35	15	<.2	<5	11	<5	4.20	1124	<10	180	64	98	<20	<20	19	2.93	0.76	0.66	0.02	0.06	20	28	5	20	6	11	<10	0.09	1	
B4+00N-1+50E	<.2	24	7	77	<1	33	13	0.3	<5	<5	<5	3.62	377	<10	130	54	90	<20	<20	14	2.60	0.69	0.68	0.01	0.09	27	8	6	21	6	6	<10	0.11	2	
B4+00N-2+00E	<.2	15	7	59	<1	23	10	<.2	<5	<5	<5	2.85	467	<10	119	38	84	<20	<20	14	1.94	0.52	0.55	0.01	0.07	14	4	6	16	6	<5	<10	0.15	2	
B4+00N-0+50W	<.2	13	7	43	<1	14	13	<.2	<5	<5	<5	5.03	369	<10	128	52	217	<20	<20	6	2.29	0.42	0.60	0.01	0.03	11	3	12	9	12	<5	<10	0.42	3	
B4+00N-1+00W	<.2	11	7	36	<1	13	10	<.2	<5	<5	<5	5.35	358	<10	81	50	204	<20	<20	8	1.95	0.38	0.36	<.01	0.03	7	2	10	8	12	<5	<10	0.31	3	
B4+00N-1+30W	<.2	9	8	29	1	11	8	<.2	<5	<5	<5	2.20	162	<10	84	34	163	<20	<20	10	1.79	0.27	0.34	<.01	0.02	7	2	10	7	10	<5	<10	0.26	3	
B4+00N-2+50W	<.2	26	2	40	<1	39	16	<.2	<5	8	<5	3.56	366	<10	121	50	109	<20	<20	4	2.42	0.93	0.76	0.01	0.02	10	5	5	19	6	<5	<10	0.24	8	
B4+00N-3+00W	<.2	15	7	55	<1	19	10	<.2	<5	6	<5	4.43	413	<10	136	46	169	<20	<20	9	2.11	0.49	0.47	<.01	0.04	10	3	10	13	10	<5	<10	0.24	2	
B4+00N-3+50W	<.2	9	9	35	<1	12	7	<.2	<5	<5	<5	2.47	373	<10	94	33	121	<20	<20	11	1.43	0.28	0.45	<.01	0.03	9	2	9	5	8	<5	<10	0.20	<1	
B4+00N-4+00W	<.2	15	6	61	<1	24	14	<.2	<5	5	<5	5.83	698	<10	80	50	194	<20	<20	6	2.21	0.63	0.53	0.01	0.04	9	3	10	12	11	<5	<10	0.31	2	
B4+00N-4+50W	<.2	10	8	40	<1	11	9	<.2	<5	<5	<5	2.58	660	<10	113	38	138	<20	<20	10	1.47	0.28	0.44	<.01	0.05	10	3	9	4	8	<5	<10	0.21	<1	
B4+00N-5+00W	<.2	14	6	77	<1	20	11	<.2	<5	6	<5	4.55	564	<10	200	46	141	<20	<20	10	2.06	0.58	0.60	0.01	0.07	12	3	8	15	8	<5	<10	0.19	<1	
B4+00N-5+50W	<.2	17	4	70	<1	21	13	<.2	<5	6	<5	5.65	643	<10	138	57	187	<20	<20	9	2.43	0.55	0.44	0.01	0.04	11	4	10	16	11	<5	<10	0.31	2	
B4+00N-6+00W	0.3	18	6	75	<1	18	11	0.3	<5	7	<5	5.94	703	<10	253	57	172	<20	<20	8	1.83	0.43	0.49	<.01	0.03	14	3	8	11	10	<5	<10	0.24	1	
B4+00N-6+50W	<.2	16	6	55	<1	19	11	0.2	<5	5	<5	5.09	554	<10	191	48	184	<20	<20	8	2.01	0.44	0.39	<.01	0.02	10	3	10	8	11	<5	<10	0.27	2	
B4+00N-7+00W	<.2	16	4	52	<1	21	9	0.3	<5	6	<5	3.95	275	<10	133	57	111	<20	<20	9	2.19	0.50	0.40	<.01	0.02	10	3	6	16	7	<5	<10	0.21	3	
B4+00N-7+50W	<.2	22	6	57	<1	24	12	<.2	<5	7	<5	5.15	549	<10	216	50	173	<20	<20	8	2.09	0.64	0.55	0.01	0.03	11	4	8	10	10	<5	<10	0.26	2	
B4+00N-8+00W	<.2	17	6	52	<1	13	9	<.2	<5	<5	<5	3.28	526	<10	234	45	140	<20	<20	10	1.36	0.29	0.53	<.01	0.04	14	3	8	4	8	<5	<10	0.20	<1	



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00971.0 (COMPLETE)

PROJECT: NONE GIVEN

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 3 OF 17

SAMPLE NUMBER	ELEMENT UNITS	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
B5+00N-0+50E		<.2	17	4	74	<1	35	16	<.2	<5	<5	<5	3.70	300	<10	111	52	105	<20	<20	12	2.89	0.71	0.63	0.02	0.05	11	6	6	21	6	5	<10	0.22	7
B5+00N-1+00E		<.2	17	3	48	<1	28	11	<.2	<5	<5	<5	2.79	261	<10	83	43	81	<20	<20	10	2.64	0.69	0.69	0.02	0.04	13	6	5	16	5	<5	<10	0.20	6
B5+00N-0+50W		<.2	25	7	63	<1	33	15	<.2	<5	<5	<5	3.35	529	<10	102	41	73	<20	<20	19	2.02	0.79	0.74	0.02	0.07	24	9	5	20	5	6	<10	0.17	6
B5+00N-1+00W		<.2	25	3	57	<1	31	15	<.2	<5	7	<5	3.58	316	<10	128	56	118	<20	<20	10	2.99	0.72	0.72	0.01	0.05	12	5	7	16	7	6	<10	0.26	8
B5+00N-1+50W		0.2	31	2	90	<1	41	17	<.2	<5	9	<5	5.32	527	<10	185	76	132	<20	<20	8	3.58	0.69	0.66	0.02	0.03	17	7	6	21	8	6	<10	0.22	6
B5+00N-2+00W		<.2	18	7	42	<1	22	13	<.2	<5	5	<5	3.77	279	<10	191	55	138	<20	<20	10	2.51	0.55	0.48	0.01	0.03	12	7	9	18	8	5	<10	0.28	4
B5+00N-2+50W		<.2	30	3	68	<1	48	24	<.2	<5	8	<5	4.00	600	<10	177	54	121	<20	<20	7	2.97	1.00	0.80	0.02	0.03	11	6	5	17	7	6	<10	0.25	9
B5+00N-3+00W		<.2	25	3	45	<1	34	15	<.2	<5	7	<5	5.36	402	<10	152	61	142	<20	<20	7	2.71	0.92	0.59	0.01	0.02	10	5	7	23	9	5	<10	0.29	8
B5+00N-3+50W		<.2	28	4	69	<1	23	14	<.2	<5	7	<5	5.57	592	<10	101	58	113	<20	<20	11	3.32	0.52	0.23	<.01	0.03	10	8	6	21	7	6	<10	0.20	7
B5+00N-4+00W		<.2	20	4	94	<1	23	14	<.2	<5	7	<5	5.21	379	<10	135	58	140	<20	<20	8	3.12	0.50	0.39	0.01	0.03	9	4	7	24	9	<5	<10	0.24	6
B5+00N-4+50W		<.2	24	3	66	<1	26	13	<.2	<5	8	<5	5.59	311	<10	115	59	140	<20	<20	8	3.17	0.55	0.40	0.01	0.03	9	5	7	21	9	5	<10	0.24	6
B5+00N-5+00W		0.3	44	3	59	<1	44	18	<.2	<5	11	<5	5.50	570	<10	159	68	122	<20	<20	7	3.29	0.83	0.55	0.01	0.03	10	6	5	22	7	7	<10	0.20	6
B5+00N-5+50W		0.4	33	3	56	<1	22	14	0.4	<5	10	<5	6.45	662	<10	145	64	135	<20	<20	5	3.04	0.46	0.44	0.01	0.02	10	5	5	15	8	<5	<10	0.15	3
B5+00N-6+00W		<.2	23	4	54	<1	25	14	<.2	<5	9	<5	5.58	562	<10	219	60	156	<20	<20	9	2.35	0.55	0.46	0.01	0.03	15	6	7	13	9	5	<10	0.20	2
B5+00N-6+50W		<.2	22	3	47	<1	26	14	<.2	<5	6	<5	4.54	546	<10	128	58	129	<20	<20	7	2.56	0.62	0.56	0.01	0.02	12	6	6	16	8	5	<10	0.27	5
B5+00N-7+00W		<.2	30	3	69	<1	45	17	<.2	<5	9	<5	4.65	453	<10	221	67	107	<20	<20	9	3.29	0.85	0.53	0.01	0.03	13	6	5	22	6	6	<10	0.21	5
B5+00N-7+50W		<.2	30	4	55	<1	53	23	<.2	<5	7	<5	3.45	504	<10	139	66	102	<20	<20	12	2.74	0.98	0.63	0.02	0.03	14	7	5	16	6	7	<10	0.23	6
B5+00N-8+00W		<.2	26	4	66	<1	45	17	0.2	<5	7	<5	3.88	396	<10	148	62	96	<20	<20	14	2.87	0.85	0.57	0.01	0.03	14	7	5	18	6	6	<10	0.19	4
BBL6+00N		<.2	19	4	74	<1	26	14	<.2	<5	<5	<5	5.34	416	<10	137	54	138	<20	<20	8	2.71	0.65	0.72	0.02	0.04	21	4	8	16	8	<5	<10	0.29	4
B6+00N-0+50E		0.3	23	2	106	<1	23	19	<.2	<5	<5	<5	6.45	570	<10	73	58	171	<20	<20	7	2.79	0.67	1.12	0.02	0.05	29	9	9	13	10	7	<10	0.30	5
B6+00N-1+00E		<.2	40	4	65	<1	46	24	<.2	<5	8	<5	4.57	913	<10	126	71	125	<20	<20	13	3.19	1.20	1.14	0.03	0.09	28	11	6	20	7	11	<10	0.27	12
B6+00N-1+50E		<.2	42	4	90	<1	40	21	<.2	<5	<5	<5	5.64	866	<10	102	75	195	<20	<20	10	3.82	0.80	1.15	0.02	0.07	30	14	9	17	11	9	<10	0.26	6
B6+00N-2+00E		<.2	15	2	76	<1	29	16	<.2	<5	<5	<5	4.54	480	<10	95	54	131	<20	<20	8	2.68	0.58	0.74	0.01	0.04	13	7	7	14	8	6	<10	0.25	7
B6+00N-0+50W		<.2	22	3	67	<1	29	15	<.2	<5	<5	<5	4.73	331	<10	71	57	153	<20	<20	9	2.78	0.66	0.88	0.02	0.04	23	5	8	19	9	6	<10	0.26	4
B6+00N-1+00W		<.2	45	4	64	<1	40	20	<.2	<5	13	<5	4.01	1094	<10	173	63	114	<20	<20	11	2.78	1.03	0.98	0.02	0.04	22	17	6	21	6	12	<10	0.19	3
B6+00N-1+50W		<.2	37	6	83	<1	43	20	0.2	<5	12	<5	4.32	980	<10	188	60	107	<20	<20	15	2.65	1.02	0.98	0.02	0.09	35	10	6	24	6	9	<10	0.16	2
B6+00N-2+00W		<.2	30	7	78	<1	43	17	<.2	<5	6	<5	4.10	471	<10	142	51	79	<20	<20	18	2.57	0.96	0.49	0.01	0.09	18	7	5	31	5	6	<10	0.13	2
B6+00N-2+50W		<.2	20	3	54	<1	25	12	<.2	<5	6	<5	3.89	282	<10	115	65	98	<20	<20	8	3.31	0.64	0.50	0.01	0.03	10	6	6	22	6	6	<10	0.24	9
B6+00N-3+00W		<.2	8	7	39	<1	10	8	<.2	<5	7	<5	4.93	232	<10	76	42	201	<20	<20	8	1.81	0.37	0.22	<.01	0.03	6	2	11	8	12	<5	<10	0.27	2
B6+00N-3+50W		<.2	12	6	51	<1	22	11	<.2	<5	<5	<5	2.04	272	<10	143	55	89	<20	<20	10	2.25	0.63	0.95	0.01	0.07	19	5	11	26	6	5	<10	0.25	3



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00971.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 4 OF 17

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
B6+00N-4+00W	<.2	27	3	85	<1	28	14	<.2	<5	8	<5	6.71	720	<10	220	68	200	<20	<20	5	2.63	0.71	0.73	0.01	0.04	12	4	8	19	11	5	<10	0.18	1	
B6+00N-4+50W	<.2	19	3	65	<1	22	13	<.2	<5	7	<5	7.93	428	<10	119	69	207	<20	<20	5	2.53	0.59	0.38	<.01	0.03	8	3	9	21	13	<5	<10	0.34	3	
B6+00N-5+00W	0.3	18	3	79	<1	20	13	<.2	<5	6	<5	6.33	666	<10	156	58	168	<20	<20	5	2.41	0.54	0.47	<.01	0.04	9	3	8	23	10	<5	<10	0.26	3	
B6+00N-5+50W	<.2	10	7	68	<1	14	11	<.2	<5	<5	<5	3.96	1255	<10	186	37	150	<20	<20	9	1.44	0.37	0.60	<.01	0.08	13	2	8	8	9	<5	<10	0.20	<1	
B6+00N-6+00W	<.2	18	4	80	<1	19	12	<.2	<5	5	<5	4.91	544	<10	226	55	164	<20	<20	9	1.99	0.50	0.49	<.01	0.03	13	4	8	17	10	<5	<10	0.25	1	
B6+00N-6+50W	<.2	18	4	73	<1	26	12	<.2	<5	7	<5	4.92	526	<10	188	57	132	<20	<20	9	2.43	0.59	0.54	0.01	0.03	13	4	7	16	8	<5	<10	0.22	2	
B6+00N-7+00W	<.2	28	3	68	<1	31	14	<.2	<5	8	<5	4.98	713	<10	144	56	140	<20	<20	9	2.75	0.66	0.52	0.01	0.03	11	6	6	17	9	5	<10	0.21	2	
B6+00N-7+50W	<.2	21	6	61	<1	32	14	<.2	<5	7	<5	4.38	372	<10	152	62	109	<20	<20	12	2.47	0.70	0.49	0.01	0.03	13	4	6	19	7	<5	<10	0.22	4	
B6+00N-8+00W	<.2	28	4	54	<1	25	10	<.2	<5	6	<5	4.10	438	<10	216	57	121	<20	<20	9	2.97	0.46	0.44	<.01	0.03	11	5	6	16	7	<5	<10	0.20	3	
BBL7+00N	<.2	24	6	67	<1	18	11	0.2	<5	<5	<5	3.90	301	<10	138	45	145	<20	<20	10	2.03	0.36	0.86	0.01	0.05	29	6	8	10	9	5	<10	0.23	3	
7+00N-0+50E	<.2	53	4	80	<1	35	18	0.4	<5	<5	<5	5.09	478	<10	111	71	173	<20	<20	9	3.30	0.49	1.11	0.02	0.06	38	22	7	13	10	10	<10	0.24	7	
7+00N-1+00E	<.2	22	4	64	<1	26	16	<.2	<5	<5	<5	3.63	616	<10	73	46	117	<20	<20	16	2.40	0.61	0.88	0.02	0.04	17	13	6	16	7	7	<10	0.18	4	
7+00N-1+50E	<.2	60	4	67	<1	40	20	<.2	<5	<5	<5	4.96	875	<10	81	80	179	<20	<20	16	3.25	0.76	0.98	0.01	0.06	26	46	7	16	10	15	<10	0.23	6	
7+00N-2+00E	<.2	37	3	72	<1	41	22	<.2	<5	<5	<5	4.59	579	<10	69	59	129	<20	<20	9	3.38	0.85	1.01	0.03	0.05	36	11	7	13	8	9	<10	0.26	12	
7+00N-1+00W	<.2	21	4	61	<1	32	15	<.2	<5	<5	<5	3.38	390	<10	119	47	91	<20	<20	14	2.30	0.80	0.76	0.02	0.06	18	6	5	20	6	5	<10	0.19	5	
7+00N-1+50W	<.2	21	7	69	<1	31	13	<.2	<5	<5	<5	3.42	502	<10	110	40	68	<20	<20	17	2.02	0.77	0.68	0.01	0.08	21	9	4	22	5	5	<10	0.10	1	
7+00N-2+00W	<.2	19	9	78	<1	32	15	<.2	<5	5	<5	3.58	533	<10	100	40	61	<20	<20	25	1.96	0.88	0.55	0.02	0.09	20	7	4	26	4	5	<10	0.12	3	
7+00N-2+50W	<.2	46	4	65	<1	41	20	<.2	<5	11	<5	3.71	699	<10	179	58	114	<20	<20	11	2.63	1.01	1.05	0.02	0.05	24	20	5	19	7	12	<10	0.20	4	
7+00N-3+00W	<.2	38	3	41	<1	28	22	0.2	<5	12	<5	6.79	696	<10	160	74	146	<20	<20	5	3.38	0.56	0.62	0.01	0.03	12	9	6	11	9	8	<10	0.22	9	
7+00N-3+50W	<.2	21	4	73	<1	21	12	<.2	<5	6	<5	5.30	266	<10	219	52	210	<20	<20	6	2.04	0.55	0.65	0.01	0.04	18	4	8	15	13	<5	<10	0.34	5	
7+00N-4+00W	<.2	12	6	40	<1	12	9	<.2	<5	<5	<5	4.25	327	<10	115	43	175	<20	<20	6	1.56	0.28	0.41	<.01	0.07	12	3	8	6	11	<5	<10	0.27	2	
7+00N-4+50W	0.3	69	4	47	<1	24	13	<.2	<5	75	<5	3.56	1936	<10	163	463	165	<20	<20	7	1.95	0.53	1.69	0.01	0.04	44	30	5	15	10	10	<10	0.09	2	
7+00N-5+00W	<.2	24	4	85	<1	28	15	<.2	<5	7	<5	6.13	440	<10	172	61	160	<20	<20	7	2.68	0.67	0.50	0.01	0.03	11	4	8	22	10	<5	<10	0.25	4	
7+00N-5+50W	<.2	50	4	43	<1	51	16	0.2	<5	8	<5	2.93	391	<10	147	44	94	<20	<20	7	2.39	0.93	0.93	0.01	0.02	14	10	4	12	6	6	<10	0.19	6	
7+00N-6+00W	<.2	28	3	64	<1	33	13	<.2	<5	6	<5	3.65	443	<10	175	50	94	<20	<20	10	2.23	0.69	0.63	0.01	0.03	14	5	5	15	6	<5	<10	0.17	3	
7+00N-6+50W	<.2	14	6	81	<1	18	12	<.2	<5	5	<5	5.11	441	<10	172	51	171	<20	<20	9	2.29	0.49	0.42	<.01	0.04	11	3	9	21	10	<5	<10	0.28	3	
7+00N-7+00W	0.4	17	3	66	<1	18	12	0.2	<5	5	<5	6.28	630	<10	126	58	174	<20	<20	8	2.30	0.46	0.41	<.01	0.04	11	4	8	13	10	<5	<10	0.28	3	
7+00N-8+00W	<.2	14	6	64	<1	25	12	<.2	<5	6	<5	4.39	326	<10	136	63	113	<20	<20	12	2.52	0.63	0.45	0.01	0.03	11	4	7	21	7	<5	<10	0.24	3	
BBL8+00N	<.2	10	8	45	<1	13	8	<.2	<5	<5	<5	3.32	209	<10	51	36	121	<20	<20	12	1.29	0.23	0.45	<.01	0.06	12	2	7	7	7	<5	<10	0.18	2	
B8+00N-0+50E	<.2	25	2	58	<1	41	19	<.2	<5	<5	<5	4.24	436	<10	68	54	121	<20	<20	7	2.99	0.81	0.86	0.02	0.05	22	5	6	13	7	5	<10	0.25	11	



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00971.0 (COMPLETE)

PROJECT: NONE GIVEN1

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 5 OF 17

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
B8+00N-1+00E	<.2	21	3	69	<1	33	19	<.2	<5	<5	<5	5.42	362	<10	52	59	158	<20	<20	9	3.20	0.62	0.71	0.02	0.04	20	7	7	13	10	6	<10	0.32	12	
B8+00N-1+50E	<.2	41	<2	55	<1	43	23	<.2	<5	<5	<5	4.46	425	<10	70	56	127	<20	<20	6	3.70	0.93	0.94	0.02	0.04	41	6	7	12	8	6	<10	0.27	14	
B8+00N-2+00E	<.2	37	3	99	<1	30	25	0.3	<5	<5	<5	6.26	2811	<10	109	60	179	<20	<20	5	2.92	0.76	1.34	0.01	0.08	28	6	9	9	10	7	<10	0.27	4	
B8+00N-0+50W	0.2	15	3	69	<1	28	16	<.2	<5	<5	<5	4.89	363	<10	67	55	153	<20	<20	8	2.66	0.64	0.73	0.02	0.05	16	5	8	17	9	5	<10	0.30	7	
B8+00N-1+00W	<.2	29	4	66	<1	44	20	<.2	<5	5	<5	4.38	509	<10	104	61	119	<20	<20	13	3.27	0.83	0.78	0.02	0.05	19	15	6	16	7	8	<10	0.22	8	
B8+00N-1+50W	<.2	48	6	48	<1	34	16	0.2	<5	<5	<5	3.48	1231	<10	100	70	100	<20	<20	14	2.31	0.71	0.95	0.02	0.05	27	14	5	20	6	12	<10	0.15	3	
B8+00N-2+00W	<.2	23	3	55	<1	34	15	<.2	<5	<5	<5	3.50	492	<10	111	54	101	<20	<20	14	2.44	0.89	1.27	0.02	0.07	33	12	5	18	6	9	<10	0.22	6	
B8+00N-2+50W	<.2	25	9	86	<1	36	16	<.2	<5	5	<5	3.72	485	<10	117	43	62	<20	<20	25	2.16	0.86	0.46	0.01	0.09	20	8	4	29	4	5	<10	0.09	1	
B8+00N-3+00W	<.2	42	6	65	<1	42	20	<.2	<5	13	<5	3.88	637	<10	165	63	113	<20	<20	11	2.73	1.02	1.00	0.02	0.05	21	17	5	21	6	12	<10	0.17	3	
B8+00N-3+50W	<.2	23	8	81	<1	33	13	<.2	<5	5	<5	3.51	438	<10	126	41	62	<20	<20	22	1.96	0.76	0.41	0.01	0.08	16	5	4	24	4	<5	<10	0.09	1	
B8+00N-4+00W	<.2	31	6	63	<1	36	15	<.2	<5	<5	<5	2.96	422	<10	167	47	74	<20	<20	16	1.92	0.82	0.95	0.02	0.07	32	12	4	18	5	7	<10	0.15	3	
B8+00N-4+50W	<.2	26	6	53	<1	20	13	<.2	<5	5	<5	4.84	1132	<10	216	50	138	<20	<20	7	1.86	0.43	0.71	0.01	0.04	15	4	6	9	8	<5	<10	0.15	1	
B8+00N-5+00W	<.2	11	6	62	<1	12	13	<.2	<5	<5	<5	4.68	2162	<10	137	47	171	<20	<20	8	1.71	0.32	0.54	<.01	0.06	11	3	9	6	10	<5	<10	0.20	<1	
B8+00N-5+50W	<.2	17	6	47	<1	19	12	<.2	<5	6	<5	5.72	403	<10	111	56	204	<20	<20	6	2.01	0.51	0.50	<.01	0.05	9	3	9	10	12	<5	<10	0.35	4	
B8+00N-6+00W	<.2	24	4	57	<1	28	16	<.2	<5	9	<5	6.79	529	<10	157	70	216	<20	<20	7	2.76	0.72	0.68	0.01	0.03	13	5	9	19	13	6	<10	0.36	10	
B8+00N-6+50W	<.2	17	6	69	<1	22	12	<.2	<5	7	<5	5.44	573	<10	159	55	199	<20	<20	7	2.17	0.59	0.54	0.01	0.04	11	3	9	11	11	<5	<10	0.22	<1	
B8+00N-7+00W	<.2	17	3	96	<1	25	12	<.2	<5	7	<5	5.31	573	<10	165	56	146	<20	<20	8	2.36	0.62	0.57	0.01	0.04	11	4	7	18	9	<5	<10	0.19	2	
B8+00N-7+50W	<.2	15	6	65	<1	21	12	<.2	<5	6	<5	6.10	787	<10	214	57	176	<20	<20	6	2.12	0.49	0.52	<.01	0.05	13	2	9	16	10	<5	<10	0.25	1	
B8+00N-8+00W	<.2	14	3	81	<1	26	12	<.2	<5	<5	<5	3.87	323	<10	142	50	101	<20	<20	10	2.27	0.67	0.51	0.01	0.03	14	4	6	22	6	<5	<10	0.20	3	
BBL9+00N	<.2	19	<2	81	<1	31	20	<.2	<5	<5	<5	5.11	481	<10	63	51	144	<20	<20	6	2.67	0.69	0.97	0.02	0.06	31	5	8	14	9	5	<10	0.28	9	
B9+00N-0+50E	<.2	78	<2	75	<1	55	36	<.2	<5	<5	<5	6.18	1325	<10	39	69	158	<20	<20	8	4.44	1.78	2.34	0.08	0.07	93	21	8	15	9	17	<10	0.36	28	
B9+00N-1+00E	<.2	28	<2	78	<1	37	19	<.2	<5	<5	<5	5.05	449	<10	71	50	132	<20	<20	5	3.81	0.84	1.01	0.02	0.09	60	6	7	12	8	6	<10	0.25	11	
B9+00N-1+50E	<.2	14	3	46	<1	31	14	<.2	<5	<5	<5	4.15	207	<10	94	49	120	<20	<20	11	2.48	0.54	0.50	0.01	0.05	14	3	5	16	7	<5	<10	0.24	7	
B9+00N-2+00E	<.2	31	2	44	<1	37	21	<.2	<5	<5	<5	3.66	508	<10	61	56	118	<20	<20	9	3.24	0.95	1.14	0.02	0.04	23	10	5	10	6	8	<10	0.30	18	
B9+00N-0+50W	<.2	22	2	51	<1	33	17	<.2	<5	<5	<5	4.95	322	<10	56	58	145	<20	<20	5	3.00	0.72	0.75	0.02	0.02	19	7	7	14	9	6	<10	0.31	11	
B9+00N-1+00W	<.2	21	3	63	<1	35	15	<.2	<5	<5	<5	4.50	270	<10	63	52	101	<20	<20	8	3.29	0.71	0.72	0.02	0.03	20	7	5	15	6	6	<10	0.22	12	
B9+00N-1+50W	<.2	35	6	73	<1	40	18	<.2	<5	7	<5	4.72	777	<10	97	96	141	<20	<20	12	3.36	0.78	0.72	0.02	0.09	22	20	6	20	9	12	<10	0.17	3	
B9+00N-2+50W	<.2	23	4	54	<1	32	14	<.2	<5	<5	<5	3.97	225	<10	73	57	116	<20	<20	10	2.89	0.66	0.55	0.01	0.04	17	7	7	20	7	<5	<10	0.16	4	
B9+00N-3+00W	<.2	27	6	59	<1	37	15	<.2	<5	6	<5	3.76	422	<10	112	52	85	<20	<20	14	2.29	0.89	0.87	0.02	0.08	27	14	5	22	6	8	<10	0.17	7	
B9+00N-3+50W	<.2	23	8	73	<1	33	12	<.2	<5	5	<5	3.62	443	<10	117	43	62	<20	<20	18	2.00	0.83	0.62	0.01	0.08	23	8	4	24	4	5	<10	0.11	2	



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

REPORT: V98-00971.0 (COMPLETE)

PROJECT: NONE GIVEN1

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 6 OF 17

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
B9+00N-4+00W	<.2	43	7	65	<1	46	18	<.2	<5	11	<5	4.14	399	<10	169	66	111	<20	<20	12	3.02	1.06	0.76	0.02	0.06	17	12	6	22	6	9	<10	0.18	3	
B9+00N-4+50W	<.2	36	3	58	<1	42	16	<.2	<5	7	<5	4.39	436	<10	190	51	105	<20	<20	7	2.37	0.93	0.80	0.01	0.04	16	8	5	21	6	6	<10	0.18	5	
B9+00N-5+00W	<.2	10	4	52	<1	12	11	<.2	<5	<5	<5	4.13	766	<10	139	48	161	<20	<20	7	1.74	0.33	0.41	<.01	0.03	9	3	9	8	10	<5	<10	0.27	2	
B9+00N-5+50W	<.2	12	6	62	<1	13	10	<.2	<5	<5	<5	4.82	459	<10	135	48	154	<20	<20	7	1.83	0.34	0.34	<.01	0.03	9	3	9	12	10	<5	<10	0.27	2	
B9+00N-6+00W	<.2	20	6	55	<1	24	14	<.2	<5	8	<5	6.09	360	<10	180	63	187	<20	<20	5	2.31	0.61	0.46	<.01	0.03	9	3	8	18	12	<5	<10	0.32	7	
B9+00N-6+50W	<.2	14	7	45	<1	15	11	<.2	<5	6	<5	5.88	272	<10	77	55	239	<20	<20	5	2.28	0.43	0.36	<.01	0.02	6	2	11	18	15	<5	<10	0.37	8	
B9+00N-7+00W	<.2	17	4	61	<1	21	13	<.2	<5	6	<5	6.29	545	<10	108	58	166	<20	<20	5	2.44	0.64	0.42	<.01	0.02	8	4	9	20	10	<5	<10	0.33	5	
B9+00N-7+50W	<.2	12	6	56	<1	20	10	<.2	<5	5	<5	3.56	249	<10	126	43	107	<20	<20	7	1.99	0.56	0.47	0.01	0.02	11	3	6	19	7	<5	<10	0.21	3	
B9+00N-8+00W	<.2	13	7	62	<1	21	11	<.2	<5	<5	<5	4.28	369	<10	180	54	105	<20	<20	10	2.24	0.55	0.44	0.01	0.02	10	3	6	16	7	<5	<10	0.20	2	
CBLC2+00N	0.4	58	7	55	<1	37	17	0.2	<5	5	<5	4.67	1152	<10	495	89	136	<20	<20	10	2.37	0.56	0.47	<.01	0.03	16	7	7	11	9	<5	<10	0.15	1	
C2+00N-0+50W	<.2	37	7	57	<1	24	13	<.2	<5	<5	<5	4.10	1730	<10	244	69	101	<20	<20	8	2.09	0.55	0.42	<.01	0.04	20	4	5	9	6	<5	<10	0.11	<1	
C2+00N-1+00W	0.3	115	8	88	<1	58	19	0.2	<5	7	<5	4.09	1486	<10	488	84	102	<20	<20	16	2.69	1.07	0.65	<.01	0.06	26	22	6	17	7	9	<10	0.12	2	
C2+00N-1+50W	0.5	32	9	105	<1	20	13	0.2	<5	<5	<5	4.50	1391	<10	787	60	144	<20	<20	9	1.37	0.31	0.52	<.01	0.06	21	3	7	5	10	<5	<10	0.17	<1	
C2+00N-2+00W	0.7	50	10	73	<1	28	12	0.4	<5	6	<5	5.66	1188	<10	488	50	113	<20	<20	11	1.79	0.57	0.25	<.01	0.04	13	4	5	7	7	<5	<10	0.13	1	
C2+00N-2+50W	<.2	28	<2	66	<1	13	12	0.2	<5	<5	<5	6.98	453	<10	987	39	178	<20	<20	3	4.16	0.58	1.15	0.06	0.03	266	6	6	7	11	6	<10	0.31	6	
C2+00N-3+00W	<.2	30	3	151	<1	37	23	<.2	<5	<5	<5	6.63	2178	<10	624	72	173	<20	<20	5	2.60	0.79	0.93	0.01	0.04	23	5	8	10	10	6	<10	0.29	3	
C2+00N-3+50W	<.2	32	3	64	<1	32	12	0.2	<5	<5	<5	4.91	423	<10	178	63	114	<20	<20	6	2.55	0.66	0.53	0.01	0.03	14	5	6	10	8	<5	<10	0.18	4	
C2+00N-4+00W	<.2	35	<2	61	<1	44	15	<.2	<5	<5	<5	4.59	571	<10	183	68	109	<20	<20	5	3.01	1.06	0.89	0.01	0.04	26	6	6	13	7	5	<10	0.18	3	
C2+00N-4+50W	<.2	52	6	63	<1	51	18	<.2	<5	<5	<5	4.91	582	<10	208	74	123	<20	<20	11	2.97	1.07	0.74	0.01	0.04	20	11	7	16	8	6	<10	0.16	2	
C2+00N-5+00W	<.2	32	2	47	<1	46	21	<.2	<5	<5	<5	3.62	744	<10	203	65	106	<20	<20	8	2.61	1.22	1.06	0.02	0.04	24	8	5	11	6	7	<10	0.23	9	
C2+00N-5+50W	<.2	73	6	98	<1	55	22	0.2	<5	<5	<5	5.29	1199	<10	291	98	128	<20	<20	12	3.47	1.24	0.83	0.01	0.07	20	16	8	15	8	9	<10	0.12	1	
C2+00N-6+00W	<.2	38	6	53	<1	35	16	0.2	<5	<5	<5	3.69	505	<10	214	66	103	<20	<20	9	2.55	0.74	0.66	0.01	0.04	15	7	6	11	7	<5	<10	0.16	3	
C2+00N-6+50W	<.2	36	3	61	<1	47	17	<.2	<5	<5	<5	3.43	580	<10	303	70	97	<20	<20	9	2.73	1.12	1.02	0.02	0.04	21	10	6	11	6	8	<10	0.18	3	
C2+00N-7+00W	<.2	28	4	69	<1	37	13	<.2	<5	<5	<5	3.94	470	<10	279	66	101	<20	<20	9	2.50	0.81	0.53	0.01	0.03	15	5	5	14	6	<5	<10	0.17	2	
C2+00N-7+50W	<.2	41	7	63	<1	46	17	0.2	<5	<5	<5	3.19	846	<10	389	70	92	<20	<20	9	2.59	0.89	0.71	0.01	0.04	18	12	5	11	6	7	<10	0.13	2	
C2+00N-8+00W	0.3	47	4	57	<1	34	13	<.2	<5	<5	<5	4.29	415	<10	181	66	112	<20	<20	9	2.67	0.74	0.59	0.01	0.04	13	11	6	12	7	6	<10	0.20	4	
C2+00N-8+50W	0.2	42	4	81	1	43	17	0.2	<5	<5	<5	3.53	1044	<10	317	77	102	<20	<20	11	2.96	0.88	0.69	0.01	0.05	17	14	6	12	6	7	<10	0.10	1	
C2+00N-9+00W	<.2	39	6	68	<1	47	21	<.2	<5	7	<5	4.42	1173	<10	217	75	119	<20	<20	10	2.78	1.05	0.86	0.02	0.05	18	11	6	14	7	7	<10	0.20	3	
CBL4+00N	<.2	40	2	66	<1	53	16	<.2	<5	5	<5	4.24	423	<10	291	69	102	<20	<20	6	3.32	1.11	0.71	0.02	0.02	26	8	5	14	6	6	<10	0.20	5	
C4+00N-0+50W	<.2	73	6	75	<1	46	20	0.3	<5	6	<5	5.25	896	<10	324	92	109	<20	<20	16	3.77	0.92	0.41	0.01	0.04	15	24	6	16	7	8	<10	0.15	3	



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00971.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98 PAGE 7 OF 17

PROJECT: NONE GIVEN1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
C4+00N-1+00W	<.2	35	4	77	<1	48	15	0.2	<5	<5	<5	5.15	644	<10	522	87	124	<20	<20	8	2.89	1.13	0.71	0.01	0.05	20	4	8	16	8	<5	<10	0.20	1	
C4+00N-1+50W	<.2	22	4	61	<1	23	10	<.2	<5	<5	<5	3.26	374	<10	406	58	124	<20	<20	8	2.07	0.56	0.85	0.01	0.04	23	4	8	6	8	<5	<10	0.20	1	
C4+00N-2+00W	0.3	23	4	97	<1	31	15	<.2	<5	<5	<5	4.62	1377	<10	461	72	138	<20	<20	8	2.22	0.73	0.95	0.01	0.06	21	4	8	10	9	<5	<10	0.22	1	
C4+00N-2+50W	0.4	114	6	78	<1	56	24	0.3	<5	<5	<5	4.59	1797	<10	532	98	108	<20	<20	14	3.19	1.21	1.15	0.02	0.05	23	22	7	14	7	9	<10	0.16	3	
C4+00N-3+00W	0.7	40	4	55	<1	32	13	0.2	<5	<5	<5	3.81	432	<10	289	65	112	<20	<20	9	2.61	0.66	0.69	0.01	0.04	17	8	7	13	7	5	<10	0.18	3	
C4+00N-3+50W	0.3	26	4	68	<1	33	14	<.2	<5	<5	<5	3.99	799	<10	300	64	108	<20	<20	9	2.46	0.77	0.66	0.01	0.05	16	5	6	11	7	<5	<10	0.18	2	
C4+00N-4+00W	<.2	29	6	69	<1	24	13	0.2	<5	<5	<5	4.53	1344	<10	392	99	153	<20	<20	8	2.00	0.44	0.62	<.01	0.05	14	4	8	7	10	<5	<10	0.21	1	
C4+00N-4+50W	<.2	50	9	89	<1	54	17	0.2	<5	6	<5	3.84	863	<10	740	71	79	<20	<20	11	3.04	1.00	0.52	0.01	0.05	15	8	4	18	6	<5	<10	0.12	3	
C4+00N-5+00W	0.7	55	7	61	<1	36	23	<.2	<5	5	<5	4.06	1246	<10	766	96	114	<20	<20	12	3.55	0.58	0.40	0.01	0.06	13	19	6	12	7	9	<10	0.14	3	
C4+00N-5+50W	0.2	34	4	50	<1	21	8	<.2	<5	<5	<5	3.80	616	<10	225	59	100	<20	<20	10	2.32	0.38	0.44	<.01	0.04	13	6	5	8	7	<5	<10	0.13	2	
C4+00N-6+00W	<.2	31	4	67	<1	34	12	<.2	<5	<5	<5	4.18	392	<10	198	65	107	<20	<20	9	2.77	0.82	0.64	0.02	0.05	15	6	6	15	7	5	<10	0.21	6	
C4+00N-6+50W	<.2	39	6	79	<1	43	16	<.2	<5	<5	<5	3.60	765	<10	346	75	107	<20	<20	11	2.95	0.97	0.88	0.02	0.07	19	10	7	14	6	8	<10	0.16	2	
C4+00N-7+00W	0.3	49	4	75	<1	50	15	0.2	<5	<5	<5	5.01	492	<10	403	85	110	<20	<20	11	3.53	0.92	0.65	0.02	0.06	19	8	6	17	7	6	<10	0.18	4	
C4+00N-7+50W	<.2	35	4	64	<1	37	17	<.2	<5	<5	<5	3.11	646	<10	262	58	99	<20	<20	13	2.45	0.91	1.13	0.02	0.05	21	15	5	11	6	9	<10	0.20	4	
C4+00N-8+00W	<.2	19	4	59	<1	21	11	<.2	<5	<5	<5	3.81	710	<10	180	57	124	<20	<20	13	2.25	0.50	0.59	0.01	0.05	13	6	7	11	7	<5	<10	0.21	2	
C4+00N-8+50W	<.2	36	4	67	<1	32	15	<.2	<5	<5	<5	3.61	880	<10	217	60	108	<20	<20	13	2.62	0.72	0.73	0.02	0.05	15	14	6	12	6	7	<10	0.17	2	
C4+00N-9+00W	<.2	30	4	55	<1	36	18	<.2	<5	<5	<5	4.77	663	<10	186	59	122	<20	<20	11	2.35	0.91	0.81	0.02	0.04	17	8	6	10	7	6	<10	0.29	7	
C6+00N-0+50E	<.2	36	2	64	<1	43	17	<.2	<5	<5	<5	5.06	496	<10	217	87	123	<20	<20	8	3.50	1.23	0.97	0.03	0.03	48	8	7	20	8	7	<10	0.28	10	
C6+00N-1+00E	<.2	61	2	54	<1	51	20	<.2	<5	<5	<5	3.83	551	<10	289	75	119	<20	<20	9	3.04	1.37	1.21	0.03	0.05	34	11	6	15	7	8	<10	0.27	7	
C6+00N-1+50E	<.2	65	7	87	1	48	23	0.2	<5	6	<5	5.18	1328	<10	412	109	118	<20	<20	13	3.12	1.11	0.82	0.02	0.07	28	15	7	17	7	10	<10	0.18	3	
C6+00N-2+00E	<.2	49	4	73	<1	40	31	<.2	<5	6	<5	6.43	1648	<10	361	109	160	<20	<20	12	2.97	1.13	1.01	0.02	0.06	74	15	8	15	10	9	<10	0.38	6	
C6+00N-2+50E	<.2	61	6	141	1	51	18	0.2	<5	6	<5	4.14	1225	<10	490	101	111	<20	<20	13	2.89	1.13	1.34	0.02	0.06	58	19	6	21	7	11	<10	0.18	2	
C6+00N-3+00E	0.2	23	4	61	<1	30	12	0.2	<5	7	<5	5.20	441	<10	309	84	121	<20	<20	11	2.78	0.75	0.60	0.01	0.04	15	6	7	21	8	5	<10	0.23	3	
C6+00N-3+50E	0.3	47	4	51	<1	40	31	<.2	<5	9	<5	5.54	1049	<10	380	84	128	<20	<20	8	4.62	0.90	1.11	0.02	0.04	54	15	6	12	8	9	<10	0.22	6	
C6+00N-4+00E	<.2	72	6	67	<1	54	23	<.2	<5	9	<5	3.82	823	<10	491	59	87	<20	<20	11	2.83	1.09	0.60	0.01	0.05	13	8	4	16	6	6	<10	0.16	5	
CBL6+00N	0.2	58	3	73	<1	45	20	<.2	<5	<5	<5	4.82	993	<10	302	79	138	<20	<20	9	2.97	1.12	1.14	0.02	0.05	38	11	7	14	9	7	<10	0.25	5	
C6+00N-0+50W	0.2	46	6	58	2	24	13	<.2	<5	<5	<5	3.69	1134	<10	423	62	134	<20	<20	11	1.95	0.47	0.80	0.01	0.06	27	7	7	7	8	<5	<10	0.17	1	
C6+00N-1+00W	<.2	49	6	69	<1	40	15	<.2	<5	<5	<5	4.45	730	<10	362	77	121	<20	<20	13	2.79	0.89	0.50	0.01	0.06	24	20	7	17	7	8	<10	0.18	2	
C6+00N-1+50W	<.2	60	6	51	1	29	14	<.2	<5	<5	<5	3.67	686	<10	308	68	116	<20	<20	14	2.50	0.55	0.73	0.01	0.06	20	13	7	8	7	7	<10	0.13	1	
C6+00N-2+00W	<.2	30	3	52	<1	46	19	<.2	<5	<5	<5	3.61	787	<10	312	59	102	<20	<20	10	2.55	1.19	1.10	0.02	0.05	22	9	5	12	6	6	<10	0.25	7	



Intertek Testing Services

Bondar Clegg

Geochemical

Lab

Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00971.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 8 OF 17

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
C6+00N-2+50W	<.2	50	6	76	<1	48	19	0.2	<5	<5	<5	5.09	654	<10	382	81	121	<20	<20	11	2.83	1.04	0.95	0.01	0.06	25	9	7	15	8	6	<10	0.19	3	
C6+00N-3+00W	<.2	52	3	65	<1	52	19	<.2	<5	<5	<5	3.93	779	<10	377	56	97	<20	<20	10	2.61	1.52	2.00	0.03	0.09	58	11	5	14	6	8	<10	0.21	14	
C6+00N-3+50W	<.2	43	4	55	<1	63	20	<.2	<5	<5	<5	4.01	774	<10	250	82	109	<20	<20	11	2.72	1.23	1.05	0.02	0.05	24	12	6	14	6	7	<10	0.24	5	
C6+00N-4+00W	<.2	92	4	75	<1	61	22	0.3	<5	6	<5	4.32	1084	<10	378	106	109	<20	<20	19	3.23	1.11	0.91	0.02	0.06	23	24	6	20	7	13	<10	0.18	4	
C6+00N-4+50W	<.2	36	3	45	<1	67	18	<.2	<5	<5	<5	4.22	510	<10	185	91	112	<20	<20	10	2.63	0.81	0.72	0.02	0.04	17	10	6	12	7	6	<10	0.22	4	
C6+00N-5+00W	<.2	36	4	58	<1	35	12	0.2	<5	<5	<5	3.89	375	<10	233	72	109	<20	<20	12	2.68	0.74	0.65	0.02	0.05	15	10	6	13	7	6	<10	0.19	3	
C6+00N-5+50W	<.2	48	4	57	<1	31	13	0.2	<5	5	<5	4.41	811	<10	361	72	132	<20	<20	11	2.65	0.61	0.67	0.01	0.04	15	6	7	10	8	5	<10	0.21	3	
C6+00N-6+00W	<.2	22	6	43	<1	18	11	<.2	<5	<5	<5	3.25	623	<10	259	55	131	<20	<20	10	1.73	0.41	0.78	0.01	0.04	20	5	7	5	8	<5	<10	0.24	2	
C6+00N-6+50W	<.2	19	6	51	<1	20	10	<.2	<5	<5	<5	3.76	413	<10	259	55	136	<20	<20	10	1.94	0.49	0.69	0.01	0.04	14	6	8	8	9	<5	<10	0.26	2	
C6+00N-7+00W	<.2	44	6	69	<1	42	18	<.2	<5	7	<5	4.27	880	<10	212	67	118	<20	<20	14	2.97	0.98	0.96	0.02	0.07	24	13	6	14	7	9	<10	0.22	5	
C6+00N-7+50W	0.2	28	6	67	<1	37	16	<.2	<5	6	<5	3.93	515	<10	192	54	99	<20	<20	8	2.56	0.86	0.85	0.02	0.05	14	7	5	13	6	5	<10	0.22	6	
C6+00N-8+00W	<.2	37	6	62	<1	32	18	<.2	<5	<5	<5	4.28	662	<10	165	66	117	<20	<20	13	2.74	0.73	0.72	0.02	0.05	15	13	6	13	7	7	<10	0.22	5	
C6+00N-8+50W	<.2	30	6	59	<1	37	20	<.2	<5	7	<5	4.31	707	<10	132	59	110	<20	<20	15	2.75	0.83	0.90	0.02	0.05	19	19	6	13	7	8	<10	0.23	6	
NO LABEL	<.2	41	4	50	<1	40	19	<.2	<5	<5	<5	3.64	752	<10	198	50	109	<20	<20	12	2.74	0.96	1.06	0.02	0.04	15	13	5	10	6	7	<10	0.27	12	
CBL8+00N	<.2	49	4	66	<1	51	23	<.2	<5	7	<5	4.50	911	<10	236	75	120	<20	<20	12	3.09	1.32	1.04	0.03	0.05	40	12	7	17	7	8	<10	0.28	9	
C8+00N-0+50E	<.2	48	4	88	<1	48	20	<.2	<5	9	<5	4.09	818	<10	324	84	119	<20	<20	11	3.28	1.23	1.23	0.02	0.06	32	18	7	19	7	11	<10	0.26	5	
C8+00N-1+00E	0.2	62	9	67	2	43	18	<.2	<5	17	<5	4.42	1235	<10	210	65	116	<20	<20	13	3.46	0.93	0.71	0.02	0.04	14	11	5	19	7	8	<10	0.23	10	
C8+00N-1+50E	0.3	52	3	69	<1	33	19	0.2	<5	7	<5	5.96	879	<10	153	70	155	<20	<20	8	3.64	1.22	0.77	0.02	0.03	20	11	7	23	10	9	<10	0.33	13	
C8+00N-2+00E	<.2	59	8	73	<1	42	20	<.2	<5	10	<5	5.42	1088	<10	329	63	134	<20	<20	14	2.79	1.23	0.90	0.01	0.06	22	18	6	19	9	8	<10	0.25	5	
C8+00N-2+50E	<.2	61	13	94	<1	51	24	0.2	<5	22	<5	5.95	1573	<10	446	56	135	<20	<20	13	2.77	1.29	0.76	0.02	0.05	17	10	5	20	9	7	<10	0.26	7	
C8+00N-3+00E	<.2	77	10	92	<1	45	25	<.2	<5	13	<5	4.93	2037	<10	374	86	114	<20	<20	20	2.96	1.01	0.68	0.01	0.06	17	23	6	16	7	11	<10	0.17	3	
C8+00N-3+50E	0.3	41	6	85	1	19	15	0.4	<5	5	<5	6.09	1032	<10	210	63	167	<20	<20	6	2.58	0.33	0.46	<.01	0.03	11	5	7	9	10	<5	<10	0.28	6	
C8+00N-4+00E	<.2	126	7	55	1	33	13	0.3	<5	10	<5	4.42	676	<10	263	89	124	<20	<20	38	2.71	0.51	0.76	0.01	0.05	23	47	7	16	8	17	<10	0.18	4	
C8+00N-4+50E	<.2	33	6	54	<1	39	17	<.2	<5	7	<5	3.72	606	<10	173	44	92	<20	<20	15	2.32	0.96	1.19	0.02	0.06	24	11	4	15	6	7	<10	0.22	13	
C8+00N-0+50W	<.2	42	3	67	<1	39	16	<.2	<5	9	<5	5.60	529	<10	272	86	142	<20	<20	10	3.18	1.10	0.83	0.02	0.04	22	9	7	24	9	7	<10	0.28	6	
C8+00N-1+00W	<.2	43	3	68	<1	34	15	<.2	<5	6	<5	5.09	655	<10	233	74	129	<20	<20	11	2.73	0.95	0.86	0.01	0.06	16	12	7	18	8	7	<10	0.25	3	
C8+00N-1+50W	<.2	44	3	56	<1	40	14	<.2	<5	5	<5	4.96	458	<10	220	80	113	<20	<20	8	3.29	0.94	0.62	0.01	0.04	17	7	6	23	7	6	<10	0.24	4	
C8+00N-2+00W	0.7	139	8	69	1	41	16	0.2	<5	7	<5	4.98	996	<10	483	88	160	<20	<20	16	3.15	0.66	0.88	0.01	0.08	29	14	9	16	10	9	<10	0.11	1	
C8+00N-2+50W	0.3	68	7	89	1	40	14	0.3	<5	7	<5	3.57	1422	<10	454	69	99	<20	<20	18	2.53	0.74	0.98	0.01	0.07	30	21	5	14	6	7	<10	0.09	<1	
C8+00N-3+00W	<.2	48	4	73	<1	51	19	<.2	<5	<5	<5	3.81	740	<10	630	69	107	<20	<20	11	2.73	1.15	0.84	0.02	0.04	21	11	6	14	7	7	<10	0.22	5	



Intertek Testing Services

Bondar Clegg

Geochemical

Lab

Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00971.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 9 OF 17

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
C8+00N-3+50W		0.4	83	11	112	<1	55	28	<2	<5	7	<5	4.04	822	<10	669	88	107	<20	<20	17	3.07	0.86	0.56	0.01	0.08	17	16	6	16	6	9	<10	0.12	2
C8+00N-4+00W		0.5	90	8	125	1	61	17	0.2	<5	<5	<5	3.32	677	<10	997	92	88	<20	<20	19	3.43	0.80	0.81	0.02	0.08	27	28	6	16	6	12	<10	0.09	2
C8+00N-4+50W		0.3	44	6	62	<1	30	14	<2	<5	5	<5	4.20	539	<10	418	58	131	<20	<20	12	2.15	0.60	0.72	0.01	0.04	16	9	7	10	8	<5	<10	0.22	3
C8+00N-5+00W		0.4	59	7	72	<1	36	13	<2	<5	<5	<5	4.90	486	<10	453	68	132	<20	<20	11	2.37	0.66	0.70	0.01	0.04	19	8	7	14	8	6	<10	0.23	4
C8+00N-5+50W		0.2	47	7	69	<1	36	14	<2	<5	<5	<5	2.50	500	<10	396	69	101	<20	<20	12	2.70	0.64	0.85	0.02	0.05	22	17	6	12	6	7	<10	0.13	2
C8+00N-6+00W		<2	41	4	62	<1	37	19	<2	<5	<5	<5	4.19	952	<10	462	69	130	<20	<20	12	2.84	0.99	0.85	0.02	0.05	16	14	6	14	8	9	<10	0.27	7
C8+00N-6+50W		<2	49	4	78	<1	50	20	<2	<5	6	<5	4.54	811	<10	354	89	123	<20	<20	13	3.59	1.04	0.87	0.02	0.05	18	21	6	21	7	15	<10	0.24	6
C8+00N-7+00W		<2	31	3	41	<1	34	14	<2	<5	<5	<5	3.09	524	<10	182	48	95	<20	<20	10	2.12	0.90	1.06	0.02	0.03	23	12	4	10	6	8	<10	0.25	17
C8+00N-7+50W		<2	32	4	41	<1	24	12	<2	<5	<5	<5	3.19	540	<10	126	64	132	<20	<20	11	3.02	0.57	0.65	0.01	0.04	12	14	6	9	8	8	<10	0.21	4
C8+00N-8+00W		<2	17	8	39	<1	17	10	<2	<5	<5	<5	3.96	336	<10	141	50	146	<20	<20	9	1.78	0.41	0.68	0.01	0.04	13	4	8	5	9	<5	<10	0.26	3
CBL10+00N		<2	69	6	96	<1	36	22	<2	<5	5	<5	6.47	730	<10	359	76	169	<20	<20	7	3.54	1.30	0.59	0.01	0.03	14	7	9	27	10	7	<10	0.36	5
C10+00N-0+50E		<2	25	6	34	<1	11	8	<2	<5	<5	<5	2.36	267	<10	550	49	136	<20	<20	2	1.59	0.31	1.44	0.01	0.03	221	4	6	<1	9	<5	<10	0.23	2
C10+00N-1+00E		0.2	66	<2	91	<1	30	30	0.3	<5	<5	<5	8.33	1660	<10	126	70	232	<20	<20	3	2.76	1.70	0.68	<0.01	0.03	12	6	8	14	14	6	<10	0.27	2
C10+00N-1+50E		<2	57	<2	63	<1	61	38	<2	<5	<5	<5	6.93	1361	<10	128	69	191	<20	<20	4	4.39	2.53	1.41	0.01	0.02	53	15	9	21	11	15	<10	0.45	15
C10+00N-2+00E		0.3	106	3	53	<1	33	20	0.2	<5	6	<5	6.34	1313	<10	203	111	197	<20	<20	15	3.46	0.68	1.00	0.01	0.03	37	51	8	9	12	19	<10	0.33	8
C10+00N-2+50E		<2	40	6	52	<1	35	16	<2	<5	8	<5	4.14	735	<10	218	58	118	<20	<20	9	3.05	0.77	0.71	0.02	0.03	9	10	6	13	7	7	<10	0.26	8
C10+00N-3+00E		0.3	33	11	58	<1	17	9	<2	<5	9	<5	3.88	1166	<10	278	39	110	<20	<20	11	1.82	0.40	0.34	<0.01	0.07	7	3	6	7	8	<5	<10	0.15	1
C10+00N-3+50E		<2	43	6	50	<1	45	20	<2	<5	8	<5	3.53	818	<10	163	43	96	<20	<20	10	2.35	0.97	0.94	0.02	0.04	16	10	4	10	6	6	<10	0.22	10
C10+00N-4+00E		<2	34	8	65	<1	33	17	<2	<5	8	<5	4.00	989	<10	199	47	105	<20	<20	12	2.64	0.68	0.51	0.01	0.04	11	9	5	14	7	5	<10	0.19	4
C10+00N-4+50E		<2	19	6	55	<1	22	11	<2	<5	<5	<5	4.31	394	<10	129	49	119	<20	<20	9	2.61	0.51	0.54	0.01	0.03	10	5	6	12	8	<5	<10	0.24	5
C10+00N-0+50W		<2	36	4	74	1	24	19	<2	<5	5	<5	5.84	1338	<10	281	75	156	<20	<20	12	2.13	0.64	1.10	0.01	0.04	24	19	7	10	10	8	<10	0.27	2
C10+00N-1+00W		<2	52	<2	69	<1	50	41	<2	<5	<5	<5	6.68	2897	<10	>2000	125	215	<20	<20	5	3.79	2.29	0.86	0.03	0.06	42	11	9	21	13	17	<10	0.29	3
C10+00N-2+00W		<2	46	7	83	<1	31	15	<2	<5	<5	<5	4.37	1089	<10	422	76	125	<20	<20	10	2.35	0.51	0.54	<0.01	0.04	12	5	7	12	8	<5	<10	0.17	2
C10+00N-2+50W		0.3	19	6	94	<1	17	11	0.2	<5	<5	<5	4.46	839	<10	267	48	133	<20	<20	6	1.84	0.35	0.43	<0.01	0.02	10	5	6	12	8	<5	<10	0.22	2
C10+00N-3+00W		0.2	13	7	84	<1	14	10	0.2	<5	<5	<5	3.77	395	<10	244	40	127	<20	<20	8	1.68	0.35	0.45	<0.01	0.02	10	3	7	8	8	<5	<10	0.25	3
C10+00N-3+50W		<2	25	4	34	<1	28	16	<2	<5	<5	<5	2.88	579	<10	172	46	91	<20	<20	9	2.14	0.70	0.74	0.01	0.02	9	12	4	8	6	7	<10	0.21	5
C10+00N-4+00W		0.3	18	4	46	<1	17	12	<2	<5	<5	<5	5.43	474	<10	125	54	167	<20	<20	7	2.68	0.40	0.48	<0.01	0.03	8	6	7	10	10	<5	<10	0.31	7
C10+00N-5+00W		0.3	26	6	69	<1	26	14	<2	<5	<5	<5	3.05	529	<10	281	48	111	<20	<20	8	2.12	0.60	0.77	0.01	0.05	14	8	6	9	7	5	<10	0.22	4
C12+00N-0+50E		<2	38	6	48	<1	42	19	<2	<5	6	<5	4.06	596	<10	321	63	116	<20	<20	9	3.11	1.04	0.76	0.02	0.03	11	6	6	15	7	6	<10	0.26	9
C12+00N-1+00E		<2	41	2	44	<1	35	17	<2	<5	5	<5	4.14	510	<10	261	61	121	<20	<20	7	3.07	0.94	0.94	0.02	0.03	13	10	6	16	7	7	<10	0.30	8



Intertek Testing Services

Bondar Clegg

Geochemical

Lab

Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00971.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 10 OF 17

PROJECT: NONE GIVEN1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
C12+00N-1+50E	0.3	22	3	50	<1	30	14	<2	<5	<5	<5	4.45	406	<10	236	62	122	<20	<20	7	2.81	0.79	0.71	0.02	0.02	12	5	6	18	8	<5	<10	0.28	5	
C12+00N-2+00E	<2	19	4	78	<1	30	16	<2	<5	5	<5	3.98	425	<10	164	59	99	<20	<20	8	3.11	0.69	0.59	0.01	0.02	11	5	5	15	6	<5	<10	0.22	6	
C12+00N-2+50E	<2	34	4	45	<1	32	16	<2	<5	<5	<5	3.69	789	<10	243	74	123	<20	<20	11	2.54	0.85	0.83	0.01	0.02	15	13	7	17	7	8	<10	0.26	5	
C12+00N-3+00E	<2	22	2	84	<1	26	13	<2	<5	<5	<5	3.91	536	<10	175	52	112	<20	<20	6	2.50	0.71	0.81	0.01	0.03	13	6	5	14	7	<5	<10	0.23	5	
C12+00N-3+50E	<2	23	2	45	<1	30	15	<2	<5	<5	<5	3.47	392	<10	127	49	103	<20	<20	7	2.83	0.68	0.83	0.02	0.02	10	7	5	11	6	5	<10	0.24	10	
C12+00N-4+00E	<2	13	6	72	<1	17	10	<2	<5	<5	<5	5.27	320	<10	186	56	145	<20	<20	7	2.20	0.45	0.44	<.01	0.03	9	3	7	16	10	<5	<10	0.27	3	
C12+00N-0+50W	<2	18	3	48	<1	31	14	<2	<5	<5	<5	3.13	418	<10	154	40	78	<20	<20	5	2.26	0.69	0.83	0.01	0.03	11	6	3	10	5	<5	<10	0.19	8	
C12+00N-1+00W	0.3	21	3	64	<1	31	16	<2	<5	5	<5	4.51	620	<10	195	47	118	<20	<20	7	2.58	0.75	0.79	0.01	0.03	11	7	5	13	7	<5	<10	0.23	5	
C12+00N-1+50W	0.4	20	4	68	<1	29	16	0.2	<5	6	<5	4.01	528	<10	115	47	94	<20	<20	9	2.48	0.76	0.75	0.01	0.03	10	8	5	11	6	5	<10	0.22	7	
C12+00N-2+00W	0.8	16	6	61	<1	20	11	0.2	<5	<5	<5	5.76	412	<10	178	92	147	<20	<20	7	2.14	0.45	0.53	<.01	0.03	12	3	7	10	9	<5	<10	0.23	2	
C12+00N-2+50W	0.3	15	4	56	<1	20	11	<2	<5	<5	<5	4.89	486	<10	146	50	138	<20	<20	8	2.29	0.49	0.52	0.01	0.03	9	4	7	11	9	<5	<10	0.25	2	
C12+00N-3+00W	0.3	15	6	79	<1	17	13	0.2	<5	<5	<5	5.73	1402	<10	171	54	152	<20	<20	8	2.03	0.42	0.50	0.01	0.03	10	3	7	10	9	<5	<10	0.15	<1	
C12+00N-3+50W	0.2	25	4	62	<1	31	21	<2	<5	6	<5	4.32	1119	<10	224	49	111	<20	<20	6	2.88	0.69	0.83	0.01	0.04	12	8	6	9	6	5	<10	0.19	3	
C12+00N-4+00W	<2	32	4	50	<1	34	14	<2	<5	5	<5	2.95	564	<10	213	37	78	<20	<20	9	1.71	0.82	0.82	0.01	0.04	17	11	4	8	5	7	<10	0.19	10	
DBL0+00	<2	23	3	56	<1	34	15	<2	<5	<5	<5	3.17	471	<10	185	38	86	<20	<20	6	1.98	0.76	0.83	0.01	0.03	10	6	4	10	5	<5	<10	0.20	7	
D0+00-0+50E	<2	21	4	44	<1	36	14	<2	<5	<5	<5	2.87	320	<10	149	45	76	<20	<20	8	2.08	0.70	0.58	0.01	0.02	10	6	4	8	5	<5	<10	0.20	8	
D0+00-1+00E	<2	25	4	50	<1	44	17	<2	<5	<5	<5	2.85	316	<10	123	44	81	<20	<20	8	2.33	0.75	0.65	0.01	0.02	9	5	3	8	5	<5	<10	0.21	13	
D0+00-1+50E	<2	22	3	41	<1	37	15	<2	<5	<5	<5	2.83	402	<10	141	40	79	<20	<20	6	1.89	0.84	0.79	0.01	0.03	11	7	3	7	5	<5	<10	0.21	11	
D0+00-2+00E	0.2	18	4	66	<1	25	13	<2	<5	<5	<5	5.40	557	<10	214	54	132	<20	<20	8	2.62	0.60	0.49	0.01	0.03	8	4	7	17	8	<5	<10	0.21	3	
D0+00-2+50E	<2	15	4	56	<1	23	11	<2	<5	<5	<5	3.39	316	<10	142	44	89	<20	<20	9	2.41	0.44	0.40	<.01	0.02	7	4	6	12	6	<5	<10	0.18	5	
D0+00-3+00E	<2	17	6	72	<1	30	11	<2	<5	<5	<5	3.65	246	<10	135	47	80	<20	<20	10	2.79	0.45	0.28	<.01	0.03	6	4	5	17	6	<5	<10	0.14	5	
D0+00-0+50W	<2	22	3	45	<1	37	15	<2	<5	<5	<5	2.92	505	<10	178	36	81	<20	<20	5	1.95	0.80	0.82	0.01	0.03	9	6	4	8	5	<5	<10	0.20	7	
D0+00-1+00W	<2	14	4	69	<1	19	13	<2	<5	<5	<5	5.73	386	<10	254	49	179	<20	<20	6	2.41	0.53	0.58	0.01	0.03	11	4	9	20	11	<5	<10	0.32	5	
DBL1+00N	<2	26	4	45	<1	36	14	<2	<5	<5	<5	2.89	468	<10	123	45	74	<20	<20	10	1.78	0.73	0.64	0.01	0.03	13	6	3	9	5	<5	<10	0.19	6	
D1+00N-0+50E	<2	25	3	44	<1	40	14	<2	<5	<5	<5	2.77	433	<10	150	39	72	<20	<20	8	1.80	0.74	0.76	0.01	0.03	12	6	4	8	5	<5	<10	0.20	6	
D1+00N-1+00E	<2	15	4	77	<1	44	15	<2	<5	5	<5	3.25	292	<10	117	49	79	<20	<20	9	2.33	0.64	0.58	0.01	0.03	9	4	4	14	5	<5	<10	0.20	7	
D1+00N-1+50E	<2	13	6	57	<1	17	10	<2	<5	<5	<5	4.36	404	<10	199	43	135	<20	<20	7	1.96	0.42	0.68	0.01	0.03	10	4	7	9	8	<5	<10	0.22	2	
D1+00N-2+00E	<2	17	4	77	<1	31	15	<2	<5	<5	<5	3.72	468	<10	118	49	84	<20	<20	9	3.08	0.59	0.57	0.01	0.03	8	5	4	17	6	<5	<10	0.19	6	
D1+00N-2+50E	<2	14	4	101	<1	32	14	<2	<5	5	<5	4.24	354	<10	119	51	81	<20	<20	10	2.88	0.56	0.30	<.01	0.03	7	4	5	20	6	<5	<10	0.17	9	
D1+00N-3+00E	<2	18	7	95	<1	47	18	0.2	<5	6	<5	3.79	293	<10	93	60	66	<20	<20	14	2.88	0.66	0.25	<.01	0.04	7	4	4	23	5	<5	<10	0.13	6	



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00971.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 11 OF 17

PROJECT: NONE GIVEN1

SAMPLE	ELEMENT	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
NUMBER	UNITS	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
D1+00N-0+50W		<.2	19	4	56	<1	30	14	<.2	<5	5	<5	4.11	621	<10	192	47	109	<20	<20	7	2.38	0.67	0.69	0.01	0.03	10	6	6	14	6	<5	<10	0.22	4
D1+00N-1+00W		<.2	15	6	124	<1	22	13	0.2	<5	<5	<5	4.59	300	<10	150	45	100	<20	<20	10	2.02	0.48	0.49	<.01	0.05	16	3	6	21	7	<5	<10	0.19	4
D1+00N-2+00W		<.2	24	4	55	<1	44	19	<.2	<5	6	<5	4.36	253	<10	142	55	92	<20	<20	9	3.43	0.56	0.43	0.01	0.04	9	7	5	15	6	5	<10	0.21	14
D1+00N-2+50W		<.2	14	6	64	<1	18	10	<.2	<5	<5	<5	4.08	342	<10	124	45	91	<20	<20	9	2.60	0.37	0.39	<.01	0.02	8	4	5	16	6	<5	<10	0.14	3
D1+00N-3+00W		<.2	7	8	72	<1	11	8	<.2	<5	<5	<5	3.18	284	<10	98	35	87	<20	<20	13	1.94	0.28	0.36	<.01	0.04	7	3	7	14	6	<5	<10	0.15	3
D1+00N-3+50W		<.2	13	8	45	<1	15	11	<.2	<5	<5	<5	3.94	472	<10	207	40	119	<20	<20	9	1.54	0.35	0.54	<.01	0.05	12	3	7	8	8	<5	<10	0.19	2
D1+00N-4+00W		<.2	14	6	63	<1	30	11	<.2	<5	<5	<5	2.91	245	<10	98	40	66	<20	<20	10	2.25	0.51	0.44	<.01	0.03	7	4	5	13	5	<5	<10	0.16	5
D1+00N-4+50W		<.2	22	3	69	<1	34	18	<.2	<5	5	<5	4.14	331	<10	152	49	103	<20	<20	6	2.72	0.67	0.60	0.01	0.02	9	7	5	14	6	<5	<10	0.22	12
D2+00N-0+50E		<.2	18	4	58	<1	22	11	<.2	<5	<5	<5	4.94	353	<10	154	54	111	<20	<20	7	2.80	0.54	0.61	0.01	0.02	11	5	5	18	7	<5	<10	0.19	6
D2+00N-1+00E		<.2	18	4	47	<1	29	12	<.2	<5	<5	<5	2.97	457	<10	158	37	87	<20	<20	7	1.76	0.61	0.69	0.01	0.03	9	5	4	9	6	<5	<10	0.20	5
D2+00N-1+50E		<.2	10	7	52	<1	17	10	<.2	<5	<5	<5	4.26	354	<10	233	42	143	<20	<20	7	1.89	0.45	0.54	<.01	0.03	10	3	8	13	9	<5	<10	0.21	2
D2+00N-2+00E		<.2	7	8	57	<1	10	7	<.2	<5	<5	<5	3.76	335	<10	231	37	124	<20	<20	9	1.67	0.29	0.49	<.01	0.03	9	2	8	9	8	<5	<10	0.20	1
D2+00N-2+50E		<.2	19	3	51	<1	45	18	<.2	<5	<5	<5	3.09	433	<10	134	39	77	<20	<20	8	2.19	0.74	0.77	0.01	0.03	10	6	4	12	5	<5	<10	0.20	9
D2+00N-3+00E		0.3	14	3	83	<1	24	10	<.2	<5	<5	<5	4.37	396	<10	146	50	100	<20	<20	9	2.53	0.52	0.46	0.01	0.03	9	4	6	17	6	<5	<10	0.18	4
DBL2+00N		0.2	18	6	56	<1	14	7	<.2	<5	<5	<5	2.89	451	<10	203	35	94	<20	<20	12	1.77	0.29	0.50	<.01	0.03	11	4	6	9	6	<5	<10	0.14	1
D2+00N-0+50W		<.2	25	4	52	<1	37	17	<.2	<5	6	<5	3.39	667	<10	184	41	84	<20	<20	7	2.36	0.69	0.81	0.01	0.03	12	7	4	9	6	<5	<10	0.19	4
D2+00N-1+00W		<.2	12	4	66	<1	32	15	<.2	<5	<5	<5	3.13	357	<10	111	48	76	<20	<20	9	2.24	0.53	0.55	0.01	0.03	9	4	4	13	5	<5	<10	0.19	4
D2+00N-1+50W		<.2	11	4	72	<1	19	9	<.2	<5	<5	<5	3.68	601	<10	132	45	98	<20	<20	9	2.04	0.45	0.40	<.01	0.03	8	3	6	15	6	<5	<10	0.19	2
D2+00N-2+00W		0.2	10	7	54	<1	15	8	<.2	<5	<5	<5	3.60	259	<10	100	39	96	<20	<20	10	1.74	0.34	0.31	<.01	0.03	6	3	6	11	6	<5	<10	0.18	3
D2+00N-2+50W		0.2	9	4	69	<1	22	10	<.2	<5	<5	<5	3.90	234	<10	133	42	89	<20	<20	11	2.14	0.45	0.40	<.01	0.04	10	3	6	19	6	<5	<10	0.16	4
D2+00N-3+00W		<.2	32	4	52	<1	43	16	<.2	<5	6	<5	4.47	460	<10	213	51	106	<20	<20	6	3.08	0.77	0.75	0.01	0.05	10	6	6	18	7	5	<10	0.19	6
D2+00N-3+50W		<.2	9	6	51	<1	12	10	<.2	<5	<5	<5	3.42	863	<10	172	37	134	<20	<20	7	1.56	0.32	0.68	0.01	0.03	9	3	8	5	8	<5	<10	0.23	2
D2+00N-4+00W		<.2	23	4	80	<1	24	13	<.2	<5	<5	<5	6.46	502	<10	219	56	140	<20	<20	8	2.53	0.59	0.61	0.01	0.03	10	5	6	25	9	<5	<10	0.17	2
D2+00N-4+50W		<.2	7	7	35	<1	8	6	<.2	<5	<5	<5	2.02	173	<10	185	23	100	<20	<20	10	1.24	0.23	0.58	<.01	0.02	9	2	7	3	6	<5	<10	0.18	1
D2+00N-5+00W		<.2	10	4	64	<1	18	8	<.2	<5	<5	<5	4.03	204	<10	119	39	123	<20	<20	9	1.70	0.45	0.57	<.01	0.02	9	3	6	10	8	<5	<10	0.19	3
D3+00N-0+50E		<.2	18	3	81	<1	36	15	<.2	<5	<5	<5	3.14	378	<10	128	44	77	<20	<20	8	2.19	0.62	0.55	0.01	0.03	8	5	4	11	5	<5	<10	0.17	6
D3+00N-1+00E		<.2	13	4	62	<1	22	11	<.2	<5	<5	<5	4.08	396	<10	133	42	102	<20	<20	6	2.02	0.49	0.66	<.01	0.03	12	4	5	12	6	<5	<10	0.17	3
D3+00N-1+50E		<.2	22	6	45	<1	41	15	<.2	<5	<5	<5	3.04	303	<10	152	50	70	<20	<20	10	2.07	0.65	0.46	0.01	0.03	9	5	4	12	4	<5	<10	0.18	10
D3+00N-2+00E		<.2	13	7	75	<1	14	12	0.2	<5	<5	<5	4.86	803	<10	189	49	141	<20	<20	7	1.98	0.39	0.57	<.01	0.05	11	3	8	12	9	<5	<10	0.21	2
D3+00N-2+50E		<.2	10	7	53	<1	14	8	<.2	<5	<5	<5	2.94	391	<10	217	34	87	<20	<20	13	1.44	0.39	0.44	<.01	0.04	9	3	6	10	6	<5	<10	0.17	2



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00971.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 2-JUL-98

PAGE 12 OF 17

PROJECT: NONE GIVEN1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
D3+00N-3+00E	<.2	19	4	74	<1	32	13	<.2	<5	<5	<5	4.34	404	<10	131	44	101	<20	<20	7	2.26	0.76	0.76	0.01	0.03	10	5	5	17	6	<5	<10	0.20	5	
DBL3+00N	<.2	17	4	88	<1	25	12	<.2	<5	<5	<5	3.91	356	<10	165	46	102	<20	<20	10	2.20	0.59	0.60	0.01	0.03	11	5	6	15	6	<5	<10	0.20	3	
D3+00N-0+50W	<.2	24	4	50	<1	29	16	<.2	<5	<5	<5	3.67	613	<10	103	41	81	<20	<20	10	2.16	0.61	0.64	0.01	0.03	11	8	4	11	5	<5	<10	0.16	3	
D3+00N-1+00W	<.2	63	7	59	<1	30	19	0.3	<5	12	<5	4.20	1555	<10	106	75	134	<20	<20	11	2.45	0.47	0.89	0.01	0.04	18	19	6	14	8	7	<10	0.16	2	
D3+00N-1+50W	<.2	11	4	67	<1	17	10	<.2	<5	<5	<5	2.79	322	<10	104	31	80	<20	<20	10	1.54	0.40	0.65	<.01	0.02	12	3	5	10	5	<5	<10	0.18	3	
D3+00N-2+50W	<.2	24	3	83	<1	33	14	<.2	<5	5	<5	4.84	488	<10	224	50	110	<20	<20	7	2.68	0.71	0.69	0.01	0.05	12	6	5	18	7	<5	<10	0.19	5	
D3+00N-3+00WA	<.2	13	4	119	<1	22	10	<.2	<5	<5	<5	4.68	421	<10	124	50	110	<20	<20	10	2.83	0.47	0.31	<.01	0.03	8	5	6	18	7	<5	<10	0.17	4	
D3+00N-3+00WB	<.2	13	4	51	<1	26	13	<.2	<5	<5	<5	3.09	322	<10	92	37	78	<20	<20	9	2.03	0.58	0.63	0.01	0.03	9	5	5	11	5	<5	<10	0.20	5	
D3+00N-3+50W	<.2	26	3	68	<1	28	13	<.2	<5	<5	<5	4.68	483	<10	198	47	124	<20	<20	9	2.26	0.60	0.66	0.01	0.03	12	7	6	14	7	5	<10	0.18	3	
D3+00N-4+00W	<.2	20	4	65	<1	33	13	<.2	<5	<5	<5	3.90	362	<10	143	46	96	<20	<20	8	2.52	0.66	0.58	0.01	0.03	9	5	5	14	6	<5	<10	0.19	5	
D3+00N-4+50W	<.2	13	4	66	<1	29	10	<.2	<5	<5	<5	3.75	284	<10	105	45	76	<20	<20	8	2.26	0.59	0.54	0.01	0.03	8	4	4	14	5	<5	<10	0.18	7	
D3+00N-5+00W	<.2	25	3	48	<1	30	12	<.2	<5	5	<5	5.15	305	<10	144	54	120	<20	<20	7	2.65	0.64	0.68	0.01	0.03	10	6	6	16	7	5	<10	0.22	7	
DBL4+00N	<.2	11	6	42	<1	22	10	<.2	<5	<5	<5	3.27	234	<10	136	39	102	<20	<20	9	1.93	0.55	0.67	0.01	0.02	10	4	6	14	6	<5	<10	0.24	6	
D4+00N-0+50W	0.4	32	4	40	<1	32	12	<.2	<5	6	<5	4.31	571	<10	91	61	109	<20	<20	9	2.33	0.62	0.71	0.01	0.04	13	9	5	14	6	5	<10	0.18	3	
D4+00N-1+00W	<.2	48	3	48	<1	40	18	<.2	<5	6	<5	3.26	660	<10	176	42	91	<20	<20	9	2.01	0.96	1.06	0.02	0.04	16	11	5	9	6	7	<10	0.23	10	
D4+00N-1+50W	<.2	19	6	74	<1	39	15	<.2	<5	5	<5	4.13	302	<10	129	49	98	<20	<20	9	2.61	0.64	0.64	0.01	0.03	9	6	5	14	6	<5	<10	0.19	9	
D4+00N-2+00W	<.2	24	3	51	<1	26	14	<.2	<5	<5	<5	4.32	663	<10	245	47	119	<20	<20	6	2.09	0.64	0.84	0.01	0.05	13	6	6	12	7	<5	<10	0.17	3	
D4+00N-2+50W	<.2	14	3	55	<1	24	12	<.2	<5	5	<5	4.39	340	<10	92	45	101	<20	<20	10	1.91	0.62	0.60	0.01	0.03	11	4	5	17	6	<5	<10	0.23	5	



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

REPORT: V98-00976.0 (COMPLETE)

PROJECT: NONE GIVEN1

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 30-JUN-98

PAGE 1 OF 5

SAMPLE	ELEMENT	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
NUMBER	UNITS	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
RA0+00N 0+00E	<.2	32	3	55	<1	38	24	<.2	<5	<5	<5	4.71	781	<10	68	67	139	<20	<20	8	3.34	1.57	2.14	0.05	0.05	45	15	8	21	12	11	<10	0.42	17	
RA0+00N 0+50E	<.2	23	3	53	<1	29	20	<.2	<5	<5	<5	5.01	572	<10	62	62	153	<20	<20	7	3.10	1.04	1.32	0.03	0.03	27	9	8	20	14	7	<10	0.43	11	
RA0+00N 1+00E	<.2	28	4	45	<1	28	15	<.2	<5	7	<5	4.32	332	<10	50	60	116	<20	<20	8	3.44	0.73	0.90	0.02	0.03	27	12	7	20	11	7	<10	0.27	9	
RA0+00N 1+50E	<.2	30	5	49	<1	35	18	<.2	<5	8	<5	5.52	339	<10	64	69	144	<20	<20	7	3.55	1.00	0.76	0.02	0.04	25	8	8	26	13	7	<10	0.36	9	
RA0+00N 2+00E	<.2	41	3	62	<1	43	21	<.2	<5	6	<5	5.32	627	<10	85	83	133	<20	<20	6	4.66	1.46	1.28	0.02	0.05	64	10	9	29	12	9	<10	0.25	5	
RA0+00N 2+50E	<.2	27	4	64	<1	30	16	<.2	<5	6	<5	5.33	375	<10	60	62	137	<20	<20	5	3.17	0.90	0.83	0.02	0.04	27	6	8	23	12	6	<10	0.30	6	
RA0+00N 3+00E	<.2	22	5	62	<1	26	16	<.2	<5	5	<5	5.54	369	<10	50	64	161	<20	<20	7	3.25	0.84	0.82	0.02	0.04	26	6	9	27	15	6	<10	0.35	7	
RA0+00N 3+50E	<.2	35	4	70	<1	35	21	<.2	<5	7	<5	6.13	972	<10	70	66	161	<20	<20	6	3.63	1.10	0.97	0.02	0.05	52	8	9	25	14	7	<10	0.35	6	
RA0+00N 4+00E	<.2	21	4	71	<1	21	15	<.2	<5	<5	<5	5.28	458	<10	63	67	146	<20	<20	6	2.94	0.65	0.71	0.02	0.04	17	5	9	22	13	5	<10	0.36	8	
RA1+00N 0+00E	<.2	27	3	52	<1	31	18	<.2	<5	5	<5	4.61	469	<10	78	62	124	<20	<20	7	3.28	1.01	0.99	0.02	0.04	30	7	7	18	11	7	<10	0.31	9	
RA1+00N 0+50E	<.2	64	3	84	<1	38	33	<.2	<5	5	<5	6.44	1477	<10	68	75	155	<20	<20	6	4.22	2.03	1.94	0.03	0.08	120	15	9	18	13	14	<10	0.33	11	
RA1+00N 1+00E	<.2	24	4	58	<1	28	15	<.2	<5	6	<5	5.50	385	<10	92	64	145	<20	<20	7	3.30	0.88	0.80	0.02	0.04	33	8	9	25	13	6	<10	0.34	6	
RA1+00N 1+50E	<.2	20	6	46	<1	15	11	<.2	<5	<5	<5	4.94	312	<10	88	55	166	<20	<20	6	1.99	0.44	0.73	0.01	0.05	27	4	9	11	15	<5	<10	0.35	4	
RA1+00N 2+00E	<.2	27	5	84	<1	24	14	<.2	<5	6	<5	6.18	871	<10	88	60	161	<20	<20	5	2.72	0.71	0.78	0.01	0.06	24	5	9	23	14	<5	<10	0.28	2	
RA1+00N 2+50E	<.2	87	6	64	<1	41	21	<.2	<5	12	<5	4.65	1239	<10	79	86	134	<20	<20	11	3.22	1.26	1.42	0.02	0.05	36	35	6	31	12	16	<10	0.22	6	
RA1+00N 3+00E	<.2	38	3	57	<1	29	18	<.2	<5	<5	<5	5.70	736	<10	109	77	151	<20	<20	5	3.01	1.13	1.07	0.02	0.05	36	5	8	20	14	6	<10	0.29	4	
RA1+00N 3+50E	<.2	52	3	63	<1	41	23	<.2	<5	10	<5	5.35	678	<10	56	72	136	<20	<20	7	3.91	1.29	0.97	0.02	0.05	31	14	7	26	12	9	<10	0.28	9	
RA1+00N 4+00E	<.2	23	4	69	<1	21	15	<.2	<5	5	<5	6.27	946	<10	77	63	172	<20	<20	6	2.63	0.70	0.70	0.02	0.04	30	5	9	18	15	<5	<10	0.32	2	
RB0+00N 0+00W	<.2	24	6	72	<1	32	13	<.2	<5	<5	<5	4.08	312	<10	134	54	84	<20	<20	13	2.91	0.74	0.60	0.02	0.07	15	8	6	22	8	5	<10	0.16	3	
RB0+00N 0+50W	<.2	19	6	46	<1	26	14	<.2	<5	<5	<5	3.15	499	<10	86	47	79	<20	<20	14	2.19	0.85	0.92	0.02	0.05	17	9	6	18	7	6	<10	0.20	6	
RB0+00N 1+00W	<.2	32	7	54	<1	35	15	<.2	<5	5	<5	3.92	497	<10	127	59	88	<20	<20	15	2.46	0.94	1.05	0.03	0.10	24	14	5	17	8	10	<10	0.21	15	
RB0+00N 1+50W	<.2	25	6	43	<1	31	15	<.2	<5	<5	<5	3.46	538	<10	108	50	88	<20	<20	12	2.31	0.86	1.06	0.03	0.06	19	10	5	14	8	8	<10	0.23	14	
RB0+00N 2+00W	<.2	36	6	53	<1	34	20	<.2	<5	<5	<5	4.09	741	<10	99	65	97	<20	<20	14	2.71	0.91	0.99	0.02	0.06	22	16	6	16	9	11	<10	0.22	9	
RB0+00N 2+50W	<.2	35	7	57	<1	33	16	<.2	<5	<5	<5	3.87	460	<10	113	57	92	<20	<20	15	2.63	0.78	0.86	0.02	0.07	23	13	6	16	8	11	<10	0.21	11	
RB0+00N 3+00W	<.2	19	5	47	<1	26	15	<.2	<5	<5	<5	3.19	501	<10	70	48	82	<20	<20	14	2.10	0.75	0.95	0.02	0.05	21	10	5	14	7	7	<10	0.22	9	
RB0+00N 3+50W	<.2	30	6	51	<1	32	18	<.2	<5	<5	<5	3.69	748	<10	90	50	93	<20	<20	14	2.57	0.86	1.09	0.03	0.06	24	11	6	13	8	8	<10	0.24	13	
RC0+00N 0+00W	<.2	17	4	47	<1	21	11	0.2	<5	<5	<5	4.42	230	<10	114	51	95	<20	<20	8	2.55	0.59	0.59	0.02	0.03	8	6	6	18	9	<5	<10	0.26	10	
RC0+00N 0+50W	<.2	24	2	39	<1	22	13	<.2	<5	<5	<5	4.57	258	<10	50	53	112	<20	<20	4	3.72	0.65	0.83	0.02	0.01	10	9	6	11	10	7	<10	0.32	28	
RC0+00N 1+50W	<.2	17	3	60	<1	21	12	<.2	<5	<5	<5	4.12	222	<10	62	47	80	<20	<20	8	3.11	0.56	0.77	0.02	0.02	14	7	5	14	8	5	<10	0.22	12	
RC0+00N 2+00W	<.2	48	5	90	<1	31	22	0.2	<5	7	<5	4.70	1317	<10	222	52	119	<20	<20	8	3.47	1.10	1.89	0.02	0.12	44	13	7	12	11	8	<10	0.30	25	



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00976.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 30-JUN-98

PAGE 2 OF 5

PROJECT: NONE GIVEN1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
RCO+00N 2+50W	<.2	31	6	53	<1	18	13	<.2	<5	<5	<5	3.77	740	<10	135	45	113	<20	<20	9	2.29	0.49	0.77	0.01	0.05	17	12	6	11	11	6	<10	0.22	4	
RCO+00N 3+50W	<.2	41	6	63	<1	27	12	<.2	<5	<5	<5	4.89	440	<10	95	64	113	<20	<20	9	2.72	0.61	0.63	0.01	0.04	14	11	7	14	10	6	<10	0.18	4	
RCO+00N 4+00W	<.2	22	3	58	<1	22	16	<.2	<5	<5	<5	5.01	476	<10	53	43	136	<20	<20	5	2.75	0.72	1.15	0.02	0.02	12	8	7	9	12	5	<10	0.33	11	
RC1+00N 0+00W	<.2	19	5	38	<1	20	12	<.2	<5	<5	<5	4.56	237	<10	99	49	116	<20	<20	8	2.91	0.55	0.70	0.02	0.02	13	7	6	13	11	6	<10	0.28	14	
RC1+00N 0+50W	<.2	24	5	41	<1	28	16	<.2	<5	<5	<5	3.83	318	<10	78	51	93	<20	<20	10	3.00	0.69	0.77	0.02	0.03	13	11	5	14	9	7	<10	0.24	11	
RC1+00N 1+00W	<.2	23	5	48	<1	29	17	<.2	<5	<5	<5	4.25	319	<10	54	51	104	<20	<20	9	3.49	0.75	0.84	0.02	0.03	13	9	6	15	9	6	<10	0.26	16	
RC1+00N 1+50W	<.2	26	4	51	<1	32	19	<.2	<5	<5	<5	4.50	434	<10	59	55	123	<20	<20	7	3.58	0.98	1.25	0.02	0.03	14	10	7	13	11	7	<10	0.35	14	
RC1+00N 2+00W	<.2	14	5	86	<1	25	17	<.2	<5	<5	<5	5.10	364	<10	76	59	126	<20	<20	7	3.33	0.69	0.82	0.02	0.03	12	6	8	17	11	6	<10	0.37	14	
RC1+00N 2+50W	<.2	15	4	44	<1	20	11	<.2	<5	<5	<5	3.75	352	<10	68	47	108	<20	<20	8	2.45	0.57	0.85	0.02	0.03	11	6	6	12	10	<5	<10	0.27	5	
RC1+00N 3+00W	<.2	14	5	58	<1	15	11	<.2	<5	<5	<5	3.98	581	<10	153	38	111	<20	<20	9	1.66	0.46	0.89	0.01	0.05	18	3	6	11	10	<5	<10	0.22	3	
RC1+00N 3+50W	<.2	18	4	78	<1	24	16	<.2	<5	<5	<5	6.07	398	<10	68	56	157	<20	<20	6	3.01	0.80	1.14	0.02	0.02	17	7	9	15	14	6	<10	0.35	12	
RC1+00N 4+00W	<.2	25	5	62	<1	23	14	<.2	<5	<5	<5	5.28	494	<10	127	56	127	<20	<20	11	2.61	0.58	0.64	0.02	0.03	14	9	7	15	11	6	<10	0.31	8	
RDO+00W 0+00N	<.2	16	6	48	<1	19	10	<.2	<5	<5	<5	4.92	208	<10	62	57	98	<20	<20	8	3.06	0.52	0.51	0.01	0.02	8	5	6	21	9	<5	<10	0.22	11	
RDO+00W 0+50N	<.2	26	8	77	<1	32	15	<.2	<5	6	<5	3.90	425	<10	84	52	70	<20	<20	16	2.83	0.76	0.50	0.01	0.05	10	6	5	22	7	<5	<10	0.16	6	
RDO+00W 1+00N	0.2	24	3	81	<1	30	18	0.2	<5	7	<5	5.56	722	<10	119	66	127	<20	<20	5	3.42	0.96	0.94	0.02	0.02	11	8	8	25	11	7	<10	0.28	7	
RDO+00W 1+50N	<.2	10	9	57	<1	13	5	0.3	<5	<5	<5	3.32	153	<10	82	33	39	<20	<20	21	1.81	0.38	0.14	<.01	0.04	7	3	4	20	4	<5	<10	0.05	<1	
RDO+00W 2+00N	<.2	18	5	62	<1	16	13	0.3	<5	<5	<5	4.41	844	<10	112	49	88	<20	<20	10	2.27	0.46	0.54	0.01	0.03	10	3	5	14	8	<5	<10	0.19	3	
RDO+00W 2+50N	<.2	16	9	62	<1	28	12	<.2	<5	<5	<5	3.20	549	<10	90	44	47	<20	<20	25	1.83	0.68	0.35	0.01	0.04	12	6	4	21	4	<5	<10	0.08	1	
RDO+00W 3+00N	<.2	11	6	46	<1	16	11	0.3	<5	<5	<5	2.66	678	<10	129	31	72	<20	<20	10	1.50	0.47	0.74	0.01	0.03	10	4	5	8	6	<5	<10	0.18	2	
RDO+00W 3+50N	<.2	8	7	40	<1	14	7	0.3	<5	<5	<5	2.93	161	<10	67	44	55	<20	<20	15	2.07	0.40	0.37	<.01	0.03	10	4	5	16	6	<5	<10	0.13	2	
RDO+00W 4+00N	<.2	17	6	41	<1	39	15	<.2	<5	<5	<5	2.78	273	<10	125	41	63	<20	<20	10	2.06	0.63	0.70	0.01	0.03	11	6	3	10	6	<5	<10	0.19	8	
RD1+00W 0+00N	<.2	28	6	49	<1	37	17	<.2	<5	7	<5	3.32	348	<10	104	55	78	<20	<20	12	2.55	0.87	0.69	0.02	0.04	12	6	5	14	7	5	<10	0.22	11	
RD1+00W 0+50N	<.2	14	7	89	<1	22	9	<.2	<5	5	<5	4.80	209	<10	95	43	62	<20	<20	17	2.58	0.54	0.26	<.01	0.04	8	4	4	25	6	<5	<10	0.12	3	
RD1+00W 1+00N	<.2	21	7	67	<1	29	14	<.2	<5	7	<5	4.08	278	<10	103	43	71	<20	<20	18	2.80	0.68	0.45	0.01	0.04	10	5	5	22	7	<5	<10	0.15	5	
RD1+00W 1+50N	<.2	17	11	96	<1	32	14	<.2	<5	6	<5	3.92	326	<10	81	43	42	<20	<20	27	2.39	0.73	0.19	<.01	0.05	9	4	4	28	4	<5	<10	0.07	2	
RD1+00W 2+00N	0.2	19	8	55	<1	24	14	0.2	<5	<5	<5	3.14	625	<10	113	43	67	<20	<20	16	1.95	0.60	0.57	0.01	0.05	14	7	5	13	6	<5	<10	0.15	2	
RD1+00W 2+50N	0.2	16	9	76	<1	25	11	<.2	<5	5	<5	3.76	726	<10	117	46	52	<20	<20	23	2.04	0.69	0.40	<.01	0.05	13	6	4	22	5	<5	<10	0.08	<1	
RD1+00W 3+00N	<.2	10	6	65	<1	18	10	0.3	<5	<5	<5	3.22	293	<10	102	34	75	<20	<20	9	1.60	0.56	0.71	0.01	0.04	10	4	5	11	7	<5	<10	0.18	4	
RD1+00W 3+50N	<.2	12	6	52	<1	18	10	0.3	<5	<5	<5	3.15	341	<10	127	35	80	<20	<20	8	1.59	0.53	0.72	0.01	0.03	10	4	5	9	7	<5	<10	0.18	3	
RD1+00W 4+00N	<.2	14	6	49	<1	20	12	0.2	<5	<5	<5	3.62	464	<10	120	39	93	<20	<20	8	2.00	0.59	0.80	0.01	0.03	9	5	6	10	8	<5	<10	0.21	2	



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00976.0 (COMPLETE)

PROJECT: NONE GIVEN1

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 30-JUN-98

PAGE 3 OF 5

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
M2+00N 0+50W		<.2	56	5	53	<1	19	19	<.2	<5	<5	<5	3.83	1537	<10	42	47	127	<20	<20	13	2.48	0.47	0.97	0.01	0.03	24	28	7	8	11	6	<10	0.15	3
M2+00N 1+00W		<.2	27	3	43	<1	21	15	<.2	<5	<5	<5	4.13	420	<10	34	41	114	<20	<20	4	2.06	0.65	0.86	0.03	0.02	14	8	6	5	10	<5	<10	0.27	10
M2+00N 1+50W		<.2	29	2	51	<1	28	17	<.2	<5	<5	<5	5.22	352	<10	35	52	123	<20	<20	5	3.06	0.94	1.08	0.03	0.02	23	12	7	11	11	6	<10	0.33	13
M2+00N 2+00W		<.2	149	4	54	<1	23	21	0.3	<5	<5	<5	4.08	1256	<10	29	57	147	<20	<20	15	2.61	0.71	1.09	0.03	0.02	21	45	7	8	13	14	<10	0.23	7
M2+00N 2+50W		<.2	95	4	47	<1	29	19	<.2	<5	<5	<5	4.04	810	<10	39	56	129	<20	<20	14	2.81	0.86	1.22	0.03	0.03	22	38	7	11	12	13	<10	0.22	8
M4+00N 0+00W		<.2	36	<2	19	<1	12	8	<.2	<5	<5	<5	3.93	326	<10	27	37	65	<20	<20	2	2.88	1.06	0.51	<.01	0.01	21	8	3	8	6	<5	<10	0.11	5
M4+00N 0+50E		<.2	44	3	63	<1	19	15	0.3	<5	<5	<5	6.20	972	<10	57	71	134	<20	<20	3	2.62	0.90	0.48	0.01	0.03	13	6	6	26	12	5	<10	0.14	3
M4+00N 1+00E		<.2	44	5	47	<1	12	10	<.2	<5	<5	<5	5.54	242	<10	42	63	185	<20	<20	7	2.27	0.32	0.43	0.01	0.01	23	10	9	7	16	6	<10	0.35	11
M4+00N 1+00W		<.2	35	5	68	<1	20	12	<.2	<5	<5	<5	3.74	480	<10	55	46	94	<20	<20	10	2.32	0.53	0.68	0.01	0.04	25	9	6	11	9	<5	<10	0.17	5
M4+00N 1+50W		<.2	82	5	57	<1	27	11	<.2	<5	<5	<5	4.39	301	<10	57	62	118	<20	<20	9	2.95	0.50	0.80	0.01	0.04	20	16	9	11	11	8	<10	0.16	3
M4+00N 2+00W		<.2	88	5	51	<1	16	9	0.2	<5	<5	<5	3.38	441	<10	28	54	92	<20	<20	13	2.05	0.37	0.76	0.01	0.02	21	33	5	10	8	9	<10	0.08	2
M4+00N 2+50W		<.2	38	4	53	<1	32	18	<.2	<5	<5	<5	4.10	589	<10	63	50	109	<20	<20	10	2.82	0.89	1.12	0.03	0.03	22	14	6	11	10	6	<10	0.25	8
M4+00N 3+00W		<.2	68	6	84	<1	26	24	0.2	<5	<5	<5	4.99	1727	<10	47	66	173	<20	<20	11	2.93	0.68	1.12	0.02	0.03	26	29	8	13	14	9	<10	0.18	4
M4+00N 3+50W		<.2	24	4	43	<1	30	19	<.2	<5	<5	<5	4.32	443	<10	45	48	120	<20	<20	7	2.65	0.87	1.02	0.03	0.03	17	12	7	11	10	6	<10	0.28	11
MSL01		<.2	36	4	73	<1	42	23	<.2	<5	18	<5	4.69	2532	<10	172	61	136	<20	<20	8	2.97	1.22	1.60	0.02	0.04	24	15	6	23	11	11	<10	0.27	5
MSL02		<.2	50	5	73	<1	42	20	<.2	<5	11	<5	4.19	960	<10	157	52	120	<20	<20	9	2.69	1.33	1.39	0.02	0.04	21	15	6	22	10	9	<10	0.25	5
MSL03		<.2	29	7	63	<1	35	18	<.2	<5	6	<5	3.60	684	<10	124	47	100	<20	<20	11	2.37	0.99	1.20	0.02	0.05	18	12	6	17	8	8	<10	0.22	5
MSL04		<.2	29	4	57	<1	30	18	<.2	<5	<5	<5	3.74	804	<10	64	54	128	<20	<20	10	2.81	0.95	1.56	0.02	0.03	24	22	6	12	10	12	<10	0.24	6
MSL05		<.2	32	3	46	<1	31	19	<.2	<5	15	<5	3.48	726	<10	92	45	116	<20	<20	7	2.37	1.18	1.67	0.02	0.04	18	13	6	19	9	8	<10	0.29	9
MSL06		<.2	21	4	102	<1	34	22	<.2	<5	<5	<5	4.40	2676	<10	102	44	133	<20	<20	7	2.93	1.21	1.83	0.03	0.03	23	15	7	13	10	8	<10	0.31	10
MSL07		<.2	24	5	43	<1	23	12	<.2	<5	<5	<5	2.47	798	<10	93	39	78	<20	<20	7	1.53	0.62	1.00	0.01	0.03	13	13	4	9	7	<5	<10	0.17	3
MSL08		<.2	37	6	59	<1	35	17	<.2	<5	7	<5	3.58	845	<10	166	52	102	<20	<20	11	2.49	0.99	1.22	0.02	0.04	20	13	6	16	8	8	<10	0.21	4
MSL09		<.2	42	4	67	<1	37	20	<.2	<5	6	<5	4.59	870	<10	118	57	142	<20	<20	8	3.24	1.15	1.60	0.02	0.03	22	13	7	10	12	8	<10	0.31	7
MSL10		<.2	50	5	62	<1	45	21	<.2	<5	6	<5	4.38	885	<10	252	62	132	<20	<20	7	3.21	1.36	1.57	0.03	0.04	20	13	7	11	11	9	<10	0.30	9



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00893.2 (COMPLETE)

DATE RECEIVED: 12-JUN-98

DATE PRINTED: 16-JUN-98 PAGE 1 OF 3

PROJECT: BOW

SAMPLE	ELEMENT	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
NUMBER	UNITS	PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
M-2N 0+00E		7	<.2	62	2	47	1	21	12	0.4	<5	<5	<5	5.25	444	<10	36	47	133	<20	<20	7	2.71	0.53	1.15	0.02	0.06	30	14	5	10	<1	5	<10	0.22	6
M-2N 0+50E		9	<.2	83	29	75	<1	25	19	0.3	<5	6	<5	5.91	735	<10	38	61	167	<20	<20	11	3.43	0.59	0.65	0.02	0.02	15	21	6	10	<1	10	<10	0.28	11
M-2N 1+00E		<5	<.2	55	15	50	<1	36	17	0.2	<5	<5	<5	3.97	357	<10	54	56	134	<20	<20	5	2.82	1.14	1.20	0.05	0.02	23	8	10	9	<1	6	<10	0.32	5
M-2N 4+00E		6	<.2	97	10	46	<1	34	28	0.2	<5	6	<5	4.63	1675	<10	54	75	157	<20	<20	16	2.83	0.91	1.49	0.03	0.03	32	68	6	13	<1	18	<10	0.19	5



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00982.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 29-JUN-98

PAGE 1 OF 3

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
A13+00N-0+50W		0.2	60	6	45	<1	33	18	0.2	<5	10	<5	3.86	587	<10	111	71	121	<20	<20	8	2.56	0.67	1.00	0.01	0.04	18	12	3	14	7	8	<10	0.21	4
A13+00N-1+00W		0.5	43	6	60	<1	46	22	<2	<5	16	<5	3.60	472	<10	265	79	112	<20	<20	8	2.92	1.20	1.01	0.02	0.03	25	15	4	18	7	12	<10	0.19	3
A13+00N-1+50W		<2	76	6	53	<1	41	14	<2	<5	6	<5	3.02	648	<10	205	86	88	<20	<20	11	2.76	1.02	1.00	0.01	0.04	25	31	4	16	5	15	<10	0.10	1
A13+00N-2+00W		<2	28	4	54	<1	31	19	<2	<5	6	<5	4.88	554	<10	213	52	130	<20	<20	5	4.32	0.94	0.97	0.01	0.03	28	7	5	16	8	8	<10	0.20	4
A13+00N-2+50W		<2	16	7	63	<1	15	9	<2	<5	<5	<5	5.31	307	<10	125	45	155	<20	<20	11	2.57	0.47	0.48	<0.1	0.04	15	3	8	16	10	<5	<10	0.24	3
A13+00N-3+00W		<2	17	7	67	<1	18	13	<2	<5	<5	<5	7.12	374	<10	157	58	193	<20	<20	6	2.98	0.57	0.60	0.01	0.03	14	4	9	16	13	5	<10	0.33	3
A13+00N-3+50W		<2	16	5	132	<1	19	10	<2	<5	<5	<5	5.46	281	<10	202	54	131	<20	<20	7	3.25	0.42	0.38	<0.1	0.03	11	4	6	19	9	5	<10	0.20	4
A13+00N-4+00W		0.2	114	6	81	<1	58	14	<2	<5	31	<5	5.10	654	<10	306	99	114	<20	<20	14	3.23	0.75	1.04	<0.1	0.05	27	32	3	36	7	12	<10	0.14	2
A13+00N-4+50W		0.3	49	8	61	<1	21	8	<2	<5	8	<5	4.93	197	<10	317	63	122	<20	<20	10	2.18	0.48	1.07	<0.1	0.03	29	9	6	20	8	<5	<10	0.17	2
A13+00N-5+00W		0.3	265	10	149	<1	51	19	0.6	<5	13	<5	3.23	5842	<10	400	82	76	<20	<20	14	2.94	0.56	1.57	0.01	0.05	38	56	<2	17	4	19	<10	0.04	4
A13+00N-5+50W		0.3	22	7	62	<1	21	8	<2	<5	6	<5	6.70	250	<10	172	82	136	<20	<20	7	2.41	0.51	0.55	<0.1	0.04	14	3	6	15	9	<5	<10	0.16	1
A13+00N-6+00W		0.3	155	7	67	<1	29	7	0.2	<5	6	<5	2.21	3158	<10	453	81	72	<20	<20	11	2.10	0.43	1.62	<0.1	0.04	39	26	<2	10	3	5	<10	0.03	<1
A13+00N-6+50W		0.3	25	5	59	<1	20	9	<2	<5	8	<5	5.85	234	<10	118	77	141	<20	<20	6	3.58	0.44	0.37	<0.1	0.04	10	4	6	23	10	5	<10	0.16	3
A13+00N-7+00W		<2	10	7	57	<1	13	8	<2	<5	<5	<5	3.62	233	<10	76	46	155	<20	<20	11	2.29	0.38	0.59	<0.1	0.03	13	3	10	14	11	<5	<10	0.21	1
A17+00N-5+00W		<2	36	4	70	<1	35	14	<2	<5	14	<5	7.67	426	<10	371	85	148	<20	<20	6	3.10	0.94	0.64	<0.1	0.03	15	4	6	29	10	6	<10	0.14	2
A17+00N-5+50W		<2	31	6	66	<1	21	21	<2	<5	<5	<5	3.95	2646	<10	238	44	131	<20	<20	9	2.38	0.43	0.56	<0.1	0.04	12	8	5	12	8	5	<10	0.17	1
A17+00N-6+00W		<2	32	8	71	<1	17	8	<2	<5	20	<5	4.77	320	<10	380	44	130	<20	<20	19	1.75	0.35	0.41	<0.1	0.06	14	9	6	12	9	<5	<10	0.07	<1



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00988.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 30-JUN-98

PAGE 1 OF 3

PROJECT: NONE GIVEN1

SAMPLE NUMBER	ELEMENT UNITS	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
B7+00N-7+50W		0.3	9	4	63	1	18	6	0.4	<5	7	<5	4.32	198	<10	139	57	105	<20	<20	10	2.60	0.37	0.36	<.01	0.02	8	3	5	17	2	<5	<10	0.20	2
C2+00N-9+50W		<.2	37	<2	69	1	39	15	0.3	<5	<5	<5	3.57	814	<10	251	77	103	<20	<20	9	2.52	0.85	1.00	0.02	0.04	20	17	4	12	1	8	<10	0.16	<1
C2+00N-10+00W		<.2	20	<2	38	1	24	10	0.3	<5	7	<5	4.80	278	<10	119	71	141	<20	<20	5	2.69	0.59	0.67	0.01	0.02	14	5	5	10	2	5	<10	0.29	4
C4+00N-9+50W		<.2	55	<2	47	1	47	22	<.2	<5	7	<5	4.66	681	<10	75	62	144	<20	<20	2	3.40	1.42	1.60	0.03	0.02	30	12	5	8	<1	9	<10	0.36	11
C4+00N-10+00W		<.2	16	<2	45	1	16	8	0.2	<5	7	<5	5.62	252	<10	110	66	217	<20	<20	7	2.40	0.42	0.60	0.01	0.03	12	4	8	10	2	<5	<10	0.41	4
RB1+00N 0+00W		<.2	14	<2	58	1	28	12	<.2	<5	5	<5	3.34	219	<10	74	45	86	<20	<20	10	2.58	0.53	0.54	0.01	0.04	11	5	4	16	<1	<5	<10	0.17	5
RB1+00N 0+50W		<.2	21	<2	47	1	36	14	<.2	<5	5	<5	3.96	274	<10	79	53	95	<20	<20	10	2.85	0.62	0.52	0.01	0.04	13	6	3	18	<1	<5	<10	0.18	5
RB1+00N 1+00W		<.2	13	3	55	1	22	11	<.2	<5	<5	<5	3.97	343	<10	97	51	120	<20	<20	10	2.19	0.53	0.65	0.01	0.05	15	7	5	18	<1	<5	<10	0.21	<1
RB1+00N 1+50W		<.2	10	<2	62	1	19	8	0.2	<5	<5	<5	3.71	269	<10	60	52	107	<20	<20	10	2.24	0.46	0.56	0.01	0.04	9	4	5	19	1	<5	<10	0.22	3
RB1+00N 2+00W		<.2	52	3	51	1	39	15	<.2	<5	5	<5	4.09	920	<10	119	88	121	<20	<20	16	3.10	0.80	1.32	0.02	0.06	35	59	4	15	1	23	<10	0.17	<1
RB1+00N 2+50W		<.2	20	<2	75	1	33	17	<.2	<5	<5	<5	5.25	601	<10	59	57	134	<20	<20	6	3.26	0.60	0.72	0.02	0.05	20	5	6	13	1	<5	<10	0.27	3
RB1+00N 3+00W		<.2	10	<2	57	1	20	11	<.2	<5	<5	<5	4.65	421	<10	83	52	136	<20	<20	6	2.11	0.43	0.57	0.01	0.05	12	3	5	14	1	<5	<10	0.26	<1
RB1+00N 3+50W		<.2	13	<2	44	<1	28	11	<.2	<5	<5	<5	3.54	194	<10	53	48	90	<20	<20	6	2.77	0.47	0.53	0.01	0.03	12	4	3	13	<1	<5	<10	0.19	6
RB1+00N 4+00W		<.2	10	<2	52	1	28	11	<.2	<5	<5	<5	3.71	231	<10	91	50	112	<20	<20	9	2.45	0.56	0.59	0.02	0.03	11	4	5	16	2	<5	<10	0.24	4



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

REPORT: V98-00893.0 (COMPLETE)

PROJECT: BOW

DATE RECEIVED: 08-JUN-98

DATE PRINTED: 16-JUN-98

PAGE 1 OF 4

SAMPLE NUMBER	ELEMENT	Au30	Ag	Cu	Pb	Zn	Mo	Bi	As	Sb	Hg	Cu
	UNITS	PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
MON 0+00E												22
MON 0+50E												17
MON 1+00E												15
MON 1+50E												31
MON 2+00E												42
MON 2+50E												52
MON 3+00E												32
MON 3+50E												32
MON 4+00E												22
MON 4+50E												43
MON 5+00E												42
MON 5+50E												26
MON 6+00E												31
MON 6+50E												34
MON 7+00E												28
M-2N 0+00E												61
M-2N 0+50E												80
M-2N 1+00E												58
M-2N 1+50E												17
M-2N 2+00E												37
M-2N 2+50E												28
M-2N 3+00E												42
M-2N 3+50E												32
M-2N 4+00E												95
M-2N 4+50E												35
M-2N 5+00E												24
M-2N 5+50E												24
M-2N 6+00E												25
M-2N 6+50E												37
M-2N 7+00E												30



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

REPORT: V98-00893.0 (COMPLETE)

PROJECT: BOW

DATE RECEIVED: 08-JUN-98

DATE PRINTED: 16-JUN-98

PAGE 2 OF 4

SAMPLE NUMBER	ELEMENT	Au30	Ag	Cu	Pb	Zn	Mo	Bi	As	Sb	Hg	Cu
	UNITS	PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
TS-1		30	<.2	94	11	63	1	<1	107.5	2.0	0.103	
MEG ST-2R		32	<.2	16	<2	28	2	<1	22.7	1.1	0.018	
TR-1		22	<.2	143	8	65	2	<1	42.2	2.2	0.046	



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: GEOQUEST CONSULTING LTD.

PROJECT: NONE GIVEN

REPORT: V98-01238.0 (COMPLETE)

DATE RECEIVED: 20-JUL-98

DATE PRINTED: 27-JUL-98

PAGE 1 OF 2

SAMPLE NUMBER	ELEMENT	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
	UNITS	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
A10+40N 4+40W		<.2	174	10	78	1	43	19	<.2	<5	37	<5	3.65	795	<10	646	32	49	<20	<20	24	1.66	0.64	0.32	<.01	0.35	21	10	3	16	<1	<5	<10	<.01	<1
A13+00N 4+50W		<.2	17	<2	23	2	14	1	<.2	<5	<5	<5	1.10	73	<10	700	83	18	<20	<20	8	0.72	0.21	0.03	<.01	0.22	3	1	2	6	<1	<5	<10	<.01	2



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00893.1 (COMPLETE)

DATE RECEIVED: 09-JUN-98

DATE PRINTED: 16-JUN-98

PROJECT: BOW

PAGE 1 OF 2

SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Hg PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
2+10N 0+30E		<5	<.2	79	7	68	<1	40	24	0.2	<5	6	<5	0.082	4.53	1095	<10	36	54	147	<20	<20	9	3.51	1.22	1.88	0.04	0.03	31	41	<2	9	2	13	<10	0.29	13
MEG ST-1		5	<.2	59	4	58	2	29	32	<.2	<5	<5	<5	0.136	4.02	2643	<10	40	50	146	<20	<20	10	2.69	0.79	1.52	0.02	0.02	27	40	<2	8	2	12	<10	0.15	4
MEG ST-2		<5	<.2	64	6	79	1	27	21	<.2	<5	14	<5	0.157	3.31	2630	<10	65	43	94	<20	<20	8	2.48	0.61	1.41	0.02	0.03	35	32	<2	9	1	9	<10	0.09	1



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

REPORT: V98-00978.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 29-JUN-98

PROJECT: NONE GIVEN1

PAGE 1 OF 2

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
A8+00N B/L	<.2	51	9	48	<1	39	22	<.2	<5	<5	<5	4.03	539	<10	28	74	108	<20	<20	3	3.17	1.70	2.90	0.04	0.03	10	11	5	14	5	<5	<10	0.37	20	
A13+00N 3+00E	<.2	26	6	19	3	23	9	<.2	<5	<5	<5	1.48	667	<10	54	134	24	<20	<20	4	0.95	0.69	0.07	0.02	0.12	3	3	<2	12	<1	<5	<10	<.01	3	
B8+00N 2+00E	<.2	45	<2	73	<1	60	26	<.2	<5	<5	<5	5.46	672	<10	19	62	125	<20	<20	3	3.44	1.96	2.55	0.05	0.04	12	15	5	5	7	6	<10	0.39	40	
C10+00N 0+40E	<.2	3	<2	17	3	19	5	<.2	<5	<5	<5	1.37	263	<10	3	245	13	<20	<20	<1	0.64	0.60	0.12	<.01	<.01	3	<1	<2	4	<1	<5	<10	<.01	<1	
RA R-01	<.2	55	<2	62	<1	39	25	<.2	<5	<5	<5	5.21	641	<10	14	44	139	<20	<20	3	2.68	1.66	1.77	0.08	0.04	23	15	4	12	8	6	<10	0.47	37	



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.

PROJECT: NONE GIVEN1

REPORT: V98-00977.0 (COMPLETE)

DATE RECEIVED: 23-JUN-98

DATE PRINTED: 29-JUN-98

PAGE 1 OF 3

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
A0+00N 1+30W		<.2	62	5	97	1	52	22	<.2	<5	15	<5	4.22	2379	<10	194	76	112	<20	<20	9	2.75	1.37	1.50	0.01	0.04	27	21	5	20	10	12	<10	0.20	3
A4+00N 0+30W		<.2	39	3	73	<1	56	25	<.2	<5	12	<5	4.78	1740	<10	108	91	128	<20	<20	5	3.03	1.79	1.61	0.02	0.03	16	14	7	27	11	9	<10	0.28	8
A4+00N 1+43E		<.2	48	4	52	<1	37	21	<.2	<5	14	<5	4.19	1407	<10	192	56	117	<20	<20	9	2.61	1.25	1.39	0.01	0.04	23	16	7	15	10	9	<10	0.23	6
A4+00N 3+62E		<.2	67	5	143	1	43	23	<.2	<5	15	<5	3.80	2342	<10	223	67	107	<20	<20	11	2.36	1.06	1.53	0.01	0.03	28	22	5	18	9	10	<10	0.20	4
A10+00N 0+80W		<.2	43	5	71	<1	46	25	<.2	<5	23	<5	4.38	6279	<10	247	70	112	<20	<20	7	2.61	1.08	1.20	0.01	0.03	23	17	5	19	9	11	<10	0.16	3
A10+00N 5+12W		1.0	234	6	76	1	119	23	0.5	<5	14	<5	3.08	1063	<10	376	95	64	<20	<20	17	2.38	0.73	1.61	0.01	0.03	35	48	3	22	6	15	<10	0.08	1
B GRID L2+00N 1+10W		<.2	124	2	53	<1	41	16	<.2	<5	<5	<5	2.81	396	<10	152	90	90	<20	<20	16	2.35	1.14	1.63	0.02	0.03	26	74	5	16	8	29	<10	0.24	11
B GRID L4+00N 0+75E		<.2	45	<2	64	<1	52	25	<.2	<5	8	<5	5.16	1063	<10	113	70	125	<20	<20	5	2.96	1.87	1.41	0.03	0.04	29	13	7	24	10	9	<10	0.32	15
B6+00N 1+50W		<.2	42	3	60	<1	36	18	<.2	<5	11	<5	3.79	873	<10	172	57	104	<20	<20	9	2.61	1.08	1.17	0.02	0.04	22	19	6	19	9	12	<10	0.20	4
C2+00N 6+10W		<.2	38	4	55	<1	42	20	<.2	<5	<5	<5	3.90	763	<10	257	63	93	<20	<20	9	2.56	1.07	1.12	0.02	0.04	23	11	6	12	8	7	<10	0.20	4
C3+97N 9+30W		<.2	44	3	55	<1	39	21	<.2	<5	6	<5	3.86	732	<10	134	51	101	<20	<20	6	2.63	1.18	1.36	0.03	0.04	24	16	5	10	8	9	<10	0.25	7
C8+00N 2+65E		<.2	45	5	76	<1	49	23	<.2	<5	12	<5	5.50	2009	<10	515	53	127	<20	<20	7	2.84	2.07	0.93	0.02	0.08	12	13	7	21	11	8	<10	0.31	18
C8+00N 2+40W		0.2	58	5	74	<1	41	19	<.2	<5	<5	<5	3.64	1277	<10	425	65	89	<20	<20	12	2.33	0.93	0.98	0.01	0.05	25	14	6	13	8	7	<10	0.15	2
C10+00N 3+40W		<.2	33	3	60	<1	36	27	<.2	<5	6	<5	4.04	4603	<10	481	46	90	<20	<20	9	2.13	0.74	0.88	0.01	0.03	18	12	4	9	8	6	<10	0.19	4
C11+70N B/L		<.2	38	4	81	<1	36	18	<.2	<5	6	<5	3.20	1356	<10	345	55	86	<20	<20	11	2.38	0.76	0.94	0.01	0.03	19	15	5	12	7	8	<10	0.16	2
C12+00N 2+65W		<.2	26	3	41	<1	31	14	<.2	<5	<5	<5	2.70	462	<10	147	32	66	<20	<20	6	1.46	0.81	0.85	0.01	0.03	12	10	3	7	6	5	<10	0.19	10
RC0+00N 1+00W		<.2	33	<2	77	<1	28	21	<.2	<5	<5	<5	3.87	2549	<10	81	42	110	<20	<20	5	2.53	0.95	1.67	0.02	0.02	26	24	5	10	9	11	<10	0.24	6
RC1+05N 2+75W		<.2	31	<2	84	<1	43	26	<.2	<5	<5	<5	5.13	2429	<10	105	50	128	<20	<20	4	2.78	1.53	1.62	0.03	0.03	20	18	7	12	11	9	<10	0.34	13



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00964.1 (COMPLETE)

DATE RECEIVED: 08-JUL-98

PROJECT: NONE GIVEN1

DATE PRINTED: 14-JUL-98

PAGE 1 OF 3

SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB	SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB
S1 A4+00N-0+00E		13	S1 A13+00N-4+00E		<5
S1 A4+00N-1+00E		<5	S1 A14+00N-3+00E		<5
S1 A4+00N-2+00E		32	S1 A15+00N-3+50E		6
S1 A6+00N-7+00W		6	S1 A17+00N-3+50E		6
S1 A6+00N-7+50W		22			
S1 A10+00N-0+50W		<5			
S1 A10+00N-1+50W		12			
S1 A10+00N-2+50W		<5			
S1 A10+00N-3+00W		6			
S1 A10+00N-5+00W		<5			
S1 A11+00N-0+00E		<5			
S1 A11+00N-0+50E		<5			
S1 A11+00N-1+00E		<5			
S1 A11+00N-1+50E		29			
S1 A11+00N-2+00E		<5			
S1 A11+00N-2+50E		24			
S1 A11+00N-3+00E		<5			
S1 A11+00N-3+50E		<5			
S1 A11+00N-4+00E		<5			
S1 A11+00N-0+50W		<5			
S1 A11+00N-1+00W		6			
S1 A11+00N-1+50W		<5			
S1 A11+00N-2+00W		17			
S1 A11+00N-2+50W		18			
S1 A11+00N-3+00W		12			
S1 A11+00N-3+50W		<5			
S1 A11+00N-4+00W		<5			
S1 A11+00N-4+50W		<5			
S1 A11+00N-5+00W		24			
S1 A11+00N-5+50W		<5			
S1 A11+00N-6+00W		8			
S1 A12+00N-6+00W		<5			
S1 A13+00N-0+00E		<5			
S1 A13+00N-0+50E		<5			
S1 A13+00N-1+00E		6			
S1 A13+00N-1+50E		<5			
S1 A13+00N-2+00E		<5			
S1 A13+00N-2+50E		<5			
S1 A13+00N-3+00E		<5			
S1 A13+00N-3+50E		6			

Bondar-Clegg & Company Ltd.

130 Pemberton Avenue, North Vancouver, B.C., V7P 2R5, Canada

Tel: (604) 985-0681, Fax: (604) 985-1071



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00971.1 (COMPLETE)

DATE RECEIVED: 08-JUL-98

PROJECT: NONE GIVEN1

DATE PRINTED: 14-JUL-98

PAGE 1 OF 3

SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB
S1 B3+00N-1+50W		6
S1 C2+00N-1+00W		8
S1 C4+00N-2+50W		5
S1 C8+00N-2+00W		8
S1 C10+00N-2+00E		<5
S1 D3+00N-1+00W		<5



Intertek Testing Services

Bondar Clegg

Geochemical Lab Report

CLIENT: EUREKA RESOURCES, INC.
REPORT: V98-00982.1 (COMPLETE)

DATE RECEIVED: 08-JUL-98

PROJECT: NONE GIVEN1

DATE PRINTED: 17-JUL-98

PAGE 1 OF 3

SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB
------------------	------------------	-------------

S1 A13+00N-0+50W		<5
S1 A13+00N-1+00W		7
S1 A13+00N-1+50W		<5
S1 A13+00N-2+00W		<5
S1 A13+00N-2+50W		<5

S1 A13+00N-3+00W		<5
S1 A13+00N-3+50W		<5
S1 A13+00N-4+00W		<5
S1 A13+00N-4+50W		<5
S1 A13+00N-5+00W		<5

S1 A13+00N-5+50W		<5
S1 A13+00N-6+00W		<5



Appendix D - Writer's Certificate

Writer's Certificate

I, John R. Kerr, of the City of Vancouver, B.C., hereby certify that:

- 1) I am a member of the Association of Professional Engineers of British Columbia (membership #6858).
- 2) I am a graduate of the University of British Columbia (1964) with a BASc degree in Geological Engineering. I have practised my profession continuously since graduation.
- 3) I supervised and assisted with the collection of data as discussed in this report. I am the author of this report, and verify the costs as reported to be true.
- 4) I am an officer and director of Eureka Resources, Inc., and hold a direct and indirect interest in the shares of the company.

Dated the 20th day of November, 1998



John R. Kerr, P. Eng