

2004 DIAMOND DRILLING AND SOIL GEOCHEMISTRY
EXPLORATION PROGRAM

RECEIVED
JAN 18 2005
Gold Commissioner's Office
VANCOUVER, B.C.

LUSTDUST PROPERTY

OMINECA MINING DIVISION,
BRITISH COLUMBIA, CANADA

(93N / 11W)


FOR

ALPHA GOLD CORPORATION
410 DONALD STREET
COQUITLAM, B.C.
V3K 3Z8

BY

DARYL J. HANSON, P.ENG.
IN-DEPTH GEOLOGICAL SERVICES

JANUARY 10, 2005



27603

Appendix II

ALS Chemex Analytical Technique



Sample Preparation Package – PREP-41
Dry sample and dry-sieve to –180 micron

Sample is dried and then dry-sieved using a 180 micron (Tyler 80 mesh) screen. The plus fraction is retained unless disposal is requested. This method is appropriate for soil or sediment samples up to one kilogram in weight.

ALS Chemex Method Code	Description
LOG-22	Sample is logged in tracking system and a bar code label is attached.
SCR-41	Sample is dry-sieved to –180 micron and both the plus and minus fractions are retained.



Sample Preparation Package – PREP-31
Standard Sample Preparation: Dry, Crush, Split and Pulverize

Sample is dried and the entire sample is crushed to better than 70% passing a 2 mm (Tyler 10 mesh) screen. A split of up to 250 grams is taken and pulverized to better than 85% passing a 75 micron (Tyler 200 mesh) screen.

ALS Chemex Method Code	Description
LOG-22	Sample is logged in tracking system and a bar code label is attached.
CRU-31	Fine crushing of rock chip and drill samples to better than 70% of the sample passing 2 mm.
SPL-21	Split sample using riffle splitter.
PUL-31	A sample split of up to 250 g is pulverized to better than 85% of the sample passing 75 microns.



Fire Assay Procedure – Au-AA23 and Au-AA24
Fire Assay Fusion, AAS Finish

Sample Decomposition: Fire Assay Fusion

Analytical Method: Atomic Absorption Spectroscopy (AAS)

A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents as required, inquarted with 6 mg of gold-free silver and then cupelled to yield a precious metal bead.

The bead is digested in 0.5 ml dilute nitric acid in the microwave oven, 0.5 ml concentrated hydrochloric acid is then added and the bead is further digested in the microwave at a lower power setting. The digested solution is cooled, diluted to a total volume of 4 ml with de-mineralized water, and analyzed by atomic absorption spectroscopy against matrix-matched standards.

ALS Chemex Method Code	Element	Symbol	Sample Weight	Lower Reporting Limit	Upper Reporting Limit	Units
Au-AA23	Gold	Au	30 g	0.005	10.0	ppm
Au-AA24	Gold	Au	50g	0.005	10.0	ppm



Geochemical Procedure - ME-ICP41
Trace Level Methods Using Conventional ICP-AES Analysis

Sample Decomposition: Nitric Aqua Regia Digestion

Analytical Method: Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP - AES)

A prepared sample (0.50 grams) is digested with aqua regia for at least one hour in a graphite heating block. After cooling, the resulting solution is diluted to 12.5 ml with demineralized water, mixed and analyzed by inductively coupled plasma-atomic emission spectrometry. The analytical results are corrected for inter-element spectral interferences.

Element	Symbol	Detection Limit	Upper Limit	Units
Aluminum*	Al	0.01	15	%
Antimony	Sb	2	10,000	ppm
Arsenic	As	2	10,000	ppm
Barium*	Ba	10	10,000	ppm
Beryllium*	Be	0.5	100	ppm
Bismuth	Bi	2	10,000	ppm
Boron*	B	10	10,000 ppm	ppm
Cadmium	Cd	0.5	500	ppm
Calcium*	Ca	0.01	15	%
Chromium*	Cr	1	10,000	ppm
Cobalt	Co	1	10,000	ppm
Copper	Cu	1	10,000	ppm
Gallium*	Ga	10	10,000	ppm
Iron	Fe	0.01	15	%
Lanthanum*	La	10	10,000	ppm
Lead	Pb	2	10,000	ppm
Magnesium*	Mg	0.01	15	%
Manganese	Mn	5	10,000	ppm
Mercury	Hg	1	10,000	ppm
Molybdenum	Mo	1	10,000	ppm



Geochemical Procedure - ME-ICP41

Trace Level Methods Using Conventional ICP-AES Analysis (con't)

Element	Symbol	Detection Limit	Upper Limit	Units
Nickel	Ni	1	10,000	ppm
Phosphorus	P	10	10,000	ppm
Potassium*	K	0.01	10	%
Scandium*	Sc	1	10,000	ppm
Silver	Ag	0.2	100	ppm
Sodium*	Na	0.01	10 %	%
Strontium*	Sr	1	10,000	ppm
Sulfur	S	0.01	10	%
Thallium*	Tl	10	10,000	ppm
Titanium*	Ti	0.01	10	%
Tungsten*	W	10	10,000	ppm
Uranium	U	10	10,000	ppm
Vanadium	V	1	10,000	ppm
Zinc	Zn	2	10,000	ppm

*Elements for which the digestion is possibly incomplete.



Fire Assay Procedure – Ag-GRA21, Ag-GRA22, Au-GRA21 & Au-GRA22
Precious Metals Gravimetric Analysis Methods

Sample Decomposition: Fire Assay Fusion

Analytical Method: Gravimetric

A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents in order to produce a lead button. The lead button containing the precious metals is cupelled to remove the lead. The remaining gold and silver bead is parted in dilute nitric acid, annealed and weighed as gold. Silver, if requested, is then determined by the difference in weights.

Method Code	Element	Sample Weight	Lower Reporting Limit	Upper Reporting Limit	Units
Ag-GRA21	Silver	30 grams	5	10,000	ppm
Ag-GRA22	Silver	50 grams	5	10,000	ppm
Au-GRA21	Gold	30 grams	0.05	1000	ppm
Au-GRA22	Gold	50 grams	0.05	1000	ppm



Assay Procedure – ME-AA46
**Evaluation of Ores and High Grade Materials by Aqua Regia
 Digestion – AAS**

Sample Decomposition: Aqua Regia Digestion

Analytical Method: Atomic Absorption Spectroscopy (AAS)

A prepared sample (0.4 to 2.00 grams) is digested with concentrated nitric acid for one half hour. After cooling, hydrochloric acid is added to produce aqua regia and the mixture is then digested for an additional hour and a half. An ionization suppressant is added if molybdenum is to be measured. The resulting solution is diluted to volume (100 or 250 ml) with demineralized water, mixed and then analyzed by atomic absorption spectrometry against matrix-matched standards.

ALS Chemex Method Code	Element	Symbol	Detection Limit	Upper Limit	Units
As-AA46	Arsenic	As	0.01	30	%
Bi-AA46	Bismuth	Bi	0.001	30	%
Cd-AA46	Cadmium	Cd	0.001	10	%
Co-AA46	Cobalt	Co	0.01	50	%
Cu-AA46	Copper	Cu	0.01	50	%
Fe-AA46	Iron	Fe	0.01	30	%
Pb-AA46	Lead	Pb	0.01	30	%
Mo-AA46	Molybdenum	Mo	0.001	10	%
Mn-AA46	Manganese	Mn	0.01	50	%
Ni-AA46	Nickel	Ni	0.01	50	%
Ag-AA46	Silver	Ag	1	1500	ppm
Zn-AA46	Zinc	Zn	0.01	30	%

Appendix III

2004 Diamond Drilling - Certificates of Analysis



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 1
Finalized Date: 3-AUG-2004
This copy reported on 6-JAN-2005
Account: SHK

CERTIFICATE VA04046244

Project:

P.O. No.:

This report is for 18 Rock samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

DARYL HANSON
RICK WHATLEY

JIM OLIVER
GEORGE WHATLEY

GEORGE WHATLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Pb-AA46	Ore grade Pb - aqua regia/AA	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Ag-AA46	Ore grade Ag - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ALPHA GOLD CORP.
ATTN: DARYL HANSON
16575 QUICK EAST ROAD
TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 3-AUG-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046244

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GR21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
322001		4.54	0.034		1.9	0.73	629	<10	160	<0.5	2	1.28	4.5	9	40	144
322002		1.76	0.307		>100	0.74	1260	<10	60	0.5	26	1.62	73.0	9	41	1075
322003		5.80	0.189		6.1	0.34	920	<10	10	<0.5	12	2.06	22.6	13	55	511
322004		6.10	1.080		11.1	0.01	3160	<10	<10	<0.5	62	0.56	<0.5	73	43	606
322005		5.86	0.453		5.2	0.04	1980	<10	<10	<0.5	41	0.71	<0.5	35	31	192
322006		6.48	1.420		2.8	0.05	3920	<10	10	<0.5	26	0.65	<0.5	62	57	31
322007		3.08	0.392		5.0	0.08	2830	<10	10	<0.5	28	3.47	13.7	18	29	64
322008		5.18	0.118		3.3	0.78	289	<10	10	<0.5	64	6.78	1.7	6	51	68
322009		4.02	0.088		2.4	1.79	280	<10	60	0.5	7	9.72	9.9	12	48	263
322010		3.96	0.147		2.4	1.86	247	<10	30	0.6	6	4.05	2.2	6	45	279
322011		0.92	0.700		22.9	0.31	>10000	<10	40	<0.5	50	1.10	3.1	114	76	295
322012		2.30	0.082		0.7	0.95	20	<10	40	0.8	2	1.16	<0.5	13	64	771
322013		2.88	0.202		1.1	0.81	96	<10	10	0.9	3	1.02	<0.5	136	70	1005
322014		4.58	0.263		10.5	0.49	186	<10	10	0.7	5	2.23	8.7	108	32	2570
322015		5.42	0.320		15.8	0.74	3270	<10	20	1.1	7	4.21	9.2	57	42	1370
322016		1.76	>10.0	50.7	3.7	0.51	>10000	<10	20	<0.5	476	2.47	<0.5	845	27	257
322017		2.26	0.722		3.0	0.85	477	<10	10	<0.5	14	4.62	<0.5	99	40	1155
322018		1.74	0.058		0.2	1.30	141	<10	20	0.6	<2	1.13	<0.5	26	66	138



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - B
 Total # Pages: 2 (A - C)
 Finalized Date: 3-AUG-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046244

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		% 0.01	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
322001		2.15	<10	<1	0.39	10	0.78	513	5	<0.01	29	320	152	0.85	80	4
322002		3.34	<10	1	0.40	10	0.88	765	5	0.01	29	460	>10000	4.77	>10000	5
322003		9.91	<10	1	0.17	<10	0.67	1190	14	0.02	27	370	1050	>10.0	390	4
322004		26.0	<10	1	0.01	<10	0.08	130	1	<0.01	17	130	132	>10.0	179	<1
322005		26.2	<10	<1	0.01	<10	0.09	150	<1	<0.01	12	860	66	>10.0	36	<1
322006		25.8	<10	<1	0.04	<10	0.07	83	2	<0.01	12	870	74	>10.0	31	<1
322007		27.4	<10	1	0.05	<10	0.77	1125	<1	<0.01	9	1240	68	>10.0	40	<1
322008		20.2	<10	<1	0.08	10	0.50	1170	2	0.03	16	4010	52	>10.0	17	4
322009		9.99	10	<1	0.08	10	0.48	1335	5	0.11	30	980	11	5.29	9	3
322010		3.36	10	1	0.12	10	0.59	568	8	0.12	27	530	31	2.48	9	5
322011		11.55	<10	1	0.13	<10	1.62	1275	32	<0.01	38	440	223	8.02	148	8
322012		5.24	10	<1	0.64	10	1.44	283	1	0.08	65	280	4	4.70	4	5
322013		12.65	10	<1	0.05	30	0.56	312	1	0.08	251	350	5	>10.0	11	2
322014		30.9	<10	<1	0.02	20	0.28	913	1	0.02	639	1820	266	>10.0	134	1
322015		18.9	<10	1	0.10	30	0.57	1425	<1	0.02	219	5720	652	>10.0	475	2
322016		13.70	<10	<1	0.04	<10	0.16	585	21	0.11	44	500	23	6.47	2740	1
322017		17.3	<10	1	0.07	<10	0.41	1390	34	0.05	79	320	8	>10.0	12	3
322018		9.66	<10	<1	1.14	<10	2.03	102	4	0.04	28	420	2	>10.0	6	16



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 3-AUG-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046244

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA48	Pb-AA48
		Sr	Ti	Ti	U	V	W	Zn	Ag	Pb
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 1	% 0.01
322001		34	0.03	<10	<10	31	<10	577		
322002		50	0.02	20	<10	32	<10	8860	176	4.02
322003		43	0.01	<10	<10	20	<10	2860		
322004		8	<0.01	<10	<10	2	<10	132		
322005		9	<0.01	10	<10	3	<10	140		
322008		9	<0.01	10	<10	3	<10	65		
322007		67	<0.01	10	<10	4	<10	1945		
322008		144	0.04	10	<10	29	<10	435		
322009		79	0.06	10	<10	43	<10	1275		
322010		79	0.04	<10	<10	37	<10	292		
322011		81	<0.01	<10	<10	51	<10	460		
322012		39	0.10	<10	<10	48	<10	59		
322013		32	0.06	10	<10	25	<10	51		
322014		23	0.02	10	<10	17	<10	1440		
322015		50	0.01	<10	<10	30	<10	1325		
322016		47	0.01	<10	<10	9	<10	31		
322017		114	0.05	10	<10	35	10	45		
322018		40	0.09	<10	<10	112	<10	15		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 1
Finalized Date: 29-SEP-2004
Account: SHK

CERTIFICATE VA04064267

Project: Lust Dust

P.O. No.:

This report is for 41 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2004.

The following have access to data associated with this certificate:

DARYL HANSON
RICK WHATLEY

JIM OLIVER

GEORGE WHATLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Ag-AA46	Ore grade Ag - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ALPHA GOLD CORP.
ATTN: DARYL HANSON
16575 QUICK EAST ROAD
TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 29-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04064267

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
M322266		4.58	0.156		1.9	0.79	2540	<10	150	<0.5	2	0.89	9.4	11	83	103
M322267		4.30	0.268		5.9	0.58	4210	<10	80	0.5	23	1.33	0.9	72	116	166
M322268		3.80	0.878		19.0	0.39	7210	<10	80	0.5	10	1.22	29.0	36	75	193
M322269		4.60	0.143		3.3	0.43	1560	<10	90	<0.5	2	0.87	16.4	9	78	152
M322270		0.12	0.875		2.7	0.89	14	10	40	<0.5	4	1.72	<0.5	31	1565	>10000
M322271		0.12	<0.005		<0.2	2.09	6	<10	150	<0.5	<2	1.30	<0.5	31	1585	130
M322272		4.38	0.022		1.2	0.80	343	<10	150	<0.5	2	0.67	2.7	4	140	84
M322273		3.74	0.235		5.3	1.08	3410	<10	90	<0.5	30	0.73	14.7	15	98	117
M322274		5.30	0.358		20.9	0.31	2400	<10	10	<0.5	13	1.70	39.5	8	96	124
M322275		4.94	0.047		1.0	0.97	25	<10	10	0.5	3	3.95	<0.5	25	96	563
M322276		5.06	0.019		0.9	1.42	39	<10	20	0.6	4	5.37	<0.5	23	91	582
M322277		3.58	0.035		1.1	1.34	51	<10	20	<0.5	2	6.05	<0.5	20	81	573
M322278		4.58	0.090		1.9	1.06	64	<10	20	<0.5	<2	2.43	<0.5	33	154	740
M322279		5.96	>10.0	12.70	3.0	1.00	95	<10	10	<0.5	<2	7.16	<0.5	152	37	2090
M322280		4.16	0.087		2.3	1.28	339	<10	30	0.8	<2	4.14	1.5	27	66	590
M322281		3.86	0.267		0.9	1.40	106	<10	50	0.7	<2	2.55	<0.5	26	81	299
M322282		2.94	0.089		0.4	1.36	337	<10	100	0.6	3	1.84	<0.5	10	77	97
M322283		4.98	0.073		0.5	1.24	87	<10	20	<0.5	<2	7.67	<0.5	20	43	279
M322284		5.38	0.057		<0.2	1.27	40	<10	70	0.5	<2	3.03	<0.5	8	92	82
M322285		5.40	0.167		0.6	0.79	120	<10	40	<0.5	5	2.52	<0.5	15	96	105
M322286		4.74	0.587		1.5	1.09	110	<10	90	0.6	2	2.61	0.5	18	97	318
M322287		5.62	1.215		1.6	1.53	111	<10	10	<0.5	<2	7.14	<0.5	51	51	778
M322288		4.44	0.084		0.2	1.38	203	<10	100	0.5	<2	1.48	<0.5	8	65	36
M322289		5.44	0.461		2.6	0.98	199	<10	10	0.5	9	3.08	<0.5	35	64	714
M322290		0.12	1.025		2.9	0.89	21	10	40	<0.5	<2	1.64	<0.5	29	1465	>10000
M322291		0.12	<0.005		0.2	2.11	7	<10	150	<0.5	<2	1.31	<0.5	29	1520	130
M322292		3.60	0.067		1.2	0.87	154	<10	30	0.5	15	2.35	<0.5	9	63	300
M322293		4.52	0.053		0.9	1.82	544	<10	80	0.7	<2	2.82	1.4	6	83	66
M322294		4.12	0.110		0.6	0.94	201	<10	30	<0.5	<2	3.33	<0.5	7	22	203
M322295		3.62	0.031		1.3	0.80	246	<10	50	<0.5	<2	3.38	1.3	7	13	336
M322296		3.82	0.072		2.7	0.16	378	<10	<10	<0.5	2	0.52	<0.5	45	25	2870
M322297		3.58	0.049		0.4	1.20	228	<10	140	<0.5	<2	3.60	<0.5	4	27	127
M322298		4.38	0.342		0.3	0.78	4680	<10	30	0.8	2	3.71	2.1	18	58	76
M322299		3.72	0.122		0.2	0.87	1300	<10	50	0.5	<2	2.14	0.6	8	83	45
M322300		4.12	0.257		0.4	0.79	1220	<10	90	0.5	2	2.80	<0.5	15	96	101
M322301		4.96	0.131		0.4	0.78	56	<10	120	0.9	3	2.06	<0.5	12	62	102
M322302		4.72	0.064		3.2	1.29	175	<10	40	0.7	18	5.35	7.8	5	41	146
M322303		4.20	0.047		10.0	0.48	95	<10	10	<0.5	52	6.55	10.0	45	76	1210
M322304		5.96	1.290		35.3	0.10	2620	<10	<10	<0.5	27	1.24	2.6	54	54	2070
M322305		5.58	0.857		>100	0.12	2640	<10	<10	<0.5	53	1.30	3.3	70	61	3410



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 29-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04064267

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	
M322266		2.97	<10	<1	0.41	10	0.82	550	10	0.03	34	350	77	1.29	21	5
M322267		4.89	<10	<1	0.28	10	0.81	673	6	0.02	34	260	134	2.60	67	7
M322268		5.26	<10	<1	0.19	10	0.78	965	7	0.02	32	220	3580	3.23	2540	5
M322269		3.28	<10	<1	0.25	10	0.66	945	4	0.01	29	290	124	1.86	33	3
M322270		10.55	<10	<1	0.44	<10	0.78	1045	28	0.04	1245	650	11	3.44	2	5
M322271		4.94	10	<1	0.28	10	0.80	766	24	0.23	1280	580	4	0.07	<2	6
M322272		2.73	<10	<1	0.39	10	0.77	582	6	0.02	29	350	57	0.83	25	5
M322273		4.04	10	<1	0.56	10	0.81	285	7	0.06	33	360	420	2.67	314	5
M322274		7.76	<10	<1	0.22	<10	0.33	427	95	0.01	30	590	4730	9.07	1980	1
M322275		12.30	<10	<1	0.03	10	0.23	1070	<1	0.06	17	180	18	6.30	11	2
M322276		12.15	<10	<1	0.02	20	0.35	1480	1	0.06	17	120	14	6.66	6	4
M322277		11.35	<10	<1	0.01	20	0.31	1575	<1	0.03	8	190	13	5.60	6	4
M322278		7.62	10	1	0.06	<10	0.54	471	7	0.07	27	160	7	4.98	5	4
M322279		25.2	<10	<1	0.01	10	0.16	1290	2	0.02	46	9060	3	6.32	4	1
M322280		7.59	10	<1	0.05	20	0.69	1165	42	0.12	22	300	10	4.04	45	3
M322281		5.43	<10	<1	0.13	10	0.43	727	33	0.23	27	300	5	2.87	7	3
M322282		1.72	10	<1	0.16	10	0.48	326	19	0.22	32	350	6	0.66	22	4
M322283		6.90	<10	<1	0.01	10	0.14	1540	15	0.05	11	5450	3	2.53	5	2
M322284		3.31	<10	<1	0.13	10	0.41	943	13	0.18	14	220	3	0.90	11	2
M322285		3.86	<10	1	0.11	10	0.63	420	40	0.05	27	300	4	3.39	3	5
M322286		1.93	<10	<1	0.16	10	0.62	324	13	0.12	30	340	9	1.38	6	7
M322287		11.90	10	1	0.01	10	0.30	2070	18	0.02	14	480	10	5.13	5	1
M322288		1.38	<10	<1	0.17	<10	0.52	332	8	0.29	24	370	6	0.34	11	3
M322289		6.47	<10	<1	0.10	50	0.61	535	4	0.21	49	440	3	6.39	9	3
M322290		10.55	<10	1	0.45	<10	0.79	1035	28	0.03	1180	620	7	3.40	7	5
M322291		5.03	<10	<1	0.28	10	0.82	782	24	0.22	1230	580	2	0.09	<2	6
M322292		4.31	<10	<1	0.10	10	0.55	394	6	0.20	24	610	12	4.11	7	4
M322293		2.38	10	<1	0.26	10	0.69	672	5	0.26	25	320	116	0.76	15	7
M322294		5.69	<10	<1	0.03	10	0.40	1220	<1	0.13	21	6880	39	2.04	12	2
M322295		8.42	<10	1	0.03	10	0.46	1400	<1	0.10	15	8690	37	3.58	12	1
M322296		38.0	<10	<1	<0.01	30	0.12	1295	1	0.01	126	730	9	>10.0	15	1
M322297		4.41	<10	<1	0.03	20	0.41	1530	3	0.21	6	2150	7	1.36	11	1
M322298		3.71	<10	<1	0.05	10	0.70	686	15	0.13	22	370	10	1.65	32	7
M322299		2.15	<10	<1	0.12	10	0.54	494	11	0.12	23	320	7	0.69	11	6
M322300		3.52	<10	1	0.09	10	0.53	474	18	0.17	30	490	8	1.66	21	6
M322301		3.35	<10	<1	0.03	50	0.31	425	9	0.18	19	650	8	1.60	6	2
M322302		4.18	10	<1	0.19	100	1.26	1295	5	0.04	3	1870	32	3.30	16	5
M322303		19.4	<10	<1	0.02	220	2.17	3090	4	<0.01	81	>10000	99	7.64	71	2
M322304		24.5	<10	1	0.01	10	0.34	939	1	<0.01	28	2670	279	>10.0	162	1
M322305		26.5	<10	<1	0.02	20	0.46	423	<1	<0.01	8	1160	3200	>10.0	2220	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 29-SEP-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04064267

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46	Cu-AA46
		Sr	TI	TI	U	V	W	Zn	Ag	Cu
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 1	% 0.01
M322266		52	0.03	<10	<10	46	<10	1110		
M322267		44	0.01	<10	<10	49	<10	122		
M322268		57	0.01	<10	<10	28	<10	3450		
M322269		36	<0.01	<10	<10	17	<10	1850		
M322270		62	0.01	<10	<10	55	<10	88		1.16
M322271		80	0.19	<10	<10	72	<10	44		
M322272		37	0.02	<10	<10	38	<10	342		
M322273		46	0.04	<10	<10	49	<10	1750		
M322274		35	<0.01	<10	<10	7	<10	5320		
M322275		26	0.06	<10	<10	32	<10	42		
M322276		34	0.10	<10	<10	39	<10	39		
M322277		19	0.10	<10	<10	44	<10	43		
M322278		21	0.08	<10	<10	36	10	46		
M322279		23	0.02	<10	<10	14	<10	41		
M322280		44	0.07	<10	<10	36	<10	239		
M322281		72	0.09	<10	<10	25	<10	43		
M322282		80	0.10	<10	<10	48	<10	29		
M322283		39	0.05	<10	<10	17	10	28		
M322284		83	0.11	<10	<10	24	<10	29		
M322285		43	0.02	<10	<10	34	<10	39		
M322286		61	0.04	<10	<10	56	<10	67		
M322287		33	0.06	<10	<10	31	30	68		
M322288		112	0.11	<10	<10	37	<10	33		
M322289		89	0.07	<10	<10	26	<10	40		
M322290		61	0.01	<10	<10	53	10	82		1.16
M322291		81	0.19	<10	<10	72	<10	45		
M322292		281	0.05	<10	<10	25	<10	39		
M322293		170	0.07	<10	<10	52	<10	213		
M322294		110	0.03	<10	<10	13	<10	67		
M322295		84	0.02	<10	<10	9	<10	197		
M322296		46	<0.01	<10	<10	7	<10	70		
M322297		196	0.06	<10	<10	16	<10	35		
M322298		124	0.05	<10	<10	51	<10	248		
M322299		86	0.06	<10	<10	52	<10	82		
M322300		102	0.06	<10	<10	59	<10	33		
M322301		57	0.09	<10	<10	19	<10	54		
M322302		91	0.03	<10	<10	50	<10	986		
M322303		72	<0.01	<10	<10	22	<10	1330		
M322304		23	<0.01	<10	<10	7	<10	429		
M322305		32	<0.01	<10	<10	4	<10	410	378	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 29-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS	VA04064267
--------------------------------	-------------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
M322306		6.38	1.030		21.4	0.09	4350	<10	<10	<0.5	22	0.76	1.7	44	100	1820



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 29-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS	VA04064267
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm
M322306		27.9	<10	<1	0.02	40	0.19	160	1	<0.01	10	1160	188	>10.0	108	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 29-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04064267

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46	Cu-AA46
		Sr	Tl	Tl	U	V	W	Zn	Ag	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
M322306	1	0.01	10	10	1	10	2	1	0.01	
		16	<0.01	<10	<10	5	<10	240		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 1
Finalized Date: 6-SEP-2004
Account: SHK

CERTIFICATE VA04056532

Project: Lust Dust
P.O. No.:
This report is for 134 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-AUG-2004.
The following have access to data associated with this certificate:


DARYL HANSON RICK WHATLEY	JIM OLIVER GEORGE WHATLEY	GEORGE WHATLEY
------------------------------	------------------------------	----------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Zn-AA46	Ore grade Zn - aqua regia/AA	AAS
Pb-AA46	Ore grade Pb - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ALPHA GOLD CORP.
ATTN: DARYL HANSON
16575 QUICK EAST ROAD
TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - A
Total # Pages: 5 (A - C)
Finalized Date: 6-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04056532

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
M322132		4.42	0.051		<0.2	1.44	272	220	30	<0.5	6	11.40	<0.5	2	13	17
M322133		3.40	0.286		0.2	1.12	368	10	40	<0.5	8	7.14	0.7	6	55	110
M322134		2.10	0.099		1.9	0.69	13	<10	20	0.6	32	7.01	1.8	16	31	954
M322135		1.46	0.228		0.9	0.89	4770	<10	20	1.0	174	6.47	<0.5	39	61	622
M322136		1.94	0.619		1.4	1.37	22	<10	80	1.0	2	4.36	<0.5	6	64	868
M322137		2.38	0.191		0.9	0.68	198	<10	20	<0.5	3	13.55	<0.5	12	78	551
M322138		3.52	0.046		0.5	1.28	22	<10	120	<0.5	<2	2.69	<0.5	9	68	234
M322139		1.84	0.023		0.4	0.97	12	<10	20	<0.5	5	1.74	<0.5	15	165	154
M322140		3.64	0.188		4.2	0.52	10	<10	20	<0.5	11	1.70	0.6	8	81	2860
M322141		5.52	0.154		1.2	1.20	127	<10	10	<0.5	9	16.4	<0.5	1	94	464
M322142		5.36	0.141		3.6	0.94	226	<10	10	<0.5	30	15.0	<0.5	1	78	1950
M322143		3.00	0.045		0.6	1.10	48	<10	10	0.5	8	1.62	<0.5	18	120	166
M322144		1.78	0.139		1.1	0.75	150	<10	80	0.5	8	7.48	<0.5	7	59	470
M322145		3.36	0.424		7.9	1.30	258	<10	30	0.6	13	9.44	<0.5	22	85	3270
M322146		5.40	0.023		<0.2	0.88	241	<10	<10	<0.5	5	13.40	<0.5	5	66	24
M322147		5.22	0.735		1.6	0.56	329	<10	10	<0.5	4	18.1	<0.5	<1	85	645
M322148		4.24	0.067		<0.2	0.91	310	<10	10	<0.5	3	17.7	<0.5	<1	57	15
M322149		5.08	0.340		<0.2	1.60	179	<10	10	<0.5	11	14.7	<0.5	<1	91	39
M322150		0.12	0.933		2.4	1.29	19	10	40	<0.5	9	2.11	<0.5	29	1520	>10000
M322151		0.14	0.011		<0.2	2.48	6	<10	180	<0.5	<2	1.74	<0.5	29	1575	140
M322152		5.44	0.040		<0.2	1.48	191	<10	10	<0.5	<2	17.6	<0.5	<1	74	39
M322153		6.86	0.126		0.3	1.26	273	<10	20	<0.5	2	16.6	<0.5	<1	102	144
M322154		5.42	0.045		0.4	0.94	202	<10	10	<0.5	2	17.4	<0.5	2	58	276
M322155		5.44	0.065		1.6	0.75	192	<10	10	<0.5	3	19.0	<0.5	<1	63	629
M322156		5.22	0.863		<0.2	1.06	256	<10	10	<0.5	3	18.1	<0.5	<1	65	102
M322157		3.46	0.009		<0.2	1.22	168	10	10	<0.5	<2	18.7	<0.5	<1	93	170
M322158		3.86	2.54		1.8	1.59	267	<10	20	<0.5	<2	13.70	<0.5	2	65	670
M322159		3.98	0.394		10.2	1.37	186	<10	40	0.6	4	10.70	<0.5	8	84	4710
M322160		4.92	0.029		0.2	1.94	80	<10	20	<0.5	<2	16.6	<0.5	2	71	126
M322161		4.98	0.043		0.4	1.22	42	<10	80	<0.5	<2	6.13	<0.5	3	79	138
M322162		3.88	0.018		0.3	1.94	41	<10	50	<0.5	<2	11.35	<0.5	1	87	107
M322163		5.02	0.187		0.6	0.58	403	<10	10	<0.5	5	18.9	<0.5	3	93	765
M322164		4.52	0.984		0.9	0.64	521	<10	<10	<0.5	8	16.7	<0.5	19	78	922
M322165		5.02	0.108		1.0	1.06	92	<10	60	0.9	3	9.53	<0.5	22	74	801
M322166		3.10	0.121		1.0	1.14	11	<10	60	0.6	<2	0.87	<0.5	14	90	760
M322167		2.72	0.055		0.7	1.11	35	<10	20	<0.5	4	4.36	<0.5	16	136	433
M322168		4.66	0.026		0.3	1.36	26	<10	120	<0.5	2	5.74	<0.5	5	90	159
M322169		4.82	0.028		0.3	1.16	27	<10	90	0.9	<2	1.92	<0.5	4	144	135
M322170		0.12	0.919		2.6	1.38	20	10	40	<0.5	12	1.84	<0.5	30	1610	>10000
M322171		0.12	0.014		<0.2	2.32	3	<10	170	<0.5	<2	1.52	<0.5	31	1805	142



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - B
Total # Pages: 5 (A - C)
Finalized Date: 6-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04056532

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
M322132		1.21	<10	<1	0.02	20	0.28	681	1	0.18	13	7340	5	0.26	2900	1
M322133		2.47	<10	1	0.05	10	0.37	855	7	0.27	24	2610	4	0.82	142	2
M322134		7.17	<10	1	0.09	90	0.52	939	1	0.13	35	3010	4	3.93	53	3
M322135		8.18	<10	<1	0.09	10	0.81	1040	2	0.16	18	3960	6	5.73	37	5
M322136		2.83	10	<1	0.09	10	0.44	519	18	0.12	20	2170	6	1.43	<2	5
M322137		17.6	10	<1	0.01	<10	0.27	2040	5	0.02	22	1100	8	5.41	2	3
M322138		2.97	10	<1	0.25	10	0.62	464	10	0.13	29	1100	6	1.47	2	5
M322139		4.96	<10	<1	0.10	<10	0.83	168	2	0.07	34	1080	3	5.34	3	5
M322140		17.4	10	1	0.18	10	0.60	218	43	0.04	25	420	5	>10.0	<2	5
M322141		19.3	10	<1	0.02	<10	0.54	2020	12	0.02	9	930	10	3.10	<2	2
M322142		23.3	<10	1	0.02	10	0.33	1705	13	0.02	10	3140	12	8.81	<2	2
M322143		5.84	10	<1	0.54	10	0.79	195	15	0.09	40	460	3	5.91	2	7
M322144		6.11	<10	1	0.05	<10	0.36	1200	371	0.04	23	510	3	3.59	4	5
M322145		8.85	10	<1	0.03	10	0.60	1985	218	0.04	35	510	4	5.65	<2	5
M322146		11.50	<10	1	0.01	10	0.59	1820	9	0.02	22	790	6	1.55	<2	2
M322147		12.10	<10	2	0.09	10	0.32	1660	5	0.02	8	2980	10	7.3	<2	2
M322148		13.65	<10	<1	0.01	10	0.20	2050	1	0.02	7	6340	14	1.4	<2	2
M322149		11.60	10	1	0.02	10	0.37	2290	6	0.02	8	1540	5	1.58	<2	5
M322150		11.60	<10	2	0.60	<10	0.78	1075	27	0.04	1170	780	9	3.38	2	5
M322151		5.47	10	<1	0.37	10	0.85	835	25	0.33	1210	590	4	0.09	<2	7
M322152		12.85	10	<1	0.02	10	0.47	2490	2	0.02	10	4640	8	0.8	<2	3
M322153		16.4	10	<1	0.01	10	0.46	2240	19	0.02	13	1520	6	0.7	<2	4
M322154		19.0	<10	<1	0.01	10	0.13	2450	2	0.02	14	440	15	1.2	3	2
M322155		20.3	<10	3	0.01	<10	0.11	2360	<1	0.02	11	1180	13	<0.01	<2	1
M322156		17.7	<10	<1	0.01	10	0.18	2450	3	0.02	7	2380	15	0.6	<2	5
M322157		19.2	10	<1	0.01	<10	0.15	2630	3	0.02	9	740	10	<0.01	6	2
M322158		9.34	<10	1	0.02	20	0.35	2220	57	0.03	16	290	6	1.20	<2	5
M322159		7.37	<10	3	0.04	10	0.88	1755	72	0.03	37	230	12	3.04	6	4
M322160		10.45	10	<1	0.02	<10	0.58	2390	520	0.02	15	340	11	2.1	<2	7
M322161		3.70	<10	<1	0.02	20	0.31	1445	16	0.21	14	2320	5	0.36	5	2
M322162		6.88	10	<1	0.02	10	0.40	2270	22	0.08	14	460	6	0.51	2	7
M322163		22.7	<10	<1	0.01	10	0.09	2460	4	0.02	13	1400	21	4.1	8	1
M322164		23.8	10	3	0.01	<10	0.08	3080	3	0.02	27	1600	16	6.8	<2	1
M322165		12.65	10	<1	0.01	10	0.63	1445	10	0.05	32	980	11	5.90	<2	4
M322166		3.89	<10	<1	0.28	10	0.62	159	22	0.10	29	350	2	2.93	5	5
M322167		17.2	10	1	0.02	10	0.44	624	12	0.08	31	1200	7	9.43	4	4
M322168		5.20	10	<1	0.14	10	0.46	1145	6	0.12	19	670	5	1.24	<2	3
M322169		2.72	<10	<1	0.23	10	0.66	244	56	0.10	30	290	4	1.50	2	4
M322170		12.00	<10	1	0.62	<10	0.82	1110	30	0.05	1220	660	12	3.56	4	6
M322171		5.82	10	1	0.33	10	0.83	816	27	0.28	1265	570	3	0.09	<2	7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - C
Total # Pages: 5 (A - C)
Finalized Date: 6-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04056532

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Cu-AA46	Pb-AA46	Zn-AA46
		Sr ppm 1	Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Cu % 0.01	Pb % 0.01	Zn % 0.01
M322132		110	0.08	<10	<10	10	<10	32			
M322133		93	0.12	<10	<10	18	<10	78			
M322134		59	0.08	<10	<10	21	<10	295			
M322135		84	0.06	<10	<10	55	<10	32			
M322136		62	0.07	<10	<10	40	<10	30			
M322137		36	0.04	<10	<10	23	20	29			
M322138		45	0.16	<10	<10	56	<10	26			
M322139		38	0.06	<10	<10	39	20	30			
M322140		18	0.09	<10	<10	39	<10	22			
M322141		16	0.05	<10	<10	33	20	25			
M322142		23	0.04	<10	<10	36	20	19			
M322143		38	0.07	<10	<10	60	<10	21			
M322144		49	0.12	<10	<10	65	20	22			
M322145		69	0.08	<10	<10	42	10	60			
M322146		38	0.03	<10	<10	23	20	25			
M322147		65	0.02	<10	<10	18	70	26			
M322148		63	0.05	<10	<10	22	20	22			
M322149		38	0.08	<10	<10	44	10	24			
M322150		62	0.01	<10	<10	60	<10	91	1.16		
M322151		102	0.21	<10	<10	80	<10	47			
M322152		43	0.06	<10	<10	30	20	19			
M322153		37	0.07	<10	<10	32	10	23			
M322154		33	0.02	<10	<10	16	10	14			
M322155		34	0.01	<10	<10	9	10	20			
M322156		54	0.06	<10	<10	25	20	17			
M322157		54	0.04	<10	<10	22	10	9			
M322158		99	0.09	<10	<10	43	30	32			
M322159		111	0.11	<10	<10	36	20	70			
M322160		61	0.11	<10	<10	50	10	39			
M322161		85	0.11	<10	<10	29	<10	39			
M322162		67	0.13	<10	<10	41	<10	43			
M322163		22	0.02	<10	<10	16	40	26			
M322164		14	0.01	<10	<10	18	70	19			
M322165		75	0.07	<10	<10	51	10	42			
M322166		41	0.11	<10	<10	60	<10	27			
M322167		35	0.09	<10	<10	67	<10	21			
M322168		52	0.12	<10	<10	35	10	22			
M322169		45	0.12	<10	<10	39	<10	22			
M322170		63	0.01	<10	<10	63	<10	95	1.19		
M322171		95	0.21	<10	<10	81	10	49			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - A
Total # Pages: 5 (A - C)
Finalized Date: 6-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04056532

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
M322172		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
M322173		3.80	0.033		0.9	0.53	21	<10	30	0.7	4	4.65	<0.5	6	90	360
M322174		2.88	0.100		1.2	0.79	41	<10	30	0.8	17	7.95	<0.5	2	108	672
M322175		2.02	0.031		0.8	0.52	16	<10	60	<0.5	3	1.53	<0.5	7	95	579
M322176		4.02	0.015		1.0	0.32	96	<10	20	<0.5	7	10.20	<0.5	3	148	114
M322177		4.00	0.056		0.3	0.21	141	<10	10	<0.5	10	4.86	<0.5	3	106	80
M322178		2.80	0.040		2.2	0.34	97	<10	20	<0.5	12	6.07	<0.5	3	175	1655
M322179		2.48	0.181		3.1	0.38	23	<10	40	0.6	11	1.85	<0.5	5	130	2060
M322180		3.66	0.095		2.5	0.29	57	<10	40	0.5	30	2.46	<0.5	3	220	1060
M322181		2.94	0.202		3.2	0.55	28	<10	40	0.6	8	3.27	<0.5	5	119	1690
M322182		2.96	0.178		3.0	0.54	208	<10	20	0.6	26	5.75	<0.5	3	100	1775
M322183		5.40	0.234		1.1	1.04	399	<10	40	0.5	21	13.75	<0.5	1	138	451
M322184		5.60	0.381		3.3	1.28	323	<10	30	<0.5	5	18.1	<0.5	<1	116	2050
M322185		5.62	0.119		0.5	0.93	248	<10	10	0.6	114	13.20	<0.5	1	92	233
M322186		4.36	0.239		4.1	0.72	140	<10	30	0.6	13	7.34	<0.5	13	119	2520
M322187		3.72	0.117		2.4	0.46	156	<10	20	<0.5	19	5.40	<0.5	3	111	1230
M322188		4.26	0.197		4.0	0.51	114	<10	30	0.6	44	5.24	<0.5	3	106	1870
M322189		4.16	0.133		1.3	0.64	162	<10	50	0.6	58	6.89	<0.5	2	98	1005
M322190		4.40	0.207		1.1	0.37	257	<10	20	0.5	106	4.84	<0.5	5	141	166
M322191		0.12	0.922		2.5	0.85	7	10	40	<0.5	16	1.78	<0.5	30	1560	>10000
M322192		0.12	0.010		<0.2	2.01	8	<10	150	<0.5	<2	1.28	<0.5	29	1550	130
M322193		4.14	0.077		1.5	0.48	118	<10	30	0.7	33	5.29	<0.5	2	167	990
M322194		4.66	0.140		1.3	0.79	132	<10	40	0.6	8	8.61	<0.5	3	114	748
M322195		5.20	0.080		0.6	1.46	569	<10	20	0.5	2	17.1	<0.5	3	86	347
M322196		4.52	0.130		0.8	1.40	70	<10	110	0.6	<2	3.43	<0.5	8	87	278
M322197		5.40	0.112		1.6	1.00	29	<10	80	0.6	2	3.26	<0.5	21	129	929
M322198		4.84	0.201		3.3	1.04	55	<10	60	<0.5	6	3.66	<0.5	16	103	1645
M322199		5.10	0.072		1.2	1.46	66	<10	10	0.6	10	4.44	<0.5	23	99	675
M322200		3.50	0.009		0.3	0.70	28	<10	60	<0.5	2	1.76	<0.5	8	94	59
M322201		2.80	0.057		0.7	1.42	48	<10	20	0.6	<2	4.51	<0.5	7	99	404
M322202		4.86	0.088		0.4	0.33	106	<10	<10	<0.5	5	4.09	<0.5	70	97	258
M322203		3.46	0.073		0.3	1.08	118	<10	20	<0.5	9	20.5	<0.5	<1	84	388
M322204		4.50	0.132		0.8	0.09	447	<10	10	<0.5	118	2.70	<0.5	1	87	169
M322205		4.80	0.050		0.8	0.10	317	<10	10	<0.5	63	2.65	<0.5	<1	101	16
M322206		6.56	0.026		0.7	0.09	341	<10	10	<0.5	97	2.31	<0.5	7	89	25
M322207		4.44	0.043		0.7	0.87	107	<10	40	<0.5	7	5.35	0.7	8	134	132
M322208		3.92	0.098		1.1	0.69	147	<10	30	0.5	9	3.70	0.5	5	152	237
M322209		4.52	0.120		3.6	0.99	280	<10	40	0.7	15	8.86	<0.5	9	122	1735
M322210		4.28	0.064		0.7	0.12	134	<10	20	<0.5	33	4.08	<0.5	3	183	34
M322211		0.14	0.903		2.5	0.90	18	<10	40	<0.5	13	1.88	<0.5	31	1595	>10000
M322211		0.12	0.006		<0.2	2.07	4	<10	150	<0.5	<2	1.32	<0.5	32	1600	130



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - B
Total # Pages: 5 (A - C)
Finalized Date: 6-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04056532

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
M322172		3.88	<10	2	0.10	10	0.49	520	19	0.06	36	470	5	3.14	3	8
M322173		9.13	<10	2	0.06	20	0.55	1290	1925	0.04	14	320	<2	7.97	<2	7
M322174		2.38	<10	<1	0.21	10	0.57	220	106	0.07	24	370	3	1.82	2	7
M322175		11.90	<10	3	0.10	10	0.63	820	729	0.02	22	790	8	>10.0	19	7
M322176		20.9	<10	1	0.08	10	0.30	381	408	0.01	18	150	12	>10.0	5	4
M322177		14.8	<10	<1	0.12	20	0.63	662	174	0.02	24	250	4	>10.0	29	6
M322178		5.71	<10	<1	0.14	20	0.78	328	244	0.04	25	480	<2	5.48	<2	7
M322179		7.69	<10	1	0.12	20	0.73	424	352	0.03	20	380	5	7.45	5	6
M322180		3.52	<10	<1	0.13	10	0.77	613	140	0.04	24	410	4	2.09	6	5
M322181		13.05	<10	<1	0.10	10	0.67	934	150	0.03	19	1540	12	>10.0	2	5
M322182		17.8	10	1	0.07	10	0.49	1975	38	0.03	12	3520	14	9.24	<2	4
M322183		16.1	<10	1	0.06	10	0.32	2520	30	0.02	15	6840	14	1.8	<2	3
M322184		15.4	<10	<1	0.17	10	0.58	1705	41	0.02	17	2760	10	9.30	<2	4
M322185		7.89	<10	2	0.11	10	0.55	1095	105	0.02	35	940	2	4.84	<2	5
M322186		9.36	<10	2	0.10	10	0.41	811	97	0.02	19	990	7	7.83	4	5
M322187		9.31	<10	1	0.18	10	0.78	856	207	0.02	18	1360	9	8.09	<2	6
M322188		9.33	<10	1	0.18	10	0.61	996	54	0.02	17	2460	5	6.78	3	4
M322189		19.4	<10	2	0.16	10	0.59	745	45	0.02	22	1370	10	>10.0	<2	4
M322190		11.60	<10	<1	0.43	<10	0.78	1065	30	0.04	1225	650	11	3.50	3	5
M322191		5.13	10	1	0.27	10	0.77	763	24	0.22	1240	560	<2	0.09	<2	6
M322192		7.12	<10	2	0.14	10	0.61	902	96	0.02	27	1370	3	5.47	5	6
M322193		6.39	10	2	0.09	10	0.48	1295	136	0.04	24	5000	6	3.01	<2	5
M322194		9.05	10	1	0.04	40	0.58	2190	142	0.07	10	>10000	5	1.7	<2	3
M322195		3.13	10	1	0.29	10	1.32	860	47	0.22	25	790	6	0.52	3	5
M322196		3.99	10	1	0.25	10	1.02	560	146	0.09	34	450	4	2.88	4	6
M322197		3.91	<10	<1	0.16	10	0.81	507	118	0.10	28	430	5	2.39	2	5
M322198		10.80	<10	1	0.20	20	1.14	414	5	0.13	49	7240	6	>10.0	5	4
M322199		4.20	<10	<1	0.26	10	0.59	260	6	0.06	28	280	3	4.04	3	6
M322200		5.78	<10	1	0.13	10	0.71	692	18	0.08	33	2030	4	5.08	6	5
M322201		22.1	<10	2	0.12	10	0.86	2330	5	0.03	35	3510	8	>10.0	5	4
M322202		19.0	10	<1	0.02	10	0.19	2190	10	0.02	11	6090	10	2.0	<2	1
M322203		24.1	<10	4	0.06	<10	0.55	600	87	0.01	8	1220	15	>10.0	14	2
M322204		28.0	<10	<1	0.08	<10	0.32	471	99	0.02	9	400	7	>10.0	4	2
M322205		21.3	<10	4	0.09	<10	0.20	436	6	0.01	11	250	8	>10.0	10	2
M322206		4.77	<10	2	0.03	10	0.35	1125	18	0.14	25	1040	6	1.28	11	2
M322207		1.80	<10	2	0.06	<10	0.35	1030	10	0.09	27	400	4	0.55	30	3
M322208		4.26	<10	3	0.09	10	0.56	1675	36	0.12	31	3020	4	0.83	52	5
M322209		10.30	<10	<1	0.06	<10	0.73	906	1795	0.02	17	710	7	>10.0	8	7
M322210		11.95	<10	1	0.44	<10	0.82	1115	44	0.04	1260	680	7	3.69	<2	5
M322211		5.32	10	1	0.28	10	0.80	790	26	0.22	1275	590	<2	0.09	<2	6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 3 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 6-SEP-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04056532

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Cu-AA46	Pb-AA46	Zn-AA46
		Sr	Tl	Tl	U	V	W	Zn	Cu	Pb	Zn
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.01	% 0.01	% 0.01
M322172		66	0.02	<10	<10	47	<10	24			
M322173		74	0.04	<10	<10	48	10	30			
M322174		33	0.03	<10	<10	38	<10	28			
M322175		74	<0.01	<10	<10	35	<10	35			
M322176		41	<0.01	<10	<10	21	<10	22			
M322177		67	<0.01	<10	<10	26	<10	48			
M322178		28	0.02	<10	<10	35	<10	29			
M322179		29	0.02	<10	<10	30	<10	31			
M322180		28	0.10	<10	<10	46	20	37			
M322181		36	0.06	<10	<10	41	20	44			
M322182		45	0.06	<10	<10	36	50	38			
M322183		40	0.05	<10	<10	37	40	35			
M322184		44	0.06	<10	<10	45	40	39			
M322185		29	0.09	<10	<10	60	30	37			
M322186		28	0.07	<10	<10	38	20	36			
M322187		33	0.06	<10	<10	47	20	47			
M322188		30	0.06	<10	<10	34	30	34			
M322189		28	0.04	<10	<10	37	90	35			
M322190		60	0.01	<10	<10	54	<10	93	1.19		
M322191		76	0.19	<10	<10	72	<10	46			
M322192		44	0.05	<10	<10	37	90	40			
M322193		46	0.07	<10	<10	39	20	39			
M322194		78	0.06	<10	<10	33	40	33			
M322195		83	0.14	<10	<10	48	<10	50			
M322196		50	0.14	<10	<10	58	10	29			
M322197		67	0.13	<10	<10	55	10	30			
M322198		111	0.06	<10	<10	32	<10	25			
M322199		56	0.03	<10	<10	32	20	22			
M322200		126	0.06	10	<10	54	<10	27			
M322201		62	0.01	<10	<10	22	<10	23			
M322202		69	0.02	<10	<10	22	50	9			
M322203		41	<0.01	<10	<10	8	<10	11			
M322204		29	<0.01	<10	10	9	<10	4			
M322205		27	<0.01	<10	<10	1	10	11			
M322206		67	0.06	<10	<10	17	10	72			
M322207		83	0.04	<10	<10	22	<10	64			
M322208		128	0.08	<10	<10	40	20	71			
M322209		42	0.01	<10	<10	21	470	22			
M322210		63	0.01	<10	<10	56	10	88	1.22		
M322211		77	0.19	<10	<10	74	10	47			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 4 - A
Total # Pages: 5 (A - C)
Finalized Date: 6-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04056532

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
M322212		4.66	0.063		0.2	0.52	133	<10	30	<0.5	9	14.40	<0.5	2	123	16
M322213		5.64	0.078		0.6	0.28	174	<10	10	<0.5	201	9.84	<0.5	8	106	189
M322214		5.40	0.083		0.7	0.96	249	<10	30	0.7	3	11.95	<0.5	6	96	198
M322215		3.68	0.119		1.5	1.04	112	<10	40	0.7	34	10.85	<0.5	6	87	866
M322216		2.92	0.010		0.3	0.31	65	<10	20	<0.5	<2	2.37	<0.5	39	230	35
M322217		3.00	0.034		3.1	0.14	81	<10	10	<0.5	58	4.75	<0.5	1	171	12
M322218		4.74	0.045		0.7	1.05	126	<10	10	<0.5	13	18.4	<0.5	2	124	11
M322219		5.90	0.007		<0.2	1.67	150	<10	<10	<0.5	2	20.1	<0.5	<1	102	23
M322220		5.20	0.040		0.6	1.34	214	<10	<10	<0.5	68	21.3	<0.5	4	106	408
M322221		4.48	0.143		1.1	0.86	618	<10	<10	<0.5	15	19.4	<0.5	3	70	574
M322222		2.58	0.065		1.4	0.51	407	<10	20	<0.5	2	4.65	<0.5	21	174	10
M322223		4.46	>10.0	15.35	1.8	0.62	70	<10	20	<0.5	<2	5.23	<0.5	66	58	806
M322224		4.34	0.770		1.7	1.06	334	<10	10	0.6	8	4.48	<0.5	42	66	1610
M322225		3.32	0.426		1.5	1.24	520	<10	20	<0.5	4	9.02	0.6	48	108	638
M322226		3.96	0.044		5.8	0.75	87	<10	110	<0.5	3	1.12	0.7	15	96	1115
M322227		8.08	0.046		1.7	0.56	221	<10	130	<0.5	<2	0.81	5.9	9	99	93
M322228		8.22	0.042		1.3	0.90	294	<10	150	0.5	<2	0.53	4.8	12	172	85
M322229		8.40	0.086		0.9	0.86	78	<10	90	0.5	<2	1.00	5.0	22	139	131
M322230		0.12	0.585		2.8	0.92	17	<10	50	<0.5	<2	1.76	<0.5	31	1575	>10000
M322231		0.12	0.010		0.2	2.20	6	<10	150	<0.5	<2	1.42	<0.5	29	1615	139
M322232		6.44	0.100		1.6	0.95	863	<10	100	0.5	<2	1.72	2.1	9	162	112
M322233		7.14	0.040		1.4	0.95	40	<10	50	0.5	<2	1.49	1.1	12	118	276
M322234		4.44	2.41		0.6	0.93	76	<10	40	0.5	2	1.06	<0.5	56	96	310
M322235		6.58	0.477		1.3	0.40	164	<10	10	<0.5	2	1.16	<0.5	144	27	1800
M322236		4.48	0.954		0.3	0.88	258	<10	110	0.5	<2	1.23	<0.5	58	92	185
M322237		3.36	0.312		0.2	1.15	184	<10	210	0.6	<2	1.03	<0.5	25	128	58
M322238		4.96	1.175		0.7	0.78	>10000	<10	70	0.5	3	0.78	<0.5	190	83	616
M322239		4.78	1.535		80.3	0.22	2740	<10	10	<0.5	278	1.32	<0.5	69	93	22
M322240		4.32	3.38		15.0	0.67	9220	<10	20	<0.5	126	9.39	5.3	110	67	300
M322241		3.26	1.165		5.4	0.71	1525	<10	40	<0.5	35	4.37	1.1	9	106	488
M322242		6.82	0.639		9.5	0.77	5270	<10	70	0.5	3	1.12	5.1	11	87	125
M322243		7.10	0.516		10.2	0.89	3850	<10	120	0.6	4	1.72	7.4	11	142	146
M322244		4.20	0.077		2.8	0.54	238	<10	40	<0.5	<2	1.23	1.9	23	124	361
M322245		4.92	0.511		1.4	0.46	2540	<10	60	<0.5	<2	1.72	4.6	15	126	45
M322246		1.64	0.383		9.1	1.26	1550	<10	90	<0.5	<2	1.32	2.8	19	119	978
M322247		1.60	2.12		17.8	0.74	816	<10	70	0.6	35	4.74	106.0	11	146	474
M322248		3.92	0.980		4.7	0.39	>10000	<10	20	<0.5	7	1.02	45.3	69	122	160
M322249		3.54	1.565		64.9	0.43	>10000	<10	90	<0.5	7	1.31	12.1	6	84	267
M322250		0.10	0.799		2.9	0.91	29	10	40	<0.5	<2	1.76	<0.5	29	1575	>10000
M322251		0.12	0.007		<0.2	2.10	9	<10	140	<0.5	<2	1.34	<0.5	28	1540	134



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 6-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04056532

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe % 0.01	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1
M322212		11.25	<10	1	0.05	<10	0.44	1675	9	0.02	9	370	6	7.21	2	2
M322213		23.1	<10	<1	0.04	10	0.47	1370	9	0.02	20	160	20	>10.0	7	1
M322214		6.53	<10	1	0.03	10	0.32	1840	235	0.10	17	410	7	0.50	<2	4
M322215		8.28	<10	1	0.05	10	0.29	1580	131	0.05	32	2370	11	5.88	10	7
M322216		14.30	<10	<1	0.10	10	0.21	336	12	0.05	18	510	3	>10.0	5	4
M322217		9.43	<10	<1	0.04	<10	0.17	632	7	0.02	10	750	23	8.63	7	1
M322218		12.25	<10	2	0.03	10	0.20	2180	95	<0.01	10	4480	11	3.8	2	3
M322219		16.8	10	1	0.01	10	0.08	2650	6	<0.01	8	1820	11	1.3	4	2
M322220		16.6	<10	<1	0.01	10	0.08	2590	6	<0.01	11	1580	10	2.1	40	1
M322221		17.9	10	3	0.02	10	0.12	2610	4	<0.01	12	1650	10	2.7	30	3
M322222		10.75	<10	3	0.28	<10	0.82	1070	3	<0.01	27	130	34	>10.0	19	4
M322223		11.10	10	2	0.01	10	0.08	1105	2	0.04	21	2140	8	3.65	7	1
M322224		29.7	<10	4	0.02	20	0.36	715	3	0.04	16	1400	18	8.21	7	3
M322225		19.6	10	2	0.02	10	0.51	1255	3	0.05	12	2800	11	>10.0	7	2
M322226		2.24	<10	1	0.33	<10	0.71	349	17	0.01	29	280	48	1.74	14	5
M322227		2.18	<10	<1	0.25	10	0.63	730	7	<0.01	32	280	103	1.11	22	3
M322228		2.05	<10	1	0.45	10	0.69	459	5	0.02	34	240	214	0.96	68	4
M322229		3.13	<10	1	0.35	10	0.79	435	7	0.03	32	200	79	2.46	26	5
M322230		11.25	<10	4	0.45	<10	0.81	1070	30	0.03	1255	640	14	3.70	6	5
M322231		5.48	10	<1	0.29	10	0.86	833	26	0.23	1295	590	6	0.08	4	7
M322232		2.75	<10	<1	0.37	10	0.95	497	9	0.03	32	270	122	2.06	37	5
M322233		3.46	10	<1	0.27	10	0.78	313	10	0.04	33	280	19	3.00	8	6
M322234		6.35	<10	1	0.07	10	0.34	253	10	0.15	31	720	6	3.42	4	3
M322235		28.6	<10	<1	0.02	20	0.05	204	1	0.08	43	2810	19	6.40	7	1
M322236		4.05	<10	2	0.02	10	0.29	339	31	0.18	26	340	10	1.86	7	2
M322237		2.35	<10	1	0.09	10	0.66	311	9	0.20	29	250	7	0.77	8	3
M322238		10.95	<10	2	0.15	<10	0.38	317	4	0.14	34	180	5	3.98	192	2
M322239		28.9	<10	2	0.07	<10	0.62	684	1	<0.01	15	1940	456	>10.0	316	3
M322240		7.68	<10	1	0.09	10	0.72	1675	20	0.03	25	1220	505	4.84	242	4
M322241		6.55	<10	1	0.18	10	0.65	894	9	0.03	27	1700	108	6.16	54	5
M322242		3.80	<10	1	0.36	10	0.45	770	8	0.01	34	390	715	2.88	464	2
M322243		3.25	<10	1	0.35	10	0.72	1360	8	0.01	36	410	659	1.72	395	4
M322244		5.37	<10	<1	0.10	<10	0.72	602	13	0.01	32	220	72	4.48	4	2
M322245		4.90	<10	<1	0.23	10	0.71	780	16	<0.01	41	390	289	4.60	140	3
M322246		4.43	10	1	0.24	20	1.10	598	10	0.01	29	270	49	3.12	10	5
M322247		3.67	<10	3	0.20	10	1.05	664	4	0.01	33	190	315	2.96	23	3
M322248		13.10	<10	2	0.26	10	0.32	571	9	<0.01	46	220	1105	>10.0	487	2
M322249		2.95	<10	<1	0.24	10	0.65	736	7	<0.01	30	290	>10000	2.24	9030	2
M322250		11.20	<10	3	0.45	<10	0.81	1070	31	0.03	1260	650	25	3.69	24	5
M322251		5.19	10	3	0.28	10	0.82	790	25	0.22	1245	560	4	0.07	8	6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 4 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 6-SEP-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS	VA04056532
-------------------------	------------

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Cu-AA46	Pb-AA46	Zn-AA46
	Analyte	Sr	Ti	Ti	U	V	W	Zn	Cu	Pb	Zn
	Units LOR	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.01	% 0.01	% 0.01
M322212		69	0.01	<10	<10	14	220	12			
M322213		39	<0.01	<10	<10	10	150	53			
M322214		113	0.07	<10	<10	32	30	61			
M322215		114	0.05	<10	<10	43	<10	35			
M322216		32	0.02	<10	<10	12	100	19			
M322217		25	<0.01	<10	<10	6	50	6			
M322218		53	0.02	10	<10	21	220	16			
M322219		38	0.06	10	<10	30	140	11			
M322220		49	0.04	10	<10	20	130	25			
M322221		52	0.03	10	<10	19	160	26			
M322222		67	<0.01	<10	<10	13	<10	37			
M322223		24	0.04	10	<10	8	10	33			
M322224		44	0.06	10	<10	19	10	37			
M322225		62	0.05	<10	<10	24	20	22			
M322226		33	0.02	10	<10	40	<10	83			
M322227		47	0.01	<10	<10	24	<10	685			
M322228		40	0.03	<10	<10	29	<10	558			
M322229		46	0.02	<10	<10	36	<10	542			
M322230		61	0.01	<10	<10	56	10	87	1.20		
M322231		83	0.21	10	<10	76	<10	46			
M322232		78	0.02	10	<10	35	<10	256			
M322233		71	0.02	<10	<10	40	<10	150			
M322234		62	0.10	<10	<10	29	<10	38			
M322235		29	0.02	10	<10	3	<10	24			
M322236		77	0.11	10	<10	25	<10	29			
M322237		123	0.12	<10	<10	28	<10	36			
M322238		55	0.06	<10	<10	21	<10	31			
M322239		36	<0.01	10	<10	16	30	47			
M322240		77	0.04	<10	<10	28	<10	653			
M322241		106	0.02	<10	<10	31	80	142			
M322242		33	0.01	<10	<10	19	<10	686			
M322243		41	0.01	10	<10	25	<10	965			
M322244		58	<0.01	<10	<10	27	<10	265			
M322245		73	<0.01	<10	<10	21	<10	585			
M322246		42	0.01	10	<10	46	<10	349			
M322247		140	0.01	<10	<10	24	<10	>10000			1.29
M322248		25	<0.01	10	<10	9	<10	5760			
M322249		37	<0.01	<10	<10	18	<10	1000		1.12	
M322250		61	0.01	<10	<10	56	<10	95	1.21		
M322251		80	0.20	<10	<10	72	<10	46			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 5 - A
 Total # Pages: 5 (A - C)
 Finalized Date: 6-SEP-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS	VA04056532
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
	LOR	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
	Sample Description	LOR	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
M322252		3.34	0.703		34.8	0.39	6740	<10	30	<0.5	40	2.97	15.7	6	160	4020
M322253		3.24	0.735		12.1	0.25	9910	<10	10	<0.5	41	0.69	1.7	13	126	467
M322254		5.24	0.097		2.6	0.95	1785	<10	50	<0.5	3	2.07	1.0	6	124	215
M322255		4.50	0.048		2.6	0.39	160	<10	10	<0.5	7	4.10	<0.5	11	66	1120
M322256		5.68	4.64		16.9	0.33	>10000	<10	<10	<0.5	44	0.78	18.4	11	94	1015
M322257		4.84	0.068		0.9	1.52	117	<10	40	0.5	2	4.78	0.6	3	68	220
M322258		4.82	0.099		0.9	1.74	973	<10	40	0.5	2	5.63	1.8	3	106	126
M322259		5.08	0.224		5.1	0.28	1055	<10	20	<0.5	18	6.04	5.7	6	78	751
M322260		4.98	0.610		11.4	0.15	1940	<10	10	<0.5	43	3.28	16.9	23	94	2150
M322261		5.48	1.310		42.1	0.14	8820	<10	<10	<0.5	110	0.89	4.4	11	116	2890
M322262		6.28	1.530		16.3	0.31	6680	<10	10	<0.5	37	1.68	2.7	18	127	875
M322263		3.76	0.386		6.2	0.35	4640	<10	60	<0.5	18	1.02	8.5	18	132	251
M322264		3.80	0.480		7.4	0.45	1810	<10	70	<0.5	26	0.74	3.9	5	168	243
M322265		4.08	0.764		12.0	0.32	3870	<10	40	<0.5	44	0.72	3.2	4	95	485



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 5 - B
Total # Pages: 5 (A - C)
Finalized Date: 6-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04056532

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
Units		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
LOR		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
M322252		12.35	<10	<1	0.14	10	1.14	1145	6	<0.01	19	3910	280	>10.0	160	3
M322253		24.4	<10	2	0.07	10	0.66	692	4	<0.01	26	1360	96	>10.0	58	3
M322254		4.78	10	1	0.09	10	0.90	1015	14	0.07	25	370	41	2.60	15	5
M322255		25.2	<10	<1	0.02	<10	0.15	914	2	0.03	14	650	7	8.71	8	1
M322256		29.9	<10	<1	0.03	10	0.90	903	2	<0.01	18	2420	153	>10.0	142	3
M322257		5.32	<10	1	0.05	10	0.21	784	11	0.09	15	450	10	2.74	9	2
M322258		3.81	10	1	0.05	10	0.34	696	16	0.08	21	280	27	2.06	13	3
M322259		19.0	<10	<1	0.02	<10	0.28	911	3	<0.01	17	1120	34	>10.0	12	1
M322260		39.6	<10	<1	0.01	<10	0.14	958	3	<0.01	8	1460	52	>10.0	24	<1
M322261		27.4	<10	<1	0.02	<10	0.18	186	3	<0.01	8	1230	447	>10.0	302	1
M322262		27.8	<10	<1	0.03	<10	0.32	331	3	<0.01	14	1080	289	>10.0	158	2
M322263		6.52	<10	1	0.16	20	1.06	1205	10	<0.01	19	240	337	5.03	168	5
M322264		5.43	<10	<1	0.21	10	0.87	907	9	<0.01	26	190	176	4.27	92	4
M322265		7.85	<10	<1	0.15	10	1.26	1420	10	<0.01	27	240	177	6.23	88	4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 5 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 6-SEP-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04056532

Sample Description	Method Analyte Units LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Cu-AA46 Cu % 0.01	Pb-AA46 Pb % 0.01	Zn-AA46 Zn % 0.01	
	M322252		51	<0.01	10	<10	19	<10	1860			
	M322253		19	<0.01	10	<10	17	<10	246			
M322254		44	0.05	<10	<10	52	<10	166				
M322255		32	0.04	<10	<10	10	10	56				
M322256		14	<0.01	<10	<10	30	<10	2060				
M322257		54	0.07	<10	<10	22	<10	86				
M322258		55	0.07	<10	<10	29	<10	235				
M322259		32	0.02	<10	<10	13	<10	701				
M322260		7	<0.01	<10	<10	4	<10	1835				
M322261		10	<0.01	<10	<10	9	<10	467				
M322262		18	0.01	<10	10	16	<10	380				
M322263		38	<0.01	<10	<10	24	<10	1070				
M322264		35	0.01	<10	<10	31	<10	538				
M322265		39	<0.01	<10	<10	23	<10	431				



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 1
Finalized Date: 16-AUG-2004
Account: SHK

CERTIFICATE VA04050210

Project:

P.O. No.:

This report is for 111 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 3-AUG-2004.

The following have access to data associated with this certificate:

DARYL HANSON
RICK WHATLEY

JIM OLIVER
GEORGE WHATLEY

GEORGE WHATLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ALPHA GOLD CORP.
ATTN: DARYL HANSON
16575 QUICK EAST ROAD
TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04050210

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
322019		4.84	0.017	0.8	1.56	35	<10	20	<0.5	<2	5.61	<0.5	5	14	708	5.48
322020		4.80	0.014	0.5	0.74	30	<10	100	<0.5	<2	0.85	<0.5	8	32	341	2.56
322021		5.02	0.036	0.8	0.90	48	<10	30	<0.5	<2	6.19	<0.5	4	24	865	6.95
322022		3.06	0.039	1.4	0.77	21	<10	70	<0.5	<2	2.46	<0.5	7	23	1250	4.68
322023		3.20	0.041	0.9	0.94	10	<10	60	0.5	<2	1.22	<0.5	8	25	706	3.62
322024		3.76	0.016	0.3	0.90	22	<10	130	<0.5	<2	0.46	<0.5	11	36	282	2.33
322025		4.50	0.029	0.8	1.68	25	<10	20	0.5	<2	5.96	<0.5	4	12	747	6.16
322026		3.76	0.017	0.4	0.91	7	<10	50	<0.5	<2	1.68	<0.5	5	32	286	2.05
322027		1.96	0.026	0.6	1.57	25	<10	50	<0.5	<2	3.40	<0.5	7	48	728	4.61
322028		3.80	0.005	0.2	1.18	16	<10	130	<0.5	<2	2.48	<0.5	13	50	257	3.09
322029		2.88	0.016	1.0	1.32	22	<10	160	<0.5	<2	3.42	3.4	9	23	404	3.12
322030		4.80	0.010	0.3	1.42	24	<10	40	<0.5	<2	6.07	<0.5	5	22	316	3.91
322031		3.12	<0.005	0.2	0.76	10	<10	140	<0.5	<2	0.89	<0.5	5	24	110	1.44
322032		3.66	0.012	0.4	0.39	48	<10	10	<0.5	<2	11.75	<0.5	1	16	465	10.95
322033		3.02	0.007	0.5	0.17	25	<10	30	0.7	<2	5.34	<0.5	4	11	231	4.76
322034		4.94	0.011	0.4	0.71	191	<10	<10	<0.5	<2	11.45	<0.5	1	4	308	10.40
322035		5.58	0.011	0.6	1.02	173	<10	<10	<0.5	<2	12.70	0.8	<1	4	299	11.15
322036		6.26	<0.005	0.3	1.16	173	<10	<10	<0.5	<2	16.2	0.6	<1	5	182	16.9
322037		6.82	<0.005	<0.2	0.93	212	<10	<10	<0.5	<2	12.90	<0.5	<1	13	31	9.80
322038		2.64	<0.005	0.3	0.40	61	<10	30	<0.5	2	6.18	<0.5	3	7	56	5.81
322039		3.36	<0.005	<0.2	0.33	133	<10	<10	<0.5	2	11.50	<0.5	2	8	30	8.24
322040		6.48	<0.005	<0.2	0.60	300	<10	<10	<0.5	<2	14.8	<0.5	<1	13	30	11.60
322041		5.54	<0.005	<0.2	0.65	341	<10	<10	<0.5	<2	17.6	<0.5	<1	5	17	17.4
322042		5.16	<0.005	<0.2	0.76	368	<10	<10	<0.5	<2	18.7	<0.5	<1	4	41	19.2
322043		10.14	<0.005	<0.2	0.93	273	<10	<10	<0.5	<2	14.0	<0.5	<1	11	8	10.75
322044		5.14	0.007	0.4	1.24	17	<10	260	<0.5	<2	1.06	<0.5	8	58	125	1.90
322045		5.48	<0.005	<0.2	0.75	280	<10	<10	<0.5	<2	17.0	<0.5	1	8	3	13.30
322046		5.64	<0.005	0.2	0.78	36	<10	80	<0.5	<2	4.62	<0.5	4	23	44	3.24
322047		2.48	<0.005	<0.2	0.88	303	<10	<10	<0.5	<2	17.8	<0.5	<1	8	4	17.4
322048		2.72	<0.005	<0.2	1.11	61	<10	10	<0.5	<2	10.50	<0.5	2	25	4	4.46
322049		4.86	<0.005	<0.2	0.90	87	<10	10	<0.5	<2	10.25	<0.5	2	11	26	6.84
322050		4.54	0.066	1.9	0.36	37	<10	30	<0.5	9	6.45	<0.5	31	19	1365	10.55
322051		1.48	<0.005	<0.2	1.04	50	<10	70	<0.5	<2	13.70	<0.5	1	24	11	6.75
322052		4.70	<0.005	<0.2	1.62	42	<10	30	<0.5	<2	14.8	<0.5	<1	19	8	8.61
322053		4.72	<0.005	<0.2	1.26	24	<10	80	<0.5	<2	10.25	<0.5	3	29	78	6.41
322054		5.24	0.006	0.2	1.34	22	<10	90	<0.5	73	8.93	<0.5	1	15	104	5.86
322055		3.76	0.007	0.3	1.12	43	<10	<10	<0.5	14	13.25	<0.5	2	33	138	8.38
322056		4.96	<0.005	<0.2	1.43	142	<10	10	<0.5	3	13.8	<0.5	1	32	42	8.75
322057		2.54	<0.005	<0.2	1.36	96	<10	<10	<0.5	<2	13.65	<0.5	<1	36	12	6.52
322058		5.20	<0.005	<0.2	1.07	42	<10	10	<0.5	7	10.10	<0.5	1	21	11	6.44



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04050210

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
322019		10	<1	0.02	10	0.45	662	<1	0.12	14	2220	<2	3.64	2	2	106
322020		<10	<1	0.31	<10	0.65	180	4	0.07	26	320	3	1.88	6	5	20
322021		10	<1	0.05	10	0.58	754	2	0.05	13	1630	<2	3.85	9	3	35
322022		<10	<1	0.16	10	0.62	358	3	0.06	22	850	<2	3.29	18	4	22
322023		<10	<1	0.14	10	0.67	210	4	0.07	24	470	3	3.12	8	3	52
322024		<10	<1	0.41	10	0.78	144	29	0.04	39	320	<2	1.54	7	7	12
322025		10	<1	0.03	10	0.52	689	<1	0.11	11	1400	11	3.94	7	2	105
322026		<10	<1	0.16	20	0.71	220	1	0.08	33	1510	4	1.64	4	2	52
322027		10	<1	0.33	10	0.82	445	1	0.07	46	1540	<2	3.67	3	4	94
322028		10	<1	0.48	10	0.93	363	1	0.08	42	1840	<2	1.42	<2	3	60
322029		10	<1	0.25	10	0.70	554	4	0.09	19	1320	188	1.44	34	4	78
322030		10	<1	0.04	10	0.76	979	2	0.06	10	1180	<2	1.20	4	4	67
322031		<10	<1	0.38	<10	0.66	196	4	0.05	23	230	<2	0.68	7	6	23
322032		<10	<1	0.02	<10	0.31	1290	1	0.03	2	390	<2	2.74	7	1	13
322033		<10	<1	0.01	<10	1.26	625	3	0.04	8	2240	<2	5.42	4	<1	28
322034		10	<1	0.01	<10	0.67	1330	6	0.04	<1	270	4	2.52	<2	1	18
322035		10	<1	0.02	10	0.38	1770	26	0.04	<1	600	4	2.06	10	1	17
322036		10	<1	0.01	<10	0.24	1880	6	0.03	1	530	<2	2.39	<2	1	10
322037		10	<1	0.01	10	0.37	1485	2	0.03	1	1100	<2	0.93	<2	<1	11
322038		<10	<1	0.11	10	0.37	869	116	0.03	8	960	4	3.78	<2	4	29
322039		10	<1	0.03	10	0.41	1350	3	0.03	3	1020	2	1.82	3	1	54
322040		10	<1	0.01	10	0.16	1450	4	0.03	3	690	<2	0.95	<2	<1	9
322041		10	<1	0.01	10	0.16	1890	21	0.04	1	340	<2	0.7	6	<1	7
322042		10	<1	0.01	10	0.11	2000	13	0.03	<1	300	3	0.5	<2	1	8
322043		10	<1	0.01	10	0.26	1515	2	0.03	4	980	<2	0.65	<2	<1	9
322044		10	<1	0.56	10	0.92	203	11	0.11	28	300	4	0.57	<2	7	21
322045		10	<1	0.01	10	0.24	1780	6	0.03	<1	610	<2	1.4	4	1	20
322046		<10	<1	0.23	10	0.62	638	9	0.07	13	640	2	0.47	4	3	29
322047		10	2	0.02	20	0.13	1900	2	0.04	<1	1180	<2	<0.01	<2	1	7
322048		<10	<1	0.02	20	0.11	906	1	0.03	1	2340	3	0.26	3	2	14
322049		<10	<1	0.04	30	0.22	956	5	0.04	6	4120	<2	0.68	3	2	22
322050		<10	<1	0.12	10	0.34	879	236	0.04	59	440	<2	>10.0	3	7	30
322051		<10	<1	0.12	10	0.54	1425	5	0.04	8	1680	<2	1.29	2	4	37
322052		10	<1	0.02	<10	0.32	2180	2	0.04	3	570	<2	0.29	<2	5	38
322053		10	<1	0.02	10	0.69	1600	2	0.03	5	790	<2	0.82	<2	5	40
322054		<10	<1	0.04	10	0.42	1585	5	0.04	6	830	4	2.56	2	4	49
322055		10	<1	0.04	<10	0.34	1615	32	0.02	6	620	8	2.83	2	3	37
322056		10	1	0.03	30	0.48	1645	12	0.02	6	6830	9	0.82	2	3	40
322057		10	<1	0.01	30	0.30	1635	1	0.02	4	3960	8	0.33	<2	3	47
322058		10	<1	0.03	10	0.42	1160	1	0.01	5	700	5	1.04	2	3	26



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04050210

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Cu-AA46
		Ti	Ti	U	V	W	Zn	Cu
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.01
322019		0.06	<10	<10	28	10	37	
322020		0.11	<10	<10	50	<10	36	
322021		0.06	<10	<10	32	50	42	
322022		0.09	<10	<10	45	10	36	
322023		0.08	<10	<10	34	<10	36	
322024		0.09	<10	<10	114	<10	29	
322025		0.05	<10	<10	24	10	38	
322026		0.06	<10	<10	22	<10	30	
322027		0.08	<10	<10	44	10	28	
322028		0.19	<10	<10	63	<10	37	
322029		0.15	<10	<10	63	10	336	
322030		0.09	<10	<10	41	10	34	
322031		0.10	<10	<10	34	<10	22	
322032		0.02	<10	<10	17	80	29	
322033		<0.01	<10	<10	6	20	16	
322034		0.01	<10	<10	15	80	19	
322035		0.03	<10	<10	21	80	116	
322036		0.01	<10	<10	18	110	16	
322037		0.01	<10	<10	13	80	23	
322038		0.02	<10	<10	18	20	36	
322039		0.01	<10	<10	9	80	17	
322040		<0.01	<10	<10	11	110	12	
322041		<0.01	<10	<10	12	120	14	
322042		<0.01	<10	<10	13	150	14	
322043		0.01	<10	<10	15	120	13	
322044		0.15	<10	<10	64	<10	32	
322045		0.01	<10	<10	18	160	14	
322046		0.12	<10	<10	39	40	64	
322047		0.03	10	<10	23	180	14	
322048		0.09	<10	<10	26	20	18	
322049		0.06	<10	<10	36	140	19	
322050		0.05	<10	<10	33	20	25	
322051		0.04	<10	<10	35	100	39	
322052		0.10	<10	<10	37	40	25	
322053		0.05	<10	<10	38	40	33	
322054		0.12	<10	<10	32	10	37	
322055		0.07	<10	<10	26	80	34	
322056		0.07	<10	<10	36	40	47	
322057		0.08	<10	<10	23	20	39	
322058		0.07	<10	<10	23	50	27	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04050210

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
322059		4.72	<0.005	<0.2	1.47	66	<10	10	<0.5	43	11.65	<0.5	<1	46	91	8.52
322060		5.12	<0.005	<0.2	1.52	42	<10	10	<0.5	2	9.49	<0.5	1	24	9	5.05
322061		5.04	<0.005	<0.2	2.12	42	<10	10	<0.5	3	11.95	<0.5	1	35	42	7.59
322062		4.76	<0.005	<0.2	1.76	69	<10	10	<0.5	2	12.70	<0.5	<1	50	13	7.38
322063		5.72	<0.005	<0.2	1.24	58	<10	<10	<0.5	<2	11.25	<0.5	1	37	13	7.46
322064		4.68	<0.005	<0.2	1.83	95	<10	<10	<0.5	2	14.55	<0.5	1	20	34	10.75
322065		4.28	<0.005	<0.2	1.08	156	<10	10	<0.5	2	9.90	<0.5	1	20	11	6.04
322066		3.22	0.034	0.6	0.14	125	<10	20	<0.5	6	1.97	<0.5	10	20	176	9.84
322067		3.42	0.118	5.2	1.36	151	<10	10	<0.5	33	13.50	<0.5	6	18	2880	10.70
322068		2.64	0.359	15.0	1.18	229	<10	10	<0.5	36	12.85	<0.5	18	22	8390	12.25
322069		3.34	0.203	2.9	1.36	1665	<10	10	<0.5	28	13.70	<0.5	4	11	1775	11.15
322070		4.86	0.356	7.7	0.88	217	<10	<10	<0.5	48	9.41	<0.5	15	11	4780	9.33
322071		4.76	0.797	28.5	0.55	760	<10	10	<0.5	118	11.40	<0.5	200	<1	>10000	28.1
322072		6.10	0.660	25.1	0.37	349	<10	<10	<0.5	<2	7.29	<0.5	436	4	>10000	27.2
322073		5.34	1.140	83.9	1.62	285	<10	10	<0.5	197	7.53	1.1	418	<1	>10000	26.0
322074		7.06	0.528	34.5	0.52	194	<10	<10	<0.5	51	11.70	<0.5	41	14	>10000	13.20
322075		3.84	0.038	3.9	1.19	160	<10	70	<0.5	32	9.79	<0.5	27	19	1810	7.65
322076		4.48	0.181	6.9	0.67	289	<10	10	<0.5	46	13.40	<0.5	69	18	4130	13.40
322077		4.68	0.333	10.8	0.63	341	<10	10	<0.5	50	14.7	<0.5	102	5	7180	25.1
322078		4.48	0.109	6.5	0.57	344	<10	<10	<0.5	50	15.2	<0.5	<1	11	4450	14.15
322079		4.32	0.529	12.0	1.08	321	<10	10	<0.5	172	17.5	<0.5	1	5	6730	18.0
322080		3.96	0.078	64.5	0.51	223	<10	10	<0.5	1385	12.30	<0.5	6	15	178	11.70
322081		4.44	0.065	10.9	0.91	305	<10	10	<0.5	490	14.05	<0.5	11	10	198	18.4
322082		4.02	0.039	0.4	0.23	174	<10	10	1.4	22	16.2	<0.5	13	9	25	10.05
322083		3.42	0.021	0.3	0.24	170	<10	10	0.5	19	12.45	<0.5	5	14	14	4.74
322084		5.36	0.102	1.1	0.39	203	<10	20	<0.5	18	7.17	<0.5	14	12	142	7.55
322085		3.48	0.064	2.0	0.37	335	<10	20	<0.5	31	10.35	<0.5	25	23	849	7.91
322086		3.96	0.391	8.0	0.42	351	<10	10	<0.5	38	15.6	<0.5	43	5	5600	11.45
322087		3.26	0.129	4.7	0.12	762	<10	10	<0.5	174	9.47	<0.5	13	5	173	12.90
322088		4.36	0.033	8.3	0.75	143	<10	50	0.5	354	11.65	<0.5	7	16	248	5.59
322089		7.06	0.038	16.5	1.23	205	<10	30	<0.5	2330	14.9	1.5	16	5	132	9.87
322090		1.66	1.045	42.1	0.43	360	<10	10	0.6	1440	14.2	<0.5	9	13	>10000	12.80
322091		3.56	0.220	6.6	1.29	79	<10	70	0.7	40	5.74	<0.5	12	16	2990	3.01
322092		6.64	0.376	20.9	0.90	431	<10	10	0.7	120	17.0	<0.5	4	2	>10000	13.95
322093		4.60	0.070	4.0	0.65	79	<10	20	<0.5	110	9.71	<0.5	15	17	1125	11.65
322094		4.34	0.018	0.4	0.44	235	<10	<10	<0.5	13	16.9	<0.5	2	18	126	15.8
322095		3.90	0.105	4.6	0.37	336	<10	10	0.7	65	21.1	<0.5	6	6	2960	12.95
322096		4.64	0.529	30.5	0.38	629	<10	10	<0.5	141	15.9	<0.5	124	2	>10000	12.80
322097		3.32	0.162	1.6	0.74	340	<10	10	0.5	367	12.50	<0.5	3	16	1230	19.5
322098		5.52	0.038	0.6	0.71	389	<10	<10	<0.5	8	12.05	<0.5	<1	36	357	11.60



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04050210

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
322059		10	<1	0.07	10	0.39	1430	10	0.02	4	1990	9	2.90	<2	4	29
322060		10	<1	0.03	10	0.48	1165	22	0.02	2	1640	5	0.36	<2	3	'18
322061		10	<1	0.03	<10	0.31	1570	107	0.02	3	1140	10	1.46	<2	4	14
322062		10	<1	0.02	10	0.26	1670	4	0.02	3	3020	11	0.29	2	5	26
322063		10	<1	0.02	10	0.33	1420	2	0.01	3	1720	6	0.31	2	2	12
322064		10	1	0.03	20	0.28	1965	4	0.02	5	3580	12	1.10	<2	2	12
322065		10	1	0.03	40	0.34	1375	2	0.01	3	5760	8	0.58	<2	1	17
322066		<10	1	0.09	60	0.93	360	1405	0.01	14	750	9	>10.0	32	6	62
322067		10	1	0.04	10	0.38	1955	14	0.03	13	1700	12	2.64	3	4	52
322068		10	<1	0.05	10	0.36	1630	9	0.02	19	920	9	4.86	4	3	44
322069		10	<1	0.07	10	0.50	2670	31	0.02	9	1880	11	4.71	68	3	57
322070		10	1	0.05	10	0.42	1270	15	0.01	8	1540	11	5.11	3	2	27
322071		10	1	0.10	20	0.72	997	1	0.02	48	>10000	23	>10.0	5	2	62
322072		10	<1	0.06	10	0.23	634	2	0.01	84	>10000	20	>10.0	<2	1	27
322073		10	1	0.05	10	0.24	854	27	0.12	128	5520	25	>10.0	10	2	74
322074		10	<1	0.02	<10	0.24	1375	20	0.01	20	390	14	7.19	10	1	34
322075		10	<1	0.20	10	0.34	1485	161	0.03	21	900	12	2.29	6	4	80
322076		10	<1	0.02	10	0.25	1785	103	0.01	7	1490	14	6.34	9	2	87
322077		10	<1	0.02	10	0.25	2230	3	0.02	16	2010	25	>10.0	2	2	57
322078		10	1	0.02	10	0.14	1825	<1	0.01	5	2620	10	4.71	6	1	36
322079		10	<1	0.02	20	0.17	2070	3	0.01	9	2530	18	5.5	7	2	47
322080		<10	2	0.03	20	0.59	2050	64	0.01	6	3080	540	>10.0	148	4	73
322081		<10	1	0.08	20	0.76	2390	2	0.01	5	8940	119	>10.0	35	3	77
322082		<10	<1	0.10	10	2.71	1810	8	0.02	11	>10000	11	>10.0	4	3	115
322083		<10	1	0.07	30	1.80	1930	3	0.01	30	4420	6	4.10	3	5	91
322084		<10	1	0.12	10	0.54	1175	15	0.01	16	1380	9	6.10	6	3	41
322085		<10	1	0.07	10	0.57	1825	16	0.01	18	1360	12	8.50	22	3	118
322086		<10	1	0.06	10	0.99	3580	2	0.01	21	1380	19	7.17	14	2	85
322087		<10	6	0.03	10	0.45	2620	10	0.01	6	410	88	>10.0	39	1	59
322088		<10	<1	0.05	20	0.73	3760	15	0.07	10	990	110	5.80	92	2	102
322089		<10	<1	0.05	10	0.35	1090	8	0.13	13	1770	273	>10.0	304	2	224
322090		10	<1	0.02	10	0.20	1240	3	0.02	38	4640	46	8.45	50	1	63
322091		10	<1	0.08	10	0.51	537	10	0.15	30	1500	13	1.86	12	3	94
322092		10	1	0.02	20	0.09	1930	63	0.03	14	1480	15	2.1	14	1	39
322093		<10	<1	0.07	10	0.32	1140	486	0.03	15	1100	18	9.72	28	6	50
322094		10	<1	<0.01	10	0.10	1630	33	0.02	3	810	9	6.8	2	1	52
322095		10	<1	<0.01	20	0.23	2130	28	0.02	11	510	12	3.7	28	1	93
322096		10	<1	0.01	10	0.13	1680	37	0.02	82	1260	17	>10.0	36	1	77
322097		20	1	0.04	10	0.40	1470	8	0.02	8	1120	15	8.08	4	1	20
322098		10	1	0.04	10	0.36	1640	2	0.02	7	3610	10	2.87	12	2	27



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04050210

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Cu-AA46
		Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Cu % 0.01
322059		0.09	<10	<10	37	40	29	
322060		0.08	<10	<10	25	20	33	
322061		0.12	<10	<10	28	10	23	
322062		0.11	<10	<10	27	30	30	
322063		0.07	<10	<10	17	70	25	
322064		0.09	<10	<10	39	20	22	
322065		0.05	<10	<10	27	30	20	
322066		<0.01	<10	<10	19	<10	20	
322067		0.08	<10	<10	37	60	33	
322068		0.05	<10	<10	27	60	37	
322069		0.09	<10	<10	33	80	50	
322070		0.05	<10	<10	19	60	31	
322071		0.01	<10	<10	17	80	141	1.45
322072		0.01	<10	<10	10	70	80	1.29
322073		0.09	<10	<10	17	40	357	4.13
322074		0.01	<10	<10	15	90	85	1.62
322075		0.08	<10	<10	34	30	57	
322076		0.03	<10	<10	17	100	36	
322077		0.02	<10	<10	23	190	41	
322078		0.01	<10	<10	10	310	36	
322079		0.03	<10	<10	20	250	20	
322080		0.03	<10	<10	19	30	21	
322081		0.03	<10	<10	30	530	14	
322082		0.01	<10	<10	37	80	25	
322083		<0.01	<10	<10	24	160	22	
322084		0.01	<10	<10	14	180	20	
322085		0.01	<10	<10	14	130	36	
322086		0.01	<10	<10	16	240	22	
322087		<0.01	<10	<10	5	1490	9	
322088		0.03	<10	<10	11	1410	60	
322089		0.06	<10	<10	9	1840	295	
322090		0.04	<10	<10	16	90	108	2.14
322091		0.11	<10	<10	33	20	51	
322092		0.03	<10	<10	15	400	56	1.14
322093		0.05	<10	<10	40	90	34	
322094		0.01	<10	<10	12	250	15	
322095		0.01	<10	<10	18	420	25	
322096		0.02	<10	<10	16	100	81	1.71
322097		0.03	<10	<10	35	100	37	
322098		0.03	<10	<10	63	70	31	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04050210

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
322099		6.66	0.065	0.9	0.81	474	<10	<10	<0.5	19	14.75	<0.5	<1	16	506	16.3
322100		3.12	0.230	3.6	0.20	36	<10	<10	<0.5	11	2.39	<0.5	8	6	1980	5.61
322101		5.20	0.062	0.3	1.58	222	<10	10	<0.5	5	12.40	<0.5	1	47	317	9.37
322102		5.04	0.038	0.3	0.92	184	<10	20	<0.5	3	9.09	<0.5	2	50	158	6.96
322103		4.92	<0.005	<0.2	1.48	718	<10	10	<0.5	4	16.0	<0.5	<1	35	34	12.10
322104		5.10	<0.005	<0.2	0.77	723	<10	10	<0.5	2	13.20	<0.5	1	27	10	10.45
322105		4.82	0.009	0.4	0.96	1115	<10	<10	<0.5	5	17.7	<0.5	<1	13	175	18.8
322106		3.58	0.432	4.2	0.83	825	<10	<10	<0.5	10	12.10	<0.5	10	13	3490	13.00
322107		4.66	0.710	5.8	0.69	1290	<10	10	<0.5	6	15.3	<0.5	8	15	4300	17.4
322108		5.42	0.308	2.8	0.58	599	<10	<10	<0.5	2	12.75	<0.5	4	12	2320	10.40
322109		5.76	3.98	58.3	0.72	882	<10	<10	<0.5	<2	16.0	<0.5	31	11	>10000	20.7
322110		3.20	0.038	0.9	0.92	825	<10	<10	<0.5	6	13.9	<0.5	2	20	652	12.60
322111		4.44	0.021	1.0	1.40	1205	<10	<10	<0.5	4	17.9	<0.5	<1	21	616	14.20
322112		5.40	0.041	0.7	0.75	893	<10	<10	<0.5	3	12.85	<0.5	<1	20	397	9.93
322113		4.90	0.009	0.2	1.22	1480	<10	<10	<0.5	4	17.7	<0.5	<1	14	92	17.8
322114		5.28	0.081	1.4	0.69	755	<10	<10	<0.5	4	14.10	<0.5	<1	21	809	12.35
322115		3.56	0.126	4.3	0.71	1165	<10	<10	<0.5	7	18.0	<0.5	3	6	2650	18.4
322116		5.58	<0.005	<0.2	0.27	186	<10	<10	<0.5	3	13.30	<0.5	<1	19	40	12.00
322117		4.60	0.006	<0.2	0.41	169	<10	<10	<0.5	5	19.0	<0.5	<1	14	70	17.2
322118		4.68	0.010	0.2	0.30	56	<10	10	<0.5	6	12.15	<0.5	3	17	123	9.58
322119		3.84	0.013	0.4	0.79	204	<10	20	<0.5	53	11.70	<0.5	4	20	126	9.25
322120		4.16	<0.005	0.4	0.12	20	<10	10	0.5	4	4.55	<0.5	7	31	144	3.47
322121		4.48	0.077	0.6	0.07	59	<10	10	<0.5	490	3.54	<0.5	15	66	55	11.70
322122		4.38	0.077	0.8	0.19	76	<10	10	0.7	291	5.30	<0.5	5	29	364	5.68
322123		4.90	0.121	1.0	0.15	64	<10	10	<0.5	1110	3.20	<0.5	17	34	35	16.5
322124		3.16	0.014	<0.2	0.14	25	<10	30	<0.5	35	2.74	<0.5	5	47	31	4.26
322125		6.40	0.013	<0.2	1.18	79	<10	<10	0.5	15	11.10	<0.5	3	50	87	6.82
322126		6.34	0.044	0.3	1.35	104	<10	10	<0.5	94	12.15	<0.5	5	31	94	10.50
322127		1.30	0.029	4.7	0.66	66	<10	40	<0.5	76	1.34	<0.5	47	58	1365	9.07
322128		1.96	0.328	5.8	0.34	898	<10	10	0.5	633	2.27	<0.5	36	15	1175	28.9
322129		0.88	0.029	1.8	0.67	163	<10	10	<0.5	41	20.5	<0.5	66	21	527	12.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04050210

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
322099		20	<1	0.07	10	0.41	1510	1	0.02	5	1660	12	3.37	4	1	15
322100		<10	1	0.13	<10	1.20	463	<1	0.02	18	1580	6	5.59	6	<1	18
322101		10	<1	0.08	10	0.64	1515	<1	0.03	2	4710	7	1.86	2	2	30
322102		10	<1	0.04	10	0.62	1080	<1	0.01	1	3830	6	1.28	2	1	23
322103		20	<1	0.03	10	0.37	1780	1	0.02	4	6630	9	0.5	<2	1	20
322104		10	<1	0.02	10	0.23	1475	1	0.02	1	3360	6	0.49	3	1	13
322105		20	1	0.01	10	0.20	2040	1	0.02	3	640	16	1.3	2	<1	12
322106		10	<1	0.01	10	0.14	1520	1	0.01	17	510	10	4.85	4	<1	15
322107		10	1	0.03	10	0.27	3590	1	0.02	20	710	18	3.89	84	1	35
322108		10	<1	0.01	10	0.10	1400	<1	0.01	10	370	7	0.91	2	<1	14
322109		10	1	0.01	10	0.12	1845	2	0.02	104	940	17	5.61	8	1	15
322110		10	<1	0.01	10	0.16	1835	1	0.01	8	1270	9	1.88	4	1	18
322111		20	1	0.01	10	0.16	2160	1	0.02	5	530	9	0.6	2	<1	16
322112		10	<1	0.02	10	0.24	1460	1	0.01	7	290	7	0.60	2	<1	14
322113		20	<1	0.01	20	0.23	2180	2	0.02	1	370	12	0.8	5	<1	13
322114		10	1	0.02	10	0.27	1695	<1	0.01	10	470	7	1.47	2	<1	16
322115		10	<1	0.01	20	0.10	2040	3	0.02	20	130	13	1.7	4	<1	14
322116		10	<1	0.01	10	0.17	1475	1	0.01	2	260	8	0.57	<2	<1	12
322117		10	<1	<0.01	10	0.09	2280	<1	0.02	3	420	11	0.9	3	<1	31
322118		<10	1	<0.01	10	0.19	1780	5	0.01	7	500	6	0.46	6	1	30
322119		10	<1	0.09	20	0.28	1460	8	0.04	18	500	8	1.30	3	4	46
322120		<10	<1	0.03	<10	0.58	772	4	0.01	15	250	4	2.83	10	8	28
322121		<10	<1	0.04	<10	0.50	539	38	0.01	19	240	10	>10.0	5	5	21
322122		<10	<1	0.10	<10	0.48	910	48	0.01	18	390	11	5.14	2	8	19
322123		<10	<1	0.08	<10	0.40	536	145	0.01	23	480	17	>10.0	9	7	18
322124		<10	<1	0.09	<10	0.59	616	33	0.01	12	380	4	3.76	3	6	22
322125		10	<1	0.05	10	0.37	1800	163	0.02	12	320	3	0.45	3	4	35
322126		10	1	0.09	10	0.48	1835	608	0.02	11	300	10	3.40	<2	3	23
322127		<10	<1	0.36	10	0.40	290	32	0.02	27	240	13	7.43	16	5	32
322128		<10	1	0.04	<10	0.15	234	8	0.02	15	1600	42	>10.0	39	3	36
322129		<10	<1	0.01	10	0.17	1135	5	0.02	17	7110	11	>10.0	6	2	116



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04050210

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Cu-AA46
		TI	TI	U	V	W	Zn	Cu
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.01
322099		0.02	<10	<10	44	160	24	
322100		0.01	<10	<10	8	10	31	
322101		0.05	<10	<10	101	30	23	
322102		0.04	<10	<10	58	10	21	
322103		0.03	<10	<10	68	50	15	
322104		0.02	<10	10	35	100	16	
322105		0.01	<10	10	31	190	14	
322106		0.01	<10	10	28	130	21	
322107		0.01	<10	10	27	140	62	
322108		<0.01	<10	<10	16	120	16	
322109		0.01	<10	<10	26	150	232	4.06
322110		0.01	<10	10	25	130	19	
322111		0.01	<10	10	45	160	16	
322112		0.01	<10	10	28	130	13	
322113		0.01	<10	10	34	220	12	
322114		0.01	<10	10	23	160	16	
322115		<0.01	<10	10	22	230	21	
322116		<0.01	<10	10	36	450	11	
322117		0.01	<10	20	36	350	19	
322118		0.01	<10	10	49	150	29	
322119		0.07	<10	<10	38	100	29	
322120		0.04	<10	<10	15	10	28	
322121		0.02	<10	<10	10	10	16	
322122		0.11	<10	<10	33	10	19	
322123		0.07	<10	<10	22	10	15	
322124		0.02	<10	<10	12	<10	23	
322125		0.06	<10	<10	21	70	28	
322126		0.08	<10	<10	30	120	20	
322127		0.03	<10	<10	25	<10	56	
322128		0.01	<10	<10	21	710	167	
322129		0.02	<10	<10	15	190	54	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 1
 Finalized Date: 23-OCT-2004
 Account: SHK

CERTIFICATE VA04070777

Project: Lustdust
 P.O. No.:
 This report is for 33 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

DARYL HANSON
 RICK WHATLEY

JIM OLIVER
 GEORGE WHATLEY

GEORGE WHATLEY

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Zn-AA46	Ore grade Zn - aqua regia/AA	AAS

To: **ALPHA GOLD CORP.**
ATTN: DARYL HANSON
16575 QUICK EAST ROAD
TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 23-OCT-2004
 Account: SHK

Project: Lustdust

CERTIFICATE OF ANALYSIS VA04070777

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
M322307		3.92	0.086	0.5	0.25	2590	<10	20	<0.5	5	16.4	0.6	9	7	288	6.71
M322308		4.82	0.327	59.7	0.95	963	<10	10	<0.5	12	1.81	6.3	46	30	>10000	15.2
M322309		3.06	0.148	7.8	0.60	939	<10	20	0.9	15	3.43	86.3	54	4	1440	20.3
M322310		0.14	1.040	2.6	0.88	14	10	50	<0.5	3	1.65	<0.5	30	1480	>10000	10.75
M322311		0.14	0.007	<0.2	2.03	5	<10	140	<0.5	<2	1.28	<0.5	29	1525	127	5.06
M322312		4.42	0.067	0.8	0.35	6100	<10	110	<0.5	2	>25.0	<0.5	7	13	231	3.54
M322313		4.02	0.083	1.4	0.18	19	<10	<10	<0.5	3	1.24	<0.5	247	2	4170	48.6
M322314		3.96	0.049	0.6	0.91	32	<10	<10	<0.5	2	5.13	<0.5	35	22	889	14.3
M322315		3.12	0.030	1.3	1.17	45	<10	10	<0.5	3	12.35	<0.5	36	19	882	18.3
M322316		4.34	0.067	1.0	0.62	12	<10	20	<0.5	2	1.02	<0.5	16	31	444	3.61
M322317		4.94	0.095	2.1	1.30	55	<10	10	<0.5	<2	2.66	<0.5	43	37	1010	8.79
M322318		4.28	0.019	0.6	0.91	39	<10	80	<0.5	<2	1.07	<0.5	10	49	263	2.42
M322319		3.50	<0.005	0.5	1.91	124	10	180	0.7	<2	19.0	1.0	31	153	42	5.47
M322320		2.46	0.006	0.5	0.07	289	<10	140	<0.5	<2	>25.0	12.0	1	8	12	0.58
M322321		1.80	<0.005	0.5	0.01	75	<10	130	<0.5	<2	>25.0	14.8	1	6	4	0.20
M322322		3.28	<0.005	0.8	0.09	151	<10	330	<0.5	<2	>25.0	17.6	1	4	6	0.57
M322323		4.02	0.006	1.7	0.27	234	<10	300	<0.5	<2	>25.0	10.8	1	8	8	0.86
M322324		1.14	0.219	5.5	1.90	>10000	<10	250	0.6	17	6.75	132.5	10	80	186	18.1
M322325		2.44	5.94	26.5	0.37	>10000	<10	<10	0.5	194	0.86	>500	4	45	1175	36.7
M322326		1.30	0.764	11.8	0.05	>10000	<10	<10	<0.5	43	0.30	204	<1	27	1045	49.3
M322327		1.36	0.772	13.7	0.49	>10000	<10	60	<0.5	90	2.04	>500	2	42	1365	39.5
M322328		1.96	0.100	6.5	1.22	>10000	<10	80	0.5	24	5.02	136.5	10	43	243	21.0
M322329		1.92	0.006	0.3	0.03	284	<10	70	<0.5	<2	>25.0	12.9	1	11	6	0.25
M322330		0.14	1.045	2.7	0.93	28	10	60	<0.5	2	1.72	<0.5	31	1535	>10000	11.15
M322331		0.14	0.008	<0.2	2.08	20	<10	150	<0.5	2	1.34	<0.5	31	1575	128	5.24
M322332		1.34	<0.005	0.5	0.19	104	<10	130	<0.5	<2	>25.0	12.5	1	10	6	0.31
M322333		2.00	0.032	1.7	0.49	886	<10	120	<0.5	2	>25.0	14.6	4	20	36	1.46
M322334		2.36	<0.005	0.3	0.01	39	<10	60	<0.5	<2	>25.0	3.1	<1	6	3	0.05
M322335		3.44	<0.005	<0.2	0.01	130	<10	10	<0.5	<2	>25.0	12.5	<1	7	9	0.99
M322336		2.82	0.011	0.4	1.54	45	<10	70	0.9	<2	13.20	<0.5	64	285	99	6.71
M322337		3.14	0.193	0.9	1.22	>10000	<10	20	<0.5	11	15.0	5.3	49	26	392	17.5
M322338		2.78	<0.005	18.1	0.02	156	<10	90	<0.5	3	>25.0	69.8	1	10	502	1.30
M322339		2.70	0.148	1.8	0.04	6970	<10	30	<0.5	9	>25.0	3.1	1	14	67	2.45



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 23-OCT-2004
Account: SHK

Project: Lustdust

CERTIFICATE OF ANALYSIS VA04070777

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
	M322307		<10	<1	0.03	<10	0.14	627	4	0.03	5	6700	5	3.4	14	1
M322308		10	<1	0.06	60	1.40	665	5	0.02	47	900	99	>10.0	45	3	37
M322309		<10	<1	0.07	60	1.18	1005	12	0.03	53	1080	26	>10.0	18	3	104
M322310		<10	1	0.45	<10	0.77	1025	29	0.04	1200	580	9	3.38	8	5	58
M322311		10	<1	0.28	10	0.79	762	25	0.24	1240	550	4	0.07	<2	6	78
M322312		<10	<1	0.09	10	0.33	172	2	0.04	7	4880	9	2.8	49	1	506
M322313		<10	<1	0.01	<10	0.04	423	1	0.01	122	1100	<2	7.24	<2	1	7
M322314		10	<1	0.01	10	0.13	1445	<1	0.07	13	2180	5	4.64	4	2	36
M322315		10	<1	0.01	10	0.12	2520	1	0.03	12	1320	6	4.43	3	2	18
M322316		<10	<1	0.03	10	0.23	225	7	0.08	19	480	5	2.43	4	1	50
M322317		10	<1	0.01	40	0.30	530	3	0.17	32	5190	4	5.50	4	2	62
M322318		<10	<1	0.12	<10	0.44	203	9	0.12	28	330	6	1.73	4	4	42
M322319		10	1	0.31	30	1.37	355	2	0.01	176	3760	5	<0.01	6	10	178
M322320		<10	<1	0.02	10	2.61	1160	<1	0.01	6	1380	16	<0.01	29	1	225
M322321		<10	<1	<0.01	10	2.36	692	<1	0.01	1	740	7	<0.01	52	<1	208
M322322		<10	<1	0.01	10	2.33	3210	<1	0.01	1	790	7	<0.01	45	1	221
M322323		<10	1	0.04	10	2.43	4300	<1	0.01	3	1480	30	<0.01	23	1	214
M322324		10	1	0.27	30	0.62	937	9	0.01	49	6430	379	0.01	834	8	72
M322325		<10	1	0.05	10	0.06	93	12	<0.01	23	1500	3120	>10.0	1765	3	13
M322326		<10	1	0.01	10	<0.01	118	16	<0.01	1	380	443	>10.0	535	<1	7
M322327		<10	1	0.06	10	0.21	818	19	<0.01	12	1360	925	3.00	1020	2	24
M322328		<10	<1	0.14	30	0.41	5310	9	0.01	39	2550	361	2.30	875	3	38
M322329		<10	<1	0.01	10	4.34	178	<1	0.01	<1	360	17	<0.01	27	<1	181
M322330		<10	1	0.47	<10	0.80	1060	29	0.04	1240	610	7	3.50	8	5	60
M322331		10	<1	0.29	10	0.82	788	26	0.24	1275	570	4	0.08	2	6	81
M322332		<10	<1	0.04	10	1.99	529	<1	0.01	3	820	18	<0.01	42	1	300
M322333		<10	<1	0.04	10	0.77	1020	1	0.01	18	1020	406	<0.01	222	2	250
M322334		<10	<1	<0.01	<10	0.71	132	<1	0.01	<1	690	5	<0.01	5	<1	238
M322335		<10	<1	<0.01	10	3.28	>10000	1	0.01	<1	150	67	0.8	43	<1	154
M322336		10	<1	0.34	20	1.78	747	2	0.04	218	3400	12	4.95	10	10	199
M322337		<10	<1	0.18	<10	1.64	691	3	0.01	22	1170	44	>10.0	120	3	125
M322338		<10	1	<0.01	10	4.42	1290	<1	0.01	1	110	1925	1.8	31	<1	259
M322339		<10	<1	0.01	10	2.43	732	1	0.01	4	460	71	2.9	391	<1	221



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 23-OCT-2004
Account: SHK

Project: Lustdust

CERTIFICATE OF ANALYSIS VA04070777

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Cu-AA46	Zn-AA46
		TI	TI	U	V	W	Zn	Cu	Zn
		%	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	10	10	1	10	2	0.01	0.01
M322307		0.01	<10	<10	4	<10	112		
M322308		<0.01	<10	<10	37	<10	705	1.40	
M322309		<0.01	<10	<10	25	<10	9710		
M322310		0.01	<10	<10	54	10	85	1.19	
M322311		0.19	<10	<10	72	<10	49		
M322312		0.01	<10	<10	9	<10	19		
M322313		0.01	<10	<10	6	10	39		
M322314		0.05	<10	<10	27	<10	41		
M322315		0.06	<10	<10	51	10	44		
M322316		0.09	<10	<10	26	<10	28		
M322317		0.07	<10	<10	25	<10	49		
M322318		0.10	<10	<10	45	<10	26		
M322319		0.02	<10	<10	82	<10	84		
M322320		<0.01	<10	<10	5	<10	1215		
M322321		<0.01	<10	<10	4	<10	408		
M322322		<0.01	<10	<10	1	<10	856		
M322323		<0.01	<10	<10	9	<10	1625		
M322324		0.03	<10	<10	48	10	>10000		3.16
M322325		<0.01	<10	20	16	<10	8370		
M322326		<0.01	<10	20	4	20	3620		
M322327		0.01	<10	20	30	20	>10000		2.53
M322328		0.02	<10	<10	69	10	>10000		9.62
M322329		<0.01	<10	<10	10	<10	750		
M322330		0.01	<10	<10	56	10	108	1.20	
M322331		0.20	<10	<10	75	10	62		
M322332		<0.01	<10	<10	7	<10	1450		
M322333		0.01	<10	<10	16	<10	4110		
M322334		<0.01	<10	<10	6	<10	218		
M322335		<0.01	<10	<10	3	<10	1620		
M322336		0.46	<10	<10	122	<10	49		
M322337		0.01	<10	<10	34	<10	752		
M322338		<0.01	<10	<10	2	<10	6740		
M322339		<0.01	<10	<10	10	<10	535		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 1
Finalized Date: 12-AUG-2004
Account: SHK

CERTIFICATE VA04050613

Project: Lust Dust

P.O. No.:

This report is for 2 Pulp samples submitted to our lab in Vancouver, BC, Canada on 3-AUG-2004.

The following have access to data associated with this certificate:

DARYL HANSON
RICK WHATLEY

JIM OLIVER

GEORGE WHATLEY

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ALPHA GOLD CORP.
ATTN: DARYL HANSON
16575 QUICK EAST ROAD
TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - B
 Total # Pages: 2 (A - C)
 Finalized Date: 12-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050613

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
M322130 M322131		<10	3	0.45	<10	0.78	1045	30	0.04	1240	630	8	3.38	4	5	60



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 12-AUG-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050613

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Cu-AA46
	Analyte	Tl	Tl	U	V	W	Zn	Cu
	Units	%	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	10	1	10	2	0.01
M322130 M322131		0.01	<10	<10	54	10	81	1.19

Appendix IV

**CDN Resource Laboratories Ltd. - Standard CDN-CGS-2
and Blank CDN-CGS-5**

CDN Resource Laboratories Ltd.

10945-B River Road, Delta, B.C., V4C 2R8, 604 596-2245, Fax: 604 588-3960

ORE REFERENCE STANDARD: CDN-CGS-2

Recommended values and 95% Confidence Intervals

Copper concentration: 1.177 ± 0.046 %

Gold concentration 0.97 ± 0.092 g/t

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 200 mesh screen. The +200 material was discarded. The -200 material was mixed for 7 days in a rotary mixer. After internal assaying to test for homogeneity, splits were taken and sent to 9 laboratories for round robin assaying.

ORIGIN OF REFERENCE MATERIAL:

The ore was supplied by bcMetals Corporation from the Red Chris Property in British Columbia. Most of the mineralization is closely associated with individual and sheeted quartz (±carbonate) veining and quartz (±carbonate) stockwork zones. It occurs as disseminations and fracture coatings. Pyrite, chalcopyrite and lesser bornite are the principal sulphide minerals. Gold occurs as electrum spatially and genetically associated with the copper mineralization.

Approximate chemical composition is as follows:

	Percent			Percent
SiO ₂	54.3		MgO	2.0
Al ₂ O ₃	9.0		K ₂ O	3.2
Fe ₂ O ₃	17.9		TiO ₂	0.3
CaO	2.4		LOI	8.0
Na ₂ O	0.9			

Statistical Procedures:

The mean and standard deviation for all data was calculated. Outliers were defined as samples beyond the mean ± 2 Standard Deviations from all data. These outliers were removed from the data and a new mean and standard deviation was determined. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Certified Limits published on other standards.

Results from round-robin assaying are presented on the following page:

Assay Procedures:

Au: Fire assay pre-concentration, AA or ICP finish (30g sub-sample).

Cu: 4-acid digestion, AA or ICP finish.

STANDARD REFERENCE MATERIAL CDN-CGS-2

	Lab. 1	Lab. 2	Lab. 3	Lab. 4	Lab. 5	Lab. 6	Lab. 7	Lab. 8	Lab. 9
	Au (gpt)	Au (gpt)	Au (gpt)	Au (gpt)	Au (gpt)	Au (gpt)	Au (gpt)	Au (gpt)	Au (gpt)
	0.97	0.92	0.96	1.00	0.92	1.01	0.99	0.92	1.03
	0.96	0.88	0.93	1.03	0.95	1.09	1.03	0.90	0.98
	0.94	1.08	0.90	1.00	0.92	1.14	0.99	0.98	1.01
	0.95	0.82	0.89	0.99	1.06	1.09	0.91	0.98	0.98
	0.95	0.85	0.98	1.03	0.96	1.04	0.96	1.03	1.05
	0.97	0.90	0.91	0.99	0.91	1.07	0.92	0.96	1.01
	0.94	0.88	0.92	1.00	1.04	1.12	0.99	0.93	1.00
	0.99	0.85	0.97	0.94	0.95	1.10	0.97	1.00	0.97
	0.99	1.02	0.99	0.99	0.89	0.98	1.00	0.97	0.95
	0.93	1.01	0.95	1.02	1.05	1.00	1.00	1.00	0.96
Mean	0.96	0.92	0.94	1.00	0.96	1.06	0.98	0.97	0.99
Std. Dev.	0.021	0.086	0.035	0.027	0.060	0.054	0.037	0.040	0.032
%RSD	2.17	9.37	3.72	2.71	6.27	5.07	3.81	4.17	3.19
	Cu (%)	Cu (%)	Cu (%)	Cu (%)	Cu (%)	Cu (%)	Cu (%)	Cu (%)	Cu (%)
	1.19	1.19	1.11	1.15	1.19	1.18	1.15	1.25	1.18
	1.21	1.21	1.12	1.13	1.20	1.19	1.14	1.20	1.20
	1.19	1.17	1.13	1.17	1.19	1.20	1.15	1.22	1.19
	1.20	1.20	1.13	1.15	1.19	1.20	1.14	1.20	1.19
	1.19	1.18	1.14	1.16	1.19	1.20	1.14	1.22	1.19
	1.20	1.19	1.15	1.16	1.19	1.18	1.14	1.20	1.19
	1.20	1.18	1.16	1.16	1.20	1.19	1.15	1.22	1.20
	1.19	1.18	1.15	1.15	1.19	1.19	1.14	1.18	1.20
	1.20	1.18	1.14	1.15	1.19	1.18	1.16	1.19	1.19
	1.19	1.18	1.14	1.16	1.18	1.18	1.14	1.17	1.19
Mean	1.20	1.19	1.14	1.15	1.19	1.19	1.15	1.21	1.19
Std. Dev.	0.007	0.012	0.016	0.010	0.005	0.009	0.007	0.023	0.006
%RSD	0.58	0.97	1.39	0.85	0.41	0.74	0.62	1.93	0.53

STANDARD REFERENCE MATERIAL CDN-CGS-2

Participating Laboratories:

(not in same order as listed in table of results)

Acme Analytical Laboratories Ltd.
Assayers Canada Ltd., Vancouver
ALS Chemex Laboratories, North Vancouver
GTK Lab. (Geological Survey of Finland)
International Plasma Laboratories Ltd., Vancouver
Loring Laboratories Ltd., Calgary
OMAC Laboratory, Ireland
SGS-XRAL Laboratories Ltd., Toronto
TSL Laboratories Ltd., Saskatoon

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. or Barry Smee accept no liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by




Duncan Sanderson, B.Sc.

Licensed Assayer of British Columbia

Geochemist



Dr. Barry Smee, Ph.D., P. Geo.



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0193-PA2

Company: **CDN Resource Laboratories Ltd.**
 Project: **CDN-CGS-5**
 Attn: **Duncan Sanderson**

Apr-07-04

We hereby certify the following assay of 10 pulp samples submitted Mar-25-04

Sample Name	Au g/tonne	Cu %	Pt g/tonne	Pd g/tonne
CDN-Blank-1	0.01	0.012	<0.01	<0.01
CDN-Blank-2	0.01	0.012	<0.01	<0.01
CDN-Blank-3	0.01	0.013	<0.01	<0.01
CDN-Blank-4	0.01	0.012	0.01	<0.01
CDN-Blank-5	0.01	0.013	<0.01	<0.01
CDN-Blank-6	0.01	0.013	<0.01	<0.01
CDN-Blank-7	0.01	0.012	<0.01	<0.01
CDN-Blank-8	0.01	0.012	<0.01	<0.01
CDN-Blank-9	0.02	0.012	<0.01	<0.01
CDN-Blank-10	0.01	0.012	<0.01	<0.01
*DUP CDN-Blank-1		0.012		
*DUP CDN-Blank-7	0.01		<0.01	<0.01
*DUP CDN-Blank-10		0.012		
*96-8	0.39			
*KC-1a		0.627		
*01-01			0.49	0.58
*BLANK	<0.01	<0.001	<0.01	<0.01

Certified by _____

Appendix V

2004 Soil Geochemistry - Certificates of Analysis



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 1
 Finalized Date: 31-JUL-2004
 This copy reported on 6-JAN-2005
 Account: SHK

CERTIFICATE VA04046322

Project:
 P.O. No.:
 This report is for 160 Soil samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.
 The following have access to data associated with this certificate:
 DARYL HANSON JIM OLIVER GEORGE WHATLEY
 RICK WHATLEY

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ALPHA GOLD CORP.
 ATTN: DARYL HANSON
 16575 QUICK EAST ROAD
 TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - A
Total # Pages: 5 (A - C)
Finalized Date: 31-JUL-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L7N 27+00W		0.32	0.008	0.5	1.46	473	<10	110	<0.5	3	0.06	0.7	4	25	41	4.41
L7N 27+50W		0.34	0.012	1.4	1.70	520	<10	130	<0.5	9	0.03	<0.5	3	27	68	5.43
L7N 28+00W		0.40	0.015	1.3	1.06	192	<10	90	<0.5	3	0.08	0.6	3	18	35	3.25
L7N 28+50W		0.48	0.032	1.3	1.96	245	<10	80	<0.5	4	0.04	<0.5	4	28	58	3.75
L7N 29+00W		0.44	0.006	0.6	1.42	144	<10	90	<0.5	<2	0.06	0.6	5	22	30	4.09
L7N 29+50W		0.38	<0.005	0.6	1.44	126	<10	60	<0.5	<2	0.04	<0.5	3	23	24	3.98
L7N 30+00W		0.28	0.006	0.4	1.64	57	<10	110	<0.5	<2	0.09	0.6	6	22	24	4.16
L7N 30+50W		0.22	<0.005	0.9	2.05	82	<10	110	<0.5	<2	0.10	<0.5	7	23	37	3.34
L7N 31+00W		0.24	0.006	1.5	2.10	124	<10	80	<0.5	<2	0.08	<0.5	7	26	45	2.93
L7N 31+50W		0.38	<0.005	0.6	1.51	46	<10	90	<0.5	<2	0.05	<0.5	3	23	22	2.87
L7N 32+00W		0.68	<0.005	0.3	1.28	25	<10	280	<0.5	<2	0.27	0.5	11	25	32	2.52
L7N 32+50W		0.40	<0.005	1.0	1.44	35	<10	320	<0.5	<2	0.36	<0.5	7	26	30	2.67
L7N 33+00W		0.50	<0.005	1.2	1.59	25	<10	290	<0.5	<2	0.45	0.7	9	33	56	2.88
L7N 33+50W		0.40	<0.005	0.5	1.63	24	<10	410	<0.5	<2	0.45	0.8	6	26	34	2.38
L7N 34+00W		0.50	<0.005	0.6	1.66	63	<10	180	0.5	<2	0.21	0.5	15	35	64	3.71
L7N 34+50W		0.40	0.005	0.9	1.52	45	<10	120	<0.5	<2	0.15	0.5	15	35	54	3.43
L7N 35+00W		0.20	<0.005	1.0	1.66	33	<10	410	0.5	<2	0.33	1.4	8	22	33	2.69
L7N 35+50W		0.40	<0.005	0.2	1.78	30	<10	260	<0.5	<2	0.20	<0.5	6	30	28	3.43
L7N 36+00W		0.34	<0.005	0.4	0.94	18	<10	280	<0.5	<2	0.15	<0.5	11	23	30	2.71
L7N 36+50W		0.32	<0.005	<0.2	1.52	43	<10	70	<0.5	<2	0.05	<0.5	5	37	28	4.22
L7N 37+00W		0.40	<0.005	0.5	1.69	11	<10	130	<0.5	2	0.04	<0.5	5	29	47	4.89
L7N 37+50W		0.34	<0.005	0.4	1.11	13	<10	180	<0.5	<2	0.04	<0.5	5	19	33	3.08
L7N 38+00W		0.42	<0.005	0.2	1.48	8	<10	130	<0.5	<2	0.04	<0.5	14	27	45	3.76
L8N 27+00W		0.34	0.081	1.4	2.34	325	<10	110	0.6	12	0.10	<0.5	11	32	186	5.97
L8N 27+50W		0.46	0.082	1.5	1.76	453	<10	170	0.6	10	0.06	<0.5	8	30	132	5.23
L8N 28+00W		0.36	0.045	3.8	3.45	211	<10	200	1.2	6	0.28	<0.5	23	36	173	5.29
L8N 28+50W		0.36	0.020	0.5	1.68	210	<10	120	<0.5	4	0.05	<0.5	10	24	58	4.36
L8N 29+00W		0.36	0.038	4.3	1.87	280	<10	80	<0.5	7	0.08	<0.5	4	25	65	3.85
L8N 29+50W		0.52	0.027	0.8	2.61	180	<10	80	0.5	3	0.08	<0.5	7	29	60	3.51
L8N 30+00W		0.38	0.013	1.8	1.96	67	<10	60	<0.5	<2	0.05	<0.5	3	23	27	2.52
L8N 30+50W		0.40	0.005	0.5	1.13	317	<10	60	<0.5	2	0.06	<0.5	2	17	20	2.82
L8N 31+00W		0.44	<0.005	0.6	1.84	246	<10	60	<0.5	<2	0.05	<0.5	3	29	22	3.57
L8N 31+50W		0.42	<0.005	0.2	1.30	221	<10	80	<0.5	<2	0.05	0.5	4	22	23	3.63
L8N 32+00W		0.58	0.006	0.7	1.45	49	<10	140	<0.5	<2	0.06	<0.5	13	24	69	3.09
L8N 32+50W		0.42	<0.005	0.6	1.58	37	<10	430	0.5	2	0.16	<0.5	13	25	32	2.60
L8N 33+00W		0.36	<0.005	0.4	1.80	64	<10	500	0.5	<2	0.15	<0.5	9	35	48	3.73
L8N 33+50W		0.46	<0.005	1.0	1.88	28	<10	330	0.6	<2	0.15	0.6	9	30	47	3.57
L8N 34+00W		0.40	<0.005	1.8	3.36	56	<10	200	0.9	<2	0.06	0.5	20	100	108	7.83
L8N 34+50W		0.40	<0.005	0.6	1.62	22	<10	120	<0.5	<2	0.07	0.6	5	29	31	3.50
L8N 35+00W		0.42	<0.005	0.5	1.83	31	<10	160	<0.5	<2	0.09	0.6	7	22	37	3.06



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - B
 Total # Pages: 5 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L7N 27+00W		10	<1	0.07	10	0.39	296	11	<0.01	12	570	61	0.05	32	1	9
L7N 27+50W		10	1	0.08	10	0.43	188	11	<0.01	11	900	69	0.05	31	2	14
L7N 28+00W		10	<1	0.08	10	0.22	164	7	<0.01	7	600	33	0.02	20	2	8
L7N 28+50W		10	<1	0.07	10	0.49	234	6	<0.01	13	650	93	0.03	37	2	11
L7N 29+00W		10	1	0.06	10	0.37	178	6	<0.01	12	550	17	0.01	10	2	9
L7N 29+50W		10	1	0.07	10	0.40	180	3	<0.01	8	560	18	0.02	10	3	7
L7N 30+00W		10	1	0.08	20	0.31	832	4	<0.01	13	960	22	0.02	6	2	7
L7N 30+50W		10	1	0.05	10	0.43	284	3	<0.01	16	710	22	0.01	12	2	16
L7N 31+00W		10	<1	0.05	10	0.49	245	3	<0.01	22	950	27	0.02	15	3	9
L7N 31+50W		10	<1	0.05	10	0.30	193	3	<0.01	9	570	16	0.01	6	2	6
L7N 32+00W		<10	<1	0.07	20	0.52	760	4	<0.01	26	1040	19	0.02	4	1	19
L7N 32+50W		10	<1	0.07	10	0.47	797	3	<0.01	19	1050	24	0.03	6	1	26
L7N 33+00W		10	1	0.08	20	0.67	656	5	<0.01	28	1110	23	0.03	18	2	32
L7N 33+50W		10	1	0.07	20	0.42	585	4	<0.01	15	800	20	0.02	8	2	32
L7N 34+00W		10	1	0.07	20	0.65	1165	5	<0.01	35	940	77	0.03	16	3	17
L7N 34+50W		<10	<1	0.06	20	0.68	846	4	<0.01	40	650	22	0.02	16	3	13
L7N 35+00W		10	<1	0.08	10	0.38	2060	5	<0.01	20	990	25	0.04	9	1	29
L7N 35+50W		10	<1	0.05	10	0.45	436	4	<0.01	18	590	31	0.02	5	1	16
L7N 36+00W		10	<1	0.11	10	0.15	3670	5	<0.01	11	870	14	0.01	3	1	8
L7N 36+50W		10	1	0.05	10	0.41	366	4	<0.01	20	630	19	<0.01	7	2	5
L7N 37+00W		10	<1	0.06	10	0.34	341	8	<0.01	17	1100	14	0.02	2	1	6
L7N 37+50W		10	<1	0.06	20	0.19	1250	7	<0.01	10	780	15	0.01	3	1	8
L7N 38+00W		10	<1	0.07	10	0.37	1830	5	<0.01	17	1040	19	0.01	3	1	6
L8N 27+00W		10	1	0.07	10	0.53	426	13	<0.01	33	920	58	0.04	34	2	10
L8N 27+50W		10	<1	0.14	20	0.68	359	10	<0.01	12	840	47	0.08	41	4	33
L8N 28+00W		10	1	0.12	20	0.68	757	13	<0.01	37	1380	46	0.06	17	1	43
L8N 28+50W		10	<1	0.07	10	0.30	1310	8	<0.01	14	1220	35	0.02	17	1	12
L8N 29+00W		10	<1	0.06	10	0.55	239	6	<0.01	14	930	34	0.04	48	2	12
L8N 29+50W		10	1	0.06	10	0.54	256	5	<0.01	20	780	23	0.01	20	3	10
L8N 30+00W		10	1	0.05	10	0.35	143	2	<0.01	10	520	12	0.01	10	2	6
L8N 30+50W		10	<1	0.04	10	0.15	131	3	<0.01	8	420	20	<0.01	36	2	5
L8N 31+00W		10	<1	0.07	10	0.47	172	3	<0.01	8	490	22	<0.01	35	4	6
L8N 31+50W		10	<1	0.06	10	0.24	272	3	<0.01	10	630	15	<0.01	10	1	6
L8N 32+00W		<10	<1	0.06	20	0.52	705	5	<0.01	28	600	31	0.01	10	1	7
L8N 32+50W		10	<1	0.09	10	0.37	2050	3	<0.01	17	1000	27	0.02	7	1	15
L8N 33+00W		10	1	0.09	20	0.52	670	5	<0.01	27	1030	32	0.02	13	1	13
L8N 33+50W		10	<1	0.06	20	0.48	792	4	<0.01	32	850	15	0.02	7	1	10
L8N 34+00W		10	<1	0.08	10	0.99	1145	16	0.01	74	1680	23	0.07	13	8	5
L8N 34+50W		10	<1	0.04	10	0.50	241	5	0.01	21	530	16	0.03	4	2	6
L8N 35+00W		10	<1	0.05	20	0.32	266	8	0.01	18	440	17	0.02	8	2	7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L7N 27+00W		0.03	<10	<10	70	<10	168
L7N 27+50W		0.03	<10	<10	89	<10	168
L7N 28+00W		0.06	<10	<10	87	<10	54
L7N 28+50W		0.03	<10	<10	61	<10	95
L7N 29+00W		0.07	<10	<10	74	<10	72
L7N 29+50W		0.08	<10	<10	92	<10	60
L7N 30+00W		0.04	<10	<10	63	<10	110
L7N 30+50W		0.04	<10	<10	58	<10	99
L7N 31+00W		0.05	<10	<10	54	<10	97
L7N 31+50W		0.05	<10	<10	61	<10	43
L7N 32+00W		0.02	<10	<10	35	<10	95
L7N 32+50W		0.01	<10	<10	38	<10	122
L7N 33+00W		0.02	<10	<10	40	<10	140
L7N 33+50W		0.02	<10	<10	44	<10	144
L7N 34+00W		0.01	<10	<10	39	<10	240
L7N 34+50W		0.02	<10	<10	41	<10	186
L7N 35+00W		0.02	<10	<10	42	<10	188
L7N 35+50W		0.03	<10	<10	56	<10	80
L7N 36+00W		0.02	<10	<10	62	<10	64
L7N 36+50W		0.03	<10	<10	88	<10	49
L7N 37+00W		0.02	<10	<10	67	<10	54
L7N 37+50W		0.01	<10	<10	44	<10	53
L7N 38+00W		0.01	<10	<10	44	<10	62
L8N 27+00W		0.04	<10	<10	57	<10	240
L8N 27+50W		0.04	<10	<10	58	<10	108
L8N 28+00W		0.03	<10	<10	66	<10	260
L8N 28+50W		0.03	<10	<10	68	<10	131
L8N 29+00W		0.04	<10	<10	63	<10	68
L8N 29+50W		0.04	<10	<10	51	<10	105
L8N 30+00W		0.05	<10	<10	52	<10	48
L8N 30+50W		0.09	<10	<10	103	<10	43
L8N 31+00W		0.11	<10	<10	96	<10	68
L8N 31+50W		0.05	<10	<10	56	<10	56
L8N 32+00W		0.02	<10	<10	37	<10	112
L8N 32+50W		0.02	<10	<10	44	<10	77
L8N 33+00W		0.01	<10	<10	53	<10	124
L8N 33+50W		0.02	<10	<10	46	<10	142
L8N 34+00W		0.01	<10	<10	77	<10	187
L8N 34+50W		0.02	<10	<10	42	<10	68
L8N 35+00W		0.04	<10	<10	41	<10	102



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 3 - A
 Total # Pages: 5 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method	WBI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ce	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L8N 35+50W		0.50	0.107	2.8	2.32	1460	<10	340	0.8	23	0.18	1.8	12	53	85	6.02
L8N 36+00W		0.48	<0.005	0.5	1.42	34	<10	110	<0.5	<2	0.08	<0.5	5	20	31	3.68
L8N 36+50W		0.40	<0.005	0.4	1.86	23	<10	150	<0.5	<2	0.08	<0.5	11	40	92	4.38
L8N 37+00W		0.38	<0.005	0.2	1.31	18	<10	110	<0.5	<2	0.06	<0.5	5	27	30	3.99
L8N 37+50W		0.40	<0.005	0.3	1.68	16	<10	330	<0.5	<2	0.08	0.8	11	25	37	3.67
L8N 38+00W		0.48	<0.005	0.3	1.61	21	<10	380	<0.5	<2	0.07	<0.5	9	28	56	4.17
L9N 27+00W		0.40	0.034	1.9	1.79	102	<10	260	0.5	4	0.06	0.5	4	32	84	3.34
L9N 27+50W		0.48	0.010	0.8	1.68	77	<10	200	0.6	3	0.17	0.8	5	26	45	3.38
L9N 28+00W		0.42	0.049	0.5	1.65	174	<10	130	<0.5	3	0.10	<0.5	6	26	54	4.25
L9N 28+50W		0.36	0.016	0.4	1.12	56	<10	80	<0.5	<2	0.07	<0.5	2	18	18	2.20
L9N 29+00W		0.32	0.118	0.3	1.78	156	<10	80	<0.5	2	0.07	<0.5	3	26	52	2.82
L9N 29+50W		0.38	0.009	0.9	1.14	27	<10	70	<0.5	3	0.04	<0.5	1	11	12	0.72
L9N 30+00W		0.34	0.020	1.8	1.18	430	<10	70	<0.5	5	0.09	0.5	2	20	34	2.74
L9N 30+50W		0.38	0.011	0.7	2.13	340	<10	90	<0.5	4	0.07	<0.5	5	32	51	4.40
L9N 31+00W		0.38	0.011	1.0	2.57	451	<10	90	0.5	3	0.10	0.6	8	30	56	3.24
L9N 31+50W		0.34	0.005	0.4	1.92	190	<10	90	<0.5	2	0.08	<0.5	6	38	37	4.41
L9N 32+00W		0.46	0.009	1.2	1.54	47	<10	80	<0.5	<2	0.18	0.5	11	26	51	3.20
L9N 32+50W		0.42	<0.005	0.6	1.78	36	<10	200	<0.5	<2	0.08	0.5	8	29	35	3.36
L9N 33+00W		0.46	<0.005	0.9	1.52	21	<10	120	<0.5	<2	0.07	0.8	4	26	35	2.77
L9N 33+50W		0.34	<0.005	1.0	1.31	20	<10	110	<0.5	<2	0.31	<0.5	5	24	21	3.23
L9N 34+00W		0.42	<0.005	0.3	1.38	32	<10	120	<0.5	<2	0.06	<0.5	5	28	23	2.35
L9N 34+50W		0.34	<0.005	0.5	1.48	34	<10	80	<0.5	<2	0.06	<0.5	5	33	26	4.08
L9N 35+00W		0.44	<0.005	0.4	1.80	26	<10	430	<0.5	<2	0.26	1.3	7	31	30	2.80
L9N 35+50W		0.42	<0.005	1.0	0.72	144	<10	110	<0.5	<2	0.05	<0.5	4	10	37	2.71
L9N 36+00W		0.44	<0.005	0.2	1.12	49	<10	130	<0.5	<2	0.07	<0.5	5	19	51	3.52
L9N 36+50W		0.38	<0.005	0.3	1.56	13	<10	300	<0.5	<2	0.45	0.5	8	20	31	3.69
L9N 37+00W		0.40	<0.005	<0.2	0.99	3	<10	90	<0.5	<2	0.14	<0.5	3	10	13	1.50
L9N 37+50W		0.40	<0.005	0.3	2.53	14	<10	220	0.7	<2	0.31	0.5	13	27	52	5.03
L9N 38+00W		0.40	<0.005	0.2	1.88	15	<10	80	<0.5	<2	0.11	<0.5	10	24	46	4.50
L10N 27+00W		0.42	0.149	0.6	2.07	42	<10	190	0.9	2	0.23	1.1	51	28	99	3.13
L10N 27+50W		0.48	0.008	0.6	1.70	25	<10	190	<0.5	<2	0.20	<0.5	6	21	28	2.91
L10N 28+00W		0.36	0.011	0.5	1.78	81	<10	110	<0.5	2	0.10	<0.5	6	23	36	4.45
L10N 28+50W		0.40	0.008	0.7	0.93	33	<10	110	<0.5	3	0.10	<0.5	1	10	14	1.30
L10N 29+00W		0.42	0.022	2.2	1.60	99	<10	130	<0.5	4	0.09	<0.5	4	24	102	3.13
L10N 29+50W		0.38	0.454	5.8	1.58	414	<10	130	<0.5	9	0.08	<0.5	4	19	96	2.83
L10N 30+00W		0.38	<0.005	0.3	0.48	17	<10	50	<0.5	<2	0.05	<0.5	1	7	20	0.64
L10N 30+50W		0.48	0.028	0.9	1.99	158	<10	110	0.6	2	0.13	<0.5	7	33	61	3.37
L10N 31+00W		0.42	<0.005	0.4	1.34	50	<10	70	<0.5	<2	0.06	<0.5	6	27	41	4.29
L10N 31+50W		0.36	0.018	0.4	1.34	158	<10	80	<0.5	<2	0.09	<0.5	10	21	42	4.40
L10N 32+00W		0.42	<0.005	<0.2	1.72	13	<10	80	<0.5	<2	0.08	<0.5	6	26	41	4.53



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 3 - B
 Total # Pages: 5 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L8N 35+50W		10	<1	0.07	20	0.63	822	9	0.01	38	1240	231	0.05	98	3	13
L8N 36+00W		10	<1	0.05	10	0.37	379	6	0.01	17	880	27	0.03	9	1	6
L8N 36+50W		10	<1	0.06	10	0.73	442	9	0.01	52	1270	17	0.05	4	2	7
L8N 37+00W		10	<1	0.05	10	0.30	280	6	0.01	17	880	13	0.03	3	1	5
L8N 37+50W		10	<1	0.06	10	0.32	843	7	0.01	19	920	13	0.04	3	1	9
L8N 38+00W		10	<1	0.06	20	0.34	595	9	0.01	25	870	26	0.03	9	3	14
L9N 27+00W		10	<1	0.22	10	0.73	196	9	0.01	15	460	22	0.08	14	4	16
L9N 27+50W		10	1	0.08	10	0.58	295	6	0.01	15	730	14	0.05	7	2	24
L9N 28+00W		10	<1	0.07	10	0.67	294	8	0.01	18	820	21	0.05	20	4	14
L9N 28+50W		10	<1	0.04	10	0.33	180	4	0.01	7	560	11	0.03	5	1	8
L9N 29+00W		10	<1	0.08	10	0.56	194	5	0.01	13	710	16	0.03	14	3	7
L9N 29+50W		10	<1	0.04	10	0.14	77	2	0.01	4	270	11	0.03	8	1	5
L9N 30+00W		10	<1	0.06	10	0.29	106	4	0.01	8	390	20	0.04	14	2	7
L9N 30+50W		10	<1	0.07	10	0.47	186	4	0.01	15	590	17	0.05	18	4	7
L9N 31+00W		10	1	0.07	10	0.49	296	4	0.01	23	730	17	0.04	17	4	8
L9N 31+50W		10	<1	0.08	10	0.65	421	4	0.01	23	1380	18	0.04	11	2	7
L9N 32+00W		<10	<1	0.05	20	0.56	473	5	0.01	30	900	16	0.04	8	2	10
L9N 32+50W		10	<1	0.07	20	0.48	772	5	0.01	22	810	16	0.04	5	2	8
L9N 33+00W		10	1	0.05	10	0.45	252	4	<0.01	17	530	16	0.04	4	1	6
L9N 33+50W		10	<1	0.06	10	0.23	776	3	<0.01	10	1940	15	0.05	3	1	6
L9N 34+00W		10	1	0.04	10	0.25	1230	4	0.01	11	660	14	0.04	24	1	5
L9N 34+50W		10	<1	0.04	10	0.40	707	4	0.01	16	600	17	0.05	7	2	5
L9N 35+00W		10	<1	0.07	20	0.64	935	3	0.01	25	830	18	0.05	6	2	19
L9N 35+50W		10	<1	0.06	20	0.07	184	14	0.01	12	690	96	0.04	57	1	10
L9N 36+00W		10	<1	0.07	20	0.17	365	9	0.01	19	620	51	0.04	25	1	7
L9N 36+50W		10	<1	0.07	10	0.44	850	5	0.01	16	1000	9	0.06	2	1	22
L9N 37+00W		10	<1	0.07	20	0.15	965	3	0.01	6	480	10	0.04	<2	1	7
L9N 37+50W		10	<1	0.05	10	0.53	846	5	0.01	26	1000	12	0.05	<2	4	22
L9N 38+00W		10	<1	0.05	10	0.54	852	5	0.01	23	930	13	0.05	4	2	6
L10N 27+00W		10	<1	0.08	20	0.76	1025	5	0.01	30	930	12	0.07	8	2	21
L10N 27+50W		10	<1	0.06	20	0.65	278	3	0.01	14	810	11	0.05	3	2	22
L10N 28+00W		10	1	0.06	10	0.50	235	5	0.01	15	1360	13	0.07	6	2	9
L10N 28+50W		10	<1	0.05	10	0.14	66	2	0.01	4	850	11	0.06	4	<1	15
L10N 29+00W		10	<1	0.08	10	0.53	159	7	<0.01	12	1280	14	0.08	10	1	19
L10N 29+50W		10	1	0.06	10	0.31	137	6	<0.01	8	540	31	0.08	32	1	17
L10N 30+00W		10	<1	0.04	10	0.09	56	2	<0.01	1	300	8	0.02	3	<1	6
L10N 30+50W		10	<1	0.10	10	0.75	319	4	<0.01	22	550	12	0.03	11	5	12
L10N 31+00W		10	<1	0.05	10	0.39	313	5	<0.01	20	850	20	0.03	8	2	7
L10N 31+50W		10	<1	0.06	10	0.32	1415	4	<0.01	17	1930	14	0.03	6	1	7
L10N 32+00W		10	1	0.04	10	0.44	299	5	<0.01	19	920	11	0.02	2	3	7



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 3 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
L8N 35+50W		0.01	<10	<10	53	<10	461
L8N 36+00W		0.02	<10	<10	46	<10	73
L8N 36+50W		0.02	<10	<10	37	<10	151
L8N 37+00W		0.02	<10	<10	54	<10	73
L8N 37+50W		0.02	<10	<10	48	<10	77
L8N 38+00W		0.01	<10	<10	46	<10	112
L9N 27+00W		0.07	<10	<10	61	<10	98
L9N 27+50W		0.05	<10	<10	54	<10	100
L9N 28+00W		0.07	<10	<10	69	<10	83
L9N 28+50W		0.05	<10	<10	58	<10	39
L9N 29+00W		0.06	<10	<10	61	<10	53
L9N 29+50W		0.03	<10	<10	25	<10	18
L9N 30+00W		0.07	<10	<10	70	<10	44
L9N 30+50W		0.09	<10	<10	87	<10	78
L9N 31+00W		0.06	<10	<10	62	<10	109
L9N 31+50W		0.05	<10	<10	84	<10	107
L9N 32+00W		0.04	<10	<10	33	<10	98
L9N 32+50W		0.04	<10	<10	47	<10	88
L9N 33+00W		0.02	<10	<10	40	<10	70
L9N 33+50W		0.02	<10	<10	49	<10	50
L9N 34+00W		0.02	<10	<10	53	<10	48
L9N 34+50W		0.03	<10	<10	59	<10	59
L9N 35+00W		0.02	<10	<10	41	<10	319
L9N 35+50W		0.02	<10	<10	41	<10	277
L9N 36+00W		0.02	<10	<10	43	<10	92
L9N 36+50W		0.04	<10	<10	47	<10	97
L9N 37+00W		0.04	<10	<10	38	<10	28
L9N 37+50W		0.05	<10	<10	52	<10	120
L9N 38+00W		0.05	<10	<10	46	<10	90
L10N 27+00W		0.07	<10	<10	59	<10	144
L10N 27+50W		0.10	<10	<10	57	<10	65
L10N 28+00W		0.08	<10	<10	73	<10	64
L10N 28+50W		0.02	<10	<10	26	<10	16
L10N 29+00W		0.03	<10	<10	53	<10	38
L10N 29+50W		0.03	<10	<10	44	<10	47
L10N 30+00W		0.06	<10	<10	30	<10	12
L10N 30+50W		0.11	<10	<10	73	<10	101
L10N 31+00W		0.03	<10	<10	59	<10	65
L10N 31+50W		0.03	<10	<10	55	<10	114
L10N 32+00W		0.05	<10	<10	53	<10	69



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 4 - A
 Total # Pages: 5 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L10N 32+50W		0.44	<0.005	0.2	1.15	18	<10	60	<0.5	<2	0.09	<0.5	8	19	33	4.35
L10N 33+00W		0.54	<0.005	0.2	1.59	35	<10	60	<0.5	<2	0.09	<0.5	7	25	30	3.83
L10N 33+50W		0.50	<0.005	1.3	1.40	376	<10	130	<0.5	2	0.02	<0.5	8	19	40	4.01
L10N 34+00W		0.46	<0.005	0.5	1.26	34	<10	70	<0.5	<2	0.06	<0.5	4	25	27	3.60
L10N 34+50W		0.42	<0.005	0.2	1.60	34	<10	70	<0.5	<2	0.07	<0.5	6	32	23	3.85
L10N 35+00W		0.40	<0.005	0.5	1.45	19	<10	90	<0.5	<2	0.08	<0.5	5	22	38	4.90
L10N 35+50W		0.44	0.052	2.4	1.40	128	<10	430	0.6	<2	0.10	1.1	11	20	81	3.30
L10N 36+00W		0.48	0.005	<0.2	1.96	31	<10	100	<0.5	<2	0.11	<0.5	7	27	53	3.86
L10N 36+50W		0.50	<0.005	0.4	1.52	32	<10	100	<0.5	<2	0.10	<0.5	5	22	30	3.53
L10N 37+00W		0.38	<0.005	<0.2	1.45	11	<10	70	<0.5	<2	0.07	<0.5	5	26	28	3.62
L10N 37+50W		0.40	<0.005	0.3	1.02	18	<10	270	<0.5	<2	0.30	0.9	10	18	63	3.08
L10N 38+00W		0.38	<0.005	0.3	1.32	24	<10	170	<0.5	<2	0.10	0.5	7	23	46	3.40
L11N 27+00W		0.42	<0.005	0.5	1.31	54	<10	170	<0.5	2	0.13	<0.5	5	22	36	2.77
L11N 27+50W		0.42	0.011	0.5	1.56	64	<10	140	0.5	3	0.20	0.6	15	26	78	3.71
L11N 28+00W		0.40	0.007	<0.2	1.36	20	<10	140	<0.5	<2	0.10	<0.5	5	23	20	2.56
L11N 28+50W		0.34	0.007	0.5	1.77	61	<10	130	0.5	2	0.29	<0.5	12	30	75	3.39
L11N 29+00W		0.42	0.008	0.2	1.94	53	<10	80	0.5	<2	0.09	<0.5	9	30	59	4.26
L11N 29+50W		0.34	<0.005	0.4	1.28	46	<10	120	<0.5	<2	0.05	<0.5	5	26	31	3.75
L11N 30+00W		0.34	<0.005	0.2	1.10	40	<10	50	<0.5	<2	0.08	<0.5	4	25	24	4.33
L11N 30+50W		0.46	<0.005	0.5	1.53	14	<10	70	<0.5	<2	0.11	<0.5	5	22	28	3.81
L11N 31+00W		0.34	<0.005	<0.2	1.52	32	<10	70	<0.5	<2	0.07	<0.5	7	29	41	3.26
L11N 31+50W		0.38	<0.005	<0.2	1.66	16	<10	80	<0.5	<2	0.12	<0.5	10	27	58	4.13
L11N 32+00W		0.58	<0.005	0.2	1.28	23	<10	270	<0.5	<2	0.31	0.6	5	27	29	2.72
L11N 32+50W		0.34	<0.005	0.2	1.64	28	<10	70	<0.5	<2	0.08	<0.5	6	25	32	4.42
L11N 33+00W		0.38	<0.005	0.2	0.95	7	<10	50	<0.5	<2	0.05	<0.5	1	14	6	1.22
L11N 33+50W		0.40	<0.005	5.6	1.50	12	<10	330	<0.5	<2	0.23	0.5	7	23	33	3.79
L11N 34+00W		0.40	<0.005	0.2	1.74	42	<10	120	<0.5	<2	0.12	<0.5	7	28	29	3.33
L11N 34+50W		0.42	<0.005	<0.2	1.36	20	<10	120	<0.5	<2	0.11	<0.5	5	20	22	2.96
L11N 35+00W		0.38	<0.005	<0.2	1.65	21	<10	100	<0.5	<2	0.15	<0.5	7	29	29	3.46
L11N 35+50W		0.38	<0.005	0.3	1.00	15	<10	180	<0.5	<2	0.16	0.6	10	18	29	3.01
L11N 36+00W		0.40	<0.005	0.4	1.40	12	<10	210	<0.5	<2	0.17	0.5	10	22	45	4.28
L11N 36+50W		0.48	<0.005	0.5	1.42	12	<10	220	<0.5	<2	0.16	<0.5	9	20	42	4.06
L11N 37+00W		0.36	<0.005	0.3	1.73	34	<10	200	<0.5	<2	0.14	0.5	8	32	50	3.42
L11N 37+50W		0.40	<0.005	0.7	1.54	19	<10	190	<0.5	<2	0.15	0.9	12	28	67	3.76
L11N 38+00W		0.48	<0.005	0.7	1.20	17	<10	190	<0.5	<2	0.06	0.7	7	19	49	3.55
L12N 27+00W		0.48	0.007	2.8	1.80	37	<10	90	0.5	<2	0.11	0.9	5	22	44	2.74
L12N 27+50W		0.52	0.011	0.3	1.41	54	<10	130	0.5	<2	0.14	<0.5	16	32	72	4.25
L12N 28+00W		0.50	0.007	0.5	1.32	35	<10	110	0.5	<2	0.23	0.6	14	28	76	3.00
L12N 28+50W		0.44	<0.005	0.2	1.30	33	<10	80	<0.5	<2	0.05	<0.5	3	29	21	4.13
L12N 29+00W		0.48	<0.005	0.2	0.97	<2	<10	50	<0.5	<2	0.04	<0.5	<1	12	7	1.09



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 4 - B
 Total # Pages: 5 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
L10N 32+50W	10	1	0.05	10	0.30	1175	4	<0.01	15	1930	13	0.03	3	1	7	
L10N 33+00W	10	<1	0.05	10	0.36	568	4	<0.01	17	1440	20	0.02	6	2	7	
L10N 33+50W	10	<1	0.06	20	0.23	991	3	<0.01	14	1080	26	0.04	20	1	6	
L10N 34+00W	10	<1	0.05	10	0.33	343	5	<0.01	14	980	18	0.03	7	1	6	
L10N 34+50W	10	<1	0.05	10	0.40	565	4	<0.01	14	1300	13	0.03	7	1	7	
L10N 35+00W	10	<1	0.05	10	0.32	318	5	<0.01	16	930	17	0.03	5	2	8	
L10N 35+50W	<10	<1	0.07	20	0.35	880	7	<0.01	21	840	603	0.03	106	2	12	
L10N 36+00W	10	1	0.05	10	0.43	333	5	<0.01	26	840	37	0.04	12	1	8	
L10N 36+50W	10	<1	0.06	10	0.41	282	5	<0.01	14	640	35	0.03	9	1	7	
L10N 37+00W	10	<1	0.05	10	0.38	273	4	<0.01	14	970	11	0.03	4	1	7	
L10N 37+50W	<10	<1	0.06	10	0.35	1350	7	<0.01	27	930	15	0.05	6	1	29	
L10N 38+00W	10	<1	0.07	20	0.34	544	6	<0.01	20	950	19	0.03	7	1	10	
L11N 27+00W	10	1	0.06	20	0.44	241	4	<0.01	16	580	17	0.04	8	1	15	
L11N 27+50W	10	<1	0.13	20	0.55	447	7	<0.01	24	1000	18	0.13	11	2	27	
L11N 28+00W	10	<1	0.06	10	0.49	249	3	<0.01	15	990	13	0.03	3	1	12	
L11N 28+50W	10	<1	0.07	20	0.71	511	5	<0.01	26	970	15	0.04	10	3	26	
L11N 29+00W	10	<1	0.07	10	0.51	333	7	<0.01	17	890	16	0.06	6	2	10	
L11N 29+50W	10	<1	0.06	10	0.38	305	4	<0.01	11	1000	13	0.07	2	2	12	
L11N 30+00W	10	<1	0.08	10	0.35	355	4	<0.01	12	900	13	0.03	5	1	7	
L11N 30+50W	10	<1	0.04	10	0.34	607	3	<0.01	14	1400	13	0.03	3	2	6	
L11N 31+00W	10	1	0.04	10	0.50	305	4	<0.01	27	640	16	0.03	8	3	7	
L11N 31+50W	10	<1	0.05	10	0.59	483	4	<0.01	31	700	15	0.02	5	4	8	
L11N 32+00W	10	1	0.06	10	0.32	698	3	<0.01	19	770	9	0.02	4	1	16	
L11N 32+50W	10	1	0.04	10	0.39	275	4	<0.01	16	1410	14	0.02	4	3	7	
L11N 33+00W	10	<1	0.04	10	0.12	96	1	<0.01	2	630	9	0.02	2	1	5	
L11N 33+50W	10	1	0.07	10	0.44	668	3	<0.01	17	980	16	0.03	2	2	10	
L11N 34+00W	10	<1	0.06	10	0.52	314	5	<0.01	20	480	84	0.03	9	2	8	
L11N 34+50W	10	<1	0.04	10	0.26	255	3	<0.01	12	750	14	0.04	5	1	8	
L11N 35+00W	10	<1	0.05	10	0.59	323	4	<0.01	22	600	86	0.03	32	2	9	
L11N 35+50W	<10	1	0.07	10	0.27	2020	4	0.01	17	1720	11	0.01	5	<1	12	
L11N 36+00W	10	1	0.07	10	0.35	1345	4	0.01	22	1380	13	<0.01	2	1	9	
L11N 36+50W	10	<1	0.07	10	0.34	990	4	0.01	22	1680	10	<0.01	<2	1	9	
L11N 37+00W	10	1	0.06	10	0.62	377	4	0.01	33	1040	14	<0.01	5	3	10	
L11N 37+50W	<10	<1	0.07	20	0.57	697	5	0.01	44	820	17	<0.01	6	3	12	
L11N 38+00W	<10	<1	0.08	20	0.26	387	7	0.01	22	800	16	<0.01	7	1	7	
L12N 27+00W	10	<1	0.05	10	0.35	215	7	0.01	15	670	13	0.02	5	2	9	
L12N 27+50W	<10	<1	0.12	20	0.58	621	7	0.01	29	720	17	0.06	7	3	17	
L12N 28+00W	<10	<1	0.08	20	0.57	782	5	0.01	35	740	15	<0.01	5	3	19	
L12N 28+50W	10	1	0.04	10	0.32	238	4	0.01	17	1920	13	<0.01	5	1	6	
L12N 29+00W	10	1	0.02	20	0.09	120	1	0.01	3	290	5	<0.01	<2	1	4	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 4 - C
Total # Pages: 5 (A - C)
Finalized Date: 31-JUL-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L10N 32+50W		0.04	<10	<10	54	<10	66
L10N 33+00W		0.05	<10	<10	50	<10	73
L10N 33+50W		0.01	<10	<10	44	<10	85
L10N 34+00W		0.03	<10	<10	48	<10	56
L10N 34+50W		0.03	<10	<10	63	<10	68
L10N 35+00W		0.08	<10	<10	52	<10	61
L10N 35+50W		0.01	<10	<10	33	<10	274
L10N 36+00W		0.03	<10	<10	37	<10	103
L10N 36+50W		0.04	<10	<10	44	<10	62
L10N 37+00W		0.02	<10	<10	45	<10	46
L10N 37+50W		0.01	<10	<10	27	<10	91
L10N 38+00W		0.02	<10	<10	42	<10	83
L11N 27+00W		0.04	<10	<10	43	<10	70
L11N 27+50W		0.05	<10	<10	53	<10	85
L11N 28+00W		0.04	<10	<10	50	<10	51
L11N 28+50W		0.05	<10	<10	56	<10	104
L11N 29+00W		0.08	<10	<10	65	<10	60
L11N 29+50W		0.08	<10	<10	72	<10	38
L11N 30+00W		0.05	<10	<10	47	<10	52
L11N 30+50W		0.05	<10	<10	63	<10	51
L11N 31+00W		0.03	<10	<10	50	<10	84
L11N 31+50W		0.04	<10	<10	46	<10	89
L11N 32+00W		0.03	<10	<10	39	<10	154
L11N 32+50W		0.05	<10	<10	70	<10	57
L11N 33+00W		0.03	<10	<10	41	<10	14
L11N 33+50W		0.09	<10	<10	67	<10	99
L11N 34+00W		0.03	<10	<10	40	<10	209
L11N 34+50W		0.04	<10	<10	55	<10	51
L11N 35+00W		0.04	<10	<10	44	<10	73
L11N 35+50W		0.02	<10	<10	37	<10	84
L11N 36+00W		0.03	<10	<10	52	<10	95
L11N 36+50W		0.03	<10	<10	52	<10	90
L11N 37+00W		0.04	<10	<10	47	<10	102
L11N 37+50W		0.02	<10	<10	40	<10	171
L11N 38+00W		0.01	<10	<10	36	<10	96
L12N 27+00W		0.04	<10	<10	41	10	56
L12N 27+50W		0.08	<10	<10	47	<10	86
L12N 28+00W		0.05	<10	<10	38	<10	105
L12N 28+50W		0.04	<10	<10	72	<10	43
L12N 29+00W		0.03	<10	<10	32	<10	14



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 5 - A
Total # Pages: 5 (A - C)
Finalized Date: 31-JUL-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L12N 29+50W		0.44	<0.005	0.3	2.11	24	<10	80	<0.5	<2	0.08	<0.5	7	36	39	4.71
L12N 30+00W		0.48	<0.005	0.2	1.35	12	<10	100	<0.5	<2	0.19	0.8	11	23	60	4.41
L12N 30+50W		0.50	0.005	<0.2	1.23	20	<10	140	<0.5	<2	0.26	0.8	17	27	80	3.63
L12N 31+00W		0.48	<0.005	0.2	1.04	34	<10	130	<0.5	<2	0.12	<0.5	3	16	17	2.51
L12N 31+50W		0.48	<0.005	0.6	1.53	52	<10	110	<0.5	<2	0.15	<0.5	9	25	37	4.70
L12N 32+00W		0.40	<0.005	0.3	1.50	11	<10	100	<0.5	<2	0.15	<0.5	6	24	28	4.00
L12N 32+50W		0.40	0.139	<0.2	1.14	6	<10	130	<0.5	<2	0.15	<0.5	4	15	21	2.94
L12N 33+00W		0.46	<0.005	0.4	1.10	4	<10	110	<0.5	<2	0.16	<0.5	5	16	24	3.68
L12N 33+50W		0.50	<0.005	6.4	1.96	412	<10	180	0.5	<2	0.14	1.1	7	33	69	4.59
L12N 34+00W		0.50	<0.005	1.0	1.70	118	<10	220	0.7	<2	0.77	4.0	13	38	98	3.11
L12N 34+50W		0.54	<0.005	0.3	1.78	22	<10	150	<0.5	<2	0.10	0.5	8	28	46	3.85
L12N 35+00W		0.48	<0.005	1.0	1.94	44	<10	110	0.5	<2	0.10	0.9	12	30	62	3.98
L12N 35+50W		0.46	<0.005	0.3	1.64	18	<10	110	<0.5	<2	0.06	0.7	11	22	61	3.69
L12N 36+00W		0.50	0.005	0.7	1.40	78	<10	170	<0.5	<2	0.31	0.8	14	24	74	4.72
L12N 36+50W		0.40	<0.005	0.5	0.87	44	<10	110	<0.5	<2	0.16	0.7	12	15	58	3.48
L12N 37+00W		0.40	<0.005	0.4	0.92	57	<10	260	<0.5	<2	0.14	0.9	7	15	45	2.92
L12N 37+50W		0.56	<0.005	0.5	1.47	19	<10	290	<0.5	<2	0.23	0.7	8	21	45	3.96
L12N 38+00W		0.38	<0.005	0.4	1.54	22	<10	200	0.5	<2	0.12	0.9	7	22	54	3.51
L20N 17+00W		0.28	<0.005	0.2	1.19	32	<10	70	<0.5	<2	0.23	<0.5	12	57	39	3.24
L20N 17+50W		0.30	<0.005	0.5	1.27	41	<10	230	<0.5	2	0.24	0.7	8	45	32	2.51
L20N 18+00W		0.18	<0.005	1.4	2.20	115	<10	330	0.6	<2	0.80	1.9	10	41	96	2.85
L20N 18+50W		0.28	0.025	0.2	1.70	125	<10	180	0.6	<2	0.15	1.4	11	50	82	3.54
L20N 19+00W		0.26	0.010	1.0	1.26	129	<10	270	<0.5	<2	0.39	2.2	10	37	148	3.73
L20N 19+50W		0.30	0.033	1.4	1.46	180	<10	320	0.8	<2	0.38	3.1	10	32	200	3.52
L20N 20+00W		0.24	<0.005	1.7	0.94	210	<10	180	<0.5	<2	0.20	0.8	4	19	59	3.16
L20N 20+50W		0.38	0.011	2.3	1.78	950	<10	110	<0.5	<2	0.10	0.6	6	37	64	6.21
L20N 29+50W		0.20	<0.005	0.8	1.20	5	<10	110	<0.5	<2	0.03	<0.5	<1	18	32	1.82
L20N 30+00W		0.24	0.008	0.7	2.16	22	<10	80	<0.5	<2	0.05	<0.5	3	35	65	2.90
L20N 30+50W		0.24	<0.005	1.2	1.97	26	<10	80	<0.5	<2	0.05	<0.5	3	33	51	3.98
L20N 31+00W		0.36	<0.005	0.5	3.24	17	<10	100	0.8	<2	0.07	0.5	6	43	93	4.28
L20N 31+50W		0.34	<0.005	0.5	1.54	27	<10	90	<0.5	2	0.03	0.5	4	25	37	4.03
L20N 32+00W		0.28	0.005	0.5	1.88	8	<10	70	<0.5	<2	0.04	<0.5	3	32	46	2.71
L20N 32+50W		0.24	0.029	0.3	2.18	16	<10	90	<0.5	<2	0.05	<0.5	5	41	66	3.94
L20N 33+00W		0.28	0.021	0.3	1.61	10	<10	120	<0.5	<2	0.02	<0.5	1	28	38	2.03
L20N 33+50W		0.24	0.008	0.4	1.86	20	<10	80	<0.5	<2	0.04	<0.5	4	37	58	3.01
L21N 17+00W		0.34	0.014	1.3	1.98	26	<10	130	0.5	<2	0.27	0.7	8	59	41	3.02
L21N 17+50W		0.18	0.017	1.2	1.76	93	<10	260	0.6	<2	0.40	1.8	11	41	103	2.98
L21N 18+00W		0.36	0.011	0.5	1.42	71	<10	360	<0.5	<2	0.19	0.8	10	40	40	3.76
L21N 18+50W		0.32	0.014	1.7	1.68	146	<10	90	<0.5	<2	0.10	1.1	14	51	69	5.16
L21N 19+00W		0.26	0.010	0.9	2.33	87	<10	160	<0.5	<2	0.08	0.5	11	56	50	5.24



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 5 - B
 Total # Pages: 5 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L12N 29+50W		10	1	0.04	10	0.53	427	4	0.01	28	1040	12	<0.01	5	3	7
L12N 30+00W		<10	1	0.07	10	0.54	926	3	0.01	29	1250	11	<0.01	<2	2	8
L12N 30+50W		<10	<1	0.07	20	0.58	1050	5	0.01	42	880	12	<0.01	5	3	15
L12N 31+00W		<10	1	0.07	20	0.33	201	6	0.01	15	370	10	<0.01	4	1	11
L12N 31+50W		10	<1	0.06	10	0.53	905	4	0.01	22	1640	13	0.01	5	2	7
L12N 32+00W		10	<1	0.08	10	0.47	394	4	0.02	21	970	6	<0.01	2	2	8
L12N 32+50W		10	<1	0.07	10	0.21	366	3	0.01	15	840	7	<0.01	3	2	6
L12N 33+00W		10	1	0.06	10	0.17	644	4	0.01	12	1160	5	<0.01	2	2	8
L12N 33+50W		10	1	0.11	10	0.59	361	6	0.01	37	1240	52	0.01	14	3	14
L12N 34+00W		10	<1	0.13	20	0.64	2270	6	0.02	33	1250	26	0.03	13	3	41
L12N 34+50W		<10	<1	0.05	10	0.61	341	5	0.01	34	520	16	<0.01	4	3	9
L12N 35+00W		<10	<1	0.08	10	0.54	691	5	0.01	35	800	24	<0.01	9	2	8
L12N 35+50W		<10	1	0.08	20	0.63	487	5	0.01	30	480	8	<0.01	3	2	7
L12N 36+00W		<10	1	0.06	10	0.48	974	10	0.01	37	920	31	0.03	8	1	33
L12N 36+50W		<10	1	0.05	10	0.38	825	8	0.01	30	540	23	0.02	7	1	18
L12N 37+00W		<10	<1	0.06	10	0.16	588	6	0.01	16	1280	55	0.02	10	<1	17
L12N 37+50W		10	<1	0.07	10	0.31	545	6	0.01	21	970	17	<0.01	4	2	19
L12N 38+00W		<10	1	0.06	20	0.35	719	6	0.01	25	820	16	<0.01	8	2	13
L20N 17+00W		<10	2	0.05	10	0.70	739	4	0.01	47	630	12	<0.01	5	2	13
L20N 17+50W		<10	<1	0.06	10	0.40	595	11	0.01	21	660	12	<0.01	3	1	19
L20N 18+00W		10	1	0.06	20	0.59	325	6	0.02	34	1160	17	0.04	12	1	42
L20N 18+50W		<10	1	0.08	20	0.70	975	10	0.01	42	780	23	<0.01	17	3	12
L20N 19+00W		<10	1	0.08	20	0.57	733	17	0.01	34	710	34	0.01	31	2	37
L20N 19+50W		10	1	0.08	30	0.29	636	24	0.01	30	1180	43	0.03	43	1	38
L20N 20+00W		10	<1	0.08	10	0.24	2020	14	0.01	15	990	39	0.01	48	1	13
L20N 20+50W		10	<1	0.10	10	0.55	385	11	<0.01	24	2340	210	0.01	261	4	7
L20N 29+50W		10	1	0.07	10	0.36	50	15	<0.01	11	300	11	0.03	<2	3	7
L20N 30+00W		10	<1	0.10	10	0.63	117	9	<0.01	18	610	17	0.02	3	6	7
L20N 30+50W		10	<1	0.07	10	0.64	143	6	<0.01	17	1150	18	0.03	4	4	8
L20N 31+00W		10	<1	0.12	10	0.74	181	9	<0.01	26	790	9	0.03	<2	6	9
L20N 31+50W		10	<1	0.07	10	0.37	168	6	<0.01	17	700	9	0.02	3	3	9
L20N 32+00W		10	1	0.10	10	0.51	102	3	<0.01	18	520	9	0.01	<2	4	7
L20N 32+50W		10	<1	0.08	10	0.64	139	5	<0.01	33	670	10	0.01	2	5	8
L20N 33+00W		10	<1	0.13	20	0.48	61	6	<0.01	21	410	11	0.04	2	3	11
L20N 33+50W		10	1	0.06	10	0.53	180	10	<0.01	23	970	8	0.02	2	2	9
L21N 17+00W		<10	2	0.05	10	0.65	425	4	<0.01	45	930	8	0.02	5	2	16
L21N 17+50W		<10	<1	0.07	20	0.58	897	8	<0.01	39	1100	22	0.04	13	2	32
L21N 18+00W		<10	3	0.07	10	0.45	595	4	<0.01	28	450	14	0.01	3	1	16
L21N 18+50W		<10	9	0.06	10	0.65	689	5	<0.01	44	780	21	0.01	6	3	10
L21N 19+00W		10	1	0.06	10	0.87	640	5	<0.01	48	860	18	0.01	8	4	8



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 5 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046322

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L12N 29+50W		0.04	<10	<10	53	<10	90
L12N 30+00W		0.04	<10	<10	39	<10	92
L12N 30+50W		0.05	<10	<10	35	<10	123
L12N 31+00W		0.03	<10	<10	35	<10	53
L12N 31+50W		0.06	<10	<10	58	<10	83
L12N 32+00W		0.06	<10	<10	50	<10	78
L12N 32+50W		0.06	<10	<10	50	<10	58
L12N 33+00W		0.09	<10	<10	64	<10	65
L12N 33+50W		0.06	<10	<10	64	<10	470
L12N 34+00W		0.03	<10	<10	43	<10	178
L12N 34+50W		0.03	<10	<10	41	<10	94
L12N 35+00W		0.04	<10	<10	42	<10	139
L12N 36+50W		0.02	<10	<10	34	<10	126
L12N 36+00W		0.03	<10	<10	36	<10	163
L12N 36+50W		0.03	<10	<10	27	<10	133
L12N 37+00W		0.01	<10	<10	42	<10	126
L12N 37+50W		0.02	<10	<10	45	<10	130
L12N 38+00W		0.01	<10	<10	34	<10	244
L20N 17+00W		0.06	<10	<10	34	<10	84
L20N 17+50W		0.03	<10	<10	41	<10	85
L20N 18+00W		0.01	<10	<10	42	<10	255
L20N 18+50W		0.03	<10	<10	40	<10	284
L20N 19+00W		0.03	<10	<10	38	<10	231
L20N 19+50W		0.02	<10	<10	39	<10	247
L20N 20+00W		0.03	<10	<10	53	<10	118
L20N 20+50W		0.05	<10	<10	80	<10	137
L20N 29+50W		0.07	<10	<10	49	<10	24
L20N 30+00W		0.10	<10	<10	89	<10	51
L20N 30+50W		0.11	<10	<10	96	<10	52
L20N 31+00W		0.12	<10	<10	90	<10	93
L20N 31+50W		0.05	<10	<10	67	<10	60
L20N 32+00W		0.10	<10	<10	81	<10	40
L20N 32+50W		0.08	<10	<10	80	<10	54
L20N 33+00W		0.05	<10	<10	60	<10	27
L20N 33+50W		0.05	<10	<10	98	<10	45
L21N 17+00W		0.02	<10	<10	37	<10	110
L21N 17+50W		0.02	<10	<10	36	<10	262
L21N 18+00W		0.02	<10	<10	39	<10	114
L21N 18+50W		0.03	<10	<10	40	<10	166
L21N 19+00W		0.03	<10	<10	55	<10	153



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 1
Finalized Date: 31-JUL-2004
This copy reported on 6-JAN-2005
Account: SHK

CERTIFICATE VA04046323

Project:
P.O. No.:

This report is for 224 Soil samples submitted to our lab in Vancouver, BC, Canada on 19-JUL-2004.

The following have access to data associated with this certificate:

DARYL HANSON RICK WHATLEY	JIM OLIVER	GEORGE WHATLEY
------------------------------	------------	----------------

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ALPHA GOLD CORP.
ATTN: DARYL HANSON
16575 QUICK EAST ROAD
TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L21N 19+50W		0.48	0.032	1.1	1.72	148	<10	200	0.6	<2	0.23	2.0	18	39	160	4.11
L21N 20+00W		0.34	0.009	1.1	1.60	530	<10	100	<0.5	<2	0.06	0.8	7	27	73	6.93
L21N 20+50W		0.24	0.059	0.9	3.38	384	<10	200	0.8	2	0.07	0.8	10	45	108	5.76
L21N 29+50W		0.14	0.011	1.4	2.31	2	<10	60	0.5	<2	0.03	<0.5	3	37	75	1.45
L21N 30+00W		0.10	0.011	2.0	2.72	11	<10	90	2.3	<2	0.16	1.8	8	45	376	1.77
L21N 30+50W		0.18	0.016	0.3	3.72	10	<10	160	1.1	<2	0.10	<0.5	5	53	127	4.33
L21N 31+00W		0.26	0.016	0.9	2.01	37	<10	110	<0.5	<2	0.03	<0.5	5	29	55	4.69
L21N 31+50W		0.24	0.007	0.7	2.01	35	<10	150	<0.5	<2	0.02	<0.5	4	28	82	5.42
L21N 32+00W		0.34	<0.005	2.2	1.85	36	<10	100	<0.5	<2	0.02	<0.5	1	23	45	2.95
L21N 32+50W		0.28	0.007	1.5	0.96	15	<10	100	<0.5	<2	0.01	<0.5	1	9	68	1.27
L21N 33+00W		0.24	0.030	1.1	1.12	6	<10	60	<0.5	7	0.02	<0.5	<1	17	10	0.52
L21N 33+50W		0.22	0.016	1.1	1.36	54	<10	140	<0.5	3	0.03	<0.5	2	18	66	3.10
L22N 17+00W		0.24	<0.005	0.4	1.48	26	<10	230	<0.5	<2	0.20	<0.5	6	42	37	2.79
L22N 17+50W		0.26	<0.005	0.3	1.34	42	<10	130	<0.5	<2	0.24	0.5	7	42	48	3.40
L22N 18+00W		0.24	0.009	0.4	1.72	38	<10	170	<0.5	<2	0.13	0.6	9	51	66	4.35
L22N 18+50W		0.34	<0.005	0.9	1.76	56	<10	170	<0.5	<2	0.17	0.6	13	51	52	4.62
L22N 19+00W		0.30	0.008	0.5	1.04	61	<10	290	<0.5	<2	0.21	0.8	4	24	41	2.63
L22N 19+50W		0.20	0.007	0.7	1.28	103	<10	320	<0.5	<2	0.17	1.5	19	36	87	4.38
L22N 20+00W		0.28	0.013	2.8	2.13	105	<10	480	1.0	<2	0.39	7.3	29	44	219	4.87
L22N 20+50W		0.30	<0.005	1.1	0.76	206	<10	300	<0.5	2	0.15	1.6	10	16	58	4.32
L22N 29+50W		0.32	<0.005	0.4	0.99	5	<10	50	<0.5	<2	0.03	<0.5	2	15	19	1.50
L22N 30+00W		0.24	0.011	2.4	3.57	23	<10	90	1.0	<2	0.37	<0.5	12	30	50	3.39
L22N 30+50W		0.34	0.018	1.1	3.48	44	<10	200	0.7	<2	0.02	<0.5	4	49	91	5.60
L22N 31+00W		0.32	0.013	0.8	3.81	13	<10	120	0.7	<2	0.03	<0.5	3	36	92	3.99
L22N 31+50W		0.28	0.009	4.2	1.20	43	<10	70	<0.5	3	0.03	<0.5	3	11	107	2.86
L22N 32+00W		0.32	<0.005	0.8	1.80	99	<10	170	<0.5	<2	0.02	<0.5	1	25	76	3.91
L22N 32+50W		0.30	<0.005	1.8	2.58	101	<10	180	<0.5	<2	0.04	<0.5	4	33	132	3.68
L22N 33+00W		0.28	<0.005	0.7	2.47	28	<10	210	<0.5	2	0.05	<0.5	6	36	100	3.64
L22N 33+50W		0.28	<0.005	1.4	1.18	26	<10	120	<0.5	2	0.01	0.6	1	13	60	2.55
L23N 17+00W		0.28	<0.005	1.0	1.78	16	<10	300	<0.5	<2	0.17	0.5	7	45	30	2.64
L23N 17+50W		0.32	<0.005	0.6	1.64	40	<10	200	<0.5	<2	0.15	<0.5	8	48	39	4.25
L23N 18+00W		0.24	<0.005	1.2	1.81	26	<10	230	0.6	<2	0.11	0.7	9	42	58	2.97
L23N 18+50W		0.22	<0.005	1.2	1.70	31	<10	280	<0.5	<2	0.23	1.0	9	38	50	2.41
L23N 19+00W		0.36	<0.005	0.8	1.59	56	<10	290	<0.5	<2	0.30	0.7	10	37	53	3.36
L23N 19+50W		0.26	<0.005	0.4	2.03	75	<10	250	<0.5	<2	0.28	<0.5	14	40	72	4.72
L23N 20+00W		0.48	0.169	2.1	1.55	56	<10	320	0.7	<2	0.24	1.2	16	33	78	3.40
L23N 20+50W		0.34	<0.005	0.3	2.18	56	<10	150	<0.5	<2	0.09	<0.5	8	49	46	6.00
L23N 29+50W		0.30	<0.005	0.5	1.18	17	<10	80	<0.5	<2	0.02	<0.5	2	13	17	1.34
L23N 30+00W		0.28	0.006	0.2	2.46	31	<10	130	<0.5	<2	0.04	<0.5	3	46	29	3.73
L23N 30+50W		0.22	0.022	3.0	2.05	194	<10	160	0.8	6	0.02	0.5	2	15	92	2.49

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L21N 19+50W		<10	1	0.07	20	0.68	1175	12	0.01	53	710	39	0.05	40	4	19
L21N 20+00W		10	<1	0.09	10	0.35	489	7	0.01	20	3040	138	0.05	74	2	6
L21N 20+50W		10	2	0.10	10	0.81	342	7	0.01	35	810	84	0.05	88	5	6
L21N 29+50W		10	<1	0.09	10	0.66	64	5	0.01	15	400	12	0.05	<2	2	8
L21N 30+00W		10	1	0.07	30	1.11	180	3	0.02	33	880	16	0.04	3	3	21
L21N 30+50W		10	<1	0.12	10	0.89	98	7	0.02	22	1380	11	0.11	2	8	18
L21N 31+00W		10	1	0.09	10	0.81	216	5	0.01	21	1340	23	0.08	7	3	16
L21N 31+50W		10	<1	0.11	10	0.46	140	7	0.03	15	1600	44	0.20	2	4	26
L21N 32+00W		20	1	0.10	10	0.51	113	5	0.02	14	1040	46	0.10	2	2	19
L21N 32+50W		10	<1	0.12	20	0.16	47	5	0.01	1	590	27	0.08	2	<1	43
L21N 33+00W		10	<1	0.04	20	0.07	19	2	0.01	3	230	13	0.02	3	1	5
L21N 33+50W		10	<1	0.09	20	0.20	55	19	0.01	9	750	25	0.10	5	1	17
L22N 17+00W		10	<1	0.09	10	0.35	252	3	0.01	24	640	10	0.03	2	1	14
L22N 17+50W		10	4	0.06	10	0.43	410	5	0.01	30	1400	12	0.04	2	1	18
L22N 18+00W		10	<1	0.08	10	0.60	468	6	0.01	38	500	19	0.03	6	2	13
L22N 18+50W		10	1	0.10	10	0.58	828	5	0.01	38	980	24	0.02	6	2	16
L22N 19+00W		10	<1	0.07	10	0.21	290	9	0.01	16	1080	18	0.04	14	1	19
L22N 19+50W		10	<1	0.08	20	0.44	1150	7	0.01	36	690	41	0.03	24	2	20
L22N 20+00W		10	<1	0.11	40	0.51	3960	12	<0.01	60	1520	39	0.03	19	5	36
L22N 20+50W		10	<1	0.07	20	0.12	709	10	<0.01	22	1580	33	0.03	31	1	21
L22N 29+50W		10	<1	0.06	10	0.21	59	4	<0.01	6	400	14	0.02	2	1	5
L22N 30+00W		10	<1	0.04	20	0.14	215	5	0.01	15	2800	14	0.05	4	4	9
L22N 30+50W		20	<1	0.20	10	1.02	118	15	0.04	21	1400	26	0.27	3	10	64
L22N 31+00W		10	<1	0.18	10	0.67	97	3	0.01	20	940	12	0.06	4	5	14
L22N 31+50W		10	<1	0.05	20	0.19	114	6	<0.01	6	1040	51	0.04	5	1	11
L22N 32+00W		10	<1	0.18	10	0.40	118	8	0.02	10	1080	73	0.14	7	2	31
L22N 32+50W		10	<1	0.28	10	0.72	272	4	0.01	18	1070	44	0.07	6	4	30
L22N 33+00W		10	<1	0.25	10	0.63	664	8	0.01	15	1160	24	0.14	4	3	52
L22N 33+50W		10	<1	0.07	20	0.08	129	15	<0.01	3	590	33	0.05	3	1	20
L23N 17+00W		10	<1	0.08	10	0.62	478	4	<0.01	29	760	11	0.03	2	1	17
L23N 17+50W		10	<1	0.08	10	0.65	398	4	<0.01	31	520	14	0.02	2	2	14
L23N 18+00W		10	<1	0.07	20	0.54	535	3	<0.01	28	760	16	0.03	4	2	13
L23N 18+50W		10	<1	0.07	20	0.63	430	2	<0.01	26	720	21	0.06	3	2	23
L23N 19+00W		10	2	0.06	10	0.65	542	4	<0.01	31	520	17	0.02	7	2	21
L23N 19+50W		10	1	0.08	10	0.60	841	6	0.01	40	800	27	0.03	12	3	19
L23N 20+00W		10	<1	0.06	30	0.28	1000	7	<0.01	25	780	19	0.03	6	2	21
L23N 20+50W		10	<1	0.09	10	0.65	785	5	<0.01	34	1000	18	0.02	5	4	10
L23N 29+50W		10	<1	0.07	10	0.20	68	3	<0.01	4	380	14	0.02	2	2	5
L23N 30+00W		20	<1	0.31	10	1.08	122	3	0.02	11	500	6	0.03	<2	9	11
L23N 30+50W		10	<1	0.10	10	0.20	102	4	0.01	6	1120	187	0.10	10	<1	27

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L21N 19+50W		0.03	<10	<10	39	<10	363
L21N 20+00W		0.03	<10	<10	70	<10	238
L21N 20+50W		0.04	<10	<10	67	<10	194
L21N 29+50W		0.08	<10	<10	66	<10	26
L21N 30+00W		0.08	<10	<10	84	<10	141
L21N 30+50W		0.19	<10	<10	134	<10	50
L21N 31+00W		0.04	<10	<10	83	<10	66
L21N 31+50W		0.06	<10	<10	101	<10	64
L21N 32+00W		0.03	<10	<10	97	<10	41
L21N 32+50W		0.01	<10	<10	28	<10	16
L21N 33+00W		0.27	<10	<10	63	<10	10
L21N 33+50W		0.05	<10	<10	72	<10	27
L22N 17+00W		0.02	<10	<10	49	<10	66
L22N 17+50W		0.02	<10	<10	46	<10	88
L22N 18+00W		0.03	<10	<10	49	<10	138
L22N 18+50W		0.03	<10	<10	50	<10	141
L22N 19+00W		0.01	<10	<10	43	<10	109
L22N 19+50W		0.04	<10	<10	50	<10	193
L22N 20+00W		0.03	<10	<10	49	<10	516
L22N 20+50W		0.02	<10	<10	42	<10	257
L22N 29+50W		0.08	<10	<10	58	<10	21
L22N 30+00W		0.07	<10	<10	79	<10	85
L22N 30+50W		0.11	<10	<10	146	<10	69
L22N 31+00W		0.10	<10	<10	97	<10	51
L22N 31+50W		0.02	<10	<10	57	<10	51
L22N 32+00W		0.05	<10	<10	69	<10	28
L22N 32+50W		0.10	<10	<10	87	<10	48
L22N 33+00W		0.12	<10	<10	83	<10	52
L22N 33+50W		0.01	<10	<10	57	<10	36
L23N 17+00W		0.01	<10	<10	44	<10	99
L23N 17+50W		0.03	<10	<10	53	<10	84
L23N 18+00W		0.02	<10	<10	44	<10	108
L23N 18+50W		0.01	<10	<10	39	<10	118
L23N 19+00W		0.02	<10	<10	42	<10	186
L23N 19+50W		0.02	<10	<10	45	<10	205
L23N 20+00W		0.02	<10	<10	41	<10	168
L23N 20+50W		0.04	<10	<10	61	<10	138
L23N 29+50W		0.04	<10	<10	53	<10	22
L23N 30+00W		0.21	<10	<10	128	<10	41
L23N 30+50W		0.02	<10	<10	41	<10	141

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - A
Total # Pages: 7 (A - C)
Finalized Date: 31-JUL-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L23N 31+00W		0.28	0.010	1.1	1.54	40	<10	90	<0.5	3	0.05	<0.5	3	10	86	2.84
L23N 31+50W		0.30	0.027	1.0	1.65	207	<10	140	<0.5	2	0.02	<0.5	2	17	96	3.42
L23N 32+00W		0.34	<0.005	0.5	2.42	30	<10	200	<0.5	<2	0.01	<0.5	1	29	49	4.47
L23N 32+50W		0.30	<0.005	0.7	2.41	18	<10	130	<0.5	<2	0.02	<0.5	2	30	58	3.71
L23N 33+00W		0.28	<0.005	1.5	2.98	29	<10	110	<0.5	<2	0.07	<0.5	6	38	103	4.23
L23N 33+50W		0.38	0.021	2.0	1.54	57	<10	130	<0.5	2	0.03	<0.5	3	21	92	4.10
L24N 17+00W		0.36	<0.005	0.7	2.04	24	<10	200	0.5	<2	0.25	<0.5	8	47	50	3.72
L24N 17+50W		0.32	<0.005	0.7	1.95	26	<10	450	0.5	<2	0.44	0.5	9	48	49	3.12
L24N 18+00W		0.30	<0.005	<0.2	1.70	74	<10	120	<0.5	<2	0.10	<0.5	6	39	41	4.34
L24N 18+50W		0.28	<0.005	0.2	1.64	35	<10	170	<0.5	<2	0.17	<0.5	6	38	32	3.44
L24N 19+00W		0.26	<0.005	0.2	1.28	26	<10	170	<0.5	<2	0.16	<0.5	6	30	29	2.70
L24N 19+50W		0.36	<0.005	0.7	1.17	67	<10	280	<0.5	<2	0.37	1.3	8	32	62	3.29
L24N 20+00W		0.28	0.006	1.4	1.78	61	<10	460	0.6	<2	0.39	1.3	11	41	47	3.43
L24N 20+50W		0.28	<0.005	0.8	1.60	78	<10	380	<0.5	<2	0.38	1.0	8	36	68	3.78
L24N 29+50W		0.28	0.094	0.3	1.16	113	<10	70	<0.5	<2	0.03	<0.5	1	15	21	2.42
L24N 30+00W		0.38	<0.005	0.6	1.72	14	<10	150	<0.5	<2	0.01	<0.5	1	23	35	2.11
L24N 30+50W		0.28	<0.005	3.8	1.54	43	<10	110	<0.5	<2	0.01	<0.5	1	18	31	3.41
L24N 31+00W		0.28	<0.005	0.4	2.02	65	<10	130	<0.5	<2	0.04	<0.5	5	29	79	3.63
L24N 31+50W		0.42	0.038	1.9	1.52	269	<10	180	<0.5	3	0.02	<0.5	1	16	85	3.23
L24N 32+00W		0.34	3.50	5.4	1.86	438	<10	180	<0.5	9	0.02	<0.5	3	22	160	5.04
L24N 32+50W		0.04	<0.005	0.4	1.47	17	<10	110	<0.5	2	0.01	<0.5	1	14	34	1.67
L24N 33+00W		0.36	<0.005	0.7	1.20	74	<10	160	<0.5	<2	0.09	0.5	11	15	91	3.38
L25N 17+00W		0.18	<0.005	0.3	1.46	19	<10	290	<0.5	<2	0.37	0.7	13	44	36	2.76
L25N 17+50W		0.24	<0.005	<0.2	1.41	19	<10	130	<0.5	<2	0.07	<0.5	4	43	17	3.01
L25N 18+00W		0.22	<0.005	0.4	1.62	26	<10	410	<0.5	<2	0.62	0.7	12	42	43	2.92
L25N 18+50W		0.32	<0.005	0.8	1.72	48	<10	220	<0.5	<2	0.35	0.7	9	37	82	5.37
L25N 19+00W		0.32	<0.005	0.5	1.14	74	<10	380	<0.5	<2	0.23	0.6	8	27	36	3.44
L25N 19+50W		0.32	<0.005	1.7	1.63	43	<10	580	<0.5	<2	0.31	1.8	5	24	38	2.48
L25N 20+00W		0.30	0.007	2.5	1.60	82	<10	520	0.8	<2	1.06	1.9	9	46	132	2.82
L25N 20+50W		0.42	0.014	0.3	1.17	216	<10	280	<0.5	<2	0.48	0.8	12	39	70	3.25
L25N 21+00W		0.32	<0.005	0.2	1.10	64	<10	410	<0.5	<2	0.53	0.7	6	21	53	2.79
L25N 21+50W		0.50	<0.005	0.4	0.89	42	<10	120	<0.5	<2	0.08	<0.5	4	22	29	2.04
L25N 22+00W		0.34	0.013	<0.2	0.61	79	<10	170	<0.5	<2	0.24	<0.5	6	15	39	2.73
L25N 22+50W		0.30	0.010	1.1	1.89	52	<10	260	0.8	<2	0.23	1.0	13	30	78	3.46
L25N 23+00W		0.20	<0.005	0.9	1.86	23	<10	540	0.6	<2	0.36	0.5	10	23	76	3.55
L25N 23+50W		0.40	0.014	1.0	1.77	24	<10	410	0.6	<2	0.46	0.7	11	36	105	4.20
L25N 24+00W		0.40	<0.005	0.2	1.84	25	<10	310	0.5	<2	0.18	0.6	12	30	76	3.77
L25N 24+50W		0.46	0.007	1.3	2.11	166	<10	520	1.3	<2	0.62	7.1	14	23	156	2.73
L25N 25+50W		0.26	0.017	0.4	1.42	61	<10	170	<0.5	<2	0.09	0.7	5	18	37	4.29
L25N 26+00W		0.24	0.013	0.7	1.28	39	<10	150	<0.5	<2	0.10	1.0	2	11	37	1.89

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 3 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
L23N 31+00W		10	<1	0.07	10	0.31	151	4	0.01	5	1330	73	0.04	6	1	12
L23N 31+50W		10	<1	0.09	20	0.25	249	6	0.01	5	1530	244	0.10	21	<1	20
L23N 32+00W		10	<1	0.20	10	0.44	63	9	0.01	10	1090	13	0.14	3	4	35
L23N 32+50W		10	<1	0.16	10	0.54	271	4	0.01	12	700	11	0.08	3	3	30
L23N 33+00W		10	<1	0.10	10	0.60	345	4	0.01	20	1480	20	0.07	4	3	22
L23N 33+50W		10	<1	0.09	10	0.25	218	6	<0.01	11	670	33	0.07	7	2	20
L24N 17+00W		10	<1	0.06	10	0.61	363	4	<0.01	35	620	10	0.02	2	2	20
L24N 17+50W		10	<1	0.09	10	0.52	888	4	<0.01	40	690	13	0.02	2	2	26
L24N 18+00W		10	<1	0.06	10	0.45	364	4	<0.01	21	570	15	0.02	3	2	9
L24N 18+50W		10	3	0.08	10	0.53	303	2	<0.01	25	600	8	0.03	2	2	10
L24N 19+00W		10	<1	0.07	10	0.38	363	3	<0.01	20	320	10	0.02	2	2	11
L24N 19+50W		10	1	0.08	10	0.39	559	4	<0.01	23	780	18	0.02	5	1	25
L24N 20+00W		<10	<1	0.09	20	0.46	867	3	<0.01	34	1490	27	0.04	5	3	30
L24N 20+50W		10	3	0.06	10	0.37	488	4	<0.01	29	610	17	0.03	4	2	24
L24N 29+50W		10	<1	0.06	10	0.19	102	5	<0.01	6	510	16	0.02	3	2	6
L24N 30+00W		10	<1	0.22	10	0.44	83	7	<0.01	7	480	6	0.05	4	2	10
L24N 30+50W		10	<1	0.14	20	0.29	116	8	<0.01	4	640	17	0.05	4	1	16
L24N 31+00W		10	<1	0.12	10	0.63	200	6	<0.01	23	700	25	0.04	4	3	15
L24N 31+50W		10	<1	0.13	10	0.23	136	6	0.01	5	1050	156	0.12	33	<1	25
L24N 32+00W		10	<1	0.09	10	0.30	146	13	0.01	11	1260	32	0.10	8	2	31
L24N 32+50W		10	<1	0.08	10	0.15	118	3	<0.01	7	510	14	0.04	3	1	23
L24N 33+00W		10	<1	0.10	10	0.16	659	8	<0.01	12	800	21	0.04	3	1	18
L25N 17+00W		<10	2	0.08	10	0.63	893	3	<0.01	48	730	11	0.03	2	2	29
L25N 17+50W		10	<1	0.06	10	0.43	244	2	<0.01	22	500	9	0.01	2	3	7
L25N 18+00W		10	<1	0.08	20	0.69	882	3	0.01	42	820	11	0.04	5	3	40
L25N 18+50W		10	<1	0.06	10	0.55	430	4	<0.01	27	660	14	0.03	6	2	23
L25N 19+00W		10	<1	0.07	10	0.27	599	5	<0.01	15	840	22	0.03	6	1	19
L25N 19+50W		10	3	0.07	20	0.50	597	2	0.01	17	870	12	0.03	<2	2	25
L25N 20+00W		<10	2	0.07	30	0.43	858	3	0.01	41	2420	19	0.10	4	4	45
L25N 20+50W		<10	35	0.06	20	0.64	890	3	<0.01	39	1230	20	0.01	5	5	23
L25N 21+00W		10	2	0.08	10	0.26	878	4	<0.01	16	900	17	0.02	2	1	18
L25N 21+50W		10	2	0.06	20	0.14	236	3	<0.01	12	1130	12	0.01	2	<1	8
L25N 22+00W		10	7	0.07	20	0.08	517	6	<0.01	14	780	19	0.01	3	1	15
L25N 22+50W		<10	1	0.06	30	0.61	1110	5	<0.01	41	1040	20	0.03	4	4	21
L25N 23+00W		10	<1	0.10	20	0.43	835	5	<0.01	23	1380	15	0.04	2	2	31
L25N 23+50W		10	<1	0.09	20	0.46	681	8	0.01	31	1420	15	0.04	3	3	46
L25N 24+00W		10	<1	0.07	20	0.66	564	5	0.01	31	670	16	0.02	8	2	18
L25N 24+50W		<10	<1	0.08	70	0.54	1720	4	0.01	54	1600	17	0.06	10	2	57
L25N 25+50W		10	<1	0.06	10	0.27	212	6	<0.01	14	790	14	0.02	3	1	8
L25N 26+00W		10	<1	0.05	10	0.10	82	4	<0.01	9	500	16	0.03	4	1	12

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 3 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L23N 31+00W		0.09	<10	<10	57	<10	106
L23N 31+50W		0.01	<10	<10	59	<10	35
L23N 32+00W		0.11	<10	<10	102	<10	24
L23N 32+50W		0.13	<10	<10	86	<10	39
L23N 33+00W		0.12	<10	<10	118	<10	75
L23N 33+50W		0.08	<10	<10	75	<10	61
L24N 17+00W		0.02	<10	<10	47	<10	95
L24N 17+50W		0.02	<10	<10	51	<10	155
L24N 18+00W		0.03	<10	<10	51	<10	68
L24N 18+50W		0.02	<10	<10	43	<10	80
L24N 19+00W		0.03	<10	<10	47	<10	67
L24N 19+50W		0.02	<10	<10	41	<10	131
L24N 20+00W		0.01	<10	<10	37	<10	227
L24N 20+50W		0.02	<10	<10	48	<10	155
L24N 29+50W		0.07	<10	<10	82	<10	43
L24N 30+00W		0.06	<10	<10	57	<10	24
L24N 30+50W		0.03	<10	<10	64	<10	20
L24N 31+00W		0.06	<10	<10	74	<10	75
L24N 31+50W		0.02	<10	<10	52	<10	27
L24N 32+00W		0.04	<10	<10	70	<10	57
L24N 32+50W		0.06	<10	<10	59	<10	30
L24N 33+00W		0.04	<10	<10	44	<10	53
L25N 17+00W		0.02	<10	<10	41	<10	128
L25N 17+50W		0.05	<10	<10	55	<10	45
L25N 18+00W		0.02	<10	<10	39	<10	149
L25N 18+50W		0.02	<10	<10	44	<10	132
L25N 19+00W		0.02	<10	<10	45	<10	89
L25N 19+50W		0.01	<10	<10	39	<10	208
L25N 20+00W		0.01	<10	<10	28	<10	244
L25N 20+50W		0.03	<10	<10	34	<10	118
L25N 21+00W		0.01	<10	<10	54	<10	100
L25N 21+50W		0.01	<10	<10	37	<10	58
L25N 22+00W		0.03	<10	<10	50	<10	67
L25N 22+50W		0.01	<10	<10	34	<10	298
L25N 23+00W		0.01	<10	<10	39	<10	140
L25N 23+50W		0.01	<10	<10	39	<10	128
L25N 24+00W		0.02	<10	<10	42	<10	118
L25N 24+50W		0.01	<10	<10	31	<10	757
L25N 25+50W		0.03	<10	<10	70	<10	72
L25N 26+00W		0.02	<10	<10	41	<10	53

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 4 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L25N 26+50W	0.34	0.011	0.8	1.04	56	<10	60	<0.5	<2	0.07	0.5	4	21	31	3.04
L25N 27+00W	0.42	0.009	0.6	1.28	64	<10	80	<0.5	<2	0.08	<0.5	6	21	37	3.45
L25N 27+50W	0.42	0.007	0.5	1.26	43	<10	220	0.7	<2	0.12	0.9	6	15	40	2.53
L25N 28+00W	0.46	0.005	3.3	1.66	108	<10	130	<0.5	6	0.04	<0.5	3	28	25	4.19
L25N 28+50W	0.44	0.006	0.3	2.06	145	<10	240	0.6	<2	0.09	1.1	6	22	74	4.22
L25N 29+00W	0.36	<0.005	0.6	1.10	43	<10	50	<0.5	<2	0.06	0.5	4	18	27	3.64
L25N 29+50W	0.38	0.009	0.5	1.34	130	<10	130	<0.5	2	0.07	<0.5	7	18	75	2.49
L25N 30+00W	0.34	0.012	2.0	2.62	309	<10	250	1.5	5	0.25	1.8	27	32	433	4.92
L25N 30+50W	0.38	0.009	0.4	1.32	28	<10	130	<0.5	<2	0.04	<0.5	1	15	28	1.45
L25N 31+00W	0.40	0.006	0.7	1.45	51	<10	100	<0.5	<2	0.05	<0.5	3	23	38	3.16
L25N 31+50W	0.38	0.013	0.5	1.82	153	<10	100	<0.5	<2	0.05	<0.5	4	25	87	6.13
L25N 32+00W	0.36	0.011	1.7	1.83	42	<10	90	<0.5	2	0.06	<0.5	4	22	76	3.84
L25N 32+50W	0.42	<0.005	<0.2	1.25	23	<10	80	<0.5	<2	0.08	<0.5	4	16	42	4.39
L25N 33+00W	0.40	0.017	1.9	1.54	160	<10	130	0.8	2	0.12	1.6	38	19	377	5.21
L26N 17+00W	0.18	0.008	0.8	1.66	15	<10	450	<0.5	<2	0.40	1.5	11	41	33	2.45
L26N 17+50W	0.20	0.013	0.4	1.51	18	<10	300	<0.5	<2	0.43	0.6	11	43	44	2.82
L26N 18+00W	0.24	0.013	2.1	1.67	82	<10	230	0.7	<2	0.27	1.6	11	31	97	4.83
L26N 18+50W	0.26	0.014	1.0	1.52	68	<10	240	0.5	<2	0.44	0.7	10	33	77	3.89
L26N 19+00W	0.26	0.013	0.7	1.39	33	<10	480	0.6	<2	0.90	2.1	11	29	67	2.43
L26N 19+50W	0.30	0.011	<0.2	1.95	20	<10	230	<0.5	<2	0.13	<0.5	7	43	42	3.59
L26N 20+00W	0.44	0.006	0.2	2.16	24	<10	350	<0.5	<2	0.21	<0.5	5	36	33	3.70
L26N 20+50W	0.28	<0.005	0.6	1.02	146	<10	600	<0.5	<2	0.74	0.5	12	24	37	3.20
L26N 21+00W	0.28	0.005	<0.2	0.97	140	<10	210	<0.5	<2	0.15	<0.5	5	26	51	3.33
L26N 21+50W	0.28	0.016	0.5	1.42	247	<10	570	<0.5	<2	0.64	1.0	11	32	65	3.68
L26N 22+00W	0.30	0.009	0.8	1.42	288	<10	160	<0.5	<2	0.12	<0.5	6	27	46	3.70
L26N 22+50W	0.28	<0.005	0.4	1.14	52	<10	240	<0.5	<2	0.07	<0.5	6	21	38	3.30
L26N 23+00W	0.26	<0.005	0.6	1.46	22	<10	390	<0.5	<2	0.25	0.5	7	19	52	3.50
L26N 23+50W	0.26	0.005	0.3	1.24	55	<10	540	0.5	<2	0.39	2.5	11	20	66	2.93
L26N 24+00W	0.30	<0.005	0.3	0.90	20	<10	100	<0.5	<2	0.06	<0.5	4	17	34	3.07
L26N 24+50W	0.32	0.007	0.3	2.07	48	<10	490	0.7	<2	0.24	1.7	16	29	87	3.36
L26N 25+50W	0.30	<0.005	0.5	1.16	26	<10	240	<0.5	<2	0.09	<0.5	5	16	32	3.06
L26N 26+00W	0.38	<0.005	0.5	1.41	40	<10	250	<0.5	<2	0.24	<0.5	6	22	46	4.45
L26N 26+50W	0.32	0.012	0.7	2.21	303	<10	320	1.3	2	0.32	5.3	21	28	239	3.64
L26N 27+00W	0.44	0.008	0.3	1.56	152	<10	100	<0.5	<2	0.10	<0.5	5	22	35	4.26
L26N 27+50W	0.44	<0.005	2.0	1.76	56	<10	90	<0.5	<2	0.10	<0.5	6	23	40	5.41
L26N 28+00W	0.28	0.010	1.3	1.48	44	<10	80	<0.5	<2	0.06	0.5	5	20	38	3.41
L26N 28+50W	0.30	<0.005	0.2	1.26	30	<10	60	<0.5	<2	0.07	<0.5	4	20	36	4.02
L26N 29+00W	0.28	0.008	0.7	1.85	178	<10	80	<0.5	2	0.06	<0.5	9	26	117	4.82
L26N 29+50W	0.44	<0.005	0.2	1.50	72	<10	90	<0.5	<2	0.12	<0.5	6	21	47	4.65
L26N 30+00W	0.32	0.006	0.4	1.30	79	<10	60	<0.5	<2	0.10	<0.5	6	20	42	4.10

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 4 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L25N 28+50W		10	<1	0.06	10	0.30	260	4	<0.01	12	970	19	0.02	4	1	8
L25N 27+00W		10	<1	0.08	10	0.33	404	4	<0.01	12	1260	17	0.03	5	2	7
L25N 27+50W		10	<1	0.07	20	0.17	442	5	<0.01	9	620	17	0.02	4	1	14
L25N 28+00W		10	<1	0.10	10	0.33	184	6	<0.01	9	560	31	0.03	19	3	8
L25N 28+50W		10	<1	0.05	20	0.38	291	6	<0.01	19	460	80	0.02	3	3	11
L25N 29+00W		10	<1	0.04	10	0.26	235	5	<0.01	13	940	23	0.02	2	1	6
L25N 29+50W		10	<1	0.09	10	0.44	236	7	<0.01	18	400	18	0.02	4	2	12
L25N 30+00W		10	<1	0.20	20	0.94	493	15	0.01	39	570	56	0.09	13	4	50
L25N 30+50W		10	<1	0.11	10	0.27	68	6	<0.01	6	410	20	0.04	2	1	24
L25N 31+00W		10	<1	0.13	10	0.37	152	4	<0.01	11	790	20	0.03	5	3	11
L25N 31+50W		10	<1	0.10	10	0.41	326	7	0.01	19	1420	12	0.06	6	3	15
L25N 32+00W		10	<1	0.05	10	0.34	227	6	0.01	13	880	13	0.05	5	1	17
L25N 32+50W		10	<1	0.07	20	0.23	379	6	<0.01	13	1240	14	0.03	4	1	10
L25N 33+00W		10	<1	0.11	30	0.53	1605	12	<0.01	46	1140	25	0.07	7	2	23
L26N 17+00W		10	<1	0.08	20	0.53	1740	4	<0.01	29	1040	9	0.05	3	1	32
L26N 17+50W		10	<1	0.08	20	0.67	714	3	0.01	39	880	11	0.03	3	3	26
L26N 18+00W		10	1	0.06	20	0.48	611	5	<0.01	30	1400	18	0.06	11	3	22
L26N 18+50W		<10	3	0.06	20	0.54	707	4	<0.01	29	1140	19	0.04	8	3	26
L26N 19+00W		<10	1	0.07	30	0.48	1015	3	0.01	30	1560	16	0.07	4	3	51
L26N 19+50W		10	<1	0.08	10	0.47	291	4	<0.01	27	690	10	0.01	<2	4	11
L26N 20+00W		10	1	0.04	10	0.47	213	3	<0.01	22	470	13	0.03	<2	3	14
L26N 20+50W		10	7	0.08	10	0.19	1435	5	<0.01	16	1070	21	0.04	3	1	29
L26N 21+00W		10	25	0.06	10	0.15	510	5	<0.01	16	710	15	0.01	4	2	10
L26N 21+50W		<10	35	0.08	20	0.42	2120	4	<0.01	32	1440	25	0.04	5	2	34
L26N 22+00W		10	24	0.06	20	0.41	456	4	<0.01	22	1200	18	0.03	3	1	12
L26N 22+50W		10	1	0.06	10	0.20	421	4	<0.01	15	1020	12	0.03	2	1	10
L26N 23+00W		10	<1	0.06	20	0.25	471	4	<0.01	15	710	11	0.02	3	2	27
L26N 23+50W		<10	<1	0.06	20	0.39	1575	4	<0.01	27	770	14	0.02	12	2	37
L26N 24+00W		10	<1	0.05	10	0.12	207	4	<0.01	12	630	11	0.02	2	1	9
L26N 24+50W		10	<1	0.10	30	0.60	1260	6	<0.01	38	540	15	0.01	2	4	24
L26N 25+50W		10	<1	0.09	20	0.29	221	6	<0.01	13	740	14	0.01	3	2	8
L26N 26+00W		10	<1	0.08	20	0.52	310	7	<0.01	23	1020	16	0.02	3	2	20
L26N 26+50W		10	<1	0.10	40	0.70	2270	11	<0.01	46	700	33	0.03	8	4	31
L26N 27+00W		10	<1	0.07	10	0.31	348	5	<0.01	15	1580	17	0.02	3	2	8
L26N 27+50W		10	<1	0.06	10	0.47	394	5	<0.01	17	1760	19	0.02	3	3	9
L26N 28+00W		10	<1	0.04	20	0.38	277	6	<0.01	15	820	18	0.01	7	2	6
L26N 28+50W		10	<1	0.04	10	0.31	264	6	<0.01	15	950	9	0.01	<2	2	6
L26N 29+00W		10	<1	0.06	10	0.35	561	6	<0.01	13	1260	25	0.03	3	1	8
L26N 29+50W		10	<1	0.06	10	0.45	460	6	<0.01	20	1820	19	0.02	3	2	9
L26N 30+00W		10	<1	0.05	10	0.41	412	5	<0.01	20	1390	12	0.02	3	2	7

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 4 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
L25N 26+50W		0.04	<10	<10	58	<10	59
L25N 27+00W		0.03	<10	<10	57	<10	76
L25N 27+50W		0.02	<10	<10	48	<10	86
L25N 28+00W		0.07	<10	<10	66	<10	40
L25N 28+50W		0.03	<10	<10	56	<10	538
L25N 29+00W		0.06	<10	<10	48	<10	59
L25N 29+50W		0.05	<10	<10	46	<10	141
L25N 30+00W		0.06	<10	<10	58	<10	524
L25N 30+50W		0.03	<10	<10	45	<10	28
L25N 31+00W		0.12	<10	<10	90	<10	49
L25N 31+50W		0.12	<10	<10	94	<10	69
L25N 32+00W		0.05	<10	<10	52	<10	76
L25N 32+50W		0.02	<10	<10	53	<10	79
L25N 33+00W		0.02	<10	<10	34	<10	188
L26N 17+00W		0.01	<10	<10	43	<10	122
L26N 17+50W		0.02	<10	<10	38	<10	135
L26N 18+00W		0.02	<10	<10	36	<10	192
L26N 18+50W		0.02	<10	<10	35	<10	193
L26N 19+00W		0.01	<10	<10	30	<10	155
L26N 19+50W		0.03	<10	<10	55	<10	72
L26N 20+00W		0.02	<10	<10	53	<10	75
L26N 20+50W		0.02	<10	<10	44	<10	167
L26N 21+00W		0.03	<10	<10	48	<10	88
L26N 21+50W		0.01	<10	<10	43	<10	144
L26N 22+00W		0.01	<10	<10	40	<10	92
L26N 22+50W		0.02	<10	<10	49	<10	70
L26N 23+00W		0.02	<10	<10	43	<10	82
L26N 23+50W		0.01	<10	<10	32	<10	351
L26N 24+00W		0.02	<10	<10	48	<10	74
L26N 24+50W		0.02	<10	<10	46	<10	451
L26N 25+50W		0.03	<10	<10	43	<10	64
L26N 26+00W		0.03	<10	<10	47	<10	97
L26N 26+50W		0.02	<10	<10	44	<10	524
L26N 27+00W		0.05	<10	<10	72	<10	72
L26N 27+50W		0.07	<10	<10	77	<10	72
L26N 28+00W		0.04	<10	<10	44	<10	88
L26N 28+50W		0.07	<10	<10	56	<10	63
L26N 29+00W		0.04	<10	<10	71	<10	113
L26N 29+50W		0.05	<10	<10	66	<10	79
L26N 30+00W		0.06	<10	<10	53	<10	74

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 5 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Recvd WL kg 0.02	Au ppm 0.005	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Ca % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
L26N 30+50W		0.28	<0.005	0.3	0.91	87	<10	140	<0.5	<2	0.09	0.9	4	13	58	2.22
L26N 31+00W		0.30	0.005	1.0	1.84	95	<10	150	0.6	<2	0.20	<0.5	20	26	112	5.80
L26N 31+50W		0.36	<0.005	0.7	1.28	64	<10	100	<0.5	2	0.04	<0.5	12	14	80	4.69
L26N 32+00W		0.30	0.016	1.4	2.11	50	<10	170	1.7	<2	0.07	1.3	34	20	608	8.44
L26N 32+50W		0.34	<0.005	1.4	1.72	23	<10	160	0.8	<2	0.36	3.1	41	20	345	3.97
L26N 33+00W		0.26	0.006	1.3	1.83	18	<10	210	1.5	2	0.36	5.6	24	20	490	2.38
L27N 17+00W		0.42	<0.005	0.2	1.38	23	<10	310	<0.5	<2	0.40	<0.5	11	50	40	3.05
L27N 17+50W		0.22	0.005	0.4	1.40	32	<10	500	<0.5	<2	0.40	0.8	10	39	46	3.37
L27N 18+00W		0.28	0.012	0.5	1.56	52	<10	600	0.5	<2	0.70	0.9	10	36	47	3.65
L27N 18+50W		0.28	NSS	0.3	1.58	23	<10	740	0.7	<2	1.03	3.1	18	36	47	2.81
L27N 19+00W		0.26	0.012	0.5	1.52	17	<10	490	0.6	<2	1.32	0.8	12	46	55	3.03
L27N 19+50W		0.36	0.006	0.2	1.70	23	<10	730	<0.5	<2	1.09	0.7	11	47	38	3.33
L27N 20+00W		0.38	0.011	0.6	1.60	20	<10	660	0.7	<2	1.42	1.6	8	43	67	3.06
L27N 20+50W		0.28	<0.005	0.6	1.29	14	<10	690	0.6	<2	2.01	1.1	7	25	47	2.34
L27N 21+00W		0.26	0.006	0.6	1.54	43	<10	540	0.6	<2	1.11	0.9	10	40	61	3.40
L27N 21+50W		0.34	<0.005	0.6	1.04	69	<10	140	<0.5	<2	0.10	<0.5	6	27	49	3.47
L27N 22+00W		0.34	0.009	1.1	1.47	99	<10	630	0.6	<2	0.55	1.0	10	27	75	3.12
L27N 22+50W		0.30	0.008	0.7	1.26	71	<10	610	0.5	<2	0.66	1.5	13	22	95	3.60
L27N 23+00W		0.36	<0.005	0.6	1.18	17	<10	140	<0.5	<2	0.05	<0.5	4	18	40	2.70
L27N 23+50W		0.40	<0.005	0.3	1.24	24	<10	470	<0.5	<2	0.11	0.5	7	23	49	4.01
L27N 24+00W		0.42	<0.005	0.8	1.43	28	<10	140	<0.5	<2	0.07	0.8	7	23	54	5.23
L27N 24+50W		0.40	0.010	0.7	1.91	31	<10	190	0.7	<2	0.24	0.8	16	30	77	4.20
L27N 25+50W		0.34	<0.005	0.2	1.24	217	<10	330	<0.5	<2	0.14	1.5	6	24	75	4.42
L27N 26+00W		0.26	<0.005	1.3	1.09	72	<10	490	<0.5	<2	0.50	1.2	4	15	34	1.86
L27N 26+50W		0.34	<0.005	1.2	1.23	37	<10	360	<0.5	<2	0.25	0.6	7	21	46	4.16
L27N 27+00W		0.28	0.011	0.5	1.89	137	<10	340	1.0	<2	0.49	1.3	17	27	129	4.48
L27N 27+50W		0.40	<0.005	0.7	1.66	53	<10	130	<0.5	<2	0.05	<0.5	6	25	41	4.58
L27N 28+00W		0.34	0.027	0.5	1.46	164	<10	80	<0.5	<2	0.05	<0.5	4	20	36	4.21
L27N 28+50W		0.34	0.020	0.5	2.15	42	<10	100	<0.5	<2	0.05	<0.5	5	27	42	4.59
L27N 29+00W		0.32	0.006	0.9	1.15	13	<10	80	<0.5	<2	0.05	<0.5	3	14	16	1.80
L27N 29+50W		0.38	<0.005	0.9	1.38	37	<10	100	<0.5	<2	0.05	<0.5	5	20	31	3.83
L27N 30+00W		0.40	0.005	1.2	1.44	47	<10	210	0.9	<2	0.20	1.5	47	14	110	2.75
L27N 30+50W		0.32	<0.005	0.5	1.68	168	<10	260	0.6	<2	0.23	0.9	13	21	59	3.48
L27N 31+00W		0.40	<0.005	1.6	1.53	34	<10	280	1.0	<2	0.40	1.2	12	16	155	3.92
L27N 31+50W		0.32	<0.005	1.0	1.58	28	<10	240	0.7	<2	0.54	1.5	25	17	162	4.29
L27N 32+00W		0.38	<0.005	<0.2	1.11	15	<10	90	<0.5	<2	0.08	<0.5	4	14	33	2.54
L28N 17+00W		0.28	<0.005	<0.2	1.90	8	<10	110	<0.5	<2	0.13	<0.5	7	64	30	3.76
L28N 17+50W		0.40	<0.005	0.2	1.10	8	<10	180	<0.5	<2	0.14	<0.5	3	39	13	1.85
L28N 18+00W		0.32	<0.005	0.7	1.62	32	<10	470	0.5	<2	0.81	1.0	10	42	53	3.27
L28N 18+50W		0.20	<0.005	0.8	1.62	10	<10	740	0.5	<2	1.52	1.7	10	44	50	2.71

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 5 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L26N 30+50W		10	<1	0.06	20	0.11	118	6	<0.01	12	330	12	0.02	7	1	12
L26N 31+00W		10	<1	0.12	10	0.43	979	8	0.01	29	1760	22	0.10	8	2	32
L26N 31+50W		10	<1	0.08	20	0.17	560	9	<0.01	32	1520	12	0.03	6	1	13
L26N 32+00W		<10	<1	0.07	20	0.39	4290	12	<0.01	81	1230	26	0.04	6	3	12
L26N 32+50W		<10	<1	0.09	30	0.47	2540	10	<0.01	53	1550	24	0.06	3	1	35
L26N 33+00W		10	<1	0.11	30	0.33	2060	6	<0.01	41	1230	18	0.04	2	1	39
L27N 17+00W		<10	1	0.07	10	0.63	629	3	0.01	38	680	8	0.03	6	2	23
L27N 17+50W		<10	1	0.08	10	0.47	576	4	0.01	30	1020	10	0.05	4	2	26
L27N 18+00W		10	2	0.07	20	0.56	653	3	0.02	31	830	16	0.04	6	3	41
L27N 18+50W		<10	1	0.08	20	0.50	2610	3	0.02	35	1010	11	0.06	5	3	52
L27N 19+00W		<10	1	0.07	20	0.48	1340	3	0.02	37	1560	10	0.09	4	2	44
L27N 19+50W		10	1	0.07	10	0.65	651	2	0.02	37	560	10	0.04	3	3	36
L27N 20+00W		<10	1	0.07	20	0.38	922	4	0.02	37	2870	8	0.13	5	3	46
L27N 20+50W		<10	2	0.05	30	0.28	540	3	0.02	22	1180	8	0.08	3	2	56
L27N 21+00W		<10	3	0.08	10	0.45	659	4	0.02	33	1280	15	0.08	4	3	35
L27N 21+50W		10	3	0.06	10	0.19	696	4	0.01	19	980	13	0.03	4	1	12
L27N 22+00W		<10	18	0.07	20	0.34	1345	4	0.02	26	1140	17	0.04	7	1	37
L27N 22+50W		<10	38	0.07	20	0.35	1540	4	0.02	30	1630	19	0.06	11	1	58
L27N 23+00W		10	3	0.05	10	0.12	265	4	0.01	12	770	10	0.02	4	1	10
L27N 23+50W		10	1	0.07	20	0.32	614	5	0.01	20	880	9	0.03	5	2	14
L27N 24+00W		10	<1	0.06	10	0.31	494	6	0.01	20	650	12	0.04	6	2	13
L27N 24+50W		10	1	0.06	20	0.59	1245	7	0.02	30	1040	17	0.05	8	2	20
L27N 25+50W		10	<1	0.05	20	0.24	486	7	0.01	18	740	19	0.03	6	1	13
L27N 26+00W		10	<1	0.07	20	0.18	355	6	0.02	10	560	14	0.02	5	1	43
L27N 26+50W		10	<1	0.07	20	0.26	493	6	0.01	18	880	15	0.03	4	1	23
L27N 27+00W		10	1	0.11	20	0.36	1780	10	0.02	28	1220	34	0.04	11	1	41
L27N 27+50W		10	<1	0.05	10	0.48	525	5	0.01	20	900	14	0.03	5	2	5
L27N 28+00W		10	<1	0.06	20	0.35	324	6	0.01	18	1200	14	0.02	9	2	5
L27N 28+50W		10	1	0.05	20	0.42	258	5	0.01	20	690	16	0.03	5	2	5
L27N 29+00W		10	<1	0.07	10	0.21	300	3	0.01	6	770	10	0.02	4	1	5
L27N 29+50W		10	1	0.06	20	0.29	329	5	0.01	15	1350	12	0.02	4	2	5
L27N 30+00W		<10	1	0.07	20	0.17	988	8	0.02	17	720	15	0.04	7	<1	21
L27N 30+50W		10	<1	0.07	20	0.42	977	6	0.02	23	610	16	0.02	5	2	24
L27N 31+00W		10	<1	0.07	20	0.24	782	6	0.02	25	1060	23	0.05	5	1	34
L27N 31+50W		10	<1	0.07	20	0.28	1020	8	0.02	30	1500	18	0.06	8	1	45
L27N 32+00W		10	<1	0.05	20	0.22	192	5	0.01	12	560	9	0.02	3	1	7
L28N 17+00W		<10	1	0.07	10	0.70	336	2	0.01	36	490	4	0.03	4	3	8
L28N 17+50W		10	<1	0.05	10	0.31	231	2	0.01	14	270	7	0.02	2	2	8
L28N 18+00W		<10	2	0.08	20	0.60	783	3	0.02	35	1140	17	0.06	5	3	42
L28N 18+50W		<10	1	0.08	10	0.61	724	2	0.03	36	1280	8	0.09	5	2	53

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 5 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L26N 30+50W		0.04	<10	<10	49	<10	79
L26N 31+00W		0.11	<10	<10	70	<10	168
L26N 31+50W		0.01	<10	<10	56	<10	120
L26N 32+00W		0.02	<10	<10	33	<10	465
L26N 32+50W		0.01	<10	<10	32	<10	217
L26N 33+00W		0.01	<10	<10	34	<10	177
L27N 17+00W		0.03	<10	<10	40	<10	106
L27N 17+50W		0.02	<10	<10	38	<10	132
L27N 18+00W		0.02	<10	<10	40	<10	180
L27N 18+50W		0.01	<10	<10	38	<10	154
L27N 19+00W		0.01	<10	<10	34	<10	93
L27N 19+50W		0.02	<10	<10	46	<10	116
L27N 20+00W		0.01	<10	<10	33	<10	128
L27N 20+50W		0.01	<10	<10	31	<10	65
L27N 21+00W		0.01	<10	<10	35	<10	108
L27N 21+50W		0.02	<10	<10	50	<10	87
L27N 22+00W		0.01	<10	<10	34	<10	137
L27N 22+50W		0.01	<10	<10	30	<10	209
L27N 23+00W		0.01	<10	<10	45	<10	58
L27N 23+50W		0.02	<10	<10	36	<10	104
L27N 24+00W		0.02	<10	<10	42	<10	100
L27N 24+50W		0.02	<10	<10	39	<10	174
L27N 25+50W		0.02	<10	<10	51	<10	149
L27N 26+00W		0.01	<10	<10	40	<10	108
L27N 26+50W		0.03	<10	<10	52	<10	117
L27N 27+00W		0.01	<10	<10	48	<10	281
L27N 27+50W		0.03	<10	<10	52	<10	81
L27N 28+00W		0.04	<10	<10	56	<10	78
L27N 28+50W		0.03	<10	<10	46	<10	77
L27N 29+00W		0.04	<10	<10	55	<10	34
L27N 29+50W		0.04	<10	<10	54	<10	62
L27N 30+00W		0.01	<10	<10	36	<10	102
L27N 30+50W		0.01	<10	<10	39	<10	195
L27N 31+00W		0.01	<10	<10	41	<10	124
L27N 31+50W		0.01	<10	<10	44	<10	273
L27N 32+00W		0.02	<10	<10	48	<10	59
L28N 17+00W		0.04	<10	<10	42	<10	70
L28N 17+50W		0.07	<10	<10	49	<10	39
L28N 18+00W		0.02	<10	<10	39	<10	175
L28N 18+50W		0.01	<10	<10	37	<10	92

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 6 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Method Analyte Units LOR	WEI-21 Recvd WL kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
L28N 19+00W	0.22	<0.005	0.6	1.36	10	<10	660	0.5	<2	1.84	0.8	10	38	54	2.52
L28N 19+50W	0.28	<0.005	0.3	1.34	27	<10	610	0.6	<2	2.13	0.9	9	35	58	2.45
L28N 20+00W	0.26	<0.005	0.6	1.62	47	<10	860	0.8	<2	1.76	1.9	16	42	96	3.26
L28N 20+50W	0.28	0.014	0.6	2.02	336	<10	720	0.9	<2	0.25	1.7	13	46	72	3.52
L28N 21+00W	0.38	0.006	0.3	1.66	66	<10	510	0.5	<2	0.62	0.6	13	48	68	3.82
L28N 21+50W	0.34	<0.005	0.9	1.04	168	<10	670	<0.5	<2	0.35	0.7	7	26	43	3.14
L28N 22+00W	0.30	0.006	0.3	0.73	46	<10	550	<0.5	<2	0.36	<0.5	4	13	40	3.15
L28N 22+50W	0.32	0.012	0.3	1.18	81	<10	230	<0.5	<2	0.11	0.5	6	27	50	4.28
L28N 23+00W	0.40	<0.005	0.6	1.42	22	<10	490	<0.5	<2	0.49	<0.5	4	21	34	2.92
L28N 23+50W	0.38	0.021	0.5	1.36	27	<10	100	<0.5	<2	0.17	0.6	18	21	95	3.78
L28N 24+00W	0.30	<0.005	<0.2	0.83	19	<10	120	<0.5	<2	0.08	<0.5	2	11	28	1.56
L28N 24+50W	0.30	0.006	1.0	1.91	39	<10	700	0.8	<2	0.81	2.9	16	26	116	3.74
L28N 25+50W	0.34	<0.005	0.9	1.59	26	<10	530	0.5	<2	0.19	0.7	14	25	72	4.82
L28N 26+00W	0.32	0.008	0.4	1.66	20	<10	350	<0.5	<2	0.37	<0.5	8	21	72	4.42
L28N 26+50W	0.44	<0.005	0.2	1.50	20	<10	280	<0.5	<2	0.06	<0.5	5	18	45	4.00
L28N 27+00W	0.36	0.011	0.5	1.82	24	<10	240	0.6	<2	0.06	0.9	23	19	91	4.32
L28N 27+50W	0.30	0.006	0.9	1.89	35	<10	630	1.0	<2	0.36	1.4	18	16	117	3.74
L28N 28+00W	0.32	0.022	1.0	1.82	94	<10	560	0.8	<2	0.45	4.7	19	23	124	4.29
L28N 28+50W	0.36	0.010	0.3	1.48	38	<10	90	<0.5	<2	0.04	<0.5	4	16	59	4.35
L28N 29+00W	0.28	<0.005	0.6	1.30	22	<10	70	<0.5	<2	0.07	<0.5	3	18	24	3.83
L28N 29+50W	0.34	0.006	0.4	1.44	35	<10	140	<0.5	<2	0.07	<0.5	6	20	30	3.83
L28N 30+00W	0.34	0.005	0.9	1.60	63	<10	350	0.7	<2	0.37	1.1	14	18	90	4.24
L28N 30+50W	0.42	<0.005	0.9	1.02	30	<10	130	<0.5	<2	0.07	<0.5	5	14	32	3.49
L28N 31+00W	0.30	<0.005	0.8	1.48	24	<10	290	<0.5	<2	0.23	0.5	6	17	35	3.49
L28N 31+50W	0.38	<0.005	0.3	1.16	9	<10	210	<0.5	<2	0.17	<0.5	7	13	32	1.95
L28N 32+00W	0.24	<0.005	0.3	1.40	14	<10	100	<0.5	<2	0.03	<0.5	4	14	38	2.16
L29N 17+00W	0.46	<0.005	0.2	0.86	10	<10	520	<0.5	<2	0.64	0.5	3	40	23	2.07
L29N 17+50W	0.32	<0.005	<0.2	1.59	12	<10	290	<0.5	<2	0.24	<0.5	8	52	25	2.93
L29N 18+00W	0.34	0.006	0.3	1.76	14	<10	390	0.5	<2	0.70	0.5	10	64	37	3.11
L29N 18+50W	0.30	<0.005	0.5	1.73	13	<10	600	0.7	<2	1.63	1.2	9	50	38	2.67
L29N 19+00W	0.24	<0.005	0.5	1.87	22	<10	880	0.8	<2	1.17	0.5	12	51	43	3.15
L29N 19+50W	0.36	0.011	0.3	1.42	148	<10	570	<0.5	<2	0.72	0.8	11	44	47	3.08
L29N 20+00W	0.26	0.007	0.4	1.74	220	<10	630	0.8	<2	0.31	1.1	16	44	87	3.59
L29N 20+50W	0.22	<0.005	0.4	1.58	116	<10	790	<0.5	<2	1.02	0.8	9	38	47	3.18
L29N 21+00W	0.40	0.006	0.7	1.38	108	<10	570	0.5	<2	0.79	1.2	9	37	62	3.34
L29N 21+50W	0.32	0.006	0.8	1.22	80	<10	560	<0.5	<2	0.58	0.9	6	20	47	2.34
L29N 22+00W	0.34	<0.005	0.8	1.40	46	<10	450	0.6	<2	0.09	0.8	7	22	70	3.79
L29N 22+50W	0.24	0.007	1.0	1.63	46	<10	350	0.6	<2	0.76	4.0	13	42	115	3.42
L29N 23+00W	0.32	<0.005	0.3	1.42	129	<10	260	<0.5	<2	0.25	0.7	6	40	67	5.20
L29N 23+50W	0.32	0.009	0.7	1.69	17	<10	230	0.5	<2	0.31	0.5	16	29	61	3.96

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 6 - B
Total # Pages: 7 (A - C)
Finalized Date: 31-JUL-2004
Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L28N 19+00W		<10	1	0.07	20	0.48	1375	2	0.03	34	1380	8	0.10	3	2	52
L28N 19+50W		<10	3	0.06	20	0.41	1300	4	0.02	32	2040	7	0.13	4	2	62
L28N 20+00W		<10	4	0.06	20	0.48	2720	6	0.01	46	1840	14	0.09	4	4	54
L28N 20+50W		<10	23	0.05	30	0.50	746	3	0.01	43	880	23	0.02	6	7	18
L28N 21+00W		10	5	0.09	20	0.72	850	3	0.01	48	950	15	0.02	3	4	29
L28N 21+50W		10	17	0.07	20	0.16	853	4	0.01	16	480	14	0.01	3	2	26
L28N 22+00W		10	20	0.09	10	0.08	215	8	0.01	11	540	12	0.02	4	1	20
L28N 22+50W		10	17	0.06	10	0.24	559	3	<0.01	22	760	17	0.02	6	1	12
L28N 23+00W		10	<1	0.06	20	0.46	303	4	0.01	16	460	7	0.03	5	2	39
L28N 23+50W		<10	<1	0.05	20	0.68	836	6	<0.01	30	700	15	<0.01	5	3	16
L28N 24+00W		10	<1	0.03	10	0.08	112	6	<0.01	7	290	8	0.01	3	1	12
L28N 24+50W		10	<1	0.07	40	0.41	4230	7	0.01	35	1800	20	0.05	5	2	56
L28N 25+50W		10	1	0.09	20	0.45	863	10	0.01	28	1120	22	0.02	5	2	19
L28N 26+00W		10	<1	0.09	20	0.73	785	5	<0.01	31	940	13	0.01	3	3	23
L28N 26+50W		10	1	0.07	20	0.32	294	5	0.01	12	770	13	0.01	5	2	6
L28N 27+00W		10	<1	0.06	30	0.47	1400	6	<0.01	21	990	17	0.02	6	2	6
L28N 27+50W		10	<1	0.07	30	0.26	801	9	0.01	19	850	16	0.03	8	2	28
L28N 28+00W		10	<1	0.10	20	0.41	3040	21	0.01	52	980	30	0.02	12	3	39
L28N 28+50W		10	<1	0.06	20	0.34	261	8	<0.01	20	900	16	0.01	8	2	5
L28N 29+00W		10	<1	0.04	10	0.27	197	4	<0.01	11	580	12	0.02	6	1	5
L28N 29+50W		10	<1	0.04	20	0.34	707	5	<0.01	17	1100	13	0.01	4	1	7
L28N 30+00W		10	<1	0.07	20	0.47	783	6	0.01	30	1120	24	0.02	8	2	33
L28N 30+50W		10	<1	0.06	20	0.15	553	7	<0.01	13	540	17	0.01	5	2	6
L28N 31+00W		10	<1	0.07	20	0.31	299	4	<0.01	15	890	10	0.02	4	2	20
L28N 31+50W		10	<1	0.07	20	0.33	372	3	<0.01	13	350	12	0.01	4	1	12
L28N 32+00W		10	1	0.04	20	0.14	109	7	<0.01	9	490	11	0.01	6	3	7
L29N 17+00W		10	<1	0.04	10	0.28	209	2	0.01	19	370	8	0.02	4	1	32
L29N 17+50W		10	2	0.07	10	0.55	513	2	<0.01	29	430	8	0.02	4	2	13
L29N 18+00W		<10	1	0.06	10	0.61	546	2	0.01	53	960	8	0.04	2	2	25
L29N 18+50W		<10	1	0.07	20	0.49	868	3	0.01	36	1830	6	0.09	3	1	50
L29N 19+00W		10	1	0.08	20	0.53	533	3	0.01	33	730	9	0.04	2	3	40
L29N 19+50W		<10	5	0.06	10	0.50	784	3	0.01	35	740	12	0.03	5	3	29
L29N 20+00W		<10	7	0.05	30	0.53	696	3	0.01	41	1180	15	0.02	5	6	19
L29N 20+50W		10	3	0.07	10	0.51	733	3	0.01	32	850	8	0.05	5	2	42
L29N 21+00W		<10	9	0.07	20	0.51	750	3	0.01	36	1290	10	0.04	5	3	41
L29N 21+50W		<10	60	0.06	20	0.36	268	3	0.01	19	830	9	0.03	3	1	39
L29N 22+00W		10	1	0.06	20	0.29	451	7	<0.01	22	800	12	0.02	4	1	13
L29N 22+50W		<10	3	0.07	40	0.59	1115	4	0.01	57	1420	20	0.05	6	6	34
L29N 23+00W		10	2	0.08	10	0.34	534	5	0.01	30	870	22	0.02	6	2	14
L29N 23+50W		<10	<1	0.07	20	0.69	1180	5	<0.01	31	1080	14	0.02	4	3	28

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 6 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L28N 19+00W		0.02	<10	<10	31	<10	79
L28N 19+50W		0.01	<10	<10	26	<10	87
L28N 20+00W		0.01	<10	10	33	<10	111
L28N 20+50W		0.01	<10	<10	44	<10	195
L28N 21+00W		0.02	<10	<10	41	<10	136
L28N 21+50W		0.03	<10	<10	48	<10	99
L28N 22+00W		0.02	<10	<10	47	<10	71
L28N 22+50W		0.02	<10	<10	43	<10	100
L28N 23+00W		0.01	<10	<10	41	<10	106
L28N 23+50W		0.01	<10	<10	31	<10	124
L28N 24+00W		0.01	<10	<10	43	<10	41
L28N 24+50W		0.01	<10	<10	37	<10	200
L28N 25+50W		0.01	<10	<10	45	<10	156
L28N 26+00W		0.01	<10	<10	34	<10	160
L28N 26+50W		0.01	<10	<10	73	<10	73
L28N 27+00W		0.01	<10	<10	42	<10	124
L28N 27+50W		0.01	<10	<10	41	<10	132
L28N 28+00W		0.02	<10	<10	49	<10	480
L28N 28+50W		0.01	<10	<10	38	<10	77
L28N 29+00W		0.03	<10	<10	43	<10	49
L28N 29+50W		0.02	<10	<10	50	<10	74
L28N 30+00W		0.01	<10	<10	40	<10	182
L28N 30+50W		0.03	<10	<10	64	<10	74
L28N 31+00W		0.02	<10	<10	52	<10	69
L28N 31+50W		0.02	<10	<10	33	<10	97
L28N 32+00W		0.01	<10	<10	65	<10	44
L29N 17+00W		0.06	<10	<10	46	<10	59
L29N 17+50W		0.04	<10	<10	52	<10	66
L29N 18+00W		0.03	<10	<10	43	<10	103
L29N 18+50W		0.01	<10	<10	37	<10	93
L29N 19+00W		0.02	<10	<10	50	<10	112
L29N 19+50W		0.02	<10	<10	41	<10	105
L29N 20+00W		0.01	<10	<10	45	<10	134
L29N 20+50W		0.02	<10	<10	43	<10	122
L29N 21+00W		0.01	<10	<10	34	<10	162
L29N 21+50W		0.01	<10	<10	28	<10	148
L29N 22+00W		0.01	<10	<10	35	<10	138
L29N 22+50W		0.01	<10	<10	35	<10	250
L29N 23+00W		0.02	<10	<10	58	<10	264
L29N 23+50W		0.01	<10	<10	35	<10	128

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 7 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L29N 24+00W		0.34	<0.005	0.8	1.84	22	<10	500	0.5	<2	0.49	0.5	15	34	50	4.71
L29N 24+50W		0.32	0.006	0.5	1.34	25	<10	330	<0.5	<2	0.26	<0.5	13	26	62	3.41
L29N 25+50W		0.38	<0.005	0.6	1.81	26	<10	180	<0.5	<2	0.06	<0.5	7	28	46	4.70
L29N 26+00W		0.32	<0.005	1.0	1.50	16	<10	150	<0.5	<2	0.13	<0.5	5	32	32	4.90
L29N 26+50W		0.30	<0.005	<0.2	1.44	14	<10	640	<0.5	<2	0.66	1.3	10	19	52	3.15
L29N 27+00W		0.36	0.011	0.4	1.80	18	<10	430	0.5	<2	0.30	0.7	16	26	95	3.86
L29N 27+50W		0.28	<0.005	0.4	1.02	11	<10	180	<0.5	<2	0.04	<0.5	3	12	16	1.88
L29N 28+00W		0.28	0.053	0.3	1.70	65	<10	170	0.6	<2	0.08	0.6	12	22	100	4.09
L29N 28+50W		0.28	0.041	0.4	1.62	47	<10	210	<0.5	<2	0.12	0.6	4	14	37	5.55
L29N 29+00W		0.38	0.013	1.1	1.82	133	<10	330	0.9	<2	0.12	0.9	13	22	121	3.88
L29N 29+50W		0.38	<0.005	0.4	1.58	36	<10	280	0.5	<2	0.14	0.7	11	20	85	3.97
L29N 30+00W		0.30	<0.005	0.7	1.72	36	<10	240	<0.5	<2	0.04	<0.5	6	20	79	4.04
L29N 30+50W		0.32	<0.005	1.0	1.91	32	<10	110	<0.5	<2	0.05	<0.5	5	26	46	5.15
L29N 31+00W		0.24	<0.005	0.2	1.08	20	<10	60	<0.5	<2	0.04	<0.5	4	11	19	2.04
L29N 31+50W		0.30	<0.005	0.4	0.87	5	<10	60	<0.5	<2	0.05	<0.5	2	10	13	1.30
L29N 32+00W		0.26	<0.005	0.4	1.43	7	<10	80	<0.5	<2	0.02	<0.5	3	12	18	1.89
L30N 17+00W		0.34	<0.005	0.2	1.57	6	<10	340	<0.5	<2	0.49	<0.5	7	53	22	2.31
L30N 17+50W		0.34	<0.005	0.2	1.30	5	<10	410	<0.5	<2	0.91	<0.5	8	49	23	2.25
L30N 18+00W		0.26	<0.005	0.4	1.60	15	<10	440	<0.5	<2	0.77	0.5	9	60	29	2.89
L30N 18+50W		0.30	<0.005	0.3	1.82	11	<10	440	<0.5	<2	0.76	<0.5	6	48	25	3.53
L30N 19+00W		0.26	<0.005	0.4	1.77	172	<10	490	0.6	<2	0.45	0.6	10	54	49	3.19
L30N 19+50W		0.20	<0.005	0.3	1.81	87	<10	790	<0.5	<2	0.62	0.8	6	29	31	3.24
L30N 20+00W		0.40	<0.005	0.2	1.00	11	<10	680	<0.5	<2	0.91	0.5	3	35	20	1.74
L30N 20+50W		0.36	<0.005	<0.2	1.00	22	<10	910	<0.5	<2	0.72	<0.5	2	27	17	1.74

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 7 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L29N 24+00W		10	1	0.08	20	0.60	1005	6	0.01	31	1030	14	0.04	3	2	41
L29N 24+50W		<10	1	0.06	20	0.54	787	5	0.01	30	720	12	0.02	3	3	24
L29N 25+50W		10	<1	0.06	20	0.52	769	4	<0.01	27	1740	10	0.02	4	2	7
L29N 26+00W		10	<1	0.10	20	0.41	648	5	<0.01	17	1560	11	0.02	3	2	9
L29N 26+50W		10	<1	0.09	20	0.68	986	4	0.01	23	1020	12	0.03	5	2	50
L29N 27+00W		10	1	0.07	20	0.86	808	4	<0.01	34	800	16	0.02	5	4	23
L29N 27+50W		10	<1	0.08	20	0.16	393	2	<0.01	8	630	6	0.01	3	<1	5
L29N 28+00W		10	1	0.06	20	0.58	604	7	<0.01	30	480	16	0.01	9	4	6
L29N 28+50W		10	<1	0.04	20	0.40	637	10	<0.01	15	980	21	0.02	9	2	8
L29N 29+00W		10	<1	0.07	30	0.47	807	7	<0.01	27	1000	26	0.03	6	3	11
L29N 29+50W		10	1	0.07	20	0.61	508	5	<0.01	30	790	17	0.02	5	2	12
L29N 30+00W		10	<1	0.07	20	0.45	338	6	<0.01	19	660	16	0.02	3	3	6
L29N 30+50W		10	1	0.05	10	0.59	321	3	<0.01	20	990	12	0.02	4	3	4
L29N 31+00W		10	<1	0.06	30	0.13	411	3	<0.01	6	870	7	0.01	4	1	4
L29N 31+50W		10	<1	0.05	20	0.16	105	3	<0.01	7	410	7	0.01	2	1	5
L29N 32+00W		10	<1	0.04	20	0.22	121	3	<0.01	6	580	5	0.01	3	3	4
L30N 17+00W		10	<1	0.08	10	0.62	496	2	0.01	29	570	7	0.02	3	1	23
L30N 17+50W		10	<1	0.06	10	0.42	571	2	0.01	28	770	7	0.04	<2	1	29
L30N 18+00W		<10	6	0.06	10	0.54	585	2	0.01	38	1180	6	0.05	4	2	28
L30N 18+50W		10	1	0.05	10	0.68	813	3	0.01	31	1630	7	0.05	4	3	28
L30N 19+00W		10	5	0.06	20	0.46	653	3	0.01	35	1240	12	0.05	5	3	21
L30N 19+50W		<10	7	0.05	20	0.53	582	2	0.01	22	840	14	0.03	4	5	31
L30N 20+00W		10	<1	0.05	10	0.27	188	2	0.01	15	420	8	0.02	<2	2	37
L30N 20+50W		10	1	0.05	10	0.29	133	2	0.01	13	220	7	0.01	2	2	38

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 7 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 31-JUL-2004
 Account: SHK

CERTIFICATE OF ANALYSIS VA04046323

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
L29N 24+00W		0.01	<10	<10	43	<10	162
L29N 24+50W		0.02	<10	<10	33	<10	119
L29N 25+50W		0.02	<10	<10	44	<10	112
L29N 26+00W		0.02	<10	<10	66	<10	74
L29N 26+50W		0.01	<10	<10	35	<10	159
L29N 27+00W		0.01	<10	<10	38	<10	188
L29N 27+50W		0.01	<10	<10	32	<10	46
L29N 28+00W		0.02	<10	<10	38	<10	138
L29N 28+50W		0.01	<10	<10	30	<10	86
L29N 29+00W		0.01	<10	<10	45	<10	272
L29N 29+50W		0.01	<10	<10	40	<10	156
L29N 30+00W		0.01	<10	<10	53	<10	114
L29N 30+50W		0.02	<10	<10	67	<10	68
L29N 31+00W		0.01	<10	<10	53	<10	37
L29N 31+50W		0.02	<10	<10	36	<10	31
L29N 32+00W		0.01	<10	<10	54	<10	32
L30N 17+00W		0.04	<10	<10	44	<10	68
L30N 17+50W		0.04	<10	<10	43	<10	67
L30N 18+00W		0.02	<10	<10	43	<10	107
L30N 18+50W		0.01	<10	<10	32	<10	71
L30N 19+00W		0.02	<10	<10	51	<10	140
L30N 19+50W		0.01	<10	<10	32	<10	92
L30N 20+00W		0.05	<10	<10	44	<10	51
L30N 20+50W		0.04	<10	<10	42	<10	44

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 1
Finalized Date: 17-AUG-2004
This copy reported on 6-JAN-2005
Account: SHK

CERTIFICATE VA04050416

Project: Lust Dust

P.O. No.:

This report is for 156 Soil samples submitted to our lab in Vancouver, BC, Canada on 4-AUG-2004.

The following have access to data associated with this certificate:

DARYL HANSON
RICK WHATLEY

JIM OLIVER
GEORGE WHATLEY

GEORGE WHATLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-31	Pulverize split to 85% <75 um
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ALPHA GOLD CORP.
ATTN: DARYL HANSON
16575 QUICK EAST ROAD
TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - A
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL	Au	As	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
BL 15+00W 8+50S		0.44	<0.005	0.5	1.50	11	<10	140	<0.5	3	0.04	0.5	8	16	61	4.46
BL 15+00W 9+50S		0.34	<0.005	0.3	1.28	9	<10	290	<0.5	3	0.74	0.8	11	19	71	3.42
BL 15+00W 10+50S		0.36	<0.005	0.2	1.04	12	<10	270	<0.5	2	0.41	0.6	6	20	55	4.48
BL 15+00W 11+50S		0.46	<0.005	0.2	1.14	7	<10	350	<0.5	<2	0.38	<0.5	5	22	40	3.45
BL 15+00W 12+00S		0.36	<0.005	0.5	2.69	10	<10	490	1.1	2	0.62	1.3	26	31	160	5.09
BL 15+00W 12+50S		0.32	<0.005	1.3	2.42	7	<10	690	1.0	2	0.53	1.9	12	25	238	4.22
BL 15+00W 13+00S		0.32	0.010	0.8	1.06	12	<10	290	0.6	<2	1.74	1.1	15	11	137	3.02
BL27+00W 3+00W		0.40	0.007	<0.2	2.17	44	<10	130	<0.5	<2	0.21	0.5	8	31	53	3.52
BL27+00W 3+50W		0.62	<0.005	0.2	2.03	35	<10	130	0.6	2	0.08	2.6	6	29	66	2.78
BL27+00W 4+50W		0.48	<0.005	0.4	1.41	57	<10	100	<0.5	<2	0.05	<0.5	5	19	33	3.09
BL27+00W 5+50W		0.64	0.062	0.4	2.06	110	<10	90	<0.5	2	0.03	<0.5	4	31	45	4.47
BL27+00W 6+50W		0.62	0.011	1.1	1.54	56	<10	70	<0.5	2	0.03	<0.5	2	22	27	2.33
L4N 27+00W		0.54	0.020	0.6	1.14	41	<10	90	<0.5	2	0.02	<0.5	2	16	23	2.40
L4N 27+50W		0.38	0.009	0.7	0.97	37	<10	60	<0.5	2	0.04	<0.5	1	12	11	1.61
L4N 28+00W		0.40	<0.005	1.6	1.96	136	<10	220	<0.5	2	0.64	1.5	4	23	35	3.30
L4N 28+50W		0.38	<0.005	1.4	1.70	73	<10	100	<0.5	3	0.06	0.5	5	31	37	4.29
L4N 29+00W		0.42	<0.005	0.6	2.08	62	<10	300	0.6	2	0.31	0.7	8	28	58	3.80
L4N 29+50W		0.54	<0.005	0.7	2.32	54	<10	320	0.8	2	0.65	3.7	12	28	100	3.46
L4N 30+00W		0.40	<0.005	1.1	2.00	22	<10	110	<0.5	<2	0.07	<0.5	5	25	54	3.01
L4N 30+50W		0.42	<0.005	<0.2	1.44	18	<10	400	<0.5	<2	0.12	0.5	5	20	36	2.51
L4N 31+00W		0.42	<0.005	0.2	2.09	22	<10	400	0.7	<2	0.46	0.5	11	24	62	3.17
L4N 31+50W		0.44	<0.005	0.7	2.01	12	<10	770	0.5	2	0.48	<0.5	8	22	46	2.85
L4N 32+00W		0.46	<0.005	0.4	1.40	14	<10	130	<0.5	<2	0.04	<0.5	4	18	31	3.25
L4N 32+50W		0.44	<0.005	0.2	1.45	15	<10	320	<0.5	<2	0.33	0.5	11	26	52	4.91
L4N 33+00W		0.40	<0.005	<0.2	1.16	33	<10	140	<0.5	2	0.13	<0.5	8	23	46	4.46
L4N 33+50W		0.36	<0.005	1.0	1.03	50	<10	120	<0.5	<2	0.07	<0.5	6	19	36	3.31
L4N 34+00W		0.44	<0.005	0.2	1.04	14	<10	170	<0.5	2	0.01	<0.5	9	17	47	3.25
L4N 34+50W		0.42	<0.005	0.3	1.79	39	<10	80	<0.5	<2	0.07	<0.5	5	30	40	4.58
L4N 35+00W		0.46	0.005	0.3	1.40	23	<10	110	<0.5	2	0.07	<0.5	6	25	33	3.22
L4N 35+50W		0.38	<0.005	0.3	1.36	10	<10	170	<0.5	<2	0.15	<0.5	7	24	27	2.88
L4N 36+00W		0.40	<0.005	0.3	1.44	18	<10	670	0.5	2	0.68	0.8	19	26	104	4.53
L5N 27+00W		0.60	<0.005	0.5	1.12	99	<10	80	<0.5	2	0.06	<0.5	2	19	28	3.23
L5N 27+50W		0.38	0.009	1.0	1.57	207	<10	70	<0.5	5	0.06	0.5	4	28	37	4.40
L5N 28+00W		0.16	<0.005	1.6	1.22	58	<10	60	<0.5	5	0.04	<0.5	3	17	19	2.20
L5N 28+50W		0.42	<0.005	0.4	1.28	42	<10	70	<0.5	4	0.05	<0.5	3	17	19	2.39
L5N 29+00W		0.44	<0.005	0.7	1.40	65	<10	70	<0.5	3	0.06	0.5	5	21	35	3.23
L5N 29+50W		0.42	<0.005	0.7	1.94	73	<10	80	<0.5	4	0.03	<0.5	5	23	33	3.69
L5N 30+00W		0.48	<0.005	0.9	1.53	44	<10	80	<0.5	3	0.03	<0.5	5	22	37	3.85
L5N 30+50W		0.46	<0.005	1.2	2.09	91	<10	80	<0.5	4	0.05	0.6	6	28	34	3.80
L5N 31+00W		0.58	<0.005	0.6	1.74	32	<10	90	<0.5	4	0.11	0.7	13	22	59	2.57

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - B
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
BL 15+00W 8+50S		<10	1	0.07	10	0.49	342	6	<0.01	24	740	9	<0.01	3	2	6
BL 15+00W 9+50S		<10	<1	0.06	10	0.35	588	5	<0.01	33	750	12	0.02	2	3	33
BL 15+00W 10+50S		<10	<1	0.09	10	0.21	264	8	<0.01	17	720	11	0.02	2	2	32
BL 15+00W 11+50S		10	<1	0.07	10	0.24	236	7	<0.01	12	470	12	<0.01	<2	2	26
BL 15+00W 12+00S		10	<1	0.06	20	0.44	2800	11	<0.01	49	1320	34	0.04	<2	5	67
BL 15+00W 12+50S		10	<1	0.05	20	0.34	921	9	<0.01	34	880	24	0.02	<2	5	80
BL 15+00W 13+00S		<10	1	0.06	20	0.19	1385	6	<0.01	34	1580	15	0.10	<2	2	179
BL27+00W 3+00W		10	<1	0.08	10	0.73	334	2	<0.01	22	700	13	0.01	6	2	20
BL27+00W 3+50W		10	<1	0.08	10	0.62	471	5	<0.01	20	620	21	0.02	7	1	13
BL27+00W 4+50W		10	<1	0.07	10	0.35	535	5	<0.01	12	640	19	0.01	11	1	7
BL27+00W 5+50W		10	<1	0.08	10	0.56	150	8	<0.01	15	700	30	0.03	13	3	8
BL27+00W 6+50W		10	<1	0.05	10	0.32	95	4	<0.01	9	430	24	<0.01	9	1	7
L4N 27+00W		10	<1	0.05	10	0.23	94	6	<0.01	6	580	19	0.02	5	<1	8
L4N 27+50W		10	<1	0.04	10	0.14	62	2	<0.01	3	340	18	<0.01	4	1	6
L4N 28+00W		10	<1	0.06	10	0.41	166	4	<0.01	11	580	29	0.04	21	1	61
L4N 28+50W		10	<1	0.07	10	0.51	267	6	<0.01	16	1110	20	0.04	9	2	10
L4N 29+00W		10	<1	0.09	10	0.53	444	5	<0.01	22	690	19	0.03	6	2	42
L4N 29+50W		10	<1	0.10	20	0.57	1290	5	<0.01	27	950	18	0.03	6	3	76
L4N 30+00W		10	<1	0.05	10	0.55	240	5	<0.01	20	660	20	0.03	6	1	8
L4N 30+50W		10	<1	0.08	10	0.25	349	4	<0.01	14	700	15	0.02	2	1	16
L4N 31+00W		10	1	0.08	20	0.46	687	7	<0.01	25	950	19	0.02	3	3	53
L4N 31+50W		10	<1	0.10	20	0.52	543	4	<0.01	24	980	18	0.01	2	3	49
L4N 32+00W		10	1	0.06	10	0.26	277	5	<0.01	15	620	14	0.01	2	1	5
L4N 32+50W		10	<1	0.07	10	0.26	710	5	<0.01	19	1260	19	0.04	4	1	22
L4N 33+00W		10	<1	0.06	10	0.19	970	6	<0.01	19	970	29	0.01	8	1	8
L4N 33+50W		10	<1	0.05	10	0.15	814	5	<0.01	16	770	28	0.01	10	1	7
L4N 34+00W		10	<1	0.05	30	0.09	1735	6	<0.01	22	620	20	<0.01	4	1	7
L4N 34+50W		10	<1	0.05	10	0.30	329	5	<0.01	18	640	21	0.02	9	2	7
L4N 35+00W		10	<1	0.04	10	0.28	359	5	<0.01	16	610	15	0.01	4	1	7
L4N 35+50W		<10	<1	0.05	10	0.46	797	3	<0.01	20	750	12	0.01	4	1	12
L4N 36+00W		<10	<1	0.08	10	0.27	1615	15	<0.01	38	1410	28	0.06	2	4	55
L5N 27+00W		10	1	0.06	10	0.27	114	7	<0.01	8	630	26	0.02	15	1	8
L5N 27+50W		10	<1	0.07	10	0.48	152	6	<0.01	13	650	38	0.05	29	2	9
L5N 28+00W		10	<1	0.05	10	0.25	82	4	<0.01	9	490	17	0.04	5	1	8
L5N 28+50W		10	<1	0.05	10	0.25	91	4	<0.01	12	670	15	0.03	3	1	8
L5N 29+00W		10	<1	0.07	10	0.50	249	3	<0.01	16	890	14	0.03	11	1	6
L5N 29+50W		10	<1	0.08	10	0.39	183	4	<0.01	15	770	19	0.03	8	3	7
L5N 30+00W		10	<1	0.06	10	0.42	273	5	0.01	18	1080	19	0.03	8	2	7
L5N 30+50W		10	<1	0.05	10	0.46	253	4	<0.01	17	740	25	0.03	14	3	6
L5N 31+00W		<10	<1	0.07	10	0.49	647	4	<0.01	23	880	16	0.04	7	1	8

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
BL 15+00W 8+50S		<0.01	<10	<10	33	<10	93
BL 15+00W 9+50S		0.01	<10	<10	32	<10	90
BL 15+00W 10+50S		0.03	<10	<10	60	<10	78
BL 15+00W 11+50S		0.06	<10	<10	84	<10	65
BL 15+00W 12+00S		0.01	<10	<10	49	<10	221
BL 15+00W 12+50S		0.01	<10	<10	59	<10	169
BL 15+00W 13+00S		<0.01	<10	<10	20	<10	106
BL27+00W 3+00W		0.03	<10	<10	54	<10	108
BL27+00W 3+50W		0.04	<10	<10	59	<10	714
BL27+00W 4+50W		0.02	<10	<10	58	<10	69
BL27+00W 5+50W		0.10	<10	<10	105	<10	59
BL27+00W 6+50W		0.04	<10	<10	57	<10	40
L4N 27+00W		0.04	<10	<10	60	<10	32
L4N 27+50W		0.05	<10	<10	51	<10	19
L4N 28+00W		0.04	<10	<10	57	<10	86
L4N 28+50W		0.04	<10	<10	77	<10	65
L4N 29+00W		0.02	<10	<10	62	<10	130
L4N 29+50W		0.02	<10	<10	56	<10	151
L4N 30+00W		0.01	<10	<10	43	<10	76
L4N 30+50W		0.02	<10	<10	43	<10	84
L4N 31+00W		0.01	<10	<10	41	<10	180
L4N 31+50W		0.01	<10	<10	36	<10	132
L4N 32+00W		0.01	<10	<10	40	<10	54
L4N 32+50W		0.04	<10	<10	78	<10	83
L4N 33+00W		0.04	<10	<10	89	<10	84
L4N 33+50W		0.01	<10	<10	55	<10	76
L4N 34+00W		0.01	<10	<10	62	<10	82
L4N 34+50W		0.03	<10	<10	64	<10	76
L4N 35+00W		0.03	<10	<10	59	<10	64
L4N 35+50W		0.02	<10	<10	37	<10	97
L4N 36+00W		0.01	<10	<10	33	<10	164
L5N 27+00W		0.05	<10	<10	69	<10	36
L5N 27+50W		0.07	<10	<10	74	<10	55
L5N 28+00W		0.04	<10	<10	56	<10	31
L5N 28+50W		0.04	<10	<10	64	<10	45
L5N 29+00W		0.02	<10	<10	54	<10	71
L5N 29+50W		0.03	<10	<10	64	<10	58
L5N 30+00W		0.03	<10	<10	50	<10	68
L5N 30+50W		0.05	<10	<10	59	<10	97
L5N 31+00W		0.02	<10	<10	38	<10	78

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 3 - A
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd WL	Au	Ag	Al	As	B	Ba	Be	Bi	Ce	Cd	Co	Cr	Cu	Pb
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L5N 31+50W		0.40	<0.005	0.7	1.65	28	<10	180	0.5	4	0.12	0.5	10	26	34	2.90
L5N 32+00W		0.48	<0.005	0.3	1.38	28	<10	300	<0.5	4	0.28	0.5	8	26	50	4.19
L5N 32+50W		0.42	0.006	0.4	1.01	36	<10	100	<0.5	3	0.08	<0.5	5	17	40	2.87
L5N 33+00W		0.32	0.008	0.5	1.61	38	<10	110	<0.5	4	0.08	0.6	7	31	38	4.53
L5N 33+50W		0.48	<0.005	0.3	1.60	22	<10	150	<0.5	5	0.11	0.5	12	30	47	5.18
L5N 34+00W		0.40	<0.005	0.8	2.37	18	<10	170	<0.5	4	0.07	0.6	11	82	40	5.50
L5N 34+50W		0.42	<0.005	0.8	1.58	227	<10	1160	<0.5	6	0.42	8.4	37	26	30	7.48
L5N 35+00W		0.38	<0.005	0.5	1.71	42	<10	210	<0.5	3	0.08	0.8	7	26	32	3.70
L5N 35+50W		0.44	<0.005	0.2	1.99	24	<10	100	<0.5	4	0.14	0.5	6	29	42	4.73
L5N 36+00W		0.40	<0.005	0.5	1.34	12	<10	260	<0.5	3	0.55	0.5	8	28	74	2.72
L5N 36+50W		0.40	0.008	1.1	1.67	53	<10	210	0.5	3	0.63	1.0	13	34	126	2.96
L5N 37+00W		0.36	<0.005	0.2	1.16	9	<10	100	<0.5	4	0.04	<0.5	4	17	27	2.54
L6N 27+00W		0.60	0.019	1.0	1.94	339	<10	90	<0.5	7	0.05	0.5	6	33	55	4.66
L6N 27+50W		0.42	0.005	0.8	1.78	208	<10	110	<0.5	5	0.03	<0.5	3	22	37	3.36
L6N 28+00W		0.34	0.017	0.8	1.01	215	<10	90	<0.5	5	0.03	<0.5	3	16	24	2.67
L6N 28+50W		0.40	0.008	1.0	1.46	41	<10	60	<0.5	4	0.04	<0.5	3	19	16	1.97
L6N 29+00W		0.34	0.006	0.9	1.41	91	<10	60	<0.5	5	0.04	<0.5	4	21	25	2.82
L6N 29+50W		0.36	<0.005	0.6	1.83	75	<10	70	<0.5	5	0.08	0.6	5	27	31	4.68
L6N 30+00W		0.40	<0.005	0.4	1.12	31	<10	70	<0.5	4	0.04	<0.5	4	18	33	2.23
L6N 30+50W		0.42	0.007	0.7	1.12	62	<10	50	<0.5	4	0.04	0.5	3	16	18	2.44
L6N 31+00W		0.32	<0.005	0.5	1.44	68	<10	50	<0.5	4	0.05	<0.5	4	22	19	3.13
L6N 31+50W		0.72	<0.005	0.5	1.45	114	<10	160	<0.5	4	0.23	<0.5	9	26	32	2.69
L6N 32+00W		0.74	0.007	0.2	1.39	27	<10	60	<0.5	3	0.09	0.5	7	27	42	3.32
L6N 32+50W		0.42	0.005	0.7	1.67	28	<10	340	<0.5	3	0.16	0.5	12	30	28	3.02
L6N 33+00W		0.32	<0.005	<0.2	1.78	23	<10	380	<0.5	3	0.11	0.5	5	28	21	2.04
L6N 33+50W		0.36	0.023	2.5	2.20	56	<10	440	0.9	5	0.77	6.1	16	35	89	3.00
L6N 34+00W		0.60	0.016	2.4	1.77	33	<10	170	0.5	7	0.31	1.0	12	34	77	3.21
L6N 34+50W		0.42	<0.005	0.6	1.24	55	<10	190	<0.5	3	0.12	0.6	8	25	35	2.95
L6N 35+00W		0.58	<0.005	1.1	1.79	14	<10	360	<0.5	3	0.24	0.6	7	18	23	2.25
L6N 35+50W		0.56	0.008	0.9	1.33	23	<10	110	<0.5	3	0.17	1.4	10	29	31	2.28
L6N 36+00W		0.50	0.011	2.0	2.64	52	<10	290	1.0	4	0.23	1.6	19	35	71	4.03
L6N 36+50W		0.36	0.007	<0.2	1.68	17	<10	250	<0.5	3	0.22	0.5	10	41	38	3.95
L6N 37+00W		0.24	0.008	0.4	1.37	11	<10	140	<0.5	3	0.03	<0.5	5	27	26	2.56
L8S 10+00W		0.42	0.009	0.6	3.05	34	<10	350	1.1	6	2.08	3.6	23	35	53	4.47
L8S 10+50W		0.32	<0.005	0.2	1.85	53	<10	450	0.5	3	0.46	2.4	13	37	60	3.28
L8S 11+00W		0.20	<0.005	0.4	2.95	10	<10	410	1.1	4	4.71	11.0	12	71	31	2.89
L8S 11+50W		0.38	0.005	0.5	1.35	11	<10	630	<0.5	3	0.26	0.9	7	18	40	2.94
L8S 12+00W		0.30	0.011	0.5	1.14	15	<10	270	<0.5	4	0.37	1.1	8	24	36	3.12
L8S 12+50W		0.36	0.005	0.5	0.86	30	<10	400	<0.5	3	0.57	1.0	6	21	39	2.42
L8S 13+00W		0.50	<0.005	0.5	0.92	36	<10	390	<0.5	3	0.38	0.9	8	13	36	3.20

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 3 - B
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L5N 31+50W		<10	<1	0.07	10	0.50	827	4	<0.01	22	1100	21	0.05	<2	1	15
L5N 32+00W		10	<1	0.07	10	0.31	668	6	<0.01	20	1010	18	0.05	3	1	21
L5N 32+50W		<10	<1	0.04	10	0.15	291	6	<0.01	14	680	21	0.04	6	1	7
L5N 33+00W		10	<1	0.05	10	0.40	429	5	<0.01	20	550	20	0.04	5	2	7
L5N 33+50W		10	1	0.06	10	0.38	1150	5	<0.01	21	790	20	0.05	4	2	7
L5N 34+00W		10	<1	0.07	10	0.88	1110	4	0.01	32	1020	22	0.05	3	4	7
L5N 34+50W		<10	<1	0.06	10	0.47	18550	11	0.01	72	2370	33	0.09	11	4	37
L5N 35+00W		10	<1	0.05	10	0.44	334	5	<0.01	19	480	23	0.03	5	1	8
L5N 35+50W		10	<1	0.04	10	0.35	288	5	<0.01	18	640	21	0.02	3	3	8
L5N 36+00W		<10	<1	0.06	10	0.48	593	4	<0.01	28	1200	15	0.07	2	3	35
L5N 36+50W		<10	1	0.06	20	0.54	1865	9	<0.01	34	1580	15	0.09	<2	6	45
L5N 37+00W		10	<1	0.04	20	0.14	184	5	<0.01	10	530	12	0.02	<2	1	5
L6N 27+00W		10	<1	0.11	10	0.61	285	8	<0.01	19	780	62	0.06	33	2	10
L6N 27+50W		10	<1	0.13	10	0.31	122	8	<0.01	11	570	27	0.05	24	2	6
L6N 28+00W		10	<1	0.07	10	0.21	98	4	<0.01	7	690	36	0.05	13	1	11
L6N 28+50W		10	<1	0.04	10	0.26	184	3	<0.01	9	480	21	0.03	6	1	7
L6N 29+00W		10	<1	0.07	10	0.36	140	3	<0.01	12	430	22	0.04	9	2	7
L6N 29+50W		10	<1	0.07	10	0.48	209	3	<0.01	15	800	17	0.05	5	3	7
L6N 30+00W		10	<1	0.07	10	0.32	199	4	<0.01	14	520	13	0.04	2	2	8
L6N 30+50W		10	1	0.04	10	0.18	91	2	<0.01	8	380	18	0.04	6	1	6
L6N 31+00W		10	<1	0.06	10	0.37	172	2	<0.01	10	780	15	0.04	12	3	6
L6N 31+50W		<10	<1	0.06	10	0.40	516	6	<0.01	22	680	19	0.03	24	1	18
L6N 32+00W		<10	<1	0.04	10	0.50	369	5	<0.01	26	620	20	0.02	5	1	8
L6N 32+50W		10	<1	0.05	10	0.50	478	4	<0.01	22	670	20	0.03	5	2	14
L6N 33+00W		10	<1	0.05	10	0.40	232	3	<0.01	16	580	26	0.03	3	1	11
L6N 33+50W		<10	<1	0.08	30	0.54	4200	4	<0.01	41	1870	77	0.10	9	2	57
L6N 34+00W		<10	<1	0.06	20	0.65	792	4	<0.01	38	1050	27	0.04	10	3	21
L6N 34+50W		10	<1	0.06	10	0.39	630	4	<0.01	21	550	30	0.03	8	1	10
L6N 35+00W		10	<1	0.06	10	0.42	938	4	<0.01	15	510	24	0.02	4	1	21
L6N 35+50W		<10	<1	0.06	20	0.68	609	4	<0.01	36	740	33	0.01	24	2	12
L6N 36+00W		10	1	0.06	10	0.43	1350	7	<0.01	28	1140	71	0.06	9	1	23
L6N 36+50W		10	<1	0.06	10	0.46	839	6	<0.01	26	680	14	0.02	2	2	20
L6N 37+00W		10	<1	0.04	10	0.23	422	5	<0.01	12	570	14	0.01	3	1	4
L8S 10+00W		<10	<1	0.06	20	0.29	1575	4	0.01	37	2900	26	0.09	<2	3	43
L8S 10+50W		10	<1	0.06	10	0.51	709	5	<0.01	36	340	23	0.01	5	4	17
L8S 11+00W		10	<1	0.10	40	1.58	2790	2	<0.01	28	>10000	47	0.03	2	5	43
L8S 11+50W		10	<1	0.07	20	0.17	245	6	<0.01	24	490	15	0.01	2	3	10
L8S 12+00W		<10	<1	0.07	10	0.15	303	5	<0.01	27	530	15	0.02	2	2	17
L8S 12+50W		<10	<1	0.08	10	0.17	394	3	<0.01	22	710	13	0.02	<2	1	16
L8S 13+00W		<10	<1	0.11	10	0.15	759	7	<0.01	20	720	16	0.01	2	1	13

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 3 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Ti	U	V	W	Zn
	Units LOR	%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
L5N 31+50W		0.01	<10	<10	38	<10	97
L5N 32+00W		0.03	<10	<10	66	<10	84
L5N 32+50W		0.01	<10	<10	52	<10	62
L5N 33+00W		0.05	<10	<10	57	<10	73
L5N 33+50W		0.04	<10	<10	77	<10	86
L5N 34+00W		0.01	<10	<10	134	<10	108
L5N 34+50W		0.01	<10	<10	40	<10	434
L5N 35+00W		0.03	<10	<10	47	<10	74
L5N 35+50W		0.05	<10	<10	85	<10	72
L5N 36+00W		0.01	<10	10	28	<10	99
L5N 36+50W		0.01	<10	10	30	<10	103
L5N 37+00W		0.01	<10	<10	60	<10	46
L6N 27+00W		0.05	<10	<10	81	<10	104
L6N 27+50W		0.05	<10	<10	74	<10	40
L6N 28+00W		0.04	<10	<10	67	<10	44
L6N 28+50W		0.04	<10	<10	49	<10	40
L6N 29+00W		0.06	<10	<10	72	<10	48
L6N 29+50W		0.05	<10	<10	83	<10	65
L6N 30+00W		0.03	<10	<10	52	<10	58
L6N 30+50W		0.08	<10	<10	74	<10	35
L6N 31+00W		0.09	<10	<10	80	<10	49
L6N 31+50W		0.02	<10	<10	41	<10	96
L6N 32+00W		0.03	<10	<10	34	<10	76
L6N 32+50W		0.02	<10	<10	49	<10	96
L6N 33+00W		0.01	<10	<10	50	<10	66
L6N 33+50W		0.01	<10	<10	40	<10	310
L6N 34+00W		0.02	<10	<10	36	<10	200
L6N 34+50W		0.02	<10	<10	41	<10	124
L6N 35+00W		0.01	<10	<10	40	<10	99
L6N 35+50W		0.02	<10	<10	32	<10	400
L6N 36+00W		0.01	<10	<10	52	<10	258
L6N 36+50W		0.01	<10	<10	59	<10	108
L6N 37+00W		0.01	<10	<10	52	<10	51
L8S 10+00W		0.01	<10	10	32	<10	153
L8S 10+50W		0.01	<10	<10	64	<10	223
L8S 11+00W		0.02	<10	<10	91	<10	827
L8S 11+50W		0.01	<10	<10	53	<10	128
L8S 12+00W		0.01	<10	<10	57	<10	114
L8S 12+50W		0.01	<10	<10	58	<10	102
L8S 13+00W		0.01	<10	<10	47	<10	115

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 4 - A
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L8S 13+50W		0.22	<0.005	0.4	2.46	2	<10	420	1.0	4	4.40	9.7	9	79	23	2.77
L8S 14+00W		0.32	<0.005	<0.2	0.03	<2	<10	50	<0.5	<2	>25.0	0.5	1	9	4	0.06
L8S 14+50W		0.32	<0.005	4.3	2.49	13	<10	700	1.3	5	0.83	2.8	18	18	142	3.86
L8S 15+00W		0.44	<0.005	0.3	2.11	11	<10	360	<0.5	4	0.27	0.5	9	21	51	4.01
L8S 15+50W		0.40	<0.005	0.7	0.76	4	<10	250	<0.5	3	0.14	0.5	4	10	36	2.73
L8S 16+00W		0.34	0.005	0.6	1.51	9	<10	170	0.5	4	0.56	1.2	17	18	73	3.95
L8S 16+50W		0.40	0.008	0.5	1.45	9	<10	240	0.5	3	0.22	0.8	16	15	114	3.89
L8S 17+00W		0.40	<0.005	0.4	1.80	9	<10	340	0.6	4	0.59	1.8	17	18	100	3.75
L8S 17+50W		0.30	<0.005	0.5	2.11	13	<10	390	<0.5	4	0.84	0.7	10	20	92	4.53
L8S 18+00W		0.36	<0.005	0.4	1.68	8	<10	240	0.6	4	1.26	1.6	15	21	110	3.52
L8S 18+50W		0.36	<0.005	<0.2	1.18	10	<10	280	<0.5	4	0.70	0.6	5	18	54	4.31
L8S 19+00W		0.38	NSS	1.6	1.56	11	<10	180	0.7	4	1.76	2.0	13	20	188	3.09
L8S 19+50W		0.56	0.008	1.5	1.89	18	<10	240	0.6	4	1.25	2.5	24	30	122	3.63
L8S 20+00W		5.00	<0.005	0.9	2.56	7	<10	380	0.6	4	0.75	0.9	13	28	98	4.24
L9S 10+50W		0.44	0.016	0.4	0.97	102	<10	250	<0.5	3	0.78	3.0	12	28	62	2.78
L9S 11+00W		0.32	<0.005	0.7	1.87	32	<10	640	1.1	4	4.37	11.5	18	23	33	3.13
L9S 11+50W		0.28	<0.005	1.0	1.83	65	<10	370	1.2	4	5.06	5.6	12	52	36	3.21
L9S 12+00W		0.36	0.011	0.3	0.82	6	<10	160	<0.5	3	0.41	0.7	3	4	10	1.50
L9S 12+50W		0.28	<0.005	0.7	1.98	25	<10	680	1.3	5	3.97	10.8	14	38	28	3.26
L9S 13+00W		0.26	<0.005	0.6	1.92	22	<10	930	1.6	6	2.73	9.4	11	37	24	3.48
L9S 13+50W		0.50	<0.005	0.3	1.34	7	<10	140	<0.5	3	0.29	<0.5	9	26	46	3.34
L9S 14+00W		0.40	<0.005	1.1	1.53	8	<10	310	<0.5	3	0.22	0.6	8	17	49	3.69
L9S 14+50W		0.38	0.008	0.9	0.51	16	<10	140	<0.5	4	0.09	0.6	11	6	142	4.32
L9S 15+00W		0.24	0.006	0.3	1.17	7	<10	260	<0.5	4	0.47	1.7	7	19	71	2.84
L9S 15+50W		0.50	<0.005	1.0	0.74	12	<10	110	<0.5	3	0.11	0.6	6	11	76	3.55
L9S 16+00W		0.36	<0.005	0.6	1.19	8	<10	140	<0.5	3	0.10	0.6	8	19	61	3.94
L9S 16+50W		0.46	<0.005	0.3	1.17	9	<10	230	<0.5	3	0.60	0.9	16	14	128	4.20
L9S 17+00W		0.40	<0.005	0.7	1.89	10	<10	390	0.6	4	0.35	0.9	9	17	72	4.17
L9S 17+50W		0.50	0.007	1.2	1.54	9	<10	160	<0.5	4	0.16	0.7	10	15	75	3.64
L9S 18+00W		0.36	<0.005	0.6	2.28	9	<10	300	0.9	5	0.95	3.0	20	21	200	4.41
L9S 18+50W		0.40	<0.005	0.4	1.88	9	<10	220	0.7	4	1.16	3.3	20	20	220	3.71
L9S 19+00W		0.34	<0.005	0.6	2.06	9	<10	290	0.8	5	1.20	2.9	19	33	196	4.19
L9S 19+50W		0.42	<0.005	1.5	2.01	16	<10	190	0.8	5	1.40	3.0	10	27	186	4.67
L9S 20+00W		0.56	<0.005	0.4	1.58	12	<10	250	<0.5	4	0.06	1.1	8	19	61	4.54
L10S 10+00W		0.30	0.017	2.3	1.28	457	<10	350	0.6	6	0.50	5.2	13	49	53	4.26
L10S 10+50W		0.34	NSS	0.7	0.98	27	<10	450	0.5	4	1.00	1.9	12	23	63	3.03
L10S 11+00W		0.36	<0.005	0.5	0.90	13	<10	280	<0.5	3	7.95	1.9	12	37	54	2.43
L10S 11+50W		0.46	<0.005	<0.2	0.78	15	<10	140	<0.5	4	0.05	0.8	7	10	32	3.32
L10S 12+00W		0.50	<0.005	0.2	1.21	142	<10	550	1.0	4	0.54	3.9	36	82	57	8.24
L10S 12+50W		0.42	0.005	0.3	2.10	<2	<10	310	0.8	4	2.23	6.6	9	58	23	3.06

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 4 - B
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L8S 13+50W		<10	<1	0.08	60	1.04	2450	1	0.01	27	4400	35	0.05	4	4	32
L8S 14+00W		<10	<1	<0.01	10	4.60	37	<1	0.01	<1	180	8	<0.01	<2	<1	259
L8S 14+50W		<10	<1	0.10	10	0.25	3650	10	<0.01	38	1460	26	0.05	<2	4	52
L8S 15+00W		10	<1	0.07	10	0.46	336	6	<0.01	24	760	12	<0.01	<2	4	10
L8S 15+50W		<10	<1	0.09	10	0.14	150	7	<0.01	12	460	7	<0.01	<2	2	10
L8S 16+00W		<10	<1	0.06	10	0.55	505	7	<0.01	27	880	16	0.05	4	3	28
L8S 16+50W		<10	<1	0.06	10	0.44	544	8	<0.01	27	660	14	0.02	<2	3	24
L8S 17+00W		10	<1	0.10	20	0.37	1730	7	<0.01	26	1190	14	0.05	<2	3	69
L8S 17+50W		10	<1	0.07	10	0.39	570	7	<0.01	25	1040	15	0.03	<2	3	104
L8S 18+00W		10	<1	0.07	20	0.48	815	6	<0.01	29	960	15	0.06	<2	3	142
L8S 18+50W		10	<1	0.08	10	0.14	146	16	<0.01	11	510	13	0.03	<2	2	83
L8S 19+00W		<10	1	0.07	50	0.46	1620	6	<0.01	32	1260	12	0.09	<2	3	193
L8S 19+50W		<10	1	0.08	30	0.52	2210	6	<0.01	34	1100	16	0.07	2	6	158
L8S 20+00W		10	<1	0.10	30	0.56	570	5	<0.01	23	1010	16	0.03	<2	5	92
L9S 10+50W		<10	<1	0.06	20	0.43	915	5	<0.01	43	1190	39	0.03	20	3	25
L9S 11+00W		<10	<1	0.15	40	0.19	6090	5	<0.01	56	8680	71	0.06	7	5	60
L9S 11+50W		<10	<1	0.06	60	2.50	4250	5	0.01	39	2970	62	0.06	37	4	54
L9S 12+00W		<10	<1	0.07	50	0.05	114	2	<0.01	3	270	14	0.01	<2	1	19
L9S 12+50W		<10	<1	0.13	50	0.54	>10000	5	0.01	45	4510	49	0.07	3	5	63
L9S 13+00W		<10	1	0.06	70	0.29	27800	1	0.01	34	2740	47	0.07	<2	5	57
L9S 13+50W		<10	<1	0.09	10	0.86	679	9	<0.01	25	640	15	0.04	<2	2	9
L9S 14+00W		10	<1	0.11	20	0.29	337	13	<0.01	16	840	17	0.03	<2	3	10
L9S 14+50W		<10	<1	0.11	20	0.07	352	13	<0.01	37	980	20	0.01	<2	2	11
L9S 15+00W		<10	<1	0.06	10	0.17	126	7	<0.01	25	470	12	0.03	<2	2	26
L9S 15+50W		<10	<1	0.08	10	0.09	178	10	<0.01	16	610	15	0.02	2	1	12
L9S 16+00W		<10	<1	0.06	10	0.33	377	7	<0.01	22	570	11	0.01	<2	1	9
L9S 16+50W		<10	<1	0.06	10	0.45	611	6	<0.01	31	580	14	0.02	<2	3	66
L9S 17+00W		10	<1	0.08	10	0.31	219	10	<0.01	25	800	15	0.03	<2	2	50
L9S 17+50W		10	<1	0.10	10	0.34	529	11	<0.01	17	1030	20	0.05	<2	2	22
L9S 18+00W		10	<1	0.07	30	0.35	1895	8	<0.01	29	1860	23	0.05	<2	4	136
L9S 18+50W		<10	1	0.06	40	0.52	2290	6	<0.01	37	1290	18	0.05	<2	3	142
L9S 19+00W		10	<1	0.07	30	0.33	1955	9	<0.01	29	570	17	0.02	<2	9	148
L9S 19+50W		<10	1	0.06	40	0.24	433	6	<0.01	30	1770	21	0.09	2	3	143
L9S 20+00W		10	1	0.10	20	0.24	365	12	<0.01	18	780	22	0.01	<2	3	12
L10S 10+00W		10	<1	0.07	20	0.26	912	6	<0.01	44	1780	226	0.03	52	2	17
L10S 10+50W		<10	<1	0.06	20	0.25	1015	5	<0.01	38	1100	21	0.05	5	3	39
L10S 11+00W		<10	1	0.06	10	3.80	1240	7	0.01	58	2470	11	0.04	4	3	69
L10S 11+50W		<10	<1	0.05	20	0.07	118	16	<0.01	28	500	12	<0.01	4	2	7
L10S 12+00W		<10	<1	0.07	30	0.19	347	42	<0.01	301	2790	17	0.01	8	8	18
L10S 12+50W		<10	<1	0.09	40	0.48	1260	2	<0.01	25	2190	20	0.01	2	5	23

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 4 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L8S 13+50W		0.01	<10	<10	68	<10	231
L8S 14+00W		<0.01	<10	10	14	<10	18
L8S 14+50W		<0.01	<10	<10	42	<10	174
L8S 15+00W		0.01	<10	<10	56	<10	104
L8S 15+50W		0.02	<10	<10	49	<10	64
L8S 16+00W		0.01	<10	10	35	<10	76
L8S 16+50W		<0.01	<10	<10	31	<10	147
L8S 17+00W		0.01	<10	<10	44	<10	144
L8S 17+50W		0.01	<10	<10	52	<10	133
L8S 18+00W		0.01	<10	<10	38	<10	104
L8S 18+50W		0.02	<10	<10	70	<10	67
L8S 19+00W		0.01	<10	<10	35	<10	139
L8S 19+50W		0.01	<10	<10	40	<10	206
L8S 20+00W		<0.01	<10	<10	62	<10	196
L9S 10+50W		0.01	<10	<10	39	<10	257
L9S 11+00W		0.01	<10	<10	54	<10	684
L9S 11+50W		0.01	<10	<10	90	<10	308
L9S 12+00W		0.01	<10	<10	32	<10	78
L9S 12+50W		0.01	<10	<10	89	<10	258
L9S 13+00W		0.01	10	<10	85	<10	108
L9S 13+50W		<0.01	<10	<10	27	<10	83
L9S 14+00W		<0.01	<10	<10	59	<10	141
L9S 14+50W		<0.01	<10	<10	20	<10	156
L9S 15+00W		0.01	<10	<10	46	<10	60
L9S 15+50W		0.01	<10	<10	35	<10	72
L9S 16+00W		0.02	<10	<10	41	<10	78
L9S 16+50W		<0.01	<10	<10	26	<10	167
L9S 17+00W		<0.01	<10	<10	39	<10	192
L9S 17+50W		<0.01	<10	<10	37	<10	92
L9S 18+00W		0.01	<10	<10	49	<10	200
L9S 18+50W		0.01	<10	<10	35	<10	207
L9S 19+00W		0.03	<10	<10	62	<10	168
L9S 19+50W		0.01	<10	<10	35	<10	132
L9S 20+00W		0.01	<10	<10	53	<10	144
L10S 10+00W		0.01	<10	<10	67	<10	457
L10S 10+50W		0.01	<10	<10	38	<10	156
L10S 11+00W		0.01	<10	10	41	<10	138
L10S 11+50W		<0.01	<10	<10	40	<10	115
L10S 12+00W		<0.01	<10	<10	102	<10	370
L10S 12+50W		0.01	<10	<10	57	<10	277

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 5 - A
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L10S 13+00W		0.44	<0.005	<0.2	1.12	2	<10	140	<0.5	4	0.31	0.5	5	16	26	2.74
L10S 13+50W		0.40	NSS	1.3	1.05	6	<10	310	<0.5	4	0.20	0.8	5	12	64	3.73
L10S 14+00W		0.42	<0.005	0.4	0.89	11	<10	310	<0.5	3	0.20	1.8	8	10	81	3.05
L10S 14+50W		0.46	NSS	0.4	0.72	15	<10	140	<0.5	4	0.75	1.1	18	11	81	3.23
L10S 15+00W		0.44	<0.005	0.2	1.10	9	<10	220	<0.5	5	0.19	0.7	8	21	45	4.70
L10S 15+50W		0.40	<0.005	0.2	1.47	6	<10	260	<0.5	4	0.24	0.6	8	26	66	4.77
L10S 16+00W		0.30	NSS	0.4	1.48	6	<10	310	0.8	3	1.18	1.0	19	14	110	3.97
L10S 16+50W		0.38	<0.005	0.2	1.27	2	<10	310	0.5	4	0.64	1.0	8	13	84	3.10
L10S 17+00W		0.46	NSS	0.8	1.34	7	<10	230	0.6	4	0.95	1.3	15	15	148	3.41
L10S 17+50W		0.38	NSS	0.7	1.04	5	<10	180	<0.5	4	1.36	1.8	7	13	114	3.34
L10S 18+00W		0.38	0.005	0.9	1.41	11	<10	480	0.6	4	1.13	1.5	20	12	124	4.04
L10S 18+50W		0.40	0.009	0.5	1.46	9	<10	210	0.5	4	0.84	1.6	7	15	138	3.58
L10S 19+00W		0.34	NSS	0.4	1.75	7	<10	380	0.5	4	0.24	0.6	11	16	79	4.07
L10S 19+50W		0.38	NSS	1.7	1.15	8	<10	230	0.7	4	1.10	1.9	16	13	166	3.29
L10S 20+00W		0.30	0.019	0.2	1.13	5	<10	220	<0.5	4	0.12	0.8	7	13	39	3.42
L11S 10+00W		0.48	0.011	0.3	1.34	60	<10	440	<0.5	4	0.60	3.7	11	21	49	2.87
L11S 10+50W		0.36	<0.005	2.4	1.47	56	<10	670	0.6	4	1.12	5.8	17	30	56	3.24
L11S 11+00W		0.46	NSS	1.2	1.08	14	<10	580	0.6	4	1.06	2.3	15	12	126	3.52
L11S 11+50W		0.56	0.013	0.4	1.28	29	<10	520	0.6	3	0.75	3.9	12	48	60	5.10
L11S 12+00W		0.32	<0.005	0.6	3.03	8	<10	670	0.9	4	3.47	41.2	17	69	28	3.30
L11S 12+50W		0.42	NSS	0.4	0.83	5	<10	230	<0.5	<2	0.29	<0.5	3	7	38	1.84
L11S 13+00W		0.40	<0.005	0.8	0.93	8	<10	260	<0.5	<2	0.14	0.5	5	8	36	2.58
L11S 13+50W		0.44	0.006	0.5	1.30	9	<10	180	<0.5	<2	0.28	<0.5	8	16	63	4.81
L11S 14+00W		0.44	<0.005	0.5	1.12	9	<10	220	<0.5	<2	0.19	<0.5	10	22	64	3.48
L11S 14+50W		0.34	0.013	0.8	1.36	9	<10	230	<0.5	<2	1.98	2.4	12	21	187	3.11
L11S 15+00W		0.40	NSS	0.5	1.56	11	<10	210	0.5	<2	1.40	1.4	8	21	133	4.55
L11S 15+50W		0.36	NSS	1.0	1.19	14	<10	210	0.5	<2	1.16	1.1	17	19	127	3.52
L11S 16+00W		0.36	NSS	0.5	1.34	8	<10	310	<0.5	<2	0.08	0.6	13	17	53	3.88
L11S 16+50W		0.40	0.023	0.3	1.30	10	<10	160	<0.5	<2	0.13	<0.5	3	13	30	2.81
L11S 17+00W		0.42	NSS	0.2	1.00	12	<10	190	0.5	<2	0.26	0.6	20	13	129	5.29
L11S 17+50W		0.40	0.009	<0.2	1.52	12	<10	130	<0.5	<2	0.27	<0.5	10	34	51	7.08
L11S 18+00W		0.58	<0.005	0.4	1.12	12	<10	220	<0.5	<2	0.32	<0.5	8	15	86	5.44
L11S 18+50W		0.44	0.018	0.6	1.64	12	<10	370	0.5	<2	0.22	0.6	10	20	76	4.85
L11S 19+00W		0.44	0.005	<0.2	1.37	4	<10	260	<0.5	<2	0.20	<0.5	9	22	48	4.54
L11S 19+50W		0.42	0.014	<0.2	0.64	9	<10	210	<0.5	<2	0.12	<0.5	7	9	63	3.53
L11S 20+00W		0.50	<0.005	0.4	1.05	7	<10	280	<0.5	<2	0.13	<0.5	8	15	52	3.85

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 5 - B
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mn % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L10S 13+00W		10	<1	0.07	10	0.23	152	5	<0.01	13	450	10	0.01	<2	2	9
L10S 13+50W		10	<1	0.12	20	0.26	258	14	<0.01	14	870	18	0.03	<2	2	14
L10S 14+00W		<10	<1	0.07	20	0.08	116	17	<0.01	28	680	12	0.01	<2	2	16
L10S 14+50W		<10	<1	0.08	10	0.27	977	5	<0.01	24	620	13	0.04	<2	2	50
L10S 15+00W		10	<1	0.08	10	0.25	490	6	<0.01	19	920	12	0.02	<2	2	15
L10S 15+50W		10	1	0.06	10	0.33	263	8	<0.01	23	450	11	0.02	<2	3	30
L10S 16+00W		<10	<1	0.05	20	0.32	878	6	0.01	27	700	16	0.05	<2	4	146
L10S 16+50W		<10	<1	0.06	10	0.16	184	7	<0.01	21	710	13	0.03	<2	2	87
L10S 17+00W		<10	<1	0.06	20	0.38	1195	9	<0.01	34	1210	12	0.06	<2	3	108
L10S 17+50W		<10	<1	0.06	10	0.12	233	9	<0.01	21	740	13	0.04	<2	1	154
L10S 18+00W		<10	<1	0.07	20	0.22	1410	8	<0.01	29	1040	16	0.05	<2	3	133
L10S 18+50W		10	<1	0.08	20	0.16	397	12	<0.01	22	600	18	0.02	<2	3	110
L10S 19+00W		10	<1	0.12	10	0.31	607	10	<0.01	18	510	19	0.02	<2	4	34
L10S 19+50W		<10	<1	0.07	30	0.18	510	7	<0.01	34	940	15	0.07	<2	4	134
L10S 20+00W		10	<1	0.14	20	0.24	788	14	<0.01	15	910	17	0.01	<2	2	20
L11S 10+00W		<10	<1	0.07	10	0.22	486	4	<0.01	23	420	28	0.01	5	3	22
L11S 10+50W		<10	<1	0.07	20	0.33	3450	6	<0.01	46	1120	36	0.06	6	3	42
L11S 11+00W		<10	<1	0.08	10	0.21	1260	7	<0.01	45	620	16	0.04	<2	3	35
L11S 11+50W		10	1	0.08	20	0.16	383	26	<0.01	56	1220	32	0.02	4	2	29
L11S 12+00W		10	<1	0.12	40	0.84	5010	7	0.01	82	>10000	20	0.04	<2	5	62
L11S 12+50W		<10	<1	0.08	20	0.09	86	7	<0.01	12	500	4	0.01	2	2	13
L11S 13+00W		<10	<1	0.07	20	0.06	156	7	<0.01	18	480	8	<0.01	2	2	9
L11S 13+50W		<10	<1	0.08	10	0.27	259	8	<0.01	20	710	13	<0.01	<2	3	19
L11S 14+00W		<10	<1	0.06	10	0.24	706	6	<0.01	21	970	11	0.02	2	1	16
L11S 14+50W		<10	1	0.06	10	0.16	1465	7	<0.01	32	1390	14	0.07	<2	1	190
L11S 15+00W		<10	1	0.06	10	0.20	786	9	<0.01	30	1000	13	0.05	2	2	139
L11S 15+50W		<10	<1	0.08	10	0.30	1485	7	<0.01	39	990	20	0.05	3	4	128
L11S 16+00W		10	<1	0.13	20	0.22	1005	7	<0.01	17	980	22	<0.01	<2	2	11
L11S 16+50W		10	<1	0.11	20	0.17	100	13	<0.01	10	420	13	<0.01	2	2	18
L11S 17+00W		<10	<1	0.07	20	0.09	355	11	<0.01	33	350	20	0.01	3	3	43
L11S 17+50W		10	<1	0.06	10	0.30	419	13	<0.01	19	690	13	0.03	2	3	27
L11S 18+00W		<10	1	0.09	20	0.25	254	10	<0.01	24	510	12	0.01	2	2	34
L11S 18+50W		10	1	0.12	20	0.24	274	10	<0.01	21	490	13	<0.01	<2	3	31
L11S 19+00W		10	1	0.10	10	0.24	376	9	<0.01	20	390	12	<0.01	2	3	22
L11S 19+50W		<10	<1	0.06	20	0.06	166	10	<0.01	22	630	13	<0.01	<2	1	24
L11S 20+00W		<10	<1	0.09	20	0.10	308	9	<0.01	15	590	13	<0.01	2	2	19

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 5 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 17-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050416

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L10S 13+00W		0.02	<10	<10	60	<10	64
L10S 13+50W		<0.01	<10	<10	35	<10	114
L10S 14+00W		<0.01	<10	<10	42	<10	114
L10S 14+50W		<0.01	<10	<10	24	<10	116
L10S 15+00W		0.05	<10	<10	72	<10	104
L10S 15+50W		0.03	<10	<10	64	<10	102
L10S 16+00W		<0.01	<10	<10	33	<10	107
L10S 16+50W		<0.01	<10	<10	43	<10	77
L10S 17+00W		<0.01	<10	<10	27	<10	130
L10S 17+50W		0.01	<10	<10	40	<10	81
L10S 18+00W		<0.01	<10	<10	33	<10	137
L10S 18+50W		<0.01	<10	<10	48	<10	110
L10S 19+00W		<0.01	<10	<10	52	<10	115
L10S 19+50W		<0.01	<10	<10	21	<10	164
L10S 20+00W		<0.01	<10	<10	47	<10	124
L11S 10+00W		0.01	<10	<10	47	<10	203
L11S 10+50W		0.01	<10	<10	43	<10	273
L11S 11+00W		<0.01	<10	<10	22	<10	162
L11S 11+50W		0.01	<10	<10	123	<10	284
L11S 12+00W		0.03	<10	10	156	<10	1750
L11S 12+50W		<0.01	<10	<10	30	<10	56
L11S 13+00W		<0.01	<10	<10	37	<10	88
L11S 13+50W		0.01	<10	<10	47	<10	92
L11S 14+00W		0.01	<10	<10	53	<10	84
L11S 14+50W		0.02	<10	<10	38	<10	92
L11S 15+00W		0.01	<10	<10	40	<10	112
L11S 15+50W		0.01	<10	<10	26	<10	130
L11S 16+00W		0.01	<10	<10	39	<10	162
L11S 16+50W		<0.01	<10	<10	52	<10	85
L11S 17+00W		<0.01	<10	<10	34	<10	174
L11S 17+50W		0.10	<10	<10	106	<10	83
L11S 18+00W		0.01	<10	<10	41	<10	109
L11S 18+50W		0.01	<10	<10	64	<10	183
L11S 19+00W		0.03	<10	<10	72	<10	93
L11S 19+50W		<0.01	<10	<10	33	<10	97
L11S 20+00W		0.02	<10	<10	61	<10	84

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 1
Finalized Date: 13-AUG-2004
Account: SHK

CERTIFICATE VA04050417

Project: Lust Dust

P.O. No.:

This report is for 112 Soil samples submitted to our lab in Vancouver, BC, Canada on 3-AUG-2004.

The following have access to data associated with this certificate:

DARYL HANSON
RICK WHATLEY

JIM OLIVER

GEORGE WHATLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ALPHA GOLD CORP.
ATTN: DARYL HANSON
16575 QUICK EAST ROAD
TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 13-AUG-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050417

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L13N 28+00W	0.54	0.005	<0.2	0.99	34	<10	90	<0.5	<2	0.30	0.8	15	21	77	3.32
L13N 28+50W	0.52	0.011	<0.2	1.00	50	<10	100	<0.5	2	0.28	0.8	12	25	79	2.98
L13N 29+00W	0.46	<0.005	0.2	1.12	30	<10	140	<0.5	2	0.13	<0.5	6	23	31	2.41
L13N 29+50W	0.46	<0.005	0.4	1.86	35	<10	110	<0.5	3	0.08	<0.5	6	28	41	5.43
L13N 30+00W	0.42	0.021	0.4	2.00	37	<10	80	<0.5	3	0.05	<0.5	5	35	32	5.04
L13N 30+50W	0.44	<0.005	<0.2	1.88	46	<10	80	<0.5	2	0.08	<0.5	6	28	39	4.12
L13N 31+00W	0.44	0.038	0.9	2.66	87	<10	100	0.7	2	0.13	0.6	10	31	115	3.06
L13N 31+50W	0.28	0.038	0.4	1.88	53	<10	90	0.6	2	0.07	0.5	6	27	38	2.52
L13N 32+00W	0.32	<0.005	0.4	2.13	139	<10	100	<0.5	3	0.06	0.5	5	33	33	3.63
L13N 32+50W	0.34	<0.005	0.3	1.41	77	<10	90	<0.5	3	0.08	<0.5	4	26	22	2.93
L13N 33+00W	0.44	0.005	0.9	2.43	69	<10	110	0.5	2	0.07	0.6	6	39	45	5.44
L13N 33+50W	0.44	<0.005	<0.2	1.92	84	<10	120	<0.5	2	0.08	0.6	5	31	38	5.11
L13N 34+00W	0.58	0.008	0.4	2.18	109	<10	100	<0.5	2	0.08	0.6	8	36	58	5.72
L13N 34+50W	0.34	0.193	0.4	1.78	120	<10	200	<0.5	2	0.60	1.6	7	28	39	3.85
L13N 35+00W	0.38	<0.005	<0.2	1.50	56	<10	430	<0.5	<2	0.14	1.0	10	23	38	3.24
L13N 35+50W	0.44	0.009	0.4	1.54	74	<10	110	<0.5	2	0.07	0.6	7	21	51	3.96
L13N 36+00W	0.54	<0.005	0.9	1.64	50	<10	300	0.5	2	0.74	4.0	16	17	73	3.56
L13N 36+50W	0.44	<0.005	0.4	1.40	36	<10	330	<0.5	<2	0.53	1.8	12	20	66	3.55
L13N 37+00W	0.30	<0.005	0.2	1.21	21	<10	380	0.5	2	0.08	0.9	9	16	56	4.12
L13N 37+50W	0.36	0.105	0.2	1.54	22	<10	400	<0.5	2	0.12	0.9	6	18	72	3.91
L13N 38+00W	0.36	<0.005	0.9	1.78	22	<10	190	0.6	<2	0.23	2.5	23	26	126	3.92
L14N 29+00W	0.36	<0.005	<0.2	1.49	22	<10	120	<0.5	<2	0.09	<0.5	6	24	35	3.40
L14N 29+50W	0.30	<0.005	<0.2	1.18	19	<10	50	<0.5	<2	0.09	<0.5	5	19	30	3.26
L14N 30+00W	0.26	<0.005	<0.2	1.46	21	<10	70	<0.5	<2	0.06	<0.5	3	24	31	3.91
L14N 30+50W	0.34	0.016	0.6	2.14	32	<10	90	0.6	<2	0.13	<0.5	7	24	115	3.14
L14N 31+00W	0.28	<0.005	0.5	1.30	74	<10	80	<0.5	3	0.04	<0.5	4	21	41	3.15
L14N 31+50W	0.28	0.020	3.0	4.88	124	<10	360	1.4	3	0.07	<0.5	7	56	408	6.38
L14N 32+00W	0.28	0.013	1.0	3.05	84	<10	80	0.9	3	0.06	<0.5	4	34	66	3.17
L14N 32+50W	0.26	<0.005	0.8	2.32	137	<10	110	0.5	3	0.06	<0.5	6	37	44	3.86
L14N 33+00W	0.34	<0.005	<0.2	1.19	46	<10	90	<0.5	2	0.03	<0.5	2	17	18	1.81
L14N 33+50W	0.26	<0.005	<0.2	1.26	45	<10	90	<0.5	<2	0.03	<0.5	2	18	18	1.83
L14N 34+00W	0.28	<0.005	0.5	1.24	46	<10	90	<0.5	<2	0.09	<0.5	4	22	26	2.92
L14N 34+50W	0.40	0.005	<0.2	1.92	48	<10	100	<0.5	2	0.04	<0.5	5	29	39	3.82
L14N 35+00W	0.24	<0.005	1.4	1.62	68	<10	310	0.7	<2	0.65	3.4	10	28	75	2.63
L14N 35+50W	0.34	<0.005	<0.2	1.05	31	<10	420	<0.5	<2	0.26	1.1	7	17	32	2.91
L14N 36+00W	0.32	<0.005	0.2	1.29	84	<10	630	0.6	<2	0.27	4.1	21	19	62	3.09
L14N 36+50W	0.30	<0.005	0.3	2.03	28	<10	370	0.9	<2	0.47	4.6	21	34	77	4.16
L14N 37+00W	0.30	<0.005	<0.2	1.58	23	<10	500	<0.5	<2	0.28	4.1	15	23	33	3.92
L14N 37+50W	0.32	<0.005	<0.2	1.51	17	<10	470	0.6	<2	0.53	4.8	13	20	56	3.13
L14N 38+00W	0.34	<0.005	0.2	1.62	16	<10	220	<0.5	<2	0.14	1.1	9	22	52	4.34

Comments: sample L13N 37+50W shows erratic Au due to sample type



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 13-AUG-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050417

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	
L13N 28+00W	<10	<1	0.07	20	0.60	792	4	<0.01	38	840	14	0.04	4	4	19	
L13N 28+50W	<10	<1	0.07	20	0.59	677	5	<0.01	36	800	21	0.03	8	4	15	
L13N 29+00W	<10	<1	0.06	10	0.43	248	5	<0.01	21	470	13	0.02	4	2	11	
L13N 29+50W	10	<1	0.07	10	0.47	288	6	<0.01	17	1300	15	0.04	3	4	7	
L13N 30+00W	10	<1	0.09	10	0.61	330	4	<0.01	14	1430	11	0.04	3	6	5	
L13N 30+50W	10	<1	0.05	10	0.47	301	3	<0.01	20	1260	14	0.02	4	4	6	
L13N 31+00W	10	1	0.13	10	0.71	388	5	0.01	31	800	18	0.04	7	5	10	
L13N 31+50W	10	<1	0.07	10	0.54	204	3	<0.01	18	500	16	0.02	5	4	8	
L13N 32+00W	10	<1	0.10	10	0.58	179	5	0.01	21	580	10	0.03	9	5	8	
L13N 32+50W	10	<1	0.08	10	0.40	139	3	<0.01	15	520	11	0.03	9	4	7	
L13N 33+00W	10	<1	0.11	10	0.60	277	5	0.01	24	1020	20	0.05	8	5	8	
L13N 33+50W	10	<1	0.09	10	0.44	225	6	0.01	21	910	32	0.04	11	4	8	
L13N 34+00W	10	1	0.08	10	0.65	337	5	0.01	29	1300	39	0.04	13	4	8	
L13N 34+50W	10	<1	0.09	10	0.59	377	6	0.01	23	780	21	0.05	12	2	36	
L13N 35+00W	10	<1	0.07	20	0.34	1155	5	<0.01	23	630	20	0.02	4	2	12	
L13N 35+50W	<10	<1	0.05	20	0.51	359	7	<0.01	25	1020	25	<0.01	6	2	6	
L13N 36+00W	<10	<1	0.09	10	0.31	1995	10	0.01	31	2080	23	0.05	6	3	49	
L13N 36+50W	<10	<1	0.07	10	0.34	1035	9	0.01	26	1110	23	0.02	7	2	55	
L13N 37+00W	10	<1	0.08	20	0.15	472	13	0.01	21	860	22	0.01	5	2	21	
L13N 37+50W	10	<1	0.09	20	0.19	183	10	0.01	18	770	24	0.01	5	1	25	
L13N 38+00W	<10	<1	0.07	10	0.54	1535	10	<0.01	54	1030	22	0.01	5	2	29	
L14N 29+00W	10	<1	0.06	10	0.36	430	4	<0.01	18	890	12	<0.01	2	3	6	
L14N 29+50W	10	<1	0.04	10	0.32	585	3	<0.01	17	1160	12	<0.01	4	2	6	
L14N 30+00W	10	<1	0.05	10	0.42	212	4	0.01	10	1070	12	0.02	<2	4	6	
L14N 30+50W	10	<1	0.09	10	0.62	201	13	0.01	20	830	11	<0.01	5	4	9	
L14N 31+00W	10	<1	0.09	10	0.35	158	6	0.01	16	530	12	<0.01	7	4	6	
L14N 31+50W	20	1	0.40	10	2.05	409	6	0.04	36	660	45	0.02	10	19	13	
L14N 32+00W	10	1	0.07	10	0.54	163	3	0.01	20	770	31	0.02	10	6	7	
L14N 32+50W	10	<1	0.11	10	0.78	217	3	0.01	25	550	14	<0.01	9	6	8	
L14N 33+00W	10	<1	0.08	10	0.26	78	3	<0.01	9	290	9	<0.01	5	2	6	
L14N 33+50W	10	<1	0.08	10	0.26	80	3	0.01	10	310	8	<0.01	3	3	6	
L14N 34+00W	10	<1	0.08	10	0.28	330	4	0.01	13	1220	15	0.01	6	1	8	
L14N 34+50W	10	1	0.09	10	0.47	278	5	<0.01	20	950	17	<0.01	6	3	6	
L14N 35+00W	10	1	0.08	30	0.47	1210	5	0.01	32	1280	22	0.03	7	2	30	
L14N 35+50W	10	<1	0.09	20	0.20	865	7	0.01	17	840	18	<0.01	5	1	19	
L14N 36+00W	<10	<1	0.09	20	0.20	5180	8	0.01	27	1100	43	0.02	8	1	27	
L14N 36+50W	10	<1	0.08	20	0.29	1650	8	0.01	28	1100	22	0.02	2	3	32	
L14N 37+00W	10	<1	0.08	20	0.30	1970	8	0.02	15	900	18	0.01	<2	2	36	
L14N 37+50W	10	<1	0.08	20	0.33	1745	9	0.01	22	1060	16	0.02	2	1	62	
L14N 38+00W	10	<1	0.09	20	0.55	432	10	0.01	30	840	12	<0.01	4	2	15	

Comments: sample L13N 37+50W shows erratic Au due to sample type



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 13-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050417

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
L13N 28+00W		0.06	<10	<10	33	<10	112
L13N 28+50W		0.07	<10	<10	37	<10	110
L13N 29+00W		0.04	<10	<10	39	<10	65
L13N 29+50W		0.12	<10	<10	81	<10	67
L13N 30+00W		0.17	<10	<10	115	<10	86
L13N 30+50W		0.08	<10	<10	72	<10	78
L13N 31+00W		0.09	<10	<10	61	<10	141
L13N 31+50W		0.09	<10	<10	62	<10	156
L13N 32+00W		0.11	<10	<10	100	<10	94
L13N 32+50W		0.14	<10	<10	95	<10	57
L13N 33+00W		0.09	<10	<10	81	<10	126
L13N 33+50W		0.09	<10	<10	91	<10	146
L13N 34+00W		0.05	<10	<10	61	<10	154
L13N 34+50W		0.05	<10	<10	60	<10	230
L13N 35+00W		0.02	<10	<10	42	<10	211
L13N 35+50W		0.03	<10	<10	35	<10	123
L13N 36+00W		0.01	<10	<10	27	<10	349
L13N 36+50W		0.02	<10	<10	36	<10	210
L13N 37+00W		0.03	<10	<10	44	<10	108
L13N 37+50W		0.02	<10	<10	47	<10	172
L13N 38+00W		0.02	<10	<10	34	<10	414
L14N 29+00W		0.05	<10	<10	55	<10	63
L14N 29+50W		0.05	<10	<10	51	<10	60
L14N 30+00W		0.24	<10	<10	110	<10	43
L14N 30+50W		0.09	<10	<10	58	<10	76
L14N 31+00W		0.10	<10	<10	91	<10	48
L14N 31+50W		0.32	<10	<10	172	<10	430
L14N 32+00W		0.11	<10	<10	77	<10	106
L14N 32+50W		0.14	<10	<10	98	<10	128
L14N 33+00W		0.08	<10	<10	62	<10	29
L14N 33+50W		0.09	<10	<10	63	<10	29
L14N 34+00W		0.05	<10	<10	62	<10	84
L14N 34+50W		0.06	<10	<10	72	<10	80
L14N 35+00W		0.02	<10	<10	37	<10	445
L14N 35+50W		0.02	<10	<10	43	<10	126
L14N 36+00W		0.02	<10	<10	43	<10	271
L14N 36+50W		0.02	<10	10	47	<10	633
L14N 37+00W		0.05	<10	<10	58	<10	280
L14N 37+50W		0.02	<10	<10	45	<10	311
L14N 38+00W		0.03	<10	<10	40	<10	178

Comments: sample L13N 37+50W shows erratic Au due to sample type



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 13-AUG-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050417

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L15N 31+00W		0.13	<10	<10	77	<10	128
L15N 31+50W		0.12	<10	<10	75	<10	174
L15N 32+00W		0.04	<10	<10	41	<10	30
L15N 32+50W		0.20	<10	<10	94	<10	63
L15N 33+00W		0.13	<10	<10	80	<10	50
L15N 33+50W		0.08	<10	<10	82	<10	89
L15N 34+00W		0.12	<10	<10	94	<10	40
L15N 34+50W		0.07	<10	<10	68	<10	80
L15N 35+00W		0.05	<10	<10	42	<10	259
L15N 35+50W		0.02	<10	<10	37	<10	405
L15N 36+00W		0.02	<10	<10	35	<10	201
L15N 36+50W		0.02	<10	<10	43	<10	93
L15N 37+00W		0.03	<10	<10	44	<10	59
L15N 37+50W		0.02	<10	<10	35	<10	482
L15N 38+00W		0.03	<10	<10	50	<10	113
L16N 30+00W		0.15	<10	<10	79	<10	38
L16N 30+50W		0.15	<10	<10	88	<10	84
L16N 31+00W		0.23	<10	<10	102	<10	51
L16N 31+50W		0.13	<10	<10	88	<10	144
L16N 32+00W		0.08	<10	<10	42	<10	14
L16N 32+50W		0.13	<10	<10	112	<10	65
L16N 33+00W		0.15	<10	<10	102	<10	47
L16N 33+50W		0.16	<10	<10	67	<10	38
L16N 34+00W		0.08	<10	<10	62	<10	62
L16N 34+50W		0.08	<10	<10	78	<10	53
L16N 35+00W		0.05	<10	<10	56	<10	120
L16N 35+50W		0.02	<10	<10	47	<10	221
L16N 36+00W		0.02	<10	<10	33	<10	738
L16N 36+50W		0.02	<10	<10	46	<10	95
L16N 37+00W		0.09	<10	<10	69	<10	75
L16N 37+50W		0.03	<10	<10	50	<10	55
L16N 38+00W		0.04	<10	<10	69	<10	61
L16N 38+50W		0.04	<10	<10	52	<10	41
L16N 39+00W		0.07	<10	<10	60	<10	50
L16N 39+50W		0.04	<10	<10	39	<10	32
L16N 40+00W		0.02	<10	<10	34	<10	22
L17N 30+00W		0.13	<10	<10	71	<10	61
L17N 30+50W		0.15	<10	<10	84	<10	23
L17N 31+00W		0.12	<10	<10	81	<10	70
L17N 31+50W		0.17	<10	<10	99	<10	52

Comments: sample L13N 37+50W shows erratic Au due to sample type



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 13-AUG-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050417

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
L17N 32+00W		0.30	0.011	0.4	2.95	25	<10	110	0.9	<2	0.10	<0.5	10	37	120	3.93
L17N 32+50W		0.32	<0.005	0.3	2.14	21	<10	100	<0.5	<2	0.03	<0.5	4	31	32	3.92
L17N 33+00W		0.30	<0.005	0.2	2.67	41	<10	80	<0.5	<2	0.04	<0.5	4	42	37	4.63
L17N 33+50W		0.24	<0.005	0.2	1.40	25	<10	110	<0.5	<2	0.05	<0.5	2	28	18	3.08
L17N 34+00W		0.24	<0.005	0.3	1.38	30	<10	70	<0.5	<2	0.04	<0.5	2	23	20	2.82
L17N 34+50W		0.30	<0.005	0.5	3.16	191	<10	1100	1.3	<2	1.41	4.5	12	64	83	4.45
L17N 35+00W		0.32	<0.005	0.5	1.73	21	<10	70	<0.5	<2	0.07	<0.5	4	31	21	5.12
L17N 35+50W		0.36	<0.005	0.4	0.80	580	<10	190	<0.5	<2	0.17	0.8	12	15	59	4.85
L17N 36+00W		0.28	<0.005	1.7	1.67	40	<10	220	0.5	<2	0.15	1.4	12	23	50	2.91
L17N 36+50W		0.36	<0.005	0.2	1.72	16	<10	80	<0.5	<2	0.05	<0.5	5	27	40	4.90
L17N 37+00W		0.32	<0.005	0.4	1.04	46	<10	180	<0.5	<2	0.10	<0.5	5	17	39	2.78
L17N 37+50W		0.42	<0.005	0.6	1.76	10	<10	160	<0.5	<2	0.10	<0.5	7	25	39	3.29
L17N 38+00W		0.42	<0.005	0.2	1.55	13	<10	80	<0.5	<2	0.07	<0.5	5	24	36	4.15
L17N 38+50W		0.38	<0.005	0.4	1.27	11	<10	50	<0.5	<2	0.04	<0.5	3	22	25	4.22
L17N 39+00W		0.34	<0.005	0.2	1.30	10	<10	70	<0.5	<2	0.06	<0.5	3	20	27	3.80
L17N 39+50W		0.28	<0.005	0.2	1.46	11	<10	80	<0.5	<2	0.03	<0.5	4	21	45	3.84
L17N 40+00W		0.34	<0.005	0.8	1.64	6	<10	70	<0.5	<2	0.09	<0.5	4	18	16	1.54
L18N 33+00W		0.32	<0.005	0.8	2.37	155	<10	110	0.6	2	0.06	<0.5	6	36	60	3.52
L18N 33+50W		0.34	0.009	0.3	1.80	21	<10	110	<0.5	<2	0.05	<0.5	3	37	22	3.37
L18N 34+00W		0.34	<0.005	0.9	1.82	21	<10	80	<0.5	<2	0.10	<0.5	4	23	23	3.26
L18N 34+50W		0.34	<0.005	1.2	1.54	58	<10	120	<0.5	<2	0.03	<0.5	3	25	38	3.12
L18N 35+00W		0.40	<0.005	0.5	1.81	52	<10	120	<0.5	<2	0.06	<0.5	7	29	62	5.09
L18N 35+50W		0.36	<0.005	1.5	2.35	32	<10	100	<0.5	<2	0.04	<0.5	3	29	31	2.51
L18N 36+00W		0.24	<0.005	0.3	1.20	38	<10	120	<0.5	<2	0.07	<0.5	4	22	35	3.14
L18N 36+50W		0.34	<0.005	1.0	1.38	7	<10	160	<0.5	<2	0.03	<0.5	3	13	47	1.88
L18N 37+00W		0.46	<0.005	0.4	1.09	11	<10	80	<0.5	<2	0.06	<0.5	4	17	33	2.74
L18N 37+50W		0.32	<0.005	0.3	2.06	13	<10	130	<0.5	<2	0.08	<0.5	4	23	47	4.42
L18N 38+00W		0.28	<0.005	0.7	1.38	12	<10	70	<0.5	<2	0.13	<0.5	5	16	48	4.25
L18N 38+50W		0.30	<0.005	0.3	1.52	12	<10	60	<0.5	<2	0.07	<0.5	4	22	34	4.59
L18N 39+00W		0.30	<0.005	0.8	2.27	12	<10	70	<0.5	<2	0.05	<0.5	4	20	46	3.27
L18N 39+50W		0.38	<0.005	0.2	1.05	12	<10	70	<0.5	<2	0.13	<0.5	4	11	42	2.52
L18N 40+00W		0.36	<0.005	0.5	1.22	10	<10	120	<0.5	<2	0.01	<0.5	2	11	49	2.46

Comments: sample L13N 37+50W shows erratic Au due to sample type



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 13-AUG-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050417

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
	L17N 32+00W		10	1	0.14	10	0.85	315	5	<0.01	28	590	10	0.03	2	6
L17N 32+50W		10	1	0.11	10	0.53	208	5	<0.01	14	600	14	0.02	3	5	5
L17N 33+00W		20	1	0.08	10	0.56	187	6	<0.01	17	1040	16	0.03	4	4	5
L17N 33+50W		10	1	0.11	10	0.37	156	4	<0.01	13	670	12	0.02	4	3	6
L17N 34+00W		10	1	0.06	10	0.35	150	4	<0.01	11	510	21	0.02	5	3	6
L17N 34+50W		10	1	0.18	20	1.06	1505	5	<0.01	45	5080	38	0.10	44	3	30
L17N 35+00W		10	<1	0.05	10	0.40	274	4	<0.01	15	1260	17	0.01	3	3	6
L17N 35+50W		<10	<1	0.09	20	0.06	1425	13	<0.01	31	1560	50	0.02	128	1	7
L17N 36+00W		10	1	0.08	10	0.35	2970	4	<0.01	19	880	36	0.03	5	1	12
L17N 36+50W		10	<1	0.04	10	0.38	364	7	<0.01	18	1020	16	0.01	3	1	6
L17N 37+00W		10	<1	0.07	10	0.13	577	8	<0.01	12	780	15	0.02	3	<1	10
L17N 37+50W		10	1	0.05	10	0.42	685	8	<0.01	19	670	11	0.03	<2	1	9
L17N 38+00W		10	1	0.05	10	0.48	462	5	<0.01	20	1240	11	0.03	<2	1	6
L17N 38+50W		10	<1	0.04	10	0.25	196	7	<0.01	12	1080	12	0.03	<2	1	6
L17N 39+00W		10	<1	0.05	20	0.23	255	7	<0.01	12	1300	12	0.03	<2	1	7
L17N 39+50W		10	<1	0.04	20	0.30	194	11	<0.01	17	1280	13	0.01	<2	1	6
L17N 40+00W		10	1	0.04	10	0.32	299	4	<0.01	9	580	10	0.02	<2	1	5
L18N 33+00W		10	1	0.09	10	0.55	505	6	<0.01	22	670	41	0.01	17	3	9
L18N 33+50W		20	<1	0.20	10	0.61	277	4	<0.01	15	530	19	0.02	7	6	6
L18N 34+00W		10	<1	0.07	10	0.34	211	4	<0.01	13	500	13	0.01	2	3	6
L18N 34+50W		10	<1	0.13	10	0.33	355	8	<0.01	17	1480	31	0.03	8	2	10
L18N 35+00W		10	<1	0.07	10	0.49	354	7	<0.01	27	1980	31	0.01	10	3	7
L18N 35+50W		10	1	0.08	10	0.54	253	3	<0.01	14	530	24	0.02	8	1	5
L18N 36+00W		10	<1	0.11	10	0.34	263	6	<0.01	15	790	28	0.03	7	1	8
L18N 36+50W		10	<1	0.06	10	0.14	510	7	<0.01	9	1170	15	0.01	<2	2	3
L18N 37+00W		10	1	0.06	10	0.20	319	5	<0.01	13	1380	13	0.01	<2	1	6
L18N 37+50W		10	<1	0.05	10	0.34	256	7	<0.01	17	1030	13	0.02	<2	1	6
L18N 38+00W		10	<1	0.08	10	0.33	413	6	<0.01	16	1440	13	0.02	<2	1	7
L18N 38+50W		10	1	0.04	10	0.28	277	9	<0.01	12	980	15	0.01	<2	1	7
L18N 39+00W		10	<1	0.05	10	0.36	232	8	<0.01	15	900	12	0.01	<2	2	6
L18N 39+50W		10	<1	0.05	10	0.12	451	6	<0.01	13	950	19	0.02	2	1	7
L18N 40+00W		10	<1	0.05	20	0.13	90	16	<0.01	8	880	19	0.06	2	2	10

Comments: sample L13N 37+50W shows erratic Au due to sample type



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 13-AUG-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04050417

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
L17N 32+00W		0.14	<10	<10	75	<10	96
L17N 32+50W		0.13	<10	<10	96	<10	73
L17N 33+00W		0.10	<10	<10	115	<10	54
L17N 33+50W		0.12	<10	<10	96	<10	37
L17N 34+00W		0.09	<10	<10	78	<10	48
L17N 34+50W		0.03	<10	<10	106	<10	1445
L17N 35+00W		0.17	<10	<10	71	<10	68
L17N 35+50W		0.01	<10	<10	43	<10	536
L17N 36+00W		0.02	<10	<10	44	<10	323
L17N 36+50W		0.03	<10	<10	52	<10	65
L17N 37+00W		0.03	<10	<10	42	<10	72
L17N 37+50W		0.03	<10	<10	45	<10	81
L17N 38+00W		0.02	<10	<10	48	<10	61
L17N 38+50W		0.02	<10	<10	63	<10	41
L17N 39+00W		0.03	<10	<10	54	<10	43
L17N 39+50W		0.01	<10	<10	53	<10	50
L17N 40+00W		0.05	<10	<10	43	<10	36
L18N 33+00W		0.06	<10	<10	80	<10	100
L18N 33+50W		0.17	<10	<10	113	<10	42
L18N 34+00W		0.08	<10	<10	56	<10	48
L18N 34+50W		0.04	<10	<10	69	<10	68
L18N 35+00W		0.04	<10	<10	64	<10	102
L18N 35+50W		0.04	<10	<10	61	<10	73
L18N 36+00W		0.05	<10	<10	54	<10	82
L18N 36+50W		0.01	<10	<10	34	<10	36
L18N 37+00W		0.01	<10	<10	44	<10	49
L18N 37+50W		0.03	<10	<10	57	<10	58
L18N 38+00W		0.02	<10	<10	50	<10	61
L18N 38+50W		0.03	<10	<10	68	<10	49
L18N 39+00W		0.02	<10	<10	47	<10	52
L18N 39+50W		0.02	<10	<10	41	<10	72
L18N 40+00W		0.01	<10	<10	44	<10	41

Comments: sample L13N 37+50W shows erratic Au due to sample type



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 1
Finalized Date: 28-SEP-2004
Account: SHK

CERTIFICATE VA04064268

Project: Lust Dust

P.O. No.:

This report is for 44 Soil samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2004.

The following have access to data associated with this certificate:

DARYL HANSON
GEORGE WHATLEY

JIM OLIVER

RICK WHATLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ALPHA GOLD CORP.
ATTN: DARYL HANSON
16575 QUICK EAST ROAD
TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 28-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04064268

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L17N/18+00W		0.50	<0.005	0.8	1.16	92	<10	90	<0.5	<2	0.10	<0.5	5	31	29	2.93
L17N/18+50W		0.32	0.006	1.3	1.46	203	<10	120	<0.5	<2	0.06	0.5	3	28	35	3.17
L17N/19+00W		0.40	0.006	0.7	1.22	120	<10	190	<0.5	<2	0.06	1.0	4	22	28	2.29
L17N/19+50W		0.42	<0.005	1.0	1.52	516	<10	140	<0.5	<2	0.06	1.3	5	27	50	5.06
L17N/20+00W		0.40	0.006	1.7	0.97	517	<10	150	<0.5	<2	0.04	<0.5	2	16	45	3.36
L17N/20+50W		0.44	0.057	2.4	1.51	896	<10	190	<0.5	<2	0.09	0.9	3	26	63	5.94
L17N/21+00W		0.46	0.018	1.6	1.76	225	<10	220	<0.5	6	0.03	0.8	3	26	61	4.81
L17N/21+50W		0.42	0.016	3.2	2.49	342	<10	160	0.6	2	0.07	<0.5	3	36	58	5.63
L17N/22+00W		0.64	0.027	3.2	2.66	622	<10	120	0.7	<2	0.13	1.3	8	51	74	4.97
L17N/22+50W		0.60	0.015	0.7	3.04	630	<10	190	1.4	<2	0.26	0.7	15	46	110	4.55
L17N/23+00W		0.48	<0.005	0.4	1.94	69	<10	110	<0.5	<2	0.07	<0.5	3	33	32	3.70
L17N/23+50W		0.34	0.037	1.2	5.28	122	<10	100	1.1	2	0.67	0.7	9	43	43	4.43
L17N/24+00W		0.40	0.007	0.8	2.06	268	<10	110	<0.5	2	0.11	<0.5	5	38	35	4.78
L17N/24+50W		0.38	<0.005	2.2	1.94	134	<10	100	<0.5	<2	0.14	0.6	5	34	38	5.12
L17N/25+00W		0.38	0.075	1.6	2.21	228	<10	390	1.0	2	0.30	0.9	12	38	148	4.18
L18N/18+00W		0.42	0.027	0.6	1.42	108	<10	100	<0.5	<2	0.11	0.7	5	32	48	2.87
L18N/18+50W		0.34	0.007	0.8	1.12	116	<10	70	<0.5	<2	0.15	0.5	6	32	53	2.99
L18N/19+00W		0.52	0.049	1.1	2.45	417	<10	150	0.8	<2	0.20	1.7	20	43	241	4.66
L18N/19+50W		0.30	0.017	1.4	1.46	365	<10	130	<0.5	2	0.08	0.6	4	28	49	4.43
L18N/20+00W		0.40	0.041	1.1	1.08	478	<10	120	<0.5	<2	0.05	<0.5	3	23	50	3.19
L18N/20+50W		0.38	0.052	1.7	1.48	763	<10	160	<0.5	<2	0.12	0.6	3	21	95	5.31
L18N/21+00W		0.40	0.054	1.6	2.23	776	<10	170	0.7	2	0.21	0.7	12	40	108	5.06
L18N/21+50W		0.30	0.623	1.1	1.90	764	<10	110	<0.5	3	0.08	0.8	5	32	56	5.01
L18N/22+00W		0.34	0.356	5.1	1.72	1635	<10	150	0.6	29	0.14	1.8	10	27	174	11.10
L18N/22+50W		0.42	0.200	0.9	2.00	1125	<10	120	<0.5	5	0.05	<0.5	4	32	76	5.86
L18N/23+00W		0.38	0.179	0.7	1.42	152	<10	120	<0.5	2	0.08	<0.5	5	31	21	4.73
L18N/23+50W		0.34	0.007	0.6	1.72	65	<10	90	<0.5	<2	0.09	<0.5	5	25	20	3.30
L18N/24+00W		0.36	<0.005	0.7	1.40	130	<10	140	<0.5	2	0.07	<0.5	4	26	21	3.45
L18N/24+50W		0.30	0.005	1.0	1.78	184	<10	100	<0.5	<2	0.11	0.5	5	22	33	3.77
L18N/25+00W		0.28	<0.005	0.2	1.60	94	<10	70	<0.5	<2	0.09	<0.5	3	25	28	3.26
L19N/18+00W		0.32	0.008	1.0	1.62	117	<10	120	<0.5	<2	0.10	0.9	14	42	80	3.45
L19N/18+50W		0.34	0.012	0.7	2.04	197	<10	200	<0.5	<2	0.13	1.0	12	45	64	3.79
L19N/19+00W		0.34	0.006	0.6	1.67	223	<10	130	<0.5	<2	0.10	1.1	6	41	60	5.20
L19N/19+50W		0.38	0.059	4.0	3.12	628	<10	200	1.2	3	0.42	2.4	54	42	430	4.86
L19N/20+00W		0.28	0.024	0.5	2.04	326	<10	130	<0.5	<2	0.27	0.5	6	37	78	5.11
L19N/20+50W		0.30	0.010	1.0	1.28	390	<10	140	<0.5	<2	0.12	1.0	5	25	48	4.22
L19N/21+00W		0.34	0.010	3.0	1.87	332	<10	130	0.5	<2	0.55	1.4	7	30	114	5.77
L19N/21+50W		0.38	0.249	1.2	1.42	604	<10	140	<0.5	<2	0.15	0.6	6	32	47	5.03
L19N/22+00W		0.34	<0.005	0.9	1.08	206	<10	120	<0.5	3	0.08	0.6	5	21	25	3.50
L19N/22+50W		0.32	<0.005	0.7	1.72	312	<10	300	0.9	2	0.60	2.6	30	25	72	3.85



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 28-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04064268

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
L17N/18+00W		10	1	0.05	10	0.45	243	5	<0.01	20	790	15	0.01	7	2	9
L17N/18+50W		10	1	0.05	10	0.33	190	7	<0.01	13	860	31	0.02	10	2	7
L17N/19+00W		10	<1	0.07	10	0.26	203	6	<0.01	9	510	32	0.02	19	1	10
L17N/19+50W		10	<1	0.08	10	0.30	244	14	<0.01	14	1020	116	0.04	77	2	11
L17N/20+00W		10	1	0.07	10	0.11	99	11	<0.01	9	950	383	0.06	111	1	11
L17N/20+50W		10	1	0.13	10	0.30	221	16	<0.01	14	1500	588	0.10	252	2	13
L17N/21+00W		10	<1	0.13	10	0.25	176	11	<0.01	10	480	149	0.03	46	3	6
L17N/21+50W		10	<1	0.13	10	0.41	135	8	<0.01	10	380	66	0.04	40	5	9
L17N/22+00W		10	<1	0.07	10	0.74	307	8	<0.01	37	600	68	0.03	39	4	11
L17N/22+50W		10	2	0.13	10	1.06	483	9	<0.01	36	700	40	0.04	26	4	18
L17N/23+00W		10	<1	0.08	10	0.54	173	10	<0.01	5	980	15	0.03	15	4	6
L17N/23+50W		10	<1	0.04	10	0.64	592	4	0.01	23	4070	22	0.05	11	6	14
L17N/24+00W		10	<1	0.07	10	0.54	339	5	<0.01	17	970	17	0.03	7	4	7
L17N/24+50W		10	1	0.06	10	0.49	308	4	<0.01	16	1120	16	0.04	7	2	11
L17N/25+00W		10	1	0.13	20	0.68	1375	10	<0.01	37	760	40	0.04	20	4	26
L18N/18+00W		10	1	0.06	10	0.50	262	7	<0.01	20	620	23	0.01	18	2	10
L18N/18+50W		10	<1	0.05	10	0.39	247	10	<0.01	21	760	23	0.02	19	1	12
L18N/19+00W		10	<1	0.10	20	0.77	645	21	<0.01	50	940	46	0.05	49	4	17
L18N/19+50W		10	<1	0.08	10	0.28	188	12	<0.01	11	1240	34	0.03	18	2	9
L18N/20+00W		10	1	0.07	10	0.27	118	10	<0.01	8	860	64	0.03	29	2	8
L18N/20+50W		10	<1	0.07	10	0.17	143	15	<0.01	10	950	46	0.06	53	2	10
L18N/21+00W		10	<1	0.10	10	0.93	485	9	<0.01	20	700	70	0.04	44	4	13
L18N/21+50W		10	<1	0.04	10	0.37	255	9	<0.01	14	630	96	0.04	43	2	8
L18N/22+00W		10	<1	0.06	10	0.27	527	10	<0.01	13	2670	128	0.12	75	3	16
L18N/22+50W		10	<1	0.06	10	0.47	195	10	<0.01	8	920	54	0.07	44	3	11
L18N/23+00W		10	1	0.07	10	0.66	489	4	<0.01	8	1400	20	0.04	6	3	8
L18N/23+50W		10	<1	0.04	10	0.40	664	3	<0.01	9	1520	13	0.02	2	2	7
L18N/24+00W		10	1	0.09	10	0.43	205	4	<0.01	6	1050	14	0.06	4	3	12
L18N/24+50W		10	<1	0.06	10	0.45	233	4	0.01	17	1160	20	0.04	8	2	9
L18N/25+00W		10	1	0.04	10	0.35	157	4	<0.01	12	570	15	0.02	6	2	6
L19N/18+00W		10	2	0.06	10	0.57	562	8	0.01	28	680	32	0.02	20	2	9
L19N/18+50W		10	2	0.06	10	0.63	456	12	0.01	32	630	33	0.02	18	2	9
L19N/19+00W		10	1	0.06	10	0.56	319	11	<0.01	30	650	30	0.03	20	3	9
L19N/19+50W		<10	2	0.10	60	0.71	1420	15	0.01	59	1420	80	0.10	71	6	23
L19N/20+00W		10	1	0.05	10	0.52	314	13	0.01	25	740	46	0.05	31	2	13
L19N/20+50W		10	1	0.05	10	0.25	398	6	0.01	11	620	42	0.04	27	1	10
L19N/21+00W		10	1	0.07	20	0.49	551	12	0.01	18	1600	40	0.08	22	2	18
L19N/21+50W		10	<1	0.08	10	0.47	576	8	0.01	17	1740	57	0.06	36	2	12
L19N/22+00W		10	<1	0.06	10	0.31	364	5	0.01	12	710	21	0.02	9	1	9
L19N/22+50W		10	1	0.06	40	0.48	4750	9	0.01	24	1060	43	0.04	11	2	37



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 28-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04064268

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L17N/18+00W		0.06	<10	<10	55	<10	61
L17N/18+50W		0.03	<10	<10	49	<10	55
L17N/19+00W		0.04	<10	<10	50	<10	56
L17N/19+50W		0.05	<10	<10	76	<10	111
L17N/20+00W		0.02	<10	<10	61	<10	99
L17N/20+50W		0.04	<10	<10	67	<10	148
L17N/21+00W		0.05	<10	<10	85	<10	74
L17N/21+50W		0.08	<10	<10	87	<10	69
L17N/22+00W		0.05	<10	<10	72	<10	409
L17N/22+50W		0.06	<10	<10	84	<10	298
L17N/23+00W		0.12	<10	<10	102	<10	59
L17N/23+50W		0.11	<10	<10	119	<10	267
L17N/24+00W		0.12	<10	<10	94	<10	176
L17N/24+50W		0.06	<10	<10	64	<10	104
L17N/25+00W		0.05	<10	<10	61	<10	213
L18N/18+00W		0.06	<10	<10	55	<10	84
L18N/18+50W		0.05	<10	<10	47	<10	79
L18N/19+00W		0.06	<10	<10	57	<10	263
L18N/19+50W		0.07	<10	<10	98	<10	70
L18N/20+00W		0.07	<10	<10	80	<10	57
L18N/20+50W		0.04	<10	<10	86	<10	88
L18N/21+00W		0.20	<10	<10	93	<10	278
L18N/21+50W		0.06	<10	<10	75	<10	160
L18N/22+00W		0.05	<10	<10	79	<10	487
L18N/22+50W		0.08	<10	<10	97	<10	102
L18N/23+00W		0.20	<10	<10	126	<10	85
L18N/23+50W		0.10	<10	<10	77	<10	45
L18N/24+00W		0.14	<10	<10	99	<10	50
L18N/24+50W		0.07	<10	<10	68	<10	79
L18N/25+00W		0.04	<10	<10	58	<10	44
L19N/18+00W		0.03	<10	<10	48	<10	122
L19N/18+50W		0.03	<10	<10	55	<10	152
L19N/19+00W		0.05	<10	<10	58	<10	122
L19N/19+50W		0.09	<10	<10	61	<10	519
L19N/20+00W		0.07	<10	<10	77	<10	182
L19N/20+50W		0.07	<10	<10	73	<10	148
L19N/21+00W		0.06	<10	<10	62	<10	211
L19N/21+50W		0.05	<10	<10	72	<10	109
L19N/22+00W		0.09	<10	<10	68	<10	83
L19N/22+50W		0.04	<10	<10	57	<10	265



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 28-SEP-2004
 Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04064268

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L19N/23+00W		0.36	0.018	0.4	1.18	115	<10	100	<0.5	<2	0.10	0.6	5	18	20	3.67
L19N/23+50W		0.32	<0.005	0.5	1.87	124	<10	80	<0.5	<2	0.02	<0.5	3	28	19	3.39
L19N/24+00W		0.30	<0.005	0.8	1.43	260	<10	140	<0.5	2	0.07	0.5	4	27	34	4.21
L19N/25+00W		0.28	0.006	1.6	1.70	216	<10	220	<0.5	<2	0.04	<0.5	2	31	55	5.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 28-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04064268

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
L19N/23+00W		10	2	0.06	10	0.39	262	4	0.01	5	570	18	0.02	11	2	7
L19N/23+50W		10	1	0.04	10	0.31	126	4	<0.01	8	370	16	0.02	8	4	4
L19N/24+00W		10	1	0.08	10	0.42	272	5	0.01	11	800	22	0.06	12	2	12
L19N/25+00W		10	1	0.07	10	0.34	179	4	0.01	11	1340	37	0.12	12	3	18



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 28-SEP-2004
Account: SHK

Project: Lust Dust

CERTIFICATE OF ANALYSIS VA04064268

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
L19N/23+00W		0.19	<10	<10	124	<10	62
L19N/23+50W		0.10	<10	<10	105	<10	56
L19N/24+00W		0.11	<10	<10	97	<10	57
L19N/25+00W		0.06	<10	<10	67	<10	51



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
410 DONALD ST
COQUITLAM BC V3K 3Z8

Page: 1
Finalized Date: 26-OCT-2004
Account: SHK

CERTIFICATE VA04070778

Project: Lustdust

P.O. No.:

This report is for 30 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

DARYL HANSON
RICK WHATLEY

JIM OLIVER
GEORGE WHATLEY

GEORGE WHATLEY

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ALPHA GOLD CORP.
ATTN: DARYL HANSON
16575 QUICK EAST ROAD
TELKWA BC V0J 2X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.
 410 DONALD ST
 COQUITLAM BC V3K 3Z8

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 26-OCT-2004
 Account: SHK

Project: Lustdust

CERTIFICATE OF ANALYSIS VA04070778

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L15N 18+00W		0.36	<0.005	0.7	1.25	151	<10	100	<0.5	<2	0.09	0.7	4	38	28	3.77
L15N 18+50W		0.32	<0.005	0.5	1.38	112	<10	110	<0.5	<2	0.10	0.5	6	33	38	3.07
L15N 19+00W		0.34	0.014	1.1	1.40	324	<10	90	<0.5	<2	0.11	1.0	8	39	55	4.64
L15N 19+50W		0.44	0.007	2.0	1.63	702	<10	220	<0.5	<2	0.06	1.0	6	30	69	5.71
L15N 20+00W		0.38	0.020	1.5	1.86	401	<10	140	<0.5	<2	0.06	0.8	5	29	49	4.48
L15N 20+50W		0.40	<0.005	1.1	1.92	258	<10	160	<0.5	<2	0.06	0.5	5	33	44	5.05
L15N 21+00W		0.48	<0.005	0.9	2.18	115	<10	260	0.6	2	0.13	0.7	21	27	80	5.29
L15N 21+50W		0.52	0.050	1.0	1.72	390	<10	160	<0.5	3	0.07	<0.5	5	22	42	4.28
L15N 22+00W		0.38	0.014	0.6	3.38	314	<10	270	0.8	2	0.02	<0.5	3	42	107	7.97
L15N 22+50W		0.58	0.015	0.8	2.33	321	<10	200	0.7	3	0.07	0.7	5	34	60	4.66
L15N 23+00W		0.58	0.018	1.5	2.17	271	<10	120	0.5	2	0.06	0.6	5	30	53	3.64
L15N 23+50W		0.56	0.016	0.8	2.49	278	<10	180	0.8	3	0.18	0.9	7	36	111	4.20
L15N 24+00W		0.52	0.015	1.5	2.01	207	<10	100	<0.5	4	0.11	<0.5	3	31	42	4.03
L15N 24+50W		0.58	0.028	3.2	2.65	474	<10	100	0.6	3	0.07	0.5	6	37	60	4.44
L15N 25+00W		0.54	0.269	3.5	3.18	210	<10	140	0.8	3	0.27	<0.5	8	40	270	5.06
L16N 18+00W		0.46	<0.005	0.6	1.24	71	<10	100	<0.5	<2	0.07	<0.5	4	28	31	2.52
L16N 18+50W		0.34	0.009	0.5	1.71	205	<10	210	<0.5	<2	0.08	0.7	7	35	56	3.54
L16N 19+00W		0.44	0.017	0.6	1.62	148	<10	60	<0.5	<2	0.11	<0.5	8	59	38	2.48
L16N 19+50W		0.38	0.019	1.3	1.45	221	<10	70	<0.5	<2	0.05	<0.5	3	24	26	2.31
L16N 20+00W		0.48	0.012	1.1	1.90	788	<10	180	<0.5	<2	0.03	<0.5	3	35	49	5.72
L16N 20+50W		0.52	0.020	0.8	1.80	674	<10	160	<0.5	<2	0.04	0.8	4	36	54	5.56
L16N 21+00W		0.38	0.021	1.8	2.49	346	<10	190	0.5	3	0.05	0.8	7	38	65	5.32
L16N 21+50W		0.54	0.029	0.5	3.20	431	<10	240	0.8	6	0.07	<0.5	4	45	81	6.46
L16N 22+00W		0.48	0.014	0.7	2.93	480	<10	170	<0.5	2	0.04	<0.5	3	42	62	6.02
L16N 22+50W		0.44	0.023	1.4	2.83	202	<10	100	0.5	2	0.06	0.8	7	38	79	4.03
L16N 23+00W		0.44	0.008	0.4	2.84	224	<10	100	0.5	<2	0.04	<0.5	5	43	63	5.12
L16N 23+50W		0.56	0.066	1.0	3.79	508	<10	350	0.8	7	0.03	<0.5	4	49	112	6.30
L16N 24+00W		0.40	0.014	1.8	3.14	299	<10	170	0.8	3	0.07	0.7	6	41	91	4.57
L16N 24+50W		0.48	0.137	2.5	3.48	266	<10	130	0.6	3	0.06	0.5	6	47	59	4.67
L16N 25+00W		0.32	0.065	2.3	2.60	218	<10	90	<0.5	6	0.14	<0.5	4	36	100	4.13



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.

410 DONALD ST

COQUITLAM BC V3K 3Z8

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 26-OCT-2004

Account: SHK

Project: Lustdust

CERTIFICATE OF ANALYSIS VA04070778

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
L15N 18+00W		10	1	0.04	10	0.30	253	4	<0.01	15	730	18	0.04	11	2	7
L15N 18+50W		<10	<1	0.05	10	0.56	298	4	<0.01	25	680	19	0.05	14	2	8
L15N 19+00W		<10	<1	0.05	10	0.47	482	5	<0.01	26	1400	35	0.02	22	1	9
L15N 19+50W		10	1	0.07	10	0.36	278	8	<0.01	20	880	81	0.07	52	2	13
L15N 20+00W		10	1	0.06	10	0.36	268	6	<0.01	19	1130	55	0.92	29	3	9
L15N 20+50W		10	<1	0.06	10	0.52	280	8	<0.01	24	660	31	0.12	22	3	8
L15N 21+00W		10	1	0.10	10	0.47	574	11	<0.01	29	1140	30	0.07	18	3	16
L15N 21+50W		10	<1	0.07	10	0.30	223	8	<0.01	16	570	40	0.03	29	3	10
L15N 22+00W		10	1	0.13	10	0.66	176	34	<0.01	14	1510	31	0.07	55	5	16
L15N 22+50W		10	1	0.11	10	0.45	186	9	<0.01	22	660	40	0.03	25	4	12
L15N 23+00W		10	<1	0.06	10	0.40	203	5	<0.01	22	770	24	0.04	13	3	8
L15N 23+50W		10	1	0.08	10	0.73	259	11	<0.01	48	530	24	0.09	17	5	17
L15N 24+00W		10	1	0.06	10	0.41	182	14	<0.01	16	470	20	0.02	13	3	7
L15N 24+50W		10	<1	0.08	10	0.53	198	6	<0.01	25	820	51	0.03	30	4	7
L15N 25+00W		10	<1	0.07	10	0.54	231	23	<0.01	25	1100	23	0.58	13	6	10
L16N 18+00W		10	<1	0.04	10	0.28	262	9	<0.01	13	940	12	0.33	6	2	6
L16N 18+50W		10	1	0.06	10	0.54	336	8	<0.01	31	440	42	0.05	26	3	11
L16N 19+00W		<10	1	0.03	10	0.57	323	3	<0.01	37	640	21	0.03	9	2	7
L16N 19+50W		10	<1	0.04	10	0.22	148	4	<0.01	10	840	31	0.01	20	2	6
L16N 20+00W		10	<1	0.07	10	0.40	186	9	<0.01	16	1250	175	0.07	96	3	15
L16N 20+50W		10	<1	0.07	10	0.46	234	10	<0.01	19	1890	125	0.06	98	3	10
L16N 21+00W		10	1	0.08	10	0.50	251	14	0.01	27	520	84	0.04	42	4	10
L16N 21+50W		10	<1	0.13	10	0.66	254	14	0.01	21	1540	116	0.10	58	5	16
L16N 22+00W		10	2	0.10	10	0.61	201	8	0.01	19	1160	64	0.07	31	4	11
L16N 22+50W		10	<1	0.07	10	0.60	239	8	0.01	30	490	36	0.04	15	4	8
L16N 23+00W		10	<1	0.07	10	0.61	218	7	0.01	26	870	29	0.04	16	5	7
L16N 23+50W		10	2	0.22	20	0.88	164	8	0.03	18	1200	66	0.23	33	8	33
L16N 24+00W		10	1	0.10	10	0.70	218	7	0.02	27	720	28	0.07	16	5	13
L16N 24+50W		10	<1	0.08	10	0.71	222	5	0.01	28	860	25	0.05	12	6	9
L16N 25+00W		10	1	0.07	10	0.43	181	24	0.01	19	730	19	0.04	12	4	7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: ALPHA GOLD CORP.

410 DONALD ST

COQUITLAM BC V3K 3Z8

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 26-OCT-2004

Account: SHK

Project: Lustdust

CERTIFICATE OF ANALYSIS VA04070778

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
L15N 18+00W		0.05	<10	<10	53	<10	71
L15N 18+50W		0.03	<10	<10	44	<10	84
L15N 19+00W		0.03	<10	<10	44	<10	125
L15N 19+50W		0.04	<10	<10	55	<10	127
L15N 20+00W		0.03	<10	<10	56	<10	112
L15N 20+50W		0.05	<10	<10	52	<10	131
L15N 21+00W		0.04	<10	<10	53	<10	306
L15N 21+50W		0.05	<10	<10	64	<10	121
L15N 22+00W		0.03	<10	<10	82	<10	59
L15N 22+50W		0.07	<10	<10	81	<10	161
L15N 23+00W		0.04	<10	<10	54	<10	143
L15N 23+50W		0.05	<10	<10	63	<10	487
L15N 24+00W		0.06	<10	<10	68	<10	69
L15N 24+50W		0.06	<10	<10	63	<10	128
L15N 25+00W		0.06	<10	<10	76	<10	137
L16N 18+00W		0.03	<10	<10	43	<10	58
L16N 18+50W		0.04	<10	<10	48	<10	161
L16N 19+00W		0.03	<10	<10	29	<10	77
L16N 19+50W		0.03	<10	<10	42	<10	66
L16N 20+00W		0.03	<10	<10	66	<10	102
L16N 20+50W		0.04	<10	<10	58	<10	115
L16N 21+00W		0.07	<10	<10	68	<10	116
L16N 21+50W		0.05	<10	<10	66	<10	106
L16N 22+00W		0.06	<10	<10	80	<10	81
L16N 22+50W		0.05	<10	<10	61	<10	189
L16N 23+00W		0.07	<10	<10	82	<10	118
L16N 23+50W		0.09	<10	<10	103	<10	124
L16N 24+00W		0.06	<10	<10	77	<10	154
L16N 24+50W		0.07	<10	<10	81	<10	160
L16N 25+00W		0.05	<10	<10	72	<10	73