

GEOCHEMICAL ASSESSMENT REPORT

on the

DARDANELLES GOLD PROPERTY

**22 Km East of Terrace, B. C.
NTS Location at 1:50,000 Scale NAD 27 Base
103 I 8**

and

**NTS location using NAD 83 Base on 1:20,000 Scale Trim maps
103 I 050**

**Latitude 54 degrees 28' N
Longitude 128 degrees 16' E**

CLAIMS

**Dar 1 to 13 Mineral Claims
Record Numbers
398659 – 398666, and 413791 – 413795
Omineca Mining Division
Work Permit MX – 1 - 638**

Claim Owners

**W. H. McRae, and J. Georgilas
J. B. Exploration Ltd.
4553 Greig Avenue
Terrace B. C. V8G 1M7**

Operator

**Trade Winds Ventures Ltd.
Suite 302, 1620 West 8 Avenue
Vancouver, B. C. V6J 1V4
Telephone: (604) 675-7637**

Consultant and Author

**Alex Burton, P. Eng., P. Geo.
Burton Consulting Inc.
1408 Seventh Avenue
New Westminster, B. C. V3M 2K3
Telephone: (604) 525-8403**

FEBRUARY 23, 2005

TABLE OF CONTENTS

	<u>PAGE</u>
Introduction	2
Property Definition	3
Claims on Which Work Was Done	4
Summary of Work Done	6
Preparatory Work	6
Geochemical Soil Survey (Including Grid Line)	6
Discussion of Results	8
Conclusions	11
Recommendations	12
Cost Statement	13
Author's Qualifications	14

Maps:

Location Map (after Introduction)
 Access Map (after Location Map)
 Map 1 - Geochemical Soil Survey 1:1000 – (In Pocket)
 Map 2 - Geochemical Soil Survey 1:1000 – (In Pocket)

Appendix:

Cost Statement Invoice XLS \$11trdwnds.

ALS Chemex Certificate VA 04078982
 ALS Chemex Certificate VA 04078983
 ALS Chemex Certificate VA 04078985

INTRODUCTION

The Dardanelles Gold Property is 22 Km east of Terrace, B. C. on the north side of the Zymoetz (Copper) River. The property is on the east flank of the Coast Range Mountains adjacent to the Hazelton Mountains (sometimes known as the Bulkley Mountains), along the eastern edge of the Coast Range batholithic intrusive rocks. Along the edge of the batholithic and intruded rocks the topography is mountainous with a well developed system of major and tributary rivers with significant modifications to their character by the processes of glaciation and especially deglaciation.

From the Terrace area west there are two major valleys, one leading SW to Kitimat, and the other west to Prince Rupert. The Zymoetz (Copper) River runs from its headwaters first south, then west to join in to the south side of the Skeena River system. During glaciation certain streams were diverted at their higher elevations. But during deglaciation, major valleys were dammed by glacial ice and debris which formed lakes. The Zymoetz was one of these and it had a series of gravel beaches deposited along the slopes of the Dardanelles Property at successively lower elevation benches or beaches. It is these benches on the property that mask the underlying bedrock and dyke with its associated veins making soil geochemistry difficult.

Access to the claims can be by helicopter from the available services at Terrace. There is a landing site at the portal and another landing site cleared out on a bench about half way up the length of the vein trace, which was made as an emergency First Aid landing site.

The claims have sometimes been accessed by road from the south side of the Copper River using a boat to cross the river and then walking up the trail to the portal.

The most common access is by road. Driving east from Terrace cross the Copper River bridge, then turn right at the next road to the south and follow it to near Km.11 where a side track takes off to the right or west to join up with the BC Hydro power line road. Follow the steep and rough power line road to the lower bench where it crosses the second half of the original mining road built by Fred Wells in the 1930's.

Wells' road started from the main highway and follows a low bench along the north side of the Copper River to the portal. The first portion has a half dozen bridges that are rotted away so the rougher hydro road must be used instead. If production is envisioned, then the old mining road could be cleared out and the bridges rebuilt giving a much better access route to the portal. It would have minimum snow fall in the winter and be easier to maintain. One bridge on the second half of the road was replaced to give access to the portal. The tracks or roads on the claims were brushed out of second growth trees and shrubs to allow the use of ATV's to move crews beyond the adit portal for over 600 metres along the vein strike trace.

The claims are shown on a regional map, and on a detailed local map showing the various roads.



Yukon

N. W. T.

Alaska, U.S.A

BRITISH COLUMBIA

Alberta

FORT ST. JOHN

TRADE WINDS VENTURES INC.
DARDENELLES PROJECT

TERRACE

PRINCE RUPERT

PRINCE GEORGE

Alberta

Pacific Ocean

WHISTLER

KAMLOOPS

VANCOUVER

KALOWNA


CRANBROOK

PENTICTON

VICTORIA

USA

BURTON CONSULTING INC.	
TRADE WINDS VENTURES INC.	
DARDENELLES PROJECT	
LOCATION MAP	
Author: Alex Burton	
Drawing: TerraCAD	Date: December, 2004



PROPERTY DEFINITION

In the early 1920's the Copper River valley in this area was completely burned in a serious forest fire. Prospectors took advantage of the clear openings and more visible outcrops and discovered the Dardenelles veins and aplite dyke as well as other properties in the district. Since that time the trees have grown back to be nearly mature enough that they could be logged. Under the trees there is considerable underbrush and a very thick layer of moss and lichen covering the surface, which makes travel difficult and identification of outcrops difficult. Had this area not been burned it is unlikely the veins would have been discovered.

Fred Wells, who become famous developing gold mines in the Cariboo developed the property. He built the 14 mile access road and drove the 560 metre adit along the vein strike. He installed a dam and pipeline bringing water to the Pelton Wheel power plant next to the adit. This provided electric power for the machinery and air compressor. The adit was properly laid out to follow along the strike trace of the veins, but soon was no longer in the veins. A series of unexpected cross cutting faults had offset the veins just enough so that the adit was parallel to, but missed the veins.

After Well's death a series of operators explored the property, but it was not until 1988 that Univex Mining Corporation hired Burton Consulting Inc. that the adit was reported and then washed so it could be mapped. The mapping discovered the offset of the veins by the series of cross faults. Univex was sold as a shell company and the property went into limbo. In 2004 owners Bill McRae and John Georgilas optioned the claims to Trade Winds Ventures Inc., who hired Burton Consulting Inc. to explore the claims.

The 1988 geochemical trial survey showed that it was a valid exploration technique on this project. The 2004 program was laid out to do a soil geochemical survey along the strike trace of the vein system to see if the vein could be traced through the deglaciation gravel benches covering the claims. As part of the non-mechanical exploration permit from the provincial government one rotted bridge on the access road was replaced through a BC Forestry permit, and the portal set and doors to the adit had to be replaced. In addition, trees and shrubs were cleared from the road and claim trails to give access for the soil sample crews. During the course of running the soil sampling picket lines it became obvious that there indeed was fault offsets to the trace of the veins/dyke system. The trace of the dyke/vein system is shown on the inset to the geochemical maps.

The intrusive rocks are generally considered to be Late Cretaceous to Early Tertiary in age and to have been intruded from 80 to 30 million years ago, They are composed of granite, quartz monzonite, and lesser granodiorite. East of the intrusives are the predominately volcanic rocks of the earlier Lower and Middle Jurassic Hazelton Series.

On the claims a N 070 trending aplite dyke occurs in a shear in the intrusive country rock. The dyke is a few to five metres wide and dips about 80 N. Gold bearing quartz veins occur along both the footwall and hangingwall side of the aplite dyke. Gold and silver

with lesser values of copper, lead and zinc are the potential economic elements in the veins. Gold assays range from trace to over an ounce per ton.

Accurate measurements of the length and depth and grade of oreshoots have not yet been ascertained. The vein/dyke system has been traced for over 2,000 metres along strike and plus 400 metres in elevation. Anecdotal information states that the dyke/vein system continues at least another 500 metres to the east. To the west below the adit portal the ground is covered with overburden. Where exposed the hangingwall vein appears to be continuous, ranging from one to three metres in width. The footwall vein is similar, but may be missing or thin in a few places along strike. There are smaller discontinuous veins in the granitic country rock not associated with the aplite dyke. Only one aplite dyke is known for sure, but there have been discoveries of aplite float off the strike trace of the dyke, and soil geochemical anomalies are also off strike. The past references to other quartz veins may equally relate to fault offset portions or to other parallel aplite/vein systems.

The ground is solid and stable, the veins are near vertical and wide enough to be mined economically with gravity drop to a main haulage level that already is 560 metres long. It seems reasonable to explore to outline the portions of the veins that are high enough grade to be profitably mined. No camp would be required as the portal would be less than an hour drive from Terrace on a road route that could easily be maintained in the winter. There is unlikely to be any deleterious or strongly acidic substances in the ore to be an environmental concern. There is room enough below the portal elevation to build a mill and space enough on one of the lower benches for tailings. The plant is near the B. C. Hydro power line, and from past example enough electricity might be generated from the local creeks to power the operation.

With careful interpretation the geochemical soil results are useful in outlining areas to explore. For the next stage of exploration the claims should be tested with excavator trenching of the veins, then diamond drilled on the identified oreshoots.

CLAIMS ON WHICH WORK WAS DONE

Work on the Dardanelles Property was done on the following mineral claims:

<u>Name</u>	<u>Tenure No.</u>
Dar 8	398666
Dar 6	398664
Dar 4	398662
Dar 2	398660
Dar 10.	413792

Work was applied to the grouped claims Dar 1-13 for a total of \$17,900.00.

The new expiry date of the claims is now August 31, 2014 for the Dar 9 - 13, and December 2, 2014 for the Dar 1 - 8.

A Special Use Permit issued by the Forestry was used for the bridge replacement on the road. The work permit issued by the Ministry of Mines is MX -1 - 638. It was issued to the optioner of the claims, Trade Winds Ventures Inc.

SUMMARY OF WORK DONE

Preparatory Work

Preparatory work done before the geochemical soil survey could be started included brushing out the road to and on the claims and replacing a rotten bridge. The Mines Branch required the replacement of the adit portal set and rebuilding the lockable adit doors. Plugged up ditches were re-established to direct run off water away from the road or entering drainages. This preparation allowed driving the crew in four wheel drive vehicles to the adit portal then carry crews and equipment to the work sites using ATV's.

A Number Two Industrial First Aid kit with stretcher and auxiliary equipment such as radios was kept at the adit portal. In addition First Aid Helicopter landing sites were brushed out at the portal and part way along the grid line / road system at the best available landing site.

Geochemical Soil Survey (Including Grid Line)

Work on the geochemical survey was directed and supervised in the field on a daily basis by the author, Alex Burton, P. Eng., P. Geo., and founding member of the Association of Exploration Geochemists (now called Association of Applied Geochemists).

Two base lines and cross grids were run, the First Base Line and then further east the Second Base Line. The First Base Line, nearly 700 metres long at a bearing of 070 is plotted on Map 1. The Second Base Line was run at an azimuth of 080 and plotted on Map 2. Base Lines were compassed, cut, hip chained, flagged, and picketed at 25 metre intervals. Cross lines were picketed at 10 metre intervals. Pickets were one by two inch cedar lumber four feet long with the station numbers written with felt tip pen on flagging tape tied to the picket, and also written with ball point pen on "butter soft" aluminum tags industrially stapled to the top part of the picket. Flagging tape was used along the cut out base line at intervals so that there was a continuous line of sight along the line so that a person walking across the line would not miss it. Flame orange coloured flagging tape was used for the grid lines. Yellow flagging was reserved for identifying vein or aplite dyke outcrops or man made pits or trenches. Distances were taken with metric hip chains and slope angles measured so adjustments could be made to ensure that the stations were measured horizontal distances apart.

When the first base line was being run horizontal distances were checked against the EDM (Electronic Distance Measuring) transit survey done for Burton Consulting Inc. by a local registered land surveyor in 1988. At plus 600 metres horizontal distance according to the EDM transit survey the hip chain grid horizontal distances were out by nearly 3%. Adjustments to the plotted position of the grid stations were made with the assumption that the accuracy of the EDM survey was greater than the compass/hip chain survey. The grid locations are plotted to show this reconciliation.

Cross lines were run from the first base line at 25 metre intervals to the south of the base line for 100 metre with stations every ten metres. The starting point of the first base line was EDM survey point H2, just above the portal on a promontory marked with a rebar iron post, which was designated as 10+00 East and 10+00 North. The cross lines were likewise run with compass and hip chain with slope corrections for true horizontal distance between stations. Stations and lines on the cross lines were identified in the same manner as on the first base line. Cross lines extended from 10+00N to 9+00N.

In 1988 Burton Consulting Inc. ran a test geochemical soil grid at the end of the bulldozer road. This was at the last vein trench about 1,600 metres east of the adit portal. This area coincides with the end of the first base line. The 1988 test area was 100 metres along strike over the last known vein exposure and extended another 100 metres east along the strike trace to test for anomalies along strike in unexplored areas. This test survey showed that soil geochemistry had a definite value in outlining known mineralization and finding new mineralization as well as finding fault offsets to the vein system.

The 1988 base line for the geochemical test survey was found (in 2004) to have been used for a claim staking line and chain sawn out to make a good base line / walking trail. This line ran at 080 so the First Base Line survey grid was terminated at 16+00 East and the 1988 base line/claim staking line was used as a base line for the Second, or eastern geochemical soil grid. Our 2004 Second or Eastern Soil Survey Grid started at 0+00E and extended to 12+00 E. The Second Base Line was called 0+00N or 0+00S and cross lines starting at 2+00E to 12+00E. These were run at 25 metre intervals from the base line to 1+00N and to 1+00S and soil sampled at 10 metre intervals. The different numbering system was deliberately used to avoid having the same numbers apply to different grids.

A total of 10,700 metres of line were cleared enough for travel, blazed, flagged, compassed and hip chained with horizontal distances used, then picketed and labeled. Base lines were picketed at 25 metre intervals, and cross lines at 10 metre intervals.

The surface of the claims is covered with typical coast forest second growth trees with considerable underbrush present. The ground surface is covered with a layer of lichen and moss to as much as 1/3 metre depth. The first soil under the organic layer is usually a highly leached "A zero" layer a few centimeters thick. Under the "A zero" layer there is often an "A1" or "A2" soil layer. Normally there is no development of a "B" or "C" soil layer. Sometimes the "A" zone lies directly on fresh granitic bedrock or occasionally as aplite dyke either as outcrop or talus blocks.

In most cases the only soil available for sampling was the "A1" zone material. "A zero" horizon was present, but not sampled. Often several holes had to be dug with a Pulaski hoe in order to get enough material to fill the standard Kraft soil sample bags. Sample depth was below the moss and "A zero" horizon at the "A1" layer. Some sample depths approached 30 cm, but many required a couple of holes to obtain enough of the correct soil type. No "B" soil horizon material was found at any site. For practical purposes no "C" horizon soil was found. At some stations no sample could be obtained where the moss was over talus rock or the station was on solid rock outcrop. Stations on the map

with no sample results are generally on these kind of sites. No stations were purposely left unsampled. Organics and coarser pebbles were removed before the soil samples were placed in the sample envelopes.

After field drying and shipping to ALS Chemex Laboratory in North Vancouver the samples were dried, and sieved to minus 2 mm. The minus 2mm portion was pulverized to 85% <75um and a 30 gram portion analyzed. This method of preparation ensures that any coarse gold particles greater than the standard 80 mesh in size are not thrown out in the screening process. They are pulverized to homogenously distribute the gold through the soil sample so that any 30 gram portion can be replicated with another 30 gram portion. Analytical procedures by ALS Chemex were ME-ICP41, which is a 34 element Aqua Regia ICP-AES and Au-AA23 which is Au 30g FA-AA finish.

A total of 781 soil samples were analysed for 35 elements for a total of 27,335 determinations. This total does not include the 1988 samples which are plotted on Map 1.

DISCUSSION OF RESULTS

Five elements (gold, silver, copper, lead, and zinc) were plotted for each station on the two maps prepared. Samples were taken from the following geomorphic terrains, rock outcrop areas, from dyke/vein outcrop areas, from delta/lake gravels, and from delta/lake gravels downslope from blasted vein outcrops.

Background soil values for gold are <5 and 5 ppb. Adjacent to exposed quartz veins alongside the aplite dyke the gold soil values range from 10 to over 100 ppb. Downslope from vein outcrops gold values range from 7 ppb to a few tens of ppb and are thought to represent vein material shed downhill in the portion of the veins where there are old workings. Within the section of old workings, but upslope from the known and postulated surface trace of the veins, high gold soil values are more erratic and range from 10 to 57 ppb. These higher gold soil values occur as indeterminate clusters on lines 11+25 E to 11+50 E and from 13+75 E to 15+50 E. These anomalous clusters are upslope off strike from the known dyke/vein unit and need to be explored.

On the Eastern grid past any known old workings and upslope above the vein / aplite dyke trace from 8+00 E to the last full line sampled 10+50 E there are scattered anomalous gold values. These values range from 7 to 42 ppb gold. Downslope from the vein/aplite dyke trace there are scattered anomalous gold values from 2+00 E to 4+00 E at 7 to 199 ppb gold and from 7+50 E to 9+50 E at 7 to 35 ppb gold.

The upslope anomalous gold values are in the same range as gold anomalies developed from the known vein system. These should be explored. There is anecdotal information that there may be other sub parallel gold veins which may actually be fault offset portions of the main aplite dyke/vein system.

Other elements analyzed but not plotted were: Al, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Fe, Ga, Hg, K, La, Mg, Mn, Mo, Na, Ni, P, S, Sb, Sc, Sr, Ti, Tl, U, V and W. Where there are higher anomalous soil values for three of the five plotted elements (Au, Ag, Cu, Pb, Zn) there may be individual highs associated for such elements as As, Ba, Cd, Fe, Mn, Mo, Ni, P, Sb and Sr.

Map 1 prepared at a scale of 1:1000 covered the western portion of the property over the known adit trace, the roads, trenches, workings and 2004 soil sampling grid. The eastern edge of this map includes the 1988 soil sampling results. The eastern (Map 2) overlaps the western map and shows the 2004 soil sampling grid which extends another kilometer east along the surface trace of the vein/aplite system.

In a few cases where the site is directly above mineralized vein, there is rusty soil developed from the weathering of vein sulphides. It is at these sites where the soil sample metal values are the highest.

In the great majority of soil sample sites the surficial material is transported deglaciation lake gravel beach bench material. Normally the metal value at such sites is low regardless of the presence of an underlying bedrock vein.

If a soil sample site is on a bench, which is just below a steep bench foreset slope which has vein outcrop exposed, then there may be an erratic high metal value in an individual soil sample. These erratic values can occur as much as 30 to 50 metres downslope from the mineralized outcrop. In the area of these anomalies significant aplite surface float was seen. There is about five times as much aplite by volume as quartz vein and the aplite weathers into larger pieces so that it is much easier to trace the mineralizing system through aplite float rather than the vein quartz float.

It is postulated that the high gold values near the south ends of lines 10+50E, 11+00E, 11+25E (Map 1) represent surface transport of known vein mineralization either rolled or blasted down hill from surface workings. Alternatively this area may represent a fault offset portion of the aplite dyke/veins system. Anomalous gold soil values in this area range from 7 to 42 ppb Au. Further exploration in this area is justified. Aplite float is associated with these anomalous areas.

The 1988 geochemical soil survey showed an anomalous area over the known vein system and further east another anomalous area that was off strike apparently offset by a fault. Some of the values in the 2004 survey may also represent faulted portions of the vein system.

On the Eastern grid (Map 2) there are also anomalies south of the base line downslope from known aplite/vein outcrop traces. These gold soil anomalies range from 7 to 199 ppb Au between 2+00 E and 4+00 E downslope from the base line. Further east between 7+50 E and 9+50 E gold soil anomalies range from 7 to 35 ppb Au. Surface aplite float is found in these anomalous areas.

On the Eastern Soil Grid (Map 2) on the north side of the base line, there is a significantly different anomalous area on the west end (2+00 E to 4+00 E) from the two anomalous areas on the east end (from 7+00 E to 8+00 E and 9+00 E to 10+25 E).

This western soil anomaly (2+00E to 4+00E) is unique over a larger area and is more diffuse. It may represent a change in bedrock composition rather than specific mineralization. It has normal gold soil values and elevated rather than strongly anomalous zinc, silver, and copper values. Preliminary investigations in the field during sample collection suggest there may be a change to slightly more basic intrusive composition and the presence of a number of basic dykes.

The middle portion between 7+00 E and 8+00 E (Map 2) on the north side of the base line has similar characteristics to the west end unique or anomalous area. Pending more field mapping no comments can be made with certainty on the cause of this anomaly. It has elevated zinc values, some elevated copper values, one anomalous gold value and one anomalous silver value.

The eastern anomaly, north of the base line between 9+00 E and 10+25 E (Map 2) is more conventionally anomalous. There are elevated anomalous values for gold, silver, zinc, copper and lead similar to anomalies typical over known vein outcrops on the western map area. A few pieces of aplite float were collected by the crew during soil sampling on Line 10+25 E at 1+50 N. These pieces of aplite were upslope from the postulated surface strike trace of the aplite / vein system. More aplite was found along the base line. It is not known whether the aplite pieces seen are detached, but not moved from aplite outcrop, or whether they are downslope migration from uphill sub-crop of the aplite/ vein system. If further exploration proves there is outcrop of the aplite / vein system along the base line, then there may be a second aplite vein system or a faulted section plus 100 metres upslope from the base line.

A second aplite/vein system has been postulated by previous workers, but never confirmed. Sometimes fault offset portions of the system have been mistaken for a pair of systems. The known aplite/vein system has a surface trace roughly along the eastern base line, and has been found in outcrop at 11+30 E / 0+15 N. A long traverse by two of the sampling crew followed the cut out base line further east for over half a kilometer and found aplite float for most of that distance. The aplite/vein system has been traced from the adit portal east 1.5 Km to Line 11+30 E. The intrusive body extends for 3.5 Km. further east from 10+00 E for a maximum potential strike length of the aplite/vein system in the intrusive for 5.0 Km.

CONCLUSIONS

Where there is outcrop of the dyke/vein system soil geochemistry works well. It is thought that the elevated metal values in the soil surrounding the vein outcrops represents weathering and shedding of exposed vein material, mostly from man made blasting on to the surface of the deglaciation gravels.

Where deglaciation gravels totally cover the aplite/vein trace there are no anomalous values in the soil.

There are spot or single anomalies downslope from vein outcrops most likely caused by blasting of vein outcrops.

On Map 1 there is a correlation of the fault offsets of the dyke/vein system with the anomalies in the areas of vein outcrop and an implied correlation in more covered areas.

On Map 2 there is a correlation between postulated different composition rock types and elevated soil geochemistry. There are anomalous values along and downslope from the known and postulated trace of the dyke/vein system.

Soil geochemistry must be considered in relation to the deglaciation beach gravels, the outcrop trace of the dyke/vein system, the alternating bench and foreset slope shape of the property and the outcrop ridges.

RECOMMENDATIONS

Soil geochemistry will be a useful tool for continued along strike tracing of the dyke/vein system beyond the end of the old surface trenching. The soil results need to be related to the topography. There may be less and fewer deglaciation deposits of gravel found along the strike trace of the dyke/vein system as the surface trace moves further uphill and gets above the elevation of the deposition of the deglaciation gravels. Prospecting and geological plus geomorphology mapping should be done in conjunction with the soil survey.

AUTHOR'S QUALIFICATIONS

The author, Alex Burton, P. Eng., P. Geo., is a Consulting Geologist and President of Burton Consulting Inc.

I am a graduate of the University of British Columbia in Geology 1954. I am registered as a Professional Engineer and Geoscientist with the Association of Professional Engineers of BC, #6262.

I am a founding Member of the Association of Exploration Geochemists (now called Association of Applied Geochemists.) I am a life member of the CIMM, and of AGID.

I supervised the work on the Dardanelles property in 1988 through several visits. In 2004 I supervised the work on the Dardanelles property on a daily basis.

I have over fifty years of mining exploration experience.

Alex Burton, P. Eng., P. Geo.
Consulting Geologist

February 23, 2005

Email: aburton@shaw.ca

Tel/Fax: (604)525-8403

File: Trdwnds\darassrpt.doc

Burton Consulting Inc.

1408 - 7 Avenue
 New Westminster, B. C.
 V3M 2K3
 Tel/Fax 604 525 8403
 email: aburton@shaw.ca

Tradewinds Ventures Inc.
 Suite 100, 1220 Eastview Road
 North Vancouver, B.C.
 V7J 1L6
 Tel 604 742 2522
 Fax 604 736 5004
 Invoice \$11trwnds

Modified Invoice Feb 2005

DATE	ITEM	GST	TOTAL PRICE
Oct-04	Telephone charges Sept 29	0.00	1.67
Oct-04	Neville Crosby	10.28	168.13
Oct-05	Hope, Brkfst	0.75	12.52
Oct-05	Cache Crk, gas	2.51	38.81
Oct-05	Cache Crk, snack	0.00	3.99
Oct-05	Wm Lake, gas	2.36	37.17
Oct-05	Quesnel, dinner	1.47	24.41
Oct-05	Quesnel, motel	3.78	62.10
Oct-06	Quesnel, breakfast	0.48	8.40
Oct-06	Hixon, gas	2.09	31.89
Oct-06	Vanderhoof, gas	2.12	32.35
Oct-06	Houston, gas	2.72	41.62
Oct-06	Smithers, lunch	0.34	6.20
Oct-06	New Hazelton, gas	1.69	25.90
Oct-08	Terrace, gas	2.02	42.10
Oct-09	Terrace, gas	1.74	26.88
Oct-09	Field Supplies	2.10	37.06
Oct-10	Breakfasts (3)	1.53	26.45
Oct-11	Terrace, gas	2.70	41.29
Oct-11	Terrace, 2 breakfasts	1.33	22.38
Oct-11	Terrace, dinner	1.08	16.53
Oct-11	Snack	0.17	2.57
Oct-12	Deakin's, field supplies	17.78	265.83
Oct-12	Skeena, field supplies	2.66	43.48
Oct-12	Lunch, 2	1.24	19.90
Oct-12	Save on Foods		33.97
Oct-13	Field supplies	0.39	5.89
Oct-13	Dinner, no receipt	1.23	20.82
Oct-14	Terrace, gas	4.19	64.39
Oct-14	Terrace, Greyhound shipping	1.62	24.80
Oct-14	Dinner	1.92	32.30
Oct-15	Dinner	3.94	31.58

Oct-15	Terrace, Safeway	0.70	10.68
Oct-16	Petro can, supplies	0.57	8.72
Oct-16	Dinner	1.32	22.24
Oct-16	Gas	2.09	32.02
Oct-16	Field Supplies	2.20	35.92
Oct-17	Breakfast, 2	1.30	21.81
Oct-18	Ind Industrial	6.85	107.54
Oct-18	Office Supplies	5.63	92.06
Oct-18	Gas	1.99	30.44
Oct-18	Industrial Supply	3.48	27.53
Oct-19	Gas	2.24	34.29
Oct-19	Minute Muffler	12.33	188.39
Oct-19	Gas	0.99	15.03
Oct-21	Gas	2.67	40.78
Oct-22	Field equipment	3.71	60.39
Oct-22	Padlocks	2.23	36.36
Oct-22	Safeway	0.09	7.10
Oct-22	Deakin Eqpt, soil bags	17.50	285.00
Oct-23	Safeway	0.15	9.34
Oct-23	Dinner	1.27	21.48
Oct-23	Field Equipment	2.03	33.03
Oct-23	Gas	2.01	30.78
Oct-23	Breakfast	1.33	22.39
Oct-24	Breakfast	0.89	14.66
Oct-24	Gas	4.51	68.88
Oct-24	Gas	2.87	43.88
Oct-24	Dinner, no receipt	1.50	26.00
Oct-25	Shipping	1.79	27.40
Oct-25	Thread	4.33	34.21
Oct-25	Bulb	0.06	1.04
Oct-25	Magnetometer battery repair	2.45	39.90
Oct-25	Dinner	3.69	60.43
Oct-26	Field Books	7.41	120.86
Oct-27	Gas	8.66	133.28
Oct-27	Lunch, 2	0.43	6.61
Oct-28	Safeway	1.61	24.58
Oct-28	Dinner	0.89	15.67
Oct-29	Speedy Supplies, scales	1.14	18.56
Oct-29	Lunch, 2	0.50	7.68
Oct-30	Breakfast	1.12	18.14
Oct-30	Gas	3.32	50.68
Oct-30	Rental vehicle	70.43	1,110.29
Oct-30	Safeway	0.35	5.34
Oct-31	Terrace Hotel, Oct 6-31	114.90	2,595.61
Oct-31	Smithers, gas	1.71	26.24
Oct-31	Burns lake, gas	1.72	26.25
Oct-31	Super Value	0.12	1.81
Oct-31	Prince george, gas	2.52	38.52
Oct-31	Prince george, oil	0.07	1.06
Oct-31	Wms. Lake, gas	3.04	46.39
Oct-31	Breakfast	0.57	9.80
Oct-31	Lunch	0.42	7.50

Oct-31	Dinner	1.24	21.00
Nov-01	Gas	6.13	148.36
Nov-04	Telephone	10.66	162.90
Nov-05	Breakfast	0.70	12.00
Nov-05	Mt. Lehman, Gas	14.20	59.32
Nov-05	Lunch	0.48	7.35
Nov-07	Photos	2.70	43.25
Nov-09	Chain saw repairs	2.15	34.96
Nov-09	Trailer ball hitch	0.63	10.25
Nov-09	Truck & ATV's washed		10.00
Nov-16	Gas	1.16	17.78
Nov-20	CD of photos	2.12	32.42
Nov	Truck repairs	5.65	261.98
	SUB TOTAL	\$443.75	\$7,829.54

BURTON CONSULTING			
DATE	ITEMS	GST	TOTAL PRICE
Dec-01	FMC for Georgilis, No GST	0.00	25.00
Dec-01	Filing Assessment on Dar 1-13, No GST	0.00	980.00
	Fees, A Burton, Oct 4-31, Nov 5-7, 30 is 32 days @ \$450	1,008.00	15,408.00
	4X4 vehicle, Oct4-31, Nov5-7,30 @ \$50	112.00	1,712.00
	4X4 vhicle, 4593.5 Km @ \$0.20/Km. Oct 4 - Nov 7	64.31	983.01
	Two King Quad ATV's @2X\$150 for first day Oct 4	21.00	321.00
	Two King Quad ATV's @2X\$55 for 30 days	231.00	3,531.00
	Trailer for ATV's for one month	17.50	267.50
	Chainsaws and hand tools @ \$100/week for 4 weeks	28.00	428.00
	Magnetometer, 3 days @ \$25/day	5.25	80.25
	GPS, Trimble Ensign @ \$100/week	14.00	214.00
	GPS, Trimble Geo Explorer, @ \$250/week	35.00	535.00
	Field Expendibles	7.00	107.00
	SUB TOTAL	\$1,543.06	\$24,591.76

DATE	CONTRACTOR ITEMS	GST	TOTAL PRICE
Oct-13	Bill McRae, expenses	0.00	3,488.75
Oct-13	Mohinder Takhar	0.00	650.00
Oct-13	D J McKay Ent. Ltd.	1,375.12	21,019.67
Oct-20	D J McKay Ent. Ltd.	826.27	12,630.11
Oct-25	Bill Mcrae, expenses	38.89	678.04
Nov-03	D J McKay Ent. Ltd.	1,146.50	17,525.02
Nov-10	Wm Foote	0.00	750.00
Nov-19	D J McKay Ent. Ltd.	117.16	1,790.72
Nov-20	ALS Chemex#1152965	461.44	7,053.49
Nov-20	ALS Chemex#1152964	465.34	7,113.04
Nov-20	ALS Chemex #1152991	477.50	7,300.50
Nov-24	Bill mcRae, Oct mngmnt	0.00	750.00
Nov-24	Bill McRae, Nov mngmnt	0.00	750.00
Nov-24	Bill McRae, Dec mngmnt	0.00	750.00
Nov-24	J Georgilis, Oct expediting	0.00	750.00
Nov-24	J Georgilis, Nov expediting	0.00	750.00
Nov-24	J Georgilis Dec expediting	0.00	750.00
Dec-08	R Chinn Grid stakes	0.00	120.00
	SUB TOTAL	\$4,908.22	\$84,619.34
	TOTAL	\$6,895.03	\$117,040.64

SAMPLE	Eastings	Northings	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10+00E-9+00N	1000	900	0.01	0.3	1.97 <2	<10	80 <0.5	<2	0.22 <0.5	8	25	28	3.55	10 <1	0.06 <10	0.6	480 <1	0.02	9	860	12 <0.01	<2	4	22	0.07 <10	<10	89 <10	80									
10+00E-9+10N	1000	910	<0.005	0.2	1.72	3 <10	70 <0.5	<2	0.31 <0.5	9	42	23	4.12	10 <1	0.09 <10	0.76	577 <1	0.03	13	1010	9 <0.01	<2	5	27	0.13 <10	<10	102 <10	69									
10+00E-9+20N	1000	920	<0.005	<0.2	1.8	2 <10	80 <0.5	<2	0.42 <0.5	13	30	25	3.89	10 <1	0.07 <10	0.96	707 <1	0.03	16	980	7 <0.01	<2	6	28	0.13 <10	<10	89 <10	88									
10+00E-9+30N	1000	930	<0.005	0.3	1.55 <2	<10	60 <0.5	<2	0.23 <0.5	5	39	13	3.1	10 <1	0.06 <10	0.37	548	1	0.02	5	540	8 <0.01	<2	4	24	0.07 <10	<10	85 <10	50								
10+00E-9+40N	1000	940	<0.005	<0.2	1.76	2 <10	70 <0.5	<2	0.26 <0.5	11	23	21	4.02	10 <1	0.07 <10	0.77	970 <1	0.02	8	1260	10 <0.01	<2	4	20	0.08 <10	<10	88 <10	121									
10+00E-9+50N	1000	950	0.007	<0.2	1.81	3 <10	70 <0.5	<2	0.37 <0.5	10	33	24	4.12	10 <1	0.07 <10	0.81	730 <1	0.02	13	1050	8 <0.01	<2	5	27	0.12 <10	<10	100 <10	77									
10+00E-9+60N	1000	960	<0.005	0.3	1.66 <2	<10	110 <0.5	<2	0.2 <0.5	12	23	19	3.55	10 <1	0.06 <10	0.54	3050	1	0.02	6	980	11 <0.01	<2	4	21	0.06 <10	<10	81 <10	94								
10+00E-9+70N	1000	970	<0.005	0.4	1.75	2 <10	110 <0.5	<2	0.22 <0.5	8	41	15	3.38	10 <1	0.06 <10	0.47	788	2	0.02	6	350	8 <0.01	<2	4	22	0.06 <10	<10	86 <10	89								
10+00E-9+80N	1000	980	0.015	0.2	2.18 <2	<10	150 <0.5	<2	0.26 <0.5	10	23	46	3.77	10 <1	0.06 <10	0.72	565	4	0.01	7	290	15 <0.01	<2	4	24	0.05 <10	<10	88 <10	143								
10+00E-9+90N	1000	990	0.207	0.8	1.98	3 <10	130 <0.5	<2	0.37 <0.5	12	37	115	3.64	10 <1	0.11 <10	1.12	791	1	0.02	14	400	196	0.01 <2	6	29	0.09 <10	<10	76 <10	120								
10+25E-9+00N	1025	900	<0.005	0.2	2.5	2 <10	70 <0.5	<2	0.3 <0.5	10	44	24	4.17	10 <1	0.08 <10	0.79	949 <1	0.02	9	1520	8 <0.01	<2	5	26	0.09 <10	<10	93 <10	134									
10+25E-9+10N	1025	910	<0.005	0.2	2.14 <2	<10	70 <0.5	<2	0.22 <0.5	9	43	22	4.5	10 <1	0.08 <10	0.77	565 <1	0.02	10	1080	10 <0.01	<2	5	22	0.07 <10	<10	94 <10	114									
10+25E-9+20N	1025	920	<0.005	0.5	2.14	2 <10	70 <0.5	<2	0.24 <0.5	9	36	18	4.05	10	1	0.08 <10	0.66	695 <1	0.02	9	1340	7	0.01 <2	4	21	0.07 <10	<10	91 <10	99								
10+25E-9+30N	1025	930	<0.005	0.2	1.76 <2	<10	90 <0.5	<2	0.26 <0.5	9	33	19	3.76	10 <1	0.07 <10	0.63	682 <1	0.02	11	1710	8 <0.01	<2	4	21	0.11 <10	<10	80 <10	85									
10+25E-9+40N	1025	940	0.008	<0.2	1.82	5 <10	90 <0.5	<2	0.27 <0.5	9	25	25	3.53	10 <1	0.06 <10	0.68	556 <1	0.02	12	880	7 <0.01	<2	5	22	0.1 <10	<10	77 <10	84									
10+25E-9+50N	1025	950	<0.005	<0.2	1.69	2 <10	120 <0.5	<2	0.3 <0.5	9	38	26	3.96	10 <1	0.08 <10	0.65	1125 <1	0.03	11	1160	7 <0.01	<2	5	29	0.11 <10	<10	79 <10	73									
10+25E-9+60N	1025	960	<0.005	<0.2	2.06 <2	<10	90 <0.5	<2	0.33 <0.5	11	26	27	3.96	10 <1	0.07 <10	0.83	592 <1	0.02	14	1650	9 <0.01	<2	5	24	0.11 <10	<10	85 <10	107									
10+25E-9+70N	1025	970	0.009	<0.2	2.14	2 <10	90 <0.5	<2	0.42 <0.5	12	48	14	3.72	10 <1	0.11 <10	1.17	887 <1	0.02	12	860	7 <0.01	<2	5	34	0.07 <10	<10	73 <10	102									
10+25E-9+80N	1025	980	<0.005	0.3	2.23 <2	<10	110 <0.5	<2	0.24 <0.5	11	32	43	3.71	10 <1	0.08 <10	0.8	1355	1	0.02	11	840	11 <0.01	<2	4	22	0.09 <10	<10	82 <10	125								
10+25E-9+90N	1025	990	<0.005	<0.2	1.68	3 <10	80 <0.5	<2	0.34 <0.5	6	38	24	3.78	10 <1	0.08 <10	0.51	458	1	0.02	8	1520	9 <0.01	<2	4	25	0.11 <10	<10	100 <10	93								
10+25E-10+00N	1025	1000	<0.005	0.2	1.92	3 <10	80 <0.5	<2	0.21 <0.5	7	21	27	3.67	10 <1	0.05 <10	0.58	423	1	0.02	10	780	11 <0.01	<2	4	22	0.08 <10	<10	88 <10	106								
10+50E-9+00N	1050	900	0.058	0.4	1.86 <2	<10	60 <0.5	<2	0.25 <0.5	9	53	21	3.72	10 <1	0.09 <10	0.7	755 <1	0.03	10	1050	9	0.01 <2	4	25	0.06 <10	<10	83 <10	69									
10+50E-9+10N	1050	910	<0.005	0.2	1.86	2 <10	100 <0.5	<2	0.22 <0.5	10	23	24	3.56	10 <1	0.06 <10	0.58	552 <1	0.02	12	880	7 <0.01	<2	4	20	0.11 <10	<10	85 <10	109									
10+50E-9+20N	1050	920	<0.005	<0.2	1.76	2 <10	120 <0.5	<2	0.28 <0.5	11	35	19	3.63	10 <1	0.07 <10	0.61	1160 <1	0.03	12	1330	9 <0.01	<2	4	25	0.11 <10	<10	86 <10	89									
10+50E-9+30N	1050	930	<0.005	<0.2	1.58	2 <10	100 <0.5	<2	0.45 <0.5	12	27	50	3.28	10 <1	0.08	10	97	724 <1	0.03	15	670	6 <0.01	<2	7	37	0.13 <10	<10	77 <10	74								
10+50E-9+40N	1050	940	<0.005	<0.2	1.72 <2	<10	120 <0.5	<2	0.46 <0.5	12	27	59	3.43 <10	<1	0.1	10	1	778 <1	0.03	15	660	7 <0.01	<2	8	39	0.13 <10	<10	79 <10	74								
10+50E-9+50N	1050	950	0.006	0.3	1.79 <2	<10	140 <0.5	<2	0.42 <0.5	12	27	79	3.55	10 <1	0.09	10	1.06	786 <1	0.03	14	620	8 <0.01	<2	8	35	0.12 <10	<10	78 <10	79								
10+50E-9+60N	1050	960	<0.005	0.2	1.9	2 <10	90 <0.5	<2	0.33 <0.5	11	26	72	3.4	10 <1	0.08 <10	1.04	676 <1	0.02	13	640	11 <0.01	<2	6	28	0.11 <10	<10	73 <10	79									
10+50E-9+70N	1050	970	<0.005	<0.2	1.77 <2	<10	80 <0.5	<2	0.24 <0.5	7	26	16	3.33	10 <1	0.06 <10	0.59	403 <1	0.02	8	1350	7 <0.01	<2	4	24	0.07 <10	<10	79 <10	58									
10+50E-9+80N	1050	980	0.005	<0.2	1.9 <2	<10	80 <0.5	<2	0.26 <0.5	6	46	15	3.65	10 <1	0.08 <10	0.46	437 <1	0.03	8	870	10 <0.01	<2	4	27	0.09 <10	<10	86 <10	57									
10+50E-9+90N	1050	990	<0.005	<0.2	1.84 <2	<10	70 <0.5	<2	0.21 <0.5	9	22	16	3.34	10 <1	0.06 <10	0.57	548 <1	0.02	10	2180	8 <0.01	<2	4	17	0.1 <10	<10	74 <10	113									
10+50E-10+00N	1050	1000	<0.005	<0.2	1.68 <2	<10	80 <0.5	<2	0.21 <0.5	7	27	17	3.83	10 <1	0.06 <10	0.58	411	1	0.02	8	580	12 <0.01	<2	4	21	0.11 <10	<10	100 <10	72								
10+75E-9+00N	1075	900	<0.005	<0.2	1.86	2 <10	80 <0.5	<2	0.27 <0.5	9	35	18	3.68	10 <1	0.07 <10	0.6	640 <1	0.03	12	1040	8 <0.01	<2	5	24	0.11 <10	<10	86 <10	82									
10+75E-9+10N	1075	910	<0.005	<0.2	1.88	3 <10	100 <0.5	<2	0.3 <0.5	11	24	37	3.54	10 <1	0.06 <10	0.82	558 <1	0.02	15	820	7 <0.01	<2	5	27	0.11 <10	<10	83 <10	84									
10+75E-9+20N	1075	920	<0.005	<0.2	1.86	2 <10	100 <0.5	<2	0.32 <0.5	11	28	24	3.72	10 <1	0.09 <10	0.71	1230 <1	0.02	12	1290	9 <0.01	<2	5	28	0.11 <10	<10	84 <10	85									
10+75E-9+30N	1075	930	<0.005	<0.2	1.95 <2	<10	140 <0.5	<2	0.27 <0.5	10	23	22	3.64	10 <1	0.07 <10	0.71	1075 <1	0.02	12	1090	7 <0.01	<2	5	23	0.12 <10	<10	82 <10	92									
10+75E-9+40N	1075	940	<0.005	<0.2	2.08	2 <10	90 <0.5	<2	0.34 <0.5	10	28	20	4	10	1	0.08 <10	0.73	1125 <1	0.02	11	1680	5	0.01 <2	5	26	0.11 <10	<10	86 <10	90								
10+75E-9+50N	1075	950	<0.005	0.2	2.18	4 <10	120 <0.5	<2	0.32 <0.5	12	25	54	3.73	10	1	0.07	10	0.9	692 <1	0.02	16	720	6	0.01 <2	6	29	0.11 <10	<10	85 <10	79							
10+75E-9+60N	1075	960	<0.005	<0.2	2.24	6 <10	100 <0.5	<2	0.33 <0.5	12	26	42	3.72	10 <1	0.08 <10	0.91	612 <1	0.02	14	1250	4	0.01 <2	5	27	0.1 <10	<10	79 <10	82									
10+75E-9+70N	1075	970	<0.005	<0.2	2.11	10 <10	80 <0.5	<2	0.31 <0.5	12	26	38	3.78	10	1	0.07 <10	0.89	960 <1	0.02	12	1410	6	0.01 <2	4	23	0.08 <10	<10	83 <10	83								
10+75E-9+80N	1075	980	<0.005	0.2	2.41	2 <10	90 <0.5	<2	0.32 <0.5	9	28	19	4.25	10 <1	0.06 <10	0.62	554 <1	0.02	12	1550	5	0.01 <2	5	24	0.12												

SAMPLE	Eastings	Northings	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
11+50E-9+90N	1150	990	<0.005	<0.2	2.21	4	<10	120	0.5	<2	0.31	<0.5	12	26	51	4	10	<1	0.07	10	1.01	613	<1	0.02	16	500	9	<0.01	<2	6	27	0.13	<10	<10	87	<10	82
11+50E-10+00N	1150	1000	<0.005	<0.2	2.34	<2	<10	130	<0.5	<2	0.25	<0.5	12	25	23	3.9	10	<1	0.06	<10	0.94	569	<1	0.02	18	420	7	<0.01	<2	5	20	0.14	<10	<10	82	<10	78
11+75E-9+00N	1175	900	0.117	<0.2	1.55	<2	<10	80	<0.5	<2	0.26	<0.5	6	42	21	3.73	10	<1	0.06	<10	0.39	815	<1	0.02	8	1200	9	<0.01	<2	4	25	0.1	<10	<10	83	<10	53
11+75E-9+10N	1175	910	<0.005	0.2	2.91	3	<10	180	0.7	<2	0.3	<0.5	13	26	47	4.71	10	<1	0.07	10	0.64	1315	<1	0.01	16	1460	14	<0.01	<2	5	31	0.11	<10	<10	101	<10	130
11+75E-9+20N	1175	920	<0.005	<0.2	2.46	<2	<10	100	<0.5	2	0.25	<0.5	11	30	19	4.21	10	<1	0.06	<10	0.65	645	<1	0.02	12	1850	7	<0.01	<2	5	20	0.13	<10	<10	87	<10	102
11+75E-9+30N	1175	930	0.007	<0.2	2.35	<2	<10	100	<0.5	2	0.23	<0.5	9	22	43	4.27	10	<1	0.05	<10	0.59	514	<1	0.01	12	1400	9	0.01	<2	4	18	0.12	<10	<10	91	<10	82
11+75E-9+40N	1175	940	0.011	0.4	2.33	3	<10	140	<0.5	2	0.35	<0.5	12	27	79	3.93	10	<1	0.09	10	0.84	639	1	0.02	14	690	11	0.01	<2	5	30	0.13	<10	<10	85	<10	84
11+75E-9+50N	1175	950	<0.005	<0.2	1.75	<2	<10	120	<0.5	<2	0.3	<0.5	9	20	24	3.71	<10	<1	0.08	10	0.68	1200	<1	0.02	12	730	11	<0.01	<2	4	27	0.1	<10	<10	83	<10	73
11+75E-9+60N	1175	960	<0.005	<0.2	1.93	<2	<10	150	<0.5	<2	0.36	0.7	11	32	31	3.75	<10	<1	0.11	<10	0.71	6460	<1	0.02	12	1180	9	<0.01	<2	4	34	0.13	<10	<10	85	<10	107
11+75E-9+70N	1175	970	<0.005	<0.2	2.2	2	<10	90	<0.5	<2	0.34	<0.5	13	25	28	4.19	10	<1	0.07	<10	0.95	719	<1	0.02	17	990	7	<0.01	<2	5	24	0.14	<10	<10	93	<10	101
11+75E-9+80N	1175	980	<0.005	<0.2	2.26	6	<10	90	<0.5	<2	0.48	<0.5	13	30	49	4.22	10	<1	0.08	10	1.16	762	<1	0.03	20	1040	7	<0.01	<2	6	31	0.15	<10	<10	95	<10	82
11+75E-9+90N	1175	990	<0.005	<0.2	2.21	2	<10	80	<0.5	2	0.39	<0.5	12	25	29	4.15	10	<1	0.07	10	0.97	753	<1	0.02	16	1370	5	<0.01	<2	5	28	0.13	<10	<10	91	<10	87
11+75E-10+00N	1175	1000	<0.005	<0.2	2.4	<2	<10	80	<0.5	2	0.4	<0.5	12	38	35	4.14	10	1	0.09	<10	0.87	857	<1	0.03	14	1680	9	<0.01	<2	5	34	0.12	<10	<10	88	<10	88
12+00E-9+00N	1200	900	<0.005	<0.2	2.66	<2	<10	90	0.5	<2	0.22	<0.5	16	25	43	4.49	10	1	0.05	<10	0.67	669	1	0.01	15	840	8	<0.01	<2	4	22	0.16	<10	<10	95	<10	111
12+00E-9+10N	1200	910	0.008	<0.2	2.26	<2	<10	120	<0.5	2	0.28	<0.5	11	33	34	3.76	10	<1	0.06	<10	0.71	618	1	0.02	14	520	10	<0.01	<2	5	24	0.13	<10	<10	95	<10	107
12+00E-9+20N	1200	920	<0.005	<0.2	2.17	6	<10	90	<0.5	<2	0.24	<0.5	11	22	40	3.79	10	<1	0.06	10	0.88	751	<1	0.01	16	750	7	<0.01	<2	6	21	0.13	<10	<10	81	<10	90
12+00E-9+30N	1200	930	<0.005	<0.2	2.35	2	<10	90	<0.5	<2	0.26	<0.5	12	23	39	3.9	10	<1	0.07	<10	0.82	610	<1	0.01	16	710	7	<0.01	<2	5	19	0.13	<10	<10	85	<10	93
12+00E-9+40N	1200	940	<0.005	<0.2	2.14	<2	<10	100	<0.5	<2	0.3	<0.5	12	27	27	3.85	10	<1	0.07	10	0.84	1115	<1	0.02	16	1020	7	<0.01	<2	5	24	0.13	<10	<10	84	<10	84
12+00E-9+50N	1200	950	<0.005	<0.2	2.2	<2	<10	110	<0.5	<2	0.32	<0.5	12	23	21	4.05	10	<1	0.08	<10	0.81	1150	<1	0.02	15	1760	7	<0.01	<2	5	23	0.14	<10	<10	86	<10	98
12+00E-9+60N	1200	960	<0.005	<0.2	2.14	<2	<10	90	<0.5	<2	0.29	<0.5	10	31	20	4.06	10	1	0.08	<10	0.75	712	<1	0.02	13	1300	6	<0.01	<2	5	24	0.13	<10	<10	91	<10	88
12+00E-9+70N	1200	970	<0.005	0.2	2.09	<2	<10	90	<0.5	<2	0.39	<0.5	12	23	37	4.19	10	<1	0.08	<10	0.95	810	<1	0.02	14	1140	8	<0.01	<2	5	29	0.13	<10	<10	95	<10	78
12+00E-9+80N	1200	980	<0.005	0.2	2	5	<10	90	<0.5	<2	0.38	<0.5	12	24	33	3.93	10	<1	0.08	10	0.99	852	<1	0.02	16	1060	6	<0.01	<2	6	29	0.13	<10	<10	86	<10	81
12+00E-9+90N	1200	990	<0.005	<0.2	1.82	2	<10	100	<0.5	<2	0.4	<0.5	11	21	36	3.56	10	<1	0.06	10	1.02	692	<1	0.02	15	760	5	<0.01	<2	7	34	0.12	<10	<10	76	<10	71
12+00E-10+00N	1200	1000	<0.005	0.2	2.88	<2	<10	100	0.5	<2	0.27	<0.5	13	31	42	4.36	10	1	0.06	10	0.75	980	<1	0.02	13	2500	24	0.01	<2	6	20	0.13	<10	<10	91	<10	126
12+25E-9+10N	1225	910	<0.005	<0.2	2.27	<2	<10	140	0.5	<2	0.37	<0.5	12	23	72	4.04	10	<1	0.06	10	0.85	714	<1	0.01	14	590	8	0.01	<2	4	30	0.12	<10	<10	89	<10	97
12+25E-9+20N	1225	920	<0.005	0.3	1.67	<2	<10	80	<0.5	<2	0.31	<0.5	11	32	19	3.81	10	<1	0.07	<10	0.69	872	<1	0.02	11	560	7	<0.01	<2	4	24	0.12	<10	<10	86	<10	80
12+25E-9+30N	1225	930	<0.005	<0.2	2.05	<2	<10	100	<0.5	<2	0.26	<0.5	12	23	35	4.05	10	<1	0.06	<10	0.8	1430	<1	0.01	15	740	13	<0.01	<2	5	20	0.12	<10	<10	88	<10	97
12+25E-9+40N	1225	940	<0.005	<0.2	2.03	<2	<10	100	<0.5	<2	0.41	<0.5	12	27	42	3.79	10	<1	0.08	10	0.99	870	<1	0.02	15	830	6	<0.01	<2	5	20	0.13	<10	<10	83	<10	75
12+25E-9+50N	1225	950	<0.005	<0.2	2.16	<2	<10	100	<0.5	<2	0.39	<0.5	12	26	36	3.92	10	<1	0.09	10	0.97	1050	<1	0.02	17	1040	6	<0.01	<2	6	31	0.13	<10	<10	85	<10	85
12+25E-9+60N	1225	960	<0.005	<0.2	2.28	5	<10	90	<0.5	<2	0.35	<0.5	12	30	40	4.05	10	<1	0.08	10	0.95	777	<1	0.02	18	880	7	<0.01	<2	6	28	0.13	<10	<10	88	<10	85
12+25E-9+70N	1225	970	<0.005	<0.2	2.21	5	<10	110	<0.5	<2	0.4	<0.5	12	26	53	3.97	10	<1	0.08	10	1.04	778	<1	0.02	17	880	6	<0.01	<2	7	32	0.13	<10	<10	88	<10	80
12+25E-9+80N	1225	980	<0.005	<0.2	2.45	<2	<10	130	<0.5	<2	0.42	<0.5	13	31	43	4.22	10	1	0.09	10	0.93	766	<1	0.02	18	1270	7	<0.01	<2	6	32	0.14	<10	<10	91	<10	94
12+25E-9+90N	1225	990	<0.005	<0.2	2.41	3	<10	120	0.5	<2	0.28	<0.5	12	27	50	4.27	10	<1	0.07	10	0.81	704	<1	0.02	17	1400	7	<0.01	<2	6	25	0.12	<10	<10	94	<10	94
12+25E-10+00N	1225	1000	<0.005	<0.2	2.36	<2	<10	120	<0.5	<2	0.32	<0.5	11	26	59	4.05	10	<1	0.07	10	0.88	958	<1	0.02	16	1460	9	<0.01	<2	6	25	0.14	<10	<10	90	<10	86
12+50E-9+00N	1250	900	<0.005	0.3	2.33	5	<10	120	<0.5	<2	0.38	<0.5	10	34	50	3.81	10	<1	0.07	<10	0.68	730	<1	0.02	15	870	8	0.01	<2	4	36	0.14	<10	<10	91	<10	80
12+50E-9+10N	1250	910	<0.005	0.3	2.08	<2	<10	100	<0.5	<2	0.34	<0.5	11	23	39	3.91	10	1	0.07	<10	0.77	1065	<1	0.02	14	1000	7	0.01	<2	4	26	0.12	<10	<10	88	<10	88
12+50E-9+20N	1250	920	0.051	<0.2	2.13	3	<10	130	<0.5	<2	0.3	<0.5	10	30	46	4.21	10	1	0.07																		

SAMPLE	Eastings	Northings	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	
13+50E-9+20N	1350	920	<0.005	<0.2	1.44	<2	<10	60	<0.5	<2	0.35	<0.5	2	46	16	2.95	10	<1	0.04	<10	0.23	287	<1	0.02	5	510	6	0.01	<2	3	39	0.12	<10	<10	102	<10	24	
13+50E-9+30N	1350	930	<0.005		0.2	2.96	<2	<10	80	<0.5	<2	0.16	<0.5	5	25	20	4.13	10	1	0.05	<10	0.43	265	<1	0.01	7	2230	9	0.02	<2	3	18	0.09	<10	<10	77	<10	60
13+50E-9+40N	1350	940	<0.005		0.2	2.13	<2	<10	110	<0.5	<2	0.17	<0.5	6	46	31	3.98	10	<1	0.07	<10	0.39	378	<1	0.02	9	1710	9	0.01	<2	4	20	0.1	<10	<10	82	<10	61
13+50E-9+50N	1350	950	0.006		0.2	1.28	<2	<10	70	<0.5	<2	0.19	<0.5	1	22	8	1.65	10	1	0.04	<10	0.18	148	<1	0.02	4	280	5	0.01	<2	2	25	0.06	<10	<10	53	<10	24
13+50E-9+70N	1350	970	0.019		0.6	3.2	<2	<10	380	0.5	<2	0.49	<0.5	11	45	98	3.53	10	1	0.13	<10	0.74	1215	<1	0.01	13	520	27	0.02	<2	5	35	0.03	<10	<10	98	<10	95
13+50E-9+80N	1350	980	0.01		0.2	2.47	2	<10	80	<0.5	<2	0.18	<0.5	9	29	36	3.8	10	1	0.05	<10	0.51	1785	<1	0.01	11	2310	10	0.02	<2	3	17	0.09	<10	<10	80	<10	85
13+50E-9+90N	1350	990	0.006		0.3	2.48	<2	<10	90	<0.5	<2	0.25	<0.5	9	44	68	3.57	10	<1	0.07	10	0.63	630	<1	0.02	13	1040	8	0.02	<2	5	27	0.14	<10	<10	85	<10	95
13+50E-10+00N	1350	1000	<0.005		0.2	2.96	<2	<10	100	0.5	<2	0.23	<0.5	15	32	100	3.88	10	1	0.06	<10	0.87	613	<1	0.02	20	940	7	0.01	<2	6	26	0.16	<10	<10	89	<10	121
13+75E-9+00N	1375	900	<0.005	<0.2	2.99	2	<10	110	<0.5	<2	0.31	<0.5	9	42	30	4.56	10	<1	0.06	<10	0.71	333	<1	0.02	13	1180	7	0.01	<2	4	32	0.1	<10	<10	89	<10	118	
13+75E-9+20N	1375	920	<0.005		0.2	2.34	<2	<10	140	<0.5	<2	0.26	<0.5	9	31	21	4.52	10	1	0.09	<10	0.53	1025	1	0.02	9	1100	10	0.02	<2	3	25	0.11	<10	<10	97	<10	109
13+75E-9+30N	1375	930	<0.005		0.2	3.04	<2	<10	180	<0.5	<2	0.26	<0.5	12	52	76	4.55	10	<1	0.1	<10	0.69	951	1	0.02	12	1420	11	0.01	<2	4	29	0.11	<10	<10	99	<10	132
13+75E-9+40N	1375	940	<0.005		0.3	2.7	2	<10	100	<0.5	<2	0.17	<0.5	8	25	39	3.36	10	1	0.06	10	0.48	361	<1	0.02	11	1560	11	0.01	<2	3	18	0.06	<10	<10	70	<10	135
13+75E-9+50N	1375	950	<0.005	<0.2	2.07	<2	<10	90	<0.5	<2	0.26	<0.5	10	44	56	2.88	10	<1	0.1	<10	0.66	663	<1	0.02	13	1400	10	0.01	<2	3	24	0.08	<10	<10	59	<10	104	
13+75E-9+60N	1375	960	<0.005		0.5	2.62	<2	<10	90	<0.5	<2	0.19	<0.5	9	27	42	4.53	10	1	0.06	<10	0.58	345	<1	0.01	13	1920	9	0.02	<2	4	18	0.11	<10	<10	93	<10	93
13+75E-10+00N	1375	1000	0.014	<0.2	2.64	2	<10	60	<0.5	<2	0.24	<0.5	8	33	43	3.9	10	1	0.05	<10	0.45	800	<1	0.02	10	1420	10	0.01	<2	3	21	0.14	<10	<10	93	<10	93	
14+00E-9+00N	1400	900	0.005	<0.2	1.86	<2	<10	160	<0.5	<2	0.21	<0.5	7	22	16	3.12	10	<1	0.08	<10	0.43	1415	<1	0.02	7	790	9	0.01	<2	3	23	0.07	<10	<10	68	<10	70	
14+00E-9+10N	1400	910	0.007	<0.2	1.93	<2	<10	190	<0.5	<2	0.2	<0.5	7	24	23	2.99	10	1	0.07	<10	0.44	1685	<1	0.02	9	750	9	0.01	<2	3	23	0.08	<10	<10	74	<10	68	
14+00E-9+20N	1400	920	<0.005		0.2	2.04	<2	<10	90	<0.5	<2	0.16	<0.5	4	36	14	3.57	10	1	0.08	10	0.27	237	1	0.02	7	350	8	0.01	<2	3	20	0.08	<10	<10	86	<10	52
14+00E-9+30N	1400	930	<0.005		0.2	2.69	2	<10	80	<0.5	<2	0.16	<0.5	5	29	13	5.46	10	<1	0.05	<10	0.32	496	1	0.02	8	1820	13	0.02	<2	3	16	0.19	<10	<10	126	<10	191
14+00E-9+40N	1400	940	<0.005		0.2	3.03	<2	<10	60	<0.5	<2	0.13	<0.5	3	41	15	5.84	10	1	0.06	10	0.24	242	1	0.02	6	1420	14	0.02	<2	4	17	0.12	<10	<10	120	<10	92
14+00E-9+50N	1400	950	0.029		0.6	3.22	3	<10	150	0.8	<2	0.23	<0.5	12	38	248	3.91	10	<1	0.11	10	0.74	556	1	0.02	20	880	46	0.02	<2	4	23	0.08	<10	<10	72	<10	183
14+00E-9+60N	1400	960	0.043		0.4	3.01	<2	<10	110	0.5	<2	0.22	<0.5	10	40	73	3.51	10	1	0.09	10	0.66	492	<1	0.02	16	970	11	0.02	<2	4	24	0.11	<10	<10	75	<10	140
14+00E-9+70N	1400	970	0.094		0.2	1.8	<2	<10	50	<0.5	<2	0.21	<0.5	5	21	19	3.46	10	1	0.05	<10	0.29	483	<1	0.01	6	760	10	0.01	<2	3	21	0.09	<10	<10	80	10	74
14+00E-9+80N	1400	980	0.01		0.2	0.87	<2	<10	30	<0.5	<2	0.28	<0.5	1	52	7	1.75	10	<1	0.04	<10	0.12	198	<1	0.02	3	260	3	0.01	<2	2	31	0.11	<10	<10	59	<10	21
14+00E-9+90N	1400	990	<0.005		0.3	3.11	<2	<10	60	<0.5	<2	0.2	<0.5	8	26	25	4.18	10	1	0.04	<10	0.37	836	<1	0.02	7	1460	9	0.01	<2	3	23	0.12	<10	<10	93	<10	114
14+00E-10+00N	1400	1000	<0.005		0.3	2.53	<2	<10	50	<0.5	<2	0.17	<0.5	4	35	17	4.77	10	1	0.04	<10	0.22	1345	<1	0.02	6	3570	12	0.01	<2	3	18	0.13	<10	<10	110	<10	61
14+25E-9+00N	1425	900	<0.005	<0.2	1.67	<2	<10	70	<0.5	<2	0.34	<0.5	4	63	10	2.57	10	1	0.08	<10	0.29	490	1	0.03	6	640	8	0.01	<2	3	41	0.13	<10	<10	74	<10	45	
14+25E-9+10N	1425	910	<0.005		0.2	1.5	<2	<10	60	<0.5	<2	0.2	<0.5	1	26	8	3.92	10	<1	0.05	<10	0.18	285	1	0.02	5	1340	12	0.01	<2	2	19	0.12	<10	<10	122	<10	34
14+25E-9+20N	1425	920	0.008		0.2	2.73	3	<10	100	<0.5	<2	0.21	<0.5	7	43	24	3.65	10	1	0.07	10	0.4	540	<1	0.02	9	920	13	0.02	<2	4	22	0.09	<10	<10	83	<10	104
14+25E-9+30N	1425	930	0.011		0.3	2.72	<2	<10	70	<0.5	<2	0.18	<0.5	4	33	20	4.61	10	1	0.05	<10	0.31	549	1	0.02	6	1080	13	0.02	<2	3	21	0.09	<10	<10	97	<10	74
14+25E-9+40N	1425	940	<0.005		0.5	2.81	<2	<10	70	<0.5	<2	0.12	<0.5	4	38	13	5.69	10	1	0.06	<10	0.28	254	1	0.02	6	1070	10	0.02	<2	3	14	0.2	<10	<10	123	<10	91
14+25E-9+50N	1425	950	0.313		1.3	3.04	8	<10	100	0.8	<2	0.16	<0.5	15	28	300	3.69	10	1	0.09	10	0.59	598	1	0.02	17	820	38	0.03	<2	4	18	0.09	<10	<10	65	470	136
14+25E-9+60N	1425	960	0.012		0.4	2.32	<2	<10	100	<0.5	<2	0.24	<0.5	10	37	42	4.21	10	<1	0.05	<10	0.45	1945	<1	0.02	10	2830	13	0.01	<2	3	25	0.13	<10	<10	86	20	172
14+25E-9+70N	1425	970	0.006		0.2	2.77	<2	<10	60	<0.5	<2	0.2	<0.5	8	30	29	4.52	10	1	0.05	<10	0.45	478	<1	0.02	10	1780	10	0.01	<2	4	21	0.13	<10	<10	103	<10	106
14+25E-10+00N	1425	1000	<0.005		0.6	2.89	<2	<10	60	<0.5	<2	0.15	<0.5	4	31	19	4.74	10	1	0.04	<10	0.26	306	<1	0.02	7	1730	11	0.01	<2	3	18	0.15	<10	<10	110	<10	74
14+50E-9+00N	1450	900	0.009		0.4	2.1	2	<10	90	<0.5	<2	0.24	<0.5	6	33	39	4.54	10	<1	0.06	<10	0.59	406	1	0.02	7	640	9	0.01	<2	5	22	0.1	<10	<10	102	<10	106
14+50E-9+10N	1450	910	0.005		0.4	2.26	<2	<10	110	<0.5	<2	0.4	<0.5	8	35	47	4.72	10	1	0.08	<10	0.72	537	1	0.02													

SAMPLE	Eastings	Northings	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
15+25E-9+60N	1525	960	<0.005	1.2	2.94	5	<10	260	0.7	<2	0.8	2	15	41	250	3.85	10	<1	0.08	10	0.69	1555	6	0.04	12	420	13	0.03	<2	7	46	0.08	<10	<10	90	<10	257
15+25E-9+70N	1525	970	<0.005	1	1.55	2	<10	120	<0.5	<2	0.48	<0.5	6	31	23	3.12	10	<1	0.05	<10	0.31	288	3	0.03	5	270	7	0.02	<2	3	31	0.06	<10	<10	79	<10	118
15+25E-9+80N	1525	980	0.005	0.5	2.98	5	<10	120	0.5	<2	0.4	0.9	17	28	104	4.51	10	<1	0.08	<10	0.94	730	2	0.03	17	1270	12	0.03	<2	5	28	0.1	<10	<10	80	<10	317
15+25E-9+90N	1525	990	<0.005	0.4	1.76	<2	<10	100	<0.5	<2	0.38	<0.5	6	33	17	2.87	10	<1	0.06	<10	0.5	382	1	0.03	5	400	7	0.01	<2	5	30	0.07	<10	<10	79	<10	78
15+25E-10+00N	1525	1000	<0.005	0.4	2.66	6	<10	180	<0.5	<2	0.41	0.5	11	34	45	4.49	10	<1	0.06	<10	0.63	364	5	0.03	14	390	14	0.02	<2	4	34	0.09	<10	<10	97	<10	160
15+50E-9+00N	1550	900	<0.005	0.3	2.61	3	<10	120	<0.5	<2	0.32	<0.5	8	37	19	5.39	10	<1	0.06	<10	0.5	285	9	0.02	11	420	12	0.02	<2	4	29	0.12	<10	<10	118	<10	191
15+50E-9+10N	1550	910	<0.005	0.5	2.66	5	<10	190	<0.5	<2	0.41	0.7	10	33	28	4.54	10	<1	0.05	<10	0.61	307	6	0.02	14	300	16	0.02	<2	4	35	0.08	<10	<10	100	<10	150
15+50E-9+20N	1550	920	0.007	0.5	1.96	<2	<10	230	<0.5	<2	0.62	0.9	11	36	52	3.17	10	<1	0.09	<10	0.81	504	2	0.04	14	320	19	0.02	<2	4	45	0.07	<10	<10	75	<10	218
15+50E-9+30N	1550	930	0.005	0.2	1.99	3	<10	190	<0.5	<2	0.53	<0.5	12	34	61	3.31	10	<1	0.1	10	0.9	608	1	0.04	15	450	37	0.02	<2	5	38	0.09	<10	<10	74	<10	116
15+50E-9+40N	1550	940	<0.005	0.2	1.88	2	<10	150	<0.5	<2	0.27	0.7	6	30	12	3.39	10	<1	0.08	<10	0.28	291	5	0.03	5	350	9	0.02	<2	4	23	0.04	<10	<10	74	<10	92
15+50E-9+50N	1550	950	0.019	0.2	1.56	<2	<10	110	<0.5	<2	0.36	<0.5	6	29	14	2.94	10	<1	0.06	<10	0.44	371	2	0.02	7	340	9	0.01	<2	3	27	0.05	<10	<10	73	<10	58
15+50E-9+60N	1550	960	0.24	0.7	2.18	<2	<10	210	<0.5	<2	0.39	<0.5	11	37	56	3.49	10	<1	0.1	10	0.74	774	1	0.03	12	610	32	0.02	<2	5	30	0.07	<10	<10	71	<10	108
15+50E-9+70N	1550	970	0.012	0.3	1.99	<2	<10	200	<0.5	<2	0.45	<0.5	13	37	102	3.57	<10	<1	0.12	10	1.14	693	<1	0.04	16	590	9	0.01	<2	8	36	0.1	<10	<10	76	<10	77
15+50E-9+80N	1550	980	0.007	0.2	1.56	<2	<10	160	<0.5	<2	0.42	<0.5	6	32	13	3.32	10	<1	0.08	<10	0.42	554	1	0.03	7	800	12	0.02	<2	4	30	0.08	<10	<10	85	<10	66
15+50E-9+90N	1550	990	<0.005	0.3	1.86	<2	<10	130	<0.5	<2	0.38	<0.5	8	35	20	3.38	10	<1	0.07	<10	0.47	619	1	0.03	8	590	9	0.01	<2	4	32	0.06	<10	<10	85	<10	67
15+50E-10+00N	1550	1000	<0.005	0.3	1.61	<2	<10	100	<0.5	<2	0.5	<0.5	6	48	23	3.52	10	<1	0.08	<10	0.33	361	1	0.04	5	930	8	0.02	<2	5	35	0.11	<10	<10	107	<10	59
15+75E-9+00N	1575	900	0.007	0.2	1.28	2	<10	70	<0.5	<2	0.19	<0.5	3	31	8	2.17	10	<1	0.06	10	0.17	150	1	0.03	4	150	16	0.01	<2	3	23	0.05	<10	<10	69	<10	26
15+75E-9+10N	1575	910	0.01	0.6	2.61	<2	<10	120	<0.5	<2	0.34	0.5	9	31	37	4.29	10	<1	0.09	<10	0.55	373	4	0.02	12	430	33	0.02	<2	4	27	0.08	<10	<10	90	<10	106
15+75E-9+20N	1575	920	0.108	0.5	2.14	<2	<10	170	<0.5	<2	0.38	<0.5	10	32	36	3.46	10	<1	0.11	<10	0.62	538	3	0.03	12	310	42	0.01	<2	4	31	0.04	<10	<10	78	<10	112
15+75E-9+30N	1575	930	1.1	13.9	2.07	7	<10	210	0.5	<2	0.37	0.7	12	34	188	3.92	10	<1	0.11	10	0.91	823	5	0.03	17	410	442	0.03	<2	9	31	0.08	<10	<10	81	<10	116
15+75E-9+40N	1575	940	0.007	1.1	2.27	4	<10	200	<0.5	<2	0.25	<0.5	12	28	91	3.43	10	<1	0.09	<10	0.93	473	1	0.03	16	250	22	0.01	<2	5	26	0.09	<10	<10	72	<10	77
15+75E-9+50N	1575	950	0.09	0.4	1.59	<2	<10	80	<0.5	<2	0.33	<0.5	5	29	11	2.99	10	<1	0.08	<10	0.38	377	1	0.03	6	440	13	0.01	<2	3	27	0.04	<10	<10	80	<10	47
15+75E-9+60N	1575	960	0.011	0.3	2	<2	<10	110	<0.5	<2	0.33	<0.5	11	31	21	3.71	10	<1	0.09	<10	0.53	1485	1	0.03	9	590	15	0.02	<2	4	27	0.06	<10	<10	80	<10	98
15+75E-9+70N	1575	970	<0.005	0.4	2.67	<2	<10	150	<0.5	<2	0.3	<0.5	14	34	32	4.85	10	<1	0.1	<10	0.95	762	1	0.03	10	750	9	0.02	<2	5	28	0.09	<10	<10	95	<10	132
15+75E-9+80N	1575	980	0.005	<0.2	2.56	<2	<10	160	<0.5	<2	0.36	<0.5	14	35	45	4.57	10	<1	0.11	<10	1.04	907	1	0.03	11	570	8	0.02	<2	6	31	0.08	<10	<10	88	<10	112
15+75E-9+90N	1575	990	0.01	<0.2	2.41	<2	<10	170	<0.5	<2	0.36	<0.5	13	32	29	4.63	10	<1	0.11	<10	0.71	2060	1	0.03	8	1030	11	0.02	<2	5	28	0.05	<10	<10	92	<10	106
15+75E-10+00N	1575	1000	0.014	0.4	2.32	3	<10	190	<0.5	<2	0.47	<0.5	14	39	39	4.35	10	<1	0.18	<10	0.54	1420	2	0.03	12	530	10	0.02	<2	5	33	0.04	<10	<10	89	<10	94
16+00E-9+00N	1600	900	0.008	<0.2	2.82	2	<10	210	<0.5	<2	0.19	<0.5	10	29	25	4.17	10	<1	0.1	10	0.58	438	3	0.02	12	460	36	0.01	<2	4	25	0.07	<10	<10	84	<10	174
16+00E-9+20N	1600	920	0.045	1.2	1.76	<2	<10	120	<0.5	<2	0.21	0.6	7	30	16	2.97	10	<1	0.09	<10	0.44	441	2	0.03	8	220	52	0.01	<2	3	25	0.05	<10	<10	74	<10	107
16+00E-9+30N	1600	930	0.017	1	2.5	6	<10	240	<0.5	<2	0.41	<0.5	13	39	109	4.02	10	<1	0.09	<10	0.84	726	3	0.03	16	340	42	0.01	<2	5	36	0.08	<10	<10	94	<10	114
16+00E-9+40N	1600	940	0.085	1.4	2.72	10	<10	330	0.6	<2	0.46	0.6	14	37	198	4.8	10	<1	0.11	10	0.86	734	5	0.03	19	350	311	0.01	<2	8	32	0.07	<10	<10	104	<10	132
16+00E-9+60N	1600	960	<0.005	0.3	2.42	2	<10	120	<0.5	<2	0.25	<0.5	11	39	49	4.29	10	<1	0.09	<10	0.71	444	4	0.03	13	310	35	0.01	<2	5	28	0.08	<10	<10	100	<10	110
16+00E-9+70N	1600	970	<0.005	<0.2	2.04	<2	<10	140	<0.5	<2	0.38	<0.5	9	36	13	3.43	10	<1	0.12	<10	0.41	1315	1	0.03	5	650	11	0.01	<2	4	29	0.03	<10	<10	74	<10	68
16+00E-9+90N	1600	990	<0.005	0.2	2.8	<2	<10	260	<0.5	<2	0.86	<0.5	16	74	46	4.74	10	<1	0.26	<10	0.94	1340	1	0.07	16	1020	12	0.03	<2	7	67	0.08	<10	<10	124	<10	106
16+00E-10+00N	1600	1000	<0.005	<0.2	2.47	2	<10	220	0.5	<2	0.42	<0.5	13	32	55	4.34	10	<1	0.08	<10	0.68	934	2	0.03	13	560	12	0.02	<2	5	31	0.09	<10	<10	113	<10	135

SAMPLE	Eastings	Northings	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
2+00E-0410N	200	10	0.005	0.3	2.02	2	<10	190	<0.5	<2	0.39	0.7	9	23	29	3.88	10	1	0.05	<10	0.66	395	2	0.02	12	240	9	0.02	<2	4	30	0.11	<10	<10	104	<10	277
2+00E-0420N	200	20	<0.005	0.5	1.81	4	<10	170	<0.5	<2	0.44	0.7	8	33	25	3.23	10	1	0.05	<10	0.45	324	2	0.02	9	340	11	<0.01	<2	3	34	0.09	<10	<10	94	<10	320
2+00E-0430N	200	30	<0.005	<0.2	1.71	<2	<10	110	<0.5	<2	0.37	<0.5	6	26	15	3.69	10	1	0.05	<10	0.45	329	2	0.02	8	340	8	<0.01	<2	4	30	0.11	<10	<10	104	<10	100
2+00E-0440N	200	40	0.008	<0.2	1.76	<2	<10	60	<0.5	<2	0.48	<0.5	6	40	9	3.09	10	<1	0.04	<10	0.55	304	2	0.02	10	300	10	<0.01	<2	4	53	0.12	<10	<10	95	<10	130
2+00E-0450N	200	50	0.005	<0.2	2.77	<2	<10	90	<0.5	<2	0.54	0.9	16	34	18	3.79	10	1	0.06	<10	1.2	625	2	0.02	24	540	20	<0.01	<2	4	51	0.11	<10	<10	78	<10	647
2+00E-0460N	200	60	<0.005	0.2	2.67	<2	<10	90	<0.5	<2	0.32	<0.5	10	50	26	4.37	10	<1	0.07	<10	0.63	594	1	0.03	16	1050	11	<0.01	<2	5	29	0.1	<10	<10	102	<10	147
2+00E-0470N	200	70	<0.005	0.3	2.99	<2	<10	110	<0.5	<2	0.27	<0.5	14	46	41	4.45	10	<1	0.06	<10	0.9	540	1	0.02	22	740	11	<0.01	<2	6	30	0.11	<10	<10	106	<10	169
2+00E-0480N	200	80	<0.005	<0.2	2.55	3	<10	140	<0.5	<2	0.23	<0.5	8	36	36	4.19	10	<1	0.05	<10	0.4	488	1	0.02	11	670	9	<0.01	<2	4	22	0.12	<10	<10	112	<10	92
2+00E-0490N	200	90	<0.005	0.6	3.12	<2	<10	130	0.5	<2	0.19	<0.5	7	26	74	4.6	10	<1	0.08	<10	0.5	554	1	0.02	9	1320	22	<0.01	<2	4	21	0.08	<10	<10	102	<10	187
2+00E-04100N	200	100	<0.005	0.3	2.8	5	<10	260	0.5	<2	0.26	<0.5	15	27	57	4.71	10	1	0.08	<10	0.71	870	1	0.02	15	850	11	<0.01	<2	5	27	0.15	<10	<10	102	<10	100
2+25E-0410N	225	10	<0.005	0.3	1.83	<2	<10	270	<0.5	<2	0.43	<0.5	9	20	28	3.63	10	<1	0.06	<10	0.51	944	2	0.02	11	360	8	<0.01	<2	4	28	0.09	<10	<10	97	<10	99
2+25E-0420N	225	20	<0.005	<0.2	2.71	3	<10	110	0.5	<2	0.24	0.9	11	30	35	4.13	10	<1	0.05	<10	0.77	567	2	0.02	16	590	13	0.01	<2	4	22	0.15	<10	<10	91	<10	331
2+25E-0430N	225	30	0.024	0.2	2.27	7	<10	130	<0.5	<2	0.3	0.5	12	28	38	3.77	10	1	0.04	<10	0.96	634	1	0.02	18	380	9	<0.01	<2	5	24	0.11	<10	<10	91	<10	153
2+25E-0440N	225	40	<0.005	0.3	2.43	2	<10	140	<0.5	<2	0.45	<0.5	8	22	15	4.66	10	<1	0.04	<10	0.47	324	3	0.02	10	600	12	<0.01	<2	4	24	0.13	<10	<10	112	<10	150
2+25E-0450N	225	50	<0.005	0.2	2.25	<2	<10	130	<0.5	<2	0.37	<0.5	10	23	23	4.36	10	<1	0.06	<10	0.59	374	2	0.02	12	550	9	<0.01	<2	4	23	0.12	<10	<10	99	<10	127
2+25E-0460N	225	60	0.005	0.7	2.64	10	<10	390	<0.5	<2	0.77	<0.5	12	25	58	3.87	10	1	0.07	<10	0.76	1065	2	0.03	17	450	8	0.01	3	5	36	0.13	<10	<10	96	<10	113
2+25E-0470N	225	70	<0.005	0.3	2.37	2	<10	140	<0.5	<2	0.24	<0.5	9	22	61	3.7	10	<1	0.05	<10	0.56	408	2	0.02	12	410	9	<0.01	<2	4	22	0.08	<10	<10	92	<10	78
2+25E-0480N	225	80	<0.005	0.2	2.67	3	<10	110	<0.5	<2	0.2	<0.5	8	22	33	4.09	10	1	0.05	<10	0.61	351	1	0.02	15	560	9	<0.01	<2	4	21	0.1	<10	<10	102	<10	82
2+25E-0490N	225	90	<0.005	<0.2	2.82	4	<10	100	<0.5	<2	0.21	<0.5	10	24	39	4.25	10	1	0.06	<10	0.65	422	1	0.02	13	770	8	<0.01	<2	5	20	0.14	<10	<10	82	<10	101
2+25E-04100N	225	100	<0.005	<0.2	3.3	2	<10	100	<0.5	<2	0.2	<0.5	8	27	23	3.68	10	1	0.05	<10	0.41	315	1	0.02	11	1110	11	<0.01	<2	4	20	0.12	<10	<10	87	<10	79
2+50E-0410N	250	10	<0.005	0.2	1.58	<2	<10	130	<0.5	<2	0.31	<0.5	6	23	16	3.47	10	<1	0.05	<10	0.42	279	2	0.02	8	270	9	<0.01	<2	3	26	0.08	<10	<10	98	<10	77
2+50E-0420N	250	20	0.006	0.4	2.08	2	<10	190	<0.5	<2	0.33	0.5	10	32	44	3.63	10	1	0.05	<10	0.63	365	2	0.02	14	260	8	<0.01	<2	4	25	0.12	<10	<10	95	<10	177
2+50E-0440N	250	40	<0.005	0.4	2.38	<2	<10	300	<0.5	<2	0.45	<0.5	11	19	48	3.58	10	<1	0.18	<10	0.64	838	2	0.02	9	680	8	0.01	<2	4	23	0.02	<10	<10	87	<10	75
2+50E-0450N	250	50	<0.005	0.3	2.48	2	<10	240	<0.5	<2	0.62	0.6	9	42	26	4.57	10	<1	0.07	<10	0.51	600	4	0.02	14	920	15	0.02	<2	5	53	0.2	<10	<10	129	<10	73
2+50E-0460N	250	60	<0.005	0.7	2.38	20	<10	400	0.5	<2	0.94	1.9	10	24	64	3.56	10	1	0.06	<10	0.56	2160	4	0.03	13	390	9	0.02	4	6	38	0.12	<10	<10	85	<10	77
2+50E-0470N	250	70	<0.005	<0.2	1.46	5	<10	80	<0.5	<2	0.21	<0.5	5	22	14	3.77	10	1	0.03	<10	0.31	231	3	0.02	7	210	9	<0.01	<2	3	21	0.1	<10	<10	104	<10	40
2+50E-0480N	250	80	<0.005	<0.2	2.66	30	<10	160	<0.5	<2	0.25	<0.5	11	28	64	4.55	10	1	0.05	<10	0.66	362	3	0.02	16	260	8	<0.01	<2	5	23	0.13	<10	<10	104	<10	82
2+50E-0490N	250	90	<0.005	0.6	2.83	5	<10	190	<0.5	<2	0.32	<0.5	10	22	44	4.22	10	<1	0.05	<10	0.65	387	2	0.02	15	360	9	0.01	<2	5	24	0.12	<10	<10	94	<10	87
2+50E-04100N	250	100	<0.005	0.2	2.73	<2	<10	160	<0.5	<2	0.26	<0.5	10	31	26	5.4	10	<1	0.06	<10	0.63	468	1	0.02	12	1150	8	<0.01	<2	5	22	0.17	<10	<10	120	<10	127
2+75E-0410N	275	10	<0.005	<0.2	2.51	4	<10	150	<0.5	<2	0.32	<0.5	11	22	48	4.18	10	1	0.07	<10	0.81	553	1	0.02	17	700	10	<0.01	<2	5	25	0.1	<10	<10	99	<10	89
2+75E-0420N	275	20	<0.005	0.3	2.63	5	<10	120	<0.5	<2	0.25	<0.5	8	40	25	4.68	10	1	0.07	<10	0.58	383	1	0.03	13	840	9	0.01	<2	5	27	0.12	<10	<10	112	<10	86
2+75E-0430N	275	30	<0.005	0.2	2.58	<2	<10	120	<0.5	<2	0.25	<0.5	11	23	49	4.18	10	1	0.06	<10	0.76	386	1	0.02	16	440	9	<0.01	<2	5	25	0.1	<10	<10	96	<10	86
2+75E-0440N	275	40	<0.005	0.3	2.7	<2	<10	150	<0.5	<2	0.21	<0.5	8	69	60	3.81	10	1	0.14	<10	0.77	353	2	0.03	14	300	6	<0.01	<2	5	20	0.04	<10	<10	90	<10	82
2+75E-0450N	275	50	<0.005	0.2	2.22	<2	<10	130	<0.5	<2	0.29	<0.5	11	25	44	3.92	10	1	0.07	<10	0.65	438	2	0.02	13	330	10	<0.01	<2	4	27	0.11	<10	<10	100	<10	87
2+75E-0460N	275	60	<0.005	1.1	1.62	<2	<10	290	<0.5	<2	0.61	2.3	8	59	32	2.6	10	1	0.08	<10	0.29	2650	3	0.03	8	320	10	0.01	2	3	31	0.07	<10	<10	72	<10	105
2+75E-0470N	275	70	0.005	<0.2	1.93	5	<10	140	<0.5	<2	0.38	<0.5	8	25	20	3.6	10	<1	0.06	<10	0.58	321	2	0.02	10	210	8	<0.01	<2	4	26	0.08	<10	<10	105	<10	76
2+75E-0480N	275	80	<0.005	0.3	2.28	18	<10	200	<0.5	<2	0.54	0.7	10	40	45	3.9	10	1	0.07	<10	0.5	340	2	0.03	14	230	6	<0.01	<2	4	29	0.11	<10	<10	102	<10	91
2+75E-0490N	275	90	<0.005	0.4	2.5	12	<10	130	&																												

SAMPLE	Eastings	Northings	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
3+75E-0450N	375	50	<-0.005	0.4	1.98	2	<10	100	<0.5	<2	0.19	<0.5	6	33	24	4.08	10	1	0.07	<10	0.38	306	2	0.01	9	410	8	<-0.01	<-2	3	21	0.14	<10	<10	103	<10	61
3+75E-0460N	375	60	<-0.005	0.2	1.88	2	<10	100	<0.5	<2	0.24	<0.5	5	42	14	4.36	10	<1	0.05	<10	0.37	284	2	0.01	7	340	9	<-0.01	<-2	4	24	0.15	<10	<10	123	<10	47
3+75E-0470N	375	70	<-0.005	0.2	1.64	<-2	<10	80	<0.5	<-2	0.23	<0.5	5	34	20	3.33	10	<1	0.05	<10	0.33	219	1	0.01	8	400	6	<-0.01	<-2	4	21	0.08	<10	<10	93	<10	39
3+75E-0480N	375	80	<-0.005	0.4	2.76	<-2	<10	170	<0.5	<-2	0.63	<0.5	12	79	49	4.13	10	1	0.11	10	0.76	493	1	0.03	16	500	9	<-0.01	<-2	5	30	0.08	<10	<10	93	<10	110
3+75E-0490N	375	90	<-0.005	0.5	2.41	6	<10	190	<0.5	<-2	0.52	1.9	11	72	71	3.68	10	<1	0.07	10	0.57	4040	3	0.03	17	300	10	<-0.01	<-2	6	33	0.13	<10	<10	99	<10	91
3+75E-0+100N	375	100	<-0.005	0.5	1.74	3	<10	90	<0.5	<-2	0.59	<0.5	7	82	16	2.99	10	1	0.07	10	0.39	333	1	0.03	9	240	7	<-0.01	<-2	4	35	0.13	<10	<10	84	<10	85
4+00E-0410N	400	10	<-0.005	<-0.2	1.74	3	<10	120	<0.5	<-2	0.29	<0.5	5	66	14	3.25	10	<1	0.1	<10	0.37	330	2	0.02	9	300	6	<-0.01	<-2	3	26	0.07	<10	<10	92	<10	46
4+00E-0430N	400	30	<-0.005	<-0.2	2.12	<-2	<10	90	<0.5	<-2	0.24	<0.5	7	48	21	4.19	10	2	0.06	<10	0.41	315	2	0.02	10	570	7	<-0.01	<-2	3	25	0.16	<10	<10	108	<10	54
4+00E-0450N	400	50	<-0.005	0.2	3.08	2	<10	110	0.5	<-2	0.26	<0.5	10	34	44	4.08	10	<1	0.06	<10	0.52	424	2	0.01	14	490	6	<-0.01	<-2	4	22	0.15	<10	<10	95	<10	69
4+00E-0460N	400	60	<-0.005	0.2	3.19	7	<10	90	<0.5	<-2	0.19	<0.5	7	50	25	5.37	10	<1	0.07	<10	0.41	351	1	0.02	10	1360	10	0.01	<-2	4	17	0.15	<10	<10	124	<10	73
4+00E-0470N	400	70	<-0.005	0.7	2.88	6	<10	350	0.6	<-2	0.71	<0.5	10	48	28	4.06	10	<1	0.06	10	0.42	891	2	0.03	15	730	9	0.01	<-2	5	33	0.19	<10	<10	92	<10	90
4+00E-0480N	400	80	<-0.005	0.3	2.12	<-2	<10	120	<0.5	<-2	0.5	<0.5	7	57	29	4.75	10	<1	0.06	<10	0.45	529	2	0.03	10	1500	14	<-0.01	<-2	4	32	0.16	<10	<10	139	<10	81
4+00E-0490N	400	90	<-0.005	<-0.2	1.52	4	<10	60	<0.5	<-2	0.23	<0.5	5	43	12	3.57	10	1	0.04	<10	0.29	220	2	0.03	5	290	9	<-0.01	<-2	3	22	0.11	<10	<10	107	<10	38
4+00E-0+100N	400	100	<-0.005	<-0.2	2	10	<10	100	<0.5	2	0.64	2.8	9	55	21	3.96	10	<1	0.06	<10	0.54	898	1	0.04	12	290	9	<-0.01	<-2	4	27	0.14	<10	<10	109	<10	283
4+25E-0400N	425	0	<-0.005	0.2	1.82	3	<10	80	<0.5	<-2	0.4	<0.5	5	70	13	3.51	10	<1	0.06	<10	0.28	264	3	0.03	7	250	8	<-0.01	<-2	4	33	0.1	<10	<10	107	<10	53
4+25E-0410N	425	10	<-0.005	<-0.2	2.73	2	<10	250	<0.5	<-2	0.61	<0.5	10	87	17	3.62	10	1	0.08	<10	0.42	514	3	0.03	10	430	7	0.01	<-2	4	31	0.05	<10	<10	101	<10	73
4+25E-0420N	425	20	<-0.005	<-0.2	1.93	<-2	<10	110	<0.5	<-2	0.28	<0.5	7	45	14	4.12	10	<1	0.04	<10	0.28	248	3	0.03	9	320	11	<-0.01	<-2	3	24	0.14	<10	<10	107	<10	70
4+25E-0430N	425	30	<-0.005	<-0.2	1.76	<-2	<10	60	<0.5	<-2	0.16	<0.5	4	69	11	3.22	10	1	0.05	<10	0.3	200	2	0.02	7	330	6	<-0.01	<-2	3	18	0.1	<10	<10	109	<10	30
4+25E-0440N	425	40	<-0.005	<-0.2	2.15	4	<10	110	<0.5	<-2	0.31	<0.5	8	48	31	3.64	10	<1	0.07	<10	0.47	610	1	0.03	11	980	5	<-0.01	<-2	4	26	0.14	<10	<10	91	<10	66
4+25E-0450N	425	50	<-0.005	<-0.2	3.1	3	<10	70	<0.5	<-2	0.19	<0.5	6	49	28	5.11	10	<1	0.06	<10	0.44	352	1	0.02	11	1500	9	0.01	<-2	4	19	0.14	<10	<10	116	<10	69
4+25E-0460N	425	60	<-0.005	<-0.2	2.77	<-2	<10	70	<0.5	<-2	0.26	<0.5	5	50	19	5.11	10	<1	0.05	<10	0.29	323	2	0.02	8	1880	10	0.01	<-2	4	24	0.13	<10	<10	125	<10	55
4+25E-0470N	425	70	<-0.005	0.2	2.54	4	<10	70	<0.5	<-2	0.23	<0.5	6	53	19	5.21	10	1	0.05	<10	0.37	273	2	0.03	8	1360	9	0.01	<-2	4	22	0.15	<10	<10	135	<10	72
4+25E-0480N	425	80	0.006	0.2	2.55	<-2	<10	90	<0.5	<-2	0.32	<0.5	6	67	20	5.28	10	<1	0.07	<10	0.39	271	3	0.03	9	620	10	<-0.01	<-2	4	22	0.09	<10	<10	135	<10	71
4+25E-0490N	425	90	<-0.005	0.3	2.55	<-2	<10	80	<0.5	<-2	0.53	<0.5	7	87	39	4.43	10	<1	0.08	<10	0.53	446	2	0.04	13	1640	9	0.01	<-2	6	52	0.19	<10	<10	126	<10	83
4+25E-0+100N	425	100	<-0.005	0.2	3.34	4	<10	90	<0.5	<-2	0.21	<0.5	8	63	27	4.84	10	1	0.07	<10	0.48	331	2	0.03	13	1440	9	0.01	<-2	5	21	0.13	<10	<10	112	<10	126
4+50E-0400N	450	0	0.005	<-0.2	1.46	3	<10	90	<0.5	<-2	0.35	<0.5	5	64	13	3.94	10	<1	0.06	<10	0.31	261	4	0.04	8	320	10	<-0.01	<-2	3	30	0.16	<10	<10	114	<10	60
4+50E-0410N	450	10	<-0.005	<-0.2	1.32	3	<10	70	<0.5	<-2	0.18	<0.5	5	30	17	4.01	10	<1	0.04	<10	0.28	297	3	0.02	6	970	9	<-0.01	<-2	3	17	0.16	<10	<10	112	<10	61
4+50E-0420N	450	20	0.011	0.3	1.57	2	<10	110	<0.5	<-2	0.25	<0.5	6	18	17	3.79	10	1	0.05	<10	0.42	261	4	0.01	8	260	7	<-0.01	<-2	3	18	0.12	<10	<10	99	<10	50
4+50E-0430N	450	30	<-0.005	<-0.2	2.25	4	<10	100	<0.5	<-2	0.32	<0.5	10	20	20	4.02	10	<1	0.05	<10	0.51	564	2	0.02	11	820	6	<-0.01	<-2	4	20	0.12	<10	<10	97	<10	103
4+50E-0440N	450	40	<-0.005	0.3	1.98	4	<10	80	<0.5	<-2	0.19	<0.5	9	20	21	3.84	10	<1	0.03	<10	0.39	304	1	0.02	10	780	3	<-0.01	<-2	3	17	0.09	<10	<10	91	<10	67
4+50E-0450N	450	50	<-0.005	0.2	2.85	10	<10	130	0.5	<-2	0.27	0.7	13	23	47	4.34	10	1	0.06	<10	0.65	422	2	0.02	18	650	8	0.02	<-2	4	23	0.12	<10	<10	93	<10	100
4+50E-0460N	450	60	<-0.005	0.2	1.87	4	<10	220	<0.5	<-2	0.53	0.6	12	24	40	3.47	10	<1	0.05	10	0.65	407	1	0.03	15	280	11	0.01	<-2	7	34	0.11	<10	<10	77	<10	61
4+50E-0470N	450	70	<-0.005	0.3	3.33	5	<10	170	0.6	<-2	0.2	<0.5	14	24	44	4.04	10	<1	0.04	<10	0.58	371	1	0.02	22	380	5	0.01	<-2	4	19	0.13	<10	<10	84	<10	116
4+50E-0480N	450	80	<-0.005	0.5	2.47	5	<10	100	<0.5	<-2	0.33	<0.5	12	27	41	4.53	10	<1	0.05	<10	0.7	471	1	0.02	16	970	9	0.01	<-2	5	19	0.12	<10	<10	107	<10	105
4+50E-0490N	450	90	<-0.005	0.3	2.1	2	<10	70	<0.5	<-2	0.22	<0.5	8	28	32	4.14	10	<1	0.04	<10	0.42	364	1	0.02	9	790	6	0.01	<-2	3	21	0.12	<10	<10	107	<10	71
4+50E-0+100N	450	100	<-0.005	<-0.2	3.08	3	<10	80	0.5	<-2	0.23	<0.5	13	24	47	4.05	10	1	0.05	<10	0.68	436	1	0.02	16	1280	7	0.01	<-2	5	21	0.13	<10	<10	96	<10	102
5+00E-0440N	500	40	<-0.005	0.4	2.11	4	<10	230	<0.5	<-2	0.35	0.8	10	26	35	3.5	10	<1	0.04	<10	0.54	299	1	0.02	12	150	6	<-0.01	<-2	5	24	0.11	<10	<10	93	<10	100
5+00E-0450N	500	50	<-0.005	0.2	2.44	<-2	<10	140	<0.5	<-2																											

SAMPLE	Eastings	Northings	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
7+25E-0440N	725	40	<-0.005	0.4	1.88	<2	<10	200	<0.5	<2	0.61	<0.5	11	25	35	3.64	10	1	0.06	10	0.67	2330	2	0.03	12	380	10	<-0.01	<2	5	29	0.13	<10	<10	91	<10	104
7+25E-0450N	725	50	<-0.005	0.2	2.16	4	<10	90	<0.5	<2	0.45	<0.5	6	23	16	4.62	10	<1	0.04	<10	0.39	289	2	0.02	8	490	12	<-0.01	<2	3	22	0.13	<10	<10	123	<10	97
7+25E-0460N	725	60	<-0.005	<0.2	1.86	2	<10	60	<0.5	<2	0.19	<0.5	4	37	12	4.35	10	<1	0.04	<10	0.23	244	2	0.02	5	400	11	<-0.01	<2	3	21	0.1	<10	<10	115	<10	49
7+25E-0470N	725	70	<-0.005	<0.2	2.75	<2	<10	90	<0.5	2	0.25	<0.5	9	34	30	4.8	10	1	0.06	<10	0.52	1455	2	0.02	12	730	8	<-0.01	<2	5	21	0.12	<10	<10	125	<10	70
7+50E-0400N	750	0	<-0.005	0.7	2.29	5	<10	250	0.6	<2	1.22	1.5	13	57	86	3.65	<10	<1	0.07	10	0.67	1425	2	0.04	16	830	7	0.06	<2	8	45	0.11	<10	<10	88	<10	88
7+50E-0410N	750	10	0.011	1.5	3.33	3	<10	270	0.9	<2	0.8	1.2	10	41	92	3.29	10	1	0.05	20	0.27	1105	2	0.02	12	660	14	0.02	<2	9	32	0.09	<10	<10	85	<10	80
7+50E-0420N	750	20	<-0.005	<0.2	2.3	4	<10	90	<0.5	<2	0.41	<0.5	9	63	46	3.91	10	<1	0.07	<10	0.48	326	2	0.03	12	420	8	<-0.01	<2	4	31	0.13	<10	<10	101	<10	76
7+50E-0430N	750	30	<-0.005	<0.2	1.44	5	<10	80	<0.5	<2	0.48	<0.5	5	52	17	3.6	10	<1	0.06	<10	0.33	387	1	0.03	8	1110	8	<-0.01	<2	3	32	0.12	<10	<10	105	<10	54
7+50E-0440N	750	40	<-0.005	0.3	2.47	2	<10	90	<0.5	<2	0.24	<0.5	11	31	56	3.79	10	1	0.06	<10	0.62	400	1	0.02	16	600	8	<-0.01	<2	5	23	0.12	<10	<10	95	<10	71
7+50E-0450N	750	50	<-0.005	<0.2	2.25	6	<10	70	<0.5	<2	0.24	<0.5	5	47	15	4.95	10	<1	0.04	<10	0.34	243	2	0.02	8	690	9	<-0.01	<2	4	21	0.16	<10	<10	134	<10	47
7+50E-0460N	750	60	<-0.005	0.3	2.47	2	<10	200	0.8	<2	0.64	0.5	12	35	119	3.78	10	<1	0.08	10	0.72	872	2	0.03	15	400	19	0.01	<2	7	29	0.14	<10	<10	89	<10	142
7+50E-0470N	750	70	<-0.005	0.2	2.17	3	<10	160	<0.5	<2	0.7	0.7	11	36	34	3.9	10	<1	0.06	10	0.64	485	2	0.03	12	320	10	<-0.01	<2	5	32	0.14	<10	<10	96	<10	143
7+50E-0480N	750	80	<-0.005	0.2	2.05	2	<10	120	<0.5	<2	0.41	<0.5	10	51	39	3.98	10	<1	0.07	<10	0.63	538	2	0.04	13	260	10	<-0.01	<2	5	31	0.11	<10	<10	100	<10	108
7+50E-0490N	750	90	<-0.005	0.4	2.24	5	<10	200	0.5	<2	0.57	0.8	11	47	34	3.84	10	1	0.07	10	0.59	477	1	0.04	13	230	8	<-0.01	<2	6	32	0.14	<10	<10	93	<10	128
7+50E-04100N	750	100	0.005	0.7	2.77	11	<10	100	<0.5	<2	0.83	1.6	13	46	240	4.39	10	2	0.06	<10	0.51	375	2	0.03	15	330	62	<-0.01	<2	5	28	0.13	<10	<10	109	<10	364
7+75N-0400N	775	0	<-0.005	0.2	2.13	6	<10	160	<0.5	<2	0.55	<0.5	10	32	40	3.76	10	<1	0.05	10	0.69	426	1	0.03	15	320	8	0.01	<2	5	30	0.15	<10	<10	95	<10	90
7+75N-0410N	775	10	<-0.005	0.4	1.48	2	<10	160	<0.5	<2	0.88	<0.5	5	52	26	2.99	10	<1	0.07	10	0.26	425	2	0.04	6	310	8	0.01	<2	4	39	0.09	<10	<10	81	<10	59
7+75N-0420N	775	20	<-0.005	0.3	1.98	2	<10	110	<0.5	<2	0.38	<0.5	8	41	34	3.68	10	<1	0.05	<10	0.49	313	2	0.03	10	260	8	<-0.01	<2	4	27	0.11	<10	<10	91	<10	68
7+75N-0480N	775	80	<-0.005	<0.2	2.36	<2	<10	100	<0.5	<2	0.44	<0.5	12	44	49	4.37	10	<1	0.08	<10	0.81	443	2	0.04	18	410	13	<-0.01	<2	5	36	0.15	<10	<10	103	<10	89
7+75N-0490N	775	90	<-0.005	<0.2	2.85	4	<10	120	<0.5	<2	0.37	<0.5	11	54	71	4.73	10	<1	0.07	<10	0.64	368	2	0.03	16	390	11	<-0.01	<2	5	28	0.12	<10	<10	114	<10	113
7+75N-04100N	775	100	<-0.005	<0.2	2.07	3	<10	110	<0.5	<2	0.38	<0.5	8	44	25	4.36	10	<1	0.06	<10	0.51	361	2	0.04	9	280	9	<-0.01	<2	5	31	0.13	<10	<10	114	<10	73
8+00E-0410N	800	10	<-0.005	0.2	2.37	5	<10	190	<0.5	<2	0.65	<0.5	12	36	48	4.05	10	1	0.06	<10	0.74	590	1	0.03	15	460	8	0.02	<2	5	38	0.11	<10	<10	96	<10	105
8+00E-0420N	800	20	<-0.005	0.2	2.28	3	<10	130	<0.5	<2	0.5	<0.5	10	42	46	4.43	10	<1	0.07	<10	0.65	382	2	0.03	13	320	8	<-0.01	<2	4	31	0.15	<10	<10	106	<10	126
8+00E-0430N	800	30	<-0.005	<0.2	1.83	3	<10	60	<0.5	<2	0.21	<0.5	7	37	20	4.52	10	<1	0.05	<10	0.45	289	2	0.02	9	380	8	<-0.01	<2	4	22	0.11	<10	<10	119	<10	52
8+00E-0440N	800	40	<-0.005	<0.2	2.37	3	<10	110	<0.5	<2	0.31	<0.5	14	29	61	3.76	<10	<1	0.06	<10	0.76	441	1	0.02	16	510	7	<-0.01	<2	5	29	0.12	<10	<10	90	<10	87
8+00E-0450N	800	50	<-0.005	0.2	3.66	3	<10	90	0.5	<2	0.26	<0.5	11	41	35	5.4	10	1	0.05	<10	0.51	309	2	0.02	14	940	10	0.01	<2	4	20	0.2	<10	<10	114	<10	148
8+00E-0460N	800	60	<-0.005	0.6	2.3	2	<10	190	0.5	<2	0.73	0.7	10	35	71	3.46	10	1	0.07	10	0.58	935	2	0.03	13	420	8	0.02	<2	6	35	0.1	<10	<10	88	<10	102
8+00E-0470N	800	70	0.042	0.4	1.9	3	<10	200	<0.5	<2	0.73	1.4	11	39	80	3.57	10	<1	0.06	10	0.66	1265	2	0.03	13	280	8	0.01	<2	5	38	0.1	<10	<10	91	<10	139
8+00E-0480N	800	80	<-0.005	0.2	2.15	6	<10	140	<0.5	<2	0.58	1	12	44	53	3.92	10	1	0.07	<10	0.71	485	1	0.04	13	220	14	<-0.01	<2	5	34	0.12	<10	<10	100	<10	182
8+00E-0490N	800	90	0.005	0.6	3.27	3	<10	140	0.5	<2	0.96	0.8	18	62	94	4.34	10	1	0.08	<10	0.77	701	3	0.02	12	510	60	0.01	<2	5	42	0.05	<10	<10	112	<10	293
8+00E-04100N	800	100	<-0.005	0.2	2.66	4	<10	110	<0.5	2	0.23	<0.5	8	48	49	4.25	10	<1	0.07	<10	0.55	305	2	0.01	7	350	42	<-0.01	<2	4	23	0.03	<10	<10	116	<10	122
8+25E-0400N	825	0	<-0.005	0.2	1.3	<2	<10	140	<0.5	<2	0.37	0.6	8	66	18	3.73	10	<1	0.06	<10	0.51	499	1	0.04	22	240	11	<-0.01	<2	4	40	0.16	<10	<10	112	<10	76
8+50E-0400N	850	0	<-0.005	0.6	2.53	<2	<10	250	0.5	<2	0.32	0.6	18	52	58	6.36	10	1	0.2	<10	0.33	2100	3	0.02	13	790	16	0.01	6	6	16	<-0.01	<10	<10	97	<10	320
8+75E-0410N	875	10	<-0.005	0.6	2.45	3	<10	210	<0.5	<2	0.47	<0.5	9	64	40	3.66	10	1	0.12	<10	0.59	796	2	0.03	11	650	21	0.01	<2	4	43	0.06	<10	<10	94	<10	104
8+75E-0420N	875	20	<-0.005	<0.2	2.25	4	<10	80	<0.5	<2	0.26	<0.5	9	37	28	4.65	10	<1	0.06	<10	0.43	387	1	0.02	11	510	13	<-0.01	<2	4	23	0.13	<10	<10	118	<10	96
8+75E-0430N	875	30	<-0.005	<0.2	2.33	9	<10	100	<0.5	<2	0.31	<0.5	13	52	54	5.18	10	<1	0.07	<10	0.45	510	1	0.03	14	870	19	0.01	<2	4	26	0.15	<10	<10	119	<10	92
8+75E-0440N	875	40	<-0.005	<0.2	2.54	<2	<10	80	<0.5	<2	0.27	<0.5	10	36	28	4.61	10	<1	0.07	<10	0.63	537	1	0.03	11	1500	8	<-0.01	<2	5	23	0.13	<10	<10	106	<10	75
8+75E-0450N	875	50	<-0.005	<0.2	2.6	3	<10	100	<0.5	<2	0																										





SAMPLE	Eastings	Northings	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
9+75E-0+40N	975	40	<-0.005	0.2	0.38	<2	<10	370	<0.5	<2	3.75	1.4	2	12	77	0.54	<10	<1	0.04	<10	0.14	549	2	0.01	3	740	7	0.12	<2	1	113	0.02	<10	<10	14	<10	79
9+75E-0+50N	975	50	<-0.005	0.2	1.6	<2	<10	180	<0.5	<2	0.7	0.6	11	39	75	3.31	10	<1	0.1	10	0.88	625	1	0.03	17	460	8	<-0.01	<2	8	51	0.13	<10	<10	81	<10	155
9+75E-0+60N	975	60	0.005	0.5	2.39	13	<10	280	0.5	<2	1.18	0.8	12	29	85	4.02	10	<1	0.05	10	0.53	383	2	0.01	14	460	10	0.02	<2	5	49	0.09	<10	<10	89	<10	264
9+75E-0+70N	975	70	<-0.005	<-0.2	2.43	5	<10	110	<0.5	<2	0.34	<-0.5	11	29	46	4.07	10	1	0.06	<10	0.68	433	1	0.01	16	350	8	<-0.01	<2	5	28	0.12	<10	<10	89	<10	125
9+75E-0+80N	975	80	<-0.005	<-0.2	1.33	8	<10	90	<0.5	<2	0.34	<-0.5	6	29	25	3.81	10	<1	0.06	<10	0.47	340	1	0.02	10	180	9	<-0.01	<2	4	30	0.12	<10	<10	103	<10	51
9+75E-0+90N	975	90	0.009	<-0.2	1.61	3	<10	200	<0.5	<2	1.18	<-0.5	6	23	21	3.55	10	1	0.03	<10	0.33	227	1	0.01	9	330	7	0.04	<2	3	50	0.08	<10	<10	82	<10	64
9+75E-0+100N	975	100	0.022	0.6	1.18	7	<10	220	1	<2	2.5	1.5	7	52	180	1.72	<10	1	0.05	40	0.29	913	3	0.02	10	850	6	0.11	<2	9	70	0.04	<10	<10	40	<10	55
10+00E-0+00N	1000	0	0.009	0.3	2.02	4	<10	310	<0.5	<2	0.41	<-0.5	6	36	20	3.54	10	1	0.1	10	0.37	400	4	0.02	9	270	21	<-0.01	<2	3	23	0.02	<10	<10	78	<10	71
10+00E-0+10N	1000	10	0.01	0.2	1.88	5	<10	210	<0.5	<2	0.34	<-0.5	11	26	69	3.9	10	<1	0.05	<10	0.69	454	1	0.01	14	180	10	<-0.01	<2	6	30	0.1	<10	<10	92	<10	82
10+00E-0+60N	1000	60	0.008	0.4	2.13	7	<10	140	0.5	<2	1.92	1.5	19	31	47	3.42	10	<1	0.04	10	0.36	820	1	0.01	8	600	15	0.04	<2	3	48	0.06	<10	<10	77	<10	535
10+00E-0+70N	1000	70	0.008	<-0.2	2.92	10	<10	210	0.7	<2	0.64	0.6	17	30	75	4.89	10	1	0.05	10	0.52	351	2	0.01	14	340	24	0.02	<2	5	36	0.1	<10	<10	114	<10	177
10+00E-0+80N	1000	80	0.009	<-0.2	1.95	8	<10	170	<0.5	<2	0.58	0.6	7	23	33	3.73	10	1	0.04	<10	0.34	234	2	0.01	9	290	9	0.05	<2	4	32	0.09	<10	<10	85	<10	64
10+00E-0+90N	1000	90	<-0.005	<-0.2	1.86	6	<10	140	<0.5	<2	0.56	0.5	7	25	22	3.74	10	<1	0.05	<10	0.36	270	1	0.02	10	250	7	0.05	<2	4	33	0.08	<10	<10	92	<10	71
10+00E-0+100N	1000	100	<-0.005	<-0.2	2.34	2	<10	110	<0.5	<2	0.25	0.6	8	34	30	4.79	10	<1	0.07	<10	0.59	367	1	0.02	14	250	10	0.01	<2	5	27	0.13	<10	<10	110	<10	93
10+25E-0+00N	1025	0	<-0.005	0.2	1.5	2	<10	120	<0.5	<2	0.19	<-0.5	5	25	27	3.16	10	<1	0.08	10	0.21	267	4	0.01	6	190	45	<-0.01	<2	3	14	0.03	<10	<10	77	<10	44
10+25E-0+10N	1025	10	<-0.005	0.4	2.18	7	<10	270	0.6	<2	0.6	<-0.5	10	43	235	3.83	10	1	0.1	10	0.75	554	1	0.03	15	330	9	0.01	<2	8	42	0.12	<10	<10	92	<10	60
10+25E-0+20N	1025	20	<-0.005	0.9	3.5	6	<10	300	0.7	<2	0.75	0.5	10	32	169	3.87	10	1	0.1	10	0.81	850	1	0.02	13	1260	15	0.02	<2	6	40	0.09	<10	<10	79	<10	130
10+25E-0+30N	1025	30	0.009	0.2	2.72	3	<10	140	<0.5	<2	0.73	0.5	10	25	46	3.32	10	2	0.11	<10	0.64	647	1	0.02	9	710	16	0.02	<2	3	42	0.04	<10	<10	99	<10	155
10+25E-0+40N	1025	40	<-0.005	1.6	3.89	8	<10	360	0.8	<2	1.81	2	14	32	167	3.63	10	1	0.09	20	0.67	979	1	0.03	13	1050	38	0.07	<2	6	58	0.09	<10	<10	84	<10	238
10+25E-0+50N	1025	50	<-0.005	0.3	2.97	5	<10	320	<0.5	<2	0.97	0.9	16	45	64	3.81	10	<1	0.16	10	0.52	1190	1	0.02	9	770	12	0.02	<2	5	33	0.02	<10	<10	104	<10	240
10+25E-0+60N	1025	60	<-0.005	0.4	2.71	6	<10	210	<0.5	<2	1.47	0.6	14	31	100	3.85	10	1	0.07	<10	0.66	1525	2	0.02	12	700	22	0.03	<2	5	30	0.09	<10	<10	110	<10	373
10+25E-0+70N	1025	70	0.005	0.3	2.11	5	<10	210	<0.5	<2	0.81	<-0.5	7	27	19	3.82	10	<1	0.09	<10	0.37	323	2	0.01	6	310	8	0.02	<2	3	25	0.02	<10	<10	85	10	80
10+25E-0+80N	1025	80	<-0.005	0.3	2.41	5	<10	310	<0.5	<2	0.6	<-0.5	8	26	14	3.99	10	1	0.14	<10	0.29	459	2	0.02	7	540	6	0.02	<2	4	28	0.01	<10	<10	77	20	86
10+25E-0+90N	1025	90	<-0.005	<-0.2	2.03	<2	<10	210	<0.5	<2	0.31	<-0.5	10	29	28	3.91	10	<1	0.07	10	0.58	486	1	0.02	14	300	10	0.01	<2	5	26	0.11	<10	<10	94	<10	89
10+25E-0+100N	1025	100	<-0.005	<-0.2	1.26	<2	<10	120	<0.5	<2	0.29	<-0.5	4	26	11	3.37	10	<1	0.06	<10	0.23	221	1	0.03	7	250	7	0.01	<2	3	28	0.09	<10	<10	89	<10	46
10+50E-0+00N	1050	0	0.006	0.8	3.08	4	<10	350	0.5	2	0.37	0.9	14	37	56	5.14	10	1	0.15	<10	0.48	885	3	0.03	10	580	40	0.01	<2	5	31	0.02	<10	<10	111	<10	121
10+50E-0+10N	1050	10	<-0.005	0.2	2.98	3	<10	240	<0.5	<2	0.29	<-0.5	10	27	100	4.04	10	1	0.12	<10	0.63	482	1	0.01	11	600	12	<-0.01	<2	5	25	0.04	<10	<10	89	<10	109
10+50E-0+30N	1050	30	<-0.005	<-0.2	2.04	2	<10	110	<0.5	<2	0.54	<-0.5	9	30	32	3.67	10	1	0.08	<10	0.49	750	<1	0.02	10	720	9	<-0.01	<2	4	37	0.14	<10	<10	101	<10	98
10+50E-0+50N	1050	50	<-0.005	0.2	2.45	4	<10	70	<0.5	<2	0.68	<-0.5	6	23	13	3.29	10	1	0.07	<10	0.41	489	1	0.01	6	680	8	0.01	<2	3	39	0.07	<10	<10	88	<10	97
10+50E-0+60N	1050	60	<-0.005	0.2	2.55	3	<10	120	<0.5	<2	0.53	0.5	10	24	15	2.64	10	1	0.09	<10	0.43	1260	<1	0.01	6	820	10	0.01	<2	2	33	0.04	<10	<10	69	<10	106
10+50E-0+70N	1050	70	<-0.005	<-0.2	1.44	2	<10	60	<0.5	<2	0.92	<-0.5	3	25	10	3.23	10	1	0.05	<10	0.23	228	1	0.02	6	260	9	<-0.01	<2	3	25	0.12	<10	<10	94	<10	68
10+50E-0+80N	1050	80	<-0.005	0.3	2.83	8	<10	130	<0.5	<2	0.39	1	9	26	30	5	10	1	0.05	<10	0.51	334	1	0.01	14	440	23	0.01	<2	4	20	0.13	<10	<10	111	<10	334
10+50E-0+90N	1050	90	<-0.005	0.2	1.52	2	<10	220	<0.5	<2	0.47	<-0.5	9	31	20	3.26	10	<1	0.06	10	0.46	387	1	0.02	10	270	8	<-0.01	<2	4	30	0.11	<10	<10	82	<10	119
10+50E-0+100N	1050	100	<-0.005	0.3	2.19	3	10	220	<0.5	<2	1.42	<-0.5	11	34	30	3.68	10	1	0.08	10	0.78	792	1	0.02	14	380	8	0.01	<2	6	37	0.16	<10	<10	90	<10	165
11+50E-0+00N	1150	0	<-0.005	0.4	2.03	3	<10	150	0.7	<2	0.38	2.9	11	23	47	3.55	10	<1	0.16	10	0.44	3310	4	0.01	9	970	255	0.01	<2	3	24	0.01	<10	<10	54	<10	180
12+00E-0+00N	1200	0	<-0.005	0.3	2.7	6	<10	230	<0.5	<2	0.59	<-0.5	8	92	19	3.78	10	1	0.13	<10	0.6	404	1	0.03	13	760	7	0.01	<2	5	75	0.08	<10	<10	129	<10	75

SAMPLE	Easting	Northing	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
2+00E-0+10S	200	-10	<0.005	0.5	1.96	2	<10	150	<0.5	<2	0.24	<0.5	8	35	23	3.46	10	1	0.07	10	0.47	1260	2	0.02	11	730	12	0.01	<2	3	24	0.04	<10	<10	85	<10	92
2+00E-0+20S	200	-20	0.02	0.3	2.12	2	<10	110	<0.5	<2	0.28	<0.5	10	52	22	3.99	10	1	0.1	<10	0.53	938	2	0.03	11	1170	22	0.01	<2	4	26	0.09	<10	<10	92	<10	124
2+00E-0+30S	200	-30	0.054	1.1	2.31	5	<10	180	0.5	<2	0.22	<0.5	11	53	40	4.09	10	1	0.13	10	0.59	775	2	0.03	16	670	19	0.01	<2	4	19	0.06	<10	<10	81	<10	125
2+00E-0+40S	200	-40	0.007	0.4	2	<2	<10	160	<0.5	<2	0.24	<0.5	8	28	22	3.69	10	1	0.11	10	0.35	459	3	0.02	9	370	17	0.01	<2	3	19	0.05	<10	<10	79	<10	96
2+00E-0+50S	200	-50	<0.005	0.9	1.61	2	<10	200	<0.5	<2	0.6	<0.5	7	86	26	2.86	<10	1	0.24	10	0.18	1595	4	0.03	8	450	13	0.01	<2	3	25	0.02	<10	<10	56	<10	82
2+00E-0+60S	200	-60	0.005	0.4	1.82	4	<10	210	<0.5	<2	0.18	<0.5	7	26	33	3.52	10	<1	0.17	10	0.33	375	2	0.02	9	420	15	0.01	<2	3	14	0.03	<10	<10	64	<10	114
2+00E-0+70S	200	-70	0.007	0.8	1.87	3	<10	410	<0.5	<2	0.2	<0.5	10	48	42	3.71	<10	1	0.26	10	0.22	1000	4	0.01	11	580	41	0.01	<2	3	12	0.01	<10	<10	48	<10	224
2+00E-0+80S	200	-80	0.006	0.4	1.5	<2	<10	300	<0.5	<2	0.21	<0.5	7	23	15	2.52	<10	<1	0.28	10	0.15	879	2	0.01	4	530	11	0.01	<2	2	11	0.01	<10	<10	36	<10	64
2+00E-0+90S	200	-90	0.01	0.5	1.53	5	<10	780	<0.5	<2	0.22	0.6	10	71	38	2.8	<10	<1	0.28	10	0.18	1370	5	0.01	8	490	19	0.01	<2	3	15	0.01	<10	<10	38	<10	214
2+00E-0+100S	200	-100	0.015	0.7	1.81	<2	<10	800	0.6	<2	0.34	<0.5	9	24	56	3.35	<10	<1	0.25	10	0.26	1045	3	0.01	8	730	17	0.01	<2	4	17	0.01	<10	<10	43	<10	202
2+25E-0+10S	225	-10	<0.005	0.2	1.68	3	<10	150	<0.5	<2	0.13	<0.5	6	31	18	3.49	<10	<1	0.08	10	0.26	426	2	0.02	7	540	7	0.01	<2	3	11	0.02	<10	<10	70	<10	72
2+25E-0+20S	225	-20	<0.005	0.2	1.8	2	<10	210	<0.5	<2	0.35	<0.5	12	38	35	4.56	<10	<1	0.12	<10	0.41	461	3	0.02	23	430	8	0.01	<2	5	18	0.01	<10	<10	75	<10	122
2+25E-0+40S	225	-40	0.021	0.4	3.04	5	<10	220	0.6	<2	0.35	1.4	12	29	37	5.03	10	<1	0.07	<10	0.59	465	3	0.02	14	480	31	0.01	<2	4	25	0.1	<10	<10	99	<10	762
2+25E-0+50S	225	-50	0.022	0.2	1.69	<2	<10	170	<0.5	<2	0.17	<0.5	8	22	46	4.29	10	<1	0.1	10	0.24	311	6	0.01	9	420	14	0.01	<2	3	13	0.01	<10	<10	58	<10	154
2+25E-0+60S	225	-60	0.012	1.7	2.12	2	<10	520	0.6	<2	0.62	0.9	10	30	59	3.82	10	1	0.12	10	0.63	840	2	0.02	14	290	21	0.02	<2	6	3	0.02	<10	<10	75	<10	160
2+25E-0+70S	225	-70	0.199	0.7	1.02	5	<10	310	<0.5	<2	0.28	<0.5	8	18	24	2.98	<10	<1	0.23	10	0.13	1155	3	0.01	6	420	16	0.01	2	2	12	0.01	<10	<10	37	<10	99
2+25E-0+80S	225	-80	<0.005	0.4	1.14	2	<10	390	<0.5	<2	0.64	<0.5	6	15	23	2.21	<10	<1	0.23	10	0.23	2200	2	0.01	5	620	10	0.02	<2	2	31	0.02	<10	<10	41	<10	72
2+50E-0+10S	250	-10	<0.005	<0.2	2.45	<2	<10	190	<0.5	<2	0.23	<0.5	12	24	43	4.47	10	1	0.07	10	0.78	996	3	0.02	14	590	11	0.01	<2	4	20	0.05	<10	<10	91	<10	115
2+50E-0+20S	250	-20	<0.005	0.3	2.75	<2	<10	150	<0.5	<2	0.25	<0.5	8	34	22	5.25	10	<1	0.05	<10	0.62	387	3	0.02	12	750	13	0.01	<2	4	23	0.1	<10	<10	126	<10	125
2+50E-0+40S	250	-40	0.005	0.6	2.32	2	<10	160	<0.5	<2	0.17	<0.5	7	25	18	4.44	10	<1	0.06	10	0.41	370	2	0.02	10	410	11	0.01	<2	4	19	0.08	<10	<10	104	<10	124
2+50E-0+50S	250	-50	<0.005	0.3	2.11	<2	<10	130	<0.5	<2	0.25	<0.5	8	27	18	3.83	10	<1	0.06	<10	0.58	437	1	0.02	10	400	8	0.01	<2	4	23	0.08	<10	<10	95	<10	94
2+50E-0+60S	250	-60	<0.005	0.2	1.66	4	<10	100	<0.5	<2	0.25	<0.5	6	25	14	3.32	10	1	0.09	10	0.31	804	1	0.02	8	460	9	0.01	<2	2	23	0.05	<10	<10	87	<10	56
2+50E-0+70S	250	-70	0.005	0.4	1.34	2	<10	130	<0.5	<2	0.18	<0.5	5	32	20	3.39	10	1	0.16	10	0.17	666	2	0.02	5	530	9	0.01	<2	2	16	0.03	<10	<10	66	<10	58
2+50E-0+80S	250	-80	0.013	0.7	1.1	4	<10	240	<0.5	<2	0.19	<0.5	7	14	21	2.91	<10	<1	0.19	10	0.07	1860	2	0.01	5	610	11	0.01	<2	2	11	0.01	<10	<10	39	<10	119
2+50E-0+90S	250	-90	0.016	0.8	1.65	<2	<10	280	<0.5	<2	0.2	<0.5	13	27	18	3.49	<10	<1	0.22	10	0.13	3950	3	0.01	5	740	14	0.02	<2	2	13	0.01	<10	<10	43	<10	110
2+50E-0+100S	250	-100	0.009	3.8	1.24	2	<10	560	<0.5	<2	0.39	0.6	11	13	48	3.48	<10	<1	0.25	10	0.12	2180	3	0.01	6	710	17	0.02	5	2	18	0.01	<10	<10	35	<10	158
2+75E-0+10S	275	-10	<0.005	0.4	2.26	2	<10	120	<0.5	<2	0.4	<0.5	9	46	21	4.18	10	1	0.06	<10	0.56	667	2	0.02	15	660	13	0.01	<2	4	51	0.1	<10	<10	100	<10	152
2+75E-0+20S	275	-20	<0.005	0.8	2.75	4	<10	320	0.5	<2	0.52	<0.5	8	25	73	4	10	<1	0.05	<10	0.4	284	3	0.02	12	510	9	0.01	<2	4	27	0.11	<10	<10	94	<10	93
2+75E-0+30S	275	-30	<0.005	0.3	2.32	3	<10	160	<0.5	<2	0.38	<0.5	9	33	22	4.43	10	<1	0.07	<10	0.48	382	2	0.02	10	1980	12	0.01	<2	4	27	0.1	<10	<10	102	<10	146
2+75E-0+40S	275	-40	<0.005	0.5	2.1	2	<10	140	<0.5	<2	0.28	<0.5	8	33	30	3.8	10	1	0.07	<10	0.5	376	1	0.02	12	840	10	0.01	<2	4	23	0.07	<10	<10	83	<10	86
2+75E-0+50S	275	-50	0.07	0.9	2.12	<2	<10	190	<0.5	<2	0.4	<0.5	11	51	30	4.04	10	1	0.11	<10	0.55	4400	2	0.03	11	910	12	0.02	<2	3	32	0.07	<10	<10	93	<10	118
2+75E-0+60S	275	-60	<0.005	0.6	2.79	<2	<10	260	<0.5	<2	0.21	<0.5	14	40	34	4.38	10	1	0.15	10	0.61	5140	2	0.02	13	1340	13	0.01	<2	3	21	0.05	<10	<10	89	<10	150
2+75E-0+70S	275	-70	<0.005	0.5	2.43	<2	<10	180	<0.5	<2	0.21	<0.5	9	53	33	4.33	10	<1	0.08	10	0.49	654	2	0.02	10	430	14	<0.01	<2	4	27	0.06	<10	<10	96	<10	140
2+75E-0+80S	275	-80	<0.005	0.3	2.52	<2	<10	150	<0.5	<2	0.22	<0.5	11	28	47	4.49	10	<1	0.08	<10	0.58	673	1	0.02	12	970	10	0.01	<2	4	24	0.09	<10	<10	91	<10	112
2+75E-0+90S	275	-90	0.017	0.7	2.19	4	<10	160	0.6	<2	0.08	<0.5	11	38	43	5.75	10	<1	0.19	10	0.19	713	4	0.01	8	750	25	0.01	<2	3	9	0.02	<10	<10	65	<10	145
2+75E-0+100S	275	-100	0.007	0.6	1.84	<2	<10	430	<0.5	<2	0.39	<0.5	11	16	66	4.55	10	<1	0.24	10	0.2	2580	3	0.01	7	870	12	0.01	<2	3	19	0.01	<10	<10	56	<10	140
3+00E-0+10S	300	-10	<0.005	1.1	2.06	6	<10	330	<0.5	<2	0.38	<0.5	10	41	46	3.42	10	1	0.07	10	0.61	1110	2	0.01	13	390	9	0.02	<2	4	29	0.08	<10	<10	84	<10	65
3+00E-0+20S	300	-20	<0.005	0.6	1.32	3	<10	100	<0.5	<2	0.2	<0.5	5	19	14	2.8	<10	<1	0.1	10	0.14	209															

SAMPLE	Easting	Northing	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
3+75E-0+90S	375	-90	<0.005	0.2	2.52	<2	<10	180	<0.5	<2	0.24	<0.5	11	21	40	3.96	10	1	0.05	<10	0.64	367	2	0.01	15	300	9	0.01	<2	4	21	0.11	<10	<10	91	<10	110
3+75E-0+100S	375	-100	<0.005	0.5	2.27	3	<10	130	<0.5	<2	0.33	<0.5	8	33	28	4.11	10	1	0.08	<10	0.65	470	2	0.02	12	390	11	0.01	<2	4	25	0.09	<10	<10	88	<10	129
4+00E-0+10S	400	-10	<0.005	0.3	2.05	<2	<10	130	<0.5	<2	0.39	<0.5	7	42	20	4.15	10	<1	0.06	<10	0.43	490	2	0.01	9	350	9	0.01	<2	4	31	0.1	<10	<10	119	<10	58
4+00E-0+20S	400	-20	<0.005	0.2	1.85	2	<10	280	<0.5	<2	0.65	<0.5	12	32	91	3.96	10	1	0.11	<10	0.93	954	1	0.02	18	500	8	0.01	<2	5	39	0.11	<10	<10	92	<10	93
4+00E-0+30S	400	-30	<0.005	0.2	1.84	3	<10	130	<0.5	<2	0.31	<0.5	6	40	18	3.54	10	<1	0.06	<10	0.36	583	2	0.01	7	380	9	0.01	<2	3	23	0.05	<10	<10	101	<10	62
4+00E-0+40S	400	-40	0.008	0.7	3.6	<2	<10	330	0.9	<2	0.34	<0.5	11	33	112	3.73	10	<1	0.16	<10	0.63	760	2	0.01	16	720	45	0.01	<2	4	20	0.06	<10	<10	81	<10	120
4+00E-0+50S	400	-50	<0.005	0.3	2.02	<2	<10	130	<0.5	<2	0.23	<0.5	6	37	20	3.2	10	1	0.09	<10	0.37	451	1	0.01	7	550	20	0.01	<2	2	25	0.04	<10	<10	86	<10	70
4+00E-0+60S	400	-60	<0.005	0.6	2.48	2	<10	230	<0.5	<2	0.4	<0.5	6	41	31	3.49	10	1	0.11	<10	0.36	297	2	0.01	7	430	7	0.01	<2	4	21	0.02	<10	<10	90	<10	104
4+00E-0+70S	400	-70	<0.005	0.3	2.29	2	<10	140	<0.5	<2	0.36	<0.5	10	35	38	3.82	10	1	0.07	<10	0.67	424	2	0.01	13	410	8	0.01	<2	4	27	0.11	<10	<10	94	<10	66
4+00E-0+80S	400	-80	<0.005	0.4	2.27	2	<10	310	<0.5	<2	0.71	<0.5	9	54	26	3.52	10	<1	0.1	<10	0.5	592	2	0.03	9	270	9	0.01	<2	4	41	0.09	<10	<10	108	<10	82
4+00E-0+90S	400	-90	<0.005	0.3	1.84	2	<10	130	<0.5	<2	0.42	<0.5	7	33	21	3.51	10	<1	0.08	<10	0.4	553	3	0.01	7	280	8	0.01	<2	3	25	0.09	<10	<10	88	<10	76
4+00E-0+100S	400	-100	<0.005	0.5	2.12	<2	<10	210	<0.5	<2	0.33	<0.5	9	57	35	3.53	10	<1	0.14	<10	0.39	494	2	0.03	8	340	10	0.01	<2	4	30	0.07	<10	<10	87	<10	76
4+25E-0+20S	425	-20	<0.005	0.2	1.68	2	<10	90	<0.5	<2	0.44	<0.5	4	44	35	3.21	10	1	0.05	<10	0.32	234	3	0.02	8	200	7	<-0.01	<2	3	35	0.1	<10	<10	112	<10	50
4+25E-0+30S	425	-30	<0.005	0.4	2.34	<2	<10	170	<0.5	<2	0.46	<0.5	5	60	67	2.59	10	<1	0.09	<10	0.38	383	2	0.03	8	230	8	0.01	<2	4	46	0.06	<10	<10	98	<10	64
4+25E-0+40S	425	-40	<0.005	0.2	1.79	4	<10	80	<0.5	<2	0.24	<0.5	5	38	14	4.69	10	1	0.04	<10	0.33	248	4	0.01	8	300	13	0.01	<2	4	22	0.15	<10	<10	136	<10	53
4+25E-0+50S	425	-50	<0.005	0.2	2.51	6	<10	110	<0.5	<2	0.24	<0.5	10	32	25	4.93	10	<1	0.06	<10	0.6	398	3	0.02	12	520	10	0.01	<2	4	25	0.17	<10	<10	114	<10	112
4+25E-0+60S	425	-60	<0.005	0.4	2.12	<2	<10	100	<0.5	<2	0.38	<0.5	6	43	28	3.49	10	1	0.05	<10	0.39	331	2	0.02	7	320	7	0.01	<2	4	49	0.13	<10	<10	112	<10	63
4+25E-0+70S	425	-70	<0.005	0.3	1.8	3	<10	190	<0.5	<2	0.48	<0.5	6	40	21	3.4	10	<1	0.06	<10	0.45	402	2	0.03	7	220	7	0.01	<2	4	35	0.11	<10	<10	100	<10	60
4+25E-0+80S	425	-80	<0.005	0.3	2.13	<2	<10	120	<0.5	<2	0.51	<0.5	7	54	25	2.66	10	1	0.09	<10	0.54	306	3	0.02	8	350	4	0.01	<2	4	45	0.05	<10	<10	98	<10	59
4+25E-0+90S	425	-90	<0.005	0.4	2.11	8	<10	410	<0.5	<2	0.69	<0.5	10	35	43	3.31	10	<1	0.19	<10	0.28	292	4	<-0.01	7	270	15	0.01	<2	3	21	<-0.01	<10	<10	92	<10	90
4+25E-0+100S	425	-100	<0.005	1	2.35	21	<10	370	0.7	<2	1.32	<0.5	11	39	126	3.81	10	1	0.09	<10	0.57	1410	2	0.02	13	690	11	0.06	3	6	45	0.07	<10	<10	111	<10	82
4+50E-0+10S	450	-10	<0.005	-0.2	3.56	5	<10	170	<0.5	<2	0.47	<0.5	11	35	37	5.5	10	1	0.08	<10	0.65	392	4	0.02	16	420	9	0.02	<2	5	33	0.18	<10	<10	127	<10	110
4+50E-0+20S	450	-20	<0.005	0.2	3.71	10	<10	220	<0.5	<2	0.83	0.7	13	67	73	4.44	10	<1	0.08	<10	1.03	908	2	0.02	17	610	9	0.01	<2	6	104	0.15	<10	<10	144	<10	226
4+50E-0+30S	450	-30	<0.005	0.3	2.31	3	<10	90	<0.5	<2	0.54	<0.5	8	58	37	3.34	10	1	0.05	<10	0.5	315	2	0.03	10	260	9	0.01	<2	4	69	0.14	<10	<10	114	<10	119
4+50E-0+50S	450	-50	<0.005	<-0.2	1.88	4	<10	90	<0.5	<2	0.32	<0.5	9	34	21	4.37	10	<1	0.05	<10	0.73	410	2	0.02	13	210	7	<-0.01	<2	4	26	0.12	<10	<10	115	<10	75
4+50E-0+60S	450	-60	<0.005	-0.2	1.52	2	<10	90	<0.5	<2	0.46	<0.5	5	39	9	3.73	10	<1	0.04	<10	0.35	255	3	0.03	6	150	7	<-0.01	<2	3	32	0.13	<10	<10	117	<10	51
4+50E-0+70S	450	-70	<0.005	0.3	2.16	3	<10	140	<0.5	<2	0.29	<0.5	7	36	20	3.5	10	<1	0.07	<10	0.52	267	2	0.01	8	240	7	<-0.01	<2	4	22	0.05	<10	<10	93	<10	59
4+50E-0+80S	450	-80	<0.005	1.1	2.26	11	<10	370	0.5	<2	0.64	0.9	10	48	67	3.51	10	1	0.08	<10	0.63	369	2	0.02	13	270	7	0.02	<2	5	33	0.09	<10	<10	99	<10	83
4+50E-0+90S	450	-90	0.005	1.2	1.98	18	<10	260	0.6	<2	0.92	<0.5	12	41	114	3.78	<10	<1	0.12	20	0.74	1410	3	0.03	12	850	10	0.02	<2	13	51	0.12	<10	<10	97	<10	59
4+50E-0+100S	450	-100	0.005	1.4	2.97	37	<10	1100	1.1	<2	1.11	2.8	18	52	316	4.52	<10	<1	0.1	20	0.41	5950	8	0.01	16	1380	17	0.04	6	8	48	0.05	<10	<10	160	<10	96
5+00E-0+10S	500	-10	<0.005	<-0.2	2.14	7	<10	130	<0.5	<2	0.41	<0.5	6	39	15	4.59	10	<1	0.05	<10	0.42	233	5	0.03	9	250	9	0.01	<2	4	30	0.12	<10	<10	136	<10	90
5+00E-0+20S	500	-20	<0.005	<-0.2	2.87	<2	<10	210	<0.5	<2	0.61	<0.5	11	40	24	4.21	10	2	0.06	<10	0.61	366	3	0.02	13	220	7	0.01	<2	5	40	0.16	<10	<10	107	<10	88
5+00E-0+30S	500	-30	<0.005	<-0.2	2.08	9	<10	190	<0.5	<2	0.45	0.5	11	40	17	3.72	<10	<1	0.06	<10	0.6	374	3	0.03	11	230	7	0.01	<2	4	34	0.13	<10	<10	107	<10	126
5+00E-0+40S	500	-40	<0.005	<-0.2	1.64	6	<10	140	<0.5	<2	0.27	<0.5	4	45	10	3.51	10	<1	0.06	<10	0.23	203	3	0.02	6	220	10	0.01	<2	3	28	0.1	<10	<10	92	<10	114
5+00E-0+50S	500	-50	<0.005	<-0.2	2.13	5	<10	110	<0.5	<2	0.26	0.6	9	36	13	4.32	10	<1	0.06	<10	0.39	285	5	0.03	11	200	7	0.01	<2	3	24	0.14	<10	<10	102	<10	102
5+00E-0+60S	500	-60	<0.005	0.5	2.83	4	<10	120	<0.5	<2	0.35	0.9	9	42	30	4.56	10	<1	0.08	<10	0.57	393	3	0.02	15	460	9	0.01	<2	4	26	0.13	<10	<10	102	<10	147
5+00E-0+70S	500	-70	<0.005	0.5	3.12	2	<10	130	0.6	2	0.35	0.5	15	51	42	4.25	10	<1	0.09	<10	0.76	528	1	0.04	23	820	9	0.01	3	5	31	0.16	<10	<10	94	<10	180
5+00E-0+80S	500	-80	<0.005	0.2	2.88	2	<10	150	0.5	<2	0.38	0.5	11	77	23	4																					

SAMPLE	Eastings	Northings	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
7+50E-0+50S	750	-50	<0.005	0.7	3.19	25	<10	190	0.8	2	1.24	10.1	12	74	135	4.23	10	<1	0.06	10	0.36	706	3	0.04	11	630	13	0.05	3	7	50	0.23	<10	<10	100	<10	2260
7+50E-0+60S	750	-60	<0.005	0.2	2.99	4	<10	100	0.5	<2	0.32	1.2	12	74	42	4.09	10	<1	0.09	<10	0.73	460	1	0.04	17	620	7	0.01	2	5	31	0.16	<10	<10	91	<10	260
7+50E-0+70S	750	-70	<0.005	0.5	1.8	2	<10	80	<0.5	2	0.24	<0.5	4	65	16	3.99	10	<1	0.06	<10	0.27	247	1	0.04	7	1160	19	<0.01	2	3	30	0.17	<10	<10	110	<10	57
7+50E-0+80S	750	-80	<0.005	<0.2	1.9	2	<10	80	<0.5	<2	0.24	<0.5	6	62	17	3.84	10	<1	0.07	<10	0.38	327	1	0.04	10	1280	20	<0.01	<2	4	27	0.15	<10	<10	97	<10	54
7+50E-0+90S	750	-90	<0.005	0.3	2.75	3	<10	80	<0.5	<2	0.24	<0.5	7	65	23	4.18	10	<1	0.07	<10	0.36	355	1	0.03	11	1400	18	0.01	2	4	27	0.15	<10	<10	98	<10	71
7+50E-0+100S	750	-100	<0.005	0.3	3.44	3	<10	90	<0.5	2	0.22	<0.5	8	62	19	4.41	10	<1	0.08	<10	0.42	439	1	0.04	13	1130	19	0.01	2	5	24	0.19	<10	<10	101	<10	92
7+75E-0+10S	775	-10	<0.005	0.2	1.21	3	<10	90	<0.5	2	0.38	1.9	4	61	25	2.81	10	<1	0.08	<10	0.16	313	2	0.04	7	270	26	0.01	<2	2	29	0.11	<10	<10	88	<10	94
7+75E-0+20S	775	-20	<0.005	1.3	4.03	3	<10	210	1	<2	1.4	6.3	15	94	107	3.29	10	<1	0.06	<10	0.31	1175	3	0.03	14	640	417	0.05	2	8	47	0.11	<10	<10	85	<10	1330
7+75E-0+30S	775	-30	<0.005	0.3	2.18	3	<10	150	<0.5	<2	0.55	1.7	11	82	30	3.55	<10	<1	0.12	<10	0.55	409	2	0.05	14	240	42	0.01	<2	4	38	0.1	<10	<10	89	<10	585
7+75E-0+40S	775	-40	<0.005	1	2.3	16	<10	200	0.8	2	1.45	15.9	11	117	220	3.55	<10	<1	0.1	10	0.47	1610	4	0.05	13	680	136	0.05	2	6	59	0.11	<10	<10	87	<10	1880
7+75E-0+50S	775	-50	<0.005	0.2	2.1	3	<10	80	<0.5	2	0.28	1.1	6	82	20	4.64	10	<1	0.09	<10	0.44	306	2	0.04	10	1220	69	0.02	3	4	25	0.16	<10	<10	112	<10	145
7+75E-0+60S	775	-60	<0.005	0.3	3.26	3	<10	70	0.5	2	0.24	0.7	9	41	29	4.37	10	<1	0.06	<10	0.57	372	1	0.02	13	1030	16	0.01	<2	4	20	0.16	<10	<10	99	<10	173
7+75E-0+70S	775	-70	<0.005	0.3	1.62	<2	<10	140	<0.5	2	0.37	<0.5	11	64	17	3.53	10	<1	0.06	10	0.28	710	1	0.04	8	890	19	0.01	<2	3	32	0.14	<10	<10	83	<10	54
7+75E-0+80S	775	-80	<0.005	0.2	2.86	3	<10	80	<0.5	2	0.23	<0.5	9	56	26	4.42	10	<1	0.07	10	0.62	352	1	0.03	21	1060	14	<0.01	2	4	26	0.19	<10	<10	106	<10	105
7+75E-0+90S	775	-90	<0.005	0.6	2.31	9	<10	250	0.5	<2	0.5	1	11	46	67	3.71	10	<1	0.07	10	0.64	566	2	0.04	16	230	12	0.01	3	7	43	0.17	<10	<10	87	<10	167
7+75E-0+100S	775	-100	<0.005	0.7	2.22	8	<10	240	<0.5	<2	0.56	1.4	10	39	68	3.66	10	<1	0.06	10	0.61	720	2	0.03	16	330	12	0.01	2	6	44	0.15	<10	<10	87	<10	167
8+00E-0+10S	800	-10	<0.005	0.5	3.36	6	<10	170	1	<2	0.89	1.5	15	56	94	4.45	10	<1	0.08	10	0.67	371	2	0.04	21	380	255	0.01	3	8	41	0.21	<10	<10	106	<10	555
8+00E-0+30S	800	-30	0.019	0.3	1.8	<2	<10	110	<0.5	<2	0.48	0.9	4	97	18	1.9	<10	1	0.08	<10	0.24	216	2	0.06	8	150	26	<0.01	<2	3	49	0.06	<10	<10	63	<10	108
8+00E-0+40S	800	-40	<0.005	0.9	3.08	5	<10	190	0.7	2	0.54	1.6	13	88	58	4.08	10	<1	0.14	10	0.53	369	3	0.04	21	330	42	0.02	2	5	35	0.08	<10	<10	89	<10	476
8+00E-0+50S	800	-50	<0.005	0.3	2.81	4	<10	120	0.5	2	0.5	1.4	9	71	42	4.37	10	<1	0.08	10	0.51	367	5	0.04	13	330	16	0.02	<2	5	35	0.15	<10	<10	102	<10	279
8+00E-0+60S	800	-60	<0.005	0.2	2.4	2	<10	110	<0.5	2	0.38	1.4	11	62	24	4.39	10	<1	0.07	<10	0.45	320	4	0.04	12	250	14	0.01	<2	4	31	0.16	<10	<10	112	<10	304
8+00E-0+70S	800	-70	<0.005	0.5	3.43	4	<10	210	0.5	2	1.62	1.8	11	64	38	3.76	10	<1	0.07	10	0.47	352	4	0.04	16	520	16	0.05	<2	4	69	0.13	<10	<10	84	<10	208
8+00E-0+80S	800	-80	<0.005	0.2	2.1	<2	<10	80	<0.5	2	0.33	<0.5	7	67	18	3.99	10	<1	0.06	10	0.34	241	3	0.04	11	240	12	0.01	<2	4	32	0.16	<10	<10	112	<10	106
8+00E-0+90S	800	-90	<0.005	0.3	2.74	2	<10	100	<0.5	2	0.26	0.8	10	47	35	4.5	10	<1	0.08	<10	0.65	359	2	0.03	16	320	12	0.01	3	5	27	0.16	<10	<10	105	<10	121
8+00E-0+100S	800	-100	<0.005	0.4	3.13	2	<10	100	<0.5	2	0.28	0.7	10	50	44	4.57	10	1	0.07	<10	0.69	373	2	0.03	18	520	11	0.01	<2	4	68	0.16	<10	<10	98	<10	125
8+25E-0+10S	825	-10	<0.005	0.2	2.45	3	<10	150	<0.5	2	0.38	0.9	12	51	46	4.06	10	<1	0.09	10	0.7	451	1	0.04	18	280	23	<0.01	2	5	35	0.17	<10	<10	99	<10	242
8+25E-0+20S	825	-20	0.007	1.6	2.95	20	<10	200	0.9	2	0.68	2.1	14	65	201	4.26	10	<1	0.06	20	0.56	661	6	0.04	19	310	24	0.02	5	10	48	0.16	<10	<10	108	<10	336
8+25E-0+30S	825	-30	0.035	7.7	0.8	5	<10	510	1.3	2	4.6	4.2	5	40	1705	0.73	<10	<1	0.05	20	0.17	1550	3	0.01	8	1750	57	0.2	7	12	125	0.01	<10	<10	18	<10	213
8+25E-0+40S	825	-40	<0.005	1	2.1	2	<10	210	<0.5	2	0.68	2.2	9	28	61	3.7	10	<1	0.04	10	0.42	287	2	0.03	17	270	10	0.02	<2	3	37	0.19	<10	<10	97	<10	172
8+25E-0+50S	825	-50	<0.005	0.8	2.57	6	<10	280	<0.5	2	1.16	1.5	12	32	70	3.83	10	<1	0.06	10	0.61	605	2	0.03	13	650	9	0.05	<2	5	44	0.1	<10	<10	84	<10	202
8+25E-0+70S	825	-70	<0.005	0.4	2.56	10	<10	240	<0.5	2	0.39	1	12	28	42	4.37	10	<1	0.05	<10	0.75	423	2	0.02	17	160	11	0.01	3	5	32	0.16	<10	<10	100	<10	380
8+25E-0+80S	825	-80	<0.005	0.7	2.13	13	<10	150	<0.5	<2	0.27	1.1	8	38	62	4.58	10	<1	0.05	<10	0.43	252	4	0.02	16	250	13	<0.01	3	3	23	0.15	<10	<10	124	<10	386
8+25E-0+90S	825	-90	<0.005	0.3	2.04	8	<10	70	<0.5	<2	0.17	0.6	7	24	19	4.76	10	<1	0.04	<10	0.47	304	3	0.03	9	370	9	<0.01	<2	3	19	0.14	<10	<10	111	<10	122
8+25E-0+100S	825	-100	0.04	1.2	1.88	13	<10	240	<0.5	<2	0.26	0.6	14	37	39	5.52	10	<1	0.08	<10	0.36	342	2	0.03	12	500	10	0.18	<2	6	22	0.06	<10	<10	99	<10	110
8+50E-0+10S	850	-10	<0.005	0.5	2.17	<2	<10	150	<0.5	<2	0.46	<0.5	11	22	40	4.72	10	<1	0.11	<10	0.31	523	2	0.02	10	540	12	<0.01	6	4	9	0.01	<10	<10	78	<10	180
8+50E-0+20S	850	-20	<0.005	0.4	2.37	4	<10	140	<0.5	<2	0.5	<0.5	9	41	36	4.74	10	<1	0.08	<10	0.5	286	2	0.03	11	240	15	<0.01	3	4	24	0.04	<10	<10	105	<10	158
8+50E-0+30S	850	-30	<0.005	0.4	2.26	7	<10	200	<0.5	<2	0.28	0.5	11	26	53	3.88	10	1	0.05	<10	0.63	373	1	0.03	16	170	8	<0.01	<2	5	27	0.12	<10	<10	90	<10	116
8+50E-0+40S	850	-40	<0.005	0.3	2.35	5	<10	240	<0.5	<2	0.37	0.6	11	32	36	4.19	10	<1	0.05	10	0.61	472	1	0.04	16	180	9	<0									

SAMPLE	Eastings	Northings	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
9+50E-0+30S	950	-30	0.007	0.2	2.29	3	<10	80	<0.5	<2	0.27	<0.5	8	23	24	4.83	10	<1	0.05	<10	0.49	350	1	0.03	11	1600	9	0.02	<2	4	21	0.11	<10	<10	120	<10	133
9+50E-0+40S	950	-40	0.005	0.3	1.88	<2	<10	170	<0.5	<2	0.27	<0.5	10	19	48	3.79	10	<1	0.04	<10	0.51	318	1	0.03	11	500	9	0.02	<2	4	24	0.09	<10	<10	94	<10	113
9+50E-0+50S	950	-50	<0.005	0.6	2.1	<2	<10	280	0.5	<2	0.56	0.6	14	23	65	3.7	10	<1	0.05	10	0.51	1890	2	0.03	16	670	9	0.03	<2	4	35	0.11	<10	<10	84	<10	221
9+50E-0+80S	950	-80	<0.005	0.3	2.65	4	<10	70	<0.5	<2	0.69	<0.5	7	70	26	4.59	10	<1	0.08	<10	0.5	331	1	0.06	10	390	208	0.02	<2	5	38	0.15	<10	<10	122	<10	83
9+50E-0+90S	950	-90	<0.005	<0.2	1.44	4	<10	50	<0.5	<2	0.34	<0.5	3	65	14	3.2	10	<1	0.07	<10	0.18	186	1	0.05	5	260	96	0.02	<2	3	31	0.13	<10	<10	92	<10	32
9+75E-0+10S	975	-10	<0.005	0.2	2.22	2	<10	370	<0.5	<2	0.59	0.5	11	57	49	3.89	10	<1	0.1	10	0.55	884	1	0.07	11	260	95	0.03	<2	5	43	0.11	<10	<10	102	<10	207
9+75E-0+20S	975	-20	<0.005	0.2	2.15	4	<10	300	<0.5	<2	0.61	<0.5	11	42	59	3.84	10	<1	0.09	<10	0.72	495	1	0.06	13	240	63	0.02	<2	5	39	0.11	<10	<10	94	<10	172
9+75E-0+30S	975	-30	<0.005	0.3	2.22	4	<10	360	<0.5	<2	0.8	0.7	10	42	67	3.6	10	1	0.09	10	0.57	1455	1	0.06	12	370	62	0.03	<2	4	41	0.1	<10	<10	95	<10	255
9+75E-0+40S	975	-40	0.005	0.4	1.85	<2	<10	140	<0.5	<2	0.84	0.7	3	45	8	1.86	10	<1	0.07	<10	0.38	305	1	0.05	2	530	69	0.04	<2	2	57	0.08	<10	<10	49	<10	72
9+75E-0+50S	975	-50	<0.005	<0.2	2.59	4	<10	100	<0.5	<2	0.28	<0.5	9	44	28	4.41	10	<1	0.1	<10	0.69	450	1	0.05	11	460	61	0.02	<2	5	27	0.11	<10	<10	116	<10	87
9+75E-0+60S	975	-60	<0.005	0.2	1.88	2	<10	110	<0.5	<2	0.35	<0.5	6	81	16	3.5	10	<1	0.09	<10	0.36	253	1	0.08	9	240	59	0.02	<2	4	35	0.11	<10	<10	104	<10	73
9+75E-0+70S	975	-70	<0.005	0.2	2.22	2	<10	90	<0.5	<2	0.41	<0.5	4	73	11	5.97	20	<1	0.05	<10	0.27	266	4	0.05	5	940	51	0.03	<2	3	32	0.33	<10	<10	154	<10	84
9+75E-0+90S	975	-90	<0.005	<0.2	2.33	8	<10	70	<0.5	<2	1.7	<0.5	6	128	31	3.63	10	1	0.06	<10	0.35	345	1	0.07	7	420	75	0.03	<2	4	100	0.19	<10	<10	108	<10	51
9+75E-0+100S	975	-100	<0.005	0.3	4.22	2	<10	120	0.5	<2	0.64	<0.5	8	70	25	4.34	10	1	0.1	<10	0.46	369	1	0.06	6	820	45	0.04	<2	4	51	0.13	<10	<10	96	<10	114
10+00E-0+10S	1000	-10	0.005	0.2	1.88	4	<10	130	<0.5	<2	0.34	<0.5	6	59	18	3.29	10	<1	0.07	<10	0.32	266	1	0.06	7	330	79	0.02	<2	3	30	0.1	<10	<10	85	<10	71
10+00E-0+20S	1000	-20	<0.005	0.2	2.93	4	<10	160	<0.5	<2	0.32	<0.5	11	57	51	4.73	10	1	0.1	<10	0.68	439	2	0.06	17	370	35	0.03	<2	6	32	0.18	<10	<10	108	<10	128
10+00E-0+30S	1000	-30	<0.005	0.4	2.92	<2	<10	290	0.7	<2	0.43	<0.5	16	48	53	4.59	10	1	0.08	10	0.71	3070	3	0.05	16	520	28	0.02	<2	6	33	0.2	<10	<10	112	<10	151
10+00E-0+40S	1000	-40	<0.005	0.2	1.68	2	<10	120	<0.5	<2	0.56	<0.5	3	63	11	2.93	10	<1	0.08	<10	0.24	434	1	0.06	5	490	25	0.03	<2	3	47	0.11	<10	<10	81	<10	36
10+00E-0+50S	1000	-50	<0.005	0.4	3.17	<2	<10	120	<0.5	<2	0.61	<0.5	8	63	35	4.09	10	<1	0.09	<10	0.51	510	1	0.06	8	680	38	0.03	<2	4	50	0.14	<10	<10	105	<10	113
10+00E-0+60S	1000	-60	<0.005	0.3	3.03	4	<10	120	<0.5	<2	0.3	<0.5	10	54	41	4.89	10	1	0.09	<10	0.51	903	1	0.05	13	980	24	0.03	<2	5	27	0.11	<10	<10	102	<10	83
10+00E-0+70S	1000	-70	<0.005	0.2	1.99	<2	<10	50	<0.5	<2	0.28	<0.5	3	62	10	2.08	10	1	0.06	<10	0.19	158	1	0.05	4	220	22	0.03	<2	3	36	0.06	<10	<10	67	<10	21
10+00E-0+80S	1000	-80	<0.005	0.2	2.12	4	<10	60	<0.5	<2	0.48	<0.5	4	76	11	4.3	10	<1	0.06	<10	0.24	257	1	0.06	6	760	31	0.03	<2	4	39	0.16	<10	<10	108	<10	36
10+00E-0+90S	1000	-90	<0.005	0.3	3.76	5	<10	80	<0.5	<2	0.37	<0.5	12	82	26	4.37	10	1	0.09	<10	0.47	398	1	0.06	15	1260	26	0.04	<2	4	38	0.15	<10	<10	93	<10	100
10+00E-0+100S	1000	-100	<0.005	0.6	2.88	5	<10	110	0.5	<2	0.3	<0.5	14	72	39	4.6	10	<1	0.1	<10	0.52	475	1	0.06	12	1560	26	0.03	<2	4	30	0.15	<10	<10	105	<10	92
10+25E-0+10S	1025	-10	<0.005	0.2	3.53	3	<10	190	0.5	<2	0.42	0.9	14	58	66	4.46	10	1	0.1	<10	0.63	452	1	0.06	18	490	51	0.04	<2	5	36	0.13	<10	<10	98	<10	174
10+25E-0+20S	1025	-20	<0.005	<0.2	3.21	4	<10	140	0.5	<2	0.3	0.5	11	55	32	4.8	10	1	0.09	<10	0.57	428	1	0.05	16	890	21	0.03	<2	5	30	0.14	<10	<10	111	<10	108
10+25E-0+30S	1025	-30	<0.005	<0.2	3.97	4	<10	110	0.6	<2	0.28	<0.5	12	55	34	4.89	10	1	0.09	<10	0.54	449	1	0.05	13	1640	19	0.04	<2	5	27	0.15	<10	<10	108	<10	141
10+25E-0+40S	1025	-40	<0.005	0.2	2.85	3	<10	100	<0.5	<2	0.26	<0.5	11	59	35	4.38	10	1	0.1	<10	0.64	589	<1	0.06	14	1410	18	0.03	<2	5	31	0.13	<10	<10	105	<10	78
10+25E-0+50S	1025	-50	<0.005	0.2	3.86	3	<10	70	<0.5	<2	0.17	<0.5	11	27	28	4.61	10	1	0.04	<10	0.47	539	<1	0.03	11	2030	7	0.03	<2	4	17	0.15	<10	<10	108	<10	81
10+25E-0+60S	1025	-60	<0.005	0.2	3.64	4	<10	80	<0.5	<2	0.18	<0.5	9	31	48	4.84	10	1	0.04	<10	0.46	574	<1	0.03	10	2390	8	0.03	<2	4	20	0.1	<10	<10	112	<10	75
10+25E-0+70S	1025	-70	<0.005	0.4	3.78	3	<10	80	<0.5	2	0.2	<0.5	10	43	61	4.82	10	<1	0.05	<10	0.53	384	1	0.02	13	940	10	0.03	<2	5	20	0.13	<10	<10	109	<10	87
10+25E-0+80S	1025	-80	<0.005	<0.2	2.5	7	<10	70	<0.5	<2	0.18	<0.5	5	29	34	4.29	10	<1	0.05	<10	0.33	268	1	0.02	7	550	9	0.03	2	4	21	0.1	<10	<10	100	<10	50
10+25E-0+90S	1025	-90	<0.005	0.3	2.68	4	<10	70	<0.5	<2	0.19	<0.5	8	29	29	4.09	10	<1	0.05	<10	0.37	336	1	0.02	10	640	10	0.03	<2	4	20	0.12	<10	<10	96	<10	69
10+25E-0+100S	1025	-100	<0.005	<0.2	1.89	3	<10	50	<0.5	<2	0.3	<0.5	6	29	19	4.77	10	<1	0.06	<10	0.36	365	1	0.03	6	890	9	0.03	<2	4	25	0.1	<10	<10	110	<10	50
10+50E-0+10S	1050	-10	<0.005	0.4	1.28	<2	<10	80	<0.5	<2	0.25	<0.5	2	30	12	2.05	10	<1	0.06	<10	0.15	166	2	0.03	4	230	11	0.03	<2	2	22	0.08	<10	<10	66	<10	23
10+50E-0+20S	1050	-20	<0.005	0.2	2.46	<2	<10	80	<0.5	<2	0.29	<0.5	9	27	26	4.84	10	<1	0.06	<10	0.58	421	2	0.02	11	1080	11	0.02	<2	4	22	0.13	<10	<10	106	<10	82
10+50E-0+30S	1050	-30	<0.005	0.4	2.9	<2	<10	110	0.5	<2	0.22	<0.5	11	26	42	4.35	10	<1	0.06	<10	0.58	392	2	0.02	14	690	9	0.03	<2	5	20	0.14	<10	<10	97	<10	93
10+50E-0+40S	1050	-40	<0.005	0.3	3.5	5	<10	70	<0.5	<2	0.																										





MAP 1

LEGEND	
	Claim Boundary
	Road
	Trails
	Creek
	500 Contour (m)
	Gridlines
	2004 Sample Locations
	1988 Sample Locations
	Map Area Zoomed
	H2 EDM Transist Survey Stations
	Adit
	Adit Trace





BURTON CONSULTING INC.
TRADE WINDS VENTURES INC.
DARDENELLES PROJECT
GEOCHEMICAL SOIL SURVEY

Map Ref: M103049	Datum: NAD 83, UTM Zone 9
Author: Alex Burton	Scale: 1: 1000
Drawing: TerraCAD	Date: December, 2004



LEGEND

	Claim Boundary		Road
	Au value in ppb		Trails
	Ag value in ppm		Creek
	Cu value in ppm		Contour (m)
	Pb / Zn value in ppm		Gridlines
	2004 Sample Locations		EDM Transit Survey Stations
	1988 Sample Locations		Adit
	Map Area Zoomed		Adit Trace



MAP 2

BURTON CONSULTING INC.
 TRADE WINDS VENTURES INC.
DARDENELLES PROJECT
 GEOCHEMICAL SOIL SURVEY

Map Ref.: M1031049 Datum: NAD 83, UTM Zone 9
 Author: Alex Burton Scale: 1: 1000
 Drawing: TerraCAD Date: December, 2004