

Rimfire Minerals Corporation

**2004 GEOLOGICAL, GEOCHEMICAL
AND DIAMOND DRILLING REPORT
ON THE MOR 2 AND RDN 1-18 CLAIMS**

Volume II – Appendices E-H

Located in the Eskay Creek Area
Liard Mining Division
NTS 104B/15E, 104G/2E
57° 00' North Latitude
130° 39' West Longitude

-prepared for-

RIMFIRE MINERALS CORPORATION
Suite 700, 700 West Pender Street
Vancouver, B.C., Canada
V6C 1G8 .

-prepared by-

Murray I. Jones, M.Sc., P.Geo.
EQUITY ENGINEERING LTD.
Suite 700, 700 West Pender Street
Vancouver, B.C., Canada
V6C 1G8

March 2005

GEOLOGICAL SURVEY BRANCH
AGENCY REPORT
2004 DRILLING REPORT

LIST OF FIGURES

| | <u>Page</u> | |
|--------------|--|------------|
| Figure 1 | Location Map (1:9,090,000) | 2 |
| Figure 2 | Claim Map (1:100,000) | 3 |
| Figure 3 | Regional Geology (1:100,000) | 8 |
| Figure 4 | RDN Property Geology (1:100,000) | Volume III |
| Figure 5a | Blind Fault Geology (1:2,500) | Volume III |
| Figure 5b | Marcasite Gossan Area Geology (1:5,000) | Volume III |
| Figure 5c | North Downpour-Top Area Geology (1:5,000) | Volume III |
| Figure 5d | Arctic Grid Area Geology (1:5,000) | Volume III |
| Figure 6 | Whole Rock, Winchester-Floyd Plot..... | 23 |
| Figure 7 | Whole Rock, Zr vs Y, All areas | 24 |
| Figure 8 | Whole Rock, Al/Ti vs Alteration index | 24 |
| Figure 9 | REE's Arctic Grid and 21 Zone Rhyolites..... | 25 |
| Figure 10 | Drill Hole Location Map (1:20,000; 1:5,000) | Volume III |
| Figure 11a | Wedge Section 9800N, RDN04-032 (1:500) | Volume III |
| Figure 11b | Wedge Section 9500N, RDN04-031 (1:500) | Volume III |
| Figure 11c | Wedge Section 9200N, RDN04-033 (1:500) | Volume III |
| Figure 11d,e | Wedge Section 9050N+9100N, RDN04-034,035,036 (1:500) | Volume III |
| Figure 11f | Jungle Section, RDN04-037 (1:500) | Volume III |
| Figure 11g | Marcasite Gossan Section, RDN04-038 (1:500) | Volume III |
| Figure 11h | Marcasite Gossan Section, RDN04-039 (1:500) | Volume III |
| Figure 12a | Blind Fault, Au Geochemistry (1:2,500) | Volume IV |
| Figure 12b | Blind Fault, As Geochemistry (1:2,500)..... | Volume IV |
| Figure 12c | Blind Fault, Pb Geochemistry (1:2,500) | Volume IV |
| Figure 13a | North Downpour-Top, Au Geochemistry (1:5,000) | Volume IV |
| Figure 13b | North Downpour-Top, As Geochemistry (1:5,000) | Volume IV |
| Figure 13c | North Downpour-Top, Pb Geochemistry (1:5,000) | Volume IV |
| Figure 14a | Arctic Grid Area, Au Geochemistry (1:5,000) | Volume IV |
| Figure 14b | Arctic Grid Area, As Geochemistry (1:5,000) | Volume IV |
| Figure 14c | Arctic Grid Area, Pb Geochemistry (1:5,000) | Volume IV |
| Figure 14d | Arctic Grid Area, Hg Geochemistry (1:5,000) | Volume IV |

Appendix E.1: Certificates Of Analysis
(Soil And Silt Geochemistry)



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04046592

Project: NGX04-01

P.O. No.:

This report is for 99 Soil samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8


Page: 1
Finalized Date: 8-AUG-2004
Account: EIA

| SAMPLE PREPARATION | | |
|--------------------|--------------------------------|--|
| ALS CODE | DESCRIPTION | |
| WEI-21 | Received Sample Weight | |
| LOG-22 | Sample login - Rcd w/o BarCode | |
| SCR-41 | Screen to -180um and save both | |

| ANALYTICAL PROCEDURES | | |
|-----------------------|-------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Au-AA23 | Au 30g FA-AA finish | AAS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

NO. EQU. / ENCL. / L.D.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - 4
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | |
| | | kg | ppm | ppm | % | ppm |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 | |
| 04HWST-001 | | 0.26 | <0.005 | 0.6 | 0.85 | 19 | 10 | 360 | 0.6 | <2 | 0.47 | 3.0 | 9 | 12 | 42 | 3.20 | |
| 04HWST-002 | | 0.14 | 0.006 | <0.2 | 1.43 | 24 | <10 | 230 | 0.6 | <2 | 0.56 | 4.4 | 15 | 20 | 41 | 4.47 | |
| 04HWST-003 | | 0.44 | 0.011 | 0.3 | 0.77 | 38 | <10 | 290 | 0.7 | 2 | 0.23 | 3.1 | 16 | 9 | 60 | 4.50 | |
| 04HWST-004 | | 0.30 | 0.016 | 0.5 | 0.39 | 48 | <10 | 400 | 0.7 | 2 | 0.13 | 2.0 | 14 | 4 | 45 | 3.83 | |
| 04HWST-005 | | 0.32 | NSS | 0.2 | 1.12 | 22 | <10 | 220 | 0.7 | 2 | 0.48 | 3.8 | 20 | 20 | 65 | 5.25 | |
| 04HWST-006 | | 0.30 | 0.005 | 0.3 | 1.06 | 24 | <10 | 250 | 0.7 | <2 | 0.47 | 3.4 | 22 | 20 | 69 | 5.52 | |
| 04HWST-007 | | 0.28 | 0.012 | <0.2 | 1.30 | 61 | <10 | 200 | 0.7 | <2 | 0.87 | 0.5 | 17 | 8 | 86 | 4.81 | |
| 04HWST-008 | | 0.22 | 0.012 | <0.2 | 1.39 | 48 | <10 | 220 | 0.7 | <2 | 0.94 | 0.5 | 18 | 9 | 87 | 4.76 | |
| 04HWST-009 | | 0.24 | 0.011 | <0.2 | 1.36 | 58 | <10 | 240 | 0.7 | 2 | 0.96 | <0.5 | 18 | 9 | 83 | 4.84 | |
| 04JCST-001 | | 0.32 | 0.007 | 0.3 | 1.15 | 19 | <10 | 250 | 0.7 | 2 | 0.28 | 2.2 | 13 | 14 | 47 | 4.18 | |
| 04JCST-002 | | 0.24 | 0.010 | 0.2 | 0.83 | 22 | <10 | 270 | 0.8 | 2 | 0.36 | 2.1 | 12 | 8 | 43 | 4.36 | |
| 04JCST-003 | | 0.30 | 0.006 | <0.2 | 1.02 | 23 | <10 | 220 | 0.8 | <2 | 0.68 | <0.5 | 19 | 15 | 53 | 4.80 | |
| 04JCST-004 | | 0.40 | <0.005 | <0.2 | 4.16 | 12 | <10 | 110 | 0.7 | 2 | 1.12 | <0.5 | 41 | 207 | 53 | 6.72 | |
| 04JCST-005 | | 0.30 | 0.005 | <0.2 | 1.76 | 55 | <10 | 180 | 0.9 | 2 | 0.35 | <0.5 | 31 | 55 | 55 | 5.52 | |
| 04JCST-006 | | 0.34 | 0.007 | 0.4 | 1.76 | 33 | <10 | 230 | 0.9 | <2 | 0.47 | 1.9 | 31 | 36 | 71 | 5.86 | |
| 04JCST-007 | | 0.40 | 0.006 | 0.3 | 1.38 | 33 | <10 | 260 | 0.6 | 2 | 1.04 | 1.9 | 20 | 31 | 53 | 4.83 | |
| 04JCST-013 | | 0.40 | 0.012 | <0.2 | 1.16 | 29 | <10 | 250 | 1.0 | 3 | 1.62 | <0.5 | 20 | 12 | 138 | 4.50 | |
| 04JCST-014 | | 0.36 | 0.014 | <0.2 | 1.15 | 26 | <10 | 240 | 0.9 | 2 | 1.58 | <0.5 | 19 | 8 | 126 | 4.54 | |
| 04JCST-015 | | 0.26 | <0.005 | <0.2 | 0.74 | 42 | 10 | 240 | 0.8 | <2 | 1.79 | <0.5 | 13 | 2 | 37 | 3.92 | |
| 04JCST-016 | | 0.30 | <0.005 | <0.2 | 0.82 | 20 | <10 | 210 | 0.9 | <2 | 1.48 | <0.5 | 13 | 1 | 23 | 3.69 | |
| 04RHSL-001 | | 0.62 | 0.009 | 0.6 | 1.22 | 29 | <10 | 450 | 1.3 | 2 | 0.28 | 2.8 | 18 | 5 | 49 | 5.21 | |
| 04RHSL-002 | | 0.52 | 0.005 | 0.2 | 1.09 | 30 | <10 | 200 | 1.0 | 2 | 0.11 | 1.7 | 14 | 10 | 46 | 5.36 | |
| 04RHSL-003 | | 0.56 | <0.005 | <0.2 | 2.59 | 32 | <10 | 150 | 1.1 | <2 | 0.22 | <0.5 | 58 | 73 | 94 | 7.72 | |
| 04RHSL-004 | | 0.38 | <0.005 | <0.2 | 3.53 | 11 | <10 | 110 | 0.6 | 4 | 0.68 | <0.5 | 37 | 113 | 85 | 7.07 | |
| 04RHSL-005 | | 0.42 | 0.007 | <0.2 | 3.06 | 16 | <10 | 100 | 1.5 | 2 | 0.27 | <0.5 | 37 | 71 | 70 | 6.26 | |
| 04RHSL-006 | | 0.44 | <0.005 | <0.2 | 3.82 | 14 | <10 | 160 | 0.7 | 3 | 0.42 | <0.5 | 39 | 99 | 75 | 7.09 | |
| 04RHSL-007 | | 0.46 | <0.005 | <0.2 | 4.42 | 6 | <10 | 220 | 0.7 | 2 | 0.47 | <0.5 | 46 | 119 | 90 | 7.70 | |
| 04RHSL-008 | | 0.42 | <0.005 | <0.2 | 4.24 | 13 | <10 | 200 | 0.7 | 3 | 0.43 | <0.5 | 44 | 116 | 86 | 7.61 | |
| 04RHSL-009 | | 0.36 | <0.005 | 0.2 | 2.65 | 12 | <10 | 150 | 1.2 | 2 | 0.53 | <0.5 | 26 | 41 | 48 | 5.20 | |
| 04RHSL-010 | | 0.42 | <0.005 | 0.2 | 2.24 | 9 | <10 | 100 | 0.9 | 2 | 0.32 | <0.5 | 34 | 34 | 54 | 6.03 | |
| 04RHSL-011 | | 0.56 | <0.005 | <0.2 | 2.29 | 10 | <10 | 380 | 0.9 | 4 | 0.69 | <0.5 | 42 | 50 | 111 | 8.43 | |
| 04RHSL-012 | | 0.34 | <0.005 | <0.2 | 1.08 | 24 | <10 | 270 | 1.1 | 2 | 0.45 | <0.5 | 24 | 13 | 71 | 5.58 | |
| 04RHSL-013 | | 0.42 | <0.005 | <0.2 | 2.03 | 12 | <10 | 230 | 0.9 | 2 | 0.35 | <0.5 | 24 | 24 | 67 | 5.44 | |
| 04RHSL-014 | | 0.52 | <0.005 | <0.2 | 2.90 | 4 | <10 | 250 | 0.7 | 2 | 0.63 | <0.5 | 36 | 61 | 83 | 7.14 | |
| 04RHSL-015 | | 0.56 | 0.006 | 0.3 | 1.57 | 23 | <10 | 360 | 1.3 | 2 | 0.39 | <0.5 | 13 | 9 | 44 | 3.87 | |
| 04RHSL-016 | | 0.48 | 0.005 | 0.3 | 1.42 | 17 | <10 | 430 | 0.9 | 3 | 0.52 | <0.5 | 17 | 8 | 61 | 5.10 | |
| 04RHSL-017 | | 0.56 | 0.009 | <0.2 | 1.72 | 25 | <10 | 310 | 0.9 | 2 | 0.62 | <0.5 | 18 | 23 | 62 | 4.97 | |
| 04RHSL-018 | | 0.54 | 0.005 | <0.2 | 1.68 | 18 | <10 | 380 | 0.8 | <2 | 0.57 | <0.5 | 16 | 24 | 73 | 5.27 | |
| 04RHSL-019 | | 0.58 | 0.006 | <0.2 | 1.67 | 20 | <10 | 380 | 0.8 | 2 | 0.56 | <0.5 | 16 | 25 | 73 | 5.26 | |
| 04RHSL-020 | | 0.56 | 0.013 | 0.4 | 1.40 | 48 | <10 | 560 | 0.9 | 2 | 0.53 | 1.7 | 31 | 39 | 76 | 6.63 | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

J: EQ... ENG... RINC L.J.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - D
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 | |
| 04HWST-001 | | <10 | 0.08 | 0.16 | 10 | 0.31 | 512 | 7 | <0.01 | 36 | 960 | 12 | 0.17 | 2 | 7 | 44 | |
| 04HWST-002 | | <10 | 0.09 | 0.10 | 10 | 0.61 | 1115 | 6 | 0.01 | 71 | 1000 | 19 | 0.13 | <2 | 5 | 43 | |
| 04HWST-003 | | <10 | 0.06 | 0.11 | 10 | 0.29 | 709 | 9 | <0.01 | 50 | 770 | 45 | 0.13 | 2 | 7 | 19 | |
| 04HWST-004 | | <10 | 0.05 | 0.09 | 10 | 0.09 | 636 | 6 | <0.01 | 39 | 640 | 34 | 0.04 | 4 | 5 | 16 | |
| 04HWST-005 | | <10 | 0.07 | 0.10 | 10 | 0.60 | 943 | 10 | 0.01 | 67 | 940 | 15 | 0.41 | 3 | 7 | 38 | |
| 04HWST-006 | | <10 | 0.07 | 0.10 | 10 | 0.56 | 1025 | 11 | 0.01 | 71 | 1030 | 14 | 0.34 | 3 | 7 | 36 | |
| 04HWST-007 | | <10 | 1.26 | 0.18 | 10 | 0.59 | 882 | 3 | 0.01 | 19 | 1400 | 37 | 0.71 | 2 | 11 | 178 | |
| 04HWST-008 | | 10 | 1.20 | 0.19 | <10 | 0.62 | 910 | 3 | 0.01 | 20 | 1410 | 35 | 0.66 | 2 | 12 | 178 | |
| 04HWST-009 | | 10 | 1.18 | 0.18 | 10 | 0.62 | 849 | 3 | 0.01 | 18 | 1510 | 31 | 0.62 | 2 | 12 | 178 | |
| 04JCST-001 | | <10 | 0.05 | 0.10 | 10 | 0.56 | 670 | 10 | <0.01 | 43 | 770 | 15 | 0.13 | 2 | 6 | 25 | |
| 04JCST-002 | | <10 | 0.11 | 0.12 | 10 | 0.33 | 713 | 11 | 0.01 | 45 | 890 | 12 | 0.17 | 3 | 7 | 29 | |
| 04JCST-003 | | <10 | 0.06 | 0.13 | 20 | 0.48 | 1230 | 4 | 0.01 | 30 | 2080 | 17 | 0.14 | 2 | 7 | 38 | |
| 04JCST-004 | | 10 | 0.01 | 0.10 | 10 | 5.38 | 1240 | 1 | 0.02 | 117 | 1490 | <2 | <0.01 | <2 | 25 | 48 | |
| 04JCST-005 | | 10 | 0.05 | 0.12 | 10 | 1.20 | 1280 | 3 | 0.01 | 43 | 1200 | 18 | <0.01 | 6 | 8 | 30 | |
| 04JCST-006 | | <10 | 0.06 | 0.11 | 20 | 0.92 | 1820 | 7 | 0.01 | 55 | 1260 | 22 | 0.02 | 4 | 9 | 29 | |
| 04JCST-007 | | <10 | 0.08 | 0.10 | 10 | 0.94 | 1465 | 6 | 0.01 | 44 | 1140 | 21 | 0.34 | 2 | 8 | 51 | |
| 04JCST-013 | | <10 | 0.13 | 0.14 | 10 | 0.73 | 978 | 5 | 0.01 | 21 | 1460 | 21 | 0.40 | 2 | 7 | 85 | |
| 04JCST-014 | | <10 | 0.15 | 0.14 | 10 | 0.67 | 988 | 4 | 0.02 | 17 | 1380 | 19 | 0.43 | 2 | 7 | 92 | |
| 04JCST-015 | | <10 | 0.21 | 0.14 | 10 | 0.33 | 645 | 2 | 0.01 | 9 | 1040 | 13 | 0.47 | 3 | 7 | 122 | |
| 04JCST-016 | | <10 | 0.24 | 0.15 | 10 | 0.30 | 608 | 2 | 0.01 | 8 | 1100 | 13 | 0.62 | <2 | 6 | 93 | |
| 04RDSL-001 | | <10 | 0.18 | 0.16 | 20 | 0.37 | 2410 | 15 | 0.01 | 32 | 1040 | 22 | 0.03 | 3 | 10 | 28 | |
| 04RDSL-002 | | <10 | 0.13 | 0.10 | 20 | 0.33 | 1440 | 14 | 0.02 | 30 | 930 | 17 | 0.02 | 2 | 8 | 14 | |
| 04RDSL-003 | | 10 | 0.08 | 0.09 | 20 | 1.42 | 3890 | 6 | 0.03 | 69 | 1080 | 14 | 0.02 | <2 | 28 | 16 | |
| 04RDSL-004 | | 10 | 0.05 | 0.09 | 10 | 2.50 | 1275 | 4 | 0.05 | 67 | 870 | 14 | 0.04 | 2 | 22 | 21 | |
| 04RDSL-005 | | 10 | 0.05 | 0.11 | 20 | 1.58 | 2050 | 5 | 0.05 | 51 | 1280 | 12 | 0.03 | 2 | 17 | 14 | |
| 04RDSL-006 | | 10 | 0.03 | 0.08 | 10 | 2.22 | 2090 | 3 | 0.04 | 63 | 1220 | 6 | 0.04 | <2 | 23 | 20 | |
| 04RDSL-007 | | 10 | 0.04 | 0.10 | 10 | 2.61 | 2830 | 3 | 0.03 | 78 | 1200 | 7 | 0.04 | <2 | 33 | 29 | |
| 04RDSL-008 | | 10 | 0.03 | 0.09 | 20 | 2.50 | 2740 | 2 | 0.03 | 76 | 1320 | 7 | 0.04 | <2 | 30 | 24 | |
| 04RDSL-009 | | 10 | 0.03 | 0.09 | 20 | 1.05 | 1625 | 2 | 0.05 | 35 | 1680 | 6 | 0.07 | <2 | 5 | 21 | |
| 04RDSL-010 | | 10 | 0.03 | 0.10 | 20 | 0.70 | 1435 | 3 | 0.02 | 39 | 1280 | 10 | 0.03 | <2 | 11 | 21 | |
| 04RDSL-011 | | 10 | 0.03 | 0.05 | 20 | 1.40 | 2650 | 2 | 0.03 | 61 | 960 | 15 | 0.02 | 2 | 34 | 21 | |
| 04RDSL-012 | | <10 | 0.07 | 0.14 | 20 | 0.36 | 1715 | 3 | 0.01 | 31 | 1430 | 21 | 0.02 | 3 | 9 | 17 | |
| 04RDSL-013 | | 10 | 0.07 | 0.16 | 20 | 0.77 | 1365 | 2 | 0.02 | 33 | 1100 | 15 | <0.01 | <2 | 11 | 12 | |
| 04RDSL-014 | | 10 | 0.02 | 0.08 | 10 | 1.37 | 1965 | 1 | 0.02 | 44 | 910 | 5 | 0.01 | <2 | 27 | 13 | |
| 04RDSL-015 | | <10 | 0.06 | 0.13 | 30 | 0.58 | 1915 | 6 | 0.02 | 26 | 1050 | 36 | 0.02 | 2 | 5 | 29 | |
| 04RDSL-016 | | <10 | 0.12 | 0.13 | 20 | 0.45 | 1180 | 6 | 0.01 | 43 | 1170 | 19 | 0.02 | 2 | 7 | 22 | |
| 04RDSL-017 | | <10 | 0.13 | 0.16 | 20 | 0.63 | 1005 | 9 | 0.02 | 42 | 1260 | 20 | 0.03 | 2 | 9 | 29 | |
| 04RDSL-018 | | <10 | 0.05 | 0.14 | 10 | 0.73 | 788 | 5 | 0.02 | 47 | 1280 | 19 | 0.08 | 3 | 8 | 34 | |
| 04RDSL-019 | | <10 | 0.05 | 0.13 | 10 | 0.75 | 789 | 6 | 0.02 | 49 | 1300 | 17 | 0.07 | <2 | 8 | 33 | |
| 04RDSL-020 | | <10 | 0.12 | 0.15 | 20 | 0.74 | 2250 | 14 | 0.02 | 66 | 1180 | 56 | 0.11 | 4 | 12 | 62 | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-----------|----------|----------|----------|----------|
| | | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| 04HWST-001 | | <0.01 | <10 | <10 | 36 | <10 | 240 |
| 04HWST-002 | | 0.03 | <10 | <10 | 60 | <10 | 407 |
| 04HWST-003 | | <0.01 | <10 | <10 | 27 | <10 | 304 |
| 04HWST-004 | | <0.01 | <10 | <10 | 14 | <10 | 204 |
| 04HWST-005 | | <0.01 | <10 | <10 | 35 | <10 | 369 |
| 04HWST-006 | | <0.01 | <10 | <10 | 34 | <10 | 302 |
| 04HWST-007 | | <0.01 | <10 | <10 | 59 | <10 | 168 |
| 04HWST-008 | | <0.01 | <10 | <10 | 59 | <10 | 194 |
| 04HWST-009 | | 0.01 | <10 | <10 | 66 | <10 | 162 |
| 04JCST-001 | | <0.01 | <10 | <10 | 36 | <10 | 264 |
| 04JCST-002 | | <0.01 | <10 | <10 | 34 | <10 | 225 |
| 04JCST-003 | | <0.01 | <10 | <10 | 37 | <10 | 126 |
| 04JCST-004 | | 0.36 | <10 | <10 | 175 | <10 | 102 |
| 04JCST-005 | | 0.02 | <10 | <10 | 65 | <10 | 113 |
| 04JCST-006 | | 0.02 | <10 | <10 | 54 | <10 | 237 |
| 04JCST-007 | | 0.04 | <10 | <10 | 53 | <10 | 228 |
| 04JCST-013 | | 0.01 | <10 | <10 | 49 | <10 | 95 |
| 04JCST-014 | | <0.01 | <10 | <10 | 43 | <10 | 92 |
| 04JCST-015 | | <0.01 | <10 | <10 | 29 | <10 | 98 |
| 04JCST-016 | | <0.01 | <10 | <10 | 23 | <10 | 80 |
| 04RHSL-001 | | 0.01 | <10 | <10 | 36 | <10 | 278 |
| 04RHSL-002 | | 0.01 | <10 | <10 | 40 | <10 | 244 |
| 04RHSL-003 | | 0.04 | <10 | <10 | 125 | <10 | 134 |
| 04RHSL-004 | | 0.17 | <10 | <10 | 161 | <10 | 142 |
| 04RHSL-005 | | 0.09 | <10 | <10 | 118 | <10 | 117 |
| 04RHSL-006 | | 0.18 | <10 | <10 | 168 | <10 | 119 |
| 04RHSL-007 | | 0.11 | <10 | <10 | 176 | <10 | 106 |
| 04RHSL-008 | | 0.10 | <10 | <10 | 169 | <10 | 108 |
| 04RHSL-009 | | 0.03 | <10 | <10 | 85 | <10 | 86 |
| 04RHSL-010 | | 0.01 | <10 | <10 | 68 | <10 | 85 |
| 04RHSL-011 | | 0.02 | <10 | <10 | 190 | <10 | 107 |
| 04RHSL-012 | | <0.01 | <10 | <10 | 45 | <10 | 124 |
| 04RHSL-013 | | 0.02 | <10 | <10 | 72 | <10 | 108 |
| 04RHSL-014 | | 0.04 | 10 | <10 | 155 | <10 | 95 |
| 04RHSL-015 | | <0.01 | <10 | <10 | 26 | <10 | 115 |
| 04RHSL-016 | | <0.01 | <10 | <10 | 23 | <10 | 141 |
| 04RHSL-017 | | <0.01 | <10 | <10 | 42 | <10 | 126 |
| 04RHSL-018 | | <0.01 | <10 | <10 | 37 | <10 | 134 |
| 04RHSL-019 | | <0.01 | <10 | <10 | 38 | <10 | 131 |
| 04RHSL-020 | | 0.01 | <10 | <10 | 53 | <10 | 253 |

Comments: NSS is non-sufficient sample.



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQ., ENCLERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Ca | ME-ICP41 Cd | ME-ICP41 Co | ME-ICP41 Cr | ME-ICP41 Cu | ME-ICP41 Fe |
|--------------------|--------------------------|------------------|------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| 04RHSL-021 | | 0.58 | 0.007 | <0.2 | 1.51 | 23 | <10 | 200 | 0.9 | <2 | 0.48 | <0.5 | 14 | 14 | 60 | 4.83 |
| 04RHSL-022 | | 0.60 | 0.006 | 0.6 | 0.70 | 47 | <10 | 280 | 0.9 | 2 | 1.64 | 2.3 | 12 | 6 | 42 | 4.21 |
| 04RHSL-023 | | 0.60 | 0.005 | 0.4 | 3.75 | 92 | <10 | 340 | 0.6 | 2 | 0.63 | <0.5 | 126 | 126 | 144 | 7.88 |
| 04RHSL-024 | | 0.60 | 0.005 | 0.2 | 1.02 | 95 | <10 | 290 | 1.0 | 2 | 0.21 | 2.5 | 22 | 11 | 63 | 6.58 |
| 04RHSL-025 | | 0.50 | 0.012 | 0.3 | 0.95 | 71 | <10 | 130 | 1.0 | 2 | 0.01 | 1.1 | 11 | 4 | 51 | 5.86 |
| 04RHSL-026 | | 0.46 | <0.005 | 0.3 | 1.86 | 45 | <10 | 260 | 1.3 | <2 | 0.21 | <0.5 | 21 | 28 | 46 | 5.81 |
| 04RHSL-027 | | 0.40 | 0.005 | 0.2 | 1.68 | 56 | <10 | 200 | 1.1 | 3 | 0.36 | 0.5 | 24 | 33 | 65 | 6.31 |
| 04RHSL-028 | | 0.30 | <0.005 | 0.2 | 1.84 | 70 | <10 | 170 | 1.1 | 3 | 0.25 | <0.5 | 30 | 33 | 47 | 5.56 |
| 04RHSL-029 | | 0.50 | 0.016 | 0.3 | 2.35 | 168 | <10 | 150 | 1.2 | 2 | 0.54 | <0.5 | 38 | 55 | 103 | 6.73 |
| 04RHSL-030 | | 0.44 | <0.005 | <0.2 | 2.85 | 226 | <10 | 130 | 1.3 | 4 | 0.08 | <0.5 | 25 | 54 | 45 | 5.45 |
| 04RHSL-031 | | 0.28 | <0.005 | 0.3 | 2.00 | 26 | <10 | 190 | 1.3 | 2 | 0.27 | <0.5 | 17 | 37 | 43 | 5.10 |
| 04RHSL-032 | | 0.54 | <0.005 | <0.2 | 0.51 | <2 | <10 | 30 | <0.5 | <2 | 0.31 | <0.5 | 4 | 18 | 7 | 2.50 |
| 04RHSL-033 | | 0.52 | <0.005 | <0.2 | 3.30 | 33 | <10 | 100 | 0.9 | 2 | 0.46 | <0.5 | 42 | 162 | 63 | 6.66 |
| 04RHSL-034 | | 0.60 | <0.005 | <0.2 | 3.33 | 76 | <10 | 120 | 1.1 | <2 | 0.25 | <0.5 | 49 | 115 | 72 | 7.10 |
| 04RHSL-035 | | 0.58 | 0.013 | 0.6 | 1.50 | 57 | <10 | 280 | 0.8 | 2 | 0.36 | 2.3 | 40 | 27 | 70 | 8.33 |
| 04RHSL-036 | | 0.54 | 0.006 | 0.3 | 0.98 | 29 | <10 | 230 | 0.8 | 3 | 0.47 | 1.1 | 17 | 15 | 60 | 5.53 |
| 04RHSL-037 | | 0.60 | 0.005 | 0.3 | 1.46 | 29 | <10 | 180 | 1.0 | 2 | 0.29 | 0.6 | 30 | 18 | 88 | 6.18 |
| 04RHSL-038 | | 0.54 | 0.007 | 0.2 | 1.94 | 29 | <10 | 380 | 0.9 | <2 | 1.40 | <0.5 | 23 | 25 | 71 | 5.27 |
| 04RHSL-039 | | 0.24 | <0.005 | 0.2 | 1.82 | 11 | <10 | 80 | 0.6 | <2 | 0.04 | <0.5 | 10 | 19 | 25 | 4.94 |
| 04RHSL-040 | | 0.58 | <0.005 | 0.2 | 2.15 | 18 | <10 | 220 | 1.1 | <2 | 0.49 | <0.5 | 21 | 28 | 63 | 5.62 |
| 04RHSL-041 | | 0.28 | <0.005 | 0.4 | 2.68 | 10 | <10 | 80 | 1.2 | <2 | 0.06 | <0.5 | 7 | 26 | 24 | 3.96 |
| 04RHSL-042 | | 0.22 | <0.005 | 0.3 | 1.80 | 5 | <10 | 180 | 1.1 | <2 | 0.29 | 0.5 | 3 | 14 | 9 | 2.84 |
| 04RHSL-043 | | 0.30 | <0.005 | 0.3 | 2.60 | 8 | <10 | 160 | 1.1 | <2 | 0.12 | <0.5 | 9 | 29 | 28 | 4.54 |
| 04RHSL-044 | | 0.36 | 0.024 | 0.4 | 1.44 | 50 | <10 | 110 | 1.3 | <2 | 0.09 | 1.9 | 18 | 18 | 67 | 6.24 |
| 04RHSL-045 | | 0.38 | 0.023 | 0.3 | 1.38 | 50 | <10 | 110 | 1.2 | <2 | 0.09 | 1.8 | 18 | 17 | 68 | 6.16 |
| 04RHSL-046 | | 0.34 | 0.012 | <0.2 | 1.30 | 22 | <10 | 100 | 0.8 | 2 | 0.04 | <0.5 | 12 | 19 | 34 | 4.41 |
| 04RHSL-047 | | 0.24 | <0.005 | <0.2 | 1.23 | 18 | <10 | 220 | 0.8 | <2 | 0.63 | 1.3 | 12 | 21 | 32 | 4.18 |
| 04RHSL-048 | | 0.26 | <0.005 | 0.2 | 1.60 | 6 | <10 | 80 | <0.5 | <2 | 0.02 | <0.5 | 2 | 16 | 18 | 2.33 |
| 04RHSL-049 | | 0.18 | 0.005 | <0.2 | 0.92 | 15 | <10 | 130 | <0.5 | <2 | 0.11 | 1.4 | 5 | 16 | 25 | 3.51 |
| 04RHSL-050 | | 0.50 | 0.012 | 0.3 | 0.36 | 34 | <10 | 240 | 1.0 | <2 | 0.12 | 0.5 | 9 | 4 | 23 | 3.35 |
| 04RHSL-051 | | 0.44 | <0.005 | 0.2 | 1.05 | 20 | <10 | 200 | 0.8 | <2 | 0.29 | 1.7 | 12 | 11 | 42 | 4.22 |
| 04RHSL-052 | | 0.48 | 0.010 | 0.3 | 0.70 | 26 | <10 | 190 | 0.8 | <2 | 0.21 | 1.1 | 18 | 9 | 45 | 4.94 |
| 04RHSL-053 | | 0.26 | <0.005 | <0.2 | 1.69 | 13 | <10 | 270 | 0.7 | <2 | 0.17 | 1.5 | 12 | 23 | 35 | 4.07 |
| 04RHSL-054 | | 0.30 | 0.007 | 0.3 | 2.07 | 13 | <10 | 190 | 1.2 | <2 | 0.15 | 0.8 | 12 | 19 | 52 | 4.85 |
| 04RHSL-055 | | 0.66 | 0.005 | <0.2 | 1.10 | 31 | <10 | 220 | 0.9 | <2 | 0.38 | 1.9 | 16 | 10 | 42 | 4.57 |
| 04RHSL-056 | | 0.30 | <0.005 | 0.2 | 1.94 | 12 | <10 | 140 | 0.9 | <2 | 0.09 | <0.5 | 12 | 13 | 37 | 3.91 |
| 04RHSL-057 | | 0.34 | 0.005 | <0.2 | 0.99 | 8 | <10 | 100 | 0.8 | <2 | 0.02 | <0.5 | 9 | 8 | 39 | 3.45 |
| 04RHSL-058 | | 0.26 | <0.005 | <0.2 | 1.87 | 26 | <10 | 270 | 0.7 | <2 | 0.23 | 0.5 | 13 | 25 | 32 | 4.08 |
| 04RHSL-059 | | 0.26 | <0.005 | 0.2 | 1.87 | 27 | <10 | 180 | 0.5 | <2 | 0.15 | 0.7 | 11 | 42 | 28 | 3.98 |
| 04RHSL-060 | | 0.24 | 0.006 | <0.2 | 1.39 | 21 | <10 | 220 | 0.6 | <2 | 0.15 | <0.5 | 12 | 22 | 29 | 4.76 |

Comments: NSS is non-sufficient sample.



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIPMENT ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - D

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 | |
| 04RHSL-021 | | <10 | 0.11 | 0.16 | 10 | 0.66 | 627 | 4 | 0.02 | 34 | 1080 | 17 | 0.30 | <2 | 7 | 27 | |
| 04RHSL-022 | | <10 | 0.16 | 0.17 | 10 | 0.26 | 794 | 13 | 0.02 | 37 | 810 | 19 | 0.46 | 4 | 6 | 58 | |
| 04RHSL-023 | | 10 | 0.25 | 0.18 | 10 | 2.07 | 4200 | 1 | 0.02 | 128 | 720 | 25 | 0.02 | <2 | 23 | 32 | |
| 04RHSL-024 | | <10 | 0.07 | 0.10 | 20 | 0.27 | 1365 | 15 | 0.01 | 48 | 940 | 18 | 0.05 | 5 | 7 | 22 | |
| 04RHSL-025 | | <10 | 0.06 | 0.07 | 10 | 0.04 | 1195 | 28 | 0.01 | 55 | 1350 | 28 | 0.07 | 6 | 3 | 14 | |
| 04RHSL-026 | | 10 | 0.04 | 0.10 | 20 | 0.49 | 1380 | 8 | 0.03 | 45 | 1080 | 15 | 0.07 | 3 | 5 | 16 | |
| 04RHSL-027 | | <10 | 0.03 | 0.15 | 20 | 0.71 | 1100 | 7 | 0.02 | 50 | 1320 | 15 | 0.04 | 3 | 9 | 29 | |
| 04RHSL-028 | | 10 | 0.05 | 0.10 | 10 | 0.56 | 2150 | 6 | 0.03 | 35 | 1510 | 19 | 0.11 | 2 | 2 | 24 | |
| 04RHSL-029 | | 10 | 0.09 | 0.09 | 30 | 1.12 | 2070 | 5 | 0.02 | 69 | 1430 | 16 | 0.07 | 6 | 13 | 45 | |
| 04RHSL-030 | | 10 | 0.04 | 0.09 | 20 | 0.97 | 1515 | 3 | 0.02 | 47 | 1480 | 10 | 0.05 | 2 | 2 | 8 | |
| 04RHSL-031 | | 10 | 0.05 | 0.09 | 20 | 0.73 | 1130 | 4 | 0.02 | 37 | 1180 | 17 | 0.07 | 2 | 2 | 17 | |
| 04RHSL-032 | | <10 | <0.01 | 0.03 | <10 | 0.19 | 158 | <1 | 0.03 | 7 | 400 | 2 | <0.01 | <2 | 1 | 23 | |
| 04RHSL-033 | | 10 | 0.02 | 0.06 | 20 | 3.12 | 1800 | 3 | 0.04 | 117 | 1580 | 17 | 0.02 | 2 | 15 | 32 | |
| 04RHSL-034 | | 10 | 0.02 | 0.07 | 20 | 2.55 | 2640 | 4 | 0.04 | 112 | 1640 | 16 | 0.04 | 2 | 15 | 20 | |
| 04RHSL-035 | | <10 | 0.06 | 0.11 | 20 | 0.70 | 2610 | 18 | 0.03 | 62 | 1420 | 46 | 0.10 | 6 | 16 | 24 | |
| 04RHSL-036 | | <10 | 0.08 | 0.12 | 20 | 0.45 | 972 | 9 | 0.02 | 38 | 1270 | 20 | 0.18 | 3 | 8 | 25 | |
| 04RHSL-037 | | <10 | 0.04 | 0.11 | 20 | 0.74 | 1185 | 4 | 0.02 | 29 | 1340 | 11 | 0.08 | <2 | 6 | 22 | |
| 04RHSL-038 | | <10 | 0.14 | 0.17 | 10 | 0.82 | 1075 | 3 | 0.02 | 37 | 1110 | 25 | 0.11 | <2 | 11 | 34 | |
| 04RHSL-039 | | 10 | 0.08 | 0.11 | 10 | 0.23 | 1705 | 5 | 0.01 | 9 | 2380 | 12 | 0.08 | <2 | 1 | 4 | |
| 04RHSL-040 | | 10 | 0.05 | 0.11 | 20 | 0.91 | 1095 | 3 | 0.03 | 31 | 1140 | 18 | 0.02 | <2 | 12 | 25 | |
| 04RHSL-041 | | 20 | 0.10 | 0.07 | 20 | 0.27 | 308 | 4 | 0.02 | 11 | 910 | 13 | 0.08 | 2 | 2 | 5 | |
| 04RHSL-042 | | 10 | 0.07 | 0.07 | 10 | 0.19 | 237 | 3 | 0.06 | 6 | 1090 | 13 | 0.08 | <2 | 1 | 16 | |
| 04RHSL-043 | | 10 | 0.08 | 0.07 | 10 | 0.45 | 570 | 4 | 0.02 | 17 | 1170 | 11 | 0.10 | <2 | 2 | 8 | |
| 04RHSL-044 | | <10 | 0.06 | 0.09 | 20 | 0.38 | 1865 | 19 | 0.02 | 59 | 1370 | 21 | 0.02 | 6 | 7 | 11 | |
| 04RHSL-045 | | <10 | 0.06 | 0.08 | 20 | 0.38 | 1860 | 20 | 0.02 | 61 | 1310 | 21 | <0.01 | 5 | 7 | 11 | |
| 04RHSL-046 | | <10 | 0.05 | 0.08 | 20 | 0.27 | 1745 | 8 | 0.01 | 18 | 1060 | 21 | 0.08 | <2 | 1 | 6 | |
| 04RHSL-047 | | 10 | 0.06 | 0.08 | 10 | 0.29 | 1505 | 9 | 0.03 | 19 | 1890 | 16 | 0.17 | 2 | 2 | 31 | |
| 04RHSL-048 | | 10 | 0.10 | 0.04 | 10 | 0.08 | 143 | 4 | 0.02 | 6 | 970 | 10 | 0.08 | <2 | <1 | 3 | |
| 04RHSL-049 | | 10 | 0.14 | 0.08 | 10 | 0.11 | 308 | 8 | 0.02 | 16 | 1180 | 16 | 0.09 | <2 | 1 | 8 | |
| 04RHSL-050 | | <10 | 0.06 | 0.08 | 30 | 0.08 | 1135 | 9 | 0.01 | 9 | 600 | 30 | 0.02 | 3 | 3 | 13 | |
| 04RHSL-051 | | <10 | 0.14 | 0.10 | 20 | 0.33 | 1185 | 14 | 0.02 | 35 | 1010 | 17 | <0.01 | <2 | 7 | 31 | |
| 04RHSL-052 | | <10 | 0.10 | 0.09 | 20 | 0.16 | 1035 | 8 | 0.02 | 28 | 1000 | 13 | 0.03 | <2 | 7 | 29 | |
| 04RHSL-053 | | 10 | 0.09 | 0.10 | 10 | 0.44 | 897 | 6 | 0.02 | 21 | 1290 | 13 | 0.07 | <2 | 1 | 16 | |
| 04RHSL-054 | | 10 | 0.23 | 0.09 | 10 | 0.34 | 999 | 5 | 0.02 | 20 | 1410 | 12 | 0.08 | <2 | 2 | 12 | |
| 04RHSL-055 | | <10 | 0.17 | 0.11 | 20 | 0.47 | 1140 | 12 | 0.02 | 33 | 1200 | 17 | 0.05 | 2 | 7 | 33 | |
| 04RHSL-056 | | 10 | 0.09 | 0.09 | 10 | 0.24 | 1460 | 3 | 0.02 | 13 | 1920 | 11 | 0.10 | <2 | <1 | 10 | |
| 04RHSL-057 | | <10 | 0.05 | 0.09 | 10 | 0.08 | 476 | 2 | 0.02 | 12 | 1520 | 13 | 0.04 | <2 | 1 | 3 | |
| 04RHSL-058 | | 10 | 0.06 | 0.11 | 10 | 0.48 | 1090 | 4 | 0.03 | 17 | 1640 | 13 | 0.09 | <2 | <1 | 18 | |
| 04RHSL-059 | | 10 | 0.06 | 0.09 | 10 | 0.59 | 751 | 5 | 0.02 | 25 | 1510 | 9 | 0.10 | <2 | <1 | 12 | |
| 04RHSL-060 | | 10 | 0.04 | 0.11 | 10 | 0.20 | 1040 | 6 | 0.02 | 17 | 1780 | 14 | 0.10 | <2 | <1 | 13 | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

JO: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - 4
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|-----------|----------|----------|----------|----------|
| | | Tl % | Tl 10 ppm | U 10 ppm | V 1 ppm | W 10 ppm | Zn 2 ppm |
| 04RHS-021 | | <0.01 | <10 | <10 | 31 | <10 | 114 |
| 04RHS-022 | | <0.01 | <10 | <10 | 17 | <10 | 267 |
| 04RHS-023 | | <0.01 | <10 | <10 | 119 | <10 | 252 |
| 04RHS-024 | | 0.01 | <10 | <10 | 31 | <10 | 309 |
| 04RHS-025 | | 0.01 | <10 | <10 | 29 | <10 | 316 |
| 04RHS-026 | | 0.02 | <10 | <10 | 50 | <10 | 127 |
| 04RHS-027 | | 0.01 | <10 | <10 | 55 | <10 | 164 |
| 04RHS-028 | | 0.02 | <10 | <10 | 67 | <10 | 140 |
| 04RHS-029 | | 0.05 | <10 | <10 | 90 | <10 | 150 |
| 04RHS-030 | | 0.03 | 10 | <10 | 84 | <10 | 130 |
| 04RHS-031 | | 0.02 | <10 | <10 | 58 | <10 | 113 |
| 04RHS-032 | | 0.07 | <10 | <10 | 87 | <10 | 16 |
| 04RHS-033 | | 0.14 | <10 | <10 | 152 | <10 | 138 |
| 04RHS-034 | | 0.15 | <10 | <10 | 142 | <10 | 146 |
| 04RHS-035 | | 0.01 | <10 | <10 | 81 | <10 | 328 |
| 04RHS-036 | | 0.01 | <10 | <10 | 33 | <10 | 190 |
| 04RHS-037 | | 0.01 | <10 | <10 | 37 | <10 | 166 |
| 04RHS-038 | | 0.02 | <10 | <10 | 66 | <10 | 132 |
| 04RHS-039 | | 0.04 | <10 | <10 | 67 | <10 | 118 |
| 04RHS-040 | | 0.12 | <10 | <10 | 90 | <10 | 146 |
| 04RHS-041 | | 0.11 | <10 | <10 | 76 | <10 | 87 |
| 04RHS-042 | | 0.08 | <10 | <10 | 47 | <10 | 59 |
| 04RHS-043 | | 0.03 | <10 | <10 | 66 | <10 | 104 |
| 04RHS-044 | | 0.04 | <10 | <10 | 44 | <10 | 273 |
| 04RHS-045 | | 0.04 | <10 | <10 | 43 | <10 | 281 |
| 04RHS-046 | | 0.01 | <10 | <10 | 41 | <10 | 136 |
| 04RHS-047 | | 0.02 | <10 | <10 | 48 | <10 | 157 |
| 04RHS-048 | | 0.01 | <10 | <10 | 44 | <10 | 39 |
| 04RHS-049 | | 0.02 | <10 | <10 | 47 | <10 | 102 |
| 04RHS-050 | | <0.01 | <10 | <10 | 6 | <10 | 97 |
| 04RHS-051 | | 0.01 | <10 | <10 | 39 | <10 | 220 |
| 04RHS-052 | | <0.01 | <10 | <10 | 27 | <10 | 166 |
| 04RHS-053 | | 0.01 | <10 | <10 | 63 | <10 | 152 |
| 04RHS-054 | | 0.04 | <10 | <10 | 62 | <10 | 125 |
| 04RHS-055 | | <0.01 | <10 | <10 | 48 | <10 | 231 |
| 04RHS-056 | | <0.01 | <10 | <10 | 34 | <10 | 83 |
| 04RHS-057 | | <0.01 | <10 | <10 | 22 | <10 | 80 |
| 04RHS-058 | | 0.01 | <10 | <10 | 59 | <10 | 112 |
| 04RHS-059 | | 0.01 | <10 | <10 | 60 | <10 | 104 |
| 04RHS-060 | | 0.01 | <10 | <10 | 62 | <10 | 124 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

0: EC... ENC... L.D.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|--------------------------|------------------|----------------|-----------------|---------------|-----------------|----------------|-----------------|-----------------|-----------------|---------------|-----------------|-----------------|-----------------|-----------------|---------------|
| | | kg | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| 04RHSL-061 | | 0.28 | <0.005 | 0.2 | 1.44 | 20 | <10 | 200 | 0.6 | <2 | 0.16 | <0.5 | 11 | 23 | 29 | 4.84 |
| 04RHSL-062 | | 0.26 | <0.005 | 0.2 | 2.59 | 33 | <10 | 160 | 0.8 | <2 | 0.35 | <0.5 | 39 | 43 | 71 | 5.82 |
| 04RHSL-063 | | 0.26 | <0.005 | <0.2 | 2.79 | 15 | <10 | 130 | 0.8 | <2 | 0.58 | 0.5 | 22 | 42 | 34 | 4.42 |
| 04RHSL-064 | | 0.28 | <0.005 | 0.2 | 6.08 | 16 | <10 | 90 | 0.5 | <2 | 0.19 | <0.5 | 43 | 46 | 64 | 5.25 |
| 04RHSL-065 | | 0.30 | 0.006 | 0.2 | 1.56 | 9 | <10 | 130 | 0.6 | <2 | 0.88 | 1.8 | 30 | 30 | 55 | 4.51 |
| 04RHSL-066 | | 0.28 | <0.005 | <0.2 | 2.23 | 30 | <10 | 130 | 0.8 | <2 | 0.33 | 0.5 | 30 | 42 | 51 | 5.51 |
| 04RHSL-067 | | 0.36 | <0.005 | 0.3 | 2.25 | 33 | <10 | 200 | 0.9 | <2 | 0.47 | 0.9 | 16 | 46 | 31 | 4.83 |
| 04RHSL-068 | | 0.30 | <0.005 | 0.5 | 1.83 | 17 | <10 | 240 | 0.9 | <2 | 0.48 | 0.8 | 13 | 26 | 43 | 3.74 |
| 04RHSL-069 | | 0.30 | <0.005 | 0.4 | 2.02 | 21 | <10 | 250 | 0.8 | <2 | 0.11 | 0.8 | 21 | 28 | 37 | 4.71 |
| 04RHSL-070 | | 0.28 | <0.005 | 0.3 | 1.36 | 26 | <10 | 400 | 0.6 | <2 | 0.52 | 1.0 | 18 | 24 | 42 | 4.71 |
| 04RHSL-071 | | 0.26 | <0.005 | 0.5 | 2.32 | 29 | <10 | 320 | 0.7 | <2 | 0.08 | 0.5 | 23 | 20 | 49 | 5.88 |
| 04RHSL-072 | | 0.18 | NSS | 0.6 | 0.42 | 17 | <10 | 70 | <0.5 | <2 | 0.14 | <0.5 | 4 | 15 | 43 | 2.17 |
| 04RHSL-073 | | 0.40 | 0.010 | 0.7 | 3.62 | 34 | <10 | 70 | <0.5 | <2 | 0.04 | 0.6 | 15 | 38 | 58 | 6.32 |
| 04RHSL-074 | | 0.38 | 0.007 | 0.6 | 3.19 | 32 | <10 | 60 | <0.5 | <2 | 0.03 | 0.7 | 14 | 37 | 57 | 6.98 |
| 04RHSL-075 | | 0.22 | <0.005 | 0.2 | 0.86 | 21 | <10 | 130 | 0.5 | <2 | 1.84 | 1.0 | 28 | 21 | 56 | 3.44 |
| 04RHSL-076 | | 0.26 | 0.011 | <0.2 | 1.90 | 13 | <10 | 110 | 0.7 | <2 | 1.35 | <0.5 | 17 | 11 | 38 | 4.24 |
| 04RHSL-077 | | 0.32 | 0.008 | 0.2 | 1.92 | 15 | <10 | 120 | 0.5 | <2 | 0.10 | <0.5 | 15 | 16 | 51 | 5.26 |
| 04RHSL-078 | | 0.28 | <0.005 | 0.3 | 1.24 | 27 | <10 | 190 | 0.6 | <2 | 1.19 | 0.9 | 25 | 20 | 56 | 4.35 |
| 04RHSL-079 | | 0.42 | 0.005 | 0.2 | 1.39 | 45 | <10 | 230 | 0.9 | <2 | 0.47 | 0.5 | 24 | 26 | 57 | 5.20 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 | |
| 04RHSL-061 | | 10 | 0.03 | 0.11 | 10 | 0.20 | 981 | 6 | 0.02 | 18 | 1770 | 14 | 0.10 | <2 | <1 | 14 | |
| 04RHSL-062 | | 10 | 0.05 | 0.10 | 10 | 0.97 | 2610 | 4 | 0.02 | 50 | 1790 | 23 | 0.10 | <2 | 2 | 19 | |
| 04RHSL-063 | | 10 | 0.07 | 0.08 | 10 | 0.84 | 1005 | 2 | 0.05 | 40 | 1180 | 8 | 0.10 | <2 | 2 | 18 | |
| 04RHSL-064 | | 10 | 0.05 | 0.07 | 10 | 2.17 | 1080 | 2 | 0.04 | 93 | 1120 | 9 | 0.04 | <2 | 4 | 10 | |
| 04RHSL-065 | | <10 | 0.06 | 0.15 | 10 | 0.86 | 1265 | 6 | 0.02 | 31 | 1350 | 19 | 0.09 | 2 | 5 | 28 | |
| 04RHSL-066 | | 10 | 0.05 | 0.12 | 10 | 1.02 | 1475 | 6 | 0.03 | 30 | 1020 | 17 | 0.05 | 2 | 5 | 18 | |
| 04RHSL-067 | | 10 | 0.05 | 0.15 | 10 | 0.90 | 969 | 5 | 0.02 | 26 | 1800 | 10 | 0.11 | <2 | 1 | 31 | |
| 04RHSL-068 | | 10 | 0.04 | 0.21 | 20 | 0.64 | 896 | 3 | 0.02 | 24 | 2180 | 17 | 0.06 | <2 | 1 | 25 | |
| 04RHSL-069 | | 10 | 0.04 | 0.17 | 10 | 0.54 | 1925 | 5 | 0.02 | 28 | 2170 | 18 | 0.08 | <2 | 1 | 13 | |
| 04RHSL-070 | | 10 | 0.06 | 0.16 | 10 | 0.38 | 2170 | 4 | 0.02 | 22 | 2250 | 24 | 0.10 | 2 | 1 | 56 | |
| 04RHSL-071 | | 10 | 0.07 | 0.10 | 10 | 0.51 | 2190 | 3 | 0.02 | 21 | 2040 | 26 | 0.04 | <2 | 4 | 13 | |
| 04RHSL-072 | | <10 | 0.13 | 0.09 | 10 | 0.06 | 257 | 2 | 0.02 | 9 | 1950 | 8 | 0.16 | <2 | <1 | 13 | |
| 04RHSL-073 | | <10 | 0.16 | 0.06 | 10 | 0.49 | 988 | 5 | 0.01 | 30 | 1510 | 28 | 0.05 | <2 | 8 | 4 | |
| 04RHSL-074 | | <10 | 0.15 | 0.06 | 10 | 0.48 | 938 | 4 | <0.01 | 28 | 1500 | 32 | 0.07 | <2 | 6 | 4 | |
| 04RHSL-075 | | <10 | 0.16 | 0.10 | 10 | 0.45 | 2300 | 3 | <0.01 | 30 | 1980 | 11 | 0.21 | <2 | 5 | 50 | |
| 04RHSL-076 | | <10 | 0.09 | 0.09 | 10 | 0.58 | 1715 | 2 | 0.01 | 18 | 1450 | 14 | 0.10 | <2 | 5 | 113 | |
| 04RHSL-077 | | <10 | 0.14 | 0.13 | 10 | 0.42 | 1080 | 2 | <0.01 | 15 | 1750 | 34 | 0.08 | 2 | 5 | 12 | |
| 04RHSL-078 | | <10 | 0.12 | 0.10 | 20 | 0.57 | 1965 | 2 | 0.01 | 24 | 1890 | 22 | 0.15 | <2 | 5 | 37 | |
| 04RHSL-079 | | <10 | 0.03 | 0.12 | 20 | 0.83 | 841 | 1 | <0.01 | 34 | 1280 | 18 | 0.09 | <2 | 7 | 33 | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

JO: EQ... ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - 4
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-----------|----------|----------|----------|----------|
| | | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| 04RHSL-061 | | 0.01 | <10 | <10 | 63 | <10 | 125 |
| 04RHSL-062 | | 0.04 | <10 | <10 | 87 | <10 | 146 |
| 04RHSL-063 | | 0.07 | <10 | <10 | 68 | <10 | 135 |
| 04RHSL-064 | | 0.06 | <10 | <10 | 68 | <10 | 111 |
| 04RHSL-065 | | 0.05 | <10 | <10 | 54 | <10 | 178 |
| 04RHSL-066 | | 0.05 | <10 | <10 | 90 | <10 | 151 |
| 04RHSL-067 | | 0.02 | <10 | <10 | 87 | <10 | 163 |
| 04RHSL-068 | | <0.01 | <10 | <10 | 47 | <10 | 152 |
| 04RHSL-069 | | 0.01 | <10 | <10 | 56 | <10 | 188 |
| 04RHSL-070 | | 0.01 | <10 | <10 | 58 | <10 | 189 |
| 04RHSL-071 | | 0.01 | <10 | <10 | 73 | <10 | 160 |
| 04RHSL-072 | | 0.01 | <10 | <10 | 26 | <10 | 61 |
| 04RHSL-073 | | 0.01 | <10 | <10 | 58 | <10 | 160 |
| 04RHSL-074 | | 0.01 | <10 | <10 | 63 | <10 | 160 |
| 04RHSL-075 | | 0.01 | <10 | <10 | 32 | <10 | 127 |
| 04RHSL-076 | | <0.01 | <10 | <10 | 33 | <10 | 134 |
| 04RHSL-077 | | <0.01 | <10 | <10 | 44 | <10 | 130 |
| 04RHSL-078 | | 0.01 | <10 | <10 | 39 | <10 | 126 |
| 04RHSL-079 | | 0.01 | <10 | <10 | 42 | <10 | 119 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 8-AUG-2004
Account: EIA

QC CERTIFICATE VA04046592

Project: NGX04-01

P.O. No.:

This report is for 99 Soil samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Au-AA23 | Au 30g FA-AA finish | AAS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: Z - A
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | Au-AA23 | ME-ICP41 |
|----------------------------|--------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm |
| STANDARDS | | | | | | | | | | | | | | | | |
| G2000 | | 4.5 | 1.90 | 487 | 10 | 850 | 0.9 | 3 | 0.51 | 7.0 | 23 | 71 | 300 | 3.76 | 10 | |
| G2000 | | 3.4 | 1.94 | 472 | <10 | 880 | 0.9 | 2 | 0.52 | 7.4 | 25 | 73 | 306 | 3.80 | 10 | |
| G2000 | | 3.2 | 1.80 | 477 | <10 | 750 | 0.9 | 2 | 0.50 | 7.0 | 24 | 69 | 303 | 3.65 | 10 | |
| G2000 | | 3.5 | 1.99 | 480 | <10 | 970 | 1.0 | 3 | 0.53 | 7.1 | 24 | 71 | 307 | 3.83 | 10 | |
| G2000 | | | | | | | | | | | | | | | | |
| G2000 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 2.9 | 1.86 | 434 | <10 | 740 | <0.5 | <2 | 0.46 | 6.3 | 22 | 64 | 272 | 3.41 | <10 | |
| Upper Bound | | 3.9 | 2.06 | 534 | 20 | 920 | 1.0 | 4 | 0.58 | 8.9 | 29 | 80 | 334 | 4.19 | 20 | |
| JWB-JV-1 | | 22.4 | 0.62 | 533 | <10 | 110 | <0.5 | 10 | 0.36 | 48.6 | 10 | 50 | 7710 | 3.19 | <10 | |
| JWB-JV-1 | | 20.3 | 0.58 | 498 | <10 | 140 | <0.5 | 10 | 0.34 | 45.2 | 10 | 47 | 7170 | 2.97 | <10 | |
| JWB-JV-1 | | 21.1 | 0.65 | 516 | <10 | 180 | <0.5 | 4 | 0.37 | 45.6 | 11 | 57 | 7920 | 3.24 | <10 | |
| JWB-JV-1 | | 22.2 | 0.69 | 539 | <10 | 120 | <0.5 | 6 | 0.40 | 48.3 | 10 | 54 | 8150 | 3.45 | <10 | |
| JWB-JV-1 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 19.6 | 0.58 | 461 | <10 | 130 | <0.5 | 3 | 0.36 | 40.0 | 8 | 44 | 7090 | 2.89 | <10 | |
| Upper Bound | | 24.4 | 0.73 | 567 | 20 | 190 | 1.0 | 9 | 0.46 | 50.0 | 12 | 56 | 8870 | 3.55 | 20 | |
| MER-03 | | 0.644 | | | | | | | | | | | | | | |
| MER-03 | | 0.694 | | | | | | | | | | | | | | |
| MER-03 | | 0.639 | | | | | | | | | | | | | | |
| MER-03 | | 0.661 | | | | | | | | | | | | | | |
| MER-03 | | 0.676 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.605 | | | | | | | | | | | | | | |
| Upper Bound | | 0.751 | | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | |
| BLANK | | <0.2 | <0.01 | 2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | 1 | 1 | <0.01 | <10 | |
| BLANK | | <0.2 | <0.01 | 3 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | 1 | <1 | <0.01 | <10 | |
| BLANK | | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | <1 | <0.01 | <10 | |
| BLANK | | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | <1 | <0.01 | <10 | |
| BLANK | | <0.005 | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | <1 | <0.01 | <10 |
| Upper Bound | | 0.010 | 0.4 | 0.02 | 4 | 20 | 20 | 1.0 | 4 | 0.02 | 1.0 | 2 | 2 | 0.02 | 20 | |

Comments: NSS is non-sufficient sample.



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP. ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - D
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | Hg-CV41 | ME-ICP41 |
|----------------------------|--------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm | Tl % |
| | | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 | 0.01 |
| STANDARDS | | | | | | | | | | | | | | | | |
| G2000 | | 0.70 | 0.42 | 20 | 0.66 | 559 | 6 | 0.03 | 280 | 950 | 661 | 0.27 | 20 | 7 | 68 | 0.05 |
| G2000 | | 0.75 | 0.43 | 20 | 0.67 | 568 | 6 | 0.04 | 285 | 940 | 665 | 0.27 | 21 | 8 | 70 | 0.05 |
| G2000 | | 0.41 | 20 | 0.67 | 548 | 5 | 0.04 | 278 | 920 | 655 | 0.26 | 20 | 7 | 63 | 0.05 | |
| G2000 | | 0.42 | 20 | 0.70 | 583 | 6 | 0.03 | 280 | 980 | 684 | 0.27 | 21 | 7 | 72 | 0.05 | |
| G2000 | | 0.75 | | | | | | | | | | | | | | |
| G2000 | | 0.81 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.68 | 0.36 | <10 | 0.60 | 506 | 4 | 0.02 | 256 | 840 | 601 | 0.22 | 19 | 6 | 59 | 0.04 |
| Upper Bound | | 0.81 | 0.46 | 40 | 0.76 | 630 | 8 | 0.04 | 316 | 1050 | 739 | 0.30 | 27 | 9 | 74 | 0.07 |
| JWB-JV-1 | | 0.96 | 0.24 | 10 | 0.12 | 676 | 90 | 0.13 | 16 | 190 | 4240 | 0.71 | 94 | 1 | 52 | 0.02 |
| JWB-JV-1 | | 0.98 | 0.22 | 10 | 0.12 | 635 | 83 | 0.13 | 16 | 180 | 3930 | 0.68 | 92 | 1 | 49 | 0.02 |
| JWB-JV-1 | | 0.23 | 10 | 0.13 | 705 | 89 | 0.13 | 17 | 190 | 4440 | 0.72 | 96 | 1 | 52 | 0.02 | |
| JWB-JV-1 | | 0.24 | 10 | 0.14 | 746 | 95 | 0.12 | 16 | 210 | 4690 | 0.76 | 100 | 1 | 55 | 0.02 | |
| JWB-JV-1 | | 1.10 | | | | | | | | | | | | | | |
| JWB-JV-1 | | 1.07 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.97 | 0.22 | <10 | 0.12 | 607 | 76 | 0.11 | 13 | 170 | 3880 | 0.63 | 83 | <1 | 44 | <0.01 |
| Upper Bound | | 1.13 | 0.29 | 20 | 0.16 | 753 | 98 | 0.15 | 18 | 230 | 4750 | 0.79 | 105 | 2 | 56 | 0.03 |
| MER-03 | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | <0.01 | <0.01 | <10 | <0.01 | <5 | 2 | <0.01 | 1 | 10 | <2 | <0.01 | <2 | <1 | <1 | <0.01 |
| BLANK | | <0.01 | <0.01 | <10 | <0.01 | <5 | 1 | <0.01 | 1 | <10 | <2 | <0.01 | <2 | <1 | <1 | <0.01 |
| BLANK | | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | <1 | <10 | <2 | <0.01 | <2 | <1 | <1 | <1 | <0.01 |
| BLANK | | <0.01 | <10 | <0.01 | <5 | 1 | <0.01 | 1 | <10 | <2 | <0.01 | <2 | <1 | <1 | <1 | <0.01 |
| BLANK | | <0.01 | | | | | | | | | | | | | | |
| BLANK | | <0.01 | | | | | | | | | | | | | | |
| BLANK | | <0.01 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.01 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | <1 | <10 | <2 | <0.01 | <2 | <1 | <1 | <0.01 |
| Upper Bound | | 0.02 | 0.02 | 20 | 0.02 | 10 | 2 | 0.02 | 2 | 20 | 4 | 0.02 | 4 | 2 | 2 | 0.02 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQ... ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 -

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|----------------------------|--------------------------|-----------------|----------------|---------------|----------------|----------------|
| | | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| STANDARDS | | | | | | |
| G2000 | | <10 | <10 | 67 | 10 | 1205 |
| G2000 | | <10 | <10 | 67 | <10 | 1225 |
| G2000 | | <10 | <10 | 66 | <10 | 1250 |
| G2000 | | <10 | <10 | 68 | <10 | 1260 |
| Target Range - Lower Bound | | <10 | <10 | 59 | <10 | 1130 |
| Upper Bound | | 20 | 20 | 74 | 20 | 1385 |
| JWB-JV-1 | | <10 | <10 | 12 | <10 | 9560 |
| JWB-JV-1 | | <10 | <10 | 12 | <10 | 8870 |
| JWB-JV-1 | | <10 | <10 | 13 | <10 | 9560 |
| JWB-JV-1 | | <10 | <10 | 14 | <10 | 9890 |
| Target Range - Lower Bound | | <10 | <10 | 11 | <10 | 8550 |
| Upper Bound | | 20 | 20 | 15 | 20 | >10000 |
| MER-03 | | | | | | |
| MER-03 | | | | | | |
| MER-03 | | | | | | |
| MER-03 | | | | | | |
| MER-03 | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| BLANKS | | | | | | |
| BLANK | | | | | | |
| BLANK | | | | | | |
| BLANK | | <10 | <10 | <1 | <10 | <2 |
| BLANK | | <10 | <10 | <1 | <10 | <2 |
| BLANK | | <10 | <10 | <1 | <10 | <2 |
| BLANK | | <10 | <10 | <1 | <10 | <2 |
| BLANK | | | | | | |
| BLANK | | | | | | |
| BLANK | | | | | | |
| Target Range - Lower Bound | | <10 | <10 | <1 | <10 | <2 |
| Upper Bound | | 20 | 20 | 22 | 20 | 4 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | Au-AA23 | ME-ICP41 |
|----------------------------|--------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Ga |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm |
| DUPLICATES | | | | | | | | | | | | | | | | |
| M299598 | | 0.017 | | | | | | | | | | | | | | |
| DUP | | 0.019 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.007 | | | | | | | | | | | | | | |
| Upper Bound | | 0.029 | | | | | | | | | | | | | | |
| 209504 | | 0.005 | | | | | | | | | | | | | | |
| DUP | | <0.005 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | | | | | | | | | | | | | | |
| Upper Bound | | 0.010 | | | | | | | | | | | | | | |
| 04HWST-008 | | 0.012 | | | | | | | | | | | | | | |
| DUP | | 0.014 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | | | | | | | | | | | | | | |
| Upper Bound | | 0.024 | | | | | | | | | | | | | | |
| 04RHS-011 | | <0.2 | 2.29 | 10 | <10 | 380 | 0.9 | 4 | 0.69 | <0.5 | 42 | 50 | 111 | 8.43 | 10 | |
| DUP | | <0.2 | 2.11 | 7 | <10 | 350 | 0.9 | 3 | 0.64 | <0.5 | 39 | 46 | 105 | 7.95 | 10 | |
| Target Range - Lower Bound | | 0.2 | 2.07 | 7 | <10 | 330 | 0.5 | <2 | 0.61 | 0.5 | 36 | 44 | 101 | 7.76 | <10 | |
| Upper Bound | | 0.4 | 2.33 | 13 | <20 | 400 | 1.0 | 4 | 0.72 | 1.0 | 45 | 52 | 115 | 8.62 | 20 | |
| 04RHS-026 | | <0.005 | | | | | | | | | | | | | | |
| DUP | | <0.005 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | | | | | | | | | | | | | | |
| Upper Bound | | 0.010 | | | | | | | | | | | | | | |
| 04RHS-046 | | 0.012 | | | | | | | | | | | | | | |
| DUP | | 0.007 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | | | | | | | | | | | | | | |
| Upper Bound | | 0.010 | | | | | | | | | | | | | | |
| 04RHS-047 | | <0.2 | 1.23 | 18 | <10 | 220 | 0.8 | <2 | 0.63 | 1.3 | 12 | 21 | 32 | 4.18 | 10 | |
| DUP | | <0.2 | 1.28 | 12 | <10 | 220 | 0.8 | <2 | 0.66 | 1.4 | 12 | 23 | 34 | 4.32 | 10 | |
| Target Range - Lower Bound | | 0.2 | 1.17 | 10 | <10 | 180 | 0.5 | <2 | 0.59 | 0.5 | 9 | 19 | 29 | 4.02 | <10 | |
| Upper Bound | | 0.4 | 1.34 | 20 | <20 | 250 | 1.0 | 4 | 0.70 | 2.4 | 15 | 25 | 37 | 4.48 | 20 | |
| 04RHS-066 | | <0.005 | | | | | | | | | | | | | | |
| DUP | | <0.005 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | | | | | | | | | | | | | | |
| Upper Bound | | 0.010 | | | | | | | | | | | | | | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQL, ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - D

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | Hg-CV41 | ME-ICP41 |
|----------------------------|-----------------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | Sr | Tl |
| | | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm | % | ppm | ppm | ppm | % |
| | | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 | 0.01 |
| DUPLICATES | | | | | | | | | | | | | | | | |
| M299598 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| 209504 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| 04HWST-008 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| 04RHSL-011 | | 0.03 | 0.05 | 20 | 1.40 | 2650 | 2 | 0.03 | 61 | 960 | 15 | 0.02 | 2 | 34 | 21 | 0.02 |
| DUP | | 0.03 | 0.04 | 20 | 1.32 | 2490 | 2 | 0.03 | 53 | 910 | 10 | 0.01 | <2 | 32 | 20 | 0.02 |
| Target Range - Lower Bound | | <0.01 | 0.02 | 10 | 1.27 | 2430 | 1 | <0.01 | 52 | 870 | 8 | <0.01 | <2 | 29 | 17 | <0.01 |
| Upper Bound | | 0.05 | 0.07 | 40 | 1.45 | 2710 | 4 | 0.05 | 82 | 1000 | 17 | 0.02 | 4 | 37 | 24 | 0.04 |
| 04RHSL-026 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| 04RHSL-046 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| 04RHSL-047 | | 0.06 | 0.08 | 10 | 0.29 | 1505 | 9 | 0.03 | 19 | 1890 | 16 | 0.17 | 2 | 2 | 31 | 0.02 |
| DUP | | 0.06 | 0.08 | 10 | 0.30 | 1570 | 10 | 0.03 | 21 | 1970 | 16 | 0.13 | <2 | 2 | 33 | 0.02 |
| Target Range - Lower Bound | | 0.04 | 0.08 | 10 | 0.26 | 1450 | 7 | <0.01 | 17 | 1810 | 11 | 0.12 | <2 | <1 | 28 | <0.01 |
| Upper Bound | | 0.08 | 0.10 | 20 | 0.33 | 1625 | 12 | 0.05 | 23 | 2050 | 21 | 0.18 | 4 | 4 | 36 | 0.04 |
| 04RHSL-066 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

J. J. EQUIPMENT ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - 1

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | ME-ICP41 Tl ppm 10 | ME-ICP41 U ppm 10 | ME-ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME-ICP41 Zn ppm 2 |
|----------------------------|-----------------------------------|-----------------------------|----------------------------|---------------------------|----------------------------|----------------------------|
| M299598 | DUPLICATES | | | | | |
| DUP | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| 209504 | DUPLICATES | | | | | |
| DUP | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| 04HWST-008 | DUPLICATES | | | | | |
| DUP | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| 04RHSI-011 | <10 <10 | <10 <10 | 190 177 | <10 <10 | 107 102 | |
| DUP | | | | | | |
| Target Range - Lower Bound | <10 20 | <10 20 | 172 165 | <10 20 | 95 114 | |
| Upper Bound | | | | | | |
| 04RHSI-026 | DUPLICATES | | | | | |
| DUP | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| 04RHSI-046 | DUPLICATES | | | | | |
| DUP | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| 04RHSI-047 | <10 <10 | <10 <10 | 48 49 | <10 <10 | 157 162 | |
| DUP | | | | | | |
| Target Range - Lower Bound | <10 20 | <10 20 | 44 53 | <10 20 | 148 171 | |
| Upper Bound | | | | | | |
| 04RHSI-066 | DUPLICATES | | | | | |
| DUP | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

JO: EQ... ENC...L...RIN... L.J.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - 4
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | Au-AA23 | ME-ICP41 |
|----------------------------|--------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm |
| DUPLICATES | | | | | | | | | | | | | | | | |
| L6575N 5000E | | <0.2 | 2.70 | 14 | <10 | 140 | 0.6 | <2 | 0.23 | <0.5 | 12 | 22 | 25 | 4.83 | 10 | |
| DUP | | <0.2 | 2.60 | 13 | <10 | 140 | 0.6 | <2 | 0.23 | <0.5 | 12 | 24 | 25 | 4.67 | 10 | |
| Target Range - Lower Bound | | <0.2 | 2.50 | 9 | <10 | 110 | <0.5 | <2 | 0.20 | <0.5 | 9 | 20 | 22 | 4.49 | <10 | |
| Upper Bound | | 0.4 | 2.80 | 18 | 20 | 170 | 1.0 | 4 | 0.26 | 1.0 | 15 | 26 | 28 | 5.01 | 20 | |
| L10400N4875E | | <0.2 | 1.28 | 15 | <10 | 270 | 0.7 | 2 | 0.13 | <0.5 | 10 | 14 | 37 | 3.20 | <10 | |
| DUP | | 0.4 | 1.30 | 18 | <10 | 270 | 0.7 | <2 | 0.14 | <0.5 | 11 | 14 | 38 | 3.24 | <10 | |
| Target Range - Lower Bound | | <0.2 | 1.21 | 12 | <10 | 240 | <0.5 | <2 | 0.11 | <0.5 | 8 | 11 | 34 | 3.04 | <10 | |
| Upper Bound | | 0.4 | 1.37 | 21 | 20 | 300 | 1.0 | 4 | 0.16 | 1.0 | 13 | 17 | 41 | 3.40 | 20 | |
| | | | | | | | | | | | | | | | | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

JO: EQ001, ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 • D
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method | Hg-CV41 | ME-ICP41 |
|----------------------------|-------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte Units LOR | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm | Tl % |
| DUPLICATES | | | | | | | | | | | | | | | | |
| L6575N 5000E | | 0.04 | 0.04 | 10 | 0.65 | 432 | 2 | 0.01 | 13 | 370 | 12 | 0.01 | <2 | 4 | 20 | 0.06 |
| DUP | | 0.04 | 0.04 | 10 | 0.65 | 423 | 2 | <0.01 | 11 | 350 | 13 | 0.01 | 2 | 4 | 20 | 0.05 |
| Target Range - Lower Bound | | 0.02 | 0.02 | <10 | 0.60 | 396 | <1 | <0.01 | 9 | 320 | 8 | <0.01 | <2 | 2 | 17 | 0.03 |
| Upper Bound | | 0.06 | 0.06 | 20 | 0.70 | 459 | 4 | 0.02 | 15 | 400 | 17 | 0.02 | 4 | 6 | 23 | 0.08 |
| L10400N4875E | | 0.05 | 0.10 | 10 | 0.39 | 531 | 1 | <0.01 | 13 | 810 | 8 | 0.02 | <2 | 3 | 10 | 0.02 |
| DUP | | 0.04 | 0.10 | 10 | 0.40 | 534 | 1 | <0.01 | 12 | 820 | 8 | <0.01 | <2 | 4 | 10 | 0.01 |
| Target Range - Lower Bound | | 0.02 | 0.08 | <10 | 0.36 | 496 | <1 | <0.01 | 10 | 760 | 4 | <0.01 | <2 | <1 | 8 | <0.01 |
| Upper Bound | | 0.07 | 0.13 | 20 | 0.43 | 569 | 2 | 0.02 | 15 | 860 | 12 | 0.02 | 4 | 6 | 13 | 0.02 |
| | | | | | | | | | | | | | | | | |

Comments: NSS is non-sufficient sample.



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046592

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|----------------------------|-----------------------------------|-----------------|----------------|---------------|----------------|----------------|
| | | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| DUPLICATES | | | | | | |
| L6575N 5000E | | <10 | <10 | 105 | <10 | 85 |
| DUP | | <10 | <10 | 102 | <10 | 83 |
| Target Range - Lower Bound | | <10 | <10 | 96 | <10 | 76 |
| Upper Bound | | 120 | 20 | 111 | 20 | 92 |
| L10400N4875E | | <10 | <10 | 40 | <10 | 55 |
| DUP | | <10 | <10 | 40 | <10 | 55 |
| Target Range - Lower Bound | | <10 | <10 | 36 | <10 | 48 |
| Upper Bound | | 20 | 20 | 44 | 20 | 62 |
| | | | | | | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 8-AUG-2004
Account: EIA

CERTIFICATE VA04046593

Project: NGX04-01

P.O. No.:

This report is for 103 Soil samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION


| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Au-AA23 | Au 30g FA-AA finish | AAS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm |
| L6500N 5000E | | 0.60 | <0.005 | 0.2 | 1.52 | 11 | <10 | 170 | <0.5 | <2 | 1.75 | <0.5 | 16 | 26 | 59 | 4.32 | |
| L6525N 5000E | | 0.36 | 0.005 | 0.2 | 1.44 | 11 | <10 | 200 | 0.9 | <2 | 2.01 | <0.5 | 11 | 21 | 50 | 3.23 | |
| L6550N 5000E | | 0.38 | 0.005 | <0.2 | 1.69 | 19 | <10 | 190 | 0.9 | <2 | 0.57 | <0.5 | 14 | 29 | 79 | 4.07 | |
| L6575N 5000E | | 0.40 | <0.005 | <0.2 | 2.70 | 14 | <10 | 140 | 0.6 | <2 | 0.23 | <0.5 | 12 | 22 | 25 | 4.83 | |
| L6600N 5000E | | 0.62 | 0.006 | <0.2 | 1.96 | 17 | <10 | 100 | 0.7 | <2 | 0.49 | <0.5 | 19 | 22 | 80 | 4.66 | |
| L6625N 5000E | | 0.46 | <0.005 | 0.3 | 1.87 | 9 | <10 | 80 | <0.5 | <2 | 0.25 | <0.5 | 7 | 21 | 47 | 3.83 | |
| L6625N 5000ED | | 0.46 | <0.005 | 0.2 | 1.54 | 8 | <10 | 80 | <0.5 | 2 | 0.21 | <0.5 | 6 | 19 | 50 | 3.71 | |
| L6650N 5000E | | 0.68 | 0.009 | 0.5 | 3.06 | 17 | <10 | 220 | 1.7 | <2 | 0.56 | 0.7 | 26 | 22 | 121 | 4.72 | |
| L6675N 5000E | | 0.48 | 0.014 | 0.5 | 0.98 | 261 | <10 | 170 | 2.0 | <2 | 0.58 | 0.6 | 14 | 9 | 69 | 3.89 | |
| L6700N 5000E | | 0.52 | 0.006 | 0.3 | 2.44 | 24 | <10 | 380 | 1.0 | <2 | 0.60 | <0.5 | 21 | 27 | 88 | 4.75 | |
| L6725N 5000E | | 0.44 | 0.005 | 0.6 | 1.77 | 26 | <10 | 120 | 0.6 | <2 | 0.45 | 0.5 | 16 | 20 | 61 | 4.33 | |
| L6750N 5000E | | 0.56 | <0.005 | 0.4 | 0.70 | 22 | <10 | 290 | 1.3 | <2 | 0.15 | <0.5 | 7 | 6 | 27 | 2.02 | |
| L6775N 5000E | | 0.58 | 0.005 | 1.1 | 1.88 | 36 | <10 | 150 | 0.7 | <2 | 0.28 | 0.5 | 14 | 16 | 76 | 4.32 | |
| L6800N 5000E | | 0.50 | 0.018 | 0.4 | 0.80 | 79 | <10 | 350 | 1.2 | <2 | 0.19 | 0.7 | 17 | 6 | 76 | 4.36 | |
| L6825N 5000E | | 0.46 | <0.005 | 0.6 | 0.93 | 24 | <10 | 560 | 0.7 | <2 | 0.34 | <0.5 | 5 | 4 | 19 | 3.46 | |
| L6850N 5000E | | 0.44 | <0.005 | 0.2 | 2.64 | 14 | <10 | 90 | 0.5 | <2 | 0.32 | <0.5 | 9 | 19 | 44 | 4.94 | |
| L6875N 5000E | | 0.38 | <0.005 | 0.2 | 1.50 | 15 | <10 | 110 | <0.5 | <2 | 0.17 | <0.5 | 5 | 13 | 16 | 3.52 | |
| L6900N 5000E | | 0.46 | <0.005 | 0.2 | 2.87 | 10 | <10 | 140 | 0.5 | <2 | 0.15 | <0.5 | 6 | 20 | 28 | 4.48 | |
| L6925N 5000E | | 0.38 | 0.005 | 0.4 | 2.55 | 23 | <10 | 120 | 0.6 | <2 | 0.36 | <0.5 | 12 | 22 | 50 | 6.59 | |
| L6925N 5000ED | | 0.38 | <0.005 | 0.5 | 2.36 | 24 | <10 | 110 | 0.6 | <2 | 0.33 | <0.5 | 12 | 22 | 41 | 6.13 | |
| L6950N 5000E | | 0.38 | <0.005 | 0.3 | 1.59 | 11 | <10 | 70 | <0.5 | <2 | 0.14 | <0.5 | 3 | 12 | 18 | 2.75 | |
| L6975N 5000E | | 0.52 | <0.005 | 0.3 | 2.00 | 10 | <10 | 60 | <0.5 | <2 | 0.24 | <0.5 | 12 | 21 | 62 | 4.49 | |
| L7000N 5000E | | 0.44 | <0.005 | 0.5 | 1.58 | 19 | <10 | 120 | <0.5 | <2 | 0.30 | <0.5 | 5 | 15 | 36 | 4.56 | |
| L7025N 5000E | | 0.44 | <0.005 | <0.2 | 1.86 | 17 | <10 | 80 | <0.5 | <2 | 0.18 | <0.5 | 15 | 22 | 38 | 5.82 | |
| L7050N 5000E | | 0.42 | 0.005 | 0.3 | 1.10 | 14 | <10 | 90 | <0.5 | <2 | 0.12 | <0.5 | 4 | 15 | 31 | 4.15 | |
| L7075N 5000E | | 0.34 | <0.005 | 0.6 | 0.98 | 15 | <10 | 190 | <0.5 | <2 | 0.09 | <0.5 | 6 | 12 | 65 | 3.69 | |
| L7100N 5000E | | 0.48 | <0.005 | <0.2 | 1.12 | 29 | <10 | 120 | 0.6 | <2 | 0.08 | <0.5 | 18 | 5 | 102 | 5.59 | |
| L7125N 5000E | | 0.48 | <0.005 | 0.2 | 0.47 | 25 | <10 | 440 | 1.0 | <2 | 2.33 | <0.5 | 31 | 3 | 94 | 4.42 | |
| L7150N 5000E | | 0.50 | 0.006 | 0.3 | 1.40 | 69 | <10 | 470 | 1.4 | <2 | 0.75 | <0.5 | 24 | 5 | 97 | 5.33 | |
| L7175N 5000E | | 0.40 | 0.005 | <0.2 | 1.67 | 28 | <10 | 200 | 0.6 | <2 | 0.37 | <0.5 | 12 | 12 | 90 | 4.71 | |
| L7200N 5000E | | 0.48 | <0.005 | <0.2 | 1.66 | 41 | <10 | 190 | 1.2 | <2 | 0.41 | <0.5 | 27 | 7 | 102 | 6.08 | |
| L7225N 5000E | | 0.44 | 0.008 | <0.2 | 0.74 | 36 | <10 | 660 | 1.6 | <2 | 0.87 | <0.5 | 30 | 3 | 111 | 6.08 | |
| L7225N 5000EB | | 0.54 | <0.005 | <0.2 | 0.51 | <2 | <10 | 30 | <0.5 | <2 | 0.30 | <0.5 | 4 | 17 | 7 | 2.45 | |
| L7250N 5000E | | 0.44 | <0.005 | <0.2 | 1.60 | 25 | <10 | 180 | <0.5 | <2 | 0.10 | <0.5 | 10 | 8 | 118 | 5.90 | |
| L7275N 5000E | | 0.42 | <0.005 | <0.2 | 0.91 | 18 | <10 | 140 | <0.5 | <2 | 0.07 | <0.5 | 3 | 6 | 103 | 4.31 | |
| L7300N 5000E | | 0.42 | <0.005 | <0.2 | 1.90 | 61 | <10 | 160 | <0.5 | <2 | 0.09 | <0.5 | 14 | 6 | 89 | 6.35 | |
| L7325N 5000E | | 0.44 | <0.005 | <0.2 | 0.88 | 17 | <10 | 130 | <0.5 | <2 | 0.09 | <0.5 | 4 | 7 | 71 | 3.60 | |
| L7350N 5000E | | 0.48 | <0.005 | <0.2 | 2.20 | 52 | <10 | 210 | 0.5 | <2 | 0.20 | <0.5 | 19 | 6 | 112 | 5.41 | |
| L7375N 5000E | | 0.38 | NSS | <0.2 | 0.78 | 12 | <10 | 350 | <0.5 | <2 | 0.21 | <0.5 | 5 | 5 | 70 | 2.82 | |
| L7400N 5000E | | 0.50 | <0.005 | <0.2 | 2.39 | 40 | <10 | 460 | 1.4 | <2 | 0.74 | 0.5 | 22 | 8 | 126 | 5.97 | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

ECOLOGY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - 5
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| L6500N 5000E | | 10 | 0.13 | 0.06 | 10 | 1.30 | 726 | <1 | 0.03 | 20 | 1020 | 5 | 0.23 | <2 | 6 | 61 |
| L6525N 5000E | | 10 | 0.01 | 0.03 | 10 | 0.30 | 297 | 3 | 0.01 | 11 | 1330 | 10 | 0.12 | <2 | 2 | 401 |
| L6550N 5000E | | 10 | 0.14 | 0.05 | 20 | 0.61 | 629 | 2 | 0.01 | 14 | 900 | 11 | 0.06 | 2 | 7 | 85 |
| L6575N 5000E | | 10 | 0.04 | 0.04 | 10 | 0.65 | 432 | 2 | 0.01 | 13 | 370 | 12 | 0.01 | <2 | 4 | 20 |
| L6600N 5000E | | 10 | 0.10 | 0.06 | 10 | 0.91 | 1135 | 1 | 0.01 | 17 | 1080 | 11 | 0.02 | <2 | 6 | 27 |
| L6625N 5000E | | 10 | 0.07 | 0.04 | 10 | 0.47 | 321 | 2 | <0.01 | 12 | 880 | 12 | 0.04 | <2 | 3 | 16 |
| L6625N 5000ED | | 10 | 0.07 | 0.04 | 10 | 0.36 | 306 | 2 | <0.01 | 11 | 890 | 11 | 0.05 | <2 | 3 | 15 |
| L6650N 5000E | | 10 | 0.17 | 0.08 | 20 | 0.87 | 1545 | 2 | 0.01 | 21 | 1130 | 16 | 0.04 | <2 | 11 | 55 |
| L6675N 5000E | | <10 | 0.35 | 0.12 | 10 | 0.29 | 910 | 3 | 0.01 | 21 | 720 | 38 | 0.06 | 2 | 8 | 136 |
| L6700N 5000E | | 10 | 0.15 | 0.12 | 20 | 1.14 | 1360 | 1 | 0.03 | 21 | 920 | 12 | 0.01 | <2 | 11 | 46 |
| L6725N 5000E | | 10 | 0.32 | 0.09 | 10 | 0.77 | 904 | 2 | 0.02 | 18 | 1000 | 10 | 0.04 | <2 | 8 | 32 |
| L6750N 5000E | | <10 | 0.21 | 0.11 | 30 | 0.16 | 369 | 2 | <0.01 | 6 | 350 | 19 | 0.02 | <2 | 4 | 23 |
| L6775N 5000E | | 10 | 0.51 | 0.09 | 10 | 0.54 | 1050 | 3 | 0.02 | 13 | 1560 | 9 | 0.06 | <2 | 8 | 27 |
| L6800N 5000E | | <10 | 0.62 | 0.13 | <10 | 0.13 | 820 | 4 | <0.01 | 16 | 740 | 40 | 0.02 | <2 | 10 | 118 |
| L6825N 5000E | | <10 | 0.46 | 0.15 | 10 | 0.15 | 521 | 5 | 0.01 | 4 | 630 | 52 | 0.07 | <2 | 5 | 44 |
| L6850N 5000E | | 10 | 0.11 | 0.05 | 10 | 0.55 | 369 | 1 | <0.01 | 10 | 1000 | 13 | 0.02 | <2 | 4 | 21 |
| L6875N 5000E | | 10 | 0.06 | 0.04 | 10 | 0.15 | 229 | 2 | <0.01 | 3 | 540 | 20 | 0.02 | <2 | 2 | 18 |
| L6900N 5000E | | 10 | 0.06 | 0.04 | 10 | 0.23 | 232 | 2 | <0.01 | 6 | 580 | 19 | 0.01 | <2 | 3 | 17 |
| L6925N 5000E | | 10 | 0.15 | 0.04 | 10 | 0.53 | 846 | 4 | 0.01 | 10 | 2630 | 17 | 0.05 | <2 | 3 | 26 |
| L6925N 5000ED | | 10 | 0.16 | 0.04 | 10 | 0.50 | 822 | 3 | 0.01 | 9 | 2400 | 14 | 0.04 | <2 | 3 | 23 |
| L6950N 5000E | | 10 | 0.11 | 0.05 | 10 | 0.10 | 166 | 2 | <0.01 | 3 | 1510 | 16 | 0.03 | <2 | 1 | 16 |
| L6975N 5000E | | 10 | 0.09 | 0.05 | 10 | 0.53 | 1030 | 1 | <0.01 | 10 | 2590 | 12 | 0.07 | <2 | 3 | 20 |
| L7000N 5000E | | 10 | 0.11 | 0.06 | 10 | 0.19 | 490 | 2 | <0.01 | 5 | 1250 | 17 | 0.06 | <2 | 1 | 27 |
| L7025N 5000E | | 10 | 0.12 | 0.06 | 10 | 0.45 | 3500 | 1 | <0.01 | 9 | 2200 | 15 | 0.06 | <2 | 2 | 16 |
| L7050N 5000E | | 10 | 0.10 | 0.08 | 10 | 0.14 | 296 | 2 | <0.01 | 8 | 2530 | 15 | 0.07 | <2 | 1 | 14 |
| L7075N 5000E | | <10 | 0.13 | 0.08 | 10 | 0.06 | 104 | 2 | <0.01 | 11 | 2470 | 10 | 0.04 | 2 | 2 | 15 |
| L7100N 5000E | | <10 | 0.35 | 0.10 | <10 | 0.08 | 827 | 1 | <0.01 | 7 | 4210 | 8 | 0.05 | <2 | 15 | 14 |
| L7125N 5000E | | <10 | 0.33 | 0.14 | 10 | 0.11 | 1095 | <1 | <0.01 | 12 | 1900 | 5 | 0.10 | <2 | 21 | 528 |
| L7150N 5000E | | <10 | 0.32 | 0.11 | 10 | 0.31 | 1375 | 1 | 0.01 | 9 | 1630 | 7 | 0.07 | <2 | 31 | 102 |
| L7175N 5000E | | <10 | 0.41 | 0.10 | 10 | 0.52 | 538 | 1 | 0.01 | 8 | 1920 | 8 | 0.07 | <2 | 12 | 77 |
| L7200N 5000E | | <10 | 0.41 | 0.15 | 10 | 0.39 | 2280 | 1 | 0.01 | 9 | 3480 | 11 | 0.12 | <2 | 19 | 37 |
| L7225N 5000E | | <10 | 0.71 | 0.14 | 10 | 0.23 | 1740 | 1 | 0.01 | 20 | 1600 | 12 | 0.08 | 3 | 28 | 73 |
| L7225N 5000EB | | <10 | <0.01 | 0.03 | <10 | 0.20 | 160 | <1 | 0.03 | 6 | 400 | <2 | <0.01 | <2 | 1 | 22 |
| L7250N 5000E | | <10 | 0.82 | 0.11 | <10 | 0.22 | 904 | <1 | 0.01 | 8 | 5490 | 5 | 0.09 | 2 | 6 | 13 |
| L7275N 5000E | | <10 | 0.25 | 0.11 | 10 | 0.04 | 120 | 1 | 0.01 | 5 | 7760 | 6 | 0.10 | <2 | 2 | 10 |
| L7300N 5000E | | <10 | 0.52 | 0.11 | <10 | 0.35 | 986 | 2 | <0.01 | 5 | 7900 | 5 | 0.09 | <2 | 6 | 18 |
| L7325N 5000E | | <10 | 0.36 | 0.09 | <10 | 0.06 | 218 | 2 | 0.01 | 3 | 4930 | 5 | 0.11 | <2 | 2 | 22 |
| L7350N 5000E | | <10 | 0.53 | 0.11 | <10 | 0.49 | 1350 | 1 | 0.01 | 9 | 2200 | 4 | 0.08 | <2 | 11 | 21 |
| L7375N 5000E | | <10 | 0.24 | 0.08 | <10 | 0.08 | 344 | 1 | 0.01 | 6 | 4360 | 5 | 0.18 | <2 | 1 | 39 |
| L7400N 5000E | | 10 | 0.69 | 0.17 | <10 | 0.76 | 1465 | 2 | 0.01 | 11 | 1940 | 7 | 0.07 | 2 | 15 | 123 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIPMENT ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-----------|----------|----------|----------|----------|
| | | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| L6500N 5000E | | 0.13 | <10 | <10 | 96 | <10 | 73 |
| L6525N 5000E | | 0.05 | <10 | <10 | 61 | <10 | 24 |
| L6550N 5000E | | 0.08 | <10 | <10 | 86 | <10 | 56 |
| L6575N 5000E | | 0.06 | <10 | <10 | 105 | <10 | 85 |
| L6600N 5000E | | 0.10 | <10 | <10 | 102 | <10 | 62 |
| L6625N 5000E | | 0.10 | <10 | <10 | 82 | <10 | 50 |
| L6625N 5000ED | | 0.11 | <10 | <10 | 86 | <10 | 46 |
| L6650N 5000E | | 0.09 | <10 | <10 | 98 | <10 | 120 |
| L6675N 5000E | | 0.01 | <10 | <10 | 41 | <10 | 186 |
| L6700N 5000E | | 0.12 | <10 | <10 | 97 | <10 | 112 |
| L6725N 5000E | | 0.06 | <10 | <10 | 77 | <10 | 118 |
| L6750N 5000E | | <0.01 | <10 | <10 | 22 | <10 | 116 |
| L6775N 5000E | | 0.03 | <10 | <10 | 72 | <10 | 102 |
| L6800N 5000E | | <0.01 | <10 | <10 | 39 | <10 | 174 |
| L6825N 5000E | | 0.01 | <10 | <10 | 24 | <10 | 148 |
| L6850N 5000E | | 0.05 | <10 | <10 | 113 | <10 | 56 |
| L6875N 5000E | | 0.09 | <10 | <10 | 134 | <10 | 45 |
| L6900N 5000E | | 0.04 | <10 | <10 | 105 | <10 | 61 |
| L6925N 5000E | | 0.07 | <10 | <10 | 113 | <10 | 80 |
| L6925N 5000ED | | 0.07 | <10 | <10 | 108 | <10 | 70 |
| L6950N 5000E | | 0.04 | <10 | <10 | 64 | <10 | 46 |
| L6975N 5000E | | 0.06 | <10 | <10 | 82 | <10 | 61 |
| L7000N 5000E | | 0.07 | <10 | <10 | 106 | <10 | 67 |
| L7025N 5000E | | 0.05 | <10 | <10 | 122 | <10 | 59 |
| L7050N 5000E | | 0.05 | <10 | <10 | 94 | <10 | 33 |
| L7075N 5000E | | 0.04 | <10 | <10 | 60 | <10 | 33 |
| L7100N 5000E | | <0.01 | <10 | <10 | 64 | <10 | 69 |
| L7125N 5000E | | <0.01 | <10 | <10 | 48 | <10 | 70 |
| L7150N 5000E | | <0.01 | <10 | <10 | 74 | <10 | 62 |
| L7175N 5000E | | 0.02 | <10 | <10 | 87 | <10 | 60 |
| L7200N 5000E | | 0.01 | <10 | <10 | 87 | <10 | 90 |
| L7225N 5000E | | <0.01 | <10 | <10 | 50 | <10 | 67 |
| L7225N 5000EB | | 0.07 | <10 | <10 | 89 | <10 | 17 |
| L7250N 5000E | | 0.01 | <10 | <10 | 99 | <10 | 44 |
| L7275N 5000E | | 0.01 | <10 | <10 | 59 | <10 | 31 |
| L7300N 5000E | | 0.01 | <10 | <10 | 93 | <10 | 44 |
| L7325N 5000E | | 0.02 | <10 | <10 | 53 | <10 | 33 |
| L7350N 5000E | | 0.01 | <10 | <10 | 96 | <10 | 57 |
| L7375N 5000E | | 0.01 | <10 | <10 | 45 | <10 | 31 |
| L7400N 5000E | | 0.01 | <10 | <10 | 109 | <10 | 192 |

Comments: NSS is non-sufficient sample.



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

JO: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm |
| L7425N 5000E | | 0.50 | 0.005 | <0.2 | 1.92 | 24 | <10 | 230 | 1.3 | <2 | 0.26 | <0.5 | 21 | 7 | 120 | 5.57 | |
| L7450N 5000E | | 0.46 | 0.011 | <0.2 | 2.20 | 36 | <10 | 250 | 1.0 | <2 | 0.32 | <0.5 | 23 | 8 | 186 | 5.23 | |
| L7475N 5000E | | 0.42 | <0.005 | 0.3 | 1.32 | 33 | <10 | 140 | <0.5 | <2 | 0.15 | <0.5 | 11 | 8 | 156 | 4.82 | |
| L7500N 5000E | | 0.50 | <0.005 | <0.2 | 2.03 | 102 | <10 | 200 | 0.6 | <2 | 0.10 | <0.5 | 15 | 9 | 95 | 6.16 | |
| L7525N 5000E | | 0.50 | <0.005 | 0.2 | 2.11 | 62 | <10 | 370 | 0.5 | <2 | 0.20 | <0.5 | 10 | 10 | 80 | 5.64 | |
| L7525N 5000ED | | 0.38 | <0.005 | 0.2 | 1.86 | 69 | <10 | 380 | 0.5 | <2 | 0.24 | <0.5 | 8 | 10 | 74 | 5.31 | |
| L7550N 5000E | | 0.44 | <0.005 | 0.8 | 1.98 | 15 | <10 | 660 | <0.5 | <2 | 0.18 | <0.5 | 10 | 13 | 108 | 6.57 | |
| L7575N 5000E | | 0.46 | <0.005 | <0.2 | 3.67 | 104 | <10 | 190 | 0.7 | <2 | 0.43 | <0.5 | 24 | 7 | 120 | 5.84 | |
| L7600N 5000E | | 0.50 | 0.007 | <0.2 | 2.56 | 124 | <10 | 790 | 1.2 | <2 | 0.60 | <0.5 | 25 | 6 | 162 | 5.38 | |
| L7625N 5000E | | 0.42 | 0.008 | <0.2 | 3.24 | 277 | <10 | 530 | 1.4 | <2 | 0.61 | <0.5 | 37 | 7 | 200 | 7.04 | |
| L7650N 5000E | | 0.30 | <0.005 | <0.2 | 0.77 | 9 | <10 | 380 | <0.5 | <2 | 2.15 | <0.5 | 8 | 4 | 32 | 1.50 | |
| L7675N 5000E | | 0.54 | 0.015 | 0.5 | 1.31 | 25 | <10 | 310 | 0.7 | <2 | 0.14 | <0.5 | 21 | 7 | 110 | 5.04 | |
| L7700N 5000E | | 0.46 | <0.005 | <0.2 | 2.00 | 22 | <10 | 270 | 0.8 | <2 | 0.20 | <0.5 | 19 | 7 | 93 | 4.58 | |
| L7725N 5000E | | 0.44 | 0.007 | <0.2 | 1.60 | 48 | <10 | 730 | 1.0 | <2 | 0.79 | <0.5 | 22 | 14 | 92 | 5.69 | |
| L7750N 5000E | | 0.26 | 0.008 | <0.2 | 0.93 | 19 | <10 | 290 | 1.2 | <2 | 2.16 | <0.5 | 26 | 20 | 60 | 4.46 | |
| L7775N 5000E | | 0.44 | 0.022 | <0.2 | 1.92 | 55 | <10 | 210 | 3.2 | <2 | 1.82 | <0.5 | 43 | 31 | 200 | 8.65 | |
| L7800N 5000E | | 0.52 | 0.008 | <0.2 | 2.46 | 47 | <10 | 280 | 1.4 | <2 | 0.43 | <0.5 | 25 | 15 | 115 | 6.07 | |
| L7825N 5000E | | 0.44 | 0.010 | <0.2 | 1.78 | 39 | <10 | 160 | 1.0 | <2 | 0.27 | <0.5 | 23 | 23 | 92 | 6.23 | |
| L7825N 5000ED | | 0.42 | <0.005 | <0.2 | 1.70 | 40 | <10 | 150 | 1.0 | <2 | 0.27 | <0.5 | 22 | 24 | 94 | 6.21 | |
| L7850N 5000E | | 0.36 | 0.012 | <0.2 | 0.95 | 48 | <10 | 230 | 1.2 | <2 | 1.06 | <0.5 | 33 | 16 | 91 | 5.10 | |
| L8600N 5000E | | 0.30 | NSS | <0.2 | 0.22 | 4 | <10 | 80 | <0.5 | <2 | 0.25 | <0.5 | 2 | 2 | 28 | 0.79 | |
| L8600N 5025E | | 0.22 | <0.005 | 0.9 | 0.76 | 11 | <10 | 330 | <0.5 | <2 | 0.35 | 0.6 | 8 | 6 | 33 | 2.47 | |
| L8600N 5050E | | 0.36 | <0.005 | 0.6 | 1.48 | 17 | <10 | 250 | <0.5 | <2 | 0.29 | <0.5 | 9 | 7 | 37 | 3.92 | |
| L8600N 5075E | | 0.30 | <0.005 | <0.2 | 1.35 | 17 | <10 | 300 | 0.5 | <2 | 0.44 | <0.5 | 10 | 8 | 32 | 3.16 | |
| L8600N 5100E | | 0.30 | <0.005 | <0.2 | 1.45 | 101 | <10 | 90 | <0.5 | <2 | 0.13 | <0.5 | 13 | 15 | 57 | 7.99 | |
| L8600N 5125E | | 0.34 | <0.005 | <0.2 | 1.64 | 34 | <10 | 230 | 0.5 | <2 | 0.71 | <0.5 | 8 | 13 | 59 | 4.43 | |
| L8600N 5125ED | | 0.32 | <0.005 | 0.2 | 1.51 | 34 | <10 | 210 | 0.5 | <2 | 0.65 | <0.5 | 7 | 12 | 56 | 4.10 | |
| L8600N 5150E | | 0.22 | <0.005 | 0.2 | 1.72 | 31 | <10 | 410 | 0.9 | <2 | 1.62 | <0.5 | 12 | 12 | 62 | 3.89 | |
| L8600N 5175E | | 0.24 | NSS | <0.2 | 0.08 | 2 | <10 | 80 | <0.5 | <2 | 0.47 | <0.5 | 1 | <1 | 7 | 0.16 | |
| L8600N 5200E | | 0.18 | <0.005 | <0.2 | 0.05 | 3 | <10 | 70 | <0.5 | <2 | 0.85 | <0.5 | 1 | 1 | 6 | 0.17 | |
| L8600N 5225E | | 0.24 | NSS | <0.2 | 0.21 | 4 | <10 | 110 | <0.5 | <2 | 0.23 | <0.5 | 3 | 3 | 37 | 0.92 | |
| L8600N 5250E | | 0.30 | <0.005 | 0.2 | 1.62 | 9 | <10 | 520 | 1.0 | <2 | 1.96 | 0.5 | 9 | 8 | 71 | 2.24 | |
| L8600N 5275E | | 0.28 | <0.005 | <0.2 | 0.68 | 14 | 10 | 170 | <0.5 | <2 | 0.30 | <0.5 | 5 | 13 | 39 | 2.48 | |
| L8600N 5300E | | 0.24 | NSS | <0.2 | 0.12 | 2 | 40 | 320 | <0.5 | <2 | 3.58 | <0.5 | 2 | 3 | 39 | 0.22 | |
| L8600N 5325E | | 0.18 | NSS | <0.2 | 0.05 | 2 | <10 | 80 | <0.5 | <2 | 0.41 | <0.5 | 1 | 1 | 14 | 0.16 | |
| L8600N 5350E | | 0.32 | <0.005 | 0.4 | 1.43 | 4 | <10 | 420 | 1.4 | <2 | 1.44 | 0.5 | 9 | 12 | 42 | 2.21 | |
| L8600N 5375E | | 0.30 | <0.005 | <0.2 | 1.46 | 11 | <10 | 220 | <0.5 | <2 | 0.23 | <0.5 | 8 | 11 | 74 | 5.53 | |
| L8600N 5400E | | 0.32 | <0.005 | 0.2 | 0.97 | 8 | <10 | 330 | <0.5 | <2 | 0.27 | <0.5 | 6 | 20 | 45 | 2.81 | |
| L8600N 5400EB | | 0.40 | 0.010 | <0.2 | 0.49 | <2 | <10 | 30 | <0.5 | <2 | 0.30 | <0.5 | 5 | 19 | 7 | 2.73 | |
| L8600N 5425E | | 0.26 | <0.005 | <0.2 | 0.14 | 3 | 30 | 490 | <0.5 | <2 | 3.87 | <0.5 | 4 | 2 | 13 | 0.91 | |

Comments: NSS is non-sufficient sample.



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

JO: EQ0011 ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 | |
| L7425N 5000E | | <10 | 0.35 | 0.13 | 10 | 0.40 | 1765 | 1 | 0.01 | 10 | 2350 | 11 | 0.12 | 2 | 12 | 23 | |
| L7450N 5000E | | <10 | 0.28 | 0.16 | <10 | 0.61 | 1330 | 1 | 0.01 | 10 | 1920 | 10 | 0.10 | 2 | 15 | 18 | |
| L7475N 5000E | | <10 | 0.41 | 0.11 | 10 | 0.20 | 997 | 2 | 0.01 | 6 | 2280 | 16 | 0.18 | <2 | 7 | 14 | |
| L7500N 5000E | | <10 | 0.52 | 0.12 | 10 | 0.22 | 1285 | 1 | 0.01 | 9 | 6640 | 7 | 0.11 | 3 | 4 | 17 | |
| L7525N 5000E | | 10 | 0.32 | 0.11 | <10 | 0.25 | 877 | 1 | 0.01 | 7 | 4280 | 7 | 0.08 | <2 | 3 | 30 | |
| L7525N 5000ED | | 10 | 0.36 | 0.11 | <10 | 0.21 | 758 | 2 | 0.01 | 6 | 4460 | 8 | 0.09 | <2 | 3 | 34 | |
| L7550N 5000E | | 10 | 0.41 | 0.09 | <10 | 0.14 | 1035 | 2 | 0.01 | 9 | >10000 | 8 | 0.07 | <2 | 4 | 36 | |
| L7575N 5000E | | 10 | 0.56 | 0.10 | <10 | 0.73 | 1685 | <1 | 0.01 | 7 | 1550 | 6 | 0.05 | <2 | 10 | 216 | |
| L7600N 5000E | | <10 | 1.09 | 0.12 | 10 | 0.67 | 1640 | 1 | 0.01 | 8 | 1460 | 8 | 0.06 | <2 | 19 | 90 | |
| L7625N 5000E | | 10 | 1.65 | 0.11 | 10 | 0.85 | 2010 | 1 | 0.03 | 11 | 1840 | 11 | 0.07 | 4 | 25 | 80 | |
| L7650N 5000E | | <10 | 0.26 | 0.07 | <10 | 0.18 | 760 | 1 | 0.02 | 4 | 1570 | 6 | 0.17 | <2 | 2 | 386 | |
| L7675N 5000E | | <10 | 0.88 | 0.16 | <10 | 0.30 | 1015 | 5 | 0.01 | 14 | 1920 | 44 | 0.10 | 2 | 11 | 28 | |
| L7700N 5000E | | <10 | 0.33 | 0.13 | <10 | 0.35 | 1255 | 1 | 0.01 | 9 | 3730 | 6 | 0.11 | <2 | 8 | 21 | |
| L7725N 5000E | | <10 | 2.22 | 0.12 | 10 | 0.42 | 1505 | 2 | 0.01 | 19 | 2160 | 9 | 0.10 | <2 | 15 | 158 | |
| L7750N 5000E | | <10 | 0.33 | 0.08 | 10 | 0.43 | 1325 | 1 | 0.02 | 11 | 2980 | 9 | 0.22 | <2 | 11 | 228 | |
| L7775N 5000E | | 10 | 0.47 | 0.18 | 10 | 0.75 | 1835 | 2 | 0.01 | 29 | 4540 | 9 | 0.09 | <2 | 35 | 202 | |
| L7800N 5000E | | 10 | 0.59 | 0.10 | 10 | 0.55 | 1580 | 2 | 0.01 | 13 | 1880 | 9 | 0.08 | <2 | 17 | 43 | |
| L7825N 5000E | | 10 | 0.57 | 0.09 | 10 | 0.42 | 1130 | 2 | 0.01 | 16 | 3010 | 9 | 0.10 | <2 | 13 | 22 | |
| L7825N 5000ED | | 10 | 0.56 | 0.09 | 10 | 0.39 | 1050 | 2 | 0.01 | 16 | 3030 | 7 | 0.12 | <2 | 13 | 24 | |
| L7850N 5000E | | <10 | 0.53 | 0.10 | 10 | 0.28 | 2140 | 2 | 0.02 | 13 | 4730 | 15 | 0.18 | <2 | 9 | 112 | |
| L8600N 5000E | | <10 | 0.11 | 0.06 | <10 | 0.03 | 68 | 1 | 0.01 | 2 | 700 | 7 | 0.15 | <2 | 1 | 19 | |
| L8600N 5025E | | <10 | 0.14 | 0.07 | 10 | 0.06 | 274 | 2 | 0.01 | 9 | 940 | 16 | 0.08 | <2 | 1 | 34 | |
| L8600N 5050E | | 10 | 0.14 | 0.11 | 10 | 0.14 | 774 | 1 | 0.01 | 8 | 1500 | 21 | 0.04 | <2 | 3 | 15 | |
| L8600N 5075E | | <10 | 0.22 | 0.11 | 10 | 0.22 | 602 | 1 | 0.01 | 6 | 1180 | 15 | 0.10 | <2 | 3 | 34 | |
| L8600N 5100E | | 10 | 0.35 | 0.09 | <10 | 0.10 | 560 | 3 | 0.01 | 11 | 4140 | 20 | 0.06 | 3 | 3 | 20 | |
| L8600N 5125E | | 10 | 0.24 | 0.07 | 10 | 0.17 | 376 | 2 | 0.02 | 9 | 1450 | 11 | 0.08 | <2 | 2 | 132 | |
| L8600N 5125ED | | 10 | 0.21 | 0.07 | 10 | 0.15 | 322 | 2 | 0.02 | 8 | 1330 | 9 | 0.07 | <2 | 2 | 122 | |
| L8600N 5150E | | <10 | 0.13 | 0.07 | 10 | 0.39 | 1700 | 2 | 0.01 | 8 | 2080 | 10 | 0.11 | <2 | 3 | 288 | |
| L8600N 5175E | | <10 | 0.09 | 0.02 | <10 | 0.06 | 27 | <1 | <0.01 | <1 | 460 | <2 | 0.09 | <2 | <1 | 76 | |
| L8600N 5200E | | <10 | 0.09 | 0.04 | <10 | 0.07 | 31 | <1 | 0.01 | <1 | 660 | <2 | 0.19 | <2 | <1 | 165 | |
| L8600N 5225E | | <10 | 0.05 | 0.06 | <10 | 0.03 | 83 | 1 | 0.01 | 3 | 590 | 2 | 0.14 | <2 | <1 | 48 | |
| L8600N 5250E | | <10 | 0.18 | 0.05 | 30 | 0.29 | 1400 | 1 | 0.02 | 10 | 1370 | 5 | 0.11 | <2 | 3 | 366 | |
| L8600N 5275E | | 10 | 0.05 | 0.04 | 10 | 0.06 | 126 | 2 | <0.01 | 5 | 500 | 9 | 0.06 | <2 | 1 | 82 | |
| L8600N 5300E | | <10 | 0.14 | 0.04 | <10 | 0.44 | 1640 | 1 | 0.02 | 3 | 1410 | 2 | 0.28 | <2 | <1 | 576 | |
| L8600N 5325E | | <10 | 0.16 | 0.05 | <10 | 0.06 | 272 | <1 | 0.01 | 1 | 840 | 2 | 0.20 | <2 | <1 | 61 | |
| L8600N 5350E | | 10 | 0.14 | 0.07 | 30 | 0.33 | 4760 | 3 | 0.07 | 9 | 1380 | 5 | 0.12 | <2 | 3 | 246 | |
| L8600N 5375E | | 10 | 0.19 | 0.05 | <10 | 0.28 | 664 | 1 | 0.01 | 9 | 1190 | 7 | 0.08 | <2 | 2 | 25 | |
| L8600N 5400E | | 10 | 0.12 | 0.05 | 10 | 0.10 | 133 | 2 | 0.01 | 6 | 500 | 8 | 0.03 | <2 | 2 | 66 | |
| L8600N 5400EB | | <10 | <0.01 | 0.03 | <10 | 0.19 | 160 | <1 | 0.02 | 7 | 440 | <2 | <0.01 | <2 | 1 | 22 | |
| L8600N 5425E | | <10 | 0.20 | 0.03 | <10 | 0.43 | 1370 | 1 | 0.03 | 2 | 1120 | <2 | 0.41 | <2 | <1 | 716 | |

Comments: NSS is non-sufficient sample.



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIPMENT ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 |
| L7425N 5000E | | 0.01 | <10 | <10 | 85 | <10 | 132 |
| L7450N 5000E | | 0.01 | <10 | <10 | 95 | <10 | 68 |
| L7475N 5000E | | 0.01 | <10 | <10 | 83 | <10 | 98 |
| L7500N 5000E | | 0.02 | <10 | <10 | 88 | <10 | 57 |
| L7525N 5000E | | 0.03 | <10 | <10 | 121 | <10 | 47 |
| L7525N 5000ED | | 0.04 | <10 | <10 | 117 | <10 | 46 |
| L7550N 5000E | | 0.10 | <10 | <10 | 116 | <10 | 40 |
| L7575N 5000E | | <0.01 | <10 | <10 | 126 | <10 | 79 |
| L7600N 5000E | | <0.01 | <10 | <10 | 113 | <10 | 51 |
| L7625N 5000E | | <0.01 | <10 | <10 | 140 | <10 | 94 |
| L7650N 5000E | | 0.01 | <10 | <10 | 48 | <10 | 18 |
| L7675N 5000E | | <0.01 | <10 | <10 | 54 | <10 | 186 |
| L7700N 5000E | | 0.01 | <10 | <10 | 82 | <10 | 65 |
| L7725N 5000E | | 0.01 | <10 | <10 | 114 | <10 | 83 |
| L7750N 5000E | | 0.03 | <10 | <10 | 128 | <10 | 77 |
| L7775N 5000E | | 0.04 | <10 | <10 | 229 | <10 | 101 |
| L7800N 5000E | | 0.01 | <10 | <10 | 116 | <10 | 70 |
| L7825N 5000E | | 0.02 | <10 | <10 | 129 | <10 | 64 |
| L7825N 5000ED | | 0.02 | <10 | <10 | 129 | <10 | 64 |
| L7850N 5000E | | 0.02 | <10 | <10 | 98 | <10 | 73 |
| L8600N 5000E | | 0.01 | <10 | <10 | 12 | <10 | 35 |
| L8600N 5025E | | 0.02 | <10 | <10 | 48 | <10 | 63 |
| L8600N 5050E | | <0.01 | <10 | <10 | 63 | <10 | 95 |
| L8600N 5075E | | 0.01 | <10 | <10 | 47 | <10 | 79 |
| L8600N 5100E | | 0.02 | <10 | <10 | 94 | <10 | 79 |
| L8600N 5125E | | 0.02 | <10 | <10 | 76 | <10 | 46 |
| L8600N 5125ED | | 0.03 | <10 | <10 | 70 | <10 | 44 |
| L8600N 5150E | | 0.01 | <10 | <10 | 68 | <10 | 81 |
| L8600N 5175E | | 0.01 | <10 | <10 | 2 | <10 | 15 |
| L8600N 5200E | | <0.01 | <10 | <10 | 2 | <10 | 26 |
| L8600N 5225E | | 0.04 | <10 | <10 | 20 | <10 | 23 |
| L8600N 5250E | | 0.02 | <10 | <10 | 44 | <10 | 39 |
| L8600N 5275E | | 0.09 | <10 | <10 | 106 | <10 | 31 |
| L8600N 5300E | | <0.01 | <10 | <10 | 9 | <10 | 97 |
| L8600N 5325E | | <0.01 | <10 | <10 | 3 | <10 | 35 |
| L8600N 5350E | | 0.07 | <10 | <10 | 31 | <10 | 63 |
| L8600N 5375E | | 0.03 | <10 | <10 | 162 | <10 | 30 |
| L8600N 5400E | | 0.14 | <10 | <10 | 97 | <10 | 30 |
| L8600N 5400EB | | 0.07 | <10 | <10 | 100 | <10 | 17 |
| L8600N 5425E | | 0.02 | <10 | <10 | 8 | <10 | 8 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------------|-----------|-----------|----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|
| | | Recvd Wt. kg | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % |
| L8600N 5450E | | 0.22 | 0.061 | <0.2 | 0.15 | <2 | <10 | 260 | <0.5 | <2 | 0.45 | <0.5 | 1 | 2 | 22 | 0.34 |
| L8600N 5475E | | 0.24 | <0.005 | <0.2 | 0.30 | 3 | <10 | 390 | <0.5 | <2 | 0.36 | <0.5 | 3 | 5 | 32 | 1.00 |
| L8600N 5500E | | 0.32 | <0.005 | <0.2 | 2.10 | 21 | <10 | 120 | 0.5 | <2 | 0.07 | <0.5 | 7 | 26 | 35 | 5.84 |
| L8600N 5525E | | 0.32 | <0.005 | 0.3 | 2.37 | 13 | <10 | 140 | <0.5 | <2 | 0.10 | <0.5 | 6 | 24 | 57 | 3.56 |
| L8600N 5550E | | 0.26 | <0.005 | 1.1 | 3.42 | 5 | <10 | 90 | 1.3 | 2 | 0.14 | <0.5 | 8 | 25 | 75 | 2.84 |
| L8600N 5575E | | 0.30 | <0.005 | 0.6 | 2.23 | 2 | <10 | 300 | 1.1 | 2 | 0.32 | <0.5 | 43 | 15 | 28 | 3.60 |
| L8600N 5600E | | 0.32 | <0.005 | 0.6 | 2.49 | 30 | <10 | 300 | 0.5 | <2 | 0.07 | <0.5 | 12 | 23 | 73 | 7.36 |
| L8600N 5625E | | 0.30 | <0.005 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| L8600N 5650E | | 0.30 | 0.020 | 0.4 | 2.03 | 2 | <10 | 270 | 0.8 | <2 | 0.93 | <0.5 | 5 | 16 | 37 | 2.27 |
| L8600N 5675E | | 0.32 | <0.005 | 0.2 | 1.46 | 3 | <10 | 250 | 1.3 | <2 | 1.14 | <0.5 | 8 | 10 | 26 | 2.34 |
| L8600N 5700E | | 0.32 | NSS | 0.6 | 1.91 | 16 | <10 | 390 | 1.0 | <2 | 2.25 | <0.5 | 15 | 12 | 42 | 6.68 |
| L8600N 5700ED | | 0.32 | NSS | 0.4 | 1.29 | 8 | <10 | 390 | 0.7 | <2 | 3.26 | <0.5 | 10 | 8 | 45 | 3.16 |
| L8600N 5725E | | 0.28 | 0.006 | <0.2 | 0.77 | <2 | <10 | 240 | 0.9 | <2 | 2.41 | <0.5 | 1 | 7 | 27 | 0.64 |
| L8600N 5750E | | 0.36 | <0.005 | 0.2 | 2.49 | 15 | <10 | 70 | <0.5 | <2 | 0.18 | <0.5 | 11 | 55 | 55 | 6.64 |
| L8600N 5775E | | 0.36 | <0.005 | 0.6 | 2.36 | 13 | <10 | 100 | <0.5 | <2 | 0.14 | <0.5 | 8 | 33 | 66 | 5.12 |
| L8600N 5800E | | 0.32 | <0.005 | 0.5 | 0.69 | 2 | <10 | 90 | <0.5 | <2 | 0.08 | <0.5 | 1 | 9 | 39 | 1.20 |
| L8700N 4875E | | 0.30 | <0.005 | 1.1 | 1.74 | 27 | <10 | 150 | <0.5 | <2 | 0.17 | <0.5 | 4 | 16 | 30 | 6.62 |
| L8700N 4900E | | 0.34 | 0.005 | 0.5 | 2.93 | 17 | <10 | 260 | 2.1 | <2 | 0.49 | 0.6 | 23 | 16 | 37 | 2.90 |
| L8700N 4900ED | | 0.32 | 0.006 | 0.3 | 2.76 | 14 | <10 | 240 | 2.0 | <2 | 0.47 | 0.5 | 23 | 16 | 35 | 2.88 |
| L8700N 4925E | | 0.30 | <0.005 | 0.6 | 1.50 | 16 | <10 | 150 | 0.5 | <2 | 0.09 | <0.5 | 5 | 10 | 43 | 2.29 |
| L8700N 4950E | | 0.22 | <0.005 | 0.6 | 1.78 | 11 | <10 | 210 | 1.0 | <2 | 0.62 | 0.5 | 4 | 10 | 54 | 2.41 |
| L8700N 4975E | | 0.30 | <0.005 | 0.3 | 2.20 | 20 | <10 | 350 | 0.8 | <2 | 0.82 | <0.5 | 17 | 18 | 45 | 4.33 |
| L8700N 5000E | | 0.28 | <0.005 | 0.5 | 1.52 | 20 | <10 | 90 | <0.5 | <2 | 0.18 | <0.5 | 7 | 16 | 49 | 4.55 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 | |
| L8600N 5450E | | <10 | 0.19 | 0.04 | <10 | 0.03 | 39 | <1 | 0.01 | 3 | 1120 | 2 | 0.21 | <2 | <1 | 25 | |
| L8600N 5475E | | <10 | 0.10 | 0.05 | <10 | 0.04 | 74 | <1 | 0.01 | 5 | 920 | 2 | 0.14 | <2 | 1 | 30 | |
| L8600N 5500E | | 20 | 0.10 | 0.05 | 10 | 0.29 | 329 | 2 | 0.01 | 11 | 860 | 10 | 0.02 | <2 | 3 | 6 | |
| L8600N 5525E | | 10 | 0.17 | 0.04 | 10 | 0.24 | 242 | 2 | 0.01 | 10 | 860 | 9 | 0.04 | <2 | 2 | 10 | |
| L8600N 5550E | | 10 | 0.27 | 0.06 | 20 | 0.21 | 919 | 2 | 0.04 | 9 | 2980 | 7 | 0.14 | <2 | 2 | 11 | |
| L8600N 5575E | | 10 | 0.41 | 0.08 | 20 | 0.19 | 4310 | 3 | 0.06 | 6 | 2190 | 10 | 0.10 | <2 | 1 | 27 | |
| L8600N 5600E | | 10 | 0.14 | 0.09 | 10 | 0.37 | 621 | 2 | 0.01 | 13 | 940 | 16 | 0.04 | <2 | 4 | 10 | |
| L8600N 5625E | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | |
| L8600N 5650E | | 10 | 0.17 | 0.07 | 10 | 0.38 | 777 | 1 | 0.03 | 11 | 1770 | 11 | 0.09 | <2 | 1 | 48 | |
| L8600N 5675E | | 10 | 0.18 | 0.10 | 20 | 0.24 | 2700 | 2 | 0.12 | 6 | 1200 | 7 | 0.07 | <2 | 2 | 57 | |
| L8600N 5700E | | <10 | 0.28 | 0.04 | 20 | 0.23 | 2300 | 6 | 0.01 | 7 | 2880 | 8 | 0.24 | <2 | 4 | 178 | |
| L8600N 5700ED | | <10 | 0.30 | 0.03 | 10 | 0.23 | 1500 | 3 | 0.02 | 6 | 2670 | 7 | 0.29 | <2 | 2 | 244 | |
| L8600N 5725E | | 10 | 0.16 | 0.09 | 10 | 0.17 | 128 | 1 | 0.10 | 5 | 930 | 3 | 0.15 | <2 | <1 | 144 | |
| L8600N 5750E | | 10 | 0.14 | 0.07 | 10 | 0.46 | 823 | 5 | 0.01 | 16 | 8040 | 16 | 0.10 | <2 | 2 | 12 | |
| L8600N 5775E | | 10 | 0.22 | 0.06 | 10 | 0.36 | 517 | 3 | 0.01 | 16 | 1260 | 13 | 0.06 | <2 | 3 | 10 | |
| L8600N 5800E | | 10 | 0.22 | 0.05 | 10 | 0.05 | 71 | 1 | 0.01 | 3 | 880 | 11 | 0.03 | <2 | <1 | 9 | |
| L8700N 4875E | | 10 | 0.14 | 0.07 | 10 | 0.21 | 146 | 3 | 0.01 | 8 | 570 | 23 | 0.04 | <2 | 2 | 22 | |
| L8700N 4900E | | 10 | 0.24 | 0.07 | 20 | 0.35 | 2340 | 2 | 0.01 | 11 | 1900 | 9 | 0.09 | <2 | 2 | 85 | |
| L8700N 4900ED | | 10 | 0.22 | 0.08 | 20 | 0.34 | 2450 | 2 | 0.01 | 11 | 1840 | 9 | 0.09 | <2 | 2 | 80 | |
| L8700N 4925E | | 10 | 0.08 | 0.10 | 10 | 0.12 | 164 | 3 | 0.01 | 6 | 820 | 12 | 0.04 | <2 | 1 | 19 | |
| L8700N 4950E | | 10 | 0.19 | 0.06 | 20 | 0.18 | 186 | 3 | 0.02 | 7 | 2030 | 10 | 0.15 | <2 | <1 | 100 | |
| L8700N 4975E | | 10 | 0.07 | 0.11 | 10 | 0.58 | 1910 | 2 | 0.02 | 13 | 1870 | 16 | 0.10 | <2 | 1 | 130 | |
| L8700N 5000E | | 10 | 0.07 | 0.08 | 10 | 0.23 | 420 | 3 | <0.01 | 9 | 1060 | 19 | 0.08 | <2 | 2 | 29 | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

JO: EQu... ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| L8600N 5450E | | 0.01 | <10 | <10 | 5 | <10 | 27 |
| L8600N 5475E | | 0.02 | <10 | <10 | 31 | <10 | 25 |
| L8600N 5500E | | 0.09 | <10 | <10 | 144 | <10 | 43 |
| L8600N 5525E | | 0.07 | <10 | <10 | 107 | <10 | 31 |
| L8600N 5550E | | 0.03 | <10 | <10 | 45 | <10 | 49 |
| L8600N 5575E | | 0.02 | <10 | <10 | 43 | <10 | 38 |
| L8600N 5600E | | 0.04 | <10 | <10 | 142 | <10 | 49 |
| L8600N 5625E | | NSS | NSS | NSS | NSS | NSS | NSS |
| L8600N 5650E | | 0.04 | <10 | <10 | 52 | <10 | 56 |
| L8600N 5675E | | 0.09 | <10 | <10 | 28 | <10 | 55 |
| L8600N 5700E | | 0.04 | <10 | <10 | 110 | <10 | 46 |
| L8600N 5700ED | | 0.02 | <10 | <10 | 55 | <10 | 27 |
| L8600N 5725E | | 0.08 | <10 | <10 | 9 | <10 | 27 |
| L8600N 5750E | | 0.04 | <10 | <10 | 115 | <10 | 41 |
| L8600N 5775E | | 0.08 | <10 | <10 | 108 | <10 | 56 |
| L8600N 5800E | | 0.04 | <10 | <10 | 34 | <10 | 19 |
| L8700N 4875E | | 0.07 | <10 | <10 | 152 | <10 | 33 |
| L8700N 4900E | | 0.02 | <10 | <10 | 50 | <10 | 104 |
| L8700N 4900ED | | 0.02 | <10 | <10 | 51 | <10 | 102 |
| L8700N 4925E | | 0.02 | <10 | <10 | 66 | <10 | 45 |
| L8700N 4950E | | 0.01 | <10 | <10 | 41 | <10 | 34 |
| L8700N 4975E | | 0.02 | <10 | <10 | 75 | <10 | 111 |
| L8700N 5000E | | 0.06 | <10 | <10 | 93 | <10 | 59 |

Comments: NSS is non-sufficient sample.



QC CERTIFICATE VA04046593

Project: NGX04-01

P.O. No.:

This report is for 103 Soil samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION


| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Au-AA23 | Au 30g FA-AA finish | AAS |

To: **EQUITY ENGINEERING LTD.**
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIPMENT ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method | Au-AA23 | ME-ICP41 |
|----------------------------|-------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte Units LOR | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | |
| | | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 | 10 | |
| STANDARDS | | | | | | | | | | | | | | | | | |
| G2000 | | 3.5 | 1.99 | 480 | <10 | 970 | 1.0 | 3 | 0.53 | 7.1 | 24 | 71 | 307 | 3.83 | 10 | | |
| G2000 | | 3.5 | 1.84 | 479 | 10 | 760 | 0.9 | <2 | 0.50 | 7.1 | 24 | 70 | 306 | 3.76 | 10 | | |
| G2000 | | 3.4 | 1.88 | 486 | <10 | 860 | 0.9 | <2 | 0.52 | 7.2 | 24 | 72 | 303 | 3.82 | 10 | | |
| G2000 | | 3.1 | 1.87 | 483 | <10 | 780 | 0.9 | 2 | 0.51 | 7.5 | 24 | 69 | 303 | 3.74 | 10 | | |
| G2000 | | 3.3 | 1.84 | 484 | <10 | 920 | 0.9 | <2 | 0.50 | 7.2 | 24 | 71 | 299 | 3.82 | 10 | | |
| G2000 | | 2.9 | 1.66 | 434 | <10 | 740 | <0.5 | <2 | 0.46 | 6.3 | 22 | 64 | 272 | 3.41 | <10 | | |
| Target Range - Lower Bound | | 2.9 | 1.66 | 434 | <10 | 740 | <0.5 | <2 | 0.46 | 6.3 | 22 | 64 | 272 | 3.41 | <10 | | |
| Upper Bound | | 3.9 | 2.06 | 534 | 20 | 920 | 1.0 | 4 | 0.58 | 6.9 | 29 | 80 | 334 | 4.19 | 20 | | |
| JWB-JV-1 | | 22.2 | 0.69 | 539 | <10 | 120 | <0.5 | 6 | 0.40 | 48.3 | 10 | 54 | 8150 | 3.45 | <10 | | |
| JWB-JV-1 | | 21.5 | 0.64 | 541 | <10 | 130 | <0.5 | 4 | 0.37 | 48.8 | 11 | 52 | 7780 | 3.31 | <10 | | |
| JWB-JV-1 | | 21.4 | 0.62 | 528 | <10 | 150 | <0.5 | 7 | 0.36 | 47.0 | 11 | 50 | 7640 | 3.20 | <10 | | |
| JWB-JV-1 | | 21.0 | 0.65 | 535 | <10 | 120 | <0.5 | 4 | 0.37 | 49.6 | 11 | 53 | 8020 | 3.25 | <10 | | |
| JWB-JV-1 | | 21.9 | 0.64 | 537 | <10 | 230 | <0.5 | 3 | 0.37 | 47.8 | 10 | 51 | 7710 | 3.37 | <10 | | |
| JWB-JV-1 | | 19.6 | 0.58 | 481 | <10 | 130 | <0.5 | 3 | 0.36 | 40.0 | 8 | 44 | 7090 | 2.89 | <10 | | |
| Target Range - Lower Bound | | 19.6 | 0.58 | 481 | <10 | 130 | <0.5 | 3 | 0.36 | 40.0 | 8 | 44 | 7090 | 2.89 | <10 | | |
| Upper Bound | | 24.4 | 0.73 | 567 | 20 | 190 | 1.0 | 9 | 0.46 | 50.0 | 12 | 56 | 8670 | 3.55 | 20 | | |
| MER-03 | | 0.639 | | | | | | | | | | | | | | | |
| MER-03 | | 0.692 | | | | | | | | | | | | | | | |
| MER-03 | | 0.661 | | | | | | | | | | | | | | | |
| MER-03 | | 0.707 | | | | | | | | | | | | | | | |
| MER-03 | | 0.661 | | | | | | | | | | | | | | | |
| MER-03 | | 0.661 | | | | | | | | | | | | | | | |
| MER-03 | | 0.676 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.605 | | | | | | | | | | | | | | | |
| Upper Bound | | 0.751 | | | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | | |
| BLANK | | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | 1 | 1 | <0.01 | <10 | | |
| BLANK | | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | <1 | <0.01 | <10 | | |
| BLANK | | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | <1 | <0.01 | <10 | | |
| BLANK | | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | <1 | <0.01 | <10 | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | | |
| BLANK | | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | 1 | <1 | <1 | <0.01 | <10 | | |
| BLANK | | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | 1 | <1 | <1 | <0.01 | <10 | | |
| Target Range - Lower Bound | | <0.005 | <0.2 | <0.01 | <2 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | <1 | <0.01 | <10 | | |
| Upper Bound | | 0.010 | 0.4 | 0.02 | 4 | 20 | 20 | 1.0 | 4 | 0.02 | 1.0 | 2 | 2 | 0.02 | 20 | | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQL... ENG... RINC ..J.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1 -

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | Hg-CV41 | ME-ICP41 |
|----------------------------|--------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm | Tl % | |
| | | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 | 0.01 | |
| STANDARDS | | | | | | | | | | | | | | | | | |
| G2000 | | 0.42 | 20 | 0.70 | 583 | 6 | 0.03 | 280 | 980 | 684 | 0.27 | 21 | 7 | 72 | 0.05 | | |
| G2000 | | 0.75 | 0.42 | 20 | 0.68 | 557 | 5 | 0.03 | 277 | 960 | 664 | 0.28 | 20 | 7 | 66 | 0.05 | |
| G2000 | | 0.74 | 0.42 | 20 | 0.68 | 567 | 5 | 0.03 | 282 | 960 | 684 | 0.26 | 21 | 7 | 67 | 0.05 | |
| G2000 | | 0.72 | 0.41 | 20 | 0.67 | 558 | 6 | 0.03 | 275 | 950 | 667 | 0.27 | 22 | 7 | 67 | 0.05 | |
| G2000 | | 0.75 | 0.42 | 20 | 0.65 | 566 | 5 | 0.03 | 292 | 950 | 671 | 0.25 | 26 | 7 | 65 | 0.05 | |
| G2000 | | 0.81 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.68 | 0.38 | <10 | 0.80 | 506 | 4 | 0.02 | 258 | 840 | 601 | 0.22 | 19 | 6 | 59 | 0.04 | |
| Upper Bound | | 0.81 | 0.48 | 40 | 0.76 | 630 | 8 | 0.04 | 316 | 1050 | 739 | 0.30 | 27 | 9 | 74 | 0.07 | |
| JWB-JV-1 | | 0.24 | 10 | 0.14 | 746 | 95 | 0.12 | 16 | 210 | 4690 | 0.76 | 100 | 1 | 55 | 0.02 | | |
| JWB-JV-1 | | 1.12 | 0.24 | <10 | 0.13 | 712 | 88 | 0.12 | 17 | 200 | 4430 | 0.73 | 97 | 1 | 52 | 0.02 | |
| JWB-JV-1 | | 0.97 | 0.23 | <10 | 0.12 | 683 | 84 | 0.12 | 16 | 190 | 4260 | 0.69 | 94 | 1 | 50 | 0.02 | |
| JWB-JV-1 | | 1.00 | 0.24 | 10 | 0.13 | 704 | 97 | 0.12 | 15 | 190 | 4330 | 0.74 | 102 | 1 | 53 | 0.02 | |
| JWB-JV-1 | | 1.04 | 0.24 | <10 | 0.13 | 730 | 89 | 0.12 | 16 | 210 | 4440 | 0.73 | 107 | 1 | 49 | 0.02 | |
| JWB-JV-1 | | 1.07 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.97 | 0.22 | <10 | 0.12 | 607 | 78 | 0.11 | 13 | 170 | 3880 | 0.63 | 83 | <1 | 44 | <0.01 | |
| Upper Bound | | 1.13 | 0.29 | 20 | 0.16 | 753 | 98 | 0.15 | 18 | 230 | 4750 | 0.79 | 105 | 2 | 56 | 0.03 | |
| MER-03 | | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | | |
| BLANK | | <0.01 | <10 | <0.01 | <5 | 1 | <0.01 | 1 | <10 | <2 | <0.01 | <2 | <1 | <1 | <0.01 | | |
| BLANK | | 0.02 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | <1 | <10 | <2 | 0.01 | <2 | <1 | <1 | <0.01 | |
| BLANK | | <0.01 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | <1 | <10 | <2 | <0.01 | <2 | <1 | <1 | <0.01 | |
| BLANK | | <0.01 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | <1 | <10 | <2 | <0.01 | <2 | <1 | <1 | <0.01 | |
| BLANK | | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | | |
| BLANK | | <0.01 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | 1 | <10 | <2 | <0.01 | <2 | <1 | <1 | <0.01 | |
| BLANK | | <0.01 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | 1 | <10 | <2 | <0.01 | <2 | <1 | <1 | <0.01 | |
| Target Range - Lower Bound | | <0.01 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | <1 | <10 | <2 | <0.01 | <2 | <1 | <1 | <0.01 | |
| Upper Bound | | 0.02 | 0.02 | 20 | 0.02 | 10 | 2 | 0.02 | 2 | 20 | 4 | 0.02 | 4 | 2 | 2 | 0.02 | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQ. ENCLERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|----------------------------|--------------------------|-----------|----------|----------|----------|----------|
| | | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| STANDARDS | | | | | | |
| G2000 | | <10 | <10 | 68 | <10 | 1260 |
| G2000 | | <10 | <10 | 68 | <10 | 1260 |
| G2000 | | <10 | <10 | 69 | <10 | 1265 |
| G2000 | | <10 | <10 | 67 | <10 | 1275 |
| G2000 | | <10 | <10 | 66 | <10 | 1260 |
| G2000 | | <10 | <10 | 69 | <10 | 1130 |
| Target Range - Lower Bound | | <10 | <10 | 69 | <10 | 1130 |
| Upper Bound | | 20 | 20 | 74 | 20 | 1385 |
| JWB-JV-1 | | <10 | <10 | 14 | <10 | 9890 |
| JWB-JV-1 | | <10 | <10 | 14 | <10 | 9860 |
| JWB-JV-1 | | <10 | <10 | 13 | <10 | 9650 |
| JWB-JV-1 | | <10 | <10 | 13 | <10 | 9760 |
| JWB-JV-1 | | <10 | <10 | 13 | <10 | 9710 |
| JWB-JV-1 | | <10 | <10 | 11 | <10 | 8550 |
| Target Range - Lower Bound | | <10 | <10 | 11 | <10 | 8550 |
| Upper Bound | | 20 | 20 | 15 | 20 | >10000 |
| MER-03 | | | | | | |
| MER-03 | | | | | | |
| MER-03 | | | | | | |
| MER-03 | | | | | | |
| MER-03 | | | | | | |
| MER-03 | | | | | | |
| MER-03 | | | | | | |
| MER-03 | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| BLANKS | | | | | | |
| BLANK | | | | | | |
| BLANK | | | | | | |
| BLANK | | | | | | |
| BLANK | | <10 | <10 | <1 | <10 | <2 |
| BLANK | | <10 | <10 | <1 | <10 | <2 |
| BLANK | | <10 | <10 | <1 | <10 | <2 |
| BLANK | | <10 | <10 | <1 | <10 | <2 |
| BLANK | | <10 | <10 | <1 | <10 | <2 |
| BLANK | | <10 | <10 | <1 | <10 | <2 |
| BLANK | | <10 | <10 | <1 | <10 | <2 |
| Target Range - Lower Bound | | <10 | <10 | <1 | <10 | <2 |
| Upper Bound | | 20 | 20 | 2 | 20 | 4 |

Comments: NSS is non-sufficient sample.



Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method | Au-AA23 | ME-ICP41 | |
|----------------------------|-------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--------|
| | Analyte Units LOR | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | 7.2 | 0.79 | 437 | <10 | 20 | 1.0 | 20 | 3.17 | <0.5 | 40 | 10 | 7630 | 48.3 | 10 | |
| DUP | | 6.1 | 0.80 | 444 | <10 | 20 | 1.1 | 30 | 3.36 | <0.5 | 42 | 10 | 7630 | 48.6 | 10 | |
| Target Range - Lower Bound | | 5.9 | 0.74 | 414 | <10 | <10 | <0.5 | 20 | 3.08 | <0.6 | 37 | 8 | 7250 | 46.0 | <10 | |
| Upper Bound | | 7.4 | 0.85 | 467 | 20 | 40 | 2.1 | 30 | 3.45 | 1.0 | 45 | 13 | 8010 | 50.0 | 20 | |
| ORIGINAL | | 0.039 | | | | | | | | | | | | | | |
| DUP | | 0.041 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.027 | | | | | | | | | | | | | | |
| Upper Bound | | 0.053 | | | | | | | | | | | | | | |
| 04RHS-026 | | <0.005 | | | | | | | | | | | | | | |
| DUP | | <0.005 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | | | | | | | | | | | | | | |
| Upper Bound | | 0.010 | | | | | | | | | | | | | | |
| 04RHS-046 | | 0.012 | | | | | | | | | | | | | | |
| DUP | | 0.007 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | | | | | | | | | | | | | | |
| Upper Bound | | 0.010 | | | | | | | | | | | | | | |
| 04RHS-066 | | <0.005 | | | | | | | | | | | | | | |
| DUP | | <0.005 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | | | | | | | | | | | | | | |
| Upper Bound | | 0.010 | | | | | | | | | | | | | | |
| L6575N 5000E | | <0.2 | 2.70 | 14 | <10 | 140 | 0.6 | <2 | 0.23 | <0.5 | 12 | 22 | 25 | 4.83 | 10 | |
| DUP | | <0.2 | 2.60 | 13 | <10 | 140 | 0.6 | <2 | 0.23 | <0.5 | 12 | 24 | 25 | 4.67 | 10 | |
| Target Range - Lower Bound | | <0.2 | 2.50 | 9 | <10 | 110 | <0.5 | <2 | 0.20 | <0.5 | 9 | 20 | 22 | 4.49 | <10 | |
| Upper Bound | | 0.4 | 2.80 | 18 | 20 | 170 | 1.0 | 4 | 0.26 | 1.0 | 15 | 26 | 28 | 5.01 | 20 | |
| L7050N 5000E | | 0.005 | | | | | | | | | | | | | | |
| DUP | | <0.005 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | | | | | | | | | | | | | | |
| Upper Bound | | 0.010 | | | | | | | | | | | | | | |
| L7400N 5000E | | <0.2 | 2.39 | 40 | <10 | 460 | 1.4 | <2 | 0.74 | 0.5 | 22 | 8 | 126 | 5.97 | 10 | |
| DUP | | <0.2 | 2.31 | 40 | <10 | 440 | 1.3 | <2 | 0.72 | <0.5 | 22 | 8 | 124 | 5.75 | 10 | |
| Target Range - Lower Bound | | <0.2 | 2.21 | 34 | <10 | 410 | <0.5 | <2 | 0.67 | <0.5 | 19 | 6 | 117 | 5.65 | <10 | |
| Upper Bound | | 0.4 | 2.39 | 46 | 20 | 490 | 2.4 | 4 | 0.79 | 1.0 | 25 | 10 | 133 | 6.17 | 20 | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQL... ENG....RINC ..J.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Total # Pages: 4 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 | ME-ICP41 Ti % 0.01 |
|----------------------------|-----------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | 0.04 | 0.03 | <10 | 0.15 | 713 | 8 | 0.01 | 9 | 720 | 20 | 0.06 | 2 | 2 | 4 | 0.03 |
| DUP | | 0.03 | 0.03 | <10 | 0.15 | 762 | 9 | 0.01 | 10 | 720 | 25 | 0.06 | <2 | 3 | 4 | 0.03 |
| Target Range - Lower Bound | | <0.01 | <0.01 | <10 | 0.12 | 691 | 6 | <0.01 | 7 | 660 | 17 | 0.04 | <2 | <1 | <2 | <0.01 |
| Upper Bound | | 0.06 | 0.05 | 20 | 0.18 | 784 | 11 | 0.02 | 12 | 780 | 28 | 0.08 | 4 | 5 | 6 | 0.05 |
| ORIGINAL | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| 04RHSL-026 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| 04RHSL-046 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| 04RHSL-066 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| L6575N 5000E | | 0.04 | 0.04 | 10 | 0.65 | 432 | 2 | 0.01 | 13 | 370 | 12 | 0.01 | <2 | 4 | 20 | 0.06 |
| DUP | | 0.04 | 0.04 | 10 | 0.65 | 423 | 2 | <0.01 | 11 | 350 | 13 | 0.01 | 2 | 4 | 20 | 0.05 |
| Target Range - Lower Bound | | 0.02 | 0.02 | <10 | 0.80 | 396 | <1 | <0.01 | 9 | 320 | 8 | <0.01 | <2 | 2 | 17 | 0.03 |
| Upper Bound | | 0.06 | 0.06 | 20 | 0.70 | 459 | 4 | 0.02 | 15 | 400 | 17 | 0.02 | 4 | 6 | 23 | 0.08 |
| L7050N 5000E | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| L7400N 5000E | | 0.69 | 0.17 | <10 | 0.76 | 1465 | 2 | 0.01 | 11 | 1940 | 7 | 0.07 | 2 | 15 | 123 | 0.01 |
| DUP | | 0.71 | 0.16 | <10 | 0.73 | 1430 | 2 | 0.01 | 11 | 1870 | 7 | 0.04 | <2 | 15 | 122 | 0.01 |
| Target Range - Lower Bound | | 0.65 | 0.14 | <10 | 0.68 | 1365 | <1 | <0.01 | 8 | 1790 | 3 | 0.03 | <2 | 12 | 114 | <0.01 |
| Upper Bound | | 0.76 | 0.19 | 20 | 0.80 | 1530 | 4 | 0.02 | 14 | 2020 | 11 | 0.06 | 4 | 18 | 131 | 0.02 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

• EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 -

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | ME-ICP41 Tl ppm 10 | ME-ICP41 U ppm 10 | ME-ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME-ICP41 Zn ppm 2 |
|----------------------------|-----------------------------------|-----------------------------|----------------------------|---------------------------|----------------------------|----------------------------|
| DUPLICATES | | | | | | |
| ORIGINAL | | 10 | <10 | 196 | 690 | 42 |
| DUP | | 10 | <10 | 201 | 730 | 43 |
| Target Range - Lower Bound | | <10 | <10 | 187 | 650 | 36 |
| Upper Bound | | 20 | 20 | 210 | 770 | 49 |
| ORIGINAL | | | | | | |
| DUP | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| 04RHS-026 | | | | | | |
| DUP | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| 04RHS-046 | | | | | | |
| DUP | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| 04RHS-066 | | | | | | |
| DUP | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| L6575N 5000E | | <10 | <10 | 105 | <10 | 85 |
| DUP | | <10 | <10 | 102 | <10 | 83 |
| Target Range - Lower Bound | | <10 | <10 | 96 | <10 | 76 |
| Upper Bound | | 20 | 20 | 111 | 20 | 92 |
| L7050N 5000E | | | | | | |
| DUP | | | | | | |
| Target Range - Lower Bound | | | | | | |
| Upper Bound | | | | | | |
| L7400N 5000E | | <10 | <10 | 109 | <10 | 192 |
| DUP | | <10 | <10 | 106 | <10 | 190 |
| Target Range - Lower Bound | | <10 | <10 | 100 | <10 | 177 |
| Upper Bound | | 20 | 20 | 115 | 20 | 205 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQ... ENG... RINC ...
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | Au-AA23 Au ppm 0.005 | ME-ICP41 Ag ppm 0.2 | ME-ICP41 Al % | ME-ICP41 As ppm 0.01 | ME-ICP41 B ppm 2 | ME-ICP41 Ba ppm 10 | ME-ICP41 Be ppm 0.5 | ME-ICP41 Bi ppm 2 | ME-ICP41 Ca % | ME-ICP41 Cd ppm 0.01 | ME-ICP41 Co ppm 0.5 | ME-ICP41 Cr ppm 1 | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % | ME-ICP41 Ga ppm 0.01 | ME-ICP41 ppm 10 |
|---------------------|-----------------------------------|-------------------------------|------------------------------|---------------------|-------------------------------|---------------------------|-----------------------------|------------------------------|----------------------------|---------------------|-------------------------------|------------------------------|----------------------------|----------------------------|---------------------|-------------------------------|-----------------------|
| DUPLICATES | | | | | | | | | | | | | | | | | |
| L7525N 5000E DUP | | <0.005 | | <0.005 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| L8600N 5100E DUP | | <0.005 | | 0.006 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| L8600N 5350E DUP | | 0.4 <0.2 | 1.43 1.32 | 4 4 | <10 <10 | 420 390 | 1.4 1.4 | <2 <2 | 1.44 1.37 | 0.5 0.5 | 9 8 | 12 11 | 42 38 | 2.21 2.09 | 10 10 | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| L8600N 5750E DUP | | 0.2 <0.2 | 2.49 2.54 | 15 14 | <10 <10 | 70 70 | <0.5 <0.5 | <2 <2 | 0.18 0.16 | <0.5 <0.5 | 11 11 | 55 55 | 55 56 | 6.64 6.66 | 10 10 | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| L8700N 5000E DUP | | <0.005 <0.005 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 209220 DUP | | <0.005 0.005 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

U.S. EQUIPMENT ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - D

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method Analyte Units LOR | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 | ME-ICP41 Ti % 0.01 |
|----------------------------|-----------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| DUPLICATES | | | | | | | | | | | | | | | | |
| L7525N 5000E DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| L8600N 5100E DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| L8600N 5350E DUP | 0.14 0.13 | 0.07 0.07 | 30 30 | 0.33 0.31 | 4760 4060 | 3 3 | 0.07 0.08 | 9 8 | 1380 1300 | 5 6 | 0.12 0.13 | <2 <2 | 3 2 | 246 235 | 0.07 0.07 | |
| Target Range - Lower Bound | 0.11 0.16 | 0.05 0.09 | 10 50 | 0.28 0.36 | 4180 4640 | 11 5 | 0.05 0.10 | 6 11 | 1250 1430 | <2 10 | 0.10 0.15 | <2 4 | 1 5 | 228 255 | 0.05 0.09 | |
| Upper Bound | | | | | | | | | | | | | | | | |
| L8600N 5750E DUP | 0.14 0.15 | 0.07 0.07 | 10 10 | 0.46 0.47 | 823 803 | 5 5 | 0.01 0.01 | 16 17 | 8040 8110 | 16 14 | 0.10 0.09 | <2 <2 | 2 2 | 12 11 | 0.04 0.04 | |
| Target Range - Lower Bound | 0.12 0.17 | 0.05 0.09 | 10 20 | 0.42 0.51 | 782 864 | 3 7 | <0.01 0.02 | 14 19 | 7660 8500 | 10 20 | 0.07 0.12 | <2 4 | 1 4 | 9 14 | 0.02 0.06 | |
| Upper Bound | | | | | | | | | | | | | | | | |
| L8700N 5000E DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| 209220 DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |

Comments: NSS is non-sufficient sample.



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046593

| Sample Description | Method | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | |
|--|---------|------------|------------|------------|------------|----------|--|
| | Analyte | Tl | U | V | W | Zn | |
| | Units | ppm | ppm | ppm | ppm | ppm | |
| | LOR | 10 | 10 | 1 | 10 | 2 | |
| L7526N 5000E DUP Target Range - Lower Bound Upper Bound | | DUPLICATES | | | | | |
| L8600N 5100E DUP Target Range - Lower Bound Upper Bound | | | | | | | |
| L8600N 5350E DUP Target Range - Lower Bound Upper Bound | | <10 <10 | <10 <10 | 31 28 | <10 <10 | 63 58 | |
| L8600N 5750E DUP Target Range - Lower Bound Upper Bound | | <10 <10 | <10 <10 | 115 117 | <10 <10 | 41 42 | |
| L8700N 5000E DUP Target Range - Lower Bound Upper Bound | | <10 <10 | <10 <10 | 108 124 | <10 20 | 36 48 | |
| 209220 DUP Target Range - Lower Bound Upper Bound | | | | | | | |
| | | | | | | | |

Comments: NSS is non-sufficient sample.



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 4-AUG-2004
Account: EIA

CERTIFICATE VA04046915

Project: NGX04-01

P.O. No.:

This report is for 19 Soil samples submitted to our lab in Vancouver, BC, Canada on
22-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| SCR-41 | Screen to -180um and save both |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Au-AA23 | Au 30g FA-AA finish | AAS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 4-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046915

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Revd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | 0.01 |
| 04RHSL-080 | | 0.54 | 0.009 | 0.2 | 2.50 | 27 | <10 | 290 | 0.9 | <2 | 0.71 | <0.5 | 26 | 33 | 100 | 5.22 |
| 04RHSL-081 | | 0.60 | 0.007 | 0.2 | 2.18 | 28 | <10 | 300 | 0.7 | 2 | 0.68 | <0.5 | 22 | 28 | 80 | 4.64 |
| 04RHSL-082 | | 0.56 | 0.006 | <0.2 | 1.84 | 26 | <10 | 240 | 0.6 | <2 | 0.99 | <0.5 | 19 | 23 | 73 | 4.26 |
| 04RHSL-083 | | 0.52 | 0.018 | 0.2 | 2.10 | 27 | <10 | 270 | 0.8 | <2 | 0.71 | <0.5 | 23 | 26 | 87 | 4.91 |
| 04RHSL-084 | | 0.56 | 0.008 | <0.2 | 1.80 | 21 | <10 | 230 | 0.6 | <2 | 0.68 | <0.5 | 20 | 24 | 59 | 4.21 |
| 04RHSL-085 | | 0.50 | <0.005 | <0.2 | 1.89 | 20 | <10 | 240 | 0.9 | 2 | 1.22 | 0.6 | 22 | 28 | 71 | 4.28 |
| 04RHSL-086 | | 0.50 | <0.005 | <0.2 | 1.96 | 19 | <10 | 240 | 0.9 | <2 | 1.25 | 0.6 | 22 | 29 | 70 | 4.41 |
| 04RHSL-087 | | 0.58 | <0.005 | 0.3 | 2.07 | 20 | <10 | 260 | 0.8 | 2 | 1.00 | <0.5 | 23 | 32 | 74 | 5.09 |
| 04RHSL-088 | | 0.56 | 0.007 | 0.2 | 1.96 | 22 | <10 | 200 | 1.0 | <2 | 0.83 | <0.5 | 24 | 30 | 94 | 4.81 |
| 04RHSL-089 | | 0.54 | 0.013 | 0.4 | 2.00 | 20 | <10 | 250 | 0.7 | <2 | 1.12 | <0.5 | 20 | 26 | 78 | 4.53 |
| 04RHSL-090 | | 0.54 | <0.005 | 0.2 | 2.19 | 20 | <10 | 190 | 0.8 | 2 | 0.86 | <0.5 | 20 | 30 | 70 | 4.26 |
| 04RHSL-091 | | 0.50 | 0.005 | 0.2 | 2.15 | 21 | <10 | 200 | 0.8 | <2 | 0.98 | <0.5 | 22 | 31 | 67 | 4.38 |
| 04RHSL-092 | | 0.54 | 0.005 | 0.5 | 2.10 | 15 | <10 | 290 | 0.8 | 2 | 1.02 | <0.5 | 20 | 26 | 70 | 4.11 |
| 04RHSL-093 | | 0.54 | 0.006 | <0.2 | 2.44 | 20 | <10 | 240 | 0.8 | <2 | 0.67 | <0.5 | 22 | 30 | 97 | 4.47 |
| 04RHSL-094 | | 0.56 | 0.009 | <0.2 | 2.58 | 23 | <10 | 230 | 0.8 | <2 | 0.60 | <0.5 | 24 | 30 | 80 | 4.60 |
| 04RHSL-095 | | 0.54 | <0.005 | <0.2 | 2.49 | 19 | <10 | 270 | 0.8 | <2 | 0.77 | <0.5 | 22 | 33 | 70 | 4.64 |
| 04RHSL-096 | | 0.60 | 0.007 | 0.2 | 1.94 | 28 | <10 | 400 | 0.8 | <2 | 0.53 | <0.5 | 18 | 18 | 74 | 4.70 |
| 04RHSL-097 | | 0.48 | 0.008 | 0.2 | 2.13 | 27 | <10 | 220 | 0.7 | <2 | 0.75 | <0.5 | 23 | 27 | 84 | 5.03 |
| 04RHSL-098D | | 0.52 | 0.015 | <0.2 | 2.07 | 34 | <10 | 220 | 0.7 | <2 | 0.73 | <0.5 | 22 | 25 | 86 | 4.90 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 4-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046915

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| 04RHSL-080 | | 10 | 0.06 | 0.10 | 20 | 1.12 | 1350 | 3 | 0.04 | 39 | 1220 | 19 | 0.06 | 2 | 10 | 36 |
| 04RHSL-081 | | 10 | 0.05 | 0.11 | 10 | 1.07 | 1005 | 3 | 0.04 | 34 | 1110 | 10 | 0.08 | <2 | 8 | 32 |
| 04RHSL-082 | | <10 | 0.05 | 0.10 | 10 | 0.96 | 873 | 2 | 0.04 | 28 | 1300 | 11 | 0.12 | <2 | 7 | 59 |
| 04RHSL-083 | | <10 | 0.05 | 0.12 | 10 | 1.00 | 1180 | 3 | 0.03 | 28 | 1200 | 14 | 0.09 | 2 | 8 | 39 |
| 04RHSL-084 | | <10 | 0.04 | 0.08 | 10 | 0.93 | 1095 | 2 | 0.04 | 25 | 1220 | 10 | 0.08 | <2 | 6 | 35 |
| 04RHSL-085 | | <10 | 0.06 | 0.12 | 10 | 0.99 | 1710 | 2 | 0.04 | 30 | 1630 | 12 | 0.10 | 2 | 8 | 72 |
| 04RHSL-086 | | <10 | 0.07 | 0.12 | 10 | 1.03 | 1815 | 2 | 0.04 | 32 | 1660 | 12 | 0.10 | <2 | 9 | 75 |
| 04RHSL-087 | | <10 | 0.06 | 0.12 | 10 | 1.11 | 1470 | 3 | 0.05 | 38 | 1540 | 15 | 0.09 | 3 | 10 | 53 |
| 04RHSL-088 | | <10 | 0.05 | 0.10 | 20 | 1.08 | 1655 | 3 | 0.04 | 39 | 1590 | 15 | 0.09 | <2 | 11 | 47 |
| 04RHSL-089 | | <10 | 0.08 | 0.11 | 10 | 1.11 | 1065 | 2 | 0.05 | 39 | 1420 | 14 | 0.15 | 2 | 8 | 57 |
| 04RHSL-090 | | <10 | 0.06 | 0.09 | 10 | 1.04 | 931 | 3 | 0.04 | 34 | 1420 | 12 | 0.08 | 4 | 8 | 45 |
| 04RHSL-091 | | 10 | 0.07 | 0.11 | 10 | 1.06 | 1190 | 2 | 0.04 | 35 | 1510 | 15 | 0.09 | 2 | 8 | 48 |
| 04RHSL-092 | | <10 | 0.07 | 0.09 | 10 | 0.97 | 1260 | 2 | 0.04 | 33 | 1480 | 13 | 0.11 | <2 | 7 | 48 |
| 04RHSL-093 | | 10 | 0.06 | 0.10 | 10 | 1.00 | 995 | 2 | 0.04 | 32 | 1160 | 9 | 0.07 | 2 | 7 | 34 |
| 04RHSL-094 | | <10 | 0.05 | 0.10 | 10 | 1.04 | 1105 | 2 | 0.04 | 33 | 1020 | 15 | 0.07 | 3 | 8 | 31 |
| 04RHSL-095 | | 10 | 0.05 | 0.13 | 10 | 1.16 | 997 | 2 | 0.04 | 36 | 1010 | 12 | 0.06 | 2 | 9 | 43 |
| 04RHSL-096 | | 10 | 0.04 | 0.10 | 20 | 0.90 | 1200 | 2 | 0.03 | 17 | 790 | 11 | 0.12 | <2 | 7 | 54 |
| 04RHSL-097 | | 10 | 0.05 | 0.15 | 10 | 1.12 | 990 | 2 | 0.04 | 33 | 1170 | 14 | 0.15 | <2 | 8 | 39 |
| 04RHSL-098D | | 10 | 0.05 | 0.14 | 10 | 1.06 | 992 | 2 | 0.04 | 31 | 1140 | 13 | 0.16 | <2 | 8 | 38 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 4-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046915

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl | Tl | U | V | W | Zn |
| | % | ppm | ppm | ppm | ppm | ppm | |
| | 0.01 | 10 | 10 | 1 | 10 | 2 | |
| 04RHSL-080 | | 0.02 | <10 | <10 | 83 | <10 | 81 |
| 04RHSL-081 | | 0.02 | <10 | <10 | 68 | <10 | 76 |
| 04RHSL-082 | | 0.03 | <10 | <10 | 61 | <10 | 76 |
| 04RHSL-083 | | 0.03 | <10 | <10 | 71 | <10 | 83 |
| 04RHSL-084 | | 0.03 | <10 | <10 | 65 | <10 | 63 |
| 04RHSL-085 | | 0.01 | <10 | <10 | 80 | <10 | 142 |
| 04RHSL-086 | | 0.02 | <10 | <10 | 84 | <10 | 142 |
| 04RHSL-087 | | 0.02 | <10 | <10 | 83 | <10 | 89 |
| 04RHSL-088 | | 0.02 | <10 | <10 | 90 | <10 | 78 |
| 04RHSL-089 | | 0.01 | <10 | <10 | 62 | <10 | 122 |
| 04RHSL-090 | | 0.02 | <10 | <10 | 76 | <10 | 87 |
| 04RHSL-091 | | 0.01 | <10 | <10 | 74 | <10 | 83 |
| 04RHSL-092 | | 0.01 | <10 | <10 | 66 | <10 | 94 |
| 04RHSL-093 | | 0.02 | <10 | <10 | 73 | <10 | 78 |
| 04RHSL-094 | | 0.02 | <10 | <10 | 72 | <10 | 80 |
| 04RHSL-095 | | 0.02 | <10 | <10 | 78 | <10 | 80 |
| 04RHSL-096 | | 0.04 | <10 | <10 | 69 | <10 | 73 |
| 04RHSL-097 | | 0.03 | <10 | <10 | 72 | <10 | 91 |
| 04RHSL-098D | | 0.03 | <10 | <10 | 70 | <10 | 87 |



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 4-AUG-2004

Account: EIA

QC CERTIFICATE VA04046915

Project: NGX04-01

P.O. No.:

This report is for 19 Soil samples submitted to our lab in Vancouver, BC, Canada on 22-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| SCR-41 | Screen to -180um and save both |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Au-AA23 | Au 30g FA-AA finish | AAS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

AES Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

10: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 4-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046915



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 4-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046915



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 4-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046915

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | |
|----------------------------------|-----------------------------------|----------|----------|----------|----------|----------|--|
| | | Tl | U | V | W | Zn | |
| | | ppm | ppm | ppm | ppm | ppm | |
| 10 10 1 10 2 | | | | | | | |
| STANDARDS | | | | | | | |
| G2000 | | <10 | <10 | 66 | <10 | 1295 | |
| G2000 | | <10 | <10 | 68 | <10 | 1290 | |
| Target Range - Lower Bound | | <10 | <10 | 59 | <10 | 1130 | |
| Upper Bound | | 20 | 20 | 74 | 20 | 1385 | |
| JWB-JV-1 | | <10 | <10 | 12 | <10 | 8930 | |
| JWB-JV-1 | | <10 | <10 | 13 | <10 | 9430 | |
| Target Range - Lower Bound | | <10 | <10 | 11 | <10 | 8550 | |
| Upper Bound | | 20 | 20 | 15 | 20 | >10000 | |
| MER-03 | | | | | | | |
| MER-03 | | | | | | | |
| MER-03 | | | | | | | |
| Target Range - Lower Bound | | | | | | | |
| Upper Bound | | | | | | | |
| BLANKS | | | | | | | |
| BLANK | | <10 | <10 | <1 | <10 | <2 | |
| BLANK | | <10 | <10 | <1 | <10 | <2 | |
| BLANK | | <10 | <10 | <1 | <10 | <2 | |
| BLANK | | 20 | 20 | 2 | 20 | 4 | |
| Target Range - Lower Bound | | <10 | <10 | <1 | <10 | <2 | |
| Upper Bound | | 20 | 20 | 2 | 20 | 4 | |
| DUPPLICATES | | | | | | | |
| ORIGINAL | | <10 | <10 | 44 | <10 | 72 | |
| DUP | | <10 | <10 | 45 | <10 | 67 | |
| Target Range - Lower Bound | | <10 | <10 | 40 | <10 | 62 | |
| Upper Bound | | 20 | 20 | 49 | 20 | 77 | |
| ORIGINAL | | | | | | | |
| DUP | | | | | | | |
| Target Range - Lower Bound | | | | | | | |
| Upper Bound | | | | | | | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 4-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046915

| Sample Description | Method Analyte Units LOR | Au-AA23 | ME-ICP41 |
|----------------------------|-----------------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Ga |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | | |
| DUP | | 0.047 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.035 | | | | | | | | | | | | | | |
| Upper Bound | | 0.063 | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | | |
| DUP | | 0.054 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.039 | | | | | | | | | | | | | | |
| Upper Bound | | 0.066 | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | | |
| DUP | | 0.005 | | <0.005 | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | | | | | | | | | | | | | | |
| Upper Bound | | 0.010 | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | | |
| DUP | | 0.027 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.018 | | | | | | | | | | | | | | |
| Upper Bound | | 0.042 | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | | |
| DUP | | 0.033 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.020 | | | | | | | | | | | | | | |
| Upper Bound | | 0.044 | | | | | | | | | | | | | | |
| 04RHS-094 | | <0.2 | 2.58 | 23 | <10 | 230 | 0.8 | <2 | 0.60 | <0.5 | 24 | 30 | 80 | 4.60 | <10 | |
| DUP | | 0.2 | 2.52 | 22 | <10 | 240 | 0.8 | <2 | 0.61 | <0.5 | 25 | 31 | 84 | 4.54 | <10 | |
| Target Range - Lower Bound | | <0.2 | 2.40 | 17 | <10 | 200 | <0.5 | <2 | 0.55 | <0.5 | 21 | 27 | 76 | 4.32 | <10 | |
| Upper Bound | | 0.4 | 2.70 | 28 | 20 | 270 | 1.0 | 4 | 0.66 | 1.0 | 28 | 34 | 88 | 4.82 | 20 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

JOEQUIS ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - D
Total # Pages: 3 (A - C)
Finalized Date: 4-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046915



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C

Total # Pages: 3 (A - C)

Finalized Date: 4-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046915

| Sample Description | Method Analyte Units LOR | ME-ICP41 Tl ppm 10 | ME-ICP41 U ppm 10 | ME-ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME-ICP41 Zn ppm 2 |
|---|-----------------------------------|-----------------------------|----------------------------|---------------------------|----------------------------|----------------------------|
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | DUPLICATES | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | |
| 04RHS-094 DUP Target Range - Lower Bound Upper Bound | <10 <10 20 | <10 <10 20 | 72 88 78 | <10 <10 20 | 80 76 93 | |
| | | | | | | |



CERTIFICATE VA04046916

Project: NGX04-01

P.O. No.:

This report is for 152 Soil samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| SCR-41 | Screen to -180um and save both |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: **EQUITY ENGINEERING LTD.**
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

J: EQ... ENG... RINC...
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Total # Pages: 5 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Ca | ME-ICP41 Cd | ME-ICP41 Co | ME-ICP41 Cr | ME-ICP41 Cu | ME-ICP41 Fe |
|--------------------|--------------------------|------------------|------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| L5000E 7875N | | Empty Bag | | | | | | | | | | | | | | |
| L5000E 7900N | | 0.38 | 0.016 | 0.2 | 1.52 | 277 | <10 | 460 | 1.4 | <2 | 1.14 | <0.5 | 32 | 15 | 158 | 7.07 |
| L5000E 7925N | | Empty Bag | | | | | | | | | | | | | | |
| L5000E 7950N | | 0.40 | 0.029 | <0.2 | 0.94 | 629 | <10 | 220 | 2.2 | <2 | 0.66 | <0.5 | 51 | 27 | 160 | 8.45 |
| L5000E 7975N | | 0.36 | 0.036 | <0.2 | 2.52 | 120 | <10 | 210 | 3.3 | <2 | 1.11 | <0.5 | 72 | 124 | 173 | 10.70 |
| L5000E 8000N | | Empty Bag | | | | | | | | | | | | | | |
| L5000E 8000N-B | | 0.38 | 0.017 | <0.2 | 0.51 | <2 | <10 | 20 | <0.5 | <2 | 0.29 | <0.5 | 4 | 15 | 7 | 2.15 |
| L5000E 8025N | | Empty Bag | | | | | | | | | | | | | | |
| L5000E 8050N | | Empty Bag | | | | | | | | | | | | | | |
| L5000E 8075N | | 0.48 | 0.007 | 0.2 | 1.49 | 45 | <10 | 230 | 0.6 | <2 | 0.38 | <0.5 | 16 | 13 | 67 | 4.81 |
| L5000E 8100N | | 0.34 | 0.006 | 0.2 | 1.18 | 190 | <10 | 100 | 0.5 | <2 | 0.07 | <0.5 | 10 | 11 | 92 | 6.91 |
| L5000E 8125N | | 0.34 | 0.006 | 0.5 | 1.26 | 122 | <10 | 110 | <0.5 | <2 | 0.07 | <0.5 | 6 | 11 | 76 | 5.48 |
| L5000E 8150N | | 0.48 | 0.007 | 0.3 | 1.20 | 93 | <10 | 320 | 0.8 | <2 | 0.29 | <0.5 | 20 | 9 | 90 | 5.21 |
| L5000E 8175N | | 0.46 | 0.012 | 0.4 | 2.36 | 104 | <10 | 200 | 0.9 | <2 | 0.23 | <0.5 | 17 | 27 | 94 | 6.11 |
| L5000E 8200N | | 0.44 | 0.023 | 0.2 | 1.55 | 110 | <10 | 200 | 1.9 | <2 | 0.85 | <0.5 | 40 | 38 | 163 | 8.59 |
| L5000E 8225N | | 0.50 | 0.010 | 0.2 | 0.48 | 11 | <10 | 480 | 0.6 | <2 | 0.30 | <0.5 | 22 | 2 | 66 | 3.08 |
| L5000E 8250N | | 0.38 | <0.005 | <0.2 | 0.79 | 286 | <10 | 170 | 0.8 | <2 | 0.07 | <0.5 | 21 | 8 | 106 | 8.25 |
| L5000E 8275N | | 0.50 | 0.007 | <0.2 | 0.53 | 560 | <10 | 140 | 1.6 | <2 | 0.48 | <0.5 | 43 | 6 | 151 | 9.21 |
| L5000E 8300N | | 0.54 | 0.008 | <0.2 | 0.71 | 170 | <10 | 190 | 1.2 | <2 | 1.87 | <0.5 | 31 | 9 | 132 | 7.23 |
| L5000E 8300N-D | | 0.48 | 0.007 | 0.2 | 0.67 | 161 | <10 | 180 | 1.2 | 2 | 1.82 | <0.5 | 30 | 9 | 128 | 6.96 |
| L5000E 8325N | | 0.68 | 0.007 | <0.2 | 0.49 | 49 | <10 | 290 | 1.1 | <2 | 2.11 | <0.5 | 28 | 4 | 124 | 4.54 |
| L5000E 8350N | | 0.52 | 0.007 | <0.2 | 0.51 | 212 | 10 | 300 | 2.5 | <2 | 3.43 | <0.5 | 54 | 7 | 132 | 5.12 |
| L5000E 8375N | | 0.48 | <0.005 | 0.3 | 1.46 | 12 | <10 | 180 | 4.3 | <2 | 0.38 | 3.0 | 53 | 1 | 55 | 2.68 |
| L5000E 8400N | | Empty Bag | | | | | | | | | | | | | | |
| L5000E 8425N | | Empty Bag | | | | | | | | | | | | | | |
| L5000E 8450N | | Empty Bag | | | | | | | | | | | | | | |
| L5000E 8475N | | Empty Bag | | | | | | | | | | | | | | |
| L5000E 8500N | | Empty Bag | | | | | | | | | | | | | | |
| L5000E 8525N | | Empty Bag | | | | | | | | | | | | | | |
| L5000E 8550N | | 0.34 | <0.005 | 0.3 | 1.62 | 17 | <10 | 90 | <0.5 | <2 | 0.12 | <0.5 | 9 | 18 | 46 | 5.52 |
| L5000E 8575N | | 0.34 | <0.005 | 0.6 | 1.85 | 16 | <10 | 90 | <0.5 | <2 | 0.12 | <0.5 | 9 | 17 | 49 | 5.09 |
| L5000E 8625N | | 0.30 | <0.005 | 1.3 | 3.03 | 9 | <10 | 150 | 1.2 | <2 | 0.26 | <0.5 | 27 | 21 | 44 | 4.66 |
| L5000E 8625N-D | | 0.28 | 0.005 | 1.5 | 3.68 | 14 | <10 | 170 | 1.5 | <2 | 0.28 | 0.5 | 35 | 22 | 50 | 5.08 |
| L5000E 8650N | | 0.38 | <0.005 | 0.6 | 2.12 | 14 | <10 | 220 | 0.8 | <2 | 0.23 | <0.5 | 13 | 22 | 35 | 4.71 |
| L5000E 8675N | | 0.40 | <0.005 | 0.6 | 0.95 | 16 | <10 | 80 | <0.5 | <2 | 0.18 | <0.5 | 6 | 11 | 43 | 4.41 |
| L5000E 8725N | | 0.24 | <0.005 | 0.3 | 0.58 | 9 | 10 | 70 | <0.5 | <2 | 0.17 | <0.5 | 4 | 9 | 47 | 2.31 |
| L5000E 8750N | | 0.46 | <0.005 | 0.2 | 1.90 | 17 | <10 | 60 | <0.5 | <2 | 0.12 | <0.5 | 9 | 21 | 34 | 5.00 |
| L5000E 8775N | | 0.38 | <0.005 | 0.6 | 1.60 | 15 | <10 | 90 | <0.5 | <2 | 0.06 | <0.5 | 4 | 13 | 51 | 3.27 |
| L5000E 8800N | | 0.34 | <0.005 | 0.2 | 1.37 | 23 | <10 | 100 | <0.5 | <2 | 0.11 | <0.5 | 7 | 16 | 42 | 5.57 |
| L5000E 8825N | | 0.38 | <0.005 | <0.2 | 2.08 | 20 | <10 | 70 | <0.5 | <2 | 0.17 | <0.5 | 9 | 22 | 40 | 5.78 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP. ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - D

Total # Pages: 5 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| L5000E 7875N | | <10 | 1.61 | 0.15 | 10 | 0.56 | 1775 | 3 | 0.01 | 22 | 2490 | 16 | 0.16 | 3 | 23 | 146 |
| L5000E 7900N | | <10 | 2.23 | 0.15 | 20 | 0.27 | 1965 | 5 | <0.01 | 31 | 3420 | 46 | 0.13 | 7 | 22 | 83 |
| L5000E 7925N | | 10 | 1.52 | 0.11 | 20 | 1.04 | 2450 | 1 | 0.01 | 58 | 3920 | 10 | 0.08 | 2 | 55 | 95 |
| L5000E 8000N | | <10 | 0.01 | 0.03 | <10 | 0.20 | 154 | <1 | 0.02 | 6 | 350 | <2 | <0.01 | <2 | 1 | 22 |
| L5000E 8000N-B | | <10 | 0.01 | 0.03 | <10 | 0.20 | 154 | <1 | 0.02 | 6 | 350 | <2 | <0.01 | <2 | 1 | 22 |
| L5000E 8025N | | <10 | 0.39 | 0.11 | 10 | 0.51 | 970 | 2 | 0.01 | 14 | 1630 | 20 | 0.05 | <2 | 8 | 35 |
| L5000E 8050N | | <10 | 1.01 | 0.11 | <10 | 0.18 | 614 | 3 | <0.01 | 9 | 4820 | 17 | 0.07 | 3 | 10 | 13 |
| L5000E 8075N | | <10 | 0.64 | 0.10 | 10 | 0.14 | 401 | 3 | <0.01 | 6 | 6650 | 16 | 0.07 | 2 | 5 | 12 |
| L5000E 8100N | | <10 | 0.74 | 0.14 | 10 | 0.37 | 1295 | 3 | 0.01 | 17 | 2050 | 23 | 0.08 | 2 | 13 | 28 |
| L5000E 8125N | | 10 | 0.99 | 0.10 | 10 | 0.57 | 1255 | 5 | 0.01 | 20 | 1510 | 20 | 0.03 | <2 | 8 | 21 |
| L5000E 8200N | | <10 | 0.99 | 0.10 | 20 | 0.35 | 1355 | 2 | <0.01 | 41 | 4490 | 13 | 0.02 | 2 | 24 | 67 |
| L5000E 8225N | | <10 | 0.21 | 0.14 | 10 | 0.05 | 464 | 1 | <0.01 | 17 | 1100 | 27 | 0.03 | <2 | 10 | 98 |
| L5000E 8250N | | <10 | 1.12 | 0.14 | <10 | 0.09 | 1160 | 7 | 0.01 | 14 | 5200 | 16 | 0.20 | 4 | 16 | 54 |
| L5000E 8275N | | <10 | 7.73 | 0.14 | 10 | 0.17 | 1515 | 3 | <0.01 | 31 | 1860 | 18 | 0.10 | 8 | 30 | 43 |
| L5000E 8300N | | <10 | 0.87 | 0.14 | 10 | 0.48 | 1345 | 1 | 0.01 | 25 | 1800 | 15 | 0.49 | 3 | 27 | 150 |
| L5000E 8300N-D | | <10 | 0.80 | 0.13 | 10 | 0.47 | 1310 | 1 | 0.01 | 25 | 1760 | 13 | 0.47 | 4 | 26 | 148 |
| L5000E 8325N | | <10 | 1.50 | 0.19 | <10 | 0.32 | 1250 | <1 | 0.01 | 15 | 1870 | 8 | 0.16 | <2 | 23 | 175 |
| L5000E 8350N | | <10 | 1.07 | 0.22 | <10 | 0.23 | 1685 | 1 | 0.01 | 35 | 2330 | 14 | 0.37 | 5 | 29 | 162 |
| L5000E 8375N | | <10 | 0.10 | 0.16 | 30 | 0.25 | 3780 | 3 | <0.01 | 46 | 410 | 32 | 0.21 | <2 | 8 | 54 |
| L5000E 8400N | | | | | | | | | | | | | | | | |
| L5000E 8425N | | | | | | | | | | | | | | | | |
| L5000E 8450N | | | | | | | | | | | | | | | | |
| L5000E 8475N | | | | | | | | | | | | | | | | |
| L5000E 8500N | | | | | | | | | | | | | | | | |
| L5000E 8525N | | | | | | | | | | | | | | | | |
| L5000E 8550N | | 10 | 0.09 | 0.10 | 10 | 0.38 | 376 | 2 | <0.01 | 11 | 2270 | 20 | 0.06 | <2 | 3 | 16 |
| L5000E 8575N | | 10 | 0.07 | 0.08 | 10 | 0.32 | 590 | 2 | <0.01 | 10 | 1460 | 19 | 0.07 | <2 | 2 | 15 |
| L5000E 8625N | | 10 | 0.22 | 0.07 | 20 | 0.39 | 5550 | 2 | 0.01 | 12 | 2240 | 13 | 0.13 | <2 | 2 | 22 |
| L5000E 8625N-D | | 10 | 0.22 | 0.06 | 30 | 0.34 | 8190 | 3 | 0.01 | 13 | 2750 | 15 | 0.15 | <2 | 3 | 24 |
| L5000E 8650N | | 10 | 0.06 | 0.08 | 10 | 0.58 | 996 | 1 | <0.01 | 15 | 880 | 17 | 0.05 | <2 | 3 | 23 |
| L5000E 8675N | | 10 | 0.16 | 0.10 | 10 | 0.10 | 305 | 2 | <0.01 | 7 | 2360 | 20 | 0.04 | <2 | 2 | 16 |
| L5000E 8725N | | 10 | 0.08 | 0.06 | 10 | 0.06 | 133 | 2 | <0.01 | 5 | 890 | 10 | 0.09 | <2 | 1 | 27 |
| L5000E 8750N | | 10 | 0.06 | 0.07 | 10 | 0.58 | 595 | 3 | <0.01 | 10 | 670 | 11 | 0.04 | <2 | 2 | 17 |
| L5000E 8775N | | 10 | 0.11 | 0.06 | 10 | 0.13 | 132 | 3 | <0.01 | 6 | 600 | 17 | 0.05 | <2 | 1 | 14 |
| L5000E 8800N | | 10 | 0.07 | 0.07 | 10 | 0.31 | 280 | 4 | <0.01 | 10 | 570 | 16 | 0.06 | <2 | 2 | 18 |
| L5000E 8825N | | 20 | 0.09 | 0.09 | 10 | 0.55 | 424 | 3 | <0.01 | 10 | 850 | 17 | 0.03 | <2 | 4 | 21 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQ., ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 5 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-----------|----------|----------|----------|----------|
| | | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| L5000E 7875N | | | | | | | |
| L5000E 7900N | | 0.01 | <10 | <10 | 118 | <10 | 163 |
| L5000E 7925N | | | | | | | |
| L5000E 7950N | | 0.01 | <10 | <10 | 126 | <10 | 237 |
| L5000E 7975N | | 0.09 | <10 | <10 | 367 | <10 | 98 |
| L5000E 8000N | | | | | | | |
| L5000E 8000N-B | | 0.06 | <10 | <10 | 71 | <10 | 17 |
| L5000E 8025N | | | | | | | |
| L5000E 8050N | | | | | | | |
| L5000E 8075N | | 0.02 | <10 | <10 | 70 | <10 | 101 |
| L5000E 8100N | | 0.01 | <10 | <10 | 73 | <10 | 79 |
| L5000E 8125N | | 0.01 | <10 | <10 | 67 | <10 | 62 |
| L5000E 8150N | | 0.01 | <10 | <10 | 62 | <10 | 132 |
| L5000E 8175N | | 0.01 | <10 | <10 | 91 | <10 | 154 |
| L5000E 8200N | | 0.01 | <10 | <10 | 140 | <10 | 81 |
| L5000E 8225N | | <0.01 | <10 | <10 | 17 | <10 | 130 |
| L5000E 8250N | | <0.01 | <10 | <10 | 70 | <10 | 172 |
| L5000E 8275N | | <0.01 | <10 | <10 | 66 | <10 | 334 |
| L5000E 8300N | | <0.01 | <10 | <10 | 78 | <10 | 108 |
| L5000E 8300N-D | | <0.01 | <10 | <10 | 74 | <10 | 106 |
| L5000E 8325N | | <0.01 | <10 | <10 | 75 | <10 | 58 |
| L5000E 8350N | | <0.01 | <10 | <10 | 43 | <10 | 95 |
| L5000E 8375N | | <0.01 | <10 | <10 | 11 | <10 | 453 |
| L5000E 8400N | | | | | | | |
| L5000E 8425N | | | | | | | |
| L5000E 8450N | | | | | | | |
| L5000E 8475N | | | | | | | |
| L5000E 8500N | | | | | | | |
| L5000E 8525N | | | | | | | |
| L5000E 8550N | | | | | | | |
| | | 0.06 | <10 | <10 | 93 | <10 | 65 |
| L5000E 8575N | | 0.05 | <10 | <10 | 84 | <10 | 81 |
| L5000E 8625N | | 0.03 | <10 | <10 | 53 | <10 | 132 |
| L5000E 8625N-D | | 0.04 | <10 | <10 | 51 | <10 | 134 |
| L5000E 8650N | | 0.02 | <10 | <10 | 77 | <10 | 129 |
| L5000E 8675N | | 0.07 | <10 | <10 | 86 | <10 | 53 |
| L5000E 8725N | | 0.07 | <10 | <10 | 54 | <10 | 36 |
| L5000E 8750N | | 0.06 | <10 | <10 | 98 | <10 | 55 |
| L5000E 8775N | | 0.05 | <10 | <10 | 83 | <10 | 27 |
| L5000E 8800N | | 0.10 | <10 | <10 | 129 | <10 | 40 |
| L5000E 8825N | | 0.10 | <10 | <10 | 127 | <10 | 52 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQC ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - A

Total # Pages: 5 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | kg | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % |
| L5000E 8850N | | 0.44 | <0.005 | 0.5 | 2.15 | 24 | <10 | 340 | 0.7 | <2 | 0.62 | <0.5 | 8 | 18 | 56 | 4.65 |
| L5000E 8850N-D | | 0.56 | <0.005 | 0.4 | 2.22 | 28 | <10 | 330 | 0.7 | <2 | 0.58 | <0.5 | 8 | 18 | 59 | 5.11 |
| L5000E 8875N | | 0.42 | <0.005 | <0.2 | 1.64 | 18 | <10 | 60 | <0.5 | <2 | 0.14 | <0.5 | 8 | 21 | 35 | 6.31 |
| L5000E 8900N | | 0.40 | <0.005 | 0.6 | 1.05 | 10 | <10 | 80 | <0.5 | <2 | 0.06 | <0.5 | 4 | 13 | 65 | 3.42 |
| L5000E 8925N | | 0.28 | <0.005 | 0.2 | 1.68 | 19 | <10 | 80 | <0.5 | <2 | 0.09 | <0.5 | 7 | 17 | 49 | 4.32 |
| L5000E 8950N | | 0.36 | 0.009 | 0.7 | 4.94 | 9 | <10 | 130 | 2.0 | <2 | 0.22 | <0.5 | 5 | 25 | 73 | 3.41 |
| L5000E 8975N | | 0.50 | 0.005 | 0.3 | 2.78 | 18 | <10 | 150 | 0.7 | <2 | 0.32 | <0.5 | 13 | 20 | 50 | 4.33 |
| L5000E 9000N | | 0.54 | 0.006 | 0.2 | 1.79 | 19 | <10 | 160 | 0.5 | <2 | 0.30 | <0.5 | 14 | 19 | 45 | 4.70 |
| L5000E 9025N | | 0.52 | 0.005 | 0.3 | 2.88 | 20 | <10 | 120 | 0.5 | <2 | 0.12 | <0.5 | 9 | 23 | 41 | 5.29 |
| L5000E 9050N | | 0.44 | 0.008 | 0.4 | 1.04 | 19 | <10 | 80 | <0.5 | <2 | 0.06 | <0.5 | 5 | 14 | 49 | 3.72 |
| L5000E 9075N | | 0.52 | 0.006 | 0.4 | 3.06 | 23 | <10 | 310 | 1.0 | <2 | 0.37 | <0.5 | 15 | 31 | 71 | 5.17 |
| L5000E 9100N | | 0.42 | <0.005 | 0.3 | 1.36 | 14 | <10 | 80 | <0.5 | <2 | 0.13 | <0.5 | 7 | 19 | 43 | 4.21 |
| L5000E 9125N | | 0.38 | <0.005 | 0.4 | 2.77 | 17 | <10 | 150 | 0.5 | <2 | 0.17 | 0.5 | 12 | 24 | 55 | 4.84 |
| L5000E 9150N | | 0.54 | 0.008 | 0.2 | 2.18 | 18 | <10 | 160 | 0.6 | <2 | 0.52 | <0.5 | 15 | 23 | 64 | 4.37 |
| L5000E 9175N-D | | 0.48 | 0.007 | 0.4 | 1.98 | 17 | <10 | 210 | 0.5 | <2 | 0.24 | <0.5 | 12 | 21 | 47 | 3.97 |
| L5000E 9175N | | 0.50 | 0.005 | 0.3 | 2.05 | 14 | <10 | 190 | 0.5 | <2 | 0.22 | <0.5 | 12 | 22 | 50 | 4.08 |
| L5000E 9200N | | 0.38 | 0.005 | 0.4 | 1.74 | 14 | <10 | 170 | <0.5 | <2 | 0.29 | <0.5 | 9 | 19 | 38 | 3.68 |
| L5000E 9225N | | 0.48 | 0.005 | 0.3 | 2.10 | 15 | <10 | 110 | <0.5 | <2 | 0.22 | <0.5 | 14 | 21 | 63 | 4.39 |
| L5000E 9250N | | 0.48 | 0.007 | 0.2 | 2.55 | 17 | <10 | 130 | <0.5 | <2 | 0.15 | <0.5 | 14 | 34 | 79 | 4.79 |
| L5000E 9275N | | 0.40 | <0.005 | 0.2 | 2.35 | 15 | <10 | 120 | <0.5 | <2 | 0.12 | <0.5 | 11 | 25 | 52 | 5.31 |
| L5000E 9300N | | 0.44 | <0.005 | <0.2 | 2.59 | 15 | <10 | 220 | 0.6 | <2 | 0.13 | <0.5 | 8 | 20 | 46 | 4.70 |
| L5000E 9325N | | 0.40 | <0.005 | 0.5 | 1.49 | 3 | <10 | 180 | <0.5 | <2 | 0.08 | <0.5 | 6 | 10 | 38 | 3.16 |
| L5000E 9350N | | 0.50 | 0.010 | <0.2 | 2.67 | 16 | <10 | 140 | 0.6 | <2 | 0.17 | <0.5 | 14 | 22 | 51 | 4.41 |
| L5000E 9375N | | 0.32 | <0.005 | <0.2 | 2.23 | 24 | <10 | 210 | <0.5 | <2 | 0.08 | <0.5 | 7 | 18 | 46 | 5.38 |
| L5000E 9400N | | 0.46 | <0.005 | <0.2 | 1.70 | 23 | <10 | 290 | <0.5 | <2 | 0.29 | <0.5 | 5 | 15 | 31 | 5.18 |
| L5000E 9425N | | 0.30 | <0.005 | <0.2 | 1.98 | 41 | <10 | 170 | <0.5 | <2 | 0.07 | <0.5 | 6 | 12 | 29 | 4.34 |
| L5000E 9450N | | 0.54 | <0.005 | 0.7 | 1.93 | 21 | <10 | 280 | 0.5 | <2 | 0.22 | <0.5 | 10 | 17 | 53 | 3.90 |
| L5000E 9475N | | 0.42 | <0.005 | <0.2 | 1.50 | 8 | <10 | 490 | 0.5 | <2 | 0.30 | <0.5 | 13 | 11 | 15 | 4.69 |
| L5000E 9500N | | 0.38 | <0.005 | 0.8 | 2.80 | 74 | <10 | 180 | 0.6 | <2 | 0.10 | <0.5 | 11 | 21 | 46 | 6.60 |
| L5000E 9525N | | 0.34 | <0.005 | 0.4 | 1.93 | 111 | <10 | 210 | 0.5 | <2 | 0.11 | <0.5 | 5 | 18 | 50 | 6.40 |
| L5000E 9550N | | 0.30 | <0.005 | 0.4 | 1.74 | 47 | <10 | 100 | <0.5 | <2 | 0.09 | <0.5 | 5 | 13 | 48 | 3.91 |
| L5000E 9575N | | 0.32 | <0.005 | 0.3 | 1.94 | 33 | <10 | 130 | <0.5 | <2 | 0.06 | <0.5 | 5 | 15 | 42 | 4.05 |
| L5000E 9600N | | 0.54 | 0.011 | 0.6 | 2.14 | 23 | <10 | 110 | 0.5 | <2 | 0.17 | <0.5 | 11 | 22 | 65 | 4.65 |
| L5000E 9625N | | 0.52 | 0.008 | 0.2 | 1.74 | 23 | <10 | 100 | 0.5 | <2 | 0.37 | <0.5 | 18 | 20 | 55 | 4.28 |
| L5000E 9650N | | 0.54 | <0.005 | <0.2 | 1.58 | 153 | <10 | 210 | 0.5 | <2 | 0.39 | <0.5 | 15 | 10 | 35 | 4.15 |
| L5000E 9650N-B | | 0.44 | <0.005 | <0.2 | 0.54 | 2 | <10 | 30 | <0.5 | <2 | 0.34 | <0.5 | 4 | 20 | 7 | 2.80 |
| L5000E 9675N | | 0.50 | 0.006 | <0.2 | 1.89 | 34 | <10 | 290 | 0.6 | <2 | 0.53 | <0.5 | 16 | 19 | 65 | 4.46 |
| L5000E 9675N-B | | 0.42 | 0.022 | <0.2 | 0.53 | <2 | <10 | 30 | <0.5 | <2 | 0.31 | <0.5 | 5 | 18 | 7 | 2.40 |
| L5000E 9700N | | 0.54 | <0.005 | 0.3 | 1.50 | 58 | <10 | 550 | 0.8 | <2 | 0.62 | <0.5 | 17 | 5 | 31 | 3.83 |
| L5000E 9725N | | 0.50 | 0.034 | <0.2 | 1.84 | 42 | <10 | 300 | 0.7 | <2 | 0.53 | <0.5 | 16 | 13 | 46 | 4.13 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP. ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - D
Total # Pages: 5 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|-----------------------|------------------------|----------------------|-----------------------|-----------------------|----------------------|----------------------|-----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| L5000E 8850N | | 10 | 0.08 | 0.09 | 10 | 0.45 | 394 | 4 | 0.01 | 10 | 1020 | 13 | 0.06 | <2 | 2 | 121 |
| L5000E 8850N-D | | 10 | 0.07 | 0.08 | 10 | 0.46 | 393 | 4 | 0.01 | 11 | 1000 | 13 | 0.06 | <2 | 2 | 114 |
| L5000E 8875N | | 10 | 0.10 | 0.05 | 10 | 0.49 | 306 | 10 | <0.01 | 11 | 650 | 13 | 0.08 | <2 | 2 | 16 |
| L5000E 8900N | | 10 | 0.08 | 0.06 | 10 | 0.05 | 316 | 4 | <0.01 | 6 | 860 | 18 | 0.05 | <2 | 1 | 17 |
| L5000E 8925N | | 10 | 0.10 | 0.07 | 10 | 0.22 | 319 | 5 | <0.01 | 6 | 1000 | 21 | 0.05 | <2 | 2 | 13 |
| L5000E 8950N | | 10 | 0.49 | 0.04 | 30 | 0.14 | 239 | 6 | <0.01 | 7 | 3020 | 13 | 0.12 | <2 | 1 | 22 |
| L5000E 8975N | | 10 | 0.34 | 0.07 | 10 | 0.64 | 729 | 2 | 0.01 | 13 | 1140 | 13 | 0.05 | <2 | 3 | 40 |
| L5000E 9000N | | 10 | 0.07 | 0.09 | 10 | 0.64 | 1075 | 3 | 0.01 | 12 | 1170 | 14 | 0.03 | <2 | 2 | 21 |
| L5000E 9025N | | 10 | 0.12 | 0.07 | 10 | 0.57 | 372 | 2 | <0.01 | 12 | 720 | 12 | 0.04 | <2 | 4 | 12 |
| L5000E 9050N | | 10 | 0.05 | 0.07 | 10 | 0.08 | 144 | 4 | <0.01 | 7 | 530 | 14 | 0.04 | <2 | 1 | 19 |
| L5000E 9075N | | 10 | 0.07 | 0.12 | 10 | 0.75 | 890 | 4 | 0.01 | 18 | 970 | 12 | 0.04 | <2 | 5 | 24 |
| L5000E 9100N | | 10 | 0.07 | 0.07 | 10 | 0.36 | 417 | 3 | <0.01 | 10 | 1630 | 10 | 0.08 | <2 | 2 | 12 |
| L5000E 9125N | | 10 | 0.11 | 0.09 | 10 | 0.65 | 616 | 5 | <0.01 | 19 | 1080 | 11 | 0.06 | <2 | 3 | 15 |
| L5000E 9150N | | 10 | 0.04 | 0.11 | 10 | 0.89 | 713 | 2 | 0.01 | 16 | 1100 | 12 | 0.03 | <2 | 5 | 43 |
| L5000E 9175N-D | | 10 | 0.07 | 0.09 | 10 | 0.69 | 674 | 2 | 0.01 | 14 | 830 | 12 | 0.04 | <2 | 3 | 18 |
| L5000E 9175N | | 10 | 0.06 | 0.09 | 10 | 0.72 | 631 | 2 | <0.01 | 15 | 820 | 11 | 0.03 | <2 | 3 | 17 |
| L5000E 9200N | | 10 | 0.06 | 0.07 | 10 | 0.65 | 352 | 2 | 0.01 | 14 | 920 | 9 | 0.04 | <2 | 3 | 21 |
| L5000E 9225N | | 10 | 0.04 | 0.10 | 10 | 0.74 | 1005 | 2 | 0.01 | 15 | 1030 | 11 | 0.04 | <2 | 5 | 13 |
| L5000E 9250N | | 10 | 0.05 | 0.12 | 10 | 0.84 | 638 | 2 | 0.01 | 21 | 880 | 15 | 0.04 | <2 | 6 | 12 |
| L5000E 9275N | | 10 | 0.07 | 0.10 | 10 | 0.64 | 985 | 2 | 0.01 | 15 | 1490 | 11 | 0.05 | <2 | 2 | 12 |
| L5000E 9300N | | 10 | 0.10 | 0.09 | 10 | 0.52 | 405 | 2 | <0.01 | 12 | 1380 | 11 | 0.04 | <2 | 3 | 14 |
| L5000E 9325N | | 10 | 0.06 | 0.13 | 10 | 0.18 | 394 | 1 | 0.01 | 7 | 1160 | 5 | 0.05 | <2 | 1 | 8 |
| L5000E 9350N | | 10 | 0.10 | 0.10 | 10 | 0.72 | 840 | 2 | <0.01 | 17 | 900 | 11 | 0.02 | <2 | 4 | 15 |
| L5000E 9375N | | 10 | 0.09 | 0.08 | 10 | 0.28 | 445 | 2 | <0.01 | 10 | 1060 | 14 | 0.04 | <2 | 2 | 12 |
| L5000E 9400N | | 10 | 0.15 | 0.08 | 10 | 0.24 | 501 | 3 | <0.01 | 6 | 1220 | 12 | 0.04 | <2 | 2 | 26 |
| L5000E 9425N | | 10 | 0.10 | 0.09 | 10 | 0.23 | 340 | 2 | <0.01 | 5 | 1150 | 13 | 0.05 | 2 | 2 | 12 |
| L5000E 9450N | | 10 | 0.08 | 0.16 | 10 | 0.49 | 792 | 2 | <0.01 | 12 | 1620 | 10 | 0.06 | <2 | 1 | 20 |
| L5000E 9475N | | <10 | 0.02 | 0.16 | 10 | 0.31 | 738 | <1 | <0.01 | 20 | 700 | 8 | 0.02 | 3 | 4 | 18 |
| L5000E 9500N | | 10 | 0.15 | 0.08 | 10 | 0.50 | 617 | 3 | <0.01 | 11 | 1390 | 17 | 0.05 | 4 | 3 | 12 |
| L5000E 9525N | | 10 | 0.14 | 0.07 | 10 | 0.24 | 243 | 5 | <0.01 | 7 | 2650 | 16 | 0.06 | 5 | 2 | 14 |
| L5000E 9550N | | 10 | 0.11 | 0.08 | 10 | 0.21 | 271 | 5 | <0.01 | 5 | 1140 | 17 | 0.05 | 3 | 1 | 10 |
| L5000E 9575N | | 10 | 0.07 | 0.08 | 10 | 0.28 | 291 | 5 | <0.01 | 7 | 1290 | 12 | 0.05 | <2 | 2 | 8 |
| L5000E 9600N | | 10 | 0.06 | 0.11 | 10 | 0.66 | 499 | 3 | 0.01 | 12 | 1140 | 11 | 0.07 | <2 | 4 | 13 |
| L5000E 9625N | | 10 | 0.04 | 0.10 | 10 | 0.80 | 1030 | 2 | 0.01 | 14 | 1160 | 12 | 0.04 | <2 | 5 | 21 |
| L5000E 9650N | | <10 | 0.10 | 0.10 | 10 | 0.71 | 1180 | 2 | 0.01 | 9 | 1180 | 12 | 0.05 | 4 | 6 | 19 |
| L5000E 9650N-B | | <10 | <0.01 | 0.03 | <10 | 0.20 | 170 | <1 | 0.02 | 7 | 450 | 2 | 0.01 | <2 | 1 | 24 |
| L5000E 9675N | | 10 | 0.04 | 0.12 | 10 | 0.88 | 1105 | 2 | 0.01 | 15 | 1040 | 12 | 0.05 | <2 | 7 | 28 |
| L5000E 9675N-B | | <10 | <0.01 | 0.03 | <10 | 0.20 | 162 | <1 | 0.02 | 6 | 380 | 2 | 0.01 | <2 | 1 | 23 |
| L5000E 9700N | | <10 | 0.23 | 0.12 | 20 | 0.45 | 1370 | 2 | <0.01 | 7 | 960 | 12 | 0.08 | 2 | 7 | 34 |
| L5000E 9725N | | 10 | 0.13 | 0.14 | 20 | 0.74 | 1065 | 2 | 0.01 | 12 | 990 | 12 | 0.04 | <2 | 7 | 30 |



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

U: EQ... ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - 5
Total # Pages: 5 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|-----------|----------|----------|----------|-----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 |
| L5000E 8850N | | 0.04 | <10 | <10 | 87 | <10 | 50 |
| L5000E 8850N-D | | 0.04 | <10 | <10 | 97 | <10 | 51 |
| L5000E 8875N | | 0.04 | <10 | <10 | 89 | <10 | 39 |
| L5000E 8900N | | 0.10 | <10 | <10 | 80 | <10 | 32 |
| L5000E 8925N | | 0.06 | <10 | <10 | 83 | <10 | 61 |
| L5000E 8950N | | 0.01 | <10 | <10 | 41 | <10 | 29 |
| L5000E 8975N | | 0.04 | <10 | <10 | 72 | <10 | 66 |
| L5000E 9000N | | 0.05 | <10 | <10 | 89 | <10 | 66 |
| L5000E 9025N | | 0.05 | <10 | <10 | 95 | <10 | 50 |
| L5000E 9050N | | 0.08 | <10 | <10 | 101 | <10 | 37 |
| L5000E 9075N | | 0.05 | <10 | <10 | 93 | <10 | 78 |
| L5000E 9100N | | 0.04 | <10 | <10 | 76 | <10 | 39 |
| L5000E 9125N | | 0.04 | <10 | <10 | 78 | <10 | 62 |
| L5000E 9150N | | 0.06 | <10 | <10 | 80 | <10 | 73 |
| L5000E 9175N-D | | 0.03 | <10 | <10 | 77 | <10 | 66 |
| L5000E 9175N | | 0.04 | <10 | <10 | 78 | <10 | 67 |
| L5000E 9200N | | 0.04 | <10 | <10 | 68 | <10 | 55 |
| L5000E 9225N | | 0.04 | <10 | <10 | 74 | <10 | 67 |
| L5000E 9250N | | 0.05 | <10 | <10 | 83 | <10 | 76 |
| L5000E 9275N | | 0.04 | <10 | <10 | 83 | <10 | 69 |
| L5000E 9300N | | 0.03 | <10 | <10 | 82 | <10 | 55 |
| L5000E 9325N | | 0.02 | <10 | <10 | 56 | <10 | 52 |
| L5000E 9350N | | 0.05 | <10 | <10 | 83 | <10 | 73 |
| L5000E 9375N | | 0.03 | <10 | <10 | 101 | <10 | 46 |
| L5000E 9400N | | 0.06 | <10 | <10 | 97 | <10 | 38 |
| L5000E 9425N | | 0.03 | <10 | <10 | 80 | <10 | 42 |
| L5000E 9450N | | 0.03 | <10 | <10 | 74 | <10 | 63 |
| L5000E 9475N | | 0.02 | <10 | <10 | 52 | <10 | 63 |
| L5000E 9500N | | 0.04 | <10 | <10 | 106 | <10 | 68 |
| L5000E 9525N | | 0.05 | <10 | <10 | 124 | <10 | 36 |
| L5000E 9550N | | 0.03 | <10 | <10 | 68 | <10 | 41 |
| L5000E 9575N | | 0.04 | <10 | <10 | 70 | <10 | 45 |
| L5000E 9600N | | 0.05 | <10 | <10 | 84 | <10 | 64 |
| L5000E 9625N | | 0.07 | <10 | <10 | 82 | <10 | 70 |
| L5000E 9650N | | 0.02 | <10 | <10 | 55 | <10 | 64 |
| L5000E 9650N-B | | 0.07 | <10 | <10 | 96 | <10 | 19 |
| L5000E 9675N | | 0.07 | <10 | <10 | 84 | <10 | 70 |
| L5000E 9675N-B | | 0.07 | <10 | <10 | 84 | <10 | 19 |
| L5000E 9700N | | <0.01 | <10 | <10 | 43 | <10 | 75 |
| L5000E 9725N | | 0.03 | <10 | <10 | 65 | <10 | 72 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQ... ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Total # Pages: 5 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Ca | ME-ICP41 Cd | ME-ICP41 Co | ME-ICP41 Cr | ME-ICP41 Cu | ME-ICP41 Fe |
|--------------------|--------------------------|------------------|------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| L5000E 9750N | | 0.60 | <0.005 | <0.2 | 0.89 | 30 | 10 | 520 | 1.0 | <2 | 1.70 | <0.5 | 17 | <1 | 23 | 3.18 |
| L5000E 9775N | | 0.50 | <0.005 | <0.2 | 1.27 | 244 | <10 | 480 | 0.7 | <2 | 1.75 | <0.5 | 19 | 6 | 35 | 3.81 |
| L5000E 9800N | | 0.56 | <0.005 | <0.2 | 1.11 | 237 | <10 | 440 | 0.8 | <2 | 0.91 | <0.5 | 18 | 3 | 31 | 4.07 |
| L5000E 9825N | | 0.44 | <0.005 | <0.2 | 1.12 | 113 | 10 | 250 | 0.7 | <2 | 0.63 | <0.5 | 15 | 1 | 22 | 3.85 |
| L5000E 9850N | | 0.46 | <0.005 | <0.2 | 0.51 | 52 | 10 | 260 | 0.8 | <2 | 1.06 | <0.5 | 15 | <1 | 21 | 3.67 |
| L5000E 9875N | | 0.46 | <0.005 | <0.2 | 0.83 | 271 | 10 | 300 | 0.9 | <2 | 0.48 | <0.5 | 13 | 4 | 27 | 3.82 |
| L5000E 9900N | | 0.50 | <0.005 | <0.2 | 0.81 | 177 | 10 | 330 | 0.8 | <2 | 1.36 | <0.5 | 19 | 6 | 59 | 3.99 |
| L5000E 9925N | | 0.44 | 0.006 | 0.3 | 1.01 | 118 | 10 | 340 | 0.8 | 2 | 1.02 | <0.5 | 21 | 9 | 89 | 4.67 |
| L5000E 9950N | | 0.54 | <0.005 | <0.2 | 1.32 | 149 | <10 | 160 | 0.7 | <2 | 0.11 | <0.5 | 16 | 1 | 27 | 4.39 |
| L5000E 9975N | | 0.52 | <0.005 | <0.2 | 0.52 | 345 | 10 | 300 | 0.8 | <2 | 0.67 | <0.5 | 14 | 1 | 27 | 4.63 |
| L5000E 10000N | | 0.60 | <0.005 | <0.2 | 0.91 | 29 | <10 | 320 | 0.9 | <2 | 1.04 | <0.5 | 13 | 3 | 25 | 3.96 |
| L5000E 10025N | | 0.48 | <0.005 | <0.2 | 0.94 | 18 | <10 | 490 | 0.9 | <2 | 0.83 | <0.5 | 15 | 2 | 26 | 4.27 |
| L5000E 10050N | | 0.48 | <0.005 | <0.2 | 1.06 | 16 | <10 | 430 | 0.9 | <2 | 0.76 | <0.5 | 15 | 3 | 27 | 4.01 |
| L5000E 10075N | | 0.50 | <0.005 | <0.2 | 0.85 | 28 | <10 | 170 | 0.8 | <2 | 1.61 | <0.5 | 12 | 5 | 45 | 3.99 |
| L5000E 10100N | | 0.58 | <0.005 | <0.2 | 0.84 | 20 | <10 | 160 | 0.8 | <2 | 1.86 | <0.5 | 11 | 1 | 25 | 3.86 |
| L5000E 10125N | | 0.64 | 0.016 | <0.2 | 0.33 | 50 | 10 | 250 | 0.7 | <2 | 0.85 | <0.5 | 12 | 2 | 15 | 3.40 |
| L5000E 10150N | | 0.38 | <0.005 | 0.3 | 0.42 | 5 | <10 | 140 | <0.5 | <2 | 0.11 | <0.5 | 2 | 3 | 26 | 1.44 |
| L5000E 10150N-D | | 0.32 | <0.005 | 0.2 | 0.37 | 3 | <10 | 150 | <0.5 | <2 | 0.12 | <0.5 | 2 | 3 | 24 | 1.36 |
| L5000E 10175N | | 0.58 | <0.005 | <0.2 | 0.65 | 8 | <10 | 300 | 0.6 | <2 | 0.09 | <0.5 | 9 | 2 | 13 | 2.71 |
| L5000E 10200N | | 0.60 | <0.005 | <0.2 | 0.93 | 3 | <10 | 250 | <0.5 | <2 | 0.08 | <0.5 | 6 | 2 | 9 | 2.32 |
| L5000E 10225N | | 0.64 | <0.005 | <0.2 | 0.97 | 4 | <10 | 260 | 0.6 | <2 | 0.08 | <0.5 | 6 | 1 | 10 | 2.52 |
| L5000E 10250N | | 0.58 | <0.005 | <0.2 | 0.38 | 19 | 10 | 250 | 0.9 | <2 | 1.84 | <0.5 | 13 | 2 | 14 | 4.75 |
| L5000E 10275N | | 0.62 | <0.005 | <0.2 | 0.63 | 29 | <10 | 200 | 0.7 | <2 | 2.13 | <0.5 | 14 | 3 | 24 | 3.93 |
| L5000E 10300N | | 0.54 | <0.005 | <0.2 | 0.45 | 28 | 10 | 290 | 1.2 | <2 | 1.00 | <0.5 | 11 | 3 | 17 | 2.72 |
| L5000E 10325N | | 0.48 | <0.005 | <0.2 | 0.45 | 23 | 10 | 570 | 0.5 | <2 | 0.21 | <0.5 | 5 | 1 | 11 | 2.26 |
| L5000E 10350N | | 0.48 | 0.012 | <0.2 | 1.04 | 24 | <10 | 220 | 0.8 | 2 | 1.38 | <0.5 | 14 | 9 | 65 | 4.20 |
| L5000E 10375N | | 0.50 | 0.007 | <0.2 | 1.04 | 33 | <10 | 250 | 0.9 | 2 | 0.99 | <0.5 | 15 | 9 | 83 | 4.33 |
| L5000E 10400N | | 0.48 | <0.005 | <0.2 | 0.73 | 21 | <10 | 310 | 0.8 | <2 | 1.19 | <0.5 | 13 | 4 | 27 | 3.84 |
| L5000E 10425N | | 0.50 | <0.005 | <0.2 | 1.04 | 15 | <10 | 310 | 0.9 | <2 | 0.85 | <0.5 | 19 | 11 | 34 | 4.11 |
| L5000E 10450N | | 0.44 | 0.007 | <0.2 | 1.17 | 23 | <10 | 410 | 0.9 | 2 | 0.67 | <0.5 | 18 | 11 | 59 | 4.27 |
| L5000E 10475N | | 0.58 | 0.026 | <0.2 | 2.12 | 21 | <10 | 350 | 0.8 | 2 | 0.80 | <0.5 | 21 | 24 | 86 | 5.04 |
| L5000E 10500N | | 0.52 | 0.014 | <0.2 | 1.68 | 28 | <10 | 290 | 0.8 | 2 | 0.72 | <0.5 | 20 | 22 | 74 | 4.64 |
| L5000E 10525N | | 0.42 | 0.008 | <0.2 | 1.71 | 20 | <10 | 130 | 0.5 | 2 | 0.34 | <0.5 | 16 | 21 | 57 | 4.43 |
| L5000E 10550N | | 0.46 | 0.056 | 0.2 | 0.67 | 23 | 10 | 200 | 0.9 | 2 | 1.20 | <0.5 | 18 | 5 | 38 | 4.61 |
| L5000E 10575N | | 0.46 | 0.035 | <0.2 | 1.12 | 17 | <10 | 290 | 0.6 | <2 | 0.88 | <0.5 | 14 | 12 | 40 | 3.87 |
| L5000E 10575N-D | | 0.46 | <0.005 | <0.2 | 1.18 | 19 | <10 | 310 | 0.6 | 2 | 0.95 | <0.5 | 15 | 12 | 43 | 4.00 |
| L5000E 10600N | | 0.48 | <0.005 | <0.2 | 0.44 | 51 | 10 | 160 | 0.9 | <2 | 0.87 | <0.5 | 11 | 3 | 16 | 3.50 |
| L5000E 10625N | | 0.48 | <0.005 | 0.2 | 0.66 | 42 | 10 | 160 | 0.9 | <2 | 0.78 | <0.5 | 16 | 5 | 32 | 4.14 |
| L5000E 10650N | | 0.50 | <0.005 | <0.2 | 0.51 | 31 | 10 | 140 | 0.9 | <2 | 1.54 | <0.5 | 11 | 1 | 19 | 3.66 |
| L5000E 10675N | | 0.48 | <0.005 | <0.2 | 0.38 | 51 | 10 | 130 | 0.9 | <2 | 0.76 | <0.5 | 21 | 1 | 22 | 4.60 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQ. ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Total # Pages: 5 (A - C)
Finalized Date: 8-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| L5000E 9750N | | <10 | 0.15 | 0.18 | 10 | 0.24 | 754 | 6 | <0.01 | 4 | 1300 | 12 | 0.38 | <2 | 6 | 104 |
| L5000E 9775N | | <10 | 0.20 | 0.15 | 10 | 0.48 | 1015 | 3 | 0.01 | 11 | 1030 | 14 | 0.25 | 3 | 7 | 54 |
| L5000E 9800N | | <10 | 0.25 | 0.15 | 20 | 0.40 | 1210 | 3 | 0.01 | 9 | 1040 | 13 | 0.34 | 2 | 8 | 48 |
| L5000E 9825N | | <10 | 0.28 | 0.14 | 10 | 0.42 | 873 | 2 | <0.01 | 3 | 990 | 11 | 0.18 | 3 | 7 | 39 |
| L5000E 9850N | | <10 | 0.17 | 0.14 | 20 | 0.12 | 1100 | 1 | <0.01 | 4 | 1200 | 11 | 0.30 | 2 | 7 | 61 |
| L5000E 9875N | | <10 | 0.08 | 0.19 | 20 | 0.20 | 766 | 2 | <0.01 | 4 | 1150 | 12 | 0.06 | 6 | 6 | 28 |
| L5000E 9900N | | <10 | 0.20 | 0.16 | 10 | 0.39 | 980 | 2 | 0.01 | 16 | 1080 | 13 | 0.26 | 6 | 7 | 89 |
| L5000E 9925N | | <10 | 0.29 | 0.17 | 10 | 0.49 | 1045 | 2 | 0.01 | 23 | 1280 | 17 | 0.27 | 4 | 9 | 78 |
| L5000E 9950N | | <10 | 0.29 | 0.12 | 20 | 0.23 | 1030 | 2 | <0.01 | 3 | 520 | 11 | 0.05 | 2 | 7 | 8 |
| L5000E 9975N | | <10 | 0.33 | 0.14 | 10 | 0.16 | 818 | 2 | <0.01 | 6 | 650 | 13 | 0.18 | 5 | 6 | 62 |
| L5000E 10000N | | <10 | 0.23 | 0.14 | 10 | 0.35 | 845 | 2 | <0.01 | 7 | 800 | 14 | 0.34 | <2 | 6 | 66 |
| L5000E 10025N | | <10 | 0.27 | 0.13 | 10 | 0.29 | 1130 | 3 | 0.01 | 7 | 1020 | 15 | 0.28 | <2 | 7 | 59 |
| L5000E 10050N | | <10 | 0.25 | 0.14 | 10 | 0.35 | 965 | 2 | <0.01 | 7 | 900 | 13 | 0.28 | <2 | 6 | 50 |
| L5000E 10075N | | <10 | 0.17 | 0.12 | 10 | 0.53 | 658 | 2 | 0.01 | 9 | 990 | 14 | 0.61 | <2 | 6 | 102 |
| L5000E 10100N | | <10 | 0.20 | 0.14 | 10 | 0.39 | 602 | 2 | 0.01 | 6 | 910 | 13 | 0.69 | <2 | 6 | 117 |
| L5000E 10125N | | <10 | 0.13 | 0.14 | 10 | 0.08 | 1205 | 2 | <0.01 | 9 | 300 | 16 | 0.23 | <2 | 5 | 49 |
| L5000E 10150N | | <10 | 0.06 | 0.10 | 10 | 0.02 | 83 | 1 | <0.01 | 2 | 1060 | 4 | 0.11 | <2 | <1 | 13 |
| L5000E 10150N-D | | <10 | 0.06 | 0.10 | 10 | 0.02 | 96 | 1 | <0.01 | 2 | 830 | 4 | 0.11 | <2 | <1 | 14 |
| L5000E 10175N | | <10 | 0.05 | 0.13 | 10 | 0.06 | 1085 | 1 | <0.01 | 2 | 1050 | 8 | 0.05 | 2 | 3 | 8 |
| L5000E 10200N | | <10 | 0.07 | 0.12 | 10 | 0.05 | 820 | <1 | <0.01 | 2 | 1480 | 4 | 0.05 | <2 | 2 | 8 |
| L5000E 10225N | | <10 | 0.05 | 0.11 | 20 | 0.04 | 1085 | <1 | <0.01 | 2 | 890 | 7 | 0.06 | <2 | 4 | 7 |
| L5000E 10250N | | <10 | 0.18 | 0.12 | 20 | 0.05 | 1350 | 2 | 0.01 | 6 | 710 | 14 | 0.31 | <2 | 6 | 73 |
| L5000E 10275N | | <10 | 0.34 | 0.13 | 10 | 0.78 | 924 | 3 | 0.01 | 9 | 880 | 12 | 0.59 | <2 | 7 | 92 |
| L5000E 10300N | | <10 | 0.10 | 0.17 | 10 | 0.15 | 715 | 1 | 0.01 | 6 | 690 | 9 | 0.18 | <2 | 5 | 68 |
| L5000E 10325N | | <10 | 0.05 | 0.14 | 10 | 0.04 | 328 | 1 | <0.01 | 3 | 630 | 7 | 0.06 | 2 | 4 | 20 |
| L5000E 10350N | | <10 | 0.14 | 0.11 | 10 | 0.66 | 703 | 3 | 0.01 | 13 | 1280 | 13 | 0.58 | <2 | 6 | 82 |
| L5000E 10375N | | <10 | 0.12 | 0.12 | 10 | 0.60 | 758 | 4 | 0.01 | 11 | 1250 | 15 | 0.44 | <2 | 7 | 65 |
| L5000E 10400N | | <10 | 0.34 | 0.12 | 10 | 0.39 | 772 | 3 | 0.01 | 9 | 840 | 10 | 0.52 | <2 | 7 | 82 |
| L5000E 10425N | | <10 | 0.16 | 0.12 | 10 | 0.46 | 822 | 3 | 0.01 | 22 | 880 | 12 | 0.24 | <2 | 8 | 52 |
| L5000E 10450N | | <10 | 0.17 | 0.12 | 10 | 0.51 | 817 | 4 | 0.01 | 16 | 1000 | 17 | 0.18 | <2 | 8 | 44 |
| L5000E 10475N | | 10 | 0.07 | 0.17 | 20 | 1.06 | 1175 | 6 | 0.03 | 28 | 1260 | 15 | 0.18 | <2 | 9 | 41 |
| L5000E 10500N | | 10 | 0.08 | 0.10 | 20 | 0.79 | 1010 | 3 | 0.03 | 24 | 1240 | 14 | 0.07 | 2 | 7 | 36 |
| L5000E 10525N | | 10 | 0.07 | 0.14 | 10 | 0.77 | 887 | 3 | 0.01 | 16 | 1340 | 12 | 0.08 | <2 | 5 | 23 |
| L5000E 10550N | | <10 | 0.18 | 0.14 | 10 | 0.23 | 768 | 3 | 0.01 | 12 | 1200 | 13 | 0.83 | <2 | 7 | 57 |
| L5000E 10575N | | <10 | 0.14 | 0.10 | 10 | 0.54 | 848 | 2 | 0.02 | 14 | 820 | 10 | 0.12 | <2 | 7 | 47 |
| L5000E 10575N-D | | <10 | 0.15 | 0.11 | 10 | 0.56 | 903 | 2 | 0.01 | 13 | 870 | 10 | 0.13 | <2 | 7 | 50 |
| L5000E 10600N | | <10 | 0.22 | 0.11 | 10 | 0.24 | 629 | 3 | 0.01 | 6 | 490 | 14 | 0.35 | 2 | 6 | 58 |
| L5000E 10625N | | <10 | 0.13 | 0.12 | 10 | 0.32 | 696 | 3 | 0.01 | 8 | 760 | 18 | 0.56 | <2 | 6 | 58 |
| L5000E 10650N | | <10 | 0.15 | 0.11 | 10 | 0.30 | 671 | 2 | 0.01 | 5 | 620 | 14 | 0.45 | 3 | 5 | 86 |
| L5000E 10675N | | <10 | 0.29 | 0.11 | 10 | 0.08 | 814 | 3 | <0.01 | 6 | 760 | 33 | 0.74 | <2 | 7 | 49 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - 5

Total # Pages: 5 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Ti % | Ti ppm | U ppm | V ppm | W ppm | Zn ppm |
| L5000E 9750N | | <0.01 | <10 | <10 | 22 | <10 | 69 |
| L5000E 9775N | | 0.01 | <10 | <10 | 39 | <10 | 74 |
| L5000E 9800N | | <0.01 | <10 | <10 | 33 | <10 | 77 |
| L5000E 9825N | | <0.01 | <10 | <10 | 33 | <10 | 68 |
| L5000E 9850N | | <0.01 | <10 | <10 | 22 | <10 | 64 |
| L5000E 9875N | | <0.01 | <10 | <10 | 26 | <10 | 59 |
| L5000E 9900N | | 0.01 | <10 | <10 | 35 | <10 | 79 |
| L5000E 9925N | | 0.02 | <10 | <10 | 48 | <10 | 102 |
| L5000E 9950N | | <0.01 | <10 | <10 | 37 | <10 | 76 |
| L5000E 9975N | | <0.01 | <10 | <10 | 21 | <10 | 76 |
| L5000E 10000N | | <0.01 | <10 | <10 | 30 | <10 | 85 |
| L5000E 10025N | | <0.01 | <10 | <10 | 26 | <10 | 92 |
| L5000E 10050N | | <0.01 | <10 | <10 | 31 | <10 | 92 |
| L5000E 10075N | | <0.01 | <10 | <10 | 29 | <10 | 108 |
| L5000E 10100N | | <0.01 | <10 | <10 | 22 | <10 | 97 |
| L5000E 10125N | | <0.01 | <10 | <10 | 15 | <10 | 69 |
| L5000E 10150N | | 0.02 | <10 | <10 | 16 | <10 | 30 |
| L5000E 10150N-D | | 0.02 | <10 | <10 | 16 | <10 | 32 |
| L5000E 10175N | | <0.01 | <10 | <10 | 22 | <10 | 39 |
| L5000E 10200N | | <0.01 | <10 | <10 | 19 | <10 | 45 |
| L5000E 10225N | | <0.01 | <10 | <10 | 20 | <10 | 33 |
| L5000E 10250N | | <0.01 | <10 | <10 | 18 | <10 | 85 |
| L5000E 10275N | | <0.01 | <10 | <10 | 29 | <10 | 83 |
| L5000E 10300N | | <0.01 | <10 | <10 | 16 | <10 | 51 |
| L5000E 10325N | | <0.01 | <10 | <10 | 15 | <10 | 36 |
| L5000E 10350N | | 0.01 | <10 | <10 | 40 | <10 | 81 |
| L5000E 10375N | | <0.01 | <10 | <10 | 43 | <10 | 95 |
| L5000E 10400N | | <0.01 | <10 | <10 | 28 | <10 | 75 |
| L5000E 10425N | | 0.01 | <10 | <10 | 36 | <10 | 80 |
| L5000E 10450N | | 0.01 | <10 | <10 | 46 | <10 | 88 |
| L5000E 10475N | | 0.05 | <10 | <10 | 77 | <10 | 85 |
| L5000E 10500N | | 0.04 | <10 | <10 | 62 | <10 | 69 |
| L5000E 10525N | | 0.04 | <10 | <10 | 73 | <10 | 66 |
| L5000E 10550N | | <0.01 | <10 | <10 | 39 | <10 | 85 |
| L5000E 10575N | | 0.04 | <10 | <10 | 54 | <10 | 71 |
| L5000E 10575N-D | | 0.03 | <10 | <10 | 57 | <10 | 70 |
| L5000E 10600N | | <0.01 | <10 | <10 | 23 | <10 | 60 |
| L5000E 10625N | | <0.01 | <10 | <10 | 30 | <10 | 78 |
| L5000E 10650N | | <0.01 | <10 | <10 | 20 | <10 | 73 |
| L5000E 10675N | | <0.01 | <10 | <10 | 30 | <10 | 53 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIPMENT ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - A

Total # Pages: 5 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|-----------------------------------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % |
| L5000E 10700N | | 0.46 | <0.005 | <0.2 | 0.35 | 98 | 10 | 130 | 1.0 | 2 | 0.78 | <0.5 | 12 | 1 | 17 | 4.21 |
| L10300N4500E | | 0.40 | 0.007 | <0.2 | 1.58 | 23 | <10 | 240 | 0.9 | 2 | 0.50 | <0.5 | 18 | 19 | 65 | 4.12 |
| L10300N4525E | | 0.40 | <0.005 | <0.2 | 1.86 | 21 | <10 | 170 | 0.9 | 2 | 0.38 | <0.5 | 18 | 22 | 64 | 4.47 |
| L10300N4550E | | 0.42 | <0.005 | <0.2 | 1.98 | 19 | <10 | 210 | 1.1 | 2 | 0.37 | <0.5 | 21 | 22 | 64 | 4.60 |
| L10300N4575E | | 0.60 | 0.008 | 0.4 | 2.20 | 28 | <10 | 250 | 1.3 | 3 | 0.46 | <0.5 | 23 | 25 | 87 | 5.16 |
| L10300N4600E | | 0.42 | 0.006 | <0.2 | 0.91 | 27 | 10 | 1050 | 0.7 | 4 | 2.42 | <0.5 | 16 | 9 | 84 | 8.64 |
| L10300N4625E | | 0.48 | 0.006 | <0.2 | 1.96 | 27 | <10 | 360 | 1.2 | 3 | 0.57 | <0.5 | 20 | 21 | 81 | 4.62 |
| L10300N4650E | | 0.44 | <0.005 | 0.2 | 1.50 | 18 | <10 | 160 | 0.5 | 2 | 0.14 | <0.5 | 14 | 16 | 45 | 4.29 |
| L10300N4675E | | 0.44 | <0.005 | <0.2 | 1.02 | 16 | <10 | 280 | <0.5 | <2 | 0.36 | <0.5 | 4 | 12 | 24 | 3.01 |
| L10300N4700E | | 0.38 | <0.005 | 0.6 | 2.36 | 14 | <10 | 140 | 0.6 | <2 | 0.08 | <0.5 | 9 | 18 | 47 | 4.85 |
| L10400N4500E | | 0.54 | <0.005 | 0.2 | 1.67 | 16 | <10 | 230 | 1.0 | 2 | 0.80 | <0.5 | 22 | 21 | 66 | 4.81 |
| L10400N4525E | | 0.50 | 0.006 | 0.2 | 1.78 | 20 | <10 | 260 | 1.3 | 3 | 0.78 | <0.5 | 20 | 20 | 87 | 5.35 |
| L10400N4525E-D | | 0.36 | <0.005 | <0.2 | 1.40 | 20 | <10 | 230 | 1.0 | 2 | 0.92 | <0.5 | 18 | 15 | 76 | 4.68 |
| L10400N4550E | | 0.56 | <0.005 | <0.2 | 1.32 | 28 | <10 | 260 | 0.8 | <2 | 0.60 | <0.5 | 21 | 17 | 54 | 4.65 |
| L10400N4575E | | 0.64 | 0.007 | <0.2 | 1.68 | 28 | <10 | 330 | 1.1 | 2 | 0.86 | <0.5 | 22 | 19 | 87 | 5.05 |
| L10400N4600E | | 0.38 | <0.005 | <0.2 | 1.22 | 21 | <10 | 160 | 0.6 | 2 | 1.34 | 0.5 | 18 | 16 | 40 | 3.59 |
| L10400N4625E | | 0.60 | 0.008 | 0.2 | 1.82 | 21 | <10 | 330 | 1.1 | 2 | 0.99 | <0.5 | 23 | 22 | 99 | 4.95 |
| L10400N4650E | | 0.52 | 0.012 | 0.2 | 1.69 | 26 | <10 | 250 | 1.0 | 2 | 0.82 | <0.5 | 20 | 22 | 66 | 4.61 |
| L10400N4675E | | 0.46 | <0.005 | 0.3 | 1.60 | 20 | <10 | 450 | 0.8 | <2 | 0.39 | <0.5 | 18 | 21 | 52 | 4.04 |
| L10400N4700E | | 0.42 | <0.005 | 0.2 | 1.08 | 10 | <10 | 70 | <0.5 | <2 | 0.03 | <0.5 | 5 | 11 | 31 | 3.05 |
| L10400N4725E | | 0.34 | <0.005 | 0.4 | 2.94 | 18 | <10 | 280 | 1.1 | 2 | 0.14 | <0.5 | 15 | 20 | 33 | 4.66 |
| L10400N4750E | | 0.44 | <0.005 | 0.2 | 2.39 | 15 | <10 | 190 | 0.6 | 2 | 0.13 | <0.5 | 14 | 22 | 40 | 4.55 |
| L10400N4775E | | 0.36 | <0.005 | 0.2 | 1.02 | 20 | <10 | 130 | <0.5 | <2 | 0.12 | <0.5 | 5 | 17 | 35 | 5.70 |
| L10400N4800E | | 0.46 | 0.005 | 0.2 | 1.86 | 17 | <10 | 230 | 0.8 | 2 | 0.14 | <0.5 | 14 | 21 | 52 | 3.70 |
| L10400N4825E | | 0.38 | <0.005 | <0.2 | 2.11 | 22 | <10 | 200 | <0.5 | 2 | 0.06 | <0.5 | 7 | 14 | 41 | 5.18 |
| L10400N4850E | | 0.40 | <0.005 | <0.2 | 1.56 | 18 | <10 | 80 | <0.5 | 2 | 0.11 | <0.5 | 7 | 28 | 45 | 5.01 |
| L10400N4875E | | 0.44 | <0.005 | <0.2 | 1.28 | 15 | <10 | 270 | 0.7 | 2 | 0.13 | <0.5 | 10 | 14 | 37 | 3.20 |
| L10400N4875E-B | | 0.44 | 0.520 | <0.2 | 0.50 | 5 | <10 | 20 | <0.5 | <2 | 0.29 | <0.5 | 4 | 17 | 7 | 2.32 |
| L10400N4900E | | 0.42 | 0.008 | <0.2 | 1.06 | 18 | <10 | 680 | 0.9 | <2 | 0.36 | <0.5 | 12 | 10 | 34 | 3.26 |
| L10400N4925E | | 0.44 | 0.007 | <0.2 | 0.76 | 15 | <10 | 230 | 0.5 | <2 | 0.23 | <0.5 | 11 | 6 | 26 | 3.67 |
| L10400N4950E | | 0.54 | 0.011 | 0.2 | 0.84 | 31 | <10 | 220 | 0.5 | <2 | 0.13 | <0.5 | 18 | 5 | 34 | 4.46 |
| L10400N4975E | | 0.38 | <0.005 | <0.2 | 0.36 | 53 | 10 | 290 | 0.9 | 2 | 1.09 | <0.5 | 13 | <1 | 23 | 3.84 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - 5

Total # Pages: 5 (A-C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| L5000E 10700N | | <10 | 0.17 | 0.10 | 10 | 0.06 | 941 | 6 | <0.01 | 7 | 490 | 16 | 0.36 | 2 | 6 | 54 |
| L10300N4500E | | <10 | 0.11 | 0.13 | 10 | 0.64 | 1140 | 4 | 0.01 | 24 | 1300 | 18 | 0.09 | 2 | 7 | 26 |
| L10300N4525E | | 10 | 0.06 | 0.11 | 10 | 0.67 | 930 | 4 | 0.01 | 20 | 1400 | 15 | 0.08 | <2 | 6 | 25 |
| L10300N4550E | | 10 | 0.07 | 0.10 | 10 | 0.74 | 1310 | 4 | 0.01 | 24 | 1420 | 18 | 0.07 | <2 | 7 | 25 |
| L10300N4575E | | 10 | 0.06 | 0.12 | 20 | 0.84 | 1930 | 5 | 0.01 | 30 | 1540 | 24 | 0.06 | 2 | 8 | 31 |
| L10300N4600E | | <10 | 0.21 | 0.09 | 20 | 0.37 | 8340 | 5 | 0.02 | 21 | 2890 | 14 | 0.18 | <2 | 5 | 117 |
| L10300N4625E | | 10 | 0.06 | 0.11 | 20 | 0.70 | 1380 | 3 | 0.01 | 26 | 1560 | 15 | 0.06 | <2 | 7 | 37 |
| L10300N4650E | | 10 | 0.06 | 0.09 | 10 | 0.26 | 2680 | 3 | 0.01 | 10 | 2260 | 11 | 0.06 | <2 | 2 | 13 |
| L10300N4675E | | 10 | 0.07 | 0.10 | 10 | 0.21 | 363 | 3 | 0.01 | 7 | 920 | 9 | 0.04 | <2 | 1 | 26 |
| L10300N4700E | | 10 | 0.23 | 0.08 | 20 | 0.14 | 898 | 4 | <0.01 | 9 | 2450 | 13 | 0.08 | <2 | 2 | 11 |
| L10400N4500E | | 10 | 0.05 | 0.12 | 10 | 0.67 | 1785 | 5 | 0.01 | 21 | 1620 | 17 | 0.11 | <2 | 7 | 45 |
| L10400N4525E | | 10 | 0.05 | 0.14 | 20 | 0.72 | 1340 | 8 | 0.01 | 26 | 1740 | 29 | 0.16 | 3 | 9 | 42 |
| L10400N4525E-D | | <10 | 0.06 | 0.13 | 20 | 0.57 | 1180 | 8 | 0.02 | 20 | 1660 | 29 | 0.20 | 2 | 7 | 46 |
| L10400N4550E | | <10 | 0.06 | 0.14 | 10 | 0.63 | 1375 | 4 | 0.02 | 18 | 2080 | 22 | 0.09 | <2 | 6 | 34 |
| L10400N4575E | | 10 | 0.07 | 0.14 | 20 | 0.73 | 1290 | 6 | 0.02 | 24 | 1840 | 23 | 0.07 | <2 | 9 | 44 |
| L10400N4600E | | <10 | 0.09 | 0.16 | 10 | 0.65 | 1110 | 3 | 0.02 | 18 | 1760 | 16 | 0.11 | <2 | 5 | 56 |
| L10400N4625E | | 10 | 0.07 | 0.13 | 20 | 0.85 | 1490 | 5 | 0.02 | 33 | 1600 | 23 | 0.08 | <2 | 9 | 49 |
| L10400N4650E | | 10 | 0.06 | 0.14 | 20 | 0.73 | 1425 | 4 | 0.01 | 24 | 1680 | 18 | 0.07 | <2 | 7 | 46 |
| L10400N4675E | | 10 | 0.06 | 0.10 | 10 | 0.63 | 1090 | 3 | 0.01 | 17 | 1360 | 12 | 0.05 | <2 | 6 | 29 |
| L10400N4700E | | 10 | 0.08 | 0.06 | 10 | 0.10 | 239 | 3 | <0.01 | 6 | 860 | 7 | 0.03 | <2 | 1 | 6 |
| L10400N4725E | | 10 | 0.15 | 0.08 | 30 | 0.26 | 2880 | 2 | <0.01 | 13 | 1980 | 13 | 0.07 | <2 | 3 | 15 |
| L10400N4750E | | 10 | 0.09 | 0.09 | 10 | 0.55 | 2130 | 1 | 0.01 | 15 | 2310 | 9 | 0.02 | <2 | 3 | 12 |
| L10400N4775E | | 10 | 0.12 | 0.08 | 10 | 0.17 | 351 | 2 | <0.01 | 9 | 3480 | 16 | 0.05 | 2 | 1 | 17 |
| L10400N4800E | | 10 | 0.09 | 0.09 | 10 | 0.54 | 931 | 1 | 0.01 | 15 | 1100 | 8 | <0.01 | <2 | 4 | 12 |
| L10400N4825E | | 10 | 0.10 | 0.06 | 10 | 0.27 | 442 | 4 | <0.01 | 10 | 790 | 13 | 0.03 | <2 | 2 | 9 |
| L10400N4850E | | 10 | 0.08 | 0.07 | 10 | 0.38 | 443 | 3 | <0.01 | 15 | 2200 | 11 | 0.04 | <2 | 2 | 12 |
| L10400N4875E | | <10 | 0.05 | 0.10 | 10 | 0.39 | 531 | 1 | <0.01 | 13 | 810 | 8 | 0.02 | <2 | 3 | 10 |
| L10400N4875E-B | | <10 | <0.01 | 0.03 | <10 | 0.19 | 150 | <1 | 0.02 | 8 | 370 | <2 | 0.01 | <2 | 1 | 22 |
| L10400N4900E | | <10 | 0.08 | 0.11 | 20 | 0.27 | 1195 | 1 | <0.01 | 10 | 810 | 12 | 0.06 | <2 | 5 | 27 |
| L10400N4925E | | <10 | 0.06 | 0.13 | 10 | 0.15 | 813 | 1 | <0.01 | 3 | 990 | 9 | 0.07 | <2 | 3 | 14 |
| L10400N4950E | | <10 | 0.05 | 0.13 | 10 | 0.15 | 1760 | 1 | <0.01 | 6 | 2290 | 11 | 0.07 | 2 | 3 | 10 |
| L10400N4975E | | <10 | 0.12 | 0.15 | 10 | 0.07 | 1090 | 5 | <0.01 | 6 | 970 | 12 | 0.39 | <2 | 5 | 60 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - C

Total # Pages: 5 (A - C)

Finalized Date: 8-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046916

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Ti % | Ti ppm | U ppm | V ppm | W ppm | Zn ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 |
| L5000E 10700N | | <0.01 | <10 | <10 | 26 | <10 | 80 |
| L10300N4500E | | 0.01 | <10 | <10 | 71 | <10 | 76 |
| L10300N4525E | | 0.02 | <10 | <10 | 84 | <10 | 80 |
| L10300N4550E | | 0.01 | <10 | <10 | 81 | <10 | 92 |
| L10300N4575E | | 0.01 | <10 | <10 | 90 | <10 | 102 |
| L10300N4600E | | 0.01 | <10 | <10 | 37 | <10 | 178 |
| L10300N4625E | | 0.02 | <10 | <10 | 77 | <10 | 100 |
| L10300N4650E | | 0.02 | <10 | <10 | 76 | <10 | 83 |
| L10300N4675E | | 0.04 | <10 | <10 | 64 | <10 | 33 |
| L10300N4700E | | 0.05 | <10 | <10 | 60 | <10 | 49 |
| L10400N4500E | | 0.01 | <10 | <10 | 87 | <10 | 106 |
| L10400N4525E | | 0.01 | <10 | <10 | 85 | <10 | 93 |
| L10400N4525E-D | | 0.01 | <10 | <10 | 67 | <10 | 79 |
| L10400N4550E | | 0.01 | <10 | <10 | 71 | <10 | 124 |
| L10400N4575E | | 0.01 | <10 | <10 | 74 | <10 | 127 |
| L10400N4600E | | 0.01 | <10 | <10 | 61 | <10 | 132 |
| L10400N4625E | | 0.02 | <10 | <10 | 75 | <10 | 92 |
| L10400N4650E | | 0.02 | <10 | <10 | 75 | <10 | 102 |
| L10400N4675E | | 0.01 | <10 | <10 | 73 | <10 | 81 |
| L10400N4700E | | 0.05 | <10 | <10 | 61 | <10 | 33 |
| L10400N4725E | | 0.04 | <10 | <10 | 62 | <10 | 135 |
| L10400N4750E | | 0.02 | <10 | <10 | 55 | <10 | 112 |
| L10400N4775E | | 0.04 | <10 | <10 | 89 | <10 | 35 |
| L10400N4800E | | 0.04 | <10 | <10 | 53 | <10 | 66 |
| L10400N4825E | | 0.01 | <10 | <10 | 69 | <10 | 49 |
| L10400N4850E | | 0.05 | <10 | <10 | 89 | <10 | 39 |
| L10400N4875E | | 0.02 | <10 | <10 | 40 | <10 | 55 |
| L10400N4875E-B | | 0.06 | <10 | <10 | 79 | <10 | 16 |
| L10400N4900E | | 0.01 | <10 | <10 | 33 | <10 | 55 |
| L10400N4925E | | 0.01 | <10 | <10 | 28 | <10 | 51 |
| L10400N4950E | | <0.01 | <10 | <10 | 28 | <10 | 61 |
| L10400N4975E | | <0.01 | <10 | <10 | 18 | <10 | 67 |



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 9-AUG-2004
Account: EIA

CERTIFICATE VA04048310

Project: NGX04-01

P.O. No.:

This report is for 48 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION


| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| SCR-41 | Screen to -180um and save both |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 3 (A - C)

Finalized Date: 9-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048310

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | | | | | | | | | | | | | | |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-------|-----|------|---|----|----|-----|---|------|-----|---|---|---|------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | | | | | | | | | | | | | | |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| 04HWST010 | | 0.14 | <0.005 | <0.2 | 0.51 | 40 | <10 | 310 | 1.2 | <2 | 1.58 | <0.5 | 20 | 5 | 100 | 4.24 | | | | | | | | | | | | | | |
| 04HWST011 | | 0.14 | NSS | <0.2 | 2.03 | 14 | <10 | 200 | 0.8 | <2 | 1.20 | <0.5 | 15 | 29 | 44 | 3.59 | | | | | | | | | | | | | | |
| 04HWST012 | | 0.20 | 0.027 | 0.2 | 1.46 | 22 | <10 | 240 | 1.1 | 2 | 1.58 | <0.5 | 25 | 17 | 219 | 5.28 | | | | | | | | | | | | | | |
| 04RHSL099 | | 0.58 | <0.005 | 1.4 | 0.46 | 12 | <10 | 550 | 1.1 | <2 | 0.44 | <0.5 | 14 | 1 | 42 | 4.69 | | | | | | | | | | | | | | |
| 04RHSL100 | | 0.54 | <0.005 | 1.8 | 0.70 | 16 | <10 | 490 | 1.5 | <2 | 0.34 | <0.5 | 12 | 3 | 41 | 4.64 | | | | | | | | | | | | | | |
| 04RHSL101 | | 0.54 | <0.005 | 1.7 | 0.65 | 22 | <10 | 550 | 1.5 | <2 | 0.32 | <0.5 | 14 | 2 | 46 | 5.18 | | | | | | | | | | | | | | |
| 04RHSL102 | | 0.56 | <0.005 | 1.5 | 0.54 | 19 | <10 | 400 | 1.4 | <2 | 0.33 | <0.5 | 14 | 2 | 39 | 4.59 | | | | | | | | | | | | | | |
| 04RHSL103 | | 0.56 | <0.005 | 2.0 | 0.60 | 21 | <10 | 600 | 1.5 | <2 | 0.35 | <0.5 | 17 | 3 | 52 | 5.29 | | | | | | | | | | | | | | |
| 04RHSL104 | | 0.52 | <0.005 | 2.1 | 0.65 | 26 | <10 | 690 | 1.6 | <2 | 0.35 | 0.5 | 18 | 3 | 58 | 5.13 | | | | | | | | | | | | | | |
| 04RHSL105 | | 0.60 | <0.005 | 3.2 | 0.66 | 22 | <10 | 840 | 1.3 | <2 | 0.42 | 0.6 | 18 | 4 | 73 | 6.19 | | | | | | | | | | | | | | |
| 04RHSL106 | | 0.54 | 0.005 | 2.6 | 0.64 | 21 | <10 | 780 | 1.5 | <2 | 0.34 | <0.5 | 19 | 3 | 82 | 6.11 | | | | | | | | | | | | | | |
| 04RHSL107 | | 0.56 | <0.005 | 2.3 | 0.63 | 21 | <10 | 870 | 1.5 | 2 | 0.39 | <0.5 | 19 | 2 | 73 | 5.96 | | | | | | | | | | | | | | |
| 04RHSL108 | | 0.52 | <0.005 | 2.7 | 0.76 | 19 | <10 | 920 | 1.6 | 2 | 0.41 | <0.5 | 18 | 3 | 82 | 6.16 | | | | | | | | | | | | | | |
| 04RHSL109 | | 0.50 | <0.005 | 2.5 | 0.75 | 19 | <10 | 900 | 1.6 | <2 | 0.41 | <0.5 | 18 | 3 | 83 | 6.00 | | | | | | | | | | | | | | |
| 04RHSL110 | | 0.54 | <0.005 | 2.0 | 0.59 | 15 | <10 | 680 | 1.1 | <2 | 0.40 | <0.5 | 16 | 3 | 69 | 5.34 | | | | | | | | | | | | | | |
| 04RHSL111 | | 0.36 | <0.005 | 2.0 | 0.86 | 25 | <10 | 760 | 1.6 | <2 | 0.37 | <0.5 | 18 | 4 | 89 | 5.75 | | | | | | | | | | | | | | |
| 04RHSL112 | | 0.54 | <0.005 | 1.6 | 0.59 | 12 | <10 | 670 | 1.2 | <2 | 0.50 | <0.5 | 15 | 3 | 50 | 4.60 | | | | | | | | | | | | | | |
| 04RHSL113 | | 0.62 | <0.005 | 2.1 | 0.76 | 25 | <10 | 820 | 1.4 | <2 | 0.47 | <0.5 | 18 | 5 | 75 | 5.36 | | | | | | | | | | | | | | |
| 04RHSL114 | | 0.54 | <0.005 | 1.2 | 1.66 | 18 | <10 | 510 | 1.4 | <2 | 0.53 | <0.5 | 16 | 9 | 54 | 4.98 | | | | | | | | | | | | | | |
| 04RHSL115 | | 0.54 | <0.005 | 2.4 | 1.18 | 14 | <10 | 640 | 1.4 | 2 | 0.43 | <0.5 | 18 | 6 | 73 | 5.86 | | | | | | | | | | | | | | |
| 04RHSL116 | | 0.48 | <0.005 | 2.3 | 0.59 | 13 | <10 | 810 | 1.4 | <2 | 0.44 | <0.5 | 19 | 3 | 73 | 5.32 | | | | | | | | | | | | | | |
| 04RHSL117 | | 0.54 | <0.005 | 1.2 | 0.93 | 21 | <10 | 560 | 1.1 | <2 | 0.57 | <0.5 | 18 | 9 | 64 | 5.04 | | | | | | | | | | | | | | |
| 04RHSL118 | | 0.54 | <0.005 | 1.7 | 0.59 | 20 | <10 | 970 | 1.2 | 2 | 0.44 | <0.5 | 17 | 5 | 61 | 5.03 | | | | | | | | | | | | | | |
| 04RHSL119 | | 0.54 | <0.005 | 0.5 | 1.32 | 13 | <10 | 560 | 1.0 | <2 | 0.64 | 1.1 | 17 | 22 | 44 | 4.34 | | | | | | | | | | | | | | |
| 04RHSL120 | | 0.52 | <0.005 | 0.2 | 0.63 | 5 | <10 | 790 | 1.3 | <2 | 0.42 | 0.8 | 10 | 2 | 24 | 3.70 | | | | | | | | | | | | | | |
| 04RHSL121 | | 0.46 | <0.005 | 0.4 | 0.69 | 15 | <10 | 730 | 1.4 | <2 | 0.32 | <0.5 | 12 | 3 | 20 | 5.03 | | | | | | | | | | | | | | |
| 04RHSL122D | | 0.46 | <0.005 | 0.4 | 0.69 | 15 | <10 | 720 | 1.4 | <2 | 0.32 | <0.5 | 12 | 3 | 16 | 4.99 | | | | | | | | | | | | | | |
| 04RHSL123 | | 0.54 | <0.005 | 3.5 | 0.63 | 52 | <10 | 660 | 1.0 | <2 | 0.47 | 0.6 | 21 | 7 | 79 | 4.96 | | | | | | | | | | | | | | |
| 04RDLSL001 | | 0.68 | 0.005 | 1.9 | 0.60 | 20 | <10 | 860 | 1.7 | <2 | 0.52 | 0.6 | 18 | 2 | 49 | 5.35 | | | | | | | | | | | | | | |
| 04RDLSL002 | | 0.50 | <0.005 | 2.5 | 0.66 | 25 | <10 | 900 | 1.8 | 2 | 0.47 | 0.7 | 20 | 2 | 70 | 5.64 | | | | | | | | | | | | | | |
| 04RDLSL003 | | 0.58 | <0.005 | 2.8 | 0.75 | 29 | <10 | 1100 | 1.8 | 2 | 0.51 | 1.0 | 18 | 3 | 77 | 5.58 | | | | | | | | | | | | | | |
| 04RDLSL004 | | 0.50 | <0.005 | 2.4 | 0.78 | 24 | <10 | 970 | 1.8 | <2 | 0.54 | 0.7 | 19 | 3 | 66 | 6.32 | | | | | | | | | | | | | | |
| 04RDLSL006 | | 0.54 | <0.005 | 14.4 | 0.82 | 42 | <10 | 940 | 1.8 | 2 | 0.49 | 0.5 | 18 | 4 | 132 | 5.90 | | | | | | | | | | | | | | |
| 04RDLSL007 | | 0.50 | <0.005 | 2.8 | 0.84 | 31 | <10 | 1080 | 1.7 | <2 | 0.56 | <0.5 | 19 | 4 | 91 | 5.83 | | | | | | | | | | | | | | |
| 04RDLSL007D | | 0.58 | <0.005 | 2.8 | 0.85 | 30 | <10 | 1090 | 1.6 | <2 | 0.56 | 0.6 | 19 | 4 | 88 | 5.85 | | | | | | | | | | | | | | |
| 04RDLSL008 | | 0.56 | <0.005 | 1.9 | 0.71 | 30 | <10 | 1020 | 1.7 | <2 | 0.48 | 0.8 | 19 | 3 | 79 | 5.99 | | | | | | | | | | | | | | |
| 04RDLSL009 | | 0.54 | 0.007 | 0.8 | 0.98 | 29 | <10 | 630 | 1.6 | <2 | 0.38 | 0.5 | 19 | 5 | 57 | 5.71 | | | | | | | | | | | | | | |
| 04RDLSL010 | | 0.52 | <0.005 | 1.1 | 0.74 | 24 | <10 | 740 | 1.6 | <2 | 0.51 | <0.5 | 16 | 4 | 62 | 4.12 | | | | | | | | | | | | | | |
| 04RDLSL011 | | 0.62 | <0.005 | 1.6 | 1.04 | 44 | <10 | 720 | 1.4 | <2 | 0.42 | 0.5 | 21 | 6 | 81 | 5.01 | | | | | | | | | | | | | | |
| 04RDLSL012 | | 0.64 | <0.005 | 0.7 | 0.69 | 19 | <10 | 690 | 1.5 | 2 | 0.40 | <0.5 | 18 | 3 | 50 | 4.91 | | | | | | | | | | | | | | |

Comments: NSS is non-sufficient sample.



Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048310

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| 04HWST010 | | <10 | 0.13 | 0.19 | <10 | 0.49 | 839 | 1 | <0.01 | 14 | 1750 | 8 | 0.21 | 2 | 15 | 96 |
| 04HWST011 | | <10 | 0.08 | 0.08 | 10 | 0.75 | 1030 | 3 | 0.01 | 21 | 1100 | 9 | 0.07 | <2 | 4 | 104 |
| 04HWST012 | | <10 | 0.11 | 0.12 | 20 | 0.98 | 1180 | 7 | <0.01 | 26 | 1960 | 26 | 0.35 | <2 | 8 | 66 |
| 04RDSL099 | | <10 | 0.07 | 0.17 | 20 | 0.13 | 3270 | <1 | <0.01 | 5 | 1740 | 158 | <0.01 | 6 | 8 | 25 |
| 04RDSL100 | | <10 | 0.06 | 0.18 | 20 | 0.15 | 2820 | <1 | <0.01 | 4 | 1480 | 174 | 0.01 | 7 | 7 | 20 |
| 04RDSL101 | | <10 | 0.09 | 0.18 | 20 | 0.12 | 3540 | 1 | <0.01 | 5 | 1720 | 248 | <0.01 | 10 | 9 | 19 |
| 04RDSL102 | | <10 | 0.06 | 0.16 | 10 | 0.13 | 3110 | 1 | <0.01 | 5 | 1540 | 226 | <0.01 | 9 | 7 | 18 |
| 04RDSL103 | | <10 | 0.12 | 0.16 | 20 | 0.16 | 4320 | 1 | <0.01 | 6 | 1580 | 301 | <0.01 | 9 | 9 | 22 |
| 04RDSL104 | | <10 | 0.12 | 0.18 | 20 | 0.16 | 4660 | <1 | <0.01 | 6 | 1420 | 339 | <0.01 | 11 | 9 | 24 |
| 04RDSL105 | | <10 | 0.22 | 0.17 | 20 | 0.25 | 7710 | 1 | 0.01 | 6 | 1630 | 318 | <0.01 | 12 | 14 | 27 |
| 04RDSL106 | | <10 | 0.16 | 0.18 | 20 | 0.16 | 6400 | 1 | <0.01 | 6 | 1630 | 374 | <0.01 | 13 | 11 | 22 |
| 04RDSL107 | | <10 | 0.12 | 0.18 | 20 | 0.16 | 6910 | <1 | <0.01 | 6 | 1700 | 356 | <0.01 | 11 | 11 | 24 |
| 04RDSL108 | | <10 | 0.17 | 0.17 | 20 | 0.20 | 7330 | <1 | <0.01 | 7 | 1680 | 291 | <0.01 | 11 | 13 | 29 |
| 04RDSL109 | | <10 | 0.16 | 0.17 | 20 | 0.20 | 7130 | 1 | <0.01 | 7 | 1660 | 293 | <0.01 | 11 | 13 | 28 |
| 04RDSL110 | | <10 | 0.12 | 0.16 | 20 | 0.21 | 4920 | <1 | 0.01 | 6 | 1560 | 182 | <0.01 | 12 | 11 | 26 |
| 04RDSL111 | | <10 | 0.14 | 0.15 | 20 | 0.23 | 6540 | 1 | <0.01 | 8 | 1660 | 268 | 0.01 | 11 | 11 | 23 |
| 04RDSL112 | | <10 | 0.07 | 0.20 | 20 | 0.21 | 4320 | <1 | <0.01 | 5 | 1860 | 121 | <0.01 | 7 | 10 | 30 |
| 04RDSL113 | | <10 | 0.11 | 0.17 | 20 | 0.27 | 5970 | <1 | <0.01 | 8 | 1680 | 170 | 0.01 | 10 | 13 | 30 |
| 04RDSL114 | | 10 | 0.07 | 0.18 | 30 | 1.16 | 3910 | 1 | <0.01 | 10 | 1940 | 80 | <0.01 | 4 | 11 | 26 |
| 04RDSL115 | | <10 | 0.12 | 0.17 | 30 | 0.53 | 5600 | 1 | <0.01 | 9 | 1930 | 146 | <0.01 | 6 | 13 | 26 |
| 04RDSL116 | | <10 | 0.13 | 0.18 | 20 | 0.18 | 6320 | <1 | <0.01 | 7 | 1800 | 162 | <0.01 | 7 | 12 | 31 |
| 04RDSL117 | | <10 | 0.09 | 0.17 | 20 | 0.46 | 4260 | 1 | 0.01 | 12 | 1570 | 124 | <0.01 | 6 | 11 | 30 |
| 04RDSL118 | | <10 | 0.14 | 0.18 | 20 | 0.23 | 6200 | 1 | <0.01 | 7 | 1560 | 218 | <0.01 | 11 | 10 | 47 |
| 04RDSL119 | | <10 | 0.06 | 0.17 | 20 | 0.67 | 2590 | 1 | 0.01 | 19 | 1360 | 35 | 0.01 | <2 | 10 | 28 |
| 04RDSL120 | | <10 | 0.03 | 0.20 | 20 | 0.10 | 3080 | 1 | <0.01 | 2 | 1440 | 28 | <0.01 | <2 | 6 | 26 |
| 04RDSL121 | | <10 | 0.08 | 0.18 | 30 | 0.17 | 3300 | 1 | <0.01 | 2 | 1060 | 49 | 0.01 | 4 | 7 | 50 |
| 04RDSL122D | | <10 | 0.08 | 0.19 | 30 | 0.17 | 3140 | 1 | <0.01 | 3 | 1050 | 43 | 0.01 | 4 | 7 | 50 |
| 04RDSL123 | | <10 | 0.29 | 0.14 | 20 | 0.29 | 5990 | 1 | <0.01 | 11 | 1480 | 378 | 0.01 | 23 | 10 | 26 |
| 04RDSL001 | | <10 | 0.15 | 0.21 | 20 | 0.16 | 5760 | <1 | <0.01 | 5 | 1660 | 387 | 0.01 | 12 | 10 | 29 |
| 04RDSL002 | | <10 | 0.14 | 0.20 | 20 | 0.18 | 6080 | <1 | <0.01 | 5 | 1610 | 439 | <0.01 | 12 | 10 | 30 |
| 04RDSL003 | | <10 | 0.16 | 0.20 | 20 | 0.20 | 5760 | 1 | <0.01 | 6 | 1560 | 653 | 0.01 | 12 | 10 | 31 |
| 04RDSL004 | | <10 | 0.20 | 0.21 | 20 | 0.19 | 7640 | <1 | <0.01 | 6 | 1580 | 561 | 0.01 | 9 | 12 | 29 |
| 04RDSL006 | | <10 | 0.70 | 0.18 | 20 | 0.20 | 6860 | 1 | <0.01 | 6 | 1520 | 1700 | 0.02 | 12 | 12 | 27 |
| 04RDSL007 | | <10 | 0.20 | 0.17 | 20 | 0.25 | 8680 | <1 | <0.01 | 7 | 1570 | 593 | 0.02 | 16 | 12 | 31 |
| 04RDSL007D | | <10 | 0.19 | 0.16 | 20 | 0.26 | 8940 | 1 | <0.01 | 8 | 1620 | 585 | 0.02 | 16 | 12 | 32 |
| 04RDSL008 | | <10 | 0.18 | 0.18 | 20 | 0.18 | 7780 | <1 | <0.01 | 6 | 1720 | 466 | 0.02 | 19 | 11 | 27 |
| 04RDSL009 | | <10 | 0.15 | 0.18 | 20 | 0.27 | 6040 | 1 | 0.01 | 8 | 1460 | 249 | <0.01 | 10 | 12 | 21 |
| 04RDSL010 | | <10 | 0.15 | 0.20 | 30 | 0.26 | 4390 | <1 | <0.01 | 8 | 1600 | 197 | <0.01 | 10 | 11 | 26 |
| 04RDSL011 | | <10 | 0.11 | 0.16 | 10 | 0.35 | 5720 | 1 | 0.01 | 8 | 1520 | 240 | <0.01 | 18 | 14 | 28 |
| 04RDSL012 | | <10 | 0.16 | 0.21 | 20 | 0.22 | 4930 | 1 | 0.01 | 7 | 1440 | 152 | <0.01 | 9 | 12 | 21 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048310

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|-----------|----------|----------|----------|-----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 |
| 04HWST010 | | 0.01 | <10 | <10 | 47 | <10 | 68 |
| 04HWST011 | | 0.05 | <10 | <10 | 75 | <10 | 82 |
| 04HWST012 | | 0.01 | <10 | <10 | 65 | <10 | 104 |
| 04RHSLO99 | | 0.03 | <10 | <10 | 85 | <10 | 701 |
| 04RHSLO100 | | 0.04 | <10 | <10 | 86 | <10 | 876 |
| 04RHSLO101 | | 0.03 | <10 | <10 | 91 | <10 | 1200 |
| 04RHSLO102 | | 0.04 | <10 | <10 | 73 | <10 | 1005 |
| 04RHSLO103 | | 0.05 | <10 | <10 | 90 | <10 | 1200 |
| 04RHSLO104 | | 0.03 | <10 | <10 | 83 | <10 | 1190 |
| 04RHSLO105 | | 0.06 | <10 | <10 | 89 | <10 | 1170 |
| 04RHSLO106 | | 0.04 | <10 | <10 | 84 | <10 | 1300 |
| 04RHSLO107 | | 0.03 | <10 | <10 | 82 | <10 | 1230 |
| 04RHSLO108 | | 0.04 | <10 | <10 | 100 | <10 | 1155 |
| 04RHSLO109 | | 0.04 | <10 | <10 | 98 | <10 | 1140 |
| 04RHSLO110 | | 0.04 | <10 | <10 | 88 | <10 | 859 |
| 04RHSLO111 | | 0.04 | <10 | <10 | 89 | <10 | 1055 |
| 04RHSLO112 | | 0.04 | <10 | <10 | 95 | <10 | 539 |
| 04RHSLO113 | | 0.05 | <10 | <10 | 101 | <10 | 960 |
| 04RHSLO114 | | 0.08 | <10 | <10 | 94 | <10 | 488 |
| 04RHSLO115 | | 0.08 | <10 | <10 | 101 | <10 | 949 |
| 04RHSLO116 | | 0.05 | <10 | <10 | 101 | <10 | 830 |
| 04RHSLO117 | | 0.11 | <10 | <10 | 104 | <10 | 582 |
| 04RHSLO118 | | 0.05 | <10 | <10 | 92 | <10 | 776 |
| 04RHSLO119 | | 0.09 | <10 | <10 | 78 | <10 | 168 |
| 04RHSLO120 | | 0.02 | <10 | <10 | 51 | <10 | 182 |
| 04RHSLO121 | | 0.02 | <10 | <10 | 71 | <10 | 224 |
| 04RHSLO122D | | 0.02 | <10 | <10 | 70 | <10 | 203 |
| 04RHSLO123 | | 0.05 | <10 | <10 | 76 | <10 | 1260 |
| 04RDSSL001 | | 0.03 | <10 | <10 | 103 | <10 | 1480 |
| 04RDSSL002 | | 0.04 | <10 | <10 | 102 | <10 | 1385 |
| 04RDSSL003 | | 0.04 | <10 | <10 | 90 | <10 | 1300 |
| 04RDSSL004 | | 0.04 | <10 | <10 | 93 | <10 | 1340 |
| 04RDSSL006 | | 0.02 | <10 | <10 | 84 | <10 | 1705 |
| 04RDSSL007 | | 0.04 | <10 | <10 | 86 | <10 | 1590 |
| 04RDSSL007D | | 0.04 | <10 | <10 | 85 | <10 | 1575 |
| 04RDSSL008 | | 0.02 | <10 | <10 | 82 | <10 | 1605 |
| 04RDSSL009 | | 0.05 | <10 | <10 | 86 | <10 | 1150 |
| 04RDSSL010 | | 0.04 | <10 | <10 | 72 | <10 | 516 |
| 04RDSSL011 | | 0.07 | <10 | <10 | 84 | <10 | 775 |
| 04RDSSL012 | | 0.03 | <10 | <10 | 73 | <10 | 588 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048310

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------------|-----------|-----------|----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|
| | | Recvd Wt. kg | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| 04RDSL013 | | 0.62 | <0.005 | 0.4 | 0.61 | 10 | <10 | 790 | 1.4 | 2 | 0.53 | <0.5 | 15 | 2 | 40 | 4.35 |
| 04RDSL014 | | 0.60 | <0.005 | 1.0 | 0.80 | 22 | <10 | 870 | 1.5 | <2 | 0.54 | <0.5 | 18 | 4 | 63 | 5.26 |
| 04RDSL015 | | 0.50 | <0.005 | 3.2 | 1.25 | 43 | <10 | 1140 | 1.4 | <2 | 0.66 | 0.9 | 25 | 9 | 100 | 6.97 |
| 04RDSL016 | | 0.48 | <0.005 | 2.7 | 1.30 | 41 | <10 | 780 | 1.6 | <2 | 0.65 | <0.5 | 23 | 9 | 112 | 6.58 |
| 04RDSL017 | | 0.56 | <0.005 | 1.8 | 0.83 | 39 | <10 | 800 | 1.8 | <2 | 0.57 | <0.5 | 22 | 4 | 83 | 4.52 |
| 04RDSL018 | | 0.64 | 0.008 | 4.0 | 0.99 | 42 | <10 | 2140 | 1.7 | <2 | 0.63 | <0.5 | 24 | 5 | 122 | 6.48 |
| 04RDSL019 | | 0.60 | 0.005 | 1.3 | 1.75 | 34 | <10 | 550 | 1.2 | <2 | 0.65 | <0.5 | 22 | 11 | 104 | 6.23 |
| 04RDSL020 | | 0.54 | <0.005 | 4.2 | 0.71 | 40 | <10 | 1080 | 1.7 | 2 | 0.52 | 1.5 | 21 | 3 | 135 | 6.53 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048310

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------------|-------------------|----------|-----------------|----------|----------------|----------------|----------|----------------|----------------|----------------|----------|-------------------|----------------|----------------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % | La ppm 10 | Mg % | Mn ppm 5 | Mo ppm 1 | Na % | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % | Sb ppm 0.01 | Sc ppm 2 | Sr ppm 1 |
| 04RDSL013 | | <10 | 0.17 | 0.22 | 20 | 0.17 | 4950 | <1 | <0.01 | 4 | 1690 | 170 | <0.01 | 9 | 12 | 24 |
| 04RDSL014 | | <10 | 0.12 | 0.20 | 20 | 0.31 | 6410 | 1 | 0.01 | 7 | 1600 | 264 | <0.01 | 14 | 12 | 37 |
| 04RDSL015 | | <10 | 0.30 | 0.16 | 20 | 0.48 | >10000 | 1 | <0.01 | 11 | 1480 | 481 | 0.03 | 17 | 17 | 33 |
| 04RDSL016 | | <10 | 0.25 | 0.16 | 20 | 0.55 | 6190 | 1 | <0.01 | 11 | 1600 | 461 | 0.02 | 19 | 15 | 34 |
| 04RDSL017 | | <10 | 0.09 | 0.19 | 20 | 0.31 | 6050 | <1 | <0.01 | 6 | 1500 | 289 | <0.01 | 23 | 10 | 33 |
| 04RDSL018 | | <10 | 0.32 | 0.17 | 30 | 0.32 | >10000 | 1 | <0.01 | 8 | 1430 | 380 | 0.03 | 18 | 14 | 38 |
| 04RDSL019 | | 10 | 0.15 | 0.13 | 20 | 0.78 | 5530 | 1 | 0.01 | 12 | 1460 | 118 | 0.03 | 5 | 12 | 36 |
| 04RDSL020 | | <10 | 0.32 | 0.20 | 20 | 0.17 | 8760 | 1 | <0.01 | 6 | 1580 | 1660 | 0.01 | 47 | 15 | 29 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048310

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|-----------|----------|----------|----------|-----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 |
| 04RDSL013 | | 0.03 | <10 | <10 | 74 | <10 | 509 |
| 04RDSL014 | | 0.06 | <10 | <10 | 81 | <10 | 755 |
| 04RDSL015 | | 0.08 | <10 | <10 | 112 | <10 | 1305 |
| 04RDSL016 | | 0.07 | <10 | <10 | 123 | <10 | 943 |
| 04RDSL017 | | 0.03 | <10 | <10 | 70 | <10 | 639 |
| 04RDSL018 | | 0.04 | <10 | <10 | 104 | <10 | 1230 |
| 04RDSL019 | | 0.13 | <10 | <10 | 129 | <10 | 945 |
| 04RDSL020 | | 0.03 | <10 | <10 | 88 | <10 | 2370 |

Comments: NSS is non-sufficient sample.



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 9-AUG-2004
Account: EIA

CERTIFICATE VA04048311

Project: NGX04-01

P.O. No.:

This report is for 90 Soil samples submitted to our lab in Vancouver, BC, Canada on
26-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| SCR-41 | Screen to -180um and save both |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQUTI ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 9-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048311

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | Au-AA23 Au Check | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Ca | ME-ICP41 Cd | ME-ICP41 Co | ME-ICP41 Cr | ME-ICP41 Cu |
|--------------------|--------------------------|------------------|------------|------------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | kg 0.02 | ppm 0.005 | ppm 0.005 | ppm 0.2 | % 0.01 | ppm 2 | ppm 10 | ppm 10 | ppm 0.5 | ppm 2 | % 0.01 | ppm 0.5 | ppm 1 | ppm 1 | ppm 1 |
| L2000N5150E | | 0.44 | <0.005 | | 0.6 | 1.54 | 5 | <10 | 270 | 1.1 | <2 | 0.11 | <0.5 | 4 | 8 | 9 |
| L2000N5175E | | 0.54 | <0.005 | | <0.2 | 1.02 | 8 | <10 | 710 | 1.5 | <2 | 0.31 | <0.5 | 12 | 3 | 5 |
| L2000N5200E | | 0.48 | <0.005 | | 0.3 | 1.59 | 6 | <10 | 490 | 1.4 | <2 | 0.19 | <0.5 | 9 | 11 | 22 |
| L2000N5225E | | 0.50 | <0.005 | | 1.3 | 0.59 | 13 | <10 | 460 | 1.1 | <2 | 0.36 | <0.5 | 11 | 3 | 36 |
| L2000N5250E | | 0.48 | <0.005 | | 0.9 | 1.45 | 14 | <10 | 390 | 1.3 | <2 | 0.31 | 0.6 | 12 | 13 | 33 |
| L2000N5250ED | | 0.46 | <0.005 | | 1.0 | 1.47 | 12 | <10 | 370 | 1.4 | <2 | 0.30 | <0.5 | 13 | 13 | 34 |
| L2000N5275E | | 0.48 | <0.005 | | 0.4 | 1.27 | 11 | <10 | 450 | 1.3 | <2 | 0.24 | <0.5 | 10 | 7 | 18 |
| L2000N5300E | | 0.52 | NSS | | 1.4 | 0.88 | 14 | <10 | 630 | 1.4 | <2 | 0.62 | <0.5 | 14 | 4 | 37 |
| L2000N5325E | | 0.50 | <0.005 | | 1.4 | 0.84 | 11 | <10 | 680 | 1.5 | <2 | 0.44 | <0.5 | 11 | 4 | 28 |
| L2000N5350E | | 0.66 | <0.005 | | 1.7 | 0.67 | 12 | <10 | 560 | 1.1 | <2 | 0.45 | 0.5 | 16 | 5 | 42 |
| L2000N5375E | | 0.50 | <0.005 | | 2.3 | 0.80 | 13 | <10 | 700 | 1.4 | <2 | 0.34 | <0.5 | 16 | 5 | 48 |
| L2000N5400E | | 0.54 | <0.005 | | 2.1 | 0.69 | 14 | <10 | 640 | 1.2 | <2 | 0.34 | <0.5 | 15 | 3 | 44 |
| L2000N5425E | | 0.54 | <0.005 | | 1.7 | 0.46 | 21 | <10 | 610 | 1.4 | <2 | 0.39 | 0.7 | 16 | 1 | 38 |
| L2000N5450E | | 0.56 | <0.005 | | 2.6 | 0.80 | 16 | <10 | 410 | 1.4 | <2 | 0.27 | <0.5 | 11 | 4 | 38 |
| L2000N5475E | | 0.58 | <0.005 | | 2.4 | 0.51 | 28 | <10 | 430 | 1.3 | <2 | 0.31 | 1.6 | 13 | 2 | 34 |
| L2000N5500E | | 0.56 | <0.005 | | 1.7 | 0.45 | 21 | <10 | 510 | 1.4 | <2 | 0.42 | 1.0 | 13 | 1 | 27 |
| L2000N5525E | | 0.56 | <0.005 | | 1.6 | 0.51 | 20 | <10 | 610 | 1.5 | <2 | 0.44 | 0.5 | 13 | 2 | 30 |
| L2000N5550E | | 0.50 | <0.005 | | 0.7 | 0.45 | 14 | 10 | 290 | 1.7 | <2 | 0.97 | <0.5 | 8 | 1 | 10 |
| L2000N5550EB | | 0.48 | <0.005 | | <0.2 | 0.50 | <2 | <10 | 20 | <0.5 | <2 | 0.28 | <0.5 | 4 | 14 | 6 |
| L2000N5575E | | 0.58 | <0.005 | | 1.3 | 0.40 | 26 | <10 | 550 | 1.2 | <2 | 0.40 | 0.8 | 13 | 2 | 49 |
| L2000N5600E | | 0.60 | <0.005 | | 1.4 | 0.41 | 23 | <10 | 500 | 1.1 | <2 | 0.42 | <0.5 | 12 | 2 | 39 |
| L2000N5625E | | 0.56 | <0.005 | | 0.7 | 0.40 | 17 | <10 | 370 | 1.3 | <2 | 0.42 | <0.5 | 9 | 1 | 17 |
| L2000N5650E | | 0.58 | 0.009 | | 0.7 | 0.41 | 11 | <10 | 440 | 1.2 | <2 | 0.43 | <0.5 | 9 | 1 | 31 |
| L2000N5675E | | 0.60 | <0.005 | | 1.6 | 0.47 | 146 | <10 | 980 | 1.7 | <2 | 0.49 | 0.5 | 19 | 1 | 34 |
| L2000N5700E | | 0.54 | <0.005 | | <0.2 | 0.62 | 19 | 10 | 1690 | 1.7 | <2 | 0.55 | <0.5 | 16 | 3 | 35 |
| L2000N5725E | | 0.56 | <0.005 | | 0.6 | 1.02 | 30 | <10 | 1800 | 1.8 | <2 | 0.38 | <0.5 | 21 | 6 | 48 |
| L2000N5750E | | 0.54 | <0.005 | | 0.3 | 0.82 | 47 | <10 | 410 | 0.7 | <2 | 0.07 | <0.5 | 15 | 5 | 60 |
| L2000N5775E | | 0.54 | <0.005 | | 1.0 | 0.39 | 237 | <10 | 120 | <0.5 | <2 | 0.01 | <0.5 | 6 | 2 | 35 |
| L2000N5800E | | 0.54 | <0.005 | | 0.6 | 0.46 | 334 | <10 | 300 | <0.5 | <2 | 0.02 | <0.5 | 17 | 7 | 78 |
| L2000N5800ED | | 0.50 | <0.005 | | 0.6 | 0.47 | 330 | <10 | 220 | <0.5 | <2 | 0.02 | <0.5 | 18 | 6 | 76 |
| L2000N5825E | | 0.52 | <0.005 | | 2.3 | 0.58 | 134 | <10 | 900 | 1.6 | <2 | 0.49 | 1.6 | 26 | 5 | 80 |
| L2000N5850E | | 0.52 | <0.005 | | 0.5 | 2.38 | 29 | <10 | 140 | 0.9 | <2 | 0.55 | <0.5 | 39 | 154 | 83 |
| L2000N5875E | | 0.54 | 0.006 | | 0.7 | 3.26 | 49 | <10 | 200 | 1.0 | <2 | 0.50 | 0.8 | 39 | 34 | 198 |
| L2000N5900E | | 0.58 | 0.011 | | 0.8 | 2.53 | 46 | <10 | 110 | 0.7 | <2 | 0.50 | 1.5 | 32 | 33 | 237 |
| L2100N5675E | | 0.44 | <0.005 | | 0.3 | 2.97 | 40 | <10 | 100 | 2.2 | <2 | 0.27 | <0.5 | 14 | 16 | 52 |
| L2100N5700E | | 0.50 | <0.005 | | 0.4 | 3.19 | 61 | <10 | 80 | 2.0 | <2 | 0.41 | 0.9 | 24 | 24 | 113 |
| L2100N5725E | | 0.80 | 0.005 | | 0.4 | 2.72 | 63 | 10 | 160 | 1.0 | <2 | 0.74 | 1.0 | 25 | 24 | 260 |
| L2100N5750E | | 0.52 | <0.005 | | 0.4 | 3.17 | 64 | 10 | 70 | 1.3 | <2 | 0.55 | 1.0 | 27 | 16 | 219 |
| L2100N5775E | | 0.56 | <0.005 | | 0.9 | 0.99 | 190 | <10 | 230 | 0.5 | <2 | 0.09 | <0.5 | 11 | 9 | 36 |
| L2100N5800E | | 0.62 | <0.005 | | 1.1 | 1.20 | 176 | <10 | 420 | 0.7 | <2 | 0.14 | <0.5 | 12 | 14 | 47 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

JOEQUIN ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - D

Total # Pages: 4 (A - C)

Finalized Date: 9-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048311

| Sample Description | Method | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|-------------------|----------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte Units LOR | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm |
| L2000N5150E | | 3.26 | 10 | 0.06 | 0.08 | 10 | 0.13 | 783 | 1 | 0.02 | 4 | 1090 | 14 | 0.06 | <2 | 1 |
| L2000N5175E | | 3.84 | <10 | 0.05 | 0.14 | 20 | 0.09 | 3330 | 1 | <0.01 | 3 | 1220 | 11 | 0.01 | <2 | 3 |
| L2000N5200E | | 4.21 | <10 | 0.05 | 0.12 | 20 | 0.18 | 2350 | 1 | <0.01 | 6 | 1340 | 18 | 0.03 | <2 | 2 |
| L2000N5225E | | 4.33 | <10 | 0.06 | 0.16 | 20 | 0.12 | 2610 | 1 | <0.01 | 4 | 1550 | 123 | <0.01 | 5 | 6 |
| L2000N5250E | | 4.40 | 10 | 0.04 | 0.13 | 20 | 0.33 | 2350 | 1 | <0.01 | 12 | 1600 | 83 | <0.01 | 2 | 7 |
| L2000N5250ED | | 4.42 | 10 | 0.04 | 0.14 | 20 | 0.35 | 2360 | 1 | <0.01 | 12 | 1590 | 83 | <0.01 | 2 | 7 |
| L2000N5275E | | 4.39 | 10 | 0.05 | 0.12 | 20 | 0.12 | 2290 | 1 | <0.01 | 4 | 1720 | 62 | 0.06 | 2 | 1 |
| L2000N5300E | | 4.68 | <10 | 0.12 | 0.17 | 30 | 0.17 | 3560 | 1 | <0.01 | 5 | 2040 | 131 | 0.05 | 5 | 6 |
| L2000N5325E | | 4.57 | <10 | 0.05 | 0.18 | 20 | 0.16 | 2830 | 1 | <0.01 | 5 | 1560 | 116 | <0.01 | 4 | 7 |
| L2000N5350E | | 4.70 | <10 | 0.05 | 0.17 | 20 | 0.27 | 3410 | <1 | 0.01 | 8 | 1560 | 112 | <0.01 | 5 | 8 |
| L2000N5375E | | 4.91 | <10 | 0.07 | 0.20 | 20 | 0.20 | 4370 | 1 | <0.01 | 7 | 1520 | 123 | <0.01 | 4 | 10 |
| L2000N5400E | | 4.77 | <10 | 0.08 | 0.19 | 20 | 0.17 | 3980 | 1 | <0.01 | 6 | 1740 | 126 | 0.01 | 3 | 9 |
| L2000N5425E | | 4.56 | <10 | 0.07 | 0.20 | 20 | 0.09 | 4100 | <1 | <0.01 | 3 | 1580 | 254 | <0.01 | 9 | 9 |
| L2000N5450E | | 4.43 | <10 | 0.05 | 0.18 | 20 | 0.15 | 3080 | <1 | <0.01 | 5 | 1530 | 159 | 0.01 | 8 | 8 |
| L2000N5475E | | 3.90 | <10 | 0.09 | 0.18 | 20 | 0.10 | 3500 | 1 | <0.01 | 4 | 1480 | 304 | 0.01 | 12 | 7 |
| L2000N5500E | | 3.67 | <10 | 0.07 | 0.20 | 20 | 0.10 | 3830 | <1 | <0.01 | 3 | 1560 | 226 | 0.01 | 13 | 8 |
| L2000N5525E | | 4.21 | <10 | 0.06 | 0.22 | 20 | 0.10 | 4450 | <1 | <0.01 | 4 | 1630 | 235 | 0.01 | 13 | 9 |
| L2000N5550E | | 3.18 | <10 | 0.04 | 0.26 | 10 | 0.11 | 2180 | <1 | <0.01 | 3 | 1800 | 159 | 0.01 | 22 | 9 |
| L2000N5550EB | | 2.01 | <10 | 0.01 | 0.03 | <10 | 0.19 | 154 | <1 | 0.01 | 6 | 370 | <2 | <0.01 | <2 | 1 |
| L2000N5575E | | 4.32 | <10 | 0.09 | 0.19 | 10 | 0.11 | 3250 | <1 | <0.01 | 5 | 1420 | 303 | <0.01 | 11 | 7 |
| L2000N5600E | | 4.03 | <10 | 0.08 | 0.20 | 10 | 0.10 | 2600 | <1 | <0.01 | 4 | 1480 | 250 | <0.01 | 9 | 7 |
| L2000N5625E | | 3.57 | <10 | 0.08 | 0.24 | 10 | 0.07 | 1830 | <1 | <0.01 | 2 | 1470 | 149 | <0.01 | 6 | 6 |
| L2000N5650E | | 2.98 | <10 | 0.13 | 0.23 | 10 | 0.08 | 2010 | <1 | <0.01 | 3 | 1370 | 117 | <0.01 | 6 | 6 |
| L2000N5675E | | 5.16 | <10 | 1.19 | 0.24 | 20 | 0.08 | 6790 | 2 | <0.01 | 4 | 1580 | 1855 | 0.06 | 31 | 10 |
| L2000N5700E | | 3.78 | <10 | 0.36 | 0.24 | 20 | 0.13 | 8560 | 1 | <0.01 | 6 | 1360 | 261 | <0.01 | 13 | 9 |
| L2000N5725E | | 5.54 | <10 | 0.49 | 0.18 | 20 | 0.27 | 9280 | 1 | 0.02 | 8 | 1640 | 466 | 0.01 | 15 | 16 |
| L2000N5750E | | 4.79 | <10 | 0.06 | 0.26 | 10 | 0.17 | 1565 | 1 | <0.01 | 5 | 1520 | 42 | 0.17 | 13 | 8 |
| L2000N5775E | | 7.10 | <10 | 0.20 | 0.55 | 20 | 0.04 | 338 | 9 | <0.01 | 3 | 2730 | 154 | 1.02 | 50 | 6 |
| L2000N5800E | | 10.30 | <10 | 0.51 | 0.39 | 10 | 0.12 | 1925 | 14 | <0.01 | 7 | 3220 | 259 | 0.82 | 114 | 13 |
| L2000N5800ED | | 10.20 | <10 | 0.55 | 0.42 | 10 | 0.11 | 2020 | 14 | <0.01 | 7 | 3170 | 264 | 0.88 | 107 | 13 |
| L2000N5825E | | 4.41 | <10 | 0.25 | 0.21 | 20 | 0.18 | 4060 | 1 | <0.01 | 13 | 2050 | 180 | 0.03 | 31 | 7 |
| L2000N5850E | | 6.02 | <10 | 0.08 | 0.14 | 20 | 1.91 | 1470 | 2 | <0.01 | 160 | 1630 | 13 | 0.01 | 3 | 18 |
| L2000N5875E | | 7.94 | 10 | 0.27 | 0.08 | 30 | 1.85 | 2600 | 6 | <0.01 | 52 | 1520 | 24 | 0.02 | 3 | 13 |
| L2000N5900E | | 6.90 | 10 | 0.04 | 0.08 | 20 | 1.58 | 1570 | 6 | <0.01 | 52 | 1440 | 24 | 0.08 | 4 | 9 |
| L2000N5675E | | 4.78 | 10 | 0.09 | 0.07 | 20 | 0.44 | 1610 | 2 | 0.02 | 11 | 1340 | 140 | 0.09 | 2 | 6 |
| L2000N5700E | | 5.72 | 10 | 0.07 | 0.08 | 20 | 0.98 | 2350 | 3 | 0.03 | 30 | 1400 | 153 | 0.06 | <2 | 13 |
| L2000N5725E | | 5.69 | 10 | 0.05 | 0.09 | 10 | 1.31 | 2710 | 1 | 0.01 | 23 | 1250 | 142 | 0.01 | <2 | 17 |
| L2000N5750E | | 5.94 | 10 | 0.05 | 0.10 | 10 | 1.47 | 2790 | 1 | 0.04 | 18 | 1320 | 128 | 0.02 | <2 | 14 |
| L2000N5775E | | 6.80 | <10 | 0.49 | 0.42 | 20 | 0.22 | 1205 | 11 | 0.01 | 10 | 2450 | 151 | 0.66 | 54 | 9 |
| L2000N5800E | | 5.81 | <10 | 1.92 | 0.32 | 20 | 0.32 | 1040 | 7 | 0.01 | 16 | 1920 | 146 | 0.48 | 62 | 7 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 of 4
Total # Pages: 4 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048311

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|-----------|-----------|----------|----------|----------|----------|
| | | Sr ppm 1 | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| L2000N5150E | | 10 | 0.05 | <10 | <10 | 57 | <10 | 118 |
| L2000N5175E | | 14 | 0.01 | <10 | <10 | 48 | <10 | 66 |
| L2000N5200E | | 13 | 0.03 | <10 | <10 | 72 | <10 | 140 |
| L2000N5225E | | 18 | 0.04 | <10 | <10 | 86 | <10 | 538 |
| L2000N5250E | | 15 | 0.09 | <10 | <10 | 88 | <10 | 398 |
| L2000N5250ED | | 16 | 0.10 | <10 | <10 | 89 | <10 | 400 |
| L2000N5275E | | 15 | 0.02 | <10 | <10 | 77 | <10 | 303 |
| L2000N5300E | | 27 | 0.02 | <10 | <10 | 81 | <10 | 655 |
| L2000N5325E | | 27 | 0.03 | <10 | <10 | 78 | <10 | 540 |
| L2000N5350E | | 30 | 0.09 | <10 | <10 | 97 | <10 | 568 |
| L2000N5375E | | 27 | 0.05 | <10 | <10 | 93 | <10 | 651 |
| L2000N5400E | | 25 | 0.05 | <10 | <10 | 97 | <10 | 673 |
| L2000N5425E | | 27 | 0.03 | <10 | <10 | 89 | <10 | 1020 |
| L2000N5450E | | 21 | 0.05 | <10 | <10 | 103 | <10 | 833 |
| L2000N5475E | | 18 | 0.05 | <10 | <10 | 93 | <10 | 888 |
| L2000N5500E | | 24 | 0.05 | <10 | <10 | 93 | <10 | 869 |
| L2000N5525E | | 26 | 0.05 | <10 | <10 | 107 | <10 | 916 |
| L2000N5550E | | 37 | 0.05 | <10 | <10 | 95 | <10 | 607 |
| L2000N5550EB | | 22 | 0.06 | <10 | <10 | 71 | <10 | 17 |
| L2000N5575E | | 26 | 0.04 | <10 | <10 | 88 | <10 | 762 |
| L2000N5600E | | 25 | 0.04 | <10 | <10 | 79 | <10 | 516 |
| L2000N5625E | | 26 | 0.05 | <10 | <10 | 78 | <10 | 292 |
| L2000N5650E | | 30 | 0.02 | <10 | <10 | 54 | <10 | 368 |
| L2000N5675E | | 30 | 0.01 | <10 | <10 | 75 | <10 | 4470 |
| L2000N5700E | | 41 | 0.03 | <10 | <10 | 76 | <10 | 874 |
| L2000N5725E | | 33 | 0.11 | <10 | <10 | 113 | <10 | 2770 |
| L2000N5750E | | 24 | 0.03 | <10 | <10 | 47 | <10 | 128 |
| L2000N5775E | | 140 | 0.01 | <10 | <10 | 43 | <10 | 68 |
| L2000N5800E | | 112 | 0.03 | <10 | <10 | 74 | <10 | 142 |
| L2000N5800ED | | 122 | 0.02 | <10 | <10 | 73 | <10 | 136 |
| L2000N5825E | | 31 | 0.01 | <10 | <10 | 34 | <10 | 350 |
| L2000N5850E | | 13 | 0.04 | <10 | <10 | 98 | <10 | 154 |
| L2000N5875E | | 16 | 0.10 | <10 | <10 | 174 | <10 | 211 |
| L2000N5900E | | 13 | 0.05 | <10 | <10 | 173 | <10 | 229 |
| L2100N5675E | | 15 | 0.26 | <10 | <10 | 108 | <10 | 337 |
| L2100N5700E | | 18 | 0.33 | <10 | <10 | 140 | <10 | 454 |
| L2100N5725E | | 49 | 0.33 | <10 | <10 | 171 | <10 | 512 |
| L2100N5750E | | 37 | 0.33 | <10 | <10 | 168 | <10 | 646 |
| L2100N5775E | | 84 | 0.07 | <10 | <10 | 53 | <10 | 92 |
| L2100N5800E | | 92 | 0.07 | <10 | <10 | 56 | <10 | 108 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 9-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048311

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | Au-AA23 Au Check | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Ca | ME-ICP41 Cd | ME-ICP41 Co | ME-ICP41 Cr | ME-ICP41 Cu |
|--------------------|--------------------------|------------------|------------|------------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | kg | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm |
| | | 0.02 | 0.005 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 |
| L2100N5825ED | | 0.64 | <0.005 | | 1.1 | 1.27 | 183 | <10 | 730 | 0.7 | <2 | 0.14 | <0.5 | 13 | 14 | 48 |
| L2100N5825E | | 0.54 | <0.005 | | 1.4 | 0.96 | 164 | <10 | 460 | 0.6 | <2 | 0.07 | <0.5 | 14 | 15 | 52 |
| L2200N5575E | | 0.74 | <0.005 | | 1.8 | 0.42 | 24 | <10 | 820 | 1.7 | <2 | 0.31 | 0.8 | 17 | 2 | 55 |
| L2200N5575ED | | 0.74 | 0.018 | | 1.7 | 0.45 | 26 | <10 | 820 | 1.7 | <2 | 0.31 | 0.9 | 16 | 2 | 55 |
| L2200N5600E | | 0.66 | <0.005 | | 2.4 | 0.58 | 35 | <10 | 990 | 1.7 | <2 | 0.35 | 0.6 | 19 | 3 | 73 |
| L2200N5625E | | 0.54 | <0.005 | | 2.2 | 0.59 | 26 | <10 | 940 | 1.5 | <2 | 0.30 | 0.7 | 16 | 4 | 59 |
| L2200N5650E | | 0.64 | <0.005 | | 1.3 | 0.66 | 14 | <10 | 440 | 1.3 | <2 | 0.12 | 0.8 | 19 | 4 | 57 |
| L2200N5675E | | 0.72 | <0.005 | | 1.5 | 2.30 | 40 | <10 | 130 | 1.2 | <2 | 0.34 | <0.5 | 18 | 20 | 98 |
| L2300N5575E | | 0.56 | <0.005 | | 1.6 | 0.97 | 29 | <10 | 960 | 1.5 | <2 | 0.54 | 0.5 | 16 | 7 | 86 |
| L2300N5575ED | | 0.50 | <0.005 | | 1.5 | 0.98 | 29 | <10 | 940 | 1.5 | <2 | 0.55 | <0.5 | 17 | 7 | 85 |
| L2300N5600E | | 0.54 | <0.005 | | 1.0 | 0.76 | 29 | <10 | 730 | 1.4 | <2 | 0.48 | 0.7 | 18 | 5 | 61 |
| L2300N5625E | | 0.54 | <0.005 | | 0.7 | 0.90 | 24 | <10 | 590 | 1.3 | <2 | 0.60 | 0.5 | 18 | 7 | 55 |
| L2300N5650E | | 0.56 | <0.005 | | 1.0 | 1.52 | 43 | <10 | 370 | 1.6 | <2 | 0.61 | 0.9 | 20 | 14 | 89 |
| L2300N5675E | | 0.48 | <0.005 | | 0.5 | 2.64 | 41 | <10 | 130 | 0.9 | <2 | 0.55 | 0.9 | 26 | 27 | 110 |
| L10300N4725E | | 0.26 | 0.007 | | 0.6 | 2.29 | 27 | <10 | 150 | 0.5 | <2 | 0.13 | <0.5 | 7 | 19 | 40 |
| L10300N4750E | | 0.50 | 0.124 | NSS | 2.2 | 0.35 | 175 | <10 | 160 | 0.8 | <2 | 0.56 | 0.5 | 24 | 1 | 52 |
| L10300N4775E | | 0.24 | <0.005 | | <0.2 | 1.34 | 15 | <10 | 520 | 1.0 | <2 | 0.40 | <0.5 | 16 | 10 | 30 |
| L10300N4800E | | 0.36 | <0.005 | | <0.2 | 0.82 | 11 | <10 | 780 | <0.5 | <2 | 0.25 | <0.5 | 4 | 2 | 14 |
| L10300N4800EB | | 0.44 | <0.005 | | <0.2 | 0.49 | <2 | <10 | 20 | <0.5 | <2 | 0.32 | <0.5 | 4 | 19 | 6 |
| L10300N4825E | | 0.24 | <0.005 | | 0.4 | 0.75 | 62 | <10 | 1340 | 0.5 | <2 | 0.30 | <0.5 | 6 | 3 | 46 |
| L10300N4850E | | 0.42 | <0.005 | | <0.2 | 0.85 | <2 | <10 | 1080 | 0.9 | <2 | 0.15 | <0.5 | 5 | 2 | 4 |
| L10300N4875E | | 0.18 | <0.005 | | <0.2 | 0.60 | <2 | <10 | 780 | 0.6 | <2 | 0.53 | <0.5 | 6 | 2 | 5 |
| L10300N4900E | | 0.46 | <0.005 | | <0.2 | 0.57 | 4 | <10 | 730 | 0.9 | <2 | 0.33 | <0.5 | 5 | 1 | 4 |
| L10300N4925E | | 0.24 | <0.005 | | <0.2 | 0.34 | 33 | 10 | 270 | 1.1 | <2 | 0.63 | <0.5 | 14 | 1 | 14 |
| L10300N4950E | | 0.52 | <0.005 | | 0.2 | 0.35 | 48 | 10 | 200 | 1.0 | <2 | 0.66 | <0.5 | 13 | 1 | 16 |
| L10700N4400E | | 0.42 | 0.017 | | 0.3 | 1.86 | 40 | <10 | 310 | 0.8 | <2 | 1.05 | <0.5 | 28 | 23 | 122 |
| L10700N4425E | | 0.24 | 0.012 | | 0.3 | 2.02 | 37 | <10 | 250 | 0.8 | <2 | 0.78 | <0.5 | 24 | 25 | 90 |
| L10700N4450E | | 0.42 | 0.019 | | 0.4 | 2.05 | 42 | <10 | 300 | 0.8 | <2 | 0.87 | <0.5 | 24 | 26 | 134 |
| L10700N4475E | | 0.26 | 0.010 | | 0.2 | 2.08 | 26 | <10 | 200 | 0.8 | <2 | 0.51 | <0.5 | 22 | 26 | 73 |
| L10700N4500E | | 0.36 | 0.013 | | 0.3 | 2.14 | 22 | <10 | 270 | 0.9 | <2 | 0.98 | <0.5 | 22 | 29 | 87 |
| L10700N4525E | | 0.26 | 0.011 | | 0.4 | 2.14 | 18 | <10 | 240 | 0.8 | <2 | 0.94 | <0.5 | 21 | 29 | 87 |
| L10700N4550E | | 0.40 | <0.005 | | 0.2 | 0.91 | 8 | <10 | 380 | 1.2 | <2 | 0.64 | <0.5 | 9 | 8 | 30 |
| L10700N4550ED | | 0.36 | <0.005 | | 0.2 | 0.88 | 6 | <10 | 420 | 1.2 | <2 | 0.72 | <0.5 | 8 | 7 | 24 |
| L10700N4575E | | 0.24 | 0.011 | | 0.2 | 1.53 | 19 | <10 | 250 | 0.9 | <2 | 0.96 | 0.6 | 22 | 21 | 76 |
| L10700N4600E | | 0.36 | 0.009 | | 0.2 | 1.65 | 19 | <10 | 280 | 0.7 | <2 | 0.76 | <0.5 | 18 | 20 | 54 |
| L10700N4625E | | 0.22 | <0.005 | | 0.2 | 0.46 | 20 | 10 | 420 | 1.1 | <2 | 0.47 | <0.5 | 13 | 2 | 37 |
| L10700N4650E | | 0.44 | 0.008 | | 0.3 | 1.00 | 15 | <10 | 520 | 1.0 | <2 | 0.77 | <0.5 | 20 | 11 | 57 |
| L10700N4675E | | 0.34 | 0.011 | | 0.3 | 1.22 | 30 | <10 | 290 | 1.3 | <2 | 1.44 | 0.7 | 25 | 16 | 94 |
| L10700N4700E | | 0.40 | <0.005 | | 0.3 | 1.64 | 15 | <10 | 380 | 0.8 | <2 | 0.22 | <0.5 | 5 | 14 | 31 |
| L10700N4725E | | 0.22 | <0.005 | | 0.3 | 2.11 | 20 | <10 | 410 | 0.7 | <2 | 0.23 | 0.6 | 9 | 17 | 44 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048311

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm |
| | | 0.01 | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 |
| L2100N5825ED | | 6.01 | <10 | 1.88 | 0.29 | 20 | 0.33 | 1190 | 8 | 0.01 | 17 | 1970 | 151 | 0.46 | 65 | 7 |
| L2100N5825E | | 5.83 | <10 | 0.58 | 0.34 | 20 | 0.34 | 866 | 7 | 0.01 | 24 | 1760 | 136 | 0.55 | 68 | 8 |
| L2200N5575E | | 4.24 | <10 | 0.08 | 0.18 | 10 | 0.11 | 4900 | <1 | <0.01 | 4 | 1180 | 407 | <0.01 | 13 | 7 |
| L2200N5575ED | | 4.23 | <10 | 0.09 | 0.20 | 10 | 0.11 | 4870 | <1 | <0.01 | 5 | 1180 | 407 | <0.01 | 13 | 7 |
| L2200N5600E | | 4.83 | <10 | 0.12 | 0.18 | 10 | 0.20 | 5670 | 1 | 0.01 | 7 | 1300 | 423 | <0.01 | 14 | 9 |
| L2200N5625E | | 4.41 | <10 | 0.17 | 0.16 | 10 | 0.21 | 5780 | 1 | 0.01 | 7 | 1200 | 279 | <0.01 | 9 | 7 |
| L2200N5650E | | 4.62 | <10 | 0.24 | 0.18 | 20 | 0.15 | 6390 | 1 | <0.01 | 6 | 860 | 158 | 0.01 | 4 | 9 |
| L2200N5675E | | 4.69 | 10 | 0.19 | 0.15 | 20 | 0.70 | 1925 | 2 | 0.04 | 18 | 1620 | 160 | 0.03 | 2 | 12 |
| L2300N5575E | | 4.94 | <10 | 0.17 | 0.18 | 20 | 0.34 | 6450 | 1 | <0.01 | 8 | 1430 | 339 | 0.02 | 13 | 13 |
| L2300N5575ED | | 4.96 | <10 | 0.16 | 0.18 | 20 | 0.34 | 6290 | 1 | <0.01 | 9 | 1500 | 334 | 0.02 | 14 | 13 |
| L2300N5600E | | 4.92 | <10 | <0.01 | 0.16 | 20 | 0.26 | 5510 | 1 | <0.01 | 7 | 1620 | 412 | 0.01 | 12 | 11 |
| L2300N5625E | | 5.06 | <10 | 0.01 | 0.18 | 10 | 0.39 | 3550 | 1 | <0.01 | 10 | 1620 | 339 | 0.01 | 7 | 10 |
| L2300N5650E | | 5.50 | 10 | 0.11 | 0.15 | 10 | 0.68 | 4170 | 1 | 0.02 | 13 | 1250 | 309 | 0.02 | 7 | 13 |
| L2300N5675E | | 4.66 | 10 | 0.07 | 0.14 | 20 | 1.09 | 1585 | 2 | 0.07 | 27 | 1260 | 140 | 0.03 | 3 | 14 |
| L10300N4725E | | 5.56 | 10 | 0.19 | 0.08 | 10 | 0.26 | 315 | 2 | <0.01 | 8 | 1320 | 24 | 0.04 | <2 | 2 |
| L10300N4750E | | 5.02 | <10 | 0.13 | 0.13 | 10 | 0.11 | 2020 | 1 | <0.01 | 4 | 1330 | 27 | 0.21 | 5 | 6 |
| L10300N4775E | | 3.27 | <10 | 0.01 | 0.11 | 20 | 0.20 | 2480 | 1 | <0.01 | 7 | 1720 | 14 | 0.06 | <2 | 2 |
| L10300N4800E | | 2.10 | <10 | <0.01 | 0.13 | 10 | 0.07 | 264 | 1 | <0.01 | 1 | 760 | 4 | 0.04 | <2 | 3 |
| L10300N4800EB | | 2.50 | <10 | <0.01 | 0.03 | 10 | 0.18 | 162 | <1 | 0.01 | 6 | 420 | <2 | 0.01 | <2 | 1 |
| L10300N4825E | | 1.86 | <10 | <0.01 | 0.17 | 10 | 0.05 | 1090 | 1 | <0.01 | 2 | 880 | 5 | 0.04 | 16 | 1 |
| L10300N4850E | | 2.20 | <10 | <0.01 | 0.12 | 10 | 0.05 | 286 | <1 | <0.01 | 2 | 630 | 2 | 0.02 | <2 | 3 |
| L10300N4875E | | 1.97 | <10 | 0.08 | 0.15 | 10 | 0.06 | 1490 | <1 | <0.01 | 2 | 1340 | 6 | 0.03 | <2 | 4 |
| L10300N4900E | | 1.52 | <10 | 0.07 | 0.14 | 20 | 0.05 | 1440 | 1 | <0.01 | 2 | 500 | 7 | 0.02 | <2 | 3 |
| L10300N4925E | | 2.87 | <10 | 0.07 | 0.14 | 10 | 0.05 | 1045 | 1 | <0.01 | 5 | 540 | 12 | 0.11 | 2 | 6 |
| L10300N4950E | | 3.57 | <10 | 0.14 | 0.13 | 10 | 0.07 | 728 | 2 | <0.01 | 7 | 570 | 13 | 0.24 | <2 | 6 |
| L10700N4400E | | 5.58 | 10 | 0.05 | 0.14 | 10 | 0.99 | 1305 | 3 | 0.02 | 27 | 1460 | 14 | 0.53 | <2 | 8 |
| L10700N4425E | | 4.85 | 10 | 0.01 | 0.16 | 10 | 0.94 | 1140 | 2 | 0.02 | 25 | 1500 | 14 | 0.20 | <2 | 8 |
| L10700N4450E | | 5.66 | 10 | 0.06 | 0.14 | 20 | 0.92 | 1220 | 4 | 0.01 | 27 | 1240 | 18 | 0.13 | <2 | 10 |
| L10700N4475E | | 4.59 | 10 | 0.03 | 0.12 | 10 | 0.86 | 1060 | 3 | 0.01 | 23 | 1320 | 13 | 0.06 | 2 | 6 |
| L10700N4500E | | 4.81 | <10 | <0.01 | 0.12 | 20 | 1.04 | 1245 | 2 | 0.03 | 36 | 1440 | 14 | 0.11 | 3 | 10 |
| L10700N4525E | | 4.67 | 10 | 0.06 | 0.14 | 20 | 1.10 | 1065 | 2 | 0.03 | 38 | 1440 | 15 | 0.07 | 2 | 9 |
| L10700N4550E | | 2.29 | <10 | 0.02 | 0.21 | 20 | 0.32 | 494 | 1 | <0.01 | 9 | 1200 | 11 | 0.03 | <2 | 5 |
| L10700N4550ED | | 2.35 | <10 | 0.03 | 0.22 | 20 | 0.29 | 559 | 1 | <0.01 | 8 | 1230 | 9 | 0.02 | <2 | 5 |
| L10700N4575E | | 4.55 | <10 | 0.05 | 0.13 | 20 | 0.77 | 1290 | 2 | 0.01 | 24 | 1880 | 15 | 0.18 | <2 | 8 |
| L10700N4600E | | 4.23 | <10 | 0.01 | 0.10 | 10 | 0.86 | 867 | 2 | 0.02 | 27 | 1120 | 13 | 0.14 | 2 | 6 |
| L10700N4625E | | 2.87 | <10 | 0.04 | 0.21 | 10 | 0.13 | 784 | 1 | <0.01 | 5 | 750 | 7 | 0.05 | <2 | 6 |
| L10700N4650E | | 4.31 | <10 | 0.06 | 0.16 | 20 | 0.41 | 1440 | 3 | <0.01 | 14 | 1340 | 14 | 0.09 | <2 | 9 |
| L10700N4675E | | 6.17 | <10 | 0.09 | 0.14 | 20 | 0.67 | 1675 | 5 | <0.01 | 28 | 2170 | 20 | 0.28 | <2 | 11 |
| L10700N4700E | | 4.30 | 10 | 0.12 | 0.07 | 20 | 0.16 | 262 | 2 | <0.01 | 7 | 1240 | 11 | 0.06 | <2 | 2 |
| L10700N4725E | | 5.55 | 10 | 0.14 | 0.12 | 10 | 0.37 | 390 | 3 | <0.01 | 9 | 1160 | 8 | 0.07 | <2 | 2 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUIP ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - v
Total # Pages: 4 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048311

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|-----------|-----------|----------|----------|----------|----------|
| | | Sr ppm 1 | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| L2100N5825ED | | 88 | 0.07 | <10 | <10 | 56 | <10 | 110 |
| L2100N5825E | | 99 | 0.03 | <10 | <10 | 47 | <10 | 98 |
| L2200N5575E | | 26 | 0.02 | <10 | <10 | 64 | <10 | 1205 |
| L2200N5575ED | | 27 | 0.02 | <10 | <10 | 65 | <10 | 1225 |
| L2200N5600E | | 28 | 0.03 | <10 | <10 | 82 | <10 | 1300 |
| L2200N5625E | | 24 | 0.03 | <10 | <10 | 72 | <10 | 1125 |
| L2200N5650E | | 11 | 0.04 | <10 | <10 | 85 | <10 | 1205 |
| L2200N5675E | | 23 | 0.27 | <10 | <10 | 115 | <10 | 581 |
| L2300N5575E | | 35 | 0.05 | <10 | <10 | 83 | <10 | 797 |
| L2300N5575ED | | 37 | 0.05 | <10 | <10 | 84 | <10 | 801 |
| L2300N5600E | | 26 | 0.05 | <10 | <10 | 86 | <10 | 858 |
| L2300N5625E | | 26 | 0.08 | <10 | <10 | 94 | <10 | 647 |
| L2300N5650E | | 23 | 0.18 | <10 | <10 | 125 | <10 | 1255 |
| L2300N5675E | | 37 | 0.31 | <10 | <10 | 129 | <10 | 448 |
| L10300N4725E | | 12 | 0.02 | <10 | <10 | 72 | <10 | 63 |
| L10300N4750E | | 25 | <0.01 | <10 | <10 | 32 | <10 | 94 |
| L10300N4775E | | 26 | 0.01 | <10 | <10 | 39 | <10 | 59 |
| L10300N4800E | | 27 | 0.01 | <10 | <10 | 33 | <10 | 45 |
| L10300N4800EB | | 22 | 0.07 | <10 | <10 | 92 | <10 | 17 |
| L10300N4825E | | 27 | 0.01 | <10 | <10 | 22 | <10 | 41 |
| L10300N4850E | | 16 | <0.01 | <10 | <10 | 22 | <10 | 34 |
| L10300N4875E | | 23 | <0.01 | <10 | <10 | 20 | <10 | 42 |
| L10300N4900E | | 22 | <0.01 | <10 | <10 | 14 | <10 | 28 |
| L10300N4925E | | 38 | <0.01 | <10 | <10 | 13 | <10 | 61 |
| L10300N4950E | | 46 | <0.01 | <10 | <10 | 17 | <10 | 70 |
| L10700N4400E | | 110 | 0.04 | <10 | <10 | 80 | <10 | 81 |
| L10700N4425E | | 36 | 0.04 | <10 | <10 | 80 | <10 | 79 |
| L10700N4450E | | 40 | 0.05 | <10 | <10 | 85 | <10 | 87 |
| L10700N4475E | | 26 | 0.03 | <10 | <10 | 79 | <10 | 68 |
| L10700N4500E | | 44 | 0.02 | <10 | <10 | 81 | <10 | 81 |
| L10700N4525E | | 41 | 0.02 | <10 | <10 | 77 | <10 | 90 |
| L10700N4550E | | 29 | 0.01 | <10 | <10 | 38 | <10 | 55 |
| L10700N4550ED | | 30 | 0.01 | <10 | <10 | 37 | <10 | 52 |
| L10700N4575E | | 49 | 0.02 | <10 | <10 | 71 | <10 | 124 |
| L10700N4600E | | 35 | 0.01 | <10 | <10 | 56 | <10 | 80 |
| L10700N4625E | | 38 | <0.01 | <10 | <10 | 22 | <10 | 47 |
| L10700N4650E | | 49 | 0.01 | <10 | <10 | 56 | <10 | 77 |
| L10700N4675E | | 72 | 0.01 | <10 | <10 | 81 | <10 | 98 |
| L10700N4700E | | 18 | 0.03 | <10 | <10 | 68 | <10 | 39 |
| L10700N4725E | | 21 | 0.02 | <10 | <10 | 89 | <10 | 50 |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048311

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | Au-AA23 Au Check ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm |
|--------------------|--------------------------|------------------------|-------------------|-------------------------|--------------------|------------------|--------------------|-------------------|--------------------|--------------------|--------------------|------------------|--------------------|--------------------|--------------------|--------------------|
| L10700N4750E | | 0.36 | <0.005 | | 0.5 | 3.18 | 20 | <10 | 190 | 0.8 | <2 | 0.11 | <0.5 | 9 | 26 | 65 |
| L10700N4775E | | 0.22 | <0.005 | | <0.2 | 1.39 | 20 | <10 | 260 | 0.5 | <2 | 0.33 | <0.5 | 8 | 14 | 30 |
| L10700N4800E | | 0.36 | <0.005 | | 0.2 | 2.63 | 16 | <10 | 140 | 0.5 | <2 | 0.16 | <0.5 | 8 | 19 | 37 |
| L10700N4825E | | 0.18 | <0.005 | | 0.3 | 1.34 | 24 | <10 | 80 | <0.5 | <2 | 0.07 | <0.5 | 6 | 14 | 39 |
| L10700N4850E | | 0.42 | 0.008 | | 0.2 | 1.48 | 48 | <10 | 210 | 1.1 | <2 | 0.03 | <0.5 | 15 | 11 | 56 |
| L10700N4850ED | | 0.42 | 0.007 | | 0.5 | 1.48 | 36 | <10 | 210 | 1.1 | <2 | 0.03 | <0.5 | 15 | 11 | 57 |
| L10700N4875E | | 0.30 | 0.007 | | 0.4 | 0.69 | 36 | 10 | 270 | 1.3 | <2 | 0.48 | <0.5 | 17 | 3 | 23 |
| L10700N4900E | | 0.42 | <0.005 | | <0.2 | 0.34 | 52 | <10 | 220 | 1.0 | <2 | 0.66 | <0.5 | 11 | 1 | 18 |
| L10700N4925E | | 0.34 | <0.005 | | <0.2 | 0.64 | 18 | <10 | 230 | 1.1 | <2 | 0.59 | <0.5 | 16 | 3 | 39 |
| L10700N4950E | | 0.44 | <0.005 | | 0.2 | 1.70 | 14 | <10 | 140 | 1.1 | <2 | 0.22 | <0.5 | 19 | 1 | 21 |
| | | | | | | | | | | | | | | | | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 9-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048311

| Sample Description | Method | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-------------------|-----------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte Units LOR | Fe % 0.01 | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | |
| L10700N4750E | | 4.79 | 10 | 0.16 | 0.11 | 10 | 0.45 | 422 | 2 | <0.01 | 15 | 900 | 8 | 0.05 | <2 | 2 | |
| L10700N4775E | | 4.45 | 10 | 0.47 | 0.11 | 10 | 0.22 | 1865 | 2 | <0.01 | 8 | 1400 | 8 | 0.06 | <2 | 1 | |
| L10700N4800E | | 4.85 | 10 | 0.14 | 0.08 | 10 | 0.31 | 684 | 2 | <0.01 | 12 | 1320 | 12 | 0.04 | <2 | 2 | |
| L10700N4825E | | 4.59 | 10 | 0.15 | 0.08 | 10 | 0.19 | 289 | 3 | <0.01 | 9 | 1390 | 13 | 0.05 | <2 | 1 | |
| L10700N4850E | | 4.20 | <10 | 0.06 | 0.13 | 10 | 0.33 | 673 | 2 | <0.01 | 11 | 590 | 22 | <0.01 | <2 | 5 | |
| L10700N4850ED | | 4.17 | <10 | 0.08 | 0.13 | 20 | 0.35 | 710 | 2 | <0.01 | 11 | 520 | 21 | <0.01 | <2 | 5 | |
| L10700N4875E | | 2.84 | <10 | 0.06 | 0.17 | 10 | 0.13 | 880 | 2 | <0.01 | 5 | 860 | 19 | 0.07 | 2 | 4 | |
| L10700N4900E | | 3.63 | <10 | 0.29 | 0.12 | 20 | 0.05 | 1080 | 3 | <0.01 | 6 | 640 | 17 | 0.11 | 2 | 7 | |
| L10700N4925E | | 5.45 | <10 | 0.19 | 0.13 | 20 | 0.17 | 1280 | 4 | <0.01 | 7 | 1060 | 20 | 0.12 | <2 | 5 | |
| L10700N4950E | | 4.85 | <10 | 0.08 | 0.12 | 20 | 0.46 | 1915 | 3 | <0.01 | 5 | 1060 | 22 | 0.05 | <2 | 5 | |
| | | | | | | | | | | | | | | | | | |

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 9-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048311

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|-----------|-----------|----------|----------|----------|----------|
| | | Sr ppm 1 | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| L10700N4750E | | 11 | 0.03 | <10 | <10 | 91 | <10 | 67 |
| L10700N4775E | | 21 | 0.04 | <10 | <10 | 74 | <10 | 55 |
| L10700N4800E | | 12 | 0.05 | <10 | <10 | 69 | <10 | 76 |
| L10700N4825E | | 9 | 0.03 | <10 | <10 | 78 | <10 | 38 |
| L10700N4850E | | 12 | 0.01 | <10 | 10 | 36 | <10 | 72 |
| L10700N4850ED | | 12 | 0.01 | <10 | <10 | 36 | <10 | 73 |
| L10700N4875E | | 34 | <0.01 | <10 | <10 | 16 | <10 | 60 |
| L10700N4900E | | 33 | <0.01 | <10 | <10 | 9 | <10 | 94 |
| L10700N4925E | | 24 | <0.01 | <10 | <10 | 38 | <10 | 110 |
| L10700N4950E | | 8 | <0.01 | <10 | <10 | 24 | <10 | 112 |
| | | | | | | | | |

Comments: NSS is non-sufficient sample.

Appendix E.2: Certificates Of Analysis
(Rock Geochemistry)



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 7-AUG-2004
Account: EIA

CERTIFICATE VA04046591

Project: NGX04-01

P.O. No.:

This report is for 28 Rock samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| PUL-31 | Pulverize split to 85% <75 um |
| SPL-21 | Split sample - riffle splitter |
| CRU-31 | Fine crushing - 70% <2mm |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Ag-GRA22 | Ag 50g FA-GRAV finish | WST-SIM |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Ag-AA46 | Ore grade Ag - aqua regia/AA | AAS |
| Au-AA23 | Au 30g FA-AA finish | AAS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

EQUTI ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 7-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046591

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | Ag-GRA22 | ME-ICP41 |
|--------------------|--------------------------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Ag | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | |
| | | kg | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | |
| 209201 | | 0.86 | <0.005 | | 0.3 | 0.46 | 52 | 10 | 130 | 0.7 | 2 | 2.57 | <0.5 | 16 | 14 | 32 | |
| 209202 | | 2.12 | <0.005 | | 0.3 | 0.21 | 120 | <10 | 50 | <0.5 | <2 | 0.64 | <0.5 | 17 | 35 | 18 | |
| 209203 | | 1.94 | <0.005 | | <0.2 | 0.47 | 29 | <10 | 220 | 0.6 | <2 | 3.71 | <0.5 | 10 | 11 | 21 | |
| 209204 | | 1.26 | <0.005 | | <0.2 | 0.45 | 50 | 10 | 560 | 1.1 | 2 | 0.53 | <0.5 | 28 | 9 | 20 | |
| 209205 | | 1.02 | <0.005 | | <0.2 | 0.40 | 20 | <10 | 100 | 0.5 | 2 | 3.23 | <0.5 | 5 | 16 | 7 | |
| 209206 | | 0.80 | <0.005 | | 0.3 | 0.49 | 43 | 10 | 180 | 0.5 | 2 | 3.64 | 7.2 | 8 | 14 | 40 | |
| 209207 | | 1.10 | <0.005 | | 0.6 | 0.40 | 3 | <10 | 170 | <0.5 | 2 | 0.01 | <0.5 | 4 | 23 | 20 | |
| 209208 | | 0.54 | <0.005 | | 0.2 | 1.22 | 9 | 10 | 90 | <0.5 | <2 | 18.6 | <0.5 | 3 | 11 | 81 | |
| 209209 | | 0.74 | <0.005 | | <0.2 | 1.15 | 2 | <10 | 180 | <0.5 | <2 | 0.28 | <0.5 | 8 | 29 | 81 | |
| 209210 | | 0.64 | 0.013 | | 0.2 | 0.20 | 1310 | <10 | 50 | 0.5 | 2 | 1.16 | 0.5 | 16 | 24 | 60 | |
| 209211 | | 2.06 | <0.005 | | <0.2 | 1.96 | <2 | <10 | 880 | 1.9 | <2 | 6.80 | <0.5 | 44 | 94 | 50 | |
| 209212 | | 1.12 | <0.005 | | <0.2 | 0.29 | 3 | <10 | 80 | 0.5 | <2 | 1.88 | <0.5 | 1 | 24 | 3 | |
| 209213 | | 0.96 | 0.006 | | 0.2 | 0.67 | 207 | 10 | 60 | 1.8 | <2 | 0.59 | <0.5 | 37 | 15 | 113 | |
| 209214 | | 1.08 | <0.005 | | <0.2 | 0.52 | 29 | 10 | 1430 | 1.2 | <2 | 2.64 | <0.5 | 14 | 10 | 100 | |
| 209503 | | 1.48 | 0.083 | | 4.0 | 1.64 | 18 | <10 | 100 | <0.5 | 5 | 3.27 | 11.0 | 6 | 32 | 171 | |
| 209504 | | 1.52 | 0.005 | | <0.2 | 0.42 | 24 | <10 | 90 | 0.7 | <2 | 3.13 | <0.5 | 6 | 14 | 7 | |
| 209505 | | 0.70 | 0.011 | | <0.2 | 2.02 | 93 | <10 | 40 | 0.6 | 3 | 2.89 | <0.5 | 24 | 29 | 114 | |
| 209506 | | 1.00 | <0.005 | | <0.2 | 0.38 | 4 | <10 | 80 | <0.5 | <2 | 1.19 | <0.5 | 19 | 44 | 35 | |
| 209507 | | 0.70 | 0.006 | | 0.2 | 0.44 | 13 | <10 | 40 | <0.5 | <2 | 0.06 | <0.5 | 12 | 75 | 41 | |
| 209508 | | 1.08 | 0.010 | | 0.4 | 0.27 | 41 | <10 | 60 | <0.5 | <2 | 1.80 | 3.0 | 11 | 32 | 50 | |
| 209509 | | 0.76 | 0.012 | | 5.7 | 0.78 | 4 | <10 | 130 | <0.5 | 9 | 9.01 | 11.8 | 13 | 42 | 54 | |
| 209510 | | 0.68 | <0.005 | | 0.2 | 0.57 | 2 | <10 | 150 | <0.5 | <2 | 0.56 | <0.5 | 13 | 34 | 27 | |
| 209511 | | 0.88 | <0.005 | | <0.2 | 3.82 | 2 | <10 | 90 | 0.5 | <2 | 3.08 | <0.5 | 35 | 142 | 60 | |
| 209512 | | 0.94 | 0.005 | | <0.2 | 3.37 | 24 | <10 | 230 | <0.5 | <2 | 4.61 | <0.5 | 29 | 27 | 64 | |
| 209513 | | 0.84 | <0.005 | 116 | >100 | 0.33 | 615 | <10 | 20 | <0.5 | <2 | 0.15 | 6.8 | 19 | 52 | 196 | |
| 209514 | | 0.96 | 0.419 | | 0.6 | 0.82 | 247 | <10 | 60 | <0.5 | <2 | 1.92 | <0.5 | 22 | 25 | 75 | |
| 209515 | | 0.30 | <0.005 | | 0.2 | 0.31 | 3240 | <10 | <10 | <0.5 | 2 | 0.51 | <0.5 | 12 | 44 | 38 | |
| 209516 | | 1.22 | 0.014 | | <0.2 | 0.37 | 75 | <10 | 20 | <0.5 | <2 | 6.88 | <0.5 | 11 | 20 | 31 | |



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

U: EQUIPMENT ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - D
Total # Pages: 2 (A - C)
Finalized Date: 7-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046591

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|
| | | Fe % 0.01 | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 |
| 209201 | | 3.63 | <10 | 0.25 | 0.37 | 10 | 0.26 | 2230 | <1 | 0.01 | 6 | 1280 | 19 | 0.01 | 8 | 12 |
| 209202 | | 2.39 | <10 | 0.20 | 0.21 | 10 | 0.14 | 638 | 2 | <0.01 | 6 | 920 | 40 | 1.08 | 24 | 5 |
| 209203 | | 3.54 | <10 | 0.24 | 0.36 | 10 | 1.36 | 1290 | <1 | 0.04 | 2 | 1060 | 6 | 0.62 | 4 | 9 |
| 209204 | | 6.70 | <10 | 0.06 | 0.37 | 20 | 0.38 | 1095 | <1 | <0.01 | 7 | 1020 | 9 | 0.01 | 6 | 13 |
| 209205 | | 2.38 | <10 | 0.15 | 0.26 | 10 | 0.43 | 764 | <1 | 0.04 | <1 | 970 | 10 | 0.87 | 4 | 4 |
| 209206 | | 3.04 | <10 | 0.11 | 0.23 | <10 | 1.14 | 520 | 17 | 0.02 | 51 | 760 | 4 | 1.24 | <2 | 7 |
| 209207 | | 3.68 | <10 | 0.06 | 0.28 | <10 | 0.02 | 72 | 1 | 0.02 | 5 | 350 | 9 | 0.27 | <2 | 4 |
| 209208 | | 4.17 | <10 | 0.11 | 0.11 | 10 | 3.76 | 1280 | 4 | 0.03 | 12 | 1010 | 3 | 2.1 | 2 | 7 |
| 209209 | | 3.58 | 10 | <0.01 | 0.08 | 10 | 1.04 | 273 | 6 | 0.06 | 17 | 850 | 14 | 0.96 | <2 | 6 |
| 209210 | | 5.25 | <10 | 3.28 | 0.14 | 10 | 0.25 | 332 | 2 | 0.03 | 19 | 810 | 40 | 3.82 | 13 | 6 |
| 209211 | | 9.01 | 10 | 0.08 | 0.98 | 10 | 2.85 | 1050 | 6 | 0.05 | 58 | 5560 | <2 | 0.02 | <2 | 33 |
| 209212 | | 1.87 | <10 | 0.30 | 0.15 | 30 | 0.27 | 551 | 4 | 0.04 | 1 | 100 | 14 | 0.28 | <2 | 3 |
| 209213 | | 10.50 | <10 | 1.27 | 0.38 | 10 | 0.18 | 375 | 7 | <0.01 | 32 | 3380 | 70 | 3.30 | 8 | 33 |
| 209214 | | 3.84 | <10 | 0.02 | 0.39 | <10 | 0.77 | 691 | <1 | 0.02 | 8 | 1320 | 3 | 0.19 | 4 | 20 |
| 209503 | | 3.84 | <10 | 0.32 | 0.29 | <10 | 1.02 | 2730 | 30 | <0.01 | 2 | 370 | 131 | 1.36 | <2 | 2 |
| 209504 | | 3.03 | <10 | 0.21 | 0.24 | 10 | 0.08 | 897 | 1 | 0.03 | 2 | 1100 | 9 | 1.28 | 9 | 4 |
| 209505 | | 8.94 | 10 | 0.04 | 0.05 | 10 | 1.42 | 1185 | 3 | 0.08 | 9 | 1480 | 15 | 5.72 | <2 | 12 |
| 209506 | | 5.99 | <10 | 0.06 | 0.02 | 10 | 0.71 | 572 | 3 | 0.07 | 10 | 1180 | 6 | 3.11 | <2 | 9 |
| 209507 | | 4.66 | 10 | 0.09 | 0.06 | <10 | 0.15 | 90 | 217 | 0.13 | 26 | 360 | 15 | 3.53 | <2 | 5 |
| 209508 | | 4.40 | <10 | 0.13 | 0.15 | 10 | 0.31 | 352 | 18 | 0.03 | 21 | 590 | 20 | 3.79 | 2 | 3 |
| 209509 | | 3.21 | <10 | 0.03 | 0.11 | 10 | 0.48 | 1115 | 2 | 0.01 | 17 | 420 | 3550 | 1.72 | <2 | 2 |
| 209510 | | 3.30 | <10 | 0.02 | 0.15 | 10 | 0.39 | 359 | 1 | 0.04 | 8 | 660 | 14 | 0.97 | 2 | 3 |
| 209511 | | 6.26 | 20 | <0.01 | 0.03 | 10 | 4.24 | 1065 | <1 | 0.05 | 78 | 1260 | 7 | 0.81 | <2 | 27 |
| 209512 | | 6.91 | 10 | 1.44 | 0.14 | 10 | 2.21 | 1255 | 1 | 0.12 | 23 | 1500 | 7 | 0.80 | 6 | 21 |
| 209513 | | 4.72 | <10 | 3.14 | 0.22 | <10 | 0.13 | 81 | 5 | <0.01 | 5 | 610 | 1905 | 4.28 | 87 | 3 |
| 209514 | | 5.59 | <10 | 0.07 | 0.09 | 10 | 1.36 | 829 | 1 | 0.05 | 11 | 1080 | 174 | 2.13 | <2 | 13 |
| 209515 | | 14.6 | <10 | 6.13 | 0.18 | <10 | 0.13 | 180 | 4 | 0.02 | 13 | 570 | 11 | >10.0 | 33 | 11 |
| 209516 | | 6.13 | <10 | 0.13 | 0.13 | <10 | 2.90 | 1115 | 1 | 0.05 | 11 | 970 | 6 | 4.51 | <2 | 9 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 7-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046591

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Ag-AA46 |
|--------------------|-----------------------------------|----------------|-----------------|-----------------|----------------|---------------|----------------|----------------|----------------|
| | | Sr ppm 1 | Ti % 0.01 | Ti ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 | Ag ppm 1 |
| 209201 | | 196 | <0.01 | <10 | <10 | 36 | <10 | 148 | |
| 209202 | | 49 | <0.01 | <10 | <10 | 14 | <10 | 66 | |
| 209203 | | 260 | <0.01 | <10 | <10 | 31 | <10 | 35 | |
| 209204 | | 40 | <0.01 | <10 | <10 | 38 | <10 | 188 | |
| 209205 | | 149 | <0.01 | <10 | <10 | 11 | <10 | 67 | |
| 209206 | | 298 | <0.01 | <10 | <10 | 29 | <10 | 740 | |
| 209207 | | 10 | <0.01 | <10 | <10 | 19 | <10 | 64 | |
| 209208 | | 960 | <0.01 | <10 | <10 | 75 | <10 | 67 | |
| 209209 | | 14 | 0.10 | <10 | <10 | 95 | <10 | 38 | |
| 209210 | | 66 | <0.01 | <10 | <10 | 35 | <10 | 474 | |
| 209211 | | 2300 | 0.30 | <10 | <10 | 365 | <10 | 67 | |
| 209212 | | 181 | <0.01 | <10 | <10 | 1 | <10 | 71 | |
| 209213 | | 68 | <0.01 | <10 | <10 | 81 | <10 | 41 | |
| 209214 | | 132 | <0.01 | <10 | <10 | 25 | <10 | 44 | |
| 209503 | | 118 | <0.01 | <10 | <10 | 23 | <10 | 1780 | |
| 209504 | | 68 | <0.01 | <10 | <10 | 12 | <10 | 65 | |
| 209505 | | 40 | 0.01 | <10 | <10 | 109 | <10 | 38 | |
| 209506 | | 79 | 0.01 | <10 | <10 | 64 | <10 | 23 | |
| 209507 | | 15 | 0.02 | <10 | <10 | 73 | <10 | 21 | |
| 209508 | | 70 | <0.01 | <10 | <10 | 16 | <10 | 301 | |
| 209509 | | 251 | <0.01 | <10 | <10 | 17 | <10 | 1470 | |
| 209510 | | 29 | <0.01 | <10 | <10 | 33 | <10 | 128 | |
| 209511 | | 38 | 0.56 | <10 | 10 | 212 | <10 | 83 | |
| 209512 | | 102 | 0.01 | <10 | <10 | 198 | <10 | 74 | |
| 209513 | | 14 | 0.02 | <10 | <10 | 14 | <10 | 4640 | 115 |
| 209514 | | 103 | <0.01 | <10 | <10 | 133 | <10 | 260 | |
| 209515 | | 55 | <0.01 | <10 | <10 | 24 | <10 | 93 | |
| 209516 | | 599 | <0.01 | <10 | <10 | 57 | <10 | 39 | |



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 7-AUG-2004
Account: EIA

QC CERTIFICATE VA04046591

Project: NGX04-01

P.O. No.:

This report is for 28 Rock samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| PUL-31 | Pulverize split to 85% <75 um |
| SPL-21 | Split sample - riffle splitter |
| CRU-31 | Fine crushing - 70% <2mm |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Ag-GRA22 | Ag 50g FA-GRAV finish | WST-SIM |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Ag-AA46 | Ore grade Ag - aqua regia/AA | AAS |
| Au-AA23 | Au 30g FA-AA finish | AAS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 3 (A - C)

Finalized Date: 7-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046591

| Sample Description | Method Analyte Units LOR | Au-AA23 Au ppm 0.005 | Ag-GRA22 Ag ppm 5 | ME-ICP41 Ag ppm 0.2 | ME-ICP41 Al % | ME-ICP41 As ppm 0.01 | ME-ICP41 B ppm 2 | ME-ICP41 Ba ppm 10 | ME-ICP41 Be ppm 0.5 | ME-ICP41 Bi ppm 2 | ME-ICP41 Ca % | ME-ICP41 Cd ppm 0.01 | ME-ICP41 Co ppm 1 | ME-ICP41 Cr ppm 1 | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % | ME-ICP41 ppm 0.01 |
|----------------------------|-----------------------------------|-------------------------------|----------------------------|------------------------------|---------------------|-------------------------------|---------------------------|-----------------------------|------------------------------|----------------------------|---------------------|-------------------------------|----------------------------|----------------------------|----------------------------|---------------------|-------------------------|
| STANDARDS | | | | | | | | | | | | | | | | | |
| BPL-04 | | | 672 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | 610 | | | | | | | | | | | | | | |
| Upper Bound | | | 756 | | | | | | | | | | | | | | |
| CU-106 | | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | | |
| G2000 | | 3.4 | 1.80 | 468 | <10 | 780 | 0.9 | 2 | 0.47 | 6.7 | 23 | 68 | 305 | 3.56 | | | |
| G2000 | | 3.6 | 1.84 | 478 | <10 | 830 | 0.9 | 2 | 0.51 | 7.0 | 23 | 70 | 301 | 3.70 | | | |
| Target Range - Lower Bound | | 2.9 | 1.66 | 434 | <10 | 740 | <0.5 | <2 | 0.46 | 6.3 | 22 | 64 | 272 | 3.41 | | | |
| Upper Bound | | 3.9 | 2.06 | 534 | 20 | 920 | 1.0 | 4 | 0.58 | 6.9 | 29 | 80 | 334 | 4.19 | | | |
| JWB-JV-1 | | 23.6 | 0.65 | 519 | <10 | 140 | <0.5 | <2 | 0.36 | 45.3 | 10 | 49 | 8100 | 3.19 | | | |
| JWB-JV-1 | | 22.9 | 0.66 | 538 | <10 | 160 | <0.5 | 5 | 0.38 | 48.9 | 10 | 54 | 8170 | 3.36 | | | |
| JWB-JV-1 | | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 19.6 | 0.58 | 461 | <10 | 130 | <0.5 | 3 | 0.36 | 40.0 | 8 | 44 | 7090 | 2.89 | | | |
| Upper Bound | | 24.4 | 0.73 | 567 | 20 | 190 | 1.0 | 9 | 0.46 | 50.0 | 12 | 56 | 8670 | 3.55 | | | |
| MER-03 | | 0.644 | | | | | | | | | | | | | | | |
| MER-03 | | 0.694 | | | | | | | | | | | | | | | |
| MER-03 | | 0.692 | | | | | | | | | | | | | | | |
| MER-03 | | 0.660 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.605 | | | | | | | | | | | | | | | |
| Upper Bound | | 0.751 | | | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | | |
| BLANK | | | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | 2 | <0.01 | <0.5 | 1 | <1 | <1 | <1 | <0.01 | |
| BLANK | | | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | <1 | <1 | <0.01 | |
| BLANK | | <0.005 | | | | | | | | | | | | | | | |
| BLANK | | | <5 | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | <5 | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | <1 | <0.01 | |
| Upper Bound | | 0.010 | 10 | 0.4 | 0.02 | 4 | 20 | 20 | 1.0 | 4 | 0.02 | 1.0 | 2 | 2 | 2 | 0.02 | |



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B

Total # Pages: 3 (A - C)

Finalized Date: 7-AUG-2004

Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046591

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|----------------------------|--------------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| STANDARDS | | | | | | | | | | | | | | | | |
| BPL-04 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| CU-106 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| G2000 | | 10 | 0.72 | 0.42 | 20 | 0.65 | 512 | 5 | 0.03 | 271 | 910 | 627 | 0.26 | 20 | 6 | 65 |
| G2000 | | 10 | 0.67 | 0.42 | 20 | 0.67 | 543 | 5 | 0.02 | 276 | 920 | 660 | 0.26 | 19 | 7 | 67 |
| Target Range - Lower Bound | | <10 | 0.68 | 0.38 | <10 | 0.60 | 508 | 4 | 0.02 | 256 | 840 | 601 | 0.22 | 19 | 6 | 59 |
| Upper Bound | | 20 | 0.81 | 0.48 | 40 | 0.76 | 630 | 8 | 0.04 | 316 | 1050 | 739 | 0.30 | 27 | 9 | 74 |
| JWB-JV-1 | | <10 | 1.00 | 0.25 | 10 | 0.13 | 674 | 84 | 0.13 | 16 | 190 | 4230 | 0.68 | 95 | 1 | 54 |
| JWB-JV-1 | | <10 | 0.96 | 0.24 | 10 | 0.14 | 711 | 90 | 0.12 | 16 | 200 | 4450 | 0.75 | 97 | 1 | 55 |
| JWB-JV-1 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <10 | 0.97 | 0.22 | <10 | 0.12 | 607 | 78 | 0.11 | 13 | 170 | 3880 | 0.63 | 83 | <1 | 44 |
| Upper Bound | | 20 | 1.13 | 0.29 | 20 | 0.16 | 753 | 98 | 0.15 | 18 | 230 | 4750 | 0.79 | 105 | <2 | 56 |
| MER-03 | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | |
| MER-03 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | <10 | <0.01 | <0.01 | <10 | <0.01 | <5 | 1 | <0.01 | <1 | <10 | <2 | <0.01 | <2 | <1 | <1 |
| BLANK | | <10 | <0.01 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | <1 | <10 | <2 | <0.01 | <2 | <1 | <1 |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <10 | <0.01 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | <1 | <10 | <2 | <0.01 | <2 | <1 | <1 |
| Upper Bound | | 20 | 0.02 | 0.02 | 20 | 0.02 | 10 | 2 | 0.02 | 2 | 20 | 4 | 0.02 | 4 | 2 | 2 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 7-AUG-2004
Account: ELA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046591

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Ag-AA46 |
|----------------------------|--------------------------|----------|----------|----------|----------|----------|----------|---------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm | Ag ppm |
| STANDARDS | | | | | | | | |
| BPL-04 | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | |
| Upper Bound | | | | | | | | |
| CU-106 | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | |
| Upper Bound | | | | | | | | |
| G2000 | 0.05 | <10 | <10 | 64 | <10 | 1195 | | |
| G2000 | 0.05 | <10 | <10 | 65 | <10 | 1250 | | |
| Target Range - Lower Bound | 0.04 | <10 | <10 | 59 | <10 | 1130 | | |
| Upper Bound | 0.07 | 20 | 20 | 74 | 20 | 1385 | | |
| JWB-JV-1 | 0.02 | <10 | <10 | 13 | <10 | 8860 | | |
| JWB-JV-1 | 0.02 | <10 | <10 | 13 | <10 | 9500 | | |
| JWB-JV-1 | | | | | | | 22 | |
| Target Range - Lower Bound | <0.01 | <10 | <10 | 11 | <10 | 6550 | 20 | |
| Upper Bound | 0.03 | 20 | 20 | 15 | 20 | >10000 | 24 | |
| MER-03 | | | | | | | | |
| MER-03 | | | | | | | | |
| MER-03 | | | | | | | | |
| MER-03 | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | |
| Upper Bound | | | | | | | | |
| BLANKS | | | | | | | | |
| BLANK | | | | | | | | |
| BLANK | <0.01 | <10 | <10 | <1 | <10 | <2 | | |
| BLANK | <0.01 | <10 | <10 | <1 | <10 | <2 | | |
| BLANK | | | | | | | | |
| BLANK | | | | | | | | |
| BLANK | | | | | | | | |
| BLANK | | | | | | | | |
| Target Range - Lower Bound | <0.01 | <10 | <10 | <1 | <10 | <2 | <1 | |
| Upper Bound | 0.02 | 20 | 20 | 2 | 20 | 4 | 2 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 7-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046591

| Sample Description | Method | Au-AA23 | Ag-GRA22 | ME-ICP41 |
|--------------------|----------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte Units LOR | Au ppm | Ag ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL DUP | | | | | | | | | | | | | | | | |
| M299598 | DUP | 0.017 | | | | | | | | | | | | | | |
| | | 0.019 | | | | | | | | | | | | | | |
| | Target Range - Lower Bound | <0.007 | | | | | | | | | | | | | | |
| | Upper Bound | 0.029 | | | | | | | | | | | | | | |
| 209208 | DUP | <0.005 | | | | | | | | | | | | | | |
| | | <0.005 | | | | | | | | | | | | | | |
| | Target Range - Lower Bound | <0.009 | | | | | | | | | | | | | | |
| | Upper Bound | 0.010 | | | | | | | | | | | | | | |
| 209504 | DUP | 0.005 | | | | | | | | | | | | | | |
| | | <0.005 | | | | | | | | | | | | | | |
| | Target Range - Lower Bound | <0.005 | | | | | | | | | | | | | | |
| | Upper Bound | 0.010 | | | | | | | | | | | | | | |
| 209508 | DUP | 0.4 | 0.27 | 41 | <10 | 60 | <0.5 | <2 | 1.80 | 3.0 | 11 | 32 | 50 | 4.40 | | |
| | | 0.4 | 0.26 | 38 | <10 | 70 | <0.5 | <2 | 1.74 | 3.0 | 11 | 30 | 48 | 4.26 | | |
| | Target Range - Lower Bound | <0.2 | 0.23 | 34 | <10 | 40 | <0.6 | <2 | 1.66 | 1.9 | 8 | 27 | 45 | 4.09 | | |
| | Upper Bound | 0.8 | 0.30 | 45 | 20 | 90 | 1.0 | 4 | 1.88 | 4.2 | 14 | 35 | 53 | 4.67 | | |
| 04HWST-008 | DUP | 0.012 | | | | | | | | | | | | | | |
| | | 0.014 | | | | | | | | | | | | | | |
| | Target Range - Lower Bound | <0.005 | | | | | | | | | | | | | | |
| | Upper Bound | 0.024 | | | | | | | | | | | | | | |
| 273650 | DUP | 372 | | | | | | | | | | | | | | |
| | | 371 | | | | | | | | | | | | | | |
| | Target Range - Lower Bound | 334 | | | | | | | | | | | | | | |
| | Upper Bound | 409 | | | | | | | | | | | | | | |
| N108417 | DUP | 0.3 | 0.56 | 27 | 10 | 740 | 0.5 | <2 | 3.94 | <0.5 | 9 | 7 | 38 | 3.81 | | |
| | | 0.3 | 0.56 | 25 | 10 | 710 | 0.5 | <2 | 3.91 | <0.5 | 9 | 7 | 38 | 3.79 | | |
| | Target Range - Lower Bound | <0.2 | 0.51 | 21 | <10 | 670 | <0.6 | <2 | 3.71 | <0.5 | 7 | 5 | 34 | 3.56 | | |
| | Upper Bound | 0.4 | 0.61 | 31 | 20 | 780 | 1.0 | 4 | 4.14 | 1.0 | 11 | 9 | 42 | 4.01 | | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 7-AUG-2004
Account: ELA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046591

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % | ME-ICP41 La ppm 10 | ME-ICP41 Mg % | ME-ICP41 Mn ppm 0.01 | ME-ICP41 Mo ppm 5 | ME-ICP41 Na % | ME-ICP41 Ni ppm 0.01 | ME-ICP41 P ppm 1 | ME-ICP41 Pb ppm 10 | ME-ICP41 S % | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--|-----------------------------------|-----------------------------|------------------------------|--------------------|-----------------------------|----------------------|-------------------------------|----------------------------|---------------------|-------------------------------|---------------------------|-----------------------------|--------------------|----------------------------|----------------------------|----------------------------|
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| M299598 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| 209208 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| 209504 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| 209508 DUP Target Range - Lower Bound Upper Bound | <10 <10 20 | 0.13 0.13 0.16 | 0.15 0.15 0.16 | 10 10 20 | 0.31 0.30 0.34 | 352 343 375 | 18 17 20 | 0.03 0.04 0.06 | 21 21 24 | 590 580 630 | 20 20 25 | 3.79 3.68 3.94 | 2 2 4 | 3 3 5 | 70 69 75 | |
| 04HWST-008 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| 273650 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| N108417 DUP Target Range - Lower Bound Upper Bound | <10 <10 20 | 0.08 0.08 0.10 | 0.35 0.36 0.39 | 10 10 20 | 0.68 0.68 0.73 | 1390 1385 1465 | <1 <1 2 | 0.10 0.10 0.13 | 3 3 5 | 1160 1160 1240 | 10 9 14 | 0.32 0.30 0.35 | <2 <2 4 | 6 6 8 | 229 228 242 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 7-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046591

| Sample Description | Method | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Ag-AA46 |
|--|---------|-------------------|----------|----------|----------|----------|----------|---------|
| | Analyte | Ti | Ti | U | V | W | Zn | Ag |
| | Units | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | LOR | 0.01 | 10 | 10 | 1 | 10 | 2 | 1 |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | DUPLICATES | | | | | | |
| M299598 DUP Target Range - Lower Bound Upper Bound | | 139 | 142 | 135 | 146 | | | |
| 209208 DUP Target Range - Lower Bound Upper Bound | | | | | | | | |
| 209504 DUP Target Range - Lower Bound Upper Bound | | | | | | | | |
| 209508 DUP Target Range - Lower Bound Upper Bound | | <0.01 | <10 | <10 | 16 | <10 | 301 | |
| | | <0.01 | <10 | <10 | 16 | <10 | 289 | |
| | | <0.01 | <10 | <10 | 18 | <10 | 276 | |
| | | 0.02 | 20 | 20 | 19 | 20 | 314 | |
| 04HWST-008 DUP Target Range - Lower Bound Upper Bound | | | | | | | | |
| 273650 DUP Target Range - Lower Bound Upper Bound | | | | | | | | |
| N108417 DUP Target Range - Lower Bound Upper Bound | | <0.01 | <10 | <10 | 21 | <10 | 69 | |
| | | <0.01 | <10 | <10 | 20 | <10 | 70 | |
| | | <0.01 | <10 | <10 | 17 | <10 | 62 | |
| | | 0.02 | 20 | 20 | 24 | 20 | 77 | |



CERTIFICATE VA04046913

Project: NGX04-01

P.O. No.:

This report is for 16 Rock samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| PUL-31 | Pulverize split to 85% <75 um |
| SPL-21 | Split sample - riffle splitter |
| CRU-31 | Fine crushing - 70% <2mm |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Zn-AA46 | Ore grade Zn - aqua regia/AA | AAS |
| Au-GRA22 | Au 50 g FA-GRAV finish | WST-SIM |
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| Pb-AA46 | Ore grade Pb - aqua regia/AA | AAS |

To: **EQUITY ENGINEERING LTD.**
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046913

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| 209215 | | 0.90 | <0.005 | <0.2 | 1.28 | 10 | <10 | 80 | <0.5 | <2 | 1.30 | 1.3 | 8 | 30 | 15 | 3.10 |
| 209216 | | 3.26 | <0.005 | <0.2 | 0.25 | <2 | <10 | 1150 | <0.5 | <2 | 9.55 | <0.5 | 2 | 16 | 7 | 0.93 |
| 209217 | | 2.22 | <0.005 | 0.2 | 0.17 | 14 | <10 | 570 | <0.5 | <2 | 0.42 | <0.5 | 3 | 30 | 131 | 0.72 |
| 209218 | | 0.90 | <0.005 | 0.2 | 0.41 | 9 | <10 | 1300 | 0.5 | <2 | 5.58 | <0.5 | 10 | 13 | 11 | 3.33 |
| 209219 | | 1.36 | <0.005 | <0.2 | 0.29 | 10 | <10 | 1050 | 0.7 | <2 | 0.67 | <0.5 | <1 | 45 | 3 | 0.44 |
| 209220 | | 1.58 | <0.005 | <0.2 | 0.30 | 17 | <10 | 430 | 1.1 | <2 | 0.90 | <0.5 | <1 | 16 | 3 | 1.20 |
| 209221 | | 1.96 | <0.005 | <0.2 | 0.12 | 21 | <10 | 2280 | <0.5 | <2 | 9.85 | <0.5 | 1 | 32 | 1 | 0.83 |
| 209517 | | 0.82 | 0.009 | <0.2 | 0.60 | 71 | <10 | 100 | <0.5 | <2 | 1.00 | <0.5 | 5 | 23 | 11 | 2.40 |
| 209518 | | 1.02 | 0.849 | 1.2 | 0.13 | 145 | <10 | 80 | <0.5 | <2 | 2.62 | 8.9 | 6 | 60 | 218 | 2.19 |
| 209519 | | 1.08 | 3.60 | 12.9 | 0.18 | 142 | <10 | 60 | <0.5 | <2 | 0.50 | 380 | 20 | 36 | 2790 | 1.91 |
| 209520 | | 0.98 | 0.027 | 0.6 | 0.44 | 29 | 10 | 80 | 0.6 | <2 | 1.70 | 0.5 | 18 | 20 | 15 | 2.43 |
| 209521 | | 1.00 | 0.805 | 0.5 | 0.25 | 350 | <10 | 40 | <0.5 | <2 | 1.90 | 1.3 | 11 | 28 | 31 | 4.11 |
| 209522 | | 0.80 | 0.012 | 0.2 | 0.14 | 65 | <10 | <10 | <0.5 | 3 | 9.25 | <0.5 | 1 | 24 | 17 | 25.7 |
| 209523 | | 0.52 | 0.074 | 0.7 | 0.20 | 65 | <10 | 10 | <0.5 | 2 | 0.97 | <0.5 | 8 | 42 | 9 | 8.12 |
| 209524 | | 0.86 | 0.005 | 0.3 | 0.20 | 81 | <10 | 100 | <0.5 | <2 | 0.13 | <0.5 | 4 | 54 | 15 | 1.86 |
| 209525 | | 1.02 | <0.005 | 0.2 | 0.83 | 18 | 10 | 170 | 0.5 | <2 | 5.12 | <0.5 | 34 | 47 | 56 | 5.00 |



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - 5
Total # Pages: 2 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046913

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|----------|-----------|----------|-----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|-----------|
| | | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm |
| | | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 10 | 2 | 0.01 | 2 | 1 | 1 | 1 |
| 209215 | | 10 | 0.02 | 0.04 | 20 | 1.20 | 487 | 3 | 0.11 | 10 | 1190 | 8 | 0.13 | 2 | 4 | 36 |
| 209216 | | <10 | 0.01 | 0.16 | 10 | 0.20 | 1855 | <1 | 0.02 | <1 | 250 | 9 | 0.08 | 2 | 1 | 426 |
| 209217 | | <10 | 0.03 | 0.12 | <10 | 0.07 | 121 | <1 | <0.01 | 1 | 60 | 8 | 0.11 | <2 | 1 | 578 |
| 209218 | | <10 | 0.01 | 0.29 | 10 | 1.52 | 1735 | 2 | 0.02 | 4 | 550 | 56 | 0.17 | <2 | 6 | 243 |
| 209219 | | <10 | <0.01 | 0.23 | 10 | 0.02 | 136 | 2 | 0.04 | 1 | <10 | 17 | 0.18 | <2 | <1 | 41 |
| 209220 | | <10 | 0.02 | 0.21 | 20 | 0.13 | 523 | 1 | 0.03 | <1 | 30 | 17 | 0.04 | 2 | 3 | 56 |
| 209221 | | <10 | 0.01 | 0.08 | 10 | 0.24 | 1890 | 3 | 0.01 | 1 | 100 | 8 | 0.13 | 2 | 1 | 270 |
| 209517 | | <10 | 0.01 | 0.21 | 10 | 0.29 | 276 | 4 | 0.03 | 4 | 450 | 17 | 1.70 | <2 | 1 | 87 |
| 209518 | | <10 | 0.41 | 0.09 | <10 | 0.90 | 482 | 1 | 0.01 | 1 | 30 | 1045 | 0.78 | 9 | 1 | 272 |
| 209519 | | <10 | 1.05 | 0.13 | <10 | 0.19 | 292 | <1 | 0.01 | 1 | 160 | >10000 | 2.34 | 15 | 1 | 25 |
| 209520 | | <10 | 0.05 | 0.29 | 10 | 0.36 | 550 | 1 | 0.01 | 2 | 850 | 29 | 0.97 | 2 | 3 | 59 |
| 209521 | | <10 | 0.06 | 0.17 | <10 | 0.42 | 679 | 1 | 0.03 | <1 | 890 | 166 | 1.82 | <2 | 3 | 98 |
| 209522 | | <10 | 0.81 | 0.08 | <10 | 0.19 | 1690 | 64 | 0.02 | <1 | 90 | 19 | >10.0 | <2 | 1 | 699 |
| 209523 | | <10 | 0.34 | 0.12 | <10 | 0.08 | 257 | 18 | 0.01 | 1 | 250 | 14 | 7.97 | <2 | 2 | 64 |
| 209524 | | <10 | 1.12 | 0.25 | <10 | 0.01 | 89 | 18 | <0.01 | 3 | 770 | 60 | 1.48 | 46 | 3 | 25 |
| 209525 | | <10 | 0.08 | 0.47 | <10 | 2.92 | 1070 | <1 | 0.06 | 96 | 530 | 5 | 0.12 | 3 | 22 | 282 |



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

JO: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - 1
Total # Pages: 2 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046913

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Pb-AA46 | Zn-AA46 | Au-GRA22 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|---------|---------|----------|
| | | Tl | Tl | U | V | W | Zn | Pb | Zn | Au |
| | | % | ppm | ppm | ppm | ppm | ppm | % | % | ppm |
| 209215 | | <0.01 | <10 | <10 | 71 | <10 | 141 | | | |
| 209216 | | <0.01 | <10 | <10 | 4 | <10 | 16 | | | |
| 209217 | | <0.01 | <10 | <10 | 4 | <10 | 10 | | | |
| 209218 | | <0.01 | <10 | <10 | 21 | <10 | 44 | | | |
| 209219 | | <0.01 | <10 | <10 | <1 | <10 | 62 | | | |
| 209220 | | <0.01 | <10 | <10 | <1 | <10 | 86 | | | |
| 209221 | | <0.01 | <10 | <10 | 3 | <10 | 11 | | | |
| 209517 | | <0.01 | <10 | <10 | 5 | <10 | 30 | | | |
| 209518 | | <0.01 | <10 | <10 | 7 | <10 | 2420 | | | |
| 209519 | | <0.01 | <10 | <10 | 4 | <10 | >10000 | 1.22 | 4.57 | 3.33 |
| 209520 | | <0.01 | <10 | <10 | 11 | <10 | 78 | | | |
| 209521 | | <0.01 | <10 | <10 | 18 | <10 | 236 | | | |
| 209522 | | <0.01 | 20 | <10 | 6 | <10 | 51 | | | |
| 209523 | | <0.01 | 10 | <10 | 3 | <10 | 116 | | | |
| 209524 | | <0.01 | <10 | <10 | 10 | <10 | 21 | | | |
| 209525 | | 0.01 | <10 | <10 | 60 | <10 | 48 | | | |



CERTIFICATE VA04048208

Project: NGX04-01

P.O. No.:

This report is for 11 Rock samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| PUL-31 | Pulverize split to 85% <75 um |
| SPL-21 | Split sample - riffle splitter |
| CRU-31 | Fine crushing - 70% <2mm |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Zn-AA46 | Ore grade Zn - aqua regia/AA | AAS |
| Au-GRA22 | Au 50 g FA-GRAV finish | WST-SIM |
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| Pb-AA46 | Ore grade Pb - aqua regia/AA | AAS |

To: **EQUITY ENGINEERING LTD.**
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

ECOLOGY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 of 2
Total # Pages: 2 (A - C)
Finalized Date: 13-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048208

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------------|-----------|-----------------|-----------|----------|-----------|----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|
| | | Recvd Wt. kg | Au ppm | Au Check ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | |
| 209222 | | 1.22 | <0.005 | | 7.5 | 0.16 | 75 | <10 | 230 | <0.5 | <2 | 4.85 | 11.7 | 5 | 69 | 267 |
| 209223 | | 0.74 | <0.005 | | 0.3 | 0.45 | <2 | <10 | 380 | <0.5 | 2 | 1.55 | 2.9 | 7 | 19 | 15 |
| 209224 | | 1.68 | <0.005 | | <0.2 | 0.21 | 3 | <10 | 40 | 0.5 | <2 | 2.11 | <0.5 | 1 | 27 | 2 |
| 209526 | | 0.74 | <0.005 | | <0.2 | 0.18 | 33 | <10 | 140 | <0.5 | <2 | 0.41 | <0.5 | 2 | 4 | 11 |
| 209527 | | 0.84 | <0.005 | | 19.5 | 0.22 | 574 | <10 | 20 | <0.5 | 2 | 1.82 | 15.4 | 44 | 39 | 226 |
| 209528 | | 1.16 | <0.005 | | 21.4 | 0.07 | 94 | <10 | 60 | <0.5 | <2 | 2.26 | 30.7 | 11 | 13 | 191 |
| 209529 | | 1.14 | <0.005 | | 17.7 | 0.20 | 49 | <10 | 100 | <0.5 | 2 | 5.67 | 13.5 | 10 | 52 | 538 |
| 209530 | | 0.88 | <0.005 | | 0.7 | 0.43 | 19 | 10 | 50 | 0.6 | <2 | 0.35 | 2.7 | 10 | 1 | 37 |
| 209531 | | 0.78 | <0.005 | | 0.2 | 0.48 | 21 | <10 | 40 | <0.5 | 3 | 0.59 | 0.6 | 8 | 18 | 42 |
| 209532 | | 1.06 | <0.005 | <0.005 | 10.3 | 0.30 | 177 | <10 | 850 | <0.5 | 2 | 1.26 | 69.5 | 8 | 1 | 643 |
| 209533 | | 0.90 | 1.075 | 1.035 | 0.7 | 0.41 | 503 | <10 | 90 | 0.5 | <2 | 0.58 | 1.1 | 12 | 20 | 16 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - D
Total # Pages: 2 (A - C)
Finalized Date: 13-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048208

| Sample Description | Method | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-------------------|-----------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|
| | Analyte Units LOR | Fe % 0.01 | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 |
| 209222 | | 1.89 | <10 | 3.69 | 0.11 | <10 | 0.46 | 3750 | 1 | 0.01 | 2 | 130 | >10000 | 0.51 | 156 | 2 |
| 209223 | | 2.86 | <10 | 0.05 | 0.33 | 20 | 0.92 | 4430 | 1 | 0.02 | 1 | 1040 | 122 | 0.01 | 3 | 4 |
| 209224 | | 1.16 | <10 | 0.01 | 0.05 | 10 | 0.55 | 194 | 1 | 0.11 | 2 | 690 | 5 | 0.07 | <2 | 1 |
| 209526 | | 1.90 | <10 | 0.45 | 0.21 | 10 | 0.04 | 294 | 4 | 0.01 | <1 | 1070 | 78 | 1.16 | 46 | 3 |
| 209527 | | 3.60 | <10 | 2.86 | 0.18 | <10 | 0.15 | 1985 | 3 | 0.01 | 4 | 770 | 3510 | 2.49 | 144 | 5 |
| 209528 | | 2.67 | <10 | 7.63 | 0.07 | <10 | 0.41 | 3230 | 2 | 0.01 | 2 | 110 | >10000 | 1.11 | 122 | 2 |
| 209529 | | 2.64 | <10 | 4.05 | 0.16 | 10 | 0.56 | 4660 | <1 | 0.01 | 2 | 660 | 3990 | 0.69 | 33 | 5 |
| 209530 | | 3.72 | <10 | 0.15 | 0.21 | 20 | 0.13 | 1715 | <1 | 0.02 | 2 | 1200 | 82 | 1.52 | 2 | 4 |
| 209531 | | 4.37 | <10 | 0.09 | 0.25 | 10 | 0.20 | 1135 | <1 | 0.04 | 5 | 840 | 30 | 2.76 | <2 | 2 |
| 209532 | | 2.50 | <10 | 0.89 | 0.24 | 20 | 0.51 | 2300 | 1 | 0.01 | <1 | 1020 | 9300 | 0.21 | 34 | 5 |
| 209533 | | 4.97 | <10 | 0.09 | 0.26 | 10 | 0.14 | 380 | <1 | 0.02 | 2 | 1200 | 69 | 2.24 | <2 | 4 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIP ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 13-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048208

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Pb-AA46 | Zn-AA46 | Au-GRA22 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|---------|---------|----------|
| | | Sr ppm | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm | Pb % | Zn % | Au ppm |
| | | 1 | 0.01 | 10 | 10 | 1 | 10 | 2 | 0.01 | 0.01 | 0.05 |
| 209222 | | 247 | <0.01 | <10 | 10 | 203 | <10 | 7430 | 1.11 | | |
| 209223 | | 50 | 0.01 | <10 | <10 | 36 | <10 | 535 | | | |
| 209224 | | 30 | <0.01 | <10 | <10 | 12 | <10 | | 12 | | |
| 209526 | | 40 | <0.01 | <10 | <10 | 10 | <10 | | 21 | | |
| 209527 | | 80 | <0.01 | <10 | <10 | 40 | <10 | 6410 | | | |
| 209528 | | 130 | <0.01 | <10 | <10 | 118 | <10 | >10000 | 1.37 | 1.81 | |
| 209529 | | 200 | <0.01 | <10 | <10 | 90 | <10 | >10000 | | 1.31 | |
| 209530 | | 51 | <0.01 | <10 | <10 | 19 | <10 | 290 | | | |
| 209531 | | 32 | <0.01 | <10 | <10 | 7 | <10 | 73 | | | |
| 209532 | | 71 | <0.01 | <10 | <10 | 22 | <10 | 5740 | | | |
| 209533 | | 36 | <0.01 | <10 | <10 | 15 | <10 | 182 | | 1.01 | |



ALS Cnemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 9-SEP-2004
Account: EIA

CERTIFICATE VA04058208

Project: NGX04-01

P.O. No.:

This report is for 23 Rock samples submitted to our lab in Vancouver, BC, Canada on 30-AUG-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Zn-AA46 | Ore grade Zn - aqua regia/AA | AAS |
| Ag-GRA22 | Ag 50g FA-GRAV finish | WST-SIM |
| Au-GRA22 | Au 50 g FA-GRAV finish | WST-SIM |
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| Cu-AA46 | Ore grade Cu - aqua regia/AA | AAS |
| Pb-AA46 | Ore grade Pb - aqua regia/AA | AAS |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058208

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------------|-----------|-----------------|-----------|----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|
| | | Recvd Wt. kg | Au ppm | Au Check ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm |
| 270251 | | 1.76 | 0.005 | | 16.6 | 0.07 | 48 | <10 | 510 | <0.5 | <2 | 2.95 | 13.1 | 4 | 44 | 169 |
| 270252 | | 1.02 | 0.005 | | >100 | 0.33 | 1150 | <10 | 410 | <0.5 | 5 | 1.52 | 127.0 | 3 | 17 | >10000 |
| 270253 | | 1.28 | <0.005 | | 15.7 | 0.06 | 45 | <10 | 940 | <0.5 | <2 | 1.33 | 15.0 | 2 | 52 | 176 |
| 270254 | | 1.66 | <0.005 | | >100 | 0.39 | 549 | <10 | 720 | <0.5 | <2 | 4.28 | 33.6 | 5 | 9 | 6320 |
| 270255 | | 1.72 | <0.005 | <0.005 | 4.5 | 0.27 | 67 | <10 | 120 | <0.5 | <2 | 6.04 | 1.0 | 8 | 33 | 62 |
| 270256 | | 2.32 | 1.025 | 0.992 | 3.7 | 0.57 | 8 | <10 | 140 | <0.5 | <2 | 3.11 | 323 | 6 | 15 | 1215 |
| 270257 | | 1.28 | 0.007 | <0.005 | 19.1 | 0.48 | 61 | <10 | 1060 | 0.5 | <2 | 2.77 | 149.5 | 9 | 10 | 428 |
| 270258 | | 1.76 | <0.005 | | >100 | 0.19 | 117 | <10 | 700 | <0.5 | <2 | 1.78 | 31.5 | 4 | 44 | 3060 |
| 270259 | | 0.70 | <0.005 | | 10.7 | 0.04 | 39 | <10 | 170 | <0.5 | <2 | 6.00 | 16.0 | 2 | 45 | 118 |
| 270260 | | 1.30 | <0.005 | | 1.6 | 0.40 | 136 | <10 | 930 | 0.8 | <2 | 10.90 | 1.7 | 7 | 13 | 63 |
| 270261 | | 0.82 | 0.007 | | 4.6 | 0.09 | 5 | <10 | 690 | <0.5 | <2 | 2.16 | 1.2 | 4 | 48 | 9 |
| 270262 | | 1.04 | 0.005 | | 1.6 | 0.38 | 15 | <10 | 1200 | 0.5 | <2 | 2.07 | 8.2 | 8 | 17 | 16 |
| 270263 | | 0.92 | <0.005 | | 0.5 | 0.69 | 7 | <10 | 400 | 0.6 | <2 | 1.86 | <0.5 | 10 | 7 | 22 |
| 270264 | | 1.34 | 0.008 | | 10.9 | 0.02 | 16 | <10 | 190 | <0.5 | <2 | 0.98 | 0.7 | 2 | 75 | 15 |
| 391001 | | 0.38 | <0.005 | | <0.2 | 0.66 | 6 | 10 | 80 | 0.5 | <2 | 3.33 | <0.5 | 9 | 7 | 38 |
| 391002 | | 0.80 | 0.008 | | 1.1 | 0.68 | 16 | 10 | 60 | 0.6 | 2 | 0.55 | 0.7 | 10 | 12 | 16 |
| 391003 | | 0.66 | <0.005 | | 11.2 | 0.05 | 87 | <10 | 420 | <0.5 | <2 | 6.23 | 3.2 | 3 | 29 | 501 |
| 391004 | | 1.26 | <0.005 | | 1.5 | 0.17 | 11 | <10 | 450 | <0.5 | <2 | 9.04 | 0.6 | 6 | 41 | 11 |
| 391005 | | 0.96 | <0.005 | | <0.2 | 2.34 | 39 | 70 | 50 | <0.5 | <2 | 3.77 | <0.5 | 20 | 33 | 109 |
| 391006 | | 1.58 | 0.008 | | >100 | 0.12 | 148 | <10 | 200 | <0.5 | <2 | 10.90 | 2.1 | 8 | 12 | 181 |
| 391007 | | 1.22 | <0.005 | | 88.1 | 0.38 | 166 | <10 | 1280 | <0.5 | 7 | 0.34 | 5.6 | 5 | 13 | 5770 |
| 391008 | | 1.42 | <0.005 | | 1.7 | 0.32 | 12 | <10 | 2040 | <0.5 | <2 | 4.49 | 0.7 | 7 | 8 | 50 |
| 391014 | | 0.96 | <0.005 | | >100 | 0.30 | 646 | 10 | 590 | <0.5 | <2 | 5.38 | 37.5 | 5 | 6 | 5760 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUIPMENT ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058208

| Sample Description | Method | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-------------------|-----------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte Units LOR | Fe % 0.01 | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | |
| 270251 | | 1.96 | <10 | 0.79 | 0.04 | <10 | 0.57 | 5890 | 2 | 0.01 | 2 | 100 | 3460 | 0.12 | 95 | 1 | |
| 270252 | | 2.29 | <10 | 19.10 | 0.27 | <10 | 0.35 | 2430 | 1 | 0.01 | 2 | 1320 | 6680 | 0.58 | 5580 | 3 | |
| 270253 | | 1.44 | <10 | 1.68 | 0.04 | <10 | 0.15 | 2520 | 2 | <0.01 | 3 | 70 | 1555 | 0.12 | 91 | 1 | |
| 270254 | | 2.54 | <10 | 5.13 | 0.35 | 20 | 1.24 | 5860 | <1 | 0.01 | 1 | 990 | 396 | 0.30 | 2730 | 6 | |
| 270255 | | 1.30 | <10 | 15.70 | 0.19 | <10 | 0.32 | 4360 | <1 | 0.01 | 3 | 190 | >10000 | 1.22 | 48 | 1 | |
| 270256 | | 2.24 | <10 | 46.1 | 0.35 | 20 | 0.10 | 2110 | <1 | 0.02 | 2 | 790 | 8760 | 1.23 | 10 | 3 | |
| 270257 | | 3.83 | <10 | 3.72 | 0.36 | 10 | 0.80 | 3900 | <1 | 0.01 | 3 | 1100 | 5550 | 0.30 | 202 | 5 | |
| 270258 | | 2.56 | <10 | 3.52 | 0.16 | <10 | 0.39 | 2820 | 1 | 0.01 | 1 | 400 | 3240 | 0.33 | 799 | 3 | |
| 270259 | | 1.75 | <10 | 0.36 | 0.01 | <10 | 0.78 | 7440 | 3 | <0.01 | 1 | 50 | 474 | 0.07 | 63 | 1 | |
| 270260 | | 3.29 | <10 | 2.04 | 0.29 | 10 | 0.08 | >10000 | 4 | 0.01 | 2 | 820 | 251 | 0.13 | 50 | 9 | |
| 270261 | | 2.03 | <10 | 0.52 | 0.07 | <10 | 0.19 | 5010 | <1 | 0.01 | 3 | 240 | >10000 | 0.36 | 4 | 2 | |
| 270262 | | 3.72 | <10 | 0.96 | 0.29 | <10 | 0.26 | 3740 | 8 | <0.01 | <1 | 1060 | 1560 | 0.22 | 5 | 4 | |
| 270263 | | 3.51 | <10 | 0.20 | 0.43 | 20 | 0.73 | 2070 | <1 | 0.03 | 1 | 1140 | 184 | 0.02 | 2 | 7 | |
| 270264 | | 1.15 | <10 | 1.59 | 0.01 | <10 | 0.22 | 2860 | 1 | 0.01 | 2 | 30 | 60 | 0.05 | 11 | 1 | |
| 391001 | | 3.20 | <10 | 19.85 | 0.45 | 20 | 0.43 | 3270 | 1 | 0.05 | <1 | 1240 | 26 | 0.24 | <2 | 5 | |
| 391002 | | 4.26 | <10 | 1.06 | 0.39 | 10 | 0.12 | 491 | 3 | 0.01 | 2 | 1160 | 91 | 2.86 | 2 | 2 | |
| 391003 | | 2.88 | <10 | 2.09 | 0.03 | <10 | 1.64 | 7160 | 1 | 0.01 | <1 | 50 | 226 | 0.07 | 391 | 1 | |
| 391004 | | 1.82 | <10 | 0.42 | 0.07 | <10 | 0.62 | 6230 | <1 | 0.01 | 3 | 110 | >10000 | 0.41 | 6 | 1 | |
| 391005 | | 5.08 | 10 | 0.01 | 0.08 | <10 | 1.62 | 1440 | <1 | 0.07 | 14 | 790 | 38 | 0.23 | <2 | 17 | |
| 391006 | | 2.14 | <10 | 13.60 | 0.10 | <10 | 0.06 | 5790 | 3 | 0.01 | <1 | 230 | 1400 | 0.44 | 140 | 2 | |
| 391007 | | 2.34 | <10 | 0.10 | 0.30 | 10 | 0.05 | 723 | 1 | 0.01 | 1 | 1170 | >10000 | 0.08 | 709 | 3 | |
| 391008 | | 3.23 | <10 | 0.33 | 0.30 | 10 | 0.48 | 3140 | <1 | 0.01 | 1 | 1160 | 183 | 0.06 | 7 | 8 | |
| 391014 | | 2.69 | <10 | 6.36 | 0.27 | 10 | 1.60 | 7180 | <1 | 0.01 | <1 | 960 | 1295 | 0.32 | 3180 | 6 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 9-SEP-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058208

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Cu-AA46 | Pb-AA46 | Zn-AA46 | Ag-GRA22 | Au-GRA22 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|---------|---------|---------|----------|----------|
| | | Sr | Ti | Ti | U | V | W | Zn | Cu | Pb | Zn | Ag | Au |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm | % | % | % | ppm | ppm |
| 270251 | | 84 | <0.01 | <10 | <10 | 16 | <10 | 586 | | | | | |
| 270252 | | 88 | <0.01 | <10 | <10 | 15 | <10 | 2990 | 1.23 | | | 263 | |
| 270253 | | 43 | <0.01 | <10 | <10 | 20 | <10 | 558 | | | | | |
| 270254 | | 138 | <0.01 | <10 | <10 | 24 | <10 | 1135 | | | | 215 | |
| 270255 | | 435 | 0.01 | <10 | <10 | 803 | <10 | >10000 | | 1.78 | 2.09 | | |
| 270256 | | 100 | 0.03 | <10 | <10 | 45 | 10 | >10000 | | | 3.41 | | 1.05 |
| 270257 | | 134 | <0.01 | <10 | <10 | 33 | <10 | 4250 | | | | | |
| 270258 | | 90 | <0.01 | <10 | <10 | 45 | <10 | 1110 | | | 164 | | |
| 270259 | | 122 | <0.01 | <10 | <10 | 54 | <10 | 202 | | | | | |
| 270260 | | 196 | <0.01 | <10 | <10 | 35 | <10 | 284 | | | | | |
| 270261 | | 144 | <0.01 | <10 | <10 | 107 | <10 | 2590 | | 2.52 | | | |
| 270262 | | 84 | <0.01 | <10 | <10 | 43 | <10 | 7020 | | | | | |
| 270263 | | 108 | 0.02 | <10 | <10 | 68 | <10 | 87 | | | | | |
| 270264 | | 20 | <0.01 | <10 | <10 | 8 | <10 | 186 | | | | | |
| 391001 | | 82 | <0.01 | <10 | <10 | 22 | <10 | 86 | | | 113 | | |
| 391002 | | 18 | <0.01 | <10 | <10 | 13 | <10 | 95 | | | | | |
| 391003 | | 172 | <0.01 | <10 | <10 | 14 | <10 | 108 | | | | | |
| 391004 | | 349 | <0.01 | <10 | <10 | 302 | <10 | 2690 | | 2.48 | | | |
| 391005 | | 27 | 0.34 | <10 | <10 | 192 | <10 | 86 | | | | | |
| 391006 | | 1050 | <0.01 | <10 | <10 | 28 | <10 | 2070 | | | | | |
| 391007 | | 48 | 0.01 | <10 | <10 | 40 | <10 | 1980 | | 1.27 | | | |
| 391008 | | 101 | 0.01 | <10 | <10 | 33 | <10 | 1305 | | | | | |
| 391014 | | 172 | <0.01 | <10 | <10 | 21 | <10 | 1135 | | 275 | | | |

Appendix E.3: Certificates Of Analysis

(Drill Core)



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04046590

Project: NGX04-01

P.O. No.:

This report is for 92 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8


Page: 1
Finalized Date: 6-AUG-2004
Account: EIA

| SAMPLE PREPARATION | |
|--------------------|--------------------------------|
| ALS CODE | DESCRIPTION |
| WEI-21 | Received Sample Weight |
| PUL-31 | Pulverize split to 85% <75 um |
| SPL-21 | Split sample - riffle splitter |
| CRU-31 | Fine crushing - 70% <2mm |
| LOG-22 | Sample login - Rcd w/o BarCode |

| ANALYTICAL PROCEDURES | | |
|-----------------------|-------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au-GRA22 | Au 50 g FA-GRAV finish | WST-SIM |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Au-AA23 | Au 30g FA-AA finish | AAS |
| Zn-AA46 | Ore grade Zn - aqua regia/AA | AAS |
| Pb-AA46 | Ore grade Pb - aqua regia/AA | AAS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046590

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | Pb-AA46 Pb | Zn-AA46 Zn | Au-GRA22 Au | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Ca | ME-ICP41 Cd | ME-ICP41 Co | ME-ICP41 |
|--------------------|--------------------------|------------------|------------|------------|------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|----------|
| | | kg | ppm | ppm | % | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm |
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.05 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | |
| M108252 | | 2.04 | 0.963 | | | | 4.5 | 0.36 | 46 | 10 | 70 | <0.5 | <2 | 0.35 | 9.5 | 7 | |
| M108253 | | 2.66 | 0.399 | | | | 6.1 | 0.32 | 18 | 10 | 90 | <0.5 | <2 | 0.52 | 0.9 | 5 | |
| M108254 | | 2.72 | 0.354 | | | | 6.6 | 0.48 | 62 | 10 | 20 | 0.6 | <2 | 1.62 | 7.3 | 7 | |
| M108255 | | 2.38 | 0.026 | | | | 0.3 | 0.44 | 12 | 10 | 50 | 0.7 | <2 | 1.72 | 0.8 | 7 | |
| M108256 | | 2.18 | 0.050 | | | | 1.1 | 0.42 | 13 | 10 | 30 | 0.7 | <2 | 2.36 | 0.7 | 7 | |
| M108257 | | 3.30 | 0.006 | | | | 0.4 | 0.41 | 17 | 10 | 30 | 0.6 | <2 | 2.34 | 0.5 | 9 | |
| M108258 | | 2.68 | 0.009 | | | | 0.9 | 0.42 | 4 | 10 | 20 | 0.6 | <2 | 3.18 | 1.0 | 7 | |
| M108259 | | 3.02 | <0.005 | | | | <0.2 | 0.40 | 4 | 10 | 730 | 0.5 | <2 | 2.09 | <0.5 | 7 | |
| M108260 | | 3.44 | <0.005 | | | | <0.2 | 0.37 | 7 | 10 | 780 | 0.5 | <2 | 2.35 | <0.5 | 6 | |
| M108261 | | 3.70 | 0.007 | | | | 0.7 | 0.40 | 7 | 10 | 30 | 0.6 | <2 | 2.25 | <0.5 | 8 | |
| M108262 | | 2.92 | <0.005 | | | | 0.5 | 0.47 | 7 | 10 | 30 | 0.6 | <2 | 2.31 | <0.5 | 8 | |
| M108263 | | 4.88 | <0.005 | | | | <0.2 | 0.42 | 11 | 10 | 50 | 0.5 | <2 | 2.03 | <0.5 | 7 | |
| M108264 | | 3.48 | 0.005 | | | | 0.7 | 0.44 | 10 | 10 | 20 | 0.6 | <2 | 2.94 | <0.5 | 7 | |
| M108265 | | 3.02 | <0.005 | | | | 0.3 | 0.35 | 9 | 10 | 30 | 0.5 | <2 | 2.54 | <0.5 | 8 | |
| M108266 | | 3.62 | <0.005 | | | | <0.2 | 0.36 | 13 | 10 | 30 | <0.5 | <2 | 2.58 | <0.5 | 7 | |
| M108267 | | 3.04 | <0.005 | | | | 0.3 | 0.39 | 7 | 10 | 30 | 0.6 | <2 | 2.18 | <0.5 | 9 | |
| M108268 | | 2.92 | <0.005 | | | | <0.2 | 0.41 | 10 | 10 | 50 | <0.5 | <2 | 2.15 | <0.5 | 7 | |
| M108269 | | 3.04 | <0.005 | | | | <0.2 | 0.35 | 17 | 10 | 40 | <0.5 | <2 | 2.17 | <0.5 | 6 | |
| M108270 | | 2.60 | <0.005 | | | | <0.2 | 0.41 | 4 | 10 | 30 | 0.5 | <2 | 2.25 | <0.5 | 8 | |
| M108271 | | 2.44 | <0.005 | | | | 0.2 | 0.37 | 7 | 10 | 70 | <0.5 | <2 | 2.95 | <0.5 | 7 | |
| M108272 | | 3.22 | <0.005 | | | | <0.2 | 0.44 | 9 | 10 | 70 | 0.5 | <2 | 2.79 | <0.5 | 6 | |
| M108273 | | 2.60 | <0.005 | | | | <0.2 | 0.39 | 7 | 10 | 30 | 0.5 | <2 | 2.56 | <0.5 | 8 | |
| M108274 | | 1.88 | <0.005 | | | | <0.2 | 0.42 | 14 | 10 | 110 | <0.5 | <2 | 2.65 | <0.5 | 8 | |
| M108275 | | 4.22 | <0.005 | | | | <0.2 | 0.38 | 12 | <10 | 150 | <0.5 | <2 | 2.83 | <0.5 | 7 | |
| M108276 | | 4.32 | <0.005 | | | | 0.2 | 0.44 | 6 | 10 | 20 | 0.6 | <2 | 2.93 | <0.5 | 7 | |
| M108277 | | 2.54 | <0.005 | | | | <0.2 | 0.42 | 10 | 10 | 30 | <0.5 | <2 | 2.94 | <0.5 | 8 | |
| M108278 | | 3.18 | <0.005 | | | | <0.2 | 0.42 | 9 | 10 | 50 | 0.5 | <2 | 3.83 | <0.5 | 6 | |
| M108279 | | 3.32 | <0.005 | | | | 0.5 | 0.36 | 25 | 10 | 30 | <0.5 | <2 | 3.47 | <0.5 | 6 | |
| M108280 | | 3.46 | <0.005 | | | | 0.4 | 0.36 | 16 | 10 | 30 | <0.5 | <2 | 2.91 | <0.5 | 7 | |
| M108281 | | 2.96 | <0.005 | | | | <0.2 | 0.36 | 8 | 10 | 170 | <0.5 | <2 | 2.15 | <0.5 | 6 | |
| M108282 | | 3.50 | <0.005 | | | | <0.2 | 0.39 | 3 | 10 | 450 | 0.5 | <2 | 1.90 | <0.5 | 6 | |
| M108283 | | 3.24 | <0.005 | | | | <0.2 | 0.40 | 6 | 10 | 50 | 0.5 | <2 | 2.20 | <0.5 | 6 | |
| M108284 | | 1.56 | 0.006 | | | | 0.6 | 0.39 | 31 | 10 | 20 | 0.5 | <2 | 2.76 | 4.4 | 8 | |
| M108285 | | 2.56 | <0.005 | | | | <0.2 | 0.38 | 4 | 10 | 30 | 0.5 | <2 | 2.55 | <0.5 | 8 | |
| M108286 | | 2.90 | <0.005 | | | | <0.2 | 0.41 | 5 | 10 | 800 | 0.6 | <2 | 2.81 | <0.5 | 5 | |
| M108287 | | 3.42 | <0.005 | | | | 0.2 | 0.41 | 20 | 10 | 100 | 0.6 | <2 | 1.92 | <0.5 | 8 | |
| M108288 | | 4.00 | <0.005 | | | | <0.2 | 0.42 | 11 | 10 | 60 | 0.5 | <2 | 2.57 | <0.5 | 8 | |
| M108289 | | 4.26 | <0.005 | | | | <0.2 | 0.41 | 17 | 10 | 40 | 0.7 | <2 | 3.23 | 0.5 | 7 | |
| M108290 | | 2.02 | <0.005 | | | | <0.2 | 0.42 | 3 | 10 | 130 | 0.6 | <2 | 1.94 | <0.5 | 8 | |
| M108291 | | 2.54 | <0.005 | | | | <0.2 | 0.39 | 13 | 10 | 80 | 0.6 | <2 | 2.44 | <0.5 | 8 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046590

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % |
| | | 1 | 1 | 0.01 | 10 | 0.01 | 0.01 | 10 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | |
| M108252 | | 41 | 81 | 2.51 | <10 | 0.50 | 0.23 | <10 | 0.19 | 559 | 7 | 0.06 | 1 | 560 | 200 | 1.88 |
| M108253 | | 34 | 18 | 1.49 | <10 | 0.06 | 0.19 | <10 | 0.21 | 329 | 9 | 0.06 | 2 | 570 | 144 | 1.32 |
| M108254 | | 19 | 93 | 3.11 | <10 | 0.39 | 0.27 | <10 | 0.80 | 1360 | 5 | 0.10 | 4 | 490 | 719 | 2.62 |
| M108255 | | 11 | 13 | 2.98 | <10 | 0.08 | 0.27 | 20 | 1.48 | 2470 | 2 | 0.09 | 4 | 800 | 16 | 1.53 |
| M108256 | | 16 | 15 | 3.07 | <10 | 0.08 | 0.27 | 10 | 1.26 | 2300 | 9 | 0.08 | 2 | 800 | 42 | 1.97 |
| M108257 | | 12 | 30 | 3.01 | <10 | 0.06 | 0.27 | 10 | 1.11 | 1690 | 2 | 0.07 | 3 | 820 | 15 | 1.96 |
| M108258 | | 15 | 10 | 3.26 | <10 | 0.10 | 0.26 | 10 | 1.33 | 2340 | 4 | 0.07 | 3 | 820 | 36 | 2.85 |
| M108259 | | 14 | 11 | 2.91 | <10 | 0.03 | 0.26 | 20 | 1.31 | 1810 | 1 | 0.07 | 2 | 710 | 11 | 0.16 |
| M108260 | | 12 | 6 | 2.97 | <10 | 0.02 | 0.24 | 20 | 1.38 | 2100 | 1 | 0.06 | 3 | 740 | 11 | 0.27 |
| M108261 | | 15 | 6 | 3.02 | <10 | 0.04 | 0.26 | 20 | 1.08 | 1850 | 1 | 0.06 | 2 | 800 | 24 | 1.78 |
| M108262 | | 22 | 7 | 3.09 | <10 | 0.05 | 0.29 | 20 | 1.04 | 1875 | 2 | 0.07 | 4 | 770 | 30 | 2.16 |
| M108263 | | 15 | 6 | 3.11 | <10 | 0.04 | 0.26 | 20 | 1.32 | 2030 | <1 | 0.07 | 2 | 720 | 24 | 1.29 |
| M108264 | | 19 | 8 | 3.40 | <10 | 0.05 | 0.28 | 10 | 1.34 | 2130 | 2 | 0.07 | 3 | 790 | 24 | 2.45 |
| M108265 | | 15 | 9 | 2.99 | <10 | 0.04 | 0.22 | 20 | 1.14 | 1785 | 1 | 0.06 | 2 | 720 | 22 | 2.15 |
| M108266 | | 21 | 6 | 3.05 | <10 | 0.03 | 0.21 | 10 | 1.13 | 2280 | 1 | 0.07 | 2 | 760 | 26 | 2.00 |
| M108267 | | 16 | 15 | 3.37 | <10 | 0.05 | 0.24 | 10 | 0.94 | 2280 | 1 | 0.07 | 3 | 610 | 19 | 2.45 |
| M108268 | | 19 | 8 | 3.02 | <10 | 0.05 | 0.23 | 20 | 0.89 | 3780 | 1 | 0.08 | 1 | 840 | 17 | 2.06 |
| M108269 | | 21 | 9 | 2.95 | <10 | 0.04 | 0.21 | 20 | 0.87 | 2480 | 1 | 0.07 | 3 | 770 | 15 | 2.02 |
| M108270 | | 21 | 10 | 3.02 | <10 | 0.04 | 0.24 | 20 | 0.96 | 1855 | 1 | 0.08 | 4 | 830 | 19 | 2.02 |
| M108271 | | 17 | 9 | 3.00 | <10 | 0.04 | 0.22 | 20 | 1.10 | 1605 | 2 | 0.07 | 1 | 820 | 27 | 2.27 |
| M108272 | | 18 | 16 | 2.92 | <10 | 0.05 | 0.28 | 10 | 1.23 | 1770 | 1 | 0.07 | 2 | 570 | 15 | 1.14 |
| M108273 | | 18 | 8 | 2.96 | <10 | 0.03 | 0.24 | 10 | 0.99 | 1395 | 4 | 0.07 | 2 | 760 | 17 | 1.97 |
| M108274 | | 22 | 9 | 2.80 | <10 | 0.03 | 0.27 | 20 | 1.05 | 1365 | 3 | 0.07 | 2 | 790 | 24 | 1.18 |
| M108275 | | 18 | 7 | 2.78 | <10 | 0.02 | 0.25 | 20 | 1.12 | 1510 | 1 | 0.06 | 1 | 750 | 15 | 0.79 |
| M108276 | | 21 | 10 | 3.10 | <10 | 0.03 | 0.27 | 20 | 1.09 | 1905 | 2 | 0.07 | 2 | 800 | 39 | 2.49 |
| M108277 | | 17 | 9 | 2.80 | <10 | 0.04 | 0.26 | 10 | 1.12 | 1770 | 2 | 0.07 | 2 | 720 | 21 | 1.80 |
| M108278 | | 18 | 7 | 2.90 | <10 | 0.04 | 0.27 | 10 | 1.62 | 2520 | 3 | 0.07 | 4 | 500 | 23 | 0.97 |
| M108279 | | 43 | 8 | 2.87 | <10 | 0.04 | 0.22 | 10 | 1.38 | 2280 | 5 | 0.07 | 3 | 650 | 11 | 1.82 |
| M108280 | | 18 | 10 | 2.79 | <10 | 0.05 | 0.22 | 10 | 1.16 | 2160 | 4 | 0.07 | 2 | 800 | 12 | 1.92 |
| M108281 | | 18 | 10 | 2.82 | <10 | 0.03 | 0.22 | 10 | 1.21 | 1660 | 1 | 0.07 | 2 | 720 | 7 | 0.58 |
| M108282 | | 17 | 11 | 2.95 | <10 | 0.02 | 0.25 | 20 | 1.22 | 1925 | <1 | 0.07 | 2 | 780 | 6 | 0.44 |
| M108283 | | 12 | 8 | 2.91 | <10 | 0.03 | 0.25 | 10 | 1.19 | 1950 | 2 | 0.08 | 2 | 500 | 13 | 1.08 |
| M108284 | | 19 | 16 | 3.14 | <10 | 0.29 | 0.24 | 10 | 1.14 | 2050 | 9 | 0.08 | 1 | 590 | 166 | 2.83 |
| M108285 | | 15 | 6 | 3.05 | <10 | 0.03 | 0.24 | 20 | 1.08 | 1720 | 2 | 0.08 | 4 | 860 | 14 | 2.26 |
| M108286 | | 14 | 10 | 2.77 | <10 | 0.03 | 0.26 | 20 | 1.40 | 2040 | 2 | 0.08 | <1 | 710 | 8 | 0.20 |
| M108287 | | 16 | 13 | 3.12 | <10 | 0.02 | 0.25 | 20 | 1.04 | 1675 | 3 | 0.08 | 2 | 830 | 17 | 1.16 |
| M108288 | | 13 | 10 | 3.00 | <10 | 0.02 | 0.26 | 20 | 1.25 | 2060 | 2 | 0.08 | 2 | 810 | 7 | 1.00 |
| M108289 | | 15 | 12 | 3.04 | <10 | 0.06 | 0.26 | 20 | 1.36 | 2240 | 2 | 0.08 | 2 | 760 | 37 | 1.68 |
| M108290 | | 14 | 15 | 2.91 | <10 | 0.03 | 0.26 | 20 | 1.13 | 1725 | 1 | 0.07 | 3 | 810 | 9 | 1.34 |
| M108291 | | 13 | 26 | 2.82 | <10 | 0.03 | 0.24 | 10 | 1.34 | 2130 | 1 | 0.08 | <1 | 750 | 11 | 1.35 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046590

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|-----------|-----------|----------|----------|----------|----------|
| | | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| M108252 | | 3 | 1 | 40 | <0.01 | <10 | <10 | 7 | <10 | 1305 |
| M108253 | | 3 | 1 | 67 | <0.01 | <10 | <10 | 5 | <10 | 124 |
| M108254 | | 2 | 3 | 172 | <0.01 | <10 | <10 | 13 | <10 | 1075 |
| M108255 | | <2 | 3 | 198 | <0.01 | <10 | <10 | 11 | <10 | 212 |
| M108256 | | <2 | 3 | 194 | <0.01 | <10 | <10 | 9 | <10 | 185 |
| M108257 | | 2 | 3 | 186 | <0.01 | <10 | <10 | 8 | <10 | 123 |
| M108258 | | <2 | 2 | 253 | <0.01 | <10 | <10 | 9 | <10 | 178 |
| M108259 | | <2 | 3 | 214 | <0.01 | <10 | <10 | 15 | <10 | 87 |
| M108260 | | <2 | 3 | 230 | <0.01 | <10 | <10 | 14 | <10 | 84 |
| M108261 | | <2 | 3 | 232 | <0.01 | <10 | <10 | 10 | <10 | 96 |
| M108262 | | <2 | 3 | 233 | <0.01 | <10 | <10 | 10 | <10 | 106 |
| M108263 | | <2 | 3 | 232 | <0.01 | <10 | <10 | 15 | <10 | 108 |
| M108264 | | <2 | 3 | 309 | <0.01 | <10 | <10 | 11 | <10 | 105 |
| M108265 | | 2 | 3 | 308 | <0.01 | <10 | <10 | 10 | <10 | 89 |
| M108266 | | <2 | 3 | 258 | <0.01 | <10 | <10 | 13 | <10 | 76 |
| M108267 | | <2 | 3 | 192 | <0.01 | <10 | <10 | 11 | <10 | 92 |
| M108268 | | <2 | 3 | 165 | <0.01 | <10 | <10 | 10 | <10 | 79 |
| M108269 | | <2 | 3 | 163 | <0.01 | <10 | <10 | 11 | <10 | 59 |
| M108270 | | <2 | 3 | 158 | <0.01 | <10 | <10 | 11 | <10 | 77 |
| M108271 | | <2 | 3 | 227 | <0.01 | <10 | <10 | 10 | <10 | 84 |
| M108272 | | <2 | 4 | 258 | <0.01 | <10 | <10 | 11 | <10 | 107 |
| M108273 | | <2 | 3 | 205 | <0.01 | <10 | <10 | 10 | <10 | 71 |
| M108274 | | <2 | 3 | 238 | <0.01 | <10 | <10 | 12 | <10 | 75 |
| M108275 | | 2 | 3 | 218 | <0.01 | <10 | <10 | 11 | <10 | 75 |
| M108276 | | 2 | 3 | 192 | <0.01 | <10 | <10 | 10 | <10 | 74 |
| M108277 | | <2 | 3 | 246 | <0.01 | <10 | <10 | 12 | <10 | 83 |
| M108278 | | <2 | 4 | 314 | <0.01 | <10 | <10 | 13 | <10 | 99 |
| M108279 | | <2 | 3 | 258 | <0.01 | <10 | <10 | 15 | <10 | 76 |
| M108280 | | <2 | 3 | 227 | <0.01 | <10 | <10 | 10 | <10 | 111 |
| M108281 | | <2 | 3 | 268 | <0.01 | <10 | <10 | 13 | <10 | 73 |
| M108282 | | 4 | 3 | 194 | <0.01 | <10 | <10 | 13 | <10 | 75 |
| M108283 | | <2 | 4 | 231 | <0.01 | <10 | <10 | 12 | <10 | 84 |
| M108284 | | <2 | 2 | 216 | <0.01 | <10 | <10 | 9 | <10 | 803 |
| M108285 | | <2 | 3 | 207 | <0.01 | <10 | <10 | 11 | <10 | 67 |
| M108286 | | 3 | 4 | 306 | <0.01 | <10 | <10 | 13 | <10 | 73 |
| M108287 | | <2 | 4 | 152 | <0.01 | <10 | <10 | 13 | <10 | 66 |
| M108288 | | <2 | 4 | 209 | <0.01 | <10 | <10 | 14 | <10 | 66 |
| M108289 | | <2 | 3 | 317 | <0.01 | <10 | <10 | 10 | <10 | 128 |
| M108290 | | <2 | 3 | 191 | <0.01 | <10 | <10 | 12 | <10 | 79 |
| M108291 | | <2 | 3 | 310 | <0.01 | <10 | <10 | 12 | <10 | 73 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 6-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046590

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | Pb-AA46 | Zn-AA46 | Au-GRA22 | ME-ICP41 |
|--------------------|--------------------------|------------|---------|---------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Pb | Zn | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co |
| | | kg | ppm | % | % | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm |
| M108292 | | 2.18 | 0.006 | | | | 0.3 | 0.43 | 14 | 10 | 20 | 0.5 | <2 | 2.93 | 3.8 | 7 |
| M108293 | | 1.68 | 0.029 | | | | 1.8 | 0.36 | 84 | <10 | 20 | <0.5 | <2 | 2.31 | 58.5 | 7 |
| M108294 | | 2.18 | 0.012 | | | | 0.4 | 0.44 | 33 | 10 | 20 | 0.5 | <2 | 1.65 | 4.4 | 9 |
| M108295 | | 2.22 | <0.005 | | | | <0.2 | 0.41 | 4 | 10 | 870 | <0.5 | <2 | 1.87 | 0.5 | 7 |
| M108296 | | 3.22 | <0.005 | | | | <0.2 | 0.44 | <2 | 10 | 210 | 0.5 | <2 | 2.78 | <0.5 | 6 |
| M108297 | | 3.26 | <0.005 | | | | <0.2 | 0.36 | 7 | 10 | 490 | <0.5 | <2 | 2.12 | <0.5 | 5 |
| M299557 | | 2.98 | 0.032 | | | | 0.5 | 0.43 | 15 | 10 | 360 | 0.5 | <2 | 2.68 | 8.2 | 6 |
| M299558 | | 2.46 | 0.022 | | | | 0.6 | 0.39 | 32 | 10 | 420 | 0.5 | <2 | 1.15 | 8.8 | 8 |
| M299559 | | 2.10 | 0.027 | | | | 0.3 | 0.41 | 12 | 10 | 620 | 0.5 | <2 | 1.46 | 14.4 | 6 |
| M299560 | | 3.02 | 0.017 | | | | 0.2 | 0.37 | 5 | 10 | 1240 | 0.5 | <2 | 2.02 | 3.5 | 6 |
| M299561 | | 1.98 | 0.052 | | | | 0.3 | 0.45 | 12 | 10 | 580 | 0.6 | <2 | 1.71 | 8.2 | 7 |
| M299562 | | 2.68 | 0.012 | | | | 0.2 | 0.41 | 12 | 10 | 1200 | <0.5 | 2 | 1.40 | 0.9 | 6 |
| M299563 | | 3.36 | 0.021 | | | | <0.2 | 0.40 | 7 | 10 | 630 | <0.5 | <2 | 0.74 | 1.2 | 6 |
| M299564 | | 3.54 | 0.049 | | | | 0.5 | 0.34 | 12 | <10 | 230 | <0.5 | <2 | 1.05 | 21.1 | 6 |
| M299565 | | 3.00 | 0.150 | | | | 0.7 | 0.40 | 25 | 10 | 180 | <0.5 | <2 | 0.98 | 12.1 | 6 |
| M299566 | | 1.48 | 0.056 | | | | 0.5 | 0.35 | 8 | <10 | 360 | <0.5 | <2 | 0.58 | 1.2 | 7 |
| M299567 | | 2.32 | 0.058 | | | | 0.4 | 0.38 | 25 | <10 | 480 | <0.5 | <2 | 0.71 | 9.7 | 6 |
| M299568 | | 2.56 | 0.010 | | | | 0.3 | 0.37 | 19 | 10 | 1140 | <0.5 | <2 | 0.65 | 6.9 | 6 |
| M299569 | | 2.02 | 0.006 | | | | 0.2 | 0.31 | 11 | <10 | 570 | <0.5 | <2 | 0.74 | 3.4 | 6 |
| M299570 | | 2.02 | 0.047 | | | | 0.3 | 0.40 | 11 | <10 | 480 | <0.5 | <2 | 1.82 | 13.4 | 7 |
| M299571 | | 2.38 | <0.005 | | | | <0.2 | 0.34 | 5 | <10 | 380 | <0.5 | <2 | 1.33 | 1.1 | 6 |
| M299572 | | 2.56 | <0.005 | | | | <0.2 | 0.34 | 2 | <10 | 520 | <0.5 | <2 | 0.93 | 0.6 | 6 |
| M299573 | | 3.38 | 0.039 | | | | 0.3 | 0.35 | 14 | <10 | 730 | <0.5 | <2 | 1.20 | 4.0 | 6 |
| M299574 | | 3.82 | 0.045 | | | | 0.4 | 0.34 | 16 | 10 | 290 | <0.5 | <2 | 1.46 | 15.0 | 7 |
| M299575 | | 3.22 | 0.016 | | | | 0.2 | 0.42 | 5 | 10 | 440 | <0.5 | <2 | 0.68 | 7.1 | 7 |
| M299576 | | 3.24 | 0.017 | | | | 0.3 | 0.38 | 8 | 10 | 740 | <0.5 | <2 | 1.36 | 11.2 | 7 |
| M299577 | | 2.90 | 0.013 | | | | <0.2 | 0.37 | 6 | 10 | 460 | <0.5 | <2 | 1.10 | 4.7 | 6 |
| M299578 | | 2.86 | 0.077 | | | | 0.8 | 0.39 | 16 | <10 | 110 | <0.5 | <2 | 1.09 | 29.5 | 7 |
| M299579 | | 2.90 | <0.005 | | | | <0.2 | 0.38 | 10 | 10 | 910 | <0.5 | <2 | 1.54 | 1.8 | 7 |
| M299580 | | 3.28 | <0.005 | | | | 0.2 | 0.38 | 11 | 10 | 1800 | <0.5 | <2 | 1.56 | 2.9 | 6 |
| M299581 | | 2.88 | 0.008 | | | | <0.2 | 0.38 | 4 | 10 | 470 | <0.5 | <2 | 1.66 | 6.6 | 6 |
| M299582 | | 3.60 | 0.112 | | | | 1.3 | 0.45 | 17 | 10 | 200 | 0.5 | <2 | 1.25 | 4.0 | 7 |
| M299583 | | 2.08 | 2.88 | 3.24 | 2.91 | 2.91 | 27.9 | 0.31 | 737 | <10 | 20 | 0.5 | 2 | 0.26 | 204 | 7 |
| M299584 | | 2.56 | 2.42 | | 1.52 | 2.48 | 28.6 | 0.38 | 302 | <10 | 20 | 0.5 | 2 | 0.26 | 125.0 | 8 |
| M299585 | | 2.90 | 1.225 | | | 1.27 | 8.5 | 0.36 | 52 | 10 | 30 | <0.5 | <2 | 0.22 | 15.1 | 6 |
| M299586 | | 1.88 | 0.522 | | | | 4.3 | 0.38 | 90 | 10 | 20 | 0.5 | 2 | 1.10 | 14.4 | 7 |
| M299587 | | 2.98 | 0.054 | | | | 0.6 | 0.40 | 10 | 10 | 60 | <0.5 | <2 | 1.98 | 0.9 | 8 |
| M299588 | | 0.82 | <0.005 | | | | 0.3 | 0.40 | 18 | 10 | 30 | 0.6 | <2 | 5.06 | <0.5 | 10 |
| M299589 | | 2.76 | <0.005 | | | | <0.2 | 0.40 | 12 | 10 | 30 | 0.5 | <2 | 2.80 | <0.5 | 9 |
| M299590 | | 3.06 | <0.005 | | | | 0.2 | 0.41 | 12 | 10 | 100 | 0.6 | <2 | 3.14 | <0.5 | 9 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046590

| Sample Description | Method Analyte Units LOR | ME-ICP41 Cr ppm 1 | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 |
|--------------------|--------------------------|-------------------|-------------------|--------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|
| M108292 | | 21 | 21 | 3.17 | <10 | 0.29 | 0.27 | 10 | 1.21 | 2140 | 1 | 0.07 | 2 | 690 | 473 | 2.77 |
| M108293 | | 16 | 220 | 2.84 | <10 | 3.69 | 0.24 | 10 | 0.89 | 1815 | 2 | 0.06 | 2 | 670 | 5080 | 3.00 |
| M108294 | | 18 | 41 | 3.28 | <10 | 0.19 | 0.27 | 10 | 0.75 | 1370 | 2 | 0.09 | 4 | 570 | 346 | 2.67 |
| M108295 | | 13 | 9 | 2.97 | <10 | 0.03 | 0.27 | 10 | 1.26 | 1715 | <1 | 0.08 | 2 | 660 | 46 | 0.11 |
| M108296 | | 16 | 5 | 2.98 | <10 | 0.03 | 0.27 | 20 | 1.44 | 1765 | 1 | 0.07 | 3 | 780 | 23 | 0.52 |
| M108297 | | 12 | 17 | 2.62 | <10 | 0.02 | 0.23 | 20 | 1.22 | 1410 | <1 | 0.07 | 4 | 710 | 14 | 0.14 |
| M299557 | | 15 | 131 | 3.19 | <10 | 0.49 | 0.30 | 10 | 1.28 | 2930 | 3 | 0.02 | 1 | 650 | 213 | 0.26 |
| M299558 | | 12 | 90 | 3.01 | <10 | 0.60 | 0.29 | 20 | 0.99 | 2060 | <1 | <0.01 | <1 | 780 | 1190 | 0.30 |
| M299559 | | 16 | 27 | 2.62 | <10 | 0.70 | 0.31 | 10 | 0.90 | 1960 | 1 | 0.01 | <1 | 660 | 910 | 0.37 |
| M299560 | | 12 | 9 | 2.69 | <10 | 0.24 | 0.30 | 20 | 1.08 | 2340 | <1 | 0.01 | <1 | 800 | 207 | 0.17 |
| M299561 | | 20 | 12 | 3.01 | <10 | 0.52 | 0.33 | 20 | 1.08 | 2330 | <1 | 0.01 | 1 | 790 | 300 | 0.24 |
| M299562 | | 16 | 7 | 3.01 | <10 | 0.11 | 0.30 | 20 | 1.08 | 2000 | <1 | 0.02 | 1 | 810 | 75 | 0.20 |
| M299563 | | 18 | 2 | 2.98 | <10 | 0.14 | 0.29 | 20 | 0.94 | 1995 | <1 | 0.02 | <1 | 780 | 12 | 0.14 |
| M299564 | | 15 | 19 | 2.95 | <10 | 1.04 | 0.24 | 10 | 0.93 | 2180 | <1 | 0.03 | <1 | 760 | 562 | 0.43 |
| M299565 | | 16 | 42 | 3.10 | <10 | 0.73 | 0.30 | 20 | 0.87 | 1860 | <1 | 0.02 | 1 | 680 | 371 | 0.62 |
| M299566 | | 17 | 6 | 3.02 | <10 | 0.19 | 0.27 | 20 | 0.85 | 1765 | <1 | 0.02 | <1 | 830 | 188 | 0.38 |
| M299567 | | 15 | 10 | 3.01 | <10 | 0.64 | 0.27 | 20 | 0.92 | 1935 | <1 | 0.02 | <1 | 800 | 378 | 0.42 |
| M299568 | | 14 | 27 | 2.96 | <10 | 0.55 | 0.27 | 10 | 0.96 | 2400 | <1 | 0.02 | <1 | 660 | 568 | 0.20 |
| M299569 | | 22 | 10 | 3.12 | <10 | 0.39 | 0.24 | 20 | 1.07 | 2340 | <1 | 0.02 | 1 | 810 | 303 | 0.11 |
| M299570 | | 19 | 16 | 3.32 | <10 | 0.97 | 0.30 | 20 | 1.36 | 2950 | <1 | 0.02 | 1 | 840 | 437 | 0.29 |
| M299571 | | 19 | 8 | 3.01 | <10 | 0.17 | 0.27 | 20 | 1.14 | 2470 | <1 | 0.02 | <1 | 860 | 114 | 0.06 |
| M299572 | | 28 | 3 | 2.74 | <10 | 0.16 | 0.27 | 20 | 0.95 | 1905 | <1 | 0.02 | <1 | 800 | 59 | 0.10 |
| M299573 | | 18 | 11 | 2.85 | <10 | 0.25 | 0.27 | 10 | 1.00 | 2110 | 1 | 0.02 | <1 | 730 | 247 | 0.30 |
| M299574 | | 22 | 26 | 3.26 | <10 | 1.05 | 0.26 | 10 | 1.15 | 2890 | 1 | 0.02 | <1 | 470 | 688 | 0.43 |
| M299575 | | 18 | 6 | 3.14 | <10 | 0.48 | 0.31 | 20 | 1.01 | 2490 | <1 | 0.02 | <1 | 820 | 642 | 0.24 |
| M299576 | | 28 | 13 | 3.03 | <10 | 0.68 | 0.30 | 20 | 1.12 | 2580 | 1 | 0.02 | 1 | 710 | 821 | 0.25 |
| M299577 | | 16 | 4 | 2.93 | <10 | 0.32 | 0.28 | 20 | 1.07 | 2720 | <1 | 0.02 | <1 | 840 | 390 | 0.13 |
| M299578 | | 20 | 31 | 2.97 | <10 | 1.62 | 0.29 | 20 | 0.90 | 2540 | 1 | 0.02 | <1 | 740 | 1345 | 0.67 |
| M299579 | | 14 | 18 | 3.22 | <10 | 0.29 | 0.28 | 10 | 1.12 | 2710 | <1 | 0.02 | <1 | 280 | 227 | 0.11 |
| M299580 | | 13 | 24 | 2.87 | <10 | 0.31 | 0.28 | 10 | 1.04 | 2450 | <1 | 0.03 | <1 | 630 | 258 | 0.13 |
| M299581 | | 12 | 4 | 3.00 | <10 | 0.49 | 0.28 | 20 | 1.08 | 2610 | <1 | 0.04 | <1 | 730 | 450 | 0.39 |
| M299582 | | 14 | 7 | 3.09 | <10 | 0.32 | 0.34 | 10 | 0.91 | 2500 | 1 | 0.06 | <1 | 640 | 220 | 0.68 |
| M299583 | | 21 | 1765 | 2.56 | <10 | 10.05 | 0.21 | <10 | 0.09 | 129 | 55 | 0.05 | 1 | 540 | >10000 | 4.22 |
| M299584 | | 22 | 637 | 2.08 | <10 | 4.60 | 0.24 | <10 | 0.05 | 40 | 45 | 0.06 | 1 | 720 | 4480 | 2.86 |
| M299585 | | 21 | 112 | 2.14 | <10 | 0.60 | 0.22 | <10 | 0.03 | 33 | 10 | 0.06 | 1 | 820 | 1160 | 2.30 |
| M299586 | | 19 | 198 | 2.97 | <10 | 0.73 | 0.26 | 10 | 0.37 | 680 | 6 | 0.06 | 1 | 700 | 529 | 2.99 |
| M299587 | | 14 | 24 | 2.67 | <10 | 0.10 | 0.27 | 10 | 0.98 | 1290 | 2 | 0.06 | 1 | 850 | 90 | 1.02 |
| M299588 | | 12 | 14 | 3.91 | <10 | 0.08 | 0.27 | 10 | 2.04 | 2060 | 2 | 0.07 | <1 | 560 | 16 | 2.20 |
| M299589 | | 11 | 12 | 3.43 | <10 | 0.07 | 0.28 | 10 | 1.29 | 1710 | 2 | 0.07 | 1 | 880 | 14 | 1.76 |
| M299590 | | 13 | 15 | 3.35 | <10 | 0.05 | 0.28 | 20 | 1.46 | 1740 | 1 | 0.07 | 1 | 870 | 13 | 0.66 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 6-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046590

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|-----------|-----------|----------|----------|----------|----------|
| | | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| | | | | | | | | | | |
| M108292 | | <2 | 3 | 254 | <0.01 | <10 | <10 | 11 | <10 | 645 |
| M108293 | | 7 | 2 | 162 | <0.01 | <10 | <10 | 9 | <10 | 8580 |
| M108294 | | 2 | 3 | 111 | <0.01 | <10 | <10 | 12 | <10 | 436 |
| M108295 | | <2 | 4 | 161 | <0.01 | <10 | <10 | 17 | <10 | 95 |
| M108296 | | <2 | 3 | 343 | <0.01 | <10 | <10 | 12 | <10 | 85 |
| M108297 | | <2 | 3 | 236 | <0.01 | <10 | <10 | 13 | <10 | 74 |
| M299557 | | 3 | 3 | 186 | <0.01 | <10 | <10 | 10 | <10 | 1135 |
| M299558 | | 8 | 2 | 146 | <0.01 | <10 | <10 | 9 | <10 | 1225 |
| M299559 | | 2 | 2 | 134 | <0.01 | <10 | <10 | 8 | <10 | 1775 |
| M299560 | | <2 | 3 | 141 | <0.01 | <10 | <10 | 8 | <10 | 546 |
| M299561 | | 2 | 3 | 142 | <0.01 | <10 | <10 | 11 | <10 | 1090 |
| M299562 | | <2 | 3 | 107 | <0.01 | <10 | <10 | 10 | <10 | 336 |
| M299563 | | <2 | 2 | 67 | <0.01 | <10 | <10 | 10 | <10 | 391 |
| M299564 | | <2 | 2 | 112 | <0.01 | <10 | <10 | 9 | <10 | 2690 |
| M299565 | | 2 | 2 | 106 | <0.01 | <10 | <10 | 9 | <10 | 1740 |
| M299566 | | 3 | 2 | 66 | <0.01 | <10 | <10 | 8 | <10 | 298 |
| M299567 | | <2 | 2 | 85 | <0.01 | <10 | <10 | 12 | <10 | 1375 |
| M299568 | | 2 | 2 | 80 | <0.01 | <10 | <10 | 9 | <10 | 1075 |
| M299569 | | <2 | 2 | 65 | <0.01 | <10 | <10 | 9 | <10 | 737 |
| M299570 | | <2 | 3 | 186 | <0.01 | <10 | <10 | 10 | <10 | 2010 |
| M299571 | | <2 | 2 | 86 | <0.01 | <10 | <10 | 9 | <10 | 346 |
| M299572 | | <2 | 2 | 62 | <0.01 | <10 | <10 | 8 | <10 | 307 |
| M299573 | | <2 | 2 | 102 | <0.01 | <10 | <10 | 8 | <10 | 675 |
| M299574 | | <2 | 3 | 184 | <0.01 | <10 | <10 | 9 | <10 | 2210 |
| M299575 | | <2 | 2 | 43 | <0.01 | <10 | <10 | 9 | <10 | 1175 |
| M299576 | | <2 | 3 | 110 | <0.01 | <10 | <10 | 10 | <10 | 1620 |
| M299577 | | <2 | 3 | 57 | <0.01 | <10 | <10 | 9 | <10 | 855 |
| M299578 | | 2 | 3 | 76 | <0.01 | <10 | <10 | 10 | <10 | 4170 |
| M299579 | | <2 | 4 | 108 | <0.01 | <10 | <10 | 12 | <10 | 445 |
| M299580 | | <2 | 3 | 128 | <0.01 | <10 | <10 | 10 | <10 | 516 |
| M299581 | | <2 | 3 | 85 | <0.01 | <10 | <10 | 9 | <10 | 1065 |
| M299582 | | <2 | 3 | 75 | <0.01 | <10 | <10 | 9 | <10 | 601 |
| M299583 | | 4 | 1 | 51 | <0.01 | <10 | <10 | 4 | <10 | >10000 |
| M299584 | | 2 | 1 | 42 | <0.01 | <10 | <10 | 5 | <10 | >10000 |
| M299585 | | 2 | 1 | 47 | <0.01 | <10 | <10 | 5 | <10 | 1935 |
| M299586 | | 3 | 2 | 126 | <0.01 | <10 | <10 | 7 | <10 | 2010 |
| M299587 | | 2 | 3 | 140 | <0.01 | <10 | <10 | 13 | <10 | 170 |
| M299588 | | <2 | 4 | 337 | <0.01 | <10 | <10 | 17 | <10 | 73 |
| M299589 | | <2 | 3 | 168 | <0.01 | <10 | <10 | 11 | <10 | 72 |
| M299590 | | <2 | 4 | 170 | <0.01 | <10 | <10 | 16 | <10 | 88 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046590

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | Pb-AA46 Pb | Zn-AA46 Zn | Au-GRA22 Au | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Ca | ME-ICP41 Cd | ME-ICP41 Co |
|--------------------|--------------------------|------------------|------------|------------|------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | kg | ppm | % | % | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm |
| M299591 | | 3.36 | <0.005 | | | | <0.2 | 0.38 | 9 | 10 | 240 | 0.5 | <2 | 3.15 | <0.5 | 8 |
| M299592 | | 3.58 | <0.005 | | | | 0.2 | 0.39 | 13 | 10 | 120 | 0.5 | <2 | 3.32 | <0.5 | 7 |
| M299593 | | 3.32 | <0.005 | | | | 0.2 | 0.39 | 11 | 10 | 290 | 0.5 | <2 | 3.17 | <0.5 | 7 |
| M299594 | | 3.54 | <0.005 | | | | <0.2 | 0.42 | 10 | 10 | 400 | 0.6 | <2 | 2.96 | <0.5 | 6 |
| M299595 | | 2.36 | <0.005 | | | | <0.2 | 0.42 | 25 | 10 | 100 | 0.7 | <2 | 2.81 | <0.5 | 6 |
| M299596 | | 2.82 | <0.005 | | | | 0.2 | 0.42 | 11 | 10 | 100 | 0.6 | <2 | 2.39 | <0.5 | 6 |
| M299597 | | 3.00 | 0.013 | | | | 1.1 | 0.37 | 20 | 10 | 40 | 0.6 | <2 | 1.89 | 0.8 | 8 |
| M299598 | | 2.96 | 0.017 | | | | 0.9 | 0.37 | 24 | 10 | 50 | <0.5 | <2 | 1.86 | 3.4 | 7 |
| M299599 | | 2.18 | 0.312 | | | | 5.6 | 0.36 | 80 | 10 | 30 | 0.5 | <2 | 0.58 | 25.7 | 7 |
| M299600 | | 2.02 | 0.021 | | | | 0.5 | 0.43 | 18 | 10 | 60 | 0.5 | <2 | 1.40 | 10.5 | 6 |
| M356548 | | 3.04 | 0.040 | | | | 0.2 | 0.40 | 10 | 10 | 350 | <0.5 | <2 | 0.99 | 6.0 | 7 |
| M356549 | | 3.42 | 0.009 | | | | 0.3 | 0.43 | 3 | 10 | 520 | <0.5 | <2 | 1.44 | 8.0 | 6 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046590

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|-----------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|
| | | Cr ppm 1 | Cu ppm 1 | Fe % 0.01 | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 |
| M299591 | | 11 | 14 | 3.27 | <10 | 0.05 | 0.27 | 20 | 1.34 | 1735 | <1 | 0.06 | <1 | 860 | 25 | 0.56 |
| M299592 | | 11 | 12 | 3.20 | <10 | 0.04 | 0.27 | 20 | 1.24 | 1635 | <1 | 0.06 | <1 | 790 | 9 | 0.84 |
| M299593 | | 10 | 16 | 3.11 | <10 | 0.03 | 0.28 | 20 | 1.32 | 1595 | <1 | 0.06 | <1 | 800 | 9 | 0.50 |
| M299594 | | 12 | 11 | 2.85 | <10 | <0.01 | 0.30 | 20 | 1.11 | 1590 | <1 | 0.07 | <1 | 780 | 7 | 0.38 |
| M299595 | | 9 | 12 | 2.89 | <10 | 0.03 | 0.28 | 10 | 1.02 | 1685 | <1 | 0.08 | <1 | 730 | 8 | 0.94 |
| M299596 | | 12 | 13 | 2.70 | <10 | 0.04 | 0.29 | 10 | 0.97 | 1315 | <1 | 0.07 | <1 | 720 | 9 | 0.91 |
| M299597 | | 10 | 25 | 2.97 | <10 | 0.12 | 0.26 | 10 | 0.88 | 1605 | 2 | 0.07 | <1 | 440 | 40 | 1.60 |
| M299598 | | 12 | 13 | 3.26 | <10 | 0.40 | 0.27 | 10 | 1.12 | 2710 | 1 | 0.07 | <1 | 410 | 300 | 1.15 |
| M299599 | | 14 | 134 | 2.46 | <10 | 1.58 | 0.25 | <10 | 0.33 | 885 | 4 | 0.06 | 1 | 530 | 1230 | 1.87 |
| M299600 | | 15 | 21 | 3.17 | <10 | 1.04 | 0.32 | 10 | 0.81 | 2550 | 1 | 0.08 | <1 | 610 | 196 | 1.02 |
| M356548 | | 11 | 4 | 3.04 | <10 | 0.44 | 0.29 | 10 | 0.85 | 2180 | 1 | 0.05 | 1 | 760 | 512 | 0.65 |
| M356549 | | 13 | 5 | 2.89 | <10 | 0.57 | 0.30 | 20 | 0.99 | 3010 | 1 | 0.05 | 1 | 720 | 606 | 0.28 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046590

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | |
|--------------------|--------------------------|----------|----------|----------|-----------|-----------|----------|----------|----------|----------|
| | | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| M299591 | | <2 | 4 | 176 | <0.01 | <10 | <10 | 14 | <10 | 89 |
| M299592 | | <2 | 3 | 178 | <0.01 | <10 | <10 | 12 | <10 | 75 |
| M299593 | | 2 | 3 | 207 | <0.01 | <10 | <10 | 13 | <10 | 64 |
| M299594 | | <2 | 4 | 157 | <0.01 | <10 | <10 | 12 | <10 | 61 |
| M299595 | | 2 | 4 | 140 | <0.01 | <10 | <10 | 11 | <10 | 59 |
| M299596 | | <2 | 3 | 170 | <0.01 | <10 | <10 | 10 | <10 | 68 |
| M299597 | | 2 | 3 | 185 | <0.01 | <10 | <10 | 8 | <10 | 179 |
| M299598 | | <2 | 3 | 197 | <0.01 | <10 | <10 | 10 | <10 | 585 |
| M299599 | | 4 | 2 | 85 | <0.01 | <10 | <10 | 6 | <10 | 3210 |
| M299600 | | 3 | 3 | 115 | <0.01 | <10 | <10 | 8 | <10 | 1655 |
| M356548 | | 2 | 3 | 61 | <0.01 | <10 | <10 | 10 | <10 | 918 |
| M356549 | | <2 | 3 | 63 | <0.01 | <10 | <10 | 9 | <10 | 1220 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 6-AUG-2004

Account: EIA

QC CERTIFICATE VA04046590

Project: NGX04-01

P.O. No.:

This report is for 92 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| PUL-31 | Pulverize split to 85% <75 um |
| SPL-21 | Split sample - riffle splitter |
| CRU-31 | Fine crushing - 70% <2mm |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-GRA22 | Au 50 g FA-GRAV finish | WST-SIM |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Au-AA23 | Au 30g FA-AA finish | AAS |
| Zn-AA46 | Ore grade Zn - aqua regia/AA | AAS |
| Pb-AA46 | Ore grade Pb - aqua regia/AA | AAS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **EQUITY ENGINEERING LTD**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 5 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

AI S Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 5 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 5 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 5 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 5 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Project: NGX04-01

Page: 3 - C
Total # Pages: 5 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 5 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

AI S Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Project: NGX04-01

Page: 4 - C

Total # Pages: 5 (A - C)

Finalized Date: 6-AUG-2004

Account: EIA

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - A
Total # Pages: 5 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - B
Total # Pages: 5 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 5 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

QC CERTIFICATE OF ANALYSIS VA04046590



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 6-AUG-2004
Account: EIA

CERTIFICATE VA04046914

Project: NGX04-01

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| PUL-31 | Pulverize split to 85% <75 um |
| SPL-21 | Split sample - riffle splitter |
| CRU-31 | Fine crushing - 70% <2mm |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 6-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046914

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | 0.01 |
| N108298 | | 3.22 | <0.005 | 0.2 | 0.31 | 17 | <10 | 230 | <0.5 | 2 | 3.37 | <0.5 | 6 | 25 | 12 | 2.74 |
| N108299 | | 2.54 | <0.005 | 0.2 | 0.41 | 13 | 10 | 160 | <0.5 | <2 | 2.59 | <0.5 | 6 | 11 | 8 | 2.99 |
| N108300 | | 2.48 | <0.005 | 0.3 | 0.36 | 13 | 10 | 850 | <0.5 | 2 | 2.16 | <0.5 | 6 | 13 | 26 | 2.67 |
| N108401 | | 2.52 | <0.005 | <0.2 | 0.43 | 5 | 10 | 200 | 0.5 | <2 | 1.83 | <0.5 | 6 | 10 | 13 | 2.72 |
| N108402 | | 2.80 | 0.005 | 0.3 | 0.37 | 21 | <10 | 20 | 0.5 | <2 | 2.28 | <0.5 | 6 | 13 | 11 | 2.90 |
| N108403 | | 2.54 | <0.005 | 0.2 | 0.42 | 21 | 10 | 30 | 0.5 | <2 | 2.44 | <0.5 | 7 | 9 | 6 | 3.00 |
| N108404 | | 3.80 | <0.005 | 0.2 | 0.41 | 13 | 10 | 280 | 0.6 | <2 | 2.28 | <0.5 | 7 | 11 | 6 | 2.82 |
| N108405 | | 1.44 | <0.005 | 0.2 | 0.38 | 484 | 10 | 200 | 0.6 | <2 | 6.91 | <0.5 | 4 | 10 | 5 | 3.29 |
| N108406 | | 3.10 | <0.005 | 0.2 | 0.40 | 9 | 10 | 50 | 0.5 | <2 | 2.65 | <0.5 | 7 | 11 | 7 | 2.68 |
| N108407 | | 2.26 | <0.005 | 0.2 | 0.47 | 11 | 10 | 40 | 1.0 | <2 | 1.95 | <0.5 | 7 | 6 | 10 | 2.73 |
| N108408 | | 3.26 | <0.005 | 0.2 | 0.53 | 19 | 10 | 20 | 0.9 | 2 | 1.91 | <0.5 | 8 | 9 | 11 | 3.18 |
| N108409 | | 3.16 | <0.005 | 0.3 | 0.65 | 21 | 10 | 20 | 0.9 | 2 | 1.15 | <0.5 | 8 | 9 | 10 | 3.21 |
| N108410 | | 3.12 | <0.005 | <0.2 | 0.57 | 16 | 10 | 20 | 0.9 | 3 | 1.20 | <0.5 | 8 | 9 | 10 | 3.29 |
| N108411 | | 2.32 | <0.005 | <0.2 | 0.56 | 19 | 10 | 10 | 0.9 | 2 | 0.94 | <0.5 | 9 | 10 | 12 | 3.27 |
| N108412 | | 3.34 | <0.005 | 0.3 | 0.52 | 21 | 10 | 720 | 0.5 | 2 | 4.27 | <0.5 | 10 | 8 | 44 | 3.73 |
| N108413 | | 1.44 | <0.005 | 0.2 | 0.59 | 50 | 10 | 200 | 0.9 | <2 | 1.17 | <0.5 | 5 | 4 | 162 | 2.29 |
| N108414 | | 3.22 | <0.005 | 0.2 | 0.50 | 13 | 10 | 990 | 0.5 | 2 | 2.82 | <0.5 | 7 | 6 | 35 | 3.62 |
| N108415 | | 3.20 | <0.005 | 0.2 | 0.66 | 27 | 10 | 1080 | 0.7 | <2 | 2.71 | <0.5 | 8 | 7 | 75 | 3.37 |
| N108416 | | 3.34 | 0.005 | 0.3 | 0.47 | 36 | 10 | 800 | 0.6 | <2 | 4.21 | <0.5 | 10 | 6 | 88 | 3.72 |
| N108417 | | 3.38 | <0.005 | 0.3 | 0.56 | 27 | 10 | 740 | 0.5 | <2 | 3.94 | <0.5 | 9 | 7 | 38 | 3.81 |
| N108418 | | 2.94 | 0.016 | 0.5 | 0.48 | 36 | 10 | 70 | 0.6 | <2 | 1.97 | <0.5 | 7 | 9 | 15 | 2.95 |
| N108419 | | 1.84 | 0.012 | 0.5 | 0.54 | 26 | 10 | 40 | 0.6 | 2 | 2.83 | <0.5 | 9 | 11 | 20 | 3.43 |
| N108420 | | 3.28 | <0.005 | 0.3 | 0.51 | 23 | 10 | 780 | 0.6 | 2 | 2.74 | <0.5 | 9 | 6 | 31 | 4.04 |
| N108421 | | 3.06 | 0.068 | <0.2 | 0.60 | 18 | 10 | 650 | 0.6 | <2 | 2.58 | <0.5 | 9 | 7 | 40 | 4.10 |
| N108422 | | 3.12 | <0.005 | 0.2 | 0.51 | 23 | 10 | 260 | 0.7 | 2 | 3.03 | <0.5 | 8 | 6 | 30 | 4.19 |
| N108423 | | 2.72 | <0.005 | 0.2 | 0.54 | 13 | 10 | 780 | 0.5 | 2 | 3.79 | <0.5 | 11 | 5 | 20 | 4.50 |
| N108424 | | 3.02 | <0.005 | <0.2 | 0.58 | 6 | 10 | 1040 | 0.6 | 2 | 4.15 | <0.5 | 11 | 7 | 5 | 4.33 |
| N108425 | | 2.84 | <0.005 | <0.2 | 0.61 | 6 | 10 | 1000 | 0.6 | 2 | 5.40 | <0.5 | 13 | 7 | 4 | 4.13 |
| N108426 | | 1.78 | <0.005 | 0.2 | 0.51 | 12 | 10 | 90 | 0.6 | 2 | 3.62 | <0.5 | 9 | 7 | 21 | 3.59 |
| N108427 | | 1.76 | <0.005 | 0.2 | 0.42 | 24 | 10 | 20 | <0.5 | 2 | 0.63 | <0.5 | 7 | 31 | 30 | 3.11 |
| N108428 | | 1.68 | <0.005 | <0.2 | 0.47 | 17 | 10 | 30 | 0.5 | <2 | 0.83 | <0.5 | 8 | 16 | 32 | 2.80 |
| N108429 | | 3.08 | <0.005 | <0.2 | 0.58 | 23 | 10 | 2660 | 0.6 | 2 | 4.04 | <0.5 | 7 | 9 | 24 | 4.00 |
| N108430 | | 3.32 | <0.005 | 0.3 | 0.47 | 81 | 10 | 280 | 0.6 | <2 | 2.89 | <0.5 | 10 | 13 | 44 | 3.87 |
| N108431 | | 3.30 | <0.005 | 0.3 | 0.51 | 73 | 10 | 160 | 0.6 | 2 | 2.32 | <0.5 | 6 | 7 | 32 | 3.16 |
| N108432 | | 3.10 | <0.005 | 0.3 | 0.56 | 56 | 10 | 150 | 0.7 | 2 | 2.45 | <0.5 | 7 | 8 | 26 | 3.43 |
| N108433 | | 0.44 | <0.005 | <0.2 | 0.59 | 23 | 10 | 10 | 0.7 | <2 | 0.53 | <0.5 | 8 | 11 | 14 | 3.64 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 6-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046914

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------------|-------------------|----------|-----------------|-------------------|----------------|----------------|----------|----------------|----------------|----------------|----------|------------------|----------------|----------------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % | La ppm 10 | Mg ppm 0.01 | Mn ppm 5 | Mo ppm 1 | Na % | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % | Sb ppm .01 | Sc ppm 2 | Sr ppm 1 |
| N108298 | | <10 | 0.03 | 0.21 | 10 | 1.43 | 1655 | 1 | 0.06 | <1 | 710 | 6 | 0.46 | <2 | 3 | 446 |
| N108299 | | <10 | 0.04 | 0.27 | 10 | 1.30 | 1815 | 1 | 0.07 | <1 | 640 | 7 | 0.73 | <2 | 3 | 265 |
| N108300 | | <10 | 0.03 | 0.25 | 10 | 1.22 | 1615 | 1 | 0.07 | <1 | 590 | 7 | 0.17 | 2 | 3 | 238 |
| N108401 | | <10 | 0.03 | 0.30 | 20 | 1.10 | 1495 | 1 | 0.07 | <1 | 840 | 5 | 0.29 | 2 | 3 | 182 |
| N108402 | | <10 | 0.03 | 0.24 | 10 | 0.90 | 1425 | 2 | 0.07 | 1 | 810 | 19 | 2.17 | <2 | 3 | 181 |
| N108403 | | <10 | 0.03 | 0.26 | 10 | 0.92 | 1420 | 2 | 0.08 | <1 | 850 | 12 | 2.61 | <2 | 3 | 186 |
| N108404 | | <10 | 0.02 | 0.27 | 20 | 1.05 | 1750 | 1 | 0.08 | 1 | 800 | 6 | 0.50 | <2 | 4 | 200 |
| N108405 | | <10 | 0.05 | 0.25 | 10 | 2.74 | 2830 | 1 | 0.06 | <1 | 470 | 11 | 0.32 | <2 | 2 | 711 |
| N108406 | | <10 | 0.03 | 0.25 | 20 | 1.06 | 1225 | 1 | 0.07 | 1 | 770 | 13 | 1.48 | <2 | 3 | 201 |
| N108407 | | <10 | 0.05 | 0.31 | 10 | 0.89 | 1190 | 1 | 0.10 | 1 | 790 | 23 | 1.30 | 2 | 3 | 126 |
| N108408 | | <10 | 0.08 | 0.33 | 10 | 0.66 | 965 | 2 | 0.11 | 1 | 850 | 14 | 2.64 | <2 | 3 | 90 |
| N108409 | | <10 | 0.08 | 0.39 | 10 | 0.33 | 566 | 2 | 0.12 | 1 | 830 | 12 | 3.17 | 2 | 2 | 51 |
| N108410 | | <10 | 0.06 | 0.35 | 10 | 0.36 | 566 | 2 | 0.12 | <1 | 840 | 12 | 3.25 | <2 | 2 | 51 |
| N108411 | | <10 | 0.16 | 0.33 | 10 | 0.27 | 383 | 3 | 0.13 | 1 | 870 | 12 | 3.40 | <2 | 2 | 50 |
| N108412 | | <10 | 0.08 | 0.34 | 10 | 0.66 | 1250 | <1 | 0.09 | 3 | 1170 | 6 | 0.36 | <2 | 6 | 275 |
| N108413 | | <10 | 0.07 | 0.39 | 10 | 0.26 | 488 | <1 | 0.13 | 2 | 700 | 4 | 0.33 | 3 | 5 | 69 |
| N108414 | | <10 | 0.04 | 0.34 | 10 | 0.53 | 1040 | <1 | 0.09 | 2 | 1170 | 4 | 0.15 | <2 | 5 | 157 |
| N108415 | | <10 | 0.05 | 0.41 | 10 | 0.43 | 920 | <1 | 0.11 | 3 | 1220 | 5 | 0.10 | 3 | 6 | 152 |
| N108416 | | <10 | 0.06 | 0.31 | 10 | 0.66 | 1485 | <1 | 0.10 | 3 | 1090 | 7 | 0.24 | 3 | 6 | 284 |
| N108417 | | <10 | 0.08 | 0.35 | 10 | 0.68 | 1390 | <1 | 0.10 | 3 | 1160 | 10 | 0.32 | <2 | 6 | 229 |
| N108418 | | <10 | 0.05 | 0.28 | 10 | 0.52 | 502 | 1 | 0.10 | 12 | 850 | 23 | 0.53 | 3 | 5 | 98 |
| N108419 | | <10 | 0.06 | 0.32 | 10 | 0.62 | 683 | 1 | 0.09 | 8 | 940 | 24 | 0.40 | <2 | 7 | 152 |
| N108420 | | <10 | 0.03 | 0.34 | 10 | 0.63 | 1190 | <1 | 0.11 | 1 | 1200 | 4 | 0.07 | <2 | 6 | 136 |
| N108421 | | <10 | 0.03 | 0.39 | 10 | 0.58 | 1230 | 1 | 0.11 | 2 | 1140 | 4 | 0.12 | <2 | 6 | 140 |
| N108422 | | <10 | 0.03 | 0.32 | 10 | 0.75 | 1355 | 1 | 0.11 | 3 | 1180 | 5 | 0.21 | 3 | 6 | 147 |
| N108423 | | <10 | 0.04 | 0.36 | 10 | 0.88 | 1380 | <1 | 0.11 | 1 | 1000 | 6 | 0.15 | <2 | 8 | 162 |
| N108424 | | <10 | 0.03 | 0.37 | 10 | 0.99 | 1280 | <1 | 0.12 | 4 | 1240 | 4 | 0.12 | <2 | 8 | 189 |
| N108425 | | <10 | 0.02 | 0.39 | 10 | 1.35 | 1595 | <1 | 0.12 | 5 | 1170 | 6 | 0.17 | <2 | 8 | 251 |
| N108426 | | <10 | 0.08 | 0.31 | 10 | 0.65 | 1265 | 1 | 0.12 | 4 | 1160 | 6 | 0.82 | <2 | 5 | 166 |
| N108427 | | <10 | 0.11 | 0.23 | <10 | 0.10 | 142 | 1 | 0.08 | 3 | 610 | 11 | 2.99 | <2 | 2 | 66 |
| N108428 | | <10 | 0.10 | 0.25 | <10 | 0.24 | 394 | 1 | 0.12 | 3 | 630 | 7 | 1.96 | 2 | 3 | 58 |
| N108429 | | <10 | 0.02 | 0.34 | 10 | 1.06 | 1165 | <1 | 0.12 | 1 | 980 | 4 | 0.07 | 3 | 6 | 170 |
| N108430 | | <10 | 0.12 | 0.27 | <10 | 0.91 | 904 | 1 | 0.13 | 10 | 490 | 12 | 0.45 | 4 | 9 | 150 |
| N108431 | | <10 | 0.11 | 0.29 | <10 | 0.84 | 347 | 2 | 0.13 | 14 | 210 | 24 | 0.79 | 4 | 9 | 135 |
| N108432 | | <10 | 0.14 | 0.31 | <10 | 0.87 | 362 | 2 | 0.13 | 16 | 670 | 19 | 1.13 | 4 | 9 | 110 |
| N108433 | | <10 | 1.09 | 0.35 | 10 | 0.14 | 218 | 2 | 0.11 | <1 | 840 | 13 | 3.90 | <2 | 2 | 29 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 6-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04046914

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Ti % | Ti ppm | U ppm | V ppm | W ppm | Zn ppm |
| N108298 | | <0.01 | <10 | <10 | 10 | <10 | 67 |
| N108299 | | <0.01 | <10 | <10 | 12 | <10 | 87 |
| N108300 | | <0.01 | <10 | <10 | 11 | <10 | 77 |
| N108401 | | <0.01 | <10 | <10 | 12 | <10 | 87 |
| N108402 | | <0.01 | <10 | <10 | 9 | <10 | 67 |
| N108403 | | <0.01 | <10 | <10 | 10 | <10 | 61 |
| N108404 | | <0.01 | <10 | <10 | 12 | <10 | 75 |
| N108405 | | <0.01 | <10 | <10 | 10 | <10 | 100 |
| N108406 | | <0.01 | <10 | <10 | 10 | <10 | 80 |
| N108407 | | <0.01 | <10 | <10 | 8 | <10 | 98 |
| N108408 | | <0.01 | <10 | <10 | 9 | <10 | 70 |
| N108409 | | <0.01 | <10 | <10 | 9 | <10 | 42 |
| N108410 | | <0.01 | <10 | <10 | 9 | <10 | 42 |
| N108411 | | <0.01 | <10 | <10 | 8 | <10 | 58 |
| N108412 | | <0.01 | <10 | <10 | 23 | <10 | 79 |
| N108413 | | <0.01 | <10 | <10 | 14 | <10 | 43 |
| N108414 | | <0.01 | <10 | <10 | 24 | <10 | 60 |
| N108415 | | <0.01 | <10 | <10 | 21 | <10 | 65 |
| N108416 | | <0.01 | <10 | <10 | 19 | <10 | 71 |
| N108417 | | <0.01 | <10 | <10 | 21 | <10 | 69 |
| N108418 | | <0.01 | <10 | <10 | 11 | <10 | 78 |
| N108419 | | <0.01 | <10 | <10 | 14 | <10 | 98 |
| N108420 | | <0.01 | <10 | <10 | 21 | <10 | 81 |
| N108421 | | <0.01 | <10 | <10 | 21 | <10 | 61 |
| N108422 | | <0.01 | <10 | <10 | 20 | <10 | 77 |
| N108423 | | <0.01 | <10 | <10 | 41 | <10 | 69 |
| N108424 | | <0.01 | <10 | <10 | 35 | <10 | 75 |
| N108425 | | <0.01 | <10 | <10 | 33 | <10 | 85 |
| N108426 | | <0.01 | <10 | <10 | 22 | <10 | 67 |
| N108427 | | <0.01 | <10 | <10 | 7 | <10 | 27 |
| N108428 | | <0.01 | <10 | <10 | 10 | <10 | 32 |
| N108429 | | <0.01 | <10 | <10 | 27 | <10 | 69 |
| N108430 | | <0.01 | <10 | <10 | 23 | <10 | 127 |
| N108431 | | <0.01 | <10 | <10 | 14 | <10 | 134 |
| N108432 | | <0.01 | <10 | <10 | 15 | <10 | 110 |
| N108433 | | <0.01 | <10 | <10 | 8 | <10 | 73 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 9-AUG-2004

Account: EIA

CERTIFICATE VA04047564

Project: NGX04-01

P.O. No.:

This report is for 98 Drill Core samples submitted to our lab in Vancouver, BC, Canada on
22-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| PUL-31 | Pulverize split to 85% <75 um |
| SPL-21 | Split sample - riffle splitter |
| CRU-31 | Fine crushing - 70% <2mm |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-GRA22 | Au 50 g FA-GRAV finish | WST-SIM |
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04047564

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| 108434 | | 2.24 | 0.007 | 0.5 | 0.40 | 22 | <10 | 440 | 0.5 | 2 | 2.45 | 6.3 | 6 | 3 | 14 | 3.17 |
| 108435 | | 2.42 | <0.005 | 0.3 | 0.39 | 17 | 10 | 1120 | 0.5 | <2 | 3.34 | <0.5 | 6 | 11 | 16 | 2.65 |
| 108436 | | 2.58 | <0.005 | 0.3 | 0.42 | 10 | <10 | 420 | <0.5 | 2 | 2.48 | <0.5 | 6 | 3 | 14 | 2.52 |
| 108437 | | 2.18 | <0.005 | <0.2 | 0.46 | 7 | 10 | 1750 | 0.5 | 2 | 3.01 | <0.5 | 5 | 15 | 15 | 2.41 |
| 108438 | | 1.96 | <0.005 | 0.2 | 0.37 | 2 | <10 | 1030 | 0.5 | <2 | 3.83 | <0.5 | 6 | 2 | 8 | 2.62 |
| 108439 | | 1.14 | <0.005 | 0.3 | 0.39 | 17 | <10 | 250 | 0.5 | <2 | 2.60 | <0.5 | 8 | 9 | 14 | 3.15 |
| 108440 | | 3.64 | <0.005 | <0.2 | 0.40 | 22 | <10 | 500 | 0.5 | 2 | 3.04 | 0.9 | 6 | 2 | 9 | 2.75 |
| 108441 | | 2.28 | <0.005 | <0.2 | 0.38 | 16 | 10 | 1160 | 0.6 | <2 | 2.83 | <0.5 | 5 | 12 | 9 | 2.67 |
| 108442 | | 1.64 | 0.008 | 0.6 | 0.39 | 38 | 10 | 60 | 0.6 | 2 | 2.24 | 1.2 | 9 | 3 | 25 | 3.20 |
| 108443 | | 3.12 | 0.006 | 0.3 | 0.35 | 20 | <10 | 50 | 0.5 | 2 | 3.09 | <0.5 | 9 | 11 | 15 | 2.95 |
| 108444 | | 1.78 | <0.005 | 0.3 | 0.48 | 25 | 10 | 740 | <0.5 | 2 | 3.15 | <0.5 | 13 | 9 | 35 | 3.21 |
| 108445 | | 3.20 | <0.005 | 0.3 | 0.37 | 13 | <10 | 500 | <0.5 | <2 | 2.45 | <0.5 | 11 | 12 | 25 | 2.76 |
| 108446 | | 4.44 | <0.005 | 0.2 | 0.35 | <2 | <10 | 110 | 0.5 | <2 | 2.92 | <0.5 | 8 | 11 | 10 | 2.92 |
| 108447 | | 3.12 | <0.005 | 0.2 | 0.47 | 8 | <10 | 120 | 0.6 | 2 | 2.47 | <0.5 | 8 | 3 | 11 | 2.94 |
| 108448 | | 3.28 | <0.005 | 0.2 | 0.38 | 7 | <10 | 70 | 0.6 | 2 | 1.60 | <0.5 | 8 | 14 | 10 | 3.08 |
| 108449 | | 3.76 | <0.005 | <0.2 | 0.39 | 13 | 10 | 30 | 0.6 | <2 | 2.17 | <0.5 | 7 | 2 | 11 | 3.36 |
| 108450 | | 3.24 | <0.005 | <0.2 | 0.40 | 6 | <10 | 50 | 0.6 | <2 | 2.02 | <0.5 | 8 | 13 | 9 | 3.44 |
| 108659 | | 2.36 | 0.005 | 0.2 | 0.40 | 8 | <10 | 20 | 0.6 | <2 | 1.52 | <0.5 | 9 | 2 | 12 | 3.72 |
| 108660 | | 2.66 | 0.024 | 0.3 | 0.40 | 14 | <10 | 20 | 0.9 | <2 | 2.38 | <0.5 | 9 | 15 | 11 | 3.58 |
| 108661 | | 2.42 | 0.082 | 2.0 | 0.41 | 25 | <10 | 20 | 0.8 | <2 | 1.52 | 1.6 | 8 | 5 | 50 | 3.18 |
| 108662 | | 2.98 | 0.296 | 4.8 | 0.38 | 64 | <10 | 20 | 0.5 | 4 | 0.79 | 10.4 | 7 | 7 | 389 | 3.59 |
| 108663 | | 2.26 | 1.640 | 4.7 | 0.27 | 224 | <10 | 20 | <0.5 | <2 | 2.17 | 16.9 | 6 | 34 | 1365 | 4.29 |
| 108664 | | 2.90 | 0.097 | 0.6 | 0.39 | 31 | <10 | 30 | 0.7 | <2 | 1.28 | 2.6 | 7 | 18 | 72 | 3.30 |
| 108665 | | 2.30 | 5.11 | 7.7 | 0.29 | 176 | <10 | 30 | <0.5 | 2 | 1.77 | 49.5 | 7 | 9 | 973 | 3.08 |
| 108666 | | 3.14 | 0.010 | <0.2 | 0.43 | 10 | 10 | 120 | 0.7 | <2 | 1.28 | 1.0 | 7 | 17 | 17 | 3.28 |
| 108667 | | 1.92 | <0.005 | <0.2 | 0.43 | 5 | <10 | 120 | 0.7 | <2 | 1.76 | <0.5 | 7 | 34 | 11 | 3.22 |
| 108668 | | 2.76 | 0.017 | 0.3 | 0.47 | 17 | 10 | 20 | 0.6 | <2 | 1.64 | <0.5 | 7 | 31 | 10 | 3.38 |
| 108669 | | 1.26 | 0.018 | 0.2 | 0.51 | 118 | 10 | 40 | 0.6 | <2 | 2.78 | <0.5 | 7 | 35 | 10 | 3.25 |
| 108670 | | 2.32 | <0.005 | <0.2 | 0.43 | 10 | <10 | 880 | <0.5 | <2 | 2.55 | <0.5 | 7 | 31 | 13 | 2.84 |
| 108671 | | 3.08 | <0.005 | <0.2 | 0.44 | 8 | 10 | 310 | 0.5 | <2 | 3.22 | <0.5 | 7 | 28 | 12 | 2.86 |
| 108672 | | 3.18 | 0.009 | <0.2 | 0.52 | 7 | 10 | 500 | 0.6 | <2 | 1.97 | <0.5 | 6 | 25 | 7 | 2.38 |
| 108673 | | 4.22 | 0.012 | <0.2 | 0.46 | 5 | 10 | 120 | 0.5 | <2 | 3.67 | <0.5 | 7 | 27 | 3 | 3.00 |
| 108674 | | 2.20 | 0.016 | <0.2 | 0.45 | 6 | 10 | 680 | <0.5 | <2 | 2.47 | <0.5 | 5 | 26 | 4 | 2.44 |
| 108675 | | 3.08 | 0.005 | <0.2 | 0.53 | 5 | 10 | 460 | 0.5 | <2 | 2.20 | <0.5 | 6 | 28 | 5 | 2.55 |
| 108676 | | 2.26 | <0.005 | <0.2 | 0.41 | 3 | <10 | 360 | <0.5 | <2 | 2.06 | <0.5 | 6 | 29 | 4 | 2.47 |
| 108677 | | 2.88 | 0.022 | 0.2 | 0.50 | 5 | 10 | 20 | 0.5 | <2 | 3.04 | <0.5 | 9 | 25 | 5 | 3.66 |
| 108678 | | 2.66 | 0.113 | 0.2 | 0.56 | 5 | 10 | 60 | 0.5 | <2 | 2.75 | <0.5 | 8 | 30 | 9 | 2.98 |
| 108679 | | 2.30 | 0.006 | <0.2 | 0.45 | 9 | <10 | 70 | <0.5 | <2 | 3.54 | <0.5 | 7 | 29 | 5 | 2.95 |
| 108680 | | 2.14 | <0.005 | <0.2 | 0.41 | 8 | <10 | 150 | <0.5 | <2 | 3.89 | <0.5 | 6 | 39 | 3 | 2.72 |
| 108681 | | 3.34 | <0.005 | <0.2 | 0.41 | 9 | <10 | 170 | <0.5 | <2 | 3.66 | <0.5 | 6 | 34 | 3 | 2.92 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 9-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04047564

| Sample Description | Method | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|-------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte Units LOR | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm |
| 108434 | | <10 | 0.49 | 0.27 | 10 | 1.14 | 2590 | <1 | 0.01 | 3 | 710 | 394 | 0.50 | 2 | 3 | 80 |
| 108435 | | <10 | 0.08 | 0.28 | 10 | 1.28 | 1980 | <1 | <0.01 | 4 | 700 | 43 | 0.17 | 2 | 3 | 110 |
| 108436 | | <10 | 0.09 | 0.31 | 20 | 1.04 | 1795 | <1 | 0.01 | 1 | 780 | 5 | 0.12 | 2 | 3 | 74 |
| 108437 | | <10 | 0.07 | 0.32 | 20 | 1.18 | 1670 | <1 | <0.01 | 2 | 810 | 6 | 0.16 | 3 | 3 | 122 |
| 108438 | | <10 | 0.04 | 0.28 | 10 | 1.35 | 1970 | <1 | <0.01 | 3 | 760 | 21 | 0.20 | <2 | 3 | 144 |
| 108439 | | <10 | 0.07 | 0.29 | 20 | 1.05 | 1740 | <1 | 0.01 | 2 | 1050 | 19 | 0.50 | <2 | 3 | 119 |
| 108440 | | <10 | 0.08 | 0.30 | 20 | 1.08 | 1640 | <1 | 0.01 | 4 | 900 | 35 | 0.47 | <2 | 3 | 109 |
| 108441 | | <10 | 0.05 | 0.28 | 20 | 1.08 | 1655 | <1 | <0.01 | 3 | 830 | 14 | 0.12 | <2 | 3 | 108 |
| 108442 | | <10 | 0.14 | 0.28 | 20 | 0.89 | 1355 | <1 | 0.01 | 1 | 770 | 108 | 1.03 | 3 | 3 | 81 |
| 108443 | | <10 | 0.12 | 0.25 | 10 | 1.10 | 1375 | 1 | 0.01 | 4 | 740 | 36 | 1.44 | <2 | 3 | 90 |
| 108444 | | <10 | 0.26 | 0.31 | 10 | 1.55 | 972 | 1 | 0.03 | 14 | 980 | 7 | 0.16 | <2 | 8 | 106 |
| 108445 | | <10 | 0.16 | 0.25 | 10 | 1.02 | 1335 | <1 | 0.02 | 2 | 760 | 11 | 0.37 | 2 | 3 | 78 |
| 108446 | | <10 | 0.09 | 0.24 | 10 | 1.05 | 1415 | <1 | 0.02 | 1 | 800 | 13 | 1.69 | <2 | 3 | 84 |
| 108447 | | <10 | 0.15 | 0.32 | 20 | 0.89 | 1355 | <1 | 0.02 | 2 | 810 | 18 | 1.54 | 3 | 3 | 85 |
| 108448 | | <10 | 0.09 | 0.26 | 10 | 0.72 | 1215 | <1 | 0.02 | 2 | 810 | 15 | 1.81 | 3 | 2 | 74 |
| 108449 | | <10 | 0.08 | 0.27 | 10 | 1.04 | 1640 | 1 | 0.02 | 4 | 780 | 9 | 1.60 | <2 | 3 | 106 |
| 108450 | | <10 | 0.08 | 0.26 | 10 | 1.14 | 1565 | <1 | 0.03 | 1 | 850 | 6 | 1.06 | <2 | 3 | 87 |
| 108659 | | <10 | 0.11 | 0.26 | 10 | 0.78 | 1455 | <1 | 0.03 | 1 | 800 | 8 | 2.25 | <2 | 3 | 107 |
| 108660 | | <10 | 0.16 | 0.27 | 10 | 0.93 | 1445 | 7 | 0.02 | <1 | 700 | 16 | 2.59 | 2 | 2 | 167 |
| 108661 | | <10 | 0.18 | 0.26 | <10 | 0.56 | 883 | 8 | 0.02 | 1 | 730 | 91 | 2.70 | 2 | 2 | 76 |
| 108662 | | <10 | 0.66 | 0.24 | <10 | 0.28 | 677 | 4 | 0.02 | <1 | 650 | 312 | 3.45 | 2 | 1 | 47 |
| 108663 | | <10 | 1.60 | 0.18 | <10 | 0.82 | 1885 | 3 | 0.02 | 2 | 450 | 920 | 3.72 | 5 | 2 | 94 |
| 108664 | | <10 | 0.38 | 0.26 | <10 | 0.69 | 1220 | 5 | 0.02 | 1 | 670 | 118 | 2.03 | <2 | 3 | 99 |
| 108665 | | <10 | 3.60 | 0.19 | <10 | 0.62 | 1045 | 7 | 0.02 | 1 | 600 | 2360 | 2.82 | 16 | 2 | 93 |
| 108666 | | <10 | 0.18 | 0.29 | 10 | 0.86 | 1555 | <1 | 0.02 | <1 | 740 | 19 | 0.79 | <2 | 2 | 99 |
| 108667 | | <10 | 0.11 | 0.29 | 10 | 1.12 | 1705 | <1 | 0.03 | <1 | 650 | 7 | 0.82 | <2 | 2 | 134 |
| 108668 | | <10 | 0.35 | 0.29 | <10 | 0.70 | 1285 | 2 | 0.03 | 2 | 660 | 9 | 2.67 | <2 | 2 | 95 |
| 108669 | | <10 | 0.22 | 0.33 | <10 | 0.98 | 1610 | 1 | 0.03 | 1 | 510 | 18 | 1.54 | <2 | 4 | 104 |
| 108670 | | <10 | 0.05 | 0.31 | 10 | 1.06 | 1295 | <1 | 0.04 | 1 | 800 | 6 | 0.06 | <2 | 3 | 106 |
| 108671 | | <10 | 0.04 | 0.30 | 10 | 1.20 | 1535 | <1 | 0.04 | <1 | 770 | 4 | 0.56 | <2 | 3 | 143 |
| 108672 | | <10 | 0.03 | 0.35 | 10 | 0.77 | 1080 | <1 | 0.04 | 1 | 830 | 5 | 0.50 | <2 | 4 | 87 |
| 108673 | | <10 | 0.05 | 0.30 | 10 | 1.30 | 1780 | <1 | 0.04 | <1 | 730 | 3 | 0.65 | 2 | 3 | 162 |
| 108674 | | <10 | 0.03 | 0.32 | 10 | 0.85 | 1090 | <1 | 0.04 | 1 | 760 | 3 | 0.28 | <2 | 3 | 106 |
| 108675 | | <10 | 0.03 | 0.38 | 10 | 0.79 | 1120 | <1 | 0.05 | 2 | 780 | 3 | 0.19 | <2 | 4 | 94 |
| 108676 | | <10 | 0.03 | 0.29 | 10 | 0.72 | 1110 | <1 | 0.05 | 1 | 850 | 2 | 0.42 | 2 | 3 | 86 |
| 108677 | | <10 | 0.04 | 0.33 | 10 | 0.91 | 1915 | 1 | 0.04 | 1 | 810 | 5 | 2.26 | <2 | 3 | 141 |
| 108678 | | <10 | 0.07 | 0.34 | 10 | 0.81 | 1260 | 3 | 0.05 | 3 | 870 | 10 | 1.82 | <2 | 3 | 100 |
| 108679 | | <10 | 0.04 | 0.30 | 10 | 1.00 | 1705 | <1 | 0.05 | 1 | 890 | 4 | 1.22 | <2 | 3 | 136 |
| 108680 | | <10 | 0.02 | 0.28 | 10 | 1.12 | 1890 | <1 | 0.05 | 2 | 810 | 2 | 0.63 | <2 | 3 | 148 |
| 108681 | | <10 | 0.05 | 0.29 | 10 | 1.00 | 2030 | <1 | 0.05 | 2 | 880 | 3 | 0.71 | <2 | 3 | 150 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04047564

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Au-GRA22 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm | Au ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 | 0.05 |
| 108434 | | <0.01 | <10 | <10 | 9 | <10 | 959 | |
| 108435 | | <0.01 | <10 | <10 | 9 | <10 | 98 | |
| 108436 | | <0.01 | <10 | <10 | 8 | <10 | 90 | |
| 108437 | | <0.01 | <10 | <10 | 9 | <10 | 76 | |
| 108438 | | <0.01 | <10 | <10 | 7 | <10 | 60 | |
| 108439 | | <0.01 | <10 | <10 | 11 | <10 | 84 | |
| 108440 | | <0.01 | <10 | <10 | 9 | <10 | 140 | |
| 108441 | | <0.01 | <10 | <10 | 8 | <10 | 74 | |
| 108442 | | <0.01 | <10 | <10 | 9 | <10 | 237 | |
| 108443 | | <0.01 | <10 | <10 | 13 | <10 | 55 | |
| 108444 | | <0.01 | <10 | <10 | 40 | <10 | 66 | |
| 108445 | | <0.01 | <10 | <10 | 11 | <10 | 60 | |
| 108446 | | <0.01 | <10 | <10 | 9 | <10 | 61 | |
| 108447 | | <0.01 | <10 | <10 | 11 | <10 | 48 | |
| 108448 | | <0.01 | <10 | <10 | 9 | <10 | 60 | |
| 108449 | | <0.01 | <10 | <10 | 10 | <10 | 86 | |
| 108450 | | <0.01 | <10 | <10 | 11 | <10 | 97 | |
| 108659 | | <0.01 | <10 | <10 | 9 | <10 | 80 | |
| 108660 | | <0.01 | <10 | <10 | 8 | <10 | 118 | |
| 108661 | | <0.01 | <10 | <10 | 8 | <10 | 277 | |
| 108662 | | <0.01 | <10 | <10 | 6 | <10 | 1300 | |
| 108663 | | <0.01 | <10 | <10 | 8 | <10 | 2570 | 1.64 |
| 108664 | | <0.01 | <10 | <10 | 9 | <10 | 423 | |
| 108665 | | <0.01 | <10 | <10 | 6 | <10 | 6280 | 4.89 |
| 108666 | | <0.01 | <10 | <10 | 11 | <10 | 188 | |
| 108667 | | <0.01 | <10 | <10 | 10 | <10 | 64 | |
| 108668 | | <0.01 | <10 | <10 | 11 | <10 | 74 | |
| 108669 | | <0.01 | <10 | <10 | 19 | <10 | 75 | |
| 108670 | | <0.01 | <10 | <10 | 17 | <10 | 67 | |
| 108671 | | <0.01 | <10 | <10 | 14 | <10 | 56 | |
| 108672 | | <0.01 | <10 | <10 | 13 | <10 | 53 | |
| 108673 | | <0.01 | <10 | <10 | 14 | <10 | 77 | |
| 108674 | | <0.01 | <10 | <10 | 14 | <10 | 53 | |
| 108675 | | <0.01 | <10 | <10 | 15 | <10 | 58 | |
| 108676 | | <0.01 | <10 | <10 | 12 | <10 | 48 | |
| 108677 | | <0.01 | <10 | <10 | 12 | <10 | 64 | |
| 108678 | | <0.01 | <10 | <10 | 14 | <10 | 84 | |
| 108679 | | <0.01 | <10 | <10 | 14 | <10 | 54 | |
| 108680 | | <0.01 | <10 | 10 | 15 | <10 | 51 | |
| 108681 | | <0.01 | <10 | <10 | 15 | <10 | 85 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04047564

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------------|----------------------------|------------------|----------|----------------|----------------|-----------------|------------------|----------------|----------|------------------|----------------|----------------|----------------|----------|
| | | Recvd Wt. kg | Au ppm 0.02 0.005 | Ag ppm 0.2 | Al % | As ppm 2 | B ppm 10 | Ba ppm 10 | Be ppm 0.5 | Bi ppm 2 | Ca % | Cd ppm 0.5 | Co ppm 1 | Cr ppm 1 | Cu ppm 1 | Fe % |
| 108682 | | 2.90 | <0.005 | <0.2 | 0.48 | 5 | <10 | 100 | 0.5 | <2 | 4.08 | <0.5 | 8 | 45 | 5 | 3.19 |
| 108683 | | 3.70 | <0.005 | <0.2 | 0.41 | 4 | <10 | 450 | 0.5 | <2 | 2.71 | <0.5 | 6 | 23 | 5 | 2.39 |
| 108684 | | 3.38 | <0.005 | <0.2 | 0.42 | 8 | <10 | 1530 | 0.5 | <2 | 3.42 | <0.5 | 6 | 21 | 14 | 2.54 |
| 108685 | | 3.42 | <0.005 | <0.2 | 0.44 | 8 | <10 | 1860 | <0.5 | <2 | 2.86 | <0.5 | 6 | 28 | 11 | 2.73 |
| 108686 | | 3.08 | <0.005 | <0.2 | 0.45 | 20 | <10 | 1770 | <0.5 | <2 | 3.38 | <0.5 | 5 | 31 | 34 | 2.45 |
| 108687 | | 3.44 | <0.005 | <0.2 | 0.42 | 10 | <10 | 380 | <0.5 | <2 | 3.97 | <0.5 | 6 | 28 | 10 | 2.97 |
| 108688 | | 3.16 | <0.005 | <0.2 | 0.44 | 7 | 10 | 270 | <0.5 | <2 | 3.30 | <0.5 | 6 | 34 | 7 | 2.94 |
| 108689 | | 3.00 | 0.040 | <0.2 | 0.48 | 4 | 10 | 100 | <0.5 | <2 | 3.05 | <0.5 | 7 | 27 | 7 | 3.22 |
| 108690 | | 2.70 | 0.007 | <0.2 | 0.47 | 9 | <10 | 170 | <0.5 | <2 | 3.55 | <0.5 | 7 | 34 | 12 | 2.84 |
| 108691 | | 2.80 | <0.005 | <0.2 | 0.43 | 3 | <10 | 330 | <0.5 | <2 | 4.12 | <0.5 | 6 | 29 | 8 | 3.09 |
| 108692 | | 2.74 | 0.013 | 0.2 | 0.59 | 17 | 10 | 70 | 0.6 | <2 | 2.78 | 0.5 | 7 | 33 | 31 | 2.55 |
| 108693 | | 3.70 | 0.022 | 0.2 | 0.43 | 16 | <10 | 370 | <0.5 | <2 | 1.70 | 1.1 | 7 | 23 | 22 | 2.87 |
| 108694 | | 3.18 | 0.144 | 4.7 | 0.52 | 19 | <10 | 30 | 0.6 | <2 | 1.87 | 1.1 | 9 | 27 | 19 | 3.63 |
| 108695 | | 2.64 | 0.039 | 3.9 | 0.55 | 16 | <10 | 50 | 0.7 | <2 | 1.30 | 0.9 | 10 | 24 | 22 | 3.72 |
| 108696 | | 3.26 | 0.009 | 0.4 | 0.53 | 14 | <10 | 180 | 0.6 | <2 | 1.20 | <0.5 | 9 | 26 | 15 | 3.20 |
| 108697 | | 3.62 | <0.005 | <0.2 | 0.41 | 10 | <10 | 600 | 0.5 | <2 | 2.17 | <0.5 | 6 | 21 | 16 | 2.54 |
| 108698 | | 3.36 | 0.025 | <0.2 | 0.47 | 19 | <10 | 640 | <0.5 | <2 | 1.46 | <0.5 | 7 | 27 | 12 | 3.01 |
| 108699 | | 3.10 | 0.023 | <0.2 | 0.43 | 13 | <10 | 240 | 0.5 | <2 | 2.06 | <0.5 | 7 | 22 | 15 | 2.92 |
| 108700 | | 2.96 | 0.020 | 0.2 | 0.54 | 18 | <10 | 170 | 0.6 | <2 | 1.66 | <0.5 | 7 | 28 | 18 | 2.68 |
| 132101 | | 1.56 | 0.019 | 0.3 | 0.51 | 20 | 10 | 40 | 0.8 | <2 | 2.45 | 1.3 | 8 | 18 | 22 | 2.94 |
| 132102 | | 2.88 | <0.005 | <0.2 | 0.59 | 10 | 10 | 440 | 0.7 | <2 | 1.98 | <0.5 | 6 | 20 | 12 | 2.73 |
| 132103 | | 2.94 | <0.005 | <0.2 | 0.50 | 10 | <10 | 230 | 0.5 | <2 | 1.94 | <0.5 | 6 | 21 | 7 | 2.88 |
| 132104 | | 2.24 | <0.005 | <0.2 | 0.46 | 11 | <10 | 390 | 0.5 | <2 | 2.28 | <0.5 | 6 | 24 | 9 | 2.69 |
| 132105 | | 2.82 | <0.005 | <0.2 | 0.51 | 11 | <10 | 150 | 0.8 | <2 | 3.28 | <0.5 | 7 | 15 | 8 | 2.92 |
| 132106 | | 3.68 | <0.005 | <0.2 | 0.47 | 8 | <10 | 100 | 0.5 | <2 | 2.82 | <0.5 | 7 | 22 | 9 | 2.84 |
| 132107 | | 3.08 | <0.005 | <0.2 | 0.45 | 7 | <10 | 70 | 0.5 | <2 | 2.26 | <0.5 | 7 | 21 | 9 | 2.45 |
| 132108 | | 2.56 | <0.005 | <0.2 | 0.55 | 11 | 10 | 200 | 0.5 | <2 | 3.20 | <0.5 | 7 | 28 | 17 | 3.03 |
| 132109 | | 2.96 | <0.005 | <0.2 | 0.48 | 19 | 10 | 960 | 0.5 | <2 | 2.95 | <0.5 | 8 | 20 | 25 | 2.59 |
| 132110 | | 1.64 | <0.005 | 0.2 | 0.48 | 9 | <10 | 50 | 0.5 | <2 | 3.90 | <0.5 | 7 | 25 | 7 | 2.95 |
| 132111 | | 3.84 | <0.005 | <0.2 | 0.46 | 6 | <10 | 400 | 0.6 | <2 | 2.46 | <0.5 | 7 | 19 | 12 | 3.00 |
| 132112 | | 2.68 | <0.005 | <0.2 | 0.57 | 6 | <10 | 600 | 0.6 | <2 | 2.71 | <0.5 | 7 | 23 | 9 | 2.72 |
| 132113 | | 3.46 | <0.005 | <0.2 | 0.41 | 5 | <10 | 60 | 0.5 | <2 | 3.06 | <0.5 | 7 | 18 | 9 | 2.85 |
| 132114 | | 3.08 | 0.007 | 0.2 | 0.49 | 12 | 10 | 50 | 0.7 | <2 | 2.62 | <0.5 | 6 | 24 | 7 | 2.87 |
| 132115 | | 3.62 | <0.005 | <0.2 | 0.46 | 11 | 10 | 510 | 0.6 | <2 | 2.04 | <0.5 | 7 | 21 | 11 | 2.65 |
| 132116 | | 4.32 | <0.005 | <0.2 | 0.46 | 17 | 10 | 420 | 0.6 | <2 | 2.42 | <0.5 | 6 | 17 | 10 | 2.76 |
| 132117 | | 4.20 | 0.007 | 0.2 | 0.40 | 11 | 10 | 110 | 0.7 | <2 | 2.73 | <0.5 | 7 | 2 | 10 | 2.83 |
| 132118 | | 2.92 | 0.018 | 0.4 | 0.40 | 14 | 10 | 50 | 0.6 | <2 | 2.39 | <0.5 | 7 | 13 | 10 | 3.24 |
| 132119 | | 3.68 | 0.007 | 0.3 | 0.37 | 17 | 10 | 60 | 0.5 | <2 | 3.12 | <0.5 | 6 | 3 | 13 | 3.02 |
| 132120 | | 1.58 | 0.032 | 0.8 | 0.40 | 22 | 10 | 50 | 0.6 | <2 | 2.19 | <0.5 | 8 | 15 | 19 | 3.40 |
| 132121 | | 3.34 | <0.005 | 0.2 | 0.33 | 7 | 10 | 130 | 0.5 | <2 | 2.47 | <0.5 | 7 | 12 | 9 | 2.91 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04047564

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mn % 0.01 | ME-ICP41 Mo ppm 5 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 | |
|--------------------|--------------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----|
| 108682 | | <10 | 0.05 | 0.33 | 10 | 1.16 | 2230 | <1 | 0.05 | 2 | 770 | 22 | 1.14 | <2 | 3 | 155 |
| 108683 | | <10 | 0.04 | 0.30 | 10 | 0.80 | 1350 | <1 | 0.06 | 1 | 850 | 3 | 0.41 | <2 | 3 | 100 |
| 108684 | | <10 | 0.04 | 0.32 | 10 | 1.04 | 1655 | <1 | 0.06 | 1 | 830 | 3 | 0.15 | <2 | 3 | 151 |
| 108685 | | <10 | 0.04 | 0.33 | 20 | 0.99 | 1530 | <1 | 0.06 | 2 | 840 | <2 | 0.08 | <2 | 3 | 162 |
| 108686 | | <10 | 0.05 | 0.32 | 10 | 1.04 | 1575 | <1 | 0.06 | 2 | 760 | 3 | 0.15 | <2 | 3 | 172 |
| 108687 | | <10 | 0.07 | 0.30 | 10 | 1.28 | 1940 | <1 | 0.05 | <1 | 820 | 2 | 0.41 | <2 | 3 | 164 |
| 108688 | | <10 | 0.06 | 0.29 | 10 | 1.09 | 1705 | <1 | 0.06 | 1 | 730 | <2 | 0.48 | <2 | 4 | 154 |
| 108689 | | <10 | 0.05 | 0.31 | 10 | 1.03 | 1765 | <1 | 0.06 | 1 | 740 | <2 | 0.69 | <2 | 4 | 144 |
| 108690 | | <10 | 0.08 | 0.32 | 10 | 1.12 | 2210 | <1 | 0.06 | 2 | 770 | 6 | 0.62 | <2 | 3 | 140 |
| 108691 | | <10 | 0.06 | 0.28 | 10 | 1.28 | 2360 | <1 | 0.06 | 1 | 870 | 5 | 0.64 | <2 | 3 | 174 |
| 108692 | | <10 | 0.08 | 0.38 | 10 | 0.84 | 1675 | 6 | 0.07 | 1 | 780 | 68 | 1.21 | <2 | 4 | 126 |
| 108693 | | <10 | 0.16 | 0.31 | 10 | 0.89 | 1790 | <1 | 0.06 | 1 | 900 | 84 | 0.48 | 2 | 3 | 102 |
| 108694 | | <10 | 0.07 | 0.33 | 10 | 0.75 | 1475 | 1 | 0.07 | 2 | 930 | 60 | 2.94 | 2 | 2 | 140 |
| 108695 | | <10 | 0.09 | 0.36 | 10 | 0.99 | 1975 | 3 | 0.07 | 2 | 890 | 64 | 2.09 | <2 | 2 | 106 |
| 108696 | | <10 | 0.10 | 0.35 | 10 | 1.00 | 1745 | <1 | 0.08 | 1 | 820 | 71 | 0.93 | <2 | 3 | 92 |
| 108697 | | <10 | 0.06 | 0.30 | 20 | 1.06 | 1945 | <1 | 0.06 | 1 | 830 | 6 | 0.36 | <2 | 2 | 154 |
| 108698 | | <10 | 0.06 | 0.30 | 20 | 0.97 | 1940 | <1 | 0.07 | 2 | 870 | 9 | 0.44 | <2 | 3 | 112 |
| 108699 | | <10 | 0.07 | 0.29 | 20 | 1.19 | 1945 | <1 | 0.07 | 1 | 810 | 31 | 0.57 | <2 | 3 | 162 |
| 108700 | | <10 | 0.07 | 0.35 | 20 | 0.95 | 1760 | 1 | 0.08 | 2 | 850 | 31 | 0.75 | <2 | 3 | 126 |
| 132101 | | <10 | 0.15 | 0.33 | 10 | 0.95 | 1815 | 8 | 0.08 | 1 | 880 | 88 | 1.61 | <2 | 3 | 179 |
| 132102 | | <10 | 0.02 | 0.39 | 20 | 1.04 | 1595 | <1 | 0.08 | 1 | 890 | 4 | 0.10 | <2 | 3 | 186 |
| 132103 | | <10 | 0.03 | 0.35 | 20 | 1.00 | 1470 | <1 | 0.07 | 1 | 840 | <2 | 0.11 | <2 | 3 | 152 |
| 132104 | | <10 | 0.04 | 0.32 | 20 | 0.95 | 1620 | <1 | 0.07 | 1 | 830 | 3 | 0.60 | <2 | 3 | 132 |
| 132105 | | <10 | 0.04 | 0.34 | 20 | 1.19 | 2140 | 1 | 0.08 | <1 | 890 | 6 | 1.04 | <2 | 3 | 182 |
| 132106 | | <10 | 0.03 | 0.30 | 20 | 0.94 | 1670 | <1 | 0.08 | 1 | 830 | 7 | 1.60 | <2 | 3 | 130 |
| 132107 | | <10 | 0.03 | 0.29 | 20 | 0.74 | 1215 | <1 | 0.08 | 1 | 870 | 4 | 1.28 | <2 | 3 | 98 |
| 132108 | | <10 | 0.04 | 0.35 | 10 | 1.16 | 1915 | <1 | 0.08 | 1 | 780 | 6 | 0.77 | 2 | 4 | 128 |
| 132109 | | <10 | 0.04 | 0.33 | 10 | 1.16 | 1640 | <1 | 0.08 | <1 | 800 | 6 | 0.33 | <2 | 3 | 127 |
| 132110 | | <10 | 0.04 | 0.32 | 10 | 1.44 | 2230 | 4 | 0.07 | <1 | 800 | 5 | 1.58 | <2 | 2 | 132 |
| 132111 | | <10 | 0.02 | 0.32 | 20 | 1.12 | 1680 | <1 | 0.08 | <1 | 850 | 7 | 0.46 | <2 | 3 | 109 |
| 132112 | | <10 | 0.02 | 0.38 | 20 | 1.12 | 1500 | <1 | 0.09 | <1 | 800 | 3 | 0.46 | <2 | 3 | 136 |
| 132113 | | <10 | 0.04 | 0.28 | 20 | 1.12 | 1960 | 1 | 0.08 | <1 | 810 | 6 | 1.02 | <2 | 3 | 155 |
| 132114 | | <10 | 0.03 | 0.31 | 20 | 0.85 | 1690 | 2 | 0.06 | 2 | 820 | 7 | 2.20 | <2 | 3 | 130 |
| 132115 | | <10 | 0.03 | 0.33 | 20 | 0.93 | 1405 | 1 | 0.07 | <1 | 830 | 3 | 0.60 | <2 | 3 | 108 |
| 132116 | | <10 | 0.01 | 0.32 | 20 | 0.94 | 1540 | <1 | 0.06 | <1 | 830 | 4 | 0.56 | <2 | 3 | 125 |
| 132117 | | <10 | 0.04 | 0.29 | 20 | 0.90 | 1720 | <1 | 0.06 | <1 | 860 | 5 | 1.34 | <2 | 3 | 140 |
| 132118 | | <10 | 0.08 | 0.28 | 20 | 0.77 | 1480 | 1 | 0.05 | 1 | 850 | 11 | 2.32 | <2 | 3 | 148 |
| 132119 | | <10 | 0.06 | 0.26 | 10 | 1.06 | 1800 | 1 | 0.05 | <1 | 710 | 8 | 1.58 | <2 | 3 | 186 |
| 132120 | | <10 | 0.11 | 0.28 | 20 | 0.68 | 1255 | 1 | 0.05 | 1 | 860 | 26 | 2.83 | 3 | 3 | 118 |
| 132121 | | <10 | 0.03 | 0.24 | 20 | 0.84 | 1305 | <1 | 0.05 | <1 | 840 | 5 | 1.88 | <2 | 3 | 131 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04047564

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Au-GRA22 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm | Au ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 | 0.05 |
| 108682 | | <0.01 | <10 | <10 | 13 | <10 | 92 | |
| 108683 | | <0.01 | <10 | <10 | 12 | <10 | 59 | |
| 108684 | | <0.01 | <10 | <10 | 13 | <10 | 72 | |
| 108685 | | <0.01 | <10 | <10 | 13 | <10 | 68 | |
| 108686 | | <0.01 | <10 | <10 | 12 | <10 | 58 | |
| 108687 | | <0.01 | <10 | 10 | 14 | <10 | 86 | |
| 108688 | | <0.01 | <10 | <10 | 18 | <10 | 70 | |
| 108689 | | <0.01 | <10 | <10 | 17 | <10 | 100 | |
| 108690 | | <0.01 | <10 | <10 | 15 | <10 | 105 | |
| 108691 | | <0.01 | <10 | <10 | 15 | <10 | 98 | |
| 108692 | | <0.01 | <10 | <10 | 14 | <10 | 130 | |
| 108693 | | <0.01 | <10 | <10 | 9 | <10 | 274 | |
| 108694 | | <0.01 | <10 | <10 | 9 | <10 | 168 | |
| 108695 | | <0.01 | <10 | <10 | 10 | <10 | 193 | |
| 108696 | | <0.01 | <10 | <10 | 10 | <10 | 148 | |
| 108697 | | <0.01 | <10 | <10 | 9 | <10 | 90 | |
| 108698 | | <0.01 | <10 | <10 | 12 | <10 | 113 | |
| 108699 | | <0.01 | <10 | <10 | 12 | <10 | 136 | |
| 108700 | | <0.01 | <10 | <10 | 11 | <10 | 120 | |
| 132101 | | <0.01 | <10 | <10 | 10 | <10 | 242 | |
| 132102 | | <0.01 | <10 | <10 | 11 | <10 | 68 | |
| 132103 | | <0.01 | <10 | <10 | 13 | <10 | 85 | |
| 132104 | | <0.01 | <10 | <10 | 10 | <10 | 79 | |
| 132105 | | <0.01 | <10 | 10 | 10 | <10 | 70 | |
| 132106 | | <0.01 | <10 | <10 | 12 | <10 | 58 | |
| 132107 | | <0.01 | <10 | <10 | 11 | <10 | 54 | |
| 132108 | | <0.01 | <10 | <10 | 15 | <10 | 63 | |
| 132109 | | <0.01 | <10 | <10 | 13 | <10 | 66 | |
| 132110 | | <0.01 | <10 | <10 | 12 | <10 | 62 | |
| 132111 | | <0.01 | <10 | <10 | 12 | <10 | 85 | |
| 132112 | | <0.01 | <10 | <10 | 14 | <10 | 73 | |
| 132113 | | <0.01 | <10 | <10 | 11 | <10 | 75 | |
| 132114 | | <0.01 | <10 | <10 | 11 | <10 | 69 | |
| 132115 | | <0.01 | <10 | <10 | 11 | <10 | 84 | |
| 132116 | | <0.01 | <10 | <10 | 13 | <10 | 70 | |
| 132117 | | <0.01 | <10 | <10 | 9 | <10 | 80 | |
| 132118 | | <0.01 | <10 | <10 | 9 | <10 | 91 | |
| 132119 | | <0.01 | <10 | <10 | 9 | <10 | 100 | |
| 132120 | | <0.01 | <10 | <10 | 9 | <10 | 97 | |
| 132121 | | <0.01 | <10 | <10 | 9 | <10 | 71 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04047564

| Sample Description | Method | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|---------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte | Recv'd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | Units | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| LOR | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| 132122 | | 3.48 | <0.005 | <0.2 | 0.33 | 17 | 10 | 320 | <0.5 | <2 | 2.72 | <0.5 | 6 | 3 | 23 | 2.68 |
| 132123 | | 3.22 | <0.005 | 0.2 | 0.32 | 21 | 10 | 70 | 0.5 | <2 | 2.59 | <0.5 | 7 | 12 | 10 | 2.66 |
| 132124 | | 3.52 | 0.005 | 0.2 | 0.39 | 8 | 10 | 70 | 0.5 | <2 | 2.41 | <0.5 | 7 | 3 | 9 | 2.88 |
| 132125 | | 3.54 | <0.005 | 0.2 | 0.35 | 9 | 10 | 40 | 0.5 | <2 | 2.67 | <0.5 | 7 | 3 | 7 | 2.89 |
| 132126 | | 3.18 | 0.049 | 1.3 | 0.37 | 12 | 10 | 30 | 0.5 | <2 | 1.87 | <0.5 | 8 | 17 | 10 | 2.96 |
| 132127 | | 3.48 | 0.015 | 0.5 | 0.39 | 7 | 10 | 60 | 0.6 | <2 | 1.62 | <0.5 | 7 | 2 | 10 | 3.17 |
| 132128 | | 3.26 | 0.011 | 0.6 | 0.38 | 11 | 10 | 40 | 0.6 | <2 | 1.69 | 0.8 | 7 | 12 | 21 | 3.24 |
| 132129 | | 3.12 | 0.005 | 0.2 | 0.35 | 11 | <10 | 50 | 0.5 | <2 | 2.43 | <0.5 | 7 | 3 | 5 | 3.13 |
| 132130 | | 2.64 | <0.005 | <0.2 | 0.38 | 8 | <10 | 100 | 0.5 | <2 | 2.36 | <0.5 | 6 | 19 | 14 | 2.63 |
| 132131 | | 2.32 | 0.009 | 0.2 | 0.41 | 8 | 10 | 100 | 0.7 | <2 | 1.72 | <0.5 | 8 | 2 | 10 | 2.98 |
| 132132 | | 3.48 | <0.005 | 0.2 | 0.36 | 9 | <10 | 40 | 0.6 | <2 | 1.55 | <0.5 | 7 | 14 | 8 | 2.98 |
| 132133 | | 3.56 | 0.015 | 0.5 | 0.42 | 11 | <10 | 30 | 0.8 | <2 | 0.98 | 1.7 | 8 | 3 | 18 | 3.33 |
| 132134 | | 2.90 | 0.077 | 1.6 | 0.42 | 13 | 10 | 60 | 0.7 | <2 | 1.20 | 0.6 | 8 | 16 | 17 | 3.20 |
| 132135 | | 2.32 | 0.011 | 0.4 | 0.41 | 14 | 10 | 20 | 0.6 | <2 | 2.53 | <0.5 | 8 | 3 | 14 | 2.96 |
| 132136 | | 2.36 | 0.055 | 1.2 | 0.47 | 12 | 10 | 20 | 0.8 | <2 | 0.44 | <0.5 | 9 | 13 | 16 | 3.79 |
| 132137 | | 2.34 | 0.084 | 1.5 | 0.46 | 16 | 10 | 50 | 0.9 | <2 | 0.33 | <0.5 | 8 | 36 | 20 | 3.02 |
| 132138 | | 2.26 | 0.026 | 0.9 | 0.42 | 11 | 10 | 70 | 0.5 | <2 | 0.33 | <0.5 | 8 | 35 | 20 | 3.30 |
| 132139 | | 3.42 | 0.017 | 0.8 | 0.47 | 9 | 10 | 30 | 0.7 | <2 | 1.04 | <0.5 | 8 | 28 | 17 | 3.18 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 9-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04047564

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm |
| 132122 | | <10 | 0.06 | 0.23 | 10 | 1.06 | 1530 | <1 | 0.05 | <1 | 760 | 5 | 0.73 | 2 | 3 | 204 |
| 132123 | | <10 | 0.04 | 0.22 | 10 | 0.85 | 1260 | 1 | 0.06 | <1 | 630 | 6 | 1.70 | <2 | 3 | 130 |
| 132124 | | <10 | 0.02 | 0.25 | 10 | 0.79 | 1280 | 6 | 0.07 | 1 | 850 | 9 | 2.32 | <2 | 3 | 104 |
| 132125 | | <10 | 0.04 | 0.23 | 10 | 0.95 | 1355 | 1 | 0.06 | <1 | 770 | 8 | 2.31 | <2 | 3 | 154 |
| 132126 | | <10 | 0.08 | 0.24 | 10 | 0.64 | 1160 | 2 | 0.06 | <1 | 820 | 28 | 2.86 | <2 | 3 | 118 |
| 132127 | | <10 | 0.05 | 0.25 | 10 | 0.57 | 1125 | 1 | 0.08 | 1 | 870 | 13 | 3.21 | <2 | 2 | 94 |
| 132128 | | <10 | 0.07 | 0.25 | 10 | 0.64 | 1215 | 2 | 0.07 | 2 | 860 | 18 | 3.10 | <2 | 2 | 123 |
| 132129 | | <10 | 0.03 | 0.23 | 10 | 0.94 | 1330 | 1 | 0.06 | <1 | 880 | 6 | 2.49 | <2 | 3 | 135 |
| 132130 | | <10 | 0.03 | 0.25 | 20 | 0.88 | 1230 | 1 | 0.06 | <1 | 810 | 5 | 1.64 | <2 | 3 | 146 |
| 132131 | | <10 | 0.08 | 0.26 | 20 | 0.57 | 1060 | 2 | 0.07 | 1 | 870 | 12 | 2.94 | <2 | 2 | 79 |
| 132132 | | <10 | 0.16 | 0.23 | 10 | 0.55 | 1050 | 3 | 0.06 | 1 | 880 | 9 | 3.12 | <2 | 2 | 75 |
| 132133 | | <10 | 0.24 | 0.27 | 10 | 0.34 | 779 | 4 | 0.09 | 1 | 890 | 24 | 3.66 | <2 | 2 | 53 |
| 132134 | | <10 | 0.12 | 0.27 | 10 | 0.41 | 1010 | 3 | 0.08 | 1 | 930 | 19 | 3.54 | <2 | 2 | 55 |
| 132135 | | <10 | 0.24 | 0.24 | 10 | 0.93 | 2120 | 1 | 0.08 | 2 | 870 | 10 | 3.01 | <2 | 3 | 99 |
| 132136 | | <10 | 0.11 | 0.27 | 10 | 0.10 | 250 | 1 | 0.10 | 2 | 990 | 19 | 4.24 | <2 | 2 | 23 |
| 132137 | | <10 | 0.09 | 0.26 | 20 | 0.07 | 116 | 11 | 0.11 | 2 | 910 | 16 | 3.34 | <2 | 1 | 23 |
| 132138 | | <10 | 0.27 | 0.23 | 10 | 0.08 | 127 | 6 | 0.10 | 2 | 730 | 10 | 3.64 | <2 | 1 | 24 |
| 132139 | | <10 | 0.29 | 0.27 | 10 | 0.29 | 700 | 2 | 0.09 | 2 | 860 | 15 | 3.52 | <2 | 2 | 47 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 9-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04047564

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Au-GRA22 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm | Au ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 | 0.05 |
| 132122 | | <0.01 | <10 | <10 | 10 | <10 | 120 | |
| 132123 | | <0.01 | <10 | <10 | 10 | <10 | 68 | |
| 132124 | | <0.01 | <10 | <10 | 10 | <10 | 68 | |
| 132125 | | <0.01 | <10 | <10 | 10 | <10 | 75 | |
| 132126 | | <0.01 | <10 | <10 | 8 | <10 | 79 | |
| 132127 | | <0.01 | <10 | <10 | 8 | <10 | 70 | |
| 132128 | | <0.01 | <10 | <10 | 8 | <10 | 158 | |
| 132129 | | <0.01 | <10 | <10 | 9 | <10 | 67 | |
| 132130 | | <0.01 | <10 | <10 | 10 | <10 | 75 | |
| 132131 | | <0.01 | <10 | <10 | 8 | <10 | 88 | |
| 132132 | | <0.01 | <10 | <10 | 7 | <10 | 92 | |
| 132133 | | <0.01 | <10 | <10 | 6 | <10 | 241 | |
| 132134 | | <0.01 | <10 | <10 | 8 | <10 | 85 | |
| 132135 | | <0.01 | <10 | <10 | 11 | <10 | 58 | |
| 132136 | | <0.01 | <10 | <10 | 7 | <10 | 46 | |
| 132137 | | <0.01 | <10 | <10 | 6 | <10 | 51 | |
| 132138 | | <0.01 | <10 | <10 | 5 | <10 | 24 | |
| 132139 | | <0.01 | <10 | <10 | 8 | <10 | 99 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 13-AUG-2004

Account: EIA

CERTIFICATE VA04048209

Project: NGX04-01

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION


| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| PUL-31 | Pulverize split to 85% <75 um |
| SPL-21 | Split sample - riffle splitter |
| CRU-31 | Fine crushing - 70% <2mm |
| LOG-22 | Sample login - Rcd w/o BarCode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-GRA22 | Au 50 g FA-GRAV finish | WST-SIM |
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 13-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048209

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------------|-----------|-----------|----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|
| | | Recvd Wt. kg | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % |
| N132140 | | 3.70 | 0.013 | <0.2 | 0.36 | 12 | <10 | 30 | 0.6 | <2 | 1.73 | <0.5 | 8 | 30 | 16 | 3.19 |
| N132141 | | 3.52 | 0.048 | 0.3 | 0.46 | 19 | 10 | 20 | 0.6 | <2 | 2.15 | <0.5 | 7 | 18 | 12 | 2.92 |
| N132142 | | 2.20 | 0.008 | <0.2 | 0.40 | 102 | 10 | 30 | 0.5 | <2 | 3.44 | <0.5 | 7 | 14 | 16 | 2.95 |
| N132143 | | 3.14 | <0.005 | 0.3 | 0.39 | 10 | <10 | 40 | <0.5 | <2 | 2.56 | <0.5 | 6 | 16 | 10 | 2.93 |
| N132144 | | 3.96 | <0.005 | 0.5 | 0.39 | 16 | <10 | 20 | 0.7 | <2 | 2.16 | 0.8 | 7 | 12 | 13 | 3.12 |
| N132145 | | 3.02 | <0.005 | 0.2 | 0.42 | 13 | <10 | 20 | 0.5 | <2 | 2.46 | <0.5 | 8 | 12 | 10 | 3.17 |
| N132146 | | 4.02 | <0.005 | 0.6 | 0.38 | 17 | <10 | 10 | 0.6 | <2 | 2.20 | 0.5 | 7 | 15 | 13 | 3.27 |
| N132147 | | 2.94 | <0.005 | <0.2 | 0.47 | 14 | <10 | 30 | 0.6 | 2 | 3.79 | <0.5 | 7 | 14 | 10 | 2.97 |
| N132148 | | 3.62 | <0.005 | <0.2 | 0.42 | 22 | <10 | 10 | 0.5 | <2 | 2.32 | 0.7 | 7 | 20 | 12 | 3.21 |
| N132149 | | 3.34 | <0.005 | <0.2 | 0.54 | 14 | <10 | 20 | 0.6 | <2 | 2.47 | <0.5 | 7 | 16 | 13 | 3.39 |
| N132150 | | 2.46 | <0.005 | <0.2 | 0.54 | 15 | <10 | 50 | 0.7 | <2 | 2.36 | <0.5 | 7 | 21 | 14 | 2.90 |
| N132951 | | 2.92 | 0.726 | <0.2 | 0.67 | 5 | <10 | 20 | 0.5 | <2 | 3.23 | <0.5 | 7 | 26 | 10 | 3.21 |
| N132952 | | 3.34 | <0.005 | <0.2 | 0.54 | 11 | <10 | 20 | 0.7 | <2 | 2.23 | <0.5 | 7 | 22 | 13 | 3.20 |
| N132953 | | 3.20 | <0.005 | 0.2 | 0.65 | 14 | <10 | 20 | 0.8 | <2 | 2.37 | <0.5 | 8 | 20 | 13 | 2.91 |
| N132954 | | 3.02 | <0.005 | <0.2 | 0.58 | 14 | <10 | 30 | 0.8 | <2 | 2.37 | <0.5 | 8 | 20 | 12 | 3.16 |
| N132955 | | 2.14 | <0.005 | <0.2 | 0.63 | 12 | <10 | 20 | 0.8 | <2 | 2.21 | <0.5 | 9 | 19 | 15 | 3.38 |
| N132956 | | 1.92 | <0.005 | <0.2 | 0.60 | 16 | <10 | 30 | 0.8 | <2 | 2.78 | <0.5 | 8 | 17 | 17 | 3.37 |
| N132957 | | 2.40 | <0.005 | <0.2 | 0.62 | 5 | <10 | 160 | 0.6 | <2 | 2.88 | <0.5 | 7 | 19 | 15 | 2.68 |
| N132958 | | 3.16 | <0.005 | <0.2 | 0.57 | 12 | <10 | 20 | 0.8 | 2 | 1.09 | <0.5 | 9 | 19 | 11 | 3.34 |
| N132959 | | 4.10 | <0.005 | <0.2 | 0.71 | 19 | <10 | 20 | 0.9 | <2 | 1.12 | <0.5 | 9 | 21 | 10 | 3.34 |
| N132960 | | 3.56 | <0.005 | 0.2 | 0.51 | 7 | <10 | 20 | 0.7 | <2 | 2.55 | <0.5 | 6 | 18 | 11 | 2.82 |
| N132961 | | 3.52 | <0.005 | <0.2 | 0.61 | 3 | <10 | 20 | 0.6 | 2 | 2.42 | <0.5 | 8 | 15 | 10 | 2.91 |
| N132962 | | 3.40 | <0.005 | <0.2 | 0.47 | 7 | <10 | 30 | 0.5 | <2 | 3.54 | <0.5 | 7 | 15 | 9 | 2.72 |
| N132963 | | 3.44 | <0.005 | <0.2 | 0.61 | 9 | <10 | 20 | 0.7 | <2 | 1.93 | <0.5 | 7 | 24 | 10 | 3.22 |
| N132964 | | 3.18 | <0.005 | <0.2 | 0.52 | 9 | <10 | 20 | 0.6 | <2 | 4.05 | <0.5 | 6 | 24 | 10 | 2.89 |
| N132965 | | 3.32 | <0.005 | <0.2 | 0.67 | 10 | <10 | 20 | 0.6 | <2 | 3.21 | <0.5 | 7 | 29 | 10 | 3.24 |
| N132966 | | 3.48 | <0.005 | <0.2 | 0.57 | 9 | <10 | 30 | 0.7 | <2 | 2.44 | <0.5 | 7 | 18 | 11 | 2.81 |
| N132967 | | 3.56 | <0.005 | <0.2 | 0.65 | 9 | <10 | 20 | 0.7 | <2 | 2.12 | <0.5 | 7 | 29 | 10 | 3.53 |
| N132968 | | 3.34 | <0.005 | <0.2 | 0.53 | 11 | <10 | 20 | 0.7 | <2 | 1.46 | <0.5 | 7 | 20 | 11 | 3.46 |
| N132969 | | 1.40 | <0.005 | <0.2 | 0.51 | 8 | <10 | 40 | 0.6 | <2 | 2.25 | <0.5 | 5 | 67 | 8 | 2.53 |
| N132970 | | 3.32 | <0.005 | <0.2 | 0.54 | 11 | <10 | 70 | 0.8 | <2 | 1.20 | <0.5 | 8 | 20 | 13 | 2.06 |
| N132971 | | 3.72 | <0.005 | <0.2 | 0.70 | 11 | <10 | 30 | 0.9 | <2 | 0.49 | <0.5 | 9 | 36 | 17 | 2.56 |
| N132972 | | 3.72 | <0.005 | <0.2 | 0.55 | 18 | <10 | 60 | 0.7 | <2 | 0.86 | <0.5 | 11 | 24 | 14 | 3.01 |
| N132973 | | 3.30 | <0.005 | <0.2 | 0.66 | 10 | <10 | 80 | 0.8 | <2 | 2.78 | <0.5 | 8 | 23 | 11 | 2.92 |
| N132974 | | 3.40 | <0.005 | <0.2 | 0.61 | 11 | <10 | 30 | 0.7 | <2 | 2.12 | <0.5 | 8 | 20 | 12 | 3.00 |
| N132975 | | 2.46 | <0.005 | <0.2 | 0.66 | 12 | <10 | 20 | 0.8 | <2 | 1.77 | <0.5 | 8 | 21 | 14 | 2.87 |
| N132976 | | 3.10 | <0.005 | <0.2 | 0.51 | <2 | <10 | 750 | 0.6 | <2 | 2.77 | <0.5 | 7 | 18 | 10 | 2.90 |
| N132977 | | 2.80 | <0.005 | <0.2 | 0.57 | 4 | <10 | 140 | 0.7 | <2 | 2.54 | <0.5 | 7 | 16 | 7 | 2.58 |
| N132978 | | 2.94 | <0.005 | 0.2 | 0.53 | 11 | <10 | 20 | 0.8 | <2 | 1.62 | <0.5 | 9 | 13 | 10 | 3.06 |
| N132979 | | 1.76 | <0.005 | 0.3 | 0.61 | 17 | <10 | 20 | 0.8 | 2 | 2.09 | <0.5 | 9 | 22 | 13 | 3.38 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 13-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048209

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| N132140 | | <10 | 0.10 | 0.21 | 10 | 0.56 | 1205 | 1 | 0.10 | 1 | 920 | 11 | 3.19 | 2 | 2 | 66 |
| N132141 | | <10 | 0.06 | 0.26 | 10 | 0.69 | 1260 | 3 | 0.10 | 2 | 840 | 8 | 2.59 | 2 | 3 | 67 |
| N132142 | | <10 | 0.09 | 0.22 | 10 | 1.20 | 1640 | 1 | 0.11 | 1 | 820 | 10 | 1.97 | <2 | 4 | 122 |
| N132143 | | <10 | 0.09 | 0.24 | 10 | 0.87 | 1615 | 2 | 0.08 | 1 | 840 | 10 | 2.20 | <2 | 3 | 91 |
| N132144 | | <10 | 0.26 | 0.23 | 10 | 0.74 | 1625 | 3 | 0.10 | <1 | 920 | 33 | 3.13 | <2 | 2 | 66 |
| N132145 | | <10 | 0.60 | 0.24 | 10 | 0.91 | 1935 | 1 | 0.09 | 1 | 860 | 17 | 3.27 | <2 | 2 | 67 |
| N132146 | | <10 | 0.15 | 0.22 | 10 | 0.76 | 1540 | 4 | 0.09 | 1 | 870 | 24 | 3.40 | <2 | 2 | 69 |
| N132147 | | <10 | 0.07 | 0.27 | 10 | 1.27 | 2240 | 2 | 0.10 | 1 | 810 | 10 | 2.10 | 2 | 3 | 148 |
| N132148 | | <10 | 0.07 | 0.22 | 10 | 0.33 | 850 | 3 | 0.10 | 2 | 840 | 15 | 3.56 | <2 | 2 | 85 |
| N132149 | | <10 | 0.05 | 0.28 | 10 | 0.56 | 988 | 2 | 0.12 | 2 | 980 | 10 | 3.17 | 2 | 2 | 86 |
| N132150 | | <10 | 0.06 | 0.30 | 10 | 0.73 | 1115 | 7 | 0.12 | 2 | 930 | 7 | 2.59 | <2 | 3 | 74 |
| N132951 | | <10 | 0.07 | 0.36 | 10 | 0.81 | 1245 | 2 | 0.10 | 2 | 890 | 7 | 3.50 | 2 | 2 | 96 |
| N132952 | | <10 | 0.37 | 0.29 | 10 | 0.33 | 689 | 2 | 0.11 | 1 | 870 | 9 | 3.57 | <2 | 2 | 74 |
| N132953 | | <10 | 0.11 | 0.36 | 10 | 0.51 | 708 | 1 | 0.11 | 1 | 900 | 6 | 3.00 | <2 | 2 | 62 |
| N132954 | | <10 | 0.06 | 0.32 | 10 | 0.50 | 781 | 2 | 0.12 | 2 | 900 | 11 | 3.20 | <2 | 3 | 67 |
| N132955 | | <10 | 0.08 | 0.34 | 10 | 0.28 | 564 | 1 | 0.13 | 2 | 950 | 11 | 3.67 | 2 | 2 | 72 |
| N132956 | | <10 | 0.06 | 0.33 | 10 | 0.78 | 922 | 5 | 0.12 | 1 | 870 | 11 | 3.14 | <2 | 3 | 76 |
| N132957 | | <10 | 0.05 | 0.38 | 10 | 0.86 | 1020 | 1 | 0.09 | 1 | 870 | 5 | 0.97 | <2 | 3 | 76 |
| N132958 | | <10 | 0.13 | 0.34 | 10 | 0.30 | 395 | 1 | 0.12 | 2 | 870 | 9 | 3.34 | <2 | 2 | 46 |
| N132959 | | <10 | 0.11 | 0.38 | 10 | 0.19 | 274 | 2 | 0.13 | 2 | 920 | 8 | 3.62 | <2 | 2 | 82 |
| N132960 | | <10 | 0.08 | 0.29 | 10 | 0.43 | 713 | 2 | 0.12 | 1 | 870 | 10 | 2.66 | <2 | 2 | 140 |
| N132961 | | <10 | 0.06 | 0.36 | 10 | 0.43 | 706 | 1 | 0.12 | 1 | 900 | 9 | 2.61 | <2 | 2 | 162 |
| N132962 | | <10 | 0.06 | 0.28 | 10 | 0.58 | 991 | 1 | 0.10 | 2 | 800 | 6 | 2.14 | <2 | 2 | 826 |
| N132963 | | <10 | 0.10 | 0.33 | 10 | 0.18 | 419 | 3 | 0.13 | 3 | 790 | 8 | 3.56 | <2 | 2 | 292 |
| N132964 | | <10 | 0.07 | 0.28 | 10 | 0.46 | 928 | 2 | 0.12 | 1 | 800 | 6 | 2.85 | <2 | 2 | 127 |
| N132965 | | <10 | 0.07 | 0.36 | 10 | 0.23 | 670 | 1 | 0.13 | 2 | 900 | 9 | 3.48 | <2 | 2 | 83 |
| N132966 | | <10 | 0.07 | 0.31 | 10 | 0.19 | 549 | 1 | 0.14 | 1 | 920 | 6 | 2.99 | <2 | 2 | 63 |
| N132967 | | <10 | 0.10 | 0.35 | 10 | 0.19 | 426 | 3 | 0.13 | 1 | 860 | 8 | 3.79 | <2 | 2 | 61 |
| N132968 | | <10 | 0.10 | 0.29 | 10 | 0.13 | 305 | 3 | 0.12 | 2 | 810 | 9 | 3.75 | <2 | 2 | 46 |
| N132969 | | <10 | 0.06 | 0.26 | <10 | 0.61 | 797 | 2 | 0.10 | 3 | 640 | 5 | 2.11 | <2 | 1 | 42 |
| N132970 | | <10 | 0.16 | 0.32 | 10 | 0.22 | 298 | 3 | 0.12 | 1 | 930 | 6 | 1.64 | <2 | 2 | 34 |
| N132971 | | <10 | 0.17 | 0.35 | <10 | 0.09 | 114 | 4 | 0.13 | 2 | 890 | 7 | 2.67 | 2 | 1 | 27 |
| N132972 | | <10 | 0.18 | 0.28 | <10 | 0.19 | 305 | 3 | 0.13 | 2 | 880 | 8 | 3.18 | <2 | 1 | 30 |
| N132973 | | <10 | 0.06 | 0.36 | 10 | 0.51 | 949 | 1 | 0.14 | 2 | 930 | 7 | 1.95 | <2 | 4 | 55 |
| N132974 | | <10 | 0.07 | 0.34 | 10 | 0.58 | 710 | 1 | 0.12 | 2 | 920 | 10 | 2.65 | <2 | 3 | 49 |
| N132975 | | <10 | 0.07 | 0.37 | <10 | 0.50 | 529 | 1 | 0.11 | 1 | 860 | 9 | 2.45 | <2 | 3 | 55 |
| N132976 | | <10 | 0.01 | 0.35 | 10 | 1.08 | 972 | <1 | 0.08 | <1 | 850 | 3 | 0.17 | <2 | 3 | 83 |
| N132977 | | <10 | 0.02 | 0.34 | 10 | 0.85 | 948 | <1 | 0.09 | 1 | 830 | 4 | 0.75 | <2 | 3 | 88 |
| N132978 | | <10 | 0.04 | 0.31 | <10 | 0.51 | 531 | 1 | 0.10 | 1 | 810 | 9 | 2.74 | 2 | 2 | 61 |
| N132979 | | <10 | 0.06 | 0.34 | <10 | 0.68 | 713 | 3 | 0.10 | 2 | 770 | 12 | 2.92 | <2 | 3 | 73 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brookbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
 700-700 W PENDER ST
 VANCOUVER BC V6C 1G8

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 13-AUG-2004
 Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048209

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Au-GRA22 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Tl | Tl | U | V | W | Zn | Au |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 | 0.05 |
| N132140 | | <0.01 | <10 | <10 | 7 | <10 | 56 | |
| N132141 | | <0.01 | <10 | <10 | 9 | <10 | 43 | |
| N132142 | | <0.01 | <10 | <10 | 11 | <10 | 85 | |
| N132143 | | <0.01 | <10 | <10 | 9 | <10 | 59 | |
| N132144 | | <0.01 | <10 | <10 | 7 | <10 | 146 | |
| N132145 | | <0.01 | <10 | <10 | 8 | <10 | 64 | |
| N132146 | | <0.01 | <10 | <10 | 7 | <10 | 86 | |
| N132147 | | <0.01 | <10 | <10 | 8 | <10 | 88 | |
| N132148 | | <0.01 | <10 | <10 | 6 | <10 | 97 | |
| N132149 | | <0.01 | <10 | <10 | 7 | <10 | 44 | |
| N132150 | | <0.01 | <10 | <10 | 9 | <10 | 76 | |
| N132951 | | <0.01 | <10 | <10 | 10 | <10 | 73 | |
| N132952 | | <0.01 | <10 | <10 | 7 | <10 | 58 | |
| N132953 | | <0.01 | <10 | <10 | 8 | <10 | 45 | |
| N132954 | | <0.01 | <10 | <10 | 8 | <10 | 50 | |
| N132955 | | <0.01 | <10 | <10 | 8 | <10 | 56 | |
| N132956 | | <0.01 | <10 | <10 | 9 | <10 | 52 | |
| N132957 | | <0.01 | <10 | <10 | 10 | <10 | 76 | |
| N132958 | | <0.01 | <10 | <10 | 8 | <10 | 52 | |
| N132959 | | <0.01 | <10 | <10 | 7 | <10 | 30 | |
| N132960 | | <0.01 | <10 | <10 | 7 | <10 | 41 | |
| N132961 | | <0.01 | <10 | <10 | 8 | <10 | 30 | |
| N132962 | | <0.01 | <10 | <10 | 7 | <10 | 46 | |
| N132963 | | <0.01 | <10 | <10 | 7 | <10 | 34 | |
| N132964 | | <0.01 | <10 | <10 | 8 | <10 | 46 | |
| N132965 | | <0.01 | <10 | <10 | 8 | <10 | 31 | |
| N132966 | | <0.01 | <10 | <10 | 6 | <10 | 31 | |
| N132967 | | <0.01 | <10 | <10 | 8 | <10 | 24 | |
| N132968 | | <0.01 | <10 | <10 | 6 | <10 | 20 | |
| N132969 | | <0.01 | <10 | <10 | 6 | <10 | 36 | |
| N132970 | | <0.01 | <10 | <10 | 7 | <10 | 48 | |
| N132971 | | <0.01 | <10 | <10 | 8 | <10 | 26 | |
| N132972 | | <0.01 | <10 | <10 | 6 | <10 | 11 | |
| N132973 | | <0.01 | <10 | <10 | 10 | <10 | 37 | |
| N132974 | | <0.01 | <10 | <10 | 9 | <10 | 40 | |
| N132975 | | <0.01 | <10 | <10 | 9 | <10 | 23 | |
| N132976 | | <0.01 | <10 | <10 | 11 | <10 | 59 | |
| N132977 | | <0.01 | <10 | <10 | 10 | <10 | 43 | |
| N132978 | | <0.01 | <10 | <10 | 8 | <10 | 26 | |
| N132979 | | <0.01 | <10 | <10 | 10 | <10 | 37 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 13-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048209

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| N132980 | | 3.02 | <0.005 | <0.2 | 0.51 | 5 | <10 | 30 | 0.5 | <2 | 3.21 | <0.5 | 7 | 15 | 8 | 3.13 |
| N132981 | | 3.54 | <0.005 | <0.2 | 0.51 | 5 | <10 | 40 | 0.5 | <2 | 2.51 | <0.5 | 8 | 17 | 8 | 2.74 |
| N132982 | | 3.28 | <0.005 | 0.2 | 0.65 | 8 | <10 | 20 | 0.6 | <2 | 2.14 | <0.5 | 8 | 22 | 11 | 3.06 |
| N132983 | | 3.86 | <0.005 | <0.2 | 0.70 | 8 | <10 | 20 | 0.6 | 2 | 0.67 | <0.5 | 9 | 22 | 7 | 3.69 |
| N132984 | | 3.32 | <0.005 | <0.2 | 0.73 | 7 | <10 | 20 | 0.7 | 2 | 0.96 | 0.6 | 8 | 28 | 6 | 3.47 |
| N132985 | | 3.12 | <0.005 | <0.2 | 0.64 | 11 | <10 | 10 | 0.7 | <2 | 0.82 | <0.5 | 8 | 24 | 9 | 3.78 |
| N132986 | | 4.50 | <0.005 | <0.2 | 0.66 | 14 | <10 | 10 | 0.8 | <2 | 0.40 | <0.5 | 9 | 24 | 10 | 4.20 |
| N132987 | | 3.76 | <0.005 | <0.2 | 0.72 | 10 | <10 | 10 | 0.8 | 2 | 0.30 | <0.5 | 9 | 26 | 10 | 4.10 |
| N132988 | | 4.50 | <0.005 | <0.2 | 0.60 | 14 | <10 | 20 | 0.8 | 2 | 0.39 | <0.5 | 8 | 21 | 10 | 3.79 |
| N132989 | | 3.82 | <0.005 | <0.2 | 0.69 | 12 | 10 | 20 | 0.9 | <2 | 2.13 | <0.5 | 8 | 19 | 9 | 3.13 |
| N132990 | | 2.72 | <0.005 | <0.2 | 0.58 | 4 | <10 | 70 | 0.7 | <2 | 3.72 | <0.5 | 5 | 15 | 4 | 3.23 |
| N132991 | | 3.36 | <0.005 | <0.2 | 0.67 | 13 | <10 | 20 | 1.0 | <2 | 1.02 | <0.5 | 7 | 17 | 11 | 3.56 |
| N132992 | | 3.66 | <0.005 | <0.2 | 0.61 | 6 | <10 | 30 | 0.8 | <2 | 2.15 | <0.5 | 7 | 16 | 8 | 2.67 |
| N132993 | | 3.08 | <0.005 | <0.2 | 0.69 | 10 | 10 | 20 | 1.0 | <2 | 1.66 | <0.5 | 9 | 22 | 12 | 3.50 |
| N132994 | | 3.14 | <0.005 | 0.2 | 0.61 | 12 | 10 | 40 | 0.9 | 2 | 2.06 | <0.5 | 8 | 19 | 10 | 2.97 |
| N132995 | | 3.22 | <0.005 | <0.2 | 0.67 | 7 | <10 | 90 | 0.6 | <2 | 3.43 | <0.5 | 7 | 23 | 11 | 3.17 |
| N132996 | | 2.94 | <0.005 | <0.2 | 0.65 | 6 | <10 | 60 | 0.7 | <2 | 2.32 | <0.5 | 9 | 20 | 13 | 2.86 |
| N132997 | | 1.94 | <0.005 | <0.2 | 0.65 | 4 | <10 | 550 | 0.7 | <2 | 2.25 | <0.5 | 7 | 17 | 10 | 2.18 |
| N132998 | | 3.06 | <0.005 | <0.2 | 0.62 | 9 | <10 | 50 | 0.7 | <2 | 2.50 | <0.5 | 8 | 15 | 10 | 2.90 |
| N132999 | | 3.26 | <0.005 | <0.2 | 0.65 | 6 | <10 | 30 | 0.6 | <2 | 2.44 | <0.5 | 8 | 19 | 11 | 3.11 |
| N133000 | | 1.36 | <0.005 | <0.2 | 0.54 | 9 | 10 | 40 | 0.8 | <2 | 2.93 | <0.5 | 8 | 13 | 14 | 3.02 |
| N133151 | | 3.56 | <0.005 | <0.2 | 0.62 | 6 | <10 | 200 | 0.6 | <2 | 1.88 | <0.5 | 7 | 22 | 12 | 2.78 |
| N133152 | | 3.38 | <0.005 | <0.2 | 0.49 | 6 | <10 | 120 | 0.5 | 2 | 2.55 | <0.5 | 7 | 16 | 26 | 2.95 |
| N133153 | | 3.08 | <0.005 | <0.2 | 0.68 | 7 | <10 | 130 | 0.7 | <2 | 1.97 | <0.5 | 7 | 18 | 13 | 2.47 |
| N133154 | | 2.26 | <0.005 | <0.2 | 0.57 | 3 | <10 | 340 | 0.7 | <2 | 1.85 | <0.5 | 6 | 15 | 12 | 2.80 |
| N133155 | | 3.58 | <0.005 | 0.2 | 0.59 | 9 | <10 | 90 | 0.6 | 2 | 2.37 | <0.5 | 7 | 19 | 7 | 2.94 |
| N133156 | | 3.62 | <0.005 | 0.2 | 0.56 | 3 | <10 | 760 | 0.6 | <2 | 2.50 | <0.5 | 6 | 18 | 5 | 2.95 |
| N133157 | | 3.58 | <0.005 | 0.2 | 0.70 | 9 | <10 | 50 | 0.8 | 2 | 1.28 | <0.5 | 8 | 20 | 9 | 3.66 |
| N133158 | | 3.12 | <0.005 | <0.2 | 0.56 | 18 | <10 | 20 | 0.9 | <2 | 0.49 | <0.5 | 9 | 17 | 9 | 3.99 |
| N133159 | | 2.22 | <0.005 | <0.2 | 0.70 | 15 | <10 | 20 | 0.9 | 2 | 0.39 | <0.5 | 9 | 26 | 12 | 4.03 |
| N133160 | | 1.42 | <0.005 | 0.4 | 0.60 | 17 | 10 | 220 | 0.7 | 2 | 2.58 | <0.5 | 8 | 23 | 33 | 3.52 |
| N133161 | | 2.84 | <0.005 | <0.2 | 0.56 | 49 | 10 | 130 | 0.6 | 2 | 2.55 | <0.5 | 9 | 20 | 21 | 3.10 |
| N133162 | | 3.06 | <0.005 | <0.2 | 0.61 | 37 | 10 | 60 | 0.6 | <2 | 2.42 | 1.2 | 6 | 22 | 26 | 3.39 |
| N133163 | | 2.80 | <0.005 | 0.3 | 0.62 | 57 | 10 | 100 | 0.6 | <2 | 2.06 | 5.0 | 7 | 18 | 45 | 3.67 |
| N133164 | | 2.98 | <0.005 | 0.3 | 0.82 | 41 | 10 | 140 | 0.7 | 2 | 2.06 | 4.8 | 8 | 19 | 47 | 4.09 |
| N133165 | | 2.72 | <0.005 | 0.6 | 0.60 | 19 | 10 | 100 | 0.6 | <2 | 1.51 | 4.5 | 8 | 11 | 41 | 3.56 |
| N133166 | | 2.08 | <0.005 | 0.2 | 0.66 | 14 | 10 | 80 | 1.0 | <2 | 2.49 | <0.5 | 9 | 14 | 16 | 3.39 |
| N133167 | | 2.40 | <0.005 | 0.2 | 0.54 | 14 | 10 | 240 | 0.6 | <2 | 2.28 | <0.5 | 8 | 29 | 15 | 3.67 |
| N133168 | | 3.14 | <0.005 | <0.2 | 0.63 | 27 | 10 | 1160 | 0.7 | <2 | 1.49 | <0.5 | 8 | 30 | 46 | 4.13 |
| N133169 | | 2.50 | 0.027 | 0.5 | 0.55 | 27 | 10 | 60 | 0.9 | 2 | 2.05 | 1.2 | 9 | 32 | 28 | 3.31 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B

Total # Pages: 4 (A - C)

Finalized Date: 13-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048209

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | Sr |
| | | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm | ppm | ppm |
| 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 | 1 | 1 |
| N132980 | | <10 | 0.02 | 0.30 | <10 | 1.02 | 1110 | <1 | 0.08 | 1 | 840 | 9 | 1.82 | <2 | 3 | 87 |
| N132981 | | <10 | 0.02 | 0.31 | <10 | 0.74 | 844 | <1 | 0.08 | 1 | 870 | 5 | 1.71 | 2 | 3 | 64 |
| N132982 | | <10 | 0.04 | 0.35 | <10 | 0.68 | 833 | 1 | 0.09 | 1 | 820 | 9 | 2.41 | <2 | 3 | 58 |
| N132983 | | <10 | 0.05 | 0.40 | 20 | 0.22 | 496 | 1 | 0.08 | 2 | 870 | 6 | 3.92 | <2 | 2 | 36 |
| N132984 | | <10 | 0.04 | 0.42 | 10 | 0.29 | 811 | 3 | 0.08 | 1 | 770 | 11 | 3.69 | <2 | 2 | 46 |
| N132985 | | <10 | 0.03 | 0.36 | 10 | 0.18 | 465 | 1 | 0.07 | 2 | 800 | 12 | 4.14 | 2 | 1 | 36 |
| N132986 | | <10 | 0.05 | 0.37 | 20 | 0.12 | 341 | 1 | 0.07 | 2 | 980 | 11 | 4.53 | <2 | 1 | 25 |
| N132987 | | <10 | 0.04 | 0.40 | 20 | 0.08 | 217 | 2 | 0.07 | 2 | 920 | 11 | 4.41 | 2 | 1 | 22 |
| N132988 | | <10 | 0.03 | 0.34 | 10 | 0.10 | 231 | 2 | 0.08 | 1 | 850 | 8 | 4.05 | <2 | 1 | 24 |
| N132989 | | <10 | 0.05 | 0.38 | 10 | 0.67 | 867 | 1 | 0.12 | 2 | 940 | 9 | 2.71 | <2 | 3 | 53 |
| N132990 | | <10 | 0.02 | 0.31 | 10 | 1.26 | 1380 | <1 | 0.11 | <1 | 870 | 4 | 1.75 | 2 | 3 | 71 |
| N132991 | | <10 | 0.08 | 0.36 | 10 | 0.31 | 357 | 2 | 0.13 | 1 | 930 | 11 | 3.61 | 2 | 2 | 35 |
| N132992 | | <10 | 0.04 | 0.32 | <10 | 0.68 | 728 | <1 | 0.12 | 1 | 870 | 8 | 2.14 | 2 | 3 | 93 |
| N132993 | | <10 | 0.05 | 0.37 | <10 | 0.51 | 606 | 1 | 0.13 | 1 | 940 | 10 | 3.33 | <2 | 3 | 48 |
| N132994 | | <10 | 0.05 | 0.33 | 10 | 0.61 | 673 | 2 | 0.12 | 1 | 910 | 14 | 2.40 | 2 | 3 | 42 |
| N132995 | | <10 | 0.03 | 0.37 | 10 | 1.04 | 1090 | <1 | 0.11 | 2 | 860 | 7 | 1.22 | <2 | 3 | 65 |
| N132996 | | <10 | 0.03 | 0.37 | 10 | 0.75 | 819 | <1 | 0.11 | 1 | 950 | 6 | 1.20 | <2 | 3 | 58 |
| N132997 | | <10 | 0.02 | 0.37 | 20 | 0.75 | 848 | <1 | 0.10 | 2 | 880 | 2 | 0.40 | <2 | 3 | 60 |
| N132998 | | <10 | 0.03 | 0.35 | 10 | 0.81 | 948 | 1 | 0.11 | 1 | 830 | 7 | 1.40 | 2 | 3 | 61 |
| N132999 | | <10 | 0.03 | 0.36 | 10 | 0.79 | 1235 | 1 | 0.11 | 2 | 840 | 7 | 1.98 | <2 | 3 | 59 |
| N133000 | | <10 | 0.05 | 0.31 | 10 | 0.97 | 1120 | 1 | 0.12 | <1 | 830 | 6 | 1.52 | <2 | 2 | 82 |
| N133151 | | <10 | 0.03 | 0.36 | 10 | 0.70 | 815 | 1 | 0.09 | 1 | 870 | 5 | 0.54 | <2 | 3 | 56 |
| N133152 | | <10 | 0.02 | 0.30 | 10 | 0.89 | 1045 | <1 | 0.08 | 1 | 770 | 5 | 0.70 | <2 | 3 | 60 |
| N133153 | | <10 | 0.02 | 0.40 | 10 | 0.67 | 907 | 1 | 0.09 | 1 | 890 | 4 | 0.63 | <2 | 3 | 57 |
| N133154 | | <10 | 0.02 | 0.32 | 10 | 0.78 | 961 | <1 | 0.10 | 1 | 800 | <2 | 0.20 | <2 | 3 | 53 |
| N133155 | | <10 | 0.02 | 0.33 | 10 | 0.87 | 1105 | <1 | 0.10 | 2 | 820 | 6 | 0.78 | <2 | 3 | 70 |
| N133156 | | <10 | 0.02 | 0.30 | 20 | 1.00 | 1175 | <1 | 0.10 | <1 | 840 | 4 | 0.24 | <2 | 4 | 75 |
| N133157 | | <10 | 0.03 | 0.39 | 10 | 0.39 | 562 | 1 | 0.10 | 2 | 900 | 10 | 3.33 | <2 | 2 | 30 |
| N133158 | | <10 | 0.03 | 0.29 | 10 | 0.16 | 330 | 2 | 0.10 | 1 | 840 | 15 | 4.28 | 2 | 1 | 20 |
| N133159 | | <10 | 0.06 | 0.35 | 10 | 0.12 | 240 | 2 | 0.11 | 2 | 830 | 18 | 4.30 | <2 | 1 | 16 |
| N133160 | | <10 | 0.03 | 0.29 | 10 | 1.10 | 1045 | 1 | 0.14 | 6 | 900 | 5 | 0.55 | 2 | 4 | 100 |
| N133161 | | <10 | 0.17 | 0.26 | <10 | 0.78 | 407 | 1 | 0.14 | 15 | 740 | 7 | 1.12 | <2 | 9 | 79 |
| N133162 | | <10 | 0.17 | 0.28 | <10 | 0.85 | 344 | 5 | 0.14 | 21 | 570 | 8 | 1.01 | <2 | 8 | 88 |
| N133163 | | <10 | 0.29 | 0.26 | <10 | 0.80 | 322 | 17 | 0.18 | 36 | 520 | 10 | 1.47 | <2 | 8 | 87 |
| N133164 | | <10 | 0.29 | 0.33 | <10 | 0.87 | 344 | 15 | 0.21 | 40 | 600 | 10 | 1.40 | 2 | 9 | 81 |
| N133165 | | <10 | 0.23 | 0.28 | <10 | 0.65 | 282 | 15 | 0.19 | 42 | 500 | 11 | 1.38 | 2 | 9 | 52 |
| N133166 | | <10 | 0.11 | 0.39 | <10 | 0.76 | 1035 | 1 | 0.01 | 3 | 1080 | 7 | 0.68 | <2 | 6 | 110 |
| N133167 | | <10 | 0.09 | 0.34 | 10 | 0.74 | 1370 | 1 | 0.01 | 4 | 1090 | 9 | 0.50 | <2 | 5 | 89 |
| N133168 | | <10 | 0.07 | 0.42 | 10 | 0.56 | 1485 | 1 | <0.01 | 3 | 1210 | 21 | 0.16 | <2 | 6 | 103 |
| N133169 | | <10 | 0.18 | 0.36 | <10 | 0.67 | 1345 | 2 | <0.01 | 2 | 890 | 69 | 1.10 | 3 | 5 | 84 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 13-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048209

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Au-GRA22 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm | Au ppm |
| N132980 | | <0.01 | <10 | <10 | 11 | <10 | 41 | |
| N132981 | | <0.01 | <10 | <10 | 10 | <10 | 40 | |
| N132982 | | <0.01 | <10 | <10 | 12 | <10 | 30 | |
| N132983 | | <0.01 | <10 | <10 | 8 | <10 | 50 | |
| N132984 | | <0.01 | <10 | <10 | 9 | <10 | 42 | |
| N132985 | | <0.01 | <10 | <10 | 7 | <10 | 39 | |
| N132986 | | <0.01 | <10 | <10 | 7 | <10 | 79 | |
| N132987 | | <0.01 | <10 | <10 | 8 | <10 | 38 | |
| N132988 | | <0.01 | <10 | <10 | 6 | <10 | 23 | |
| N132989 | | <0.01 | <10 | <10 | 10 | <10 | 29 | |
| N132990 | | <0.01 | <10 | <10 | 12 | <10 | 40 | |
| N132991 | | <0.01 | <10 | <10 | 9 | <10 | 15 | |
| N132992 | | <0.01 | <10 | <10 | 10 | <10 | 26 | |
| N132993 | | <0.01 | <10 | <10 | 10 | <10 | 20 | |
| N132994 | | <0.01 | <10 | <10 | 10 | <10 | 33 | |
| N132995 | | <0.01 | <10 | <10 | 13 | <10 | 50 | |
| N132996 | | <0.01 | <10 | <10 | 12 | <10 | 41 | |
| N132997 | | <0.01 | <10 | <10 | 11 | <10 | 38 | |
| N132998 | | <0.01 | <10 | <10 | 11 | <10 | 39 | |
| N132999 | | <0.01 | <10 | <10 | 11 | <10 | 41 | |
| N133000 | | <0.01 | <10 | <10 | 9 | <10 | 46 | |
| N133151 | | <0.01 | <10 | <10 | 12 | <10 | 59 | |
| N133152 | | <0.01 | <10 | <10 | 11 | <10 | 69 | |
| N133153 | | <0.01 | <10 | <10 | 12 | <10 | 59 | |
| N133154 | | <0.01 | <10 | <10 | 11 | <10 | 81 | |
| N133155 | | <0.01 | <10 | <10 | 14 | <10 | 72 | |
| N133156 | | <0.01 | <10 | <10 | 13 | <10 | 96 | |
| N133157 | | <0.01 | <10 | <10 | 9 | <10 | 62 | |
| N133158 | | <0.01 | <10 | <10 | 7 | <10 | 40 | |
| N133159 | | <0.01 | <10 | <10 | 8 | <10 | 91 | |
| N133160 | | <0.01 | <10 | <10 | 17 | <10 | 59 | |
| N133161 | | <0.01 | <10 | <10 | 15 | <10 | 97 | |
| N133162 | | <0.01 | <10 | <10 | 17 | <10 | 144 | |
| N133163 | | <0.01 | <10 | <10 | 23 | <10 | 399 | |
| N133164 | | <0.01 | <10 | <10 | 34 | <10 | 419 | |
| N133165 | | <0.01 | <10 | <10 | 26 | <10 | 369 | |
| N133166 | | <0.01 | <10 | <10 | 17 | <10 | 69 | |
| N133167 | | <0.01 | <10 | <10 | 16 | <10 | 81 | |
| N133168 | | <0.01 | <10 | <10 | 19 | <10 | 107 | |
| N133169 | | <0.01 | <10 | <10 | 11 | <10 | 226 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 13-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048209

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Ca | ME-ICP41 Cd | ME-ICP41 Co | ME-ICP41 Cr | ME-ICP41 Cu | ME-ICP41 Fe |
|--------------------|--------------------------|------------------|------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| N133170 | | 2.72 | 0.007 | 0.3 | 0.57 | 23 | 10 | 110 | 0.8 | <2 | 1.48 | 1.1 | 8 | 31 | 31 | 2.90 |
| N133171 | | 3.50 | 0.062 | 0.5 | 0.49 | 21 | 10 | 50 | 0.6 | <2 | 2.15 | 2.2 | 7 | 33 | 26 | 3.29 |
| N133172 | | 2.74 | 0.009 | 0.4 | 0.65 | 16 | 10 | 90 | 1.0 | <2 | 2.15 | 0.5 | 9 | 22 | 25 | 3.41 |
| N133173 | | 2.42 | <0.005 | 0.4 | 0.60 | 18 | 10 | 70 | 1.0 | <2 | 1.72 | <0.5 | 9 | 30 | 24 | 3.14 |
| N133174 | | 2.70 | <0.005 | 0.4 | 0.57 | 22 | 10 | 600 | 0.7 | 2 | 3.73 | 1.1 | 7 | 34 | 34 | 3.45 |
| N133175 | | 2.92 | <0.005 | 0.2 | 0.53 | 18 | 10 | 1440 | 0.6 | <2 | 3.00 | 3.1 | 7 | 34 | 34 | 2.87 |
| N133176 | | 3.08 | <0.005 | 0.2 | 0.49 | 19 | 10 | 910 | 0.5 | <2 | 2.69 | 2.3 | 8 | 55 | 33 | 3.15 |
| N133177 | | 3.44 | <0.005 | 0.2 | 0.42 | 18 | 10 | 1910 | <0.5 | <2 | 2.68 | 2.9 | 7 | 53 | 35 | 2.91 |
| N133178 | | 3.02 | <0.005 | <0.2 | 0.49 | 13 | 10 | 1560 | 0.6 | <2 | 2.99 | 0.8 | 8 | 46 | 24 | 3.29 |
| N133179 | | 3.42 | 0.007 | 0.3 | 0.50 | 22 | 10 | 340 | 0.6 | <2 | 1.60 | 5.5 | 7 | 53 | 51 | 3.32 |
| N133180 | | 3.44 | 0.017 | 0.4 | 0.40 | 15 | 10 | 170 | <0.5 | <2 | 0.31 | 8.8 | 8 | 81 | 33 | 3.21 |
| N133181 | | 3.58 | 0.008 | 0.4 | 0.46 | 8 | 10 | 220 | 0.6 | <2 | 0.34 | 8.9 | 6 | 67 | 13 | 3.33 |
| N133182 | | 2.44 | 0.095 | 0.5 | 0.48 | 9 | 10 | 70 | 0.5 | <2 | 0.38 | 4.4 | 8 | 64 | 12 | 3.29 |
| N133183 | | 3.20 | 0.109 | 0.7 | 0.46 | 10 | 10 | 70 | 0.5 | <2 | 0.38 | 3.2 | 9 | 71 | 14 | 2.94 |
| N133184 | | 2.18 | 0.046 | 1.3 | 0.50 | 34 | 10 | 160 | 0.7 | 3 | 0.29 | 9.8 | 8 | 79 | 114 | 3.68 |
| N133185 | | 2.20 | <0.005 | 0.4 | 0.49 | 12 | 10 | 670 | 0.6 | 2 | 1.00 | 2.9 | 6 | 42 | 30 | 2.97 |
| N133186 | | 3.64 | <0.005 | 0.3 | 0.43 | 15 | 10 | 670 | 0.5 | 2 | 1.50 | 0.7 | 8 | 66 | 17 | 3.00 |
| N133187 | | 3.08 | <0.005 | <0.2 | 0.48 | 6 | 10 | 1080 | 0.5 | <2 | 2.21 | 0.7 | 6 | 70 | 14 | 3.05 |
| N133188 | | 3.62 | <0.005 | <0.2 | 0.51 | 12 | 10 | 990 | 0.6 | <2 | 1.79 | 1.9 | 6 | 52 | 25 | 3.21 |
| N133189 | | 3.46 | 0.473 | 1.0 | 0.50 | 61 | 10 | 590 | 0.7 | <2 | 0.58 | 0.6 | 7 | 52 | 130 | 5.55 |
| N133190 | | 3.42 | 0.033 | 1.2 | 0.41 | 56 | 10 | 130 | 0.6 | 2 | 0.56 | <0.5 | 10 | 16 | 104 | 5.64 |
| N133191 | | 2.40 | 0.018 | 0.7 | 0.44 | 43 | 10 | 940 | 0.6 | 2 | 0.39 | 0.9 | 7 | 1 | 90 | 6.07 |
| N133192 | | 3.34 | 0.246 | 0.7 | 0.44 | 30 | 10 | 860 | 0.6 | <2 | 0.37 | <0.5 | 7 | 14 | 62 | 5.03 |
| N133193 | | 3.60 | 0.060 | 0.8 | 0.41 | 37 | 10 | 80 | 0.5 | <2 | 0.58 | <0.5 | 12 | 1 | 68 | 5.38 |
| N133194 | | 2.28 | 0.042 | 0.6 | 0.41 | 34 | 10 | 130 | 0.7 | <2 | 1.42 | <0.5 | 11 | 11 | 68 | 4.27 |
| N133195 | | 2.74 | 0.011 | <0.2 | 0.39 | 9 | 10 | 820 | 0.6 | <2 | 0.50 | <0.5 | 5 | 1 | 23 | 4.14 |
| N133196 | | 2.62 | 0.049 | 0.9 | 0.38 | 80 | 10 | 230 | 0.6 | 2 | 1.55 | 0.6 | 6 | 12 | 196 | 4.97 |
| N133197 | | 3.72 | 0.068 | 1.3 | 0.46 | 54 | 10 | 190 | 0.6 | <2 | 0.67 | 0.6 | 10 | 1 | 111 | 5.17 |
| N133198 | | 3.38 | 0.010 | 0.3 | 0.43 | 10 | 10 | 1500 | 0.6 | <2 | 0.79 | <0.5 | 6 | 11 | 27 | 4.94 |
| N133199 | | 3.38 | 0.062 | <0.2 | 0.47 | 6 | 10 | 2190 | 0.6 | <2 | 1.49 | <0.5 | 5 | 1 | 20 | 4.26 |
| N133200 | | 3.54 | <0.005 | 0.2 | 0.39 | 12 | 10 | 2240 | 0.5 | <2 | 1.17 | 1.0 | 6 | 13 | 37 | 4.87 |
| N133301 | | 3.14 | 0.109 | 1.1 | 0.44 | 47 | 10 | 210 | 0.6 | <2 | 2.29 | 3.7 | 7 | 1 | 83 | 3.92 |
| N133302 | | 2.34 | 0.054 | 0.4 | 0.41 | 28 | 10 | 840 | 0.5 | <2 | 5.33 | 2.6 | 3 | 10 | 57 | 4.41 |
| N133303 | | 2.14 | 8.24 | 6.1 | 0.23 | 455 | <10 | 40 | <0.5 | 2 | 3.04 | 23.2 | 10 | 4 | 1110 | 3.15 |
| N133304 | | 2.64 | >10.0 | 10.4 | 0.26 | 1545 | <10 | 20 | <0.5 | 2 | 2.93 | 28.2 | 10 | 21 | 3820 | 3.29 |
| N133305 | | 1.88 | 0.230 | 0.7 | 0.35 | 33 | 10 | 850 | 0.5 | <2 | 5.04 | 4.8 | 4 | 14 | 96 | 3.75 |
| N133306 | | 1.46 | 0.111 | 0.4 | 0.32 | 28 | 10 | 790 | 0.5 | <2 | 1.48 | 9.4 | 4 | <1 | 103 | 3.59 |
| N133307 | | 1.64 | 0.077 | 0.5 | 0.67 | 30 | 20 | 900 | 0.6 | <2 | 1.55 | 5.9 | 4 | 21 | 103 | 3.48 |
| N133308 | | 3.56 | 0.083 | 0.5 | 0.57 | 16 | 20 | 130 | 0.6 | <2 | 1.18 | 2.7 | 6 | 22 | 42 | 4.04 |
| N133309 | | 3.00 | 0.043 | 1.1 | 0.65 | 33 | 20 | 120 | 0.8 | <2 | 0.60 | 3.0 | 12 | 18 | 36 | 3.62 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 13-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048209

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| N133170 | | <10 | 0.17 | 0.36 | <10 | 0.55 | 1310 | 1 | <0.01 | 3 | 720 | 70 | 0.91 | 2 | 4 | 74 |
| N133171 | | <10 | 0.23 | 0.32 | 10 | 0.78 | 1920 | 1 | 0.01 | 1 | 780 | 462 | 1.18 | <2 | 3 | 69 |
| N133172 | | <10 | 0.12 | 0.41 | <10 | 0.81 | 1350 | 1 | 0.01 | 4 | 980 | 21 | 0.83 | 2 | 5 | 95 |
| N133173 | | <10 | 0.11 | 0.38 | <10 | 0.70 | 1175 | 1 | 0.01 | 3 | 970 | 15 | 0.90 | 2 | 4 | 78 |
| N133174 | | <10 | 0.13 | 0.37 | 10 | 1.24 | 3100 | 1 | 0.01 | 1 | 860 | 17 | 0.26 | 2 | 4 | 136 |
| N133175 | | <10 | 0.14 | 0.38 | 10 | 0.93 | 2930 | 1 | 0.01 | 2 | 1000 | 51 | 0.07 | 3 | 3 | 108 |
| N133176 | | <10 | 0.14 | 0.36 | 20 | 0.90 | 2990 | 1 | 0.02 | 2 | 1100 | 75 | 0.06 | 2 | 3 | 127 |
| N133177 | | <10 | 0.11 | 0.32 | 10 | 0.91 | 2980 | 1 | 0.01 | 2 | 1020 | 96 | 0.07 | 2 | 3 | 166 |
| N133178 | | <10 | 0.09 | 0.36 | 10 | 1.02 | 3330 | 1 | 0.01 | 1 | 980 | 24 | 0.04 | 2 | 4 | 191 |
| N133179 | | <10 | 0.50 | 0.35 | 10 | 0.78 | 3720 | 1 | 0.01 | 1 | 930 | 122 | 0.25 | 5 | 4 | 124 |
| N133180 | | <10 | 0.79 | 0.29 | 10 | 0.43 | 3650 | 2 | 0.01 | 3 | 700 | 214 | 0.55 | 3 | 3 | 43 |
| N133181 | | <10 | 0.84 | 0.33 | 10 | 0.47 | 4330 | 2 | 0.01 | 3 | 740 | 450 | 0.45 | 2 | 3 | 50 |
| N133182 | | <10 | 0.52 | 0.32 | 10 | 0.36 | 3370 | 2 | 0.02 | 3 | 770 | 172 | 0.91 | 2 | 4 | 47 |
| N133183 | | <10 | 0.35 | 0.32 | 10 | 0.30 | 2690 | 2 | 0.02 | 4 | 660 | 57 | 0.98 | 2 | 3 | 37 |
| N133184 | | <10 | 0.98 | 0.35 | 10 | 0.48 | 2760 | 2 | 0.02 | 3 | 560 | 229 | 0.52 | 13 | 3 | 42 |
| N133185 | | <10 | 0.30 | 0.34 | 10 | 0.59 | 3300 | 1 | 0.03 | 1 | 700 | 95 | 0.20 | 4 | 4 | 70 |
| N133186 | | <10 | 0.15 | 0.31 | 10 | 0.79 | 3370 | 2 | 0.03 | 3 | 650 | 37 | 0.19 | <3 | 5 | 102 |
| N133187 | | <10 | 0.10 | 0.36 | 10 | 0.96 | 3680 | 1 | 0.05 | 2 | 550 | 17 | 0.07 | 2 | 5 | 164 |
| N133188 | | <10 | 0.21 | 0.39 | 10 | 0.89 | 3720 | 1 | 0.03 | 1 | 710 | 65 | 0.08 | 2 | 5 | 130 |
| N133189 | | <10 | 0.22 | 0.41 | 10 | 0.83 | 2550 | 3 | 0.02 | 2 | 690 | 24 | 0.36 | 5 | 4 | 68 |
| N133190 | | <10 | 0.17 | 0.36 | 10 | 0.88 | 2740 | 1 | 0.02 | <1 | 490 | 30 | 0.54 | 4 | 4 | 57 |
| N133191 | | <10 | 0.23 | 0.37 | 10 | 0.94 | 3450 | 2 | 0.02 | <1 | 540 | 43 | 0.26 | 6 | 4 | 67 |
| N133192 | | <10 | 0.14 | 0.36 | 10 | 0.80 | 3420 | <1 | 0.03 | <1 | 740 | 9 | 0.23 | 5 | 4 | 60 |
| N133193 | | <10 | 0.15 | 0.34 | 10 | 0.88 | 3160 | 2 | 0.03 | <1 | 680 | 32 | 0.69 | 7 | 3 | 75 |
| N133194 | | <10 | 0.15 | 0.32 | 10 | 0.92 | 3100 | 1 | 0.04 | <1 | 590 | 28 | 0.51 | 7 | 4 | 139 |
| N133195 | | <10 | 0.14 | 0.31 | 10 | 0.77 | 3610 | <1 | 0.04 | <1 | 690 | 4 | 0.07 | 3 | 4 | 70 |
| N133196 | | <10 | 0.20 | 0.31 | 10 | 1.03 | 3010 | 1 | 0.04 | <1 | 510 | 56 | 0.33 | 12 | 3 | 144 |
| N133197 | | <10 | 0.24 | 0.36 | 10 | 0.83 | 2880 | 1 | 0.04 | <1 | 790 | 66 | 0.48 | 7 | 3 | 72 |
| N133198 | | <10 | 0.12 | 0.35 | 10 | 0.83 | 3130 | <1 | 0.04 | <1 | 730 | 23 | 0.16 | 3 | 4 | 95 |
| N133199 | | <10 | 0.13 | 0.36 | 10 | 0.90 | 3200 | <1 | 0.05 | <1 | 640 | 19 | 0.09 | 4 | 4 | 154 |
| N133200 | | <10 | 0.24 | 0.32 | 10 | 1.00 | 3840 | <1 | 0.04 | <1 | 530 | 43 | 0.13 | 6 | 4 | 118 |
| N133301 | | <10 | 0.51 | 0.33 | 10 | 1.06 | 3340 | 1 | 0.05 | <1 | 750 | 197 | 0.39 | 12 | 4 | 118 |
| N133302 | | <10 | 0.42 | 0.28 | <10 | 2.03 | 3770 | 1 | 0.06 | <1 | 910 | 172 | 0.26 | 10 | 4 | 286 |
| N133303 | | <10 | 2.62 | 0.18 | <10 | 1.01 | 1995 | 14 | 0.03 | <1 | 760 | 1400 | 1.43 | 104 | 2 | 198 |
| N133304 | | <10 | 4.27 | 0.20 | <10 | 0.97 | 1865 | 10 | 0.03 | <1 | 780 | 761 | 1.95 | 293 | 2 | 168 |
| N133305 | | <10 | 0.54 | 0.26 | <10 | 1.84 | 3400 | 2 | 0.04 | <1 | 740 | 94 | 0.23 | 14 | 3 | 319 |
| N133306 | | <10 | 0.98 | 0.28 | <10 | 0.79 | 2170 | 1 | 0.04 | <1 | 280 | 55 | 0.22 | 16 | 3 | 114 |
| N133307 | | <10 | 0.66 | 0.49 | <10 | 0.80 | 2090 | 1 | 0.04 | <1 | 350 | 35 | 0.15 | 15 | 4 | 140 |
| N133308 | | <10 | 0.40 | 0.42 | <10 | 0.72 | 2410 | 1 | 0.03 | <1 | 370 | 48 | 0.51 | 6 | 4 | 91 |
| N133309 | | <10 | 0.54 | 0.46 | 10 | 0.54 | 3540 | 1 | 0.04 | 1 | 620 | 61 | 0.68 | 6 | 4 | 73 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 13-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04048209

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Au-GRA22 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Tl | Tl | U | V | W | Zn | Au |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 | 0.05 |
| N133170 | | <0.01 | <10 | <10 | 13 | <10 | 200 | |
| N133171 | | <0.01 | <10 | <10 | 9 | <10 | 421 | |
| N133172 | | <0.01 | <10 | <10 | 15 | <10 | 117 | |
| N133173 | | <0.01 | <10 | <10 | 12 | <10 | 83 | |
| N133174 | | <0.01 | <10 | <10 | 23 | <10 | 190 | |
| N133175 | | <0.01 | <10 | <10 | 19 | <10 | 310 | |
| N133176 | | <0.01 | <10 | <10 | 20 | <10 | 379 | |
| N133177 | | <0.01 | <10 | <10 | 18 | <10 | 356 | |
| N133178 | | <0.01 | <10 | <10 | 17 | <10 | 233 | |
| N133179 | | <0.01 | <10 | 10 | 14 | <10 | 879 | |
| N133180 | | <0.01 | <10 | <10 | 11 | <10 | 1375 | |
| N133181 | | <0.01 | <10 | <10 | 11 | <10 | 1465 | |
| N133182 | | <0.01 | <10 | <10 | 12 | <10 | 740 | |
| N133183 | | <0.01 | <10 | <10 | 10 | <10 | 582 | |
| N133184 | | <0.01 | <10 | <10 | 15 | <10 | 1640 | |
| N133185 | | <0.01 | <10 | <10 | 14 | <10 | 536 | |
| N133186 | | <0.01 | <10 | <10 | 14 | <10 | 211 | |
| N133187 | | <0.01 | <10 | <10 | 20 | <10 | 253 | |
| N133188 | | <0.01 | <10 | <10 | 17 | <10 | 549 | |
| N133189 | | <0.01 | <10 | 10 | 18 | <10 | 330 | |
| N133190 | | <0.01 | <10 | <10 | 18 | <10 | 292 | |
| N133191 | | <0.01 | <10 | 10 | 18 | <10 | 435 | |
| N133192 | | <0.01 | <10 | <10 | 18 | <10 | 252 | |
| N133193 | | <0.01 | <10 | <10 | 17 | <10 | 253 | |
| N133194 | | <0.01 | <10 | <10 | 14 | <10 | 279 | |
| N133195 | | <0.01 | <10 | <10 | 14 | <10 | 344 | |
| N133196 | | <0.01 | <10 | <10 | 16 | <10 | 311 | |
| N133197 | | <0.01 | <10 | <10 | 17 | <10 | 296 | |
| N133198 | | <0.01 | <10 | <10 | 17 | <10 | 228 | |
| N133199 | | <0.01 | <10 | <10 | 18 | <10 | 255 | |
| N133200 | | <0.01 | <10 | <10 | 17 | <10 | 399 | |
| N133301 | | <0.01 | <10 | <10 | 18 | <10 | 747 | |
| N133302 | | <0.01 | <10 | 10 | 21 | <10 | 559 | |
| N133303 | | <0.01 | <10 | 10 | 9 | <10 | 3340 | 8.10 |
| N133304 | | <0.01 | <10 | 10 | 10 | <10 | 4180 | 10.15 |
| N133305 | | <0.01 | <10 | 10 | 17 | <10 | 984 | |
| N133306 | | <0.01 | <10 | <10 | 14 | <10 | 1815 | |
| N133307 | | <0.01 | <10 | 10 | 18 | <10 | 1130 | |
| N133308 | | <0.01 | <10 | <10 | 18 | <10 | 620 | |
| N133309 | | <0.01 | <10 | <10 | 15 | <10 | 620 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04049077

Project: NGX04-01

P.O. No.:

This report is for 93 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 29-JUL-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 16-AUG-2004

Account: EIA

| SAMPLE PREPARATION | |
|---------------------------|--------------------------------|
| ALS CODE | DESCRIPTION |
| WEI-21 | Received Sample Weight |
| PUL-31 | Pulverize split to 85% <75 um |
| SPL-21 | Split sample - riffle splitter |
| CRU-31 | Fine crushing - 70% <2mm |
| LOG-22 | Sample login - Rcd w/o BarCode |

| ANALYTICAL PROCEDURES | | |
|------------------------------|-------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04049077

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------------|-------------------|--------------------|----------|------------------|------------------|----------------|-----------------|----------|-------------------|------------------|----------------|----------------|----------|------------------|
| | | Recd Wt. kg | Au ppm 0.02 | Ag ppm 0.005 | Al % | As ppm 0.2 | B ppm 0.01 | Ba ppm 2 | Be ppm 10 | Ca % | Cd ppm 0.01 | Co ppm 0.5 | Cr ppm 1 | Cu ppm 1 | Fe % | ME-ICP41 0.01 |
| 133310 | | 3.48 | 0.518 | 0.7 | 0.46 | 14 | 10 | 1460 | 0.7 | <2 | 0.33 | <0.5 | 7 | 50 | 43 | 3.34 |
| 133311 | | 3.34 | 0.009 | 0.4 | 0.40 | 15 | 10 | 750 | 0.7 | <2 | 0.97 | 1.1 | 8 | 35 | 15 | 3.08 |
| 133312 | | 3.46 | <0.005 | 0.3 | 0.51 | 10 | 10 | 1660 | 0.6 | <2 | 1.22 | <0.5 | 5 | 36 | 26 | 3.05 |
| 133313 | | 3.66 | 0.015 | 0.7 | 0.36 | 67 | 10 | 860 | 0.5 | <2 | 0.72 | 1.0 | 8 | 65 | 198 | 3.33 |
| 133314 | | 2.92 | 0.017 | 0.6 | 0.40 | 38 | 10 | 730 | 0.5 | <2 | 0.62 | 5.0 | 8 | 53 | 88 | 3.91 |
| 133315 | | 3.54 | 0.005 | 0.3 | 0.41 | 54 | 10 | 1020 | 0.5 | <2 | 0.26 | 1.8 | 6 | 42 | 116 | 4.24 |
| 133316 | | 2.76 | <0.005 | 0.2 | 0.41 | 60 | 10 | 1300 | 0.5 | <2 | 0.88 | 1.0 | 5 | 64 | 147 | 4.67 |
| 133317 | | 2.70 | 0.146 | 4.1 | 0.40 | 220 | 10 | 40 | 0.6 | 4 | 0.54 | 2.8 | 13 | 24 | 519 | 4.39 |
| 133318 | | 2.50 | 0.129 | 7.8 | 0.35 | 884 | <10 | 20 | 0.5 | 11 | 0.24 | 1.0 | 19 | 108 | 4160 | 5.80 |
| 133319 | | 2.64 | 0.071 | 1.5 | 0.37 | 128 | 10 | 130 | 0.6 | <2 | 0.93 | 2.3 | 10 | 34 | 242 | 4.40 |
| 133320 | | 3.82 | 0.008 | 0.5 | 0.39 | 32 | 10 | 720 | 0.6 | <2 | 1.45 | 1.7 | 8 | 38 | 78 | 3.51 |
| 133321 | | 3.22 | <0.005 | <0.2 | 0.37 | 7 | 10 | 1600 | 0.5 | <2 | 1.74 | 2.2 | 7 | 42 | 15 | 3.58 |
| 133322 | | 3.50 | <0.005 | <0.2 | 0.46 | 19 | 10 | 1120 | 0.6 | <2 | 0.89 | 2.6 | 8 | 41 | 59 | 4.09 |
| 133323 | | 3.14 | 0.006 | 0.4 | 0.33 | 16 | 10 | 1040 | 0.6 | <2 | 1.28 | 3.4 | 7 | 36 | 29 | 3.59 |
| 133324 | | 3.64 | 0.024 | 2.3 | 0.41 | 34 | 10 | 140 | 0.5 | <2 | 0.90 | 2.2 | 10 | 37 | 52 | 4.63 |
| 133325 | | 2.60 | 0.268 | 12.1 | 0.40 | 838 | <10 | 30 | 0.5 | 10 | 1.11 | 22.7 | 17 | 73 | 2060 | 4.31 |
| 133326 | | 2.30 | 0.119 | 7.1 | 0.34 | 955 | 10 | 40 | 0.8 | 5 | 0.31 | 6.3 | 15 | 41 | 2730 | 2.61 |
| 133327 | | 2.36 | 0.057 | 1.3 | 0.35 | 154 | 10 | 190 | 0.6 | <2 | 1.43 | 2.9 | 8 | 41 | 355 | 4.17 |
| 133328 | | 3.30 | <0.005 | 0.4 | 0.36 | 54 | 10 | 1700 | 0.6 | <2 | 2.34 | 2.4 | 6 | 37 | 153 | 3.91 |
| 133329 | | 3.52 | 0.020 | 0.9 | 0.33 | 118 | 10 | 600 | 0.6 | <2 | 1.45 | 15.3 | 8 | 30 | 301 | 3.94 |
| 133330 | | 3.26 | <0.005 | 0.3 | 0.41 | 44 | 10 | 1140 | 0.6 | <2 | 1.01 | 3.0 | 7 | 50 | 118 | 3.25 |
| 133331 | | 3.48 | <0.005 | 0.3 | 0.37 | 39 | 10 | 710 | 0.6 | <2 | 1.36 | 4.7 | 7 | 41 | 93 | 3.23 |
| 133332 | | 3.38 | 0.016 | 0.9 | 0.38 | 79 | 10 | 990 | 0.6 | <2 | 0.96 | 3.9 | 8 | 40 | 130 | 3.87 |
| 133333 | | 2.50 | 0.009 | 0.6 | 0.42 | 51 | 10 | 680 | 0.7 | <2 | 1.10 | 2.3 | 7 | 35 | 80 | 3.73 |
| 133334 | | 2.74 | 0.015 | 0.2 | 0.37 | 22 | 10 | 1900 | 0.6 | <2 | 0.88 | 4.0 | 7 | 52 | 51 | 3.02 |
| 133335 | | 0.72 | 0.022 | 1.2 | 0.38 | 102 | 10 | 210 | 0.5 | <2 | 0.46 | 3.1 | 11 | 37 | 138 | 5.88 |
| 133336 | | 3.32 | 0.008 | 0.4 | 0.33 | 26 | <10 | 670 | <0.5 | <2 | 0.58 | 4.4 | 8 | 48 | 35 | 3.55 |
| 133337 | | 3.42 | 0.059 | 1.8 | 0.32 | 112 | <10 | 340 | <0.5 | <2 | 0.55 | 5.5 | 9 | 37 | 212 | 4.21 |
| 133338 | | 3.34 | 0.011 | 0.3 | 0.35 | 21 | <10 | 650 | <0.5 | <2 | 0.61 | 2.5 | 8 | 35 | 39 | 4.27 |
| 133339 | | 3.12 | 0.025 | 1.0 | 0.37 | 112 | 10 | 660 | <0.5 | 2 | 0.69 | 0.7 | 10 | 42 | 189 | 4.58 |
| 133340 | | 3.34 | 0.005 | 0.4 | 0.40 | 49 | 10 | 1490 | 0.5 | <2 | 0.59 | 1.5 | 8 | 33 | 93 | 3.69 |
| 133341 | | 2.64 | 0.005 | 0.3 | 0.34 | 14 | 10 | 1130 | <0.5 | <2 | 1.22 | 5.1 | 7 | 38 | 29 | 3.25 |
| 133342 | | 3.20 | <0.005 | 0.4 | 0.31 | 84 | <10 | 1610 | <0.5 | <2 | 1.55 | 1.6 | 7 | 43 | 186 | 2.97 |
| 133343 | | 3.56 | <0.005 | 0.3 | 0.34 | 67 | 10 | 1400 | <0.5 | <2 | 1.06 | 1.5 | 7 | 39 | 172 | 3.37 |
| 133344 | | 2.60 | 0.019 | 0.4 | 0.36 | 15 | 10 | 280 | 0.6 | <2 | 2.15 | 3.4 | 7 | 38 | 31 | 3.25 |
| 133345 | | 3.70 | <0.005 | <0.2 | 0.55 | 17 | 10 | 20 | 0.5 | <2 | 0.57 | <0.5 | 12 | 22 | 29 | 3.98 |
| 133346 | | 3.50 | <0.005 | <0.2 | 0.52 | 16 | 10 | 20 | 0.5 | <2 | 1.60 | <0.5 | 11 | 23 | 24 | 3.29 |
| 133347 | | 1.56 | <0.005 | <0.2 | 0.50 | 16 | 10 | 20 | 0.5 | <2 | 2.79 | <0.5 | 11 | 41 | 23 | 3.53 |
| 133348 | | 1.54 | <0.005 | 0.2 | 0.45 | 15 | 10 | 30 | 0.5 | <2 | 2.84 | <0.5 | 11 | 17 | 28 | 3.30 |
| 133349 | | 2.16 | <0.005 | <0.2 | 0.58 | 15 | 10 | 20 | 0.7 | <2 | 2.00 | <0.5 | 11 | 28 | 27 | 3.91 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04049077

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 133310 | | <10 | 0.15 | 0.35 | 10 | 0.48 | 3350 | 1 | 0.03 | 3 | 710 | 24 | 0.16 | 7 | 3 | 56 |
| 133311 | | <10 | 0.23 | 0.33 | 10 | 0.64 | 3450 | 1 | 0.03 | 2 | 800 | 25 | 0.20 | 2 | 3 | 50 |
| 133312 | | <10 | 0.12 | 0.37 | 10 | 0.70 | 3650 | 1 | 0.03 | 3 | 560 | 8 | 0.10 | 4 | 4 | 97 |
| 133313 | | <10 | 0.25 | 0.29 | <10 | 0.56 | 3410 | 1 | 0.02 | 2 | 470 | 36 | 0.22 | 23 | 3 | 83 |
| 133314 | | <10 | 0.62 | 0.34 | 10 | 0.57 | 2650 | 2 | 0.02 | 3 | 540 | 54 | 0.29 | 4 | 3 | 49 |
| 133315 | | <10 | 0.33 | 0.35 | 10 | 0.52 | 2190 | <1 | 0.01 | 2 | 710 | 23 | 0.19 | 3 | 3 | 43 |
| 133316 | | <10 | 0.23 | 0.36 | 20 | 0.67 | 2070 | 4 | 0.01 | 3 | 750 | 17 | 0.19 | 7 | 3 | 65 |
| 133317 | | <10 | 0.64 | 0.35 | 10 | 0.45 | 1500 | 6 | 0.02 | 1 | 670 | 206 | 1.29 | 23 | 2 | 30 |
| 133318 | | <10 | 0.97 | 0.32 | 10 | 0.31 | 1340 | 23 | 0.01 | 7 | 500 | 102 | 3.11 | 23 | 2 | 19 |
| 133319 | | <10 | 0.58 | 0.34 | 10 | 0.64 | 2550 | 2 | 0.02 | 2 | 680 | 91 | 0.56 | 4 | 2 | 50 |
| 133320 | | <10 | 0.39 | 0.32 | 10 | 0.76 | 3820 | 1 | 0.02 | 2 | 540 | 112 | 0.25 | 7 | 4 | 93 |
| 133321 | | <10 | 0.39 | 0.29 | 10 | 0.94 | 4040 | 1 | 0.02 | 2 | 710 | 35 | 0.09 | 3 | 4 | 124 |
| 133322 | | <10 | 0.44 | 0.35 | 10 | 0.71 | 3900 | 1 | 0.02 | 2 | 690 | 25 | 0.12 | 8 | 4 | 65 |
| 133323 | | <10 | 0.55 | 0.29 | 10 | 0.80 | 3150 | 1 | 0.02 | 1 | 680 | 98 | 0.22 | 4 | 3 | 73 |
| 133324 | | <10 | 0.40 | 0.34 | 10 | 0.79 | 3240 | 2 | 0.02 | 3 | 740 | 63 | 0.70 | 4 | 3 | 49 |
| 133325 | | <10 | 1.96 | 0.33 | 10 | 0.53 | 2120 | 42 | 0.02 | 5 | 490 | 308 | 2.24 | 35 | 2 | 50 |
| 133326 | | <10 | 1.84 | 0.28 | 10 | 0.24 | 852 | 25 | 0.02 | 3 | 460 | 262 | 1.38 | 114 | 2 | 22 |
| 133327 | | <10 | 0.71 | 0.31 | 10 | 0.86 | 2750 | 4 | 0.02 | 2 | 460 | 89 | 0.44 | 29 | 3 | 82 |
| 133328 | | <10 | 0.49 | 0.29 | 10 | 1.16 | 4690 | 1 | 0.02 | 2 | 380 | 64 | 0.16 | 15 | 4 | 140 |
| 133329 | | <10 | 1.40 | 0.28 | 10 | 0.89 | 4790 | 1 | 0.02 | 2 | 660 | 300 | 0.35 | 19 | 3 | 64 |
| 133330 | | <10 | 0.52 | 0.33 | 10 | 0.72 | 3360 | 2 | 0.03 | 3 | 730 | 49 | 0.09 | 9 | 3 | 67 |
| 133331 | | <10 | 0.61 | 0.31 | 20 | 0.80 | 3610 | 1 | 0.03 | 1 | 730 | 84 | 0.10 | 5 | 3 | 54 |
| 133332 | | <10 | 0.59 | 0.31 | 10 | 0.84 | 3590 | 3 | 0.03 | 2 | 650 | 125 | 0.22 | 7 | 3 | 60 |
| 133333 | | <10 | 0.41 | 0.33 | 10 | 0.91 | 3890 | 1 | 0.03 | 2 | 720 | 82 | 0.14 | 5 | 4 | 73 |
| 133334 | | <10 | 0.94 | 0.31 | 20 | 0.78 | 3260 | 1 | 0.02 | 3 | 610 | 261 | 0.11 | 5 | 3 | 82 |
| 133335 | | <10 | 1.02 | 0.31 | 10 | 1.06 | 4750 | 1 | 0.02 | 1 | 670 | 780 | 0.28 | 5 | 4 | 51 |
| 133336 | | <10 | 1.03 | 0.28 | 10 | 0.85 | 3850 | 1 | 0.02 | 2 | 680 | 102 | 0.19 | 3 | 3 | 66 |
| 133337 | | <10 | 0.72 | 0.27 | 10 | 0.93 | 3720 | 7 | 0.02 | 3 | 680 | 233 | 0.44 | 2 | 3 | 38 |
| 133338 | | <10 | 0.40 | 0.29 | 10 | 0.90 | 3360 | 2 | 0.02 | 3 | 660 | 68 | 0.26 | 2 | 3 | 67 |
| 133339 | | <10 | 0.28 | 0.32 | 10 | 0.93 | 3330 | 4 | 0.02 | 2 | 670 | 76 | 0.32 | 7 | 3 | 68 |
| 133340 | | <10 | 0.39 | 0.30 | 10 | 0.84 | 3210 | 1 | 0.03 | 3 | 520 | 9 | 0.17 | 7 | 3 | 100 |
| 133341 | | <10 | 0.90 | 0.27 | 10 | 0.92 | 3860 | 1 | 0.03 | 3 | 390 | 150 | 0.21 | 3 | 3 | 170 |
| 133342 | | <10 | 0.45 | 0.26 | 10 | 1.00 | 3930 | 1 | 0.02 | 2 | 650 | 88 | 0.12 | 9 | 3 | 116 |
| 133343 | | <10 | 0.36 | 0.27 | <10 | 0.90 | 3630 | 1 | 0.03 | 2 | 260 | 6 | 0.10 | 10 | 4 | 92 |
| 133344 | | <10 | 0.49 | 0.28 | <10 | 1.02 | 3290 | 1 | 0.04 | 2 | 330 | 112 | 0.32 | <2 | 4 | 165 |
| 133345 | | <10 | 0.23 | 0.33 | 10 | 0.14 | 253 | 9 | 0.08 | 2 | 1360 | 11 | 3.92 | <2 | 2 | 46 |
| 133346 | | <10 | 0.12 | 0.34 | 10 | 0.50 | 994 | 5 | 0.06 | 3 | 1290 | 11 | 3.08 | 2 | 2 | 56 |
| 133347 | | <10 | 0.14 | 0.32 | 10 | 0.53 | 1515 | 3 | 0.07 | 3 | 1360 | 8 | 3.45 | <2 | 3 | 86 |
| 133348 | | <10 | 0.15 | 0.29 | 10 | 0.52 | 1500 | 1 | 0.06 | 1 | 1300 | 8 | 3.21 | <2 | 2 | 85 |
| 133349 | | <10 | 0.17 | 0.37 | 10 | 0.46 | 914 | 4 | 0.07 | 2 | 1400 | 9 | 3.86 | 2 | 3 | 75 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04049077

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Ti % | Ti ppm | U ppm | V ppm | W ppm | Zn ppm |
| 133310 | | <0.01 | <10 | <10 | 11 | <10 | 205 |
| 133311 | | <0.01 | <10 | <10 | 12 | <10 | 332 |
| 133312 | | <0.01 | <10 | <10 | 13 | <10 | 186 |
| 133313 | | <0.01 | <10 | <10 | 11 | <10 | 291 |
| 133314 | | <0.01 | <10 | <10 | 13 | <10 | 793 |
| 133315 | | <0.01 | <10 | <10 | 11 | <10 | 434 |
| 133316 | | <0.01 | <10 | <10 | 11 | <10 | 287 |
| 133317 | | <0.01 | <10 | <10 | 9 | <10 | 522 |
| 133318 | | <0.01 | <10 | <10 | 9 | <10 | 192 |
| 133319 | | <0.01 | <10 | <10 | 10 | <10 | 449 |
| 133320 | | <0.01 | <10 | <10 | 13 | <10 | 529 |
| 133321 | | <0.01 | <10 | <10 | 12 | <10 | 578 |
| 133322 | | <0.01 | <10 | <10 | 13 | <10 | 659 |
| 133323 | | <0.01 | <10 | <10 | 11 | <10 | 782 |
| 133324 | | <0.01 | <10 | <10 | 14 | <10 | 604 |
| 133325 | | <0.01 | <10 | <10 | 9 | <10 | 3290 |
| 133326 | | <0.01 | <10 | <10 | 6 | <10 | 997 |
| 133327 | | <0.01 | <10 | <10 | 12 | <10 | 640 |
| 133328 | | <0.01 | <10 | <10 | 13 | <10 | 540 |
| 133329 | | <0.01 | <10 | <10 | 12 | <10 | 2350 |
| 133330 | | <0.01 | <10 | <10 | 12 | <10 | 664 |
| 133331 | | <0.01 | <10 | <10 | 11 | <10 | 819 |
| 133332 | | <0.01 | <10 | <10 | 13 | <10 | 901 |
| 133333 | | <0.01 | <10 | <10 | 13 | <10 | 736 |
| 133334 | | <0.01 | <10 | <10 | 15 | <10 | 870 |
| 133335 | | <0.01 | <10 | <10 | 17 | <10 | 1040 |
| 133336 | | <0.01 | <10 | <10 | 16 | <10 | 1065 |
| 133337 | | <0.01 | <10 | <10 | 13 | <10 | 1210 |
| 133338 | | <0.01 | <10 | <10 | 14 | <10 | 707 |
| 133339 | | <0.01 | <10 | <10 | 13 | <10 | 389 |
| 133340 | | <0.01 | <10 | <10 | 12 | <10 | 473 |
| 133341 | | <0.01 | <10 | <10 | 10 | <10 | 950 |
| 133342 | | <0.01 | <10 | <10 | 12 | <10 | 482 |
| 133343 | | <0.01 | <10 | <10 | 12 | <10 | 458 |
| 133344 | | <0.01 | <10 | <10 | 16 | <10 | 659 |
| 133345 | | <0.01 | <10 | <10 | 9 | <10 | 11 |
| 133346 | | <0.01 | <10 | <10 | 10 | <10 | 22 |
| 133347 | | <0.01 | <10 | <10 | 9 | <10 | 23 |
| 133348 | | <0.01 | <10 | <10 | 8 | <10 | 23 |
| 133349 | | <0.01 | <10 | <10 | 10 | <10 | 15 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04049077

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|------------------|-----------|-----------|----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|
| | | Recv'd Wt. kg | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % |
| 133350 | | 3.32 | <0.005 | <0.2 | 0.41 | 19 | 10 | 60 | 0.5 | <2 | 4.37 | <0.5 | 9 | 13 | 19 | 3.21 |
| 133651 | | 3.20 | <0.005 | <0.2 | 0.50 | 13 | 10 | 70 | 0.6 | <2 | 4.12 | <0.5 | 9 | 29 | 22 | 3.34 |
| 133652 | | 3.46 | <0.005 | <0.2 | 0.40 | 19 | 10 | 30 | <0.5 | <2 | 4.60 | <0.5 | 9 | 12 | 18 | 3.33 |
| 133653 | | 1.88 | <0.005 | <0.2 | 0.44 | 23 | 10 | 30 | 0.5 | <2 | 3.45 | <0.5 | 9 | 33 | 24 | 3.32 |
| 133654 | | 1.58 | 0.006 | 0.2 | 0.41 | 13 | 10 | 100 | 0.7 | <2 | 3.05 | 0.6 | 7 | 35 | 9 | 2.86 |
| 133655 | | 3.62 | <0.005 | <0.2 | 0.32 | <2 | <10 | 820 | <0.5 | <2 | 2.49 | <0.5 | 9 | 29 | 2 | 2.87 |
| 133656 | | 3.18 | <0.005 | <0.2 | 0.38 | 4 | <10 | 1100 | 0.6 | <2 | 2.00 | <0.5 | 6 | 30 | 12 | 2.75 |
| 133657 | | 2.34 | 0.008 | 1.3 | 0.58 | 13 | 10 | 220 | 1.5 | <2 | 0.70 | <0.5 | 6 | 23 | 39 | 2.56 |
| 133658 | | 3.30 | <0.005 | <0.2 | 0.37 | 10 | 10 | 930 | 0.6 | <2 | 1.52 | 0.6 | 7 | 44 | 6 | 2.99 |
| 133659 | | 3.52 | <0.005 | <0.2 | 0.41 | 8 | 10 | 90 | 0.7 | <2 | 0.83 | 1.1 | 9 | 37 | 9 | 3.00 |
| 133660 | | 3.32 | 0.011 | 0.2 | 0.33 | 16 | <10 | 540 | <0.5 | <2 | 1.30 | 1.0 | 9 | 62 | 4 | 3.03 |
| 133661 | | 3.02 | 0.005 | 0.2 | 0.40 | 26 | 10 | 220 | 0.9 | <2 | 1.08 | 1.6 | 9 | 32 | 7 | 3.07 |
| 133662 | | 2.20 | 0.016 | <0.2 | 0.41 | 4 | 10 | 1690 | 0.7 | <2 | 1.56 | 1.2 | 6 | 29 | 12 | 2.85 |
| 133663 | | 2.54 | <0.005 | <0.2 | 0.32 | 7 | 10 | 1550 | 0.5 | <2 | 2.11 | <0.5 | 6 | 28 | 18 | 2.71 |
| 133664 | | 2.44 | <0.005 | <0.2 | 0.37 | 9 | 10 | 1140 | 0.6 | <2 | 1.48 | 0.6 | 6 | 20 | 16 | 2.41 |
| 133665 | | 3.12 | <0.005 | <0.2 | 0.34 | 5 | 10 | 1110 | <0.5 | <2 | 2.15 | 0.9 | 7 | 32 | 13 | 2.75 |
| 133666 | | 3.48 | <0.005 | <0.2 | 0.41 | 5 | 10 | 960 | 0.8 | <2 | 1.95 | 1.2 | 7 | 29 | 10 | 2.91 |
| 133667 | | 3.34 | <0.005 | <0.2 | 0.41 | 13 | 10 | 650 | 0.6 | <2 | 1.43 | 0.6 | 7 | 34 | 8 | 2.86 |
| 133668 | | 3.42 | <0.005 | <0.2 | 0.42 | 4 | 10 | 300 | 0.7 | <2 | 1.05 | 0.5 | 7 | 26 | 3 | 2.80 |
| 133669 | | 3.54 | <0.005 | <0.2 | 0.47 | 11 | 10 | 1360 | 0.7 | <2 | 1.52 | 0.9 | 8 | 41 | 39 | 3.84 |
| 133670 | | 3.36 | <0.005 | <0.2 | 0.44 | 10 | 10 | 1980 | 0.7 | <2 | 1.74 | 0.8 | 8 | 30 | 29 | 3.23 |
| 133671 | | 3.22 | <0.005 | <0.2 | 0.41 | <2 | 10 | 1870 | 0.6 | <2 | 2.53 | <0.5 | 7 | 30 | 2 | 2.86 |
| 133672 | | 3.34 | <0.005 | <0.2 | 0.39 | 3 | 10 | 1720 | 0.6 | <2 | 2.72 | 0.5 | 7 | 30 | 5 | 2.77 |
| 133673 | | 2.96 | <0.005 | <0.2 | 0.44 | 4 | 10 | 870 | 0.8 | <2 | 2.73 | 0.5 | 7 | 22 | 17 | 3.13 |
| 133674 | | 2.50 | 0.011 | 0.6 | 0.44 | 13 | 10 | 40 | 0.8 | <2 | 3.45 | 1.6 | 10 | 28 | 23 | 3.72 |
| 133675 | | 2.32 | 0.010 | 0.4 | 0.44 | 46 | 10 | 1390 | 0.6 | <2 | 2.39 | 5.6 | 5 | 45 | 111 | 1.88 |
| 133676 | | 3.64 | 0.006 | 0.2 | 0.36 | 25 | <10 | 670 | 0.5 | <2 | 2.10 | 9.6 | 6 | 37 | 46 | 2.36 |
| 133677 | | 2.82 | 0.014 | 0.5 | 0.39 | 54 | <10 | 440 | 0.5 | <2 | 2.09 | 6.9 | 7 | 33 | 117 | 2.65 |
| 133678 | | 3.24 | 0.010 | 0.3 | 0.38 | 34 | 10 | 850 | 0.5 | <2 | 2.58 | 3.8 | 6 | 35 | 53 | 2.47 |
| 133679 | | 3.24 | <0.005 | 0.3 | 0.39 | 26 | 10 | 1100 | 0.5 | <2 | 2.97 | 1.6 | 8 | 39 | 46 | 3.27 |
| 133680 | | 3.16 | 0.026 | 0.6 | 0.51 | 30 | 10 | 1050 | 1.3 | <2 | 2.40 | 7.3 | 6 | 33 | 64 | 2.14 |
| 133681 | | 2.08 | 0.009 | 0.8 | 0.48 | 23 | 10 | 40 | 0.9 | <2 | 2.07 | 1.7 | 14 | 29 | 37 | 4.02 |
| 133682 | | 2.90 | 0.005 | 0.7 | 0.39 | 36 | 10 | 1020 | 0.5 | <2 | 1.58 | 1.3 | 7 | 27 | 67 | 3.61 |
| 133683 | | 2.12 | 0.018 | 1.0 | 0.46 | 74 | 10 | 500 | 0.6 | <2 | 1.26 | 1.4 | 8 | 41 | 126 | 3.52 |
| 133684 | | 3.46 | <0.005 | <0.2 | 0.45 | <2 | 10 | 1560 | 0.5 | <2 | 1.98 | 0.6 | 6 | 25 | 2 | 2.90 |
| 133685 | | 3.08 | <0.005 | <0.2 | 0.45 | 4 | <10 | 460 | 0.5 | <2 | 1.86 | <0.5 | 7 | 53 | 7 | 3.06 |
| 133686 | | 3.58 | <0.005 | 0.2 | 0.38 | 3 | <10 | 920 | <0.5 | <2 | 1.34 | 0.7 | 7 | 28 | 33 | 3.48 |
| 133687 | | 3.22 | 0.008 | 0.3 | 0.42 | 3 | <10 | 1170 | 0.5 | <2 | 1.72 | 0.9 | 7 | 89 | 64 | 3.51 |
| 133688 | | 3.62 | 0.009 | 0.2 | 0.41 | 24 | <10 | 1440 | 0.6 | <2 | 1.78 | 0.5 | 8 | 39 | 134 | 3.05 |
| 133689 | | 2.34 | <0.005 | 0.3 | 0.50 | 6 | 10 | 970 | 0.6 | <2 | 2.41 | <0.5 | 6 | 85 | 41 | 2.88 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04049077

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % | ME-ICP41 La ppm 10 | ME-ICP41 Mg % | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % | ME-ICP41 Ni ppm 0.01 | ME-ICP41 P ppm 1 | ME-ICP41 Pb ppm 10 | ME-ICP41 S % | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|-----------------------------|------------------------------|--------------------|-----------------------------|---------------------|----------------------------|----------------------------|---------------------|-------------------------------|---------------------------|-----------------------------|--------------------|----------------------------|----------------------------|----------------------------|
| 133350 | | <10 | 0.10 | 0.28 | 10 | 1.01 | 1960 | 2 | 0.06 | 2 | 1100 | 9 | 2.11 | <2 | 3 | 127 |
| 133651 | | <10 | 0.11 | 0.34 | 10 | 0.74 | 1720 | 2 | 0.06 | 3 | 1200 | 7 | 2.03 | 2 | 4 | 107 |
| 133652 | | <10 | 0.11 | 0.28 | 10 | 0.72 | 1900 | 1 | 0.06 | 1 | 1060 | 8 | 2.39 | <2 | 4 | 117 |
| 133653 | | <10 | 0.13 | 0.29 | 10 | 0.67 | 1505 | 4 | 0.06 | 2 | 1120 | 11 | 2.81 | <2 | 3 | 93 |
| 133654 | | <10 | 0.20 | 0.28 | 10 | 1.15 | 2830 | 2 | 0.04 | 2 | 620 | 33 | 0.81 | <2 | 5 | 160 |
| 133655 | | <10 | 0.28 | 0.25 | 10 | 1.02 | 4080 | <1 | 0.03 | 2 | 750 | 8 | 0.03 | <2 | 4 | 100 |
| 133656 | | <10 | 0.17 | 0.31 | 10 | 0.85 | 3440 | <1 | 0.03 | 3 | 800 | 78 | 0.04 | 2 | 4 | 96 |
| 133657 | | <10 | 0.11 | 0.43 | 10 | 0.33 | 945 | 2 | 0.07 | 1 | 1420 | 265 | 0.86 | 2 | 3 | 43 |
| 133658 | | <10 | 0.23 | 0.29 | 10 | 0.88 | 3580 | <1 | 0.03 | 3 | 770 | 15 | 0.06 | <2 | 4 | 120 |
| 133659 | | <10 | 0.22 | 0.32 | 20 | 0.72 | 3220 | <1 | 0.03 | 2 | 770 | 17 | 0.18 | <2 | 4 | 89 |
| 133660 | | <10 | 0.26 | 0.25 | 10 | 0.87 | 3270 | <1 | 0.03 | 1 | 740 | 30 | 0.34 | <2 | 4 | 104 |
| 133661 | | <10 | 0.30 | 0.31 | 20 | 0.76 | 3230 | 1 | 0.04 | 2 | 800 | 196 | 0.31 | <2 | 4 | 56 |
| 133662 | | <10 | 0.75 | 0.33 | 10 | 0.83 | 3460 | <1 | 0.03 | 2 | 710 | 29 | 0.06 | <2 | 4 | 114 |
| 133663 | | <10 | 0.20 | 0.26 | 10 | 0.94 | 3250 | <1 | 0.02 | <1 | 570 | 27 | 0.05 | 2 | 4 | 140 |
| 133664 | | <10 | 0.09 | 0.29 | 10 | 0.70 | 2460 | <1 | 0.03 | 2 | 660 | 8 | 0.11 | 2 | 4 | 89 |
| 133665 | | <10 | 0.15 | 0.26 | 10 | 0.85 | 2920 | <1 | 0.03 | 2 | 820 | 12 | 0.16 | 2 | 4 | 133 |
| 133666 | | <10 | 0.22 | 0.31 | 10 | 0.84 | 3250 | <1 | 0.03 | 4 | 690 | 29 | 0.07 | 2 | 3 | 150 |
| 133667 | | <10 | 0.26 | 0.29 | 10 | 0.77 | 2980 | <1 | 0.04 | 2 | 530 | 22 | 0.20 | 2 | 4 | 139 |
| 133668 | | <10 | 0.40 | 0.31 | 10 | 0.73 | 3160 | <1 | 0.04 | 2 | 440 | 5 | 0.03 | <2 | 3 | 93 |
| 133669 | | <10 | 0.34 | 0.34 | 10 | 0.93 | 4180 | <1 | 0.04 | 2 | 190 | 73 | 0.05 | 5 | 4 | 113 |
| 133670 | | <10 | 0.32 | 0.34 | <10 | 0.89 | 3630 | <1 | 0.04 | 2 | 50 | 14 | 0.05 | 3 | 4 | 115 |
| 133671 | | <10 | 0.31 | 0.31 | 10 | 1.00 | 3390 | <1 | 0.03 | 2 | 400 | 6 | 0.05 | <2 | 4 | 140 |
| 133672 | | <10 | 0.75 | 0.31 | 20 | 0.96 | 3880 | <1 | 0.03 | 2 | 710 | 5 | 0.07 | <2 | 4 | 124 |
| 133673 | | <10 | 0.24 | 0.32 | 10 | 1.04 | 3810 | <1 | 0.03 | 1 | 790 | 30 | 0.09 | 3 | 6 | 104 |
| 133674 | | <10 | 0.23 | 0.30 | 10 | 1.09 | 3000 | 2 | 0.04 | 1 | 990 | 45 | 2.07 | 2 | 4 | 143 |
| 133675 | | <10 | 0.27 | 0.34 | 10 | 0.76 | 2390 | 2 | 0.02 | 1 | 750 | 333 | 0.14 | 9 | 2 | 100 |
| 133676 | | <10 | 0.26 | 0.30 | 10 | 0.77 | 2860 | 3 | 0.02 | 2 | 720 | 160 | 0.08 | 3 | 2 | 68 |
| 133677 | | <10 | 0.26 | 0.31 | 10 | 0.78 | 3000 | 2 | 0.02 | 2 | 880 | 131 | 0.09 | 9 | 3 | 74 |
| 133678 | | <10 | 0.23 | 0.29 | 10 | 0.87 | 2850 | 3 | 0.03 | 2 | 710 | 89 | 0.14 | 5 | 3 | 91 |
| 133679 | | <10 | 0.31 | 0.29 | 10 | 1.13 | 3590 | 1 | 0.03 | 1 | 840 | 55 | 0.19 | 5 | 3 | 133 |
| 133680 | | <10 | 0.58 | 0.34 | 10 | 0.85 | 2290 | 1 | 0.04 | 2 | 500 | 242 | 0.21 | 5 | 4 | 124 |
| 133681 | | <10 | 0.27 | 0.32 | <10 | 0.77 | 2050 | 4 | 0.05 | 4 | 620 | 83 | 2.26 | <2 | 4 | 102 |
| 133682 | | <10 | 0.33 | 0.30 | 10 | 0.95 | 3720 | 2 | 0.02 | 2 | 710 | 81 | 0.23 | 3 | 3 | 91 |
| 133683 | | <10 | 0.75 | 0.34 | 10 | 0.82 | 3030 | 4 | 0.03 | 2 | 730 | 65 | 0.25 | 3 | 4 | 99 |
| 133684 | | <10 | 0.03 | 0.34 | 10 | 0.83 | 3560 | <1 | 0.03 | <1 | 830 | 10 | 0.04 | <2 | 4 | 91 |
| 133685 | | <10 | 0.02 | 0.34 | 10 | 0.83 | 3320 | 3 | 0.04 | 2 | 810 | 11 | 0.02 | <2 | 4 | 91 |
| 133686 | | <10 | 0.06 | 0.31 | 10 | 0.87 | 3790 | 1 | 0.02 | 1 | 790 | 21 | 0.04 | <2 | 4 | 57 |
| 133687 | | <10 | 0.02 | 0.35 | 10 | 0.95 | 4140 | 5 | 0.02 | 3 | 750 | 47 | 0.04 | <2 | 4 | 102 |
| 133688 | | <10 | 0.06 | 0.31 | 10 | 0.95 | 3400 | 3 | 0.04 | 1 | 790 | 173 | 0.09 | 7 | 3 | 103 |
| 133689 | | <10 | 0.06 | 0.36 | 10 | 1.07 | 3470 | 4 | 0.04 | 3 | 810 | 12 | 0.03 | <2 | 4 | 99 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04049077

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| 133350 | | <0.01 | <10 | <10 | 16 | <10 | 54 |
| 133651 | | <0.01 | <10 | <10 | 17 | <10 | 66 |
| 133652 | | <0.01 | <10 | <10 | 15 | <10 | 78 |
| 133653 | | <0.01 | <10 | <10 | 15 | <10 | 51 |
| 133654 | | <0.01 | <10 | <10 | 34 | <10 | 288 |
| 133655 | | <0.01 | <10 | <10 | 36 | <10 | 379 |
| 133656 | | <0.01 | <10 | <10 | 25 | <10 | 313 |
| 133657 | | <0.01 | <10 | <10 | 15 | <10 | 135 |
| 133658 | | <0.01 | <10 | <10 | 15 | <10 | 422 |
| 133659 | | <0.01 | <10 | <10 | 14 | <10 | 474 |
| 133660 | | <0.01 | <10 | <10 | 14 | <10 | 381 |
| 133661 | | <0.01 | <10 | <10 | 13 | <10 | 592 |
| 133662 | | <0.01 | <10 | <10 | 16 | <10 | 487 |
| 133663 | | <0.01 | <10 | <10 | 15 | <10 | 309 |
| 133664 | | <0.01 | <10 | <10 | 13 | <10 | 254 |
| 133665 | | <0.01 | <10 | <10 | 13 | <10 | 271 |
| 133666 | | <0.01 | <10 | <10 | 11 | <10 | 389 |
| 133667 | | <0.01 | <10 | <10 | 12 | <10 | 302 |
| 133668 | | <0.01 | <10 | <10 | 11 | <10 | 393 |
| 133669 | | <0.01 | <10 | <10 | 14 | <10 | 428 |
| 133670 | | <0.01 | <10 | <10 | 20 | <10 | 357 |
| 133671 | | <0.01 | <10 | <10 | 20 | <10 | 243 |
| 133672 | | <0.01 | <10 | <10 | 16 | <10 | 254 |
| 133673 | | <0.01 | <10 | <10 | 17 | <10 | 305 |
| 133674 | | <0.01 | <10 | 10 | 16 | <10 | 307 |
| 133675 | | <0.01 | <10 | <10 | 11 | <10 | 490 |
| 133676 | | <0.01 | <10 | <10 | 12 | <10 | 822 |
| 133677 | | <0.01 | <10 | <10 | 13 | <10 | 635 |
| 133678 | | <0.01 | <10 | <10 | 15 | <10 | 399 |
| 133679 | | <0.01 | <10 | <10 | 14 | <10 | 258 |
| 133680 | | <0.01 | <10 | <10 | 14 | <10 | 688 |
| 133681 | | <0.01 | <10 | <10 | 16 | <10 | 342 |
| 133682 | | <0.01 | <10 | <10 | 15 | <10 | 446 |
| 133683 | | <0.01 | <10 | <10 | 19 | <10 | 391 |
| 133684 | | 0.01 | <10 | <10 | 36 | <10 | 257 |
| 133685 | | 0.02 | <10 | <10 | 45 | <10 | 252 |
| 133686 | | 0.01 | <10 | <10 | 32 | <10 | 345 |
| 133687 | | 0.01 | <10 | <10 | 33 | <10 | 357 |
| 133688 | | <0.01 | <10 | <10 | 17 | <10 | 206 |
| 133689 | | <0.01 | <10 | <10 | 16 | <10 | 169 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04049077

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| 133690 | | 3.58 | 0.015 | 0.5 | 0.47 | 12 | 10 | 840 | 0.7 | <2 | 1.72 | 1.5 | 8 | 39 | 29 | 3.03 |
| 133691 | | 3.64 | 0.005 | 0.6 | 0.47 | 25 | 10 | 670 | 0.6 | <2 | 1.94 | 0.6 | 7 | 77 | 83 | 3.28 |
| 133692 | | 3.20 | 0.062 | 2.2 | 0.40 | 44 | 10 | 240 | 0.5 | <2 | 2.05 | 5.6 | 13 | 31 | 96 | 3.67 |
| 133693 | | 3.00 | 0.025 | 1.5 | 0.45 | 28 | 10 | 250 | 0.5 | <2 | 2.76 | 4.5 | 10 | 78 | 52 | 3.83 |
| 133694 | | 0.98 | <0.005 | <0.2 | 0.55 | <2 | 10 | 1660 | <0.5 | <2 | 2.81 | <0.5 | 7 | 46 | 8 | 2.38 |
| 133695 | | 0.96 | <0.005 | <0.2 | 0.55 | 13 | 10 | 2250 | <0.5 | <2 | 5.12 | <0.5 | 10 | 13 | 37 | 3.97 |
| 133696 | | 1.12 | <0.005 | <0.2 | 0.51 | 30 | 10 | 50 | 0.8 | <2 | 1.35 | <0.5 | 12 | 17 | 39 | 3.31 |
| 133697 | | 1.04 | <0.005 | <0.2 | 0.51 | 16 | 10 | 40 | 0.9 | <2 | 1.69 | <0.5 | 8 | 31 | 16 | 3.12 |
| 133698 | | 0.86 | 0.006 | <0.2 | 0.41 | 11 | <10 | 30 | 0.6 | <2 | 2.44 | <0.5 | 8 | 32 | 14 | 3.35 |
| 133699 | | 1.40 | 0.012 | <0.2 | 0.49 | 45 | 10 | 50 | 0.8 | <2 | 4.76 | 0.6 | 13 | 26 | 68 | 3.66 |
| 133700 | | 1.42 | 0.005 | <0.2 | 0.41 | 16 | <10 | 40 | 0.7 | <2 | 2.63 | <0.5 | 10 | 43 | 24 | 3.00 |
| 133701 | | 0.92 | <0.005 | <0.2 | 0.45 | 9 | <10 | 50 | 0.5 | <2 | 2.80 | <0.5 | 7 | 41 | 14 | 3.13 |
| 133702 | | 1.04 | 0.011 | 0.3 | 0.39 | 14 | <10 | 110 | <0.5 | <2 | 2.15 | 1.6 | 7 | 51 | 23 | 2.86 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04049077

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--------|
| | | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm |
| | | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 |
| 133690 | | <10 | 0.22 | 0.35 | 10 | 0.99 | 3500 | 1 | 0.04 | 2 | 760 | 66 | 0.10 | 2 | 4 | 94 |
| 133691 | | <10 | 0.14 | 0.35 | 20 | 1.12 | 3780 | 5 | 0.04 | 3 | 820 | 23 | 0.11 | 4 | 3 | 108 |
| 133692 | | <10 | 0.54 | 0.33 | 10 | 1.04 | 3710 | 5 | 0.03 | 2 | 690 | 216 | 0.66 | 4 | 3 | 110 |
| 133693 | | <10 | 0.55 | 0.35 | 10 | 1.28 | 4430 | 6 | 0.03 | 3 | 730 | 176 | 0.47 | 4 | 3 | 146 |
| 133694 | | <10 | 0.09 | 0.37 | <10 | 0.76 | 1055 | 1 | 0.07 | 5 | 880 | 3 | 0.06 | <2 | 5 | 188 |
| 133695 | | <10 | 0.19 | 0.37 | <10 | 1.24 | 1430 | <1 | 0.06 | 5 | 900 | <2 | 0.12 | <2 | 7 | 383 |
| 133696 | | <10 | 0.23 | 0.36 | <10 | 0.41 | 735 | 4 | 0.04 | 5 | 390 | 9 | 1.40 | 2 | 4 | 166 |
| 133697 | | <10 | 0.17 | 0.34 | <10 | 0.45 | 623 | 4 | 0.02 | 2 | 460 | 11 | 2.01 | <2 | 3 | 174 |
| 133698 | | <10 | 0.15 | 0.28 | <10 | 0.71 | 1040 | 2 | 0.01 | 5 | 430 | 10 | 2.22 | <2 | 4 | 173 |
| 133699 | | <10 | 0.13 | 0.29 | <10 | 1.61 | 2050 | 2 | 0.01 | 28 | 610 | 22 | 1.40 | <2 | 6 | 225 |
| 133700 | | <10 | 0.11 | 0.29 | <10 | 0.86 | 1390 | 1 | 0.01 | 11 | 270 | 13 | 1.78 | 2 | 4 | 212 |
| 133701 | | <10 | 0.12 | 0.29 | 10 | 0.93 | 1560 | 1 | 0.03 | 3 | 470 | 7 | 1.56 | <2 | 4 | 162 |
| 133702 | | <10 | 0.13 | 0.24 | 10 | 0.63 | 1810 | 1 | 0.03 | 2 | 860 | 36 | 0.90 | <2 | 3 | 80 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 16-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04049077

| Sample Description | Method Analyte Units LOR | ME-ICP41 Tl % 0.01 | ME-ICP41 Tl ppm 10 | ME-ICP41 U ppm 10 | ME-ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME-ICP41 Zn ppm 2 |
|--------------------|--------------------------|--------------------|--------------------|-------------------|------------------|-------------------|-------------------|
| 133690 | | <0.01 | <10 | <10 | 14 | <10 | 389 |
| 133691 | | <0.01 | <10 | <10 | 14 | <10 | 244 |
| 133692 | | <0.01 | <10 | 10 | 11 | <10 | 923 |
| 133693 | | <0.01 | <10 | <10 | 13 | <10 | 722 |
| 133694 | | <0.01 | <10 | <10 | 34 | <10 | 47 |
| 133695 | | <0.01 | <10 | <10 | 36 | <10 | 72 |
| 133696 | | <0.01 | <10 | <10 | 15 | <10 | 52 |
| 133697 | | <0.01 | <10 | <10 | 11 | <10 | 60 |
| 133698 | | <0.01 | <10 | <10 | 10 | <10 | 73 |
| 133699 | | <0.01 | <10 | <10 | 17 | <10 | 168 |
| 133700 | | <0.01 | <10 | <10 | 10 | <10 | 64 |
| 133701 | | <0.01 | <10 | <10 | 10 | <10 | 77 |
| 133702 | | <0.01 | <10 | <10 | 10 | <10 | 340 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 21-AUG-2004
This copy reported on 22-AUG-2004
Account: EIA

CERTIFICATE VA04050913

Project: NGX04-01

P.O. No.:

This report is for 107 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-AUG-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION


| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 21-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04050913

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|--------------------------|------------------|----------------|-----------------|---------------|-----------------|----------------|-----------------|-----------------|-----------------|---------------|-----------------|-----------------|-----------------|-----------------|---------------|
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | 0.01 |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| B003501 | | 3.52 | 0.009 | <0.2 | 0.48 | 40 | 10 | 250 | 0.6 | <2 | 2.54 | <0.5 | 7 | 27 | 13 | 2.97 |
| B003502 | | 3.42 | <0.005 | <0.2 | 0.47 | 38 | 10 | 70 | 0.6 | <2 | 3.02 | <0.5 | 6 | 16 | 12 | 2.89 |
| B003503 | | 3.24 | <0.005 | <0.2 | 0.46 | 39 | 10 | 250 | 0.6 | <2 | 2.58 | <0.5 | 6 | 14 | 13 | 3.09 |
| B003504 | | 2.62 | 0.008 | <0.2 | 0.46 | 37 | 10 | 400 | 0.6 | <2 | 2.92 | <0.5 | 7 | 32 | 13 | 2.94 |
| B003505 | | 3.82 | 0.006 | <0.2 | 0.45 | 40 | 10 | 530 | 0.6 | <2 | 3.04 | <0.5 | 6 | 17 | 13 | 2.87 |
| B003506 | | 3.30 | 0.009 | <0.2 | 0.46 | 35 | 10 | 450 | 0.6 | <2 | 3.44 | <0.5 | 6 | 18 | 11 | 2.91 |
| B003507 | | 3.32 | 0.008 | <0.2 | 0.46 | 36 | 10 | 80 | 0.6 | <2 | 2.90 | <0.5 | 6 | 28 | 11 | 2.80 |
| B003508 | | 3.38 | <0.005 | <0.2 | 0.41 | 36 | 10 | 140 | 0.5 | <2 | 3.05 | <0.5 | 6 | 23 | 10 | 2.65 |
| B003509 | | 2.94 | 0.006 | <0.2 | 0.39 | 29 | 10 | 440 | 0.5 | <2 | 2.94 | <0.5 | 6 | 24 | 13 | 2.73 |
| B003510 | | 3.06 | 0.009 | <0.2 | 0.41 | 37 | 10 | 340 | 0.5 | <2 | 2.54 | <0.5 | 6 | 26 | 12 | 2.75 |
| B003511 | | 2.24 | 0.007 | <0.2 | 0.43 | 38 | 10 | 340 | 0.6 | <2 | 2.41 | <0.5 | 6 | 19 | 12 | 2.74 |
| B003512 | | 2.06 | 0.009 | <0.2 | 0.45 | 44 | 10 | 60 | 0.6 | <2 | 2.50 | <0.5 | 7 | 20 | 14 | 2.88 |
| B003513 | | 1.28 | 0.005 | <0.2 | 0.45 | 50 | 10 | 390 | 0.6 | <2 | 2.57 | <0.5 | 7 | 23 | 26 | 3.28 |
| B003514 | | 1.32 | 0.008 | <0.2 | 0.42 | 51 | 10 | 280 | 0.6 | <2 | 2.90 | <0.5 | 7 | 16 | 27 | 3.43 |
| B003515 | | 2.60 | 0.009 | <0.2 | 0.47 | 43 | 10 | 240 | 0.7 | <2 | 2.01 | <0.5 | 9 | 14 | 37 | 3.69 |
| B003516 | | 3.62 | 0.005 | <0.2 | 0.50 | 125 | 10 | 240 | 0.7 | <2 | 1.94 | <0.5 | 7 | 21 | 27 | 3.69 |
| B003517 | | 3.20 | 0.008 | <0.2 | 0.52 | 46 | 10 | 80 | 0.8 | <2 | 2.07 | <0.5 | 8 | 10 | 23 | 3.49 |
| B003518 | | 3.44 | <0.005 | <0.2 | 0.52 | 55 | 10 | 300 | 0.7 | <2 | 2.65 | <0.5 | 7 | 20 | 20 | 3.59 |
| B003519 | | 3.16 | 0.007 | <0.2 | 0.49 | 48 | 10 | 280 | 0.7 | <2 | 2.73 | <0.5 | 8 | 26 | 24 | 3.58 |
| B003520 | | 3.26 | 0.005 | <0.2 | 0.40 | 52 | 10 | 320 | 0.6 | <2 | 3.33 | <0.5 | 7 | 21 | 22 | 3.41 |
| B003521 | | 2.96 | 0.005 | <0.2 | 0.48 | 38 | 10 | 380 | 0.6 | <2 | 2.26 | <0.5 | 4 | 12 | 19 | 2.56 |
| B003522 | | 3.62 | 0.007 | <0.2 | 0.48 | 24 | 10 | 350 | 0.6 | <2 | 2.11 | <0.5 | 4 | 17 | 12 | 2.07 |
| B003523 | | 2.94 | 0.006 | <0.2 | 0.53 | 46 | 10 | 260 | 0.7 | <2 | 2.74 | <0.5 | 6 | 13 | 22 | 3.43 |
| B003524 | | 2.90 | 0.007 | <0.2 | 0.53 | 66 | 10 | 150 | 0.7 | <2 | 2.38 | <0.5 | 7 | 11 | 21 | 3.56 |
| B003525 | | 3.42 | 0.007 | 0.2 | 0.51 | 65 | 10 | 60 | 0.7 | <2 | 2.20 | <0.5 | 7 | 12 | 22 | 3.38 |
| B003526 | | 2.84 | 0.005 | 0.5 | 0.45 | 44 | 10 | 180 | 0.7 | <2 | 2.41 | <0.5 | 8 | 16 | 25 | 3.23 |
| B003527 | | 2.70 | 0.012 | <0.2 | 0.44 | 41 | 10 | 390 | 0.6 | <2 | 2.90 | <0.5 | 8 | 16 | 18 | 3.52 |
| B003528 | | 2.32 | 0.006 | <0.2 | 0.51 | 47 | 10 | 230 | 0.7 | <2 | 2.60 | <0.5 | 9 | 10 | 23 | 3.67 |
| B003529 | | 3.10 | <0.005 | 0.5 | 0.48 | 38 | 10 | 120 | 0.7 | <2 | 3.09 | <0.5 | 8 | 19 | 24 | 3.60 |
| B003530 | | 2.92 | 0.009 | 0.2 | 0.49 | 288 | 10 | 80 | 0.7 | <2 | 2.94 | <0.5 | 7 | 13 | 22 | 3.61 |
| B003531 | | 3.08 | 0.009 | 0.3 | 0.43 | 48 | 10 | 170 | 0.7 | <2 | 2.73 | <0.5 | 8 | 12 | 21 | 3.42 |
| B003532 | | 3.08 | <0.005 | 0.2 | 0.45 | 41 | 10 | 280 | 0.6 | <2 | 2.93 | <0.5 | 7 | 20 | 14 | 3.09 |
| B003533 | | 3.30 | <0.005 | 0.2 | 0.45 | 29 | 10 | 190 | 0.6 | <2 | 4.95 | <0.5 | 6 | 15 | 10 | 2.59 |
| B003534 | | 3.40 | 0.006 | <0.2 | 0.42 | 31 | 10 | 60 | 0.5 | <2 | 2.76 | <0.5 | 6 | 13 | 9 | 2.25 |
| B003535 | | 2.76 | 0.006 | 0.2 | 0.45 | 41 | 10 | 60 | 0.6 | <2 | 2.39 | <0.5 | 7 | 20 | 10 | 2.59 |
| B003536 | | 2.82 | <0.005 | 0.3 | 0.47 | 41 | 10 | 500 | 0.6 | <2 | 2.14 | <0.5 | 8 | 13 | 11 | 2.50 |
| B003537 | | 3.20 | 0.006 | 0.2 | 0.47 | 31 | 10 | 460 | 0.6 | <2 | 4.02 | <0.5 | 8 | 18 | 7 | 2.69 |
| B003538 | | 3.48 | <0.005 | 0.2 | 0.44 | 33 | 10 | 300 | 0.5 | <2 | 3.92 | <0.5 | 8 | 21 | 7 | 2.73 |
| B003539 | | 1.70 | 0.006 | 0.2 | 0.47 | 30 | 10 | 360 | 0.7 | <2 | 2.62 | <0.5 | 7 | 15 | 8 | 2.73 |
| B003540 | | 1.68 | 0.009 | 0.2 | 0.46 | 30 | 10 | 690 | 0.7 | <2 | 2.81 | <0.5 | 8 | 14 | 9 | 2.84 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 21-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04050913

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Ng-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm | K ppm | La % | Mg ppm | Mn % | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm | Si ppm | Sr ppm |
| B003501 | | <10 | 0.13 | 0.28 | <10 | 0.56 | 367 | 2 | 0.06 | 12 | 740 | 12 | 0.72 | 2 | 7 | 168 |
| B003502 | | <10 | 0.13 | 0.28 | <10 | 0.62 | 379 | 1 | 0.06 | 12 | 730 | 10 | 0.64 | 3 | 7 | 194 |
| B003503 | | <10 | 0.11 | 0.28 | <10 | 0.72 | 377 | 1 | 0.06 | 13 | 670 | 11 | 0.65 | 2 | 8 | 115 |
| B003504 | | <10 | 0.11 | 0.28 | <10 | 0.64 | 348 | 2 | 0.05 | 13 | 670 | 11 | 0.68 | 3 | 7 | 161 |
| B003505 | | <10 | 0.10 | 0.27 | <10 | 0.76 | 402 | 1 | 0.05 | 12 | 700 | 10 | 0.56 | 3 | 6 | 169 |
| B003506 | | <10 | 0.10 | 0.27 | <10 | 0.91 | 410 | 2 | 0.06 | 12 | 600 | 10 | 0.58 | 2 | 7 | 173 |
| B003507 | | <10 | 0.12 | 0.27 | <10 | 0.78 | 363 | 2 | 0.07 | 12 | 710 | 11 | 0.62 | 2 | 8 | 128 |
| B003508 | | <10 | 0.09 | 0.25 | <10 | 0.79 | 363 | 1 | 0.06 | 10 | 600 | 8 | 0.46 | 2 | 7 | 144 |
| B003509 | | <10 | 0.10 | 0.24 | <10 | 0.78 | 366 | 1 | 0.06 | 11 | 430 | 10 | 0.49 | 3 | 7 | 142 |
| B003510 | | <10 | 0.11 | 0.25 | <10 | 0.70 | 344 | 1 | 0.07 | 11 | 250 | 9 | 0.52 | 2 | 7 | 132 |
| B003511 | | <10 | 0.11 | 0.27 | <10 | 0.61 | 337 | 1 | 0.06 | 11 | 420 | 9 | 0.54 | 2 | 7 | 115 |
| B003512 | | <10 | 0.12 | 0.28 | <10 | 0.70 | 367 | 1 | 0.06 | 14 | 360 | 9 | 0.57 | 2 | 7 | 114 |
| B003513 | | <10 | 0.13 | 0.25 | <10 | 0.84 | 389 | 2 | 0.08 | 14 | 290 | 9 | 0.65 | 2 | 9 | 126 |
| B003514 | | <10 | 0.15 | 0.24 | <10 | 0.93 | 422 | 2 | 0.08 | 15 | 250 | 10 | 0.68 | 2 | 9 | 134 |
| B003515 | | <10 | 0.15 | 0.29 | <10 | 0.79 | 373 | 2 | 0.09 | 17 | 450 | 9 | 0.65 | 3 | 9 | 116 |
| B003516 | | <10 | 0.18 | 0.29 | <10 | 0.76 | 367 | 2 | 0.08 | 18 | 580 | 12 | 0.91 | 3 | 9 | 108 |
| B003517 | | <10 | 0.16 | 0.31 | <10 | 0.78 | 377 | 2 | 0.09 | 17 | 730 | 11 | 0.85 | 2 | 9 | 90 |
| B003518 | | <10 | 0.15 | 0.31 | <10 | 0.90 | 394 | 2 | 0.07 | 17 | 770 | 11 | 0.99 | 3 | 8 | 132 |
| B003519 | | <10 | 0.17 | 0.30 | <10 | 0.93 | 410 | 2 | 0.07 | 18 | 680 | 9 | 0.86 | 3 | 9 | 141 |
| B003520 | | <10 | 0.16 | 0.25 | <10 | 1.07 | 444 | 2 | 0.06 | 17 | 520 | 11 | 0.85 | 3 | 8 | 170 |
| B003521 | | <10 | 0.10 | 0.27 | <10 | 0.71 | 451 | 2 | 0.08 | 10 | 580 | 11 | 0.79 | 3 | 6 | 114 |
| B003522 | | <10 | 0.07 | 0.27 | <10 | 0.65 | 454 | 2 | 0.08 | 7 | 390 | 9 | 0.58 | <2 | 6 | 98 |
| B003523 | | <10 | 0.16 | 0.31 | <10 | 0.92 | 396 | 2 | 0.08 | 16 | 540 | 10 | 1.04 | 2 | 9 | 114 |
| B003524 | | <10 | 0.14 | 0.31 | <10 | 0.82 | 367 | 2 | 0.09 | 14 | 660 | 12 | 1.14 | 2 | 9 | 86 |
| B003525 | | <10 | 0.14 | 0.30 | <10 | 0.76 | 345 | 2 | 0.09 | 14 | 750 | 13 | 1.06 | 2 | 8 | 92 |
| B003526 | | <10 | 0.12 | 0.29 | <10 | 0.81 | 343 | 2 | 0.07 | 15 | 560 | 9 | 0.90 | 2 | 8 | 97 |
| B003527 | | <10 | 0.12 | 0.27 | <10 | 0.95 | 387 | 2 | 0.08 | 15 | 490 | 8 | 0.75 | 2 | 8 | 147 |
| B003528 | | <10 | 0.14 | 0.31 | <10 | 0.88 | 401 | 2 | 0.09 | 15 | 630 | 10 | 0.90 | 3 | 8 | 129 |
| B003529 | | <10 | 0.14 | 0.28 | <10 | 1.00 | 452 | 2 | 0.09 | 15 | 600 | 12 | 0.88 | 4 | 9 | 144 |
| B003530 | | <10 | 0.14 | 0.29 | <10 | 0.95 | 450 | 2 | 0.09 | 15 | 720 | 11 | 0.91 | 3 | 9 | 113 |
| B003531 | | <10 | 0.11 | 0.26 | <10 | 0.81 | 408 | 1 | 0.08 | 15 | 710 | 10 | 0.81 | <2 | 8 | 123 |
| B003532 | | <10 | 0.09 | 0.27 | <10 | 0.75 | 408 | 2 | 0.07 | 12 | 730 | 11 | 0.70 | 3 | 7 | 132 |
| B003533 | | <10 | 0.07 | 0.27 | <10 | 0.99 | 796 | 1 | 0.07 | 9 | 700 | 10 | 0.49 | <2 | 6 | 237 |
| B003534 | | <10 | 0.05 | 0.25 | <10 | 0.61 | 490 | 1 | 0.06 | 10 | 680 | 9 | 0.39 | <2 | 6 | 127 |
| B003535 | | <10 | 0.05 | 0.27 | <10 | 0.69 | 329 | 1 | 0.07 | 10 | 710 | 10 | 0.41 | <2 | 7 | 138 |
| B003536 | | <10 | 0.05 | 0.29 | <10 | 0.60 | 306 | 1 | 0.07 | 13 | 660 | 12 | 0.48 | 2 | 7 | 122 |
| B003537 | | <10 | 0.05 | 0.28 | <10 | 1.08 | 471 | 1 | 0.07 | 10 | 580 | 11 | 0.39 | 2 | 10 | 238 |
| B003538 | | <10 | 0.04 | 0.26 | <10 | 1.05 | 482 | 1 | 0.07 | 11 | 700 | 10 | 0.37 | <2 | 10 | 250 |
| B003539 | | <10 | 0.05 | 0.28 | 10 | 0.73 | 356 | 1 | 0.07 | 11 | 650 | 10 | 0.34 | <2 | 6 | 179 |
| B003540 | | <10 | 0.05 | 0.28 | 10 | 0.72 | 364 | 1 | 0.08 | 10 | 670 | 10 | 0.33 | 2 | 7 | 195 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 21-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04050913

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-----------|----------|----------|----------|----------|
| | | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| B003501 | | <0.01 | <10 | <10 | 11 | <10 | 78 |
| B003502 | | <0.01 | <10 | <10 | 11 | <10 | 76 |
| B003503 | | <0.01 | <10 | <10 | 12 | <10 | 75 |
| B003504 | | <0.01 | <10 | <10 | 11 | <10 | 73 |
| B003505 | | <0.01 | <10 | <10 | 10 | <10 | 71 |
| B003506 | | <0.01 | <10 | <10 | 11 | <10 | 72 |
| B003507 | | <0.01 | <10 | <10 | 12 | <10 | 68 |
| B003508 | | <0.01 | <10 | <10 | 10 | <10 | 68 |
| B003509 | | <0.01 | <10 | <10 | 10 | <10 | 69 |
| B003510 | | <0.01 | <10 | <10 | 11 | <10 | 74 |
| B003511 | | <0.01 | <10 | <10 | 11 | <10 | 64 |
| B003512 | | <0.01 | <10 | <10 | 11 | <10 | 71 |
| B003513 | | <0.01 | <10 | <10 | 20 | <10 | 93 |
| B003514 | | <0.01 | <10 | <10 | 22 | <10 | 104 |
| B003515 | | <0.01 | <10 | <10 | 18 | <10 | 108 |
| B003516 | | <0.01 | <10 | <10 | 17 | <10 | 114 |
| B003517 | | <0.01 | <10 | <10 | 15 | <10 | 103 |
| B003518 | | <0.01 | <10 | <10 | 14 | <10 | 91 |
| B003519 | | <0.01 | <10 | <10 | 13 | <10 | 106 |
| B003520 | | <0.01 | <10 | <10 | 13 | <10 | 98 |
| B003521 | | <0.01 | <10 | <10 | 11 | <10 | 94 |
| B003522 | | <0.01 | <10 | <10 | 8 | <10 | 81 |
| B003523 | | <0.01 | <10 | <10 | 18 | <10 | 99 |
| B003524 | | <0.01 | <10 | <10 | 19 | <10 | 106 |
| B003525 | | <0.01 | <10 | <10 | 16 | <10 | 110 |
| B003526 | | <0.01 | <10 | <10 | 17 | <10 | 96 |
| B003527 | | <0.01 | <10 | <10 | 18 | <10 | 99 |
| B003528 | | <0.01 | <10 | <10 | 17 | <10 | 112 |
| B003529 | | <0.01 | <10 | <10 | 18 | <10 | 98 |
| B003530 | | <0.01 | <10 | <10 | 18 | <10 | 104 |
| B003531 | | <0.01 | <10 | <10 | 14 | <10 | 85 |
| B003532 | | <0.01 | <10 | <10 | 13 | <10 | 76 |
| B003533 | | <0.01 | <10 | <10 | 11 | <10 | 61 |
| B003534 | | <0.01 | <10 | <10 | 11 | <10 | 68 |
| B003535 | | <0.01 | <10 | <10 | 13 | <10 | 71 |
| B003536 | | <0.01 | <10 | <10 | 13 | <10 | 61 |
| B003537 | | <0.01 | <10 | <10 | 19 | <10 | 63 |
| B003538 | | <0.01 | <10 | <10 | 19 | <10 | 58 |
| B003539 | | <0.01 | <10 | <10 | 14 | <10 | 64 |
| B003540 | | <0.01 | <10 | <10 | 14 | <10 | 73 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 21-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04050913

| Sample Description | Method Analyte Units LOI | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % |
| B003541 | | 3.26 | 0.005 | <0.2 | 0.48 | 35 | 10 | 110 | 0.7 | <2 | 2.05 | <0.5 | 7 | 19 | 8 | 2.70 |
| B003542 | | 3.06 | 0.006 | 0.2 | 0.45 | 35 | 10 | 160 | 0.8 | <2 | 3.90 | <0.5 | 8 | 12 | 8 | 3.06 |
| B003543 | | 3.34 | <0.005 | 0.3 | 0.47 | 41 | 10 | 490 | 0.8 | <2 | 3.94 | <0.5 | 8 | 13 | 11 | 3.17 |
| B003544 | | 3.20 | <0.005 | 0.2 | 0.46 | 42 | 10 | 420 | 0.7 | <2 | 2.57 | <0.5 | 9 | 19 | 10 | 2.87 |
| B003545 | | 3.54 | 0.006 | 0.2 | 0.49 | 43 | 10 | 700 | 0.8 | <2 | 2.02 | <0.5 | 9 | 13 | 11 | 3.19 |
| B003546 | | 3.54 | 0.009 | 0.3 | 0.44 | 47 | 10 | 260 | 0.7 | <2 | 2.43 | <0.5 | 8 | 13 | 10 | 2.73 |
| B003547 | | 3.36 | 0.013 | 0.3 | 0.46 | 80 | 10 | 180 | 0.8 | <2 | 1.65 | <0.5 | 7 | 23 | 15 | 3.39 |
| B003548 | | 2.82 | <0.005 | <0.2 | 0.44 | 25 | 10 | 300 | 0.6 | <2 | 2.72 | <0.5 | 6 | 15 | 8 | 2.47 |
| B003549 | | 2.94 | 0.006 | 0.3 | 0.43 | 56 | 10 | 140 | 0.7 | <2 | 3.57 | <0.5 | 6 | 13 | 11 | 3.29 |
| B003550 | | 3.84 | <0.005 | 0.2 | 0.41 | 37 | 10 | 440 | 0.7 | <2 | 2.33 | <0.5 | 6 | 22 | 17 | 2.46 |
| B003551 | | 2.90 | <0.005 | <0.2 | 0.35 | 7 | <10 | 570 | <0.5 | <2 | 0.82 | <0.5 | 2 | 27 | 2 | 2.54 |
| B003552 | | 2.90 | <0.005 | <0.2 | 0.45 | 7 | 10 | 1200 | 0.6 | <2 | 1.90 | <0.5 | 1 | 38 | 3 | 2.50 |
| B003553 | | 2.68 | 0.006 | <0.2 | 0.36 | 3 | <10 | 950 | 0.5 | <2 | 1.72 | <0.5 | 1 | 20 | 2 | 2.23 |
| B003554 | | 2.50 | 0.007 | 0.3 | 0.52 | 23 | 10 | 300 | 0.7 | <2 | 2.35 | <0.5 | 8 | 27 | 11 | 3.60 |
| B003555 | | 2.72 | <0.005 | 0.2 | 0.45 | 23 | 10 | 680 | 0.6 | <2 | 3.21 | <0.5 | 6 | 22 | 11 | 2.89 |
| B003556 | | 3.36 | 0.005 | <0.2 | 0.37 | 51 | 10 | 270 | 0.7 | <2 | 1.82 | 2.9 | 6 | 6 | 28 | 2.82 |
| B003557 | | 2.86 | 0.005 | 0.5 | 0.42 | 98 | 10 | 90 | 0.6 | <2 | 2.70 | 3.3 | 9 | 5 | 40 | 3.76 |
| B003558 | | 2.92 | 0.005 | 0.3 | 0.47 | 91 | 10 | 90 | 0.6 | <2 | 1.98 | 5.1 | 8 | 8 | 43 | 3.52 |
| B003559 | | 1.36 | 0.007 | 0.2 | 0.43 | 82 | 10 | 90 | 0.6 | <2 | 1.70 | 4.5 | 8 | 5 | 42 | 3.42 |
| N133703 | | 1.60 | 0.007 | 0.4 | 0.59 | 21 | 10 | 350 | 0.6 | <2 | 5.92 | <0.5 | 9 | 11 | 25 | 3.78 |
| N133704 | | 3.54 | 0.018 | 0.5 | 0.47 | 26 | 10 | 370 | 0.5 | <2 | 1.86 | <0.5 | 8 | 14 | 10 | 3.56 |
| N133705 | | 1.90 | 0.040 | 0.7 | 0.55 | 93 | 10 | 170 | 0.5 | <2 | 2.46 | 1.0 | 7 | 25 | 15 | 3.69 |
| N133706 | | 3.26 | 0.024 | 0.5 | 0.45 | 36 | <10 | 920 | 0.5 | <2 | 2.36 | <0.5 | 6 | 15 | 15 | 2.56 |
| N133707 | | 3.72 | 0.022 | 0.5 | 0.53 | 28 | 10 | 830 | 0.5 | <2 | 1.02 | 0.7 | 6 | 22 | 24 | 2.51 |
| N133708 | | 1.70 | 0.006 | <0.2 | 0.45 | 6 | 10 | 1310 | <0.5 | <2 | 5.69 | <0.5 | 8 | 10 | 13 | 3.16 |
| N133709 | | 2.94 | <0.005 | <0.2 | 0.56 | <2 | 10 | 2720 | 0.5 | <2 | 5.37 | <0.5 | 8 | 12 | 6 | 2.88 |
| N133710 | | 3.16 | 0.009 | 0.2 | 0.53 | 6 | 10 | 410 | 0.6 | <2 | 4.36 | <0.5 | 8 | 7 | 4 | 2.87 |
| N133711 | | 2.86 | 0.008 | <0.2 | 0.64 | 2 | 10 | 790 | 0.7 | <2 | 3.19 | <0.5 | 8 | 12 | 4 | 2.98 |
| N133712 | | 3.26 | 0.008 | <0.2 | 0.52 | 2 | <10 | 1620 | 0.6 | <2 | 4.47 | <0.5 | 8 | 9 | 7 | 3.72 |
| N133713 | | 2.28 | 0.007 | <0.2 | 0.62 | 19 | 10 | 490 | 0.8 | <2 | 5.40 | <0.5 | 12 | 10 | 30 | 3.66 |
| N133714 | | 1.46 | <0.005 | <0.2 | 0.53 | 13 | <10 | 350 | 0.5 | <2 | 4.75 | <0.5 | 8 | 8 | 11 | 3.52 |
| N133715 | | 1.30 | 0.005 | 0.2 | 0.56 | 14 | 10 | 380 | 0.5 | <2 | 4.87 | <0.5 | 8 | 11 | 12 | 3.43 |
| N133716 | | 3.34 | <0.005 | <0.2 | 0.57 | 4 | 10 | 1430 | 0.6 | <2 | 4.16 | <0.5 | 9 | 6 | 6 | 3.72 |
| N133717 | | 2.98 | <0.005 | <0.2 | 0.62 | 23 | <10 | 830 | 0.6 | <2 | 4.97 | <0.5 | 10 | 11 | 13 | 4.12 |
| N133718 | | 3.50 | <0.005 | 0.3 | 0.53 | 23 | <10 | 320 | 0.6 | <2 | 5.27 | <0.5 | 10 | 7 | 30 | 3.69 |
| N133719 | | 3.46 | <0.005 | <0.2 | 0.60 | 8 | <10 | 810 | 0.5 | <2 | 4.48 | <0.5 | 8 | 12 | 8 | 3.54 |
| N133720 | | 3.68 | <0.005 | <0.2 | 0.55 | 10 | <10 | 970 | 0.6 | <2 | 4.38 | <0.5 | 8 | 8 | 10 | 3.76 |
| N133721 | | 3.46 | <0.005 | 0.3 | 0.71 | 19 | 10 | 840 | 0.7 | <2 | 3.72 | <0.5 | 10 | 8 | 35 | 3.62 |
| N133722 | | 2.32 | 0.005 | 0.3 | 0.59 | 9 | 10 | 1540 | 0.6 | <2 | 3.56 | <0.5 | 9 | 6 | 31 | 3.41 |
| N133723 | | 3.44 | <0.005 | <0.2 | 0.72 | 14 | 10 | 1270 | 0.6 | <2 | 4.74 | <0.5 | 9 | 13 | 18 | 3.47 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B

Total # Pages: 4 (A - C)

Finalized Date: 21-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04050913

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | Sr |
| | | ppm | ppm | % | ppm |
| | | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 |
| B003541 | | <10 | 0.05 | 0.28 | 10 | 0.60 | 304 | 1 | 0.08 | 10 | 710 | 10 | 0.29 | 2 | 6 | 120 |
| B003542 | | <10 | 0.05 | 0.28 | <10 | 1.02 | 417 | 1 | 0.08 | 12 | 700 | 12 | 0.32 | 2 | 8 | 249 |
| B003543 | | <10 | 0.07 | 0.29 | <10 | 1.02 | 456 | 1 | 0.09 | 13 | 660 | 14 | 0.57 | 3 | 8 | 255 |
| B003544 | | <10 | 0.07 | 0.27 | <10 | 0.71 | 345 | 1 | 0.08 | 16 | 690 | 11 | 0.47 | 2 | 9 | 163 |
| B003545 | | <10 | 0.06 | 0.29 | <10 | 0.67 | 310 | 1 | 0.09 | 16 | 690 | 11 | 0.41 | 3 | 8 | 128 |
| B003546 | | <10 | 0.06 | 0.25 | <10 | 0.57 | 284 | 1 | 0.08 | 10 | 680 | 15 | 0.63 | 2 | 6 | 138 |
| B003547 | | <10 | 0.10 | 0.29 | 10 | 0.44 | 261 | 3 | 0.09 | 11 | 490 | 23 | 1.40 | 3 | 5 | 102 |
| B003548 | | <10 | 0.04 | 0.25 | <10 | 0.62 | 329 | <1 | 0.08 | 8 | 620 | 7 | 0.23 | 2 | 6 | 138 |
| B003549 | | <10 | 0.07 | 0.25 | <10 | 0.86 | 507 | 3 | 0.08 | 9 | 570 | 16 | 1.36 | 3 | 6 | 144 |
| B003550 | | <10 | 0.06 | 0.23 | <10 | 0.52 | 440 | 2 | 0.08 | 8 | 420 | 11 | 0.46 | 2 | 4 | 100 |
| B003551 | | <10 | 0.02 | 0.20 | 20 | 0.35 | 789 | 1 | 0.07 | <1 | 320 | 5 | 0.02 | <2 | 2 | 63 |
| B003552 | | <10 | 0.02 | 0.25 | 20 | 0.40 | 994 | 1 | 0.09 | 1 | 320 | 6 | 0.05 | <2 | 2 | 144 |
| B003553 | | <10 | 0.02 | 0.21 | 20 | 0.35 | 764 | <1 | 0.08 | <1 | 310 | 4 | 0.04 | <2 | 2 | 111 |
| B003554 | | <10 | 0.04 | 0.28 | <10 | 0.71 | 748 | 1 | 0.09 | 7 | 630 | 8 | 0.27 | 2 | 6 | 114 |
| B003555 | | <10 | 0.05 | 0.25 | <10 | 0.86 | 584 | 1 | 0.08 | 8 | 400 | 10 | 0.40 | 2 | 6 | 137 |
| B003556 | | <10 | 0.17 | 0.21 | <10 | 0.64 | 270 | 11 | 0.12 | 26 | 340 | 9 | 0.88 | 2 | 8 | 104 |
| B003557 | | <10 | 0.35 | 0.24 | <10 | 1.09 | 309 | 33 | 0.13 | 47 | 820 | 12 | 1.60 | 3 | 9 | 124 |
| B003558 | | <10 | 0.37 | 0.26 | <10 | 0.80 | 256 | 37 | 0.12 | 62 | 740 | 10 | 1.55 | 2 | 9 | 109 |
| B003559 | | <10 | 0.36 | 0.25 | <10 | 0.74 | 224 | 40 | 0.13 | 63 | 500 | 9 | 1.58 | 3 | 9 | 97 |
| N133703 | | <10 | 0.16 | 0.38 | <10 | 0.90 | 1345 | <1 | 0.02 | 1 | 1120 | 13 | 0.50 | 5 | 6 | 402 |
| N133704 | | <10 | 0.04 | 0.31 | <10 | 0.36 | 662 | 1 | <0.01 | 4 | 860 | 19 | 0.28 | 2 | 3 | 104 |
| N133705 | | <10 | 0.10 | 0.34 | 10 | 0.31 | 427 | 3 | 0.01 | 4 | 820 | 74 | 0.66 | 3 | 3 | 134 |
| N133706 | | <10 | 0.04 | 0.29 | 10 | 0.24 | 356 | 1 | 0.02 | 3 | 720 | 26 | 0.31 | <2 | 2 | 181 |
| N133707 | | <10 | 0.05 | 0.34 | 10 | 0.21 | 292 | 2 | 0.03 | 3 | 790 | 52 | 0.32 | 2 | 2 | 85 |
| N133708 | | <10 | 0.04 | 0.30 | 10 | 0.77 | 1320 | <1 | 0.04 | 2 | 1030 | 10 | 0.11 | <2 | 5 | 257 |
| N133709 | | <10 | 0.01 | 0.37 | 10 | 0.68 | 1305 | <1 | 0.06 | 2 | 1110 | 7 | 0.10 | <2 | 5 | 326 |
| N133710 | | <10 | 0.03 | 0.37 | 10 | 0.70 | 1170 | <1 | 0.06 | 2 | 1090 | 9 | 0.02 | <2 | 5 | 216 |
| N133711 | | <10 | 0.02 | 0.41 | 10 | 0.59 | 1210 | <1 | 0.06 | 1 | 930 | 2 | 0.06 | <2 | 5 | 174 |
| N133712 | | <10 | 0.06 | 0.35 | 10 | 0.64 | 1555 | <1 | 0.05 | 2 | 1220 | 6 | 0.08 | <2 | 6 | 269 |
| N133713 | | <10 | 0.03 | 0.39 | <10 | 0.95 | 1370 | 3 | 0.05 | 11 | 970 | 9 | 0.14 | 5 | 9 | 326 |
| N133714 | | <10 | 0.04 | 0.37 | 10 | 0.78 | 1235 | <1 | 0.06 | <1 | 1120 | 5 | 0.25 | 2 | 6 | 313 |
| N133715 | | <10 | 0.06 | 0.39 | 10 | 0.88 | 1255 | <1 | 0.06 | 1 | 1080 | 7 | 0.29 | <2 | 5 | 326 |
| N133716 | | <10 | 0.03 | 0.40 | 10 | 0.77 | 1130 | <1 | 0.08 | <1 | 1120 | 4 | 0.19 | <2 | 6 | 280 |
| N133717 | | <10 | 0.09 | 0.42 | <10 | 0.62 | 1315 | 1 | 0.08 | <1 | 950 | 10 | 0.38 | 2 | 7 | 288 |
| N133718 | | <10 | 0.18 | 0.38 | <10 | 0.69 | 1325 | <1 | 0.08 | <1 | 890 | 14 | 0.61 | <2 | 6 | 333 |
| N133719 | | <10 | 0.06 | 0.41 | <10 | 0.52 | 1215 | 1 | 0.08 | <1 | 870 | 5 | 0.30 | <2 | 6 | 268 |
| N133720 | | <10 | 0.07 | 0.38 | <10 | 0.64 | 1170 | <1 | 0.09 | <1 | 900 | 9 | 0.32 | <2 | 6 | 272 |
| N133721 | | <10 | 0.08 | 0.45 | <10 | 0.79 | 929 | 1 | 0.11 | <1 | 1230 | 8 | 0.33 | 2 | 6 | 194 |
| N133722 | | <10 | 0.06 | 0.39 | <10 | 0.67 | 917 | <1 | 0.12 | <1 | 1220 | 7 | 0.12 | <2 | 6 | 172 |
| N133723 | | <10 | 0.05 | 0.46 | <10 | 1.02 | 1485 | 1 | 0.10 | 1 | 1210 | 6 | 0.24 | <2 | 6 | 252 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 21-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04050913

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl | Tl | U | V | W | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm |
| B003541 | | <0.01 | <10 | <10 | 13 | <10 | 65 |
| B003542 | | <0.01 | <10 | <10 | 16 | <10 | 67 |
| B003543 | | <0.01 | <10 | <10 | 16 | <10 | 72 |
| B003544 | | <0.01 | <10 | <10 | 15 | <10 | 75 |
| B003545 | | <0.01 | <10 | <10 | 15 | <10 | 81 |
| B003546 | | <0.01 | <10 | <10 | 11 | <10 | 63 |
| B003547 | | <0.01 | <10 | <10 | 11 | <10 | 80 |
| B003548 | | <0.01 | <10 | <10 | 12 | <10 | 56 |
| B003549 | | <0.01 | <10 | <10 | 13 | <10 | 58 |
| B003550 | | <0.01 | <10 | <10 | 10 | <10 | 60 |
| B003551 | | <0.01 | <10 | <10 | 1 | <10 | 86 |
| B003552 | | <0.01 | <10 | <10 | 1 | <10 | 90 |
| B003553 | | <0.01 | <10 | 10 | 1 | <10 | 92 |
| B003554 | | <0.01 | <10 | <10 | 18 | <10 | 78 |
| B003555 | | <0.01 | <10 | <10 | 11 | <10 | 84 |
| B003556 | | <0.01 | <10 | <10 | 16 | <10 | 283 |
| B003557 | | <0.01 | <10 | <10 | 33 | <10 | 331 |
| B003558 | | <0.01 | <10 | <10 | 37 | <10 | 476 |
| B003559 | | <0.01 | <10 | <10 | 34 | <10 | 415 |
| N133703 | | <0.01 | <10 | <10 | 21 | <10 | 61 |
| N133704 | | <0.01 | <10 | <10 | 14 | <10 | 69 |
| N133705 | | <0.01 | <10 | <10 | 16 | <10 | 225 |
| N133706 | | <0.01 | <10 | <10 | 9 | <10 | 83 |
| N133707 | | <0.01 | <10 | <10 | 11 | <10 | 136 |
| N133708 | | <0.01 | <10 | <10 | 29 | <10 | 65 |
| N133709 | | <0.01 | <10 | <10 | 35 | <10 | 50 |
| N133710 | | 0.01 | <10 | <10 | 45 | <10 | 57 |
| N133711 | | <0.01 | <10 | <10 | 31 | <10 | 52 |
| N133712 | | <0.01 | <10 | <10 | 42 | <10 | 49 |
| N133713 | | <0.01 | <10 | 10 | 24 | <10 | 58 |
| N133714 | | <0.01 | <10 | <10 | 22 | <10 | 48 |
| N133715 | | <0.01 | <10 | <10 | 23 | <10 | 65 |
| N133716 | | <0.01 | <10 | <10 | 29 | <10 | 53 |
| N133717 | | <0.01 | <10 | <10 | 30 | <10 | 54 |
| N133718 | | <0.01 | <10 | 10 | 22 | <10 | 47 |
| N133719 | | <0.01 | <10 | <10 | 25 | <10 | 39 |
| N133720 | | <0.01 | <10 | <10 | 27 | <10 | 44 |
| N133721 | | <0.01 | <10 | <10 | 31 | <10 | 86 |
| N133722 | | <0.01 | <10 | <10 | 30 | <10 | 68 |
| N133723 | | <0.01 | <10 | <10 | 28 | <10 | 62 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 21-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04050913

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| N133724 | | 2.90 | <0.005 | <0.2 | 0.58 | 13 | 10 | 550 | 0.6 | <2 | 5.20 | <0.5 | 10 | 5 | 12 | 3.69 |
| N133725 | | 2.52 | 0.006 | 0.5 | 0.69 | 31 | 10 | 770 | 0.7 | <2 | 1.77 | <0.5 | 11 | 12 | 62 | 3.88 |
| N133726 | | 1.46 | <0.005 | 0.2 | 0.58 | 26 | 10 | 900 | 0.6 | <2 | 1.46 | <0.5 | 11 | 10 | 54 | 4.29 |
| N133727 | | 3.92 | <0.005 | 0.3 | 0.75 | 49 | 10 | 80 | 0.9 | <2 | 8.95 | <0.5 | 25 | 24 | 106 | 6.34 |
| N133728 | | 3.24 | <0.005 | <0.2 | 0.67 | 42 | 10 | 50 | 0.9 | <2 | 7.75 | <0.5 | 22 | 16 | 104 | 5.00 |
| N133729 | | 3.50 | <0.005 | 0.2 | 0.78 | 43 | 10 | 50 | 0.9 | <2 | 8.71 | <0.5 | 21 | 18 | 105 | 5.47 |
| N133730 | | 2.80 | <0.005 | 0.3 | 0.63 | 69 | 10 | 60 | 0.8 | <2 | 7.51 | <0.5 | 23 | 16 | 96 | 5.43 |
| N133731 | | 2.68 | 0.007 | 0.3 | 0.64 | 59 | 10 | 80 | 0.7 | <2 | 6.87 | <0.5 | 16 | 10 | 76 | 3.94 |
| N133732 | | 3.60 | <0.005 | <0.2 | 0.55 | 16 | 10 | 520 | 0.6 | <2 | 2.76 | <0.5 | 9 | 7 | 19 | 3.91 |
| N133733 | | 3.70 | <0.005 | <0.2 | 0.60 | 12 | 10 | 770 | 0.7 | <2 | 4.27 | <0.5 | 9 | 9 | 18 | 3.93 |
| N133734 | | 3.36 | <0.005 | <0.2 | 0.54 | 15 | 10 | 500 | 0.6 | <2 | 5.00 | <0.5 | 10 | 5 | 10 | 4.26 |
| N133735 | | 3.50 | <0.005 | <0.2 | 0.67 | 13 | 10 | 420 | 0.7 | <2 | 3.37 | <0.5 | 10 | 9 | 13 | 4.21 |
| N133736 | | 3.18 | 0.009 | <0.2 | 0.48 | 11 | 10 | 630 | 0.6 | <2 | 3.48 | <0.5 | 6 | 6 | 9 | 3.14 |
| N133737 | | 3.60 | 0.014 | 0.4 | 0.58 | 39 | 10 | 180 | 0.6 | <2 | 2.89 | <0.5 | 8 | 17 | 11 | 3.92 |
| N133738 | | 2.94 | <0.005 | <0.2 | 0.56 | 14 | 10 | 1180 | 0.8 | <2 | 2.19 | <0.5 | 10 | 6 | 21 | 4.37 |
| N133739 | | 4.22 | <0.005 | <0.2 | 0.62 | 12 | 10 | 520 | 0.8 | <2 | 2.37 | <0.5 | 10 | 11 | 24 | 3.94 |
| N133740 | | 2.50 | <0.005 | <0.2 | 0.50 | 23 | 10 | 110 | 0.8 | <2 | 1.56 | <0.5 | 10 | 6 | 40 | 3.91 |
| N133741 | | 2.84 | <0.005 | <0.2 | 0.56 | 17 | 10 | 130 | 0.6 | <2 | 3.07 | <0.5 | 10 | 14 | 23 | 4.18 |
| N133742 | | 0.82 | 0.031 | 0.9 | 0.42 | 54 | 10 | 180 | 0.5 | <2 | 2.91 | <0.5 | 5 | 15 | 12 | 2.47 |
| N133743 | | 0.88 | 0.031 | 0.8 | 0.47 | 54 | 10 | 140 | 0.5 | <2 | 2.36 | <0.5 | 5 | 23 | 14 | 2.84 |
| N133744 | | 0.66 | 0.041 | 1.2 | 0.39 | 63 | 10 | 190 | 0.6 | <2 | 2.28 | <0.5 | 6 | 15 | 17 | 2.87 |
| N133745 | | 0.80 | 0.017 | 0.6 | 0.51 | 57 | 10 | 140 | 0.5 | <2 | 5.16 | <0.5 | 5 | 25 | 14 | 2.98 |
| N133746 | | 1.92 | <0.005 | <0.2 | 0.51 | 53 | 10 | 80 | 0.6 | <2 | 2.28 | <0.5 | 8 | 15 | 15 | 3.02 |
| N133747 | | 2.76 | <0.005 | <0.2 | 0.54 | 52 | 10 | 80 | 0.6 | <2 | 2.78 | <0.5 | 7 | 21 | 15 | 3.05 |
| N133748 | | 3.40 | <0.005 | 0.2 | 0.53 | 53 | 10 | 60 | 0.6 | <2 | 2.25 | <0.5 | 7 | 15 | 16 | 2.89 |
| N133749 | | 3.50 | <0.005 | <0.2 | 0.52 | 37 | 10 | 70 | 0.6 | <2 | 3.78 | <0.5 | 7 | 25 | 13 | 2.75 |
| N133750 | | 3.42 | <0.005 | <0.2 | 0.47 | 32 | 10 | 160 | 0.5 | <2 | 3.24 | <0.5 | 6 | 16 | 13 | 2.80 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 21-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04050913

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % | ME-ICP41 La ppm 10 | ME-ICP41 Mg % | ME-ICP41 Mn ppm 0.01 | ME-ICP41 Mo ppm 5 | ME-ICP41 Na % | ME-ICP41 Ni ppm 0.01 | ME-ICP41 P ppm 1 | ME-ICP41 Pb ppm 10 | ME-ICP41 S % | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|-----------------------------|------------------------------|--------------------|-----------------------------|---------------------|-------------------------------|----------------------------|---------------------|-------------------------------|---------------------------|-----------------------------|--------------------|----------------------------|----------------------------|----------------------------|
| N133724 | | <10 | 0.10 | 0.38 | 10 | 1.08 | 1675 | <1 | 0.10 | <1 | 1260 | 11 | 0.40 | <2 | 6 | 265 |
| N133725 | | <10 | 0.12 | 0.45 | <10 | 0.48 | 614 | 1 | 0.09 | 3 | 1100 | 8 | 0.37 | 4 | 5 | 134 |
| N133726 | | <10 | 0.09 | 0.41 | <10 | 0.55 | 559 | 1 | 0.08 | 4 | 1300 | 5 | 0.24 | 2 | 5 | 102 |
| N133727 | | <10 | 0.04 | 0.45 | 10 | 1.90 | 1315 | 1 | 0.08 | 22 | 1620 | 5 | 0.18 | 3 | 21 | 443 |
| N133728 | | <10 | 0.04 | 0.41 | 10 | 2.07 | 1280 | <1 | 0.08 | 20 | 1510 | 6 | 0.23 | 2 | 18 | 312 |
| N133729 | | <10 | 0.06 | 0.47 | 10 | 1.82 | 1315 | 1 | 0.08 | 24 | 1640 | 8 | 0.27 | 2 | 20 | 411 |
| N133730 | | <10 | 0.08 | 0.38 | 10 | 1.63 | 1185 | 1 | 0.08 | 28 | 1550 | 9 | 0.37 | 3 | 18 | 328 |
| N133731 | | <10 | 0.06 | 0.36 | 10 | 1.53 | 1170 | 1 | 0.09 | 18 | 1270 | 10 | 0.34 | 4 | 10 | 311 |
| N133732 | | <10 | 0.06 | 0.37 | <10 | 0.51 | 885 | <1 | 0.09 | <1 | 840 | 6 | 0.35 | 2 | 6 | 133 |
| N133733 | | <10 | 0.07 | 0.41 | <10 | 0.49 | 1180 | <1 | 0.08 | 1 | 970 | 6 | 0.30 | <2 | 6 | 303 |
| N133734 | | <10 | 0.11 | 0.39 | <10 | 0.56 | 1620 | <1 | 0.08 | <1 | 840 | 9 | 0.43 | <2 | 6 | 213 |
| N133735 | | <10 | 0.06 | 0.46 | <10 | 0.48 | 1315 | <1 | 0.08 | <1 | 980 | 6 | 0.34 | <2 | 6 | 215 |
| N133736 | | <10 | 0.03 | 0.34 | 10 | 0.39 | 1005 | <1 | 0.07 | <1 | 840 | 4 | 0.12 | <2 | 4 | 223 |
| N133737 | | <10 | 0.05 | 0.35 | 10 | 0.44 | 869 | 6 | 0.05 | 2 | 980 | 16 | 0.74 | <2 | 4 | 189 |
| N133738 | | <10 | 0.03 | 0.42 | <10 | 0.44 | 1455 | 1 | 0.07 | <1 | 980 | 7 | 0.09 | 3 | 5 | 159 |
| N133739 | | <10 | 0.04 | 0.44 | 10 | 0.39 | 1350 | 1 | 0.06 | 2 | 960 | 11 | 0.03 | 3 | 5 | 153 |
| N133740 | | <10 | 0.05 | 0.34 | 10 | 0.38 | 733 | 2 | 0.05 | 2 | 980 | 10 | 0.01 | 4 | 5 | 121 |
| N133741 | | <10 | 0.03 | 0.39 | 10 | 0.41 | 986 | 1 | 0.05 | 1 | 1030 | 8 | 0.12 | 2 | 5 | 280 |
| N133742 | | <10 | 0.07 | 0.26 | <10 | 0.27 | 494 | 2 | 0.04 | 5 | 440 | 28 | 0.94 | 3 | 3 | 155 |
| N133743 | | <10 | 0.07 | 0.29 | <10 | 0.29 | 518 | 3 | 0.04 | 4 | 510 | 27 | 0.96 | 4 | 3 | 122 |
| N133744 | | <10 | 0.10 | 0.25 | <10 | 0.28 | 481 | 2 | 0.04 | 6 | 610 | 35 | 1.26 | 5 | 4 | 87 |
| N133745 | | <10 | 0.12 | 0.30 | <10 | 0.52 | 587 | 2 | 0.05 | 8 | 600 | 25 | 1.03 | 4 | 5 | 234 |
| N133746 | | <10 | 0.14 | 0.29 | <10 | 0.62 | 345 | 1 | 0.06 | 11 | 760 | 10 | 1.03 | 4 | 7 | 88 |
| N133747 | | <10 | 0.12 | 0.32 | <10 | 0.69 | 386 | 1 | 0.06 | 12 | 640 | 14 | 0.86 | 3 | 7 | 125 |
| N133748 | | <10 | 0.11 | 0.32 | <10 | 0.53 | 329 | 2 | 0.06 | 11 | 710 | 14 | 0.95 | 4 | 7 | 121 |
| N133749 | | <10 | 0.08 | 0.31 | <10 | 0.76 | 426 | 1 | 0.05 | 9 | 650 | 8 | 0.57 | 4 | 7 | 241 |
| N133750 | | <10 | 0.07 | 0.28 | <10 | 0.74 | 422 | 1 | 0.05 | 9 | 680 | 11 | 0.43 | 3 | 6 | 179 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 21-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04050913

| Sample Description | Method | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-------------------|----------|----------|----------|----------|----------|----------|
| | Analyte Units LOR | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| N133724 | | <0.01 | <10 | <10 | 26 | <10 | 58 |
| N133725 | | <0.01 | <10 | <10 | 27 | <10 | 65 |
| N133726 | | <0.01 | <10 | <10 | 28 | <10 | 71 |
| N133727 | | <0.01 | <10 | <10 | 45 | <10 | 86 |
| N133728 | | <0.01 | <10 | <10 | 39 | <10 | 66 |
| N133729 | | <0.01 | <10 | <10 | 42 | <10 | 84 |
| N133730 | | <0.01 | <10 | <10 | 35 | <10 | 80 |
| N133731 | | <0.01 | <10 | <10 | 28 | <10 | 46 |
| N133732 | | <0.01 | <10 | <10 | 21 | <10 | 52 |
| N133733 | | <0.01 | <10 | <10 | 23 | <10 | 58 |
| N133734 | | <0.01 | <10 | <10 | 29 | <10 | 54 |
| N133735 | | <0.01 | <10 | <10 | 21 | <10 | 59 |
| N133736 | | <0.01 | <10 | <10 | 14 | <10 | 52 |
| N133737 | | <0.01 | <10 | <10 | 23 | <10 | 73 |
| N133738 | | <0.01 | <10 | <10 | 18 | <10 | 65 |
| N133739 | | <0.01 | <10 | <10 | 18 | <10 | 78 |
| N133740 | | <0.01 | <10 | <10 | 11 | <10 | 86 |
| N133741 | | <0.01 | <10 | <10 | 16 | <10 | 65 |
| N133742 | | <0.01 | <10 | <10 | 9 | <10 | 67 |
| N133743 | | <0.01 | <10 | <10 | 11 | <10 | 64 |
| N133744 | | <0.01 | <10 | <10 | 10 | <10 | 89 |
| N133745 | | <0.01 | <10 | <10 | 14 | <10 | 78 |
| N133746 | | <0.01 | <10 | <10 | 14 | <10 | 82 |
| N133747 | | <0.01 | <10 | <10 | 13 | <10 | 78 |
| N133748 | | <0.01 | <10 | <10 | 12 | <10 | 78 |
| N133749 | | <0.01 | <10 | <10 | 12 | <10 | 70 |
| N133750 | | <0.01 | <10 | <10 | 12 | <10 | 74 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04053892

Project: NGX04-01

P.O. No.:

This report is for 183 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12-AUG-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 28-AUG-2004
Account: EIA

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 6 (A - C)
Finalized Date: 28-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % |
| B003732 | | 2.58 | <0.005 | 3.2 | 0.60 | 49 | 10 | 2140 | 1.1 | <2 | 0.60 | <0.5 | 7 | 27 | 12 | 4.43 |
| B003733 | | 3.18 | <0.005 | 7.3 | 0.63 | 43 | 10 | 1230 | 1.4 | 2 | 0.33 | <0.5 | 4 | 10 | 10 | 3.14 |
| B003734 | | 1.92 | <0.005 | 1.2 | 0.49 | 16 | 10 | 930 | 1.0 | <2 | 0.40 | 0.5 | 6 | 13 | 10 | 3.25 |
| B003735 | | 4.38 | <0.005 | 1.1 | 0.37 | 27 | 10 | 310 | <0.5 | <2 | 0.93 | <0.5 | 7 | 24 | 7 | 3.05 |
| B003736 | | 3.00 | <0.005 | 0.7 | 0.39 | 13 | 10 | 280 | <0.5 | <2 | 1.06 | <0.5 | 7 | 37 | 9 | 3.78 |
| B003737 | | 2.74 | <0.005 | 0.6 | 0.51 | 21 | 10 | 220 | <0.5 | <2 | 1.08 | <0.5 | 7 | 36 | 7 | 3.13 |
| B003738 | | 2.96 | <0.005 | 0.8 | 0.41 | 19 | 10 | 370 | <0.5 | <2 | 1.00 | <0.5 | 7 | 38 | 11 | 3.50 |
| B003739 | | 1.44 | <0.005 | 0.6 | 0.46 | 36 | 10 | 200 | <0.5 | <2 | 0.62 | <0.5 | 8 | 28 | 18 | 4.22 |
| B003740 | | 1.46 | <0.005 | 0.8 | 0.43 | 31 | 10 | 180 | <0.5 | <2 | 0.60 | 0.5 | 8 | 29 | 14 | 4.26 |
| B003741 | | 3.62 | <0.005 | 1.1 | 0.49 | 22 | 10 | 540 | 0.6 | <2 | 0.72 | 1.0 | 7 | 28 | 8 | 3.62 |
| B003742 | | 3.46 | <0.005 | 1.3 | 0.43 | 24 | 10 | 540 | 0.5 | <2 | 0.69 | 0.6 | 6 | 28 | 11 | 3.30 |
| B003743 | | 3.24 | <0.005 | 1.2 | 0.35 | 34 | 10 | 830 | <0.5 | <2 | 0.28 | 0.8 | 4 | 37 | 12 | 2.67 |
| B003744 | | 3.34 | 0.009 | 7.2 | 0.39 | 61 | <10 | 380 | 0.5 | <2 | 0.26 | 1.6 | 4 | 36 | 140 | 2.77 |
| B003745 | | 2.50 | <0.005 | 0.8 | 0.30 | 35 | 10 | 1360 | 0.6 | <2 | 1.04 | 1.0 | 6 | 19 | 15 | 2.99 |
| B003746 | | 3.12 | <0.005 | 0.5 | 0.42 | 39 | 10 | 140 | 0.6 | <2 | 1.20 | 0.8 | 4 | 29 | 14 | 2.71 |
| B003747 | | 2.14 | <0.005 | 0.5 | 0.31 | 32 | 10 | 250 | 0.6 | <2 | 1.76 | 0.9 | 4 | 14 | 14 | 2.70 |
| B003748 | | 1.14 | <0.005 | 0.6 | 0.35 | 73 | 10 | 690 | <0.5 | <2 | 3.76 | 1.1 | 6 | 51 | 34 | 2.88 |
| B003749 | | 0.44 | <0.005 | <0.2 | 0.39 | 39 | 10 | 340 | <0.5 | <2 | 7.70 | 1.2 | 4 | 50 | 23 | 2.39 |
| B003750 | | 0.28 | <0.005 | <0.2 | 0.31 | 54 | 10 | 290 | <0.5 | <2 | 9.05 | 1.7 | 3 | 45 | 24 | 2.93 |
| B003751 | | 0.40 | <0.005 | 0.3 | 0.47 | 60 | 10 | 130 | <0.5 | <2 | 5.15 | 1.6 | 5 | 32 | 29 | 2.85 |
| B003752 | | 1.34 | <0.005 | 0.2 | 0.63 | 61 | 10 | 240 | 0.5 | <2 | 5.99 | 1.8 | 6 | 29 | 31 | 3.29 |
| B003753 | | 1.90 | <0.005 | 0.2 | 0.63 | 66 | 10 | 170 | 0.6 | <2 | 2.97 | 1.8 | 7 | 22 | 37 | 3.25 |
| B003754 | | 2.60 | <0.005 | <0.2 | 0.56 | 40 | 10 | 620 | 0.6 | <2 | 11.15 | 1.1 | 3 | 16 | 26 | 3.00 |
| B003755 | | 2.86 | <0.005 | 0.4 | 0.59 | 54 | 10 | 190 | 0.6 | <2 | 2.37 | 0.9 | 5 | 25 | 37 | 2.85 |
| B003756 | | 2.80 | <0.005 | 2.2 | 0.63 | 57 | 10 | 200 | 0.7 | <2 | 2.34 | 1.5 | 6 | 35 | 35 | 3.23 |
| B003757 | | 1.34 | <0.005 | <0.2 | 0.48 | 46 | 10 | 440 | <0.5 | <2 | 9.67 | 1.0 | 5 | 27 | 37 | 3.34 |
| B003758 | | 2.06 | <0.005 | <0.2 | 0.52 | 83 | 10 | 160 | 0.5 | <2 | 7.59 | 2.4 | 6 | 34 | 45 | 3.25 |
| B003759 | | 1.54 | <0.005 | 0.4 | 0.50 | 51 | 10 | 240 | 0.5 | <2 | 3.70 | 1.5 | 6 | 36 | 53 | 2.60 |
| B003760 | | 1.56 | <0.005 | 0.7 | 0.58 | 59 | 20 | 180 | 0.5 | <2 | 3.23 | 1.7 | 7 | 23 | 54 | 3.08 |
| B003761 | | 2.94 | <0.005 | 0.3 | 0.64 | 48 | 20 | 160 | 0.6 | <2 | 2.72 | 1.3 | 6 | 31 | 35 | 3.10 |
| B003762 | | 2.46 | <0.005 | 0.4 | 0.66 | 104 | 20 | 200 | 0.5 | <2 | 5.49 | 1.6 | 17 | 26 | 58 | 3.88 |
| B003763 | | 3.08 | <0.005 | 0.3 | 0.57 | 44 | 10 | 260 | 0.5 | <2 | 2.76 | 1.7 | 6 | 22 | 42 | 2.78 |
| B003764 | | 3.46 | <0.005 | 0.2 | 0.64 | 49 | 20 | 170 | 0.6 | <2 | 4.30 | 1.1 | 8 | 10 | 39 | 3.23 |
| B003765 | | 3.44 | <0.005 | 0.4 | 0.65 | 48 | 20 | 180 | 0.6 | <2 | 3.22 | 1.8 | 6 | 22 | 37 | 2.95 |
| B003766 | | 3.20 | <0.005 | 0.4 | 0.50 | 56 | 20 | 80 | 0.6 | <2 | 3.34 | 2.2 | 6 | 16 | 36 | 2.63 |
| B003767 | | 3.36 | <0.005 | 0.6 | 0.57 | 72 | 10 | 130 | 0.6 | <2 | 3.01 | 2.2 | 7 | 24 | 40 | 3.09 |
| B003768 | | 3.22 | <0.005 | 0.4 | 0.50 | 66 | 10 | 150 | 0.5 | <2 | 3.70 | 2.3 | 6 | 18 | 37 | 2.99 |
| B003769 | | 3.18 | <0.005 | 0.4 | 0.53 | 67 | 10 | 180 | 0.6 | <2 | 3.40 | 2.0 | 7 | 19 | 37 | 3.11 |
| B003770 | | 1.76 | <0.005 | 0.4 | 0.49 | 54 | 10 | 280 | 0.6 | <2 | 3.63 | 3.2 | 6 | 16 | 31 | 3.02 |
| B003771 | | 2.96 | <0.005 | 0.4 | 0.56 | 62 | 20 | 190 | 0.7 | <2 | 3.87 | 2.3 | 7 | 15 | 35 | 3.03 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 6 (A - C)
Finalized Date: 28-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| B003732 | | <10 | 0.28 | 0.40 | <10 | 0.68 | 4040 | 1 | <0.01 | 2 | 820 | 169 | 0.15 | <2 | 5 | 68 |
| B003733 | | <10 | 0.29 | 0.43 | 10 | 0.50 | 2430 | 1 | <0.01 | 3 | 770 | 189 | 0.08 | 3 | 4 | 36 |
| B003734 | | <10 | 0.09 | 0.35 | 20 | 0.56 | 2870 | <1 | <0.01 | 3 | 560 | 133 | 0.08 | 4 | 4 | 42 |
| B003735 | | <10 | 0.09 | 0.27 | 10 | 0.67 | 3570 | <1 | <0.01 | 4 | 410 | 43 | 0.07 | 2 | 4 | 66 |
| B003736 | | <10 | 0.07 | 0.30 | 10 | 0.82 | 5130 | 1 | <0.01 | 4 | 400 | 8 | 0.06 | <2 | 6 | 102 |
| B003737 | | <10 | 0.05 | 0.37 | 10 | 0.70 | 3480 | <1 | <0.01 | 4 | 420 | 17 | 0.05 | <2 | 5 | 114 |
| B003738 | | <10 | 0.08 | 0.32 | 10 | 0.73 | 4120 | <1 | <0.01 | 4 | 620 | 22 | 0.06 | <2 | 5 | 96 |
| B003739 | | <10 | 0.07 | 0.35 | 10 | 0.74 | 4380 | 1 | <0.01 | 3 | 470 | 28 | 0.06 | <2 | 5 | 71 |
| B003740 | | <10 | 0.08 | 0.32 | 10 | 0.74 | 4210 | <1 | <0.01 | 1 | 460 | 33 | 0.05 | <2 | 5 | 73 |
| B003741 | | <10 | 0.10 | 0.34 | 20 | 0.64 | 4080 | 1 | <0.01 | 1 | 560 | 45 | 0.07 | <2 | 3 | 57 |
| B003742 | | <10 | 0.11 | 0.32 | 10 | 0.57 | 3480 | 1 | <0.01 | 2 | 610 | 54 | 0.06 | <2 | 3 | 66 |
| B003743 | | <10 | 0.12 | 0.28 | 20 | 0.34 | 2840 | <1 | <0.01 | 2 | 670 | 125 | 0.06 | <2 | 3 | 28 |
| B003744 | | <10 | 0.26 | 0.31 | 20 | 0.32 | 2420 | 1 | <0.01 | 2 | 850 | 275 | 0.14 | 25 | 2 | 24 |
| B003745 | | <10 | 0.10 | 0.24 | 10 | 0.51 | 3360 | 1 | <0.01 | 3 | 780 | 123 | 0.10 | <2 | 3 | 61 |
| B003746 | | <10 | 0.08 | 0.33 | 10 | 0.48 | 3050 | 1 | <0.01 | 4 | 740 | 149 | 0.06 | <2 | 3 | 47 |
| B003747 | | <10 | 0.12 | 0.24 | 10 | 0.56 | 2860 | 1 | <0.01 | 4 | 680 | 190 | 0.13 | <2 | 3 | 72 |
| B003748 | | <10 | 0.21 | 0.22 | <10 | 0.63 | 1805 | 10 | 0.01 | 21 | 800 | 21 | 0.60 | 2 | 8 | 198 |
| B003749 | | <10 | 0.13 | 0.21 | <10 | 0.62 | 918 | 5 | 0.01 | 16 | 920 | 7 | 0.40 | <2 | 8 | 467 |
| B003750 | | <10 | 0.19 | 0.16 | <10 | 0.99 | 1030 | 8 | 0.02 | 23 | 680 | 8 | 0.69 | 2 | 9 | 437 |
| B003751 | | <10 | 0.24 | 0.25 | <10 | 0.66 | 648 | 7 | 0.02 | 26 | 550 | 9 | 1.16 | <2 | 9 | 223 |
| B003752 | | <10 | 0.27 | 0.31 | <10 | 0.85 | 781 | 9 | 0.02 | 28 | 890 | 12 | 1.52 | 2 | 10 | 281 |
| B003753 | | <10 | 0.26 | 0.33 | <10 | 0.65 | 649 | 9 | 0.02 | 30 | 930 | 11 | 1.46 | 4 | 10 | 181 |
| B003754 | | <10 | 0.12 | 0.27 | <10 | 5.52 | 1170 | 5 | 0.05 | 17 | 690 | 7 | 0.70 | 3 | 7 | 651 |
| B003755 | | <10 | 0.22 | 0.31 | <10 | 0.82 | 507 | 4 | 0.02 | 23 | 720 | 9 | 1.18 | 3 | 9 | 136 |
| B003756 | | <10 | 0.19 | 0.33 | <10 | 0.65 | 644 | 5 | 0.02 | 21 | 740 | 13 | 1.14 | <2 | 10 | 116 |
| B003757 | | <10 | 0.17 | 0.27 | <10 | 0.93 | 1310 | 7 | 0.02 | 21 | 840 | 7 | 1.02 | 3 | 8 | 633 |
| B003758 | | <10 | 0.30 | 0.31 | <10 | 0.83 | 1180 | 19 | 0.01 | 37 | 660 | 8 | 1.44 | 4 | 9 | 333 |
| B003759 | | <10 | 0.37 | 0.28 | <10 | 0.47 | 555 | 9 | 0.01 | 31 | 630 | 7 | 1.26 | <2 | 8 | 190 |
| B003760 | | <10 | 0.43 | 0.33 | <10 | 0.53 | 595 | 9 | 0.01 | 33 | 730 | 8 | 1.42 | 2 | 9 | 155 |
| B003761 | | <10 | 0.50 | 0.34 | <10 | 0.72 | 584 | 6 | 0.02 | 25 | 850 | 8 | 1.16 | <2 | 10 | 138 |
| B003762 | | <10 | 0.47 | 0.34 | <10 | 1.95 | 753 | 8 | 0.02 | 64 | 640 | 5 | 0.99 | <2 | 15 | 254 |
| B003763 | | <10 | 0.50 | 0.30 | <10 | 0.66 | 544 | 7 | 0.03 | 22 | 730 | 8 | 1.12 | <2 | 8 | 116 |
| B003764 | | <10 | 0.60 | 0.34 | <10 | 1.00 | 695 | 6 | 0.03 | 23 | 900 | 8 | 1.46 | <2 | 9 | 178 |
| B003765 | | <10 | 0.48 | 0.35 | <10 | 0.70 | 588 | 7 | 0.02 | 27 | 780 | 8 | 1.28 | 3 | 9 | 152 |
| B003766 | | <10 | 0.40 | 0.30 | <10 | 0.56 | 498 | 8 | 0.01 | 30 | 710 | 5 | 1.17 | <2 | 9 | 172 |
| B003767 | | <10 | 0.40 | 0.31 | <10 | 0.57 | 551 | 10 | 0.02 | 31 | 860 | 10 | 1.62 | <2 | 10 | 181 |
| B003768 | | <10 | 0.39 | 0.28 | <10 | 0.65 | 612 | 11 | 0.02 | 35 | 900 | 9 | 1.35 | 2 | 9 | 223 |
| B003769 | | <10 | 0.41 | 0.30 | <10 | 0.76 | 619 | 10 | 0.02 | 31 | 780 | 8 | 1.40 | <2 | 10 | 174 |
| B003770 | | <10 | 0.40 | 0.27 | <10 | 0.68 | 646 | 10 | 0.02 | 31 | 830 | 6 | 1.10 | <2 | 9 | 182 |
| B003771 | | <10 | 0.34 | 0.31 | <10 | 1.00 | 731 | 9 | 0.02 | 30 | 970 | 8 | 1.22 | 2 | 11 | 171 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 6 (A - C)
Finalized Date: 28-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl | Tl | U | V | W | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 |
| B003732 | | <0.01 | 10 | <10 | 17 | <10 | 1125 |
| B003733 | | <0.01 | <10 | <10 | 14 | <10 | 603 |
| B003734 | | <0.01 | <10 | <10 | 14 | <10 | 991 |
| B003735 | | <0.01 | <10 | <10 | 16 | <10 | 1060 |
| B003736 | | <0.01 | <10 | <10 | 23 | <10 | 961 |
| B003737 | | <0.01 | <10 | <10 | 23 | <10 | 688 |
| B003738 | | <0.01 | <10 | <10 | 21 | <10 | 869 |
| B003739 | | <0.01 | <10 | <10 | 21 | <10 | 959 |
| B003740 | | <0.01 | <10 | <10 | 21 | <10 | 954 |
| B003741 | | <0.01 | <10 | <10 | 16 | <10 | 1085 |
| B003742 | | <0.01 | <10 | <10 | 15 | <10 | 1020 |
| B003743 | | <0.01 | 10 | <10 | 15 | <10 | 675 |
| B003744 | | <0.01 | <10 | <10 | 16 | <10 | 851 |
| B003745 | | <0.01 | <10 | <10 | 12 | <10 | 724 |
| B003746 | | <0.01 | <10 | <10 | 13 | <10 | 517 |
| B003747 | | <0.01 | 10 | <10 | 10 | <10 | 575 |
| B003748 | | <0.01 | 10 | <10 | 19 | <10 | 406 |
| B003749 | | <0.01 | 10 | <10 | 18 | <10 | 342 |
| B003750 | | <0.01 | <10 | <10 | 24 | <10 | 168 |
| B003751 | | <0.01 | <10 | <10 | 21 | <10 | 160 |
| B003752 | | <0.01 | 10 | <10 | 24 | <10 | 198 |
| B003753 | | <0.01 | <10 | <10 | 24 | <10 | 200 |
| B003754 | | <0.01 | <10 | <10 | 42 | <10 | 126 |
| B003755 | | <0.01 | <10 | <10 | 21 | <10 | 138 |
| B003756 | | <0.01 | <10 | <10 | 22 | <10 | 164 |
| B003757 | | <0.01 | <10 | <10 | 18 | <10 | 129 |
| B003758 | | <0.01 | <10 | <10 | 30 | <10 | 259 |
| B003759 | | <0.01 | 10 | <10 | 22 | <10 | 169 |
| B003760 | | <0.01 | <10 | <10 | 24 | <10 | 197 |
| B003761 | | <0.01 | <10 | <10 | 17 | <10 | 165 |
| B003762 | | <0.01 | <10 | <10 | 40 | <10 | 186 |
| B003763 | | <0.01 | <10 | <10 | 23 | <10 | 169 |
| B003764 | | <0.01 | <10 | <10 | 22 | <10 | 154 |
| B003765 | | <0.01 | 10 | <10 | 23 | <10 | 182 |
| B003766 | | <0.01 | <10 | <10 | 21 | <10 | 220 |
| B003767 | | <0.01 | <10 | <10 | 23 | <10 | 214 |
| B003768 | | <0.01 | 10 | <10 | 22 | <10 | 226 |
| B003769 | | <0.01 | <10 | <10 | 22 | <10 | 211 |
| B003770 | | <0.01 | 10 | <10 | 25 | <10 | 251 |
| B003771 | | <0.01 | <10 | <10 | 24 | <10 | 226 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A

Total # Pages: 6 (A - C)

Finalized Date: 28-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| B003772 | | 3.52 | <0.005 | 0.2 | 0.54 | 58 | 10 | 150 | 0.6 | <2 | 5.44 | 1.5 | 7 | 18 | 34 | 3.54 |
| B003773 | | 3.12 | <0.005 | <0.2 | 0.44 | 67 | 10 | 100 | 0.5 | <2 | 4.18 | 1.7 | 9 | 19 | 41 | 3.29 |
| B003774 | | 3.04 | <0.005 | 0.3 | 0.47 | 58 | 10 | 130 | 0.5 | <2 | 4.65 | 1.5 | 7 | 18 | 35 | 3.31 |
| B003775 | | 3.24 | <0.005 | 0.4 | 0.52 | 69 | 10 | 80 | 0.7 | <2 | 2.74 | 1.8 | 7 | 17 | 36 | 2.89 |
| B003776 | | 3.60 | <0.005 | 0.3 | 0.47 | 79 | 10 | 100 | 0.5 | <2 | 2.98 | 2.5 | 8 | 32 | 41 | 3.40 |
| B003777 | | 2.90 | <0.005 | 0.8 | 0.49 | 81 | 10 | 120 | 0.5 | <2 | 3.20 | 2.0 | 8 | 29 | 38 | 3.46 |
| B003778 | | 2.68 | <0.005 | 0.7 | 0.62 | 117 | 10 | 80 | 0.6 | <2 | 3.27 | 1.7 | 10 | 29 | 46 | 3.92 |
| B003779 | | 1.02 | <0.005 | <0.2 | 0.53 | 20 | 10 | 2190 | 0.5 | <2 | 0.88 | 0.5 | 8 | 23 | 10 | 4.79 |
| B003780 | | 1.08 | <0.005 | <0.2 | 0.50 | 21 | 10 | 1720 | <0.5 | <2 | 0.80 | <0.5 | 8 | 25 | 11 | 4.31 |
| B003781 | | 3.00 | <0.005 | 0.5 | 0.48 | 42 | 10 | 1930 | <0.5 | <2 | 1.70 | <0.5 | 8 | 20 | 11 | 3.73 |
| B003782 | | 3.00 | <0.005 | 1.8 | 0.42 | 60 | 10 | 1040 | <0.5 | <2 | 1.66 | 0.6 | 7 | 25 | 19 | 3.56 |
| B003783 | | 3.22 | <0.005 | 0.9 | 0.37 | 67 | 10 | 490 | <0.5 | <2 | 0.38 | 0.5 | 9 | 30 | 13 | 4.67 |
| B003784 | | 3.18 | <0.005 | 9.4 | 0.38 | 134 | 10 | 390 | <0.5 | <2 | 0.57 | 0.9 | 11 | 29 | 168 | 5.36 |
| B003785 | | 2.92 | <0.005 | 6.9 | 0.40 | 67 | 10 | 950 | <0.5 | <2 | 0.59 | 0.6 | 9 | 36 | 71 | 4.18 |
| B003786 | | 3.18 | <0.005 | 4.5 | 0.34 | 39 | 10 | 730 | <0.5 | <2 | 1.30 | 0.5 | 7 | 31 | 39 | 3.23 |
| B003787 | | 3.44 | <0.005 | 3.8 | 0.40 | 50 | 10 | 350 | <0.5 | <2 | 0.73 | 0.8 | 11 | 21 | 40 | 4.00 |
| B003788 | | 3.42 | <0.005 | 0.7 | 0.35 | 34 | 10 | 500 | <0.5 | <2 | 0.86 | <0.5 | 9 | 31 | 6 | 3.73 |
| B003789 | | 3.48 | <0.005 | 0.6 | 0.29 | 75 | 10 | 660 | <0.5 | <2 | 0.27 | <0.5 | 8 | 32 | 6 | 4.04 |
| B003790 | | 3.30 | <0.005 | 0.7 | 0.34 | 35 | 10 | 740 | <0.5 | <2 | 0.41 | <0.5 | 9 | 25 | 6 | 4.06 |
| B003791 | | 4.48 | <0.005 | 0.6 | 0.39 | 33 | 10 | 300 | <0.5 | <2 | 0.82 | <0.5 | 8 | 27 | 5 | 3.23 |
| B003792 | | 3.50 | <0.005 | 0.6 | 0.43 | 71 | 10 | 140 | <0.5 | <2 | 1.58 | <0.5 | 17 | 15 | 9 | 6.38 |
| B003793 | | 3.24 | <0.005 | 0.7 | 0.37 | 39 | 10 | 110 | <0.5 | <2 | 2.00 | <0.5 | 15 | 10 | 5 | 5.89 |
| B003794 | | 3.36 | <0.005 | 1.0 | 0.42 | 57 | 10 | 370 | 0.5 | <2 | 1.50 | <0.5 | 15 | 18 | 7 | 5.91 |
| B003795 | | 1.94 | <0.005 | 1.6 | 0.58 | 86 | 20 | 380 | 0.6 | <2 | 1.38 | <0.5 | 17 | 10 | 12 | 7.95 |
| B003796 | | 3.64 | <0.005 | 1.2 | 0.61 | 71 | 10 | 260 | 0.9 | <2 | 1.30 | <0.5 | 19 | 5 | 10 | 7.28 |
| B003797 | | 3.48 | <0.005 | 1.0 | 0.68 | 36 | 10 | 90 | 0.9 | <2 | 1.46 | <0.5 | 18 | 5 | 9 | 7.86 |
| B003798 | | 4.92 | <0.005 | 1.3 | 0.56 | 54 | 10 | 280 | 0.7 | <2 | 2.22 | <0.5 | 16 | 7 | 7 | 6.05 |
| B003799 | | 1.46 | <0.005 | 1.1 | 0.46 | 57 | 10 | 230 | <0.5 | <2 | 2.33 | <0.5 | 15 | 13 | 9 | 5.18 |
| B003800 | | 1.54 | <0.005 | 0.9 | 0.40 | 82 | 10 | 270 | <0.5 | <2 | 2.56 | <0.5 | 15 | 14 | 7 | 5.21 |
| B003801 | | 3.10 | <0.005 | 0.7 | 0.49 | 56 | 10 | 150 | 0.5 | <2 | 2.46 | <0.5 | 19 | 7 | 6 | 6.29 |
| B003802 | | 3.56 | <0.005 | 0.7 | 0.44 | 42 | 10 | 160 | <0.5 | <2 | 4.05 | <0.5 | 18 | 8 | 8 | 6.37 |
| B003803 | | 3.76 | <0.005 | 0.9 | 0.50 | 63 | 10 | 280 | 0.6 | <2 | 3.32 | <0.5 | 19 | 8 | 8 | 6.67 |
| B003804 | | 3.38 | <0.005 | 0.7 | 0.41 | 56 | 10 | 330 | 0.5 | <2 | 2.90 | <0.5 | 20 | 5 | 5 | 7.25 |
| B003805 | | 3.58 | <0.005 | 0.5 | 0.47 | 38 | 10 | 160 | 0.5 | <2 | 3.79 | <0.5 | 19 | 6 | 4 | 7.51 |
| B003806 | | 3.44 | <0.005 | 0.8 | 0.37 | 39 | 10 | 150 | <0.5 | <2 | 4.31 | <0.5 | 16 | 9 | 7 | 6.24 |
| B003807 | | 3.42 | <0.005 | 0.9 | 0.46 | 46 | 10 | 310 | 0.6 | <2 | 2.18 | 0.6 | 15 | 18 | 5 | 5.62 |
| B003808 | | 3.06 | <0.005 | 0.6 | 0.35 | 55 | 10 | 480 | <0.5 | <2 | 1.38 | <0.5 | 8 | 41 | 5 | 3.03 |
| B003809 | | 3.00 | <0.005 | 0.5 | 0.35 | 41 | 10 | 180 | <0.5 | <2 | 0.84 | <0.5 | 9 | 33 | 3 | 3.31 |
| B003810 | | 2.32 | <0.005 | 1.1 | 0.48 | 31 | 10 | 340 | 0.7 | <2 | 0.82 | <0.5 | 14 | 20 | 10 | 5.22 |
| B003811 | | 2.50 | <0.005 | 1.4 | 0.53 | 77 | 10 | 1180 | 0.6 | <2 | 1.70 | <0.5 | 14 | 12 | 16 | 5.54 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 6 (A - C)
Finalized Date: 28-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|--------------------|----------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| B003772 | | <10 | 0.35 | 0.30 | <10 | 1.52 | 982 | 11 | 0.03 | 28 | 800 | 5 | 1.31 | 3 | 10 | 262 |
| B003773 | | <10 | 0.36 | 0.25 | <10 | 0.56 | 885 | 13 | 0.02 | 30 | 760 | 8 | 1.30 | 3 | 11 | 235 |
| B003774 | | <10 | 0.34 | 0.27 | <10 | 0.67 | 977 | 12 | 0.02 | 28 | 800 | 7 | 1.25 | 3 | 10 | 292 |
| B003775 | | <10 | 0.38 | 0.31 | <10 | 0.62 | 592 | 8 | 0.02 | 30 | 750 | 8 | 1.23 | 5 | 10 | 136 |
| B003776 | | <10 | 0.35 | 0.27 | <10 | 0.48 | 850 | 19 | 0.03 | 43 | 860 | 6 | 1.42 | 8 | 10 | 184 |
| B003777 | | <10 | 0.24 | 0.28 | <10 | 0.56 | 1100 | 20 | 0.02 | 33 | 920 | 18 | 1.32 | 7 | 10 | 181 |
| B003778 | | <10 | 0.23 | 0.35 | <10 | 0.62 | 1145 | 20 | 0.02 | 40 | 1050 | 16 | 1.41 | 5 | 11 | 196 |
| B003779 | | <10 | 0.24 | 0.36 | 10 | 0.60 | 3560 | 1 | <0.01 | 3 | 1010 | 24 | 0.12 | <2 | 6 | 67 |
| B003780 | | <10 | 0.20 | 0.34 | 10 | 0.53 | 3560 | 2 | 0.01 | 4 | 900 | 21 | 0.15 | 4 | 6 | 60 |
| B003781 | | <10 | 0.19 | 0.34 | 10 | 0.71 | 5010 | 1 | 0.01 | 3 | 820 | 96 | 0.10 | <2 | 5 | 93 |
| B003782 | | <10 | 0.27 | 0.30 | 10 | 0.78 | 5450 | 1 | <0.01 | 3 | 510 | 147 | 0.07 | 4 | 5 | 120 |
| B003783 | | <10 | 0.23 | 0.27 | 10 | 0.68 | 7260 | 1 | <0.01 | 2 | 400 | 24 | 0.05 | 3 | 6 | 55 |
| B003784 | | <10 | 0.46 | 0.28 | <10 | 0.84 | 8650 | 1 | <0.01 | 4 | 340 | 1420 | 0.10 | 42 | 6 | 65 |
| B003785 | | <10 | 0.47 | 0.29 | 10 | 0.66 | 7540 | 1 | <0.01 | 4 | 360 | 1250 | 0.09 | 18 | 5 | 80 |
| B003786 | | <10 | 0.25 | 0.27 | 10 | 0.70 | 4840 | 1 | <0.01 | 4 | 520 | 618 | 0.06 | 9 | 5 | 134 |
| B003787 | | <10 | 0.24 | 0.31 | 20 | 0.72 | 5730 | <1 | <0.01 | 2 | 830 | 141 | 0.05 | 8 | 6 | 75 |
| B003788 | | <10 | 0.10 | 0.28 | 10 | 0.73 | 4940 | 1 | <0.01 | 3 | 700 | 27 | 0.03 | <2 | 5 | 79 |
| B003789 | | <10 | 0.07 | 0.23 | 10 | 0.69 | 5280 | <1 | <0.01 | 1 | 580 | 13 | 0.03 | 2 | 5 | 40 |
| B003790 | | <10 | 0.08 | 0.28 | 10 | 0.71 | 5430 | 1 | <0.01 | 2 | 650 | 14 | 0.05 | <2 | 5 | 55 |
| B003791 | | <10 | 0.08 | 0.31 | 10 | 0.65 | 4270 | <1 | <0.01 | 2 | 720 | 28 | 0.03 | 2 | 5 | 111 |
| B003792 | | <10 | 0.13 | 0.32 | 10 | 1.45 | 7190 | <1 | <0.01 | 6 | 1170 | 88 | 0.05 | 2 | 14 | 152 |
| B003793 | | <10 | 0.09 | 0.28 | 10 | 1.38 | 6770 | <1 | <0.01 | 5 | 1420 | 100 | 0.03 | 4 | 13 | 165 |
| B003794 | | <10 | 0.17 | 0.29 | 10 | 1.28 | 5280 | <1 | <0.01 | 5 | 1030 | 109 | 0.05 | 3 | 13 | 205 |
| B003795 | | <10 | 0.18 | 0.39 | 10 | 1.54 | 7520 | <1 | <0.01 | 3 | 1620 | 110 | 0.06 | 3 | 20 | 223 |
| B003796 | | <10 | 0.14 | 0.43 | 10 | 1.52 | 6820 | <1 | <0.01 | 6 | 1470 | 162 | 0.04 | 2 | 18 | 152 |
| B003797 | | <10 | 0.12 | 0.51 | 10 | 1.62 | 8160 | 1 | <0.01 | 8 | 1430 | 139 | 0.04 | <2 | 21 | 134 |
| B003798 | | <10 | 0.15 | 0.42 | 10 | 1.46 | 6690 | 1 | <0.01 | 2 | 1180 | 115 | 0.05 | <2 | 14 | 207 |
| B003799 | | <10 | 0.10 | 0.35 | 10 | 1.44 | 6660 | 1 | <0.01 | 5 | 1210 | 76 | 0.01 | <2 | 12 | 238 |
| B003800 | | <10 | 0.09 | 0.31 | 10 | 1.52 | 7130 | 1 | 0.01 | 5 | 1240 | 105 | 0.01 | <2 | 11 | 254 |
| B003801 | | <10 | 0.08 | 0.35 | 10 | 1.69 | 6480 | 1 | <0.01 | 6 | 1480 | 117 | 0.01 | <2 | 14 | 220 |
| B003802 | | <10 | 0.12 | 0.33 | 10 | 2.13 | 9380 | 1 | <0.01 | 3 | 1380 | 65 | 0.03 | <2 | 21 | 202 |
| B003803 | | <10 | 0.13 | 0.35 | 10 | 1.96 | 8560 | 1 | <0.01 | 5 | 1250 | 69 | 0.04 | <2 | 23 | 272 |
| B003804 | | <10 | 0.10 | 0.30 | 10 | 2.01 | 9140 | 1 | <0.01 | 7 | 1460 | 61 | 0.05 | <2 | 18 | 201 |
| B003805 | | <10 | 0.10 | 0.34 | 10 | 2.34 | >10000 | 1 | <0.01 | 5 | 1330 | 85 | 0.05 | <2 | 23 | 201 |
| B003806 | | <10 | 0.11 | 0.28 | 10 | 2.44 | 9560 | 1 | 0.01 | 5 | 1320 | 75 | 0.04 | 4 | 19 | 214 |
| B003807 | | <10 | 0.16 | 0.32 | 10 | 1.63 | 7120 | 1 | <0.01 | 6 | 560 | 73 | 0.09 | 2 | 13 | 216 |
| B003808 | | <10 | 0.07 | 0.28 | 20 | 0.95 | 4410 | 1 | <0.01 | 4 | 760 | 58 | 0.04 | <2 | 6 | 180 |
| B003809 | | <10 | 0.05 | 0.29 | 20 | 0.85 | 4090 | 1 | <0.01 | 5 | 780 | 45 | 0.01 | <2 | 5 | 82 |
| B003810 | | <10 | 0.18 | 0.34 | 20 | 1.08 | 6460 | 1 | <0.01 | 4 | 930 | 46 | 0.07 | 4 | 9 | 76 |
| B003811 | | <10 | 0.25 | 0.38 | 10 | 1.30 | 6490 | 1 | <0.01 | 5 | 1270 | 189 | 0.11 | 6 | 12 | 126 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C

Total # Pages: 6 (A - C)

Finalized Date: 28-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Ti | Ti | U | V | W | Zn |
| | % | ppm | ppm | ppm | ppm | ppm | |
| | 0.01 | 10 | 10 | 1 | 10 | 2 | |
| B003772 | | <0.01 | <10 | <10 | 25 | <10 | 190 |
| B003773 | | <0.01 | <10 | <10 | 21 | <10 | 206 |
| B003774 | | <0.01 | <10 | <10 | 23 | <10 | 174 |
| B003775 | | <0.01 | <10 | <10 | 22 | <10 | 196 |
| B003776 | | <0.01 | <10 | <10 | 25 | <10 | 251 |
| B003777 | | <0.01 | <10 | <10 | 25 | <10 | 269 |
| B003778 | | <0.01 | <10 | <10 | 28 | <10 | 220 |
| B003779 | | <0.01 | <10 | <10 | 19 | <10 | 1135 |
| B003780 | | <0.01 | <10 | <10 | 17 | <10 | 928 |
| B003781 | | <0.01 | <10 | <10 | 16 | <10 | 925 |
| B003782 | | <0.01 | 10 | <10 | 22 | <10 | 1030 |
| B003783 | | <0.01 | <10 | <10 | 20 | <10 | 1125 |
| B003784 | | <0.01 | 10 | <10 | 24 | <10 | 1845 |
| B003785 | | <0.01 | <10 | <10 | 19 | <10 | 1445 |
| B003786 | | <0.01 | <10 | <10 | 18 | <10 | 876 |
| B003787 | | <0.01 | <10 | <10 | 26 | <10 | 1380 |
| B003788 | | <0.01 | <10 | <10 | 25 | <10 | 902 |
| B003789 | | <0.01 | 10 | <10 | 21 | <10 | 1030 |
| B003790 | | <0.01 | <10 | <10 | 22 | <10 | 1165 |
| B003791 | | <0.01 | <10 | <10 | 21 | <10 | 802 |
| B003792 | | <0.01 | <10 | <10 | 62 | <10 | 1765 |
| B003793 | | <0.01 | 10 | <10 | 54 | <10 | 1470 |
| B003794 | | <0.01 | <10 | <10 | 61 | <10 | 1550 |
| B003795 | | <0.01 | <10 | <10 | 70 | <10 | 1530 |
| B003796 | | <0.01 | <10 | <10 | 63 | <10 | 1450 |
| B003797 | | <0.01 | <10 | <10 | 72 | <10 | 1645 |
| B003798 | | <0.01 | 10 | <10 | 55 | <10 | 1585 |
| B003799 | | <0.01 | <10 | <10 | 47 | <10 | 717 |
| B003800 | | <0.01 | <10 | <10 | 44 | <10 | 711 |
| B003801 | | <0.01 | 10 | <10 | 64 | <10 | 843 |
| B003802 | | <0.01 | <10 | <10 | 69 | <10 | 1340 |
| B003803 | | <0.01 | 10 | <10 | 80 | <10 | 1490 |
| B003804 | | <0.01 | 10 | <10 | 67 | <10 | 1755 |
| B003805 | | <0.01 | <10 | <10 | 75 | <10 | 1950 |
| B003806 | | <0.01 | 10 | <10 | 75 | <10 | 1655 |
| B003807 | | <0.01 | 10 | <10 | 47 | <10 | 2290 |
| B003808 | | <0.01 | <10 | <10 | 20 | <10 | 1040 |
| B003809 | | <0.01 | <10 | <10 | 23 | <10 | 840 |
| B003810 | | <0.01 | <10 | <10 | 34 | <10 | 1935 |
| B003811 | | <0.01 | 10 | <10 | 44 | <10 | 1640 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 6 (A - C)
Finalized Date: 28-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % |
| B003812 | | 2.64 | <0.005 | 0.9 | 0.50 | 22 | 10 | 820 | 0.7 | <2 | 1.12 | 0.6 | 7 | 20 | 10 | 3.69 |
| B003813 | | 2.86 | 0.014 | 0.7 | 0.43 | 49 | 10 | 920 | 0.5 | <2 | 1.05 | 0.7 | 4 | 38 | 8 | 3.42 |
| B003814 | | 3.22 | <0.005 | 1.7 | 0.61 | 89 | 10 | 2000 | 0.6 | <2 | 2.46 | 1.6 | 7 | 33 | 34 | 3.44 |
| B003815 | | 3.78 | 0.006 | 1.6 | 0.56 | 71 | 20 | 1080 | 0.8 | <2 | 1.26 | 0.7 | 6 | 16 | 35 | 2.35 |
| B003816 | | 3.00 | 0.013 | 1.2 | 0.46 | 42 | 10 | 880 | 0.6 | <2 | 1.17 | 0.8 | 6 | 11 | 15 | 2.38 |
| B003817 | | 3.88 | 0.013 | 0.8 | 0.54 | 49 | 10 | 800 | 0.8 | <2 | 0.88 | <0.5 | 6 | 14 | 12 | 2.55 |
| B003818 | | 2.16 | 0.056 | 2.0 | 0.37 | 55 | 10 | 930 | 0.5 | <2 | 0.45 | 2.2 | 7 | 33 | 37 | 2.84 |
| B003819 | | 1.22 | 0.030 | 2.9 | 0.48 | 73 | 10 | 1240 | 0.7 | <2 | 0.60 | 2.5 | 7 | 24 | 75 | 2.24 |
| B003820 | | 1.32 | 0.021 | 2.9 | 0.50 | 55 | 10 | 1080 | 0.6 | <2 | 0.83 | 2.7 | 6 | 20 | 67 | 2.32 |
| B003821 | | 2.42 | 0.023 | 3.0 | 0.42 | 55 | 10 | 1080 | 0.5 | <2 | 0.73 | 2.2 | 5 | 24 | 48 | 2.84 |
| B003822 | | 3.00 | 0.006 | 4.7 | 0.41 | 46 | 10 | 1110 | 0.6 | <2 | 1.10 | 2.5 | 6 | 13 | 69 | 2.53 |
| B003823 | | 2.66 | 0.005 | 1.2 | 0.59 | 38 | 20 | 630 | 0.7 | <2 | 1.92 | 1.4 | 6 | 18 | 45 | 2.99 |
| B003824 | | 3.44 | 0.038 | 1.7 | 0.52 | 66 | 20 | 750 | 0.6 | <2 | 1.78 | 1.2 | 6 | 16 | 66 | 2.95 |
| B003825 | | 3.20 | <0.005 | 0.8 | 0.50 | 35 | 20 | 690 | 0.5 | <2 | 2.23 | 0.7 | 7 | 15 | 23 | 3.23 |
| B003826 | | 2.78 | 0.006 | 0.9 | 0.52 | 26 | 20 | 260 | 0.6 | <2 | 1.90 | 1.1 | 7 | 20 | 32 | 3.13 |
| B003827 | | 3.16 | 0.005 | 0.4 | 0.52 | 32 | 10 | 610 | 0.6 | 2 | 2.11 | 1.4 | 6 | 14 | 21 | 2.99 |
| B003828 | | 3.34 | <0.005 | 0.5 | 0.53 | 34 | 10 | 270 | 0.6 | <2 | 0.99 | 0.6 | 6 | 14 | 40 | 2.98 |
| B003829 | | 3.48 | <0.005 | 0.7 | 0.56 | 41 | 20 | 670 | 0.7 | <2 | 1.71 | 0.9 | 7 | 12 | 27 | 3.07 |
| B003830 | | 3.38 | <0.005 | 0.2 | 0.45 | 31 | 10 | 1980 | 0.6 | <2 | 1.56 | 0.5 | 8 | 13 | 27 | 3.08 |
| B003831 | | 3.02 | <0.005 | 0.7 | 0.51 | 59 | 10 | 490 | 0.6 | <2 | 1.15 | 1.1 | 8 | 14 | 34 | 3.21 |
| B003832 | | 3.48 | <0.005 | 0.7 | 0.53 | 46 | 20 | 470 | 0.6 | <2 | 1.24 | 1.2 | 7 | 20 | 36 | 2.97 |
| B003833 | | 3.30 | <0.005 | 0.7 | 0.49 | 57 | 20 | 420 | 0.6 | <2 | 1.34 | 0.8 | 6 | 14 | 41 | 2.84 |
| B003834 | | 3.42 | <0.005 | 0.3 | 0.51 | 30 | 10 | 720 | 0.5 | <2 | 2.00 | 0.7 | 7 | 14 | 30 | 3.05 |
| B003835 | | 3.86 | <0.005 | 0.3 | 0.45 | 42 | 10 | 890 | 0.5 | <2 | 1.94 | 0.5 | 7 | 11 | 43 | 2.95 |
| B003836 | | 3.40 | <0.005 | 0.4 | 0.47 | 42 | 10 | 610 | <0.5 | <2 | 1.52 | 0.5 | 7 | 14 | 52 | 3.21 |
| B003837 | | 3.74 | <0.005 | 0.2 | 0.45 | 47 | 10 | 240 | <0.5 | <2 | 1.38 | 0.5 | 8 | 18 | 46 | 3.15 |
| B003838 | | 3.38 | <0.005 | <0.2 | 0.44 | 24 | 10 | 160 | 0.5 | <2 | 2.23 | 0.6 | 7 | 14 | 27 | 3.08 |
| B003839 | | 1.24 | <0.005 | 0.4 | 0.51 | 35 | 10 | 1470 | <0.5 | <2 | 2.05 | 0.9 | 7 | 22 | 64 | 3.15 |
| B003840 | | 1.22 | <0.005 | 0.3 | 0.44 | 82 | 10 | 300 | <0.5 | <2 | 1.80 | <0.5 | 6 | 16 | 61 | 2.90 |
| B003841 | | 3.32 | <0.005 | 0.4 | 0.40 | 41 | 10 | 470 | <0.5 | <2 | 1.55 | 0.6 | 6 | 16 | 36 | 2.83 |
| B003842 | | 3.70 | <0.005 | 0.5 | 0.43 | 59 | 10 | 350 | <0.5 | <2 | 2.03 | 1.0 | 7 | 20 | 42 | 2.99 |
| B003843 | | 3.30 | <0.005 | 0.3 | 0.39 | 21 | 10 | 290 | <0.5 | <2 | 2.71 | 2.4 | 6 | 18 | 26 | 3.11 |
| B003844 | | 3.24 | <0.005 | 0.4 | 0.47 | 90 | 10 | 560 | <0.5 | <2 | 2.10 | 0.7 | 7 | 20 | 40 | 3.08 |
| B003845 | | 3.42 | 0.006 | 0.5 | 0.42 | 46 | 10 | 590 | <0.5 | <2 | 2.12 | <0.5 | 7 | 18 | 37 | 2.99 |
| B003846 | | 3.52 | <0.005 | 0.4 | 0.59 | 37 | 20 | 380 | 0.5 | <2 | 1.72 | <0.5 | 8 | 18 | 26 | 3.34 |
| B003847 | | 3.38 | <0.005 | 0.5 | 0.49 | 26 | 10 | 130 | 0.6 | <2 | 1.49 | <0.5 | 8 | 16 | 31 | 3.42 |
| B003848 | | 2.96 | 0.009 | 0.3 | 0.57 | 60 | 20 | 130 | 0.5 | <2 | 2.47 | <0.5 | 7 | 18 | 10 | 3.34 |
| B003849 | | 3.10 | <0.005 | 0.3 | 0.46 | 24 | 10 | 400 | 0.5 | <2 | 2.88 | <0.5 | 7 | 21 | 18 | 2.98 |
| B003850 | | 2.98 | <0.005 | 0.3 | 0.64 | 18 | 20 | 550 | 0.7 | <2 | 2.50 | <0.5 | 7 | 15 | 22 | 3.43 |
| B003851 | | 3.50 | <0.005 | 0.4 | 0.51 | 25 | 20 | 380 | 0.8 | <2 | 2.60 | <0.5 | 6 | 12 | 33 | 3.01 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 6 (A - C)
Finalized Date: 28-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|---------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | Sr |
| | Units | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm | ppm | ppm |
| | LOR | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 1 | 1 | 1 |
| B003812 | | <10 | 0.16 | 0.36 | 10 | 0.72 | 4160 | 1 | <0.01 | 3 | 660 | 78 | 0.04 | 2 | 4 | 90 |
| B003813 | | <10 | 0.14 | 0.32 | 10 | 0.58 | 3370 | 2 | <0.01 | <1 | 570 | 103 | 0.03 | <2 | 3 | 77 |
| B003814 | | <10 | 0.40 | 0.49 | 30 | 0.83 | 2470 | 1 | <0.01 | 1 | 1100 | 245 | 0.10 | 8 | 5 | 128 |
| B003815 | | <10 | 0.18 | 0.39 | 20 | 0.50 | 2220 | 1 | <0.01 | 1 | 730 | 78 | 0.15 | 4 | 3 | 60 |
| B003816 | | <10 | 0.18 | 0.35 | 10 | 0.49 | 1775 | 1 | <0.01 | 1 | 700 | 64 | 0.05 | <2 | 3 | 58 |
| B003817 | | <10 | 0.06 | 0.38 | 20 | 0.47 | 1680 | 1 | <0.01 | 3 | 700 | 43 | 0.05 | 2 | 3 | 62 |
| B003818 | | <10 | 0.30 | 0.28 | 10 | 0.40 | 2960 | 1 | <0.01 | 3 | 350 | 257 | 0.06 | 6 | 2 | 39 |
| B003819 | | <10 | 0.34 | 0.35 | 10 | 0.37 | 1950 | 1 | <0.01 | 2 | 460 | 201 | 0.10 | 12 | 2 | 57 |
| B003820 | | <10 | 0.36 | 0.36 | 10 | 0.42 | 2120 | 1 | <0.01 | 2 | 420 | 191 | 0.09 | 11 | 3 | 72 |
| B003821 | | <10 | 0.35 | 0.31 | 10 | 0.46 | 2570 | 1 | <0.01 | 2 | 410 | 195 | 0.08 | 11 | 3 | 58 |
| B003822 | | <10 | 0.39 | 0.31 | 10 | 0.51 | 2010 | <1 | <0.01 | 3 | 430 | 222 | 0.12 | 16 | 3 | 70 |
| B003823 | | <10 | 0.17 | 0.41 | 10 | 0.78 | 3220 | 2 | <0.01 | 3 | 650 | 133 | 0.04 | 7 | 4 | 104 |
| B003824 | | <10 | 0.19 | 0.37 | 10 | 0.74 | 3160 | 1 | <0.01 | 2 | 790 | 121 | 0.04 | 10 | 4 | 75 |
| B003825 | | <10 | 0.15 | 0.35 | 10 | 0.87 | 3420 | 1 | <0.01 | 3 | 640 | 30 | 0.04 | 4 | 5 | 99 |
| B003826 | | <10 | 0.13 | 0.38 | 10 | 0.76 | 2930 | 1 | <0.01 | 4 | 910 | 67 | 0.11 | 7 | 4 | 99 |
| B003827 | | <10 | 0.08 | 0.38 | 20 | 0.80 | 3380 | 1 | <0.01 | 1 | 910 | 45 | 0.13 | 3 | 4 | 90 |
| B003828 | | <10 | 0.07 | 0.37 | 20 | 0.54 | 1840 | 1 | 0.01 | 1 | 1000 | 43 | 0.03 | 5 | 4 | 52 |
| B003829 | | <10 | 0.11 | 0.38 | 20 | 0.69 | 2880 | 1 | 0.01 | 3 | 990 | 40 | 0.03 | 4 | 4 | 72 |
| B003830 | | <10 | 0.06 | 0.34 | 20 | 0.66 | 2990 | 1 | <0.01 | 2 | 900 | 22 | 0.06 | 5 | 4 | 79 |
| B003831 | | <10 | 0.13 | 0.36 | 20 | 0.58 | 2250 | 1 | 0.01 | 2 | 1120 | 38 | 0.08 | 5 | 5 | 60 |
| B003832 | | <10 | 0.12 | 0.37 | 20 | 0.57 | 2140 | 1 | 0.01 | 3 | 1010 | 29 | 0.13 | 3 | 4 | 51 |
| B003833 | | <10 | 0.10 | 0.36 | 20 | 0.58 | 2200 | 1 | <0.01 | <1 | 950 | 43 | 0.06 | 5 | 4 | 59 |
| B003834 | | <10 | 0.08 | 0.37 | 20 | 0.81 | 3130 | 1 | 0.01 | 2 | 1010 | 29 | 0.04 | 5 | 4 | 85 |
| B003835 | | <10 | 0.07 | 0.33 | 10 | 0.74 | 2620 | 1 | 0.01 | 1 | 920 | 36 | 0.06 | 2 | 5 | 91 |
| B003836 | | <10 | 0.09 | 0.34 | 20 | 0.67 | 2370 | 1 | 0.01 | 3 | 990 | 50 | 0.03 | 3 | 5 | 67 |
| B003837 | | <10 | 0.05 | 0.34 | 20 | 0.61 | 2470 | 1 | 0.01 | 3 | 1090 | 16 | 0.13 | 3 | 5 | 61 |
| B003838 | | <10 | 0.08 | 0.33 | 20 | 0.85 | 4310 | 1 | 0.01 | 3 | 1010 | 52 | 0.07 | 6 | 5 | 93 |
| B003839 | | <10 | 0.14 | 0.39 | 20 | 0.81 | 2990 | 1 | 0.01 | 3 | 990 | 51 | 0.08 | 7 | 5 | 95 |
| B003840 | | <10 | 0.10 | 0.34 | 20 | 0.70 | 2730 | <1 | 0.01 | 3 | 990 | 32 | 0.06 | 6 | 4 | 70 |
| B003841 | | <10 | 0.09 | 0.31 | 10 | 0.62 | 2020 | 1 | 0.01 | 1 | 950 | 29 | 0.09 | 6 | 5 | 78 |
| B003842 | | <10 | 0.13 | 0.32 | 10 | 0.75 | 2620 | 1 | 0.01 | <1 | 920 | 60 | 0.18 | 8 | 5 | 100 |
| B003843 | | <10 | 0.14 | 0.30 | 10 | 0.96 | 3470 | 2 | 0.01 | 3 | 870 | 63 | 0.05 | <2 | 4 | 110 |
| B003844 | | <10 | 0.08 | 0.36 | 20 | 0.75 | 2660 | 1 | 0.02 | 5 | 1000 | 21 | 0.20 | 3 | 5 | 83 |
| B003845 | | <10 | 0.05 | 0.33 | 20 | 0.75 | 2600 | 1 | 0.01 | 4 | 990 | 18 | 0.20 | <2 | 4 | 87 |
| B003846 | | <10 | 0.05 | 0.42 | 20 | 0.69 | 2590 | 1 | 0.01 | 4 | 1020 | 14 | 0.18 | 3 | 5 | 65 |
| B003847 | | <10 | 0.06 | 0.36 | 10 | 0.66 | 2140 | 3 | 0.01 | 2 | 1000 | 12 | 0.07 | 6 | 4 | 61 |
| B003848 | | <10 | 0.06 | 0.38 | 10 | 0.87 | 3410 | 1 | 0.01 | 2 | 940 | 10 | 0.04 | 2 | 5 | 95 |
| B003849 | | <10 | 0.07 | 0.34 | 10 | 0.89 | 2610 | 2 | 0.01 | 3 | 960 | 20 | 0.06 | 2 | 4 | 121 |
| B003850 | | <10 | 0.05 | 0.44 | 10 | 0.80 | 2730 | 1 | <0.01 | 3 | 1010 | 8 | 0.05 | 3 | 4 | 96 |
| B003851 | | <10 | 0.06 | 0.36 | 20 | 0.82 | 2530 | <1 | 0.01 | 2 | 920 | 15 | 0.04 | 10 | 4 | 132 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 6 (A - C)
Finalized Date: 28-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Ti % | Ti ppm | U ppm | V ppm | W ppm | Zn ppm |
| B003812 | | <0.01 | <10 | <10 | 16 | <10 | 801 |
| B003813 | | <0.01 | <10 | <10 | 14 | <10 | 528 |
| B003814 | | <0.01 | <10 | <10 | 23 | <10 | 1175 |
| B003815 | | <0.01 | 10 | <10 | 11 | <10 | 426 |
| B003816 | | <0.01 | <10 | <10 | 10 | <10 | 431 |
| B003817 | | <0.01 | <10 | <10 | 9 | <10 | 147 |
| B003818 | | <0.01 | <10 | <10 | 10 | <10 | 747 |
| B003819 | | <0.01 | <10 | <10 | 9 | <10 | 796 |
| B003820 | | <0.01 | <10 | <10 | 10 | <10 | 883 |
| B003821 | | <0.01 | <10 | <10 | 10 | <10 | 791 |
| B003822 | | <0.01 | <10 | <10 | 11 | <10 | 818 |
| B003823 | | <0.01 | <10 | <10 | 15 | <10 | 430 |
| B003824 | | <0.01 | <10 | <10 | 15 | <10 | 336 |
| B003825 | | <0.01 | <10 | <10 | 19 | <10 | 349 |
| B003826 | | <0.01 | <10 | <10 | 20 | <10 | 332 |
| B003827 | | <0.01 | <10 | <10 | 16 | <10 | 190 |
| B003828 | | <0.01 | <10 | <10 | 16 | <10 | 142 |
| B003829 | | <0.01 | <10 | <10 | 17 | <10 | 217 |
| B003830 | | <0.01 | <10 | <10 | 14 | <10 | 154 |
| B003831 | | <0.01 | <10 | <10 | 16 | <10 | 257 |
| B003832 | | <0.01 | <10 | <10 | 17 | <10 | 278 |
| B003833 | | <0.01 | <10 | <10 | 17 | <10 | 208 |
| B003834 | | <0.01 | <10 | <10 | 19 | <10 | 196 |
| B003835 | | <0.01 | <10 | <10 | 18 | <10 | 175 |
| B003836 | | <0.01 | <10 | <10 | 20 | <10 | 223 |
| B003837 | | <0.01 | <10 | <10 | 21 | <10 | 157 |
| B003838 | | <0.01 | <10 | <10 | 20 | <10 | 235 |
| B003839 | | <0.01 | <10 | <10 | 24 | <10 | 318 |
| B003840 | | <0.01 | <10 | <10 | 22 | <10 | 223 |
| B003841 | | <0.01 | 10 | <10 | 21 | <10 | 207 |
| B003842 | | <0.01 | <10 | <10 | 23 | <10 | 269 |
| B003843 | | <0.01 | <10 | <10 | 22 | <10 | 311 |
| B003844 | | <0.01 | <10 | <10 | 24 | <10 | 170 |
| B003845 | | <0.01 | <10 | <10 | 21 | <10 | 101 |
| B003846 | | <0.01 | <10 | <10 | 23 | <10 | 120 |
| B003847 | | <0.01 | <10 | <10 | 18 | <10 | 157 |
| B003848 | | <0.01 | <10 | <10 | 18 | <10 | 138 |
| B003849 | | <0.01 | <10 | <10 | 18 | <10 | 126 |
| B003850 | | <0.01 | <10 | <10 | 20 | <10 | 140 |
| B003851 | | <0.01 | <10 | <10 | 15 | <10 | 122 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - A

Total # Pages: 6 (A - C)

Finalized Date: 28-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % |
| B003852 | | 3.66 | <0.005 | 0.2 | 0.53 | 20 | 20 | 530 | 0.8 | <2 | 3.34 | <0.5 | 7 | 17 | 26 | 2.79 |
| B003853 | | 4.22 | <0.005 | 0.4 | 0.71 | 19 | 20 | 630 | 0.7 | <2 | 2.95 | <0.5 | 6 | 26 | 35 | 2.96 |
| B003854 | | 3.14 | <0.005 | 0.2 | 0.50 | 17 | 20 | 260 | 0.6 | <2 | 2.66 | <0.5 | 7 | 17 | 20 | 2.92 |
| B003855 | | 3.52 | <0.005 | 0.2 | 0.60 | 18 | 20 | 1180 | 0.8 | <2 | 3.07 | <0.5 | 7 | 20 | 26 | 3.05 |
| B003856 | | 3.30 | <0.005 | 0.3 | 0.46 | 17 | 20 | 1020 | 0.7 | <2 | 2.74 | <0.5 | 7 | 14 | 30 | 2.99 |
| B003857 | | 3.62 | <0.005 | 0.3 | 0.59 | 15 | 10 | 640 | 0.9 | <2 | 2.71 | <0.5 | 7 | 18 | 27 | 2.86 |
| B003858 | | 2.26 | <0.005 | 0.3 | 0.56 | 15 | 10 | 830 | 0.8 | <2 | 2.85 | <0.5 | 8 | 22 | 37 | 3.06 |
| B003859 | | 2.04 | <0.005 | 0.4 | 0.50 | 20 | 10 | 450 | 0.5 | <2 | 2.56 | 0.5 | 8 | 24 | 39 | 3.36 |
| B003860 | | 2.10 | <0.005 | 0.3 | 0.52 | 20 | 20 | 560 | 0.6 | <2 | 2.61 | 0.5 | 7 | 22 | 34 | 3.22 |
| B003861 | | 3.30 | <0.005 | 0.7 | 0.46 | 18 | 10 | 820 | <0.5 | <2 | 3.23 | <0.5 | 7 | 21 | 31 | 3.35 |
| B003862 | | 3.32 | <0.005 | 0.3 | 0.48 | 26 | 10 | 680 | 0.5 | <2 | 2.95 | 0.8 | 7 | 20 | 25 | 3.39 |
| B003863 | | 3.02 | <0.005 | 0.3 | 0.55 | 21 | 20 | 440 | 0.6 | <2 | 1.92 | <0.5 | 9 | 22 | 30 | 3.66 |
| B003864 | | 3.26 | <0.005 | 0.3 | 0.48 | 20 | 10 | 1130 | 0.5 | <2 | 3.03 | <0.5 | 9 | 31 | 30 | 3.56 |
| B003865 | | 3.38 | <0.005 | 0.5 | 0.58 | 19 | 20 | 440 | 0.6 | <2 | 1.94 | <0.5 | 7 | 24 | 42 | 2.83 |
| B003866 | | 3.56 | <0.005 | 0.6 | 0.56 | 17 | 20 | 1340 | 0.7 | <2 | 2.87 | 0.6 | 8 | 23 | 31 | 3.46 |
| B003867 | | 3.30 | <0.005 | 0.4 | 0.52 | 11 | 20 | 540 | 0.7 | <2 | 2.97 | <0.5 | 7 | 19 | 28 | 3.03 |
| B003868 | | 3.38 | <0.005 | 0.2 | 0.55 | 9 | 20 | 620 | 0.7 | <2 | 2.71 | <0.5 | 8 | 24 | 27 | 3.35 |
| B003869 | | 3.40 | <0.005 | 0.3 | 0.55 | 17 | 10 | 190 | 0.7 | <2 | 1.90 | 0.7 | 8 | 28 | 34 | 3.23 |
| B003870 | | 3.06 | <0.005 | 0.4 | 0.58 | 16 | 10 | 320 | 0.8 | <2 | 2.20 | 0.6 | 8 | 28 | 34 | 3.50 |
| B003871 | | 3.22 | <0.005 | 0.4 | 0.55 | 19 | 20 | 200 | 0.8 | <2 | 1.28 | <0.5 | 7 | 25 | 27 | 3.14 |
| B003872 | | 3.36 | <0.005 | 0.3 | 0.53 | 30 | 10 | 240 | 0.7 | <2 | 1.59 | <0.5 | 7 | 30 | 18 | 3.20 |
| B003873 | | 3.40 | <0.005 | 0.3 | 0.67 | 15 | 10 | 270 | 0.6 | <2 | 0.75 | <0.5 | 9 | 41 | 30 | 3.27 |
| B003874 | | 3.30 | <0.005 | 0.4 | 0.51 | 13 | 10 | 510 | 0.6 | <2 | 1.08 | 0.6 | 8 | 37 | 27 | 3.49 |
| B003875 | | 3.22 | <0.005 | 0.4 | 0.51 | 15 | 20 | 1100 | 0.7 | <2 | 1.70 | 1.2 | 8 | 27 | 27 | 3.55 |
| B003876 | | 3.24 | <0.005 | 0.4 | 0.52 | 18 | 20 | 540 | 0.8 | <2 | 2.34 | <0.5 | 7 | 32 | 52 | 3.10 |
| B003877 | | 3.30 | <0.005 | 0.3 | 0.53 | 15 | 20 | 640 | 0.9 | <2 | 2.24 | <0.5 | 8 | 26 | 30 | 3.03 |
| B003878 | | 3.38 | 0.090 | 0.6 | 0.48 | 15 | 20 | 3310 | 0.7 | <2 | 2.52 | 1.7 | 6 | 43 | 56 | 2.82 |
| B003879 | | 1.68 | 0.024 | 0.3 | 0.53 | 13 | 20 | 1780 | 0.8 | <2 | 2.16 | 1.9 | 8 | 31 | 44 | 3.71 |
| B003880 | | 1.76 | 0.010 | 0.4 | 0.50 | 15 | 20 | 1360 | 0.7 | <2 | 2.05 | 2.0 | 9 | 38 | 41 | 3.51 |
| B003881 | | 3.32 | 0.023 | <0.2 | 0.44 | 12 | 10 | 1270 | 0.5 | <2 | 2.98 | 2.5 | 6 | 29 | 18 | 3.15 |
| B003882 | | 3.38 | 0.046 | 0.3 | 0.47 | 8 | 20 | 740 | 0.5 | <2 | 2.93 | 2.1 | 6 | 19 | 34 | 3.32 |
| B003883 | | 3.42 | 0.013 | 0.5 | 0.47 | 17 | 10 | 2050 | 0.6 | <2 | 2.68 | 2.4 | 6 | 35 | 42 | 2.75 |
| B003884 | | 1.84 | 0.012 | 0.3 | 0.30 | 7 | 10 | 210 | <0.5 | <2 | 0.80 | 2.5 | 5 | 40 | 25 | 2.44 |
| B003885 | | 3.24 | <0.005 | <0.2 | 0.40 | 5 | 10 | 200 | 0.5 | <2 | 3.80 | 1.6 | 5 | 38 | 8 | 2.88 |
| B003886 | | 2.70 | <0.005 | 0.2 | 0.47 | 22 | 20 | 350 | 0.9 | <2 | 2.51 | 1.0 | 7 | 25 | 32 | 3.07 |
| B003887 | | 3.06 | <0.005 | 0.3 | 0.54 | 18 | 10 | 1200 | 0.6 | <2 | 2.12 | <0.5 | 7 | 38 | 37 | 3.35 |
| B003888 | | 4.00 | <0.005 | 1.1 | 0.39 | 25 | 10 | 560 | 0.5 | <2 | 0.70 | <0.5 | 7 | 34 | 57 | 3.09 |
| B003889 | | 3.44 | <0.005 | 1.2 | 0.44 | 25 | 10 | 310 | 0.5 | <2 | 0.54 | 0.6 | 7 | 57 | 66 | 2.79 |
| B003890 | | 0.70 | <0.005 | 0.7 | 0.65 | 37 | 20 | 380 | 1.1 | <2 | 2.40 | <0.5 | 20 | 9 | 43 | 6.88 |
| B003891 | | 3.26 | <0.005 | 0.5 | 0.38 | 14 | 10 | 260 | <0.5 | <2 | 0.84 | 3.3 | 6 | 95 | 31 | 2.44 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - B
Total # Pages: 6 (A - C)
Finalized Date: 28-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| B003852 | | <10 | 0.04 | 0.39 | 20 | 0.91 | 2680 | 1 | 0.01 | 2 | 920 | 10 | 0.04 | 4 | 4 | 129 |
| B003853 | | <10 | 0.05 | 0.47 | 10 | 0.89 | 2200 | 1 | 0.01 | 4 | 940 | 8 | 0.06 | 9 | 4 | 129 |
| B003854 | | <10 | 0.03 | 0.35 | 20 | 0.90 | 1705 | <1 | 0.01 | 2 | 960 | 9 | 0.03 | 4 | 4 | 106 |
| B003855 | | <10 | 0.04 | 0.40 | 20 | 1.00 | 2020 | <1 | 0.01 | 3 | 1000 | 14 | 0.05 | 4 | 4 | 139 |
| B003856 | | <10 | 0.04 | 0.32 | 20 | 0.90 | 1695 | <1 | 0.01 | 2 | 970 | 13 | 0.07 | 6 | 4 | 141 |
| B003857 | | <10 | 0.04 | 0.42 | 20 | 0.81 | 1895 | 1 | 0.01 | 2 | 1060 | 17 | 0.04 | 3 | 4 | 122 |
| B003858 | | <10 | 0.05 | 0.40 | 20 | 0.87 | 2330 | 1 | 0.02 | 3 | 1160 | 11 | 0.07 | 6 | 5 | 108 |
| B003859 | | <10 | 0.07 | 0.36 | 20 | 0.95 | 2320 | 1 | 0.01 | 2 | 1060 | 15 | 0.06 | 5 | 5 | 124 |
| B003860 | | <10 | 0.07 | 0.38 | 20 | 0.94 | 2310 | <1 | 0.02 | 3 | 1080 | 14 | 0.08 | 3 | 5 | 130 |
| B003861 | | <10 | 0.08 | 0.33 | 20 | 1.16 | 2430 | 1 | 0.02 | 2 | 1120 | 23 | 0.04 | 2 | 5 | 144 |
| B003862 | | <10 | 0.09 | 0.35 | 20 | 1.04 | 2400 | <1 | 0.01 | 3 | 1090 | 56 | 0.05 | 2 | 5 | 113 |
| B003863 | | <10 | 0.06 | 0.37 | 10 | 0.83 | 2140 | 1 | 0.01 | 2 | 1090 | 17 | 0.04 | 4 | 5 | 106 |
| B003864 | | <10 | 0.07 | 0.34 | 20 | 1.10 | 2520 | 1 | 0.02 | 4 | 1110 | 17 | 0.08 | <2 | 4 | 130 |
| B003865 | | <10 | 0.06 | 0.40 | 20 | 0.71 | 1880 | 1 | 0.01 | 2 | 1130 | 18 | 0.05 | 5 | 4 | 86 |
| B003866 | | <10 | 0.06 | 0.39 | 20 | 1.02 | 2370 | 1 | 0.01 | 1 | 1110 | 24 | 0.07 | 4 | 5 | 122 |
| B003867 | | <10 | 0.05 | 0.36 | 10 | 1.10 | 2140 | 1 | 0.01 | 1 | 1010 | 23 | 0.03 | 4 | 4 | 128 |
| B003868 | | <10 | 0.04 | 0.37 | 20 | 1.16 | 2170 | <1 | 0.01 | 3 | 1080 | 11 | 0.07 | 5 | 5 | 134 |
| B003869 | | <10 | 0.05 | 0.38 | 20 | 0.94 | 2150 | 1 | 0.02 | 2 | 1200 | 20 | 0.03 | 3 | 4 | 91 |
| B003870 | | <10 | 0.05 | 0.40 | 20 | 1.06 | 2170 | 1 | 0.01 | 3 | 1210 | 10 | 0.03 | 7 | 4 | 118 |
| B003871 | | <10 | 0.06 | 0.38 | 20 | 0.75 | 1345 | 1 | 0.01 | 2 | 1110 | 9 | 0.03 | 7 | 3 | 83 |
| B003872 | | <10 | 0.07 | 0.37 | 20 | 0.76 | 1385 | 1 | 0.01 | 3 | 1160 | 18 | 0.02 | 4 | 3 | 81 |
| B003873 | | <10 | 0.07 | 0.33 | 20 | 0.60 | 901 | 2 | 0.02 | 7 | 1050 | 17 | 0.04 | <2 | 3 | 42 |
| B003874 | | <10 | 0.10 | 0.37 | 20 | 0.64 | 1100 | 1 | 0.01 | 5 | 1120 | 16 | 0.03 | 2 | 3 | 61 |
| B003875 | | <10 | 0.12 | 0.36 | 10 | 0.71 | 1360 | 1 | 0.01 | 4 | 1120 | 30 | 0.05 | 5 | 4 | 94 |
| B003876 | | <10 | 0.08 | 0.38 | 10 | 0.79 | 2230 | 1 | <0.01 | 5 | 870 | 29 | 0.05 | 12 | 4 | 116 |
| B003877 | | <10 | 0.06 | 0.37 | 20 | 0.86 | 2330 | 1 | 0.01 | 3 | 1090 | 22 | 0.05 | 8 | 4 | 99 |
| B003878 | | <10 | 0.25 | 0.32 | 10 | 1.00 | 2250 | 1 | <0.01 | 2 | 940 | 130 | 0.12 | 13 | 4 | 142 |
| B003879 | | <10 | 0.24 | 0.37 | 20 | 1.09 | 2340 | 2 | 0.01 | 2 | 1000 | 91 | 0.12 | 7 | 4 | 116 |
| B003880 | | <10 | 0.25 | 0.35 | 20 | 1.02 | 2230 | <1 | 0.01 | 4 | 1080 | 80 | 0.13 | 6 | 4 | 100 |
| B003881 | | <10 | 0.30 | 0.30 | 10 | 1.17 | 2750 | 2 | 0.01 | 3 | 960 | 145 | 0.07 | 4 | 4 | 156 |
| B003882 | | <10 | 0.22 | 0.33 | 10 | 1.24 | 4210 | 1 | 0.01 | 5 | 1080 | 53 | 0.06 | 8 | 4 | 121 |
| B003883 | | <10 | 0.33 | 0.35 | 10 | 1.10 | 4210 | 1 | <0.01 | 3 | 910 | 100 | 0.14 | 8 | 4 | 144 |
| B003884 | | <10 | 0.43 | 0.24 | <10 | 0.49 | 2730 | 2 | <0.01 | 4 | 500 | 65 | 0.05 | 6 | 3 | 56 |
| B003885 | | <10 | 0.21 | 0.31 | 10 | 1.49 | 6800 | <1 | 0.01 | 4 | 720 | 61 | 0.07 | <2 | 4 | 142 |
| B003886 | | <10 | 0.13 | 0.34 | 10 | 1.08 | 2680 | 1 | 0.01 | 5 | 650 | 43 | 0.07 | <2 | 4 | 157 |
| B003887 | | <10 | 0.07 | 0.36 | 20 | 1.00 | 2350 | <1 | 0.01 | 5 | 1060 | 11 | 0.06 | 2 | 4 | 114 |
| B003888 | | <10 | 0.36 | 0.31 | 10 | 0.60 | 3660 | 2 | <0.01 | 4 | 630 | 26 | 0.05 | <2 | 4 | 34 |
| B003889 | | <10 | 0.38 | 0.32 | 10 | 0.50 | 3160 | 1 | <0.01 | 2 | 670 | 66 | 0.09 | 3 | 4 | 35 |
| B003890 | | <10 | 0.08 | 0.47 | <10 | 1.70 | 3430 | 1 | 0.01 | 16 | 1320 | 49 | 0.13 | 8 | 10 | 156 |
| B003891 | | <10 | 0.67 | 0.28 | 10 | 0.54 | 2560 | 4 | <0.01 | 4 | 470 | 304 | 0.08 | 3 | 3 | 55 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 6 (A - C)
Finalized Date: 28-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-----------|----------|----------|----------|----------|
| | | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| B003852 | | <0.01 | <10 | <10 | 17 | <10 | 85 |
| B003853 | | <0.01 | <10 | <10 | 20 | <10 | 85 |
| B003854 | | <0.01 | <10 | <10 | 16 | <10 | 75 |
| B003855 | | <0.01 | <10 | <10 | 17 | <10 | 85 |
| B003856 | | <0.01 | <10 | <10 | 16 | <10 | 77 |
| B003857 | | <0.01 | <10 | <10 | 17 | <10 | 76 |
| B003858 | | <0.01 | <10 | <10 | 21 | <10 | 106 |
| B003859 | | <0.01 | <10 | <10 | 20 | <10 | 128 |
| B003860 | | <0.01 | <10 | <10 | 20 | <10 | 138 |
| B003861 | | <0.01 | <10 | <10 | 21 | <10 | 114 |
| B003862 | | <0.01 | <10 | <10 | 21 | <10 | 196 |
| B003863 | | <0.01 | <10 | <10 | 21 | <10 | 130 |
| B003864 | | <0.01 | <10 | <10 | 21 | <10 | 131 |
| B003865 | | <0.01 | <10 | <10 | 21 | <10 | 105 |
| B003866 | | <0.01 | 10 | <10 | 20 | <10 | 132 |
| B003867 | | <0.01 | <10 | <10 | 17 | <10 | 121 |
| B003868 | | <0.01 | <10 | <10 | 20 | <10 | 132 |
| B003869 | | <0.01 | <10 | <10 | 18 | <10 | 154 |
| B003870 | | <0.01 | <10 | <10 | 17 | <10 | 138 |
| B003871 | | <0.01 | <10 | <10 | 15 | <10 | 162 |
| B003872 | | <0.01 | <10 | <10 | 15 | <10 | 142 |
| B003873 | | 0.02 | <10 | <10 | 23 | <10 | 140 |
| B003874 | | <0.01 | <10 | <10 | 16 | <10 | 180 |
| B003875 | | <0.01 | <10 | <10 | 16 | <10 | 206 |
| B003876 | | <0.01 | <10 | <10 | 15 | <10 | 108 |
| B003877 | | <0.01 | <10 | <10 | 15 | <10 | 110 |
| B003878 | | <0.01 | <10 | <10 | 15 | <10 | 318 |
| B003879 | | <0.01 | <10 | <10 | 19 | <10 | 439 |
| B003880 | | <0.01 | <10 | <10 | 17 | <10 | 457 |
| B003881 | | <0.01 | <10 | <10 | 18 | <10 | 533 |
| B003882 | | <0.01 | <10 | <10 | 19 | <10 | 489 |
| B003883 | | <0.01 | <10 | <10 | 17 | <10 | 628 |
| B003884 | | <0.01 | <10 | <10 | 11 | <10 | 618 |
| B003885 | | <0.01 | <10 | <10 | 21 | <10 | 508 |
| B003886 | | <0.01 | <10 | <10 | 16 | <10 | 278 |
| B003887 | | <0.01 | <10 | <10 | 17 | <10 | 170 |
| B003888 | | <0.01 | <10 | <10 | 13 | <10 | 251 |
| B003889 | | <0.01 | <10 | <10 | 11 | <10 | 223 |
| B003890 | | 0.01 | <10 | <10 | 32 | <10 | 115 |
| B003891 | | <0.01 | <10 | <10 | 12 | <10 | 748 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 6 - A
Total # Pages: 6 (A - C)
Finalized Date: 28-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % |
| B003892 | | 3.00 | <0.005 | 0.7 | 0.36 | 7 | 10 | 290 | 0.5 | <2 | 0.39 | 3.8 | 5 | 56 | 37 | 2.45 |
| B003893 | | 2.32 | <0.005 | 0.3 | 0.33 | 12 | 10 | 210 | <0.5 | <2 | 0.65 | 4.1 | 5 | 86 | 24 | 2.46 |
| B003894 | | 2.68 | <0.005 | <0.2 | 0.33 | <2 | 10 | 330 | <0.5 | <2 | 3.01 | 1.6 | 6 | 43 | 10 | 2.83 |
| B003895 | | 3.68 | <0.005 | 0.2 | 0.51 | 6 | 20 | 930 | 0.7 | <2 | 4.32 | 3.6 | 9 | 20 | 16 | 4.31 |
| B003896 | | 3.10 | 0.046 | 0.8 | 0.44 | 15 | 10 | 1260 | 0.5 | <2 | 2.20 | 4.9 | 6 | 29 | 19 | 2.53 |
| B003897 | | 3.02 | 0.008 | 0.2 | 0.42 | <2 | 10 | 610 | <0.5 | <2 | 0.89 | 2.4 | 6 | 57 | 6 | 2.46 |
| B003898 | | 3.46 | <0.005 | 0.2 | 0.38 | 8 | 10 | 220 | 0.5 | <2 | 1.28 | 1.2 | 5 | 34 | 10 | 2.79 |
| B003899 | | 1.48 | <0.005 | 0.3 | 0.41 | 17 | 10 | 680 | 0.5 | <2 | 1.62 | 2.2 | 6 | 51 | 19 | 2.68 |
| B003900 | | 1.60 | <0.005 | 0.2 | 0.35 | 13 | 10 | 1080 | <0.5 | <2 | 2.11 | 2.1 | 5 | 33 | 19 | 2.91 |
| B003901 | | 3.88 | <0.005 | 0.2 | 0.40 | 9 | 10 | 690 | <0.5 | <2 | 1.50 | 2.3 | 5 | 48 | 11 | 2.60 |
| B003902 | | 3.24 | <0.005 | <0.2 | 0.35 | 7 | 10 | 650 | <0.5 | <2 | 1.28 | 1.5 | 5 | 36 | 10 | 2.46 |
| B003903 | | 3.20 | <0.005 | <0.2 | 0.38 | 16 | 10 | 480 | <0.5 | <2 | 1.06 | <0.5 | 5 | 42 | 11 | 2.32 |
| B003904 | | 3.30 | <0.005 | <0.2 | 0.33 | 5 | 10 | 280 | <0.5 | <2 | 0.98 | <0.5 | 3 | 41 | 7 | 2.36 |
| B003905 | | 2.84 | <0.005 | <0.2 | 0.35 | 6 | 10 | 350 | <0.5 | <2 | 1.23 | 1.2 | 5 | 49 | 7 | 2.42 |
| B003906 | | 2.82 | <0.005 | 0.4 | 0.29 | 85 | 10 | 480 | <0.5 | <2 | 1.38 | 5.0 | 6 | 33 | 14 | 2.89 |
| B003907 | | 1.48 | 0.009 | 0.8 | 0.32 | 30 | 10 | 990 | <0.5 | <2 | 0.42 | 2.8 | 7 | 98 | 15 | 3.64 |
| B003908 | | 2.80 | <0.005 | <0.2 | 0.32 | 55 | 10 | 500 | <0.5 | <2 | 0.59 | 4.0 | 4 | 51 | 8 | 2.39 |
| B003909 | | 0.68 | 0.007 | 0.4 | 1.08 | 102 | <10 | 70 | 0.7 | <2 | 5.48 | 0.8 | 13 | 26 | 72 | 4.12 |
| B003910 | | 4.10 | <0.005 | 0.2 | 3.43 | 16 | <10 | 150 | 0.5 | <2 | 3.20 | <0.5 | 30 | 32 | 39 | 6.90 |
| B003911 | | 3.36 | 0.649 | 0.3 | 1.30 | 46 | <10 | 230 | <0.5 | <2 | 9.97 | 0.6 | 22 | 43 | 81 | 5.74 |
| B003912 | | 4.96 | 0.026 | 0.2 | 3.14 | 30 | <10 | 60 | <0.5 | <2 | 10.25 | <0.5 | 19 | 31 | 34 | 5.47 |
| B003913 | | 4.64 | 0.013 | 0.3 | 1.96 | 20 | 10 | 90 | <0.5 | <2 | 10.20 | <0.5 | 20 | 36 | 60 | 6.39 |
| B003914 | | 8.42 | 0.009 | 0.4 | 2.65 | 18 | <10 | 70 | <0.5 | <2 | 5.95 | <0.5 | 25 | 39 | 46 | 6.34 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 6 - B
Total # Pages: 6 (A - C)
Finalized Date: 28-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % | ME-ICP41 La ppm 0.01 | ME-ICP41 Mg % | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % | ME-ICP41 Ni ppm 0.01 | ME-ICP41 P ppm 1 | ME-ICP41 Pb ppm 10 | ME-ICP41 S % | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|-----------------------------|------------------------------|--------------------|-------------------------------|---------------------|----------------------------|----------------------------|---------------------|-------------------------------|---------------------------|-----------------------------|--------------------|----------------------------|----------------------------|----------------------------|
| B003892 | | <10 | 0.65 | 0.26 | <10 | 0.41 | 2410 | 3 | <0.01 | 3 | 290 | 734 | 0.08 | 8 | 3 | 33 |
| B003893 | | <10 | 0.89 | 0.25 | <10 | 0.48 | 2770 | 2 | <0.01 | 3 | 360 | 309 | 0.12 | 3 | 3 | 37 |
| B003894 | | <10 | 0.24 | 0.25 | <10 | 1.18 | 4270 | 2 | <0.01 | 3 | 400 | 36 | 0.03 | 2 | 4 | 102 |
| B003895 | | <10 | 0.26 | 0.35 | 10 | 1.78 | 8210 | 2 | <0.01 | 3 | 770 | 95 | 0.20 | 3 | 5 | 171 |
| B003896 | | <10 | 0.62 | 0.31 | 10 | 0.91 | 3560 | 1 | <0.01 | 3 | 260 | 320 | 0.20 | 3 | 2 | 110 |
| B003897 | | <10 | 0.34 | 0.34 | 10 | 0.57 | 2780 | <1 | <0.01 | 2 | 520 | 23 | 0.09 | <2 | 2 | 57 |
| B003898 | | <10 | 0.21 | 0.30 | 10 | 0.76 | 3260 | 1 | <0.01 | 2 | 370 | 26 | 0.07 | <2 | 2 | 65 |
| B003899 | | <10 | 0.30 | 0.34 | 20 | 0.86 | 4040 | 1 | <0.01 | 3 | 630 | 17 | 0.07 | 2 | 2 | 67 |
| B003900 | | <10 | 0.33 | 0.30 | 20 | 1.03 | 4690 | 1 | <0.01 | 1 | 640 | 28 | 0.11 | 4 | 2 | 86 |
| B003901 | | <10 | 0.27 | 0.33 | 20 | 0.84 | 3770 | <1 | <0.01 | 2 | 570 | 93 | 0.08 | 2 | 2 | 78 |
| B003902 | | <10 | 0.18 | 0.29 | 20 | 0.75 | 3380 | 2 | <0.01 | 4 | 510 | 14 | 0.08 | 2 | 2 | 80 |
| B003903 | | <10 | 0.07 | 0.33 | 10 | 0.72 | 3220 | 1 | <0.01 | 2 | 580 | 7 | 0.11 | <2 | 2 | 50 |
| B003904 | | <10 | 0.10 | 0.29 | 20 | 0.71 | 3480 | 2 | <0.01 | 4 | 650 | 6 | 0.06 | <2 | 2 | 57 |
| B003905 | | <10 | 0.14 | 0.30 | 20 | 0.76 | 3230 | 1 | <0.01 | 3 | 600 | 9 | 0.09 | <2 | 2 | 85 |
| B003906 | | <10 | 0.45 | 0.27 | 20 | 0.83 | 3610 | 2 | <0.01 | 2 | 630 | 126 | 0.31 | 2 | 2 | 67 |
| B003907 | | <10 | 0.32 | 0.27 | 20 | 0.67 | 3640 | 1 | <0.01 | 5 | 340 | 742 | 0.28 | <2 | 2 | 58 |
| B003908 | | <10 | 0.46 | 0.28 | 20 | 0.51 | 2710 | 3 | <0.01 | 3 | 620 | 101 | 0.11 | <2 | 1 | 40 |
| B003909 | | <10 | 0.03 | 0.30 | <10 | 0.63 | 667 | 7 | 0.01 | 23 | 810 | 9 | 2.56 | <2 | 4 | 291 |
| B003910 | | 10 | 0.02 | 0.26 | 10 | 2.50 | 1190 | 2 | 0.02 | 34 | 1570 | 2 | 0.36 | <2 | 13 | 84 |
| B003911 | | <10 | 0.03 | 0.27 | 10 | 1.10 | 1885 | 1 | 0.02 | 24 | 920 | 20 | 1.11 | <2 | 9 | 296 |
| B003912 | | 10 | 0.01 | 0.22 | 10 | 2.38 | 2270 | 2 | 0.02 | 25 | 970 | 9 | 0.49 | <2 | 10 | 309 |
| B003913 | | <10 | <0.01 | 0.23 | 10 | 2.66 | 1960 | 2 | 0.02 | 25 | 1250 | 70 | 0.57 | <2 | 13 | 445 |
| B003914 | | 10 | <0.01 | 0.17 | 10 | 2.56 | 1485 | 2 | 0.04 | 30 | 1460 | 21 | 0.50 | <2 | 15 | 210 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 6 - C

Total # Pages: 6 (A - C)

Finalized Date: 28-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04053892

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl | Tl | U | V | W | Zn |
| | % | ppm | ppm | ppm | ppm | ppm | |
| | 0.01 | 10 | 10 | 1 | 10 | 2 | |
| B003892 | | <0.01 | <10 | <10 | 13 | <10 | 781 |
| B003893 | | <0.01 | <10 | <10 | 13 | <10 | 797 |
| B003894 | | <0.01 | <10 | <10 | 20 | <10 | 421 |
| B003895 | | <0.01 | 10 | <10 | 21 | <10 | 629 |
| B003896 | | <0.01 | <10 | <10 | 12 | <10 | 1050 |
| B003897 | | <0.01 | <10 | <10 | 10 | <10 | 678 |
| B003898 | | <0.01 | <10 | <10 | 10 | <10 | 461 |
| B003899 | | <0.01 | <10 | <10 | 11 | <10 | 669 |
| B003900 | | <0.01 | <10 | <10 | 11 | <10 | 676 |
| B003901 | | <0.01 | <10 | <10 | 10 | <10 | 782 |
| B003902 | | <0.01 | <10 | <10 | 8 | <10 | 562 |
| B003903 | | <0.01 | <10 | <10 | 10 | <10 | 277 |
| B003904 | | <0.01 | <10 | <10 | 10 | <10 | 363 |
| B003905 | | <0.01 | <10 | <10 | 11 | <10 | 545 |
| B003906 | | <0.01 | <10 | <10 | 13 | <10 | 1135 |
| B003907 | | <0.01 | <10 | <10 | 11 | <10 | 769 |
| B003908 | | <0.01 | <10 | <10 | 9 | <10 | 813 |
| B003909 | | <0.01 | <10 | <10 | 23 | <10 | 138 |
| B003910 | | <0.01 | <10 | <10 | 135 | <10 | 137 |
| B003911 | | <0.01 | <10 | <10 | 57 | <10 | 201 |
| B003912 | | <0.01 | <10 | <10 | 93 | <10 | 168 |
| B003913 | | <0.01 | <10 | <10 | 96 | <10 | 167 |
| B003914 | | <0.01 | <10 | <10 | 155 | <10 | 114 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 29-AUG-2004

Account: EIA

CERTIFICATE VA04054331

Project: NGX04-01

P.O. No.:

This report is for 172 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12-AUG-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 6 (A - C)
Finalized Date: 29-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Au Check | Ag | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm |
| | | kg | ppm | ppm | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 |
| B003560 | | 1.36 | <0.005 | | 0.5 | 0.62 | 79 | 20 | 120 | 0.7 | <2 | 1.99 | 4.4 | 8 | 14 | 40 |
| B003561 | | 3.00 | <0.005 | | 0.7 | 0.65 | 80 | 10 | 110 | 0.7 | <2 | 2.00 | 6.3 | 8 | 14 | 41 |
| B003562 | | 2.88 | <0.005 | | 0.4 | 0.60 | 73 | 10 | 90 | 0.6 | <2 | 2.79 | 6.9 | 7 | 11 | 35 |
| B003563 | | 2.78 | <0.005 | | 0.4 | 0.63 | 71 | 10 | 120 | 0.6 | <2 | 2.70 | 8.6 | 8 | 10 | 42 |
| B003564 | | 3.16 | <0.005 | | 0.6 | 0.58 | 57 | 10 | 110 | 0.6 | <2 | 2.93 | 6.7 | 7 | 17 | 38 |
| B003565 | | 3.36 | <0.005 | | 0.5 | 0.61 | 77 | 10 | 110 | 0.6 | <2 | 2.34 | 9.7 | 8 | 16 | 45 |
| B003566 | | 1.94 | <0.005 | | 0.6 | 0.61 | 57 | 10 | 70 | 0.7 | <2 | 3.34 | 6.4 | 7 | 13 | 35 |
| B003567 | | 2.94 | <0.005 | | 0.2 | 0.63 | 75 | 10 | 60 | 0.6 | <2 | 2.24 | 5.3 | 8 | 11 | 37 |
| B003568 | | 2.52 | <0.005 | | 0.2 | 0.62 | 77 | 10 | 90 | 0.6 | <2 | 1.84 | 6.4 | 8 | 11 | 40 |
| B003569 | | 3.30 | <0.005 | | 0.2 | 0.59 | 81 | 10 | 60 | 0.6 | <2 | 2.61 | 5.0 | 7 | 12 | 32 |
| B003570 | | 2.10 | <0.005 | | <0.2 | 0.64 | 83 | 10 | 120 | 0.6 | <2 | 2.51 | 1.2 | 9 | 14 | 29 |
| B003571 | | 3.94 | <0.005 | | <0.2 | 0.47 | 42 | 10 | 420 | 0.5 | <2 | 2.84 | <0.5 | 7 | 20 | 12 |
| B003572 | | 3.26 | <0.005 | | <0.2 | 0.50 | 36 | 10 | 290 | 0.5 | <2 | 2.82 | <0.5 | 8 | 19 | 11 |
| B003573 | | 3.14 | <0.005 | | <0.2 | 0.51 | 37 | 10 | 600 | 0.5 | <2 | 2.85 | <0.5 | 9 | 20 | 12 |
| B003574 | | 3.50 | <0.005 | | <0.2 | 0.46 | 28 | 10 | 660 | <0.5 | <2 | 3.42 | <0.5 | 8 | 22 | 10 |
| B003575 | | 2.98 | <0.005 | | <0.2 | 0.49 | 39 | 10 | 480 | 0.5 | <2 | 4.19 | <0.5 | 8 | 21 | 11 |
| B003576 | | 3.24 | <0.005 | | <0.2 | 0.46 | 44 | 10 | 600 | <0.5 | <2 | 3.25 | <0.5 | 8 | 24 | 17 |
| B003577 | | 2.96 | <0.005 | | <0.2 | 0.52 | 49 | 10 | 220 | 0.5 | <2 | 2.29 | <0.5 | 9 | 18 | 14 |
| B003578 | | 3.16 | <0.005 | | <0.2 | 0.49 | 42 | 10 | 250 | <0.5 | <2 | 2.30 | <0.5 | 8 | 18 | 15 |
| B003579 | | 1.50 | <0.005 | | <0.2 | 0.46 | 34 | 10 | 230 | 0.5 | <2 | 2.47 | <0.5 | 8 | 20 | 12 |
| B003580 | | 1.74 | <0.005 | | <0.2 | 0.44 | 30 | 10 | 340 | <0.5 | <2 | 2.70 | <0.5 | 7 | 20 | 10 |
| B003581 | | 3.48 | <0.005 | | <0.2 | 0.47 | 34 | 10 | 340 | <0.5 | <2 | 2.63 | <0.5 | 6 | 22 | 16 |
| B003582 | | 2.94 | <0.005 | | <0.2 | 0.51 | 44 | 10 | 190 | <0.5 | <2 | 2.43 | <0.5 | 7 | 19 | 16 |
| B003583 | | 3.32 | <0.005 | | <0.2 | 0.51 | 37 | 10 | 60 | 0.5 | <2 | 2.41 | <0.5 | 7 | 14 | 17 |
| B003584 | | 3.06 | <0.005 | | <0.2 | 0.59 | 54 | 10 | 210 | 0.5 | <2 | 2.46 | <0.5 | 8 | 15 | 25 |
| B003585 | | 3.40 | <0.005 | | <0.2 | 0.53 | 40 | 10 | 90 | 0.5 | <2 | 2.30 | <0.5 | 8 | 24 | 19 |
| B003586 | | 3.34 | <0.005 | | 0.2 | 0.50 | 151 | 10 | 50 | <0.5 | <2 | 4.19 | 1.6 | 28 | 51 | 28 |
| B003587 | | 3.34 | <0.005 | | <0.2 | 0.57 | 68 | 10 | 50 | <0.5 | <2 | 3.40 | <0.5 | 38 | 180 | 25 |
| B003588 | | 3.72 | <0.005 | | 0.2 | 0.47 | 51 | 10 | 300 | <0.5 | <2 | 4.65 | <0.5 | 15 | 18 | 32 |
| B003589 | | 3.42 | <0.005 | | <0.2 | 0.63 | 21 | 10 | 570 | 0.5 | <2 | 4.89 | <0.5 | 12 | 12 | 23 |
| B003590 | | 3.42 | <0.005 | | <0.2 | 0.59 | 33 | 10 | 440 | <0.5 | <2 | 4.07 | <0.5 | 15 | 9 | 24 |
| B003591 | | 3.28 | <0.005 | | <0.2 | 1.66 | 26 | 10 | 170 | 0.5 | <2 | 6.15 | <0.5 | 31 | 465 | 41 |
| B003592 | | 3.10 | <0.005 | | <0.2 | 2.67 | 3 | 10 | 210 | 0.6 | 2 | 6.78 | <0.5 | 41 | 750 | 68 |
| B003593 | | 3.32 | <0.005 | | <0.2 | 3.64 | 4 | <10 | 160 | 0.8 | <2 | 5.83 | <0.5 | 42 | 684 | 94 |
| B003594 | | 3.48 | <0.005 | | <0.2 | 3.65 | 7 | 10 | 1030 | 0.7 | 2 | 6.30 | <0.5 | 41 | 666 | 115 |
| B003595 | | 3.44 | <0.005 | | <0.2 | 2.91 | 8 | <10 | 900 | 0.6 | 2 | 6.19 | <0.5 | 37 | 623 | 83 |
| B003596 | | 3.82 | <0.005 | | <0.2 | 1.22 | 21 | 10 | 90 | 0.7 | <2 | 3.57 | <0.5 | 22 | 41 | 75 |
| B003597 | | 2.98 | <0.005 | | <0.2 | 3.18 | 4 | <10 | 260 | <0.5 | 2 | 4.26 | <0.5 | 26 | 23 | 7 |
| B003598 | | 3.56 | <0.005 | | <0.2 | 2.80 | 5 | <10 | 130 | <0.5 | 2 | 4.44 | <0.5 | 27 | 11 | 39 |
| B003599 | | 1.64 | <0.005 | | <0.2 | 2.98 | <2 | <10 | 130 | <0.5 | 2 | 3.78 | <0.5 | 24 | 10 | 8 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 6 (A - C)
Finalized Date: 29-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm |
| | | 0.01 | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 |
| B003560 | | 3.70 | <10 | 0.37 | 0.32 | <10 | 0.91 | 258 | 39 | 0.12 | 63 | 570 | 11 | 1.53 | 2 | 11 |
| B003561 | | 3.61 | <10 | 0.33 | 0.33 | <10 | 0.87 | 266 | 28 | 0.14 | 57 | 660 | 9 | 1.52 | <2 | 10 |
| B003562 | | 3.61 | <10 | 0.30 | 0.29 | <10 | 1.15 | 298 | 17 | 0.14 | 42 | 580 | 9 | 1.38 | 2 | 11 |
| B003563 | | 4.14 | <10 | 0.37 | 0.31 | <10 | 1.18 | 357 | 22 | 0.13 | 47 | 640 | 9 | 1.46 | <2 | 11 |
| B003564 | | 3.70 | <10 | 0.34 | 0.29 | <10 | 1.23 | 301 | 16 | 0.13 | 39 | 540 | 8 | 1.27 | 2 | 10 |
| B003565 | | 3.91 | <10 | 0.62 | 0.31 | <10 | 1.05 | 302 | 23 | 0.14 | 51 | 480 | 9 | 1.58 | 2 | 11 |
| B003566 | | 3.96 | <10 | 0.46 | 0.30 | <10 | 1.34 | 382 | 14 | 0.14 | 42 | 600 | 8 | 1.38 | <2 | 11 |
| B003567 | | 3.87 | <10 | 0.41 | 0.31 | <10 | 0.96 | 319 | 20 | 0.14 | 50 | 690 | 10 | 1.53 | 2 | 11 |
| B003568 | | 3.44 | <10 | 0.42 | 0.31 | <10 | 0.80 | 258 | 30 | 0.15 | 59 | 560 | 8 | 1.50 | 3 | 11 |
| B003569 | | 3.34 | <10 | 0.32 | 0.30 | <10 | 0.93 | 365 | 16 | 0.14 | 41 | 600 | 9 | 1.36 | 3 | 10 |
| B003570 | | 3.80 | <10 | 0.38 | 0.29 | <10 | 1.00 | 350 | 11 | 0.17 | 30 | 510 | 9 | 1.66 | 3 | 11 |
| B003571 | | 2.94 | <10 | 0.08 | 0.27 | <10 | 0.78 | 355 | 1 | 0.08 | 11 | 620 | 9 | 0.50 | 4 | 7 |
| B003572 | | 3.17 | <10 | 0.09 | 0.27 | <10 | 0.90 | 362 | 1 | 0.09 | 16 | 610 | 8 | 0.40 | 2 | 9 |
| B003573 | | 2.97 | <10 | 0.10 | 0.29 | <10 | 0.92 | 440 | 1 | 0.09 | 17 | 690 | 7 | 0.36 | 3 | 9 |
| B003574 | | 3.00 | <10 | 0.09 | 0.26 | <10 | 1.01 | 464 | 1 | 0.08 | 13 | 730 | 6 | 0.31 | 2 | 10 |
| B003575 | | 3.14 | <10 | 0.09 | 0.29 | <10 | 1.10 | 545 | 1 | 0.07 | 12 | 680 | 6 | 0.41 | 4 | 8 |
| B003576 | | 2.81 | <10 | 0.09 | 0.26 | <10 | 0.93 | 381 | 1 | 0.08 | 13 | 600 | 6 | 0.35 | 3 | 9 |
| B003577 | | 3.17 | <10 | 0.12 | 0.29 | <10 | 0.77 | 387 | 1 | 0.10 | 17 | 710 | 8 | 0.51 | 5 | 9 |
| B003578 | | 2.75 | <10 | 0.12 | 0.25 | <10 | 0.71 | 351 | 2 | 0.10 | 15 | 680 | 9 | 0.62 | 5 | 9 |
| B003579 | | 2.72 | <10 | 0.09 | 0.26 | <10 | 0.74 | 373 | 1 | 0.08 | 12 | 710 | 4 | 0.33 | 3 | 9 |
| B003580 | | 2.82 | <10 | 0.08 | 0.25 | <10 | 0.79 | 393 | 1 | 0.08 | 12 | 700 | 5 | 0.32 | 4 | 9 |
| B003581 | | 2.89 | <10 | 0.13 | 0.26 | <10 | 0.75 | 374 | 1 | 0.08 | 12 | 790 | 6 | 0.64 | 4 | 8 |
| B003582 | | 3.02 | <10 | 0.13 | 0.27 | <10 | 0.79 | 379 | 2 | 0.10 | 11 | 750 | 6 | 0.75 | 4 | 8 |
| B003583 | | 3.57 | <10 | 0.11 | 0.28 | <10 | 0.88 | 421 | 1 | 0.09 | 13 | 820 | 8 | 0.84 | 6 | 8 |
| B003584 | | 3.78 | <10 | 0.18 | 0.30 | <10 | 0.99 | 427 | 3 | 0.15 | 20 | 720 | 9 | 0.98 | 5 | 10 |
| B003585 | | 3.51 | <10 | 0.15 | 0.28 | <10 | 0.92 | 396 | 1 | 0.11 | 14 | 810 | 7 | 0.82 | 5 | 9 |
| B003586 | | 3.90 | <10 | 0.15 | 0.25 | <10 | 4.49 | 563 | 7 | 0.15 | 216 | 170 | 4 | 0.60 | 3 | 9 |
| B003587 | | 4.54 | <10 | 0.23 | 0.22 | <10 | 6.49 | 672 | 2 | 0.18 | 316 | 150 | 3 | 0.59 | <2 | 11 |
| B003588 | | 4.18 | <10 | 0.12 | 0.25 | <10 | 2.14 | 869 | 2 | 0.12 | 44 | 760 | 6 | 0.39 | 2 | 11 |
| B003589 | | 4.00 | <10 | 0.03 | 0.35 | 10 | 1.54 | 1180 | 1 | 0.12 | 5 | 1080 | 4 | 0.17 | <2 | 9 |
| B003590 | | 4.74 | <10 | 0.05 | 0.27 | <10 | 1.93 | 1000 | 1 | 0.14 | 12 | 950 | 4 | 0.28 | <2 | 11 |
| B003591 | | 4.57 | <10 | 0.03 | 0.18 | <10 | 5.16 | 932 | 1 | 0.10 | 327 | 880 | 5 | 0.25 | <2 | 15 |
| B003592 | | 5.09 | 10 | 0.04 | 0.04 | <10 | 7.84 | 1035 | 1 | 0.07 | 494 | 1170 | 9 | 0.02 | <2 | 19 |
| B003593 | | 5.44 | 10 | 0.01 | 0.03 | 10 | 8.09 | 1030 | 1 | 0.07 | 456 | 1270 | 4 | <0.01 | <2 | 21 |
| B003594 | | 5.52 | 10 | 0.01 | 0.04 | 10 | 8.01 | 1020 | 1 | 0.07 | 431 | 1330 | 6 | 0.02 | <2 | 20 |
| B003595 | | 5.21 | 10 | 0.01 | 0.10 | <10 | 6.71 | 1005 | <1 | 0.07 | 436 | 1210 | 5 | 0.10 | <2 | 16 |
| B003596 | | 4.67 | <10 | 0.04 | 0.21 | 10 | 2.34 | 918 | 2 | 0.08 | 50 | 1220 | 5 | 0.38 | 2 | 12 |
| B003597 | | 8.24 | 10 | 0.01 | 0.07 | <10 | 3.55 | 1125 | 1 | 0.06 | 11 | 2400 | 3 | 0.09 | <2 | 23 |
| B003598 | | 8.70 | 10 | 0.03 | 0.08 | <10 | 3.48 | 1215 | 1 | 0.05 | 7 | 2220 | 4 | 0.60 | <2 | 23 |
| B003599 | | 7.24 | 10 | 0.02 | 0.07 | <10 | 3.27 | 959 | 1 | 0.05 | 2 | 3180 | 2 | 0.16 | <2 | 20 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 6 (A - C)
Finalized Date: 29-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|-----------|-----------|----------|----------|----------|----------|
| | | Sr ppm 1 | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| B003560 | | 116 | <0.01 | <10 | <10 | 46 | <10 | 403 |
| B003561 | | 104 | <0.01 | <10 | <10 | 44 | <10 | 440 |
| B003562 | | 141 | <0.01 | <10 | <10 | 44 | <10 | 438 |
| B003563 | | 146 | <0.01 | <10 | <10 | 50 | <10 | 654 |
| B003564 | | 105 | <0.01 | <10 | <10 | 48 | <10 | 439 |
| B003565 | | 84 | <0.01 | <10 | <10 | 62 | <10 | 646 |
| B003566 | | 105 | <0.01 | <10 | <10 | 60 | <10 | 359 |
| B003567 | | 86 | <0.01 | <10 | <10 | 44 | <10 | 396 |
| B003568 | | 80 | <0.01 | <10 | <10 | 47 | <10 | 540 |
| B003569 | | 92 | <0.01 | <10 | <10 | 30 | <10 | 387 |
| B003570 | | 116 | <0.01 | <10 | <10 | 28 | <10 | 180 |
| B003571 | | 128 | <0.01 | <10 | <10 | 17 | <10 | 72 |
| B003572 | | 177 | <0.01 | <10 | <10 | 19 | <10 | 82 |
| B003573 | | 202 | <0.01 | <10 | <10 | 20 | <10 | 85 |
| B003574 | | 224 | <0.01 | <10 | <10 | 21 | <10 | 74 |
| B003575 | | 271 | <0.01 | <10 | <10 | 16 | <10 | 74 |
| B003576 | | 180 | <0.01 | <10 | <10 | 18 | <10 | 72 |
| B003577 | | 160 | <0.01 | <10 | <10 | 19 | <10 | 85 |
| B003578 | | 119 | <0.01 | <10 | <10 | 19 | <10 | 89 |
| B003579 | | 108 | <0.01 | <10 | <10 | 15 | <10 | 71 |
| B003580 | | 118 | <0.01 | <10 | <10 | 15 | <10 | 62 |
| B003581 | | 87 | <0.01 | <10 | <10 | 17 | <10 | 79 |
| B003582 | | 88 | <0.01 | <10 | <10 | 17 | <10 | 82 |
| B003583 | | 87 | <0.01 | <10 | <10 | 19 | <10 | 91 |
| B003584 | | 89 | <0.01 | <10 | <10 | 27 | <10 | 120 |
| B003585 | | 81 | <0.01 | <10 | <10 | 22 | <10 | 100 |
| B003586 | | 281 | <0.01 | <10 | <10 | 23 | <10 | 180 |
| B003587 | | 297 | <0.01 | <10 | <10 | 34 | <10 | 89 |
| B003588 | | 165 | <0.01 | <10 | <10 | 36 | <10 | 108 |
| B003589 | | 126 | <0.01 | <10 | <10 | 43 | <10 | 62 |
| B003590 | | 126 | <0.01 | <10 | <10 | 57 | <10 | 79 |
| B003591 | | 758 | 0.01 | <10 | <10 | 94 | <10 | 61 |
| B003592 | | 994 | 0.03 | <10 | <10 | 134 | <10 | 51 |
| B003593 | | 577 | 0.02 | <10 | <10 | 164 | <10 | 52 |
| B003594 | | 579 | 0.03 | <10 | <10 | 152 | <10 | 54 |
| B003595 | | 569 | <0.01 | <10 | <10 | 106 | <10 | 68 |
| B003596 | | 136 | <0.01 | <10 | <10 | 49 | <10 | 68 |
| B003597 | | 136 | <0.01 | <10 | <10 | 222 | <10 | 88 |
| B003598 | | 110 | <0.01 | <10 | <10 | 210 | <10 | 87 |
| B003599 | | 86 | <0.01 | <10 | <10 | 164 | <10 | 84 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A

Total # Pages: 6 (A - C)

Finalized Date: 29-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Au Check | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | |
| | | kg | ppm | ppm | ppm | % | ppm | |
| B003600 | | 1.62 | <0.005 | | <0.2 | 3.05 | <2 | <10 | 90 | <0.5 | <2 | 4.24 | <0.5 | 25 | 3 | 20 | |
| B003601 | | 3.58 | <0.005 | | <0.2 | 3.80 | 3 | <10 | 300 | <0.5 | 2 | 4.16 | <0.5 | 28 | 17 | 23 | |
| B003602 | | 3.44 | <0.005 | | <0.2 | 3.02 | 8 | <10 | 50 | <0.5 | 2 | 4.01 | <0.5 | 32 | 7 | 67 | |
| B003603 | | 1.62 | 0.013 | | <0.2 | 0.77 | 27 | <10 | 80 | <0.5 | <2 | 2.61 | <0.5 | 46 | 91 | 228 | |
| B003604 | | 2.74 | <0.005 | | <0.2 | 0.34 | 16 | <10 | 430 | <0.5 | <2 | 2.32 | <0.5 | 12 | 39 | 79 | |
| B003605 | | 2.06 | 0.005 | | <0.2 | 0.28 | 18 | <10 | 250 | <0.5 | <2 | 2.40 | <0.5 | 11 | 66 | 106 | |
| B003606 | | 2.68 | <0.005 | | 0.3 | 0.14 | 6 | <10 | 250 | <0.5 | <2 | 1.83 | <0.5 | 10 | 50 | 42 | |
| B003607 | | 2.96 | 0.005 | | <0.2 | 0.30 | 24 | <10 | 260 | <0.5 | <2 | 1.74 | <0.5 | 18 | 98 | 377 | |
| B003608 | | 3.12 | <0.005 | | <0.2 | 0.30 | 54 | <10 | 150 | <0.5 | <2 | 1.25 | <0.5 | 20 | 27 | 312 | |
| B003609 | | 2.84 | <0.005 | | <0.2 | 0.49 | 6 | 10 | 170 | <0.5 | <2 | 0.90 | <0.5 | 5 | 31 | 100 | |
| B003610 | | 2.30 | <0.005 | | <0.2 | 0.16 | 15 | <10 | 150 | <0.5 | <2 | 1.46 | <0.5 | 9 | 10 | 27 | |
| B003611 | | 2.40 | <0.005 | | <0.2 | 0.16 | 23 | <10 | 150 | <0.5 | <2 | 0.90 | <0.5 | 11 | 14 | 22 | |
| B003612 | | 3.86 | <0.005 | | <0.2 | 0.37 | 17 | 10 | 80 | <0.5 | <2 | 2.30 | <0.5 | 17 | 3 | 12 | |
| B003613 | | 3.60 | 0.014 | | 0.2 | 0.20 | 47 | <10 | 130 | <0.5 | <2 | 2.27 | <0.5 | 10 | 6 | 39 | |
| B003614 | | 3.78 | 0.009 | | 0.3 | 0.17 | 39 | <10 | 50 | <0.5 | <2 | 2.28 | <0.5 | 10 | 5 | 41 | |
| B003615 | | 3.12 | <0.005 | | 0.3 | 0.21 | 27 | <10 | 50 | <0.5 | <2 | 2.30 | <0.5 | 9 | 4 | 37 | |
| B003616 | | 3.24 | 0.009 | | <0.2 | 0.36 | 47 | <10 | 30 | <0.5 | <2 | 3.32 | <0.5 | 16 | 22 | 31 | |
| B003617 | | 3.88 | <0.005 | | <0.2 | 1.78 | 9 | <10 | 40 | <0.5 | <2 | 4.57 | <0.5 | 24 | 7 | 7 | |
| B003618 | | 3.26 | <0.005 | | <0.2 | 2.34 | <2 | <10 | 40 | <0.5 | <2 | 5.21 | <0.5 | 23 | 11 | 3 | |
| B003619 | | 1.90 | <0.005 | | <0.2 | 2.46 | 8 | <10 | 30 | <0.5 | <2 | 6.02 | <0.5 | 39 | 7 | 8 | |
| B003620 | | 1.92 | <0.005 | | <0.2 | 2.15 | 11 | <10 | 30 | <0.5 | <2 | 6.17 | <0.5 | 46 | 8 | 8 | |
| B003621 | | 2.88 | <0.005 | | <0.2 | 2.06 | 6 | 10 | 840 | <0.5 | <2 | 5.93 | <0.5 | 23 | 5 | 4 | |
| B003622 | | 3.64 | <0.005 | | <0.2 | 3.22 | 10 | <10 | 110 | <0.5 | 2 | 4.80 | <0.5 | 29 | 8 | 4 | |
| B003623 | | 3.50 | 0.006 | | <0.2 | 3.47 | <2 | <10 | 340 | <0.5 | 3 | 4.49 | <0.5 | 29 | 6 | 6 | |
| B003624 | | 3.68 | <0.005 | | <0.2 | 3.22 | 8 | <10 | 280 | <0.5 | 3 | 4.55 | <0.5 | 29 | 4 | 9 | |
| B003625 | | 2.92 | <0.005 | | <0.2 | 2.34 | 2 | 10 | 80 | <0.5 | <2 | 4.69 | <0.5 | 27 | 6 | 87 | |
| B003626 | | 3.92 | 0.008 | | <0.2 | 3.52 | 4 | <10 | 680 | <0.5 | 2 | 4.28 | <0.5 | 26 | 10 | 109 | |
| B003627 | | 3.08 | <0.005 | | <0.2 | 3.38 | 2 | <10 | 2070 | <0.5 | 2 | 4.74 | <0.5 | 25 | 6 | 5 | |
| B003628 | | 3.52 | <0.005 | | <0.2 | 2.89 | 4 | <10 | 260 | <0.5 | <2 | 5.12 | <0.5 | 25 | 9 | 5 | |
| B003629 | | 3.02 | <0.005 | | <0.2 | 3.90 | 4 | <10 | 80 | <0.5 | 2 | 4.05 | <0.5 | 38 | 9 | 5 | |
| B003630 | | 3.60 | <0.005 | | <0.2 | 3.13 | 4 | <10 | 100 | <0.5 | 2 | 4.64 | <0.5 | 33 | 7 | 5 | |
| B003631 | | 2.26 | <0.005 | | <0.2 | 2.28 | 5 | <10 | 360 | <0.5 | <2 | 4.62 | <0.5 | 11 | <1 | 4 | |
| B003632 | | 1.88 | <0.005 | | <0.2 | 1.46 | 9 | <10 | 160 | <0.5 | 2 | 3.79 | <0.5 | 14 | 3 | 38 | |
| B003633 | | 1.86 | <0.005 | | <0.2 | 1.76 | 8 | <10 | 120 | <0.5 | <2 | 4.07 | <0.5 | 20 | 7 | 3 | |
| B003634 | | 1.28 | 0.007 | | <0.2 | 0.16 | 40 | <10 | 120 | <0.5 | <2 | 1.33 | <0.5 | 14 | 31 | 18 | |
| B003635 | | 1.38 | <0.005 | | <0.2 | 0.64 | 16 | 10 | 510 | <0.5 | <2 | 2.10 | <0.5 | 5 | 3 | 9 | |
| B003636 | | 0.78 | 0.011 | | <0.2 | 0.24 | 63 | <10 | 160 | <0.5 | <2 | 4.88 | <0.5 | 15 | 50 | 19 | |
| B003637 | | 1.88 | 0.010 | | 0.3 | 0.37 | 40 | <10 | 300 | <0.5 | <2 | 1.57 | <0.5 | 15 | 3 | 14 | |
| B003638 | | 0.32 | 0.015 | | <0.2 | 0.41 | 51 | 10 | 210 | <0.5 | <2 | 1.48 | <0.5 | 11 | 44 | 11 | |
| B003639 | | 0.38 | 0.008 | | 0.3 | 1.35 | 635 | 20 | 250 | 0.9 | <2 | 1.34 | <0.5 | 27 | 17 | 252 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 6 (A - C)
Finalized Date: 29-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|
| | | Fe % 0.01 | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 |
| B003600 | | 7.62 | 10 | 0.03 | 0.07 | <10 | 3.45 | 1060 | 1 | 0.05 | 1 | 3230 | <2 | 0.18 | <2 | 22 |
| B003601 | | 8.76 | 10 | 0.02 | 0.07 | <10 | 4.38 | 1170 | 1 | 0.06 | 7 | 2290 | <2 | 0.27 | <2 | 24 |
| B003602 | | 7.38 | 10 | 0.03 | 0.08 | <10 | 3.71 | 886 | 2 | 0.06 | 10 | 2390 | 2 | 0.51 | <2 | 21 |
| B003603 | | 3.86 | <10 | 0.08 | 0.06 | <10 | 1.60 | 483 | 6 | 0.05 | 49 | 680 | 5 | 1.32 | 2 | 7 |
| B003604 | | 2.22 | <10 | 0.04 | 0.12 | <10 | 1.18 | 357 | 2 | 0.05 | 23 | 450 | 2 | 0.47 | <2 | 4 |
| B003605 | | 1.81 | <10 | 0.04 | 0.13 | <10 | 0.77 | 308 | 1 | 0.04 | 18 | 600 | 2 | 0.43 | <2 | 4 |
| B003606 | | 1.48 | <10 | 0.03 | 0.06 | <10 | 0.75 | 244 | 1 | 0.03 | 15 | 370 | <2 | 0.43 | <2 | 3 |
| B003607 | | 1.52 | <10 | 0.05 | 0.12 | <10 | 0.68 | 246 | 2 | 0.05 | 37 | 1280 | <2 | 0.52 | 2 | 4 |
| B003608 | | 2.02 | <10 | 0.05 | 0.12 | <10 | 0.91 | 232 | 3 | 0.05 | 64 | 320 | 2 | 0.36 | <2 | 4 |
| B003609 | | 2.29 | <10 | 0.01 | 0.19 | 10 | 1.20 | 223 | <1 | 0.06 | 15 | 260 | <2 | 0.10 | <2 | 4 |
| B003610 | | 1.45 | <10 | 0.02 | 0.05 | <10 | 0.84 | 325 | 1 | 0.02 | 26 | 670 | <2 | 0.17 | <2 | 3 |
| B003611 | | 1.32 | <10 | 0.01 | 0.06 | <10 | 0.70 | 201 | <1 | 0.03 | 30 | 160 | <2 | 0.10 | <2 | 4 |
| B003612 | | 4.39 | <10 | 0.03 | 0.11 | <10 | 1.89 | 566 | 1 | 0.06 | 17 | 870 | <2 | 0.22 | <2 | 11 |
| B003613 | | 2.60 | <10 | 0.09 | 0.09 | <10 | 0.87 | 376 | 5 | 0.04 | 52 | 690 | 8 | 1.83 | 2 | 6 |
| B003614 | | 2.45 | <10 | 0.08 | 0.08 | <10 | 0.87 | 411 | 3 | 0.04 | 37 | 510 | 6 | 1.50 | <2 | 5 |
| B003615 | | 2.26 | <10 | 0.06 | 0.10 | <10 | 0.88 | 395 | 2 | 0.04 | 30 | 570 | 5 | 1.11 | <2 | 5 |
| B003616 | | 4.44 | <10 | 0.08 | 0.15 | <10 | 1.50 | 609 | 5 | 0.06 | 38 | 1320 | 7 | 1.74 | <2 | 9 |
| B003617 | | 7.41 | 10 | 0.04 | 0.11 | <10 | 3.20 | 1065 | 1 | 0.07 | 3 | 2240 | <2 | 0.17 | 2 | 22 |
| B003618 | | 7.76 | 10 | 0.02 | 0.05 | <10 | 3.34 | 1240 | 1 | 0.05 | 5 | 2290 | <2 | 0.08 | <2 | 22 |
| B003619 | | 8.06 | 10 | 0.03 | 0.09 | <10 | 3.61 | 1420 | 1 | 0.07 | 6 | 2320 | 2 | 0.41 | 2 | 25 |
| B003620 | | 8.01 | 10 | 0.04 | 0.07 | <10 | 3.53 | 1440 | 1 | 0.06 | 6 | 2320 | <2 | 0.73 | <2 | 24 |
| B003621 | | 6.87 | 10 | 0.04 | 0.10 | <10 | 3.26 | 1155 | 1 | 0.07 | 4 | 1860 | 2 | 0.23 | <2 | 19 |
| B003622 | | 8.67 | 10 | 0.03 | 0.06 | <10 | 3.74 | 1220 | 2 | 0.05 | 3 | 2350 | 2 | 0.19 | <2 | 26 |
| B003623 | | 8.69 | 10 | 0.02 | 0.06 | <10 | 3.67 | 1250 | 2 | 0.05 | 3 | 2280 | 4 | 0.15 | 2 | 23 |
| B003624 | | 8.56 | 10 | 0.03 | 0.04 | <10 | 3.44 | 1275 | 1 | 0.05 | 2 | 2280 | 2 | 0.17 | <2 | 24 |
| B003625 | | 7.98 | 10 | 0.10 | 0.09 | <10 | 3.23 | 1190 | 1 | 0.07 | 6 | 2250 | 5 | 0.12 | 2 | 25 |
| B003626 | | 8.75 | 10 | 0.04 | 0.04 | <10 | 3.51 | 1130 | 1 | 0.04 | 6 | 2400 | 2 | 0.05 | <2 | 26 |
| B003627 | | 8.63 | 10 | 0.03 | 0.06 | <10 | 3.39 | 1225 | 1 | 0.06 | 4 | 2220 | <2 | 0.09 | <2 | 25 |
| B003628 | | 8.56 | 10 | 0.02 | 0.06 | <10 | 3.32 | 1190 | 1 | 0.06 | 4 | 2250 | 2 | 0.04 | <2 | 25 |
| B003629 | | 8.99 | 10 | 0.02 | 0.04 | <10 | 4.02 | 1090 | 2 | 0.05 | 4 | 2490 | <2 | 0.58 | <2 | 24 |
| B003630 | | 7.83 | 10 | 0.03 | 0.06 | <10 | 3.46 | 1085 | 1 | 0.07 | 7 | 2910 | <2 | 0.37 | 2 | 21 |
| B003631 | | 6.41 | 10 | 0.05 | 0.07 | 10 | 2.47 | 974 | 1 | 0.07 | <1 | 5040 | 4 | 0.05 | <2 | 16 |
| B003632 | | 5.86 | 10 | 0.07 | 0.05 | 10 | 2.34 | 750 | 1 | 0.06 | <1 | 4040 | 2 | 0.20 | <2 | 14 |
| B003633 | | 7.06 | 10 | 0.04 | 0.07 | <10 | 3.02 | 969 | 1 | 0.08 | 4 | 3830 | <2 | 0.31 | <2 | 16 |
| B003634 | | 1.74 | <10 | 0.07 | 0.06 | <10 | 0.72 | 199 | 4 | 0.03 | 38 | 210 | 2 | 0.77 | <2 | 3 |
| B003635 | | 2.19 | <10 | 0.08 | 0.19 | 10 | 1.16 | 329 | 1 | 0.04 | 13 | 4000 | <2 | 0.39 | <2 | 4 |
| B003636 | | 3.51 | <10 | 0.11 | 0.08 | <10 | 2.48 | 1490 | 3 | 0.03 | 61 | 240 | 5 | 1.60 | 2 | 6 |
| B003637 | | 2.45 | <10 | 0.11 | 0.14 | <10 | 1.02 | 318 | 2 | 0.04 | 36 | 550 | 3 | 1.14 | 2 | 3 |
| B003638 | | 2.40 | <10 | 0.10 | 0.13 | <10 | 0.85 | 223 | 2 | 0.04 | 24 | 760 | <2 | 1.06 | <2 | 3 |
| B003639 | | 3.62 | <10 | 0.80 | 0.49 | 10 | 1.06 | 474 | 6 | 0.20 | 58 | 1190 | 9 | 1.24 | 9 | 10 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 6 (A - C)
Finalized Date: 29-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|-----------|-----------|----------|----------|----------|----------|
| | | Sr ppm 1 | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| B003600 | | 94 | <0.01 | <10 | <10 | 167 | <10 | 86 |
| B003601 | | 107 | <0.01 | <10 | <10 | 246 | <10 | 82 |
| B003602 | | 106 | <0.01 | <10 | <10 | 165 | <10 | 77 |
| B003603 | | 72 | <0.01 | <10 | <10 | 44 | <10 | 25 |
| B003604 | | 79 | <0.01 | <10 | <10 | 13 | <10 | 20 |
| B003605 | | 100 | <0.01 | <10 | <10 | 7 | <10 | 19 |
| B003606 | | 62 | <0.01 | <10 | <10 | 6 | <10 | 8 |
| B003607 | | 72 | <0.01 | <10 | <10 | 9 | <10 | 11 |
| B003608 | | 49 | <0.01 | <10 | <10 | 10 | <10 | 28 |
| B003609 | | 39 | <0.01 | <10 | <10 | 5 | <10 | 42 |
| B003610 | | 48 | <0.01 | <10 | <10 | 10 | <10 | 21 |
| B003611 | | 37 | <0.01 | <10 | <10 | 8 | <10 | 19 |
| B003612 | | 94 | <0.01 | <10 | <10 | 60 | <10 | 46 |
| B003613 | | 88 | <0.01 | <10 | <10 | 13 | <10 | 11 |
| B003614 | | 82 | <0.01 | <10 | <10 | 10 | <10 | 14 |
| B003615 | | 85 | <0.01 | <10 | <10 | 11 | <10 | 10 |
| B003616 | | 124 | <0.01 | <10 | <10 | 35 | <10 | 25 |
| B003617 | | 132 | <0.01 | <10 | <10 | 177 | <10 | 74 |
| B003618 | | 126 | <0.01 | <10 | <10 | 199 | <10 | 81 |
| B003619 | | 122 | <0.01 | <10 | <10 | 192 | <10 | 81 |
| B003620 | | 126 | <0.01 | <10 | <10 | 174 | <10 | 74 |
| B003621 | | 146 | <0.01 | <10 | <10 | 152 | <10 | 61 |
| B003622 | | 118 | <0.01 | <10 | <10 | 248 | <10 | 84 |
| B003623 | | 99 | <0.01 | <10 | <10 | 256 | <10 | 81 |
| B003624 | | 95 | <0.01 | <10 | <10 | 246 | <10 | 76 |
| B003625 | | 130 | <0.01 | <10 | <10 | 203 | <10 | 81 |
| B003626 | | 102 | <0.01 | <10 | <10 | 249 | <10 | 86 |
| B003627 | | 144 | 0.01 | <10 | <10 | 246 | <10 | 86 |
| B003628 | | 109 | <0.01 | <10 | <10 | 211 | <10 | 84 |
| B003629 | | 87 | <0.01 | <10 | <10 | 261 | <10 | 85 |
| B003630 | | 94 | <0.01 | <10 | <10 | 203 | <10 | 68 |
| B003631 | | 95 | <0.01 | <10 | <10 | 91 | <10 | 51 |
| B003632 | | 115 | <0.01 | <10 | <10 | 63 | <10 | 56 |
| B003633 | | 141 | <0.01 | <10 | <10 | 121 | <10 | 69 |
| B003634 | | 52 | <0.01 | <10 | <10 | 10 | <10 | 12 |
| B003635 | | 142 | <0.01 | <10 | <10 | 9 | <10 | 19 |
| B003636 | | 140 | <0.01 | <10 | <10 | 12 | <10 | 17 |
| B003637 | | 80 | <0.01 | <10 | <10 | 11 | <10 | 26 |
| B003638 | | 72 | <0.01 | <10 | <10 | 12 | <10 | 18 |
| B003639 | | 141 | <0.01 | <10 | <10 | 56 | <10 | 63 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A

Total # Pages: 6 (A - C)

Finalized Date: 29-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Au Check | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu |
| | | kg | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm |
| B003640 | | 0.42 | 0.005 | | 0.3 | 1.51 | 591 | 20 | 200 | 1.0 | <2 | 0.80 | <0.5 | 25 | 22 | 260 |
| B003641 | | 2.98 | <0.005 | | <0.2 | 2.37 | 33 | 10 | 70 | <0.5 | <2 | 4.20 | <0.5 | 27 | 19 | 66 |
| B003642 | | 3.66 | <0.005 | | <0.2 | 0.53 | 8 | 10 | 210 | <0.5 | <2 | 3.54 | <0.5 | 16 | 4 | 34 |
| B003643 | | 3.94 | <0.005 | | <0.2 | 0.73 | <2 | 10 | 290 | <0.5 | <2 | 3.97 | <0.5 | 16 | 1 | 14 |
| B003644 | | 1.20 | <0.005 | | <0.2 | 0.37 | 4 | <10 | 230 | <0.5 | <2 | 5.77 | <0.5 | 20 | 7 | 50 |
| B003645 | | 2.86 | <0.005 | | 0.2 | 0.69 | 12 | 10 | 2890 | <0.5 | <2 | 5.97 | <0.5 | 24 | 47 | 63 |
| B003646 | | 3.60 | <0.005 | | <0.2 | 0.39 | <2 | <10 | 900 | <0.5 | <2 | 4.32 | <0.5 | 21 | 53 | 59 |
| B003647 | | 3.86 | <0.005 | | <0.2 | 0.40 | 16 | <10 | 2450 | <0.5 | <2 | 4.88 | <0.5 | 12 | 5 | 121 |
| B003648 | | 4.04 | <0.005 | | <0.2 | 0.56 | 9 | 10 | 470 | 0.5 | 2 | 2.18 | <0.5 | 25 | 5 | 5 |
| B003649 | | 3.74 | <0.005 | | <0.2 | 0.49 | 9 | 10 | 2510 | <0.5 | <2 | 8.64 | <0.5 | 24 | 21 | 34 |
| B003650 | | 3.56 | <0.005 | | <0.2 | 2.62 | 2 | 10 | 60 | <0.5 | <2 | 6.46 | <0.5 | 30 | 56 | 42 |
| B003651 | | 2.90 | <0.005 | | <0.2 | 3.56 | 4 | 10 | 200 | <0.5 | <2 | 7.19 | <0.5 | 32 | 64 | 52 |
| B003652 | | 3.74 | <0.005 | | <0.2 | 3.74 | 4 | <10 | 470 | <0.5 | 2 | 6.45 | <0.5 | 32 | 69 | 26 |
| B003653 | | 3.40 | <0.005 | | <0.2 | 3.71 | 4 | <10 | 110 | <0.5 | <2 | 6.21 | <0.5 | 32 | 69 | 26 |
| B003654 | | 3.90 | <0.005 | | <0.2 | 3.54 | 5 | <10 | 680 | <0.5 | 2 | 4.88 | <0.5 | 32 | 75 | 7 |
| B003655 | | 3.34 | <0.005 | | 0.4 | 3.78 | 3 | <10 | 580 | <0.5 | 2 | 5.58 | <0.5 | 38 | 233 | 275 |
| B003656 | | 2.36 | 0.006 | | <0.2 | 3.09 | 2 | 10 | 590 | <0.5 | 2 | 4.82 | <0.5 | 32 | 168 | 324 |
| B003657 | | 1.04 | <0.005 | | <0.2 | 0.49 | 8 | <10 | 980 | <0.5 | <2 | 6.48 | <0.5 | 26 | 32 | 36 |
| B003658 | | 3.16 | <0.005 | | <0.2 | 3.52 | 3 | <10 | 450 | <0.5 | 2 | 3.34 | <0.5 | 33 | 65 | 63 |
| B003659 | | 1.86 | 0.005 | | <0.2 | 3.26 | 2 | <10 | 180 | <0.5 | <2 | 4.58 | <0.5 | 32 | 51 | 15 |
| B003660 | | 1.92 | <0.005 | | <0.2 | 3.10 | <2 | <10 | 170 | <0.5 | 2 | 4.64 | <0.5 | 31 | 51 | 15 |
| B003661 | | 3.36 | <0.005 | | <0.2 | 3.39 | <2 | <10 | 190 | <0.5 | <2 | 5.34 | <0.5 | 24 | 47 | 5 |
| B003662 | | 3.78 | <0.005 | | <0.2 | 3.57 | <2 | <10 | 350 | <0.5 | 2 | 4.45 | <0.5 | 26 | 35 | 3 |
| B003663 | | 3.86 | <0.005 | | <0.2 | 3.35 | 4 | <10 | 820 | 0.7 | <2 | 6.84 | <0.5 | 31 | 33 | 107 |
| B003664 | | 3.78 | <0.005 | | <0.2 | 2.86 | 4 | <10 | 650 | 0.8 | <2 | 6.27 | <0.5 | 32 | 37 | 136 |
| B003665 | | 3.28 | <0.005 | | <0.2 | 2.63 | 17 | 10 | 590 | 0.8 | <2 | 7.39 | <0.5 | 31 | 63 | 119 |
| B003666 | | 4.36 | <0.005 | | <0.2 | 2.40 | 12 | 10 | 590 | 0.9 | 2 | 6.87 | <0.5 | 33 | 47 | 173 |
| B003667 | | 3.12 | <0.005 | | <0.2 | 0.60 | 3 | <10 | 2800 | 0.6 | <2 | 5.55 | <0.5 | 26 | 10 | 38 |
| B003668 | | 3.02 | <0.005 | | <0.2 | 2.49 | 9 | 10 | 660 | 0.5 | <2 | 4.81 | <0.5 | 36 | 33 | 86 |
| B003669 | | 2.72 | <0.005 | | 0.2 | 3.19 | 7 | 10 | 980 | 0.8 | <2 | 8.43 | <0.5 | 30 | 43 | 172 |
| B003670 | | 2.68 | <0.005 | | <0.2 | 3.20 | 6 | <10 | 730 | 0.8 | <2 | 8.48 | <0.5 | 31 | 100 | 97 |
| B003671 | | 3.00 | 0.005 | | <0.2 | 0.57 | 8 | 10 | 40 | 0.5 | <2 | 3.99 | <0.5 | 14 | 2 | 24 |
| B003672 | | 2.64 | <0.005 | | <0.2 | 0.40 | 12 | 10 | 40 | 0.8 | <2 | 0.93 | <0.5 | 8 | 7 | 13 |
| B003673 | | 2.58 | 0.093 | | 0.6 | 0.50 | 38 | 10 | 40 | 0.7 | 2 | 2.78 | 3.0 | 10 | 2 | 60 |
| B003674 | | 2.34 | 0.057 | | 0.3 | 0.36 | 60 | 10 | 50 | 0.7 | <2 | 3.42 | 3.9 | 9 | 5 | 142 |
| B003675 | | 0.56 | 0.101 | | 0.2 | 0.50 | 26 | 10 | 80 | 0.7 | <2 | 2.96 | 2.4 | 10 | 1 | 51 |
| B003676 | | 1.82 | <0.005 | | 0.2 | 0.35 | 12 | 10 | 230 | 1.0 | <2 | 1.32 | <0.5 | 12 | 3 | 42 |
| B003677 | | 2.92 | <0.005 | | <0.2 | 0.34 | 9 | 10 | 1680 | 0.7 | <2 | 1.56 | <0.5 | 8 | <1 | 20 |
| B003678 | | 1.40 | <0.005 | | <0.2 | 0.44 | 3 | 10 | 1720 | 0.9 | <2 | 1.50 | <0.5 | 11 | 4 | 23 |
| B003679 | | 1.28 | <0.005 | <0.005 | <0.2 | 0.34 | <2 | 10 | 650 | 0.5 | <2 | 1.96 | <0.5 | 8 | 2 | 18 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B

Total # Pages: 6 (A - C)

Finalized Date: 29-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm |
| | | 0.01 | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 |
| B003640 | | 3.30 | <10 | 0.78 | 0.57 | 10 | 0.95 | 457 | 5 | 0.20 | 58 | 1210 | 6 | 0.80 | 8 | 11 |
| B003641 | | 6.61 | 10 | 0.17 | 0.11 | 10 | 3.50 | 1255 | 1 | 0.08 | 13 | 1470 | 2 | 0.29 | <2 | 16 |
| B003642 | | 5.00 | <10 | 0.11 | 0.30 | <10 | 2.29 | 1770 | <1 | 0.07 | 9 | 920 | 3 | 0.02 | <2 | 8 |
| B003643 | | 4.69 | <10 | 0.02 | 0.41 | <10 | 2.16 | 1275 | <1 | 0.06 | 4 | 970 | <2 | 0.01 | <2 | 7 |
| B003644 | | 5.33 | <10 | 0.04 | 0.17 | <10 | 3.22 | 1200 | <1 | 0.05 | 4 | 760 | 3 | 0.01 | 2 | 9 |
| B003645 | | 5.02 | <10 | 0.64 | 0.25 | <10 | 3.87 | 950 | <1 | 0.06 | 45 | 110 | 3 | 0.11 | <2 | 14 |
| B003646 | | 5.70 | <10 | 0.07 | 0.19 | <10 | 2.86 | 779 | <1 | 0.05 | 55 | 210 | 3 | 0.03 | <2 | 12 |
| B003647 | | 6.78 | <10 | 0.74 | 0.15 | <10 | 2.95 | 802 | <1 | 0.04 | 18 | 260 | 3 | 0.14 | 2 | 7 |
| B003648 | | 12.50 | <10 | 0.04 | 0.21 | 10 | 2.81 | 891 | 1 | 0.05 | 19 | 1320 | 5 | 0.03 | 3 | 9 |
| B003649 | | 5.29 | <10 | 0.07 | 0.24 | <10 | 4.75 | 1055 | <1 | 0.07 | 39 | 230 | 8 | 0.12 | 2 | 17 |
| B003650 | | 5.50 | 10 | 0.01 | 0.17 | <10 | 3.66 | 960 | <1 | 0.05 | 49 | 700 | 2 | 0.01 | <2 | 16 |
| B003651 | | 5.45 | 10 | 0.01 | 0.16 | <10 | 4.20 | 1095 | <1 | 0.06 | 54 | 710 | <2 | 0.01 | <2 | 19 |
| B003652 | | 5.96 | 10 | 0.01 | 0.13 | <10 | 4.22 | 998 | <1 | 0.05 | 55 | 720 | 2 | 0.02 | <2 | 19 |
| B003653 | | 6.75 | 10 | 0.01 | 0.10 | <10 | 4.43 | 1050 | <1 | 0.05 | 56 | 720 | <2 | 0.01 | <2 | 22 |
| B003654 | | 6.58 | 10 | 0.01 | 0.08 | <10 | 4.46 | 948 | <1 | 0.06 | 58 | 730 | 2 | 0.02 | <2 | 21 |
| B003655 | | 5.48 | 10 | 0.01 | 0.23 | <10 | 4.71 | 1015 | <1 | 0.04 | 105 | 280 | 18 | 0.03 | 2 | 16 |
| B003656 | | 5.62 | 10 | 0.07 | 0.14 | 10 | 4.11 | 957 | 1 | 0.04 | 89 | 260 | 9 | 0.03 | <2 | 15 |
| B003657 | | 5.31 | <10 | 0.08 | 0.04 | <10 | 3.87 | 882 | <1 | 0.03 | 44 | 570 | 3 | 0.04 | <2 | 17 |
| B003658 | | 5.94 | 10 | 0.03 | 0.11 | <10 | 5.06 | 881 | <1 | 0.03 | 57 | 720 | 3 | 0.01 | <2 | 20 |
| B003659 | | 6.34 | 10 | 0.01 | 0.18 | <10 | 4.84 | 1120 | <1 | 0.04 | 47 | 690 | 3 | 0.01 | <2 | 14 |
| B003660 | | 6.27 | 10 | 0.01 | 0.14 | <10 | 4.79 | 1110 | <1 | 0.03 | 47 | 680 | 3 | 0.01 | <2 | 13 |
| B003661 | | 5.77 | 10 | 0.02 | 0.23 | <10 | 4.47 | 1065 | <1 | 0.04 | 37 | 730 | 2 | 0.01 | <2 | 13 |
| B003662 | | 6.24 | 10 | <0.01 | 0.15 | <10 | 4.50 | 1080 | 1 | 0.03 | 35 | 800 | 2 | 0.01 | <2 | 12 |
| B003663 | | 6.50 | 10 | 0.01 | 0.09 | 20 | 3.72 | 1205 | <1 | 0.04 | 21 | 2930 | 5 | 0.04 | <2 | 19 |
| B003664 | | 4.70 | 10 | 0.01 | 0.03 | 10 | 3.33 | 1050 | 1 | 0.03 | 21 | 3010 | 10 | 0.04 | <2 | 17 |
| B003665 | | 6.86 | 10 | 0.05 | 0.07 | 20 | 3.47 | 1330 | 1 | 0.04 | 23 | 2780 | 9 | 0.03 | 2 | 29 |
| B003666 | | 6.38 | 10 | 0.03 | 0.07 | 20 | 3.58 | 1225 | <1 | 0.05 | 20 | 3400 | 6 | 0.03 | 2 | 27 |
| B003667 | | 5.49 | <10 | 0.02 | 0.21 | 10 | 3.12 | 1130 | <1 | 0.04 | 15 | 1590 | 5 | 0.08 | 3 | 14 |
| B003668 | | 5.84 | 10 | 0.02 | 0.14 | 10 | 3.61 | 1185 | <1 | 0.05 | 22 | 1800 | 2 | 0.04 | <2 | 17 |
| B003669 | | 6.17 | 10 | 0.01 | 0.15 | 20 | 3.09 | 1250 | <1 | 0.05 | 27 | 3020 | 12 | 0.06 | <2 | 24 |
| B003670 | | 5.48 | 10 | <0.01 | 0.07 | 20 | 3.57 | 1290 | <1 | 0.04 | 34 | 2230 | 10 | 0.09 | <2 | 25 |
| B003671 | | 3.87 | <10 | 0.52 | 0.32 | 10 | 1.52 | 1820 | 1 | 0.04 | 5 | 840 | 9 | 2.57 | 3 | 8 |
| B003672 | | 3.41 | <10 | 0.24 | 0.24 | 10 | 0.29 | 484 | 2 | 0.02 | 5 | 930 | 15 | 3.62 | <2 | 2 |
| B003673 | | 3.30 | <10 | 0.94 | 0.32 | <10 | 0.78 | 1315 | 2 | 0.02 | 10 | 810 | 65 | 2.52 | <2 | 4 |
| B003674 | | 3.23 | <10 | 1.05 | 0.24 | <10 | 1.05 | 1995 | 2 | 0.02 | 9 | 950 | 118 | 1.79 | 2 | 4 |
| B003675 | | 3.03 | <10 | 0.50 | 0.31 | <10 | 0.87 | 1660 | 3 | 0.02 | 8 | 730 | 28 | 1.59 | 2 | 4 |
| B003676 | | 3.30 | <10 | 0.23 | 0.27 | <10 | 0.55 | 766 | 2 | 0.02 | 5 | 590 | 2 | 0.87 | 2 | 5 |
| B003677 | | 3.27 | <10 | 0.46 | 0.27 | <10 | 0.68 | 788 | <1 | 0.02 | 4 | 440 | <2 | 0.13 | <2 | 5 |
| B003678 | | 3.98 | <10 | 0.10 | 0.31 | 10 | 0.71 | 1025 | <1 | 0.03 | 6 | 1220 | <2 | 0.17 | <2 | 5 |
| B003679 | | 3.34 | <10 | 0.31 | 0.24 | 10 | 0.68 | 1020 | <1 | 0.04 | 8 | 1230 | 6 | 0.05 | 2 | 6 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 6 (A - C)
Finalized Date: 29-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | ME-ICP41 Sr ppm 1 | ME-ICP41 Tl % 0.01 | ME-ICP41 Tl ppm 10 | ME-ICP41 U ppm 10 | ME-ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME-ICP41 Zn ppm 2 |
|--------------------|-----------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|----------------------------|----------------------------|
| B003640 | | 112 | <0.01 | <10 | <10 | 56 | <10 | 68 |
| B003641 | | 132 | <0.01 | <10 | <10 | 197 | <10 | 70 |
| B003642 | | 150 | 0.01 | <10 | <10 | 63 | <10 | 72 |
| B003643 | | 119 | 0.01 | <10 | <10 | 59 | <10 | 81 |
| B003644 | | 189 | 0.01 | <10 | <10 | 95 | <10 | 93 |
| B003645 | | 202 | <0.01 | <10 | <10 | 100 | <10 | 94 |
| B003646 | | 120 | 0.01 | <10 | <10 | 77 | <10 | 79 |
| B003647 | | 158 | 0.01 | <10 | <10 | 90 | <10 | 77 |
| B003648 | | 73 | 0.02 | <10 | <10 | 141 | <10 | 108 |
| B003649 | | 312 | <0.01 | <10 | <10 | 150 | <10 | 110 |
| B003650 | | 215 | 0.01 | <10 | <10 | 133 | <10 | 83 |
| B003651 | | 235 | 0.02 | <10 | <10 | 166 | <10 | 83 |
| B003652 | | 222 | 0.04 | <10 | <10 | 164 | <10 | 92 |
| B003653 | | 176 | 0.03 | <10 | <10 | 185 | <10 | 89 |
| B003654 | | 166 | 0.04 | <10 | <10 | 190 | <10 | 97 |
| B003655 | | 192 | 0.01 | <10 | <10 | 123 | <10 | 132 |
| B003656 | | 196 | 0.01 | <10 | <10 | 130 | <10 | 120 |
| B003657 | | 349 | <0.01 | <10 | <10 | 118 | <10 | 102 |
| B003658 | | 165 | 0.01 | <10 | <10 | 167 | <10 | 92 |
| B003659 | | 228 | 0.03 | <10 | <10 | 133 | <10 | 90 |
| B003660 | | 229 | 0.03 | <10 | <10 | 132 | <10 | 90 |
| B003661 | | 222 | 0.03 | <10 | <10 | 119 | <10 | 78 |
| B003662 | | 164 | 0.02 | <10 | <10 | 137 | <10 | 89 |
| B003663 | | 871 | 0.08 | <10 | <10 | 201 | <10 | 94 |
| B003664 | | 866 | 0.12 | <10 | <10 | 142 | <10 | 100 |
| B003665 | | 665 | 0.03 | <10 | <10 | 235 | <10 | 97 |
| B003666 | | 571 | 0.06 | <10 | <10 | 197 | <10 | 89 |
| B003667 | | 271 | 0.01 | <10 | <10 | 152 | <10 | 93 |
| B003668 | | 285 | 0.01 | <10 | <10 | 154 | <10 | 97 |
| B003669 | | 673 | 0.02 | <10 | <10 | 210 | <10 | 86 |
| B003670 | | 1110 | 0.07 | <10 | <10 | 145 | <10 | 92 |
| B003671 | | 876 | <0.01 | <10 | <10 | 21 | <10 | 64 |
| B003672 | | 282 | <0.01 | <10 | <10 | 5 | <10 | 39 |
| B003673 | | 447 | <0.01 | <10 | <10 | 10 | <10 | 438 |
| B003674 | | 300 | <0.01 | <10 | <10 | 10 | <10 | 521 |
| B003675 | | 134 | <0.01 | <10 | <10 | 11 | <10 | 246 |
| B003676 | | 319 | <0.01 | <10 | <10 | 18 | <10 | 75 |
| B003677 | | 367 | <0.01 | <10 | <10 | 19 | <10 | 81 |
| B003678 | | 333 | <0.01 | <10 | <10 | 24 | <10 | 78 |
| B003679 | | 157 | 0.01 | <10 | <10 | 54 | <10 | 43 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - A
Total # Pages: 6 (A - C)
Finalized Date: 29-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | Au-AA23 Au Check | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Ca | ME-ICP41 Cd | ME-ICP41 Co | ME-ICP41 Cr | ME-ICP41 Cu | ME-ICP41 |
|--------------------|--------------------------|------------------|------------|------------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------|
| | | kg | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | |
| B003680 | | 1.22 | <0.005 | | <0.2 | 0.56 | 5 | 10 | 680 | 0.6 | <2 | 2.52 | <0.5 | 10 | 9 | 17 | |
| B003681 | | 1.28 | <0.005 | | 0.3 | 0.50 | 14 | 10 | 40 | 0.7 | <2 | 1.40 | <0.5 | 17 | 2 | 37 | |
| B003682 | | 2.94 | <0.005 | | <0.2 | 0.39 | 4 | 10 | 300 | 0.6 | <2 | 3.01 | <0.5 | 9 | 5 | 8 | |
| B003683 | | 4.02 | <0.005 | | <0.2 | 0.61 | 2 | 10 | 740 | 0.6 | <2 | 3.41 | <0.5 | 7 | 1 | 9 | |
| B003684 | | 3.76 | <0.005 | | 0.2 | 0.50 | 25 | 10 | 120 | 0.8 | <2 | 2.51 | <0.5 | 12 | 6 | 28 | |
| B003685 | | 2.78 | <0.005 | | 0.2 | 0.41 | 15 | 10 | 160 | 0.8 | <2 | 2.55 | <0.5 | 11 | 1 | 32 | |
| B003686 | | 2.76 | <0.005 | | 0.2 | 0.32 | 19 | 10 | 160 | 0.8 | <2 | 1.93 | <0.5 | 11 | 8 | 32 | |
| B003687 | | 1.68 | <0.005 | | <0.2 | 0.61 | 11 | 10 | 160 | 0.9 | <2 | 2.73 | <0.5 | 12 | 1 | 28 | |
| B003688 | | 3.56 | <0.005 | | <0.2 | 0.47 | 14 | 10 | 60 | 1.1 | <2 | 2.39 | <0.5 | 11 | 7 | 28 | |
| B003689 | | 4.24 | <0.005 | | <0.2 | 0.59 | 21 | 10 | 70 | 1.0 | 2 | 1.67 | <0.5 | 13 | 1 | 28 | |
| B003690 | | 2.18 | <0.005 | | <0.2 | 0.42 | 23 | 10 | 80 | 0.9 | <2 | 2.16 | <0.5 | 10 | 10 | 27 | |
| B003691 | | 3.32 | <0.005 | | <0.2 | 0.55 | 17 | 10 | 40 | 0.9 | <2 | 1.12 | <0.5 | 11 | 2 | 29 | |
| B003692 | | 2.44 | <0.005 | | <0.2 | 0.33 | 22 | 10 | 40 | 0.7 | <2 | 1.98 | <0.5 | 9 | 18 | 21 | |
| B003693 | | 2.54 | <0.005 | | <0.2 | 0.49 | 22 | 10 | 30 | 0.8 | 2 | 1.66 | <0.5 | 12 | 2 | 23 | |
| B003694 | | 0.76 | <0.005 | | <0.2 | 0.58 | 5 | 10 | 180 | 0.8 | <2 | 3.10 | <0.5 | 5 | 11 | 6 | |
| B003695 | | 1.18 | <0.005 | | 0.7 | 0.73 | 20 | 10 | 180 | <0.5 | <2 | 5.15 | 4.3 | 6 | 9 | 45 | |
| B003696 | | 2.74 | <0.005 | | 1.0 | 0.95 | 16 | 10 | 110 | 0.7 | <2 | 2.33 | 4.7 | 7 | 13 | 47 | |
| B003697 | | 2.34 | <0.005 | | 0.6 | 1.00 | 11 | 10 | 220 | 0.6 | <2 | 2.67 | 1.9 | 6 | 7 | 40 | |
| B003698 | | 2.60 | <0.005 | | 0.8 | 0.85 | 13 | 10 | 170 | 0.6 | <2 | 1.90 | 5.2 | 7 | 10 | 43 | |
| B003699 | | 0.28 | <0.005 | | 1.1 | 0.67 | 20 | 10 | 140 | 0.6 | 2 | 1.46 | 3.0 | 6 | 8 | 41 | |
| B003700 | | 0.30 | <0.005 | | 0.6 | 0.70 | 14 | 10 | 240 | 0.6 | <2 | 2.06 | 2.5 | 6 | 11 | 30 | |
| B003701 | | 1.70 | <0.005 | | 1.2 | 0.95 | 26 | 10 | 90 | 0.6 | <2 | 1.92 | 4.8 | 7 | 11 | 41 | |
| B003702 | | 1.90 | <0.005 | | 1.0 | 0.74 | 30 | 10 | 90 | 0.6 | <2 | 2.66 | 4.3 | 7 | 11 | 46 | |
| B003703 | | 2.28 | <0.005 | | 1.1 | 0.70 | 25 | 10 | 70 | 0.6 | <2 | 3.07 | 3.6 | 5 | 10 | 43 | |
| B003704 | | 1.34 | <0.005 | | 0.5 | 0.50 | 18 | 10 | 120 | 0.6 | <2 | 2.20 | 4.8 | 10 | 8 | 39 | |
| B003705 | | 3.14 | <0.005 | | 0.7 | 0.52 | 18 | 10 | 100 | 0.6 | <2 | 1.88 | 3.5 | 7 | 5 | 33 | |
| B003706 | | 1.68 | <0.005 | | 1.1 | 0.82 | 34 | 10 | 60 | 0.6 | <2 | 1.58 | 5.0 | 8 | 13 | 46 | |
| B003707 | | 2.72 | <0.005 | | 0.5 | 0.61 | 30 | 10 | 170 | 0.6 | <2 | 2.43 | 1.0 | 6 | 6 | 31 | |
| B003708 | | 2.60 | <0.005 | | 1.0 | 0.50 | 35 | 10 | 210 | 0.6 | <2 | 1.55 | 3.3 | 9 | 7 | 36 | |
| B003709 | | 2.54 | <0.005 | | 0.8 | 0.61 | 44 | 10 | 160 | 0.6 | <2 | 1.76 | 3.6 | 7 | 7 | 30 | |
| B003710 | | 3.16 | <0.005 | | 0.5 | 0.45 | 21 | 10 | 190 | 0.5 | <2 | 1.76 | 0.6 | 6 | 8 | 23 | |
| B003711 | | 2.80 | <0.005 | | 0.8 | 0.47 | 27 | 10 | 130 | 0.6 | <2 | 1.90 | 6.6 | 8 | 5 | 32 | |
| B003712 | | 2.96 | <0.005 | | 0.5 | 0.50 | 30 | 10 | 110 | 0.7 | <2 | 1.70 | 6.6 | 8 | 6 | 33 | |
| B003713 | | 1.62 | <0.005 | | 0.7 | 0.66 | 33 | 10 | 150 | 0.7 | <2 | 3.31 | 1.1 | 7 | 7 | 28 | |
| B003714 | | 1.82 | <0.005 | | 0.6 | 0.48 | 41 | 10 | 150 | 0.6 | <2 | 1.56 | 3.5 | 8 | 7 | 31 | |
| B003715 | | 2.42 | <0.005 | | 0.6 | 0.45 | 53 | 10 | 130 | 0.7 | <2 | 1.82 | 7.1 | 8 | 4 | 38 | |
| B003716 | | 2.32 | <0.005 | | 0.4 | 0.42 | 24 | 10 | 240 | <0.5 | <2 | 3.68 | 1.8 | 4 | 8 | 20 | |
| B003717 | | 2.42 | <0.005 | | 0.2 | 0.70 | 218 | 10 | 330 | <0.5 | <2 | 6.34 | <0.5 | 48 | 160 | 72 | |
| B003718 | | 3.08 | <0.005 | | 0.2 | 0.49 | 110 | 10 | 590 | <0.5 | <2 | 5.63 | <0.5 | 48 | 136 | 58 | |
| B003719 | | 1.82 | <0.005 | | 0.8 | 0.52 | 32 | 10 | 200 | 0.5 | <2 | 1.80 | 2.2 | 7 | 8 | 36 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - B

Total # Pages: 6 (A - C)

Finalized Date: 29-AUG-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|---------|----------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte | Fe | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | |
| | Units | % | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm | % | ppm | ppm | |
| LOR | | 0.01 | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | |
| B003680 | | 3.82 | <10 | 0.41 | 0.37 | 10 | 0.90 | 1340 | <1 | 0.05 | 5 | 1210 | 2 | 0.06 | <2 | 6 | |
| B003681 | | 3.85 | <10 | 0.18 | 0.34 | <10 | 0.40 | 624 | 2 | 0.05 | 8 | 710 | 6 | 2.62 | <2 | 3 | |
| B003682 | | 3.38 | <10 | 0.12 | 0.31 | <10 | 0.82 | 1005 | <1 | 0.07 | 3 | 810 | 2 | 0.79 | <2 | 5 | |
| B003683 | | 3.19 | <10 | 0.06 | 0.41 | <10 | 0.91 | 1305 | <1 | 0.07 | 3 | 1060 | <2 | 0.46 | <2 | 5 | |
| B003684 | | 3.73 | <10 | 0.19 | 0.35 | <10 | 0.71 | 963 | 1 | 0.06 | 6 | 230 | 8 | 1.79 | 4 | 6 | |
| B003685 | | 3.34 | <10 | 0.24 | 0.30 | <10 | 0.72 | 1020 | 1 | 0.07 | 6 | 250 | 4 | 1.33 | 6 | 6 | |
| B003686 | | 3.60 | <10 | 0.20 | 0.25 | <10 | 0.62 | 913 | 1 | 0.07 | 6 | 220 | 3 | 1.34 | 4 | 6 | |
| B003687 | | 4.13 | <10 | 0.19 | 0.39 | <10 | 0.89 | 1405 | 1 | 0.08 | 5 | 700 | 4 | 1.13 | 3 | 6 | |
| B003688 | | 3.85 | <10 | 0.23 | 0.32 | <10 | 0.71 | 1130 | 1 | 0.09 | 4 | 1020 | 8 | 1.81 | 3 | 5 | |
| B003689 | | 3.48 | <10 | 0.18 | 0.39 | <10 | 0.54 | 901 | 1 | 0.09 | 7 | 800 | 6 | 1.67 | 3 | 5 | |
| B003690 | | 3.22 | <10 | 0.17 | 0.29 | <10 | 0.63 | 1015 | 1 | 0.09 | 7 | 1040 | 8 | 1.20 | 4 | 5 | |
| B003691 | | 3.25 | <10 | 0.31 | 0.36 | <10 | 0.35 | 548 | 2 | 0.09 | 8 | 870 | 8 | 1.93 | 4 | 4 | |
| B003692 | | 3.24 | <10 | 0.19 | 0.23 | <10 | 0.52 | 807 | 1 | 0.08 | 4 | 890 | 7 | 1.69 | 4 | 3 | |
| B003693 | | 3.43 | <10 | 0.22 | 0.32 | <10 | 0.38 | 556 | 2 | 0.09 | 9 | 1100 | 14 | 2.52 | <2 | 4 | |
| B003694 | | 2.94 | <10 | 0.01 | 0.38 | 20 | 0.66 | 1110 | <1 | 0.09 | 4 | 880 | 4 | 0.07 | <2 | 5 | |
| B003695 | | 2.81 | <10 | 0.12 | 0.23 | <10 | 0.78 | 753 | 16 | 0.03 | 44 | 950 | 10 | 1.45 | 2 | 8 | |
| B003696 | | 3.29 | <10 | 0.16 | 0.29 | <10 | 0.54 | 417 | 10 | 0.03 | 42 | 1140 | 8 | 1.94 | <2 | 9 | |
| B003697 | | 3.06 | <10 | 0.09 | 0.28 | <10 | 0.69 | 487 | 5 | 0.03 | 25 | 980 | 9 | 1.26 | <2 | 8 | |
| B003698 | | 3.12 | <10 | 0.11 | 0.38 | <10 | 0.45 | 430 | 8 | 0.03 | 33 | 970 | 12 | 1.58 | <2 | 9 | |
| B003699 | | 3.02 | <10 | 0.10 | 0.31 | <10 | 0.32 | 342 | 7 | 0.03 | 33 | 710 | 10 | 1.74 | <2 | 6 | |
| B003700 | | 2.75 | <10 | 0.07 | 0.32 | <10 | 0.34 | 377 | 6 | 0.03 | 26 | 700 | 11 | 1.13 | <2 | 6 | |
| B003701 | | 3.61 | <10 | 0.10 | 0.34 | <10 | 0.42 | 412 | 11 | 0.03 | 39 | 1190 | 10 | 2.19 | <2 | 8 | |
| B003702 | | 3.28 | <10 | 0.09 | 0.32 | <10 | 0.45 | 421 | 8 | 0.03 | 35 | 1970 | 9 | 2.01 | <2 | 8 | |
| B003703 | | 3.91 | <10 | 0.15 | 0.33 | <10 | 1.12 | 583 | 10 | 0.04 | 40 | 900 | 8 | 2.70 | <2 | 8 | |
| B003704 | | 3.86 | <10 | 0.12 | 0.30 | <10 | 0.65 | 397 | 13 | 0.01 | 36 | 760 | 9 | 1.76 | 2 | 9 | |
| B003705 | | 3.66 | <10 | 0.15 | 0.29 | <10 | 0.61 | 356 | 9 | 0.01 | 36 | 790 | 12 | 1.62 | <2 | 11 | |
| B003706 | | 3.42 | <10 | 0.12 | 0.38 | <10 | 0.50 | 380 | 11 | 0.04 | 43 | 930 | 9 | 1.76 | <2 | 10 | |
| B003707 | | 3.52 | <10 | 0.09 | 0.31 | <10 | 0.89 | 582 | 4 | 0.02 | 22 | 590 | 11 | 1.18 | 2 | 10 | |
| B003708 | | 3.31 | <10 | 0.10 | 0.28 | <10 | 0.62 | 315 | 5 | 0.01 | 27 | 840 | 9 | 1.24 | <2 | 10 | |
| B003709 | | 3.52 | <10 | 0.13 | 0.32 | <10 | 0.63 | 348 | 6 | 0.02 | 28 | 880 | 10 | 1.44 | <2 | 10 | |
| B003710 | | 2.94 | <10 | 0.08 | 0.25 | <10 | 0.55 | 363 | 2 | 0.01 | 19 | 650 | 8 | 0.83 | 2 | 9 | |
| B003711 | | 3.30 | <10 | 0.13 | 0.27 | <10 | 0.64 | 354 | 9 | 0.01 | 33 | 800 | 10 | 1.36 | 4 | 10 | |
| B003712 | | 3.48 | <10 | 0.12 | 0.29 | <10 | 0.65 | 298 | 9 | 0.01 | 33 | 800 | 13 | 1.28 | 2 | 9 | |
| B003713 | | 3.69 | <10 | 0.09 | 0.33 | <10 | 0.90 | 567 | 3 | 0.02 | 23 | 810 | 11 | 1.24 | <2 | 9 | |
| B003714 | | 3.46 | <10 | 0.08 | 0.27 | <10 | 0.63 | 332 | 7 | 0.01 | 30 | 690 | 10 | 1.12 | 2 | 9 | |
| B003715 | | 3.44 | <10 | 0.10 | 0.27 | <10 | 0.62 | 332 | 10 | 0.01 | 35 | 560 | 12 | 1.34 | 3 | 8 | |
| B003716 | | 2.54 | <10 | 0.07 | 0.22 | <10 | 0.92 | 604 | 4 | 0.02 | 17 | 500 | 9 | 0.74 | <2 | 5 | |
| B003717 | | 6.17 | <10 | 0.01 | 0.22 | <10 | 4.49 | 1175 | <1 | 0.05 | 259 | 410 | <2 | 0.17 | <2 | 25 | |
| B003718 | | 6.12 | <10 | <0.01 | 0.19 | <10 | 4.98 | 1055 | <1 | 0.05 | 221 | 300 | <2 | 0.09 | <2 | 24 | |
| B003719 | | 3.01 | <10 | 0.20 | 0.26 | <10 | 0.88 | 333 | 6 | 0.03 | 23 | 530 | 11 | 1.12 | <2 | 6 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 6 (A - C)
Finalized Date: 29-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|-----------|-----------|----------|----------|----------|----------|
| | | Sr ppm 1 | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| B003680 | | 169 | 0.01 | <10 | <10 | 63 | <10 | 50 |
| B003681 | | 186 | <0.01 | <10 | <10 | 15 | <10 | 31 |
| B003682 | | 181 | <0.01 | <10 | <10 | 27 | <10 | 45 |
| B003683 | | 185 | <0.01 | <10 | <10 | 24 | <10 | 49 |
| B003684 | | 168 | <0.01 | <10 | <10 | 22 | <10 | 56 |
| B003685 | | 166 | <0.01 | <10 | <10 | 22 | <10 | 64 |
| B003686 | | 144 | <0.01 | <10 | <10 | 20 | <10 | 66 |
| B003687 | | 172 | <0.01 | <10 | <10 | 21 | <10 | 78 |
| B003688 | | 156 | <0.01 | <10 | <10 | 14 | <10 | 62 |
| B003689 | | 140 | <0.01 | <10 | <10 | 16 | <10 | 54 |
| B003690 | | 132 | <0.01 | <10 | <10 | 12 | <10 | 59 |
| B003691 | | 132 | <0.01 | <10 | <10 | 12 | <10 | 44 |
| B003692 | | 126 | <0.01 | <10 | <10 | 8 | <10 | 42 |
| B003693 | | 128 | <0.01 | <10 | <10 | 13 | <10 | 34 |
| B003694 | | 128 | <0.01 | <10 | <10 | 17 | <10 | 56 |
| B003695 | | 275 | <0.01 | <10 | <10 | 47 | <10 | 342 |
| B003696 | | 130 | <0.01 | <10 | <10 | 46 | <10 | 299 |
| B003697 | | 166 | <0.01 | <10 | <10 | 30 | <10 | 181 |
| B003698 | | 115 | <0.01 | <10 | <10 | 39 | <10 | 317 |
| B003699 | | 92 | <0.01 | <10 | <10 | 27 | <10 | 200 |
| B003700 | | 114 | <0.01 | <10 | <10 | 20 | <10 | 201 |
| B003701 | | 134 | <0.01 | <10 | <10 | 41 | <10 | 295 |
| B003702 | | 200 | <0.01 | <10 | <10 | 36 | <10 | 271 |
| B003703 | | 167 | <0.01 | <10 | <10 | 38 | <10 | 239 |
| B003704 | | 158 | <0.01 | <10 | <10 | 24 | <10 | 339 |
| B003705 | | 132 | <0.01 | <10 | <10 | 24 | <10 | 238 |
| B003706 | | 141 | <0.01 | <10 | <10 | 40 | <10 | 337 |
| B003707 | | 142 | <0.01 | <10 | <10 | 32 | <10 | 141 |
| B003708 | | 104 | <0.01 | <10 | <10 | 30 | <10 | 257 |
| B003709 | | 94 | <0.01 | <10 | <10 | 31 | <10 | 250 |
| B003710 | | 97 | <0.01 | <10 | <10 | 27 | <10 | 123 |
| B003711 | | 102 | <0.01 | <10 | <10 | 28 | <10 | 408 |
| B003712 | | 101 | <0.01 | <10 | <10 | 27 | <10 | 435 |
| B003713 | | 192 | <0.01 | <10 | <10 | 31 | <10 | 142 |
| B003714 | | 99 | <0.01 | <10 | <10 | 28 | <10 | 256 |
| B003715 | | 154 | <0.01 | <10 | <10 | 26 | <10 | 464 |
| B003716 | | 104 | <0.01 | <10 | <10 | 20 | <10 | 136 |
| B003717 | | 180 | <0.01 | <10 | <10 | 98 | <10 | 71 |
| B003718 | | 154 | <0.01 | <10 | <10 | 80 | <10 | 62 |
| B003719 | | 76 | <0.01 | <10 | <10 | 37 | <10 | 176 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 6 - A
Total # Pages: 6 (A - C)
Finalized Date: 29-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | Au-AA23 Au Check | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Ca | ME-ICP41 Cd | ME-ICP41 Co | ME-ICP41 Cr | ME-ICP41 Cu |
|--------------------|--------------------------|------------------|------------|------------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | kg | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm |
| B003720 | | 1.54 | <0.005 | | 0.6 | 0.35 | 30 | 10 | 170 | <0.5 | <2 | 1.83 | 2.5 | 7 | 9 | 38 |
| B003721 | | 1.70 | <0.005 | | 0.8 | 0.37 | 36 | 10 | 130 | 0.5 | <2 | 2.12 | 2.2 | 6 | 5 | 35 |
| B003722 | | 0.66 | <0.005 | | 0.5 | 0.47 | 54 | 10 | 40 | <0.5 | <2 | 4.79 | 0.8 | 7 | 17 | 26 |
| B003723 | | 0.68 | <0.005 | | 6.7 | 0.44 | 65 | 10 | 130 | 0.8 | <2 | 2.99 | 2.2 | 9 | 3 | 59 |
| B003724 | | 3.52 | <0.005 | | 0.9 | 0.32 | 22 | 10 | 1860 | 1.0 | <2 | 2.50 | 0.7 | 6 | 6 | 29 |
| B003725 | | 3.22 | <0.005 | | 3.9 | 0.34 | 19 | <10 | 2220 | 0.6 | <2 | 1.02 | 0.5 | 6 | 2 | 20 |
| B003726 | | 2.16 | <0.005 | | 6.6 | 0.21 | 17 | <10 | 1380 | <0.5 | <2 | 0.41 | 0.7 | 6 | 13 | 21 |
| B003727 | | 2.86 | <0.005 | | 3.6 | 0.29 | 19 | <10 | 2180 | <0.5 | <2 | 1.28 | 0.8 | 6 | 3 | 16 |
| B003728 | | 3.42 | <0.005 | | 2.7 | 0.36 | 24 | <10 | 1360 | <0.5 | <2 | 0.88 | 0.7 | 6 | 17 | 12 |
| B003729 | | 3.36 | <0.005 | | 6.1 | 0.31 | 32 | <10 | 1060 | <0.5 | <2 | 0.42 | 0.6 | 7 | 4 | 30 |
| B003730 | | 3.08 | <0.005 | | 1.3 | 0.36 | 13 | <10 | 830 | <0.5 | <2 | 0.48 | <0.5 | 8 | 28 | 13 |
| B003731 | | 3.48 | <0.005 | | 0.6 | 0.39 | 18 | <10 | 410 | 0.5 | <2 | 0.33 | <0.5 | 10 | 3 | 12 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 6 - B
Total # Pages: 6 (A - C)
Finalized Date: 29-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method | ME-ICP41 | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|---------|----------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte | Fe | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc |
| | Units | % | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm | % | ppm | ppm |
| LOR | 0.01 | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 |
| B003720 | | 3.21 | <10 | 0.20 | 0.19 | <10 | 0.87 | 304 | 5 | 0.02 | 23 | 530 | 12 | 1.23 | <2 | 7 |
| B003721 | | 3.18 | <10 | 0.22 | 0.21 | <10 | 0.81 | 428 | 6 | 0.01 | 25 | 340 | 9 | 1.18 | <2 | 8 |
| B003722 | | 4.87 | <10 | 0.23 | 0.21 | <10 | 1.66 | 803 | 6 | 0.03 | 17 | 600 | 11 | 2.30 | <2 | 13 |
| B003723 | | 3.07 | <10 | 0.15 | 0.26 | <10 | 0.83 | 1210 | 18 | 0.01 | 28 | 740 | 53 | 0.90 | 4 | 8 |
| B003724 | | 2.68 | <10 | 0.07 | 0.24 | 10 | 0.77 | 1450 | 1 | 0.02 | <1 | 710 | 67 | 0.15 | <2 | 3 |
| B003725 | | 3.05 | <10 | 0.25 | 0.25 | 10 | 0.46 | 1995 | <1 | 0.01 | 2 | 700 | 239 | 0.14 | 2 | 3 |
| B003726 | | 2.90 | <10 | 0.51 | 0.18 | 10 | 0.33 | 2120 | <1 | 0.01 | 1 | 570 | 87 | 0.17 | <2 | 3 |
| B003727 | | 3.67 | <10 | 0.30 | 0.23 | 10 | 0.61 | 3290 | <1 | 0.01 | <1 | 590 | 62 | 0.13 | <2 | 4 |
| B003728 | | 3.46 | <10 | 0.27 | 0.29 | 10 | 0.46 | 3200 | <1 | 0.01 | 1 | 610 | 40 | 0.09 | <2 | 4 |
| B003729 | | 3.70 | <10 | 0.70 | 0.26 | 10 | 0.41 | 3260 | <1 | <0.01 | 2 | 700 | 156 | 0.16 | <2 | 4 |
| B003730 | | 3.73 | <10 | 0.14 | 0.31 | 10 | 0.46 | 2470 | <1 | 0.01 | 1 | 660 | 25 | 0.07 | <2 | 4 |
| B003731 | | 4.65 | <10 | 0.10 | 0.30 | <10 | 0.54 | 2600 | <1 | 0.01 | 2 | 770 | 20 | 0.06 | <2 | 4 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 6 - C
Total # Pages: 6 (A - C)
Finalized Date: 29-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04054331

| Sample Description | Method | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-------------------|----------|-----------|-----------|----------|----------|----------|----------|
| | Analyte Units LOR | Sr ppm 1 | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| B003720 | | 72 | <0.01 | <10 | <10 | 34 | <10 | 184 |
| B003721 | | 89 | <0.01 | <10 | <10 | 28 | <10 | 197 |
| B003722 | | 160 | <0.01 | <10 | <10 | 34 | <10 | 146 |
| B003723 | | 117 | <0.01 | <10 | <10 | 27 | 10 | 427 |
| B003724 | | 98 | <0.01 | <10 | <10 | 8 | <10 | 399 |
| B003725 | | 72 | <0.01 | <10 | <10 | 12 | <10 | 779 |
| B003726 | | 34 | <0.01 | <10 | <10 | 10 | <10 | 1335 |
| B003727 | | 69 | <0.01 | <10 | <10 | 13 | <10 | 1140 |
| B003728 | | 47 | <0.01 | <10 | <10 | 14 | <10 | 1020 |
| B003729 | | 31 | <0.01 | <10 | <10 | 15 | <10 | 1495 |
| B003730 | | 38 | <0.01 | <10 | <10 | 14 | <10 | 1330 |
| B003731 | | 25 | <0.01 | <10 | <10 | 16 | <10 | 1730 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 2-SEP-2004

Account: EIA

CERTIFICATE VA04055399

Project: NGX04-01

P.O. No.:

This report is for 129 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-AUG-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 5 (A - C)

Finalized Date: 2-SEP-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | % |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | 0.01 |
| B003915 | | 5.12 | <0.005 | <0.2 | 3.31 | 22 | <10 | 70 | <0.5 | 2 | 5.01 | <0.5 | 28 | 48 | 41 | 6.48 | |
| B003916 | | 5.84 | 0.034 | <0.2 | 3.09 | 20 | <10 | 450 | <0.5 | 2 | 4.45 | <0.5 | 24 | 97 | 46 | 5.63 | |
| B003917 | | 6.24 | 0.058 | 0.2 | 3.36 | 35 | <10 | 60 | <0.5 | 2 | 8.33 | <0.5 | 24 | 41 | 56 | 5.77 | |
| B003918 | | 5.10 | 0.014 | 0.5 | 3.10 | 29 | <10 | 60 | <0.5 | 3 | 10.05 | <0.5 | 20 | 45 | 176 | 5.64 | |
| B003919 | | 3.76 | 0.008 | 0.6 | 1.68 | 9 | <10 | 150 | 0.8 | 2 | 3.30 | 2.1 | 13 | 25 | 93 | 3.69 | |
| B003920 | | 2.34 | 0.028 | <0.2 | 0.88 | 11 | <10 | 80 | 0.5 | <2 | 6.55 | <0.5 | 10 | 58 | 42 | 2.72 | |
| B003921 | | 2.44 | <0.005 | 0.3 | 1.70 | 6 | <10 | 110 | 0.7 | <2 | 2.21 | <0.5 | 11 | 30 | 46 | 3.26 | |
| B003922 | | 5.28 | <0.005 | 0.2 | 3.42 | 34 | <10 | 150 | <0.5 | <2 | 7.69 | <0.5 | 30 | 224 | 89 | 4.82 | |
| B003923 | | 4.92 | <0.005 | 0.2 | 2.13 | 15 | <10 | 80 | <0.5 | <2 | 5.51 | <0.5 | 13 | 52 | 36 | 3.98 | |
| B003924 | | 5.76 | 0.011 | 0.5 | 2.02 | 22 | <10 | 210 | 0.8 | 2 | 5.17 | <0.5 | 11 | 45 | 57 | 3.98 | |
| B003925 | | 4.44 | 0.337 | 0.7 | 1.58 | 154 | <10 | 80 | 0.6 | <2 | 4.27 | <0.5 | 11 | 49 | 52 | 3.91 | |
| B003926 | | 2.18 | 0.390 | 0.8 | 0.92 | 664 | <10 | 80 | <0.5 | <2 | 1.14 | 0.8 | 11 | 122 | 33 | 3.24 | |
| B003927 | | 0.84 | 0.135 | 0.7 | 1.00 | 142 | <10 | 60 | <0.5 | <2 | 3.22 | <0.5 | 8 | 71 | 32 | 3.16 | |
| B003928 | | 0.80 | 0.033 | 0.4 | 1.20 | 41 | <10 | 60 | <0.5 | <2 | 3.05 | <0.5 | 8 | 146 | 30 | 2.77 | |
| B003929 | | 4.34 | 0.036 | 0.5 | 1.48 | 37 | <10 | 70 | 0.6 | <2 | 4.68 | <0.5 | 7 | 51 | 35 | 3.11 | |
| B003930 | | 1.34 | 0.113 | 0.8 | 1.52 | 108 | <10 | 150 | 0.7 | 2 | 4.74 | <0.5 | 9 | 101 | 45 | 3.83 | |
| B003931 | | 1.42 | 0.023 | 0.2 | 1.78 | 38 | <10 | 50 | <0.5 | 2 | 6.28 | <0.5 | 9 | 72 | 37 | 3.35 | |
| B003932 | | 1.64 | 0.033 | 0.3 | 1.34 | 42 | <10 | 60 | <0.5 | <2 | 8.02 | <0.5 | 5 | 90 | 24 | 2.39 | |
| B003933 | | 0.74 | 0.023 | 0.4 | 0.99 | 21 | <10 | 40 | <0.5 | 2 | 7.68 | <0.5 | 5 | 47 | 17 | 1.87 | |
| B003934 | | 1.72 | 0.066 | 0.5 | 1.09 | 51 | <10 | 60 | <0.5 | <2 | 6.41 | <0.5 | 5 | 71 | 30 | 2.30 | |
| B003935 | | 2.44 | <0.005 | 0.2 | 1.28 | 5 | <10 | 70 | <0.5 | 2 | 3.86 | <0.5 | 7 | 60 | 56 | 3.10 | |
| B003936 | | 1.54 | <0.005 | 0.3 | 1.88 | 5 | <10 | 110 | 0.5 | 2 | 3.75 | <0.5 | 10 | 82 | 28 | 3.44 | |
| B003937 | | 1.74 | 0.018 | 0.4 | 1.66 | 7 | <10 | 280 | <0.5 | <2 | 5.31 | <0.5 | 14 | 59 | 57 | 3.97 | |
| B003938 | | 2.14 | <0.005 | <0.2 | 3.26 | <2 | <10 | 790 | 0.6 | 2 | 4.36 | <0.5 | 24 | 98 | 61 | 5.18 | |
| B003939 | | 2.98 | <0.005 | <0.2 | 3.14 | 4 | <10 | 390 | 0.6 | <2 | 5.71 | <0.5 | 23 | 91 | 57 | 5.32 | |
| B003940 | | 3.62 | <0.005 | <0.2 | 3.03 | 4 | <10 | 190 | 0.5 | <2 | 5.99 | <0.5 | 24 | 83 | 55 | 5.24 | |
| B003941 | | 3.16 | <0.005 | <0.2 | 3.23 | 5 | <10 | 260 | 0.6 | 2 | 4.86 | <0.5 | 26 | 82 | 61 | 5.59 | |
| B003942 | | 3.34 | <0.005 | <0.2 | 3.15 | 23 | <10 | 70 | 0.5 | 3 | 6.66 | <0.5 | 23 | 71 | 53 | 5.26 | |
| B003943 | | 4.22 | <0.005 | <0.2 | 3.15 | 6 | <10 | 140 | 0.5 | 2 | 4.91 | <0.5 | 24 | 79 | 57 | 5.48 | |
| B003944 | | 3.54 | <0.005 | <0.2 | 2.91 | 3 | <10 | 270 | 0.5 | <2 | 5.55 | <0.5 | 24 | 81 | 50 | 5.12 | |
| B003945 | | 3.24 | <0.005 | <0.2 | 3.05 | <2 | <10 | 270 | 0.6 | <2 | 4.57 | <0.5 | 24 | 85 | 52 | 5.37 | |
| B003946 | | 2.80 | <0.005 | <0.2 | 2.99 | 9 | <10 | 160 | 0.5 | <2 | 5.39 | <0.5 | 23 | 84 | 60 | 5.34 | |
| B003947 | | 2.22 | <0.005 | <0.2 | 2.97 | 19 | <10 | 70 | 0.5 | 2 | 3.22 | <0.5 | 20 | 56 | 42 | 5.48 | |
| B003948 | | 2.70 | <0.005 | 0.2 | 2.88 | 5 | <10 | 70 | 0.5 | <2 | 5.53 | <0.5 | 20 | 47 | 35 | 4.87 | |
| B003949 | | 3.56 | <0.005 | <0.2 | 1.60 | 14 | <10 | 90 | 0.9 | <2 | 2.45 | <0.5 | 14 | 7 | 46 | 3.50 | |
| B003950 | | 0.46 | 0.005 | 0.6 | 0.93 | 5 | <10 | 100 | 0.8 | <2 | 2.68 | <0.5 | 8 | 3 | 42 | 1.76 | |
| B003951 | | 3.58 | 0.015 | 0.4 | 2.24 | 10 | 10 | 140 | 1.0 | <2 | 2.48 | <0.5 | 15 | 10 | 48 | 4.69 | |
| B003952 | | 2.80 | <0.005 | 0.4 | 2.61 | 5 | 10 | 120 | 0.9 | <2 | 3.45 | <0.5 | 18 | 13 | 54 | 5.36 | |
| B003953 | | 3.20 | <0.005 | 0.4 | 2.33 | 18 | <10 | 70 | 0.6 | <2 | 4.84 | <0.5 | 17 | 47 | 45 | 4.47 | |
| B003954 | | 3.80 | <0.005 | 0.5 | 2.75 | 3 | <10 | 90 | 0.5 | <2 | 3.26 | <0.5 | 16 | 10 | 39 | 5.33 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| B003915 | | 10 | 0.01 | 0.13 | 10 | 2.89 | 1285 | 2 | 0.05 | 28 | 1440 | 16 | 0.55 | <2 | 16 | 162 |
| B003916 | | 10 | 0.01 | 0.16 | 10 | 2.44 | 1160 | 4 | 0.05 | 37 | 1200 | 14 | 0.30 | <2 | 15 | 135 |
| B003917 | | 10 | 0.02 | 0.08 | 10 | 2.91 | 1635 | 1 | 0.05 | 23 | 1320 | 20 | 0.48 | <2 | 15 | 263 |
| B003918 | | 10 | 0.03 | 0.19 | 10 | 2.48 | 2000 | 2 | 0.04 | 19 | 1260 | 224 | 0.70 | <2 | 12 | 304 |
| B003919 | | <10 | 0.03 | 0.41 | <10 | 1.07 | 557 | 2 | 0.02 | 11 | 510 | 226 | 1.10 | <2 | 5 | 112 |
| B003920 | | <10 | 0.01 | 0.37 | 10 | 1.42 | 998 | 2 | 0.02 | 10 | 410 | 15 | 0.35 | <2 | 4 | 257 |
| B003921 | | <10 | 0.01 | 0.38 | 10 | 1.01 | 523 | 1 | 0.02 | 8 | 490 | 32 | 0.88 | <2 | 5 | 69 |
| B003922 | | 10 | 0.01 | 0.21 | <10 | 3.55 | 1320 | 2 | 0.02 | 65 | 640 | 12 | 0.24 | <2 | 28 | 296 |
| B003923 | | 10 | 0.01 | 0.26 | 10 | 1.53 | 1000 | 2 | 0.03 | 14 | 1120 | 23 | 0.76 | <2 | 7 | 210 |
| B003924 | | 10 | 0.02 | 0.45 | 10 | 0.90 | 688 | 4 | 0.02 | 22 | 990 | 14 | 1.38 | 3 | 5 | 218 |
| B003925 | | <10 | 0.02 | 0.30 | 10 | 1.06 | 875 | 2 | 0.02 | 16 | 940 | 39 | 1.96 | 2 | 5 | 151 |
| B003926 | | <10 | 0.03 | 0.32 | <10 | 0.29 | 201 | 4 | 0.05 | 11 | 770 | 21 | 2.39 | 3 | 3 | 37 |
| B003927 | | <10 | 0.01 | 0.23 | 10 | 0.68 | 568 | 1 | 0.04 | 8 | 860 | 14 | 1.52 | 2 | 4 | 144 |
| B003928 | | <10 | 0.01 | 0.25 | 10 | 0.72 | 581 | 5 | 0.05 | 12 | 910 | 11 | 0.80 | 2 | 4 | 134 |
| B003929 | | <10 | 0.01 | 0.26 | 10 | 0.71 | 741 | 2 | 0.03 | 10 | 920 | 16 | 0.79 | <2 | 4 | 200 |
| B003930 | | <10 | 0.01 | 0.38 | 10 | 0.93 | 748 | 5 | 0.02 | 20 | 840 | 27 | 2.08 | 2 | 4 | 223 |
| B003931 | | <10 | 0.01 | 0.21 | 10 | 1.31 | 1030 | 2 | 0.03 | 19 | 950 | 17 | 0.91 | 2 | 5 | 302 |
| B003932 | | <10 | 0.01 | 0.25 | 10 | 0.76 | 1190 | 5 | 0.04 | 10 | 600 | 15 | 0.74 | <2 | 3 | 457 |
| B003933 | | <10 | 0.01 | 0.21 | 10 | 0.55 | 1080 | 4 | 0.02 | 8 | 550 | 8 | 0.57 | <2 | 2 | 466 |
| B003934 | | <10 | 0.01 | 0.31 | 10 | 0.67 | 1040 | 5 | 0.03 | 8 | 580 | 16 | 1.00 | <2 | 2 | 340 |
| B003935 | | <10 | 0.01 | 0.19 | 10 | 0.57 | 879 | 3 | 0.05 | 5 | 620 | 43 | 0.75 | <2 | 4 | 194 |
| B003936 | | 10 | 0.01 | 0.27 | 10 | 1.02 | 860 | 4 | 0.05 | 16 | 870 | 6 | 0.46 | <2 | 5 | 194 |
| B003937 | | 10 | 0.01 | 0.19 | 10 | 1.56 | 1660 | 1 | 0.04 | 15 | 920 | 8 | 0.38 | <2 | 8 | 178 |
| B003938 | | 10 | <0.01 | 0.46 | 20 | 3.06 | 891 | 2 | 0.23 | 53 | 3020 | 4 | 0.04 | <2 | 15 | 297 |
| B003939 | | 10 | 0.01 | 0.29 | 20 | 2.88 | 1165 | 1 | 0.11 | 53 | 2960 | 8 | 0.08 | <2 | 13 | 303 |
| B003940 | | 10 | <0.01 | 0.19 | 20 | 2.88 | 1170 | 1 | 0.06 | 54 | 2900 | 5 | 0.14 | <2 | 12 | 275 |
| B003941 | | 10 | <0.01 | 0.28 | 20 | 3.10 | 1075 | 1 | 0.08 | 55 | 3170 | 4 | 0.10 | <2 | 14 | 261 |
| B003942 | | 10 | 0.01 | 0.15 | 20 | 2.84 | 1250 | 2 | 0.02 | 55 | 2900 | 11 | 0.16 | <2 | 13 | 335 |
| B003943 | | 10 | <0.01 | 0.15 | 20 | 2.95 | 1015 | 1 | 0.05 | 52 | 3080 | 9 | 0.11 | <2 | 12 | 227 |
| B003944 | | 10 | <0.01 | 0.31 | 20 | 2.86 | 1130 | 1 | 0.09 | 54 | 3040 | 7 | 0.07 | <2 | 13 | 295 |
| B003945 | | 10 | <0.01 | 0.22 | 20 | 3.11 | 1070 | 1 | 0.09 | 57 | 3020 | 8 | 0.10 | <2 | 14 | 247 |
| B003946 | | 10 | 0.01 | 0.17 | 20 | 2.92 | 1280 | 1 | 0.07 | 58 | 2950 | 8 | 0.21 | <2 | 14 | 265 |
| B003947 | | 10 | 0.01 | 0.17 | 10 | 2.15 | 1080 | 1 | 0.02 | 38 | 2240 | 11 | 0.66 | 2 | 8 | 125 |
| B003948 | | 10 | 0.01 | 0.23 | 10 | 1.92 | 1475 | 1 | 0.01 | 41 | 1680 | 11 | 0.67 | <2 | 5 | 311 |
| B003949 | | <10 | 0.02 | 0.25 | 10 | 0.67 | 668 | 1 | 0.01 | 16 | 790 | 17 | 1.27 | 2 | 4 | 126 |
| B003950 | | <10 | 0.01 | 0.22 | 10 | 0.33 | 585 | 1 | <0.01 | 5 | 310 | 9 | 0.65 | <2 | 3 | 132 |
| B003951 | | 10 | 0.01 | 0.27 | 10 | 0.91 | 719 | 1 | 0.01 | 20 | 1100 | 14 | 1.49 | <2 | 5 | 142 |
| B003952 | | 10 | 0.01 | 0.24 | 10 | 1.13 | 1120 | 1 | 0.01 | 20 | 1090 | 5 | 1.28 | <2 | 6 | 162 |
| B003953 | | <10 | 0.01 | 0.15 | 10 | 1.28 | 1250 | 1 | 0.01 | 69 | 1120 | 54 | 1.11 | <2 | 5 | 198 |
| B003954 | | 10 | 0.01 | 0.23 | 10 | 1.54 | 1135 | 2 | 0.01 | 15 | 2010 | 6 | 1.06 | <2 | 5 | 122 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C

Total # Pages: 5 (A - C)

Finalized Date: 2-SEP-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl | Tl | U | V | W | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 |
| B003915 | | 0.01 | <10 | <10 | 194 | <10 | 82 |
| B003916 | | <0.01 | <10 | <10 | 166 | 10 | 96 |
| B003917 | | 0.01 | <10 | <10 | 189 | <10 | 160 |
| B003918 | | <0.01 | <10 | <10 | 145 | <10 | 220 |
| B003919 | | <0.01 | <10 | <10 | 30 | <10 | 466 |
| B003920 | | <0.01 | <10 | <10 | 17 | <10 | 110 |
| B003921 | | <0.01 | <10 | <10 | 27 | <10 | 89 |
| B003922 | | <0.01 | <10 | <10 | 122 | <10 | 97 |
| B003923 | | <0.01 | <10 | <10 | 67 | <10 | 77 |
| B003924 | | <0.01 | <10 | <10 | 44 | <10 | 102 |
| B003925 | | <0.01 | <10 | <10 | 37 | <10 | 140 |
| B003926 | | <0.01 | <10 | <10 | 25 | <10 | 319 |
| B003927 | | <0.01 | <10 | <10 | 24 | <10 | 101 |
| B003928 | | <0.01 | <10 | <10 | 27 | <10 | 65 |
| B003929 | | <0.01 | <10 | <10 | 39 | <10 | 69 |
| B003930 | | <0.01 | <10 | <10 | 30 | <10 | 72 |
| B003931 | | <0.01 | <10 | <10 | 47 | <10 | 53 |
| B003932 | | <0.01 | <10 | <10 | 23 | <10 | 47 |
| B003933 | | <0.01 | <10 | <10 | 11 | <10 | 53 |
| B003934 | | <0.01 | <10 | <10 | 11 | <10 | 78 |
| B003935 | | <0.01 | <10 | <10 | 23 | <10 | 128 |
| B003936 | | 0.01 | <10 | <10 | 46 | <10 | 64 |
| B003937 | | 0.04 | <10 | <10 | 70 | <10 | 118 |
| B003938 | | 0.33 | <10 | <10 | 167 | <10 | 89 |
| B003939 | | 0.12 | <10 | <10 | 153 | <10 | 97 |
| B003940 | | 0.08 | <10 | <10 | 141 | <10 | 86 |
| B003941 | | 0.12 | <10 | <10 | 157 | <10 | 112 |
| B003942 | | 0.02 | <10 | <10 | 120 | <10 | 112 |
| B003943 | | 0.05 | <10 | <10 | 147 | <10 | 102 |
| B003944 | | 0.15 | <10 | <10 | 148 | <10 | 105 |
| B003945 | | 0.11 | <10 | <10 | 158 | <10 | 116 |
| B003946 | | 0.08 | <10 | <10 | 150 | <10 | 154 |
| B003947 | | 0.01 | <10 | <10 | 114 | <10 | 95 |
| B003948 | | <0.01 | <10 | <10 | 73 | <10 | 46 |
| B003949 | | <0.01 | <10 | <10 | 20 | <10 | 70 |
| B003950 | | <0.01 | <10 | <10 | 7 | <10 | 46 |
| B003951 | | <0.01 | <10 | <10 | 31 | <10 | 74 |
| B003952 | | <0.01 | <10 | <10 | 39 | <10 | 77 |
| B003953 | | <0.01 | <10 | <10 | 34 | <10 | 64 |
| B003954 | | <0.01 | <10 | <10 | 64 | <10 | 69 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Ca | ME-ICP41 Cd | ME-ICP41 Co | ME-ICP41 Cr | ME-ICP41 Cu | ME-ICP41 Fe |
|--------------------|--------------------------|------------------|------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| B003955 | | 3.40 | 0.006 | 0.6 | 2.13 | 9 | 10 | 130 | 0.9 | <2 | 5.68 | <0.5 | 14 | 8 | 46 | 4.59 |
| B003956 | | 3.26 | 0.010 | 0.7 | 2.31 | 21 | 10 | 120 | 0.9 | <2 | 2.99 | <0.5 | 16 | 10 | 48 | 4.89 |
| B003957 | | 2.94 | 0.008 | 0.6 | 2.24 | 18 | 10 | 140 | 0.8 | <2 | 2.69 | <0.5 | 13 | 8 | 46 | 4.71 |
| B003958 | | 3.26 | 0.005 | 0.3 | 1.93 | 11 | 10 | 150 | 0.7 | <2 | 1.90 | <0.5 | 11 | 6 | 34 | 3.75 |
| B003959 | | 3.88 | 0.005 | 0.5 | 2.50 | 13 | 10 | 180 | 0.8 | <2 | 2.36 | <0.5 | 15 | 8 | 50 | 4.96 |
| B003960 | | 3.30 | <0.005 | 0.2 | 2.61 | 11 | 10 | 120 | 0.8 | <2 | 3.49 | <0.5 | 16 | 8 | 47 | 5.12 |
| B003961 | | 3.20 | <0.005 | 0.4 | 2.34 | 5 | 10 | 180 | 0.9 | <2 | 2.98 | <0.5 | 14 | 8 | 48 | 4.48 |
| B003962 | | 3.32 | <0.005 | 0.4 | 2.51 | 8 | 10 | 130 | 0.9 | <2 | 3.11 | <0.5 | 15 | 8 | 49 | 4.92 |
| B003963 | | 1.28 | <0.005 | 0.4 | 2.27 | 7 | 10 | 120 | 1.0 | <2 | 2.40 | <0.5 | 15 | 8 | 47 | 4.69 |
| B003964 | | 1.26 | 0.013 | 0.2 | 2.31 | 8 | 10 | 140 | 0.9 | <2 | 1.73 | <0.5 | 15 | 8 | 51 | 4.71 |
| B003965 | | 3.14 | <0.005 | 0.4 | 3.43 | 17 | 10 | 200 | 0.9 | <2 | 3.36 | <0.5 | 17 | 25 | 52 | 5.01 |
| B003966 | | 2.76 | 0.008 | 0.4 | 3.16 | 13 | 10 | 210 | 1.0 | <2 | 4.12 | <0.5 | 15 | 12 | 55 | 4.97 |
| B003967 | | 3.40 | 0.010 | 0.6 | 3.11 | 12 | 10 | 240 | 1.1 | <2 | 2.30 | <0.5 | 17 | 12 | 57 | 5.06 |
| B003968 | | 3.50 | 0.006 | 0.5 | 2.43 | 5 | 10 | 150 | 0.9 | <2 | 4.59 | <0.5 | 15 | 7 | 54 | 4.92 |
| B003969 | | 3.32 | <0.005 | 0.3 | 2.58 | 4 | 10 | 160 | 1.0 | <2 | 2.75 | <0.5 | 14 | 9 | 46 | 4.93 |
| B003970 | | 3.52 | <0.005 | 0.5 | 1.60 | 2 | <10 | 70 | 0.6 | <2 | 2.22 | <0.5 | 14 | 5 | 39 | 4.25 |
| B003971 | | 2.46 | 0.005 | 0.4 | 2.67 | 9 | 10 | 160 | 0.9 | <2 | 2.78 | <0.5 | 14 | 10 | 48 | 4.76 |
| B003972 | | 2.18 | 0.007 | 0.4 | 2.62 | 12 | 10 | 160 | 0.9 | <2 | 3.05 | <0.5 | 14 | 9 | 47 | 4.79 |
| B003973 | | 2.22 | 0.079 | 0.5 | 2.26 | 1205 | 10 | 120 | 0.7 | <2 | 2.32 | <0.5 | 15 | 9 | 65 | 4.85 |
| B003974 | | 2.24 | 0.006 | 0.6 | 1.88 | 72 | 10 | 150 | 0.6 | <2 | 2.30 | <0.5 | 10 | 6 | 47 | 3.72 |
| B003975 | | 0.92 | 0.005 | 0.4 | 1.91 | 28 | 10 | 140 | 0.5 | <2 | 5.46 | <0.5 | 9 | 10 | 35 | 3.58 |
| B003976 | | 1.98 | <0.005 | 0.6 | 2.34 | 10 | 10 | 170 | 0.8 | <2 | 3.95 | <0.5 | 15 | 20 | 51 | 4.76 |
| B003977 | | 2.90 | <0.005 | 0.4 | 3.34 | 34 | 10 | 90 | <0.5 | <2 | 7.42 | <0.5 | 25 | 62 | 45 | 5.89 |
| B003978 | | 1.50 | 0.009 | 0.5 | 2.02 | 128 | <10 | 90 | <0.5 | <2 | 4.49 | <0.5 | 20 | 14 | 76 | 5.00 |
| B003979 | | 3.76 | <0.005 | 0.5 | 2.45 | 14 | <10 | 100 | 0.5 | <2 | 2.51 | 0.9 | 17 | 10 | 52 | 4.97 |
| B003980 | | 3.94 | <0.005 | 0.2 | 2.49 | 6 | <10 | 80 | <0.5 | <2 | 8.45 | <0.5 | 13 | 22 | 29 | 4.22 |
| B003981 | | 3.76 | <0.005 | 0.3 | 3.54 | 23 | <10 | 100 | <0.5 | <2 | 6.52 | <0.5 | 30 | 52 | 30 | 6.11 |
| B003982 | | 3.48 | 0.028 | <0.2 | 3.48 | 463 | <10 | 100 | <0.5 | <2 | 4.90 | <0.5 | 26 | 63 | 43 | 5.75 |
| B003983 | | 3.16 | <0.005 | 0.4 | 3.82 | 27 | <10 | 70 | <0.5 | <2 | 7.93 | <0.5 | 27 | 97 | 36 | 6.04 |
| B003984 | | 3.70 | <0.005 | 0.6 | 2.55 | 11 | <10 | 130 | 0.6 | <2 | 3.26 | <0.5 | 16 | 15 | 48 | 5.46 |
| B003985 | | 3.38 | 0.005 | 0.3 | 1.56 | 10 | <10 | 130 | 0.7 | <2 | 2.66 | <0.5 | 13 | 16 | 39 | 3.54 |
| B003986 | | 3.30 | 0.008 | 0.5 | 1.94 | 14 | 10 | 160 | 0.9 | <2 | 2.62 | <0.5 | 14 | 14 | 45 | 4.22 |
| B003987 | | 2.44 | 0.008 | 0.6 | 2.75 | 12 | 10 | 220 | 1.0 | <2 | 3.79 | <0.5 | 15 | 10 | 45 | 5.06 |
| B003988 | | 3.80 | 0.008 | 0.5 | 2.48 | 14 | 10 | 150 | 0.7 | <2 | 7.27 | <0.5 | 14 | 10 | 47 | 4.69 |
| B003989 | | 3.34 | 0.005 | 0.2 | 2.55 | 10 | 10 | 160 | 1.0 | 2 | 3.28 | <0.5 | 15 | 10 | 42 | 4.69 |
| B003990 | | 3.40 | 0.008 | 0.5 | 2.47 | 9 | 10 | 170 | 0.9 | <2 | 3.59 | <0.5 | 14 | 22 | 47 | 4.59 |
| B003991 | | 3.48 | 0.008 | 0.2 | 2.67 | 9 | 10 | 220 | 0.9 | <2 | 4.53 | <0.5 | 14 | 18 | 47 | 4.68 |
| B003992 | | 3.54 | 0.005 | <0.2 | 2.48 | 10 | 10 | 190 | 1.0 | <2 | 4.30 | <0.5 | 14 | 16 | 44 | 4.28 |
| B003993 | | 3.12 | <0.005 | 0.3 | 3.26 | 13 | <10 | 130 | 0.6 | <2 | 6.09 | <0.5 | 19 | 61 | 63 | 5.01 |
| B003994 | | 3.96 | <0.005 | 0.5 | 2.72 | 8 | 10 | 210 | 1.0 | <2 | 3.71 | <0.5 | 15 | 14 | 50 | 4.70 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| B003955 | | <10 | 0.02 | 0.25 | <10 | 0.85 | 1320 | <1 | 0.01 | 13 | 940 | 17 | 1.52 | <2 | 4 | 302 |
| B003956 | | 10 | 0.03 | 0.24 | 10 | 0.96 | 775 | 1 | 0.01 | 18 | 1040 | 18 | 1.31 | 3 | 5 | 187 |
| B003957 | | 10 | 0.04 | 0.23 | 10 | 0.88 | 616 | 1 | 0.01 | 14 | 1040 | 21 | 1.33 | 3 | 5 | 172 |
| B003958 | | <10 | 0.04 | 0.20 | 10 | 0.77 | 462 | 1 | 0.01 | 10 | 860 | 13 | 0.70 | 2 | 3 | 113 |
| B003959 | | 10 | 0.05 | 0.22 | 10 | 0.98 | 664 | 1 | 0.01 | 14 | 980 | 14 | 0.97 | 2 | 6 | 128 |
| B003960 | | 10 | 0.03 | 0.24 | 10 | 1.01 | 1015 | 1 | 0.02 | 14 | 1050 | 13 | 1.02 | <2 | 7 | 196 |
| B003961 | | 10 | 0.03 | 0.25 | 10 | 0.90 | 775 | 1 | 0.01 | 13 | 870 | 13 | 0.91 | <2 | 6 | 180 |
| B003962 | | 10 | 0.03 | 0.24 | 10 | 0.97 | 829 | 1 | 0.02 | 15 | 1070 | 16 | 1.04 | <2 | 6 | 186 |
| B003963 | | 10 | 0.03 | 0.23 | 10 | 0.89 | 704 | 1 | 0.01 | 16 | 870 | 23 | 1.14 | <2 | 6 | 142 |
| B003964 | | 10 | 0.03 | 0.23 | 10 | 0.91 | 591 | 1 | 0.01 | 15 | 880 | 21 | 1.06 | <2 | 6 | 114 |
| B003965 | | 10 | 0.02 | 0.57 | 10 | 1.29 | 876 | 1 | 0.03 | 28 | 1160 | 14 | 0.81 | <2 | 8 | 176 |
| B003966 | | 10 | 0.04 | 0.59 | 10 | 0.94 | 999 | 1 | 0.03 | 13 | 1120 | 13 | 1.16 | <2 | 7 | 206 |
| B003967 | | 10 | 0.03 | 0.62 | 10 | 0.93 | 728 | 1 | 0.03 | 15 | 1040 | 80 | 1.44 | <2 | 8 | 134 |
| B003968 | | 10 | 0.03 | 0.34 | 10 | 0.85 | 993 | 1 | 0.03 | 14 | 1010 | 70 | 1.60 | 3 | 6 | 229 |
| B003969 | | 10 | 0.01 | 0.35 | 10 | 0.92 | 842 | 1 | 0.04 | 13 | 980 | 7 | 1.16 | <2 | 6 | 140 |
| B003970 | | <10 | 0.01 | 0.10 | 10 | 0.70 | 692 | <1 | 0.04 | 12 | 760 | 6 | 1.38 | 2 | 4 | 107 |
| B003971 | | 10 | 0.01 | 0.35 | 20 | 0.92 | 883 | <1 | 0.05 | 15 | 940 | 12 | 0.71 | <2 | 6 | 140 |
| B003972 | | 10 | 0.01 | 0.34 | 10 | 0.96 | 990 | 1 | 0.05 | 15 | 940 | 13 | 0.82 | <2 | 6 | 163 |
| B003973 | | 10 | 0.01 | 0.34 | 10 | 0.87 | 782 | 1 | 0.04 | 13 | 990 | 27 | 1.60 | 6 | 4 | 123 |
| B003974 | | <10 | 0.01 | 0.33 | 10 | 0.69 | 760 | 2 | 0.04 | 10 | 830 | 14 | 1.19 | <2 | 3 | 122 |
| B003975 | | <10 | 0.01 | 0.29 | 10 | 0.82 | 1290 | 3 | 0.03 | 8 | 970 | 14 | 0.98 | 2 | 3 | 295 |
| B003976 | | 10 | <0.01 | 0.33 | 10 | 1.00 | 1115 | 1 | 0.04 | 14 | 950 | 12 | 1.49 | <2 | 5 | 230 |
| B003977 | | 10 | <0.01 | 0.24 | 10 | 2.53 | 1675 | <1 | 0.04 | 36 | 2380 | 9 | 0.81 | <2 | 9 | 252 |
| B003978 | | 10 | 0.01 | 0.37 | 10 | 0.92 | 1240 | 1 | 0.02 | 14 | 860 | 32 | 2.07 | <2 | 4 | 157 |
| B003979 | | 10 | 0.03 | 0.37 | 10 | 1.13 | 830 | 1 | 0.03 | 16 | 1060 | 17 | 1.48 | <2 | 5 | 114 |
| B003980 | | 10 | <0.01 | 0.23 | 10 | 1.32 | 1740 | 1 | 0.04 | 14 | 840 | 10 | 0.48 | <2 | 5 | 279 |
| B003981 | | 10 | <0.01 | 0.31 | 10 | 2.67 | 1680 | <1 | 0.05 | 27 | 1170 | 32 | 0.97 | <2 | 11 | 241 |
| B003982 | | 10 | 0.01 | 0.26 | 20 | 2.61 | 1185 | 1 | 0.05 | 44 | 2890 | 56 | 0.50 | 3 | 10 | 211 |
| B003983 | | 10 | <0.01 | 0.12 | 20 | 3.10 | 1695 | 1 | 0.04 | 70 | 2690 | 23 | 0.53 | <2 | 13 | 386 |
| B003984 | | 10 | 0.01 | 0.32 | 10 | 1.12 | 1115 | 1 | 0.04 | 18 | 1120 | 14 | 1.66 | <2 | 5 | 165 |
| B003985 | | <10 | 0.01 | 0.28 | 10 | 0.62 | 675 | <1 | 0.05 | 14 | 750 | 17 | 1.44 | <2 | 4 | 163 |
| B003986 | | <10 | 0.01 | 0.31 | 10 | 0.70 | 727 | 1 | 0.06 | 13 | 830 | 31 | 1.68 | 2 | 5 | 142 |
| B003987 | | 10 | 0.03 | 0.36 | 10 | 0.99 | 894 | 1 | 0.10 | 17 | 1090 | 18 | 1.30 | <2 | 6 | 227 |
| B003988 | | 10 | 0.03 | 0.30 | 10 | 0.93 | 1420 | 1 | 0.07 | 13 | 1050 | 14 | 1.46 | 2 | 5 | 339 |
| B003989 | | <10 | 0.04 | 0.31 | 10 | 0.95 | 847 | 1 | 0.10 | 17 | 1050 | 10 | 1.26 | 2 | 5 | 242 |
| B003990 | | <10 | 0.04 | 0.31 | 10 | 0.97 | 837 | 1 | 0.10 | 16 | 900 | 10 | 1.36 | <2 | 6 | 218 |
| B003991 | | <10 | 0.04 | 0.36 | 10 | 0.98 | 909 | 1 | 0.12 | 16 | 970 | 10 | 1.32 | 2 | 7 | 295 |
| B003992 | | 10 | 0.03 | 0.35 | 10 | 0.91 | 816 | 1 | 0.12 | 15 | 920 | 10 | 1.24 | 3 | 6 | 273 |
| B003993 | | 10 | 0.02 | 0.28 | 10 | 1.99 | 1195 | 1 | 0.09 | 35 | 1820 | 180 | 0.98 | 2 | 8 | 409 |
| B003994 | | 10 | 0.03 | 0.35 | 10 | 1.00 | 821 | 1 | 0.12 | 16 | 990 | 18 | 1.20 | 2 | 7 | 229 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Ti | Ti | U | V | W | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm |
| B003955 | | <0.01 | <10 | <10 | 25 | <10 | 78 |
| B003956 | | <0.01 | <10 | <10 | 33 | <10 | 86 |
| B003957 | | <0.01 | <10 | <10 | 30 | <10 | 88 |
| B003958 | | <0.01 | <10 | <10 | 23 | <10 | 74 |
| B003959 | | <0.01 | <10 | <10 | 37 | <10 | 94 |
| B003960 | | <0.01 | <10 | <10 | 37 | <10 | 94 |
| B003961 | | <0.01 | <10 | <10 | 32 | <10 | 94 |
| B003962 | | <0.01 | <10 | <10 | 35 | <10 | 95 |
| B003963 | | <0.01 | <10 | <10 | 33 | <10 | 97 |
| B003964 | | <0.01 | <10 | <10 | 33 | <10 | 99 |
| B003965 | | <0.01 | <10 | <10 | 62 | <10 | 97 |
| B003966 | | <0.01 | <10 | <10 | 47 | <10 | 91 |
| B003967 | | <0.01 | <10 | <10 | 47 | <10 | 199 |
| B003968 | | <0.01 | <10 | <10 | 33 | <10 | 181 |
| B003969 | | <0.01 | <10 | <10 | 36 | <10 | 74 |
| B003970 | | <0.01 | <10 | <10 | 22 | <10 | 75 |
| B003971 | | <0.01 | <10 | <10 | 41 | <10 | 97 |
| B003972 | | <0.01 | <10 | <10 | 42 | <10 | 94 |
| B003973 | | <0.01 | <10 | <10 | 35 | <10 | 164 |
| B003974 | | <0.01 | <10 | <10 | 22 | <10 | 82 |
| B003975 | | <0.01 | <10 | <10 | 22 | <10 | 84 |
| B003976 | | <0.01 | <10 | <10 | 34 | <10 | 82 |
| B003977 | | 0.01 | <10 | <10 | 128 | <10 | 64 |
| B003978 | | <0.01 | <10 | <10 | 42 | <10 | 158 |
| B003979 | | 0.01 | <10 | <10 | 50 | <10 | 452 |
| B003980 | | <0.01 | <10 | <10 | 68 | <10 | 42 |
| B003981 | | 0.01 | <10 | <10 | 118 | <10 | 58 |
| B003982 | | <0.01 | <10 | <10 | 132 | <10 | 172 |
| B003983 | | <0.01 | <10 | <10 | 141 | <10 | 81 |
| B003984 | | <0.01 | <10 | <10 | 49 | <10 | 75 |
| B003985 | | <0.01 | <10 | <10 | 25 | <10 | 81 |
| B003986 | | <0.01 | <10 | <10 | 26 | <10 | 87 |
| B003987 | | <0.01 | <10 | <10 | 34 | <10 | 90 |
| B003988 | | <0.01 | <10 | <10 | 33 | <10 | 54 |
| B003989 | | <0.01 | <10 | <10 | 34 | <10 | 83 |
| B003990 | | <0.01 | <10 | <10 | 33 | <10 | 76 |
| B003991 | | <0.01 | <10 | <10 | 38 | <10 | 84 |
| B003992 | | <0.01 | <10 | <10 | 34 | <10 | 75 |
| B003993 | | <0.01 | <10 | <10 | 91 | <10 | 187 |
| B003994 | | <0.01 | <10 | <10 | 39 | <10 | 94 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | |
|--------------------|--------------------------|-----------------|-----------|-----------|----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|---------|
| | | Recvd Wt. kg | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 | |
| B003995 | | 3.36 | <0.005 | <0.2 | 2.71 | 10 | 10 | 310 | 0.9 | <2 | 4.25 | <0.5 | 13 | 17 | 46 | 4.46 |
| B003996 | | 3.42 | <0.005 | 0.3 | 2.76 | 9 | 10 | 290 | 0.9 | <2 | 4.97 | <0.5 | 15 | 14 | 45 | 4.82 |
| B003997 | | 3.32 | <0.005 | 0.3 | 2.90 | 14 | 10 | 310 | 0.9 | <2 | 4.59 | <0.5 | 14 | 17 | 43 | 4.70 |
| B003998 | | 3.42 | <0.005 | 0.2 | 2.75 | 8 | 10 | 240 | 0.9 | <2 | 6.20 | <0.5 | 13 | 15 | 45 | 4.58 |
| B003999 | | 3.40 | <0.005 | 0.3 | 2.79 | 9 | 10 | 250 | 0.8 | <2 | 5.91 | <0.5 | 13 | 22 | 46 | 4.59 |
| B004000 | | 3.20 | <0.005 | 0.2 | 2.81 | 12 | 10 | 250 | 0.9 | <2 | 4.52 | <0.5 | 15 | 21 | 45 | 5.01 |
| B004001 | | 2.60 | <0.005 | 0.3 | 2.82 | 10 | 10 | 280 | 0.9 | <2 | 4.54 | <0.5 | 14 | 16 | 53 | 4.79 |
| B004002 | | 3.00 | <0.005 | 0.2 | 2.84 | 12 | 10 | 260 | 0.9 | <2 | 4.13 | <0.5 | 15 | 19 | 45 | 5.11 |
| B004003 | | 3.40 | 0.006 | 0.3 | 2.81 | 12 | 10 | 330 | 0.9 | <2 | 4.12 | <0.5 | 15 | 19 | 48 | 4.71 |
| B004004 | | 3.50 | <0.005 | 0.5 | 2.72 | 11 | 10 | 230 | 0.8 | <2 | 4.76 | <0.5 | 14 | 14 | 45 | 4.77 |
| B004005 | | 3.34 | <0.005 | 0.3 | 2.82 | 8 | 10 | 320 | 0.8 | <2 | 6.23 | <0.5 | 12 | 18 | 44 | 4.58 |
| B004006 | | 1.48 | 0.005 | 0.2 | 2.73 | 11 | 10 | 250 | 0.9 | <2 | 4.50 | <0.5 | 15 | 14 | 45 | 4.90 |
| B004007 | | 2.32 | 0.005 | 0.3 | 2.69 | 8 | 10 | 220 | 0.8 | <2 | 7.01 | <0.5 | 14 | 17 | 43 | 4.55 |
| B004008 | | 2.08 | 0.006 | 0.7 | 2.59 | 7 | 10 | 190 | 0.8 | <2 | 6.65 | <0.5 | 14 | 17 | 48 | 4.53 |
| B004009 | | 3.04 | <0.005 | 0.6 | 2.50 | <2 | 10 | 160 | 0.7 | <2 | 8.67 | <0.5 | 12 | 50 | 42 | 4.38 |
| B004010 | | 3.08 | <0.005 | 0.3 | 2.63 | 2 | 10 | 150 | 0.6 | <2 | 3.88 | <0.5 | 14 | 18 | 33 | 4.56 |
| B004011 | | 4.06 | <0.005 | 0.3 | 3.89 | 6 | 10 | 120 | <0.5 | <2 | 5.61 | <0.5 | 24 | 115 | 54 | 5.63 |
| B004012 | | 2.96 | 0.005 | 0.5 | 2.32 | 6 | 10 | 170 | 0.9 | <2 | 4.56 | <0.5 | 14 | 20 | 39 | 4.50 |
| B004013 | | 3.70 | <0.005 | 0.3 | 2.56 | 10 | 10 | 190 | 0.9 | <2 | 5.14 | <0.5 | 14 | 29 | 37 | 4.60 |
| B004014 | | 3.28 | <0.005 | 0.3 | 2.50 | <2 | 10 | 150 | 0.7 | <2 | 6.25 | <0.5 | 13 | 22 | 41 | 4.41 |
| B004015 | | 3.08 | 0.005 | 0.6 | 2.10 | 11 | 10 | 160 | 0.7 | <2 | 7.55 | <0.5 | 12 | 7 | 39 | 4.24 |
| B004016 | | 3.10 | 0.007 | 0.6 | 2.01 | 16 | 10 | 140 | 0.7 | <2 | 6.27 | <0.5 | 14 | 7 | 36 | 4.08 |
| B004017 | | 3.58 | 0.006 | 0.9 | 2.09 | 11 | 10 | 130 | 0.7 | <2 | 5.23 | <0.5 | 15 | 7 | 48 | 4.36 |
| B004018 | | 3.20 | 0.007 | 0.5 | 2.11 | 10 | 10 | 180 | 0.9 | <2 | 3.92 | <0.5 | 15 | 7 | 41 | 4.53 |
| B004019 | | 3.10 | <0.005 | 0.4 | 2.18 | 5 | 10 | 220 | 0.7 | <2 | 5.36 | <0.5 | 13 | 8 | 38 | 4.49 |
| B004020 | | 2.24 | <0.005 | 0.5 | 1.86 | <2 | <10 | 140 | 0.7 | <2 | 5.92 | 2.0 | 15 | 7 | 56 | 4.47 |
| B004021 | | 0.76 | <0.005 | 0.3 | 4.18 | 20 | 10 | 100 | 0.5 | <2 | 5.95 | <0.5 | 30 | 117 | 43 | 5.76 |
| B004022 | | 0.68 | <0.005 | 0.4 | 2.29 | 3 | 10 | 230 | 0.7 | <2 | 6.59 | <0.5 | 12 | 10 | 42 | 4.18 |
| B004023 | | 1.32 | <0.005 | 0.2 | 2.40 | 6 | 10 | 380 | 0.7 | <2 | 6.99 | <0.5 | 12 | 10 | 43 | 4.34 |
| B004024 | | 1.70 | <0.005 | 0.4 | 2.46 | <2 | 10 | 190 | 0.9 | <2 | 4.34 | <0.5 | 16 | 9 | 57 | 5.29 |
| B004025 | | 1.70 | <0.005 | 0.6 | 2.43 | <2 | <10 | 160 | 0.8 | <2 | 5.37 | <0.5 | 19 | 10 | 83 | 5.82 |
| B004026 | | 1.16 | <0.005 | 0.5 | 2.14 | 4 | 10 | 160 | 0.8 | <2 | 6.88 | <0.5 | 18 | 10 | 60 | 5.02 |
| B004027 | | 3.32 | <0.005 | 0.2 | 2.25 | <2 | 10 | 150 | 0.8 | <2 | 5.67 | <0.5 | 15 | 9 | 48 | 4.81 |
| B004028 | | 3.32 | <0.005 | 0.4 | 1.90 | 3 | 10 | 110 | 0.6 | <2 | 6.34 | <0.5 | 13 | 7 | 49 | 4.07 |
| B004029 | | 3.84 | <0.005 | 0.5 | 2.05 | 6 | 10 | 130 | 0.7 | <2 | 3.96 | <0.5 | 12 | 8 | 39 | 4.51 |
| B004030 | | 2.48 | 0.005 | 0.3 | 2.27 | 15 | 10 | 130 | 0.7 | <2 | 4.06 | <0.5 | 17 | 17 | 55 | 5.07 |
| B004031 | | 2.28 | 0.005 | 0.4 | 1.86 | 16 | 10 | 120 | 0.7 | <2 | 5.06 | <0.5 | 14 | 11 | 43 | 4.27 |
| B004032 | | 2.82 | <0.005 | <0.2 | 2.15 | 10 | 10 | 140 | 0.8 | <2 | 4.18 | <0.5 | 15 | 10 | 45 | 4.52 |
| B004033 | | 3.62 | <0.005 | 0.3 | 2.22 | <2 | 10 | 150 | 0.9 | <2 | 3.58 | <0.5 | 14 | 9 | 54 | 4.71 |
| B004034 | | 3.46 | 0.005 | 0.5 | 2.10 | 11 | 10 | 140 | 0.7 | <2 | 5.04 | <0.5 | 13 | 10 | 37 | 4.52 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm |
| | | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 10 | 2 | 0.01 | 2 | 1 | 1 | 1 |
| B003995 | | 10 | 0.03 | 0.37 | 10 | 0.95 | 832 | 1 | 0.13 | 15 | 900 | 12 | 1.08 | 2 | 7 | 261 |
| B003996 | | 10 | 0.03 | 0.39 | 10 | 0.97 | 941 | <1 | 0.11 | 15 | 1060 | 13 | 1.30 | <2 | 8 | 274 |
| B003997 | | 10 | 0.03 | 0.43 | 10 | 0.94 | 845 | 1 | 0.11 | 14 | 910 | 16 | 1.16 | <2 | 8 | 276 |
| B003998 | | 10 | 0.03 | 0.36 | 10 | 0.93 | 1025 | <1 | 0.11 | 14 | 840 | 10 | 1.10 | <2 | 7 | 346 |
| B003999 | | 10 | 0.02 | 0.40 | 10 | 0.93 | 988 | 1 | 0.11 | 15 | 940 | 12 | 1.01 | <2 | 8 | 353 |
| B004000 | | 10 | 0.03 | 0.34 | 10 | 0.99 | 840 | <1 | 0.11 | 16 | 1070 | 12 | 1.25 | 2 | 8 | 251 |
| B004001 | | 10 | 0.03 | 0.44 | 10 | 0.93 | 843 | 1 | 0.11 | 15 | 950 | 17 | 1.24 | <2 | 8 | 247 |
| B004002 | | 10 | 0.03 | 0.37 | 10 | 0.99 | 809 | 1 | 0.11 | 17 | 1040 | 15 | 1.26 | <2 | 8 | 234 |
| B004003 | | 10 | 0.03 | 0.45 | 10 | 0.92 | 723 | 2 | 0.12 | 16 | 960 | 16 | 1.30 | 2 | 8 | 234 |
| B004004 | | 10 | 0.02 | 0.36 | 10 | 0.93 | 739 | <1 | 0.10 | 14 | 990 | 11 | 1.14 | 2 | 7 | 274 |
| B004005 | | 10 | 0.03 | 0.42 | 10 | 0.93 | 894 | 1 | 0.10 | 15 | 970 | 13 | 1.15 | <2 | 7 | 359 |
| B004006 | | 10 | 0.03 | 0.40 | 10 | 0.91 | 786 | 1 | 0.10 | 17 | 1010 | 16 | 1.54 | 2 | 7 | 270 |
| B004007 | | 10 | 0.03 | 0.41 | 10 | 0.86 | 936 | 1 | 0.09 | 16 | 890 | 14 | 1.34 | <2 | 6 | 349 |
| B004008 | | 10 | 0.02 | 0.38 | 10 | 0.84 | 957 | 1 | 0.09 | 14 | 960 | 13 | 1.36 | <2 | 5 | 354 |
| B004009 | | 10 | 0.01 | 0.34 | 10 | 0.93 | 1360 | 2 | 0.07 | 15 | 1070 | 7 | 1.11 | 2 | 5 | 295 |
| B004010 | | 10 | <0.01 | 0.36 | 10 | 1.14 | 916 | 1 | 0.07 | 17 | 1100 | 7 | 0.98 | <2 | 5 | 210 |
| B004011 | | 10 | 0.01 | 0.25 | 20 | 3.15 | 1370 | 2 | 0.08 | 67 | 3030 | 7 | 0.37 | <2 | 9 | 280 |
| B004012 | | <10 | 0.02 | 0.33 | 10 | 0.84 | 892 | 1 | 0.09 | 15 | 1020 | 13 | 1.60 | 2 | 6 | 231 |
| B004013 | | 10 | 0.02 | 0.40 | 10 | 0.90 | 1010 | 2 | 0.09 | 15 | 1040 | 13 | 1.58 | <2 | 6 | 245 |
| B004014 | | 10 | 0.01 | 0.29 | 10 | 0.90 | 1105 | <1 | 0.08 | 12 | 1040 | 13 | 0.92 | <2 | 5 | 285 |
| B004015 | | <10 | 0.03 | 0.21 | 10 | 0.83 | 1135 | <1 | 0.08 | 14 | 950 | 12 | 1.32 | 2 | 5 | 342 |
| B004016 | | <10 | 0.03 | 0.21 | 10 | 0.78 | 977 | <1 | 0.08 | 15 | 950 | 17 | 1.34 | 4 | 5 | 239 |
| B004017 | | <10 | 0.03 | 0.21 | 10 | 0.81 | 957 | 1 | 0.08 | 16 | 1080 | 950 | 1.44 | 2 | 5 | 253 |
| B004018 | | <10 | 0.03 | 0.22 | 10 | 0.81 | 812 | 1 | 0.10 | 15 | 990 | 21 | 1.56 | 2 | 6 | 223 |
| B004019 | | <10 | 0.02 | 0.21 | 10 | 0.88 | 903 | 1 | 0.09 | 16 | 1090 | 17 | 1.40 | 2 | 6 | 280 |
| B004020 | | <10 | 0.06 | 0.22 | 10 | 0.79 | 996 | 1 | 0.07 | 16 | 960 | 252 | 1.84 | 2 | 4 | 223 |
| B004021 | | 10 | <0.01 | 0.16 | 10 | 3.90 | 1295 | 1 | 0.06 | 132 | 2320 | 4 | 0.45 | 2 | 12 | 359 |
| B004022 | | <10 | 0.01 | 0.20 | 10 | 1.06 | 1025 | 1 | 0.08 | 15 | 1000 | 8 | 0.76 | <2 | 5 | 355 |
| B004023 | | <10 | 0.01 | 0.20 | 10 | 1.11 | 1015 | 1 | 0.08 | 15 | 1040 | 10 | 0.77 | <2 | 6 | 352 |
| B004024 | | 10 | 0.01 | 0.24 | 10 | 1.02 | 869 | 1 | 0.09 | 20 | 1200 | 25 | 1.36 | <2 | 7 | 221 |
| B004025 | | <10 | 0.02 | 0.20 | 10 | 1.02 | 1065 | <1 | 0.09 | 20 | 1270 | 207 | 1.78 | 2 | 5 | 275 |
| B004026 | | <10 | 0.01 | 0.22 | <10 | 0.86 | 1130 | 1 | 0.08 | 18 | 1200 | 40 | 1.86 | <2 | 4 | 430 |
| B004027 | | 10 | 0.01 | 0.21 | <10 | 0.91 | 1070 | 1 | 0.08 | 14 | 1120 | 16 | 1.50 | 2 | 5 | 359 |
| B004028 | | <10 | 0.01 | 0.19 | 10 | 0.80 | 1220 | 1 | 0.07 | 12 | 880 | 57 | 1.20 | <2 | 4 | 397 |
| B004029 | | <10 | 0.01 | 0.18 | <10 | 0.84 | 1115 | <1 | 0.08 | 11 | 890 | 9 | 1.33 | 3 | 4 | 278 |
| B004030 | | 10 | 0.02 | 0.20 | 10 | 1.08 | 1005 | 1 | 0.07 | 24 | 1320 | 26 | 1.36 | <2 | 6 | 300 |
| B004031 | | <10 | 0.03 | 0.16 | <10 | 0.78 | 960 | 1 | 0.07 | 16 | 940 | 13 | 1.24 | 2 | 4 | 390 |
| B004032 | | <10 | 0.02 | 0.18 | 10 | 0.85 | 838 | 1 | 0.09 | 15 | 1000 | 11 | 1.18 | 2 | 5 | 269 |
| B004033 | | 10 | 0.01 | 0.19 | 10 | 0.89 | 873 | <1 | 0.09 | 17 | 1040 | 5 | 1.31 | <2 | 5 | 210 |
| B004034 | | <10 | 0.03 | 0.19 | 10 | 0.85 | 871 | 1 | 0.08 | 15 | 960 | 17 | 1.38 | <2 | 5 | 304 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Ti | Ti | U | V | W | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm |
| B003995 | | <0.01 | <10 | 10 | 39 | <10 | 89 |
| B003996 | | <0.01 | <10 | <10 | 40 | <10 | 86 |
| B003997 | | <0.01 | <10 | <10 | 40 | <10 | 87 |
| B003998 | | <0.01 | <10 | <10 | 38 | <10 | 86 |
| B003999 | | <0.01 | <10 | <10 | 41 | <10 | 85 |
| B004000 | | <0.01 | <10 | <10 | 39 | <10 | 91 |
| B004001 | | <0.01 | <10 | <10 | 42 | <10 | 92 |
| B004002 | | <0.01 | <10 | <10 | 39 | <10 | 88 |
| B004003 | | <0.01 | <10 | <10 | 40 | <10 | 92 |
| B004004 | | <0.01 | <10 | <10 | 38 | <10 | 90 |
| B004005 | | <0.01 | <10 | <10 | 38 | <10 | 86 |
| B004006 | | <0.01 | <10 | <10 | 38 | <10 | 90 |
| B004007 | | <0.01 | <10 | <10 | 34 | <10 | 78 |
| B004008 | | <0.01 | <10 | <10 | 33 | <10 | 66 |
| B004009 | | <0.01 | <10 | <10 | 39 | <10 | 56 |
| B004010 | | <0.01 | <10 | <10 | 51 | <10 | 45 |
| B004011 | | <0.01 | <10 | <10 | 136 | <10 | 89 |
| B004012 | | <0.01 | <10 | <10 | 30 | <10 | 85 |
| B004013 | | <0.01 | <10 | <10 | 33 | <10 | 85 |
| B004014 | | <0.01 | <10 | <10 | 32 | <10 | 124 |
| B004015 | | <0.01 | <10 | <10 | 26 | <10 | 86 |
| B004016 | | <0.01 | <10 | <10 | 26 | <10 | 78 |
| B004017 | | <0.01 | <10 | <10 | 26 | <10 | 201 |
| B004018 | | <0.01 | <10 | <10 | 27 | <10 | 94 |
| B004019 | | <0.01 | <10 | <10 | 29 | <10 | 89 |
| B004020 | | <0.01 | <10 | <10 | 24 | <10 | 868 |
| B004021 | | 0.01 | <10 | <10 | 124 | <10 | 68 |
| B004022 | | <0.01 | <10 | <10 | 34 | <10 | 81 |
| B004023 | | <0.01 | <10 | <10 | 35 | <10 | 81 |
| B004024 | | <0.01 | <10 | <10 | 32 | <10 | 98 |
| B004025 | | <0.01 | <10 | <10 | 30 | <10 | 194 |
| B004026 | | <0.01 | <10 | <10 | 26 | <10 | 69 |
| B004027 | | <0.01 | <10 | <10 | 27 | <10 | 85 |
| B004028 | | <0.01 | <10 | <10 | 22 | <10 | 63 |
| B004029 | | <0.01 | <10 | <10 | 24 | <10 | 64 |
| B004030 | | <0.01 | <10 | <10 | 33 | <10 | 104 |
| B004031 | | <0.01 | <10 | <10 | 23 | <10 | 78 |
| B004032 | | <0.01 | <10 | <10 | 28 | <10 | 81 |
| B004033 | | <0.01 | <10 | <10 | 30 | <10 | 62 |
| B004034 | | <0.01 | <10 | <10 | 29 | <10 | 83 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - A
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| B004035 | | 3.34 | 0.008 | 0.2 | 2.44 | 10 | 10 | 150 | 0.9 | <2 | 2.15 | <0.5 | 15 | 8 | 46 | 5.04 |
| B004036 | | 3.04 | 0.009 | 0.5 | 2.52 | 9 | 10 | 180 | 0.9 | <2 | 2.22 | <0.5 | 15 | 9 | 42 | 4.81 |
| B004037 | | 3.50 | 0.007 | 0.4 | 2.28 | 8 | 10 | 170 | 1.0 | <2 | 2.18 | <0.5 | 15 | 8 | 47 | 4.74 |
| B004038 | | 2.66 | 0.007 | 0.5 | 2.50 | 17 | 10 | 150 | 0.9 | <2 | 2.97 | <0.5 | 15 | 9 | 41 | 4.94 |
| B004039 | | 2.18 | 0.010 | 0.5 | 2.07 | 9 | 10 | 150 | 0.8 | <2 | 2.96 | <0.5 | 14 | 7 | 42 | 4.72 |
| B004040 | | 2.98 | 0.008 | 0.4 | 2.07 | 7 | <10 | 120 | 0.6 | <2 | 4.47 | <0.5 | 12 | 8 | 34 | 4.43 |
| B004041 | | 2.48 | 0.016 | 0.7 | 2.17 | 14 | 10 | 130 | 0.7 | <2 | 4.28 | <0.5 | 14 | 10 | 45 | 4.66 |
| B004042 | | 2.24 | 0.009 | 0.6 | 2.48 | 6 | <10 | 120 | 0.6 | <2 | 4.44 | <0.5 | 15 | 8 | 48 | 5.07 |
| B004043 | | 3.38 | 0.007 | 0.7 | 2.19 | 16 | <10 | 220 | 0.8 | <2 | 3.95 | <0.5 | 15 | 8 | 97 | 4.79 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - B
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | Sr |
| | | ppm | ppm | % | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm |
| B004035 | | 10 | 0.05 | 0.18 | 10 | 0.98 | 858 | 1 | 0.09 | 13 | 1320 | 15 | 1.12 | 2 | 6 | 155 |
| B004036 | | 10 | 0.04 | 0.28 | 10 | 0.94 | 876 | 1 | 0.09 | 14 | 1100 | 15 | 1.06 | 2 | 6 | 162 |
| B004037 | | 10 | 0.05 | 0.21 | 10 | 0.90 | 847 | 1 | 0.10 | 13 | 1070 | 12 | 1.18 | 3 | 6 | 140 |
| B004038 | | 10 | 0.05 | 0.30 | 10 | 0.95 | 1025 | 1 | 0.08 | 11 | 1140 | 12 | 1.23 | 4 | 6 | 184 |
| B004039 | | <10 | 0.05 | 0.21 | 10 | 0.85 | 950 | 1 | 0.09 | 12 | 1020 | 16 | 1.58 | 3 | 5 | 182 |
| B004040 | | <10 | 0.04 | 0.18 | 10 | 0.87 | 1075 | 1 | 0.08 | 10 | 960 | 9 | 1.15 | 3 | 4 | 279 |
| B004041 | | 10 | 0.05 | 0.19 | 10 | 0.90 | 980 | 1 | 0.08 | 13 | 1040 | 12 | 1.35 | 2 | 5 | 276 |
| B004042 | | 10 | 0.06 | 0.17 | 10 | 0.98 | 1065 | 1 | 0.08 | 12 | 1160 | 11 | 1.00 | 3 | 5 | 293 |
| B004043 | | <10 | 0.05 | 0.20 | 10 | 0.89 | 1005 | 1 | 0.10 | 15 | 1040 | 42 | 1.38 | 3 | 6 | 237 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055399

| Sample Description | Method | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-------------------|----------|----------|----------|----------|----------|----------|
| | Analyte Units LOR | Ti % | Ti ppm | U ppm | V ppm | W ppm | Zn ppm |
| B004035 | | <0.01 | <10 | <10 | 33 | <10 | 96 |
| B004036 | | <0.01 | <10 | <10 | 36 | <10 | 85 |
| B004037 | | <0.01 | <10 | <10 | 31 | <10 | 90 |
| B004038 | | <0.01 | <10 | <10 | 35 | <10 | 79 |
| B004039 | | <0.01 | <10 | <10 | 25 | <10 | 62 |
| B004040 | | <0.01 | <10 | <10 | 24 | <10 | 38 |
| B004041 | | <0.01 | <10 | <10 | 27 | <10 | 45 |
| B004042 | | <0.01 | <10 | <10 | 34 | <10 | 55 |
| B004043 | | <0.01 | <10 | <10 | 28 | <10 | 132 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 2-SEP-2004
Account: EIA

CERTIFICATE VA04055847

Project: NGX04-01

P.O. No.:

This report is for 148 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-AUG-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 5 (A - C)

Finalized Date: 2-SEP-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % |
| B004044 | | 3.48 | 0.008 | 0.5 | 2.42 | 14 | 10 | 170 | 0.9 | <2 | 3.77 | <0.5 | 15 | 11 | 42 | 4.78 |
| B004045 | | 3.46 | 0.007 | 0.5 | 2.56 | 12 | 10 | 180 | 1.0 | <2 | 3.93 | <0.5 | 16 | 13 | 48 | 4.71 |
| B004046 | | 3.36 | 0.006 | 0.2 | 2.64 | 14 | 10 | 220 | 0.9 | <2 | 3.80 | <0.5 | 15 | 10 | 44 | 4.91 |
| B004047 | | 2.98 | <0.005 | 0.2 | 2.59 | 11 | 10 | 220 | 1.0 | <2 | 2.72 | <0.5 | 14 | 11 | 45 | 4.90 |
| B004048 | | 2.18 | 0.005 | 0.2 | 2.53 | 17 | 10 | 170 | 0.8 | <2 | 4.79 | <0.5 | 14 | 10 | 49 | 4.63 |
| B004049 | | 2.54 | 0.005 | 0.2 | 2.51 | 16 | 10 | 180 | 0.8 | <2 | 3.04 | <0.5 | 16 | 12 | 47 | 4.86 |
| B004050 | | 2.46 | 0.005 | 0.3 | 2.22 | 10 | 10 | 180 | 0.8 | <2 | 4.49 | <0.5 | 14 | 9 | 53 | 4.82 |
| B004051 | | 3.92 | <0.005 | <0.2 | 2.60 | 14 | 10 | 200 | 0.8 | <2 | 4.52 | <0.5 | 15 | 12 | 43 | 5.06 |
| B004052 | | 3.56 | <0.005 | 0.2 | 2.29 | 9 | 10 | 370 | 0.9 | <2 | 3.41 | <0.5 | 14 | 9 | 43 | 4.15 |
| B004053 | | 3.16 | <0.005 | 0.3 | 2.36 | 6 | 10 | 210 | 0.8 | <2 | 3.63 | <0.5 | 10 | 8 | 28 | 3.96 |
| B004054 | | 3.16 | <0.005 | <0.2 | 2.72 | 15 | 10 | 510 | 0.8 | <2 | 4.91 | <0.5 | 13 | 8 | 56 | 4.87 |
| B004055 | | 3.34 | <0.005 | 0.2 | 2.74 | 10 | 10 | 360 | 0.8 | <2 | 5.91 | <0.5 | 12 | 11 | 48 | 5.03 |
| B004056 | | 3.36 | <0.005 | <0.2 | 2.89 | 13 | 10 | 390 | 0.9 | <2 | 2.96 | <0.5 | 15 | 10 | 49 | 5.49 |
| B004057 | | 1.82 | 0.005 | 0.2 | 2.76 | 18 | <10 | 130 | 0.6 | <2 | 8.89 | <0.5 | 14 | 26 | 39 | 4.69 |
| B004058 | | 1.90 | <0.005 | 0.2 | 2.62 | 18 | 10 | 140 | 0.6 | <2 | 6.06 | <0.5 | 12 | 22 | 31 | 4.26 |
| B004059 | | 3.12 | 0.005 | <0.2 | 2.64 | 12 | 10 | 200 | 0.9 | <2 | 3.17 | <0.5 | 14 | 10 | 48 | 5.07 |
| B004060 | | 3.48 | <0.005 | <0.2 | 2.67 | 7 | 10 | 230 | 1.0 | <2 | 2.35 | <0.5 | 14 | 12 | 46 | 5.04 |
| B004061 | | 3.56 | <0.005 | 0.2 | 2.61 | 9 | 10 | 210 | 0.9 | <2 | 2.67 | <0.5 | 15 | 11 | 47 | 4.94 |
| B004062 | | 4.46 | <0.005 | <0.2 | 2.78 | 14 | 10 | 200 | 0.9 | <2 | 4.07 | <0.5 | 15 | 11 | 49 | 5.11 |
| B004063 | | 3.36 | 0.005 | 0.3 | 2.57 | 13 | 10 | 210 | 0.8 | <2 | 5.03 | <0.5 | 13 | 13 | 46 | 4.53 |
| B004064 | | 3.24 | 0.005 | <0.2 | 3.10 | 13 | 10 | 300 | 0.9 | <2 | 3.85 | <0.5 | 18 | 25 | 52 | 5.55 |
| B004065 | | 2.84 | 0.010 | 0.4 | 2.47 | 23 | 10 | 170 | 0.8 | <2 | 4.77 | <0.5 | 14 | 20 | 49 | 4.99 |
| B004066 | | 2.80 | <0.005 | 0.3 | 2.71 | 10 | 10 | 190 | 0.9 | <2 | 2.18 | <0.5 | 13 | 16 | 43 | 4.43 |
| B004067 | | 3.08 | <0.005 | 0.2 | 3.17 | 13 | <10 | 170 | 0.6 | <2 | 6.66 | <0.5 | 17 | 49 | 40 | 4.91 |
| B004068 | | 3.10 | <0.005 | 0.3 | 2.66 | 10 | 10 | 220 | 0.9 | <2 | 4.62 | <0.5 | 13 | 13 | 39 | 4.83 |
| B004069 | | 3.36 | <0.005 | 0.4 | 2.60 | 9 | 10 | 280 | 0.9 | <2 | 5.25 | <0.5 | 14 | 18 | 47 | 4.49 |
| B004070 | | 3.38 | <0.005 | 0.2 | 2.60 | 12 | 10 | 320 | 1.0 | <2 | 4.99 | <0.5 | 13 | 18 | 52 | 4.45 |
| B004071 | | 3.28 | <0.005 | <0.2 | 2.69 | 13 | 10 | 300 | 0.8 | <2 | 6.12 | <0.5 | 13 | 19 | 38 | 4.68 |
| B004072 | | 3.52 | <0.005 | 0.3 | 2.55 | 10 | 10 | 230 | 0.8 | <2 | 8.10 | <0.5 | 14 | 15 | 34 | 4.53 |
| B004073 | | 3.28 | <0.005 | <0.2 | 2.69 | 12 | 10 | 230 | 0.9 | <2 | 6.47 | <0.5 | 13 | 18 | 38 | 4.54 |
| B004074 | | 3.66 | 0.008 | 0.2 | 2.63 | 17 | 10 | 260 | 0.9 | <2 | 5.34 | <0.5 | 14 | 14 | 42 | 4.76 |
| B004075 | | 3.86 | <0.005 | 0.2 | 2.55 | 15 | 10 | 230 | 0.9 | <2 | 6.08 | <0.5 | 14 | 17 | 38 | 4.62 |
| B004076 | | 3.18 | 0.018 | 0.6 | 2.49 | 19 | 10 | 300 | 0.8 | <2 | 7.18 | <0.5 | 12 | 15 | 33 | 4.55 |
| B004077 | | 1.54 | 0.010 | <0.2 | 2.61 | 16 | 10 | 220 | 1.0 | <2 | 5.07 | <0.5 | 14 | 17 | 40 | 4.60 |
| B004078 | | 1.64 | 0.010 | 0.3 | 2.61 | 12 | 10 | 230 | 0.9 | <2 | 5.38 | <0.5 | 15 | 16 | 41 | 4.70 |
| B004079 | | 3.62 | 0.013 | 0.3 | 2.61 | 17 | 10 | 220 | 0.9 | <2 | 5.55 | <0.5 | 14 | 17 | 40 | 4.96 |
| B004080 | | 3.20 | 0.007 | <0.2 | 2.33 | 6 | 10 | 320 | 1.0 | <2 | 4.67 | <0.5 | 12 | 14 | 52 | 4.06 |
| B004081 | | 3.34 | 0.017 | 0.6 | 2.55 | 12 | 10 | 200 | 0.9 | <2 | 5.21 | <0.5 | 13 | 16 | 43 | 4.53 |
| B004082 | | 3.26 | 0.040 | 0.7 | 2.46 | 23 | 10 | 190 | 0.9 | <2 | 4.03 | <0.5 | 15 | 15 | 43 | 4.71 |
| B004083 | | 3.18 | 0.020 | 0.5 | 2.35 | 15 | 10 | 190 | 0.8 | <2 | 6.11 | <0.5 | 12 | 20 | 35 | 4.40 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| B004044 | | <10 | 0.05 | 0.28 | 10 | 0.87 | 917 | 1 | 0.09 | 16 | 1040 | 13 | 1.30 | <2 | 6 | 172 |
| B004045 | | <10 | 0.04 | 0.30 | 10 | 0.92 | 1055 | <1 | 0.11 | 15 | 940 | 16 | 1.10 | <2 | 7 | 174 |
| B004046 | | <10 | 0.05 | 0.28 | 10 | 0.91 | 997 | 1 | 0.11 | 16 | 1000 | 15 | 1.08 | <2 | 7 | 187 |
| B004047 | | 10 | 0.05 | 0.28 | 10 | 0.90 | 847 | 1 | 0.11 | 14 | 990 | 15 | 0.99 | <2 | 7 | 154 |
| B004048 | | <10 | 0.04 | 0.26 | 10 | 0.97 | 1205 | 1 | 0.11 | 15 | 860 | 18 | 1.04 | <2 | 6 | 313 |
| B004049 | | <10 | 0.04 | 0.26 | 10 | 0.90 | 821 | 1 | 0.11 | 18 | 1070 | 18 | 1.18 | 3 | 6 | 206 |
| B004050 | | <10 | 0.04 | 0.28 | 10 | 0.85 | 1085 | 1 | 0.11 | 14 | 960 | 19 | 1.67 | <2 | 6 | 297 |
| B004051 | | <10 | 0.04 | 0.27 | 10 | 0.95 | 1105 | 1 | 0.10 | 17 | 1160 | 18 | 1.28 | <2 | 6 | 278 |
| B004052 | | <10 | 0.04 | 0.30 | 10 | 0.87 | 871 | 1 | 0.11 | 16 | 1060 | 16 | 1.04 | <2 | 7 | 215 |
| B004053 | | <10 | 0.02 | 0.27 | 10 | 0.89 | 866 | 1 | 0.11 | 11 | 760 | 11 | 0.65 | <2 | 5 | 194 |
| B004054 | | 10 | 0.05 | 0.29 | 10 | 0.91 | 1430 | 1 | 0.10 | 10 | 750 | 12 | 0.78 | <2 | 7 | 276 |
| B004055 | | 10 | 0.04 | 0.28 | 10 | 0.94 | 1340 | 2 | 0.11 | 12 | 840 | 16 | 0.87 | <2 | 6 | 342 |
| B004056 | | 10 | 0.07 | 0.28 | 10 | 1.02 | 938 | <1 | 0.11 | 14 | 980 | 13 | 0.96 | <2 | 6 | 188 |
| B004057 | | <10 | 0.04 | 0.22 | 10 | 1.16 | 1915 | <1 | 0.09 | 21 | 1140 | 9 | 0.72 | <2 | 6 | 455 |
| B004058 | | <10 | 0.04 | 0.24 | 10 | 1.05 | 1280 | 1 | 0.09 | 17 | 860 | 7 | 0.37 | <2 | 5 | 322 |
| B004059 | | 10 | 0.05 | 0.28 | 10 | 0.94 | 839 | 1 | 0.12 | 14 | 970 | 14 | 1.11 | <2 | 6 | 196 |
| B004060 | | 10 | 0.04 | 0.29 | 10 | 0.92 | 696 | <1 | 0.13 | 15 | 1040 | 14 | 1.05 | <2 | 7 | 156 |
| B004061 | | 10 | 0.04 | 0.28 | 10 | 0.90 | 772 | 1 | 0.13 | 15 | 1090 | 16 | 1.04 | 3 | 6 | 167 |
| B004062 | | 10 | 0.05 | 0.29 | 10 | 0.97 | 1050 | 1 | 0.12 | 13 | 1060 | 15 | 1.03 | <2 | 6 | 259 |
| B004063 | | <10 | 0.05 | 0.27 | 10 | 0.92 | 1105 | <1 | 0.12 | 14 | 860 | 16 | 0.87 | <2 | 5 | 317 |
| B004064 | | 10 | 0.04 | 0.27 | 10 | 1.25 | 940 | 1 | 0.11 | 23 | 1300 | 12 | 0.95 | <2 | 9 | 220 |
| B004065 | | <10 | 0.05 | 0.26 | 10 | 0.92 | 1060 | 1 | 0.10 | 14 | 960 | 15 | 1.58 | <2 | 5 | 329 |
| B004066 | | 10 | 0.03 | 0.27 | 10 | 1.22 | 504 | 1 | 0.11 | 18 | 1140 | 10 | 0.65 | <2 | 6 | 157 |
| B004067 | | <10 | 0.01 | 0.21 | 10 | 1.96 | 1050 | <1 | 0.08 | 49 | 1630 | 7 | 0.89 | <2 | 7 | 353 |
| B004068 | | 10 | 0.04 | 0.27 | 10 | 1.04 | 651 | <1 | 0.11 | 13 | 1080 | 14 | 1.03 | <2 | 8 | 285 |
| B004069 | | 10 | 0.04 | 0.29 | 10 | 1.02 | 745 | <1 | 0.12 | 16 | 940 | 13 | 1.06 | <2 | 8 | 303 |
| B004070 | | 10 | 0.04 | 0.28 | 10 | 1.02 | 736 | <1 | 0.12 | 16 | 920 | 12 | 1.06 | <2 | 8 | 278 |
| B004071 | | 10 | 0.05 | 0.26 | 10 | 1.06 | 851 | 1 | 0.12 | 17 | 980 | 13 | 1.06 | <2 | 8 | 327 |
| B004072 | | <10 | 0.05 | 0.26 | 10 | 0.97 | 948 | <1 | 0.11 | 13 | 1030 | 16 | 1.22 | <2 | 7 | 362 |
| B004073 | | <10 | 0.05 | 0.28 | 10 | 0.99 | 801 | <1 | 0.13 | 15 | 1050 | 14 | 1.14 | 2 | 8 | 340 |
| B004074 | | 10 | 0.05 | 0.28 | 10 | 0.99 | 738 | 1 | 0.12 | 17 | 1070 | 18 | 1.35 | <2 | 7 | 307 |
| B004075 | | <10 | 0.05 | 0.27 | 10 | 0.94 | 787 | <1 | 0.12 | 16 | 1020 | 15 | 1.40 | <2 | 8 | 325 |
| B004076 | | <10 | 0.05 | 0.25 | 10 | 0.95 | 897 | <1 | 0.11 | 12 | 1100 | 16 | 1.35 | <2 | 7 | 321 |
| B004077 | | <10 | 0.05 | 0.28 | 10 | 0.97 | 697 | 2 | 0.12 | 15 | 1020 | 16 | 1.31 | <2 | 8 | 293 |
| B004078 | | 10 | 0.05 | 0.28 | 10 | 0.98 | 747 | 1 | 0.12 | 15 | 1040 | 17 | 1.40 | <2 | 8 | 292 |
| B004079 | | <10 | 0.05 | 0.28 | 10 | 0.95 | 794 | 3 | 0.12 | 17 | 1100 | 19 | 1.70 | <2 | 8 | 303 |
| B004080 | | <10 | 0.05 | 0.25 | 10 | 0.93 | 672 | <1 | 0.13 | 14 | 860 | 11 | 0.93 | <2 | 8 | 258 |
| B004081 | | <10 | 0.05 | 0.24 | 10 | 1.00 | 743 | 1 | 0.12 | 14 | 980 | 14 | 1.09 | <2 | 7 | 256 |
| B004082 | | <10 | 0.05 | 0.25 | 10 | 0.98 | 654 | 1 | 0.12 | 18 | 1010 | 18 | 1.38 | <2 | 7 | 238 |
| B004083 | | <10 | 0.04 | 0.25 | 10 | 0.90 | 840 | 1 | 0.12 | 14 | 1070 | 20 | 1.42 | 2 | 7 | 336 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C

Total # Pages: 5 (A - C)

Finalized Date: 2-SEP-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 |
| B004044 | | <0.01 | <10 | <10 | 33 | <10 | 100 |
| B004045 | | <0.01 | <10 | <10 | 36 | <10 | 101 |
| B004046 | | <0.01 | <10 | <10 | 35 | <10 | 100 |
| B004047 | | <0.01 | <10 | <10 | 35 | <10 | 100 |
| B004048 | | <0.01 | <10 | <10 | 33 | <10 | 97 |
| B004049 | | <0.01 | <10 | <10 | 36 | <10 | 104 |
| B004050 | | <0.01 | <10 | <10 | 29 | <10 | 112 |
| B004051 | | <0.01 | <10 | <10 | 34 | <10 | 101 |
| B004052 | | <0.01 | <10 | <10 | 30 | <10 | 92 |
| B004053 | | <0.01 | <10 | <10 | 20 | <10 | 78 |
| B004054 | | <0.01 | <10 | <10 | 33 | <10 | 97 |
| B004055 | | <0.01 | <10 | <10 | 32 | <10 | 102 |
| B004056 | | <0.01 | <10 | <10 | 40 | <10 | 101 |
| B004057 | | <0.01 | <10 | <10 | 46 | <10 | 60 |
| B004058 | | <0.01 | <10 | <10 | 39 | <10 | 52 |
| B004059 | | <0.01 | <10 | <10 | 37 | <10 | 98 |
| B004060 | | <0.01 | <10 | <10 | 38 | <10 | 99 |
| B004061 | | <0.01 | <10 | <10 | 36 | <10 | 100 |
| B004062 | | <0.01 | <10 | <10 | 39 | <10 | 94 |
| B004063 | | <0.01 | <10 | <10 | 33 | <10 | 90 |
| B004064 | | <0.01 | <10 | <10 | 62 | <10 | 92 |
| B004065 | | <0.01 | <10 | <10 | 30 | <10 | 84 |
| B004066 | | <0.01 | <10 | <10 | 44 | <10 | 93 |
| B004067 | | <0.01 | <10 | <10 | 72 | <10 | 68 |
| B004068 | | <0.01 | <10 | <10 | 38 | <10 | 97 |
| B004069 | | <0.01 | <10 | <10 | 36 | <10 | 96 |
| B004070 | | <0.01 | <10 | <10 | 37 | <10 | 96 |
| B004071 | | <0.01 | <10 | <10 | 40 | <10 | 96 |
| B004072 | | <0.01 | <10 | <10 | 35 | <10 | 89 |
| B004073 | | <0.01 | <10 | <10 | 37 | <10 | 93 |
| B004074 | | <0.01 | <10 | <10 | 37 | <10 | 102 |
| B004075 | | <0.01 | <10 | <10 | 35 | <10 | 96 |
| B004076 | | <0.01 | <10 | <10 | 34 | <10 | 87 |
| B004077 | | <0.01 | <10 | <10 | 37 | <10 | 96 |
| B004078 | | <0.01 | <10 | <10 | 36 | <10 | 96 |
| B004079 | | <0.01 | <10 | <10 | 36 | <10 | 95 |
| B004080 | | <0.01 | <10 | <10 | 33 | <10 | 100 |
| B004081 | | <0.01 | 10 | <10 | 37 | <10 | 96 |
| B004082 | | <0.01 | <10 | <10 | 36 | <10 | 94 |
| B004083 | | <0.01 | <10 | <10 | 34 | <10 | 87 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A

Total # Pages: 5 (A - C)

Finalized Date: 2-SEP-2004

Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % |
| B004084 | | 4.20 | 0.016 | 0.6 | 2.31 | 16 | 10 | 190 | 0.8 | <2 | 5.98 | <0.5 | 13 | 14 | 36 | 4.16 |
| B004085 | | 3.28 | <0.005 | <0.2 | 2.31 | 6 | 10 | 160 | 0.7 | <2 | 7.08 | <0.5 | 12 | 19 | 33 | 3.74 |
| B004086 | | 3.36 | <0.005 | 0.2 | 2.59 | 9 | 10 | 160 | 0.7 | <2 | 3.85 | <0.5 | 14 | 25 | 43 | 4.57 |
| B004087 | | 3.58 | <0.005 | <0.2 | 2.79 | 3 | <10 | 140 | 0.6 | <2 | 4.39 | <0.5 | 14 | 29 | 52 | 4.71 |
| B004088 | | 3.60 | <0.005 | <0.2 | 2.74 | <2 | 10 | 150 | 0.6 | <2 | 7.57 | <0.5 | 15 | 40 | 45 | 4.38 |
| B004089 | | 3.28 | 0.022 | 0.3 | 2.67 | 22 | 10 | 200 | 0.8 | <2 | 4.79 | <0.5 | 15 | 17 | 39 | 4.83 |
| B004090 | | 3.66 | 0.009 | 0.2 | 2.57 | 14 | 10 | 190 | 0.8 | <2 | 5.55 | <0.5 | 13 | 14 | 39 | 4.60 |
| B004091 | | 3.06 | 0.027 | 0.6 | 2.39 | 20 | 10 | 150 | 0.7 | <2 | 9.02 | <0.5 | 12 | 28 | 39 | 4.38 |
| B004092 | | 3.22 | 0.013 | 0.4 | 2.45 | 16 | 10 | 190 | 0.8 | <2 | 5.59 | <0.5 | 13 | 16 | 37 | 4.32 |
| B004093 | | 3.54 | 0.011 | <0.2 | 2.60 | 15 | 10 | 220 | 0.9 | <2 | 5.06 | <0.5 | 12 | 18 | 38 | 4.71 |
| B004094 | | 3.32 | 0.014 | 0.4 | 2.67 | 18 | 10 | 220 | 0.9 | <2 | 5.44 | <0.5 | 12 | 11 | 38 | 4.64 |
| B004095 | | 2.96 | 0.028 | 0.3 | 2.43 | 20 | 10 | 190 | 0.9 | <2 | 3.80 | <0.5 | 13 | 12 | 46 | 4.47 |
| B004096 | | 2.10 | 0.022 | 0.2 | 2.23 | 19 | 10 | 200 | 0.9 | <2 | 3.06 | <0.5 | 11 | 7 | 37 | 3.94 |
| B004097 | | 2.30 | 0.011 | 0.2 | 2.33 | 15 | 10 | 200 | 0.8 | <2 | 3.46 | <0.5 | 12 | 9 | 37 | 4.03 |
| B004098 | | 1.86 | 0.027 | 0.5 | 2.36 | 20 | 10 | 230 | 0.9 | <2 | 2.52 | <0.5 | 11 | 10 | 34 | 3.81 |
| B004099 | | 3.02 | 0.027 | 0.5 | 2.26 | 23 | 10 | 220 | 0.8 | <2 | 3.21 | <0.5 | 11 | 7 | 26 | 3.59 |
| B004100 | | 2.32 | 0.010 | 0.4 | 2.24 | 20 | 10 | 190 | 0.8 | <2 | 4.29 | <0.5 | 12 | 10 | 33 | 3.69 |
| B004101 | | 2.12 | 0.013 | 0.4 | 2.58 | 16 | 10 | 190 | 0.9 | <2 | 4.23 | <0.5 | 12 | 10 | 40 | 4.34 |
| B004102 | | 2.24 | 0.017 | 0.6 | 2.53 | 22 | 10 | 190 | 0.8 | <2 | 3.79 | <0.5 | 13 | 11 | 41 | 4.54 |
| B004103 | | 2.12 | 0.025 | 0.5 | 2.53 | 28 | 10 | 200 | 0.9 | <2 | 3.63 | <0.5 | 14 | 10 | 37 | 4.76 |
| B004104 | | 2.86 | 0.015 | 0.5 | 2.48 | 27 | 10 | 190 | 0.9 | <2 | 3.84 | <0.5 | 14 | 11 | 39 | 4.71 |
| B004105 | | 2.76 | 0.027 | 0.5 | 2.20 | 31 | 10 | 160 | 0.8 | <2 | 5.92 | <0.5 | 11 | 9 | 33 | 4.27 |
| B004106 | | 3.74 | 0.027 | 0.7 | 2.46 | 17 | 10 | 190 | 0.9 | <2 | 4.60 | <0.5 | 14 | 14 | 43 | 4.65 |
| B004107 | | 2.50 | 0.005 | 0.2 | 2.51 | 9 | 10 | 260 | 1.1 | <2 | 2.27 | <0.5 | 16 | 10 | 44 | 4.80 |
| B004108 | | 1.88 | 0.010 | 0.2 | 2.51 | 17 | 10 | 220 | 1.0 | <2 | 2.85 | <0.5 | 15 | 14 | 40 | 4.81 |
| B004109 | | 2.58 | 0.006 | 0.3 | 2.73 | 11 | 10 | 220 | 0.9 | <2 | 3.48 | <0.5 | 14 | 11 | 50 | 5.02 |
| B004110 | | 1.48 | 0.007 | <0.2 | 2.83 | 17 | 10 | 260 | 1.0 | <2 | 2.15 | <0.5 | 16 | 13 | 50 | 5.31 |
| B004111 | | 1.04 | <0.005 | <0.2 | 2.50 | 17 | 10 | 160 | 0.8 | <2 | 3.75 | <0.5 | 16 | 15 | 47 | 5.79 |
| B004112 | | 3.58 | <0.005 | <0.2 | 2.80 | 15 | 10 | 310 | 1.1 | <2 | 2.58 | <0.5 | 15 | 11 | 50 | 4.90 |
| B004113 | | 2.72 | <0.005 | 0.3 | 2.85 | 19 | 10 | 240 | 0.9 | <2 | 3.24 | <0.5 | 14 | 9 | 49 | 4.94 |
| B004114 | | 2.16 | <0.005 | <0.2 | 2.58 | 17 | 10 | 230 | 0.9 | <2 | 2.37 | <0.5 | 12 | 23 | 43 | 4.24 |
| B004115 | | 3.28 | <0.005 | 0.2 | 0.55 | 81 | 10 | 200 | 0.6 | <2 | 3.33 | <0.5 | 7 | 10 | 34 | 2.95 |
| B004116 | | 3.38 | <0.005 | <0.2 | 0.42 | 56 | <10 | 1150 | <0.5 | <2 | 2.79 | <0.5 | 7 | 25 | 20 | 1.54 |
| B004117 | | 3.08 | <0.005 | <0.2 | 0.46 | 65 | <10 | 180 | <0.5 | <2 | 3.96 | <0.5 | 8 | 12 | 21 | 2.56 |
| B004118 | | 3.30 | <0.005 | <0.2 | 0.43 | 71 | <10 | 90 | 0.5 | <2 | 4.42 | <0.5 | 8 | 19 | 23 | 2.34 |
| B004119 | | 3.34 | <0.005 | <0.2 | 0.22 | 48 | <10 | 60 | <0.5 | <2 | 4.18 | <0.5 | 6 | 25 | 18 | 3.09 |
| B004120 | | 2.96 | <0.005 | <0.2 | 0.22 | 36 | <10 | 50 | <0.5 | <2 | 2.38 | <0.5 | 4 | 24 | 13 | 2.29 |
| B004121 | | 3.54 | <0.005 | <0.2 | 0.19 | 84 | <10 | 70 | <0.5 | <2 | 2.33 | <0.5 | 6 | 33 | 12 | 2.63 |
| B004122 | | 3.16 | <0.005 | 0.2 | 0.23 | 33 | <10 | 2480 | <0.5 | <2 | 2.44 | <0.5 | 7 | 23 | 15 | 1.86 |
| B004123 | | 2.12 | <0.005 | <0.2 | 0.34 | 66 | <10 | 170 | 0.5 | <2 | 3.19 | <0.5 | 8 | 10 | 29 | 3.17 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| B004084 | | <10 | 0.04 | 0.25 | 10 | 0.93 | 787 | 1 | 0.12 | 12 | 960 | 15 | 1.24 | 2 | 7 | 335 |
| B004085 | | <10 | 0.01 | 0.27 | 10 | 0.95 | 860 | 1 | 0.10 | 13 | 1010 | 6 | 0.68 | <2 | 6 | 395 |
| B004086 | | 10 | 0.01 | 0.30 | 10 | 1.10 | 581 | 1 | 0.09 | 15 | 1040 | 8 | 1.02 | <2 | 6 | 199 |
| B004087 | | 10 | <0.01 | 0.25 | 10 | 1.34 | 742 | 1 | 0.09 | 17 | 1080 | 6 | 0.47 | <2 | 8 | 231 |
| B004088 | | 10 | 0.01 | 0.23 | 10 | 1.43 | 1065 | 1 | 0.10 | 35 | 1400 | 5 | 0.63 | <2 | 8 | 482 |
| B004089 | | 10 | 0.05 | 0.30 | 10 | 1.03 | 822 | 1 | 0.12 | 16 | 1160 | 19 | 1.31 | <2 | 7 | 265 |
| B004090 | | <10 | 0.06 | 0.27 | 10 | 1.10 | 950 | <1 | 0.11 | 15 | 1080 | 13 | 1.06 | 3 | 8 | 336 |
| B004091 | | <10 | 0.05 | 0.25 | <10 | 0.96 | 1115 | 1 | 0.10 | 14 | 940 | 19 | 1.30 | <2 | 5 | 527 |
| B004092 | | <10 | 0.05 | 0.28 | 10 | 0.95 | 909 | 1 | 0.11 | 15 | 1040 | 13 | 1.10 | 2 | 7 | 304 |
| B004093 | | <10 | 0.05 | 0.28 | 10 | 1.06 | 894 | 1 | 0.12 | 15 | 1060 | 13 | 1.14 | <2 | 8 | 296 |
| B004094 | | <10 | 0.06 | 0.30 | 10 | 1.02 | 952 | 1 | 0.12 | 13 | 1070 | 43 | 1.14 | <2 | 8 | 290 |
| B004095 | | <10 | 0.06 | 0.31 | 10 | 1.02 | 759 | 1 | 0.11 | 15 | 1020 | 21 | 1.24 | 3 | 7 | 227 |
| B004096 | | <10 | 0.05 | 0.28 | 10 | 0.87 | 575 | 1 | 0.11 | 11 | 880 | 17 | 0.92 | <2 | 5 | 153 |
| B004097 | | <10 | 0.05 | 0.25 | 10 | 0.94 | 632 | 1 | 0.11 | 12 | 950 | 16 | 0.83 | <2 | 5 | 205 |
| B004098 | | <10 | 0.05 | 0.36 | 10 | 0.83 | 485 | 1 | 0.11 | 11 | 930 | 14 | 0.95 | 2 | 5 | 163 |
| B004099 | | <10 | 0.04 | 0.39 | 10 | 0.83 | 633 | 2 | 0.10 | 11 | 850 | 17 | 0.97 | 3 | 5 | 208 |
| B004100 | | <10 | 0.04 | 0.32 | 10 | 0.86 | 744 | 1 | 0.11 | 11 | 870 | 12 | 0.89 | <2 | 5 | 279 |
| B004101 | | 10 | 0.05 | 0.34 | 10 | 0.92 | 743 | 1 | 0.11 | 11 | 1020 | 15 | 0.93 | <2 | 5 | 269 |
| B004102 | | <10 | 0.06 | 0.32 | 10 | 0.91 | 669 | 1 | 0.11 | 14 | 1080 | 11 | 1.28 | 2 | 6 | 229 |
| B004103 | | <10 | 0.06 | 0.34 | 10 | 0.99 | 755 | 1 | 0.10 | 15 | 1120 | 18 | 1.45 | <2 | 8 | 195 |
| B004104 | | <10 | 0.06 | 0.30 | 10 | 1.04 | 816 | 1 | 0.11 | 15 | 1130 | 17 | 1.22 | 3 | 8 | 240 |
| B004105 | | <10 | 0.06 | 0.31 | 10 | 0.87 | 1050 | 1 | 0.10 | 13 | 990 | 21 | 1.48 | 2 | 6 | 294 |
| B004106 | | <10 | 0.09 | 0.34 | 10 | 0.91 | 833 | 1 | 0.11 | 13 | 1040 | 19 | 1.38 | 2 | 6 | 298 |
| B004107 | | 10 | 0.13 | 0.34 | 10 | 0.93 | 659 | 1 | 0.14 | 17 | 1010 | 15 | 1.28 | 2 | 9 | 166 |
| B004108 | | 10 | 0.14 | 0.36 | <10 | 0.88 | 699 | 1 | 0.13 | 15 | 1020 | 22 | 1.60 | <2 | 7 | 227 |
| B004109 | | 10 | 0.14 | 0.34 | <10 | 0.95 | 928 | 1 | 0.13 | 12 | 920 | 15 | 0.93 | <2 | 7 | 292 |
| B004110 | | 10 | 0.15 | 0.40 | <10 | 0.93 | 762 | 1 | 0.14 | 18 | 1180 | 23 | 1.61 | <2 | 8 | 172 |
| B004111 | | 10 | 0.09 | 0.37 | 10 | 0.96 | 1125 | 1 | 0.14 | 20 | 1500 | 21 | 3.01 | <2 | 8 | 252 |
| B004112 | | 10 | 0.11 | 0.36 | <10 | 0.92 | 763 | 1 | 0.16 | 14 | 910 | 16 | 1.00 | <2 | 8 | 186 |
| B004113 | | 10 | 0.09 | 0.38 | 10 | 0.99 | 880 | 1 | 0.14 | 14 | 870 | 14 | 0.93 | <2 | 8 | 268 |
| B004114 | | 10 | 0.06 | 0.32 | 10 | 0.95 | 701 | 3 | 0.13 | 13 | 850 | 10 | 0.57 | 2 | 7 | 195 |
| B004115 | | <10 | 0.23 | 0.44 | 10 | 0.27 | 3800 | <1 | 0.01 | 2 | 1000 | 9 | 0.10 | 14 | 9 | 142 |
| B004116 | | <10 | 0.30 | 0.37 | 10 | 0.22 | 2400 | <1 | <0.01 | 3 | 990 | 7 | 0.11 | 12 | 7 | 179 |
| B004117 | | <10 | 0.23 | 0.40 | 10 | 0.25 | 4540 | <1 | <0.01 | 3 | 980 | 6 | 0.08 | 8 | 9 | 185 |
| B004118 | | <10 | 0.35 | 0.37 | 10 | 0.22 | 5360 | <1 | <0.01 | 3 | 950 | 6 | 0.09 | 10 | 8 | 176 |
| B004119 | | <10 | 0.13 | 0.23 | 10 | 0.26 | 7940 | 1 | <0.01 | 2 | 960 | 4 | 0.04 | 8 | 9 | 215 |
| B004120 | | <10 | 0.09 | 0.24 | 10 | 0.19 | 5630 | <1 | <0.01 | 1 | 990 | 4 | 0.02 | 7 | 8 | 145 |
| B004121 | | <10 | 0.22 | 0.22 | 10 | 0.19 | 6090 | 1 | <0.01 | 2 | 980 | 8 | 0.31 | 10 | 6 | 153 |
| B004122 | | <10 | 0.12 | 0.23 | 10 | 0.18 | 4860 | 2 | <0.01 | 2 | 1080 | 9 | 0.10 | 10 | 8 | 180 |
| B004123 | | <10 | 0.19 | 0.30 | 10 | 0.34 | 4600 | <1 | <0.01 | 3 | 1260 | 9 | 0.11 | 21 | 10 | 229 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Ti % | Ti ppm | U ppm | V ppm | W ppm | Zn ppm |
| B004084 | | <0.01 | <10 | <10 | 32 | <10 | 89 |
| B004085 | | <0.01 | <10 | <10 | 34 | <10 | 88 |
| B004086 | | <0.01 | <10 | <10 | 46 | <10 | 89 |
| B004087 | | <0.01 | <10 | <10 | 61 | <10 | 79 |
| B004088 | | <0.01 | <10 | <10 | 56 | <10 | 82 |
| B004089 | | <0.01 | <10 | <10 | 37 | <10 | 87 |
| B004090 | | <0.01 | <10 | <10 | 34 | <10 | 85 |
| B004091 | | <0.01 | <10 | <10 | 29 | <10 | 79 |
| B004092 | | <0.01 | <10 | <10 | 33 | <10 | 83 |
| B004093 | | <0.01 | <10 | <10 | 35 | <10 | 84 |
| B004094 | | <0.01 | <10 | <10 | 34 | <10 | 88 |
| B004095 | | <0.01 | <10 | <10 | 32 | <10 | 88 |
| B004096 | | <0.01 | <10 | <10 | 25 | <10 | 76 |
| B004097 | | <0.01 | <10 | <10 | 27 | <10 | 81 |
| B004098 | | <0.01 | <10 | <10 | 26 | <10 | 64 |
| B004099 | | <0.01 | <10 | <10 | 23 | <10 | 62 |
| B004100 | | <0.01 | <10 | <10 | 25 | <10 | 63 |
| B004101 | | <0.01 | <10 | <10 | 33 | <10 | 85 |
| B004102 | | <0.01 | <10 | <10 | 33 | <10 | 85 |
| B004103 | | <0.01 | <10 | <10 | 35 | <10 | 88 |
| B004104 | | <0.01 | <10 | <10 | 35 | <10 | 86 |
| B004105 | | <0.01 | <10 | <10 | 28 | <10 | 57 |
| B004106 | | <0.01 | <10 | <10 | 33 | <10 | 92 |
| B004107 | | <0.01 | <10 | <10 | 38 | <10 | 99 |
| B004108 | | <0.01 | <10 | <10 | 38 | <10 | 90 |
| B004109 | | <0.01 | <10 | <10 | 38 | <10 | 96 |
| B004110 | | <0.01 | <10 | <10 | 43 | <10 | 99 |
| B004111 | | <0.01 | <10 | <10 | 51 | <10 | 207 |
| B004112 | | <0.01 | <10 | <10 | 40 | <10 | 100 |
| B004113 | | <0.01 | <10 | <10 | 40 | <10 | 96 |
| B004114 | | <0.01 | <10 | <10 | 37 | <10 | 83 |
| B004115 | | <0.01 | <10 | <10 | 18 | <10 | 76 |
| B004116 | | <0.01 | <10 | <10 | 16 | <10 | 126 |
| B004117 | | <0.01 | <10 | <10 | 18 | <10 | 56 |
| B004118 | | <0.01 | <10 | <10 | 21 | <10 | 74 |
| B004119 | | <0.01 | <10 | <10 | 23 | <10 | 45 |
| B004120 | | <0.01 | <10 | <10 | 20 | <10 | 37 |
| B004121 | | <0.01 | <10 | <10 | 20 | <10 | 100 |
| B004122 | | <0.01 | <10 | <10 | 22 | <10 | 63 |
| B004123 | | <0.01 | <10 | <10 | 17 | <10 | 112 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % |
| B004124 | | 3.14 | <0.005 | <0.2 | 0.25 | 77 | <10 | 40 | <0.5 | <2 | 4.46 | <0.5 | 8 | 11 | 24 | 3.85 |
| B004125 | | 3.06 | <0.005 | <0.2 | 0.25 | 146 | <10 | 170 | <0.5 | <2 | 2.61 | <0.5 | 7 | 15 | 23 | 3.73 |
| B004126 | | 3.22 | <0.005 | 0.2 | 0.28 | 105 | <10 | 220 | <0.5 | <2 | 3.29 | <0.5 | 9 | 11 | 32 | 3.13 |
| B004127 | | 2.62 | <0.005 | 0.5 | 0.31 | 58 | <10 | 320 | <0.5 | <2 | 1.86 | <0.5 | 8 | 23 | 45 | 3.37 |
| B004128 | | 3.40 | <0.005 | 0.5 | 0.35 | 209 | 10 | 270 | 0.6 | <2 | 1.46 | <0.5 | 15 | 13 | 58 | 4.16 |
| B004129 | | 3.24 | <0.005 | <0.2 | 0.47 | 55 | 10 | 1430 | 1.0 | <2 | 0.93 | <0.5 | 13 | 17 | 31 | 4.37 |
| B004130 | | 1.88 | <0.005 | 0.2 | 0.74 | 77 | 10 | 200 | 1.2 | <2 | 0.79 | <0.5 | 16 | 12 | 72 | 3.34 |
| B004131 | | 1.56 | <0.005 | 0.2 | 0.72 | 85 | 10 | 240 | 1.2 | <2 | 0.77 | <0.5 | 16 | 22 | 62 | 3.45 |
| B004132 | | 3.06 | <0.005 | 0.3 | 0.75 | 78 | 10 | 1450 | 0.9 | <2 | 1.00 | <0.5 | 13 | 15 | 60 | 3.95 |
| B004133 | | 2.34 | <0.005 | 1.1 | 0.47 | 93 | 10 | 930 | 0.6 | <2 | 1.03 | <0.5 | 11 | 22 | 81 | 3.29 |
| B004134 | | 2.48 | <0.005 | 2.8 | 0.57 | 210 | 10 | 460 | 0.8 | <2 | 1.05 | <0.5 | 22 | 12 | 269 | 2.13 |
| B004135 | | 1.98 | <0.005 | 0.6 | 0.56 | 65 | 10 | 1980 | 0.8 | <2 | 1.04 | <0.5 | 15 | 29 | 52 | 3.53 |
| B004136 | | 2.90 | <0.005 | 1.1 | 0.72 | 37 | 10 | 600 | 0.9 | <2 | 0.70 | <0.5 | 12 | 18 | 50 | 3.87 |
| B004137 | | 2.72 | <0.005 | 0.7 | 0.57 | 24 | 10 | 900 | 0.9 | <2 | 0.95 | <0.5 | 11 | 21 | 36 | 3.95 |
| B004138 | | 3.00 | <0.005 | 1.0 | 0.73 | 26 | 10 | 640 | 1.0 | <2 | 1.00 | <0.5 | 14 | 10 | 67 | 4.74 |
| B004139 | | 3.62 | <0.005 | 0.7 | 0.69 | 26 | 10 | 930 | 0.9 | <2 | 2.11 | <0.5 | 14 | 25 | 44 | 4.12 |
| B004140 | | 3.40 | <0.005 | 0.5 | 0.75 | 22 | 20 | 910 | 0.9 | <2 | 3.26 | <0.5 | 11 | 14 | 36 | 3.65 |
| B004141 | | 3.08 | <0.005 | 0.2 | 0.83 | 20 | 20 | 520 | 1.0 | <2 | 4.10 | <0.5 | 11 | 15 | 28 | 4.53 |
| B004142 | | 2.26 | <0.005 | 0.6 | 0.73 | 30 | 20 | 1300 | 1.0 | <2 | 2.61 | <0.5 | 10 | 9 | 31 | 4.14 |
| B004143 | | 3.54 | <0.005 | 0.6 | 0.61 | 26 | 20 | 2290 | 0.7 | <2 | 4.18 | <0.5 | 11 | 27 | 39 | 3.32 |
| B004144 | | 3.20 | <0.005 | 1.2 | 0.59 | 21 | 10 | 940 | 0.8 | <2 | 2.33 | <0.5 | 10 | 31 | 49 | 4.61 |
| B004145 | | 2.64 | <0.005 | 0.8 | 0.44 | 30 | 10 | 670 | 0.8 | <2 | 2.68 | <0.5 | 12 | 17 | 44 | 4.17 |
| B004146 | | 3.62 | <0.005 | 0.7 | 0.59 | 30 | 10 | 1000 | 0.9 | <2 | 2.07 | <0.5 | 15 | 24 | 36 | 5.00 |
| B004147 | | 3.80 | <0.005 | 0.5 | 0.48 | 36 | 10 | 180 | 0.7 | <2 | 2.54 | <0.5 | 12 | 18 | 36 | 4.47 |
| B004148 | | 3.50 | <0.005 | 0.6 | 0.55 | 30 | 10 | 1450 | 0.9 | <2 | 2.95 | <0.5 | 14 | 19 | 49 | 3.86 |
| B004149 | | 3.36 | <0.005 | 0.5 | 0.52 | 28 | 10 | 700 | 0.9 | <2 | 3.27 | <0.5 | 15 | 14 | 44 | 4.60 |
| B004150 | | 0.92 | <0.005 | 0.4 | 0.61 | 25 | 10 | 320 | 1.1 | <2 | 2.70 | <0.5 | 13 | 17 | 45 | 3.83 |
| B004151 | | 3.38 | <0.005 | 0.6 | 0.54 | 26 | 10 | 820 | 0.8 | <2 | 3.85 | <0.5 | 12 | 26 | 57 | 3.81 |
| B004152 | | 3.30 | <0.005 | 1.2 | 0.66 | 32 | 10 | 890 | 0.9 | <2 | 2.81 | <0.5 | 15 | 51 | 73 | 4.65 |
| B004153 | | 3.22 | <0.005 | 0.6 | 0.63 | 29 | 10 | 920 | 0.9 | <2 | 3.54 | <0.5 | 13 | 19 | 50 | 4.40 |
| B004154 | | 3.54 | <0.005 | 0.9 | 0.50 | 57 | 10 | 1130 | 0.8 | <2 | 6.98 | <0.5 | 12 | 26 | 65 | 4.25 |
| B004155 | | 3.24 | <0.005 | <0.2 | 0.63 | 17 | 10 | 750 | 1.0 | <2 | 3.66 | <0.5 | 7 | 27 | 25 | 3.57 |
| B004156 | | 3.12 | <0.005 | 0.2 | 0.50 | 39 | 10 | 2610 | 0.7 | <2 | 7.64 | <0.5 | 9 | 39 | 29 | 3.04 |
| B004157 | | 3.24 | <0.005 | <0.2 | 0.57 | 28 | 10 | 1190 | 0.8 | <2 | 3.88 | <0.5 | 9 | 18 | 13 | 3.43 |
| B004158 | | 3.34 | <0.005 | <0.2 | 0.56 | 14 | 10 | 790 | 0.7 | <2 | 4.01 | <0.5 | 8 | 30 | 13 | 3.38 |
| B004159 | | 3.20 | <0.005 | <0.2 | 0.51 | 10 | 10 | 1180 | 0.7 | <2 | 4.76 | <0.5 | 6 | 18 | 10 | 3.33 |
| B004160 | | 3.34 | <0.005 | <0.2 | 0.57 | 14 | 10 | 1680 | 0.9 | <2 | 4.89 | <0.5 | 9 | 18 | 18 | 4.07 |
| B004161 | | 3.48 | <0.005 | <0.2 | 0.55 | 63 | 10 | 920 | 1.0 | <2 | 3.82 | <0.5 | 12 | 23 | 32 | 3.37 |
| B004162 | | 3.28 | <0.005 | <0.2 | 0.50 | 122 | 10 | 1260 | 0.8 | <2 | 5.44 | <0.5 | 12 | 23 | 20 | 3.56 |
| B004163 | | 3.14 | <0.005 | <0.2 | 0.62 | 22 | 10 | 1080 | 1.1 | <2 | 3.66 | <0.5 | 9 | 20 | 32 | 3.05 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | Sr |
| | | ppm | ppm | % | ppm | % | ppm | ppm | ppm |
| | | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 |
| B004124 | | <10 | 0.13 | 0.23 | 10 | 0.44 | 4300 | <1 | <0.01 | 4 | 1140 | 7 | 0.10 | 16 | 10 | 216 |
| B004125 | | <10 | 0.36 | 0.23 | 10 | 0.32 | 5340 | 1 | <0.01 | 3 | 1100 | 15 | 0.64 | 28 | 9 | 158 |
| B004126 | | <10 | 0.33 | 0.24 | 10 | 0.38 | 5040 | 1 | <0.01 | 4 | 1260 | 21 | 0.22 | 30 | 11 | 169 |
| B004127 | | <10 | 0.35 | 0.28 | 10 | 0.38 | 5510 | 2 | <0.01 | 5 | 1260 | 43 | 0.17 | 38 | 11 | 104 |
| B004128 | | <10 | 0.51 | 0.29 | 10 | 0.34 | 3770 | 2 | <0.01 | 6 | 1120 | 53 | 0.62 | 55 | 9 | 103 |
| B004129 | | <10 | 0.29 | 0.37 | 10 | 0.36 | 1890 | 1 | <0.01 | 5 | 1250 | 13 | 0.09 | 19 | 8 | 120 |
| B004130 | | <10 | 0.66 | 0.54 | 10 | 0.30 | 1245 | <1 | 0.01 | 5 | 1260 | 20 | 0.10 | 32 | 8 | 87 |
| B004131 | | <10 | 0.67 | 0.52 | 10 | 0.32 | 1270 | <1 | 0.01 | 6 | 1300 | 15 | 0.12 | 27 | 8 | 86 |
| B004132 | | <10 | 0.28 | 0.55 | 10 | 0.34 | 1705 | 1 | <0.01 | 5 | 1260 | 24 | 0.10 | 34 | 10 | 114 |
| B004133 | | <10 | 0.40 | 0.37 | 10 | 0.28 | 1910 | 1 | <0.01 | 5 | 1220 | 42 | 0.24 | 50 | 9 | 110 |
| B004134 | | <10 | 1.18 | 0.43 | 10 | 0.24 | 1785 | 3 | <0.01 | 9 | 1260 | 119 | 0.60 | 138 | 10 | 102 |
| B004135 | | <10 | 0.27 | 0.41 | 10 | 0.26 | 2510 | 1 | <0.01 | 7 | 1200 | 24 | 0.14 | 28 | 8 | 135 |
| B004136 | | <10 | 0.19 | 0.50 | 10 | 0.28 | 2220 | 1 | <0.01 | 6 | 1180 | 24 | 0.08 | 33 | 9 | 89 |
| B004137 | | <10 | 0.15 | 0.43 | 10 | 0.28 | 2380 | 2 | <0.01 | 7 | 1200 | 17 | 0.05 | 21 | 9 | 89 |
| B004138 | | <10 | 0.16 | 0.53 | 10 | 0.31 | 2760 | 1 | 0.01 | 6 | 1320 | 16 | 0.03 | 36 | 10 | 97 |
| B004139 | | <10 | 0.16 | 0.50 | 10 | 0.30 | 3010 | <1 | 0.01 | 5 | 1220 | 13 | 0.05 | 27 | 9 | 156 |
| B004140 | | <10 | 0.16 | 0.51 | 10 | 0.28 | 2600 | 1 | 0.01 | 5 | 1110 | 17 | 0.04 | 21 | 9 | 236 |
| B004141 | | <10 | 0.11 | 0.57 | 10 | 0.31 | 3370 | <1 | 0.02 | 5 | 1120 | 14 | 0.02 | 15 | 10 | 314 |
| B004142 | | <10 | 0.13 | 0.52 | 10 | 0.28 | 2910 | <1 | 0.01 | 4 | 1160 | 34 | 0.05 | 21 | 8 | 223 |
| B004143 | | <10 | 0.22 | 0.41 | <10 | 0.29 | 2600 | 1 | <0.01 | 4 | 1040 | 64 | 0.13 | 33 | 8 | 270 |
| B004144 | | <10 | 0.16 | 0.42 | 10 | 0.39 | 3190 | 1 | 0.01 | 5 | 1220 | 31 | 0.04 | 25 | 10 | 167 |
| B004145 | | <10 | 0.15 | 0.35 | 10 | 0.32 | 2920 | 1 | 0.02 | 4 | 1290 | 25 | 0.05 | 23 | 9 | 165 |
| B004146 | | <10 | <0.01 | 0.44 | 10 | 0.39 | 3150 | 1 | 0.02 | 5 | 1260 | 31 | 0.05 | 23 | 10 | 162 |
| B004147 | | <10 | 0.23 | 0.38 | 10 | 0.35 | 3580 | 2 | 0.02 | 5 | 1300 | 16 | 0.03 | 20 | 10 | 153 |
| B004148 | | <10 | 0.33 | 0.40 | 10 | 0.33 | 3100 | 7 | 0.02 | 6 | 1300 | 60 | 0.09 | 32 | 9 | 248 |
| B004149 | | <10 | <0.01 | 0.39 | 10 | 0.35 | 3670 | 3 | 0.02 | 6 | 1280 | 18 | 0.05 | 24 | 9 | 229 |
| B004150 | | <10 | 0.16 | 0.44 | 10 | 0.28 | 3190 | 1 | 0.03 | 5 | 1360 | 18 | 0.03 | 20 | 8 | 165 |
| B004151 | | <10 | 0.19 | 0.38 | 10 | 0.31 | 3620 | 2 | 0.02 | 5 | 1120 | 29 | 0.05 | 32 | 9 | 285 |
| B004152 | | <10 | 0.21 | 0.46 | 10 | 0.35 | 3670 | 1 | 0.04 | 6 | 1270 | 21 | 0.07 | 39 | 10 | 179 |
| B004153 | | <10 | 0.14 | 0.43 | 10 | 0.36 | 3600 | 1 | 0.03 | 5 | 1210 | 22 | 0.05 | 27 | 10 | 234 |
| B004154 | | <10 | 0.25 | 0.37 | <10 | 0.47 | 3280 | 2 | 0.03 | 4 | 890 | 79 | 0.26 | 39 | 8 | 458 |
| B004155 | | <10 | 0.12 | 0.46 | 10 | 0.55 | 2090 | <1 | 0.04 | 2 | 960 | 13 | 0.05 | 12 | 6 | 283 |
| B004156 | | <10 | 0.20 | 0.37 | <10 | 0.54 | 2270 | <1 | 0.02 | 3 | 830 | 25 | 0.16 | 18 | 7 | 625 |
| B004157 | | <10 | 0.12 | 0.43 | 10 | 0.71 | 1765 | <1 | 0.04 | <1 | 1120 | 9 | 0.07 | 7 | 6 | 187 |
| B004158 | | <10 | 0.10 | 0.43 | 10 | 0.74 | 1620 | <1 | 0.04 | 2 | 1060 | 13 | 0.05 | 4 | 6 | 156 |
| B004159 | | <10 | 0.11 | 0.40 | 10 | 0.73 | 1960 | <1 | 0.04 | 1 | 1200 | 16 | 0.06 | 4 | 6 | 231 |
| B004160 | | <10 | 0.13 | 0.43 | 10 | 0.59 | 3020 | <1 | 0.04 | 3 | 1010 | 11 | 0.07 | 8 | 7 | 325 |
| B004161 | | <10 | 0.33 | 0.40 | 10 | 0.39 | 2290 | 2 | 0.03 | 6 | 950 | 18 | 0.20 | 24 | 8 | 225 |
| B004162 | | <10 | 0.41 | 0.37 | 10 | 0.47 | 2530 | 1 | 0.03 | 3 | 1040 | 20 | 0.28 | 18 | 7 | 316 |
| B004163 | | <10 | 0.17 | 0.42 | 10 | 0.42 | 1595 | <1 | 0.04 | 4 | 1300 | 7 | 0.28 | 16 | 9 | 243 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Ti | Ti | U | V | W | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm |
| B004124 | | <0.01 | <10 | <10 | 15 | <10 | 55 |
| B004125 | | <0.01 | <10 | <10 | 17 | <10 | 64 |
| B004126 | | <0.01 | <10 | <10 | 18 | <10 | 84 |
| B004127 | | <0.01 | <10 | <10 | 23 | <10 | 94 |
| B004128 | | <0.01 | <10 | <10 | 19 | <10 | 168 |
| B004129 | | <0.01 | <10 | <10 | 28 | <10 | 149 |
| B004130 | | <0.01 | <10 | <10 | 38 | <10 | 276 |
| B004131 | | <0.01 | <10 | <10 | 38 | <10 | 303 |
| B004132 | | <0.01 | <10 | <10 | 43 | <10 | 189 |
| B004133 | | <0.01 | <10 | <10 | 25 | <10 | 198 |
| B004134 | | <0.01 | <10 | <10 | 29 | <10 | 429 |
| B004135 | | <0.01 | <10 | <10 | 21 | <10 | 200 |
| B004136 | | <0.01 | <10 | <10 | 27 | <10 | 166 |
| B004137 | | <0.01 | <10 | <10 | 22 | <10 | 165 |
| B004138 | | <0.01 | <10 | <10 | 31 | <10 | 168 |
| B004139 | | <0.01 | <10 | <10 | 29 | <10 | 134 |
| B004140 | | <0.01 | <10 | <10 | 29 | <10 | 154 |
| B004141 | | <0.01 | <10 | <10 | 32 | <10 | 123 |
| B004142 | | <0.01 | <10 | <10 | 28 | <10 | 114 |
| B004143 | | <0.01 | <10 | <10 | 20 | <10 | 176 |
| B004144 | | <0.01 | <10 | <10 | 29 | <10 | 130 |
| B004145 | | <0.01 | <10 | <10 | 24 | <10 | 145 |
| B004146 | | <0.01 | <10 | <10 | 25 | <10 | 198 |
| B004147 | | <0.01 | <10 | <10 | 27 | <10 | 124 |
| B004148 | | <0.01 | <10 | <10 | 25 | <10 | 335 |
| B004149 | | <0.01 | <10 | <10 | 28 | <10 | 168 |
| B004150 | | <0.01 | <10 | <10 | 27 | <10 | 218 |
| B004151 | | <0.01 | <10 | <10 | 24 | <10 | 198 |
| B004152 | | <0.01 | <10 | <10 | 35 | <10 | 174 |
| B004153 | | <0.01 | <10 | <10 | 27 | <10 | 150 |
| B004154 | | <0.01 | <10 | <10 | 20 | <10 | 275 |
| B004155 | | <0.01 | <10 | <10 | 16 | <10 | 97 |
| B004156 | | <0.01 | <10 | <10 | 11 | <10 | 114 |
| B004157 | | <0.01 | <10 | <10 | 17 | <10 | 84 |
| B004158 | | <0.01 | <10 | <10 | 18 | <10 | 82 |
| B004159 | | <0.01 | <10 | <10 | 15 | <10 | 78 |
| B004160 | | <0.01 | <10 | <10 | 21 | <10 | 110 |
| B004161 | | <0.01 | <10 | <10 | 17 | <10 | 103 |
| B004162 | | <0.01 | <10 | <10 | 15 | <10 | 87 |
| B004163 | | <0.01 | <10 | <10 | 18 | <10 | 105 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - A
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| B004164 | | 1.38 | <0.005 | 0.2 | 0.66 | 132 | 10 | 20 | 0.9 | <2 | 2.08 | <0.5 | 18 | 30 | 32 | 5.04 |
| B004165 | | 1.46 | <0.005 | 0.2 | 0.61 | 133 | 10 | 20 | 0.9 | <2 | 1.68 | <0.5 | 18 | 23 | 30 | 5.03 |
| B004166 | | 3.62 | <0.005 | 0.7 | 0.65 | 132 | 10 | 20 | 0.7 | <2 | 2.58 | 0.7 | 16 | 30 | 31 | 4.98 |
| B004167 | | 3.14 | <0.005 | 0.2 | 0.58 | 112 | 10 | 10 | 0.6 | <2 | 3.62 | <0.5 | 14 | 25 | 26 | 6.59 |
| B004168 | | 2.22 | <0.005 | <0.2 | 0.58 | 147 | 10 | 20 | 0.6 | <2 | 1.58 | <0.5 | 18 | 22 | 59 | 5.27 |
| B004169 | | 2.36 | <0.005 | <0.2 | 0.62 | 164 | 10 | 10 | 0.7 | <2 | 1.79 | <0.5 | 16 | 31 | 35 | 9.27 |
| B004170 | | 2.18 | <0.005 | 0.2 | 0.61 | 118 | 10 | 20 | 0.8 | <2 | 3.33 | <0.5 | 15 | 26 | 38 | 4.89 |
| B004171 | | 1.48 | <0.005 | 0.3 | 0.62 | 181 | 10 | 50 | 0.6 | <2 | 2.27 | <0.5 | 19 | 19 | 52 | 5.02 |
| B004172 | | 2.18 | 0.007 | 0.2 | 0.59 | 174 | 10 | 40 | 0.6 | <2 | 1.88 | <0.5 | 18 | 19 | 31 | 6.09 |
| B004173 | | 2.68 | <0.005 | 0.2 | 0.61 | 97 | 10 | 90 | 0.7 | <2 | 5.93 | <0.5 | 14 | 15 | 30 | 3.68 |
| B004174 | | 3.50 | <0.005 | 0.2 | 0.62 | 134 | 10 | 30 | 0.8 | <2 | 4.84 | <0.5 | 16 | 21 | 27 | 4.06 |
| B004175 | | 0.98 | <0.005 | 0.5 | 0.40 | 215 | 10 | 30 | 0.5 | <2 | 3.69 | <0.5 | 14 | 57 | 38 | 4.03 |
| B004176 | | 3.46 | <0.005 | <0.2 | 0.60 | 112 | 10 | 50 | 0.7 | <2 | 5.54 | <0.5 | 13 | 23 | 41 | 4.35 |
| B004177 | | 3.52 | <0.005 | <0.2 | 0.62 | 88 | 10 | 110 | 0.7 | <2 | 5.96 | <0.5 | 12 | 22 | 24 | 3.45 |
| B004178 | | 3.80 | <0.005 | <0.2 | 0.55 | 77 | 10 | 150 | 0.7 | <2 | 6.22 | <0.5 | 12 | 19 | 14 | 3.99 |
| B004179 | | 3.26 | <0.005 | <0.2 | 0.62 | 70 | 10 | 80 | 0.8 | <2 | 5.88 | <0.5 | 22 | 19 | 17 | 3.09 |
| B004180 | | 2.32 | <0.005 | <0.2 | 0.61 | 76 | 10 | 90 | 0.8 | <2 | 5.80 | <0.5 | 16 | 25 | 16 | 3.47 |
| B004181 | | 3.40 | <0.005 | <0.2 | 0.60 | 66 | 10 | 80 | 0.8 | <2 | 5.20 | 1.0 | 18 | 21 | 24 | 3.53 |
| B004182 | | 3.10 | <0.005 | <0.2 | 0.63 | 27 | 10 | 120 | 0.9 | <2 | 5.46 | <0.5 | 11 | 16 | 15 | 4.18 |
| B004183 | | 3.06 | <0.005 | <0.2 | 0.55 | 71 | 10 | 70 | 0.7 | <2 | 5.13 | <0.5 | 14 | 17 | 17 | 3.93 |
| B004184 | | 3.70 | <0.005 | <0.2 | 0.65 | 71 | 10 | 80 | 0.7 | <2 | 3.35 | <0.5 | 17 | 20 | 19 | 4.03 |
| B004185 | | 3.02 | <0.005 | <0.2 | 0.55 | 31 | 10 | 160 | 0.8 | <2 | 5.02 | <0.5 | 16 | 35 | 17 | 4.33 |
| B004186 | | 3.08 | <0.005 | <0.2 | 0.53 | 34 | 10 | 150 | 0.8 | <2 | 5.64 | <0.5 | 14 | 17 | 17 | 3.64 |
| B004187 | | 3.98 | <0.005 | <0.2 | 0.73 | 10 | 10 | 460 | 0.8 | <2 | 4.79 | <0.5 | 14 | 20 | 17 | 3.73 |
| B004188 | | 2.48 | <0.005 | <0.2 | 0.68 | 2 | 10 | 720 | 0.8 | <2 | 4.96 | <0.5 | 9 | 22 | 11 | 3.87 |
| B004189 | | 3.44 | <0.005 | <0.2 | 0.62 | 5 | 10 | 1190 | 0.9 | <2 | 3.88 | <0.5 | 11 | 15 | 15 | 4.13 |
| B004190 | | 2.54 | <0.005 | <0.2 | 0.61 | 9 | 10 | 170 | 0.9 | <2 | 3.75 | <0.5 | 12 | 19 | 32 | 3.87 |
| B004191 | | 2.20 | <0.005 | <0.2 | 0.47 | 7 | 10 | 1860 | 0.7 | <2 | 13.55 | <0.5 | 9 | 13 | 25 | 3.13 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - B
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| B004164 | | <10 | 0.70 | 0.43 | 10 | 0.20 | 561 | 2 | 0.05 | 8 | 1400 | 32 | 5.00 | 24 | 7 | 144 |
| B004165 | | <10 | 0.70 | 0.40 | 10 | 0.17 | 476 | 2 | 0.05 | 9 | 1400 | 32 | 5.00 | 24 | 7 | 126 |
| B004166 | | <10 | 0.93 | 0.41 | 10 | 0.22 | 576 | 3 | 0.05 | 10 | 1360 | 205 | 5.05 | 35 | 7 | 175 |
| B004167 | | <10 | 0.62 | 0.38 | 10 | 0.16 | 614 | 2 | 0.05 | 9 | 1280 | 18 | 7.00 | 18 | 6 | 173 |
| B004168 | | <10 | 0.70 | 0.37 | 10 | 0.17 | 427 | 2 | 0.05 | 10 | 1460 | 8 | 5.42 | 29 | 6 | 103 |
| B004169 | | <10 | 0.80 | 0.39 | 10 | 0.12 | 409 | 1 | 0.05 | 7 | 1240 | 13 | 9.73 | 22 | 6 | 111 |
| B004170 | | <10 | 0.59 | 0.38 | 10 | 0.27 | 806 | 2 | 0.05 | 8 | 1300 | 16 | 4.99 | 19 | 8 | 172 |
| B004171 | | <10 | 0.94 | 0.40 | 10 | 0.22 | 596 | 2 | 0.05 | 8 | 1540 | 8 | 4.97 | 30 | 9 | 115 |
| B004172 | | <10 | 0.78 | 0.38 | 10 | 0.13 | 420 | 2 | 0.05 | 8 | 1560 | 7 | 6.27 | 24 | 6 | 89 |
| B004173 | | <10 | 0.60 | 0.40 | 10 | 1.51 | 2310 | 2 | 0.06 | 8 | 1440 | 9 | 3.58 | 18 | 10 | 199 |
| B004174 | | <10 | 0.66 | 0.39 | 10 | 0.79 | 1520 | 2 | 0.05 | 10 | 1500 | 19 | 4.11 | 21 | 8 | 222 |
| B004175 | | <10 | 0.68 | 0.28 | 10 | 0.25 | 1210 | 1 | 0.04 | 5 | 850 | 26 | 4.00 | 33 | 6 | 214 |
| B004176 | | <10 | 0.47 | 0.41 | 10 | 0.34 | 2690 | 1 | 0.05 | 6 | 1370 | 13 | 4.38 | 23 | 11 | 256 |
| B004177 | | <10 | 0.42 | 0.44 | 10 | 0.41 | 3110 | 1 | 0.05 | 4 | 1300 | 10 | 2.85 | 15 | 11 | 273 |
| B004178 | | <10 | 0.50 | 0.41 | 10 | 0.48 | 2180 | 1 | 0.05 | 3 | 1260 | 6 | 1.84 | 12 | 12 | 317 |
| B004179 | | <10 | 0.48 | 0.45 | 10 | 0.35 | 1785 | 1 | 0.05 | 8 | 1320 | 11 | 1.92 | 15 | 11 | 237 |
| B004180 | | <10 | 0.49 | 0.44 | 10 | 0.36 | 1385 | 1 | 0.06 | 6 | 1300 | 17 | 2.66 | 13 | 10 | 265 |
| B004181 | | <10 | 0.68 | 0.42 | 10 | 0.30 | 1520 | 1 | 0.06 | 7 | 1310 | 21 | 2.22 | 17 | 9 | 287 |
| B004182 | | <10 | 0.64 | 0.46 | 10 | 0.45 | 1835 | 1 | 0.06 | 5 | 1360 | 5 | 0.45 | 7 | 11 | 253 |
| B004183 | | <10 | 0.34 | 0.39 | 10 | 0.26 | 1250 | 1 | 0.06 | 5 | 1380 | 11 | 3.29 | 9 | 10 | 227 |
| B004184 | | <10 | 0.36 | 0.44 | 10 | 0.30 | 853 | 1 | 0.07 | 7 | 1420 | 13 | 3.58 | 10 | 10 | 206 |
| B004185 | | <10 | 0.57 | 0.40 | 10 | 0.34 | 1315 | 1 | 0.06 | 6 | 1360 | 13 | 2.12 | 8 | 11 | 327 |
| B004186 | | <10 | 0.61 | 0.38 | 10 | 0.33 | 1515 | 1 | 0.06 | 5 | 1300 | 14 | 1.83 | 7 | 11 | 350 |
| B004187 | | <10 | 0.10 | 0.47 | 10 | 0.29 | 1245 | 1 | 0.08 | 4 | 1280 | 5 | 0.66 | 5 | 11 | 294 |
| B004188 | | <10 | 0.02 | 0.44 | 10 | 0.31 | 1310 | <1 | 0.08 | 3 | 1240 | 3 | 0.05 | 3 | 11 | 319 |
| B004189 | | <10 | 0.06 | 0.45 | 20 | 0.52 | 1125 | <1 | 0.06 | 3 | 1280 | 3 | 0.06 | 3 | 11 | 244 |
| B004190 | | <10 | 0.12 | 0.42 | 20 | 0.67 | 1060 | 1 | 0.06 | 9 | 1320 | 7 | 0.02 | 7 | 11 | 262 |
| B004191 | | <10 | 0.05 | 0.35 | 10 | 0.75 | 1415 | <1 | 0.04 | 2 | 880 | 8 | 0.07 | 4 | 8 | 1325 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 5 (A - C)
Finalized Date: 2-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04055847

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| B004164 | | <0.01 | <10 | <10 | 24 | <10 | 275 |
| B004165 | | <0.01 | <10 | <10 | 23 | <10 | 233 |
| B004166 | | <0.01 | <10 | <10 | 23 | <10 | 500 |
| B004167 | | <0.01 | <10 | <10 | 22 | <10 | 151 |
| B004168 | | <0.01 | <10 | <10 | 24 | <10 | 84 |
| B004169 | | <0.01 | <10 | <10 | 22 | <10 | 109 |
| B004170 | | <0.01 | <10 | <10 | 21 | <10 | 57 |
| B004171 | | <0.01 | <10 | <10 | 29 | <10 | 155 |
| B004172 | | <0.01 | <10 | <10 | 27 | <10 | 71 |
| B004173 | | <0.01 | <10 | <10 | 31 | <10 | 78 |
| B004174 | | <0.01 | <10 | <10 | 26 | <10 | 95 |
| B004175 | | <0.01 | <10 | <10 | 13 | <10 | 122 |
| B004176 | | <0.01 | <10 | <10 | 21 | <10 | 59 |
| B004177 | | <0.01 | <10 | <10 | 21 | <10 | 56 |
| B004178 | | <0.01 | <10 | <10 | 24 | <10 | 75 |
| B004179 | | <0.01 | <10 | <10 | 24 | <10 | 82 |
| B004180 | | <0.01 | <10 | <10 | 21 | <10 | 76 |
| B004181 | | <0.01 | <10 | <10 | 19 | <10 | 158 |
| B004182 | | <0.01 | <10 | <10 | 25 | <10 | 60 |
| B004183 | | <0.01 | <10 | <10 | 20 | <10 | 91 |
| B004184 | | <0.01 | <10 | <10 | 27 | <10 | 87 |
| B004185 | | <0.01 | <10 | <10 | 27 | <10 | 68 |
| B004186 | | <0.01 | <10 | <10 | 22 | <10 | 68 |
| B004187 | | 0.01 | <10 | <10 | 51 | <10 | 49 |
| B004188 | | 0.03 | <10 | <10 | 76 | <10 | 42 |
| B004189 | | <0.01 | <10 | <10 | 33 | <10 | 60 |
| B004190 | | <0.01 | <10 | <10 | 32 | <10 | 72 |
| B004191 | | <0.01 | <10 | <10 | 24 | <10 | 57 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 9-SEP-2004

Account: EIA

CERTIFICATE VA04056869

Project: NGX04-01

P.O. No.:

This report is for 144 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 24-AUG-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 5 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm |
| B004192 | | 3.54 | <0.005 | <0.2 | 0.57 | 11 | 10 | 220 | 0.8 | <2 | 4.83 | <0.5 | 12 | 11 | 18 | 4.19 |
| B004193 | | 3.26 | <0.005 | <0.2 | 0.45 | 6 | 10 | 1840 | 0.7 | <2 | 5.79 | <0.5 | 13 | 13 | 22 | 3.84 |
| B004194 | | 3.60 | <0.005 | <0.2 | 0.67 | 5 | 10 | 720 | 0.7 | <2 | 3.98 | <0.5 | 14 | 15 | 18 | 4.06 |
| B004195 | | 3.36 | <0.005 | 0.2 | 0.57 | 3 | <10 | 850 | 0.7 | <2 | 4.00 | <0.5 | 13 | 16 | 16 | 3.79 |
| B004196 | | 3.48 | <0.005 | 0.3 | 0.63 | 6 | 10 | 600 | 0.7 | <2 | 3.70 | <0.5 | 14 | 12 | 16 | 3.92 |
| B004197 | | 3.42 | <0.005 | <0.2 | 0.75 | 2 | 10 | 480 | 0.6 | <2 | 3.29 | <0.5 | 13 | 21 | 17 | 3.57 |
| B004198 | | 2.06 | <0.005 | <0.2 | 0.69 | 2 | 10 | 450 | 0.7 | <2 | 3.62 | <0.5 | 13 | 16 | 16 | 3.96 |
| B004199 | | 3.02 | <0.005 | 0.7 | 0.51 | 13 | <10 | 590 | 0.7 | <2 | 3.74 | <0.5 | 14 | 13 | 61 | 4.19 |
| B004200 | | 2.02 | <0.005 | 2.2 | 0.51 | 28 | 10 | 880 | 0.8 | <2 | 4.52 | 0.5 | 14 | 9 | 195 | 3.56 |
| B004201 | | 3.66 | <0.005 | <0.2 | 0.54 | 10 | 10 | 620 | 0.7 | <2 | 3.67 | <0.5 | 13 | 12 | 22 | 4.03 |
| B004202 | | 3.26 | <0.005 | <0.2 | 0.71 | 12 | 10 | 470 | 0.7 | <2 | 3.25 | <0.5 | 15 | 13 | 24 | 4.06 |
| B004203 | | 3.60 | <0.005 | <0.2 | 0.78 | <2 | <10 | 210 | 0.6 | <2 | 2.81 | <0.5 | 14 | 20 | 19 | 3.92 |
| B004204 | | 3.40 | <0.005 | <0.2 | 0.56 | 4 | 10 | 670 | 0.7 | <2 | 4.33 | <0.5 | 13 | 10 | 18 | 3.84 |
| B004205 | | 3.96 | <0.005 | <0.2 | 0.71 | 11 | 10 | 300 | 0.8 | <2 | 3.13 | <0.5 | 15 | 13 | 29 | 4.11 |
| B004206 | | 3.10 | <0.005 | <0.2 | 0.62 | 23 | 10 | 230 | 0.9 | <2 | 3.68 | <0.5 | 15 | 8 | 64 | 4.15 |
| B004207 | | 3.54 | <0.005 | <0.2 | 0.48 | 18 | 10 | 110 | 0.8 | <2 | 4.32 | <0.5 | 14 | 8 | 28 | 4.19 |
| B004208 | | 3.44 | <0.005 | 0.2 | 0.58 | 13 | 10 | 320 | 0.8 | <2 | 3.71 | <0.5 | 14 | 8 | 30 | 4.33 |
| B004209 | | 2.86 | <0.005 | <0.2 | 0.48 | 13 | 10 | 1340 | 0.7 | <2 | 3.96 | <0.5 | 14 | 10 | 20 | 4.24 |
| B004210 | | 2.26 | <0.005 | <0.2 | 0.53 | 16 | 10 | 400 | 0.7 | <2 | 4.04 | <0.5 | 14 | 8 | 23 | 4.28 |
| B004211 | | 3.02 | <0.005 | <0.2 | 0.53 | 15 | 10 | 970 | 0.8 | <2 | 3.63 | <0.5 | 13 | 8 | 20 | 4.41 |
| B004212 | | 3.08 | <0.005 | 0.5 | 0.56 | 26 | 10 | 2740 | 1.0 | <2 | 3.89 | <0.5 | 12 | 10 | 72 | 3.24 |
| B004213 | | 3.74 | <0.005 | 0.3 | 0.57 | 14 | 10 | 560 | 0.8 | <2 | 4.06 | <0.5 | 14 | 9 | 33 | 4.26 |
| B004214 | | 3.56 | <0.005 | 0.3 | 0.56 | 15 | 10 | 500 | 1.1 | <2 | 4.64 | <0.5 | 15 | 7 | 40 | 3.96 |
| B004215 | | 3.42 | <0.005 | 0.6 | 0.57 | 18 | 10 | 490 | 1.0 | <2 | 4.06 | <0.5 | 14 | 9 | 48 | 3.82 |
| B004216 | | 3.48 | <0.005 | <0.2 | 0.60 | 15 | 10 | 660 | 0.9 | <2 | 4.33 | <0.5 | 13 | 7 | 33 | 3.98 |
| B004217 | | 1.82 | <0.005 | 0.4 | 0.56 | 15 | 10 | 630 | 1.0 | <2 | 4.50 | <0.5 | 14 | 8 | 39 | 3.38 |
| B004218 | | 3.24 | <0.005 | 0.2 | 0.52 | 23 | 10 | 420 | 0.9 | <2 | 5.62 | <0.5 | 16 | 6 | 27 | 3.21 |
| B004219 | | 3.40 | <0.005 | <0.2 | 0.50 | 12 | 10 | 880 | 0.8 | <2 | 5.37 | <0.5 | 13 | 10 | 21 | 3.83 |
| B004220 | | 3.52 | <0.005 | 0.2 | 0.62 | 14 | 10 | 480 | 0.8 | <2 | 4.95 | <0.5 | 13 | 19 | 26 | 3.91 |
| B004221 | | 3.26 | <0.005 | <0.2 | 0.55 | 8 | 10 | 1100 | 0.8 | <2 | 5.45 | <0.5 | 13 | 12 | 29 | 3.75 |
| B004222 | | 3.92 | <0.005 | 0.6 | 0.68 | 30 | 10 | 1420 | 0.9 | <2 | 5.54 | <0.5 | 19 | 11 | 30 | 3.49 |
| B004223 | | 3.32 | <0.005 | <0.2 | 0.58 | 22 | 10 | 1160 | 0.9 | <2 | 6.53 | <0.5 | 13 | 14 | 44 | 3.62 |
| B004224 | | 2.96 | <0.005 | <0.2 | 0.65 | 21 | 10 | 120 | 1.1 | <2 | 4.03 | <0.5 | 14 | 6 | 39 | 4.49 |
| B004225 | | 2.68 | <0.005 | <0.2 | 0.52 | 17 | 10 | 370 | 1.0 | <2 | 7.24 | <0.5 | 12 | 9 | 21 | 3.71 |
| B004226 | | 3.74 | <0.005 | <0.2 | 0.73 | 22 | 10 | 80 | 1.2 | <2 | 4.77 | <0.5 | 14 | 10 | 25 | 3.63 |
| B004227 | | 2.74 | <0.005 | <0.2 | 0.55 | 16 | 10 | 100 | 1.0 | <2 | 5.43 | <0.5 | 14 | 6 | 20 | 4.01 |
| B004228 | | 3.52 | <0.005 | <0.2 | 0.72 | 23 | 10 | 100 | 1.1 | <2 | 4.41 | <0.5 | 14 | 9 | 32 | 3.93 |
| B004229 | | 3.30 | <0.005 | <0.2 | 0.69 | 21 | 10 | 150 | 1.0 | <2 | 4.29 | <0.5 | 13 | 7 | 28 | 4.05 |
| B004230 | | 3.44 | <0.005 | 0.4 | 0.69 | 17 | 10 | 570 | 1.1 | <2 | 5.09 | <0.5 | 11 | 9 | 26 | 4.04 |
| B004231 | | 3.86 | <0.005 | 2.2 | 0.59 | 22 | 10 | 1310 | 1.0 | <2 | 5.01 | 0.7 | 12 | 11 | 73 | 3.59 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 5 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| B004192 | | <10 | 0.08 | 0.40 | 20 | 0.62 | 1455 | 1 | 0.06 | 3 | 1240 | 7 | 0.04 | 3 | 13 | 249 |
| B004193 | | <10 | 0.08 | 0.28 | 10 | 1.84 | 1060 | 3 | 0.06 | 2 | 1120 | 6 | 0.06 | 2 | 13 | 488 |
| B004194 | | <10 | 0.02 | 0.37 | 10 | 1.65 | 1085 | 1 | 0.09 | 2 | 1200 | 5 | 0.03 | 2 | 14 | 280 |
| B004195 | | <10 | 0.05 | 0.34 | 10 | 1.84 | 1160 | 1 | 0.07 | 3 | 1150 | 7 | 0.02 | 3 | 13 | 283 |
| B004196 | | <10 | 0.07 | 0.35 | 10 | 1.64 | 1020 | 1 | 0.09 | 2 | 1200 | 7 | 0.02 | 3 | 14 | 252 |
| B004197 | | <10 | 0.08 | 0.32 | 10 | 1.50 | 827 | 1 | 0.11 | 4 | 1200 | 3 | 0.02 | 2 | 13 | 226 |
| B004198 | | <10 | 0.04 | 0.34 | 10 | 1.48 | 1015 | 1 | 0.10 | 5 | 1220 | 2 | 0.02 | 3 | 13 | 235 |
| B004199 | | <10 | 0.28 | 0.33 | 20 | 1.26 | 1115 | 1 | 0.06 | 2 | 1220 | 7 | 0.05 | 24 | 13 | 252 |
| B004200 | | <10 | 0.43 | 0.35 | 10 | 1.19 | 1585 | 1 | 0.05 | 3 | 1110 | 12 | 0.05 | 65 | 11 | 263 |
| B004201 | | <10 | 0.06 | 0.33 | 10 | 1.78 | 1110 | 1 | 0.06 | 2 | 1160 | 5 | 0.09 | 4 | 13 | 278 |
| B004202 | | <10 | 0.13 | 0.37 | 10 | 1.83 | 981 | 1 | 0.08 | 2 | 1180 | 5 | 0.13 | 3 | 14 | 283 |
| B004203 | | <10 | 0.05 | 0.28 | 10 | 1.78 | 947 | 1 | 0.11 | 2 | 1200 | 2 | 0.03 | 3 | 13 | 241 |
| B004204 | | <10 | 0.09 | 0.33 | 10 | 1.91 | 1165 | 1 | 0.07 | 2 | 1010 | 10 | 0.03 | 4 | 12 | 390 |
| B004205 | | <10 | 0.12 | 0.37 | 20 | 1.81 | 1025 | <1 | 0.08 | 3 | 1250 | 6 | 0.02 | 5 | 13 | 242 |
| B004206 | | <10 | 0.06 | 0.36 | 10 | 1.29 | 1180 | <1 | 0.06 | 2 | 1200 | 7 | 0.05 | 12 | 12 | 236 |
| B004207 | | <10 | 0.05 | 0.32 | 10 | 1.22 | 1340 | <1 | 0.06 | 4 | 1200 | 9 | 0.01 | 7 | 11 | 264 |
| B004208 | | <10 | 0.20 | 0.37 | 10 | 1.02 | 1300 | <1 | 0.06 | 4 | 1230 | 7 | 0.02 | 9 | 12 | 213 |
| B004209 | | <10 | 0.10 | 0.35 | 10 | 1.04 | 1335 | <1 | 0.05 | 2 | 1180 | 6 | 0.06 | 4 | 12 | 220 |
| B004210 | | <10 | 0.05 | 0.37 | 10 | 0.98 | 1335 | <1 | 0.06 | 2 | 1230 | 5 | 0.16 | 6 | 13 | 220 |
| B004211 | | <10 | 0.04 | 0.38 | 10 | 0.86 | 1265 | <1 | 0.05 | 1 | 1260 | 5 | 0.10 | 6 | 12 | 208 |
| B004212 | | <10 | 0.08 | 0.38 | 10 | 0.87 | 1345 | 1 | 0.05 | 4 | 1120 | 18 | 0.09 | 21 | 10 | 268 |
| B004213 | | <10 | 0.09 | 0.39 | 10 | 1.18 | 1295 | <1 | 0.05 | 4 | 1180 | 6 | 0.04 | 8 | 12 | 238 |
| B004214 | | <10 | 0.07 | 0.37 | 10 | 1.49 | 1320 | <1 | 0.06 | 2 | 1150 | 6 | 0.02 | 11 | 12 | 267 |
| B004215 | | <10 | 0.10 | 0.37 | 10 | 1.27 | 1235 | <1 | 0.06 | 2 | 1160 | 8 | 0.02 | 13 | 11 | 249 |
| B004216 | | <10 | 0.06 | 0.40 | 10 | 1.13 | 1265 | <1 | 0.06 | 2 | 1260 | 6 | 0.03 | 7 | 12 | 245 |
| B004217 | | <10 | 0.07 | 0.36 | 10 | 0.87 | 1235 | <1 | 0.06 | 1 | 1200 | 5 | 0.05 | 10 | 11 | 216 |
| B004218 | | <10 | 0.09 | 0.35 | 20 | 0.64 | 1235 | 1 | 0.07 | 4 | 1260 | 8 | 0.24 | 6 | 11 | 262 |
| B004219 | | <10 | 0.16 | 0.36 | 10 | 0.66 | 1220 | 1 | 0.06 | 1 | 1240 | 4 | 0.13 | 5 | 11 | 316 |
| B004220 | | <10 | 0.07 | 0.41 | 10 | 0.79 | 1030 | <1 | 0.07 | 2 | 1210 | 3 | 0.07 | 6 | 12 | 222 |
| B004221 | | <10 | 0.08 | 0.41 | 10 | 0.72 | 1230 | <1 | 0.06 | 2 | 1190 | 2 | 0.05 | 4 | 12 | 208 |
| B004222 | | <10 | 0.12 | 0.47 | 10 | 0.59 | 1300 | <1 | 0.05 | 4 | 1280 | 9 | 0.23 | 6 | 12 | 269 |
| B004223 | | <10 | 0.15 | 0.43 | 10 | 0.41 | 1410 | <1 | 0.05 | 3 | 1260 | 10 | 0.06 | 4 | 11 | 419 |
| B004224 | | <10 | 0.05 | 0.45 | 10 | 0.50 | 1260 | 1 | 0.05 | 3 | 1280 | 7 | 0.01 | 7 | 11 | 177 |
| B004225 | | <10 | 0.02 | 0.35 | 10 | 0.66 | 1610 | 2 | 0.05 | 3 | 1020 | 10 | 0.02 | 5 | 9 | 334 |
| B004226 | | <10 | 0.01 | 0.48 | 20 | 0.58 | 1465 | 1 | 0.07 | 4 | 1120 | 4 | 0.01 | 5 | 9 | 271 |
| B004227 | | <10 | 0.01 | 0.38 | 10 | 0.64 | 1690 | 1 | 0.05 | 3 | 1020 | 5 | 0.01 | 5 | 8 | 295 |
| B004228 | | <10 | 0.03 | 0.48 | 10 | 0.66 | 1480 | <1 | 0.06 | 3 | 1200 | 4 | <0.01 | 6 | 10 | 219 |
| B004229 | | <10 | 0.01 | 0.47 | 10 | 0.61 | 1305 | <1 | 0.05 | 3 | 1220 | 2 | 0.01 | 3 | 11 | 198 |
| B004230 | | <10 | 0.04 | 0.47 | 10 | 0.65 | 1555 | <1 | 0.05 | 1 | 1140 | 11 | 0.02 | 3 | 10 | 280 |
| B004231 | | <10 | 0.34 | 0.40 | 10 | 0.60 | 1790 | <1 | 0.03 | 3 | 1040 | 60 | 0.06 | 19 | 9 | 283 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 5 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-----------|----------|----------|----------|----------|
| | | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| B004192 | | <0.01 | <10 | <10 | 34 | <10 | 51 |
| B004193 | | <0.01 | <10 | <10 | 49 | <10 | 57 |
| B004194 | | 0.02 | <10 | <10 | 63 | <10 | 57 |
| B004195 | | 0.01 | <10 | <10 | 56 | <10 | 58 |
| B004196 | | 0.02 | <10 | <10 | 62 | <10 | 65 |
| B004197 | | 0.03 | <10 | <10 | 76 | <10 | 51 |
| B004198 | | 0.02 | <10 | <10 | 72 | <10 | 54 |
| B004199 | | 0.01 | <10 | <10 | 42 | <10 | 87 |
| B004200 | | <0.01 | <10 | <10 | 29 | <10 | 120 |
| B004201 | | <0.01 | <10 | <10 | 44 | <10 | 67 |
| B004202 | | 0.01 | <10 | <10 | 62 | <10 | 62 |
| B004203 | | 0.04 | <10 | <10 | 85 | <10 | 63 |
| B004204 | | 0.01 | <10 | <10 | 46 | <10 | 76 |
| B004205 | | 0.02 | <10 | <10 | 61 | <10 | 77 |
| B004206 | | <0.01 | <10 | <10 | 39 | <10 | 79 |
| B004207 | | <0.01 | <10 | <10 | 29 | <10 | 102 |
| B004208 | | <0.01 | <10 | <10 | 35 | <10 | 85 |
| B004209 | | <0.01 | <10 | <10 | 30 | <10 | 83 |
| B004210 | | <0.01 | <10 | <10 | 32 | <10 | 68 |
| B004211 | | <0.01 | <10 | <10 | 27 | <10 | 70 |
| B004212 | | <0.01 | <10 | <10 | 22 | <10 | 73 |
| B004213 | | <0.01 | <10 | <10 | 32 | <10 | 72 |
| B004214 | | <0.01 | <10 | <10 | 27 | <10 | 82 |
| B004215 | | <0.01 | <10 | <10 | 24 | <10 | 85 |
| B004216 | | <0.01 | <10 | <10 | 26 | <10 | 66 |
| B004217 | | <0.01 | <10 | <10 | 21 | <10 | 69 |
| B004218 | | <0.01 | <10 | <10 | 24 | <10 | 62 |
| B004219 | | <0.01 | <10 | <10 | 27 | <10 | 60 |
| B004220 | | <0.01 | <10 | <10 | 36 | <10 | 52 |
| B004221 | | <0.01 | <10 | <10 | 33 | <10 | 56 |
| B004222 | | <0.01 | <10 | <10 | 27 | <10 | 68 |
| B004223 | | <0.01 | <10 | <10 | 24 | <10 | 63 |
| B004224 | | <0.01 | <10 | <10 | 22 | <10 | 80 |
| B004225 | | <0.01 | <10 | <10 | 19 | <10 | 81 |
| B004226 | | <0.01 | <10 | <10 | 20 | <10 | 66 |
| B004227 | | <0.01 | <10 | <10 | 17 | <10 | 72 |
| B004228 | | <0.01 | <10 | <10 | 20 | <10 | 76 |
| B004229 | | <0.01 | <10 | <10 | 22 | <10 | 69 |
| B004230 | | <0.01 | <10 | <10 | 20 | <10 | 69 |
| B004231 | | <0.01 | <10 | <10 | 19 | <10 | 351 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 5 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | ppm |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| B004232 | | 3.28 | <0.005 | 1.2 | 0.64 | 33 | 10 | 330 | 0.8 | <2 | 4.47 | <0.5 | 14 | 15 | 32 | 3.36 |
| B004233 | | 3.38 | <0.005 | 1.2 | 0.55 | 20 | 10 | 650 | 0.6 | <2 | 4.08 | 0.7 | 8 | 20 | 39 | 2.44 |
| B004234 | | 2.36 | <0.005 | <0.2 | 1.06 | 87 | 10 | 570 | 1.1 | <2 | 5.23 | <0.5 | 31 | 63 | 50 | 5.10 |
| B004235 | | 3.36 | <0.005 | 0.5 | 0.61 | 21 | 10 | 1020 | 0.9 | <2 | 1.94 | <0.5 | 9 | 11 | 19 | 4.39 |
| B004236 | | 3.48 | <0.005 | 0.5 | 0.75 | 31 | 10 | 550 | 1.2 | <2 | 2.51 | <0.5 | 10 | 11 | 19 | 4.60 |
| B004237 | | 2.90 | <0.005 | <0.2 | 1.07 | 78 | 20 | 670 | 1.4 | <2 | 3.70 | <0.5 | 31 | 64 | 49 | 5.51 |
| B004238 | | 2.34 | 0.006 | 1.0 | 0.59 | 82 | 20 | 730 | 0.9 | <2 | 4.41 | <0.5 | 21 | 68 | 65 | 3.81 |
| B004239 | | 1.26 | <0.005 | 6.5 | 0.34 | 112 | <10 | 730 | <0.5 | <2 | 1.20 | 4.8 | 7 | 43 | 268 | 1.90 |
| B004240 | | 1.44 | <0.005 | 4.1 | 0.34 | 68 | 10 | 790 | <0.5 | <2 | 1.14 | 2.8 | 5 | 53 | 164 | 1.92 |
| B004241 | | 1.42 | 0.042 | 0.3 | 1.22 | 68 | 10 | 120 | 1.8 | <2 | 3.67 | <0.5 | 22 | 53 | 60 | 4.75 |
| B004242 | | 2.52 | <0.005 | 2.0 | 0.37 | 37 | 10 | 1400 | <0.5 | <2 | 2.64 | 1.9 | 5 | 45 | 75 | 2.27 |
| B004243 | | 1.50 | <0.005 | 4.8 | 0.43 | 82 | <10 | 300 | <0.5 | <2 | 2.32 | 5.4 | 7 | 24 | 151 | 3.50 |
| B004244 | | 3.26 | <0.005 | 1.6 | 0.29 | 26 | <10 | 1340 | <0.5 | <2 | 4.86 | <0.5 | 5 | 29 | 39 | 2.07 |
| B004245 | | 3.70 | <0.005 | 2.6 | 0.23 | 27 | <10 | 1840 | <0.5 | <2 | 4.52 | <0.5 | 5 | 31 | 50 | 2.18 |
| B004246 | | 2.64 | <0.005 | 1.5 | 0.38 | 26 | 10 | 380 | <0.5 | <2 | 4.58 | <0.5 | 6 | 27 | 32 | 2.51 |
| B004247 | | 1.90 | <0.005 | 0.6 | 0.41 | 26 | 10 | 230 | <0.5 | <2 | 5.15 | <0.5 | 8 | 14 | 24 | 3.65 |
| B004248 | | 1.16 | <0.005 | <0.2 | 1.60 | 27 | 10 | 210 | 1.0 | <2 | 4.91 | <0.5 | 29 | 57 | 46 | 5.11 |
| B004249 | | 3.36 | <0.005 | 0.8 | 0.46 | 31 | 10 | 130 | 0.6 | <2 | 4.92 | <0.5 | 8 | 21 | 28 | 3.01 |
| B004250 | | 3.24 | <0.005 | 0.4 | 0.37 | 25 | 10 | 110 | 0.6 | <2 | 5.13 | <0.5 | 6 | 8 | 27 | 3.19 |
| B004251 | | 1.88 | <0.005 | 0.4 | 0.45 | 24 | 10 | 50 | 0.7 | <2 | 4.83 | <0.5 | 7 | 13 | 26 | 3.14 |
| B004252 | | 3.58 | <0.005 | 0.4 | 0.47 | 44 | 10 | 80 | 0.6 | <2 | 4.13 | <0.5 | 10 | 15 | 27 | 3.23 |
| B004253 | | 3.16 | <0.005 | 0.6 | 0.35 | 21 | 10 | 170 | <0.5 | <2 | 4.51 | <0.5 | 8 | 12 | 24 | 2.66 |
| B004254 | | 1.68 | <0.005 | 0.5 | 0.51 | 39 | 10 | 120 | 0.6 | <2 | 4.31 | <0.5 | 11 | 13 | 26 | 3.06 |
| B004255 | | 3.10 | 0.005 | 6.1 | 0.33 | 44 | 10 | 880 | <0.5 | <2 | 5.17 | 2.0 | 7 | 24 | 142 | 2.84 |
| B004256 | | 2.14 | <0.005 | 2.4 | 0.44 | 128 | 10 | 280 | 0.5 | <2 | 5.29 | <0.5 | 22 | 22 | 105 | 3.44 |
| B004257 | | 3.18 | <0.005 | 0.4 | 0.44 | 25 | 10 | 100 | 0.7 | <2 | 3.87 | <0.5 | 7 | 11 | 32 | 2.47 |
| B004258 | | 3.54 | 0.005 | 1.7 | 0.49 | 36 | <10 | 260 | 0.8 | <2 | 4.22 | 1.5 | 7 | 9 | 90 | 3.33 |
| B004259 | | 3.46 | 0.006 | 0.3 | 0.59 | 18 | 10 | 60 | 1.0 | <2 | 4.58 | <0.5 | 7 | 23 | 34 | 4.24 |
| B004260 | | 1.92 | <0.005 | 0.3 | 0.51 | 18 | 10 | 160 | 0.8 | <2 | 5.24 | <0.5 | 5 | 13 | 25 | 3.77 |
| B004261 | | 3.56 | <0.005 | 0.3 | 0.52 | 13 | 10 | 150 | 0.8 | <2 | 5.13 | <0.5 | 5 | 22 | 22 | 4.39 |
| B004262 | | 2.74 | <0.005 | 1.4 | 0.44 | 21 | 10 | 340 | 0.7 | <2 | 5.81 | <0.5 | 6 | 9 | 40 | 4.36 |
| B004263 | | 1.40 | <0.005 | 2.1 | 0.63 | 37 | 10 | 420 | 0.9 | <2 | 4.32 | 0.6 | 9 | 15 | 54 | 4.21 |
| B004264 | | 2.44 | <0.005 | 0.6 | 0.44 | 14 | 10 | 120 | 0.6 | <2 | 5.25 | <0.5 | 4 | 10 | 26 | 3.74 |
| B004265 | | 1.30 | <0.005 | 0.5 | 0.37 | 15 | <10 | 240 | 0.5 | <2 | 7.26 | <0.5 | 3 | 17 | 21 | 2.80 |
| B004266 | | 2.50 | <0.005 | 0.3 | 0.47 | 13 | 10 | 70 | 0.8 | <2 | 5.95 | <0.5 | 5 | 14 | 26 | 3.30 |
| B004267 | | 3.22 | <0.005 | 0.2 | 0.48 | 16 | 10 | 140 | 0.6 | <2 | 4.59 | <0.5 | 4 | 28 | 21 | 4.28 |
| B004268 | | 3.54 | <0.005 | <0.2 | 0.53 | 12 | 10 | 150 | 0.8 | <2 | 4.46 | <0.5 | 3 | 19 | 21 | 3.02 |
| B004269 | | 1.22 | <0.005 | <0.2 | 0.46 | 14 | <10 | 170 | 0.7 | <2 | 4.48 | <0.5 | 3 | 27 | 22 | 3.10 |
| B004270 | | 0.62 | <0.005 | <0.2 | 0.35 | 10 | <10 | 50 | 0.5 | <2 | 1.72 | <0.5 | 3 | 34 | 19 | 2.90 |
| B004271 | | 1.28 | <0.005 | <0.2 | 0.33 | 6 | <10 | 150 | <0.5 | <2 | 2.04 | <0.5 | 3 | 47 | 19 | 2.80 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 5 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| B004232 | | <10 | 0.20 | 0.45 | 10 | 0.45 | 1945 | <1 | 0.03 | 3 | 1140 | 56 | 0.09 | 7 | 10 | 191 |
| B004233 | | <10 | 0.28 | 0.40 | 10 | 0.46 | 1775 | 1 | 0.03 | 3 | 1020 | 95 | 0.07 | 11 | 9 | 235 |
| B004234 | | <10 | 0.11 | 0.40 | 10 | 3.23 | 1265 | <1 | 0.13 | 137 | 790 | 28 | 0.04 | 7 | 21 | 414 |
| B004235 | | <10 | 0.14 | 0.42 | 10 | 0.60 | 2740 | <1 | 0.03 | 2 | 1320 | 87 | 0.04 | 6 | 6 | 148 |
| B004236 | | <10 | 0.13 | 0.48 | 10 | 0.76 | 2890 | 1 | 0.03 | 6 | 1130 | 67 | 0.10 | 5 | 8 | 168 |
| B004237 | | <10 | 0.28 | 0.37 | 10 | 2.57 | 1945 | <1 | 0.10 | 152 | 760 | 36 | 0.08 | 8 | 21 | 457 |
| B004238 | | <10 | 0.46 | 0.37 | <10 | 1.89 | 1815 | 2 | 0.05 | 84 | 620 | 170 | 0.15 | 11 | 12 | 351 |
| B004239 | | <10 | 1.65 | 0.26 | <10 | 0.41 | 1300 | 3 | 0.01 | 6 | 820 | 1075 | 0.21 | 34 | 4 | 79 |
| B004240 | | <10 | 1.20 | 0.27 | 10 | 0.40 | 1350 | 3 | 0.01 | 4 | 910 | 731 | 0.14 | 23 | 4 | 77 |
| B004241 | | <10 | 0.17 | 0.36 | 10 | 1.83 | 1490 | 1 | 0.12 | 77 | 950 | 91 | 0.03 | 6 | 19 | 445 |
| B004242 | | <10 | 0.76 | 0.32 | 10 | 0.39 | 1895 | 8 | 0.01 | 4 | 1030 | 634 | 0.16 | 12 | 5 | 179 |
| B004243 | | <10 | 1.92 | 0.34 | 10 | 0.42 | 2680 | 5 | 0.01 | 1 | 1140 | 1085 | 0.38 | 9 | 7 | 128 |
| B004244 | | <10 | 0.35 | 0.28 | 10 | 0.29 | 2320 | 5 | 0.01 | 2 | 1140 | 99 | 0.09 | 4 | 7 | 265 |
| B004245 | | <10 | 0.44 | 0.24 | 10 | 0.33 | 2500 | 6 | 0.01 | 2 | 1070 | 212 | 0.13 | 9 | 5 | 254 |
| B004246 | | <10 | 0.29 | 0.31 | 10 | 0.35 | 2510 | 2 | 0.01 | 1 | 1060 | 68 | 0.07 | 7 | 6 | 217 |
| B004247 | | <10 | 0.10 | 0.32 | 10 | 0.55 | 3360 | 2 | 0.02 | 3 | 1200 | 44 | 0.05 | 5 | 7 | 215 |
| B004248 | | <10 | 0.01 | 0.38 | 10 | 3.05 | 1155 | <1 | 0.23 | 136 | 920 | 8 | 0.03 | <2 | 17 | 526 |
| B004249 | | <10 | 0.09 | 0.37 | 10 | 0.47 | 3290 | <1 | 0.02 | 2 | 1300 | 20 | 0.06 | 9 | 8 | 243 |
| B004250 | | <10 | 0.07 | 0.30 | 10 | 0.45 | 3700 | <1 | 0.02 | <1 | 1240 | 17 | 0.06 | 9 | 8 | 219 |
| B004251 | | <10 | 0.08 | 0.36 | 20 | 0.44 | 3710 | <1 | 0.02 | <1 | 1400 | 11 | 0.02 | 3 | 8 | 172 |
| B004252 | | <10 | 0.08 | 0.38 | 20 | 0.48 | 3190 | <1 | 0.02 | 3 | 1290 | 13 | 0.29 | 8 | 8 | 206 |
| B004253 | | <10 | 0.10 | 0.31 | 10 | 0.39 | 3220 | 1 | 0.01 | 1 | 1260 | 26 | 0.10 | 16 | 8 | 204 |
| B004254 | | <10 | 0.10 | 0.41 | 10 | 0.40 | 3470 | <1 | 0.02 | 1 | 1260 | 20 | 0.20 | 12 | 8 | 168 |
| B004255 | | <10 | 0.89 | 0.27 | 10 | 0.39 | 2710 | 3 | 0.01 | <1 | 940 | 206 | 0.25 | 75 | 7 | 267 |
| B004256 | | <10 | 0.12 | 0.36 | 10 | 0.42 | 3020 | 2 | 0.02 | 3 | 1090 | 68 | 0.54 | 33 | 8 | 268 |
| B004257 | | <10 | 0.07 | 0.35 | 10 | 0.38 | 2480 | 2 | 0.02 | 2 | 1350 | 32 | 0.06 | 8 | 8 | 166 |
| B004258 | | <10 | 0.55 | 0.37 | 10 | 0.50 | 3270 | 1 | 0.02 | 1 | 1350 | 264 | 0.16 | 27 | 8 | 184 |
| B004259 | | <10 | 0.09 | 0.46 | 10 | 0.65 | 4080 | <1 | 0.02 | 1 | 1310 | 23 | 0.04 | 3 | 9 | 170 |
| B004260 | | <10 | 0.05 | 0.39 | 10 | 0.67 | 3600 | <1 | 0.02 | <1 | 1280 | 22 | 0.04 | <2 | 9 | 207 |
| B004261 | | <10 | 0.07 | 0.42 | 10 | 0.69 | 3730 | 1 | 0.02 | <1 | 1290 | 31 | 0.04 | 4 | 10 | 182 |
| B004262 | | <10 | 0.21 | 0.35 | 10 | 0.67 | 3870 | 2 | 0.02 | <1 | 1240 | 104 | 0.12 | 10 | 9 | 207 |
| B004263 | | <10 | 0.28 | 0.44 | 10 | 0.57 | 3520 | 3 | 0.02 | <1 | 1180 | 173 | 0.35 | 16 | 8 | 188 |
| B004264 | | <10 | 0.06 | 0.35 | 10 | 0.52 | 3910 | 1 | 0.01 | <1 | 1180 | 17 | 0.01 | 4 | 8 | 171 |
| B004265 | | <10 | 0.06 | 0.31 | 10 | 0.44 | 3630 | <1 | <0.01 | <1 | 1120 | 19 | 0.01 | 6 | 7 | 268 |
| B004266 | | <10 | 0.10 | 0.37 | 10 | 0.50 | 3810 | 1 | 0.01 | <1 | 1240 | 23 | 0.01 | 2 | 8 | 286 |
| B004267 | | <10 | 0.06 | 0.39 | 10 | 0.56 | 4300 | 1 | 0.01 | 1 | 1160 | 23 | 0.04 | 2 | 8 | 238 |
| B004268 | | <10 | 0.04 | 0.42 | 10 | 0.43 | 3110 | <1 | 0.01 | <1 | 1350 | 16 | 0.01 | 2 | 8 | 173 |
| B004269 | | <10 | 0.02 | 0.40 | 10 | 0.47 | 3190 | 1 | <0.01 | 1 | 1280 | 23 | <0.01 | <2 | 8 | 208 |
| B004270 | | <10 | 0.02 | 0.33 | 10 | 0.40 | 2200 | <1 | <0.01 | 1 | 1270 | 22 | <0.01 | 2 | 4 | 154 |
| B004271 | | <10 | 0.01 | 0.32 | 10 | 0.37 | 1895 | 2 | <0.01 | 2 | 1200 | 33 | 0.01 | 5 | 4 | 164 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 5 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl | Tl | U | V | W | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm |
| B004232 | | <0.01 | <10 | <10 | 24 | <10 | 109 |
| B004233 | | <0.01 | <10 | <10 | 21 | <10 | 338 |
| B004234 | | 0.01 | <10 | <10 | 104 | <10 | 91 |
| B004235 | | <0.01 | <10 | <10 | 32 | <10 | 223 |
| B004236 | | <0.01 | <10 | <10 | 31 | <10 | 184 |
| B004237 | | <0.01 | <10 | <10 | 104 | <10 | 108 |
| B004238 | | <0.01 | <10 | <10 | 76 | <10 | 363 |
| B004239 | | <0.01 | <10 | <10 | 17 | <10 | 2190 |
| B004240 | | <0.01 | <10 | <10 | 17 | <10 | 1205 |
| B004241 | | <0.01 | <10 | <10 | 100 | <10 | 144 |
| B004242 | | <0.01 | <10 | <10 | 21 | <10 | 926 |
| B004243 | | <0.01 | <10 | <10 | 30 | <10 | 2610 |
| B004244 | | <0.01 | <10 | <10 | 22 | <10 | 116 |
| B004245 | | <0.01 | <10 | <10 | 22 | <10 | 138 |
| B004246 | | <0.01 | <10 | <10 | 20 | <10 | 122 |
| B004247 | | <0.01 | <10 | <10 | 30 | <10 | 136 |
| B004248 | | 0.01 | <10 | <10 | 85 | <10 | 72 |
| B004249 | | <0.01 | <10 | <10 | 29 | <10 | 81 |
| B004250 | | <0.01 | <10 | <10 | 32 | <10 | 65 |
| B004251 | | <0.01 | <10 | <10 | 33 | <10 | 62 |
| B004252 | | <0.01 | <10 | <10 | 33 | <10 | 45 |
| B004253 | | <0.01 | <10 | <10 | 28 | <10 | 117 |
| B004254 | | <0.01 | <10 | <10 | 30 | <10 | 57 |
| B004255 | | <0.01 | <10 | <10 | 29 | <10 | 921 |
| B004256 | | <0.01 | <10 | <10 | 40 | <10 | 84 |
| B004257 | | <0.01 | <10 | <10 | 36 | <10 | 117 |
| B004258 | | <0.01 | <10 | <10 | 39 | <10 | 913 |
| B004259 | | <0.01 | <10 | <10 | 42 | <10 | 98 |
| B004260 | | <0.01 | <10 | <10 | 51 | <10 | 77 |
| B004261 | | <0.01 | <10 | <10 | 58 | <10 | 106 |
| B004262 | | <0.01 | <10 | <10 | 53 | <10 | 249 |
| B004263 | | <0.01 | <10 | <10 | 38 | <10 | 398 |
| B004264 | | <0.01 | <10 | <10 | 28 | <10 | 73 |
| B004265 | | <0.01 | <10 | <10 | 27 | <10 | 79 |
| B004266 | | <0.01 | <10 | <10 | 30 | <10 | 88 |
| B004267 | | <0.01 | <10 | <10 | 49 | <10 | 86 |
| B004268 | | <0.01 | <10 | <10 | 49 | <10 | 88 |
| B004269 | | <0.01 | <10 | <10 | 46 | <10 | 65 |
| B004270 | | <0.01 | <10 | <10 | 40 | <10 | 67 |
| B004271 | | <0.01 | <10 | <10 | 36 | <10 | 45 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 5 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------------|-----------|-----------|----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|
| | | Recvd Wt. kg | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % |
| B004272 | | 1.14 | <0.005 | <0.2 | 0.32 | 6 | <10 | 150 | <0.5 | <2 | 1.87 | <0.5 | 4 | 41 | 20 | 2.94 |
| B004273 | | 3.50 | <0.005 | <0.2 | 0.37 | 15 | <10 | 280 | <0.5 | <2 | 4.93 | <0.5 | 4 | 21 | 21 | 3.77 |
| B004274 | | 3.32 | <0.005 | <0.2 | 0.29 | 6 | <10 | 180 | <0.5 | <2 | 5.72 | <0.5 | 4 | 24 | 13 | 3.06 |
| B004275 | | 2.14 | 0.008 | 0.2 | 0.31 | 28 | <10 | 110 | <0.5 | <2 | 4.74 | <0.5 | 5 | 33 | 19 | 3.89 |
| B004276 | | 3.30 | <0.005 | <0.2 | 0.30 | 9 | <10 | 160 | <0.5 | <2 | 3.21 | <0.5 | 4 | 32 | 12 | 3.36 |
| B004277 | | 1.48 | <0.005 | <0.2 | 0.24 | 15 | <10 | 180 | <0.5 | <2 | 1.79 | <0.5 | 4 | 57 | 23 | 1.88 |
| B004278 | | 3.38 | <0.005 | <0.2 | 0.28 | 12 | <10 | 200 | <0.5 | <2 | 1.86 | <0.5 | 4 | 66 | 19 | 1.20 |
| B004279 | | 3.18 | <0.005 | <0.2 | 0.23 | 12 | <10 | 320 | <0.5 | <2 | 1.96 | <0.5 | 4 | 61 | 19 | 1.47 |
| B004280 | | 3.96 | <0.005 | <0.2 | 0.27 | 16 | <10 | 130 | <0.5 | <2 | 4.39 | <0.5 | 4 | 41 | 17 | 2.97 |
| B004281 | | 3.40 | <0.005 | <0.2 | 0.29 | 21 | <10 | 130 | <0.5 | <2 | 5.56 | <0.5 | 5 | 36 | 21 | 2.82 |
| B004282 | | 3.32 | <0.005 | <0.2 | 0.34 | 22 | <10 | 80 | <0.5 | <2 | 5.23 | <0.5 | 6 | 34 | 24 | 2.64 |
| B004283 | | 2.46 | <0.005 | <0.2 | 0.34 | 17 | <10 | 110 | <0.5 | <2 | 7.67 | <0.5 | 6 | 25 | 21 | 2.25 |
| B004284 | | 2.14 | <0.005 | 0.4 | 0.26 | 15 | <10 | 180 | <0.5 | <2 | 8.23 | <0.5 | 5 | 22 | 28 | 2.03 |
| B004285 | | 2.30 | <0.005 | 0.7 | 0.31 | 30 | <10 | 230 | 0.5 | <2 | 9.31 | 0.7 | 9 | 16 | 45 | 3.15 |
| B004286 | | 2.22 | <0.005 | 0.6 | 0.25 | 12 | <10 | 50 | <0.5 | <2 | 6.00 | <0.5 | 4 | 30 | 29 | 2.24 |
| B004287 | | 3.04 | <0.005 | 1.7 | 0.26 | 41 | <10 | 60 | <0.5 | <2 | 5.77 | 0.6 | 9 | 31 | 45 | 2.55 |
| B004288 | | 2.54 | <0.005 | 1.4 | 0.25 | 115 | <10 | 50 | <0.5 | <2 | 6.79 | 0.7 | 40 | 26 | 26 | 3.43 |
| B004289 | | 2.60 | <0.005 | 1.3 | 0.33 | 62 | <10 | 70 | 0.5 | <2 | 5.50 | <0.5 | 11 | 26 | 36 | 2.53 |
| B004290 | | 1.34 | <0.005 | 0.8 | 0.30 | 41 | <10 | 80 | 0.5 | <2 | 6.00 | <0.5 | 8 | 18 | 33 | 2.70 |
| B004291 | | 3.52 | <0.005 | <0.2 | 3.43 | <2 | 10 | 30 | <0.5 | <2 | 5.74 | <0.5 | 30 | 194 | 56 | 4.87 |
| B004292 | | 1.52 | <0.005 | <0.2 | 4.94 | <2 | 10 | 70 | <0.5 | <2 | 4.62 | <0.5 | 30 | 194 | 62 | 5.39 |
| B004293 | | 2.02 | <0.005 | <0.2 | 3.78 | 3 | 10 | 60 | <0.5 | <2 | 7.71 | <0.5 | 27 | 187 | 50 | 6.37 |
| B004294 | | 1.58 | <0.005 | <0.2 | 3.29 | 2 | 10 | 100 | <0.5 | <2 | 6.72 | <0.5 | 29 | 184 | 52 | 4.91 |
| B004295 | | 2.90 | <0.005 | <0.2 | 3.41 | <2 | 10 | 110 | <0.5 | <2 | 6.06 | <0.5 | 29 | 181 | 52 | 4.98 |
| B004296 | | 3.18 | <0.005 | <0.2 | 3.90 | 5 | 10 | 140 | <0.5 | <2 | 6.19 | <0.5 | 29 | 188 | 51 | 5.40 |
| B004297 | | 2.32 | <0.005 | <0.2 | 5.09 | <2 | 20 | 40 | <0.5 | <2 | 6.08 | <0.5 | 28 | 175 | 53 | 5.52 |
| B004298 | | 3.44 | <0.005 | 0.2 | 3.40 | 3 | 20 | 120 | <0.5 | <2 | 8.05 | <0.5 | 29 | 199 | 49 | 5.65 |
| B004299 | | 3.50 | <0.005 | <0.2 | 3.81 | <2 | 10 | 120 | <0.5 | <2 | 7.45 | <0.5 | 30 | 226 | 54 | 6.35 |
| B004300 | | 2.94 | <0.005 | <0.2 | 3.50 | 3 | 10 | 100 | 0.5 | <2 | 7.36 | <0.5 | 32 | 212 | 52 | 5.71 |
| B004301 | | 3.32 | <0.005 | 0.3 | 3.38 | <2 | 10 | 50 | 0.5 | <2 | 7.84 | <0.5 | 23 | 163 | 41 | 5.13 |
| B004302 | | 2.52 | <0.005 | <0.2 | 3.47 | 2 | 10 | 40 | 0.7 | <2 | 8.98 | <0.5 | 31 | 172 | 47 | 4.69 |
| B004303 | | 1.50 | <0.005 | 0.2 | 2.41 | 7 | <10 | 60 | 0.5 | <2 | 9.96 | <0.5 | 28 | 152 | 41 | 6.15 |
| B004304 | | 3.00 | <0.005 | <0.2 | 2.59 | <2 | <10 | 50 | 0.5 | <2 | 8.59 | <0.5 | 29 | 152 | 43 | 4.94 |
| B004305 | | 2.64 | <0.005 | <0.2 | 3.21 | <2 | <10 | 80 | 0.6 | <2 | 8.03 | <0.5 | 31 | 124 | 47 | 5.11 |
| B004306 | | 3.08 | <0.005 | <0.2 | 2.59 | 6 | <10 | 80 | 0.5 | <2 | 9.99 | <0.5 | 26 | 101 | 44 | 5.00 |
| B004307 | | 1.80 | <0.005 | 0.6 | 0.63 | 26 | <10 | 120 | 0.5 | 2 | 5.92 | 5.6 | 7 | 28 | 56 | 2.56 |
| B004308 | | 1.94 | <0.005 | 0.2 | 1.26 | 15 | 10 | 150 | 0.6 | <2 | 3.19 | 1.6 | 12 | 43 | 53 | 3.70 |
| B004309 | | 1.72 | <0.005 | 0.2 | 0.49 | 21 | <10 | 100 | <0.5 | <2 | 5.61 | 2.7 | 7 | 35 | 50 | 2.90 |
| B004310 | | 1.80 | <0.005 | <0.2 | 0.60 | 16 | <10 | 110 | <0.5 | <2 | 7.55 | 2.6 | 9 | 24 | 46 | 3.10 |
| B004311 | | 3.48 | <0.005 | 0.2 | 0.62 | 13 | 10 | 150 | <0.5 | <2 | 4.31 | 2.3 | 9 | 34 | 48 | 3.23 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-------------|----------|-----------|-----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm 10 | Hg ppm 0.01 | K % 0.01 | La ppm 10 | Mg % 0.01 | Mn ppm 5 | Mo ppm 1 | Na % 0.01 | Ni ppm 1 | P ppm 10 | Pb ppm 2 | S % 0.01 | Sb ppm 2 | Sc ppm 1 | Sr ppm 1 |
| B004272 | | <10 | 0.01 | 0.32 | 10 | 0.37 | 1965 | <1 | <0.01 | 2 | 1180 | 33 | 0.02 | 7 | 4 | 151 |
| B004273 | | <10 | 0.09 | 0.33 | 10 | 0.48 | 3330 | 1 | <0.01 | <1 | 1280 | 26 | 0.04 | 4 | 9 | 204 |
| B004274 | | <10 | 0.07 | 0.30 | 10 | 0.43 | 2900 | <1 | <0.01 | <1 | 1260 | 22 | 0.05 | 6 | 10 | 261 |
| B004275 | | <10 | 0.04 | 0.30 | 10 | 0.52 | 3390 | 2 | <0.01 | <1 | 1260 | 32 | 0.18 | 7 | 8 | 232 |
| B004276 | | <10 | 0.02 | 0.32 | 10 | 0.49 | 2900 | <1 | <0.01 | 2 | 1280 | 25 | 0.02 | 5 | 4 | 231 |
| B004277 | | <10 | <0.01 | 0.27 | 10 | 0.37 | 1710 | 2 | <0.01 | 2 | 1180 | 15 | <0.01 | 6 | 2 | 114 |
| B004278 | | <10 | 0.02 | 0.31 | 10 | 0.38 | 1345 | <1 | <0.01 | 2 | 1180 | 13 | 0.02 | 8 | 2 | 96 |
| B004279 | | <10 | 0.02 | 0.26 | 10 | 0.41 | 1400 | 2 | <0.01 | 2 | 1170 | 17 | 0.01 | 7 | 2 | 104 |
| B004280 | | <10 | 0.02 | 0.28 | 10 | 0.56 | 3080 | <1 | <0.01 | 3 | 1140 | 18 | 0.03 | 3 | 6 | 254 |
| B004281 | | <10 | 0.02 | 0.30 | 10 | 0.56 | 3540 | 1 | <0.01 | 1 | 1180 | 19 | 0.01 | 2 | 8 | 181 |
| B004282 | | <10 | 0.02 | 0.32 | 10 | 0.52 | 2830 | <1 | <0.01 | <1 | 1210 | 19 | 0.01 | <2 | 8 | 168 |
| B004283 | | <10 | 0.07 | 0.30 | 10 | 0.39 | 3100 | 1 | <0.01 | 1 | 1310 | 28 | 0.02 | 4 | 8 | 253 |
| B004284 | | <10 | 0.10 | 0.24 | 10 | 0.48 | 3380 | <1 | <0.01 | 1 | 1240 | 40 | 0.03 | 10 | 9 | 422 |
| B004285 | | <10 | 0.07 | 0.26 | 10 | 0.99 | 6860 | 1 | 0.01 | <1 | 1100 | 42 | 0.08 | 7 | 10 | 316 |
| B004286 | | <10 | 0.07 | 0.26 | 10 | 0.31 | 2940 | <1 | <0.01 | 1 | 1210 | 34 | 0.01 | 3 | 8 | 226 |
| B004287 | | <10 | 0.22 | 0.27 | 10 | 0.30 | 2940 | 2 | <0.01 | 1 | 1160 | 129 | 0.16 | 12 | 8 | 233 |
| B004288 | | <10 | 0.30 | 0.27 | 10 | 0.45 | 3720 | 1 | <0.01 | 11 | 1160 | 47 | 0.22 | 21 | 8 | 247 |
| B004289 | | <10 | 0.17 | 0.31 | 10 | 0.33 | 2400 | 1 | <0.01 | 4 | 1300 | 46 | 0.10 | 14 | 8 | 230 |
| B004290 | | <10 | 0.13 | 0.27 | 10 | 0.34 | 2730 | 1 | <0.01 | 2 | 1200 | 48 | 0.06 | 8 | 8 | 221 |
| B004291 | | 10 | <0.01 | 0.03 | 10 | 3.79 | 630 | 1 | 0.09 | 118 | 1570 | 3 | 1.31 | <2 | 15 | 66 |
| B004292 | | 10 | <0.01 | 0.04 | 10 | 4.34 | 676 | 1 | 0.43 | 111 | 1640 | 6 | 0.96 | <2 | 18 | 200 |
| B004293 | | 10 | <0.01 | 0.05 | 10 | 3.73 | 630 | 1 | 0.36 | 98 | 1450 | 6 | 3.33 | <2 | 18 | 174 |
| B004294 | | 10 | <0.01 | 0.07 | 10 | 3.22 | 757 | 1 | 0.23 | 104 | 1580 | 8 | 1.79 | <2 | 18 | 144 |
| B004295 | | 10 | <0.01 | 0.05 | 10 | 3.48 | 770 | <1 | 0.13 | 110 | 1380 | 2 | 0.05 | <2 | 13 | 112 |
| B004296 | | 10 | <0.01 | 0.08 | 10 | 3.70 | 936 | <1 | 0.16 | 104 | 1460 | 4 | 0.04 | <2 | 17 | 140 |
| B004297 | | 20 | <0.01 | 0.02 | 10 | 4.05 | 943 | 1 | 0.12 | 100 | 1600 | 6 | 0.06 | <2 | 17 | 94 |
| B004298 | | 10 | <0.01 | 0.05 | 10 | 3.05 | 987 | 1 | 0.12 | 108 | 1440 | 7 | 1.44 | <2 | 19 | 109 |
| B004299 | | 10 | <0.01 | 0.05 | 10 | 3.62 | 1055 | 1 | 0.12 | 110 | 1560 | 4 | 1.28 | <2 | 22 | 112 |
| B004300 | | 10 | 0.01 | 0.04 | 10 | 3.51 | 1090 | <1 | 0.09 | 123 | 1510 | 5 | 0.94 | <2 | 20 | 99 |
| B004301 | | 10 | <0.01 | 0.02 | 10 | 3.18 | 1000 | <1 | 0.07 | 92 | 1440 | 3 | 0.62 | <2 | 19 | 94 |
| B004302 | | 10 | 0.01 | 0.04 | 10 | 2.96 | 992 | 1 | 0.06 | 106 | 1320 | 5 | 0.76 | <2 | 18 | 83 |
| B004303 | | 10 | 0.03 | 0.03 | 10 | 2.62 | 919 | <1 | 0.07 | 97 | 1280 | 4 | 3.38 | <2 | 16 | 138 |
| B004304 | | 10 | 0.01 | 0.02 | 10 | 2.96 | 901 | <1 | 0.07 | 99 | 1400 | 4 | 0.93 | <2 | 17 | 121 |
| B004305 | | 10 | <0.01 | 0.05 | 10 | 3.36 | 998 | 1 | 0.12 | 108 | 1440 | 6 | 0.48 | <2 | 20 | 144 |
| B004306 | | 10 | 0.01 | 0.07 | 10 | 2.51 | 927 | <1 | 0.11 | 100 | 1460 | 5 | 0.90 | <2 | 18 | 144 |
| B004307 | | <10 | 0.09 | 0.23 | 10 | 1.08 | 680 | 33 | 0.02 | 64 | 740 | 6 | 1.79 | <2 | 6 | 164 |
| B004308 | | <10 | 0.07 | 0.29 | <10 | 1.26 | 650 | 16 | 0.04 | 51 | 710 | 8 | 1.66 | <2 | 9 | 122 |
| B004309 | | <10 | 0.08 | 0.16 | <10 | 0.57 | 937 | 23 | 0.04 | 44 | 540 | 5 | 1.62 | <2 | 7 | 172 |
| B004310 | | <10 | 0.09 | 0.20 | <10 | 0.57 | 853 | 22 | 0.04 | 42 | 670 | 4 | 1.74 | 2 | 9 | 200 |
| B004311 | | <10 | 0.07 | 0.22 | <10 | 0.68 | 886 | 22 | 0.06 | 39 | 620 | 7 | 1.50 | <2 | 8 | 169 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 5 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl | Tl | U | V | W | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm |
| B004272 | | <0.01 | <10 | <10 | 38 | <10 | 46 |
| B004273 | | <0.01 | <10 | <10 | 45 | <10 | 95 |
| B004274 | | <0.01 | <10 | <10 | 46 | <10 | 70 |
| B004275 | | <0.01 | <10 | <10 | 45 | <10 | 42 |
| B004276 | | <0.01 | <10 | <10 | 50 | <10 | 36 |
| B004277 | | <0.01 | <10 | <10 | 32 | <10 | 21 |
| B004278 | | <0.01 | <10 | <10 | 23 | <10 | 30 |
| B004279 | | <0.01 | <10 | <10 | 25 | <10 | 29 |
| B004280 | | <0.01 | <10 | <10 | 37 | <10 | 37 |
| B004281 | | <0.01 | <10 | <10 | 40 | <10 | 27 |
| B004282 | | <0.01 | <10 | <10 | 40 | <10 | 30 |
| B004283 | | <0.01 | <10 | <10 | 30 | <10 | 38 |
| B004284 | | <0.01 | <10 | <10 | 22 | <10 | 64 |
| B004285 | | <0.01 | <10 | <10 | 24 | <10 | 90 |
| B004286 | | <0.01 | <10 | <10 | 24 | <10 | 36 |
| B004287 | | <0.01 | <10 | <10 | 27 | <10 | 169 |
| B004288 | | <0.01 | <10 | <10 | 32 | <10 | 225 |
| B004289 | | <0.01 | <10 | <10 | 28 | <10 | 96 |
| B004290 | | <0.01 | <10 | <10 | 23 | <10 | 91 |
| B004291 | | 0.46 | <10 | <10 | 140 | <10 | 67 |
| B004292 | | 0.53 | <10 | <10 | 154 | <10 | 77 |
| B004293 | | 0.46 | <10 | <10 | 152 | <10 | 64 |
| B004294 | | 0.50 | <10 | <10 | 159 | <10 | 66 |
| B004295 | | 0.48 | <10 | <10 | 147 | <10 | 65 |
| B004296 | | 0.50 | <10 | <10 | 162 | <10 | 67 |
| B004297 | | 0.52 | <10 | <10 | 170 | <10 | 69 |
| B004298 | | 0.51 | <10 | <10 | 170 | <10 | 68 |
| B004299 | | 0.56 | <10 | <10 | 184 | <10 | 74 |
| B004300 | | 0.55 | <10 | <10 | 182 | <10 | 71 |
| B004301 | | 0.44 | <10 | <10 | 142 | <10 | 54 |
| B004302 | | 0.47 | <10 | <10 | 161 | <10 | 60 |
| B004303 | | 0.20 | <10 | <10 | 132 | <10 | 56 |
| B004304 | | 0.22 | <10 | <10 | 142 | <10 | 60 |
| B004305 | | 0.26 | <10 | <10 | 162 | <10 | 63 |
| B004306 | | 0.18 | <10 | <10 | 148 | <10 | 61 |
| B004307 | | <0.01 | <10 | <10 | 66 | <10 | 505 |
| B004308 | | 0.04 | 10 | <10 | 66 | <10 | 201 |
| B004309 | | <0.01 | <10 | <10 | 65 | <10 | 257 |
| B004310 | | <0.01 | 10 | <10 | 64 | <10 | 270 |
| B004311 | | <0.01 | <10 | <10 | 61 | <10 | 265 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - A
Total # Pages: 5 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------|
| | | Revd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm |
| B004312 | | 3.44 | <0.005 | 0.2 | 0.62 | 19 | 10 | 150 | <0.5 | <2 | 4.53 | 3.0 | 7 | 34 | 40 | 3.50 |
| B004313 | | 2.38 | <0.005 | 0.4 | 0.72 | 13 | 10 | 150 | 0.5 | <2 | 3.61 | 4.6 | 13 | 38 | 69 | 2.65 |
| B004314 | | 2.68 | <0.005 | 0.3 | 1.01 | 23 | 10 | 120 | 0.6 | <2 | 3.69 | 4.3 | 9 | 21 | 48 | 5.13 |
| B004315 | | 2.52 | <0.005 | 0.4 | 0.60 | 17 | <10 | 120 | <0.5 | <2 | 5.76 | 2.3 | 12 | 22 | 62 | 3.41 |
| B004316 | | 3.54 | <0.005 | 0.4 | 0.70 | 21 | 10 | 140 | 0.5 | <2 | 3.23 | 5.3 | 9 | 25 | 53 | 2.51 |
| B004317 | | 2.88 | <0.005 | 0.2 | 0.68 | 15 | 10 | 160 | 0.5 | <2 | 3.78 | 2.9 | 5 | 25 | 40 | 2.37 |
| B004318 | | 4.20 | <0.005 | <0.2 | 0.63 | 14 | 10 | 140 | 0.5 | <2 | 4.61 | 2.5 | 6 | 16 | 39 | 3.11 |
| B004319 | | 3.78 | <0.005 | 0.3 | 0.78 | 15 | 10 | 130 | 0.5 | <2 | 3.35 | 2.7 | 9 | 21 | 50 | 3.22 |
| B004320 | | 2.16 | <0.005 | <0.2 | 0.57 | 14 | 10 | 130 | 0.5 | <2 | 3.89 | 2.8 | 6 | 23 | 43 | 2.53 |
| B004321 | | 2.08 | <0.005 | 0.4 | 0.54 | 19 | <10 | 120 | <0.5 | <2 | 4.23 | 4.3 | 6 | 28 | 51 | 2.73 |
| B004322 | | 3.44 | <0.005 | <0.2 | 0.76 | 16 | 10 | 150 | 0.5 | <2 | 7.62 | 2.2 | 9 | 12 | 50 | 3.64 |
| B004323 | | 3.86 | <0.005 | 0.8 | 0.58 | 20 | <10 | 130 | 0.5 | <2 | 3.82 | 9.2 | 6 | 21 | 55 | 2.62 |
| B004324 | | 4.20 | <0.005 | 0.2 | 0.60 | 18 | <10 | 160 | 0.5 | <2 | 3.82 | 2.7 | 9 | 22 | 42 | 3.16 |
| B004325 | | 2.92 | <0.005 | 0.4 | 0.65 | 57 | 10 | 40 | 0.5 | <2 | 4.10 | 4.6 | 9 | 27 | 60 | 3.56 |
| B004326 | | 3.44 | <0.005 | 0.4 | 0.52 | 47 | <10 | 120 | 0.5 | <2 | 3.84 | 3.3 | 8 | 44 | 44 | 2.71 |
| B004327 | | 2.64 | <0.005 | <0.2 | 0.47 | 17 | <10 | 270 | 0.6 | <2 | 13.10 | 1.3 | 2 | 25 | 18 | 1.72 |
| B004328 | | 2.66 | <0.005 | 0.3 | 0.55 | 56 | 10 | 170 | 0.6 | <2 | 3.33 | 3.4 | 6 | 30 | 37 | 2.32 |
| B004329 | | 1.10 | <0.005 | 0.3 | 0.47 | 62 | 10 | 30 | 0.6 | <2 | 3.02 | 3.0 | 9 | 33 | 49 | 2.97 |
| B004330 | | 1.18 | <0.005 | 0.2 | 0.47 | 77 | 10 | 30 | 0.6 | <2 | 2.96 | 3.1 | 10 | 31 | 50 | 3.27 |
| B004331 | | 1.44 | <0.005 | 0.2 | 0.56 | 62 | 10 | 40 | 0.5 | 2 | 3.41 | 4.6 | 8 | 31 | 50 | 2.90 |
| B004332 | | 3.00 | <0.005 | 0.5 | 0.58 | 26 | 10 | 60 | 0.5 | <2 | 3.85 | 2.7 | 7 | 38 | 49 | 3.20 |
| B004333 | | 2.76 | <0.005 | 0.2 | 0.58 | 46 | 10 | 140 | 0.5 | <2 | 5.45 | 2.4 | 6 | 22 | 36 | 2.84 |
| B004334 | | 3.00 | <0.005 | 0.2 | 0.55 | 23 | 10 | 180 | 0.5 | <2 | 6.29 | 1.5 | 3 | 25 | 21 | 2.64 |
| B004335 | | 2.28 | <0.005 | 0.2 | 0.55 | 38 | <10 | 190 | 0.6 | <2 | 2.82 | 1.6 | 7 | 41 | 29 | 2.38 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 5 - B
Total # Pages: 5 (A - C)
Finalized Date: 9-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | Sr |
| | | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm | % | ppm | ppm | ppm |
| | | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 |
| B004312 | | <10 | 0.07 | 0.21 | 10 | 0.77 | 913 | 27 | 0.07 | 46 | 670 | 9 | 1.44 | <2 | 7 | 186 |
| B004313 | | <10 | 0.11 | 0.29 | 10 | 0.48 | 689 | 27 | 0.07 | 51 | 620 | 5 | 1.48 | 3 | 8 | 168 |
| B004314 | | <10 | 0.09 | 0.24 | 10 | 0.74 | 842 | 26 | 0.07 | 46 | 990 | 4 | 2.48 | <2 | 8 | 204 |
| B004315 | | <10 | 0.09 | 0.21 | <10 | 0.65 | 1125 | 24 | 0.06 | 38 | 770 | 5 | 2.03 | <2 | 9 | 216 |
| B004316 | | <10 | 0.08 | 0.28 | <10 | 0.41 | 608 | 22 | 0.08 | 41 | 580 | 6 | 1.73 | <2 | 6 | 177 |
| B004317 | | <10 | 0.06 | 0.27 | 10 | 0.56 | 723 | 24 | 0.09 | 37 | 480 | 6 | 1.32 | 3 | 6 | 205 |
| B004318 | | <10 | 0.06 | 0.24 | 10 | 0.85 | 970 | 20 | 0.08 | 33 | 800 | 10 | 1.54 | <2 | 7 | 231 |
| B004319 | | <10 | 0.07 | 0.31 | 10 | 0.58 | 760 | 20 | 0.09 | 33 | 790 | 6 | 2.17 | <2 | 8 | 189 |
| B004320 | | <10 | 0.06 | 0.24 | <10 | 0.57 | 735 | 20 | 0.08 | 42 | 450 | 4 | 1.42 | <2 | 7 | 211 |
| B004321 | | <10 | 0.07 | 0.21 | <10 | 0.48 | 789 | 25 | 0.07 | 53 | 500 | 6 | 1.87 | <2 | 7 | 228 |
| B004322 | | <10 | 0.05 | 0.27 | 10 | 2.20 | 1580 | 12 | 0.08 | 21 | 1300 | 4 | 1.64 | <2 | 9 | 281 |
| B004323 | | <10 | 0.09 | 0.26 | <10 | 0.34 | 695 | 30 | 0.07 | 60 | 740 | 9 | 1.95 | 4 | 6 | 261 |
| B004324 | | <10 | 0.10 | 0.25 | <10 | 0.65 | 874 | 21 | 0.07 | 41 | 870 | 5 | 1.88 | 2 | 8 | 271 |
| B004325 | | <10 | 0.15 | 0.29 | <10 | 0.91 | 898 | 32 | 0.07 | 59 | 630 | 9 | 2.47 | 5 | 10 | 254 |
| B004326 | | <10 | 0.22 | 0.25 | <10 | 1.24 | 695 | 30 | 0.05 | 59 | 630 | 9 | 1.94 | 2 | 6 | 228 |
| B004327 | | <10 | 0.12 | 0.24 | <10 | 1.42 | 3380 | 13 | 0.06 | 28 | 450 | 8 | 0.84 | <2 | 4 | 700 |
| B004328 | | <10 | 0.20 | 0.29 | <10 | 0.98 | 634 | 30 | 0.06 | 61 | 580 | 9 | 1.46 | 6 | 6 | 184 |
| B004329 | | <10 | 0.22 | 0.25 | <10 | 0.77 | 537 | 31 | 0.06 | 60 | 530 | 8 | 2.29 | 8 | 7 | 172 |
| B004330 | | <10 | 0.24 | 0.25 | <10 | 0.76 | 521 | 31 | 0.06 | 63 | 530 | 11 | 2.72 | 9 | 8 | 174 |
| B004331 | | <10 | 0.22 | 0.28 | <10 | 0.85 | 799 | 31 | 0.06 | 60 | 810 | 4 | 2.19 | 3 | 7 | 162 |
| B004332 | | <10 | 0.30 | 0.30 | <10 | 1.11 | 802 | 25 | 0.07 | 40 | 620 | 8 | 1.88 | <2 | 9 | 166 |
| B004333 | | <10 | 0.16 | 0.30 | <10 | 1.78 | 999 | 24 | 0.06 | 45 | 740 | 8 | 1.88 | 3 | 8 | 212 |
| B004334 | | <10 | 0.15 | 0.29 | 10 | 2.10 | 1435 | 13 | 0.06 | 23 | 450 | 8 | 1.02 | 2 | 6 | 219 |
| B004335 | | <10 | 0.23 | 0.28 | 10 | 0.82 | 597 | 10 | 0.07 | 29 | 670 | 14 | 1.41 | <2 | 6 | 150 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brookbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
 700-700 W PENDER ST
 VANCOUVER BC V6C 1G8

Page: 5 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 9-SEP-2004
 Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04056869

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl | Tl | U | V | W | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 |
| B004312 | | <0.01 | <10 | <10 | 59 | <10 | 300 |
| B004313 | | <0.01 | <10 | <10 | 67 | <10 | 425 |
| B004314 | | <0.01 | <10 | <10 | 97 | <10 | 412 |
| B004315 | | <0.01 | <10 | <10 | 64 | <10 | 223 |
| B004316 | | <0.01 | <10 | <10 | 51 | <10 | 462 |
| B004317 | | <0.01 | <10 | <10 | 50 | <10 | 263 |
| B004318 | | <0.01 | <10 | <10 | 47 | <10 | 221 |
| B004319 | | <0.01 | <10 | <10 | 55 | <10 | 264 |
| B004320 | | <0.01 | <10 | <10 | 46 | <10 | 265 |
| B004321 | | <0.01 | <10 | <10 | 62 | <10 | 371 |
| B004322 | | <0.01 | <10 | <10 | 49 | <10 | 235 |
| B004323 | | <0.01 | 10 | <10 | 57 | <10 | 823 |
| B004324 | | <0.01 | <10 | <10 | 55 | <10 | 277 |
| B004325 | | <0.01 | <10 | <10 | 56 | <10 | 399 |
| B004326 | | <0.01 | <10 | <10 | 33 | <10 | 305 |
| B004327 | | <0.01 | <10 | <10 | 20 | <10 | 146 |
| B004328 | | <0.01 | 10 | <10 | 28 | <10 | 302 |
| B004329 | | <0.01 | <10 | <10 | 26 | <10 | 293 |
| B004330 | | <0.01 | <10 | <10 | 28 | <10 | 294 |
| B004331 | | <0.01 | 10 | <10 | 36 | <10 | 403 |
| B004332 | | <0.01 | <10 | <10 | 37 | <10 | 280 |
| B004333 | | <0.01 | <10 | <10 | 26 | <10 | 251 |
| B004334 | | <0.01 | <10 | <10 | 18 | <10 | 160 |
| B004335 | | <0.01 | <10 | <10 | 18 | <10 | 180 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 12-SEP-2004
Account: EIA

CERTIFICATE VA04058206

Project: NGX04-01

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 30-AUG-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 12-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058206

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------------|-----------|-----------|----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|
| | | Recvd Wt. kg | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % |
| 04336 | | 3.66 | <0.005 | 0.3 | 0.22 | 59 | <10 | 110 | <0.5 | <2 | 8.75 | <0.5 | 3 | 22 | 11 | 2.34 |
| 04337 | | 2.96 | <0.005 | 0.3 | 0.33 | 62 | <10 | 60 | 0.6 | <2 | 1.65 | 1.5 | 4 | 25 | 20 | 2.08 |
| 04338 | | 2.80 | <0.005 | 0.2 | 0.28 | 67 | <10 | 40 | <0.5 | <2 | 1.96 | 1.1 | 6 | 29 | 22 | 2.10 |
| 04339 | | 3.20 | <0.005 | 0.5 | 0.34 | 73 | <10 | 120 | 0.5 | <2 | 2.88 | 2.0 | 7 | 24 | 29 | 2.59 |
| 04340 | | 2.48 | <0.005 | 0.3 | 0.24 | 57 | <10 | 70 | <0.5 | <2 | 3.94 | 0.9 | 4 | 23 | 15 | 2.39 |
| 04341 | | 3.88 | <0.005 | 0.5 | 0.33 | 64 | <10 | 50 | 0.5 | <2 | 5.75 | 1.0 | 7 | 17 | 30 | 2.74 |
| 04342 | | 2.94 | <0.005 | 0.3 | 0.62 | 98 | 10 | 70 | 0.6 | <2 | 1.84 | 2.5 | 7 | 54 | 30 | 2.45 |
| 04343 | | 2.02 | <0.005 | 0.2 | 0.85 | 65 | 10 | 160 | 0.8 | <2 | 5.38 | 1.2 | 7 | 9 | 30 | 2.54 |
| 04344 | | 3.44 | <0.005 | 0.3 | 0.30 | 101 | <10 | 60 | <0.5 | <2 | 1.96 | 1.3 | 6 | 41 | 20 | 2.60 |
| 04345 | | 3.46 | <0.005 | 0.3 | 0.90 | 100 | 10 | 30 | 1.0 | <2 | 2.82 | 1.2 | 8 | 11 | 34 | 2.56 |
| 04346 | | 3.40 | <0.005 | 0.2 | 0.52 | 93 | <10 | 110 | 0.5 | <2 | 3.59 | 1.4 | 7 | 13 | 29 | 3.16 |
| 04347 | | 2.30 | <0.005 | 0.4 | 0.41 | 124 | 10 | 30 | 0.9 | <2 | 2.72 | 2.1 | 8 | 14 | 38 | 3.07 |
| 04348 | | 1.40 | <0.005 | 0.5 | 0.27 | 121 | <10 | 40 | 0.7 | <2 | 3.20 | 2.9 | 8 | 25 | 41 | 2.80 |
| 04349 | | 2.18 | <0.005 | 0.6 | 0.30 | 23 | <10 | 570 | <0.5 | <2 | 4.29 | 3.7 | 7 | 17 | 17 | 2.47 |
| 04350 | | 2.62 | <0.005 | 0.5 | 0.66 | 23 | 10 | 1060 | 1.0 | <2 | 2.22 | 3.4 | 8 | 2 | 5 | 3.33 |
| 04351 | | 2.98 | <0.005 | 0.2 | 0.39 | 13 | <10 | 2020 | 0.9 | <2 | 2.25 | 0.5 | 8 | 13 | 3 | 3.19 |
| 04352 | | 3.38 | <0.005 | 0.4 | 0.52 | 7 | 10 | 1840 | 0.6 | <2 | 3.89 | <0.5 | 6 | 2 | 4 | 3.06 |
| 04353 | | 3.28 | <0.005 | 0.6 | 0.49 | 12 | 10 | 1810 | 0.9 | <2 | 3.70 | <0.5 | 7 | 13 | 3 | 2.70 |
| 04354 | | 3.26 | <0.005 | 0.2 | 0.60 | 16 | 10 | 460 | 0.8 | <2 | 2.71 | <0.5 | 7 | 20 | 3 | 3.02 |
| 04355 | | 3.18 | <0.005 | 0.2 | 0.36 | 11 | <10 | 620 | 0.8 | <2 | 2.61 | <0.5 | 7 | 18 | 3 | 3.03 |
| 04356 | | 2.56 | <0.005 | 0.3 | 0.59 | 8 | 10 | 630 | 0.8 | <2 | 2.61 | <0.5 | 7 | 1 | 5 | 3.36 |
| 04357 | | 2.74 | <0.005 | 0.3 | 0.58 | 11 | 10 | 1140 | 0.7 | <2 | 3.59 | <0.5 | 7 | 7 | 6 | 2.76 |
| 04358 | | 3.16 | <0.005 | 0.3 | 0.55 | 12 | 10 | 2720 | 1.1 | <2 | 2.93 | <0.5 | 7 | 1 | 5 | 3.23 |
| 04359 | | 2.30 | <0.005 | 0.5 | 0.54 | 10 | 10 | 260 | 1.0 | <2 | 2.17 | 1.1 | 6 | 6 | 13 | 2.65 |
| 04360 | | 3.50 | <0.005 | 1.6 | 0.43 | 13 | 10 | 510 | 0.5 | <2 | 2.52 | 1.7 | 7 | 1 | 48 | 3.01 |
| 04361 | | 3.30 | <0.005 | 0.4 | 0.42 | 10 | 10 | 1640 | 0.7 | <2 | 2.21 | <0.5 | 8 | 6 | 10 | 2.83 |
| 04362 | | 1.84 | <0.005 | 0.2 | 0.34 | 14 | <10 | 700 | 0.6 | <2 | 2.56 | <0.5 | 8 | 1 | 5 | 3.00 |
| 04363 | | 2.50 | <0.005 | 0.2 | 0.39 | 9 | 10 | 1680 | 0.7 | <2 | 3.46 | <0.5 | 8 | 6 | 4 | 2.69 |
| 04364 | | 2.82 | <0.005 | 0.9 | 0.42 | 20 | 10 | 1540 | 0.7 | <2 | 1.64 | 0.6 | 10 | 3 | 21 | 3.32 |
| 04365 | | 3.36 | <0.005 | 4.8 | 0.39 | 91 | 10 | 760 | 0.5 | <2 | 0.74 | 0.5 | 11 | 10 | 123 | 2.15 |
| 04366 | | 1.90 | <0.005 | 1.6 | 0.39 | 63 | <10 | 780 | 0.6 | <2 | 1.38 | <0.5 | 11 | 2 | 32 | 3.67 |
| 04367 | | 2.22 | <0.005 | 1.3 | 0.41 | 68 | 10 | 410 | 0.6 | <2 | 1.59 | 0.5 | 12 | 2 | 20 | 4.02 |
| 04368 | | 2.82 | <0.005 | 0.8 | 0.25 | 19 | <10 | 180 | <0.5 | <2 | 1.88 | <0.5 | 5 | 11 | 12 | 2.61 |
| 04369 | | 1.74 | <0.005 | 1.4 | 0.39 | 44 | <10 | 1020 | 0.5 | <2 | 1.95 | <0.5 | 8 | 4 | 22 | 4.15 |
| 04370 | | 3.88 | <0.005 | 0.9 | 0.47 | 28 | 10 | 1320 | 0.7 | <2 | 0.55 | <0.5 | 8 | 3 | 38 | 5.39 |
| 04371 | | 4.02 | <0.005 | 1.4 | 0.45 | 36 | 10 | 1310 | 0.5 | <2 | 1.69 | <0.5 | 11 | 1 | 50 | 5.32 |
| 04372 | | 2.84 | <0.005 | 3.5 | 0.35 | 70 | 10 | 410 | <0.5 | <2 | 0.74 | <0.5 | 11 | 8 | 67 | 2.03 |
| 04373 | | 2.12 | <0.005 | 2.9 | 0.29 | 61 | <10 | 100 | <0.5 | <2 | 1.14 | <0.5 | 10 | 4 | 30 | 1.93 |
| 04374 | | 2.00 | <0.005 | 1.7 | 0.43 | 60 | 10 | 180 | 0.6 | <2 | 1.40 | 0.8 | 12 | 6 | 18 | 3.11 |
| 04375 | | 2.88 | <0.005 | 1.6 | 0.26 | 32 | <10 | 200 | <0.5 | <2 | 0.68 | 0.5 | 7 | 3 | 19 | 3.64 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 12-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058206

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| 04336 | | <10 | 0.11 | 0.13 | <10 | 0.46 | 2180 | 4 | 0.05 | 9 | 640 | 8 | 1.81 | <2 | 3 | 588 |
| 04337 | | <10 | 0.15 | 0.18 | <10 | 0.40 | 408 | 11 | 0.07 | 17 | 520 | 11 | 1.07 | 2 | 5 | 174 |
| 04338 | | <10 | 0.15 | 0.15 | <10 | 0.45 | 424 | 6 | 0.06 | 14 | 540 | 10 | 1.22 | 2 | 4 | 172 |
| 04339 | | <10 | 0.23 | 0.19 | <10 | 0.85 | 602 | 13 | 0.06 | 22 | 650 | 11 | 1.61 | 3 | 6 | 213 |
| 04340 | | <10 | 0.16 | 0.14 | 10 | 0.63 | 1105 | 4 | 0.06 | 10 | 710 | 6 | 1.34 | <2 | 4 | 237 |
| 04341 | | <10 | 0.24 | 0.19 | <10 | 1.69 | 1080 | 9 | 0.07 | 15 | 420 | 8 | 1.66 | 2 | 6 | 268 |
| 04342 | | <10 | 0.32 | 0.31 | <10 | 0.38 | 412 | 12 | 0.07 | 25 | 670 | 12 | 1.54 | 2 | 5 | 144 |
| 04343 | | <10 | 0.31 | 0.40 | <10 | 2.07 | 1025 | 10 | 0.07 | 22 | 400 | 9 | 1.42 | <2 | 7 | 192 |
| 04344 | | <10 | 0.26 | 0.15 | <10 | 0.43 | 452 | 7 | 0.05 | 15 | 660 | 9 | 1.81 | 3 | 4 | 150 |
| 04345 | | <10 | 0.32 | 0.47 | <10 | 0.81 | 668 | 12 | 0.10 | 20 | 800 | 13 | 1.78 | 3 | 10 | 176 |
| 04346 | | <10 | 0.30 | 0.28 | <10 | 1.34 | 734 | 9 | 0.06 | 21 | 390 | 8 | 1.70 | 5 | 8 | 150 |
| 04347 | | <10 | 0.35 | 0.23 | <10 | 1.03 | 684 | 20 | 0.07 | 38 | 550 | 9 | 1.76 | 8 | 9 | 146 |
| 04348 | | <10 | 0.38 | 0.16 | <10 | 1.00 | 762 | 22 | 0.05 | 42 | 530 | 17 | 1.71 | 8 | 7 | 187 |
| 04349 | | <10 | 0.14 | 0.15 | 10 | 1.09 | 2510 | 3 | 0.05 | 1 | 740 | 10 | 0.08 | 6 | 5 | 220 |
| 04350 | | <10 | 0.06 | 0.39 | 10 | 0.74 | 1475 | <1 | 0.07 | 1 | 750 | 18 | 0.08 | 2 | 5 | 217 |
| 04351 | | <10 | 0.07 | 0.27 | 20 | 0.71 | 1535 | 1 | 0.07 | <1 | 870 | 12 | 0.10 | 4 | 5 | 149 |
| 04352 | | <10 | 0.05 | 0.31 | 20 | 0.99 | 2080 | <1 | 0.07 | <1 | 800 | 15 | 0.09 | 3 | 5 | 235 |
| 04353 | | <10 | 0.03 | 0.33 | 10 | 0.88 | 2010 | 1 | 0.07 | 1 | 800 | 12 | 0.08 | <2 | 5 | 202 |
| 04354 | | <10 | 0.04 | 0.40 | 20 | 0.68 | 1795 | <1 | 0.06 | <1 | 840 | 8 | 0.05 | <2 | 5 | 120 |
| 04355 | | <10 | 0.04 | 0.25 | 10 | 0.72 | 1950 | 1 | 0.05 | <1 | 780 | 8 | 0.06 | <2 | 4 | 134 |
| 04356 | | <10 | 0.06 | 0.38 | 10 | 0.82 | 2140 | <1 | 0.06 | 1 | 790 | 11 | 0.06 | 2 | 5 | 141 |
| 04357 | | <10 | 0.06 | 0.35 | 10 | 0.85 | 2220 | 1 | 0.05 | <1 | 760 | 21 | 0.14 | 3 | 4 | 196 |
| 04358 | | <10 | 0.07 | 0.35 | 10 | 0.94 | 1950 | <1 | 0.08 | <1 | 750 | 35 | 0.10 | 2 | 4 | 196 |
| 04359 | | <10 | 0.10 | 0.35 | 20 | 0.75 | 1915 | <1 | 0.06 | <1 | 830 | 31 | 0.06 | 3 | 4 | 128 |
| 04360 | | <10 | 0.16 | 0.28 | 10 | 0.80 | 2620 | 2 | 0.03 | <1 | 800 | 67 | 0.07 | 16 | 5 | 180 |
| 04361 | | <10 | 0.08 | 0.27 | 10 | 0.75 | 2120 | 1 | 0.05 | 1 | 620 | 41 | 0.09 | 2 | 4 | 186 |
| 04362 | | <10 | 0.11 | 0.25 | 20 | 0.89 | 3100 | 1 | 0.04 | <1 | 780 | 35 | 0.07 | 2 | 4 | 170 |
| 04363 | | <10 | 0.05 | 0.26 | 10 | 0.96 | 2910 | 1 | 0.05 | <1 | 660 | 24 | 0.09 | 2 | 4 | 210 |
| 04364 | | <10 | 0.11 | 0.27 | 10 | 0.49 | 2030 | 3 | 0.05 | 1 | 920 | 41 | 0.10 | 8 | 5 | 146 |
| 04365 | | <10 | 0.33 | 0.26 | 10 | 0.22 | 1440 | 3 | 0.03 | 2 | 1090 | 94 | 0.29 | 53 | 4 | 75 |
| 04366 | | <10 | 0.18 | 0.27 | 10 | 0.45 | 3800 | 2 | 0.03 | 2 | 1320 | 86 | 0.24 | 14 | 7 | 92 |
| 04367 | | <10 | 0.19 | 0.29 | 10 | 0.52 | 4250 | 2 | 0.03 | 2 | 1340 | 96 | 0.26 | 12 | 7 | 102 |
| 04368 | | <10 | 0.26 | 0.22 | 10 | 0.44 | 5180 | 5 | 0.02 | <1 | 1130 | 92 | 0.10 | 15 | 7 | 109 |
| 04369 | | <10 | 0.15 | 0.27 | 10 | 0.63 | 4410 | 4 | 0.03 | 1 | 960 | 100 | 0.18 | 12 | 6 | 130 |
| 04370 | | <10 | 0.16 | 0.33 | 10 | 0.41 | 3830 | 1 | 0.04 | 1 | 1410 | 100 | 0.09 | 18 | 7 | 69 |
| 04371 | | <10 | 0.17 | 0.33 | 10 | 0.62 | 10000 | 1 | 0.03 | 1 | 1270 | 86 | 0.16 | 20 | 7 | 126 |
| 04372 | | <10 | 0.27 | 0.26 | 10 | 0.20 | 2500 | 1 | 0.02 | 1 | 1200 | 47 | 0.21 | 29 | 5 | 91 |
| 04373 | | <10 | 0.36 | 0.27 | 10 | 0.27 | 2670 | 3 | 0.02 | 2 | 1010 | 102 | 0.16 | 25 | 5 | 110 |
| 04374 | | <10 | 0.43 | 0.28 | 10 | 0.41 | 4290 | 1 | 0.03 | 2 | 1140 | 94 | 0.21 | 9 | 5 | 113 |
| 04375 | | <10 | 0.23 | 0.19 | 10 | 0.30 | 4700 | 2 | 0.02 | <1 | 1160 | 53 | 0.11 | 8 | 4 | 69 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 12-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058206

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl | Tl | U | V | W | Zn |
| | % | ppm | ppm | ppm | ppm | ppm | |
| | 0.01 | 10 | 10 | 1 | 10 | 2 | |
| 04336 | | <0.01 | <10 | <10 | 5 | <10 | 69 |
| 04337 | | <0.01 | <10 | <10 | 7 | <10 | 173 |
| 04338 | | <0.01 | <10 | <10 | 7 | <10 | 138 |
| 04339 | | <0.01 | <10 | <10 | 13 | <10 | 193 |
| 04340 | | <0.01 | <10 | <10 | 7 | <10 | 115 |
| 04341 | | <0.01 | <10 | <10 | 16 | <10 | 123 |
| 04342 | | <0.01 | <10 | <10 | 18 | <10 | 216 |
| 04343 | | <0.01 | <10 | <10 | 25 | <10 | 151 |
| 04344 | | <0.01 | <10 | <10 | 9 | <10 | 129 |
| 04345 | | <0.01 | <10 | <10 | 17 | <10 | 215 |
| 04346 | | <0.01 | <10 | <10 | 22 | <10 | 176 |
| 04347 | | <0.01 | <10 | <10 | 22 | <10 | 242 |
| 04348 | | <0.01 | <10 | <10 | 23 | <10 | 289 |
| 04349 | | <0.01 | <10 | <10 | 13 | <10 | 87 |
| 04350 | | <0.01 | <10 | <10 | 14 | <10 | 107 |
| 04351 | | <0.01 | <10 | <10 | 14 | <10 | 153 |
| 04352 | | <0.01 | <10 | <10 | 18 | <10 | 110 |
| 04353 | | <0.01 | <10 | <10 | 15 | <10 | 99 |
| 04354 | | <0.01 | <10 | <10 | 22 | <10 | 123 |
| 04355 | | <0.01 | <10 | <10 | 15 | <10 | 121 |
| 04356 | | <0.01 | <10 | <10 | 20 | <10 | 143 |
| 04357 | | <0.01 | <10 | <10 | 16 | <10 | 178 |
| 04358 | | <0.01 | <10 | <10 | 14 | <10 | 255 |
| 04359 | | <0.01 | <10 | <10 | 13 | <10 | 612 |
| 04360 | | <0.01 | <10 | <10 | 18 | <10 | 799 |
| 04361 | | <0.01 | <10 | <10 | 12 | <10 | 478 |
| 04362 | | <0.01 | <10 | <10 | 13 | <10 | 689 |
| 04363 | | <0.01 | <10 | <10 | 11 | <10 | 259 |
| 04364 | | <0.01 | <10 | <10 | 16 | <10 | 187 |
| 04365 | | <0.01 | <10 | <10 | 19 | <10 | 218 |
| 04366 | | <0.01 | <10 | <10 | 28 | <10 | 198 |
| 04367 | | <0.01 | <10 | <10 | 31 | <10 | 206 |
| 04368 | | <0.01 | <10 | <10 | 37 | <10 | 151 |
| 04369 | | <0.01 | <10 | <10 | 34 | <10 | 136 |
| 04370 | | <0.01 | <10 | <10 | 38 | <10 | 227 |
| 04371 | | <0.01 | 10 | <10 | 41 | <10 | 133 |
| 04372 | | <0.01 | <10 | <10 | 25 | <10 | 177 |
| 04373 | | <0.01 | <10 | <10 | 32 | <10 | 207 |
| 04374 | | <0.01 | <10 | <10 | 31 | <10 | 438 |
| 04375 | | <0.01 | <10 | <10 | 37 | <10 | 177 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 12-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058206

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------------|-------------------|--------------------|----------|-------------------|---------------|-----------------|------------------|----------------|----------|-------------------|------------------|----------------|----------------|----------|
| | | Recvd Wt. kg | Au ppm 0.02 | Ag ppm 0.005 | Al % | As ppm 0.01 | B ppm 2 | Ba ppm 10 | Be ppm 0.5 | Bi ppm 2 | Ca % | Cd ppm 0.01 | Co ppm 0.5 | Cr ppm 1 | Cu ppm 1 | Fe % |
| 04376 | | 3.08 | <0.005 | 1.7 | 0.27 | 23 | <10 | 180 | <0.5 | <2 | 0.73 | 0.5 | 7 | 8 | 20 | 3.46 |
| 04377 | | 3.14 | <0.005 | 1.2 | 0.36 | 31 | <10 | 390 | <0.5 | <2 | 1.08 | <0.5 | 6 | 5 | 33 | 3.23 |
| 04378 | | 3.32 | <0.005 | 2.2 | 0.32 | 48 | <10 | 280 | <0.5 | <2 | 0.74 | <0.5 | 5 | 5 | 94 | 2.98 |
| 04379 | | 2.92 | <0.005 | 1.5 | 0.31 | 28 | <10 | 470 | <0.5 | <2 | 1.14 | <0.5 | 5 | 7 | 25 | 2.58 |
| 04380 | | 3.70 | <0.005 | 1.4 | 0.41 | 32 | 10 | 560 | <0.5 | <2 | 1.00 | <0.5 | 6 | 7 | 28 | 3.41 |
| 04381 | | 3.34 | <0.005 | 1.7 | 0.41 | 34 | <10 | 760 | <0.5 | <2 | 1.26 | <0.5 | 6 | 5 | 26 | 2.97 |
| 04382 | | 3.22 | <0.005 | 1.6 | 0.35 | 10 | <10 | 370 | <0.5 | <2 | 0.68 | <0.5 | 3 | 10 | 35 | 2.16 |
| 04383 | | 3.10 | <0.005 | 5.3 | 0.47 | 25 | 10 | 640 | 0.6 | <2 | 0.75 | 1.5 | 5 | 2 | 100 | 2.47 |
| 04384 | | 3.20 | <0.005 | 3.9 | 0.46 | 24 | 10 | 360 | 0.6 | <2 | 0.80 | 0.9 | 5 | 5 | 74 | 1.90 |
| 04385 | | 3.12 | <0.005 | 2.8 | 0.41 | 25 | 10 | 1260 | <0.5 | <2 | 0.86 | 1.3 | 5 | 3 | 63 | 2.39 |
| 04386 | | 3.38 | <0.005 | 2.1 | 0.53 | 37 | 10 | 660 | 0.7 | <2 | 0.85 | 0.7 | 8 | 5 | 38 | 3.31 |
| 04387 | | 3.48 | <0.005 | 3.0 | 0.37 | 30 | 10 | 980 | <0.5 | <2 | 1.14 | 0.8 | 7 | 4 | 65 | 2.14 |
| 04388 | | 3.54 | <0.005 | 2.0 | 0.37 | 32 | 10 | 420 | <0.5 | <2 | 1.34 | <0.5 | 10 | 5 | 38 | 4.14 |
| 04389 | | 3.24 | <0.005 | 1.5 | 0.47 | 49 | <10 | 300 | 0.5 | <2 | 1.40 | <0.5 | 11 | 4 | 29 | 3.57 |
| 04390 | | 3.54 | <0.005 | 2.3 | 0.30 | 21 | <10 | 570 | <0.5 | <2 | 1.59 | <0.5 | 7 | 8 | 26 | 3.54 |
| 04391 | | 2.46 | <0.005 | 2.3 | 0.26 | 34 | <10 | 470 | <0.5 | <2 | 2.85 | <0.5 | 6 | 7 | 78 | 1.72 |
| 04392 | | 2.96 | <0.005 | 1.2 | 0.26 | 19 | <10 | 150 | <0.5 | <2 | 1.00 | <0.5 | 7 | 9 | 23 | 2.32 |
| 04393 | | 2.76 | <0.005 | 1.8 | 0.46 | 34 | 10 | 200 | <0.5 | <2 | 0.90 | 0.5 | 8 | 6 | 36 | 2.80 |
| 04394 | | 2.84 | <0.005 | 1.2 | 0.36 | 22 | 10 | 220 | <0.5 | <2 | 1.59 | <0.5 | 7 | 7 | 18 | 3.93 |
| 04395 | | 2.04 | <0.005 | 1.2 | 0.42 | 34 | 10 | 580 | <0.5 | <2 | 0.98 | <0.5 | 8 | 4 | 24 | 2.14 |
| 04396 | | 3.04 | <0.005 | 1.4 | 0.31 | 39 | <10 | 190 | <0.5 | <2 | 1.06 | <0.5 | 8 | 6 | 42 | 2.28 |
| 04397 | | 3.14 | <0.005 | 1.2 | 0.26 | 26 | <10 | 280 | <0.5 | <2 | 0.92 | 0.5 | 6 | 4 | 30 | 3.60 |
| 04398 | | 2.38 | <0.005 | 1.9 | 0.31 | 36 | 10 | 370 | <0.5 | <2 | 0.80 | <0.5 | 10 | 10 | 33 | 3.16 |
| 04399 | | 2.26 | <0.005 | 1.5 | 0.26 | 33 | <10 | 390 | <0.5 | <2 | 1.86 | <0.5 | 6 | 7 | 27 | 2.96 |
| 04400 | | 1.06 | <0.005 | 1.7 | 0.33 | 102 | 10 | 230 | 0.7 | <2 | 4.31 | 0.8 | 9 | 10 | 35 | 3.74 |
| 04401 | | 3.02 | <0.005 | 1.5 | 0.39 | 49 | <10 | 40 | 0.6 | <2 | 1.93 | <0.5 | 11 | 4 | 24 | 2.90 |
| 04402 | | 2.74 | 0.005 | 1.4 | 0.24 | 41 | <10 | 30 | <0.5 | <2 | 1.00 | 0.5 | 9 | 14 | 26 | 4.20 |
| 04403 | | 2.12 | 0.008 | 1.6 | 0.23 | 33 | <10 | 60 | <0.5 | <2 | 0.80 | 0.8 | 8 | 6 | 19 | 2.99 |
| 04404 | | 1.16 | <0.005 | 1.4 | 0.23 | 46 | <10 | 30 | <0.5 | <2 | 1.01 | <0.5 | 11 | 15 | 20 | 3.84 |
| 04405 | | 2.74 | <0.005 | 1.1 | 0.21 | 31 | <10 | 40 | <0.5 | <2 | 1.19 | <0.5 | 8 | 7 | 23 | 2.70 |
| 04406 | | 1.52 | <0.005 | 1.6 | 0.51 | 42 | 10 | 220 | 1.7 | <2 | 1.20 | 0.8 | 14 | 5 | 24 | 3.42 |
| 04407 | | 1.74 | <0.005 | 0.9 | 0.30 | 19 | <10 | 2010 | <0.5 | <2 | 1.61 | <0.5 | 7 | 4 | 25 | 3.90 |
| 04408 | | 1.70 | <0.005 | 1.7 | 0.42 | 32 | 10 | 1120 | 0.7 | <2 | 0.90 | 0.8 | 9 | 7 | 58 | 3.77 |
| 04409 | | 3.74 | <0.005 | 2.2 | 0.44 | 32 | 10 | 1460 | 0.6 | <2 | 1.44 | 1.4 | 7 | 4 | 40 | 3.65 |
| 04410 | | 3.22 | 0.005 | 0.5 | 0.35 | 35 | 10 | 970 | 0.5 | <2 | 1.38 | 0.6 | 9 | 7 | 12 | 3.93 |
| 04411 | | 3.44 | <0.005 | 0.6 | 0.45 | 63 | 10 | 860 | 0.5 | <2 | 1.80 | <0.5 | 12 | 2 | 12 | 2.79 |
| 04412 | | 3.18 | 0.008 | 0.3 | 0.42 | 37 | 10 | 500 | 0.6 | <2 | 1.74 | 0.6 | 11 | 7 | 20 | 2.23 |
| 04413 | | 3.40 | <0.005 | 0.3 | 0.50 | 29 | 10 | 490 | 0.6 | <2 | 2.35 | <0.5 | 12 | 2 | 21 | 3.19 |
| 04414 | | 3.12 | 0.015 | 0.2 | 0.40 | 26 | 10 | 480 | 0.7 | <2 | 2.20 | <0.5 | 10 | 5 | 21 | 3.45 |
| 04415 | | 3.02 | 0.006 | 0.9 | 0.55 | 30 | 10 | 1320 | 0.7 | <2 | 1.48 | 0.6 | 11 | 1 | 38 | 3.46 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 12-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058206

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm |
| | | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 10 | 2 | 0.01 | 2 | 1 | 1 | 1 |
| 04376 | | <10 | 0.26 | 0.25 | 10 | 0.29 | 5160 | 1 | 0.02 | 1 | 1170 | 47 | 0.14 | 14 | 5 | 66 |
| 04377 | | <10 | 0.22 | 0.34 | 10 | 0.35 | 3070 | 1 | 0.02 | <1 | 1290 | 25 | 0.12 | 14 | 5 | 79 |
| 04378 | | <10 | 0.24 | 0.25 | 10 | 0.27 | 2600 | 1 | 0.02 | 1 | 1100 | 38 | 0.10 | 26 | 5 | 47 |
| 04379 | | <10 | 0.14 | 0.26 | 10 | 0.32 | 2750 | 2 | 0.02 | 1 | 1020 | 66 | 0.10 | 13 | 5 | 67 |
| 04380 | | <10 | 0.20 | 0.31 | 10 | 0.35 | 2840 | 1 | 0.03 | 1 | 1310 | 115 | 0.07 | 15 | 5 | 75 |
| 04381 | | <10 | 0.14 | 0.32 | 10 | 0.36 | 2460 | 3 | 0.03 | 1 | 1250 | 93 | 0.07 | 12 | 6 | 85 |
| 04382 | | <10 | 0.10 | 0.27 | 10 | 0.21 | 1595 | 1 | 0.02 | <1 | 1070 | 98 | 0.04 | 18 | 6 | 54 |
| 04383 | | <10 | 0.34 | 0.31 | 10 | 0.26 | 1595 | 2 | 0.03 | <1 | 1140 | 311 | 0.08 | 41 | 6 | 58 |
| 04384 | | <10 | 0.20 | 0.31 | 10 | 0.21 | 1745 | 1 | 0.03 | 1 | 1220 | 160 | 0.06 | 30 | 5 | 59 |
| 04385 | | <10 | 0.20 | 0.24 | <10 | 0.27 | 2260 | 2 | 0.04 | 1 | 590 | 190 | 0.11 | 22 | 5 | 199 |
| 04386 | | <10 | 0.13 | 0.33 | 10 | 0.33 | 2200 | 4 | 0.04 | <1 | 1170 | 114 | 0.14 | 13 | 7 | 122 |
| 04387 | | <10 | 0.13 | 0.23 | <10 | 0.26 | 2130 | 7 | 0.03 | 1 | 730 | 304 | 0.13 | 24 | 4 | 227 |
| 04388 | | <10 | 0.13 | 0.29 | 10 | 0.45 | 5380 | 2 | 0.02 | <1 | 1330 | 84 | 0.06 | 19 | 7 | 74 |
| 04389 | | <10 | 0.12 | 0.36 | 20 | 0.42 | 4370 | 1 | 0.02 | <1 | 1470 | 66 | 0.07 | 16 | 6 | 90 |
| 04390 | | <10 | 0.13 | 0.27 | 10 | 0.44 | 4550 | <1 | 0.02 | <1 | 1280 | 53 | 0.08 | 15 | 6 | 95 |
| 04391 | | <10 | 0.15 | 0.25 | 10 | 0.23 | 2360 | 1 | 0.02 | <1 | 970 | 82 | 0.07 | 42 | 3 | 146 |
| 04392 | | <10 | 0.09 | 0.24 | 10 | 0.27 | 2590 | 3 | 0.02 | <1 | 1070 | 82 | 0.04 | 13 | 4 | 71 |
| 04393 | | <10 | 0.17 | 0.34 | 10 | 0.28 | 2500 | 4 | 0.02 | <1 | 1140 | 140 | 0.06 | 17 | 5 | 76 |
| 04394 | | <10 | 0.12 | 0.28 | 10 | 0.48 | 5220 | 3 | 0.02 | <1 | 1110 | 239 | 0.05 | 8 | 9 | 86 |
| 04395 | | <10 | 0.16 | 0.34 | 10 | 0.24 | 2300 | 3 | 0.02 | <1 | 1210 | 89 | 0.07 | 14 | 5 | 93 |
| 04396 | | <10 | 0.18 | 0.27 | 20 | 0.26 | 2410 | 1 | 0.02 | <1 | 1310 | 43 | 0.09 | 22 | 6 | 83 |
| 04397 | | <10 | 0.11 | 0.26 | 20 | 0.34 | 3620 | 2 | 0.02 | <1 | 1470 | 49 | 0.06 | 16 | 6 | 77 |
| 04398 | | <10 | 0.09 | 0.23 | 10 | 0.29 | 2760 | 4 | 0.02 | 1 | 1210 | 98 | 0.13 | 13 | 4 | 95 |
| 04399 | | <10 | 0.08 | 0.22 | 10 | 0.50 | 3460 | 6 | 0.02 | 1 | 990 | 87 | 0.11 | 13 | 6 | 105 |
| 04400 | | <10 | 0.20 | 0.23 | 10 | 1.18 | 4770 | 8 | 0.03 | <1 | 1170 | 93 | 0.90 | 18 | 7 | 209 |
| 04401 | | <10 | 0.19 | 0.28 | 10 | 0.49 | 1320 | 2 | 0.03 | 1 | 1260 | 42 | 2.22 | 13 | 6 | 127 |
| 04402 | | <10 | 0.26 | 0.21 | 10 | 0.21 | 1050 | 5 | 0.02 | 2 | 1180 | 77 | 3.79 | 20 | 4 | 77 |
| 04403 | | <10 | 0.21 | 0.23 | 10 | 0.17 | 2470 | 3 | 0.01 | 2 | 1240 | 47 | 1.79 | 16 | 3 | 77 |
| 04404 | | <10 | 0.13 | 0.21 | 10 | 0.22 | 2030 | 13 | 0.01 | 3 | 1170 | 49 | 2.93 | 19 | 3 | 93 |
| 04405 | | <10 | 0.13 | 0.23 | 10 | 0.24 | 2580 | 3 | 0.01 | 2 | 1140 | 53 | 1.52 | 17 | 3 | 123 |
| 04406 | | <10 | 0.26 | 0.34 | 10 | 0.37 | 2290 | 1 | 0.04 | 1 | 1370 | 67 | 0.63 | 11 | 6 | 106 |
| 04407 | | <10 | 0.10 | 0.25 | 10 | 0.49 | 3890 | 2 | 0.04 | <1 | 1200 | 30 | 0.10 | 13 | 7 | 159 |
| 04408 | | <10 | 0.25 | 0.29 | 10 | 0.35 | 1615 | 2 | 0.03 | 3 | 1230 | 82 | 0.09 | 19 | 5 | 132 |
| 04409 | | <10 | 0.23 | 0.30 | 10 | 0.44 | 3270 | 4 | 0.02 | 1 | 1250 | 144 | 0.13 | 17 | 6 | 132 |
| 04410 | | <10 | 0.16 | 0.26 | 10 | 0.41 | 3690 | 4 | 0.02 | 1 | 1150 | 40 | 0.16 | 7 | 6 | 164 |
| 04411 | | <10 | 0.21 | 0.32 | 10 | 0.41 | 3080 | 3 | 0.02 | 2 | 1280 | 55 | 0.22 | 14 | 6 | 176 |
| 04412 | | <10 | 0.17 | 0.31 | 10 | 0.40 | 1520 | 1 | 0.02 | 1 | 1440 | 15 | 0.14 | 13 | 7 | 129 |
| 04413 | | <10 | 0.18 | 0.36 | 20 | 0.63 | 2460 | <1 | 0.03 | 3 | 1470 | 15 | 0.11 | 12 | 8 | 156 |
| 04414 | | <10 | 0.12 | 0.29 | 20 | 0.60 | 3010 | 1 | 0.03 | 1 | 1410 | 12 | 0.10 | 12 | 8 | 134 |
| 04415 | | <10 | 0.16 | 0.37 | 10 | 0.43 | 2530 | <1 | 0.03 | 1 | 1430 | 24 | 0.11 | 16 | 7 | 128 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 12-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058206

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|-----------|----------|----------|----------|-----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 |
| 04376 | | <0.01 | <10 | <10 | 52 | <10 | 175 |
| 04377 | | <0.01 | <10 | <10 | 51 | <10 | 137 |
| 04378 | | <0.01 | <10 | <10 | 36 | <10 | 199 |
| 04379 | | <0.01 | <10 | <10 | 36 | <10 | 72 |
| 04380 | | <0.01 | <10 | <10 | 32 | <10 | 149 |
| 04381 | | <0.01 | <10 | <10 | 32 | <10 | 120 |
| 04382 | | <0.01 | <10 | <10 | 23 | <10 | 132 |
| 04383 | | <0.01 | <10 | <10 | 24 | <10 | 470 |
| 04384 | | <0.01 | <10 | <10 | 26 | <10 | 213 |
| 04385 | | <0.01 | <10 | <10 | 25 | <10 | 269 |
| 04386 | | <0.01 | <10 | <10 | 26 | <10 | 194 |
| 04387 | | <0.01 | <10 | <10 | 20 | <10 | 151 |
| 04388 | | <0.01 | <10 | <10 | 47 | <10 | 145 |
| 04389 | | <0.01 | <10 | <10 | 55 | <10 | 118 |
| 04390 | | <0.01 | <10 | <10 | 52 | <10 | 108 |
| 04391 | | <0.01 | <10 | <10 | 26 | <10 | 72 |
| 04392 | | <0.01 | <10 | <10 | 31 | <10 | 54 |
| 04393 | | <0.01 | <10 | <10 | 29 | <10 | 198 |
| 04394 | | <0.01 | <10 | <10 | 43 | <10 | 127 |
| 04395 | | <0.01 | <10 | <10 | 30 | <10 | 77 |
| 04396 | | <0.01 | <10 | <10 | 35 | <10 | 111 |
| 04397 | | <0.01 | <10 | <10 | 46 | <10 | 79 |
| 04398 | | <0.01 | <10 | <10 | 36 | <10 | 64 |
| 04399 | | <0.01 | <10 | <10 | 39 | <10 | 74 |
| 04400 | | <0.01 | <10 | <10 | 36 | <10 | 212 |
| 04401 | | <0.01 | <10 | <10 | 26 | <10 | 111 |
| 04402 | | <0.01 | <10 | <10 | 33 | <10 | 134 |
| 04403 | | <0.01 | <10 | <10 | 34 | <10 | 114 |
| 04404 | | <0.01 | <10 | <10 | 42 | <10 | 41 |
| 04405 | | <0.01 | <10 | <10 | 35 | <10 | 44 |
| 04406 | | <0.01 | <10 | <10 | 29 | <10 | 296 |
| 04407 | | <0.01 | <10 | <10 | 45 | <10 | 103 |
| 04408 | | <0.01 | <10 | <10 | 25 | <10 | 211 |
| 04409 | | <0.01 | <10 | <10 | 36 | <10 | 389 |
| 04410 | | <0.01 | <10 | <10 | 39 | <10 | 168 |
| 04411 | | <0.01 | <10 | <10 | 35 | <10 | 139 |
| 04412 | | <0.01 | <10 | <10 | 33 | <10 | 170 |
| 04413 | | <0.01 | <10 | <10 | 46 | <10 | 172 |
| 04414 | | <0.01 | <10 | <10 | 36 | <10 | 103 |
| 04415 | | <0.01 | <10 | <10 | 25 | <10 | 160 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 12-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058206

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| 04416 | | 3.70 | <0.005 | 0.7 | 0.42 | 34 | 10 | 1640 | 0.6 | <2 | 2.58 | 0.5 | 10 | 6 | 25 | 3.05 |
| 04417 | | 3.78 | <0.005 | 0.4 | 0.52 | 35 | 10 | 660 | 0.7 | <2 | 2.66 | <0.5 | 14 | 1 | 26 | 3.90 |
| 04418 | | 3.50 | <0.005 | 0.7 | 0.39 | 40 | 10 | 1690 | 0.6 | <2 | 1.58 | <0.5 | 14 | 5 | 27 | 2.92 |
| 04419 | | 3.44 | <0.005 | 0.5 | 0.40 | 28 | 10 | 860 | 0.5 | <2 | 1.80 | <0.5 | 11 | 2 | 22 | 2.94 |
| 04420 | | 3.26 | <0.005 | 0.7 | 0.41 | 32 | 10 | 850 | 0.7 | <2 | 1.33 | 0.5 | 10 | 9 | 38 | 3.12 |
| 04421 | | 3.48 | <0.005 | 0.4 | 0.42 | 21 | 10 | 260 | 0.7 | <2 | 1.48 | 0.5 | 8 | 4 | 12 | 2.83 |
| 04422 | | 3.14 | <0.005 | 0.3 | 0.40 | 29 | 10 | 1180 | 0.5 | <2 | 2.70 | <0.5 | 7 | 1 | 10 | 3.65 |
| 04423 | | 2.96 | <0.005 | 0.7 | 0.55 | 54 | 10 | 490 | 0.8 | <2 | 2.07 | <0.5 | 14 | 27 | 25 | 3.32 |
| 04424 | | 3.30 | <0.005 | 0.3 | 0.53 | 23 | 10 | 480 | 0.7 | <2 | 2.67 | 0.5 | 10 | 25 | 24 | 4.11 |
| 04425 | | 3.62 | <0.005 | 0.4 | 0.47 | 24 | 10 | 540 | 0.5 | <2 | 3.22 | 0.5 | 8 | 18 | 18 | 3.32 |
| 04426 | | 3.18 | <0.005 | 1.2 | 0.56 | 45 | 10 | 1150 | 0.7 | <2 | 2.25 | 0.5 | 12 | 27 | 32 | 2.95 |
| 04427 | | 3.40 | <0.005 | 0.5 | 0.62 | 31 | 10 | 220 | 0.9 | <2 | 2.19 | <0.5 | 11 | 11 | 22 | 3.62 |
| 04428 | | 3.14 | <0.005 | 0.3 | 0.56 | 45 | 10 | 420 | 0.8 | <2 | 2.31 | <0.5 | 12 | 20 | 21 | 4.19 |
| 04429 | | 3.28 | 0.010 | 0.3 | 0.52 | 51 | 10 | 190 | 0.7 | <2 | 2.17 | <0.5 | 11 | 14 | 21 | 3.17 |
| 04430 | | 3.08 | <0.005 | 0.3 | 0.65 | 37 | 10 | 690 | 0.9 | <2 | 2.65 | <0.5 | 11 | 24 | 19 | 2.88 |
| 04431 | | 3.02 | <0.005 | <0.2 | 0.59 | 20 | 10 | 160 | 0.7 | <2 | 3.51 | <0.5 | 10 | 9 | 16 | 3.21 |
| 04432 | | 3.40 | <0.005 | <0.2 | 0.49 | 19 | 10 | 250 | 0.6 | <2 | 3.14 | <0.5 | 8 | 19 | 20 | 3.17 |
| 04433 | | 3.20 | <0.005 | <0.2 | 0.52 | 19 | 10 | 1220 | 0.6 | <2 | 3.33 | <0.5 | 8 | 12 | 32 | 3.69 |
| 04434 | | 2.70 | 0.013 | 0.4 | 0.52 | 31 | 10 | 450 | 0.7 | <2 | 3.78 | 0.5 | 11 | 20 | 27 | 3.67 |
| 04435 | | 3.88 | <0.005 | <0.2 | 0.54 | 13 | 10 | 370 | 0.7 | <2 | 3.75 | 0.5 | 8 | 9 | 23 | 4.00 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 12-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058206

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|--------------------|----------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 04416 | | <10 | 0.24 | 0.28 | 10 | 0.60 | 2650 | <1 | 0.03 | 1 | 1300 | 24 | 0.13 | 13 | 7 | 197 |
| 04417 | | <10 | 0.18 | 0.35 | 10 | 0.74 | 2890 | <1 | 0.03 | 3 | 1440 | 16 | 0.10 | 12 | 7 | 166 |
| 04418 | | <10 | 0.20 | 0.28 | 10 | 0.41 | 2140 | 1 | 0.03 | 2 | 1440 | 31 | 0.14 | 14 | 6 | 124 |
| 04419 | | <10 | 0.15 | 0.30 | 10 | 0.37 | 2660 | 1 | 0.02 | 1 | 1430 | 32 | 0.12 | 11 | 6 | 108 |
| 04420 | | <10 | 0.15 | 0.30 | 10 | 0.33 | 2670 | 2 | 0.03 | 1 | 1480 | 32 | 0.12 | 17 | 7 | 109 |
| 04421 | | <10 | 0.14 | 0.31 | 10 | 0.35 | 2540 | 1 | 0.03 | <1 | 1410 | 14 | 0.06 | 5 | 6 | 98 |
| 04422 | | <10 | 0.09 | 0.29 | 10 | 0.57 | 5070 | 1 | 0.02 | <1 | 1320 | 16 | 0.11 | 6 | 7 | 130 |
| 04423 | | <10 | 0.22 | 0.37 | 10 | 0.56 | 2240 | 1 | 0.03 | 3 | 1430 | 35 | 0.21 | 17 | 9 | 134 |
| 04424 | | <10 | 0.13 | 0.36 | 10 | 0.64 | 3370 | 1 | 0.03 | <1 | 1340 | 22 | 0.06 | 8 | 7 | 151 |
| 04425 | | <10 | 0.15 | 0.33 | 10 | 0.48 | 3450 | <1 | 0.02 | 2 | 1310 | 24 | 0.06 | 8 | 7 | 184 |
| 04426 | | <10 | 0.16 | 0.38 | 10 | 0.49 | 2440 | 2 | 0.03 | 1 | 1370 | 34 | 0.14 | 13 | 7 | 158 |
| 04427 | | <10 | 0.19 | 0.40 | 20 | 0.54 | 1815 | 1 | 0.04 | 1 | 1590 | 19 | 0.14 | 7 | 8 | 160 |
| 04428 | | <10 | 0.14 | 0.38 | 10 | 0.58 | 3240 | 1 | 0.03 | 2 | 1400 | 16 | 0.17 | 10 | 8 | 160 |
| 04429 | | <10 | 0.17 | 0.38 | 10 | 0.45 | 2590 | 1 | 0.03 | 2 | 1450 | 18 | 0.15 | 9 | 7 | 132 |
| 04430 | | <10 | 0.12 | 0.43 | 20 | 0.40 | 1285 | 1 | 0.04 | 2 | 1400 | 12 | 0.15 | 9 | 7 | 179 |
| 04431 | | <10 | 0.10 | 0.40 | 20 | 0.47 | 2090 | <1 | 0.04 | <1 | 1420 | 10 | 0.06 | 4 | 7 | 186 |
| 04432 | | <10 | 0.11 | 0.36 | 10 | 0.36 | 2100 | 1 | 0.03 | 1 | 1450 | 18 | 0.04 | 7 | 7 | 194 |
| 04433 | | <10 | 0.10 | 0.37 | 10 | 0.39 | 2520 | <1 | 0.03 | <1 | 1410 | 22 | 0.05 | 5 | 7 | 212 |
| 04434 | | <10 | 0.13 | 0.38 | 10 | 0.46 | 2740 | 2 | 0.03 | 2 | 1310 | 19 | 0.14 | 8 | 8 | 229 |
| 04435 | | <10 | 0.11 | 0.39 | 20 | 0.35 | 2280 | 1 | 0.04 | 1 | 1430 | 10 | 0.03 | 2 | 8 | 192 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 12-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058206

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| | | 0.01 | 10 | 10 | 1 | 10 | 2 |
| 04416 | | <0.01 | <10 | <10 | 22 | <10 | 192 |
| 04417 | | <0.01 | <10 | <10 | 31 | <10 | 140 |
| 04418 | | <0.01 | <10 | <10 | 23 | <10 | 182 |
| 04419 | | <0.01 | <10 | <10 | 24 | <10 | 144 |
| 04420 | | <0.01 | <10 | <10 | 27 | <10 | 166 |
| 04421 | | <0.01 | <10 | <10 | 31 | <10 | 132 |
| 04422 | | <0.01 | <10 | <10 | 42 | <10 | 93 |
| 04423 | | <0.01 | <10 | <10 | 40 | <10 | 192 |
| 04424 | | <0.01 | <10 | <10 | 36 | <10 | 159 |
| 04425 | | <0.01 | <10 | <10 | 36 | <10 | 113 |
| 04426 | | <0.01 | <10 | <10 | 29 | <10 | 138 |
| 04427 | | <0.01 | <10 | <10 | 29 | <10 | 127 |
| 04428 | | <0.01 | <10 | <10 | 43 | <10 | 116 |
| 04429 | | <0.01 | <10 | <10 | 40 | <10 | 110 |
| 04430 | | <0.01 | <10 | <10 | 31 | <10 | 102 |
| 04431 | | <0.01 | <10 | <10 | 28 | <10 | 96 |
| 04432 | | <0.01 | <10 | <10 | 31 | <10 | 81 |
| 04433 | | <0.01 | <10 | <10 | 30 | <10 | 102 |
| 04434 | | <0.01 | <10 | <10 | 33 | <10 | 117 |
| 04435 | | <0.01 | <10 | <10 | 36 | <10 | 106 |
| | | | | | | | |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04058207

Project: NGX04-01

P.O. No.:

This report is for 112 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 30-AUG-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 14-SEP-2004
Account: EIA

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 34 Element Aqua Regia ICP-AES | ICP-AES |
| Hg-CV41 | Trace Hg - cold vapor/AAS | FIMS |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 14-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058207

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------------|-----------|-----------|----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|
| | | Recvd Wt. kg | Au ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % |
| 04436 | | 2.22 | <0.005 | 1.1 | 0.50 | 20 | 10 | 980 | 0.5 | <2 | 2.10 | 0.5 | 6 | 17 | 29 | 3.38 |
| 04437 | | 3.92 | <0.005 | 1.4 | 0.60 | 17 | 10 | 890 | 0.7 | <2 | 1.44 | 0.8 | 9 | 33 | 34 | 3.43 |
| 04438 | | 1.48 | <0.005 | 0.6 | 0.67 | 15 | 10 | 1000 | 0.8 | <2 | 1.33 | 0.6 | 11 | 15 | 20 | 4.05 |
| 04439 | | 1.60 | <0.005 | 0.7 | 0.61 | 12 | 10 | 2010 | 0.8 | <2 | 1.38 | <0.5 | 11 | 24 | 19 | 4.19 |
| 04440 | | 3.46 | <0.005 | 0.7 | 0.62 | 9 | 10 | 590 | 1.0 | <2 | 2.89 | 0.5 | 10 | 9 | 22 | 3.92 |
| 04441 | | 3.28 | <0.005 | 1.1 | 0.59 | 16 | 10 | 360 | 0.8 | <2 | 3.14 | 0.6 | 9 | 18 | 28 | 3.39 |
| 04442 | | 3.02 | <0.005 | 1.1 | 0.60 | 15 | 10 | 270 | 0.8 | <2 | 2.80 | 0.6 | 10 | 11 | 37 | 3.29 |
| 04443 | | 2.80 | <0.005 | 1.0 | 0.54 | 13 | 10 | 770 | 0.8 | <2 | 1.64 | 0.6 | 10 | 21 | 30 | 3.50 |
| 04444 | | 2.88 | <0.005 | 1.2 | 0.45 | 14 | 10 | 770 | 0.5 | <2 | 1.54 | 0.5 | 7 | 12 | 45 | 3.33 |
| 04445 | | 2.52 | <0.005 | 1.1 | 0.51 | 10 | 10 | 340 | 0.7 | <2 | 0.88 | <0.5 | 7 | 26 | 28 | 3.07 |
| 04446 | | 2.86 | <0.005 | 1.2 | 0.51 | 14 | 10 | 520 | 0.6 | <2 | 1.14 | 0.5 | 6 | 11 | 35 | 3.12 |
| 04447 | | 2.80 | <0.005 | 0.6 | 0.48 | 10 | 10 | 650 | 0.6 | <2 | 0.95 | 0.5 | 9 | 25 | 21 | 4.37 |
| 04448 | | 3.20 | <0.005 | 0.5 | 0.42 | 17 | <10 | 350 | 0.5 | <2 | 2.90 | <0.5 | 6 | 11 | 12 | 3.03 |
| 04449 | | 3.18 | <0.005 | 0.5 | 0.48 | 10 | <10 | 650 | 0.5 | <2 | 2.52 | <0.5 | 5 | 20 | 13 | 3.04 |
| 04450 | | 2.60 | <0.005 | 0.4 | 0.62 | 14 | 10 | 750 | 0.8 | <2 | 3.63 | <0.5 | 9 | 6 | 19 | 5.59 |
| 04451 | | 2.56 | <0.005 | 0.8 | 0.41 | 29 | <10 | 530 | 0.5 | <2 | 4.20 | <0.5 | 8 | 31 | 19 | 2.56 |
| 04452 | | 3.18 | <0.005 | 0.4 | 0.48 | 15 | 10 | 410 | 0.6 | <2 | 2.98 | <0.5 | 6 | 11 | 15 | 2.89 |
| 04453 | | 2.78 | <0.005 | 0.9 | 0.50 | 12 | 10 | 570 | 0.7 | <2 | 2.59 | 0.5 | 9 | 15 | 21 | 4.00 |
| 04454 | | 2.06 | <0.005 | 0.9 | 0.46 | 13 | 10 | 1210 | 0.5 | <2 | 2.93 | 0.7 | 9 | 14 | 31 | 3.09 |
| 04455 | | 3.86 | <0.005 | <0.2 | 0.71 | 15 | 10 | 580 | 1.0 | <2 | 2.72 | <0.5 | 8 | 14 | 32 | 4.47 |
| 04456 | | 3.40 | <0.005 | 0.3 | 0.59 | 21 | 10 | 880 | 0.9 | <2 | 2.33 | <0.5 | 12 | 9 | 16 | 5.68 |
| 04457 | | 3.42 | <0.005 | 0.5 | 0.61 | 21 | 10 | 1100 | 0.9 | <2 | 2.57 | <0.5 | 10 | 13 | 17 | 4.37 |
| 04458 | | 2.22 | <0.005 | 0.9 | 0.55 | 18 | 10 | 2650 | 0.8 | <2 | 2.27 | <0.5 | 8 | 11 | 32 | 3.67 |
| 04459 | | 1.76 | <0.005 | 1.0 | 0.52 | 7 | 10 | 2100 | 0.8 | <2 | 2.33 | 1.4 | 10 | 23 | 37 | 4.35 |
| 04460 | | 2.18 | <0.005 | 0.6 | 0.62 | 11 | 10 | 2050 | 1.0 | <2 | 2.47 | <0.5 | 10 | 9 | 27 | 3.92 |
| 04461 | | 3.40 | <0.005 | 0.4 | 0.61 | 14 | 10 | 220 | 0.9 | <2 | 2.23 | <0.5 | 11 | 14 | 60 | 3.78 |
| 04462 | | 3.22 | <0.005 | 0.8 | 0.46 | 21 | 10 | 290 | 1.1 | <2 | 4.76 | <0.5 | 8 | 7 | 35 | 3.23 |
| 04463 | | 3.50 | <0.005 | 0.4 | 0.52 | 20 | 10 | 520 | 0.7 | <2 | 4.10 | <0.5 | 10 | 13 | 23 | 3.47 |
| 04464 | | 3.86 | <0.005 | 0.4 | 0.51 | 31 | 10 | 300 | 0.8 | <2 | 2.88 | <0.5 | 11 | 9 | 16 | 2.81 |
| 04465 | | 2.68 | <0.005 | 0.9 | 0.43 | 16 | <10 | 400 | 0.5 | <2 | 3.26 | <0.5 | 8 | 24 | 16 | 3.59 |
| 04466 | | 3.02 | <0.005 | 0.6 | 0.38 | 19 | <10 | 780 | 0.5 | <2 | 3.32 | <0.5 | 8 | 16 | 17 | 3.47 |
| 04467 | | 2.20 | <0.005 | 0.4 | 0.59 | 9 | 10 | 1420 | 0.8 | <2 | 3.30 | <0.5 | 8 | 16 | 31 | 4.06 |
| 04468 | | 2.58 | <0.005 | 0.3 | 0.72 | 6 | 10 | 1050 | 1.2 | <2 | 4.64 | <0.5 | 9 | 7 | 24 | 3.48 |
| 04469 | | 3.76 | <0.005 | 0.6 | 0.65 | 14 | 10 | 790 | 0.9 | <2 | 3.54 | <0.5 | 10 | 14 | 30 | 3.45 |
| 04470 | | 3.38 | <0.005 | 0.2 | 0.62 | 11 | 10 | 270 | 0.7 | <2 | 7.40 | <0.5 | 7 | 5 | 22 | 3.29 |
| 04471 | | 3.32 | <0.005 | 0.7 | 0.74 | 8 | 10 | 1750 | 1.0 | <2 | 2.80 | <0.5 | 9 | 13 | 32 | 4.36 |
| 04472 | | 3.08 | <0.005 | 0.3 | 0.67 | 7 | 10 | 360 | 0.8 | <2 | 4.73 | <0.5 | 9 | 5 | 18 | 3.77 |
| 04473 | | 3.48 | <0.005 | <0.2 | 0.81 | 7 | 10 | 360 | 0.8 | 2 | 4.80 | <0.5 | 9 | 8 | 26 | 4.12 |
| 04474 | | 3.50 | <0.005 | <0.2 | 0.78 | 13 | 10 | 400 | 1.0 | <2 | 4.02 | <0.5 | 9 | 5 | 26 | 3.95 |
| 04475 | | 1.48 | <0.005 | 0.2 | 0.77 | 8 | 10 | 1140 | 0.9 | <2 | 4.51 | <0.5 | 9 | 10 | 21 | 3.65 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 14-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058207

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 04436 | | <10 | 0.15 | 0.36 | 10 | 0.38 | 3090 | 1 | <0.01 | 2 | 1380 | 45 | 0.05 | 8 | 8 | 138 |
| 04437 | | <10 | 0.20 | 0.42 | 10 | 0.41 | 2250 | 2 | 0.01 | 4 | 1430 | 77 | 0.05 | 10 | 8 | 114 |
| 04438 | | <10 | 0.11 | 0.46 | 10 | 0.42 | 2160 | 1 | 0.02 | 3 | 1440 | 32 | 0.06 | 4 | 8 | 122 |
| 04439 | | <10 | 0.12 | 0.43 | 10 | 0.43 | 2210 | 1 | 0.01 | 4 | 1440 | 33 | 0.08 | 4 | 8 | 146 |
| 04440 | | <10 | 0.10 | 0.42 | 20 | 0.44 | 2420 | 1 | 0.03 | 2 | 1440 | 16 | 0.04 | 4 | 7 | 192 |
| 04441 | | <10 | 0.14 | 0.41 | 20 | 0.47 | 2770 | 1 | 0.02 | 2 | 1480 | 26 | 0.09 | 6 | 8 | 186 |
| 04442 | | <10 | 0.16 | 0.40 | 10 | 0.45 | 2090 | 1 | 0.02 | 2 | 1340 | 86 | 0.05 | 11 | 7 | 147 |
| 04443 | | <10 | 0.15 | 0.37 | 10 | 0.48 | 1845 | <1 | 0.02 | 3 | 1420 | 62 | 0.06 | 6 | 8 | 122 |
| 04444 | | <10 | 0.18 | 0.33 | 10 | 0.37 | 1575 | 1 | 0.01 | 2 | 1350 | 60 | 0.06 | 6 | 7 | 104 |
| 04445 | | <10 | 0.14 | 0.38 | 10 | 0.33 | 1410 | 1 | 0.01 | 3 | 1420 | 51 | 0.03 | 4 | 6 | 67 |
| 04446 | | <10 | 0.15 | 0.37 | 10 | 0.36 | 1845 | 1 | 0.01 | 2 | 1440 | 82 | 0.04 | 7 | 7 | 77 |
| 04447 | | <10 | 0.16 | 0.36 | 10 | 0.41 | 1910 | 1 | 0.01 | 3 | 1350 | 38 | 0.04 | 4 | 7 | 76 |
| 04448 | | <10 | 0.07 | 0.32 | 10 | 0.35 | 2080 | <1 | 0.01 | 2 | 1350 | 14 | 0.07 | 4 | 7 | 154 |
| 04449 | | <10 | 0.07 | 0.36 | 10 | 0.39 | 1405 | 1 | 0.01 | 2 | 1410 | 20 | 0.06 | 5 | 7 | 184 |
| 04450 | | <10 | 0.07 | 0.42 | 10 | 0.58 | 1875 | 1 | 0.02 | 3 | 1400 | 9 | 0.05 | 5 | 8 | 339 |
| 04451 | | <10 | 0.28 | 0.31 | 20 | 0.45 | 2120 | 1 | 0.01 | 3 | 1180 | 26 | 0.16 | 11 | 8 | 237 |
| 04452 | | <10 | 0.08 | 0.35 | 10 | 0.40 | 1415 | 1 | 0.01 | 2 | 1320 | 13 | 0.05 | 6 | 7 | 161 |
| 04453 | | <10 | 0.09 | 0.37 | 20 | 0.42 | 1375 | 1 | 0.01 | 3 | 1460 | 22 | 0.04 | 6 | 8 | 160 |
| 04454 | | <10 | 0.12 | 0.33 | 10 | 0.40 | 1370 | 1 | <0.01 | 3 | 1190 | 88 | 0.06 | 9 | 6 | 182 |
| 04455 | | <10 | 0.04 | 0.50 | 20 | 0.39 | 1375 | <1 | 0.03 | 3 | 1440 | 4 | 0.04 | 8 | 7 | 215 |
| 04456 | | <10 | 0.08 | 0.41 | 10 | 0.50 | 1265 | <1 | 0.02 | 3 | 1340 | 15 | 0.06 | 6 | 7 | 188 |
| 04457 | | <10 | 0.10 | 0.43 | 10 | 0.46 | 1635 | 1 | 0.02 | 3 | 1470 | 7 | 0.06 | 5 | 8 | 155 |
| 04458 | | <10 | 0.11 | 0.38 | 10 | 0.47 | 1345 | 1 | <0.01 | 3 | 1400 | 58 | 0.09 | 8 | 7 | 190 |
| 04459 | | <10 | 0.29 | 0.36 | 10 | 0.62 | 1550 | 2 | 0.01 | 2 | 1240 | 102 | 0.09 | 7 | 7 | 184 |
| 04460 | | <10 | 0.16 | 0.42 | 10 | 0.50 | 1505 | 1 | 0.01 | 2 | 1430 | 29 | 0.09 | 5 | 7 | 246 |
| 04461 | | <10 | 0.12 | 0.43 | 20 | 0.41 | 1440 | <1 | 0.03 | 3 | 1530 | 14 | 0.08 | 7 | 7 | 132 |
| 04462 | | <10 | 0.12 | 0.33 | 20 | 1.06 | 3990 | 1 | 0.02 | 2 | 1280 | 28 | 0.09 | 11 | 10 | 187 |
| 04463 | | <10 | 0.16 | 0.38 | 10 | 0.47 | 1985 | <1 | 0.02 | 4 | 1340 | 13 | 0.08 | 6 | 7 | 232 |
| 04464 | | <10 | 0.12 | 0.36 | 20 | 0.45 | 1990 | <1 | 0.02 | 3 | 1400 | 17 | 0.12 | 10 | 7 | 168 |
| 04465 | | <10 | 0.11 | 0.32 | 10 | 0.44 | 2120 | 1 | 0.01 | 3 | 1290 | 18 | 0.06 | 8 | 7 | 180 |
| 04466 | | <10 | 0.10 | 0.29 | 10 | 0.50 | 2690 | <1 | <0.01 | 2 | 1280 | 24 | 0.07 | 10 | 6 | 224 |
| 04467 | | <10 | 0.06 | 0.44 | 20 | 0.36 | 1600 | 1 | 0.02 | 3 | 1380 | 16 | 0.08 | 7 | 6 | 242 |
| 04468 | | <10 | 0.08 | 0.52 | 20 | 0.28 | 1920 | <1 | 0.04 | 2 | 1410 | 8 | 0.05 | 5 | 7 | 388 |
| 04469 | | <10 | 0.11 | 0.44 | 20 | 0.38 | 2660 | 1 | 0.03 | 3 | 1480 | 33 | 0.05 | 14 | 7 | 228 |
| 04470 | | <10 | 0.06 | 0.44 | 20 | 0.30 | 3830 | <1 | 0.04 | 2 | 1440 | 7 | 0.03 | 5 | 8 | 295 |
| 04471 | | <10 | 0.08 | 0.52 | 20 | 0.37 | 2620 | 1 | 0.03 | 2 | 1660 | 43 | 0.06 | 13 | 7 | 234 |
| 04472 | | <10 | 0.07 | 0.49 | 20 | 0.31 | 2700 | 1 | 0.06 | 3 | 1550 | 5 | 0.03 | 8 | 7 | 329 |
| 04473 | | <10 | 0.06 | 0.57 | 20 | 0.31 | 2040 | <1 | 0.07 | 2 | 1530 | 4 | 0.03 | 2 | 7 | 223 |
| 04474 | | <10 | 0.05 | 0.53 | 20 | 0.37 | 1855 | <1 | 0.07 | 2 | 1580 | 7 | 0.02 | 4 | 7 | 204 |
| 04475 | | <10 | 0.04 | 0.54 | 20 | 0.35 | 2220 | 1 | 0.06 | 2 | 1560 | 5 | 0.05 | 5 | 8 | 262 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 14-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058207

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|-----------|----------|----------|----------|----------|
| | | Tl % 0.01 | Tl ppm 10 | U ppm 10 | V ppm 1 | W ppm 10 | Zn ppm 2 |
| 04436 | | <0.01 | <10 | <10 | 41 | <10 | 112 |
| 04437 | | <0.01 | <10 | <10 | 35 | <10 | 241 |
| 04438 | | <0.01 | <10 | <10 | 35 | <10 | 131 |
| 04439 | | <0.01 | <10 | <10 | 34 | <10 | 138 |
| 04440 | | <0.01 | <10 | <10 | 32 | <10 | 120 |
| 04441 | | <0.01 | <10 | <10 | 30 | <10 | 136 |
| 04442 | | <0.01 | <10 | <10 | 29 | <10 | 172 |
| 04443 | | <0.01 | <10 | <10 | 28 | <10 | 192 |
| 04444 | | <0.01 | <10 | <10 | 29 | <10 | 134 |
| 04445 | | <0.01 | <10 | <10 | 32 | <10 | 122 |
| 04446 | | <0.01 | <10 | <10 | 38 | <10 | 125 |
| 04447 | | <0.01 | <10 | <10 | 38 | <10 | 134 |
| 04448 | | <0.01 | <10 | <10 | 31 | <10 | 81 |
| 04449 | | <0.01 | <10 | <10 | 34 | <10 | 86 |
| 04450 | | <0.01 | <10 | <10 | 41 | <10 | 132 |
| 04451 | | <0.01 | <10 | <10 | 41 | <10 | 91 |
| 04452 | | <0.01 | <10 | <10 | 33 | <10 | 91 |
| 04453 | | <0.01 | <10 | <10 | 37 | <10 | 110 |
| 04454 | | <0.01 | <10 | <10 | 33 | <10 | 185 |
| 04455 | | <0.01 | <10 | <10 | 33 | <10 | 96 |
| 04456 | | <0.01 | <10 | <10 | 38 | <10 | 138 |
| 04457 | | <0.01 | <10 | <10 | 29 | <10 | 98 |
| 04458 | | <0.01 | <10 | <10 | 24 | <10 | 100 |
| 04459 | | <0.01 | <10 | <10 | 26 | <10 | 400 |
| 04460 | | <0.01 | <10 | <10 | 30 | <10 | 168 |
| 04461 | | <0.01 | <10 | <10 | 30 | <10 | 122 |
| 04462 | | <0.01 | <10 | <10 | 44 | <10 | 115 |
| 04463 | | <0.01 | <10 | <10 | 29 | <10 | 124 |
| 04464 | | <0.01 | <10 | <10 | 36 | <10 | 97 |
| 04465 | | <0.01 | <10 | <10 | 35 | <10 | 94 |
| 04466 | | <0.01 | <10 | <10 | 36 | <10 | 83 |
| 04467 | | <0.01 | <10 | <10 | 32 | <10 | 92 |
| 04468 | | 0.01 | <10 | <10 | 32 | <10 | 73 |
| 04469 | | <0.01 | <10 | <10 | 30 | <10 | 87 |
| 04470 | | <0.01 | <10 | <10 | 32 | <10 | 60 |
| 04471 | | <0.01 | <10 | <10 | 30 | <10 | 100 |
| 04472 | | <0.01 | <10 | <10 | 27 | <10 | 62 |
| 04473 | | 0.01 | <10 | <10 | 33 | <10 | 61 |
| 04474 | | 0.01 | <10 | <10 | 31 | <10 | 73 |
| 04475 | | <0.01 | <10 | <10 | 34 | <10 | 61 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 14-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058207

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | ME-ICP41 |
|--------------------|--------------------------|------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recv'd Wt. | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe |
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| 04476 | | 1.58 | <0.005 | <0.2 | 0.73 | 9 | 10 | 910 | 0.9 | <2 | 4.53 | 0.5 | 9 | 5 | 25 | 3.74 |
| 04477 | | 3.84 | <0.005 | 0.3 | 0.80 | 7 | 10 | 1500 | 1.0 | <2 | 5.30 | <0.5 | 11 | 12 | 20 | 4.06 |
| 04478 | | 3.30 | <0.005 | <0.2 | 0.87 | 2 | 10 | 560 | 1.0 | <2 | 5.31 | <0.5 | 10 | 6 | 11 | 3.30 |
| 04479 | | 2.56 | <0.005 | <0.2 | 0.90 | 2 | 10 | 850 | 0.9 | <2 | 4.58 | <0.5 | 9 | 9 | 9 | 3.47 |
| 04480 | | 1.90 | <0.005 | 0.2 | 0.67 | 14 | 10 | 540 | 0.9 | <2 | 6.92 | <0.5 | 7 | 5 | 17 | 2.96 |
| 04481 | | 4.42 | <0.005 | 0.2 | 0.68 | 20 | 10 | 140 | 0.7 | <2 | 3.12 | <0.5 | 9 | 17 | 23 | 3.43 |
| 04482 | | 3.04 | <0.005 | 0.3 | 0.56 | 23 | 10 | 130 | 0.6 | <2 | 3.41 | <0.5 | 8 | 13 | 18 | 2.98 |
| 04483 | | 3.16 | <0.005 | 0.2 | 0.80 | 22 | 10 | 140 | 0.8 | <2 | 4.52 | <0.5 | 8 | 9 | 22 | 3.37 |
| 04484 | | 3.06 | <0.005 | <0.2 | 0.70 | 15 | 10 | 580 | 0.9 | <2 | 5.47 | <0.5 | 8 | 6 | 31 | 3.80 |
| 04485 | | 1.66 | <0.005 | 0.4 | 0.45 | 8 | 10 | 1860 | <0.5 | <2 | 9.50 | <0.5 | 5 | 14 | 23 | 3.10 |
| 04486 | | 3.22 | <0.005 | 0.2 | 0.72 | 10 | 10 | 660 | 0.9 | <2 | 3.99 | <0.5 | 9 | 10 | 20 | 4.00 |
| 04487 | | 3.34 | <0.005 | 0.2 | 0.74 | 12 | 10 | 250 | 1.0 | <2 | 3.59 | <0.5 | 11 | 5 | 12 | 4.60 |
| 04488 | | 1.88 | 0.006 | 0.7 | 0.80 | 18 | 10 | 1180 | 1.3 | <2 | 3.64 | <0.5 | 9 | 5 | 43 | 5.00 |
| 04489 | | 3.54 | <0.005 | 0.5 | 0.71 | 10 | 10 | 960 | 1.2 | <2 | 4.51 | <0.5 | 5 | 9 | 18 | 3.62 |
| 04490 | | 2.40 | <0.005 | 1.0 | 0.51 | 27 | 10 | 1600 | 0.6 | <2 | 1.74 | 0.8 | 5 | 17 | 42 | 3.22 |
| 04491 | | 3.44 | <0.005 | 1.8 | 0.59 | 31 | 10 | 2230 | 0.7 | <2 | 0.89 | 1.1 | 7 | 24 | 46 | 4.83 |
| 04492 | | 2.82 | <0.005 | 4.0 | 0.50 | 33 | 10 | 890 | 0.5 | <2 | 0.75 | 1.8 | 6 | 25 | 112 | 3.23 |
| 04493 | | 3.74 | <0.005 | 1.3 | 0.49 | 21 | 10 | 620 | <0.5 | <2 | 1.12 | 0.7 | 5 | 38 | 24 | 4.01 |
| 04494 | | 3.10 | <0.005 | 1.5 | 0.52 | 20 | 10 | 790 | 0.5 | <2 | 0.97 | 1.3 | 4 | 21 | 32 | 2.66 |
| 04495 | | 3.30 | <0.005 | 0.4 | 0.64 | 9 | 10 | 250 | 0.7 | <2 | 0.65 | <0.5 | 5 | 23 | 14 | 3.43 |
| 04496 | | 3.78 | <0.005 | 0.2 | 0.51 | 9 | 10 | 430 | 0.6 | <2 | 1.30 | <0.5 | 5 | 15 | 10 | 3.81 |
| 04497 | | 3.00 | <0.005 | 0.3 | 0.53 | 7 | 10 | 830 | 0.6 | <2 | 1.28 | <0.5 | 6 | 31 | 10 | 3.55 |
| 04498 | | 2.84 | <0.005 | 0.3 | 0.56 | 10 | 10 | 240 | 0.6 | <2 | 1.16 | <0.5 | 6 | 17 | 10 | 3.69 |
| 04499 | | 2.42 | <0.005 | 0.8 | 0.49 | 22 | 10 | 710 | 0.5 | <2 | 1.12 | <0.5 | 6 | 40 | 25 | 3.73 |
| 04500 | | 3.80 | <0.005 | 0.9 | 0.64 | 22 | 10 | 150 | 1.1 | <2 | 2.31 | <0.5 | 6 | 11 | 28 | 3.92 |
| 133801 | | 2.10 | <0.005 | 1.0 | 0.69 | 27 | 10 | 1460 | 1.3 | <2 | 1.25 | <0.5 | 9 | 13 | 32 | 2.96 |
| 133802 | | 3.34 | <0.005 | 1.4 | 0.54 | 61 | 10 | 260 | 0.7 | <2 | 1.07 | <0.5 | 11 | 13 | 43 | 3.89 |
| 133803 | | 3.34 | <0.005 | 1.0 | 0.44 | 70 | 10 | 210 | 0.6 | <2 | 1.26 | <0.5 | 14 | 37 | 29 | 2.86 |
| 133804 | | 2.60 | <0.005 | 1.0 | 0.39 | 49 | 10 | 80 | <0.5 | <2 | 1.06 | <0.5 | 12 | 27 | 21 | 2.13 |
| 133805 | | 3.50 | <0.005 | 0.9 | 0.44 | 30 | 10 | 160 | <0.5 | <2 | 1.43 | <0.5 | 9 | 44 | 51 | 3.16 |
| 133806 | | 2.54 | <0.005 | <0.2 | 0.65 | 14 | 10 | 790 | 1.2 | <2 | 1.16 | <0.5 | 11 | 7 | 34 | 3.85 |
| 133807 | | 2.98 | <0.005 | <0.2 | 0.74 | 11 | 10 | 1930 | 0.9 | <2 | 1.76 | <0.5 | 9 | 19 | 39 | 3.94 |
| 133808 | | 1.78 | <0.005 | 3.7 | 0.44 | 83 | 10 | 150 | <0.5 | <2 | 2.09 | 0.7 | 6 | 46 | 311 | 2.33 |
| 133809 | | 3.12 | <0.005 | 1.8 | 0.70 | 22 | 10 | 490 | 1.2 | <2 | 1.20 | 0.8 | 11 | 15 | 36 | 3.99 |
| 133810 | | 3.42 | <0.005 | <0.2 | 0.63 | 10 | 10 | 360 | 1.0 | <2 | 5.93 | 0.6 | 8 | 10 | 17 | 4.03 |
| 133811 | | 3.58 | <0.005 | 0.2 | 0.72 | 13 | 10 | 770 | 0.9 | <2 | 6.10 | <0.5 | 9 | 10 | 14 | 3.36 |
| 133812 | | 2.04 | <0.005 | <0.2 | 0.66 | 21 | 10 | 1100 | 1.3 | <2 | 4.70 | <0.5 | 17 | 5 | 19 | 4.12 |
| 133813 | | 3.40 | <0.005 | <0.2 | 0.54 | 25 | 10 | 170 | 0.5 | <2 | 1.46 | <0.5 | 10 | 22 | 33 | 4.59 |
| 133814 | | 2.92 | <0.005 | <0.2 | 0.43 | 21 | <10 | 200 | 0.6 | <2 | 2.43 | <0.5 | 8 | 16 | 32 | 4.76 |
| 133815 | | 2.94 | <0.005 | 0.2 | 0.49 | 33 | 10 | 70 | 0.8 | <2 | 6.27 | 0.5 | 13 | 12 | 29 | 4.38 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 14-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058207

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | Hg-CV41 Hg ppm 0.01 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|--------------------------|--------------------|---------------------|-------------------|--------------------|--------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 04476 | | <10 | 0.04 | 0.52 | 20 | 0.36 | 2280 | <1 | 0.06 | 2 | 1540 | 5 | 0.05 | 6 | 8 | 256 |
| 04477 | | <10 | 0.04 | 0.54 | 20 | 0.37 | 2730 | 1 | 0.05 | 2 | 1390 | 7 | 0.06 | 4 | 7 | 316 |
| 04478 | | <10 | 0.04 | 0.58 | 20 | 0.40 | 2490 | <1 | 0.07 | 2 | 1510 | 5 | 0.03 | 6 | 8 | 272 |
| 04479 | | <10 | 0.06 | 0.61 | 20 | 0.37 | 2130 | <1 | 0.07 | 3 | 1460 | 9 | 0.05 | 3 | 7 | 260 |
| 04480 | | <10 | 0.03 | 0.46 | 20 | 0.36 | 2740 | <1 | 0.08 | 3 | 1280 | 18 | 0.04 | 9 | 6 | 337 |
| 04481 | | <10 | 0.03 | 0.47 | 20 | 0.42 | 2130 | 1 | 0.05 | 2 | 1420 | 16 | 0.05 | 15 | 6 | 166 |
| 04482 | | <10 | 0.04 | 0.39 | 20 | 0.34 | 2020 | <1 | 0.04 | 2 | 1350 | 15 | 0.05 | 9 | 6 | 201 |
| 04483 | | <10 | 0.05 | 0.55 | 20 | 0.36 | 1735 | <1 | 0.06 | <1 | 1440 | 8 | 0.05 | 6 | 7 | 249 |
| 04484 | | <10 | 0.05 | 0.48 | 20 | 0.37 | 1830 | <1 | 0.05 | 2 | 1340 | 7 | 0.05 | 6 | 6 | 360 |
| 04485 | | <10 | 0.14 | 0.33 | 20 | 0.37 | 3970 | 1 | 0.03 | 1 | 1080 | 25 | 0.09 | 5 | 6 | 332 |
| 04486 | | <10 | 0.07 | 0.50 | 20 | 0.43 | 1785 | <1 | 0.05 | 3 | 1460 | 9 | 0.04 | 3 | 6 | 244 |
| 04487 | | <10 | 0.06 | 0.51 | 20 | 0.46 | 1945 | <1 | 0.06 | 3 | 1520 | 14 | 0.05 | 3 | 7 | 207 |
| 04488 | | <10 | 0.11 | 0.52 | 20 | 0.49 | 1865 | <1 | 0.06 | 4 | 1580 | 27 | 0.05 | 10 | 7 | 270 |
| 04489 | | <10 | 0.10 | 0.48 | 20 | 0.38 | 1645 | <1 | 0.05 | 2 | 1430 | 32 | 0.05 | 4 | 7 | 403 |
| 04490 | | <10 | 0.17 | 0.36 | 10 | 0.40 | 1865 | 1 | 0.02 | 2 | 1180 | 112 | 0.10 | 16 | 5 | 182 |
| 04491 | | <10 | 0.17 | 0.40 | 10 | 0.46 | 2660 | 3 | 0.02 | 2 | 1180 | 92 | 0.13 | 22 | 5 | 120 |
| 04492 | | <10 | 0.52 | 0.36 | 10 | 0.30 | 1820 | 4 | 0.02 | 1 | 1240 | 243 | 0.10 | 46 | 4 | 88 |
| 04493 | | <10 | 0.16 | 0.36 | 10 | 0.46 | 2200 | 5 | 0.02 | 3 | 1140 | 100 | 0.08 | 12 | 5 | 96 |
| 04494 | | <10 | 0.35 | 0.36 | 10 | 0.33 | 1425 | 5 | 0.02 | 2 | 1270 | 139 | 0.07 | 17 | 5 | 95 |
| 04495 | | <10 | 0.09 | 0.46 | 20 | 0.36 | 1815 | 2 | 0.03 | 1 | 1440 | 40 | 0.02 | 5 | 6 | 76 |
| 04496 | | <10 | 0.03 | 0.38 | 20 | 0.39 | 1905 | <1 | 0.03 | 2 | 1160 | 24 | 0.03 | 5 | 5 | 104 |
| 04497 | | <10 | 0.04 | 0.39 | 20 | 0.37 | 1775 | 1 | 0.03 | 4 | 1140 | 24 | 0.04 | 5 | 5 | 94 |
| 04498 | | <10 | 0.07 | 0.40 | 20 | 0.36 | 1905 | <1 | 0.03 | 2 | 1240 | 28 | 0.03 | 7 | 5 | 87 |
| 04499 | | <10 | 0.09 | 0.37 | 10 | 0.44 | 2120 | 1 | 0.02 | 3 | 1060 | 114 | 0.08 | 9 | 6 | 82 |
| 04500 | | <10 | 0.10 | 0.43 | 20 | 0.48 | 1955 | <1 | 0.04 | 3 | 1340 | 46 | 0.05 | 9 | 7 | 158 |
| 133801 | | <10 | 0.11 | 0.47 | 10 | 0.34 | 1335 | <1 | 0.03 | 3 | 1580 | 42 | 0.06 | 12 | 6 | 140 |
| 133802 | | <10 | 0.14 | 0.39 | 10 | 0.42 | 1795 | <1 | 0.03 | 4 | 1400 | 51 | 0.12 | 16 | 7 | 97 |
| 133803 | | <10 | 0.11 | 0.34 | 10 | 0.33 | 1325 | 1 | 0.02 | 5 | 1160 | 43 | 0.34 | 17 | 6 | 106 |
| 133804 | | <10 | 0.14 | 0.31 | 10 | 0.30 | 836 | <1 | 0.02 | 4 | 1140 | 45 | 0.14 | 13 | 5 | 93 |
| 133805 | | <10 | 0.12 | 0.35 | 10 | 0.39 | 1160 | 1 | 0.02 | 4 | 1080 | 26 | 0.07 | 15 | 5 | 116 |
| 133806 | | <10 | 0.03 | 0.49 | 20 | 0.34 | 684 | <1 | 0.05 | 2 | 1260 | 6 | 0.05 | 9 | 5 | 158 |
| 133807 | | <10 | 0.06 | 0.56 | 20 | 0.51 | 813 | <1 | 0.05 | 3 | 1300 | 4 | 0.10 | 5 | 6 | 201 |
| 133808 | | <10 | 0.55 | 0.33 | 10 | 0.43 | 1165 | <1 | 0.02 | 1 | 700 | 11 | 0.03 | 37 | 3 | 126 |
| 133809 | | <10 | 0.21 | 0.50 | 20 | 0.37 | 1870 | <1 | 0.04 | 2 | 1270 | 106 | 0.29 | 10 | 9 | 116 |
| 133810 | | <10 | 0.05 | 0.49 | 20 | 0.53 | 2360 | <1 | 0.05 | <1 | 1160 | 10 | 0.04 | 2 | 9 | 222 |
| 133811 | | <10 | 0.06 | 0.53 | 20 | 0.43 | 2240 | <1 | 0.06 | 2 | 1060 | 14 | 0.08 | 7 | 9 | 300 |
| 133812 | | <10 | 0.11 | 0.52 | 20 | 0.46 | 3620 | <1 | 0.06 | 3 | 1320 | 13 | 0.19 | 10 | 12 | 223 |
| 133813 | | <10 | 0.08 | 0.43 | 20 | 0.59 | 2010 | <1 | 0.02 | 3 | 1340 | 15 | 0.09 | 9 | 10 | 102 |
| 133814 | | <10 | 0.08 | 0.35 | 10 | 0.67 | 1870 | <1 | 0.02 | 1 | 1210 | 23 | 0.09 | 6 | 10 | 136 |
| 133815 | | <10 | 0.11 | 0.38 | 20 | 0.71 | 2900 | <1 | 0.03 | 1 | 1240 | 42 | 0.25 | 9 | 10 | 252 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 14-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058207

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|-----------|----------|----------|----------|-----------|
| | | Ti % | Ti ppm | U ppm | V ppm | W ppm | Zn ppm |
| 04476 | <0.01 | <10 | <10 | 32 | <10 | 66 | |
| 04477 | <0.01 | <10 | <10 | 32 | <10 | 78 | |
| 04478 | 0.01 | <10 | <10 | 50 | <10 | 68 | |
| 04479 | 0.01 | <10 | <10 | 48 | <10 | 63 | |
| 04480 | <0.01 | <10 | <10 | 23 | <10 | 64 | |
| 04481 | <0.01 | <10 | <10 | 30 | <10 | 63 | |
| 04482 | <0.01 | <10 | <10 | 27 | <10 | 42 | |
| 04483 | <0.01 | <10 | <10 | 29 | <10 | 47 | |
| 04484 | <0.01 | <10 | <10 | 24 | <10 | 65 | |
| 04485 | <0.01 | <10 | <10 | 31 | <10 | 49 | |
| 04486 | <0.01 | <10 | <10 | 29 | <10 | 78 | |
| 04487 | <0.01 | <10 | <10 | 35 | <10 | 69 | |
| 04488 | <0.01 | <10 | <10 | 31 | <10 | 73 | |
| 04489 | <0.01 | <10 | <10 | 25 | <10 | 68 | |
| 04490 | <0.01 | <10 | <10 | 18 | <10 | 186 | |
| 04491 | <0.01 | <10 | <10 | 25 | <10 | 164 | |
| 04492 | <0.01 | <10 | <10 | 23 | <10 | 470 | |
| 04493 | <0.01 | <10 | <10 | 33 | <10 | 136 | |
| 04494 | <0.01 | <10 | <10 | 25 | <10 | 268 | |
| 04495 | <0.01 | <10 | <10 | 28 | <10 | 60 | |
| 04496 | <0.01 | <10 | <10 | 26 | <10 | 48 | |
| 04497 | <0.01 | <10 | <10 | 26 | <10 | 42 | |
| 04498 | <0.01 | <10 | <10 | 28 | <10 | 74 | |
| 04499 | <0.01 | <10 | <10 | 24 | <10 | 66 | |
| 04500 | <0.01 | <10 | <10 | 21 | <10 | 85 | |
| 133801 | <0.01 | <10 | <10 | 20 | <10 | 76 | |
| 133802 | <0.01 | <10 | <10 | 30 | <10 | 86 | |
| 133803 | <0.01 | <10 | <10 | 24 | <10 | 83 | |
| 133804 | <0.01 | <10 | <10 | 19 | <10 | 88 | |
| 133805 | <0.01 | <10 | <10 | 22 | <10 | 71 | |
| 133806 | <0.01 | <10 | <10 | 20 | <10 | 137 | |
| 133807 | <0.01 | <10 | <10 | 18 | <10 | 91 | |
| 133808 | <0.01 | <10 | <10 | 15 | <10 | 105 | |
| 133809 | <0.01 | <10 | <10 | 26 | <10 | 180 | |
| 133810 | <0.01 | <10 | <10 | 27 | <10 | 72 | |
| 133811 | <0.01 | <10 | <10 | 28 | <10 | 79 | |
| 133812 | <0.01 | <10 | <10 | 29 | <10 | 228 | |
| 133813 | <0.01 | <10 | <10 | 32 | <10 | 83 | |
| 133814 | <0.01 | <10 | <10 | 26 | <10 | 92 | |
| 133815 | <0.01 | <10 | <10 | 23 | <10 | 96 | |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 14-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058207

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. | Au-AA23 Au | ME-ICP41 Ag | ME-ICP41 Al | ME-ICP41 As | ME-ICP41 B | ME-ICP41 Ba | ME-ICP41 Be | ME-ICP41 Bi | ME-ICP41 Cs | ME-ICP41 Cd | ME-ICP41 Co | ME-ICP41 Cr | ME-ICP41 Cu | ME-ICP41 Fe |
|--------------------|--------------------------|------------------|------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | kg | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| 133816 | | 1.74 | <0.005 | <0.2 | 0.38 | 26 | <10 | 110 | 0.7 | <2 | 6.65 | <0.5 | 12 | 11 | 69 | 3.62 |
| 133817 | | 2.68 | <0.005 | <0.2 | 0.59 | 18 | 10 | 80 | 1.3 | <2 | 2.90 | <0.5 | 13 | 8 | 24 | 4.69 |
| 133818 | | 4.10 | <0.005 | <0.2 | 0.48 | 43 | <10 | 60 | 0.6 | <2 | 2.33 | <0.5 | 11 | 16 | 32 | 5.02 |
| 133819 | | 3.26 | <0.005 | <0.2 | 0.69 | 23 | 10 | 80 | 1.1 | <2 | 3.57 | <0.5 | 9 | 14 | 35 | 3.80 |
| 133820 | | 3.58 | <0.005 | <0.2 | 0.51 | 24 | 10 | 600 | 0.7 | <2 | 8.22 | <0.5 | 10 | 12 | 40 | 3.70 |
| 133821 | | 2.86 | <0.005 | 0.3 | 0.24 | 26 | <10 | 850 | <0.5 | <2 | 2.70 | <0.5 | 7 | 39 | 49 | 3.77 |
| 133822 | | 3.02 | <0.005 | 0.2 | 0.27 | 20 | <10 | 180 | 0.5 | <2 | 1.88 | <0.5 | 7 | 16 | 34 | 5.27 |
| 133823 | | 3.62 | <0.005 | <0.2 | 0.41 | 13 | <10 | 310 | 1.1 | <2 | 2.22 | <0.5 | 11 | 14 | 21 | 4.81 |
| 133824 | | 3.54 | <0.005 | <0.2 | 0.39 | 16 | <10 | 560 | 0.9 | <2 | 1.92 | <0.5 | 11 | 12 | 20 | 4.44 |
| 133825 | | 3.00 | <0.005 | <0.2 | 0.37 | 29 | <10 | 100 | 0.6 | <2 | 4.28 | <0.5 | 8 | 15 | 22 | 3.56 |
| 133826 | | 1.16 | <0.005 | <0.2 | 0.37 | 30 | 10 | 130 | 0.8 | <2 | 4.10 | <0.5 | 9 | 13 | 27 | 2.84 |
| 133827 | | 2.42 | <0.005 | 0.3 | 0.21 | 232 | <10 | 60 | <0.5 | <2 | 2.28 | 0.5 | 25 | 47 | 34 | 4.31 |
| 133828 | | 2.62 | <0.005 | <0.2 | 0.27 | 192 | <10 | 90 | <0.5 | <2 | 1.54 | <0.5 | 26 | 25 | 25 | 3.53 |
| 133829 | | 3.34 | <0.005 | <0.2 | 0.38 | 36 | 10 | 300 | 0.7 | <2 | 6.27 | <0.5 | 8 | 18 | 30 | 2.51 |
| 133830 | | 1.44 | <0.005 | 0.4 | 0.48 | 49 | 10 | 270 | 1.7 | <2 | 3.61 | 0.9 | 12 | 10 | 51 | 4.75 |
| 133831 | | 4.24 | <0.005 | 0.6 | 0.35 | 26 | 10 | 1170 | 0.6 | <2 | 5.15 | 0.5 | 11 | 19 | 28 | 4.44 |
| 133832 | | 1.32 | <0.005 | 0.3 | 0.32 | 28 | <10 | 850 | 0.6 | <2 | 3.52 | <0.5 | 10 | 14 | 19 | 3.48 |
| 133833 | | 1.38 | <0.005 | 0.3 | 0.32 | 22 | <10 | 800 | 0.7 | <2 | 3.52 | <0.5 | 10 | 16 | 18 | 3.33 |
| 133834 | | 2.54 | <0.005 | <0.2 | 0.34 | 15 | <10 | 240 | 1.0 | <2 | 2.82 | <0.5 | 13 | 12 | 14 | 4.32 |
| 133835 | | 3.12 | <0.005 | <0.2 | 0.28 | 8 | <10 | 500 | 0.7 | <2 | 3.57 | <0.5 | 10 | 13 | 21 | 3.30 |
| 133836 | | 3.32 | <0.005 | <0.2 | 0.37 | 7 | 10 | 420 | 1.0 | <2 | 3.44 | <0.5 | 9 | 17 | 17 | 3.29 |
| 133837 | | 3.50 | <0.005 | <0.2 | 0.45 | 6 | 10 | 560 | 1.3 | <2 | 2.87 | <0.5 | 8 | 10 | 14 | 3.39 |
| 133838 | | 3.36 | <0.005 | 0.3 | 0.42 | 2 | <10 | 1010 | 1.0 | <2 | 3.14 | <0.5 | 7 | 10 | 5 | 3.24 |
| 133839 | | 3.40 | <0.005 | <0.2 | 0.44 | 5 | 10 | 370 | 1.1 | <2 | 2.62 | <0.5 | 9 | 14 | 9 | 3.45 |
| 133840 | | 4.20 | <0.005 | <0.2 | 0.26 | 4 | <10 | 610 | 0.5 | <2 | 3.83 | <0.5 | 9 | 17 | 7 | 3.65 |
| 133841 | | 2.70 | <0.005 | <0.2 | 0.40 | 12 | 10 | 1600 | 1.0 | <2 | 3.81 | <0.5 | 11 | 13 | 22 | 3.94 |
| 133842 | | 2.68 | <0.005 | 0.3 | 0.43 | 63 | 10 | 400 | 1.4 | <2 | 1.71 | <0.5 | 17 | 7 | 56 | 4.48 |
| 133843 | | 3.10 | 0.014 | <0.2 | 0.38 | 10 | <10 | 550 | 0.9 | <2 | 0.94 | <0.5 | 11 | 10 | 10 | 3.97 |
| 133844 | | 2.66 | <0.005 | 0.5 | 0.26 | 21 | <10 | 1020 | 0.5 | <2 | 3.13 | <0.5 | 9 | 17 | 30 | 2.63 |
| 133845 | | 2.10 | <0.005 | 0.7 | 0.36 | 23 | <10 | 1090 | 1.1 | <2 | 4.39 | <0.5 | 8 | 13 | 45 | 2.88 |
| 133846 | | 2.84 | <0.005 | 0.8 | 0.32 | 21 | <10 | 490 | 0.5 | <2 | 4.49 | <0.5 | 6 | 10 | 41 | 2.69 |
| 133847 | | 3.02 | <0.005 | 0.3 | 0.20 | 10 | <10 | 550 | <0.5 | <2 | 4.55 | <0.5 | 6 | 26 | 27 | 2.51 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 14-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058207

| Sample Description | Method Analyte Units LOR | ME-ICP41 | Hg-CV41 | ME-ICP41 |
|--------------------|--------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | Sr |
| | | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm | ppm | ppm |
| | | 10 | 0.01 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 |
| 133816 | | <10 | 0.18 | 0.32 | 20 | 0.62 | 2960 | <1 | 0.03 | 2 | 1160 | 32 | 0.16 | 9 | 9 | 260 |
| 133817 | | <10 | 0.24 | 0.46 | 20 | 0.61 | 1895 | <1 | 0.04 | 4 | 1410 | 17 | 0.07 | 6 | 11 | 190 |
| 133818 | | <10 | 0.13 | 0.37 | 10 | 0.64 | 1640 | <1 | 0.03 | 4 | 1220 | 17 | 0.22 | 13 | 9 | 140 |
| 133819 | | <10 | 0.13 | 0.50 | 20 | 0.47 | 1845 | <1 | 0.05 | 2 | 1300 | 9 | 0.14 | 7 | 9 | 168 |
| 133820 | | <10 | 0.10 | 0.40 | 20 | 0.53 | 2670 | <1 | 0.04 | 3 | 1090 | 15 | 0.43 | 9 | 9 | 313 |
| 133821 | | <10 | 0.05 | 0.22 | 10 | 0.53 | 1425 | 1 | 0.02 | 2 | 1110 | 19 | 0.07 | 9 | 7 | 148 |
| 133822 | | <10 | 0.06 | 0.25 | 10 | 0.64 | 2360 | <1 | 0.02 | 1 | 1290 | 12 | 0.03 | 6 | 8 | 105 |
| 133823 | | <10 | 0.06 | 0.37 | 20 | 0.43 | 2340 | <1 | 0.04 | 3 | 1340 | 12 | 0.05 | 3 | 12 | 127 |
| 133824 | | <10 | 0.14 | 0.33 | 20 | 0.50 | 1560 | <1 | 0.03 | 5 | 1280 | 16 | 0.18 | 10 | 10 | 161 |
| 133825 | | <10 | 0.11 | 0.31 | 20 | 0.49 | 2430 | <1 | 0.03 | <1 | 1180 | 10 | 0.46 | 6 | 8 | 197 |
| 133826 | | <10 | 0.10 | 0.32 | 20 | 0.35 | 1415 | <1 | 0.04 | 4 | 1210 | 12 | 0.63 | 10 | 7 | 210 |
| 133827 | | <10 | 0.51 | 0.20 | 10 | 0.27 | 932 | 1 | 0.02 | 9 | 900 | 42 | 2.72 | 67 | 6 | 194 |
| 133828 | | <10 | 0.41 | 0.23 | 10 | 0.27 | 902 | 1 | 0.02 | 11 | 1050 | 32 | 1.93 | 49 | 7 | 90 |
| 133829 | | <10 | 0.26 | 0.32 | 10 | 0.41 | 2070 | <1 | 0.04 | 1 | 1190 | 10 | 0.85 | 9 | 9 | 300 |
| 133830 | | <10 | 0.23 | 0.36 | 10 | 0.62 | 1630 | <1 | 0.05 | 3 | 1230 | 28 | 0.59 | 10 | 9 | 290 |
| 133831 | | <10 | 0.15 | 0.29 | 10 | 0.53 | 3260 | 1 | 0.03 | 1 | 1110 | 77 | 0.11 | 5 | 11 | 313 |
| 133832 | | <10 | 0.19 | 0.27 | 10 | 0.46 | 1995 | <1 | 0.03 | 1 | 1160 | 29 | 0.06 | 7 | 9 | 217 |
| 133833 | | <10 | 0.21 | 0.28 | 10 | 0.44 | 1980 | <1 | 0.03 | <1 | 1120 | 34 | 0.07 | 7 | 8 | 216 |
| 133834 | | <10 | 0.14 | 0.31 | 10 | 0.54 | 1800 | <1 | 0.03 | 1 | 1060 | 36 | 0.02 | 4 | 8 | 182 |
| 133835 | | <10 | 0.07 | 0.26 | 20 | 0.45 | 1995 | <1 | 0.03 | 1 | 970 | 7 | 0.02 | 6 | 8 | 202 |
| 133836 | | <10 | 0.04 | 0.33 | 20 | 0.52 | 1955 | <1 | 0.04 | <1 | 1080 | 9 | 0.04 | 4 | 8 | 174 |
| 133837 | | <10 | 0.07 | 0.42 | 20 | 0.43 | 1850 | <1 | 0.05 | <1 | 1200 | 7 | 0.03 | 3 | 8 | 159 |
| 133838 | | <10 | 0.02 | 0.38 | 10 | 0.41 | 2020 | <1 | 0.04 | <1 | 1000 | 5 | 0.04 | <2 | 8 | 194 |
| 133839 | | <10 | 0.04 | 0.38 | 10 | 0.41 | 1870 | <1 | 0.04 | <1 | 1160 | 10 | 0.02 | 3 | 8 | 145 |
| 133840 | | <10 | 0.06 | 0.25 | 10 | 0.51 | 2140 | <1 | 0.02 | 2 | 1160 | 14 | 0.03 | 2 | 8 | 150 |
| 133841 | | <10 | 0.05 | 0.35 | 10 | 0.61 | 1820 | <1 | 0.03 | 2 | 1080 | 26 | 0.07 | 7 | 7 | 234 |
| 133842 | | <10 | 0.11 | 0.36 | 20 | 0.43 | 1385 | <1 | 0.04 | 2 | 1210 | 17 | 0.11 | 19 | 7 | 126 |
| 133843 | | <10 | 0.05 | 0.34 | 20 | 0.32 | 1020 | <1 | 0.03 | 1 | 1560 | 10 | 0.03 | 3 | 7 | 85 |
| 133844 | | <10 | 0.09 | 0.25 | 10 | 0.35 | 1960 | <1 | <0.01 | <1 | 1290 | 58 | 0.07 | 5 | 7 | 174 |
| 133845 | | <10 | 0.14 | 0.31 | 10 | 0.37 | 2530 | <1 | 0.01 | 2 | 1320 | 59 | 0.04 | 9 | 8 | 275 |
| 133846 | | <10 | 0.17 | 0.27 | 10 | 0.32 | 3180 | 1 | <0.01 | <1 | 1350 | 56 | 0.02 | 13 | 7 | 300 |
| 133847 | | <10 | 0.15 | 0.19 | 10 | 0.30 | 2730 | 3 | <0.01 | <1 | 1130 | 52 | 0.02 | 11 | 7 | 205 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 14-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04058207

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|
| | | Tl % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
| 133816 | | <0.01 | <10 | <10 | 26 | <10 | 136 |
| 133817 | | <0.01 | <10 | <10 | 26 | <10 | 188 |
| 133818 | | <0.01 | <10 | <10 | 27 | <10 | 104 |
| 133819 | | <0.01 | <10 | <10 | 24 | <10 | 80 |
| 133820 | | <0.01 | <10 | <10 | 20 | <10 | 71 |
| 133821 | | <0.01 | <10 | <10 | 23 | <10 | 52 |
| 133822 | | <0.01 | <10 | <10 | 26 | <10 | 69 |
| 133823 | | <0.01 | <10 | <10 | 25 | <10 | 162 |
| 133824 | | <0.01 | <10 | <10 | 25 | <10 | 180 |
| 133825 | | <0.01 | <10 | <10 | 21 | <10 | 77 |
| 133826 | | <0.01 | <10 | <10 | 17 | <10 | 52 |
| 133827 | | <0.01 | <10 | <10 | 14 | <10 | 123 |
| 133828 | | <0.01 | <10 | <10 | 18 | <10 | 73 |
| 133829 | | <0.01 | <10 | <10 | 17 | <10 | 52 |
| 133830 | | <0.01 | <10 | <10 | 19 | <10 | 153 |
| 133831 | | <0.01 | <10 | <10 | 18 | <10 | 227 |
| 133832 | | <0.01 | <10 | <10 | 19 | <10 | 239 |
| 133833 | | <0.01 | <10 | <10 | 19 | <10 | 280 |
| 133834 | | <0.01 | <10 | <10 | 27 | <10 | 270 |
| 133835 | | <0.01 | <10 | <10 | 21 | <10 | 127 |
| 133836 | | <0.01 | <10 | <10 | 23 | <10 | 146 |
| 133837 | | <0.01 | <10 | <10 | 24 | <10 | 148 |
| 133838 | | 0.01 | <10 | <10 | 25 | <10 | 93 |
| 133839 | | <0.01 | <10 | <10 | 24 | <10 | 201 |
| 133840 | | <0.01 | <10 | <10 | 26 | <10 | 249 |
| 133841 | | <0.01 | <10 | <10 | 29 | <10 | 284 |
| 133842 | | <0.01 | <10 | <10 | 39 | <10 | 333 |
| 133843 | | <0.01 | <10 | <10 | 37 | <10 | 230 |
| 133844 | | <0.01 | <10 | <10 | 18 | <10 | 146 |
| 133845 | | <0.01 | <10 | <10 | 18 | <10 | 161 |
| 133846 | | <0.01 | <10 | <10 | 19 | <10 | 174 |
| 133847 | | <0.01 | <10 | <10 | 18 | <10 | 102 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 16-AUG-2004
Account: EIA

CERTIFICATE VA04049287

Project: NGX04-01

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Vancouver, BC, Canada on 6-AUG-2004.

The following have access to data associated with this certificate:

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| FND-03 | Find Reject for Addn Analysis |
| PUL-32 | Pulverize 1000g to 85% < 75 um |
| BAG-01 | Bulk Master for Storage |
| SCR-21 | Screen to -100 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-SCR21 | Au Screen Fire Assay - 100 um | WST-SIM |
| Au-AA25 | Ore Grade Au 30g FA AA finish | AAS |
| Au-AA25D | Ore Grade Au 30g FA AA Dup | AAS |

To: EQUITY ENGINEERING LTD.
ATTN: MURRAY JONES
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 16-AUG-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04049287

| Sample Description | Method | Au-SCR21 | Au-SCR21 | Au-SCR21 | Au-SCR21 | Au-SCR21 | Au-SCR21 | Au-AA25 | Au-AA25D |
|--------------------|---------|----------|----------|----------|----------|----------|----------|---------|----------|
| | Analyte | Au Total | Au (+) F | Au (-) F | Au (+) m | WT. + Fr | WT. - Fr | Au | Au |
| | Units | ppm | ppm | ppm | mg | g | g | ppm | ppm |
| N133304 | LOR | 0.05 | 0.05 | 0.05 | 0.001 | 0.01 | 0.1 | 0.01 | 0.01 |

Appendix E.4: Certificates Of Analysis
(Whole Rock Analyses)



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 17-SEP-2004

Account: EIA

CERTIFICATE VA04061858

Project: NGX04-01

P.O. No.:

This report is for 23 Pulp samples submitted to our lab in Vancouver, BC, Canada on
10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 17-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04061858

| Sample Description | Method | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | |
|--------------------|---------|------------------|--------------------------------|--------------------------------|----------|----------|-------------------|------------------|--------------------------------|------------------|----------|-------------------------------|----------|----------|----------|-------|
| | Analyte | SiO ₂ | Al ₂ O ₃ | Fe ₂ O ₃ | CaO | MgO | Na ₂ O | K ₂ O | Cr ₂ O ₃ | TiO ₂ | MnO | P ₂ O ₅ | SrO | BaO | LOI | Total |
| | Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| 270253 | | 91.6 | 0.75 | 2.18 | 1.90 | 0.29 | 0.06 | 0.15 | 0.01 | 0.02 | 0.35 | 0.15 | 0.01 | 0.13 | 3.13 | 100.5 |
| 270264 | | 93.4 | 0.39 | 1.69 | 1.32 | 0.39 | 0.05 | 0.05 | 0.02 | <0.01 | 0.36 | 0.02 | <0.01 | 0.03 | 2.98 | 100.5 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 17-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04061858

| Sample Description | Method Analyte Units LOR | ME-XRF05 | ME-XRF05 | ME-XRF05 |
|--------------------|-----------------------------------|----------|----------|----------|
| | | Nb | Y | Zr |
| | | ppm | ppm | ppm |
| 270253 | | 2 | 2 | 7 |
| 270264 | | 2 | 7 | 2 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04061859

Project: NGX04-01

P.O. No.:

This report is for 28 Pulp samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 24-SEP-2004

Account: EIA

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04061859

| Sample Description | Method | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | Total |
|--------------------|---------|------------------|--------------------------------|--------------------------------|----------|----------|-------------------|------------------|--------------------------------|------------------|----------|-------------------------------|----------|----------|----------|-------|
| | Analyte | SiO ₂ | Al ₂ O ₃ | Fe ₂ O ₃ | CaO | MgO | Na ₂ O | K ₂ O | Cr ₂ O ₃ | TiO ₂ | MnO | P ₂ O ₅ | SrO | BaO | LOI | % |
| | Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| 209211 | | 36.9 | 6.88 | 16.75 | 15.45 | 8.18 | 0.45 | 2.42 | 0.02 | 1.34 | 0.24 | 1.28 | 0.28 | 0.16 | 9.74 | 100.0 |
| 209212 | | 67.9 | 13.45 | 3.03 | 2.78 | 0.71 | 4.00 | 2.02 | 0.01 | 0.17 | 0.08 | <0.01 | 0.06 | 0.06 | 5.33 | 99.6 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04061859

| Sample Description | Method | ME-XRF05 | ME-XRF05 | ME-XRF05 |
|--------------------|---------|----------|----------|----------|
| | Analyte | Nb | Y | Zr |
| | Units | ppm | ppm | ppm |
| 209211 | | <2 | 12 | 47 |
| 209212 | | 16 | 50 | 328 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04062170

Project: NGX04-01

P.O. No.:

This report is for 16 Pulp samples submitted to our lab in Vancouver, BC, Canada on
10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 21-SEP-2004

Account: EIA

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 21-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062170

| Sample Description | Method | ME-ICP06 |
|--------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte | SiO2 | Al2O3 | Fe2O3 | CaO | MgO | Na2O | K2O | Cr2O3 | TiO2 | MnO | P2O5 | SrO | BaO | LOI | Total |
| | Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| Sample Description | LOR | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 209215 | | 62.3 | 16.30 | 4.56 | 1.92 | 2.01 | 7.11 | 1.20 | <0.01 | 0.71 | 0.06 | 0.25 | 0.02 | 0.06 | 3.60 | 100.0 |
| 209219 | | 77.5 | 12.60 | 1.02 | 0.97 | 0.04 | 3.80 | 1.84 | 0.01 | 0.05 | 0.03 | <0.01 | 0.02 | 0.12 | 2.05 | 100.0 |
| 209220 | | 71.8 | 13.90 | 1.97 | 1.24 | 0.25 | 3.58 | 3.58 | <0.01 | 0.11 | 0.06 | <0.01 | 0.02 | 0.19 | 3.47 | 100.0 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 21-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062170

| Sample Description | Method | ME-XRF05 | ME-XRF05 | ME-XRF05 |
|--------------------|---------|----------|----------|----------|
| | Analyte | Nb | Y | Zr |
| | Units | ppm | ppm | ppm |
| | LOR | 2 | 2 | 2 |
| 209215 | | 13 | 32 | 288 |
| 209219 | | 28 | 79 | 124 |
| 209220 | | 18 | 80 | 338 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04062171

Project: NGX04-01

P.O. No.:

This report is for 11 Pulp samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 1-OCT-2004

Account: EIA

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 1-OCT-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062171

| Sample Description | Method | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | |
|--------------------|---------|------------------|--------------------------------|--------------------------------|----------|----------|-------------------|------------------|--------------------------------|------------------|----------|-------------------------------|----------|----------|----------|-------|
| | Analyte | SiO ₂ | Al ₂ O ₃ | Fe ₂ O ₃ | CaO | MgO | Na ₂ O | K ₂ O | Cr ₂ O ₃ | TiO ₂ | MnO | P ₂ O ₅ | SrO | BaO | LOI | Total |
| Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| 209222 | | 76.6 | 1.76 | 2.84 | 7.08 | 0.83 | 0.02 | 0.54 | 0.03 | 0.04 | 0.55 | 0.06 | 0.03 | 0.24 | 7.03 | 97.6 |
| 209223 | | 55.0 | 16.30 | 4.60 | 2.22 | 1.72 | 1.33 | 10.35 | 0.01 | 0.44 | 0.64 | 0.28 | 0.03 | 0.36 | 5.22 | 98.5 |
| 209224 | | 59.3 | 17.30 | 1.72 | 3.15 | 1.01 | 9.49 | 0.38 | 0.01 | 0.72 | 0.03 | 0.15 | 0.02 | 0.02 | 4.24 | 97.5 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 1-OCT-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062171

| Sample Description | Method Analyte Units LOR | ME-XRF05 | ME-XRF05 | ME-XRF05 |
|--------------------|--------------------------|----------------|---------------|----------------|
| | | Nb ppm 2 | Y ppm 2 | Zr ppm 2 |
| 209222 | | <2 | <2 | 26 |
| 209223 | | 5 | 9 | 78 |
| 209224 | | 18 | 38 | 406 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 24-SEP-2004

Account: EIA

CERTIFICATE VA04062172

Project: NGX04-01

P.O. No.:

This report is for 92 Pulp samples submitted to our lab in Vancouver, BC, Canada on
10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062172

| Sample Description | Method | ME-ICP06 | Total |
|--------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-------|
| | Analyte | SiO2 | Al2O3 | Fe2O3 | CaO | MgO | Na2O | K2O | Cr2O3 | TiO2 | MnO | P2O5 | SrO | BaO | LOI | % |
| Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| LOR | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| M299580 | | 60.0 | 14.75 | 4.64 | 2.18 | 2.15 | 1.30 | 5.34 | <0.01 | 0.39 | 0.33 | 0.22 | 0.04 | 0.40 | 7.56 | 99.3 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062172

| Sample Description | Method Analyte Units LOR | ME-XRF05 Nb ppm 2 | ME-XRF05 Y ppm 2 | ME-XRF05 Zr ppm 2 |
|--------------------|-----------------------------------|----------------------------|---------------------------|----------------------------|
| M299580 | | 6 | 17 | 105 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04062173

Project: NGX04-01

P.O. No.:

This report is for 93 Pulp samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 21-SEP-2004

Account: EIA

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 21-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062173

| Sample Description | Method | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 |
|--------------------|---------|------------------|--------------------------------|--------------------------------|----------|----------|-------------------|------------------|--------------------------------|------------------|----------|-------------------------------|----------|----------|----------|----------|
| | Analyte | SiO ₂ | Al ₂ O ₃ | Fe ₂ O ₃ | CaO | MgO | Na ₂ O | K ₂ O | Cr ₂ O ₃ | TiO ₂ | MnO | P ₂ O ₅ | SrO | BaO | LOI | Total |
| | Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| LOR | | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 133340 | | 61.1 | 15.20 | 5.70 | 0.81 | 1.76 | 0.81 | 6.58 | 0.01 | 0.37 | 0.40 | 0.16 | 0.06 | 0.30 | 6.72 | 100.0 |
| 133663 | | 58.9 | 13.95 | 4.53 | 2.91 | 1.89 | 1.78 | 5.91 | 0.01 | 0.34 | 0.43 | 0.13 | 0.06 | 0.29 | 7.92 | 99.0 |
| 133689 | | 58.5 | 14.30 | 4.84 | 3.18 | 2.26 | 0.90 | 6.26 | 0.01 | 0.36 | 0.44 | 0.16 | 0.03 | 0.21 | 8.57 | 100.0 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 21-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062173

| Sample Description | Method Analyte Units LOR | ME-XRF05 | ME-XRF05 | ME-XRF05 |
|--------------------|-----------------------------------|----------------|---------------|----------------|
| | | Nb ppm 2 | Y ppm 2 | Zr ppm 2 |
| 133340 | | 4 | 15 | 103 |
| 133663 | | 5 | 17 | 95 |
| 133689 | | 5 | 16 | 104 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04062174

Project: NGX04-01

P.O. No.:

This report is for 172 Pulp samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 24-SEP-2004

Account: EIA

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062174

| Sample Description | Method | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 |
|--------------------|---------|------------------|--------------------------------|--------------------------------|----------|----------|-------------------|------------------|--------------------------------|------------------|----------|-------------------------------|----------|----------|----------|----------|
| | Analyte | SiO ₂ | Al ₂ O ₃ | Fe ₂ O ₃ | CaO | MgO | Na ₂ O | K ₂ O | Cr ₂ O ₃ | TiO ₂ | MnO | P ₂ O ₅ | SrO | BaO | LOI | Total |
| | Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| LOR | | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| B003589 | | 50.4 | 15.15 | 6.45 | 6.91 | 2.89 | 1.33 | 3.43 | <0.01 | 0.59 | 0.17 | 0.31 | 0.02 | 0.12 | 12.95 | 100.5 |
| B003609 | | 67.1 | 12.85 | 3.67 | 1.45 | 2.40 | 1.40 | 2.21 | 0.01 | 0.36 | <0.01 | 0.07 | 0.01 | 0.22 | 7.01 | 98.8 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062174

| Sample Description | Method | ME-XRF05 | ME-XRF05 | ME-XRF05 |
|--------------------|---------|----------|----------|----------|
| | Analyte | Nb | Y | Zr |
| | Units | ppm | ppm | ppm |
| B003589 | | 5 | 17 | 82 |
| B003609 | | 5 | 33 | 130 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 21-SEP-2004
Account: EIA

CERTIFICATE VA04062175

Project: NGX04-01

P.O. No.:

This report is for 107 Pulp samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 21-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062175

| Sample Description | Method | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | Total |
|--------------------|---------|------------------|--------------------------------|--------------------------------|----------|----------|-------------------|------------------|--------------------------------|------------------|----------|-------------------------------|----------|----------|----------|-------|
| | Analyte | SiO ₂ | Al ₂ O ₃ | Fe ₂ O ₃ | CaO | MgO | Na ₂ O | K ₂ O | Cr ₂ O ₃ | TiO ₂ | MnO | P ₂ O ₅ | SrO | BaO | LOI | % |
| | Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| B003553 | | 65.8 | 14.50 | 3.44 | 2.32 | 0.82 | 3.18 | 2.48 | <0.01 | 0.23 | 0.07 | 0.06 | 0.02 | 0.15 | 6.09 | 99.2 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 21-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062175

| Sample Description | Method Analyte Units LOR | ME-XRF05 Nb ppm 2 | ME-XRF05 Y ppm 2 | ME-XRF05 Zr ppm 2 |
|--------------------|-----------------------------------|----------------------------|---------------------------|----------------------------|
| B003553 | | 12 | 30 | 210 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 21-SEP-2004
Account: EIA

CERTIFICATE VA04062176

Project: NGX04-01

P.O. No.:

This report is for 183 Pulp samples submitted to our lab in Vancouver, BC, Canada on
10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 21-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062176

| Sample Description | Method | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | Total |
|--------------------|---------|------------------|--------------------------------|--------------------------------|----------|----------|-------------------|------------------|--------------------------------|------------------|----------|-------------------------------|----------|----------|----------|-------|
| | Analyte | SiO ₂ | Al ₂ O ₃ | Fe ₂ O ₃ | CaO | MgO | Na ₂ O | K ₂ O | Cr ₂ O ₃ | TiO ₂ | MnO | P ₂ O ₅ | SrO | BaO | LOI | % |
| | Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| Method | LOR | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| B003743 | | 65.7 | 14.25 | 3.99 | 0.47 | 0.72 | 0.28 | 9.32 | 0.01 | 0.30 | 0.36 | 0.15 | 0.02 | 0.39 | 3.89 | 99.8 |
| B003904 | | 60.5 | 15.15 | 3.79 | 1.40 | 1.50 | 0.17 | 9.83 | 0.01 | 0.29 | 0.45 | 0.16 | 0.01 | 0.28 | 5.53 | 99.1 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 21-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062176

| Sample Description | Method Analyte Units LOR | ME-XRF05 Nb ppm 2 | ME-XRF05 Y ppm 2 | ME-XRF05 Zr ppm 2 |
|--------------------|-----------------------------------|----------------------------|---------------------------|----------------------------|
| B003743 | | 7 | 16 | 102 |
| B003904 | | 8 | 13 | 124 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 24-SEP-2004

Account: EIA

CERTIFICATE VA04062177

Project: NGX04-01

P.O. No.:

This report is for 129 Pulp samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062177

| Sample Description | Method | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | |
|--------------------|---------|------------------|--------------------------------|--------------------------------|----------|----------|-------------------|------------------|--------------------------------|------------------|----------|-------------------------------|----------|----------|----------|-------|
| | Analyte | SiO ₂ | Al ₂ O ₃ | Fe ₂ O ₃ | CaO | MgO | Na ₂ O | K ₂ O | Cr ₂ O ₃ | TiO ₂ | MnO | P ₂ O ₅ | SrO | BaO | LOI | Total |
| | Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| Method | LOR | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| B003915 | | 43.4 | 15.55 | 10.05 | 6.96 | 5.19 | 4.44 | 1.06 | 0.01 | 1.45 | 0.18 | 0.32 | 0.04 | 0.08 | 9.45 | 98.2 |
| B003941 | | 45.6 | 15.10 | 9.01 | 7.81 | 5.66 | 3.20 | 1.10 | 0.02 | 1.21 | 0.17 | 0.79 | 0.10 | 0.13 | 7.66 | 97.6 |
| B003981 | | 46.0 | 15.05 | 9.18 | 8.84 | 5.06 | 1.50 | 2.07 | 0.01 | 1.10 | 0.23 | 0.38 | 0.03 | 0.05 | 10.85 | 100.5 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062177

| Sample Description | Method Analyte Units LOR | ME-XRF05 | ME-XRF05 | ME-XRF05 |
|--------------------|-----------------------------------|----------------|---------------|----------------|
| | | Nb ppm 2 | Y ppm 2 | Zr ppm 2 |
| B003915 | | 6 | 31 | 130 |
| B003941 | | 12 | 22 | 139 |
| B003981 | | 3 | 23 | 106 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04062178

Project: NGX04-01

P.O. No.:

This report is for 148 Pulp samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 24-SEP-2004

Account: EIA

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062178

| Sample Description | Method | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | Total |
|--------------------|---------|------------------|--------------------------------|--------------------------------|----------|----------|-------------------|------------------|--------------------------------|------------------|----------|-------------------------------|----------|----------|----------|-------|
| | Analyte | SiO ₂ | Al ₂ O ₃ | Fe ₂ O ₃ | CaO | MgO | Na ₂ O | K ₂ O | Cr ₂ O ₃ | TiO ₂ | MnO | P ₂ O ₅ | SrO | BaO | LOI | % |
| | Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| B004117 | | 57.0 | 13.40 | 3.95 | 5.60 | 0.52 | 0.15 | 9.78 | <0.01 | 0.40 | 0.62 | 0.27 | 0.02 | 0.16 | 7.99 | 99.9 |
| B004177 | | 50.9 | 15.00 | 5.33 | 8.34 | 0.99 | 0.63 | 6.20 | 0.01 | 0.50 | 0.39 | 0.28 | 0.05 | 0.13 | 10.95 | 99.7 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062178

| Sample Description | Method | ME-XRF05 | ME-XRF05 | ME-XRF05 |
|--------------------|-------------------|----------|----------|----------|
| | Analyte Units LOR | Nb ppm | Y ppm | Zr ppm |
| B004117 | | 6 | 15 | 99 |
| B004177 | | 6 | 16 | 99 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04062179

Project: NGX04-01

P.O. No.:

This report is for 144 Pulp samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 24-SEP-2004

Account: EIA

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062179

| Sample Description | Method | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 |
|--------------------|-----------|------------------|--------------------------------|--------------------------------|----------|----------|-------------------|------------------|--------------------------------|------------------|----------|-------------------------------|----------|----------|----------|----------|
| | Analyte | SiO ₂ | Al ₂ O ₃ | Fe ₂ O ₃ | CaO | MgO | Na ₂ O | K ₂ O | Cr ₂ O ₃ | TiO ₂ | MnO | P ₂ O ₅ | SrO | BaO | LOI | Total |
| | Units | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| Method | Analyst | Units | Method | Analyst | Units | Method | Analyst | Method | Analyst | Method | Analyst | Method | Analyst | Method | Analyst | Method |
| Sample Description | Sample ID | Method | Analyst | Units | Method | Analyst | Units | Method | Analyst | Method | Analyst | Method | Analyst | Method | Analyst | Method |
| B004229 | | 52.6 | 15.05 | 6.60 | 6.00 | 1.38 | 0.46 | 6.94 | <0.01 | 0.46 | 0.18 | 0.20 | 0.03 | 0.12 | 10.70 | 100.5 |
| B004234 | | 41.1 | 13.25 | 8.32 | 7.43 | 5.82 | 0.41 | 3.59 | 0.07 | 0.80 | 0.18 | 0.36 | 0.06 | 0.11 | 18.25 | 99.8 |
| B004258 | | 51.6 | 15.20 | 5.32 | 5.88 | 1.04 | 0.17 | 10.65 | <0.01 | 0.44 | 0.42 | 0.27 | 0.09 | 0.14 | 8.72 | 99.9 |
| B004292 | | 44.8 | 16.45 | 8.92 | 8.91 | 8.54 | 3.43 | 0.57 | 0.03 | 1.01 | 0.12 | 0.33 | 0.05 | 0.02 | 7.47 | 100.5 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 24-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062179

| Sample Description | Method | ME-XRF05 | ME-XRF05 | ME-XRF05 |
|--------------------|---------|-----------|----------|-----------|
| | Analyte | Nb ppm | Y ppm | Zr ppm |
| | LOR | 2 | 2 | 2 |
| B004229 | | 6 | 16 | 99 |
| B004234 | | 4 | 11 | 87 |
| B004258 | | 6 | 11 | 108 |
| B004292 | | 8 | 25 | 110 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 17-SEP-2004
Account: EIA

CERTIFICATE VA04062460

Project: NGX04-01

P.O. No.:

This report is for 112 Pulp samples submitted to our lab in Vancouver, BC, Canada on
10-SEP-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

SAMPLE PREPARATION


| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| ME-XRF05 | Trace Level XRF Analysis | XRF |

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 17-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062460

| Sample Description | Method Analyte Units LOR | ME-ICP06 |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | SiO2 | Al2O3 | Fe2O3 | CaO | MgO | Na2O | K2O | Cr2O3 | TiO2 | MnO | P2O5 | SrO | BaO | LOI | Total |
| | | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| 04448 | | 56.5 | 15.05 | 4.93 | 4.18 | 0.77 | 0.25 | 9.88 | 0.01 | 0.48 | 0.27 | 0.37 | 0.03 | 0.29 | 6.80 | 99.8 |
| 04484 | | 58.0 | 14.85 | 5.24 | 0.90 | 0.88 | 0.16 | 8.21 | 0.01 | 0.45 | 0.22 | 0.42 | 0.02 | 0.12 | 10.95 | 100.5 |
| 04495 | | 52.9 | 15.15 | 6.59 | 7.91 | 0.96 | 0.38 | 6.82 | <0.01 | 0.46 | 0.24 | 0.43 | 0.05 | 0.21 | 5.74 | 97.8 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 17-SEP-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04062460

| Sample Description | Method Analyte Units LOR | ME-XRF05 | ME-XRF05 | ME-XRF05 |
|--------------------|-----------------------------------|----------------|---------------|----------------|
| | | Nb ppm 2 | Y ppm 2 | Zr ppm 2 |
| 04448 | | 6 | 19 | 110 |
| 04484 | | 6 | 18 | 104 |
| 04495 | | 7 | 19 | 111 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

CERTIFICATE VA04088822

Project: NGX04-01

P.O. No.:

This report is for 23 Pulp samples submitted to our lab in Vancouver, BC, Canada on 16-DEC-2004.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

HENRY AWMACK

MURRAY JONES

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 23-DEC-2004
Account: EIA

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------------------------|
| FND-02 | Find Sample for Addn Analysis |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| ME-XRF05 | Trace Level XRF Analysis | XRF |
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |

To: **EQUITY ENGINEERING LTD.**
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 23-DEC-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04088822

| Sample Description | Method | ME-XRF05 | ME-XRF05 | ME-XRF05 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | |
|--------------------|---------|----------|----------|----------|------------------|--------------------------------|--------------------------------|----------|----------|-------------------|------------------|--------------------------------|------------------|----------|-------------------------------|------|
| | Analyte | Nb | Y | Zr | SiO ₂ | Al ₂ O ₃ | Fe ₂ O ₃ | CaO | MgO | Na ₂ O | K ₂ O | Cr ₂ O ₃ | TiO ₂ | MnO | P ₂ O ₅ | SrO |
| Units | ppm | ppm | ppm | % | % | % | % | % | % | % | % | % | % | % | % | % |
| 270259 | | 2 | 7 | 11 | 78.9 | 0.19 | 2.43 | 7.62 | 1.24 | 0.02 | 0.05 | 0.01 | 0.01 | 0.97 | <0.01 | 0.01 |



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218

To: EQUITY ENGINEERING LTD.
700-700 W PENDER ST
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 23-DEC-2004
Account: EIA

Project: NGX04-01

CERTIFICATE OF ANALYSIS VA04088822

| Sample Description | Method Analyte Units LOR | ME-ICP06 BaO | ME-ICP06 LOI | ME-ICP06 Total |
|--------------------|-----------------------------------|-----------------|-----------------|-------------------|
| 270259 | | 0.02 | 9.04 | 100.5 |

Appendix F: Petrography And SEM/EDS

Analysis

(Prepared by Petrascience)

Petrography and SEM Report

**Sample B39/014
RDN Property, B.C.**

November 24, 2004

Prepared for: Rob Duncan
Rimfire Minerals
700 – 700 West Pender
Vancouver, BC V6C 1G8

PetraScience Consultants Inc.

700 – 700 West Pender St.
Vancouver, B.C. V6C 1G8 Canada
Phone: 604.684.5857

info@petrascience.com
www.petrascience.com

Background

One sample was received from Rob Duncan of Rimfire Minerals for petrographic and SEM analysis on the 16th October 2004. The sample is labeled B39/14 and was collected as a hand sample on the RDN Property, B.C. General background on the project was provided verbally, however no detailed location or geologic information was available. The goal of the work was specifically to identify a soft, bright silver material in a microveinlet. The material was extracted from the veinlet for SEM analysis and then a polished thin section was made from the hand sample. The aim of the petrography, including basic transmitted and reflected light observations, was a description of the lithology, alteration and mineralization. Anne Thompson carried out the analysis at the PetraScience office, Vancouver, B.C. The observations are summarized below and descriptions follow. All percentages in the descriptions are approximate. An initial report on the SEM analysis was provided by email on the 19th October 2004.

SEM analysis was carried out using the scanning electron microscope in the Earth and Ocean Sciences Department at the University of British Columbia, Vancouver. The SEM is a Philips XL30 with a Princeton Gamma Tech energy dispersion X-ray spectrometer (EDS). Back-scattered electron (BSE) images and EDS spectra follow at the end of the report.

Summary

Lithology

The observed textures are consistent with a tuffaceous unit. Feldspar phenocrysts occur throughout, and are typically whole, with only minor broken grains observed. The sample, however, shows evidence of layering or bedding with the grain size and distribution of crystals changing to a much finer version near one end of the section. No quartz phenocrysts are present, however, quartz does appear in the groundmass.

Alteration

Carbonate is selectively pervasive throughout the sample, although it appears to be more dominant near the sulfide veinlet. The carbonate is dolomitic in composition and contains minor Mg and Fe (based on SEM analysis). The carbonate occurs as irregular masses in the host rock, as well as lining the veinlets.

Mineralization

Tetrahedrite is the dominant sulfide, occurring in microveinlets and disseminated within the wallrock. Other sulfides present include galena, chalcopyrite and sphalerite. Trace pyrite is also present, as well as a minor amount of native silver-mercury (identified by SEM).

Sample: B39/014

LITHOLOGY: Feldspar Porphyry (?Dacitic tuff)

ALTERATION TYPE: Carbonate (dolomite)

Hand Sample Description:

The sample consists of an aphanitic grey groundmass containing small clasts or phenocrysts that is cut by carbonate-rich veins and sulphide-rich veinlets. The carbonate showed a moderate reaction with dilute HCl.

MAJOR MINERALS

| Mineral | % | Distribution & Characteristics | Optical |
|--------------|----|---|-------------------------|
| Carbonate | 40 | Aggregates of fine to medium size equant grains Anhedral patches replacing feldspars; microcrystalline to very fine grained dark brown in matrix | ext. biref., pale brown |
| Quartz | 25 | Microcrystalline to very fine grained, dominantly in matrix; rare in small aggregates | |
| Tetrahedrite | 15 | Anhedral masses forming irregular veinlets in carbonate | |
| Sphalerite | 05 | Fine anhedral grains, typically as inclusions in tetrahedrite | pale brown |
| Chalcopyrite | 05 | Medium-sized irregular masses encapsulated in tetrahedrite | |


MINOR MINERALS

| Mineral | % | Distribution & Characteristics | Optical |
|-----------------------|----|---|----------------------|
| Plagioclase | 03 | Fine phenocrysts (1-2mm), partially to completely replaced by carbonate | |
| Galena | 03 | Medium sized aggregates included in tetrahedrite | |
| Muscovite | 02 | Medium size platy crystals, probably replacing biotite phenocrysts | |
| Fe-oxide | tr | Thin rim, lining fractures (open space along microveinlet) | |
| Bornite | tr | fine subrounded, isolated grains | |
| Apatite | tr | Fine euhedral crystals in feldspar | high rel, needles |
| Rutile | tr | Minute anhedral granules in muscovite | |
| Malachite-azurite | tr | Very fine grained, along margins of iron oxides, also as microveinlet | green to blue colour |
| Native Silver-Mercury | tr | Rare as extremely fine inclusions in tetrahedrite; also as 1-2mm infill in veinlet (see SEM analysis below) | |


Thin Section Description:

The sample contains veins of platy interlocking carbonate associated with sulphides, cutting a phenocryst rich microcrystalline carbonate-quartz matrix. The large plagioclase phenocrysts are replaced in various amounts by carbonates, but generally preserve their texture. Muscovite phenocrysts contain fine granules of rutile suggesting replacement of an earlier biotite. The sample shows evidence of possible bedding with grain sizes decreasing towards on end of the section. Crystals in the finer-grained zones are also more abundant (i.e. separated by less groundmass).

Tetrahedrite is the most common sulphide and occurs as thin veinlets and veins around carbonate as well as massive anhedral crystals. It typically contains patchy inclusions and veinlets of galena, chalcopyrite and sphalerite. Fine inclusions of pyrite are also present. Traces of a possible silver mineral (?native silver) appear encapsulated in the tetrahedrite.




A




B

BF39/14: Typical textures in host rock showing complete to partial replacement of feldspar by carbonate and patchy carbonate throughout the fine-grained groundmass. A) PPL, B) XPL, FOV = 6mm.




BF39/14: Typical sulfide distribution along microveinlet showing dominant tetrahedrite (grey), encapsulating lesser sphalerite (dark grey) and chalcopyrite (orange). Rare trace inclusions of light white material are likely Ag (Hg) amalgam. RL, FOV = 6mm.




BF39/14: Detail of sulfides. Tetrahedrite (medium grey) is dominant and is associated with lesser galena (light grey), chalcopyrite (orange), sphalerite (dark grey) and native Ag (bright silver inclusion). Tarnished mineral at upper right is likely bornite. RL, FOV= 0.8mm.

SEM Analysis:


A small lump of extremely bright silver, very soft material was extracted from the centre of the tetrahedrite microveinlet. A few flakes of other minerals also were collected on the disk and analyzed. The dominant lump is consists of Ag with lesser Hg present. Other minerals identified include tetrahedrite (most common), galena, sphalerite (low Fe), quartz, dolomite Ca (Mg-Fe) and likely malachite. An image and spectrum for the silver is shown below.



Backscattered electron image of small lump of bright silver, soft material extracted from the center of a fine veinlet in the sample. FOV = 1mm.



Representative spectrum showing strong Ag peak and lesser Hg in soft silver material.



Representative spectrum of tetrahedrite, with no detectable Ag. Ag may be present in small amounts.

Appendix G: CD-ROM

Report text, geochemical and drill databases, geophysical files, report plot files

CONTENTS OF CD-ROM

| Directory | File Name | Information/Data Type | Data Source/Author | Area of Coverage | Year | File Format |
|-----------|----------------------------|---|--------------------------|------------------------|------|---------------|
| N/A | RDN04RP.doc | 2004 Assessment Report Text | Murray I. Jones | RDN 1-18, Mor 2 claims | 2004 | MS Word |
| N/A | RDN04RP.pdf | 2004 Assessment Report Text | Murray I. Jones | RDN 1-18, Mor 2 claims | 2004 | Adobe Acrobat |
| Figures | various | .pdf files of all figures in the report | S. Parker & Murray Jones | RDN 1-18, Mor 2 claims | 2004 | Adobe Acrobat |
| Geochem | RDN_Master_Rocks.xls | 1990-2004 rock analyses and locations | ALS Chemex Certificates | RDN 1-18, Mor 2 claims | 2004 | MS Excel |
| Geochem | RDN_Wholerock_All.xls | 1990-2004 whole rock analyses and locations | ALS Chemex Certificates | RDN 1-18, Mor 2 claims | 2004 | MS Excel |
| Geochem | MASTER_RDN_Silts.xls | 1990-2004 silt analyses and locations | ALS Chemex Certificates | RDN 1-18, Mor 2 claims | 2004 | MS Excel |
| Geochem | MASTER_RDN_Soil.xls | 1990-2004 Rimfire soil analyses and locations | ALS Chemex Certificates | RDN 1-18, Mor 2 claims | 2004 | MS Excel |
| Geochem | Master_RDN_DrillAssays.xls | 1990-2004 Rimfire soil analyses and locations | ALS Chemex Certificates | RDN 1-18, Mor 2 claims | 2004 | MS Excel |
| MapInfo | various | MapInfo Files | Scott Parker | RDN 1-18, Mor 2 claims | 2004 | MapInfo |

Appendix H: Geologist's Certificate

GEOLOGIST'S CERTIFICATE

I, Murray I. Jones, of 8606 144A St., City of Surrey, in the Province of British Columbia, DO HEREBY CERTIFY:

1. THAT I am a Consulting Geologist with offices at Suite 700, 700 West Pender Street, Vancouver, British Columbia.
2. THAT I am a graduate of the University of British Columbia with a Bachelor of Science degree in Geology in 1982, and a graduate of the University of Ottawa with a Master of Science degree in Geology in 1992.
3. THAT I am a Professional Geoscientist registered in good standing with the Association of Professional Engineers and Geoscientists of the Province of British Columbia (#20063).
4. THAT this report is based on fieldwork carried out by me or under my direction during July and August 2004 and on publicly available and company reports

DATED at Vancouver, British Columbia, this 18th day of March, 2005.

Murray I. Jones, M.Sc., P.Geo.
Equity Engineering Ltd.

