

**REPORT ON THE 2004
EXPLORATION AND DEVELOPMENT PROGRAM
ON THE
CARIBOO GOLD PROJECT
WELLS, BRITISH COLUMBIA**

Combined Report for
INTERNATIONAL WAYSIDE GOLD MINES LTD.
and
ISLAND MOUNTAIN GOLD MINES LTD.

NTS: 093H/3,4

Latitude: 53° 05' N Longitude: 121° 32' W

CARIBOO MINING DIVISION

For

International Wayside Gold Mines Ltd.
15th floor – 675 West Hastings St.
Vancouver, B.C.
V6B 1N2
Tel: 604-669-6463
Fax: 604-669-3041

Owner/Operator:

International Wayside Gold Mines Ltd.
15th floor – 675 West Hastings St.
Vancouver, B.C.
V6B 1N2

Authors:


Edward E. Gates, M.Sc. Geo., Registered Geologist - Washington
Janet Riddell, P. Geo. – British Columbia
Daria Duba, M. Sc. Geo.

March, 2005

PART A – VOLUME 1

27757
PART A vol. 1

REPORT ON THE 2004
EXPLORATION AND DEVELOPMENT PROGRAM
ON THE
CARIBOO GOLD PROJECT
WELLS, BRITISH COLUMBIA



Combined Report for
INTERNATIONAL WAYSIDE GOLD MINES LTD.

and

ISLAND MOUNTAIN GOLD MINES LTD.

NTS: 093H/3,4

Latitude: 53° 05' N

Longitude: 121° 32' W

CARIBOO MINING DIVISION

For

International Wayside Gold Mines Ltd.
15th floor – 675 West Hastings St.
Vancouver, B.C.
V6B 1N2
Tel: 604-669-6463
Fax: 604-669-3041

Owner/Operator:

International Wayside Gold Mines Ltd.
15th floor – 675 West Hastings St.
Vancouver, B.C.
V6B 1N2

Authors:

Edward E. Gates, M.Sc. Geo., Registered Geologist - Washington
Janet Riddell, P. Geo. – British Columbia
Daria Duba, M. Sc. Geo.

March, 2005

SUMMARY:

The 17,000 ha land package of International Wayside Gold Mines Ltd., comprising part of the Cariboo Gold Project, is located in the Wells – Barkerville Gold Camp, Wells, British Columbia, approximately 120 km southeast of Prince George and 500 km north of Vancouver, on NTS map sheet 093H/4, in the Cariboo Mining Division. Good road access exists across the project area. The project area covers 66 crown-granted claims and 662 units in two and four post mineral claims. In addition International Wayside Gold Mines Ltd. owns 63 contiguous crown-granted claims on Island Mountain, under option to Island Mountain Gold Mines Ltd., which has an option to earn a 50% interest in the crown-grants subject to an underlying agreement with Mosquito Consolidated Gold Mines Limited.

Geologically, the project area is underlain by a northwest striking, moderately northeast dipping sequence of Late Proterozoic and Paleozoic continental shelf and slope deposits, including turbiditic clastic sedimentary rocks with lesser amounts of volcanic rocks and minor carbonates, on the steep, overturned limb of a southwest-verging antiform, which, in turn, is on the northeast flank of the Island Mountain Anticlinorium. The sequence has been metamorphosed to lower greenschist facies.

The 2004 exploration program focused mainly on the Bonanza Ledge gold deposit. An underground bulk sample, of approximately 13,000 tonnes, was mined and trucked to the Mount Polley mill, where it was milled to produce a pyrite-gold concentrate. A total of 15,924 meters (52,242 feet) of surface and underground diamond drilling were completed, which finished the definition of the deposit, yielded metallurgical sample material, and provided engineering data necessary for mine permitting and development. Three large trenches were completed at Bonanza Ledge, totalling 55 meters (180) in length, which defined the location of the overburden-ore contact, demonstrated the continuity of the ore body up to the paleo-surface, and provided oxidized ore for metallurgical testing. Highlights of the channel sampling in the trenches were 30 ft @ 26.8 g/t gold and 9 ft @ 97.4 g/t gold.

Late in 2003 and early in 2004, the Myrtle property received 861 meters (2,826 feet) of diamond drilling. The highlights of this drilling were 3.42 g/t gold over 1.5 meters and 2.67 g/t over 2.0 meters.

The Goldfinch Target was tested with 827 meters (2,712 feet) of diamond drilling in six holes. One hole intersected 21.7 g/t gold over 3.7 meters (12 feet).

The Cow Mountain and Lowhee Target areas received geologic mapping and geochemical sampling, which added to or refined drill targets for the 2005 exploration program.

Other improvements made on the Cariboo Gold Project include 4,450 meters (14,600 feet) of access road improvement on the east side of Cow Mountain, and the construction of storage capacity of 23,592 meters (77,400 feet) of NQ or BQ diamond core.

The 22,000 hectare Island Mountain Gold Project was explored in 2004 for pyrite replacement mineralization of the Bonanza Ledge type. An existing soil geochemistry sample grid was extended, with 1,397 soil samples being analyzed. The sampling extended the strong Snapjack gold anomaly. Six diamond drill holes were completed, totalling 860 meters. The highlight of the drilling program was hole IGM 04-1 in the Snapjack Zone, which contained intercepts of 2 meters of 10.4 g/t gold, 3 meters of 5.06 g/t gold, 3 meters of 9.37 g/t gold and 3 meters of 1.28 g/t gold.

Exploration in 2005 will include testing the Lowhee Target, conducting step-out drilling on the Goldfinch Target intercept, drilling step-out holes in the Waoming Target from a 2001 gold intercept, and continuation of the drilling of the Snapjack Target. Mapping and sampling will continue in the lower part of the Lowhee area.

Engineering and permitting work will continue in 2005, with the objective of bringing the Bonanza Ledge deposit into production. Efforts will also continue on permitting for the Cariboo Gold Project – Cow Mountain deposit.

TABLE OF CONTENTS – Part A

| | Page |
|--|------|
| SUMMARY | i |
| 1.0 INTRODUCTION | 1 |
| 2.0 LOCATION, ACCESS AND INFRASTRUCTURE | 1 |
| 3.0 LEGAL DESCRIPTION | 2 |
| 4.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE | 2 |
| 5.0 HISTORY | 3 |
| 6.0 GEOLOGY | 3 |
| 6.1 Regional | 3 |
| 6.2 Property | 4 |
| 6.3 Mineralization | 5 |
| 7.0 2004 WORK PROGRAM SUMMARY | 6 |
| 7.1 Underground Development | 6 |
| 7.2 Surface Development | 7 |
| 7.2.1 Cow Mountain Road | 7 |
| 7.2.2 Lowhee Core Processing Facility | 7 |
| 7.3 2004 Exploration Work | 7 |
| 8.0 TRENCHING | 7 |
| 8.1 Bonanza Ledge | 7 |
| 8.1.1 Procedure | 7 |
| 8.1.2 Results | 8 |
| 8.2 Cow Mountain | 9 |
| 8.2.1 Procedure | 9 |
| 8.2.2 Results | 10 |

| | | |
|----------|---|----|
| 9.0 | GEOLOGICAL MAPPING | 10 |
| 9.1 | Procedure | 10 |
| 9.2 | Results | 10 |
| 10.0 | GEOCHEMISTRY SAMPLING..... | 10 |
| 10.1 | Soil Geochemistry | 10 |
| 10.1.1 | Procedure | 10 |
| 10.1.2 | Lower Lowhee Results | 11 |
| 10.2 | Rock Geochemistry | 11 |
| 10.2.1 | Procedure | 11 |
| 10.2.2 | Results | 11 |
| 11.0 | DIAMOND DRILLING | 11 |
| 11.1 | Surface Drilling | 12 |
| 11.1.1 | Procedure | 12 |
| 11.1.2 | Surface Drilling Results - Bonanza Ledge..... | 13 |
| 11.1.3 | Waste Dump Condemnation | 17 |
| 11.1.3.1 | Procedure..... | 17 |
| 11.1.3.2 | Results..... | 17 |
| 11.1.4 | Oriented Core Geotechnical Holes..... | 18 |
| 11.1.4.1 | Procedure..... | 18 |
| 11.1.4.2 | Results..... | 18 |
| 11.1.5 | Goldfinch Target Exploration..... | 19 |
| 11.1.5.1 | Goldfinch Results..... | 19 |
| 11.2 | Underground Drilling - Bonanza Ledge | 20 |
| 11.2.1 | Procedure | 20 |
| 11.2.2 | Results | 20 |
| 12.0 | CONCLUSIONS AND RECOMMENDATIONS..... | 28 |

Part B – Separate Cover

Report on the 2004 Diamond Drilling Program on the Island Mountain Gold Property, Wells, British Columbia

Authors:

David L. Johnson

John Childs

Janet Riddell

Part C – Separate Cover

Report on 2004 Diamond Drilling on the Myrtle Claim Group, Cariboo Mining Division, Wells, British Columbia

Author:

Daria Duba

TABLE OF CONTENTS

LIST OF FIGURES

| | Following Page |
|---------------|--|
| Figure 1 | Location Map..... 1 |
| Figure 2 | Claim Map 2 |
| Figure 3 | Regional Geology 3 |
| Figure 4 | Property Geology 4 |
| Figure 5 | Work Area Map 6 |
| Figure 6 | Underground Development..... 6 |
| Figure 7 | Bonanza Ledge Trenches..... back pocket |
| Figure 8 | Photograph – Trench Sampling at Bonanza Ledge..... 8 |
| Figure 9 | Cow Mountain Road - Channel Sampling and Geology back pocket |
| Figure 10 | Cow Mountain and Lowhee Surface Geology back pocket |
| Figure 11 | Bonanza Ledge Underground Geology – J. Kadar..... back pocket |
| Figure 12 | Bonanza Ledge Underground Geology – N. Reid back pocket |
| Figure 13 | Bonanza Ledge Underground Geology – J. Childs..... back pocket |
| Figure 14-A | Lower Lowhee Soil Geochemistry – Gold Values 11 |
| Figure 14-B | Lower Lowhee Soil Geochemistry – Au Contour Map 11 |
| Figure 15-A | Bonanza Ledge Surface Drilling back pocket |
| Figure 15-B | Bonanza Ledge Underground Drilling..... back pocket |
| Figure 16 | Section 20+620E..... back pocket |
| Figure 17 | Section 20+560E..... back pocket |
| Figure 18 | Section 20+500E..... back pocket |
| Figure 19 | Section 20+440E..... back pocket |
| Figure 20 | Section 20+400E..... back pocket |
| Figure 21 | Section 20+380E..... back pocket |
| Figure 22 | Section 20+360E..... back pocket |
| Figure 23 | Section 20+340E..... back pocket |
| Figure 24 | Section 20+320E..... back pocket |
| Figure 25 | Section 20+300E..... back pocket |
| Figure 26 | Section 20+280E..... back pocket |
| Figure 27-A | Section 20+260E - Lithology back pocket |
| Figure 27-B | Section 20+260E - Alteration back pocket |
| Figure 28 | Section 20+240E..... back pocket |
| Figure 29 | Section 20+220E..... back pocket |
| Figure 30-A | Section 20+200E - Lithology back pocket |
| Figure 30-B | Section 20+200E - Alteration back pocket |
| Figure 31 | Section 20+180E..... back pocket |
| Figure 32 | Section 20+160E..... back pocket |
| Figure 33 - A | Section 20+140E - Lithology..... back pocket |

TABLE OF CONTENTS

LIST OF FIGURES - continued

| | | |
|---------------|--|-------------|
| Figure 33 - B | Section 20+140E - Alteration | back pocket |
| Figure 34 | Section 20+120E..... | back pocket |
| Figure 35 | Section 20+100E..... | back pocket |
| Figure 36 | Section 20+080E..... | back pocket |
| Figure 37 | Section 20+060E..... | back pocket |
| Figure 38 - A | Section 20+040E - Lithology | back pocket |
| Figure 38 - B | Section 20+040E - Alteration | back pocket |
| Figure 39 | Section 20+020E..... | back pocket |
| Figure 40 | Section 20+000E..... | back pocket |
| Figure 41 | Section 19+980E..... | back pocket |
| Figure 42 | Section 19+960E..... | back pocket |
| Figure 43 | Section 19+940E..... | back pocket |
| Figure 44 | Section 19+920E..... | back pocket |
| Figure 45 | Section 19+880E..... | back pocket |
| Figure 46 | Section 19+800E..... | back pocket |
| Figure 47 | Section 19+700E..... | back pocket |
| Figure 48 | Engineering Drilling | back pocket |
| Figure 49 | Section 19+400E (Waste Dump Condemnation)..... | back pocket |
| Figure 50 | Section 19+200E (Waste Dump Condemnation)..... | back pocket |
| Figure 51 | Section 19+000E (Waste Dump Condemnation)..... | back pocket |
| Figure 52 | Goldfinch Target Drilling - 2004 | back pocket |
| Figure 53 | Section 18+600E (Goldfinch Target)..... | back pocket |
| Figure 54 | Section 18+500E (Goldfinch Target)..... | back pocket |

LIST OF TABLES

Following Page

| | | |
|---------|--|----|
| Table 1 | Surface Drill Results - Bonanza Ledge Zone..... | 12 |
| Table 2 | Goldfinch Target - Surface Drill Results..... | 19 |
| Table 3 | Underground Drill Results – Bonanza Ledge Zone | 20 |

TABLE OF CONTENTS

APPENDICES

| | |
|---------------|--|
| Appendix I | References |
| Appendix II | Statement of Claims |
| Appendix III | Statement of Expenditures |
| Appendix IV | Statement of Qualification |
| Appendix V | Bonanza Ledge Bulk Sample |
| Appendix VI | Bonanza Ledge Trenches |
| Appendix VII | Cow Mountain Roadside Sampling |
| Appendix VIII | Analytical Laboratory Procedures |
| Appendix IX | Soil Geochemistry Results |
| Appendix X | Rock Geochemistry Results |
| Appendix XI | Bonanza Ledge Surface Drilling – Logs and Assays |
| Appendix XII | Goldfinch Drilling – Logs and Assays |
| Appendix XIII | Bonanza Ledge Underground Drilling – Logs and Assays |

1.0 INTRODUCTION

This report documents the combined results of the 2004 exploration program, completed between January 1 and December 31, 2004, on the Cariboo Gold Project of International Wayside Gold Mines Ltd., and the properties of Island Mountain Gold Mines Ltd. The project area is located in the Wells – Barkerville Gold Camp, Wells, British Columbia. The program included 18,411 meters of diamond drilling, 55 meters of mechanized trenching, 4,450 meters of access road improvement, greatly enhanced core processing and storage facilities, geologic mapping, rock sampling and soil geochemistry surveys.

During 2004, the Bonanza Ledge bulk sample underground workings were completed, stopes were developed, and approximately 13,000 tonnes of mineralized rock were extracted. The sample was trucked to the Mount Polley Mill, where it was test-milled, and a concentrate produced.

In addition, various environmental studies were conducted in preparation for applying for the 70,000 tonne mining permit.


A complete report on the 2004 exploration work conducted on the Island Mountain Gold Mines properties was authored by Janet Riddell and others, and is included in this report as Part B. Also included, is a complete report on the late-2003 and 2004 exploration work conducted on the Myrtle property, authored by Daria Duba, and included in this report as Part C. The remainder of the text of this report is concerned with the International Wayside Gold Mines property, excepting the Myrtle property.

2.0 LOCATION, ACCESS AND INFRASTRUCTURE (Figure 1)

The Cariboo Gold Project of International Wayside Gold Mines Ltd., NTS map sheet 093H/4, surrounds the community of Wells, British Columbia, approximately 120 km southeast of Prince George and 500 km north of Vancouver, in the Cariboo Mining Division. The 2004 exploration program concentrated on the Bonanza Ledge Zone, 3.5 km southeast of the town of Wells at latitude 53° 05' N and longitude 121° 32' W. Drilling also took place on the Goldfinch Target, 366 meters (1,200 feet) northwest of Bonanza Ledge. Mapping and geochemical sampling was conducted along the Lowhee stream drainage and on the eastern flank of Cow Mountain, 1.5 km south of Wells.

The project area is accessible via Highway 26 that branches off from Provincial Highway 97 at Quesnel, 85 km to the west. Gravel roads, established during historic placer and lode mining activity, provide access to the property from Wells. Power is readily available by connecting to the provincial hydro grid at Wells.

A hospital and airport are situated in the town of Quesnel and basic supplies and services are available in Wells.



3.0 LEGAL DESCRIPTION

(Figures 1 and 2)

The Cariboo Gold Project of International Wayside Gold Mines Ltd. covers approximately 17,000 ha within the Cariboo Mining Division, including 66 crown-granted claims and 662 units in two and four post mineral claims. In addition International Wayside Gold Mines Ltd. owns 63 contiguous crown-granted claims on Island Mountain, under option to Island Mountain Gold Mines Ltd., which has an option to earn a 50% interest in the crown-grants subject to an underlying agreement with Mosquito Consolidated Gold Mines Limited.

The Bonanza Ledge, Lowhee Goldfinch and Cow Mountain work areas are situated on the IWA Group of 66 crown-granted claims and adjoining two and four post mineral claims. Lots 2F and 42F are 100% owned by International Wayside Gold Mines Ltd. and the remaining lots are under option from Mosquito Consolidated Gold Mines Ltd. Of the remaining mineral claims, 436 units are 100% owned and 226 units are 75% owned by International Wayside Gold Mines Ltd.

The Myrtle Group, adjoining the Bonanza Ledge Zone to the east, consists of 19 contiguous crown-grants that cover 250 ha, under option from Gold City Industries Ltd., Vancouver, British Columbia. International Wayside Gold Mines Ltd. can earn a 50% interest in the property by issuing 300,000 shares and incurring 250,000 in exploration expenditures by December 31, 2005, under an option agreement dated July 18, 2001.


A detailed statement of claims is shown in Appendix II.

4.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE

The current project area lies south of Jack of Clubs Lake, situated within the Quesnel Highlands on the eastern edge of the Interior Plateau. The topography is moderate, rising from about 1200m at Wells to just over 1600m on Barkerville Mountain. Summits are generally rounded, having been glaciated by continental ice sheets during the Pleistocene Epoch (Holland, 1976, Hart, 2001). Ice direction is generally to the northwest near Wells and glacial till is the most widespread surficial deposit in the area.

The Wells area is generally well forested. Hillside slopes are dominated by spruce and sub-alpine fir, accompanied by alders and other deciduous foliage on lower wetter slopes flanking river valleys.

The climate consists of cool summers and cold winters due to the moderately high altitude of the Wells area. The climate is wet throughout the year, with a mean annual precipitation of 100 cm that includes a significant amount of snow, especially at the higher elevations.



International Wayside Gold Mines Ltd.

Fig 2 - Claim Map

SCALE 1"=200'

2000'

2005/01/10

5.0 HISTORY (Figure 2)

The Cariboo Gold Project of International Wayside Gold Mines Ltd. is situated within the Cariboo Gold Belt, a world-class producer of gold that has had a history of mining dating from the Cariboo gold rush in the 1860's. The region is estimated to have produced 2.6 million ounces of placer gold.

The project area includes the past producing Cariboo Gold Quartz Mine, situated on the IWA group of crown grants, south of Jack of Clubs Lake, which produced 1.68 million tons grading 0.37 oz/ton Au from 1933 to 1959, primarily from quartz veins. Three past producing gold mines, the Island Mountain, Aurum and Mosquito Creek Gold Mines, are located on the 63 IGM and Mosquito Groups of crown-granted mineral claims, north of Jack of Clubs Lake under option to Island Mountain Gold Mines Ltd. The Island Mountain/Aurum Mines (1934-1967) and the Mosquito Creek Gold Mine (1980-1983) produced 603,800 ounces (18.8 tonnes) of gold from approximately 1.35 million tons (1.22 million tonnes) of ore (Hall, 1999) from quartz-type ore with an average grade of 0.35 ounces per ton (12.0 g/t) gold and pyrite-type ("replacement") ore with an average grade of 0.67 ounces per ton (23.0 g/t) gold.

The Bonanza Ledge Zone was discovered by International Wayside Gold Mines Ltd. in March of 2000 on the IWA group of crown-grants, about 3.5 km southeast of Wells on the southwestern flank of Barkerville Mountain. The Bonanza Ledge Zone contains significant gold grades associated with pyrite mineralization developed in a strongly dolomite-sericite-silica-pyrite altered turbidite sequence in the footwall of the B.C. Vein, a strike vein from which several pyritic ore shoots were historically mined from the Cariboo Gold Quartz workings. Production from the Cariboo Gold Quartz workings on Cow Mountain, 2 km northwest of the Bonanza Ledge Zone, was obtained from several zones including the No. 1, Tailings, Rainbow, Sanders and Pinkerton Zones.



Recent work in the project area has included geologic mapping, trenching, grid establishment, surface geophysics including magnetic, SP, VLF and IP surveys, soil geochemistry, surface and underground drilling. A decline was driven into the Bonanza Ledge deposit, to obtain a bulk sample and to conduct underground diamond drilling to further define the deposit. Efforts are underway to permit and develop a 70,000 tonne open pit mine on the Bonanza Ledge deposit.




6.0 GEOLOGY

6.1 Regional (Figure 3)

The geology of the Cariboo gold mining district has been presented in reports and maps by Bowman (1889, 1895), Johnston and Uglow (1926), Hanson (1935), Sutherland Brown (1957), Struik (1988) and Levson and Giles (1993). The following geological description references directions relative to true north. Project work descriptions, beginning with section 7.0 reference Mine Grid, which is defined at the start of that section.

CARIBOO GOLD PROJECT REGIONAL GEOLOGY



-  Fault
-  Normal Fault
-  Thrust Fault




Figure 3

The Cariboo Gold Project lies within the Kootenay (Barkerville) Terrane, part of the Omineca Belt of the Canadian Cordillera (cf. Struik, 1986; 1988). The Barkerville Terrane consists of a Late Proterozoic and Paleozoic sequence of continental shelf and slope deposits developed adjacent to the craton of Ancestral North America and includes clastic sedimentary rocks along with lesser amounts of volcanic rocks and carbonates. It is structurally the lowest exposed stratigraphic sequence in the area and is more deformed and metamorphosed than adjacent terrains.

Rocks of the Snowshoe Group in the Wells area have been metamorphosed to lower greenschist facies, generally of lower metamorphic grade than other sequences in the Barkerville Terrane.


Rocks of the Barkerville Terrane were subjected to an early period of ductile deformation that resulted in westward directed, asymmetrical folds plunging shallowly to the northwest. Post metamorphic open folds with upright cleavage are superimposed on earlier structures. During Late Cretaceous to Early Tertiary time, the terrane was disrupted by northwest trending dextral strike-slip faults such as the Willow Fault, a major strike slip fault of unknown displacement that has been mapped through Mount Tom, Island Mountain, Cow Mountain and Richfield Mountain in the Wells area (Struik, 1988). Northwest and north-trending faults, with an important normal component and generally apparent right lateral displacements, record extension, probably associated with transcurrent movement. The north striking cross faults are an important control for the gold vein mineralization at Wells (cf. Hall, 1999).

Stratigraphic position, host rock lithologies and proximity to north-striking fault zones are important guides to the three styles of gold mineralization recognized in the Wells area. The mineralization is stratabound in that each style is confined for the most part to a particular section of the local stratigraphy. Historical production has been from mesothermal pyrite-bearing quartz vein systems that cut siliceous turbiditic rocks and from semi-massive to massive pyrite bodies that occur in carbonate-rich rocks structurally higher but stratigraphically lower in the sequence.

6.2 Property (Figure 4)

The Cariboo Gold Project of International Wayside Gold Mines Ltd. is underlain by a northwest striking, moderately northeast dipping sequence of rocks on the steep, overturned limb of a southwest-verging antiform, which, in turn, is on the northeast flank of the Island Mountain Anticlinorium of Sutherland Brown (1957). Symmetry in the stratigraphy and local variations in stratigraphic tops noted in drill core suggest that the sequence has been internally folded and is not a simple overturned monoclinial sequence (Hall, personal communication).

Stratigraphic nomenclature for the sequence of rocks at the Island Mountain/Aurum, Mosquito and Cariboo Gold Quartz Mines has been modified several times. Hanson (1935) included the sequence in two members, a structurally upper carbonate-dominated



DOWNNEY SUCCESSION

Baker unit: Quartzite, sericite phyllite, minor limestone

HARDSCRABBLE MOUNTAIN SUCCESSION

Rainbow unit: Grey pelitic to psammitic phyllite

Rainbow unit: Sericite phyllite

Rainbow unit: Magnetic chlorite to sericite phyllite

B.C. and Basal units: Carbonaceous black phyllite

Grey dolomitic phyllite

Lowhee unit: Laminated grey pelitic to psammitic phyllite

Lowhee unit: Psammitic phyllite (metagreywacke), quartzite

Areas of carbonate-sericite alteration, tan-orange weathering

- Diamond drill hole
- Quartz veins
- Fault
- Topographic contours (10 meter interval)
- Axial trace, overturned syncline
- Bedding
- S1 foliation
- S2 foliation
- L2 elongation lineation
- L3 crenulation lineation

Figure 4

CARIBOO GOLD PROJECT PROPERTY GEOLOGY

INTERNATIONAL WAYSIDE GOLD MINES LTD.

PANTERRA GEOSERVICES INC.

sequence of lighter coloured rocks comprising the "Baker Member" and a lower sequence of darker coloured siliceous metaturbidite rocks he called the "Rainbow Member" or Rainbow quartzite. Sutherland Brown (1957) included the Baker Member and structurally upper portion of the Rainbow Member in the Snowshoe Formation, which, in turn, was subsequently included in the Downey Succession of Struik (1988). Structurally lower portions of the Rainbow Member were included in the Midas Formation of Sutherland Brown (1957) and subsequently in the Hardscrabble Mountain Succession of Struik (1988).

The current project area is underlain by the Baker, Rainbow, BC and Lowhee Units, (Rhys and Ross, 2000 – Figure 4). The Barkerville, Baker and upper Rainbow Units are part of Struik's Downey succession and the lower Rainbow, BC and Lowhee Units, comprise part of the Hardscrabble Mountain Succession. It should be noted that the Rainbow Member of Hanson includes the Rainbow and BC Unit of Rhys and the BC Unit does not correspond to the BC or Basal Argillite Member of Hanson. The Basal Argillite has been intersected in drilling in the Bonanza Ledge area and is generally considered as a marker that the prospective stratigraphy lies structurally higher in the sequence (Pautler, 2004).

6.3 Mineralization

The Bonanza Ledge Zone, of International Wayside Gold Mines Ltd., discovered in March of 2000, is located about 3.5 km southeast of the town of Wells. Gold mineralization occurs in discrete areas of massive, banded and stringer pyrite developed in a strongly dolomite-sericite-silica-pyrite altered turbidite sequence comprised of lower greenschist metamorphosed calcareous argillite, siltstone and sandstone of the Rainbow Member. The rocks are commonly highly sheared, with zones being mylonitized.

The host stratigraphy is structurally lower but stratigraphically higher than the siliceous turbiditic rocks hosting the mesothermal pyrite-bearing quartz veins and the pyrite-rich replacement mineralization that occur at the Cariboo Gold Quartz, Island Mountain Gold /Aurum and Mosquito Creek Gold Mines. According to Rhys (2001), mineralization style, timing and associated alteration at Bonanza Ledge is broadly comparable to pyritic replacement style mineralization that was historically mined in the district, although the host rock differs, and the size of the Bonanza Ledge mineralized bodies is greater.

The Bonanza Ledge Zone, with grades ranging from 1 to >80 g/t Au, occurs in the footwall of the B.C. Vein, a strike vein from which several pyritic ore shoots were historically mined from the Cariboo Gold Quartz workings.

A magnetite porphyroblastic unit occurs in the structural hanging wall of the BC Vein. The magnetite porphyroblastic unit appears to be a key alteration indicator within a marker horizon above the Bonanza Ledge Zone.

The Bonanza Ledge Zone occurs proximal to the northerly trending Goldfinch Fault. Ore shoots within the gold-bearing veins at the Cariboo Gold Quartz Mine were commonly

restricted to within 50m from major northerly trending faults and some projected into contemporaneous elongate replacement bodies (Kocsis, 2001). Northerly trending silicified zones and quartz veins exposed at Bonanza Ledge appear to have strong control on the distribution of gold.

The presence of mauve-colored alteration, an assemblage of sericite and albite, appears to represent a distal alteration to the Bonanza Ledge Zone and generally does not carry gold. The presence of pyrrhotite, which does not carry gold in the Bonanza Ledge area, may also represent distal mineralization to the Bonanza Ledge Zone (Rhys and Ross, 2000).

7.0 2004 WORK PROGRAM SUMMARY (Figure 5)


The 2004 work program on the Cariboo Gold Project of International Wayside Gold Mines Ltd. involved both mine development and exploration activities, with most of the work focused on the Bonanza Ledge deposit. Project work is done using imperial units for distance, to maintain consistency with the extensive historical database. Also, all project work is tied to the Mine Grid, where north on the Mine Grid equals 43 degrees east of True North. For the remainder of this report, directional references regarding project activities and azimuths of drill holes will be to mine grid.

The Bonanza Ledge deposit was core drilled from the surface and from underground, for a total of 52,242 feet (15,924m) in 161 holes, to complete the deposit definition. Three stopes were developed, from which approximately 13,000 tonnes of bulk sample were produced and trucked to the Mt Polley mill, owned by Imperial Resources, and subsequently processed. Three large trenches were excavated above the Bonanza Ledge ore zone, totalling 180 feet (55 meters), to define the top of the ore body and provide metallurgical samples of the oxide mineralization. Condemnation drilling was completed in the footprint area of the proposed waste dump. Engineering core holes were drilled along the margin of the projected pit wall. Two groundwater monitoring wells were completed, totalling 394 feet. Modelling was conducted for both the mineralization resource and for ML/ARD. Biologic and hydrologic studies were also carried out, together with environmental remediation efforts. A prospectus for the proposed 70,000 tonne mine plan was submitted to the Ministry of Energy and Mines.

Other project work included the expansion of the core processing and storage facilities, and the upgrading of the access road on the east side of Cow Mountain, along the west side of the Lowhee Creek canyon. A statement of expenditures is located in Appendix III, and a statement of qualification is in Appendix IV.

7.1 UNDERGROUND DEVELOPMENT (Figure 6)

The year began with the continuation of the underground development begun in late October of 2003. By the end of 2003, the decline portion of the workings had been completed. In January of 2004, 175 meters of access drifting was completed. This was followed by raising 15 meters and the driving of an overcut drift in the ore body. Three




International Wayside Gold Mines Ltd.

Fig 5 - Work Area Map

0 50 100 200
SCALE 1"=200'

2005/01/16



stopes were developed, with approximate dimensions of 7 meters diameter and a height of 12 meters. Approximately 13,000 tonnes of ore was trammed to the surface, and trucked to the Mount Polley mill (Appendix V). Trucking was completed on July 30.

Several drilling stations were developed, for deposit definition drilling.

7.2 SURFACE DEVELOPMENT (Figure 5)

7.2.1 Cow Mountain Road

The access road on the east side of Cow Mountain, along the west side of Lowhee Creek drainage, was improved by widening, ditching, installation of culverts and capping with rock, over a distance of 4,450 meters (14,600 feet).

7.2.2 Lowhee Core Processing Facility

Several improvements were made to the Lowhee core processing facility. Covered core racks were constructed, capable of holding 3,870 NQ or BQ size wooden core boxes. At 20 feet of core per box, the new storage capacity is approximately 77,400 feet (23,592 meters) of core. An extension was built onto the core logging shed, to double the available work space. A second core sawing shed was constructed and equipped. Also, a sample shipping work area with benches was created.

7.3 2004 EXPLORATION WORK (Figure 5)

Exploration activities included trenching at Bonanza Ledge, geologic mapping of the Wells Trend and Lowhee Targets, extending the soil grid over the lower Lowhee area, channel sampling along road exposures on Cow Mountain, and drilling in the Myrtle and Goldfinch Target areas.

8.0 TRENCHING (Figure 5)

8.1 Bonanza Ledge (Figure 7)

8.1.1 Procedure

A Samsung 300 excavator was used to dig three trenches, totalling 55 meters (180 feet) length, to provide metallurgical and ore zone data for oxidized mineralization at the bedrock surface. The trenches ranged from 18 to 37 feet wide at the toe and were from 15 to 20 feet deep. Two of the trenches were on either side of a stope collapse crater, which was used to store much of the overburden.

The contact between the overburden toe and the bedrock was surveyed with a theodolite, as was the crest, which provided elevation data for the bedrock surface, and overburden thickness. After the overburden was scraped off, channel samples were cut using a pick

and shovel. The channel sample lines were 10 feet apart, with samples collected every 3 feet along the lines. Since metallurgical tests were anticipated, sample volumes averaged one half of a five gallon bucket. Concurrent with the sampling, the geology of the bedrock surface was mapped. Photographs were taken of the operations. See Figure 8.

A total of 148 samples were collected from the trenches and sent to Eco Tech Laboratory Ltd., in Kamloops, B. C., for 28-element ICP geochemistry, plus gold by fire assay with atomic absorption finish.

The trenches were left open, but fenced, pending anticipated mining.



Figure 8. Trench sampling at Bonanza Ledge.

8.1.2 Results

The trenching was highly successful in defining the top of portions of the gold deposit, and in showing that the high grades encountered in the drilling, continue to the bedrock surface. The following summarizes the results, while detailed descriptions are found in Appendix VI.

Trench 1 – Northeast side of the stope collapse
9 ft @ 11.0 g/t in channel closest to collapse

3 ft @ 23.8 g/t in channel 10 feet east of the first channel

Most of trench one was north of the main mineralization trend, and exposed mauve to tan colored phyllite. In its southern part, strongly sericite altered phyllite carried good gold grades.

Trench 1-South – East and southeast of the stope collapse

30 ft @ 26.8 g/t in channel closest to the collapse

15 ft @ 18.3 g/t in channel 10 feet east of the first channel

Prominent features in the south extension of the first trench include the east-west trending graphitic Footwall Fault and associated quartz vein near the south end, and a northwest trending zone of strong limonite and silicification which probably is a fault zone. Gold grades were the strongest and most continuous in the northwest silicified zone and extending south to the Footwall Fault.

Trench 2 – Southwest of the stope collapse

9 ft @ 97.4 g/t in channel closest to the stope collapse

15 ft @ 26.7 g/t in channel 10 feet to the west of the first channel

6 ft @ 19.6 g/t in channel 20 feet to the west of the first channel

9 ft @ 7.1 g/t also in the channel 20 feet to the west of the first channel

The second trench exposed the strongly graphitic Footwall Fault and vein near its southern end. Immediately north of this fault, the phyllite is bleached white, shows extreme sericite alteration, and returned very strong gold grades, up to 146 g/t.

Trench 3 – Centered approximately 150 feet east of the stope collapse

6 ft @ 11.3 g/t in channel just west of the center of the trench

Several scattered samples between 1 g/t and 5 g/t

The third trench exposes an area of transition, from weak gold mineralization to the immediate west, and strong gold to the east. Near the middle of the trench, a northerly trending zone of quartz was encountered, suggesting that a northerly fault is controlling the mineralization. There was also a graphitic quartz vein in the southwest corner of the trench, which might be an offset extension of the Footwall Fault.

8.2 Cow Mountain (Figure 5)

8.2.1 Procedure

During access road improvements, a Hyundai Robex LC 130 excavator was used to deepen drainage ditches along the Cow Mountain Road. While not technically trenches, they served the purpose of exploration trenches, exposing several areas of alteration on the northeast side of Cow Mountain. Within these ditches, channel samples were cut, with both 5 foot and 10 foot sample lengths.

8.2.2 Results (Figure 9)

A 600 foot zone of clay alteration and limonite (Figure 9), which lies within the Wells Trend zone of anomalous gold in soil and sericite-carbonate alteration, yielded several anomalous gold assays, with a high value of 6.28 g/t. Several other samples averaged about 0.5 g/t gold.

A 260 foot zone of clay altered phyllite and limonite was sampled further along the road to the east (Figure 9). Only two samples returned weakly anomalous gold.

Near the east end of the road, just before it turns downhill (Figure 10), channel samples were cut in strongly limonitic phyllite. Three samples contained anomalous gold, with a high of 2.44 g/t. Appendix VII.

9.0 Geological Mapping

9.1 Procedure

Geologic mapping was conducted using topographic base maps, and utilizing GPS where possible to determine locations. Some detailed mapping was also tied into the soil sample grid stakes. Trench mapping at Bonanza Ledge was tied in by theodolite to the mine grid survey network. Mapping was conducted in the Bonanza Ledge decline and drifts, and was tied into the mine survey control.

9.2 Results

Surface geologic mapping is shown in Figures 7, 9, and 10, in the back pocket.

Underground geologic mapping is shown in Figures 11, 12, and 13, in the back pocket.

10.0 Geochemistry Sampling

10.1 Soil Geochemistry

10.1.1 Procedure

The existing soil grid, based on the mine grid, showed an open-ended gold anomaly along the north side. Also, wide-spaced (750 feet) reconnaissance-style soil lines showed scattered strongly anomalous gold. The grid was extended to the north by 3,000 feet, covering a width of 1,200 feet. The lines run north-south on the mine grid, are spaced 200 feet apart, and have a sample spacing of 50 feet. A total of 480 samples were collected, with the B horizon being targeted. The samples were analyzed by Eco Tech Laboratory Ltd., in Kamloops, B. C., for 28-element ICP geochemistry, plus gold by fire assay with atomic absorption finish. The lab conducted repeat analyses of sample pulps and rejects for quality control. Lab procedures and results are outlined in Appendix VIII.

10.1.2 Lower Lowhee Results (Figures 14-A and 14-B)

The zone of anomalous gold extends nearly the entire length of the new grid, and has a pronounced northwest trend. The northwest portion of the anomaly is somewhat broken. Several areas returned gold in the 100's of ppb Au, with the high value being 720 ppb Au. The results are located in Appendix IX.

10.2 Rock Geochemistry

10.2.1 Procedure

Samples weighing approximately 2 kilograms were collected in the course of geologic mapping, and analyzed by Eco Tech Laboratory Ltd., in Kamloops, B. C., for 28-element ICP geochemistry, plus gold by fire assay with atomic absorption finish. The lab conducted repeat analyses of sample pulps and rejects for quality control. Lab procedures and results are outlined in Appendix VIII.

10.2.2 Results

The results are shown on Figures 7, 9 and 10, and included in Appendix X. Several rock samples along the Cow Mountain Road contained very anomalous gold, up to 6.28 g/t.


11.0 DIAMOND DRILLING


During 2004, diamond core drilling for the combined IWA Group of claims and the IGM Group of claims totalled 18,471 meters (60,598 feet), and is subdivided as follows:

| | | |
|-------------------------|---------------|-------------|
| Bonanza Ledge - Total | 15,924 meters | 52,242 feet |
| IGM Property | 859 meters | 2,818 feet |
| Myrtle Property | 861 meters | 2,826 feet |
| Goldfinch Target | 827 meters | 2,712 feet |
| Total Diamond Drilling: | 18,471 meters | 60,598 feet |

Drilling on the IGM claims totalled 859 meters (2,818 feet), and is described in the IGM Report in Part B of this report.

Drilling on the IWA Group of claims totalled 17,612 meters (57,780 feet), and includes 861 meters (2,826 feet) on the Myrtle Property, which is described in a separate report in Part C of this report.





The bulk of the IWA diamond drilling was on the Bonanza Ledge deposit, and is subdivided as follows:

| | | |
|--|---------------------|-------------------|
| Bonanza Ledge – Surface | 7,788 meters | 25,551 feet |
| Bonanza Ledge – Underground | 6,236 meters | 20,459 feet |
| <u>Bonanza Ledge – Engineering (surface)</u> | <u>1,900 meters</u> | <u>6,232 feet</u> |
| Bonanza Ledge Total: | 15,924 meters | 52,242 feet |

11.1 Surface Drilling

11.1.1 Procedure

Drilling was carried out between January 4 and December 20, 2004 by three surface drills, owned by three separate companies. Standard Drilling and Engineering Ltd. of Vancouver, British Columbia, used a skid-mounted Longyear 38 core drill with NQ wireline tools and Hardrock Diamond Drilling Ltd, of Naramata, British Columbia, used a skid-mounted Val d'Or core drill with NQ wireline tools. FB Diamond Drilling Ltd., of Cranbrook, British Columbia used a skid-mounted core drill with NQ wireline tools.

Drill core was delivered to a secure core logging compound along Lowhee Creek in Wells (Lowhee Core Shack) for logging and sampling. A total of 6,340 samples of core were sawn in half on site and sent to Eco Tech Laboratory Ltd., of Kamloops, British Columbia. All samples were analyzed for gold, by fire assay with an atomic absorption finish. The lab inserted standards and conducted repeat analyses of sample pulps and rejects. Lab procedures and results are outlined in Appendix VIII.

In addition, sludge samples (drill cuttings) were collected in porous bags by the driller at the drill site in 10 foot (3 m) intervals labeled and delivered to the core logging facility near Wells where they were dried and packaged in waterproof plastic buckets for shipping. The sludge samples were assayed for use as an indicator of the presence of gold in the rock being drilled, including soft gouged material that may not be recovered in the core. The sludge sample assay results were also used as one of the guidelines for sampling of the core for analysis. The sludge sample results are a guideline only and must not be considered as being a reliable indicator of the gold grade over the interval from which the sample was collected. The sludge samples were assayed using fire assay and atomic absorption finish.

Drill hole specifications are summarized in Table 1 and drill hole locations are shown on Figure 15-A. Drill logs are included in Appendix XI, along with summary sheets and assay certificates. Vertical sections showing geology and gold results are shown in Figures 16 through 47, located at the back of the report. The Section numbers correspond to the Mine Grid Easting, which utilizes Imperial measurements (in feet). The core is stored on site at the Lowhee Core Compound in Wells.

Table 1 Surface Drill Results (all results as weighted averages).

| DDH | North (ft) (mine) * | East (ft) (mine) * | Elev. (ft) | Az. (mine) * | Dip | Depth (ft) | From (ft) | To (ft) | Width (ft) | Width (m) | oz/t Au | g/t Au |
|----------|------------------------|-----------------------|---------------|-----------------|-----|---------------|-------------------------|------------|---------------|--------------|------------|-----------|
| BC-04-1 | 2484.29 | 20618.46 | 4761.95 | 1 | -44 | 437 | No significant results | | | | | |
| BC-04-2 | 1482.87 | 20558.98 | 4766.67 | 1 | -45 | 456 | No significant results | | | | | |
| BC-04-3 | 2481.31 | 20499.20 | 4769.83 | 0 | -45 | 456 | 396.0 | 406.0 | 10.0 | 3.0 | 0.40 | 13.70 |
| BC-04-4 | 2481.91 | 20440.17 | 4772.33 | 359 | -45 | 465 | No significant results | | | | | |
| BC-04-5 | 2477.29 | 20379.63 | 4779.73 | 0 | -45 | 436 | 133.3 | 139.3 | 6.0 | 1.8 | 0.08 | 2.88 |
| | | | | | | | 411.0 | 421.0 | 10.0 | 3.0 | 0.18 | 6.27 |
| BC-04-6 | 2481.58 | 20319.79 | 4782.65 | 0 | -45 | 445 | 156.0 | 213.0 | 57.0 | 17.4 | 0.23 | 8.03 |
| | | | | | | | 416.0 | 425.0 | 9.0 | 2.7 | 0.06 | 2.21 |
| BC-04-7 | 2481.04 | 20260.48 | 4786.37 | 0 | -45 | 466 | 151.0 | 201.0 | 50.0 | 15.2 | 0.54 | 18.53 |
| | | | | | | | 231.0 | 251.0 | 20.0 | 6.1 | 0.04 | 1.41 |
| | | | | | | | 276.0 | 316.0 | 40.0 | 12.2 | 0.03 | 1.25 |
| | | | | | | | 441.0 | 451.0 | 10.0 | 3.0 | 0.17 | 5.81 |
| BC-04-8 | 2388.40 | 20259.75 | 4773.81 | 359 | -45 | 700 | 226.0 | 271.0 | 45.0 | 13.7 | 0.10 | 3.44 |
| | | | | | | | 696.0 | 700.0 | 4.0 | 1.2 | 0.04 | 1.44 |
| BC-04-9 | 2388.31 | 20499.68 | 4755.01 | 357 | -44 | 255 | 135.7 | 139.7 | 4.0 | 1.2 | 0.04 | 1.22 |
| BC-04-10 | 2383 | 20320 | 4768 | 359 | -45 | 696 | 82.4 | 85.7 | 3.3 | 1.0 | 0.25 | 8.61 |
| | | | | | | | 228.1 | 340.1 | 112.0 | 34.1 | 0.10 | 3.44 |
| BC-04-11 | 2380 | 20320 | 4770 | 359 | -57 | 517 | 362.8 | 372.0 | 9.2 | 2.8 | 0.05 | 1.89 |
| BC-04-12 | 2378 | 20320 | 4771 | 358 | -76 | 735 | No significant results | | | | | |
| BC-04-13 | 2379 | 20320 | 4770 | 359 | -66 | 495 | No significant results | | | | | |
| BC-04-14 | 2806 | 20350 | 4842 | 182 | -46 | 557 | 177.0 | 187.0 | 10.0 | 3.0 | 0.06 | 2.23 |
| | | | | | | | 267.0 | 374.4 | 107.4 | 32.7 | 0.14 | 4.67 |
| | | | | | | | 334.2 | 342.4 | 8.2 | 2.5 | 0.48 | 16.60 |
| BC-04-15 | 2491 | 20407 | 4776 | 3 | -46 | 486 | No significant results | | | | | |
| BC-04-16 | 2811 | 20299 | 4845 | 156 | -55 | 528 | 341.8 | 390.0 | 48.2 | 14.7 | 0.16 | 5.45 |
| BC-04-17 | 2490 | 20406 | 4776 | 3 | -62 | 306 | No significant results | | | | | |
| BC-04-18 | 2489 | 20408 | 4775 | 3 | -76 | 366 | 171.7 | 181.0 | 9.3 | 2.8 | 0.08 | 2.80 |
| BC-04-19 | 2611 | 19697 | 4788 | 319 | -84 | 979 | No significant results | | | | | |
| BC-04-20 | 2811 | 20299 | 4845 | 156 | -84 | 1015 | No significant results | | | | | |
| BC-04-21 | 2479 | 20291 | 4784 | 1 | -44 | 506 | 150.3 | 225.2 | 74.9 | 22.8 | 0.35 | 12.06 |
| BC-04-22 | 2611 | 19697 | 4789 | 360 | -65 | 679 | 351.2 | 359.0 | 7.8 | 2.4 | 0.05 | 1.59 |
| | | | | | | | 109.7 | 251.0 | 141.3 | 43.1 | 0.40 | 13.65 |
| BC-04-23 | 2628 | 20263 | 4814 | 180 | -80 | 360 | No significant results | | | | | |
| | | | | | | | 117.0 | 137.0 | 20.0 | 6.1 | 1.09 | 37.25 |
| BC-04-24 | 2605 | 19700 | 4788 | 0 | -45 | 280 | No significant results | | | | | |
| BC-04-25 | 2475 | 20290 | 4783 | 180 | -78 | 408 | 292.2 | 298.5 | 6.3 | 1.9 | 0.04 | 1.51 |
| BC-04-26 | 2611 | 19697 | 4789 | 0 | -65 | 600 | No significant results | | | | | |
| BC-04-27 | 2628 | 20263 | 4814 | 179 | -72 | 407 | 77.0 | 117.0 | 40.0 | 12.2 | 0.74 | 25.43 |
| | | | | | | | 175.0 | 237.0 | 62.0 | 18.9 | 0.06 | 2.15 |
| BC-04-28 | 2628 | 20263 | 4814 | 179 | -50 | 257 | 37.0 | 62.8 | 25.8 | 7.9 | 0.03 | 1.15 |
| BC-04-29 | 2660 | 19400 | 4921 | 0 | -90 | 269 | Abandoned before target | | | | | |
| BC-04-30 | 2616 | 20264 | 4815 | 0 | -75 | 330 | Abandoned before target | | | | | |
| BC-04-31 | 2490 | 20360 | 4775 | 355 | -45 | 446 | 130.2 | 203.3 | 73.1 | 22.3 | 0.16 | 5.59 |
| BC-04-32 | 2624 | 20241 | 4914 | 269 | -45 | 126 | No significant results | | | | | |
| BC-04-33 | 2616 | 20264 | 4815 | 0 | -76 | 1027 | 185.9 | 248.3 | 72.4 | 22.1 | 0.04 | 1.45 |
| BC-04-34 | 2558 | 19961 | 4818 | 57 | -45 | 117 | 69.4 | 117.0 | 47.6 | 14.5 | 0.32 | 10.93 |
| BC-04-35 | 2490 | 20202 | 4789 | 21 | -62 | 112 | Abandoned before target | | | | | |
| BC-04-36 | 2490 | 20202 | 4789 | 21 | -55 | 479 | 153.0 | 238.0 | 85.0 | 25.9 | 0.11 | 3.87 |
| BC-04-37 | 2616 | 20264 | 4815 | 0 | -45 | 257 | No significant results | | | | | |
| BC-04-38 | 2628 | 20252 | 4814 | 103 | -58 | 467 | 115.8 | 177.0 | 61.2 | 18.7 | 0.17 | 5.96 |
| | | | | | | | 167.0 | 182.0 | 15.0 | 4.6 | 0.07 | 2.36 |
| BC-04-39 | 2624 | 20251 | 4816 | 129 | -58 | 487 | 232.5 | 247.0 | 14.5 | 4.4 | 0.08 | 2.60 |
| | | | | | | | 157.0 | 196.5 | 39.5 | 12.0 | 0.34 | 11.73 |
| | | | | | | | 221.0 | 296.0 | 75.0 | 22.9 | 0.19 | 6.46 |
| BC-04-40 | 2625 | 20253 | 4813 | 114 | -57 | 507 | 78.2 | 147.0 | 68.8 | 21.0 | 0.20 | 6.76 |
| | | | | | | | 101.4 | 117.0 | 15.6 | 4.8 | 0.64 | 21.99 |
| BC-04-41 | 2625 | 20253 | 1814 | 116 | -46 | 391 | No significant results | | | | | |
| BC-04-42 | 2629 | 20255 | 4813 | 86 | -65 | 497 | No significant results | | | | | |
| BC-04-43 | 2621 | 20254 | 4813 | 1 | -65 | 319 | 81.0 | 87.0 | 6.0 | 1.8 | 0.31 | 10.70 |
| | | | | | | | 192.0 | 215.7 | 23.7 | 7.2 | 0.13 | 4.60 |
| BC-04-44 | 2621 | 20251 | 4815 | 337 | -67 | 717 | 227.0 | 247.0 | 20.0 | 6.1 | 0.07 | 2.24 |

* Mine Grid North = N43°E

Table 1 Surface Drill Results (all results as weighted averages).

| DDH | North (ft) (mine) * | East (ft) (mine) * | Elev. (ft) | Az. (mine) * | Dip | Depth (ft) | From (ft) | To (ft) | Width (ft) | Width (m) | oz/t Au | g/t Au |
|----------|------------------------|-----------------------|---------------|-----------------|-----|---------------|------------------------|------------|---------------|--------------|------------|-----------|
| BC-04-45 | 2621 | 20251 | 4815 | 336 | -57 | 387 | 157.0 | 180.4 | 23.4 | 7.1 | 0.12 | 3.94 |
| BC-04-46 | 2619 | 20249 | 4814 | 314 | -60 | 565 | 22.0 | 117.0 | 95.0 | 29.0 | 0.40 | 13.83 |
| | Including | | | | | | 146.5 | 181.6 | 35.1 | 10.7 | 1.00 | 34.14 |
| | | | | | | | 327.0 | 367.0 | 40.0 | 12.2 | 0.10 | 3.52 |
| | | | | | | | 254.3 | 327.0 | 71.7 | 21.9 | 0.10 | 4.84 |
| BC-04-47 | 2619 | 20249 | 4813 | 312 | -54 | 377 | 27.0 | 67.0 | 40.0 | 12.2 | 0.13 | 4.59 |
| BC-04-48 | 2622 | 20254 | 4814 | 223 | -65 | 284 | 37.0 | 52.0 | 15.0 | 4.6 | 0.91 | 31.17 |
| | | | | | | | 197.0 | 217.0 | 20.0 | 6.1 | 0.08 | 2.82 |
| BC-04-49 | 2490 | 20478 | 4771 | 297 | -44 | 476 | 198.3 | 347.0 | 148.7 | 45.3 | 0.15 | 5.28 |
| BC-04-50 | 2500 | 20702 | 4756 | 64 | -46 | 517 | No significant results | | | | | |
| BC-04-51 | 2601 | 20417 | 4797 | 180 | -45 | 207 | No significant results | | | | | |
| BC-04-52 | 2604 | 20417 | 4799 | 175 | -81 | 367 | 207.0 | 217.0 | 10.0 | 3.0 | 0.05 | 1.77 |
| BC-04-53 | 2604 | 20416 | 4798 | 0 | -70 | 167 | No significant results | | | | | |
| BC-04-54 | 2608 | 20338 | 4808 | 329 | -52 | 150 | No significant results | | | | | |
| BC-04-55 | 2609 | 20340 | 4813 | 325 | -88 | 147 | No significant results | | | | | |
| BC-04-56 | 2604 | 20416 | 4798 | 180 | -88 | 387 | 122.8 | 237.0 | 114.2 | 34.8 | 0.08 | 2.89 |
| BC-04-57 | 2609 | 20340 | 4813 | 325 | -88 | 147 | 87.0 | 297.0 | 210.0 | 64.0 | 0.18 | 6.31 |
| | Including | | | | | | 107.5 | 197.0 | 89.5 | 27.3 | 0.34 | 11.76 |
| BC-04-58 | 2612 | 20340 | 4811 | 182 | -68 | 177 | No significant results | | | | | |
| BC-04-59 | 2607 | 20340 | 4811 | 3 | -45 | 150 | 97.7 | 104.2 | 6.5 | 2.0 | 0.24 | 8.33 |
| BC-04-60 | 2610 | 20340 | 4811 | 7 | -71 | 207 | No significant results | | | | | |
| BC-04-61 | 2599 | 19398 | 4873 | 183 | -45 | 307 | No significant results | | | | | |
| BC-04-62 | 2604 | 19397 | 4873 | 278 | -89 | 257 | No significant results | | | | | |
| BC-04-63 | 2617 | 19399 | 4876 | 359 | -44 | 237 | No significant results | | | | | |
| BC-04-64 | 2619 | 19198 | 4887 | 182 | -45 | 297 | No significant results | | | | | |
| BC-04-65 | 2614 | 19201 | 4886 | 182 | -90 | 267 | No significant results | | | | | |
| BC-04-66 | 2608 | 19204 | 4886 | 4 | -44 | 247 | No significant results | | | | | |
| BC-04-67 | 2588 | 18990 | 4888 | 181 | -45 | 317 | No significant results | | | | | |
| BC-04-68 | 2592 | 18990 | 4888 | 287 | -89 | 277 | No significant results | | | | | |
| BC-04-69 | 2596 | 18987 | 4888 | 1 | -42 | 397 | 187.0 | 197.7 | 10.7 | 3.3 | 0.87 | 29.90 |
| | | | | | | | 314.9 | 326.0 | 11.1 | 3.4 | 0.03 | 1.15 |
| | | | | | | | 375.5 | 379.0 | 3.5 | 1.1 | 0.06 | 2.09 |
| BC-04-70 | 3092 | 19371 | 5003 | 226 | -46 | 647 | 156.2 | 161.0 | 4.8 | 1.5 | 0.13 | 4.54 |
| | | | | | | | 304.0 | 312.0 | 8.0 | 2.4 | 0.13 | 4.54 |
| | | | | | | | 486.0 | 501.7 | 15.7 | 4.8 | 0.23 | 7.84 |
| BC-04-71 | 3419 | 19563 | 5077 | 240 | -43 | 797 | No significant results | | | | | |
| BC-04-78 | 2489 | 20479 | 4770 | 268 | -44 | 366 | No significant results | | | | | |
| BC-04-79 | 2505 | 19976 | 4807 | 84 | -43 | 241 | No significant results | | | | | |
| BC-04-80 | 3002 | 20125 | 4912 | 180 | -44 | 496 | 471.0 | 496.0 | 25.0 | 7.6 | 0.2 | 6.8 |
| BC-04-81 | 3004 | 20125 | 4912 | 180 | -65 | 390 | No significant results | | | | | |
| BC-04-82 | 3007 | 19790 | 4946 | 125 | -45 | 346 | No significant results | | | | | |
| BC-04-83 | 2983 | 20409 | 4881 | 217 | -47 | 346 | No significant results | | | | | |

* Mine Grid North = N43°E

11.1.2 Surface Drilling Results - Bonanza Ledge Deposit Definition (Figure 15-A)

A brief description of the drill holes follows, organized by location and purpose. A summary of results, calculated as weighted averages, is shown in Table 1.

Section 20+620E, DDH BC-04-1 (Figure 16)

DDH BC04-01 was collared on section 20+620E, on May 20, from the 2480N Road. It was drilled northward, as a large step-out to the east of the main part of the Bonanza Ledge deposit. It encountered not significant gold. Weak sericite alteration accompanied the gold, and mariposite was noted near the bottom.

Section 20+560E, DDH BC-04-2 (Figure 17)

DDH BC04-02 stepped back in toward the deposit by 60 feet, and was collared on the 20+560E section. The hole encountered only weak sericite alteration, with no significant gold, and terminated in the BC Vein.

Section 20+500E, DDH BC-04-3, 9 (Figure 18)

DDH BC04-03 stepped back to the west another 60 feet. It was collared on the 20+500 section, but ended up on section 20+520E. Most of the hole contained no significant gold, however, between 399 feet and 406 feet, a strong zone of replacement pyrite assayed 13.7 g/t gold, in the position of the Discovery Zone, just before the BC Vein. This intercept is open both above and below, and should be offset if looking for underground-mineable resources.

DDH BC04-09 stepped down from hole BC01-05, and encountered pyritic argillite, but no significant gold.

Section 20+440E, DDH BC-04-04, 15, 17, 18, 51, 52, 53, 54, 55 (Figure 19)

The fan of holes DDH BC-04-51 through 55 was drilled from the 2600N Road, but intersected no significant mineralization. DDH BC04-04 was drilled from the 2480N Road, and angled to the north. Zones of 5-20% pyrite were cut, but the hole contained no significant gold. Holes DDH BC-04-15, 17 and 18 were drilled from the 2480N Road, and angle onto this section from the west. Holes 17 and 18 both intersected minor zones of 1 to 3 g/t gold.

Section 20+400E, DDH BC-04-15, 17, 18 (Figure 20)

Holes BC04-15, 17 and 18 collared on this section, but pass off onto section 20+420E. While on this section, they are just south of the prospective zone, and contain no significant intercepts.

Section 20+380E, DDH BC-04-05, 16 (Figure 21)

Hole BC-04-05 collared on this section, but passes off onto section 20+360E. The upper part of the hole intersected 1.8 meters of 2.88 g/t gold, in a highly pyritic zone. In the lower part of the hole, on the adjacent section, 3.0 meters in the BC Vein assayed 6.27 g/t gold.

Hole BC-04-16 was collared on section 20+300E, but passes onto this section, where it cut 14.7 meters of 5.45 g/t gold in the East Lobe.

Section 20+360E, DDH BC-04-05, 31 (Figure 22)

Hole BC-04-31 collared on this section, and intersected 22.3 meters of 5.59 g/t gold in the East Lobe of the orebody, before passing off section to the west. Also, on this section, was the BC-04-05 intercept in the BC Vein, mentioned above.

Section 20+340E, DDH BC-04-14, 31, 56, 57, 58, 59, 60 (Figure 23)

Hole BC-04-14 technically collared on section 20+360E, but nearly all of the hole is on this section. It encountered a small intercept of 3.0 meters of 2.23 g/t gold in the Discovery Zone, and then cut 32.7 meters of 4.67 g/t gold in the East Lobe.

Part of the intercept of hole BC-04-31, mentioned on the preceding section, also lies on this section.

The fan of holes, from BC-04-56 through 60, were collared on the 2600N Road, and drilled on section. Holes 56 and 57 both cut strong intercepts of East Lobe mineralization. BC-04-56 intersected 34.8 meters of 2.89 g/t gold, while BC-04-57 intersected 64.0 meters of 6.31 g/t gold. BC-04-58 offset hole 57 to the south, but found no significant mineralization. Hole BC-04-59 was drilled to the north, and apparently passed above all East Lobe mineralization. However, it did intersect 2.0 meters of 8.33 g/t gold in the Discovery Zone. Hole BC-04-60 split the difference between holes 56 and 59, but also passed above the East Lobe mineralization, encountering no significant gold.

Section 20+320E, DDH BC-04-06, 10, 11, 12, 13, 16, 20 (Figure 24)

Holes BC-04-06 and BC-04-10 through BC-04-13 comprise a fan of holes drilled across the East Lobe from the south. Hole 06 cut 17.4 meters grading 8.03 g/t gold in the East Lobe, and also cut 2.7 meters of 2.21 g/t gold in the BC Vein. Hole 10 stepped down approximately 100 feet, and intersected 34.1 meters of 3.44 g/t gold in the East Lobe. It also encountered 1.0 meters of 8.61 g/t gold in a graphitic fault zone, with pyrite. The hole also crossed the BC Fault Zone at depth, but there was only minor quartz where the BC Vein normally lies. Hole BC-04-11 stepped down again, but the mineralization dropped off considerably, only returning 2.8 meters of 1.89 g/t gold. Holes BC-04-12 and BC-04-13 were further step-downs, and neither returned significant gold mineralization.

Hole BC-04-20 passes onto the section from the west, and is a deep test of the deposit, from the north (hanging wall) side. It found no significant mineralization.

Section 20+300E, DDH BC-04-16, 20, 21 (Figure 25)

BC-04-16 collared on this section, and was drilled to the southeast. The hole intersected significant gold mineralization, which is described on Section 20+380.

The upper part of BC-04-20 lies on this section, but contained no significant mineralization.

Hole BC-04-21 angled north from the 2480N Road, and cut 22.8 meters of 12.06 g/t gold in the East Lobe.

Section 20+280E, DDH BC-04-25 (Figure 26)

Hole BC-04-25 was angled south from the 2480N Road, and intersected 1.9 meters of 1.51 g/t gold in a quartz vein. The object of the hole is unknown, but possibly to check whether the ore zone folds back to the south at depth.

Section 20+260E, DDH BC-04-07, 08, 23, 27, 28, 30, 33, 37 (Figures 27-A & 27-B)

Holes BC-04-07 and 08 were drilled to the north from the 2480N Road and the 2380N Road, respectively, with hole 08 being a step-down from hole 07, which cut 15.2 meters of 18.53 g/t gold in the East Lobe. The hole also intersected 25 meters of scattered 1-2 g/t gold deeper in the hole, possibly in the position of the Discovery Zone. The hole also intersected 3.0 meters of 5.81 g/t gold in the BC Vein. Hole BC-04-08 cut 13.7 meters of 3.44 g/t gold in the East Lobe approximately 100 feet below the hole 07 intercept.

The fan of holes BC-04-23 through 27 further delineated the East Lobe, with holes 23 and 27 both cut strong mineralization. Hole 23 intersected 43.1 meters of 13.65 g/t gold and a lower zone of 6.1 meters of 37.25 g/t gold. Hole 37 cut 12.2 meters of 25.43 g/t gold and a lower zone of 18.9 meters of 2.15 g/t gold. Hole BC-04-28 contained only a minor intercept of 7.9 meters of 1.15 g/t gold, near the surface. BC-04-30 started out as a deep test, but was terminated for management reasons at about 100 meters. The hole was offset and re-drilled by hole BC-04-33, which was taken to 313 meters. The hole intersected lengthy zones of 5% pyrite, and contained an intercept of 22.1 meters of 1.45 g/t gold. Hole BC-04-37 angled to the north, testing the BC Vein and fault zone, but found no significant mineralization. Hole BC-04-43 tested the Discovery Zone target, and intersected 1.8 meters of 10.70 g/t gold.

BC-04-32 and BC-04-34 Stope Probe Holes (Figures 15-A, 39 and 40)

Following the failure of the 20+100E stope, and its caving to the surface, holes BC-04-32 and BC-04-34 were drilled as probe holes into the two remaining stopes, to determine the lateral extent of any collapse. Both of these stopes appeared to be holding their integrity. Hole 32 contained no significant mineralization, but hole 34 returned 10.93 g/t gold over 14.5 meters.

BC-04-38, 39, 40, 41, 42 East Lobe – East Lobe - Longitudinal (Figures 15-A, 28 and 29)

Since most of the drilling had been done on a north-south grid, it was decided to drill longitudinal holes, from section 20+260E, along the apparent trend of the East Lobe. Hole BC-04-38 cut 18.7 meters of 5.96 g/t gold. Hole BC-04-39 was a 26 degree azimuth step-out, and intersected two small zones, 4.6 meters of 2.36 g/t gold and 4.4 meters of 2.60 g/t gold. Hole BC-04-40 split the difference in azimuth of the preceding two holes, and made substantial cuts of 12.0 meters of 11.73 g/t gold and 22.9 meters of 6.46 g/t gold. With the strong mineralization in hole 40, hole BC-04-41 was drilled as an offset closer to the surface. It cut 21.0 meters at 6.76 g/t gold. Hole BC-04-42 was drilled as a step-out to the north of hole 38, but contained no significant mineralization.

BC-04-44, 45, 46, 47 Discovery Zone - Longitudinal (Fig's. 15, 28,29,30-A & B and 31)

As a continuation of the effort to get longitudinal data, and to fill in some data gaps in the Discovery Zone, holes BC-04-44 through 47 were drilled to the northwest from section 20+260E. Hole BC-04-44 cut 7.2 meters of 4.6 g/t, followed by another intercept of 6.1 meters of 2.24 g/t gold. Hole BC-04-45 stepped down, and cut 7.1 meters of 3.94 g/t gold. Hole BC-04-46 was directed further to the northwest, and cut two strong zones of gold mineralization. The upper zone, from 6.7 meters to 35.7 meters in the hole, carried 13.83 g/t over 29.0 meters, and included abundant limonitic quartz vein. This included a 10.7 meter zone of 34.14 g/t gold. A deeper zone, from 44.7 meters to 55.4 meters, assayed 31.76 g/t over 10.7 meters. There was also a third zone further down the hole, which carried 3.52 g/t gold over 12.2 meters. Hole BC-04-47 stepped up from hole 46, and intersected 12.2 meters of 4.59 g/t gold, followed by a deeper intercept of 21.9 meters of 4.84 g/t gold.

BC-04-48 Main Zone – East Lobe Gap - Longitudinal (Figure 15-A)

Hole BC-04-48 was drilled as a longitudinal hole to the southwest from section 20+260E, to help understand the apparent gap in mineralization between the Main Zone and the East Lobe. The hole cut 4.6 meters near the surface, with silicification and quartz veinlets, that assayed 31.17 g/t gold. This likely correlates with the high grade zone near the top of hole 46, and indicates a northerly trending siliceous zone with high grade, that may be a feeder structure. Further down in the hole, 6.1 meters assayed 2.82 g/t gold.

BC-04-49 Longitudinal of SE Lobe (Figure 15-A)

Hole BC-04-49 was collared southeast of the East Lobe, and drilled to the northwest, back through the mineralized zone. It intersected 45.3 meters grading 5.28 g/t gold.

BC-04-50 Southeast Probe (Figure 15-A)

Hole BC-04-50 collared on section 20+700E and drilled at an azimuth of 64 degrees, for a longitudinal test to the east of the known mineralization. The hole penetrated alternating zones that were argillite-rich and quartzite-rich, but did not encounter significant mineralization. Some pyrrhotite and chalcopyrite were logged.

BC-04-35 and BC-04-36 East Lobe diagonal holes from 2,480N Road (Figure 15-A)

Hole BC-04-35 was collared on the 20+200E section, and drilled to the northeast, as a semi-longitudinal test of the East Lobe mineralization. The hole was lost in a fault zone, and BC-04-36 was offset to a more shallow dip, and continued to test the target. The hole encountered 25.9 meters of 3.87 g/t gold.

Section 19+700E, DDH BC-04-19, 22, 24 and 26 (Figure 47)

Holes BC-04-19, 22, 24 and 26 were drilled in a fan pattern, as a step out along trend to the west of the Bonanza Ledge deposit. The holes intersected no significant mineralization.

11.1.3 Waste Dump Condemnation (Figure 48)

11.1.3.1 Procedure

The lower part of the dump was condemned by fans of three core holes each, on three sections 200 feet apart, at 19+000E, 19+200E and 19+400E. Two core holes were also drilled higher on the mountain side, to condemn the upper part of the waste dump area. A total of 4,047 feet was drilled in 11 holes, with the entire length of each hole being assayed. On each of the three sections, a hole was drilled at -45 degrees south, vertical, and -45 degrees to the north.

11.1.3.2 Results

Section 19+400E, DDH BC-04-61, 62, 63 (Figure 49)

The three holes contained no significant mineralization.

Section 19+200E, DDH BC-04-64, 65, 66 (Figure 50)

The three holes contained no significant mineralization.

Section 19+000E, DDH BC-04-67, 68, 69 (Figure 51)

Holes BC-04-67 and BC-04-68 contained no significant mineralization. Hole BC-04-69 intersected 3.3m grading 29.9 g/t gold, in a pyritic zone in the BC Vein. While this is a substantial intercept, its depth below the surface of 41 meters (135 feet) precludes mining by open pit. It does, however, add to the resource in the BC Vein, which may be

economic to mine from underground. Hole 69 also contained two other small intercepts, much deeper in the hole.

Hole BC-04-70 (Figure 48)

Several pyritic quartz veins were intersected, which contained several g/t of gold, including a deep cut through the BC Vein, which assayed 10.6 g/t over 3.4 meters. This intercept was also too deep to consider mining from the surface.

Hole BC-04-71 (Figure 48)

This hole contained no significant mineralization.

The drilling was successful in condemning the ground for a waste dump.

11.1.4 Surface Drilling - Oriented Core Geotechnical Holes

11.1.4.1 Procedure (Figure 15-A)

Six holes were drilled to provide geotechnical data along the north and south proposed Bonanza Ledge pit walls (Figure 48). A total of 666m (2,185ft) of NQ core was drilled. Detailed information about fracture characteristics was recorded, including measuring the true orientation of the fracture in space. To determine the orientation, an off-center weighted tool was lowered down the hole after core runs, with a ball of plasticine in the end to make an impression of the next piece of core in the next run. This impression was then set aside until the next core run was brought out, and then the first piece was lined up with the impression in the plasticine, and the "top" line marked on the core. Back in the core shed, the core was oriented with respect to a large piece of grid paper, for azimuth and dip. A laser was then used to project the plane from the planar surface of the fracture to a line on the grid paper on the table top. A strike line was then drawn on the paper, and the azimuth measured. The data was converted to dip and dip direction, for plotting on a lower hemisphere stereo net.

After the geotechnical logging was complete, mineralized zones were cut with a diamond saw, sampled and assayed, as described in section 9.1.1.

11.1.4.2 Results – DDH BC-04-78, 79, 80, 81, 82 and 83

The geotechnical data has yet to be plotted, however, RQD data suggests a moderate to poor rock quality for the pit wall. A complete pit wall stability report will be prepared.

Hole BC-04-78, drilled on the southeast side of the proposed pit, encountered zones of pyrite mineralization, however, there were no significant intercepts.

Hole BC-04-79, drilled on the southwest side of the proposed pit, found no significant mineralization.

Hole BC-04-80, drilled in the centre of the north wall of the proposed pit, was drilled deep enough to penetrate the BC Vein and fault, and test the Discovery Zone in an area of insufficient drilling data. The hole returned an intercept of 7.6 meters of 6.8 g/t gold pyritic sericitic phyllite in the Discovery Zone. (Figure 34)

Holes BC-04-81 through 83 were drilled entirely within the hangingwall of the BC fault and vein, in the hangingwall phyllite. The rock was chloritic and contained abundant magnetite porphyroblasts. The holes encountered no significant mineralization.

11.1.5 Surface Drilling - Goldfinch Target Exploration (Figure 52)

Six holes were drilled between the BC Shaft and the Goldfinch Fault to explore a 700 foot gap between drill holes in the same stratigraphic position as the Bonanza Ledge deposit (Figure 52). Two fans of three holes each tested for pyritic replacement mineralization in the footwall of the BC Vein and fault zone. This area was also near the shallow pit just west of the shaft that produced 400 tons of 2 opt gold ore. The drill logs and assays are located in Appendix XII.

11.1.5.1 Goldfinch Results (Table 2)

Section 18+600E, DDH BC-04-75, 76, 77 (Figure 53)


Holes BC-04-75, BC-04-76 and BC-04-77 cut mostly argillite, with lesser amounts of siltite and quartzite. The holes contained very spotty anomalous gold, with the best sample being 3.45 g/t gold, at 114 meters down in hole 76.

Section 18+500E, DDH BC-04-72, 73, 74 (Figure 54)

Hole BC-04-72, a nearly vertical hole, was drilled next to the outcrop of the BC Vein and fault zone. The upper part of the hole contained a low-grade gold intercept of 22.9 meters of 1.90 g/t in sheared, graphitic argillite and quartz vein.

Hole BC-04-73 penetrated calcareous argillite, with zones of graphite and fuchsite, and some silicification. Two zones of mineralization were intersected, both with strong pyrite. The upper zone, was very fine grained pyrite, together with a quartz vein, which assayed 21.70 g/t gold over 3.7 meters. The nearest drill hole to this intercept is 21 meters away. The lower mineralized zone contained 2.8 meters of 15 to 20% pyrite, but only assayed 0.93 g/t gold.

Hole BC-04-74 contained spotty anomalous gold, however, it cut a 22.7 meter zone of replacement pyrite, ranging from 7% to 20%, between 110 and 133 meters. This intercept should be offset closer to the surface.






Table 2 Goldfinch Target - Surface Drill Results (all results as weighted averages).

| DDH | North (ft) (mine) | East (ft) (mine) | Elev. (ft) | Az. (mine) | Dip | Depth (ft) | From (ft) | To (ft) | Width (ft) | Width (m) | oz/t Au | g/t Au |
|----------|-------------------------|------------------------|---------------|---------------|-----|---------------|------------------------|------------|---------------|--------------|------------|-----------|
| BC-04-72 | 2718 | 18498 | 4936 | 285 | -89 | 387 | 22.0 | 97.0 | 75.0 | 22.9 | 0.06 | 1.90 |
| BC-04-73 | 2718 | 18498 | 4936 | 182 | -73 | 437 | 236.6 | 248.6 | 12.0 | 3.7 | 0.63 | 21.70 |
| BC-04-74 | 2718 | 18498 | 4936 | 182 | -47 | 517 | No significant results | | | | | |
| BC-04-75 | 2723 | 18601 | 4937 | 177 | -45 | 507 | No significant results | | | | | |
| BC-04-76 | 2714 | 18591 | 4938 | 186 | -74 | 477 | No significant results | | | | | |
| BC-04-77 | 2715 | 18591 | 4939 | 110 | -89 | 387 | No significant results | | | | | |

11.2 Underground Drilling (Figure 15-B)

11.2.1 Procedure

A total of 6023 m (19,792 feet) of underground diamond drilling in 73 holes (UG04-04 to 76) was completed on the Bonanza Ledge Zone during the 2004 exploration program. Drilling was carried out between January 4 and July 29, 2004 by F. Boisvenu Diamond Drilling Ltd., of New Westminster, British Columbia utilizing a Iydracore #1000 to drill BQTK core.

Drill core was delivered to a secure core compound in Wells for logging and sampling. A total of 2569 samples of core were sawn in half on site and sent to Eco Tech Laboratory Ltd., of Kamloops, British Columbia. All samples were analyzed for gold, by fire assay with an atomic absorption finish. The lab inserted standards and conducted repeat analyses of sample pulps and rejects. Lab procedures and results are outlined in Appendix VIII.

Underground drill hole specifications are summarized in Table 3, and the locations are shown on Figure 15-B. Underground drill logs are included in Appendix XIII, together with assays and summary sheets. Four vertical sections show detailed lithology and alteration, with gold results, and are denoted with an A and B. The remainder of the sections show gold results and lithology labels along the drill holes. Upgrading of the entire set of sections with detailed lithology and alteration interpretations is in progress. The sections are in pockets at the back of the report. The section numbers correspond to the Mine Grid Easting.

11.2.2 Results (Table 3)

The initial phase of the underground diamond drilling program was designed to define the Bonanza Ledge high-grade gold mineralization for a 10,000 ton bulk sampling program (UG03-01 to 03, and UG04-04 to 14). It was followed up by an exploration

TABLE 3 Underground Drill Results (all results as weighted averages).

| DDH | North (ft) (mine) * | East (ft) (mine) * | Elev. (ft) | Az. (mine) * | Dip | Depth (ft) | From (ft) | To (ft) | Width (ft) | Width (m) | oz/t Au | g/t Au |
|----------|------------------------|-----------------------|---------------|-----------------|-----|---------------|------------------------|------------|---------------|--------------|------------|-----------|
| UG-03-01 | 2509.02 | 20060.54 | 4687.46 | 355 | 10 | 208 | 87.2 | 153.4 | 66.2 | 20.2 | 0.39 | 13.31 |
| | | | | | | | 170.0 | 188.0 | 18.0 | 5.5 | 0.18 | 6.60 |
| UG-03-02 | 2509.53 | 20060.67 | 4688.44 | 354 | 22 | 207 | 82.0 | 153.1 | 71.0 | 21.7 | 0.38 | 13.07 |
| | | | | | | | 165.2 | 187.0 | 21.8 | 6.6 | 0.15 | 5.25 |
| UG-03-03 | 2507.20 | 20121.04 | 4687.15 | 360 | 10 | 252 | 71.0 | 146.2 | 75.2 | 22.9 | 0.32 | 10.82 |
| | | | | | | | 190.5 | 222.4 | 31.9 | 9.7 | 0.50 | 17.22 |
| UG-04-04 | 2507.51 | 20121.03 | 4688.41 | 359 | 21 | 251 | 80.0 | 212.6 | 132.6 | 40.4 | 0.32 | 10.85 |
| | | | including | | | | 98.0 | 137.0 | 39.0 | 11.9 | 0.93 | 31.96 |
| UG-04-05 | 2493.41 | 20032.71 | 4688.54 | 360 | 10 | 252 | 97.0 | 132.0 | 35.0 | 10.7 | 0.57 | 19.50 |
| | | | including | | | | 122.0 | 132.0 | 10.0 | 3.0 | 1.32 | 45.20 |
| | | | | | | | 167.0 | 202.0 | 35.0 | 10.7 | 0.07 | 2.57 |
| UG-04-06 | 2493.60 | 20032.73 | 4689.76 | 360 | 21 | 232 | 107.6 | 142.0 | 34.4 | 10.5 | 0.77 | 26.46 |
| UG-04-07 | 2538.38 | 20054.95 | 4688.23 | 18 | 11 | 172 | 57.0 | 117.0 | 60.0 | 18.3 | 0.67 | 23.04 |
| UG-04-08 | 2537.67 | 20054.67 | 4689.99 | 20 | 31 | 171 | 66.0 | 91.0 | 25.0 | 7.6 | 0.51 | 17.58 |
| UG-04-09 | 2575.51 | 20121.69 | 4687.18 | 343 | 10 | 103 | 0.0 | 69.6 | 69.6 | 21.2 | 0.50 | 17.16 |
| | | | including | | | | 63.0 | 69.6 | 6.6 | 2.0 | 3.27 | 112.00 |
| UG-04-10 | 2574.97 | 20121.85 | 4689.12 | 345 | 39 | 102 | 0.0 | 76.0 | 76.0 | 23.2 | 0.57 | 19.66 |
| | | | including | | | | 52.0 | 76.0 | 24.0 | 7.3 | 1.59 | 54.56 |
| UG-04-11 | 2575.81 | 20121.16 | 4687.31 | 16 | 12 | 104 | 4.0 | 68.5 | 64.5 | 19.7 | 0.37 | 12.54 |
| UG-04-12 | 2574.79 | 20120.89 | 4689.38 | 17 | 37 | 103 | 8.0 | 73.0 | 65.0 | 19.8 | 0.36 | 12.41 |
| | | | including | | | | 18.0 | 58.0 | 40.0 | 12.2 | 0.53 | 18.15 |
| UG-04-13 | 2595.62 | 20145.72 | 4686.23 | 27 | 2 | 63 | No significant results | | | | | |
| UG-04-14 | 2594.64 | 20145.24 | 4688.54 | 31 | 38 | 84 | 0.0 | 24.0 | 24.0 | 7.3 | 0.05 | 1.76 |
| UG-04-15 | 2492.86 | 19999.68 | 4689.61 | 360 | 10 | 278 | 104.8 | 133.0 | 28.2 | 8.6 | 0.20 | 7.01 |
| | | | | | | | 218.0 | 245.0 | 27.0 | 8.2 | 0.18 | 6.18 |
| UG-04-16 | 2491.96 | 19999.49 | 4686.71 | 355 | -38 | 274 | No significant results | | | | | |
| UG-04-17 | 2493.20 | 19999.57 | 4692.21 | 358 | 37 | 172 | 117.0 | 127.0 | 10.0 | 3.0 | 0.97 | 33.21 |
| | | | | | | | 157.0 | 167.0 | 10.0 | 3.0 | 0.08 | 2.58 |
| UG-04-18 | 2486.79 | 19958.79 | 4688.97 | 0 | 10 | 273 | 238.0 | 243.0 | 5.0 | 1.5 | 0.04 | 1.25 |
| UG-04-19 | 2487.44 | 19959.00 | 4692.79 | 0 | 36 | 180 | 105.0 | 130.0 | 25.0 | 7.6 | 0.07 | 2.34 |
| UG-04-20 | 2490.61 | 19926.26 | 4688.60 | 0 | 10 | 273 | 63.0 | 68.0 | 5.0 | 1.5 | 0.20 | 6.80 |
| | | | | | | | 143.0 | 163.0 | 20.0 | 6.1 | 0.05 | 1.64 |
| UG-04-21 | 2490.02 | 19926.18 | 4691.07 | 1 | 36 | 183 | 132.0 | 158.0 | 26.0 | 7.9 | 0.06 | 2.06 |
| UG-04-22 | 2490.80 | 19886.70 | 4689.40 | 0 | 10 | 274 | No significant results | | | | | |
| UG-04-23 | 2490.28 | 19886.42 | 4692.03 | 3 | 36 | 178 | No significant results | | | | | |
| UG-04-24 | 2489.53 | 20102.21 | 4683.41 | 1 | -31 | 372 | 67.0 | 102.0 | 35.0 | 10.7 | 0.15 | 5.31 |
| | | | | | | | 164.9 | 202.0 | 37.1 | 11.3 | 0.12 | 4.06 |
| | | | | | | | 212.0 | 227.0 | 15.0 | 4.6 | 0.10 | 3.59 |
| | | | | | | | 293.0 | 317.0 | 24.0 | 7.3 | 0.05 | 1.68 |
| UG-04-25 | 2488.60 | 20102.30 | 4682.28 | 1 | -50 | 249 | 60.1 | 84.0 | 23.9 | 7.3 | 0.13 | 4.49 |
| | | | | | | | 94.0 | 129.0 | 35.0 | 10.7 | 0.10 | 3.32 |
| UG-04-26 | 2492.66 | 20031.96 | 4683.80 | 1 | -33 | 378 | 78.0 | 133.0 | 55.0 | 16.8 | 0.20 | 6.79 |
| UG-04-27 | 2492.66 | 20031.96 | 4683.80 | 0 | -45 | 488 | 69.1 | 128.0 | 58.9 | 18.0 | 0.24 | 8.37 |
| | | | including | | | | 69.1 | 103.0 | 33.9 | 10.3 | 0.39 | 13.20 |
| UG-04-28 | 2575.00 | 20120.00 | 4687.00 | 0 | -5 | 213 | 0.5 | 13.0 | 12.5 | 3.8 | 0.16 | 5.65 |
| | | | | | | | 28.0 | 71.1 | 43.1 | 13.1 | 0.17 | 5.88 |
| | | | | | | | 117.2 | 162.6 | 45.4 | 13.8 | 0.06 | 2.16 |
| UG-04-29 | 2575.00 | 20120.00 | 4687.00 | 0 | -20 | 224 | 4.0 | 24.0 | 20.0 | 6.1 | 0.17 | 5.83 |
| | | | | | | | 39.0 | 93.3 | 54.3 | 16.6 | 0.24 | 8.28 |
| | | | | | | | 131.7 | 139.0 | 7.3 | 2.2 | 0.26 | 9.01 |
| UG-04-30 | 2575.00 | 20120.00 | 4687.00 | 0 | -40 | 278 | 0.0 | 108.0 | 108.0 | 32.9 | 0.26 | 8.75 |
| | | | including | | | | 73.0 | 103.8 | 30.8 | 9.4 | 0.65 | 22.45 |
| | | | | | | | 183.0 | 213.8 | 30.8 | 9.4 | 0.13 | 4.59 |
| UG-04-31 | 2478.00 | 20200.00 | 4665.00 | 0 | 0 | 247 | 182.0 | 220.6 | 38.6 | 11.8 | 0.38 | 13.13 |
| UG-04-32 | 2487.00 | 20200.00 | 4665.00 | 0 | 17 | 243 | 173.0 | 224.2 | 51.2 | 15.6 | 0.12 | 4.07 |
| UG-04-33 | 2487.00 | 20200.00 | 4665.00 | 0 | 33 | 222 | 203.7 | 222.0 | 18.3 | 5.5 | 0.11 | 3.71 |
| UG-04-34 | 2487.00 | 20200.00 | 4665.00 | 23 | 0 | 242 | 112.0 | 149.5 | 32.5 | 9.9 | 0.50 | 16.98 |
| UG-04-35 | 2487.00 | 20200.00 | 4665.00 | 43 | 0 | 268 | 128.6 | 183.0 | 54.4 | 16.6 | 0.24 | 8.23 |

* Mine Grid North = N43°E

TABLE 3 Underground Drill Results (all results as weighted averages).

| DDH | North (ft) (mine) * | East (ft) (mine) * | Elev. (ft) | Az. (mine) * | Dip | Depth (ft) | From (ft) | To (ft) | Width (ft) | Width (m) | oz/t Au | g/t Au |
|----------|------------------------|-----------------------|---------------|-----------------|-----|---------------|--------------------------------------|------------|---------------|--------------|------------|-----------|
| UG-04-36 | 2487.00 | 20200.00 | 4665.00 | 0 | -38 | 389 | 74.0 | 119.0 | 45.0 | 13.7 | 0.13 | 4.42 |
| | | | | | | | 321.5 | 339.0 | 17.5 | 5.3 | 0.25 | 8.41 |
| UG-04-37 | 2487.00 | 20200.00 | 4665.00 | 0 | -15 | 274 | 104.0 | 164.5 | 60.5 | 18.4 | 0.15 | 5.18 |
| | including | | | | | | 149.0 | 164.5 | 15.5 | 4.7 | 0.45 | 15.56 |
| | | | | | | | 199.0 | 229.0 | 30.0 | 9.1 | 0.07 | 2.46 |
| UG-04-38 | 2486.65 | 20140.01 | 4681.15 | 355 | -39 | 498 | 58.0 | 81.4 | 23.4 | 7.1 | 0.20 | 6.76 |
| | | | | | | | 108.0 | 148.0 | 40.0 | 12.2 | 0.16 | 5.42 |
| | | | | | | | 153.0 | 168.0 | 15.0 | 4.5 | 0.07 | 2.48 |
| | | | | | | | 469.2 | 498.0 | 28.8 | 8.8 | 0.11 | 3.70 |
| UG-04-39 | 2487.03 | 20140.09 | 4682.00 | 358 | -23 | 353 | 83.0 | 273.0 | 153.2 | 46.7 | 0.28 | 9.73 |
| | including | | | | | | 235.8 | 250.0 | 14.2 | 4.3 | 0.70 | 23.90 |
| UG-04-40 | 2487.05 | 20140.06 | 4683.13 | 359 | -6 | 278 | 83.0 | 93.0 | 10.0 | 3.0 | 0.06 | 1.98 |
| | | | | | | | 128.0 | 183.0 | 55.0 | 16.8 | 0.26 | 9.07 |
| | | | | | | | 223.0 | 251.9 | 28.9 | 8.8 | 0.15 | 5.11 |
| UG-04-41 | 2484.13 | 20140.21 | 4680.78 | 0 | -60 | 539 | 61.4 | 124.0 | 53.5 | 16.3 | 0.16 | 5.41 |
| UG-04-42 | 2462.77 | 20159.25 | 4676.46 | 359 | -43 | 360 | 74.0 | 99.0 | 25.0 | 7.6 | 0.11 | 3.62 |
| | | | | | | | 119.0 | 209.0 | 90.0 | 27.4 | 0.11 | 3.74 |
| UG-04-43 | 2484.46 | 20136.10 | 4676.55 | 0 | -27 | 354 | 74.2 | 179.0 | 104.8 | 31.9 | 0.12 | 4.12 |
| | | | | | | | 211.8 | 237.2 | 25.4 | 7.7 | 0.09 | 3.24 |
| UG-04-44 | 2484.46 | 20136.10 | 4677.27 | 359 | -9 | 299 | 114.0 | 214.0 | 100.0 | 30.5 | 0.19 | 6.56 |
| | including | | | | | | 194.0 | 214.0 | 20.0 | 6.0 | 0.74 | 25.30 |
| | | | | | | | 265.0 | 282.9 | 17.9 | 5.5 | 0.38 | 12.99 |
| UG-04-45 | 2484.46 | 20136.10 | 4678.38 | 359 | 10 | 268 | 233.5 | 255.2 | 21.7 | 6.6 | 0.37 | 12.74 |
| UG-04-46 | 2437.32 | 20180.03 | 4670.07 | 0 | -45 | 489 | 140.4 | 149.0 | 8.6 | 2.6 | 0.12 | 3.95 |
| UG-04-47 | 2484.66 | 20136.10 | 4671.24 | 0 | -26 | 360 | 95.0 | 225.0 | 130.0 | 39.6 | 0.12 | 4.06 |
| | including | | | | | | 155.0 | 170.0 | 15.0 | 4.5 | 0.44 | 15.12 |
| UG-04-48 | 2437.99 | 20180.01 | 4671.53 | 23 | -15 | 315 | 100.0 | 115.0 | 15.0 | 4.5 | 0.05 | 1.81 |
| | | | | | | | 170.0 | 310.8 | 103.4 | 31.5 | 0.16 | 5.41 |
| | including | | | | | | 300.6 | 310.8 | 10.2 | 3.1 | 0.58 | 19.95 |
| UG-04-49 | 2438.81 | 20179.98 | 4672.96 | 0 | 10 | 88 | No significant results before target | | | | | |
| UG-04-50 | 2468.79 | 19961.18 | 4687.07 | 0 | -40 | 344 | No significant results | | | | | |
| UG-04-51 | 2487.00 | 19961.00 | 4687.00 | 355 | -14 | 349 | 154.0 | 169.0 | 15.0 | 4.6 | 0.09 | 3.04 |
| UG-04-52 | 2492.00 | 20000.00 | 4687.00 | 0 | -15 | 340 | 125.0 | 134.5 | 9.5 | 2.9 | 0.14 | 4.98 |
| UG-04-53 | 2494.00 | 20040.00 | 4686.00 | 0 | -14 | 300 | 94.0 | 165.0 | 71.0 | 21.6 | 0.28 | 9.69 |
| | Including | | | | | | 145.0 | 165.0 | 20.0 | 6.0 | 0.97 | 33.13 |
| | | | | | | | 219.9 | 270.0 | 50.1 | 15.3 | 0.09 | 3.25 |
| UG-04-54 | 2493.00 | 20080.00 | 4685.00 | 359 | -19 | 329 | 89.3 | 183.8 | 94.0 | 28.7 | 0.43 | 10.52 |
| | | | | | | | 216.8 | 275.0 | 58.2 | 17.7 | 0.06 | 2.16 |
| UG-04-55 | 2480.00 | 20080.00 | 4682.00 | 0 | -47 | 448 | 57.6 | 68.0 | 15.4 | 4.6 | 0.4 | 13.2 |
| UG-04-56 | 2491.30 | 19920.34 | 4689.44 | 4 | 1 | 350 | 145.0 | 155.0 | 10.0 | 3.0 | 0.16 | 5.52 |
| UG-04-57 | 2491.67 | 19920.35 | 4688.36 | 4 | -20 | 304 | 154.0 | 162.5 | 8.5 | 2.6 | 0.14 | 4.64 |
| UG-04-58 | 2491.60 | 19920.30 | 4686.84 | 3 | -40 | 474 | No significant results | | | | | |
| UG-04-59 | 2491.52 | 19920.23 | 4685.83 | 1 | -58 | 313 | No significant results | | | | | |
| UG-04-60 | 2490.00 | 19920.00 | 4685.00 | 0 | 60 | 105 | No significant results | | | | | |
| UG-04-61 | 2490.00 | 19880.00 | 4685.00 | 357 | -10 | 329 | 218.2 | 239.0 | 20.8 | 6.3 | 0.08 | 2.64 |
| UG-04-62 | 2490.00 | 19880.00 | 4685.00 | 0 | -30 | 369 | No significant results | | | | | |
| UG-04-63 | 2491.00 | 19886.00 | 4687.00 | 353 | -50 | 270 | No significant results | | | | | |
| UG-04-64 | 2491.00 | 19884.00 | 4686.00 | 300 | -49 | 349 | No significant results | | | | | |
| UG-04-65 | 2491.09 | 19883.15 | 4687.14 | 301 | -29 | 468 | No significant results | | | | | |
| UG-04-66 | 2490.93 | 19883.39 | 4688.10 | 301 | -9 | 369 | No significant results | | | | | |
| UG-04-67 | 2490.59 | 19884.02 | 4689.21 | 303 | 10 | 323 | No significant results | | | | | |
| UG-04-68 | 2490.62 | 19884.12 | 4691.68 | 304 | 30 | 193 | No significant results | | | | | |
| UG-04-69 | 2492.91 | 19995.69 | 4691.32 | 352 | 23 | 148 | 118.0 | 138.4 | 20.4 | 6.2 | 0.58 | 20.06 |
| UG-04-70 | 2493.25 | 19995.68 | 4691.73 | 352 | 31 | 213 | 88.0 | 179.3 | 91.3 | 27.8 | 0.51 | 17.40 |
| | Including | | | | | | 128.0 | 143.0 | 15.0 | 4.6 | 1.82 | 62.50 |
| UG-04-71 | 2494.71 | 20026.30 | 4690.15 | 1 | 23 | 105 | No significant results | | | | | |
| UG-04-72 | 2495.07 | 20026.30 | 4691.98 | 0 | 34 | 200 | 110.0 | 116.8 | 6.8 | 2.1 | 0.18 | 6.28 |
| | | | | | | | 119.2 | 125.0 | 5.8 | 1.8 | 0.19 | 6.38 |
| UG-04-73 | 2495.56 | 20075.37 | 4687.50 | 1 | 21 | 125 | 157.7 | 175.0 | 17.3 | 5.3 | 0.17 | 5.83 |
| | | | | | | | 103.0 | 125.0 | 22.0 | 6.7 | 0.17 | 5.70 |

* Mine Grid North = N43°E

| TABLE 3 Underground Drill Results (all results as weighted averages). | | | | | | | | | | | | |
|--|--------------------------------|-------------------------------|-----------------------|-------------------------|------------|-----------------------|------------------------|--------------------|-----------------------|----------------------|--------------------|-------------------|
| DDH | North (ft) (mine) * | East (ft) (mine) * | Elev. (ft) | Az. (mine) * | Dip | Depth (ft) | From (ft) | To (ft) | Width (ft) | Width (m) | oz/t Au | g/t Au |
| UG-04-74 | 2494.89 | 20075.10 | 4689.95 | 356 | 40 | 124 | 115.6 | 119.0 | 3.4 | 1.0 | 0.08 | 2.87 |
| UG-04-75 | 2492.66 | 20131.96 | 4685.40 | 359 | 10 | 130 | 83.0 | 94.3 | 1.3 | 0.4 | 0.06 | 2.11 |
| | | | | | | | 95.3 | 107.3 | 12.0 | 3.7 | 0.22 | 7.48 |
| | | | | | | | 108.4 | 113.0 | 4.6 | 1.4 | 0.93 | 31.80 |
| UG-04-76 | 2491.49 | 20131.94 | 4688.06 | 2 | 35 | 130 | No significant results | | | | | |

* Mine Grid North = N43°E

drilling to extend the strike length and depth of mineralization for a potential 70,000 ton bulk-sample. Drilling was carried out on sections spaced 20 to 40 feet apart, from 19+880E to 20+260E (Mine Grid North), predominantly at right angles to the strike of mineralized zones, over a total length of 125 m (380 feet).

Bonanza Ledge Zone, site of the underground drilling program, is underlain by meta-siliciclastic rocks of Downey and Hardscrabble Mountain successions consisting predominantly of laminated to thinly bedded, dark grey to black, carbonaceous argillite (phyllite) intercalated with pale to medium grey quartzite. Gold mineralization is hosted in broad, semi-concordant, <10 m to 75 m (<30 to 250 feet) wide zones of alteration that imparts tan to mauve color to the host lithologies. The alteration consists of intense tan-colored sericite-carbonate (dolomite/ankerite)-pyrite in and adjacent to mineralized zones, to distal, less intense, dominantly mauve-colored, sericite-carbonate (siderite-magnesite)-chlorite-albite+/-pyrite (Rhys and Ross, 2001). Mineralization occurs in discrete, high grade pyritic zones, <5 to 80% pyrite, as very fine to medium grained disseminations, veinlets and foliation-parallel (S2), locally folded semi-massive to massive bands. In the structural footwall of the mineralized zone, host rocks are silicified, in the form of pale grey to white pervasive silicification or as closely spaced, narrow, light grey quartz veins and stringers. The hanging wall of the Bonanza Ledge Zone is formed by the BC Vein, a fault hosted quartz vein in graphitic phyllite. The true thickness of the vein/fault varies from <1 to 10 m (<3 to 35 feet) in the drill holes. Laminated, light grey-green, chlorite-sericite phyllite, locally magnetite porphyroblastic, occurs in the hanging wall of the BC vein/fault.

At least three distinct mineralized bodies are interpreted from the surface drilling (Paulter, 2004); from structurally lowest to highest (south to north), these are referred to as the Footwall, Main and Discovery Zones, shown in the plan view in Figures 27, 30, 33 and 38. The Main Zone occurs in the central area and is generally bounded by late, sub vertical to steeply north dipping graphitic faults. The Discovery Zone, often semi-concordant to S2 foliation, occurs in the structural footwall of the BC vein/fault, commonly within <5 to 20 m (<10-30'). The Footwall Zone is localized in the footwall of the Main Zone with its south contact formed by a graphitic fault structure. On some sections, distribution of gold values is sporadic and discontinuous, with mineralized zones overlapping. On other sections, three ore lenses may be interpreted.

The summary of significant gold intersections, calculated as weighted averages, is found in Table 3. The assay results discussed in the text below are also reported as weighted averages, with g/t Au over widths in meters.

Section 19+880E, DDH UG04-22, 23, 61 to 68 (Figure 45)

Ten holes were collared on this section, from which five, UG04-64 to 68, were drilled off-section in the northwesterly direction. Several zones of typical Bonanza Ledge style, tan to lesser mauve, sericite-dolomite (+/-ankerite) alteration, about 10 to 35 m (35 to 110 feet) in width, and <5% pyrite in UG04-22 and 23 and <30% pyrite in UG04-61 to 64, were intersected. Generally, there is no significant mineralization associated with the alteration in these drill holes. Only two weakly mineralized intersections are

reported, 2.64 g/t Au over 6.3 m in UG04-61 and 1.53 g/t Au over 0.3 m from a discrete quartz-lesser dolomite vein with 5-7% pyrite in the silicified footwall of the Main Zone, in UG04-23.

Most of the assays from five off-section holes returned <0.03 g/t Au with the exception of one intercept which carried 1.37 g/t Au/0.5 m from a narrow interval of cm/mm scale quartz>dolomite stringers and 20% pyrite (UG04-66).

Section 19+920E, DDH UG04-20, 21, 56 to 60 (Figure 44)

Seven holes were collared on this section targeting the strike and the depth extent of gold mineralization. Narrow widths of weak mineralization are reported in shallower holes, 1.64 g/t over 6.1 m (UG04-20), 2.06 g/t over 7.9 m (UG04-21), 5.52 g/t over 3 m (UG04-56) and 4.64 g/t over 2.6 m (UG04-57). Gold intercepts define a sub-vertical to steeply north dipping Main Zone that decreases in thickness with depth, between the 4790 and 4630-foot levels. Two holes UG04-58 and 59, drilled to the 4380 and 4415 foot levels, respectively, intersected broad zones of sericitization and dolomitization, to 75 m (250') in thickness, however, assays returned insignificant gold contents (<0.03 to 0.21 g/t Au). Hole UG04-60 targeted the mineralization at the shallower depth than UG04-21. However, it was collared at to steep of angle (+60°) to intercept the Main Zone. No significant mineralization is reported.

Section 19+940E, DDH UG04-51 (Figure 43)

Hole UG04-51 was collared on section 19+960E and drilled slightly off-section. It intersected a narrow, weakly mineralized Main Zone at approximately 4645-foot level. Gold values returned 3.04 g/t over 4.6 m. The host-rock is a typical laminated, mauve, sericite-carbonate (dolomite/ankerite)-pyrite (5-15%) altered argillite (phyllite).

Section 19+960E, DDH UG04-18, 19, 50, 51 (Figure 42)

Four holes were drilled on this section. UG04-18 and 19, targeted gold mineralization at the shallow depths, and UG04-50 and 51, tested for the deposit depth extent. Narrow zones of mineralization were intercepted, 2.34 g/t Au over 7.6 m (UG04-19) and 4.38 g/t Au over 1.5 m (UG04-18), defining a steeply north dipping Main Zone that decreases in thickness with depth, between 4765 and 4715-foot levels. Hole UG04-50 drilled underneath the other holes on this section, to a elevation of 4360 feet, did intersect more than a 60 m (200') wide zone of typical Bonanza Ledge style sericite-dolomite (ankerite)-pyrite alteration without any associated mineralization.

Hole UG04-18 also intersected a narrow interval of 1.25 g/t Au/1.5 m, in the footwall of the BC vein/fault at 4730-foot levels (Discovery Zone).

Section 19+980E, DDH UG04-16, 69, 70 (Figure 41)

One exploration hole, UG04-16, and two geotechnical holes, UG04-69 and 70, were collared on the section 20+00E but drilled slightly off-section.

Holes UG04-70 and 69 intersected the Main Zone, grading 17.4 g/t Au over 27.3 m, including a high grade section of 62.5 g/t Au over 4.6 m and 20.06 g/t Au over 6.2 m, respectively. Surface drill hole BC2K-08 (2000 drilling), drilled on the same section, intersected only narrow, 5-15' intervals of generally weaker gold mineralization, below 2004 holes. The Main Zone substantially decreases in thickness between 4780 and 4705-foot levels. Hole UG04-16 tested for the depth extent of mineralization to the 4510-foot level, and intersected tan and mauve, moderately to strongly sericite-dolomite altered argillite and quartzite, 57 m (186') in thickness, with associated banded and disseminated pyrite (<1 to 3%). No significant mineralization is reported.

Section 20+000E, DDH UG04-15, 16*, 17, 52, 69*, 70* (Figure 40)

*discussed on previous section

Four exploration holes, UG04-15 to 17, 52, and two geotechnical holes, UG04-69 and 70, were collared on this section.

Holes UG04-15 and 17, designed to test for mineralization close to the surface, intersected 7.01 g/t Au over 8.6 m and 33.21 g/t Au over 3 m, respectively. The ore grade intersections from these holes and one surface hole, BC2K-28 (2000 drill program), define a steeply north dipping, semi-concordant Main Zone that expands from 3 m to almost 9 m and decreases to 3 m with depth between 4770 and 4610-foot levels. Hole UG04-52, targeting the depth extent of mineralization, was not drilled deep enough (to 4400-foot level) to intercept the Main Zone. However, it encountered the Footwall Zone at the 4575-foot level, assaying 4.98 g/t over 2.9 m. Several other narrow zones of low grade mineralization were also intersected in this hole, interpreted as the Footwall Zone. These assayed 1.37 g/t Au/0.85 m to 3.75 g/t Au/2.2 m. The Discovery Zone, grading 6.18 g/t Au over 8.2 m was intersected in hole UG04-15, within about 7 m from the BC vein/fault contact.

Section 20+020E, DDH UG04-71, 72 (Figure 39)

Two holes, UG04-71 and 72, collared on this section, were drilled for geotechnical data. Hole UG04-72 contained several intersections of Main Zone mineralization, between 4750 and 4790-foot levels. Gold assays graded about 6.3 g/t Au over 3.9 m and 5.83 g/t over 5.3 m. Surface holes from 2000 drilling, BC2K-26 and 27, intersected the Main Zone to the 4610-foot level (14.1 g/t Au over 6.1 m). Hole UG04-71 was not drilled long enough to intercept the Main Zone.

Section 20+040E, DDH UG 03-01, 02, UG04-05, 06, 26, 27, 53 (Figure 38)

Two definition holes, UG03-05, 06, and three exploration holes, UG04-26, 27, and 53 were collared on this section. Holes UG03-01 and 02 are also definition holes, collared on this section.

Holes UG03-01, 02, UG04-05 and 06 were designed to define the high grade portions of the Main Zone on section 20+040E, to be mined for the 10,000 ton bulk sample. Medium to high gold values are reported over broad zones from all four holes; 13.31 g/t Au over 20.2 m (UG 03-01), 13.07 g/t Au over 21.7 m (UG 03-02), 19.5 g/t over 10.7 m, including 45.2 g/t over 3 m (UG04-05) and 26.46 g/t over 10.5 m (UG 04-06) between 4705 and 4745 foot-levels.

Three exploration holes, UG04-26, 27, and 53, were drilled targeting the depth extent of the Main Zone at various levels below the 040E stope. Hole UG04-53 intersected 9.6 g/t Au over 21.6 m at 4650-foot level. Holes UG04-26 and 27, drilled beneath this hole to a levels of 4475 and 4335 feet, respectively, did not encounter any significant mineralization.

Holes UG03-01, 02 and 53, intersecting 6.6 g/t Au over 5.5 m, 5.25 g/t Au over 6.6 m and 3.2 g/t Au over 15.3 m, respectively, define a Discovery Zone which ranges from 5.5 to 12.2 m (18'-40') in thickness, between the 4760 and 4620-foot levels. This zone is interpreted as steeply northerly dipping and roughly semi-concordant to S2 foliation, within 12 to 18 m from the southern contact of the BC vein/fault. The zone widens with depth, however, it is absent at deeper levels (in holes UG04-26 and 27).

Footwall Zone was intersected in holes UG04-26 and 27 to a level of 4590 feet with gold values grading 6.79 g/t over 16.8 m and 8.37 g/t over 18 m, respectively. The ore grade intersection, 6.46 g/t over 4.5 m, in the upper part of hole UG04-53 may also be included in the Footwall Zone (4660-foot level). The distribution of gold intercepts suggests that this zone has a southerly dip.

Section 20+060E, DDH UG03-01*, 02*, UG04-07, 08**, 74 (Figure 37)**

*discussed on previous section, **discussed on following section

Four holes, UG03-01, 02, UG04-07 and 08, collared on this section, were drilled during the definition phase and outlined the high grade portion of the Main Zone for the bulk sampling, similarly to the previous section. Hole UG04-74 was drilled for geotechnical data, above holes UG03-01 and 02.

Hole UG04-74 intersected 2.87 g/t over 1 m (at 4765-foot level). It was not drilled long enough to intersect the Main Zone, probably just touching its western boundary.

Five surface drill holes, BC03-11, 12, 22, 26 and BC2K-29, from 2000 and 2003 drilling programs, intersected the Main Zone to the 4590-foot level, more than 200 feet from the surface and almost 100 feet below the 4685 level of the bulk-sample workings.

Section 20+080E, DDH UG04-07, 08, 54, 55, 73 and 74* (Figure 36)

*discussed in the above section

Four holes were collared on this section. Two, UG04-54 and 55, were exploration holes and two (UG04-73 and 74), were geotechnical holes. Two holes, UG04-07 and 08,

drilled off-section, were designed during the definition phase for the bulk sample extraction.

Holes UG04-07 and 08 intersected high grade mineralization assaying 23.04 g/t Au over 18.3 m and 17.58 g/t Au over 7.6 m, respectively, between the 4700 and 4730-foot levels. The geotechnical hole UG04-73 intersected the Main Zone at the 4730-foot level. Assays returned 5.7 g/t Au over 6.7 m. Hole UG04-54 exploring the depth extent of the Main Zone, intersected a broad zone, 28.7 m (94') in thickness, that assayed 10.52 g/t Au, to the 4625-foot level. Assays results from these underground holes, together with five surface holes (BC03-09, 10, 22, 26, BC2K-10), define a sub-vertical to steeply northerly dipping Main Zone, approximately 15 to 27 m in thickness, that thickens with depth, between the 4780 and 4615-foot levels. Hole UG04-55 was drilled underneath the other underground holes, to the 4355-foot level, but did not intersect the Main Zone at depth.

A discontinuous and weakly mineralized Discovery Zone, 17.7 m (58.2 ft) in thickness, was intersected in hole UG04-54. Assays returned 2.16 g/t Au.

Hole UG04-55 intersected the Footwall Zone, grading 13.2 g/t Au over 4.6 m. The zone is also defined by discontinuous gold mineralization from the surface drilling in holes BC2K-10 and BC01-09, to an elevation of 4555 feet. It is interpreted be sub-vertical to steeply south dipping.

Section 20+100E, DDH UG04-07*, 8* to 10, 24, 25 (Figure 35)

*discussed in previous section

Four holes UG04-07 to 10 were drilled as part of the definition drilling to define the highest grade gold mineralization within the Main Zone. Results were used to design the 100E stope for bulk sample extraction, as was done on section 20+040E. Holes UG04-24 and 25, collared on this section, were exploration holes targeting the depth extent of mineralization beneath the stope 100E.

Holes UG04-9 and 10 intersected the Main Zone, returning 17.16 g/t Au over 21.2 m, including 112 g/t Au/2 m and 19.66 g/t Au over 23.2 m, including 54.56 g/t Au over 7.3 m, respectively, to the 4690 foot-level. Two weakly mineralized intervals of the Main Zone were intersected in UG04-24, assaying 4.06 g/t Au over 11.3 m and 3.59 g/t Au over 4.6 m. Ore grade intersections of five underground and four surface drill holes, BC02-08, 12, BC03-08 and 09, define a sub-vertical to steeply north dipping Main Zone, from about 17 to 27 m in thickness, that thickens with depth, between the 4780 and 4565-foot levels.

The Footwall Zone was intersected in holes UG04-24 and 25, grading 5.31 g/t Au over 10.7 m and 4.69 g/t Au over 7.3 m, respectively. A distribution of ore grade intersections from these two holes and one surface hole (BC02-12) suggest that this zone is steeply dipping to the south.

Weakly mineralized zones (Discovery Zone) were intersected in UG04-24 and UG04-38, assaying 1.68 g/t Au over 7.3 m and 3.7 g/t Au over 8.8 m, respectively. The gold intersection in UG04-38 is from the 4370 to the 4785-foot level.

Section 20+120E, DDH UG03-03, UG04-04, 09*, 10* to 12, 28 to 30, 38, 39** (Figure 34) *discussed on previous section, **discussed on following section

Four holes collared on this section, UG03-03, UG04-04, and 09 to 12, were drilled during the definition phase for the underground bulk sampling, and five holes, UG04-28 to 30, 38 and 39, were exploration holes targeting the depth extent of mineralization.

The assays returned 10.82 g/t Au over 22.9 m (UG03-03), 10.85 g/t over 40.4 m (UG04-04), 12.54 g/t Au over 19.7 m (UG04-11) and 12.41 g/t over 19.8 m (UG04-12). The gold-bearing intersections from eight underground and two surface drill holes (BC03-14, 25) define a roughly sub-vertical Main Zone, from 6 to 20 m (20'-70') in thickness, which thins with depth, between the 4790 and 4570-foot levels.

The Discovery Zones was intersected in holes UG03-03 (17.22 g/t Au over 9.7 m), UG04-4 (2.87 g/t Au over 10.7 m), UG04-28 (2.16 g/t Au over 13.8 m), UG04-29 (8.62 g/t Au over 2.1 m and 1.9 g/t Au over 3 m) and UG04-30 (4.59 g/t Au over 9.4 m). The gold intercepts from these holes define a steeply north dipping, semi-concordant (to S2 foliation), 6 to 9 m (20' to 35') wide mineralized zone, to a level of 4550 feet.

Section 20+140E, DDH UG04-11*, 12*, 13, 14**, 38 to 41, 75, 76** (Figures 33-A & B) *discussed on previous section, **on following section

This section contains the 140E stope, which was developed for bulk sampling. Four exploration holes, UG04-38 to 41, and two geotechnical holes, UG04-75 and 76, were collared on this section. The former were drilled underneath the stope 140E, testing for the depth extent of mineralization.

Numerous ore grade intersections of variable grade and thickness are reported; 5.42 g/t Au/12.2 m and 2.48 g/t Au/4.5 m in UG04-38, 9.73 g/t Au/46.7 m, including 23.9 g/t Au/4.3 m in UG04-39, 1.98 g/t Au/3 m and 9.07 g/t Au/16.8 m in UG04-40 and 5.41 g/t Au over 16.3 m in UG04-41. The gold intercepts define a wide zone of mineralization without an obvious separation between the Footwall and Main zones, between the 4740 and 4570-foot levels. The deepest hole, UG04-41, drill to the 4215-foot level, did not intersect any mineralization.

The Discovery Zone was intersected in two holes, UG04-39 (9.6 g/t Au/13.5 m) and UG04-40 (5.11 g/t Au/8.8 m). Gold values from these underground holes and three surface holes, (BC2K-03, 04 and 32), define the Discovery Zone as being semi-concordant to S2 foliation and about 4.5-12 m (15'-40') thick, to the 4600 foot level.

UG04-75 intersected three narrow zones of mineralization from 83' to 113' which returned 2.11 g/t Au over 0.4 m, 7.48 g/t Au over 3.7 m and 31.8 g/t over 1.4 m (Main

Zone). Hole UG04-76 did not intersect any significant mineralization, since it was not drilled long enough to reach the Main Zone.

Section 20+160E, DDH UG04- 13, 14, 42 to 45 (Figure 32)

Four holes, UG04-42 to 45, collared on this section, east of the bulk sample workings, were exploration holes testing for the strike and down dip extent of mineralization to the east. Holes UG04-13 and 14 were definition holes, drilled as part of the bulk sample program.

Hole UG04-13 did not intercept any significant mineralization, and only a weakly mineralized Main Zone was intersected in hole UG04-14. It assayed 1.76 g/t Au over 7.3 m. Several narrow intervals of mineralization were intersected in UG04-45, 12.74 g/t Au over 6.6 m, in the Discovery Zone adjacent to the contact with the BC vein/fault. Three holes, drilled underneath the definition holes, intersected various grades and widths of mineralization: 3.62 g/t Au over 7.6 m and 3.74 g/t Au over 27.4 m in UG04-42, 4.12 g/t Au over 31.9 m and 3.24 g/t Au over 7.7 m in UG04-43 and 6.56 g/t Au over 30.5 m, including 25.3 g/t Au over 6 m in UG04-44. On this section, distribution of gold values is generally discontinuous and spread out over wide intervals. The three mineralization zones (Main, Discovery and Footwall) are not easily discernible. The deepest hole, UG04-42, intersected the Main Zone to a level of 4530 feet.

Section 20+180E, DDH UG04- 46, 47 and 48 (Figure 31)

Three holes, UG04-46 to 48, were collared on this section. Hole UG04-46 was drilled at the steepest angle of the three, and mostly passed beneath the mineralization. It did intersect 2.6 m of 3.95 g/t Au. Holes 47 and 48 intersected mineralization spanning the region of the Main Zone and the Discovery Zone, and defined their width and grade. Hole UG04-47 cut 39.6 m grading 4.06 g/t Au. Hole UG04-48 intersected 31.5 m which assayed 5.41 g/t Au, including an intercept in the BC Vein of 3.1 m of 19.95 g/t Au.

Section 20+200E, DDH UG04-31 to 36 (Figure 30)

Five holes, UG04-31 to 36, were collared in the north drift, east of the bulk-sample stopes, targeting the eastern extension of mineralization along strike and down dip (easternmost section used for the underground drilling). Two of these holes, UG04-33 and 34, were drilled off-section, 023° and 043° azimuth, respectively, and therefore appear on the other sections to the east.

All the holes intersected some mineralization but generally of lower grade than on the previous sections to the west. Assays returned 13.13 g/t Au over 11.8 m in UG04-31, 4.07 g/t Au over 15.6 m in UG04-32, 3.71 g/t Au over 5.5 m in UG04-33, 16.98 g/t Au over 9.9 m in UG04-34, 8.23 g/t Au over 16.6 m in UG04-35 and two intercepts 4.42 g/t Au over 13.7 m and 8.41 g/t over 5.3 m in UG04-36. From distribution of gold values, it is suggested that three distinct zones of mineralization occur on this section, a narrow Footwall Zone between the 4685 and 4595-foot levels, a central Main Zone between the

4665 and 4575-foot levels and a Discovery Zone in the footwall of BC vein/fault, between the 4785 and 4450-foot levels.

12.0 CONCLUSIONS AND RECOMMENDATIONS

The 2004 drilling program at Bonanza Ledge completed the defining of the deposit, especially the bottom and the east end. Trenching provided the location of the bedrock surface, and demonstrated that the high grade mineralization found in drill holes at depth in pyritic zones, continues to the bedrock surface in oxidized rock. This data, combined with density measurements of the ore and waste, allowed the calculation of a resource and an economic analysis.

The Bonanza Ledge bulk sample program yielded important information toward the development of the deposit.

- The ore body is continuous, as suggested by surface drilling.
- The gold grade is highly variable.
- The rock quality and fault zones strongly indicate against developing the deposit by underground mining methods.
- The ore can be milled by floatation, however, the variability in the ore suggests that a small to medium capacity mill would be advantageous, in order to optimize recovery.

Additional metallurgical testing is needed, and is planned for 2005.

The late-2003 and 2004 drilling on the Myrtle property (see the 2004 drilling report by Daria Duba - Part C) returned moderate gold grades in narrow quartz-iron carbonate-pyrite veins and stringers. This style of mineralization has produced the bulk of the lode gold in the district. D. Duba believes that the Myrtle property has not been fully tested, and recommends data compilation, trenching and diamond drilling. Several targets are scheduled to be tested from the road constructed in 2004, in the eastern part of the property.

Soil geochemistry results for the lower part of the Lowhee Target extended the zone of anomalous gold by 2,500 feet to the north, from the previous 50 foot by 200 foot grid. An exploration road and drill sites are permitted and the area will be tested in 2005.

The road ditching on Cow Mountain exposed extensive alteration zones, and the channel sampling identified gold grades warranting follow-up drilling. Roads and pads have been permitted, and drill-testing is planned for 2005.

Drilling at the Goldfinch Target discovered high grade gold mineralization in massive pyrite, in proximity to the Goldfinch Fault. Follow-up drilling is planned for 2005.

In 2004, it was noted that a 2001 drill intercept, in the Waoming Fault area east of the Bonanza Ledge deposit, of 15 feet of 15.5 g/t gold (hole BC01-08) had never been offset. Follow-up drilling will be conducted in 2005.

Please see the conclusions and recommendations for the Island Mountain Gold Mines properties and the Myrtle Property, located in Parts B and C respectively.

APPENDIX I
REFERENCES

References

- British Columbia Minfile, (2003): 093H; Ministry of Energy and Mines.
- Andrew, A., Godwin, C.I. and Sinclair, A.J. (1983): Age and genesis of Cariboo gold mineralization determined by isotope methods (93H); in Geological Fieldwork 1982, British Columbia Ministry of Energy, Mines and Petroleum Resources, Paper 1983-1, pp. 305-313.
- Bolin, D.S. (1984): Report to Wharf Resources Ltd. on the Cariboo Gold Quartz Mine, Wells, British Columbia, Canada; 17 p. Unpublished report by Golder Associates for Wharf Resources Ltd.
- Bowman, A. (1889): Report on the geology of the mining district of Cariboo, British Columbia; Geological Survey of Canada, Annual Report for 1887- 1888, V. 3, pt. 1, pp. 1-49c.
- Bowman, A. (1895): Maps of the principal auriferous creeks in the Cariboo mining district, British Columbia; Geological Survey of Canada, Maps 364- 372.
- Campbell, D.D. (1966): Report on Potential of Ore Reserves and Production, Cariboo Gold Quartz Mine, Wells, British Columbia; Unpublished report by Dolmage Campbell & Associates Ltd. for Cariboo Gold Quartz Mining Company Limited.
- Campbell, D.D. (1969): Surface exploration and production potential of ore reserves and production, Cariboo Gold Quartz Mine, Wells, British Columbia; 28 p. Unpublished report by Dolmage Campbell & Associates Ltd. for Cariboo Gold Quartz Mining Company Limited.
- Cameron, R. and Fox, P.E. (1995): Summary Report on the Welbar Gold Project, Cariboo Gold District, Wells, British Columbia; 17 p. Unpublished report by Fox Geological Consultants Ltd. for Gold City Mining Corporation.
- Eyles, N. and Kocsis, S.P. 1989: Sedimentological controls on gold distribution in Pleistocene placer deposits of the Cariboo mining district, British Columbia; British Columbia Ministry of Energy, Mines and Petroleum Resources, Geological Fieldwork 1988, Paper 1989-1, pp. 377-385.
- Hall, R.D. 1999: Cariboo Gold Project at Wells, British Columbia. Unpublished report prepared for International Wayside Gold Mines Ltd.
- Hanson, G. 1935: Barkerville Gold Belt, Cariboo District, British Columbia. Geological Survey of Canada, Memoir 181, 42 p.
- Hart, S. 2001: Quesnel Highlands recreational and tourism overview. Report prepared by J.S. Hart and Associates Ltd., Tatla Lake, B.C. for the District of Wells, Wells, B.C. 32 p.
- Holland, S.S. 1976: Landforms of British Columbia: A Physiographic Outline. Bulletin 48. British Columbia Department of Mines and Petroleum Resources. 138 p.

- Johnston, W.A. and Uglow, W.L. 1926: Placer and vein gold deposits of Barkerville, Cariboo District, British Columbia; Geological Survey of Canada, Memoir 149.
- Jukes, A.H. 1971: Summary of current pertinent data, Barkerville-Wells Prospect, Cariboo District, British Columbia, Canada. Unpublished report for Mosquito Creek Gold Mining Company Limited.
- Kelly, J.A. 1983: Summary report on the 1983 surface exploration programs, Mosquito Creek, Wharf and Bralorne properties. Unpublished report for Mosquito Creek Gold Mining Company Limited
- Knight, J. and McTaggart, K.C. 1989: Lode and placer gold of the Coquihalla and Wells areas, British Columbia (92H,93H); British Columbia Geological Survey Branch, Exploration in British Columbia 1989, pp. 105-118.
- Krom, A.S. 1988: Exploration program for the Mosquito Project, Lyon Lake Mines Limited. Unpublished report for Lyon Lake Mines Limited.
- Laird, A. 1988: Cariboo Gold Quartz Property, 1988 Work Program Summary Report; 35 p. Unpublished report for Pan Orvana Resources Inc.
- Laird, A. 1990: Cariboo Gold Quartz Property, 1989 Work Program Summary Report; 11 p. Unpublished report for Pan Orvana Resources Inc.
- Levson, V.M., and Giles, T.R. 1993: Geology of Tertiary and Quaternary Gold-Bearing Placers in the Cariboo Region, British Columbia (93A, B, G, H); British Columbia Geological Survey Branch, Bulletin 89.
- Lord, T.M. and Green, A.J. 1985: Soils of the Barkerville area, British Columbia. Report No. 40 of the British Columbia Soil Survey. Soil Survey Unit, Land Resource Research Institute, Agriculture Canada, Vancouver. 79 p.
- Mason, E.E. 1973: Wharf Resources Limited Cariboo Gold Quartz Properties; 18 p. Unpublished report by Dolmage, Mason & Stewart Ltd. for Wharf Resources Ltd.
- Mason, E.E. and Guiguet, M. 1980: Properties and Operations 1933-1967 of the Cariboo Gold Quartz Mining Company Limited, Wells, B.C. Unpublished report for Wharf Resources Ltd.
- Pautler, J. 2004: Report on the 2003 Diamond Drill and Trenching Program on the Cariboo Gold Project – Wells, British Columbia; Report prepared for International Wayside Gold Mines Ltd.
- Pickett, J.W. 2002: Technical report on the 2002 exploration program of International Wayside Gold Mines Ltd. on the Myrtle Claim Group, Wells area, British Columbia. Report for International Wayside Gold Mines Ltd.

- Ray, G., Webster, I., Ross, K. and Hall, R. 2001: Geochemistry of Auriferous Pyrite Mineralization at the Bonanza Ledge, Mosquito Creek Mine and Other Properties in the Wells-Barkerville Area, British Columbia. British Columbia Ministry of Energy and Mines, Geological Fieldwork 2000, Paper 2001-1, p. 135-167.
- Rhys, D. 2001: Lode gold in the Cariboo: the Bonanza Ledge discovery of International Wayside Gold Mines. 2001 Cordilleran Roundup Abstracts p. 20-21.
- Rhys, D.A. and Ross, K.V. 2001: Evaluation of the geology and exploration potential of the Bonanza Ledge Zone and adjacent areas between Wells and Barkerville, east central British Columbia. Unpublished report by Panterra Geoservices Inc. for International Wayside Gold Mines Ltd.
- 2000: Report on Petrography, check sampling and geological interpretation of drill core at the Bonanza Ledge Zone, Cariboo Gold Quartz Property, British Columbia. Unpublished report by Panterra Geoservices Inc. for International Wayside Gold Mines Ltd.
- Richards, F. 1948: Cariboo Gold Quartz mine. In Structural Geology of Canadian Ore Deposits, Canadian Institute of Mining and Metallurgy, p. 162-168
- Skerl, A.C. 1948: Geology of the Cariboo Gold Quartz Mine, Wells, B.C. Economic Geology, v. 43, p. 571-597
- Smellie, D.W. 1962: Preliminary report, underground drill-hole electromagnetic survey, Cariboo Gold Quartz Mine, Wells, B.C. Unpublished report for the Cariboo Gold Quartz Mining Company Limited.
- Struik, L.C. 1986: Imbricated terranes of the Cariboo Gold belt with correlations and implications for tectonics in southeastern British Columbia; Canadian Journal of Earth Sciences, v. 23, pp.1047-1061.
- Struik, L.C. 1988: Structural geology of the Cariboo Gold Mining District, East-Central British Columbia. Geological Survey of Canada, Memoir 421, 100 p.
- Sutherland Brown, A. 1957: Geology of the Antler Creek area, Cariboo District, British Columbia. British Columbia Department of Mines, Bulletin No. 38, 105 p.
- Walton, G. 2003: Report for assessment, Cariboo Gold Project – Wells, British Columbia; Report prepared for International Wayside Gold Mines Ltd.
- 2002: Report for assessment, Cariboo Gold Project – Wells, British Columbia; Report prepared for International Wayside Gold Mines Ltd.

APPENDIX II

STATEMENT OF CLAIMS

APPENDIX II

STATEMENT OF CLAIMS

IWA Group of Crown-granted Mineral Claims

| Claim Name | Lot No. | Date Crown Granted |
|--------------------|---------|--------------------|
| BLACK BULL | 2F | November 26, 1874 |
| WAOMING | 42F | May 20, 1876 |
| AMERICAN | 92 | March 1, 1889 |
| CARIBOO | 93 | March 1, 1889 |
| ST. LAURENT | 94 | March 1, 1889 |
| GOLDFINCH NO.2 | 301 | October 7, 1901 |
| EAGLE FRACTION | 302 | October 7, 1901 |
| GLADSTONE | 303 | October 7, 1901 |
| GOLDFINCH | 318 | April 28, 1898 |
| PINKERTON | 356 | April 28, 1898 |
| OLYMPIC NO. 5 | 5862 | August 19, 1936 |
| OLYMPIC NO. 3 | 5863 | August 19, 1936 |
| OLYMPIC NO. 1 | 5864 | August 19, 1936 |
| OLYMPIC NO. 4 | 5865 | September 30, 1936 |
| OLYMPIC NO. 2 | 5866 | August 19, 1936 |
| CARIBOO NO. 7 | 5867 | August 19, 1936 |
| TELLURIDE FRACTION | 5868 | September 30, 1936 |
| OLYMPIC NO. 12 | 5869 | August 19, 1936 |
| EMMA FRACTION | 5870 | September 30, 1936 |
| EMMA | 5871 | August 19, 1936 |
| BULL MOOSE | 5872 | August 19, 1936 |
| SNOW STORM | 5873 | August 31, 1936 |
| CAMERON | 5874 | August 19, 1936 |
| CARIBOO TRAIL | 5875 | August 19, 1936 |
| APEX FRACTION | 5876 | September 30, 1936 |
| OLYMPIC FRACTION | 5877 | September 30, 1936 |
| OLYMPIC NO. 6 | 5878 | September 30, 1936 |
| OLYMPIC NO. 7 | 5879 | August 19, 1936 |
| OLYMPIC NO. 13 | 5880 | September 30, 1936 |
| OLYMPIC NO. 14 | 5881 | September 13, 1936 |
| OLYMPIC NO. 11 | 5882 | August 19, 1936 |
| OLYMPIC NO. 9 | 5883 | August 19, 1936 |
| OLYMPIC NO. 8 | 5884 | August 19, 1936 |
| OLYMPIC NO. 17 | 5885 | September 13, 1936 |
| OLYMPIC NO. 10 | 5886 | August 19, 1936 |
| OLYMPIC NO. 16 | 5887 | September 30, 1936 |
| OLYMPIC NO. 15 | 5888 | May 29, 1935 |

| Claim Name | Lot No. | Date Crown Granted |
|-------------------------|---------|--------------------|
| CARIBOO NO. 2 FRACTION | 5889 | September 30, 1936 |
| GOLD STANDANRD FRACTION | 5890 | December 9, 1936 |
| BULLION | 5891 | December 10, 1938 |
| GOLD BOOM | 5892 | December 10, 1938 |
| GOLD STANDARD | 5893 | December 12, 1938 |
| GOLD STANDARD NO. 1 | 5894 | December 12, 1938 |
| GOLD STANDARD NO. 2 | 5895 | December 12, 1938 |
| GOLD STANDARD NO. 3 | 5896 | December 12, 1938 |
| APEX | 5897 | September 13, 1936 |
| PINKERTON FRACTION | 5898 | September 13, 1936 |
| BROOKFORD NO. 2 | 5899 | February 1, 1936 |
| CARIBOO FRACTION | 5919 | December 12, 1938 |
| DOLLY GREY FRACTION | 7793 | May 29, 1935 |
| RAINBOW | 7794 | May 29, 1935 |
| DOLLY VARDEN | 7795 | May 29, 1936 |
| LAKEVIEW | 7796 | May 29, 1935 |
| JACK OF CLUBS | 7797 | May 29, 1935 |
| TELLURIDE | 7798 | May 29, 1936 |
| TELLURIDE NO. 2 | 7799 | May 29, 1935 |
| TELLURIDE NO. 3 | 7800 | May 29, 1936 |
| CARIBOO NO. 1 | 7801 | May 29, 1935 |
| CARIBOO NO. 2 | 7802 | May 29, 1935 |
| MOTHER LODE | 7803 | May 29, 1935 |
| RAINBOW FRACTION | 7804 | May 29, 1935 |
| CARIBOO NO. 3 | 7805 | May 29, 1935 |
| GOLDBRICK | 7806 | May 29, 1935 |
| MUCHO ORO | 10026 | September 18, 1925 |
| BROOKFORD NO. 1 | 10351 | February 1, 1936 |
| INIT. FRACTION | 11227 | July 28, 1939 |

IWA Group of Two/Four-post Mineral Claims

| Mineral Claims | Tenure number | Date Staked | Due Date | Units |
|----------------|---------------|-----------------|------------|-------|
| L423 (RCG) | 206856 | March 22, 1990 | 2004.03.22 | 1 |
| FRANK 1-12 | 339130-339141 | August 18, 1995 | 2004.12.31 | 12 |
| LAKE 1-4 | 355141-355144 | April 4, 1997 | 2004.12.31 | 4 |
| FRANK 13-17 | 355124-355128 | April 5, 1997 | 2004.12.31 | 5 |
| FRANK 18-27 | 355129-355138 | April 17, 1997 | 2004.12.31 | 10 |
| CLUB 1-7 | 355152-355158 | April 5, 1997 | 2004.12.31 | 7 |
| CLUB 8-17 | 355159-355168 | April 6, 1997 | 2004.12.31 | 10 |
| CLUB 18-21 | 355169-355172 | April 18, 1997 | 2004.12.31 | 4 |
| CLUB 22-31 | 355173-355182 | April 17, 1997 | 2004.12.31 | 10 |
| FIELD 1-6 | 355085-355090 | April 16, 1997 | 2004.12.31 | 6 |
| FIELD 8-12 | 355092-355096 | April 16, 1997 | 2004.12.31 | 5 |
| WATSON 1-5 | 355080-355084 | April 6, 1997 | 2004.12.31 | 5 |
| WALKER 1-6 | 355145-355150 | April 7, 1997 | 2004.12.31 | 6 |
| EMORY 1-5 | 355997-355101 | April 6, 1997 | 2004.12.31 | 5 |
| EMORY 6-11 | 355102-355107 | April 16, 1997 | 2004.12.31 | 6 |

| Mineral Claims | Tenure number | Date Staked | Due Date | Units |
|-----------------|-----------------------|------------------|------------|------------|
| EMORY 12-25 | 355108-355121 | April 17, 1997 | 2004.12.31 | 14 |
| L.S. # 1-4 | 366281-366284 | November 9, 1998 | 2005.12.31 | 4 |
| MOSQ 2, 4 | 368577, 79 | | 2004.11.30 | 2 |
| LIBERTY | 375059 | March 26, 2000 | 2004.12.31 | 1 |
| GOLD 4,5,3,1 | 375061-375064 | March 28, 2000 | 2004.12.31 | 4 |
| MARTINS | 375097-98 | | 2004.11.30 | 29 |
| NED 5-12 | 375120-375127 | March 30, 2000 | 2004.12.31 | 8 |
| IPO 17-22 | 375339-375344 | April 10, 2000 | 2004.12.31 | 6 |
| IPO 1-16 | 375347-375362 | April 7, 2000 | 2004.12.31 | 16 |
| RAVEN # 1-6 | 375444-375449 | April 16, 2000 | 2004.12.31 | 6 |
| WING 6-17 | 376090-376100 | April 30, 2000 | 2004.12.31 | 11 |
| WING 4-5 | 376101-376102 | April 30, 2000 | 2004.12.31 | 2 |
| FRANK 7-9 | 377533-377535 | May 22, 2000 | 2004.12.31 | 3 |
| BUD 8 | 377537 | May 28, 2000 | 2004.12.31 | 20 |
| KING FRACTION | 375060 | | 2004.12.31 | 1 |
| CORNISH | 375101 | | 2004.11.30 | 20 |
| BRO 1-21 | 376232-53 | | 2004.11.30 | 21 |
| PIN 1-33 | 376254-86 | | 2004.11.30 | 33 |
| BRO 22-47 | 376287-317 | | 2004.11.30 | 26 |
| RTC 11-20 | 376572-81 | | 2004.11.30 | 10 |
| RTC 1-10, 25-34 | 376586-605 | | 2004.11.30 | 20 |
| RTC 21-24 | 376582-5 | | 2004.11.30 | 4 |
| DWM 1-7,11-13 | 385640-385649 | | 2004.12.31 | 10 |
| VICTORIAN | 387491 | | 2004.11.08 | 20 |
| VIC 4-7 | 387795-8 | | 2004.11.08 | 4 |
| WOLF 16-35 | 322119-28, 385693-701 | | 2004.11.08 | 20 |
| DWM 30-44 | 389630-44 | | 2004.11.08 | 15 |
| | | | | 436 |

Two/Four-post Mineral Claims 75% owned by IWA

| Mineral Claims | Tenure number | Date Staked | Due Date | Units |
|-------------------|---------------|-------------|------------|------------|
| TOM 1,2 | 373358-9 | April, 1997 | 2004.11.30 | 21 |
| TOM 6, 60 | 343575, 42 | April, 1997 | 2004.11.30 | 40 |
| TOM 66, 67, 5, 19 | 343833-4,7-8 | April, 1997 | 2004.11.30 | 34 |
| DOWNEY, DOWNEY 2 | 375274,5 | | 2004.11.30 | 38 |
| TOM 48, 70, 72 | 375440-2 | April, 1997 | 2004.11.30 | 55 |
| CREW | 376961 | | 2004.11.30 | 12 |
| MONSTER 1-7 | 376962-87 | | 2004.11.30 | 26 |
| | | | | 226 |

Myrtle Group of Crown Granted Mineral Claims**(held by Gold City Industries Ltd -Joint venture with Wayside earning 50% interest)**

| Claim Name | Lot No. |
|----------------------|----------------|
| Shamrock No.4 | 10377 |
| Shamrock No.5 | 10378 |
| Shamrock No.6 | 10379 |
| Shamrock No.7 | 10380 |
| Progress No.8 | 10387 |
| Progress No.7 | 10388 |
| Progress No.6 | 10389 |
| Lone Fraction | 10404 |
| Myrtle | 10501 |
| Marie | 10502 |
| Y Fraction | 10507 |
| Martha | 10508 |
| Mabel | 10509 |
| Florence | 10511 |
| Cariboo | 10512 |
| Z Fraction | 10513 |
| N.M. No.5 Fraction | 10514 |
| Stephanie Fraction | 11453 |
| Noisy Enemy Fraction | 11454 |

APPENDIX II

STATEMENT OF CLAIMS

STATEMENT OF WORK, CASH PAYMENT, RENTAL

Mineral Tenure Act
Sections 29, 30, 31, 33 and 50

Type of Title: Mineral ☒ Placer ☐

Mining Division: CARIBOO

I, FRAN MACPHERSON
(Name)
BOX 232
(Address)
WELLS B.C.
VOK 2R0 250-994-3337
(Postal Code) (Telephone)
Client Number 116548

Agent for SEE ATTACHED LIST
(Names of all recorded holders)

(Address)

(Postal Code) (Telephone)
Client Number

| |
|---|
| OFFICE USE ONLY |
| EVENT NO. <u>3221124</u> |
| RECEIVED GOVERNMENT AGENT QUESNEL <u>18544.0</u> NOV 30 2004 NOT AN OFFICIAL RECEIPT TRANS # <u>62</u> |
| Gold Commissioner Approval of Physical Work: <u></u> |

**If recording work, complete the following and continue onto Page 3.
If paying cash in lieu of work or lease rental, turn to (and complete) Page 4.**

List the titles (claim name, lease, tenure number, crown grant lot) on which the work specified below was actually done:

SEE ATTACHED LIST

Date work started 2004-Jan-01 completed 2004-Nov-30 WORK PERMIT No. MX-11-113/147/181

TYPE OF WORK AND TOTAL VALUE FOR EACH TYPE BEING CLAIMED ON THIS STATEMENT

| | | | |
|---|--|-------------------|-------------------|
| Physical | Refer to Page 2 for claimable physical work types and requirements | \$ | A |
| Technical | Prospecting | \$ | B |
| | Geological, Geochemical, Geophysical, and/or Diamond Drilling | \$ 3,392,946.00 | C |
| Portable Assessment Credit (PAC) Withdrawal (Box D) | | | |
| | either <input type="checkbox"/> 80% of value in Box B & C only | | |
| | or <input type="checkbox"/> Total PAC | \$ | D |
| from the account(s) of: <u></u> | | | |
| TOTAL VALUE OF WORK (Complete Page 3) | | A + B + C + D = E | \$ 3,392,946.00 E |

Frances Jean Macpherson
P.O. Box 232
Wells, BC, V0K 2R0
Phone: 250-994-3337
Client No. 116548

Acting as Agent for the following:

International Wayside Gold Mines Ltd.
305-455 Granville Street
Vancouver, BC, V6C 1T1
Phone: 604-669-6463
Client No. 104256

Island Mountain Gold Mines Ltd.
305-455 Granville Street
Vancouver, BC, V6C 1T1
Phone: 604-669-6463
Client No. 144284

Gold City Industries Ltd.
200-580 Hornby Street
Vancouver, BC, V6C 3B6
Phone: 604-682-7677
Client No. 136420

Douglas Warren Merrick
Box 19
Wells, BC, V0K 2R0
Phone: 250-994-3398
Client No. 118217

Evan Williams
Box 253
Wells, BC, V0K 2R0
Phone: 250-994-3325
Client No. 131998

Bart Jerzy Jaworski
4042 W 27th Avenue
Vancouver, BC, V6S 1R7
Phone: 604-221-4011
Client No. 142260

Harold Kenneth Herrick
Box 203
Wells, BC, V0K 2R0
Phone: 250-994-3429
Client No. 111705

Timothy Aaron Young
1022 - 470 Granville Street
Vancouver, B.C., V6C 1V5
Phone: 604-689-0299
Client No. 137682

Work was performed on the following units Jan 1 - Nov 30/04

| International Wayside/Myrtle † | | Island Mountain † | |
|--------------------------------|---------------------|-------------------|----------------------|
| Tenure/Lot No. | Name | Tenure/Lot No. | Name |
| 42F | Waoming | 10355 | Mosquito |
| 93 | Cariboo | 10356 | Vancouver |
| 94 | St. Laurent | 10359 | Mosquito Fraction |
| 301 | Goldfinch No. 2 | 10364 | Red Gulch No. 5 |
| 302 | Eagle Fraction | 10365 | Red Gulch No. 6 |
| 303 | Gladstone | 10517 | Aurm |
| 318 | Goldfinch | 11066 | Aurm West |
| 356 | Pinkerton | 11067 | Aurm South |
| 5866 | Olympic No. 2 | 11069 | Mohawk No. 2 |
| 5867 | Cariboo No. 7 | 11070 | Paystreak No. 1 |
| 5870 | Emma Fraction | 11071 | Triangle Fraction |
| 5893 | Gold Standard | 11072 | Mohawk No. 3 |
| 5894 | Gold Standard No. 1 | 11081 | Okay Fraction |
| 5919 | Cariboo Fraction | 11090 | Mohawk No. 7 |
| 7800 | Telluride No. 3 | 11092 | Art Fraction |
| 7801 | Cariboo No. 1 | 11093 | Ivan Fraction |
| 7802 | Cariboo No. 2 | 11094 | N. M. No. 9 Fraction |
| 7803 | Mother Lode | 333038 | WHIP 1 |
| 7805 | Cariboo No. 3 | 333039 | WHIP 2 |
| 10501 | Myrtle | 337601 | COULTER 1 |
| 10502 | Marie | 385249 | SUGAR |
| 10512 | Cariboo | 386728 | SUGAR MTN |
| 11227 | Init. Fraction | 394027 | MUSTANG |
| 375121 | Ned No. 6 | 377674 | EAGLE |
| 355080 | Watson No. 1 | | |
| 355081 | Watson No. 2 | | |
| 355082 | Watson No. 3 | | |
| 355083 | Watson No. 4 | | |
| 355084 | Watson No. 5 | | |
| 355084 | Watson No. 5 | | |
| 7798 | Telluride | | |
| 7799 | TELLURIDE NO.2 | | |
| 7780 | TELLURIDE NO.3 | | |

† Note: Reconnaissance geology was also performed in areas not specifically noted in tenure list

WORK CREDITS APPLIED TO CLAIMS

PAGE 2 OF 27

274,600.00

EVENT NUMBER: 3021124

I wish to apply \$ ~~309,600.00~~ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| | 204930 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| | 204931 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| FRANK 1 | 339130 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 2 | 339131 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 3 | 339132 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 4 | 339133 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 5 | 339134 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 6 | 339135 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 7 | 339136 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 8 | 339137 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 9 | 339138 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 10 | 339139 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 11 | 339140 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 12 | 339141 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| TOM 6 | 343575 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| TOM 60 | 343642 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| TOM 66 | 343833 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| TOM 67 | 343834 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| TOM 5 | 343837 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 15200 | 760 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of

1.

\$

owner/operator

2.

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 3 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| <input checked="" type="checkbox"/> TOM 19 | 343838 | 12 | 2004.11.30 | 2400 | 1 | 120 | 2005.11.30 |
| <input checked="" type="checkbox"/> WATSON 1 | 355080 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> WATSON 2 | 355081 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> WATSON 3 | 355082 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> WATSON 4 | 355083 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> WATSON 5 | 355084 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> FIELD 1 | 355085 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> FIELD 2 | 355086 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> FIELD 3 | 355087 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> FIELD 4 | 355088 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> FIELD 5 | 355089 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> FIELD 6 | 355090 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> FIELD 8 | 355092 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> FIELD 9 | 355093 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> FIELD 10 | 355094 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> FIELD 11 | 355095 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> FIELD 12 | 355096 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> EMORY 1 | 355097 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| <input checked="" type="checkbox"/> EMORY 2 | 355098 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 6000 | 300 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | |
|--|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | |
| Name | Amount |
| Name of owner/operator 1. _____ | \$ _____ |
| 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the *Mineral Tenure Act*. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the *Mineral Tenure Act*.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 4 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| EMORY 3 | 355099 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 4 | 355100 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 5 | 355101 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 6 | 355102 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 7 | 355103 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 8 | 355104 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 9 | 355105 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 10 | 355106 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 11 | 355107 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 12 | 355108 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 13 | 355109 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 14 | 355110 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 15 | 355111 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 16 | 355112 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 17 | 355113 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 18 | 355114 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 19 | 355115 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 20 | 355116 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 21 | 355117 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 3800 | 190 | |


NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | |
|--|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | |
| Name | Amount |
| Name of owner/operator 1. _____ | \$ _____ |
| 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the *Mineral Tenure Act*. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the *Mineral Tenure Act*.

NOVEMBER 30, 2004

Date


Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 5 OF 27

EVENT NUMBER:

3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| EMORY 22 | 355118 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 23 | 355119 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 24 | 355120 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| EMORY 25 | 355121 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 13 | 355124 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 14 | 355125 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 15 | 355126 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 16 | 355127 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 17 | 355128 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 18 | 355129 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 19 | 355130 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 20 | 355131 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 21 | 355132 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 22 | 355133 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 23 | 355134 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 24 | 355135 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 25 | 355136 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 26 | 355137 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| FRANK 27 | 355138 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 3800 | 190 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____


Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

| Name | | Amount |
|------------------------|----------|----------|
| Name of owner/operator | 1. _____ | \$ _____ |
| | 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date


Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 6 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| LAKE 1 | 355141 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| LAKE 2 | 355142 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| LAKE 3 | 355143 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| LAKE 4 | 355144 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WALKER 1 | 355145 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WALKER 2 | 355146 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WALKER 3 | 355147 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WALKER 4 | 355148 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WALKER 5 | 355149 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WALKER 6 | 355150 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 1 | 355152 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 2 | 355153 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 3 | 355154 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 4 | 355155 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 5 | 355156 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 6 | 355157 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 7 | 355158 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 8 | 355159 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 9 | 355160 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 3800 | 190 | |


NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | |
|--|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | |
| Name | Amount |
| Name of owner/operator 1. _____ | \$ _____ |
| 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the *Mineral Tenure Act*. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the *Mineral Tenure Act*.

NOVEMBER 30, 2004

Date


Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 7 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| CLUB 10 | 355161 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 11 | 355162 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 12 | 355163 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 13 | 355164 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 14 | 355165 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 15 | 355166 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 16 | 355167 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 17 | 355168 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 18 | 355169 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 19 | 355170 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 20 | 355171 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 21 | 355172 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 22 | 355173 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 23 | 355174 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 24 | 355175 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 25 | 355176 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 26 | 355177 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 27 | 355178 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 28 | 355179 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 3800 | 190 | |


NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | |
|--|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | |
| Name | Amount |
| Name of owner/operator 1. _____ | \$ _____ |
| 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the *Mineral Tenure Act*. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the *Mineral Tenure Act*.

NOVEMBER 30, 2004

Date


Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 8 OF 27
EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| CLUB 29 | 355180 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 30 | 355181 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| CLUB 31 | 355182 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| L.S.#1 | 366281 | 1 | 2005.12.31 | 200 | 1 | 10 | 2006.12.31 |
| L.S.#2 | 366282 | 1 | 2005.12.31 | 200 | 1 | 10 | 2006.12.31 |
| L.S.#3 | 366283 | 1 | 2005.12.31 | 200 | 1 | 10 | 2006.12.31 |
| L.S.#4 | 366284 | 1 | 2005.12.31 | 200 | 1 | 10 | 2006.12.31 |
| MOSQ 2 | 368577 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| MOSQ 4 | 368579 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| TOM 1 | 373358 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| TOM 2 | 373359 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| LIBERTY | 375059 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| KING FR | 375060 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| GOLD 4 | 375061 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| GOLD 5 | 375062 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| GOLD 3 | 375063 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| GOLD 1 | 375064 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| MARTINS | 375097 | 9 | 2004.11.30 | 1800 | 1 | 90 | 2005.11.30 |
| TOM 35 | 375098 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 13000 | 650 | |


NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | |
|--|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | |
| Name | Amount |
| Name of owner/operator 1. _____ | \$ _____ |
| 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the *Mineral Tenure Act*. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the *Mineral Tenure Act*.

NOVEMBER 30, 2004

Date


Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 9 OF 27

EVENT NUMBER: 3021124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| CORNISH | 375101 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| NED 5 | 375120 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| NED 6 | 375121 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| NED 7 | 375122 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| NED 8 | 375123 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| NED 9 | 375124 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| NED 10 | 375125 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| NED 11 | 375126 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| NED 12 | 375127 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| DOWNEY | 375274 | 18 | 2004.11.30 | 3600 | 1 | 180 | 2005.11.30 |
| DOWNEY 2 | 375275 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| IPO 17 | 375339 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 18 | 375340 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 19 | 375341 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 20 | 375342 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 21 | 375343 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 22 | 375344 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 1 | 375347 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 2 | 375348 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 14800 | 740 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____

RECORDED _____

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of
owner/operator

1.

\$

2.

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the *Mineral Tenure Act*. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the *Mineral Tenure Act*.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 10 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| IPO 3 | 375349 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 4 | 375350 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 5 | 375351 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 6 | 375352 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 7 | 375353 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 8 | 375354 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 9 | 375355 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 10 | 375356 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 11 | 375357 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 12 | 375358 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 13 | 375359 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 14 | 375360 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 15 | 375361 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| IPO 16 | 375362 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| TOM 48 | 375440 | 15 | 2004.11.30 | 3000 | 1 | 150 | 2005.11.30 |
| TOM 70 | 375441 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| TOM 72 | 375442 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| RAVEN #1 | 375444 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| RAVEN #2 | 375445 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 14200 | 710 | |


NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | | |
|--|----------|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | | |
| Name | | Amount |
| Name of owner/operator | 1. _____ | \$ _____ |
| | 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date


Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 11 OF 27

EVENT NUMBER: 3021124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| RAVEN #3 | 375446 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| RAVEN #4 | 375447 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| RAVEN #5 | 375448 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| RAVEN #6 | 375449 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 6 | 376090 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 7 | 376091 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 8 | 376092 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 9 | 376093 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 10 | 376094 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 12 | 376095 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 13 | 376096 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 14 | 376097 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 15 | 376098 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 16 | 376099 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 17 | 376100 | 1 | 2004.12.31 | 200 | 1 | 10 | 2005.12.31 |
| WING 4 | 376101 | 18 | 2004.12.31 | 3600 | 1 | 180 | 2005.12.31 |
| WING 5 | 376102 | 18 | 2004.12.31 | 3600 | 1 | 180 | 2005.12.31 |
| DRO 1 | 376232 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| DRO 2 | 376233 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 10600 | 530 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of
owner/operator

1.

\$

2.

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the *Mineral Tenure Act*. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the *Mineral Tenure Act*.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 12 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| BRO 3 | 376234 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 4 | 376235 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 5 | 376236 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 6 | 376237 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 7 | 376238 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 8 | 376239 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 9 | 376240 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 10 | 376241 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 11 | 376242 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 12 | 376243 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 13 | 376244 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 14 | 376245 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 15 | 376246 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 16 | 376247 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 17 | 376248 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 18 | 376249 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 19 | 376250 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 20 | 376251 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 21 | 376253 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 3800 | 190 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____

RECORDED _____

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of
owner/operator

1.

2.

\$

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 13 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| PIN 1 | 376254 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 2 | 376255 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 3 | 376256 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 4 | 376257 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 5 | 376258 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 6 | 376259 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 7 | 376260 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 8 | 376261 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 9 | 376262 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 10 | 376263 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 11 | 376264 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 12 | 376265 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 13 | 376266 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 14 | 376267 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 15 | 376268 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 16 | 376269 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 17 | 376270 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 18 | 376271 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 19 | 376272 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 3800 | 190 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | |
|--|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | |
| Name | Amount |
| Name of owner/operator 1. _____ | \$ _____ |
| 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 14 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| PIN 20 | 376273 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 21 | 376274 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 22 | 376275 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 23 | 376276 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 24 | 376277 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 25 | 376278 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 26 | 376279 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 27 | 376280 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 28 | 376281 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 29 | 376282 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 30 | 376283 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 31 | 376284 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PIN 33 | 376286 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 22 | 376287 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 23 | 376288 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 24 | 376289 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 25 | 376290 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 26 | 376291 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 27 | 376292 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 3800 | 190 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | |
|--|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | |
| Name | Amount |
| Name of owner/operator 1. _____ | \$ _____ |
| 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 15 OF 27

EVENT NUMBER: 322124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| BRO 28 | 376293 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 29 | 376294 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 30 | 376300 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 31 | 376301 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 32 | 376302 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 33 | 376303 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 34 | 376304 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 35 | 376305 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 36 | 376306 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 37 | 376307 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 38 | 376308 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 40 | 376310 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 41 | 376311 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 42 | 376312 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 43 | 376313 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 44 | 376314 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 45 | 376315 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 46 | 376316 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| BRO 47 | 376317 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 3800 | 190 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____

RECORDED _____

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of
owner/operator

1.

\$

2.

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 16 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| RTC 11 | 376572 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 12 | 376573 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 13 | 376574 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 14 | 376575 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 15 | 376576 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 16 | 376577 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 17 | 376578 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 18 | 376579 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 19 | 376580 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 20 | 376581 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 1 | 376586 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 2 | 376587 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 3 | 376588 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 4 | 376589 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 5 | 376590 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 6 | 376591 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 7 | 376592 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 8 | 376593 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 9 | 376594 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 3800 | 190 | |


NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | |
|--|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | |
| Name | Amount |
| Name of owner/operator 1. _____ | \$ _____ |
| 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date


Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 17 OF 27

EVENT NUMBER:

3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| RTC 10 | 376595 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 25 | 376596 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 26 | 376597 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 27 | 376598 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 28 | 376599 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 29 | 376600 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 30 | 376601 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 31 | 376602 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 32 | 376603 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 33 | 376604 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 34 | 376605 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| CREW | 376961 | 12 | 2004.11.30 | 2400 | 1 | 120 | 2005.11.30 |
| MONSTER 1 | 376962 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| MONSTER 2 | 376963 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| MONSTER 3 | 376964 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| MONSTER 4 | 376965 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| MONSTER 5 | 376966 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| MONSTER 6 | 376967 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| MONSTER 7 | 376987 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 9800 | 490 | |

NOTICE TO GROUP / CAD EVENT NUMBER:

RECORDED

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of
owner/operator

1.

\$

2.

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 18 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| FRANK 7 | 377533 | 20 | 2004.12.31 | 4000 | 1 | 200 | 2005.12.31 |
| FRANK 8 | 377534 | 20 | 2004.12.31 | 4000 | 1 | 200 | 2005.12.31 |
| FRANK 9 | 377535 | 20 | 2004.12.31 | 4000 | 1 | 200 | 2005.12.31 |
| BUD 8 | 377537 | 20 | 2004.12.31 | 4000 | 1 | 200 | 2005.12.31 |
| EAGLE | 377674 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| WILL 6 | 377675 | 12 | 2004.11.30 | 2400 | 1 | 120 | 2005.11.30 |
| WILL 3 | 377678 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| WILL 4 | 377679 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| WILL 5 | 377680 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| WILL 7 | 377681 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| BOULDER 1 | 377861 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| BOULDER 2 | 377862 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| BOULDER 3 | 378319 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| JEFF 18 | 384452 | 12 | 2004.11.30 | 1002400 | 1 | 120 | 2005.11.30 |
| JEFF 19 | 384453 | 1 | 2004.11.30 | 100200 | 1 | 10 | 2005.11.30 |
| DWM 1 | 385640 | 1 | 2004.12.31 | 100200 | 1 | 10 | 2005.12.31 |
| DWM 2 | 385641 | 1 | 2004.12.31 | 100200 | 1 | 10 | 2005.12.31 |
| DWM 3 | 385642 | 1 | 2004.12.31 | 100200 | 1 | 10 | 2005.12.31 |
| DWM 4 | 385643 | 1 | 2004.12.31 | 100200 | 1 | 10 | 2005.12.31 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 55800 | 2690 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____

RECORDED

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of
owner/operator

1.

\$

2.

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 19 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| DWM 5 | 385644 | 1 | 2004.12.31 | 100 200 | 1 | 10 | 2005.12.31 |
| DWM 6 | 385645 | 1 | 2004.12.31 | 100 200 | 1 | 10 | 2005.12.31 |
| DWM 7 | 385646 | 1 | 2004.12.31 | 100 200 | 1 | 10 | 2005.12.31 |
| DWM 11 | 385647 | 1 | 2004.12.31 | 100 200 | 1 | 10 | 2005.12.31 |
| DWM 12 | 385648 | 1 | 2004.12.31 | 100 200 | 1 | 10 | 2005.12.31 |
| DWM 13 | 385649 | 1 | 2004.12.31 | 100 200 | 1 | 10 | 2005.12.31 |
| EAGLE 2 | 385650 | 15 | 2004.11.30 | 150 300 | 1 | 150 | 2005.11.30 |
| WILL 2 | 387175 | 20 | 2004.11.30 | 200 400 | 1 | 200 | 2005.11.30 |
| WILL 1 | 387386 | 20 | 2004.11.30 | 200 400 | 1 | 200 | 2005.11.30 |
| EAGLE 3 | 387387 | 18 | 2004.11.30 | 180 360 | 1 | 180 | 2005.11.30 |
| 8 M | 387955 | 20 | 2004.11.30 | 200 400 | 1 | 200 | 2005.11.30 |
| 8M 2 | 387956 | 8 | 2004.11.30 | 80 160 | 1 | 80 | 2005.11.30 |
| FRANK 40 | 407787 | 20 | 2004.12.31 | 200 400 | 1 | 200 | 2005.12.31 |
| LOWHEE 423 | 409029 | 1 | 2004.12.31 | 100 200 | 1 | 10 | 2005.12.31 |
| ST 1 | 376320 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 2 | 376321 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 3 | 376322 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 4 | 376323 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 5 | 376324 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 24500 | 1330 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____

RECORDED

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of
owner/operator

1.

2.

\$

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 20 OF 27

EVENT NUMBER:

3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| ST 6 | 376325 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 7 | 376326 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 8 | 376327 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 9 | 376328 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 10 | 376329 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 11 | 376330 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 12 | 376331 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 14 | 376333 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 16 | 376335 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 18 | 376336 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 19 | 376337 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 21 | 376339 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 22 | 376340 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 23 | 376341 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 24 | 376342 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 25 | 376343 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 26 | 376344 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 27 | 376345 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 29 | 376347 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 3800 | 190 | |

NOTICE TO GROUP / CAD EVENT NUMBER:

RECORDED

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of
owner/operator

1.

2.

\$

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 21 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| ST 30 | 376348 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 31 | 376349 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 32 | 376350 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 33 | 376351 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 34 | 376352 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 35 | 376353 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 36 | 376354 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 37 | 376355 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 38 | 376356 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 39 | 376357 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 40 | 376358 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 41 | 376359 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 42 | 376360 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 43 | 376361 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 44 | 376362 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 45 | 376363 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 46 | 376364 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 47 | 376365 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 52 | 376371 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 3800 | 190 | |


NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | | |
|--|----------|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | | |
| Name | | Amount |
| Name of owner/operator | 1. _____ | \$ _____ |
| | 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date


Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 22 OF 27

EVENT NUMBER: 3001124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|----------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| ST 53 | 376372 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 54 | 376373 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 55 | 376374 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 56 | 376375 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 57 | 376376 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 58 | 376377 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| ST 65 | 376384 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 21 | 376582 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 22 | 376583 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 23 | 376584 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| RTC 24 | 376585 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| SUGAR | 385249 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| STAN | 386009 | 12 | 2004.11.30 | 2400 | 1 | 120 | 2005.11.30 |
| STAN 1 | 386010 | 6 | 2004.11.30 | 1200 1200 | 1 | 60 | 2005.11.30 |
| STAN 2 | 386011 | 20 | 2004.11.30 | 4000 4000 | 1 | 200 | 2005.11.30 |
| STAN 3 | 386012 | 20 | 2004.11.30 | 4000 4000 | 1 | 200 | 2005.11.30 |
| STAN 4 | 386013 | 20 | 2004.11.30 | 4000 4000 | 1 | 200 | 2005.11.30 |
| NELSON 1 | 386124 | 20 | 2004.11.30 | 4000 4000 | 1 | 200 | 2005.11.30 |
| NELSON 2 | 386125 | 12 | 2004.11.30 | 2400 2400 | 1 | 120 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | | 28200 | 1410 |

NOTICE TO GROUP / CAD EVENT NUMBER: _____

RECORDED _____

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of
owner/operator

1.

2.

\$

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 23 OF 27

EVENT NUMBER:

3221124

Amount to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|------------------------------------|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| NELSON 3 | 386126 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| NELSON 4 | 386127 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| NELSON 5 | 386128 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| NELSON 6 | 386129 | 16 | 2004.11.30 | 1600 | 1 | 160 | 2005.11.30 |
| SUGAR MTN | 386728 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| CAFE 1 | 393131 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| CAFE 2 | 393132 | 16 | 2004.11.30 | 1600 | 1 | 160 | 2005.11.30 |
| MUSTANG | 394027 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| MUSTANG 1 | 394028 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| MUSTANG 2 | 394029 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| MUSTANG 3 | 394030 | 18 | 2004.11.30 | 1800 | 1 | 180 | 2005.11.30 |
| MUSTANG 4 | 394031 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| MUSTANG 5 | 394032 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| CAFE 3 | 394252 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| CAFE 5 | 394331 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| CAFE 6 | 394332 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| CAFE 4 | 394561 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| CAFE 7 | 394576 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 8 | 394577 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| TOTALS | | | | 42800 | | 3320 | |

* 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each

NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of
owner/operator

1.

\$

2.

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claim may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 24 OF 27

EVENT NUMBER: 3021124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| CAFE 9 | 394578 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 10 | 394579 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 11 | 394580 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 12 | 394581 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 13 | 394582 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 14 | 394583 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 15 | 394584 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 16 | 394585 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 17 | 394586 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 18 | 394587 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 19 | 394588 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| CAFE 20 | 394589 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DM 2 | 401336 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DM 3 | 401337 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DM 4 | 401338 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DM 5 | 401339 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DM 6 | 401474 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DM 7 | 401475 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DM 8 | 401476 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 1900 | 190 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

Value of work to be credited to portable assessment credit (PAC) account(s).
(May only be credited from the approved value of Box C not applied to claims.)

Name

Amount

Name of
owner/operator

1.

\$

2.

\$

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 25 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| DWM 30 | 401757 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DWM 31 | 401758 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DWM 32 | 401759 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DWM 33 | 401760 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DWM 34 | 401761 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DWM 35 | 401762 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DWM 36 | 401763 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| DWM 37 | 401764 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| JEFF 1 | 403266 | 15 | 2004.11.30 | 1500 | 1 | 150 | 2005.11.30 |
| JEFF 2 | 403267 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| JEFF 11 | 403268 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| JEFF 3 | 403269 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| JEFF 4 | 403270 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| JEFF 5 | 403271 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| JEFF 6 | 403272 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| JEFF 7 | 403273 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| JEFF 8 | 403274 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| JEFF 9 | 403275 | 1 | 2004.11.30 | 100 | 1 | 10 | 2005.11.30 |
| JEFF 10 | 403413 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 9000 | 900 | |


NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | |
|--|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | |
| Name | Amount |
| Name of owner/operator 1. _____ | \$ _____ |
| 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date


Signature of Applicant

WORK CREDITS APPLIED TO CLAIMS

PAGE 26 OF 27

EVENT NUMBER: 3221124

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|------------------|------------------|-------------|--------------------|-------|------------------|--------------------|
| | | | | Value | Years | | |
| JEFF 12 | 403414 | 20 | 2004.11.30 | 2000 | 1 | 200 | 2005.11.30 |
| JEFF 13 | 403415 | 18 | 2004.11.30 | 1800 | 1 | 180 | 2005.11.30 |
| WHIP 1 | 333038 | 6 | 2004.11.30 | 1200 | 1 | 60 | 2005.11.30 |
| WHIP 2 | 333039 | 3 | 2004.11.30 | 600 | 1 | 30 | 2005.11.30 |
| COULTER 1 | 337601 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| COULTER 2 | 337602 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| COULTER 3 | 337603 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| COULTER 4 | 337604 | 20 | 2004.11.30 | 4000 | 1 | 200 | 2005.11.30 |
| COULTER 5 | 337605 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| COULTER 6 | 337606 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| COULTER 7 | 337607 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| COULTER 8 | 337608 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PROMISE 1 | 342687 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PROMISE 2 | 342688 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PROMISE 3 | 342689 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PROMISE 4 | 342690 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PROMISE 5 | 342691 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PROMISE 6 | 342692 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| PROMISE 7 | 342693 | 1 | 2004.11.30 | 200 | 1 | 10 | 2005.11.30 |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | TOTALS | 23800 | 1380 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED _____

| | |
|--|----------|
| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | |
| Name | Amount |
| Name of owner/operator 1. _____ | \$ _____ |
| 2. _____ | \$ _____ |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date

Signature of Applicant

PAGE 27 OF 27

EVENT NUMBER:

I wish to apply \$ _____ of the total value in Box E (from Page 1) as follows:

| Claim Name (one claim per line) | Tenure Number | No. of Units* | Expiry Date | Work to be applied | | Recording Fee | New Expiry Date |
|--|--------------------------|--------------------------|--------------------|---------------------------|--------------|--------------------------|----------------------------|
| | | | | Value | Years | | |
| PROMISE 8 | 342694 | 1 | 2004.11.30 | 200 | | 10 | 2005.11.30 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| TOTALS | | | | 200 | | 10 | |
| * 2 Post, Fraction, Rev. Crown Grant and Placer Claims are one unit each | | | | 309600 | | 17500 | |

NOTICE TO GROUP / CAD EVENT NUMBER: _____ RECORDED

| Value of work to be credited to portable assessment credit (PAC) account(s). (May only be credited from the approved value of Box C not applied to claims.) | | Amount |
|--|--|---|
| Name | | |
| 1. <u>INTERNATIONAL WAYSIDE GOLD MINES LTD.</u> | | 2,293,316 \$ 2,250,316 |
| 2. <u>ISLAND MOUNTAIN GOLD MINES LTD.</u> | | \$ 825,000.00 |

I, the undersigned Applicant, hereby confirm that the information is supplied and the credits are claimed in accordance with the requirements in the Mineral Tenure Act, the Mineral Tenure Act Regulation, and the Mineral Act Regulation. I hereby acknowledge and understand that it is an offence to knowingly provide false information under the Mineral Tenure Act. I acknowledge and understand that if the statements made, or information given, in this Statement of Work are found to be false and the exploration and development has not been performed, then the work reported on this Statement will be cancelled and the subject mineral or placer claims(s) may, as a result, forfeit and vest back to the Province under section 35 of the Mineral Tenure Act.

NOVEMBER 30, 2004

Date _____

~~Signature of Applicant~~

APPENDIX III

STATEMENT OF EXPENDITURES

APPENDIX III **STATEMENT OF EXPEDITURES**

Cariboo Gold Project - International Wayside Properties (Part A)

Geological Contractors

| | | |
|-------------------------|-------------------|--------------------|
| John Childs | 96 days @ \$605 | 58,080 |
| Dasha Duba | 78 days @ \$350 | 27,300 |
| Henry Follman | 74 days @ \$500 | 37,000 |
| Ed Gates | 148 days @ \$ 500 | 74,000 |
| David Johnson | 19 days @ \$400 | 7,600 |
| Kelly Mahoney | 12 days @ \$300 | 3,600 |
| Dan McGrane | 15 days @ \$500 | 7,500 |
| Charlie Moore | 116 days @ \$275 | 31,900 |
| Doug Onychuk | 51 days @ \$250 | 12,750 |
| Jean Pautler | 13 days @ \$475 | 6,175 |
| Robert Reid | 14 days @ \$400 | 5,600 |
| Janet Riddell | 18 days @ \$325 | 5,850 |
| Jim Yin | 125 days @ \$375 | 46,875 |
| Total Geological | | \$324,230 □ |

Other Contractors

| | | |
|--------------------------------|------------------|--------------------|
| Drafting & Surveying | 251 days @ \$345 | 86,595 |
| Surveying | 183 days @ \$120 | 21,960 |
| Total Other Contractors | | \$108,555 □ |

Meals and Accomodation

| | | |
|---------------------------------------|----------------------------|--------------------|
| Geological Contractors | 779 person days @ \$84/day | 65,436 |
| Other Contractors | 434 person days @ \$84/day | 36,456 |
| Total Meals & Accomodation | | \$101,892 ▲ |

Equipment Rental

| | | |
|-------------------------------|----------------------------|-------------------|
| 4 x 4 pick-up trucks | 4 trucks x 7 mo x \$940/mo | 26,320 |
| Total Equipment Rental | | \$26,320 ◇ |

Diamond Drilling

| | | |
|--|--|----------------------|
| <u>Surface Diamond Drilling (Geotech & Definition Holes)</u> | | |
| 37,321 feet of NQ drilling @ \$26.00 per ft (includes fuel, boxes) | | 970,346 ◇ |
| <u>Underground Diamond Drilling</u> | | |
| 20,459 feet of BQ drilling @ \$26.00 per ft (includes fuel, boxes) | | 531,934 |
| Total Diamond Drilling | | \$1,502,280 ◇ |

Surface Percussion Drilling - Pneumatic Hammer

| | | |
|---|--|-------------------|
| 723 feet of 6 inch drilling, casing, grouting, intallation of water monitoring well equipment @ \$40 per foot | | 28,920 |
| Total Percussion Drilling | | \$28,920 ◇ |

APPENDIX III (Continued) **STATEMENT OF EXPEDITURES**

Assaying

| | | |
|-----------------------|---------------------------|--------------------|
| Core samples | 6340 samples @ \$18.83 ea | 119,382 |
| Sludge samples | 1029 samples @ \$18.83 ea | 19,376 |
| Soil samples | 838 samples @ \$21.39 ea | 17,925 |
| Rock samples | 613 samples @ \$14.55 ea | 8,919 |
| Truck & muck samples | 668 samples @ \$18.83 ea | 12,578 |
| Total Assaying | | \$178,180 □ |

Sample Shipping

| | |
|--|-------------------|
| Most samples shipped by bus, billed from lab | 28,979 |
| Total Sample Shipping | \$28,979 □ |

Field Supplies

| | |
|---|------------------|
| Sample bags, flagging, survey stakes, buckets, core saw blades, etc. | 5,305 |
| Total Field Supplies | \$5,305 □ |

Core Storage Construction

| | |
|--|-------------------|
| Capacity of 77,400 feet of NQ or BQ core | |
| Racks: 42 feet x 48 feet = 2,016 square feet | |
| 2,016 sq ft x \$25/sq ft = | 50,400 |
| Total Core Storage Const. | \$50,400 ◇ |

Road and Drill Pad Construction

| | | |
|---|----------------------|----------------------|
| <u>Equipment - Standard Drilling & Engineering, Wells, BC</u> | | |
| Samsung 300 excavator | 183 hours @ \$225/hr | 41,175 |
| Hyundi Robex LC 130 excav. | 139 hours @ \$112/hr | 15,568 |
| Cat D-6 bulldozer | 575 hours @ \$120/hr | 69,000 |
| Cat D-8 bulldozer | 22 hours @ \$160/hr | 3,520 |
| Log skidder | 47 hours @ \$85/hr | 3,995 |
| Dump Truck | 32 hours @ \$60/hr | 1,920 |
| Lowbed - mob / de-mob | | 10,550 |
| Culverts | | 16,207 |
| Sub-total | | \$161,935 □ ◇ |

Equipment - Wright Contracting, Wells, BC

| | | |
|------------------------|----------------------|-------------------|
| Cat D-3 bulldozer | 118 hours @ \$41/hr | 4,838 |
| Cat 428C hoe | 175 hours @ \$40/hr | 7,000 |
| 200 LC excavator | 44 hours @ \$122/hr | 5,368 |
| 300 Kobelco excavator | 7.5 hours @ \$157/hr | 1,178 |
| 12 yard dump truck | 151 hours @ \$60/hr | 9,060 |
| Water truck | 3 hours @ \$60/hr | 180 |
| Rock delivered to site | | 5,489 |
| Equipment mob / de-mob | | 520 |
| Sub-total | | \$33,633 □ |

| | |
|--|--------------------|
| Total Road & Drill Pad Const. | \$195,568 □ |
|--|--------------------|

APPENDIX III (Continued) **STATEMENT OF EXPEDITURES**

Miscellaneous Hourly Wages

| | | |
|---------------------------------|--------------------------|--------------------|
| Core cutting | 825 man days @ \$120/day | 99,000 |
| Core handling | 82 days @ \$120/day | 9,840 |
| Timber felling | 28 days @ \$160/day | 4,480 |
| Environmental remediation | 75 days @ \$120/day | 9,000 |
| Data entry & compilation | 115 days @ \$128/day | 14,720 |
| Total Misc. Hourly Wages | | \$137,040 □ |

Bulk Sample

Mining Contractor - Roktek Services Ltd.

| | |
|---------------------------|--------------------|
| Contractor's Mobilization | 27,291 |
| Site Preparation | 26,180 |
| Mine Development | <u>2,197,338</u> |
| Sub-total Roktek | \$2,250,809 |

| | |
|--------------------------------------|----------------------|
| Mining Shut-Down Costs | 145,193 |
| Contractors cost plus charges | 17,272 |
| Changes to PAG Storage (cost plus) | 8,446 |
| Ore haulage to Mount Polley Mill | 397,759 |
| Additional Mining and Trucking Costs | <u>81,350</u> |
| Total Bulk Sample | \$2,900,829 □ |

Report

| | |
|---|-------------------|
| Report writing: 11 days @ \$500 per day | 5,500 |
| Drafting: @ 24 days @ \$250 per day | 6,000 |
| Copying, plotting and assembly: 14 days @ \$128 per day | 1,792 |
| Report supplies: | <u>453</u> |
| Total Report Costs | \$13,745 □ |

SUB-TOTAL FOR INTERNATIONAL WAYSIDE PROPERTIES **\$5,602,243**

Administration and office costs: 10% of above **\$560,224** ▲

GRANDE TOTAL - INTERNATIONAL WAYSIDE PROPERTIES--IWA **\$6,162,467**

Cariboo Gold Project - Island Mountain Gold Mines Properties (Part B)

For details, see the Statement of Expenditures in Part B of this report, Appendix III, by J. M. Riddell, P.Geo.

GRAND TOTAL - ISLAND MOUNTIAN GOLD MINES PROPERTIES--IGM **\$194,393**

COMBINED EXPENDITURES FOR IWA & IGM **\$6,356,860**

TOTAL AMOUNT APPLIED FOR ASSESSMENT **\$139,000**

□ Expenditures marked with a square were verified by E. Gates, by reviewing original invoices for work done in 2004, as described in this report. ◇ Expenditures marked with diamond were calculated based on Mineral Titles Information Letter No. 19 guidelines. ▲ Expenditures marked with a triangle are my estimates based on reasonable rates for work that I, E. Gates have verified was done in 2004 as described in this report. E. Gates - M. Sc. Geo.

APPENDIX IV

STATEMENT OF QUALIFICATION

APPENDIX IV

STATEMENT OF QUALIFICATION

I, Edward E. Gates, do hereby certify that:

I am a geologist with more than twenty years of experience in mineral exploration and development.

I am a graduate of the University of Texas at El Paso, with a M.Sc. degree in geology (June, 1985). I am also a graduate of the Mackay School of Mines at the University of Nevada – Reno, with a B.Sc. degree in geology (June, 1980).


I hold a Professional License in the state of Washington - #2253.

I am the author of the written portion of Part A of this report. I have read and concur with Part B and Part C of this report, each having been authored by qualified geologists, as documented therein.

I joined the project in June 2004, and am familiar with the project activities that occurred earlier in the year. I supervised and implemented the drilling program on Bonanza Ledge and the Goldfinch Target, planned and supervised the trenching and channel sampling at Bonanza Ledge and the sampling along the Cow Mountain Road. I planned and supervised the Lower Lowhee soil geochemistry program, and the mapping and sampling on Cow Mountain and in the Lowhee Creek area.

Since January 2005, I have been Acting Mine Manager for the Cariboo Gold Project

I own 21,142 shares of International Wayside Gold Mines Ltd, which is the subject of this report.

A handwritten signature in cursive script that reads "Edward E. Gates". The signature is written in dark ink and is positioned above the printed name and title.

Edward E. Gates
Geologist

APPENDIX V
BONANZA LEDGE BULK SAMPLE

BONANZA LEDGE BULK SAMPLE TRUCK SAMPLES

| Sample # | Truck # | Date | Shift | Quesnel Scale | MT Polley Scale | | Ore Weight (kg) | Tons(short) | Assay (oz) | Assay (g) |
|----------|------------|-----------|-------|---------------|-----------------|-----------------|-----------------|-------------|------------|-----------|
| | | | | Weight (kg) | Weight IN (kg) | Weight OUT (kg) | | | | |
| | 16 | 23-Feb-04 | | 47460 | 46970 | 19210 | 27760 | 22.02 | | |
| | 9 | 23-Feb-04 | | | 40300 | 18550 | 21750 | 21.26 | | |
| | 14 | 23-Feb-04 | | | 48630 | 21040 | 27590 | 24.12 | | |
| | 3 | 23-Feb-04 | | | 46780 | 15550 | 31230 | 17.82 | | |
| | 10 | 23-Feb-04 | | | 21580 | 11770 | 9810 | 13.49 | | |
| 166701 | 14 | 24-Feb-04 | AM | | 43580 | 19310 | 24270 | 22.13 | 0.443 | 15.20 |
| 166702 | 14 | 24-Feb-04 | AM | | | | | 0.00 | 0.484 | 16.60 |
| 166703 | 14 | 24-Feb-04 | AM | | | | | 0.00 | 0.712 | 24.40 |
| 166704 | 14 | 24-Feb-04 | AM | | | | | 0.00 | 0.391 | 13.40 |
| 166705 | 3 | 24-Feb-04 | AM | 38730 | 38450 | 15670 | 22780 | 17.96 | 0.560 | 19.20 |
| 166706 | 3 | 24-Feb-04 | AM | | | | | 0.00 | 2.187 | 75.00 |
| 166707 | 3 | 24-Feb-04 | AM | | | | | 0.00 | 0.688 | 23.60 |
| 166708 | 3 | 24-Feb-04 | AM | | | | | 0.00 | 0.659 | 22.60 |
| 166709 | 9 | 24-Feb-04 | AM | 42780 | 42530 | 18760 | 23770 | 21.50 | 1.709 | 58.60 |
| 166710 | 9 | 24-Feb-04 | AM | | | | | 0.00 | 0.411 | 14.10 |
| 166711 | 9 | 24-Feb-04 | AM | | | | | 0.00 | 0.382 | 13.10 |
| 166712 | 9 | 24-Feb-04 | AM | | | | | 0.00 | 0.627 | 21.50 |
| | 16 | 24-Feb-04 | | | 42830 | 19200 | 23630 | 22.01 | | |
| 166901 | 16 | 25-Feb-04 | AM | 45410 | 44910 | 19370 | 25540 | 22.20 | 0.220 | 7.56 |
| 166902 | 3 | 25-Feb-04 | AM | 40380 | 40150 | 15700 | 24450 | 17.99 | 0.674 | 23.10 |
| 166903 | 14 | 25-Feb-04 | AM | | 43740 | 19360 | 24380 | 22.19 | 0.709 | 24.30 |
| 166904 | 9 | 25-Feb-04 | AM | | 44280 | 18740 | 25540 | 21.48 | 0.502 | 17.20 |
| 166713 | 16 | 26-Feb-04 | AM | | | | | 0.00 | | |
| 166714 | 14 | 26-Feb-04 | AM | | 45290 | 19210 | 26080 | 22.02 | 0.443 | 15.20 |
| 166715 | 14 | 26-Feb-04 | AM | | 45170 | 19490 | 25680 | 22.34 | 0.662 | 22.70 |
| 166716 | (Keis) 792 | 26-Feb-04 | AM | 45400 | 45210 | 17930 | 27280 | 20.55 | 0.405 | 13.90 |
| 166717 | (Keis) 792 | 26-Feb-04 | AM | | | | | 0.00 | 0.499 | 17.10 |
| 166718 | 3 | 26-Feb-04 | AM | 38690 | 38110 | 15450 | 22660 | 17.71 | 0.747 | 25.60 |
| 166719 | 3 | 26-Feb-04 | AM | | | | | 0.00 | 0.464 | 15.90 |
| 166720 | 9 | 26-Feb-04 | AM | 44070 | 43360 | 18750 | 24610 | 21.49 | 0.367 | 12.60 |
| 166721 | 9 | 26-Feb-04 | AM | | | | | 0.00 | 0.572 | 19.60 |
| 166722 | 14 | 26-Feb-04 | PM | | 25940 | 11000 | 14940 | 12.61 | 0.478 | 16.40 |

[illegible][illegible]

BONANZA LEDGE BULK SAMPLE TRUCK SAMPLES

| Sample # | Truck # | Date | Shift | Quesnel Scale | MT Polley Scale | | Ore Weight (kg) | Tons(short) | Assay (oz) | Assay (g) |
|----------|----------|-----------|-------|---------------|-----------------|-----------------|-----------------|-------------|------------|-----------|
| | | | | Weight (kg) | Weight IN (kg) | Weight OUT (kg) | | | | |
| 166910 | 16 | 29-Feb-04 | PM | | | | | | | |
| 166911 | 14 | 29-Feb-04 | PM | | | | | 0.00 | 0.260 | 8.91 |
| 166912 | 14 | 29-Feb-04 | PM | | 46890 | 19760 | 27130 | 22.65 | 0.290 | 9.93 |
| 166913 | 9 | 29-Feb-04 | PM | | | | | 0.00 | 0.143 | 4.90 |
| 166914 | 9 | 29-Feb-04 | PM | | 47970 | | 24310 | 0.00 | 0.671 | 23.00 |
| | | | | | | | | 0.00 | 0.481 | 16.50 |
| 166915 | (Keis) 9 | 01-Mar-04 | AM | | 44730 | 18150 | 26580 | 20.80 | 0.426 | 14.60 |
| 166916 | (Keis) 9 | 01-Mar-04 | AM | | | | | 0.00 | 0.332 | 11.40 |
| 166917 | 16 | 01-Mar-04 | AM | | 45780 | 19630 | 26150 | 22.50 | 0.193 | 6.62 |
| 166918 | 16 | 01-Mar-04 | AM | | | | | 0.00 | 0.373 | 12.80 |
| 166919 | 14 | 01-Mar-04 | AM | 43300 | 42810 | 19670 | 23140 | 22.55 | 0.300 | 10.30 |
| 166920 | 14 | 01-Mar-04 | AM | | | | | 0.00 | 0.344 | 11.80 |
| 166921 | 3 | 01-Mar-04 | AM | 39690 | 39420 | 15760 | 23660 | 18.06 | 0.365 | 12.50 |
| 166922 | 3 | 01-Mar-04 | AM | | | | | 0.00 | 0.149 | 5.11 |
| 166923 | (Keis) 9 | 01-Mar-04 | PM | | 44790 | 18930 | 25860 | 21.70 | 0.188 | 6.43 |
| 166924 | (Keis) 9 | 01-Mar-04 | PM | | | | | 0.00 | 0.335 | 11.50 |
| 166925 | 14 | 01-Mar-04 | PM | | 68110 | 41620 | 26490 | 47.70 | 0.267 | 9.16 |
| 166926 | 14 | 01-Mar-04 | PM | | | | | 0.00 | 0.315 | 10.80 |
| 166927 | 16 | 01-Mar-04 | PM | 47530 | 68760 | 41400 | 27360 | 47.45 | 0.235 | 8.07 |
| 166928 | 16 | 01-Mar-04 | PM | | | | | 0.00 | 0.347 | 11.90 |
| 166929 | 3 | 01-Mar-04 | PM | | 63800 | 37520 | 26280 | 43.00 | 0.633 | 21.70 |
| 166930 | 3 | 01-Mar-04 | PM | | | | | 0.00 | 0.548 | 18.80 |
| 166931 | 9 | 02-Mar-04 | AM | 42150 | 41840 | 20090 | 21750 | 23.03 | 0.292 | 10.00 |
| 166932 | 9 | 02-Mar-04 | AM | | | | | 0.00 | 0.197 | 6.75 |
| 166933 | (Keis) 9 | 02-Mar-04 | AM | | 46790 | 18510 | 28280 | 21.22 | 0.359 | 12.30 |
| 166934 | (Keis) 9 | 02-Mar-04 | AM | | | | | 0.00 | 0.297 | 10.20 |
| 166935 | 16 | 02-Mar-04 | AM | 44930 | 44520 | 19700 | 24820 | 22.58 | 0.290 | 9.96 |
| 166936 | 16 | 02-Mar-04 | AM | | | | | 0.00 | 0.470 | 16.10 |
| 166937 | 14 | 02-Mar-04 | AM | 45130 | 44780 | 19670 | 25110 | 22.55 | 0.414 | 14.20 |
| 166938 | 14 | 02-Mar-04 | AM | | | | | 0.00 | 0.516 | 17.70 |
| 166939 | 3 | 02-Mar-04 | AM | 38960 | 38780 | 15850 | 22930 | 18.17 | 0.507 | 17.40 |
| 166940 | 3 | 02-Mar-04 | AM | | | | | 0.00 | 0.332 | 11.40 |
| 166941 | 16 | 02-Mar-04 | PM | 47530 | 70060 | 41430 | 28630 | 47.49 | 0.283 | 9.71 |
| 166942 | 16 | 02-Mar-04 | PM | | | | | 0.00 | 0.284 | 9.73 |

BONANZA LEDGE BULK SAMPLE TRUCK SAMPLES

| Sample # | Truck # | Date | Shift | Quesnel Scale | MT Polley Scale | | Ore Weight (kg) | Tons(short) | Assay (oz) | Assay (g) |
|----------|---------|-----------|-------|---------------|-----------------|-----------------|-----------------|-------------|------------|-----------|
| | | | | Weight (kg) | Weight IN (kg) | Weight OUT (kg) | | | | |
| 166943 | 9 | 02-Mar-04 | PM | | 69690 | 41170 | 28520 | 47.19 | 0.199 | 6.82 |
| 166944 | 9 | 02-Mar-04 | PM | | | | | 0.00 | 0.408 | 14.00 |
| 166945 | 14 | 02-Mar-04 | PM | | 70360 | 41620 | 28740 | 47.70 | 0.202 | 6.93 |
| 166946 | 14 | 02-Mar-04 | PM | | | | | 0.00 | 0.289 | 9.91 |
| 166947 | 3 | 03-Mar-04 | AM | 42120 | 41850 | 15910 | 25940 | 18.24 | 0.257 | 8.80 |
| 166948 | 3 | 03-Mar-04 | AM | | | | | 0.00 | 0.265 | 9.10 |
| 166949 | 9 | 03-Mar-04 | AM | 45400 | 44940 | 19660 | 25280 | 22.53 | 0.161 | 5.52 |
| 166950 | 9 | 03-Mar-04 | AM | | | | | 0.00 | 0.128 | 4.40 |
| | | | | | | | | 0.00 | | |
| 165201 | | NO TAG | | | | | | 0.00 | | |
| 165202 | 16 | 03-Mar-04 | AM | 45380 | 44950 | 19730 | 25220 | 22.61 | 0.400 | 13.70 |
| 165203 | 16 | 03-Mar-04 | AM | | | | | 0.00 | 0.242 | 8.30 |
| 165204 | 14 | 03-Mar-04 | PM | | 49627 | 19736 | 29891 | 22.62 | 0.309 | 10.60 |
| 165205 | 14 | 03-Mar-04 | PM | | | | | 0.00 | 0.347 | 11.90 |
| 165206 | 16 | 03-Mar-04 | PM | | 49445 | 19695 | 29750 | 22.57 | 0.391 | 13.40 |
| 165207 | 16 | 03-Mar-04 | PM | | | | | 0.00 | 0.216 | 7.40 |
| 165208 | 3 | 04-Mar-04 | PM | | 38700 | 15980 | 22720 | 18.32 | 0.324 | 11.10 |
| 165209 | 3 | 04-Mar-04 | PM | | | | | 0.00 | 0.350 | 12.00 |
| 165210 | 14 | 04-Mar-04 | PM | | 45540 | 19640 | 25900 | 22.51 | 0.437 | 15.00 |
| 165211 | 14 | 04-Mar-04 | PM | | | | | 0.00 | 0.446 | 15.30 |
| 165212 | 16 | 04-Mar-04 | PM | | 46720 | 20100 | 26620 | 23.04 | 0.280 | 9.61 |
| 165213 | 16 | 04-Mar-04 | PM | | | | | 0.00 | 0.478 | 16.40 |
| 165214 | 9 | 04-Mar-04 | PM | | 45830 | 19550 | 26280 | 22.41 | 0.129 | 4.42 |
| 165215 | 9 | 04-Mar-04 | PM | | | | | 0.00 | 0.502 | 17.20 |
| 165216 | 9 | 05-Mar-04 | AM | 45220 | 44855 | 19382 | 25473 | 22.21 | 0.213 | 7.30 |
| 165217 | 9 | 05-Mar-04 | AM | | | | | 0.00 | 0.388 | 13.30 |
| 165218 | 14 | 05-Mar-04 | AM | | 45018 | 19809 | 25209 | 22.70 | 0.362 | 12.40 |
| 165219 | 14 | 05-Mar-04 | AM | | | | | 0.00 | 0.309 | 10.60 |
| 165220 | 16 | 05-Mar-04 | AM | | 46110 | 19940 | 26170 | 22.85 | 0.163 | 5.60 |
| 165221 | 16 | 05-Mar-04 | AM | | | | | 0.00 | 0.052 | 1.78 |
| 165222 | 3 | 05-Mar-04 | AM | 40220 | 40118 | 15918 | 24200 | 18.24 | 0.306 | 10.50 |
| 165223 | 3 | 05-Mar-04 | AM | | | | | 0.00 | 0.289 | 9.90 |
| 165224 | 9 | 06-Mar-04 | AM | | 45736 | 19245 | 26491 | 22.06 | 0.878 | 30.10 |
| 165225 | 9 | 06-Mar-04 | AM | | | | | 0.00 | 0.849 | 29.10 |

BONANZA LEDGE BULK SAMPLE TRUCK SAMPLES

| Sample # | Truck # | Date | Shift | Quesnel Scale | MT Polley Scale | | Ore Weight (kg) | Tons(short) | Assay (oz) | Assay (g) |
|----------|------------|-----------|---------|---------------|-----------------|-----------------|-----------------|-------------|------------|-----------|
| | | | | Weight (kg) | Weight IN (kg) | Weight OUT (kg) | | | | |
| 165226 | 3 | 06-Mar-04 | AM | | | | | | | |
| 165227 | 3 | 06-Mar-04 | AM | | 39900 | 15930 | 23970 | 18.26 | 0.580 | 19.90 |
| 165228 | 14 | 06-Mar-04 | AM | | | | | 0.00 | 0.749 | 25.70 |
| 165229 | 14 | 06-Mar-04 | AM | | 46780 | 19800 | 26980 | 22.69 | 0.688 | 23.60 |
| 165230 | 16 | 06-Mar-04 | AM | | | | | 0.00 | 0.854 | 29.30 |
| 165231 | 16 | 06-Mar-04 | AM | | 47120 | 19790 | 27330 | 22.68 | 1.047 | 35.90 |
| 165232 | 16 | 06-Mar-04 | PM | | | | | 0.00 | 0.297 | 10.20 |
| 165233 | 16 | 06-Mar-04 | PM | | 47480 | 19810 | 27670 | 22.71 | 0.449 | 15.40 |
| 165234 | 9 | 06-Mar-04 | PM | | | | | 0.00 | 0.475 | 16.30 |
| 165235 | 9 | 06-Mar-04 | PM | | 46460 | 19320 | 27140 | 22.14 | 0.747 | 25.60 |
| 165236 | 3 | 06-Mar-04 | PM | | | | | 0.00 | 0.892 | 30.60 |
| 165237 | 3 | 06-Mar-04 | PM | | 41070 | 15750 | 25320 | 18.05 | 0.808 | 27.70 |
| 165238 | 14 | 06-Mar-04 | PM | | | | | 0.00 | 1.309 | 44.90 |
| 165239 | 14 | 06-Mar-04 | PM | | 48290 | 19390 | 28900 | 22.22 | 0.505 | 17.30 |
| 165240 | 9 | 07-Mar-04 | MID DAY | | | | | 0.00 | 0.408 | 14.00 |
| 165241 | 9 | 07-Mar-04 | MID DAY | | 52660 | 19450 | 33210 | 22.29 | 0.321 | 11.00 |
| 165242 | 3 | 07-Mar-04 | MID DAY | | | | | 0.00 | 0.190 | 6.50 |
| 165243 | 3 | 07-Mar-04 | MID DAY | | 43510 | 15880 | 27630 | 18.20 | 0.318 | 10.90 |
| 165244 | 14 | 07-Mar-04 | MID DAY | | | | | 0.00 | 0.300 | 10.30 |
| 165245 | 14 | 07-Mar-04 | MID DAY | | 52650 | 19700 | 32950 | 22.58 | 0.534 | 18.30 |
| 165246 | 16 | 07-Mar-04 | MID DAY | | | | | 0.00 | 0.254 | 8.71 |
| 165247 | 16 | 07-Mar-04 | MID DAY | | 49260 | 19890 | 29370 | 22.80 | 0.300 | 10.30 |
| 165248 | 3 | 08-Mar-04 | AM | | | | | 0.00 | 0.292 | 10.00 |
| 165249 | 3 | 08-Mar-04 | AM | | 42030 | 15830 | 26200 | 18.14 | 0.122 | 4.20 |
| 165250 | 9 | 08-Mar-04 | AM | | | | | 0.00 | 0.119 | 4.07 |
| 165251 | 9 | 08-Mar-04 | AM | 49610 | 49320 | 19440 | 29880 | 22.28 | 0.312 | 10.70 |
| 165252 | (no pup) 2 | 08-Mar-04 | AM | | | | | 0.00 | 0.426 | 14.60 |
| 165253 | (no pup) 8 | 08-Mar-04 | AM | 24930 | 24720 | 11260 | 13460 | 12.91 | 0.330 | 11.30 |
| 165254 | 14 | 08-Mar-04 | AM | 24180 | 23900 | 11300 | 12600 | 12.95 | 0.213 | 7.30 |
| 165255 | 14 | 08-Mar-04 | AM | 47450 | 47170 | 19800 | 27370 | 22.69 | 0.067 | 2.31 |
| 165256 | 16 | 08-Mar-04 | AM | | | | | 0.00 | 0.187 | 6.40 |
| 165257 | 16 | 08-Mar-04 | AM | | 45900 | 19680 | 26220 | 22.56 | 0.093 | 3.18 |
| 165258 | 16 | 08-Mar-04 | PM | | | | | 0.00 | 0.154 | 5.29 |
| 165259 | 16 | 08-Mar-04 | PM | | 52400 | 19470 | 32930 | 22.32 | 0.330 | 11.30 |
| | | | | | | | | 0.00 | 0.370 | 12.70 |

BONANZA LEDGE BULK SAMPLE TRUCK SAMPLES

| Sample # | Truck # | Date | Shift | Quesnel Scale | MT Polley Scale | | Ore Weight (kg) | Tons(short) | Assay (oz) | Assay (g) |
|----------|-------------|-----------|-------|---------------|-----------------|-----------------|-----------------|-------------|------------|-----------|
| | | | | Weight (kg) | Weight IN (kg) | Weight OUT (kg) | | | | |
| 165260 | 14 | 08-Mar-04 | PM | | | | | | | |
| 165261 | 14 | 08-Mar-04 | PM | | 50590 | 19200 | 31390 | 22.01 | 0.201 | 6.90 |
| 165262 | 9 | 08-Mar-04 | PM | | | | | 0.00 | 0.269 | 9.21 |
| 165263 | 9 | 08-Mar-04 | PM | | 52280 | 19050 | 33230 | 21.83 | 0.246 | 8.42 |
| 165264 | 3 | 08-Mar-04 | PM | | | | | 0.00 | 0.615 | 21.10 |
| 165265 | 3 | 08-Mar-04 | PM | | 46600 | 15540 | 31060 | 17.81 | 0.178 | 6.10 |
| 165266 | (no pup) 2 | 09-Mar-04 | AM | | | | | 0.00 | 0.373 | 12.80 |
| 165267 | (no pup) 8 | 09-Mar-04 | AM | | 22420 | 11130 | 11290 | 12.76 | 0.332 | 11.40 |
| 165268 | (no pup) 10 | 09-Mar-04 | AM | | 22630 | 11160 | 11470 | 12.79 | 0.519 | 17.80 |
| 165269 | 16 | 09-Mar-04 | AM | 22060 | 21870 | 12170 | 9700 | 13.95 | 0.437 | 15.00 |
| 165270 | 16 | 09-Mar-04 | AM | 44960 | 45060 | 19910 | 25150 | 22.82 | 0.290 | 9.93 |
| 165271 | 14 | 09-Mar-04 | AM | | | | | 0.00 | 0.382 | 13.10 |
| 165272 | 14 | 09-Mar-04 | AM | 44570 | 44370 | 19680 | 24690 | 22.56 | 0.300 | 10.30 |
| 165273 | 9 | 09-Mar-04 | AM | | | | | 0.00 | 0.265 | 9.10 |
| 165274 | 9 | 09-Mar-04 | AM | | 41800 | 19710 | 22090 | 22.59 | 0.251 | 8.61 |
| 165275 | 3 | 09-Mar-04 | AM | | | | | 0.00 | 0.280 | 9.60 |
| 165276 | 3 | 09-Mar-04 | AM | | 36510 | 15990 | 20520 | 18.33 | 0.624 | 21.40 |
| 165277 | 3 | 12-Mar-04 | AM | | | | | 0.00 | 0.292 | 10.00 |
| 165278 | 3 | 12-Mar-04 | AM | | 38350 | 15700 | 22650 | 17.99 | 0.414 | 14.20 |
| 165279 | 16 | 12-Mar-04 | AM | | | | | 0.00 | 0.143 | 4.90 |
| 165280 | 16 | 12-Mar-04 | AM | | 44490 | 19390 | 25100 | 22.22 | 0.225 | 7.70 |
| 165281 | (+ pup) 2 | 12-Mar-04 | AM | | | | | 0.00 | 0.414 | 14.20 |
| 165282 | (+ pup) 2 | 12-Mar-04 | AM | 38280 | 37660 | 15570 | 22090 | 17.85 | 0.306 | 10.50 |
| 165283 | 14 | 12-Mar-04 | AM | | | | | 0.00 | 0.408 | 14.00 |
| 165284 | 14 | 12-Mar-04 | AM | 46190 | 45440 | 19330 | 26110 | 22.16 | 0.452 | 15.50 |
| 165285 | 9 | 12-Mar-04 | AM | | | | | 0.00 | 0.446 | 15.30 |
| 165286 | 9 | 12-Mar-04 | AM | 43890 | 43200 | 19350 | 23850 | 22.18 | 0.260 | 8.90 |
| 165287 | 3 | 15-Mar-04 | AM | | | | | 0.00 | 0.408 | 14.00 |
| 165288 | 3 | 15-Mar-04 | AM | | 41640 | 15710 | 25930 | 18.01 | 0.694 | 23.80 |
| 165289 | 16 | 15-Mar-04 | AM | | | | | 0.00 | 1.493 | 50.50 |
| 165290 | 16 | 15-Mar-04 | AM | 50270 | 49800 | 19550 | 30250 | 22.41 | 0.843 | 28.90 |
| 165291 | 9 | 15-Mar-04 | AM | | | | | 0.00 | 0.647 | 22.20 |
| 165292 | 9 | 15-Mar-04 | AM | | 47680 | 19550 | 28130 | 22.41 | 1.234 | 42.40 |
| 165293 | 14 | 15-Mar-04 | AM | | | | | 0.00 | 0.700 | 24.00 |
| | | | | | 47990 | 19710 | 28280 | 22.59 | 1.161 | 39.80 |

BONANZA LEDGE BULK SAMPLE TRUCK SAMPLES

| Sample # | Truck # | Date | Shift | Quesnel Scale | MT Polley Scale | | Ore Weight (kg) | Tons(short) | Assay (oz) | Assay (g) |
|----------|-------------|-----------|-------|---------------|-----------------|-----------------|-----------------|-------------|------------|-----------|
| | | | | Weight (kg) | Weight IN (kg) | Weight OUT (kg) | | | | |
| 165294 | 14 | 15-Mar-04 | AM | | | | | | | |
| 165295 | (+ pup) 2 | 15-Mar-04 | AM | | | | | 0.00 | 0.703 | 24.10 |
| 165296 | (+ pup) 2 | 15-Mar-04 | AM | | 38980 | 15700 | 23280 | 17.99 | 1.056 | 36.20 |
| 165297 | 3 | 16-Mar-04 | AM | | | | | 0.00 | 0.927 | 31.80 |
| 165298 | 3 | 16-Mar-04 | AM | | 39490 | 15920 | 23570 | 18.25 | 0.854 | 29.30 |
| 165299 | 16 | 16-Mar-04 | AM | 45660 | | | | 0.00 | 0.709 | 24.30 |
| 165300 | 16 | 16-Mar-04 | AM | | 45270 | 19540 | 25730 | 22.40 | 1.280 | 43.90 |
| 165301 | 9 | 16-Mar-04 | AM | 45560 | | | | 0.00 | 0.901 | 30.90 |
| 165302 | 9 | 16-Mar-04 | AM | | 45090 | 19570 | 25520 | 22.43 | 1.272 | 43.60 |
| 165303 | (+ pup) 2 | 16-Mar-04 | AM | | | | | 0.00 | 0.540 | 18.50 |
| 165304 | (+ pup) 2 | 16-Mar-04 | AM | | 40850 | 16020 | 24830 | 18.36 | 0.933 | 32.00 |
| 165305 | (no pup) 8 | 16-Mar-04 | AM | 23700 | | | | 0.00 | 0.738 | 25.30 |
| 165306 | (no pup) 7 | 16-Mar-04 | AM | 22380 | 23390 | 10870 | 12520 | 12.46 | 0.213 | 7.30 |
| 165307 | 14 | 16-Mar-04 | AM | 44620 | 22040 | 9950 | 12090 | 11.40 | 0.709 | 24.30 |
| 165308 | 14 | 16-Mar-04 | AM | | 44070 | 19840 | 25730 | 22.74 | 0.729 | 25.00 |
| 165309 | NOT USED | | | | | | | 0.00 | 0.989 | 33.90 |
| 165310 | 3 | 17-Mar-04 | AM | | 41830 | 15580 | 26250 | 17.86 | 0.379 | 13.00 |
| 165311 | 3 | 17-Mar-04 | AM | | | | | 0.00 | 0.936 | 32.10 |
| 165312 | (no pup) 10 | 17-Mar-04 | AM | | 23830 | 11850 | 11980 | 13.58 | 2.733 | 93.70 |
| 165313 | 16 | 17-Mar-04 | AM | 48010 | 48240 | 19550 | 28690 | 22.41 | 1.041 | 35.70 |
| 165314 | 16 | 17-Mar-04 | AM | | | | | 0.00 | 0.542 | 18.60 |
| 165315 | 9 | 17-Mar-04 | AM | 43540 | 43260 | 19250 | 24010 | 22.06 | 0.694 | 23.80 |
| 165316 | 9 | 17-Mar-04 | AM | | | | | 0.00 | 0.548 | 18.80 |
| 165317 | (no pup) 8 | 17-Mar-04 | AM | 23240 | 22950 | 11190 | 11760 | 12.83 | 0.420 | 14.40 |
| 165318 | (no pup) 7 | 17-Mar-04 | AM | 23490 | 23210 | 9800 | 13410 | 11.23 | 1.289 | 44.20 |
| 165319 | (+ pup) 2 | 17-Mar-04 | AM | 40320 | 40860 | 15960 | 24900 | 18.29 | 0.653 | 22.40 |
| 165320 | (+ pup) 2 | 17-Mar-04 | AM | | | | | 0.00 | 0.490 | 16.80 |
| 165321 | 14 | 17-Mar-04 | AM | 46100 | 46380 | 20190 | 26190 | 23.14 | 0.604 | 20.70 |
| 165322 | 14 | 17-Mar-04 | AM | | | | | 0.00 | 0.580 | 19.90 |
| 165323 | 3 | 18-Mar-04 | AM | | 39090 | 15870 | 23220 | 18.19 | 0.656 | 22.50 |
| 165324 | 3 | 18-Mar-04 | AM | | | | | 0.00 | 0.749 | 25.70 |
| 165325 | 16 | 18-Mar-04 | AM | | 42430 | 19780 | 22650 | 22.67 | 0.595 | 20.40 |
| 165326 | 16 | 18-Mar-04 | AM | | | | | 0.00 | 0.353 | 12.10 |
| 165327 | 9 | 18-Mar-04 | AM | | 43300 | 20230 | 23070 | 23.19 | 0.449 | 15.40 |

BONANZA LEDGE BULK SAMPLE TRUCK SAMPLES

| Sample # | Truck # | Date | Shift | Quesnel Scale | MT Polley Scale | | Ore Weight (kg) | Tons(short) | Assay (oz) | Assay (g) |
|----------|-------------|-----------|-------|---------------|-----------------|-----------------|-----------------|-------------|------------|-----------|
| | | | | Weight (kg) | Weight IN (kg) | Weight OUT (kg) | | | | |
| 165328 | 9 | 18-Mar-04 | AM | | | | | | | |
| 165329 | (+ pup) 2 | 18-Mar-04 | AM | 35870 | 35900 | 15930 | 19970 | 0.00 | 0.729 | 25.00 |
| 165330 | (+ pup) 2 | 18-Mar-04 | AM | | | | | 18.26 | 0.332 | 11.40 |
| 165331 | 14 | 18-Mar-04 | AM | 41950 | 41600 | 20000 | 21600 | 0.00 | 0.391 | 13.40 |
| 165332 | 14 | 18-Mar-04 | AM | | | | | 22.92 | 0.198 | 6.80 |
| 165333 | 3 | 23-Mar-04 | AM | | 41000 | 15620 | 25380 | 0.00 | 0.455 | 15.60 |
| 165334 | 3 | 23-Mar-04 | AM | | | | | 17.90 | 0.175 | 6.00 |
| 165335 | (no pup) 13 | 23-Mar-04 | AM | | 24130 | 11940 | | 0.00 | 0.344 | 11.80 |
| 165336 | 9 | 23-Mar-04 | AM | 49430 | 49370 | 19360 | 12190 | 13.69 | 0.297 | 10.20 |
| 165337 | 9 | 23-Mar-04 | AM | | | | 30010 | 22.19 | 0.359 | 12.30 |
| 165338 | (no pup) 10 | 23-Mar-04 | AM | | 23000 | 12140 | | 0.00 | 0.248 | 8.50 |
| 165339 | (no pup) 16 | 23-Mar-04 | AM | 33370 | 33580 | 16680 | 10860 | 13.91 | 0.233 | 8.00 |
| 165340 | (no pup) 8 | 23-Mar-04 | AM | 23130 | 22870 | 11300 | 16900 | 19.12 | 0.379 | 13.00 |
| 165341 | 16 | 24-Mar-04 | AM | 45910 | 45640 | 19470 | 11570 | 12.95 | 0.292 | 10.00 |
| 165342 | 16 | 24-Mar-04 | AM | | | | 26170 | 22.32 | 0.446 | 15.30 |
| 165343 | (no pup) 13 | 24-Mar-04 | AM | | 23920 | 11460 | | 0.00 | 0.685 | 23.50 |
| 165344 | 3 | 24-Mar-04 | AM | 39250 | 39340 | 15570 | 12460 | 13.14 | 0.478 | 16.40 |
| 165345 | 3 | 24-Mar-04 | AM | | | | 23770 | 17.85 | 0.318 | 10.90 |
| 165346 | 9 | 24-Mar-04 | AM | 46570 | 45980 | 19320 | | 0.00 | 0.300 | 10.30 |
| 165347 | 9 | 24-Mar-04 | AM | | | | 26660 | 22.14 | 0.408 | 14.00 |
| 165348 | (no pup) 10 | 24-Mar-04 | AM | 25310 | 25050 | 12050 | | 0.00 | 0.478 | 16.40 |
| 165349 | (no pup) 8 | 24-Mar-04 | AM | 24730 | 24400 | 11320 | 13000 | 13.81 | 0.423 | 14.50 |
| 165350 | 14 | 24-Mar-04 | AM | | 48250 | 20100 | 13080 | 12.97 | 0.429 | 14.70 |
| 165351 | 14 | 24-Mar-04 | AM | | | | 28150 | 23.04 | 0.749 | 25.70 |
| 165352 | 2 | 24-Mar-04 | AM | 37580 | 37710 | 15840 | | 0.00 | 0.300 | 10.30 |
| 165353 | 2 | 24-Mar-04 | AM | | | | 21870 | 18.16 | 0.580 | 19.90 |
| 165354 | 16 | 25-Mar-04 | AM | | 47830 | 19340 | | 0.00 | 0.490 | 16.80 |
| 165355 | 16 | 25-Mar-04 | AM | | | | 28490 | 22.17 | 0.095 | 3.27 |
| 165356 | (no pup) 13 | 25-Mar-04 | AM | 23160 | 22980 | 11530 | 0 | 0.00 | 0.148 | 5.08 |
| 165357 | 3 | 25-Mar-04 | AM | 40600 | 40370 | 15400 | 11450 | 13.22 | 0.169 | 5.81 |
| 165358 | 3 | 25-Mar-04 | AM | | | | 24970 | 17.65 | 0.213 | 7.32 |
| 165359 | (no pup) 8 | 25-Mar-04 | AM | 24700 | 24290 | 11180 | | 0.00 | 0.262 | 9.00 |
| 165360 | 9 | 25-Mar-04 | AM | 46830 | 46560 | 19430 | 13110 | 12.81 | 0.269 | 9.23 |
| 165361 | 9 | 25-Mar-04 | AM | | | | 27130 | 22.27 | 0.144 | 4.94 |
| | | | | | | | | 0.00 | 0.193 | 6.61 |

[illegible][illegible]

| BONANZA LEDGE BULK SAMPLE MUCK SAMPLES | | | | | | | | | | | |
|--|----------|---------|--------|--------|---------|--------|--------|--------|-------|-------|--------|
| | STOPE ID | #SCOOPS | TONNGE | 2.5 YD | #SCOOPS | TONNGE | 3.5 YD | TOTAL | ASSAY | ASSAY | OZ AU |
| | | 2 YD | FACTOR | TONS | 3.5 YD | FACTOR | TONS | MUCKED | G/T | OPT | |
| 06/27/2004 | 100 | 15 | 2 | 30 | | | | 30 | 38.80 | 1.25 | 37.4 |
| 06/28/2004 | 100 | 20 | 2 | 40 | | | | 40 | 31.60 | 1.02 | 40.6 |
| 06/29/2004 | 100 | 35 | 2 | 70 | | | | 70 | 39.90 | 1.28 | 89.8 |
| 06/30/2004 | 100 | 40 | 2 | 80 | | | | 80 | 28.20 | 0.91 | 72.5 |
| 07/01/2004 | 100 | 40 | 2 | 80 | | | | 80 | 19.70 | 0.63 | 50.7 |
| 07/06/2004 | 40 | 46 | 2 | 92 | | | | 92 | 18.30 | 0.59 | 54.1 |
| 07/07/2004 | 40 | 101 | 2 | 202 | 75 | 4.5 | 337.5 | 539.5 | 26.40 | 0.85 | 458.0 |
| 07/08/2004 | 40 | 102 | 2 | 204 | 116 | 4.5 | 522 | 726 | 21.10 | 0.68 | 492.6 |
| 07/09/2004 | 40 | 21 | 2 | 42 | 27 | 4.5 | 121.5 | 163.5 | 21.10 | 0.68 | 110.9 |
| 07/09/2004 | 100 | 1 | 2 | 2 | 50 | 4.5 | 225 | 227 | 21.10 | 0.68 | 154.0 |
| 07/10/2004 | 40 | 45 | 2 | 90 | 79 | 5.5 | 434.5 | 524.5 | 13.00 | 0.42 | 219.2 |
| 07/11/2004 | 40 | 21 | 3 | 63 | 45 | 6.5 | 292.5 | 355.5 | 20.30 | 0.65 | 232.0 |
| SUBTOTAL | | | | | | | | | | | 2012.0 |
| TOTAL | | 487 | | 995 | 392 | | 1933 | 2928 | 21.37 | 0.69 | 2012.0 |

* ALL TONS IN SHORT TONS

AA
LL

GEOCHEMICAL ANALYSIS CERTIFICATE

Int'l Wayside Gold Mines Ltd. File # A306195
P.O. Box 247, 2422 Barker, Wells BC V0K 2R0

AA
LL

| SAMPLE# | Au* ppb |
|---------------|------------|
| SI | |
| 40116 | <.2 |
| 40117 | 2.4 |
| 40118 | 127.8 |
| 40119 | 372.7 |
| | 83.4 |
| 40120 | 281.3 |
| 40121 | 37.6 |
| 40122 | 17.8 |
| 40123 | 436.2 |
| 40124 | .7 |
| 40125 | .3 |
| 40126 | 1.0 |
| 40127 | .7 |
| 40128 | 3.1 |
| 40129 | <.2 |
| 40130 | <.2 |
| RE 40130 | .5 |
| 40131 | 2.0 |
| 40132 | .8 |
| 40133 | 1.9 |
| 40134 | .5 |
| 40135 | <.2 |
| 40136 | 1.5 |
| STANDARD AU-R | 462.6 |

AU* IGNITED, ACID LEACHED, ANALYZED BY ICP-MS. (15 gm)
- SAMPLE TYPE: ROCK R150 60C
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: DEC 18 2003 DATE REPORT MAILED: Jan 7/04 SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

ACME ANALYTICAL LABORATORIES LTD.
(ISO 9002 Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Int'l Wayside Gold Mines Ltd. File # A400089
P.O. Box 247, 2422 Barker, Wells BC V0K 2R0

SAMPLE#

Au*
ppb

40137
40138
40139
40140
40141

1.4
1.8
1.8
2.7
1.0

STANDARD AU-R 465.0

AU* IGNITED, ACID LEACHED, ANALYZED BY ICP-MS. (15 gm)
- SAMPLE TYPE: ROCK R150 60C

DATE RECEIVED: JAN 7 2004 DATE REPORT MAILED: *Jan 20/04* SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

CERTIFICATE OF ASSAY AK 2004-040

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

22-Jan-04

No. of samples received:
Sample type: Core
Project #: None Given
Shipment #: None Given

UNDERGROUND CHIP SAMPLING

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 1 | 40201 | 2.44 | 0.071 |
| 2 | 40202 | 0.77 | 0.022 |
| 3 | 40203 | 0.65 | 0.019 |
| 4 | 40204 | 0.76 | 0.022 |
| 5 | 40205 | 0.69 | 0.020 |
| 6 | 40206 | 0.64 | 0.019 |
| 7 | 40207 | 2.99 | 0.087 |
| 8 | 40208 | 1.28 | 0.037 |
| 9 | 40209 | 5.46 | 0.159 |
| 10 | 40210 | 5.21 | 0.152 |
| 11 | 40211 | 0.07 | 0.002 |
| 12 | 40142 | 0.53 | 0.015 |
| 13 | 40143 | 0.59 | 0.017 |
| 14 | 40144 | 3.12 | 0.091 |
| 15 | 40145 | 0.72 | 0.021 |
| 16 | 40146 | 1.69 | 0.049 |
| 17 | 40147 | 2.27 | 0.066 |
| 18 | 40148 | 9.06 | 0.264 |
| 19 | 40149 | 1.64 | 0.048 |
| 20 | 40150 | 7.76 | 0.226 |
| 21 | 40164 | 4.73 | 0.138 |
| 22 | 40165 | 7.71 | 0.225 |
| 23 | 40166 | 19.0 | 0.554 |
| 24 | 40167 | 8.56 | 0.250 |
| 25 | 40168 | 19.7 | 0.575 |
| 26 | 40169 | 98.7 | 2.878 |
| 27 | 40170 | 6.37 | 0.186 |
| 28 | 40171 | 34.5 | 1.006 |
| 29 | 40172 | 14.3 | 0.417 |
| 30 | 40173 | 16.7 | 0.487 |
| 31 | 40174 | 39.7 | 1.158 |
| 32 | 40175 | 7.36 | 0.215 |
| 33 | 40176 | 35.2 | 1.027 |
| 34 | 40177 | 19.7 | 0.575 |
| 35 | 40178 | 7.60 | 0.222 |

Much from
100 x/c + 140 x/c
140 x/c

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

40151 → 40163(?)

22-Jan-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|-------|-------------|--------------|
| QC DATA: | | | |
| Repeat: | | | |
| 1 | 40201 | 2.33 | 0.068 |
| 9 | 40209 | 5.87 | 0.171 |
| 10 | 40210 | 5.53 | 0.161 |
| 18 | 40148 | 8.90 | 0.260 |
| 19 | 40149 | 1.61 | 0.047 |
| 23 | 40166 | 18.4 | 0.537 |
| 26 | 40169 | 98.6 | 2.875 |
| 29 | 40172 | 15.6 | 0.455 |
| 30 | 40173 | 18.9 | 0.551 |
| 33 | 40176 | 35.7 | 1.041 |
| Resplit: | | | |
| 1 | 40201 | 2.21 | 0.064 |
| Standard: | | | |
| PM163 | | 1.74 | 0.051 |

JJ/kk
XLS/04**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-048

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

2-Feb-04

No. of samples received: 35

Sample type: Core

Project #: None Given

Shipment #: None Given

| ET #. | Tag # | Au (g/t) | Au (oz/t) | |
|-------|-------|-------------|--------------|--------------------------------------|
| 1 | 40212 | 1.46 | 0.043 | |
| 2 | 40213 | 0.72 | 0.021 | |
| 3 | 40214 | 0.55 | 0.016 | |
| 4 | 40215 | 0.14 | 0.004 | |
| 5 | 40216 | 3.72 | 0.108 | |
| 6 | 40217 | 9.36 | 0.273 | ↑ 21-26 26-31 31-36 15 feet |
| 7 | 40218 | 17.3 | 0.505 | |
| 8 | 40219 | 11.8 | 0.344 | |
| 9 | 40220 | 1.38 | 0.040 | |
| 10 | 40221 | 1.30 | 0.038 | |
| 11 | 40222 | 1.92 | 0.056 | |
| 12 | 40223 | 2.29 | 0.067 | |
| 13 | 40224 | 0.93 | 0.027 | |
| 14 | 40225 | 3.44 | 0.100 | |
| 15 | 40226 | 1.98 | 0.058 | |
| 16 | 40227 | 6.97 | 0.203 | ↑ 30-35 |
| 17 | 40228 | 3.56 | 0.104 | |
| 18 | 40229 | 5.61 | 0.164 | |
| 19 | 40230 | 5.79 | 0.169 | |
| 20 | 40231 | 1.53 | 0.045 | |
| 21 | 40232 | 1.52 | 0.044 | |
| 22 | 40233 | 4.31 | 0.126 | |
| 23 | 40234 | 1.48 | 0.043 | |
| 24 | 40235 | 4.20 | 0.122 | ↑ 10 ft |
| 25 | 40236 | 25.3 | 0.738 | |
| 26 | 40237 | 22.4 | 0.653 | |
| 27 | 40238 | 1.55 | 0.045 | |
| 28 | 40239 | 4.63 | 0.135 | |
| 29 | 40240 | 0.48 | 0.014 | |

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

2-Feb-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 30 | 40241 | 4.30 | 0.125 |
| 31 | 40242 | 1.84 | 0.054 |
| 32 | 40243 | 23.2 | 0.677 |
| 33 | 40244 | 21.5 | 0.627 |
| 34 | 40245 | 32.4 | 0.945 |
| 35 | 40246 | 15.3 | 0.446 |

20 ft

QC DATA:**Repeat:**

| | | | |
|----|-------|------|-------|
| 1 | 40212 | 1.46 | 0.043 |
| 6 | 40217 | 9.80 | 0.286 |
| 7 | 40218 | 17.0 | 0.496 |
| 8 | 40219 | 11.6 | 0.338 |
| 10 | 40221 | 1.12 | 0.033 |
| 16 | 40227 | 6.61 | 0.193 |
| 18 | 40229 | 6.00 | 0.175 |
| 19 | 40230 | 5.42 | 0.158 |
| 25 | 40236 | 25.0 | 0.729 |
| 26 | 40237 | 22.1 | 0.645 |
| 33 | 40244 | 23.0 | 0.671 |

Resplit:

| | | | |
|---|-------|------|-------|
| 1 | 40212 | 1.11 | 0.032 |
|---|-------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.71 | 0.050 |
| PM163 | 1.72 | 0.050 |

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

JJ/kk
XLS/04

CERTIFICATE OF ASSAY AK 2004-052

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

5-Feb-04

No. of samples received: 4

Sample type: Rock

quartz veins

| ET #. | Tag # | Au (g/t) | Au (oz/t) | |
|-------|-------|-------------|--------------|--|
| 1 | 40247 | 1.40 | 0.041 | - white quartz vein c.g. crystalline, fine to massive f. to med. gr. pyrite in gv } m.g. pyrit white quartz c.g. to med. gr. pyrite, ± f.g. - the same as 40249 |
| 2 | 40248 | 4.94 | 0.144 | |
| 3 | 40249 | 1.29 | 0.038 | |
| 4 | 40250 | 1.46 | 0.043 | |

QC DATA:

Resplit:

| | | | |
|---|-------|------|-------|
| 1 | 40247 | 1.50 | 0.044 |
|---|-------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.67 | 0.049 |
|-------|------|-------|

JJ/kk

XLS/04

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

40247 } 11 ft west of FS
40248 }
 to 032
40249 } 34 ft west of FS to
40250 } 03

CERTIFICATE OF ASSAY AK 2004-062

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

12-Feb-04

No. of samples received: 9
Sample type: Rock
Samples Submitted by: Not Indicated

MUCK SAMPLES

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 1 | 40179 | 0.47 | 0.014 |
| 2 | 40180 | 0.30 | 0.009 |
| 3 | 40181 | 2.28 | 0.068 |
| 4 | 40182 | 0.65 | 0.019 |
| 5 | 40183 | 0.41 | 0.012 |
| 6 | 40184 | 0.34 | 0.010 |
| 7 | 40185 | 1.69 | 0.049 |
| 8 | 40186 | 0.47 | 0.014 |
| 9 | 40187 | 3.01 | 0.088 |

QC DATA:

Repeat:

| | | | |
|---|-------|------|-------|
| 3 | 40180 | 2.20 | 0.064 |
| 7 | 40185 | 1.80 | 0.052 |

Resplit:

| | | | |
|---|-------|------|-------|
| 1 | 40179 | 0.37 | 0.011 |
|---|-------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.78 | 0.052 |
|-------|------|-------|

JJ/kk
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-064

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

12-Feb-04

No. of samples received: 2

Sample type: Rock

Samples Submitted by: Dasha

140 x cnt
muck samples from
40 foot rise raise

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 1 | 40188 | 8.00 | 0.233 |
| 2 | 40189 | 19.7 | 0.575 |

QC DATA:

Repeat:

| | | | |
|---|-------|------|-------|
| 2 | 40189 | 18.2 | 0.531 |
|---|-------|------|-------|

Resplit:

| | | | |
|---|-------|------|-------|
| 1 | 40188 | 8.10 | 0.236 |
|---|-------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.78 | 0.052 |
|-------|------|-------|

JJ/kk
XLS/04

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

AA
LL

ASSAY CER FICATE

Int'l Wayside Gold Mines Ltd. PROJECT BL U/G File # A400469
P.O. Box 247, 2422 Barker, Wells BC V0K 2R0 Submitted by: David Prentice


AA
LL

| SAMPLE# | Au** gm/mt |
|---------------|---------------|
| SI | <.01 |
| 38780 | 1.63 |
| 38781 | 9.56 |
| 38782 | 15.54 |
| 38783 | 14.31 |
| 38784 | 32.02 |
| 38785 | 7.95 |
| 38786 | 13.94 |
| 38787 | 13.14 |
| 38788 | 21.02 |
| 38789 | 27.24 |
| 38790 | .22 |
| 38791 | .04 |
| RE 38791 | .07 |
| RRE 38791 | .03 |
| 38792 | 4.71 |
| 38793 | .48 |
| 38794 | .05 |
| 38795 | .02 |
| 38796 | .02 |
| 38797 | .06 |
| 38798 | .02 |
| STANDARD AU-1 | 3.43 |

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: CORE R150 60C
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data d FA x

DATE RECEIVED: FEB 10 2004 DATE REPORT MAILED: Feb 16/2004



CERTIFICATE OF ASSAY AK 2004-094

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

3-Mar-04

No. of samples received: 9
Sample type: Core
Project #: UG

UG 04-15

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 1 | 38844 | 0.86 | 0.025 |
| 2 | 38845 | 0.98 | 0.029 |
| 3 | 38846 | 0.09 | 0.003 |
| 4 | 38847 | 0.18 | 0.005 |
| 5 | 38848 | 0.17 | 0.005 |
| 6 | 38849 | 0.24 | 0.007 |
| 7 | 38850 | 0.05 | 0.001 |
| 8 | 40190 | 86.7 | 2.528 |
| 9 | 40191 | 2.46 | 0.072 |

→ 100 x-act
MUCKS

1460 x-act

QC DATA:

Repeat:


| | | | |
|---|-------|------|-------|
| 2 | 38845 | 0.94 | 0.027 |
| 8 | 40190 | 79.3 | 2.313 |
| 9 | 40191 | 2.53 | 0.074 |

Resplit:

| | | | |
|---|-------|------|-------|
| 1 | 38844 | 0.74 | 0.022 |
|---|-------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.61 | 0.047 |
|-------|------|-------|



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-089

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

4-Mar-04

No. of samples received: 25

Sample type: Muck

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 166901 | 7.56 | 0.220 |
| 2 | 166902 | 23.1 | 0.674 |
| 3 | 166903 | 24.3 | 0.709 |
| 4 | 166904 | 17.2 | 0.502 |
| 5 | 166701 | 15.2 | 0.443 |
| 6 | 166702 | 16.6 | 0.484 |
| 7 | 166703 | 24.4 | 0.712 |
| 8 | 166704 | 13.4 | 0.391 |
| 9 | 166705 | 19.2 | 0.560 |
| 10 | 166706 | 75.0 | 2.187 |
| 11 | 166707 | 23.6 | 0.688 |
| 12 | 166708 | 22.6 | 0.659 |
| 13 | 166709 | 58.6 | 1.709 |
| 14 | 166710 | 14.1 | 0.411 |
| 15 | 166711 | 13.1 | 0.382 |
| 16 | 166712 | 21.5 | 0.627 |
| 17 | 166713 | 15.2 | 0.443 |
| 18 | 166714 | 22.7 | 0.662 |
| 19 | 166715 | 19.4 | 0.566 |
| 20 | 166716 | 13.9 | 0.405 |
| 21 | 166717 | 17.1 | 0.499 |
| 22 | 166718 | 25.6 | 0.747 |
| 23 | 166719 | 15.9 | 0.464 |
| 24 | 166720 | 12.6 | 0.367 |
| 25 | 166721 | 19.6 | 0.572 |


ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
|-------|-------|-------------|--------------|

QC DATA:**Repeat:**

| | | | |
|----|--------|------|-------|
| 1 | 166901 | 7.93 | 0.231 |
| 2 | 166902 | 21.3 | 0.621 |
| 7 | 166703 | 25.1 | 0.732 |
| 10 | 166706 | 78.0 | 2.275 |
| 12 | 166708 | 22.3 | 0.650 |
| 13 | 166709 | 59.7 | 1.741 |
| 21 | 166717 | 18.1 | 0.528 |
| 22 | 166718 | 23.4 | 0.682 |


Resplit:

| | | | |
|---|--------|------|-------|
| 1 | 166901 | 8.07 | 0.235 |
|---|--------|------|-------|


Standard:

| | | | |
|-------|--|------|-------|
| PM163 | | 1.67 | 0.049 |
|-------|--|------|-------|

JJ/kk
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-098

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

5-Mar-04

No. of samples received: 10
Sample type: Core - Muck
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 166731 | 21.6 | 0.630 |
| 2 | 166732 | 8.2 | 0.239 |
| 3 | 166733 | 17.2 | 0.502 |
| 4 | 166734 | 20.6 | 0.601 |
| 5 | 166735 | 9.1 | 0.265 |
| 6 | 166736 | 9.6 | 0.280 |
| 7 | 166737 | 32 | 0.933 |
| 8 | 166738 | 19.5 | 0.569 |
| 9 | 166739 | 7.5 | 0.219 |
| 10 | 166740 | 7.8 | 0.227 |

QC DATA:


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 166731 | 22.1 | 0.645 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.66 | 0.048 |
|-------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-095

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

5-Mar-04

No. of samples received: 14
Sample type: Muck
Project #: UG
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 166741 | 18.2 | 0.531 |
| 2 | 166742 | 10.7 | 0.312 |
| 3 | 166743 | 18.8 | 0.548 |
| 4 | 166744 | 16.5 | 0.481 |
| 5 | 166745 | 12.6 | 0.367 |
| 6 | 166746 | 14.7 | 0.429 |
| 7 | 166747 | 23.8 | 0.694 |
| 8 | 166748 | 7.59 | 0.221 |
| 9 | 166749 | 26.1 | 0.761 |
| 10 | 166750 | 7.87 | 0.230 |
| 11 | 166905 | 11.6 | 0.338 |
| 12 | 166906 | 13.2 | 0.385 |
| 13 | 166907 | 18.1 | 0.528 |
| 14 | 166908 | 27.2 | 0.793 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 1 | 166741 | 18.9 | 0.551 |
|---|--------|------|-------|


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 166741 | 17.9 | 0.522 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.68 | 0.049 |
|-------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-097

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

5-Mar-04

No. of samples received: 9
Sample type: Muck
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 166722 | 16.4 | 0.478 |
| 2 | 166723 | 15.5 | 0.452 |
| 3 | 166724 | 18.2 | 0.531 |
| 4 | 166725 | 14.5 | 0.423 |
| 5 | 166726 | 25.8 | 0.752 |
| 6 | 166727 | 55.1 | 1.607 |
| 7 | 166728 | 16.4 | 0.478 |
| 8 | 166729 | 17.8 | 0.519 |
| 9 | 166730 | 15.6 | 0.455 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 5 | 166726 | 26.4 | 0.770 |
| 6 | 166727 | 52.2 | 1.522 |

Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 166722 | 19.8 | 0.577 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.66 | 0.048 |
|-------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-104

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

5-Mar-04

No. of samples received: 18
Sample type: Muck
Project #: U.G.
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 166923 | 6.43 | 0.188 |
| 2 | 166924 | 11.5 | 0.335 |
| 3 | 166925 | 9.16 | 0.267 |
| 4 | 166926 | 10.8 | 0.315 |
| 5 | 166927 | 8.07 | 0.235 |
| 6 | 166928 | 11.9 | 0.347 |
| 7 | 166929 | 21.7 | 0.633 |
| 8 | 166930 | 18.8 | 0.548 |
| 9 | 166931 | 10.0 | 0.292 |
| 10 | 166932 | 6.75 | 0.197 |
| 11 | 166933 | 12.3 | 0.359 |
| 12 | 166934 | 10.2 | 0.297 |
| 13 | 166935 | 9.96 | 0.290 |
| 14 | 166936 | 16.1 | 0.470 |
| 15 | 166937 | 14.2 | 0.414 |
| 16 | 166938 | 17.7 | 0.516 |
| 17 | 166939 | 17.4 | 0.507 |
| 18 | 166940 | 11.4 | 0.332 |

QC DATA:

Repeat:

| | | | |
|----|--------|------|-------|
| 1 | 166923 | 6.13 | 0.179 |
| 10 | 166932 | 6.80 | 0.198 |


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 166923 | 5.96 | 0.174 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.67 | 0.049 |
|-------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-108

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

9-Mar-04

No. of samples received: 12
Sample type: Core/Muck
Project #: UG
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 166941 | 9.71 | 0.283 |
| 2 | 166942 | 9.73 | 0.284 |
| 3 | 166943 | 6.82 | 0.199 |
| 4 | 166944 | 14.0 | 0.408 |
| 5 | 166945 | 6.93 | 0.202 |
| 6 | 166946 | 9.91 | 0.289 |
| 7 | 166947 | 8.80 | 0.257 |
| 8 | 166948 | 9.10 | 0.265 |
| 9 | 166949 | 5.52 | 0.161 |
| 10 | 166950 | 4.40 | 0.128 |
| 11 | 165202 | 13.7 | 0.400 |
| 12 | 165203 | 8.30 | 0.242 |

QC DATA:

Repeat:

| | | | |
|----|--------|------|-------|
| 4 | 166944 | 13.6 | 0.397 |
| 5 | 166945 | 6.49 | 0.189 |
| 7 | 166947 | 8.70 | 0.254 |
| 9 | 166949 | 5.31 | 0.155 |
| 11 | 165202 | 13.3 | 0.388 |


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 166941 | 9.70 | 0.283 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.63 | 0.048 |
|-------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-102

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

11-Mar-04

No. of samples received: 14
Sample type: Muck
Project #: UG
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 166909 | 10.3 | 0.300 |
| 2 | 166910 | 8.91 | 0.260 |
| 3 | 166911 | 9.93 | 0.290 |
| 4 | 166912 | 4.90 | 0.143 |
| 5 | 166913 | 23.0 | 0.671 |
| 6 | 166914 | 16.5 | 0.481 |
| 7 | 166915 | 14.6 | 0.426 |
| 8 | 166916 | 11.4 | 0.332 |
| 9 | 166917 | 6.62 | 0.193 |
| 10 | 166918 | 12.8 | 0.373 |
| 11 | 166919 | 10.3 | 0.300 |
| 12 | 166920 | 11.8 | 0.344 |
| 13 | 166921 | 12.5 | 0.365 |
| 14 | 166922 | 5.11 | 0.149 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 1 | 166909 | 10.5 | 0.306 |
|---|--------|------|-------|


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 166909 | 9.10 | 0.265 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.73 | 0.050 |
|-------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-115

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

11-Mar-04

No. of samples received: 12
Sample type: Ore/Muck
Project #: U.G.
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165204 | 10.6 | 0.309 |
| 2 | 165205 | 11.9 | 0.347 |
| 3 | 165206 | 13.4 | 0.391 |
| 4 | 165207 | 7.40 | 0.216 |
| 5 | 165208 | 11.1 | 0.324 |
| 6 | 165209 | 12.0 | 0.350 |
| 7 | 165210 | 15.0 | 0.437 |
| 8 | 165211 | 15.3 | 0.446 |
| 9 | 165212 | 9.61 | 0.280 |
| 10 | 165213 | 16.4 | 0.478 |
| 11 | 165214 | 4.42 | 0.129 |
| 12 | 165215 | 17.2 | 0.502 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 1 | 165204 | 10.6 | 0.309 |
|---|--------|------|-------|


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165204 | 12.3 | 0.359 |
|---|--------|------|-------|

Standard:

| | | |
|-------------------|------|-------|
| In House Standard | 1.38 | 0.040 |
|-------------------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-120

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

12-Mar-04

No. of samples received: 10

Sample type: Ore/Muck

Project #: UG

Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165248 | 4.20 | 0.122 |
| 2 | 165249 | 4.07 | 0.119 |
| 3 | 165250 | 10.7 | 0.312 |
| 4 | 165251 | 14.6 | 0.426 |
| 5 | 165252 | 11.3 | 0.330 |
| 6 | 165253 | 7.30 | 0.213 |
| 7 | 165254 | 2.31 | 0.067 |
| 8 | 165255 | 6.40 | 0.187 |
| 9 | 165256 | 3.18 | 0.093 |
| 10 | 165257 | 5.29 | 0.154 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 5 | 165252 | 11.7 | 0.341 |
|---|--------|------|-------|


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165248 | 4.15 | 0.121 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.65 | 0.048 |
|-------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jeakouse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-116R

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

15-Mar-04

No. of samples received: 32
Sample type: Ore Muck
Project #: U.G.
Samples Submitted by: L. Turner


| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165216 | 7.30 | 0.213 |
| 2 | 165217 | 13.3 | 0.388 |
| 3 | 165218 | 12.4 | 0.362 |
| 4 | 165219 | 10.6 | 0.309 |
| 5 | 165220 | 5.60 | 0.163 |
| 6 | 165221 | 1.78 | 0.052 |
| 7 | 165222 | 10.5 | 0.306 |
| 8 | 165223 | 9.90 | 0.289 |
| 9 | 165224 | 30.1 | 0.878 |
| 10 | 165225 | 29.1 | 0.849 |
| 11 | 165226 | 19.9 | 0.580 |
| 12 | 165227 | 25.7 | 0.749 |
| 13 | 165228 | 23.6 | 0.688 |
| 14 | 165229 | 29.3 | 0.854 |
| 15 | 165230 | 35.9 | 1.047 |
| 16 | 165231 | 10.2 | 0.297 |
| 17 | 165232 | 15.4 | 0.449 |
| 18 | 165233 | 16.3 | 0.475 |
| 19 | 165234 | 25.6 | 0.747 |
| 20 | 165235 | 30.6 | 0.892 |
| 21 | 165236 | 27.7 | 0.808 |
| 22 | 165237 | 44.9 | 1.309 |
| 23 | 165238 | 17.3 | 0.505 |
| 24 | 165239 | 14.0 | 0.408 |
| 25 | 165240 | 11.0 | 0.321 |
| 26 | 165241 | 6.50 | 0.190 |
| 27 | 165242 | 10.9 | 0.318 |
| 28 | 165243 | 10.3 | 0.300 |
| 29 | 165244 | 18.3 | 0.534 |
| 30 | 165245 | 8.71 | 0.254 |
| 31 | 165246 | 10.3 | 0.300 |
| 32 | 165247 | 10.0 | 0.292 |


ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

15-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|-------------|--------------|
| QC DATA: | | | |
| Resplit: | | | |
| 1 | 165216 | 8.4 | 0.245 |
| Repeat: | | | |
| 1 | 165216 | 7.22 | 0.211 |
| 10 | 165225 | 29.2 | 0.852 |
| 19 | 165234 | 26.9 | 0.784 |
| 22 | 165237 | 44.2 | 1.289 |
| 27 | 165242 | 10.8 | 0.315 |
| Standard: | | | |
| IH STD | | 1.52 | 0.044 |

JJ/ejd
XLS/04
ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-124

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

15-Mar-04

No. of samples received: 19
Sample type: Muck
Project #: U.G.
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165258 | 11.3 | 0.330 |
| 2 | 165259 | 12.7 | 0.370 |
| 3 | 165260 | 6.90 | 0.201 |
| 4 | 165261 | 9.21 | 0.269 |
| 5 | 165262 | 8.42 | 0.246 |
| 6 | 165263 | 21.1 | 0.615 |
| 7 | 165264 | 6.10 | 0.178 |
| 8 | 165265 | 12.8 | 0.373 |
| 9 | 165266 | 11.4 | 0.332 |
| 10 | 165267 | 17.8 | 0.519 |
| 11 | 165268 | 15.0 | 0.437 |
| 12 | 165269 | 9.93 | 0.290 |
| 13 | 165270 | 13.1 | 0.382 |
| 14 | 165271 | 10.3 | 0.300 |
| 15 | 165272 | 9.10 | 0.265 |
| 16 | 165273 | 8.61 | 0.251 |
| 17 | 165274 | 9.60 | 0.280 |
| 18 | 165275 | 21.4 | 0.624 |
| 19 | 165276 | 10.0 | 0.292 |

QC DATA:

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | 165258 | 11.0 | 0.321 |
|---|--------|------|-------|


Repeat:


| | | | |
|----|--------|------|-------|
| 1 | 165258 | 11.8 | 0.344 |
| 4 | 165261 | 10.1 | 0.295 |
| 8 | 165265 | 12.4 | 0.362 |
| 10 | 165267 | 18.4 | 0.537 |
| 11 | 165268 | 15.7 | 0.458 |
| 17 | 165274 | 10.6 | 0.309 |

Standard:

| | | |
|-------|------|-------|
| PM163 | 1.63 | 0.048 |
|-------|------|-------|

JJ/ejd
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-136

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

19-Mar-04

No. of samples received: 10
Sample type: Muck
Project #: UG
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165287 | 23.8 | 0.694 |
| 2 | 165288 | 50.5 | 1.473 |
| 3 | 165289 | 28.9 | 0.843 |
| 4 | 165290 | 22.2 | 0.647 |
| 5 | 165291 | 42.4 | 1.237 |
| 6 | 165292 | 24.0 | 0.700 |
| 7 | 165293 | 39.8 | 1.161 |
| 8 | 165294 | 24.1 | 0.703 |
| 9 | 165295 | 36.2 | 1.056 |
| 10 | 165296 | 31.8 | 0.927 |

QC DATA:


Resplit:


| | | | |
|----|--------|------|-------|
| 1 | 165287 | 24.8 | 0.723 |
| 2 | 165288 | 54.9 | 1.601 |
| 10 | 165296 | 29.1 | 0.849 |

Standard:

| | | |
|-------|------|-------|
| ET504 | 1.37 | 0.040 |
|-------|------|-------|

JJ/kk
XLS/04


ECOTECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-140

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

23-Mar-04

No. of samples received: 3
Sample type: Muck
Samples Submitted by: Dasha

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 1 | 40569 | 44.5 | 1.298 |
| 2 | 40570 | 53.8 | 1.569 |
| 3 | 40571 | 23.1 | 0.674 |

QC DATA:

Repeat:

| | | | |
|---|-------|------|-------|
| 2 | 40570 | 54.0 | 1.575 |
| 3 | 40571 | 25.9 | 0.755 |

Resplit:


| | | | |
|---|-------|------|-------|
| 1 | 40569 | 47.6 | 1.388 |
|---|-------|------|-------|

Standard:

| | | |
|--------|------|-------|
| ET 504 | 1.36 | 0.040 |
|--------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-135

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

23-Mar-04

No. of samples received: 10
Sample type: Muck
Project #: UG
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165277 | 14.2 | 0.414 |
| 2 | 165278 | 4.90 | 0.143 |
| 3 | 165279 | 7.70 | 0.225 |
| 4 | 165280 | 14.2 | 0.414 |
| 5 | 165281 | 10.5 | 0.306 |
| 6 | 165282 | 14.0 | 0.408 |
| 7 | 165283 | 15.5 | 0.452 |
| 8 | 165284 | 15.3 | 0.446 |
| 9 | 165285 | 8.90 | 0.260 |
| 10 | 165286 | 14.0 | 0.408 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 3 | 165279 | 7.51 | 0.219 |
| 6 | 165282 | 14.2 | 0.414 |


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165277 | 14.5 | 0.423 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| ET504 | 1.36 | 0.040 |
|-------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-146

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

24-Mar-04

No. of samples received: 10
Sample type: Muck
Project #: UG
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165323 | 22.5 | 0.656 |
| 2 | 165324 | 25.7 | 0.749 |
| 3 | 165325 | 20.4 | 0.595 |
| 4 | 165326 | 12.1 | 0.353 |
| 5 | 165327 | 15.4 | 0.449 |
| 6 | 165328 | 25.0 | 0.729 |
| 7 | 165329 | 11.4 | 0.332 |
| 8 | 165330 | 13.4 | 0.391 |
| 9 | 165331 | 6.80 | 0.198 |
| 10 | 165332 | 15.6 | 0.455 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 5 | 165327 | 16.0 | 0.467 |
|---|--------|------|-------|


Resplit:

| | | | |
|---|--------|------|-------|
| 1 | 165323 | 25.8 | 0.752 |
|---|--------|------|-------|

Standard:

| | | |
|--------|------|-------|
| ET 504 | 1.26 | 0.037 |
|--------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-159

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

26-Mar-04

No. of samples received: 8

Sample type: Muck

Project #: U.G.

Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165333 | 6.00 | 0.175 |
| 2 | 165334 | 11.8 | 0.344 |
| 3 | 165335 | 10.2 | 0.297 |
| 4 | 165336 | 12.3 | 0.359 |
| 5 | 165337 | 8.50 | 0.248 |
| 6 | 165338 | 8.00 | 0.233 |
| 7 | 165339 | 13.0 | 0.379 |
| 8 | 165340 | 10.0 | 0.292 |

QC DATA:


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165333 | 5.30 | 0.155 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.84 | 0.054 |
|-------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-158

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

29-Mar-04

No. of samples received: 12
Sample type: Muck
Project #: U.G.
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165297 | 29.3 | 0.854 |
| 2 | 165298 | 24.3 | 0.709 |
| 3 | 165299 | 43.9 | 1.280 |
| 4 | 165300 | 30.9 | 0.901 |
| 5 | 165301 | 43.6 | 1.272 |
| 6 | 165302 | 18.5 | 0.540 |
| 7 | 165303 | 32.0 | 0.933 |
| 8 | 165304 | 25.3 | 0.738 |
| 9 | 165305 | 7.30 | 0.213 |
| 10 | 165306 | 24.3 | 0.709 |
| 11 | 165307 | 25.0 | 0.729 |
| 12 | 165308 | 33.9 | 0.989 |

QC DATA:

Repeat:

| | | | |
|----|--------|------|-------|
| 1 | 165297 | 28.4 | 0.828 |
| 5 | 165301 | 44.8 | 1.307 |
| 9 | 165305 | 6.98 | 0.204 |
| 12 | 165308 | 34.1 | 0.994 |

Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165297 | 27.6 | 0.805 |
|---|--------|------|-------|

Standard:

| | | |
|------|------|-------|
| SH13 | 1.34 | 0.039 |
|------|------|-------|

JJ/kk
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-160

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

1-Apr-04

No. of samples received: 13
Sample type: Muck
Project #: UG
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165341 | 15.3 | 0.446 |
| 2 | 165342 | 23.5 | 0.685 |
| 3 | 165343 | 16.4 | 0.478 |
| 4 | 165344 | 10.9 | 0.318 |
| 5 | 165345 | 10.3 | 0.300 |
| 6 | 165346 | 14.0 | 0.408 |
| 7 | 165347 | 16.4 | 0.478 |
| 8 | 165348 | 14.5 | 0.423 |
| 9 | 165349 | 14.7 | 0.429 |
| 10 | 165350 | 25.7 | 0.749 |
| 11 | 165351 | 10.3 | 0.300 |
| 12 | 165352 | 19.9 | 0.580 |
| 13 | 165353 | 16.8 | 0.490 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 1 | 165341 | 15.3 | 0.446 |
|---|--------|------|-------|


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165341 | 16.2 | 0.472 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.85 | 0.054 |
|-------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-157

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

1-Apr-04

No. of samples received: 13
Sample type: Muck
Project #: UG
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165310 | 13.0 | 0.379 |
| 2 | 165311 | 32.1 | 0.936 |
| 3 | 165312 | 93.7 | 2.733 |
| 4 | 165313 | 35.7 | 1.041 |
| 5 | 165314 | 18.6 | 0.542 |
| 6 | 165315 | 23.8 | 0.694 |
| 7 | 165316 | 18.8 | 0.548 |
| 8 | 165317 | 14.4 | 0.420 |
| 9 | 165318 | 44.2 | 1.289 |
| 10 | 165319 | 22.4 | 0.653 |
| 11 | 165320 | 16.8 | 0.490 |
| 12 | 165321 | 20.7 | 0.604 |
| 13 | 165322 | 19.9 | 0.580 |

QC DATA:

Repeat:

| | | | |
|----|--------|------|-------|
| 1 | 165310 | 12.3 | 0.359 |
| 3 | 165312 | 94.5 | 2.756 |
| 4 | 165313 | 36.1 | 1.053 |
| 9 | 165318 | 43.6 | 1.272 |
| 12 | 165321 | 20.9 | 0.610 |


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165310 | 12.2 | 0.356 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.86 | 0.054 |
|-------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4

Phone (250) 573-5700 Fax (250) 573-4557

E-mail: info@ecotechlab.com

www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-171

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

5-Apr-04

No. of samples received: 13

Sample type: Muck

Project #: UG

Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165354 | 3.27 | 0.095 |
| 2 | 165355 | 5.08 | 0.148 |
| 3 | 165356 | 5.81 | 0.169 |
| 4 | 165357 | 7.32 | 0.213 |
| 5 | 165358 | 9.00 | 0.262 |
| 6 | 165359 | 9.23 | 0.269 |
| 7 | 165360 | 4.94 | 0.144 |
| 8 | 165361 | 6.61 | 0.193 |
| 9 | 165362 | 7.20 | 0.210 |
| 10 | 165363 | 7.60 | 0.222 |
| 11 | 165364 | 11.1 | 0.324 |
| 12 | 165365 | 13.7 | 0.400 |
| 13 | 165366 | 10.3 | 0.300 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 1 | 165354 | 2.92 | 0.085 |
|---|--------|------|-------|

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | 165354 | 3.10 | 0.090 |
|---|--------|------|-------|


Standard:

| | | |
|------|------|-------|
| SH13 | 1.34 | 0.039 |
|------|------|-------|

JJ/ejd
LS/04


ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-185

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

8-Apr-04

No. of samples received: 4
Sample type: Rock / Muck
Project #: Bulk, u/g
Samples Submitted by: Norm Matheson

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E08701 | 1.78 | 0.052 |
| 2 | E08702 | <0.03 | <0.001 |
| 3 | E08703 | 6.51 | 0.190 |
| 4 | E08704 | 7.81 | 0.228 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 1 | E08701 | 1.84 | 0.054 |
| 3 | E08703 | 6.40 | 0.187 |
| 4 | E08704 | 8.21 | 0.239 |


Resplit:

| | | | |
|---|--------|------|-------|
| 1 | E08701 | 1.10 | 0.032 |
|---|--------|------|-------|

Standard:

| | | |
|------|------|-------|
| SH13 | 1.33 | 0.039 |
| SH13 | 1.30 | 0.038 |

JJ/cr
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-193

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

14-Apr-04

No. of samples received: 36
Sample type: Percussion
Project #: Bonanza Test Holes
Samples Submitted by: Ned Reid

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E08705 | 5.15 | 0.150 |
| 2 | E08706 | 12.8 | 0.373 |
| 3 | E08707 | 1.72 | 0.050 |
| 4 | E08708 | 0.73 | 0.021 |
| 5 | E08709 | 0.38 | 0.011 |
| 6 | E08710 | 0.61 | 0.018 |
| 7 | E08711 | 0.78 | 0.023 |
| 8 | E08713 | 0.85 | 0.025 |
| 9 | E08714 | 6.5 | 0.190 |
| 10 | E08715 | 0.58 | 0.017 |
| 11 | E08716 | 8.00 | 0.233 |
| 12 | E08717 | 0.95 | 0.028 |
| 13 | E08718 | 2.01 | 0.059 |
| 14 | E08719 | 10.1 | 0.295 |
| 15 | E08720 | 1.65 | 0.048 |
| 16 | E08721 | 0.47 | 0.014 |
| 17 | E08722 | 0.35 | 0.010 |
| 18 | E08723 | 0.36 | 0.010 |
| 19 | E08724 | 1.15 | 0.034 |
| 20 | E08725 | 2.15 | 0.063 |
| 21 | E08726 | 0.28 | 0.008 |
| 22 | E08727 | 0.16 | 0.005 |
| 23 | E08728 | 0.44 | 0.013 |
| 24 | E08729 | 3.74 | 0.109 |
| 25 | E08730 | 4.26 | 0.124 |
| 26 | E08731 | 0.86 | 0.025 |
| 27 | E08732 | 11.0 | 0.321 |
| 28 | E08733 | 4.16 | 0.121 |
| 29 | E08734 | 12.6 | 0.367 |
| 30 | E08735 | 3.79 | 0.111 |
| 31 | E08736 | 0.89 | 0.026 |

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

INTERNATIONAL WAYSIDE GOLD MINES LTD. AK4-193

14-Apr-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 32 | E08737 | 1.01 | 0.029 |
| 33 | E08738 | 12.4 | 0.362 |
| 34 | E08739 | 17.7 | 0.516 |
| 35 | E08740 | 15.5 | 0.452 |
| 36 | E08741 | 16.4 | 0.478 |

QC DATA:Repeat:

| | | | |
|----|--------|------|-------|
| 1 | E08705 | 4.84 | 0.141 |
| 2 | E08706 | 12.7 | 0.370 |
| 10 | E08715 | 0.51 | 0.015 |
| 11 | E08716 | 8.26 | 0.241 |
| 19 | E08724 | 1.17 | 0.034 |
| 27 | E08732 | 10.8 | 0.315 |
| 33 | E08738 | 12.3 | 0.359 |
| 35 | E08740 | 16.5 | 0.481 |

Resplit:

| | | | |
|----|--------|------|-------|
| 1 | E08705 | 4.81 | 0.140 |
| 36 | E08741 | 16.9 | 0.493 |

Standard:

| | | |
|------|------|-------|
| SH13 | 1.34 | 0.039 |
| SH13 | 1.29 | 0.038 |

JJ/kk
XLS/04ECO TECH LABORATORY LTD.Jutta Jealouse
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-195

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

16-Apr-04

No. of samples received: 13

Sample type: Percussion

Project #: Bonanza Ledge

Samples Submitted by: Ned Reid

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E08742 | 0.24 | 0.007 |
| 2 | E08743 | 0.94 | 0.027 |
| 3 | E08744 | 15.1 | 0.440 |
| 4 | E08745 | 1.03 | 0.030 |
| 5 | E08746 | 8.89 | 0.259 |
| 6 | E08747 | 27.3 | 0.796 |
| 7 | E08748 | 8.36 | 0.244 |
| 8 | E08749 | 3.27 | 0.095 |
| 9 | E08750 | 0.74 | 0.022 |
| 10 | E08751 | 8.75 | 0.255 |
| 11 | E08752 | 21.7 | 0.633 |
| 12 | E08753 | 15.3 | 0.446 |
| 13 | E08754 | 33.4 | 0.974 |

QC DATA:

Repeat:

| | | | |
|----|--------|------|-------|
| 1 | E08742 | 0.23 | 0.007 |
| 3 | E08744 | 16.0 | 0.467 |
| 12 | E08753 | 14.8 | 0.432 |
| 13 | E08754 | 34.0 | 0.992 |

Resplit:


| | | | |
|---|--------|------|-------|
| 1 | E08742 | 0.29 | 0.008 |
|---|--------|------|-------|

Standard:

| | | |
|------|------|-------|
| SH13 | 1.32 | 0.038 |
|------|------|-------|

ECO TECH LABORATORY LTD.

Jutta Jealouse



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-236

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

30-Apr-04

No. of samples received: 13
Sample type: Muck
Project #: Bonanza Ledge
Samples Submitted by: Ned Reid

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E08755 | 13.3 | 0.388 |
| 2 | E08756 | 37.6 | 1.097 |
| 3 | E08757 | 36.2 | 1.056 |
| 4 | E08758 | 20.4 | 0.595 |
| 5 | E08759 | 40.8 | 1.190 |
| 6 | E08760 | 11.8 | 0.344 |
| 7 | E08761 | 7.12 | 0.208 |
| 8 | E08762 | 3.89 | 0.113 |
| 9 | E08763 | 17.8 | 0.519 |
| 10 | E08764 | 33.7 | 0.983 |
| 11 | E08765 | 24.2 | 0.706 |
| 12 | E08766 | 14.2 | 0.414 |
| 13 | E08767 | 36.7 | 1.070 |

QC DATA:

Repeat:

| | | | |
|----|--------|------|-------|
| 1 | E08755 | 12.7 | 0.370 |
| 2 | E08756 | 38.3 | 1.117 |
| 7 | E08761 | 6.73 | 0.196 |
| 13 | E08767 | 34.0 | 0.992 |

Resplit:


| | | | |
|---|--------|------|-------|
| 1 | E08755 | 13.1 | 0.382 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.81 | 0.053 |
| OX123 | 1.85 | 0.054 |
| SH13 | 1.33 | 0.039 |

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-239

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

5-May-04

No. of samples received: 19
Sample type: Muck
Project #: Bonanza Ledge
Samples Submitted by: Ned Reid

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E08768 | 45.5 | 1.327 |
| 2 | E08769 | 40.0 | 1.167 |
| 3 | E08770 | 46.2 | 1.347 |
| 4 | E08771 | 19.1 | 0.557 |
| 5 | E08772 | 9.51 | 0.277 |
| 6 | E08773 | 3.30 | 0.096 |
| 7 | E08774 | 32.0 | 0.933 |
| 8 | E08775 | 41.0 | 1.196 |
| 9 | E08776 | 24.2 | 0.706 |
| 10 | E08777 | 10.9 | 0.318 |
| 11 | E08778 | 16.5 | 0.481 |
| 12 | E08779 | 11.1 | 0.324 |
| 13 | E08780 | 9.60 | 0.280 |
| 14 | E08781 | 30.5 | 0.889 |
| 15 | E08782 | 6.52 | 0.190 |
| 16 | E08783 | 10.8 | 0.315 |
| 17 | E08784 | 10.7 | 0.312 |
| 18 | E08785 | 7.00 | 0.204 |
| 19 | E08786 | 10.3 | 0.300 |

QC DATA:

Repeat:

| | | | |
|----|--------|------|-------|
| 1 | E08768 | 43.0 | 1.254 |
| 2 | E08769 | 41.3 | 1.204 |
| 3 | E08770 | 43.3 | 1.263 |
| 10 | E08777 | 12.1 | 0.353 |
| 16 | E08783 | 11.0 | 0.321 |


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | E08768 | 45.9 | 1.339 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.93 | 0.056 |
| SP17 | 18.2 | 0.531 |
| SN16 | 8.60 | 0.251 |

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-245

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

6-May-04

No. of samples received: 7
Sample type: Muck
Project #: Bonanza Ledge
Samples Submitted by: Ned Reid

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E08787 | 9.90 | 0.289 |
| 2 | E08788 | 13.7 | 0.400 |
| 3 | E08789 | 26.2 | 0.764 |
| 4 | E08790 | 21.0 | 0.612 |
| 5 | E08791 | 27.3 | 0.796 |
| 6 | E08792 | 3.86 | 0.113 |
| 7 | E08793 | 4.23 | 0.123 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 1 | E08787 | 9.90 | 0.289 |
| 3 | E08789 | 27.2 | 0.793 |
| 4 | E08790 | 20.9 | 0.610 |


Resplit:

| | | | |
|---|--------|------|-------|
| 1 | E08787 | 11.6 | 0.338 |
|---|--------|------|-------|

Standard:

| | | |
|------|------|-------|
| SH13 | 1.32 | 0.038 |
| SP17 | 18.1 | 0.528 |

JJ/kk
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

12-May-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|-------------|--------------|
| QC DATA: | | | |
| Repeat: | | | |
| 1 | E08794 | 10.1 | 0.295 |
| 8 | E08801 | 18.6 | 0.542 |
| 10 | E08803 | 20.1 | 0.586 |
| 12 | E08805 | 26.1 | 0.761 |
| 13 | E08806 | 12.6 | 0.367 |
| 14 | E08807 | 17.9 | 0.522 |
| 16 | E08809 | 14.6 | 0.426 |
| Resplit: | | | |
| 1 | E08794 | 10.3 | 0.300 |
| Standard: | | | |
| OX123 | | 1.82 | 0.053 |
| SN16 | | 8.63 | 0.252 |
| SP17 | | 18.4 | 0.537 |

JJ/kk
XLS/04


Eco TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4

Phone (250) 573-5700 Fax (250) 573-4557

E-mail: info@ecotechlab.com

www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-260

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

12-May-04


No. of samples received: 26


Sample type: Muck

Project #: Bonanza Ledge

Samples Submitted by: Ned Reid

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E08794 | 10.6 | 0.309 |
| 2 | E08795 | 5.06 | 0.148 |
| 3 | E08796 | 15.6 | 0.455 |
| 4 | E08797 | 7.15 | 0.209 |
| 5 | E08798 | 15.7 | 0.459 |
| 6 | E08799 | 5.06 | 0.148 |
| 7 | E08800 | 3.39 | 0.099 |
| 8 | E08801 | 20.7 | 0.604 |
| 9 | E08802 | 17.2 | 0.502 |
| 10 | E08803 | 20.7 | 0.604 |
| 11 | E08804 | 9.13 | 0.266 |
| 12 | E08805 | 2.57 | 0.075 |
| 13 | E08806 | 13.0 | 0.379 |
| 14 | E08807 | 16.7 | 0.487 |
| 15 | E08808 | 17.5 | 0.510 |
| 16 | E08809 | 14.5 | 0.423 |
| 17 | E08810 | 13.8 | 0.402 |
| 18 | E08811 | 13.9 | 0.405 |
| 19 | E08812 | 7.15 | 0.209 |
| 20 | E08813 | 8.80 | 0.257 |
| 21 | E08814 | 15.3 | 0.446 |
| 22 | E08815 | 33.4 | 0.974 |
| 23 | E08816 | 59.0 | 1.721 |
| 24 | E08817 | 14.7 | 0.429 |
| 25 | E08818 | 25.3 | 0.738 |
| 26 | E08819 | 20.0 | 0.583 |


Eco Tech Laboratory Ltd.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-270

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

12-May-04

No. of samples received: 2

Sample type: Muck

Project #: **Bonanza Ledge**

Samples Submitted by: Ned Reid

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E08820 | 24.9 | 0.726 |
| 2 | E08821 | 23.1 | 0.674 |

QC DATA:

Resplit:


| | | | |
|---|--------|------|-------|
| 1 | E08820 | 25.3 | 0.738 |
|---|--------|------|-------|

Standard:

| | | |
|------|------|-------|
| SH13 | 1.38 | 0.040 |
|------|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557

E-mail: info@ecotechlab.com

www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-349

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

2-Jun-04

No. of samples received: 12

Sample type: Muck

Project #: Bonanza Ledge Muck

Samples Submitted by: Carmen Kirsh

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E08846 | 2.17 | 0.063 |
| 2 | E08847 | 5.85 | 0.171 |
| 3 | E08848 | 19.9 | 0.580 |
| 4 | E08849 | 8.67 | 0.253 |
| 5 | E08850 | 17.2 | 0.502 |
| 6 | E08851 | 6.63 | 0.193 |
| 7 | E08852 | 7.91 | 0.231 |
| 8 | E08853 | 12.9 | 0.376 |
| 9 | E08854 | 9.96 | 0.290 |
| 10 | E08855 | 11.3 | 0.330 |
| 11 | E08856 | 11.5 | 0.335 |
| 12 | E08857 | 2.55 | 0.074 |

QC DATA:

Repeat:

| | | | |
|----|--------|------|-------|
| 1 | E08846 | 2.18 | 0.064 |
| 4 | E08849 | 8.36 | 0.244 |
| 10 | E08855 | 11.1 | 0.324 |
| 12 | E08857 | 2.54 | 0.074 |

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | E08846 | 2.67 | 0.078 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.84 | 0.054 |
|-------|------|-------|


756-2

JJ/jm
XLS/04

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-366

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

3-Jun-04

No. of samples received: 4
Sample type: Muck
Project #: BL 740 Muck

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165407 | 8.06 | 0.235 |
| 2 | 165408 | 12.5 | 0.365 |
| 3 | 165409 | 11.6 | 0.338 |
| 4 | 165410 | 14.3 | 0.417 |

QC DATA:


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165407 | 8.30 | 0.242 |
|---|--------|------|-------|

Standard:

| | | |
|------|------|-------|
| SH13 | 1.36 | 0.040 |
|------|------|-------|

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-365

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

3-Jun-04

No. of samples received: 11
Sample type: Muck
Project #: BL Muck - AOSPP - oca slope ?

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E08858 | 10.8 | 0.315 |
| 2 | E08859 | 16.7 | 0.487 |
| 3 | E08860 | 13.5 | 0.394 |
| 4 | E08861 | 18.6 | 0.542 |
| 5 | E08862 | 18.8 | 0.548 |
| 6 | E08863 | 17.2 | 0.502 |
| 7 | E08864 | 10.8 | 0.315 |
| 8 | 165402 | 11.2 | 0.327 |
| 9 | 165403 | 12.8 | 0.373 |
| 10 | 165404 | 25.7 | 0.749 |
| 11 | 165405 | 23.2 | 0.677 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 1 | E08858 | 11.3 | 0.330 |
|---|--------|------|-------|


Resplit:


| | | | |
|---|--------|------|-------|
| 1 | E08858 | 10.2 | 0.297 |
|---|--------|------|-------|

Standard:

| | | |
|------|------|-------|
| SH13 | 1.34 | 0.039 |
|------|------|-------|

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-374

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

4-Jun-04

No. of samples received: 4
Sample type: Muck
Project #: BL740 Muck *BL 140 Muck*
Samples Submitted by: Carmen Kirsh

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165411 | 11.4 | 0.332 |
| 2 | 165412 | 27.1 | 0.790 |
| 3 | 165413 | 11.9 | 0.347 |
| 4 | 165414 | 14.8 | 0.432 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 2 | 165412 | 27.3 | 0.796 |
| 3 | 165413 | 11.2 | 0.327 |

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | 165411 | 10.5 | 0.306 |
|---|--------|------|-------|


Standard:

| | | |
|-------|------|-------|
| OX123 | 1.86 | 0.054 |
| SP17 | 18.3 | 0.534 |


ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

JJ/jm
XLS/04



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-383

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

7-Jun-04

No. of samples received: 3
Muck

Project #: BL 740 Muck

Samples Submitted by: Carmen Kirsh

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165423 | 29.4 | 0.857 |
| 2 | 165424 | 14.0 | 0.408 |
| 3 | 165425 | 12.2 | 0.356 |


QC DATA:

Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165425 | 26.4 | 0.770 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.79 | 0.052 |
|-------|------|-------|


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/jm
XLS/04



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-380

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

8-Jun-04

No. of samples received: 4
Sample type: Muck
Project #: UG / Muck
Samples Submitted by: L. Turner

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165415 | 16.7 | 0.487 |
| 2 | 165416 | 15.4 | 0.449 |
| 3 | 165417 | 14.4 | 0.420 |
| 4 | 165418 | 15.0 | 0.437 |

QC DATA:

Repeats:


| | | | |
|---|--------|------|-------|
| 1 | 165415 | 17.0 | 0.496 |
| 2 | 165416 | 16.1 | 0.470 |
| 3 | 165417 | 14.5 | 0.423 |
| 4 | 165418 | 15.9 | 0.464 |

Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165415 | 16.0 | 0.467 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.86 | 0.054 |
| SP17 | 17.5 | 0.510 |


ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4

Phone (250) 573-5700 Fax (250) 573-4557

E-mail: info@ecotechlab.com

www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-381

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

8-Jun-04

No. of samples received: 4

Sample type: Muck

Project #: Bonanza Muck

Samples Submitted by: Reid

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165419 | 12.8 | 0.373 |
| 2 | 165420 | 15.8 | 0.461 |
| 3 | 165421 | 10.2 | 0.297 |
| 4 | 165422 | 13.5 | 0.394 |


QC DATA:

Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165419 | 13.7 | 0.400 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.79 | 0.052 |
| OX123 | 1.81 | 0.053 |


ECOTECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4

Phone (250) 573-5700 Fax (250) 573-4557

E-mail: info@ecotechlab.com

www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-392

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

9-Jun-04

No. of samples received: 4

Sample type: Muck

Project #: BL # 740 Muck

Samples Submitted by: Carmen Kirsh

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165426 | 9.15 | 0.267 |
| 2 | 165427 | 17.0 | 0.496 |
| 3 | 165428 | 14.5 | 0.423 |
| 4 | 165429 | 22.2 | 0.647 |

QC DATA:

Repeat:

| | | | |
|---|--------|-----|-------|
| 1 | 165426 | 9.5 | 0.277 |
|---|--------|-----|-------|

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | 165426 | 11.4 | 0.332 |
|---|--------|------|-------|


Standard:

| | | |
|-------|------|-------|
| OX123 | 1.85 | 0.054 |
|-------|------|-------|

Lynne Brice
ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

JJ/jm

XLS/04



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-408

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

14-Jun-04

No. of samples received: 8
Sample type: Muck
Project #: BL 740 STOPE Muck
Samples Submitted by: Carmen Kirsh

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--|-------------|--------------|
| 1 | 165430 BL#140 Stope Muck Truck #3 June 1/04 | 14.8 | 0.432 |
| 2 | 165431 BL#140 Stope Muck Truck #14 June 1/04 | 15.5 | 0.452 |
| 3 | 165432 BL#140 Stope Muck Truck #9 June 1/04 | 25.2 | 0.735 |
| 4 | 165433 BL#140 Stope Muck Truck #9 June 1/04 | 8.21 | 0.239 |
| 5 | 165434 BL#140 Stope Muck Truck #9 June 2/04 | 15.1 | 0.440 |
| 6 | 165435 BL#140 Stope Muck Truck #3 June 2/04 | 16.9 | 0.493 |
| 7 | 165436 BL#140 Stope Muck Truck #14 June 2/04 | 36.3 | 1.059 |
| 8 | 165437 BL#140 Stope Muck Truck #16 June 2/04 | 8.96 | 0.261 |

QC DATA:

Repeat:

| | | | |
|---|--|------|-------|
| 2 | 165431 BL#140 Stope Muck Truck #14 June 1/04 | 12.1 | 0.353 |
| 3 | 165432 BL#140 Stope Muck Truck #9 June 1/04 | 27.2 | 0.793 |
| 7 | 165436 BL#140 Stope Muck Truck #14 June 2/04 | 33.4 | 0.974 |


Resplit:


| | | | |
|---|---|------|-------|
| 1 | 165430 BL#140 Stope Muck Truck #3 June 1/04 | 11.0 | 0.321 |
|---|---|------|-------|

Standard:

| | | | |
|------|--|------|-------|
| SH13 | | 1.41 | 0.041 |
|------|--|------|-------|

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-409

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

14-Jun-04

No. of samples received: 3
Sample type: Muck
Project #: BL # 740 STOPE MUCK
Samples Submitted by: Carmen Beverly

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--|-------------|--------------|
| 1 | 165439 BL#140 Stope Muck Truck #3 June 3/04 | 22.0 | 0.642 |
| 2 | 165440 BL#140 STOPE MUCK TRUCK #16 June 3/04 | 12.8 | 0.373 |
| 3 | 165441 BL#140 STOPE MUCK TRUCK #9 June 3/04 | 15.8 | 0.461 |

QC DATA:

Resplit:

| | | | |
|---|---|------|-------|
| 1 | 165439 BL#140 Stope Muck Truck #3 June 3/04 | 24.0 | 0.700 |
|---|---|------|-------|


Standard:

| | | | |
|------|--|------|-------|
| SH13 | | 1.41 | 0.041 |
|------|--|------|-------|

JJ/jm
XLS/04

ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-430

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

15-Jun-04

No. of samples received: 4
Sample type: Muck
Project #: BL # 740 STOPE
Samples Submitted by: Carmen Beverly

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165442 | 12.2 | 0.356 |
| 2 | 165443 | 12.8 | 0.373 |
| 3 | 165444 | 13.6 | 0.397 |
| 4 | 165445 | 15.7 | 0.458 |

QC DATA:

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | 165442 | 12.1 | 0.353 |
|---|--------|------|-------|


Standard:

| | | |
|------|------|-------|
| SH13 | 1.49 | 0.043 |
|------|------|-------|


ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

JJ/jm
XLS/04



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-429

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

15-Jun-04

No. of samples received: 4
Sample type: Muck
Project #: BL # 740 STOPE
Samples Submitted by: Carmen Beverly

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165446 | 8.90 | 0.260 |
| 2 | 165447 | 12.9 | 0.376 |
| 3 | 165448 | 15.3 | 0.446 |
| 4 | 165449 | 14.1 | 0.411 |


QC DATA:

Resplit:


| | | | |
|---|--------|------|-------|
| 1 | 165446 | 8.60 | 0.251 |
|---|--------|------|-------|

Standard:

| | | | |
|------|--|------|-------|
| SH13 | | 1.39 | 0.041 |
|------|--|------|-------|


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/jm
XLS/04



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-471

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

22-Jun-04


No. of samples received: 3
Sample type: Muck
Project #: BL # 140 Stope
Samples Submitted by: Carmen Beverly

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------------------------|-------------|--------------|
| 1 | 165450 June 6 Truck #3 | 17.6 | 0.513 |
| 2 | 165452 June 6 Truck #16 | 11.9 | 0.347 |
| 3 | 165451 June 7 Truck #16 | 8.21 | 0.239 |


QC DATA:

| | | | |
|----------|------------------------|------|-------|
| Resplit: | | | |
| 1 | 165450 June 6 Truck #3 | 18.5 | 0.540 |

| | | | |
|-----------|--|------|-------|
| Standard: | | | |
| SN16 | | 8.60 | 0.251 |


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/kk
XLS/04



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-515

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

25-Jun-04

No. of samples received: 6
Sample type: Muck
Project #: Bonanza Ledge
Samples Submitted by: H. Follman

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------------------------------|-------------|--------------|
| 1 | 40851 Stope Muck Left Stope 1 | 9.89 | 0.288 |
| 2 | 40852 Muck Left Stope 2 | 13.3 | 0.388 |
| 3 | 40853 Muck Middle Stope 1 | 32.2 | 0.939 |
| 4 | 40854 Muck Middle Stope 2 | 32.4 | 0.945 |
| 5 | 40855 Muck RT Stope 1 | 6.9 | 0.201 |
| 6 | 40856 Muck RT Stope 2 | 1.76 | 0.051 |


QC DATA:

Resplit:


| | | | |
|---|-------------------------------|------|-------|
| 1 | 40851 Stope Muck Left Stope 1 | 10.7 | 0.312 |
| 3 | 40853 Muck Middle Stope 1 | 29.4 | 0.857 |
| 4 | 40854 Muck Middle Stope 2 | 32.7 | 0.954 |

Standard:

| | | | |
|-------|--|------|-------|
| OXE21 | | 0.62 | 0.018 |
|-------|--|------|-------|


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/jm
XLS/04



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-632

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

9-Jul-04

No. of samples received: 18
Sample type: Muck
Project #: BL Muck
Samples Submitted by: Henry Follman

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|----------------------|-------------|--------------|
| 1 | 41977 65 70 | 38.0 | 1.108 |
| 2 | 41978 66 70 | 22.3 | 0.650 |
| 3 | 41979 71 75 | 23.0 | 0.671 |
| 4 | 41980 71 75 Course | 67.3 | 1.963 |
| 5 | 41981 76 80 | 19.4 | 0.566 |
| 6 | 41982 76 80 Course | 48.2 | 1.406 |
| 7 | 41983 81 85 | 11.4 | 0.332 |
| 8 | 41984 81 85 course | 7.40 | 0.216 |
| 9 | 41985 86 90 | 3.92 | 0.114 |
| 10 | 41986 86 90 Course | 12.4 | 0.362 |
| 11 | 41988 91 95 | 30.9 | 0.901 |
| 12 | 41989 91 95 Course | 4.63 | 0.135 |
| 13 | 41990 96 100 | 17.9 | 0.522 |
| 14 | 41991 96 100 Course | 31.4 | 0.916 |
| 15 | 41992 101 105 | 17.1 | 0.499 |
| 16 | 41993 101 105 course | 37.8 | 1.102 |
| 17 | 41994 106 110 | 26.0 | 0.758 |
| 18 | 41995 106 110 course | 92.6 | 2.700 |

QC DATA:

Repeat:

| | | | |
|----|----------------------|------|-------|
| 1 | 41977 65 70 | 38.1 | 1.111 |
| 4 | 41980 71 75 Course | 73.0 | 2.129 |
| 10 | 41986 86 90 Course | 11.9 | 0.347 |
| 16 | 41993 101 105 course | 37.0 | 1.079 |
| 18 | 41995 106 110 course | 95.0 | 2.770 |


Resplit:


| | | | |
|---|-------------|------|-------|
| 1 | 41977 65 70 | 39.9 | 1.164 |
|---|-------------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.82 | 0.053 |
|-------|------|-------|

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-601

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

9-Jul-04

No. of samples received: 3
Sample type: Muck
Project #: BL Muck
Samples Submitted by: Henry Follman

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 1 | 41951 | 47.7 | 1.391 |
| 2 | 41952 | 27.0 | 0.787 |
| 3 | 41953 | 38.2 | 1.114 |


QC DATA:

Repeat:


| | | | |
|---|-------|------|-------|
| 1 | 41951 | 53.0 | 1.546 |
| 3 | 41953 | 38.1 | 1.111 |

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.90 | 0.055 |
|-------|------|-------|


ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-619

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

9-Jul-04

No. of samples received: 7
Sample type: Muck
Project #: Bonanza Ledge
Samples Submitted by: Henry Follman

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 1 | 41954 | 49.2 | 1.435 |
| 2 | 41955 | 4.24 | 0.124 |
| 3 | 41957 | 46.9 | 1.368 |
| 4 | 41958 | 34.3 | 1.000 |
| 5 | 41959 | 6.40 | 0.187 |
| 6 | 41960 | 42.8 | 1.248 |
| 7 | 41961 | 73.6 | 2.146 |

QC DATA:

Repeat:


| | | | |
|---|-------|------|-------|
| 1 | 41954 | 46.9 | 1.368 |
| 3 | 41957 | 49.0 | 1.429 |
| 6 | 41960 | 36.2 | 1.056 |

Resplit:


| | | | |
|---|-------|------|-------|
| 1 | 41954 | 46.4 | 1.353 |
|---|-------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.84 | 0.054 |
| OX123 | 1.83 | 0.053 |


ECOTECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-620

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

9-Jul-04

No. of samples received: 16
Sample type: Muck
Project #: BL Muck
Samples Submitted by: Henry Follman

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 1 | 41956 | 18.4 | 0.537 |
| 2 | 41962 | 30.4 | 0.887 |
| 3 | 41963 | 28.1 | 0.819 |
| 4 | 41964 | 10.9 | 0.318 |
| 5 | 41965 | 20.2 | 0.589 |
| 6 | 41966 | 21.2 | 0.618 |
| 7 | 41967 | 22.5 | 0.656 |
| 8 | 41968 | 41.4 | 1.207 |
| 9 | 41969 | 35.4 | 1.032 |
| 10 | 41970 | 33.6 | 0.980 |
| 11 | 41971 | 25.5 | 0.744 |
| 12 | 41972 | 81.5 | 2.377 |
| 13 | 41973 | 27.1 | 0.790 |
| 14 | 41974 | 152 | 4.433 |
| 15 | 41975 | 21.4 | 0.624 |
| 16 | 41976 | 45.4 | 1.324 |

QC DATA:

Repeat:

| | | | |
|----|-------|------|-------|
| 1 | 41956 | 23.4 | 0.682 |
| 8 | 41968 | 38.8 | 1.132 |
| 13 | 41973 | 28.4 | 0.828 |
| 16 | 41976 | 45.7 | 1.333 |

Resplit:

| | | | |
|---|-------|------|-------|
| 1 | 41956 | 26.1 | 0.761 |
|---|-------|------|-------|


Standard:

| | | |
|-------|------|-------|
| OX123 | 1.84 | 0.054 |
| OX123 | 1.83 | 0.053 |

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4

Phone (250) 573-5700 Fax (250) 573-4557

E-mail: info@ecotechlab.com

www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-650

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

15-Jul-04

No. of samples received: 16

Sample type: Muck

Project #: BL Muck

Samples Submitted by: Henry Follman

| ET #. | Tag # | | | Au (g/t) | Au (oz/t) |
|-------|-------|----|-----------|-------------|--------------|
| 1 | 40751 | 1 | 5 | 8.56 | 0.250 |
| 2 | 40752 | 0 | 5 coarse | 29.6 | 0.863 |
| 3 | 40753 | 6 | 10 | 8.09 | 0.236 |
| 4 | 40754 | 6 | 10 coarse | 21.8 | 0.636 |
| 5 | 40755 | 11 | 15 | 12.6 | 0.367 |
| 6 | 40756 | 11 | 15 coarse | 2.67 | 0.078 |
| 7 | 40757 | 16 | 20 | 8.46 | 0.247 |
| 8 | 40758 | 16 | 20 coarse | 15.5 | 0.452 |
| 9 | 40759 | 21 | 25 | 8.20 | 0.239 |
| 10 | 40760 | 21 | 25 coarse | 4.21 | 0.123 |
| 11 | 40761 | 26 | 30 | 30.2 | 0.881 |
| 12 | 40762 | 26 | 30 coarse | 34.9 | 1.018 |
| 13 | 40763 | 31 | 35 | 11.3 | 0.330 |
| 14 | 40764 | 31 | 35 coarse | 4.70 | 0.137 |
| 15 | 40765 | 35 | 40 | 10.7 | 0.312 |
| 16 | 40766 | 36 | 40 | 18.8 | 0.548 |

QC DATA:

Repeat:

| | | | | | |
|----|-------|----|-----------|------|-------|
| 1 | 40751 | 1 | 5 | 8.57 | 0.250 |
| 2 | 40752 | 0 | 5 coarse | 34.0 | 0.992 |
| 4 | 40754 | 6 | 10 coarse | 21.8 | 0.636 |
| 7 | 40757 | 16 | 20 | 8.49 | 0.248 |
| 11 | 40761 | 26 | 30 | 30.8 | 0.898 |
| 12 | 40762 | 26 | 30 coarse | 32.8 | 0.957 |


Resplit:


| | | | | | |
|---|-------|---|---|------|-------|
| 1 | 40751 | 1 | 5 | 10.6 | 0.309 |
|---|-------|---|---|------|-------|

Standard:

| | | | | | |
|-------|--|--|--|------|-------|
| OX123 | | | | 1.90 | 0.055 |
|-------|--|--|--|------|-------|

JJ/kk
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-649R

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

15-Jul-04

No. of samples received: 16
Sample type: Muck
Project #: BL Muck
Samples Submitted by: H. Follman

| ET #. | Tag # | | | Au (g/t) | Au (oz/t) |
|-------|-------|----|-----------|-------------|--------------|
| 1 | 40767 | 41 | 45 | 16.4 | 0.478 |
| 2 | 40768 | 41 | 45 coarse | 20.3 | 0.592 |
| 3 | 40769 | 46 | 50 | 20.2 | 0.589 |
| 4 | 40770 | 46 | 50 coarse | 10.8 | 0.315 |
| 5 | 40771 | 51 | 56 | 15.9 | 0.464 |
| 6 | 40772 | 51 | 55 coarse | 12.5 | 0.365 |
| 7 | 40773 | 56 | 60 | 35.3 | 1.029 |
| 8 | 40774 | 56 | 60 coarse | 45.2 | 1.318 |
| 9 | 40775 | 61 | 65 | 12.8 | 0.373 |
| 10 | 40776 | 61 | 65 coarse | 92.5 | 2.698 |
| 11 | 40777 | 66 | 70 | 19.6 | 0.572 |
| 12 | 40778 | 66 | 70 coarse | 2.23 | 0.065 |
| 13 | 40779 | 71 | 76 | 11.5 | 0.335 |
| 14 | 40780 | 71 | 75 coarse | 36.9 | 1.076 |
| 15 | 40782 | 76 | 80 | 18.9 | 0.551 |
| 16 | 40783 | 76 | 80 coarse | 28.7 | 0.837 |

QC DATA:

Repeat:

| | | | | | |
|----|-------|----|-----------|------|-------|
| 1 | 40767 | 41 | 45 | 16.5 | 0.481 |
| 8 | 40774 | 56 | 60 coarse | 45.4 | 1.324 |
| 10 | 40776 | 61 | 65 coarse | 89.7 | 2.616 |


Resplit:


| | | | | | |
|---|-------|----|----|------|-------|
| 1 | 40767 | 41 | 45 | 18.7 | 0.545 |
|---|-------|----|----|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.79 | 0.052 |
|-------|------|-------|

JJ/jm
XLS/04


Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com


CERTIFICATE OF ASSAY AK 2004-694

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

16-Jul-04

No. of samples received: 34
Sample type: Muck
Project #: BL Muck
Samples Submitted by: H. Follman

| ET #. | Tag # | | | Au (g/t) | Au (oz/t) |
|-------|-------|-----|------------|-------------|--------------|
| 1 | 40787 | 86 | 90 | 17.6 | 0.513 |
| 2 | 40788 | 86 | 90 coarse | 15.6 | 0.455 |
| 3 | 40789 | 91 | 95 | 20.6 | 0.602 |
| 4 | 40790 | 90 | 95 coarse | 15.6 | 0.454 |
| 5 | 40791 | 96 | 100 | 18.7 | 0.546 |
| 6 | 40792 | 96 | 100 coarse | 16.7 | 0.488 |
| 7 | 40793 | 102 | 106 | 19.5 | 0.568 |
| 8 | 40794 | 101 | 105 coarse | 27.2 | 0.793 |
| 9 | 40795 | 106 | 110 | 7.24 | 0.211 |
| 10 | 40796 | 106 | 110 coarse | 20.2 | 0.590 |
| 11 | 40797 | 111 | 115 | 13.9 | 0.407 |
| 12 | 40798 | 111 | 115 coarse | 28.0 | 0.815 |
| 13 | 40799 | 116 | 120 | 9.07 | 0.265 |
| 14 | 40800 | 116 | 120 coarse | 36.9 | 1.076 |
| 15 | 25951 | 121 | 125 | 7.36 | 0.215 |
| 16 | 25952 | 121 | 125 coarse | 18.0 | 0.526 |
| 17 | 25953 | 126 | 130 | 28.4 | 0.828 |
| 18 | 25954 | 126 | 130 coarse | 15.1 | 0.439 |
| 19 | 25955 | 131 | 135 | 26.4 | 0.769 |
| 20 | 25956 | 131 | 135 coarse | 8.96 | 0.261 |
| 21 | 25957 | 136 | 140 | 17.7 | 0.515 |
| 22 | 25958 | 141 | 145 | 13.0 | 0.378 |
| 23 | 25959 | 146 | 150 | 26.2 | 0.764 |
| 24 | 25960 | 151 | 155 | 33.2 | 0.969 |
| 25 | 25961 | 156 | 160 | 26.0 | 0.758 |
| 26 | 25962 | 161 | 165 | 25.1 | 0.732 |
| 27 | 25963 | 166 | 170 | 36.2 | 1.056 |
| 28 | 25964 | 171 | 175 | 18.3 | 0.534 |
| 29 | 25965 | 176 | 180 | 10.5 | 0.307 |
| 30 | 25966 | 181 | 185 | 16.0 | 0.468 |
| 31 | 25967 | 186 | 190 | 60.1 | 1.752 |
| 32 | 25968 | 191 | 195 | 30.8 | 0.898 |
| 33 | 25969 | 196 | 200 | 34.3 | 1.000 |
| 34 | 25970 | 201 | 205 | 52.0 | 1.517 |



ECOTECH LABORATORY LTD.
Julia Jealouse
B.C. Certified Assayer

| ET #. | Tag # | | | | Au (g/t) | Au (oz/t) |
|------------------|-------|-----|-----|--------|-------------|--------------|
| QC DATA: | | | | | | |
| Repeat: | | | | | | |
| 1 | 40787 | 86 | 90 | | 19.0 | 0.553 |
| 4 | 40790 | 90 | 95 | coarse | 11.0 | 0.322 |
| 7 | 40793 | 102 | 106 | | 20.3 | 0.591 |
| 10 | 40796 | 106 | 110 | coarse | 19.0 | 0.554 |
| 11 | 40797 | 111 | 115 | | 14.4 | 0.421 |
| 14 | 40800 | 116 | 120 | coarse | 39.9 | 1.162 |
| 19 | 25955 | 131 | 135 | | 27.1 | 0.791 |
| 20 | 25956 | 131 | 135 | coarse | 7.87 | 0.230 |
| 23 | 25959 | 146 | 150 | | 23.3 | 0.681 |
| 27 | 25963 | 166 | 170 | | 36.7 | 1.069 |
| 31 | 25967 | 186 | 190 | | 68.9 | 2.009 |
| Standard: | | | | | | |
| OX123 | | | | | 1.84 | 0.054 |

JJ/jm
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-744

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

19-Jul-04

No. of samples received: 39
Sample type: Muck
Project #: Bonanza Ledge Muck
Samples Submitted by: H. Follman

| ET #. | Tag # | | | Au (g/t) | Au (oz/t) |
|-------|-------|------------------------------|-----|-------------|--------------|
| 1 | 25971 | 266 | 210 | 26.9 | 0.784 |
| 2 | 25972 | 211 | 215 | 31.5 | 0.919 |
| 3 | 25973 | 216 | 220 | 24.9 | 0.726 |
| 4 | 25974 | 221 | 225 | 22.3 | 0.650 |
| 5 | 25975 | 226 | 230 | 28.0 | 0.817 |
| 6 | 25976 | 231 | 235 | 21.6 | 0.630 |
| 7 | 25977 | pile 1 of | 4 | 46.6 | 1.359 |
| 8 | 25978 | pile 2 of | 4 | 7.03 | 0.205 |
| 9 | 25979 | pile 3 of | 4 | 10.2 | 0.297 |
| 10 | 25980 | pile 4 of | 4 | 12.7 | 0.370 |
| 11 | 25981 | pile 1 of | 5 | 6.74 | 0.197 |
| 12 | 25982 | pile 2 of | 5 | 12.4 | 0.362 |
| 13 | 25983 | pile 3 of | 5 | 27.3 | 0.796 |
| 14 | 25984 | pile 4 of | 5 | 11.4 | 0.332 |
| 15 | 25985 | pile 1 of | 5 | 23.9 | 0.697 |
| 16 | 25986 | pile 2 of | 5 | 40.4 | 1.178 |
| 17 | 25987 | pile 3 of | 5 | 38.1 | 1.111 |
| 18 | 25988 | pile 4 of | 5 | 7.36 | 0.215 |
| 19 | 25989 | pile 5 of | 5 | 32.1 | 0.936 |
| 20 | 25990 | pile 5 of | 5 | 19.1 | 0.557 |
| 21 | 25991 | 10 scoops of graphitic waste | | 1.63 | 0.048 |
| 22 | 25992 | 1 of | 14 | 10.2 | 0.297 |
| 23 | 25993 | 2 of | 14 | 15.7 | 0.458 |
| 24 | 25994 | 3 of | 14 | 15.6 | 0.455 |
| 25 | 25995 | 4 of | 14 | 18.1 | 0.528 |
| 26 | 25996 | 6 of | 14 | 16.6 | 0.484 |
| 27 | 25997 | 7 of | 14 | 15.7 | 0.458 |
| 28 | 25998 | 8 of | 14 | 14.1 | 0.411 |
| 29 | 25999 | 11 of | 14 | 21.5 | 0.627 |
| 30 | 26000 | 12 of | 14 | 8.40 | 0.245 |

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-775

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

20-Jul-04

No. of samples received: 17

Sample type: Muck

Project #: BL Muck

Samples Submitted by: Henry Follman

| ET #. | Tag # | | Au (g/t) | Au (oz/t) |
|-------|-------|-----------------|-------------|--------------|
| 1 | 25906 | Pile 1 5 | 6.79 | 0.198 |
| 2 | 25907 | Pile 6 10 | 4.86 | 0.142 |
| 3 | 25908 | 11 15 | 10.8 | 0.315 |
| 4 | 25909 | 16 20 | 9.16 | 0.267 |
| 5 | 25910 | 21 25 | 9.78 | 0.285 |
| 6 | 25911 | 26 30 | 24.1 | 0.703 |
| 7 | 25912 | 31 35 | 30.3 | 0.884 |
| 8 | 25913 | 1 5 | 19.5 | 0.569 |
| 9 | 25914 | 6 10 | 12.1 | 0.353 |
| 10 | 25915 | 11 15 | 9.93 | 0.290 |
| 11 | 25916 | 16 20 | 10.7 | 0.312 |
| 12 | 25917 | 21 25 | 12.9 | 0.376 |
| 13 | 25918 | 26 30 | 10.9 | 0.318 |
| 14 | 25919 | 31 35 | 9.76 | 0.285 |
| 15 | 25920 | Pile #1 | 21.9 | 0.639 |
| 16 | 25921 | Pile #2 | 19.3 | 0.563 |
| 17 | 25922 | 7 12 Oxide Muck | 19.8 | 0.577 |

QC DATA:

Repeat:

| | | | | |
|----|-------|-----------|------|-------|
| 1 | 25906 | Pile 1 5 | 6.98 | 0.204 |
| 2 | 25907 | Pile 6 10 | 4.35 | 0.127 |
| 3 | 25908 | 11 15 | 9.86 | 0.288 |
| 10 | 25915 | 11 15 | 11.0 | 0.321 |
| 15 | 25920 | Pile #1 | 21.9 | 0.639 |

Resplit:

| | | | | |
|---|-------|----------|------|-------|
| 1 | 25906 | Pile 1 5 | 7.69 | 0.224 |
|---|-------|----------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.86 | 0.054 |
| SN16 | 8.45 | 0.246 |

19-Jul-04

| ET #. | Tag # | | | Au (g/t) | Au (oz/t) |
|-------|-------|-------|----|-------------|--------------|
| 31 | 41996 | 9 of | 14 | 2.29 | 0.067 |
| 32 | 41997 | 5 of | 14 | 21.6 | 0.630 |
| 33 | 41998 | 13 of | 14 | 77.9 | 2.272 |
| 34 | 41999 | 14 of | 15 | 17.8 | 0.519 |
| 35 | 25901 | 10 of | 14 | 12.6 | 0.367 |
| 36 | 25902 | 1 of | 4 | 35.1 | 1.024 |
| 37 | 25903 | 2 of | 4 | 44.5 | 1.298 |
| 38 | 25904 | 3 of | 4 | 34.9 | 1.018 |
| 39 | 25905 | 4 of | 4 | 52.3 | 1.525 |

QC DATA:**Repeat:**


| | | | | | |
|----|-------|-----------|--------------------|------|-------|
| 1 | 25971 | 266 | 210 | 26.7 | 0.779 |
| 2 | 25972 | 211 | 215 | 30.8 | 0.898 |
| 10 | 25980 | pile 4 of | 4 | 13.0 | 0.379 |
| 14 | 25984 | pile 4 of | 5 | 12.1 | 0.353 |
| 18 | 25988 | pile 4 of | 5 | 7.36 | 0.215 |
| 19 | 25989 | pile 5 of | 5 | 31.6 | 0.922 |
| 21 | 25991 | 10 scoops | of graphitic waste | 1.54 | 0.045 |
| 25 | 25995 | 4 of | 14 | 18.0 | 0.525 |
| 28 | 25998 | 8 of | 14 | 14.0 | 0.408 |
| 31 | 41996 | 9 of | 14 | 2.24 | 0.065 |
| 36 | 25902 | 1 of | 4 | 36.1 | 1.053 |

Resplit:


| | | | | | |
|----|-------|------|-----|------|-------|
| 1 | 25971 | 266 | 210 | 27.9 | 0.814 |
| 36 | 25902 | 1 of | 4 | 35.6 | 1.038 |

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.86 | 0.054 |
| OX123 | 1.86 | 0.054 |

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.
Julia Jealouse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-1711

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

5-Nov-04

No. of samples received: 10
Sample type: Concentrate
Project #: BC-Bulk sample
Samples Submitted by: Ed Gates

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Fe % | Ag (g/t) | Ag (oz/t) | Cu % |
|-------|--------|-------------|--------------|---------|-------------|--------------|---------|
| 1 | E43401 | 220 | 6.416 | 38.6 | 32.4 | 0.945 | 0.34 |
| 2 | E43402 | 324 | 9.449 | 39.1 | 47.2 | 1.376 | 0.34 |
| 3 | E43403 | 330 | 9.624 | 41.4 | 48.1 | 1.403 | 0.56 |
| 4 | E43404 | 203 | 5.923 | 40.2 | 32.4 | 0.945 | 0.42 |
| 5 | E43405 | 178 | 5.191 | 38.5 | 29.3 | 0.854 | 2.66 |
| 6 | E43406 | 257 | 7.507 | 39.8 | 40.2 | 1.172 | 0.71 |
| 7 | E43407 | 167 | 4.870 | 38.5 | 27.6 | 0.805 | 1.36 |
| 8 | E43408 | 161 | 4.695 | 39.0 | 28.2 | 0.822 | 2.74 |
| 9 | E43409 | 155 | 4.520 | 37.3 | 33.4 | 0.974 | 4.07 |
| 10 | E43410 | 55.8 | 1.627 | 26.6 | 45.0 | 1.312 | 23.7 |

QC DATA:

Repeats:


| | | | | | |
|----|--------|------|------|-------|------|
| 1 | E43401 | 38.7 | 32.0 | 0.933 | 0.34 |
| 10 | E43410 | 25.1 | 45.1 | 1.315 | 23.7 |

Standard:

| | | | | | |
|-------|------|-------|-----|-------|------|
| CH3 | | 11.9 | | | |
| Cu106 | | | 136 | 3.966 | 1.46 |
| SN16 | 9.25 | 0.270 | | | 0.83 |
| OX123 | 1.80 | 0.052 | | | |

* Results to follow

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-1711

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

5-Nov-04

No. of samples received: 10
Sample type: Concentrate
Project #: BC-Bulk sample
Samples Submitted by: Ed Gates

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Fe % | Ag (g/t) | Ag (oz/t) | Cu % |
|-------|--------|-------------|--------------|---------|-------------|--------------|---------|
| 1 | E43401 | 220 | 6.416 | 38.6 | 32.4 | 0.945 | 0.34 |
| 2 | E43402 | 324 | 9.449 | 39.1 | 47.2 | 1.376 | 0.34 |
| 3 | E43403 | 330 | 9.624 | 41.4 | 48.1 | 1.403 | 0.56 |
| 4 | E43404 | 203 | 5.923 | 40.2 | 32.4 | 0.945 | 0.42 |
| 5 | E43405 | 178 | 5.191 | 38.5 | 29.3 | 0.854 | 2.66 |
| 6 | E43406 | 257 | 7.507 | 39.8 | 40.2 | 1.172 | 0.71 |
| 7 | E43407 | 167 | 4.870 | 38.5 | 27.6 | 0.805 | 1.36 |
| 8 | E43408 | 161 | 4.695 | 39.0 | 28.2 | 0.822 | 2.74 |
| 9 | E43409 | 155 | 4.520 | 37.3 | 33.4 | 0.974 | 4.07 |
| 10 | E43410 | 55.8 | 1.627 | 26.6 | 45.0 | 1.312 | * |

QC DATA:


Repeats:


| | | | | | |
|----|--------|------|------|-------|------|
| 1 | E43401 | 38.7 | 32.0 | 0.933 | 0.34 |
| 10 | E43410 | 25.1 | 45.1 | 1.315 | * |

Standard:

| | | | | | |
|-------|------|-------|-----|-------|------|
| CH3 | | 11.9 | | | |
| Cu106 | | | 136 | 3.966 | 1.46 |
| SN16 | 9.25 | 0.270 | | | 0.83 |
| OX123 | 1.80 | 0.052 | | | |

* Results to follow


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ANALYSIS AK 2004-1711


INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

5-Nov-04

No. of samples received: 10
Sample type: Concentrate
Project #: BC-Bulk sample
Shipment #: None Given
Samples submitted by: Ed Gates

| ET #. | Tag # | Moisture (%) |
|-------|--------|--------------|
| 1 | E43401 | 6.61 |
| 2 | E43402 | 5.34 |
| 3 | E43403 | 4.51 |
| 4 | E43404 | 5.00 |
| 5 | E43405 | 5.96 |
| 6 | E43406 | 6.66 |
| 7 | E43407 | 12.4 |
| 8 | E43408 | 15.8 |
| 9 | E43409 | 15.8 |
| 10 | E43410 | 16.6 |

JJ/sc
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABO. JRY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS ARL 2004-1711

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

No. of samples received: 10
Sample type: Concentrate
Project #: BC-Bulk sample
Shipment #: None Given
Samples submitted by: Ed Gates

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Tl % | U | V | W | Y | Zn |
|-------|--------|------|------|------|-----|----|------|----|-----|----|--------|------|-----|-------|-----|-----|-------|-----|-----|------|----|-----|----|-------|-----|----|-----|----|------|
| 1 | E43401 | >30 | 0.04 | 890 | 50 | <5 | 0.16 | <1 | 94 | <1 | 3264 | >10 | <10 | <0.01 | 62 | 12 | <0.01 | 210 | 20 | 236 | <5 | <20 | 11 | <0.01 | <10 | 5 | <10 | <1 | 145 |
| 2 | E43402 | >30 | 0.03 | 880 | 45 | <5 | 0.15 | <1 | 96 | <1 | 3204 | >10 | <10 | <0.01 | 60 | 11 | <0.01 | 217 | 40 | 232 | <5 | <20 | 6 | <0.01 | <10 | 4 | <10 | <1 | 146 |
| 3 | E43403 | >30 | 0.02 | 895 | 45 | <5 | 0.08 | <1 | 97 | <1 | 5402 | >10 | <10 | <0.01 | 25 | 12 | <0.01 | 216 | <10 | 248 | <5 | <20 | 2 | <0.01 | <10 | 4 | <10 | <1 | 135 |
| 4 | E43404 | >30 | 0.02 | 925 | 45 | <5 | 0.10 | <1 | 99 | <1 | 4048 | >10 | <10 | <0.01 | 38 | 13 | <0.01 | 217 | <10 | 232 | <5 | <20 | 4 | <0.01 | <10 | 3 | <10 | <1 | 136 |
| 5 | E43405 | 28.1 | 0.02 | 915 | 40 | <5 | 0.11 | <1 | 97 | <1 | >10000 | >10 | <10 | <0.01 | 46 | 18 | <0.01 | 212 | <10 | 326 | <5 | <20 | 4 | <0.01 | <10 | 4 | <10 | <1 | 155 |
| 6 | E43406 | >30 | 0.03 | 910 | 45 | <5 | 0.11 | <1 | 98 | <1 | 5819 | >10 | <10 | <0.01 | 41 | 19 | <0.01 | 224 | <10 | 282 | <5 | <20 | 4 | <0.01 | <10 | 4 | <10 | <1 | 165 |
| 7 | E43407 | 26.0 | 0.04 | 900 | 45 | <5 | 0.15 | <1 | 99 | <1 | >10000 | >10 | <10 | <0.01 | 55 | 13 | 0.01 | 208 | <10 | 458 | <5 | <20 | 6 | <0.01 | <10 | 8 | <10 | <1 | 247 |
| 8 | E43408 | 25.6 | 0.05 | 940 | 50 | <5 | 0.15 | <1 | 103 | <1 | >10000 | >10 | <10 | <0.01 | 62 | 14 | 0.01 | 204 | <10 | 806 | <5 | <20 | 9 | <0.01 | <10 | 12 | <10 | <1 | 378 |
| 9 | E43409 | >30 | 0.05 | 905 | 50 | <5 | 0.13 | <1 | 100 | <1 | >10000 | >10 | <10 | <0.01 | 57 | 14 | 0.01 | 199 | <10 | 930 | <5 | <20 | 6 | <0.01 | <10 | 10 | <10 | <1 | 349 |
| 10 | E43410 | >30 | 0.31 | 1025 | 100 | <5 | 0.37 | <1 | 221 | 18 | >10000 | >10 | <10 | <0.01 | 296 | 100 | 0.02 | 62 | <10 | 1590 | <5 | <20 | 17 | <0.01 | <10 | 58 | <10 | <1 | 1400 |

QC DATA:

Standard:

GEO '04 1.4 1.56 70 145 <5 1.49 <1 19 61 88 4.14 <10 0.82 631 <1 0.03 27 650 24 <5 <20 60 0.09 <10 68 <10 6 74

JJ/sc
dt/1686
XLS/04

ECO TECH LABORATORY LTD.
Julia Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-1033

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

07-Oct-04

No. of samples received: 29

Sample type: Waste Rock

Project #: Bonanza Waste Rock

Samples Submitted by: J. McAllister

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165502 | 0.93 | 0.027 |
| 2 | 165504 | 0.45 | 0.013 |
| 3 | 165518 | 1.21 | 0.035 |
| 4 | 165520 | 1.42 | 0.041 |
| 5 | 165522 | 3.77 | 0.110 |
| 6 | 165524 | 2.02 | 0.059 |
| 7 | 165532 | 0.04 | 0.001 |
| 8 | 165534 | 0.03 | 0.001 |
| 9 | 165536 | 0.08 | 0.002 |
| 10 | 165538 | <0.03 | <0.001 |
| 11 | 165540 | 0.24 | 0.007 |
| 12 | 165542 | 0.27 | 0.008 |
| 13 | 165544 | 0.25 | 0.007 |
| 14 | 165546 | 0.26 | 0.008 |
| 15 | 165548 | 0.49 | 0.014 |
| 16 | 165550 | 0.79 | 0.023 |
| 17 | 165552 | 0.89 | 0.026 |
| 18 | 165554 | 1.57 | 0.046 |
| 19 | 165556 | 0.44 | 0.013 |
| 20 | 165558 | 0.53 | 0.015 |
| 21 | 165560 | 0.07 | 0.002 |
| 22 | 165562 | 0.11 | 0.003 |
| 23 | 165564 | 0.13 | 0.004 |
| 24 | 165566 | 1.11 | 0.032 |
| 25 | 165568 | 0.05 | 0.001 |
| 26 | 165570 | 0.14 | 0.004 |
| 27 | 165572 | 1.14 | 0.033 |
| 28 | 165574 | 1.32 | 0.038 |
| 29 | 165576 | 1.17 | 0.034 |

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

INTERNATIONAL WAYSIDE GOLD MINES LTD. AK4-1033

27-Aug-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|-------------|--------------|
| QC DATA: | | | |
| Repeat: | | | |
| 1 | 165502 | 0.94 | 0.027 |
| 4 | 165520 | 1.35 | 0.039 |
| 5 | 165522 | 3.84 | 0.112 |
| 6 | 165524 | 1.80 | 0.052 |
| 10 | 165538 | <0.03 | <0.001 |
| 28 | 165574 | 1.26 | 0.037 |
| 29 | 165576 | 1.25 | 0.036 |
| Resplit: | | | |
| 1 | 165502 | 1.08 | 0.031 |
| Standard: | | | |
| OX123 | | 1.89 | 0.055 |

WHOLE ROCK CERTIFICATE OF ANALYSIS AK 2004-1033

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

07-Oct-04

ATTENTION:

No. of samples received: 29
Sample type: Waste Rock
Project #: Bonanza Waste Rock
Samples submitted by: J. McAllister

Note: Values expressed in percent

| ET #. | Tag # | BaO | P2O5 | SiO2 | MnO | Fe2O3 | MgO | Al2O3 | CaO | TiO2 | Na2O | K2O | L.O.I. |
|-------|--------|------|------|------|------|-------|------|-------|------|------|------|------|--------|
| 1 | 165502 | 0.17 | 0.11 | 62.0 | 0.10 | 8.06 | 1.76 | 15.0 | 1.89 | 1.03 | 0.50 | 3.49 | 5.93 |
| 13 | 165544 | 0.08 | 0.23 | 58.8 | 0.13 | 7.98 | 2.29 | 15.7 | 2.18 | 0.74 | 0.38 | 3.76 | 7.76 |
| 14 | 165546 | 0.15 | 0.14 | 59.3 | 0.08 | 6.91 | 2.40 | 16.0 | 2.30 | 1.09 | 0.37 | 4.22 | 7.06 |
| 15 | 165548 | 0.21 | 0.14 | 59.9 | 0.09 | 7.14 | 1.20 | 14.8 | 2.31 | 1.44 | 0.34 | 5.32 | 7.10 |
| 16 | 165550 | 0.13 | 0.14 | 61.7 | 0.11 | 7.39 | 1.85 | 14.5 | 1.92 | 0.82 | 0.26 | 3.92 | 7.34 |
| 17 | 165552 | 0.11 | 0.11 | 61.4 | 0.08 | 6.21 | 2.15 | 15.6 | 2.44 | 0.87 | 0.36 | 3.94 | 6.72 |
| 18 | 165554 | 0.19 | 0.24 | 45.5 | 0.07 | 11.1 | 1.55 | 21.5 | 1.61 | 1.38 | 0.33 | 6.5 | 10.0 |
| 19 | 165556 | 0.14 | 0.12 | 56.8 | 0.08 | 8.52 | 2.35 | 16.5 | 2.65 | 1.02 | 0.34 | 4.17 | 7.28 |

QC DATA:

Standard:

| | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|
| sy4 | 0.05 | 0.13 | 50.0 | 0.11 | 6.56 | 0.54 | 20.7 | 8.33 | 0.29 | 7.10 | 1.62 | 4.56 |
| mrg1 | 0.02 | 0.06 | 38.8 | 0.17 | 17.6 | 13.7 | 8.34 | 14.6 | 3.64 | 0.68 | 0.18 | 2.22 |

df/wr1033A
XLS/04

ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

APPENDIX VI
BONANZA LEDGE TRENCHES

BONANZA LEDGE TRENCHES - 2004

| Trench | Tag Number | Sample Number | Au (g/t) | Au (oz/t) | Sample Description |
|---------|------------|---------------|-------------|--------------|---|
| BL TR-1 | E37501 | BL-TR1-1 | 4.33 | 0.126 | Phyllite - silver colored, 80% arg / 20% silt, weak silicification, strong sericite, abundant gouge |
| BL TR-1 | E37502 | BL-TR1-2 | 5.26 | 0.153 | Phyllite - silver colored, 80% arg / 20% silt, weak silicification, strong sericite, abundant gouge |
| BL TR-1 | E37503 | BL-TR1-3 | 23.40 | 0.682 | Phyllite - silver colored, 80% arg / 20% silt, weak silicification, strong sericite, abundant gouge |
| BL TR-1 | E37504 | BL-TR1-4 | 0.24 | 0.007 | Phyllite - reddish gray, 60% qtz / 30% silt / 10% arg, weak to mod silicification, weak sericite |
| BL TR-1 | E37505 | BL-TR1-5 | 0.18 | 0.005 | Phyllite - reddish gray, 60% qtz / 30% silt / 10% arg, weak to mod silicification, weak sericite |
| BL TR-1 | E37506 | BL-TR1-6 | 0.18 | 0.005 | Phyllite - reddish gray, 60% qtz / 30% silt / 10% arg, weak to mod silicification, weak sericite |
| BL TR-1 | E37507 | BL-TR1-7 | <0.03 | <0.001 | Phyllite - orange-yellow, 60% qtz / 30% silt / 10% arg, abundant limonite & hematite, thinly laminated, 5-10% qtz veinlets parallel to foliation, with abundant hematite |
| BL TR-1 | E37508 | BL-TR1-8 | 0.08 | 0.002 | Phyllite - orange-yellow, 60% qtz / 30% silt / 10% arg, abundant limonite & hematite, thinly laminated, 5-10% qtz veinlets parallel to foliation, with abundant hematite |
| BL TR-1 | E37509 | BL-TR1-9 | 0.13 | 0.004 | Phyllite - orange-yellow, 60% qtz / 30% silt / 10% arg, abundant limonite & hematite, thinly laminated, 5-10% qtz veinlets parallel to foliation, with abundant hematite |
| BL TR-1 | E37510 | BL-TR1-10 | 0.17 | 0.005 | Phyllite - orange-yellow, 60% qtz / 30% silt / 10% arg, abundant limonite & hematite, thinly laminated, 5-10% qtz veinlets parallel to foliation, with abundant hematite |
| BL TR-1 | E37511 | BL-TR1-11 | 0.06 | 0.002 | Phyllite - light gray, weak hematite stain, iron oxide after disseminated pyrite porphyroblasts |
| BL TR-1 | E37512 | BL-TR1-12 | 0.21 | 0.006 | Phyllite - maroon-red (mauvite?), 20% qtz / 50% silt / 30 % arg, abundant qtz-iron oxide veinlets or laminae parallel to foliation, weak to mod silicification, strong sericite |
| BL TR-1 | E37513 | BL-TR1-13 | 0.05 | 0.001 | Phyllite - maroon-red (mauvite?), 20% qtz / 50% silt / 30 % arg, abundant qtz-iron oxide veinlets or laminae parallel to foliation, weak to mod silicification, strong sericite |

BONANZA LEDGE TRENCHES - 2004

| Trench | Tag Number | Sample Number | Au (g/t) | Au (oz/t) | Sample Description |
|---------|------------|---------------|-------------|--------------|---|
| BL TR-1 | E37514 | BL-TR1-14 | 0.03 | 0.001 | Phyllite - maroon-red (mauvite?), 20% qtz / 50% silt / 30 % arg, abundant qtz-iron oxide veinlets or laminae parallel to foliation, weak to mod silicification, strong sericite |
| BL TR-1 | E37515 | BL-TR1-15 | 23.80 | 0.694 | Phyllite - maroon-red (mauvite?), 20% qtz / 50% silt / 30 % arg, abundant qtz-iron oxide veinlets or laminae parallel to foliation, weak to mod silicification, strong sericite |
| BL TR-1 | E37516 | BL-TR1-16 | 2.96 | 0.086 | Phyllite - maroon-red "mauvite" 20-30% yellow green sericite after Argillite laminae, 3-4% 5mm to 2cm white qtz veins with abundant hematite |
| BL TR-1 | E37517 | BL-TR1-17 | 0.41 | 0.012 | Phyllite - maroon-red "mauvite" 20-30% yellow green sericite after Argillite laminae, 3-4% 5mm to 2cm white qtz veins with abundant hematite |
| BL TR-1 | E37518 | BL-TR1-18 | 0.28 | 0.008 | Phyllite - maroon-red "mauvite" 20-30% yellow green sericite after Argillite laminae, 3-4% 5mm to 2cm white qtz veins with abundant hematite |
| BL TR-1 | E37519 | BL-TR1-19 | 0.48 | 0.014 | Phyllite - maroon-red "mauvite" 20-30% yellow green sericite after Argillite laminae, 3-4% 5mm to 2cm white qtz veins with abundant hematite |
| BL TR-1 | E37520 | BL-TR1-20 | 0.39 | 0.011 | Phyllite - maroon-red "mauvite" 20-30% yellow green sericite after Argillite laminae, 3-4% 5mm to 2cm white qtz veins with abundant hematite |
| BL TR-1 | E37521 | BL-TR1-21 | 0.23 | 0.007 | Phyllite - maroon-red "mauvite" 20-30% yellow green sericite after Argillite laminae, 3-4% 5mm to 2cm white qtz veins with abundant hematite |
| BL TR-1 | E37522 | BL-TR1-22 | 0.37 | 0.011 | Phyllite - maroon-red "mauvite" 20-30% yellow green sericite after Argillite laminae, 3-4% 5mm to 2cm white qtz veins with abundant hematite |
| BL TR-1 | E37523 | BL-TR1-23 | 0.44 | 0.013 | Phyllite - maroon-red "mauvite" 20-30% yellow green sericite after Argillite laminae, 3-4% 5mm to 2cm white qtz veins with abundant hematite |
| BL TR-1 | E37524 | BL-TR1-24 | 0.03 | 0.001 | Phyllite - maroon-red "mauvite" 20-30% yellow green sericite after Argillite laminae, 3-4% 5mm to 2cm white qtz veins with abundant hematite |
| BL TR-1 | E37525 | BL-TR1-25 | 0.21 | 0.006 | Phyllite - silver grey |
| BL TR-1 | E37526 | BL-TR1-26 | 3.12 | 0.091 | Phyllite - silver grey |
| BL TR-1 | E37527 | BL-TR1-27 | 1.12 | 0.033 | Phyllite - orange |
| BL TR-1 | E37528 | BL-TR1-28 | 0.04 | 0.001 | Phyllite - silver grey, 60% qtz / 20% silt / 20% arg, weak to moderate silicification, moderate sericite, 5% qtz veins up 1 cm |
| BL TR-1 | E37529 | BL-TR1-29 | 0.08 | 0.002 | Phyllite - silver grey, 60% qtz / 20% silt / 20% arg, weak to moderate silicification, moderate sericite, 5% qtz veins up 1 cm |

BONANZA LEDGE TRENCHES - 2004

| Trench | Tag Number | Sample Number | Au (g/t) | Au (oz/t) | Sample Description |
|-----------|------------|---------------|-------------|--------------|---|
| BL TR-1 | E37530 | BL-TR1-30 | <0.03 | <0.001 | Phyllite - "tannite" 40% qtz / 50% silt / 10% arg, abundant limonite, mod silicification, mod to strong sericite, 5-8% qtz veinlets, 2-3% fg ds py, small rootless hinges in qtzite laminae |
| BL TR-1 | E37531 | BL-TR1-31 | <0.03 | <0.001 | Phyllite - "tannite" 40% qtz / 50% silt / 10% arg, abundant limonite, mod silicification, mod to strong sericite, 5-8% qtz veinlets, 2-3% fg ds py, small rootless hinges in qtzite laminae |
| BL TR-1 | E37532 | BL-TR1-32 | 0.03 | 0.001 | Phyllite - "tannite" 40% qtz / 50% silt / 10% arg, abundant limonite, mod silicification, mod to strong sericite, 5-8% qtz veinlets, 2-3% fg ds py, small rootless hinges in qtzite laminae |
| BL TR-1 | E37533 | BL-TR1-33 | 0.10 | 0.003 | Phyllite - "tannite" 40% qtz / 50% silt / 10% arg, abundant limonite, mod silicification, mod to strong sericite, 5-8% qtz veinlets, 2-3% fg ds py, small rootless hinges in qtzite laminae |
| BL TR-1 | E37534 | BL-TR1-34 | 0.05 | 0.001 | Phyllite - "tannite" 40% qtz / 50% silt / 10% arg, abundant limonite, mod silicification, mod to strong sericite, 5-8% qtz veinlets, 2-3% fg ds py, small rootless hinges in qtzite laminae |
| BL TR-1 | E37535 | BL-TR1-35 | 0.22 | 0.006 | Phyllite - "tannite" 40% qtz / 50% silt / 10% arg, abundant limonite, mod silicification, mod to strong sericite, 5-8% qtz veinlets, 2-3% fg ds py, small rootless hinges in qtzite laminae |
| BL-TR-1-S | E37614 | BL-TR1-S-1 | 1.14 | 0.033 | Phyllite - silver gray 100% arg |
| BL-TR-1-S | E37615 | BL-TR1-S-2 | 1.61 | 0.047 | Phyllite - silver gray 100% arg |
| BL-TR-1-S | E37616 | BL-TR1-S-3 | 2.35 | 0.069 | Phyllite - red, fault zone? |
| BL-TR-1-S | E37617 | BL-TR1-S-4 | 26.90 | 0.784 | Phyllite - red, fault zone? |
| BL-TR-1-S | E37618 | BL-TR1-S-5 | 34.60 | 1.009 | Phyllite - red, fault zone? |
| BL-TR-1-S | E37619 | BL-TR1-S-6 | 53.40 | 1.557 | Phyllite - red, fault zone? |
| BL-TR-1-S | E37620 | BL-TR1-S-7 | 12.00 | 0.350 | Phyllite - silver gray, strong limonite |
| BL-TR-1-S | E37621 | BL-TR1-S-8 | 12.10 | 0.353 | Phyllite - silver gray, strong limonite |
| BL-TR-1-S | E37622 | BL-TR1-S-9 | 48.50 | 1.414 | Phyllite - silver gray, strong limonite |
| BL-TR-1-S | E37623 | BL-TR1-S-10 | 33.20 | 0.968 | Phyllite - silver gray, strong limonite |
| BL-TR-1-S | E37624 | BL-TR1-S-11 | 24.00 | 0.700 | Phyllite - silver gray, strong limonite |
| BL-TR-1-S | E37625 | BL-TR1-S-12 | 14.20 | 0.414 | Phyllite - silver gray, strong limonite |
| BL-TR-1-S | E37626 | BL-TR1-S-13 | 8.64 | 0.252 | Phyllite - silver gray, strong limonite |
| BL-TR-1-S | E37627 | BL-TR1-S-14 | 0.49 | 0.014 | Graphitic fault zone, black, quartz vein - Footwall Fault |

BONANZA LEDGE TRENCHES - 2004

| Trench | Tag Number | Sample Number | Au (g/t) | Au (oz/t) | Sample Description |
|-----------|------------|---------------|-------------|--------------|--|
| BL-TR-1-S | E37628 | BL-TR1-S-15 | 0.36 | 0.010 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL-TR-1-S | E37629 | BL-TR1-S-16 | 0.09 | 0.003 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL-TR-1-S | E37630 | BL-TR1-S-17 | 0.06 | 0.002 | Phyllite - gray |
| BL-TR-1-S | E37631 | BL-TR1-S-18 | 0.06 | 0.002 | Phyllite - gray |
| BL-TR-1-S | E37632 | BL-TR1-S-19 | 6.55 | 0.191 | Phyllite - silver gray, 100% arg |
| BL-TR-1-S | E37633 | BL-TR1-S-20 | 3.21 | 0.094 | Phyllite - silver gray, 100% arg |
| BL-TR-1-S | E37634 | BL-TR1-S-21 | 1.21 | 0.035 | Phyllite - silver gray, 100% arg |
| BL-TR-1-S | E37635 | BL-TR1-S-22 | 2.34 | 0.068 | Phyllite - silver gray, 100% arg |
| BL-TR-1-S | E37636 | BL-TR1-S-23 | 1.54 | 0.045 | Phyllite - silver gray, 100% arg |
| BL-TR-1-S | E37637 | BL-TR1-S-24 | 0.31 | 0.009 | Phyllite - red, fault zone? |
| BL-TR-1-S | E37638 | BL-TR1-S-25 | 0.46 | 0.013 | Phyllite - red, fault zone? |
| BL-TR-1-S | E37639 | BL-TR1-S-26 | 2.35 | 0.069 | Phyllite - red, fault zone? |
| BL-TR-1-S | E37640 | BL-TR1-S-27 | 4.68 | 0.136 | Phyllite - red, fault zone? |
| BL-TR-1-S | E37641 | BL-TR1-S-28 | 10.90 | 0.318 | Phyllite - silver gray, strong limonite |
| BL-TR-1-S | E37642 | BL-TR1-S-29 | 49.40 | 1.441 | Phyllite - silver gray, strong limonite |
| BL-TR-1-S | E37643 | BL-TR1-S-30 | 10.00 | 0.292 | Phyllite - silver gray, strong limonite |
| BL-TR-1-S | E37644 | BL-TR1-S-31 | 16.60 | 0.484 | Phyllite - silver gray, strong limonite |
| BL-TR-1-S | E37645 | BL-TR1-S-32 | 1.31 | 0.038 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL-TR-1-S | E37646 | BL-TR1-S-33 | 1.30 | 0.038 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL-TR-1-S | E37647 | BL-TR1-S-34 | 0.84 | 0.024 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL-TR-1-S | E37648 | BL-TR1-S-35 | 0.84 | 0.024 | Phyllite - gray |
| BL TR-2 | E37536 | BL-TR2-1 | 0.05 | 0.001 | Qtzite - silvery grey, 50% Qtz / 30% silt / 20% arg, weak to mod silicification, weak sericite, minor graphite, 5% red Fe-Ox-qtz porphyroblasts, 1% Fe-OX qtz after pyrite |
| BL TR-2 | E37537 | BL-TR2-2 | 0.04 | 0.001 | Qtzite - silvery grey, 50% Qtz / 30% silt / 20% arg, weak to mod silicification, weak sericite, minor graphite, 5% red Fe-Ox-qtz porphyroblasts, 1% Fe-OX qtz after pyrite |
| BL TR-2 | E37538 | BL-TR2-3 | 0.12 | 0.003 | gouge - grey brown gouge derived from same rock as above, fragments have strong mylonitic foliation, gge zone = 313/67N, locally @ sample 3 Qtzite - silvery grey, 70% Qtz / 10% silt / 20% arg, same as above except increase in iron oxide |

BONANZA LEDGE TRENCHES - 2004

| Trench | Tag Number | Sample Number | Au (g/t) | Au (oz/t) | Sample Description |
|---------|------------|---------------|-------------|--------------|---|
| BL TR-2 | E37539 | BL-TR2-4 | 0.13 | 0.004 | gouge - grey brown gouge derived from same rock as above, fragments have strong mylonitic foliation, gge zone = 313/67N |
| BL TR-2 | E37540 | BL-TR2-5 | 0.18 | 0.005 | graphite rich mylonite and breccia, strong silicification, strong graphite, graphite coats qtz frags, 5-10% euhedral pyrite cubes now leached ->FeOx in black qtz in breccia matrix, qv frags 1-6", early mylonite later breccia and pyrite |
| BL TR-2 | E37541 | BL-TR2-6 | 0.16 | 0.005 | graphite rich mylonite and breccia, strong silicification, strong graphite, graphite coats qtz frags, 5-10% euhedral pyrite cubes now leached ->FeOx in black qtz in breccia matrix, qv frags 1-6", early mylonite later breccia and pyrite |
| BL TR-2 | E37542 | BL-TR2-7 | 23.00 | 0.671 | Qtzite - silver gge grading to white pale yellow sericite alteration, 50% qtz / 25% silt / 25% arg, strong sericite, moderate silicification, leached-punky with abundant secondary white qtz and vnls, |
| BL TR-2 | E37543 | BL-TR2-8 | 16.20 | 0.472 | Qtzite - white silver w/ abundant limonite staining, 50% qtz / 25% silt / 25% arg, very strong sericite, weak to mod. Silicification, locally FeOx after euhedral 3-4mm pyrite |
| BL TR-2 | E37544 | BL-TR2-9 | 0.73 | 0.021 | Qtzite - white silver w/ abundant limonite staining, 50% qtz / 25% silt / 25% arg, very strong sericite, weak to mod. Silicification, locally FeOx after euhedral 3-4mm pyrite |
| BL TR-2 | E37545 | BL-TR2-10 | 0.68 | 0.020 | Qtzite - white silver w/ abundant limonite staining, 50% qtz / 25% silt / 25% arg, very strong sericite, weak to mod. Silicification, locally FeOx after euhedral 3-4mm pyrite |
| BL TR-2 | E37546 | BL-TR2-11 | 1.83 | 0.053 | abundant white vein qtz with minor hematite on fractures, very strong sericite, mod silicification/veining, 25% coarse crystalline qv material up to 8" has little FeOx |
| BL TR-2 | E37547 | BL-TR2-12 | 5.66 | 0.165 | abundant white vein qtz with minor hematite on fractures, very strong sericite, mod silicification/veining, 25% coarse crystalline qv material up to 8" has little FeOx |
| BL TR-2 | E37548 | BL-TR2-13 | 6.75 | 0.197 | abundant white vein qtz with minor hematite on fractures, very strong sericite, mod silicification/veining, 25% coarse crystalline qv material up to 8" has little FeOx |

BONANZA LEDGE TRENCHES - 2004

| Trench | Tag Number | Sample Number | Au (g/t) | Au (oz/t) | Sample Description |
|---------|------------|---------------|-------------|--------------|---|
| BL TR-2 | E37549 | BL-TR2-14 | 8.97 | 0.262 | abundant white vein qtz with minor hematite on fractures, very strong sericite, mod silicification/veining, 25% coarse crystalline qv material up to 8" has little FeOx |
| BL TR-2 | E37550 | BL-TR2-15 | 0.38 | 0.011 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL TR-2 | E37551 | BL-TR2-16 | 0.94 | 0.027 | Phyllite - very strong white sericite |
| BL TR-2 | E37552 | BL-TR2-17 | 0.66 | 0.019 | Phyllite - silver gray, 50% qtz / 50% arg, abundant iron oxide |
| BL TR-2 | E37553 | BL-TR2-18 | 0.75 | 0.022 | Phyllite - silver gray, 50% qtz / 50% arg, abundant iron oxide |
| BL TR-2 | E37554 | BL-TR2-19 | 1.02 | 0.030 | Phyllite - silver gray, 50% qtz / 50% arg, abundant iron oxide |
| BL TR-2 | E37555 | BL-TR2-20 | 0.50 | 0.015 | Quartz vein within silver gray phyllite, 50% qtz / 50% arg, abundant iron oxide |
| BL TR-2 | E37556 | BL-TR2-21 | 2.36 | 0.069 | Phyllite - silver gray, 50% qtz / 50% arg, abundant iron oxide |
| BL TR-2 | E37557 | BL-TR2-22 | 5.45 | 0.159 | Phyllite - silver gray, 50% qtz / 50% arg, abundant iron oxide |
| BL TR-2 | E37558 | BL-TR2-23 | 0.04 | 0.001 | Phyllite - silver gray, 50% qtz / 50% arg |
| BL TR-2 | E37559 | BL-TR2-24 | 0.05 | 0.001 | Phyllite - silver gray, 50% qtz / 50% arg |
| BL TR-2 | E37560 | BL-TR2-25 | 0.26 | 0.008 | Phyllite - silver gray, 50% qtz / 50% arg |
| BL TR-2 | E37561 | BL-TR2-26 | 0.11 | 0.003 | Phyllite - silver gray, 50% qtz / 50% arg |
| BL TR-2 | E37562 | BL-TR2-27 | 0.34 | 0.010 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL TR-2 | E37563 | BL-TR2-28 | 0.46 | 0.013 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL TR-2 | E37564 | BL-TR2-29 | 22.50 | 0.656 | Phyllite - very strong white sericite |
| BL TR-2 | E37565 | BL-TR2-30 | 49.80 | 1.452 | Phyllite - silver gray, 50% qtz / 50% arg, abundant iron oxide |
| BL TR-2 | E37566 | BL-TR2-31 | 40.10 | 1.169 | Phyllite - silver gray, 50% qtz / 50% arg, abundant iron oxide |
| BL TR-2 | E37567 | BL-TR2-32 | 9.05 | 0.264 | Quartz vein within silver gray phyllite, 50% qtz / 50% arg, abundant iron oxide |
| BL TR-2 | E37568 | BL-TR2-33 | 12.10 | 0.353 | Phyllite - silver gray, 50% qtz / 50% arg, abundant iron oxide |
| BL TR-2 | E37569 | BL-TR2-34 | 0.12 | 0.003 | Phyllite - silver gray, 50% qtz / 50% arg |
| BL TR-2 | E37570 | BL-TR2-35 | 0.33 | 0.010 | Phyllite - silver gray, 50% qtz / 50% arg |
| BL TR-2 | E37571 | BL-TR2-36 | 0.69 | 0.020 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL TR-2 | E37572 | BL-TR2-37 | 0.91 | 0.027 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL TR-2 | E37573 | BL-TR2-38 | 3.06 | 0.089 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL TR-2 | E37574 | BL-TR2-39 | 146.00 | 4.258 | Phyllite - very strong white sericite |
| BL TR-2 | E37575 | BL-TR2-40 | 143.00 | 4.170 | Phyllite - very strong white sericite |
| BL TR-2 | E37576 | BL-TR2-41 | 0.74 | 0.022 | Phyllite - silver gray, 50% qtz / 50% arg |
| BL TR-2 | E37577 | BL-TR2-42 | 0.76 | 0.022 | Phyllite - silver gray, 50% qtz / 50% arg |

BONANZA LEDGE TRENCHES - 2004

| Trench | Tag Number | Sample Number | Au (g/t) | Au (oz/t) | Sample Description |
|---------|------------|---------------|-------------|--------------|---|
| BL TR-2 | E37578 | BL-TR2-43 | 1.26 | 0.037 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL TR-2 | E37579 | BL-TR2-44 | 0.27 | 0.008 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL TR-2 | E37580 | BL-TR2-45 | 0.32 | 0.009 | Graphitic black 30-40% Qtz? / 30% silt? / 30-40% arg?, mod silicification, strong graphite, "L" tectonite, strong pencils=rods=134/05 |
| BL TR-2 | E37581 | BL-TR2-46 | 0.12 | 0.003 | Phyllite - silver gray, 50% qtz / 50% arg |
| BL TR-2 | E37582 | BL-TR2-47 | 0.81 | 0.024 | Graphitic fault zone, black, quartz vein - Footwall Fault |
| BL TR-3 | E37583 | BL-TR3-1 | 0.18 | 0.005 | Phyllite - silver gray, 30%qtz / 70% arg, very strong sericite, strg hematite boxworks |
| BL TR-3 | E37584 | BL-TR3-2 | 1.23 | 0.036 | Phyllite - silver gray, 30%qtz / 70% arg, very strong sericite, strg hematite boxworks |
| BL TR-3 | E37585 | BL-TR3-3 | 17.50 | 0.510 | Phyllite - silver gray, 30%qtz / 70% arg, very strong sericite, strg hematite boxworks |
| BL TR-3 | E37586 | BL-TR3-4 | 5.08 | 0.148 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37587 | BL-TR3-5 | 0.30 | 0.009 | Phyllite - mauve, 60%? qtz / 40% arg and silt, probably relict sandy lamiae now all clay hematite and limonite, yellow laminae are arg, now replaced by sericite |
| BL TR-3 | E37588 | BL-TR3-6 | 0.07 | 0.002 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37589 | BL-TR3-7 | 0.79 | 0.023 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37590 | BL-TR3-8 | 0.95 | 0.028 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37591 | BL-TR3-9 | 1.30 | 0.038 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37592 | BL-TR3-10 | 0.16 | 0.005 | Graphitic fault zone, 60% white qv w/ abundnadt FeOx (hematite) in a qtz cemented breccia. Also, phyllite - black, 60%? arg / 30%? silt, 10%? Qtz |
| BL TR-3 | E37593 | BL-TR3-11 | 0.17 | 0.005 | Phyllite - tan/orange, 20% qtz / 20% silt / 60% arg (quite variable ratios), weak silicification, strong sericite, 5% disseminated euhedral to subhedral pyrite porphyroblasts -> FeOx, thin bedded to laminated, minor faults and silicified |
| BL TR-3 | E37594 | BL-TR3-12 | 0.56 | 0.016 | Phyllite - tan/orange, 20% qtz / 20% silt / 60% arg (quite variable ratios), weak silicification, strong sericite, 5% disseminated euhedral to subhedral pyrite porphyroblasts -> FeOx, thin bedded to laminated, minor faults and silicified zones parallel to foliation |
| BL TR-3 | E37595 | BL-TR3-13 | 0.51 | 0.015 | Argillite - 0% qtz / 30% silt / 70% arg, very strong sericite, weak to mod silicification, strong hematite-limonite stain, silver sericite, 2-3% hematite after 1-2mm pyrite porphyroblasts |

BONANZA LEDGE TRENCHES - 2004

| Trench | Tag Number | Sample Number | Au (g/t) | Au (oz/t) | Sample Description |
|---------|------------|---------------|-------------|--------------|---|
| BL TR-3 | E37596 | BL-TR3-14 | 2.31 | 0.067 | strong silicification, white qtz veins with 3-5% hematite after pyrite in the qtz veins |
| BL TR-3 | E37597 | BL-TR3-15 | 3.26 | 0.095 | strong silicification, white qtz veins with 3-5% hematite after pyrite in the qtz veins |
| BL TR-3 | E37598 | BL-TR3-16 | 2.04 | 0.059 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37599 | BL-TR3-17 | 0.51 | 0.015 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37600 | BL-TR3-18 | 0.99 | 0.029 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37601 | BL-TR3-19 | 0.99 | 0.029 | Phyllite - silver gray, 30%qtz / 70% arg, very strong sericite, strg hematite boxworks |
| BL TR-3 | E37602 | BL-TR3-20 | 4.96 | 0.145 | Phyllite - silver gray, 30%qtz / 70% arg, very strong sericite, strg hematite boxworks |
| BL TR-3 | E37603 | BL-TR3-21 | 2.63 | 0.077 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37604 | BL-TR3-22 | 1.35 | 0.039 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37605 | BL-TR3-23 | 1.12 | 0.033 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37606 | BL-TR3-24 | 0.61 | 0.018 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37607 | BL-TR3-25 | 0.24 | 0.007 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37608 | BL-TR3-26 | 0.31 | 0.009 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37609 | BL-TR3-27 | 0.07 | 0.002 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37610 | BL-TR3-28 | <0.03 | <0.001 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37611 | BL-TR3-29 | 0.06 | 0.002 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37612 | BL-TR3-30 | 0.20 | 0.006 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |
| BL TR-3 | E37613 | BL-TR3-31 | 0.08 | 0.002 | Phyllite - silver gray, 60% qtz / 40% arg, qtz vein, hematite |

CERTIFICATE OF ASSAY AK 2004-1876

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

25-Nov-04

No. of samples received: 35

Sample type: Rock

Project #: BL-TRI

Samples Submitted by: John Childs

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E37501 | 4.33 | 0.126 |
| 2 | E37502 | 5.26 | 0.153 |
| 3 | E37503 | 23.4 | 0.682 |
| 4 | E37504 | 0.24 | 0.007 |
| 5 | E37505 | 0.18 | 0.005 |
| 6 | E37506 | 0.18 | 0.005 |
| 7 | E37507 | <0.03 | <0.001 |
| 8 | E37508 | 0.08 | 0.002 |
| 9 | E37509 | 0.13 | 0.004 |
| 10 | E37510 | 0.17 | 0.005 |
| 11 | E37511 | 0.06 | 0.002 |
| 12 | E37512 | 0.21 | 0.006 |
| 13 | E37513 | 0.05 | 0.001 |
| 14 | E37514 | 0.03 | 0.001 |
| 15 | E37515 | 23.8 | 0.694 |
| 16 | E37516 | 2.96 | 0.086 |
| 17 | E37517 | 0.41 | 0.012 |
| 18 | E37518 | 0.28 | 0.008 |
| 19 | E37519 | 0.48 | 0.014 |
| 20 | E37520 | 0.39 | 0.011 |
| 21 | E37521 | 0.23 | 0.007 |
| 22 | E37522 | 0.37 | 0.011 |
| 23 | E37523 | 0.44 | 0.013 |
| 24 | E37524 | 0.03 | 0.001 |
| 25 | E37525 | 0.21 | 0.006 |
| 26 | E37526 | 3.12 | 0.091 |
| 27 | E37527 | 1.12 | 0.033 |
| 28 | E37528 | 0.04 | 0.001 |
| 29 | E37529 | 0.08 | 0.002 |

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 30 | E37530 | <0.03 | <0.001 |
| 31 | E37531 | <0.03 | <0.001 |
| 32 | E37532 | 0.03 | 0.001 |
| 33 | E37533 | 0.10 | 0.003 |
| 34 | E37534 | 0.05 | 0.001 |
| 35 | E37535 | 0.22 | 0.006 |

QC DATA:**Repeat:**

| | | | |
|----|--------|------|-------|
| 1 | E37501 | 4.54 | 0.132 |
| 2 | E37502 | 5.34 | 0.156 |
| 3 | E37503 | 21.8 | 0.636 |
| 10 | E37510 | 0.14 | 0.004 |
| 15 | E37515 | 26.7 | 0.779 |
| 16 | E37516 | 2.88 | 0.084 |
| 19 | E37519 | 0.45 | 0.013 |
| 26 | E37526 | 3.27 | 0.095 |

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | E37501 | 4.66 | 0.136 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| PM182 | 1.26 | 0.037 |
|-------|------|-------|

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LAB. JRY LTD.
10041 Dallas Drive
KAMLOOP8, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1876

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 35

Sample type: Rock

Project #: BL-TRI

Shipment #: Not Indicated

Samples submitted by: John Childs

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|-----|-----|----|-------|----|----|----|-----|------|-----|-------|------|----|-------|-----|------|-----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | E37501 | 0.4 | 0.05 | 100 | 35 | <5 | 0.02 | <1 | <1 | 27 | 2 | 1.00 | <10 | <0.01 | 19 | 1 | <0.01 | 2 | 230 | 28 | <5 | <20 | 37 | <0.01 | <10 | 4 | <10 | <1 | 2 |
| 2 | E37502 | 0.4 | 0.11 | 130 | 80 | 10 | 0.02 | <1 | <1 | 13 | 2 | 1.71 | <10 | <0.01 | 23 | 3 | <0.01 | 2 | 530 | 32 | <5 | <20 | 76 | <0.01 | <10 | 6 | <10 | <1 | 2 |
| 3 | E37503 | 2.4 | 0.11 | 70 | 50 | 5 | 0.01 | <1 | 1 | 8 | 2 | 0.79 | <10 | <0.01 | 51 | 1 | <0.01 | 4 | 170 | 58 | <5 | <20 | 10 | <0.01 | <10 | 6 | <10 | <1 | 9 |
| 4 | E37504 | <0.2 | 0.20 | 125 | 90 | <5 | 0.10 | <1 | 22 | 50 | 28 | 4.76 | <10 | <0.01 | 1437 | 5 | <0.01 | 59 | 950 | 8 | <5 | <20 | 26 | <0.01 | <10 | 7 | <10 | 10 | 62 |
| 5 | E37505 | <0.2 | 0.19 | 85 | 60 | <5 | 0.05 | <1 | 12 | 58 | 44 | 3.28 | <10 | <0.01 | 532 | 4 | <0.01 | 33 | 630 | 8 | <5 | <20 | 22 | <0.01 | <10 | 5 | <10 | 4 | 47 |
| 6 | E37506 | <0.2 | 0.13 | 60 | 60 | <5 | 0.04 | <1 | 11 | 73 | 22 | 2.86 | <10 | <0.01 | 796 | 3 | <0.01 | 25 | 370 | 6 | <5 | <20 | 8 | <0.01 | <10 | 3 | <10 | 3 | 30 |
| 7 | E37507 | <0.2 | 0.12 | 75 | 50 | <5 | 0.04 | <1 | 11 | 47 | 27 | 3.07 | <10 | <0.01 | 590 | 3 | <0.01 | 25 | 490 | 6 | <5 | <20 | 12 | <0.01 | <10 | 4 | <10 | 1 | 32 |
| 8 | E37508 | <0.2 | 0.16 | 215 | 75 | <5 | 0.03 | <1 | 15 | 79 | 61 | 4.73 | <10 | <0.01 | 353 | 6 | <0.01 | 36 | 600 | 4 | <5 | <20 | 19 | <0.01 | <10 | 7 | <10 | <1 | 45 |
| 9 | E37509 | <0.2 | 0.12 | 100 | 50 | <5 | 0.02 | <1 | 11 | 64 | 36 | 3.12 | <10 | <0.01 | 249 | 4 | <0.01 | 31 | 310 | <2 | <5 | <20 | 4 | <0.01 | <10 | 3 | <10 | <1 | 49 |
| 10 | E37510 | <0.2 | 0.11 | 140 | 45 | <5 | 0.02 | <1 | 14 | 50 | 45 | 3.22 | <10 | <0.01 | 205 | 5 | <0.01 | 49 | 280 | 2 | <5 | <20 | 6 | <0.01 | <10 | 4 | <10 | <1 | 56 |
| 11 | E37511 | <0.2 | 0.17 | 100 | 70 | <5 | 0.06 | <1 | 11 | 73 | 39 | 3.15 | <10 | <0.01 | 269 | 4 | <0.01 | 34 | 530 | 4 | <5 | <20 | 7 | <0.01 | <10 | 4 | <10 | <1 | 34 |
| 12 | E37512 | <0.2 | 0.19 | 220 | 80 | <5 | 0.20 | <1 | 32 | 76 | 97 | 6.85 | <10 | 0.02 | 755 | 9 | <0.01 | 91 | 1630 | 6 | <5 | <20 | 19 | <0.01 | <10 | 11 | <10 | <1 | 87 |
| 13 | E37513 | <0.2 | 0.23 | 240 | 75 | <5 | 0.16 | <1 | 34 | 38 | 82 | 8.26 | <10 | 0.03 | 1001 | 8 | <0.01 | 125 | 1530 | 12 | <5 | <20 | 13 | <0.01 | <10 | 14 | <10 | 1 | 112 |
| 14 | E37514 | <0.2 | 0.22 | 280 | 80 | <5 | 0.12 | <1 | 36 | 54 | 101 | 9.19 | <10 | 0.03 | 1660 | 7 | <0.01 | 149 | 1280 | 38 | <5 | <20 | 9 | <0.01 | <10 | 15 | <10 | <1 | 125 |
| 15 | E37515 | 2.1 | 0.10 | 130 | 80 | 15 | 0.02 | <1 | 3 | 9 | 7 | 1.77 | <10 | <0.01 | 165 | 4 | 0.01 | 9 | 190 | 196 | <5 | <20 | 53 | <0.01 | <10 | 4 | <10 | <1 | 17 |
| 16 | E37516 | 0.5 | 0.14 | 190 | 50 | 5 | 0.03 | <1 | 12 | 27 | 22 | 3.66 | <10 | <0.01 | 552 | 4 | <0.01 | 37 | 440 | 32 | <5 | <20 | 13 | <0.01 | <10 | 6 | <10 | 2 | 48 |
| 17 | E37517 | <0.2 | 0.18 | 185 | 70 | <5 | 0.11 | <1 | 18 | 10 | 20 | 4.75 | <10 | 0.02 | 2059 | 4 | <0.01 | 72 | 850 | 22 | <5 | <20 | 6 | <0.01 | <10 | 7 | <10 | 17 | 69 |
| 18 | E37518 | <0.2 | 0.18 | 325 | 110 | 10 | 0.12 | <1 | 40 | 12 | 20 | 9.17 | <10 | 0.05 | 4022 | 8 | <0.01 | 139 | 1030 | 6 | <5 | <20 | 10 | <0.01 | <10 | 14 | <10 | 11 | 94 |
| 19 | E37519 | <0.2 | 0.23 | 450 | 145 | 15 | 0.17 | <1 | 61 | 15 | 27 | >10 | <10 | 0.06 | 5708 | 10 | <0.01 | 220 | 1620 | 12 | <5 | <20 | 15 | <0.01 | <10 | 22 | <10 | 17 | 140 |
| 20 | E37520 | <0.2 | 0.21 | 330 | 145 | 15 | 0.26 | <1 | 54 | 36 | 22 | >10 | <10 | 0.06 | 6172 | 9 | <0.01 | 186 | 2050 | 10 | <5 | <20 | 21 | <0.01 | <10 | 19 | <10 | 21 | 145 |
| 21 | E37521 | <0.2 | 0.19 | 230 | 90 | <5 | 0.22 | <1 | 28 | 18 | 30 | 5.82 | <10 | 0.02 | 2604 | 5 | <0.01 | 105 | 1490 | 4 | <5 | <20 | 15 | <0.01 | <10 | 11 | <10 | 18 | 76 |
| 22 | E37522 | <0.2 | 0.26 | 380 | 115 | <5 | 0.34 | <1 | 36 | 17 | 61 | 7.27 | <10 | 0.02 | 3176 | 6 | <0.01 | 147 | 2270 | 4 | <5 | <20 | 24 | <0.01 | <10 | 18 | <10 | 24 | 139 |
| 23 | E37523 | <0.2 | 0.23 | 445 | 105 | 5 | 0.28 | <1 | 53 | 32 | 77 | >10 | <10 | 0.03 | 3171 | 9 | <0.01 | 189 | 2240 | 12 | <5 | <20 | 22 | <0.01 | <10 | 19 | <10 | 17 | 177 |
| 24 | E37524 | <0.2 | 0.15 | 275 | 70 | 5 | 0.12 | <1 | 37 | 78 | 25 | 7.43 | <10 | 0.03 | 2806 | 6 | <0.01 | 152 | 1160 | 8 | <5 | <20 | 9 | <0.01 | <10 | 12 | <10 | 6 | 95 |
| 25 | E37525 | <0.2 | 0.17 | 20 | 95 | <5 | 0.02 | <1 | <1 | 37 | 5 | 0.75 | <10 | <0.01 | 36 | 2 | <0.01 | 4 | 160 | 10 | <5 | <20 | 23 | <0.01 | <10 | 10 | <10 | <1 | 5 |
| 26 | E37526 | 0.4 | 0.15 | 10 | 135 | 5 | <0.01 | <1 | <1 | 40 | 2 | 0.74 | <10 | <0.01 | 15 | 2 | <0.01 | 2 | 100 | 22 | <5 | <20 | 27 | <0.01 | <10 | 8 | <10 | <1 | 3 |
| 27 | E37527 | <0.2 | 0.17 | 170 | 85 | <5 | 0.02 | <1 | 5 | 43 | 38 | 3.31 | <10 | <0.01 | 91 | 4 | <0.01 | 18 | 590 | 8 | <5 | <20 | 28 | <0.01 | <10 | 10 | <10 | <1 | 36 |
| 28 | E37528 | <0.2 | 0.26 | 100 | 105 | <5 | 0.05 | <1 | 17 | 93 | 63 | 3.39 | <10 | <0.01 | 807 | 4 | <0.01 | 49 | 760 | 2 | <5 | <20 | 23 | <0.01 | <10 | 6 | <10 | 7 | 70 |
| 29 | E37529 | <0.2 | 0.23 | 95 | 75 | <5 | 0.05 | <1 | 18 | 44 | 56 | 4.11 | <10 | <0.01 | 548 | 4 | <0.01 | 43 | 640 | 4 | <5 | <20 | 13 | <0.01 | <10 | 5 | <10 | 2 | 92 |
| 30 | E37530 | <0.2 | 0.27 | 195 | 95 | <5 | 0.04 | <1 | 14 | 71 | 54 | 4.37 | <10 | <0.01 | 350 | 4 | <0.01 | 36 | 840 | 4 | <5 | <20 | 55 | <0.01 | <10 | 10 | <10 | <1 | 68 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|-----|-----|----|------|----|----|----|-----|------|-----|-------|------|----|-------|-----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 31 | E37531 | <0.2 | 0.22 | 140 | 80 | <5 | 0.03 | <1 | 11 | 78 | 71 | 3.65 | <10 | <0.01 | 243 | 5 | <0.01 | 38 | 880 | <2 | <5 | <20 | 11 | <0.01 | <10 | 6 | <10 | <1 | 59 |
| 32 | E37532 | <0.2 | 0.21 | 215 | 80 | <5 | 0.03 | <1 | 17 | 58 | 79 | 4.79 | <10 | <0.01 | 405 | 8 | <0.01 | 49 | 590 | 6 | <5 | <20 | 8 | <0.01 | <10 | 7 | <10 | <1 | 80 |
| 33 | E37533 | <0.2 | 0.15 | 105 | 45 | <5 | 0.02 | <1 | 12 | 57 | 47 | 2.34 | <10 | <0.01 | 268 | 4 | <0.01 | 38 | 200 | 6 | <5 | <20 | 4 | <0.01 | <10 | 3 | <10 | <1 | 44 |
| 34 | E37534 | <0.2 | 0.21 | 155 | 65 | <5 | 0.07 | <1 | 10 | 37 | 34 | 2.46 | <10 | <0.01 | 618 | 3 | <0.01 | 42 | 650 | 4 | <5 | <20 | 8 | <0.01 | <10 | 6 | <10 | 8 | 26 |
| 35 | E37535 | <0.2 | 0.33 | 405 | 120 | <5 | 0.23 | <1 | 54 | 27 | 213 | >10 | <10 | 0.03 | 1923 | 15 | 0.01 | 147 | 2120 | 14 | <5 | <20 | 27 | <0.01 | <10 | 21 | <10 | 3 | 104 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|--------|------|------|-----|-----|----|------|----|----|----|----|------|-----|-------|------|---|-------|-----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | E37501 | 0.4 | 0.05 | 100 | 30 | <5 | 0.02 | <1 | <1 | 28 | 3 | 1.01 | <10 | <0.01 | 18 | 1 | <0.01 | 3 | 230 | 28 | <5 | <20 | 35 | <0.01 | <10 | 3 | <10 | <1 | 2 |
| 10 | E37510 | <0.2 | 0.10 | 140 | 45 | <5 | 0.02 | <1 | 14 | 49 | 45 | 3.21 | <10 | <0.01 | 207 | 5 | <0.01 | 50 | 290 | 2 | <5 | <20 | 7 | <0.01 | <10 | 3 | <10 | <1 | 56 |
| 19 | E37519 | <0.2 | 0.23 | 445 | 145 | 5 | 0.17 | <1 | 61 | 14 | 27 | >10 | <10 | 0.07 | 5711 | 9 | <0.01 | 223 | 1560 | 10 | <5 | <20 | 17 | <0.01 | <10 | 22 | <10 | 16 | 141 |

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|-----|------|-----|----|----|------|----|----|----|---|------|-----|-------|----|---|-------|---|-----|----|----|-----|----|-------|-----|---|-----|----|---|
| 1 | E37501 | 0.5 | 0.11 | 100 | 50 | <5 | 0.03 | <1 | <1 | 41 | 3 | 1.04 | <10 | <0.01 | 30 | 2 | <0.01 | 4 | 230 | 26 | <5 | <20 | 34 | <0.01 | <10 | 6 | <10 | <1 | 4 |
|---|--------|-----|------|-----|----|----|------|----|----|----|---|------|-----|-------|----|---|-------|---|-----|----|----|-----|----|-------|-----|---|-----|----|---|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|--|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | | 1.4 | 1.43 | 55 | 135 | <5 | 1.35 | <1 | 16 | 55 | 89 | 3.65 | <10 | 0.77 | 573 | <1 | 0.02 | 25 | 610 | 22 | <5 | <20 | 59 | 0.10 | <10 | 68 | <10 | 9 | 73 |
|---------|--|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|

JJ/sc
dt/1856
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-1838

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

23-Nov-04

No. of samples received: 35

Sample type: Rock

Project #: BL-TR-1-South

Samples Submitted by: John Childs

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------------------|-------------|--------------|
| 1 | E37614 BL-TR1S-1 | 1.14 | 0.033 |
| 2 | E37615 BL-TR1S-2 | 1.61 | 0.047 |
| 3 | E37616 BL-TR1S-3 | 2.35 | 0.069 |
| 4 | E37617 BL-TR1S-4 | 26.9 | 0.784 |
| 5 | E37618 BL-TR1S-5 | 34.6 | 1.009 |
| 6 | E37619 BL-TR1S-6 | 53.4 | 1.557 |
| 7 | E37620 BL-TR1S-7 | 12.0 | 0.350 |
| 8 | E37621 BL-TR1S-8 | 12.1 | 0.353 |
| 9 | E37622 BL-TR1S-9 | 48.5 | 1.414 |
| 10 | E37623 BL-TR1S-10 | 33.2 | 0.968 |
| 11 | E37624 BL-TR1S-11 | 24.0 | 0.700 |
| 12 | E37625 BL-TR1S-12 | 14.2 | 0.414 |
| 13 | E37626 BL-TR1S-13 | 8.64 | 0.252 |
| 14 | E37627 BL-TR1S-14 | 0.49 | 0.014 |
| 15 | E37628 BL-TR1S-15 | 0.36 | 0.010 |
| 16 | E37629 BL-TR1S-16 | 0.09 | 0.003 |
| 17 | E37630 BL-TR1S-17 | 0.06 | 0.002 |
| 18 | E37631 BL-TR1S-18 | 0.06 | 0.002 |
| 19 | E37632 BL-TR1S-19 | 6.55 | 0.191 |
| 20 | E37633 BL-TR1S-20 | 3.21 | 0.094 |
| 21 | E37634 BL-TR1S-21 | 1.21 | 0.035 |
| 22 | E37635 BL-TR1S-22 | 2.34 | 0.068 |
| 23 | E37636 BL-TR1S-23 | 1.54 | 0.045 |
| 24 | E37637 BL-TR1S-24 | 0.31 | 0.009 |
| 25 | E37638 BL-TR1S-25 | 0.46 | 0.013 |
| 26 | E37639 BL-TR1S-26 | 2.35 | 0.069 |
| 27 | E37640 BL-TR1S-27 | 4.68 | 0.136 |
| 28 | E37641 BL-TR1S-28 | 10.9 | 0.318 |
| 29 | E37642 BL-TR1S-29 | 49.4 | 1.441 |
| 30 | E37643 BL-TR1S-30 | 10.0 | 0.292 |
| 31 | E37644 BL-TR1S-31 | 16.6 | 0.484 |
| 32 | E37645 BL-TR1S-32 | 1.31 | 0.038 |
| 33 | E37646 BL-TR1S-33 | 1.30 | 0.038 |
| 34 | E37647 BL-TR1S-34 | 0.84 | 0.024 |
| 35 | E37648 BL-TR1S-35 | 0.84 | 0.024 |

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|-------------------|-------------|--------------|
| QC DATA: | | | |
| Repeat: | | | |
| 1 | E37614 BL-TR1S-1 | 1.06 | 0.031 |
| 4 | E37617 BL-TR1S-4 | 26.0 | 0.758 |
| 5 | E37618 BL-TR1S-5 | 33.7 | 0.983 |
| 6 | E37619 BL-TR1S-6 | 49.1 | 1.432 |
| 9 | E37622 BL-TR1S-9 | 48.5 | 1.356 |
| 10 | E37623 BL-TR1S-10 | 32.3 | 0.942 |
| 11 | E37624 BL-TR1S-11 | 24.8 | 0.723 |
| 12 | E37625 BL-TR1S-12 | 13.8 | 0.402 |
| 13 | E37626 BL-TR1S-13 | 8.20 | 0.239 |
| 19 | E37632 BL-TR1S-19 | 6.48 | 0.189 |
| 29 | E37642 BL-TR1S-29 | 48.5 | 1.414 |
| 31 | E37644 BL-TR1S-31 | 17.1 | 0.499 |
| Resplit: | | | |
| 1 | E37614 BL-TR1S-1 | 0.94 | 0.027 |
| Standard: | | | |
| | SH13 | 1.32 | 0.038 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1838

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 35

Sample type: Rock

Project #: BL-TR-1-South

Samples Submitted by: John Childs

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-------------------|------|------|-----|-----|----|-------|----|----|-----|----|------|-----|-------|-----|----|-------|----|------|-----|----|-----|-----|-------|-----|----|-----|----|----|
| 1 | E37614 BL-TR1S-1 | 0.7 | 0.29 | 415 | 100 | 5 | 0.10 | <1 | 22 | 21 | 38 | 7.89 | <10 | <0.01 | 328 | 7 | 0.01 | 42 | 1710 | 40 | <5 | <20 | 39 | <0.01 | <10 | 16 | <10 | <1 | 48 |
| 2 | E37615 BL-TR1S-2 | 0.3 | 0.24 | 205 | 100 | <5 | 0.06 | <1 | 7 | 62 | 29 | 3.10 | <10 | <0.01 | 102 | 5 | 0.01 | 17 | 840 | 12 | <5 | <20 | 70 | <0.01 | <10 | 14 | <10 | <1 | 16 |
| 3 | E37616 BL-TR1S-3 | 0.7 | 0.27 | 695 | 115 | 10 | 0.06 | <1 | 12 | 45 | 23 | 8.37 | <10 | <0.01 | 134 | 10 | 0.01 | 26 | 1540 | 26 | <5 | <20 | 123 | <0.01 | <10 | 20 | <10 | <1 | 19 |
| 4 | E37617 BL-TR1S-4 | 1.8 | 0.21 | 550 | 95 | 10 | 0.05 | <1 | 9 | 84 | 18 | 6.30 | <10 | <0.01 | 98 | 9 | <0.01 | 25 | 1060 | 48 | <5 | <20 | 30 | <0.01 | <10 | 15 | <10 | <1 | 20 |
| 5 | E37618 BL-TR1S-5 | 2.1 | 0.17 | 425 | 65 | 10 | 0.03 | <1 | 8 | 142 | 12 | 5.67 | <10 | <0.01 | 91 | 7 | <0.01 | 20 | 950 | 46 | <5 | <20 | 30 | <0.01 | <10 | 11 | <10 | <1 | 13 |
| 6 | E37619 BL-TR1S-6 | 2.7 | 0.22 | 525 | 80 | 5 | 0.04 | <1 | 9 | 72 | 14 | 6.40 | <10 | <0.01 | 117 | 10 | 0.01 | 21 | 850 | 58 | <5 | <20 | 16 | <0.01 | <10 | 13 | <10 | <1 | 19 |
| 7 | E37620 BL-TR1S-7 | 0.8 | 0.23 | 250 | 85 | 10 | 0.03 | <1 | 2 | 60 | 6 | 2.88 | <10 | <0.01 | 50 | 5 | 0.01 | 6 | 360 | 84 | <5 | <20 | 18 | <0.01 | <10 | 14 | <10 | <1 | 7 |
| 8 | E37621 BL-TR1S-8 | 1.2 | 0.19 | 250 | 70 | 10 | 0.03 | <1 | 3 | 29 | 6 | 3.17 | <10 | <0.01 | 77 | 6 | 0.01 | 9 | 390 | 54 | <5 | <20 | 16 | <0.01 | <10 | 12 | <10 | <1 | 9 |
| 9 | E37622 BL-TR1S-9 | 3.1 | 0.20 | 190 | 80 | <5 | 0.03 | <1 | <1 | 58 | 3 | 1.42 | <10 | <0.01 | 27 | 4 | 0.01 | 6 | 180 | 132 | <5 | <20 | 13 | <0.01 | <10 | 10 | <10 | <1 | 7 |
| 10 | E37623 BL-TR1S-10 | 2.3 | 0.22 | 135 | 65 | <5 | 0.05 | <1 | 2 | 61 | 5 | 2.52 | <10 | <0.01 | 53 | 6 | 0.01 | 11 | 350 | 74 | <5 | <20 | 4 | <0.01 | <10 | 16 | <10 | <1 | 9 |
| 11 | E37624 BL-TR1S-11 | 1.5 | 0.23 | 55 | 75 | 5 | 0.04 | <1 | 2 | 59 | 8 | 2.22 | <10 | <0.01 | 72 | 3 | 0.01 | 6 | 330 | 52 | <5 | <20 | 15 | <0.01 | <10 | 16 | <10 | <1 | 9 |
| 12 | E37625 BL-TR1S-12 | 1.2 | 0.13 | 160 | 75 | 5 | 0.03 | <1 | 2 | 72 | 2 | 1.64 | <10 | <0.01 | 25 | 5 | 0.01 | 6 | 230 | 66 | <5 | <20 | 43 | <0.01 | <10 | 3 | <10 | <1 | 8 |
| 13 | E37626 BL-TR1S-13 | 1.5 | 0.14 | 500 | 130 | 15 | 0.08 | <1 | 2 | 100 | 4 | 3.02 | <10 | <0.01 | 33 | 5 | 0.02 | 4 | 1170 | 68 | <5 | <20 | 69 | <0.01 | <10 | 13 | <10 | <1 | 4 |
| 14 | E37627 BL-TR1S-14 | 0.4 | 0.13 | 370 | 190 | 15 | 0.08 | <1 | 3 | 119 | 6 | 3.59 | <10 | <0.01 | 89 | 17 | 0.02 | 8 | 810 | 84 | <5 | <20 | 197 | <0.01 | <10 | 21 | <10 | <1 | 12 |
| 15 | E37628 BL-TR1S-15 | 0.3 | 0.18 | 365 | 210 | <5 | 0.06 | <1 | 3 | 132 | 6 | 3.23 | <10 | <0.01 | 80 | 9 | 0.01 | 8 | 670 | 20 | <5 | <20 | 58 | <0.01 | <10 | 18 | <10 | <1 | 17 |
| 16 | E37629 BL-TR1S-16 | <0.2 | 0.19 | 110 | 80 | <5 | 0.02 | <1 | 6 | 57 | 29 | 2.57 | <10 | <0.01 | 42 | 5 | <0.01 | 19 | 340 | 6 | <5 | <20 | 22 | <0.01 | <10 | 8 | <10 | <1 | 67 |
| 17 | E37630 BL-TR1S-17 | <0.2 | 0.27 | 115 | 90 | <5 | 0.03 | <1 | 9 | 89 | 29 | 3.58 | <10 | <0.01 | 79 | 4 | 0.01 | 33 | 460 | 6 | <5 | <20 | 30 | <0.01 | <10 | 8 | <10 | <1 | 89 |
| 18 | E37631 BL-TR1S-18 | <0.2 | 0.23 | 235 | 80 | <5 | 0.07 | <1 | 18 | 65 | 47 | 5.27 | <10 | <0.01 | 182 | 7 | 0.02 | 77 | 720 | 8 | <5 | <20 | 65 | <0.01 | <10 | 8 | <10 | <1 | 93 |
| 19 | E37632 BL-TR1S-19 | 0.6 | 0.18 | 45 | 110 | <5 | 0.02 | <1 | <1 | 41 | 2 | 1.31 | <10 | <0.01 | 12 | 2 | 0.01 | 4 | 290 | 34 | <5 | <20 | 50 | <0.01 | <10 | 9 | <10 | <1 | 3 |
| 20 | E37633 BL-TR1S-20 | 0.9 | 0.15 | 120 | 65 | <5 | 0.02 | <1 | <1 | 38 | 1 | 1.39 | <10 | <0.01 | 10 | 2 | <0.01 | 3 | 300 | 24 | <5 | <20 | 12 | <0.01 | <10 | 8 | <10 | <1 | 2 |
| 21 | E37634 BL-TR1S-21 | 0.4 | 0.21 | 40 | 80 | <5 | <0.01 | <1 | <1 | 44 | <1 | 0.43 | 10 | <0.01 | 6 | <1 | 0.01 | 2 | 110 | 14 | <5 | <20 | <1 | <0.01 | <10 | 9 | <10 | <1 | <1 |
| 22 | E37635 BL-TR1S-22 | 0.5 | 0.15 | 10 | 50 | <5 | <0.01 | <1 | <1 | 29 | <1 | 0.18 | 10 | <0.01 | 6 | 1 | <0.01 | 1 | 40 | 18 | <5 | <20 | <1 | <0.01 | <10 | 6 | <10 | <1 | <1 |
| 23 | E37636 BL-TR1S-23 | 0.3 | 0.24 | 25 | 100 | 5 | <0.01 | <1 | <1 | 32 | <1 | 1.22 | <10 | <0.01 | 5 | 2 | 0.02 | <1 | 80 | 18 | <5 | <20 | 30 | <0.01 | <10 | 11 | <10 | <1 | 1 |
| 24 | E37637 BL-TR1S-24 | 0.2 | 0.23 | 255 | 90 | <5 | 0.03 | <1 | 6 | 43 | 19 | 5.53 | <10 | <0.01 | 71 | 7 | 0.01 | 16 | 790 | 16 | <5 | <20 | 30 | <0.01 | <10 | 19 | <10 | <1 | 15 |
| 25 | E37638 BL-TR1S-25 | 0.2 | 0.30 | 130 | 115 | 10 | 0.04 | <1 | 9 | 63 | 36 | 7.37 | <10 | <0.01 | 113 | 6 | 0.01 | 23 | 1270 | 22 | <5 | <20 | 37 | <0.01 | <10 | 16 | <10 | <1 | 26 |
| 26 | E37639 BL-TR1S-26 | 0.4 | 0.20 | 130 | 85 | <5 | 0.03 | <1 | 6 | 49 | 15 | 4.84 | <10 | <0.01 | 93 | 6 | 0.01 | 19 | 890 | 40 | <5 | <20 | 57 | <0.01 | <10 | 11 | <10 | <1 | 18 |
| 27 | E37640 BL-TR1S-27 | 0.6 | 0.40 | 50 | 85 | 5 | 0.06 | <1 | 10 | 55 | 19 | 5.76 | <10 | 0.07 | 163 | 5 | 0.01 | 19 | 890 | 28 | <5 | <20 | 38 | <0.01 | <10 | 23 | <10 | <1 | 29 |
| 28 | E37641 BL-TR1S-28 | 0.9 | 0.21 | 85 | 85 | 10 | 0.05 | <1 | 6 | 38 | 12 | 3.64 | <10 | <0.01 | 126 | 6 | 0.01 | 15 | 640 | 62 | <5 | <20 | 44 | <0.01 | <10 | 12 | <10 | <1 | 17 |
| 29 | E37642 BL-TR1S-29 | 3.5 | 0.24 | 30 | 80 | 10 | 0.03 | <1 | 2 | 37 | 5 | 1.60 | <10 | <0.01 | 74 | 3 | <0.01 | 6 | 190 | 76 | <5 | <20 | 6 | <0.01 | <10 | 13 | <10 | <1 | 8 |
| 30 | E37643 BL-TR1S-30 | 0.8 | 0.18 | 40 | 65 | 15 | 0.04 | <1 | 1 | 37 | 5 | 2.41 | <10 | <0.01 | 35 | 5 | <0.01 | 5 | 320 | 52 | <5 | <20 | 9 | <0.01 | <10 | 15 | <10 | <1 | 6 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | ... % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | r | Zn |
|-------|-------------------|-----|------|-----|-----|----|------|----|----|-----|----|------|-----|-------|-----|----|-------|----|-----|----|----|-----|-----|-------|-----|----|-----|----|----|
| 31 | E37644 BL-TR1S-31 | 1.5 | 0.15 | 135 | 60 | 10 | 0.04 | <1 | 3 | 82 | 4 | 2.38 | <10 | <0.01 | 53 | 6 | <0.01 | 8 | 330 | 56 | <5 | <20 | 33 | <0.01 | <10 | 9 | <10 | <1 | 10 |
| 32 | E37645 BL-TR1S-32 | 0.6 | 0.35 | 255 | 85 | <5 | 0.08 | <1 | 14 | 109 | 20 | 4.64 | <10 | 0.06 | 353 | 13 | 0.01 | 28 | 680 | 28 | <5 | <20 | 25 | <0.01 | <10 | 22 | <10 | <1 | 41 |
| 33 | E37646 BL-TR1S-33 | 0.3 | 0.33 | 130 | 145 | <5 | 0.06 | <1 | 8 | 104 | 15 | 3.10 | <10 | 0.06 | 249 | 6 | 0.01 | 22 | 480 | 22 | <5 | <20 | 47 | <0.01 | <10 | 15 | <10 | <1 | 34 |
| 34 | E37647 BL-TR1S-34 | 0.3 | 0.33 | 130 | 170 | <5 | 0.06 | <1 | 10 | 68 | 20 | 3.31 | <10 | 0.05 | 268 | 7 | 0.02 | 22 | 610 | 22 | <5 | <20 | 107 | <0.01 | <10 | 12 | <10 | <1 | 35 |
| 35 | E37648 BL-TR1S-35 | 0.2 | 0.35 | 170 | 135 | <5 | 0.06 | <1 | 11 | 103 | 32 | 4.12 | <10 | 0.01 | 153 | 5 | 0.02 | 35 | 920 | 12 | <5 | <20 | 121 | <0.01 | <10 | 14 | <10 | <1 | 49 |

QC DATA:

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|------------------|-----|------|-----|-----|----|------|----|----|----|----|------|-----|-------|-----|---|------|----|------|----|----|-----|----|-------|-----|----|-----|----|----|
| 1 | E37614 BL-TR1S-1 | 0.6 | 0.29 | 420 | 105 | 10 | 0.10 | <1 | 22 | 22 | 38 | 8.02 | <10 | <0.01 | 293 | 7 | 0.01 | 42 | 1710 | 32 | <5 | <20 | 38 | <0.01 | <10 | 17 | <10 | <1 | 49 |
|---|------------------|-----|------|-----|-----|----|------|----|----|----|----|------|-----|-------|-----|---|------|----|------|----|----|-----|----|-------|-----|----|-----|----|----|

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|-------------------|-----|------|-----|-----|----|------|----|----|----|----|------|-----|-------|-----|---|------|----|------|----|----|-----|----|-------|-----|----|-----|----|----|
| 1 | E37614 BL-TR1S-1 | 0.6 | 0.30 | 420 | 105 | 10 | 0.10 | <1 | 22 | 23 | 38 | 7.98 | <10 | <0.01 | 331 | 7 | 0.01 | 42 | 1710 | 34 | <5 | <20 | 38 | <0.01 | <10 | 16 | <10 | <1 | 48 |
| 10 | E37623 BL-TR1S-10 | 2.1 | 0.22 | 135 | 70 | <5 | 0.05 | <1 | 2 | 64 | 5 | 2.52 | <10 | <0.01 | 55 | 6 | 0.01 | 10 | 350 | 74 | <5 | <20 | 5 | <0.01 | <10 | 16 | <10 | <1 | 9 |
| 19 | E37632 BL-TR1S-19 | 0.6 | 0.19 | 45 | 120 | <5 | 0.02 | <1 | <1 | 42 | 2 | 1.32 | <10 | <0.01 | 11 | 2 | 0.01 | 2 | 300 | 34 | <5 | <20 | 51 | <0.01 | <10 | 9 | <10 | <1 | 3 |

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|--|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | | 1.5 | 1.57 | 55 | 130 | <5 | 1.35 | <1 | 16 | 58 | 82 | 3.78 | <10 | 0.82 | 580 | <1 | 0.03 | 25 | 590 | 24 | <5 | <20 | 51 | 0.08 | <10 | 66 | <10 | 9 | 69 |
|---------|--|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|

JJ/jm
df/1838
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-1894

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

29-Nov-04

No. of samples received: 47

Sample type: Rock

Project #: BL-TR2

Samples Submitted by: John Childs

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E37538 | 0.05 | 0.001 |
| 2 | E37537 | 0.04 | 0.001 |
| 3 | E37538 | 0.12 | 0.003 |
| 4 | E37539 | 0.13 | 0.004 |
| 5 | E37540 | 0.18 | 0.005 |
| 6 | E37541 | 0.16 | 0.005 |
| 7 | E37542 | 23.0 | 0.671 |
| 8 | E37543 | 16.2 | 0.472 |
| 9 | E37544 | 0.73 | 0.021 |
| 10 | E37545 | 0.68 | 0.020 |
| 11 | E37546 | 1.83 | 0.053 |
| 12 | E37547 | 5.66 | 0.165 |
| 13 | E37548 | 6.75 | 0.197 |
| 14 | E37549 | 8.97 | 0.262 |
| 15 | E37550 | 0.38 | 0.011 |
| 16 | E37551 | 0.94 | 0.027 |
| 17 | E37552 | 0.66 | 0.019 |
| 18 | E37553 | 0.75 | 0.022 |
| 19 | E37554 | 1.02 | 0.030 |
| 20 | E37555 | 0.50 | 0.015 |
| 21 | E37556 | 2.36 | 0.069 |
| 22 | E37557 | 5.45 | 0.159 |
| 23 | E37558 | 0.04 | 0.001 |
| 24 | E37559 | 0.05 | 0.001 |
| 25 | E37560 | 0.26 | 0.008 |
| 26 | E37561 | 0.11 | 0.003 |
| 27 | E37562 | 0.34 | 0.010 |
| 28 | E37563 | 0.46 | 0.013 |
| 29 | E37564 | 22.5 | 0.656 |
| 30 | E37565 | 49.8 | 1.452 |
| 31 | E37566 | 40.1 | 1.169 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 32 | E37567 | 9.05 | 0.264 |
| 33 | E37568 | 12.1 | 0.353 |
| 34 | E37569 | 0.12 | 0.003 |
| 35 | E37570 | 0.33 | 0.010 |
| 36 | E37571 | 0.69 | 0.020 |
| 37 | E37572 | 0.91 | 0.027 |
| 38 | E37573 | 3.06 | 0.089 |
| 39 | E37574 | 146 | 4.258 |
| 40 | E37575 | 143 | 4.170 |
| 41 | E37576 | 0.74 | 0.022 |
| 42 | E37577 | 0.76 | 0.022 |
| 43 | E37578 | 1.26 | 0.037 |
| 44 | E37579 | 0.27 | 0.008 |
| 45 | E37580 | 0.32 | 0.009 |
| 46 | E37581 | 0.12 | 0.003 |
| 47 | E37582 | 0.81 | 0.024 |

QC DATA:**Repeat:**

| | | | |
|----|--------|-------|--------|
| 1 | E37536 | <0.03 | <0.001 |
| 5 | E37540 | 0.16 | 0.005 |
| 6 | E37541 | 0.16 | 0.005 |
| 7 | E37542 | 24.6 | 0.717 |
| 8 | E37543 | 16.1 | 0.470 |
| 10 | E37545 | 0.69 | 0.020 |
| 14 | E37549 | 9.08 | 0.265 |
| 15 | E37550 | 0.42 | 0.012 |
| 19 | E37554 | 0.85 | 0.025 |
| 21 | E37556 | 2.58 | 0.075 |
| 27 | E37562 | 0.40 | 0.012 |
| 28 | E37563 | 0.52 | 0.015 |
| 29 | E37564 | 22.5 | 0.656 |
| 30 | E37565 | 49.6 | 1.446 |
| 31 | E37566 | 40.7 | 1.187 |
| 32 | E37567 | 9.12 | 0.266 |
| 38 | E37573 | 3.10 | 0.090 |
| 39 | E37574 | 144 | 4.199 |
| 39 | E37574 | 148 | 4.316 |
| 40 | E37575 | 139 | 4.054 |
| 40 | E37575 | 146 | 4.258 |
| 44 | E37579 | 0.28 | 0.008 |
| 45 | E37580 | 0.28 | 0.008 |

Resplit:

| | | | |
|----|--------|------|-------|
| 1 | E37536 | 0.05 | 0.001 |
| 36 | E37571 | 0.53 | 0.015 |

Standard:

| | | |
|-------|------|-------|
| PM182 | 1.26 | 0.037 |
| PM182 | 1.27 | 0.037 |

JJ/jm
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 8T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1894

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 47
Sample type: Rock
Project #: BL-TR2
Samples Submitted by: John Childs

Values in ppm unless otherwise reported

| Et# | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-----|--------|------|------|-----|-----|----|------|----|----|-----|----|------|-----|-------|-----|----|-------|-----|------|-----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | E37536 | <0.2 | 0.25 | 180 | 55 | <5 | 0.12 | <1 | 35 | 47 | 57 | 6.19 | <10 | <0.01 | 684 | 7 | <0.01 | 159 | 1130 | 10 | <5 | <20 | 19 | <0.01 | <10 | 10 | <10 | <1 | 117 |
| 2 | E37537 | <0.2 | 0.18 | 105 | 50 | <5 | 0.03 | <1 | 13 | 70 | 42 | 4.49 | <10 | <0.01 | 144 | 5 | <0.01 | 42 | 440 | 10 | <5 | <20 | 11 | <0.01 | <10 | 5 | <10 | <1 | 107 |
| 3 | E37538 | <0.2 | 0.19 | 110 | 85 | <5 | 0.05 | <1 | 11 | 78 | 53 | 4.80 | <10 | <0.01 | 136 | 7 | 0.02 | 32 | 700 | 20 | <5 | <20 | 53 | <0.01 | <10 | 8 | <10 | <1 | 73 |
| 4 | E37539 | <0.2 | 0.22 | 140 | 100 | <5 | 0.07 | <1 | 5 | 85 | 34 | 2.89 | <10 | 0.01 | 107 | 6 | 0.01 | 16 | 690 | 16 | <5 | <20 | 79 | <0.01 | <10 | 10 | <10 | <1 | 31 |
| 5 | E37540 | 0.2 | 0.13 | 225 | 110 | <5 | 0.07 | <1 | 3 | 92 | 14 | 2.86 | <10 | <0.01 | 75 | 16 | <0.01 | 11 | 570 | 26 | <5 | <20 | 73 | <0.01 | <10 | 15 | <10 | <1 | 27 |
| 6 | E37541 | 0.2 | 0.10 | 350 | 185 | 10 | 0.06 | <1 | 3 | 108 | 10 | 3.82 | <10 | <0.01 | 75 | 16 | <0.01 | 9 | 730 | 86 | <5 | <20 | 108 | <0.01 | <10 | 15 | <10 | <1 | 14 |
| 7 | E37542 | 3.5 | 0.08 | 30 | 75 | <5 | 0.01 | <1 | <1 | 137 | 2 | 0.74 | <10 | <0.01 | 22 | 5 | <0.01 | 4 | 80 | 30 | <5 | <20 | 17 | <0.01 | <10 | 3 | <10 | <1 | 6 |
| 8 | E37543 | 1.1 | 0.15 | 140 | 130 | <5 | 0.06 | <1 | 2 | 62 | 8 | 1.96 | <10 | <0.01 | 77 | 4 | <0.01 | 8 | 560 | 66 | <5 | <20 | 86 | <0.01 | <10 | 11 | <10 | <1 | 17 |
| 9 | E37544 | 0.3 | 0.12 | 165 | 95 | <5 | 0.03 | <1 | 3 | 62 | 11 | 2.01 | <10 | <0.01 | 36 | 4 | <0.01 | 7 | 380 | 32 | <5 | <20 | 52 | <0.01 | <10 | 9 | <10 | <1 | 15 |
| 10 | E37545 | 0.3 | 0.18 | 295 | 90 | <5 | 0.07 | <1 | 20 | 43 | 63 | 4.72 | <10 | <0.01 | 326 | 5 | 0.01 | 54 | 620 | 42 | <5 | <20 | 38 | <0.01 | <10 | 15 | <10 | <1 | 59 |
| 11 | E37546 | 0.5 | 0.12 | 185 | 145 | 10 | 0.05 | <1 | 2 | 73 | 6 | 1.82 | <10 | <0.01 | 72 | 4 | 0.01 | 5 | 400 | 68 | <5 | <20 | 66 | <0.01 | <10 | 8 | <10 | <1 | 7 |
| 12 | E37547 | 0.7 | 0.11 | 30 | 210 | 5 | 0.03 | <1 | <1 | 96 | 3 | 1.04 | <10 | <0.01 | 33 | 3 | 0.01 | 4 | 180 | 100 | <5 | <20 | 50 | <0.01 | <10 | 5 | <10 | <1 | 7 |
| 13 | E37548 | 1.0 | 0.13 | 10 | 255 | <5 | 0.07 | <1 | <1 | 75 | 3 | 0.66 | <10 | 0.02 | 83 | 3 | <0.01 | 5 | 60 | 50 | <5 | <20 | 5 | <0.01 | <10 | 6 | <10 | <1 | 8 |
| 14 | E37549 | 1.3 | 0.12 | <5 | 115 | <5 | 0.02 | <1 | <1 | 72 | 2 | 0.44 | <10 | <0.01 | 53 | 2 | <0.01 | 3 | 30 | 34 | <5 | <20 | 2 | <0.01 | <10 | 5 | <10 | <1 | 5 |
| 15 | E37550 | 0.3 | 0.11 | 600 | 150 | 20 | 0.08 | <1 | 5 | 103 | 10 | 4.52 | <10 | <0.01 | 114 | 17 | <0.01 | 10 | 980 | 64 | <5 | <20 | 97 | <0.01 | <10 | 12 | <10 | <1 | 20 |
| 16 | E37551 | 0.2 | 0.12 | 290 | 95 | <5 | 0.04 | <1 | 3 | 115 | 8 | 2.83 | <10 | <0.01 | 75 | 7 | <0.01 | 12 | 460 | 24 | <5 | <20 | 24 | <0.01 | <10 | 5 | <10 | <1 | 29 |
| 17 | E37552 | 0.2 | 0.13 | 65 | 65 | <5 | 0.03 | <1 | 2 | 59 | 7 | 1.02 | <10 | <0.01 | 43 | 3 | <0.01 | 7 | 210 | 18 | <5 | <20 | 21 | <0.01 | <10 | 10 | <10 | <1 | 24 |
| 18 | E37553 | 0.4 | 0.14 | 325 | 110 | <5 | 0.06 | <1 | 3 | 54 | 16 | 2.94 | <10 | <0.01 | 88 | 4 | <0.01 | 5 | 680 | 78 | <5 | <20 | 49 | <0.01 | <10 | 14 | <10 | <1 | 10 |
| 19 | E37554 | 0.3 | 0.18 | 310 | 140 | <5 | 0.15 | <1 | 3 | 114 | 15 | 3.08 | <10 | <0.01 | 75 | 5 | <0.01 | 7 | 1140 | 76 | <5 | <20 | 110 | <0.01 | <10 | 16 | <10 | <1 | 12 |
| 20 | E37555 | 0.2 | 0.15 | 130 | 95 | <5 | 0.05 | <1 | 3 | 73 | 14 | 1.59 | <10 | <0.01 | 60 | 3 | <0.01 | 9 | 550 | 72 | <5 | <20 | 71 | <0.01 | <10 | 11 | <10 | <1 | 15 |
| 21 | E37556 | 0.4 | 0.09 | 10 | 110 | <5 | 0.01 | <1 | <1 | 108 | 2 | 0.57 | <10 | <0.01 | 18 | 3 | <0.01 | 4 | 70 | 32 | <5 | <20 | 25 | <0.01 | <10 | 5 | <10 | <1 | 3 |
| 22 | E37557 | 0.6 | 0.09 | 10 | 115 | <5 | 0.02 | <1 | <1 | 110 | 3 | 0.61 | <10 | <0.01 | 43 | 2 | <0.01 | 3 | 90 | 42 | <5 | <20 | 40 | <0.01 | <10 | 4 | <10 | <1 | 4 |
| 23 | E37558 | <0.2 | 0.22 | 60 | 50 | <5 | 0.07 | <1 | 12 | 100 | 29 | 3.05 | <10 | <0.01 | 189 | 5 | 0.01 | 36 | 660 | 6 | <5 | <20 | 28 | <0.01 | <10 | 5 | <10 | <1 | 64 |
| 24 | E37559 | <0.2 | 0.20 | 140 | 60 | <5 | 0.07 | <1 | 14 | 62 | 41 | 4.60 | <10 | <0.01 | 227 | 5 | 0.01 | 63 | 760 | 12 | <5 | <20 | 45 | <0.01 | <10 | 8 | <10 | <1 | 69 |
| 25 | E37560 | <0.2 | 0.11 | 145 | 60 | <5 | 0.04 | <1 | 5 | 23 | 26 | 2.91 | <10 | <0.01 | 72 | 5 | <0.01 | 14 | 540 | 10 | <5 | <20 | 55 | <0.01 | <10 | 6 | <10 | <1 | 29 |
| 26 | E37561 | <0.2 | 0.17 | 145 | 70 | <5 | 0.08 | <1 | 7 | 69 | 49 | 3.60 | <10 | <0.01 | 95 | 6 | 0.01 | 20 | 530 | 6 | <5 | <20 | 26 | <0.01 | <10 | 8 | <10 | <1 | 44 |
| 27 | E37562 | 0.2 | 0.17 | 255 | 115 | <5 | 0.21 | <1 | 5 | 54 | 16 | 3.48 | <10 | 0.03 | 158 | 13 | 0.01 | 14 | 580 | 28 | <5 | <20 | 53 | <0.01 | <10 | 13 | <10 | <1 | 26 |
| 28 | E37563 | 0.2 | 0.09 | 615 | 105 | 10 | 0.07 | <1 | 3 | 82 | 6 | 4.24 | <10 | <0.01 | 83 | 12 | <0.01 | 6 | 790 | 54 | <5 | <20 | 31 | <0.01 | <10 | 14 | <10 | <1 | 8 |
| 29 | E37564 | 4.0 | 0.12 | 130 | 70 | <5 | 0.06 | <1 | 2 | 76 | 3 | 1.35 | <10 | 0.01 | 53 | 4 | <0.01 | 5 | 160 | 36 | <5 | <20 | 23 | <0.01 | <10 | 5 | <10 | <1 | 9 |
| 30 | E37565 | 4.4 | 0.10 | 145 | 60 | 5 | 0.02 | <1 | 3 | 35 | 3 | 2.25 | <10 | <0.01 | 36 | 3 | <0.01 | 9 | 160 | 52 | <5 | <20 | 17 | <0.01 | <10 | 5 | <10 | <1 | 13 |
| 31 | E37566 | 2.4 | 0.13 | 420 | 70 | 10 | 0.05 | <1 | 11 | 47 | 8 | 6.34 | <10 | <0.01 | 99 | 10 | <0.01 | 23 | 520 | 70 | <5 | <20 | 16 | <0.01 | <10 | 10 | <10 | <1 | 49 |
| 32 | E37567 | 0.6 | 0.11 | 205 | 50 | <5 | 0.07 | <1 | 5 | 111 | 7 | 2.95 | <10 | <0.01 | 64 | 6 | <0.01 | 10 | 360 | 46 | <5 | <20 | 16 | <0.01 | <10 | 7 | <10 | <1 | 14 |
| 33 | E37568 | 1.3 | 0.22 | 305 | 65 | 5 | 0.18 | <1 | 15 | 94 | 23 | 5.04 | <10 | 0.03 | 402 | 10 | <0.01 | 30 | 580 | 38 | <5 | <20 | 18 | <0.01 | <10 | 12 | <10 | <1 | 35 |
| 34 | E37569 | 0.2 | 0.13 | 120 | 90 | <5 | 0.05 | <1 | 2 | 73 | 9 | 1.84 | <10 | <0.01 | 78 | 4 | 0.01 | 7 | 480 | 12 | <5 | <20 | 97 | <0.01 | <10 | 7 | <10 | <1 | 16 |
| 35 | E37570 | 0.2 | 0.09 | 235 | 150 | <5 | 0.04 | <1 | 3 | 50 | 8 | 2.74 | <10 | <0.01 | 66 | 7 | 0.02 | 7 | 630 | 16 | <5 | <20 | 162 | <0.01 | <10 | 8 | <10 | <1 | 15 |

| Et #. | Tag # | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn | |
|-----------|--------|------|------|-----|-----|------|------|----|----|-----|------|------|------|-------|-----|------|-------|-----|------|----|----|-----|------|-------|-----|----|-----|----|-----|
| 36 | E37571 | 0.3 | 0.13 | 475 | 195 | 5 | 0.06 | <1 | 4 | 79 | 11 | 4.70 | <10 | <0.01 | 94 | 12 | 0.01 | 12 | 1060 | 40 | <5 | <20 | 196 | <0.01 | <10 | 14 | <10 | <1 | 28 |
| 37 | E37572 | 0.3 | 0.11 | 685 | 190 | 10 | 0.08 | <1 | 6 | 76 | 9 | 7.13 | <10 | <0.01 | 107 | 22 | <0.01 | 11 | 1140 | 46 | <5 | <20 | 120 | <0.01 | <10 | 16 | <10 | <1 | 18 |
| 38 | E37573 | 0.6 | 0.07 | 535 | 100 | 10 | 0.06 | <1 | 4 | 106 | 5 | 4.55 | <10 | <0.01 | 78 | 18 | <0.01 | 16 | 620 | 72 | <5 | <20 | 37 | <0.01 | <10 | 17 | <10 | <1 | 20 |
| 39 | E37574 | 13.4 | 0.05 | 30 | 20 | <5 | 0.01 | <1 | <1 | <1 | <1 | 0.38 | <10 | <0.01 | 19 | 1 | <0.01 | 2 | 50 | 38 | <5 | 20 | <1 | <0.01 | <10 | 3 | <10 | <1 | 2 |
| 40 | E37575 | 10.0 | 0.10 | 10 | 40 | 5 | 0.03 | <1 | 1 | 19 | 2 | 0.39 | <10 | 0.01 | 35 | 2 | <0.01 | 2 | 40 | 72 | <5 | <20 | 4 | <0.01 | <10 | 4 | <10 | <1 | 5 |
| 41 | E37576 | 0.2 | 0.15 | 190 | 55 | <5 | 0.04 | <1 | 16 | 26 | 46 | 5.27 | <10 | <0.01 | 139 | 9 | 0.01 | 45 | 630 | 16 | <5 | <20 | 26 | <0.01 | <10 | 10 | <10 | <1 | 94 |
| 42 | E37577 | 0.2 | 0.14 | 155 | 45 | <5 | 0.03 | <1 | 12 | 51 | 33 | 4.15 | <10 | <0.01 | 94 | 7 | <0.01 | 33 | 450 | 10 | <5 | <20 | 7 | <0.01 | <10 | 7 | <10 | <1 | 80 |
| 43 | E37578 | 0.3 | 0.11 | 245 | 90 | <5 | 0.03 | <1 | 5 | 71 | 25 | 3.28 | <10 | <0.01 | 66 | 11 | 0.01 | 10 | 510 | 18 | <5 | <20 | 48 | <0.01 | <10 | 7 | <10 | <1 | 32 |
| 44 | E37579 | 0.2 | 0.09 | 225 | 100 | <5 | 0.03 | <1 | 2 | 85 | 5 | 2.47 | <10 | <0.01 | 47 | 9 | <0.01 | 6 | 420 | 14 | <5 | <20 | 35 | <0.01 | <10 | 9 | <10 | <1 | 12 |
| 45 | E37580 | 0.2 | 0.07 | 210 | 45 | <5 | 0.03 | <1 | 2 | 75 | 3 | 1.52 | <10 | <0.01 | 34 | 5 | <0.01 | 4 | 290 | 8 | <5 | <20 | 5 | <0.01 | <10 | 9 | <10 | <1 | 6 |
| 46 | E37581 | <0.2 | 0.13 | 140 | 60 | <5 | 0.03 | <1 | 4 | 79 | 17 | 2.59 | <10 | <0.01 | 74 | 7 | 0.01 | 7 | 500 | 10 | <5 | <20 | 61 | <0.01 | <10 | 10 | <10 | <1 | 16 |
| 47 | E37582 | 0.2 | 0.17 | 465 | 35 | 10 | 0.08 | <1 | 12 | 17 | 27 | 9.52 | <10 | <0.01 | 269 | 13 | <0.01 | 17 | 550 | 24 | <5 | <20 | 7 | 0.02 | <10 | 20 | <10 | <1 | 45 |
| QC DATA: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Resplit: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E37536 | <0.2 | 0.25 | 170 | 65 | <5 | 0.11 | <1 | 33 | 59 | 54 | 6.06 | <10 | <0.01 | 673 | 6 | <0.01 | 149 | 1070 | 6 | <5 | <20 | 19 | <0.01 | <10 | 9 | <10 | <1 | 115 |
| 36 | E37571 | 0.3 | 0.13 | 450 | 205 | 5 | 0.06 | <1 | 4 | 95 | 12 | 4.72 | <10 | <0.01 | 96 | 12 | 0.01 | 12 | 1020 | 40 | <5 | <20 | 204 | <0.01 | <10 | 13 | <10 | <1 | 26 |
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E37536 | <0.2 | 0.24 | 185 | 55 | <5 | 0.11 | <1 | 34 | 47 | 56 | 6.10 | <10 | <0.01 | 676 | 6 | <0.01 | 156 | 1120 | 8 | <5 | <20 | 17 | <0.01 | <10 | 9 | <10 | <1 | 114 |
| 10 | E37545 | 0.3 | 0.16 | 305 | 90 | <5 | 0.07 | <1 | 20 | 43 | 62 | 4.77 | <10 | <0.01 | 323 | 5 | 0.01 | 54 | 660 | 44 | <5 | <20 | 32 | <0.01 | <10 | 16 | <10 | <1 | 61 |
| 19 | E37554 | 0.3 | 0.17 | 300 | 130 | <5 | 0.14 | <1 | 3 | 110 | 14 | 3.00 | <10 | <0.01 | 72 | 5 | <0.01 | 7 | 1100 | 72 | <5 | <20 | 100 | <0.01 | <10 | 17 | <10 | <1 | 12 |
| 36 | E37571 | 0.3 | 0.13 | 465 | 205 | <5 | 0.06 | <1 | 4 | 80 | 11 | 4.75 | <10 | <0.01 | 94 | 16 | 0.01 | 12 | 1080 | 40 | <5 | <20 | 197 | <0.01 | <10 | 14 | <10 | <1 | 29 |
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.4 | 1.32 | 50 | 130 | <5 | 1.28 | <1 | 15 | 52 | 86 | 3.86 | <10 | 0.72 | 543 | <1 | 0.02 | 24 | 570 | 22 | <5 | <20 | 52 | 0.09 | <10 | 60 | <10 | 10 | 73 |
| GEO '04 | | 1.4 | 1.64 | 50 | 140 | <5 | 1.44 | <1 | 16 | 59 | 88 | 3.93 | <10 | 0.83 | 584 | <1 | 0.05 | 27 | 590 | 22 | <5 | <20 | 56 | 0.12 | <10 | 62 | <10 | 9 | 74 |

JJ/m
dt/1947
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-1906

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

29-Nov-04

No. of samples received: 31

Sample type: Rock

Project #: BL-TR3

Shipment #: Not Indicated

Samples submitted by: John Childs

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E37583 | 0.18 | 0.005 |
| 2 | E37584 | 1.23 | 0.036 |
| 3 | E37585 | 17.5 | 0.510 |
| 4 | E37586 | 5.08 | 0.148 |
| 5 | E37587 | 0.30 | 0.009 |
| 6 | E37588 | 0.07 | 0.002 |
| 7 | E37589 | 0.79 | 0.023 |
| 8 | E37590 | 0.95 | 0.028 |
| 9 | E37591 | 1.30 | 0.038 |
| 10 | E37592 | 0.16 | 0.005 |
| 11 | E37593 | 0.17 | 0.005 |
| 12 | E37594 | 0.56 | 0.016 |
| 13 | E37595 | 0.51 | 0.015 |
| 14 | E37596 | 2.31 | 0.067 |
| 15 | E37597 | 3.26 | 0.095 |
| 16 | E37598 | 2.04 | 0.059 |
| 17 | E37599 | 0.51 | 0.015 |
| 18 | E37600 | 0.99 | 0.029 |
| 19 | E37601 | 0.99 | 0.029 |
| 20 | E37602 | 4.96 | 0.145 |
| 21 | E37603 | 2.63 | 0.077 |
| 22 | E37604 | 1.35 | 0.039 |
| 23 | E37605 | 1.12 | 0.033 |
| 24 | E37606 | 0.61 | 0.018 |
| 25 | E37607 | 0.24 | 0.007 |
| 26 | E37608 | 0.31 | 0.009 |
| 27 | E37609 | 0.07 | 0.002 |
| 28 | E37610 | <0.03 | <0.001 |
| 29 | E37611 | 0.06 | 0.002 |
| 30 | E37612 | 0.20 | 0.006 |
| 31 | E37613 | 0.08 | 0.002 |

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|-------------|--------------|
| QC DATA: | | | |
| Resplit: | | | |
| 1 | E37583 | 0.22 | 0.006 |
| Repeat: | | | |
| 1 | E37583 | 0.24 | 0.007 |
| 3 | E37585 | 17.8 | 0.519 |
| 4 | E37586 | 5.14 | 0.150 |
| 10 | E37592 | 0.18 | 0.005 |
| 19 | E37601 | 0.95 | 0.028 |
| 20 | E37602 | 5.18 | 0.151 |
| Standard: | | | |
| PM182 | | 1.25 | 0.036 |
| PM176 | | 2.17 | 0.063 |
| SN16 | | 9.06 | 0.264 |

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

JJ/jm
XLS/04

ECO TECH LABO. LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1908

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 31
Sample type: Rock
Project #: BL-TR3
Shipment #: Not Indicated
Samples submitted by: John Childs

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|-----|-----|----|------|----|----|-----|-----|------|-----|-------|------|----|-------|-----|------|----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | E37583 | <0.2 | 0.51 | 190 | 125 | <5 | 0.07 | <1 | 19 | 149 | 88 | 4.27 | <10 | 0.01 | 767 | 8 | 0.02 | 69 | 630 | 14 | <5 | <20 | 17 | <0.01 | <10 | 23 | <10 | 2 | 190 |
| 2 | E37584 | <0.2 | 0.37 | 190 | 105 | <5 | 0.04 | <1 | 18 | 142 | 95 | 4.19 | <10 | <0.01 | 841 | 9 | 0.01 | 65 | 800 | 18 | <5 | <20 | 13 | <0.01 | <10 | 21 | <10 | <1 | 159 |
| 3 | E37585 | 2.5 | 0.29 | 275 | 100 | <5 | 0.03 | <1 | 8 | 63 | 69 | 3.34 | <10 | <0.01 | 176 | 7 | <0.01 | 35 | 320 | 58 | <5 | <20 | 8 | <0.01 | <10 | 19 | <10 | <1 | 108 |
| 4 | E37586 | 0.9 | 0.32 | 320 | 120 | <5 | 0.05 | <1 | 30 | 43 | 145 | 7.65 | <10 | <0.01 | 803 | 11 | <0.01 | 77 | 680 | 48 | <5 | <20 | 11 | <0.01 | <10 | 25 | <10 | <1 | 302 |
| 5 | E37587 | 0.2 | 0.54 | 280 | 215 | <5 | 0.21 | <1 | 58 | 20 | 223 | >10 | <10 | <0.01 | 1608 | 10 | 0.01 | 133 | 2900 | 24 | <5 | <20 | 60 | <0.01 | <10 | 32 | <10 | 5 | 372 |
| 6 | E37588 | <0.2 | 0.47 | 200 | 275 | 5 | 0.12 | <1 | 77 | 66 | 89 | >10 | <10 | <0.01 | 3817 | 8 | 0.01 | 220 | 1530 | 14 | <5 | <20 | 10 | <0.01 | <10 | 26 | <10 | 5 | 315 |
| 7 | E37589 | 0.2 | 0.41 | 415 | 235 | 10 | 0.09 | <1 | 67 | 75 | 40 | >10 | <10 | <0.01 | 2515 | 10 | 0.01 | 277 | 1450 | 18 | <5 | <20 | 8 | <0.01 | <10 | 26 | <10 | <1 | 146 |
| 8 | E37590 | <0.2 | 0.62 | 405 | 215 | 10 | 0.18 | <1 | 48 | 140 | 72 | 8.35 | <10 | <0.01 | 2152 | 7 | 0.01 | 185 | 1980 | 14 | <5 | <20 | 15 | <0.01 | <10 | 43 | <10 | 4 | 165 |
| 9 | E37591 | 0.2 | 0.58 | 470 | 185 | 5 | 0.14 | <1 | 44 | 121 | 102 | 9.68 | <10 | <0.01 | 1926 | 9 | 0.01 | 167 | 2090 | 16 | <5 | <20 | 35 | <0.01 | <10 | 47 | <10 | 2 | 187 |
| 10 | E37592 | <0.2 | 0.30 | 320 | 315 | <5 | 0.68 | <1 | 4 | 170 | 29 | 4.59 | <10 | <0.01 | 140 | 12 | 0.01 | 14 | 8980 | 12 | <5 | <20 | 161 | <0.01 | <10 | 95 | <10 | 13 | 19 |
| 11 | E37593 | <0.2 | 0.39 | 275 | 155 | <5 | 0.14 | <1 | 22 | 40 | 213 | 4.56 | <10 | <0.01 | 315 | 6 | 0.01 | 54 | 1630 | 12 | <5 | <20 | 31 | <0.01 | <10 | 27 | <10 | <1 | 62 |
| 12 | E37594 | <0.2 | 0.44 | 325 | 195 | <5 | 0.24 | <1 | 26 | 54 | 143 | 6.23 | <10 | <0.01 | 509 | 9 | 0.01 | 52 | 2480 | 10 | <5 | <20 | 42 | <0.01 | <10 | 20 | <10 | <1 | 118 |
| 13 | E37595 | <0.2 | 0.28 | 175 | 155 | <5 | 0.04 | <1 | 2 | 70 | 30 | 2.27 | <10 | <0.01 | 40 | 5 | 0.01 | 9 | 750 | 12 | <5 | <20 | 87 | <0.01 | <10 | 20 | <10 | <1 | 19 |
| 14 | E37596 | 0.5 | 0.28 | 250 | 135 | <5 | 0.03 | <1 | 3 | 137 | 29 | 2.73 | <10 | <0.01 | 71 | 5 | 0.01 | 15 | 840 | 16 | <5 | <20 | 60 | <0.01 | <10 | 20 | <10 | <1 | 34 |
| 15 | E37597 | 0.6 | 0.36 | 185 | 115 | <5 | 0.06 | <1 | 12 | 113 | 60 | 3.78 | <10 | <0.01 | 413 | 8 | 0.01 | 43 | 680 | 24 | <5 | <20 | 31 | <0.01 | <10 | 16 | <10 | 2 | 96 |
| 16 | E37598 | 0.8 | 0.73 | 360 | 245 | <5 | 0.12 | <1 | 46 | 27 | 158 | >10 | <10 | <0.01 | 1089 | 11 | 0.02 | 138 | 1930 | 28 | <5 | <20 | 58 | <0.01 | <10 | 36 | <10 | <1 | 245 |
| 17 | E37599 | 0.3 | 0.57 | 395 | 220 | 5 | 0.09 | <1 | 79 | 69 | 96 | >10 | <10 | <0.01 | 2030 | 10 | 0.01 | 272 | 1580 | 22 | <5 | <20 | 25 | <0.01 | <10 | 32 | <10 | <1 | 200 |
| 18 | E37600 | 0.3 | 0.65 | 445 | 300 | 15 | 0.11 | <1 | 66 | 94 | 46 | >10 | <10 | <0.01 | 2096 | 9 | 0.02 | 274 | 1420 | 22 | <5 | <20 | 15 | <0.01 | <10 | 36 | <10 | <1 | 155 |
| 19 | E37601 | 0.2 | 0.92 | 515 | 195 | <5 | 0.16 | <1 | 91 | 109 | 206 | >10 | <10 | <0.01 | 3758 | 11 | 0.01 | 343 | 2200 | 22 | <5 | <20 | 15 | <0.01 | <10 | 60 | <10 | 15 | 581 |
| 20 | E37602 | 0.6 | 0.38 | 530 | 105 | <5 | 0.08 | <1 | 28 | 106 | 184 | >10 | <10 | <0.01 | 645 | 9 | <0.01 | 95 | 1110 | 26 | <5 | <20 | 7 | <0.01 | <10 | 36 | <10 | <1 | 246 |
| 21 | E37603 | 0.3 | 0.50 | 525 | 130 | <5 | 0.10 | <1 | 64 | 116 | 211 | >10 | <10 | <0.01 | 2530 | 12 | <0.01 | 227 | 1550 | 24 | <5 | <20 | 8 | <0.01 | <10 | 34 | <10 | 2 | 442 |
| 22 | E37604 | <0.2 | 0.59 | 330 | 235 | 10 | 0.33 | <1 | 66 | 16 | 97 | >10 | <10 | 0.01 | 5704 | 6 | 0.01 | 172 | 2520 | 16 | <5 | <20 | 21 | <0.01 | <10 | 29 | <10 | 27 | 261 |
| 23 | E37605 | <0.2 | 0.46 | 235 | 175 | 5 | 0.15 | <1 | 62 | 111 | 70 | 9.13 | <10 | <0.01 | 2996 | 10 | 0.01 | 168 | 1470 | 14 | <5 | <20 | 16 | <0.01 | <10 | 20 | <10 | 11 | 205 |
| 24 | E37606 | <0.2 | 0.44 | 295 | 165 | <5 | 0.27 | <1 | 62 | 60 | 164 | >10 | <10 | <0.01 | 2559 | 8 | <0.01 | 154 | 2490 | 14 | <5 | <20 | 31 | <0.01 | <10 | 38 | <10 | 13 | 306 |
| 25 | E37607 | <0.2 | 0.43 | 290 | 155 | <5 | 0.20 | <1 | 70 | 59 | 169 | 9.99 | <10 | <0.01 | 2608 | 9 | 0.01 | 175 | 1920 | 16 | <5 | <20 | 15 | <0.01 | <10 | 30 | <10 | 9 | 364 |
| 26 | E37608 | <0.2 | 0.60 | 380 | 190 | <5 | 0.24 | <1 | 70 | 65 | 231 | >10 | <10 | <0.01 | 3232 | 7 | 0.01 | 211 | 2000 | 16 | <5 | <20 | 14 | <0.01 | <10 | 41 | <10 | 6 | 315 |
| 27 | E37609 | <0.2 | 0.43 | 100 | 135 | <5 | 0.21 | <1 | 42 | 115 | 134 | 6.46 | <10 | <0.01 | 1256 | 7 | 0.01 | 100 | 1470 | 16 | <5 | <20 | 10 | <0.01 | <10 | 21 | <10 | 4 | 269 |
| 28 | E37610 | <0.2 | 0.29 | 95 | 90 | <5 | 0.19 | <1 | 32 | 59 | 106 | 6.49 | <10 | <0.01 | 1171 | 4 | <0.01 | 90 | 1290 | 12 | <5 | <20 | 10 | <0.01 | <10 | 15 | <10 | 2 | 192 |
| 29 | E37611 | <0.2 | 0.30 | 95 | 120 | <5 | 0.27 | <1 | 46 | 62 | 110 | 7.80 | <10 | <0.01 | 1833 | 8 | <0.01 | 92 | 1910 | 12 | <5 | <20 | 12 | <0.01 | <10 | 20 | <10 | 3 | 173 |
| 30 | E37612 | <0.2 | 0.33 | 145 | 145 | <5 | 0.29 | <1 | 62 | 39 | 164 | >10 | <10 | 0.01 | 2857 | 7 | <0.01 | 151 | 2200 | 10 | <5 | <20 | 13 | <0.01 | <10 | 19 | <10 | 3 | 295 |
| 31 | E37613 | <0.2 | 0.40 | 155 | 120 | <5 | 0.24 | <1 | 65 | 37 | 218 | >10 | <10 | 0.01 | 2577 | 9 | <0.01 | 210 | 1780 | 6 | <5 | <20 | 12 | <0.01 | <10 | 23 | <10 | <1 | 354 |

QC DATA:

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|------|------|-----|-----|----|------|----|----|-----|----|------|-----|-------|-----|---|------|----|-----|----|----|-----|----|-------|-----|----|-----|---|-----|
| 1 | E37583 | <0.2 | 0.44 | 170 | 105 | <5 | 0.05 | <1 | 19 | 136 | 78 | 3.91 | <10 | <0.01 | 706 | 4 | 0.01 | 66 | 620 | 10 | <5 | <20 | 12 | <0.01 | <10 | 17 | <10 | 1 | 188 |
|---|--------|------|------|-----|-----|----|------|----|----|-----|----|------|-----|-------|-----|---|------|----|-----|----|----|-----|----|-------|-----|----|-----|---|-----|

| Et #. | Tag # | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn | | |
|-----------|--------|------|------|-----|-----|------|------|----|----|-----|------|------|------|-------|------|----|------|-----|------|----|----|------|-----|-------|-----|----|-----|----|-----|
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E37583 | <0.2 | 0.51 | 210 | 120 | <5 | 0.08 | <1 | 21 | 163 | 82 | 4.11 | <10 | 0.01 | 787 | 8 | 0.01 | 80 | 760 | 14 | <5 | <20 | 12 | <0.01 | <10 | 24 | <10 | <1 | 209 |
| 10 | E37592 | <0.2 | 0.31 | 300 | 300 | <5 | 0.66 | <1 | 4 | 168 | 29 | 4.43 | <10 | <0.01 | 138 | 12 | 0.01 | 15 | 8320 | 8 | <5 | <20 | 163 | <0.01 | <10 | 99 | <10 | 13 | 18 |
| 19 | E37601 | 0.2 | 0.94 | 535 | 200 | <5 | 0.17 | <1 | 93 | 117 | 205 | >10 | <10 | <0.01 | 3843 | 11 | 0.01 | 350 | 2270 | 22 | <5 | <20 | 14 | <0.01 | <10 | 62 | <10 | 15 | 808 |
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.5 | 1.41 | 60 | 145 | <5 | 1.35 | <1 | 16 | 58 | 83 | 3.74 | <10 | 0.72 | 577 | <1 | 0.02 | 28 | 690 | 22 | <5 | <20 | 53 | 0.09 | <10 | 63 | <10 | 9 | 73 |

JJ/m
d/1906
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

APPENDIX VII
COW MOUNTAIN ROADSIDE SAMPLING

Cow Mountain Roadside Sampling

| TAG SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | FOOTAGE | LOCATION/DESCRIPTION | DATE COLLECTED | RESULTS (ppm) |
|--------------|----------|----------------|---------|----------|-----------|---|----------------|-------------------|
| 164189 | Cow Mtn. | Channel Sample | | | 0' - 5' | Cow Channel 1 | 17-Aug-04 | 0.03/0.06(repeat) |
| 164190 | Cow Mtn. | Channel Sample | | | 5' - 10' | Cow Channel 1 | 17-Aug-04 | 0.29/0.22(repeat) |
| 164191 | Cow Mtn. | Channel Sample | | | 0' - 5' | Cow Channel 2 | 17-Aug-04 | <0.03 |
| 164192 | Cow Mtn. | Channel Sample | | | 5' - 10' | Cow Channel 2 | 17-Aug-04 | <0.03 |
| 164193 | Cow Mtn. | Channel Sample | | | 10' - 15' | Cow Channel 2 | 17-Aug-04 | <0.03 |
| 164194 | Cow Mtn. | Channel Sample | | | 15' - 17' | Cow Channel 2 | 17-Aug-04 | 0.04 |
| 164195 | Cow Mtn. | Rock | 595886 | 5883331 | | Quartz grab sample | 17-Aug-04 | 0.04 |
| 164196 | Cow Mtn. | Channel Sample | | | 0' - 5' | Cow Channel 3. Sampled outcrop surrounding sample 14424, 65' in total | 17-Aug-04 | 0.25 |
| 164197 | Cow Mtn. | Channel Sample | | | 5' - 10' | Cow Channel 3 | 17-Aug-04 | 0.86 |
| 164198 | Cow Mtn. | Channel Sample | | | 10' - 15' | Cow Channel 3 | 17-Aug-04 | 0.97 |
| 164199 | Cow Mtn. | Channel Sample | | | 15' - 20' | Cow Channel 3 | 17-Aug-04 | 0.12 |
| 164200 | Cow Mtn. | Channel Sample | | | 20' - 25' | Cow Channel 3 | 17-Aug-04 | 0.05 |
| 164251 | Cow Mtn. | Channel Sample | | | 25' - 30' | Cow Channel 3 | 17-Aug-04 | 0.05 |
| 164252 | Cow Mtn. | Channel Sample | | | 30' - 35' | Cow Channel 3 | 17-Aug-04 | 0.04 |
| 164253 | Cow Mtn. | Channel Sample | | | 35' - 40' | Cow Channel 3 | 17-Aug-04 | 0.04 |
| 164254 | Cow Mtn. | Channel Sample | | | 40' - 45' | Cow Channel 3 | 17-Aug-04 | 0.04 |
| 164255 | Cow Mtn. | Channel Sample | | | 45' - 50' | Cow Channel 3 | 17-Aug-04 | 0.16 |
| 164256 | Cow Mtn. | Channel Sample | | | 50' - 55' | Cow Channel 3 | 17-Aug-04 | 0.21 |
| 164257 | Cow Mtn. | Channel Sample | | | 55' - 60' | Cow Channel 3 | 17-Aug-04 | 1.11 |
| 164258 | Cow Mtn. | Channel Sample | | | 60' - 65' | Cow Channel 3 | 17-Aug-04 | 0.05 |

Cow Mountain Roadside Sampling

| SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | FOOTAGE | LOCATION/DESCRIPTION | DATE | RESULTS (g/t) |
|----------|----------|----------------|---------|----------|-------------|-------------------------|-----------|---------------------------------|
| 165701 | Cow Mtn. | Channel Sample | | | 0' - 5' | Roadside trench | 07-Sep-04 | 0.12 |
| 165702 | Cow Mtn. | Channel Sample | | | 5' - 10' | Roadside trench | 07-Sep-04 | 0.08 |
| 165703 | Cow Mtn. | Channel Sample | | | 10' - 15' | Roadside trench | 07-Sep-04 | 0.22 |
| 165704 | Cow Mtn. | Channel Sample | | | 15' - 20' | Roadside trench | 07-Sep-04 | 0.61 |
| 164055 | Cow Mtn. | Channel Sample | | | 20' - 25' | Roadside trench | 12-Aug-04 | 0.40/0.59(repeat)/0.38(resplit) |
| 164056 | Cow Mtn. | Channel Sample | | | 25' - 30' | Roadside trench | 12-Aug-04 | 0.31/0.25(repeat) |
| 164057 | Cow Mtn. | Channel Sample | | | 30' - 35' | Roadside trench | 12-Aug-04 | 0.64/0.69, 0.65(repeat) |
| 164058 | Cow Mtn. | Channel Sample | | | 35' - 40' | Bonanza roadside trench | 12-Aug-04 | 6.28/6.06(repeat) |
| 164059 | Cow Mtn. | Channel Sample | | | 40' - 45' | Bonanza roadside trench | 12-Aug-04 | 1.21 |
| 164060 | Cow Mtn. | Channel Sample | | | 45' - 50' | Bonanza roadside trench | 12-Aug-04 | 0.19 |
| 164061 | Cow Mtn. | Channel Sample | | | 50' - 55' | Bonanza roadside trench | 12-Aug-04 | 0.27 |
| 164062 | Cow Mtn. | Channel Sample | | | 55' - 60' | Bonanza roadside trench | 12-Aug-04 | 0.15 |
| 164063 | Cow Mtn. | Channel Sample | | | 60' - 65' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164064 | Cow Mtn. | Channel Sample | | | 65' - 75' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164065 | Cow Mtn. | Channel Sample | | | 75' - 85' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164066 | Cow Mtn. | Channel Sample | | | 85' - 95' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164067 | Cow Mtn. | Channel Sample | | | 95' - 100' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164068 | Cow Mtn. | Channel Sample | | | 100' - 105' | Bonanza roadside trench | 12-Aug-04 | 0.46/0.48(repeat) |
| 164069 | Cow Mtn. | Channel Sample | | | 105' - 110' | Bonanza roadside trench | 12-Aug-04 | 0.05 |
| 164070 | Cow Mtn. | Channel Sample | | | 110' - 115' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164071 | Cow Mtn. | Channel Sample | | | 115' - 120' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164072 | Cow Mtn. | Channel Sample | | | 120' - 125' | Bonanza roadside trench | 12-Aug-04 | 0.53/0.71(repeat) |
| 164073 | Cow Mtn. | Channel Sample | | | 125' - 135' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164074 | Cow Mtn. | Channel Sample | | | 135' - 145' | Bonanza roadside trench | 12-Aug-04 | 0.09 |
| 164075 | Cow Mtn. | Channel Sample | | | 145' - 155' | Bonanza roadside trench | 12-Aug-04 | 0.06 |
| 164076 | Cow Mtn. | Channel Sample | | | 155' - 165' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164077 | Cow Mtn. | Channel Sample | | | 165' - 175' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164078 | Cow Mtn. | Channel Sample | | | 175' - 185' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164079 | Cow Mtn. | Channel Sample | | | 185' - 195' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164080 | Cow Mtn. | Channel Sample | | | 195' - 205' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164081 | Cow Mtn. | Channel Sample | | | 205' - 215' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164082 | Cow Mtn. | Channel Sample | | | 215' - 225' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164083 | Cow Mtn. | Channel Sample | | | 225' - 235' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164084 | Cow Mtn. | Channel Sample | | | 235' - 240' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164085 | Cow Mtn. | Channel Sample | | | 240' - 250' | Bonanza roadside trench | 12-Aug-04 | <0.03 |

Cow Mountain Roadside Sampling

| SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | FOOTAGE | LOCATION/DESCRIPTION | DATE | RESULTS (g/t) |
|----------|----------|----------------|---------|----------|-------------|-------------------------|-----------|---------------|
| 164086 | Cow Mtn. | Channel Sample | | | 250' - 260' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164087 | Cow Mtn. | Channel Sample | | | 260' - 265' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164088 | Cow Mtn. | Channel Sample | | | 265' - 270' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164089 | Cow Mtn. | Channel Sample | | | 270' - 275' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164090 | Cow Mtn. | Channel Sample | | | 275' - 280' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164091 | Cow Mtn. | Channel Sample | | | 280' - 287' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164092 | Cow Mtn. | Channel Sample | | | 287' - 295' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164093 | Cow Mtn. | Channel Sample | | | 295' - 305' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164094 | Cow Mtn. | Channel Sample | | | 305' - 315' | Bonanza roadside trench | 12-Aug-04 | 0.03 |
| 164095 | Cow Mtn. | Channel Sample | | | 315' - 325' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164096 | Cow Mtn. | Channel Sample | | | 325' - 335' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164097 | Cow Mtn. | Channel Sample | | | 335' - 345' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164098 | Cow Mtn. | Channel Sample | | | 345' - 355' | Bonanza roadside trench | 12-Aug-04 | <0.03 |
| 164099 | Cow Mtn. | Channel Sample | | | 355' - 365' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164100 | Cow Mtn. | Channel Sample | | | 365' - 375' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164101 | Cow Mtn. | Channel Sample | | | 375' - 385' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164102 | Cow Mtn. | Channel Sample | | | 385' - 395' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164103 | Cow Mtn. | Channel Sample | | | 395' - 405' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164104 | Cow Mtn. | Channel Sample | | | 405' - 415' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164105 | Cow Mtn. | Channel Sample | | | 415' - 425' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164106 | Cow Mtn. | Channel Sample | | | 425' - 430' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164107 | Cow Mtn. | Channel Sample | | | 430' - 435' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164108 | Cow Mtn. | Channel Sample | | | 435' - 440' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164109 | Cow Mtn. | Channel Sample | | | 440' - 450' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164110 | Cow Mtn. | Channel Sample | | | 450' - 455' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164111 | Cow Mtn. | Channel Sample | | | 455' - 460' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164112 | Cow Mtn. | Channel Sample | | | 460' - 470' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164113 | Cow Mtn. | Channel Sample | | | 470' - 480' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164114 | Cow Mtn. | Channel Sample | | | 480' - 490' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164115 | Cow Mtn. | Channel Sample | | | 490' - 500' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164116 | Cow Mtn. | Channel Sample | | | 500' - 510' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164117 | Cow Mtn. | Channel Sample | | | 510' - 520' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164118 | Cow Mtn. | Channel Sample | | | 520' - 530' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164119 | Cow Mtn. | Channel Sample | | | 530' - 540' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164120 | Cow Mtn. | Channel Sample | | | 540' - 550' | Bonanza roadside trench | 13-Aug-04 | 0.04 |

Cow Mountain Roadside Sampling

| SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | FOOTAGE | LOCATION/DESCRIPTION | DATE | RESULTS (g/t) |
|----------|----------|----------------|---------|----------|-------------|---|-----------|---------------|
| 164121 | Cow Mtn. | Channel Sample | | | 550' - 560' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164122 | Cow Mtn. | Channel Sample | | | 560' - 570' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164123 | Cow Mtn. | Channel Sample | | | 570' - 580' | Bonanza roadside trench | 13-Aug-04 | <0.03 |
| 164124 | Cow Mtn. | Channel Sample | | | 580' - 592' | Bonanza roadside trench. The end of this trench | 13-Aug-04 | <0.03 |
| 164125 | Cow Mtn. | Channel Sample | | | 0' - 10' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164126 | Cow Mtn. | Channel Sample | | | 10' - 20' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164127 | Cow Mtn. | Channel Sample | | | 20' - 30' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164128 | Cow Mtn. | Channel Sample | | | 30' - 40' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164129 | Cow Mtn. | Channel Sample | | | 40' - 50' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164130 | Cow Mtn. | Channel Sample | | | 50' - 60' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164131 | Cow Mtn. | Channel Sample | | | 60' - 70' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164132 | Cow Mtn. | Channel Sample | | | 70' - 80' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164133 | Cow Mtn. | Channel Sample | | | 80' - 90' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164134 | Cow Mtn. | Channel Sample | | | 90' - 100' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164135 | Cow Mtn. | Channel Sample | | | 100' - 110' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164136 | Cow Mtn. | Channel Sample | | | 110' - 120' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164137 | Cow Mtn. | Channel Sample | | | 120' - 130' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164138 | Cow Mtn. | Channel Sample | | | 130' - 140' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164139 | Cow Mtn. | Channel Sample | | | 140' - 150' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |

Cow Mountain Roadside Sampling

| SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | FOOTAGE | LOCATION/DESCRIPTION | DATE | RESULTS (g/t) |
|----------|----------|----------------|---------|----------|-------------|---|-----------|---------------|
| 164140 | Cow Mtn. | Channel Sample | | | 150' - 155' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164141 | Cow Mtn. | Channel Sample | | | 155' - 160' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164142 | Cow Mtn. | Channel Sample | | | 160' - 165' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164143 | Cow Mtn. | Channel Sample | | | 165' - 170' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164144 | Cow Mtn. | Channel Sample | | | 170' - 175' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164145 | Cow Mtn. | Channel Sample | | | 175' - 180' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164146 | Cow Mtn. | Channel Sample | | | 180' - 185' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164147 | Cow Mtn. | Channel Sample | | | 185' - 190' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164148 | Cow Mtn. | Channel Sample | | | 190' - 195' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164149 | Cow Mtn. | Channel Sample | | | 195' - 200' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164150 | Cow Mtn. | Channel Sample | | | 200' - 205' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164151 | Cow Mtn. | Channel Sample | | | 205' - 210' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164152 | Cow Mtn. | Channel Sample | | | 210' - 215' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164153 | Cow Mtn. | Channel Sample | | | 215' - 220' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164154 | Cow Mtn. | Channel Sample | | | 220' - 225' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164155 | Cow Mtn. | Channel Sample | | | 225' - 230' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164156 | Cow Mtn. | Channel Sample | | | 230' - 235' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |

Cow Mountain Roadside Sampling

| SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | FOOTAGE | LOCATION/DESCRIPTION | DATE | RESULTS (g/t) |
|----------|----------|----------------|---------|----------|-------------|---|-----------|---------------|
| 164157 | Cow Mtn. | Channel Sample | | | 235' - 240' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164158 | Cow Mtn. | Channel Sample | | | 240' - 245' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164159 | Cow Mtn. | Channel Sample | | | 245' - 250' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164160 | Cow Mtn. | Channel Sample | | | 250' - 255' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| 164161 | Cow Mtn. | Channel Sample | | | 255' - 260' | Bonanza roadside #2 trench (BR2 trench) | 14-Aug-04 | <0.03 |
| D4951 | Cow Mtn. | Channel Sample | 596951 | 5881199 | 0' - 5' | Ditch road channel sample. Weathered and rusty argillite | 18-Aug-04 | <0.03 |
| D4952 | Cow Mtn. | Channel Sample | | | 5' - 10' | Ditch road channel sample. Weathered and rusty argillite | 18-Aug-04 | <0.03 |
| D4953 | Cow Mtn. | Channel Sample | | | 10' - 15' | Ditch road channel sample. Weathered and rusty argillite | 18-Aug-04 | <0.03 |
| D4954 | Cow Mtn. | Channel Sample | | | 15' - 20' | Ditch road channel sample. Weathered and rusty argillite | 18-Aug-04 | <0.03 |
| D4955 | Cow Mtn. | Channel Sample | | | 20' - 25' | Ditch road channel sample. Weathered and rusty argillite | 18-Aug-04 | <0.03 |
| D4956 | Cow Mtn. | Channel Sample | 597139 | 5881166 | 0' - 10' | Phyllite, mud limonite, weak to no carbonate, some quartz stringers | 18-Aug-04 | <0.03 |
| D4957 | Cow Mtn. | Channel Sample | | | 10' - 20' | Phyllite, mud limonite, weak to no carbonate, some quartz stringers | 18-Aug-04 | <0.03 |
| D4958 | Cow Mtn. | Channel Sample | | | 20' - 30' | Phyllite, mud limonite, weak to no carbonate, some quartz stringers | 18-Aug-04 | 0.15 |

Cow Mountain Roadside Sampling

| SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | FOOTAGE | LOCATION/DESCRIPTION | DATE | RESULTS (g/t) |
|----------|----------|----------------|---------|----------|-----------|---|-----------|---------------|
| D4959 | Cow Mtn. | Channel Sample | | | 30' - 40' | Phyllite, mud limonite, weak to no carbonate, some quartz stringers | 18-Aug-04 | 0.13 |

Cow Mountain Roadside Sampling

| SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | FOOTAGE | LOCATION/DESCRIPTION | DATE COLLECTED | RESULTS (g/t) |
|----------|----------|----------------|---------|----------|-------------|----------------------|----------------|-------------------|
| 164162 | Cow Mtn. | Channel Sample | | | 0' - 5' | BR #3 trench | 15-Aug-04 | <0.03 |
| 164163 | Cow Mtn. | Channel Sample | | | 5' - 10' | BR #3 trench | 15-Aug-04 | <0.03 |
| 164164 | Cow Mtn. | Channel Sample | | | 10' - 15' | BR #3 trench | 15-Aug-04 | <0.03 |
| 164165 | Cow Mtn. | Channel Sample | | | 15' - 20' | BR #3 trench | 15-Aug-04 | 0.04 |
| 164166 | Cow Mtn. | Channel Sample | | | 20' - 25' | BR #3 trench | 15-Aug-04 | 0.03 |
| 164167 | Cow Mtn. | Channel Sample | | | 25' - 30' | BR #3 trench | 15-Aug-04 | 0.04 |
| 164168 | Cow Mtn. | Channel Sample | | | 30' - 35' | BR #3 trench | 16-Aug-04 | <0.03 |
| 164169 | Cow Mtn. | Channel Sample | | | 35' - 40' | BR #3 trench | 16-Aug-04 | 0.03 |
| 164170 | Cow Mtn. | Channel Sample | | | 40' - 45' | BR #3 trench | 16-Aug-04 | <0.03 |
| 164171 | Cow Mtn. | Channel Sample | | | 45' - 50' | BR #3 trench | 16-Aug-04 | <0.03 |
| 164172 | Cow Mtn. | Channel Sample | | | 50' - 55' | BR #3 trench | 16-Aug-04 | <0.03 |
| 164173 | Cow Mtn. | Channel Sample | | | 55' - 60' | BR #3 trench | 16-Aug-04 | <0.03 |
| 164174 | Cow Mtn. | Channel Sample | | | 60' - 65' | BR #3 trench | 16-Aug-04 | <0.03 |
| 164175 | Cow Mtn. | Channel Sample | | | 65' - 70' | BR #3 trench | 16-Aug-04 | 2.44/2.49(repeat) |
| 164176 | Cow Mtn. | Channel Sample | | | 70' - 75' | BR #3 trench | 16-Aug-04 | 0.03 |
| 164177 | Cow Mtn. | Channel Sample | | | 75' - 80' | BR #3 trench | 16-Aug-04 | 0.41 |
| 164178 | Cow Mtn. | Channel Sample | | | 80' - 85' | BR #3 trench | 16-Aug-04 | 0.06 |
| 164179 | Cow Mtn. | Channel Sample | | | 85' - 90' | BR #3 trench | 16-Aug-04 | 1.86/1.94(repeat) |
| 164180 | Cow Mtn. | Channel Sample | | | 90' - 95' | BR #3 trench | 16-Aug-04 | 0.23/0.19(repeat) |
| 164181 | Cow Mtn. | Channel Sample | | | 95' - 100' | BR #3 trench | 16-Aug-04 | 0.03 |
| 164182 | Cow Mtn. | Channel Sample | | | 100' - 105' | BR #3 trench | 16-Aug-04 | 0.11 |
| 164183 | Cow Mtn. | Channel Sample | | | 105' - 110' | BR #3 trench | 16-Aug-04 | <0.03 |
| 164184 | Cow Mtn. | Channel Sample | | | 110' - 115' | BR #3 trench | 16-Aug-04 | 0.03 |
| 164185 | Cow Mtn. | Channel Sample | | | 115' - 120' | BR #3 trench | 16-Aug-04 | <0.03 |
| 164186 | Cow Mtn. | Channel Sample | | | 120' - 125' | BR #3 trench | 16-Aug-04 | 0.08 |
| 164187 | Cow Mtn. | Channel Sample | | | 125' - 130' | BR #3 trench | 16-Aug-04 | <0.03 |
| 164188 | Cow Mtn. | Channel Sample | | | 130' - 135' | BR #3 trench | 16-Aug-04 | <0.03 |

CERTIFICATE OF ASSAY AK 2004-1120

INTERNATIONAL WAYSIDE GOLD MINES LTD.

02-Sep-04

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

No. of samples received: 14

Sample type: Rock

Project #: Cow Channel 3

Samples Submitted by: J. McAllister

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 164195 | 0.04 | 0.001 |
| 2 | 164196 | 0.25 | 0.007 |
| 3 | 164197 | 0.86 | 0.025 |
| 4 | 164198 | 0.97 | 0.028 |
| 5 | 164199 | 0.12 | 0.003 |
| 6 | 164200 | 0.05 | 0.001 |
| 7 | 164251 | 0.05 | 0.001 |
| 8 | 164252 | 0.04 | 0.001 |
| 9 | 164253 | 0.04 | 0.001 |
| 10 | 164254 | 0.04 | 0.001 |
| 11 | 164255 | 0.16 | 0.005 |
| 12 | 164256 | 0.21 | 0.006 |
| 13 | 164257 | 1.11 | 0.032 |
| 14 | 164258 | 0.05 | 0.001 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 1 | 164195 | 0.03 | 0.001 |
| 2 | 164196 | 0.20 | 0.006 |
| 3 | 164197 | 0.97 | 0.028 |
| 4 | 164198 | 0.92 | 0.027 |

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | 164195 | 0.03 | 0.001 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.86 | 0.054 |
|-------|------|-------|

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-1136

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

03-Sep-04

No. of samples received: 27

Sample type: Rock

Project #: BR3 Trench

Shipment #: None Given

Samples submitted by: J. McAllister

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 164162 | <0.03 | <0.001 |
| 2 | 164163 | <0.03 | <0.001 |
| 3 | 164164 | <0.03 | <0.001 |
| 4 | 164165 | 0.04 | 0.001 |
| 5 | 164166 | 0.03 | 0.001 |
| 6 | 164167 | 0.04 | 0.001 |
| 7 | 164168 | <0.03 | <0.001 |
| 8 | 164169 | 0.03 | 0.001 |
| 9 | 164170 | <0.03 | <0.001 |
| 10 | 164171 | <0.03 | <0.001 |
| 11 | 164172 | <0.03 | <0.001 |
| 12 | 164173 | <0.03 | <0.001 |
| 13 | 164174 | <0.03 | <0.001 |
| 14 | 164175 | 2.44 | 0.071 |
| 15 | 164176 | 0.03 | 0.001 |
| 16 | 164177 | 0.41 | 0.012 |
| 17 | 164178 | 0.06 | 0.002 |
| 18 | 164179 | 1.86 | 0.054 |
| 19 | 164180 | 0.23 | 0.007 |
| 20 | 164181 | 0.03 | 0.001 |
| 21 | 164182 | 0.11 | 0.003 |
| 22 | 164183 | <0.03 | <0.001 |
| 23 | 164184 | 0.03 | 0.001 |
| 24 | 164185 | <0.03 | <0.001 |
| 25 | 164186 | 0.08 | 0.002 |
| 26 | 164187 | <0.03 | <0.001 |
| 27 | 164188 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

INTERNATIONAL WAYSIDE GOLD MINES LTD.

03-Sep-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|-------------|--------------|
| QC DATA: | | | |
| Repeat: | | | |
| 1 | 164162 | <0.03 | <0.001 |
| 10 | 164171 | <0.03 | <0.001 |
| 14 | 164175 | 2.49 | 0.073 |
| 18 | 164179 | 1.94 | 0.057 |
| 19 | 164180 | 0.19 | 0.006 |
| Resplit: | | | |
| 1 | 164162 | <0.03 | <0.001 |
| Standard: | | | |
| OX123 | | 1.89 | 0.055 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/jm
XLS/04

01-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1136

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 27
Sample type: Rock
Project #: BR3 Trench
Shipment #: None Given
Samples submitted by: J. McAllister

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|----|-----|-----|-------|----|----|-----|----|------|-----|------|------|----|-------|----|-----|-----|----|-----|----|-------|-----|---|-----|---|-----|
| 1 | 164162 | <0.2 | 0.15 | <5 | 30 | <5 | 0.01 | <1 | 3 | 110 | 9 | 1.39 | 20 | 0.03 | 108 | 10 | <0.01 | 18 | 120 | 10 | <5 | <20 | 2 | <0.01 | <10 | 2 | <10 | 2 | 27 |
| 2 | 164163 | <0.2 | 0.15 | 25 | 30 | <5 | <0.01 | <1 | 3 | 96 | 12 | 1.28 | 10 | 0.03 | 86 | 8 | <0.01 | 12 | 140 | 8 | <5 | <20 | 2 | <0.01 | <10 | 2 | <10 | 1 | 26 |
| 3 | 164164 | <0.2 | 0.15 | 5 | 25 | <5 | <0.01 | <1 | 4 | 125 | 7 | 1.08 | 20 | 0.02 | 74 | 10 | <0.01 | 17 | 130 | 20 | <5 | <20 | 2 | <0.01 | <10 | 1 | <10 | 2 | 28 |
| 4 | 164165 | <0.2 | 0.12 | 20 | 20 | <5 | <0.01 | <1 | 4 | 169 | 15 | 1.58 | 10 | 0.03 | 68 | 14 | <0.01 | 19 | 140 | 8 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | 2 | 30 |
| 5 | 164166 | <0.2 | 0.13 | 10 | 30 | <5 | <0.01 | <1 | 3 | 104 | 8 | 0.91 | 10 | 0.02 | 42 | 8 | <0.01 | 12 | 80 | 4 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | 1 | 17 |
| 6 | 164167 | 0.3 | 0.26 | <5 | 105 | <5 | 0.02 | <1 | 13 | 118 | 27 | 2.72 | 20 | 0.05 | 883 | 9 | <0.01 | 34 | 210 | 30 | <5 | <20 | 3 | <0.01 | <10 | 4 | <10 | 4 | 102 |
| 7 | 164168 | <0.2 | 0.37 | <5 | 40 | <5 | 0.03 | <1 | 10 | 122 | 20 | 2.31 | 20 | 0.08 | 175 | 8 | <0.01 | 44 | 160 | 8 | <5 | <20 | 3 | <0.01 | <10 | 3 | <10 | 4 | 118 |
| 8 | 164169 | <0.2 | 0.23 | 20 | 40 | <5 | <0.01 | <1 | 9 | 95 | 19 | 2.36 | 20 | 0.05 | 125 | 7 | <0.01 | 31 | 170 | 8 | <5 | <20 | 4 | <0.01 | <10 | 3 | <10 | 3 | 55 |
| 9 | 164170 | <0.2 | 0.25 | 15 | 55 | <5 | <0.01 | <1 | 12 | 122 | 19 | 2.97 | 20 | 0.05 | 339 | 10 | <0.01 | 34 | 160 | 4 | <5 | <20 | 1 | <0.01 | <10 | 3 | <10 | 3 | 69 |
| 10 | 164171 | <0.2 | 0.24 | 15 | 215 | <5 | 0.02 | <1 | 31 | 47 | 41 | 3.47 | 30 | 0.07 | 2391 | 4 | <0.01 | 54 | 310 | 4 | <5 | <20 | 8 | 0.01 | <10 | 7 | <10 | 5 | 117 |
| 11 | 164172 | 0.2 | 0.20 | <5 | 30 | <5 | 0.01 | <1 | 6 | 91 | 22 | 1.41 | 10 | 0.03 | 72 | 7 | <0.01 | 20 | 110 | 30 | <5 | <20 | 1 | <0.01 | <10 | 2 | <10 | 2 | 55 |
| 12 | 164173 | 0.2 | 0.26 | 10 | 50 | <5 | 0.03 | <1 | 15 | 55 | 57 | 3.21 | 30 | 0.06 | 158 | 3 | <0.01 | 41 | 300 | 20 | <5 | <20 | 4 | <0.01 | <10 | 4 | <10 | 4 | 112 |
| 13 | 164174 | <0.2 | 0.24 | 15 | 100 | <5 | 0.05 | <1 | 23 | 47 | 53 | 3.88 | 30 | 0.08 | 850 | 3 | <0.01 | 47 | 380 | 14 | <5 | <20 | 8 | <0.01 | <10 | 8 | <10 | 4 | 107 |
| 14 | 164175 | 7.9 | 0.20 | 50 | 110 | 165 | 0.02 | <1 | 14 | 162 | 13 | 2.30 | 10 | 0.05 | 1190 | 13 | <0.01 | 34 | 230 | 214 | <5 | <20 | 4 | <0.01 | <10 | 7 | <10 | 3 | 54 |
| 15 | 164176 | <0.2 | 0.14 | <5 | 185 | <5 | 0.01 | <1 | 13 | 120 | 10 | 1.39 | 10 | 0.03 | 2107 | 10 | <0.01 | 22 | 120 | 14 | <5 | <20 | 6 | 0.01 | <10 | 2 | <10 | 3 | 34 |
| 16 | 164177 | 0.3 | 0.21 | 10 | 95 | <5 | 0.02 | <1 | 8 | 124 | 19 | 1.70 | 20 | 0.04 | 574 | 10 | <0.01 | 25 | 160 | 8 | <5 | <20 | 3 | <0.01 | <10 | 4 | <10 | 2 | 41 |
| 17 | 164178 | 1.0 | 0.14 | 45 | 365 | <5 | 0.02 | <1 | 14 | 97 | 13 | 2.27 | 10 | 0.04 | 2984 | 8 | <0.01 | 37 | 210 | 26 | <5 | <20 | 10 | 0.01 | <10 | 3 | <10 | 4 | 68 |
| 18 | 164179 | 0.5 | 0.15 | 55 | 80 | <5 | <0.01 | <1 | 7 | 136 | 10 | 2.17 | 20 | 0.04 | 738 | 9 | <0.01 | 23 | 160 | 16 | <5 | <20 | 2 | <0.01 | <10 | 2 | <10 | 3 | 35 |
| 19 | 164180 | 0.3 | 0.13 | 10 | 95 | <5 | 0.03 | <1 | 6 | 127 | 7 | 0.86 | 10 | 0.02 | 739 | 10 | <0.01 | 18 | 170 | 6 | <5 | <20 | 5 | <0.01 | <10 | 2 | <10 | 2 | 22 |
| 20 | 164181 | <0.2 | 0.13 | <5 | 65 | <5 | 0.02 | <1 | 4 | 164 | 5 | 0.59 | 10 | 0.02 | 406 | 12 | <0.01 | 16 | 60 | 4 | <5 | <20 | 2 | <0.01 | <10 | 1 | <10 | 1 | 15 |
| 21 | 164182 | 0.6 | 0.13 | 30 | 65 | 5 | 0.02 | <1 | 7 | 107 | 9 | 1.15 | 10 | 0.03 | 540 | 8 | <0.01 | 21 | 90 | 24 | <5 | <20 | 1 | <0.01 | <10 | 2 | <10 | 2 | 31 |
| 22 | 164183 | <0.2 | 0.12 | <5 | 100 | <5 | <0.01 | <1 | 7 | 119 | 8 | 0.82 | 10 | 0.02 | 756 | 8 | <0.01 | 18 | 60 | 4 | <5 | <20 | 2 | <0.01 | <10 | 1 | <10 | 2 | 24 |
| 23 | 164184 | 0.2 | 0.14 | 5 | 145 | <5 | 0.01 | <1 | 8 | 113 | 7 | 1.22 | 20 | 0.03 | 1437 | 9 | <0.01 | 25 | 120 | 12 | <5 | <20 | 5 | <0.01 | <10 | 3 | <10 | 3 | 39 |
| 24 | 164185 | 0.2 | 0.19 | <5 | 180 | <5 | 0.01 | <1 | 15 | 134 | 10 | 1.33 | 20 | 0.03 | 1344 | 9 | <0.01 | 29 | 100 | 12 | <5 | <20 | 5 | <0.01 | <10 | 2 | <10 | 2 | 43 |
| 25 | 164186 | 0.3 | 0.11 | 15 | 80 | <5 | <0.01 | <1 | 7 | 107 | 8 | 1.00 | <10 | 0.02 | 623 | 8 | <0.01 | 19 | 70 | 6 | <5 | <20 | 2 | <0.01 | <10 | 1 | <10 | 2 | 26 |
| 26 | 164187 | 0.4 | 0.15 | <5 | 95 | <5 | 0.01 | <1 | 7 | 150 | 7 | 0.83 | 10 | 0.02 | 863 | 10 | <0.01 | 21 | 80 | 28 | <5 | <20 | 2 | <0.01 | <10 | 2 | <10 | 2 | 32 |
| 27 | 164188 | 0.2 | 0.15 | <5 | 85 | <5 | 0.01 | <1 | 8 | 109 | 7 | 0.93 | 20 | 0.03 | 680 | 7 | <0.01 | 20 | 100 | 24 | <5 | <20 | 2 | <0.01 | <10 | 2 | <10 | 2 | 36 |

QC DATA:

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|------|------|---|----|----|------|----|---|-----|---|------|----|------|-----|---|-------|----|-----|----|----|-----|----|-------|-----|---|-----|---|----|
| 1 | 164162 | <0.2 | 0.16 | 5 | 30 | <5 | 0.02 | <1 | 3 | 115 | 9 | 1.39 | 20 | 0.04 | 108 | 9 | <0.01 | 19 | 120 | 10 | <5 | <20 | <1 | <0.01 | <10 | 2 | <10 | 2 | 27 |
|---|--------|------|------|---|----|----|------|----|---|-----|---|------|----|------|-----|---|-------|----|-----|----|----|-----|----|-------|-----|---|-----|---|----|

ROAD

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn | | |
|-----------|--------|------|------|----|-----|----|------|----|----|-----|----|------|-----|------|------|----|-------|----|-----|----|----|-----|----|-------|-----|----|-----|---|-----|--|--|
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 164162 | <0.2 | 0.16 | <5 | 25 | <5 | 0.01 | <1 | 3 | 112 | 9 | 1.40 | 20 | 0.03 | 109 | 8 | <0.01 | 18 | 120 | 8 | <5 | <20 | <1 | <0.01 | <10 | 2 | <10 | 2 | 28 | | |
| 10 | 164171 | <0.2 | 0.25 | 15 | 210 | <5 | 0.02 | <1 | 30 | 47 | 40 | 3.42 | 30 | 0.07 | 2342 | 4 | <0.01 | 52 | 300 | 4 | <5 | <20 | 8 | 0.01 | <10 | 7 | <10 | 5 | 115 | | |
| 19 | 164180 | 0.3 | 0.13 | 10 | 95 | <5 | 0.03 | <1 | 6 | 131 | 7 | 0.86 | 10 | 0.02 | 733 | 10 | <0.01 | 18 | 170 | 6 | <5 | <20 | 5 | <0.01 | <10 | 2 | <10 | 2 | 22 | | |
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.4 | 1.64 | 55 | 135 | <5 | 1.76 | <1 | 20 | 58 | 85 | 3.63 | <10 | 0.97 | 606 | 1 | 0.02 | 30 | 650 | 22 | <5 | <20 | 40 | 0.26 | <10 | 53 | <10 | 9 | 74 | | |

JJ/m
dt/1148
XLS/04

ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-1137

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

07-Sep-04

No. of samples received: 70

Sample type: Rock

Project #: BR Trench

Shipment #: Not indicated

Samples submitted by: J. McAllister

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 164055 | 0.40 | 0.012 |
| 2 | 164056 | 0.31 | 0.009 |
| 3 | 164057 | 0.64 | 0.019 |
| 4 | 164058 | 6.28 | 0.183 |
| 5 | 164059 | 1.21 | 0.035 |
| 6 | 164060 | 0.19 | 0.006 |
| 7 | 164061 | 0.27 | 0.008 |
| 8 | 164062 | 0.15 | 0.004 |
| 9 | 164063 | <0.03 | <0.001 |
| 10 | 164064 | <0.03 | <0.001 |
| 11 | 164065 | <0.03 | <0.001 |
| 12 | 164066 | <0.03 | <0.001 |
| 13 | 164067 | <0.03 | <0.001 |
| 14 | 164068 | 0.46 | 0.013 |
| 15 | 164069 | 0.05 | 0.001 |
| 16 | 164070 | <0.03 | <0.001 |
| 17 | 164071 | <0.03 | <0.001 |
| 18 | 164072 | 0.53 | 0.015 |
| 19 | 164073 | <0.03 | <0.001 |
| 20 | 164074 | 0.09 | 0.003 |
| 21 | 164075 | 0.06 | 0.002 |
| 22 | 164076 | <0.03 | <0.001 |
| 23 | 164077 | <0.03 | <0.001 |
| 24 | 164078 | <0.03 | <0.001 |
| 25 | 164079 | <0.03 | <0.001 |
| 26 | 164080 | <0.03 | <0.001 |
| 27 | 164081 | <0.03 | <0.001 |
| 28 | 164082 | <0.03 | <0.001 |
| 29 | 164083 | <0.03 | <0.001 |
| 30 | 164084 | <0.03 | <0.001 |
| 31 | 164085 | <0.03 | <0.001 |
| 32 | 164086 | <0.03 | <0.001 |
| 33 | 164087 | <0.03 | <0.001 |
| 34 | 164088 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

INTERNATIONAL WAYSIDE GOLD MINES LTD. AK4-1137

07-Sep-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 35 | 164089 | <0.03 | <0.001 |
| 36 | 164090 | <0.03 | <0.001 |
| 37 | 164091 | <0.03 | <0.001 |
| 38 | 164092 | <0.03 | <0.001 |
| 39 | 164093 | <0.03 | <0.001 |
| 40 | 164094 | 0.03 | 0.001 |
| 41 | 164095 | <0.03 | <0.001 |
| 42 | 164096 | <0.03 | <0.001 |
| 43 | 164097 | <0.03 | <0.001 |
| 44 | 164098 | <0.03 | <0.001 |
| 45 | 164099 | <0.03 | <0.001 |
| 46 | 164100 | <0.03 | <0.001 |
| 47 | 164101 | <0.03 | <0.001 |
| 48 | 164102 | <0.03 | <0.001 |
| 49 | 164103 | <0.03 | <0.001 |
| 50 | 164104 | <0.03 | <0.001 |
| 51 | 164105 | <0.03 | <0.001 |
| 52 | 164106 | <0.03 | <0.001 |
| 53 | 164107 | <0.03 | <0.001 |
| 54 | 164108 | <0.03 | <0.001 |
| 55 | 164109 | <0.03 | <0.001 |
| 56 | 164110 | <0.03 | <0.001 |
| 57 | 164111 | <0.03 | <0.001 |
| 58 | 164112 | <0.03 | <0.001 |
| 59 | 164113 | <0.03 | <0.001 |
| 60 | 164114 | <0.03 | <0.001 |
| 61 | 164115 | <0.03 | <0.001 |
| 62 | 164116 | <0.03 | <0.001 |
| 63 | 164117 | <0.03 | <0.001 |
| 64 | 164118 | <0.03 | <0.001 |
| 65 | 164119 | <0.03 | <0.001 |
| 66 | 164120 | 0.04 | 0.001 |
| 67 | 164121 | <0.03 | <0.001 |
| 68 | 164122 | <0.03 | <0.001 |
| 69 | 164123 | <0.03 | <0.001 |
| 70 | 164124 | <0.03 | <0.001 |

QC DATA:Repeat:

| | | | |
|---|--------|------|-------|
| 1 | 164055 | 0.59 | 0.017 |
| 2 | 164056 | 0.25 | 0.007 |
| 3 | 164057 | 0.69 | 0.020 |
| 3 | 164057 | 0.65 | 0.019 |
| 4 | 164058 | 6.06 | 0.177 |

| | | | |
|----|--------|-------|--------|
| 10 | 164064 | <0.03 | <0.001 |
| 14 | 164068 | 0.48 | 0.014 |
| 18 | 164072 | 0.71 | 0.021 |
| 19 | 164073 | <0.03 | <0.001 |
| 36 | 164090 | <0.03 | <0.001 |
| 54 | 164108 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

INTERNATIONAL WAYSIDE GOLD MINES LTD. AK4-1137

07-Sep-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|-------------|--------------|
| Resplit: | | | |
| 1 | 164055 | 0.38 | 0.011 |
| 36 | 164090 | <0.03 | <0.001 |
| Standard: | | | |
| OX123 | | 1.84 | 0.054 |
| OX123 | | 1.87 | 0.055 |

07-Sep-04

ECO TECH LABORS, INC. LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1137

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 70

Sample type: Rock

Project #: BR Trench

Shipment #: Not Indicated

Samples submitted by: J. McAllister

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|-----|-----|------|------|----|-----|-----|-----|------|-----|------|------|----|-------|-----|------|-----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | 164055 | <0.2 | 0.20 | 140 | 35 | <5 | 0.01 | <1 | 7 | 142 | 14 | 1.78 | 20 | 0.03 | 61 | 10 | <0.01 | 17 | 230 | 16 | <5 | <20 | 5 | <0.01 | <10 | 4 | <10 | 3 | 20 |
| 2 | 164056 | <0.2 | 0.23 | 185 | 35 | <5 | 0.02 | <1 | 17 | 98 | 69 | 3.91 | 20 | 0.06 | 103 | 5 | <0.01 | 35 | 550 | 22 | <5 | <20 | 2 | <0.01 | <10 | 5 | <10 | 4 | 51 |
| 3 | 164057 | 0.3 | 0.16 | 125 | 20 | <5 | 0.03 | <1 | 18 | 131 | 185 | 3.85 | 20 | 0.06 | 134 | 7 | <0.01 | 33 | 420 | 72 | <5 | <20 | 3 | <0.01 | <10 | 3 | <10 | 4 | 88 |
| 4 | 164058 | 2.8 | 0.28 | 220 | 40 | 1035 | 0.07 | <1 | 13 | 61 | 25 | 3.79 | 30 | 0.07 | 195 | 2 | <0.01 | 25 | 820 | 840 | <5 | <20 | 9 | <0.01 | <10 | 6 | <10 | 6 | 203 |
| 5 | 164059 | 0.4 | 0.28 | 270 | 30 | <5 | 0.05 | 1 | 35 | 111 | 82 | 7.69 | 30 | 0.13 | 1198 | 4 | <0.01 | 81 | 950 | 48 | <5 | <20 | 7 | <0.01 | <10 | 6 | <10 | 10 | 187 |
| 6 | 164060 | 0.2 | 0.33 | 200 | 35 | <5 | 0.07 | <1 | 44 | 63 | 109 | 9.76 | 40 | 0.16 | 1039 | <1 | 0.01 | 90 | 1160 | 64 | <5 | <20 | 9 | 0.01 | <10 | 7 | <10 | 10 | 192 |
| 7 | 164061 | 0.2 | 0.28 | 215 | 25 | <5 | 0.25 | 1 | 32 | 74 | 56 | 6.16 | 30 | 0.11 | 640 | 10 | <0.01 | 66 | 1850 | 12 | <5 | <20 | 23 | <0.01 | <10 | 5 | <10 | 9 | 82 |
| 8 | 164062 | <0.2 | 0.36 | 115 | 90 | <5 | 0.06 | <1 | 27 | 156 | 29 | 6.02 | 20 | 0.11 | 220 | 9 | 0.01 | 58 | 730 | 4 | <5 | <20 | 9 | <0.01 | <10 | 8 | <10 | 7 | 218 |
| 9 | 164063 | <0.2 | 0.37 | 45 | 70 | <5 | 0.13 | <1 | 36 | 49 | 45 | 6.04 | 30 | 0.14 | 223 | <1 | 0.01 | 80 | 860 | <2 | <5 | <20 | 8 | <0.01 | <10 | 4 | <10 | 5 | 266 |
| 10 | 164064 | <0.2 | 0.30 | 30 | 105 | <5 | 0.13 | <1 | 25 | 71 | 48 | 4.97 | 30 | 0.09 | 768 | 5 | 0.02 | 87 | 880 | <2 | <5 | <20 | 9 | <0.01 | <10 | 6 | <10 | 6 | 179 |
| 11 | 164065 | <0.2 | 0.35 | 15 | 130 | <5 | 0.26 | 3 | 20 | 93 | 58 | 4.37 | 30 | 0.10 | 4313 | 9 | 0.01 | 115 | 1300 | 4 | <5 | <20 | 15 | 0.02 | <10 | 9 | <10 | 10 | 242 |
| 12 | 164066 | <0.2 | 0.37 | 15 | 140 | <5 | 0.15 | 2 | 26 | 106 | 131 | 3.85 | 30 | 0.07 | 1824 | 11 | 0.01 | 100 | 940 | 4 | <5 | <20 | 10 | <0.01 | <10 | 9 | <10 | 9 | 218 |
| 13 | 164067 | <0.2 | 0.34 | 15 | 120 | <5 | 0.22 | 2 | 36 | 119 | 183 | 4.72 | 30 | 0.09 | 2470 | 7 | <0.01 | 109 | 1470 | <2 | <5 | <20 | 12 | 0.01 | <10 | 7 | <10 | 11 | 173 |
| 14 | 164068 | <0.2 | 0.43 | 70 | 90 | <5 | 0.11 | <1 | 35 | 133 | 231 | 6.94 | 30 | 0.13 | 1466 | 7 | 0.01 | 114 | 1070 | <2 | <5 | <20 | 8 | <0.01 | <10 | 8 | <10 | 10 | 188 |
| 15 | 164069 | <0.2 | 0.30 | 80 | 55 | <5 | 0.09 | <1 | 25 | 91 | 139 | 5.72 | 20 | 0.11 | 643 | 4 | <0.01 | 73 | 1250 | <2 | <5 | <20 | 9 | <0.01 | <10 | 4 | <10 | 7 | 156 |
| 16 | 164070 | <0.2 | 0.43 | 95 | 50 | <5 | 0.06 | <1 | 30 | 93 | 156 | 8.04 | 30 | 0.14 | 356 | 6 | 0.01 | 100 | 1600 | <2 | <5 | <20 | 8 | <0.01 | <10 | 5 | <10 | 8 | 226 |
| 17 | 164071 | <0.2 | 0.54 | 75 | 30 | <5 | 0.22 | <1 | 40 | 64 | 191 | 9.10 | 20 | 0.25 | 491 | <1 | 0.01 | 158 | 1960 | <2 | <5 | <20 | 13 | <0.01 | <10 | 13 | <10 | 12 | 300 |
| 18 | 164072 | 0.2 | 0.49 | 105 | 45 | <5 | 0.12 | <1 | 40 | 87 | 382 | 9.16 | 20 | 0.16 | 530 | 6 | 0.01 | 168 | 2040 | <2 | <5 | <20 | 17 | <0.01 | <10 | 16 | <10 | 14 | 284 |
| 19 | 164073 | <0.2 | 0.28 | 20 | 75 | <5 | 0.07 | 1 | 17 | 117 | 98 | 3.31 | 20 | 0.06 | 165 | 9 | <0.01 | 74 | 740 | 16 | <5 | <20 | 15 | <0.01 | <10 | 11 | <10 | 9 | 160 |
| 20 | 164074 | 0.3 | 0.18 | 20 | 50 | <5 | 0.08 | <1 | 7 | 90 | 51 | 1.86 | <10 | 0.03 | 206 | 7 | <0.01 | 29 | 920 | 26 | <5 | <20 | 37 | <0.01 | <10 | 12 | <10 | 5 | 65 |
| 21 | 164075 | <0.2 | 0.43 | 25 | 110 | <5 | 0.12 | 5 | 66 | 93 | 308 | 5.81 | 30 | 0.11 | 1739 | 8 | 0.01 | 176 | 1060 | 4 | <5 | <20 | 8 | 0.01 | <10 | 9 | <10 | 15 | 434 |
| 22 | 164076 | <0.2 | 0.38 | 15 | 110 | <5 | 0.21 | 2 | 26 | 117 | 200 | 3.59 | 20 | 0.06 | 491 | 19 | <0.01 | 88 | 1360 | 4 | <5 | <20 | 9 | <0.01 | <10 | 14 | <10 | 14 | 283 |
| 23 | 164077 | <0.2 | 0.56 | 20 | 115 | <5 | 0.21 | 11 | 73 | 70 | 277 | 5.94 | 20 | 0.15 | 1600 | 9 | 0.01 | 201 | 1470 | 10 | <5 | <20 | 9 | <0.01 | <10 | 12 | <10 | 22 | 534 |
| 24 | 164078 | 0.2 | 0.62 | 10 | 135 | <5 | 0.12 | 10 | 36 | 53 | 45 | 4.93 | 30 | 0.21 | 1410 | 2 | 0.01 | 81 | 790 | 16 | <5 | <20 | 9 | <0.01 | <10 | 5 | <10 | 19 | 365 |
| 25 | 164079 | <0.2 | 0.48 | 30 | 150 | <5 | 0.88 | 2 | 41 | 65 | 68 | 5.38 | 20 | 0.21 | 1537 | <1 | 0.02 | 115 | 1240 | <2 | <5 | <20 | 9 | <0.01 | <10 | 24 | <10 | 11 | 139 |
| 26 | 164080 | <0.2 | 0.49 | <5 | 140 | <5 | 0.22 | 2 | 26 | 67 | 43 | 4.17 | 30 | 0.12 | 1239 | 1 | 0.02 | 68 | 1030 | 2 | <5 | <20 | 9 | <0.01 | <10 | 9 | <10 | 11 | 156 |
| 27 | 164081 | <0.2 | 0.66 | 10 | 160 | <5 | 0.34 | 2 | 44 | 68 | 51 | 5.24 | 30 | 0.18 | 1478 | 2 | 0.02 | 127 | 1190 | 4 | <5 | <20 | 13 | <0.01 | <10 | 14 | <10 | 13 | 305 |
| 28 | 164082 | <0.2 | 0.92 | 10 | 150 | <5 | 0.29 | 1 | 74 | 122 | 140 | 8.67 | 20 | 0.39 | 1596 | <1 | 0.02 | 237 | 1300 | 4 | <5 | <20 | 14 | 0.01 | <10 | 37 | <10 | 12 | 275 |
| 29 | 164083 | <0.2 | 0.70 | 20 | 195 | <5 | 0.58 | <1 | 51 | 121 | 78 | 7.44 | 20 | 0.33 | 1938 | <1 | 0.02 | 125 | 1150 | 4 | <5 | <20 | 13 | 0.01 | <10 | 31 | <10 | 11 | 303 |
| 30 | 164084 | <0.2 | 0.47 | 10 | 45 | <5 | 0.12 | 2 | 57 | 57 | 40 | 7.42 | 20 | 0.18 | 3022 | <1 | <0.01 | 136 | 270 | <2 | <5 | <20 | 11 | 0.01 | <10 | 10 | <10 | 13 | 786 |
| 31 | 164085 | 0.3 | 0.99 | 5 | 65 | <5 | 0.06 | <1 | 36 | 54 | 35 | 6.22 | 30 | 0.40 | 1280 | <1 | 0.01 | 74 | 470 | 4 | <5 | <20 | 6 | <0.01 | <10 | 13 | <10 | 4 | 216 |
| 32 | 164086 | <0.2 | 1.81 | 5 | 65 | <5 | 0.10 | <1 | 38 | 64 | 41 | 6.35 | 30 | 0.73 | 1070 | <1 | <0.01 | 76 | 610 | 10 | <5 | <20 | 7 | <0.01 | <10 | 18 | <10 | 4 | 169 |
| 33 | 164087 | <0.2 | 1.69 | 10 | 85 | <5 | 0.06 | <1 | 45 | 75 | 34 | 6.67 | 30 | 0.69 | 1298 | <1 | 0.01 | 90 | 470 | 8 | <5 | <20 | 5 | <0.01 | <10 | 20 | <10 | 5 | 180 |
| 34 | 164088 | <0.2 | 0.70 | 20 | 85 | <5 | 0.17 | <1 | 47 | 54 | 119 | 7.01 | 30 | 0.19 | 1105 | 2 | 0.02 | 145 | 1280 | 4 | <5 | <20 | 14 | <0.01 | <10 | 31 | <10 | 9 | 169 |
| 35 | 164089 | <0.2 | 0.52 | 130 | 160 | <5 | 5.15 | <1 | 107 | 169 | 170 | >10 | 30 | 0.26 | 2917 | <1 | 0.02 | 457 | 1560 | <2 | <5 | <20 | <1 | 0.01 | <10 | 43 | <10 | 11 | 232 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|-----|-----|----|------|----|----|-----|-----|------|----|------|------|----|-------|-----|------|----|-----|-----|-----|-------|-----|-----|-----|-----|-----|
| 36 | 164090 | <0.2 | 0.43 | 115 | 135 | <5 | 3.24 | <1 | 89 | 138 | 130 | >10 | 20 | 0.33 | 2696 | <1 | 0.02 | 339 | 1770 | <2 | 90 | <20 | <1 | 0.01 | <10 | 32 | <10 | 11 | 164 |
| 37 | 164091 | <0.2 | 0.21 | 100 | 125 | <5 | >10 | <1 | 48 | 123 | 31 | >10 | 20 | 4.01 | 3325 | <1 | 0.02 | 171 | 550 | 2 | <5 | <20 | 112 | 0.02 | <10 | 65 | <10 | 9 | 107 |
| 38 | 164092 | 0.2 | 0.44 | 10 | 135 | <5 | 0.22 | 5 | 38 | 70 | 70 | 4.80 | 30 | 0.11 | 383 | 8 | 0.01 | 128 | 1160 | 18 | <5 | <20 | 10 | <0.01 | <10 | 13 | <10 | 16 | 351 |
| 39 | 164093 | <0.2 | 0.30 | <5 | 100 | <5 | 0.28 | 4 | 39 | 92 | 95 | 4.14 | 20 | 0.07 | 838 | 16 | 0.01 | 115 | 1700 | 6 | <5 | <20 | 12 | <0.01 | <10 | 21 | <10 | 9 | 290 |
| 40 | 164094 | 0.2 | 0.27 | <5 | 115 | <5 | 0.24 | 3 | 17 | 92 | 79 | 2.45 | 20 | 0.04 | 274 | 6 | <0.01 | 54 | 1470 | 10 | <5 | <20 | 11 | <0.01 | <10 | 20 | <10 | 9 | 182 |
| 41 | 164095 | 0.4 | 0.30 | 10 | 120 | <5 | 0.06 | 5 | 30 | 56 | 163 | 4.03 | 30 | 0.08 | 637 | 9 | 0.01 | 86 | 680 | 8 | <5 | <20 | 4 | <0.01 | <10 | 6 | <10 | 10 | 283 |
| 42 | 164096 | 0.4 | 0.29 | 10 | 135 | <5 | 0.07 | 5 | 36 | 66 | 206 | 4.44 | 20 | 0.08 | 672 | 6 | 0.01 | 106 | 970 | <2 | <5 | <20 | 8 | <0.01 | <10 | 10 | <10 | 12 | 268 |
| 43 | 164097 | <0.2 | 0.82 | <5 | 30 | <5 | 0.03 | <1 | 6 | 85 | 23 | 2.86 | 20 | 0.37 | 53 | 6 | 0.01 | 14 | 360 | 10 | <5 | <20 | 16 | <0.01 | <10 | 6 | <10 | 3 | 44 |
| 44 | 164098 | <0.2 | 0.72 | <5 | 35 | <5 | 0.03 | <1 | 7 | 99 | 23 | 2.79 | 20 | 0.28 | 44 | <1 | 0.01 | 17 | 380 | 12 | <5 | <20 | 9 | <0.01 | <10 | 6 | <10 | 2 | 42 |
| 45 | 164099 | <0.2 | 0.55 | <5 | 45 | <5 | 0.04 | <1 | 9 | 75 | 31 | 3.62 | 20 | 0.17 | 85 | 3 | <0.01 | 26 | 470 | 10 | <5 | <20 | 8 | <0.01 | <10 | 6 | <10 | 3 | 81 |
| 46 | 164100 | <0.2 | 3.34 | <5 | 105 | <5 | 1.16 | <1 | 60 | 226 | 69 | 9.06 | 30 | 1.92 | 1528 | <1 | 0.02 | 163 | 1530 | 12 | <5 | <20 | 18 | 0.02 | <10 | 167 | <10 | 14 | 113 |
| 47 | 164101 | <0.2 | 2.48 | <5 | 120 | <5 | 0.38 | <1 | 62 | 114 | 102 | 8.48 | 30 | 1.17 | 1602 | <1 | 0.02 | 117 | 1790 | 8 | <5 | <20 | 18 | 0.02 | <10 | 94 | <10 | 13 | 101 |
| 48 | 164102 | <0.2 | 3.00 | <5 | 125 | <5 | 0.46 | <1 | 49 | 90 | 82 | 8.60 | 40 | 1.45 | 1418 | <1 | 0.02 | 86 | 2060 | 10 | <5 | <20 | 25 | 0.03 | <10 | 131 | <10 | 14 | 112 |
| 49 | 164103 | <0.2 | 2.62 | <5 | <5 | <5 | 0.41 | 6 | 44 | 81 | 87 | 7.69 | 30 | 1.22 | 1248 | 22 | <0.01 | 113 | 1800 | <2 | 110 | <20 | 50 | 0.03 | <10 | 167 | <10 | 44 | 105 |
| 50 | 164104 | <0.2 | 2.25 | <5 | 110 | <5 | 0.37 | <1 | 45 | 72 | 81 | 7.74 | 40 | 0.98 | 1649 | <1 | 0.02 | 63 | 1840 | 8 | <5 | <20 | 19 | 0.02 | <10 | 73 | <10 | 14 | 108 |
| 51 | 164105 | <0.2 | 2.35 | <5 | 90 | <5 | 0.50 | <1 | 59 | 90 | 102 | 8.83 | 30 | 1.07 | 1275 | <1 | 0.02 | 97 | 1780 | 6 | <5 | <20 | 19 | 0.03 | <10 | 92 | <10 | 14 | 114 |
| 52 | 164106 | <0.2 | 2.09 | <5 | <5 | <5 | 0.44 | 10 | 49 | 80 | 103 | 7.91 | 20 | 0.91 | 1130 | 6 | <0.01 | 126 | 1220 | <2 | 50 | <20 | 25 | 0.02 | <10 | 135 | <10 | 59 | 102 |
| 53 | 164107 | <0.2 | 1.08 | <5 | <5 | <5 | 0.23 | 17 | 32 | 53 | 88 | 4.02 | 10 | 0.04 | 585 | 45 | <0.01 | 31 | 1180 | 36 | <5 | <20 | 15 | 0.02 | <10 | 282 | <10 | 150 | 50 |
| 54 | 164108 | <0.2 | 1.43 | <5 | 85 | <5 | 0.40 | <1 | 64 | 73 | 98 | >10 | 40 | 0.60 | 1366 | <1 | 0.03 | 58 | 2620 | <2 | <5 | <20 | 22 | 0.02 | <10 | 56 | <10 | 12 | 123 |
| 55 | 164109 | <0.2 | 2.58 | <5 | 75 | <5 | 0.45 | <1 | 81 | 70 | 73 | >10 | 20 | 1.31 | 1635 | <1 | 0.02 | 60 | 2250 | 8 | <5 | <20 | 24 | 0.02 | <10 | 86 | <10 | 9 | 128 |
| 56 | 164110 | <0.2 | 2.61 | 10 | 75 | <5 | 0.27 | <1 | 41 | 74 | 98 | >10 | 20 | 1.31 | 486 | <1 | 0.08 | 57 | 2050 | 6 | <5 | <20 | 102 | 0.02 | <10 | 106 | <10 | 8 | 134 |
| 57 | 164111 | <0.2 | 2.58 | <5 | 70 | <5 | 0.24 | <1 | 45 | 76 | 89 | >10 | 20 | 1.20 | 194 | <1 | 0.03 | 66 | 2200 | 10 | <5 | <20 | 84 | 0.02 | <10 | 80 | <10 | 9 | 134 |
| 58 | 164112 | <0.2 | 1.31 | <5 | 50 | <5 | 0.06 | <1 | 11 | 108 | 36 | 4.34 | 20 | 0.59 | 90 | 4 | 0.01 | 21 | 540 | 8 | <5 | <20 | 18 | <0.01 | <10 | 17 | <10 | 3 | 64 |
| 59 | 164113 | <0.2 | 0.91 | 15 | 155 | <5 | 0.30 | <1 | 58 | 86 | 117 | 7.10 | 20 | 0.24 | 1343 | <1 | <0.01 | 225 | 1420 | 14 | <5 | <20 | 11 | 0.01 | <10 | 24 | <10 | 13 | 135 |
| 60 | 164114 | <0.2 | 3.40 | 5 | 65 | <5 | 1.18 | <1 | 52 | 87 | 66 | 8.45 | 30 | 1.91 | 1057 | <1 | 0.01 | 79 | 1190 | 18 | <5 | <20 | 30 | 0.02 | <10 | 182 | <10 | 14 | 113 |
| 61 | 164115 | <0.2 | 3.30 | <5 | 70 | <5 | 0.35 | <1 | 54 | 154 | 87 | 8.10 | 30 | 1.90 | 1206 | <1 | 0.02 | 126 | 1450 | 14 | <5 | <20 | 14 | 0.01 | <10 | 148 | <10 | 11 | 98 |
| 62 | 164116 | <0.2 | 0.52 | 5 | 45 | <5 | 0.03 | <1 | 11 | 94 | 42 | 4.23 | 20 | 0.13 | 75 | 7 | 0.01 | 33 | 580 | 28 | <5 | <20 | 12 | <0.01 | <10 | 6 | <10 | 3 | 68 |
| 63 | 164117 | <0.2 | 0.61 | 5 | 35 | <5 | 0.03 | <1 | 11 | 80 | 67 | 5.19 | 20 | 0.17 | 39 | 2 | <0.01 | 37 | 940 | 16 | <5 | <20 | 14 | <0.01 | <10 | 5 | <10 | 3 | 78 |
| 64 | 164118 | <0.2 | 0.56 | <5 | 45 | <5 | 0.03 | <1 | 9 | 88 | 32 | 3.29 | 20 | 0.16 | 31 | 7 | 0.01 | 29 | 450 | 44 | <5 | <20 | 11 | <0.01 | <10 | 5 | <10 | 3 | 69 |
| 65 | 164119 | <0.2 | 0.65 | <5 | 30 | <5 | 0.02 | <1 | 14 | 67 | 42 | 3.53 | 20 | 0.21 | 103 | 1 | <0.01 | 32 | 410 | 10 | <5 | <20 | 7 | <0.01 | <10 | 5 | <10 | 3 | 64 |
| 66 | 164120 | <0.2 | 0.65 | <5 | 30 | <5 | 0.05 | <1 | 26 | 75 | 49 | 4.15 | 20 | 0.24 | 185 | 5 | 0.01 | 52 | 470 | 8 | <5 | <20 | 5 | <0.01 | <10 | 5 | <10 | 4 | 89 |
| 67 | 164121 | <0.2 | 0.60 | <5 | 25 | <5 | 0.04 | <1 | 19 | 74 | 53 | 4.38 | 20 | 0.23 | 128 | <1 | <0.01 | 38 | 450 | 6 | <5 | <20 | 5 | <0.01 | <10 | 5 | <10 | 3 | 86 |
| 68 | 164122 | <0.2 | 0.44 | <5 | 40 | <5 | 0.04 | <1 | 10 | 118 | 21 | 3.14 | 20 | 0.13 | 83 | 10 | 0.01 | 23 | 370 | 14 | <5 | <20 | 16 | <0.01 | <10 | 4 | <10 | 3 | 51 |
| 69 | 164123 | <0.2 | 0.52 | 10 | 30 | <5 | 0.06 | <1 | 19 | 97 | 42 | 3.86 | 20 | 0.18 | 178 | 5 | <0.01 | 53 | 610 | 8 | <5 | <20 | 10 | <0.01 | <10 | 7 | <10 | 4 | 66 |
| 70 | 164124 | <0.2 | 0.44 | <5 | 30 | <5 | 0.05 | <1 | 21 | 112 | 75 | 5.06 | 10 | 0.13 | 205 | 10 | 0.01 | 65 | 700 | 6 | <5 | <20 | 13 | <0.01 | <10 | 8 | <10 | 3 | 78 |

QC DATA:**Resplit:**

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|--------|------|------|-----|-----|----|------|----|----|-----|-----|------|----|------|------|----|-------|-----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | 164055 | <0.2 | 0.18 | 160 | 30 | <5 | 0.02 | <1 | 7 | 142 | 14 | 1.86 | 20 | 0.03 | 67 | 9 | <0.01 | 18 | 250 | 16 | <5 | <20 | 3 | <0.01 | <10 | 4 | <10 | 3 | 22 |
| 36 | 164090 | <0.2 | 0.41 | 120 | 125 | <5 | 3.21 | <1 | 89 | 137 | 136 | >10 | 20 | 0.35 | 2859 | <1 | 0.02 | 337 | 1660 | <2 | 95 | <20 | <1 | 0.02 | <10 | 33 | <10 | 12 | 165 |

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|--------|------|------|-----|-----|----|------|----|----|-----|-----|------|----|------|------|----|-------|-----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | 164055 | <0.2 | 0.22 | 135 | 40 | <5 | 0.01 | <1 | 7 | 146 | 14 | 1.79 | 20 | 0.03 | 58 | 10 | <0.01 | 17 | 230 | 16 | <5 | <20 | 3 | <0.01 | <10 | 4 | <10 | 3 | 20 |
| 10 | 164064 | <0.2 | 0.31 | 30 | 115 | <5 | 0.13 | <1 | 25 | 72 | 49 | 4.97 | 30 | 0.09 | 766 | 4 | 0.02 | 88 | 870 | <2 | <5 | <20 | 9 | <0.01 | <10 | 6 | <10 | 6 | 179 |
| 19 | 164073 | <0.2 | 0.29 | 20 | 80 | <5 | 0.07 | <1 | 17 | 120 | 97 | 3.31 | 20 | 0.06 | 166 | 9 | 0.01 | 75 | 750 | 16 | <5 | <20 | 15 | <0.01 | <10 | 12 | <10 | 9 | 160 |
| 36 | 164090 | <0.2 | 0.45 | 110 | 135 | <5 | 3.24 | <1 | 88 | 143 | 131 | >10 | 20 | 0.34 | 2715 | <1 | 0.02 | 341 | 1830 | <2 | 85 | <20 | <1 | 0.02 | <10 | 33 | <10 | 12 | 163 |
| 45 | 164099 | <0.2 | 0.56 | <5 | 45 | <5 | 0.03 | <1 | 9 | 75 | 31 | 3.62 | 20 | 0.17 | 85 | 3 | <0.01 | 27 | 460 | 10 | <5 | <20 | 8 | <0.01 | <10 | 6 | <10 | 3 | 81 |

54 684108 1.39 <5 80 <5 0.39 <1 62 71 96 >10 30 0.58 76 <1 0.03 56 2410 2 <5 <20 22 0.02 <10 55 <10 119

INTERNATIONAL WA. SIDE GOLD MINES LTD.

ICP CERTIFICATE OF ANALYSIS AK 2004-1137

ECO TECH LABORATORY LTD.

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|------------------|-------|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.5 | 1.68 | 60 | 135 | <5 | 1.60 | <1 | 20 | 60 | 86 | 3.60 | <10 | 0.95 | 610 | 1 | 0.02 | 30 | 660 | 22 | <5 | <20 | 43 | 0.08 | <10 | 57 | <10 | 10 | 74 |
| GEO '04 | | 1.4 | 1.83 | 65 | 120 | <5 | 1.54 | <1 | 19 | 57 | 87 | 3.66 | <10 | 0.92 | 592 | <1 | 0.02 | 30 | 600 | 20 | <5 | <20 | 42 | 0.09 | <10 | 55 | <10 | 9 | 75 |

JJ/m
df/1137
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-1138

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

02-Sep-04

No. of samples received: 2
Sample type: Rock
Project #: Cow Channel 2
Samples Submitted by: J. McAllister

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 164189 | 0.03 | 0.001 |
| 2 | 164190 | 0.29 | 0.008 |

QC DATA:

Repeat:

| | | | |
|---|--------|------|-------|
| 1 | 164189 | 0.06 | 0.002 |
| 2 | 164190 | 0.22 | 0.006 |

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.89 | 0.055 |
|-------|------|-------|

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04

02-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1138

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 2
Sample type: Rock
Project #: Cow Channel 2
Shipment #: None Given
Samples submitted by: J. McAllister

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|-----|----|----|-------|----|----|-----|----|------|----|------|-----|----|-------|----|-----|----|----|-----|----|-------|-----|---|-----|---|----|
| 1 | 184189 | <0.2 | 0.26 | 40 | 60 | <5 | <0.01 | <1 | 18 | 92 | 40 | 4.84 | 40 | 0.08 | 544 | 10 | <0.01 | 28 | 470 | 8 | <5 | <20 | 2 | <0.01 | <10 | 4 | <10 | 5 | 52 |
| 2 | 184190 | <0.2 | 0.17 | 100 | 30 | <5 | <0.01 | <1 | 8 | 118 | 13 | 3.60 | 20 | 0.06 | 176 | 5 | <0.01 | 15 | 370 | 6 | <5 | <20 | 1 | <0.01 | <10 | 2 | <10 | 3 | 32 |

QC DATA:

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|------|------|----|----|----|-------|----|----|----|----|------|----|------|-----|---|-------|----|-----|---|----|-----|---|-------|-----|---|-----|---|----|
| 1 | | <0.2 | 0.21 | 40 | 55 | <5 | <0.01 | <1 | 17 | 88 | 38 | 4.83 | 30 | 0.08 | 457 | 5 | <0.01 | 27 | 460 | 8 | <5 | <20 | 2 | <0.01 | <10 | 3 | <10 | 4 | 36 |
|---|--|------|------|----|----|----|-------|----|----|----|----|------|----|------|-----|---|-------|----|-----|---|----|-----|---|-------|-----|---|-----|---|----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|--|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|---|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | | 1.4 | 1.64 | 55 | 135 | <5 | 1.76 | <1 | 20 | 58 | 85 | 3.43 | 10 | 0.97 | 606 | 1 | 0.02 | 30 | 650 | 22 | <5 | <20 | 40 | 0.26 | <10 | 53 | <10 | 9 | 74 |
|---------|--|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|---|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|

ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

JJ/ac
dt/1148
XLS/04

CERTIFICATE OF ASSAY AK 2004-1139

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

02-Sep-04

No. of samples received: 4
Sample type: Rock
Project #: Cow Channel 2
Samples Submitted by: J. McAllister

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 164191 | <0.03 | <0.001 |
| 2 | 164192 | <0.03 | <0.001 |
| 3 | 164193 | <0.03 | <0.001 |
| 4 | 164194 | 0.04 | 0.001 |

QC DATA:

Resplit:

| | | | |
|---|--------|-------|--------|
| 1 | 164191 | <0.03 | <0.001 |
|---|--------|-------|--------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.89 | 0.055 |
|-------|------|-------|

ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

JJ/jm
XLS/04

02-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1138

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 4
Sample type: Rock
Project #: Cow Channel 2
Shipment #: None Given
Samples submitted by: J. McAllister

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|----|----|----|------|----|----|----|----|------|----|------|------|----|-------|----|-----|----|----|-----|----|-------|-----|---|-----|---|----|
| 1 | 164191 | <0.2 | 0.28 | 35 | 40 | <5 | 0.01 | <1 | 28 | 47 | 41 | 5.53 | 20 | 0.11 | 921 | <1 | <0.01 | 34 | 550 | <2 | <5 | <20 | 2 | <0.01 | <10 | 4 | <10 | 2 | 68 |
| 2 | 164192 | <0.2 | 0.22 | 40 | 45 | <5 | 0.01 | <1 | 23 | 69 | 43 | 5.01 | 20 | 0.10 | 1273 | <1 | <0.01 | 32 | 430 | <2 | <5 | <20 | 2 | <0.01 | <10 | 4 | <10 | 2 | 47 |
| 3 | 164193 | 0.2 | 0.41 | 35 | 30 | <5 | 0.02 | <1 | 30 | 34 | 44 | 6.21 | 30 | 0.19 | 868 | <1 | <0.01 | 36 | 700 | <2 | <5 | <20 | 2 | <0.01 | <10 | 5 | <10 | 3 | 86 |
| 4 | 164194 | <0.2 | 0.66 | 45 | 35 | <5 | 0.02 | <1 | 22 | 72 | 28 | 5.34 | 30 | 0.25 | 892 | 4 | 0.01 | 30 | 500 | 10 | <5 | <20 | 4 | <0.01 | <10 | 9 | <10 | 3 | 74 |

QC DATA:

Repsplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|------|------|----|----|----|------|----|----|----|----|------|----|------|------|----|-------|----|-----|----|----|-----|---|-------|-----|---|-----|---|----|
| 1 | 164191 | <0.2 | 0.27 | 40 | 40 | <5 | 0.01 | <1 | 29 | 36 | 40 | 5.75 | 20 | 0.12 | 1018 | <1 | <0.01 | 36 | 590 | <2 | <5 | <20 | 2 | <0.01 | <10 | 3 | <10 | 3 | 71 |
|---|--------|------|------|----|----|----|------|----|----|----|----|------|----|------|------|----|-------|----|-----|----|----|-----|---|-------|-----|---|-----|---|----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|--|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|---|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO 04 | | 1.4 | 1.64 | 55 | 155 | <5 | 1.76 | <1 | 20 | 58 | 85 | 3.83 | 10 | 0.97 | 606 | 1 | 0.02 | 30 | 650 | 22 | <5 | <20 | 40 | 0.10 | <10 | 53 | <10 | 9 | 74 |
|--------|--|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|---|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/jm
dt/1148
XLS/04

CERTIFICATE OF ASSAY AK 2004-1140

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

03-Sep-04

No. of samples received: 37

Sample type: Rock

Project #: BR2 Trench

Samples Submitted by: J. McAllister

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 164125 | <0.03 | <0.001 |
| 2 | 164126 | <0.03 | <0.001 |
| 3 | 164127 | <0.03 | <0.001 |
| 4 | 164128 | <0.03 | <0.001 |
| 5 | 164129 | <0.03 | <0.001 |
| 6 | 164130 | <0.03 | <0.001 |
| 7 | 164131 | <0.03 | <0.001 |
| 8 | 164132 | <0.03 | <0.001 |
| 9 | 164133 | <0.03 | <0.001 |
| 10 | 164134 | <0.03 | <0.001 |
| 11 | 164135 | <0.03 | <0.001 |
| 12 | 164136 | <0.03 | <0.001 |
| 13 | 164137 | <0.03 | <0.001 |
| 14 | 164138 | <0.03 | <0.001 |
| 15 | 164139 | <0.03 | <0.001 |
| 16 | 164140 | <0.03 | <0.001 |
| 17 | 164141 | <0.03 | <0.001 |
| 18 | 164142 | <0.03 | <0.001 |
| 19 | 164143 | <0.03 | <0.001 |
| 20 | 164144 | <0.03 | <0.001 |
| 21 | 164145 | <0.03 | <0.001 |
| 22 | 164146 | <0.03 | <0.001 |
| 23 | 164147 | <0.03 | <0.001 |
| 24 | 164148 | <0.03 | <0.001 |
| 25 | 164149 | <0.03 | <0.001 |
| 26 | 164150 | <0.03 | <0.001 |
| 27 | 164151 | <0.03 | <0.001 |
| 28 | 164152 | <0.03 | <0.001 |
| 29 | 164153 | <0.03 | <0.001 |
| 30 | 164154 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

INTERNATIONAL WAYSIDE GOLD MINES LTD. AK4-1140

03-Sep-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 31 | 164155 | <0.03 | <0.001 |
| 32 | 164156 | <0.03 | <0.001 |
| 33 | 164157 | <0.03 | <0.001 |
| 34 | 164158 | <0.03 | <0.001 |
| 35 | 164159 | <0.03 | <0.001 |
| 36 | 164160 | <0.03 | <0.001 |
| 37 | 164161 | <0.03 | <0.001 |

QC DATA:**Repeat:**

| | | | |
|----|--------|-------|--------|
| 1 | 164125 | <0.03 | <0.001 |
| 10 | 164134 | <0.03 | <0.001 |
| 19 | 164143 | <0.03 | <0.001 |

Resplit:

| | | | |
|----|--------|-------|--------|
| 1 | 164125 | <0.03 | <0.001 |
| 36 | 164160 | <0.03 | <0.001 |

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.87 | 0.055 |
| OX123 | 1.83 | 0.053 |

10-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1140

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 37

Sample type: Rock

Project #: BR2 Trench

Samples Submitted by: J. McAllister

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|----|-----|----|------|----|-----|-----|-----|------|----|------|------|----|-------|-----|------|----|----|-----|----|------|-----|-----|-----|----|-----|
| 1 | 164125 | <0.2 | 3.39 | 10 | 110 | <5 | 0.18 | <1 | 75 | 582 | 107 | >10 | 40 | 2.55 | 1629 | <1 | <0.01 | 391 | 1190 | 8 | <5 | <20 | 17 | 0.08 | <10 | 101 | <10 | 9 | 166 |
| 2 | 164126 | <0.2 | 2.25 | 10 | 205 | <5 | 0.45 | <1 | 79 | 186 | 100 | >10 | 30 | 1.12 | 1750 | <1 | <0.01 | 276 | 1770 | 8 | <5 | <20 | 30 | 0.08 | <10 | 42 | <10 | 9 | 120 |
| 3 | 164127 | <0.2 | 1.74 | 20 | 65 | <5 | 0.26 | <1 | 46 | 127 | 48 | 8.47 | 30 | 1.07 | 883 | <1 | <0.01 | 141 | 1270 | 4 | <5 | <20 | 16 | 0.05 | <10 | 31 | <10 | 6 | 126 |
| 4 | 164128 | <0.2 | 0.76 | <5 | 70 | <5 | 0.12 | <1 | 25 | 52 | 37 | 5.24 | 30 | 0.41 | 463 | <1 | <0.01 | 57 | 540 | 14 | <5 | <20 | 9 | 0.03 | <10 | 7 | <10 | 4 | 96 |
| 5 | 164129 | <0.2 | 2.12 | 25 | 140 | <5 | 0.23 | <1 | 67 | 233 | 83 | >10 | 30 | 1.06 | 1349 | <1 | <0.01 | 219 | 1300 | 4 | <5 | <20 | 16 | 0.07 | <10 | 87 | <10 | 6 | 129 |
| 6 | 164130 | <0.2 | 0.70 | 15 | 180 | <5 | 0.21 | <1 | 74 | 96 | 90 | >10 | 30 | 0.32 | 2216 | <1 | 0.01 | 218 | 1510 | <2 | <5 | <20 | 16 | 0.08 | <10 | 21 | <10 | 6 | 122 |
| 7 | 164131 | <0.2 | 0.38 | <5 | 135 | <5 | 0.07 | <1 | 18 | 81 | 20 | 4.10 | 30 | 0.10 | 393 | 4 | <0.01 | 48 | 410 | 14 | <5 | <20 | 6 | 0.02 | <10 | 3 | <10 | 4 | 75 |
| 8 | 164132 | <0.2 | 0.36 | <5 | 120 | <5 | 0.06 | <1 | 15 | 109 | 18 | 3.93 | 30 | 0.09 | 189 | 8 | 0.01 | 38 | 380 | 10 | <5 | <20 | 8 | 0.02 | <10 | 4 | <10 | 4 | 74 |
| 9 | 164133 | <0.2 | 0.40 | <5 | 105 | <5 | 0.06 | <1 | 19 | 79 | 29 | 4.19 | 30 | 0.13 | 597 | 4 | <0.01 | 42 | 370 | 8 | <5 | <20 | 8 | 0.03 | <10 | 5 | <10 | 4 | 75 |
| 10 | 164134 | <0.2 | 0.41 | <5 | 110 | <5 | 0.07 | <1 | 17 | 91 | 22 | 4.23 | 30 | 0.12 | 290 | 5 | <0.01 | 44 | 410 | 8 | <5 | <20 | 6 | 0.02 | <10 | 4 | <10 | 4 | 78 |
| 11 | 164135 | <0.2 | 0.23 | <5 | 60 | <5 | 0.07 | <1 | 9 | 42 | 16 | 2.27 | 30 | 0.07 | 69 | 4 | <0.01 | 24 | 370 | 20 | <5 | <20 | 6 | 0.01 | <10 | 3 | <10 | 4 | 89 |
| 12 | 164136 | <0.2 | 0.27 | <5 | 75 | <5 | 0.09 | <1 | 14 | 47 | 35 | 3.49 | 30 | 0.13 | 174 | 2 | <0.01 | 34 | 490 | 26 | <5 | <20 | 5 | 0.02 | <10 | 3 | <10 | 5 | 81 |
| 13 | 164137 | <0.2 | 0.47 | <5 | 70 | <5 | 0.07 | <1 | 14 | 69 | 24 | 3.25 | 20 | 0.25 | 130 | 5 | <0.01 | 27 | 350 | 26 | <5 | <20 | 5 | 0.02 | <10 | 3 | <10 | 4 | 69 |
| 14 | 164138 | <0.2 | 0.48 | <5 | 60 | <5 | 0.07 | <1 | 13 | 44 | 17 | 3.14 | 30 | 0.24 | 193 | 1 | <0.01 | 24 | 320 | 10 | <5 | <20 | 4 | 0.02 | <10 | 3 | <10 | 4 | 66 |
| 15 | 164139 | <0.2 | 0.69 | <5 | 115 | <5 | 0.08 | <1 | 18 | 97 | 20 | 3.40 | 30 | 0.31 | 441 | 7 | <0.01 | 39 | 360 | 12 | <5 | <20 | 6 | 0.02 | <10 | 5 | <10 | 4 | 69 |
| 16 | 164140 | <0.2 | 0.39 | <5 | 100 | <5 | 0.10 | <1 | 22 | 47 | 21 | 3.83 | 30 | 0.18 | 737 | 2 | <0.01 | 55 | 550 | 28 | <5 | <20 | 6 | 0.02 | <10 | 4 | <10 | 7 | 55 |
| 17 | 164141 | <0.2 | 0.67 | 40 | 215 | <5 | 0.12 | <1 | 68 | 99 | 77 | >10 | 40 | 0.39 | 2697 | <1 | <0.01 | 292 | 840 | 18 | <5 | <20 | 11 | 0.07 | <10 | 17 | <10 | 14 | 113 |
| 18 | 164142 | <0.2 | 2.26 | 65 | 220 | <5 | 0.29 | <1 | 117 | 385 | 121 | >10 | 50 | 1.44 | 2697 | <1 | <0.01 | 564 | 1470 | 4 | <5 | <20 | 22 | 0.11 | <10 | 82 | <10 | 19 | 184 |
| 19 | 164143 | <0.2 | 2.49 | 75 | 225 | <5 | 0.32 | <1 | 167 | 627 | 137 | >10 | 40 | 1.33 | 2575 | <1 | 0.02 | 644 | 1380 | 2 | <5 | <20 | 22 | 0.10 | <10 | 118 | <10 | 9 | 155 |
| 20 | 164144 | <0.2 | 2.02 | 50 | 140 | <5 | 0.19 | <1 | 129 | 731 | 161 | >10 | 30 | 1.13 | 1932 | <1 | 0.02 | 514 | 820 | 2 | <5 | <20 | 14 | 0.08 | <10 | 109 | <10 | 7 | 134 |
| 21 | 164145 | <0.2 | 1.45 | 25 | 205 | <5 | 0.32 | <1 | 142 | 429 | 108 | 9.81 | 30 | 0.66 | 2489 | <1 | 0.03 | 624 | 1340 | <2 | <5 | <20 | 23 | 0.07 | <10 | 68 | <10 | 10 | 115 |
| 22 | 164146 | <0.2 | 0.92 | 10 | 190 | <5 | 0.50 | <1 | 100 | 161 | 87 | >10 | 40 | 0.51 | 2311 | <1 | 0.02 | 419 | 1420 | 4 | <5 | <20 | 27 | 0.08 | <10 | 53 | <10 | 13 | 112 |
| 23 | 164147 | <0.2 | 2.88 | <5 | 165 | <5 | 1.92 | <1 | 94 | 412 | 105 | >10 | 30 | 1.79 | 1536 | <1 | 0.02 | 351 | 1700 | 4 | <5 | <20 | 20 | 0.08 | <10 | 97 | <10 | 9 | 147 |
| 24 | 164148 | <0.2 | 1.74 | <5 | 185 | <5 | 0.40 | 1 | 92 | 228 | 87 | >10 | 60 | 1.03 | 2385 | <1 | 0.01 | 294 | 1530 | <2 | <5 | <20 | 28 | 0.10 | <10 | 52 | <10 | 17 | 133 |
| 25 | 164149 | <0.2 | 3.53 | <5 | 180 | <5 | 0.39 | 1 | 99 | 380 | 110 | >10 | 70 | 1.99 | 1766 | <1 | 0.02 | 436 | 1210 | 2 | <5 | <20 | 28 | 0.11 | <10 | 126 | <10 | 13 | 199 |
| 26 | 164150 | <0.2 | 2.12 | <5 | 170 | <5 | 0.44 | 1 | 82 | 347 | 74 | >10 | 40 | 1.14 | 2526 | <1 | 0.01 | 423 | 1280 | <2 | <5 | <20 | 30 | 0.11 | <10 | 78 | <10 | 20 | 153 |
| 27 | 164151 | <0.2 | 2.61 | <5 | 150 | <5 | 0.36 | 1 | 71 | 373 | 108 | >10 | 40 | 1.72 | 2653 | <1 | 0.01 | 345 | 1260 | <2 | <5 | <20 | 27 | 0.11 | <10 | 125 | <10 | 13 | 200 |
| 28 | 164152 | <0.2 | 2.70 | <5 | 155 | <5 | 1.04 | 1 | 123 | 505 | 145 | >10 | 50 | 1.89 | 2329 | <1 | 0.01 | 562 | 1170 | <2 | <5 | <20 | 23 | 0.12 | <10 | 113 | <10 | 14 | 217 |
| 29 | 164153 | <0.2 | 1.38 | <5 | 135 | <5 | 0.32 | <1 | 126 | 292 | 97 | >10 | 40 | 0.80 | 2007 | <1 | 0.03 | 454 | 1510 | <2 | <5 | <20 | 22 | 0.08 | <10 | 69 | <10 | 13 | 110 |
| 30 | 164154 | <0.2 | 1.65 | <5 | 120 | <5 | 0.28 | <1 | 99 | 280 | 118 | >10 | 30 | 1.00 | 1590 | <1 | 0.02 | 267 | 1370 | <2 | <5 | <20 | 19 | 0.08 | <10 | 99 | <10 | 9 | 94 |

ROAD

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|------------------|--------|------|------|----|-----|----|------|----|-----|-----|-----|------|-----|------|------|----|-------|-----|------|----|----|-----|----|-------|-----|-----|-----|----|-----|
| 31 | 164155 | <0.2 | 1.13 | 10 | 145 | <5 | 0.18 | <1 | 128 | 327 | 112 | >10 | 30 | 0.76 | 2370 | <1 | 0.02 | 507 | 1100 | <2 | <5 | <20 | 14 | 0.09 | <10 | 62 | <10 | 14 | 88 |
| 32 | 164156 | <0.2 | 2.44 | <5 | 145 | <5 | 0.37 | <1 | 84 | 372 | 117 | >10 | 40 | 1.48 | 1832 | <1 | 0.02 | 374 | 1560 | <2 | <5 | <20 | 26 | 0.08 | <10 | 92 | <10 | 9 | 110 |
| 33 | 164157 | <0.2 | 1.78 | <5 | 155 | <5 | 0.35 | <1 | 69 | 229 | 127 | >10 | 40 | 1.02 | 1593 | <1 | 0.03 | 238 | 1570 | <2 | <5 | <20 | 25 | 0.08 | <10 | 67 | <10 | 9 | 105 |
| 34 | 164158 | <0.2 | 1.35 | <5 | 185 | <5 | 0.19 | 2 | 116 | 320 | 149 | >10 | 40 | 0.94 | 2621 | <1 | 0.01 | 405 | 1050 | <2 | <5 | <20 | 16 | 0.11 | <10 | 60 | <10 | 18 | 126 |
| 35 | 164159 | <0.2 | 1.02 | <5 | 140 | <5 | 0.28 | <1 | 73 | 153 | 124 | >10 | 30 | 0.59 | 1979 | <1 | 0.02 | 196 | 1590 | <2 | <5 | <20 | 20 | 0.08 | <10 | 34 | <10 | 15 | 94 |
| 36 | 164160 | <0.2 | 2.83 | <5 | 130 | <5 | 0.30 | <1 | 63 | 305 | 126 | >10 | 30 | 2.02 | 1683 | <1 | <0.01 | 300 | 1300 | 2 | <5 | <20 | 22 | <0.01 | <10 | 66 | <10 | 12 | 108 |
| 37 | 164161 | <0.2 | 2.89 | <5 | 120 | <5 | 0.30 | <1 | 62 | 308 | 125 | >10 | 30 | 2.09 | 1686 | <1 | <0.01 | 301 | 1320 | 2 | <5 | <20 | 19 | <0.01 | <10 | 67 | <10 | 12 | 110 |
| QC DATA: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Resplit: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 164125 | <0.2 | 3.66 | 10 | 95 | <5 | 0.20 | <1 | 78 | 594 | 113 | >10 | 40 | 2.76 | 1707 | <1 | <0.01 | 404 | 1130 | 8 | <5 | <20 | 17 | 0.09 | <10 | 109 | <10 | 9 | 170 |
| 36 | 164160 | <0.2 | 1.89 | <5 | 120 | <5 | 0.33 | <1 | 64 | 229 | 105 | >10 | 30 | 1.29 | 1422 | <1 | <0.01 | 273 | 1500 | <2 | <5 | <20 | 20 | <0.01 | <10 | 42 | <10 | 11 | 88 |
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 164125 | <0.2 | 3.43 | 5 | 105 | <5 | 0.19 | <1 | 77 | 598 | 106 | >10 | 40 | 2.58 | 1664 | <1 | <0.01 | 398 | 1130 | 8 | <5 | <20 | 16 | 0.08 | <10 | 103 | <10 | 9 | 173 |
| 10 | 164134 | <0.2 | 0.41 | <5 | 110 | <5 | 0.07 | <1 | 17 | 93 | 21 | 4.23 | 30 | 0.12 | 293 | 5 | <0.01 | 44 | 410 | 8 | <5 | <20 | 7 | 0.02 | <10 | 4 | <10 | 4 | 78 |
| 19 | 164143 | <0.2 | 2.57 | 80 | 225 | <5 | 0.32 | <1 | 166 | 634 | 143 | >10 | 40 | 1.38 | 2596 | <1 | 0.02 | 653 | 1340 | 2 | <5 | <20 | 23 | 0.10 | <10 | 120 | <10 | 9 | 155 |
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.4 | 1.96 | 60 | 150 | <5 | 1.91 | <1 | 22 | 61 | 88 | 3.96 | <10 | 1.13 | 712 | 1 | 0.03 | 30 | 670 | 22 | <5 | <20 | 61 | 0.09 | <10 | 64 | <10 | 12 | 75 |
| GEO '04 | | 1.5 | 1.98 | 65 | 155 | <5 | 1.84 | <1 | 22 | 62 | 86 | 4.06 | <10 | 1.11 | 691 | <1 | 0.03 | 30 | 720 | 22 | <5 | <20 | 65 | 0.13 | <10 | 60 | <10 | 12 | 77 |

JJ/jm
df/1193A
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

APPENDIX VIII
ANALYTICAL LABORATORY PROCEDURES

ECO TECH LABORATORY LTD.

Analytical Method

GOLD ASSAY

Samples are sorted and dried (if necessary). A sub sample is pulverized in a ring & puck pulverizer to 95% - 140 mesh. The sample is rolled to homogenize. Concentrates will be processed in our Concentrate sample prep area.

A 10 to 30g sample, run in triplicate, is fire assayed using appropriate fluxes. Concentrate will be fused in a dedicated furnace to ensure no cross contamination. The resultant dore bead is parted and then digested with aqua regia and then analyzed on an AA instrument.

Appropriate standards (Quality Control Components) accompany the samples on the data sheet.

Analytical Procedure Assessment Report

METALLIC GOLD ASSAY

Samples are catalogued and dried. Rock samples are two stage crushed to minus 10 mesh, then split to achieve a 250 gram (approximate) sub sample. The sample is pulverized to 95% -140 mesh. The sample is weighed, then rolled and homogenized and screened at 140 mesh.

The -140 mesh fraction is homogenized and 2 samples are fire assayed for Au. The +140 mesh material is assayed entirely. The resultant fire assay bead is digested with acid and after parting is analyzed on a Perkin Elmer atomic absorption machine using air-acetylene flame to .03 grams/t detection limit.

The entire set of samples is redone if the quality control standard is outside 2 standard deviations or if the blank is greater than .015 g/t.

The values are calculated back to the original sample weight providing a net gold value as well as 2-140 values and a single +140 mesh value.

Results are collated by computer and are printed along with accompanying quality control data (repeats and standards). Results are printed on a laser printer and are faxed and or mailed to the client.

ECO TECH LABORATORY LTD.**Analytical Procedure Assessment Report****SAMPLE PREPARATION**

Samples are catalogued and dried. Soils are prepared by sieving through an 80 mesh screen to obtain a minus 80 mesh fraction. Samples unable to produce adequate minus 80 mesh material are screened at a coarser fraction. These samples are flagged with the relevant mesh. Rock samples are 2 stage crushed to minus 10 mesh and a 250 gram sub sample is pulverized on a ring mill pulverize to -140 mesh. The sub sample is rolled, homogenized and bagged in a pre-numbered bag.

GEOCHEMICAL GOLD ANALYSIS

The sample is weighed to 30 grams and fused along with proper fluxing materials. The bead is digested in aqua regia and analyzed on an atomic absorption instrument. Over-range values for rocks are re-analyzed using gold assay methods.

Appropriate reference materials accompany the samples through the process allowing for quality control assessment. Results are entered and printed along with quality control data (repeats and standards). The data is faxed and/or mailed to the client.

ECO TECH LABORATORY LTD.Analytical Procedure Assessment Report**MULTI ELEMENT ICP ANALYSIS**

A 0.5 gram sample is digested with 3ml of a 3:1:2 (HCl:HN03:H2O) which contains beryllium which acts as an internal standard for 90 minutes in a water bath at 95°C. The sample is then diluted to 10ml with water. The sample is analyzed on a Jarrell Ash ICP unit.

Results are collated by computer and are printed along with accompanying quality control data (repeats and standards). Results are printed on a laser printer and are faxed and/or mailed to the client.

| Detection Limit | | | Detection Limit | | |
|-----------------|--------|-----------|-----------------|-------|-----------|
| | Low | Upper | | Low | Upper |
| Ag | 0.2ppm | 30.0ppm | Fe | 0.01% | 10.00% |
| Al | 0.01% | 10.0% | La | 10ppm | 10,000ppm |
| As | 5ppm | 10,000ppm | Mg | 0.01% | 10.00% |
| Ba | 5ppm | 10,000ppm | Mn | 1ppm | 10,000ppm |
| Bi | 5ppm | 10,000ppm | Mo | 1ppm | 10,000ppm |
| Ca | 0.01% | 10.00% | Na | 0.01% | 10.00% |
| Cd | 1ppm | 10,000ppm | Ni | 1ppm | 10,000ppm |
| Co | 1ppm | 10,000ppm | P | 10ppm | 10,000ppm |
| Cr | 1ppm | 10,000ppm | Pb | 2ppm | 10,000ppm |
| Cu | 1ppm | 10,000ppm | Sb | 5ppm | 10,000ppm |
| | | | | | |
| Sn | 20ppm | 10,000ppm | | | |
| Sr | 1ppm | 10,000ppm | | | |
| Ti | 0.01% | 10.00% | | | |
| U | 10ppm | 10,000ppm | | | |
| V | 1ppm | 10,000ppm | | | |
| Y | 1ppm | 10,000ppm | | | |
| Zn | 1ppm | 10,000ppm | | | |

APPENDIX IX
SOIL GEOCHEMISTRY RESULTS

22-Jul-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-710

INTERNATIONAL WAYSIDE GOLD MINES LTD
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Attention: Jean Pautler

No. of samples received: 2
Sample type: Silt
Project #: IWA Rg
Samples Submitted by: Jean Pautler

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|----------|---------|-----|------|-----|-----|----|------|----|-----|----|----|------|-----|------|------|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| 1 | 163167 F | 15 | 0.4 | 0.57 | 20 | <5 | <5 | 0.05 | 1 | 14 | 65 | 46 | >10 | <10 | 0.38 | <1 | 3 | 0.01 | 16 | 610 | <2 | <5 | <20 | 2 | 0.32 | <10 | 15 | <10 | 17 | 43 |
| 2 | 163172 L | 55 | 0.2 | 1.78 | 145 | 255 | <5 | 0.14 | 2 | 186 | 74 | 65 | >10 | <10 | 0.40 | 5914 | 1 | 0.03 | 54 | 550 | <2 | <5 | <20 | 2 | 0.43 | <10 | 15 | <10 | 16 | 93 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|----------|---|-----|------|----|----|----|------|----|----|----|----|-----|-----|------|----|----|------|----|-----|----|----|-----|---|------|-----|----|-----|----|----|
| 1 | 163167 F | - | 0.4 | 0.58 | 25 | <5 | <5 | 0.05 | <1 | 16 | 72 | 45 | >10 | <10 | 0.41 | <1 | <1 | 0.01 | 15 | 610 | <2 | <5 | <20 | 1 | 0.36 | <10 | 16 | <10 | 20 | 39 |
|---|----------|---|-----|------|----|----|----|------|----|----|----|----|-----|-----|------|----|----|------|----|-----|----|----|-----|---|------|-----|----|-----|----|----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | 140 | 1.4 | 1.55 | 50 | 140 | <5 | 1.44 | <1 | 19 | 56 | 88 | 3.60 | <10 | 0.91 | 554 | <1 | 0.03 | 29 | 600 | 20 | <5 | <20 | 38 | 0.15 | <10 | 66 | <10 | 5 | 69 |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|

JJ/kk
d/706
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-712

INTERNATIONAL WAYSIDE GOLD MINES L.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

Attention: Jean Pautier

No. of samples received: 22
Sample type: Soil
Project #: IWA-Regional
Shipment #: Not Indicated
Samples submitted by: Jean Pautier

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y |
|------------------|--------|---------|------|------|-----|-----|----|------|----|-----|-----|-----|------|----|------|------|----|-------|-----|------|----|----|-----|----|------|-----|----|-----|----|
| 1 | 183055 | 5 | <0.2 | 1.11 | 25 | 105 | <5 | 0.21 | <1 | 71 | 115 | 164 | >10 | 30 | 0.76 | 2338 | <1 | 0.01 | 275 | 880 | 10 | <5 | <20 | 8 | 0.18 | <10 | 33 | <10 | 15 |
| 2 | 183056 | <5 | 0.2 | 2.26 | 5 | 110 | <5 | 0.33 | <1 | 85 | 367 | 120 | >10 | 20 | 1.19 | 1432 | <1 | 0.01 | 422 | 940 | 10 | <5 | <20 | 15 | 0.17 | <10 | 58 | <10 | 10 |
| 3 | 183057 | 155 | <0.2 | 0.85 | 5 | 55 | <5 | 0.18 | <1 | 104 | 107 | 108 | >10 | 20 | 0.61 | 1964 | <1 | <0.01 | 333 | 790 | 6 | <5 | <20 | 8 | 0.16 | <10 | 36 | <10 | 13 |
| 4 | 183063 | 30 | 0.6 | 0.87 | 15 | 110 | <5 | 0.10 | <1 | 27 | 30 | 95 | 4.03 | 20 | 0.36 | 347 | 2 | <0.01 | 53 | 710 | 12 | <5 | <20 | 16 | 0.08 | <10 | 29 | <10 | 7 |
| 5 | 183066 | 10 | 0.3 | 0.95 | 15 | 120 | <5 | 0.11 | 1 | 25 | 27 | 83 | 4.47 | 20 | 0.34 | 824 | 3 | <0.01 | 66 | 640 | 22 | <5 | <20 | 8 | 0.10 | <10 | 25 | <10 | 5 |
| 6 | 183067 | 20 | <0.2 | 0.48 | 15 | 20 | <5 | 0.17 | <1 | 29 | 17 | 70 | 4.66 | 30 | 0.25 | 697 | 1 | <0.01 | 33 | 560 | 6 | <5 | <20 | 7 | 0.07 | <10 | 7 | <10 | 9 |
| 7 | 183069 | 35 | 0.2 | 0.84 | 10 | 55 | <5 | 0.17 | <1 | 25 | 19 | 36 | 3.58 | 20 | 0.28 | 546 | <1 | 0.01 | 24 | 520 | 16 | <5 | <20 | 10 | 0.08 | <10 | 17 | <10 | 7 |
| 8 | 183070 | 125 | 0.2 | 0.86 | 20 | 50 | <5 | 0.26 | <1 | 21 | 24 | 41 | 4.05 | 20 | 0.38 | 444 | <1 | 0.02 | 33 | 590 | 16 | <5 | <20 | 17 | 0.11 | <10 | 23 | <10 | 8 |
| 9 | 183071 | 185 | 0.5 | 0.56 | 30 | 30 | <5 | 0.10 | <1 | 30 | 22 | 60 | 5.32 | 20 | 0.25 | 737 | 1 | <0.01 | 59 | 740 | 18 | <5 | <20 | 14 | 0.09 | <10 | 13 | <10 | 9 |
| 10 | 183072 | 15 | <0.2 | 0.36 | 5 | 120 | <5 | 0.23 | <1 | 18 | 8 | 24 | 2.92 | 30 | 0.16 | 1747 | <1 | <0.01 | 26 | 570 | 16 | <5 | <20 | 15 | 0.07 | <10 | 2 | <10 | 6 |
| 11 | 183073 | 10 | <0.2 | 0.14 | 5 | 10 | <5 | 0.12 | <1 | 20 | 12 | 37 | 3.84 | 20 | 0.11 | 487 | <1 | <0.01 | 31 | 460 | 10 | <5 | <20 | 10 | 0.05 | <10 | 3 | <10 | 4 |
| 12 | 183076 | 170 | 0.8 | 0.81 | 45 | 95 | <5 | 0.12 | 3 | 122 | 22 | 64 | 5.07 | 20 | 0.22 | 3990 | 8 | <0.01 | 124 | 1240 | 28 | <5 | <20 | 14 | 0.15 | <10 | 14 | <10 | 11 |
| 13 | 183077 | 220 | 0.3 | 0.82 | 60 | 25 | <5 | 0.10 | 2 | 47 | 27 | 91 | 7.17 | 20 | 0.24 | 1418 | 3 | <0.01 | 152 | 1350 | 16 | <5 | <20 | 6 | 0.13 | <10 | 14 | <10 | 7 |
| 14 | 183078 | 180 | 0.6 | 0.80 | 80 | 135 | <5 | 0.08 | 3 | 63 | 37 | 83 | >10 | 20 | 0.24 | 3107 | 6 | 0.01 | 158 | 2630 | 16 | <5 | <20 | 61 | 0.21 | <10 | 20 | <10 | 9 |
| 15 | 183079 | 345 | 0.5 | 0.66 | 90 | 55 | <5 | 0.07 | 2 | 69 | 35 | 87 | >10 | 20 | 0.24 | 2271 | 7 | 0.01 | 163 | 2250 | 26 | <5 | <20 | 14 | 0.18 | <10 | 16 | <10 | 8 |
| 16 | 183080 | 70 | 0.8 | 1.38 | 30 | 150 | <5 | 0.30 | 2 | 104 | 130 | 108 | >10 | 20 | 0.76 | 2918 | 2 | <0.01 | 283 | 2240 | 12 | <5 | <20 | 24 | 0.19 | <10 | 64 | <10 | 10 |
| 17 | 183083 | 20 | <0.2 | 1.11 | 35 | 60 | <5 | 1.01 | <1 | 21 | 25 | 38 | 3.80 | 20 | 0.60 | 564 | <1 | 0.01 | 32 | 570 | 24 | <5 | <20 | 33 | 0.08 | <10 | 22 | <10 | 5 |
| 18 | 183084 | 10 | 0.7 | 0.53 | 45 | 55 | <5 | 2.18 | <1 | 62 | 30 | 71 | 8.06 | 10 | 0.38 | 1322 | 7 | 0.01 | 101 | 1550 | <2 | <5 | <20 | 36 | 0.12 | <10 | 22 | <10 | 6 |
| 19 | 183240 | 20 | 0.4 | 1.30 | 215 | 300 | <5 | 0.11 | 6 | 143 | 119 | 149 | >10 | 50 | 0.63 | 6542 | 5 | 0.01 | 585 | 1630 | 24 | 5 | <20 | 2 | 0.35 | <10 | 39 | <10 | 49 |
| 20 | 183246 | <5 | <0.2 | 0.68 | 10 | 40 | <5 | 0.01 | <1 | 13 | 19 | 30 | 3.62 | 20 | 0.27 | 215 | <1 | <0.01 | 23 | 470 | 18 | <5 | <20 | 5 | 0.05 | <10 | 10 | <10 | 2 |
| 21 | 183248 | 15 | <0.2 | 0.77 | 15 | 60 | <5 | 0.14 | <1 | 31 | 33 | 41 | 3.71 | 20 | 0.35 | 238 | <1 | <0.01 | 62 | 550 | 16 | <5 | <20 | 12 | 0.05 | <10 | 16 | <10 | 3 |
| 22 | 183249 | 25 | 0.2 | 0.69 | 15 | 60 | <5 | 0.12 | <1 | 17 | 19 | 31 | 3.03 | 30 | 0.29 | 434 | 1 | <0.01 | 40 | 500 | 18 | <5 | <20 | 10 | 0.05 | <10 | 13 | <10 | 3 |
| QC DATA: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 183055 | - | <0.2 | 1.38 | 30 | 115 | <5 | 0.25 | 2 | 70 | 138 | 141 | >10 | 20 | 0.91 | 2058 | <1 | 0.01 | 290 | 1030 | 10 | <5 | <20 | 12 | 0.16 | <10 | 37 | <10 | 12 |
| 3 | 183057 | 130 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 10 | 183072 | 15 | <0.2 | 0.37 | 5 | 130 | <5 | 0.23 | <1 | 19 | 8 | 24 | 2.89 | 30 | 0.16 | 1770 | <1 | <0.01 | 23 | 560 | 16 | <5 | <20 | 16 | 0.07 | <10 | 2 | <10 | 6 |
| 19 | 183240 | - | 0.4 | 1.36 | 220 | 305 | <5 | 0.11 | 7 | 143 | 121 | 147 | >10 | 50 | 0.64 | 6640 | 5 | 0.01 | 579 | 1620 | 26 | 5 | <20 | 3 | 0.36 | <10 | 40 | <10 | 48 |
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 140 | 1.5 | 1.62 | 55 | 145 | <5 | 1.54 | <1 | 19 | 58 | 86 | 3.37 | 10 | 0.96 | 549 | <1 | 0.03 | 28 | 600 | 24 | <5 | <20 | 42 | 0.18 | <10 | 65 | <10 | 7 |

22-Jul-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-712

INTERNATIONAL WAYSIDE GOLD MINES L.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

Attention: Jean Pautler

No. of samples received: 22

Sample type: Soil

Project #: IWA-Regional

Shipment #: Not Indicated

Samples submitted by: Jean Pautler

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y |
|-------|--------|---------|------|------|-----|-----|----|------|----|-----|-----|-----|------|----|------|------|----|-------|-----|------|----|----|-----|----|------|-----|----|-----|----|
| 1 | 163055 | 5 | <0.2 | 1.11 | 25 | 105 | <5 | 0.21 | <1 | 71 | 115 | 164 | >10 | 30 | 0.76 | 2338 | <1 | 0.01 | 275 | 880 | 10 | <5 | <20 | 8 | 0.18 | <10 | 33 | <10 | 15 |
| 2 | 163056 | <5 | 0.2 | 2.26 | 5 | 110 | <5 | 0.33 | <1 | 85 | 367 | 120 | >10 | 20 | 1.19 | 1432 | <1 | 0.01 | 422 | 940 | 10 | <5 | <20 | 15 | 0.17 | <10 | 58 | <10 | 10 |
| 3 | 163057 | 155 | <0.2 | 0.85 | 5 | 55 | <5 | 0.18 | <1 | 104 | 107 | 108 | >10 | 20 | 0.61 | 1964 | <1 | <0.01 | 333 | 790 | 6 | <5 | <20 | 8 | 0.16 | <10 | 36 | <10 | 13 |
| 4 | 163063 | 30 | 0.6 | 0.87 | 15 | 110 | <5 | 0.10 | <1 | 27 | 30 | 95 | 4.03 | 20 | 0.36 | 347 | 2 | <0.01 | 53 | 710 | 12 | <5 | <20 | 16 | 0.08 | <10 | 29 | <10 | 7 |
| 5 | 163066 | 10 | 0.3 | 0.95 | 15 | 120 | <5 | 0.11 | 1 | 25 | 27 | 83 | 4.47 | 20 | 0.34 | 824 | 3 | <0.01 | 66 | 640 | 22 | <5 | <20 | 8 | 0.10 | <10 | 25 | <10 | 5 |
| 6 | 163067 | 20 | <0.2 | 0.48 | 15 | 20 | <5 | 0.17 | <1 | 29 | 17 | 70 | 4.66 | 30 | 0.25 | 697 | 1 | <0.01 | 33 | 560 | 6 | <5 | <20 | 7 | 0.07 | <10 | 7 | <10 | 9 |
| 7 | 163069 | 35 | 0.2 | 0.84 | 10 | 55 | <5 | 0.17 | <1 | 25 | 19 | 36 | 3.58 | 20 | 0.28 | 546 | <1 | 0.01 | 24 | 520 | 16 | <5 | <20 | 10 | 0.08 | <10 | 17 | <10 | 7 |
| 8 | 163070 | 125 | 0.2 | 0.86 | 20 | 50 | <5 | 0.26 | <1 | 21 | 24 | 41 | 4.05 | 20 | 0.38 | 444 | <1 | 0.02 | 33 | 590 | 16 | <5 | <20 | 17 | 0.11 | <10 | 23 | <10 | 8 |
| 9 | 163071 | 185 | 0.5 | 0.56 | 30 | 30 | <5 | 0.10 | <1 | 30 | 22 | 60 | 5.32 | 20 | 0.25 | 737 | 1 | <0.01 | 59 | 740 | 18 | <5 | <20 | 14 | 0.09 | <10 | 13 | <10 | 9 |
| 10 | 163072 | 15 | <0.2 | 0.36 | 5 | 120 | <5 | 0.23 | <1 | 18 | 8 | 24 | 2.92 | 30 | 0.16 | 1747 | <1 | <0.01 | 26 | 570 | 16 | <5 | <20 | 15 | 0.07 | <10 | 2 | <10 | 6 |
| 11 | 163073 | 10 | <0.2 | 0.14 | 5 | 10 | <5 | 0.12 | <1 | 20 | 12 | 37 | 3.84 | 20 | 0.11 | 487 | <1 | <0.01 | 31 | 460 | 10 | <5 | <20 | 10 | 0.05 | <10 | 3 | <10 | 4 |
| 12 | 163076 | 170 | 0.8 | 0.81 | 45 | 95 | <5 | 0.12 | 3 | 122 | 22 | 64 | 5.07 | 20 | 0.22 | 3990 | 8 | <0.01 | 124 | 1240 | 28 | <5 | <20 | 14 | 0.15 | <10 | 14 | <10 | 11 |
| 13 | 163077 | 220 | 0.3 | 0.62 | 60 | 25 | <5 | 0.10 | 2 | 47 | 27 | 91 | 7.17 | 20 | 0.24 | 1418 | 3 | <0.01 | 152 | 1350 | 16 | <5 | <20 | 6 | 0.13 | <10 | 14 | <10 | 7 |
| 14 | 163078 | 180 | 0.6 | 0.80 | 80 | 135 | <5 | 0.08 | 3 | 63 | 37 | 83 | >10 | 20 | 0.24 | 3107 | 6 | 0.01 | 158 | 2630 | 16 | <5 | <20 | 61 | 0.21 | <10 | 20 | <10 | 9 |
| 15 | 163079 | 345 | 0.5 | 0.66 | 90 | 55 | <5 | 0.07 | 2 | 69 | 35 | 87 | >10 | 20 | 0.24 | 2271 | 7 | 0.01 | 163 | 2250 | 26 | <5 | <20 | 14 | 0.18 | <10 | 16 | <10 | 8 |
| 16 | 163080 | 70 | 0.8 | 1.38 | 30 | 150 | <5 | 0.30 | 2 | 104 | 130 | 108 | >10 | 20 | 0.76 | 2918 | 2 | <0.01 | 283 | 2240 | 12 | <5 | <20 | 24 | 0.19 | <10 | 64 | <10 | 10 |
| 17 | 163083 | 20 | <0.2 | 1.11 | 35 | 60 | <5 | 1.01 | <1 | 21 | 25 | 38 | 3.80 | 20 | 0.60 | 564 | <1 | 0.01 | 32 | 570 | 24 | <5 | <20 | 33 | 0.08 | <10 | 22 | <10 | 5 |
| 18 | 163084 | 10 | 0.7 | 0.53 | 45 | 55 | <5 | 2.18 | <1 | 62 | 30 | 71 | 8.06 | 10 | 0.38 | 1322 | 7 | 0.01 | 101 | 1550 | <2 | <5 | <20 | 36 | 0.12 | <10 | 22 | <10 | 6 |
| 19 | 163240 | 20 | 0.4 | 1.30 | 215 | 300 | <5 | 0.11 | 6 | 143 | 119 | 149 | >10 | 50 | 0.63 | 6542 | 5 | 0.01 | 585 | 1630 | 24 | 5 | <20 | 2 | 0.35 | <10 | 39 | <10 | 49 |
| 20 | 163246 | <5 | <0.2 | 0.68 | 10 | 40 | <5 | 0.01 | <1 | 13 | 19 | 30 | 3.62 | 20 | 0.27 | 215 | <1 | <0.01 | 23 | 470 | 18 | <5 | <20 | 5 | 0.05 | <10 | 10 | <10 | 2 |
| 21 | 163248 | 15 | <0.2 | 0.77 | 15 | 60 | <5 | 0.14 | <1 | 31 | 33 | 41 | 3.71 | 20 | 0.35 | 238 | <1 | <0.01 | 62 | 550 | 16 | <5 | <20 | 12 | 0.05 | <10 | 16 | <10 | 3 |
| 22 | 163249 | 25 | 0.2 | 0.69 | 15 | 60 | <5 | 0.12 | <1 | 17 | 19 | 31 | 3.03 | 30 | 0.29 | 434 | 1 | <0.01 | 40 | 500 | 18 | <5 | <20 | 10 | 0.05 | <10 | 13 | <10 | 3 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|--------|-----|------|------|-----|-----|----|------|----|-----|-----|-----|------|----|------|------|----|-------|-----|------|----|----|-----|----|------|-----|----|-----|----|
| 1 | 163055 | - | <0.2 | 1.38 | 30 | 115 | <5 | 0.25 | 2 | 70 | 138 | 141 | >10 | 20 | 0.91 | 2056 | <1 | 0.01 | 290 | 1030 | 10 | <5 | <20 | 12 | 0.16 | <10 | 37 | <10 | 12 |
| 3 | 163057 | 130 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 10 | 163072 | 15 | <0.2 | 0.37 | 5 | 130 | <5 | 0.23 | <1 | 19 | 8 | 24 | 2.89 | 30 | 0.16 | 1770 | <1 | <0.01 | 23 | 560 | 16 | <5 | <20 | 16 | 0.07 | <10 | 2 | <10 | 6 |
| 19 | 163240 | - | 0.4 | 1.36 | 220 | 305 | <5 | 0.11 | 7 | 143 | 121 | 147 | >10 | 50 | 0.64 | 6640 | 5 | 0.01 | 579 | 1620 | 26 | 5 | <20 | 3 | 0.36 | <10 | 40 | <10 | 48 |

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|
| GEO '04 | 140 | 1.5 | 1.62 | 55 | 145 | <5 | 1.54 | <1 | 19 | 58 | 86 | 3.37 | 10 | 0.96 | 549 | <1 | 0.03 | 28 | 600 | 24 | <5 | <20 | 42 | 0.18 | <10 | 65 | <10 | 7 |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|

JJ/m
df/708A

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANAL. AK 2004-1019

INTERNATIONAL WAYSIDE GOLD MINE
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 118
Sample type: Soil
Project #: LOWHEE
Shipment #: None Given
Samples submitted by: J. McAllister

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-----------------|-----------|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|-----|-------|-----|----|-----|----|----|
| 1 | 1-26+00E 67+00N | 20 | <0.2 | 0.87 | 35 | 45 | <5 | 0.05 | <1 | 12 | 26 | 41 | 4.08 | 40 | 0.31 | 148 | <1 | <0.01 | 25 | 680 | 24 | <5 | <20 | 1 | <0.01 | <10 | 21 | <10 | 1 | 57 |
| 2 | 1-26+00E 67+50N | 15 | 0.2 | 1.12 | 20 | 90 | <5 | 0.06 | <1 | 8 | 25 | 20 | 3.11 | 30 | 0.25 | 86 | <1 | <0.01 | 15 | 220 | 20 | <5 | <20 | 5 | 0.01 | <10 | 41 | <10 | 2 | 39 |
| 3 | 1-26+00E 68+00N | 10 | 0.2 | 0.80 | 5 | 50 | <5 | 0.06 | <1 | 5 | 17 | 12 | 1.67 | 30 | 0.19 | 82 | <1 | <0.01 | 10 | 210 | 16 | <5 | <20 | 2 | 0.01 | <10 | 37 | <10 | 2 | 28 |
| 4 | 1-26+00E 68+50N | 165 | <0.2 | 0.76 | 15 | 45 | <5 | 0.04 | <1 | 5 | 16 | 16 | 2.06 | 30 | 0.17 | 79 | <1 | <0.01 | 13 | 350 | 14 | <5 | <20 | 2 | <0.01 | <10 | 26 | <10 | 1 | 29 |
| 5 | 1-26+00E 69+00N | 10 | 0.2 | 0.69 | 5 | 135 | <5 | 0.47 | <1 | 7 | 12 | 13 | 1.54 | 20 | 0.17 | 754 | <1 | <0.01 | 15 | 410 | 14 | <5 | <20 | 32 | <0.01 | <10 | 15 | <10 | 2 | 38 |
| 6 | 1-26+00E 69+50N | 10 | <0.2 | 1.39 | 20 | 90 | <5 | 1.82 | <1 | 21 | 31 | 50 | 4.14 | 50 | 0.61 | 673 | <1 | <0.01 | 41 | 570 | 36 | <5 | <20 | 109 | 0.02 | <10 | 28 | <10 | 11 | 70 |
| 7 | 1-26+00E 70+00N | 10 | <0.2 | 0.56 | 15 | 145 | <5 | 0.16 | <1 | 5 | 12 | 9 | 1.54 | 20 | 0.12 | 196 | <1 | <0.01 | 8 | 210 | 12 | <5 | <20 | 11 | 0.01 | <10 | 29 | <10 | 2 | 37 |
| 8 | 1-26+00E 70+50N | 5 | 0.4 | 1.30 | 15 | 105 | <5 | 0.57 | <1 | 16 | 33 | 33 | 3.80 | 30 | 0.39 | 742 | <1 | <0.01 | 27 | 650 | 28 | <5 | <20 | 29 | 0.01 | <10 | 35 | <10 | 5 | 68 |
| 9 | 1-26+00E 71+00N | <5 | 0.2 | 1.11 | 20 | 95 | <5 | 0.08 | <1 | 8 | 31 | 15 | 3.94 | 30 | 0.35 | 67 | <1 | <0.01 | 17 | 250 | 18 | <5 | <20 | 5 | <0.01 | <10 | 64 | <10 | <1 | 43 |
| 10 | 1-26+00E 71+50N | 40 | 0.6 | 0.55 | 20 | 40 | <5 | 0.06 | <1 | 5 | 14 | 13 | 2.32 | 20 | 0.11 | 120 | <1 | <0.01 | 10 | 320 | 16 | <5 | <20 | 2 | <0.01 | <10 | 30 | <10 | <1 | 30 |
| 11 | 1-26+00E 72+00N | 25 | <0.2 | 1.24 | 15 | 90 | <5 | 0.67 | <1 | 19 | 32 | 45 | 3.64 | 30 | 0.53 | 735 | <1 | <0.01 | 36 | 790 | 26 | <5 | <20 | 31 | 0.02 | <10 | 27 | <10 | 6 | 78 |
| 12 | 1-26+00E 72+50N | 10 | 0.2 | 0.98 | 20 | 70 | <5 | 0.05 | <1 | 8 | 24 | 21 | 3.33 | 30 | 0.23 | 97 | <1 | <0.01 | 14 | 390 | 24 | <5 | <20 | 6 | <0.01 | <10 | 27 | <10 | <1 | 53 |
| 13 | 1-26+00E 73+00N | 10 | <0.2 | 1.21 | 20 | 60 | <5 | 0.42 | <1 | 10 | 29 | 19 | 4.06 | 30 | 0.33 | 83 | <1 | <0.01 | 20 | 350 | 24 | <5 | <20 | 27 | <0.01 | <10 | 37 | <10 | <1 | 47 |
| 14 | 1-26+00E 73+50N | 25 | 0.2 | 1.57 | 15 | 110 | <5 | 0.99 | <1 | 23 | 37 | 46 | 4.40 | 30 | 0.35 | 1567 | <1 | <0.01 | 31 | 1060 | 32 | <5 | <20 | 78 | 0.01 | <10 | 31 | <10 | 7 | 70 |
| 15 | 1-26+00E 74+00N | <5 | 0.4 | 1.04 | 10 | 105 | <5 | 2.98 | <1 | 11 | 26 | 41 | 2.50 | 20 | 0.23 | 854 | <1 | <0.01 | 27 | 1290 | 22 | <5 | <20 | 185 | <0.01 | <10 | 17 | <10 | 9 | 58 |
| 16 | 1-26+00E 74+50N | <5 | <0.2 | 1.40 | 20 | 150 | <5 | 0.23 | <1 | 14 | 35 | 41 | 5.41 | 40 | 0.39 | 182 | <1 | <0.01 | 24 | 500 | 32 | <5 | <20 | 20 | <0.01 | <10 | 40 | <10 | <1 | 74 |
| 17 | 1-26+00E 75+00N | 5 | 0.2 | 1.33 | 10 | 100 | <5 | 0.89 | <1 | 18 | 35 | 44 | 4.07 | 30 | 0.45 | 834 | <1 | <0.01 | 37 | 900 | 28 | <5 | <20 | 64 | <0.01 | <10 | 30 | <10 | 7 | 71 |
| 18 | 1-34+00E 54+50N | 70 | <0.2 | 1.21 | 25 | 110 | <5 | 0.13 | <1 | 14 | 31 | 24 | 4.04 | 30 | 0.28 | 399 | <1 | <0.01 | 23 | 450 | 32 | <5 | <20 | 7 | <0.01 | <10 | 27 | <10 | 2 | 68 |
| 19 | 1-34+00E 55+00N | 35 | <0.2 | 1.30 | 40 | 120 | <5 | 0.44 | <1 | 22 | 36 | 57 | 4.14 | 40 | 0.60 | 901 | <1 | <0.01 | 49 | 680 | 30 | <5 | <20 | 22 | 0.02 | <10 | 26 | <10 | 8 | 79 |
| 20 | 1-34+00E 55+50N | 5 | <0.2 | 1.40 | 15 | 155 | <5 | 3.93 | <1 | 21 | 40 | 53 | 4.06 | 30 | 0.90 | 722 | <1 | <0.01 | 56 | 670 | 24 | <5 | <20 | 127 | 0.04 | <10 | 28 | <10 | 6 | 79 |
| 21 | 1-34+00E 56+00N | 15 | <0.2 | 1.34 | 25 | 115 | <5 | 2.76 | <1 | 22 | 38 | 55 | 4.08 | 40 | 0.73 | 814 | <1 | <0.01 | 56 | 660 | 28 | <5 | <20 | 76 | 0.02 | <10 | 26 | <10 | 7 | 76 |
| 22 | 1-34+00E 56+50N | 35 | <0.2 | 1.26 | 30 | 100 | <5 | 0.53 | <1 | 21 | 34 | 50 | 4.02 | 40 | 0.47 | 951 | <1 | <0.01 | 44 | 660 | 30 | <5 | <20 | 29 | 0.01 | <10 | 26 | <10 | 12 | 73 |
| 23 | 1-34+00E 57+00N | 55 | 0.4 | 1.14 | 30 | 70 | <5 | 0.75 | <1 | 13 | 28 | 33 | 3.31 | 30 | 0.30 | 292 | <1 | <0.01 | 31 | 500 | 26 | <5 | <20 | 43 | 0.01 | <10 | 25 | <10 | 14 | 51 |
| 24 | 1-34+00E 57+50N | 105 | 0.3 | 0.97 | 30 | 65 | <5 | 0.63 | <1 | 10 | 26 | 23 | 3.44 | 30 | 0.24 | 620 | <1 | <0.01 | 23 | 580 | 28 | <5 | <20 | 37 | 0.02 | <10 | 24 | <10 | 5 | 56 |
| 25 | 1-34+00E 58+00N | 80 | <0.2 | 0.68 | 25 | 30 | <5 | 0.05 | <1 | 7 | 18 | 16 | 2.67 | 30 | 0.14 | 137 | <1 | <0.01 | 15 | 280 | 16 | <5 | <20 | 5 | <0.01 | <10 | 25 | <10 | 1 | 41 |
| 26 | 1-34+00E 58+50N | 55 | <0.2 | 0.81 | 55 | 55 | <5 | 0.37 | <1 | 16 | 21 | 33 | 3.38 | 30 | 0.27 | 634 | <1 | <0.01 | 27 | 460 | 28 | <5 | <20 | 24 | <0.01 | <10 | 15 | <10 | 5 | 68 |
| 27 | 1-34+00E 59+00N | 35 | <0.2 | 0.27 | 10 | 15 | <5 | 0.12 | <1 | 2 | 4 | 5 | 0.55 | 20 | 0.03 | 23 | <1 | <0.01 | 4 | 110 | 4 | <5 | <20 | 5 | <0.01 | <10 | 12 | <10 | 1 | 11 |
| 28 | 1-34+00E 59+50N | 35 | <0.2 | 0.81 | 50 | 65 | <5 | 0.08 | <1 | 16 | 20 | 36 | 3.27 | 40 | 0.28 | 513 | <1 | <0.01 | 31 | 360 | 28 | <5 | <20 | 3 | <0.01 | <10 | 13 | <10 | 5 | 72 |
| 29 | 1-34+00E 60+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 | 1-34+00E 60+50N | 40 | 0.6 | 1.22 | 35 | 115 | <5 | 1.11 | <1 | 19 | 28 | 46 | 3.77 | 30 | 0.32 | 1421 | <1 | <0.01 | 38 | 920 | 34 | <5 | <20 | 86 | <0.01 | <10 | 20 | <10 | 8 | 70 |
| 31 | 1-34+00E 61+00N | 25 | <0.2 | 1.03 | 40 | 75 | <5 | 0.40 | <1 | 18 | 25 | 39 | 3.63 | 30 | 0.34 | 620 | <1 | <0.01 | 34 | 650 | 30 | <5 | <20 | 30 | <0.01 | <10 | 17 | <10 | 6 | 82 |
| 32 | 1-34+00E 61+50N | 10 | 0.2 | 0.63 | 20 | 65 | <5 | 1.44 | <1 | 10 | 14 | 20 | 2.06 | 20 | 0.17 | 442 | <1 | <0.01 | 20 | 420 | 20 | <5 | <20 | 95 | <0.01 | <10 | 14 | <10 | 3 | 44 |
| 33 | 1-34+00E 62+00N | 15 | 0.3 | 1.17 | 30 | 90 | <5 | 0.83 | <1 | 17 | 27 | 39 | 3.76 | 30 | 0.34 | 808 | <1 | <0.01 | 34 | 850 | 34 | <5 | <20 | 61 | <0.01 | <10 | 20 | <10 | 11 | 69 |
| 34 | 1-34+00E 62+50N | 25 | 0.2 | 0.67 | 35 | 70 | <5 | 0.18 | <1 | 9 | 20 | 27 | 3.62 | 30 | 0.15 | 93 | <1 | <0.01 | 17 | 380 | 30 | <5 | <20 | 16 | <0.01 | <10 | 25 | <10 | 2 | 49 |
| 35 | 1-34+00E 63+00N | 35 | <0.2 | 0.58 | 65 | 45 | <5 | 0.03 | <1 | 10 | 18 | 23 | 3.19 | 30 | 0.14 | 251 | <1 | <0.01 | 16 | 420 | 24 | <5 | <20 | 2 | <0.01 | <10 | 20 | <10 | <1 | 48 |

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg | In | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-----------------|-----------|------|------|-----|-----|----|------|----|----|----|-----|------|----|-------|------|----|-------|----|------|-----|----|-----|-----|-------|-----|----|-----|----|-----|
| 36 | 1-34+00E 63+50N | 55 | 0.2 | 0.83 | 65 | 75 | <5 | 0.68 | <1 | 14 | 20 | 38 | 3.13 | 30 | 0.25 | 546 | <1 | <0.01 | 28 | 600 | 30 | <5 | <20 | 65 | <0.01 | <10 | 15 | <10 | 4 | 60 |
| 37 | 1-34+00E 64+00N | 20 | <0.2 | 0.13 | <5 | <5 | <5 | 0.03 | <1 | <1 | 2 | 2 | 0.17 | 20 | <0.01 | 12 | <1 | <0.01 | 1 | 80 | 4 | <5 | <20 | <1 | <0.01 | <10 | 3 | <10 | <1 | 4 |
| 38 | 1-34+00E 64+50N | <5 | 0.3 | 0.95 | 45 | 85 | <5 | 0.19 | <1 | 14 | 22 | 22 | 3.48 | 30 | 0.23 | 1034 | <1 | <0.01 | 17 | 920 | 28 | <5 | <20 | 13 | <0.01 | <10 | 23 | <10 | 2 | 70 |
| 39 | 1-34+00E 65+00N | 5 | <0.2 | 0.72 | 35 | 60 | <5 | 0.05 | <1 | 8 | 21 | 20 | 3.67 | 30 | 0.22 | 143 | <1 | <0.01 | 15 | 390 | 24 | <5 | <20 | 4 | <0.01 | <10 | 21 | <10 | <1 | 45 |
| 40 | 1-34+00E 65+50N | 35 | <0.2 | 0.77 | 35 | 55 | <5 | 0.05 | <1 | 7 | 21 | 20 | 3.44 | 30 | 0.23 | 78 | <1 | <0.01 | 16 | 510 | 24 | <5 | <20 | 4 | <0.01 | <10 | 18 | <10 | <1 | 49 |
| 41 | 1-34+00E 66+00N | 40 | 0.5 | 0.85 | 40 | 50 | <5 | 0.04 | <1 | 13 | 21 | 31 | 3.31 | 30 | 0.30 | 292 | <1 | <0.01 | 23 | 290 | 26 | <5 | <20 | 4 | <0.01 | <10 | 17 | <10 | 2 | 61 |
| 42 | 1-34+00E 66+50N | 35 | <0.2 | 0.87 | 30 | 55 | <5 | 0.68 | <1 | 9 | 21 | 33 | 3.70 | 30 | 0.17 | 103 | <1 | <0.01 | 21 | 460 | 32 | <5 | <20 | 53 | <0.01 | <10 | 27 | <10 | 2 | 48 |
| 43 | 1-34+00E 67+00N | 20 | 1.2 | 1.44 | 35 | 135 | <5 | 1.35 | <1 | 18 | 29 | 65 | 4.01 | 40 | 0.28 | 1884 | <1 | <0.01 | 46 | 1580 | 40 | <5 | <20 | 102 | <0.01 | <10 | 21 | <10 | 15 | 97 |
| 44 | 1-34+00E 67+50N | 5 | 0.8 | 1.22 | 25 | 160 | <5 | 1.72 | <1 | 19 | 26 | 54 | 3.69 | 30 | 0.26 | 3463 | <1 | <0.01 | 38 | 1220 | 32 | <5 | <20 | 108 | 0.01 | <10 | 22 | <10 | 9 | 80 |
| 45 | 1-34+00E 68+00N | 10 | 0.2 | 1.05 | 20 | 100 | <5 | 0.85 | <1 | 18 | 27 | 34 | 4.08 | 30 | 0.24 | 1125 | <1 | <0.01 | 21 | 650 | 36 | <5 | <20 | 51 | 0.01 | <10 | 29 | <10 | 4 | 84 |
| 46 | 1-34+00E 68+50N | <5 | <0.2 | 1.15 | 25 | 80 | <5 | 0.12 | <1 | 17 | 30 | 35 | 4.65 | 40 | 0.27 | 634 | <1 | <0.01 | 21 | 550 | 34 | <5 | <20 | 7 | <0.01 | <10 | 27 | <10 | 1 | 75 |
| 47 | 1-34+00E 69+00N | 5 | <0.2 | 1.19 | 20 | 75 | <5 | 0.08 | <1 | 20 | 32 | 33 | 4.17 | 40 | 0.38 | 457 | <1 | <0.01 | 25 | 500 | 32 | <5 | <20 | 6 | <0.01 | <10 | 28 | <10 | 6 | 66 |
| 48 | 1-34+00E 69+50N | <5 | <0.2 | 1.48 | 20 | 80 | <5 | 0.24 | <1 | 12 | 34 | 32 | 4.25 | 40 | 0.35 | 144 | <1 | <0.01 | 21 | 310 | 32 | <5 | <20 | 17 | <0.01 | <10 | 36 | <10 | 3 | 55 |
| 49 | 1-34+00E 70+00N | <5 | <0.2 | 1.64 | 10 | 130 | <5 | 0.69 | <1 | 23 | 35 | 41 | 5.56 | 40 | 0.54 | 794 | <1 | <0.01 | 29 | 660 | 40 | <5 | <20 | 44 | 0.02 | <10 | 69 | <10 | 5 | 77 |
| 50 | 1-34+00E 70+50N | <5 | <0.2 | 1.13 | 10 | 70 | <5 | 0.08 | <1 | 11 | 29 | 30 | 3.97 | 40 | 0.29 | 134 | <1 | <0.01 | 19 | 290 | 28 | <5 | <20 | 5 | 0.01 | <10 | 44 | <10 | 3 | 53 |
| 51 | 1-34+00E 71+00N | <5 | <0.2 | 1.42 | 15 | 125 | <5 | 0.88 | <1 | 18 | 36 | 48 | 4.04 | 40 | 0.49 | 726 | <1 | <0.01 | 40 | 920 | 40 | <5 | <20 | 34 | 0.01 | <10 | 30 | <10 | 9 | 73 |
| 52 | 2+00+00E 53+50N | <5 | 0.8 | 1.60 | 20 | 170 | <5 | 0.80 | <1 | 23 | 34 | 47 | 4.37 | 40 | 0.40 | 4021 | <1 | <0.01 | 38 | 1170 | 62 | <5 | <20 | 52 | 0.02 | <10 | 30 | <10 | 8 | 112 |
| 53 | 2+00+00E 53+75N | 155 | 0.8 | 1.53 | 35 | 110 | <5 | 0.36 | <1 | 15 | 32 | 40 | 4.68 | 40 | 0.40 | 349 | <1 | <0.01 | 28 | 820 | 52 | <5 | <20 | 26 | <0.01 | <10 | 30 | <10 | 4 | 91 |
| 54 | 2+00+00E 54+00N | 25 | 1.4 | 1.18 | 40 | 105 | <5 | 0.99 | <1 | 16 | 24 | 34 | 3.56 | 30 | 0.33 | 424 | <1 | <0.01 | 27 | 840 | 54 | <5 | <20 | 60 | <0.01 | <10 | 21 | <10 | 6 | 78 |
| 55 | 2+00+00E 54+25N | 45 | 0.8 | 1.15 | 45 | 85 | <5 | 0.80 | <1 | 14 | 23 | 26 | 3.57 | 30 | 0.31 | 307 | <1 | <0.01 | 24 | 770 | 64 | <5 | <20 | 43 | <0.01 | <10 | 20 | <10 | 6 | 71 |
| 56 | 2+00+00E 54+50N | 20 | 0.3 | 0.94 | 30 | 110 | <5 | 0.29 | <1 | 15 | 23 | 27 | 3.71 | 30 | 0.22 | 411 | <1 | <0.01 | 22 | 570 | 80 | <5 | <20 | 20 | <0.01 | <10 | 22 | <10 | 3 | 80 |
| 57 | 2+00+00E 54+75N | 15 | 2.7 | 1.54 | 35 | 185 | <5 | 1.74 | <1 | 17 | 27 | 51 | 3.63 | 40 | 0.28 | 2203 | <1 | <0.01 | 47 | 1890 | 98 | <5 | <20 | 89 | 0.01 | <10 | 16 | <10 | 20 | 109 |
| 58 | 2+00+00E 55+00N | 25 | 2.1 | 1.41 | 50 | 125 | <5 | 0.21 | <1 | 20 | 28 | 52 | 4.19 | 40 | 0.24 | 715 | <1 | <0.01 | 37 | 890 | 128 | <5 | <20 | 19 | <0.01 | <10 | 20 | <10 | 16 | 106 |
| 59 | 2+00+00E 55+25N | 20 | 0.3 | 0.83 | 35 | 80 | <5 | 0.63 | <1 | 10 | 17 | 22 | 2.86 | 30 | 0.23 | 270 | <1 | <0.01 | 19 | 620 | 82 | <5 | <20 | 35 | <0.01 | <10 | 16 | <10 | 3 | 77 |
| 60 | 2+00+00E 55+50N | 10 | 0.3 | 0.98 | 45 | 130 | <5 | 0.56 | <1 | 11 | 21 | 19 | 3.42 | 30 | 0.17 | 328 | <1 | <0.01 | 18 | 550 | 96 | <5 | <20 | 33 | <0.01 | <10 | 24 | <10 | 2 | 76 |
| 61 | 2+00+00E 55+75N | 10 | 0.9 | 1.14 | 50 | 150 | <5 | 0.90 | <1 | 15 | 23 | 32 | 3.75 | 40 | 0.16 | 907 | <1 | <0.01 | 25 | 880 | 122 | <5 | <20 | 45 | <0.01 | <10 | 23 | <10 | 6 | 101 |
| 62 | 2+00+00E 56+00N | 15 | 0.8 | 1.20 | 40 | 165 | <5 | 0.89 | <1 | 19 | 25 | 29 | 3.94 | 40 | 0.23 | 1786 | <1 | <0.01 | 23 | 870 | 100 | <5 | <20 | 35 | 0.01 | <10 | 27 | <10 | 5 | 97 |
| 63 | 2+00+00E 56+25N | 30 | 1.2 | 1.15 | 25 | 145 | <5 | 1.25 | <1 | 14 | 21 | 32 | 2.90 | 30 | 0.27 | 1371 | <1 | <0.01 | 26 | 1740 | 68 | <5 | <20 | 47 | <0.01 | <10 | 15 | <10 | 8 | 81 |
| 64 | 2+00+00E 56+50N | 5 | 2.0 | 1.21 | 20 | 140 | <5 | 1.99 | <1 | 13 | 23 | 35 | 3.05 | 30 | 0.24 | 526 | <1 | <0.01 | 27 | 1210 | 62 | <5 | <20 | 66 | 0.01 | <10 | 22 | <10 | 4 | 95 |
| 65 | 2+00+00E 56+75N | 20 | 0.3 | 1.01 | 20 | 100 | <5 | 0.38 | <1 | 13 | 23 | 21 | 3.21 | 30 | 0.28 | 238 | <1 | <0.01 | 20 | 410 | 60 | <5 | <20 | 15 | <0.01 | <10 | 22 | <10 | 2 | 86 |
| 66 | 2+00+00E 57+00N | 5 | <0.2 | 1.49 | 25 | 65 | <5 | 0.26 | <1 | 25 | 31 | 60 | 4.60 | 50 | 0.72 | 775 | <1 | <0.01 | 65 | 630 | 34 | <5 | <20 | 14 | <0.01 | <10 | 29 | <10 | 4 | 94 |
| 67 | 2+00+00E 57+25N | 5 | 0.5 | 0.83 | 20 | 105 | <5 | 0.28 | <1 | 9 | 19 | 24 | 2.84 | 30 | 0.20 | 115 | <1 | <0.01 | 21 | 300 | 50 | <5 | <20 | 11 | 0.01 | <10 | 29 | <10 | 2 | 75 |
| 68 | 2+00+00E 57+50N | 165 | <0.2 | 0.52 | 100 | 35 | <5 | 0.04 | <1 | 7 | 18 | 15 | 3.59 | 40 | 0.12 | 111 | <1 | <0.01 | 13 | 360 | 26 | <5 | <20 | 1 | <0.01 | <10 | 21 | <10 | <1 | 50 |
| 69 | 2+00+00E 57+75N | 10 | 0.2 | 1.05 | 25 | 65 | <5 | 0.14 | <1 | 10 | 30 | 12 | 4.15 | 40 | 0.36 | 69 | <1 | <0.01 | 21 | 480 | 22 | <5 | <20 | 6 | <0.01 | <10 | 22 | <10 | 2 | 67 |
| 70 | 2+00+00E 58+00N | 5 | <0.2 | 0.43 | 15 | 35 | <5 | 0.04 | <1 | 7 | 13 | 15 | 2.93 | 40 | 0.06 | 100 | <1 | <0.01 | 17 | 380 | 18 | <5 | <20 | 1 | <0.01 | <10 | 16 | <10 | <1 | 54 |
| 71 | 2+00+00E 58+25N | 15 | 0.3 | 0.72 | 25 | 110 | <5 | 0.18 | <1 | 8 | 24 | 14 | 3.05 | 20 | 0.21 | 148 | <1 | <0.01 | 20 | 390 | 36 | <5 | <20 | 7 | <0.01 | <10 | 22 | <10 | 2 | 57 |
| 72 | 2+00+00E 58+50N | 65 | <0.2 | 0.55 | 280 | 85 | <5 | 0.08 | <1 | 4 | 12 | 9 | 1.92 | 20 | 0.06 | 90 | <1 | <0.01 | 9 | 230 | 52 | <5 | <20 | 4 | <0.01 | <10 | 26 | <10 | 1 | 37 |
| 73 | 2+00+00E 58+75N | 15 | 0.2 | 0.79 | 15 | 100 | 5 | 0.06 | <1 | 9 | 20 | 17 | 2.78 | 30 | 0.17 | 609 | <1 | <0.01 | 11 | 470 | 52 | <5 | <20 | 7 | 0.01 | <10 | 29 | <10 | 3 | 53 |
| 74 | 2+00+00E 59+00N | 15 | 0.2 | 0.85 | 30 | 95 | <5 | 0.08 | <1 | 9 | 19 | 21 | 3.04 | 30 | 0.20 | 274 | <1 | <0.01 | 14 | 450 | 50 | <5 | <20 | 6 | <0.01 | <10 | 26 | <10 | 2 | 57 |
| 75 | 2+00+00E 59+25N | 10 | 0.3 | 0.64 | 15 | 55 | <5 | 0.11 | <1 | 5 | 14 | 10 | 1.95 | 30 | 0.19 | 183 | <1 | <0.01 | 11 | 370 | 28 | <5 | <20 | 7 | <0.01 | <10 | 19 | <10 | 1 | 35 |
| 76 | 2+00+00E 59+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 77 | 2+00+00E 59+75N | 10 | 0.2 | 0.78 | 145 | 55 | <5 | 0.03 | <1 | 6 | 17 | 18 | 3.14 | 30 | 0.14 | 73 | <1 | <0.01 | 12 | 590 | 48 | <5 | <20 | <1 | <0.01 | <10 | 17 | <10 | <1 | 48 |
| 78 | 2+00+00E 60+00N | 10 | 0.3 | 0.65 | 65 | 50 | <5 | 0.04 | <1 | 8 | 18 | 14 | 3.57 | 40 | 0.09 | 408 | <1 | <0.01 | 13 | 640 | 34 | <5 | <20 | <1 | <0.01 | <10 | 24 | <10 | <1 | 59 |
| 79 | 2+00+00E 60+25N | 10 | 0.2 | 0.60 | 15 | 50 | <5 | 0.05 | <1 | 7 | 17 | 15 | 2.95 | 30 | 0.14 | 147 | <1 | <0.01 | 14 | 430 | 26 | <5 | <20 | 3 | <0.01 | <10 | 23 | <10 | <1 | 49 |
| 80 | 2+00+00E 60+50N | 5 | 0.9 | 1.66 | 20 | 100 | <5 | 0.50 | <1 | 19 | 32 | 103 | 4.00 | 50 | 0.29 | 871 | <1 | <0.01 | 35 | 1230 | 94 | <5 | <20 | 33 | 0.02 | <10 | 23 | <10 | 16 | 83 |

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | |
|-------|-----------------|-----------|------|------|----|-----|----|------|----|----|----|-----|------|----|------|------|----|-------|----|------|-----|----|-----|-----|-------|-----|----|-----|----|-----|
| 81 | 2+00+00E 60+ | <5 | 0.6 | 0.27 | 5 | 20 | <5 | 0.03 | <1 | 4 | 9 | 12 | 1.60 | 20 | 0.0 | 36 | <1 | <0.01 | 13 | 340 | 14 | <5 | <20 | <1 | <0.01 | <10 | 13 | <10 | <1 | 6 |
| 82 | 2+00+00E 61+00N | <5 | <0.2 | 0.24 | <5 | 60 | <5 | 0.06 | <1 | 2 | 5 | 6 | 0.59 | 20 | 0.02 | 51 | <1 | <0.01 | 6 | 170 | 12 | <5 | <20 | 4 | <0.01 | <10 | 11 | <10 | <1 | 16 |
| 83 | 2+00+00E 61+25N | <5 | 0.8 | 0.78 | 30 | 85 | <5 | 0.27 | <1 | 19 | 20 | 35 | 3.50 | 30 | 0.13 | 918 | <1 | <0.01 | 16 | 690 | 66 | <5 | <20 | 23 | 0.01 | <10 | 22 | <10 | 4 | 63 |
| 84 | 2+00+00E 61+50N | <5 | 0.2 | 0.66 | 20 | 55 | <5 | 0.25 | <1 | 10 | 21 | 22 | 3.26 | 30 | 0.19 | 282 | <1 | <0.01 | 18 | 400 | 54 | <5 | <20 | 16 | 0.02 | <10 | 22 | <10 | 2 | 107 |
| 85 | 2+00+00E 61+75N | <5 | <0.2 | 0.50 | 15 | 20 | <5 | 0.04 | <1 | 6 | 11 | 13 | 1.76 | 30 | 0.05 | 85 | <1 | <0.01 | 11 | 310 | 12 | <5 | <20 | 2 | <0.01 | <10 | 33 | <10 | 1 | 33 |
| 86 | 2+00+00E 62+00N | <5 | 0.6 | 1.23 | 15 | 205 | <5 | 1.26 | <1 | 22 | 19 | 29 | 2.54 | 30 | 0.17 | 7161 | <1 | <0.01 | 23 | 1330 | 54 | <5 | <20 | 82 | 0.02 | 10 | 24 | <10 | 4 | 66 |
| 87 | 2+00+00E 62+25N | <5 | 0.3 | 0.52 | 10 | 55 | <5 | 0.21 | <1 | 5 | 12 | 10 | 1.46 | 20 | 0.14 | 205 | <1 | <0.01 | 8 | 480 | 28 | <5 | <20 | 13 | <0.01 | <10 | 30 | <10 | <1 | 37 |
| 88 | 2+00+00E 62+50N | 5 | 0.5 | 1.33 | 25 | 85 | <5 | 0.55 | <1 | 19 | 25 | 69 | 3.28 | 40 | 0.26 | 653 | <1 | <0.01 | 33 | 760 | 54 | <5 | <20 | 44 | 0.01 | <10 | 22 | <10 | 9 | 56 |
| 89 | 2+00+00E 62+75N | 15 | 0.3 | 1.12 | 30 | 75 | <5 | 0.10 | <1 | 11 | 27 | 66 | 3.85 | 40 | 0.23 | 320 | <1 | <0.01 | 23 | 700 | 106 | <5 | <20 | 10 | 0.01 | <10 | 26 | <10 | 11 | 71 |
| 90 | 2+00+00E 63+00N | 5 | 0.5 | 0.81 | 15 | 90 | <5 | 0.70 | <1 | 8 | 18 | 55 | 2.61 | 30 | 0.12 | 285 | <1 | <0.01 | 19 | 570 | 46 | <5 | <20 | 41 | 0.01 | <10 | 26 | <10 | 5 | 51 |
| 91 | 2+00+00E 63+25N | 10 | 0.9 | 1.59 | 25 | 95 | <5 | 0.48 | <1 | 19 | 32 | 96 | 3.93 | 50 | 0.29 | 828 | <1 | <0.01 | 36 | 1160 | 90 | <5 | <20 | 31 | 0.02 | <10 | 23 | <10 | 16 | 83 |
| 92 | 2+00+00E 63+50N | 10 | 0.3 | 0.77 | 20 | 75 | <5 | 0.26 | <1 | 9 | 20 | 25 | 3.14 | 30 | 0.17 | 207 | <1 | <0.01 | 20 | 480 | 44 | <5 | <20 | 18 | 0.01 | <10 | 22 | <10 | 3 | 63 |
| 93 | 2+00+00E 63+75N | 5 | 0.2 | 0.96 | 15 | 70 | <5 | 0.24 | <1 | 9 | 21 | 21 | 2.72 | 30 | 0.31 | 304 | <1 | <0.01 | 22 | 510 | 34 | <5 | <20 | 13 | <0.01 | <10 | 16 | <10 | 3 | 55 |
| 94 | 2+00+00E 64+00N | 10 | <0.2 | 0.37 | 10 | 30 | <5 | 0.04 | <1 | 5 | 11 | 13 | 1.60 | 20 | 0.06 | 71 | <1 | <0.01 | 13 | 540 | 18 | <5 | <20 | 2 | <0.01 | <10 | 22 | <10 | 1 | 26 |
| 95 | 2+00+00E 64+25N | 35 | 1.3 | 2.22 | 25 | 120 | <5 | 0.98 | <1 | 23 | 33 | 131 | 3.82 | 80 | 0.25 | 3157 | <1 | <0.01 | 53 | 2520 | 94 | <5 | <20 | 60 | 0.02 | 10 | 20 | <10 | 57 | 94 |
| 96 | 2+00+00E 64+50N | 30 | 0.3 | 0.30 | 5 | 40 | <5 | 0.31 | <1 | 2 | 4 | 7 | 0.50 | 20 | 0.04 | 176 | <1 | <0.01 | 5 | 220 | 16 | <5 | <20 | 18 | <0.01 | <10 | 10 | <10 | 2 | 13 |
| 97 | 2+00+00E 64+75N | 10 | 0.3 | 0.71 | 35 | 50 | <5 | 0.06 | <1 | 11 | 19 | 20 | 3.44 | 30 | 0.17 | 408 | <1 | <0.01 | 18 | 590 | 52 | <5 | <20 | 2 | <0.01 | <10 | 17 | <10 | 1 | 54 |
| 98 | 2+00+00E 65+00N | 15 | 0.5 | 0.32 | 10 | 30 | <5 | 0.29 | <1 | 2 | 7 | 6 | 1.03 | 20 | 0.05 | 150 | <1 | <0.01 | 5 | 220 | 20 | <5 | <20 | 14 | 0.01 | <10 | 16 | <10 | 1 | 16 |
| 99 | 2+00+00E 65+25N | 10 | 0.6 | 0.51 | 30 | 30 | <5 | 0.32 | <1 | 5 | 18 | 11 | 3.19 | 30 | 0.11 | 214 | <1 | <0.01 | 7 | 480 | 62 | <5 | <20 | 17 | <0.01 | <10 | 29 | <10 | <1 | 26 |
| 100 | 2+00+00E 65+50N | 15 | 0.3 | 0.64 | 30 | 50 | <5 | 0.04 | <1 | 7 | 20 | 13 | 3.77 | 30 | 0.14 | 376 | <1 | <0.01 | 11 | 1140 | 52 | <5 | <20 | 2 | 0.02 | <10 | 36 | <10 | 1 | 44 |
| 101 | 2+00+00E 65+75N | 10 | 0.2 | 0.59 | 20 | 40 | <5 | 0.03 | <1 | 4 | 16 | 8 | 2.58 | 20 | 0.12 | 196 | <1 | <0.01 | 8 | 520 | 44 | <5 | <20 | 3 | <0.01 | <10 | 30 | <10 | <1 | 22 |
| 102 | 2+00+00E 66+00N | <5 | <0.2 | 1.19 | 30 | 80 | <5 | 0.06 | <1 | 12 | 28 | 27 | 4.41 | 40 | 0.37 | 253 | <1 | <0.01 | 25 | 470 | 44 | <5 | <20 | 3 | <0.01 | <10 | 22 | <10 | 1 | 64 |
| 103 | 2+00+00E 66+25N | 30 | 0.7 | 0.85 | 30 | 50 | <5 | 0.04 | <1 | 9 | 29 | 15 | 4.91 | 40 | 0.19 | 421 | <1 | <0.01 | 14 | 960 | 74 | <5 | <20 | 1 | 0.01 | <10 | 27 | <10 | <1 | 56 |
| 104 | 2+00+00E 66+50N | 20 | 0.7 | 0.70 | 20 | 50 | <5 | 0.03 | <1 | 8 | 17 | 19 | 2.54 | 30 | 0.14 | 400 | <1 | <0.01 | 12 | 560 | 42 | <5 | <20 | 2 | <0.01 | <10 | 17 | <10 | 2 | 48 |
| 105 | 2+00+00E 66+75N | 20 | 0.5 | 0.77 | 25 | 50 | <5 | 0.07 | <1 | 10 | 17 | 22 | 2.69 | 30 | 0.20 | 253 | <1 | <0.01 | 20 | 500 | 56 | <5 | <20 | 4 | <0.01 | <10 | 16 | <10 | 2 | 55 |
| 106 | 2+00+00E 67+00N | 20 | 0.6 | 0.89 | 25 | 70 | <5 | 0.15 | <1 | 9 | 22 | 16 | 3.23 | 30 | 0.21 | 190 | <1 | <0.01 | 17 | 430 | 62 | <5 | <20 | 10 | 0.01 | <10 | 22 | <10 | 2 | 56 |
| 107 | 2+00+00E 67+25N | 30 | 0.9 | 0.93 | 35 | 85 | <5 | 0.37 | <1 | 13 | 23 | 25 | 3.72 | 30 | 0.23 | 280 | <1 | <0.01 | 23 | 650 | 68 | <5 | <20 | 23 | <0.01 | <10 | 18 | <10 | 3 | 75 |
| 108 | 2+00+00E 67+50N | 20 | 1.6 | 1.66 | 45 | 190 | <5 | 0.60 | <1 | 17 | 35 | 38 | 4.76 | 30 | 0.27 | 477 | <1 | <0.01 | 33 | 1000 | 110 | <5 | <20 | 43 | 0.01 | <10 | 29 | <10 | 3 | 126 |
| 109 | 2+00+00E 67+75N | 15 | 0.2 | 1.20 | 5 | 85 | <5 | 3.09 | <1 | 22 | 32 | 45 | 4.35 | 30 | 0.71 | 516 | <1 | <0.01 | 50 | 590 | 28 | <5 | <20 | 158 | 0.01 | <10 | 21 | <10 | 3 | 79 |
| 110 | 2+00+00E 68+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 111 | 2+00+00E 68+25N | 5 | 0.2 | 1.15 | <5 | 70 | <5 | 4.71 | 1 | 21 | 27 | 58 | 4.01 | 40 | 0.64 | 655 | <1 | <0.01 | 47 | 900 | 40 | <5 | <20 | 237 | 0.01 | <10 | 27 | <10 | 6 | 83 |
| 112 | 2+00+00E 68+50N | 5 | 0.2 | 1.57 | 5 | 85 | <5 | 1.66 | <1 | 25 | 39 | 70 | 4.91 | 40 | 0.84 | 740 | <1 | <0.01 | 47 | 790 | 34 | <5 | <20 | 80 | 0.01 | <10 | 35 | <10 | 4 | 113 |
| 113 | 2+00+00E 68+75N | 10 | 0.4 | 1.46 | 15 | 125 | <5 | 2.91 | <1 | 23 | 33 | 54 | 4.42 | 50 | 0.57 | 782 | <1 | <0.01 | 48 | 690 | 46 | <5 | <20 | 138 | 0.01 | <10 | 29 | <10 | 10 | 83 |
| 114 | 2+00+00E 69+00N | 10 | 0.5 | 0.68 | 15 | 20 | <5 | 0.06 | <1 | 5 | 17 | 10 | 3.22 | 30 | 0.08 | 89 | <1 | <0.01 | 8 | 530 | 26 | <5 | <20 | <1 | 0.02 | <10 | 39 | <10 | <1 | 32 |
| 115 | 2+00+00E 69+25N | 10 | 0.9 | 0.98 | 15 | 35 | <5 | 0.03 | <1 | 5 | 21 | 9 | 3.14 | 30 | 0.17 | 36 | <1 | <0.01 | 12 | 660 | 106 | <5 | <20 | 1 | <0.01 | <10 | 22 | <10 | <1 | 49 |
| 116 | 2+00+00E 69+50N | 5 | 0.5 | 0.91 | 15 | 85 | <5 | 0.08 | <1 | 9 | 19 | 14 | 3.66 | 30 | 0.17 | 137 | <1 | <0.01 | 14 | 280 | 64 | <5 | <20 | 4 | <0.01 | <10 | 34 | <10 | <1 | 87 |
| 117 | 2+00+00E 69+75N | <5 | 0.6 | 0.83 | 10 | 110 | <5 | 0.11 | <1 | 9 | 20 | 12 | 2.89 | 30 | 0.20 | 343 | <1 | <0.01 | 12 | 350 | 92 | <5 | <20 | 7 | <0.01 | <10 | 26 | <10 | 2 | 61 |
| 118 | 2+00+00E 70+00N | 5 | 0.3 | 1.09 | 5 | 75 | <5 | 0.07 | <1 | 9 | 28 | 18 | 3.94 | 40 | 0.35 | 109 | <1 | <0.01 | 18 | 460 | 40 | <5 | <20 | 3 | <0.01 | <10 | 27 | <10 | 1 | 71 |

Report:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----------------|-----|------|------|----|-----|----|------|----|----|----|-----|------|----|------|------|----|-------|----|------|-----|----|-----|----|-------|-----|----|-----|----|----|
| 1 | 1-26+00E 67+00N | 15 | <0.2 | 0.85 | 40 | 45 | <5 | 0.05 | <1 | 11 | 26 | 41 | 4.15 | 30 | 0.30 | 156 | <1 | <0.01 | 26 | 650 | 26 | <5 | <20 | <1 | <0.01 | <10 | 20 | 10 | 2 | 57 |
| 10 | 1-26+00E 71+50N | 40 | 0.6 | 0.60 | 20 | 45 | <5 | 0.06 | <1 | 6 | 15 | 13 | 2.56 | 20 | 0.12 | 112 | <1 | <0.01 | 8 | 330 | 20 | <5 | <20 | 4 | <0.01 | <10 | 30 | <10 | <1 | 31 |
| 19 | 1-34+00E 55+00N | 35 | <0.2 | 1.26 | 35 | 115 | <5 | 0.44 | <1 | 22 | 35 | 56 | 4.11 | 40 | 0.59 | 899 | <1 | <0.01 | 46 | 690 | 32 | <5 | <20 | 22 | 0.02 | <10 | 25 | <10 | 8 | 79 |
| 20 | 1-34+00E 55+50N | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 21 | 1-34+00E 56+00N | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 28 | 1-34+00E 59+50N | 35 | <0.2 | 0.81 | 50 | 65 | <5 | 0.08 | <1 | 15 | 20 | 34 | 3.22 | 40 | 0.28 | 502 | <1 | <0.01 | 29 | 370 | 28 | <5 | <20 | 5 | <0.01 | <10 | 13 | <10 | 5 | 72 |
| 36 | 1-34+00E 63+50N | 15 | 0.2 | 0.84 | 65 | 75 | <5 | 0.70 | <1 | 15 | 21 | 35 | 3.25 | 30 | 0.25 | 567 | <1 | <0.01 | 30 | 580 | 32 | <5 | <20 | 58 | <0.01 | <10 | 15 | <10 | 4 | 84 |
| 45 | 1-34+00E 68+00N | 5 | 0.2 | 1.08 | 25 | 100 | <5 | 0.82 | <1 | 19 | 27 | 35 | 4.00 | 40 | 0.24 | 1098 | <1 | <0.01 | 23 | 650 | 36 | <5 | <20 | 52 | 0.01 | <10 | 28 | <10 | 4 | 82 |
| 53 | 2+00+00E 53+75N | 55 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 54 | 2+00+00E 54+00N | 15 | 1.4 | 1.19 | 45 | 105 | <5 | 0.96 | <1 | 16 | 24 | 33 | 3.56 | 40 | 0.34 | 416 | <1 | <0.01 | 30 | 820 | 54 | <5 | <20 | 58 | <0.01 | <10 | 22 | <10 | 5 | 78 |
| 63 | 2+00+00E 56+25N | 15 | 1.2 | 1.24 | 25 | 165 | <5 | 1.34 | <1 | 16 | 22 | 34 | 3.12 | 30 | 0.29 | 1567 | <1 | <0.01 | 28 | 1920 | 70 | <5 | <20 | 50 | 0.01 | <10 | 16 | <10 | 8 | 86 |
| 68 | 2+00+00E 57+50N | 165 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 71 | 2+00+00E 58+25N | 20 | 0.3 | 0.81 | 25 | 100 | <5 | 0.16 | <1 | 8 | 20 | 16 | 2.84 | 30 | 0.23 | 135 | <1 | <0.01 | 14 | 420 | 32 | <5 | <20 | 6 | <0.01 | <10 | 23 | <10 | 1 | 50 |
| 80 | 2+00+00E 60+50N | 10 | 0.9 | 1.63 | 20 | 90 | <5 | 0.49 | <1 | 19 | 33 | 100 | 4.01 | 50 | 0.29 | 911 | <1 | <0.01 | 36 | 1180 | 94 | <5 | <20 | 32 | 0.02 | <10 | 23 | <10 | 17 | 84 |
| 85 | 2+00+00E 61+75N | 40 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 89 | 2+00+00E 62+75N | 10 | 0.3 | 1.10 | 30 | 80 | <5 | 0.10 | <1 | 11 | 27 | 63 | 3.88 | 40 | 0.23 | 318 | <1 | <0.01 | 22 | 710 | 102 | <5 | <20 | 9 | 0.01 | <10 | 26 | <10 | 11 | 71 |
| 98 | 2+00+00E 65+00N | 10 | 0.4 | 0.32 | 10 | 30 | <5 | 0.28 | <1 | 2 | 6 | 8 | 0.97 | 20 | 0.05 | 126 | <1 | <0.01 | 4 | 220 | 16 | <5 | <20 | 13 | 0.01 | <10 | 15 | <10 | 1 | 14 |
| 106 | 2+00+00E 67+00N | 20 | 0.5 | 0.89 | 35 | 60 | <5 | 0.15 | <1 | 9 | 22 | 15 | 3.13 | 30 | 0.21 | 169 | <1 | <0.01 | 19 | 420 | 60 | <5 | <20 | 9 | 0.01 | <10 | 21 | <10 | 1 | 56 |
| 115 | 2+00+00E 69+25N | - | 0.9 | 1.00 | 10 | 35 | <5 | 0.03 | <1 | 5 | 21 | 10 | 3.08 | 30 | 0.18 | 38 | <1 | <0.01 | 10 | 680 | 104 | <5 | <20 | <1 | <0.01 | <10 | 22 | <10 | <1 | 49 |

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | 135 | 1.4 | 1.63 | 60 | 145 | <5 | 1.59 | <1 | 19 | 63 | 88 | 3.57 | <10 | 0.94 | 615 | <1 | 0.02 | 30 | 670 | 22 | <5 | <20 | 46 | 0.09 | <10 | 54 | <10 | 8 | 69 |
| GEO '04 | 140 | 1.5 | 1.64 | 55 | 145 | <5 | 1.57 | <1 | 19 | 62 | 88 | 3.55 | 10 | 0.95 | 602 | <1 | 0.02 | 32 | 680 | 24 | <5 | <20 | 49 | 0.10 | <10 | 64 | <10 | 9 | 88 |
| GEO '04 | 140 | 1.5 | 1.65 | 50 | 140 | <5 | 1.58 | <1 | 19 | 62 | 88 | 3.58 | 10 | 0.95 | 613 | <1 | 0.02 | 30 | 680 | 26 | <5 | <20 | 48 | 0.09 | <10 | 60 | <10 | 9 | 64 |
| GEO '04 | 140 | 1.5 | 1.71 | 60 | 140 | <5 | 1.64 | <1 | 19 | 66 | 89 | 3.66 | 10 | 0.97 | 628 | <1 | 0.02 | 30 | 650 | 22 | <5 | <20 | 49 | 0.10 | <10 | 56 | <10 | 9 | 67 |

JJ/jm
df/1019
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABO/RY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1020

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wellis, BC, V0K 2R0

No. of samples received: 106
Sample type: Soil
Project #: LOWHEE
Shipment #: None Given
Samples submitted by: J. McAllister

Values in ppm unless otherwise reported

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-----------------|-----------|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|-----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | 2+02+00N 58+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 2+02+00N 58+25E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 2+02+00N 58+50E | 10 | 0.7 | 1.17 | 20 | 55 | <5 | 0.51 | <1 | 18 | 25 | 44 | 3.64 | 30 | 0.38 | 794 | <1 | <0.01 | 32 | 730 | 60 | <5 | <20 | 22 | 0.01 | <10 | 20 | <10 | 16 | 77 |
| 4 | 2+02+00N 58+75E | <5 | 3.2 | 1.18 | 15 | 135 | <5 | 2.98 | 1 | 9 | 21 | 82 | 2.12 | 40 | 0.23 | 1253 | <1 | <0.01 | 40 | 1360 | 68 | <5 | <20 | 138 | 0.01 | <10 | 14 | <10 | 27 | 63 |
| 5 | 2+02+00N 59+00E | 20 | 0.5 | 0.69 | 55 | 70 | <5 | 0.07 | <1 | 7 | 18 | 14 | 3.10 | 20 | 0.14 | 130 | <1 | <0.01 | 12 | 330 | 66 | <5 | <20 | 2 | 0.01 | <10 | 28 | <10 | 1 | 53 |
| 6 | 2+02+00N 59+25E | 10 | 0.4 | 0.87 | 15 | 90 | <5 | 0.37 | <1 | 9 | 20 | 17 | 3.33 | 30 | 0.20 | 366 | <1 | <0.01 | 11 | 440 | 48 | <5 | <20 | 24 | 0.02 | <10 | 40 | <10 | 3 | 69 |
| 7 | 2+02+00N 59+50E | <5 | 0.7 | 1.13 | 30 | 130 | <5 | 0.48 | <1 | 18 | 26 | 30 | 3.71 | 30 | 0.25 | 1740 | <1 | <0.01 | 24 | 770 | 88 | <5 | <20 | 26 | 0.02 | <10 | 29 | <10 | 7 | 104 |
| 8 | 2+02+00N 59+75E | <5 | 0.3 | 0.68 | 30 | 80 | <5 | 0.20 | <1 | 7 | 17 | 13 | 2.84 | 20 | 0.15 | 149 | <1 | <0.01 | 12 | 380 | 32 | <5 | <20 | 11 | <0.01 | <10 | 19 | <10 | 2 | 52 |
| 9 | 2+02+00N 60+00E | 15 | <0.2 | 0.37 | 5 | 15 | <5 | 0.03 | <1 | 2 | 4 | 4 | 0.54 | 20 | 0.02 | 48 | <1 | <0.01 | <1 | 130 | 6 | <5 | <20 | <1 | <0.01 | <10 | 14 | <10 | <1 | 11 |
| 10 | 2+02+00N 60+25E | 5 | <0.2 | 0.85 | 30 | 45 | <5 | 0.05 | <1 | 10 | 24 | 19 | 4.11 | 20 | 0.19 | 244 | <1 | <0.01 | 17 | 560 | 48 | <5 | <20 | 3 | <0.01 | <10 | 21 | <10 | 1 | 63 |
| 11 | 2+02+00N 60+50E | 10 | <0.2 | 0.29 | 15 | 20 | <5 | 0.10 | <1 | 4 | 7 | 9 | 1.20 | 20 | 0.03 | 174 | <1 | <0.01 | 5 | 220 | 10 | <5 | <20 | 4 | 0.01 | <10 | 21 | <10 | <1 | 27 |
| 12 | 2+02+00N 60+75E | 5 | 0.5 | 1.26 | 55 | 60 | <5 | 0.67 | <1 | 15 | 25 | 63 | 3.28 | 60 | 0.21 | 1473 | <1 | <0.01 | 25 | 1180 | 68 | <5 | <20 | 47 | 0.01 | <10 | 21 | <10 | 40 | 69 |
| 13 | 2+02+00N 61+00E | <5 | 1.0 | 0.35 | 20 | 25 | <5 | 2.22 | 1 | 4 | 7 | 20 | 0.84 | 20 | 0.09 | 174 | <1 | <0.01 | 11 | 860 | 12 | <5 | <20 | 145 | <0.01 | <10 | 5 | <10 | 11 | 41 |
| 14 | 2+02+00N 61+25E | 15 | <0.2 | 0.58 | 25 | 35 | <5 | 0.10 | <1 | 8 | 19 | 18 | 3.47 | 20 | 0.11 | 111 | <1 | <0.01 | 14 | 340 | 26 | <5 | <20 | 7 | 0.01 | <10 | 28 | <10 | 1 | 53 |
| 15 | 2+02+00N 61+50E | 5 | 0.5 | 0.44 | 40 | 30 | <5 | 0.06 | <1 | 9 | 19 | 17 | 3.64 | 20 | 0.12 | 261 | <1 | <0.01 | 13 | 390 | 30 | <5 | <20 | 2 | 0.02 | <10 | 27 | <10 | 2 | 53 |
| 16 | 2+02+00N 61+75E | 20 | <0.2 | 0.57 | 20 | 45 | <5 | 0.16 | <1 | 7 | 16 | 15 | 2.66 | 20 | 0.14 | 95 | <1 | <0.01 | 16 | 320 | 28 | <5 | <20 | 8 | <0.01 | <10 | 20 | <10 | 1 | 47 |
| 17 | 2+02+00N 62+00E | 5 | 0.3 | 0.50 | 20 | 50 | <5 | 0.16 | <1 | 9 | 16 | 21 | 3.28 | 20 | 0.11 | 279 | <1 | <0.01 | 15 | 460 | 34 | <5 | <20 | 7 | 0.02 | <10 | 25 | <10 | 2 | 64 |
| 18 | 2+02+00N 62+25E | <5 | <0.2 | 0.74 | 25 | 60 | <5 | 0.14 | <1 | 17 | 21 | 22 | 3.54 | 40 | 0.16 | 799 | <1 | <0.01 | 16 | 660 | 32 | <5 | <20 | 9 | 0.01 | <10 | 26 | <10 | 5 | 65 |
| 19 | 2+02+00N 62+50E | 5 | 0.3 | 0.37 | 10 | 10 | <5 | 0.03 | <1 | 3 | 8 | 7 | 1.25 | 20 | 0.05 | 73 | <1 | <0.01 | 3 | 300 | 10 | <5 | <20 | <1 | <0.01 | <10 | 13 | <10 | <1 | 15 |
| 20 | 2+02+00N 62+75E | 10 | 0.2 | 0.71 | 30 | 35 | <5 | 0.03 | <1 | 8 | 25 | 17 | 4.35 | 30 | 0.19 | 249 | <1 | <0.01 | 11 | 1700 | 28 | <5 | <20 | 2 | <0.01 | <10 | 28 | <10 | <1 | 44 |
| 21 | 2+02+00N 63+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22 | 2+02+00N 63+25E | <5 | 2.5 | 1.63 | 20 | 75 | <5 | 1.06 | <1 | 21 | 31 | 69 | 3.56 | 40 | 0.25 | 4364 | <1 | <0.01 | 35 | 1210 | 62 | <5 | <20 | 60 | 0.02 | <10 | 22 | <10 | 52 | 70 |
| 23 | 2+02+00N 63+50E | 70 | 0.3 | 0.84 | 20 | 40 | <5 | 0.20 | <1 | 13 | 21 | 21 | 3.06 | 30 | 0.26 | 296 | <1 | <0.01 | 23 | 370 | 30 | <5 | <20 | 13 | <0.01 | <10 | 17 | <10 | 4 | 52 |
| 24 | 2+02+00N 63+75E | <5 | 1.0 | 1.76 | 20 | 55 | <5 | 0.62 | <1 | 22 | 32 | 66 | 3.52 | 90 | 0.30 | 2830 | <1 | <0.01 | 38 | 1320 | 40 | <5 | <20 | 28 | 0.01 | <10 | 19 | <10 | 66 | 64 |
| 25 | 2+02+00N 64+00E | <5 | <0.2 | 0.15 | <5 | 10 | <5 | 0.04 | <1 | <1 | 2 | 2 | 0.18 | 20 | 0.01 | 44 | <1 | <0.01 | 1 | 100 | 2 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | 2 | 4 |
| 26 | 2+02+00N 64+25E | <5 | <0.2 | 0.23 | <5 | 10 | <5 | 0.03 | <1 | 1 | 3 | 3 | 0.32 | 20 | 0.01 | 52 | <1 | <0.01 | 1 | 160 | 4 | <5 | <20 | <1 | <0.01 | <10 | 7 | <10 | <1 | 6 |
| 27 | 2+02+00N 64+50E | 25 | <0.2 | 0.36 | 20 | 20 | <5 | 0.05 | <1 | 4 | 11 | 9 | 1.68 | 20 | 0.08 | 405 | <1 | <0.01 | 6 | 480 | 16 | <5 | <20 | <1 | <0.01 | <10 | 28 | <10 | <1 | 20 |
| 28 | 2+02+00N 64+75E | 5 | <0.2 | 0.46 | 10 | 20 | <5 | 0.02 | <1 | 2 | 7 | 3 | 1.06 | 20 | 0.05 | 63 | <1 | <0.01 | 2 | 180 | 10 | <5 | <20 | <1 | <0.01 | <10 | 13 | <10 | <1 | 12 |
| 29 | 2+02+00N 65+00E | 25 | <0.2 | 0.76 | 25 | 35 | <5 | 0.02 | <1 | 8 | 17 | 13 | 2.75 | 30 | 0.16 | 455 | <1 | <0.01 | 10 | 490 | 38 | <5 | <20 | <1 | <0.01 | <10 | 18 | <10 | 1 | 41 |
| 30 | 2+02+00N 65+25E | <5 | 0.3 | 1.55 | 25 | 85 | <5 | 0.13 | <1 | 29 | 33 | 49 | 5.90 | 90 | 0.33 | 1398 | <1 | <0.01 | 52 | 740 | 102 | <5 | <20 | 12 | <0.01 | <10 | 13 | <10 | 37 | 95 |
| 31 | 2+02+00N 65+50E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32 | 2+02+00N 65+75E | 10 | 0.2 | 1.16 | 45 | 45 | <5 | 0.06 | <1 | 18 | 23 | 38 | 3.57 | 30 | 0.27 | 438 | <1 | <0.01 | 31 | 500 | 80 | <5 | <20 | 4 | <0.01 | <10 | 15 | <10 | 3 | 98 |
| 33 | 2+02+00N 66+00E | 15 | 0.3 | 0.22 | 5 | 20 | <5 | 0.03 | <1 | 2 | 3 | 3 | 0.35 | 20 | 0.02 | 109 | <1 | <0.01 | 2 | 230 | 8 | <5 | <20 | <1 | <0.01 | <10 | 3 | <10 | <1 | 7 |
| 34 | 2+02+00N 66+25E | 45 | 0.2 | 0.68 | 30 | 70 | <5 | 0.19 | <1 | 8 | 20 | 17 | 3.44 | 20 | 0.12 | 289 | <1 | <0.01 | 12 | 520 | 44 | <5 | <20 | 11 | <0.01 | <10 | 24 | <10 | 1 | 65 |
| 35 | 2+02+00N 66+50E | 15 | 0.5 | 0.60 | 25 | 85 | <5 | 0.21 | <1 | 8 | 17 | 15 | 2.52 | 20 | 0.13 | 447 | <1 | <0.01 | 12 | 660 | 50 | <5 | <20 | 14 | 0.01 | <10 | 20 | <10 | 1 | 62 |

| Et #. | Tar | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | L | % | Mn | Mo | Na % | Ni | P | PbSb | Sn | Sr | Ti % | U | V | Y | Zn | | |
|-------|-----------------|-----------|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|------|----|-----|------|-------|-----|----|-----|----|-----|
| 36 | 2+02+00N 75E | 60 | 1.0 | 1.06 | 25 | 80 | <5 | 0.42 | <1 | 15 | 23 | 32 | 3.38 | 30 | 0.29 | 582 | <1 | <0.01 | 26 | 600 | 58 | <5 | <20 | 23 | <0.01 | <10 | 17 | <10 | 4 | 88 |
| 37 | 2+02+00N 67+00E | 30 | 2.3 | 1.41 | 30 | 115 | <5 | 0.76 | <1 | 20 | 29 | 41 | 4.64 | 20 | 0.18 | 746 | <1 | <0.01 | 28 | 1520 | 94 | <5 | <20 | 46 | 0.01 | <10 | 24 | <10 | 8 | 97 |
| 38 | 2+02+00N 67+25E | 10 | 3.8 | 0.52 | 10 | 80 | <5 | 0.90 | <1 | 5 | 12 | 15 | 1.68 | 10 | 0.11 | 136 | <1 | <0.01 | 11 | 1170 | 26 | <5 | <20 | 50 | <0.01 | <10 | 13 | <10 | 2 | 49 |
| 39 | 2+02+00N 67+50E | 15 | 0.3 | 0.94 | 20 | 55 | <5 | 0.49 | <1 | 20 | 25 | 39 | 3.80 | 30 | 0.42 | 685 | <1 | <0.01 | 33 | 690 | 52 | <5 | <20 | 27 | 0.01 | <10 | 20 | <10 | 7 | 77 |
| 40 | 2+02+00N 67+75E | <5 | 0.4 | 1.23 | 15 | 160 | <5 | 0.79 | <1 | 14 | 24 | 37 | 3.14 | 20 | 0.27 | 657 | <1 | <0.01 | 26 | 890 | 48 | <5 | <20 | 52 | 0.01 | <10 | 21 | <10 | 7 | 80 |
| 41 | 2+02+00N 68+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 42 | 2+02+00N 68+25E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 43 | 2+02+00N 68+50E | <5 | 1.1 | 1.67 | 20 | 125 | <5 | 0.71 | <1 | 17 | 36 | 45 | 4.46 | 40 | 0.31 | 533 | <1 | <0.01 | 32 | 750 | 54 | <5 | <20 | 34 | 0.01 | <10 | 30 | <10 | 20 | 77 |
| 44 | 2+02+00N 68+75E | 15 | 0.9 | 1.17 | 10 | 100 | <5 | 0.38 | 3 | 10 | 23 | 23 | 2.98 | 30 | 0.22 | 851 | <1 | <0.01 | 20 | 370 | 270 | <5 | <20 | 14 | <0.01 | <10 | 27 | <10 | 9 | 172 |
| 45 | 2+02+00N 69+00E | <5 | 1.8 | 1.19 | 15 | 70 | <5 | 0.37 | 4 | 12 | 22 | 28 | 3.10 | 30 | 0.23 | 872 | <1 | <0.01 | 21 | 450 | 1588 | <5 | <20 | 12 | <0.01 | <10 | 28 | <10 | 12 | 417 |
| 46 | 2+02+00N 69+25E | <5 | 0.5 | 0.88 | 10 | 60 | <5 | 0.12 | <1 | 8 | 19 | 13 | 2.96 | 20 | 0.15 | 171 | <1 | <0.01 | 12 | 280 | 66 | <5 | <20 | 3 | <0.01 | <10 | 31 | <10 | 2 | 76 |
| 47 | 2+02+00N 69+50E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 48 | 2+02+00N 69+75E | 5 | 0.2 | 0.70 | 10 | 80 | <5 | 0.08 | <1 | 8 | 17 | 19 | 2.77 | 20 | 0.15 | 118 | <1 | <0.01 | 15 | 210 | 44 | <5 | <20 | 4 | <0.01 | <10 | 22 | <10 | 1 | 67 |
| 49 | 2+02+00N 70+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50 | 1+32+00E 56+00N | 30 | <0.2 | 0.88 | 30 | 55 | <5 | 0.11 | <1 | 13 | 25 | 23 | 3.31 | 20 | 0.32 | 366 | <1 | <0.01 | 22 | 420 | 26 | <5 | <20 | 4 | <0.01 | <10 | 20 | <10 | 2 | 55 |
| 51 | 1+32+00E 58+50N | 45 | 0.5 | 1.15 | 35 | 100 | <5 | 0.36 | <1 | 17 | 28 | 38 | 3.62 | 30 | 0.35 | 961 | <1 | <0.01 | 35 | 520 | 28 | <5 | <20 | 21 | <0.01 | <10 | 21 | <10 | 10 | 71 |
| 52 | 1+32+00E 57+00N | 30 | 0.2 | 0.87 | 45 | 45 | <5 | 0.19 | <1 | 13 | 24 | 24 | 3.45 | 30 | 0.30 | 277 | <1 | <0.01 | 22 | 460 | 24 | <5 | <20 | 8 | <0.01 | <10 | 19 | <10 | 1 | 66 |
| 53 | 1+32+00E 57+50N | 25 | 0.2 | 0.90 | 40 | 65 | <5 | 0.05 | <1 | 8 | 26 | 19 | 3.82 | 30 | 0.23 | 55 | <1 | <0.01 | 13 | 530 | 34 | <5 | <20 | 3 | <0.01 | <10 | 23 | <10 | <1 | 39 |
| 54 | 1+32+00E 58+00N | 35 | 0.3 | 1.15 | 40 | 55 | <5 | 0.06 | <1 | 15 | 28 | 33 | 4.03 | 30 | 0.38 | 324 | <1 | <0.01 | 30 | 390 | 44 | <5 | <20 | 3 | <0.01 | <10 | 19 | <10 | 2 | 72 |
| 55 | 1+32+00E 58+50N | 30 | 0.4 | 0.85 | 30 | 55 | <5 | 1.29 | <1 | 13 | 19 | 28 | 2.75 | 20 | 0.27 | 578 | <1 | <0.01 | 28 | 700 | 22 | <5 | <20 | 63 | <0.01 | <10 | 14 | <10 | 7 | 55 |
| 56 | 1+32+00E 59+00N | 10 | 0.3 | 0.82 | 45 | 40 | <5 | 0.03 | <1 | 10 | 23 | 21 | 3.63 | 30 | 0.19 | 399 | <1 | <0.01 | 15 | 480 | 20 | <5 | <20 | 2 | <0.01 | <10 | 34 | <10 | <1 | 51 |
| 57 | 1+32+00E 59+50N | 10 | 0.5 | 1.14 | 35 | 60 | <5 | 0.14 | <1 | 16 | 27 | 27 | 4.11 | 20 | 0.30 | 254 | <1 | <0.01 | 25 | 540 | 30 | <5 | <20 | 11 | <0.01 | <10 | 19 | <10 | 3 | 70 |
| 58 | 1+32+00E 60+00N | 10 | 0.6 | 0.66 | 35 | 140 | <5 | 0.15 | <1 | 6 | 13 | 14 | 1.99 | 20 | 0.14 | 344 | <1 | <0.01 | 9 | 290 | 10 | <5 | <20 | 15 | <0.01 | <10 | 19 | <10 | <1 | 44 |
| 59 | 1+32+00E 60+50N | 10 | 0.2 | 0.85 | 65 | 45 | <5 | 0.07 | <1 | 9 | 21 | 28 | 3.47 | 30 | 0.27 | 114 | <1 | <0.01 | 17 | 250 | 14 | <5 | <20 | 3 | <0.01 | <10 | 22 | <10 | <1 | 55 |
| 60 | 1+32+00E 61+00N | 35 | 0.2 | 0.92 | 35 | 60 | <5 | 0.77 | <1 | 17 | 22 | 32 | 3.14 | 20 | 0.33 | 638 | <1 | <0.01 | 28 | 530 | 22 | <5 | <20 | 42 | <0.01 | <10 | 16 | <10 | 5 | 63 |
| 61 | 1+32+00E 61+50N | 110 | 0.3 | 1.03 | 50 | 65 | <5 | 0.20 | <1 | 12 | 26 | 26 | 4.29 | 20 | 0.22 | 214 | <1 | <0.01 | 21 | 480 | 30 | <5 | <20 | 15 | <0.01 | <10 | 27 | <10 | 2 | 69 |
| 62 | 1+32+00E 62+00N | 30 | 0.6 | 1.25 | 40 | 105 | <5 | 1.13 | <1 | 17 | 26 | 48 | 3.69 | 30 | 0.31 | 1362 | <1 | <0.01 | 40 | 830 | 30 | <5 | <20 | 76 | <0.01 | <10 | 19 | <10 | 16 | 74 |
| 63 | 1+32+00E 62+50N | 80 | 0.2 | 0.69 | 45 | 50 | <5 | 0.12 | <1 | 14 | 19 | 30 | 3.26 | 30 | 0.21 | 560 | <1 | <0.01 | 25 | 400 | 22 | <5 | <20 | 6 | <0.01 | <10 | 15 | <10 | 4 | 56 |
| 64 | 1+32+00E 63+00N | 160 | 0.4 | 0.85 | 35 | 50 | <5 | 0.12 | <1 | 14 | 21 | 27 | 3.17 | 20 | 0.19 | 428 | <1 | <0.01 | 25 | 330 | 20 | 5 | <20 | 11 | <0.01 | <10 | 18 | <10 | 4 | 48 |
| 65 | 1+32+00E 63+50N | 55 | 0.3 | 0.94 | 75 | 75 | <5 | 0.76 | <1 | 17 | 24 | 38 | 3.63 | 20 | 0.29 | 817 | <1 | <0.01 | 30 | 540 | 28 | <5 | <20 | 59 | <0.01 | <10 | 18 | <10 | 6 | 65 |
| 66 | 1+32+00E 64+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 67 | 1+32+00E 64+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 68 | 1+32+00E 65+00N | 10 | 0.6 | 0.97 | 30 | 95 | <5 | 1.71 | <1 | 15 | 20 | 41 | 2.93 | 20 | 0.27 | 1596 | <1 | <0.01 | 34 | 900 | 24 | <5 | <20 | 96 | <0.01 | <10 | 16 | <10 | 8 | 75 |
| 69 | 1+32+00E 65+50N | 65 | <0.2 | 0.33 | 25 | 35 | <5 | 0.05 | <1 | 5 | 9 | 8 | 1.52 | 20 | 0.05 | 88 | <1 | <0.01 | 7 | 270 | 6 | <5 | <20 | 1 | <0.01 | <10 | 22 | <10 | 1 | 24 |
| 70 | 1+32+00E 66+00N | 5 | 1.4 | 1.01 | 25 | 90 | <5 | 0.91 | <1 | 15 | 22 | 33 | 3.10 | 20 | 0.19 | 1014 | <1 | <0.01 | 24 | 960 | 26 | <5 | <20 | 59 | 0.01 | <10 | 20 | <10 | 8 | 80 |
| 71 | 1+32+00E 66+50N | <5 | 0.9 | 1.22 | 25 | 155 | <5 | 1.59 | <1 | 17 | 24 | 34 | 3.07 | 20 | 0.24 | 4087 | <1 | <0.01 | 30 | 1100 | 24 | <5 | <20 | 97 | 0.02 | <10 | 20 | <10 | 6 | 71 |
| 72 | 1+32+00E 67+00N | 90 | 1.2 | 0.73 | 20 | 165 | <5 | 2.96 | <1 | 12 | 16 | 41 | 2.16 | 10 | 0.20 | 3661 | <1 | <0.01 | 30 | 1110 | 16 | <5 | <20 | 148 | 0.01 | <10 | 14 | <10 | 5 | 75 |
| 73 | 1+32+00E 67+50N | 25 | <0.2 | 0.65 | 30 | 40 | <5 | 0.08 | <1 | 7 | 16 | 16 | 2.60 | 30 | 0.18 | 153 | <1 | <0.01 | 12 | 290 | 12 | <5 | <20 | 4 | <0.01 | <10 | 25 | <10 | 1 | 44 |
| 74 | 1+32+00E 68+00N | <5 | 0.2 | 1.06 | 30 | 70 | <5 | 0.89 | <1 | 16 | 25 | 29 | 3.72 | 20 | 0.31 | 583 | <1 | <0.01 | 25 | 550 | 28 | <5 | <20 | 44 | <0.01 | <10 | 23 | <10 | 4 | 59 |
| 75 | 1+32+00E 68+50N | <5 | 0.3 | 1.05 | 25 | 70 | <5 | 0.75 | <1 | 17 | 27 | 37 | 3.62 | 20 | 0.36 | 1037 | <1 | <0.01 | 32 | 850 | 26 | <5 | <20 | 38 | <0.01 | <10 | 22 | <10 | 8 | 70 |
| 76 | 1+32+00E 69+00N | <5 | 0.2 | 1.14 | 25 | 45 | <5 | 0.23 | <1 | 18 | 29 | 30 | 4.01 | 20 | 0.35 | 546 | <1 | <0.01 | 23 | 710 | 28 | <5 | <20 | 8 | <0.01 | <10 | 25 | <10 | 7 | 64 |
| 77 | 1+32+00E 69+50N | <5 | 0.6 | 0.90 | 20 | 130 | <5 | 0.10 | <1 | 12 | 22 | 37 | 3.36 | 30 | 0.16 | 780 | <1 | <0.01 | 15 | 480 | 22 | <5 | <20 | 11 | 0.01 | <10 | 36 | <10 | 8 | 54 |
| 78 | 1+32+00E 70+00N | <5 | 0.4 | 1.28 | 25 | 85 | <5 | 0.79 | <1 | 19 | 32 | 36 | 4.19 | 30 | 0.45 | 841 | <1 | <0.01 | 31 | 710 | 28 | <5 | <20 | 28 | 0.01 | <10 | 29 | <10 | 8 | 71 |
| 79 | 1+32+00E 70+50N | <5 | 0.4 | 1.20 | 25 | 75 | <5 | 0.81 | <1 | 17 | 29 | 32 | 4.07 | 20 | 0.35 | 447 | <1 | <0.01 | 26 | 560 | 26 | <5 | <20 | 29 | <0.01 | <10 | 31 | <10 | 4 | 65 |
| 80 | 1+32+00E 71+00N | <5 | 0.4 | 1.10 | 20 | 95 | <5 | 0.53 | <1 | 18 | 27 | 31 | 3.78 | 20 | 0.35 | 635 | <1 | <0.01 | 25 | 620 | 26 | <5 | <20 | 26 | <0.01 | <10 | 26 | <10 | 6 | 72 |

| Et #. | Tag | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | L | % | Mn | Mo | Na % | Ni | P | PbSb | Sn | Sr | Ti % | U | V | Y | Zn | | |
|-------|-----------------|-----------|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|------|----|-----|------|-------|-----|----|-----|----|----|
| 81 | 1+32+00E 00N | <5 | 0.8 | 1.34 | 30 | 110 | <5 | 1.31 | <1 | 19 | 30 | 60 | 3.95 | 30 | 33 | 1638 | <1 | <0.01 | 43 | 1150 | 30 | <5 | <20 | 69 | 0.01 | <10 | 25 | <1 | 13 | 57 |
| 82 | 1+32+00E 00N | <5 | 0.4 | 1.13 | 35 | 75 | <5 | 0.71 | <1 | 19 | 28 | 46 | 4.31 | 30 | 0.36 | 672 | <1 | <0.01 | 34 | 530 | 32 | <5 | <20 | 37 | <0.01 | <10 | 23 | <10 | 9 | 57 |
| 83 | 1+32+00E 72+50N | <5 | 0.3 | 1.29 | 30 | 70 | <5 | 0.30 | <1 | 22 | 30 | 52 | 4.61 | 30 | 0.35 | 902 | <1 | <0.01 | 36 | 520 | 32 | <5 | <20 | 20 | <0.01 | <10 | 25 | <10 | 10 | 70 |
| 84 | 1+32+00E 73+00N | <5 | 0.3 | 0.95 | 30 | 50 | <5 | 0.47 | <1 | 21 | 25 | 37 | 4.42 | 20 | 0.35 | 489 | <1 | <0.01 | 27 | 440 | 26 | <5 | <20 | 27 | <0.01 | <10 | 19 | <10 | 4 | 62 |
| 85 | 1+32+00E 73+50N | <5 | 0.4 | 1.16 | 25 | 70 | <5 | 0.75 | <1 | 15 | 25 | 39 | 4.10 | 30 | 0.31 | 659 | <1 | <0.01 | 27 | 710 | 24 | <5 | <20 | 45 | <0.01 | <10 | 24 | <10 | 10 | 61 |
| 86 | 1+32+00E 74+00N | <5 | 0.4 | 1.25 | 25 | 45 | <5 | 0.25 | <1 | 19 | 28 | 29 | 4.36 | 30 | 0.37 | 358 | <1 | <0.01 | 23 | 500 | 28 | <5 | <20 | 13 | <0.01 | <10 | 25 | <10 | 8 | 61 |
| 87 | 1+40+00E 54+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 88 | 1+40+00E 55+00N | 95 | 0.3 | 0.44 | 25 | 25 | <5 | 0.05 | <1 | 5 | 13 | 12 | 2.22 | 20 | 0.11 | 134 | <1 | <0.01 | 9 | 550 | 14 | <5 | <20 | 1 | <0.01 | <10 | 26 | <10 | <1 | 29 |
| 89 | 1+40+00E 55+50N | 25 | 0.3 | 0.82 | 45 | 45 | <5 | 0.38 | <1 | 18 | 23 | 36 | 3.67 | 30 | 0.32 | 705 | <1 | <0.01 | 31 | 630 | 30 | <5 | <20 | 20 | <0.01 | <10 | 18 | <10 | 6 | 74 |
| 90 | 1+40+00E 56+00N | 15 | 0.7 | 1.09 | 35 | 90 | <5 | 0.96 | <1 | 15 | 24 | 32 | 3.47 | 20 | 0.30 | 905 | <1 | <0.01 | 27 | 760 | 28 | <5 | <20 | 42 | <0.01 | <10 | 22 | <10 | 7 | 75 |
| 91 | 1+40+00E 56+50N | 35 | 1.0 | 0.90 | 40 | 120 | <5 | 0.16 | <1 | 16 | 22 | 28 | 3.68 | 20 | 0.15 | 1388 | <1 | <0.01 | 21 | 580 | 34 | <5 | <20 | 9 | <0.01 | <10 | 26 | <10 | 6 | 61 |
| 92 | 1+40+00E 57+00N | 15 | 0.5 | 0.82 | 40 | 60 | <5 | 0.67 | <1 | 11 | 22 | 24 | 3.57 | 20 | 0.24 | 299 | <1 | <0.01 | 19 | 570 | 20 | <5 | <20 | 30 | <0.01 | <10 | 22 | <10 | 4 | 70 |
| 93 | 1+40+00E 57+50N | 15 | 1.0 | 1.12 | 35 | 105 | <5 | 2.20 | <1 | 14 | 23 | 36 | 2.97 | 20 | 0.28 | 1338 | <1 | <0.01 | 35 | 1300 | 24 | <5 | <20 | 94 | <0.01 | <10 | 15 | <10 | 10 | 94 |
| 94 | 1+40+00E 58+00N | 10 | 0.3 | 1.08 | 45 | 65 | <5 | 0.34 | <1 | 18 | 25 | 31 | 3.79 | 20 | 0.26 | 455 | <1 | <0.01 | 24 | 440 | 30 | <5 | <20 | 22 | <0.01 | <10 | 19 | <10 | 5 | 72 |
| 95 | 1+40+00E 58+50N | 20 | 1.3 | 0.64 | 20 | 55 | <5 | 1.43 | <1 | 7 | 14 | 28 | 1.60 | 20 | 0.13 | 420 | <1 | <0.01 | 16 | 450 | 14 | <5 | <20 | 87 | <0.01 | <10 | 16 | <10 | 5 | 41 |
| 96 | 1+40+00E 59+00N | 25 | 0.2 | 0.49 | 30 | 50 | <5 | 0.10 | <1 | 7 | 11 | 14 | 1.75 | 20 | 0.09 | 171 | <1 | <0.01 | 9 | 210 | 12 | <5 | <20 | 5 | <0.01 | <10 | 19 | <10 | 2 | 30 |
| 97 | 1+40+00E 59+50N | 15 | 0.6 | 0.69 | 25 | 60 | <5 | 0.07 | <1 | 7 | 19 | 17 | 2.93 | 20 | 0.17 | 308 | <1 | <0.01 | 12 | 400 | 18 | <5 | <20 | 1 | <0.01 | <10 | 21 | <10 | <1 | 35 |
| 98 | 1+40+00E 60+00N | 85 | <0.2 | 0.45 | 35 | 40 | <5 | 0.04 | <1 | 5 | 11 | 11 | 1.64 | 30 | 0.09 | 120 | <1 | <0.01 | 9 | 260 | 10 | <5 | <20 | 2 | <0.01 | <10 | 26 | <10 | <1 | 26 |
| 99 | 1+40+00E 60+50N | 10 | 0.4 | 1.07 | 40 | 65 | <5 | 0.38 | <1 | 18 | 26 | 43 | 3.74 | 30 | 0.31 | 875 | <1 | <0.01 | 35 | 550 | 26 | <5 | <20 | 17 | <0.01 | <10 | 18 | <10 | 9 | 68 |
| 100 | 1+40+00E 61+00N | 300 | 0.3 | 0.54 | 35 | 45 | <5 | 0.09 | <1 | 11 | 18 | 21 | 3.24 | 20 | 0.15 | 628 | <1 | <0.01 | 15 | 400 | 16 | <5 | <20 | 3 | <0.01 | <10 | 22 | <10 | 1 | 49 |
| 101 | 1+40+00E 61+50N | 15 | 0.3 | 1.07 | 40 | 55 | <5 | 0.12 | <1 | 19 | 25 | 29 | 3.85 | 30 | 0.28 | 607 | <1 | <0.01 | 28 | 430 | 28 | <5 | <20 | 10 | <0.01 | <10 | 16 | <10 | 9 | 66 |
| 102 | 1+40+00E 62+00N | 50 | 1.8 | 1.03 | 35 | 40 | <5 | 0.09 | <1 | 17 | 24 | 33 | 3.84 | 30 | 0.26 | 317 | <1 | <0.01 | 28 | 360 | 28 | <5 | <20 | 6 | <0.01 | <10 | 16 | <10 | 9 | 55 |
| 103 | 1+40+00E 62+50N | 25 | 0.4 | 0.54 | 35 | 55 | <5 | 0.08 | <1 | 9 | 17 | 16 | 3.06 | 20 | 0.18 | 242 | <1 | <0.01 | 15 | 320 | 14 | <5 | <20 | 6 | <0.01 | <10 | 19 | <10 | 1 | 43 |
| 104 | 1+40+00E 63+00N | 10 | 0.8 | 1.05 | 25 | 60 | <5 | 0.06 | <1 | 14 | 24 | 25 | 3.83 | 20 | 0.23 | 616 | <1 | <0.01 | 21 | 560 | 26 | <5 | <20 | 4 | <0.01 | <10 | 22 | <10 | 3 | 59 |
| 105 | 1+40+00E 63+50N | 20 | <0.2 | 0.49 | 15 | 45 | <5 | 0.04 | <1 | 4 | 10 | 8 | 1.48 | 20 | 0.10 | 119 | <1 | <0.01 | 6 | 200 | 8 | <5 | <20 | 2 | <0.01 | <10 | 21 | <10 | <1 | 22 |
| 106 | 1+40+00E 64+00N | 25 | 0.4 | 0.89 | 30 | 55 | <5 | 0.10 | <1 | 13 | 21 | 22 | 3.39 | 20 | 0.20 | 396 | <1 | <0.01 | 16 | 340 | 20 | <5 | <20 | 7 | <0.01 | <10 | 25 | <10 | 2 | 52 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----------------|----|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|------|----|-----|----|-------|-----|----|-----|----|-----|
| 3 | 2+02+00N 58+50E | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 10 | 2+02+00N 60+25E | <5 | <0.2 | 0.91 | 35 | 45 | <5 | 0.06 | <1 | 10 | 24 | 20 | 4.23 | 30 | 0.20 | 255 | <1 | <0.01 | 16 | 590 | 52 | <5 | <20 | 2 | <0.01 | <10 | 22 | <10 | 2 | 66 |
| 19 | 2+02+00N 62+50E | 10 | <0.2 | 0.35 | 5 | 15 | <5 | 0.03 | <1 | 3 | 8 | 6 | 1.18 | 20 | 0.05 | 68 | <1 | <0.01 | 3 | 290 | 10 | <5 | <20 | <1 | <0.01 | <10 | 12 | <10 | <1 | 13 |
| 28 | 2+02+00N 64+75E | - | 0.3 | 0.47 | 10 | 20 | <5 | 0.02 | <1 | 2 | 7 | 3 | 1.04 | 20 | 0.05 | 65 | <1 | <0.01 | 2 | 180 | 10 | <5 | <20 | <1 | <0.01 | <10 | 13 | <10 | 1 | 12 |
| 36 | 2+02+00N 66+75E | - | 1.0 | 1.05 | 30 | 75 | <5 | 0.39 | <1 | 14 | 23 | 31 | 3.44 | 30 | 0.28 | 563 | <1 | <0.01 | 28 | 600 | 60 | <5 | <20 | 21 | <0.01 | <10 | 18 | <10 | 4 | 90 |
| 37 | 2+02+00N 67+00E | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 45 | 2+02+00N 69+00E | 5 | 1.6 | 1.13 | 10 | 65 | <5 | 0.34 | 3 | 11 | 21 | 26 | 2.96 | 30 | 0.22 | 645 | <1 | <0.01 | 21 | 430 | 1438 | <5 | <20 | 11 | <0.01 | <10 | 26 | <10 | 11 | 397 |
| 54 | 1+32+00E 58+00N | - | 0.3 | 1.15 | 40 | 55 | <5 | 0.06 | <1 | 14 | 27 | 33 | 3.98 | 30 | 0.37 | 323 | <1 | <0.01 | 28 | 390 | 34 | <5 | <20 | 4 | <0.01 | <10 | 19 | <10 | 3 | 69 |
| 58 | 1+32+00E 60+00N | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 1+32+00E 62+50N | - | 0.2 | 0.66 | 45 | 50 | <5 | 0.11 | <1 | 14 | 19 | 30 | 3.28 | 20 | 0.21 | 542 | <1 | <0.01 | 25 | 380 | 20 | <5 | <20 | 6 | <0.01 | <10 | 15 | <10 | 4 | 56 |
| 65 | 1+32+00E 63+50N | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 71 | 1+32+00E 66+50N | - | 0.9 | 1.16 | 25 | 155 | <5 | 1.64 | <1 | 17 | 24 | 34 | 3.13 | 20 | 0.23 | 4104 | <1 | <0.01 | 30 | 1060 | 26 | <5 | <20 | 96 | 0.02 | <10 | 20 | <10 | 7 | 71 |
| 74 | 1+32+00E 68+00N | <5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 80 | 1+32+00E 71+00N | - | 0.3 | 1.04 | 20 | 95 | <5 | 0.50 | <1 | 17 | 26 | 30 | 3.66 | 20 | 0.33 | 598 | <1 | <0.01 | 24 | 610 | 24 | <5 | <20 | 25 | <0.01 | <10 | 25 | <10 | 8 | 70 |
| 83 | 1+32+00E 72+50N | 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 89 | 1+40+00E 55+50N | 40 | 0.3 | 0.80 | 40 | 45 | <5 | 0.37 | <1 | 17 | 22 | 35 | 3.59 | 20 | 0.31 | 649 | <1 | <0.01 | 30 | 640 | 30 | <5 | <20 | 19 | <0.01 | <10 | 18 | <10 | 6 | 73 |
| 98 | 1+40+00E 60+00N | - | <0.2 | 0.41 | 35 | 40 | <5 | 0.04 | <1 | 5 | 10 | 10 | 1.58 | 20 | 0.08 | 104 | <1 | <0.01 | 7 | 260 | 8 | <5 | <20 | 2 | <0.01 | <10 | 24 | <10 | 1 | 25 |
| 106 | 1+40+00E 64+00N | - | 0.4 | 0.92 | 25 | 55 | <5 | 0.10 | <1 | 14 | 22 | 24 | 3.53 | 20 | 0.20 | 458 | <1 | <0.01 | 16 | 340 | 24 | <5 | <20 | 6 | <0.01 | <10 | 26 | <10 | 2 | 53 |

| Element | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | Y | Zn |
|---------|----------|----|------|----|----|----|------|----|----|----|----|------|------|----|----|------|----|---|----|----|----|----|------|---|---|---|----|
|---------|----------|----|------|----|----|----|------|----|----|----|----|------|------|----|----|------|----|---|----|----|----|----|------|---|---|---|----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | 135 | 1.5 | 1.67 | 60 | 145 | <5 | 1.62 | <1 | 19 | 61 | 88 | 3.59 | 10 | 0.95 | 619 | <1 | 0.02 | 32 | 640 | 24 | <5 | <20 | 44 | 0.10 | <10 | 64 | <10 | 8 | 76 |
| GEO '04 | 135 | 1.5 | 1.61 | 60 | 140 | <5 | 1.58 | <1 | 19 | 59 | 88 | 3.54 | <10 | 0.92 | 617 | <1 | 0.02 | 31 | 630 | 24 | <5 | <20 | 40 | 0.10 | <10 | 65 | <10 | 8 | 75 |
| GEO '04 | 140 | 1.5 | 1.59 | 55 | 145 | <5 | 1.56 | <1 | 18 | 58 | 88 | 3.46 | <10 | 0.90 | 613 | <1 | 0.02 | 31 | 610 | 22 | 5 | <20 | 42 | 0.09 | <10 | 61 | <10 | 8 | 73 |
| GEO '04 | 135 | 1.5 | 1.64 | 55 | 150 | <5 | 1.60 | <1 | 19 | 61 | 84 | 3.56 | <10 | 0.93 | 627 | <1 | 0.02 | 32 | 620 | 22 | <5 | <20 | 43 | 0.09 | <10 | 65 | <10 | 8 | 74 |

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

JJ/m
d#1020
XLS/04

No. of samples received: 71
Sample type: Soil
Project #: LOWHEE
Shipment #: None Given
Samples submitted by: T. McDonnell

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-----------------|---------|-----|------|-----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | 1+36+00E 54+50N | 15 | 1.1 | 1.41 | 65 | 80 | <5 | 0.37 | <1 | 15 | 33 | 33 | 3.84 | 40 | 0.44 | 483 | <1 | <0.01 | 33 | 520 | 22 | <5 | <20 | 25 | 0.02 | <10 | 37 | <10 | 15 | 59 |
| 2 | 1+36+00E 55+00N | 15 | 0.4 | 1.80 | 20 | 125 | <5 | 0.15 | <1 | 14 | 51 | 23 | 4.81 | 30 | 0.68 | 199 | <1 | <0.01 | 35 | 450 | 20 | <5 | <20 | 4 | 0.03 | <10 | 45 | <10 | 2 | 65 |
| 3 | 1+36+00E 55+50N | 275 | 0.4 | 0.58 | 50 | 70 | <5 | 0.19 | <1 | 5 | 15 | 7 | 2.30 | 30 | 0.15 | 208 | <1 | <0.01 | 8 | 330 | 18 | <5 | <20 | 11 | 0.01 | <10 | 28 | <10 | 1 | 28 |
| 4 | 1+36+00E 56+00N | 85 | 0.5 | 0.55 | 35 | 35 | <5 | 0.03 | <1 | 4 | 15 | 7 | 2.29 | 20 | 0.09 | 65 | <1 | <0.01 | 6 | 760 | 14 | <5 | <20 | 1 | <0.01 | <10 | 23 | <10 | <1 | 17 |
| 5 | 1+36+00E 56+50N | 160 | 0.3 | 0.76 | 30 | 30 | <5 | 0.15 | <1 | 9 | 25 | 14 | 4.13 | 30 | 0.23 | 352 | <1 | <0.01 | 15 | 610 | 16 | <5 | <20 | 6 | 0.01 | <10 | 24 | <10 | <1 | 39 |
| 6 | 1+36+00E 57+00N | 20 | 0.9 | 0.76 | 40 | 55 | <5 | 0.39 | <1 | 7 | 21 | 17 | 3.24 | 30 | 0.17 | 458 | <1 | <0.01 | 14 | 840 | 22 | <5 | <20 | 24 | <0.01 | <10 | 29 | <10 | <1 | 41 |
| 7 | 1+36+00E 57+50N | 30 | 0.3 | 1.09 | 35 | 65 | <5 | 0.05 | <1 | 13 | 26 | 24 | 3.74 | 30 | 0.26 | 487 | <1 | <0.01 | 20 | 610 | 26 | <5 | <20 | 4 | <0.01 | <10 | 23 | <10 | 5 | 67 |
| 8 | 1+36+00E 58+00N | 25 | 0.4 | 1.14 | 35 | 65 | <5 | 0.36 | <1 | 17 | 27 | 26 | 3.81 | 30 | 0.30 | 686 | <1 | <0.01 | 26 | 690 | 28 | <5 | <20 | 27 | <0.01 | <10 | 21 | <10 | 8 | 70 |
| 9 | 1+36+00E 58+50N | 65 | 1.0 | 1.11 | 50 | 70 | <5 | 0.08 | <1 | 16 | 27 | 31 | 3.83 | 30 | 0.25 | 579 | <1 | <0.01 | 24 | 760 | 26 | <5 | <20 | 12 | 0.01 | <10 | 22 | <10 | 9 | 70 |
| 10 | 1+36+00E 59+00N | 25 | 1.3 | 1.71 | 55 | 125 | <5 | 0.41 | <1 | 22 | 35 | 51 | 5.04 | 40 | 0.31 | 1394 | <1 | <0.01 | 40 | 1290 | 42 | <5 | <20 | 30 | 0.01 | <10 | 27 | <10 | 14 | 105 |
| 11 | 1+36+00E 59+50N | 100 | 0.3 | 0.45 | 50 | 35 | <5 | 0.11 | <1 | 6 | 14 | 16 | 2.38 | 30 | 0.10 | 155 | <1 | <0.01 | 11 | 400 | 14 | <5 | <20 | 6 | 0.01 | <10 | 24 | <10 | 1 | 37 |
| 12 | 1+36+00E 60+00N | 60 | 0.4 | 1.08 | 40 | 65 | <5 | 0.58 | <1 | 17 | 26 | 39 | 3.75 | 30 | 0.34 | 738 | <1 | <0.01 | 33 | 610 | 26 | <5 | <20 | 30 | <0.01 | <10 | 18 | <10 | 7 | 77 |
| 13 | 1+36+00E 60+50N | 15 | 0.5 | 1.01 | 25 | 75 | <5 | 0.85 | <1 | 11 | 24 | 28 | 3.36 | 30 | 0.26 | 303 | <1 | <0.01 | 22 | 670 | 22 | <5 | <20 | 50 | 0.01 | <10 | 23 | <10 | 6 | 66 |
| 14 | 1+36+00E 61+00N | 35 | 0.5 | 0.94 | 40 | 70 | <5 | 0.71 | <1 | 17 | 22 | 39 | 3.38 | 20 | 0.26 | 614 | <1 | <0.01 | 31 | 600 | 26 | <5 | <20 | 63 | <0.01 | <10 | 17 | <10 | 5 | 59 |
| 15 | 1+36+00E 61+50N | 15 | 0.3 | 0.97 | 30 | 55 | <5 | 0.37 | <1 | 12 | 26 | 29 | 4.43 | 30 | 0.27 | 180 | <1 | <0.01 | 22 | 370 | 28 | <5 | <20 | 32 | <0.01 | <10 | 27 | <10 | 4 | 54 |
| 16 | 1+36+00E 62+00N | 30 | 0.3 | 0.93 | 25 | 60 | <5 | 0.06 | <1 | 8 | 22 | 17 | 3.34 | 20 | 0.23 | 60 | <1 | <0.01 | 14 | 350 | 20 | <5 | <20 | 6 | <0.01 | <10 | 24 | <10 | <1 | 43 |
| 17 | 1+36+00E 62+50N | 30 | 0.9 | 1.16 | 35 | 60 | <5 | 0.33 | <1 | 15 | 27 | 34 | 3.84 | 30 | 0.33 | 526 | <1 | <0.01 | 28 | 610 | 26 | <5 | <20 | 23 | <0.01 | <10 | 19 | <10 | 7 | 82 |
| 18 | 1+36+00E 63+00N | 30 | 1.3 | 1.46 | 40 | 110 | <5 | 0.87 | <1 | 18 | 31 | 52 | 4.46 | 30 | 0.26 | 1288 | <1 | <0.01 | 36 | 1150 | 40 | <5 | <20 | 72 | 0.01 | <10 | 22 | <10 | 15 | 72 |
| 19 | 1+36+00E 63+50N | 20 | 0.3 | 0.69 | 30 | 45 | <5 | 0.08 | <1 | 6 | 18 | 20 | 3.00 | 30 | 0.12 | 64 | <1 | <0.01 | 13 | 300 | 20 | <5 | <20 | 9 | <0.01 | <10 | 26 | <10 | <1 | 42 |
| 20 | 1+36+00E 64+00N | 10 | 0.3 | 1.00 | 110 | 80 | <5 | 0.68 | <1 | 16 | 23 | 35 | 3.51 | 30 | 0.28 | 669 | <1 | <0.01 | 29 | 470 | 28 | <5 | <20 | 58 | <0.01 | <10 | 18 | <10 | 6 | 68 |
| 21 | 1+36+00E 64+50N | 5 | 0.3 | 0.79 | 95 | 75 | <5 | 2.27 | <1 | 12 | 18 | 37 | 2.59 | 20 | 0.24 | 718 | <1 | <0.01 | 30 | 930 | 20 | <5 | <20 | 161 | <0.01 | <10 | 12 | <10 | 6 | 60 |
| 22 | 1+36+00E 65+00N | 15 | 0.3 | 0.65 | 40 | 150 | <5 | 0.11 | <1 | 8 | 15 | 23 | 2.57 | 30 | 0.14 | 162 | <1 | <0.01 | 16 | 240 | 16 | <5 | <20 | 16 | <0.01 | <10 | 22 | <10 | 1 | 53 |
| 23 | 1+36+00E 65+50N | 15 | 0.3 | 1.02 | 60 | 60 | <5 | 0.32 | <1 | 19 | 24 | 41 | 3.79 | 30 | 0.33 | 762 | <1 | <0.01 | 32 | 630 | 30 | <5 | <20 | 25 | <0.01 | <10 | 18 | <10 | 6 | 71 |
| 24 | 1+36+00E 66+00N | 5 | 0.5 | 1.20 | 45 | 70 | <5 | 0.89 | <1 | 17 | 25 | 45 | 3.71 | 30 | 0.36 | 788 | <1 | <0.01 | 38 | 880 | 30 | <5 | <20 | 58 | <0.01 | <10 | 19 | <10 | 8 | 77 |
| 25 | 1+36+00E 66+50N | 5 | 0.6 | 1.22 | 35 | 75 | <5 | 0.48 | <1 | 15 | 26 | 34 | 3.85 | 30 | 0.34 | 601 | <1 | <0.01 | 30 | 640 | 26 | <5 | <20 | 34 | <0.01 | <10 | 20 | <10 | 6 | 76 |
| 26 | 1+36+00E 67+00N | 10 | 0.5 | 1.58 | 40 | 115 | <5 | 0.29 | <1 | 20 | 32 | 36 | 5.04 | 30 | 0.33 | 710 | <1 | <0.01 | 37 | 710 | 32 | <5 | <20 | 21 | <0.01 | <10 | 24 | <10 | 4 | 97 |
| 27 | 1+36+00E 67+50N | 10 | 0.6 | 0.87 | 30 | 40 | <5 | 0.24 | <1 | 9 | 18 | 27 | 2.85 | 30 | 0.14 | 188 | <1 | <0.01 | 14 | 400 | 20 | <5 | <20 | 18 | <0.01 | <10 | 29 | <10 | 3 | 40 |
| 28 | 1+36+00E 68+00N | 15 | 0.8 | 1.45 | 45 | 110 | <5 | 0.80 | <1 | 18 | 31 | 48 | 4.55 | 30 | 0.32 | 684 | <1 | <0.01 | 34 | 1080 | 34 | <5 | <20 | 64 | <0.01 | <10 | 25 | <10 | 10 | 95 |
| 29 | 1+36+00E 68+50N | <5 | 0.4 | 1.16 | 30 | 100 | <5 | 0.35 | <1 | 13 | 25 | 28 | 3.94 | 30 | 0.26 | 229 | <1 | <0.01 | 21 | 520 | 28 | <5 | <20 | 31 | <0.01 | <10 | 29 | <10 | 3 | 63 |
| 30 | 1+36+00E 69+00N | <5 | 0.3 | 0.90 | 40 | 60 | <5 | 0.13 | <1 | 10 | 27 | 25 | 4.55 | 30 | 0.22 | 152 | <1 | <0.01 | 19 | 400 | 22 | <5 | <20 | 13 | 0.01 | <10 | 31 | <10 | <1 | 53 |

| Et #. | Tar | Au(ppb) | Ag | Al % | As | Ba | BI | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | V | W | Y | Zn | | |
|-------|----------|---------|-----------|------|------|----|-----|------|------|----|----|----|------|------|------|------|------|------|-------|----|------|----|----|-----|------|-------|-----|----|-----|----|----|
| 31 | 1+28+00 | 00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32 | 1+28+00 | 50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 33 | 1+28+00E | 60+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34 | 1+28+00E | 60+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35 | 1+28+00E | 61+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36 | 1+28+00E | 61+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 37 | 1+28+00E | 62+00N | <5 | 0.3 | 0.71 | 30 | 35 | <5 | 0.06 | <1 | 6 | 17 | 16 | 2.59 | 30 | 0.18 | 146 | <1 | <0.01 | 11 | 530 | 16 | <5 | <20 | <1 | <0.01 | <10 | 24 | <10 | 1 | 37 |
| 38 | 1+28+00E | 62+50N | <5 | 0.3 | 1.24 | 30 | 75 | <5 | 0.48 | <1 | 19 | 33 | 43 | 3.79 | 30 | 0.49 | 574 | <1 | <0.01 | 36 | 600 | 26 | <5 | <20 | 36 | 0.02 | <10 | 27 | <10 | 7 | 70 |
| 39 | 1+28+00E | 63+00N | 70 | 0.2 | 0.96 | 35 | 35 | <5 | 0.04 | <1 | 7 | 25 | 15 | 3.88 | 20 | 0.22 | 58 | <1 | <0.01 | 13 | 440 | 18 | <5 | <20 | 4 | <0.01 | <10 | 26 | <10 | <1 | 36 |
| 40 | 1+28+00E | 63+50N | 45 | 0.4 | 1.14 | 30 | 50 | <5 | 0.05 | <1 | 11 | 29 | 29 | 4.07 | 30 | 0.37 | 158 | <1 | <0.01 | 23 | 420 | 22 | <5 | <20 | 1 | <0.01 | <10 | 23 | <10 | 2 | 60 |
| 41 | 1+28+00E | 64+00N | 20 | 0.5 | 1.21 | 35 | 85 | <5 | 0.99 | <1 | 18 | 30 | 42 | 3.86 | 30 | 0.38 | 961 | <1 | <0.01 | 33 | 880 | 30 | <5 | <20 | 72 | 0.01 | <10 | 24 | <10 | 11 | 72 |
| 42 | 1+28+00E | 64+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 43 | 1+28+00E | 65+00N | 50 | 0.4 | 1.55 | 25 | 105 | <5 | 1.19 | <1 | 20 | 41 | 47 | 4.26 | 40 | 0.46 | 1057 | <1 | <0.01 | 42 | 860 | 34 | <5 | <20 | 95 | 0.03 | <10 | 35 | <10 | 23 | 64 |
| 44 | 1+28+00E | 65+50N | 5 | 0.8 | 1.72 | 30 | 165 | <5 | 1.12 | <1 | 22 | 44 | 75 | 4.56 | 40 | 0.51 | 2378 | <1 | <0.01 | 47 | 730 | 32 | <5 | <20 | 94 | 0.02 | <10 | 39 | <10 | 21 | 82 |
| 45 | 1+28+00E | 66+00N | 5 | 0.2 | 1.39 | 10 | 140 | <5 | 0.14 | <1 | 14 | 45 | 30 | 4.19 | 30 | 0.57 | 305 | <1 | <0.01 | 29 | 410 | 28 | <5 | <20 | 4 | 0.06 | <10 | 47 | <10 | 4 | 70 |
| 46 | 1+28+00E | 66+50N | 5 | 0.2 | 1.24 | 30 | 80 | <5 | 0.39 | <1 | 20 | 32 | 36 | 4.17 | 30 | 0.43 | 633 | <1 | <0.01 | 29 | 660 | 34 | <5 | <20 | 21 | <0.01 | <10 | 27 | <10 | 6 | 73 |
| 47 | 1+28+00E | 67+00N | 5 | 0.2 | 1.47 | 15 | 95 | <5 | 0.39 | <1 | 22 | 38 | 46 | 4.34 | 50 | 0.62 | 678 | <1 | <0.01 | 39 | 550 | 30 | <5 | <20 | 29 | 0.02 | <10 | 30 | <10 | 25 | 70 |
| 48 | 1+28+00E | 67+50N | 5 | 0.3 | 0.49 | 20 | 40 | <5 | 0.11 | <1 | 4 | 11 | 9 | 1.50 | 20 | 0.08 | 237 | <1 | <0.01 | 7 | 350 | 10 | <5 | <20 | 5 | <0.01 | <10 | 22 | <10 | 1 | 23 |
| 49 | 1+28+00E | 68+00N | <5 | 0.5 | 1.29 | 30 | 100 | <5 | 0.53 | <1 | 20 | 32 | 42 | 4.21 | 30 | 0.43 | 1142 | <1 | <0.01 | 33 | 760 | 30 | <5 | <20 | 23 | 0.01 | <10 | 28 | <10 | 7 | 75 |
| 50 | 1+28+00E | 68+50N | 270 | <0.2 | 0.62 | 15 | 30 | <5 | 0.23 | <1 | 6 | 17 | 13 | 2.47 | 30 | 0.17 | 113 | <1 | <0.01 | 11 | 500 | 14 | <5 | <20 | 8 | 0.03 | <10 | 33 | <10 | 3 | 30 |
| 51 | 1+28+00E | 69+00N | 40 | 0.2 | 0.48 | 20 | 60 | <5 | 0.05 | <1 | 5 | 12 | 9 | 1.89 | 20 | 0.09 | 212 | <1 | <0.01 | 7 | 250 | 14 | <5 | <20 | 2 | 0.02 | <10 | 31 | <10 | <1 | 25 |
| 52 | 1+28+00E | 69+50N | 15 | 0.4 | 0.60 | 20 | 90 | <5 | 0.97 | <1 | 8 | 16 | 19 | 2.24 | 20 | 0.16 | 680 | <1 | <0.01 | 15 | 670 | 16 | <5 | <20 | 49 | 0.01 | <10 | 25 | <10 | 2 | 47 |
| 53 | 1+28+00E | 70+00N | 10 | 0.7 | 0.98 | 25 | 60 | <5 | 0.56 | <1 | 12 | 24 | 23 | 3.46 | 20 | 0.23 | 444 | <1 | <0.01 | 18 | 610 | 22 | <5 | <20 | 28 | 0.01 | <10 | 29 | <10 | 3 | 59 |
| 54 | 1+28+00E | 70+50N | 5 | 0.4 | 1.20 | 30 | 95 | <5 | 0.47 | <1 | 15 | 28 | 31 | 3.53 | 30 | 0.28 | 1187 | <1 | <0.01 | 23 | 830 | 26 | <5 | <20 | 25 | 0.01 | <10 | 31 | <10 | 7 | 82 |
| 55 | 1+28+00E | 71+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 56 | 1+44+00E | 54+50N | 15 | 1.0 | 1.56 | 35 | 105 | <5 | 0.56 | <1 | 20 | 32 | 41 | 4.50 | 30 | 0.30 | 816 | <1 | <0.01 | 36 | 900 | 36 | <5 | <20 | 25 | <0.01 | <10 | 25 | <10 | 11 | 70 |
| 57 | 1+44+00E | 55+00N | 10 | 0.9 | 1.31 | 35 | 95 | <5 | 0.90 | <1 | 17 | 28 | 60 | 4.04 | 40 | 0.20 | 825 | <1 | <0.01 | 39 | 830 | 32 | <5 | <20 | 50 | 0.01 | <10 | 25 | <10 | 18 | 72 |
| 58 | 1+44+00E | 55+50N | 5 | 0.5 | 0.98 | 30 | 75 | <5 | 1.90 | <1 | 15 | 23 | 37 | 3.14 | 20 | 0.28 | 1347 | <1 | <0.01 | 29 | 990 | 26 | <5 | <20 | 88 | <0.01 | <10 | 15 | <10 | 8 | 81 |
| 59 | 1+44+00E | 56+00N | <5 | <0.2 | 0.95 | 45 | 55 | <5 | 0.25 | <1 | 13 | 26 | 33 | 4.41 | 30 | 0.29 | 312 | <1 | <0.01 | 25 | 320 | 24 | <5 | <20 | 13 | <0.01 | <10 | 26 | <10 | 3 | 66 |
| 60 | 1+44+00E | 56+50N | <5 | 1.1 | 0.73 | 30 | 40 | <5 | 0.04 | <1 | 7 | 20 | 19 | 3.23 | 20 | 0.14 | 132 | <1 | <0.01 | 12 | 460 | 22 | <5 | <20 | 2 | <0.01 | <10 | 26 | <10 | <1 | 35 |
| 61 | 1+44+00E | 57+00N | <5 | 0.2 | 0.64 | 30 | 30 | <5 | 0.03 | <1 | 6 | 16 | 13 | 2.33 | 30 | 0.17 | 233 | <1 | <0.01 | 11 | 680 | 10 | <5 | <20 | <1 | <0.01 | <10 | 21 | <10 | 1 | 35 |
| 62 | 1+44+00E | 57+50N | <5 | 0.6 | 1.05 | 35 | 35 | <5 | 0.02 | <1 | 10 | 27 | 20 | 4.19 | 30 | 0.27 | 304 | <1 | <0.01 | 16 | 630 | 16 | <5 | <20 | 2 | <0.01 | <10 | 24 | <10 | 1 | 55 |
| 63 | 1+44+00E | 58+00N | 15 | 0.3 | 0.83 | 35 | 30 | <5 | 0.02 | <1 | 8 | 23 | 18 | 3.64 | 30 | 0.23 | 221 | <1 | <0.01 | 14 | 630 | 18 | <5 | <20 | 1 | <0.01 | <10 | 20 | <10 | <1 | 41 |
| 64 | 1+44+00E | 58+50N | 10 | <0.2 | 0.35 | 10 | 10 | <5 | 0.03 | <1 | 2 | 6 | 6 | 1.01 | 30 | 0.04 | 104 | <1 | <0.01 | 4 | 480 | 4 | <5 | <20 | <1 | <0.01 | <10 | 14 | <10 | <1 | 14 |
| 65 | 1+44+00E | 59+00N | <5 | 0.5 | 0.86 | 30 | 40 | <5 | 0.03 | <1 | 11 | 25 | 19 | 4.33 | 30 | 0.20 | 861 | <1 | <0.01 | 15 | 1020 | 28 | <5 | <20 | <1 | <0.01 | <10 | 28 | <10 | 1 | 45 |
| 66 | 1+44+00E | 59+50N | 5 | 1.4 | 0.69 | 25 | 20 | <5 | 0.02 | <1 | 4 | 16 | 12 | 2.46 | 20 | 0.13 | 140 | <1 | <0.01 | 9 | 450 | 18 | <5 | <20 | <1 | <0.01 | <10 | 29 | <10 | <1 | 26 |
| 67 | 1+48+00E | 60+00N | <5 | 0.6 | 1.05 | 25 | 95 | <5 | 0.11 | <1 | 15 | 26 | 24 | 3.99 | 30 | 0.28 | 1010 | <1 | <0.01 | 16 | 740 | 26 | <5 | <20 | 6 | <0.01 | <10 | 29 | <10 | 2 | 59 |
| 68 | 1+48+00E | 64+50N | <5 | 0.4 | 0.89 | 35 | 35 | <5 | 0.03 | <1 | 9 | 25 | 17 | 3.78 | 30 | 0.28 | 300 | <1 | <0.01 | 14 | 750 | 16 | <5 | <20 | 2 | <0.01 | <10 | 31 | <10 | <1 | 45 |
| 69 | 1+48+00E | 55+00N | 10 | 0.3 | 1.11 | 35 | 35 | <5 | 0.02 | <1 | 10 | 32 | 19 | 4.82 | 30 | 0.35 | 301 | <1 | <0.01 | 17 | 830 | 18 | <5 | <20 | <1 | <0.01 | <10 | 25 | <10 | <1 | 53 |
| 70 | 1+48+00E | 55+50N | <5 | 0.7 | 0.91 | 30 | 40 | <5 | 0.02 | <1 | 8 | 26 | 13 | 3.85 | 30 | 0.24 | 274 | <1 | <0.01 | 13 | 740 | 18 | <5 | <20 | 2 | <0.01 | <10 | 31 | <10 | <1 | 37 |
| 71 | 1+48+00E | 56+00N | <5 | 0.2 | 0.55 | 20 | 30 | <5 | 0.04 | <1 | 3 | 11 | 5 | 1.68 | 20 | 0.10 | 157 | <1 | <0.01 | 6 | 800 | 8 | <5 | <20 | 2 | <0.01 | <10 | 31 | <10 | 1 | 16 |

QC DATA:**Repeat:**

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|-----------------|----|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | 1+36+00E 55+00N | 15 | 1.1 | 1.41 | 60 | 80 | <5 | 0.38 | <1 | 17 | 35 | 33 | 4.03 | 40 | 0.44 | 478 | <1 | <0.01 | 33 | 560 | 22 | <5 | <20 | 26 | 0.02 | <10 | 36 | <10 | 15 | 61 |
| 2 | 1+36+00E 55+00N | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 10 | 1+36+00E 59+00N | - | 1.3 | 1.72 | 55 | 125 | <5 | 0.42 | <1 | 22 | 38 | 52 | 5.10 | 40 | 0.32 | 1415 | <1 | <0.01 | 43 | 1330 | 42 | <5 | <20 | 31 | 0.01 | <10 | 28 | <10 | 14 | 105 |
| 18 | 1+36+00E 62+00N | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 19 | 1+36+00E 63+50N | - | 0.3 | 0.66 | 30 | 45 | <5 | 0.08 | <1 | 6 | 17 | 19 | 2.94 | 20 | 0.11 | 56 | <1 | <0.01 | 11 | 290 | 22 | <5 | <20 | 10 | <0.01 | <10 | 26 | <10 | <1 | 42 |
| 23 | 1+36+00E 65+50N | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 28 | 1+36+00E 68+00N | - | 0.8 | 1.43 | 45 | 105 | <5 | 0.81 | <1 | 18 | 31 | 47 | 4.51 | 30 | 0.31 | 697 | <1 | <0.01 | 35 | 1070 | 34 | <5 | <20 | 64 | <0.01 | <10 | 25 | <10 | 11 | 94 |
| 43 | 1+28+00E 65+00N | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 45 | 1+28+00E 68+00N | 10 | 0.2 | 1.37 | 10 | 135 | <5 | 0.13 | <1 | 14 | 44 | 28 | 4.04 | 30 | 0.55 | 289 | <1 | <0.01 | 28 | 390 | 26 | <5 | <20 | 4 | 0.08 | <10 | 47 | <10 | 3 | 69 |
| 54 | 1+28+00E 70+50N | <5 | 0.4 | 1.25 | 30 | 95 | <5 | 0.48 | <1 | 14 | 28 | 31 | 3.52 | 30 | 0.28 | 1174 | <1 | <0.01 | 23 | 860 | 26 | <5 | <20 | 24 | 0.01 | <10 | 32 | <10 | 7 | 83 |
| 63 | 1+44+00E 58+00N | 40 | <0.2 | 0.85 | 35 | 25 | <5 | 0.02 | <1 | 8 | 23 | 17 | 3.60 | 30 | 0.23 | 180 | <1 | <0.01 | 16 | 600 | 18 | <5 | <20 | <1 | <0.01 | <10 | 19 | <10 | <1 | 41 |
| 71 | 1+48+00E 56+00N | - | 0.2 | 0.57 | 30 | 30 | <5 | 0.04 | <1 | 4 | 13 | 8 | 1.97 | 20 | 0.11 | 198 | <1 | <0.01 | 8 | 880 | 10 | <5 | <20 | <1 | <0.01 | <10 | 36 | <10 | <1 | 18 |

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | 135 | 1.5 | 1.66 | 65 | 145 | <5 | 1.58 | <1 | 19 | 60 | 86 | 3.59 | <10 | 0.93 | 615 | <1 | 0.02 | 32 | 700 | 24 | <5 | <20 | 45 | 0.12 | <10 | 66 | <10 | 9 | 67 |
| GEO '04 | 135 | 1.5 | 1.73 | 55 | 150 | <5 | 1.63 | <1 | 19 | 60 | 85 | 3.69 | <10 | 0.96 | 620 | <1 | 0.02 | 31 | 690 | 22 | <5 | <20 | 48 | 0.09 | <10 | 64 | <10 | 9 | 68 |
| GEO '04 | 135 | 1.6 | 1.69 | 60 | 150 | <5 | 1.58 | <1 | 19 | 66 | 86 | 3.61 | <10 | 0.95 | 611 | <1 | 0.02 | 32 | 650 | 22 | <5 | <20 | 47 | 0.11 | <10 | 65 | <10 | 8 | 67 |

JJ/m
d#1023
XLS/04

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

ECO TECH LABOF Y LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALY AK 2004-1043

INTERNATIONAL WAYSIDE GOLD MINES
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700,
Fax : 250-573-4557

No. of samples received: 96
Sample type: Soil
Project #: LOWWEE
Shipment #: Not Indicated
Samples submitted by: J. McAllister

Values in ppm unless otherwise reported

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|------------------|-----------|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|-----|-------|-----|----|-----|----|----|
| 1 | L1+38+00E 54+50N | 25 | 0.4 | 0.83 | 45 | 70 | <5 | 0.07 | <1 | 14 | 24 | 20 | 3.77 | 30 | 0.23 | 1022 | <1 | <0.01 | 14 | 1360 | 34 | <5 | <20 | 5 | <0.01 | <10 | 25 | <10 | 2 | 51 |
| 2 | L1+38+00E 55+00N | 110 | 0.4 | 0.82 | 40 | 65 | <5 | 0.05 | <1 | 9 | 26 | 18 | 4.05 | 20 | 0.27 | 160 | <1 | <0.01 | 17 | 790 | 20 | <5 | <20 | 3 | <0.01 | <10 | 21 | <10 | 2 | 52 |
| 3 | L1+38+00E 55+50N | 20 | 1.1 | 1.19 | 45 | 65 | <5 | 0.50 | <1 | 17 | 27 | 37 | 4.00 | 30 | 0.27 | 1116 | <1 | <0.01 | 27 | 1080 | 30 | <5 | <20 | 29 | <0.01 | <10 | 25 | <10 | 12 | 67 |
| 4 | L1+38+00E 56+00N | 155 | 0.4 | 0.70 | 35 | 45 | <5 | 0.38 | <1 | 12 | 19 | 19 | 3.18 | 20 | 0.15 | 433 | <1 | <0.01 | 14 | 640 | 22 | <5 | <20 | 19 | 0.01 | <10 | 22 | <10 | 5 | 44 |
| 5 | L1+38+00E 56+50N | 20 | 0.4 | 1.00 | 35 | 65 | <5 | 0.41 | <1 | 9 | 22 | 26 | 3.03 | 30 | 0.23 | 746 | <1 | <0.01 | 18 | 770 | 20 | <5 | <20 | 21 | <0.01 | <10 | 28 | <10 | 7 | 44 |
| 6 | L1+38+00E 57+00N | 65 | 0.3 | 0.54 | 40 | 35 | <5 | 0.21 | <1 | 9 | 19 | 21 | 3.44 | 20 | 0.18 | 245 | <1 | <0.01 | 17 | 620 | 20 | <5 | <20 | 11 | 0.01 | <10 | 20 | <10 | 2 | 49 |
| 7 | L1+38+00E 57+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | L1+38+00E 58+00N | 50 | 1.3 | 1.49 | 50 | 110 | <5 | 0.65 | <1 | 23 | 33 | 46 | 4.86 | 30 | 0.39 | 1635 | <1 | <0.01 | 53 | 870 | 36 | <5 | <20 | 42 | 0.01 | <10 | 24 | <10 | 15 | 98 |
| 9 | L1+38+00E 58+50N | 20 | 0.4 | 0.98 | 40 | 70 | <5 | 0.17 | <1 | 13 | 30 | 36 | 4.27 | 30 | 0.27 | 372 | <1 | <0.01 | 21 | 440 | 26 | <5 | <20 | 12 | 0.01 | <10 | 30 | <10 | 4 | 61 |
| 10 | L1+38+00E 59+00N | 65 | 0.6 | 0.82 | 45 | 70 | <5 | 0.20 | <1 | 10 | 21 | 24 | 3.41 | 20 | 0.26 | 234 | <1 | <0.01 | 17 | 430 | 18 | <5 | <20 | 14 | <0.01 | <10 | 20 | <10 | 4 | 48 |
| 11 | L1+38+00E 59+50N | 15 | 0.3 | 1.07 | 45 | 110 | <5 | 0.25 | <1 | 16 | 28 | 29 | 4.49 | 20 | 0.24 | 550 | <1 | <0.01 | 18 | 770 | 30 | <5 | <20 | 21 | <0.01 | <10 | 23 | <10 | 2 | 93 |
| 12 | L1+38+00E 60+00N | 55 | 0.3 | 1.12 | 45 | 75 | <5 | 0.41 | <1 | 18 | 26 | 36 | 3.74 | 30 | 0.32 | 848 | <1 | <0.01 | 31 | 680 | 28 | <5 | <20 | 25 | <0.01 | <10 | 18 | <10 | 8 | 72 |
| 13 | L1+38+00E 60+50N | 20 | 0.9 | 1.42 | 45 | 90 | <5 | 1.01 | <1 | 17 | 27 | 46 | 3.80 | 30 | 0.32 | 934 | <1 | <0.01 | 39 | 910 | 28 | <5 | <20 | 54 | <0.01 | <10 | 18 | <10 | 17 | 82 |
| 14 | L1+38+00E 61+00N | 15 | 1.5 | 1.39 | 35 | 90 | <5 | 1.28 | <1 | 15 | 24 | 48 | 3.28 | 30 | 0.28 | 1274 | <1 | <0.01 | 42 | 1040 | 24 | <5 | <20 | 66 | <0.01 | <10 | 15 | <10 | 22 | 76 |
| 15 | L1+38+00E 61+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16 | L1+38+00E 62+00N | 15 | 0.7 | 1.75 | 40 | 105 | <5 | 0.52 | <1 | 14 | 34 | 47 | 4.98 | 30 | 0.27 | 274 | <1 | <0.01 | 35 | 810 | 46 | <5 | <20 | 42 | <0.01 | <10 | 24 | <10 | 12 | 74 |
| 17 | L1+38+00E 62+50N | 15 | 0.2 | 0.60 | 30 | 45 | <5 | 0.05 | <1 | 7 | 16 | 18 | 2.70 | 20 | 0.13 | 125 | <1 | <0.01 | 11 | 330 | 16 | <5 | <20 | 4 | <0.01 | <10 | 27 | <10 | <1 | 40 |
| 18 | L1+38+00E 63+00N | 15 | 0.7 | 0.80 | 30 | 70 | <5 | 0.43 | <1 | 11 | 20 | 34 | 3.24 | 30 | 0.16 | 229 | <1 | <0.01 | 20 | 360 | 24 | <5 | <20 | 37 | 0.01 | <10 | 25 | <10 | 5 | 43 |
| 19 | L1+38+00E 63+50N | 40 | 0.5 | 0.85 | 45 | 75 | <5 | 0.62 | <1 | 12 | 21 | 31 | 3.53 | 20 | 0.18 | 572 | <1 | <0.01 | 20 | 370 | 26 | <5 | <20 | 55 | <0.01 | <10 | 22 | <10 | 4 | 54 |
| 20 | L1+38+00E 64+00N | 15 | <0.2 | 0.59 | 85 | 55 | <5 | 0.56 | <1 | 8 | 13 | 24 | 2.02 | 20 | 0.12 | 172 | <1 | <0.01 | 14 | 230 | 14 | <5 | <20 | 52 | <0.01 | <10 | 20 | <10 | 2 | 34 |
| 21 | L1+38+00E 64+50N | <5 | <0.2 | 0.63 | 95 | 65 | <5 | 2.77 | <1 | 9 | 15 | 29 | 2.02 | 10 | 0.19 | 271 | <1 | <0.01 | 24 | 580 | 18 | <5 | <20 | 195 | <0.01 | <10 | 11 | <10 | 7 | 36 |
| 22 | L1+38+00E 65+00N | <5 | <0.2 | 0.73 | 25 | 40 | <5 | 0.61 | <1 | 7 | 16 | 20 | 2.51 | 20 | 0.16 | 44 | <1 | <0.01 | 12 | 310 | 16 | <5 | <20 | 56 | <0.01 | <10 | 23 | <10 | 2 | 28 |
| 23 | L1+38+00E 65+50N | 20 | 0.9 | 1.09 | 40 | 75 | <5 | 1.45 | <1 | 16 | 23 | 58 | 3.41 | 40 | 0.28 | 1340 | <1 | <0.01 | 39 | 840 | 28 | <5 | <20 | 95 | <0.01 | <10 | 16 | <10 | 15 | 53 |
| 24 | L1+38+00E 66+00N | 5 | <0.2 | 1.27 | 60 | 80 | <5 | 0.13 | <1 | 18 | 27 | 37 | 4.04 | 30 | 0.37 | 488 | <1 | <0.01 | 30 | 520 | 32 | <5 | <20 | 13 | <0.01 | <10 | 21 | <10 | 8 | 72 |
| 25 | L1+38+00E 66+50N | 15 | 0.3 | 1.15 | 70 | 70 | <5 | 0.68 | <1 | 17 | 27 | 31 | 4.24 | 30 | 0.37 | 231 | <1 | <0.01 | 25 | 560 | 34 | <5 | <20 | 47 | <0.01 | <10 | 21 | <10 | 5 | 62 |
| 26 | L1+38+00E 67+00N | 20 | <0.2 | 0.93 | 30 | 100 | <5 | 0.07 | <1 | 7 | 21 | 20 | 3.86 | 20 | 0.18 | 41 | <1 | <0.01 | 10 | 350 | 28 | <5 | <20 | 12 | <0.01 | <10 | 27 | <10 | 1 | 40 |
| 27 | L1+30+00E 57+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 28 | L1+30+00E 58+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 29 | L1+30+00E 58+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 | L1+30+00E 59+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 | L1+30+00E 59+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32 | L1+30+00E 60+00N | 50 | 0.2 | 0.60 | 40 | 25 | <5 | 0.04 | <1 | 5 | 15 | 7 | 2.41 | 20 | 0.11 | 29 | <1 | <0.01 | 5 | 370 | 18 | <5 | <20 | 3 | <0.01 | <10 | 20 | <10 | <1 | 15 |
| 33 | L1+30+00E 60+50N | 30 | <0.2 | 1.13 | 50 | 60 | <5 | 0.03 | <1 | 15 | 28 | 40 | 3.67 | 30 | 0.42 | 284 | <1 | <0.01 | 33 | 280 | 32 | <5 | <20 | 2 | <0.01 | <10 | 19 | <10 | 5 | 72 |
| 34 | L1+30+00E 61+00N | 50 | <0.2 | 0.57 | 25 | 70 | <5 | 0.10 | <1 | 3 | 12 | 7 | 1.81 | 20 | 0.11 | 47 | <1 | <0.01 | 5 | 350 | 14 | <5 | <20 | 5 | <0.01 | <10 | 22 | <10 | <1 | 16 |
| 35 | L1+30+00E 61+50N | 70 | 0.3 | 0.42 | 30 | 35 | <5 | 0.10 | <1 | 4 | 11 | 8 | 1.86 | 20 | 0.07 | 43 | <1 | <0.01 | 6 | 270 | 12 | <5 | <20 | 4 | <0.01 | <10 | 24 | <10 | <1 | 18 |

| El #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Zn | |
|-------|------------------|-----------|------|------|----|----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 36 | L1+30+00E 62+00N | 45 | 0.6 | 0.86 | 40 | 90 | <5 | 0.21 | <1 | 13 | 25 | 25 | 3.66 | 20 | 0.18 | 809 | <1 | <0.01 | 18 | 560 | 28 | <5 | <20 | 18 | 0.01 | <10 | 24 | <10 | 3 | 61 |
| 37 | L1+30+00E 62+50N | 120 | 0.5 | 0.57 | 20 | 75 | <5 | 0.08 | <1 | 5 | 11 | 11 | 1.68 | 20 | 0.09 | 178 | <1 | <0.01 | 7 | 340 | 14 | <5 | <20 | 7 | <0.01 | <10 | 22 | <10 | 1 | 28 |
| 38 | L1+30+00E 63+00N | 30 | 0.3 | 0.95 | 45 | 75 | <5 | 0.56 | <1 | 16 | 25 | 39 | 3.42 | 30 | 0.39 | 620 | <1 | <0.01 | 31 | 560 | 20 | <5 | <20 | 35 | 0.01 | <10 | 20 | <10 | 5 | 63 |
| 39 | L1+30+00E 64+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40 | L1+30+00E 64+50N | 10 | <0.2 | 1.53 | 10 | 95 | <5 | 0.35 | <1 | 23 | 49 | 49 | 4.20 | 30 | 0.85 | 888 | <1 | <0.01 | 47 | 650 | 28 | <5 | <20 | 17 | 0.09 | <10 | 31 | <10 | 13 | 73 |
| 41 | L1+30+00E 65+00N | 10 | 0.2 | 1.13 | 30 | 75 | <5 | 0.09 | <1 | 12 | 32 | 28 | 4.17 | 30 | 0.38 | 164 | <1 | <0.01 | 24 | 360 | 22 | 5 | <20 | 5 | 0.01 | <10 | 29 | <10 | 2 | 57 |
| 42 | L1+30+00E 65+50N | 50 | <0.2 | 0.64 | 25 | 45 | <5 | 0.04 | <1 | 7 | 16 | 13 | 2.43 | 20 | 0.13 | 102 | <1 | <0.01 | 10 | 250 | 14 | <5 | <20 | 3 | <0.01 | <10 | 26 | <10 | 1 | 34 |
| 43 | L1+30+00E 66+00N | 170 | 0.3 | 0.82 | 40 | 45 | <5 | 0.12 | <1 | 10 | 24 | 20 | 3.73 | 30 | 0.21 | 168 | <1 | <0.01 | 17 | 350 | 26 | <5 | <20 | 11 | 0.01 | <10 | 25 | <10 | 1 | 43 |
| 44 | L1+30+00E 66+50N | 85 | <0.2 | 0.47 | 25 | 30 | <5 | 0.08 | <1 | 5 | 12 | 13 | 1.77 | 20 | 0.07 | 94 | <1 | <0.01 | 8 | 230 | 10 | <5 | <20 | 6 | 0.01 | <10 | 27 | <10 | 1 | 26 |
| 45 | L1+30+00E 67+00N | 15 | <0.2 | 0.95 | 25 | 40 | <5 | 0.06 | <1 | 15 | 25 | 29 | 3.76 | 30 | 0.25 | 421 | <1 | <0.01 | 17 | 490 | 28 | <5 | <20 | 5 | <0.01 | <10 | 25 | <10 | 4 | 55 |
| 46 | L1+30+00E 67+50N | 10 | 0.2 | 1.26 | 30 | 90 | <5 | 0.33 | <1 | 23 | 33 | 44 | 4.35 | 30 | 0.47 | 1062 | <1 | <0.01 | 36 | 670 | 34 | <5 | <20 | 17 | 0.01 | <10 | 27 | <10 | 8 | 81 |
| 47 | L1+30+00E 68+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 48 | L1+30+00E 68+50N | 10 | 0.6 | 1.02 | 30 | 60 | <5 | 0.09 | <1 | 10 | 30 | 21 | 4.19 | 30 | 0.34 | 127 | <1 | <0.01 | 17 | 530 | 20 | <5 | <20 | 4 | 0.01 | <10 | 30 | <10 | 1 | 49 |
| 49 | L1+30+00E 69+00N | 10 | 0.2 | 0.89 | 35 | 55 | <5 | 0.41 | <1 | 18 | 26 | 38 | 3.77 | 30 | 0.41 | 779 | <1 | <0.01 | 29 | 460 | 26 | <5 | <20 | 15 | 0.01 | <10 | 20 | <10 | 5 | 66 |
| 50 | L1+30+00E 69+50N | 10 | 0.2 | 1.19 | 25 | 50 | <5 | 0.13 | <1 | 17 | 28 | 39 | 4.02 | 30 | 0.34 | 418 | <1 | <0.01 | 21 | 710 | 30 | <5 | <20 | 11 | <0.01 | <10 | 23 | <10 | 7 | 63 |
| 51 | L1+30+00E 70+00N | 20 | 0.2 | 0.90 | 30 | 60 | <5 | 0.39 | <1 | 18 | 24 | 30 | 3.76 | 20 | 0.21 | 1108 | <1 | <0.01 | 18 | 560 | 26 | <5 | <20 | 21 | <0.01 | <10 | 24 | <10 | 2 | 51 |
| 52 | L1+30+00E 70+50N | 15 | <0.2 | 0.85 | 30 | 35 | <5 | 0.09 | <1 | 8 | 24 | 16 | 4.20 | 30 | 0.24 | 77 | <1 | <0.01 | 12 | 400 | 22 | <5 | <20 | 6 | <0.01 | <10 | 23 | <10 | <1 | 45 |
| 53 | L1+30+00E 71+00N | 5 | <0.2 | 0.90 | 30 | 60 | <5 | 0.17 | <1 | 10 | 27 | 24 | 3.81 | 30 | 0.30 | 141 | <1 | <0.01 | 19 | 310 | 20 | <5 | <20 | 12 | 0.01 | <10 | 31 | <10 | 1 | 55 |
| 54 | L1+30+00E 71+50N | 15 | 0.2 | 0.49 | 20 | 30 | <5 | 0.29 | <1 | 5 | 12 | 14 | 1.96 | 20 | 0.10 | 74 | <1 | <0.01 | 8 | 260 | 12 | <5 | <20 | 15 | <0.01 | <10 | 26 | <10 | 1 | 23 |
| 55 | L1+30+00E 72+00N | 5 | 0.9 | 0.91 | 20 | 65 | <5 | 0.47 | <1 | 16 | 22 | 26 | 3.43 | 20 | 0.21 | 549 | <1 | <0.01 | 16 | 600 | 28 | <5 | <20 | 33 | 0.01 | <10 | 24 | <10 | 2 | 64 |
| 56 | L1+86+00N 60+00E | 720 | 0.7 | 0.91 | 25 | 65 | <5 | 0.35 | <1 | 15 | 23 | 33 | 3.69 | 30 | 0.22 | 667 | <1 | <0.01 | 22 | 780 | 52 | <5 | <20 | 23 | <0.01 | <10 | 13 | <10 | 12 | 70 |
| 57 | L1+86+00N 60+25E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 58 | L1+86+00N 60+50E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 59 | L1+86+00N 60+75E | 5 | 0.4 | 0.81 | 25 | 45 | <5 | 0.03 | <1 | 8 | 29 | 20 | 5.10 | 30 | 0.18 | 208 | <1 | <0.01 | 15 | 580 | 34 | <5 | <20 | 3 | 0.01 | <10 | 24 | <10 | 2 | 50 |
| 60 | L1+86+00N 61+00E | 5 | 0.3 | 0.21 | 5 | 25 | <5 | 0.02 | <1 | 3 | 4 | 9 | 0.93 | 20 | 0.02 | 49 | <1 | <0.01 | 3 | 260 | 6 | <5 | <20 | 2 | <0.01 | <10 | 8 | <10 | <1 | 15 |
| 61 | L1+86+00N 61+25E | - | <0.2 | 0.35 | <5 | 25 | <5 | 0.02 | <1 | 1 | 6 | 3 | 0.79 | 20 | 0.02 | 24 | <1 | <0.01 | <1 | 230 | 8 | <5 | <20 | <1 | <0.01 | <10 | 16 | <10 | <1 | 6 |
| 62 | L1+86+00N 61+50E | 5 | <0.2 | 0.71 | 15 | 35 | <5 | 0.02 | <1 | 6 | 25 | 12 | 4.44 | 30 | 0.14 | 56 | <1 | <0.01 | 9 | 600 | 30 | <5 | <20 | 3 | 0.02 | <10 | 30 | <10 | 1 | 34 |
| 63 | L1+86+00N 61+75E | 5 | 0.4 | 0.71 | 15 | 35 | <5 | 0.03 | <1 | 6 | 19 | 16 | 3.06 | 20 | 0.10 | 201 | <1 | <0.01 | 8 | 490 | 28 | <5 | <20 | 2 | <0.01 | <10 | 24 | <10 | 1 | 37 |
| 64 | L1+86+00N 62+00E | 20 | <0.2 | 0.60 | 20 | 30 | <5 | 0.04 | <1 | 6 | 18 | 14 | 3.33 | 30 | 0.14 | 174 | <1 | <0.01 | 10 | 630 | 26 | <5 | <20 | 3 | 0.01 | <10 | 23 | <10 | 1 | 39 |
| 65 | L1+86+00N 62+25E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66 | L1+86+00N 62+50E | 5 | 0.6 | 0.65 | 15 | 35 | <5 | 0.02 | <1 | 4 | 18 | 7 | 2.87 | 20 | 0.10 | 48 | <1 | <0.01 | 5 | 410 | 26 | <5 | <20 | <1 | 0.01 | <10 | 33 | <10 | <1 | 21 |
| 67 | L1+86+00N 62+75E | 10 | 0.2 | 0.71 | 10 | 40 | <5 | 0.02 | <1 | 4 | 15 | 11 | 2.11 | 20 | 0.11 | 85 | <1 | <0.01 | 6 | 350 | 30 | <5 | <20 | 2 | <0.01 | <10 | 13 | <10 | <1 | 27 |
| 68 | L1+86+00N 63+00E | 15 | <0.2 | 0.53 | 15 | 35 | <5 | 0.03 | <1 | 5 | 14 | 10 | 2.49 | 30 | 0.08 | 412 | <1 | <0.01 | 5 | 490 | 22 | <5 | <20 | 2 | 0.02 | <10 | 34 | <10 | 1 | 31 |
| 69 | L1+86+00N 63+25E | 5 | 0.3 | 0.86 | 20 | 35 | <5 | 0.04 | <1 | 9 | 28 | 21 | 4.72 | 30 | 0.19 | 318 | <1 | <0.01 | 12 | 630 | 32 | <5 | <20 | 3 | 0.02 | <10 | 28 | <10 | 2 | 54 |
| 70 | L1+86+00N 63+50E | 5 | 0.3 | 0.66 | 25 | 25 | <5 | 0.08 | <1 | 11 | 19 | 23 | 3.31 | 20 | 0.23 | 324 | <1 | <0.01 | 19 | 500 | 34 | <5 | <20 | 4 | 0.01 | <10 | 15 | <10 | 2 | 72 |
| 71 | L1+86+00N 63+75E | 15 | 1.0 | 0.58 | 20 | 40 | <5 | 0.06 | <1 | 9 | 22 | 18 | 3.79 | 20 | 0.18 | 297 | <1 | <0.01 | 14 | 810 | 28 | <5 | <20 | 3 | 0.01 | <10 | 24 | <10 | 1 | 42 |
| 72 | L1+86+00N 64+00E | 25 | 0.3 | 0.90 | 20 | 50 | <5 | 0.25 | <1 | 13 | 27 | 19 | 3.38 | 30 | 0.28 | 808 | <1 | <0.01 | 17 | 540 | 44 | <5 | <20 | 11 | 0.01 | <10 | 29 | <10 | 5 | 55 |
| 73 | L1+86+00N 64+25E | 20 | <0.2 | 0.64 | 20 | 45 | <5 | 0.14 | <1 | 9 | 21 | 23 | 3.57 | 30 | 0.15 | 169 | <1 | <0.01 | 17 | 550 | 32 | <5 | <20 | 9 | 0.01 | <10 | 22 | <10 | 3 | 45 |
| 74 | L1+86+00N 64+50E | 30 | 0.2 | 1.57 | 30 | 40 | <5 | 0.06 | <1 | 13 | 33 | 36 | 4.55 | 30 | 0.43 | 297 | <1 | <0.01 | 24 | 590 | 46 | <5 | <20 | 2 | 0.01 | <10 | 33 | <10 | 2 | 66 |
| 75 | L1+86+00N 64+75E | 15 | <0.2 | 0.67 | 25 | 20 | <5 | 0.04 | <1 | 7 | 21 | 19 | 3.48 | 30 | 0.16 | 108 | <1 | <0.01 | 13 | 480 | 26 | <5 | <20 | <1 | 0.02 | <10 | 25 | <10 | 2 | 48 |
| 76 | L1+86+00N 65+00E | 20 | 0.5 | 1.15 | 25 | 30 | <5 | 0.04 | <1 | 10 | 29 | 20 | 4.36 | 30 | 0.22 | 288 | <1 | <0.01 | 16 | 510 | 40 | <5 | <20 | 2 | 0.02 | <10 | 22 | <10 | 1 | 59 |
| 77 | L1+86+00N 65+25E | 10 | 0.9 | 1.18 | 15 | 40 | <5 | 0.04 | <1 | 12 | 37 | 26 | 4.99 | 30 | 0.43 | 311 | <1 | <0.01 | 23 | 600 | 34 | <5 | <20 | 2 | 0.01 | <10 | 23 | <10 | 2 | 63 |
| 78 | L1+86+00N 65+50E | 20 | 0.3 | 0.94 | 15 | 65 | <5 | 0.21 | <1 | 10 | 26 | 18 | 3.66 | 30 | 0.25 | 396 | <1 | <0.01 | 16 | 510 | 40 | <5 | <20 | 9 | 0.01 | <10 | 30 | <10 | 4 | 49 |
| 79 | L1+86+00N 65+75E | 10 | 0.8 | 1.71 | 25 | 85 | <5 | 0.37 | <1 | 25 | 39 | 38 | 4.78 | 30 | 0.50 | 850 | <1 | <0.01 | 49 | 970 | 64 | <5 | <20 | 23 | 0.01 | <10 | 26 | <10 | 9 | 100 |
| 80 | L1+86+00N 66+00E | 10 | 0.4 | 1.20 | 20 | 85 | <5 | 0.41 | <1 | 16 | 31 | 28 | 3.88 | 30 | 0.40 | 998 | <1 | <0.01 | 22 | 1020 | 50 | <5 | <20 | 20 | 0.01 | <10 | 30 | <10 | 7 | 71 |

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Zn | |
|-------|------------------|-----------|------|------|----|----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|-----|----|-----|----|-------|-----|----|-----|----|-----|
| 81 | L1+86+00N 6 | 40 | 0.2 | 1.62 | 15 | 80 | <5 | 0.10 | <1 | 15 | 43 | 26 | 5.76 | 30 | 0.5 | 244 | <1 | <0.01 | 30 | 670 | 54 | <5 | <20 | 6 | 0.01 | <10 | 29 | <10 | | 71 |
| 82 | L1+86+00N 66+50E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 83 | L1+86+00N 66+75E | 10 | 0.7 | 1.01 | 20 | 65 | <5 | 0.63 | <1 | 17 | 27 | 34 | 3.28 | 20 | 0.32 | 1173 | <1 | <0.01 | 29 | 700 | 40 | <5 | <20 | 60 | 0.02 | <10 | 17 | <10 | 11 | 79 |
| 84 | L1+86+00N 67+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 85 | L1+86+00N 67+25E | 10 | 0.7 | 1.29 | 35 | 80 | <5 | 0.44 | <1 | 20 | 33 | 40 | 4.01 | 30 | 0.42 | 891 | <1 | <0.01 | 34 | 510 | 76 | <5 | <20 | 40 | 0.02 | <10 | 24 | <10 | 12 | 73 |
| 86 | L1+86+00N 67+50E | 10 | 0.2 | 1.29 | 40 | 35 | <5 | 0.05 | <1 | 12 | 35 | 29 | 5.90 | 30 | 0.34 | 207 | <1 | <0.01 | 19 | 490 | 46 | <5 | <20 | 2 | 0.01 | <10 | 31 | <10 | 2 | 70 |
| 87 | L1+86+00N 67+75E | 25 | <0.2 | 1.08 | 35 | 45 | <5 | 0.04 | <1 | 10 | 30 | 20 | 4.29 | 30 | 0.26 | 134 | <1 | <0.01 | 17 | 370 | 44 | <5 | <20 | 3 | 0.01 | <10 | 27 | <10 | 1 | 67 |
| 88 | L1+86+00N 68+00E | 15 | 0.2 | 1.10 | 30 | 65 | <5 | 0.07 | <1 | 10 | 26 | 19 | 4.19 | 30 | 0.21 | 507 | <1 | <0.01 | 14 | 330 | 50 | <5 | <20 | 6 | 0.01 | <10 | 32 | <10 | 3 | 105 |
| 89 | L1+86+00N 68+25E | 5 | <0.2 | 1.25 | 20 | 65 | <5 | 0.17 | <1 | 10 | 29 | 18 | 4.22 | 30 | 0.27 | 291 | <1 | <0.01 | 14 | 350 | 44 | <5 | <20 | 9 | <0.01 | <10 | 34 | <10 | <1 | 56 |
| 90 | L1+86+00N 68+50E | 10 | 0.2 | 0.90 | 30 | 50 | <5 | 0.05 | <1 | 9 | 24 | 18 | 3.96 | 30 | 0.18 | 247 | <1 | <0.01 | 13 | 510 | 34 | <5 | <20 | 4 | <0.01 | <10 | 29 | <10 | 2 | 52 |
| 91 | L1+86+00N 68+75E | 10 | 0.3 | 0.85 | 20 | 45 | <5 | 0.05 | <1 | 9 | 25 | 21 | 4.00 | 30 | 0.21 | 310 | <1 | <0.01 | 15 | 450 | 34 | <5 | <20 | 2 | 0.01 | <10 | 22 | <10 | 1 | 53 |
| 92 | L1+86+00N 69+00E | 5 | 0.2 | 1.23 | 25 | 45 | <5 | 0.06 | <1 | 15 | 40 | 18 | 6.28 | 30 | 0.38 | 771 | <1 | <0.01 | 19 | 710 | 48 | <5 | <20 | 3 | 0.02 | <10 | 30 | <10 | 1 | 60 |
| 93 | L1+86+00N 69+25E | 5 | 0.2 | 1.23 | 10 | 30 | <5 | 0.02 | <1 | 7 | 25 | 16 | 3.31 | 30 | 0.22 | 127 | <1 | <0.01 | 12 | 370 | 22 | <5 | <20 | 1 | <0.01 | <10 | 20 | <10 | <1 | 46 |
| 94 | L1+86+00N 69+50E | 15 | <0.2 | 0.87 | 15 | 50 | <5 | 0.04 | <1 | 6 | 24 | 14 | 3.52 | 30 | 0.21 | 81 | <1 | <0.01 | 11 | 350 | 22 | <5 | <20 | 3 | 0.01 | <10 | 28 | <10 | <1 | 40 |
| 95 | L1+86+00N 69+75E | 5 | 0.6 | 1.72 | 35 | 55 | <5 | 0.19 | <1 | 23 | 37 | 42 | 6.56 | 40 | 0.24 | 1411 | <1 | <0.01 | 26 | 1080 | 220 | <5 | <20 | 13 | 0.01 | <10 | 36 | <10 | 18 | 114 |
| 96 | L1+86+00N 70+00E | 10 | <0.2 | 1.53 | 40 | 70 | <5 | 0.20 | <1 | 16 | 34 | 14 | 6.66 | 40 | 0.28 | 182 | <1 | <0.01 | 17 | 550 | 24 | <5 | <20 | 13 | <0.01 | <10 | 21 | <10 | 3 | 82 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|------------------|----|------|------|----|----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|----|-------|-----|----|-----|----|----|
| 1 | L1+38+00E 54+50N | 15 | 0.8 | 0.85 | 50 | 70 | <5 | 0.08 | <1 | 14 | 24 | 19 | 3.68 | 30 | 0.23 | 992 | <1 | <0.01 | 15 | 1360 | 34 | <5 | <20 | 5 | <0.01 | <10 | 25 | <10 | 2 | 51 |
| 10 | L1+38+00E 59+00N | 40 | 0.6 | 0.85 | 50 | 65 | <5 | 0.20 | <1 | 11 | 22 | 24 | 3.53 | 30 | 0.27 | 275 | <1 | <0.01 | 18 | 430 | 18 | <5 | <20 | 13 | <0.01 | <10 | 20 | <10 | 4 | 50 |
| 19 | L1+38+00E 63+50N | 40 | 0.5 | 0.91 | 45 | 80 | <5 | 0.65 | <1 | 13 | 23 | 33 | 3.70 | 20 | 0.19 | 565 | <1 | <0.01 | 23 | 370 | 28 | <5 | <20 | 57 | <0.01 | <10 | 24 | <10 | 4 | 57 |
| 32 | L1+30+00E 60+00N | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 36 | L1+30+00E 62+00N | 95 | 0.6 | 0.89 | 35 | 85 | <5 | 0.21 | <1 | 13 | 25 | 24 | 3.61 | 20 | 0.18 | 782 | <1 | <0.01 | 16 | 590 | 26 | <5 | <20 | 16 | 0.01 | <10 | 24 | <10 | 3 | 60 |
| 45 | L1+30+00E 67+00N | 15 | <0.2 | 0.97 | 30 | 45 | <5 | 0.06 | <1 | 16 | 26 | 28 | 3.80 | 30 | 0.25 | 425 | <1 | <0.01 | 18 | 490 | 26 | <5 | <20 | 6 | <0.01 | <10 | 26 | <10 | 4 | 57 |
| 54 | L1+30+00E 71+50N | 10 | 0.5 | 0.50 | 20 | 35 | <5 | 0.29 | <1 | 5 | 12 | 14 | 1.94 | 20 | 0.10 | 71 | <1 | <0.01 | 9 | 260 | 12 | <5 | <20 | 14 | <0.01 | <10 | 26 | <10 | 2 | 23 |
| 63 | L1+86+00N 61+75E | 5 | 0.4 | 0.75 | 10 | 40 | <5 | 0.03 | <1 | 5 | 19 | 17 | 3.12 | 30 | 0.11 | 208 | <1 | <0.01 | 8 | 500 | 28 | <5 | <20 | 2 | 0.01 | <10 | 24 | <10 | 1 | 36 |
| 71 | L1+86+00N 63+75E | 15 | 0.9 | 0.62 | 20 | 35 | <5 | 0.06 | <1 | 8 | 23 | 17 | 4.01 | 20 | 0.18 | 288 | <1 | <0.01 | 13 | 900 | 26 | <5 | <20 | 1 | 0.01 | <10 | 25 | <10 | <1 | 46 |
| 80 | L1+86+00N 66+00E | 10 | 0.4 | 1.22 | 20 | 90 | <5 | 0.41 | <1 | 16 | 31 | 29 | 3.82 | 30 | 0.40 | 1005 | <1 | <0.01 | 22 | 1020 | 50 | <5 | <20 | 18 | 0.01 | <10 | 30 | <10 | 8 | 70 |
| 89 | L1+86+00N 68+25E | 10 | <0.2 | 1.31 | 35 | 65 | <5 | 0.06 | <1 | 12 | 31 | 18 | 4.58 | 30 | 0.29 | 302 | <1 | <0.01 | 18 | 380 | 44 | <5 | <20 | 6 | <0.01 | <10 | 36 | <10 | <1 | 58 |

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | 135 | 1.5 | 1.62 | 55 | 145 | <5 | 1.53 | <1 | 18 | 60 | 84 | 3.47 | 10 | 0.93 | 588 | <1 | 0.02 | 30 | 650 | 22 | <5 | <20 | 44 | 0.10 | <10 | 63 | <10 | 9 | 72 |
| GEO '04 | 135 | 1.5 | 1.67 | 55 | 145 | <5 | 1.54 | <1 | 19 | 61 | 86 | 3.55 | 10 | 0.95 | 600 | <1 | 0.02 | 30 | 630 | 22 | <5 | <20 | 46 | 0.10 | <10 | 65 | <10 | 8 | 73 |
| GEO '04 | 135 | 1.5 | 1.65 | 60 | 145 | <5 | 1.52 | <1 | 19 | 60 | 85 | 3.48 | 10 | 0.95 | 589 | <1 | 0.02 | 30 | 660 | 24 | <5 | <20 | 45 | 0.10 | <10 | 62 | <10 | 9 | 72 |

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

JJ/jm
df/1043
XLS/04

ECO TECH LABO/ RY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS 318 AK 2004-1062

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

No. of samples received: 35
Sample type: Soil
Project #: LOWHEE
Shipment #: None Given
Samples submitted by: J. McAllister

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-----------------|---------|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | 1+40+00E 48+00N | 75 | <0.2 | 1.19 | 20 | 100 | <5 | 0.14 | <1 | 16 | 41 | 26 | 5.06 | 30 | 0.38 | 318 | <1 | <0.01 | 35 | 510 | 24 | <5 | <20 | 5 | 0.02 | <10 | 42 | <10 | 4 | 81 |
| 2 | 1+40+00E 48+50N | 20 | 0.6 | 1.17 | 25 | 115 | <5 | 0.45 | <1 | 12 | 38 | 16 | 4.89 | 30 | 0.32 | 230 | <1 | <0.01 | 23 | 400 | 22 | <5 | <20 | 17 | 0.02 | <10 | 42 | <10 | 3 | 70 |
| 3 | 1+40+00E 49+00N | 15 | <0.2 | 1.50 | 20 | 110 | <5 | 0.10 | <1 | 23 | 44 | 35 | 4.97 | 30 | 0.47 | 386 | <1 | <0.01 | 49 | 350 | 30 | <5 | <20 | 3 | 0.02 | <10 | 30 | <10 | 4 | 115 |
| 4 | 1+40+00E 49+50N | 70 | <0.2 | 1.59 | 25 | 130 | <5 | 0.12 | <1 | 17 | 51 | 23 | 6.24 | 30 | 0.41 | 226 | <1 | <0.01 | 33 | 510 | 30 | <5 | <20 | 7 | 0.02 | <10 | 48 | <10 | 4 | 91 |
| 5 | 1+40+00E 50+00N | 30 | 0.4 | 1.02 | 40 | 105 | <5 | 0.42 | <1 | 14 | 34 | 17 | 4.61 | 30 | 0.24 | 339 | <1 | <0.01 | 22 | 430 | 24 | <5 | <20 | 17 | 0.01 | <10 | 36 | <10 | 3 | 77 |
| 6 | 1+40+00E 50+50N | 35 | 0.7 | 1.28 | 45 | 135 | <5 | 0.62 | <1 | 20 | 41 | 36 | 5.00 | 40 | 0.31 | 1600 | <1 | <0.01 | 45 | 730 | 28 | <5 | <20 | 26 | 0.01 | <10 | 31 | <10 | 17 | 101 |
| 7 | 1+40+00E 51+00N | 60 | 0.5 | 1.19 | 25 | 110 | <5 | 0.77 | <1 | 24 | 41 | 33 | 4.60 | 30 | 0.43 | 2151 | <1 | <0.01 | 45 | 760 | 26 | <5 | <20 | 29 | 0.03 | <10 | 33 | <10 | 12 | 99 |
| 8 | 1+40+00E 51+50N | 40 | 0.2 | 1.21 | 45 | 80 | <5 | 0.13 | <1 | 20 | 39 | 27 | 5.32 | 40 | 0.28 | 542 | <1 | <0.01 | 37 | 660 | 28 | <5 | <20 | 7 | 0.01 | <10 | 27 | <10 | 10 | 103 |
| 9 | 1+40+00E 52+00N | 65 | 0.3 | 0.86 | 40 | 50 | <5 | 0.14 | <1 | 13 | 35 | 16 | 5.70 | 30 | 0.24 | 179 | <1 | <0.01 | 22 | 480 | 20 | <5 | <20 | 9 | 0.02 | <10 | 25 | <10 | 3 | 69 |
| 10 | 1+40+00E 52+50N | 70 | <0.2 | 0.66 | 40 | 50 | <5 | 0.06 | <1 | 12 | 28 | 20 | 5.12 | 30 | 0.15 | 520 | <1 | <0.01 | 20 | 1470 | 26 | <5 | <20 | 5 | <0.01 | <10 | 22 | <10 | 4 | 64 |
| 11 | 1+40+00E 53+00N | 80 | 0.2 | 0.90 | 30 | 55 | <5 | 0.06 | <1 | 12 | 32 | 15 | 4.70 | 30 | 0.22 | 216 | <1 | <0.01 | 22 | 730 | 18 | <5 | <20 | 4 | 0.01 | <10 | 20 | <10 | 3 | 73 |
| 12 | 1+40+00E 53+50N | 30 | <0.2 | 0.86 | 40 | 40 | <5 | 0.05 | <1 | 16 | 36 | 21 | 5.66 | 40 | 0.25 | 493 | <1 | <0.01 | 23 | 730 | 24 | <5 | <20 | 5 | <0.01 | <10 | 24 | <10 | 3 | 81 |
| 13 | 1+40+00E 54+00N | 35 | <0.2 | 0.84 | 35 | 50 | <5 | 0.04 | <1 | 13 | 32 | 22 | 4.81 | 40 | 0.23 | 313 | <1 | <0.01 | 23 | 670 | 22 | <5 | <20 | 5 | <0.01 | <10 | 23 | <10 | 6 | 80 |
| 14 | 1+38+00E 50+00N | 20 | <0.2 | 1.15 | 30 | 110 | <5 | 0.66 | <1 | 24 | 43 | 35 | 4.63 | 40 | 0.51 | 1027 | <1 | <0.01 | 49 | 820 | 25 | <5 | <20 | 21 | 0.04 | <10 | 31 | <10 | 16 | 97 |
| 15 | 1+38+00E 50+50N | 65 | <0.2 | 1.10 | 35 | 75 | <5 | 0.07 | <1 | 13 | 42 | 18 | 5.75 | 30 | 0.27 | 185 | <1 | <0.01 | 25 | 350 | 24 | <5 | <20 | 5 | 0.02 | <10 | 30 | <10 | 3 | 68 |
| 16 | 1+38+00E 51+00N | 30 | 0.2 | 1.45 | 30 | 145 | <5 | 0.51 | <1 | 26 | 49 | 31 | 5.34 | 40 | 0.48 | 1255 | <1 | <0.01 | 47 | 750 | 30 | <5 | <20 | 25 | 0.02 | <10 | 37 | <10 | 14 | 112 |
| 17 | 1+38+00E 51+50N | 85 | 0.4 | 1.08 | 20 | 150 | <5 | 0.85 | <1 | 18 | 38 | 28 | 4.26 | 30 | 0.40 | 1404 | <1 | <0.01 | 39 | 580 | 20 | <5 | <20 | 28 | 0.03 | <10 | 35 | <10 | 9 | 87 |
| 18 | 1+38+00E 52+00N | 75 | 0.3 | 0.75 | 25 | 75 | 5 | 0.14 | <1 | 9 | 29 | 10 | 4.00 | 30 | 0.21 | 189 | <1 | <0.01 | 16 | 490 | 18 | <5 | <20 | 10 | 0.02 | <10 | 28 | <10 | 4 | 47 |
| 19 | 1+38+00E 52+50N | 65 | 0.2 | 0.62 | 35 | 35 | <5 | 0.08 | <1 | 8 | 27 | 9 | 4.17 | 20 | 0.15 | 218 | <1 | <0.01 | 12 | 950 | 16 | <5 | <20 | 3 | 0.01 | <10 | 28 | <10 | 2 | 48 |
| 20 | 1+38+00E 53+00N | 30 | 0.3 | 0.92 | 40 | 65 | <5 | 0.05 | <1 | 16 | 37 | 19 | 5.93 | 40 | 0.23 | 553 | <1 | <0.01 | 21 | 720 | 25 | <5 | <20 | 5 | <0.01 | <10 | 26 | <10 | 3 | 80 |
| 21 | 1+38+00E 53+50N | 40 | 0.5 | 1.16 | 65 | 95 | <5 | 0.40 | <1 | 28 | 39 | 34 | 5.08 | 40 | 0.34 | 1049 | <1 | <0.01 | 42 | 700 | 28 | <5 | <20 | 15 | <0.01 | <10 | 24 | <10 | 16 | 106 |
| 22 | 1+38+00E 54+00N | 80 | 0.2 | 1.00 | 40 | 75 | <5 | 0.07 | <1 | 15 | 37 | 20 | 5.48 | 30 | 0.30 | 314 | <1 | <0.01 | 25 | 600 | 24 | <5 | <20 | 6 | <0.01 | <10 | 23 | <10 | 3 | 89 |
| 23 | 1+38+00E 52+00N | 10 | 0.2 | 1.81 | 25 | 120 | <5 | 0.13 | <1 | 22 | 49 | 26 | 5.55 | 30 | 0.43 | 343 | <1 | <0.01 | 49 | 660 | 42 | <5 | <20 | 7 | 0.01 | <10 | 29 | <10 | 5 | 113 |
| 24 | 1+38+00E 52+50N | 35 | 0.6 | 1.70 | 60 | 155 | <5 | 0.74 | <1 | 28 | 57 | 52 | 5.90 | 50 | 0.44 | 1632 | <1 | <0.01 | 61 | 1070 | 30 | 5 | <20 | 29 | 0.02 | <10 | 37 | <10 | 35 | 122 |
| 25 | 1+38+00E 53+00N | 40 | 0.2 | 1.14 | 30 | 105 | <5 | 0.10 | <1 | 13 | 38 | 20 | 4.55 | 30 | 0.31 | 243 | <1 | <0.01 | 27 | 580 | 20 | <5 | <20 | 5 | 0.02 | <10 | 41 | <10 | 4 | 73 |
| 26 | 1+38+00E 53+50N | 10 | 0.6 | 1.30 | 80 | 90 | <5 | 0.94 | <1 | 25 | 43 | 43 | 5.03 | 40 | 0.48 | 1118 | <1 | <0.01 | 56 | 790 | 23 | <5 | <20 | 29 | 0.02 | <10 | 28 | <10 | 29 | 107 |
| 27 | 1+38+00E 54+00N | 5 | <0.2 | 0.97 | 30 | 80 | <5 | 0.20 | <1 | 11 | 38 | 17 | 4.33 | 30 | 0.22 | 115 | <1 | <0.01 | 22 | 320 | 16 | <5 | <20 | 8 | 0.05 | <10 | 74 | <10 | 4 | 49 |
| 28 | 1+28+00E 71+50N | 5 | 0.2 | 0.61 | 25 | 45 | <5 | 0.18 | <1 | 8 | 22 | 15 | 3.08 | 20 | 0.16 | 123 | <1 | <0.01 | 15 | 410 | 16 | <5 | <20 | 7 | 0.01 | <10 | 27 | <10 | 2 | 53 |
| 29 | 1+28+00E 72+00N | <5 | 0.4 | 1.35 | 20 | 145 | <5 | 1.33 | <1 | 26 | 49 | 42 | 4.71 | 30 | 0.59 | 700 | <1 | <0.01 | 56 | 950 | 22 | <5 | <20 | 38 | 0.04 | <10 | 38 | <10 | 14 | 116 |
| 30 | 1+28+00E 72+50N | 5 | 0.3 | 1.03 | 35 | 75 | <5 | 0.23 | <1 | 11 | 33 | 22 | 5.38 | 30 | 0.19 | 119 | <1 | <0.01 | 22 | 430 | 24 | <5 | <20 | 12 | 0.01 | <10 | 44 | <10 | 2 | 73 |
| 31 | 1+28+00E 73+00N | <5 | 0.5 | 0.74 | 10 | 80 | <5 | 3.09 | <1 | 13 | 27 | 49 | 2.51 | 20 | 0.33 | 1137 | <1 | 0.06 | 45 | 1120 | 18 | <5 | <20 | 53 | 0.01 | <10 | 16 | <10 | 14 | 94 |
| 32 | 1+28+00E 73+50N | <5 | 0.4 | 1.08 | 30 | 90 | <5 | 1.19 | <1 | 23 | 33 | 39 | 4.68 | 30 | 0.36 | 963 | <1 | <0.01 | 42 | 690 | 24 | <5 | <20 | 34 | 0.01 | <10 | 25 | <10 | 10 | 91 |
| 33 | 1+28+00E 74+00N | 5 | 0.5 | 1.08 | 30 | 95 | <5 | 1.96 | <1 | 18 | 30 | 37 | 4.17 | 30 | 0.24 | 1053 | <1 | <0.01 | 36 | 1150 | 26 | <5 | <20 | 61 | 0.01 | <10 | 24 | <10 | 12 | 68 |
| 34 | 1+28+00E 74+50N | <5 | 0.6 | 1.24 | 40 | 105 | <5 | 1.97 | <1 | 22 | 34 | 40 | 4.69 | 30 | 0.30 | 984 | <1 | <0.01 | 40 | 1130 | 26 | <5 | <20 | 68 | 0.01 | <10 | 25 | <10 | 12 | 89 |
| 35 | 1+28+00E 75+00N | <5 | 0.2 | 1.18 | 25 | 50 | <5 | 0.22 | <1 | 12 | 36 | 43 | 5.20 | 30 | 0.22 | 150 | <1 | <0.01 | 21 | 530 | 26 | <5 | <20 | 14 | <0.01 | <10 | 30 | <10 | 6 | 61 |

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | g % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | Y | Zn | | |
|-----------|-----------------|---------|------|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|------|-------|----|------|----|----|-----|------|-------|-----|----|-----|---|----|
| QC DATA: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 1+40+00E 48+00N | 15 | <0.2 | 1.23 | 25 | 90 | <5 | 0.14 | <1 | 16 | 41 | 26 | 5.02 | 30 | 0.39 | 297 | <1 | <0.01 | 34 | 530 | 26 | <5 | <20 | 4 | 0.02 | <10 | 42 | <10 | 4 | 79 |
| 10 | 1+40+00E 52+50N | 65 | <0.2 | 0.70 | 35 | 55 | <5 | 0.06 | <1 | 12 | 28 | 18 | 5.16 | 30 | 0.16 | 559 | <1 | <0.01 | 20 | 1490 | 26 | <5 | <20 | 6 | <0.01 | <10 | 24 | <10 | 4 | 65 |
| 19 | 1+38+00E 52+50N | 75 | 0.2 | 0.65 | 30 | 40 | <5 | 0.08 | <1 | 9 | 27 | 10 | 4.21 | 30 | 0.15 | 220 | <1 | <0.01 | 15 | 960 | 16 | <5 | <20 | 4 | 0.01 | <10 | 29 | <10 | 2 | 50 |
| 28 | 1+28+00E 71+50N | - | 0.2 | 0.65 | 25 | 50 | <5 | 0.19 | <1 | 8 | 23 | 16 | 3.19 | 30 | 0.17 | 127 | <1 | <0.01 | 14 | 420 | 16 | <5 | <20 | 7 | 0.01 | <10 | 29 | <10 | 2 | 55 |
| 31 | 1+28+00E 73+00N | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 135 | 1.5 | 1.61 | 55 | 145 | <5 | 2.03 | <1 | 20 | 60 | 86 | 3.86 | 10 | 0.89 | 723 | <1 | 0.02 | 30 | 750 | 24 | <5 | <20 | 45 | 0.13 | <10 | 65 | <10 | 9 | 73 |

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

JJ/sc
dt/5080
XLS/04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1065

INTERNATIONAL WAYSIDE MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 33
Sample type: Soil
Project #: LOWHEE
Shipment #: None Given
Samples submitted by: J. McAllister

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-----------------|-----------|------|------|----|-----|----|-------|----|----|----|----|------|-----|-------|-----|----|-------|----|-----|----|----|-----|----|-------|-----|----|-----|----|----|
| 1 | 1+42+00E 46+00N | 10 | 0.6 | 1.44 | 20 | 110 | <5 | 0.58 | <1 | 16 | 37 | 40 | 3.72 | 30 | 0.54 | 963 | <1 | <0.01 | 35 | 780 | 26 | <5 | <20 | 38 | 0.02 | <10 | 35 | <10 | 13 | 60 |
| 2 | 1+42+00E 46+50N | 5 | 0.2 | 1.60 | 25 | 135 | <5 | 0.20 | <1 | 15 | 38 | 33 | 4.03 | 30 | 0.55 | 417 | <1 | <0.01 | 27 | 520 | 24 | <5 | <20 | 14 | 0.03 | <10 | 50 | <10 | 3 | 59 |
| 3 | 1+42+00E 47+00N | 25 | 0.3 | 1.00 | 20 | 105 | <5 | 0.08 | <1 | 9 | 26 | 16 | 3.21 | 20 | 0.20 | 351 | <1 | <0.01 | 15 | 370 | 22 | <5 | <20 | 6 | 0.02 | <10 | 52 | <10 | 2 | 64 |
| 4 | 1+42+00E 47+50N | 155 | <0.2 | 1.64 | 20 | 110 | <5 | 0.28 | <1 | 24 | 42 | 36 | 4.40 | 30 | 0.68 | 798 | <1 | <0.01 | 37 | 660 | 28 | <5 | <20 | 19 | 0.04 | <10 | 46 | <10 | 3 | 75 |
| 5 | 1+42+00E 48+00N | 15 | 0.9 | 1.96 | 25 | 135 | <5 | 0.66 | <1 | 20 | 50 | 51 | 4.59 | 30 | 0.48 | 593 | <1 | <0.01 | 43 | 710 | 32 | <5 | <20 | 47 | 0.04 | <10 | 50 | <10 | 10 | 67 |
| 6 | 1+42+00E 48+50N | 70 | 0.4 | 1.67 | 20 | 110 | <5 | 0.46 | <1 | 21 | 46 | 41 | 4.04 | 40 | 0.74 | 781 | <1 | <0.01 | 41 | 770 | 30 | <5 | <20 | 29 | 0.04 | <10 | 38 | <10 | 13 | 63 |
| 7 | 1+42+00E 49+00N | 45 | <0.2 | 1.33 | 20 | 80 | <5 | 0.08 | <1 | 11 | 35 | 20 | 4.02 | 30 | 0.40 | 233 | <1 | <0.01 | 22 | 430 | 20 | <5 | <20 | 5 | 0.03 | <10 | 34 | <10 | 2 | 48 |
| 8 | 1+42+00E 49+50N | 25 | 0.5 | 1.46 | 30 | 115 | <5 | 0.37 | <1 | 18 | 37 | 38 | 3.94 | 30 | 0.52 | 877 | <1 | <0.01 | 38 | 850 | 32 | <5 | <20 | 26 | 0.02 | <10 | 33 | <10 | 9 | 74 |
| 9 | 1+42+00E 50+00N | 30 | 0.2 | 0.71 | 20 | 70 | <5 | 0.29 | <1 | 9 | 20 | 16 | 2.52 | 30 | 0.17 | 568 | <1 | <0.01 | 13 | 440 | 18 | <5 | <20 | 21 | 0.02 | <10 | 32 | <10 | 2 | 42 |
| 10 | 1+42+00E 50+50N | 155 | 0.2 | 0.92 | 35 | 40 | <5 | 0.08 | <1 | 12 | 26 | 31 | 3.82 | 30 | 0.20 | 353 | <1 | <0.01 | 18 | 560 | 22 | <5 | <20 | 7 | 0.02 | <10 | 29 | <10 | 3 | 52 |
| 11 | 1+42+00E 51+00N | 20 | 0.3 | 1.19 | 45 | 60 | <5 | 0.25 | <1 | 17 | 27 | 27 | 3.76 | 30 | 0.30 | 756 | <1 | <0.01 | 23 | 600 | 32 | <5 | <20 | 19 | <0.01 | <10 | 23 | <10 | 5 | 62 |
| 12 | 1+42+00E 51+50N | 65 | 0.2 | 0.90 | 35 | 55 | <5 | 0.07 | <1 | 10 | 25 | 24 | 3.98 | 30 | 0.25 | 287 | <1 | <0.01 | 19 | 560 | 24 | <5 | <20 | 10 | <0.01 | <10 | 23 | <10 | 1 | 51 |
| 13 | 1+42+00E 52+00N | 70 | 0.3 | 1.07 | 35 | 65 | <5 | 0.53 | <1 | 16 | 26 | 35 | 3.56 | 30 | 0.38 | 700 | <1 | <0.01 | 31 | 740 | 28 | <5 | <20 | 33 | <0.01 | <10 | 21 | <10 | 8 | 67 |
| 14 | 1+42+00E 52+50N | 35 | <0.2 | 1.00 | 10 | 90 | <5 | 0.15 | <1 | 7 | 20 | 20 | 2.35 | 10 | 0.25 | 772 | 1 | <0.01 | 11 | 860 | 18 | <5 | <20 | 10 | 0.06 | <10 | 31 | <10 | 3 | 70 |
| 15 | 1+42+00E 53+00N | 35 | 0.2 | 0.88 | 35 | 45 | <5 | 0.17 | <1 | 13 | 26 | 24 | 3.94 | 30 | 0.25 | 551 | <1 | <0.01 | 18 | 570 | 26 | <5 | <20 | 14 | <0.01 | <10 | 20 | <10 | 2 | 60 |
| 16 | 1+42+00E 53+50N | 70 | <0.2 | 0.79 | 45 | 45 | <5 | 0.04 | <1 | 12 | 28 | 28 | 4.97 | 30 | 0.26 | 251 | <1 | <0.01 | 19 | 660 | 28 | <5 | <20 | 6 | <0.01 | <10 | 21 | <10 | <1 | 57 |
| 17 | 1+42+00E 54+00N | 25 | 0.5 | 1.16 | 40 | 65 | <5 | 0.51 | <1 | 18 | 26 | 50 | 3.68 | 30 | 0.36 | 747 | <1 | <0.01 | 34 | 730 | 28 | <5 | <20 | 34 | <0.01 | <10 | 20 | <10 | 13 | 68 |
| 18 | 1+44+00E 53+50N | 120 | 0.7 | 1.35 | 35 | 100 | <5 | 0.64 | <1 | 18 | 29 | 52 | 3.95 | 30 | 0.31 | 894 | <1 | <0.01 | 39 | 890 | 34 | <5 | <20 | 38 | <0.01 | <10 | 21 | <10 | 10 | 69 |
| 19 | 1+44+00E 54+00N | 30 | 0.4 | 1.31 | 35 | 100 | <5 | 0.47 | <1 | 16 | 28 | 36 | 4.12 | 30 | 0.24 | 602 | <1 | <0.01 | 26 | 670 | 36 | <5 | <20 | 28 | <0.01 | <10 | 25 | <10 | 5 | 66 |
| 20 | 1+48+00E 53+50N | 40 | 0.3 | 1.24 | 25 | 60 | <5 | 0.22 | <1 | 13 | 26 | 35 | 3.48 | 30 | 0.35 | 328 | <1 | <0.01 | 32 | 480 | 26 | <5 | <20 | 17 | <0.01 | <10 | 20 | <10 | 7 | 56 |
| 21 | 1+48+00E 54+00N | 20 | 0.2 | 1.19 | 35 | 50 | <5 | 0.26 | <1 | 12 | 27 | 26 | 3.82 | 30 | 0.38 | 262 | <1 | <0.01 | 24 | 480 | 20 | <5 | <20 | 22 | <0.01 | <10 | 23 | <10 | 2 | 54 |
| 22 | 1+50+00E 53+50N | 10 | 0.3 | 1.48 | 25 | 70 | <5 | 0.07 | <1 | 17 | 36 | 48 | 5.31 | 30 | 0.47 | 714 | <1 | <0.01 | 26 | 790 | 28 | <5 | <20 | 4 | 0.01 | <10 | 42 | <10 | 3 | 72 |
| 23 | 1+48+00E 54+00N | 5 | <0.2 | 1.25 | 35 | 40 | <5 | 0.04 | <1 | 12 | 36 | 26 | 6.35 | 30 | 0.36 | 201 | <1 | <0.01 | 19 | 660 | 24 | <5 | <20 | 4 | 0.01 | <10 | 40 | <10 | <1 | 48 |
| 24 | 1+24+00E 68+00N | <5 | <0.2 | 1.58 | 25 | 80 | <5 | 0.14 | <1 | 21 | 38 | 50 | 4.01 | 30 | 0.56 | 423 | <1 | <0.01 | 39 | 480 | 24 | <5 | <20 | 5 | 0.03 | <10 | 31 | <10 | 5 | 71 |
| 25 | 1+24+00E 68+50N | <5 | <0.2 | 1.18 | 5 | 95 | <5 | 0.27 | <1 | 12 | 35 | 23 | 4.31 | 30 | 0.32 | 509 | <1 | <0.01 | 19 | 490 | 32 | <5 | <20 | 19 | 0.03 | <10 | 55 | <10 | 2 | 53 |
| 26 | 1+24+00E 69+00N | <5 | <0.2 | 0.87 | 20 | 45 | <5 | 0.11 | <1 | 9 | 24 | 23 | 3.39 | 30 | 0.29 | 116 | <1 | <0.01 | 17 | 560 | 18 | <5 | <20 | 5 | 0.02 | <10 | 28 | <10 | 1 | 44 |
| 27 | 1+24+00E 69+50N | <5 | <0.2 | 1.26 | 15 | 90 | <5 | 0.11 | <1 | 10 | 32 | 28 | 3.63 | 20 | 0.39 | 188 | <1 | <0.01 | 20 | 450 | 22 | <5 | <20 | 8 | 0.02 | <10 | 40 | <10 | 2 | 46 |
| 28 | 1+24+00E 70+00N | <5 | 0.6 | 0.01 | <5 | <5 | <5 | <0.01 | <1 | <1 | <1 | <1 | 0.04 | <10 | <0.01 | 5 | <1 | <0.01 | <1 | <10 | <2 | <5 | <20 | <1 | <0.01 | <10 | <1 | <10 | <1 | <1 |
| 29 | 1+24+00E 70+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 | 1+24+00E 71+00N | 5 | 0.2 | 1.13 | 15 | 60 | <5 | 0.09 | <1 | 14 | 28 | 30 | 4.04 | 30 | 0.42 | 489 | <1 | <0.01 | 24 | 500 | 22 | <5 | <20 | 7 | 0.01 | <10 | 31 | <10 | 3 | 48 |
| 31 | 1+24+00E 71+50N | <5 | <0.2 | 1.60 | 15 | 90 | <5 | 0.18 | <1 | 19 | 42 | 40 | 4.37 | 30 | 0.54 | 472 | <1 | <0.01 | 31 | 600 | 28 | <5 | <20 | 10 | 0.02 | <10 | 43 | <10 | 4 | 68 |
| 32 | 1+24+00E 72+00N | 10 | <0.2 | 1.45 | 10 | 120 | <5 | 2.61 | <1 | 22 | 43 | 55 | 4.16 | 30 | 0.87 | 778 | <1 | <0.01 | 49 | 820 | 24 | <5 | <20 | 88 | 0.05 | <10 | 33 | <10 | 7 | 82 |
| 33 | 1+24+00E 72+50N | 5 | 0.3 | 1.61 | 25 | 110 | <5 | 0.47 | <1 | 20 | 41 | 44 | 4.87 | 30 | 0.54 | 346 | <1 | <0.01 | 35 | 640 | 58 | <5 | <20 | 29 | 0.02 | <10 | 34 | <10 | 4 | 64 |

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | Y | Zn | | | |
|-----------|-----------------|---------|-----|------|----|-----|----|------|----|----|----|----|------|------|------|------|------|-------|----|-----|----|----|-----|------|-------|-----|----|-----|----|----|
| QC DATA: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 1+42+00E 46+00N | 10 | 0.6 | 1.52 | 15 | 110 | <5 | 0.63 | <1 | 17 | 39 | 41 | 3.93 | 30 | 0.57 | 1012 | <1 | <0.01 | 40 | 800 | 26 | <5 | <20 | 36 | 0.03 | <10 | 36 | <10 | 13 | 63 |
| 10 | 1+42+00E 50+50N | 155 | 0.3 | 0.91 | 30 | 40 | <5 | 0.09 | <1 | 12 | 25 | 30 | 3.75 | 30 | 0.20 | 347 | <1 | <0.01 | 16 | 540 | 24 | <5 | <20 | 8 | 0.02 | <10 | 28 | <10 | 3 | 58 |
| 19 | 1+44+00E 54+00N | - | 0.4 | 1.34 | 35 | 95 | <5 | 0.45 | <1 | 17 | 28 | 35 | 4.12 | 30 | 0.25 | 620 | <1 | <0.01 | 28 | 680 | 36 | <5 | <20 | 25 | <0.01 | <10 | 26 | <10 | 6 | 65 |
| 20 | 1+48+00E 53+50N | 35 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 29 | 1+24+00E 70+50N | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 135 | 1.4 | 1.73 | 55 | 155 | <5 | 1.59 | <1 | 19 | 62 | 88 | 3.58 | <10 | 0.97 | 612 | <1 | 0.02 | 30 | 740 | 22 | <5 | <20 | 46 | 0.11 | <10 | 68 | <10 | 8 | 73 |

JJ/jm/sc
df/1065
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | L | J % | Mn | Mo | Na % | Ni | P | Pb Sb | Sn | Sr | Ti % | U | V | Y | Zn | |
|-------|-----------------|-----------|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|---------|-----|-----|-------|-----|----|-----|----|-----|
| 36 | 2+02+00N 66+75E | 60 | 1.0 | 1.06 | 25 | 80 | <5 | 0.42 | <1 | 15 | 23 | 32 | 3.38 | 30 | 0.29 | 582 | <1 | <0.01 | 28 | 600 | 58 <5 | <20 | 23 | <0.01 | <10 | 17 | <10 | 4 | 88 |
| 37 | 2+02+00N 67+00E | 30 | 2.3 | 1.41 | 30 | 115 | <5 | 0.76 | <1 | 20 | 29 | 41 | 4.64 | 20 | 0.18 | 746 | <1 | <0.01 | 28 | 1520 | 94 <5 | <20 | 46 | 0.01 | <10 | 24 | <10 | 8 | 97 |
| 38 | 2+02+00N 67+25E | 10 | 3.8 | 0.52 | 10 | 80 | <5 | 0.90 | <1 | 5 | 12 | 15 | 1.68 | 10 | 0.11 | 136 | <1 | <0.01 | 11 | 1170 | 26 <5 | <20 | 50 | <0.01 | <10 | 13 | <10 | 2 | 49 |
| 39 | 2+02+00N 67+50E | 15 | 0.3 | 0.94 | 20 | 55 | <5 | 0.49 | <1 | 20 | 25 | 39 | 3.80 | 30 | 0.42 | 685 | <1 | <0.01 | 33 | 690 | 52 <5 | <20 | 27 | 0.01 | <10 | 20 | <10 | 7 | 77 |
| 40 | 2+02+00N 67+75E | <5 | 0.4 | 1.23 | 15 | 160 | <5 | 0.79 | <1 | 14 | 24 | 37 | 3.14 | 20 | 0.27 | 657 | <1 | <0.01 | 26 | 890 | 48 <5 | <20 | 52 | 0.01 | <10 | 21 | <10 | 7 | 80 |
| 41 | 2+02+00N 68+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 42 | 2+02+00N 68+25E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 43 | 2+02+00N 68+50E | <5 | 1.1 | 1.67 | 20 | 125 | <5 | 0.71 | <1 | 17 | 36 | 45 | 4.46 | 40 | 0.31 | 533 | <1 | <0.01 | 32 | 750 | 54 <5 | <20 | 34 | 0.01 | <10 | 30 | <10 | 20 | 77 |
| 44 | 2+02+00N 68+75E | 15 | 0.9 | 1.17 | 10 | 100 | <5 | 0.38 | 3 | 10 | 23 | 23 | 2.98 | 30 | 0.22 | 851 | <1 | <0.01 | 20 | 370 | 270 <5 | <20 | 14 | <0.01 | <10 | 27 | <10 | 9 | 172 |
| 45 | 2+02+00N 69+00E | <5 | 1.8 | 1.19 | 15 | 70 | <5 | 0.37 | 4 | 12 | 22 | 28 | 3.10 | 30 | 0.23 | 872 | <1 | <0.01 | 21 | 450 | 1588 <5 | <20 | 12 | <0.01 | <10 | 28 | <10 | 12 | 417 |
| 46 | 2+02+00N 69+25E | <5 | 0.5 | 0.88 | 10 | 60 | <5 | 0.12 | <1 | 8 | 19 | 13 | 2.96 | 20 | 0.15 | 171 | <1 | <0.01 | 12 | 280 | 66 <5 | <20 | 3 | <0.01 | <10 | 31 | <10 | 2 | 76 |
| 47 | 2+02+00N 69+50E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 48 | 2+02+00N 69+75E | 5 | 0.2 | 0.70 | 10 | 80 | <5 | 0.08 | <1 | 8 | 17 | 19 | 2.77 | 20 | 0.15 | 118 | <1 | <0.01 | 15 | 210 | 44 <5 | <20 | 4 | <0.01 | <10 | 22 | <10 | 1 | 67 |
| 49 | 2+02+00N 70+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50 | 1+32+00E 56+00N | 30 | <0.2 | 0.86 | 30 | 55 | <5 | 0.11 | <1 | 13 | 25 | 23 | 3.31 | 20 | 0.32 | 366 | <1 | <0.01 | 22 | 420 | 26 <5 | <20 | 4 | <0.01 | <10 | 20 | <10 | 2 | 55 |
| 51 | 1+32+00E 56+50N | 45 | 0.5 | 1.15 | 35 | 100 | <5 | 0.36 | <1 | 17 | 28 | 38 | 3.62 | 30 | 0.35 | 961 | <1 | <0.01 | 35 | 520 | 28 <5 | <20 | 21 | <0.01 | <10 | 21 | <10 | 10 | 71 |
| 52 | 1+32+00E 57+00N | 30 | 0.2 | 0.87 | 45 | 45 | <5 | 0.19 | <1 | 13 | 24 | 24 | 3.45 | 30 | 0.30 | 277 | <1 | <0.01 | 22 | 460 | 24 <5 | <20 | 8 | <0.01 | <10 | 19 | <10 | 1 | 66 |
| 53 | 1+32+00E 57+50N | 25 | 0.2 | 0.90 | 40 | 65 | <5 | 0.05 | <1 | 8 | 26 | 19 | 3.82 | 30 | 0.23 | 55 | <1 | <0.01 | 13 | 530 | 34 <5 | <20 | 3 | <0.01 | <10 | 23 | <10 | <1 | 39 |
| 54 | 1+32+00E 58+00N | 35 | 0.3 | 1.15 | 40 | 55 | <5 | 0.06 | <1 | 15 | 28 | 33 | 4.03 | 30 | 0.36 | 324 | <1 | <0.01 | 30 | 390 | 44 <5 | <20 | 3 | <0.01 | <10 | 19 | <10 | 2 | 72 |
| 55 | 1+32+00E 58+50N | 30 | 0.4 | 0.85 | 30 | 55 | <5 | 1.29 | <1 | 13 | 19 | 28 | 2.75 | 20 | 0.27 | 578 | <1 | <0.01 | 28 | 700 | 22 <5 | <20 | 63 | <0.01 | <10 | 14 | <10 | 7 | 55 |
| 56 | 1+32+00E 59+00N | 10 | 0.3 | 0.82 | 45 | 40 | <5 | 0.03 | <1 | 10 | 23 | 21 | 3.63 | 30 | 0.19 | 399 | <1 | <0.01 | 15 | 480 | 20 <5 | <20 | 2 | <0.01 | <10 | 34 | <10 | <1 | 51 |
| 57 | 1+32+00E 59+50N | 10 | 0.5 | 1.14 | 35 | 60 | <5 | 0.14 | <1 | 16 | 27 | 27 | 4.11 | 20 | 0.30 | 254 | <1 | <0.01 | 25 | 540 | 30 <5 | <20 | 11 | <0.01 | <10 | 19 | <10 | 3 | 70 |
| 58 | 1+32+00E 60+00N | 10 | 0.6 | 0.66 | 35 | 140 | <5 | 0.15 | <1 | 6 | 13 | 14 | 1.99 | 20 | 0.14 | 344 | <1 | <0.01 | 9 | 290 | 10 <5 | <20 | 15 | <0.01 | <10 | 19 | <10 | <1 | 44 |
| 59 | 1+32+00E 60+50N | 10 | 0.2 | 0.85 | 65 | 45 | <5 | 0.07 | <1 | 9 | 21 | 28 | 3.47 | 30 | 0.27 | 114 | <1 | <0.01 | 17 | 250 | 14 <5 | <20 | 3 | <0.01 | <10 | 22 | <10 | <1 | 55 |
| 60 | 1+32+00E 61+00N | 35 | 0.2 | 0.92 | 35 | 60 | <5 | 0.77 | <1 | 17 | 22 | 32 | 3.14 | 20 | 0.33 | 638 | <1 | <0.01 | 28 | 530 | 22 <5 | <20 | 42 | <0.01 | <10 | 16 | <10 | 5 | 63 |
| 61 | 1+32+00E 61+50N | 110 | 0.3 | 1.03 | 50 | 65 | <5 | 0.20 | <1 | 12 | 26 | 26 | 4.29 | 20 | 0.22 | 214 | <1 | <0.01 | 21 | 480 | 30 <5 | <20 | 15 | <0.01 | <10 | 27 | <10 | 2 | 69 |
| 62 | 1+32+00E 62+00N | 30 | 0.6 | 1.25 | 40 | 105 | <5 | 1.13 | <1 | 17 | 26 | 48 | 3.89 | 30 | 0.31 | 1362 | <1 | <0.01 | 40 | 830 | 30 <5 | <20 | 76 | <0.01 | <10 | 19 | <10 | 16 | 74 |
| 63 | 1+32+00E 62+50N | 80 | 0.2 | 0.69 | 45 | 50 | <5 | 0.12 | <1 | 14 | 19 | 30 | 3.26 | 30 | 0.21 | 560 | <1 | <0.01 | 25 | 400 | 22 <5 | <20 | 6 | <0.01 | <10 | 15 | <10 | 4 | 56 |
| 64 | 1+32+00E 63+00N | 160 | 0.4 | 0.85 | 35 | 50 | <5 | 0.12 | <1 | 14 | 21 | 27 | 3.17 | 20 | 0.19 | 428 | <1 | <0.01 | 25 | 330 | 20 <5 | <20 | 11 | <0.01 | <10 | 18 | <10 | 4 | 48 |
| 65 | 1+32+00E 63+50N | 55 | 0.3 | 0.94 | 75 | 75 | <5 | 0.76 | <1 | 17 | 24 | 38 | 3.63 | 20 | 0.29 | 817 | <1 | <0.01 | 30 | 540 | 28 <5 | <20 | 59 | <0.01 | <10 | 18 | <10 | 6 | 65 |
| 66 | 1+32+00E 64+00N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 67 | 1+32+00E 64+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 68 | 1+32+00E 65+00N | 10 | 0.6 | 0.97 | 30 | 95 | <5 | 1.71 | <1 | 15 | 20 | 41 | 2.93 | 20 | 0.27 | 1596 | <1 | <0.01 | 34 | 900 | 24 <5 | <20 | 96 | <0.01 | <10 | 16 | <10 | 8 | 75 |
| 69 | 1+32+00E 65+50N | 65 | <0.2 | 0.33 | 25 | 35 | <5 | 0.05 | <1 | 5 | 9 | 8 | 1.52 | 20 | 0.05 | 88 | <1 | <0.01 | 7 | 270 | 6 <5 | <20 | 1 | <0.01 | <10 | 22 | <10 | 1 | 24 |
| 70 | 1+32+00E 66+00N | 5 | 1.4 | 1.01 | 25 | 90 | <5 | 0.91 | <1 | 15 | 22 | 33 | 3.10 | 20 | 0.19 | 1014 | <1 | <0.01 | 24 | 960 | 26 <5 | <20 | 59 | 0.01 | <10 | 20 | <10 | 8 | 60 |
| 71 | 1+32+00E 66+50N | <5 | 0.9 | 1.22 | 25 | 155 | <5 | 1.59 | <1 | 17 | 24 | 34 | 3.07 | 20 | 0.24 | 4087 | <1 | <0.01 | 30 | 1100 | 24 <5 | <20 | 97 | 0.02 | <10 | 20 | <10 | 6 | 71 |
| 72 | 1+32+00E 67+00N | 90 | 1.2 | 0.73 | 20 | 165 | <5 | 2.96 | <1 | 12 | 16 | 41 | 2.16 | 10 | 0.20 | 3661 | <1 | <0.01 | 30 | 1110 | 16 <5 | <20 | 148 | 0.01 | <10 | 14 | <10 | 5 | 75 |
| 73 | 1+32+00E 67+50N | 25 | <0.2 | 0.65 | 30 | 40 | <5 | 0.08 | <1 | 7 | 16 | 16 | 2.60 | 30 | 0.18 | 153 | <1 | <0.01 | 12 | 290 | 12 <5 | <20 | 4 | <0.01 | <10 | 25 | <10 | 1 | 44 |
| 74 | 1+32+00E 68+00N | <5 | 0.2 | 1.06 | 30 | 70 | <5 | 0.89 | <1 | 16 | 25 | 29 | 3.72 | 20 | 0.31 | 583 | <1 | <0.01 | 25 | 550 | 28 <5 | <20 | 44 | <0.01 | <10 | 23 | <10 | 4 | 59 |
| 75 | 1+32+00E 68+50N | <5 | 0.3 | 1.05 | 25 | 70 | <5 | 0.75 | <1 | 17 | 27 | 37 | 3.62 | 20 | 0.36 | 1037 | <1 | <0.01 | 32 | 850 | 26 <5 | <20 | 38 | <0.01 | <10 | 22 | <10 | 8 | 70 |
| 76 | 1+32+00E 69+00N | <5 | 0.2 | 1.14 | 25 | 45 | <5 | 0.23 | <1 | 18 | 29 | 30 | 4.01 | 20 | 0.35 | 546 | <1 | <0.01 | 23 | 710 | 28 <5 | <20 | 8 | <0.01 | <10 | 25 | <10 | 7 | 64 |
| 77 | 1+32+00E 69+50N | <5 | 0.6 | 0.90 | 20 | 130 | <5 | 0.10 | <1 | 12 | 22 | 37 | 3.36 | 30 | 0.16 | 780 | <1 | <0.01 | 15 | 480 | 22 <5 | <20 | 11 | 0.01 | <10 | 36 | <10 | 8 | 54 |
| 78 | 1+32+00E 70+00N | <5 | 0.4 | 1.28 | 25 | 85 | <5 | 0.79 | <1 | 19 | 32 | 36 | 4.19 | 30 | 0.45 | 841 | <1 | <0.01 | 31 | 710 | 28 <5 | <20 | 28 | 0.01 | <10 | 29 | <10 | 8 | 71 |
| 79 | 1+32+00E 70+50N | <5 | 0.4 | 1.20 | 25 | 75 | <5 | 0.81 | <1 | 17 | 29 | 32 | 4.07 | 20 | 0.35 | 447 | <1 | <0.01 | 26 | 560 | 26 <5 | <20 | 29 | <0.01 | <10 | 31 | <10 | 4 | 65 |
| 80 | 1+32+00E 71+00N | <5 | 0.4 | 1.10 | 20 | 95 | <5 | 0.53 | <1 | 18 | 27 | 31 | 3.78 | 20 | 0.35 | 635 | <1 | <0.01 | 25 | 620 | 26 <5 | <20 | 26 | <0.01 | <10 | 26 | <10 | 6 | 72 |

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | g % | Mn | Mo | Na % | Ni | P | PbSb | Sn | Sr | Ti % | U | W | Y | Zn | | | |
|-------|-----------------|-----------|------|------|----|-----|----|------|----|----|----|----|------|-----|------|------|------|-------|----|------|----|----|------|----|-------|-----|----|-----|----|----|
| 81 | 1+32+00E 72+00N | <5 | 0.8 | 1.34 | 30 | 110 | <5 | 1.31 | <1 | 19 | 30 | 60 | 3.95 | 30 | 0.33 | 1638 | <1 | <0.01 | 43 | 1150 | 30 | <5 | <20 | 69 | 0.01 | <10 | 23 | <10 | 13 | 57 |
| 82 | 1+32+00E 72+00N | <5 | 0.4 | 1.13 | 35 | 75 | <5 | 0.71 | <1 | 19 | 28 | 46 | 4.31 | 30 | 0.36 | 672 | <1 | <0.01 | 34 | 530 | 32 | <5 | <20 | 37 | <0.01 | <10 | 23 | <10 | 9 | 57 |
| 83 | 1+32+00E 72+50N | <5 | 0.3 | 1.29 | 30 | 70 | <5 | 0.30 | <1 | 22 | 30 | 52 | 4.61 | 30 | 0.35 | 902 | <1 | <0.01 | 36 | 520 | 32 | <5 | <20 | 20 | <0.01 | <10 | 25 | <10 | 10 | 70 |
| 84 | 1+32+00E 73+00N | <5 | 0.3 | 0.95 | 30 | 50 | <5 | 0.47 | <1 | 21 | 25 | 37 | 4.42 | 20 | 0.35 | 489 | <1 | <0.01 | 27 | 440 | 26 | <5 | <20 | 27 | <0.01 | <10 | 19 | <10 | 4 | 62 |
| 85 | 1+32+00E 73+50N | <5 | 0.4 | 1.16 | 25 | 70 | <5 | 0.75 | <1 | 15 | 25 | 39 | 4.10 | 30 | 0.31 | 659 | <1 | <0.01 | 27 | 710 | 24 | <5 | <20 | 45 | <0.01 | <10 | 24 | <10 | 10 | 61 |
| 86 | 1+32+00E 74+00N | <5 | 0.4 | 1.25 | 25 | 45 | <5 | 0.25 | <1 | 19 | 28 | 29 | 4.36 | 30 | 0.37 | 358 | <1 | <0.01 | 23 | 500 | 28 | <5 | <20 | 13 | <0.01 | <10 | 25 | <10 | 8 | 61 |
| 87 | 1+40+00E 54+50N | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 88 | 1+40+00E 55+00N | 95 | 0.3 | 0.44 | 25 | 25 | <5 | 0.05 | <1 | 5 | 13 | 12 | 2.22 | 20 | 0.11 | 134 | <1 | <0.01 | 9 | 550 | 14 | <5 | <20 | 1 | <0.01 | <10 | 26 | <10 | <1 | 29 |
| 89 | 1+40+00E 55+50N | 25 | 0.3 | 0.82 | 45 | 45 | <5 | 0.38 | <1 | 18 | 23 | 36 | 3.67 | 30 | 0.32 | 705 | <1 | <0.01 | 31 | 630 | 30 | <5 | <20 | 20 | <0.01 | <10 | 18 | <10 | 6 | 74 |
| 90 | 1+40+00E 56+00N | 15 | 0.7 | 1.09 | 35 | 90 | <5 | 0.96 | <1 | 15 | 24 | 32 | 3.47 | 20 | 0.30 | 905 | <1 | <0.01 | 27 | 760 | 28 | <5 | <20 | 42 | <0.01 | <10 | 22 | <10 | 7 | 75 |
| 91 | 1+40+00E 56+50N | 35 | 1.0 | 0.90 | 40 | 120 | <5 | 0.16 | <1 | 16 | 22 | 28 | 3.68 | 20 | 0.15 | 1388 | <1 | <0.01 | 21 | 580 | 34 | <5 | <20 | 9 | <0.01 | <10 | 28 | <10 | 6 | 61 |
| 92 | 1+40+00E 57+00N | 15 | 0.5 | 0.82 | 40 | 60 | <5 | 0.67 | <1 | 11 | 22 | 24 | 3.57 | 20 | 0.24 | 299 | <1 | <0.01 | 19 | 570 | 20 | <5 | <20 | 30 | <0.01 | <10 | 22 | <10 | 4 | 70 |
| 93 | 1+40+00E 57+50N | 15 | 1.0 | 1.12 | 35 | 105 | <5 | 2.20 | <1 | 14 | 23 | 36 | 2.97 | 20 | 0.28 | 1338 | <1 | <0.01 | 35 | 1300 | 24 | <5 | <20 | 94 | <0.01 | <10 | 15 | <10 | 10 | 94 |
| 94 | 1+40+00E 58+00N | 10 | 0.3 | 1.08 | 45 | 65 | <5 | 0.34 | <1 | 18 | 25 | 31 | 3.79 | 20 | 0.26 | 455 | <1 | <0.01 | 24 | 440 | 30 | <5 | <20 | 22 | <0.01 | <10 | 19 | <10 | 5 | 72 |
| 95 | 1+40+00E 58+50N | 20 | 1.3 | 0.64 | 20 | 55 | <5 | 1.43 | <1 | 7 | 14 | 28 | 1.60 | 20 | 0.13 | 420 | <1 | <0.01 | 16 | 450 | 14 | <5 | <20 | 87 | <0.01 | <10 | 16 | <10 | 5 | 41 |
| 96 | 1+40+00E 59+00N | 25 | 0.2 | 0.49 | 30 | 50 | <5 | 0.10 | <1 | 7 | 11 | 14 | 1.75 | 20 | 0.09 | 171 | <1 | <0.01 | 9 | 210 | 12 | <5 | <20 | 5 | <0.01 | <10 | 19 | <10 | 2 | 30 |
| 97 | 1+40+00E 59+50N | 15 | 0.6 | 0.69 | 25 | 60 | <5 | 0.07 | <1 | 7 | 19 | 17 | 2.93 | 20 | 0.17 | 308 | <1 | <0.01 | 12 | 400 | 18 | <5 | <20 | 1 | <0.01 | <10 | 21 | <10 | <1 | 35 |
| 98 | 1+40+00E 60+00N | 85 | <0.2 | 0.45 | 35 | 40 | <5 | 0.04 | <1 | 5 | 11 | 11 | 1.64 | 30 | 0.09 | 120 | <1 | <0.01 | 9 | 260 | 10 | <5 | <20 | 2 | <0.01 | <10 | 26 | <10 | <1 | 26 |
| 99 | 1+40+00E 60+50N | 10 | 0.4 | 1.07 | 40 | 65 | <5 | 0.38 | <1 | 18 | 26 | 43 | 3.74 | 30 | 0.31 | 875 | <1 | <0.01 | 35 | 550 | 26 | <5 | <20 | 17 | <0.01 | <10 | 18 | <10 | 9 | 68 |
| 100 | 1+40+00E 61+00N | 300 | 0.3 | 0.54 | 35 | 45 | <5 | 0.09 | <1 | 11 | 18 | 21 | 3.24 | 20 | 0.15 | 628 | <1 | <0.01 | 15 | 400 | 16 | <5 | <20 | 3 | <0.01 | <10 | 22 | <10 | 1 | 49 |
| 101 | 1+40+00E 61+50N | 15 | 0.3 | 1.07 | 40 | 55 | <5 | 0.12 | <1 | 19 | 25 | 29 | 3.85 | 30 | 0.28 | 607 | <1 | <0.01 | 28 | 430 | 28 | <5 | <20 | 10 | <0.01 | <10 | 16 | <10 | 9 | 66 |
| 102 | 1+40+00E 62+00N | 50 | 1.8 | 1.03 | 35 | 40 | <5 | 0.09 | <1 | 17 | 24 | 33 | 3.84 | 30 | 0.26 | 317 | <1 | <0.01 | 28 | 360 | 28 | <5 | <20 | 6 | <0.01 | <10 | 16 | <10 | 9 | 55 |
| 103 | 1+40+00E 62+50N | 25 | 0.4 | 0.54 | 35 | 55 | <5 | 0.08 | <1 | 9 | 17 | 16 | 3.06 | 20 | 0.18 | 242 | <1 | <0.01 | 15 | 320 | 14 | <5 | <20 | 6 | <0.01 | <10 | 19 | <10 | 1 | 43 |
| 104 | 1+40+00E 63+00N | 10 | 0.8 | 1.05 | 25 | 60 | <5 | 0.06 | <1 | 14 | 24 | 25 | 3.83 | 20 | 0.23 | 618 | <1 | <0.01 | 21 | 560 | 26 | <5 | <20 | 4 | <0.01 | <10 | 22 | <10 | 3 | 59 |
| 105 | 1+40+00E 63+50N | 20 | <0.2 | 0.49 | 15 | 45 | <5 | 0.04 | <1 | 4 | 10 | 8 | 1.48 | 20 | 0.10 | 119 | <1 | <0.01 | 6 | 200 | 8 | <5 | <20 | 2 | <0.01 | <10 | 21 | <10 | <1 | 22 |
| 106 | 1+40+00E 64+00N | 25 | 0.4 | 0.89 | 30 | 55 | <5 | 0.10 | <1 | 13 | 21 | 22 | 3.39 | 20 | 0.20 | 396 | <1 | <0.01 | 16 | 340 | 20 | <5 | <20 | 7 | <0.01 | <10 | 25 | <10 | 2 | 52 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----------------|----|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|------|----|-----|----|-------|-----|----|-----|----|-----|
| 3 | 2+02+00N 58+50E | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 10 | 2+02+00N 60+25E | <5 | <0.2 | 0.91 | 35 | 45 | <5 | 0.06 | <1 | 10 | 24 | 20 | 4.23 | 30 | 0.20 | 255 | <1 | <0.01 | 16 | 590 | 52 | <5 | <20 | 2 | <0.01 | <10 | 22 | <10 | 2 | 66 |
| 19 | 2+02+00N 62+50E | 10 | <0.2 | 0.35 | 5 | 15 | <5 | 0.03 | <1 | 3 | 8 | 6 | 1.18 | 20 | 0.05 | 68 | <1 | <0.01 | 3 | 290 | 10 | <5 | <20 | <1 | <0.01 | <10 | 12 | <10 | <1 | 13 |
| 28 | 2+02+00N 64+75E | - | 0.3 | 0.47 | 10 | 20 | <5 | 0.02 | <1 | 2 | 7 | 3 | 1.04 | 20 | 0.05 | 65 | <1 | <0.01 | 2 | 180 | 10 | <5 | <20 | <1 | <0.01 | <10 | 13 | <10 | 1 | 12 |
| 36 | 2+02+00N 66+75E | - | 1.0 | 1.05 | 30 | 75 | <5 | 0.39 | <1 | 14 | 23 | 31 | 3.44 | 30 | 0.28 | 563 | <1 | <0.01 | 28 | 600 | 80 | <5 | <20 | 21 | <0.01 | <10 | 18 | <10 | 4 | 90 |
| 37 | 2+02+00N 67+00E | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 45 | 2+02+00N 69+00E | 5 | 1.6 | 1.13 | 10 | 65 | <5 | 0.34 | 3 | 11 | 21 | 26 | 2.96 | 30 | 0.22 | 645 | <1 | <0.01 | 21 | 430 | 1438 | <5 | <20 | 11 | <0.01 | <10 | 26 | <10 | 11 | 397 |
| 54 | 1+32+00E 58+00N | - | 0.3 | 1.15 | 40 | 55 | <5 | 0.06 | <1 | 14 | 27 | 33 | 3.98 | 30 | 0.37 | 323 | <1 | <0.01 | 28 | 390 | 34 | <5 | <20 | 4 | <0.01 | <10 | 19 | <10 | 3 | 69 |
| 58 | 1+32+00E 60+00N | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 1+32+00E 62+50N | - | 0.2 | 0.66 | 45 | 50 | <5 | 0.11 | <1 | 14 | 19 | 30 | 3.28 | 20 | 0.21 | 542 | <1 | <0.01 | 25 | 380 | 20 | <5 | <20 | 6 | <0.01 | <10 | 15 | <10 | 4 | 56 |
| 65 | 1+32+00E 63+50N | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 71 | 1+32+00E 66+50N | - | 0.9 | 1.18 | 25 | 155 | <5 | 1.64 | <1 | 17 | 24 | 34 | 3.13 | 20 | 0.23 | 4104 | <1 | <0.01 | 30 | 1060 | 26 | <5 | <20 | 96 | 0.02 | <10 | 20 | <10 | 7 | 71 |
| 74 | 1+32+00E 68+00N | <5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 80 | 1+32+00E 71+00N | - | 0.3 | 1.04 | 20 | 95 | <5 | 0.50 | <1 | 17 | 26 | 30 | 3.66 | 20 | 0.33 | 598 | <1 | <0.01 | 24 | 610 | 24 | <5 | <20 | 25 | <0.01 | <10 | 25 | <10 | 6 | 70 |
| 83 | 1+32+00E 72+50N | 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 89 | 1+40+00E 55+50N | 40 | 0.3 | 0.80 | 40 | 45 | <5 | 0.37 | <1 | 17 | 22 | 35 | 3.59 | 20 | 0.31 | 649 | <1 | <0.01 | 30 | 640 | 30 | <5 | <20 | 19 | <0.01 | <10 | 18 | <10 | 6 | 73 |
| 98 | 1+40+00E 60+00N | - | <0.2 | 0.41 | 35 | 40 | <5 | 0.04 | <1 | 5 | 10 | 10 | 1.58 | 20 | 0.08 | 104 | <1 | <0.01 | 7 | 260 | 8 | <5 | <20 | 2 | <0.01 | <10 | 24 | <10 | 1 | 25 |
| 106 | 1+40+00E 64+00N | - | 0.4 | 0.92 | 25 | 55 | <5 | 0.10 | <1 | 14 | 22 | 24 | 3.53 | 20 | 0.20 | 458 | <1 | <0.01 | 16 | 340 | 24 | <5 | <20 | 6 | <0.01 | <10 | 26 | <10 | 2 | 53 |

| El #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | Mn % | Mn | Mo | Na % | Ni | P | Pb | Sb | Si | Si % | Ti % | U | V | Zn | | | |
|-----------|-------|----------|-----|------|----|-----|----|------|----|----|----|----|------|------|------|-----|------|------|----|-----|----|----|------|------|------|-----|----|-----|---|----|
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 135 | 1.5 | 1.67 | 60 | 145 | <5 | 1.62 | <1 | 19 | 61 | 88 | 3.59 | 10 | 0.95 | 619 | <1 | 0.02 | 32 | 640 | 24 | <5 | <20 | 44 | 0.10 | <10 | 64 | <10 | 8 | 76 |
| GEO '04 | | 135 | 1.5 | 1.61 | 60 | 140 | <5 | 1.58 | <1 | 19 | 59 | 88 | 3.54 | <10 | 0.92 | 617 | <1 | 0.02 | 31 | 630 | 24 | <5 | <20 | 40 | 0.10 | <10 | 65 | <10 | 8 | 75 |
| GEO '04 | | 140 | 1.5 | 1.59 | 55 | 145 | <5 | 1.56 | <1 | 18 | 58 | 88 | 3.46 | <10 | 0.90 | 613 | <1 | 0.02 | 31 | 610 | 22 | 5 | <20 | 42 | 0.09 | <10 | 61 | <10 | 8 | 73 |
| GEO '04 | | 135 | 1.5 | 1.64 | 55 | 150 | <5 | 1.60 | <1 | 19 | 61 | 84 | 3.56 | <10 | 0.93 | 627 | <1 | 0.02 | 32 | 620 | 22 | <5 | <20 | 43 | 0.09 | <10 | 65 | <10 | 8 | 74 |

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

JJ/jm
dt/1020
XLS/04

06-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1150

INTERNATIONAL WAYSIDE GOLD MINES LTD
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 2
Sample type: Silt
Project #: IWA Regional
Shipment #: Not indicated

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|---------|------|------|----|----|----|------|----|----|----|----|------|----|------|------|----|-------|----|-----|----|----|-----|----|-------|-----|----|-----|---|-----|
| 1 | L 4430 | 5 | 0.2 | 1.08 | 20 | 55 | <5 | 0.62 | <1 | 30 | 33 | 39 | 6.44 | 30 | 0.40 | 1601 | <1 | <0.01 | 35 | 960 | 70 | <5 | <20 | 37 | <0.01 | <10 | 22 | <10 | 7 | 118 |
| 2 | L 4434 | 5 | <0.2 | 1.07 | 10 | 50 | <5 | 0.51 | <1 | 21 | 25 | 33 | 4.25 | 30 | 0.44 | 910 | <1 | <0.01 | 25 | 780 | 22 | <5 | <20 | 24 | <0.01 | <10 | 29 | <10 | 8 | 79 |

QC DATA:

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|---|-----|------|----|----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|----|------|----|----|-----|---|-----|
| 1 | L 4430 | 5 | 0.2 | 1.11 | 25 | 60 | <5 | 0.67 | <1 | 30 | 34 | 40 | 6.58 | 30 | 0.41 | 1779 | <1 | <0.01 | 33 | 1020 | 72 | <5 | <20 | 39 | 0.01 | 10 | 23 | <10 | 7 | 118 |
|---|--------|---|-----|------|----|----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|----|------|----|----|-----|---|-----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|--|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|---|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| GEO '04 | | 130 | 1.5 | 1.70 | 60 | 135 | <5 | 1.61 | <1 | 20 | 59 | 86 | 3.51 | <10 | 0.99 | 623 | 1 | 0.02 | 37 | 650 | 22 | <5 | <20 | 50 | 0.09 | <10 | 61 | <10 | 10 | 74 |
|---------|--|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|---|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|

JJ/jm
d/1128
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

03-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1149

INTERNATIONAL WAYSIDE GOLD MINES LT
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 9
Sample type: Soil
Project #: IWA Regional
Shipment #: Not indicated
Samples submitted by: Jean Pautler

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|---------------|---------|------|------|----|----|----|------|----|----|----|-----|------|----|------|------|----|-------|----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | S 166201 | 10 | 0.7 | 1.46 | 15 | 25 | <5 | 0.02 | <1 | 15 | 29 | 38 | 4.65 | 20 | 0.24 | 406 | <1 | <0.01 | 15 | 700 | 38 | <5 | <20 | 2 | 0.02 | <10 | 41 | <10 | 3 | 68 |
| 2 | 47+65N 54+75E | 10 | 0.4 | 1.27 | 20 | 25 | <5 | 0.22 | <1 | 14 | 34 | 27 | 5.44 | 30 | 0.38 | 328 | <1 | <0.01 | 23 | 480 | 58 | <5 | <20 | 10 | <0.01 | <10 | 26 | <10 | 2 | 62 |
| 3 | 48N 54+50E | 20 | 0.3 | 0.57 | 20 | 20 | <5 | 0.12 | <1 | 13 | 25 | 29 | 5.34 | 20 | 0.20 | 656 | <1 | <0.01 | 17 | 1950 | 54 | 5 | <20 | 1 | <0.01 | <10 | 27 | <10 | 2 | 79 |
| 4 | 48N 54+75E | 5 | <0.2 | 0.66 | 15 | 20 | <5 | 0.08 | <1 | 13 | 24 | 27 | 4.51 | 20 | 0.21 | 322 | <1 | <0.01 | 18 | 650 | 30 | <5 | <20 | 7 | <0.01 | <10 | 26 | <10 | 2 | 63 |
| 5 | 48+50N 54+75E | 10 | 0.8 | 0.53 | 25 | 30 | 5 | 0.07 | <1 | 16 | 24 | 33 | 5.10 | 30 | 0.17 | 497 | <1 | <0.01 | 18 | 790 | 66 | 5 | <20 | 3 | <0.01 | <10 | 25 | <10 | 2 | 89 |
| 6 | S 4432 | 10 | <0.2 | 2.00 | 30 | 40 | <5 | 0.03 | <1 | 27 | 46 | 34 | 8.29 | 30 | 0.34 | 2930 | <1 | <0.01 | 25 | 830 | 54 | 10 | <20 | 2 | 0.02 | <10 | 41 | <10 | 8 | 111 |
| 7 | S 4433 | 25 | <0.2 | 1.51 | 25 | 30 | <5 | 0.02 | <1 | 21 | 40 | 46 | 7.50 | 30 | 0.37 | 600 | <1 | <0.01 | 24 | 720 | 32 | 10 | <20 | <1 | <0.01 | <10 | 39 | <10 | 4 | 74 |
| 8 | S 4435 | 10 | <0.2 | 1.24 | 20 | 30 | <5 | 0.02 | <1 | 18 | 32 | 49 | 5.75 | 20 | 0.42 | 757 | <1 | <0.01 | 24 | 830 | 52 | 5 | <20 | 1 | 0.01 | <10 | 39 | <10 | 5 | 78 |
| 9 | S 4436 | 10 | 0.3 | 1.35 | 30 | 40 | <5 | 0.02 | <1 | 28 | 35 | 119 | 8.75 | 30 | 0.25 | 1127 | <1 | <0.01 | 21 | 1260 | 14 | <5 | <20 | <1 | <0.01 | <10 | 16 | <10 | 10 | 101 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|----------|----|-----|------|----|----|----|------|----|----|----|----|------|----|------|-----|----|-------|----|-----|----|---|-----|---|------|-----|----|-----|---|----|
| 1 | S 166201 | 10 | 0.7 | 1.53 | 15 | 25 | <5 | 0.02 | <1 | 16 | 31 | 40 | 4.96 | 20 | 0.24 | 409 | <1 | <0.01 | 16 | 720 | 40 | 5 | <20 | 2 | 0.02 | <10 | 44 | <10 | 3 | 72 |
|---|----------|----|-----|------|----|----|----|------|----|----|----|----|------|----|------|-----|----|-------|----|-----|----|---|-----|---|------|-----|----|-----|---|----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|--|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|---|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| GEO '04 | | 135 | 1.5 | 1.70 | 60 | 155 | <5 | 1.61 | <1 | 20 | 59 | 86 | 3.51 | <10 | 0.99 | 623 | 1 | 0.02 | 37 | 650 | 22 | 20 | <20 | 40 | 0.09 | <10 | 61 | <10 | 10 | 67 |
|---------|--|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|---|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/jm
df/1128
XLS/04

17-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 8T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1254

INTERNATIONAL WAYSIDE GOLD MINI
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

No. of samples received: 16
Sample type: Soil
Project #: Promise
Shipment #: Not Indicated
Samples submitted by: Dave Johnson

Values in ppm unless otherwise reported

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-------|----------|------|------|----|-----|----|------|----|----|----|----|------|-----|------|------|----|-------|-----|------|----|----|-----|----|------|-----|----|-----|----|-----|
| 1 | 38952 | <5 | 0.5 | 1.45 | 20 | 55 | <5 | 0.07 | <1 | 10 | 41 | 19 | 5.27 | 30 | 0.39 | 230 | <1 | <0.01 | 19 | 870 | 36 | <5 | <20 | 6 | 0.04 | <10 | 35 | <10 | 4 | 66 |
| 2 | 38953 | 5 | 0.3 | 0.86 | 5 | 170 | <5 | 0.07 | <1 | 7 | 28 | 34 | 3.26 | 20 | 0.37 | 55 | <1 | <0.01 | 17 | 610 | 22 | <5 | <20 | 4 | 0.08 | <10 | 53 | <10 | 5 | 55 |
| 3 | 38954 | <5 | <0.2 | 2.17 | <5 | 80 | <5 | 0.08 | <1 | 13 | 47 | 34 | 4.93 | 30 | 0.78 | 157 | <1 | <0.01 | 33 | 690 | 36 | <5 | <20 | 10 | 0.06 | <10 | 27 | <10 | 8 | 89 |
| 4 | 38955 | <5 | 0.2 | 1.12 | 10 | 210 | <5 | 0.07 | <1 | 9 | 37 | 28 | 4.38 | 20 | 0.37 | 176 | <1 | <0.01 | 16 | 1300 | 28 | <5 | <20 | 6 | 0.08 | <10 | 48 | <10 | 5 | 57 |
| 5 | 38956 | <5 | 0.2 | 1.29 | 10 | 65 | <5 | 0.14 | <1 | 12 | 40 | 29 | 3.94 | 20 | 0.53 | 282 | <1 | <0.01 | 23 | 1390 | 26 | <5 | <20 | 12 | 0.05 | <10 | 47 | <10 | 5 | 62 |
| 6 | 38957 | 25 | 0.2 | 1.16 | 35 | 50 | <5 | 0.11 | <1 | 9 | 29 | 17 | 3.59 | 30 | 0.37 | 125 | <1 | <0.01 | 18 | 510 | 28 | <5 | <20 | 3 | 0.02 | <10 | 32 | <10 | 2 | 64 |
| 7 | 38958 | <5 | <0.2 | 1.38 | 5 | 50 | <5 | 0.07 | <1 | 7 | 24 | 14 | 3.24 | 20 | 0.24 | 32 | <1 | <0.01 | 12 | 270 | 24 | <5 | <20 | 9 | 0.03 | <10 | 30 | <10 | 3 | 54 |
| 8 | 38959 | <5 | <0.2 | 1.38 | 5 | 80 | <5 | 0.08 | <1 | 9 | 34 | 14 | 4.95 | 20 | 0.43 | 90 | <1 | <0.01 | 15 | 990 | 30 | <5 | <20 | 7 | 0.06 | <10 | 33 | <10 | 5 | 83 |
| 9 | 38960 | <5 | <0.2 | 1.70 | <5 | 55 | <5 | 0.05 | <1 | 8 | 33 | 16 | 5.02 | 30 | 0.36 | 98 | <1 | <0.01 | 16 | 950 | 32 | <5 | <20 | 4 | 0.02 | <10 | 35 | <10 | 6 | 56 |
| 10 | 38961 | <5 | 0.4 | 1.27 | <5 | 30 | <5 | 0.09 | <1 | 6 | 24 | 11 | 3.94 | 20 | 0.30 | 89 | <1 | <0.01 | 11 | 1240 | 36 | <5 | <20 | 3 | 0.03 | <10 | 27 | <10 | 5 | 53 |
| 11 | 38962 | <5 | 1.5 | 1.38 | <5 | 40 | <5 | 0.06 | <1 | 8 | 36 | 22 | 6.01 | 40 | 0.43 | 107 | <1 | <0.01 | 14 | 1760 | 24 | <5 | <20 | 2 | 0.03 | <10 | 41 | <10 | 5 | 62 |
| 12 | 38963 | <5 | 0.5 | 2.16 | <5 | 110 | <5 | 0.27 | <1 | 52 | 38 | 65 | 4.30 | 160 | 0.54 | 1357 | <1 | <0.01 | 111 | 860 | 66 | <5 | <20 | 19 | 0.02 | <10 | 25 | <10 | 50 | 133 |
| 13 | 38964 | <5 | 0.2 | 1.43 | 10 | 90 | <5 | 0.10 | <1 | 13 | 38 | 25 | 4.62 | 40 | 0.52 | 324 | <1 | <0.01 | 28 | 1580 | 34 | <5 | <20 | 9 | 0.04 | <10 | 37 | <10 | 9 | 75 |
| 14 | 38965 | <5 | <0.2 | 1.44 | 15 | 45 | <5 | 0.08 | <1 | 14 | 41 | 25 | 5.42 | 30 | 0.52 | 222 | <1 | <0.01 | 24 | 680 | 36 | <5 | <20 | 6 | 0.11 | <10 | 27 | <10 | 7 | 81 |
| 15 | 38966 | <5 | 0.2 | 1.86 | 10 | 60 | <5 | 0.10 | <1 | 16 | 43 | 39 | 5.03 | 50 | 0.80 | 454 | <1 | <0.01 | 41 | 1440 | 34 | 5 | <20 | 8 | 0.07 | <10 | 26 | <10 | 12 | 99 |
| 16 | 38967 | <5 | <0.2 | 1.59 | 10 | 60 | <5 | 0.14 | <1 | 13 | 36 | 25 | 5.11 | 40 | 0.70 | 324 | <1 | <0.01 | 26 | 1010 | 36 | <5 | <20 | 15 | 0.03 | <10 | 27 | <10 | 9 | 83 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|-------|----|-----|------|----|----|----|------|----|----|----|----|------|----|------|-----|----|-------|----|------|----|----|-----|---|------|-----|----|-----|---|----|
| 1 | 38952 | <5 | 0.5 | 1.47 | 15 | 50 | <5 | 0.07 | <1 | 11 | 41 | 20 | 5.17 | 30 | 0.39 | 209 | <1 | <0.01 | 20 | 830 | 34 | <5 | <20 | 5 | 0.05 | <10 | 34 | <10 | 4 | 65 |
| 6 | 38957 | 25 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 10 | 38961 | <5 | 0.3 | 1.33 | <5 | 40 | <5 | 0.10 | <1 | 6 | 25 | 11 | 3.98 | 30 | 0.32 | 88 | <1 | <0.01 | 11 | 1270 | 36 | <5 | <20 | 3 | 0.03 | <10 | 26 | <10 | 5 | 56 |

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|--|-----|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| GEO '04 | | 135 | 1.5 | 1.90 | 60 | 150 | <5 | 1.87 | <1 | 22 | 62 | 88 | 3.60 | 20 | 1.09 | 712 | <1 | 0.03 | 30 | 770 | 22 | <5 | <20 | 51 | 0.12 | <10 | 61 | <10 | 10 | 74 |
|---------|--|-----|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
dt/1223
XLS/04

ECO TECH LABOR
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Y LTD.

ICP CERTIFICATE OF ANALYSIS IS AK 2004-1263

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 94
Sample type: Soil
Project #: WOLF
Shipment #: Not Indicated
Samples submitted by: Brad

Values in ppm unless otherwise reported

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|----------------|-----------|------|------|-----|-----|----|------|----|----|----|-----|------|----|------|------|----|-------|----|------|------|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | L58-00N 35+75E | 1600 | 2.4 | 0.43 | 170 | 80 | <5 | 7.31 | 2 | 32 | 29 | 262 | 8.36 | 30 | 0.24 | 4189 | <1 | <0.01 | 54 | 1540 | 430 | <5 | <20 | 366 | 0.01 | <10 | 9 | <10 | 24 | 430 |
| 2 | L58-00N 36+00E | 270 | 0.7 | 0.40 | 225 | 70 | <5 | 1.61 | <1 | 27 | 28 | 110 | 8.08 | 30 | 0.17 | 3611 | <1 | <0.01 | 43 | 1540 | 74 | <5 | <20 | 89 | <0.01 | <10 | 8 | <10 | 27 | 76 |
| 3 | L58-00N 36+25E | 1055 | 0.2 | 1.04 | 155 | 55 | <5 | 0.31 | 3 | 29 | 57 | 83 | >10 | 50 | 0.34 | 7401 | <1 | <0.01 | 30 | 1990 | 1660 | <5 | <20 | 23 | 0.02 | <10 | 27 | <10 | 23 | 761 |
| 4 | L58-00N 36+50E | 40 | 0.6 | 1.39 | 20 | 60 | <5 | 0.73 | <1 | 26 | 44 | 66 | 8.78 | 30 | 0.43 | 2549 | <1 | <0.01 | 24 | 1690 | 208 | <5 | <20 | 56 | 0.01 | <10 | 43 | <10 | 7 | 198 |
| 5 | L58-00N 38+75E | 15 | 0.2 | 1.60 | 10 | 70 | <5 | 0.62 | <1 | 27 | 35 | 70 | 5.69 | 30 | 0.71 | 1680 | <1 | <0.01 | 36 | 1150 | 52 | 5 | <20 | 56 | <0.01 | <10 | 46 | <10 | 14 | 126 |
| 6 | L58-00N 37+00E | 10 | <0.2 | 1.44 | 10 | 80 | <5 | 0.64 | <1 | 26 | 34 | 57 | 5.42 | 30 | 0.66 | 1366 | <1 | <0.01 | 37 | 990 | 44 | <5 | <20 | 59 | <0.01 | <10 | 37 | <10 | 11 | 117 |
| 7 | L58-00N 37+25E | 10 | <0.2 | 1.42 | 10 | 55 | <5 | 0.37 | <1 | 26 | 33 | 53 | 5.46 | 30 | 0.59 | 970 | <1 | <0.01 | 35 | 930 | 40 | 10 | <20 | 37 | <0.01 | <10 | 37 | <10 | 9 | 103 |
| 8 | L58-00N 37+50E | 15 | <0.2 | 1.83 | 10 | 55 | <5 | 0.19 | <1 | 25 | 37 | 44 | 5.44 | 30 | 0.63 | 490 | <1 | <0.01 | 34 | 640 | 46 | <5 | <20 | 21 | <0.01 | <10 | 37 | <10 | 4 | 102 |
| 9 | L58-00N 38+00E | 10 | 0.2 | 1.41 | 10 | 90 | <5 | 0.74 | <1 | 23 | 34 | 43 | 4.78 | 20 | 0.57 | 1015 | <1 | <0.01 | 33 | 1240 | 42 | <5 | <20 | 59 | <0.01 | <10 | 30 | <10 | 5 | 104 |
| 10 | L58-00N 38+25E | 15 | 0.6 | 1.84 | 10 | 105 | <5 | 0.67 | <1 | 27 | 38 | 48 | 5.01 | 30 | 0.54 | 1701 | <1 | <0.01 | 36 | 1880 | 62 | <5 | <20 | 49 | 0.01 | <10 | 29 | <10 | 20 | 132 |
| 11 | L58-00N 38+50E | 15 | 0.8 | 1.64 | 10 | 75 | <5 | 0.66 | <1 | 21 | 37 | 36 | 4.83 | 20 | 0.49 | 743 | <1 | <0.01 | 29 | 2070 | 54 | <5 | <20 | 40 | 0.01 | <10 | 32 | <10 | 8 | 102 |
| 12 | L58-00N 38+75E | 10 | 0.2 | 0.82 | 10 | 65 | <5 | 0.36 | <1 | 12 | 25 | 29 | 3.88 | 20 | 0.27 | 275 | <1 | <0.01 | 20 | 830 | 30 | <5 | <20 | 26 | 0.01 | <10 | 35 | <10 | 2 | 72 |
| 13 | L58-00N 39+00E | 10 | 0.6 | 1.81 | 10 | 80 | <5 | 0.22 | <1 | 22 | 37 | 50 | 4.78 | 30 | 0.44 | 1331 | <1 | <0.01 | 32 | 2250 | 54 | <5 | <20 | 24 | 0.01 | <10 | 30 | <10 | 28 | 110 |
| 14 | L58-00N 39+25E | 5 | 0.3 | 1.36 | 10 | 65 | <5 | 0.53 | <1 | 23 | 36 | 40 | 5.13 | 20 | 0.45 | 704 | <1 | <0.01 | 29 | 1160 | 40 | <5 | <20 | 41 | 0.01 | <10 | 32 | <10 | 6 | 108 |
| 15 | L58-00N 39+50E | 10 | 0.4 | 1.60 | 10 | 80 | <5 | 0.52 | <1 | 24 | 39 | 31 | 5.21 | 20 | 0.49 | 1260 | <1 | <0.01 | 26 | 1360 | 46 | <5 | <20 | 42 | 0.01 | <10 | 36 | <10 | 8 | 110 |
| 16 | L58-00N 39+75E | 10 | 0.3 | 1.64 | 10 | 95 | <5 | 0.69 | <1 | 24 | 38 | 37 | 4.95 | 20 | 0.49 | 1573 | <1 | <0.01 | 29 | 1670 | 50 | <5 | <20 | 55 | 0.01 | <10 | 32 | <10 | 12 | 89 |
| 17 | L58-00N 40+50E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18 | L58-00N 40+75E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19 | L58-00N 41+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20 | L58-00N 41+25E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 21 | L58-00N 41+50E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22 | L58-00N 41+75E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 23 | L58-00N 42+50E | 5 | <0.2 | 0.55 | 10 | 40 | <5 | 0.27 | <1 | 13 | 18 | 25 | 3.11 | 10 | 0.20 | 393 | <1 | <0.01 | 27 | 530 | 24 | <5 | <20 | 16 | <0.01 | <10 | 11 | <10 | 1 | 70 |
| 24 | L58-00N 42+75E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25 | L58-00N 43+00E | 10 | 0.5 | 1.62 | 15 | 100 | <5 | 0.47 | <1 | 24 | 40 | 38 | 4.68 | 30 | 0.43 | 1118 | <1 | <0.01 | 37 | 1600 | 68 | <5 | <20 | 30 | 0.01 | <10 | 37 | <10 | 17 | 107 |
| 26 | L58-00N 43+25E | 15 | 0.4 | 1.34 | 15 | 95 | <5 | 0.24 | <1 | 21 | 36 | 34 | 4.81 | 30 | 0.38 | 775 | <1 | <0.01 | 34 | 1000 | 72 | 5 | <20 | 16 | <0.01 | <10 | 38 | <10 | 11 | 99 |
| 27 | L58-00N 43+50E | 15 | 0.3 | 1.29 | 15 | 80 | <5 | 0.28 | <1 | 26 | 36 | 43 | 5.70 | 30 | 0.36 | 886 | <1 | <0.01 | 38 | 1350 | 142 | <5 | <20 | 18 | <0.01 | <10 | 28 | <10 | 15 | 114 |
| 28 | L58-00N 43+75E | 5 | 0.2 | 0.84 | 15 | 35 | <5 | 0.03 | <1 | 11 | 27 | 25 | 4.36 | 20 | 0.27 | 171 | <1 | <0.01 | 27 | 490 | 32 | <5 | <20 | 4 | <0.01 | <10 | 24 | <10 | <1 | 91 |
| 29 | L58-00N 44+00E | 10 | 0.2 | 0.80 | 25 | 45 | <5 | 0.03 | <1 | 9 | 23 | 18 | 3.34 | 30 | 0.28 | 117 | <1 | <0.01 | 21 | 480 | 16 | <5 | <20 | 2 | <0.01 | <10 | 27 | <10 | <1 | 52 |
| 30 | L58-00N 44+25E | 5 | <0.2 | 0.71 | 5 | 25 | <5 | 0.02 | <1 | 10 | 27 | 18 | 4.79 | 20 | 0.20 | 119 | <1 | <0.01 | 20 | 940 | 28 | <5 | <20 | 1 | 0.01 | <10 | 30 | <10 | <1 | 61 |

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|----------------|----------|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 31 | L58-00N 44+50E | 5 | 0.4 | 0.68 | 15 | 30 | <5 | 0.02 | <1 | 13 | 27 | 27 | 5.08 | 20 | 0.20 | 313 | <1 | <0.01 | 24 | 870 | 36 | <5 | <20 | 1 | <0.01 | <10 | 23 | <10 | <1 | 85 |
| 32 | L58-00N 44+75E | 10 | <0.2 | 1.08 | 15 | 45 | <5 | 0.03 | <1 | 15 | 35 | 23 | 5.30 | 20 | 0.34 | 117 | <1 | <0.01 | 26 | 510 | 28 | <5 | <20 | 2 | <0.01 | <10 | 22 | <10 | <1 | 91 |
| 33 | L58-00N 45+00E | 10 | <0.2 | 1.48 | 15 | 40 | <5 | 0.02 | <1 | 12 | 40 | 11 | 4.11 | 20 | 0.48 | 612 | <1 | <0.01 | 27 | 540 | 36 | <5 | <20 | <1 | <0.01 | <10 | 36 | <10 | <1 | 78 |
| 34 | L58-00N 30+00E | 5 | <0.2 | 0.78 | <5 | 30 | <5 | 0.02 | <1 | 6 | 23 | 9 | 3.34 | 20 | 0.19 | 453 | <1 | <0.01 | 10 | 1250 | 20 | <5 | <20 | 3 | 0.01 | <10 | 46 | <10 | <1 | 29 |
| 35 | L58-00N 30+25E | 10 | <0.2 | 1.43 | 10 | 45 | <5 | 0.03 | <1 | 14 | 31 | 30 | 4.70 | 20 | 0.46 | 221 | <1 | <0.01 | 25 | 710 | 32 | <5 | <20 | 3 | <0.01 | <10 | 36 | <10 | <1 | 80 |
| 36 | L58-00N 30+50E | 65 | <0.2 | 1.01 | <5 | 45 | <5 | 0.04 | <1 | 7 | 22 | 10 | 2.87 | 20 | 0.18 | 579 | <1 | <0.01 | 10 | 660 | 12 | <5 | <20 | 7 | <0.01 | <10 | 40 | <10 | <1 | 33 |
| 37 | L58-00N 30+75E | 5 | <0.2 | 1.88 | <5 | 75 | <5 | 0.07 | <1 | 20 | 38 | 34 | 4.69 | 30 | 0.52 | 1476 | <1 | <0.01 | 28 | 1070 | 30 | 5 | <20 | 5 | <0.01 | <10 | 36 | <10 | 8 | 86 |
| 38 | L58-00N 31+00E | 10 | 0.3 | 1.91 | <5 | 70 | <5 | 0.25 | <1 | 25 | 38 | 40 | 4.94 | 20 | 0.62 | 2111 | <1 | <0.01 | 50 | 1120 | 30 | <5 | <20 | 14 | <0.01 | <10 | 25 | <10 | 11 | 124 |
| 39 | L58-00N 31+25E | 5 | 0.2 | 1.02 | <5 | 55 | <5 | 0.09 | <1 | 20 | 40 | 20 | 8.31 | 20 | 0.38 | 3085 | <1 | <0.01 | 30 | 830 | 34 | 10 | <20 | 4 | <0.01 | <10 | 19 | <10 | 4 | 88 |
| 40 | L58-00N 31+50E | 10 | <0.2 | 1.59 | <5 | 115 | <5 | 0.13 | <1 | 12 | 32 | 13 | 3.84 | 20 | 0.55 | 115 | <1 | <0.01 | 26 | 670 | 18 | <5 | <20 | 10 | <0.01 | <10 | 32 | <10 | <1 | 68 |
| 41 | L58-00N 31+75E | 5 | 0.4 | 2.52 | <5 | 185 | <5 | 0.49 | <1 | 30 | 35 | 59 | 3.67 | 20 | 0.43 | 1850 | <1 | <0.01 | 42 | 1000 | 44 | <5 | <20 | 30 | <0.01 | <10 | 33 | <10 | 14 | 94 |
| 42 | L58-00N 32+00E | 5 | 0.2 | 1.71 | 15 | 40 | <5 | 0.28 | <1 | 16 | 37 | 24 | 4.87 | 30 | 0.52 | 500 | <1 | <0.01 | 25 | 690 | 40 | 5 | <20 | 15 | <0.01 | <10 | 45 | <10 | 2 | 112 |
| 43 | L58-00N 32+25E | 5 | 0.2 | 1.21 | <5 | 35 | <5 | 0.43 | <1 | 15 | 32 | 30 | 4.39 | 20 | 0.36 | 368 | <1 | <0.01 | 28 | 730 | 32 | <5 | <20 | 22 | <0.01 | <10 | 40 | <10 | <1 | 70 |
| 44 | L58-00N 32+50E | 5 | 0.2 | 2.03 | 15 | 45 | <5 | 0.47 | <1 | 37 | 40 | 52 | 6.17 | 20 | 0.58 | 898 | <1 | <0.01 | 43 | 1540 | 40 | <5 | <20 | 18 | 0.01 | <10 | 43 | <10 | 7 | 114 |
| 45 | L58-00N 32+75E | 10 | 0.3 | 1.89 | 10 | 40 | <5 | 0.54 | <1 | 35 | 43 | 71 | 5.75 | 20 | 0.67 | 1330 | <1 | <0.01 | 46 | 1660 | 34 | 5 | <20 | 22 | 0.02 | <10 | 33 | <10 | 23 | 123 |
| 46 | L58-00N 33+00E | 15 | 0.2 | 2.11 | 5 | 45 | <5 | 0.68 | <1 | 44 | 43 | 55 | 5.29 | 20 | 0.66 | 987 | <1 | <0.01 | 44 | 950 | 38 | <5 | <20 | 36 | 0.01 | <10 | 33 | <10 | 9 | 99 |
| 47 | L58-00N 33+25E | 10 | <0.2 | 1.57 | 5 | 20 | <5 | 0.03 | <1 | 16 | 43 | 29 | 6.40 | 30 | 0.42 | 154 | <1 | <0.01 | 26 | 540 | 22 | 5 | <20 | 2 | <0.01 | <10 | 49 | <10 | <1 | 76 |
| 48 | L58-00N 33+50E | 5 | 0.3 | 1.92 | 15 | 55 | <5 | 0.91 | <1 | 29 | 38 | 44 | 5.72 | 20 | 0.49 | 709 | <1 | <0.01 | 40 | 1010 | 48 | <5 | <20 | 56 | <0.01 | <10 | 33 | <10 | 6 | 100 |
| 49 | L58-00N 33+75E | 10 | <0.2 | 1.33 | 15 | 40 | <5 | 0.11 | <1 | 29 | 39 | 45 | 6.92 | 20 | 0.35 | 590 | <1 | <0.01 | 38 | 870 | 34 | <5 | <20 | 10 | <0.01 | <10 | 38 | <10 | <1 | 106 |
| 50 | L58-00N 34+00E | 5 | <0.2 | 0.35 | <5 | 20 | <5 | 0.01 | <1 | 9 | 11 | 11 | 2.38 | 20 | 0.05 | 154 | <1 | <0.01 | 14 | 400 | 4 | <5 | <20 | 2 | <0.01 | <10 | 26 | <10 | <1 | 43 |
| 51 | L58-00N 34+25E | 10 | 0.2 | 0.65 | 20 | 45 | <5 | 0.31 | <1 | 23 | 23 | 30 | 6.06 | 40 | 0.11 | 1958 | <1 | <0.01 | 42 | 870 | 54 | <5 | <20 | 28 | <0.01 | <10 | 8 | <10 | 99 | 69 |
| 52 | L58-00N 34+50E | 10 | <0.2 | 0.51 | 5 | 20 | <5 | 0.08 | <1 | 19 | 25 | 31 | 6.39 | 30 | 0.13 | 709 | <1 | <0.01 | 25 | 640 | 46 | <5 | <20 | 7 | <0.01 | <10 | 12 | <10 | 6 | 78 |
| 53 | L58-00N 34+75E | 5 | <0.2 | 1.54 | <5 | 20 | <5 | 0.02 | <1 | 13 | 36 | 25 | 5.87 | 30 | 0.28 | 186 | <1 | <0.01 | 21 | 860 | 30 | 5 | <20 | 2 | <0.01 | <10 | 53 | <10 | <1 | 83 |
| 54 | L58-00N 35+00E | 20 | <0.2 | 1.11 | 15 | 30 | <5 | 0.03 | <1 | 14 | 43 | 22 | 6.72 | 20 | 0.33 | 562 | <1 | <0.01 | 24 | 2060 | 52 | <5 | <20 | 4 | <0.01 | <10 | 36 | <10 | <1 | 86 |
| 55 | L58-00N 35+25E | 5 | 0.2 | 1.55 | 5 | 10 | <5 | 0.05 | <1 | 13 | 42 | 33 | 5.29 | 20 | 0.51 | 228 | <1 | <0.01 | 26 | 1100 | 50 | <5 | <20 | 3 | <0.01 | <10 | 31 | <10 | <1 | 83 |
| 56 | L58-00N 35+50E | 5 | <0.2 | 1.61 | <5 | 25 | <5 | 0.10 | <1 | 16 | 38 | 17 | 7.32 | 30 | 0.51 | 482 | <1 | <0.01 | 17 | 1170 | 20 | <5 | <20 | 9 | <0.01 | <10 | 56 | <10 | <1 | 73 |
| 57 | L58-00N 35+75E | 10 | <0.2 | 0.89 | <5 | 45 | <5 | 0.24 | <1 | 11 | 23 | 15 | 3.21 | 10 | 0.30 | 1068 | <1 | <0.01 | 17 | 850 | 12 | <5 | <20 | 12 | <0.01 | <10 | 29 | <10 | <1 | 52 |
| 58 | L58-00N 36+00E | 10 | 0.2 | 0.85 | <5 | 105 | <5 | 0.05 | <1 | 8 | 19 | 17 | 2.30 | 10 | 0.22 | 1753 | <1 | <0.01 | 15 | 1000 | 12 | <5 | <20 | 6 | <0.01 | <10 | 23 | <10 | <1 | 43 |
| 59 | L58-00N 36+25E | 5 | 0.3 | 0.67 | <5 | 25 | <5 | 0.06 | <1 | 9 | 18 | 17 | 2.29 | 20 | 0.21 | 332 | <1 | <0.01 | 15 | 1000 | 10 | <5 | <20 | 4 | <0.01 | <10 | 22 | <10 | <1 | 39 |
| 60 | L58-00N 36+50E | 5 | 0.4 | 1.43 | 15 | 25 | <5 | 0.05 | <1 | 22 | 38 | 35 | 5.44 | 30 | 0.41 | 547 | <1 | <0.01 | 29 | 980 | 46 | <5 | <20 | 4 | 0.01 | <10 | 38 | <10 | <1 | 88 |
| 61 | L58-00N 36+75E | 45 | 0.6 | 1.93 | 10 | 90 | <5 | 0.44 | <1 | 28 | 40 | 47 | 5.54 | 20 | 0.44 | 1349 | <1 | <0.01 | 33 | 1640 | 50 | <5 | <20 | 32 | 0.01 | <10 | 38 | <10 | 21 | 104 |
| 62 | L58-00N 37+00E | 5 | <0.2 | 1.03 | 10 | 55 | <5 | 0.07 | <1 | 18 | 30 | 40 | 5.85 | 20 | 0.33 | 287 | <1 | <0.01 | 19 | 890 | 20 | <5 | <20 | 4 | <0.01 | <10 | 48 | <10 | <1 | 68 |
| 63 | L58-00N 37+25E | 5 | 0.3 | 0.61 | 10 | 30 | <5 | 0.08 | <1 | 14 | 21 | 32 | 4.33 | 20 | 0.15 | 227 | <1 | <0.01 | 12 | 800 | 12 | 5 | <20 | 3 | <0.01 | <10 | 59 | <10 | <1 | 45 |
| 64 | L58-00N 37+50E | 10 | <0.2 | 1.51 | 10 | 95 | <5 | 0.08 | <1 | 27 | 39 | 33 | 5.30 | 20 | 0.46 | 1480 | <1 | <0.01 | 26 | 1010 | 38 | <5 | <20 | 10 | 0.01 | <10 | 46 | <10 | <1 | 103 |
| 65 | L58-00N 37+75E | 10 | <0.2 | 1.48 | 10 | 155 | <5 | 0.57 | <1 | 26 | 36 | 60 | 4.97 | 30 | 0.58 | 1209 | <1 | <0.01 | 35 | 1110 | 46 | <5 | <20 | 38 | <0.01 | <10 | 35 | <10 | 8 | 91 |
| 66 | L58-00N 38+00E | 10 | 0.2 | 1.19 | 15 | 175 | <5 | 1.19 | <1 | 21 | 32 | 34 | 4.17 | 20 | 0.46 | 1472 | <1 | <0.01 | 28 | 1350 | 76 | <5 | <20 | 76 | <0.01 | <10 | 27 | <10 | 8 | 94 |
| 67 | L58-00N 38+25E | 10 | <0.2 | 1.05 | 10 | 50 | <5 | 0.17 | <1 | 18 | 33 | 33 | 5.85 | 20 | 0.32 | 290 | <1 | <0.01 | 25 | 780 | 56 | <5 | <20 | 11 | <0.01 | <10 | 39 | <10 | <1 | 89 |
| 68 | L58-00N 38+50E | 10 | 0.2 | 0.79 | 20 | 40 | <5 | 0.46 | <1 | 17 | 30 | 51 | 4.46 | 20 | 0.26 | 269 | <1 | <0.01 | 31 | 640 | 44 | <5 | <20 | 39 | <0.01 | <10 | 38 | <10 | 4 | 73 |
| 69 | L58-00N 38+75E | 15 | <0.2 | 0.97 | 10 | 50 | <5 | 0.05 | <1 | 13 | 30 | 36 | 5.11 | 20 | 0.25 | 148 | <1 | <0.01 | 20 | 460 | 60 | <5 | <20 | 6 | <0.01 | <10 | 42 | <10 | <1 | 81 |
| 70 | L58-00N 39+00E | 10 | 0.2 | 1.36 | 15 | 35 | <5 | 0.27 | <1 | 18 | 39 | 29 | 5.59 | 20 | 0.37 | 148 | <1 | <0.01 | 27 | 740 | 62 | <5 | <20 | 30 | <0.01 | <10 | 38 | <10 | <1 | 76 |
| 71 | L58-00N 39+25E | 10 | 0.2 | 1.46 | 35 | 65 | <5 | 0.49 | <1 | 26 | 35 | 33 | 4.95 | 20 | 0.43 | 569 | <1 | <0.01 | 31 | 880 | 60 | <5 | <20 | 73 | <0.01 | <10 | 32 | <10 | 7 | 138 |
| 72 | L58-00N 39+50E | 65 | <0.2 | 1.61 | 20 | 50 | <5 | 0.32 | <1 | 29 | 42 | 39 | 5.62 | 30 | 0.62 | 673 | <1 | <0.01 | 40 | 690 | 98 | 5 | <20 | 34 | <0.01 | <10 | 34 | <10 | 5 | 121 |
| 73 | L58-00N 39+75E | 10 | 0.2 | 1.31 | 10 | 40 | <5 | 0.21 | <1 | 26 | 35 | 43 | 5.04 | 20 | 0.49 | 705 | <1 | <0.01 | 41 | 1090 | 70 | <5 | <20 | 20 | <0.01 | <10 | 27 | <10 | 6 | 109 |
| 74 | L58-00N 40+00E | 10 | 0.7 | 1.08 | 10 | 50 | <5 | 0.74 | <1 | 19 | 30 | 52 | 4.55 | 20 | 0.38 | 801 | <1 | <0.01 | 35 | 900 | 44 | <5 | <20 | 70 | <0.01 | <10 | 21 | <10 | 21 | 81 |
| 75 | L58-00N 40+25E | 20 | 0.3 | 0.86 | 15 | 35 | <5 | 0.08 | <1 | 15 | 30 | 28 | 5.36 | 30 | 0.32 | 495 | <1 | <0.01 | 22 | 910 | 28 | <5 | <20 | 4 | <0.01 | <10 | 33 | <10 | <1 | 71 |

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|----------------|----------|------|------|----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 76 | L56-00N 40+50E | 5 | <0.2 | 0.44 | 10 | 30 | <5 | 0.02 | <1 | 9 | 20 | 23 | 3.78 | 20 | 0.10 | 317 | <1 | <0.01 | 14 | 450 | 22 | <5 | <20 | 2 | 0.01 | <10 | 35 | <10 | <1 | 46 |
| 77 | L56-00N 40+75E | 10 | 0.4 | 0.83 | 10 | 65 | <5 | 0.05 | <1 | 10 | 30 | 17 | 4.87 | 20 | 0.28 | 387 | <1 | <0.01 | 17 | 600 | 34 | <5 | <20 | 3 | <0.01 | <10 | 31 | <10 | <1 | 67 |
| 78 | L56-00N 41+00E | 5 | 0.6 | 0.94 | 5 | 95 | <5 | 0.11 | <1 | 10 | 31 | 17 | 4.69 | 20 | 0.22 | 251 | <1 | <0.01 | 16 | 570 | 36 | <5 | <20 | 8 | 0.02 | <10 | 45 | <10 | <1 | 73 |
| 79 | L56-00N 41+25E | 10 | <0.2 | 0.47 | 10 | 50 | <5 | 0.04 | <1 | 8 | 20 | 17 | 3.39 | 20 | 0.12 | 131 | <1 | <0.01 | 16 | 500 | 20 | <5 | <20 | 3 | 0.01 | <10 | 24 | <10 | <1 | 54 |
| 80 | L56-00N 41+50E | 15 | 0.5 | 0.91 | 5 | 95 | <5 | 0.13 | <1 | 11 | 25 | 23 | 3.16 | 20 | 0.19 | 949 | <1 | <0.01 | 16 | 650 | 30 | <5 | <20 | 12 | 0.01 | <10 | 30 | <10 | 4 | 64 |
| 81 | L56-00N 41+75E | 5 | <0.2 | 1.19 | 20 | 55 | <5 | 0.09 | <1 | 21 | 33 | 39 | 4.72 | 30 | 0.53 | 584 | <1 | <0.01 | 38 | 690 | 36 | <5 | <20 | 5 | <0.01 | <10 | 22 | <10 | 3 | 98 |
| 82 | L56-00N 42+00E | 5 | 0.4 | 1.11 | 10 | 95 | <5 | 0.26 | <1 | 16 | 28 | 28 | 3.81 | 20 | 0.35 | 629 | <1 | <0.01 | 28 | 920 | 38 | <5 | <20 | 16 | <0.01 | <10 | 21 | <10 | 9 | 87 |
| 83 | L56-00N 42+25E | 10 | 0.2 | 0.56 | 15 | 90 | <5 | 0.25 | <1 | 12 | 24 | 23 | 4.19 | 20 | 0.16 | 579 | <1 | <0.01 | 19 | 1020 | 44 | <5 | <20 | 10 | 0.01 | <10 | 30 | <10 | <1 | 77 |
| 84 | L56-00N 42+50E | 10 | <0.2 | 0.53 | 10 | 40 | <5 | 0.02 | <1 | 16 | 24 | 23 | 4.56 | 20 | 0.17 | 357 | <1 | <0.01 | 27 | 1080 | 20 | <5 | <20 | 2 | 0.02 | <10 | 25 | <10 | <1 | 70 |
| 85 | L56-00N 42+75E | 10 | <0.2 | 0.70 | 15 | 35 | <5 | 0.02 | <1 | 15 | 29 | 24 | 5.06 | 20 | 0.21 | 649 | <1 | <0.01 | 25 | 1180 | 26 | <5 | <20 | 2 | <0.01 | <10 | 22 | <10 | <1 | 82 |
| 86 | L56-00N 43+00E | 10 | 0.2 | 0.82 | 10 | 25 | <5 | 0.01 | <1 | 8 | 24 | 19 | 3.83 | 30 | 0.18 | 57 | <1 | <0.01 | 15 | 400 | 20 | <5 | <20 | <1 | <0.01 | <10 | 20 | <10 | <1 | 49 |
| 87 | L56-00N 43+25E | 220 | 0.2 | 0.73 | 10 | 25 | <5 | 0.06 | <1 | 10 | 29 | 19 | 5.31 | 20 | 0.20 | 177 | <1 | <0.01 | 18 | 1210 | 24 | <5 | <20 | 3 | 0.01 | <10 | 38 | <10 | <1 | 57 |
| 88 | L56-00N 43+50E | 15 | 0.2 | 0.57 | 10 | 25 | <5 | 0.02 | <1 | 9 | 20 | 21 | 3.50 | 20 | 0.15 | 134 | <1 | <0.01 | 20 | 430 | 18 | <5 | <20 | <1 | <0.01 | <10 | 21 | <10 | <1 | 82 |
| 89 | L56-00N 43+75E | 10 | <0.2 | 0.62 | 30 | 15 | <5 | 0.02 | <1 | 9 | 19 | 15 | 3.63 | 20 | 0.15 | 106 | <1 | <0.01 | 25 | 450 | 20 | <5 | <20 | <1 | <0.01 | <10 | 18 | <10 | <1 | 49 |
| 90 | L56-00N 44+00E | 10 | <0.2 | 0.90 | 60 | 30 | <5 | 0.04 | <1 | 14 | 30 | 27 | 4.76 | 20 | 0.29 | 204 | <1 | <0.01 | 25 | 730 | 30 | <5 | <20 | 2 | <0.01 | <10 | 30 | <10 | <1 | 84 |
| 91 | L56-00N 44+25E | 15 | <0.2 | 0.93 | 15 | 55 | <5 | 0.04 | <1 | 16 | 31 | 33 | 4.60 | 20 | 0.29 | 236 | <1 | <0.01 | 32 | 650 | 32 | <5 | <20 | 3 | <0.01 | <10 | 20 | <10 | <1 | 91 |
| 92 | L56-00N 44+50E | 60 | 0.2 | 1.10 | 15 | 130 | <5 | 0.31 | <1 | 15 | 33 | 29 | 5.05 | 20 | 0.27 | 298 | <1 | <0.01 | 25 | 650 | 50 | <5 | <20 | 18 | <0.01 | <10 | 39 | <10 | 2 | 78 |
| 93 | L56-00N 44+75E | 10 | 0.5 | 1.34 | 15 | 125 | <5 | 0.47 | <1 | 27 | 39 | 43 | 4.59 | 20 | 0.44 | 1355 | <1 | <0.01 | 50 | 800 | 54 | 5 | <20 | 27 | <0.01 | <10 | 31 | <10 | 11 | 119 |
| 94 | L56-00N 45+00E | 5 | 0.6 | 1.14 | 10 | 110 | <5 | 0.17 | <1 | 24 | 34 | 41 | 4.70 | 20 | 0.34 | 761 | <1 | <0.01 | 33 | 1120 | 46 | <5 | <20 | 13 | <0.01 | <10 | 31 | <10 | 4 | 95 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|----------------|------|------|------|-----|-----|----|------|----|----|----|-----|------|----|------|------|----|-------|----|------|-----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | L56-00N 35+75E | 1610 | 1.9 | 0.44 | 180 | 75 | <5 | 7.37 | 2 | 33 | 30 | 279 | 8.49 | 30 | 0.25 | 4130 | <1 | <0.01 | 56 | 1590 | 428 | <5 | <20 | 373 | 0.01 | <10 | 9 | <10 | 23 | 416 |
| 2 | L56-00N 36+00E | 160 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 10 | L56-00N 38+25E | 15 | 0.6 | 1.88 | 10 | 105 | <5 | 0.65 | <1 | 24 | 39 | 48 | 5.15 | 30 | 0.56 | 1673 | <1 | <0.01 | 37 | 1960 | 62 | 5 | <20 | 49 | 0.01 | <10 | 30 | <10 | 20 | 131 |
| 28 | L56-00N 43+75E | 5 | 0.2 | 0.79 | 20 | 35 | <5 | 0.03 | <1 | 11 | 26 | 23 | 4.19 | 20 | 0.26 | 160 | <1 | <0.01 | 23 | 450 | 32 | <5 | <20 | 3 | <0.01 | <10 | 24 | <10 | <1 | 87 |
| 36 | L56-00N 30+50E | 15 | <0.2 | 1.03 | <5 | 45 | <5 | 0.04 | <1 | 8 | 23 | 11 | 3.00 | 20 | 0.19 | 580 | <1 | <0.01 | 12 | 650 | 14 | 5 | <20 | 3 | <0.01 | <10 | 41 | <10 | <1 | 36 |
| 38 | L56-00N 30+50E | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 45 | L56-00N 32+75E | 5 | 0.3 | 1.87 | 15 | 45 | <5 | 0.55 | <1 | 37 | 43 | 70 | 5.87 | 20 | 0.65 | 1327 | <1 | <0.01 | 45 | 1680 | 36 | <5 | <20 | 23 | 0.02 | <10 | 32 | <10 | 24 | 121 |
| 54 | L56-00N 35+00E | 40 | <0.2 | 1.12 | 15 | 25 | <5 | 0.03 | <1 | 14 | 42 | 19 | 6.64 | 20 | 0.33 | 592 | <1 | <0.01 | 21 | 2060 | 52 | <5 | <20 | 2 | <0.01 | <10 | 37 | <10 | <1 | 65 |
| 63 | L56-00N 37+25E | 20 | 0.3 | 0.64 | 10 | 35 | <5 | 0.09 | <1 | 12 | 22 | 36 | 4.50 | 20 | 0.15 | 240 | <1 | <0.01 | 14 | 860 | 14 | <5 | <20 | 4 | <0.01 | <10 | 63 | <10 | <1 | 47 |
| 71 | L56-00N 39+25E | 5 | 0.2 | 1.43 | 20 | 60 | <5 | 0.48 | <1 | 25 | 36 | 34 | 5.05 | 20 | 0.42 | 528 | <1 | <0.01 | 35 | 880 | 62 | <5 | <20 | 68 | 0.01 | <10 | 31 | <10 | 6 | 142 |
| 80 | L56-00N 41+50E | 10 | 0.4 | 0.91 | <5 | 85 | <5 | 0.12 | <1 | 10 | 26 | 24 | 3.26 | 20 | 0.19 | 819 | <1 | <0.01 | 18 | 640 | 30 | <5 | <20 | 10 | 0.01 | <10 | 31 | <10 | 4 | 65 |
| 89 | L56-00N 43+75E | 15 | <0.2 | 0.63 | 30 | 15 | <5 | 0.02 | <1 | 9 | 20 | 15 | 3.69 | 20 | 0.15 | 104 | <1 | <0.01 | 22 | 460 | 20 | <5 | <20 | <1 | <0.01 | <10 | 19 | <10 | <1 | 49 |

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| GEO '04 | 130 | 1.5 | 1.67 | 65 | 160 | <5 | 1.51 | <1 | 20 | 60 | 86 | 3.57 | <10 | 0.95 | 600 | <1 | 0.03 | 30 | 750 | 22 | <5 | <20 | 53 | 0.10 | <10 | 60 | <10 | 10 | 73 |
| GEO '04 | 135 | 1.4 | 1.75 | 60 | 160 | <5 | 1.57 | <1 | 21 | 60 | 85 | 3.67 | <10 | 0.98 | 612 | <1 | 0.03 | 31 | 760 | 22 | <5 | <20 | 54 | 0.11 | <10 | 60 | <10 | 11 | 75 |
| GEO '04 | 130 | 1.4 | 1.73 | 60 | 165 | 5 | 1.54 | <1 | 20 | 60 | 83 | 3.61 | <10 | 0.96 | 612 | <1 | 0.03 | 30 | 770 | 24 | <5 | <20 | 56 | 0.11 | <10 | 60 | <10 | 11 | 74 |

ECO TECH LABORA Y LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALY AK 2004-1259

INTERNATIONAL WAYSIDE GOLD MINES
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 121

Sample type: Soil

Project #: WOLF

Samples submitted by: BRAD

Values in ppm unless otherwise reported

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|----------------|-----------|------|------|----|----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | L52-00N 30+00E | 5 | 0.2 | 1.73 | <5 | 45 | <5 | 0.12 | <1 | 27 | 42 | 55 | 4.70 | 20 | 0.78 | 429 | <1 | <0.01 | 41 | 620 | 28 | <5 | <20 | 9 | <0.01 | <10 | 34 | <10 | 2 | 82 |
| 2 | L52-00N 30+25E | 10 | 0.4 | 2.25 | 15 | 40 | <5 | 0.30 | <1 | 49 | 46 | 62 | 5.47 | 30 | 0.67 | 2406 | <1 | <0.01 | 52 | 1100 | 56 | 5 | <20 | 19 | 0.02 | <10 | 36 | <10 | 17 | 120 |
| 3 | L52-00N 30+50E | 5 | 0.2 | 1.51 | 10 | 35 | <5 | 0.22 | <1 | 37 | 39 | 30 | 4.85 | 20 | 0.56 | 890 | <1 | <0.01 | 29 | 930 | 36 | 5 | <20 | 13 | 0.01 | <10 | 40 | <10 | 2 | 97 |
| 4 | L52-00N 30+75E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | L52-00N 31+00E | 20 | <0.2 | 1.29 | <5 | 25 | <5 | 0.06 | <1 | 9 | 32 | 23 | 4.44 | 20 | 0.31 | 143 | <1 | <0.01 | 13 | 670 | 38 | <5 | <20 | 3 | <0.01 | <10 | 37 | <10 | <1 | 46 |
| 6 | L52-00N 31+25E | 5 | 0.2 | 1.43 | <5 | 30 | <5 | 0.24 | <1 | 16 | 33 | 35 | 6.10 | 20 | 0.39 | 340 | <1 | <0.01 | 18 | 1030 | 26 | <5 | <20 | 15 | <0.01 | <10 | 46 | <10 | 5 | 76 |
| 7 | L52-00N 31+50E | 5 | 0.5 | 1.80 | 5 | 40 | <5 | 0.48 | <1 | 42 | 32 | 37 | 4.16 | 20 | 0.38 | 1334 | <1 | <0.01 | 27 | 1140 | 34 | 5 | <20 | 23 | <0.01 | <10 | 30 | <10 | 9 | 64 |
| 8 | L52-00N 31+75E | 5 | 0.2 | 1.69 | <5 | 35 | <5 | 0.13 | <1 | 14 | 34 | 28 | 4.89 | 20 | 0.37 | 301 | <1 | <0.01 | 20 | 810 | 20 | <5 | <20 | 8 | <0.01 | <10 | 34 | <10 | 3 | 85 |
| 9 | L52-00N 32+00E | 5 | 0.2 | 1.34 | 10 | 75 | <5 | 0.10 | <1 | 24 | 31 | 36 | 4.54 | 20 | 0.37 | 1226 | <1 | <0.01 | 24 | 1000 | 32 | <5 | <20 | 10 | 0.01 | <10 | 32 | <10 | 1 | 89 |
| 10 | L52-00N 32+25E | 5 | <0.2 | 0.89 | 10 | 35 | <5 | 0.02 | <1 | 12 | 31 | 29 | 5.54 | 20 | 0.21 | 255 | <1 | <0.01 | 17 | 640 | 20 | <5 | <20 | 3 | 0.01 | <10 | 45 | <10 | <1 | 83 |
| 11 | L52-00N 32+50E | 15 | <0.2 | 0.96 | 10 | 35 | <5 | 0.05 | <1 | 17 | 30 | 46 | 6.47 | 20 | 0.21 | 768 | <1 | <0.01 | 16 | 950 | 20 | <5 | <20 | 3 | <0.01 | <10 | 49 | <10 | <1 | 73 |
| 12 | L52-00N 32+75E | 5 | <0.2 | 0.51 | 15 | 20 | <5 | 0.03 | <1 | 19 | 22 | 63 | 5.57 | 20 | 0.13 | 331 | <1 | <0.01 | 14 | 720 | 12 | <5 | <20 | 2 | <0.01 | <10 | 27 | <10 | <1 | 47 |
| 13 | L52-00N 33+00E | 5 | <0.2 | 0.30 | 5 | 20 | <5 | 0.07 | <1 | 7 | 12 | 14 | 2.70 | 10 | 0.06 | 378 | <1 | <0.01 | 13 | 690 | 18 | <5 | <20 | 2 | <0.01 | <10 | 15 | <10 | 1 | 25 |
| 14 | L52-00N 33+25E | 5 | <0.2 | 0.92 | 15 | 40 | <5 | 0.01 | <1 | 22 | 25 | 45 | 5.04 | 20 | 0.25 | 1155 | <1 | <0.01 | 28 | 660 | 16 | <5 | <20 | 1 | <0.01 | <10 | 15 | <10 | <1 | 88 |
| 15 | L52-00N 33+50E | 5 | 0.2 | 0.77 | 25 | 20 | <5 | 0.02 | <1 | 18 | 30 | 31 | 6.22 | 20 | 0.20 | 1190 | <1 | <0.01 | 17 | 1000 | 22 | <5 | <20 | 2 | <0.01 | <10 | 32 | <10 | <1 | 58 |
| 16 | L52-00N 33+75E | 70 | 0.3 | 1.25 | 10 | 20 | <5 | 0.02 | <1 | 15 | 35 | 23 | 5.43 | 20 | 0.34 | 590 | <1 | <0.01 | 16 | 1130 | 30 | <5 | <20 | 2 | <0.01 | <10 | 42 | <10 | <1 | 55 |
| 17 | L52-00N 34+00E | 5 | 0.4 | 1.55 | 15 | 20 | <5 | 0.04 | <1 | 19 | 43 | 43 | 6.27 | 20 | 0.61 | 492 | <1 | <0.01 | 31 | 1050 | 48 | <5 | <20 | 3 | <0.01 | <10 | 34 | <10 | <1 | 97 |
| 18 | L52-00N 34+25E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19 | L52-00N 34+50E | <5 | 0.4 | 1.18 | 15 | 20 | <5 | 0.03 | <1 | 21 | 38 | 35 | 6.51 | 20 | 0.34 | 1495 | <1 | <0.01 | 18 | 1580 | 46 | <5 | <20 | 2 | 0.01 | <10 | 38 | <10 | <1 | 73 |
| 20 | L52-00N 34+75E | 45 | 0.2 | 1.47 | 10 | 20 | <5 | 0.02 | <1 | 15 | 38 | 28 | 5.80 | 30 | 0.42 | 338 | <1 | <0.01 | 22 | 790 | 34 | <5 | <20 | <1 | 0.01 | <10 | 36 | <10 | <1 | 63 |
| 21 | L52-00N 35+00E | 15 | <0.2 | 1.55 | 20 | 35 | <5 | 0.04 | <1 | 29 | 36 | 81 | 6.15 | 30 | 0.55 | 741 | <1 | <0.01 | 40 | 730 | 52 | <5 | <20 | 3 | <0.01 | <10 | 33 | <10 | <1 | 128 |
| 22 | L52-00N 35+25E | 35 | 0.2 | 0.73 | 10 | 15 | <5 | 0.02 | <1 | 12 | 19 | 23 | 3.52 | 20 | 0.17 | 222 | <1 | <0.01 | 13 | 860 | 16 | <5 | <20 | 1 | <0.01 | <10 | 38 | <10 | <1 | 39 |
| 23 | L52-00N 35+50E | 10 | 0.7 | 0.72 | 15 | 25 | <5 | 0.02 | <1 | 11 | 28 | 27 | 5.24 | 20 | 0.23 | 359 | <1 | <0.01 | 15 | 2020 | 20 | <5 | <20 | 2 | 0.01 | <10 | 55 | <10 | <1 | 57 |
| 24 | L52-00N 35+75E | 15 | <0.2 | 1.60 | 15 | 20 | <5 | 0.04 | <1 | 26 | 41 | 51 | 6.91 | 20 | 0.54 | 765 | <1 | <0.01 | 30 | 1140 | 36 | 5 | <20 | 1 | <0.01 | <10 | 38 | <10 | <1 | 95 |
| 25 | L52-00N 36+00E | 10 | 0.2 | 1.11 | 10 | 30 | <5 | 0.02 | <1 | 12 | 33 | 24 | 5.44 | 20 | 0.33 | 431 | <1 | <0.01 | 13 | 1700 | 30 | <5 | <20 | 2 | <0.01 | <10 | 41 | <10 | <1 | 50 |
| 26 | L52-00N 36+25E | 15 | 0.4 | 1.23 | 15 | 20 | <5 | 0.02 | <1 | 14 | 39 | 26 | 6.78 | 20 | 0.32 | 752 | <1 | <0.01 | 15 | 1100 | 32 | <5 | <20 | 2 | <0.01 | <10 | 47 | <10 | <1 | 51 |
| 27 | L52-00N 36+50E | 5 | 0.3 | 1.17 | 15 | 25 | <5 | 0.02 | <1 | 11 | 37 | 17 | 6.48 | 20 | 0.29 | 692 | <1 | <0.01 | 10 | 1340 | 32 | <5 | <20 | 2 | 0.01 | <10 | 55 | <10 | <1 | 44 |
| 28 | L52-00N 36+75E | 10 | 0.3 | 0.56 | 5 | 20 | <5 | 0.06 | <1 | 4 | 13 | 7 | 1.85 | 20 | 0.09 | 214 | <1 | <0.01 | 6 | 720 | 14 | <5 | <20 | 2 | <0.01 | <10 | 33 | <10 | <1 | 17 |
| 29 | L52-00N 37+00E | 5 | <0.2 | 1.88 | 15 | 35 | <5 | 0.02 | <1 | 27 | 45 | 53 | 6.13 | 30 | 0.55 | 803 | <1 | <0.01 | 33 | 660 | 46 | <5 | <20 | 2 | 0.01 | <10 | 37 | <10 | <1 | 118 |
| 30 | L52-00N 37+25E | 10 | 0.2 | 0.84 | 10 | 15 | <5 | 0.03 | <1 | 12 | 22 | 22 | 3.55 | 20 | 0.24 | 309 | <1 | <0.01 | 14 | 920 | 28 | <5 | <20 | 2 | <0.01 | <10 | 36 | <10 | <1 | 42 |
| 31 | L52-00N 37+50E | 15 | <0.2 | 0.81 | 10 | 35 | <5 | 0.04 | <1 | 14 | 29 | 40 | 5.42 | 20 | 0.29 | 482 | <1 | <0.01 | 17 | 2150 | 24 | <5 | <20 | 4 | <0.01 | <10 | 47 | <10 | <1 | 67 |
| 32 | L52-00N 37+75E | 30 | 0.3 | 0.56 | <5 | 30 | <5 | 0.02 | <1 | 13 | 19 | 24 | 3.45 | 20 | 0.15 | 1019 | <1 | <0.01 | 11 | 1030 | 18 | <5 | <20 | 1 | 0.01 | <10 | 33 | <10 | <1 | 42 |
| 33 | L52-00N 38+00E | 5 | 0.2 | 0.62 | 15 | 10 | <5 | 0.03 | <1 | 23 | 27 | 84 | 6.22 | 20 | 0.18 | 497 | <1 | <0.01 | 16 | 1090 | 36 | <5 | <20 | <1 | 0.01 | <10 | 41 | <10 | <1 | 57 |
| 34 | L52-00N 38+25E | 5 | 0.2 | 0.88 | <5 | 15 | <5 | 0.03 | <1 | 18 | 29 | 46 | 5.30 | 20 | 0.35 | 769 | <1 | <0.01 | 28 | 2280 | 36 | <5 | <20 | <1 | <0.01 | <10 | 26 | <10 | <1 | 71 |
| 35 | L52-00N 38+50E | 20 | 0.6 | 0.38 | 5 | 20 | <5 | 0.03 | <1 | 8 | 13 | 23 | 2.55 | 20 | 0.08 | 318 | <1 | <0.01 | 12 | 680 | 12 | <5 | <20 | 1 | <0.01 | <10 | 34 | <10 | <1 | 33 |

| Et # | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|------|----------------|-----------|------|------|-----|-----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|-----|----|-----|----|-------|-----|----|-----|----|-----|
| 36 | L52-00N 38+75E | 5 | 0.2 | 0.31 | 10 | 40 | <5 | 0.05 | <1 | 7 | 10 | 19 | 1.46 | 20 | 0.06 | 1014 | <1 | <0.01 | 10 | 440 | 12 | <5 | <20 | 4 | <0.01 | <10 | 28 | <10 | <1 | 23 |
| 37 | L52-00N 39+00E | 5 | 0.6 | 1.16 | 10 | 30 | <5 | 0.02 | <1 | 14 | 47 | 28 | 7.13 | 20 | 0.37 | 328 | <1 | <0.01 | 16 | 1030 | 44 | <5 | <20 | 6 | 0.02 | <10 | 81 | <10 | <1 | 94 |
| 38 | L52-00N 39+25E | 5 | 0.3 | 0.67 | 10 | 15 | <5 | 0.02 | <1 | 9 | 19 | 26 | 2.92 | 20 | 0.16 | 123 | <1 | <0.01 | 11 | 880 | 20 | <5 | <20 | <1 | 0.01 | <10 | 48 | <10 | <1 | 33 |
| 39 | L52-00N 39+50E | 5 | 0.9 | 0.72 | 5 | 30 | <5 | 0.06 | <1 | 12 | 24 | 24 | 4.30 | 20 | 0.21 | 501 | <1 | <0.01 | 12 | 2120 | 26 | <5 | <20 | 3 | 0.01 | <10 | 50 | <10 | <1 | 43 |
| 40 | L52-00N 39+75E | 5 | 0.5 | 0.58 | 5 | 10 | <5 | 0.04 | <1 | 7 | 20 | 16 | 3.54 | 20 | 0.14 | 170 | <1 | <0.01 | 8 | 2100 | 22 | <5 | <20 | 3 | 0.01 | <10 | 60 | <10 | <1 | 30 |
| 41 | L52-00N 40+00E | 5 | 0.4 | 0.61 | 10 | 40 | <5 | 0.06 | <1 | 15 | 21 | 23 | 3.64 | 20 | 0.18 | 946 | <1 | <0.01 | 12 | 1700 | 26 | <5 | <20 | 2 | <0.01 | <10 | 36 | <10 | <1 | 42 |
| 42 | L52-00N 40+25E | 25 | 0.3 | 0.94 | 20 | 65 | <5 | 0.08 | <1 | 17 | 31 | 40 | 5.29 | 20 | 0.28 | 535 | <1 | <0.01 | 23 | 720 | 54 | 5 | <20 | 5 | 0.01 | <10 | 38 | <10 | <1 | 82 |
| 43 | L52-00N 40+50E | 10 | 0.4 | 0.75 | 10 | 45 | <5 | 0.06 | <1 | 17 | 26 | 40 | 5.03 | 20 | 0.24 | 661 | <1 | <0.01 | 25 | 850 | 46 | <5 | <20 | 4 | <0.01 | <10 | 31 | <10 | <1 | 80 |
| 44 | L52-00N 40+75E | 5 | 0.5 | 0.53 | 20 | 40 | <5 | 0.12 | <1 | 12 | 21 | 29 | 4.05 | 20 | 0.22 | 518 | <1 | <0.01 | 18 | 950 | 44 | <5 | <20 | 6 | <0.01 | <10 | 32 | <10 | <1 | 65 |
| 45 | L52-00N 41+00E | 15 | 0.2 | 0.47 | 15 | 15 | <5 | 0.12 | <1 | 11 | 18 | 31 | 3.65 | 20 | 0.16 | 212 | <1 | <0.01 | 21 | 970 | 38 | <5 | <20 | 8 | <0.01 | <10 | 33 | <10 | 1 | 62 |
| 46 | L52-00N 41+25E | 5 | 1.6 | 1.48 | 10 | 45 | <5 | 0.14 | <1 | 25 | 30 | 81 | 3.91 | 30 | 0.24 | 3711 | <1 | <0.01 | 27 | 1710 | 66 | <5 | <20 | 10 | 0.02 | <10 | 23 | <10 | 45 | 86 |
| 47 | L52-00N 41+50E | 5 | 0.5 | 0.78 | 10 | 50 | <5 | 0.11 | <1 | 19 | 22 | 41 | 3.63 | 20 | 0.17 | 1166 | <1 | <0.01 | 22 | 1060 | 66 | 5 | <20 | 7 | <0.01 | <10 | 21 | <10 | 7 | 71 |
| 48 | L52-00N 41+75E | 5 | 0.9 | 1.23 | 10 | 85 | <5 | 0.31 | <1 | 25 | 29 | 53 | 4.35 | 20 | 0.32 | 2842 | <1 | <0.01 | 29 | 1980 | 142 | <5 | <20 | 17 | 0.01 | <10 | 27 | <10 | 20 | 106 |
| 49 | L52-00N 42+00E | 10 | 0.5 | 0.96 | 10 | 35 | <5 | 0.10 | <1 | 17 | 28 | 34 | 4.38 | 20 | 0.41 | 409 | <1 | <0.01 | 32 | 560 | 58 | <5 | <20 | 7 | <0.01 | <10 | 22 | <10 | <1 | 84 |
| 50 | L52-00N 42+25E | 10 | <0.2 | 0.63 | 15 | 35 | <5 | 0.08 | <1 | 14 | 25 | 43 | 4.17 | 20 | 0.19 | 303 | <1 | <0.01 | 25 | 770 | 60 | <5 | <20 | 6 | 0.01 | <10 | 30 | <10 | <1 | 90 |
| 51 | L52-00N 42+50E | 10 | 0.3 | 1.42 | 10 | 20 | <5 | 0.09 | <1 | 32 | 37 | 59 | 5.34 | 20 | 0.26 | 2328 | <1 | <0.01 | 23 | 1270 | 152 | <5 | <20 | 4 | 0.01 | <10 | 28 | <10 | 8 | 92 |
| 52 | L52-00N 42+75E | 15 | 0.6 | 1.42 | 15 | 90 | <5 | 0.33 | <1 | 23 | 32 | 48 | 4.49 | 30 | 0.40 | 1751 | <1 | <0.01 | 36 | 1690 | 106 | <5 | <20 | 26 | 0.01 | <10 | 24 | <10 | 31 | 150 |
| 53 | L52-00N 43+00E | 10 | 1.1 | 1.20 | 5 | 70 | <5 | 1.34 | <1 | 11 | 22 | 53 | 2.44 | 40 | 0.26 | 1044 | <1 | 0.01 | 30 | 1720 | 62 | <5 | <20 | 74 | <0.01 | <10 | 13 | <10 | 55 | 85 |
| 54 | L52-00N 43+25E | 10 | 0.4 | 1.58 | 15 | 85 | <5 | 0.19 | <1 | 18 | 32 | 41 | 4.20 | 30 | 0.39 | 1231 | <1 | <0.01 | 28 | 1320 | 68 | <5 | <20 | 15 | <0.01 | <10 | 26 | <10 | 32 | 108 |
| 55 | L52-00N 43+50E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 56 | L52-00N 43+75E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 57 | L52-00N 44+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 58 | L52-00N 44+25E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 59 | L52-00N 44+50E | 35 | 0.4 | 0.92 | 15 | 135 | <5 | 0.13 | <1 | 16 | 31 | 35 | 4.88 | 20 | 0.28 | 753 | <1 | <0.01 | 23 | 690 | 54 | <5 | <20 | 18 | 0.01 | <10 | 30 | <10 | <1 | 100 |
| 60 | L52-00N 44+75E | 45 | 0.3 | 0.78 | 20 | 45 | <5 | 0.03 | <1 | 10 | 24 | 23 | 3.83 | 20 | 0.29 | 365 | <1 | <0.01 | 17 | 620 | 32 | <5 | <20 | 3 | <0.01 | <10 | 23 | <10 | <1 | 46 |
| 61 | L52-00N 45+00E | 10 | 0.3 | 1.05 | 15 | 65 | <5 | 0.21 | <1 | 21 | 31 | 45 | 5.18 | 20 | 0.42 | 1097 | <1 | <0.01 | 34 | 900 | 66 | 5 | <20 | 16 | <0.01 | <10 | 22 | <10 | 5 | 101 |
| 62 | L54-00N 30+00E | 5 | 0.2 | 1.60 | <5 | 30 | <5 | 0.04 | <1 | 14 | 44 | 30 | 5.31 | 20 | 0.54 | 329 | <1 | <0.01 | 26 | 840 | 34 | <5 | <20 | 3 | <0.01 | <10 | 33 | <10 | <1 | 63 |
| 63 | L54-00N 30+25E | 10 | <0.2 | 1.56 | <5 | 30 | <5 | 0.02 | <1 | 21 | 39 | 36 | 6.71 | 20 | 0.52 | 337 | <1 | <0.01 | 21 | 710 | 16 | <5 | <20 | 2 | 0.01 | <10 | 51 | <10 | <1 | 65 |
| 64 | L54-00N 30+50E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65 | L54-00N 30+75E | 5 | 0.4 | 1.94 | 15 | 35 | <5 | 0.30 | <1 | 31 | 44 | 40 | 5.53 | 20 | 0.62 | 1025 | <1 | <0.01 | 37 | 680 | 42 | 10 | <20 | 19 | 0.01 | <10 | 32 | <10 | 7 | 103 |
| 66 | L54-00N 31+00E | 5 | 0.7 | 2.24 | 10 | 15 | <5 | 0.20 | <1 | 18 | 47 | 68 | 5.25 | 20 | 0.71 | 412 | <1 | <0.01 | 30 | 850 | 52 | 5 | <20 | 13 | <0.01 | <10 | 29 | <10 | 18 | 94 |
| 67 | L54-00N 31+25E | 10 | 1.0 | 1.93 | <5 | 15 | <5 | 0.41 | <1 | 16 | 34 | 51 | 3.76 | 20 | 0.49 | 427 | <1 | <0.01 | 27 | 1080 | 40 | <5 | <20 | 25 | <0.01 | <10 | 28 | <10 | 24 | 53 |
| 68 | L54-00N 31+50E | 5 | 0.2 | 2.15 | 10 | 15 | <5 | 0.10 | <1 | 27 | 40 | 49 | 7.76 | 20 | 0.72 | 572 | <1 | <0.01 | 20 | 770 | 66 | <5 | <20 | 9 | 0.01 | <10 | 52 | <10 | <1 | 144 |
| 69 | L54-00N 31+75E | 5 | 0.2 | 1.27 | 5 | 35 | <5 | 0.06 | <1 | 20 | 32 | 41 | 6.34 | 20 | 0.35 | 777 | <1 | <0.01 | 14 | 840 | 22 | <5 | <20 | 5 | <0.01 | <10 | 52 | <10 | <1 | 87 |
| 70 | L54-00N 32+00E | 5 | <0.2 | 1.55 | 5 | 35 | <5 | 0.18 | <1 | 15 | 41 | 24 | 6.07 | 20 | 0.45 | 183 | <1 | <0.01 | 22 | 920 | 24 | <5 | <20 | 12 | <0.01 | <10 | 39 | <10 | <1 | 86 |
| 71 | L54-00N 32+25E | 20 | <0.2 | 0.54 | 5 | 25 | <5 | 0.09 | <1 | 9 | 17 | 26 | 3.35 | 20 | 0.09 | 95 | <1 | <0.01 | 14 | 500 | 10 | <5 | <20 | 7 | <0.01 | <10 | 30 | <10 | <1 | 44 |
| 72 | L54-00N 32+50E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 73 | L54-00N 32+75E | 10 | <0.2 | 1.00 | 10 | 20 | <5 | 0.04 | <1 | 13 | 32 | 30 | 5.68 | 20 | 0.26 | 251 | <1 | <0.01 | 16 | 660 | 20 | <5 | <20 | <1 | 0.01 | <10 | 41 | <10 | <1 | 54 |
| 74 | L54-00N 33+00E | 5 | <0.2 | 1.06 | 15 | 30 | <5 | 0.05 | <1 | 17 | 31 | 27 | 5.62 | 20 | 0.25 | 662 | <1 | <0.01 | 22 | 660 | 48 | <5 | <20 | 5 | <0.01 | <10 | 37 | <10 | <1 | 63 |
| 75 | L54-00N 33+25E | 5 | <0.2 | 0.76 | 10 | 15 | <5 | 0.02 | <1 | 8 | 20 | 20 | 3.55 | 20 | 0.15 | 245 | <1 | <0.01 | 10 | 660 | 18 | <5 | <20 | 4 | <0.01 | <10 | 37 | <10 | <1 | 32 |
| 76 | L54-00N 33+50E | 5 | <0.2 | 0.57 | 10 | 10 | <5 | 0.02 | <1 | 9 | 19 | 18 | 3.36 | 20 | 0.14 | 366 | <1 | <0.01 | 16 | 590 | 14 | <5 | <20 | 3 | <0.01 | <10 | 28 | <10 | <1 | 54 |
| 77 | L54-00N 33+75E | 15 | <0.2 | 0.96 | 10 | 15 | <5 | 0.01 | <1 | 16 | 30 | 31 | 5.14 | 20 | 0.31 | 482 | <1 | <0.01 | 20 | 1210 | 18 | <5 | <20 | 1 | 0.01 | <10 | 42 | <10 | <1 | 60 |
| 78 | L54-00N 34+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 79 | L54-00N 34+25E | 80 | <0.2 | 1.01 | 780 | 10 | <5 | 0.02 | <1 | 24 | 33 | 56 | 6.35 | 20 | 0.39 | 753 | <1 | <0.01 | 30 | 1540 | 30 | <5 | <20 | <1 | <0.01 | <10 | 26 | <10 | <1 | 73 |
| 80 | L54-00N 34+50E | 5 | 0.5 | 1.30 | 20 | 15 | <5 | 0.03 | <1 | 20 | 39 | 44 | 7.09 | 20 | 0.44 | 447 | <1 | <0.01 | 24 | 1210 | 34 | <5 | <20 | <1 | <0.01 | <10 | 42 | <10 | <1 | 82 |

| El # | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|------|----------------|-----------|------|------|----|-----|----|------|----|----|----|-----|------|----|------|------|----|-------|----|------|-----|----|-----|----|-------|-----|----|-----|----|----|
| 81 | L54-00N 34+75E | 15 | 0.4 | 0.71 | 15 | 25 | <5 | 0.02 | <1 | 13 | 22 | 22 | 3.97 | 20 | 0.22 | 428 | <1 | <0.01 | 11 | 1380 | 24 | <5 | <20 | 3 | <0.01 | <10 | 41 | <10 | <1 | 41 |
| 82 | L54-00N 35+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 83 | L54-00N 35+25E | 5 | <0.2 | 0.77 | 5 | 15 | <5 | 0.01 | <1 | 11 | 25 | 18 | 3.56 | 20 | 0.24 | 282 | <1 | <0.01 | 16 | 1290 | 18 | <5 | <20 | 1 | <0.01 | <10 | 41 | <10 | <1 | 40 |
| 84 | L54-00N 35+50E | 10 | 0.5 | 0.85 | 10 | 15 | <5 | 0.02 | <1 | 9 | 28 | 20 | 4.91 | 20 | 0.22 | 337 | <1 | <0.01 | 12 | 810 | 28 | <5 | <20 | <1 | 0.01 | <10 | 54 | <10 | <1 | 39 |
| 85 | L54-00N 35+75E | 15 | 0.3 | 0.93 | 10 | 15 | <5 | 0.02 | <1 | 11 | 26 | 18 | 4.34 | 20 | 0.28 | 405 | <1 | <0.01 | 11 | 1320 | 26 | <5 | <20 | 1 | <0.01 | <10 | 41 | <10 | <1 | 40 |
| 86 | L54-00N 36+00E | 10 | 0.2 | 1.18 | 15 | 20 | <5 | 0.02 | <1 | 16 | 38 | 30 | 6.70 | 20 | 0.39 | 598 | <1 | <0.01 | 18 | 1320 | 36 | <5 | <20 | 2 | <0.01 | <10 | 40 | <10 | <1 | 61 |
| 87 | L54-00N 36+25E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 88 | L54-00N 36+50E | 20 | <0.2 | 0.87 | 15 | 15 | <5 | 0.02 | <1 | 18 | 33 | 43 | 6.02 | 20 | 0.28 | 1303 | <1 | <0.01 | 22 | 2780 | 26 | <5 | <20 | 1 | <0.01 | <10 | 42 | <10 | <1 | 69 |
| 89 | L54-00N 36+75E | 5 | 0.2 | 0.83 | 30 | 10 | <5 | 0.01 | <1 | 16 | 33 | 40 | 6.71 | 30 | 0.27 | 669 | <1 | <0.01 | 18 | 2410 | 26 | <5 | <20 | <1 | <0.01 | <10 | 39 | <10 | <1 | 66 |
| 90 | L54-00N 37+00E | 10 | 0.3 | 1.41 | 5 | 20 | <5 | 0.06 | <1 | 20 | 31 | 102 | 7.34 | 20 | 0.47 | 725 | <1 | <0.01 | 13 | 2170 | 18 | 10 | <20 | 2 | 0.01 | <10 | 79 | <10 | <1 | 72 |
| 91 | L54-00N 37+25E | 15 | <0.2 | 0.85 | 20 | 15 | <5 | 0.02 | <1 | 17 | 28 | 38 | 5.48 | 20 | 0.25 | 631 | <1 | <0.01 | 21 | 1140 | 20 | 5 | <20 | 1 | <0.01 | <10 | 33 | <10 | <1 | 63 |
| 92 | L54-00N 37+50E | 20 | 0.4 | 0.68 | 25 | 20 | <5 | 0.02 | <1 | 23 | 27 | 95 | 6.44 | 20 | 0.18 | 721 | <1 | <0.01 | 22 | 1080 | 20 | <5 | <20 | 2 | <0.01 | <10 | 27 | <10 | <1 | 64 |
| 93 | L54-00N 37+75E | 5 | 0.4 | 0.71 | 10 | 20 | <5 | 0.02 | <1 | 8 | 23 | 22 | 4.09 | 20 | 0.16 | 218 | <1 | <0.01 | 12 | 770 | 20 | <5 | <20 | 2 | <0.01 | <10 | 33 | <10 | <1 | 32 |
| 94 | L54-00N 38+00E | 30 | 0.4 | 0.99 | 25 | 15 | <5 | 0.02 | <1 | 13 | 32 | 26 | 5.60 | 20 | 0.22 | 597 | <1 | <0.01 | 13 | 1820 | 40 | <5 | <20 | <1 | 0.01 | <10 | 40 | <10 | <1 | 50 |
| 95 | L54-00N 38+25E | 10 | 1.3 | 0.74 | 10 | 15 | <5 | 0.08 | <1 | 12 | 20 | 38 | 3.59 | 20 | 0.16 | 678 | <1 | <0.01 | 14 | 840 | 948 | 5 | <20 | 3 | <0.01 | <10 | 32 | <10 | <1 | 52 |
| 96 | L54-00N 38+50E | 10 | 0.5 | 0.90 | 10 | 15 | <5 | 0.04 | <1 | 12 | 31 | 31 | 5.25 | 20 | 0.27 | 542 | <1 | <0.01 | 20 | 1290 | 44 | <5 | <20 | 2 | <0.01 | <10 | 38 | <10 | <1 | 56 |
| 97 | L54-00N 38+75E | 5 | 0.7 | 1.12 | 15 | 20 | <5 | 0.03 | <1 | 13 | 32 | 26 | 4.66 | 30 | 0.37 | 535 | <1 | <0.01 | 23 | 900 | 38 | <5 | <20 | 2 | 0.01 | <10 | 39 | <10 | <1 | 60 |
| 98 | L54-00N 39+00E | 5 | 0.5 | 0.58 | 35 | 30 | <5 | 0.06 | <1 | 14 | 24 | 32 | 4.79 | 30 | 0.15 | 832 | <1 | <0.01 | 22 | 1810 | 30 | <5 | <20 | 2 | 0.01 | <10 | 35 | <10 | <1 | 47 |
| 99 | L54-00N 39+25E | 10 | 0.5 | 1.04 | 15 | 20 | <5 | 0.06 | <1 | 14 | 34 | 31 | 5.56 | 20 | 0.24 | 448 | <1 | <0.01 | 18 | 1070 | 34 | <5 | <20 | 4 | 0.01 | <10 | 37 | <10 | <1 | 65 |
| 100 | L54-00N 39+50E | 15 | 0.4 | 0.99 | 15 | 15 | <5 | 0.04 | <1 | 16 | 30 | 39 | 5.23 | 20 | 0.34 | 346 | <1 | <0.01 | 24 | 890 | 30 | <5 | <20 | 2 | <0.01 | <10 | 28 | <10 | <1 | 64 |
| 101 | L54-00N 39+75E | 15 | 0.6 | 1.28 | 10 | 25 | <5 | 0.03 | <1 | 14 | 35 | 27 | 5.73 | 20 | 0.33 | 564 | <1 | <0.01 | 18 | 1460 | 38 | <5 | <20 | 2 | 0.01 | <10 | 33 | <10 | <1 | 64 |
| 102 | L54-00N 40+00E | 10 | 0.4 | 1.10 | 15 | 20 | <5 | 0.05 | <1 | 20 | 36 | 38 | 6.47 | 20 | 0.32 | 1120 | <1 | <0.01 | 21 | 1770 | 40 | <5 | <20 | <1 | <0.01 | <10 | 32 | <10 | <1 | 68 |
| 103 | L54-00N 40+25E | 5 | 0.4 | 0.72 | 10 | 15 | <5 | 0.04 | <1 | 10 | 20 | 23 | 3.58 | 20 | 0.19 | 406 | <1 | <0.01 | 13 | 810 | 20 | <5 | <20 | 2 | <0.01 | <10 | 30 | <10 | <1 | 43 |
| 104 | L54-00N 40+50E | 5 | 0.3 | 0.82 | 20 | 15 | <5 | 0.02 | <1 | 12 | 27 | 28 | 5.05 | 20 | 0.23 | 206 | <1 | <0.01 | 20 | 1070 | 28 | <5 | <20 | <1 | <0.01 | <10 | 33 | <10 | <1 | 47 |
| 105 | L54-00N 40+75E | 90 | 0.6 | 0.66 | 15 | 20 | <5 | 0.01 | <1 | 10 | 23 | 27 | 4.36 | 20 | 0.16 | 178 | <1 | <0.01 | 14 | 1510 | 34 | <5 | <20 | 2 | <0.01 | <10 | 35 | <10 | <1 | 39 |
| 106 | L54-00N 41+00E | 5 | 0.9 | 0.56 | 10 | 25 | <5 | 0.05 | <1 | 10 | 24 | 26 | 4.60 | 20 | 0.17 | 362 | <1 | <0.01 | 14 | 1250 | 26 | <5 | <20 | 5 | 0.01 | <10 | 39 | <10 | <1 | 42 |
| 107 | L54-00N 41+25E | 5 | 0.2 | 0.88 | 10 | 50 | <5 | 0.08 | <1 | 12 | 27 | 35 | 4.48 | 20 | 0.31 | 329 | <1 | <0.01 | 23 | 950 | 60 | <5 | <20 | 7 | <0.01 | <10 | 19 | <10 | <1 | 70 |
| 108 | L54-00N 41+50E | 5 | 0.3 | 0.50 | 5 | 35 | <5 | 0.07 | <1 | 10 | 12 | 18 | 1.76 | 10 | 0.13 | 354 | <1 | <0.01 | 13 | 380 | 24 | <5 | <20 | 4 | <0.01 | <10 | 10 | <10 | <1 | 35 |
| 109 | L54-00N 41+75E | 5 | <0.2 | 0.54 | 10 | 10 | <5 | 0.01 | <1 | 12 | 21 | 27 | 3.69 | 20 | 0.19 | 327 | <1 | <0.01 | 26 | 590 | 26 | <5 | <20 | <1 | <0.01 | <10 | 12 | <10 | <1 | 61 |
| 110 | L54-00N 42+00E | 15 | <0.2 | 0.24 | 10 | 15 | <5 | 0.02 | <1 | 7 | 12 | 25 | 2.58 | 20 | 0.08 | 160 | <1 | <0.01 | 15 | 520 | 12 | <5 | <20 | 2 | <0.01 | <10 | 13 | <10 | <1 | 51 |
| 111 | L54-00N 42+25E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 112 | L54-00N 42+50E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 113 | L54-00N 42+75E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 114 | L54-00N 43+00E | No Sample | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 115 | L54-00N 43+25E | 5 | <0.2 | 0.99 | 15 | 55 | <5 | 0.14 | <1 | 16 | 26 | 30 | 3.87 | 20 | 0.34 | 394 | <1 | <0.01 | 26 | 590 | 42 | <5 | <20 | 10 | <0.01 | <10 | 20 | <10 | 4 | 81 |
| 116 | L54-00N 43+50E | 10 | 0.2 | 0.85 | 10 | 85 | <5 | 0.17 | <1 | 6 | 18 | 15 | 2.41 | 10 | 0.17 | 79 | <1 | <0.01 | 12 | 490 | 30 | <5 | <20 | 9 | <0.01 | <10 | 22 | <10 | <1 | 42 |
| 117 | L54-00N 43+75E | 50 | 0.5 | 1.38 | 10 | 100 | <5 | 0.40 | <1 | 16 | 33 | 40 | 4.41 | 20 | 0.34 | 401 | <1 | <0.01 | 28 | 690 | 52 | <5 | <20 | 25 | <0.01 | <10 | 29 | <10 | 9 | 71 |
| 118 | L54-00N 44+00E | 10 | 0.6 | 1.34 | 15 | 75 | <5 | 0.61 | <1 | 16 | 32 | 39 | 4.37 | 20 | 0.28 | 433 | <1 | <0.01 | 27 | 1020 | 48 | <5 | <20 | 33 | 0.01 | <10 | 27 | <10 | 16 | 80 |
| 119 | L54-00N 44+25E | 5 | 0.2 | 0.76 | 5 | 55 | <5 | 0.29 | <1 | 8 | 20 | 16 | 3.18 | 10 | 0.17 | 132 | <1 | <0.01 | 13 | 340 | 26 | <5 | <20 | 14 | <0.01 | <10 | 23 | <10 | <1 | 51 |
| 120 | L54-00N 44+50E | 5 | 0.4 | 0.67 | 10 | 60 | <5 | 0.14 | <1 | 13 | 20 | 23 | 3.33 | 20 | 0.13 | 342 | <1 | <0.01 | 18 | 510 | 22 | <5 | <20 | 8 | <0.01 | <10 | 26 | <10 | <1 | 55 |
| 121 | L54-00N 44+75E | 5 | <0.2 | 0.50 | 10 | 60 | <5 | 0.06 | <1 | 10 | 19 | 32 | 3.66 | 20 | 0.12 | 240 | <1 | <0.01 | 19 | 430 | 22 | <5 | <20 | 3 | <0.01 | <10 | 21 | <10 | <1 | 61 |

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-------|----------|----|------|----|----|----|------|----|----|----|----|------|----|------|----|----|------|----|---|----|----|----|----|------|---|---|---|---|----|
|-------|-------|----------|----|------|----|----|----|------|----|----|----|----|------|----|------|----|----|------|----|---|----|----|----|----|------|---|---|---|---|----|

QC DATA:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|----------------|----|------|------|----|----|----|------|----|----|----|----|------|----|------|------|----|-------|----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | L52-00N 30+00E | 30 | 0.2 | 1.75 | 5 | 40 | <5 | 0.12 | <1 | 22 | 43 | 59 | 4.76 | 20 | 0.79 | 401 | <1 | <0.01 | 43 | 630 | 24 | 5 | <20 | 7 | <0.01 | <10 | 34 | <10 | 3 | 83 |
| 5 | L52-00N 31+00E | 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 10 | L52-00N 32+25E | <5 | <0.2 | 0.87 | 10 | 35 | <5 | 0.02 | <1 | 13 | 32 | 34 | 5.84 | 20 | 0.21 | 294 | <1 | <0.01 | 17 | 630 | 20 | <5 | <20 | 3 | 0.01 | <10 | 45 | <10 | <1 | 65 |
| 16 | L52-00N 33+75E | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 19 | L52-00N 34+50E | 5 | 0.3 | 1.26 | 15 | 20 | <5 | 0.03 | <1 | 21 | 39 | 36 | 6.74 | 20 | 0.36 | 1353 | <1 | <0.01 | 21 | 1560 | 44 | <5 | <20 | 3 | 0.01 | <10 | 38 | <10 | <1 | 75 |
| 28 | L52-00N 36+75E | 10 | 0.3 | 0.55 | 5 | 25 | <5 | 0.06 | <1 | 6 | 12 | 7 | 1.81 | 20 | 0.09 | 238 | <1 | <0.01 | 6 | 730 | 16 | <5 | <20 | 3 | <0.01 | <10 | 33 | <10 | <1 | 16 |
| 36 | L52-00N 38+75E | - | <0.2 | 0.29 | 10 | 35 | <5 | 0.04 | <1 | 7 | 10 | 21 | 1.55 | 20 | 0.06 | 894 | <1 | <0.01 | 12 | 430 | 12 | <5 | <20 | 2 | <0.01 | <10 | 26 | <10 | <1 | 24 |
| 37 | L52-00N 39+00E | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 45 | L52-00N 41+00E | 10 | 0.3 | 0.49 | 20 | 15 | <5 | 0.13 | <1 | 15 | 19 | 31 | 3.74 | 20 | 0.18 | 211 | <1 | <0.01 | 22 | 970 | 38 | <5 | <20 | 9 | <0.01 | <10 | 33 | <10 | <1 | 63 |
| 64 | L52-00N 43+25E | 5 | 0.3 | 1.56 | 15 | 80 | <5 | 0.19 | <1 | 18 | 32 | 42 | 4.22 | 30 | 0.39 | 1289 | <1 | <0.01 | 30 | 1290 | 66 | <5 | <20 | 15 | <0.01 | <10 | 26 | <10 | 30 | 107 |
| 63 | L54-00N 30+25E | 10 | <0.2 | 1.57 | <5 | 25 | <5 | 0.02 | <1 | 21 | 38 | 36 | 6.76 | 20 | 0.53 | 356 | <1 | <0.01 | 20 | 710 | 16 | <5 | <20 | 1 | 0.01 | <10 | 51 | <10 | <1 | 66 |
| 71 | L54-00N 32+25E | 5 | <0.2 | 0.53 | 15 | 20 | <5 | 0.08 | <1 | 9 | 17 | 25 | 3.30 | 20 | 0.09 | 119 | <1 | <0.01 | 13 | 520 | 12 | <5 | <20 | 4 | <0.01 | <10 | 30 | <10 | <1 | 45 |
| 79 | L54-00N 34+25E | 65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 80 | L54-00N 34+50E | 10 | 0.5 | 1.23 | 25 | 20 | <5 | 0.03 | <1 | 17 | 37 | 43 | 6.69 | 20 | 0.42 | 398 | <1 | <0.01 | 24 | 1170 | 34 | <5 | <20 | 3 | <0.01 | <10 | 39 | <10 | <1 | 78 |
| 89 | L54-00N 36+75E | 25 | 0.2 | 0.82 | 25 | 15 | <5 | 0.01 | <1 | 18 | 33 | 39 | 6.65 | 30 | 0.26 | 579 | <1 | <0.01 | 18 | 2420 | 28 | <5 | <20 | 2 | <0.01 | <10 | 39 | <10 | <1 | 61 |
| 98 | L54-00N 39+00E | 5 | 0.5 | 0.56 | 35 | 25 | <5 | 0.05 | <1 | 13 | 24 | 35 | 4.72 | 20 | 0.15 | 802 | <1 | <0.01 | 21 | 1770 | 30 | <5 | <20 | 2 | 0.01 | <10 | 34 | <10 | <1 | 47 |
| 106 | L54-00N 41+00E | 5 | 0.8 | 0.56 | 15 | 20 | <5 | 0.05 | <1 | 11 | 24 | 25 | 4.64 | 20 | 0.17 | 390 | <1 | <0.01 | 15 | 1300 | 28 | <5 | <20 | 2 | 0.01 | <10 | 42 | <10 | <1 | 42 |
| 115 | L54-00N 43+25E | 5 | <0.2 | 1.01 | 15 | 50 | <5 | 0.14 | <1 | 18 | 26 | 32 | 3.92 | 20 | 0.35 | 403 | <1 | <0.01 | 28 | 560 | 46 | <5 | <20 | 9 | <0.01 | <10 | 20 | <10 | 3 | 86 |
| 117 | L54-00N 43+75E | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| GEO '04 | 135 | 1.4 | 1.68 | 60 | 160 | <5 | 1.46 | <1 | 19 | 63 | 87 | 3.47 | <10 | 0.96 | 589 | <1 | 0.03 | 35 | 710 | 22 | <5 | <20 | 55 | 0.11 | <10 | 60 | <10 | 12 | 74 |
| GEO '04 | 130 | 1.4 | 1.71 | 55 | 165 | <5 | 1.49 | <1 | 20 | 61 | 88 | 3.60 | <10 | 0.97 | 602 | <1 | 0.03 | 33 | 720 | 24 | <5 | <20 | 55 | 0.11 | <10 | 62 | <10 | 13 | 73 |
| GEO '04 | 135 | 1.4 | 1.66 | 60 | 160 | <5 | 1.45 | <1 | 19 | 63 | 87 | 3.47 | <10 | 0.94 | 591 | <1 | 0.03 | 34 | 710 | 22 | <5 | <20 | 55 | 0.11 | <10 | 61 | <10 | 12 | 74 |
| GEO '04 | 145 | 1.4 | 1.75 | 65 | 165 | <5 | 1.52 | <1 | 20 | 60 | 88 | 3.57 | <10 | 0.98 | 608 | <1 | 0.03 | 36 | 710 | 22 | <5 | <20 | 58 | 0.10 | <10 | 60 | <10 | 10 | 76 |

APPENDIX X
ROCK GEOCHEMISTRY RESULTS

2004 Reconnaissance Sampling

| TAG SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | LOCAL GRID E | LOCAL GRID N |
|--------------|----------|-------------|---------|----------|--------------|--------------|
| 14401 | Cow Mtn. | Rock | 596239 | 5882189 | 15043.48 | 2376.52 |
| 14402 | Cow Mtn. | Rock | 596239 | 5882189 | 15043.48 | 2376.52 |
| 14403 | Cow Mtn. | Rock | 596233 | 5882236 | 14925.84 | 2478.13 |
| 14404 | Cow Mtn. | Rock | 596202 | 5882314 | 14679.23 | 2600.66 |
| 14405 | Cow Mtn. | Rock | 596177 | 5882399 | 14431.92 | 2753.43 |
| 14406 | Cow Mtn. | Rock | 596177 | 5882399 | 14431.92 | 2753.43 |
| 14407 | Cow Mtn. | Rock | 596143 | 5882621 | 13862.44 | 3220.99 |
| 14408 | Cow Mtn. | Rock | 596098 | 5882721 | 13533.43 | 3366.55 |
| 14409 | Cow Mtn. | Rock | 595907 | 5882754 | 12994.74 | 3028.60 |
| 14410 | Cow Mtn. | Rock (Qv) | 595794 | 5882765 | 12694.72 | 2807.84 |
| 14411 | Cow Mtn. | Rock (Qv) | 595830 | 5882848 | 12600.75 | 3089.39 |
| 14412 | Cow Mtn. | Rock (Qv) | 596098 | 5882900 | 13141.19 | 3803.63 |
| 14413 | Cow Mtn. | Rock | 596098 | 5882900 | 13141.19 | 3803.63 |
| 14414 | Cow Mtn. | Rock (Qv) | 596174 | 5882881 | 13368.39 | 3923.77 |
| 14415 | Cow Mtn. | Rock | 596031 | 5883133 | 12467.02 | 4225.74 |
| 14416 | Cow Mtn. | Rock (Qv) | 596031 | 5883133 | 12467.02 | 4225.74 |
| 14417 | Cow Mtn. | Rock | 596031 | 5883133 | 12467.02 | 4225.74 |
| 14418 | Cow Mtn. | Rock | 596966 | 5881154 | 19086.62 | 1442.38 |
| 14419 | Cow Mtn. | Rock | 596575 | 5881471 | 17437.25 | 1359.62 |
| 14420 | Cow Mtn. | Rock | 596555 | 5881510 | 17302.96 | 1411.02 |
| 14421 | Cow Mtn. | Rock | 586574 | 5881535 | 17294.57 | 1513.70 |
| 14422 | Cow Mtn. | Rock | 595899 | 5883262 | 11862.03 | 4251.47 |
| 14423 | Cow Mtn. | Rock (Qv) | 595706 | 5883217 | 11489.38 | 3718.67 |
| 14424 | Cow Mtn. | Rock (Qv) | 595629 | 5883062 | 11641.02 | 3171.47 |
| 14425 | Cow Mtn. | Rock | 595629 | 5883062 | 11641.02 | 3171.47 |
| 14426 | Cow Mtn. | Rock (Qv) | 595414 | 5882743 | 11815.07 | 1921.43 |
| 14427 | Cow Mtn. | Rock | 595414 | 5882743 | 11815.07 | 1921.43 |
| 14428 | Cow Mtn. | Rock (Qv) | 595942 | 5883351 | 11772.00 | 4563.01 |
| 14429 | Cow Mtn. | Rock (Qv) | 595781 | 5883600 | 10833.25 | 4818.21 |
| 14430 | Cow Mtn. | Rock | 596029 | 5883439 | 11791.60 | 4968.53 |
| 14431 | Cow Mtn. | Rock | 595914 | 5883400 | 11596.26 | 4621.30 |

| 2004 Reconnaissance Sampling | | | |
|------------------------------|--|--------------|------------|
| TAG SAMPLE # | DESCRIPTION | DATE | GOLD (ppb) |
| 14401 | Grab sample from grey phyllite, foliation 256° (dip direction) /10° | July 27,2004 | 5 |
| 14402 | Grab sample from light brown bleached phyllite | July 27,2004 | 5 |
| 14403 | Grab sample from light brown bleached phyllite | July 27,2004 | 10 |
| 14404 | Grab sample from light brown bleached phyllite | July 27,2004 | <5 |
| 14405 | Grab sample from light brown (bleached) carbonate phyllite | July 27,2004 | 5 |
| 14406 | Grab sample from light brown bleached phyllite | July 27,2004 | <5 |
| 14407 | Grab sample from dark grey silicified argillite with quartz stringer and pyrite | July 27,2004 | 5 |
| 14408 | Grab sample from brown thinly bedded argillite | July 27,2004 | 5 |
| 14409 | Grab sample from dark grey silicified argillite, no carbonate, no sulphide | July 27,2004 | 20 |
| 14410 | Grab sample from light brown quartz vein, about 7' wide, no pyrite and no carbonate | July 27,2004 | <5 |
| 14411 | Grab sample from light brown quartz vein, about 1' wide, no pyrite and no carbonate | July 27,2004 | 5 |
| 14412 | Grab sample from light brown quartz vein, no pyrite and no carbonate | July 28,2004 | 30 |
| 14413 | Grab sample from dark grey argillite with about 3% coarse-grained pyrite cubes | July 28,2004 | 330 |
| 14414 | Grab sample from light brown quartz vein, 0.7'-7' wide, no sulphide in the vein | July 28,2004 | 280 |
| 14415 | Grab sample from a possible fault zone with quartz stringers | July 28,2004 | 10 |
| 14416 | Grab sample from white barren quartz vein in dark grey argillite with py cubes | July 28,2004 | 10 |
| 14417 | Grab sample from dark grey argillite with py cubes | July 28,2004 | 5 |
| 14418 | Grab sample from strong silicified dark grey argillite with py cubes | July 28,2004 | 5 |
| 14419 | Grab sample from the Lowhee fault zone with quartz stringer | July 29,2004 | 30 |
| 14420 | Grab sample from strong silicified dark grey argillite, foliation 30°(dip direction)/75° | July 29,2004 | <5 |
| 14421 | Grab sample from strong silicified dark grey argillite with a foliation of 55°(dip direction)/40° | July 29,2004 | 5 |
| 14422 | Grab sample from strong silicified dark grey argillite with py cubes | July 29,2004 | 10 |
| 14423 | Grab sample from a 1.5-3cm wide light brown quartz vein cutting across dark grey argillite with pyrite | July 29,2004 | 85 |
| 14424 | Grab sample from light brown quartz vein cutting across dark grey silicified argillite | July 29,2004 | 815 |
| 14425 | Grab sample from dark grey silicified argillite with a foliation of 47° (dip direction)/68° | July 29,2004 | 15 |
| 14426 | Grab sample from a 3'-4' wide light brown quartz veins cutting across silicified dark grey argillite | July 29,2004 | <5 |
| 14427 | Grab sample from silicified dark grey argillite, foliation 35° (dip direction)/25° | July 29,2004 | <5 |
| 14428 | Grab sample from light brown quartz vein, 0.6'-0.7' wide, no sulphide, no carbonate | July 29,2004 | 55 |
| 14429 | Grab sample from a 0.2'-0.4' wide quartz vein with coarse-grained pyrite cubes in dark grey argillite | July 29,2004 | 55 |
| 14430 | Grab sample from dark grey/black silicified argillite with medium-grained pyrite crystals | July 29,2004 | 60 |
| 14431 | Grab sample from green grey silicified sericite phyllite with pyrite cubes | July 29,2004 | <6 |

2004 LOWHEE CREEK RECONNAISSANCE

| TAG SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | LOCAL GRID E | LOCAL GRID N |
|--------------|------------|-------------|---------|----------|--------------|--------------|
| 164201 | Lowhee Crk | Rock | 597003 | 5881253 | 18960.02 | 1765.19 |
| 164202 | Lowhee Crk | Rock | 597003 | 5881253 | 18960.02 | 1765.19 |
| 164203 | Lowhee Crk | Rock (Qv) | 597011 | 5881250 | 18986.13 | 1775.40 |
| 164204 | Lowhee Crk | Rock | 596955 | 5881304 | 18731.06 | 1784.54 |
| 164205 | Lowhee Crk | Rock (Qv) | 596860 | 5881406 | 18275.58 | 1825.43 |
| 164206 | Lowhee Crk | Rock | 596914 | 5881425 | 18306.64 | 2056.08 |
| 164207 | Lowhee Crk | Rock | 596912 | 5881448 | 18310.52 | 2041.93 |
| 164208 | Lowhee Crk | Rock (Qv) | 596863 | 5881443 | 18201.83 | 1922.34 |
| 164209 | Lowhee Crk | Rock | 596864 | 5881453 | 18182.36 | 1948.95 |
| 164210 | Lowhee Crk | Rock (Qv) | 596847 | 5881444 | 18160.57 | 1889.73 |
| 164211 | Lowhee Crk | Rock | 596833 | 5881421 | 18176.79 | 1802.89 |
| 164212 | Lowhee Crk | Rock | 596788 | 5881525 | 17839.02 | 1958.22 |
| 164213 | Lowhee Crk | Rock | 596831 | 5881392 | 18235.45 | 1727.69 |
| 164214 | Lowhee Crk | Rock | 596763 | 5881387 | 18080.37 | 1566.48 |
| 164215 | Lowhee Crk | Rock | 596771 | 5881397 | 18077.99 | 1608.43 |
| 164216 | Lowhee Crk | Rock | 596726 | 5881542 | 17650.38 | 1863.87 |
| 164217 | Lowhee Crk | Rock | 596711 | 5881528 | 17644.43 | 1796.82 |
| 164218 | Lowhee Crk | Rock (Qv) | 596696 | 5881558 | 17542.06 | 1837.02 |
| 164219 | Lowhee Crk | Rock | 596696 | 5881558 | 17542.06 | 1837.02 |
| 164220 | Lowhee Crk | Rock (Qv) | 596714 | 5881595 | 17504.94 | 1966.90 |
| 164221 | Lowhee Crk | Rock (Qv) | 596701 | 5881608 | 17444.71 | 1970.24 |
| 164222 | Lowhee Crk | Rock | 596684 | 5881655 | 17300.21 | 2047.75 |

2004 LOWHEE CREEK RECONNAISSANCE

| TAG SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | LOCAL GRID E | LOCAL GRID N |
|--------------|------------|-------------|-----------|-----------|--------------|--------------|
| 164223 | Lowhee Crk | Rock | 596684 | 5881655 | 17300.21 | 2047.75 |
| 164224 | Lowhee Crk | Rock | 596648 | 5881665 | 17190.39 | 1993.28 |
| 164225 | Lowhee Crk | Rock (Qv) | 596743 | 5881508 | 17766.39 | 1818.10 |
| 164226 | Lowhee Crk | Rock (Qv) | 596712 | 5881692 | 17287.50 | 2199.45 |
| 164227 | Lowhee Crk | Rock | 596712 | 5881692 | 17287.50 | 2199.45 |
| 164228 | Lowhee Crk | Rock | 596630 | 5881745 | 16971.14 | 2149.18 |
| 164229 | Lowhee Crk | Rock | 596619 | 5881810 | 16801.84 | 2283.79 |
| 164230 | Lowhee Crk | Rock | No signal | No signal | | |
| 164231 | Lowhee Crk | Rock | No signal | No signal | | |
| 164232 | Lowhee Crk | Rock & Qv | 596633 | 5881819 | 16816.31 | 2336.44 |
| 164233 | Lowhee Crk | Rock | 596599 | 5881868 | 16625.91 | 2381.58 |
| 164234 | Lowhee Crk | Rock | 596598 | 5881877 | 16603.75 | 2401.37 |
| 164235 | Lowhee Crk | Rock | 596598 | 5881877 | 16603.75 | 2401.37 |
| 164236 | Lowhee Crk | Rock | 596559 | 5881916 | 16423.06 | 2411.14 |
| 164237 | Lowhee Crk | Rock (Qv) | 596540 | 5881958 | 16284.63 | 2472.06 |
| 164238 | Lowhee Crk | Rock | 596604 | 5881954 | 16449.67 | 2602.53 |
| 164239 | Lowhee Crk | Rock | 596622 | 5881902 | 16607.57 | 2515.00 |
| 164240 | Lowhee Crk | Rock & Qv | 596621 | 5881984 | 16425.44 | 2713.03 |
| 164241 | Lowhee Crk | Rock | 596626 | 5882011 | 16378.49 | 2789.92 |
| 164242 | Lowhee Crk | Rock | 596621 | 5882023 | 16339.98 | 2808.26 |
| 164243 | Lowhee Crk | Rock | 596608 | 5882039 | 16273.18 | 2818.84 |
| 164244 | Lowhee Crk | Rock | 596574 | 5882059 | 16146.33 | 2793.18 |

2004 LOWHEE CREEK RECONNAISSANCE

| TAG SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | LOCAL GRID E | LOCAL GRID N |
|--------------|------------|-------------|-----------|-----------|--------------|--------------|
| 164301 | Lowhee Crk | Rock (Qv) | 596550 | 5882046 | 16116.22 | 2708.84 |
| 164302 | Lowhee Crk | Rock | No signal | No signal | | |
| 164303 | Lowhee Crk | Rock (Qv) | 596449 | 5882263 | 15394.09 | 3017.38 |
| 164304 | Lowhee Crk | Rock | 596449 | 5882263 | 15394.09 | 3017.38 |
| 164305 | Lowhee Crk | Rock & Qv | 596449 | 5882263 | 15394.09 | 3017.38 |
| 164306 | Lowhee Crk | Rock | 596449 | 5882263 | 15394.09 | 3017.38 |
| 164307 | Lowhee Crk | Rock | 596444 | 5882281 | 15342.44 | 3050.37 |
| 164308 | Lowhee Crk | Rock | 596433 | 5882309 | 15254.22 | 3094.64 |
| 164309 | Lowhee Crk | Rock | 596572 | 5882081 | 16093.24 | 2842.51 |
| 164310 | Lowhee Crk | Rock | 596565 | 5882078 | 16082.72 | 2819.85 |
| 164311 | Lowhee Crk | Rock | 596560 | 5882087 | 16050.79 | 2830.87 |
| 164312 | Lowhee Crk | Rock | 596532 | 5882104 | 15945.17 | 2811.02 |
| 164313 | Lowhee Crk | Rock | 596493 | 5882146 | 15757.91 | 2828.11 |
| 164314 | Lowhee Crk | Rock (Qv) | 596493 | 5882146 | 15757.91 | 2828.11 |
| 164315 | Lowhee Crk | Rock | 596490 | 5882182 | 15671.70 | 2909.44 |
| 164316 | Lowhee Crk | Rock & Qv | 596498 | 5882205 | 15640.83 | 2983.13 |
| 164317 | Lowhee Crk | Rock & Qv | 596527 | 5882219 | 15680.96 | 3080.86 |
| 164318 | Lowhee Crk | Rock | 596491 | 5882272 | 15476.92 | 3131.39 |
| 164319 | Lowhee Crk | Rock (Qv) | 596491 | 5882272 | 15476.92 | 3131.39 |

| 2004 LOWHEE CREEK RECONNAISSANCE | | | | | | |
|----------------------------------|------------|-------------|-----------|-----------|--------------|--------------|
| TAG SAMPLE # | PROJECT | SAMPLE TYPE | EASTING | NORTHING | LOCAL GRID E | LOCAL GRID N |
| 163651 | Lowhee Crk | Rock | 596442 | 5882274 | 15352.90 | 3028.90 |
| 163652 | Lowhee Crk | Rock | 596434 | 5882301 | 15274.20 | 3077.30 |
| 163653 | Lowhee Crk | Rock (Qv) | 596434 | 5882301 | 15274.20 | 3077.30 |
| 163654 | Lowhee Crk | Rock | 596441 | 5882342 | 15201.45 | 3192.75 |
| 163655 | Lowhee Crk | Rock (Qv) | 596428 | 5882333 | 15189.42 | 3142.28 |
| 163656 | Lowhee Crk | Rock | No signal | No signal | | |
| 163657 | Lowhee Crk | Rock | 596486 | 5882288 | 15429.65 | 3159.50 |
| 163658 | Lowhee Crk | Rock | 596463 | 5882336 | 15268.31 | 3226.30 |
| 163659 | Lowhee Crk | Rock (Qv) | 596424 | 5882356 | 15129.26 | 3189.68 |
| 163660 | Lowhee Crk | Rock & Qv | No signal | No signal | | |
| 163661 | Lowhee Crk | Rock (Qv) | 596407 | 5882413 | 14962.84 | 3291.61 |
| 163662 | Lowhee Crk | Rock (Qv) | 596407 | 5882413 | 14962.84 | 3291.61 |
| 163663 | Lowhee Crk | Rock | 596402 | 5882475 | 14814.78 | 3432.04 |
| 163664 | Lowhee Crk | Rock | 596397 | 5882569 | 14596.59 | 3650.61 |
| 163665 | Lowhee Crk | Rock | 596403 | 5882665 | 14400.87 | 3898.16 |
| 163666 | Lowhee Crk | Rock (Qv) | 596393 | 5882674 | 14365.73 | 3898.22 |

| TAG SAMPLE # | 2004 LOWHEE CREEK RECONNAISSANCE | | |
|--------------|--|----------------|-------------------|
| | DESCRIPTION | DATE COLLECTED | RESULTS(g/t) |
| 164201 | Grab sample, light brown sericite phyllite with strong carbonate alternation, from footwall of a fault nearby | 18-Aug-04 | <0.03 |
| 164202 | Grab sample, light brown sericite phyllite with strong carbonate alternation, about 1.5m away from sample 164201 | 18-Aug-04 | <0.03 |
| 164203 | Grab sample, from a small white quartz vein along foliation of light brown carbonate altered phyllite, elevation 4773' (1454m) | 18-Aug-04 | <0.03 |
| 164204 | Grab sample from a pile of light brown / orange silicified argillite with pyrite crystals, elevation 4744' (1445m) | 18-Aug-04 | <0.03 |
| 164205 | Grab sample from a small white quartz vein along foliation of brown phyllite, elevation 4699.7' (1432m) | 18-Aug-04 | <0.03 |
| 164206 | Grab sample from strongly foliated quartzite or silicified dark grey argillite, brown/orange, no pyrite, no carbonation alternation | 18-Aug-04 | <0.03 |
| 164207 | Grab sample from thinly bedded grey phyllite, no pyrite, no carbonate, elevation 4686' (1427.74m) | 18-Aug-04 | <0.03 |
| 164208 | Grab sample from light brown quartz vein, 1.2'-2.0' wide, no pyrite, minor muscovite, elevation 4730' (1441.15m) | 18-Aug-04 | <0.03 |
| 164209 | Grab sample from the host rock of quartz vein 164208, light brown argillite, elevation 4712' (1435.67) | 18-Aug-04 | <0.03 |
| 164210 | Grab sample from black Bull quartz vein, 3.5-4m wide, about 40m long, 1% pyrite, vuggy, no carbonate, 81°(dip direction)/50° | 18-Aug-04 | 2.92/2.63(repeat) |
| 164211 | Grab sample from strongly silicified argillite with pyrite weathered out, host rock of Qv 164210, elevation 4715' (1436.58m) | 18-Aug-04 | 0.10/0.15(repeat) |
| 164212 | Grab sample from strongly silicified argillite with quartz stringers well developed along foliation, elevation 4683' (1426.95m) | 18-Aug-04 | <0.03 |
| 164213 | Grab sample from strongly silicified argillite with coarse-grained pyrite weathered out, elevation 4086.3' (1427.84m) | 18-Aug-04 | <0.03 |
| 164214 | Grab sample from a big conglomerate composing of angular, unsorted rock fragments, brown, elevation 4691' (1429m) | 18-Aug-04 | 0.04 |
| 164215 | Grab sample from dark grey silicified argillite, no pyrite, no carbonate alternation, hard and dense, foliation 82° (dip direction)/75° | 18-Aug-04 | <0.03 |
| 164216 | Grab sample from brown quartzite or strongly silicified argillite, very weak carbonate alteration, thickly bedded | 19-Aug-04 | <0.03 |
| 164217 | Grab sample from brown silicified argillite, no pyrite, no carbonate alternation, foliation 53° (dip direction)/63° | 19-Aug-04 | <0.03 |
| 164218 | Grab sample from light brown quartz vein without any pyrite, orientation of the vein 56° (dip direction)/30° | 19-Aug-04 | <0.03 |
| 164219 | Grab sample from host rock of the quartz vein 164218, foliation 56°(dip direction)/71°, light brown argillite, elevation 4703.8' (1433m) | 19-Aug-04 | <0.03 |
| 164220 | Grab sample from dark grey silicified argillite, quartz stringers well-developed along foliation of the rock, foliation 43°(dip direction)/75° | 19-Aug-04 | <0.03 |
| 164221 | Grab sample from dark grey silicified argillite, quartz stringers well-developed along foliation of the rock, foliation 52°(dip direction)/48° | 19-Aug-04 | <0.03 |
| 164222 | Grab sample from grey thinly bedded red phyllite as interbeds of the orange colored phyllite | 19-Aug-04 | <0.03 |

2004 LOWHEE CREEK RECONNAISSANCE

| TAG SAMPLE # | 2004 LOWHEE CREEK RECONNAISSANCE | | |
|--------------|--|----------------|--------------|
| | DESCRIPTION | DATE COLLECTED | RESULTS(g/t) |
| 164223 | Grab sample from very thinly bedded orange phyllite with a foliation of 31° (dip direction)/46° | 19-Aug-04 | <0.03 |
| 164224 | Grab sample from thinly bedded orange phyllite, no pyrite, no carbonate, elevation 4705' (1433.53mm), quartz veinlets along foliation | 19-Aug-04 | <0.03 |
| 164225 | Grab sample from thinly bedded orange argillite, silicified, small quartz veins develop along foliation, no pyrite, no carbonate | 21-Aug-04 | <0.03 |
| 164226 | Grab sample from light brown quartz vein, no carbonate, no pyrite, elevation 1436.1m) | 21-Aug-04 | <0.03 |
| 164227 | Grab sample from thinly bedded orange argillite, silicified, small quartz veins develop along foliation, no pyrite, no carbonate | 21-Aug-04 | <0.03 |
| 164228 | Grab sample from a big conglomerate of angular breccias of different types of rocks, elevation 1455.4m | 21-Aug-04 | <0.03 |
| 164229 | Grab sample from a fault zone composing of brown argillite and some other rocks | 21-Aug-04 | <0.03 |
| 164230 | Grab sample from strongly silicified dark grey argillite | 21-Aug-04 | <0.03 |
| 164231 | Grab sample from strongly silicified dark grey argillite, no carbonate, no pyrite, so GPS signal, foliation 210° (dip direction)/20° | 21-Aug-04 | <0.03 |
| 164232 | Grab sample from thinly bedded light brown argillite with quart veins/veinlets along foliation, foliation 36° (dip direction)/19° | 21-Aug-04 | <0.03 |
| 164233 | On the left of the creek, grab sample from strongly carbonate altered argillite, orange, elevation 1395m | 21-Aug-04 | <0.03 |
| 164234 | Grab sample from very strongly carbonate altered argillite, red or light brown, elevation 1387.7m | 21-Aug-04 | <0.03 |
| 164235 | Grab sample from light brown argillite with carbonate alteration, foliation 32° (dip direction)/34° | 21-Aug-04 | <0.03 |
| 164236 | Beside the creek, Grab sample from light brown argillite, very weak carbonate alteration, foliation 8°(dip direction)/42°, elevation 1402.2m | 21-Aug-04 | <0.03 |
| 164237 | Grab sample from a 1.5-2m wide quartz vein, white, minor muscovite, no sulphide, orientation 344°(dip direction)/63°, elevation 1428m | 21-Aug-04 | <0.03 |
| 164238 | Grab sample from light brown argillite with 1-2% pyrite crystals, no carbonate, foliation of the rock 10°(dip direction)/40° | 21-Aug-04 | <0.03 |
| 164239 | Grab sample from thinly bedded dark grey argillite, minor pyrite crystals, foliation 36°(dip direction)/14°, elevation 1415.7(11)m | 21-Aug-04 | <0.03 |
| 164240 | Grab sample from light brown argillite with quartz veinlets, thinly bedded, foliation 30°(dip direction)/50°, elevation 1423(20)m | 21-Aug-04 | <0.03 |
| 164241 | Grab sample from light brown or grey green argillite, 10-15% fuchsite, strong carbonate alteration, elevation 1432(14)m | 21-Aug-04 | <0.03 |
| 164242 | Grab sample from orange fuchsite argillite, strong carbonate alteration, thickly bedded, foliation 20°(dip direction)/24° | 21-Aug-04 | <0.03 |
| 164243 | Grab sample from orange fuchsite argillite, strong carbonate alteration, thickly bedded, foliation 14°(dip direction)/10° | 21-Aug-04 | <0.03 |
| 164244 | Grab sample from black hard strong silicified layer, like basalt dyke, 1.5' wide, elevation 1405(10)m | 21-Aug-04 | <0.03 |

2004 LOWHEE CREEK RECONNAISSANCE

| TAG SAMPLE # | 2004 LOWHEE CREEK RECONNAISSANCE | | |
|--------------|--|----------------|--------------|
| | DESCRIPTION | DATE COLLECTED | RESULTS(g/t) |
| 164301 | Grab sample from a quartz vein along foliation, 3.5-4.0 cm wide, no carbonate, no sulphide, host rock is dark grey argillite | 23-Aug-04 | <0.03 |
| 164302 | Grab sample from the same outcrop as sample 164301, silicified argillite, no sulphide, no carbonate, foliation 43°(dip direction)/22° | 23-Aug-04 | <0.03 |
| 164303 | Grab sample from a white quartz vein, 0.35'-0.60' wide, about 2% coarse-grained pyrite crystals, orientation 178°(dip direction)/87° | 23-Aug-04 | <0.03 |
| 164304 | Grab sample from light brown or orange fuchsite (about 1%) silicified argillite with local carbonate alteration | 23-Aug-04 | <0.03 |
| 164305 | Grab sample from a fault gouge, a grey green powder with some lenses-shaped vein quartz | 23-Aug-04 | <0.03 |
| 164306 | Grab sample from dark grey silicified argillite, foliation 108°/72° | 23-Aug-04 | <0.03 |
| 164307 | Grab sample from silicified fuchsite argillite with carbonate alteration, foliation 29°(dip direction)/52°, elevation 1395.2(15)m | 23-Aug-04 | <0.03 |
| 164308 | Grab sample from orange silicified argillite without carbonate and pyrite alternation, foliation 22°(dip direction)/44°, elevation 1380(23)m | 23-Aug-04 | <0.03 |
| 164309 | Brown silicified argillite, medium bedded, no pyrite, no carbonate, foliation 28° (dip direction)/28°, elevation 1431(11)m | 24-Aug-04 | <0.03 |
| 164310 | Grab sample from orange fuchsite argillite with strong carbonate alteration, foliation 16°(dip direction)/15°, elevation 1420.1m | 24-Aug-04 | 0.05 |
| 164311 | Grab sample from brown (weathered) or dark grey (fresh) strongly silicified argillite, local strong carbonate alteration, no sulphide | 24-Aug-04 | <0.03 |
| 164312 | Grab sample from medium to thick bedded silicified argillite, no sulphide and no carbonate alteration, elevation 1458m | 24-Aug-04 | 0.03 |
| 164313 | Grab sample light brown strong silicified argillite with strong carbonate alteration, foliation 350°(dip direction)/34°, elevation 1397(14)m | 24-Aug-04 | <0.03 |
| 164314 | About 7m apart from 164311, grab sample from quartz vein along foliation of the rock, 0.5' wide, light brown, some Fe-carbonate occurs | 24-Aug-04 | <0.03 |
| 164315 | Grab sample from orange fuchsite argillite with very strong carbonate alteration, foliation 13°(dip direction)/64°, elevation 1401(19)m | 24-Aug-04 | <0.03 |
| 164316 | Grab sample from dark grey argillite with well-developed quartz veinlets along foliation and coarse-grained pyrite (weathered out) | 24-Aug-04 | <0.03 |
| 164317 | Grab sample from brown strongly silicified argillite with medium-grained pyrite crystals (most weathered out), small barren Qv along foliation | 24-Aug-04 | 0.05 |
| 164318 | Grab sample from strong silicified argillite with medium-grained pyrite crystals (many of which weathered out), local carbonate alteration | 24-Aug-04 | 0.03 |
| 164319 | Grab sample from 1.2m wide barren light brown quartz vein cutting across the argillite, orientation 36°(dip direction)/60°, elevation 1410(5)m | 24-Aug-04 | <0.03 |

| TAG SAMPLE # | 2004 LOWHEE CREEK RECONNAISSANCE | | |
|--------------|--|----------------|--------------|
| | DESCRIPTION | DATE COLLECTED | RESULTS(g/t) |
| 163651 | Grab sample from strongly silicified black argillite with well-developed quartz veinlets along foliation 18°(dip direction)/46° | 06-Sep-04 | 0.14 |
| 163652 | Grab sample from orange Fe-carbonate porphyroblastic (about 20%) phyllite, size of the porphyroblasts is about 1.5-2.0mm in diameter | 06-Sep-04 | 0.21 |
| 163653 | Grab sample from Qvs cutting across porphyroblastic phyllite, orientation of major Qv 177°(dip direction)/72° and 46°(dip direction)/48° | 06-Sep-04 | <0.03 |
| 163654 | Grab sample from a possible fault zone consisting of black graphitic argillite, orientation of foliation 47°(dip direction)/52°, elevation 1365.44m | 06-Sep-04 | 0.21 |
| 163655 | Grab sample from light brown Qv, orientation 122°(dip direction)/82°, cutting across Fe-carbonate porphyroblastic phyllite with a foliation of 35°(dip direction)/56° | 06-Sep-04 | 0.43 |
| 163656 | Grab sample from silicified dark grey argillite, the site is on the opposite side of sample 163655 across the creek, foliation 28°(dip direction)/52° | 06-Sep-04 | <0.03 |
| 163657 | Grab sample from orange Fe-carbonate porphyroblastic phyllite, no pyrite in the rock, foliation 18°(dip direction)/44° | 06-Sep-04 | <0.03 |
| 163658 | Grab sample from silicified dark grey argillite with about 1% coarse-grained pyrite cubes weathered out, no any carbonate, foliation 25°(dip direction)/53° | 06-Sep-04 | <0.03 |
| 163659 | Grab sample from a big Qv with about 20-25% massive pyrite in vugs of the vein, 2.0'-2.4' wide, rusty or light brown, orientation 230°(dip direction)/80°, elevation 1392m | 06-Sep-04 | 3.63 |
| 163660 | On the right of the creek, grab sample from the dark grey (fresh rock) argillite with light brown rusty and vuggy Qvs, some coarse-grained pyrite crystals in the fresh rock | 07-Sep-04 | 0.20 |
| 163661 | Grab sample from a big Qv with massive pyrite locally, rusty, vuggy, 4.5'-5.0' wide, orientation 38°(dip direction)/18°, elevation 1417.25m | 07-Sep-04 | 0.08 |
| 163662 | Grab sample from a small Qv just about one meter below 163661, 0.2'-0.3' wide, with about 10% pyrite and 7% graphite in the vein, orientation 20°(dip direction)/60° | 07-Sep-04 | 0.73 |
| 163663 | Grab sample from orange fuchsite (1-3%) and carbonate altered phyllite, carbonate veinlets cutting across foliation locally, foliation 41°(dip direction)/60°, elevation 1370m | 07-Sep-04 | 0.05 |
| 163664 | Grab sample from orange carbonate phyllite within a possible fault zone, small carbonate veinlets along foliation 24°(dip direction)/88°, on the left bank of the creek | 07-Sep-04 | <0.03 |
| 163665 | Grab sample from orange carbonate phyllite, foliation 34° (dip direction)/32°, on the right bank of the Lowhee Creek, elevation 1389.52m | 07-Sep-04 | 0.03 |
| 163666 | Grab sample from a rusty quartz vein without any pyrite, orientation 224°(dip direction)/10°, host foliation 41°(dip direction)/34°, elevation 1389.82m | 07-Sep-04 | <0.03 |

Sugar?

CERTIFICATE OF ASSAY AK 2004-565

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

05-Jul-04

ATTENTION: JEAN PAUTLER

No. of samples received: 18
Sample type: Rock
Project #: I.W.A

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Ag (g/t) | Ag (oz/t) |
|-------|--------|-------------|--------------|-------------|--------------|
| 1 | 163201 | 11.7 | 0.341 | | |
| 2 | 163202 | 32.5 | 0.948 | | |
| 5 | 163208 | 1.12 | 0.033 | | |
| 6 | 163209 | 13.5 | 0.394 | | |
| 13 | 163236 | 15.6 | 0.455 | | |
| 14 | 163237 | 9.89 | 0.288 | | |
| 15 | 163238 | 18.1 | 0.528 | | |
| 16 | 163212 | 0.90 | 0.026 | 31.5 | 0.92 |
| 17 | 163217 | 1.08 | 0.031 | | |

QC DATA:

Standard:
OX123 1.87 0.055

ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

JJ/jm
XLS/04

07-JI

TECH LABORATORY LTD.
41 Dallas Drive
ALLOPS, B.C.
ST4

ICP CERTIFICATE OF ANALYSIS AK 2004-585

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

no: 250-573-5700
: 250-573-4557

Attention: Jean Pautier

No. of samples received: 18
Sample type: Rock
Project #: I.W.A

res in ppm unless otherwise reported

| Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|--------|---------|------|------|--------|-----|-----|-------|----|----|-----|-----|------|-----|------|------|----|-------|-----|------|------|----|-----|-----|-------|-----|----|-----|----|-----|
| 163201 | >1000 | 1.8 | 0.14 | >10000 | 15 | 40 | 0.87 | <1 | 49 | 115 | 17 | >10 | 40 | 0.48 | 5510 | <1 | <0.01 | 19 | 340 | <2 | 15 | <20 | 188 | 0.01 | <10 | 6 | <10 | 13 | 41 |
| 163202 | >1000 | 5.4 | 0.05 | 5550 | <5 | 35 | 0.88 | <1 | 31 | 105 | 8 | >10 | 20 | 0.53 | 3880 | <1 | <0.01 | 30 | 240 | <2 | <5 | <20 | 7 | <0.01 | <10 | 2 | <10 | 8 | 20 |
| 163203 | 180 | 0.2 | 0.22 | 255 | 95 | <5 | 0.07 | <1 | 17 | 110 | 28 | 5.18 | 10 | 0.08 | 1680 | 8 | <0.01 | 61 | 660 | 4 | <5 | <20 | 7 | <0.01 | <10 | 5 | <10 | 7 | 58 |
| 163207 | 30 | 2.0 | 0.10 | 55 | <5 | <5 | <0.01 | <1 | 36 | 94 | 70 | >10 | 10 | 0.18 | <1 | <1 | <0.01 | 30 | 120 | 1684 | 30 | <20 | 3 | <0.01 | <10 | 2 | <10 | 4 | 10 |
| 163208 | >1000 | <0.2 | 0.18 | 170 | 50 | <5 | 1.58 | <1 | 25 | 94 | 20 | 4.88 | <10 | 0.79 | 1508 | <1 | <0.01 | 41 | 610 | 24 | <5 | <20 | 39 | <0.01 | <10 | 5 | <10 | 5 | 50 |
| 163209 | >1000 | 1.2 | 0.05 | 1085 | <5 | <5 | 0.77 | <1 | 59 | 112 | 8 | >10 | 10 | 0.41 | 278 | <1 | <0.01 | 88 | 170 | 10 | <5 | <20 | 14 | <0.01 | <10 | 2 | <10 | 4 | 11 |
| 163210 | 50 | <0.2 | 0.51 | 35 | 170 | <5 | 0.04 | <1 | 16 | 111 | 277 | >10 | 20 | 0.21 | 460 | 25 | <0.01 | 140 | 1010 | <2 | <5 | <20 | 8 | <0.01 | <10 | 34 | 10 | 9 | 582 |
| 163211 | 25 | 0.2 | 0.10 | 240 | 40 | <5 | >10 | <1 | 37 | 118 | 28 | 9.25 | 20 | 1.88 | 3010 | <1 | 0.01 | 138 | 500 | 16 | <5 | <20 | 73 | <0.01 | <10 | 12 | <10 | 8 | 74 |
| 163223 | 15 | 0.2 | 0.18 | <5 | 30 | <5 | 0.03 | <1 | 3 | 75 | 15 | 1.72 | 10 | 0.03 | 52 | 6 | 0.01 | 12 | 230 | 12 | <5 | <20 | 5 | <0.01 | <10 | 3 | <10 | 2 | 34 |
| 163224 | 90 | 0.5 | 0.15 | 65 | 25 | <5 | 0.02 | <1 | 5 | 98 | 12 | 4.17 | 10 | 0.05 | 91 | 5 | <0.01 | 11 | 300 | 6 | 10 | <20 | 2 | <0.01 | <10 | 3 | <10 | 2 | 30 |
| 163225 | 15 | 0.3 | 0.21 | 185 | 55 | <5 | 0.03 | <1 | 8 | 84 | 18 | 7.53 | 10 | 0.09 | 212 | 7 | 0.01 | 22 | 1480 | 28 | 15 | <20 | 10 | <0.01 | <10 | 9 | <10 | 3 | 68 |
| 163230 | 10 | 0.9 | 1.18 | 10 | 45 | 5 | 0.07 | <1 | 10 | 88 | 37 | 5.29 | <10 | 0.87 | 19 | 4 | 0.02 | 17 | 1480 | 28 | 10 | <20 | 208 | <0.01 | <10 | 35 | <10 | 3 | 76 |
| 163236 | >1000 | 2.5 | 0.20 | 1385 | 90 | 35 | 1.18 | <1 | 46 | 85 | 61 | >10 | 20 | 0.32 | 4368 | <1 | 0.01 | 24 | 1070 | 14 | <5 | <20 | 28 | <0.01 | <10 | 14 | <10 | 16 | 44 |
| 163237 | >1000 | 1.3 | 0.20 | 600 | 35 | 20 | 5.44 | <1 | 38 | 78 | 87 | >10 | 10 | 1.54 | 3795 | <1 | <0.01 | 32 | 1240 | 10 | <5 | <20 | 57 | <0.01 | <10 | 12 | <10 | 11 | 29 |
| 163238 | >1000 | 3.3 | 0.10 | 1890 | <5 | 45 | 6.25 | <1 | 52 | 89 | 12 | >10 | 30 | 2.28 | 6081 | <1 | <0.01 | 50 | 780 | 20 | <5 | <20 | 59 | 0.01 | <10 | 10 | <10 | 14 | 31 |
| 163212 | 895 | >30 | 0.08 | 60 | <5 | 340 | 0.03 | <1 | 5 | 128 | 92 | 1.28 | <10 | 0.02 | 124 | 27 | <0.01 | 11 | 150 | 2428 | 15 | <20 | <1 | <0.01 | <10 | 2 | <10 | <1 | 24 |
| 163217 | 880 | 0.2 | 0.25 | 340 | 115 | <5 | 0.11 | <1 | 35 | 158 | 44 | >10 | 10 | 0.18 | 2009 | 11 | <0.01 | 110 | 2570 | 8 | <5 | <20 | 29 | <0.01 | <10 | 22 | <10 | 11 | 165 |
| 163221 | 30 | 0.2 | 0.32 | 50 | 110 | <5 | 0.26 | <1 | 77 | 133 | 106 | 9.58 | 20 | 0.18 | 3114 | 5 | 0.01 | 233 | 1830 | 8 | <5 | <20 | 18 | <0.01 | <10 | 32 | 10 | 15 | 209 |

DATA:

wt:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|-------|-----|------|--------|----|----|------|----|----|-----|----|------|----|------|------|----|-------|----|-----|----|----|-----|-----|-------|-----|---|-----|----|----|
| 163201 | >1000 | 1.9 | 0.13 | >10000 | 10 | 40 | 0.84 | <1 | 48 | 112 | 16 | >10 | 40 | 0.48 | 5350 | <1 | <0.01 | 17 | 340 | <2 | 5 | <20 | 188 | 0.01 | <10 | 6 | <10 | 14 | 40 |
| 163224 | 108 | 0.5 | 0.18 | 30 | 25 | <5 | 0.02 | <1 | 5 | 108 | 13 | 4.48 | 10 | 0.08 | 103 | 6 | 0.01 | 13 | 330 | 8 | 10 | <20 | 3 | <0.01 | <10 | 4 | <10 | 2 | 31 |

wt:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 163201 | >1000 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
|--------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

hard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| '04 | 135 | 1.4 | 1.56 | 65 | 155 | <5 | 1.74 | <1 | 20 | 61 | 89 | 3.65 | <10 | 0.93 | 659 | <1 | 0.02 | 32 | 730 | 20 | <5 | <20 | 45 | 0.07 | <10 | 66 | <10 | 9 | 75 |
|-----|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|

CERTIFICATE OF ASSAY AK 2004-708

INTERNATIONAL WAYSIDE GOLD MINES LTD.

20-Jul-04

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

ATTENTION: JEAN PAUTLER

No. of samples received: 7

Sample type: Rock

Project #: IWA Rg

Samples Submitted by: Jean Pautler

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|-------|--------|-------------|--------------|-----------|
| 7 | 163189 | 2.36 | 0.069 | 1.24 |

QC DATA:

Standard:

OX123

Cu106

1.87

0.055

1.43

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

JJ/jm
XLS/04

22-Jul-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-708

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

Attention: Jean Pautler

No. of samples received: 7

Sample type: Rock

Project #: IWA Rg

Samples submitted by: Jean Pautler

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|---------|------|------|-----|-----|----|-------|----|-----|-----|--------|------|-----|------|------|----|-------|----|------|-----|----|-----|-----|-------|-----|-----|-----|----|-----|
| 1 | 163164 | 160 | <0.2 | 0.36 | <5 | 115 | <5 | 1.03 | <1 | 13 | 77 | 31 | 3.86 | 20 | 0.50 | 834 | 5 | 0.02 | 3 | 1390 | <2 | <5 | 20 | 49 | 0.07 | <10 | 7 | <10 | 11 | 50 |
| 2 | 163165 | 30 | <0.2 | 0.08 | 15 | 20 | <5 | 0.11 | <1 | 2 | 133 | 6 | 0.60 | <10 | 0.05 | 84 | 15 | <0.01 | <1 | 20 | <2 | <5 | <20 | <1 | <0.01 | <10 | 2 | <10 | <1 | 9 |
| 3 | 163166 | 15 | 0.2 | 0.62 | <5 | 90 | <5 | 2.25 | <1 | 25 | 39 | 81 | 4.53 | 10 | 0.55 | 716 | 4 | 0.05 | 7 | 2260 | 6 | <5 | 20 | 110 | 0.08 | <10 | 25 | <10 | 15 | 74 |
| 4 | 163169 | 40 | 0.6 | 0.28 | 595 | 140 | <5 | <0.01 | <1 | 6 | 149 | 158 | 9.29 | <10 | 0.15 | <1 | 53 | <0.01 | 8 | 1540 | 992 | 10 | 100 | 3 | 0.15 | <10 | 107 | <10 | 3 | 62 |
| 5 | 163174 | 15 | <0.2 | 0.37 | 30 | 15 | <5 | 0.16 | <1 | 116 | 85 | 137 | 5.58 | <10 | 0.25 | <1 | 42 | <0.01 | 25 | 250 | 10 | <5 | 60 | <1 | 0.19 | <10 | 23 | <10 | 4 | 6 |
| 6 | 163186 | 15 | <0.2 | 0.35 | 10 | 20 | <5 | 0.01 | <1 | 20 | 46 | 11 | 5.14 | 10 | 0.14 | 211 | 3 | 0.03 | 32 | 300 | <2 | <5 | 60 | 4 | 0.08 | <10 | 2 | <10 | 2 | 45 |
| 7 | 163189 | >1000 | 11.0 | 0.31 | <5 | 15 | <5 | 0.78 | 3 | 25 | 88 | >10000 | 4.65 | <10 | 0.21 | 1082 | 14 | 0.02 | 8 | 820 | 8 | <5 | 40 | <1 | 0.31 | <10 | 15 | <10 | 3 | 164 |

QC DATA:**Resplit:**

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|-----|------|------|----|-----|----|------|----|----|----|----|------|----|------|-----|---|------|---|------|----|----|----|----|------|-----|---|-----|----|----|
| 1 | 163164 | 170 | <0.2 | 0.42 | <5 | 140 | <5 | 1.17 | <1 | 14 | 84 | 41 | 4.31 | 20 | 0.57 | 909 | 5 | 0.03 | 2 | 1530 | <2 | <5 | 40 | 59 | 0.08 | <10 | 8 | <10 | 12 | 55 |
|---|--------|-----|------|------|----|-----|----|------|----|----|----|----|------|----|------|-----|---|------|---|------|----|----|----|----|------|-----|---|-----|----|----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|----|----|------|-----|----|-----|---|----|
| GEO '04 | 140 | 1.4 | 1.55 | 50 | 120 | <5 | 1.44 | <1 | 19 | 56 | 78 | 3.60 | <10 | 0.91 | 554 | <1 | 0.03 | 29 | 600 | 20 | <5 | 20 | 38 | 0.15 | <10 | 66 | <10 | 5 | 64 |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|----|----|------|-----|----|-----|---|----|

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

JJ/kk
dl/708
XLS/04

CERTIFICATE OF ASSAY AK 2004-711

INTERNATIONAL WAYSIDE GOLD MINES LTD.

21-Jul-04

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

ATTENTION: JEAN PAUTLER

No. of samples received: 18

Sample type: Rock

Project #: IWA - Regional

Samples Submitted by: Jean Pautler

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 9 | 163075 | 1.91 | 0.056 |

QC DATA:

Standard:

SN16

8.36

0.244

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-711

INTERNATIONAL WAYSIDE GOLD MINES
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

Attention: Jean Pautler

No. of samples received: 18
Sample type: Rock
Project #: IWA - Regional
Samples Submitted by: Jean Pautler

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|---------|------|------|-----|------|----|-------|----|-----|-----|-----|------|-----|------|------|----|-------|-----|------|----|----|-----|----|------|-----|----|-----|----|-----|
| 1 | 163058 | 10 | <0.2 | 1.56 | 30 | 155 | <5 | 0.21 | <1 | 70 | 204 | 94 | >10 | 20 | 0.79 | 1290 | <1 | 0.02 | 200 | 1450 | 6 | <5 | <20 | 10 | 0.15 | <10 | 63 | <10 | 5 | 111 |
| 2 | 163059 | 20 | 0.7 | 0.57 | <5 | 245 | <5 | 0.01 | <1 | 5 | 127 | 49 | 2.56 | 20 | 0.15 | 52 | 8 | <0.01 | 22 | 310 | 8 | <5 | <20 | 2 | 0.03 | <10 | 9 | <10 | 3 | 65 |
| 3 | 163060 | 10 | 0.5 | 0.53 | <5 | 165 | <5 | <0.01 | <1 | 5 | 143 | 30 | 3.34 | <10 | 0.08 | 11 | 13 | <0.01 | 19 | 410 | 2 | <5 | <20 | 2 | 0.04 | <10 | 7 | <10 | 3 | 75 |
| 4 | 163061 | 5 | 0.7 | 2.47 | 20 | 355 | <5 | 0.40 | 2 | 123 | 125 | 178 | >10 | 20 | 1.26 | 3534 | 3 | 0.01 | 308 | 1710 | 12 | <5 | <20 | 27 | 0.18 | <10 | 68 | <10 | 17 | 528 |
| 5 | 163062 | 15 | 2.0 | 0.47 | 10 | 265 | <5 | 0.02 | <1 | 6 | 153 | 47 | 2.16 | 10 | 0.13 | 81 | 11 | <0.01 | 19 | 400 | 10 | <5 | <20 | 7 | 0.03 | <10 | 8 | <10 | 3 | 56 |
| 6 | 163064 | 10 | 1.6 | 0.90 | 30 | 1220 | <5 | 0.05 | 3 | 75 | 89 | 79 | >10 | 30 | 0.28 | 3278 | 23 | <0.01 | 229 | 1230 | 10 | <5 | <20 | 13 | 0.21 | <10 | 26 | <10 | 19 | 641 |
| 7 | 163065 | 10 | 0.4 | 0.91 | 50 | 115 | <5 | 0.09 | 3 | 85 | 150 | 69 | >10 | 30 | 0.33 | 1596 | 8 | 0.01 | 336 | 1700 | <2 | <5 | <20 | 2 | 0.18 | <10 | 63 | <10 | 19 | 467 |
| 8 | 163074 | 5 | <0.2 | 0.30 | 140 | 25 | <5 | 0.08 | <1 | 13 | 65 | 30 | 6.83 | 30 | 0.13 | 108 | 2 | 0.01 | 22 | 1070 | <2 | <5 | <20 | 3 | 0.09 | <10 | 3 | <10 | 4 | 44 |
| 9 | 163075 | >1000 | 0.3 | 0.29 | 160 | 40 | <5 | 0.01 | <1 | 6 | 61 | 4 | 3.69 | 30 | 0.07 | 11 | 3 | 0.01 | 14 | 310 | 10 | <5 | <20 | <1 | 0.04 | <10 | 3 | <10 | 2 | 21 |
| 10 | 163081 | 15 | 0.6 | 0.44 | <5 | 95 | <5 | 0.05 | <1 | 32 | 72 | 88 | 7.03 | 20 | 0.14 | 194 | 2 | 0.04 | 76 | 1560 | <2 | <5 | <20 | 95 | 0.09 | <10 | 25 | <10 | 5 | 168 |
| 11 | 163082 | 10 | 0.4 | 0.43 | 5 | 85 | <5 | 0.03 | 1 | 13 | 106 | 75 | 5.22 | 20 | 0.11 | 233 | 7 | <0.01 | 72 | 450 | <2 | <5 | <20 | 5 | 0.07 | <10 | 6 | <10 | 3 | 191 |
| 12 | 163241 | 5 | <0.2 | 0.25 | 60 | 160 | <5 | 8.79 | 1 | 28 | 136 | 15 | 7.94 | 10 | 2.09 | 2163 | 4 | 0.03 | 108 | 460 | 2 | <5 | <20 | 7 | 0.14 | <10 | 41 | <10 | 11 | 94 |
| 13 | 163242 | 5 | 0.2 | 1.45 | 10 | 150 | <5 | 0.30 | <1 | 77 | 179 | 119 | 9.41 | 30 | 0.66 | 1751 | 3 | 0.02 | 274 | 1270 | 20 | <5 | <20 | 8 | 0.15 | <10 | 57 | <10 | 15 | 105 |
| 14 | 163243 | <5 | 0.2 | 1.22 | <5 | 95 | <5 | 0.36 | <1 | 57 | 73 | 81 | >10 | 40 | 0.56 | 1383 | 3 | 0.04 | 46 | 2390 | <2 | <5 | <20 | 18 | 0.17 | <10 | 40 | <10 | 11 | 106 |
| 15 | 163244 | <5 | <0.2 | 0.66 | <5 | 120 | <5 | 0.54 | <1 | 66 | 58 | 125 | >10 | 40 | 0.26 | 1559 | 2 | 0.04 | 58 | 2570 | <2 | <5 | <20 | 19 | 0.16 | <10 | 19 | <10 | 19 | 52 |
| 16 | 163245 | <5 | <0.2 | 1.48 | <5 | 130 | <5 | 0.08 | <1 | 71 | 110 | 182 | >10 | 30 | 0.40 | 611 | 3 | 0.02 | 194 | 1890 | 14 | <5 | <20 | 6 | 0.20 | <10 | 26 | <10 | 15 | 142 |
| 17 | 163247 | 25 | 0.2 | 0.34 | 15 | 75 | <5 | 0.04 | <1 | 2 | 116 | 9 | 1.12 | 30 | 0.04 | 17 | 7 | 0.02 | 2 | 180 | 10 | <5 | <20 | 14 | 0.02 | <10 | 4 | <10 | 1 | 5 |
| 18 | 163250 | 5 | <0.2 | 0.19 | <5 | 60 | <5 | 0.02 | <1 | 8 | 121 | 25 | 1.38 | <10 | 0.04 | 306 | 8 | 0.01 | 11 | 120 | <2 | <5 | <20 | <1 | 0.02 | <10 | 2 | <10 | <1 | 16 |

QC DATA:

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|----|------|------|----|-----|----|------|----|----|-----|----|-----|----|------|------|----|------|-----|------|---|----|-----|----|------|-----|----|-----|---|-----|
| 1 | 163058 | 10 | <0.2 | 1.56 | 35 | 110 | <5 | 0.24 | <1 | 70 | 184 | 92 | >10 | 20 | 0.85 | 1223 | <1 | 0.02 | 202 | 1510 | 4 | <5 | <20 | 15 | 0.15 | <10 | 60 | <10 | 5 | 118 |
|---|--------|----|------|------|----|-----|----|------|----|----|-----|----|-----|----|------|------|----|------|-----|------|---|----|-----|----|------|-----|----|-----|---|-----|

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|--------|----|------|------|----|-----|----|------|----|----|-----|----|------|----|------|------|----|------|-----|------|----|----|-----|----|------|-----|----|-----|---|-----|
| 1 | 163058 | 10 | <0.2 | 1.74 | 35 | 185 | <5 | 0.23 | <1 | 73 | 220 | 98 | >10 | 30 | 0.87 | 1384 | <1 | 0.03 | 211 | 1470 | 4 | <5 | <20 | 15 | 0.16 | <10 | 68 | <10 | 6 | 114 |
| 10 | 163081 | 15 | 0.5 | 0.47 | <5 | 100 | <5 | 0.06 | 1 | 33 | 76 | 91 | 7.26 | 20 | 0.15 | 198 | 3 | 0.05 | 81 | 1600 | <2 | <5 | <20 | 95 | 0.09 | <10 | 26 | <10 | 5 | 173 |

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | 135 | 1.5 | 1.54 | 50 | 120 | <5 | 1.46 | <1 | 18 | 54 | 85 | 3.28 | <10 | 0.92 | 531 | <1 | 0.03 | 28 | 620 | 24 | <5 | <20 | 33 | 0.16 | <10 | 62 | <10 | 6 | 69 |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|

Copy in Promise

CERTIFICATE OF ASSAY AK 2004-784

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

28-Jul-04

No. of samples received: 7
Sample type: Rock
Project #: Wolf/Promise
Samples Submitted by: Jean Pautler

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 5 | 4401 | 1.09 | 0.032 |

QC DATA:

Standard:
SN16

8.53 0.249

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/kk
XLS/04

ECO TECH LABOR/ IY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS 3004-784

INTERNATIONAL WAYSIDE GOLD LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

Attention: Jean Pautier

No. of samples received: 7

Sample type: Rock

Project #: Wolf/Promise

Samples Submitted by: Jean Pautier

Values in ppm unless otherwise reported

| Et #. | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|---------|------|------|-----|-----|----|------|----|----|----|-----|------|----|------|-----|----|-------|----|------|-----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | 163193 | 5 | <0.2 | 0.82 | 25 | 30 | <5 | 0.05 | <1 | 18 | 41 | 61 | 4.62 | 30 | 0.46 | 516 | <1 | 0.02 | 63 | 650 | 8 | <5 | <20 | 3 | <0.01 | <10 | 6 | <10 | 4 | 98 |
| 2 | 163194 | 15 | <0.2 | 0.51 | 30 | 35 | <5 | 0.06 | <1 | 31 | 34 | 30 | 4.98 | 20 | 0.18 | 715 | <1 | 0.03 | 32 | 610 | 26 | <5 | <20 | 8 | <0.01 | <10 | 6 | <10 | 4 | 75 |
| 3 | 163195 | 20 | 0.4 | 1.41 | 25 | 55 | <5 | 0.06 | <1 | 37 | 50 | 143 | 3.69 | 20 | 0.57 | 160 | <1 | 0.02 | 29 | 350 | 152 | <5 | <20 | 6 | <0.01 | <10 | 15 | <10 | 3 | 55 |
| 4 | 163196 | 40 | 1.3 | 2.87 | 15 | 20 | 10 | 0.03 | <1 | 40 | 94 | 195 | >10 | 20 | 1.37 | 223 | <1 | 0.01 | 66 | 380 | 90 | <5 | <20 | 4 | <0.01 | <10 | 25 | <10 | 3 | 151 |
| 5 | 4401 | >1000 | <0.2 | 0.18 | 295 | 95 | 10 | 0.02 | <1 | 9 | 57 | 9 | 3.41 | 10 | 0.05 | <1 | 3 | 0.01 | 13 | 390 | 44 | <5 | <20 | 58 | <0.01 | <10 | 6 | <10 | 1 | 4 |
| 6 | 163085 | 60 | 1.0 | 0.18 | 55 | 345 | <5 | 0.02 | <1 | 3 | 79 | 18 | 1.41 | 10 | 0.05 | 35 | 13 | <0.01 | 15 | 340 | 6 | <5 | <20 | 12 | <0.01 | <10 | 14 | <10 | 3 | 64 |
| 7 | 163086 | 40 | <0.2 | 1.44 | <5 | 55 | <5 | 0.23 | <1 | 19 | 98 | 77 | 3.36 | 10 | 1.24 | 232 | 17 | <0.01 | 40 | 1220 | 34 | <5 | <20 | 4 | 0.07 | <10 | 55 | <10 | 10 | 265 |

QC DATA:

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|---|------|------|----|----|----|------|----|----|----|----|------|----|------|-----|----|------|----|-----|---|----|-----|---|-------|-----|---|-----|---|-----|
| 1 | 163193 | 5 | <0.2 | 0.85 | 20 | 35 | <5 | 0.04 | <1 | 19 | 40 | 57 | 4.72 | 30 | 0.47 | 582 | <1 | 0.02 | 64 | 620 | 8 | <5 | <20 | 5 | <0.01 | <10 | 6 | <10 | 4 | 101 |
|---|--------|---|------|------|----|----|----|------|----|----|----|----|------|----|------|-----|----|------|----|-----|---|----|-----|---|-------|-----|---|-----|---|-----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | 150 | 1.4 | 1.58 | 55 | 140 | <5 | 1.53 | <1 | 19 | 57 | 84 | 3.36 | 10 | 0.93 | 586 | <1 | 0.03 | 28 | 640 | 20 | <5 | <20 | 40 | 0.11 | <10 | 60 | <10 | 8 | 73 |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/kk
dl/750a
XLS/04

CERTIFICATE OF ASSAY AK 2004-810

INTERNATIONAL WAYSIDE GOLD MINES LTD.

12422 Barkerville Hwy.

PO Box 247

Wells, BC, V0K 2R0

22-Jul-04

No. of samples received: 1

Sample type: Rock

Project #: Not indicated

Samples Submitted by: D. Bishop

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 166353 | 0.03 | 0.001 |

QC DATA:

Resplit:

1 166353

0.04 0.001

Standard:

OX123

1.86 0.054

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

JJ/jm

XLS/04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-936

INTERNATIONAL WAYSIDE GOLD MINES LT
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 31
Sample type: Rock
Project #: Cow Mtn
Shipment #: Not Indicated
Samples submitted by: C. Moore

Values in ppm unless otherwise reported

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-------|----------|------|-------|-----|-----|----|-------|----|----|-----|-----|------|-----|-------|------|----|-------|----|------|----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | 14401 | 5 | <0.2 | 0.24 | <5 | 60 | <5 | 0.02 | <1 | 4 | 160 | 5 | 0.87 | 20 | 0.03 | 172 | 5 | 0.02 | 10 | 90 | 10 | <5 | <20 | 2 | <0.01 | <10 | 1 | <10 | 2 | 15 |
| 2 | 14402 | 5 | <0.2 | 0.83 | <5 | 155 | <5 | 0.10 | <1 | 13 | 99 | 13 | 3.29 | 40 | 0.29 | 289 | <1 | <0.01 | 28 | 450 | 10 | <5 | <20 | 11 | <0.01 | <10 | 5 | <10 | 5 | 85 |
| 3 | 14403 | 10 | <0.2 | 0.56 | <5 | 105 | <5 | 0.13 | <1 | 19 | 100 | 27 | 4.48 | 40 | 0.17 | 605 | <1 | <0.01 | 31 | 620 | 18 | <5 | <20 | 11 | <0.01 | <10 | 4 | <10 | 5 | 93 |
| 4 | 14404 | <5 | <0.2 | 0.45 | 15 | 70 | <5 | 0.13 | <1 | 16 | 95 | 15 | 4.05 | 30 | 0.13 | 640 | <1 | 0.01 | 30 | 670 | 10 | <5 | <20 | 9 | <0.01 | <10 | 3 | <10 | 5 | 73 |
| 5 | 14405 | 5 | <0.2 | 0.46 | <5 | 55 | <5 | 0.10 | <1 | 8 | 127 | 11 | 1.95 | 30 | 0.13 | 354 | 6 | 0.01 | 20 | 550 | 12 | <5 | <20 | 6 | <0.01 | <10 | 3 | <10 | 3 | 45 |
| 6 | 14406 | <5 | <0.2 | 0.75 | <5 | 120 | <5 | 0.23 | <1 | 18 | 110 | 21 | 5.97 | 40 | 0.26 | 999 | <1 | 0.01 | 37 | 1410 | 18 | <5 | <20 | 11 | <0.01 | <10 | 7 | <10 | 8 | 99 |
| 7 | 14407 | 5 | <0.2 | 0.12 | 5 | 35 | <5 | <0.01 | <1 | 2 | 157 | 5 | 1.21 | <10 | 0.02 | 7 | 10 | <0.01 | 7 | 50 | 12 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | <1 | 7 |
| 8 | 14408 | 5 | <0.2 | 0.65 | <5 | 30 | <5 | 0.04 | <1 | 20 | 105 | 59 | 4.02 | 30 | 0.21 | 95 | <1 | 0.01 | 37 | 550 | 20 | <5 | <20 | 4 | <0.01 | <10 | 4 | <10 | 2 | 92 |
| 9 | 14409 | 20 | 0.9 | 0.11 | <5 | 75 | <5 | <0.01 | <1 | 2 | 218 | 10 | 0.84 | <10 | 0.01 | 15 | 15 | <0.01 | 8 | 330 | 8 | <5 | <20 | 5 | <0.01 | <10 | 14 | <10 | <1 | 36 |
| 10 | 14410 | <5 | <0.2 | 0.01 | <5 | <5 | <5 | <0.01 | <1 | <1 | 269 | 6 | 0.41 | <10 | <0.01 | 21 | 17 | <0.01 | 6 | 40 | <2 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | <1 | 6 |
| 11 | 14411 | 5 | <0.2 | 0.03 | <5 | <5 | <5 | <0.01 | <1 | 1 | 227 | 20 | 0.44 | <10 | <0.01 | 30 | 9 | <0.01 | 12 | 110 | <2 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | <1 | 8 |
| 12 | 14412 | 30 | <0.2 | 0.01 | 30 | <5 | <5 | <0.01 | <1 | 3 | 237 | 6 | 0.77 | <10 | <0.01 | 49 | 15 | <0.01 | 10 | 30 | <2 | <5 | <20 | <1 | <0.01 | <10 | <1 | <10 | <1 | 14 |
| 13 | 14413 | 375 | <0.2 | 0.22 | 110 | 25 | <5 | 0.01 | <1 | 11 | 101 | 20 | 2.93 | 30 | 0.04 | 266 | <1 | <0.01 | 28 | 340 | 46 | <5 | <20 | <1 | <0.01 | <10 | 4 | <10 | 3 | 75 |
| 14 | 14414 | 205 | <0.2 | 0.01 | 70 | <5 | <5 | <0.01 | <1 | 2 | 251 | 7 | 0.98 | <10 | 0.01 | 45 | 16 | <0.01 | 8 | 100 | <2 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | <1 | 12 |
| 15 | 14415 | 10 | 0.5 | 0.23 | 10 | 55 | <5 | 0.02 | <1 | 9 | 100 | 26 | 3.66 | 30 | 0.05 | 115 | 3 | <0.01 | 32 | 520 | 96 | <5 | <20 | 9 | <0.01 | <10 | 6 | <10 | 2 | 287 |
| 16 | 14416 | 10 | <0.2 | 0.03 | <5 | <5 | <5 | <0.01 | <1 | 2 | 208 | 11 | 0.63 | <10 | <0.01 | 35 | 8 | <0.01 | 12 | 60 | <2 | <5 | <20 | <1 | <0.01 | <10 | 2 | <10 | <1 | 37 |
| 17 | 14417 | 5 | <0.2 | 0.31 | <5 | 65 | <5 | 0.03 | <1 | 9 | 90 | 31 | 2.25 | 20 | 0.05 | 91 | <1 | 0.01 | 40 | 420 | 6 | <5 | <20 | 3 | <0.01 | <10 | 8 | <10 | 1 | 162 |
| 18 | 14418 | 5 | <0.2 | 0.12 | <5 | 45 | <5 | <0.01 | <1 | 2 | 152 | 5 | 0.46 | 20 | 0.01 | 250 | 10 | <0.01 | 11 | 60 | 10 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | <1 | 16 |
| 19 | 14419 | 30 | 0.4 | 0.12 | 50 | 245 | <5 | <0.01 | <1 | 2 | 184 | 8 | 0.85 | 10 | 0.02 | 25 | 20 | <0.01 | 16 | 100 | 4 | 5 | <20 | <1 | <0.01 | <10 | 6 | <10 | 2 | 76 |
| 20 | 14420 | <5 | 0.3 | 0.24 | <5 | 305 | <5 | 0.04 | <1 | 3 | 132 | 22 | 0.86 | 10 | 0.08 | 18 | 9 | <0.01 | 20 | 260 | 6 | <5 | <20 | 9 | <0.01 | <10 | 8 | <10 | 2 | 55 |
| 21 | 14421 | 5 | 0.5 | 0.06 | <5 | 180 | <5 | <0.01 | <1 | <1 | 184 | 3 | 0.22 | <10 | <0.01 | 26 | 17 | <0.01 | 5 | <10 | <2 | <5 | <20 | <1 | <0.01 | <10 | 7 | <10 | <1 | 4 |
| 22 | 14422 | 10 | <0.2 | 0.44 | 10 | 70 | <5 | 0.05 | <1 | 8 | 79 | 23 | 1.68 | 20 | 0.06 | 87 | 2 | 0.01 | 36 | 470 | 6 | <5 | <20 | 4 | <0.01 | <10 | 7 | <10 | 1 | 81 |
| 23 | 14423 | 85 | <0.2 | 0.16 | 50 | 45 | <5 | <0.01 | <1 | 7 | 203 | 58 | 2.35 | 10 | 0.03 | 81 | 14 | <0.01 | 27 | 710 | 4 | <5 | <20 | 23 | <0.01 | <10 | 10 | <10 | 3 | 54 |
| 24 | 14424 | 730 | <0.2 | 0.04 | 20 | <5 | <5 | <0.01 | <1 | <1 | 251 | 6 | 0.57 | <10 | <0.01 | 45 | 10 | <0.01 | 6 | 70 | <2 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | <1 | 7 |
| 25 | 14425 | 15 | <0.2 | 0.24 | 40 | 35 | <5 | 0.03 | <1 | 8 | 114 | 97 | 2.41 | 20 | 0.04 | 121 | 11 | <0.01 | 36 | 490 | <2 | <5 | <20 | <1 | <0.01 | <10 | 3 | <10 | 3 | 40 |
| 26 | 14426 | <5 | <0.2 | <0.01 | <5 | <5 | <5 | <0.01 | <1 | 1 | 268 | 3 | 0.47 | <10 | <0.01 | 137 | 11 | <0.01 | 8 | 30 | <2 | <5 | <20 | <1 | <0.01 | <10 | <1 | <10 | <1 | 6 |
| 27 | 14427 | <5 | <0.2 | 0.15 | <5 | 30 | <5 | 0.05 | <1 | 4 | 199 | 8 | 1.02 | 10 | 0.02 | 404 | 7 | <0.01 | 12 | 270 | 6 | <5 | <20 | 4 | <0.01 | <10 | 2 | <10 | 2 | 17 |
| 28 | 14428 | 55 | <0.2 | 0.10 | 20 | 10 | <5 | <0.01 | <1 | 2 | 148 | 6 | 0.60 | <10 | 0.01 | 33 | 9 | <0.01 | 8 | 60 | 10 | <5 | <20 | <1 | <0.01 | <10 | <1 | <10 | <1 | 11 |
| 29 | 14429 | 75 | <0.2 | 0.06 | 20 | 15 | <5 | 0.07 | <1 | 13 | 166 | 128 | 5.47 | 10 | 0.12 | 1308 | <1 | <0.01 | 23 | 130 | <2 | <5 | <20 | <1 | <0.01 | <10 | 2 | <10 | 5 | 27 |
| 30 | 14430 | 60 | <0.2 | 0.14 | 25 | 15 | <5 | <0.01 | <1 | 3 | 191 | 10 | 0.92 | 20 | 0.01 | 49 | 12 | <0.01 | 8 | 60 | 2 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | 1 | 8 |
| 31 | 14431 | <5 | <0.2 | 0.14 | 5 | 15 | <5 | <0.01 | <1 | 6 | 142 | 10 | 1.46 | 20 | 0.03 | 152 | 8 | <0.01 | 11 | 90 | 4 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | <1 | 20 |

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-------|----------|----|------|----|----|----|------|----|----|----|----|------|----|------|----|----|------|----|---|----|----|----|----|------|---|---|---|---|----|
|-------|-------|----------|----|------|----|----|----|------|----|----|----|----|------|----|------|----|----|------|----|---|----|----|----|----|------|---|---|---|---|----|

QC DATA:**Resplit:**

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------|----|------|------|----|----|----|------|----|---|-----|---|------|----|------|-----|---|------|----|-----|----|----|-----|----|-------|-----|---|-----|---|----|
| 1 | 14401 | <5 | <0.2 | 0.23 | <5 | 65 | <5 | 0.02 | <1 | 4 | 159 | 5 | 0.93 | 20 | 0.03 | 203 | 5 | 0.02 | 12 | 100 | 12 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | 2 | 15 |
|---|-------|----|------|------|----|----|----|------|----|---|-----|---|------|----|------|-----|---|------|----|-----|----|----|-----|----|-------|-----|---|-----|---|----|

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|-------|-----|------|------|----|-----|----|-------|----|---|-----|---|------|-----|-------|-----|----|-------|----|-----|----|----|-----|----|-------|-----|---|-----|----|----|
| 1 | 14401 | 5 | <0.2 | 0.25 | <5 | 60 | <5 | 0.02 | <1 | 4 | 167 | 5 | 0.87 | 20 | 0.03 | 173 | 6 | 0.02 | 11 | 90 | 10 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | 2 | 15 |
| 10 | 14410 | <5 | <0.2 | 0.01 | <5 | <5 | <5 | <0.01 | <1 | 1 | 272 | 6 | 0.40 | <10 | <0.01 | 19 | 18 | <0.01 | 6 | 40 | <2 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | <1 | 6 |
| 13 | 14413 | 330 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 14 | 14414 | 280 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 19 | 14419 | 30 | 0.2 | 0.12 | 50 | 255 | <5 | <0.01 | <1 | 2 | 191 | 8 | 0.85 | 10 | 0.02 | 27 | 20 | <0.01 | 16 | 100 | 6 | <5 | <20 | <1 | <0.01 | <10 | 6 | <10 | 2 | 76 |
| 24 | 14424 | 815 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|--|-----|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|---|------|----|-----|----|----|----|----|------|-----|----|-----|---|----|
| GEO '04 | | 140 | 1.5 | 1.53 | 65 | 140 | <5 | 1.60 | <1 | 19 | 62 | 85 | 3.44 | 10 | 0.88 | 601 | 1 | 0.02 | 32 | 720 | 22 | <5 | 55 | 35 | 0.09 | <10 | 50 | <10 | 9 | 78 |
|---------|--|-----|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|---|------|----|-----|----|----|----|----|------|-----|----|-----|---|----|

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

JJ/jm
dt/928r
XLS/04

John's ✓

Missing Just 2

CERTIFICATE OF ASSAY AK 2004-1034

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

24-Aug-04

No. of samples received: 29

Sample type: Rock

Project #: BL Sulphur

Samples Submitted by: J. McAllister

| ET #. | Tag # | Au (g/t) | Au (oz/t) | S (%) |
|-------|--------|-------------|--------------|----------|
| 1 | 165501 | 0.76 | 0.022 | 1.09 |
| 2 | 165503 | 0.46 | 0.013 | 1.47 |
| 3 | 165517 | 1.19 | 0.035 | 4.06 |
| 4 | 165519 | 0.92 | 0.027 | 4.64 |
| 5 | 165521 | 2.50 | 0.073 | 5.09 |
| 6 | 165523 | 1.01 | 0.029 | 4.03 |
| 7 | 165531 | 0.11 | 0.003 | 0.56 |
| 8 | 165533 | 0.12 | 0.003 | 0.49 |
| 9 | 165535 | 0.06 | 0.002 | 0.73 |
| 10 | 165537 | 0.03 | 0.001 | 0.43 |
| 11 | 165539 | 0.18 | 0.005 | 0.92 |
| 12 | 165541 | 0.35 | 0.010 | 1.17 |
| 13 | 165543 | 0.31 | 0.009 | 0.97 |
| 14 | 165545 | 0.48 | 0.014 | 1.34 |
| 15 | 165547 | 0.33 | 0.010 | 1.26 |
| 16 | 165549 | 0.35 | 0.010 | 1.52 |
| 17 | 165551 | <0.03 | <0.001 | 0.45 |
| 18 | 165553 | 2.44 | 0.071 | 7.08 |
| 19 | 165555 | 2.22 | 0.065 | 3.09 |
| 20 | 165557 | 0.53 | 0.015 | 2.84 |
| 21 | 165559 | 0.12 | 0.003 | 0.85 |
| 22 | 165561 | 0.11 | 0.003 | 0.72 |
| 23 | 165563 | 0.38 | 0.011 | 1.41 |
| 24 | 165565 | 1.05 | 0.031 | 3.87 |
| 25 | 165567 | 0.03 | 0.001 | 0.93 |
| 26 | 165569 | 0.22 | 0.006 | 1.69 |
| 27 | 165571 | 0.27 | 0.008 | 1.65 |
| 28 | 165573 | 1.63 | 0.048 | 7.37 |
| 29 | 165575 | 1.39 | 0.041 | 5.42 |

JLM/4
XLS/04Jutta Jealous
B.C. Certified Assayer

[165502 and
165504 still missing]

— No worry!

165502 = 165501

165504 = 165503

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

| ET #. | Tag # | Au (g/t) | Au (oz/t) | S (%) |
|------------------|--------|-------------|--------------|----------|
| QC DATA: | | | | |
| Repeat: | | | | |
| 1 | 165501 | 0.73 | 0.021 | 1.09 |
| 3 | 165517 | 1.20 | 0.035 | |
| 4 | 165519 | 0.91 | 0.027 | |
| 5 | 165521 | 2.35 | 0.069 | |
| 10 | 165537 | <0.03 | <0.001 | 0.44 |
| 19 | 165555 | 2.19 | 0.064 | 3.10 |
| 24 | 165565 | 1.05 | 0.031 | |
| 28 | 165573 | 1.49 | 0.043 | |
| 29 | 165575 | 1.43 | 0.042 | |
| Resplit: | | | | |
| 1 | 165501 | 0.69 | 0.020 | 1.09 |
| Standard: | | | | |
| OX123 | | 1.88 | 0.055 | |
| SH13 | | 1.36 | 0.040 | |
| PR-1 | | | | 0.78 |

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04

CERTIFICATE OF ASSAY AK 2004-1036

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

18-Aug-04

No. of samples received: 7
Sample type: Rock
Project #: REC J. CHILDS
Samples Submitted by: John Childs

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 1 | 14465 | <0.03 | <0.001 |
| 2 | 14466 | <0.03 | <0.001 |
| 3 | 14467 | <0.03 | <0.001 |
| 4 | 14468 | 0.04 | 0.001 |
| 5 | 14469 | <0.03 | <0.001 |
| 6 | 14470 | <0.03 | <0.001 |
| 7 | 14471 | <0.03 | <0.001 |

QC DATA:

Resplit:

| | | | |
|---|-------|-------|--------|
| 1 | 14465 | <0.03 | <0.001 |
|---|-------|-------|--------|

Standard:

| | | |
|-------|------|-------|
| OX123 | 1.89 | 0.055 |
|-------|------|-------|

ECO TECH LABORATORY LTD.

Julia Jalouse
B.C. Certified Assayer

JL/jm
XLS/04

CERTIFICATE OF ASSAY AK 2004-1038

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

20-Aug-04

No. of samples received: 11
Sample type: Phyllite
Project #: B.L. Samples
Shipment #: Not Indicated
Samples submitted by: J. McAllister

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 6 | 25928 | 5.06 | 0.148 |

QC DATA:

Standard:

OX123

1.87 0.055

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04

06-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1148

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 8
Sample type: Rock
Project #: IWA Regional
Shipment #: None Given
Samples submitted by: Jean Pautier

Values in ppm unless otherwise reported

| Et # | Tag # | Au(ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|------|--------|---------|------|------|-----|----|----|-------|----|----|-----|-----|------|-----|------|------|----|-------|-----|------|----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | 166202 | 25 | 0.2 | 0.50 | 100 | 35 | <5 | 0.04 | <1 | 48 | 58 | 106 | 8.00 | 20 | 0.16 | 871 | <1 | 0.03 | 22 | 900 | 6 | <5 | <20 | 9 | <0.01 | <10 | 22 | <10 | 5 | 114 |
| 2 | 166203 | <5 | <0.2 | 0.93 | 5 | 20 | <5 | 0.06 | <1 | 28 | 96 | 48 | 4.14 | 10 | 0.46 | 95 | 9 | 0.02 | 62 | 410 | 12 | <5 | <20 | 6 | <0.01 | <10 | 8 | <10 | 3 | 53 |
| 3 | 166204 | <5 | <0.2 | 0.30 | <5 | 20 | <5 | 0.62 | <1 | 8 | 136 | 12 | 3.07 | 20 | 0.16 | 1148 | 12 | 0.01 | 27 | 120 | 32 | <5 | <20 | <1 | <0.01 | <10 | 3 | <10 | 4 | 27 |
| 4 | 166205 | <5 | <0.2 | 1.76 | <5 | 35 | <5 | 0.09 | <1 | 16 | 60 | 45 | 4.38 | 40 | 0.94 | 165 | <1 | 0.01 | 36 | 630 | 16 | <5 | <20 | 5 | <0.01 | <10 | 14 | <10 | 3 | 98 |
| 5 | 166206 | 5 | <0.2 | 0.74 | 80 | 30 | <5 | 6.48 | <1 | 54 | 233 | 96 | 6.48 | 20 | 5.06 | 1549 | <1 | 0.04 | 265 | 1980 | 50 | <5 | <20 | 311 | 0.01 | <10 | 31 | <10 | 7 | 120 |
| 6 | 4431 | <5 | <0.2 | 0.13 | <5 | <5 | 10 | >10 | <1 | 19 | 73 | 124 | >10 | 60 | 2.00 | 7678 | <1 | <0.01 | 59 | 170 | <2 | <5 | <20 | 355 | 0.04 | <10 | 4 | <10 | 6 | 79 |
| 7 | 4437 | <5 | <0.2 | 0.04 | <5 | <5 | <5 | 0.03 | <1 | 1 | 141 | 3 | 0.51 | <10 | 0.01 | 87 | 6 | 0.02 | 6 | 110 | 2 | <5 | <20 | 2 | <0.01 | <10 | <1 | <10 | <1 | 8 |
| 8 | 4438 | <5 | <0.2 | 0.01 | <5 | <5 | <5 | <0.01 | <1 | 2 | 196 | 5 | 0.89 | <10 | 0.01 | 54 | 22 | <0.01 | 7 | 50 | 4 | <5 | <20 | <1 | <0.01 | <10 | <1 | <10 | <1 | 8 |

QC DATA:

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|---|-----|------|-----|----|----|------|----|----|----|-----|------|----|------|-----|----|------|----|-----|---|----|-----|---|-------|-----|----|-----|---|-----|
| 1 | 166202 | 5 | 0.2 | 0.48 | 105 | 30 | <5 | 0.03 | <1 | 42 | 53 | 102 | 7.91 | 20 | 0.16 | 855 | <1 | 0.03 | 22 | 880 | 4 | <5 | <20 | 7 | <0.01 | <10 | 21 | <10 | 5 | 112 |
|---|--------|---|-----|------|-----|----|----|------|----|----|----|-----|------|----|------|-----|----|------|----|-----|---|----|-----|---|-------|-----|----|-----|---|-----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|---|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | 140 | 1.4 | 1.64 | 55 | 135 | <5 | 1.76 | <1 | 20 | 58 | 85 | 3.63 | 10 | 0.97 | 606 | 1 | 0.02 | 30 | 650 | 22 | <5 | <20 | 50 | 0.10 | <10 | 53 | <10 | 9 | 73 |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|----|------|-----|---|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|

JJ/sc
df/1148
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-1275

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

16-Sep-04

No. of samples received: 63
Sample type: Rock
Project #: Lowhee
Samples Submitted by: Jim Yin

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 164201 | <0.03 | <0.001 |
| 2 | 164202 | <0.03 | <0.001 |
| 3 | 164203 | <0.03 | <0.001 |
| 4 | 164204 | <0.03 | <0.001 |
| 5 | 164205 | <0.03 | <0.001 |
| 6 | 164206 | <0.03 | <0.001 |
| 7 | 164207 | <0.03 | <0.001 |
| 8 | 164208 | <0.03 | <0.001 |
| 9 | 164209 | <0.03 | <0.001 |
| 10 | 164210 | 2.92 | 0.085 |
| 11 | 164211 | 0.10 | 0.003 |
| 12 | 164212 | <0.03 | <0.001 |
| 13 | 164213 | <0.03 | <0.001 |
| 14 | 164214 | 0.04 | 0.001 |
| 15 | 164215 | <0.03 | <0.001 |
| 16 | 164216 | <0.03 | <0.001 |
| 17 | 164217 | <0.03 | <0.001 |
| 18 | 164218 | <0.03 | <0.001 |
| 19 | 164219 | <0.03 | <0.001 |
| 20 | 164220 | <0.03 | <0.001 |
| 21 | 164221 | <0.03 | <0.001 |
| 22 | 164222 | <0.03 | <0.001 |
| 23 | 164223 | <0.03 | <0.001 |
| 24 | 164224 | <0.03 | <0.001 |
| 25 | 164225 | <0.03 | <0.001 |
| 26 | 164226 | <0.03 | <0.001 |
| 27 | 164227 | <0.03 | <0.001 |
| 28 | 164228 | <0.03 | <0.001 |
| 29 | 164229 | <0.03 | <0.001 |
| 30 | 164230 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 31 | 164231 | <0.03 | <0.001 |
| 32 | 164232 | <0.03 | <0.001 |
| 33 | 164233 | <0.03 | <0.001 |
| 34 | 164234 | <0.03 | <0.001 |
| 35 | 164235 | <0.03 | <0.001 |
| 36 | 164236 | <0.03 | <0.001 |
| 37 | 164237 | <0.03 | <0.001 |
| 38 | 164238 | <0.03 | <0.001 |
| 39 | 164239 | <0.03 | <0.001 |
| 40 | 164240 | <0.03 | <0.001 |
| 41 | 164241 | <0.03 | <0.001 |
| 42 | 164242 | <0.03 | <0.001 |
| 43 | 164243 | <0.03 | <0.001 |
| 44 | 164244 | <0.03 | <0.001 |
| 45 | 164301 | <0.03 | <0.001 |
| 46 | 164302 | <0.03 | <0.001 |
| 47 | 164303 | <0.03 | <0.001 |
| 48 | 164304 | <0.03 | <0.001 |
| 49 | 164305 | <0.03 | <0.001 |
| 50 | 164306 | <0.03 | <0.001 |
| 51 | 164307 | <0.03 | <0.001 |
| 52 | 164308 | <0.03 | <0.001 |
| 53 | 164309 | <0.03 | <0.001 |
| 54 | 164310 | 0.05 | 0.001 |
| 55 | 164311 | <0.03 | <0.001 |
| 56 | 164312 | 0.03 | 0.001 |
| 57 | 164313 | <0.03 | <0.001 |
| 58 | 164314 | <0.03 | <0.001 |
| 59 | 164315 | <0.03 | <0.001 |
| 60 | 164316 | <0.03 | <0.001 |
| 61 | 164317 | 0.05 | 0.001 |
| 62 | 164318 | 0.03 | 0.001 |
| 63 | 164319 | <0.03 | <0.001 |

QC DATA:**Repeat:**

| | | | |
|----|--------|-------|--------|
| 1 | 164201 | <0.03 | <0.001 |
| 10 | 164210 | 2.63 | 0.077 |
| 11 | 164211 | 0.15 | 0.004 |
| 19 | 164219 | <0.03 | <0.001 |
| 36 | 164236 | <0.03 | <0.001 |
| 45 | 164301 | <0.03 | <0.001 |
| 54 | 164310 | 0.05 | 0.001 |

Resplit:

| | | | |
|----|--------|-------|--------|
| 1 | 164201 | <0.03 | <0.001 |
| 36 | 164236 | <0.03 | <0.001 |

Standard:

| | | |
|-------|------|-------|
| PM169 | 0.63 | 0.018 |
| PM169 | 0.64 | 0.019 |

CERTIFICATE OF ASSAY AK 2004-1290

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

07-Oct-04

No. of samples received: 3
Sample type: Rock
Project #: Promise
Samples Submitted by: Dave Johnson

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 1 | 38976 | <0.03 | <0.001 |
| 2 | 38977 | <0.03 | <0.001 |
| 3 | 38978 | <0.03 | <0.001 |

QC DATA:

| | | | |
|------------------|-------|-------|--------|
| Resplit: | | | |
| 1 | 38976 | <0.03 | <0.001 |
| Standard: | | | |
| PM176 | | 2.12 | 0.062 |

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04

WHOLE ROCK CERTIFICATE OF ANALYSIS AK 2004-1290

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

07-Oct-04

No. of samples received: 3
Sample type: Rock
Project #: Promise
Shipment #: None Given
Samples submitted by: Dave Johnson

Note: Values expressed in percent

| ET #. | Tag # | BaO | P2O5 | SiO2 | MnO | Fe2O3 | MgO | Al2O3 | CaO | TiO2 | Na2O | K2O | L.O.I. |
|-------|-------|------|------|------|------|-------|------|-------|------|------|------|------|--------|
| 3 | 38978 | 0.06 | 0.01 | 83.0 | 0.07 | 2.72 | 0.38 | 8.40 | 0.30 | 0.47 | 0.89 | 2.19 | 1.50 |

QC DATA:

Standard:

| | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|
| sy4 | 0.05 | 0.13 | 50.0 | 0.11 | 6.56 | 0.54 | 20.7 | 8.33 | 0.29 | 7.10 | 1.62 | 4.56 |
| mrg1 | 0.02 | 0.06 | 38.8 | 0.17 | 17.6 | 13.7 | 8.34 | 14.6 | 3.64 | 0.68 | 0.18 | 2.22 |

df/wr1033a
XLS/04

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-1291

~~Island Mountain Gold~~ JWA
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

23-Sep-04

No. of samples received: 22

Sample type: Rock

Project #: Promise

Shipment #: None Given

Samples Submitted by: Dave Johnson

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|-------------|--------------|
| 1 | 38979 | 11.8 | 0.344 |
| 2 | 38980 | 3.89 | 0.113 |
| 3 | 38981 | 0.24 | 0.007 |
| 4 | 38982 | 0.80 | 0.023 |
| 5 | 38983 | 0.12 | 0.003 |
| 6 | 38984 | 0.10 | 0.003 |
| 7 | 38985 | <0.03 | <0.001 |
| 8 | 38986 | 0.04 | 0.001 |
| 9 | 38987 | 0.05 | 0.001 |
| 10 | 38988 | 0.04 | 0.001 |
| 11 | 38989 | 0.06 | 0.002 |
| 12 | 38990 | <0.03 | <0.001 |
| 13 | 38991 | <0.03 | <0.001 |
| 14 | 38992 | <0.03 | <0.001 |
| 15 | 38993 | <0.03 | <0.001 |
| 16 | 38994 | <0.03 | <0.001 |
| 17 | 38995 | <0.03 | <0.001 |
| 18 | 38996 | <0.03 | <0.001 |
| 19 | 38997 | 0.05 | 0.001 |
| 20 | 38998 | <0.03 | <0.001 |
| 21 | 38999 | <0.03 | <0.001 |
| 22 | 39000 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|----------------------|-------|-------------|--------------|
| QC DATA: | | | |
| <i>Repeat:</i> | | | |
| 1 | 38979 | 12.2 | 0.356 |
| 2 | 38980 | 3.90 | 0.114 |
| 3 | 38981 | 0.27 | 0.008 |
| 4 | 38982 | 0.84 | 0.024 |
| 10 | 38988 | 0.03 | 0.001 |
| <i>Resplit:</i> | | | |
| 1 | 38979 | 9.58 | 0.279 |
| <i>Standard:</i> | | | |
| PM176 | | 2.04 | 0.059 |

JJ/jm
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

23-Sep-07

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1291

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 22

Sample type: Rock

Submitted by: Dave Johnson

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-------|------|------|------|-----|----|-------|----|----|-----|-----|------|-----|------|------|----|-------|-----|------|-----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | 38979 | 1.0 | 0.11 | 2160 | 15 | 10 | 0.07 | <1 | 7 | 150 | 9 | 5.12 | 10 | 0.09 | 416 | 1 | <0.01 | 14 | 70 | 32 | 5 | <20 | 7 | <0.01 | <10 | 2 | <10 | <1 | 27 |
| 2 | 38980 | 0.4 | 0.13 | 3210 | 15 | 10 | 0.09 | <1 | 15 | 112 | 10 | 7.52 | 20 | 0.12 | 104 | <1 | <0.01 | 22 | 270 | 28 | 5 | <20 | 9 | <0.01 | <10 | 2 | <10 | <1 | 17 |
| 3 | 38981 | <0.2 | 0.25 | 2140 | 30 | <5 | 0.20 | <1 | 25 | 48 | 33 | 6.50 | 20 | 0.14 | 936 | <1 | <0.01 | 39 | 800 | <2 | <5 | <20 | 15 | <0.01 | <10 | 4 | <10 | <1 | 37 |
| 4 | 38982 | <0.2 | 0.22 | 1520 | 20 | <5 | 0.25 | <1 | 15 | 148 | 85 | 3.84 | 20 | 0.08 | 437 | 1 | <0.01 | 37 | 920 | 16 | <5 | <20 | 26 | <0.01 | <10 | 4 | <10 | 6 | 203 |
| 5 | 38983 | 2.1 | 0.26 | 100 | 45 | 5 | 0.05 | <1 | 10 | 118 | 45 | 2.66 | 10 | 0.10 | 210 | 2 | <0.01 | 44 | 380 | 174 | <5 | <20 | 10 | <0.01 | <10 | 16 | <10 | 3 | 145 |
| 6 | 38984 | 0.4 | 0.32 | 55 | 120 | <5 | 0.08 | <1 | 11 | 129 | 64 | 3.62 | 20 | 0.07 | 122 | 5 | <0.01 | 46 | 1090 | 22 | <5 | <20 | 34 | <0.01 | <10 | 14 | <10 | 4 | 175 |
| 7 | 38985 | <0.2 | 0.73 | 205 | 30 | <5 | 0.23 | <1 | 15 | 121 | 209 | 2.28 | <10 | 0.07 | 504 | 7 | <0.01 | 135 | 1280 | 22 | 50 | <20 | 28 | <0.01 | <10 | 14 | <10 | 21 | 150 |
| 8 | 38986 | 0.2 | 0.18 | 50 | 105 | <5 | 0.04 | <1 | 4 | 129 | 22 | 2.49 | 20 | 0.04 | 12 | 5 | <0.01 | 20 | 520 | 36 | <5 | <20 | 12 | <0.01 | <10 | 16 | <10 | 2 | 123 |
| 9 | 38987 | <0.2 | 0.08 | 70 | 60 | <5 | 0.03 | <1 | 3 | 218 | 8 | 2.01 | <10 | 0.03 | 556 | 5 | <0.01 | 21 | 250 | 6 | <5 | <20 | 8 | <0.01 | <10 | 11 | <10 | 3 | 35 |
| 10 | 38988 | 0.9 | 0.14 | 15 | 30 | <5 | <0.01 | <1 | 4 | 83 | 10 | 1.79 | <10 | 0.03 | <1 | 4 | <0.01 | 22 | 20 | 12 | <5 | <20 | <1 | <0.01 | <10 | 7 | <10 | <1 | 50 |
| 11 | 38989 | 0.2 | 0.50 | 50 | 100 | <5 | 0.11 | <1 | 15 | 83 | 57 | 2.77 | 10 | 0.22 | 198 | 6 | <0.01 | 105 | 980 | 12 | <5 | <20 | 22 | <0.01 | <10 | 9 | <10 | 3 | 206 |
| 12 | 38990 | 0.7 | 0.06 | <5 | 15 | <5 | 0.05 | <1 | 3 | 175 | 10 | 0.80 | <10 | 0.02 | 185 | 6 | <0.01 | 15 | 380 | 178 | <5 | <20 | 5 | <0.01 | <10 | 2 | <10 | 2 | 88 |
| 13 | 38991 | <0.2 | 0.33 | <5 | 95 | <5 | 0.05 | <1 | 5 | 72 | 20 | 4.83 | 30 | 0.12 | 53 | <1 | <0.01 | 17 | 520 | <2 | <5 | <20 | 7 | <0.01 | <10 | 3 | <10 | <1 | 72 |
| 14 | 38992 | <0.2 | 0.02 | <5 | 20 | <5 | 1.05 | <1 | 5 | 180 | 3 | 1.64 | <10 | 0.21 | 1254 | 4 | <0.01 | 12 | 570 | 2 | <5 | <20 | 29 | <0.01 | <10 | 2 | <10 | 5 | 25 |
| 15 | 38993 | <0.2 | 0.03 | <5 | 30 | <5 | 0.70 | <1 | 2 | 141 | 4 | 0.85 | <10 | 0.10 | 532 | 3 | <0.01 | 11 | 2360 | 4 | <5 | <20 | 80 | <0.01 | <10 | 1 | <10 | 18 | 18 |
| 16 | 38994 | <0.2 | 1.32 | 5 | 75 | <5 | 0.69 | <1 | 16 | 163 | 30 | 3.45 | 20 | 1.11 | 530 | <1 | 0.01 | 66 | 490 | 20 | <5 | <20 | 74 | <0.01 | <10 | 17 | <10 | 2 | 87 |
| 17 | 38995 | <0.2 | 0.13 | 30 | 105 | <5 | 0.04 | <1 | 4 | 99 | 21 | 1.38 | 10 | 0.04 | 220 | 9 | <0.01 | 32 | 180 | 18 | <5 | <20 | 4 | <0.01 | <10 | 5 | <10 | 2 | 98 |
| 18 | 38996 | <0.2 | 1.01 | <5 | 40 | <5 | 1.18 | <1 | 13 | 104 | 20 | 2.81 | 30 | 0.44 | 578 | <1 | 0.02 | 29 | 270 | 32 | <5 | <20 | 18 | <0.01 | <10 | 8 | <10 | 3 | 61 |
| 19 | 38997 | <0.2 | 0.97 | 65 | 30 | <5 | 0.04 | <1 | 6 | 123 | 15 | 2.53 | 20 | 0.43 | 182 | 1 | <0.01 | 16 | 350 | 20 | <5 | <20 | 5 | <0.01 | <10 | 9 | <10 | <1 | 49 |
| 20 | 38998 | <0.2 | 1.28 | <5 | 35 | <5 | 0.06 | <1 | 13 | 133 | 23 | 3.48 | 20 | 0.70 | 273 | 2 | <0.01 | 29 | 500 | 34 | 5 | <20 | 3 | <0.01 | <10 | 13 | <10 | 1 | 78 |
| 21 | 38999 | <0.2 | 1.02 | <5 | 20 | <5 | 0.04 | <1 | 8 | 125 | 21 | 2.82 | 20 | 0.54 | 214 | 1 | <0.01 | 19 | 360 | 24 | <5 | <20 | 2 | <0.01 | <10 | 10 | <10 | <1 | 67 |
| 22 | 39000 | 0.8 | 0.09 | 1920 | 10 | 5 | 0.05 | <1 | 6 | 127 | 7 | 4.53 | 10 | 0.08 | 356 | 2 | <0.01 | 12 | 60 | 26 | <5 | <20 | 4 | <0.01 | <10 | 2 | <10 | <1 | 22 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-------|----|------|----|----|----|------|----|----|----|----|------|----|------|----|----|------|----|---|----|----|----|----|------|---|---|---|---|----|
|-------|-------|----|------|----|----|----|------|----|----|----|----|------|----|------|----|----|------|----|---|----|----|----|----|------|---|---|---|---|----|

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|-------|-----|------|------|----|----|-------|----|---|-----|----|------|-----|------|-----|---|-------|----|----|----|----|-----|----|-------|-----|---|-----|----|----|
| 1 | 38979 | 1.2 | 0.10 | 2265 | 15 | 5 | 0.06 | <1 | 7 | 159 | 9 | 5.29 | 10 | 0.09 | 428 | 1 | <0.01 | 16 | 80 | 32 | <5 | <20 | 6 | <0.01 | <10 | 2 | <10 | <1 | 26 |
| 10 | 38988 | 0.9 | 0.15 | 20 | 30 | <5 | <0.01 | <1 | 4 | 85 | 11 | 1.81 | <10 | 0.03 | <1 | 4 | <0.01 | 25 | 20 | 12 | <5 | <20 | <1 | <0.01 | <10 | 7 | <10 | <1 | 50 |

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| GEO '04 | 1.5 | 1.71 | 60 | 160 | <5 | 1.55 | <1 | 20 | 60 | 86 | 3.59 | <10 | 0.97 | 617 | <1 | 0.03 | 35 | 750 | 22 | <5 | <20 | 56 | 0.11 | <10 | 61 | <10 | 10 | 75 |
|---------|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|

JJ/sc
d#1263
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-1356

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

28-Sep-04

No. of samples received: 4
Sample type: Rock
Project #: Bonanza Rock
Samples Submitted by: D. Onychuk

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165701 | 0.12 | 0.003 |
| 2 | 165702 | 0.08 | 0.002 |
| 3 | 165703 | 0.22 | 0.006 |
| 4 | 165704 | 0.61 | 0.018 |

QC DATA:

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | 165701 | 0.12 | 0.003 |
|---|--------|------|-------|

Repeat:

| | | | |
|---|--------|------|-------|
| 4 | 165704 | 3.00 | 0.087 |
| 4 | 165704 | 1.47 | 0.043 |
| 4 | 165704 | 0.64 | 0.019 |

Standard:

| | | | |
|-------|--|------|-------|
| PM169 | | 0.62 | 0.018 |
|-------|--|------|-------|

NOTE: * = Metallic Gold Suspected.

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04

BON. CHANNEL

28-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1356

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

No. of samples received: 4
Sample type: Rock
Project #: Bonanza Rock
Samples Submitted by: D. Onychuk

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|-----|----|----|-------|----|----|-----|----|------|----|------|-----|----|-------|----|-----|----|----|-----|----|-------|-----|---|-----|---|-----|
| 1 | 165701 | <0.2 | 0.26 | 135 | 50 | <5 | 0.03 | <1 | 18 | 131 | 46 | 3.79 | 30 | 0.08 | 394 | <1 | 0.01 | 41 | 610 | 22 | 5 | <20 | 5 | <0.01 | <10 | 6 | <10 | 2 | 71 |
| 2 | 165702 | <0.2 | 0.25 | 150 | 45 | <5 | 0.02 | <1 | 22 | 92 | 68 | 6.68 | 30 | 0.11 | 585 | <1 | 0.01 | 56 | 790 | 2 | 5 | <20 | 3 | <0.01 | <10 | 5 | <10 | 3 | 130 |
| 3 | 165703 | <0.2 | 0.21 | 275 | 40 | 5 | 0.01 | <1 | 15 | 116 | 42 | 4.70 | 20 | 0.07 | 179 | 6 | <0.01 | 42 | 600 | 46 | <5 | <20 | 4 | <0.01 | <10 | 5 | <10 | 3 | 92 |
| 4 | 165704 | <0.2 | 0.21 | 110 | 45 | <5 | <0.01 | <1 | 8 | 139 | 8 | 1.58 | 20 | 0.03 | 101 | 2 | <0.01 | 16 | 160 | 10 | <5 | <20 | 2 | <0.01 | <10 | 5 | <10 | 2 | 21 |

QC DATA:

Repsplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|------|------|-----|----|----|------|----|----|-----|----|------|----|------|-----|---|------|----|-----|----|----|-----|---|-------|-----|---|-----|---|----|
| 1 | 165701 | <0.2 | 0.27 | 135 | 50 | <5 | 0.02 | <1 | 18 | 137 | 44 | 3.84 | 30 | 0.07 | 386 | 6 | 0.01 | 41 | 600 | 20 | <5 | <20 | 3 | <0.01 | <10 | 6 | <10 | 2 | 69 |
|---|--------|------|------|-----|----|----|------|----|----|-----|----|------|----|------|-----|---|------|----|-----|----|----|-----|---|-------|-----|---|-----|---|----|

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|------|------|-----|----|----|------|----|----|-----|----|------|----|------|-----|----|-------|----|-----|----|----|-----|---|-------|-----|---|-----|---|----|
| 1 | 165701 | <0.2 | 0.26 | 140 | 45 | <5 | 0.02 | <1 | 19 | 133 | 44 | 3.91 | 30 | 0.07 | 404 | <1 | <0.01 | 42 | 620 | 22 | <5 | <20 | 3 | <0.01 | <10 | 6 | <10 | 2 | 71 |
|---|--------|------|------|-----|----|----|------|----|----|-----|----|------|----|------|-----|----|-------|----|-----|----|----|-----|---|-------|-----|---|-----|---|----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|--|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| GEO '04 | | 1.5 | 1.72 | 65 | 170 | <5 | 1.58 | <1 | 21 | 71 | 88 | 3.72 | <10 | 0.98 | 636 | <1 | 0.03 | 31 | 860 | 20 | 10 | <20 | 52 | 0.11 | <10 | 60 | <10 | 10 | 74 |
|---------|--|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|

JJ/m
dt/1344c
XLS/04

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

28-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1357

INTERNATIONAL WAYSIDE GOLD MIN. LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 11
Sample type: Rock
Project #: BLS
Shipment #: Not Indicated
Samples submitted by: Dave Johnson

Values in ppm unless otherwise reported

| Et #. | Tag # | Au (ppb) | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|-------|----------|------|------|-----|-----|----|-------|----|----|-----|----|------|-----|-------|-----|----|-------|----|------|-----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | 4751 | 5 | <0.2 | 0.03 | 10 | 25 | <5 | 0.01 | <1 | 1 | 153 | 11 | 0.37 | <10 | <0.01 | 46 | 12 | <0.01 | 4 | 180 | 56 | <5 | <20 | 46 | <0.01 | <10 | 2 | <10 | 2 | 7 |
| 2 | 4752 | 10 | <0.2 | 0.09 | 35 | 30 | <5 | 0.03 | <1 | 2 | 213 | 10 | 0.65 | <10 | <0.01 | 32 | 3 | <0.01 | 8 | 720 | 8 | <5 | <20 | 179 | <0.01 | <10 | 5 | <10 | 4 | 10 |
| 3 | 4753 | 10 | <0.2 | 0.08 | 25 | 25 | <5 | 0.02 | <1 | 2 | 182 | 9 | 0.54 | <10 | <0.01 | 50 | 14 | <0.01 | 8 | 500 | 6 | <5 | <20 | 128 | <0.01 | <10 | 4 | <10 | 2 | 8 |
| 4 | 4754 | 25 | <0.2 | 0.07 | 25 | 25 | <5 | 0.01 | <1 | 2 | 200 | 11 | 0.64 | <10 | 0.01 | 57 | 4 | <0.01 | 8 | 280 | 8 | <5 | <20 | 71 | <0.01 | <10 | 4 | <10 | <1 | 13 |
| 5 | 4755 | 35 | <0.2 | 0.11 | 15 | 35 | <5 | 0.02 | <1 | 2 | 176 | 12 | 0.61 | <10 | 0.02 | 48 | 13 | <0.01 | 10 | 320 | 6 | <5 | <20 | 92 | <0.01 | <10 | 4 | <10 | 2 | 12 |
| 6 | 4756 | 15 | <0.2 | 0.04 | 10 | 15 | <5 | <0.01 | <1 | 2 | 201 | 11 | 0.47 | <10 | <0.01 | 56 | 3 | <0.01 | 8 | 150 | 2 | <5 | <20 | 35 | <0.01 | <10 | 2 | <10 | <1 | 8 |
| 7 | 4757 | 30 | <0.2 | 0.07 | 45 | 30 | <5 | <0.01 | <1 | 2 | 169 | 17 | 0.62 | <10 | <0.01 | 36 | 13 | <0.01 | 6 | 230 | 8 | <5 | <20 | 44 | <0.01 | <10 | 5 | <10 | <1 | 10 |
| 8 | 4758 | 135 | 0.4 | 0.15 | 230 | 115 | <5 | 0.03 | <1 | 4 | 183 | 57 | 2.47 | <10 | 0.03 | 50 | 4 | <0.01 | 13 | 1350 | 198 | 5 | <20 | 227 | <0.01 | <10 | 21 | <10 | 3 | 30 |
| 9 | 4759 | 135 | 1.0 | 0.06 | 30 | 30 | <5 | <0.01 | <1 | 2 | 152 | 8 | 0.44 | <10 | <0.01 | 165 | 12 | <0.01 | 7 | 130 | 162 | <5 | <20 | 22 | <0.01 | <10 | 6 | <10 | <1 | 9 |
| 10 | 4760 | 45 | <0.2 | 0.29 | 135 | 85 | <5 | 0.06 | <1 | 31 | 61 | 9 | 6.72 | 30 | 0.13 | 502 | <1 | 0.02 | 41 | 920 | 2 | 5 | <20 | 9 | <0.01 | <10 | 23 | <10 | <1 | 123 |
| 11 | 4761 | 165 | <0.2 | 0.26 | 195 | 345 | <5 | 0.08 | <1 | 20 | 76 | 16 | 5.05 | 30 | 0.09 | 499 | 1 | 0.02 | 29 | 720 | 14 | 5 | <20 | 18 | 0.02 | <10 | 19 | <10 | 2 | 93 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|------|---|------|------|----|----|----|------|----|---|-----|----|------|-----|-------|----|---|-------|---|-----|----|----|-----|----|-------|-----|---|-----|---|---|
| 1 | 4751 | 5 | <0.2 | 0.02 | 10 | 15 | <5 | 0.01 | <1 | 1 | 175 | 12 | 0.37 | <10 | <0.01 | 45 | 3 | <0.01 | 6 | 180 | 56 | <5 | <20 | 42 | <0.01 | <10 | 2 | <10 | 2 | 7 |
|---|------|---|------|------|----|----|----|------|----|---|-----|----|------|-----|-------|----|---|-------|---|-----|----|----|-----|----|-------|-----|---|-----|---|---|

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|------|---|------|------|----|----|----|------|-----|---|-----|----|------|-----|-------|----|----|-------|----|-----|----|----|-----|----|-------|-----|---|-----|---|---|
| 1 | 4751 | 5 | <0.2 | 0.03 | 10 | 15 | <5 | 0.01 | 461 | 2 | 154 | 11 | 0.36 | <10 | <0.01 | 52 | 11 | <0.01 | 47 | 190 | 54 | <5 | <20 | 45 | <0.01 | <10 | 2 | <10 | 1 | 7 |
|---|------|---|------|------|----|----|----|------|-----|---|-----|----|------|-----|-------|----|----|-------|----|-----|----|----|-----|----|-------|-----|---|-----|---|---|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| GEO '04 | 135 | 1.5 | 1.68 | 65 | 170 | <5 | 1.56 | <1 | 21 | 60 | 89 | 3.65 | <10 | 0.96 | 622 | <1 | 0.03 | 30 | 850 | 20 | <5 | <20 | 51 | 0.10 | <10 | 61 | <10 | 10 | 74 |
|---------|-----|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|

ROAD

JJ/jm
df/1344c
XLS/04

ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2004-1456

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

08-Oct-04

No. of samples received: 16
Sample type: Rock
Project #: Lowhee
Samples Submitted by: J. Yin

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 163651 | 0.14 | 0.004 |
| 2 | 163652 | 0.21 | 0.006 |
| 3 | 163653 | <0.03 | <0.001 |
| 4 | 163654 | 0.21 | 0.006 |
| 5 | 163655 | 0.43 | 0.013 |
| 6 | 163656 | <0.03 | <0.001 |
| 7 | 163657 | <0.03 | <0.001 |
| 8 | 163658 | <0.03 | <0.001 |
| 9 | 163659 | 3.63 | 0.106 |
| 10 | 163660 | 0.20 | 0.006 |
| 11 | 163661 | 0.08 | 0.002 |
| 12 | 163662 | 0.73 | 0.021 |
| 13 | 163663 | 0.05 | 0.001 |
| 14 | 163664 | <0.03 | <0.001 |
| 15 | 163665 | 0.03 | 0.001 |
| 16 | 163666 | <0.03 | <0.001 |

QC DATA:

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | 163651 | 0.15 | 0.004 |
|---|--------|------|-------|

Repeat:

| | | | |
|---|--------|------|-------|
| 9 | 163659 | 3.60 | 0.105 |
|---|--------|------|-------|

Standard:

| | | |
|------|------|-------|
| SH13 | 1.22 | 0.036 |
|------|------|-------|

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

JJ/jm
XLS/04

CERTIFICATE OF ASSAY AK 2004-1660

INTERNATIONAL WAYSIDE GOLD MINES LTD.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

08-Nov-04

No. of samples received: 2
Sample type: Rock
Project #: Wolf
Samples Submitted by: Janet Riddell

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-----------------|----------|-------------|--------------|
| 1 | JR166304 | <0.03 | <0.001 |
| 2 | JR166305 | <0.03 | <0.001 |
| <u>QC DATA:</u> | | | |
| Repeat: | | | |
| 1 | JR166304 | <0.03 | <0.001 |
| Standard: | | | |
| | OXE21 | 0.61 | 0.018 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/jm
XLS/04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 1 380

INTERNATIONAL WAYSIDE GOLD MILL 3.
12422 Barkerville Hwy.
PO Box 247
Wells, BC, V0K 2R0

No. of samples received: 2
Sample type: Rock
Project #: Wolf
Shipment #: None Given
Samples submitted by: Janet Riddell

Phone: 250-573-5700
Fax : 250-573-4557

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|----------|------|-------|-----|----|----|------|----|----|----|----|------|-----|------|------|----|-------|----|-----|----|----|-----|------|-------|-----|---|-----|----|----|
| 1 | JR166304 | 0.2 | 0.03 | 135 | <5 | 10 | >10 | <1 | 9 | 6 | 61 | 9.97 | <10 | 0.48 | 4929 | 4 | <0.01 | 5 | 360 | 18 | <5 | <20 | 1227 | <0.01 | <10 | 4 | <10 | <1 | 37 |
| 2 | JR166305 | <0.2 | <0.01 | 5 | <5 | <5 | >10 | <1 | 2 | 3 | 6 | 2.10 | <10 | 0.67 | 1187 | 1 | <0.01 | 2 | 280 | 4 | 5 | <20 | 1335 | <0.01 | <10 | 3 | <10 | 4 | 15 |

QC DATA:

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|----------|------|------|-----|----|---|-----|----|---|---|----|-----|-----|------|------|---|------|---|-----|----|----|-----|------|-------|-----|---|-----|----|----|
| 1 | JR166304 | <0.2 | 0.05 | 145 | 10 | 5 | >10 | <1 | 8 | 8 | 58 | >10 | <10 | 0.47 | 5379 | 4 | 0.01 | 7 | 330 | 14 | <5 | <20 | 1272 | <0.01 | <10 | 4 | <10 | <1 | 41 |
|---|----------|------|------|-----|----|---|-----|----|---|---|----|-----|-----|------|------|---|------|---|-----|----|----|-----|------|-------|-----|---|-----|----|----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| GEO '04 | 1.4 | 1.45 | 60 | 130 | <5 | 1.38 | <1 | 17 | 63 | 86 | 3.86 | <10 | 0.74 | 572 | <1 | 0.03 | 27 | 720 | 24 | <5 | <20 | 50 | 0.08 | <10 | 60 | <10 | 9 | 76 |
|---------|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/sc
dl/1648
XLS/04