

ASSESSMENT REPORT

**Diamond Drilling, Wacker Drilling,
IP, Resistivity & Ground Magnetic Geophysical Surveys,
Silt, Soil & Rock Geochemical Sampling,
Trenching and Prospecting**

On the

KINASKAN LAKE PROPERTY,

GJ PROJECT, 2004

*Liard Mining Division,
British Columbia, Canada*

Latitude: 57° 39' 21" N
Longitude: 130° 15' 21" W
UTM: 425062 E 6390993 N; Zone 9

NTS; 104G-069

For

CANADIAN GOLD HUNTER CORP.

*2101-885 West Georgia St.
Vancouver, B.C., V6C-3E8
Canada*

Prepared By:
Dave Mehner, MSc., P. Geo.

May 20, 2005

APPENDIX G

2004 DRILL CORE ANALYTICAL RESULTS

M397575	0.316	1.4	1.64	<2	<10	90	<0.5	<2	2.95	<0.5	14	75	5890	3.63	10	<1	0.3	10	1.13	292	68	0.09	3	1420	<2	1.03	<2	7	112	0.01	<10	<10	83	<10	24
M397576	0.257	1.6	1.58	<2	<10	90	0.5	<2	4.84	<0.5	13	59	5860	3.7	10	<1	0.3	20	1.64	648	57	0.1	3	1360	<2	1.02	<2	6	154	0.01	<10	<10	63	<10	23
M397577	0.251	2	1.72	8	<10	130	0.5	3	7.47	<0.5	13	52	5580	4.25	10	<1	0.24	10	2.74	1170	53	0.1	3	1200	6	1.02	3	6	211	0.01	<10	<10	66	<10	24
M397578	0.194	1.3	2.13	11	<10	120	0.5	<2	5.29	<0.5	14	69	4190	4.19	10	<1	0.25	20	1.46	578	14	0.09	7	1310	<2	0.89	<2	7	168	0.01	<10	<10	86	<10	28
M397579	0.174	0.8	1.62	3	<10	280	0.5	<2	4.07	<0.5	15	57	3280	3.77	10	<1	0.27	10	1.11	483	59	0.11	5	1580	<2	0.73	4	9	148	<0.01	<10	<10	93	<10	23
M397580	2.16	6	0.43	19	<10	80	<0.5	<2	1.39	<0.5	31	1545	>10000	10.5	<10	3	0.28	<10	0.65	991	32	0.02	1290	330	25	3.27	26	3	41	0.01	<10	<10	61	10	102
M397581	0.344	1.2	1.66	<2	10	250	0.5	2	3.63	<0.5	17	70	4490	3.77	10	<1	0.25	10	1.11	446	38	0.09	10	1500	2	0.99	2	8	127	0.01	<10	<10	98	<10	34
M397582	0.476	1.8	1.76	<2	<10	50	<0.5	<2	5.86	<0.5	23	73	6100	4.38	10	<1	0.2	10	1.23	586	68	0.08	16	1190	2	1.36	<2	8	174	0.01	<10	<10	95	<10	40
M397583	0.41	1.8	1.77	<2	<10	70	<0.5	<2	3.76	<0.5	19	75	6150	4.24	10	<1	0.19	10	1.41	446	47	0.11	18	1420	<2	1.28	2	10	128	0.03	<10	<10	115	<10	38
M397584	0.435	1.6	2.01	3	10	190	<0.5	2	3.18	<0.5	15	43	6550	4.61	10	2	0.2	10	1.58	417	31	0.12	7	1680	5	1.32	<2	10	122	0.02	<10	<10	116	<10	40
M397585	0.398	1.3	1.97	8	10	200	<0.5	<2	4.32	<0.5	14	58	3780	4.27	10	<1	0.23	10	1.3	475	95	0.09	8	1630	8	0.96	<2	9	146	0.01	<10	<10	112	<10	48
M397586	0.419	1.3	1.89	12	10	70	0.5	<2	4.35	<0.5	16	67	5470	4.16	10	<1	0.27	10	1.49	504	114	0.07	6	1560	6	1.27	3	8	146	0.01	<10	<10	94	<10	34
M397587	0.827	3.9	1.44	54	10	100	0.6	11	4.53	3.6	13	53	7440	3.93	<10	1	0.31	10	1.18	637	31	0.07	6	1370	19	1.36	3	6	188	<0.01	<10	<10	58	<10	169
M397588	0.411	3.3	1.06	84	10	120	<0.5	<2	3.25	1.7	10	138	4580	3.64	<10	<1	0.24	10	0.81	435	4	0.04	10	1030	7	1.03	4	5	130	<0.01	<10	<10	47	<10	74
M397589	0.399	2.3	0.98	18	10	220	0.5	<2	4.12	<0.5	12	92	5960	4.28	<10	1	0.26	10	1.25	690	3	0.06	9	1160	2	0.94	<2	6	162	<0.01	<10	<10	41	<10	34
M397590	0.285	1.2	1.62	23	10	230	0.5	<2	5.23	<0.5	7	83	3150	6.44	<10	<1	0.22	10	1.62	1080	6	0.04	7	880	7	0.67	<2	6	162	<0.01	<10	<10	61	<10	37
M397591	0.142	0.5	1.56	2	10	190	0.5	<2	3.07	<0.5	9	86	1215	5.17	10	1	0.22	10	0.84	388	5	0.04	9	1100	6	0.4	<2	8	109	<0.01	<10	<10	75	<10	29
M397592	0.314	0.6	1.45	8	10	150	<0.5	<2	3.17	<0.5	9	71	1135	6.59	10	1	0.19	10	0.78	423	2	0.04	8	940	2	0.69	<2	9	106	<0.01	<10	<10	99	<10	25
M397593	0.102	0.8	0.72	39	10	170	<0.5	2	2.9	<0.5	21	91	885	2.39	<10	1	0.16	10	0.44	441	3	0.01	47	910	7	1.04	2	7	48	<0.01	<10	<10	38	<10	20
M397594	0.054	0.6	1.16	32	10	140	0.6	<2	5.02	<0.5	10	56	394	2.75	<10	<1	0.18	10	1.48	689	3	<0.01	28	790	15	0.77	3	7	170	<0.01	<10	<10	56	<10	37
M397595	0.081	0.5	1.02	22	10	100	0.6	<2	6	<0.5	6	57	781	2.59	<10	<1	0.16	10	1.51	847	5	<0.01	26	910	7	0.4	<2	8	158	<0.01	<10	<10	55	<10	29
M397596	0.118	0.9	1.55	18	10	70	0.5	<2	5.88	<0.5	17	99	1325	3.41	<10	2	0.17	10	1.12	894	5	<0.01	45	950	8	1.42	<2	7	117	<0.01	<10	<10	72	<10	28
M397597	0.14	1.6	1.08	51	10	120	<0.5	2	5.19	1.9	31	128	1240	3.84	10	1	0.11	10	0.86	638	12	0.02	67	990	14	1.7	9	9	98	<0.01	<10	<10	89	<10	132

2.02

397672	0.479	2.2	1.92	45	<10	160	0.6	<2	5.28	<0.5	19	9	7950	5.6	10	<1	0.48	10	2.18	762	4	0.13	20	1810	4	1.28	5	18	188	0.05	<10	<10	162	<10	35
397673	0.066	0.3	1.72	8	<10	150	0.6	<2	6.2	<0.5	28	13	2440	5.82	10	<1	0.34	10	2.04	751	15	0.1	18	2030	<2	1.4	3	15	174	0.03	<10	<10	160	<10	30
397674	0.062	0.3	2.21	<2	<10	140	0.6	<2	5.28	<0.5	26	14	1610	5.8	10	<1	0.66	10	2.29	629	11	0.11	21	2350	3	1.52	3	14	165	0.1	<10	<10	177	<10	33
397675	0.057	0.4	2.29	2	<10	130	0.6	<2	5.15	<0.5	25	15	1680	5.69	10	<1	0.65	10	2.27	617	11	0.11	19	2330	6	1.42	2	14	164	0.1	<10	<10	177	<10	39
397676	0.096	0.2	2.24	7	<10	200	0.7	<2	5.26	<0.5	21	50	1695	5.15	10	<1	0.79	20	1.86	564	8	0.12	30	2270	3	0.64	3	15	160	0.11	<10	<10	175	<10	29
397677	0.076	0.4	2.81	33	<10	230	0.7	<2	5.33	<0.5	24	28	986	5.63	10	<1	0.94	20	2.43	810	3	0.1	25	2520	27	0.74	2	17	142	0.15	<10	<10	223	<10	64
397678	0.125	0.6	2.26	36	<10	130	0.5	<2	3.52	1.3	22	9	1590	4.81	10	<1	0.71	20	2.05	605	13	0.08	15	2770	35	0.86	<2	10	94	0.13	<10	<10	163	<10	182
397679	0.162	2	2.05	75	<10	40	0.5	<2	4.88	1.8	18	2	1180	5.29	10	<1	0.66	10	2.58	821	14	0.07	10	2570	40	1.44	20	7	122	0.11	<10	<10	112	<10	166
397680	0.517	1.4	0.91	14	10	20	<0.5	<2	2.04	<0.5	23	855	6080	7.55	<10	1	0.4	<10	0.84	801	21	0.06	711	930	15	4.12	7	5	124	<0.01	<10	<10	45	<10	90
397681	0.31	1.5	2.39	42	<10	160	0.6	<2	3.34	11.9	23	3	1655	5.29	10	<1	0.99	20	2.04	613	83	0.08	15	3010	71	1.2	<2	9	86	0.19	<10	<10	173	<10	725
397682	0.104	0.8	2.49	39	<10	150	0.6	<2	3.93	<0.5	37	2	1370	5.75	10	<1	1.08	20	2.17	656	30	0.09	16	3040	12	1.61	4	9	105	0.2	<10	<10	177	<10	64
397683	0.075	0.3	2.44	18	<10	250	0.6	<2	3.26	<0.5	25	2	1050	5.23	10	<1	1.22	20	2.21	459	16	0.1	16	2990	11	0.52	2	10	90	0.23	<10	<10	195	<10	46
397684	0.091	0.6	2.35	16	10	340	0.8	<2	4.52	<0.5	24	6	1400	5.56	10	<1	0.96	10	2.23	645	29	0.12	16	2430	4	0.57	5	13	130	0.14	<10	<10	166	<10	42
397685	0.092	0.4	1.64	7	<10	580	0.5	<2	4.61	<0.5	19	7	1650	4.98	10	<1	0.69	10	1.92	550	15	0.13	8	1720	3	0.38	3	15	173	0.09	<10	<10	153	<10	29
397686	0.079	0.9	0.73	12	<10	90	<0.5	<2	5.04	<0.5	12	1	1370	3.97	<10	<1	0.28	10	1.54	876	12	0.12	2	1170	2	0.79	10	5	156	<0.01	<10	<10	39	<10	33
397687	0.071	0.6	1.42	16	<10	20	0.5	<2	3.69	<0.5	19	3	628	5.42	<10	<1	0.33	10	1.74	867	14	0.11	7	1470	10	3.94	2	7	158	<0.01	<10	<10	63	<10	80
397688	0.02	0.2	1.3	9	10	210	<0.5	<2	3.74	<0.5	12	6	170	3.06	<10	<1	0.28	10	0.91	1095	4	0.09	13	1600	4	0.95	<2	6	120	<0.01	<10	<10	50	<10	80
397689	0.019	0.2	1.47	6	<10	130	<0.5	<2	4.71	<0.5	13	2	169	3.49	<10	<1	0.27	10	0.92	1160	1	0.12	6	1650	5	0.51	2	12	145	<0.01	<10	<10	102	<10	64
397690	0.013	<0.2	1.62	10	<10	90	0.5	<2	5.63	2.6	10	1	130	3.66	<10	<1	0.31	10	1.19	1870	1	0.1	4	1700	4	0.8	<2	9	166	<0.01	<10	<10	95	<10	363
397691	0.005	<0.2	1	4	<10	740	0.5	<2	4.88	<0.5	8	1	91	4	<10	<1	0.33	10	0.57	1720	1	0.11	3	1670	7	0.12	2	5	166	<0.01	<10	<10	75	<10	98
397692	0.468	0.4	0.8	89	<10	260	<0.5	<2	5.83	<0.5	8	1	87	3.5	<10	<1	0.33	10	0.69	1890	1	0.09	2	1610	4	0.54	3	4	179	<0.01	<10	<10	42	<10	92
397693	0.016	0.3	1.01	9	10	250	0.5	<2	4.99	<0.5	10	1	51	3.57	<10	<1	0.32	10	0.87	1545	1	0.11	5	1650	5	0.72	<2	10	182	<0.01	<10	<10	73	<10	75
397694	0.067	0.5	2.22	5	<10	580	0.5	<2	1.5	1.7	20	42	707	5.53	10	<1	0.1	10	1.76	860	2	0.16	33	2040	<2	0.19	3	9	227	0.37	<10	<10	148	<10	110
397695	0.145	1.1	2.12	9	<10	130	<0.5	<2	4.51	<0.5	21	17	1595	4.93	10	<1	0.13	10	1.3	693	4	0.1	8	1200	3	1.47	2	14	116	0.01	<10	<10	154	<10	47
397696	0.175	1.1	2.14	23	<10	70	0.5	<2	6.53	<0.5	18	16	1430	4.59	10	<1	0.15	10	1.25	725	3	0.05	8	1160	5	1.52	3	12	116	<0.01	<10	<10	133	<10	39
397697	0.171	2.3	2.07	272	<10	70	0.5	<2	5.45	<0.5	23	13	2190	4.77	10	<1	0.2	10	1.3	811	17	0.05	8	1190	9	2.03	4	12	110	<0.01	<10	<10	118	<10	39
397698	0.084	0.5	1.98	4	10	140	0.5	<2	5.8	<0.5	17	14	1000	4.65	10	<1	0.21	10	1.02	676	5	0.04	8	1200	4	1.12	2	13	142	0.01	<10	<10	116	<10	30
397699	0.068	0.8	2.18	20	<10	290	0.6	<2	5.55	<0.5	13	15	653	4.61	10	<1	0.21	10	1.05	675	3	0.04	8	1210	5	0.57	3	12	155	<0.01	<10	<10	127	<10	42
397700	0.916	2.5	0.8	13	10	30	<0.5	<2	1.7	<0.5	30	1525	>10000	10.4	<10	1	0.42	<10	0.78	1050	28	0.04	1255	650	8	3.69	4	5	62	<0.01	<10	<10	55	10	86
397701	0.121	2.1	2.23	22	10	140	0.6	<2	6.91	<0.5	19	13	1340	4.58	10	<1	0.2	10	1.29	781	4	0.04	9	1150	18	0.92	<2	11	214	<0.01	<10	<10	109	<10	59
397702	0.12	0.8	2.3	6	<10	120	0.5	<2	4.14	<0.5	22	17	1390	5.3	10	<1	0.14	10	1.61	554	6	0.07	9	1250	3	0.95	<2	14	134	0.01	<10	<10	153	<10	44
397703	0.174	1.1	2.04	5	<10	190	0.5	<2	4.49	<0.5	17	14	2130	4.23	10	<1	0.21	10	1.2	452	14	0.05	8	1290	3	0.82	2	11	128	<0.01	<10	<10	113	<10	36
397704	0.272	1.3	2.06	6	<10	120	0.5	<2	6.97	<0.5	17	13	2680	4.28	10	<1	0.19	10	1.14	615	21	0.05	7	1140	<2	0.82	<2	10	156	<0.01	<10	<10	110	<10	33
397705	0.204	0.6	1.96	3	<10	140	0.5	<2	4.7	<0.5	15	12	1885	4.23	10	<1	0.19	10	1.11	529	4	0.05	7	1140	<2	1.15	2	11	162	<0.01	<10	<10	105	<10	29
397706	0.281	1	1.58	4	<10	130	0.5	<2	4.62	<0.5	16	9	2600	3.93	10	<1	0.22	10	0.81	480	5	0.05	7	1150	3	1.22	<2	11	170	<0.01	<10	<10	85	<10	25
397707	0.292	1.5	1.76	6	<10	100	<0.5	<2	6.15	<0.5	11	10	3330	4.19	10	<1	0.2	10	1.14	664	18	0.05	8	1040	3	1.57	2	10	154	<0.01	<10	<10	81	<10	25
397708	0.165	0.7	1.86	2	10	220	0.6	<2	6.16	<0.5	16	5	1700	4.27	10	<1	0.31	10	1.4	668	6	0.05	5	1410	3	1.02	4	13	242	<0.01	<10	<10	109	<10	30
397709	0.091	0.7	2.41	5	10	200	0.6	<2	5.4	<0.5	22	2	1420	5.52	10	<1	0.38	10	1.34	586	13	0.03	5	1790	3	0.78	2	15	215	0.01	<10	<10	123	<10	40
397710	0.12	1	1.9	4	10	190	0.5	<2	4.06	<0.5	19	8	2070	3.74	10	<1	0.27	10	1.38	511	39	0.07	9	1400	2	1.18	2	13	160	0.01	<10	<10	97	<10	32
397711	0.239	2.2	1.36	79	<10	150	<0.5	<2	5.54	2.2	13	7	1600	3.06	<10	<1	0.25	10	1.49	695	18	0.07	9	980	120	1.17	3	7	216	<0.01	<10	<10	54	<10	138
397712	0.12	3.6	1.7	26	<10	70	<0.5	<2	5.15	0.8	15	10	2910	3.59	<10	<1	0.22	10	1.59	705	14	0.06	10	1030	9	1.24	3	8	174	<0.01	<10	<10	75	<10	89
397713	0.199	7.3	2.12	102	<10	70	0.5	<2																											

SAMPLE	Au-AA23	Au	Ag	ME-ICP41	Al	As	ME-ICP41	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn	Cu-AA46
DESCRIP	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
397741	0.947	1	1.71	9	<10	120	<0.5	<2	2.89	<0.5	18	9	1220	3.56	10	<1	0.26	10	1.28	452	15	0.12	12	1110	13	0.92	3	9	89	0.04	<10	<10	89	<10	39				
397742	0.232	1	1.74	10	<10	50	<0.5	<2	4.38	<0.5	18	18	2350	3.76	10	<1	0.29	10	1.47	477	138	0.09	13	920	<2	1.86	3	7	90	0.03	<10	<10	88	<10	31				
397743	0.264	1	1.49	6	<10	110	<0.5	<2	4.21	<0.5	16	16	1745	3.83	10	<1	0.22	10	0.94	559	17	0.11	16	1040	2	1.04	2	9	121	0.01	<10	10	88	<10	28				
397744	0.109	0.8	2.05	6	<10	80	<0.5	<2	3.89	<0.5	16	14	1235	4.39	10	<1	0.26	10	1.36	603	12	0.12	13	1150	<2	0.9	2	9	128	0.01	<10	10	104	<10	37				
397745	0.086	0.5	1.42	4	<10	100	<0.5	<2	3.92	<0.5	15	8	1450	3.96	10	<1	0.23	10	0.87	570	202	0.11	10	1280	<2	0.84	<2	9	102	0.01	<10	<10	88	<10	27				
397746	0.133	0.8	1.38	4	<10	170	<0.5	<2	3.12	<0.5	16	20	1860	3.65	10	<1	0.17	10	1.08	493	26	0.1	8	1090	2	0.85	2	8	84	0.03	<10	<10	88	<10	30				
397747	0.104	0.4	1.88	4	<10	110	<0.5	<2	2.7	<0.5	19	13	1165	5.26	10	<1	0.21	10	1.47	534	11	0.17	9	1200	3	1	<2	10	99	0.12	<10	<10	134	<10	33				
397748	0.05	0.3	2.21	2	<10	190	<0.5	<2	3.05	<0.5	19	21	826	5.19	10	<1	0.19	10	1.82	621	7	0.23	9	1180	<2	0.97	<2	12	115	0.11	<10	<10	152	<10	31				
397749	1.195	0.6	2.16	3	<10	130	<0.5	<2	3.96	<0.5	20	16	1390	5.54	10	<1	0.22	10	1.82	906	47	0.18	11	1160	<2	1.3	<2	13	132	0.08	<10	<10	151	<10	47				
397750	0.201	0.6	1.9	6	<10	90	<0.5	<2	3.83	<0.5	22	27	1860	4.89	10	<1	0.2	10	1.48	641	23	0.14	11	1080	<2	1.62	3	11	120	0.04	<10	<10	128	<10	35				
397751	0.178	0.7	2.22	4	<10	110	0.6	<2	4.76	<0.5	21	13	1535	5.79	10	<1	0.26	10	1.48	749	7	0.14	11	1160	13	1.67	2	11	159	0.02	<10	<10	122	<10	59				
397752	0.184	0.4	1.82	<2	<10	100	<0.5	<2	4.49	<0.5	25	21	1975	4.93	10	<1	0.18	10	1.34	666	13	0.13	9	1160	5	1.38	4	14	130	0.03	<10	<10	137	<10	38				
397753	0.281	0.7	2.2	6	<10	70	0.5	<2	3.51	<0.5	19	14	1440	4.9	10	1	0.21	10	1.54	567	64	0.12	11	1130	2	1.16	<2	11	114	0.01	<10	<10	120	<10	38				
397754	0.143	0.6	2.43	5	<10	80	0.6	<2	4.45	<0.5	18	18	2200	5.16	10	<1	0.21	10	1.82	696	130	0.12	9	1100	<2	1.06	<2	12	162	0.02	<10	<10	130	<10	39				
397755	0.15	0.8	2.12	5	<10	130	0.5	<2	4.25	<0.5	19	15	1480	5.28	10	<1	0.18	10	1.6	697	22	0.13	10	1080	2	0.79	2	12	146	0.01	<10	<10	130	<10	40				
397756	0.203	4.5	2.03	40	<10	80	<0.5	<2	3.76	14.8	20	19	1500	5.24	10	1	0.15	10	1.52	660	58	0.11	10	1060	45	1.4	6	11	122	0.02	<10	<10	116	<10	1980				
397757	0.14	7.7	2.09	93	10	30	0.5	<2	4.53	1.5	24	10	2260	5.19	10	<1	0.24	10	1.32	789	20	0.11	10	1100	13	1.69	70	9	142	0.02	<10	<10	87	<10	117				
397758	0.158	1.3	2.3	5	<10	50	0.5	<2	4.45	<0.5	25	22	3200	4.47	10	<1	0.25	10	2	654	47	0.11	10	1020	4	1.18	2	10	148	0.06	<10	<10	125	<10	44				
397759	0.42	2.9	2.02	16	<10	30	0.5	<2	2.73	5.9	21	11	4420	4.18	10	<1	0.35	10	1.54	413	161	0.12	11	990	29	1.44	3	8	95	0.06	<10	<10	98	<10	213				
397760	0.546	1.5	0.85	17	10	20	<0.5	<2	1.98	<0.5	24	832	6160	7.7	<10	1	0.38	<10	0.82	774	22	0.05	705	900	16	3.89	5	5	116	<0.01	<10	<10	44	<10	88				
397761	0.221	0.7	2.04	2	<10	70	0.5	<2	4.37	0.5	18	16	2130	3.62	10	<1	0.3	10	1.33	587	68	0.13	12	1020	3	1.27	2	8	142	0.02	<10	10	80	<10	34				
397762	0.491	1.8	2.08	23	<10	30	0.5	<2	3.15	1.2	23	11	2900	4.11	10	<1	0.28	10	1.45	456	26	0.12	10	970	13	1.62	2	7	110	0.02	<10	<10	82	<10	53				
397763	0.202	1	1.8	<2	<10	60	<0.5	<2	2.58	<0.5	27	24	3170	3.4	10	1	0.22	10	1.64	360	34	0.1	10	1040	<2	1.16	<2	8	90	0.04	<10	<10	99	<10	25				
397764	0.157	0.6	1.64	4	<10	150	<0.5	<2	3.25	<0.5	18	14	2330	4.09	10	<1	0.16	10	1.4	449	38	0.12	9	1030	<2	0.95	<2	11	110	0.03	<10	<10	110	<10	26				
397765	0.385	1.1	1.78	5	<10	60	<0.5	<2	3.24	<0.5	21	20	3500	3.94	10	<1	0.2	10	1.5	407	31	0.11	9	1200	<2	1.5	<2	10	113	0.03	<10	<10	112	<10	22				
397766	0.186	0.9	1.98	5	<10	250	0.6	<2	4.63	<0.5	15	6	3310	3.99	10	<1	0.28	10	1.43	598	74	0.12	8	1360	4	0.82	<2	9	150	0.02	<10	<10	104	<10	29				
397767	1.11	3.7	1.28	3210	<10	30	<0.5	<2	4.21	4	21	27	5720	4.25	10	1	0.18	10	1.26	647	35	0.07	18	1160	14	2.39	11	7	111	0.01	<10	<10	84	<10	83				
397768	0.207	1.2	1.92	104	<10	140	0.7	<2	4.82	0.9	12	11	1790	3.82	10	<1	0.24	10	1.52	663	18	0.12	17	1260	4	0.94	3	7	142	0.01	<10	<10	73	<10	37				
397769	0.458	1.6	1.78	64	<10	60	0.6	<2	3.52	0.6	15	18	2240	3.42	10	<1	0.25	10	1.48	477	15	0.1	14	1400	4	0.96	3	7	134	0.01	<10	<10	81	<10	29				
397770	0.362	1.5	1.35	17	<10	90	<0.5	<2	4.05	0.6	20	29	2960	3.82	10	<1	0.18	10	1.08	498	51	0.11	25	1380	3	1.36	3	11	131	0.01	<10	<10	99	<10	38				
397771	0.211	1.9	1.72	12	<10	50	0.5	<2	4.11	0.8	24	43	3540	3.74	10	<1	0.17	10	1.5	540	56	0.09	34	1160	4	1.48	2	9	130	0.02	<10	<10	102	<10	55				
397772	0.336	4.2	1.38	12	<10	40	0.5	<2	4.51	10.3	21	17	5170	3.73	<10	<1	0.25	10	1.2	574	100	0.1	20	1120	8	1.8	5	8	142	0.01	<10	10	78	<10	194				
397773	0.303	2.3	1.48	49	<10	40	0.5	<2	3.33	1.7	13	11	2490	3.79	<10	<1	0.22	10	1.54	550	18	0.11	3	1320	6	1.52	2	7	124	0.01	<10	10	82	<10	76				
397774	0.417	1.4	1.68	26	<10	30	0.5	<2	3.61	8.7	10	2	1530	4.12	10	<1	0.28	10	1.07	441	35	0.12	3	1320	14	1.48	<2	7	132	<0.01	<10	<10	83	<10	179				
397775	0.422	1.4	1.62	22	<10	60	0.5	<2	3.72	7.5	11	14	1480	4.03	10	<1	0.24	10	1.1	426	35	0.1	5	1360	19	1.49	<2	7	130	0.01	<10	<10	82	<10	155				
397776	0.247	1.7	1.82	18	<10	100	0.5	<2	3.97	0.9	11	2	2710	4.12	10	<1	0.3	10	1.2	462	77	0.1	7	1380	12	1.05	<2	7	140	0.01	<10	<10	82	<10	35				
397777	0.217	1.1	1.32	11	<10	290	0.5	<2	4.04	0.5	10	15	1915	3.1	<10	<1	0.26	10	1.02	436	16	0.11	4	1460	9	0.83	4	8	146	0.01	<10	<10	80	<10	37				
397778	0.18	1.1	1.48	32	10	60	0.5	<2	5.05	<0.5	9	2	1645	3.44	<10	<1	0.29	10	1.06	556	117	0.12	3	1300	11	0.89	<2	7	176	<0.01	<10	<10	68	<10	31				
397779	0.139	0.6	1.4	4	<10	490	0.5	<2																															

397816	0.377	0.4	1.67	<2	<10	40	<-0.5	<-2	2.67	<-0.5	23	22	640	4.65	10	<-1	0.44	10	1.1	400	6	0.08	22	1210	4	2.92	<-2	9	116	0.06	<-10	<-10	88	<-10	24
397817	0.111	0.5	1.72	7	<10	170	<-0.5	<-2	3.72	<-0.5	11	5	550	3.52	10	<-1	0.27	10	1.1	499	1	0.05	6	1110	8	1.12	3	7	158	0.02	<-10	<-10	87	<-10	46
397818	0.063	0.5	1.76	17	<10	210	<-0.5	<-2	3.04	0.7	11	2	388	3.81	10	<-1	0.28	10	1.08	509	3	0.06	5	1310	10	0.89	3	9	130	0.03	<-10	<-10	103	<-10	56
397819	0.053	<-0.2	1.88	3	<10	300	0.5	<-2	4.1	<-0.5	15	18	231	3.99	10	<-1	0.52	10	1.1	669	2	0.06	15	1470	10	0.77	<-2	12	154	0.07	<-10	<-10	118	<-10	34
397820	2.13	5.3	0.43	21	<10	80	<-0.5	8	1.37	<-0.5	30	1510	>10000	10.3	<-10	3	0.27	<-10	0.67	962	33	0.03	1210	330	27	3.11	18	3	41	0.01	<-10	<-10	58	10	97
397821	0.032	0.2	1.85	16	<10	190	<-0.5	2	5.2	<-0.5	15	87	218	3.95	10	<-1	0.26	10	1.48	768	2	0.07	55	1000	8	1.32	6	11	139	0.06	<-10	<-10	120	<-10	53
397822	0.023	<-0.2	2.11	32	<10	200	<-0.5	<-2	4.91	<-0.5	16	106	150	4.36	10	1	0.19	10	1.94	841	1	0.1	61	1070	4	1.13	7	12	161	0.08	<-10	<-10	143	<-10	69
397823	0.005	<-0.2	1.9	55	<10	210	<-0.5	<-2	4.82	0.7	14	115	114	4.13	10	<-1	0.2	10	1.58	812	1	0.09	58	1010	12	1.08	7	12	158	0.08	<-10	<-10	146	<-10	146
397824	0.037	0.8	2.14	101	<10	60	0.5	<-2	7.4	4.9	16	65	204	4.51	10	1	0.27	10	1.33	1030	3	0.06	40	1150	112	1.44	8	12	214	0.04	<-10	<-10	109	<-10	314
397825	0.041	7.9	1.74	162	<10	140	0.7	<-2	9.12	22.5	11	15	268	4.39	<-10	<-1	0.23	10	1.7	1500	2	0.04	18	1020	42	1.1	30	9	344	<-0.01	<-10	<-10	59	<-10	771
397826	0.029	0.4	2.28	21	<10	280	0.5	<-2	5.28	2.5	16	5	235	4.72	10	1	0.46	10	1.3	872	21	0.06	8	1700	12	0.81	<-2	17	226	0.04	<-10	<-10	154	<-10	124
397827	0.026	0.3	2.55	9	<10	240	0.5	<-2	4.55	<-0.5	21	2	310	5.06	10	<-1	0.41	10	1.74	901	2	0.08	7	1780	12	1.04	<-2	18	207	0.05	<-10	<-10	180	<-10	54
397828	0.01	<-0.2	3.08	<-2	<10	330	<-0.5	2	3.77	<-0.5	18	2	154	4.95	10	<-1	0.27	10	1.94	760	4	0.26	4	1850	6	0.42	2	21	225	0.06	<-10	<-10	194	<-10	43
397829	0.014	<-0.2	3.07	16	<10	470	<-0.5	2	3.69	<-0.5	18	2	273	4.99	10	1	0.26	10	1.9	700	5	0.25	5	1910	5	0.51	3	20	226	0.1	<-10	<-10	195	<-10	41
397830	0.015	<-0.2	2.83	6	<10	220	0.5	2	4.47	<-0.5	16	2	201	5.07	10	<-1	0.34	10	1.79	780	1	0.13	5	1830	8	0.5	<-2	21	186	0.03	<-10	<-10	192	<-10	35
397831	0.026	0.5	2.06	33	<10	480	<-0.5	<-2	9.54	1.1	13	1	174	4.62	<-10	<-1	0.24	10	2.18	1485	1	0.05	1	1400	7	0.52	2	15	235	0.02	<-10	<-10	136	10	70
397832	0.037	0.2	2.7	5	10	440	0.6	<-2	5.63	<-0.5	17	2	376	5.04	10	1	0.47	10	1.7	830	<-1	0.05	6	1870	5	0.55	2	18	209	0.04	<-10	<-10	172	<-10	55
397833	0.116	0.6	2.51	15	<10	330	0.6	<-2	5.59	<-0.5	20	2	317	5.2	10	<-1	0.5	10	1.64	853	4	0.03	6	1960	10	0.78	5	18	198	0.05	<-10	<-10	176	<-10	58
397834	0.031	0.3	3.09	8	<10	290	0.5	<-2	4.98	2.6	20	2	378	6.07	10	<-1	0.5	10	1.75	913	<-1	0.08	7	2010	9	1.13	2	23	214	0.06	<-10	<-10	221	<-10	117
397835	0.047	0.3	2.9	3	<10	190	0.5	<-2	4.98	2.4	20	2	381	6	10	<-1	0.45	10	1.75	899	1	0.08	6	2040	7	1.15	3	22	213	0.06	<-10	<-10	218	<-10	116
397836	0.033	0.8	3.56	23	10	190	0.7	<-2	3.56	<-0.5	22	3	583	6.85	10	<-1	0.5	10	1.98	727	5	0.02	7	2150	6	1.37	4	24	156	0.04	<-10	<-10	247	<-10	73
397837	0.06	1.5	2.66	50	10	160	0.8	<-2	3.39	3.7	20	3	628	5.6	10	<-1	0.39	10	1.8	664	3	0.02	10	2050	56	1.38	5	12	156	0.02	<-10	<-10	150	<-10	222
397838	0.069	1.4	0.52	63	<10	50	<-0.5	<-2	4.14	2.9	10	7	476	2.54	<-10	<-1	0.21	10	1.4	553	16	0.01	27	1070	20	1.29	9	4	154	<-0.01	<-10	<-10	61	<-10	189
397839	0.145	2.8	0.42	124	<10	40	<-0.5	2	5.9	7.3	10	3	719	2.9	<-10	<-1	0.19	10	2.02	802	6	0.01	19	640	22	1.5	17	3	218	<-0.01	<-10	<-10	32	<-10	745
397840	0.517	1.4	0.9	14	10	20	<-0.5	<-2	2.07	<-0.5	24	842	6320	8	<-10	1	0.4	<-10	0.85	803	23	0.06	674	960	13	3.98	7	5	126	<-0.01	<-10	<-10	43	<-10	84
397841	0.018	1.3	0.4	72	<10	50	<-0.5	<-2	5.29	3.3	10	6	391	2.76	<-10	<-1	0.19	10	1.92	819	15	0.01	26	900	18	1.2	8	4	180	<-0.01	<-10	<-10	47	<-10	243
397842	0.014	1.5	0.48	411	<10	220	<-0.5	<-2	6.27	13.4	12	7	496	2.69	<-10	<-1	0.24	10	2.14	1035	45	0.02	31	2970	154	0.63	19	4	178	<-0.01	<-10	<-10	70	<-10	1210
397843	0.007	1.1	0.42	212	<10	480	<-0.5	<-2	4.03	12.8	10	10	452	1.8	<-10	<-1	0.22	10	1.37	528	20	0.01	25	1300	135	0.47	16	3	150	<-0.01	<-10	<-10	34	<-10	1265
397844	0.045	1.4	0.39	293	<10	60	<-0.5	<-2	4.06	7.4	17	10	462	2.2	<-10	<-1	0.21	10	1.08	561	50	0.01	54	2450	71	1.07	19	3	126	<-0.01	<-10	<-10	110	<-10	578
397845	0.104	2.1	0.6	80	<10	90	<-0.5	<-2	3.86	2.2	22	11	1105	2.98	<-10	<-1	0.27	10	1.35	641	56	0.01	39	2440	28	1.76	10	5	102	<-0.01	<-10	<-10	71	<-10	198
397846	0.042	2.1	0.75	54	<10	60	<-0.5	<-2	4.16	4.8	27	6	624	3.84	<-10	<-1	0.27	10	1.67	734	17	0.02	28	980	287	2.33	9	4	120	<-0.01	<-10	<-10	67	<-10	266
397847	0.015	0.8	0.38	20	<10	80	<-0.5	<-2	4.92	0.9	16	7	293	3.06	<-10	<-1	0.17	10	1.77	740	47	0.01	32	890	10	1.25	3	3	170	<-0.01	<-10	<-10	89	<-10	69
397848	0.133	1.8	0.48	103	<10	70	<-0.5	<-2	4.28	2.6	10	9	934	2.53	<-10	<-1	0.14	10	1.26	640	28	0.01	32	960	14	1.06	6	3	126	<-0.01	<-10	<-10	101	<-10	178
397849	0.04	1.3	0.55	33	<10	60	<-0.5	<-2	3.68	1.1	16	13	451	2.58	<-10	1	0.13	10	1.33	598	36	0.01	39	1440	12	1.27	6	3	106	<-0.01	<-10	<-10	98	<-10	82
397850	0.064	1.2	0.66	48	<10	90	<-0.5	<-2	3.2	0.9	11	13	1110	2.11	<-10	1	0.13	10	1.03	455	41	0.01	27	980	9	0.75	3	3	96	<-0.01	<-10	<-10	79	<-10	67
397851	0.053	1.7	0.32	23	<10	200	<-0.5	<-2	5.22	1.4	15	5	1380	2.98	<-10	<-1	0.18	<-10	1.72	758	5	0.01	15	410	12	1.41	5	5	208	<-0.01	<-10	<-10	14	<-10	75
397852	0.034	0.4	2.24	3	10	60	<-0.5	<-2	2.63	<-0.5	22	24	718	5.13	10	1	0.41	10	1.47	630	28	0.05	19	1650	<-2	1.56	<-2	9	50	0.01	<-10	<-10	112	<-10	47
397853	0.038	0.2	1.55	17	<10	80	<-0.5	<-2	4.22	<-0.5	12	4	214	3.89	10	1	0.36	10	0.91	866	8	0.02	3	1410	3	1.29	<-2	5	67	<-0.01	<-10	<-10	63	<-10	44
397854	0.025	<-0.2	1.69	18	<10	260	<-0.5	<-2	4.16	<-0.5	10	1	180	3.68	10	<-1	0.42	10	0.98	806	8	0.03	2	1320	3	1	2	4	70	<-0.01	<-10	<-10	54	<-10	29
397855	0.046	<-0.2	1.65	7	<10	180	<-0.5	<-2	5.4	<-0.5	11	1	251	3.48	10	1	0.36	10	1.06	1025	13	0.03	<-1	1270	4	0.63	<-2	4	72	<-0.01	<-10	<-10	56	<-10	35
397856	0.217	0.6	1.74	21	<10	360	<-0.5	<-2	4.25	<-0.5	10	1	803	4.29	10	2	0.4	10	1.09	962	8	0.03	1	1370	5	0.59	<-2	6	77	<-0.01	<-10	<-10	86	<-10	35
397857	0.174	0.2	1.58	9	<10	260	<-0.5	<-2																											

398080	0.9	2.4	0.9	8	<10	70	<0.5	<2	1.71	<0.5	30	1525	>10000	11	<10	<1	0.44	<10	0.8	1065	28	0.03	1250	650	9	3.53	7	5	60	0.01	<10	<10	56	10	86	1.18
398081	0.014	0.2	2.46	4	<10	40	<0.5	<2	2.24	<0.5	15	26	152	4.75	10	<1	0.53	10	1.49	790	3	0.16	16	1280	2	2.01	<2	9	123	0.19	<10	<10	118	<10	63	
398082	0.007	0.2	2.22	3	<10	160	<0.5	<2	1.36	<0.5	13	27	91	4.1	10	<1	0.32	10	1.5	652	1	0.13	15	1130	<2	0.97	<2	9	100	0.27	<10	<10	112	<10	60	
398083	0.015	0.3	2.35	5	<10	160	<0.5	<2	1.74	<0.5	14	20	232	4.41	10	<1	0.37	10	1.4	616	7	0.16	14	1160	3	1.87	<2	8	117	0.22	<10	<10	108	<10	46	
398084	0.006	0.2	2.09	4	<10	210	<0.5	<2	1.46	<0.5	12	25	87	3.97	10	<1	0.43	10	1.26	677	1	0.19	12	1140	<2	0.73	<2	8	120	0.23	<10	<10	102	<10	53	
398085	0.007	0.4	2.24	18	<10	90	<0.5	<2	3.81	<0.5	12	17	89	4.34	10	<1	0.58	10	1.07	870	2	0.1	14	1170	<2	1.05	<2	7	122	0.09	<10	<10	68	<10	48	
398086	0.005	0.2	2.07	<2	<10	210	<0.5	<2	2.38	<0.5	12	22	89	3.51	10	<1	0.5	10	1.18	571	4	0.11	13	1100	3	0.5	<2	7	74	0.13	<10	<10	82	<10	38	
398087	0.057	0.2	2.13	2	<10	60	<0.5	<2	1.88	<0.5	18	25	291	4.65	10	<1	0.42	10	1.24	521	2	0.18	13	1110	<2	1.92	<2	8	87	0.19	<10	<10	99	<10	36	
398088	0.006	<0.2	1.88	<2	<10	130	<0.5	<2	1.68	<0.5	14	25	119	3.89	10	<1	0.41	10	1.42	555	1	0.12	14	1180	<2	0.66	<2	9	64	0.25	<10	<10	118	10	36	
398089	0.011	0.2	1.76	5	<10	110	<0.5	<2	1.95	<0.5	16	24	258	3.95	10	<1	0.36	10	1.08	490	6	0.15	14	1170	<2	1.28	<2	8	87	0.19	<10	<10	103	<10	31	
398090	0.005	<0.2	1.84	<2	<10	100	<0.5	<2	1.88	<0.5	14	27	109	3.88	10	<1	0.36	10	1.32	569	2	0.12	15	1080	2	0.61	<2	9	73	0.24	<10	<10	106	<10	37	
398091	0.007	0.2	2.09	<2	<10	110	<0.5	<2	2.1	<0.5	17	25	213	4.14	10	<1	0.42	10	1.16	574	24	0.18	14	1180	<2	0.98	<2	9	87	0.22	<10	<10	108	<10	38	
398092	0.015	0.3	2.09	5	<10	60	<0.5	<2	3.07	<0.5	18	26	346	4.53	10	<1	0.26	10	1.3	749	5	0.09	13	1340	<2	1.54	<2	10	113	0.2	<10	<10	132	<10	45	
398093	0.019	0.5	2.45	6	<10	100	<0.5	<2	3.04	<0.5	17	4	409	4.69	10	<1	0.28	10	1.32	766	19	0.12	6	1600	<2	1.64	<2	8	110	0.1	<10	<10	125	<10	54	
398094	0.012	0.2	2.48	3	<10	80	<0.5	<2	4.3	<0.5	18	4	235	4.54	10	<1	0.24	10	1.24	973	4	0.11	4	1620	<2	1.1	<2	9	147	0.13	<10	<10	140	<10	54	
398095	0.012	0.3	2.53	<2	<10	90	<0.5	<2	3.5	<0.5	16	3	245	4.55	10	1	0.24	10	1.14	840	10	0.14	4	1620	<2	1.02	<2	8	157	0.13	<10	<10	123	<10	37	
398096	0.012	0.3	1.86	5	<10	80	<0.5	<2	2.64	<0.5	14	25	259	4.14	10	<1	0.15	10	0.88	649	4	0.14	3	1380	<2	1.02	<2	6	108	0.14	<10	<10	114	<10	32	
398097	0.016	0.2	1.52	3	<10	60	<0.5	<2	1.98	<0.5	13	31	312	3.4	10	<1	0.13	10	0.82	530	21	0.1	5	1340	<2	0.69	<2	6	99	0.16	<10	<10	103	<10	38	
398098	0.015	0.5	2.21	11	<10	140	<0.5	<2	2.85	<0.5	13	37	313	4.41	10	<1	0.18	10	1.14	1000	30	0.12	3	1260	2	1.24	<2	7	110	0.11	<10	<10	102	<10	46	
398099	0.017	<0.2	2.08	5	<10	60	<0.5	<2	3.9	<0.5	16	32	610	4.7	10	<1	0.21	10	1.2	829	24	0.08	4	1670	3	1.57	<2	10	120	0.14	<10	<10	130	<10	40	
398100	0.14	0.2	1.63	8	<10	160	<0.5	<2	1.36	<0.5	24	1040	1535	4.45	<10	1	0.24	10	0.83	602	16	0.1	851	650	4	0.94	<2	5	72	0.12	<10	<10	64	<10	53	
398101	0.023	0.2	2.39	4	<10	70	<0.5	<2	3.64	<0.5	19	35	694	4.6	10	<1	0.21	10	1.22	865	9	0.15	5	1390	<2	1.56	<2	11	136	0.14	<10	<10	132	<10	41	
398102	0.023	<0.2	2.01	<2	<10	60	<0.5	<2	3.88	<0.5	15	28	639	4.4	10	<1	0.21	10	1.06	898	8	0.1	3	1520	2	1.02	<2	8	118	0.1	<10	<10	112	<10	39	
398103	0.021	<0.2	1.75	5	<10	80	0.5	4	4.17	<0.5	16	31	601	4.3	10	<1	0.29	10	1.05	1085	18	0.03	5	1570	<2	1.54	2	6	83	0.01	<10	<10	93	<10	38	
398104	<0.005	<0.2	1.31	3	<10	70	<0.5	<2	2.78	<0.5	9	49	19	3.89	<10	<1	0.21	10	0.9	638	1	0.04	2	1220	<2	3.14	<2	3	66	0.04	<10	<10	46	<10	41	
398105	0.006	<0.2	1.73	3	<10	100	<0.5	<2	2.27	<0.5	11	54	70	3.78	10	<1	0.21	10	1.18	806	5	0.05	6	1310	<2	1.02	<2	6	76	0.11	<10	<10	80	<10	43	
398106	0.021	0.4	2.08	29	<10	50	0.5	<2	5.45	<0.5	18	22	335	4.22	10	<1	0.25	10	1.29	1385	14	0.02	7	1640	<2	1.14	2	9	106	0.05	<10	<10	114	<10	85	
398107	0.008	0.5	3	152	<10	40	<0.5	<2	4.46	9.6	13	55	62	7.42	10	<1	0.2	<10	1.5	2150	4	0.02	11	1600	9	3.12	<2	9	100	<0.01	<10	<10	110	<10	1065	
398108	<0.005	<0.2	1.12	15	<10	40	<0.5	<2	4.74	3.2	15	54	15	6.97	<10	<1	0.2	10	1.42	1755	14	<0.01	10	1440	6	5.25	<2	6	168	<0.01	<10	<10	60	<10	361	
398109	0.057	<0.2	1.78	10	<10	30	<0.5	2	4.12	<0.5	19	90	8	8.06	<10	<1	0.18	10	1.39	1570	11	<0.01	15	1660	5	6.74	<2	6	126	<0.01	<10	<10	59	<10	102	
398110	0.053	0.4	1.83	27	<10	40	<0.5	2	4.14	0.5	16	63	13	8.38	<10	<1	0.18	10	1.3	1485	9	<0.01	14	1500	11	6.86	<2	7	111	<0.01	<10	<10	66	<10	143	
398111	0.142	0.3	2	15	<10	30	<0.5	<2	3.82	<0.5	66	77	53	8.94	<10	<1	0.18	10	1.38	1165	10	<0.01	17	1410	7	8.15	<2	9	115	<0.01	<10	<10	94	<10	77	
398112	0.026	0.2	2.31	6	<10	50	<0.5	<2	3.54	0.5	18	32	205	5.29	10	<1	0.21	<10	1.59	987	6	0.05	8	1360	<2	3.44	<2	12	120	0.07	<10	<10	142	<10	115	
398113	0.031	0.2	2.05	7	<10	40	<0.5	<2	4.17	<0.5	21	38	299	5.5	10	<1	0.21	10	1.46	1060	12	0.05	5	1540	<2	3.44	<2	13	116	0.12	<10	<10	164	<10	38	
398114	0.019	0.2	1.46	2	<10	30	<0.5	<2	3.67	<0.5	14	53	209	3.83	10	<1	0.08	10	1.35	874	8	0.03	13	1460	<2	1.01	<2	12	108	0.23	<10	<10	141	<10	38	
398115	0.027	<0.2	1.45	<2	<10	30	<0.5	<2	3.46	<0.5	16	64	370	3.78	10	<1	0.11	10	1	745	8	0.04	15	1210	<2	1.32	<2	8	114	0.21	<10	<10	98	<10	33	
398116	0.034	0.2	1.43	<2	<10	40	<0.5	<2	2.94	<0.5	17	59	430	3.84	10	<1	0.14	10	1.04	623	9	0.03	14	1290	<2	1.4	<2	8	144	0.22	<10	<10	104	<10	30	
398117	0.016	<0.2	1.68	3	<10	60	<0.5	<2	1.38	<0.5	11	68	202	3.74	10	<1	0.2	10	1.36	524	3	0.09	13	1120	<2	0.69	<2	8	106	0.27	<10	<10	112	<10	33	

397928	0.096	1.2	2.39	20	<10	40	0.5	<-2	6.54	<0.5	32	24	1485	5.8	10	<-1	0.3	10	1.98	1635	24	0.03	29	1930	6	2.12	<-2	13	192	0.05	<-10	<-10	148	<-10	65
397929	0.351	2	1.99	24	<10	30	0.5	<-2	6.75	<0.5	45	15	2580	5.79	10	<-1	0.28	10	1.54	1520	36	0.04	26	2000	6	3.53	3	12	200	0.01	<-10	<-10	109	<-10	64
397930	0.105	1.4	2.84	10	<10	40	0.5	<-2	5.22	<0.5	36	24	2020	6.24	10	<-1	0.35	10	2.29	1320	25	0.03	26	2000	5	2.14	3	13	194	0.05	<-10	<-10	166	<-10	128
397931	0.095	1.1	2.6	5	<10	80	<-0.5	<-2	3.64	<0.5	37	24	1650	6.21	10	1	0.28	10	2.19	951	26	0.04	29	1960	4	2.17	<-2	13	140	0.05	<-10	<-10	158	<-10	70
397932	0.108	1.2	2.47	3	<10	100	<-0.5	<-2	3.6	<0.5	34	16	1620	5.94	10	<-1	0.25	10	1.9	805	12	0.03	25	2030	4	2.28	<-2	10	118	0.03	<-10	<-10	138	<-10	68
397933	0.109	0.6	2.35	<-2	<10	120	<-0.5	<-2	3.49	<0.5	31	20	1310	6.04	10	1	0.29	10	2.57	918	13	0.06	21	1890	2	1.68	<-2	16	124	0.2	<-10	<-10	204	<-10	51
397934	0.13	0.9	2.43	4	<10	100	<-0.5	<-2	3.9	<0.5	30	17	1700	6.05	10	<-1	0.23	10	2.12	866	10	0.04	23	2070	3	1.89	2	14	112	0.07	<-10	<-10	174	<-10	48
397935	0.142	0.9	2.5	5	<10	110	<-0.5	<-2	4.02	<0.5	32	17	1755	6.25	10	<-1	0.25	10	2.15	914	11	0.05	23	2090	4	1.92	<-2	14	116	0.07	<-10	<-10	179	<-10	44
397936	0.144	0.9	2.23	8	<10	40	<-0.5	<-2	4.29	<0.5	39	16	1895	6.54	10	1	0.23	10	2.06	958	12	0.05	23	1930	2	2.93	<-2	14	132	0.08	<-10	<-10	167	<-10	55
397937	0.112	0.8	2.07	5	<10	50	<-0.5	<-2	4.1	<0.5	33	15	1650	5.63	10	<-1	0.26	10	1.8	843	15	0.03	18	1780	2	2.82	<-2	12	128	0.03	<-10	<-10	143	<-10	43
397938	0.171	1	2.36	8	<10	50	<-0.5	<-2	5.22	<0.5	33	17	2230	6.25	10	<-1	0.22	10	2.14	1090	13	0.05	23	1890	5	2.41	<-2	14	141	0.06	<-10	<-10	182	<-10	48
397939	0.234	1.3	2.68	15	<10	100	0.5	<-2	4.46	<0.5	33	17	2540	5.95	10	1	0.15	10	2.57	959	34	0.05	22	1940	4	2.43	3	16	124	0.09	<-10	<-10	190	<-10	51
397940	0.145	0.4	1.64	6	<10	160	<-0.5	<-2	1.32	<0.5	23	1040	1595	4.51	10	1	0.24	10	0.83	597	16	0.12	854	670	6	0.94	<-2	4	74	0.11	<-10	<-10	63	<-10	53
397941	0.148	0.8	2.77	6	<10	110	0.5	<-2	3.13	<0.5	24	20	2140	5.88	10	1	0.26	10	2.76	775	13	0.05	18	1960	4	1.76	<-2	15	110	0.11	<-10	<-10	184	<-10	42
397942	0.129	1	2.6	15	<10	30	0.5	<-2	4.34	<0.5	37	18	1970	7.38	10	<-1	0.21	10	2.59	1305	21	0.05	24	1920	<-2	3.7	<-2	15	122	0.11	<-10	<-10	195	<-10	66
397943	0.069	0.9	2.89	14	<10	60	0.6	<-2	4.84	<0.5	32	19	1245	7.03	10	<-1	0.26	10	2.45	1595	10	0.06	23	1980	4	2.16	<-2	16	152	0.09	<-10	<-10	211	<-10	87
397944	0.11	1.4	2.86	34	<10	20	0.6	<-2	5.56	<0.5	45	17	1645	7.26	10	1	0.29	10	2.24	1500	31	0.03	24	1900	8	3.57	2	13	170	0.04	<-10	<-10	172	<-10	93
397945	0.097	0.9	3.03	6	<10	140	0.5	<-2	3.92	<0.5	30	20	1685	6.53	10	<-1	0.42	10	2.68	1065	41	0.05	24	2000	2	1.88	<-2	15	124	0.08	<-10	<-10	205	<-10	57
397946	0.104	4.3	2.49	15	<10	30	0.5	<-2	5.77	<0.5	32	15	1935	6.37	10	1	0.25	10	1.96	1275	45	0.03	24	1940	4	2.64	2	13	156	0.01	<-10	<-10	141	<-10	62
397947	0.067	1	2.87	6	<10	130	0.5	<-2	5.07	<0.5	33	19	1205	6.48	10	<-1	0.28	10	2.29	1265	22	0.05	24	2040	3	1.91	<-2	14	138	0.02	<-10	<-10	175	<-10	95
397948	0.099	0.9	2.45	4	<10	50	<-0.5	<-2	7.14	<0.5	24	13	1530	5.88	10	1	0.27	10	2.03	1305	9	0.04	14	1950	3	1.87	<-2	12	235	0.04	<-10	<-10	166	<-10	50
397949	0.145	1.6	2.34	10	<10	30	0.5	<-2	5.22	<0.5	23	10	2040	5.23	10	<-1	0.39	10	1.63	1005	13	0.05	13	1580	5	1.84	<-2	10	152	0.04	<-10	<-10	132	<-10	49
397950	0.137	1.2	3.01	10	<10	30	0.7	<-2	5.03	<0.5	30	14	1710	6.56	10	<-1	0.33	10	2.09	1025	4	0.03	21	1980	<-2	2.34	<-2	14	180	0.03	<-10	<-10	158	<-10	48
397951	0.184	1.8	2.52	12	<10	20	0.6	<-2	5.65	<0.5	32	14	2230	6.42	10	1	0.29	10	1.74	1155	11	0.04	19	1780	6	3.01	<-2	11	170	0.02	<-10	<-10	130	<-10	53
397952	0.139	1.2	1.33	10	<10	30	<-0.5	<-2	4.21	0.6	16	4	1535	3.48	<-10	<-1	0.26	10	0.81	721	8	0.03	7	1330	8	1.82	2	5	108	<-0.01	<-10	<-10	58	<-10	47
397953	0.122	0.8	1.21	4	<10	30	<-0.5	<-2	2.77	<0.5	20	2	1440	3.64	<-10	<-1	0.27	10	0.94	523	18	0.04	2	1150	5	2.53	2	4	82	<-0.01	<-10	<-10	57	<-10	34
397954	0.172	1	1.16	9	<10	30	<-0.5	<-2	2.61	<0.5	21	3	2120	3.87	<-10	<-1	0.24	10	1	520	22	0.03	4	1200	4	3.11	<-2	4	77	<-0.01	<-10	<-10	57	<-10	30
397955	0.1	0.6	2.41	13	<10	50	0.5	<-2	4.17	<0.5	33	14	1635	6.86	10	1	0.25	10	2.19	989	8	0.05	18	1940	7	4.18	2	12	100	0.03	<-10	<-10	167	<-10	110
397956	0.102	0.9	2.55	12	<10	30	0.5	<-2	4.69	<0.5	40	17	1195	8.19	10	<-1	0.17	10	2.27	1110	27	0.05	22	1980	10	5	2	14	111	0.04	<-10	<-10	189	<-10	66
397957	0.09	0.3	2.87	3	<10	20	0.5	<-2	4.09	<0.5	31	19	1280	7.7	10	1	0.25	10	2.88	1055	9	0.07	22	2030	5	3.32	<-2	17	102	0.22	<-10	<-10	230	<-10	71
397958	0.06	<-0.2	2.86	6	<10	30	0.5	<-2	3.2	<0.5	34	19	932	8.25	10	1	0.16	10	2.95	811	2	0.06	23	2030	10	4	<-2	16	102	0.13	<-10	<-10	229	<-10	53
397959	0.068	0.3	2.54	11	<10	20	<-0.5	<-2	3.95	<0.5	40	48	991	8.45	10	1	0.15	10	2.69	896	4	0.06	35	1910	9	5.6	<-2	14	104	0.1	<-10	<-10	200	<-10	50
397960	1.51	5.6	0.4	21	<10	70	<-0.5	<-2	1.42	<0.5	29	1525	>10000	10.2	<-10	2	0.25	<-10	0.67	999	33	0.02	1255	340	28	3.25	22	3	40	0.01	<-10	<-10	58	<-10	104
397961	0.039	0.3	3.19	13	<10	30	<-0.5	<-2	3.28	<0.5	37	43	604	7.92	10	1	0.14	10	2.99	971	4	0.06	31	1960	11	3.23	<-2	13	104	0.03	<-10	<-10	212	<-10	71
397962	0.032	<-0.2	3.18	13	<10	20	0.6	<-2	3.18	<0.5	35	19	431	8.1	10	1	0.23	10	3.18	844	3	0.07	20	2040	8	4.02	<-2	16	97	0.1	<-10	<-10	226	<-10	47
397963	0.033	0.3	2.47	24	<10	20	0.5	<-2	4.54	0.6	42	15	445	8.25	10	1	0.29	10	2.33	921	3	0.06	19	1930	11	6.7	<-2	11	113	0.02	<-10	<-10	158	<-10	87
397964	0.023	<-0.2	2.14	7	<10	810	0.6	<-2	1.22	<0.5	25	89	66	5.37	10	<-1	0.12	10	1.98	785	1	0.27	73	1460	5	0.1	<-2	5	214	0.48	<-10	<-10	112	<-10	74
397965	0.049	<-0.2	2.42	5	10	1450	<-0.5	<-2	1.87	<0.5	16	25	500	4.68	10	<-1	0.25	10	1.46	724	3	0.15	27	1260	4	0.2	<-2	9	132	0.14	<-10	<-10	109	<-10	69
397966	0.077	<-0.2	1.82	8	<10	890	<-0.5	<-2	2.68	<0.5	11	3	846	4.04	<-10	<-1	0.33	10	1.24	609	2	0.07	2	1530	3	0.3	2	7	86	0.03	<-10	<-10	103	<-10	31
397967	0.211	0.7	2.15	2	<10	190	<-0.5	<-2	3.65	<0.5	15	1	2270	4.75	10	1	0.29	10	1.62	799	56	0.08	2	1480	3	0.7	<-2	12	74	0.03	<-10	<-10	143	<-10	44
397968	0.278	2	1.81	10	<10	160	<-0.5	<-2	3.21	<0.5	18	4	2780	3.86	10	<-1	0.18	10	1.4	685	81	0.06	3	1440	6	1.02	<-2	9	70	0.02	<-10	<-10	107	<-10	57
397969	0.283	4.5	2.53	17	<10	70	<-0.5	<-2	4.55</																										

VA04052046 - Finalized

CLIENT : "MYA - Canadian Gold Hunter Corp"

of SAMPLES : 1

DATE RECEIVED : 2004-08-09

PROJECT : "GJ"

CERTIFICATE COMMENTS : ""

PO NUMBER : " "

SAMPLE DESCRIPTION	Au-SCR21 Au Total (+)(-) Combined ppm	Au-SCR21 Au (+) Fraction ppm	Au-SCR21 Au (-) Fraction ppm	Au-SCR21 Au (+) mg mg	Au-SCR21 WT. + Frac Entire g	Au-SCR21 WT. - Frac Entire g	Au-AA25 Au ppm	Au-AA25D Au ppm
397613	3.33	306	0.94	2.555	8.36	1053.5	0.88	0.99

M398194	0.091	1.7	1.3	132	<10	20	<-0.5	<-2	6.45	10.2	9	67	127	3.95	<10	1	0.11	<10	0.92	1835	11	<-0.01	43	700	26	2.46	<-2	5	102	<-0.01	<10	<10	84	<10	996
M398195	0.008	1	2.8	42	10	550	0.9	<-2	10.55	5.6	27	306	222	4.39	10	<-1	0.22	10	2.79	2350	53	<-0.01	155	1690	19	0.56	6	17	189	0.02	<10	<10	191	<10	477
M398196	0.008	1.2	1.39	5	<10	100	<-0.5	<-2	4.56	2.2	8	43	64	2.5	<10	<-1	0.16	10	0.81	1355	33	0.01	18	1230	14	0.32	3	3	91	<-0.01	<10	<10	114	10	215
M398197	0.027	2	1.16	21	<10	150	<-0.5	<-2	5.63	16	11	99	106	2.63	<10	1	0.12	10	0.72	1475	32	<-0.01	37	560	142	1.1	3	3	79	<-0.01	<10	<10	90	<10	1720
M398198	0.008	0.8	2.15	22	<10	410	0.5	<-2	8.48	0.6	19	47	114	4.24	10	<-1	0.12	10	1.66	1755	32	0.01	58	1170	12	0.66	3	8	161	0.01	10	<10	118	<10	104
M398199	0.007	0.4	2.76	18	<10	310	0.6	<-2	4.23	<-0.5	17	54	87	4.64	10	<-1	0.36	10	2.07	977	<-1	0.04	30	1450	7	0.15	4	11	87	0.06	<10	<10	142	<10	63
M398200	2.02	5.1	0.46	16	<10	80	<-0.5	<-2	1.48	<-0.5	29	1555	>10000	10.7	<10	6	0.28	<10	0.7	1015	34	0.01	1240	330	28	3.32	27	3	41	0.01	<10	<10	60	10	100
M398201	0.007	0.3	2.47	16	<10	750	0.6	<-2	3.6	<-0.5	21	45	124	4.47	10	<-1	0.32	10	1.71	876	2	0.02	39	1170	8	0.14	2	9	89	0.05	<10	<10	128	<10	69
M398202	0.006	0.3	2.51	13	<10	600	<-0.5	<-2	2.9	<-0.5	16	57	77	4.66	10	<-1	0.39	10	1.94	724	<-1	0.05	28	1150	5	0.16	3	10	75	0.11	<10	<10	138	<10	59
M398203	<-0.005	0.5	3.01	11	<10	270	0.5	<-2	2.57	<-0.5	17	63	87	5.22	10	<-1	0.42	10	2.18	867	<-1	0.13	30	1170	6	0.16	6	12	81	0.13	<10	<10	150	<10	64
M398204	0.009	<-0.2	2.54	13	<10	420	<-0.5	<-2	2.19	<-0.5	19	45	102	4.59	10	1	0.45	10	1.8	695	1	0.13	31	1060	5	0.12	4	11	80	0.18	<10	<10	150	<10	54
M398205	<-0.005	<-0.2	2.74	26	<10	280	<-0.5	<-2	2.16	<-0.5	17	70	52	4.78	10	<-1	0.41	10	1.94	798	1	0.16	31	1140	9	0.08	2	13	82	0.21	<10	<10	151	<10	67
M398206	<-0.005	0.3	2.49	16	<10	130	<-0.5	<-2	4.23	0.6	19	40	179	5.22	10	<-1	0.16	10	1.88	1125	1	0.09	26	1470	9	0.43	2	13	104	0.16	<10	<10	180	<10	98
M398207	<-0.005	0.2	3.36	17	<10	170	0.5	<-2	3.29	<-0.5	17	72	66	5.23	10	<-1	0.33	10	2.04	1120	1	0.25	24	1310	14	0.24	3	13	134	0.22	<10	<10	158	<10	102
M398208	<-0.005	0.5	2.57	29	<10	80	<-0.5	<-2	4.39	<-0.5	21	38	132	5.16	10	1	0.22	10	1.78	1415	13	0.06	32	1410	12	0.52	<-2	10	86	0.07	<10	<10	156	<10	83
M398209	0.005	0.5	2.41	18	<10	80	<-0.5	<-2	4.13	<-0.5	16	44	62	5.03	10	1	0.14	10	1.84	1045	1	0.06	21	1530	14	0.39	2	12	84	0.1	<10	<10	168	<10	92
M398210	<-0.005	<-0.2	2.71	31	<10	60	0.5	<-2	5.4	0.6	21	36	109	6.29	10	1	0.13	10	2.33	1345	1	0.04	20	1800	11	0.25	3	19	127	0.16	<10	<10	224	<10	100
M398211	0.006	0.2	2.37	44	<10	50	0.5	<-2	7.99	<-0.5	23	46	128	5.61	10	1	0.1	10	2.1	1470	1	0.04	25	2040	7	0.37	5	21	159	0.21	<10	<10	234	<10	77
M398212	0.006	0.2	2.55	70	<10	70	<-0.5	2	6.78	<-0.5	22	25	230	5.85	10	<-1	0.09	10	2.33	1540	1	0.06	18	2070	10	0.65	10	19	182	0.18	<10	<10	198	<10	57
M398213	0.005	3.2	1.47	73	<10	110	0.5	2	7.23	2.2	30	34	293	4.01	10	<-1	0.14	10	0.79	1240	4	0.03	33	1870	23	1.38	16	15	110	0.03	<10	<10	158	10	168
M398214	0.009	4.9	2.06	45	<10	60	0.5	<-2	7.35	13.3	26	37	305	5.1	10	<-1	0.11	10	1.38	1435	3	0.06	25	1780	28	1.82	11	17	140	0.12	<10	<10	201	<10	873
M398215	0.019	0.5	2.21	50	<10	100	0.5	<-2	5.36	8.3	18	42	180	5.29	10	<-1	0.07	10	1.88	1280	7	0.04	27	1740	29	1.28	6	15	128	0.12	<10	<10	202	<10	499
M398216	0.008	0.7	2.18	40	<10	90	<-0.5	<-2	5.64	6.4	15	53	104	4.41	10	1	0.18	10	1.47	1315	4	0.04	30	1150	19	0.76	4	9	89	0.03	<10	<10	135	<10	508
M398217	0.079	1.3	2.67	73	<10	90	0.5	<-2	3.68	6.9	12	49	342	6.17	10	1	0.31	10	1.73	2160	4	0.02	29	1200	86	2.51	2	8	81	0.02	<10	<10	116	<10	789
M398218	0.006	0.4	2.78	28	<10	390	0.5	<-2	3.17	3.3	16	44	73	4.85	10	1	0.37	10	1.65	1535	<-1	0.05	28	1120	27	0.46	3	9	74	0.04	<10	<10	110	<10	378
M398219	0.009	0.8	2.62	43	<10	400	0.6	<-2	3.63	3.5	19	38	100	4.94	10	<-1	0.4	10	1.62	1075	2	0.04	31	1230	10	0.42	5	8	87	0.04	<10	<10	114	<10	273
M398220	0.567	1.5	0.96	15	10	40	<-0.5	<-2	2.22	<-0.5	23	871	6330	8.44	<10	<-1	0.41	<10	0.87	841	24	0.04	695	970	19	4.22	13	5	122	<-0.01	<10	<10	44	<10	89
M398221	0.008	0.7	2.72	39	<10	220	0.6	<-2	3.48	3.7	19	46	120	5.32	10	<-1	0.29	10	1.92	1065	2	0.02	29	1250	18	0.42	5	8	73	0.03	<10	<10	124	<10	315
M398222	0.101	2.5	1.34	194	<10	60	0.5	<-2	11.15	41.9	18	42	120	5.12	<10	<-1	0.15	10	0.84	2220	4	<-0.01	44	920	131	3.7	6	8	194	<-0.01	<10	<10	45	<10	3960
M398223	0.013	0.7	1.77	41	<10	80	0.5	<-2	7.21	8.9	9	51	30	3.45	10	<-1	0.13	10	1.34	1460	1	0.05	22	1110	49	0.51	6	10	118	0.06	<10	<10	122	<10	881
M398224	0.007	0.9	2.38	373	<10	110	0.5	<-2	6.66	1.2	17	63	108	4.6	10	1	0.17	10	1.86	1375	1	0.06	22	1290	17	0.49	6	12	118	0.06	<10	<10	167	<10	164
M398225	<-0.005	0.7	2.13	31	<10	60	0.5	<-2	5.4	0.9	14	35	112	3.71	10	<-1	0.15	10	2.02	1055	1	0.11	16	1820	4	0.25	<-2	14	152	0.21	<10	<10	166	10	116
M398226	<-0.005	<-0.2	2.07	2	<10	710	0.8	<-2	1.62	0.5	26	52	39	5.84	<10	<-1	0.12	10	1.6	1015	1	0.28	57	1420	5	0.02	2	5	192	0.62	<10	<10	114	<10	96
M398227	0.028	0.2	3.08	39	<10	910	0.9	<-2	1.26	<-0.5	30	79	140	6.26	10	<-1	0.39	10	1.92	762	2	0.03	41	1900	5	0.07	4	16	48	0.07	<10	<10	178	<10	77
M398228	0.008	<-0.2	3.57	4	<10	840	0.7	<-2	4.51	<-0.5	37	26	168	7.27	10	2	0.95	10	2.54	1220	1	0.08	38	2430	4	0.17	4	25	97	0.24	<10	<10	231	<10	53
M398229	0.035	<-0.2	3.78	11	<10	720	0.6	<-2	4.86	<-0.5	31	33	161	7.78	10	<-1	1.26	10	2.67	1200	1	0.07	31	2410	6	0.14	3	29	102	0.26	<10	<10	283	<10	58
M398230	0.011	0.5	1.92	9	<10	390	<-0.5	<-2	4.59	<-0.5	24	23	88	4.16	10	<-1	0.48	10	1.23	959	1	0.05	15	1860	5	0.12	6	14	79	0.07	<10	<10	116	<10	39
M398231	0.011	<-0.2	1.5	7	<10	140	<-0.5	<-2	4.89	<-0.5	15	2	48	3.57	<10	<-1	0.2	<10	1.06	941	1	0.04	2	1460	<-2	0.3	<-2	12	102	0.04	<10	<10	113	<10	35
M398232	0.016	0.2	1.58	8	<10	120	<-0.5	<-2	5.7	<-0.5	22	18	129	3.48	<10	<-1	0.21	10	0.92	1010	1	0.04	7	1540	2	0.73	<-2	12	101	0.03	<10	<10	105	<10	31
M398233	0.022	<-0.2	2.32	3	<10	230	0.5	<-2	5.05	<-0.5	20	15	128	5.04	10	<-1	0.36	10	1.44	1005	1	0.04	6	1640	<-2	0.39	<-2	14	83	0.02	<10	<10	143	<10	45
M398234	0.085	<-0.2	3.15	9	<10	400	0.5	<-2	7.31	<-0.5	24	22	76	6.23	10	1	0.58	10	2.11	1635	1	0.03	19	1940	<-2	0.14	<-2	16	156	0.09	<10	<10	175	<10	85
M398235	0.099	0.3	3.19	3	<10	430	0.5	<-2	7.31</																										

M398280	2.02	5.7	0.46	23	<10	80	<0.5	<2	1.46	<0.5	30	1535	>10000	10.65	<10	3	0.27	<10	0.7	1010	35	0.03	1225	330	30	3.38	27	3	42	0.01	<10	<10	60	10	99	2.01
M398281	0.1	1.8	0.67	4	<10	40	<0.5	<2	2.89	<0.5	30	69	1030	2.84	<10	<1	0.16	10	0.44	483	163	0.02	53	980	5	2.22	<2	3	55	<0.01	<10	<10	85	<10	15	
M398282	0.156	0.9	1.18	9	<10	70	<0.5	<2	3.55	<0.5	33	122	1570	3.47	<10	<1	0.23	10	0.94	546	104	0.04	36	520	5	2.77	3	3	77	<0.01	<10	<10	60	<10	16	
M398283	0.1	0.7	1.18	<2	<10	20	<0.5	<2	3.17	<0.5	40	22	1050	5.02	<10	<1	0.24	10	0.94	579	57	0.04	30	730	12	4.58	2	3	71	0.01	<10	<10	53	<10	23	
M398284	0.293	1.4	1.66	4	<10	40	<0.5	2	3.19	<0.5	36	89	2410	4.62	10	<1	0.24	10	1.29	534	84	0.07	28	1280	5	3.35	3	7	79	0.02	<10	<10	100	<10	27	
M398285	0.149	1.1	1.36	<2	<10	10	<0.5	<2	2.55	<0.5	38	31	1180	5.12	<10	1	0.21	10	1.18	416	29	0.05	32	930	5	4.64	3	5	81	0.02	<10	<10	86	<10	21	
M398286	0.094	1.2	1.52	21	<10	20	<0.5	<2	3.7	<0.5	37	91	1185	5.7	10	<1	0.26	10	1.22	924	227	0.05	42	730	12	5.19	3	4	66	0.01	<10	<10	74	<10	44	
M398287	0.065	0.5	1.56	12	<10	30	<0.5	<2	2.68	<0.5	25	38	697	5.16	<10	<1	0.13	10	1.1	582	14	0.09	37	2220	8	3.45	3	6	69	0.07	<10	<10	97	<10	31	
M398288	0.196	0.9	2.04	12	<10	20	<0.5	<2	2.43	<0.5	30	113	1635	6.01	10	<1	0.16	10	1.5	577	187	0.08	32	1460	12	3.35	5	7	83	0.05	<10	<10	104	<10	36	
M398289	0.33	2.9	1	32	<10	10	<0.5	<2	3.54	0.9	42	22	2650	5.12	<10	1	0.23	10	0.87	702	305	0.03	39	960	8	5.32	44	3	74	<0.01	<10	<10	47	<10	45	
M398290	0.188	0.8	1.4	<2	<10	30	<0.5	<2	2.92	<0.5	21	65	1780	3.95	<10	<1	0.31	10	1.14	420	277	0.06	12	1110	3	3.91	<2	3	67	0.01	<10	<10	61	<10	33	
M398291	0.171	1.2	1.66	<2	<10	20	<0.5	<2	3.45	1.5	26	17	1460	5.23	<10	<1	0.26	10	1.48	648	37	0.07	23	1020	5	4.75	<2	5	75	0.02	<10	<10	83	<10	128	
M398292	0.114	1.1	2.36	<2	<10	60	<0.5	<2	3.62	<0.5	20	105	1185	6.09	10	1	0.21	10	1.7	946	18	0.04	21	900	6	3.46	7	9	99	0.08	<10	<10	106	<10	54	
M398293	0.158	1	0.86	2	<10	40	<0.5	<2	2.53	<0.5	25	18	1175	4.89	<10	<1	0.21	10	0.71	410	30	0.02	33	850	9	5.14	4	3	54	<0.01	10	<10	48	<10	13	

M398390	0.026	0.4	0.76	23	10	80	0.5	<2	3.84	<0.5	15	10	204	4.36	<10	1	0.39	<10	1.17	1010	10	0.15	4	1200	5	2.63	3	7	153	<0.01	<10	<10	33	<10	56	
M398391	0.265	4.1	0.77	89	<10	30	<0.5	<2	3.2	11.4	18	1	754	5.29	<10	2	0.41	10	1.03	680	17	0.12	2	1400	293	4.8	33	5	122	<0.01	<10	<10	25	<10	1090	
M398392	0.06	0.5	0.81	21	<10	90	<0.5	<2	4.26	0.8	13	19	455	3.76	<10	<1	0.39	10	1.04	635	3	0.09	1	1510	10	2.11	3	6	136	<0.01	<10	<10	28	<10	88	
M398393	0.022	0.6	1.2	5	<10	80	0.5	<2	4.07	<0.5	14	1	509	3.79	<10	<1	0.38	10	0.99	550	3	0.11	1	1490	5	2.39	<2	5	150	<0.01	<10	<10	35	<10	38	
M398394	0.027	0.3	1.54	2	10	650	0.5	<2	4.49	<0.5	7	14	538	3.47	<10	<1	0.32	10	1.18	455	15	0.13	<1	1540	3	0.45	<2	7	165	<0.01	<10	<10	66	<10	34	
M398395	0.044	0.4	1.47	2	10	590	0.5	<2	3.81	<0.5	12	1	648	3.14	<10	<1	0.39	10	1.24	409	6	0.13	1	1480	3	0.6	<2	6	135	<0.01	<10	<10	54	<10	24	
M398396	0.121	0.7	1.35	39	10	70	0.6	<2	4.88	<0.5	16	14	524	4.09	<10	<1	0.34	10	0.98	657	6	0.12	5	1460	10	2.64	3	6	166	<0.01	<10	<10	43	<10	30	
M398397	0.139	0.7	2.36	40	<10	100	0.6	<2	5.17	3.1	25	9	641	5.38	10	1	0.43	10	1.64	670	4	0.1	13	1640	132	1.94	<2	12	176	0.03	<10	<10	122	<10	130	
M398398	0.101	0.5	2.29	5	<10	150	0.6	<2	4.14	<0.5	39	19	912	5.72	10	<1	0.61	10	1.93	629	4	0.11	21	1940	4	1.74	<2	16	131	0.06	<10	<10	156	<10	37	
M398399	0.311	1.1	0.82	40	10	50	0.5	<2	3.28	1.7	23	2	2160	5.36	<10	<1	0.44	10	1.05	1085	10	0.11	12	1430	29	2.84	14	6	113	<0.01	<10	<10	32	<10	241	
M398400	0.987	2.8	0.9	10	10	80	<0.5	<2	1.76	<0.5	31	1560	>10000	11.15	<10	<1	0.45	<10	0.82	1080	28	0.03	1245	640	10	3.53	3	5	61	0.01	<10	<10	56	10	92	1.22
M398401	1.855	3	0.39	27	<10	50	<0.5	<2	1.34	1.9	20	57	>10000	9.24	<10	<1	0.24	<10	0.9	1580	6	0.06	3	680	7	2.51	33	4	61	<0.01	<10	<10	34	<10	299	1.53
M398402	1.305	2.8	0.53	66	<10	30	<0.5	<2	1.15	1.8	27	<1	>10000	9.97	<10	3	0.32	<10	0.81	1595	6	0.07	5	950	18	3.99	38	5	64	<0.01	<10	<10	37	<10	415	1.11
M398403	0.723	0.9	0.57	19	10	220	<0.5	<2	1.34	<0.5	16	33	7530	8.56	<10	2	0.36	<10	1.04	2010	4	0.1	5	1220	10	1.2	91	7	75	<0.01	<10	<10	39	<10	328	
M398404	0.905	2.5	0.56	42	10	40	<0.5	<2	1.14	4.5	28	33	>10000	8.33	<10	<1	0.35	<10	0.83	1390	7	0.08	13	1180	22	4.19	18	7	70	<0.01	<10	<10	34	10	344	1.05
M398405	0.547	1.5	0.63	22	10	40	<0.5	<2	1.39	<0.5	17	1	7730	7.68	<10	1	0.39	<10	0.84	1545	5	0.07	8	1060	17	2.59	21	5	67	<0.01	<10	<10	33	<10	231	
M398406	0.499	0.9	0.55	25	10	50	<0.5	<2	1.52	<0.5	12	37	6400	7.17	<10	1	0.35	<10	0.84	1415	5	0.08	2	1030	10	1.92	84	4	68	<0.01	<10	<10	28	<10	120	
M398407	0.457	0.8	0.54	21	10	20	<0.5	<2	1.98	1.2	15	39	5560	7.14	<10	1	0.36	<10	0.84	1555	3	0.06	4	980	9	2.74	32	4	66	<0.01	<10	<10	27	<10	262	
M398408	0.573	1.8	0.6	25	10	20	<0.5	<2	2.25	<0.5	12	1	7790	7.31	<10	1	0.39	<10	0.82	1240	4	0.06	3	1140	10	3.45	39	3	75	<0.01	<10	<10	26	<10	92	
M398409	0.491	1.7	0.65	12	10	30	<0.5	<2	2.21	<0.5	19	1	7530	7.49	<10	2	0.41	<10	0.78	990	6	0.07	5	1290	11	4.79	23	3	77	<0.01	<10	<10	29	<10	85	
M398410	0.55	3.4	0.59	15	<10	20	<0.5	<2	1.87	0.8	17	38	8970	8.92	<10	<1	0.36	<10	0.8	1070	5	0.08	6	1340	12	4.5	41	4	76	<0.01	<10	<10	36	<10	156	
M398411	0.549	2.5	0.61	16	10	100	<0.5	<2	2	0.5	14	1	9280	8.2	<10	2	0.37	<10	0.91	1085	5	0.08	2	1430	18	2.42	54	5	77	<0.01	<10	<10	44	<10	190	
M398412	0.39	0.8	0.64	10	<10	140	<0.5	<2	2.16	<0.5	13	33	6570	6.36	<10	<1	0.37	<10	1	837	6	0.1	6	1240	12	2.15	21	5	75	<0.01	<10	<10	37	<10	168	
M398413	0.268	0.7	0.83	4	<10	160	<0.5	<2	3.31	1.6	12	1	4700	5.7	<10	<1	0.45	10	1.02	1180	5	0.11	5	1350	12	1.3	27	8	74	<0.01	<10	<10	41	<10	326	
M398414	0.186	0.7	0.79	21	10	80	<0.5	<2	3.34	0.9	12	16	3870	5.43	<10	<1	0.45	<10	0.86	1270	4	0.14	3	1570	18	2.15	23	9	95	<0.01	<10	<10	41	<10	198	
M398415	0.143	0.6	0.7	10	<10	140	<0.5	<2	2.6	1.1	8	1	3070	4.58	<10	1	0.41	10	0.76	759	4	0.12	1	1240	10	1.32	31	4	82	<0.01	<10	<10	30	<10	241	
M398416	0.569	1.5	0.59	62	10	30	<0.5	<2	2.77	<0.5	12	31	6180	5.92	<10	3	0.39	<10	0.77	955	34	0.09	1	1210	15	3.09	11	4	87	<0.01	<10	<10	24	<10	109	
M398417	0.124	1.3	0.8	46	10	20	<0.5	2	2.04	1.6	21	1	1130	6.08	<10	1	0.52	<10	0.56	544	34	0.05	4	1400	41	5.55	13	4	53	<0.01	<10	<10	26	<10	540	
M398418	0.22	2.1	0.77	79	<10	10	<0.5	<2	0.87	<0.5	19	1	1195	6.26	<10	4	0.51	<10	0.22	246	74	0.03	3	1080	22	6.45	21	2	26	<0.01	<10	<10	12	<10	32	
M398419	0.098	0.8	0.75	38	<10	50	<0.5	<2	2.04	<0.5	14	28	573	4.29	<10	2	0.49	<10	0.5	483	36	0.04	5	1310	19	4.14	14	2	50	<0.01	<10	<10	15	<10	28	
M398420	0.122	0.3	1.67	8	<10	160	<0.5	<2	1.32	<0.5	24	1045	1565	4.48	<10	1	0.24	10	0.82	605	16	0.11	869	660	6	0.94	<2	5	75	0.11	<10	<10	64	<10	57	
M398421	0.081	0.5	0.65	24	<10	30	<0.5	<2	2.41	<0.5	15	29	353	4.38	<10	1	0.39	<10	0.69	533	15	0.08	4	1240	12	4.16	12	4	74	<0.01	<10	<10	14	<10	57	
M398422	0.098	0.5	1.48	5	10	240	<0.5	<2	3.44	<0.5	12	4	4040	4.04	<10	1	0.38	10	1	495	44	0.04	7	1440	6	1.06	<2	3	95	0.01	<10	<10	53	<10	34	
M398423	0.067	0.8	1.18	7	<10	80	<0.5	<2	4.35	<0.5	14	20	2400	3.72	<10	<1	0.36	10	0.98	591	11	0.02	3	1420	5	1.96	<2	3	94	<0.01	<10	<10	39	<10	21	
M398424	0.027	0.5	1.92	33	10	200	0.6	<2	3.94	<0.2	11	3	649	3.89	<10	<1	0.55	10	1.04	853	7	0.02	9	1300	6	1.03	<2	8	144	<0.01	<10	<10	58	<10	52	
M398425	0.079	1.6	0.85	108	10	60	<0.5	3	3.87	<0.5	19	25	1755	7.04	<10	2	0.34	10	1.3	1520	11	0.02	16	1620	20	6.14	18	10	114	<0.01	<10	<10	42	<10	73	
M398426	0.427	1.7	0.68	105	10	50	<0.5	<2	4.16	0.9	10	<1	4060	4.22	<10	1	0.29	10	1.32	1055	8	0.04	7	1100	17	2.09	7	5	150	<0.01	<10	<10	28	<10	114	
M398427	0.257	1.7	1.11	26	<10	80	<0.5	<2	3.79	<0.5	20	36	4930	6.56	<10	1	0.26	10	1.62	963	6	0.04	23	1580	8	1.82	<2	15	203	0.01	<10	<10	127	<10	37	
M398428	0.147	1.2	1.6	15	<10	70	<0.5	<2	3.7	<0.5	21	27	5790	7.6	<10	1	0.29	10	1.66	851	11	0.05	22	1620	6	2.56	<2	16	200	0.01	<10	<10	150	<10	26	
M398429	0.11	1.2	1.96	16	<10	40	<0.5	<2	3.61	<0.5	22	38	6160	7.47	10	<1	0.24	10	1.86	720	11	0.04	26	1520	8	3.22	<2	16	124	0.01	<10	<10	146	<10	30	
M398430	0.036	1	2.47	23	<10	60	0.6	<2	4.08	<0.5	27	43	3410	7.45	10	2	0.44	10	1.9	751	13	0.05	35	1860	5	2.47	3	18	138	0.02	<10	<10	168</			

VA04056939 - Finalized
 CLIENT : "MYA - Canadian Gold Hunter Corp"
 # of SAMPLES : 114
 DATE RECEIVED : 2004-08-24 DATE FINALIZED : 2004-09-09
 PROJECT : ""
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au-AA23	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn	Cu-AA46	Cu
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
398370	0.011	0.6	0.95	58	<10	120	<0.5	<2	5.21	2	14	20	100	4.63	<10	1	0.23	10	1.7	2230	4	0.1	10	1270	7	1.83	8	9	104	<0.01	<10	<10	49	<10	387			
398371	0.007	0.2	1.26	17	10	290	0.5	<2	5.21	<0.5	17	5	71	3.65	<10	<1	0.36	10	1.58	1640	8	0.11	12	1280	6	0.61	4	10	123	<0.01	<10	10	38	<10	55			
398372	0.007	0.3	1.46	11	10	220	0.5	<2	5.62	<0.5	14	16	148	4.36	<10	<1	0.37	10	1.99	2060	8	0.11	10	1340	6	0.33	<2	11	126	<0.01	<10	<10	64	<10	111			
398373	0.008	0.4	2.11	5	<10	70	<0.5	<2	2.74	1.1	16	21	252	5.39	10	1	0.2	10	2.29	1900	9	0.1	17	1410	4	0.19	2	10	71	0.01	<10	<10	108	<10	414			
398374	0.017	0.9	1.82	17	10	90	0.5	<2	3.58	<0.5	16	18	222	5.59	10	<1	0.31	10	2.07	2280	10	0.13	11	1550	7	0.71	4	12	95	0.01	<10	<10	100	<10	194			
398375	0.012	0.8	1.73	14	10	80	<0.5	<2	3.28	<0.5	15	17	212	5.26	10	1	0.3	10	1.94	2120	9	0.12	11	1460	5	0.63	3	12	88	0.01	<10	<10	96	<10	186			
398376	0.009	0.3	1.66	15	10	210	0.5	2	4.67	0.5	20	8	235	5.03	<10	1	0.33	10	1.87	2050	9	0.14	13	1570	8	0.94	2	12	123	<0.01	<10	<10	74	<10	159			
398377	0.013	0.6	1.34	13	10	140	<0.5	<2	5.45	<0.5	15	9	259	4.67	<10	1	0.3	10	1.83	2060	8	0.12	8	1380	4	0.51	7	11	128	<0.01	<10	<10	81	<10	107			
398378	0.013	0.2	2.51	9	10	80	<0.5	<2	3.37	<0.5	20	3	136	6.71	10	1	0.33	10	2.35	1645	9	0.14	7	1730	4	0.49	4	12	90	0.01	<10	<10	144	<10	142			
398379	0.015	1.3	3.12	25	20	80	0.8	2	4.25	<0.5	22	4	297	5.67	10	1	0.87	10	1.94	1660	9	0.16	9	1630	13	1.6	4	10	126	<0.01	<10	<10	120	<10	154			
398380	0.535	1.5	0.88	16	10	30	<0.5	<2	2.07	<0.5	23	850	6110	8.27	<10	1	0.38	<10	0.86	798	22	0.05	694	930	15	4	7	5	120	<0.01	<10	<10	42	<10	88			
398381	0.013	0.4	1.86	11	10	130	0.6	2	4.93	<0.5	19	4	286	6.64	<10	<1	0.37	10	2.14	2040	8	0.13	10	1690	8	0.56	2	11	138	<0.01	<10	<10	126	<10	142			
398382	0.014	0.2	2.1	5	10	120	0.5	<2	4.8	<0.5	13	15	134	5.55	10	1	0.36	10	2.37	1780	8	0.1	13	1360	5	0.5	5	10	108	0.01	<10	<10	85	<10	83			
398383	0.014	0.6	2.13	32	10	50	0.6	<2	4.19	<0.5	28	9	229	3.97	<10	<1	0.35	10	1.45	1250	6	0.09	20	1450	8	1.1	<2	10	104	<0.01	<10	<10	63	<10	69			
398384	0.014	0.5	1.5	20	10	190	0.5	2	10.7	<0.5	16	5	178	5.27	<10	1	0.3	10	3.38	2890	7	0.09	9	960	11	1.05	6	7	252	<0.01	<10	<10	59	<10	96			
398385	0.027	1.4	2	49	10	80	0.6	2	5.88	<0.5	18	4	91	6.32	<10	1	0.44	10	2.03	2220	6	0.12	10	1590	13	1.98	4	13	170	<0.01	<10	<10	78	<10	80			
398386	0.157	6.2	1.56	90	10	20	0.5	2	3.18	<0.5	16	5	247	7.48	<10	1	0.55	<10	1.4	1585	8	0.09	10	1230	17	4.71	24	6	104	<0.01	<10	<10	50	<10	95			
398387	0.021	0.4	2.3	18	10	80	0.6	<2	2.57	<0.5	18	6	201	6.32	<10	1	0.52	<10	1.3	1335	5	0.15	11	1430	12	1.76	6	8	111	<0.01	<10	<10	60	<10	115			
398388	0.011	0.7	1.98	32	10	230	0.6	<2	4.41	<0.5	8	1	68	4.15	<10	<1	0.58	10	1.66	1755	3	0.17	4	1710	9	0.99	8	10	163	<0.01	<10	10	59	<10	94			
398389	0.031	1.9	1.41	50	10	80	0.6	<2	3.54	<0.5	12	1	180	4.38	<10	1	0.57	<10	1.18	1300	3	0.19	4	1630	17	2.14	11	8	143	<0.01	<10	<10	42	<10	79			
398471	0.093	0.5	2.7	3	10	420	<0.5	<2	3.86	<0.5	13	24	890	4.46	10	1	0.28	10	1.95	687	7	0.16	21	1050	3	0.43	4	9	132	0.01	<10	<10	116	<10	58			
398472	0.119	0.6	2.62	6	10	560	0.5	<2	7.02	<0.5	13	29	963	4.59	10	<1	0.3	10	1.7	1020	8	0.15	26	980	5	0.39	2	10	234	0.01	<10	<10	138	<10	68			
398473	0.152	0.7	2.61	5	<10	340	<0.5	<2	4.26	<0.5	15	44	1180	4.73	10	<1	0.23	10	1.9	777	9	0.15	35	1190	3	0.57	3	9	132	0.01	<10	<10	192	<10	62			
398474	0.067	1.4	2.9	3	10	240	<0.5	<2	3.87	3.5	15	40	805	5.03	10	1	0.35	10	1.84	826	4	0.18	31	1060	8	0.91	2	10	114	0.02	<10	<10	130	<10	113			
398475	0.072	1.4	2.76	<2	<10	210	<0.5	<2	4.05	4.2	16	38	835	4.93	10	<1	0.3	10	1.83	844	4	0.15	31	1060	7	0.94	4	10	116	0.01	<10	<10	127	<10	114			
398476	0.217	0.4	2.32	<2	<10	280	<0.5	<2	3.96	<0.5	17	37	1660	4.38	10	1	0.24	10	1.71	589	6	0.17	25	980	2	0.52	<2	10	109	0.02	<10	<10	117	<10	45			
398477	0.153	0.6	2.41	24	10	170	0.5	<2	4.4	<0.5	14	10	1095	4.51	10	1	0.42	10	1.3	606	21	0.15	7	1400	2	0.8	<2	9	154	0.01	<10	<10	95	<10	48			
398478	0.099	0.6	2.73	17	10	20	0.7	<2	4.56	<0.5	26	21	639	6.66	10	1	0.71	10	2.49	773	16	0.15	19	1920	11	3.73	<2	13	136	0.02	<10	<10	144	<10	58			
398479	0.06	0.3	2.86	11	10	100	0.7	<2	3.57	4.8	26	39	421	6.36	10	1	0.82	10	2.69	648	46	0.14	27	2000	45	2.07	<2	15	104	0.08	<10	<10	180	<10	217			
398480	0.955	2.5	0.86	14	10	30	<0.5	3	1.68	<0.5	30	1515	>10000	10.8	<10	1	0.44	<10	0.78	1020	29	0.04	1225	630	7	3.54	4	5	59	0.01	<10	<10	56	<10	85	1.19		
398481	0.058	0.4	2.57	8	<10	50	0.6	<2	3.71	<0.5	33	28	550	7.42	10	1	0.55	10	2.47	581	4	0.14	24	1780	4	5.1	<2	13	102	0.04	<10	<10	162	<10	38			
398482	0.031	0.3	2.87	10	10	60	0.8	<2	4.32	<0.5	26	50	231	6.31	10	1	0.54	10	2.52	770	2	0.17	39	2120	5	2.1	<2	18	135	0.05	<10	<10	165	<10	46			
398483	0.042	0.6	2.37	25	10	20	0.7	<2	3.59	<0.5	21	27	146	5.6	10	1	0.63	10	1.92	1115	3	0.16	20	1540	17	3.84	<2	10	134	<0.01	<10	<10	88	<10	80			
398484	0.056	0.4	2.07	22	10	10	<0.5	<2	2.01	0.5	19	21	1534	7.12	10	1	0.4	<10	1.74	1530	1	0.14	14	1250	9	5.94	<2	10	120	<0.01	<10	<10	104	<10	188			
398485	0.025	0.4	1.2	18	10	10	<0.5	<2	1.47	<0.5	13	3	38	5.23	<10	1	0.58	<10	0.37	278	2	0.12	11	1040	6	5.79	2	2	68	<0.01	<10	<10	17	<10	19			
398486	0.288	1	1.26	31	20	10	0.5	<2	2.95	<0.5	17	<1	4260	6.77	<10	1	0.61	<10	1.14	1795	8	0.14	3	1350	15	3.71	6	11	110	<0.01	<10	<10	49	<10	127			
398487	0.256	0.8	1.48	15	20	30	0.6	<2	2.19	<0.5	13	<1	4540	6.95	<10	1	0.75	<10	1.12	2070	6	0.16	<1	1620	11	2.16	5	13	107	<0.01	<10	<10	62	<10	132			
398488	0.315	0.8	1.18	31	10	30	0.5	<2	2.02	<0.5	12	15	4250	6.75	<10	2	0.64	<10	1.1	1805	6	0.15	<1	1560	12	2.79	26	11	89	<0.01	<10	<10	52	<10	155			
398489	0.515	0.9	1.07	62	10	20	<0.5	<2	1.94	<0.5	12	1	5240	7.26	<10	1	0.6</																					

398527	0.231	1.2	2.11	6	<10	320	0.5	<2	4.07	<0.5	14	34	2780	5.88	10	1	0.25	10	1.5	662	4	0.07	14	1640	2	0.7	<2	13	90	0.01	<10	<10	178	<10	49
398528	0.099	0.5	1.96	80	<10	60	0.5	<2	3.62	<0.5	14	13	1320	5.82	10	1	0.27	10	1.27	512	4	0.06	9	1360	2	1.51	5	10	96	0.01	<10	<10	132	<10	35
398529	0.144	0.9	2.18	37	<10	50	0.6	<2	5.26	<0.5	14	10	1960	4.74	10	1	0.35	10	1.16	672	7	0.04	10	1250	4	0.99	<2	8	147	<0.01	<10	<10	96	<10	33
398530	0.228	0.5	1.91	39	<10	50	0.5	<2	2.97	<0.5	16	9	2910	4.91	10	1	0.27	10	1.23	390	3	0.06	8	1400	3	1.09	<2	11	100	0.01	<10	<10	132	<10	25
398531	0.293	1.3	2.31	200	10	30	0.6	<2	5.91	<0.5	16	4	3450	5.82	10	1	0.37	10	1.59	1105	2	0.04	6	1620	5	1.62	2	10	154	0.01	<10	<10	114	<10	42
398532	0.15	0.5	1.96	8	<10	600	0.5	<2	4.25	<0.5	14	7	1790	4.95	10	1	0.47	10	1.34	545	1	0.08	6	1970	2	0.32	<2	12	140	0.05	<10	<10	162	<10	41
398533	0.134	0.9	2.11	7	<10	380	<0.5	<2	4.27	<0.5	16	6	1275	5.55	10	<1	0.49	10	1.5	776	3	0.08	7	1910	3	0.45	<2	14	132	0.06	<10	<10	162	<10	51
398534	0.362	5.2	3.08	53	10	40	0.8	<2	5.67	<0.5	18	8	4720	6.73	10	1	0.46	10	2.24	1470	2	0.05	11	1720	16	1.72	<2	13	154	0.01	<10	<10	124	<10	98
398535	0.358	5.1	3.07	47	10	30	0.8	<2	5.87	<0.5	17	8	4750	6.75	10	1	0.46	10	2.27	1505	2	0.04	13	1700	16	1.72	<2	13	158	0.01	<10	<10	125	<10	102
398536	0.865	2.4	2.36	51	10	30	0.6	<2	5.39	<0.5	17	7	5850	5.96	10	1	0.45	10	1.7	799	5	0.07	10	1440	8	1.92	<2	9	173	<0.01	<10	<10	108	<10	47
398537	0.947	2.5	1.33	43	10	30	0.6	<2	5.56	<0.5	9	1	5700	4.02	<10	1	0.5	10	1.85	925	6	0.08	3	1250	11	1.94	<2	6	160	<0.01	<10	<10	45	<10	32
398538	0.57	1.5	1.36	30	10	20	0.5	<2	4.8	<0.5	12	7	3800	5.45	<10	<1	0.46	<10	1.91	786	7	0.07	9	1260	6	2.81	<2	6	128	<0.01	<10	<10	54	<10	39
398539	1.19	2.9	1.32	33	10	60	0.5	12	3.47	<0.5	9	6	6660	4.41	<10	<1	0.42	<10	1.54	606	3	0.09	7	1090	6	1.74	2	6	130	<0.01	<10	<10	50	<10	40
398540	0.563	1.5	0.98	17	20	30	<0.5	<2	2.27	<0.5	23	892	6460	8.62	<10	1	0.4	<10	0.9	851	26	0.06	722	980	15	4.26	6	5	128	<0.01	<10	10	46	<10	93
398541	0.636	1.8	1.83	5	10	130	<0.5	<2	1.59	<0.5	13	12	5560	4.33	10	<1	0.59	<10	1.27	307	6	0.12	10	1220	3	0.95	<2	7	108	0.03	<10	<10	76	<10	30
398542	0.35	1.9	1.44	12	10	50	<0.5	<2	3.31	<0.5	13	8	4910	4.6	<10	1	0.49	<10	1.62	628	18	0.1	9	1070	4	1.3	<2	5	148	0.01	<10	<10	64	<10	33
398543	0.19	3.3	1.14	31	10	110	<0.5	<2	5.14	<0.5	12	17	5360	4.56	<10	1	0.41	10	2.02	1105	8	0.11	16	1130	5	2.23	5	6	192	<0.01	<10	<10	43	<10	39
398544	0.099	2.1	1.28	15	10	60	<0.5	<2	3.16	<0.5	10	6	3590	3.76	<10	<1	0.47	10	1.32	688	10	0.11	10	1120	<2	1.93	<2	5	150	<0.01	<10	<10	40	<10	26
398545	0.606	2.4	1.29	39	10	80	<0.5	<2	3.53	1.7	11	6	5170	4.64	<10	1	0.49	10	1.46	829	5	0.1	6	1270	11	2.32	<2	6	108	0.01	<10	<10	52	<10	193
398546	0.947	9.2	1.06	201	<10	10	<0.5	<2	5.78	19.9	17	2	5010	7.57	<10	3	0.45	<10	1.96	1650	3	0.07	3	970	49	6.83	8	5	119	<0.01	<10	<10	36	<10	1915
398547	0.853	6.3	1.12	135	<10	10	<0.5	<2	5.85	3.9	17	5	5660	6.89	<10	1	0.43	<10	1.99	1535	6	0.09	8	920	16	5.24	<2	7	136	<0.01	<10	<10	52	<10	432
398548	0.265	1.9	1.15	32	10	30	0.6	<2	5.31	<0.5	14	2	1890	4.44	<10	<1	0.46	10	1.53	769	27	0.13	7	1380	7	2.3	<2	7	177	<0.01	<10	<10	53	<10	40
398549	0.185	1.9	1.08	40	10	10	<0.5	<2	2.7	1.3	17	6	787	4.22	<10	1	0.36	<10	1.02	692	69	0.09	22	1250	11	3.8	10	5	110	<0.01	<10	<10	60	<10	160
398550	0.209	1	1.82	29	10	30	0.6	<2	4.16	<0.5	17	2	1115	4.58	<10	1	0.48	10	1.34	754	12	0.14	9	1700	6	2.41	3	9	153	<0.01	<10	<10	64	<10	51
398551	0.075	0.3	1.92	9	10	130	0.6	<2	7.01	<0.5	21	16	539	5.22	<10	1	0.58	10	2.88	1235	6	0.11	18	1410	3	0.63	<2	16	178	0.02	<10	<10	110	<10	45
398552	0.221	0.6	2	94	10	50	0.8	<2	5.73	<0.5	23	12	331	5.99	10	<1	0.6	10	2.7	1490	3	0.11	15	1660	10	1.95	2	14	141	0.03	<10	10	116	<10	41
398553	0.011	<0.2	2.6	5	<10	170	0.7	<2	4.36	<0.5	24	25	164	6.84	10	1	0.48	10	2.56	977	1	0.12	24	2430	<2	0.55	<2	20	128	0.11	<10	<10	221	<10	65
398554	0.024	0.2	2.59	7	<10	130	0.6	<2	5.24	<0.5	27	27	297	6.59	10	2	0.48	10	2.49	1095	2	0.11	23	2340	<2	0.5	<2	21	148	0.13	<10	<10	226	<10	65
398555	0.015	<0.2	2.36	10	<10	150	0.5	<2	5.48	<0.5	20	26	190	6.38	10	1	0.28	10	2.17	1205	1	0.12	21	2460	<2	0.4	<2	22	166	0.07	<10	<10	218	<10	57
398556	0.015	0.2	2.67	7	<10	70	0.5	<2	5.37	<0.5	28	30	246	7.06	10	1	0.31	10	2.75	1565	1	0.13	29	2040	2	0.63	<2	21	159	0.04	<10	<10	219	<10	121
398557	0.017	0.3	2.71	11	10	120	0.5	<2	5.46	<0.5	30	38	162	7	10	1	0.63	10	2.5	1810	1	0.13	32	1620	4	1.34	3	23	181	0.11	<10	10	188	<10	204
398558	0.055	0.2	0.99	24	10	10	<0.5	<2	3.04	<0.5	14	<1	83	5.56	<10	1	0.43	<10	0.95	670	1	0.13	3	1400	5	5.73	6	4	185	<0.01	<10	<10	31	<10	66
398559	0.044	0.6	0.92	15	10	30	<0.5	<2	2.72	<0.5	11	2	1750	3.59	<10	1	0.52	<10	0.77	966	10	0.12	4	1130	7	1.66	<2	5	93	<0.01	<10	<10	22	<10	55
398560	0.889	2.7	0.85	11	10	30	<0.5	4	1.67	<0.5	30	1525	>10000	11	<10	1	0.43	<10	0.78	1020	29	0.03	1230	630	7	3.52	4	5	59	0.01	<10	<10	55	10	83
398561	0.047	0.3	0.86	8	10	80	<0.5	<2	1.15	<0.5	8	4	2480	2.6	<10	2	0.5	<10	0.34	475	12	0.1	4	880	4	1.17	<2	3	63	<0.01	<10	<10	22	<10	26
398562	0.049	0.4	0.94	16	10	40	<0.5	<2	1.71	<0.5	13	2	2370	3.63	<10	1	0.55	<10	0.48	695	18	0.09	1	1140	4	2.17	<2	3	65	<0.01	<10	<10	17	<10	31
398563	0.055	0.3	0.82	10	10	90	<0.5	<2	1.59	<0.5	9	1	2100	2.67	<10	1	0.5	<10	0.43	622	23	0.08	2	720	4	1.1	<2	3	59	<0.01	<10	<10	12	<10	28
398564	0.078	0.5	0.72	17	10	40	<0.5	<2	2.21	<0.5	12	1	2670	4.3	<10	1	0.48	<10	0.63	983	18	0.07	2	800	7	1.86	4	2	63	<0.01	<10	<10	15	<10	58

M398640	0.885	2.8	0.85	12	<10	50	<0.5	12	1.68	0.8	31	1505	>10000	10.7	<10	1	0.43	<10	0.79	1045	28	0.03	1205	630	11	3.33	6	5	60	0.01	<10	<10	54	<10	82	1.15
M398641	0.447	1.5	0.61	19	<10	300	0.5	<2	3.51	0.7	11	2	2400	3.75	<10	1	0.29	10	0.97	518	7	0.11	3	1460	4	0.88	7	7	193	<0.01	<10	<10	60	<10	43	
M398642	0.377	2.5	0.8	46	<10	80	0.5	<2	3.22	1.2	12	40	2300	3.86	<10	1	0.32	10	0.99	484	9	0.11	5	1420	5	0.95	7	8	171	<0.01	<10	<10	70	<10	65	
M398643	0.666	5.1	0.54	53	<10	30	<0.5	2	5.9	2	13	5	4620	4.7	<10	2	0.26	10	1.77	671	8	0.09	12	1150	10	2.12	24	7	232	<0.01	<10	<10	59	<10	71	
M398644	0.31	2	0.74	28	<10	30	<0.5	<2	4.02	1.3	14	36	2810	4.5	<10	<1	0.26	10	1.6	611	12	0.1	18	1180	4	1.6	4	9	175	<0.01	<10	<10	86	<10	79	
M398645	0.462	2.3	0.53	23	<10	20	0.5	<2	3.82	1.4	17	8	3290	5.65	<10	1	0.22	10	1.67	752	27	0.09	25	1120	4	2.31	2	7	122	<0.01	<10	<10	57	<10	73	
M398646	0.245	1.2	0.67	9	<10	170	<0.5	<2	3.61	<0.5	14	48	2320	3.81	<10	<1	0.21	10	1.46	504	21	0.1	30	1090	3	1	<2	9	144	<0.01	<10	<10	81	<10	42	
M398647	0.179	1.3	0.5	16	<10	70	<0.5	<2	4.23	4.6	13	13	1715	3.54	<10	1	0.15	10	1.46	570	13	0.08	26	930	5	0.93	4	9	154	<0.01	<10	<10	76	<10	178	
M398648	0.285	1.2	0.9	13	<10	110	<0.5	<2	3.84	0.6	13	38	2310	3.53	<10	1	0.23	10	1.48	545	28	0.11	26	1020	3	0.82	<2	11	194	<0.01	<10	<10	91	<10	46	
M398649	0.237	1.2	0.79	10	<10	200	<0.5	<2	4.87	0.6	12	14	2430	3.91	<10	1	0.2	10	1.74	704	7	0.11	21	1000	2	0.97	3	10	209	<0.01	<10	<10	87	<10	42	
M398650	0.291	1.4	1.02	7	<10	40	0.5	<2	4.57	<0.5	15	56	3240	4.19	10	1	0.25	10	1.46	603	31	0.1	26	1200	3	1.48	2	9	196	<0.01	<10	<10	92	<10	42	
M398651	0.183	1	0.58	5	<10	70	0.5	<2	5.55	0.6	13	4	1655	4.31	<10	<1	0.31	10	1.5	1600	17	0.11	8	1520	4	0.98	2	10	231	<0.01	<10	<10	64	<10	110	
M398652	0.028	0.5	0.75	17	10	50	0.5	<2	4.55	1.2	15	28	145	4.26	<10	<1	0.42	10	1.14	2560	2	0.09	2	1700	5	1.12	4	10	157	<0.01	<10	<10	48	<10	157	
M398653	0.05	0.6	0.29	48	<10	40	<0.5	<2	2.76	0.8	14	6	45	3.39	<10	1	0.21	<10	0.8	1975	6	0.04	33	710	10	1.67	2	4	66	<0.01	<10	<10	16	<10	70	
M398654	0.013	0.3	0.35	14	<10	60	<0.5	2	2.17	0.5	8	70	22	2.43	<10	1	0.17	10	0.63	1285	8	0.02	22	1600	3	1.5	2	3	49	<0.01	<10	<10	14	<10	32	
M398655	0.03	0.6	0.34	21	<10	50	<0.5	<2	3.23	19.2	13	5	127	3.94	<10	4	0.24	10	1.08	2820	6	0.04	18	710	7	1.32	3	6	74	<0.01	<10	<10	28	<10	2730	
M398656	0.449	2.8	2.4	104	<10	250	0.8	<2	1.89	0.9	15	36	1895	4.93	10	<1	0.16	10	1.65	710	8	0.1	24	1880	2	0.4	8	12	63	0.08	<10	<10	131	<10	118	
M398657	0.154	0.9	2.14	73	<10	160	0.6	<2	4.89	0.7	13	21	385	4.45	10	<1	0.13	10	1.38	859	1	0.04	16	1520	4	0.66	3	13	106	<0.01	<10	<10	129	<10	74	
M398658	0.297	1.9	1.41	1635	<10	100	0.6	<2	6.89	9.7	10	34	156	3.26	<10	<1	0.24	10	1.13	1065	1	0.03	16	1020	271	1.04	18	7	130	<0.01	<10	<10	52	<10	569	
M398659	0.024	0.6	1.74	63	<10	140	0.5	<2	6.95	0.7	13	24	968	3.51	10	<1	0.23	10	1.74	968	4	0.03	32	910	24	0.54	5	8	166	0.04	<10	<10	81	<10	122	
M398660	0.124	0.4	1.66	9	<10	170	<0.5	<2	1.36	<0.5	25	1075	1510	4.46	<10	<1	0.23	10	0.84	613	16	0.12	856	670	5	0.89	3	5	74	0.11	<10	<10	63	<10	54	
M398661	0.04	0.3	2.36	59	<10	160	0.7	<2	7.98	<0.5	10	43	90	4.3	10	<1	0.2	10	1.5	1015	1	0.02	10	1130	3	0.3	6	8	145	0.01	<10	<10	82	<10	48	
M398662	0.068	0.3	2.16	18	<10	70	0.6	<2	6.55	<0.5	8	7	94	3.68	10	1	0.19	10	1.44	899	2	0.03	5	1350	4	0.28	2	10	128	<0.01	<10	<10	100	<10	42	
M398663	0.027	0.7	2.26	179	<10	100	0.5	<2	6.41	2.3	15	41	86	4.05	10	<1	0.12	10	1.92	1065	1	0.04	25	1380	55	0.69	8	10	153	0.01	<10	<10	112	<10	229	
M398664	0.049	0.3	1.69	10	<10	240	0.5	<2	6.01	<0.5	10	26	97	3.27	10	<1	0.18	10	1.47	967	1	0.05	19	1270	3	0.52	<2	14	146	0.01	<10	<10	106	<10	41	
M398665	0.085	<0.2	1.84	5	<10	120	0.5	<2	6.02	<0.5	13	41	119	3.96	10	<1	0.13	10	1.42	1020	1	0.05	26	1340	4	0.82	<2	13	135	0.01	<10	<10	109	<10	53	
M398666	0.081	0.4	2.18	360	<10	130	0.6	<2	7.64	1.8	12	36	85	4.09	10	<1	0.12	10	1.44	1225	1	0.09	20	1140	27	0.66	4	10	166	0.03	<10	<10	89	<10	192	
M398667	0.045	0.4	1.76	23	<10	120	0.5	<2	8.52	1.3	12	32	71	3.35	10	<1	0.22	10	1.02	1170	1	0.05	22	1260	23	0.74	2	12	224	<0.01	<10	<10	75	<10	102	
M398668	0.081	1.5	1.46	74	<10	130	0.6	<2	8.33	10.1	12	36	138	3.7	<10	<1	0.18	10	1.26	1670	1	0.04	29	1230	244	1.21	9	10	207	0.01	<10	<10	78	<10	430	
M398669	1.84	3.9	1.82	82	<10	90	0.5	<2	6.71	75.5	12	33	188	4.41	10	<1	0.29	10	1.3	1220	1	0.02	21	1340	1230	1.92	13	9	195	0.01	<10	<10	62	<10	2770	
M398670	0.077	0.2	2.22	8	<10	460	<0.5	2	3.49	<0.5	11	55	88	3.74	10	<1	0.47	10	1.55	747	1	0.08	10	1440	2	0.4	<2	10	154	0.09	<10	<10	112	<10	62	
M398671	0.073	0.3	2.18	25	<10	160	<0.5	<2	4.37	0.5	11	42	154	4.17	10	<1	0.22	10	1.44	747	2	0.09	7	1560	6	1.28	4	13	176	0.02	<10	<10	128	<10	88	
M398672	0.137	0.3	1.94	16	<10	140	<0.5	2	3.34	<0.5	10	44	115	4.05	10	<1	0.19	10	1.2	633	3	0.1	4	1260	2	1.35	3	9	136	0.01	<10	<10	103	<10	35	
M398673	0.03	<0.2	1.98	5	<10	250	<0.5	<2	2.75	0.5	8	45	54	3.5	10	<1	0.18	10	1.26	563	1	0.14	2	1240	6	0.67	<2	10	143	0.02	<10	<10	104	<10	43	
M398674	0.049	0.2	1.53	56	<10	140	<0.5	<2	3.04	1.4	7	43	70	3.14	10	<1	0.21	10	0.79	499	1	0.07	3	1280	59	0.71	3	10	108	<0.01	<10	<10	96	<10	75	
M398675	0.051	<0.2	1.51	44	<10	140	<0.5	<2	2.97	1.1	7	35	75	3.14	10	<1	0.22	10	0.79	504	1	0.08	5	1260	26	0.71	<2	10	111	<0.01	<10	<10	100	<10	69	
M398676	0.821	2.7	1.71	46	<10	40	<0.5	4	2.88	2.5	32	47	302	5.95	10	1	0.22	10	1.2	691	2	0.02	6	1240	55	3.78	3	7	66	<0.01	<10	<10	92	<10	202	
M398677	0.298	0.8	2.01	19	<10	80	<0.5	9	3.94	0.5	15	37	127	4.76	10	<1	0.19	10	1.3	853	1	0.04	9	1280	4	1.24	3	10	111	<0.01	<10	<10	111	<10	65	
M398678	0.016	0.4	1.8	10	<10	210	0.5	<2	6.56	<0.5	11	43	118	3.5	10	1	0.11	10	1.7	1095	1	0.09	22	1220	3	0.54	4	14	225	0.02	<10	<10	142	<10	41	
M398679	0.06	0.5	1.94	3	<10	250	0.5	<2	5.74	<0.5	10	43	231	3.71	10	<1	0.1	10	2.17	1005	1	0.09	16	1240	3	0.64	2	12	208	0.02	<10	<10	125	<10	42	
M398680	1.825	5.7	0.43	22	<10	80	<0.5	12	1.43	0.9	31	1555	>10000	10.25	<10	3	0.27	<10	0.7	999	33	0.02	1250	330	28	3.05	22	3	41	0.01	<10	<10	58	<10	98	
M398681	0.064	0.4	1.94	11	<10	150	0.5	<2	6.24	1.1	8	4																								

M398726	0.05	1.2	0.3	40	<10	220	<0.5	<2	6.09	1.4	9	69	978	2.26	<10	<1	0.17	10	2	674	21	<0.01	35	790	21	0.75	4	2	174	<0.01	<10	<10	43	<10	108
M398727	0.032	1.4	0.39	53	<10	150	<0.5	<2	4.54	1.5	10	120	741	2.07	<10	<1	0.19	10	1.38	591	23	0.01	38	2520	19	1	5	2	109	<0.01	<10	<10	42	<10	93
M398728	1.915	4.6	0.36	547	<10	20	<0.5	<2	5.2	3.7	15	68	974	3.7	<10	<1	0.21	10	1.71	823	11	0.01	43	1210	64	2.9	18	2	126	<0.01	<10	<10	25	<10	162
M398729	0.044	1.1	0.55	36	<10	90	<0.5	<2	2.07	0.8	15	129	689	2.79	<10	<1	0.22	<10	0.91	299	9	<0.01	49	580	36	1.86	3	3	57	<0.01	<10	<10	29	<10	94
M398730	0.254	1.5	0.46	41	<10	140	<0.5	<2	3.41	2.7	11	94	791	2.75	<10	<1	0.2	10	1.32	516	9	<0.01	48	810	18	1.66	9	2	79	<0.01	<10	<10	22	<10	210
M398731	0.212	2.1	0.43	57	<10	120	<0.5	<2	5.23	4.3	11	101	588	2.84	<10	<1	0.18	10	1.51	683	4	0.01	41	1010	27	1.52	9	2	106	<0.01	<10	<10	18	<10	254
M398732	0.023	1.4	0.42	51	<10	180	<0.5	<2	3.67	0.8	12	80	631	2.31	<10	<1	0.19	10	1.35	518	4	0.01	35	260	9	1.18	5	2	74	<0.01	<10	<10	17	<10	106
M398733	0.029	3.1	0.25	40	<10	150	<0.5	<2	3.98	1.1	12	106	891	2.13	<10	<1	0.14	<10	1.5	593	1	0.02	33	150	10	0.95	9	1	95	<0.01	<10	<10	11	<10	110
M398734	0.027	1.8	0.31	33	<10	210	<0.5	<2	4.21	0.7	10	97	705	2.04	<10	<1	0.15	10	1.49	644	2	0.02	35	170	8	0.79	7	2	119	<0.01	<10	<10	12	<10	62
M398735	0.027	1.8	0.32	37	<10	230	<0.5	<2	4.46	0.8	9	93	727	2.13	<10	<1	0.16	10	1.56	676	2	0.02	34	170	10	0.83	7	2	122	<0.01	<10	<10	12	<10	63
M398736	0.025	1.2	0.6	27	<10	50	<0.5	<2	6.88	0.6	7	63	687	2.15	<10	<1	0.16	10	1.59	674	2	0.02	32	190	12	0.65	6	2	116	<0.01	<10	<10	18	<10	79
M398737	0.077	1.8	0.61	25	<10	70	0.5	<2	6.39	<0.5	15	77	1275	3.19	<10	1	0.22	10	1.97	761	7	0.02	39	1640	11	1.17	10	5	145	<0.01	<10	<10	35	<10	44
M398738	0.052	1.3	0.3	26	<10	80	<0.5	<2	14.3	0.9	17	52	1045	2.41	<10	<1	0.14	10	1.65	934	10	0.01	13	1340	14	0.93	4	2	262	<0.01	<10	<10	18	<10	64
M398739	0.029	1.2	0.68	23	<10	230	<0.5	<2	2.98	<0.5	15	63	941	2.4	<10	<1	0.21	<10	1.1	361	14	<0.01	24	310	6	0.93	4	2	91	<0.01	<10	<10	28	<10	35
M398740	0.144	0.2	1.65	4	<10	190	<0.5	<2	1.42	<0.5	25	1115	1595	4.64	10	<1	0.23	<10	0.83	627	17	0.11	900	660	7	0.96	<2	5	72	0.12	<10	<10	67	<10	57
M398741	0.679	5.1	0.89	260	<10	200	<0.5	<2	2.5	1.1	16	102	1220	2.72	<10	<1	0.23	10	1.28	403	14	0.01	19	400	12	1.22	11	4	82	<0.01	<10	<10	39	<10	57
M398742	0.166	2.2	0.68	86	<10	100	<0.5	<2	2.24	1.5	20	83	1025	2.39	<10	<1	0.2	<10	1.04	408	32	<0.01	15	650	20	1.21	8	3	53	<0.01	<10	<10	22	<10	81
M398743	0.144	4.6	1.32	66	<10	60	<0.5	<2	4.36	3.1	32	100	1645	4.61	<10	<1	0.23	10	1.6	852	12	0.01	28	1710	19	2.43	6	7	93	<0.01	<10	<10	55	<10	138
M398744	0.087	1.2	2.53	35	<10	40	0.7	2	5.56	0.6	30	180	1380	6.15	10	<1	0.41	10	2.77	965	3	0.05	54	1990	14	2.8	2	20	179	0.05	<10	<10	149	<10	67
M398745	1.08	2.9	0.76	329	<10	30	<0.5	<2	4.9	4	25	84	1030	4.7	<10	<1	0.2	<10	1.8	888	9	0.01	27	620	23	3.27	9	5	139	<0.01	<10	<10	31	<10	172
M398746	0.12	1.9	1.13	25	<10	180	<0.5	<2	3.38	1.8	34	68	2290	3.48	<10	<1	0.18	<10	1.67	532	28	0.01	24	780	14	1.54	6	4	94	<0.01	<10	<10	44	<10	106
M398747	0.143	1.6	1.14	27	<10	110	<0.5	<2	1.91	1.3	27	152	2730	3.18	<10	<1	0.13	20	1.42	342	16	0.01	38	640	7	1.38	4	5	68	<0.01	<10	<10	123	<10	97
M398748	0.142	0.7	1.93	10	10	90	0.7	<2	9.31	<0.5	27	133	1655	6.56	<10	<1	0.26	20	3.37	1245	6	0.03	55	2270	5	2.08	<2	26	347	0.01	<10	<10	145	<10	48
M398749	0.045	0.5	2.2	13	<10	100	0.7	<2	9.49	<0.5	29	168	846	6.35	10	<1	0.32	10	3.06	1055	3	0.05	65	2110	6	1.92	<2	24	349	0.04	<10	<10	157	<10	47
M398750	0.219	1.5	1.13	12	<10	40	0.7	<2	9.77	<0.5	32	91	2940	5.39	<10	<1	0.25	20	3.31	1320	19	0.03	51	2130	6	1.92	<2	24	364	<0.01	<10	<10	126	<10	44
M398751	0.355	3.7	1.78	40	<10	30	0.9	<2	8.39	0.7	39	124	3400	6.56	10	<1	0.2	20	3.33	1205	169	0.03	54	2280	19	2.71	4	23	287	<0.01	<10	<10	144	<10	67
M398752	0.118	2.5	0.86	22	<10	120	<0.5	<2	5.29	1.3	28	116	3330	3.6	<10	<1	0.17	10	1.66	656	73	0.02	52	850	14	1.65	6	4	149	<0.01	<10	<10	77	<10	62
M398753	0.312	2.9	0.79	37	<10	60	<0.5	<2	4.31	3.1	24	117	2840	3.67	<10	<1	0.17	10	1.42	655	23	0.01	46	3080	20	1.81	7	3	99	<0.01	<10	<10	42	<10	97
M398754	0.243	3.4	1.36	46	<10	80	0.5	<2	8.16	3.1	19	43	3010	4.84	<10	<1	0.28	10	2.33	1135	14	0.04	18	1050	20	2.31	4	6	166	<0.01	<10	<10	59	<10	119

M398831	0.106	0.7	1.58	15	<10	250	0.5	<2	4.7	<0.5	9	39	1850	3.03	10	<1	0.23	10	1.14	565	25	0.1	6	1620	3	0.93	2	9	131	<0.01	<10	<10	102	<10	35	
M398832	0.307	1.3	1.33	<2	<10	180	<0.5	<2	4.05	<0.5	12	41	3840	3.31	<10	<1	0.25	10	0.79	438	15	0.1	3	1460	<2	0.91	<2	9	118	<0.01	<10	<10	88	<10	30	
M398833	0.215	1.3	1.54	9	<10	100	0.5	<2	4.35	1.9	12	34	2430	3.54	10	1	0.24	10	0.99	535	14	0.1	2	1460	6	0.88	<2	8	131	<0.01	<10	<10	86	<10	166	
M398834	0.139	1.2	1.28	12	<10	230	<0.5	<2	3.6	0.7	13	47	2570	3.24	10	1	0.24	10	0.75	426	47	0.1	1	1280	7	0.91	6	8	126	0.01	<10	<10	81	<10	60	
M398835	0.177	1.1	1.29	9	<10	240	<0.5	<2	3.71	0.5	12	55	2510	3.33	<10	1	0.23	10	0.77	438	51	0.11	1	1320	3	0.91	6	8	128	0.01	<10	<10	79	<10	49	
M398836	0.102	0.5	1.28	5	<10	330	0.5	<2	4.9	<0.5	9	43	1595	3.02	<10	<1	0.28	10	0.86	575	21	0.11	1	1390	<2	0.58	<2	8	161	<0.01	<10	<10	75	<10	32	
M398837	0.135	1.4	1.62	22	<10	90	0.5	<2	5.68	0.9	9	40	1960	3.68	<10	2	0.23	10	1.31	685	38	0.09	3	1450	8	1.2	<2	8	148	<0.01	<10	<10	75	<10	71	
M398838	0.119	1.1	1.32	8	<10	100	<0.5	<2	5.73	0.9	11	44	2370	3.28	<10	<1	0.24	10	1.01	629	12	0.11	4	1510	13	1.26	2	9	151	<0.01	<10	<10	68	<10	106	
M398839	0.179	1.1	1.45	4	<10	250	<0.5	<2	4.91	1.4	11	42	2400	3.22	<10	<1	0.25	10	1.17	545	29	0.11	5	1500	4	0.77	<2	9	161	<0.01	<10	<10	79	<10	113	
M398840	2.13	5.3	0.48	24	<10	80	<0.5	8	1.52	<0.5	29	1555	>10000	11.15	<10	4	0.27	<10	0.73	1055	36	0.04	1295	370	31	3.32	24	3	43	0.01	<10	<10	60	<10	107	1.95
M398841	0.161	1.2	1.46	4	<10	360	0.5	<2	3.59	<0.5	12	38	2110	3.26	<10	<1	0.28	10	1.04	435	77	0.09	6	1480	6	0.58	<2	7	144	0.01	<10	10	86	<10	45	
M398842	0.37	2.5	1.48	54	<10	90	0.6	<2	5.19	0.6	12	24	2880	3.66	<10	<1	0.25	10	1.23	577	29	0.08	5	1380	16	0.99	2	6	192	<0.01	<10	<10	67	<10	73	
M398843	0.547	4.9	1.61	124	<10	80	0.5	<2	4.12	3.6	16	41	4130	5.06	<10	1	0.29	10	1.13	566	27	0.06	7	1360	151	2.48	10	5	139	<0.01	<10	<10	56	<10	306	
M398844	0.314	5.9	1.44	108	<10	30	<0.5	<2	4.32	1.6	17	38	3520	5.05	<10	1	0.29	10	1.48	710	53	0.05	6	1320	32	2.71	7	5	136	<0.01	<10	10	60	<10	87	
M398845	0.272	1.6	1.32	14	<10	120	0.6	<2	3.84	<0.5	17	36	2530	3.78	<10	<1	0.33	10	1.15	437	28	0.09	5	1440	6	0.84	<2	7	190	<0.01	<10	<10	71	<10	47	
M398846	0.212	1.8	1.46	13	<10	140	0.5	<2	4.11	<0.5	14	37	2600	3.68	<10	<1	0.27	10	1.28	510	22	0.08	4	1400	6	0.74	<2	7	158	0.01	<10	<10	84	<10	26	
M398847	0.224	1.1	1.54	17	<10	120	0.5	<2	5.01	<0.5	14	37	2640	3.69	10	<1	0.29	10	1.26	622	35	0.08	5	1340	9	0.62	<2	7	185	0.01	<10	<10	81	<10	23	
M398848	0.298	0.9	1.62	<2	<10	290	<0.5	<2	3.06	<0.5	12	46	2740	3.5	<10	1	0.25	10	1.1	334	68	0.1	3	1410	3	0.55	<2	7	124	0.02	<10	<10	100	<10	18	
M398849	0.296	1.6	1.67	10	<10	190	<0.5	<2	3.42	<0.5	17	48	2290	3.68	<10	<1	0.25	10	1.04	358	71	0.11	4	1410	2	0.75	<2	7	133	0.01	<10	<10	99	<10	19	
M398850	0.198	1.2	1.88	24	<10	270	<0.5	<2	2.99	<0.5	13	47	2190	4.11	10	1	0.23	10	1.26	337	103	0.13	4	1420	6	0.67	3	7	129	0.02	<10	<10	105	<10	23	
M398851	0.338	2.5	2	11	<10	80	<0.5	<2	3.24	0.5	15	45	3390	4.53	10	<1	0.28	10	1.18	396	32	0.14	6	1500	5	1.12	<2	8	148	0.02	<10	<10	113	<10	34	
M398852	0.224	4.3	2.15	50	<10	30	0.6	<2	5.14	1.4	20	43	2230	5.2	10	<1	0.23	10	1.62	663	29	0.06	24	1360	17	1.9	4	9	161	0.01	<10	<10	98	<10	71	
M398853	0.434	2.5	1.8	162	<10	80	0.6	<2	5.38	<0.5	18	31	4170	4.47	10	1	0.25	10	1.72	796	67	0.07	24	1120	9	1.63	2	11	158	0.01	<10	<10	83	<10	39	
M398854	0.505	21.2	1.64	64	<10	30	0.5	2	3.88	11	35	43	>10000	8.7	<10	1	0.27	<10	1.51	818	211	0.03	34	1130	79	6.58	6	5	109	<0.01	<10	<10	69	<10	293	1.03
M398855	0.422	7.1	1.88	17	<10	60	0.5	<2	3.69	4	35	35	7980	5.62	10	1	0.24	10	1.5	749	108	0.05	23	1040	12	3.11	2	6	100	<0.01	<10	<10	77	<10	124	
M398856	1.725	12	1.54	295	<10	40	0.5	<2	4.47	15.2	28	34	7580	6.25	<10	1	0.27	10	1.67	900	78	0.04	38	890	76	4	11	4	153	<0.01	<10	<10	56	<10	351	
M398857	0.526	7.3	1.72	39	<10	80	0.5	<2	5.09	3.8	23	65	7610	5.15	10	<1	0.24	10	2.24	1035	52	0.04	50	1000	28	2.28	5	7	146	<0.01	<10	<10	78	<10	147	
M398858	0.401	3.4	1.64	28	<10	30	0.5	<2	4.91	3.2	33	61	3140	5.25	<10	<1	0.2	10	1.61	800	43	0.04	49	980	24	2.91	5	8	150	<0.01	<10	10	78	<10	106	
M398859	0.405	1.9	1.48	10	<10	40	0.5	<2	4.66	<0.5	19	43	3740	4.16	10	<1	0.24	20	1.1	586	64	0.05	13	240	6	2.22	<2	8	147	<0.01	<10	<10	69	<10	23	
M398860	0.613	1.5	0.91	16	10	30	<0.5	<2	2.11	<0.5	24	834	6070	7.93	<10	1	0.4	<10	0.8	787	21	0.04	701	890	16	3.62	8	4	116	<0.01	<10	<10	42	<10	86	
M398861	0.343	2.3	2.35	10	<10	50	0.5	<2	5.99	2.9	20	40	3840	6.34	10	<1	0.22	10	1.36	874	22	0.06	8	390	10	2.68	<2	8	140	<0.01	<10	<10	90	<10	80	
M398862	0.125	1.4	2.44	18	<10	40	0.5	<2	5.83	<0.5	22	33	1355	6.95	10	1	0.17	10	1.55	934	13	0.06	19	900	7	2.93	<2	8	143	<0.01	<10	<10	108	<10	45	

APPENDIX H

WACKER CHIP SAMPLE DESCRIPTIONS

GJ PROJECT

2004 Wacker Drillhole Data and Chip Sample Descriptions

Grid Location		UTM Co-Ordinates		Hole Depth (m)	Soil Colour	Chip Sample Colour	Sample Constituents	Description
Easting	Northing	Easting	Northing					
8800	10500	424263	6391457	4.0	dk brn	grey-brn	sand-clay-frags	wacke? Andesite?; barren
9000	10400	424423	6391412	1.7	red brn	brn-red	sand-silt-frags	diorite; strong k-feld; very magnetic; tr py.
9000	10450	424409	6391450	3.8	med brn	grey-brn	sand-clay-frags	wacke? Andesite? Barren
9000	10500	424418	6391503	1.9	med brn	grey	sand-frags	andesite; barren
9000	10550	424426	6391547	2.5	dk brn	grey	frags-sand-silt	fn gr diorite; mod. K-feld; magnetic
9000	10600	424418	6391596	3.5	dk brn			
9000	10650	424420	6391644	2.2	med brn	dk grey	frags-sand	andesite; barren
9000	10700	424422	6391690	2.0	med brn	brn grey	sand-clay-frags	andesite; barren
9200	10550	424676	6391557	5.0	dk brn	grey-brn	sand-frags	fn gr diorite; wk chlorite, k-feld, magnetite
9200	10600	424676	6391609	3.0	dk brn	dk grey	sand-frag-clay	andesite; barren
9200	10650	424680	6391659	2.5	med brn	grey	frags-sand	monzonite?; strongly magnetic; wk k-feld
9200	10700	424679	6391711	2.6	dk brn	brn-black	frags-sand	andesite; barren
9200	10750	424682	6391759	1.6	med brn	brn-black	frags-sand	fn gr diorite; wk chlorite; wk magnetite
9200	10800	424679	6391807	3.0	dk brn	brn-grey	sand-clay-frags	andesite; barren
9200	10850	424683	6391858	2.6	dk brn	grey	frag-clay-silt	gfn gr diorite; wk k-feld; wk chlorite
9200	10900	424684	6391907	2.0	red brn	grey	frag-clay-silt	gfn gr diorite; wk k-feld; wk chlorite
9300	10150	424813	6391171	4.0	med brn	grey	clay-pebbles-sand	looks like med g. barren wacke
9300	10200	424807	6391219	4.8	grey			
9400	9300	424872	6390325	1.5	dark brn	brn-black	frag-sand-silt	andesite?; barren; w3kly magnetic
9400	9350	424870	6390380	4.3	dark brn	brn	clay-silt-frags	chert + wacke/andesite; barren
9400	9450	424873	6390480	5.2	med brn	grey-brn	clay-silt-frags	fn gr diorite; strong chlorite; magnetic
9400	9500	424875	6390527	5.4	brown	grey	frag-silt-sand	fn gr diorite; strong chlorite; magnetic
9400	9550	424881	6390578	5.4	light brn	grey	frag-silt-sand	fn gr diorite; strong chlorite-calcite; very magnetic; hematite;
9400	9600	424886	6390656	3.6	dark brn	grey	frag-silt-sand	fn gr diorite; sugary texture; very magnetic
9500	10200					grey	clay-pebbles	wacke (?) doubtful sample is bedrock
10200	11100	425669	6391083	1.1	dk brn	blk-brn	silt-clay-frags	chert-siltstone; barren
10200	11150	425675	6391146	1.6	med brn	brn-blk	sand-silt-frags	andesite; barren
10200	11200	425679	6391183	1.4	red brn	brown	sand-silt-frags	chert-siltstone; barren
10200	11250	425681	6391234	5.4	dk brn	grey	frags-sand-silt	fn gr diorite; mod chlorite; very magnetic
10200	11300	425678	6391287	3.4	med brn	grey	frags-sand-silt	fn gr diorite; mod chlorite; very magnetic; tr mal & azurite
10200	11350	425667	6391327	4.9	med brn	grey	frags-sand-silt	fn gr diorite; mod chlorite; very magnetic
10200	11400	425672	6391387	3.7	med brn	grey	frags-sand-silt	fn gr diorite; mod chlorite; very magnetic
10400	10300	425906	6391334	1.6	dark brn	grey	frag-sand-silt	fn-med gr diorite; chlorite; tr cpy; magnetic
10400	10350	425901	6391381	2.4	brown	brn	clay-sand	andesite +chert; barren
10400	10400	425900	6391421	2.4	dark brn	brn-grey	clay-sand-frags	med. Gr diorite; wk chlorite; strong weathered; magnetic
10400	10450	425902	6391473	?	rsty brn	grey	clay-silt-frags	andesites (?) -barren - faint plag.
10400	10500	425904	6391521	3.8	dk brn	grey	clay-frags-silt	wacke - barren
11000	10150	426486	6391200	4.3	grey brn	grey	sand-frags-silt	sericite alt'd diorite - web fract lm

Grid Location		UTM Co-Ordinates		Hole Depth (m)	Soil Colour	Chip Sample Colour	Sample Constituents	Description
Easting	Northing	Easting	Northing					
11000	10200	426488	6391260	3.7	med brn	grey	sand-frags-silt	sericite -chl alt'd diorite; corroded; v. magnetic
11000	10250	426488	6391292	3.3	dk brn	black-brown	frag-sand-clay	? Soil - mix rock fragments
11000	10300	426488	6391334	3.8	med brn	black-brown	frag-sand-clay	? Soil - mix rock fragments
11000	10350	426490	6391395	4.8	grey brn	grey-brown	sand-silt-frag	andesite - barren rock; lim along fract
11000	10400	426491	6391444	3.9	med brn	grey-brown	sand-silt-frag	? soil - barren rock; lim along fract
11000	10450	426507	6391496	1.5	dk brn	grey-brown	sand-silt-frag	? soil - barren rock; lim along fract
11000	10500	426495	6391540	1.2	dk brn			
11000	10550	426496	6391591	2.9	dk brn	black-brown	frag-silt-sand	andesite - barren rock; lim along fract
11000	10600	426492	6391637	1.2	dk brn	black	sand-silt-clay	soil - mix rock fragments
11000	10650	426493	6391693	5.2	dk brn	black	sand-silt-clay	soil - mix rock fragments
11000	10700	426488	6391744	1.5	dk brn	black-brown	frag-clay-sand	andesite - barren rock; lim along fract
11000	10750	426494	6391796	3.7	dk brn	black	clay-sand-frag	soil - mix rock fragments
11000	10800					black-brown	sand-frag-clay	andesite - barren rock
11200	10700	426704	6391736	1.6	grey brn	black	sands-clays	soil - mix rock fragments
11200	10750	426705	6391785	0.8	dk brn	black-brown	sand-frag-silt	andesite - barren rock wk magnetic
11200	10800	426706	6391834	1.7	dk brn	grey	frag-sand-silt	diorite-wk chlorite + k-feldspar
11200	10850	426706	6391884	1.8	dk brn			
11200	10900	426706	6391933	1.4	dk brn			
11400	10050	426909	6391077	0.8	light brn		silt-frags-clay	wacke - alt'd; fract; fract limonite
11400	10100	426906	6391127	2.2	light brn	light grey	frags-sand-clay	diorite- seriate alt'd; diss py
11400	10200	426903	6391234	0.8	med brn	grey	frags-sand-silt	sericite-chl alt'd diorite;corroded;v. mag;rare py cubes
11400	10250	426904	6391272	1.1	brown	grey	frags-silt-clay	sericite-chl alt'd diorite; v. mag
11400	10300	426896	6391320	1.4	grey brn	grey	frags-silt-clay	sericite+biotite alt dior; v. mag
11400	10350	426890	6391375	2.5	med brn	grey	clay-silt-frags	sericite-alt dior ;v. mag; rare py
11400	10400	426886	6391426	3.2	med brn	grey	clay-silt-frags	sericite - ep - alt dior; v. magnetic
11400	10450	426882	6391476	1.3	med brn	grey	clay-silt-frags	chl+wk sericite med gr. Dior - v. mag
11400	10500	426893	6391520	2.4	med brn	grey	clay-silt-frags	chl+wk sericite med gr. Dior - v. mag
11400	10550	426889	6391571	1.5	light brn	grey	clay-silt-frags	sericite - alt dior; v. mag; tidiss + fract py
11400	10600	426889	6391623	1.8	med brn	grey	clay-silt-frags	sericite - alt dior; v. mag; tidiss + fract py
11400	10650	426893	6391669	1.3	light brn	grey-brown	clay-silt	fault (?); no frags
11400	10700	426896	6391723	1.3	dk brn	grey	clay-silt-frags	alt'd green sandstone (?)
11400	10750	426893	6391773	1.4	grey brn	grey	clay-silt-frags	grey-greensiltstones; conchordal fract
11400	10800	426897	6391825	3.0	yellow brn	grey-brown	clay-silt	fault (?); no frags
11400	10850	426902	6391876	0.9	med brn	gre-black	frags-sand	diorite; wk sericite; magnetic; mod chlorite
11400	10900	426902	6391932	6.4	dk brn	gre-black	clay-silt-frags	diorite?; possible fault gouge
11400	10950	426904	6391974	3.5	med brn	grey-black	clay-silt-frags	andesite; barren
11500	8700	426945	6389761	3.2	black	black-grey	frag-sand-silt	andesite; wk chlorite; tr py; wk magnetite
11500	8750	426974	6389813	0.7	grey	light brn	frag-sand-silt	chert; fract limonite
11500	8800	426946	6389862	1.6	light brn	red-brn	silt-sand-frag	fn gr diorite; oxidized; fault gouge?
11500	8850	426947	6839920	5.8	black	black	silt-clay-sand	andesite; barren
11500	8900	426948	6389963	3.1	med brn	red-brn	silt-clay	fault gouge?
11500	8950	426946	6390010	2.0	orange brn	brn	sand-frags-silt	soil - mix rock fragments

Grid Location		UTM Co-Ordinates		Hole Depth (m)	Soil Colour	Chip Sample Colour	Sample Constituents	Description
Easting	Northing	Easting	Northing					
11500	9000	426945	6390061	0.9	red brn	light brn	frags-sand-silt	chert; wk chl alt
11500	9050	426944	6390109	1.4	light brn	grey-brn	frags-sand	diorite; oxidized; magnetic
11500	9100	426944	6390161	1.7	red brn	red-brn	silt-sand-frags	fn gr dioriteoxidized; fault zone?
11500	9150	426945	6390216	1.8	red brn	red-brn	sand-clay-silt	soil; mixed frags + soil/fines
11600	9750	427095	6390756	2.7	med brn	brown/grey	clay-frags	siltstone/chert - dubious sample
11600	9800	427091	6390805	5.2	light brn	brown/grey	sand-frags-clay	diorite mod alt'd
11600	9850	427090	6350851	4.8	red brn	orange/brown	clay-silt	wackes (?) dubious samples
11600	9900	427091	6390905	1.6	med brn	brown/grey	frags-sand-silt	siltstone
11600	9950	427091	6390961	1.3	med brn	brown/grey	frags-sand-silt	siltstone
11600	10000	427093	6391010	1.6	grey	grey	frags-sand-silt	diorite wkly alt'd
11600	10050	427090	6301057	1.7	light brn			
11600	10100	427068	6391102	2.1	light brn	grey	sand-frags-clay	siltstone - wk fract limonite
11600	10700	427098	6391712	1.4	dk brn	brown	silts-sands-frag	chert siltstone- barren rock - limonite on fract
11600	10750	427100	6391762	2.6	grey	grey-brown	silt-clay-frag	dio - st. weathered + Oxidize
11600	10800	427102	6391813	3.4	brown	black-brown	clay-frag	andesite - barren rock - wk magnetic
11600	10850	427104	6391858	8.2	dk brn	black	clay-sand	soil - mix rock fragments
11600	10900	427106	6391905	4.8	brown	black	clay-sand	soil - mix rock fragments
11600	10950	427108	6391956	3.3	brown	grey	sand-silt-frag	Dio - wk prop. Alter. + limonite on fract
11600	11000	427108	6392008	1.4	brown	black -grey	sand-frag-clay	andesite - barren rock - wk magnetic
11600	11050	427109	6392057	2.4	brown	grey	frag-sand-clay	dio prop. Alt. + magnet. +lim on fract.
11800	9500			2.7	med brn	grey	frag-sand-silt	fine grained diorite; mod chlorite; magnetic
11800	9550			3.0	med brn	grey	frag-sand-silt	fine grained diorite; mod chlorite; magnetic
11800	9600			3.2	dk brn	grey-brn	frag-sand-silt	fine grained diorite; mod chlorite; magnetic
11800	9650			2.0	dk brn	brn-red	frags-sand	chert-siltstone; barren; limonitic
11800	9700			2.1	light brn	brn-grey	clay-sand-frags	fn gr diorite; mod chlorite; wkly magnetic
11800	9750			2.5	orange brn	brn-grey	clay-sand-frags	fn gr diorite; mod chlorite; wkly magnetic; calcite veins
11800	9800	427297	6390798	2.7	med brn	grey	frag-clay-sand	fn gr diorite; wk chlorite; wkly magnetic;
11800	9850	427276	6390839	1.8	red brn	brown	frag-sand-clay	chert-siltstone; barren;
11800	9900	427275	6390900	3.4	dk brn	black	frag-siltstone-snd	chert-siltstone; barren;
11800	9950	427293	6390948	2.4	dk brn	grey-black	frag-siltstone-snd	fn gr dio; fract limonite; wkly magnetic
11800	10000	427292	6390997	2.6	light brn			
11800	10050	427291	6391047	2.0	light brn			
11800	10100	427292	6391095	5.4	dk brn			
11800	10150	427293	6381148	4.0	dk brn	brn-red	frag-sand-clay	chert-siltstone; barren
11800	10200	427302	6391183	4.6	med brn	grey	frag-sand-clay	diorite; magnetic
11800	10250	427297	6391239	5.4	med brn	brn-black	frag-sand-clay	chert-siltstone; barren
11800	10300	427298	6391301	4.6	brown	brn-grey	sand-frag-silt	fn gr dio; weathered; limonitic
11800	10350	427298	6391347	2.8	med brn	brn-grey	sand-frag-silt	fn gr dio; strong chlorite + k-spar
11800	10400	427297	6391399	1.9	med brn	brn-grey	sand-frag-silt	fn gr dio; strong chlorite + k-spar; strong magnetic
11800	10450	427298	6391449	1.9	med brn	brn-grey	sand-frag-silt	fn gr dio; wk chlorite; strong magnetic
11800	10500	427299	6391500	2.1	dk brn	grey	frag-sand-silt	diorite; st chlorite; sericite; magnetic
11800	10550	427298	6391549	2.6	dk brn	grey	frag-sand-silt	diorite; st chlorite; sericite; magnetic

Grid Location		UTM Co-Ordinates		Hole Depth (m)	Soil Colour	Chip Sample Colour	Sample Constituents	Description
Easting	Northing	Easting	Northing					
11800	10600	427300	6391599	2.2	dk brn	grey	frag-sand-silt	diorite; strong weathered; magnetic
11800	10650	427301	6391649	1.3	dk brn	grey	frag-sand-silt	diorite; strong chlorite + k-spar; magnetic
11800	10700	427292	6391705	2.0	dk brn	grey	frag-sand-silt	diorite; strong weathered; magnetic
11800	10750	427302	6391751	4.4	grey	sand-frag-silt	diorite; mod chlorite + k-spar; magnetic	
11800	10800	427300	6391798	4.5	grey	sand-frag-silt	diorite; mod chlorite + k-spar; magnetic	
11800	10850	427308	6391841	4.4	med brn	grey	frag-sand-clay	wk alt. Dio + chl + qtz veins + lim on fract
11800	10900	427303	6391897	4.1	med brn	grey	frag-sand-clay	dio - st prop alt +philic + v. mag
11800	10950	427304	6391946	1.3	dk brn	grey	frag-sand-clay	dio - mod prop alt + potash + v. mag
11800	11000	427305	6391995	1.5	grey	grey	frag-sand-silt	dio - mod prop alt + potash + v. mag
11800	11050	427308	6392046	1.4	dk brn	brown	frag-silt-sand	siltstone chert - barren rock
12000	9750	427493	6390756	1.6	dk brn	brown/grey	sand-frags-clay	wacke (?) - alt'd wackes ?; wk limonite
12000	9800	427487	6390799	2.5	light brn	grey	sand-frags-clay	silt/wackes mixed
12000	9850	427484	6390855	1.7	med brn	buff-pale green	sand-frags-clay	siltstone; fract limonite
12000	9900	427483	6390903	0.9	dk brn	dark brown	clay-silt-frags	siltstone - brown silts; few frags (sample ?)
12000	9950	427483	6390954	0.9	grey	dark grey	sand-frags-clay	siltstone - traces fract limonite
12000	10000	427473	6390997	1.0	dk grey	light grey	silt-frags-clay	diorite - mafics leached
12000	10050	427478	6391051	1.8	grey	dark grey	silt-frags-clay	diorite - chloritize seriate alt'd; strongly magnetic
12000	10100	427481	6391101	1.3	light grey	dark grey	silt-frags-clay	diorite - chloritize seriate alt'd; strongly magnetic
12000	10150	427477	6391149	2.6	light brn	brown/grey	clay-frags	diorite rel. fresh; v. magnetic
12000	10700	427704	6391710	1.9	grey brn	grey	frag-sand-silt	wk alt dio + mag lim along
12000	10750	427495	6391746	1.4	grey brn	grey-brown	sand-frag-silt	ands. Barren rock - magnet.
12000	10800	427500	6391801	2.2	med brn	brown-grey	sand-silt-frag	dio - st pot. Alt. +lim goet. On fract + v. mag
12000	10850	427501	6391850	1.6	dk brn	brown-grey	frag-clay	dio? - mix rocks fragments, Fault?
12000	10900	427503	6391902	3.2	light brn	brown-grey	sand-frag-silt	dio - wk alt. Pot. + v. mag + OxFe
12000	10950	427507	6391952	4.0	red brn	brown-red	silt-sand-frag	wk alt. Dio +mag lim goet on fract
12000	11000	427508	6392001	2.9	med brn	grey	frag-sand-clay	dio, some descrip.
12000	11050	427510	6392052	0.7	rusty brn	brown-grey	frag-sand-clay	andes - barren rock - mag. Lim. On fract
12000	11100	427512	6392096	1.4	dk brn	brown	sand-clay-frag	siltstone chert - barren rock
12000	11150	427515	6392148	1.0	med brn	brown-grey	sands-frag-silt	andes - barren rock - mag. Lim. On fract
12200	9650	427722	6390674	4.0	light brn	brown/grey	clay-silt-frags	siltstone-wk fract limonite
12200	9700	427708	6390707	4.3	dk brn	brown/grey	clay-silt-pebbles	andesite (?) dubious sample
12200	9800	427712	6390816	4.3	med brn	brown/grey	frags-sand-clay	wackes - fine grey wackes (?)
12200	9850	427711	6390860	2.3	med brn	grey	clay-sand-silt	siltstone
12200	9900	427708	6390916	2.1	light brn	brown/grey	clay-silt-sand	siltstone (?)
12200	9950	427706	6390963	2.1	med brn	brown/grey	sand-clay-frag	diorite wkly magnetic
12200	10700	427704	6391710	1.4	dark brn			
12200	10750	427702	6391761	1.3	dark brn			
12200	10800	427706	6391818	1.1	red brn	grey	frag-sand-clay	diorite; strong chlorite-magnetic
12200	10850	427704	6391890	0.9	grey	grey	frag-sand-clay	diorite; strong chlorite-magnetic
12200	10900	427707	6391912	1.5	dark brn	grey	frag-sand-clay	andesite; strong magnetic
12200	10950	427706	6391961	2.8	light brn	grey	frag-sand	fn grained diorite; strong chlorite; sericite
12200	11000	427705	6392012	4.0	med brn	grey	frag-sand	diorite; strong chlorite; sericite

Grid Location		UTM Co-Ordinates		Hole Depth (m)	Soil Colour	Chip Sample Colour	Sample Constituents	Description
Easting	Northing	Easting	Northing					
12200	11050	427704	6392064	2.4	med brn	grey	frag-sand	diorite; strong chlorite; sericite; some k-spar alt
12200	11100	427705	6392111	1.8	light brn	grey	frag-sand	diorite; strong chlorite; k-spar alt; tr diss py cubes
12200	11150	427706	6392159	1.3	med brn	grey-brn	frag-sand	diorite; wkly magnetic
12200	11200	427704	6392213	1.4				
12200	11250	427703	6392267	2.4	light brn	gre-brn	frag-sand	diorite; strong chl-epidote; wk magnetic; tr py
12200	11300	427708	6392304	1.7	light brn	grey	frag-sand	diorite; strong chlorite-epidote; wk magnetic
12200	11350	427706	6392362	2.0	med brn	grey	frag-sand	diorite; strong chlorite-epidote; wk magnetic
12200	11400	427709	6392409	2.4	light brn	grey	frag-sand	diorite; strong chlorite-sericite;
12200	11700					brown-grey	sand-frag-silt	dio - wk chl alt + lim. +mag.
12200	11750					grey	sand-frag	dio - st chl alt. + ly.f.g.Py diss along fract.
12200	11800					grey-brown	frag-sand-clay	dio; st oxidiz mot. - TrCpy + Ma - ActPy
12200	11850					grey	frag-sand	Mod prop. Alt. Ly.f.g.Py +TrCpy; v.mag
12200	11900					grey	frag-sand	Mod prop. Alt. Ly.f.g.Py +TrCpy; v.mag

Grid Location		UTM Co-Ordinates		Hole Depth (m)	Soil Colour	Chip Sample Colour	Sample Constituents	Description
Easting	Northing	Easting	Northing					
12400	9650	427908	6390657	4.3	dk brn	grey	clay-pebbles-sand	siltstone-varietyof siltstone frags; sub angular
12400	9700	427900	6390707	3.4	red brn	brown/grey	frags-sand-silt	bedded siltstone; tr. Limonite
12400	9750	427889	6390763	3.4	med brn	grey	clay-silt-frags	siltstone; bedded; barren
12400	9850	427905	6390864	3.1	med brn	grey	clay-silt-frags	siltstone/wackes - tr. Fract limonite oxide
12400	9900	427892	6390906	2.6	red brn	orange/brown	snad-frags-silt	wackes or diorite - sericite alt; limonite strain
12400	10550					brown-grey	sand-silt-clay	no rock frags
12400	10600					grey	frag-sand-silt	wk alt. Diorite - magnetic rock
12400	10700	427909	6391717	1.5	med brn	brown-grey	silts-clay-frag	(?)
12400	10750	427908	6391765	3.0	med brn	grey	frag-sand	mod alt dio chl-sericite +calcite veins + limonite; v. mag
12400	10800	427909	6391818	2.2	dark brn	grey	frag-sand-silt	mod alt. Some descrip.
12400	10850	427909	6391866	1.5	med brn	grey	frag-sand-clay	mod st alt dio+ calcite veins + v. mag
12400	10900	427906	6391912	2.0	med brn	grey	sand-clay-frag	st alt dio - pot, filic - chl + goet - lim; v. mag
12400	10950	427905	6391968	1.6	dark brn	grey	frag-sand-silt	mod alt dio - chl - filic; v. mag
12400	11000	427907	6392018	1.9	med brn	brown-red	silt-sand-clay	no rock frags
12400	11050	427905	6392067	1.4	med brn	grey	sands-silts-frag	mod alt dio - pot - phil - chl + lim + magnet
12400	11200	427910	6392213	1.9	brown	black	soil	mix fragments
12400	11250	427902	6392260	1.4	med brn	grey-brown	sands-frag-silt	mod alt - pot - philic - chl + lim
12400	11300	427907	6392302	2.5	yellow brn	brown-red	sand-silt-frag	some descrip. + lim - goet
12400	11350	427907	6392357	1.4	med brn	brown-grey	frag-sand	st. prop. Alt + philic + mag +f.g.Py along front veins
12400	11400	427905	6392404	1.1	brown	grey-brown	frag-sand	wk alt. Chl - pot. + lim. + mag
12400	11450	427901	6392458	2.9	dark brn	grey-brown	frag-sand-clay	some descrip.
12400	11500	427899	6392501	3.4	brown	brown-grey	clay-frag	Ox.Fe (hem-goet-lim) Fault zone?
12400	11550	427901	6392554	4.0	brown			
12400	11600	427900	6392605	3.0	dark brn			
12600	9800	428127	6390827	1.7	light brn	orange/grey	silts-frags-clay	wacke - alt'd med gr. Wacke
12600	9850	428129	6390882	2.9	light brn	brown/grey	slit-clay-sand	wacke - alt'd med gr. Wacke; wk limonite
12600	9900	428124	6390923	2.3	red/grey	grey	sand-clay-frag	alt'd diorite (?) - seriate
12600	9950	428122	6390972	2.5	dk brn	grey	silt-sand-frag	diorite med. Grained; seriate alt'd; magnetic
12600	10000	428115	6391030	1.6	grey	grey	silt-frags-sand	diorite alt'd - seriate - magnetic
12600	10050	428123	6391074	1.9	med brn	grey	sand-frag silt	diorite - wkly alt'd; seriate, magnetic
12600	10100	428122	6391128	1.6	light grey	grey	silt-frags-sand	diorite - wkly alt'd to fresh; magnetic
12600	11100	428103	6392105	2.4	dark brn	grey	frag-sand-silt	mod alt dio; v. mag
12600	11150	428100	6392164	2.9	dark brn	grey	frag-sand-silt	mod alt dio; v. mag
12600	11200	428097	6392210	1.4	dark brn	grey	frag-sand-silt	st alt dio +v.mag
12600	11250	428101	6392312	1.6	dark brn	grey	frag-sand-silt	v. wk alt dio; v. mag
12600	11300	428098	6392312	1.5	med brn	grey	frag-sand-silt	mixed frags - barren rock
12600	11350	428099	6392360	1.9	dark brn	grey	sand-frags-silt	wk alt dio- chl; v. mag
12600	11400	428099	6392412	1.7	dark brn	grey	sand-frags-silt	wk alt dio- chl; v. mag
12800	9800	428308	6390863	1.6	light grey	brown/grey	silt-frags-sand	wacke (?) altered; wk limonite
12800	9850	428304	6390909	2.6	med brn	grey	clay-silt-frags	wacke (?) altered
12800	9900	428294	6390959	3.9	dk brn	green/grey	sands-frag-silt	siltstone - wk fract. limonite
12800	9950	428295	6391008	1.7	med brn	grey	frags-silt-clay	siltstone (?) wkly alt'd

Grid Location		UTM Co-Ordinates		Hole Depth (m)	Soil Colour	Chip Sample Colour	Sample Constituents	Description
Easting	Northing	Easting	Northing					
12800	10000	428295	6391067	2.6	med brn	buff	silt-clay-frag	wackes (?)alt'd wackes or leached diorite
12800	10050	428290	6391111	1.7	light brn	pale brown	silt-frags-clay	siltstone - tr diss py; fract limonite
12800	10100	428285	6391163	1.6	light brn	brown/grey	clay-silt-frags	diorite - mod alt'd ser; tr. Diss py magnetic
12800	10150	428285	6391216	1.4	light grey	dark grey	sand-frags-silt	diorite mod alt'd - seriate; tr py - magnetic
12800	10200	428273	6391277	1.7	red/brn	orange brown	sands-frag-silt	diorite (?) alt'd diorite; ser; strong limonite
12800	11000	428287	6392028	0.7	dark brn	grey	silts-clays-frags	mod alt dior - limonite;magnetic
12800	11050	428287	6392028	0.9	grey	grey	frags-sands-silts	mod alt. Dior + v. mag
12800	11100	428287	6392131	2.7	dark brn	grey	sand-frags-silt	mod alt dior + Trof.f.g Py;v. mag
12800	11150	428287	6392181	2.1	dark brn	grey	sand-frags-silt	wk alt dio - v. mag
12800	11200	428287	6392229	1.5	dark brn	grey	frags-sands	mod alt dio - Py Trof.f.g; v. mag
12800	11250	428286	6392277	1.6	dark brn	grey	frag-sand-silt	mod-alt dio; v. mag
12800	11300	428285	6392324	2.4	dark brn	grey	frag-sand-silt	mod-alt + Tr.f.g. Py; v. mag
12800	11350	428282	6392382	1.6	brown	grey	frag-sand-silt	st alt dio +v.mag
13000	9800	428482	6390857	1.1	light grey	grey	frags-sands-silts	siltstone-wk fract limonite
13000	9850	428487	6390909	1.7	med brn	grey	frag-sand-silt	siltstone-wk fract limonite
13000	9900	428483	6390958	1.9	med brn	brown/grey	sand-frag-clay	siltstone-wk fract limonite
13000	9950	428485	6391005	1.2	grey	grey	frag-clay	andesite-fine grained diorite (?)
13000	10050	428484	6391103	4.2	med brn	brown/grey	frag-sand-clay	diorite alt'd - seriate
13000	10100	428484	6391162	1.4	med brn	brown/grey	pebbles-clay-frag	diorite wkly alt'd biotite diorite - magnetic
13000	10150	428482	6391218	4.2	med brn	grey	sand-frag-clay	diorite wkly alt'd; magnetic
13000	10200	428482	6391260	1.2	dk brn	dark grey	frag-sand-clay	diorite wkly alt'd; magnetic
13000	10250	428481	6391311	1.9	light brn	brown/grey	silt-sand-frag	siltstone
13000	10300	428478	6391362	1.6	light brn	grey	frags-silt-clay	diorite (?) leached mafics

APPENDIX I

WACKER CHIP ANALYTICAL RESULTS

VA04043092 - Finalized
 CLIENT : "MYA - Canadian Gold Hunter Corp"
 # of SAMPLES : 102
 DATE RECEIVED : 2004-07-09
 PROJECT : "GJ"
 CERTIFICATE COMMENTS : "NSS is non-sufficient sample."
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn	
DESCRPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm		
9400E 930	<0.005	0.2	2.61	5	10	340	0.6	2	2.01	<0.5	15	94	43	5.24	10	2	0.21	10	2.35	1395	1	0.09	93	1300	13	0.09	<2	13	86	0.1	<10	<10	119	<10	97	
9400E 935	0.006	<0.2	2.42	8	<10	180	1.4	<2	0.97	<0.5	15	50	60	4.33	10	<1	0.27	20	1.08	957	1	0.23	52	990	7	0.01	<2	9	46	0.11	<10	<10	87	<10	115	
9400E 945	0.006	0.2	2.78	13	10	340	0.8	<2	1.24	<0.5	20	50	74	4.83	10	<1	0.17	10	1.48	1045	1	0.44	52	1400	8	0.03	<2	10	51	0.16	<10	<10	124	<10	112	
9400E 950	<0.005	0.2	2.53	4	10	360	0.6	2	2.81	<0.5	19	57	38	4.91	10	<1	0.14	10	1.73	1080	1	0.15	47	1320	7	0.33	<2	12	82	0.11	<10	<10	134	<10	104	
9400E 955	<0.005	0.2	2.99	3	10	270	0.8	<2	2.39	<0.5	18	51	48	4.64	10	<1	0.19	10	1.68	1110	1	0.44	52	1280	5	0.03	<2	11	97	0.15	<10	<10	121	<10	108	
9400E 960	<0.005	0.3	2.48	10	<10	330	0.8	2	2.58	<0.5	19	63	51	4.5	10	<1	0.22	10	1.56	1040	2	0.22	60	1320	5	0.05	<2	12	120	0.07	<10	<10	113	<10	110	
10400E 1C	0.009	0.2	2.66	11	10	270	0.5	2	2.71	<0.5	19	59	112	5.04	10	<1	0.23	10	1.75	1905	2	0.03	51	1460	5	0.21	<2	11	67	0.06	<10	<10	128	<10	145	
10400E 1C	0.006	0.2	2.1	6	<10	230	0.6	<2	0.38	<0.5	17	75	65	4.1	10	<1	0.17	10	1.06	638	1	0.02	85	930	5	0.01	<2	9	28	0.08	<10	<10	76	<10	106	
10400E 1C	0.005	<0.2	2.48	11	10	220	0.7	<2	0.42	<0.5	21	84	59	4.59	10	<1	0.18	10	1.33	789	1	0.02	108	940	5	0.01	<2	10	30	0.09	<10	<10	98	<10	122	
10400E 1C	<0.005	<0.2	2.18	7	<10	240	0.7	<2	1.44	<0.5	24	48	54	5.31	10	<1	0.15	10	1.5	1185	2	0.11	59	1470	4	0.02	<2	8	75	0.4	<10	<10	106	<10	103	
10400E 1C	<0.005	0.2	2.29	9	<10	350	0.7	2	1.13	<0.5	16	83	42	4.03	10	<1	0.15	10	1.2	959	1	0.16	95	860	5	0.01	<2	8	59	0.07	<10	<10	73	<10	97	
11000E 10	0.463	4.4	1.52	172	<10	190	<0.5	5	0.22	5.4	22	83	429	5.17	<10	<1	0.11	10	0.63	1540	10	<0.01	71	720	88	0.01	<2	8	7	<0.01	<10	<10	180	<10	1015	
11000E 10	0.009	<0.2	2.3	<2	<10	170	<0.5	2	1.12	<0.5	18	17	111	4.72	10	<1	0.11	10	1.65	2050	1	0.02	16	2050	2	<0.01	<2	10	85	0.17	<10	<10	138	<10	81	
11000E 10	<0.005	<0.2	2.21	3	<10	220	0.5	<2	0.55	<0.5	17	119	47	4	10	<1	0.18	10	1.38	629	1	0.06	110	790	4	<0.01	2	7	38	0.12	<10	<10	73	<10	94	
11000E 10	<0.005	<0.2	2.17	3	<10	530	0.7	<2	1.04	<0.5	30	158	49	5.38	10	<1	0.14	10	2.34	827	1	0.16	120	1340	3	<0.01	<2	6	273	0.49	<10	<10	106	<10	98	
11000E 10	<0.005	<0.2	2.25	2	<10	190	0.5	2	0.84	0.6	18	109	37	3.99	10	<1	0.14	10	1.32	838	1	0.11	98	960	3	<0.01	<2	7	62	0.19	<10	<10	84	<10	94	
11000E 10	<0.005	<0.2	2.4	3	<10	680	0.6	2	0.44	<0.5	17	114	43	3.92	10	<1	0.15	10	1.46	563	1	0.04	116	750	3	0.01	<2	8	47	0.15	<10	<10	85	<10	92	
11200E 10	0.045	<0.2	3.36	3	<10	290	0.5	3	1.52	<0.5	26	16	50	6.97	10	1	0.42	20	2.4	1190	<1	0.03	17	2120	<2	0.12	<2	17	51	0.1	<10	<10	201	<10	71	
11400E 10	0.008	<0.2	2.26	2	<10	160	<0.5	2	1.26	<0.5	14	31	80	4.32	10	<1	0.15	10	1.39	982	1	0.07	22	1570	2	<0.01	<2	8	60	0.14	<10	<10	122	<10	63	
11400E 10	<0.005	<0.2	2.56	<2	<10	150	<0.5	2	1.39	<0.5	22	52	69	5.05	10	<1	0.15	10	1.54	1075	1	0.09	39	1980	<2	0.03	<2	10	76	0.28	<10	<10	198	<10	76	
11400E 10	<0.005	0.2	1.84	<2	<10	80	<0.5	<2	1.35	<0.5	29	34	106	5.94	10	<1	0.14	10	1.54	897	1	0.08	29	2310	<2	<0.01	2	8	66	0.38	<10	<10	262	<10	54	
11400E 10	0.009	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
11400E 10	<0.005	<0.2	1.94	3	<10	140	<0.5	2	0.68	<0.5	15	17	76	4.54	10	<1	0.19	10	1.24	925	<1	0.07	8	1710	<2	<0.01	<2	8	43	0.02	<10	<10	112	<10	46	
11400E 10	0.008	0.2	1.9	11	<10	350	0.6	2	0.81	<0.5	14	40	91	4.02	10	<1	0.19	10	0.95	801	2	0.01	45	1340	4	<0.01	<2	8	35	0.05	<10	<10	93	<10	79	
11400E 10	<0.005	<0.2	1.99	2	<10	80	<0.5	<2	1.48	<0.5	7	17	28	3.65	10	<1	0.11	<10	1.06	674	<1	0.03	4	1500	<2	<0.01	<2	6	113	0.11	<10	<10	112	<10	39	
11400E 10	0.007	0.2	1.89	<2	<10	150	<0.5	2	2.33	<0.5	12	14	47	5.28	10	<1	0.16	10	1.22	1290	1	0.09	10	1910	<2	0.02	<2	13	90	0.06	<10	<10	153	<10	58	
11400E 10	0.016	0.2	1.28	26	<10	600	0.6	<2	1.18	<0.5	9	13	108	2.99	<10	<1	0.3	10	0.59	1940	1	<0.01	5	1320	<2	0.23	<2	6	41	<0.01	<10	<10	39	<10	31	
11400E 10	0.102	1	1.42	120	<10	480	0.6	4	0.93	0.9	19	11	247	5.14	<10	<1	0.29	10	0.33	2210	2	<0.01	17	1550	20	0.56	<2	12	24	0.01	<10	<10	64	<10	128	
11400E 10	0.033	0.2	2.03	25	<10	160	<0.5	4	0.33	<0.5	15	44	95	4.7	10	<1	0.22	10	0.99	2600	1	<0.01	31	1030	3	0.09	<2	7	13	0.02	<10	<10	80	<10	97	
11400E 10	0.019	0.2	0.99	8	<10	140	<0.5	3	0.44	<0.5	11	46	56	2.04	<10	<1	0.09	10	0.52	859	2	0.03	32	590	2	0.01	<2	6	16	0.02	<10	<10	52	<10	42	
11400E 10	0.036	4.3	1.84	175	<10	500	0.9	3	0.49	1	21	19	445	5.04	<10	<1	0.25	10	0.51	1790	3	<0.01	23	900	10	0.02	4	7	15	<0.01	<10	<10	44	<10	55	
11500E 87	0.006	0.3	0.39	20	<10	600	<0.5	2	0.11	<0.5	2	46	23	0.92	<10	2	0.16	<10	0.05	49	48	<0.01	9	240	10	0.17	9	2	53	<0.01	<10	<10	68	<10	16	
11500E 87	<0.005	0.2	0.14	7	<10	540	<0.5	2	0.01	<0.5	4	102	40	0.97	<10	<1	0.04	<10	0.01	79	2	<0.01	16	120	4	0.03	<2	2	13	<0.01	<10	<10	5	<10	18	
11500E 88	<0.005	0.3	0.28	8	<10	1060	<0.5	3	0.03	<0.5	17	45	70	1.89	<10	<1	0.06	<10	0.02	410	2	<0.01	37	810	16	0.02	2	6	287	<0.01	<10	<10	6	<10	66	
11500E 88	0.009	1.4	0.4	44	<10	210	<0.5	2	0.22	0.7	15	48	31	2.49	<10	<1	0.14	<10	0.08	537	61	<0.01	45	700	21	0.07	6	3	71	<0.01	<10	<10	49	<10	38	
11500E 89	<0.005	0.7	0.13	57	<10	210	<0.5	3	0.04	0.5	20	62	126	4.05	<10	<1	0.03	<10	0.03	1665	10	<0.01	24	60	8	0.13	<2	2	8	<0.01	<10	<10	9	<10	69	
11500E 89	<0.005	<0.2	0.73	10	<10	330	<0.5	2	0.07	<0.5	9	69	33	2.54	<10	<1	0.08	<10	0.25	445	1	<0.01	17	430	<2	<0.01	<2	3	23	0.04	<10	<10	24	<10	42	
11500E 90	<0.005	<0.2	1.36	<2	<10	210	0.6	3	0.02	<0.5	8	17	23	2.63	<10	<1	0.11	10	0.69	490	<1	<0.01	19	170	<2	0.01	<2	3	9	<0.01	<10	<10	17	<10	66	
11500E 90	0.009	0.3	1.53	14	<10	150	0.6	2	4.38	<0.5	12	88	55	3.53	<10	<1	0.15	10	1.44	1240	3	<0														

12400E 10	0.01	<0.2	1.86	<2	<10	180	<0.5	3	0.66	<0.5	11	37	59	3.68	<10	<1	0.2	10	0.92	1335	1	0.07	16	1220	2	<0.01	<2	7	43	0.04	<10	<10	80	<10	77
12400E 10	<0.005	<0.2	2.3	2	<10	160	<0.5	3	0.91	<0.5	9	19	44	3.94	10	<1	0.16	10	1.04	1130	1	0.07	7	1340	<2	<0.01	<2	9	71	0.1	<10	<10	93	<10	55
12400E 10	0.01	0.2	2.54	4	<10	180	0.6	4	0.76	0.7	11	34	76	3.66	10	<1	0.17	10	1.02	1075	1	0.05	19	1320	2	<0.01	<2	7	90	0.09	<10	<10	82	<10	102
12400E 11	<0.005	<0.2	2.97	2	<10	140	0.5	3	1.59	<0.5	4	13	13	3.25	10	<1	0.11	10	0.96	821	<1	0.05	4	1360	<2	<0.01	<2	8	106	0.08	<10	<10	82	<10	41
12400E 11	0.052	0.2	2.36	<2	<10	160	0.5	3	1.09	<0.5	10	22	97	3.37	10	<1	0.18	10	1.05	957	1	0.05	8	1390	<2	<0.01	<2	8	110	0.09	<10	<10	87	<10	51
12400E 11	0.005	0.3	2.55	3	<10	300	0.7	2	1.06	<0.5	15	77	156	3.85	10	<1	0.15	10	1.67	799	2	0.05	36	1620	4	0.07	<2	8	75	0.11	<10	<10	97	<10	61
12400E 11	0.031	<0.2	2.08	5	<10	200	<0.5	3	0.67	<0.5	12	34	116	3.68	10	1	0.16	10	1.14	695	3	0.08	18	1360	<2	0.17	<2	8	59	0.1	<10	<10	94	<10	50
12400E 11	0.005	0.3	1.64	<2	<10	110	<0.5	3	0.49	<0.5	11	21	186	4.26	<10	<1	0.2	10	0.84	709	7	0.04	5	1300	<2	0.09	<2	6	22	<0.01	<10	<10	69	<10	49
12400E 11	<0.005	0.2	2.03	5	<10	310	<0.5	<2	0.66	<0.5	12	29	177	4.05	10	1	0.14	10	1.26	786	4	0.09	7	1310	4	0.13	2	8	50	0.05	<10	<10	95	<10	50
12400E 11	0.006	<0.2	2.02	11	<10	200	0.5	<2	0.9	<0.5	10	28	60	3.59	10	<1	0.16	10	1.01	895	2	0.05	14	1250	<2	0.01	2	6	81	0.07	<10	<10	71	<10	47
12400E 11	<0.005	<0.2	1.7	7	<10	330	<0.5	<2	0.52	<0.5	9	20	22	3.94	<10	<1	0.25	10	0.77	995	4	0.02	4	1420	4	0.01	<2	5	21	<0.01	<10	<10	68	<10	63
12400E 11	0.008	0.2	2.3	19	10	250	0.6	<2	0.63	<0.5	17	53	105	4.32	10	<1	0.24	10	0.77	855	6	0.02	59	1190	7	0.01	3	9	31	0.03	<10	<10	87	<10	100
12600E 11	0.01	<0.2	2.32	2	<10	190	<0.5	<2	0.92	<0.5	11	26	207	4.14	10	<1	0.17	10	1.27	1230	1	0.07	9	1570	2	0.09	<2	8	62	0.05	<10	<10	104	<10	60
12600E 11	0.036	0.5	2.31	<2	<10	270	<0.5	<2	1.48	<0.5	11	26	142	4.1	10	<1	0.22	10	1.36	1465	1	0.04	9	1490	3	0.02	<2	7	45	0.01	<10	<10	85	<10	69
12600E 11	<0.005	0.2	1.92	2	<10	200	<0.5	<2	1.1	<0.5	12	37	72	3.63	10	<1	0.17	10	1.06	870	1	0.1	15	1320	<2	0.02	<2	7	56	0.05	<10	<10	79	<10	45
12600E 11	<0.005	<0.2	1.82	2	<10	160	<0.5	<2	1.02	<0.5	10	28	56	3.54	10	<1	0.13	10	0.94	887	<1	0.14	8	1300	<2	0.01	<2	6	100	0.1	<10	<10	86	<10	40
12600E 11	<0.005	<0.2	3.83	3	<10	610	<0.5	<2	1.44	<0.5	24	56	46	6.63	10	<1	0.08	10	3.18	1185	<1	0.13	29	1390	<2	0.04	<2	17	78	0.07	<10	<10	180	<10	89
12600E 11	0.016	0.2	2.11	4	<10	230	0.5	2	0.56	<0.5	8	22	84	3.3	10	1	0.22	10	1.08	950	<1	0.03	9	1280	<2	0.01	<2	7	18	<0.01	<10	<10	68	<10	42
12600E 11	0.006	0.3	2.22	4	<10	240	<0.5	<2	0.81	<0.5	14	24	148	4.01	10	<1	0.17	10	1.38	1145	1	0.08	14	1310	<2	0.03	<2	8	43	0.03	<10	<10	92	<10	49
12800E 11	<0.005	<0.2	2.57	<2	<10	90	0.6	<2	0.7	<0.5	20	16	347	3.93	10	<1	0.25	10	0.99	814	2	0.05	5	1410	2	0.02	2	5	76	0.03	<10	<10	70	<10	43
12800E 11	<0.005	<0.2	1.49	<2	<10	370	<0.5	<2	2.22	<0.5	6	19	35	3.41	<10	<1	0.23	10	0.66	669	1	0.04	3	1090	<2	0.02	<2	3	26	<0.01	<10	<10	68	<10	36
12800E 11	0.014	<0.2	2.03	3	<10	290	<0.5	<2	0.66	<0.5	13	37	142	4.26	10	1	0.23	10	1.03	1305	1	0.07	14	1340	<2	0.02	<2	6	50	0.05	<10	<10	84	<10	66
12800E 11	<0.005	0.2	1.92	7	<10	180	<0.5	<2	0.78	<0.5	13	31	70	3.92	10	<1	0.2	10	0.99	1295	1	0.06	11	1240	2	0.01	<2	6	39	0.02	<10	<10	81	<10	66
12800E 11	<0.005	<0.2	2.02	10	<10	170	<0.5	<2	0.87	<0.5	12	35	85	3.69	10	<1	0.15	10	1.12	933	1	0.08	19	1230	<2	0.01	<2	7	84	0.11	<10	<10	81	<10	56
12800E 11	0.007	<0.2	1.86	<2	<10	280	<0.5	<2	0.8	<0.5	12	29	66	3.44	10	<1	0.15	10	1.08	1015	1	0.08	10	1280	<2	0.01	<2	7	55	0.07	<10	<10	76	<10	74
12800E 11	<0.005	0.2	2.24	<2	<10	250	<0.5	<2	0.81	<0.5	11	21	37	3.69	10	1	0.18	10	1.07	700	1	0.06	8	1380	3	0.01	<2	9	56	0.03	<10	<10	80	<10	45
12800E 11	<0.005	<0.2	1.7	<2	<10	210	<0.5	<2	1.69	<0.5	8	34	231	3.29	<10	<1	0.24	10	0.88	1205	1	0.08	4	1260	3	0.03	<2	6	50	0.01	<10	<10	75	<10	63

VA04045731 - Finalized
 CLIENT : "MYA - Canadian Gold Hunter Corp"
 # of SAMPLES : 71
 DATE RECEIVED : 2004-07-16
 PROJECT : "GJ"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
DESCRPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
8800E 105	<0.005	0.3	2.12	12	10	230	0.5	<2	1.08	<0.5	21	93	65	3.91	10	<1	0.15	<10	1.34	584	1	0.04	119	800	5	0.05	<2	9	44	0.09	<10	<10	71	<10	112
9000E 104	0.006	0.2	1.91	23	10	210	0.5	<2	1.88	<0.5	18	85	65	3.96	10	<1	0.15	<10	1.28	653	1	0.01	107	800	6	0.08	<2	9	73	0.03	<10	<10	68	<10	99
9000E 105	<0.005	0.2	2.25	6	<10	180	0.6	<2	0.46	<0.5	17	77	46	4.24	10	<1	0.15	10	1.26	900	1	0.01	94	820	5	<0.01	<2	9	31	0.1	<10	<10	89	<10	106
9000E 105	<0.005	<0.2	2.03	9	<10	290	0.6	<2	1.22	<0.5	21	96	41	4.6	10	<1	0.14	10	1.64	750	1	0.06	93	1030	4	<0.01	<2	7	158	0.26	<10	<10	94	<10	98
9000E 106	0.008	<0.2	2.27	16	<10	200	0.7	<2	0.36	<0.5	16	62	76	4.16	10	1	0.12	10	1.1	681	2	0.02	55	850	6	0.01	2	7	25	0.09	<10	<10	101	<10	96
9000E 106	<0.005	0.2	2.21	8	<10	250	0.7	<2	0.84	<0.5	21	86	66	5.47	10	<1	0.17	10	1.2	996	2	0.06	59	1180	6	0.03	8	9	50	0.37	<10	<10	118	<10	331
9000E 107	<0.005	<0.2	2.13	11	<10	310	0.6	<2	0.63	<0.5	20	74	76	4.81	10	<1	0.12	10	1.2	770	1	0.03	67	950	5	<0.01	<2	9	40	0.18	<10	<10	89	<10	99
9200E 105	<0.005	<0.2	2.27	16	10	260	0.5	<2	3.11	0.6	19	94	52	4.65	10	<1	0.15	10	1.7	1775	1	0.06	98	900	5	0.13	<2	10	109	0.08	<10	<10	96	<10	88
9200E 106	0.058	0.3	2	6	<10	220	0.5	<2	0.92	<0.5	20	90	404	4.26	10	<1	0.14	10	1.46	573	2	0.05	82	770	4	0.09	<2	10	40	0.17	<10	<10	89	<10	90
9200E 106	<0.005	<0.2	1.94	8	<10	250	0.6	<2	0.52	<0.5	20	67	51	4.45	10	<1	0.13	10	1.06	795	1	0.02	70	1040	5	<0.01	<2	9	32	0.22	<10	<10	110	<10	98
9200E 107	0.005	0.2	2.17	8	<10	420	0.6	<2	0.56	0.7	18	67	80	4.22	10	1	0.15	10	1.12	682	2	0.01	87	980	6	0.01	<2	9	34	0.12	<10	<10	84	<10	111
9200E 107	<0.005	0.2	2.54	7	<10	320	0.5	<2	0.79	<0.5	20	68	59	4.37	10	<1	0.14	10	1.32	1155	1	0.1	87	890	5	0.01	<2	8	79	0.14	<10	<10	92	<10	93
9200E 108	<0.005	<0.2	2.37	10	10	220	0.6	<2	1.52	<0.5	18	71	62	4.34	10	<1	0.17	10	1.47	958	1	0.05	85	1180	6	0.01	<2	10	59	0.09	<10	<10	103	<10	99
9200E 108	<0.005	<0.2	2.64	9	10	250	0.7	<2	1.1	<0.5	21	87	64	4.75	10	<1	0.17	10	1.74	882	1	0.22	83	1100	5	0.01	<2	12	54	0.09	<10	<10	118	<10	102
9200E 109	<0.005	<0.2	2.61	5	10	180	1	<2	3.77	<0.5	31	190	63	5.61	10	<1	0.17	10	2.6	1085	1	0.14	128	1500	5	0.02	<2	18	190	0.09	<10	<10	138	<10	95
9900E 104	0.017	0.2	0.62	9	<10	370	<0.5	<2	0.52	<0.5	10	16	13	3.42	<10	<1	0.21	10	0.2	695	1	0.01	8	1160	3	0.78	<2	3	22	<0.01	<10	<10	37	<10	42
10200E 10	0.006	<0.2	2.24	20	<10	280	0.9	<2	0.48	<0.5	19	73	75	4.5	10	<1	0.13	10	0.99	834	2	0.01	67	850	8	<0.01	<2	10	33	0.1	<10	<10	103	<10	114
10200E 10	0.086	0.3	2.1	42	<10	390	0.8	<2	0.42	0.8	20	72	157	5.6	10	<1	0.16	10	1.02	772	3	0.01	84	920	10	0.01	2	10	28	0.05	<10	<10	96	<10	127
10200E 10	0.041	0.4	1.67	150	<10	250	0.6	<2	0.43	1.4	12	68	62	3.8	10	<1	0.13	10	0.83	810	2	0.01	52	1160	15	0.01	7	9	26	0.05	<10	<10	87	<10	232
10200E 10	0.005	0.2	2.13	12	<10	260	0.7	<2	0.59	<0.5	18	92	59	4.55	10	<1	0.13	10	1.46	660	2	0.07	77	980	10	0.02	<2	7	48	0.17	<10	<10	91	<10	110
10200E 10	0.005	<0.2	1.96	9	<10	200	0.7	<2	1.02	0.5	20	80	90	4.87	10	<1	0.15	10	1.22	1020	1	0.13	53	1110	5	<0.01	<2	10	54	0.26	<10	<10	126	<10	102
10200E 10	0.016	0.2	2.16	13	<10	190	1	<2	0.53	0.6	20	77	61	4.87	10	<1	0.13	10	1.24	955	3	0.06	71	1040	7	0.01	3	9	43	0.18	<10	<10	103	<10	114
10200E 10	0.007	<0.2	2.34	4	<10	210	0.8	<2	0.77	<0.5	21	108	44	4.75	10	<1	0.16	10	1.79	977	1	0.08	96	1080	7	<0.01	3	11	69	0.16	<10	<10	121	<10	104
11000E 10	0.018	0.2	2.23	11	10	220	0.7	<2	0.45	<0.5	20	78	97	4.56	10	<1	0.17	10	1.14	926	2	0.01	94	1060	6	<0.01	3	12	32	0.07	<10	<10	90	<10	122
11000E 10	<0.005	0.2	2.21	7	10	370	0.7	<2	0.52	<0.5	19	120	58	4.36	10	1	0.22	10	1.06	814	2	0.03	87	890	7	<0.01	<2	10	38	0.1	<10	<10	86	<10	124
11000E 10	0.007	0.4	2.06	13	<10	370	0.8	<2	0.9	<0.5	19	61	74	4.57	10	<1	0.18	10	0.95	637	3	0.01	70	1370	6	<0.01	3	11	40	0.11	<10	<10	81	<10	112
11000E 10	<0.005	0.3	2.05	11	<10	1010	0.7	<2	0.46	<0.5	17	97	47	4.13	10	<1	0.16	10	1.16	616	2	0.02	94	790	6	0.16	2	8	48	0.1	<10	<10	71	<10	92
11000E 10	<0.005	0.2	1.82	8	<10	290	0.6	<2	0.47	<0.5	16	93	37	4.1	10	<1	0.13	10	1.34	803	2	0.02	82	970	4	<0.01	2	8	45	0.18	<10	<10	86	<10	93
11000E 10	0.005	0.3	2.3	10	<10	480	0.8	<2	0.56	<0.5	18	88	57	4.44	10	<1	0.21	10	1.2	695	2	0.02	98	1160	7	<0.01	<2	10	45	0.1	<10	<10	82	<10	118
11000E 10	<0.005	<0.2	2.05	12	<10	220	0.9	2	0.67	<0.5	18	76	53	4.13	10	<1	0.18	10	1.34	628	2	0.02	90	940	8	<0.01	<2	9	51	0.09	<10	<10	80	<10	122
11200E 10	0.132	0.5	1.18	<2	<10	920	<0.5	2	0.28	<0.5	10	33	672	3.57	10	<1	0.15	10	0.8	986	2	0.01	10	910	8	0.03	2	6	17	0.01	<10	<10	101	<10	80
11400E 10	0.012	0.2	2.01	11	<10	440	0.7	<2	0.47	<0.5	14	70	91	3.98	10	<1	0.22	10	1.07	828	2	0.03	48	1100	7	<0.01	2	9	30	0.06	<10	<10	103	<10	88
11400E 10	0.008	0.2	2.07	15	<10	410	0.9	<2	0.54	<0.5	17	60	76	3.96	10	1	0.24	10	0.82	554	3	0.01	74	1000	9	<0.01	2	9	33	0.04	<10	<10	79	<10	123
11400E 10	<0.005	0.2	2.33	10	10	370	0.8	2	0.58	<0.5	19	90	59	4.15	10	1	0.28	10	1.12	598	2	0.03	104	880	7	<0.01	<2	10	42	0.07	<10	<10	83	<10	113
11800E 95	<0.005	1.6	3.26	98	10	640	1.2	2	2.76	4.1	52	13	271	6.86	10	1	0.25	20	1.66	1605	2	0.01	26	2240	33	0.18	6	17	88	<0.01	<10	<10	230	<10	614
11800E 95	<0.005	0.4	2.94	10	<10	220	<0.5	2	0.93	0.6	20	63	65	6	10	<1	0.18	10	1.74	2030	1	0.02	42	1420	10	0.01	<2	8	32	0.01	<10	<10	132	<10	250
11800E 96	<0.005	<0.2	2.33	4	<10	490	0.6	<2	0.69	0.5	20	108	43	4.15	10	<1	0.17	10	1.24	795	2	0.12	74	920	4	<0.01	3	7	59	0.19	<10	<10	82	<10	88
11800E 96	<0.005	0.2	1.66	10	<10	450	0.5	<2	0.37	<0.5	13	91	46	3.25	<10	1	0.18	10	0.76	604	5	0.03	68	660	5	<0.01	2	8	34	0.08	<10	<10	94	<10	83
11800E 97	<0.005	0.3	2.58	15	10	410	1.1	<2	3.19	<0.5	17	42	79	6.52	10	<1	0.34	10	0.75	1215	6	<0.01	18	2090	4	<0.01	3	17	42	<					

VA04056142 - Finalized
 CLIENT : "MYA - Canadian Gold Hunter Corp"
 # of SAMPLES : 57
 DATE RECEIVED : 2004-08-19 DATE FINALIZED : 2004-09-02
 PROJECT : "GJ"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
DESCRPT	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
9300E 101	<0.005	<0.2	2.26	12	10	300	0.6	<2	0.62	<0.5	16	93	102	4.51	10	<1	0.22	10	1.4	774	2	0.06	88	840	5	0.03	<2	8	44	0.17	<10	<10	97	<10	85
9300E 102	0.007	0.2	2.78	20	10	270	0.7	<2	1.76	0.6	16	68	61	4.11	10	<1	0.43	10	1.44	763	2	0.07	65	980	7	0.1	<2	11	97	0.07	<10	<10	113	<10	126
11400E 10	0.009	<0.2	2.88	9	<10	340	<0.5	<2	1.26	<0.5	23	21	74	6.47	10	1	0.3	10	2.22	1500	1	0.11	19	1600	8	0.03	<2	18	62	0.19	<10	<10	254	<10	132
11400E 10	0.016	0.6	2.86	13	10	320	<0.5	<2	4.67	<0.5	22	10	626	5.29	10	1	0.5	10	1.56	1845	1	0.05	6	1650	2	0.15	<2	14	57	0.01	<10	<10	187	<10	74
11600E 97	<0.005	<0.2	3.19	10	20	520	0.8	<2	0.46	0.7	18	95	61	4.23	10	1	0.5	10	1.08	687	2	0.04	118	720	7	<0.01	<2	12	31	0.03	<10	<10	100	<10	130
11600E 98	<0.005	0.5	3.52	46	10	690	0.8	<2	0.84	1.6	15	21	102	7.53	10	<1	0.53	10	1.12	3060	4	0.02	23	2310	6	<0.01	<2	15	34	0.01	<10	<10	170	<10	239
11600E 98	0.008	0.4	2.9	64	10	490	1	<2	0.75	3.9	26	28	116	5.78	10	2	0.62	10	0.64	2890	7	0.01	34	2050	28	<0.01	<2	16	22	<0.01	<10	<10	273	<10	315
11600E 99	<0.005	0.3	2.47	10	<10	480	0.6	<2	1.93	1.4	12	28	55	3.36	10	1	0.2	20	1.54	1085	2	0.28	16	1960	7	0.02	<2	10	143	0.31	<10	<10	159	<10	156
11600E 99	<0.005	0.3	3.44	30	10	310	0.8	<2	2.14	0.7	21	46	80	6.2	10	<1	0.19	20	2.17	1515	2	0.16	33	2170	14	0.04	<2	21	116	0.08	<10	<10	268	<10	142
11600E 10	0.005	0.3	2.81	12	<10	760	<0.5	<2	1.37	0.6	20	11	96	5.36	10	1	0.18	10	2.28	946	1	0.11	11	1240	4	0.01	<2	15	47	0.24	<10	<10	188	<10	148
11600E 10	<0.005	0.2	2.91	16	10	1220	0.7	<2	0.69	1	16	23	104	5.48	10	<1	0.26	10	1.66	995	1	0.13	20	1680	4	0.07	<2	14	62	0.04	<10	<10	180	<10	128
12000E 97	0.013	0.3	3.35	90	10	270	0.8	<2	0.96	1.4	23	16	60	6.52	10	1	0.47	20	1.54	1870	3	0.04	15	1950	3	<0.01	<2	13	36	0.01	<10	<10	158	<10	160
12000E 98	0.026	0.3	2.84	110	10	290	0.8	<2	0.85	1.9	5	26	111	3.44	10	1	0.63	10	1.04	2040	4	0.06	19	1240	15	<0.01	<2	8	27	<0.01	<10	<10	106	<10	238
12000E 98	<0.005	0.3	2.34	31	10	200	0.6	<2	3.59	<0.5	12	26	35	3.39	10	<1	0.58	20	0.74	1860	1	0.03	27	1420	4	<0.01	<2	8	54	0.01	<10	<10	74	<10	50
12000E 99	0.014	0.5	3.94	54	10	370	0.9	<2	0.49	1.5	16	24	120	7.27	10	<1	0.42	20	1.43	5420	11	<0.01	15	1240	17	<0.01	<2	10	17	<0.01	<10	<10	119	<10	212
12000E 99	0.024	1.2	2.04	48	<10	160	0.7	<2	0.75	1	13	174	120	4.14	10	<1	0.26	10	1.24	682	10	0.01	108	740	28	0.07	8	5	12	0.01	<10	<10	90	<10	104
12000E 10	<0.005	0.5	2.49	24	10	470	0.6	<2	0.34	3.1	12	18	91	4.15	10	1	0.27	10	1.3	1275	1	0.09	9	1030	24	0.08	3	6	16	0.01	<10	<10	69	<10	265
12000E 10	<0.005	<0.2	3.6	7	10	350	<0.5	<2	1.31	0.7	19	16	111	5.81	10	<1	0.39	10	1.8	1530	1	0.28	9	1460	5	<0.01	<2	14	83	0.04	<10	<10	185	<10	87
12000E 10	<0.005	<0.2	3.15	3	10	220	<0.5	<2	0.71	0.6	21	11	124	6.07	10	1	0.5	10	1.72	1575	<1	0.12	6	1590	5	<0.01	<2	14	35	0.03	<10	<10	165	<10	120
12000E 10	<0.005	<0.2	3.55	13	10	340	0.7	<2	0.81	<0.5	18	20	114	5.61	10	1	0.51	10	1.48	1490	2	0.11	15	1540	6	0.01	<2	10	45	0.07	<10	<10	144	<10	108
12200E 96	0.006	0.6	2.8	22	10	250	0.7	<2	0.55	15.1	16	49	230	3.88	10	1	0.53	10	1.19	1455	6	<0.01	40	990	49	0.03	<2	9	13	0.01	<10	<10	204	<10	1080
12200E 97	0.005	0.2	3.13	13	10	380	0.7	<2	0.5	0.8	17	70	52	4.99	10	1	0.44	10	1.34	1050	2	0.06	79	1020	8	<0.01	<2	14	35	0.07	10	<10	133	<10	108
12200E 98	0.011	0.2	3.24	43	10	490	0.6	<2	0.85	0.6	22	29	126	6.04	20	1	0.27	20	1.84	1095	2	0.1	25	1940	3	<0.01	<2	20	66	0.04	<10	<10	233	<10	141
12200E 98	0.008	0.7	1.92	29	10	370	0.5	<2	0.25	0.7	14	18	106	2.93	10	<1	0.43	20	0.64	1230	3	<0.01	29	710	<2	<0.01	<2	5	10	0.01	<10	<10	51	<10	60
12200E 99	0.005	0.6	3.76	33	10	530	0.9	<2	0.77	1.5	30	25	106	7.5	20	1	0.33	10	2.23	1650	2	0.06	22	2250	13	0.01	8	20	34	0.03	<10	<10	276	<10	222
12200E 99	0.006	0.2	3.38	14	10	360	0.6	<2	0.82	0.6	22	34	93	5.98	10	<1	0.38	10	1.89	1330	2	0.13	31	1680	8	0.01	<2	13	50	0.09	<10	<10	190	<10	136
12400E 96	<0.005	0.2	2.7	14	10	260	0.7	<2	0.46	0.6	14	82	39	3.8	10	1	0.35	10	1.04	518	1	0.09	87	650	6	<0.01	<2	9	40	0.12	<10	<10	87	<10	92
12400E 97	0.006	0.2	3.55	15	10	380	0.7	<2	0.67	0.7	22	66	90	5.78	10	2	0.33	10	1.66	856	2	0.17	74	1380	7	<0.01	<2	14	53	0.05	<10	<10	176	<10	126
12400E 97	<0.005	0.2	3.15	13	10	310	0.7	<2	0.67	0.7	22	106	49	5.01	10	<1	0.39	10	1.21	848	2	0.07	116	1080	5	<0.01	<2	13	55	0.21	<10	<10	118	<10	120
12400E 98	0.013	<0.2	3.38	61	10	710	0.7	<2	1.66	0.6	34	21	100	7.6	10	<1	0.99	20	1.68	2130	2	0.16	20	2890	2	0.01	<2	22	106	0.46	<10	<10	340	<10	108
12400E 99	<0.005	0.6	3.61	43	10	950	0.8	<2	1.32	0.7	40	37	229	8.14	20	1	0.19	10	2.2	1245	2	0.1	32	2100	8	0.09	3	26	82	0.42	<10	<10	308	<10	106
12600E 98	0.007	0.3	3.16	15	10	570	0.8	<2	1.66	<0.5	25	25	128	6.16	20	<1	0.25	20	2.11	1295	1	0.1	17	2350	4	<0.01	<2	21	87	0.37	<10	<10	258	<10	80
12600E 98	0.333	2	3.49	229	<10	230	0.7	<2	0.75	0.7	174	17	1470	6.56	20	<1	0.3	20	1.3	1565	2	0.09	13	2520	8	<0.01	<2	21	51	0.01	<10	<10	236	<10	116
12600E 99	0.006	<0.2	4.45	43	10	210	1	<2	1.88	<0.5	24	26	71	8.53	20	<1	0.48	10	1.62	774	2	0.06	16	4490	4	<0.01	<2	17	50	0.01	<10	<10	171	<10	114
12600E 99	<0.005	0.6	3.69	58	10	260	0.8	<2	5.18	1.1	13	16	78	5.04	10	1	0.51	10	1.9	2500	3	0.06	11	1480	6	0.03	3	10	87	0.03	<10	<10	144	<10	180
12600E 10	<0.005	0.3	3.92	6	10	300	<0.5	<2	1.4	<0.5	22	8	44	6.26	10	2	0.45	10	2.17	1785	1	0.19	7	1650	<2	<0.01	<2	13	69	0.02	<10	<10	174	<10	83
12600E 10	<0.005	0.4	3.91	7	10	300	<0.5	<2	2.03	0.5	19	10	186	5.71	10	1	0.39	10	1.52	1775	2	0.32	12	1720	2	0.01	<2	13	135	0.15	<10	<10	180	<10	104
12600E 10	0.006	<0.2	3.48	6	10	410	<0.5	<2	1.61	0.5	17	12	134	4.9	10	1	0.37	10	1.4	1270	1	0.22	14	1500	2	<0.01	<2	9	140	0.15	<10	<10	150	<10	99
12800E 98	0.008	<0.2	3.21	32	10	360	1	<2	2.52	<0.5	20	41	63	6.32	20	1	0.24	20	2.09	1150	5	0.1	22	2390	2	0.02									

APPENDIX J

SOIL SAMPLE DESCRIPTIONS AND LOCATION CO-ORDINATES

APPENDIX K

SOIL SAMPLE ANALYTICAL RESULTS

APPENDIX L

SILT SAMPLE DESCRIPTIONS AND LOCATION CO-ORDINATES

GJ PROJECT

2004 Silt Sample Descriptions and Co-ordinates

Sample Number	Width cm	Depth cm	Velocity	Co-ordinates		Comments
				Easting	Northing	
SF-SLT-04-01	50	1 (-) 2	slow - mod	424366	6392035	
SF-SLT-04-02	90	1 (-) 4	mod - fast	424392	6391953	
SF-SLT-04-03	killzone		seep	424057	6391580	
SF-SLT-04-04	150	5 (-) 10	fast	424478	6391388	
SF-SLT-04-05	130	3 (-) 8	fast	424489	6391343	
SF-SLT-04-06	200	8 (-) 15	fast	424389	6391328	
SF-SLT-04-07	100	8 (-) 12	fast	424305	6391166	
SLT-YT-04-01	50	5	mod	424838	6390348	
SLT-YT-04-02	30	10	mod	424599	6390328	
SLT-YT-04-03	150	15	mod	424013	6390639	
SLT-YT-04-04	200	20	fast	423972	6390685	
SLT-YT-04-05	100	20	fast	424077	6390708	
SLT-YT-04-06	100	15	mod	424194	6390688	
SLT-YT-04-07	50	10	mod	424229	6390735	
SLT-YT-04-08	0.75	5	mod	424994	6391706	
SLT-YT-04-09	100	10	mod	424570	6391478	
SLT-YT-04-10	200	10	mod	424238	6391215	
SLT-YT-04-11	1.5	15	fast	424218	6391238	
SLT-YT-04-12	100	10	mod	424372	6391117	
SLT-YT-04-13	0.75	10	mod	426823	6390193	
SLT-YT-04-14	0.5	20	mod	426873	6390207	
SLT-YT-04-15	1.5	15	fast	426775	6390034	
SLT-YT-04-16	1.5	15	fast	426608	6389847	
SLT-YT-04-17	0.75	15	fast	426401	6390297	
SLT-YT-04-18	100	15	fast	426263	6390171	
SLT-YT-04-19	0.75	10	fast	426205	6390065	
KC-SLT-04-001	60	60	slow - mod	426660	6391158	
KC-SLT-04-002	250	250	slow - mod	426474	6391143	
KC-SLT-04-003	100	100	mod - fast	426305	6391134	
KC-SLT-04-004	350	350	mod	426170	6391090	
KC-SLT-04-005	60	60	slow	426071	6390991	
KC-SLT-04-006	450	450	slow - mod	426048	6391003	
KC-SLT-04-007	15	5	slow	427300	6390350	approx
KC-SLT-04-008	10	3	slow	427350	6390240	
KC-SLT-04-009	15	1 (-) 5	slow	427466	6390118	
KC-SLT-04-010	25	1 (-) 5	slow	427601	6390120	
KC-SLT-04-011	40	1 (-) 5	slow	427630	6390300	approx
KC-SLT-04-012	45	1 (-) 5	slow	427701	6390497	
KC-SLT-04-013	20	1 (-) 5	slow	427504	6390402	
KC-SLT-04-014	40	1 (-) 5	slow	427520	6390235	
KC-SLT-04-015	20	1 (-) 5	slow	427530	6390153	
KC-SLT-04-016	25	1 (-) 5	mod	427676	6390842	
KC-SLT-04-017	180	1 (-) 10	slow - mod	427736	6390584	
KC-SLT-04-018	120	3	slow	427986	6390306	
KC-SLT-04-019	10	n/a	dry	no signal	no signal	
KC-SLT-04-020	15	n/a	dry	no signal	no signal	

Sample	Width	Depth	Velocity	Co-ordinates		Comments
KC-SLT-04-021	10	5	slow	427480	6389540	approx
KC-SLT-04-022	15	5	slow	427230	6389875	
KC-SLT-04-023	7	<1	slow	427015	6389385	
KC-SLT-04-024	100	2	slow - mod	428023	6390630	
KC-SLT-04-025	275	4	slow - mod	428108	6390458	
KC-SLT-04-026	70	3	slow - mod	428174	6390458	
KC-SLT-04-027	110	5	mod	428172	6390599	
KC-SLT-04-028	80	3 (-) 8	mod	428275	6390208	poor GPS signal
KC-SLT-04-029	170	2 (-) 10	mod	428408	6389910	poor GPS signal
KC-SLT-04-030	60	2 (-) 5	slow - mod	428230	6390125	poor GPS signal
KC-SLT-04-031	45	3 (-) 5	slow - mod	428134	6390152	poor GPS signal
KC-SLT-04-032	30	3	slow	428070	6390239	
KC-SLT-04-033	35	3	slow	427970	6390410	
KC-SLT-04-034	60	1	sl - mod	424627	6393402	34-57; after heavy rain
KC-SLT-04-035	50	1	sl - mod	424647	6393404	
KC-SLT-04-036	100	5 (-) 10	mod	424572	6393368	
KC-SLT-04-037	130	3 (-) 8	trickle	424691	6393527	
KC-SLT-04-038	20	< 1	mod	424706	6393534	
KC-SLT-04-039	200	3 (-) 10	slow	424742	6393583	
KC-SLT-04-040	40	2	mod - fast	424764	6393592	
KC-SLT-04-041	160	2 (-) 8	mod	424903	6393704	
KC-SLT-04-042	110	3	mod	424922	6393779	
KC-SLT-04-043	120	3	mod	424938	6393756	
KC-SLT-04-044	20	1	mod - fast	424519	6393292	
KC-SLT-04-045	150	8 (-) 15	mod - fast	424482	6393203	
KC-SLT-04-046	140	3 (-) 10	mod - fast	424356	6392942	
KC-SLT-04-047	210	5 (-) 15	mod - fast	424331	6392828	side creek
KC-SLT-04-048	250	3 (-) 15	mod	424166	6392696	
KC-SLT-04-049	80	3	mod - fast	424085	6392622	side creek
KC-SLT-04-050	150	3 (-) 8	mod - fast	423980	6392521	side creek
KC-SLT-04-051	400	3 (-) 8	mod - fast	423989	6392501	
KC-SLT-04-052	550	2(-) 20	mod - fast	423805	6392252	
KC-SLT-04-053	180	3 (-) 15	mod - fast	423611	6392069	
KC-SLT-04-054	150	3	mod - fast	423538	6391880	side creek
KC-SLT-04-055	370	5 (-) 20	mod - fast	423408	6391750	
KC-SLT-04-056	20	5	mod - fast	423415	6391743	
KC-SLT-04-057	15	10	slow	423775	6391631	
KC-SLT-04-058	200	5	mod	424106	6391215	
KC-SLT-04-059	180	15	mod	424941	6391057	
KC-SLT-04-060	240	17	mod	423765	6391097	
KC-SLT-04-061	200	10	mod	423634	6391059	
KC-SLT-04-062	80	3	sl - mod	423183	6391504	inaccurate GPS reading
KC-SLT-04-063	270	15	mod - fast	423196	6391442	
KC-SLT-04-064	190	20	mod - fast	423301	6391600	
KC-SLT-04-065	350	10	mod - fast	423081	6391279	
KC-SLT-04-066	400	8	mod - fast	423025	6391202	side creek
KC-SLT-04-067	300	20	mod - fast	422850	6391125	inaccurate GPS reading
KC-SLT-04-068	400	10	mod - fast	422574	6391001	
KC-SLT-04-069	230	60	mod - fast	422387	6390808	
KC-SLT-04-070	100	5	mod - fast	422428	6390803	

Sample	Width	Depth	Velocity	Co-ordinates		Comments
KC-SLT-04-071	140	5	mod - fast	422557	6390733	
KC-SLT-04-072	200	5	mod - fast	422911	6390713	
KC-SLT-04-073	90	15	fast	423315	6390702	
KC-SLT-04-074	150	10	mod - fast	423615	6390699	
KC-SLT-04-075	120	5	mod - fast	423904	6390670	
KC-SLT-04-076	180	2	slow - mod	419770	6402080	
KC-SLT-04-077	270	6	mod - fast	419935	6401892	
KC-SLT-04-078	120	2	slow - mod	419959	6401904	side creek
KC-SLT-04-079	200	5	mod - fast	419958	6401703	
KC-SLT-04-080	120	3	mod - fast	419827	6401424	
KC-SLT-04-081	100	2	mod - fast	419666	6401235	
KC-SLT-04-082	100	8	mod - fast	419596	6401062	
KC-SLT-04-083	70	3	slow - mod	419557	6400818	side creek
KC-SLT-04-084	240	10	fast	419543	6400803	side creek
KC-SLT-04-085	280	25	mod - fast	419450	6400786	
KC-SLT-04-086	170	5	mod - fast	419075	6400760	side creek
KC-SLT-04-087	450	3	mod - fast	419023	6400741	
KC-SLT-04-088	210	1	slow	426870	6391200	
KC-SLT-04-089	100	2	slow	427108	6391319	
KC-SLT-04-090	70	3	slow	427198	6391440	
PC-SLT-04-001	60	10	slow	421440	6401646	Tributary - poor sample
PC-SLT-04-002	50	10	slow	421489	6401770	Tributary - poor sample

APPENDIX M

SILT SAMPLE ANALYTICAL RESULTS

VA04056141 - Finalized
 CLIENT : "MYA - Canadian Gold Hunter Corp"
 # of SAMPLES : 69
 DATE RECEIVED : 2004-08-19 DATE FINALIZED : 2004-08-31
 PROJECT : "GJ"
 CERTIFICATE COMMENTS : "NSS is non-sufficient sample."
 PO NUMBER : ""

SAMPLE	Au	Ag	ME-ICP41	Al	ME-ICP41	As	B	ME-ICP41	Ba	Be	ME-ICP41	Bi	Ca	Cd	ME-ICP41	Co	Cr	ME-ICP41	Cu	Fe	ME-ICP41	Ga	Hg	ME-ICP41	K	La	Mg	ME-ICP41	Mn	Mo	ME-ICP41	Na	Ni	ME-ICP41	P	Pb	ME-ICP41	S	Sb	ME-ICP41	Sc	Sr	ME-ICP41	Ti	Tl	ME-ICP41	U	V	ME-ICP41	W	ME-ICP41	Zn
DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
KC-SLT-04-024	0.011	0.6	2.43	58	<10	380	1	<2	0.87	2.1	27	33	120	4.8	10	<1	0.13	30	0.97	1830	1	0.01	48	1420	14	0.07	5	10	42	0.02	<10	<10	94	<10	262																	
KC-SLT-04-025	NSS	0.6	2.25	156	<10	330	1	<2	1.22	1.2	31	23	154	5.67	10	<1	0.11	20	1.24	2240	6	<0.01	33	1540	22	0.11	6	9	55	0.01	<10	<10	106	<10	213																	
KC-SLT-04-026	0.017	0.9	2.36	529	<10	300	1	<2	2.07	2.5	26	19	142	5.66	10	<1	0.12	30	1.28	2480	3	0.01	29	1660	10	0.12	8	15	83	0.01	<10	<10	101	<10	311																	
KC-SLT-04-027	NSS	0.3	2.41	96	<10	330	0.9	<2	1.06	1.3	20	30	95	5	10	<1	0.1	20	1.12	1680	3	<0.01	39	1430	11	0.09	2	9	55	0.04	<10	<10	114	<10	183																	
KC-SLT-04-028	NSS	0.6	2.35	188	<10	580	0.8	<2	3.85	<0.5	28	18	143	5.61	10	<1	0.1	20	1.67	1900	4	<0.01	22	1550	14	0.16	7	9	132	0.01	<10	<10	111	<10	163																	
KC-SLT-04-029	NSS	0.6	2.3	150	<10	410	0.8	<2	2.3	1.2	25	18	122	5.37	10	<1	0.11	20	1.5	1715	3	<0.01	24	1580	12	0.12	6	9	93	0.01	<10	<10	112	<10	195																	
KC-SLT-04-030	0.006	2.2	2.31	124	10	660	1	<2	1.03	3.3	25	22	164	5.35	10	1	0.13	20	1.26	1980	4	<0.01	31	1490	50	0.07	36	9	53	0.02	<10	<10	124	<10	366																	
KC-SLT-04-031	NSS	0.5	2.17	158	<10	820	0.9	<2	1.66	3.3	25	21	158	5.19	10	<1	0.12	20	1.22	2010	4	<0.01	27	1580	35	0.12	5	9	75	0.02	<10	<10	115	<10	356																	
KC-SLT-04-032	NSS	0.3	2.35	119	<10	610	0.8	<2	0.72	2.7	25	28	110	5.65	10	<1	0.1	20	1.36	1840	5	<0.01	34	1410	27	0.05	7	8	33	0.01	<10	<10	132	<10	378																	
KC-SLT-04-033	2.59	0.7	2.54	265	<10	340	1	<2	0.79	3.6	22	51	118	5.39	10	<1	0.11	20	0.91	1360	2	0.02	71	1380	51	0.08	4	9	41	0.06	<10	<10	97	<10	545																	
KC-SLT-04-034	<0.005	0.3	0.49	11	<10	140	0.9	<2	2.29	<0.5	19	2	100	4.47	<10	<1	0.17	10	0.24	1540	<1	0.01	9	2250	5	0.14	2	11	83	<0.01	<10	<10	32	<10	46																	
KC-SLT-04-035	<0.005	2	0.9	28	<10	580	0.9	<2	1.78	1.7	20	11	106	5.33	<10	<1	0.17	10	0.4	2010	1	0.01	23	2010	20	0.12	4	11	180	0.01	<10	<10	62	<10	195																	
KC-SLT-04-036	<0.005	0.5	0.57	11	<10	220	0.9	<2	2.1	<0.5	21	4	115	4.59	<10	<1	0.16	10	0.26	1715	<1	0.01	13	2520	7	0.16	2	11	96	<0.01	<10	<10	37	<10	59																	
KC-SLT-04-037	0.008	0.4	0.7	24	<10	220	0.9	<2	1.3	<0.5	20	7	112	4.84	<10	<1	0.15	10	0.26	1510	<1	0.01	13	2300	4	0.06	3	10	76	0.01	<10	<10	50	<10	62																	
KC-SLT-04-038	<0.005	0.3	0.62	23	<10	220	0.9	<2	1.5	<0.5	20	5	108	5.03	<10	<1	0.16	10	0.22	1580	<1	0.01	13	2780	3	0.06	3	11	83	0.01	<10	<10	49	<10	60																	
KC-SLT-04-039	<0.005	<0.2	0.9	14	<10	200	1	<2	2.9	<0.5	15	3	128	3.89	<10	<1	0.18	10	0.4	1645	<1	0.01	6	2050	2	0.08	3	11	110	0.01	<10	<10	41	<10	39																	
KC-SLT-04-040	<0.005	0.4	0.81	17	<10	320	0.8	<2	0.87	<0.5	22	10	164	4.62	<10	<1	0.14	10	0.39	1610	1	0.01	18	2020	6	0.09	2	11	73	0.02	<10	<10	65	<10	61																	
KC-SLT-04-041	<0.005	0.3	0.52	30	<10	210	0.8	<2	1.05	<0.5	21	8	99	3.87	<10	<1	0.16	10	0.2	1575	1	0.01	18	1940	7	0.07	2	12	72	0.01	<10	<10	46	<10	50																	
KC-SLT-04-042	0.012	0.4	2.33	15	<10	370	0.9	<2	0.87	<0.5	23	9	104	5.94	10	<1	0.13	10	1.2	1735	3	0.02	14	2190	15	0.09	2	9	47	0.02	<10	<10	103	<10	120																	
KC-SLT-04-043	<0.005	0.2	0.57	30	<10	230	0.9	<2	0.95	<0.5	22	9	98	4.19	<10	<1	0.17	10	0.23	1740	1	0.01	19	1920	9	0.07	4	12	81	0.01	<10	<10	51	<10	55																	
KC-SLT-04-044	<0.005	0.3	1.3	14	<10	690	0.9	<2	1.04	<0.5	23	9	99	5.78	<10	<1	0.13	10	0.55	1605	2	0.02	18	2380	10	0.05	2	10	64	0.01	<10	<10	71	<10	104																	
KC-SLT-04-045	<0.005	0.4	0.82	15	<10	350	0.9	<2	1.62	<0.5	22	7	118	5.15	<10	<1	0.16	10	0.34	1735	1	0.01	14	2520	12	0.18	3	11	90	0.01	<10	<10	54	<10	84																	
KC-SLT-04-046	<0.005	0.6	0.85	16	<10	300	0.8	<2	1.36	<0.5	20	9	110	5.08	<10	<1	0.14	10	0.37	1540	1	0.01	19	2440	8	0.22	2	10	68	0.01	<10	<10	59	<10	84																	
KC-SLT-04-047	<0.005	<0.2	2.05	8	<10	570	0.9	<2	0.78	<0.5	20	56	53	5.15	10	<1	0.1	10	1.22	1235	<1	0.04	64	1230	5	0.05	2	9	68	0.17	<10	<10	99	<10	104																	
KC-SLT-04-048	<0.005	0.5	0.85	16	<10	280	0.8	<2	1.24	0.6	21	9	112	5.02	<10	<1	0.14	10	0.38	1605	1	0.01	20	2160	10	0.18	3	10	72	0.01	<10	<10	53	<10	86																	
KC-SLT-04-049	<0.005	0.2	2	10	<10	320	0.7	<2	0.67	0.5	18	59	47	4.38	10	<1	0.13	10	1.13	1100	<1	0.03	63	1180	5	0.05	<2	8	46	0.09	<10	<10	94	<10	101																	
KC-SLT-04-050	0.098	0.4	2.37	51	<10	470	1	<2	2.18	<0.5	33	19	134	5.38	10	<1	0.14	10	1.16	1465	1	0.02	30	1690	16	0.11	3	12	77	0.02	<10	<10	98	<10	122																	
KC-SLT-04-051	<0.005	0.5	0.95	14	<10	290	0.8	<2	1.16	0.5	21	11	104	4.72	<10	<1	0.14	10	0.43	1495	1	0.02	23	2080	9	0.15	3	10	67	0.01	<10	<10	53	<10	86																	
KC-SLT-04-052	<0.005	0.7	0.92	12	<10	310	0.8	<2	1.2	<0.5	20	11	120	4.8	<10	<1	0.14	10	0.4	1515	1	0.02	20	2270	10	0.16	2	10	72	0.01	<10	<10	54	<10	92																	
KC-SLT-04-053	<0.005	0.6	0.97	19	<10	310	0.8	<2	1.12	<0.5	20	12	111	4.89	<10	<1	0.15	10	0.46	1460	1	0.02	21	1950	14	0.14	2	10	67	0.02	<10	<10	58	<10	93																	
KC-SLT-04-054	0.009	<0.2	2.02	<2	<10	410	0.8	<2	1.14	0.5	15	44	39	3.77	10	<1	0.12	10	0.86	1005	<1	0.03	47	1190	6	0.06	<2	7	118	0.05	<10	<10	73	<10	116																	
KC-SLT-04-055	<0.005	0.5	1.1	16	<10	330	0.8	<2	1.14	0.6	20	14	112	4.86	<10	<1	0.13	10	0.55	1525	1	0.02	23	1870	9	0.12	3	10	68	0.02	<10	<10	63	<10	88																	
KC-SLT-04-056	0.006	<0.2	1.62	6	<10	490	0.8	<2	0.81	<0.5	14	22	59	4.19	10	<1	0.18	10	0.65	1140	<1	0.02	26	1660	4	0.04	2	9	51	0.03	<10	<10	78	<10	78																	
KC-SLT-04-057	<0.005	<0.2	1.98	3	<10	430	0.7	<2	0.67	0.6	14	43	43	3.82	<10	<1	0.12	10	0.83	893	<1	0.02	47	930	6	0.03	2	7	53	0.05	<10	<10	78	<10	111																	
KC-SLT-04-058	0.022	0.3	2.19	42	<10	290	1.1	<2	0.66	1	31	56	288	5.81	10	<1	0.1	10	1.3	1530	3	0.05	68	1050	8	0.09	2	8	36	0.22	<10	<10	107	<10	120																	
KC-SLT-04-059	0.047	1.3	2.35	50	<10	250	1.1	<2	0.6	0.8	27	56	255	5.41	10	<1	0.1	10	1.12	1255	3	0.04	66	960	10	0.08	3	8	35	0.19	<10	<10	100	<10	120																	
KC-SLT-04-060	0.066	0.7	2.15	41	<10	250	1	<2	0.57	0.8	27	55	252	5.22	10	<1	0.1	10	1.11	1205	2	0.04	65	930	11	0.08	2	8	34	0.17	<10	<10	98	<10	118																	
KC-SLT-04-061	0.03	0.3	2.14	46	<10	250	1	<2	0.62	0.7	25	56	274	5																																						

VA04053437 - Finalized
 CLIENT : "MYA - Canadian Gold Hunter Corp"
 # of SAMPLES : 90
 DATE RECEIVED : 2004-08-09
 PROJECT : "GJ"
 CERTIFICATE COMMENTS : "NSS is non-sufficient sample."
 PO NUMBER : " "

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
KC-SLT-04-001	NSS	0.3	2.29	18	<10	360	1.1	<2	0.55	<0.5	20	53	79	5.09	10	<1	0.12	20	1.14	1155	2	0.02	65	1060	18	0.02	3	8	32	0.21	<10	<10	107	<10	129
KC-SLT-04-002	0.013	0.2	2.3	21	<10	300	1.1	<2	0.49	<0.5	17	48	72	4.48	10	<1	0.11	20	0.92	930	3	0.02	59	1050	13	0.02	2	7	28	0.15	<10	<10	88	<10	127
KC-SLT-04-003	0.005	0.5	2.19	27	<10	340	1	<2	0.59	1	25	54	99	5.33	10	<1	0.12	10	1.27	1350	2	0.02	67	1120	30	0.03	2	9	32	0.18	<10	<10	119	<10	185
KC-SLT-04-004	0.017	0.5	2.26	21	<10	330	0.8	<2	0.6	0.9	25	33	183	5.25	10	<1	0.13	10	1.38	1790	2	0.01	41	1420	16	0.05	3	7	24	0.08	<10	<10	115	<10	183
KC-SLT-04-005	0.041	2.4	1.67	62	<10	520	0.9	<2	0.72	1.1	34	56	242	5.11	<10	<1	0.13	10	0.73	1740	5	0.01	83	1450	12	0.23	12	11	39	0.07	<10	<10	88	<10	154
KC-SLT-04-006	0.14	1	2.2	37	<10	270	0.7	<2	1.44	<0.5	28	15	243	5.33	<10	<1	0.15	10	1.34	1835	1	0.01	19	1220	12	0.14	2	8	38	0.03	<10	<10	108	<10	130
KC-SLT-04-007	0.034	0.6	2.26	34	<10	560	0.8	<2	0.67	1	23	40	108	4.65	10	<1	0.12	10	1.11	1215	3	0.01	49	1180	18	0.04	3	8	35	0.03	<10	<10	93	<10	174
KC-SLT-04-008	NSS	0.4	2.22	27	<10	930	0.9	<2	0.98	1.3	21	25	99	4.74	10	<1	0.13	20	1.24	1400	2	0.02	37	1260	25	0.05	3	9	53	0.01	<10	<10	63	<10	208
KC-SLT-04-009	NSS	0.8	1.96	50	<10	760	0.8	<2	0.94	2	22	22	138	5.13	<10	<1	0.12	10	1.15	1650	6	0.01	42	1320	36	0.07	4	9	56	0.01	<10	<10	76	<10	291
KC-SLT-04-010	0.012	1	1.08	67	<10	450	0.6	<2	1.57	1.9	24	11	112	4.76	<10	<1	0.11	10	0.83	1125	14	0.01	41	1250	29	0.24	4	7	74	<0.01	<10	<10	65	<10	237
KC-SLT-04-011	0.018	1.3	0.79	86	<10	400	0.6	<2	3.46	1.9	28	16	120	4.86	<10	<1	0.12	10	0.69	1255	16	0.01	71	1190	42	0.2	5	8	128	0.01	<10	<10	54	<10	292
KC-SLT-04-012	0.008	1.4	1.38	74	<10	310	0.7	<2	0.7	3.4	29	34	90	5.17	<10	<1	0.12	10	0.74	1565	27	0.01	89	1250	99	0.23	7	8	47	0.02	<10	<10	83	<10	524
KC-SLT-04-013	<0.005	<0.2	1.76	16	<10	460	0.7	<2	0.54	0.5	18	37	58	4.11	10	<1	0.1	10	0.83	903	2	0.01	55	940	12	0.05	2	7	32	0.03	<10	<10	61	<10	145
KC-SLT-04-014	<0.005	1.2	1.18	66	<10	510	0.8	<2	0.78	2.5	31	10	136	5.62	<10	<1	0.12	10	0.63	1090	20	0.01	49	1560	25	0.14	5	9	96	<0.01	<10	<10	87	<10	268
KC-SLT-04-015	NSS	0.5	1.57	70	<10	720	0.8	<2	1.78	0.9	26	9	150	4.98	<10	<1	0.14	10	0.94	1480	6	0.01	29	1200	22	0.11	3	10	83	<0.01	<10	<10	70	<10	171
KC-SLT-04-016	0.024	1.1	1.36	53	<10	510	0.6	<2	1.45	1.5	22	14	118	4.58	<10	<1	0.11	10	0.96	1195	9	0.01	36	1240	33	0.14	4	7	70	<0.01	<10	<10	75	<10	212
KC-SLT-04-017	NSS	0.8	1.34	56	<10	490	0.6	<2	1.55	2.4	20	14	112	4.53	<10	<1	0.09	10	1	1190	8	0.01	33	1290	26	0.14	2	7	72	0.01	<10	<10	73	<10	223
KC-SLT-04-018	0.01	0.8	1.26	48	<10	450	0.6	<2	1.2	1.4	19	13	91	4.29	<10	<1	0.09	10	0.9	1025	8	0.01	32	1230	24	0.14	3	7	62	0.01	<10	<10	70	<10	181
KC-SLT-04-019	0.015	0.6	1.78	39	<10	490	0.8	<2	0.83	1.4	21	32	108	4.61	10	<1	0.1	10	0.86	1625	4	0.01	46	1170	11	0.06	5	8	47	0.02	<10	<10	87	<10	159
KC-SLT-04-020	NSS	0.6	1.52	41	<10	620	0.7	<2	0.81	1.3	20	24	110	4.42	10	1	0.12	10	0.76	1735	4	0.01	42	1340	12	0.08	3	7	47	0.02	<10	<10	71	<10	170
KC-SLT-04-021	NSS	0.6	1.42	37	<10	630	0.7	<2	0.84	1.8	19	23	112	4.35	<10	<1	0.11	10	0.71	1805	4	0.01	42	1260	14	0.1	2	7	49	0.01	<10	<10	62	<10	177
KC-SLT-04-022	0.015	0.7	1.24	41	<10	490	0.7	<2	0.49	0.9	20	21	102	4.16	<10	<1	0.13	10	0.52	1445	5	0.01	47	1140	12	0.08	4	5	34	0.01	<10	<10	47	<10	149
KC-SLT-04-023	NSS	0.6	1.4	17	<10	620	0.6	<2	0.88	0.7	23	28	72	3.66	<10	<1	0.09	10	0.77	1250	6	0.01	56	750	14	0.07	2	5	46	0.01	<10	<10	41	<10	138

APPENDIX N

ROCK SAMPLE DESCRIPTIONS AND LOCATION CO-ORDINATES

APPENDIX O

ROCK SAMPLE ANALYTICAL RESULTS

VA04053436 - Finalized
 CLIENT : "MYA - Canadian Gold Hunter Corp"
 # of SAMPLES : 97
 DATE RECEIVED : 2004-08-09
 PROJECT : "GJ"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE DESCRIPTION	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Cu %
M399151	0.125		1.4	3.78	6	10	100	<0.5	<2	0.57	<0.5	7	52	120	6.71	10	2	0.96	<10	2.16	525	1	0.1	1	1250	2	2.99	<2	24	47	0.15	<10	<10	196	<10	54	
M399152	0.167		<0.2	2.7	11	<10	70	<0.5	3	0.21	<0.5	7	18	637	23.5	10	<1	0.31	<10	0.88	380	3	0.03	1	1420	9	0.82	<2	14	19	0.12	<10	<10	99	<10	30	
M399153	0.083		27.3	0.42	12	<10	20	<0.5	4	0.3	<0.5	33	83	>10000	11.35	<10	<1	0.18	<10	0.06	635	7	0.02	7	420	8	3.38	2	4	22	<0.01	<10	10	27	<10	8	9.66
M399154	0.017		2	0.82	12	10	80	<0.5	2	0.29	<0.5	80	14	>10000	2.44	<10	<1	0.41	<10	0.07	623	2	0.03	7	900	4	0.18	<2	7	7	<0.01	<10	<10	29	<10	5	2.94
M399155	0.011		1.7	1.1	4	<10	1390	<0.5	6	5.21	<0.5	33	69	>10000	2.27	<10	<1	0.31	10	0.4	1450	1	0.02	44	1060	3	0.15	<2	6	158	<0.01	<10	<10	26	<10	33	1.68
M399156	0.141		1.2	1.04	6	<10	40	<0.5	<2	1.59	<0.5	32	152	2420	5.29	<10	<1	0.13	<10	0.72	750	1	0.01	3	220	<2	3.54	<2	5	12	0.01	<10	<10	37	<10	32	
M399157	0.101		0.4	2.77	7	10	210	<0.5	2	0.68	<0.5	7	25	458	7.19	10	1	0.61	<10	1.38	403	2	0.08	<1	1450	2	1.38	<2	13	54	0.15	<10	<10	121	<10	33	
M399158	0.079		1	2.5	<2	<10	130	<0.5	<2	2.1	<0.5	7	15	2790	6.23	10	<1	0.49	<10	1.45	506	9	0.09	<1	1270	3	1.9	<2	13	66	0.15	<10	<10	130	<10	33	
M399159	0.049		0.2	2.68	2	10	170	<0.5	<2	0.54	<0.5	4	16	261	6.37	10	<1	0.8	<10	1.2	327	12	0.1	<1	1660	<2	1.19	<2	14	50	0.15	<10	<10	131	<10	28	
M399160	0.056		0.3	2.01	<2	<10	160	<0.5	<2	0.47	<0.5	5	9	302	6.34	10	<1	0.43	<10	1.24	328	13	0.08	<1	1350	<2	1.13	<2	11	44	0.15	<10	<10	119	<10	30	
M399161	0.019		<0.2	4.15	4	10	230	<0.5	<2	1.26	<0.5	3	46	156	5.27	10	1	0.82	<10	1.56	365	2	0.3	<1	1330	3	0.58	<2	21	323	0.19	<10	<10	172	<10	33	
M399162	0.03		0.2	2.72	<2	<10	150	<0.5	<2	0.76	<0.5	2	11	639	6.03	10	<1	0.7	<10	1.42	389	8	0.06	<1	1360	3	0.54	<2	14	54	0.16	<10	<10	126	<10	26	
M399163	0.046		0.3	2.59	2	<10	120	<0.5	<2	2.16	<0.5	9	23	824	6.33	10	1	0.56	<10	1.36	404	4	0.08	<1	1410	3	1.68	<2	14	42	0.15	<10	<10	123	<10	24	
M399164	0.034		0.2	2.65	5	<10	190	<0.5	<2	0.71	<0.5	4	12	192	6.48	10	<1	0.55	<10	1.31	313	3	0.09	1	1520	2	0.66	<2	16	45	0.19	<10	<10	146	<10	24	
M399165	0.074		0.6	1.52	11	<10	70	<0.5	<2	2.58	<0.5	14	31	1075	8.62	<10	<1	0.49	<10	0.8	390	60	0.05	<1	1270	2	2.5	<2	8	30	0.08	<10	<10	73	<10	15	
M399166	0.008		2	2.25	2	<10	120	<0.5	<2	0.88	<0.5	7	23	3260	3.28	10	<1	0.37	10	1.04	821	8	0.1	<1	1160	<2	0.03	<2	5	89	0.11	<10	<10	54	<10	54	
M399167	0.008		2.2	1.99	<2	<10	90	<0.5	4	0.63	0.7	7	28	9640	3.34	10	<1	0.27	10	1.07	880	3	0.07	<1	1150	<2	0.02	<2	4	45	0.09	<10	<10	50	<10	55	
M399168	0.029		2.6	2.66	<2	<10	160	<0.5	<2	1.35	<0.5	23	15	4670	4.32	10	<1	0.13	<10	1.89	1050	10	0.08	5	1370	3	0.06	<2	11	94	0.19	<10	<10	113	<10	89	
M399169	0.016		2.6	2.83	4	<10	100	<0.5	7	1.13	<0.5	20	18	7130	4.26	10	<1	0.12	<10	1.94	967	12	0.09	5	1240	<2	0.04	<2	13	109	0.17	<10	<10	114	<10	72	
M399170	0.015		2.7	2.83	<2	<10	100	<0.5	6	1.33	<0.5	16	13	8270	4.09	10	<1	0.12	<10	1.71	903	34	0.09	4	1130	2	0.03	<2	13	138	0.17	<10	<10	106	<10	64	
M399171	0.024		4	0.67	5	10	80	<0.5	3	0.19	0.8	5	118	>10000	2.4	<10	<1	0.36	<10	0.07	269	1	0.01	4	470	2	0.05	5	4	6	0.02	<10	<10	28	<10	16	1.43
M399172	0.017		28	2.98	12	<10	20	<0.5	<2	0.28	0.9	63	118	>10000	9.63	10	2	0.07	10	2.44	704	3	0.02	68	540	18	0.31	<2	9	8	0.03	<10	<10	114	<10	81	4.22
M399173	0.013		<0.2	3.16	8	10	80	<0.5	<2	2.68	<0.5	25	21	265	6.49	10	<1	0.63	<10	1.97	523	4	0.1	5	1450	4	4.72	2	13	58	0.01	<10	<10	110	<10	50	
M399174	0.047		0.6	0.92	44	10	100	<0.5	2	0.29	0.7	13	15	202	4.38	<10	<1	0.54	<10	0.12	178	1	0.01	6	1180	7	2.61	2	2	5	<0.01	<10	<10	19	<10	68	
M399175	0.189		6.2	2.45	14	<10	20	<0.5	2	1.22	0.6	12	72	>10000	6.21	10	1	0.03	10	1.52	736	10	0.05	20	590	8	0.06	6	9	302	0.16	<10	<10	120	<10	72	1.89
M399176	<0.005		0.2	2.67	<2	<10	490	1.2	<2	4.36	<0.5	42	265	191	7.18	10	3	0.35	20	3.14	1430	2	0.03	159	2630	9	0.16	3	39	172	0.02	<10	<10	206	<10	164	
M399177	<0.005		0.3	1.18	43	10	250	<0.5	<2	10.36	<0.5	10	17	116	4.95	<10	<1	0.14	10	1.68	1945	2	0.01	17	960	11	0.61	10	8	107	<0.01	<10	<10	56	<10	49	
M399178	<0.005		0.4	1.95	3	10	800	0.9	<2	10.3	4.3	31	98	150	4.16	10	1	0.58	10	2.3	1910	1	0.02	102	1880	12	0.44	9	17	267	0.06	<10	<10	95	<10	322	
M399179	<0.005		0.2	1.2	<2	10	540	1	<2	13.05	1.2	14	80	158	3.89	<10	1	0.53	10	2.64	2350	1	0.02	54	1420	23	0.04	29	13	231	0.07	<10	<10	77	<10	158	
M399180	<0.005		<0.2	1.66	<2	20	320	1.2	<2	10.25	0.8	17	117	82	4.49	<10	<1	0.62	10	1.72	1645	1	0.02	76	1800	9	0.02	17	16	216	0.07	<10	<10	112	<10	253	
M399181	<0.005		31.7	1.72	102	10	630	1.1	<2	13.05	204	48	71	9210	4.9	<10	83	0.63	10	2.88	2830	1	0.02	118	1300	158	0.37	3100	12	225	0.02	<10	<10	87	<10	5110	
M399182	<0.005		44.3	0.87	224	<10	70	0.7	7	13.05	220	40	39	>10000	4.78	<10	43	0.39	10	4.55	3500	1	0.02	66	990	102	1.83	6160	8	266	<0.01	<10	<10	132	<10	6640	1.19
M399183	0.235		1.2	0.69	1170	10	180	<0.5	<2	6.01	14.6	10	12	70	4.09	<10	<1	0.33	<10	1.94	2270	1	0.01	9	1090	34	1.12	29	6	120	<0.01	<10	<10	25	<10	1455	
M399184	0.7		2.1	0.66	3070	10	30	<0.5	<2	7.33	11.8	9	35	160	5.88	<10	<1	0.33	<10	2.46	2650	1	0.02	6	470	72	3.18	74	4	134	<0.01	<10	<10	22	<10	1120	
M399185	<0.005		<0.2	3.61	6	10	100	0.7	<2	2.98	<0.5	33	291	156	5.63	10	<1	0.1	10	4.81	1030	1	0.06	178	1960	5	0.03	3	11	112	0.33	<10	<10	198	<10	85	
M399186	0.351		29	1.54	268	<10	280	<0.5	14	5.04	<0.5	14	99	236	5.59	10	<1	0.04	10	2.46	1635	1	0.01	61	450	68	0.63	10	10	148	<0.01	<10	<10	84	<10	68	
M399187	0.016		0.4	1.34	81	10	30	<0.5	<2	7.26	<0.5	37	64	198	8.07	<10	<1	0.43	10	2.04	2450	2	0.03	33	1940	25	4.92	15	20	136	<0.01	<10	<10	87	<10	200	
M399188	0.027		0.7	1.13	98	10	70	<0.5	<2	5.98	<0.5	31	32	297	7.64	<10	1	0.41	10	1.76	2490	3	0.04	32	1940	19	4.15	31	18	136	<0.01	<10	<10	83	<10	122	
M399189	0.023		<0.2	3.31	3	<10	1380	0.6	<2	2.09	<																										

M399233	5.82		5.4	2.37	>10000	<10	10	<0.5	57	0.26	<0.5	247	45	3200	17.4	10	1	0.13	<10	1.12	533	2	<0.01	23	1730	18	8.02	50	12	12	0.01	<10	<10	168	<10	31
M399234	0.302		1.2	3.27	2760	<10	40	<0.5	27	0.75	<0.5	23	29	1130	11.1	10	<1	0.14	10	1.93	1045	2	0.02	20	1930	10	1.84	7	18	24	0.09	<10	<10	219	<10	57
M399235	0.074		0.7	3.57	726	<10	400	<0.5	<2	0.45	<0.5	17	34	434	8.94	10	<1	0.13	10	2.16	1020	2	0.01	16	1720	3	0.57	6	14	22	0.02	<10	<10	196	<10	55
M399236	0.006		0.2	2.95	58	10	240	0.5	<2	1.75	<0.5	18	28	77	5.1	10	<1	0.38	10	1.82	743	1	0.17	19	1760	8	0.05	3	13	118	0.28	<10	<10	183	<10	49
M399237	0.011		<0.2	2.63	166	<10	80	0.5	<2	1.52	0.7	57	39	865	6.11	10	<1	0.12	10	2	1180	2	0.07	29	2130	<2	0.05	3	18	46	0.09	<10	<10	265	<10	91
M399238	1.205		5.6	2.74	>10000	<10	120	<0.5	2	0.85	<0.5	194	28	4740	8.51	10	1	0.06	10	1.94	1155	2	0.05	29	1680	3	1.86	28	16	24	0.05	<10	<10	207	<10	88
M399239	0.962		6.4	3.48	>10000	<10	40	<0.5	4	0.31	<0.5	120	55	3670	12.15	10	<1	0.11	<10	2.16	1060	4	0.02	22	1360	9	1.72	30	14	14	0.04	<10	<10	172	<10	67
M399240	3.77		12.7	1.55	>10000	<10	90	<0.5	34	0.66	0.5	367	17	4670	9.63	10	2	0.18	10	1	539	4	0.05	30	1080	4	1.99	78	14	33	0.09	<10	<10	126	10	57
M399241	0.027		<0.2	2.23	321	<10	120	0.5	2	4.67	<0.5	26	30	186	5.49	10	<1	0.1	10	1.86	1090	2	0.07	23	2030	6	0.05	<2	17	86	0.18	<10	<10	206	<10	56
M399242	>10.0	47.5	32.9	0.31	7200	<10	110	<0.5	42	0.23	<0.5	17	5	334	12.55	<10	1	0.35	<10	0.15	161	4	0.02	4	420	7	1.08	10	3	18	0.02	<10	<10	56	2980	8
M399243	>10.0	40.1	19.8	0.83	8520	<10	100	<0.5	32	0.21	<0.5	64	61	1270	13.9	10	<1	0.55	<10	0.49	112	3	0.03	7	1360	11	1.78	16	10	29	0.02	<10	<10	189	2470	11
M399244	1.085		0.5	2.21	110	<10	140	<0.5	2	0.28	<0.5	26	15	807	12.55	20	<1	0.44	10	1.42	184	1	0.02	8	2120	10	0.76	<2	18	28	0.09	<10	<10	290	10	22
M399245	0.367		0.3	2.44	538	<10	180	<0.5	<2	0.44	<0.5	36	26	878	12.7	20	1	0.76	10	1.69	219	2	0.02	10	2330	6	1.16	<2	21	36	0.17	<10	<10	345	<10	23
M399246	0.252		0.5	2.96	55	<10	230	<0.5	<2	0.84	<0.5	38	15	757	10.95	20	2	1.13	10	2.13	389	2	0.04	8	2740	<2	0.66	<2	28	49	0.31	<10	<10	364	<10	27
M399247	0.242		0.8	3.08	19	<10	280	<0.5	<2	0.64	<0.5	62	23	717	10.3	20	<1	1.09	10	2.24	463	1	0.02	12	2710	5	0.76	<2	27	44	0.26	<10	<10	347	20	34

APPENDIX P

ALS CHEMEX ANALYTICAL AND SAMPLE PREPARATION PROCEDURES



Fire Assay Procedure – Au-AA23 and Au-AA24
Fire Assay Fusion, AAS Finish

Sample Decomposition: Fire Assay Fusion

Analytical Method: Atomic Absorption Spectroscopy (AAS)

A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents as required, inquarted with 6 mg of gold-free silver and then cupelled to yield a precious metal bead.

The bead is digested in 0.5 ml dilute nitric acid in the microwave oven, 0.5 ml concentrated hydrochloric acid is then added and the bead is further digested in the microwave at a lower power setting. The digested solution is cooled, diluted to a total volume of 4 ml with de-mineralized water, and analyzed by atomic absorption spectroscopy against matrix-matched standards.

ALS Chemex Method Code	Element	Symbol	Sample Weight	Lower Reporting Limit	Upper Reporting Limit	Units
Au-AA23	Gold	Au	30 g	0.005	10.0	ppm
Au-AA24	Gold	Au	50g	0.005	10.0	ppm



Assay Procedure – ME-AA46
**Evaluation of Ores and High Grade Materials by Aqua Regia
 Digestion – AAS**

Sample Decomposition: Aqua Regia Digestion

Analytical Method: Atomic Absorption Spectroscopy (AAS)

A prepared sample (0.4 to 2.00 grams) is digested with concentrated nitric acid for one half hour. After cooling, hydrochloric acid is added to produce aqua regia and the mixture is then digested for an additional hour and a half. An ionization suppressant is added if molybdenum is to be measured. The resulting solution is diluted to volume (100 or 250 ml) with demineralized water, mixed and then analyzed by atomic absorption spectrometry against matrix-matched standards.

ALS Chemex Method Code	Element	Symbol	Detection Limit	Upper Limit	Units
As-AA46	Arsenic	As	0.01	30	%
Bi-AA46	Bismuth	Bi	0.001	30	%
Cd-AA46	Cadmium	Cd	0.001	10	%
Co-AA46	Cobalt	Co	0.01	50	%
Cu-AA46	Copper	Cu	0.01	50	%
Fe-AA46	Iron	Fe	0.01	30	%
Pb-AA46	Lead	Pb	0.01	30	%
Mo-AA46	Molybdenum	Mo	0.001	10	%
Mn-AA46	Manganese	Mn	0.01	50	%
Ni-AA46	Nickel	Ni	0.01	50	%
Ag-AA46	Silver	Ag	1	1500	ppm
Zn-AA46	Zinc	Zn	0.01	30	%



Geochemical Procedure - ME-ICP41
Trace Level Methods Using Conventional ICP-AES Analysis

Sample Decomposition: Nitric Aqua Regia Digestion

Analytical Method: Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP - AES)

A prepared sample (0.50 grams) is digested with aqua regia for at least one hour in a graphite heating block. After cooling, the resulting solution is diluted to 12.5 ml with demineralized water, mixed and analyzed by inductively coupled plasma-atomic emission spectrometry. The analytical results are corrected for inter-element spectral interferences.

Element	Symbol	Detection Limit	Upper Limit	Units
Aluminum*	Al	0.01	15	%
Antimony	Sb	2	10,000	ppm
Arsenic	As	2	10,000	ppm
Barium*	Ba	10	10,000	ppm
Beryllium*	Be	0.5	100	ppm
Bismuth	Bi	2	10,000	ppm
Boron*	B	10	10,000 ppm	ppm
Cadmium	Cd	0.5	500	ppm
Calcium*	Ca	0.01	15	%
Chromium*	Cr	1	10,000	ppm
Cobalt	Co	1	10,000	ppm
Copper	Cu	1	10,000	ppm
Gallium*	Ga	10	10,000	ppm
Iron	Fe	0.01	15	%
Lanthanum*	La	10	10,000	ppm
Lead	Pb	2	10,000	ppm
Magnesium*	Mg	0.01	15	%
Manganese	Mn	5	10,000	ppm
Mercury	Hg	1	10,000	ppm
Molybdenum	Mo	1	10,000	ppm



Geochemical Procedure - ME-ICP41
Trace Level Methods Using Conventional ICP-AES Analysis (*con't*)

Element	Symbol	Detection Limit	Upper Limit	Units
Nickel	Ni	1	10,000	ppm
Phosphorus	P	10	10,000	ppm
Potassium*	K	0.01	10	%
Scandium*	Sc	1	10,000	ppm
Silver	Ag	0.2	100	ppm
Sodium*	Na	0.01	10 %	%
Strontium*	Sr	1	10,000	ppm
Sulfur	S	0.01	10	%
Thallium*	Tl	10	10,000	ppm
Titanium*	Ti	0.01	10	%
Tungsten*	W	10	10,000	ppm
Uranium	U	10	10,000	ppm
Vanadium	V	1	10,000	ppm
Zinc	Zn	2	10,000	ppm

*Elements for which the digestion is possibly incomplete.



Sample Preparation Package – PREP-31
Standard Sample Preparation: Dry, Crush, Split and Pulverize

Sample is dried and the entire sample is crushed to better than 70% passing a 2 mm (Tyler 10 mesh) screen. A split of up to 250 grams is taken and pulverized to better than 85% passing a 75 micron (Tyler 200 mesh) screen.

ALS Chemex Method Code	Description
LOG-22	Sample is logged in tracking system and a bar code label is attached.
CRU-31	Fine crushing of rock chip and drill samples to better than 70% of the sample passing 2 mm.
SPL-21	Split sample using riffle splitter.
PUL-31	A sample split of up to 250 g is pulverized to better than 85% of the sample passing 75 microns.