

Geochemical, Geophysical and Geological
Assessment Report
On the

Wolverine 1 & 2 and GBR 1 to 28 Claims

Atlin and Liard Mining Divisions

NTS: 104 J/04
BCGS 104J.002,.003,.012

Latitude: 58° 06' N
Longitude: 131° 40' W

Owner of Claims: Iskut North Syndicate and Amarc Resources Ltd.
Operator: Amarc Resources Ltd.

MINERAL CLAIMS

Wolverine 1 & 2
GBR 1 to 11
GBR 12
GBR 13 to 28

TENURE NUMBERS

392717 & 392718
408899 to 408909
412454
413324 to 413339

Prepared by:
Amy Kerckhoff B.Sc.H. Geology
Mark Rebagliati P.Eng.
Adam Travis, B.Sc.
February 18, 2005

Summary

This report summarizes work completed on the Wolverine 1, Wolverine 2 and GBR 1 to GBR 28 claims, collectively known as the GBR Property during the summer of 2004.

Surface work during June through September included the establishment of a 49 line-kilometre grid to assist in soil sampling, geophysical surveys (IP and magnetics) and geological mapping of an area known to contain gold copper anomalies.

No porphyry style mineralization has been identified by geological, geochemical or geophysical means. The property does however show gold-enriched structural zones, which may warrant further examination.

TABLE OF CONTENTS

	<u>Page Number</u>
Summary	2
Introduction	4
Location and Access	4
Physiography and Climate	5
Mineral Claim Data	6
Exploration History	8
Regional Geology	10
Property Geology	11
Property Mineralization	12
2004 Work Program	14
Summary and Conclusions	17
References	18
Statement of Costs	19
Statements of Qualifications	20

LIST OF FIGURES:

Figure 1: Property Location Map	After page 4
Figure 2: Claim Map	After page 6
Figure 3: Regional Geology Map	After page 10
Figure 4: Property Geology Map	After page 11
Figure 5a: Soil Geochemistry: Gold (ppb)	After page 15
Figure 5b: Soil Geochemistry: Copper (ppm)	After page 15
Figure 5c: Soil Geochemistry: Molybdenum (ppm)	After page 15
Figure 5d: Soil Geochemistry: Zinc (ppm)	After page 15
Figure 5e: Soil Geochemistry: Silver (ppm)	After page 15
Figure 5f: Soil Geochemistry: Arsenic (ppm)	After page 15

LIST OF TABLES:

Table 1: Mineral Claim Data	7
-----------------------------	---

APPENDICES

Appendix 1: GPS locations of LCP posts	23
Appendix 2: Soil Sampling and Analysis Procedures	24
Appendix 3: Certificates of Analysis for soil samples	27
Appendix 4: Geophysical Survey Methodology	28
Appendix 5: Geophysical Plan Maps and Pseudo-sections	In Pocket

Introduction

The GBR Property is situated in north-central British Columbia, approximately 37 kilometres northwest of Telegraph Creek. The property is located within the Atlin and Liard Mining Divisions.

Amarc Resources optioned the Wolverine claims from the Iskut North Syndicate in April of 2004 and subsequently acquired the surrounding GBR claims in anticipation of an aggressive summer field program.

Amarc Resources performed a surface exploration program on the property from June to September 2004. Geological mapping, soil and rock sampling and geophysical surveys were conducted over the claim block.

This assessment report describes activities surrounding the exploration program and reports on the geological and assay results obtained. In total, a 60 line-kilometre grid was established, 49 line-kilometres of Induced Polarization (IP) and Magnetics (mag) geophysical surveys were conducted and 1286 soil samples were collected. This work is applied as 3 years of assessment.

Location and Access

The GBR property is comprised of 30 contiguous mineral claims comprising 273 units, (6825 hectares) in the Atlin and Liard Mining Divisions, located in north-central British Columbia approximately 37 kilometres northwest of the small community of Telegraph Creek (Fig. 1). The claims are located on NTS Mapsheet 104 J/4 or alternatively B.S.G.S. sheet 104 J 02, 03 and 12. The center of the claim block is at UTM (Nad 83, Zone 9) coordinates: 6443000 m North and 343000 m East or alternatively at Latitude: 58°06' N and Longitude: 131° 40' W.



LEGEND

- Communities
- Producers/Past Producers
- △ Mineral Occurrences

**AMARC RESOURCES LTD
GBR Property**

Property Location

DATUM: UTM NAD 83, Zone 9

Date: May, 2004

Drawn by: as

Fig 1

Scale: as shown

File: AHR_GBR01_location.cdr

Conventional access to the property is by way of the gravel Golden Bear Mine access road from the community of Dease Lake, located on the Stewart-Cassiar Highway (Hwy 37) (Fig. 1). Immediately west of Dease Lake, the Telegraph Creek road is taken for approximately 80 kilometres to the Golden Bear Mine road. The main camp location is near the center of the property, approximately 72km from the beginning of the Golden Bear road. Permission to use the road during the 2004 field season was granted from the Golden Bear mine. With the mine now decommissioned there is no assurance that the road will be publicly maintained.

Helicopter access to the property is available from Pacific Western Helicopters, which maintains a full time base at Dease Lake located approximately 45 minutes away by air. Seasonal bases in the past have also been established at Telegraph Creek when activity warrants.

Fixed wing airstrips that were used by the Golden Bear Mine road construction crews are also located in the area at km 50 and km 92. The status of these airstrips is unknown at this time.

Floatplane access to Stone Lake, located at km 90 on the Golden Bear road, is also noted.

Physiography and Climate

The claims occur in an area that generally has warm summers and cold winters with moderate to low precipitation compared to coastal areas. Average temperatures at Telegraph Creek are -5 to -10 ° C in the winter months (November-February) and are 10 to 15 ° C in the summer months (June-September). The average annual precipitation for Telegraph Creek is 33 cm/year. This is in marked contrast to the rugged coastal mountain areas, occurring 50 kilometres to the southwest, with high precipitation and glaciers. Due

to the elevation and north facing slopes, snow does not usually disappear from the property until late June. The first snowfall can be as early as the beginning of September but there is usually only minimal snow on the ground until October.


The topography of the claims varies from 1000 metres elevation in the northern portion of the property in the headwaters of the Hackett River to nearly 1700 metres at the southern margin of the property. Slopes are generally gentle to moderate throughout with steeper canyons along creek valleys.

Groves of stunted sub-alpine spruce, jack pine and poplar cover most of the property. Approximately 35 % of the property is located above tree line. The general area has been the scene of several forest fires, which have grown back in with deciduous brush.

Water for camp use and/or drilling is available from many of the small creeks and lakes that occur throughout the property

Mineral Claim Data

The GBR property is comprised of 30 contiguous mineral claims comprising 273 units, (6825 hectares) in the Atlin and Liard Mining Divisions (Fig. 2). The 40 units comprising the Wolverine 1 and 2 claims are held by Sydney Wilson for the Iskut North Syndicate and Amarc resources holds the remaining 233 units comprising the GBR 1 to 28 claims. Claim details are listed in Table 1.



LEGEND

- Claim Outline
- 414759** Tenure Number
- Golden Bear Road

AMARC RESOURCES LTD
GBR Property

Claim Map

N.T.S.: 104J04E/104J012/104J002

Date: Feb, 2005	Drawn by: as	Fig: 2
Scale: 1:75,000	File: AHR_GBR02_claims.WOR	

DATUM: UTM NAD 83, Zone 9

Table 1. Claim Details

CLAIM NAME	UNITS	TENURE NUMBER	RECORD DATE	EXPIRY DATE *
Wolverine 1	20	392717	13/04/2002	31/03/2008
Wolverine 2	20	392718	13/04/2002	31/03/2008
GBR 1	20	408899	11/03/2004	11/03/2008
GBR 2	20	408900	11/03/2004	11/03/2008
GBR 3	20	408901	11/03/2004	11/03/2008
GBR 4	20	408902	11/03/2004	11/03/2008
GBR 5	20	408903	12/03/2004	12/03/2008
GBR 6	20	408904	12/03/2004	12/03/2008
GBR 7	20	408905	10/03/2004	10/03/2008
GBR 8	20	408906	10/03/2004	10/03/2008
GBR 9	16	408907	13/03/2004	13/03/2008
GBR 10	20	408908	10/03/2004	10/03/2008
GBR 11	20	408909	12/03/2004	12/03/2008
GBR 12	1	412454	09/07/2004	09/07/2008
GBR 13	1	413324	31/07/2004	31/07/2008
GBR 14	1	413325	31/07/2004	31/07/2008
GBR 15	1	413326	31/07/2004	31/07/2008
GBR 16	1	413327	07/08/2004	07/08/2008
GBR 17	1	413328	07/08/2004	07/08/2008
GBR 18	1	413329	07/08/2004	07/08/2008
GBR 19	1	413330	07/08/2004	07/08/2008
GBR 20	1	413331	07/08/2004	07/08/2008
GBR 21	1	413332	10/08/2004	10/08/2008
GBR 22	1	413333	10/08/2004	10/08/2008
GBR 23	1	413334	10/08/2004	10/08/2008
GBR 24	1	413335	10/08/2004	10/08/2008
GBR 25	1	413336	11/08/2004	11/08/2008
GBR 26	1	413337	11/08/2004	11/08/2008
GBR 27	1	413338	11/08/2004	11/08/2008
GBR 28	1	413339	11/08/2004	11/08/2008
Total	273			

*Pending acceptance of this report.

The LCP for the GBR 1 to GBR 11 and Wolverine 1 claims were surveyed by differential GPS (Trimble Geo II, III, TDC II) in February and March 2004. The GPS locations are shown in Appendix 1.

Amarc Resources Ltd. has an option to acquire a 100% interest (subject to a 2% N.S.R.) in the four-post Wolverine 1 & 2 mineral claims (40 claim units) by way of an agreement with the property vendor, Iskut North Syndicate. The interest can be earned by making cash payments totaling \$225,000 and issuing 420,000 shares over 4 years. Amarc Resources staked the GBR 1 to GBR 28 claims (233 units) as part of the current agreement. A summary of the title details is shown above in Table 1.

The property includes no surface rights nor has it been legally surveyed. The property does not appear to be subject to any special environmental liabilities.

Exploration History

Prospecting, mineral exploration and mining activities have been underway throughout the Telegraph Creek area of British Columbia since the early 1900's, but there are few records of previous work in the immediate area of the GBR property until 1971. This is likely due to the lack of exposed bedrock due to abundant till, and also limited access.

The first recorded exploration work within the current claims occurred with the staking of the VI claims in 1971 by Sumitomo Metal Mining Canada Ltd. Geological mapping and soil sampling (522 samples) were conducted between 1971 and 1972. This work identified a broad pyritized zone (1 km x 2.5 km) with some chalcopyrite located near the contact of plutonic and volcanic rocks and anomalous copper values in soil. Some of these anomalies were recommended for further prospecting, geologic mapping and possibly trenching or geophysical surveying.

No further recorded exploration work occurred on the claims until 1988 when construction began on a 155 kilometre long access road into the Golden Bear Mine. During construction, the road was mapped and sampled as part of a 50/50 joint venture between Chevron Minerals and North American Metals, which resulted in the discovery of several showings including Wolverine and Round Mountain (Rebic & Sketchley, 1988). Follow up work on the Wolverine showing in 1989 located a massive sulphide bearing vein with significant gold and copper grades (Marsden et al. 1989). Chevron Minerals staked the Wolverine and Quick claims in November 1989 following the removal of the staking moratorium along the road corridor.

During 1990 Chevron and North American Metals completed an airborne magnetometer and VLF survey as well as grid controlled sampling and mapping. The magnetometer survey differentiated intrusive bodies in the southwestern portion of the claims from poorly exposed Triassic flows and sediments in the eastern portion of the claims. Several gold-copper soil anomalies were outlined in the southwestern part of the Wolverine claim group by widely spaced reconnaissance soil sampling. The largest multi-element soil anomaly measured approximately 1.5 km x 1.0 km, including a strongly anomalous core that measures 700 m x 250 m. The soil anomalies were believed to occur along a contact of the Jurassic diorite and upper Triassic volcanic rocks.

Also in 1990, Pass Lake worked their JC property off the southeast corner of Chevron and North American Metals Wolverine property, on ground that is now partially covered by the current claims. Pass Lake collected 7 silt samples and 12 rock samples and identified a diorite to granodiorite stock intruding Triassic volcanics near the western boundary, and Tertiary to Quaternary volcanics in the eastern portion of their claims. The intrusive rocks are sericite altered, contain magnetite and are malachite stained and correlate with an airborne magnetic anomaly. Limited rock sampling near the western boundary of their claims, now within the current claims, discovered samples containing disseminated pyrite, pyrrhotite and chalcopyrite assaying up to 2,290 ppm copper.

During 1991, North American Metals completed 13 line kilometres of grid on their Wolverine 5 claim to assist in soil sampling and geological mapping of a previous copper and gold in soil anomaly. A brief trenching program was performed during late September to expose bedrock below a small coincident copper-gold anomaly.

In April 2002, the Iskut North Syndicate staked the Wolverine 1& 2 claims. No work was recorded on the claims and cash-in-lieu was paid in order to keep the claims in good standing.


In April 2004 Amarc Resources optioned the Wolverine Property from the Iskut North Syndicate and acquired the surrounding GBR claims.

Regional Geology

The Telegraph Creek area lies on the western margin of the Intermontane Belt, within the Stikine Arch, near its contact with the Coast Plutonic Complex (Fig. 3). In the region, Upper Triassic Stuhini Group island arc volcanic and sedimentary rocks unconformably overlie a sequence of Paleozoic to Middle Triassic marine sediments. These rocks have been intruded by Late Triassic to Jurassic syenitic stocks and by Jurassic to Lower Cretaceous quartz diorite and granodiorite plutons of the Coast Plutonic complex.

The oldest Paleozoic rock assemblage in the Telegraph Creek area consists of Devonian to Permian limestones, argillites, cherts, volcanic and epiclastic rocks, which host the Golden Bear Mine, located approximately 35 kilometres to the west-northwest of the GBR property.

Unconformably overlying the Paleozoic rocks is the Upper Triassic Stuhini Group, which is mainly composed of augite andesite breccias, conglomerates and volcaniclastic rocks.



DATUM: UTM NAD83, Zone 9

SEDIMENTARY AND VOLCANIC ROCKS

PLEISTOCENE AND RECENT

- TQE } Alkaline Basalts and
- PgTs } Sediments (Miocene)

CRETACEOUS

- uKv Sustut Group
- uKv Skeena Group

JURASSIC

- JH Hazelton Group
- JBL Bowser Lake Group

TRIASSIC

- TrS Stuhini Group (Upper Triassic)

DEVONIAN AND PERMIAN

- DPA Stikine Assemblage

INTRUSIVE ROCKS

- ETg Eocene and Tertiary Intrusions
- TrTg Triassic - Tertiary Intrusions
- LTrg Late Triassic Intrusions
- Ejg Early Jurassic Intrusions
- Mjg Middle Jurassic Intrusions
- LDJ Late Devonian Intrusions

- Communities
- ✕ Mines, Showings

AMARC RESOURCES LTD
GBR Property

Regional Geology

Date: May, 2004	Drawn by: as	Fig 3
Scale: as shown	File: AHR_GBR03_reg_geo.cdr	

This Upper Triassic assemblage is correlative with the rocks that host the Snip Gold Mine, approximately 160 kilometres to the south.


Small, oval or round syenite, pyroxenite and orthoclase porphyry stocks, dated as late Triassic to early Jurassic (Souther, 1971), intrude mainly Stuhini Group volcanic rocks. Regionally these intrusive rocks all fall within the Stikine Arch structural domain, a regional feature along which Early Jurassic intrusive and related (island arc type) volcanic activity took place. Commonly the alkalic intrusives, including those found on or near the GBR property, are associated with porphyry copper-gold and/or precious metal vein systems.

The rocks of the region have been strongly deformed by folding and faulting during three main periods of deformation. The first period, of middle Triassic or earlier age, formed tight, north trending, upright antiforms and synforms. Broader second stage northwest-trending open folds were caused by east-west shortening during the Jurassic. A series of normal fault structures related to the youngest period of deformation were caused by extensional tectonics during the Tertiary. Post-intrusive deformation is characterized by regional scale vertical, north-south trending faults and shear zones. Similar structures also trend northwest to southeast.

Property Geology

During the summer of 2004, a 1:10 000 scale geology map was created by Dr. Jim Oliver (Fig. 4). The following description of property geology is summarized from Jim Oliver's observations documented in an internal report dated February 2005:

Supracrustal rocks of the middle to upper Triassic Stuhini succession outcrop along the western and eastern edges of the Bowser basin and are generally thought to underlie



GBR Project Legend

Symbols and Abbreviations

- Joint surface
- Bedding Plane
- Fault Orientation (ball on down thrown block and movement sense indicated)
- Fault trace
- Orientation of Glacial Stria
- Geological Contact
- Outcrop Boundary
- Rubble or Talus. NEX = no exposure
- Vain Orientation
- Trench
- Claim Boundary. LOM (limit of mapping)

Lithologies

- Surficial Deposits (Quaternary and Younger)**
 - Q Quaternary Till**
Unstratified clay rich silts and related glacial fluvial deposits.
- Supracrustal Rocks (Stuhini Group - mid-Triassic)**
 - M = 1 Mafic Agglomerates and Lapilli Pyroclastics**
Poorly sorted coarse grained, heterolithic mafic pyroclastics. Sub-rounded to sub-angular volcanic, sedimentary and intrusive matrix supported clasts. Matrix pyroxene common, may contain flow dominant lenses, MF
 - MT Mafic Tuffs and Siltites**
Well bedded pale green - grey mafic tuffs and fine grained locally quartz rich, brown weathering siltites. Sporadic graded beds.
 - Ct Crystal Tuffs**
Crowded plagioclase phryic crystal tuffs. Plagioclase commonly exceeds 60-70% rock volume. Minor, less than 15% hornblende and 5-8% quartz grains. Locally well bedded.

Intrusive Rocks (mid - Triassic to Jurassic)

- Gp Gabbroic Sills - Plagioclase Phryic**
Medium to coarse grained strongly plagioclase phryic sills. Locally gnomerophorphic textural features. Calcic plagioclase phenocrysts are embayed within a fine grained green-grey matrix. Plagioclase, 1.5 - 5 mm, form typically less than 50% rock volume.
- Mh-D Hybrid Mafic Volcanic - Dioritic Intrusions (southeast map area)**
Transitions between moderately plagioclase phryic light grey green diorites and completely recrystallized rocks of probable volcanic origin. Metamorphosed volcanic rocks are dominated by masses of clinzoisite-feldspar +/- magnetite, no primary textures are preserved.
- MG Monzonite Gabbro**
Intrusive lithology dominated by calcic plagioclase. Plagioclase phenocrysts frequently form mega-crysts, greater than 2.0 cm in length and forming more than 80-85% of the rock volume. Feldspar mesocrysts to myrmecitic textures with minor mafic mineral phases. Free quartz, <3%.
- GD Gabbro Diorites**
Compact fine grained gabbro-diorites, reddish brown weathering surfaces. Equigranular fine (<1.0 mm) and m.p.g. (1-3 mm) phenocrysts phases common, occasionally gradational to gabbroic sills.
- QD Quartz Diorites**
Medium grained, locally foliated quartz diorites. Quartz averages 5-10% rock volume. Hornblende and biotite average 15-20% rock volume. Mafic minerals locally form a weak penetrative foliation surface. Calcic plagioclase, 60% - 65%. Magnetite 3-5%. Well developed contact aureoles for 100 - 200 m external to the GD - supracrustal

Dh Hornblende Porphyritic Diorites

- Dh Hornblende Porphyritic Diorites**
Fine to medium grained, grey to cream weathering hornblende porphyritic diorites. Hornblende lathes occupy 15% rock volume, pyroxene less than 5%. Generally good magnetite response, 2-3%, magnetite. Commonly plug significant fault zones, fracture controlled. Pyrite +/- trace chloropyrite sulphide phases noted proximal to major fault zones. A single phase of this rock may have elevated quartz contents, Dgh, and becomes gradation to quartz diorites. A variation of this unit is MD Monzonite Diorites
Orange buff weathering, locally iron carbonate altered, fine to medium grained plagioclase and potassium feldspar rich monzonite diorites
- uD Micro Diorite**
Very fine grained light buff weathering diorites. Homogeneous, minor 2-4%, mm to sub mm feldspar aggregates.

AMARC RESOURCES LTD.
GBR Property
Property Geology
 Figure 4
After Oliver Geoscience Ltd
 Date: Oct. 2004 Scale: 1:20 000
 AHR_GBR04_PROPGE0_20k.WOR Plotted by: AS/DBR

most of it. The three formations identified are mafic agglomerates, crystal tuffs and mafic tuffs and siltites. All of these rocks have been metamorphosed to a lowest greenschist, phrenite-pumpellyite grade.

The intrusive rocks can be divided into four types based on composition. The oldest intrusive rocks are gabbroic sills that are generally strike parallel and north-south striking. They are moderately magnetic, unaltered, contain no significant sulphide and form serpentine-rich shear surfaces when faulted. Megacrystic monzonite to monzogabbro occurs as a generally north-south striking unit in the eastern portion of the map area. Trace chalcopyrite is identified in one locality however this unit does not exhibit significant alteration. Significant pyrite on the property is associated with the hornblende diorites and quartz-hornblende diorite dykes. This unit contains fine grained disseminated pyrite on dry fracture surfaces when proximal to major fault zones. The main intrusive mass on the property is a quartz-diorite stock that outcrops over the western and southwestern map area. It is weakly altered, exhibits primary igneous flow foliation and lacks significant tectonic fabric.

Minor changes in facing directions are thought to be related to generally broad open warps as no property scale folds, fold closures or penetrative fractures were identified. The most significant structural features on the GBR property are high level brittle structural zones, most with dextral, south-side-down offsets. Second order structures are east-north-east striking and are best documented in the Gray Creek area near the south-central portion of the map area. Both orientations have been documented in the auriferous Wolverine trenches.

Property Mineralization

Previous workers have noted at least two mineral occurrences (the VI and Wolverine) on the current GBR property. A 1972 report by Sumitomo Metal Mining Canada Ltd. on the

VI claims indicates a broad pyritized zone, which is 2,500 metres long and probably exceeds 1,000 metres in width. Both the intrusive and volcanic rocks are pyritized and some chalcopyrite was also observed.

At the Wolverine showing, mineralization consists of pods or disrupted veins of massive pyrite and chalcopyrite, which occur in fault gouge, cutting a microcrystalline, marginal phase of the diorite. The largest segment of vein consists of massive pyrite and chalcopyrite and is approximately 8 metres long. It yielded from less than 34 to up to 154 grams per tonne gold over a 0.4 metre width. Several smaller segments of massive pyrite yielded grades up to 16 grams per tonne gold; however, others are only weakly anomalous or barren (Assessment Report 20945, p. 17). The segments of veins have been found only within the trenched areas of the main showing.

Mineralization on the other parts of the property consists mainly of finely disseminated pyrite in volcanic rocks and pyrite, chalcopyrite, pyrrhotite or magnetite in intrusive rocks. Minor chalcopyrite stringers occur in altered volcanic rocks near the northern contact of a strongly magnetic diorite stock in the southeast corner of the property. A high-grade grab sample from the stringers analyzed 1.8 per cent copper (Assessment Report 20945, p. 17).

Observations based on the 2004 fieldwork indicated that no porphyry style veins sets or rock alteration is developed in the intrusive rocks. A geochemical halo in the west central portion of the 1:10 000 scale map produced by Dr. Jim Oliver tracks the contact between the quartz-diorite stock and supracrustal rocks. A hornfelsed aureole extends 100-200m into the supracrustal rocks and corresponds to an envelope of moderately elevated copper and soil geochemical anomaly. Trace chalcopyrite is documented only in two localities by Oliver, one of which is within this envelope. The only significant target on the GBR property is gold enriched structural zones which are similar to occurrences in the area along the Moosehorn fault and at the Golden Bear Mine. (Oliver, 2005)

2004 Work Program

Surface work was conducted on the claims between June 14th and September 5th 2004. A differential GPS survey (mentioned in Mineral Claim Data section above and shown in Appendix 1) was conducted to survey legal claim posts (LCP's). A grid totaling 60 line-kilometres was established to assist in soil sampling, geophysical surveying and geological mapping. Geological mapping was conducted across the claim block. A total of 1286 soil samples were taken and geochemically analyzed and 49 line kilometres of induced polarization (IP) and magnetics (mag) geophysical surveys were conducted.

Geological Mapping

A 1:10 000 scale bedrock geological map was constructed by Dr. Jim Oliver over a period of 20 days in late July and August. The map is shown in Figure 4 and described in the Property Geology section above.

Soil Sampling

Soil samples were taken by trained geological staff over an area of approximately 40km². Notes were taken at these sites to include the media sampled and locations for all sites were determined by G.P.S (Nad 83, zone 9 North) where possible or at the very least referenced relative to adjacent G.P.S sites.


Soil samples were generally taken at 50m sample spacings on lines 200 to 400m apart. In selected areas, sample density increased to a 50m by 100m grid. Sampling analysis and procedure is presented in Appendix 2.

Four modest geochemically anomalous areas were recognized and are described below (also see Fig. 5a-f):


- 1) The principal gold (Au) anomaly is approximately 900m by 500m in extent and is located in the northwestern portion of the grid (6,444,300mN to 6,444,800mN by 340400mE to 341500mE). Gold anomaly

- concentrations range from 25 to 420ppb and anomalous copper concentrations range from 200 to 2000ppm. Gold shows a moderate correlation with copper and molybdenum distribution in this anomaly.
- 2) There is a poorly defined anomaly approximately 1000m by 200m in extent located between 341,500mE and 342,500mE and centered on 6,443,000mN. In this area, anomalous gold values range from 25 to 200ppb with weak and scattered copper and molybdenum values.
 - 3) A single line 400m in length at 6,444,400mN was sampled over the historic Wolverine showing. Anomalous gold concentrations are in the 25 to 200ppb range. Copper shows a weak correlation to gold and a very weak molybdenum correlation.
 - 4) A broad area approximately 3000m by 800m (6,440,000mN to 6,443,000mN and centered on 345500mE) shows several weak scattered anomalies with copper concentration in the range of 200ppm to 400ppm with a few higher individual samples and a strong molybdenum-rich core located between 6,441,000mN and 6,441,500mN. On a sample-by-sample basis, Cu-Mo correlation is weak; there is virtually no correlation with the gold samples. The area has moderately elevated zinc (Zn), arsenic (As) and silver (Ag) responses.

A total of 1286 soil samples were analyzed at Eco Tech laboratory in Kamloops. The results included 160 lab duplicates and 44 lab standards. Standards and blank standards inserted by Eco Tech Labs are considered adequate for this early stage of exploration; however a more stringent independent quality control program would have to be implemented if trenching and/or drilling is contemplated.




TRUE NORTH
 UTM
 3.8 degrees between
 UTM and True North
 Magnetic Declination
 24° 00' E



Soil Geochemistry	
Silver ppm	
• 0 to 0.6	(924)
• 0.6 to 0.8	(91)
• 0.8 to 1	(33)
• 1 to 2.9	(25)

AMARC RESOURCES LTD.	
GBR Property	
Ag Soil Geochemistry	
Figure 5a	
Date: Oct, 2004	Scale: 1:30 000
AHR_GBR05a_Soils_2004_30K_WOR	Plotted by: AS/DBR



TRUE NORTH
 UTM
 3.8 degrees between
 UTM and True North
 Magnetic Declination
 24° 00' E

0 0.5 1
 kilometres

Soil Geochemistry
 Arsenic ppm

- 0 to 25 (939)
- 25 to 50 (116)
- 50 to 100 (13)
- 100 to 470 (5)


AMARC RESOURCES LTD.

GBR Property

As Soil Geochemistry
Figure 5b

Date: Oct, 2004 Scale: 1:30 000


AWR_GBR09b_Soils_2004_30K.WCR Plotted by: AS/DBR



TRUE NORTH
 UTM
 3.8 degrees between
 UTM and True North
 Magnetic Declination
 247'00" E

Soil Geochemistry	
Gold ppb	
•	0 to 25 (980)
•	25 to 50 (66)
•	50 to 200 (25)
•	200 to 420 (2)

AMARC RESOURCES LTD.	
GBR Property	
Au Soil Geochemistry	
Figure 5c	
Date: Oct, 2004	Scale: 1:30 000
AWR_GBR05c_Soils_2004_30K.WCR	Plotted by: AS/DBR



TRUE NORTH
 UTM
 3.8 degrees between
 UTM and True North
 Magnetic Declination
 24° 00' E

0 0.5 1
 kilometres

Soil Geochemistry
 Copper ppm

- 0 to 200 (889)
- 200 to 400 (134)
- 400 to 600 (25)
- 600 to 2,680 (25)


AMARC RESOURCES LTD.

GBR Property

Cu Soil Geochemistry
Figure 5d

Date: Oct, 2004 Scale: 1:30 000

AWR_GBR05e_Soils_2004_30K.WCR Plotted by: AS/DBR



TRUE NORTH
 UTM
 3.8 degrees between
 UTM and True North
 Magnetic Declination
 247'00" E

Soil Geochemistry
 Molybdenum ppm

- 0 to 3 (826)
- 3 to 5 (150)
- 5 to 10 (60)
- 10 to 34 (37)


AMARC RESOURCES LTD.

GBR Property


Mo Soil Geochemistry
Figure 5e

Date: Oct, 2004 Scale: 1:30 000

AWR_GBR05e_Soils_2004_30K.WCR Plotted by: AS/DBR




TRUE NORTH
 UTM
 3.8 degrees between
 UTM and True North
 Magnetic Declination
 24° 00' E



Soil Geochemistry Zinc ppm	
• 0 to 150	(930)
• 150 to 200	(99)
• 200 to 300	(34)
• 300 to 809	(10)

AMARC RESOURCES LTD.	
GBR Property	
Zn Soil Geochemistry Figure 5f	
Date: Oct, 2004	Scale: 1:30 000
AHR_GBR09_Soils_2004_30K.WOR	Plotted by: AS/DBR



TRUE NORTH
 UTM
 3.8 degrees between
 UTM and True North
 Magnetic Declination
 24° 00' E

0 0.5 1
 kilometres

Soil Geochemistry
 Copper ppm

- 0 to 200 (889)
- 200 to 400 (134)
- 400 to 600 (25)
- 600 to 2,680 (25)


AMARC RESOURCES LTD.

GBR Property

Cu Soil Geochemistry
Figure 5d

Date: Oct, 2004 Scale: 1:30 000

AWR_GBR05e_Soils_2004_30K.WCR Plotted by: AS/DBR



TRUE NORTH
 UTM
 3.8 degrees between
 UTM and True North
 Magnetic Declination
 24° 00' E

0 0.5 1
 kilometres

Soil Geochemistry
 Copper ppm

- 0 to 200 (889)
- 200 to 400 (134)
- 400 to 600 (25)
- 600 to 2,680 (25)


AMARC RESOURCES LTD.

GBR Property

Cu Soil Geochemistry
Figure 5d

Date: Oct, 2004 Scale: 1:30 000

AWR_GBR05e_Soils_2004_30K.WCR Plotted by: AS/DBR




TRUE NORTH
 UTM
 3.8 degrees between
 UTM and True North
 Magnetic Declination
 24° 00' E




Soil Geochemistry	
Arsenic ppm	
• 0 to 25	(939)
• 25 to 50	(116)
• 50 to 100	(13)
• 100 to 470	(5)

AMARC RESOURCES LTD.	
GBR Property	
As Soil Geochemistry	
Figure 5b	
Date: Oct, 2004	Scale: 1:30 000
AWR_GBR09b_Soils_2004_30K.WCR	Plotted by: AS/DBR



TRUE NORTH
 UTM
 3.8 degrees between
 UTM and True North
 Magnetic Declination
 24° 00' E



Soil Geochemistry	
Arsenic ppm	
• 0 to 25	(939)
• 25 to 50	(116)
• 50 to 100	(13)
• 100 to 470	(5)

AMARC RESOURCES LTD.	
GBR Property	
As Soil Geochemistry	
Figure 5b	
Date: Oct, 2004	Scale: 1:30 000
AWR_GBR09b_Soils_2004_30K.WCR	Plotted by: AS/DBR

Graphical representation of soil sampling data is shown in Figures 5a -5f. Sampling and analytical procedures are presented in Appendix 2 and the certificates of analysis are presented in Appendix 3.

Geophysical Surveys

IP and Ground Magnetometer surveys were conducted over the established grid by John Lloyd Geophysics (see Appendix 4 for detailed methodology). The majority of the surveys were conducted along lines spaced 400m apart with tighter (100m) line spacing over the Wolverine Gold showing. Magnetometer readings were taken at stations separated by 25 m, IP stations were separated by 25m over the Wolverine showing and 50m elsewhere.

Numerous narrow (100m to 200m wide) zones of high chargeability appear to correlate with pyritic tuffaceous sedimentary units and with pyritic dykes, however neither show any correlation with soil geochemistry. The most interesting IP anomaly is on line 41600N (6,441,600mN) between 345,300mE to 346,100mE, and centered at 345,700mE. The central portion of this chargeability high shows moderate resistivities between 345,550mE and 345,900mE. Flanking lower resistivities are interpreted to reflect sedimentary units. This is the most attractive chargeability anomaly on the property and is broadly located at the center of geochemistry anomaly 4 described above. The chargeability response at the historic Wolverine gold zone has a strike extent of 100m to 200m and is narrow, probably on the order of 50m in width. While the gold concentrations in the historic Wolverine prospect are attractive, the extent of the chargeability anomaly suggests that the strike potential is limited.

Separate contoured plan maps of chargeability, resistivity and total field magnetics, as well as pseudo-sections of all three, are presented in appendix 5

Summary and Conclusions

The geological, soil geochemistry and geophysical surveys targeted porphyry copper-gold potential in the general vicinity of the Wolverine gold prospect which lies along the eastern contact of a large upper Triassic to lower Jurassic quartz-diorite intrusion. Propylitic alteration is widely but weakly developed within 1km of this contact. The north-striking volcanic and sedimentary units adjacent to the batholith are intruded by hornblende-porphyrific diorite and gabbro-diorite dykes, neither of which appears to carry base or precious metals. No strong induced polarization anomalies of sufficient size to host an economically viable Au-Cu porphyry deposit were identified. The geochemical anomaly showed poor correlation with sulphide zones outlined by IP surveys.

More detailed geophysical and geochemical surveys over the Wolverine showing area have indicated that potential may exist for gold bearing structural zones similar to those that hosted the Golden Bear Mine 35 km to the northwest. IP surveys along the projected length of the Wolverine showing indicate an area approximately 150m by 350m with a moderately anomalous response. Trench and/ or drill testing along this corridor may be warranted to test this gold potential.

References

British Columbia Ministry of Sustainable Resource Management “*Minfile*” online database: <http://www.em.gov.bc.ca/Mining/Geosurv/Minfile/search/>

Giroux, G.H and Bellamy, J., 2004. Update Report on the Red Chris Copper-Gold Project, bcMetals Corp.
<http://www.sedar.com/csfsprod/data43/filings/00606274/00000002/s%3A%5C0216c.pdf>.

Hilchey, G.R., 1972. Geochemical Report on the VI Group, Sumitomo Metal Mining Canada Ltd., Assessment Report 3972.

Howe, J.M., 1992. Geochemical and Geological Assessment Report on the Wolverine and Quick Claims, North American Metals, Assessment Report 22,126

Kasper, B., 1991. 1990 Geological and Geochemical Report on the JC 1-5 Claims, Pass Lake Resources, Assessment Report 21,209.

Oliver, J., 2005. Geological Summary GBR 2004 Mapping. Internal report prepared for Amarc Resources.

Marsden, H., Carmichael, R., and Southam, P., 1989, “1989 Exploration Report on the Golden Bear Road Project.”, Internal Report prepared for North American Metals Corp. and Chevron Minerals Ltd.

NovaGold Resources Inc., May 5, 2004. News Release.
<http://www.sedar.com/csfsprod/data45/filings/00640280/00000001/p%3A%5CSedar%5CNovaGold%5CForm27may5.pdf>

Rebic, Z. and Sketchley, D.A., 1988, “Road Project, Geology and Geochemistry.” Internal Report prepared for North American Metals Corp. and Chevron Minerals Ltd.

Southam, P., 1990. 1990 Exploration Report on the Wolverine and Quick Claims of the Golden bear Road Project, North American Metals and Chevron Minerals, Assessment Report 20,945.

Souther, J.G. 1971, “Geology and Mineral Deposits of the Tulsequah Map Area, British Columbia.”, Geological Survey of Canada, Memoir 362, 84p.

Travis, A., 2004. “Technical Summary Report on the GBR Property.”, Internal Report prepared for Amarc Resources.

Zuber, C., 2004. January 19, 2004 Press Release- An Updated Resource Estimate for the Red Chris Deposit. ,bcMetals Corp.
<http://www.sedar.com/csfsprod/data42/filings/00606274/00000001/s%3A%5CC0119.pdf>

STATEMENT OF COSTS

1) LINE CUTTING (60 km grid)		126,600.00
633 man-days @ \$200 per day		
2) GEOCHEMICAL SURVEYS		34,015.84
Sample Analyses (Eco Tech Labs)		
1286 samples @ \$15.44 per sample	19 859.01	
Sample Collection		
80 man-days @ \$177.00 per day	14,160.00	
3) GEOPHYSICAL SURVEYS		50,590.05
Induced Polarization (Lloyd Geophysics) 49 km @ \$1032.45 per km		
4) GEOLOGICAL SURVEYS		129,678.39
Geological mapping & supervision (Hunter Dickinson) 320 man-days.		
5) CAMP COSTS		139,741.45
1863 man-days @ \$70/day	130,410.00	
Site Equipment & fuel	<u>9,331.45</u>	
6) TRANSPORTATION		9,258.93
Helicopter 9 hrs @ 1 028.77/hr		
7) REPORT PREPARATION		2,085.50
6 man-days @ \$300 per day	1,800.00	
Dominion Blue Reprographics	158.45	
Meridian Mapping	127.05	
TOTAL EXPENDITURES 2004 WORK PROGRAM		\$491 970.50*

* of which, \$64 300 to be applied towards assessment for claims.

Statement of Qualifications

I, C. M. Rebagliati P. Eng. of Vancouver, British Columbia, Canada, do hereby certify that:

1. I am a consulting geological engineer and President of Rebagliati Geological Consulting Ltd with offices at 2503-588 Broughton Street, Vancouver, British Columbia, Canada.
2. I graduated with a B.Sc. in geological engineering from of Michigan Technological University, Houghton, Michigan, USA in 1969.
3. I am a registered member of the Association of Professional Engineers and Geoscientists of British Columbia, Registration Number 8352.
4. I have worked as an exploration geologist for a total of 35 years since my graduation from university.
5. I have read the definition of “qualified person” set out in National Instrument 43-101 (“NI 43-101”) and certify that by reason of my education, affiliation with a professional association (as defined by NI 43-101) and past relevant work experience, I fulfill the requirements to be a “qualified person” for the purposes of NI 43-101.
6. I am the Technical Manager directing activities on the GBR Property for Amarc Resources Ltd.

Dated this _____ day of February 2005.

C. M. Rebagliati P. Eng.

Statement of Qualifications

I, Amy Kerckhoff B.Sc.H., do hereby certify that:

- 1) I am a geologist for Hunter Dickinson Inc. with an office at 1020-800 W. Pender St, Vancouver B.C., V6C 2V6.
- 2) I graduated with a B.Sc.H. in geological sciences from of Queen's University in Kingston, ON in 2003.
- 3) I have worked as an exploration geologist for a total of 2 years since my graduation from university.
- 4) I have gathered information for this report from government publications, internal company memos, geological field notes and data that are believed to be reliable and accurate.
- 5) Based on company reports and information, an expenditure of \$ 531 060.00 appears accurate for the 2004 work on the GBR property.

Dated this _____ day of February 2005.

Amy Kerckhoff

Statement of Qualifications

To accompany GBR Property Assessment Report, British Columbia, Canada, dated _____, I, Adam Travis, B.Sc., of 3579 Lansbury Court, Westbank, British Columbia, Canada, V4T 1C5 do hereby certify that:

1. I am a consulting geologist with an office at 3579 Lansbury Court, Westbank, B.C., V4T 1C5.
2. I graduated from the University of British Columbia in 1990 and was awarded a B.Sc. in Geology.
3. I have practiced my geological profession since 1986 in many parts of Canada, the United States, Mexico and Africa.
4. I supervised many aspects of work on the GBR property contained within this report.
5. I have gathered my information for this report from government publications, internal company memos, geological field notes and data that are believed to be reliable and accurate.
6. Based on company reports and information, an expenditure of \$ _____ appears accurate for the 2004 work on the _____ property.
7. I am one of the underlying owners of the GBR Property which was optioned to Amarc Resources and who contracted the author through Hunter Dickinson Inc. to assist with the 2004 field exploration program
8. I hold securities in Amarc Resources as part of the GBR option and other transactions
9. I hereby grant my permission for Amarc Resources to use this Geological Report for whatever purposes it wants, subject to the disclosures set out in this Certificate.

Signed in Vancouver, British Columbia this _____ day of February, 2005.

Signed _____

Adam Travis, B.Sc.

APPENDIX 1

GPS Locations of LCP posts



Ministry of Energy and Mines
Resource Development Division
Titles Branch

OFFICE USE ONLY	
Event Number	_____
MTI Verification	_____
Date of Verification	_____

GLOBAL POSITIONING SYSTEM (GPS) DATA COLLECTION SHEET

Mining Division: Atlin/Liard
Map Number: 104J002 104J003
104J012 104J013

Zone: 9North
Datum: NAD 83

Data Collected by: Lorne Warren
Date(s) Collected: February – March 2004

GPS RECEIVER OBSERVATION (differentially corrected)									Office Use	
GPS Receiver Identifier	Northing	Easting	Tag Number	Post Type (IP, FP, LCP)	GPS Offset Information (if applicable)				MTI Verification	
					Bearing to Actual Location	Distance to Actual Location	Calculated Northing of True Location	Calculated Easting of True Location	Yes	No
XR031122B	6440771.1	345177.4	246701	LCP	360	2.5m	6440773.6	345177.4		
XR031122B	6440771.1	345177.4	246702	LCP	360	2.5m	6440773.6	345177.4		
XR031122A	6440788.6	345168.3	246703	LCP			6440788.6	345166.3		
XR031122A	6440788.6	345168.3	246704	LCP	270	2.0m	6440788.6	345166.3		
XR031220B	6445318.6	342760.4	246705	LCP						
XR031220A	6445292.8	342883.2	246706	LCP						
XR031120C	6440816.6	341257.7	246707	LCP						
XR031120A	6440809.9	341261.8	246708	LCP						
XR031218A	6443431.0	340398.1	246709	LCP						
XR031120A	6440809.9	341261.8	246710	LCP						
XR031220A	6445292.8	342883.2	246711	LCP						
R031222B	6443354.1	342955.6	238845	LCP						

Appendix 2

Soil Sampling and Analysis Procedure

Soil Sampling and Analysis Procedure

Soil samples were generally taken from the B-horizon at an approximate depth of 20-30cm. Sample locations were marked with tyvex tags and flagging tape.

Samples were securely fastened both individually and in rice sacks and remained in Amarc representative's presence until transferred to Bandstra Trucking for delivery to Eco Tech Labs in Kamloops. The author has no reason to believe that the samples were tampered with in any way, however was not present during sampling, handling or transport.

This process took about one to two weeks. At Eco Tech, the soils were dried and crushed to 75% passing 10 mesh (less than 2mm) and then pulverized to 85% passing 150 mesh (less than 100 microns). The samples were analyzed using fire assay atomic absorption finish (Au FA AA 30g) and 28-element aqua reagent digestion, inductively coupled plasma atomic emission spectroscopy (ICP-AES).

Multi-element ICP Analysis and Detection Limits

A 0.5 gram sample is digested with 3ml of a 3:1:2 (HCl:HN03:H2O) which contains beryllium which acts as an internal standard for 90 minutes in a water bath at 95°C. The sample is then diluted to 10ml with water. The sample is analyzed on a Jarrell Ash ICP unit.

Results are collated by computer and are printed along with accompanying quality control data (repeats and standards). Results are printed on a laser printer and are faxed and/or mailed to the client.

	Detection Limit			Detection Limit	
	Low	Upper		Low	Upper
Ag	0.2ppm	30.0ppm	Fe	0.01%	10.00%
Al	0.01%	10.0%	La	10ppm	10,000ppm
As	5ppm	10,000ppm	Mg	0.01%	10.00%
Ba	5ppm	10,000ppm	Mn	1ppm	10,000ppm
Bi	5ppm	10,000ppm	Mo	1ppm	10,000ppm
Ca	0.01%	10.00%	Na	0.01%	10.00%
Cd	1ppm	10,000ppm	Ni	1ppm	10,000ppm
Co	1ppm	10,000ppm	P	10ppm	10,000ppm
Cr	1ppm	10,000ppm	Pb	2ppm	10,000ppm
Cu	1ppm	10,000ppm	Sb	5ppm	10,000ppm
Sn	20ppm	10,000ppm			
Sr	1ppm	10,000ppm			
Ti	0.01%	10.00%			
U	10ppm	10,000ppm			
V	1ppm	10,000ppm			
Y	1ppm	10,000ppm			
Zn	1ppm	10,000ppm			

Gold Assay

Samples are sorted and dried (if necessary). The samples are crushed through a jaw crusher and cone or rolls crusher to –10 mesh. The sample is split through a Jones riffle until a –250 gram sub sample is achieved. The sub sample is pulverized in a ring & puck pulverizer to 95% - 140 mesh. The sample is rolled to homogenize.

A 30 g sample size is fire assayed using appropriate fluxes. The resultant dore bead is parted and then digested with aqua regia and then analyzed on a Perkin Elmer AA instrument.

APPENDIX 3

Certificates of Analysis for Soil Samples

06-Oct-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1394

AMARC RESOURCES
1020-800 W. Pender Street
Vancouver, BC
V6C 2V6

ATTENTION: Mark Rebagliatti

No. of samples received: 169

Sample type: Soil

Project #: GBR

Shipment #: Not indicated

Samples submitted by: Drew Takahashi

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L442+000N 342+550E	20	<0.2	1.98	<5	105	<5	0.85	<1	25	33	172	4.71	<10	0.91	808	3	0.02	23	1020	28	<5	<20	70	0.11	<10	164	<10	3	82
2	L442+000N 342+600E	10	<0.2	2.71	5	105	<5	0.65	<1	22	52	88	5.04	<10	1.07	605	2	0.02	31	1040	30	<5	<20	49	0.12	<10	160	<10	<1	75
3	L442+000N 342+650E	10	0.7	3.41	10	100	<5	0.79	<1	23	57	83	4.93	<10	1.07	453	3	0.02	38	980	30	<5	<20	54	0.20	<10	112	<10	<1	64
4	L442+000N 342+700E	15	0.4	2.42	5	110	<5	1.19	<1	23	48	429	3.87	<10	0.91	904	3	0.02	32	1010	24	<5	<20	61	0.08	<10	124	<10	35	66
5	L442+000N 342+750E	15	0.5	2.09	10	60	<5	0.82	<1	30	98	165	3.84	<10	1.18	787	1	0.02	59	970	54	<5	<20	51	0.12	<10	125	<10	3	156
6	L442+000N 342+800E	20	0.6	2.10	<5	100	<5	0.89	1	21	53	147	5.07	<10	0.94	499	4	0.02	31	440	28	<5	<20	44	0.18	<10	127	<10	<1	231
7	L442+000N 342+850E	5	0.5	2.98	<5	105	<5	0.85	<1	39	69	208	5.86	<10	1.06	1296	14	0.04	54	890	30	<5	<20	40	0.42	<10	80	<10	7	201
8	L442+000N 342+900E	10	1.0	3.73	50	145	<5	1.06	<1	41	70	1565	5.59	20	1.19	1669	13	0.03	89	1090	64	<5	<20	51	0.15	<10	117	<10	101	512
9	L442+000N 342+950E	20	0.3	2.72	10	90	<5	0.32	<1	22	63	72	5.76	<10	1.19	705	2	0.02	40	1350	32	<5	<20	30	0.10	<10	164	<10	<1	124
10	L442+000N 343+000E	20	0.2	2.87	10	90	10	0.29	<1	24	73	59	6.24	<10	1.02	506	2	0.02	43	620	32	<5	<20	24	0.18	<10	167	<10	<1	85
11	L442+000N 343+050E	5	2.2	4.48	45	65	<5	1.25	2	25	41	866	3.36	50	0.41	879	7	0.02	50	2340	172	<5	<20	40	0.06	<10	64	<10	234	371
12	L442+000N 343+100E	5	0.4	3.04	30	70	<5	0.48	<1	28	69	113	5.95	<10	1.53	559	2	0.02	68	580	98	<5	<20	34	0.19	<10	140	<10	<1	255
13	L442+000N 343+150E	5	0.7	3.00	15	80	<5	0.60	<1	27	28	92	6.64	<10	1.18	656	7	0.03	25	530	56	<5	<20	31	0.29	<10	173	<10	<1	218
14	L442+000N 343+200E	5	0.7	5.01	20	80	<5	0.25	<1	25	44	290	5.60	20	0.55	355	<1	0.03	30	1150	58	<5	<20	23	0.40	<10	34	<10	72	67
15	L442+000N 343+250E	5	0.2	2.58	5	100	5	0.34	<1	22	60	71	6.42	<10	1.00	568	3	0.02	46	980	42	<5	<20	30	0.15	<10	202	<10	<1	103
16	L442+000N 343+300E	<5	0.3	1.94	<5	85	5	0.40	<1	21	58	57	5.01	<10	0.92	465	2	0.02	40	500	24	<5	<20	34	0.25	<10	112	<10	<1	58
17	L442+000N 343+350E	50	0.2	2.14	<5	80	<5	0.35	<1	20	69	52	4.27	<10	1.19	419	<1	0.02	53	650	26	<5	<20	26	0.18	<10	101	<10	<1	64
19	L442+000N 343+450E	10	0.2	2.48	5	85	<5	0.48	<1	25	102	60	5.06	<10	1.68	580	1	0.02	78	860	24	<5	<20	33	0.16	<10	122	<10	<1	79
20	L442+000N 343+500E	5	0.3	2.45	10	70	<5	0.67	<1	26	86	92	4.57	<10	1.37	577	<1	0.02	66	430	22	<5	<20	34	0.13	<10	116	<10	<1	58
21	L442+000N 343+550E	<5	0.8	2.74	<5	100	15	0.28	<1	26	71	54	6.03	<10	0.89	776	3	0.02	42	1260	32	<5	<20	24	0.27	<10	62	<10	<1	117
22	L442+000N 343+600E	<5	0.3	2.31	15	95	<5	0.41	<1	25	68	131	5.12	<10	1.31	1117	4	0.03	48	1350	28	<5	<20	36	0.10	<10	127	<10	<1	103
23	L442+000N 343+650E	<5	0.6	2.45	10	140	<5	0.36	<1	21	70	62	5.01	<10	0.95	514	3	0.02	38	890	28	<5	<20	29	0.16	<10	118	<10	<1	108
24	L442+000N 343+700E	20	0.5	2.75	<5	120	10	0.49	<1	30	68	65	6.39	<10	1.15	849	2	0.02	49	1050	32	<5	<20	35	0.30	<10	101	<10	<1	139
25	L442+000N 343+750E	5	0.3	2.28	10	120	<5	0.37	<1	27	72	51	5.06	<10	1.27	1401	2	0.02	47	810	26	<5	<20	24	0.15	<10	137	<10	<1	101
26	L442+000N 343+800E	5	0.6	2.21	<5	90	<5	0.78	<1	28	53	133	4.53	<10	0.92	1488	1	0.02	33	1140	26	<5	<20	45	0.16	<10	105	<10	21	138
27	L442+000N 343+850E	5	1.2	3.79	<5	110	5	0.22	<1	25	61	88	6.44	<10	0.56	625	3	0.02	29	700	40	<5	<20	15	0.31	<10	42	<10	<1	124
28	L442+000N 343+900E	15	0.4	3.43	<5	90	10	0.26	<1	32	66	117	7.05	<10	0.94	813	2	0.02	38	710	38	<5	<20	21	0.39	<10	59	<10	<1	225
29	L442+000N 343+950E	5	0.4	2.67	5	95	5	0.75	<1	26	65	65	5.04	<10	1.46	945	2	0.03	49	1030	28	<5	<20	55	0.16	<10	129	<10	<1	140
31	L442+000N 344+050E	5	0.2	2.65	15	85	<5	0.88	<1	33	83	114	4.90	<10	1.66	964	4	0.03	53	1230	28	<5	<20	37	0.14	<10	136	<10	26	139
32	L442+000N 344+100E	5	0.3	2.52	15	70	10	0.48	<1	23	82	48	4.66	<10	1.62	612	1	0.02	57	910	26	<5	<20	38	0.14	<10	115	<10	<1	86

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1394

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
33	L442+000N 344+150E	5	<0.2	2.69	10	65	<5	0.35	<1	30	92	48	4.86	<10	1.83	849	1	0.02	80	590	28	<5	<20	28	0.18	<10	89	<10	<1	110
34	L442+000N 344+200E	10	<0.2	2.39	10	100	<5	0.79	<1	20	71	93	3.32	<10	1.28	394	<1	0.03	48	650	26	<5	<20	38	0.11	<10	81	<10	<1	70
36	L442+000N 344+300E	5	0.3	2.77	<5	75	10	0.20	<1	37	106	37	5.92	<10	2.41	623	<1	0.01	118	640	34	<5	<20	14	0.36	<10	61	<10	<1	101
37	L442+000N 344+350E	5	0.4	2.49	<5	60	5	0.29	<1	30	81	37	4.62	<10	1.91	509	<1	0.01	76	710	32	<5	<20	17	0.23	<10	68	<10	<1	102
38	L442+000N 344+400E	5	0.2	2.45	<5	50	<5	0.39	<1	30	94	57	3.71	<10	2.25	542	<1	<0.01	111	620	30	<5	<20	17	0.13	<10	53	<10	<1	53
39	L442+000N 344+450E	70	0.4	1.94	<5	85	10	0.40	<1	26	77	54	4.93	<10	1.22	486	<1	0.02	59	630	34	<5	<20	26	0.32	<10	75	<10	<1	106
40	L442+000N 344+500E	20	0.5	2.14	5	90	5	0.49	<1	21	63	62	4.51	<10	1.01	512	2	0.02	42	540	32	<5	<20	31	0.18	<10	93	<10	<1	81
41	L442+000N 344+550E	5	0.3	2.46	10	105	<5	0.52	<1	26	77	62	4.37	<10	1.82	529	<1	0.02	81	620	32	<5	<20	28	0.19	<10	83	<10	<1	89
42	L441+600N 343+000E	5	0.3	1.60	<5	120	<5	0.45	<1	15	43	42	4.01	<10	0.67	526	3	0.01	25	430	30	<5	<20	32	0.08	<10	130	<10	<1	127
43	L441+600N 343+050E	10	0.3	2.68	5	115	<5	0.27	<1	21	45	106	4.26	<10	0.69	1090	2	0.02	31	940	46	<5	<20	24	0.08	<10	109	<10	<1	123
44	L441+600N 343+100E	5	0.2	2.73	10	130	<5	0.57	<1	27	61	91	4.94	<10	1.05	754	2	0.02	48	840	40	<5	<20	41	0.15	<10	107	<10	<1	103
45	L441+600N 343+150E	10	0.2	1.74	<5	95	<5	0.28	<1	16	48	44	4.34	<10	0.61	439	3	0.01	25	450	34	<5	<20	28	0.14	10	123	<10	<1	83
46	L441+600N 343+200E	40	0.6	1.95	<5	95	10	0.36	<1	16	43	56	4.47	<10	0.64	1019	3	0.02	21	1340	34	<5	<20	32	0.10	<10	129	<10	<1	91
47	L441+600N 343+250E	65	0.3	2.53	<5	75	10	0.23	<1	22	49	86	5.80	<10	0.54	587	3	0.02	22	660	50	<5	<20	31	0.30	<10	73	<10	<1	74
48	L441+600N 343+300E	10	0.2	2.21	<5	80	10	0.38	<1	20	53	68	4.88	<10	0.80	470	2	0.02	31	610	30	<5	<20	23	0.24	<10	74	<10	<1	74
49	L441+600N 343+350E	55	<0.2	2.65	10	90	<5	0.33	<1	19	55	61	4.53	<10	0.97	479	2	0.02	36	740	30	<5	<20	21	0.11	<10	108	<10	<1	61
50	L441+600N 343+400E	10	0.3	2.19	<5	80	<5	0.43	<1	22	66	55	5.69	<10	1.07	605	3	0.02	36	800	26	<5	<20	27	0.23	<10	116	<10	<1	81
51	L441+600N 343+450E	10	0.5	3.15	10	125	<5	1.19	<1	25	66	246	4.51	10	1.10	1181	4	0.02	56	1380	36	<5	<20	56	0.09	<10	102	<10	62	151
52	L441+600N 343+500E	5	0.2	3.29	5	95	<5	0.39	<1	28	61	114	5.32	<10	1.15	761	3	0.02	52	920	34	<5	<20	33	0.18	<10	99	<10	<1	72
53	L441+600N 343+550E	10	0.2	2.09	5	85	<5	0.35	<1	22	70	78	4.59	<10	1.29	622	3	0.02	52	710	28	<5	<20	29	0.10	<10	133	<10	<1	66
54	L441+600N 343+600E	5	0.5	2.91	10	110	<5	0.69	<1	33	79	141	4.78	<10	1.67	1067	2	0.02	71	900	34	<5	<20	47	0.11	<10	121	<10	2	76
56	L441+600N 343+700E	5	0.2	2.27	5	90	5	0.33	<1	22	70	53	4.95	<10	1.17	552	2	0.02	47	960	28	<5	<20	18	0.18	<10	108	<10	<1	94
57	L441+600N 343+750E	5	0.7	3.15	10	90	5	0.39	<1	26	60	61	5.20	<10	0.93	548	2	0.02	45	990	34	<5	<20	19	0.27	<10	52	<10	2	106
58	L441+600N 343+800E	<5	0.4	2.32	10	80	<5	0.48	<1	22	83	102	4.52	<10	1.02	512	3	0.02	53	620	26	<5	<20	26	0.13	<10	95	<10	<1	86
59	L441+600N 343+850E	<5	0.4	2.88	20	110	<5	0.38	<1	22	90	74	4.41	<10	1.00	715	4	0.01	54	1220	30	<5	<20	23	0.06	<10	122	<10	7	76
61	L441+600N 343+950E	5	0.4	3.43	15	215	<5	0.40	<1	24	80	78	4.94	<10	1.29	728	3	0.01	57	590	36	<5	<20	56	0.09	<10	111	<10	2	87
62	L441+600N 344+000E	15	0.5	3.02	15	155	<5	1.06	<1	23	97	254	3.03	<10	1.32	351	2	0.03	56	970	38	<5	<20	61	0.12	<10	112	<10	49	111
63	L441+600N 344+050E	<5	0.6	2.43	5	155	<5	0.59	<1	23	62	103	4.94	<10	0.89	1056	3	0.02	36	870	28	<5	<20	32	0.12	<10	102	<10	<1	136
64	L441+600N 344+100E	5	0.3	3.43	10	125	<5	0.33	<1	31	84	81	5.38	<10	1.31	702	2	0.02	58	970	38	<5	<20	31	0.21	<10	94	<10	<1	130
65	L441+600N 344+150E	5	0.4	3.24	5	115	5	0.28	<1	26	81	63	5.89	<10	1.36	718	3	0.01	49	940	40	<5	<20	23	0.17	<10	125	<10	<1	189
66	L441+600N 344+200E	5	0.2	2.94	15	110	<5	0.41	<1	25	76	73	4.95	<10	1.54	822	2	0.02	51	1260	32	<5	<20	27	0.09	<10	128	<10	<1	122
67	L441+600N 344+250E	5	0.5	2.82	10	115	5	0.23	<1	22	74	52	5.70	<10	1.07	641	2	0.02	38	790	34	<5	<20	21	0.17	<10	131	<10	<1	138
68	L441+600N 344+300E	<5	0.5	2.42	<5	105	10	0.23	<1	24	70	39	6.31	<10	0.97	767	3	0.02	34	1170	30	<5	<20	21	0.21	<10	108	<10	<1	206
69	L441+600N 344+350E	<5	0.4	3.13	<5	55	<5	1.18	<1	42	61	137	6.61	<10	2.06	1676	2	0.03	22	440	30	<5	<20	45	0.13	<10	189	<10	<1	98
72	L441+600N 344+500E	5	0.3	2.74	30	175	<5	1.44	<1	26	102	361	5.20	<10	1.17	1679	5	0.02	66	910	26	<5	<20	56	0.04	<10	220	<10	41	56
73	L441+600N 344+550E	5	0.3	2.97	<5	110	<5	0.80	<1	36	109	127	4.37	<10	3.04	839	<1	0.02	144	560	26	<5	<20	28	0.13	<10	71	<10	1	81
75	L440+400N 345+100E	5	0.9	2.72	15	160	<5	0.51	<1	23	61	105	5.55	<10	1.11	620	3	0.02	35	950	34	<5	<20	82	0.11	<10	157	<10	<1	169
76	L440+400N 345+150E	5	0.7	1.83	30	135	<5	2.27	<1	18	54	162	3.07	<10	0.81	1309	3	0.02	40	1060	22	<5	<20	75	0.04	<10	86	<10	48	137
77	L440+400N 345+200E	5	0.6	2.26	30	155	<5	1.63	<1	19	66	146	3.57	<10	1.00	1021	3	0.03	46	1280	24	<5	<20	77	0.07	<10	100	<10	37	144
79	L440+400N 345+300E	5	0.8	2.21	<5	150	15	0.20	<1	28	59	45	5.85	<10	0.56	1022	3	0.02	27	1560	34	<5	<20	15	0.25	<10	65	<10	<1	196

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1394

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
80	L440+400N 345+350E	5	1.2	2.32	15	120	<5	1.15	<1	24	49	414	4.65	<10	0.48	1945	4	0.03	33	840	28	<5	<20	47	0.17	<10	78	<10	50	199
81	L440+400N 345+400E	25	1.0	1.86	20	95	<5	1.70	<1	19	50	758	3.37	<10	0.65	1048	3	0.02	35	880	24	<5	<20	53	0.10	<10	69	<10	84	138
82	L440+400N 345+450E	15	0.3	2.65	10	100	<5	0.71	<1	30	54	142	4.95	<10	1.28	840	3	0.03	38	910	26	<5	<20	71	0.06	<10	181	<10	<1	148
83	L440+400N 345+500E	5	0.2	2.14	10	85	<5	0.83	<1	28	49	97	4.58	<10	1.03	941	4	0.02	33	1220	26	<5	<20	56	0.03	<10	179	<10	<1	74
85	L440+400N 345+600E	10	0.2	2.69	15	210	<5	0.65	<1	21	68	68	4.13	<10	1.29	648	2	0.02	45	590	28	<5	<20	47	0.07	<10	104	<10	7	50
86	L440+400N 345+650E	5	0.3	3.45	10	160	5	0.17	<1	19	34	47	5.26	<10	0.44	1057	4	0.01	22	1040	36	<5	<20	17	0.10	<10	63	<10	<1	118
87	L440+400N 345+700E	<5	0.2	3.05	15	155	<5	0.21	<1	20	54	65	4.55	<10	0.66	1112	2	0.01	31	1000	34	<5	<20	23	0.08	<10	93	<10	3	85
88	L440+400N 345+750E	<5	0.3	2.83	30	165	5	0.23	<1	25	57	65	5.81	<10	0.67	899	4	0.01	30	950	34	<5	<20	24	0.15	<10	80	<10	<1	105
89	L440+400N 345+800E	<5	0.5	3.49	15	135	<5	0.28	<1	27	56	60	5.67	<10	0.86	960	1	0.02	37	2420	40	<5	<20	27	0.22	<10	47	<10	<1	123
90	L440+400N 345+850E	15	0.6	2.26	10	145	5	0.37	<1	22	57	44	4.92	<10	0.81	743	2	0.01	29	2750	28	<5	<20	25	0.10	<10	109	<10	<1	170
91	L440+400N 345+900E	5	0.2	2.01	40	95	<5	0.71	<1	25	65	106	4.09	<10	1.25	906	2	0.02	43	990	20	<5	<20	42	0.08	<10	113	<10	2	64
92	L440+000N 345+100E	5	0.7	1.88	5	160	<5	0.61	<1	24	51	53	4.58	<10	0.79	758	2	0.02	31	610	26	<5	<20	34	0.32	<10	51	<10	<1	167
93	L440+000N 345+150E	<5	0.4	2.24	10	130	<5	0.77	<1	22	54	86	4.63	<10	1.02	503	3	0.02	40	380	26	<5	<20	42	0.17	<10	101	<10	<1	133
95	L440+000N 345+250E	<5	0.2	1.93	15	130	<5	1.01	<1	15	50	62	3.06	<10	1.01	476	1	0.02	38	770	20	<5	<20	46	0.05	<10	80	<10	5	63
96	L440+000N 345+300E	<5	0.5	2.72	20	135	10	0.37	<1	24	76	56	5.39	<10	1.21	561	2	0.02	47	1380	32	<5	<20	28	0.15	<10	96	<10	<1	185
97	L440+000N 345+350E	<5	0.6	2.21	15	145	<5	1.00	<1	18	65	112	4.16	<10	0.90	487	2	0.02	38	940	28	<5	<20	48	0.14	<10	88	<10	9	102
99	L440+000N 345+450E	5	1.0	3.57	15	125	5	0.28	<1	27	62	103	5.35	<10	0.90	642	3	0.02	44	1210	44	<5	<20	24	0.21	<10	66	<10	8	108
100	L440+000N 345+500E	5	0.6	2.89	15	145	<5	0.45	<1	20	68	57	4.59	<10	1.13	469	3	0.02	42	630	30	<5	<20	39	0.06	<10	121	<10	<1	94
101	L440+000N 345+550E	<5	0.3	2.30	<5	145	<5	1.10	<1	19	76	56	3.43	<10	1.39	734	1	0.04	51	1120	22	<5	<20	48	0.07	<10	74	<10	19	73
103	L440+000N 345+650E	<5	0.3	3.86	10	145	10	0.20	<1	25	57	48	5.23	<10	0.79	922	4	0.02	39	1210	42	<5	<20	14	0.17	<10	60	<10	11	102
104	L440+000N 345+700E	<5	0.5	3.12	<5	125	10	0.18	<1	19	45	38	5.46	<10	0.33	637	4	0.02	22	830	36	<5	<20	15	0.18	<10	41	<10	<1	173
105	L440+000N 345+750E	5	0.3	3.66	15	135	5	0.26	<1	30	56	63	4.94	<10	0.93	564	2	0.02	46	1190	38	<5	<20	19	0.21	<10	51	<10	<1	87
106	L440+000N 345+800E	5	0.3	3.09	10	140	5	0.21	<1	30	56	43	6.04	<10	0.84	668	2	0.02	37	1810	36	<5	<20	16	0.31	<10	40	<10	<1	119
107	L440+000N 345+850E	10	0.2	3.17	15	120	<5	0.38	<1	28	62	90	5.11	<10	1.16	668	2	0.02	45	590	34	<5	<20	26	0.16	<10	81	<10	<1	75
108	L440+000N 345+900E	10	0.3	2.77	15	110	<5	1.00	<1	30	82	95	5.02	<10	1.34	812	2	0.04	61	920	26	<5	<20	37	0.25	<10	37	<10	12	90
109	L440+000N 345+950E	5	0.5	2.31	5	160	<5	0.62	<1	22	52	75	5.14	<10	0.62	1061	9	0.03	37	1040	26	<5	<20	34	0.21	<10	37	<10	9	234
110	L440+000N 346+000E	10	0.2	3.09	25	135	<5	0.35	<1	23	60	62	4.91	<10	0.98	790	3	0.02	39	2240	34	<5	<20	28	0.12	<10	104	<10	<1	105
111	L440+000N 346+050E	5	0.6	2.77	5	180	5	0.54	<1	24	52	57	4.82	<10	0.83	1148	6	0.02	35	1310	32	<5	<20	31	0.18	<10	67	<10	<1	154
112	L440+000N 346+100E	5	0.3	2.26	5	150	15	0.86	<1	25	50	58	5.01	<10	0.68	1300	5	0.03	32	1300	26	<5	<20	41	0.21	<10	43	<10	3	333
113	L440+000N 346+150E	<5	0.5	2.74	10	140	10	0.56	<1	25	54	47	5.21	<10	0.86	655	3	0.02	37	2020	32	<5	<20	31	0.26	<10	54	<10	<1	174
114	L440+000N 346+200E	5	0.5	3.09	20	150	<5	0.73	<1	28	61	226	5.24	<10	0.93	961	3	0.05	48	1240	32	<5	<20	38	0.24	<10	38	<10	66	98
115	L440+000N 346+250E	10	0.2	2.41	15	95	5	0.57	<1	24	56	52	5.03	<10	1.13	724	4	0.02	39	610	26	<5	<20	34	0.15	<10	101	<10	<1	109
116	L440+000N 346+300E	5	0.2	2.12	10	130	10	1.06	<1	31	55	66	5.10	<10	0.86	1341	3	0.03	30	1070	26	<5	<20	46	0.26	<10	43	<10	<1	163
117	L439+600N 345+100E	5	0.6	2.16	10	220	<5	1.24	<1	19	44	91	3.66	<10	0.70	773	4	0.02	32	750	26	<5	<20	63	0.07	<10	78	<10	16	95
118	L439+600N 345+150E	5	0.4	2.48	15	205	<5	1.09	<1	19	56	138	3.71	<10	0.99	658	2	0.02	47	730	26	<5	<20	71	0.06	<10	95	<10	42	80
119	L439+600N 345+200E	5	0.2	1.96	10	120	10	0.39	<1	22	47	45	4.87	<10	0.95	762	3	0.01	36	1840	24	<5	<20	22	0.16	<10	91	<10	<1	122
120	L439+600N 345+250E	<5	0.3	2.35	10	150	<5	0.52	<1	20	52	57	4.50	<10	0.81	888	2	0.01	31	960	28	<5	<20	36	0.18	<10	78	<10	<1	145
121	L439+600N 345+300E	5	0.3	2.76	15	210	<5	0.88	<1	20	50	71	4.22	<10	1.22	557	2	0.02	41	830	28	<5	<20	73	0.06	<10	95	<10	10	77
122	L439+600N 345+350E	5	0.5	3.16	40	145	<5	1.21	<1	19	67	164	4.26	<10	0.78	590	4	0.02	54	1350	32	<5	<20	48	0.09	<10	85	<10	77	92
123	L439+600N 345+400E	5	<0.2	1.89	15	180	<5	0.75	<1	26	56	56	3.87	<10	0.99	1300	2	0.02	37	920	22	<5	<20	58	0.09	<10	101	<10	13	55

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1394

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
124	L439+600N 345+450E	5	0.4	2.51	5	135	<5	0.31	<1	20	44	68	4.73	<10	0.59	466	4	0.02	29	980	32	<5	<20	28	0.21	<10	51	<10	14	75
125	L439+600N 345+500E	5	0.4	2.21	100	115	<5	0.31	<1	24	51	146	5.64	<10	1.01	700	4	0.02	26	750	26	<5	<20	20	0.17	<10	152	<10	<1	136
126	L439+600N 345+550E	5	0.3	2.29	15	115	5	0.53	<1	19	44	60	4.55	<10	0.73	445	6	0.02	31	660	30	<5	<20	27	0.18	<10	69	<10	<1	122
128	L439+600N 345+650E	5	0.4	2.24	10	205	<5	0.99	<1	28	53	40	3.65	<10	1.24	547	20	0.03	38	980	26	<5	<20	59	0.10	<10	90	<10	25	50
129	L439+600N 345+700E	5	0.3	2.48	15	190	<5	1.28	<1	26	49	110	4.57	<10	1.03	1082	3	0.04	41	920	26	<5	<20	57	0.15	<10	65	<10	42	90
130	L439+600N 345+750E	25	0.3	3.18	10	205	10	0.30	<1	28	59	51	5.53	<10	0.98	755	3	0.02	44	1170	38	<5	<20	21	0.17	<10	87	<10	<1	171
131	L439+600N 345+800E	5	0.2	2.30	5	130	5	0.32	<1	18	48	41	4.72	<10	0.82	460	4	0.02	29	920	28	<5	<20	22	0.12	<10	104	<10	<1	82
132	L439+600N 345+850E	5	<0.2	3.70	10	135	15	0.25	<1	38	56	71	6.21	<10	1.04	493	3	0.02	55	1540	44	<5	<20	15	0.28	<10	43	<10	<1	105
133	L439+600N 345+900E	10	0.3	2.30	5	145	10	0.65	<1	25	66	35	4.96	<10	1.29	785	3	0.02	37	670	28	<5	<20	34	0.16	<10	96	<10	<1	103
134	L439+600N 345+950E	5	0.4	2.60	15	145	10	0.46	<1	22	47	49	5.04	<10	0.71	322	2	0.02	31	470	32	<5	<20	37	0.25	<10	56	<10	<1	141
136	L439+600N 346+050E	5	0.4	2.24	5	135	10	1.03	<1	22	48	43	4.05	<10	1.02	857	2	0.03	34	410	28	<5	<20	43	0.17	<10	51	<10	<1	148
137	L439+600N 346+100E	5	0.3	2.17	<5	140	10	0.42	<1	19	43	34	4.66	<10	0.82	577	2	0.02	28	2340	26	<5	<20	24	0.16	<10	71	<10	<1	152
138	L439+600N 346+150E	5	0.2	2.49	10	115	<5	0.45	<1	20	52	50	4.06	<10	1.00	512	2	0.02	34	1320	24	<5	<20	30	0.10	<10	86	<10	<1	81
139	L439+600N 346+200E	5	0.4	3.48	<5	120	15	0.18	<1	30	52	35	6.57	<10	0.59	718	3	0.02	32	2420	44	<5	<20	15	0.45	<10	30	<10	<1	135
140	L439+600N 346+250E	5	0.3	2.75	15	135	10	0.24	<1	26	51	34	6.04	<10	0.85	569	3	0.02	40	1780	34	<5	<20	18	0.31	<10	40	<10	<1	116
141	L439+600N 346+300E	5	0.2	3.00	20	125	10	0.32	<1	26	54	53	5.02	<10	0.89	1045	3	0.02	37	1790	34	<5	<20	21	0.16	<10	78	<10	<1	102
142	L439+600N 346+350E	<5	0.4	3.33	10	160	15	0.18	<1	31	55	38	5.65	<10	0.56	770	2	0.03	32	2340	40	<5	<20	18	0.33	<10	3	<10	<1	112
143	L439+600N 346+400E	5	0.2	2.30	20	100	<5	0.48	<1	23	57	82	4.04	<10	1.07	493	2	0.02	43	1030	26	<5	<20	33	0.08	<10	105	<10	<1	55
144	L439+200N 345+100E	<5	0.5	2.45	10	135	5	0.41	<1	21	52	45	4.74	<10	0.84	438	3	0.01	35	670	30	<5	<20	34	0.12	<10	97	<10	<1	93
145	L439+200N 345+150E	10	0.5	2.44	15	165	10	0.27	<1	24	52	49	5.66	<10	0.76	681	4	0.02	40	1700	32	<5	<20	21	0.18	<10	67	<10	<1	176
146	L439+200N 345+200E	5	0.6	2.94	5	190	5	0.38	<1	24	49	57	5.55	<10	0.65	956	4	0.02	31	1050	34	<5	<20	24	0.15	<10	72	<10	<1	117
147	L439+200N 345+250E	<5	0.2	2.34	10	170	<5	0.71	<1	23	55	65	4.38	<10	1.13	798	3	0.02	42	790	26	<5	<20	46	0.09	<10	102	<10	8	77
148	L439+200N 345+300E	5	0.3	2.13	15	160	<5	1.19	<1	25	51	105	4.06	<10	1.21	872	4	0.05	45	1090	24	<5	<20	61	0.14	<10	79	<10	20	55
149	L439+200N 345+350E	5	0.2	2.28	5	165	<5	0.78	<1	22	50	79	4.16	<10	1.04	838	3	0.03	45	1010	26	<5	<20	53	0.15	<10	68	<10	18	94
150	L439+200N 345+400E	<5	0.2	2.52	5	130	10	0.24	<1	33	61	48	6.14	<10	0.99	1318	3	0.02	43	1110	30	<5	<20	14	0.26	<10	84	<10	<1	132
151	L439+200N 345+450E	5	0.2	2.82	15	115	<5	0.41	<1	27	92	52	5.70	<10	1.28	564	4	0.01	70	1810	32	<5	<20	15	0.18	<10	112	<10	<1	111
152	L439+200N 345+500E	5	0.3	2.34	10	160	10	0.46	<1	25	84	53	4.85	<10	1.43	482	3	0.02	62	970	28	<5	<20	30	0.16	<10	102	<10	<1	107
153	L439+200N 345+550E	5	0.4	2.13	<5	145	5	0.61	<1	23	71	57	4.47	<10	1.06	445	3	0.02	51	720	26	<5	<20	38	0.20	<10	72	<10	<1	125
154	L439+200N 345+600E	5	0.3	2.45	10	110	10	0.67	<1	25	44	74	4.88	<10	0.81	510	3	0.03	31	470	30	<5	<20	29	0.21	<10	60	<10	<1	111
155	L439+200N 345+650E	<5	0.2	2.84	10	155	10	0.42	<1	24	58	53	5.37	<10	1.15	567	3	0.02	41	970	32	<5	<20	29	0.13	<10	121	<10	<1	90
156	L439+200N 345+700E	<5	0.2	2.28	15	185	<5	1.13	<1	21	46	71	4.06	<10	1.13	751	3	0.04	39	880	26	<5	<20	60	0.10	<10	86	<10	22	75
157	L439+200N 345+750E	<5	<0.2	2.95	15	190	<5	0.56	<1	20	45	56	4.00	<10	1.13	415	2	0.02	35	390	32	<5	<20	52	0.07	<10	100	<10	<1	59
158	L439+200N 345+800E	15	<0.2	3.23	15	145	10	0.31	<1	25	62	53	5.31	<10	1.02	635	4	0.02	48	2170	38	<5	<20	19	0.17	<10	92	<10	<1	119
159	L439+200N 345+850E	<5	0.3	2.95	10	170	10	0.31	<1	25	53	45	5.02	<10	0.92	786	2	0.02	39	1370	34	<5	<20	23	0.20	<10	70	<10	<1	136
160	L439+200N 345+900E	<5	0.2	2.89	15	145	<5	0.48	<1	22	48	45	4.36	<10	1.15	434	3	0.02	38	1100	30	<5	<20	37	0.08	<10	98	<10	<1	88
161	L439+200N 345+950E	<5	0.3	2.72	10	170	10	0.27	<1	28	61	34	4.92	<10	0.70	742	3	0.02	36	1850	34	<5	<20	22	0.20	<10	65	<10	<1	134
162	L439+200N 346+000E	5	0.3	2.47	5	170	10	0.29	<1	26	56	34	5.58	<10	0.73	865	3	0.02	33	2440	36	<5	<20	20	0.20	<10	74	<10	<1	178
163	L439+200N 346+050E	<5	0.3	2.43	10	215	5	0.90	<1	24	54	55	4.52	10	0.84	833	3	0.04	44	760	28	<5	<20	42	0.19	<10	56	<10	33	79
164	L439+200N 346+100E	<5	0.4	2.84	10	210	<5	0.77	<1	22	60	51	4.42	<10	0.90	1071	3	0.02	42	730	32	<5	<20	47	0.11	<10	77	<10	20	128
165	L439+200N 346+150E	<5	0.2	2.79	15	135	<5	0.60	<1	25	61	42	4.88	<10	1.00	504	2	0.02	46	1340	30	<5	<20	35	0.19	<10	69	<10	<1	99

ICP CERTIFICATE OF ANALYSIS AK 2004-1394

ECO TECH LABORATORY LTD.

AMARC RESOURCES

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	L439+200N 346+200E	5	0.2	2.24	20	130	<5	0.85	<1	17	48	116	3.62	<10	1.00	489	3	0.02	35	560	26	<5	<20	53	0.08	<10	91	<10	72	50
168	L439+200N 346+300E	<5	0.7	2.21	30	155	<5	2.21	<1	18	58	196	3.84	10	0.72	836	4	0.03	35	1280	22	<5	<20	81	0.07	<10	72	<10	92	72
169	L439+200N 346+350E	<5	0.2	1.91	<5	100	5	0.62	<1	24	48	33	4.07	<10	0.86	826	2	0.02	28	260	24	<5	<20	29	0.14	<10	65	<10	<1	179

QC DATA:

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
Repeat:																															
1	L442+000N 342+550E	10	<0.2	2.03	<5	115	<5	0.85	<1	28	33	182	4.73	<10	0.93	804	3	0.02	23	1050	30	<5	<20	84	0.10	<10	161	<10	3	84	
10	L442+000N 343+000E	10	0.2	2.86	15	90	5	0.28	<1	24	67	57	5.98	<10	1.04	500	2	0.02	43	560	34	<5	<20	24	0.18	<10	153	<10	<1	83	
19	L442+000N 343+450E	10	0.2	2.44	<5	80	5	0.47	<1	25	102	60	4.96	<10	1.66	573	2	0.02	78	890	24	<5	<20	29	0.16	<10	119	<10	<1	77	
28	L442+000N 343+900E	5	0.4	3.41	<5	95	5	0.23	<1	32	67	115	7.34	<10	0.92	836	2	0.02	38	730	40	<5	<20	22	0.40	<10	60	<10	<1	230	
36	L442+000N 344+300E	5	0.3	2.71	<5	75	10	0.18	<1	36	108	36	5.77	<10	2.36	607	1	0.01	113	640	34	<5	<20	11	0.35	<10	56	<10	<1	97	
45	L441+600N 343+150E	5	0.2	1.73	5	95	5	0.27	<1	15	47	44	4.32	<10	0.59	457	3	0.01	22	450	38	<5	<20	24	0.12	<10	121	<10	<1	83	
54	L441+600N 343+600E	-	0.3	2.80	10	105	<5	0.67	<1	32	78	147	4.69	<10	1.63	1064	3	0.02	71	890	34	<5	<20	42	0.09	<10	121	<10	3	74	
56	L441+600N 343+700E	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	L441+600N 344+050E	<5	0.7	2.44	10	160	<5	0.58	<1	23	62	105	4.96	<10	0.86	1043	3	0.02	35	820	28	<5	<20	32	0.12	<10	98	<10	<1	139	
80	L440+400N 345+350E	5	1.2	2.36	15	120	<5	1.15	<1	24	50	418	4.67	<10	0.48	1947	4	0.03	33	1010	28	<5	<20	48	0.18	<10	67	<10	53	201	
89	L440+400N 345+800E	<5	0.5	3.55	20	135	10	0.30	<1	28	58	60	5.73	<10	0.89	912	3	0.02	38	2430	40	<5	<20	26	0.25	<10	54	<10	<1	122	
99	L440+000N 345+450E	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
115	L440+000N 346+250E	10	0.2	2.38	15	95	5	0.57	<1	24	56	51	5.03	<10	1.12	723	3	0.02	37	590	26	<5	<20	34	0.15	<10	99	<10	<1	109	
124	L439+600N 345+450E	5	0.4	2.47	10	135	5	0.31	<1	21	44	65	4.67	<10	0.59	455	3	0.02	29	980	32	<5	<20	28	0.21	<10	44	<10	12	75	
133	L439+600N 345+900E	5	0.4	2.30	5	145	10	0.65	<1	25	65	35	4.99	<10	1.29	740	3	0.02	37	690	26	<5	<20	33	0.17	<10	96	<10	<1	104	
141	L439+600N 346+300E	5	0.2	3.05	15	130	10	0.32	<1	26	54	52	5.02	<10	0.86	1054	3	0.02	36	1870	32	<5	<20	24	0.19	<10	76	<10	<1	104	
150	L439+200N 345+400E	<5	0.2	2.52	10	125	15	0.25	<1	33	61	48	6.27	<10	0.98	1276	4	0.02	43	1150	30	<5	<20	14	0.27	<10	84	<10	<1	135	
159	L439+200N 345+850E	<5	0.4	2.99	10	175	10	0.33	<1	25	54	45	5.04	<10	0.94	727	3	0.02	37	1420	36	<5	<20	27	0.19	<10	68	<10	<1	135	
168	L439+200N 346+300E	5	0.2	2.26	30	155	<5	2.18	<1	19	62	200	3.98	10	0.75	850	3	0.03	36	1280	24	<5	<20	81	0.09	<10	74	<10	91	75	

Standard:

GEO '04	135	1.5	1.67	65	150	<5	1.51	<1	19	60	86	3.50	<10	0.91	647	1	0.02	28	690	22	<5	<20	60	0.08	<10	61	<10	11	76
GEO '04	135	1.5	1.56	55	150	<5	1.42	<1	17	60	84	3.26	<10	0.86	615	1	0.02	29	630	24	<5	<20	61	0.08	<10	58	<10	10	76
GEO '04	130	1.5	1.56	60	150	<5	1.41	<1	18	60	88	3.26	<10	0.85	610	1	0.02	29	630	22	<5	<20	63	0.06	<10	59	<10	12	74
GEO '04	140	1.5	1.56	60	150	<5	1.42	<1	18	60	89	3.28	<10	0.86	613	1	0.02	28	630	24	<5	<20	63	0.06	<10	58	<10	11	73
GEO '04	135	1.5	1.55	65	150	<5	1.42	<1	18	60	88	3.24	<10	0.85	609	<1	0.02	29	680	20	<5	<20	62	0.07	<10	59	<10	11	76

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

22-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1257

AMARC RESOURCES
1020-800 W. Pender Street
Vancouver, BC
V6C 2V6

ATTENTION: Mark Rebagliatti

No. of samples received: 287

Sample type: Soil

Project #: GBR

Shipment #: Not indicated

Samples submitted by: Drew Takahashi

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L445+600N 343+900E	10	<0.2	2.66	20	125	<5	1.07	<1	32	105	121	5.57	20	1.45	888	<1	0.03	79	1260	52	<5	<20	36	0.13	<10	139	<10	12	100
2	L445+600N 343+950E	10	0.2	2.93	20	95	<5	0.66	<1	45	100	138	7.92	20	1.07	880	<1	0.02	65	1120	60	<5	<20	30	0.33	<10	130	<10	16	205
3	L445+600N 344+000E	5	<0.2	2.37	20	95	<5	0.45	<1	32	98	46	7.25	20	1.07	655	<1	0.02	52	1130	50	5	<20	15	0.36	<10	114	<10	13	176
4	L445+600N 344+050E	10	0.6	2.19	10	110	<5	2.72	<1	30	77	212	4.67	20	1.52	951	<1	0.02	94	1130	44	<5	<20	42	0.14	<10	107	<10	25	127
5	L445+600N 344+100E	10	0.5	1.88	5	110	<5	1.26	<1	23	51	177	4.61	20	0.38	1320	<1	0.01	27	1220	44	<5	<20	33	0.11	<10	97	<10	25	118
6	L445+600N 344+150E	10	0.5	1.72	10	95	<5	1.28	<1	28	67	78	4.88	10	0.80	777	<1	0.02	36	670	38	<5	<20	39	0.19	<10	109	<10	10	126
7	L445+600N 344+200E	10	0.9	2.25	10	120	<5	2.71	<1	27	81	263	4.57	20	0.97	1405	<1	0.02	71	1220	46	<5	<20	31	0.09	<10	104	<10	33	129
8	L445+600N 344+250E	50	0.4	1.77	15	170	<5	0.75	<1	24	76	81	5.05	10	0.76	1141	<1	0.02	38	1130	62	<5	<20	31	0.11	<10	133	<10	9	185
9	L445+600N 344+300E	10	<0.2	2.96	25	125	<5	0.44	<1	33	112	100	6.19	10	1.37	809	<1	0.02	68	850	58	<5	<20	29	0.14	<10	151	<10	8	123
10	L445+600N 344+350E	5	<0.2	3.45	20	135	<5	0.41	<1	29	98	123	6.30	10	1.32	581	<1	0.02	59	630	64	<5	<20	16	0.16	<10	151	<10	6	114
12	L445+600N 344+450E	25	<0.2	2.72	15	165	<5	1.08	<1	31	107	136	5.54	20	1.37	1218	<1	0.02	70	1070	50	<5	<20	30	0.12	<10	143	<10	18	114
13	L445+600N 344+500E	30	<0.2	3.07	20	185	<5	0.43	<1	29	99	62	5.92	10	1.32	698	<1	0.02	63	1060	60	<5	<20	16	0.15	<10	140	<10	3	129
14	L445+600N 344+550E	10	<0.2	3.22	20	140	<5	0.36	<1	28	100	79	6.42	10	1.14	625	<1	0.02	54	830	64	<5	<20	15	0.19	<10	163	<10	4	161
15	L445+600N 344+600E	10	<0.2	2.47	20	160	<5	0.67	<1	25	89	48	5.63	10	1.20	713	<1	0.02	49	750	50	<5	<20	24	0.15	<10	143	<10	3	163
16	L445+200N 343+000E	5	<0.2	2.36	<5	45	<5	2.05	<1	33	46	682	7.54	30	1.49	2976	<1	0.02	33	2900	42	10	<20	23	0.23	<10	125	<10	34	128
17	L445+200N 343+050E	15	0.3	2.58	25	140	<5	1.63	<1	36	134	202	5.31	10	1.91	1081	2	0.04	120	1350	54	10	<20	38	0.17	<10	115	<10	23	200
18	L445+200N 343+100E	10	<0.2	1.99	15	95	<5	0.66	<1	25	88	38	5.22	10	1.29	549	<1	0.02	61	1170	40	10	<20	20	0.18	<10	105	<10	5	108
19	L445+200N 343+150E	5	0.2	2.51	15	120	5	0.46	<1	32	111	47	6.30	10	1.36	888	<1	0.02	70	1160	62	<5	<20	18	0.27	<10	120	<10	7	292
20	L445+200N 343+200E	<5	0.2	2.66	10	100	<5	0.70	<1	35	96	136	6.44	20	1.46	786	<1	0.02	71	1140	62	<5	<20	22	0.28	<10	163	<10	13	131
21	L445+200N 343+250E	5	0.2	2.28	<5	95	<5	0.80	<1	45	115	135	7.31	20	1.35	1321	<1	0.02	69	1030	50	<5	<20	46	0.27	<10	177	<10	10	151
23	L445+200N 343+350E	<5	<0.2	2.35	20	125	<5	0.62	<1	37	125	50	7.01	10	1.67	721	<1	0.03	90	670	52	<5	<20	26	0.37	<10	118	<10	10	139
24	L445+200N 343+400E	<5	0.2	2.55	30	135	<5	0.79	<1	32	116	75	6.51	20	1.60	840	<1	0.03	81	760	58	<5	<20	32	0.23	<10	140	<10	12	201
25	L445+200N 343+450E	5	<0.2	2.47	20	105	10	0.65	<1	32	108	64	6.72	10	1.43	780	<1	0.02	70	950	52	5	<20	27	0.28	<10	106	<10	9	195
26	L445+200N 343+500E	5	<0.2	2.54	15	115	<5	0.41	<1	32	112	62	6.54	10	1.47	1170	<1	0.02	70	800	52	5	<20	18	0.17	<10	169	<10	3	206
27	L445+200N 343+550E	<5	0.2	3.15	5	80	<5	2.14	<1	69	84	229	>10	20	1.19	2069	<1	0.02	55	1100	62	<5	<20	46	0.27	<10	234	<10	30	160
28	L445+200N 343+600E	<5	<0.2	2.22	15	90	5	1.17	<1	29	94	64	5.17	10	1.39	788	<1	0.03	64	1110	46	5	<20	16	0.23	<10	103	<10	15	112
29	L445+200N 343+650E	<5	<0.2	1.83	10	105	<5	1.13	<1	29	91	77	4.48	10	1.31	1011	<1	0.03	63	1220	40	5	<20	22	0.16	<10	108	<10	13	116
30	L445+200N 343+700E	5	0.4	1.83	15	130	<5	2.34	<1	25	76	215	4.23	20	1.04	989	<1	0.03	53	1250	40	<5	<20	64	0.13	<10	99	<10	24	104

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1257

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	L445+200N 343+750E	<5	0.5	2.24	10	135	<5	1.66	<1	35	72	155	6.57	20	1.06	1803	<1	0.02	46	1330	48	<5	<20	69	0.19	<10	151	<10	20	224
32	L445+200N 343+800E	<5	<0.2	3.03	5	115	<5	0.82	<1	36	80	180	7.26	20	1.24	926	<1	0.02	54	1320	62	5	<20	46	0.27	<10	109	<10	16	162
33	L442+400N 344+650E	5	0.6	2.52	60	140	<5	0.84	<1	33	97	84	5.84	20	1.02	975	<1	0.02	56	1370	52	<5	<20	21	0.28	<10	98	<10	16	316
34	L442+400N 344+700E	10	0.6	2.58	25	160	<5	1.32	<1	31	109	236	5.52	20	1.29	1121	<1	0.02	71	1080	52	<5	<20	38	0.15	<10	130	<10	26	216
35	L442+400N 344+750E	5	1.0	2.23	15	145	<5	2.11	<1	31	84	277	4.95	20	0.98	1444	<1	0.02	65	1520	46	<5	<20	27	0.18	<10	85	<10	38	209
36	L442+400N 344+800E	10	0.5	2.32	15	140	<5	1.09	<1	27	80	121	4.65	20	1.22	1119	<1	0.03	48	1670	16	<5	<20	41	0.14	<10	112	<10	17	90
37	L442+400N 344+850E	10	0.4	2.21	20	150	<5	1.36	<1	23	88	145	4.17	20	1.20	645	1	0.03	64	1280	16	5	<20	38	0.12	<10	102	<10	24	140
38	L442+400N 344+900E	5	0.7	2.32	15	140	<5	1.81	<1	24	66	160	3.95	20	0.94	1186	2	0.03	47	1380	18	<5	<20	47	0.12	<10	91	<10	21	141
39	L441+600N 344+650E	<5	0.8	2.66	15	185	<5	0.98	<1	27	82	154	4.98	30	1.09	654	<1	0.03	59	1000	18	5	<20	39	0.20	<10	114	<10	25	114
40	L441+600N 344+700E	5	0.4	2.93	15	140	<5	0.57	<1	27	72	66	5.77	20	0.93	440	3	0.03	46	880	22	<5	<20	27	0.33	<10	59	<10	16	90
41	L441+600N 344+750E	10	0.2	3.03	5	115	<5	0.55	<1	29	95	70	5.31	10	1.85	692	<1	0.02	81	970	20	10	<20	26	0.18	<10	116	<10	9	148
42	L441+600N 344+800E	<5	0.5	3.26	<5	125	10	0.34	<1	31	78	52	7.34	30	0.50	601	3	0.03	32	1170	22	<5	<20	21	0.56	<10	20	<10	29	154
43	L441+600N 344+850E	<5	0.4	2.64	10	115	10	0.25	<1	30	85	50	7.45	20	0.91	912	1	0.02	37	1550	22	5	<20	17	0.45	<10	102	<10	12	199
44	L441+600N 344+900E	15	1.6	2.92	40	195	<5	2.07	<1	29	83	1294	5.25	30	1.05	1162	3	0.04	67	1370	18	5	<20	59	0.21	<10	113	<10	55	169
45	L441+600N 344+950E	10	0.7	2.51	20	140	<5	1.43	<1	26	64	357	5.10	20	1.06	1015	<1	0.03	47	1090	18	5	<20	96	0.22	<10	98	<10	22	189
47	L441+600N 345+050E	5	0.4	2.37	20	185	<5	1.61	<1	26	71	144	4.98	20	1.02	770	4	0.04	51	1110	16	5	<20	33	0.23	<10	89	<10	23	125
48	L441+600N 345+100E	5	0.4	2.27	10	140	<5	1.25	<1	23	69	93	4.47	10	1.15	866	<1	0.03	40	720	16	<5	<20	28	0.15	<10	98	<10	14	119
50	L441+600N 345+200E	10	0.3	2.71	10	155	<5	1.25	<1	17	73	153	2.74	20	1.10	406	<1	0.03	45	1290	20	5	<20	30	0.14	<10	101	<10	27	126
51	L441+600N 345+250E	10	0.3	2.78	25	215	<5	1.35	<1	41	62	128	6.55	30	0.91	4075	5	0.05	39	1750	18	10	<20	86	0.26	<10	129	<10	31	120
52	L441+600N 345+300E	15	0.6	2.63	10	140	<5	1.70	<1	22	66	175	4.61	20	1.03	657	<1	0.03	48	1380	18	10	<20	40	0.18	<10	94	<10	27	108
53	L441+600N 345+350E	10	0.3	2.13	5	70	<5	1.05	<1	26	99	114	5.31	20	1.52	689	<1	0.03	50	1800	12	5	<20	16	0.15	<10	171	<10	23	62
54	L441+600N 345+400E	15	0.2	2.60	10	165	<5	1.14	<1	26	99	95	4.56	10	1.55	1163	<1	0.03	68	1290	16	5	<20	38	0.13	<10	116	<10	10	114
59	L441+600N 345+650E	15	0.2	2.08	10	145	<5	1.03	<1	19	79	93	3.48	10	1.35	459	<1	0.03	53	1280	12	10	<20	40	0.09	<10	111	<10	16	102
60	L441+600N 345+700E	15	0.5	3.16	25	215	<5	1.31	<1	33	68	199	6.17	40	0.83	970	2	0.06	58	1220	22	5	<20	50	0.34	<10	78	<10	63	103
61	L441+600N 345+750E	20	0.2	1.69	5	120	<5	0.78	<1	15	64	43	3.22	10	1.04	428	<1	0.02	36	710	12	10	<20	29	0.09	<10	98	<10	9	74
62	L441+600N 345+800E	15	0.2	2.87	15	165	<5	1.08	<1	29	79	144	5.73	20	1.17	962	<1	0.03	54	1010	18	5	<20	47	0.21	<10	126	<10	20	124
63	L441+600N 345+850E	15	<0.2	1.88	<5	105	<5	0.92	<1	22	77	34	3.83	<10	1.36	642	<1	0.03	41	390	12	5	<20	44	0.16	<10	104	<10	10	140
64	L441+600N 345+900E	30	<0.2	2.57	10	195	<5	1.53	<1	24	64	151	4.81	30	1.01	781	3	0.04	54	1230	19	10	<20	62	0.20	<10	86	<10	32	109
66	L441+600N 346+000E	15	<0.2	3.02	10	215	<5	0.90	<1	30	75	140	5.78	20	0.89	1372	<1	0.02	46	1260	22	5	<20	37	0.17	<10	121	<10	23	227
67	L441+600N 346+050E	15	<0.2	2.49	15	145	<5	0.34	<1	23	70	71	5.35	20	0.92	530	<1	0.02	38	880	18	<5	<20	20	0.19	<10	122	<10	8	134
68	L441+600N 346+100E	25	<0.2	2.71	20	210	<5	1.00	<1	31	85	155	5.39	20	1.42	1017	<1	0.04	58	1200	18	15	<20	34	0.18	<10	129	<10	25	100
69	L441+600N 346+150E	15	<0.2	2.10	20	105	<5	0.43	<1	24	84	42	5.26	10	1.20	396	<1	0.02	45	940	14	<5	<20	17	0.14	<10	156	<10	5	85
71	L441+600N 346+250E	10	0.9	2.70	5	200	<5	1.42	<1	27	68	126	5.59	30	0.80	1178	2	0.04	47	1300	18	<5	<20	55	0.30	<10	82	<10	28	169
72	L441+600N 346+300E	15	0.2	2.04	20	180	<5	1.18	<1	25	76	75	4.51	20	1.15	891	<1	0.04	45	1320	14	5	<20	57	0.12	<10	116	<10	18	75
73	L441+600N 346+350E	15	0.3	2.06	15	235	<5	1.74	<1	24	74	108	5.08	20	0.96	1813	<1	0.03	46	1330	20	5	<20	70	0.09	<10	92	<10	21	93
74	L441+600N 346+400E	10	<0.2	1.77	<5	155	5	0.95	<1	18	56	39	3.42	<10	1.10	450	<1	0.03	40	890	18	10	<20	28	0.14	<10	86	<10	13	73
75	L441+600N 346+450E	10	0.4	3.24	15	320	<5	1.56	<1	35	87	118	5.41	20	1.20	1562	<1	0.02	62	1310	28	<5	<20	62	0.06	<10	145	<10	32	103

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1257

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
77	L441+600N 346+550E	15	0.8	2.72	10	170	<5	0.73	<1	32	83	133	6.60	20	0.88	688	2	0.03	56	940	28	<5	<20	31	0.37	<10	95	<10	14	209
78	L441+600N 346+600E	25	0.7	2.58	15	185	5	0.56	<1	31	80	69	5.65	20	1.06	833	<1	0.02	49	1000	24	<5	<20	27	0.27	<10	111	<10	18	133
79	L442+000N 344+600E	20	0.5	2.54	10	170	<5	0.80	<1	32	80	75	6.17	20	0.97	716	2	0.03	56	1070	24	10	<20	26	0.35	<10	91	<10	16	100
80	L442+000N 344+650E	10	0.4	2.54	5	130	5	0.67	<1	30	85	75	4.98	20	1.24	857	<1	0.03	54	1040	22	10	<20	28	0.20	<10	100	<10	13	62
84	L442+000N 344+850E	20	0.2	2.23	15	90	<5	0.61	<1	22	62	78	3.89	10	0.95	616	<1	0.02	43	1240	22	5	<20	24	0.11	<10	109	<10	48	129
85	L442+000N 344+900E	50	0.4	3.26	15	240	<5	1.19	<1	28	133	426	4.10	20	1.80	409	<1	0.03	96	1180	32	10	<20	41	0.15	<10	169	<10	13	69
86	L442+000N 344+950E	10	0.2	2.94	20	210	<5	0.96	<1	32	85	116	6.07	20	1.30	647	1	0.02	54	1610	26	<5	<20	18	0.09	<10	172	<10	16	130
87	L442+000N 345+000E	20	0.3	2.17	20	245	<5	1.43	<1	26	79	86	5.32	20	1.09	3023	<1	0.03	49	1470	18	5	<20	39	0.09	<10	119	<10	12	90
88	L442+000N 345+050E	15	0.3	2.62	15	130	<5	0.44	<1	21	66	55	4.50	10	0.90	552	<1	0.02	36	930	20	5	<20	15	0.15	<10	106	<10	13	73
89	L442+000N 345+100E	30	0.2	1.82	<5	135	<5	1.18	<1	19	60	51	3.69	10	0.97	734	<1	0.02	37	1440	16	5	<20	29	0.11	<10	99	<10	12	66
92	L442+000N 345+250E	20	0.2	2.37	15	115	<5	0.62	<1	22	75	69	4.14	10	1.08	573	<1	0.02	46	1160	20	10	<20	21	0.12	<10	113	<10	7	56
93	L442+000N 345+300E	15	0.2	2.02	20	70	<5	0.58	<1	20	65	55	4.45	10	0.98	531	<1	0.02	38	1250	18	10	<20	19	0.08	<10	130	<10	12	63
95	L442+000N 345+400E	20	<0.2	1.52	<5	80	<5	0.89	<1	17	59	40	2.88	<10	0.98	472	<1	0.03	36	1270	12	<5	<20	24	0.12	<10	75	<10	24	113
97	L442+000N 345+500E	15	0.4	2.14	<5	175	<5	1.69	<1	18	67	75	3.20	10	0.96	962	<1	0.03	45	1460	18	<5	<20	44	0.11	<10	67	<10	26	88
98	L442+000N 345+550E	20	0.5	2.01	10	185	<5	1.66	<1	24	56	107	3.94	20	0.79	897	<1	0.04	41	1280	18	10	<20	42	0.15	<10	89	<10	31	178
99	L442+000N 345+600E	60	0.5	2.09	10	180	<5	2.21	<1	23	63	145	3.86	20	0.90	572	<1	0.03	55	1330	18	5	<20	57	0.09	<10	71	<10	24	104
100	L442+000N 345+650E	10	0.4	1.79	<5	140	<5	1.59	<1	19	57	113	2.66	10	0.91	437	<1	0.03	41	1140	14	5	<20	39	0.12	<10	69	<10	11	128
101	L442+000N 345+700E	15	0.2	1.78	5	80	<5	0.71	<1	23	68	35	4.88	10	0.80	295	3	0.02	40	370	18	5	<20	21	0.28	<10	101	<10	27	111
102	L442+000N 345+750E	10	0.6	2.85	10	230	<5	1.58	<1	25	73	119	4.95	20	0.99	757	<1	0.02	54	980	24	<5	<20	54	0.15	<10	109	<10	25	123
103	L442+000N 345+800E	10	0.8	2.08	15	200	<5	2.63	<1	20	61	102	3.56	20	0.79	1002	2	0.03	41	1560	20	<5	<20	67	0.08	<10	85	<10	11	121
105	L442+000N 345+900E	15	0.4	2.23	10	145	<5	1.14	<1	25	76	53	4.73	10	1.19	673	<1	0.03	47	520	18	5	<20	32	0.16	<10	113	<10	10	124
106	L442+000N 345+950E	30	0.2	2.06	10	105	5	0.72	<1	24	72	51	4.03	<10	1.20	662	2	0.03	40	350	26	5	<20	28	0.19	<10	116	<10	8	74
107	L442+000N 346+000E	15	0.3	2.83	20	135	<5	0.58	<1	23	79	80	4.54	10	1.36	543	<1	0.03	55	530	32	5	<20	33	0.14	<10	127	<10	36	139
108	L442+000N 346+050E	15	1.2	3.69	40	225	<5	0.93	<1	29	92	293	6.02	30	1.15	954	2	0.03	66	1580	42	10	<20	49	0.19	<10	125	<10	18	153
109	L442+000N 346+100E	10	0.6	3.26	25	220	10	0.86	<1	33	90	107	6.31	20	1.25	867	2	0.03	65	1060	42	10	<20	45	0.30	<10	112	<10	6	104
110	L442+000N 346+150E	10	0.4	2.77	20	90	<5	0.58	<1	24	86	79	4.92	10	1.44	702	<1	0.02	53	850	30	<5	<20	23	0.12	<10	145	<10	26	83
111	L442+000N 346+200E	5	0.6	2.22	45	185	<5	2.00	<1	32	83	181	5.64	20	1.08	1711	6	0.03	65	1440	24	<5	<20	85	0.13	<10	126	<10	25	94
112	L442+000N 346+250E	15	0.5	2.65	15	180	<5	1.70	<1	25	89	124	4.35	20	1.36	1225	1	0.03	59	960	30	<5	<20	77	0.10	<10	117	<10	9	144
113	L442+000N 346+300E	10	0.4	2.69	15	135	<5	0.64	<1	25	91	72	4.88	10	1.49	722	<1	0.03	53	770	32	<5	<20	36	0.16	<10	128	<10	27	128
114	L442+000N 346+350E	10	0.6	3.21	20	165	<5	0.58	<1	36	83	125	5.67	30	1.09	956	<1	0.03	53	1390	38	10	<20	33	0.27	<10	91	<10	18	154
115	L442+000N 346+400E	10	0.6	2.99	20	150	<5	0.62	<1	31	93	103	6.18	20	1.21	622	3	0.03	62	1030	34	10	<20	30	0.33	<10	103	<10	22	214
116	L442+000N 346+450E	10	0.5	3.15	20	150	5	0.52	<1	32	90	99	5.98	20	1.12	668	3	0.03	62	1040	42	5	<20	28	0.34	<10	84	<10	9	112
117	L442+000N 346+500E	10	0.3	2.63	<5	250	<5	1.67	<1	24	59	76	3.96	10	1.42	775	<1	0.04	31	920	30	<5	<20	425	0.11	<10	118	<10	13	160
118	L442+000N 346+550E	10	0.8	3.33	20	195	<5	0.92	<1	31	82	169	5.53	20	1.56	1182	<1	0.03	54	1380	38	10	<20	57	0.14	<10	149	<10	19	130
119	L442+000N 346+600E	10	0.7	2.43	10	185	<5	1.47	<1	22	64	201	4.29	20	1.25	842	<1	0.03	48	1090	30	<5	<20	75	0.11	<10	120	<10		

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1257

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
122	L441+200N 344+750E	10	1.7	2.76	30	180	<5	1.49	<1	29	78	250	5.29	20	1.06	1456	<1	0.03	71	1050	40	10	<20	36	0.17	<10	112	<10	24	265
124	L441+200N 344+850E	20	0.4	3.39	25	120	<5	0.38	<1	26	105	85	6.11	10	1.68	556	<1	0.02	66	1460	40	<5	<20	23	0.13	<10	163	<10	4	136
125	L441+200N 344+900E	15	0.4	3.23	15	145	5	0.42	<1	32	111	61	5.86	10	2.02	726	<1	0.02	86	1360	42	<5	<20	24	0.21	<10	137	<10	4	169
126	L441+200N 344+950E	15	0.3	3.48	25	150	5	0.28	<1	31	98	65	6.71	20	1.60	839	<1	0.02	67	1730	46	<5	<20	19	0.23	<10	138	<10	5	176
127	L441+200N 345+000E	20	0.5	3.16	20	150	5	0.38	<1	26	85	63	6.15	10	1.47	545	<1	0.02	54	1310	40	10	<20	22	0.18	<10	145	<10	5	186
128	L441+200N 345+050E	25	1.0	3.33	20	155	<5	0.70	<1	32	78	201	6.16	20	1.15	832	2	0.03	64	1210	42	<5	<20	26	0.32	<10	88	<10	21	166
129	L441+200N 345+100E	30	0.8	3.09	30	235	<5	1.41	<1	29	90	167	4.83	20	1.52	1497	<1	0.03	67	1400	36	<5	<20	45	0.11	<10	129	<10	22	186
131	L441+200N 345+200E	25	0.3	2.32	20	165	<5	1.31	<1	27	75	94	4.34	10	1.27	1420	<1	0.03	47	1420	26	5	<20	42	0.11	<10	124	<10	15	102
132	L441+200N 345+250E	20	0.4	2.18	15	155	<5	1.59	<1	23	64	90	4.07	20	1.04	1188	<1	0.03	43	1400	22	<5	<20	39	0.11	<10	103	<10	17	108
133	L441+200N 345+300E	45	0.7	2.69	15	210	<5	0.86	<1	20	72	131	4.69	20	0.98	563	<1	0.02	43	940	34	10	<20	40	0.10	<10	130	<10	14	90
134	L441+200N 345+350E	20	0.5	2.80	15	210	<5	0.98	<1	25	70	110	4.84	20	1.10	827	<1	0.03	47	1160	32	<5	<20	36	0.16	<10	112	<10	27	94
135	L441+200N 345+400E	25	0.4	2.53	30	165	<5	1.01	<1	21	73	137	4.55	20	1.36	675	<1	0.04	48	1390	34	5	<20	48	0.10	<10	131	<10	16	130
136	L441+200N 345+450E	15	0.7	3.25	45	215	<5	1.51	<1	35	87	230	5.38	20	1.62	2027	<1	0.04	63	1650	40	5	<20	58	0.08	<10	151	<10	23	162
137	L441+200N 345+500E	20	0.4	2.14	20	105	<5	0.92	<1	26	64	103	4.05	10	1.36	709	<1	0.04	44	1190	30	<5	<20	50	0.10	<10	111	<10	13	89
138	L441+200N 345+550E	25	0.2	1.79	30	90	<5	0.57	<1	19	62	77	3.74	10	0.99	687	<1	0.02	37	1040	22	5	<20	29	0.06	<10	115	<10	8	47
139	L441+200N 345+600E	20	0.7	3.36	40	295	<5	0.94	<1	23	74	411	3.69	40	1.06	319	6	0.04	58	1140	42	10	<20	51	0.24	<10	120	<10	79	79
140	L441+200N 345+650E	25	0.3	2.52	20	120	<5	0.64	<1	28	80	84	4.68	10	1.35	905	<1	0.02	53	660	28	5	<20	35	0.10	<10	131	<10	6	85
141	L441+200N 345+700E	10	0.4	2.73	15	215	<5	1.31	<1	25	66	132	4.95	30	1.00	767	<1	0.04	55	1070	32	<5	<20	63	0.25	<10	78	<10	31	124
142	L441+200N 345+750E	15	0.3	2.60	5	175	5	1.08	<1	28	61	55	4.79	20	1.40	935	<1	0.03	38	1040	30	<5	<20	53	0.17	<10	105	<10	11	107
143	L441+200N 345+800E	15	0.2	2.84	15	110	5	0.54	<1	23	74	74	4.68	10	1.25	412	<1	0.02	50	590	30	<5	<20	32	0.10	<10	139	<10	6	75
144	L441+200N 345+850E	20	0.6	2.75	10	150	5	0.56	<1	29	65	115	5.86	30	0.80	559	1	0.04	40	1360	34	5	<20	29	0.41	<10	52	<10	30	137
145	L441+200N 345+900E	25	0.7	3.34	15	145	<5	0.49	<1	29	72	142	5.80	30	0.86	571	<1	0.04	44	1300	40	<5	<20	30	0.34	<10	78	<10	48	121
146	L441+200N 345+950E	20	0.3	3.27	15	120	5	0.39	<1	27	90	89	5.62	10	1.46	527	<1	0.02	55	1410	34	<5	<20	20	0.19	<10	138	<10	8	105
147	L441+200N 346+000E	15	0.8	3.23	15	145	10	0.29	<1	30	74	57	6.38	20	0.81	519	2	0.03	38	1810	40	10	<20	15	0.41	<10	75	<10	20	212
148	L441+200N 346+050E	20	0.2	3.36	20	150	<5	0.49	<1	26	80	88	4.95	10	1.45	611	<1	0.02	53	1070	36	5	<20	33	0.13	<10	136	<10	9	79
149	L441+200N 346+100E	10	0.7	2.63	15	135	<5	0.34	<1	20	71	70	5.02	10	0.96	391	<1	0.02	37	1240	34	<5	<20	19	0.21	<10	126	<10	10	92
150	L441+200N 346+150E	5	0.2	3.81	10	150	<5	0.56	<1	40	99	85	5.58	20	2.70	641	<1	0.03	122	720	42	10	<20	13	0.24	<10	99	<10	11	91
151	L441+200N 346+200E	5	0.3	1.94	15	115	<5	0.63	<1	21	74	59	5.20	10	1.00	541	2	0.02	40	820	24	10	<20	23	0.19	<10	127	<10	8	155
153	L441+200N 346+300E	5	0.5	3.14	10	165	<5	0.44	<1	27	80	57	5.43	10	1.28	588	<1	0.02	48	680	42	5	<20	23	0.16	<10	134	<10	9	112
154	L441+200N 346+350E	5	<0.2	2.52	5	110	10	0.94	<1	29	85	45	4.69	10	1.94	725	<1	0.05	74	360	32	<5	<20	29	0.20	<10	110	<10	10	109
157	L441+200N 346+500E	5	0.3	3.40	<5	185	5	0.38	<1	37	107	48	6.16	20	2.02	786	<1	0.02	110	2200	42	10	<20	15	0.36	<10	73	<10	13	158
158	L441+200N 346+550E	10	0.2	3.16	10	230	<5	0.70	<1	35	90	70	5.51	20	1.72	1530	<1	0.03	63	2190	36	5	<20	36	0.16	<10	126	<10	10	195
159	L441+200N 346+600E	10	0.5	3.46	15	200	<5	0.68	<1	30	83	214	5.58	40	1.28	712	<1	0.04	68	740	40	<5	<20	51	0.23	<10	112	<10	46	106
160	L441+200N 346+650E	10	0.2	3.80	25	150	<5	0.37	<1	29	82	111	5.65	10	1.46	682	<1	0.02	55	870	42	5	<20	27	0.15	<10	145	<10	5	123
161	L440+800N 345+150E	15	0.6	2.97	20	105	<5	0.39	<1	26	75	93	5.73	20	1.05	553	<1	0.02	43	1110	60	5	<20	29	0.23	<10	123	<10	8	232
162	L440+800N 345+200E	5	0.8	2.74	20	125	<5	0.58	<1	29	75	101	5.51	20	1.00	631	2	0.04	50	1310	44	15	<20	29	0.38	<10	60	<10	26	234
163	L440+800N 345+250E	5	0.8	3.47	25	240	<5	1.18	<1	31	109	215	5.34	20	1.68	852	1	0.04	81	840	42	<5	<20	44	0.16	<10	134	<10	19	129
164	L440+800N 345+300E	5	0.6	2.70	15	195	<5	1.44	<1	31	70	110	5.57	30	1.15	858	4	0.07	58	1130	32	10	<20	38	0.36	<10	47	<10	28	129
165	L440+800N 345+350E	5	0.8	2.80	50	205	<5	1.34	2	27	77	192	4.83	20	1.13	967	<1	0.04	65	1260	36	5	<20	46	0.20	<10	95	<10	28	247

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1257

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	L440+800N 345+400E	5	1.0	2.52	35	155	<5	1.54	<1	24	76	295	4.34	20	1.23	850	<1	0.04	61	1330	32	5	<20	44	0.16	<10	111	<10	32	158
167	L440+800N 345+450E	10	0.4	2.09	15	85	<5	1.22	<1	21	41	162	3.24	20	1.03	255	3	0.06	34	2310	24	5	<20	32	0.21	<10	102	<10	26	102
168	L440+800N 345+500E	5	0.5	2.93	25	165	<5	0.90	<1	26	67	183	3.29	20	0.85	779	4	0.05	52	800	42	<5	<20	28	0.33	<10	67	<10	27	166
169	L440+800N 345+550E	5	0.2	2.40	35	180	<5	0.85	<1	34	80	122	5.25	20	1.33	769	2	0.05	50	1190	28	10	<20	34	0.16	<10	125	<10	16	77
173	L440+800N 345+750E	20	<0.2	2.71	15	115	<5	0.97	<1	26	77	118	4.97	20	1.41	765	<1	0.03	51	1330	30	<5	<20	55	0.10	<10	154	<10	13	90
174	L440+800N 345+800E	5	0.5	3.00	15	175	<5	0.55	<1	26	101	87	4.92	20	1.38	1053	<1	0.02	57	1350	30	10	<20	33	0.08	<10	126	<10	7	171
175	L440+800N 345+850E	5	0.2	2.53	5	190	5	1.25	<1	25	52	65	5.20	20	1.62	550	<1	0.02	37	1980	24	10	<20	39	0.23	<10	146	<10	18	50
176	L440+800N 345+900E	<5	<0.2	1.34	5	125	<5	0.85	<1	13	24	36	3.84	50	0.47	346	4	0.02	10	1270	16	<5	<20	31	0.12	<10	67	<10	30	42
177	L440+800N 345+950E	5	0.2	2.85	20	135	<5	0.49	<1	27	91	61	5.01	10	1.35	532	<1	0.02	61	810	30	<5	<20	32	0.14	<10	119	<10	8	82
178	L440+800N 346+000E	5	0.2	2.81	20	115	<5	0.63	<1	22	82	89	4.34	10	1.45	548	<1	0.02	58	780	30	5	<20	32	0.09	<10	119	<10	6	70
179	L440+800N 346+050E	5	0.3	2.29	10	200	<5	0.54	<1	32	66	56	4.89	20	0.85	1277	<1	0.02	36	880	28	<5	<20	39	0.20	<10	109	<10	12	127
180	L440+800N 346+100E	10	0.6	2.54	15	130	<5	0.46	<1	22	68	56	4.93	20	1.00	404	<1	0.02	37	460	32	10	<20	25	0.21	<10	110	<10	10	109
181	L440+800N 346+150E	5	0.3	2.43	15	175	5	0.41	<1	32	75	65	5.66	20	0.98	869	2	0.03	44	1190	32	<5	<20	24	0.43	<10	83	<10	18	181
182	L440+800N 346+200E	85	0.3	2.63	10	160	<5	0.50	<1	24	74	43	4.74	10	1.35	512	<1	0.02	51	580	28	<5	<20	29	0.13	<10	136	<10	5	114
183	L440+800N 346+250E	15	<0.2	2.45	15	170	<5	0.41	<1	27	77	72	4.64	10	1.23	711	<1	0.03	47	850	28	5	<20	20	0.13	<10	131	<10	7	111
184	L440+800N 346+300E	5	0.2	3.53	<5	145	<5	1.70	<1	49	120	158	6.86	20	3.84	1393	<1	0.03	169	1060	34	<5	<20	35	0.17	<10	131	<10	20	145
185	L440+800N 346+350E	5	<0.2	2.76	20	95	<5	0.62	<1	26	71	67	4.76	10	1.30	524	<1	0.03	48	670	28	<5	<20	27	0.18	<10	104	<10	9	76
186	L440+800N 346+400E	10	<0.2	2.80	15	170	5	0.50	<1	30	89	53	5.16	10	1.86	548	<1	0.02	74	840	32	5	<20	22	0.22	<10	98	<10	8	95
187	L440+800N 346+450E	5	<0.2	3.05	10	185	<5	0.52	<1	32	125	66	5.57	10	2.26	512	<1	0.02	93	590	34	5	<20	35	0.22	<10	121	<10	6	98
188	L440+800N 346+500E	5	<0.2	2.68	<5	125	<5	0.56	<1	52	154	47	5.12	10	3.13	1284	<1	0.02	134	760	28	<5	<20	18	0.28	<10	81	<10	6	120
189	L440+800N 346+550E	5	<0.2	2.82	20	315	<5	1.55	<1	39	99	214	4.80	20	1.65	3667	2	0.04	94	1480	30	<5	<20	53	0.12	<10	120	<10	27	118
190	L440+800N 346+600E	5	0.2	2.38	20	125	<5	1.28	<1	29	80	115	4.61	20	1.73	1183	<1	0.04	65	1410	24	5	<20	27	0.13	<10	139	<10	16	85
192	L440+800N 346+700E	5	<0.2	3.53	5	80	5	0.53	<1	38	120	56	5.18	10	3.42	467	<1	0.06	167	330	36	5	<20	12	0.24	<10	85	<10	5	82
193	L440+800N 346+750E	10	0.2	2.92	10	225	<5	0.41	<1	33	93	60	5.05	10	1.55	564	<1	0.02	70	750	44	<5	<20	19	0.22	<10	109	<10	6	179
194	L440+600N 345+100E	10	<0.2	2.64	10	110	<5	0.94	<1	29	91	79	4.67	20	1.49	804	<1	0.03	61	830	34	<5	<20	28	0.18	<10	121	<10	13	116
195	L440+600N 345+150E	5	<0.2	2.53	20	115	<5	1.46	<1	26	62	228	4.25	20	1.00	1220	<1	0.02	49	1240	34	5	<20	29	0.12	<10	112	<10	20	125
196	L440+600N 345+200E	10	<0.2	2.69	15	160	<5	0.89	<1	28	73	123	4.79	20	1.17	690	1	0.03	54	1010	34	5	<20	32	0.22	<10	95	<10	19	100
197	L440+600N 345+250E	20	0.2	2.80	15	150	<5	1.19	<1	34	68	208	5.65	30	0.78	1270	5	0.04	48	1170	34	10	<20	31	0.34	<10	65	<10	28	176
198	L440+600N 345+300E	5	0.3	2.21	15	155	<5	1.28	<1	25	84	101	4.22	20	1.25	940	<1	0.03	56	1350	32	5	<20	39	0.18	<10	82	<10	16	135
199	L440+600N 345+350E	10	0.2	2.96	40	135	<5	1.60	<1	26	73	640	4.71	50	0.89	1097	2	0.04	85	1660	40	<5	<20	39	0.20	<10	98	<10	86	122
202	L440+600N 345+500E	5	0.2	3.04	15	120	<5	0.44	<1	29	79	128	4.43	10	1.25	852	<1	0.02	50	1110	38	<5	<20	38	0.10	<10	129	<10	12	76
203	L440+600N 345+550E	15	0.3	2.69	20	95	<5	0.95	<1	23	65	155	4.98	20	1.34	497	<1	0.03	43	1120	26	<5	<20	60	0.08	<10	182	<10	11	69
204	L440+600N 345+600E	10	0.2	2.75	15	100	<5	0.76	<1	34	70	137	6.28	20	1.39	799	<1	0.03	44	1070	30	<5	<20	56	0.10	<10	263	<10	8	74
205	L440+600N 345+650E	5	<0.2	4.69	10	165	10	0.28	<1	34	65	99	6.28	30	0.78	579	5	0.03	46	1220	58	<5	<20	10	0.47	<10	27	<10	31	98
206	L440+600N 345+700E	5	<0.2	1.79	10	160	<5	0.96	<1	19	59	43	3.47	<10	1.12	1060	<1	0.02	33	810	18	<5	<20	33	0.11	<10	92	<10	3	77
208	L440+600N 345+800E	15	<0.2	2.81	15	165	<5	0.89	<1	26	79	125	4.77	10	1.47	854	<1	0.03	52	1350	32	5	<20	56	0.10	<10	143	<10	12	82
209	L440+600N 345+850E	10	0.2	4.07	15	160	10	0.30	<1	31	70	54	5.88	30	0.75	677	3	0.03	47	1160	48	5	<20	18	0.36	<10	50	<10	28	90
210	L440+600N 345+900E	5	1.1	2.06	5	530	<5	1.57	1	80	61	83	5.89	30	0.67	>10000	<1	0.03	35	2360	24	5	<20	77	0.14	<10	139	<10	31	97

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1257

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
211	L440+600N 345+950E	5	0.6	3.98	10	210	5	0.38	<1	30	81	112	6.02	30	1.09	821	<1	0.02	56	900	48	<5	<20	25	0.29	<10	89	<10	30	110
212	L440+600N 346+000E	5	0.3	3.99	<5	230	10	0.38	<1	26	70	88	6.14	40	0.73	401	<1	0.03	46	1080	50	<5	<20	22	0.42	<10	34	<10	42	102
213	L440+600N 346+050E	5	<0.2	2.84	<5	245	10	0.37	<1	29	85	66	5.87	20	1.22	897	<1	0.03	45	1610	34	5	<20	27	0.24	<10	112	<10	12	174
214	L440+600N 346+100E	5	0.3	2.99	15	215	<5	0.73	<1	27	77	79	5.59	20	1.20	586	<1	0.02	53	600	38	5	<20	38	0.26	<10	101	<10	16	94
215	L440+600N 346+150E	5	<0.2	2.55	25	380	<5	1.29	1	28	78	80	4.53	20	1.40	7440	4	0.03	63	810	28	10	<20	59	0.10	<10	108	<10	16	153
217	L440+600N 346+250E	5	<0.2	2.06	30	295	<5	1.67	<1	24	65	102	4.10	20	1.24	2987	8	0.04	54	1380	26	<5	<20	84	0.11	<10	94	10	23	91
218	L440+600N 346+300E	5	<0.2	2.10	30	355	<5	1.47	<1	26	74	92	4.80	20	1.35	3243	20	0.05	57	1540	24	<5	<20	86	0.15	<10	101	<10	25	88
219	L440+600N 346+350E	10	<0.2	2.48	15	185	<5	1.04	<1	29	76	87	4.76	20	1.32	1169	2	0.04	51	1000	28	10	<20	62	0.18	<10	108	<10	21	84
220	L440+600N 346+400E	5	0.4	3.13	15	235	<5	1.12	<1	28	85	103	5.15	30	1.30	574	2	0.04	64	1040	36	5	<20	45	0.26	<10	86	<10	28	136
221	L440+600N 346+450E	5	<0.2	2.70	15	135	<5	0.78	<1	26	71	51	5.04	10	1.40	836	<1	0.02	43	360	30	5	<20	23	0.14	<10	140	<10	6	90
222	L440+600N 346+500E	<5	0.7	3.16	10	145	<5	0.53	<1	30	93	60	5.34	20	1.74	464	<1	0.03	77	840	34	<5	<20	33	0.21	<10	111	<10	8	116
223	L440+600N 346+550E	<5	0.5	3.46	15	135	<5	0.44	<1	34	89	159	5.39	30	1.54	485	2	0.03	87	860	40	10	<20	24	0.31	<10	98	<10	33	120
225	L440+200N 345+100E	<5	0.2	2.65	15	150	<5	0.96	<1	29	81	182	4.48	20	1.48	1127	<1	0.04	60	1230	30	10	<20	49	0.10	<10	138	<10	29	104
226	L440+200N 345+150E	5	<0.2	2.41	10	160	<5	0.81	<1	28	79	78	3.91	10	1.72	693	<1	0.05	74	910	26	<5	<20	44	0.11	<10	104	<10	11	75
227	L440+200N 345+200E	5	<0.2	3.16	20	125	<5	0.40	<1	25	87	78	5.08	10	1.58	480	<1	0.03	59	710	34	<5	<20	23	0.11	<10	145	<10	5	94
228	L440+200N 345+250E	<5	0.3	2.25	10	90	5	0.32	<1	24	76	45	5.59	20	1.22	580	<1	0.02	41	1410	26	<5	<20	21	0.25	<10	109	<10	7	98
229	L440+200N 345+300E	5	0.5	2.11	15	125	10	0.31	<1	24	72	56	5.80	20	1.07	790	<1	0.02	34	1230	30	<5	<20	25	0.28	<10	117	<10	12	116
230	L440+200N 345+350E	5	0.4	2.63	15	145	5	0.50	<1	33	78	56	6.25	20	1.12	1568	2	0.02	41	1500	34	10	<20	28	0.40	<10	62	<10	16	207
231	L440+200N 345+400E	5	0.3	2.29	55	130	<5	0.91	<1	25	71	79	4.37	20	1.19	947	<1	0.03	46	1030	32	10	<20	42	0.18	<10	92	<10	13	134
232	L440+200N 345+450E	10	<0.2	2.49	15	75	<5	0.66	<1	31	70	110	6.05	20	1.39	696	<1	0.02	43	1190	24	10	<20	48	0.09	<10	259	<10	5	74
233	L440+200N 345+500E	5	<0.2	2.17	10	55	<5	0.63	<1	34	60	93	7.19	20	1.32	686	<1	0.02	33	1140	18	<5	<20	41	0.08	<10	358	<10	1	80
234	L440+200N 345+550E	15	<0.2	2.24	30	85	<5	0.85	<1	30	74	119	6.52	20	1.46	686	<1	0.03	46	1320	22	<5	<20	54	0.10	<10	283	<10	9	75
235	L440+200N 345+600E	25	<0.2	2.70	75	125	<5	0.94	<1	26	76	115	5.20	20	1.46	641	<1	0.03	50	1310	30	5	<20	65	0.08	<10	182	<10	6	97
236	L440+200N 345+650E	5	<0.2	3.89	15	140	10	0.34	<1	25	74	58	4.62	20	1.32	691	<1	0.02	59	1230	44	10	<20	19	0.13	<10	92	<10	17	132
237	L440+200N 345+700E	5	0.3	4.19	15	170	10	0.31	<1	35	79	68	6.21	30	1.12	676	2	0.03	56	2310	48	10	<20	17	0.42	<10	51	<10	29	127
238	L440+200N 345+750E	5	0.6	3.87	15	100	10	0.25	<1	30	70	56	6.41	30	0.77	699	2	0.02	33	1800	46	<5	<20	10	0.39	<10	69	<10	31	122
239	L440+200N 345+800E	5	<0.2	3.60	25	165	<5	0.57	<1	27	85	83	5.37	20	1.66	549	<1	0.02	59	790	36	5	<20	40	0.10	<10	143	<10	4	85
240	L440+200N 345+850E	5	0.6	3.13	20	205	<5	1.32	<1	26	59	235	5.11	40	0.74	797	<1	0.05	47	1310	36	10	<20	47	0.30	<10	59	<10	43	138
241	L440+200N 345+900E	5	0.3	2.99	15	140	10	0.39	<1	30	77	73	5.70	20	1.10	603	<1	0.03	48	1400	38	<5	<20	24	0.31	<10	85	<10	14	117
242	L440+200N 345+950E	5	0.4	2.62	25	145	<5	1.37	<1	32	79	192	5.69	40	1.12	758	<1	0.07	57	1320	30	<5	<20	42	0.38	<10	65	<10	48	84
243	L440+200N 346+000E	5	0.3	2.27	15	105	<5	1.05	<1	24	59	102	4.17	20	1.06	740	2	0.04	42	1290	26	5	<20	28	0.21	<10	68	<10	25	86
246	L440+200N 346+150E	<5	0.2	2.65	15	135	<5	0.98	<1	26	63	55	4.94	10	1.23	652	<1	0.04	44	910	24	<5	<20	32	0.23	<10	102	<10	12	78
247	L440+200N 346+200E	10	0.3	3.23	10	140	<5	0.37	<1	30	68	69	6.33	20	0.77	433	4	0.03	44	1340	32	10	<20	17	0.46	<10	58	<10	20	124
250	L439+800N 345+200E	<5	0.4	2.84	10	135	<5	0.32	<1	28	86	50	6.03	10	1.42	593	<1	0.03	56	1110	26	5	<20	41	0.31	<10	105	<10	8	189
251	L439+800N 345+250E	<5	0.3	2.67	5	145	<5	0.37	<1	27	81	60	5.36	10	1.46	439	<1	0.03	58	710	26	5	<20	36	0.27	<10	99	<10	8	123
252	L439+800N 345+300E	<5	0.3	2.87	15	100	5	0.40	<1	33	68	72	6.19	20	1.08	657	1	0.02	48	1360	30	<5	<20	26	0.31	<10	110	<10	13	183
253	L439+800N 345+350E	5	0.4	3.02	15	165	5	0.49	<1	29	73	82	6.56	20	1.14	2009	<1	0.02	41	3080	28	10	<20	31	0.33	<10	124	<10	12	226
254	L439+800N 345+400E	15	<0.2	2.57	45	175	<5	0.96	<1	21	79	98	4.74	10	1.46	659	2	0.03	48	1510	22	5	<20	63	0.07	<10	127	<10	8	90
255	L439+800N 345+450E	<5	0.2	3.38	15	215	<5	0.42	<1	24	67	62	4.45	10	1.27	736	<1	0.02	48	750	32	5	<20	36	0.11	<10	114	<10	8	79

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1257

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
256	L439+800N 345+500E	<5	0.4	3.07	<5	110	<5	0.31	<1	21	68	92	4.54	20	0.82	382	3	0.02	34	780	38	10	<20	31	0.29	<10	79	<10	29	104
260	L439+800N 345+700E	<5	0.4	3.73	10	170	<5	0.27	<1	24	65	61	5.63	30	0.69	369	3	0.02	36	1070	40	<5	<20	16	0.35	<10	56	<10	22	182
261	L439+800N 345+750E	<5	<0.2	3.06	30	205	<5	0.40	<1	24	71	56	5.40	10	1.36	524	7	0.02	48	1070	32	5	<20	24	0.19	<10	118	<10	7	183
262	L439+800N 345+800E	<5	0.4	2.54	20	175	10	0.37	<1	25	67	41	6.19	10	0.96	754	<1	0.02	36	1580	32	<5	<20	20	0.25	<10	122	<10	7	188
263	L439+800N 345+850E	<5	<0.2	3.07	25	155	<5	0.44	<1	24	69	64	5.33	10	1.39	505	<1	0.02	45	1750	28	5	<20	24	0.18	<10	120	<10	8	145
264	L439+800N 345+900E	<5	0.4	3.07	20	190	<5	0.87	<1	24	66	99	4.74	20	1.21	729	<1	0.03	51	840	28	<5	<20	44	0.14	<10	111	<10	17	92
265	L439+800N 345+950E	<5	0.3	2.80	10	135	<5	1.38	<1	29	64	111	5.48	30	0.85	620	4	0.06	46	1020	30	5	<20	28	0.44	<10	33	<10	41	102
266	L439+800N 346+000E	<5	0.6	2.78	15	150	<5	1.37	<1	27	59	105	5.63	30	0.71	716	4	0.03	37	910	30	5	<20	37	0.41	<10	46	<10	23	124
267	L439+800N 346+050E	<5	0.3	2.50	10	135	5	0.68	<1	28	71	56	5.23	20	1.18	866	2	0.02	43	850	26	5	<20	27	0.31	<10	88	<10	13	144
268	L439+800N 346+100E	<5	<0.2	2.83	5	100	<5	0.39	<1	29	65	47	5.07	20	0.90	797	2	0.03	40	1330	28	10	<20	20	0.34	<10	57	<10	18	124
269	L439+800N 346+150E	5	0.2	3.58	10	100	5	0.27	<1	34	72	51	5.71	20	1.08	542	3	0.03	46	1950	32	10	<20	13	0.43	<10	53	<10	17	129
270	L439+800N 346+200E	5	0.3	3.83	10	110	5	0.23	<1	34	79	64	5.67	20	1.00	549	2	0.03	51	1740	38	<5	<20	16	0.45	<10	57	<10	25	101
271	L439+800N 346+250E	5	0.4	3.29	10	170	5	0.29	<1	35	71	57	5.74	20	0.86	768	3	0.02	39	1550	34	10	<20	25	0.38	<10	68	<10	19	158
272	L439+800N 346+300E	<5	0.3	2.08	10	120	5	0.44	<1	20	53	37	4.49	10	0.91	866	<1	0.02	29	970	22	5	<20	23	0.23	<10	86	<10	10	83
273	L439+800N 346+350E	<5	0.2	2.30	20	105	<5	0.46	<1	21	68	85	4.31	<10	1.22	420	<1	0.02	41	820	20	5	<20	23	0.13	<10	113	<10	6	67
274	GBR - 7 - S1	<5	<0.2	3.46	55	25	<5	0.99	<1	117	37	46	>10	20	1.33	1020	<1	0.02	12	2800	30	<5	<20	102	0.06	<10	145	<10	<1	87
275	GBR - 7 - S2	<5	0.2	3.09	25	25	<5	1.00	<1	101	23	28	5.89	<10	1.21	1103	<1	0.02	13	2030	28	5	<20	124	0.05	<10	94	<10	<1	112
276	GBR - 7 - S3	<5	0.2	2.99	10	20	<5	2.12	<1	36	18	82	3.92	10	1.19	1247	<1	0.02	15	1560	24	<5	<20	133	0.05	<10	126	<10	6	141
277	GBR - 7 - S4	45	<0.2	3.63	<5	65	<5	0.48	<1	65	44	129	>10	20	1.05	448	<1	0.04	11	3160	20	<5	<20	69	0.07	<10	138	<10	<1	28
278	GBR - 7 - S5	75	<0.2	2.31	5	20	<5	0.39	<1	139	24	6	6.06	<10	0.83	1011	<1	<0.01	10	1260	18	10	<20	90	0.08	<10	130	<10	<1	35
279	GBR - 7 - S6	25	<0.2	3.30	<5	35	5	0.90	<1	79	33	14	7.53	10	1.46	536	<1	0.06	17	3570	24	5	<20	180	0.10	<10	181	<10	<1	49
280	GBR - 7 - S7	30	<0.2	3.23	<5	50	<5	1.11	<1	76	42	36	7.40	10	1.44	482	<1	0.06	22	4410	24	5	<20	297	0.13	<10	195	<10	3	36
281	GBR - 7 - S8	105	<0.2	2.24	<5	75	<5	0.63	<1	30	59	179	>10	30	1.45	181	<1	0.05	14	5810	12	<5	<20	227	0.08	<10	287	<10	<1	28
282	GBR - 7 - S9	75	<0.2	2.76	<5	45	<5	0.57	<1	94	40	61	>10	20	1.59	650	<1	<0.01	12	2800	22	<5	<20	122	0.17	<10	189	<10	<1	32
283	GBR - 7 - S10	45	0.2	2.81	<5	35	<5	0.76	<1	113	40	88	8.57	20	1.68	886	<1	0.01	14	2750	26	5	<20	124	0.14	<10	237	<10	1	104
284	GBR - 7 - S11	55	0.8	3.40	20	30	<5	0.86	<1	183	43	58	9.63	20	1.81	1091	<1	0.02	27	4690	46	<5	<20	137	0.16	<10	222	<10	<1	284
285	GBR - 7 - S12	35	0.2	1.40	<5	20	<5	0.59	<1	40	59	35	9.62	20	1.31	316	<1	0.03	17	4810	6	5	<20	73	0.09	<10	281	<10	<1	50
286	GBR - 7 - S13	25	0.2	1.56	5	45	5	0.67	<1	194	81	59	>10	40	1.30	1208	<1	0.03	25	0000	6	<5	<20	103	0.08	<10	245	<10	<1	51
287	GBR - 7 - S14	5	0.4	1.36	<5	10	<5	0.86	<1	84	40	21	7.16	20	1.23	1182	<1	0.02	23	8190	10	<5	<20	91	0.08	<10	139	<10	<1	81

QC DATA:

Repeat:

1	L445+600N 343+900E	10	<0.2	2.58	20	115	<5	1.03	<1	32	104	118	5.52	10	1.41	876	<1	0.02	78	1260	48	5	<20	30	0.12	<10	135	<10	13	100
10	L445+600N 344+350E	10	<0.2	3.31	20	130	<5	0.35	<1	28	96	117	5.98	10	1.25	547	<1	0.02	58	600	60	5	<20	14	0.14	<10	145	<10	7	111
19	L445+200N 343+150E	10	0.2	2.40	15	120	<5	0.42	<1	31	105	45	6.13	10	1.30	888	<1	0.02	67	1100	56	5	<20	18	0.25	<10	117	<10	7	279
28	L445+200N 343+600E	5	<0.2	2.11	10	95	<5	1.09	<1	28	86	63	4.94	10	1.32	753	<1	0.03	59	1020	46	5	<20	14	0.21	<10	103	<10	14	108
36	L442+400N 344+800E	15	0.5	2.37	15	135	<5	1.10	<1	27	82	129	4.69	20	1.25	1129	<1	0.03	51	1660	16	5	<20	42	0.15	<10	115	<10	18	90
45	L441+600N 344+950E	10	0.7	2.48	20	135	<5	1.40	<1	25	63	339	5.08	20	1.08	966	<1	0.03	47	1110	18	<5	<20	37	0.13	<10	123	<10	12	106
54	L441+600N 345+400E	25	0.2	2.62	10	140	<5	1.15	<1	23	100	94	4.48	10	1.55	658	<1	0.03	69	1310	18	<5	<20	37	0.13	<10	123	<10	12	106
63	L441+600N 345+850E	40	<0.2	1.92	<5	100	5	0.98	<1	23	78	34	3.91	<10	1.38	670	<1	0.03	43	400	14	10	<20	42	0.17	<10	103	<10	10	146
71	L441+600N 346+250E	25	0.9	2.65	10	205	5	1.47	<1	29	72	121	5.95	30	0.76	1196	2	0.04	50	1360	24	10	<20	49	0.30	<10	78	<10	32	190
80	L442+000N 344+650E	20	0.4	2.46	10	135	<5	0.63	<1	28	83	72	4.70	10	1.22	778	<1	0.03	53	990	24	10	<20	32	0.20	<10	96	<10	15	92

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
89	L442+000N 345+100E	25	0.2	1.90	15	135	<5	1.24	<1	19	60	53	3.75	10	0.99	729	<1	0.03	38	1440	16	<5	<20	31	0.11	<10	102	<10	13	75
98	L442+000N 345+550E	-	0.5	2.02	5	175	<5	1.65	<1	26	60	99	4.14	20	0.86	959	<1	0.04	42	1370	18	<5	<20	36	0.16	<10	86	<10	26	90
101	L442+000N 345+700E	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	L442+000N 345+950E	15	0.2	2.09	10	105	5	0.72	<1	23	73	52	4.02	10	1.21	653	<1	0.03	40	380	24	5	<20	26	0.19	<10	112	<10	9	125
115	L442+000N 346+400E	10	0.7	2.97	20	145	<5	0.63	<1	31	93	103	6.25	20	1.20	683	<1	0.03	60	1040	38	<5	<20	30	0.32	<10	122	<10	16	154
124	L441+200N 344+850E	25	0.4	3.51	20	120	<5	0.39	<1	26	108	87	6.19	10	1.75	574	<1	0.02	70	1460	40	<5	<20	25	0.13	<10	169	<10	5	134
133	L441+200N 345+300E	25	0.7	2.74	10	210	<5	0.87	<1	21	72	132	4.68	20	1.00	580	<1	0.02	43	920	34	5	<20	40	0.11	<10	127	<10	15	89
141	L441+200N 345+700E	5	0.4	2.82	15	215	5	1.36	<1	26	68	134	5.08	30	1.03	809	3	0.05	56	1160	32	<5	<20	64	0.26	<10	79	<10	31	130
150	L441+200N 346+150E	10	<0.2	3.67	10	145	<5	0.57	<1	38	97	81	5.34	20	2.59	627	<1	0.03	114	680	38	<5	<20	13	0.26	<10	87	<10	11	88
159	L441+200N 346+600E	10	0.6	3.57	15	205	<5	0.71	<1	30	82	224	5.56	40	1.28	701	<1	0.04	65	780	38	<5	<20	55	0.24	<10	110	<10	47	107
168	L440+800N 345+500E	5	0.5	3.05	25	170	<5	0.93	<1	26	67	191	3.39	20	0.87	796	6	0.05	52	860	48	5	<20	30	0.36	<10	72	<10	31	165
176	L440+800N 346+900E	-	0.2	1.41	<5	115	<5	0.85	<1	14	26	36	3.98	50	0.51	354	4	0.02	11	1330	18	<5	<20	29	0.13	<10	69	<10	30	45
178	L440+800N 346+000E	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
185	L440+800N 346+350E	10	<0.2	2.74	20	100	<5	0.63	<1	26	71	65	4.70	10	1.27	508	<1	0.03	48	660	28	10	<20	27	0.19	<10	103	<10	10	76
194	L440+600N 345+100E	25	<0.2	2.69	10	100	<5	1.01	<1	30	92	82	4.71	20	1.52	863	<1	0.04	65	860	38	<5	<20	28	0.18	<10	120	<10	15	119
203	L440+600N 345+550E	25	0.3	2.74	15	95	<5	0.98	<1	24	66	156	5.02	20	1.35	506	<1	0.03	44	1090	30	10	<20	67	0.09	<10	187	<10	13	69
211	L440+600N 345+950E	10	0.6	4.01	10	215	5	0.39	<1	30	81	113	5.98	30	1.09	804	<1	0.02	56	940	48	5	<20	24	0.28	<10	99	<10	32	110
223	L440+600N 346+550E	<5	0.4	3.14	10	235	<5	1.15	<1	29	84	104	5.09	30	1.28	655	3	0.04	62	1050	36	5	<20	47	0.27	<10	74	<10	29	135
229	L440+200N 345+300E	5	0.6	2.15	15	140	5	0.29	<1	25	67	56	5.64	20	1.00	735	1	0.02	32	1310	26	<5	<20	34	0.28	<10	112	<10	12	118
238	L440+200N 345+750E	5	0.6	3.85	10	95	10	0.25	<1	31	70	55	6.33	30	0.75	713	3	0.02	33	1800	52	5	<20	11	0.40	<10	61	<10	33	123
246	L440+200N 346+150E	<5	0.2	2.63	15	135	<5	0.95	<1	26	64	55	4.99	20	1.24	673	<1	0.03	44	920	24	<5	<20	29	0.22	<10	101	<10	12	79
255	L439+800N 345+450E	5	<0.2	3.38	10	215	<5	0.41	<1	23	66	62	4.48	10	1.29	752	<1	0.02	48	770	32	10	<20	35	0.10	<10	118	<10	7	80
264	L439+800N 345+900E	5	0.4	2.98	20	185	<5	0.86	<1	23	66	97	4.73	20	1.19	733	<1	0.03	50	850	28	5	<20	43	0.13	<10	108	<10	15	93
273	L439+800N 346+350E	5	0.2	2.23	15	95	<5	0.44	<1	21	64	81	4.07	<10	1.21	415	<1	0.02	39	860	22	<5	<20	22	0.12	<10	113	<10	7	66
278	GBR - 7 - S5	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
279	GBR - 7 - S6	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280	GBR - 7 - S7	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
281	GBR - 7 - S8	95	<0.2	2.26	<5	70	<5	0.72	<1	32	59	180	>10	30	1.44	188	<1	0.06	13	6380	14	10	<20	234	0.08	<10	281	<10	<1	28
282	GBR - 7 - S9	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
283	GBR - 7 - S10	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284	GBR - 7 - S11	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
285	GBR - 7 - S12	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
286	GBR - 7 - S13	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Standard:

GEO '04	140	1.4	1.53	60	165	<5	1.67	<1	23	61	85	3.90	<10	0.87	686	<1	0.02	30	800	22	<5	<20	38	0.12	<10	62	<10	10	73
GEO '04	140	1.4	1.70	65	145	<5	1.60	<1	21	62	85	3.71	<10	0.97	629	<1	0.02	30	760	22	<5	<20	41	0.10	<10	66	<10	9	73
GEO '04	140	1.5	1.66	65	165	<5	1.64	<1	22	66	84	3.93	<10	0.95	664	<1	0.02	30	780	24	<5	<20	46	0.11	<10	64	<10	11	74
GEO '04	140	1.5	1.71	60	145	<5	1.52	<1	20	60	85	3.58	<10	0.98	609	<1	0.03	30	770	24	<5	<20	41	0.10	<10	62	<10	11	73
GEO '04	130	1.5	1.69	60	145	<5	1.51	<1	21	66	85	3.52	<10	0.97	605	<1	0.02	33	770	24	<5	<20	41	0.11	<10	66	<10	10	78
GEO '04	135	1.5	1.74	65	145	<5	1.52	<1	20	60	87	3.62	<10	1.00	616	<1	0.02	30	790	24	<5	<20	40	0.11	<10	61	<10	11	74
GEO '04	130	1.4	1.71	65	145	<5	1.53	<1	20	60	91	3.59	<10	0.99	616	<1	0.02	30	760	22	<5	<20	46	0.10	<10	68	<10	12	73
GEO '04	140	1.5	1.69	55	145	<5	1.59	<1	20	66	86	3.52	<10	0.98	596	<1	0.02	30	780	24	<5	<20	42	0.10	<10	62	<10	11	75

13-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1201

AMARC RESOURCES
1020-800 W. Pender Street
Vancouver, BC
V6C 2V6

ATTENTION: Mark Rebagliatti

No. of samples received: 189

Sample type: Soil

Project #: GBR

Shipment #: Not indicated

Samples submitted by: Drew Takahashi

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L442+400N 344+950E	<5	0.3	2.52	<5	130	<5	1.46	<1	27	81	108	5.11	20	1.62	850	<1	0.03	47	840	20	<5	<20	40	0.13	<10	144	<10	12	209
2	L442+400N 345+000E	5	0.2	2.24	<5	100	<5	0.96	<1	22	64	57	4.54	20	1.09	785	<1	0.02	35	670	12	<5	<20	34	0.11	<10	127	<10	9	127
3	L442+400N 345+050E	<5	0.4	3.19	5	155	<5	1.65	<1	28	69	115	6.02	30	1.17	1070	<1	0.03	48	1180	8	<5	<20	51	0.16	<10	141	<10	23	141
4	L442+400N 345+100E	5	0.2	2.30	10	115	<5	1.29	<1	21	63	78	4.47	20	1.16	747	<1	0.03	39	750	8	<5	<20	38	0.11	<10	125	<10	11	107
5	L442+400N 345+150E	5	0.4	3.56	<5	110	<5	0.45	<1	27	69	75	5.92	20	1.00	853	<1	0.02	46	950	12	<5	<20	25	0.16	<10	131	<10	13	121
6	L442+400N 345+200E	10	<0.2	2.17	5	145	<5	1.26	<1	21	68	90	4.29	20	1.26	593	<1	0.05	44	1300	10	<5	<20	45	0.13	<10	115	<10	16	72
7	L442+400N 345+250E	5	0.3	3.01	10	130	<5	0.52	<1	22	77	92	5.26	20	1.16	520	<1	0.02	46	680	10	<5	<20	27	0.14	<10	137	<10	12	97
8	L442+400N 345+300E	5	0.2	2.29	<5	60	<5	0.52	<1	16	53	58	3.56	10	0.97	352	<1	0.02	35	890	8	<5	<20	18	0.09	<10	104	<10	10	56
9	L442+400N 345+350E	5	<0.2	1.61	<5	85	<5	0.94	<1	16	50	69	3.28	10	1.03	480	<1	0.03	32	1040	4	<5	<20	28	0.08	<10	105	<10	8	48
10	L442+400N 345+400E	5	0.2	2.56	<5	65	<5	0.60	<1	22	93	73	4.03	10	1.54	301	<1	0.02	69	360	8	<5	<20	21	0.12	<10	113	<10	10	49
11	L442+400N 345+450E	5	<0.2	2.57	20	55	<5	0.55	<1	25	64	117	4.89	20	1.12	785	<1	0.02	46	620	8	<5	<20	34	0.08	<10	126	<10	7	99
12	L442+400N 345+500E	5	0.3	2.43	<5	185	<5	1.60	<1	21	56	83	4.55	20	0.97	610	<1	0.04	37	1230	10	<5	<20	61	0.13	<10	113	<10	18	92
13	L442+400N 345+550E	15	0.2	2.13	10	160	<5	1.88	<1	21	57	97	3.90	20	1.18	986	<1	0.04	40	1220	8	<5	<20	56	0.08	<10	104	<10	14	79
15	L442+400N 345+650E	<5	0.5	2.43	15	145	<5	2.23	<1	24	67	137	4.47	20	1.21	889	<1	0.04	48	840	10	<5	<20	54	0.12	<10	114	<10	18	78
16	L442+400N 345+700E	<5	0.2	2.78	5	145	<5	1.51	<1	29	139	97	4.68	20	2.05	958	<1	0.05	73	1050	8	<5	<20	41	0.11	<10	118	<10	14	76
17	L442+400N 345+750E	10	0.3	2.06	5	135	<5	1.85	<1	20	76	121	3.84	20	1.23	898	<1	0.03	50	1130	6	<5	<20	34	0.09	<10	105	<10	14	52
18	L442+400N 345+800E	5	0.2	2.74	5	110	<5	1.24	<1	24	83	103	4.61	20	1.44	661	<1	0.03	51	460	8	<5	<20	37	0.11	<10	131	<10	10	82
19	L442+400N 345+850E	10	0.2	3.41	5	220	<5	1.22	<1	31	88	123	5.47	30	2.05	826	<1	0.04	76	930	10	<5	<20	44	0.16	<10	126	<10	20	88
20	L442+400N 345+900E	5	0.7	2.61	10	190	<5	1.37	<1	23	65	133	4.44	20	1.01	1131	<1	0.03	46	1150	8	<5	<20	44	0.08	<10	113	<10	12	125
21	L442+400N 345+950E	5	0.2	2.79	10	120	<5	0.78	<1	23	78	90	4.84	10	1.40	672	<1	0.02	48	660	12	<5	<20	43	0.08	<10	139	<10	7	86
22	L442+400N 346+000E	5	0.2	3.63	<5	160	<5	0.46	<1	37	91	94	6.40	20	1.59	755	<1	0.02	68	2160	12	<5	<20	20	0.14	<10	154	<10	10	120
23	L442+400N 346+050E	5	0.2	3.51	10	125	<5	0.36	<1	29	84	67	5.77	20	1.45	549	<1	0.02	52	1830	12	<5	<20	18	0.16	<10	144	<10	11	115
24	L442+400N 346+100E	<5	0.2	3.40	15	140	<5	0.50	<1	28	84	70	5.69	20	1.62	642	<1	0.02	58	1080	14	<5	<20	24	0.16	<10	142	<10	11	109
25	L442+400N 346+150E	5	0.3	3.68	25	140	<5	0.55	<1	31	91	83	5.81	20	1.58	634	<1	0.03	67	820	14	<5	<20	24	0.17	<10	131	<10	15	121
26	L442+400N 346+200E	5	0.4	3.18	25	120	<5	0.39	<1	31	96	62	6.45	20	1.51	666	<1	0.02	61	2150	14	<5	<20	19	0.24	<10	140	<10	15	128
27	L442+400N 346+250E	5	0.4	3.10	10	145	<5	0.73	<1	27	104	81	5.43	20	1.60	1038	<1	0.02	59	820	10	<5	<20	44	0.09	<10	144	<10	9	120
28	L442+400N 346+300E	<5	<0.2	3.25	10	115	<5	0.42	<1	24	86	61	5.75	20	1.63	516	<1	0.02	49	1190	12	<5	<20	24	0.11	<10	146	<10	10	124
29	L442+400N 346+350E	5	0.2	3.33	5	180	<5	0.52	<1	24	86	73	5.29	20	1.55	665	<1	0.02	54	650	10	<5	<20	35	0.08	<10	143	<10	9	85
30	L442+400N 346+400E	5	0.2	4.43	<5	120	<5	0.31	<1	30	95	58	6.13	20	1.38	645	<1	0.02	59	1710	16	<5	<20	17	0.20	<10	134	<10	14	119

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1201

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	L442+400N 346+450E	5	0.4	4.34	<5	130	10	0.31	<1	33	86	57	6.80	30	1.24	574	<1	0.03	52	1670	16	<5	<20	18	0.27	<10	142	<10	19	153
32	L442+400N 346+500E	<5	0.5	4.02	<5	140	<5	0.37	<1	31	79	90	6.36	30	1.21	692	<1	0.03	47	1410	16	<5	<20	21	0.24	<10	136	<10	19	136
33	L442+400N 346+550E	5	0.2	3.35	15	125	<5	0.53	<1	27	81	86	6.18	20	1.62	791	<1	0.02	48	700	12	<5	<20	34	0.14	<10	166	<10	12	116
34	L442+400N 346+600E	5	0.3	3.18	<5	165	<5	1.21	<1	31	97	119	5.63	20	1.82	985	<1	0.03	61	1040	12	<5	<20	62	0.15	<10	157	<10	15	120
35	L442+600N 345+850E	5	0.2	2.86	<5	155	<5	0.64	<1	38	87	86	5.73	20	1.51	2157	<1	0.02	52	1250	12	<5	<20	29	0.12	<10	150	<10	11	153
36	L442+600N 345+900E	5	0.4	3.05	<5	150	<5	0.43	<1	26	106	94	5.70	20	1.38	730	<1	0.02	56	920	14	<5	<20	27	0.15	<10	148	<10	11	116
37	L442+600N 345+950E	5	0.3	3.47	5	155	<5	0.48	<1	23	88	103	5.31	20	1.45	627	<1	0.02	52	990	12	<5	<20	25	0.11	<10	150	<10	10	81
38	L442+600N 346+000E	5	0.2	2.98	5	130	<5	0.51	<1	21	67	63	5.16	20	1.16	707	<1	0.02	36	640	10	<5	<20	25	0.09	<10	144	<10	8	87
39	L442+600N 346+050E	5	0.5	3.27	90	165	<5	0.85	<1	28	113	141	5.01	30	1.79	858	<1	0.03	82	850	8	<5	<20	35	0.11	<10	127	<10	24	113
40	L442+600N 346+100E	5	<0.2	3.05	30	235	<5	0.87	<1	26	150	71	4.75	20	1.81	620	<1	0.03	75	780	8	<5	<20	40	0.11	<10	131	<10	12	73
41	L442+600N 346+150E	<5	<0.2	4.16	40	210	<5	0.53	<1	31	105	66	5.76	30	1.60	981	<1	0.03	74	700	12	<5	<20	29	0.15	<10	130	<10	16	97
42	L442+600N 346+200E	<5	<0.2	3.68	<5	250	<5	0.67	<1	23	53	48	4.31	20	1.27	780	<1	0.02	42	540	12	<5	<20	56	0.08	<10	109	<10	9	73
43	L442+600N 346+250E	<5	<0.2	3.01	<5	165	<5	0.43	<1	21	62	44	5.10	20	1.11	519	<1	0.02	34	1190	14	<5	<20	29	0.11	<10	126	<10	9	129
44	L442+600N 346+300E	<5	0.3	3.40	<5	140	<5	0.39	<1	31	64	48	6.03	30	0.85	544	<1	0.03	38	1040	14	<5	<20	28	0.23	<10	122	<10	25	103
45	L442+600N 346+350E	<5	<0.2	3.21	<5	150	5	0.37	<1	24	60	50	4.94	20	1.10	496	<1	0.02	36	940	16	<5	<20	27	0.16	<10	125	<10	13	79
46	L442+600N 346+400E	<5	0.4	3.57	<5	110	<5	0.29	<1	23	61	66	5.58	30	0.58	346	<1	0.02	32	850	18	<5	<20	14	0.31	<10	108	<10	24	115
47	L442+600N 346+450E	<5	<0.2	4.76	<5	130	<5	0.39	<1	32	84	70	6.51	30	1.47	765	<1	0.02	56	2050	18	<5	<20	18	0.21	<10	149	<10	14	144
48	L442+600N 346+500E	<5	0.2	3.33	5	160	<5	0.43	<1	25	68	62	5.34	20	1.23	693	<1	0.02	41	1120	16	<5	<20	26	0.15	<10	129	<10	12	138
49	L442+600N 346+550E	<5	<0.2	3.79	15	205	<5	0.62	<1	31	79	88	5.96	30	1.40	974	<1	0.03	57	810	12	<5	<20	34	0.18	<10	147	<10	19	108
50	L442+600N 346+600E	<5	<0.2	4.22	<5	105	<5	0.31	<1	38	67	54	7.13	40	0.92	738	<1	0.04	45	1000	18	<5	<20	16	0.48	<10	121	<10	37	97
51	L442+200N 345+350E	15	<0.2	1.67	<5	75	<5	1.13	<1	18	68	84	3.31	10	1.18	507	<1	0.03	47	760	6	<5	<20	26	0.12	<10	101	<10	10	55
52	L442+200N 345+400E	5	<0.2	1.79	5	90	<5	0.67	<1	17	50	62	3.47	10	1.00	513	<1	0.02	34	830	6	<5	<20	29	0.09	<10	102	<10	10	45
54	L442+200N 345+500E	<5	0.4	2.28	10	130	<5	2.25	<1	18	58	157	3.74	20	0.99	726	<1	0.03	44	1270	8	<5	<20	46	0.09	<10	102	<10	18	90
55	L442+200N 345+550E	<5	0.3	2.16	<5	140	<5	2.06	<1	18	57	100	3.69	20	1.02	587	<1	0.03	43	990	8	<5	<20	44	0.10	<10	97	<10	13	88
58	L442+200N 345+700E	<5	0.3	3.34	10	150	<5	0.80	<1	30	82	95	5.96	20	1.45	884	<1	0.03	47	580	14	<5	<20	37	0.19	<10	158	<10	13	153
59	L442+200N 345+750E	5	<0.2	2.96	5	160	<5	1.17	<1	28	94	116	5.27	20	1.70	1005	<1	0.03	58	780	8	<5	<20	49	0.14	<10	152	<10	17	90
60	L442+200N 345+800E	5	<0.2	2.69	10	115	<5	0.85	<1	26	80	84	4.95	20	1.53	923	<1	0.03	45	720	8	<5	<20	40	0.13	<10	142	<10	10	102
61	L442+200N 345+850E	5	0.3	2.67	10	145	<5	1.14	<1	26	78	100	4.87	20	1.36	921	<1	0.03	46	790	10	<5	<20	45	0.14	<10	129	<10	14	127
62	L442+200N 345+900E	5	0.2	2.74	10	165	<5	1.58	<1	28	73	133	5.36	30	1.46	992	<1	0.04	53	1100	12	<5	<20	53	0.18	<10	133	<10	18	101
63	L442+200N 345+950E	5	0.2	3.71	5	75	<5	0.86	<1	33	100	231	5.89	30	1.88	638	<1	0.03	82	1140	16	<5	<20	36	0.18	<10	187	<10	17	110
64	L442+200N 346+000E	5	0.3	3.60	20	120	<5	0.50	<1	31	81	105	6.24	30	1.50	578	<1	0.03	61	2060	14	<5	<20	22	0.24	<10	141	<10	17	162
65	L442+200N 346+050E	5	0.3	3.37	65	140	<5	0.47	<1	27	84	66	6.63	30	1.37	742	<1	0.02	53	2090	14	<5	<20	22	0.22	<10	150	<10	14	178
66	L442+200N 346+100E	5	<0.2	2.67	5	160	<5	1.02	<1	24	79	70	4.46	10	1.62	759	<1	0.03	52	650	10	<5	<20	40	0.12	<10	125	<10	9	82
67	L442+200N 346+150E	<5	<0.2	2.40	15	120	<5	1.19	<1	23	77	53	4.50	20	1.46	834	<1	0.03	47	890	10	<5	<20	42	0.12	<10	123	<10	10	112
68	L442+200N 346+200E	<5	0.4	2.96	5	170	<5	2.17	<1	26	53	256	5.18	40	0.77	909	<1	0.05	53	1400	14	<5	<20	41	0.19	<10	103	<10	32	103
69	L442+200N 346+250E	5	0.2	3.06	15	145	<5	0.98	<1	25	86	109	5.14	20	1.43	818	<1	0.03	53	830	8	<5	<20	42	0.11	<10	136	<10	13	110
70	L442+200N 346+300E	<5	<0.2	3.02	10	155	<5	0.67	3	28	87	82	5.49	20	1.59	725	<1	0.02	56	770	10	<5	<20	30	0.15	<10	143	<10	11	159

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1201

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	L442+200N 346+350E	<5	0.7	3.12	5	220	<5	2.12	<1	25	74	137	4.40	40	1.16	1216	<1	0.03	58	1460	12	<5	<20	76	0.09	<10	108	<10	35	92
72	L442+200N 346+400E	<5	0.5	3.19	<5	150	<5	0.56	2	28	88	83	5.73	20	1.50	729	<1	0.02	53	930	12	<5	<20	36	0.14	<10	153	<10	11	135
73	L442+200N 346+450E	<5	0.3	4.08	<5	200	<5	0.43	<1	36	99	84	6.32	20	1.59	704	<1	0.03	70	1170	14	<5	<20	32	0.22	<10	149	<10	17	132
74	L442+200N 346+500E	<5	0.2	3.69	<5	155	<5	0.55	<1	27	98	76	5.46	20	1.66	539	<1	0.02	59	1460	12	<5	<20	28	0.15	<10	140	<10	13	116
75	L442+200N 346+550E	420	1.1	3.31	470	210	<5	0.48	<1	25	101	180	7.62	20	1.64	582	<1	0.03	51	1130	12	<5	<20	68	0.10	<10	161	<10	7	145
76	L442+200N 346+600E	5	0.7	3.18	<5	135	<5	0.60	<1	27	107	77	5.75	20	1.50	671	<1	0.02	53	1040	12	<5	<20	36	0.14	<10	153	<10	11	136
77	L441+800N 344+600E	5	<0.2	3.06	5	105	<5	0.55	<1	25	71	92	5.37	20	1.48	734	<1	0.02	46	970	10	<5	<20	29	0.10	<10	154	<10	9	85
78	L441+800N 344+650E	5	<0.2	2.45	10	115	<5	0.65	<1	22	66	62	4.75	20	1.40	554	<1	0.02	43	800	8	<5	<20	34	0.10	<10	138	<10	9	84
79	L441+800N 344+700E	<5	0.2	3.97	15	140	<5	0.47	<1	35	81	99	7.94	30	1.21	564	<1	0.03	56	930	16	<5	<20	27	0.30	<10	152	<10	21	121
80	L441+800N 344+750E	<5	0.8	3.15	10	215	<5	2.43	<1	19	60	213	4.17	30	0.97	1241	<1	0.02	47	2640	8	<5	<20	57	0.07	<10	99	<10	27	100
82	L441+800N 344+850E	5	<0.2	2.62	10	115	<5	1.04	<1	25	74	83	4.64	20	1.64	560	<1	0.03	57	440	10	<5	<20	32	0.16	<10	123	<10	13	81
83	L441+800N 344+900E	5	<0.2	2.87	5	165	<5	1.06	<1	32	79	103	7.53	30	1.37	1734	<1	0.04	49	1230	8	<5	<20	31	0.20	<10	160	<10	16	126
84	L441+800N 344+950E	5	0.3	3.17	<5	160	<5	2.01	<1	31	65	143	6.17	20	1.46	1437	<1	0.06	44	1450	14	<5	<20	55	0.20	<10	189	<10	15	106
86	L441+800N 345+050E	10	0.3	4.15	40	335	<5	1.33	<1	31	84	310	4.34	30	1.33	614	<1	0.04	64	870	18	<5	<20	54	0.22	<10	189	<10	30	223
87	L441+800N 345+100E	10	<0.2	2.56	10	100	<5	0.80	<1	24	66	82	4.63	20	1.32	752	<1	0.03	39	840	8	<5	<20	31	0.13	<10	133	<10	11	70
88	L441+800N 345+150E	10	0.2	2.38	10	115	<5	1.14	<1	28	64	101	4.89	20	1.42	1021	<1	0.03	40	1300	10	<5	<20	37	0.12	<10	139	<10	14	88
89	L441+800N 345+200E	5	0.2	3.43	25	170	<5	0.72	<1	22	72	121	5.11	20	1.45	770	<1	0.02	48	980	12	<5	<20	27	0.09	<10	142	<10	12	93
90	L441+800N 345+250E	5	<0.2	1.82	<5	95	<5	1.26	<1	18	55	52	3.57	10	1.25	948	<1	0.03	34	1050	8	<5	<20	29	0.10	<10	102	<10	9	68
91	L441+800N 345+300E	5	<0.2	3.58	15	215	<5	0.72	<1	32	82	113	5.60	20	1.45	1117	<1	0.02	52	890	14	<5	<20	49	0.11	<10	147	<10	15	80
92	L441+800N 345+350E	10	<0.2	2.30	5	95	<5	0.65	<1	18	57	63	3.71	10	1.19	586	<1	0.02	40	910	8	<5	<20	28	0.09	<10	102	<10	10	55
93	L441+800N 345+400E	5	0.4	3.60	20	180	<5	1.46	<1	30	71	303	5.87	40	1.32	1097	<1	0.04	55	1150	14	<5	<20	45	0.14	<10	161	<10	29	134
94	L441+800N 345+450E	5	0.2	2.84	10	145	<5	1.02	<1	24	69	86	4.79	20	1.34	820	<1	0.03	44	1050	10	<5	<20	39	0.14	<10	125	<10	15	57
95	L441+800N 345+500E	5	<0.2	2.04	10	105	<5	1.02	<1	20	62	72	3.96	10	1.28	697	<1	0.03	36	870	6	<5	<20	36	0.08	<10	116	<10	9	69
96	L441+800N 345+550E	5	<0.2	3.60	20	190	<5	1.07	<1	29	80	120	6.21	30	1.42	787	<1	0.03	59	990	12	<5	<20	40	0.24	<10	156	<10	18	87
97	L441+800N 345+600E	10	0.8	4.64	5	200	<5	1.88	<1	38	87	247	8.50	60	1.45	1137	<1	0.07	65	1630	16	<5	<20	65	0.31	<10	180	<10	36	140
98	L441+800N 345+650E	<5	0.2	2.66	10	155	<5	1.43	<1	30	64	102	6.02	30	1.26	725	<1	0.06	50	760	12	<5	<20	46	0.32	<10	136	<10	21	130
101	L441+800N 345+800E	5	<0.2	2.69	25	205	<5	1.47	<1	27	105	83	4.80	20	1.77	1144	<1	0.04	65	1260	8	<5	<20	64	0.10	<10	124	<10	12	104
102	L441+800N 345+850E	5	<0.2	2.99	20	180	<5	1.30	<1	24	93	97	4.89	20	1.67	1014	<1	0.03	60	1230	8	<5	<20	56	0.08	<10	134	<10	12	118
104	L441+800N 345+950E	5	<0.2	3.17	10	170	<5	0.53	<1	29	75	75	5.88	20	1.52	1155	<1	0.02	47	1300	10	<5	<20	25	0.11	<10	158	<10	9	117
105	L441+800N 346+000E	10	0.6	3.93	<5	105	<5	0.41	<1	29	64	50	6.33	30	0.79	424	<1	0.03	37	1060	12	<5	<20	17	0.31	<10	119	<10	18	119
106	L441+800N 346+050E	<5	<0.2	2.88	30	145	<5	0.96	<1	25	77	80	4.96	20	1.29	624	<1	0.04	52	740	14	<5	<20	41	0.25	<10	94	<10	14	81
107	L441+800N 346+100E	5	0.6	2.87	30	180	<5	1.67	<1	27	67	303	5.01	30	1.15	757	<1	0.04	56	1110	18	<5	<20	71	0.26	<10	92	<10	24	100
108	L441+800N 346+150E	5	0.7	2.27	15	170	<5	2.63	<1	21	43	220	3.91	40	0.54	924	4	0.04	40	1190	16	<5	<20	71	0.27	<10	65	<10	27	103
109	L441+800N 346+200E	5	0.2	3.01	25	170	<5	1.22	<1	25	70	91	4.94	20	1.37	829	<1	0.03	44	550	18	<5	<20	48	0.17	<10	122	<10	10	90

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1201

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
111	L441+800N 346+300E	10	0.3	2.65	20	170	<5	1.39	<1	30	64	118	4.61	30	1.05	746	15	0.05	52	1320	16	5	<20	57	0.88	<10	77	<10	25	85
112	L441+800N 346+350E	5	0.2	3.44	35	115	<5	0.64	<1	28	85	93	5.62	20	1.46	424	7	0.03	59	470	20	<5	<20	34	0.68	<10	132	<10	9	111
113	L441+800N 346+400E	5	0.4	3.05	30	165	<5	0.89	<1	29	72	132	4.92	30	1.32	872	8	0.03	49	890	20	<5	<20	47	0.73	<10	98	<10	14	106
114	L441+800N 346+450E	15	0.3	2.74	20	150	<5	1.00	<1	28	73	123	4.59	20	1.40	1057	5	0.03	51	910	16	<5	<20	47	0.50	<10	112	<10	14	96
115	L441+800N 346+500E	5	0.9	3.86	30	185	<5	1.45	<1	29	92	341	5.36	50	1.59	890	6	0.03	84	1190	22	<5	<20	62	0.50	<10	117	<10	45	123
116	L441+800N 346+550E	5	0.6	2.77	20	140	<5	1.68	<1	29	129	232	4.85	20	1.65	927	<1	0.04	75	760	16	<5	<20	47	0.22	<10	99	<10	16	221
117	L441+800N 346+600E	5	0.5	3.13	20	145	<5	0.92	<1	30	75	139	5.15	20	1.43	840	9	0.04	54	530	18	<5	<20	43	0.77	<10	114	<10	15	111
118	L441+400N 344+600E	5	0.3	3.15	20	105	<5	0.47	<1	31	100	108	5.90	20	1.64	581	10	0.03	60	1240	18	<5	<20	30	0.90	<10	120	<10	10	136
119	L441+400N 344+650E	5	<0.2	3.42	10	135	10	0.48	<1	49	116	96	6.92	20	2.18	638	19	0.03	101	1230	22	<5	<20	22	1.39	<10	86	<10	13	106
120	L441+400N 344+700E	5	0.5	3.22	20	235	<5	1.45	<1	26	84	145	4.42	20	1.65	758	4	0.03	72	1010	14	<5	<20	62	0.40	<10	93	<10	10	102
121	L441+400N 344+750E	5	0.2	2.49	<5	95	<5	0.27	<1	25	62	57	5.70	20	0.85	790	<1	0.01	35	1590	16	<5	<20	12	0.20	<10	109	10	10	116
122	L441+400N 344+800E	5	0.4	3.50	20	105	<5	0.39	<1	32	89	75	6.49	20	1.61	556	10	0.02	66	1150	20	<5	<20	20	0.85	<10	114	<10	10	139
123	L441+400N 344+850E	5	0.3	3.08	15	115	<5	0.34	<1	29	65	62	5.56	30	0.88	563	19	0.02	33	1590	22	<5	<20	18	1.25	<10	66	<10	14	143
124	L441+400N 344+900E	<5	0.3	3.53	15	115	<5	0.42	<1	33	67	64	5.95	30	0.93	608	9	0.03	41	1440	24	5	<20	16	0.64	<10	53	<10	18	164
125	L441+400N 344+950E	10	0.5	3.35	45	155	<5	1.70	<1	31	87	618	5.41	30	1.54	1235	5	0.03	68	900	20	<5	<20	48	0.56	<10	125	<10	20	132
126	L441+400N 345+000E	5	0.5	2.55	20	130	<5	1.78	<1	27	66	192	4.81	20	0.99	706	15	0.03	45	940	16	<5	<20	35	0.86	<10	92	<10	14	131
127	L441+400N 345+050E	5	0.2	3.14	10	155	<5	1.20	<1	32	58	251	5.71	30	1.57	1541	9	0.04	39	1770	16	<5	<20	77	0.80	<10	109	<10	17	112
129	L441+400N 345+150E	5	0.2	2.30	25	110	<5	0.63	<1	18	58	74	4.29	20	1.07	394	<1	0.02	35	1120	12	<5	<20	27	0.11	<10	114	<10	7	71
130	L441+400N 345+200E	5	0.8	3.30	15	140	<5	0.40	<1	29	73	75	6.55	30	0.97	653	<1	0.02	40	2200	22	<5	<20	20	0.41	<10	89	<10	14	139
131	L441+400N 345+250E	10	<0.2	2.56	20	125	<5	0.64	<1	35	78	97	5.99	20	1.32	1709	<1	0.02	43	840	18	<5	<20	31	0.26	<10	133	<10	9	162
132	L441+400N 345+300E	5	0.7	3.00	20	200	<5	1.14	<1	25	74	156	5.63	30	1.13	1245	1	0.02	46	1060	30	<5	<20	33	0.21	<10	104	<10	18	181
133	L441+400N 345+350E	10	0.6	3.36	30	130	<5	1.06	<1	30	94	517	5.53	30	1.48	996	10	0.04	59	920	22	<5	<20	37	0.67	<10	147	<10	26	119
136	L441+400N 345+500E	5	<0.2	2.72	20	135	<5	0.96	<1	21	52	89	5.02	20	1.10	502	4	0.03	33	1420	12	<5	<20	26	0.36	<10	121	<10	10	68
139	L441+400N 345+650E	15	<0.2	2.67	10	120	<5	0.76	<1	25	72	104	4.20	20	1.40	625	4	0.03	47	220	16	<5	<20	39	0.56	<10	100	<10	8	68
140	L441+400N 345+700E	5	0.3	2.88	15	165	<5	1.12	<1	23	62	112	4.47	30	1.12	561	6	0.03	45	1210	16	<5	<20	43	0.64	<10	85	<10	16	76
141	L441+400N 345+750E	5	0.2	4.04	25	200	<5	0.90	<1	32	79	171	6.33	40	1.40	781	10	0.03	61	1150	24	5	<20	47	0.91	<10	100	<10	25	113
142	L441+400N 345+800E	5	0.5	2.86	15	185	<5	1.38	<1	28	69	117	5.58	30	0.94	1140	8	0.03	47	1360	16	<5	<20	57	0.68	<10	81	<10	17	137
143	L441+400N 345+850E	5	0.4	4.32	25	145	<5	0.46	<1	39	81	142	6.75	40	1.19	660	18	0.03	57	850	26	<5	<20	27	1.25	<10	78	<10	19	110
144	L441+400N 345+900E	5	0.3	3.15	15	205	<5	1.27	<1	35	90	139	5.82	30	1.61	1309	14	0.04	62	1280	16	<5	<20	60	0.92	<10	95	<10	17	137
146	L441+400N 346+000E	5	0.2	2.66	15	265	<5	1.44	<1	20	49	195	3.65	40	0.50	163	20	0.05	44	1320	20	<5	<20	71	1.06	<10	48	<10	27	164
147	L441+400N 346+050E	5	0.5	3.06	20	260	<5	1.66	<1	30	71	148	4.83	30	1.13	1154	4	0.04	50	990	18	<5	<20	64	0.47	<10	98	<10	21	88
148	L441+400N 346+100E	5	0.2	2.74	15	150	<5	0.70	<1	26	68	95	4.57	20	1.28	740	6	0.03	43	510	18	<5	<20	34	0.63	<10	103	<10	14	73
149	L441+400N 346+150E	5	0.7	3.05	20	195	<5	1.04	<1	28	59	205	5.35	40	0.80	632	16	0.04	50	1270	18	10	<20	51	1.00	<10	64	<10	32	127
150	L441+400N 346+200E	10	<0.2	3.41	35	115	<5	0.49	<1	30	80	114	5.66	20	1.57	605	2	0.02	53	720	18	<5	<20	26	0.45	<10	142	<10	6	85

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1201

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
151	L441+400N 346+250E	5	0.4	2.80	30	145	<5	0.33	<1	33	69	62	6.51	20	0.97	380	15	0.02	43	1040	18	<5	<20	26	0.98	<10	119	<10	11	159
152	L441+400N 346+300E	5	0.3	2.93	15	120	5	0.32	<1	32	64	54	5.77	20	0.75	583	21	0.02	38	1920	20	<5	<20	14	1.37	<10	54	<10	15	168
153	L441+400N 346+350E	10	0.2	3.18	20	135	<5	0.58	<1	34	72	75	5.83	20	1.28	512	17	0.03	51	700	18	<5	<20	28	1.11	<10	82	<10	12	106
154	L441+400N 346+400E	5	0.4	3.39	25	130	<5	0.44	<1	26	81	83	5.80	20	1.36	586	5	0.02	47	1200	18	<5	<20	29	0.54	<10	129	<10	6	128
155	L441+400N 346+450E	5	0.2	3.26	25	190	<5	0.51	<1	28	71	146	5.30	20	1.60	749	7	0.02	40	730	16	<5	<20	32	0.62	<10	125	<10	8	99
156	L441+400N 346+500E	5	0.4	3.38	25	145	5	0.35	<1	41	71	84	7.26	30	1.02	1055	31	0.02	37	1580	24	15	<20	28	1.60	<10	83	<10	16	202
157	L441+400N 346+550E	5	0.2	3.21	35	180	<5	0.70	<1	30	78	120	5.54	20	1.62	874	11	0.03	49	1070	18	10	<20	42	0.65	<10	128	<10	9	102
158	L441+400N 346+600E	5	0.2	2.29	25	125	<5	1.39	<1	23	64	114	4.12	20	1.33	827	7	0.03	46	870	12	10	<20	33	0.39	<10	102	<10	9	72
159	L441+000N 345+100E	5	0.3	2.53	30	85	5	0.61	<1	28	85	70	5.20	20	1.80	548	15	0.04	60	640	16	10	<20	31	0.82	<10	124	<10	10	120
160	L441+000N 345+150E	10	2.1	2.97	50	125	<5	0.78	<1	40	93	200	6.33	30	1.01	811	34	0.04	127	1120	28	10	<20	28	1.58	<10	70	<10	22	186
161	L441+000N 345+200E	5	1.2	2.55	40	100	<5	0.55	<1	33	85	158	5.85	30	1.15	569	26	0.03	53	920	18	10	<20	28	1.41	<10	92	<10	17	155
162	L441+000N 345+250E	5	0.4	2.73	30	100	<5	0.55	<1	27	71	81	5.29	20	1.16	816	15	0.02	45	670	16	5	<20	27	0.83	<10	99	<10	11	167
163	L441+000N 345+300E	5	0.2	4.37	10	40	<5	2.40	<1	39	32	91	4.84	20	1.74	315	23	0.40	33	2740	26	<5	<20	56	1.51	<10	16	<10	21	125
164	L441+000N 345+350E	10	0.4	3.19	25	145	<5	1.29	<1	20	78	128	3.09	20	1.47	403	4	0.04	50	1340	26	5	<20	54	0.39	<10	77	<10	14	146
165	L441+000N 345+400E	15	0.8	3.55	40	135	<5	1.52	<1	28	89	355	4.93	30	1.72	919	6	0.04	55	2680	30	<5	<20	59	0.32	<10	138	<10	25	133
166	L441+000N 345+450E	15	0.3	2.20	15	100	<5	1.11	<1	21	67	172	3.32	20	1.39	464	8	0.04	43	1290	16	<5	<20	34	0.51	<10	122	<10	13	86
167	L441+000N 345+500E	5	0.3	2.30	20	115	<5	0.99	<1	27	60	71	3.84	20	1.20	390	9	0.03	36	1450	14	<5	<20	32	0.37	<10	110	<10	9	70
169	L441+000N 345+600E	5	0.2	4.09	20	205	<5	0.52	<1	38	96	109	6.33	30	1.71	1171	9	0.02	60	530	26	<5	<20	37	0.81	<10	123	<10	14	104
170	L441+000N 345+650E	5	0.2	2.71	25	185	5	0.51	<1	28	74	77	4.98	20	1.24	1341	<1	0.02	42	1020	14	<5	<20	38	0.28	<10	122	<10	7	111
172	L441+000N 345+750E	10	0.3	2.51	20	195	<5	1.32	<1	27	74	142	4.79	30	1.24	905	9	0.04	54	1320	16	<5	<20	53	0.68	<10	88	<10	19	113
173	L441+000N 345+800E	10	0.2	1.98	20	100	5	0.46	<1	23	63	45	4.61	20	1.03	418	10	0.02	33	440	14	<5	<20	26	0.75	<10	110	<10	8	97
174	L441+000N 345+850E	5	<0.2	2.62	25	130	<5	0.43	<1	23	66	64	5.34	20	1.16	351	1	0.02	39	490	14	<5	<20	26	0.32	<10	137	<10	5	94
175	L441+000N 345+900E	5	0.6	3.73	25	220	5	0.98	<1	36	76	214	6.37	40	1.20	949	14	0.04	62	1210	22	<5	<20	42	1.05	<10	77	<10	26	177
176	L441+000N 345+950E	<5	0.2	3.05	25	190	<5	1.02	<1	25	75	116	4.68	30	1.47	550	3	0.03	60	760	20	<5	<20	44	0.42	<10	109	<10	18	71
177	L411+000N 346+000E	<5	0.3	2.78	20	130	<5	0.36	<1	33	74	71	6.46	30	1.04	448	23	0.02	43	1020	20	<5	<20	19	1.51	<10	99	<10	15	131
178	L411+000N 346+050E	<5	0.2	3.23	20	135	<5	0.42	<1	28	83	80	5.90	20	1.45	593	11	0.02	53	1110	20	<5	<20	24	0.84	<10	122	<10	10	109
179	L411+000N 346+100E	<5	0.3	2.45	15	110	<5	0.38	<1	23	67	57	5.15	20	1.12	389	7	0.02	38	830	16	5	<20	21	0.56	<10	106	<10	10	101
180	L411+000N 346+150E	10	<0.2	2.55	15	130	<5	0.46	<1	35	87	55	5.13	20	1.49	1041	7	0.02	48	640	16	<5	<20	28	0.61	<10	114	<10	8	129
181	L411+000N 346+200E	<5	0.4	3.18	20	245	<5	1.28	<1	30	82	134	5.14	30	1.41	1285	2	0.03	61	1050	18	<5	<20	52	0.36	<10	98	<10	19	109
182	L411+000N 346+250E	<5	<0.2	2.78	20	175	<5	0.64	<1	28	76	76	5.52	20	1.43	970	<1	0.03	49	1050	16	<5	<20	37	0.17	<10	134	<10	9	111
183	L411+000N 346+300E	<5	<0.2	2.82	5	100	<5	1.05	<1	37	115	66	4.93	20	2.72	779	4	0.02	113	420	14	<5	<20	39	0.55	<10	67	<10	9	95
185	L411+000N 346+400E	<5	<0.2	3.01	20	215	<5	0.49	<1	31	100	69	5.68	20	1.75	1120	5	0.02	64	880	18	<5	<20	28	0.58	<10	121	<10	7	107
186	L411+000N 346+450E	<5	0.3	2.40	15	115	<5	0.77	<1	37	81	64	5.56	30	1.37	760	27	0.04	58	810	18	<5	<20	30	1.63	<10	43	<10	16	328
187	L411+000N 346+500E	<5	0.2	3.09	15	120	<5	1.06	<1	32	91	80	5.27	20	1.92	698	7	0.03	73	370	16	<5	<20	30	0.67	<10	109	<10	8	76
188	L411+000N 346+550E	<5	0.3	3.14	10	250	<5	0.60	<1	40	84	101	6.09	20	1.34	1708	16	0.02	65	1090	20	<5	<20	33	1.16	<10	93	<10	12	145
189	L411+000N 346+600	<5	0.8	2.55	25	180	<5	1.44	<1	27	65	327	4.77	30	0.99	1427	8	0.04	56	1250	16	<5	<20	48	0.65	<10	96	<10	23	160

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1201

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	TI %	U	V	W	Y	Zn	
QC DATA:																															
Repeat:																															
1	L442+400N 344+950E	<5	0.2	2.48	<5	125	<5	1.46	1	27	83	102	5.14	20	1.61	844	<1	0.03	48	850	18	<5	<20	37	0.13	<10	147	<10	13	208	
10	L442+400N 345+400E	5	0.2	2.53	<5	60	<5	0.59	<1	22	92	72	4.02	10	1.53	302	<1	0.02	67	370	8	<5	<20	20	0.12	<10	113	<10	10	47	
19	L442+400N 345+850E	-	0.2	3.43	10	200	<5	1.21	<1	31	88	124	5.46	30	2.06	832	<1	0.04	78	920	12	<5	<20	42	0.15	<10	126	<10	21	87	
28	L442+400N 346+300E	5	<0.2	3.25	10	120	<5	0.43	<1	25	87	60	5.75	20	1.62	525	<1	0.02	51	1200	12	<5	<20	24	0.13	<10	146	<10	10	126	
36	L442+600N 345+900E	5	0.4	3.10	15	150	<5	0.44	<1	27	108	94	5.76	20	1.41	737	<1	0.02	57	910	12	<5	<20	26	0.16	<10	149	<10	12	118	
45	L442+600N 346+350E	<5	<0.2	3.29	<5	150	<5	0.38	<1	24	62	51	5.03	20	1.16	505	<1	0.02	37	920	12	<5	<20	30	0.19	<10	127	<10	13	78	
63	L442+200N 345+950E	5	0.2	3.76	<5	75	<5	0.88	<1	33	101	235	5.92	30	1.90	640	<1	0.03	83	1160	16	<5	<20	40	0.24	<10	189	<10	17	112	
71	L442+200N 346+350E	5	0.7	3.12	5	225	<5	2.14	<1	29	76	136	4.46	40	1.17	1254	<1	0.03	59	1330	8	<5	<20	73	0.09	<10	108	<10	35	93	
80	L441+800N 344+750E	5	0.8	3.13	5	220	<5	2.49	<1	19	60	215	4.26	30	0.96	1354	<1	0.02	48	2630	12	<5	<20	54	0.07	<10	100	<10	27	112	
89	L441+800N 345+200E	5	0.2	3.44	20	175	<5	0.70	<1	22	72	121	5.13	20	1.45	746	<1	0.02	47	980	12	<5	<20	26	0.09	<10	139	<10	12	96	
98	L441+800N 345+650E	5	0.3	2.58	10	150	10	1.37	<1	29	63	100	5.92	30	1.21	714	<1	0.05	47	660	10	<5	<20	44	0.29	<10	133	<10	21	128	
106	L441+800N 346+050E	5	<0.2	2.75	25	145	<5	0.91	<1	29	74	76	4.91	20	1.22	607	<1	0.03	50	700	18	<5	<20	36	0.95	<10	91	<10	13	82	
111	L441+800N 346+300E	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
115	L441+800N 346+500E	5	1.0	3.99	30	195	<5	1.53	<1	29	97	360	5.54	50	1.60	917	5	0.03	85	1220	22	5	<20	68	0.47	<10	123	<10	47	130	
124	L441+400N 344+900E	<5	0.3	3.51	10	125	5	0.40	<1	29	65	62	5.95	30	0.92	608	7	0.03	40	1470	24	<5	<20	16	0.65	<10	60	<10	17	164	
133	L441+400N 345+350E	10	0.6	3.23	30	135	<5	1.02	<1	31	93	492	5.46	30	1.45	1029	8	0.03	56	900	20	<5	<20	34	0.65	<10	144	<10	25	117	
139	L441+400N 345+650E	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141	L441+400N 345+750E	5	0.2	4.01	25	200	<5	0.90	<1	32	79	167	6.33	40	1.41	777	12	0.03	60	1130	24	<5	<20	46	0.87	<10	101	<10	25	112	
150	L441+400N 346+200E	5	<0.2	3.37	40	115	<5	0.47	<1	29	80	115	5.67	20	1.55	602	5	0.02	57	700	16	15	<20	25	0.41	<10	145	<10	6	85	
159	L441+000N 345+100E	5	0.3	2.38	25	80	5	0.55	<1	26	80	66	4.91	20	1.71	519	14	0.03	51	620	18	<5	<20	26	0.82	<10	110	<10	10	116	
169	L441+000N 345+600E	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
176	L441+000N 345+950E	<5	0.2	3.07	25	190	<5	1.03	<1	24	74	117	4.73	30	1.44	551	<1	0.03	57	770	20	<5	<20	44	0.15	<10	111	<10	19	71	
185	L411+000N 346+400E	-	<0.2	3.04	20	210	<5	0.49	<1	31	101	73	5.72	20	1.77	1095	6	0.02	65	890	18	<5	<20	30	0.61	<10	123	<10	7	107	
Standard:																															
GEO '04		130	1.4	1.85	65	155	<5	1.75	<1	20	63	87	3.89	<10	1.08	667	<1	0.02	34	710	22	<5	<20	52	0.08	<10	63	<10	11	79	
GEO '04		135	1.4	1.71	65	140	<5	1.64	<1	19	60	81	3.63	<10	0.99	620	<1	0.02	30	750	20	<5	<20	47	0.09	<10	68	<10	10	78	
GEO '04		135	1.5	1.78	65	150	<5	1.71	<1	20	62	84	3.78	<10	1.04	651	<1	0.02	32	740	22	<5	<20	50	0.09	<10	60	<10	10	77	
GEO '04		130	1.4	1.76	70	150	<5	1.67	<1	22	66	84	3.79	<10	1.01	643	<1	0.02	36	740	24	5	<20	50	0.11	<10	64	<10	10	74	
GEO '04		135	1.4	1.75	75	155	<5	1.69	<1	22	66	84	3.77	<10	1.01	644	<1	0.02	34	740	22	<5	<20	50	0.10	<10	62	<10	9	75	
GEO '04		135	1.5	1.80	65	160	<5	1.70	<1	22	67	87	3.80	<10	1.03	652	<1	0.02	34	750	22	5	<20	54	0.13	<10	62	<10	10	75	

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

JJ/jm/sc
 df/1201/1202/1204
 XLS/04

02-Sep-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1106

AMARC RESOURCES
1020-800 W. Pender Street
Vancouver, BC
V6C 2V6

ATTENTION: Mark Rebagliatti

No. of samples received: 282
Sample type: Soil
Project #: GBR
Shipment #: Not indicated
Samples submitted by: Drew Takahashi

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L442+800N 343+050E	5	0.2	3.32	10	65	<5	1.43	<1	27	67	160	5.50	20	1.13	707	4	0.03	56	970	18	<5	<20	22	0.24	<10	72	<10	21	154
2	L442+800N 343+100E	5	<0.2	2.97	5	50	<5	0.34	<1	26	68	88	5.54	10	1.38	572	2	0.02	48	660	18	<5	<20	12	0.25	<10	103	<10	10	99
3	L442+800N 343+150E	<5	0.2	0.98	<5	25	<5	2.70	2	3	11	391	1.15	<10	0.09	9	3	0.01	49	1070	8	<5	<20	10	0.03	<10	14	<10	13	50
6	L442+800N 343+300E	<5	<0.2	3.10	5	55	<5	0.42	<1	27	79	49	5.59	10	1.57	472	2	0.02	47	630	18	<5	<20	20	0.29	<10	78	<10	8	82
7	L442+800N 343+350E	5	<0.2	2.57	<5	55	5	0.82	<1	21	54	33	5.34	10	0.76	898	<1	0.01	25	810	20	<5	<20	42	0.24	<10	91	<10	9	107
9	L442+800N 343+450E	<5	<0.2	2.41	10	60	<5	0.54	<1	24	71	67	4.50	10	1.44	570	1	0.02	47	460	14	<5	<20	28	0.18	<10	94	<10	8	79
10	L442+800N 343+500E	5	2.9	3.49	<5	70	<5	1.28	3	39	73	1192	4.67	40	0.83	3107	2	0.03	125	1470	22	<5	<20	31	0.20	10	39	<10	42	809
11	L442+800N 343+550E	<5	<0.2	2.96	15	80	<5	0.56	<1	25	61	65	4.57	10	1.12	1105	<1	0.02	40	800	16	<5	<20	41	0.13	<10	101	<10	8	81
12	L442+800N 343+600E	5	0.3	2.85	20	125	<5	2.37	<1	23	75	173	4.19	20	1.42	1155	<1	0.03	48	1970	14	<5	<20	51	0.06	<10	99	<10	16	120
13	L442+800N 343+650E	<5	0.4	3.03	15	150	<5	1.81	<1	25	77	164	4.71	20	1.30	1049	<1	0.03	53	1360	16	<5	<20	46	0.12	<10	105	<10	20	113
14	L442+800N 343+700E	<5	0.3	2.80	10	80	5	0.62	<1	23	68	64	5.47	20	0.95	410	3	0.02	35	710	18	<5	<20	29	0.29	<10	59	<10	12	117
15	L442+800N 343+750E	5	0.2	3.31	15	100	10	0.37	<1	25	71	59	6.08	20	1.01	527	3	0.02	35	720	22	5	<20	33	0.32	<10	92	<10	11	121
16	L442+800N 343+800E	5	0.2	3.05	15	145	5	1.06	<1	28	68	121	5.29	20	1.13	825	<1	0.03	54	970	18	<5	<20	33	0.25	<10	57	<10	17	74
18	L442+800N 343+900E	<5	0.4	2.64	<5	120	<5	1.06	<1	21	55	57	4.61	20	0.75	321	3	0.03	32	630	20	<5	<20	39	0.31	<10	27	<10	12	97
19	L442+800N 343+950E	<5	0.5	4.70	25	210	<5	0.68	<1	42	97	328	7.04	30	1.67	831	2	0.04	86	1130	24	<5	<20	41	0.41	<10	52	<10	28	116
20	L442+800N 344+000E	<5	<0.2	3.94	15	110	10	0.49	<1	29	86	90	5.80	20	1.58	498	<1	0.02	57	940	22	<5	<20	32	0.24	<10	88	<10	14	111
21	L442+800N 344+050E	<5	0.5	3.30	15	150	<5	0.96	<1	20	68	116	4.74	20	1.14	308	<1	0.02	44	610	20	<5	<20	42	0.16	<10	78	<10	12	80
22	L442+800N 344+100E	<5	0.2	2.19	15	100	<5	0.61	<1	19	62	47	4.55	10	1.05	402	<1	0.02	34	580	14	5	<20	32	0.14	<10	107	<10	7	88
23	L442+800N 344+150E	<5	0.5	3.16	15	150	<5	1.10	<1	24	65	110	5.30	20	0.95	568	3	0.03	39	990	18	<5	<20	33	0.23	<10	56	<10	16	99
24	L442+800N 344+200E	<5	0.2	2.72	10	115	<5	0.69	<1	27	73	70	5.19	10	1.30	768	2	0.02	41	880	16	<5	<20	34	0.17	<10	107	<10	9	106
25	L442+800N 344+250E	<5	<0.2	3.74	25	100	<5	0.76	<1	25	80	98	5.31	10	1.72	531	<1	0.02	53	1230	20	<5	<20	34	0.12	<10	135	<10	8	75
26	L442+800N 344+300E	<5	<0.2	3.21	20	90	<5	0.67	<1	29	76	78	5.18	10	1.57	646	<1	0.01	54	840	16	<5	<20	27	0.13	<10	118	<10	8	78
27	L442+800N 344+350E	<5	<0.2	3.48	15	75	10	0.67	<1	36	98	62	5.91	10	2.55	620	<1	0.01	88	1260	16	<5	<20	33	0.21	<10	112	<10	9	121
28	L442+800N 344+400E	<5	0.3	2.75	10	110	5	0.86	<1	26	64	99	5.91	10	1.04	665	5	0.01	34	820	16	<5	<20	125	0.29	<10	87	<10	10	152
29	L442+800N 344+450E	<5	0.2	3.36	20	130	<5	0.98	<1	28	68	158	5.59	10	1.48	1452	<1	0.02	35	1000	20	<5	<20	204	0.15	<10	143	<10	9	185

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1106

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	L442+800N 344+550E	<5	0.2	3.17	20	80	<5	0.67	<1	23	66	106	5.49	10	1.17	570	<1	0.02	36	690	20	<5	<20	39	0.17	<10	114	<10	9	148
32	L442+800N 344+600E	<5	0.3	2.39	15	90	<5	1.04	<1	20	56	72	4.29	10	1.02	668	1	0.02	30	640	14	<5	<20	34	0.11	<10	109	<10	9	92
33	L442+800N 344+650E	<5	0.8	2.88	20	145	<5	1.35	<1	27	102	196	5.18	20	1.16	680	3	0.03	63	860	18	<5	<20	35	0.24	<10	84	<10	16	175
35	L442+800N 344+750E	<5	0.7	2.92	110	145	<5	2.43	<1	29	75	244	4.62	30	1.02	1571	3	0.02	112	1420	14	<5	<20	42	0.11	<10	100	<10	25	74
36	L442+800N 344+800E	5	0.4	2.18	55	115	<5	2.14	<1	21	88	111	3.68	10	1.30	910	2	0.02	54	940	12	10	<20	37	0.10	<10	84	<10	11	87
38	L442+800N 344+900E	5	<0.2	2.12	15	130	<5	1.53	<1	24	61	90	3.79	10	1.17	1377	2	0.02	44	1020	12	<5	<20	38	0.11	<10	93	<10	13	74
39	L442+800N 344+950E	<5	<0.2	2.37	25	120	<5	1.16	<1	22	62	99	4.21	10	1.24	740	<1	0.03	36	860	12	<5	<20	30	0.10	<10	112	<10	12	77
40	L442+800N 345+000E	5	0.5	3.18	25	210	<5	1.95	<1	24	72	262	4.87	30	1.26	1090	1	0.02	49	1240	16	<5	<20	42	0.09	<10	116	<10	27	93
41	L442+800N 345+050E	5	0.6	3.79	35	255	<5	1.59	<1	33	81	164	6.49	30	1.32	2961	9	0.02	48	1350	16	<5	<20	50	0.09	10	155	<10	25	103
42	L442+800N 345+100E	<5	<0.2	2.16	20	110	<5	1.22	<1	23	61	94	4.03	10	1.22	716	<1	0.02	34	700	12	<5	<20	32	0.11	<10	100	<10	9	57
43	L442+800N 345+150E	5	<0.2	2.17	15	125	<5	1.16	<1	23	64	87	4.16	20	1.16	758	1	0.02	46	710	12	<5	<20	34	0.16	<10	76	<10	13	69
44	L442+800N 345+200E	<5	<0.2	2.99	20	205	<5	1.08	<1	30	74	106	5.14	20	1.63	952	<1	0.02	58	670	14	<5	<20	67	0.19	<10	85	<10	14	77
45	L442+800N 345+250E	<5	0.3	3.52	15	125	5	0.77	<1	31	65	114	6.02	30	0.99	621	5	0.04	45	960	20	5	<20	25	0.43	<10	8	<10	23	106
46	L442+800N 345+300E	5	0.2	2.86	20	90	5	0.61	<1	25	71	70	5.38	10	1.22	578	<1	0.02	37	980	16	<5	<20	27	0.21	<10	101	<10	10	85
48	L442+800N 345+400E	5	<0.2	2.11	20	80	<5	0.52	<1	18	56	42	4.39	<10	1.03	519	<1	0.01	28	1280	10	<5	<20	18	0.11	<10	114	<10	6	79
49	L442+800N 345+450E	5	0.2	2.62	15	115	<5	0.86	<1	21	61	70	4.39	10	1.14	566	<1	0.02	36	770	12	<5	<20	29	0.11	<10	103	<10	8	79
50	L442+800N 345+500E	5	<0.2	2.10	15	140	<5	1.49	<1	17	58	112	2.95	10	1.12	383	4	0.02	37	1210	12	<5	<20	31	0.11	<10	120	<10	15	111
51	L442+800N 345+550E	<5	<0.2	2.51	80	155	<5	1.43	<1	20	82	131	9.26	30	1.04	603	1	0.02	36	1630	6	<5	<20	34	0.07	<10	121	<10	19	85
52	L442+800N 345+600E	5	<0.2	2.28	15	120	<5	1.05	<1	25	69	56	4.37	10	1.39	919	<1	0.02	39	500	12	<5	<20	36	0.15	<10	85	<10	9	71
53	L442+800N 345+650E	5	0.2	2.75	20	195	5	1.59	<1	27	67	106	4.89	20	1.20	1010	1	0.03	47	1080	12	<5	<20	67	0.19	<10	80	<10	21	73
54	L442+800N 345+700E	<5	0.2	1.99	20	185	<5	2.14	<1	26	55	98	3.59	20	0.97	756	2	0.02	41	1090	10	<5	<20	52	0.09	<10	82	<10	16	89
55	L442+800N 345+750E	<5	0.5	1.71	10	135	<5	2.77	<1	14	36	109	2.71	20	0.71	726	<1	<0.01	33	810	10	<5	<20	58	0.05	<10	54	<10	17	53
56	L442+800N 345+800E	<5	<0.2	2.68	20	150	<5	1.50	<1	28	71	129	4.94	20	1.35	944	<1	0.03	48	1130	14	<5	<20	40	0.18	<10	92	<10	19	75
57	L442+800N 345+850E	<5	<0.2	3.16	15	160	<5	0.91	<1	28	72	123	5.17	20	1.40	776	<1	0.03	53	850	16	<5	<20	40	0.18	<10	89	<10	16	79
58	L442+800N 345+900E	<5	0.2	2.83	20	110	<5	0.52	<1	27	84	74	5.28	10	1.62	577	<1	0.02	53	1670	14	<5	<20	22	0.18	<10	100	<10	8	113
61	L442+800N 346+050E	<5	<0.2	3.05	20	145	5	0.48	<1	22	93	65	5.29	10	1.41	500	<1	0.02	44	1620	16	<5	<20	22	0.14	<10	115	<10	7	109
62	L442+800N 346+100E	5	<0.2	2.58	15	235	<5	0.74	<1	25	100	212	3.37	20	1.55	454	3	0.02	91	620	16	<5	<20	31	0.21	<10	90	<10	16	77
63	L442+800N 346+150E	<5	<0.2	2.52	30	245	<5	1.31	<1	30	86	154	3.54	20	1.57	490	3	0.07	80	1190	16	<5	<20	70	0.28	<10	61	<10	22	83
64	L442+800N 346+200E	5	<0.2	2.85	35	225	<5	1.09	<1	27	75	287	3.47	30	1.21	310	2	0.05	221	1010	18	<5	<20	55	0.28	<10	61	<10	29	79
65	L442+800N 346+250E	5	<0.2	2.83	20	230	<5	1.14	<1	30	146	88	4.45	20	2.05	560	<1	0.03	87	620	14	<5	<20	26	0.18	<10	83	<10	17	59
66	L442+800N 346+300E	<5	<0.2	2.56	20	225	<5	1.13	<1	28	83	78	5.13	20	1.32	618	<1	0.03	55	620	14	<5	<20	42	0.22	<10	88	<10	18	61
67	L442+800N 346+350E	<5	<0.2	2.77	15	245	<5	1.28	<1	26	80	83	4.18	20	1.61	503	15	0.05	50	1280	14	<5	<20	53	0.20	<10	85	<10	21	104
68	L442+800N 346+400E	<5	<0.2	2.47	50	185	<5	1.31	<1	27	75	84	4.29	20	1.55	410	6	0.08	60	1120	12	<5	<20	76	0.20	<10	57	<10	20	80
69	L442+800N 346+450E	5	<0.2	2.53	10	205	<5	1.27	<1	27	70	67	4.03	20	1.46	397	2	0.04	44	1290	14	<5	<20	69	0.19	<10	97	<10	17	98
70	L442+800N 346+500E	5	<0.2	2.73	25	165	<5	0.90	<1	24	73	58	4.22	10	1.47	790	<1	0.02	49	1010	16	<5	<20	36	0.09	<10	104	<10	9	68

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1106

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	L442+800N 346+550E	5	<0.2	3.27	20	200	5	1.00	<1	32	89	108	5.46	30	1.42	831	3	0.05	58	980	16	<5	<20	54	0.34	<10	28	<10	26	73
72	L442+800N 346+600E	5	<0.2	3.37	20	150	<5	0.48	<1	22	76	69	4.42	20	1.30	547	<1	0.02	43	750	20	<5	<20	27	0.12	<10	99	<10	10	66
73	L442+800N 346+650E	<5	0.2	3.34	15	120	5	0.58	<1	24	98	53	4.46	10	1.54	455	<1	0.02	59	610	16	<5	<20	31	0.11	<10	105	<10	8	74
74	L442+800N 346+700E	5	<0.2	3.36	15	120	10	0.45	<1	21	72	47	4.67	10	1.33	491	<1	0.01	41	1130	20	<5	<20	22	0.10	<10	98	<10	9	105
75	L442+800N 346+750E	<5	0.2	3.51	15	125	<5	0.38	<1	25	71	59	5.23	20	1.27	616	<1	0.01	42	1260	20	<5	<20	21	0.17	<10	96	<10	11	98
76	L443+200N 343+050E	5	<0.2	3.09	15	55	<5	0.63	<1	23	69	100	4.43	10	1.40	485	<1	0.02	44	390	16	<5	<20	41	0.14	<10	99	<10	8	57
77	L443+200N 343+100E	5	0.6	3.60	10	60	<5	0.89	<1	31	65	363	5.48	30	1.17	1132	3	0.03	59	1160	18	<5	<20	26	0.32	<10	70	<10	37	124
78	L443+200N 343+150E	<5	0.2	3.28	15	70	<5	0.67	<1	29	82	73	5.51	10	1.54	745	<1	0.02	52	570	18	<5	<20	38	0.19	<10	119	<10	9	152
79	L443+200N 343+200E	<5	1.1	2.46	15	95	<5	3.19	<1	22	56	281	2.93	20	0.72	2355	<1	0.02	56	2260	12	<5	<20	44	0.04	<10	85	<10	21	145
80	L443+200N 343+250E	5	0.2	3.67	15	90	<5	0.55	<1	26	71	131	5.18	20	1.24	765	<1	0.02	44	930	20	<5	<20	30	0.19	<10	88	<10	10	89
81	L443+200N 343+300E	10	<0.2	3.51	20	100	<5	0.56	<1	28	86	106	5.62	10	1.66	614	<1	0.02	51	840	20	<5	<20	28	0.17	<10	127	<10	9	90
83	L443+200N 343+400E	10	0.2	4.13	20	95	5	0.38	<1	27	88	93	5.24	20	1.56	601	2	0.02	57	700	22	<5	<20	23	0.20	<10	96	<10	10	83
84	L443+200N 343+450E	5	<0.2	3.18	10	120	<5	0.99	<1	26	84	120	4.52	20	1.70	798	2	0.03	63	760	18	<5	<20	33	0.17	<10	87	<10	14	128
86	L443+200N 343+550E	5	<0.2	3.98	20	100	5	0.47	<1	29	91	96	5.25	10	1.90	593	<1	0.02	64	430	22	<5	<20	29	0.16	<10	117	<10	9	80
87	L443+200N 343+600E	<5	<0.2	3.37	20	135	<5	0.61	<1	25	73	86	4.43	10	1.47	569	<1	0.02	49	350	18	<5	<20	52	0.12	<10	96	<10	11	73
88	L443+200N 343+650E	5	0.5	3.55	20	195	<5	1.37	<1	28	79	194	5.32	20	1.42	839	<1	0.03	57	820	18	<5	<20	50	0.17	<10	98	<10	18	139
89	L443+200N 343+700E	5	<0.2	3.45	25	100	<5	0.82	<1	29	81	132	5.17	10	1.68	901	<1	0.02	52	640	20	<5	<20	38	0.14	<10	134	<10	9	85
90	L443+200N 343+750E	<5	<0.2	4.24	20	165	5	0.33	<1	28	69	71	5.25	20	1.40	673	<1	0.02	47	740	24	<5	<20	39	0.16	<10	108	<10	13	86
91	L443+200N 343+800E	5	0.2	3.15	10	145	5	1.26	<1	27	68	71	4.86	20	1.21	602	1	0.02	43	450	20	<5	<20	24	0.20	<10	96	<10	11	112
92	L443+200N 343+850E	5	0.4	3.93	25	110	5	0.39	<1	24	85	86	5.98	10	1.44	553	<1	0.02	48	520	20	<5	<20	32	0.17	<10	148	<10	8	99
93	L443+200N 343+900E	5	0.2	3.11	15	195	<5	1.17	<1	27	77	144	4.78	20	1.51	1086	<1	0.02	51	1000	16	<5	<20	44	0.12	<10	118	<10	12	84
94	L443+200N 343+950E	<5	<0.2	3.55	25	125	<5	0.51	<1	27	89	105	5.17	10	1.38	735	<1	0.02	49	560	20	<5	<20	28	0.14	<10	131	<10	10	107
95	L443+200N 344+000E	5	0.3	4.23	20	275	<5	0.80	<1	31	94	145	6.02	20	1.57	1064	<1	0.02	58	770	20	5	<20	44	0.11	<10	141	<10	8	133
96	L443+200N 344+050E	5	0.6	3.55	20	205	<5	1.30	<1	24	79	161	5.11	20	1.31	987	<1	0.02	49	1190	18	<5	<20	43	0.07	<10	137	<10	15	97
97	L443+200N 344+100E	10	<0.2	3.75	20	140	<5	0.60	<1	28	89	116	5.32	10	1.68	842	<1	0.02	53	570	18	<5	<20	28	0.13	<10	132	<10	9	79
98	L443+200N 344+150E	5	0.8	3.92	20	140	<5	0.62	<1	24	77	167	5.15	30	1.37	501	<1	0.02	47	1040	18	5	<20	35	0.18	<10	103	<10	24	100
99	L443+200N 344+200E	<5	0.2	3.75	15	160	5	0.51	<1	26	88	76	5.68	10	1.46	786	<1	0.02	49	1020	18	<5	<20	42	0.16	<10	125	<10	8	98
100	L443+200N 344+250E	5	<0.2	3.96	20	55	<5	0.59	<1	27	112	149	5.66	10	2.06	614	<1	0.01	75	590	18	<5	<20	26	0.14	<10	153	<10	8	66
101	L443+200N 344+300E	<5	<0.2	3.67	15	100	5	0.85	<1	31	100	97	5.43	10	1.81	835	<1	0.02	61	570	18	<5	<20	29	0.17	<10	147	<10	9	100
102	L443+200N 344+350E	<5	<0.2	3.47	15	215	<5	0.44	<1	23	57	43	5.18	10	1.01	392	<1	0.02	34	700	18	<5	<20	52	0.09	<10	122	<10	7	76
103	L443+200N 344+400E	<5	<0.2	2.39	10	170	<5	1.30	<1	18	45	45	3.97	10	0.97	634	<1	0.02	29	890	16	<5	<20	48	0.09	<10	91	<10	9	56
104	L443+200N 344+450E	5	0.5	2.85	15	135	<5	0.34	<1	23	65	51	5.49	10	0.99	682	1	0.01	29	840	18	<5	<20	20	0.22	<10	87	<10	10	135
105	L443+200N 344+500E	<5	0.5	2.61	20	130	<5	1.83	<1	24	54	183	4.37	30	0.70	2085	2	0.02	90	1270	16	<5	<20	36	0.14	<10	86	<10	44	157
106	L443+200N 344+550E	5	0.5	2.49	20	125	<5	1.92	<1	21	66	223	4.03	20	0.93	956	4	0.03	142	1310	14	<5	<20	46	0.12	<10	79	<10	31	130
107	L443+200N 344+600E	5	0.3	2.96	15	130	<5	0.88	<1	24	67	66	4.62	10	1.22	817	<1	0.02	46	560	16	<5	<20	30	0.16	<10	86	<10	9	91
108	L443+200N 344+650E	<5	0.3	3.93	10	145	5	0.49	<1	32	60	85	6.18	30	0.81	562	4	0.04	42	870	20	<5	<20	19	0.44	<10	<1	<10	25	79
109	L443+200N 344+700E	<5	<0.2	3.97	25	140	<5	0.37	<1	25	76	68	5.18	10	1.43	585	<1	0.01	44	1010	20	<5	<20	23	0.13	<10	117	<10	7	83
110	L443+200N 344+750E	<5	0.3	3.83	5	130	5	0.51	<1	30	70	143	5.78	40	0.89	507	3	0.03	51	1220	20	<5	<20	22	0.36	<10	5	<10	31	98

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1106

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
111	L443+200N 344+800E	<5	0.4	2.54	15	125	<5	0.49	<1	22	63	68	4.91	10	1.12	619	<1	0.01	32	810	14	<5	<20	28	0.15	<10	112	<10	7	93
112	L443+200N 344+850E	5	0.2	3.06	20	115	<5	1.17	<1	24	63	153	4.44	20	1.11	702	1	0.02	36	560	16	<5	<20	45	0.09	<10	121	<10	15	75
113	L443+200N 344+900E	5	0.2	2.76	25	135	<5	1.44	<1	23	62	117	4.48	20	1.21	1198	1	0.02	36	1300	12	<5	<20	39	0.08	<10	117	<10	13	89
114	L443+200N 344+950E	5	<0.2	2.31	20	115	<5	1.52	<1	20	56	96	3.96	10	1.10	793	<1	0.02	34	1100	10	<5	<20	38	0.09	<10	99	<10	12	88
115	L443+200N 345+000E	<5	0.5	3.16	20	225	<5	1.60	<1	23	60	127	4.63	20	0.95	1070	<1	0.02	39	1270	14	<5	<20	42	0.06	<10	107	<10	13	100
116	L443+200N 345+050E	10	<0.2	2.56	15	155	<5	1.22	<1	22	62	62	4.00	10	1.19	1914	1	0.03	34	1040	12	<5	<20	44	0.11	<10	90	<10	10	91
117	L443+200N 345+100E	5	<0.2	2.28	20	100	<5	1.08	<1	25	65	97	4.63	10	1.28	947	<1	0.03	50	960	10	<5	<20	37	0.16	<10	103	<10	12	66
118	L443+200N 345+150E	<5	0.4	2.62	15	75	<5	0.55	<1	22	69	67	5.38	10	0.99	582	4	0.02	37	570	14	<5	<20	28	0.23	<10	93	<10	9	87
119	L443+200N 345+200E	5	<0.2	3.41	20	90	<5	0.38	<1	27	84	71	5.84	10	1.41	633	<1	0.02	45	610	16	<5	<20	19	0.22	<10	105	<10	8	94
120	L443+200N 345+250E	5	<0.2	3.55	10	120	<5	0.53	<1	24	65	78	5.40	20	1.02	444	1	0.02	38	830	18	<5	<20	21	0.27	<10	55	<10	14	80
121	L443+200N 345+300E	5	<0.2	3.35	20	170	<5	0.61	<1	27	76	78	5.07	10	1.32	975	<1	0.01	43	1130	16	<5	<20	31	0.12	<10	124	<10	7	100
122	L443+200N 345+350E	<5	0.6	3.65	25	185	<5	0.56	<1	25	78	134	6.32	20	1.27	687	<1	0.01	44	1430	18	<5	<20	27	0.21	<10	112	<10	10	148
123	L443+200N 345+400E	<5	<0.2	2.64	15	135	<5	0.96	<1	25	62	59	5.10	20	1.18	875	2	0.02	37	1010	14	<5	<20	32	0.22	<10	81	<10	11	73
125	L443+200N 345+500E	15	0.5	3.65	15	280	<5	1.57	<1	34	64	192	5.86	40	0.81	2169	4	0.04	53	1460	16	<5	<20	43	0.22	<10	75	<10	37	105
126	L443+200N 345+550E	5	0.2	2.25	10	115	5	0.46	<1	23	64	48	5.71	10	0.96	679	2	0.01	31	1690	14	<5	<20	18	0.22	<10	105	<10	8	125
129	L443+200N 345+700E	5	<0.2	2.49	20	110	<5	1.50	<1	28	71	103	4.35	10	1.47	1172	<1	0.02	46	900	12	<5	<20	33	0.10	<10	113	<10	10	79
130	L443+200N 345+750E	5	<0.2	2.87	25	140	<5	1.00	<1	28	76	118	4.58	10	1.66	947	<1	0.02	52	1060	14	<5	<20	34	0.12	<10	114	<10	10	81
131	L443+200N 345+800E	10	0.3	3.26	45	140	<5	1.25	<1	26	74	95	4.98	20	1.36	810	<1	0.02	48	820	16	<5	<20	26	0.14	<10	107	<10	11	102
132	L443+200N 345+850E	5	<0.2	3.65	25	120	<5	0.51	<1	26	84	83	5.40	10	1.47	659	<1	0.02	50	1160	18	5	<20	26	0.13	<10	126	<10	9	116
133	L443+200N 345+900E	5	<0.2	3.07	195	130	<5	0.51	<1	28	73	88	5.00	10	1.31	761	<1	0.02	44	660	18	5	<20	26	0.11	<10	124	<10	8	101
134	L443+200N 345+950E	5	<0.2	3.60	20	125	5	0.44	<1	25	90	70	5.46	10	1.51	689	<1	0.02	48	1610	20	<5	<20	19	0.17	<10	114	<10	9	114
136	L443+200N 346+050E	5	0.2	2.66	15	160	<5	0.71	<1	20	96	75	4.56	10	1.14	390	1	0.02	55	680	16	<5	<20	24	0.17	<10	83	<10	9	71
137	L443+200N 346+100E	5	0.4	3.32	10	155	<5	0.47	<1	24	92	106	5.35	20	1.29	644	<1	0.02	45	1230	18	<5	<20	24	0.17	<10	103	<10	12	108
138	L443+200N 346+150E	5	<0.2	4.03	30	120	<5	0.44	<1	26	89	91	5.62	10	1.62	612	<1	0.01	54	1620	20	<5	<20	17	0.13	<10	134	<10	8	106
139	L443+200N 346+200E	5	0.3	3.25	35	115	<5	1.13	<1	28	83	133	5.04	20	1.40	691	2	0.02	54	760	18	<5	<20	30	0.20	<10	109	<10	15	94
142	L443+200N 346+350E	5	0.6	2.81	<5	140	15	1.20	<1	32	60	52	6.03	40	1.01	541	4	0.05	55	1080	24	<5	<20	30	0.55	<10	<1	<10	28	117
143	L443+200N 346+400E	<5	0.7	2.74	5	225	<5	1.32	<1	24	61	115	4.55	30	1.19	841	<1	0.03	43	850	24	<5	<20	37	0.15	<10	87	<10	20	74
144	L443+200N 346+450E	<5	0.4	2.77	10	105	5	0.35	<1	20	67	48	5.39	20	1.19	486	<1	0.01	34	1720	24	<5	<20	15	0.14	<10	123	<10	7	101
145	L443+200N 346+500E	5	0.4	2.73	15	100	5	0.31	<1	23	70	50	5.65	20	1.19	640	1	0.01	34	1100	24	<5	<20	15	0.21	<10	93	<10	9	112
146	L443+200N 346+550E	<5	1.0	3.41	15	135	5	0.40	<1	24	70	90	5.27	20	1.22	591	<1	0.02	40	730	28	<5	<20	22	0.18	<10	99	<10	13	81
147	L443+200N 346+600E	<5	0.2	3.68	5	105	15	0.41	<1	33	66	49	6.03	20	0.87	647	4	0.02	38	1110	28	5	<20	13	0.47	<10	<1	<10	18	112
148	L442+600N 344+600E	<5	0.8	2.82	40	100	<5	1.68	<1	27	67	391	4.93	30	1.18	836	1	0.03	60	1200	22	<5	<20	38	0.25	<10	53	<10	29	118
149	L442+600N 344+650E	5	0.7	2.69	30	85	<5	1.45	<1	25	68	270	4.79	30	1.14	832	2	0.03	55	720	22	<5	<20	32	0.23	<10	57	<10	20	134
150	L442+600N 344+700E	<5	0.7	2.10	15	95	<5	2.49	<1	19	54	151	3.24	20	0.96	790	1	0.02	41	1270	40	<5	<20	47	0.11	<10	66	<10	16	102

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1106

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
151	L442+600N 344+750E	10	0.8	2.67	30	110	<5	1.71	<1	25	68	267	5.03	30	0.99	1702	4	0.03	46	1320	18	<5	<20	39	0.13	<10	116	<10	24	78
153	L442+600N 344+850E	<5	0.6	2.39	15	125	10	0.92	<1	24	61	60	4.56	20	1.14	938	<1	0.02	34	650	16	<5	<20	27	0.20	<10	78	<10	9	118
154	L442+600N 344+900E	<5	0.5	2.63	<5	125	5	0.82	<1	27	51	73	5.72	20	1.27	705	<1	0.02	26	890	16	<5	<20	24	0.26	<10	134	<10	11	101
155	L442+600N 344+950E	<5	0.4	2.77	10	140	<5	0.97	<1	23	58	105	4.75	20	1.01	753	<1	0.03	38	760	18	<5	<20	32	0.19	<10	72	<10	16	72
156	L442+600N 345+000E	<5	0.4	1.62	25	95	<5	1.47	<1	19	48	60	4.71	20	0.85	1115	1	0.02	26	1180	6	<5	<20	27	0.09	<10	110	<10	10	75
158	L442+600N 345+100E	<5	0.6	2.40	15	130	<5	0.99	<1	21	64	100	4.08	20	1.10	1326	<1	0.02	39	1050	14	<5	<20	30	0.10	<10	95	<10	11	90
159	L442+600N 345+150E	<5	0.3	1.99	5	120	<5	1.28	<1	19	59	56	3.52	10	1.17	526	1	0.03	38	1200	12	<5	<20	49	0.14	<10	68	<10	11	86
160	L442+600N 345+200E	5	0.9	3.56	15	175	<5	0.79	<1	29	73	132	5.49	30	1.12	931	<1	0.02	46	820	22	<5	<20	31	0.21	<10	79	<10	19	95
161	L442+600N 345+250E	5	0.8	2.47	15	135	<5	1.01	<1	21	61	94	4.00	20	1.04	982	<1	0.02	34	1490	16	<5	<20	22	0.12	<10	86	<10	15	59
162	L442+600N 345+300E	5	0.7	2.59	15	130	5	1.49	<1	20	59	157	4.13	30	0.96	616	<1	0.02	39	1060	16	<5	<20	35	0.14	<10	76	<10	21	59
163	L442+600N 345+350E	<5	0.8	2.18	5	85	<5	0.63	<1	18	57	55	4.18	20	0.69	328	2	0.02	25	720	18	<5	<20	20	0.23	<10	51	<10	12	78
165	L442+600N 345+450E	5	<0.2	1.70	10	85	<5	0.67	<1	17	51	47	3.70	10	0.85	605	<1	0.02	25	670	10	<5	<20	24	0.09	<10	100	<10	6	67
166	L442+600N 345+500E	15	<0.2	2.64	10	140	<5	0.79	<1	20	66	73	4.26	20	1.03	536	<1	0.02	38	830	18	<5	<20	30	0.18	<10	64	<10	12	60
167	L442+600N 345+550E	<5	<0.2	2.52	125	200	5	1.41	<1	47	85	114	>10	40	1.09	3218	4	0.02	38	1360	4	<5	<20	49	0.07	<10	300	<10	17	88
168	L442+600N 345+600E	<5	0.2	2.39	15	190	<5	1.55	<1	22	60	84	4.13	20	0.92	804	2	0.03	43	930	18	<5	<20	57	0.22	<10	47	<10	16	97
169	L442+600N 345+650E	<5	0.6	2.50	20	165	10	1.62	<1	29	59	115	5.34	40	0.82	699	5	0.06	48	1060	16	<5	<20	49	0.40	<10	3	<10	30	90
170	L442+600N 345+700E	5	<0.2	2.55	15	175	<5	1.41	<1	20	59	141	3.98	30	1.02	694	<1	0.02	45	960	18	<5	<20	44	0.12	<10	75	<10	19	76
171	L442+600N 345+750E	<5	<0.2	2.79	20	220	<5	1.47	<1	27	81	146	4.64	30	1.34	982	<1	0.03	61	950	16	<5	<20	47	0.18	<10	81	<10	27	80
172	L442+600N 345+800E	<5	0.9	3.21	20	170	5	0.79	<1	26	74	194	5.28	30	1.05	718	2	0.03	66	980	20	<5	<20	36	0.24	<10	69	<10	23	112
173	L442+200N 344+600E	5	1.0	2.91	15	80	<5	0.83	<1	23	81	292	4.92	30	1.50	700	<1	0.01	55	1060	16	<5	<20	25	0.10	<10	144	<10	27	84
174	L442+200N 344+650E	<5	0.4	2.91	10	115	<5	0.98	<1	33	80	149	5.36	30	1.75	712	2	0.05	80	1130	18	<5	<20	26	0.39	<10	9	<10	23	80
176	L442+200N 344+750E	5	0.5	2.26	15	85	<5	1.75	<1	24	58	367	4.67	30	0.67	852	<1	0.03	33	1080	16	<5	<20	33	0.22	<10	68	<10	25	119
177	L442+200N 344+800E	<5	1.1	1.77	20	70	<5	1.97	<1	18	81	313	2.74	30	0.91	935	<1	0.02	43	1010	14	<5	<20	30	0.08	<10	59	<10	28	71
178	L442+200N 344+850E	5	0.4	2.80	10	100	<5	1.34	<1	42	389	132	4.21	20	3.46	714	<1	0.02	177	760	14	<5	<20	18	0.17	<10	65	<10	18	80
179	L442+200N 344+900E	5	0.2	1.86	<5	70	<5	1.06	<1	18	68	80	3.59	10	1.14	475	<1	0.02	47	690	12	<5	<20	24	0.15	<10	64	<10	9	67
180	L442+200N 344+950E	10	<0.2	2.27	55	265	<5	1.28	<1	57	102	254	>10	50	1.04	6913	18	0.02	35	1450	<2	<5	<20	41	0.09	<10	148	<10	17	70
181	L442+200N 345+000E	5	<0.2	2.41	40	340	10	1.18	<1	74	94	74	>10	30	1.16	6994	<1	0.03	37	1290	<2	<5	<20	43	0.10	<10	119	<10	13	96
183	L442+200N 345+100E	5	<0.2	1.54	10	75	<5	1.24	<1	16	56	87	3.33	10	0.99	402	<1	0.03	31	1140	10	<5	<20	25	0.11	<10	65	<10	11	51
185	L442+200N 345+200E	5	0.4	0.49	<5	50	<5	3.13	<1	1	7	72	0.49	<10	0.15	16	<1	<0.01	19	1040	8	<5	<20	34	<0.01	<10	33	<10	5	91
188	L442+400N 342+600E	5	<0.2	3.21	10	85	<5	0.57	<1	26	65	86	5.63	10	1.34	493	<1	0.02	39	1100	18	<5	<20	39	0.12	<10	156	<10	7	65
189	L442+400N 342+650E	5	0.2	2.80	<5	<5	<5	0.51	6	25	60	79	5.06	10	1.13	447	<1	<0.01	51	690	4	<5	<20	5	0.10	<10	191	<10	44	57
190	L442+400N 342+700E	<5	0.4	2.45	<5	<5	<5	0.44	<1	35	53	76	4.42	10	0.92	389	<1	0.01	<1	830	86	<5	<20	<1	0.25	<10	182	<10	52	52

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1106

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
191	L442+400N 342+750E	5	0.3	3.48	10	105	<5	1.01	<1	27	63	220	5.13	40	0.88	634	2	0.02	38	1050	22	<5	<20	35	0.16	<10	92	<10	35	64
192	L442+400N 342+800E	5	<0.2	3.35	15	95	5	0.33	<1	24	62	73	5.49	20	1.07	486	<1	0.02	33	930	22	<5	<20	24	0.23	<10	98	<10	9	108
193	L442+400N 342+850E	10	<0.2	2.85	15	70	<5	0.47	<1	26	68	62	5.19	10	1.32	771	<1	0.02	41	890	20	<5	<20	35	0.15	<10	109	<10	7	90
194	L442+400N 342+900E	<5	0.4	3.95	5	65	10	0.18	<1	25	68	46	6.27	20	0.64	565	4	0.01	28	1290	28	<5	<20	7	0.38	<10	13	<10	15	140
195	L442+400N 342+950E	5	0.2	3.04	15	55	10	0.50	<1	28	62	108	5.11	20	1.03	559	2	0.02	42	530	20	<5	<20	28	0.26	<10	66	<10	11	116
196	L442+400N 343+000E	10	0.2	2.30	<5	75	<5	1.19	<1	23	40	139	4.24	20	1.16	710	2	0.04	31	1340	12	<5	<20	39	0.18	<10	96	<10	15	69
197	L442+400N 343+050E	5	0.2	2.47	10	75	<5	0.34	<1	22	64	52	5.02	10	0.98	419	<1	0.02	31	370	16	<5	<20	21	0.18	<10	89	<10	7	138
198	L442+400N 343+100E	5	<0.2	2.43	15	135	10	0.50	<1	23	72	64	5.79	20	1.15	676	<1	0.02	38	1850	16	<5	<20	26	0.16	<10	126	<10	6	114
199	L442+400N 343+150E	5	<0.2	2.36	10	75	5	0.46	<1	21	60	58	3.95	10	1.06	612	<1	0.02	37	640	14	<5	<20	23	0.13	<10	92	<10	8	76
200	L442+400N 343+200E	<5	0.2	3.66	10	80	10	0.27	<1	29	74	51	5.59	20	1.02	774	2	0.02	42	770	24	<5	<20	17	0.28	<10	56	<10	11	129
201	L442+400N 343+250E	5	0.5	2.81	10	95	<5	1.48	<1	27	74	334	5.48	20	1.01	2953	2	0.02	53	1800	14	<5	<20	39	0.08	<10	107	<10	25	171
202	L442+400N 343+300E	5	<0.2	3.34	10	130	5	0.43	<1	29	75	63	5.18	20	1.13	1066	<1	0.02	44	720	22	<5	<20	26	0.19	<10	88	<10	11	120
204	L442+400N 343+400E	5	<0.2	2.29	<5	75	<5	0.84	<1	29	61	56	5.11	10	1.20	1306	<1	0.02	36	650	12	<5	<20	34	0.15	<10	114	<10	7	105
205	L442+400N 343+450E	5	<0.2	2.96	<5	135	5	0.53	<1	27	64	53	4.93	20	0.95	1184	<1	0.01	42	870	18	<5	<20	31	0.19	<10	62	<10	11	94
206	L442+400N 343+500E	<5	0.2	1.82	10	120	<5	1.02	<1	22	55	72	3.56	10	0.73	624	<1	0.01	29	1210	14	<5	<20	35	0.09	<10	99	<10	6	157
207	L442+400N 343+550E	<5	<0.2	3.07	<5	135	5	0.38	<1	27	73	57	5.69	20	1.17	1012	<1	0.01	45	780	20	<5	<20	25	0.20	<10	89	<10	9	161
208	L442+400N 343+600E	5	<0.2	3.06	10	115	<5	0.55	<1	27	67	70	4.53	20	1.19	1062	<1	0.02	43	820	20	<5	<20	31	0.16	<10	88	<10	10	107
209	L442+400N 343+650E	<5	<0.2	3.17	10	90	10	0.73	<1	34	71	86	5.54	20	0.97	1639	<1	0.01	49	1060	22	<5	<20	33	0.24	<10	73	<10	13	185
210	L442+400N 343+700E	<5	0.3	2.39	50	70	<5	1.64	<1	23	68	248	4.04	20	1.08	1321	<1	0.02	48	1830	14	<5	<20	33	0.11	<10	77	<10	25	330
211	L442+400N 343+750E	5	<0.2	2.53	5	120	5	1.06	<1	32	78	62	4.95	10	1.37	1527	<1	0.01	48	1200	14	<5	<20	43	0.19	<10	91	<10	9	206
212	L442+400N 343+800E	<5	<0.2	4.29	10	55	15	0.26	<1	33	67	48	6.87	30	0.83	649	6	0.02	33	980	28	<5	<20	6	0.53	<10	<1	<10	18	151
213	L442+400N 343+850E	5	<0.2	2.42	<5	110	<5	0.43	<1	29	89	63	5.06	10	1.49	1382	<1	0.01	59	580	14	<5	<20	24	0.17	<10	93	<10	7	106
214	L442+400N 343+900E	5	<0.2	3.02	10	125	10	0.49	<1	27	74	57	5.76	20	1.31	528	<1	0.02	46	730	18	<5	<20	62	0.22	<10	96	<10	9	101
215	L442+400N 343+950E	5	<0.2	3.21	5	85	5	0.26	<1	32	67	44	5.91	20	0.86	1078	2	0.02	33	770	20	5	<20	16	0.32	<10	41	<10	13	144
216	L442+400N 344+000E	5	0.2	3.76	<5	85	10	0.42	<1	37	69	54	5.10	20	1.78	1109	<1	0.02	69	730	20	<5	<20	10	0.29	<10	29	<10	13	204
217	L442+400N 344+050E	5	0.2	2.61	15	60	<5	0.52	<1	24	62	58	3.95	10	1.23	880	<1	0.02	41	760	16	<5	<20	28	0.10	<10	99	<10	8	95
218	L442+400N 344+100E	5	0.3	2.78	10	85	<5	1.37	<1	23	65	367	4.44	30	0.89	906	<1	0.03	43	1120	16	<5	<20	32	0.18	<10	88	<10	22	112
219	L442+400N 344+150E	5	0.7	2.44	15	110	<5	2.70	<1	21	66	543	3.34	20	1.16	1169	<1	0.02	59	1210	14	<5	<20	54	0.06	<10	86	<10	25	92
220	L442+400N 344+200E	5	0.7	2.72	10	115	<5	1.91	<1	24	66	274	4.24	30	1.01	970	<1	0.03	53	1080	16	<5	<20	48	0.16	<10	73	<10	25	121
221	L442+400N 344+250E	5	0.6	4.18	25	220	<5	1.26	<1	36	108	200	5.57	30	1.90	1415	<1	0.02	71	880	20	<5	<20	43	0.11	<10	142	<10	21	91
222	L442+400N 344+300E	5	0.4	2.53	5	90	<5	1.49	<1	30	74	214	4.13	20	1.70	691	1	0.03	79	720	14	<5	<20	40	0.25	<10	35	<10	19	100
223	L442+400N 344+350E	5	0.2	2.94	<5	55	15	0.60	<1	44	116	50	5.51	20	3.19	452	3	0.02	160	530	18	<5	<20	19	0.44	<10	24	<10	13	99
224	L442+400N 344+400E	5	0.5	3.13	5	160	10	0.84	<1	30	69	154	5.13	30	1.07	712	3	0.04	53	1100	18	<5	<20	31	0.29	<10	43	<10	23	93
225	L442+400N 344+450E	10	0.6	3.28	35	130	<5	0.63	<1	27	78	260	5.51	30	1.13	502	2	0.03	58	840	32	<5	<20	26	0.29	<10	56	<10	20	121
226	L442+400N 344+500E	5	<0.2	2.25	10	105	5	0.83	<1	18	66	65	3.50	10	1.34	544	<1	0.03	41	880	14	<5	<20	30	0.12	<10	77	<10	8	76
227	L442+400N 344+550E	10	0.3	2.53	<5	75	15	0.61	<1	31	84	56	5.12	20	1.84	462	2	0.02	80	1390	16	<5	<20	19	0.37	<10	21	<10	14	127
228	L442+400N 344+600E	5	<0.2	2.11	10	60	<5	0.53	<1	24	67	43	4.20	10	1.46	446	<1	0.02	51	680	12	<5	<20	15	0.25	<10	50	<10	10	108
229	L443+000N 342+200E	5	<0.2	3.54	10	100	5	0.42	<1	30	65	63	5.32	20	1.31	569	<1	0.02	42	680	22	5	<20	31	0.24	<10	81	<10	10	79
230	L443+000N 342+150E	10	<0.2	3.65	20	75	5	0.47	<1	31	87	111	5.56	10	1.61	495	<1	0.02	57	430	20	<5	<20	31	0.18	<10	130	<10	8	69

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1106

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
231	L443+000N 342+100E	15	<0.2	3.21	15	135	<5	0.63	<1	22	68	99	4.94	10	1.39	481	<1	0.02	42	890	20	<5	<20	40	0.13	<10	121	<10	7	86
232	L443+000N 342+050E	10	<0.2	3.12	10	50	10	0.58	<1	27	111	81	5.59	10	1.70	712	<1	0.03	62	530	30	5	<20	30	0.21	<10	138	<10	8	91
233	L443+000N 342+000E	10	0.9	2.92	30	60	<5	1.39	2	28	63	228	4.83	30	1.16	1027	10	0.03	40	760	34	25	<20	51	0.24	<10	162	<10	23	246
234	L443+000N 341+950E	20	0.3	2.81	<5	55	<5	0.72	<1	25	85	197	4.61	10	1.37	571	<1	0.02	44	580	24	<5	<20	35	0.17	<10	113	<10	8	102
235	L443+000N 341+900E	40	0.2	2.93	10	55	<5	0.82	<1	35	64	248	6.11	10	1.75	1134	<1	0.02	35	600	28	<5	<20	55	0.16	<10	176	<10	8	116
236	L443+000N 341+850E	155	0.5	3.81	<5	55	<5	1.55	<1	41	44	468	7.05	20	1.71	1372	<1	0.02	23	1330	24	<5	<20	98	0.06	<10	276	<10	7	75
237	L443+000N 341+800E	65	0.2	4.27	5	60	<5	1.23	<1	38	44	299	5.76	20	1.68	1083	<1	0.02	24	1510	24	<5	<20	79	0.10	<10	182	<10	7	68
238	L443+000N 341+750E	25	0.2	3.16	5	35	<5	0.91	<1	34	64	185	5.99	20	1.47	708	<1	0.02	36	700	24	<5	<20	69	0.19	<10	165	<10	8	77
239	L443+000N 341+700E	15	<0.2	2.56	5	45	5	0.80	<1	28	64	160	5.39	20	1.15	512	2	0.02	39	610	22	<5	<20	44	0.22	<10	138	<10	9	101
240	L443+000N 341+650E	10	<0.2	2.99	10	80	<5	0.94	<1	27	48	89	5.47	20	1.12	471	<1	0.03	29	830	14	<5	<20	58	0.19	<10	157	<10	10	80
241	L443+000N 341+600E	15	<0.2	2.48	<5	60	<5	1.06	<1	30	60	282	5.39	10	1.24	727	<1	0.02	32	960	16	<5	<20	64	0.12	<10	195	<10	8	64
242	L443+000N 344+600E	10	<0.2	2.83	15	140	5	0.79	<1	19	68	91	4.32	20	1.01	412	<1	0.02	42	700	16	<5	<20	31	0.15	<10	84	<10	11	66
243	L443+000N 344+650E	10	0.3	2.70	10	145	<5	1.46	<1	22	56	96	4.43	20	0.82	783	1	0.02	38	1020	16	<5	<20	32	0.16	<10	66	<10	12	75
245	L443+000N 344+750E	10	0.7	2.82	25	210	<5	2.07	<1	22	64	225	4.40	30	0.95	866	<1	0.02	46	1150	16	<5	<20	37	0.12	<10	84	<10	26	83
246	L443+000N 344+800E	10	0.2	2.50	20	110	<5	0.50	<1	20	59	71	4.45	10	1.17	579	<1	0.02	33	580	14	<5	<20	23	0.10	<10	122	<10	6	69
247	L443+000N 344+850E	20	0.5	2.33	15	110	<5	0.55	<1	20	61	62	4.53	10	1.16	590	<1	0.02	33	600	14	<5	<20	25	0.12	<10	110	<10	7	87
248	L443+000N 344+900E	5	0.8	2.74	15	125	<5	0.74	<1	22	68	79	4.63	10	1.30	667	<1	0.02	39	550	16	<5	<20	29	0.12	<10	103	<10	9	79
249	L443+000N 344+950E	<5	0.3	2.12	10	105	5	0.85	<1	18	54	48	4.65	20	0.81	605	3	0.01	26	910	16	<5	<20	25	0.16	<10	85	<10	7	115
250	L443+000N 345+000E	5	0.6	2.85	15	100	5	0.35	<1	25	68	55	5.23	20	1.08	818	<1	0.01	36	1100	16	<5	<20	17	0.16	<10	99	<10	8	132
251	L443+000N 345+050E	<5	0.6	2.08	15	100	<5	1.72	<1	14	53	128	3.49	20	0.91	436	<1	0.02	40	1200	12	<5	<20	40	0.10	<10	65	<10	17	115
252	L443+000N 345+100E	5	0.6	2.63	20	130	<5	0.88	<1	21	70	102	4.30	20	1.23	652	<1	0.02	41	760	16	<5	<20	35	0.14	<10	89	<10	12	73
253	L443+000N 345+150E	25	0.3	2.43	20	160	5	1.57	<1	22	61	93	4.32	20	1.07	677	2	0.03	64	1030	16	<5	<20	44	0.18	<10	70	<10	12	97
254	L443+000N 345+200E	5	0.8	2.84	15	160	5	0.94	<1	28	74	78	5.33	20	1.33	877	1	0.02	51	670	16	<5	<20	33	0.22	<10	77	<10	11	106
255	L443+000N 345+250E	5	0.3	3.16	15	210	5	1.17	<1	27	76	137	5.50	20	1.23	1028	<1	0.02	54	860	18	<5	<20	41	0.22	<10	78	<10	17	117
257	L443+000N 345+350E	<5	0.5	2.98	15	210	<5	1.23	<1	23	59	148	4.68	30	1.08	799	<1	0.02	47	990	18	<5	<20	38	0.16	<10	73	<10	18	93
258	L443+000N 345+400E	<5	0.7	2.94	10	95	<5	0.54	<1	22	64	78	4.89	10	1.13	485	<1	0.02	39	500	16	<5	<20	21	0.16	<10	90	<10	8	63
259	L443+000N 345+450E	5	0.7	2.67	5	235	10	1.41	<1	28	52	75	5.17	30	0.67	716	5	0.07	44	1100	16	<5	<20	38	0.40	<10	<1	<10	27	113
260	L443+000N 345+500E	<5	0.2	3.21	20	105	<5	0.49	<1	26	80	96	4.82	10	1.46	651	<1	0.01	54	930	18	<5	<20	18	0.13	<10	108	<10	8	82
261	L443+000N 345+550E	5	0.3	2.43	15	120	<5	0.63	<1	25	64	70	4.46	10	1.19	1164	<1	0.02	38	900	14	<5	<20	29	0.08	<10	112	<10	7	102
262	L443+000N 345+600E	<5	0.5	3.11	10	140	5	0.37	<1	23	76	49	4.19	20	1.10	924	<1	0.01	46	950	20	<5	<20	16	0.10	<10	81	<10	11	99
264	L443+000N 345+700E	<5	0.7	2.47	15	175	<5	1.79	<1	22	64	114	4.06	20	1.12	954	<1	0.02	46	870	12	<5	<20	45	0.09	<10	78	<10	17	77
265	L443+000N 345+750E	<5	0.7	2.47	15	175	<5	1.77	<1	23	64	112	4.07	20	1.12	923	<1	0.02	44	900	14	<5	<20	43	0.11	<10	79	<10	17	77
266	L443+000N 345+800E	<5	1.1	3.11	15	210	<5	0.86	<1	29	71	147	5.64	30	0.99	1082	<1	0.02	48	1120	18	<5	<20	35	0.22	<10	77	<10	19	140
267	L443+000N 345+850E	<5	0.4	3.04	15	90	10	0.50	<1	27	75	100	5.31	20	1.44	805	<1	0.02	50	1020	16	<5	<20	18	0.20	<10	98	<10	11	94
268	L443+000N 345+900E	5	0.7	2.35	15	85	<5	0.34	<1	19	65	56	4.94	10	1.05	411	<1	0.02	32	680	14	<5	<20	18	0.15	<10	97	<10	7	77
269	L443+000N 345+950E	<5	0.9	2.57	20	150	5	0.62	<1	21	72	67	4.68	10	1.26	686	<1	0.02	42	640	16	5	<20	33	0.08	<10	124	<10	6	92
270	L443+000N 346+000E	<5	1.2	3.04	15	150	<5	0.46	<1	17	64	108	4.35	20	1.03	439	<1	0.01	40	880	18	<5	<20	21	0.08	<10	90	<10	12	86

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1106

ECO TECH LABORATORY LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
272	L443+000N 346+100E	<5	0.9	3.17	<5	105	5	0.28	<1	21	71	78	5.07	20	0.70	358	2	0.01	58	680	18	<5	<20	11	0.21	<10	44	<10	14	100
273	L443+000N 346+150E	<5	0.4	2.45	5	145	<5	0.49	<1	20	99	67	4.09	20	1.33	431	<1	0.01	61	740	16	<5	<20	25	0.08	<10	87	<10	8	83
274	L443+000N 346+200E	<5	1.2	3.00	10	125	5	0.33	<1	21	61	52	4.92	20	0.78	677	<1	0.01	37	1070	20	<5	<20	16	0.18	<10	62	<10	10	132
275	L443+000N 346+250E	<5	0.5	2.30	35	155	<5	0.81	<1	22	69	62	4.24	10	1.31	797	<1	0.01	44	810	12	<5	<20	37	0.04	<10	112	<10	5	88
276	L443+000N 346+300E	<5	0.7	3.06	15	160	<5	0.48	<1	22	59	61	4.85	20	0.96	515	3	0.01	37	810	18	5	<20	23	0.16	<10	62	<10	10	81
277	L443+000N 346+350E	<5	0.5	3.26	15	205	5	0.57	<1	25	63	78	4.69	20	1.22	699	<1	0.02	40	720	18	<5	<20	29	0.16	<10	92	<10	13	78
278	L443+000N 346+400E	<5	<0.2	3.26	10	140	5	0.22	<1	25	62	55	5.56	20	0.84	864	2	0.01	31	1150	20	<5	<20	17	0.23	<10	56	<10	14	94
279	L443+000N 346+450E	<5	0.3	3.59	15	170	10	0.44	<1	26	65	70	4.99	20	1.14	657	<1	0.02	44	820	20	<5	<20	25	0.18	<10	79	<10	16	94
280	L443+000N 346+500E	<5	0.4	3.43	10	135	<5	0.51	<1	23	63	60	5.04	20	1.13	591	<1	0.01	41	1790	20	<5	<20	22	0.18	<10	75	<10	9	102
281	L443+000N 346+550E	<5	0.4	3.43	15	130	10	0.43	<1	25	70	72	5.18	30	0.97	527	4	0.02	39	820	20	<5	<20	19	0.29	<10	43	<10	21	71
282	L443+000N 346+600E	<5	<0.2	3.46	15	135	<5	0.36	<1	24	68	76	4.93	20	1.35	567	<1	0.01	41	960	20	<5	<20	22	0.12	<10	107	<10	9	72

QC DATA:

Repeat:

1	L442+800N 343+050E	<5	0.2	3.24	10	55	<5	1.40	<1	26	65	155	5.35	20	1.11	658	3	0.02	53	860	20	<5	<20	21	0.21	<10	81	<10	21	152
10	L442+800N 343+500E	10	3.1	3.57	<5	70	<5	1.30	2	38	74	1202	4.82	40	0.87	2889	3	0.03	125	1480	22	<5	<20	31	0.21	<10	41	<10	42	825
19	L442+800N 343+950E	<5	0.5	4.67	30	210	<5	0.65	<1	41	95	315	6.97	30	1.68	803	2	0.04	85	1130	24	<5	<20	42	0.39	<10	53	<10	28	108
28	L442+800N 344+400E	<5	0.3	2.71	15	105	5	0.88	<1	26	63	97	5.85	10	1.03	677	3	0.01	34	810	16	<5	<20	113	0.26	<10	89	<10	9	153
36	L442+800N 344+800E	5	0.4	2.23	50	120	<5	2.19	<1	22	92	116	3.77	10	1.34	975	2	0.03	54	980	12	<5	<20	38	0.10	<10	88	<10	11	90
45	L442+800N 345+250E	<5	0.3	3.45	15	125	10	0.73	<1	30	64	112	5.91	30	0.98	605	5	0.03	45	950	18	<5	<20	25	0.41	<10	8	<10	24	103
54	L442+800N 345+700E	<5	<0.2	1.96	25	175	<5	2.15	<1	25	55	99	3.51	20	0.94	788	3	0.02	40	1040	10	<5	<20	52	0.08	<10	85	<10	16	88
63	L442+800N 346+150E	<5	<0.2	2.50	30	250	<5	1.27	<1	29	84	151	3.46	20	1.54	468	3	0.07	77	1200	16	<5	<20	73	0.28	<10	66	<10	21	81
71	L442+800N 346+550E	5	<0.2	3.19	15	200	5	0.96	<1	30	85	107	5.32	30	1.36	795	2	0.05	56	940	16	<5	<20	52	0.32	<10	27	<10	25	73
80	L443+200N 343+250E	5	0.2	3.63	15	85	5	0.53	<1	26	70	129	5.17	20	1.24	775	1	0.02	43	900	20	<5	<20	28	0.17	<10	94	<10	10	89
89	L443+200N 343+700E	5	<0.2	3.40	30	100	<5	0.79	<1	28	80	132	5.13	10	1.66	891	<1	0.02	51	630	18	<5	<20	39	0.14	<10	130	<10	8	83
98	L443+200N 344+150E	5	0.8	3.90	25	140	<5	0.62	<1	24	77	168	5.17	30	1.36	523	<1	0.02	48	1040	20	<5	<20	33	0.18	<10	110	<10	24	102
106	L443+200N 344+550E	5	0.5	2.44	20	120	<5	1.90	<1	20	65	220	3.96	20	0.91	922	3	0.03	141	1280	14	<5	<20	43	0.12	<10	79	<10	30	129
115	L443+200N 345+000E	<5	0.5	3.12	20	225	<5	1.63	<1	22	58	126	4.61	20	0.95	1055	<1	0.02	38	1270	16	<5	<20	42	0.06	<10	109	<10	13	100
126	L443+200N 345+550E	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133	L443+200N 345+900E	<5	<0.2	3.01	195	130	<5	0.48	<1	28	71	87	4.92	20	1.29	753	<1	0.02	42	670	16	<5	<20	26	0.10	<10	121	<10	8	104
142	L443+200N 346+350E	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	L442+600N 344+700E	-	0.7	2.08	15	90	<5	2.47	<1	16	53	152	3.19	20	0.96	694	<1	0.02	40	1300	16	<5	<20	46	0.10	<10	64	<10	15	102
153	L442+600N 344+850E	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	L442+600N 345+150E	<5	<0.2	1.93	10	110	5	1.22	<1	18	58	55	3.54	10	1.14	536	<1	0.03	37	1200	12	<5	<20	41	0.13	<10	75	<10	11	86
168	L442+600N 345+600E	-	0.3	2.28	15	180	5	1.50	<1	21	57	80	3.97	20	0.88	668	2	0.03	41	890	18	<5	<20	54	0.20	<10	45	<10	15	95
171	L442+600N 345+750E	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176	L442+200N 344+750E	5	0.5	2.28	20	85	<5	1.76	<1	24	59	369	4.69	30	0.68	840	1	0.03	36	1170	14	<5	<20	33	0.25	<10	72	<10	25	120
185	L442+200N 345+200E	-	0.3	0.47	<5	50	<5	3.07	2	1	7	68	0.47	<10	0.15	16	<1	0.01	19	1030	8	<5	<20	35	<0.01	<10	31	<10	5	90
188	L442+400N 342+600E	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194	L442+400N 342+900E	<5	0.4	3.85	<5	60	10	0.15	<1	24	66	44	6.13	20	0.62	560	4	0.01	27	1230	26	<5	<20	6	0.37	<10	20	<10	14	135
204	L442+400N 343+400E	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211	L442+400N 343+750E	5	<0.2	2.46	10	125	<5	1.00	<1	32	74	65	4.88	10	1.33	1516	<1	0.01	49	1150	16	<5	<20	43	0.18	<10	92	<10	9	207
220	L442+400N 344+200E	5	0.7	2.80	15	120	<5	1.93	<1	27	68	279	4.31	30	1.06	1041	1	0.03	55	1150	16	<5	<20	50	0.17	<10	78	<10	25	122
229	L443+000N 342+200E	5	<0.2	3.44	15	100	5	0.40	<1	29	63	63	5.21	20	1.29	562	<1	0.02	41	670	20	<5	<20	31	0.22	<10	73	<10	9	77
238	L443+000N 341+750E	40	0.3	3.16	5	40	<5	0.90	<1	34	63	187	5.83	20	1.45	6														

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1106

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
264	L443+000N 345+700E	<5	0.6	2.51	15	180	<5	1.80	<1	24	64	113	4.06	20	1.11	1080	<1	0.02	45	930	14	<5	<20	46	0.13	<10	77	<10	17	78
281	L443+000N 346+550E	<5	0.3	3.47	5	130	15	0.41	<1	25	69	66	5.19	30	0.93	483	3	0.02	37	820	20	<5	<20	18	0.30	<10	35	<10	20	71

Standard:

GEO '04		135	1.4	1.77	55	140	<5	1.68	<1	20	62	88	3.63	<10	1.00	634	<1	0.02	31	670	22	<5	<20	46	0.11	<10	57	<10	10	69
GEO '04		135	1.5	1.75	55	135	<5	1.65	<1	20	62	88	3.58	<10	1.00	623	<1	0.02	30	670	22	<5	<20	44	0.10	<10	58	<10	10	67
GEO '04		140	1.4	1.75	65	135	<5	1.62	<1	20	61	88	3.55	10	0.99	628	1	0.02	33	630	22	<5	<20	43	0.10	<10	62	<10	10	66
GEO '04		135	1.4	1.65	55	140	<5	1.56	<1	19	60	89	3.45	<10	0.94	596	<1	0.02	29	620	22	<5	<20	43	0.10	<10	61	<10	10	67
GEO '04		140	1.4	1.67	65	135	<5	1.57	1	19	60	85	3.42	10	0.94	601	1	0.02	40	620	20	<5	<20	45	0.11	<10	61	<10	9	67
GEO '04		140	1.4	1.70	65	135	<5	1.58	<1	19	60	87	3.46	<10	0.96	600	1	0.02	33	650	20	<5	<20	45	0.11	<10	60	<10	9	66
GEO '04		135	1.5	1.67	50	140	<5	1.55	<1	19	59	86	3.43	10	0.94	597	<1	0.02	30	650	20	<5	<20	43	0.10	<10	61	<10	10	66
GEO '04		135	1.4	1.69	50	135	<5	1.59	<1	19	59	88	3.50	<10	0.97	599	<1	0.02	29	650	20	<5	<20	42	0.10	<10	63	<10	10	64

ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

JJ/sc
df/1106/1106B
XLS/04

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1014

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
Standard:																															
GEO '04		145	1.5	1.64	60	145	<5	1.72	<1	20	60	88	3.79	20	0.93	647	<1	0.02	30	660	26	5	<20	42	0.10	<10	66	<10	8	69	

JJ/jm
df/1013
XLS/04

ECO TECH LABORATORY LTD.
Julia Jealouse
B.C. Certified Assayer

20-Aug-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1013

AMARC RESOURCES
1020-800 W. Pender Street
Vancouver, BC
V6C 2V6

ATTENTION: Mark Rebagliatti

No. of samples received: 192
Sample type: Soil
Project #: GBR
Shipment #: None Given
Samples submitted by: D. Takahashi

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L442+800N 341+350E	25	0.2	3.06	10	85	<5	1.33	<1	37	55	289	6.16	20	1.41	813	<1	0.03	31	1120	32	<5	<20	96	0.11	<10	226	<10	5	97
2	L442+800N 341+400E	15	0.2	2.76	<5	105	<5	0.97	<1	27	54	203	5.23	20	1.21	587	<1	0.02	33	1070	26	<5	<20	80	0.09	<10	192	<10	3	84
3	L442+800N 341+450E	20	0.2	3.23	<5	75	<5	0.81	<1	33	51	159	6.42	30	1.23	430	<1	0.02	29	870	28	<5	<20	78	0.11	<10	247	<10	5	62
4	L442+800N 341+500E	15	0.2	3.46	5	95	5	0.64	<1	31	55	108	6.36	20	1.24	430	<1	0.02	34	600	26	5	<20	59	0.17	<10	204	<10	5	75
5	L442+800N 341+550E	15	0.3	2.20	<5	80	<5	0.48	<1	25	50	62	5.79	30	0.63	393	1	0.01	19	460	32	<5	<20	38	0.44	<10	109	<10	14	92
6	L442+800N 341+600E	15	0.7	2.52	<5	100	<5	0.81	<1	30	50	156	5.44	30	0.85	857	<1	0.01	27	920	22	<5	<20	52	0.23	<10	127	<10	11	71
7	L442+800N 341+650E	15	<0.2	2.05	<5	45	<5	0.74	<1	28	52	106	6.79	20	1.19	636	<1	0.01	28	730	12	<5	<20	31	0.12	<10	263	<10	4	69
8	L442+800N 341+700E	20	0.2	2.80	5	80	<5	0.65	<1	36	90	313	5.47	20	1.37	585	<1	0.02	59	590	38	<5	<20	47	0.12	<10	152	<10	4	77
9	L442+800N 341+750E	15	0.2	2.75	5	75	<5	0.60	<1	32	110	275	5.58	20	1.45	552	<1	0.02	68	630	30	<5	<20	38	0.16	<10	155	<10	5	98
10	L442+800N 341+800E	15	0.3	2.86	5	75	<5	1.00	2	40	100	770	4.74	20	1.54	755	<1	0.01	97	710	46	<5	<20	49	0.11	<10	118	<10	4	372
11	L442+800N 342+450E	10	0.2	3.45	20	140	<5	0.62	<1	31	80	188	5.39	20	1.56	713	<1	0.02	59	590	26	<5	<20	53	0.12	<10	149	<10	6	68
12	L442+800N 342+500E	10	0.2	3.69	10	100	<5	0.64	<1	31	70	259	5.79	20	1.32	515	<1	0.02	64	620	30	<5	<20	48	0.15	<10	138	<10	6	72
13	L442+800N 342+550E	10	0.3	2.21	5	90	<5	0.68	<1	26	48	154	4.99	30	0.59	1556	<1	0.01	21	1640	18	<5	<20	44	0.04	<10	137	<10	4	83
14	L442+800N 342+600E	5	0.3	2.94	<5	125	<5	1.55	<1	24	68	162	5.61	20	1.40	507	<1	0.03	44	710	24	<5	<20	144	0.16	<10	155	<10	4	69
15	L442+800N 342+650E	15	0.3	2.70	10	115	<5	0.94	<1	27	65	168	5.00	20	1.35	903	<1	0.02	47	710	18	<5	<20	57	0.13	<10	131	<10	6	82
16	L442+800N 342+700E	15	0.2	3.75	15	110	<5	0.54	<1	31	70	174	5.87	30	1.48	709	<1	0.02	55	700	34	<5	<20	44	0.15	<10	150	<10	8	86
17	L442+800N 342+750E	10	0.4	2.97	5	105	<5	0.39	<1	31	74	86	6.80	30	1.33	860	<1	0.02	44	500	26	<5	<20	35	0.21	<10	167	<10	6	140
18	L442+800N 342+800E	15	0.2	2.79	10	95	<5	0.45	<1	25	70	85	6.19	30	1.18	574	<1	0.02	42	770	24	5	<20	34	0.21	<10	130	<10	8	116
19	L442+800N 342+850E	10	0.2	3.47	10	145	<5	0.61	<1	27	66	137	5.57	30	1.53	673	<1	0.02	52	460	28	<5	<20	58	0.15	<10	135	<10	7	91
20	L442+800N 342+900E	<5	0.2	3.19	15	105	<5	0.45	<1	28	72	82	5.77	20	1.33	507	<1	0.02	49	890	24	<5	<20	33	0.16	<10	142	<10	4	104
21	L442+800N 342+950E	10	0.2	2.52	10	70	<5	0.60	<1	24	114	82	4.36	20	1.54	525	<1	0.02	67	620	22	<5	<20	38	0.12	<10	105	<10	5	62
22	L442+800N 343+000E	10	0.3	3.50	10	65	<5	0.55	<1	25	59	125	5.40	20	1.40	477	<1	0.02	45	1230	24	<5	<20	26	0.21	<10	133	<10	8	85
23	L443+200N 341+650E	5	0.2	2.65	15	75	<5	1.18	<1	29	82	227	4.78	20	1.57	848	<1	0.03	62	1130	30	<5	<20	52	0.12	<10	126	<10	5	112
24	L443+200N 341+700E	15	0.2	2.34	5	60	<5	1.38	<1	34	92	247	4.72	20	1.62	947	<1	0.02	67	1160	20	<5	<20	47	0.12	<10	124	<10	7	79
25	L443+200N 341+750E	30	0.4	2.37	15	80	<5	0.93	<1	29	75	195	4.46	20	1.41	755	<1	0.02	60	760	30	<5	<20	41	0.12	<10	110	<10	5	105
26	L443+200N 341+800E	15	0.4	2.42	15	60	<5	0.80	<1	26	85	148	4.69	20	1.41	629	<1	0.02	58	630	24	<5	<20	37	0.12	<10	121	<10	5	73
27	L443+200N 341+850E	40	0.2	2.68	15	50	<5	0.82	<1	30	94	190	4.66	20	1.70	624	<1	0.02	68	680	24	<5	<20	38	0.12	<10	113	<10	4	67
28	L443+200N 341+900E	15	0.2	3.22	10	65	<5	0.54	<1	35	82	134	5.90	20	1.47	519	<1	0.02	62	740	30	<5	<20	45	0.17	<10	145	<10	5	76
29	L443+200N 341+950E	15	0.3	2.80	10	65	<5	0.45	<1	37	124	166	5.54	20	1.64	464	<1	0.01	82	670	24	<5	<20	38	0.14	<10	134	<10	3	65
30	L443+200N 342+000E	20	0.2	2.91	5	40	<5	0.42	<1	44	132	189	6.06	20	1.74	451	<1	0.01	80	510	24	<5	<20	32	0.15	<10	144	<10	3	60

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	L443+200N 342+050E	15	0.2	1.96	<5	75	<5	0.50	<1	34	105	102	5.81	20	1.17	426	<1	0.01	47	580	20	<5	<20	30	0.23	<10	133	<10	6	77
32	L443+200N 342+100E	10	0.4	3.67	15	95	<5	0.54	<1	36	105	141	7.67	30	1.84	571	<1	0.02	61	280	34	<5	<20	44	0.25	<10	181	<10	7	114
33	L443+200N 342+150E	15	0.5	3.66	5	110	<5	0.88	<1	34	66	211	5.67	40	1.07	1826	<1	0.02	38	980	32	<5	<20	37	0.19	<10	106	<10	12	115
34	L443+200N 342+200E	10	0.2	3.84	15	130	<5	0.52	<1	29	81	121	6.41	30	1.83	628	<1	0.02	57	430	36	<5	<20	38	0.15	<10	161	<10	4	144
35	L443+200N 342+250E	10	0.3	3.19	15	100	<5	0.55	<1	35	64	94	5.95	30	1.26	492	<1	0.02	45	380	30	<5	<20	45	0.24	<10	91	<10	8	83
36	L443+200N 342+300E	15	0.4	2.92	15	90	<5	0.75	<1	34	67	122	6.45	30	1.44	590	<1	0.02	49	610	20	<5	<20	56	0.15	<10	135	<10	4	95
37	L443+200N 342+350E	145	0.5	3.44	<5	70	<5	0.83	<1	35	93	122	6.09	30	1.65	453	<1	0.04	74	380	28	<5	<20	55	0.24	<10	138	<10	8	80
38	L443+200N 342+400E	15	0.3	2.96	<5	40	<5	0.90	<1	36	100	75	5.20	20	1.44	722	<1	0.03	79	520	26	<5	<20	43	0.19	<10	114	<10	5	99
39	L443+200N 342+450E	25	0.3	2.98	<5	50	<5	0.88	<1	32	85	100	6.13	20	1.45	522	<1	0.03	64	700	24	<5	<20	64	0.20	<10	142	<10	6	76
40	L443+200N 342+500E	20	0.4	3.05	5	55	<5	1.30	<1	42	69	280	5.68	20	1.63	991	<1	0.02	56	1150	46	<5	<20	149	0.07	<10	150	<10	3	104
41	L443+200N 342+550E	45	0.4	2.79	<5	60	<5	1.47	<1	38	54	258	5.16	20	1.28	898	<1	0.02	40	980	56	<5	<20	154	0.05	<10	148	<10	1	111
42	L443+200N 342+600E	10	0.4	2.35	10	45	<5	0.56	<1	27	57	79	6.16	20	1.23	370	<1	0.01	37	450	18	<5	<20	34	0.14	<10	217	<10	4	84
43	L443+200N 342+650E	10	0.2	3.19	5	50	<5	0.72	<1	30	41	88	6.84	30	1.24	390	<1	0.01	27	580	18	<5	<20	55	0.12	<10	286	<10	2	80
44	L443+200N 342+700E	10	0.3	2.27	5	50	<5	0.70	<1	29	67	72	6.20	20	1.13	682	<1	0.01	42	400	20	<5	<20	32	0.17	<10	174	<10	5	174
45	L443+200N 342+750E	15	0.5	2.39	15	45	<5	0.45	<1	24	60	252	5.51	20	1.36	562	<1	0.02	47	350	16	<5	<20	64	0.18	<10	121	<10	7	195
46	L443+200N 342+800E	5	0.4	2.29	<5	50	<5	0.51	<1	33	55	85	6.12	20	1.05	1137	<1	0.01	29	660	18	<5	<20	47	0.16	<10	152	<10	4	400
47	L443+200N 342+850E	<5	0.7	3.41	<5	75	5	0.30	<1	43	75	50	8.38	40	0.92	741	<1	0.02	43	1030	38	<5	<20	14	0.70	<10	17	<10	21	371
48	L443+200N 342+900E	5	0.5	2.90	15	90	<5	0.52	<1	24	70	112	5.18	20	1.25	605	<1	0.01	45	410	20	<5	<20	40	0.18	<10	121	<10	5	133
49	L443+200N 342+950E	10	0.5	3.38	10	100	<5	0.60	<1	31	65	188	5.50	30	1.13	915	<1	0.01	51	580	30	<5	<20	37	0.18	<10	108	<10	6	116
50	L443+200N 343+000E	<5	0.6	2.92	5	105	<5	0.55	<1	24	65	103	4.71	20	1.11	727	<1	0.01	46	490	24	<5	<20	38	0.15	<10	103	<10	5	188
51	L444+000N 340+950E	5	0.6	3.32	5	150	<5	1.48	<1	43	58	401	5.71	30	1.04	668	<1	0.03	43	750	34	<5	<20	66	0.24	<10	85	<10	12	81
52	L444+000N 341+000E	10	0.3	2.97	5	45	<5	1.95	<1	24	45	347	3.27	20	1.64	371	<1	0.03	37	1010	28	<5	<20	75	0.12	<10	101	<10	7	101
54	L444+000N 341+100E	15	0.3	4.53	10	50	<5	1.14	<1	40	43	249	6.71	30	2.04	829	<1	0.02	29	890	36	<5	<20	89	0.18	<10	232	<10	5	66
55	L444+000N 341+150E	10	0.3	3.80	<5	60	<5	1.03	<1	37	58	154	6.13	30	1.56	533	<1	0.02	39	810	30	<5	<20	98	0.19	<10	158	<10	5	58
56	L444+000N 341+200E	5	0.5	2.91	10	75	<5	0.74	<1	32	61	97	6.20	30	1.01	451	<1	0.02	38	550	34	<5	<20	60	0.31	<10	109	<10	9	90
57	L444+000N 341+250E	10	0.4	2.89	10	65	<5	2.16	<1	34	38	256	5.27	30	1.13	1027	<1	0.04	33	970	18	<5	<20	117	0.15	<10	138	<10	7	69
58	L444+000N 341+300E	5	0.4	4.35	5	65	5	0.56	<1	38	68	66	7.08	40	1.21	533	<1	0.04	49	920	40	<5	<20	29	0.59	<10	<1	<10	18	83
59	L444+000N 341+350E	10	0.4	3.71	5	90	5	0.54	<1	34	57	123	6.64	30	1.31	463	<1	0.02	36	460	34	<5	<20	63	0.24	<10	137	<10	6	80
61	L444+000N 341+450E	5	0.3	4.20	15	120	<5	0.74	<1	28	55	90	5.90	20	1.45	533	<1	0.01	33	310	32	<5	<20	93	0.11	<10	177	<10	2	82
62	L444+000N 341+500E	20	0.3	5.52	10	80	<5	0.63	<1	35	49	199	6.74	30	1.66	381	<1	0.02	34	400	48	<5	<20	108	0.09	<10	235	<10	2	63
63	L444+000N 341+550E	10	0.2	5.02	10	115	<5	0.76	<1	40	53	216	6.78	30	1.86	525	<1	0.02	37	310	34	5	<20	114	0.10	<10	226	<10	<1	66
64	L444+000N 341+600E	5	0.2	4.35	5	100	<5	0.98	<1	34	37	117	6.30	30	1.41	819	<1	0.03	22	1230	32	<5	<20	119	0.11	<10	212	<10	3	84
65	L444+000N 341+650E	35	0.2	5.80	<5	185	10	1.27	<1	44	44	132	7.81	30	2.33	521	<1	0.01	28	210	42	<5	<20	147	0.13	<10	291	<10	<1	66
66	L444+000N 341+700E	40	0.2	6.29	5	60	<5	1.29	<1	68	40	1257	8.48	30	2.25	610	<1	0.01	25	400	44	<5	<20	147	0.11	<10	322	<10	<1	59
67	L444+000N 341+750E	20	0.3	4.81	5	50	<5	0.98	<1	66	44	412	8.05	30	1.71	880	<1	0.02	26	590	34	<5	<20	106	0.14	<10	297	<10	2	73
68	L444+000N 341+800E	15	0.4	3.85	<5	60	<5	0.89	<1	43	38	120	7.62	30	1.52	648	<1	0.01	18	440	30	<5	<20	92	0.10	<10	296	<10	<1	71
69	L444+000N 341+850E	10	0.3	5.34	<5	75	<5	0.76	<1	43	60	297	7.97	30	1.61	720	<1	0.02	40	580	36	<5	<20	87	0.17	<10	265	<10	3	83
70	L444+000N 341+900E	10	0.2	2.99	<5	60	<5	1.57	<1	30	37	140	5.15	20	1.42	698	<1	0.06	24	1120	22	<5	<20	120	0.09	<10	175	<10	4	60

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1013

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	L444+000N 341+950E	5	<0.2	2.64	<5	55	<5	1.45	<1	31	43	103	7.79	30	1.38	558	<1	0.04	17	960	12	<5	<20	104	0.10	<10	354	<10	4	52
72	L444+000N 342+000E	5	<0.2	3.27	5	60	<5	1.67	<1	32	39	152	5.95	30	1.53	764	<1	0.05	21	1170	18	<5	<20	113	0.10	<10	212	<10	6	59
73	L444+000N 342+050E	5	0.2	2.99	15	80	<5	1.38	<1	31	72	208	4.84	30	1.72	987	<1	0.03	54	820	24	<5	<20	47	0.13	<10	123	<10	9	70
74	L444+000N 342+100E	<5	1.3	2.57	<5	140	<5	2.30	<1	27	89	657	4.27	30	1.08	2002	<1	0.03	57	1190	22	<5	<20	39	0.12	<10	131	<10	19	61
75	L444+000N 342+150E	10	<0.2	3.17	<5	80	<5	0.66	<1	37	95	95	5.43	20	2.28	563	<1	0.03	104	940	20	<5	<20	28	0.23	<10	82	<10	8	103
76	L444+000N 342+200E	10	0.2	3.30	5	110	<5	0.65	<1	39	85	76	6.62	30	1.60	577	<1	0.02	70	1110	26	<5	<20	42	0.25	<10	134	<10	7	132
77	L444+000N 342+250E	10	0.2	3.20	10	125	5	0.64	<1	34	77	81	5.61	20	1.72	820	<1	0.02	57	1040	28	<5	<20	35	0.16	<10	123	<10	6	109
78	L444+000N 342+300E	10	0.3	2.59	15	120	<5	0.58	<1	28	65	67	4.79	20	1.35	658	<1	0.02	47	990	22	<5	<20	28	0.14	<10	108	<10	6	101
79	L444+000N 342+350E	35	0.3	2.44	5	95	<5	0.51	<1	31	79	56	4.31	20	2.20	702	<1	0.02	91	1330	16	<5	<20	14	0.19	<10	51	<10	6	92
80	L444+000N 342+400E	10	0.2	3.27	10	85	<5	0.67	<1	34	74	92	5.54	20	1.86	607	<1	0.03	74	980	22	<5	<20	40	0.22	<10	101	<10	8	105
81	L444+000N 342+450E	5	0.3	2.95	5	60	<5	0.65	<1	34	86	71	4.93	20	1.88	553	<1	0.02	84	410	22	<5	<20	23	0.19	<10	88	<10	7	153
82	L444+000N 342+500E	10	<0.2	3.83	<5	75	<5	0.84	<1	44	125	92	5.63	20	3.38	628	<1	0.02	155	300	26	<5	<20	54	0.24	<10	99	<10	8	89
83	L444+000N 342+550E	35	<0.2	3.74	10	120	<5	0.64	<1	35	123	165	5.24	20	2.55	739	<1	0.02	115	990	24	<5	<20	49	0.15	<10	110	<10	5	75
84	L444+000N 342+600E	15	<0.2	3.33	5	130	<5	0.35	<1	24	70	89	5.35	20	1.39	536	<1	0.01	45	1020	24	<5	<20	21	0.14	<10	126	<10	5	76
85	L444+000N 342+650E	10	<0.2	3.33	10	65	<5	0.73	<1	28	63	88	6.21	20	1.99	825	<1	0.02	39	620	18	<5	<20	89	0.16	<10	147	<10	5	73
86	L444+000N 342+700E	15	0.2	3.83	40	100	<5	0.41	<1	29	83	143	6.30	20	1.78	799	<1	0.02	51	670	24	<5	<20	28	0.14	<10	153	<10	5	114
87	L444+000N 342+750E	10	0.4	3.63	20	90	<5	0.40	<1	31	70	108	5.70	20	1.44	677	<1	0.02	48	450	28	<5	<20	25	0.18	<10	110	<10	6	90
88	L444+000N 342+800E	5	0.3	2.66	20	90	<5	0.79	<1	33	78	250	5.33	30	1.67	1162	<1	0.02	59	680	18	<5	<20	36	0.17	<10	115	<10	10	169
89	L444+000N 342+850E	20	<0.2	3.13	25	90	<5	0.86	<1	37	82	188	5.72	30	1.94	923	<1	0.03	68	1000	22	<5	<20	31	0.23	<10	104	<10	12	93
90	L444+000N 342+900E	15	<0.2	3.02	35	65	<5	0.78	<1	34	81	181	5.85	20	1.85	886	<1	0.02	58	520	22	5	<20	35	0.20	<10	131	<10	9	108
91	L444+000N 342+950E	20	0.2	3.21	30	70	<5	0.71	<1	31	93	180	6.05	20	1.91	830	<1	0.02	64	360	26	<5	<20	35	0.19	<10	129	<10	7	186
92	L444+000N 343+000E	10	0.2	2.58	20	80	5	0.48	<1	29	98	50	5.25	20	2.13	541	<1	0.02	84	740	22	<5	<20	20	0.27	<10	77	<10	9	110
93	L444+400N 340+250E	110	0.4	2.07	5	70	<5	0.39	<1	26	54	71	5.11	20	0.88	556	<1	0.02	30	580	26	<5	<20	26	0.33	<10	110	<10	12	151
94	L444+400N 340+300E	15	0.4	2.42	5	75	<5	0.46	<1	27	57	81	5.57	30	0.95	629	<1	0.02	35	810	26	<5	<20	34	0.31	<10	66	<10	11	95
95	L444+400N 340+350E	10	0.5	2.47	10	75	<5	0.37	<1	31	56	93	5.93	30	0.74	560	<1	0.02	26	820	32	<5	<20	29	0.44	<10	47	<10	16	120
96	L444+400N 340+400E	10	0.2	2.64	10	65	<5	0.48	<1	26	61	255	5.20	20	0.84	381	<1	0.02	36	570	28	<5	<20	40	0.30	<10	75	<10	11	67
97	L444+400N 340+450E	15	<0.2	2.70	15	70	<5	0.48	<1	30	65	132	5.06	20	1.08	481	<1	0.02	44	570	38	5	<20	33	0.18	<10	93	<10	7	116
98	L444+400N 340+500E	15	0.2	3.02	<5	80	<5	0.64	<1	62	55	1463	4.83	30	0.89	970	<1	0.02	37	830	26	<5	<20	46	0.21	<10	79	<10	10	78
99	L444+400N 340+550E	20	<0.2	3.06	15	90	<5	0.78	<1	34	67	268	5.26	20	1.40	612	<1	0.02	46	420	28	<5	<20	52	0.16	<10	128	<10	5	80
100	L444+400N 340+600E	20	0.3	3.61	15	135	<5	1.09	<1	48	62	1395	4.96	30	1.12	966	<1	0.03	52	870	30	<5	<20	72	0.14	<10	107	<10	19	61
101	L444+400N 340+650E	15	<0.2	3.68	10	140	<5	0.63	<1	33	67	608	5.29	30	1.34	551	<1	0.03	66	500	30	<5	<20	50	0.18	<10	102	<10	9	67
102	L444+400N 340+700E	25	<0.2	2.34	15	110	<5	0.75	<1	32	61	231	5.81	30	0.88	561	<1	0.03	37	490	22	<5	<20	51	0.43	<10	58	<10	15	100
103	L444+400N 340+750E	10	0.2	1.90	<5	80	<5	0.40	<1	34	62	118	6.97	40	0.48	363	9	0.02	27	800	22	<5	<20	23	0.77	<10	<1	<10	26	103
104	L444+400N 340+800E	15	<0.2	2.35	10	80	<5	0.41	<1	28	78	163	6.26	30	1.00	270	<1	0.02	44	700	16	<5	<20	35	0.26	<10	154	<10	9	61
105	L444+400N 340+850E	15	0.2	1.53	<5	80	<5	0.36	<1	21	50	95	5.41	20	0.55	304	<1	0.02	18	700	16	<5	<20	29	0.16	<10	165	<10	4	64
106	L444+400N 340+900E	15	<0.2	1.18	<5	65	<5	0.40	<1	19	49	102	4.59	20	0.42	358	<1	0.02	16	530	14	<5	<20	24	0.16	<10	133	<10	5	53
107	L444+400N 340+950E	20	<0.2	2.30	5	55	<5	0.41	<1	29	133	256	4.80	20	1.44	280	<1	0.02	80	450	16	<5	<20	38	0.14	<10	113	<10	5	47
108	L444+400N 341+000E	15	<0.2	3.16	10	50	<5	0.52	<1	28	72	275	4.60	20	1.19	266	<1	0.02	84	660	18	<5	<20	43	0.08	<10	151	<10	3	39
110	L444+400N 341+100E	30	<0.2	3.03	<5	100	<5	1.10	<1	37	99	314	6.94	30	1.53	619	<1	0.03	59	940	18	<5	<20	57	0.05	<10	189	<10	1	74

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1013

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
111	L444+450N 340+300E	10	<0.2	2.62	15	120	<5	0.81	<1	27	58	117	5.10	30	1.15	731	<1	0.02	39	870	26	<5	<20	51	0.17	<10	112	<10	9	91
112	L444+450N 340+400E	5	0.2	3.46	15	100	<5	0.55	<1	34	64	189	5.63	30	1.20	487	<1	0.02	47	900	36	<5	<20	42	0.21	<10	112	<10	9	98
113	L444+450N 340+500E	15	<0.2	3.08	10	100	<5	0.61	<1	29	64	211	5.34	30	1.33	600	<1	0.02	49	720	30	<5	<20	47	0.16	<10	117	<10	5	86
114	L444+450N 340+600E	10	0.3	3.14	10	120	<5	1.51	<1	30	51	1647	4.81	40	0.80	782	<1	0.03	58	1100	26	<5	<20	73	0.23	<10	41	<10	25	67
115	L444+450N 340+700E	10	<0.2	2.57	<5	60	<5	0.76	<1	35	51	434	6.06	30	1.58	332	<1	0.10	61	470	14	<5	<20	41	0.38	<10	147	<10	13	55
116	L444+450N 340+800E	45	<0.2	2.49	10	125	<5	0.63	<1	29	63	502	5.47	20	1.20	379	<1	0.03	59	580	14	<5	<20	52	0.14	<10	159	<10	5	46
117	L444+450N 340+900E	<5	<0.2	1.98	<5	60	<5	0.43	<1	26	133	164	3.90	20	1.69	249	<1	0.03	95	280	18	<5	<20	30	0.29	<10	57	<10	9	55
118	L444+450N 341+000E	10	<0.2	2.74	<5	85	<5	0.37	<1	30	97	203	5.80	30	0.94	403	<1	0.02	49	1380	24	<5	<20	27	0.35	<10	51	<10	13	69
119	L444+450N 341+100E	120	0.3	2.79	<5	100	<5	0.47	<1	34	79	168	7.74	30	1.12	609	<1	0.01	36	710	20	<5	<20	31	0.13	<10	212	<10	3	96
120	L444+500N 340+300E	5	0.5	4.05	15	90	<5	0.54	<1	33	63	185	6.32	40	0.72	545	<1	0.04	39	1260	40	5	<20	31	0.45	<10	<1	<10	22	122
121	L444+500N 340+400E	5	0.2	1.76	10	45	<5	0.41	<1	22	63	81	4.75	20	1.02	365	<1	0.02	33	550	20	<5	<20	28	0.16	<10	140	<10	6	98
122	L444+500N 340+500E	10	0.3	3.14	20	120	<5	1.58	<1	45	67	2330	4.72	40	1.24	762	<1	0.03	87	1210	24	<5	<20	78	0.09	<10	106	<10	20	82
123	L444+500N 340+600E	15	0.3	2.34	5	85	<5	1.08	<1	34	54	325	4.24	20	1.11	893	<1	0.03	52	420	20	<5	<20	53	0.17	<10	89	<10	8	87
125	L444+500N 340+800E	15	<0.2	2.07	<5	55	<5	0.36	<1	25	77	203	4.29	20	1.28	294	<1	0.02	55	340	14	<5	<20	29	0.17	<10	104	<10	6	45
127	L444+500N 341+000E	5	0.2	3.87	10	85	<5	0.67	<1	34	74	274	5.64	30	1.66	478	<1	0.02	55	1020	28	<5	<20	51	0.11	<10	165	<10	4	61
128	L444+500N 341+100E	10	<0.2	2.79	<5	80	<5	0.44	<1	33	57	649	7.64	40	1.04	710	<1	0.01	32	1290	18	<5	<20	29	0.19	<10	168	<10	7	106
129	L444+550N 340+300E	10	0.2	2.17	15	75	<5	0.57	<1	24	52	94	4.57	20	1.04	392	<1	0.02	34	580	24	<5	<20	37	0.13	<10	117	<10	6	85
130	L444+550N 340+400E	5	0.3	2.33	5	115	<5	0.99	<1	32	52	211	4.55	30	0.96	1193	<1	0.03	40	1190	20	<5	<20	53	0.18	<10	88	<10	13	71
131	L444+550N 340+500E	15	0.2	1.83	10	50	<5	0.68	<1	22	50	119	3.96	20	1.08	445	<1	0.02	34	490	16	<5	<20	27	0.16	<10	93	<10	7	92
132	L444+550N 340+600E	10	0.2	3.41	15	75	<5	0.49	<1	32	72	189	5.61	30	1.38	422	<1	0.02	53	730	28	5	<20	35	0.11	<10	146	<10	4	72
133	L444+550N 340+700E	15	0.2	2.14	<5	155	<5	1.11	<1	35	61	309	5.15	30	1.11	784	<1	0.03	48	910	22	<5	<20	48	0.35	<10	55	<10	16	148
134	L444+550N 340+800E	25	0.2	2.13	5	55	<5	1.19	<1	32	67	1475	3.76	30	1.14	531	<1	0.02	68	860	14	<5	<20	46	0.10	<10	79	<10	15	39
136	L444+550N 341+000E	<5	0.3	2.55	<5	115	<5	0.38	1	38	73	117	7.37	30	1.04	531	<1	0.01	33	900	22	<5	<20	21	0.33	<10	227	<10	11	110
137	L444+550N 341+100E	<5	0.2	2.41	10	95	<5	0.42	<1	28	55	184	6.25	30	1.04	336	<1	0.01	26	400	18	<5	<20	35	0.19	<10	172	<10	7	77
138	L444+600N 340+300E	<5	0.3	1.50	10	50	5	0.45	<1	22	43	59	4.54	30	0.74	310	<1	0.02	21	570	46	<5	<20	20	0.30	<10	71	<10	14	112
139	L444+600N 340+400E	<5	0.5	2.43	20	75	<5	0.72	<1	28	57	138	5.20	30	0.93	389	<1	0.02	37	430	38	<5	<20	37	0.21	<10	100	<10	11	83
140	L444+600N 340+500E	15	0.4	2.05	<5	105	<5	1.86	<1	27	54	611	4.24	30	0.91	703	<1	0.03	59	1050	18	<5	<20	63	0.20	<10	44	<10	16	78
141	L444+600N 340+600E	10	0.3	2.70	<5	110	<5	1.03	<1	28	63	268	4.25	20	1.32	632	<1	0.03	54	670	20	<5	<20	59	0.13	<10	104	<10	7	63
142	L444+600N 340+700E	15	<0.2	2.32	5	70	<5	0.38	<1	21	62	103	5.49	30	1.03	278	<1	0.02	36	1030	20	<5	<20	27	0.17	<10	153	<10	6	73
143	L444+600N 340+800E	25	0.3	3.71	15	90	<5	0.53	<1	37	79	181	5.44	30	1.54	467	<1	0.03	63	630	28	<5	<20	41	0.18	<10	129	<10	7	71
144	L444+600N 340+900E	15	<0.2	3.34	15	75	<5	0.53	<1	33	87	188	5.44	30	1.64	459	<1	0.02	72	400	24	<5	<20	34	0.16	<10	138	<10	5	60
145	L444+600N 341+000E	50	<0.2	1.75	<5	60	<5	0.36	<1	33	64	162	5.69	30	1.04	264	7	0.01	40	610	14	<5	<20	20	0.44	<10	68	<10	14	47
146	L444+600N 341+100E	25	0.2	2.01	<5	50	<5	0.26	<1	26	72	164	4.92	20	1.10	207	<1	0.01	48	420	16	<5	<20	18	0.25	<10	115	<10	9	54
147	L444+650N 340+300E	10	0.6	2.00	5	65	<5	1.09	<1	27	55	160	4.39	20	1.06	676	<1	0.02	41	520	28	<5	<20	41	0.22	<10	72	<10	9	145
148	L444+650N 340+400E	10	0.4	3.28	15	135	<5	1.07	<1	36	70	475	5.77	40	1.07	837	<1	0.03	58	760	32	<5	<20	53	0.31	<10	49	<10	19	133
149	L444+650N 340+500E	10	0.3	2.13	<5	65	<5	0.38	<1	31	61	108	5.66	30	0.90	525	<1	0.02	36	610	28	<5	<20	24	0.29	<10	81	<10	11	109
150	L444+650N 340+600E	5	0.2	1.59	<5	65	<5	0.27	<1	31	64	89	5.89	30	0.50	315	3	0.02	27	590	18	<5	<20	12	0.53	<10	20	<10	19	91

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-1013

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
151	L444+650N 340+700E	15	0.3	2.63	10	100	<5	1.31	<1	35	95	1019	4.17	30	1.48	742	<1	0.03	90	1110	22	<5	<20	51	0.19	<10	70	<10	16	53
153	L444+650N 340+900E	10	0.2	3.26	10	90	<5	0.44	<1	34	96	150	5.64	30	1.59	342	<1	0.02	73	420	24	<5	<20	29	0.12	<10	132	<10	6	68
154	L444+650N 341+000E	5	0.2	3.27	<5	55	<5	0.46	<1	36	88	466	4.31	20	1.55	270	<1	0.02	120	370	22	5	<20	20	0.12	<10	54	<10	7	49
155	L444+650N 341+100E	15	<0.2	3.27	35	65	<5	0.35	<1	33	92	324	6.11	30	1.59	314	9	0.01	78	440	22	20	<20	24	0.15	<10	150	<10	5	45
156	L444+700N 340+300E	20	0.2	2.30	25	80	<5	1.03	<1	28	64	176	4.50	30	1.29	699	<1	0.03	51	1020	28	10	<20	46	0.12	<10	106	<10	11	78
157	L444+700N 340+400E	10	0.2	2.06	15	70	<5	1.09	<1	26	67	245	3.93	20	1.33	752	<1	0.02	56	950	18	5	<20	38	0.07	<10	90	<10	8	62
158	L444+700N 340+500E	15	<0.2	2.82	25	80	<5	0.66	<1	31	67	160	5.56	30	1.28	632	<1	0.02	50	660	30	10	<20	42	0.07	<10	117	<10	7	90
159	L444+700N 340+600E	20	<0.2	2.93	10	105	<5	0.93	<1	34	82	233	4.80	30	1.43	742	<1	0.03	66	990	28	<5	<20	57	0.17	<10	99	<10	9	64
160	L444+700N 340+700E	10	0.2	2.00	10	75	<5	0.47	<1	26	60	94	4.29	20	1.06	456	<1	0.02	38	370	20	<5	<20	30	0.14	<10	117	<10	6	79
161	L444+700N 340+800E	25	0.3	2.90	15	130	<5	1.47	<1	32	65	1876	4.51	30	1.20	810	<1	0.02	73	780	22	<5	<20	61	0.12	<10	106	<10	16	57
162	L444+700N 340+900E	15	0.3	2.55	15	70	<5	0.37	<1	26	78	118	5.10	20	1.13	304	<1	0.02	52	390	20	<5	<20	27	0.14	<10	122	<10	5	56
163	L444+700N 341+000E	15	<0.2	2.50	<5	65	<5	0.45	<1	31	71	282	4.92	20	1.34	351	<1	0.02	84	240	18	<5	<20	25	0.21	<10	100	<10	8	49
164	L444+700N 341+100E	20	<0.2	2.31	10	35	<5	0.49	<1	31	103	229	4.41	20	1.60	317	3	0.01	84	420	14	10	<20	19	0.16	<10	81	<10	6	35
165	L444+750N 340+300E	15	0.2	2.83	10	75	<5	0.42	<1	28	61	94	5.45	30	1.07	378	<1	0.02	42	1090	30	<5	<20	29	0.19	<10	118	<10	7	80
166	L444+750N 340+400E	15	<0.2	2.86	10	85	<5	0.72	<1	29	71	203	5.06	30	1.26	486	<1	0.02	56	570	26	<5	<20	42	0.23	<10	81	<10	11	85
168	L444+750N 340+600E	5	0.2	3.60	5	95	<5	0.38	<1	54	65	198	6.23	40	0.73	559	1	0.03	52	1410	34	<5	<20	23	0.48	<10	20	<10	20	89
169	L444+750N 340+700E	10	<0.2	3.49	15	90	<5	0.49	<1	35	71	436	5.19	20	1.47	458	<1	0.02	62	850	52	<5	<20	37	0.15	<10	127	<10	6	85
170	L444+750N 340+800E	20	0.2	3.54	10	70	<5	0.49	<1	33	75	176	5.48	30	1.46	415	<1	0.02	58	660	26	<5	<20	32	0.13	<10	149	<10	5	56
171	L444+750N 340+900E	15	0.6	2.71	10	85	<5	0.50	<1	22	66	198	4.57	20	1.08	265	2	0.02	49	570	22	<5	<20	26	0.17	<10	99	<10	7	52
172	L444+750N 341+000E	15	<0.2	2.77	10	170	<5	0.61	<1	32	78	193	4.86	20	1.47	289	<1	0.02	88	220	20	<5	<20	28	0.13	<10	117	<10	4	43
173	L444+750N 341+100E	10	<0.2	2.16	<5	45	<5	0.70	<1	28	115	114	4.36	20	1.83	249	<1	0.02	92	290	12	<5	<20	19	0.19	<10	80	<10	6	33
174	L444+800N 340+300E	5	0.3	2.39	10	105	<5	1.17	<1	31	60	150	5.24	30	0.88	2598	<1	0.02	32	970	28	<5	<20	50	0.14	<10	109	<10	8	184
175	L444+800N 340+350E	10	0.5	3.55	15	155	<5	1.21	<1	30	84	550	6.02	40	1.11	1429	<1	0.03	69	1120	36	<5	<20	58	0.21	<10	89	<10	19	152
176	L444+800N 340+400E	5	0.7	3.01	5	85	10	0.43	<1	28	54	103	5.69	40	0.55	407	1	0.02	28	830	42	<5	<20	23	0.45	<10	<1	<10	21	134
177	L444+800N 340+450E	10	0.3	2.52	10	65	<5	0.48	<1	29	60	108	4.94	20	1.18	471	<1	0.02	44	1010	26	<5	<20	30	0.14	<10	108	<10	6	79
178	L444+800N 340+500E	<5	0.3	1.98	5	60	<5	0.90	<1	28	61	162	4.44	20	1.06	421	<1	0.02	48	440	24	<5	<20	31	0.24	<10	59	<10	10	81
179	L444+800N 340+550E	10	0.3	3.08	15	65	<5	0.40	<1	32	67	125	5.42	30	1.18	490	<1	0.02	49	750	30	<5	<20	28	0.12	<10	106	<10	7	119
180	L444+800N 340+600E	50	0.3	2.83	<5	60	<5	0.30	<1	30	75	197	5.54	30	0.92	314	<1	0.01	53	660	22	<5	<20	21	0.15	<10	88	<10	8	92
182	L444+800N 340+700E	20	0.2	2.90	5	100	<5	0.48	<1	35	68	206	5.01	30	1.53	372	<1	0.02	63	420	22	<5	<20	28	0.13	<10	111	<10	6	68
183	L444+800N 340+750E	20	0.2	2.73	5	75	<5	0.43	<1	56	76	142	6.14	30	0.98	1067	<1	0.01	71	1110	16	<5	<20	20	0.07	<10	126	<10	4	126
184	L444+800N 340+800E	15	0.2	3.44	20	105	<5	0.52	<1	36	80	175	5.61	30	1.54	457	<1	0.02	65	650	24	<5	<20	36	0.12	<10	125	<10	6	73
185	L444+800N 340+850E	20	0.3	2.71	5	80	<5	1.17	<1	34	80	2678	4.82	30	1.59	780	<1	0.04	87	880	18	<5	<20	46	0.12	<10	84	<10	22	59
186	L444+800N 340+900E	15	<0.2	3.42	15	70	<5	0.61	<1	33	75	348	5.05	30	1.33	385	<1	0.02	69	610	26	10	<20	27	0.12	<10	87	<10	9	51
187	L444+800N 340+950E	15	0.3	1.52	<5	55	<5	0.41	<1	26	75	137	4.97	20	0.88	275	<1	0.02	51	400	10	<5	<20	17	0.12	<10	122	<10	6	49
188	L444+800N 341+000E	5	0.4	1.84	<5	40	<5	0.45	<1	26	68	103	4.38	20	1.31	264	<1	0.02	62	390	14	<5	<20	20	0.15	<10	82	<10	7	48
189	L444+800N 341+050E	<5	0.4	2.68	<5	65	5	0.47	<1	30	62	180	6.01	40	0.49	257	<1	0.03	35	560	28	<5	<20	17	0.51	<10	<1	<10	23	58
190	L444+800N 341+100E	<5	0.2	1.74	10	50	<5	0.66	<1	28	88	108	4.04	20	1.34	456	<1	0.02	66	290	14	<5	<20	20	0.15	<10	73	<10	7	45
191	L444+800N 341+150E	25	<0.2	2.40	<5	45	<5	0.86	<1	33	112	250	4.67	20	1.82	361	<1	0.02	102	370	16	<5	<20	20	0.08	<10	86	<10	4	32
192	L444+800N 341+200E	15	<0.2	2.16	15	65	<5	0.74	<1	38	49	440	6.99	40	1.24	1141	<1	<0.01	47	670	10	<5	<20	37	0.01	<10	138	<10	2	39

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
<i>Repeat:</i>																															
1	L442+800N 341+350E	25	0.2	3.08	10	75	<5	1.35	<1	37	55	283	6.05	20	1.42	831	<1	0.03	34	1140	34	<5	<20	94	0.11	<10	214	<10	5	100	
10	L442+800N 341+800E	30	0.2	2.81	5	75	<5	0.94	2	39	100	741	4.86	20	1.53	720	<1	0.01	99	690	46	<5	<20	47	0.10	<10	124	10	4	366	
19	L442+800N 342+850E	50	0.2	3.46	10	150	<5	0.60	<1	28	66	134	5.61	20	1.53	656	<1	0.02	49	440	30	<5	<20	56	0.15	<10	138	10	7	89	
28	L443+200N 341+900E	-	0.2	3.20	<5	60	<5	0.52	<1	36	82	134	5.99	20	1.48	519	<1	0.02	58	740	30	<5	<20	43	0.17	<10	150	<10	6	77	
36	L443+200N 342+300E	15	0.4	2.88	15	85	<5	0.72	<1	35	67	120	6.50	30	1.43	568	<1	0.02	47	630	24	<5	<20	50	0.15	<10	133	<10	4	97	
45	L443+200N 342+750E	15	0.4	2.54	<5	45	<5	0.42	<1	25	63	293	6.03	20	1.34	561	<1	0.01	48	370	22	<5	<20	75	0.17	<10	128	<10	6	216	
54	L444+000N 341+100E	10	0.3	4.73	<5	55	<5	1.20	<1	42	45	263	6.89	30	2.17	869	<1	0.02	29	950	34	<5	<20	90	0.17	<10	239	<10	5	68	
63	L444+000N 341+550E	10	0.2	4.85	5	110	<5	0.74	<1	37	51	205	6.40	20	1.82	522	<1	0.01	35	350	34	<5	<20	110	0.09	<10	206	20	<1	66	
71	L444+000N 341+950E	10	<0.2	2.57	<5	50	<5	1.38	<1	30	42	100	7.55	30	1.38	542	<1	0.04	16	1000	12	<5	<20	100	0.10	<10	340	<10	4	51	
80	L444+000N 342+400E	5	0.2	3.10	10	80	<5	0.61	<1	33	72	88	5.34	20	1.85	588	<1	0.02	74	930	22	<5	<20	35	0.19	<10	95	<10	8	101	
89	L444+000N 342+850E	10	<0.2	3.03	25	85	<5	0.81	<1	36	80	185	5.63	30	1.88	886	<1	0.02	68	1020	26	<5	<20	30	0.21	<10	106	<10	11	91	
98	L444+400N 340+500E	15	0.2	2.98	10	75	<5	0.62	<1	62	55	1465	4.88	30	0.89	977	<1	0.02	37	800	26	<5	<20	45	0.20	<10	86	<10	10	77	
115	L444+450N 340+700E	5	<0.2	2.66	<5	60	<5	0.80	<1	36	52	445	6.16	30	1.61	349	<1	0.11	66	500	20	<5	<20	44	0.39	<10	152	<10	13	56	
133	L444+550N 340+700E	3	0.2	2.17	<5	150	<5	1.12	<1	35	62	314	5.11	30	1.12	765	<1	0.04	49	940	22	<5	<20	49	0.24	<10	52	<10	16	149	
141	L444+600N 340+600E	10	0.3	2.62	15	115	<5	1.00	<1	27	61	251	4.24	20	1.28	623	<1	0.02	52	610	24	<5	<20	55	0.13	<10	101	<10	6	63	
150	L444+650N 340+600E	5	<0.2	1.57	<5	65	<5	0.26	<1	29	61	87	5.79	30	0.49	307	<1	0.01	26	580	22	5	<20	12	0.29	<10	25	<10	18	88	
159	L444+700N 340+600E	15	<0.2	2.73	15	105	<5	0.89	<1	34	78	212	4.61	30	1.37	727	<1	0.03	63	950	24	<5	<20	51	0.17	<10	97	<10	9	61	
168	L444+750N 340+600E	5	<0.2	3.67	10	90	5	0.36	<1	56	65	207	6.32	40	0.74	577	<1	0.03	54	1410	34	<5	<20	23	0.45	<10	<1	<10	21	92	
176	L444+800N 340+400E	5	0.6	3.07	15	90	5	0.44	<1	28	57	104	5.85	40	0.57	424	<1	0.02	29	840	42	<5	<20	22	0.25	<10	<1	<10	22	137	
185	L444+800N 340+850E	-	0.3	2.82	<5	75	<5	1.20	<1	36	82	2823	4.92	30	1.66	817	<1	0.04	90	900	22	<5	<20	47	0.21	<10	84	<10	22	60	
Standard:																															
GEO '04		135	1.4	1.72	60	140	<5	1.59	<1	20	67	86	3.69	20	0.98	619	<1	0.02	30	660	22	<5	<20	50	0.10	<10	61	<10	7	64	
GEO '04		145	1.6	1.66	65	140	<5	1.55	<1	19	60	86	3.61	20	0.96	621	<1	0.02	30	640	24	<5	<20	47	0.09	<10	68	<10	6	62	
GEO '04		140	1.5	1.61	60	140	<5	1.57	<1	20	62	81	3.58	20	0.93	616	<1	0.02	31	690	26	<5	<20	44	0.10	<10	66	<10	8	70	
GEO '04		140	1.5	1.62	55	140	<5	1.56	<1	19	60	87	3.52	20	0.94	603	<1	0.02	37	670	24	<5	<20	48	0.09	<10	60	<10	8	73	
GEO '04		135	1.4	1.59	65	145	<5	1.50	<1	19	59	86	3.45	20	0.93	584	<1	0.02	33	690	24	<5	<20	44	0.09	<10	63	10	9	71	
GEO '04		135	1.4	1.62	60	145	<5	1.51	<1	19	60	86	3.48	20	0.95	593	<1	0.02	31	680	24	<5	<20	46	0.09	<10	65	<10	8	73	

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

10-Aug-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-900

AMARC RESOURCES
1020-800 W. Pender Street
Vancouver, BC
V6C 2V6

ATTENTION: Mark Rebagliatti

No. of samples received: 90
Sample type: Soil
Project #: GBR
Shipment #: 001
Samples submitted by: D. Takahashi

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L444+400N 341+150E	40	0.3	2.50	<5	40	<5	0.73	<1	42	76	319	7.57	<10	0.92	760	<1	0.02	37	1030	26	<5	<20	42	0.10	<10	192	<10	<1	147
2	L444+400N 341+200E	10	<0.2	3.64	<5	75	<5	0.58	<1	51	172	223	7.10	<10	2.08	826	<1	0.03	157	330	30	<5	<20	46	0.20	<10	183	<10	<1	131
4	L444+400N 341+300E	10	<0.2	1.97	<5	45	<5	0.38	<1	33	61	78	6.60	<10	0.57	922	<1	0.02	25	720	18	<5	<20	23	0.35	<10	135	<10	<1	92
5	L444+400N 341+350E	15	<0.2	4.04	<5	35	<5	0.75	<1	46	71	389	6.53	<10	1.68	947	<1	0.02	48	590	32	<5	<20	56	0.14	<10	177	<10	<1	83
6	L444+400N 341+400E	10	<0.2	3.27	<5	10	<5	0.70	<1	33	239	109	4.92	<10	2.69	632	<1	0.02	107	210	36	<5	<20	17	0.13	<10	146	<10	<1	64
9	L444+400N 341+550E	290	0.3	3.18	<5	20	<5	0.61	<1	35	152	430	6.31	<10	1.99	495	<1	0.02	91	410	16	<5	<20	25	0.17	<10	167	<10	<1	41
10	L444+400N 341+600E	5	<0.2	4.01	<5	45	<5	0.39	<1	40	63	53	6.59	20	0.68	516	1	0.05	42	1090	30	<5	<20	15	0.60	<10	55	<10	<1	111
11	L444+400N 341+650E	105	0.4	2.22	<5	15	<5	0.61	<1	27	120	167	5.15	<10	1.68	336	<1	0.02	72	520	16	<5	<20	28	0.14	<10	128	<10	<1	55
12	L444+400N 341+700E	95	0.2	2.44	<5	30	<5	0.67	<1	57	121	305	5.61	<10	1.47	900	<1	0.02	77	460	28	<5	<20	26	0.20	<10	111	<10	<1	78
13	L444+400N 341+750E	110	0.2	1.85	<5	10	<5	0.67	<1	36	74	358	4.03	<10	1.21	499	3	0.02	58	560	22	<5	<20	15	0.11	<10	84	<10	<1	51
14	L444+400N 341+800E	80	0.2	2.70	<5	40	<5	0.88	<1	62	92	536	5.49	<10	1.30	1530	1	0.02	75	860	30	<5	<20	25	0.20	<10	102	<10	<1	102
15	L444+400N 341+850E	25	<0.2	3.57	10	60	<5	1.01	<1	41	86	190	5.99	<10	1.63	730	<1	0.03	61	470	26	<5	<20	47	0.17	<10	133	<10	<1	91
16	L444+400N 341+900E	20	<0.2	2.17	<5	40	<5	0.96	<1	26	57	164	4.63	<10	1.16	528	<1	0.04	38	880	16	<5	<20	51	0.14	<10	161	<10	3	39
17	L444+400N 341+950E	5	<0.2	2.87	<5	30	<5	1.73	<1	29	44	127	5.84	<10	1.49	503	<1	0.05	26	880	16	<5	<20	105	0.21	<10	271	<10	4	56
18	L444+400N 342+000E	5	<0.2	2.66	<5	30	<5	1.64	<1	22	30	108	3.96	<10	1.19	335	<1	0.05	20	800	16	<5	<20	106	0.10	<10	166	<10	4	43
19	L444+400N 342+050E	5	<0.2	2.87	<5	35	<5	1.67	<1	25	42	123	5.01	<10	1.40	456	<1	0.05	28	880	14	<5	<20	100	0.17	<10	196	<10	3	50
20	L444+400N 342+100E	<5	<0.2	3.71	<5	160	<5	1.20	<1	28	156	41	5.08	<10	2.63	667	<1	0.03	54	360	20	<5	<20	336	0.06	<10	135	<10	<1	60
21	L444+400N 342+150E	5	<0.2	3.02	10	65	<5	1.16	<1	30	81	92	4.68	<10	2.01	824	<1	0.03	66	500	16	<5	<20	50	0.16	<10	124	<10	3	55
22	L444+400N 342+200E	5	<0.2	3.81	10	75	<5	0.86	<1	35	92	127	5.45	<10	1.92	912	2	0.04	74	540	24	<5	<20	52	0.32	<10	138	<10	4	114
23	L444+400N 342+250E	10	<0.2	3.56	15	90	<5	0.74	<1	34	94	92	5.47	<10	2.00	615	<1	0.03	75	560	20	<5	<20	43	0.22	<10	141	<10	3	91
24	L444+400N 342+300E	10	0.3	3.71	10	95	<5	1.08	<1	40	112	141	5.47	<10	2.55	990	<1	0.04	108	770	22	<5	<20	62	0.27	<10	134	<10	5	68
25	L444+400N 342+350E	45	<0.2	2.78	10	45	<5	1.52	<1	37	79	588	5.32	10	1.73	996	<1	0.05	84	820	16	<5	<20	53	0.15	<10	115	<10	11	78
26	L444+400N 342+400E	60	<0.2	2.72	10	15	<5	0.95	<1	47	58	340	7.25	10	1.77	587	<1	0.03	43	970	12	<5	<20	45	0.19	<10	149	<10	7	58
27	L444+400N 342+450E	60	<0.2	2.79	<5	45	<5	1.24	<1	55	74	143	5.85	10	1.39	1141	4	0.04	79	830	18	<5	<20	25	0.42	<10	130	<10	7	213
28	L444+400N 342+500E	5	<0.2	3.43	5	40	<5	1.02	<1	33	85	101	5.59	10	1.88	827	2	0.04	67	470	20	<5	<20	76	0.35	<10	147	<10	6	135
29	L444+400N 342+550E	10	0.3	3.45	10	20	<5	1.23	<1	22	61	100	4.45	<10	1.58	817	<1	0.02	42	590	24	<5	<20	30	0.16	<10	122	<10	4	59
30	L444+400N 342+600E	20	0.2	3.45	5	25	<5	1.46	<1	29	51	218	5.86	<10	2.07	638	<1	0.02	28	700	20	<5	<20	86	0.25	<10	200	<10	6	92

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-900

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	L444+400N 342+650E	155	0.4	2.61	15	50	<5	1.60	<1	32	67	992	5.46	20	1.63	923	<1	0.06	52	930	18	<5	<20	42	0.25	<10	119	<10	28	92
32	L444+400N 342+700E	10	<0.2	3.01	10	65	<5	1.50	<1	30	69	250	5.43	20	1.32	746	4	0.05	50	1010	22	<5	<20	35	0.44	<10	105	<10	15	77
33	L444+400N 342+750E	25	<0.2	2.85	15	30	<5	2.05	<1	32	64	941	6.19	20	2.05	801	4	0.04	43	1000	14	<5	<20	72	0.43	<10	191	<10	16	59
34	L444+400N 342+800E	15	<0.2	2.89	20	105	<5	1.23	<1	41	69	207	5.82	20	1.63	973	9	0.04	49	860	20	<5	<20	46	0.47	<10	116	<10	8	160
35	L444+400N 342+850E	<5	0.2	3.51	30	80	<5	0.77	<1	36	102	111	5.83	10	2.65	941	3	0.03	93	710	24	<5	<20	32	0.41	<10	139	<10	7	86
36	L444+400N 342+900E	10	0.3	3.30	20	50	<5	0.66	<1	29	84	178	5.60	10	1.82	594	3	0.03	63	530	24	<5	<20	36	0.41	<10	136	<10	9	147
37	L444+400N 342+950E	20	0.2	3.35	30	75	<5	0.70	<1	34	102	221	5.51	10	2.05	776	1	0.03	82	490	22	<5	<20	45	0.31	<10	125	<10	8	132
39	L444+450N 341+200E	20	<0.2	2.69	<5	50	<5	0.76	<1	49	163	313	7.35	<10	3.05	1159	<1	0.04	151	620	16	<5	<20	44	0.23	<10	170	<10	2	76
40	L444+450N 341+300E	15	0.3	3.41	<5	75	<5	0.95	<1	35	61	219	5.90	20	1.34	936	<1	0.04	48	1090	22	<5	<20	42	0.30	<10	101	<10	9	82
41	L444+450N 341+400E	20	0.3	3.37	10	50	<5	0.71	<1	49	147	203	6.50	<10	1.79	620	<1	0.02	109	620	26	<5	<20	31	0.19	<10	143	<10	3	60
42	L444+450N 341+500E	40	<0.2	2.64	<5	15	<5	1.53	<1	32	149	204	3.23	<10	2.58	478	1	0.10	113	840	14	<5	<20	26	0.24	<10	73	<10	5	24
43	L444+450N 341+600E	30	0.2	2.36	5	50	<5	0.66	<1	35	76	83	6.80	10	1.20	459	4	0.02	43	650	20	5	<20	31	0.40	<10	187	<10	4	98
44	L444+450N 341+700E	30	<0.2	2.81	5	15	<5	0.76	<1	40	136	177	5.34	<10	2.06	497	<1	0.02	88	800	22	<5	<20	27	0.24	<10	108	<10	3	51
45	L444+500N 341+200E	30	0.2	2.89	<5	10	<5	0.76	<1	38	84	290	7.29	<10	1.44	828	<1	0.01	45	460	16	<5	<20	27	0.17	<10	188	<10	4	61
46	L444+500N 341+300E	15	<0.2	3.11	10	55	<5	0.82	<1	29	61	95	5.23	<10	1.50	731	<1	0.03	47	1180	16	<5	<20	43	0.20	<10	142	<10	3	59
47	L444+500N 341+400E	15	0.2	2.92	<5	40	<5	0.60	<1	32	115	108	5.70	<10	1.82	454	<1	0.02	80	360	22	5	<20	27	0.22	<10	138	<10	3	50
48	L444+500N 341+500E	65	0.5	2.57	10	55	<5	0.65	<1	38	92	130	6.18	<10	1.22	441	2	0.02	61	520	40	<5	<20	31	0.37	<10	117	<10	4	105
50	L444+500N 341+700E	25	0.4	2.74	<5	30	<5	0.78	<1	37	114	121	5.36	<10	1.73	626	5	0.02	75	740	38	<5	<20	26	0.55	<10	99	<10	6	155
51	L444+550N 341+200E	70	<0.2	2.57	<5	95	<5	0.66	<1	52	91	531	8.22	10	1.55	489	1	0.03	39	790	20	<5	<20	23	0.60	<10	217	<10	8	95
52	L444+550N 341+300E	5	<0.2	3.21	<5	60	<5	0.97	<1	33	65	185	5.41	<10	1.56	854	<1	0.03	46	1020	20	<5	<20	57	0.21	<10	171	<10	4	55
53	L444+550N 341+400E	5	0.2	2.50	<5	70	<5	1.20	<1	36	101	185	4.76	20	1.55	655	8	0.05	87	1110	18	<5	<20	21	0.62	<10	63	<10	13	57
54	L444+550N 341+500E	20	0.3	2.93	15	95	5	0.60	<1	45	84	116	6.60	20	1.54	1162	4	0.02	59	630	30	<5	<20	33	0.44	<10	129	<10	7	105
55	L444+550N 341+600E	30	0.3	3.11	<5	35	<5	0.57	<1	44	89	101	5.47	20	1.47	785	4	0.03	63	950	28	<5	<20	21	0.40	<10	83	<10	7	89
56	L444+550N 341+700E	15	0.3	3.11	10	45	<5	0.71	<1	53	98	151	5.70	10	1.61	624	4	0.02	72	540	58	<5	<20	30	0.43	<10	99	<10	6	210
57	L444+600N 341+200E	15	0.2	2.62	<5	45	<5	0.57	<1	36	110	216	5.40	10	1.62	380	4	0.02	74	410	22	<5	<20	25	0.41	<10	125	<10	6	52
58	L444+600N 341+300E	35	<0.2	2.62	<5	70	<5	0.85	<1	47	43	423	6.63	20	0.95	2032	3	0.02	30	1450	32	<5	<20	55	0.10	<10	134	<10	7	99
59	L444+600N 341+400E	15	0.2	2.47	5	65	<5	0.60	<1	39	117	118	5.47	30	1.62	816	7	0.02	71	450	22	5	<20	20	0.46	<10	108	<10	7	65
60	L444+600N 341+500E	20	0.3	2.72	5	70	5	0.52	<1	35	98	102	5.78	50	1.60	485	4	0.02	54	450	30	<5	<20	26	0.41	<10	103	<10	9	56
61	L444+600N 341+600E	20	0.3	2.66	10	75	5	0.59	<1	38	71	64	5.67	50	1.18	573	7	0.02	45	1150	32	5	<20	18	0.48	<10	71	<10	11	89
62	L444+600N 341+700E	40	0.3	2.73	10	45	<5	0.68	<1	41	61	143	5.49	30	1.46	690	2	0.02	39	510	42	<5	<20	26	0.26	<10	111	<10	5	71
63	L444+650N 341+200E	15	0.2	2.28	<5	35	<5	0.60	<1	49	116	373	5.59	40	1.62	682	5	0.01	80	460	24	<5	<20	24	0.33	<10	91	<10	8	45
64	L444+650N 341+300E	40	<0.2	2.32	10	60	<5	0.69	<1	47	94	444	7.10	70	1.49	834	7	0.01	69	740	18	5	<20	40	0.19	<10	114	<10	10	47
65	L444+650N 341+400E	50	0.4	2.57	<5	100	15	0.44	<1	31	62	286	5.55	80	1.11	346	11	0.02	34	650	34	<5	<20	21	0.42	<10	102	<10	10	60
66	L444+650N 341+500E	40	0.4	2.86	10	125	5	0.62	<1	49	81	134	6.44	120	1.50	685	8	0.02	49	550	50	5	<20	28	0.41	<10	114	<10	12	81
67	L444+650N 341+600E	40	0.3	2.49	<5	85	5	1.20	<1	40	83	232	4.54	60	1.64	914	5	0.03	61	960	76	<5	<20	26	0.32	<10	83	<10	13	50
68	L444+650N 341+700E	15	0.3	1.33	<5	70	5	0.65	<1	29	56	43	4.09	30	0.65	879	5	0.02	24	1260	26	<5	<20	21	0.36	<10	77	<10	8	140
69	L444+700E 341+200E	5	<0.2	1.77	<5	15	10	0.39	<1	26	123	70	3.52	20	2.18	239	8	0.02	132	370	10	<5	<20	4	0.44	<10	66	<10	6	26
70	L444+700E 341+300E	5	<0.2	1.91	<5	45	15	0.32	<1	37	93	43	4.74	20	1.39	419	12	0.02	65	800	18	5	<20	8	0.77	<10	42	<10	14	43

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-900

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	L444+700E 341+400E	40	<0.2	3.32	<5	65	<5	0.69	<1	42	117	527	5.45	20	1.79	674	<1	0.02	78	800	28	<5	<20	42	0.14	<10	112	<10	5	58
72	L444+700E 341+500E	25	<0.2	2.67	<5	40	<5	0.61	<1	29	129	117	5.12	20	2.02	395	<1	0.02	86	230	20	<5	<20	13	0.15	<10	105	<10	5	40
73	L444+700E 341+600E	20	0.2	1.87	<5	70	<5	0.91	<1	21	85	74	3.66	20	1.33	464	<1	0.02	59	480	18	<5	<20	26	0.11	<10	80	<10	5	51
74	L444+700E 341+700E	10	<0.2	0.61	<5	20	<5	1.08	<1	3	9	180	0.62	<10	0.09	57	1	0.02	11	400	4	<5	<20	17	0.05	<10	2	<10	7	42
75	L444+750E 341+200E	40	<0.2	1.95	<5	40	<5	0.61	<1	28	101	127	3.72	20	1.54	391	<1	0.02	92	340	14	<5	<20	18	0.13	<10	58	<10	6	31
76	L444+750E 341+300E	20	<0.2	2.03	<5	65	<5	1.49	<1	46	95	468	3.83	20	1.63	1099	<1	0.04	83	920	12	<5	<20	32	0.12	<10	70	<10	7	28
77	L444+750E 341+400E	35	0.3	2.45	<5	30	<5	1.27	<1	63	113	707	5.06	30	1.54	1336	<1	0.03	111	510	38	<5	<20	29	0.08	<10	83	<10	12	65
78	L444+750E 341+500E	25	0.2	2.25	<5	65	<5	1.02	<1	30	75	88	4.32	20	1.54	741	<1	0.03	54	420	22	<5	<20	27	0.12	<10	92	<10	4	50
79	L444+750E 341+600E	25	0.3	2.58	5	55	5	1.16	<1	31	72	127	4.81	20	1.20	548	<1	0.05	65	650	22	5	<20	30	0.26	<10	63	<10	11	47
80	L444+750E 341+700E	40	<0.2	2.27	10	55	<5	0.78	<1	30	65	177	4.54	20	1.23	859	<1	0.02	38	530	22	<5	<20	30	0.04	<10	95	<10	3	42
81	L444+800E 341+250E	25	<0.2	2.09	10	40	<5	0.82	<1	32	78	374	5.14	20	1.35	699	<1	0.02	73	450	16	<5	<20	29	0.13	<10	82	<10	7	40
82	L444+800E 341+300E	10	<0.2	2.46	<5	70	<5	1.24	<1	26	95	358	4.50	20	1.33	189	8	0.03	82	950	16	<5	<20	26	0.21	<10	43	<10	11	44
83	L444+800E 341+350E	10	<0.2	3.00	<5	65	<5	0.45	<1	36	140	193	5.65	20	1.90	462	<1	0.02	108	380	20	<5	<20	21	0.18	<10	90	<10	5	45
84	L444+800E 341+400E	40	<0.2	2.25	5	65	<5	1.41	<1	30	84	458	4.58	20	1.35	602	<1	0.03	74	680	22	<5	<20	30	0.15	<10	74	<10	10	151
85	L444+800E 341+450E	20	<0.2	2.43	<5	50	<5	1.21	<1	33	121	362	4.70	20	1.66	768	<1	0.03	82	480	22	<5	<20	22	0.14	<10	72	<10	9	79
86	L444+800E 341+500E	<5	0.2	3.09	5	90	<5	0.69	<1	44	110	42	5.80	30	2.21	588	<1	0.03	92	590	26	<5	<20	21	0.25	<10	58	<10	12	113
87	L444+800E 341+550E	30	0.2	1.27	<5	65	<5	0.57	<1	32	49	50	4.41	20	0.80	987	<1	0.03	28	1060	20	<5	<20	7	0.18	<10	90	<10	9	79
88	L444+800E 341+600E	25	<0.2	2.15	5	50	<5	0.65	<1	32	55	44	6.57	30	0.85	665	<1	0.02	29	890	20	<5	<20	32	0.17	<10	65	<10	10	64
89	L444+800E 341+650E	25	0.2	1.80	5	60	<5	1.82	<1	29	47	95	3.84	20	0.96	674	<1	0.03	39	1040	14	<5	<20	30	0.10	<10	61	<10	6	58
90	L444+800E 341+700E	10	0.2	2.34	5	100	<5	0.42	<1	46	61	71	6.36	30	0.74	1628	<1	0.02	35	1000	30	<5	<20	20	0.19	<10	83	<10	8	101

QC DATA:

Repeat:

1	L444+400N 341+150E	35	0.3	2.65	5	40	<5	0.76	<1	43	80	330	7.72	<10	0.96	763	<1	0.03	39	1040	30	<5	<20	46	0.18	<10	188	<10	<1	153
9	L444+400N 341+550E	360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	L444+400N 341+600E	5	<0.2	3.83	<5	45	<5	0.40	<1	38	61	50	6.42	20	0.67	499	1	0.05	41	1060	26	<5	<20	15	0.55	<10	45	<10	2	111
11	L444+400N 341+650E	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	L444+400N 341+700E	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	L444+400N 342+050E	20	<0.2	2.90	<5	30	<5	1.74	<1	27	40	133	4.95	10	1.47	439	1	0.06	28	990	20	<5	<20	99	0.26	<10	184	<10	6	51
28	L444+400N 342+500E	5	<0.2	3.54	<5	40	<5	1.08	<1	33	89	103	5.70	10	1.93	862	4	0.05	70	490	20	<5	<20	75	0.40	<10	148	<10	6	139
36	L444+400N 342+900E	20	0.3	3.38	20	50	<5	0.69	<1	29	86	180	5.61	<10	1.82	621	2	0.03	64	470	26	<5	<20	40	0.38	<10	137	<10	6	148
45	L444+500N 341+200E	20	0.2	3.02	10	20	<5	0.79	<1	42	89	295	7.66	20	1.54	830	4	0.01	47	530	16	5	<20	33	0.39	<10	188	<10	7	63
51	L444+550N 341+200E	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54	L444+550N 341+500E	25	0.3	2.87	10	110	5	0.63	<1	43	84	111	6.39	40	1.56	1060	5	0.02	55	600	32	<5	<20	31	0.46	<10	125	<10	8	101
63	L444+650N 341+200E	15	0.2	2.23	<5	35	<5	0.59	<1	46	115	362	5.41	30	1.55	640	6	0.02	81	450	20	<5	<20	24	0.35	<10	88	<10	8	43
71	L444+700E 341+400E	45	<0.2	3.32	10	65	<5	0.73	<1	40	115	508	5.35	20	1.75	678	<1	0.02	78	820	30	<5	<20	42	0.07	<10	109	<10	4	60
80	L444+750E 341+700E	50	<0.2	2.39	10	60	<5	0.84	<1	32	67	177	4.79	20	1.28	889	<1	0.03	39	530	22	<5	<20	32	0.05	<10	100	<10	4	44

Standard:

GEO '04	125	1.5	1.76	55	140	<5	1.63	<1	20	65	89	3.62	10	0.98	594	<1	0.03	32	680	20	<5	<20	51	0.12	<10	60	<10	8	73
GEO '04	135	1.4	1.68	50	145	<5	1.58	<1	21	62	89	3.51	<10	0.99	557	1	0.03	32	730	22	5	<20	55	0.11	<10	61	<10	10	74
GEO '04	125	1.5	1.65	60	155	<5	1.60	<1	20	62	88	3.64	<10	0.95	634	<1	0.02	35	690	20	5	<20	51	0.10	<10	57	<10	8	79

09-Aug-04

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-895

AMARC RESOURCES
1020-800 W. Pender Street
Vancouver, BC
V6C 2V6

ATTENTION: Mark Rebagliatti

No. of samples received: 39

Sample type: Soil

Project #: GBR

Shipment #: Not indicated

Samples submitted by: P. Jowker

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	GBR-ATS-001	10	<0.2	3.16	100	35	<5	0.77	<1	31	46	617	9.09	<10	1.03	840	8	0.02	25	1220	14	<5	<20	184	0.08	<10	141	<10	3	53
2	GBR-ATS-002	10	0.3	2.85	105	<5	<5	0.71	1	58	60	908	>10	10	1.16	1239	37	0.03	46	1800	22	55	<20	110	0.13	<10	182	<10	<1	98
3	GBR-ATS-003	5	<0.2	3.71	70	30	<5	1.53	2	69	52	1021	9.92	10	1.15	1613	34	0.07	64	1300	12	60	<20	116	0.18	<10	167	<10	5	64
4	GBR-ATS-004	5	<0.2	2.85	20	125	<5	0.90	<1	31	65	151	5.41	20	1.09	1336	<1	0.02	41	960	22	<5	<20	67	0.08	<10	119	<10	4	96
5	GBR-ATS-005	5	0.3	3.39	35	25	<5	0.90	<1	40	48	390	7.19	<10	1.34	837	90	0.02	34	570	14	10	<20	78	0.14	<10	159	<10	<1	206
6	GBR-ATS-006	20	0.4	3.86	60	15	<5	0.66	<1	42	68	1760	>10	10	0.98	646	33	0.02	35	2840	16	<5	<20	70	0.16	<10	192	<10	<1	80
7	GBR-ATS-007	<5	0.3	2.63	35	100	<5	1.00	<1	31	70	183	4.63	<10	1.31	1283	4	0.03	56	740	16	10	<20	40	0.19	<10	121	<10	2	91
8	GBR-ATS-008	<5	<0.2	2.60	30	70	<5	1.34	<1	42	63	196	5.04	<10	1.26	1382	1	0.03	52	1300	14	5	<20	62	0.11	<10	119	<10	2	72
9	GBR-ATS-009	<5	0.3	2.18	20	175	<5	0.54	<1	27	69	76	5.02	<10	1.09	1804	<1	0.02	43	940	16	<5	<20	28	0.22	<10	128	<10	1	132
10	GBR-ATS-010	10	0.2	3.42	50	65	<5	0.62	<1	27	78	116	5.36	<10	1.55	630	2	0.03	56	440	18	10	<20	35	0.24	<10	150	<10	2	86
11	GBR-ATS-011	<5	0.6	3.36	30	80	<5	0.21	<1	26	78	74	6.54	10	1.03	966	9	0.02	36	1260	20	10	<20	20	0.65	<10	132	<10	<1	119
12	GBR-PJS-001	5	<0.2	2.68	25	65	<5	0.41	<1	21	67	78	3.90	<10	1.30	471	2	0.03	49	950	12	10	<20	19	0.22	<10	111	<10	2	56
13	GBR-PJS-002	<5	0.5	2.73	40	150	<5	0.53	<1	24	75	99	4.82	10	1.07	654	5	0.03	51	670	16	10	<20	29	0.38	<10	105	<10	3	106
14	GBR-PJS-003	<5	<0.2	3.34	20	130	<5	0.47	<1	28	201	118	4.50	10	1.86	715	<1	0.04	78	660	16	<5	<20	22	0.41	<10	107	<10	4	86
15	GBR-PJS-004	<5	<0.2	3.35	15	160	<5	0.63	<1	26	79	95	4.39	<10	1.44	966	<1	0.03	61	760	20	5	<20	31	0.17	<10	117	<10	4	71
16	GBR-PJS-005	5	<0.2	3.30	20	160	<5	0.55	<1	25	87	84	4.33	10	1.42	943	<1	0.03	60	660	18	<5	<20	37	0.14	<10	116	<10	5	85
17	GBR-PJS-006	5	0.3	3.60	10	190	<5	0.59	<1	28	63	75	5.02	20	1.11	696	<1	0.04	49	810	20	<5	<20	51	0.29	<10	100	<10	6	82
18	GBR-PJS-007	<5	0.2	3.18	10	195	<5	0.65	<1	25	72	77	4.38	10	1.20	741	<1	0.03	46	570	20	<5	<20	42	0.19	<10	106	<10	6	68
19	GBR-PJS-008	5	0.2	2.94	10	120	<5	0.73	<1	20	58	53	4.31	<10	1.12	475	<1	0.02	40	500	16	<5	<20	44	0.10	<10	123	<10	<1	86
20	GBR-PJS-009	5	0.3	3.94	10	110	<5	0.29	<1	26	76	83	5.11	10	1.12	673	<1	0.02	51	640	22	<5	<20	17	0.27	<10	100	<10	2	101
21	GBR-PJS-010	<5	0.5	3.34	10	160	<5	0.41	<1	22	71	80	4.84	10	1.14	463	<1	0.02	47	1080	20	<5	<20	25	0.27	<10	106	<10	3	110
22	GBR-PJS-011	<5	<0.2	3.08	10	205	<5	0.72	<1	23	67	68	4.00	10	1.29	829	<1	0.03	45	470	16	<5	<20	45	0.13	<10	105	<10	5	58
23	GBR-PJS-012	<5	0.3	3.81	5	180	<5	0.42	<1	27	74	83	5.36	10	1.17	722	<1	0.03	51	970	20	<5	<20	29	0.28	<10	115	<10	5	106
24	GBR-PJS-013	<5	<0.2	3.44	10	205	<5	0.66	<1	23	75	83	4.49	10	1.33	703	<1	0.03	50	520	18	<5	<20	42	0.12	<10	115	<10	4	69
25	GBR-PJS-014	5	<0.2	2.72	15	125	<5	0.67	<1	22	69	64	4.20	<10	1.26	999	<1	0.03	44	650	16	<5	<20	31	0.13	<10	116	<10	3	106
26	GBR-PJS-015	<5	0.3	3.32	15	90	<5	0.33	<1	25	78	78	5.27	<10	1.41	615	<1	0.03	48	640	18	<5	<20	23	0.34	<10	140	<10	1	116
27	GBR-PJS-016	<5	0.2	3.48	15	175	<5	0.78	<1	21	82	126	4.73	20	1.45	490	<1	0.03	55	830	18	<5	<20	46	0.24	<10	121	<10	9	66
28	GBR-PJS-017	<5	0.3	3.36	65	140	<5	0.46	<1	27	82	88	5.50	<10	1.35	691	<1	0.03	52	770	20	<5	<20	32	0.41	<10	119	<10	2	142
29	GBR-PJS-018	5	0.4	2.90	10	145	<5	0.50	<1	24	82	90	5.12	<10	1.21	656	<1	0.03	51	1000	16	<5	<20	30	0.27	<10	117	<10	1	133
30	GBR-PJS-019	<5	<0.2	3.11	20	130	<5	0.77	<1	27	106	94	4.84	<10	1.66	995	<1	0.03	65	490	20	<5	<20	39	0.16	<10	130	<10	2	74

AMARC RESOURCES

ICP CERTIFICATE OF ANALYSIS AK 2004-895

ECO TECH LABORATORY LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
31	GBR-PJS-020	5	0.2	3.22	20	140	<5	0.79	<1	29	95	114	5.15	10	1.56	867	<1	0.04	67	570	18	<5	<20	36	0.33	<10	132	<10	4	85
32	GBR-PJS-021	5	0.2	2.84	20	125	<5	0.81	<1	26	84	109	4.52	<10	1.45	853	<1	0.04	56	480	16	<5	<20	34	0.21	<10	123	<10	3	88
33	GBR-PJS-022	<5	0.2	2.74	15	145	<5	1.07	<1	26	77	120	4.34	10	1.34	1000	<1	0.04	52	710	14	<5	<20	47	0.28	<10	117	<10	7	65
34	GBR-PJS-023	<5	0.2	2.53	15	140	<5	1.11	<1	26	76	98	4.50	10	1.39	871	<1	0.05	59	720	20	<5	<20	53	0.32	<10	100	<10	3	69
35	GBR-PJS-024	<5	<0.2	2.78	15	100	<5	0.62	<1	24	68	94	4.13	<10	1.30	739	<1	0.03	51	1010	12	<5	<20	27	0.18	<10	118	<10	2	64
36	GBR-PJS-025	5	<0.2	2.42	15	140	<5	0.76	<1	24	67	51	4.36	<10	1.42	584	<1	0.02	51	360	12	<5	<20	36	0.16	<10	104	<10	6	70
37	GBR-PJS-026	5	0.2	1.91	10	150	<5	1.42	<1	21	61	103	3.71	10	1.17	850	2	0.03	44	820	10	<5	<20	58	0.19	<10	99	<10	11	56
38	GBR-PJS-027	<5	0.2	1.70	5	125	<5	1.53	<1	20	55	96	3.51	10	1.01	988	3	0.03	37	880	10	<5	<20	44	0.21	<10	82	<10	11	63
39	GBR-PJS-028	5	<0.2	1.92	10	60	<5	1.25	<1	25	63	198	4.15	20	1.46	672	1	0.02	55	1660	8	<5	<20	21	0.30	<10	118	<10	13	48

QC DATA:

Repeat:

1	GBR-ATS-001	5	<0.2	3.21	110	40	<5	0.80	<1	31	45	614	8.95	10	1.06	813	11	0.03	28	1200	14	5	<20	199	0.11	<10	142	<10	3	52
10	GBR-ATS-010	5	0.2	3.47	40	70	<5	0.65	<1	27	77	114	5.35	<10	1.58	642	<1	0.03	54	420	16	<5	<20	35	0.23	<10	153	<10	1	84
12	GBR-PJS-001	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<5	<20	47	0.21	<10	127	<10	2	85
19	GBR-PJS-008	10	0.2	3.03	15	120	<5	0.76	<1	22	60	53	4.48	<10	1.17	487	<1	0.03	41	490	16	<5	<20	32	0.28	<10	123	<10	<1	140
28	GBR-PJS-017	<5	0.3	3.41	65	140	<5	0.49	<1	26	85	89	5.52	<10	1.37	737	<1	0.03	52	780	18	<5	<20	-	-	-	-	-	-	-
34	GBR-PJS-023	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Standard:

GEO '04		125	1.5	1.71	65	140	<5	1.61	<1	19	61	89	3.46	<10	0.94	633	<1	0.03	33	680	22	<5	<20	55	0.13	<10	73	<10	8	71
GEO '04		125	1.5	1.62	50	140	<5	1.60	<1	19	62	88	3.53	<10	0.92	587	<1	0.03	32	720	24	<5	<20	54	0.14	<10	69	<10	9	73
GEO '04		125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

ICP CERTIFICATE OF ANALYSIS AK 2004-1565

AMARC RESOURCES
1020-800 W. Pender Street
Vancouver, BC
V6C 2V6

ECO TECH LABO, RY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ATTENTION: Mark Rebagliatti

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 32
Sample type: Soil
Project #: GBR
Shipment #: Not indicated
Samples submitted by: Drew Takahashi

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	NW-ATS-01	5	<0.2	1.35	15	90	5	0.80	<1	8	10	50	4.01	<10	0.20	120	5	0.01	4	570	30	<5	<20	53	<0.01	<10	53	<10	6	22
2	NW-ATS-02	<5	<0.2	1.73	35	50	<5	0.56	<1	20	11	97	4.29	<10	0.64	596	7	0.01	9	670	34	<5	<20	43	<0.01	<10	74	<10	35	41
3	NW-ATS-03	5	<0.2	0.64	15	70	10	0.07	<1	6	5	48	6.29	<10	0.11	60	13	0.02	1	960	18	<5	<20	36	<0.01	<10	41	<10	<1	14
4	NW-ATS-04	5	<0.2	2.72	20	150	5	0.66	<1	28	21	98	5.64	<10	1.84	3461	4	0.02	11	790	40	<5	<20	59	0.05	<10	134	<10	35	120
5	NW-ATS-05	5	<0.2	2.78	25	90	10	0.75	<1	34	27	65	5.60	<10	1.54	1119	3	0.02	18	660	42	<5	<20	64	0.07	<10	120	<10	33	85
6	NW-ATS-06	5	<0.2	2.95	10	90	5	0.65	<1	29	32	115	6.57	<10	1.50	1209	5	0.01	15	690	42	<5	<20	62	0.04	<10	166	<10	31	83
7	NW-ATS-07	5	<0.2	1.99	30	110	5	0.81	<1	13	9	96	4.20	<10	0.58	455	5	0.01	4	720	36	<5	<20	48	0.04	<10	58	<10	36	41
8	NW-ATS-08	10	<0.2	2.55	30	55	<5	1.53	<1	20	14	99	3.13	<10	0.78	655	3	<0.01	5	640	40	<5	<20	70	0.04	<10	66	<10	29	49
9	NW-ATS-09	5	<0.2	2.19	40	80	5	0.78	<1	19	15	107	4.70	<10	0.72	562	4	0.01	5	700	40	<5	<20	55	0.12	<10	106	<10	75	61
10	NW-ATS-10	<5	<0.2	1.26	10	60	10	0.20	<1	8	7	28	5.16	<10	0.44	219	4	0.01	4	690	26	<5	<20	32	<0.01	<10	62	<10	3	32
11	NW-ATS-11	5	<0.2	1.02	45	70	20	0.01	<1	12	3	70	>10	<10	0.36	108	12	<0.01	2	1780	30	<5	<20	27	<0.01	<10	162	<10	<1	32
12	NW-ATS-12	5	<0.2	2.19	10	50	10	0.96	<1	15	3	75	4.05	<10	0.56	205	4	0.02	4	770	34	<5	<20	51	0.01	<10	46	<10	12	21
13	NW-ATS-13	10	<0.2	2.06	15	55	10	0.40	<1	16	5	36	4.88	<10	0.70	286	3	0.01	5	590	36	<5	<20	39	0.14	<10	57	<10	7	41
14	NW-JS-03	5	<0.2	1.43	20	75	10	0.56	<1	13	10	79	5.80	<10	0.49	273	7	0.01	6	750	32	<5	<20	41	<0.01	<10	60	<10	9	31
15	NW-JS-06	5	<0.2	0.62	10	95	15	0.19	<1	7	7	33	5.11	<10	0.03	64	6	0.03	2	430	20	<5	<20	46	<0.01	<10	33	<10	<1	10
16	NW-JS-10	5	<0.2	0.93	<5	70	15	0.04	<1	5	<1	67	8.00	<10	<0.01	5	15	<0.01	<1	340	26	<5	<20	27	<0.01	<10	43	<10	<1	9
17	NW-JS-11	10	<0.2	2.65	45	95	10	0.59	<1	35	19	112	5.32	<10	1.28	1727	6	0.01	13	720	46	<5	<20	43	<0.01	<10	100	<10	58	68
18	NW-JS-12A	5	<0.2	0.85	50	85	10	0.12	<1	4	20	48	5.15	<10	0.04	22	5	0.03	<1	680	26	30	<20	65	<0.01	<10	79	<10	<1	6
19	NW-JS-13	<5	<0.2	1.14	15	95	10	0.05	<1	8	2	88	5.64	<10	0.21	133	18	0.02	3	790	24	<5	<20	70	<0.01	<10	55	<10	<1	29
20	NW-JS-16	<5	<0.2	0.12	<5	45	5	0.02	<1	11	1	32	2.71	<10	<0.01	9	3	<0.01	7	<10	10	<5	<20	26	<0.01	<10	3	<10	<1	3
21	NW-JS-17	10	<0.2	2.94	10	70	10	0.22	<1	20	8	74	5.38	<10	1.15	375	11	0.03	6	890	44	<5	<20	65	<0.01	<10	83	<10	25	33
22	NW-JS-18	5	<0.2	3.26	15	95	<5	0.36	<1	15	16	91	5.07	<10	1.07	412	9	0.02	8	860	50	<5	<20	66	<0.01	<10	111	<10	19	50
23	NW-JS-23	5	<0.2	2.86	25	90	5	0.74	<1	26	13	98	5.99	<10	1.19	810	10	0.02	9	700	44	<5	<20	52	0.02	<10	111	<10	49	73
24	NW-JS-24A	5	<0.2	0.63	20	70	10	0.50	<1	4	<1	7	4.37	<10	0.04	17	9	0.01	<1	690	22	<5	<20	51	<0.01	<10	19	<10	12	7
25	NW-JS-25	15	<0.2	2.46	20	60	5	1.04	<1	25	11	58	3.57	<10	0.99	945	5	0.02	7	380	36	<5	<20	86	0.01	<10	75	<10	31	41
26	NW-JS-26A	5	<0.2	1.85	30	50	10	0.96	<1	9	8	53	4.59	<10	0.16	54	4	0.01	2	1200	32	<5	<20	49	<0.01	<10	70	<10	11	70
27	NW-JS-28A	5	<0.2	0.82	10	130	5	0.24	<1	3	5	<1	2.58	<10	0.12	14	5	0.02	<1	370	18	<5	<20	84	<0.01	<10	24	<10	4	6
28	NW-JS-30A	<5	<0.2	2.75	15	75	10	0.83	<1	13	4	36	4.66	<10	0.54	315	4	<0.01	3	510	42	<5	<20	64	<0.01	<10	33	<10	39	112
29	NW-JS-31A	5	<0.2	2.37	20	55	10	1.27	<1	11	9	49	3.76	<10	0.32	138	3	0.01	1	310	36	<5	<20	86	0.02	<10	68	<10	17	38
30	NW-JS-32A	5	<0.2	2.13	5	60	<5	0.46	<1	13	7	68	5.02	<10	0.56	412	3	0.02	3	590	20	<5	<20	34	0.02	<10	85	<10	<1	45

06-Oct-04

ICP CERTIFICATE OF ANALYSIS AK 2004-1392

AMARC RESOURCES
1020-800 W. Pender Street
Vancouver, BC
V6C 2V6

ATTENTION: Mark Rebagliatti

No. of samples received: 8
Sample type: Silt
Project #: GBR
Shipment #: Not indicated
Samples submitted by: Drew Takahashi

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	CMR-BCW-L01	5	<0.2	0.88	<5	270	<5	1.00	<1	9	22	78	1.52	<10	0.71	410	3	0.01	11	1340	6	<5	<20	85	0.10	<10	11	<10	36	40
2	CMR-BCW-L02	10	<0.2	1.11	<5	255	<5	0.77	<1	11	40	50	1.98	<10	0.75	325	4	0.02	32	570	8	<5	<20	69	0.05	<10	35	<10	14	41
3	CMR-BCW-L03	5	<0.2	1.82	15	260	<5	1.25	<1	17	72	93	2.28	<10	1.11	553	5	0.03	49	700	10	<5	<20	106	0.06	<10	53	<10	14	53
4	CMR-BCW-L04	10	<0.2	1.35	5	280	<5	0.74	<1	14	46	56	2.11	<10	0.84	481	4	0.02	36	530	12	<5	<20	69	0.06	<10	35	<10	14	45
5	CMR-BCW-L05	5	<0.2	1.36	<5	245	5	0.81	<1	13	53	56	2.13	<10	0.92	254	8	0.04	36	810	8	<5	<20	75	0.07	<10	47	<10	15	54
6	CMR-BCW-L06	5	<0.2	1.60	<5	525	10	1.06	<1	22	68	78	3.85	<10	1.50	975	31	0.15	74	830	10	<5	<20	115	0.14	<10	40	<10	26	79
7	CMR-BCW-L07	5	<0.2	1.70	<5	470	10	1.10	<1	27	70	70	4.20	<10	2.18	1032	26	0.22	92	990	10	<5	<20	112	0.16	<10	25	<10	27	74
8	CMR-BCW-L08	5	<0.2	1.36	5	280	<5	0.90	<1	18	81	36	3.09	<10	1.19	790	7	0.05	61	1230	10	<5	<20	76	0.10	<10	91	<10	18	60

QC DATA:

Repeat:																															
1	CMR-BCW-L01	5	<0.2	0.85	<5	260	<5	1.08	<1	9	24	77	1.44	20	0.70	401	4	0.01	12	1350	8	<5	<20	91	0.08	<10	12	<10	37	39	

Standard:

GEO '04		140	1.6	1.73	60	155	<5	1.51	<1	19	60	88	3.42	<10	0.95	663	<1	0.02	29	680	22	<5	<20	50	0.06	<10	62	<10	10	77
---------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	----	----

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	NW-JS-21	10	0.2	3.40	250	180	10	1.27	<1	58	53	135	5.01	<10	1.36	2210	6	0.19	91	1450	58	<5	<20	131	0.06	<10	101	<10	31	104
32	NW-JS-33	5	<0.2	2.59	35	80	10	0.79	<1	24	19	80	5.38	<10	1.49	788	6	0.03	13	680	42	<5	<20	60	0.03	<10	107	<10	27	75

QC DATA:

Repeat:

1	NW-ATS-01	5	<0.2	1.42	10	80	5	0.78	<1	8	11	47	4.18	<10	0.23	119	5	0.01	3	560	32	<5	<20	52	<0.01	<10	56	<10	7	18
10	NW-ATS-10	<5	<0.2	1.47	15	60	15	0.20	<1	10	9	33	5.12	<10	0.54	229	5	0.02	4	730	28	<5	<20	34	0.01	<10	69	<10	<1	32
19	NW-JS-13	5	<0.2	1.14	15	100	10	0.05	<1	8	3	80	5.62	<10	0.19	96	18	0.02	1	800	24	<5	<20	69	<0.01	<10	56	<10	<1	26
28	NW-JS-30	<5	<0.2	2.90	15	75	10	0.85	<1	13	4	38	4.79	<10	0.56	293	4	<0.01	4	520	44	<5	<20	64	<0.01	<10	30	<10	44	123

Standard:

GEO '04		140	1.4	1.63	65	150	5	1.51	<1	20	60	88	3.43	<10	0.88	635	<1	0.02	28	770	24	<5	<20	53	0.06	<10	58	<10	11	74
---------	--	-----	-----	------	----	-----	---	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	----	----

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

APPENDIX 4

Geophysical Survey Methodology

Geophysical Survey Methodology

Induced Polarization (IP)

The system used to carry out this survey was a 7.5 kw time domain unit consisting of a 400 hertz Onan/Wagner Leland motor generator set and a Mark II transmitter manufactured by Hunttec Limited, Toronto, Canada and a 6 channel IP-6 receiver manufactured by Iris Instruments, Orleans, France.

The transmitter was operated with a cycle time of 8 seconds and the duty cycle ratio; [(time on)/(time off)] was 0.5 seconds. This means the cycling sequence of the transmitter was 2 seconds current “on” and 2 seconds current “off” with consecutive pulses reversed in polarity.

The IP-6 receiver can measure up to 6 dipoles simultaneously. It is microprocessor controlled, featuring automatic calibration, gain setting, SP cancellation and fault diagnosis. To accommodate a wide range of geological conditions, the delay time, the window widths and hence the total integration time is programmable via the keypad. Measurements are calculated automatically every 2 to 4 seconds from the averaged waveform which is accumulated in memory.

The window widths of the IP-6 receiver can be programmed arithmetically or logarithmically. For this survey the instrument was programmed arithmetically into 10 equal window widths or channels, Ch₀, Ch₁, Ch₂, Ch₃, Ch₄, Ch₅, Ch₆, Ch₇, Ch₈, Ch₉. These are recorded individually and summed up automatically to obtain the total chargeability. Similarly, the resistivity (R) in ohm-metres is also calculated automatically.

The instrument parameters chosen for this survey were as follows:

Cycle Time (T_c)	= 8 seconds
Ratio <u>(Time On)</u> (Time Off)	= 1:1
Duty Cycle Ratio <u>(Time On)</u> (Time On) + (Time Off)	= 0.5
Delay Time (T_D)	= 120 milliseconds
Window Width (t_p)	= 90 milliseconds
Total Integration Time (T_p)	= 900 milliseconds

The pole-dipole array was used for this survey, with the dipole length (x) equal to 50 metres and measurements were recorded for $n=1$ through 6. The current electrode (C_1) was always located to the east of the potential measuring dipole (P_1P_2) as depicted on each pseudo-section drawing. The dipole length was shortened over the Wolverine gold showing to $x=25$ to increase detail of survey.

The IP data was processed at the end of each survey day using a Pentium laptop computer and Fujitsu printer. In the Vancouver office, the data was transferred to a high-speed desktop computer coupled to an HP DesignJet colour plotter to make the final pseudo-sections and plan maps. The numerical value obtained from a 21 point triangular filter of the IP data, applied consecutively at every station on each line, is also plotted on the pseudo-sections.

Ground Magnetometer

The system consists of 2 Envi total field proton precession magnetometers manufactured by Scintrex Limited, Toronto, Canada. The system is completely software controlled. The field magnetometer measures and stores in memory, via the keypad, the time, the location and the value of the earth's total magnetic field at each station. The base station

magnetometer measures and stores in memory, automatically, the daily fluctuations of the earth's total magnetic field throughout each day.

At the end of each survey day, the 2 sets of data are merged and downloaded to a field computer. The field data is automatically corrected, via software, for diurnal variations recorded by the base station.

APPENDIX 5

Plan Maps of IP and Magnetic Survey Data (3)

Pseudo-sections of IP and Magnetic Survey Data (27)