

**Report on a 2004 Program of Geological Mapping, Soil
Sampling, IP Surveying and Diamond Drilling on the
Friendly Lake Property, Little Fort Area, B.C.**
(FL 1-4, FL 9-14, FRI 1-23, RO #15-18 Claims)

Lithic Resources Ltd.
May 11, 2005

Volume 1 of 2

27789
Vol. 1 of 2

**REPORT ON A PROGRAM OF GEOLOGICAL MAPPING, SOIL SAMPLING
INDUCED POLARIZATION SURVEYING AND DIAMOND DRILLING**

RECEIVED
MAY 16 2005
Gold Commissioner's Office
VANCOUVER, B.C.

**ON THE
FRIENDLY LAKE PROPERTY,
(FL 1-4, FL 9-14, FRI 1-23, RO #15-18 CLAIMS)
LITTLE FORT AREA, BRITISH COLUMBIA
CANADA**

Latitude 51° 34.5' – 38' N Longitude 120° 25' - 34'W

NTS 92P/9,10

Clinton and Kamloops Mining Divisions

Owner/Operator:

Lithic Resources Ltd.
912-510 West Hastings St.
Vancouver, B.C.
Canada V6B 1L8

by

C.F. Staargaard, M.Sc., P.Geo.
Lithic Resources Ltd.
912-510 West Hastings St.
Vancouver, B.C.
Canada V6B 1L8

May 11, 2005

27,789
GEOLOGICAL SURVEY BRANCH
LITTLE FORT

Table of Contents

	<u>Page</u>
Introduction and Terms of Reference	1
Property Description and Location.....	1
Accessibility, Climate, Local Resources, Infrastructure and Physiography	1
History of Work.....	5
Geological Setting	
Regional Geology	6
Property Geology.....	8
Deposit Types.....	11
Mineralization.....	11
2004 Work Program.....	12
Soil Geochemical Survey.....	12
Induced Polarization Survey	13
Survey Method.....	13
Data Presentation.....	14
Diamond Drilling	15
Conclusions and Recommendations.....	16
References	18
Certificate	21

Appendix A – Analytical Data

Appendix B – Drill Logs

Appendix C – Drill Sections

Appendix D - Statement of Costs

Report plus Appendices

Volume 1 of 2

Figures 4-48

Volume 2 of 2

List of Figures

<u>Figure No.</u>		<u>Page</u>
1	General Location.....	2
2	Claim Disposition and Access.....	4
3	Regional Geology.....	8
4	Property Geology – East Sheet.....	in pocket
5	Property Geology – West Sheet.....	“ “
6	Ppm Cu in Soil – East Sheet.....	“ “
7	Ppm Cu in Soil – West Sheet.....	“ “
8	Ppm Mo in Soil – East Sheet.....	“ “
9	Ppm Mo in Soil – West Sheet.....	“ “
10	Ppm Ag in Soil – East Sheet.....	“ “
11	Ppm Ag in Soil – West Sheet.....	“ “
12	Ppb Au in Soil – East Sheet.....	“ “
13	Ppb Au in Soil – West Sheet.....	“ “
14	Apparent Chargeability Plan (N=1).....	“ “
15	Apparent Chargeability Plan (N=2).....	“ “
16	Apparent Chargeability Plan (N=3).....	“ “
17	Apparent Chargeability Plan (N=4).....	“ “
18	Apparent Resistivity Plan (N=1).....	“ “
19	Apparent Resistivity Plan (N=2).....	“ “
20	Apparent Resistivity Plan (N=3).....	“ “
21	Apparent Resistivity Plan (N=4).....	“ “
22	IP Pseudo Section L5600.....	“ “
23	IP Pseudo Section L6000.....	“ “
24	IP Pseudo Section L6400.....	“ “
25	IP Pseudo Section L6800.....	“ “
26	IP Pseudo Section L7200.....	“ “
27	IP Pseudo Section L7600.....	“ “
28	IP Pseudo Section L8000.....	“ “
29	IP Pseudo Section L8400.....	“ “
30	IP Pseudo Section L8800.....	“ “
31	IP Pseudo Section L9200.....	“ “
32	IP Pseudo Section L9600.....	“ “
33	IP Pseudo Section L10000.....	“ “
34	IP Pseudo Section L10400.....	“ “
35	IP Pseudo Section L10800.....	“ “
36	IP Pseudo Section L11200.....	“ “
37	IP Pseudo Section L11600.....	“ “
38	IP Pseudo Section L12000.....	“ “
39	IP Pseudo Section L12400.....	“ “
40	IP Pseudo Section L12800.....	“ “
41	IP Pseudo Section L13200.....	“ “
42	IP Pseudo Section L13600.....	“ “
43	IP Pseudo Section L14000.....	“ “
44	IP Pseudo Section L14400.....	“ “
45	IP Pseudo Section L14800.....	“ “
46	IP Pseudo Section L15200.....	“ “
47	Drill Hole Locations – East Sheet.....	“ “
48	Drill Hole Locations – West Sheet.....	“ “

List of Tables

<u>Table No.</u>		<u>Page</u>
One	Friendly Lake Property Claims	2
Two	Selected Drill Intercepts	16

INTRODUCTION AND TERMS OF REFERENCE

In December, 2003, Lithic Resources Ltd. ("Lithic") acquired the right to earn a 100% interest in the Friendly Lake property located in the Little Fort area of British Columbia, Canada. In the period from May through December, 2004, Lithic carried out a comprehensive program of line-cutting, geological mapping, geochemical soil sampling, induced polarization and drilling on the property. This report presents the data and discusses the results of the work. As well as the data from the 2004 surveys, the report includes data and information taken from the public record, such as assessment reports, news releases, government publications and so on, as well as the writer's personal observations on the property at various times before and during the work program.

PROPERTY DESCRIPTION AND LOCATION

The Friendly Lake property includes a single block of 37 claims totalling 285 units for a total of about 7,125 hectares. It is centred about 29 kilometres northwest of the town of Little Fort, British Columbia or about 105 kilometres north of the city of Kamloops and lies within the area bounded by Latitude 51° 34.5' – 38' N and Longitude 120° 25' - 34'W (Fig. 1). The claims' disposition is illustrated in Figure 2 and their particulars are listed in Table One.

A variety of physical disturbances already exist on the property, including numerous logging roads and clearcuts as well as numerous and large exploration trenches excavated in previous exploration campaigns over at least the last forty years. The area is not sensitive in terms of social, political or environmental issues.

ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

The property is easily accessible by road from Little Fort. A logging road heads north to the property from a point on Highway 24 about 38 kilometres west of Little Fort. The property boundary is situated about 14 kilometres from Highway 24 and from here, a number of roads and trails extend throughout most of the central and eastern parts of the property. Alternatively, several other logging roads approach the property boundary from the northeast and northwest.



Numerous small towns with land lines and basic supplies are situated within easy driving distance of the claims while the nearest large population centre is Kamloops. Major hydroelectric transmission lines and railways follow Highways 5 and 97 through Little Fort and 100 Mile House respectively.

Physiographically, the property is situated in the Nehalliston Plateau and is typified by rolling hills and plateaus. Elevations range between 1,260 and 1,740 metres A.S.L. although most of the ground is below 1,500 metres. The climate is cool temperate with snow between October and

March. Except at the highest elevations, field work is generally possible from April through November.

Table One
Friendly Lake Property Claims


Claim	Tenure No.	Tag No.	Ownership	Due Date	Mining Div	Units	Hectares
FL 1	350558	625921M	Lithic	2010.05.27	Kamloops	1	25
FL 2	331247	636205M	Lithic	2010.05.27	Kamloops	1	25
FL 3	331248	636206M	Lithic	2010.05.27	Kamloops	1	25
FL 4	331249	636207M	Lithic	2010.05.27	Kamloops	1	25
FL 9	350559	625922M	Lithic	2010.05.27	Kamloops	1	25
FL 10	350560	625923M	Lithic	2010.05.27	Kamloops	1	25
FL 11	350561	625924M	Lithic	2010.05.27	Kamloops	1	25
FL 12	350562	625925M	Lithic	2010.05.27	Kamloops	1	25
FL 13	350563	625926M	Lithic	2010.05.27	Kamloops	1	25
FL 14	350564	625927M	Lithic	2010.05.27	Kamloops	1	25
FRI 1	324810	230047	Lithic	2011.05.27	Kamloops	16	400
FRI 2	324811	230048	Lithic	2011.05.27	Kamloops	18	450
FRI 3	324274	230045	Lithic	2011.05.27	Kamloops	16	400
FRI 4	344527	215611	Lithic	2011.05.27	Kamloops	16	400
FRI 5	357259	215165	Lithic	2010.05.27	Kamloops	9	225
FRI 6	357260	215166	Lithic	2010.05.27	Kamloops	15	375
FRI 7	357261	215167	Lithic	2011.05.27	Kamloops	15	375
FRI 8	357262	215168	Lithic	2011.05.27	Kamloops	15	375
FRI 9	357263	215169	Lithic	2011.05.27	Kamloops	16	400
FRI 10	357264	215170	Lithic	2011.05.27	Kamloops	20	500
FRI 11	357265	215171	Lithic	2010.05.27	Kamloops	20	500
FRI 12	357266	215172	Lithic	2011.05.27	Kamloops	16	400
FRI 13	357267	215173	Lithic	2011.05.27	Kamloops	20	500
FRI 14	357268	215174	Lithic	2010.05.27	Kamloops	20	500
FRI 15	408694	231767	Lithic	2010.03.11	Clinton	20	500
FRI 16	408702	726037M	Lithic	2010.03.10	Clinton	1	25
FRI 17	408703	726038M	Lithic	2010.03.10	Clinton	1	25
FRI 18	408704	726039M	Lithic	2010.03.10	Clinton	1	25
FRI 19	408705	726040M	Lithic	2010.03.11	Kamloops	1	25
FRI 20	408706	726041M	Lithic	2010.03.11	Kamloops	1	25
FRI 21	408707	726042M	Lithic	2010.03.11	Kamloops	1	25
FRI 22	408708	726043M	Lithic	2010.03.11	Kamloops	1	25
FRI 23	411200	206858	Lithic	2010.06.14	Kamloops	12	300
RO #15	220746	581515	Lithic	2010.05.27	Kamloops	1	25
RO #16	220747	581516	Lithic	2010.05.27	Kamloops	1	25
RO #17	220748	581517	Lithic	2010.05.27	Kamloops	1	25
RO #18	220749	581518	Lithic	2010.05.27	Kamloops	1	25
						285	7,125



LITHIC RESOURCES LTD.

Friendly Lake Property
Property Location

Feb 2004 Fig. 1



Roads

- all weather
- paved
- rough

LITHIC RESOURCES LTD
Friendly Lake Property

Claim Disposition

Aug 2004 Fig 2

4

Friendly Lake 2004 Work Program
 Lithic Resources Ltd.
 May 11, 2005

HISTORY OF WORK

Available records show that parts of the property have been explored by various companies, sometimes concurrently, since 1965. The more substantive programs are listed below:

- 1965-70** Anaconda American Brass staked a large area around Friendly Lake and carried out biogeochemical and stream sediment sampling, an extensive geochemical soil survey (Cu,Pb,Mo), a ground magnetic survey, minor IP, bulldozer trenching and 999 metres of core drilling in 19 holes (Hirst, 1965; Hirst, 1966; Wilmott, 1970; Lammle and Waterman, 1970).
- 1971-74** Vangulf Exploration Company staked claims and then in 1972, optioned the property to Imperial Oil. Imperial carried out geological mapping, geochemical soil sampling (Cu,Pb,Ag,Mo), a ground magnetic survey and then drilled 24 percussion holes totalling 1,002 metres (Aird, 1974).
- 1971-72** G.H. Rayner staked the Bogg claims to the west of Vangulf/Imperial Oil and optioned the property to Prism Resources, who carried out geological mapping (Sinclair, 1972).
- 1973-75** Cities Service Minerals Corporation optioned the Bogg claims and carried out geological mapping, geochemical soil sampling, prospecting, 87 kilometres of IP survey, 537 metres of core drilling in four holes and 673 metres of percussion drilling in 15 holes (Hawkins, 1974; Jorgensen, 1975; Murton, 1973; Murton, 1974; Murton and Depaoli, 1974).
- 1978-83** Commonwealth Minerals Limited optioned the Bogg claims and collected 656 soil samples (Cu,Pb,Ag) and completed 18.3 kilometres of VLF-EM (Giroux, 1978).
- 1987-90** Geotech Capital Corporation optioned the Bogg claims and carried out an extensive geochemical survey, minor IP and 810 metres of core drilling in six holes to test a gold-in-soil anomaly (Archer, 1987; Archer, 1989; Mark and Cruickshank, 1988).
- 1981-82** SMD Mining Co. Ltd. optioned Anaconda's property and staked some claims of their own. They carried out a geochemical soil survey (Cu,Mo,As,Ag,Pb,Zn), rock sampling, ground magnetometer and VLF surveys, IP, geological mapping and 631 metres of trenching (Ruck, 1982).
- 1983** Lornex Mining Corporation optioned the claims from SMD and Anaconda and appear to have drilled 21 vertical percussion holes totalling 1,273 metres on the property (Serack, 1983).
- 1984-85** BP Resources Canada Ltd.(Selco Division) optioned the property from SMD/Anaconda. Most of their work, however, which included a geochemical soil survey, rock sampling,

geological mapping, IP and trenching, was carried out to the southeast of the present property (Gamble and Farmer, 1986).

- 1987** Rat Resources Ltd. optioned the claims from SMD/Anaconda and drilled three core holes totalling 310 metres on the present property (Rebagliati, 1987).
- 1990-91** Placer Dome Inc. optioned the Bogg claims and carried out geochemical soil sampling and trenching (Warner et al, 1990; Edwards, 1991).
- 1996-97** Electrum Resource Corp. acquired some claims in the area and optioned them to Midland Exploration Corporation who carried out limited IP, EM and magnetic surveys as well as geochemical soil sampling, stream sediment sampling and some rock sampling (Ronning, 1997; Ray, 2002; Pezzot and Delane, 1997; Montgomery, 2001)
- 2004** Lithic Resources carried out an airborne magnetic survey over the entire property.

GEOLOGICAL SETTING

Regional Geology

The regional geology in the Friendly Lake area has only recently been mapped by government geologists (Schiarizza and Israel, 2001; Schiarizza, Heffernan and Zuber, 2002). Their interpretation differs markedly from the previous one and the following descriptions of the regional and property geology are taken essentially directly from their work.

The Friendly Lake property is situated in the Quesnel Terrane which in turn forms part of the Intermontane Belt of the Canadian Cordillera (Fig. 3). The Quesnel Terrane is characterized by an Upper Triassic to Lower Jurassic magmatic arc complex that formed above an east-dipping subduction zone. In southern and central British Columbia, these Mesozoic arc rocks are represented mainly by Upper Triassic volcanic and associated sedimentary rocks of the Nicola Group, together with abundant Late Triassic to Early Jurassic calc-alkaline to alkaline intrusions.

The Thuya batholith intrudes the Nicola Group in the south part of the area and is one of five large calc-alkaline batholiths, also including the Takomkane Batholith to the north, and the Wild Horse, Pennask and Bromley batholiths to the south, that define a linear north-northwest trending belt of Early Jurassic magmatism that extends for 300 kilometres within the central to eastern part of the Quesnel Terrane. Calc-alkaline and alkaline plutons of this Early Jurassic age are a prominent feature of the Quesnel Terrane and can host important porphyry Cu (\pm Au) and skarn deposits.




Fig. 3 – Regional Geology

A prominent belt of Late Triassic(?) to Early Jurassic ultramafic-mafic-syenitic plutonic rocks, including the Friendly Lake diorite-syenite intrusive complex (FLIC), diorite near Deer Lake and the Dum Lake ultramafic-mafic intrusive complex extends northwestward from the northeast margin of the Thuya batholith. These rocks intrude the west side of the central, predominantly volcanic belt of the Nicola Group, are thought to be approximately coeval with the Nicola Group rocks and are

considered to be correlative with the intrusive complexes hosting the Mt. Polley, Afton and Copper Mountain copper±gold deposits.

The Nicola Group is stratigraphically overlain by a succession of Lower Jurassic sedimentary rocks that includes distinctive granitoid-bearing conglomerates in its lower part. These sedimentary rocks are correlated with the Lower to Middle Jurassic Ashcroft Formation, which overlies the Nicola Group in the western part of the Quesnel Terrane to the south.

The regional structure is characterized by panels of steeply-dipping strata bounded by systems of mainly northwest-striking Eocene faults. Epithermal-style alteration and mineralization occurs along or adjacent to some of these faults. The Eocene structures include a network of dextral strike-slip faults referred to as the Rock Island Lake fault system. The main strands of this system, the Rock Island Lake and Taweel Lake faults, have been traced well to the north and may be part of a significant dextral strike-slip system.

Property Geology

Portions of the property were mapped at a scale of 1:10,000 by G.E. Ray and the following description of the property bedrock geology is taken more or less verbatim from his report (Ray, 2004). Figures 4 and 5 show the geology of the property at a scale of 1:10,000. Outcrop geology is by Ray while interpretation of unit contacts on the basis of lithology, IP and magnetic patterns is by the writer.

The Friendly Lake Claim Block is mainly underlain by NW striking Nicola Group supracrustal rocks. The more northern parts of the property contain some Jurassic conglomeratic sediments, while in the extreme SE corner of the claims, a distinct aeromagnetic feature and scattered float suggest the presence of minor Tertiary volcanics.

The Nicola rocks on the property are separable into (i) well-cleaved sediments of the Meridian Lake Succession in the SW part of the property and (ii) mafic volcanics, tuffs and tuffaceous sediments of the "Central Volcanic Package" which underlie a major portion of the claims. The latter, unlike the Meridian Lake Succession, has been overprinted by extensive propylitic, pyritic and silicic alteration of igneous-thermal and hydrothermal origin. The tuffs in the package are mostly fine-grained, many of the tuffaceous sediments represent distal turbidites, and the pyroxene-bearing mafic volcanics were probably submarine although no pillows are seen.

The rocks of the Meridian Lake Succession and the Central Volcanic Package have been deformed by two fold episodes and these coincide with the F1 and F2 events described in the region by Schiarizza and Israel (2001), Schiarizza et al. (2002a and b). Throughout the district this resulted in

open to tight NW striking folds. No minor F1 structures were seen on the claims, although the supracrustals are overprinted by a NW trending slaty cleavage and greenschist to sub-greenschist metamorphism. The second fold event (F2) is best seen in the Meridian Lake Succession. It produced a crenulation cleavage as well as open to tight SE striking minor folds with axes that plunge steeply NNW.

The Nicola rocks in the district are intruded by numerous Late Triassic to early Jurassic-age stocks that are largely calc-alkalic and of dioritic to gabbroic composition. On the Friendly Lake property, this plutonism formed small microdiorite bodies, dikes and sills, as well as the pyroxene-hornblende-bearing Friendly Lake Stock. Just SE of the claims in the Deer Lake area, some stocks of this age are genetically related to several skarns, including the Lakeview magnetite-rich Cu-Au-Fe occurrence (MINFILE 092P 010) which is hosted by Nicola limestones. The latter rocks are absent in most parts of the Friendly Lake area which accounts for the absence of skarns on the claims.

A younger composite plutonic suite, the Friendly Lake Alkalic Complex, also intrudes the Nicola rocks. The complex is unique in the district and is only been found on the Friendly Lake property. The suite comprises (a), an older phase of highly altered aegirine-augite-bearing monzonitic-monzodiorite-diorite rocks and (b), a younger and much less altered phase of leuco-syenite-quartz syenite composition. Locally, the older phase has been hydrothermally brecciated and overprinted by pervasive K-spar, as well as by actinolite-bearing veins and stockworks. Blue amphibole (possibly glaucophane, riebeckite, crossite or gastaldite) occurs along late fractures. The potassic alteration is locally associated with chalcopyrite ± bornite-pyrite-pyrrhotite mineralization, as typified by the Bogg Cu-Ag-Au-Pt-Pd occurrence (MINFILE 092P 007). In contrast to the monzonitic phase, the younger syenites lack significant mineralization and have a poor economic potential. It is likely that the economically important but altered and recessive monzonitic phase is more extensive than surface mapping indicates.

The rocks of the alkalic complex are concentrated at two different localities on the claims. The most easterly of these is underlain by the 1.3 km by 0.6 km "Eastern Syenite Stock", which consists of barren syenite. At the other, more western locality, IP results suggest that a swarm of ESE trending syenite dikes and sills are portions of a larger syenite body that is mostly unexposed. While most of the alkalic rocks in this area are syenite, there is also a 1,800 metre long and 100 to 300 metre wide body of older monzonite-monzodiorite. This dike-like body trends E-W, is potassically and sodically altered at its western end and in part hosts the Bogg Cu-Ag-Au-Pt-Pd mineralization.

Some rocks mapped by Schiarizza et al (2002b) as a heterogeneous part of the alkalic complex (their Unit TJa) are now believed to be Nicola rocks of the Central Volcanic Package that have

been overprinted by widespread propylitic, silicic and hornfelsic alteration. The alteration broadly envelopes the syenitic-monzonitic intrusive centers, and adjoins and overprints the dioritic Friendly Lake Stock. However, on a local scale it shows no marked spatial association to either the intrusive diorites or the syenites-monzonites. It probably reflects a thermal aureole over a shallow-buried or partially exposed pluton, and the syenites and monzonites on the claims may represent high-level offshoots from this body.

Several different fault-sets occur on the property including some regionally developed NW trending structures. The latter set includes the "SW Bounding Fault" which separates the Meridian Lake Succession from the Central Volcanic Package, and the gently SW dipping "OBW Fault" which may be a thrust. Another economically important set of structures strikes NE to ENE, and this includes the "Spectacle Lake Fault". On a district scale, the intersection of these cross-faults with the NW trending Nicola rocks may have partly controlled the location of the Friendly Lake Alkalic Complex. Elsewhere in BC, similar cross-structures are an important controlling feature of many alkalic porphyry Cu deposits, including Afton-Ajax and Copper Mountain.

Alteration on the claims includes:

- (1) Widespread propylitic, silicic and pyritic alteration in the Central Volcanic Package that largely envelopes the Friendly Lake Alkalic Complex. Most of this probably represents thermal alteration developed above a partially eroded alkalic pluton that may in part have Cu porphyry potential.
- (2) Restricted sodic (glaucophanic), potassic (K-spar and sericite) and calcic (actinolite-carbonate) alteration which is confined to the older monzonites and monzodiorites of the Friendly Lake Alkalic Complex and its immediately adjacent host rocks. The potassic alteration was coeval with the Bogg Cu-Ag-Au-Pt-Pd mineralization.
- (3) Fault-related orange-brown-weathering (OBW) alteration with Fe carbonate-silica-plagioclase \pm pyrite mineral assemblages. It resembles listwanite but, due to its non-ultramafic host rocks lacks fuchsite and magnesite.

Reports from previous exploration campaigns suggest, on the basis of glacial striae, that glacial movement was from NNW to SSE (Warner, Edwards and Cannon, 1990). Although the property has extensive glacial drift cover and outcrop is uncommon in many places, glacial deposits are relatively thin, consisting of a lodgement till less than 10 metres thick. Some areas have overlying outwash sediments and un-glaciated residual soils were noted in places by Anaconda geologists. They also observed that syenite float on the property is generally located within 100-200 metres of

relevant contacts, from which they concluded that glacial transport distances are not large (Waterman, 1969).

DEPOSIT TYPES

Various base and precious metal mineral occurrences are concentrated within and adjacent to the Friendly Lake – Deer Lake – Dum Lake belt of ultramafic-mafic-syenitic plutonic rocks. Schiarizza and Israel (2001) note that these include copper-gold skarns associated with the Deer Lake diorite stocks, porphyry-style copper mineralization within the Friendly Lake complex and platinum mineralization within the Dum Lake ultramafic complex to the south. Correlative rocks elsewhere within this part of the Quesnel Terrane host economic copper-gold porphyry deposits at Mount Polley, Afton and Copper Mountain, and potentially correlative dioritic rocks are associated with the gold skarns at Hedley (Schiarizza and Israel, 2001). Numerous vein and shear-related gold showings are found in the area and may be considerably younger than the intrusive rocks. Other mineral deposit types found in the region include the molybdenum-tungsten mineralization (Anticlimax prospect) within the Early Cretaceous Tintlihohtan Lake stock and polymetallic sulphide lenses within sedimentary rocks of the Middle to Upper Triassic portion of the Nicola Group.

Exploration on the Friendly Lake property focussed on alkalic intrusion related copper-gold mineralization associated with Late Triassic to Early Jurassic intrusions as well as auriferous quartz vein and stockwork mineralization..

MINERALIZATION

A large number of mineral occurrences are known on the Friendly Lake property, only a few of which have been explored and are documented to any extent (Fig. 4). The most well known include the Bogg porphyry-style copper occurrence and the RO skarn type lead-silver occurrence.

Bogg Copper Occurrence (MINFILE 092P 007)

The Bogg occurrence consists of disseminated and fracture-controlled pyrite, chalcopyrite and bornite occurring within Kspar ± actinolite-altered monzonite and adjacent andesitic volcanic rocks. A sample collected by the B.C. Geological Survey from a pyrite-chalcopyrite-bornite rich intrusion breccia in the main part of the Bogg occurrence yielded values of 3.3% Cu, 25 grams per tonne (gpt) Ag, 208 ppb Pt and 149 ppb Pd (Schiarizza and Israel, 2001). Another sample collected by G. Ray in 2002 returned values of 2.64% Cu, >200 gpt Ag, 136 ppb Au, 560 ppb Pt and 42 ppb Pd (Ray, 2002).

RO Lead Silver Occurrence (MINFILE 92P 006)

The RO occurrence is situated to the north of Friendly Lake and consists of disseminated galena, pyrite and chalcopyrite in fine-grained andesitic rock or microdiorite exhibiting chlorite, carbonate, silica and blue amphibole alteration. Similar mineralization and alteration occur to the northwest, somewhat east of the Bogg copper occurrence.

FL Copper Lead Zinc Arsenic Occurrence (MINFILE 092P 134)

The FL occurrence is located near the northeast shore of Friendly Lake, along the eastern margin of the Friendly Lake Intrusive Complex. Mineralization consists of disseminated fine-grained pyrite with traces of chalcopyrite, galena, sphalerite, molybdenite and arsenopyrite in a brecciated and carbonate-sericite-chlorite altered biotite hornfels derived from a mafic volcanic protolith, probably Nicola Group rocks. Breccia fragments are more strongly mineralized than the matrix.

2004 WORK PROGRAM

Approximately 133.75 kilometres of cut grid were established on the property with lines spaced 400 metres apart and with stations marked at 50 metre intervals along each line. Approximately 9.5 kilometres of flagged but uncut lines were marked at the west end of the grid. The grid was used to control geological mapping, geochemical soil sampling and an induced polarization survey on the property. Except for the geophysical survey, data were compiled using Microsoft Excel and ESRI Arcview 8.3.

SOIL GEOCHEMICAL SURVEY

A total of 2,693 soil samples were collected along the cut grid lines. Samples were taken from the B soil horizon where possible, generally at depths ranging from 10-30 cm, and the sample station was used as the sample number. All samples were sent to the Assayers Canada laboratory at 8282 Sherbrooke Street, Vancouver, B.C. where they were dried and sieved for the -80 mesh fraction. A 0.5 gram subsample of the latter was then digested in 5 ml of aqua regia at 95°C for two hours, diluted to 25 ml with de-ionized water and analyzed for a suite of elements using inductively coupled plasma atomic emission spectrometry (ICP-AES). Gold was determined using atomic absorption analysis following fire assay preparation of a 15 gram sample. All analytical certificates are listed in Appendix A and results for copper, molybdenum, silver and gold are plotted on Figures 6-13.

A number of elements show well developed anomalies on the property. The distribution of copper values exhibits a number of anomalous zones, the most pronounced of which are located in the eastern part of the property where they overlie propylitically altered volcanic rocks, and in the immediate area of the Bogg occurrence. Strongly anomalous lead values are concentrated in two main zones in the eastern and central parts of the property, the eastern zone being more or less coincident with the eastern copper anomaly. Elevated molybdenum values are concentrated mainly in the eastern part of the property, more or less coincident with the lead and copper anomalies in this area. Silver values show a number of more or less linear features which may represent structurally controlled zones of mineralization. Several zones containing elevated gold values are found overlying Nicola Group sediments in the western part of the property and in one case, intercalated Nicola Group tuffs and sediments in the northeastern part of the property.

INDUCED POLARIZATION SURVEY

Approximately 97.2 kilometres of induced polarization survey using a pole-dipole configuration were completed on the property by Peter Walcott & Associates Ltd.

Survey Method

The survey was carried out using a pulse type system, the principal components of which are manufactured by Androterrex Ltd. of Metropolitan Toronto, Ontario, and by Iris Instruments of Orleans, France.

The system consists basically of three units, a receiver (Iris), transmitter and a motor generator (Iris). The transmitter, which provides a maximum of 7.5 kw d.c. to the ground, obtains its power from a 10 kw 400 c.p.s. three phase alternator driven by a gasoline engine. The cycling rate of the transmitter is 2 seconds "current-on" and 2 seconds "current-off" with the pulses reversing continuously in polarity. The data recorded in the field consists of careful measurements of the current (I) in amperes flowing through the current electrodes C₁ and C₂, the primary voltages (V) appearing between any two potential electrodes, P₁ through P₇, during the "current-on" part of the cycle, and the apparent chargeability, (M_a) presented as a direct readout in millivolts per volt using a 200 millisecond delay and a 1000 millisecond sample window by the receiver. The sample window is actually the total of ten individual windows of 100 millisecond widths.

The apparent resistivity (ρ_a) in ohm metres is proportional to the ratio of the primary voltage and the measured current, the proportionality factor depending on the geometry of the array used. The chargeability and resistivity are called apparent as they are values which that portion of the earth sampled would have if it were homogeneous. As the earth sampled is usually inhomogeneous the

calculated apparent chargeability and resistivity are functions of the actual chargeability and resistivity of the rocks.

The survey was carried out using the "pole-dipole" method of surveying. Normally in this method the current electrode, C_1 , and the potential electrodes, P_1 through P_7 , are moved in unison along the survey lines at a spacing of "a" (the dipole) apart, while the second current electrode, C_2 , is kept constant at "infinity". The distance, "na" between C_1 and the nearest potential electrode generally controls the depth to be explored by the particular separation, "n", traverse.

On the Friendly Lake survey, a 75 metre dipole was employed and first to fourth and every other fifth separation readings were obtained.

Data Presentation

The I.P. data are presented as individual pseudo section plots of apparent chargeability and resistivity at a scale of 1:10,000 as well as plan plots of chargeability and resistivity for N=1-4 compiled with Geosoft software (Figures 14-46).

Two dimensional smooth model inversion of the resistivity and chargeability was carried out using the Geotomo RES2DINV Algorithm. This algorithm uses a 2-D finite element method and incorporates topography in modeling resistivity and I.P. data. Nearly uniform starting models are generated by running broad moving-average filters over the respective lines of data. Model resistivity and chargeability properties are then adjusted iteratively until the calculated data values match the observed as closely as possible, given constraints which keep the model section smooth. The smooth chargeability and resistivity models were then imported into Geosoft format for presentation at a uniform scale of 1:10,000.

Generally speaking, the results of the survey show that the volcanic/intrusive package underlying the central part of the claims has a relatively low and flat response in chargeability compared with the surrounding sequences of sedimentary rocks which include abundant pyritic and graphitic argillites in the southwest and to a lesser extent in the northeast. The most clearly defined responses within the central area are strong "lows" which correspond with late syenite intrusives cutting the volcanic package. Several weak chargeability highs north of Ta Hoola and Friendly Lakes may represent slightly elevated levels of pyrite in propylitically altered volcanics in these areas. In the western part of the claims, a weak chargeability "high" extends from line 72N to line 104N between 40N and the 50N baseline. This high does not appear to be associated with any mapped geological features. In 1973, City Services drilled one deep hole to test part of this anomaly southwest of the Bogg occurrence but failed to intersect any mineralization.

In general, the sediments surrounding the central volcanic/intrusive package have low resistivities. These are so low in places, particularly west of Friendly Lake, that it was difficult or even impossible to obtain reliable survey readings. Resistivity patterns within the central area are ambiguous and difficult to correlate with mapped geological features. The most consistent response seems to be one of a "low" partly corresponding to the "OBW" fault mapped by Ray, which trends from the northwest corner of the property to the southwest corner and is characterized by orange-brown weathering of iron carbonates.

DIAMOND DRILLING

Thirteen core holes totalling 2,372.8 metres were drilled to test a variety of reconnaissance targets on the property, mainly copper and gold soil anomalies. Their locations are shown on Figure 47 and 48 while drill logs with analytical results are listed in Appendix B and drill sections are included in Appendix C. The core is cross-stacked and wired on the property at the following UTM coordinates (NAD 1983) 675367E, 5719153N.

Core samples were split in half at the drill site with one-half of the core sample retained on site and the other half sent to Eco Tech Laboratory Ltd. in Kamloops, B.C. where it was prepared and analyzed as follows. Samples are sorted and dried (if necessary) and then crushed in a jaw crusher and cone or roll crusher to -10 mesh. The crushed sample is then reduced to a 250 gram subsample with a Jones riffle splitter. A ring and puck pulverizer is then used to grind the subsample to 95% -140 mesh after which it is homogenized by rolling.

A standard trace element suite is determined using a 0.5g sample digested in 3ml of a 3:1:2 (HCl:HNO₃:H₂O) for 90 minutes in a water bath at 95°C. The sample is diluted to 10ml with water and then analyzed on a Jarrell Ash ICP unit. For gold, platinum and palladium analyses, a 15g sample is fire assayed using appropriate fluxes. The resultant dore bead is parted, digested with aqua regia and then analyzed for gold and palladium using a Perkin Elmer atomic absorption instrument. Platinum is determined by ICP.

Table Two lists the better drill intersections. Holes 1, 2, and 6 were aimed at testing copper-in-soil anomalies and generally cut moderately to strongly propylitized intermediate volcanic rocks cut by various high level monzonitic dykes. Holes 3, 4 and 5 were aimed at gold-in-soil anomalies overlying sedimentary rocks but intersected only occasional and minor quartz veining containing slightly elevated levels of gold over narrow intervals. Hole 7 tested a strong silver-in-soil anomaly and intersected only geochemically anomalous silver, lead and copper values related to weakly disseminated chalcopyrite, sphalerite and galena in propylitized andesitic volcanics.

Holes 8 and 9 tested a significant gold-in-soil anomaly in the northeastern part of the property, both intersecting a package of mainly andesitic fragmental rocks without significant mineralization. Hole 10 was aimed at the potential downward extension of low grade copper mineralization intersected in several holes drilled by Anaconda in the 1960's which all intersected 0.03 -0.06% copper over most or all of their 30-40 metre lengths. Numerous narrow intervals of anomalous but subeconomic levels of copper, molybdenum and lead were intersected in a package of propylitized andesitic volcanics.

Holes 11-13 targeted various lobes of a large copper-in-soil anomaly overlying the altered volcanic package in the eastern half of the property, hole 13 also targeting a magnetic anomaly potentially reflecting a buried intrusive. All three intersected variably propylitized andesitic volcanics without significant mineralization.

Table Two – Selected Drill Intercepts				
Drill Hole	From	To	Metres	% Cu
FL-04-01	38.9	49.0	10.1	0.046
	101.5	107.5	6.0	0.035
	130.9	149.2	18.3	0.038
FL-04-02	17.0	26.0	9.0	0.035
	83.75	108.2	24.45	0.104
including	101.15	104.0	2.85	0.588
	123.5	141.8	18.3	0.032
	176.0	188.2	10.8	0.031
FL-04-06	34.5	36.5	2.0	0.183
	137.0	141.0	4.0	0.620
	184.2	186.2	2.0	0.165
FL-04-07	29.5	39.3	9.9	0.053
	60.9	66.9	6.0	0.047
	74.0	87.65	13.65	0.055
	119.6	131.3	13.7	0.050
	193.3	203.3	10.0	0.052

Note: Per cent copper values in the above table have been calculated from geochemical analytical results.

CONCLUSIONS AND RECOMMENDATIONS

The overall geological situation at Friendly Lake is one of a central package of Nicola Group mafic volcanics, tuffs and tuffaceous sediments that has been cut by several dioritic to gabbroic intrusives, probably of Late Triassic to early Jurassic age. A slightly younger plutonic suite also intrudes the Nicola rocks and comprises an older phase of sodic monzonitic rocks and a younger phase of syenitic composition.

The volcanic package hosting the intrusives has been overprinted by extensive propylitic, pyritic and silicic alteration of igneous-thermal and hydrothermal origin over an area of about 7 km by 2 km. Several areas exhibit extensive fracture-controlled and disseminated galena and sphalerite mineralization and very broad anomalies in copper, lead, zinc, silver and molybdenum in overlying soils. The altered rocks have been interpreted as part of the thermal aureole that developed over a shallow-buried or partially exposed alkalic pluton, the outcropping syenites and monzonites being high-level offshoots from this body, while the lead-zinc-silver mineralization and other anomalous elements may be peripherally related to an underlying copper-gold system. Several gold-in-soil anomalies are present over Nicola sedimentary rocks adjacent to the volcanic-intrusive package and may be related to structurally controlled gold mineralization.

In the fall of 2004, thirteen reconnaissance core holes totalling 2,372.8 metres were drilled to test a variety of targets on the property, most of which were copper and gold soil anomalies. Although numerous geochemically anomalous to low grade intercepts in copper, lead and molybdenum were encountered in variably propylitized volcanic rocks, these were of the same order of magnitude as values in the overlying soil anomalies. No trends in alteration that would serve as a vector to more strongly mineralized zones were observed during mapping, prospecting or drilling. If this anomalous geochemistry and geology are in fact related to a significant intrusive related copper-gold system, that system is either present at relatively great depth or has been eroded away.

Several apparently well-developed gold-in-soil anomalies overlying the sedimentary package were also drilled, returning only a number of weakly anomalous intercepts related to minor quartz veining and not worthy of follow-up.

No further work is recommended.

REFERENCES

- Aird, C. (1974): Percussion Drilling Report on the FL claim: FL Claim Group, Friendly Lake, Little Fort Area; Report for Imperial Oil; BC Assessment Report 5264.
- Archer, G.S. (1987): Geochemical Report on the Bogg Group Mineral Claims; report for Geotech Capital Corp.; BC Assessment Report 16244.
- Archer, G.S. (1989): Drilling Report on the Bogg 10 Mineral Claim; report for Geotech Capital Corp.; 6p.
- Edwards, K. (1991): Preliminary Trenching Report on the Bogg Mineral Claims; internal report for Placer Dome Inc.; 18p.
- Gamble, A.P.D. and Farmer, R. (1986): 1985 Summary Exploration Report: Geological Survey, Soil and Lithochemical Surveys, Induced Polarization Geophysical Survey and Trenching; report for BP Resources Canada Ltd.; BC Assessment Report 15221.
- Giroux, G.H. (1978): Geophysical and Geochemical Report: Bog, Fri, Com Claims; report for Commonwealth Minerals; BC Assessment report 7302.
- Hawkins, G. (1974): Final Report: Bog-Fri-AI Claims: internal report for Cities Service Minerals Corporation.
- Hirst, P. (1965a): Geochemical Report Friendly Lake No. 2 Claim Group; Report for Anaconda American Brass Limited; BC Assessment Report 754.
- Hirst, P. (1965b): Geochemical Report Friendly Lake No. 4 Claim Group; BC Assessment Report 753.
- Hirst, P. (1966a): Geochemical Report Friendly Lake No. 1 Claim Group; Report for Anaconda American Brass Limited; BC Assessment Report 788.
- Hirst, P.E. (1966b): Preliminary Report on Biogeochemistry of the Friendly Lake Claims; internal report for Anaconda American Brass Limited.
- Jorgensen, N.B. (1975): Percussion Drilling Report of the BOG Claim Group, Bridge Lake Area; Report for Cities Service Minerals Corporation; BC Assessment Report 5603.
- Lammler, C.A.R. and Waterman, G.C. (1969): Friendly Lake Project – 1968; internal report for Anaconda American Brass Limited; 15p.

- Mark, D.G. and Cruickshank, P. (1988): Geophysical Report on the Bogg Mineral Claims; report for Geotech Capital Corp.; BC Assessment Report 17968.
- Montgomery, R. (2001): Geochemical Assessment Report on the Friendly Lake Property; report for Electrum Resource Corp.; BC Assessment Report 26474.
- Murton, J.W. (1973): Final Report: BOG-FRI Option; Report for Cities Service Minerals Corporation; BC Assessment Report 4836
- Murton, J.W. (1974): Diamond Drilling Report on the Bog Claim Group, Windy Creek, Budge Lake Area; Report for Cities Service Minerals Corporation; BC Assessment Report 5137.
- Murton, J.W. and Depaoli, G. (1974): Geophysical Report on the BOG Claim Group, Bridge Lake Area; Report for Cities Service Minerals Corporation; BC Assessment Report 5481.
- Pezzot, E.T. and Delane, G.D. (1997): Geochemical, Geological and Geophysical Report on the Friendly Lake Property; report for Midland Exploration Corporation; BC Assessment Report 25418.
- Preto, V.A.G. (1970): Geology of the area between Eakin Creek and Windy Mountain; in Geology, Exploration and Mining in British Columbia, British Columbia Department of Mines and Petroleum Resources, pages 307-312.
- Ray, G.E. (2002): Geology and Geochemistry of the Deer Lake and Friendly Lake Claim Blocks, Little Fort Area, South-Central BC; report for Electrum Resource Corp.
- Ray, G.E. (2004): Interim Field Report – Geology & Mineralization in the Friendly Lake Claim Block, Little Fort District, South Central British Columbia; report for Lithic Resources Ltd., 40p.
- Rebagliati, C.M. (1987): Ta Hoola Property: Assessment Report; report for Rat Resources Ltd.; BC Assessment Report 16462.
- Ronning, P.A. (1997): Review of the Friendly Lake Project; report for Midland Resource Corporation; 81p.
- Ruck, P. (1982): Geology, Geochemistry, Geophysics and Trenching on the TA HOOLA Claims; report for SMD Mining; BC Assessment Report 10880.
- Schiarizza, P. and Israel, S. (2001): Geology and mineral occurrences of the Nehalliston Plateau, south-central British Columbia (92P/7, 8, 9, 10); in Geological Fieldwork 2000, British Columbia Ministry of Energy and Mines Paper 2001-1, pages 1-30.

- Schiarizza, P., Heffernan, S. and Zuber, J. (2002): Geology of Quesnel and Slide Mountain Terranes West of Clearwater, South-Central British Columbia (92P/9, 10, 15, 16); in Geological Fieldwork 2001, British Columbia Ministry of Energy and Mines Paper 2002-1; pp. 83-108.
- Serack, M.L. (1983): 1983 Percussion Drill Report on the TA HOOLA, RO and SILVER Claims; Report for Lornex Mining Corporation Ltd.; BC Assessment Report 11413.
- Sinclair, A.J. (1972): Report on Work Done on Bog Group of Claims; report for Prism Resources Ltd.; BC Assessment Report 3900.
- Staargaard, C.F. (2004): Airborne Magnetic Survey on the Friendly Lake Property (FL 1-4, FL 9-14, FRI 1-22, RO #15-18 CLAIMS), Little Fort Area, British Columbia, Canada; BC Assessment Report 27481.
- Warner, L., Edwards, K. and Cannon, R. (1990): Geological, Geophysical and Geochemical Assessment Report for the Needa 5-8, 29, 33, 34, Bogg 1-4, 7-20 and CC 1-8 Mineral Claims; internal report for Placer Dome Inc.
- Willmott, W.F. (1970): Friendly Lake Project; internal report for Anaconda American Brass Limited.


CERTIFICATE


I, C.F. Staargaard, of 5650 Ptarmigan Place, North Vancouver, B.C., hereby certify that:

- a) I am the President of Lithic Resources Ltd. with offices at 912-510 West Hastings St., Vancouver, B.C.
- b) I have the following degrees:

1977	B.Sc.	Geology	The Pennsylvania State University
1981	M.Sc.	Geochemistry	Queen's University, Kingston, Ontario
- c) I am a member in good standing of the Association of Professional Engineers and Geoscientists of British Columbia, a Fellow of the Society of Economic Geologists and a Member of the Society for Geology Applied to Mineral Deposits.
- d) I have been continuously employed in mineral exploration in Canada and elsewhere in the world since 1979 and seasonally since 1975.
- e) This report is based on information available in the public record, certain unpublished private reports from previous operators, the work carried out during the 2004 field program and my personal observations on the property at various times during that field program.

Dated this 11th day of April, 2005 in Vancouver, B.C.


C.F. Staargaard, M.Sc., P. Geo.



APPENDIX A
Analytical Results



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG1

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L112E 17+00N	14
L112E 17+50N	19
L112E 18+00N	27
L112E 18+50N	11
L112E 19+00N	5
L112E 19+50N	7
L112E 20+00N	40
L112E 20+50N	9
L112E 21+00N	5
L112E 21+50N	8
L112E 22+00N	12
L112E 22+50N	10
L112E 23+00N	9
L112E 23+50N	15
L112E 24+00N	11
L112E 24+50N	15
L112E 25+00N	9
L112E 25+50N	11
L112E 26+00N	12
L112E 26+50N	10
L112E 27+00N	14
L112E 27+50N	23
L112E 28+00N	25
L112E 28+50N	21

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG1


Company: **Lithic Resources Ltd.**
Project: Friendly Lake
Attn: Chris Staargaard

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L112E 17+00N	14
L112E 17+50N	19
L112E 18+00N	27
L112E 18+50N	11
L112E 19+00N	5
L112E 19+50N	7
L112E 20+00N	40
L112E 20+50N	9
L112E 21+00N	5
L112E 21+50N	8
L112E 22+00N	12
L112E 22+50N	10
L112E 23+00N	9
L112E 23+50N	15
L112E 24+00N	11
L112E 24+50N	15
L112E 25+00N	9
L112E 25+50N	11
L112E 26+00N	12
L112E 26+50N	10
L112E 27+00N	14
L112E 27+50N	23
L112E 28+00N	25
L112E 28+50N	21

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG2

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L112E 29+00N	11
L112E 29+50N	11
L112E 30+00N	4
L112E 30+50N	17
L112E 31+00N	14
L112E 31+50N	10
L112E 32+00N	13
L112E 32+50N	8
L112E 33+00N	6
L112E 33+50N	9
L112E 34+00N	7
L112E 34+50N	4
L112E 35+00N	6
L116E 20+00N	8
L116E 20+50N	5
L116E 21+00N	8
L116E 21+50N	5
L116E 22+00N	88
L116E 22+50N	14
L116E 23+00N	8
L116E 23+50N	8
L116E 24+00N	13
L116E 24+50N	3
L116E 25+00N	10

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG3


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L116E 25+50N	10
L116E 26+00N	12
L116E 26+50N	25
L116E 27+00N	7
L116E 27+50N	18
L116E 28+00N	19
L116E 28+50N	3
L116E 29+00N	4
L116E 29+50N	5
L116E 30+00N	7
L116E 30+50N	1
L116E 31+00N	7
L116E 31+50N	3
L116E 32+00N	12
L116E 32+50N	56
L116E 33+00N	10
L116E 33+50N	6
L116E 34+00N	11
L116E 34+50N	9
L116E 35+00N	10
L116E 35+50N	10
L116E 36+00N	9
L116E 36+50N	38
L116E 37+00N	10

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG4


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L116E 37+50N	9
L116E 38+00N	4
L116E 38+50N	8
L116E 39+00N	9
L108E 15+50N	8
L108E 16+00N	11
L108E 16+50N	6
L108E 17+00N	8
L108E 17+50N	22
L108E 18+00N	17
L108E 18+50N	20
L108E 19+00N	9
L108E 19+50N	30
L108E 20+00N	13
L108E 20+50N	5
L108E 21+00N	9
L108E 21+50N	3
L108E 22+00N	2
L108E 22+50N	37
L108E 23+00N	1
L108E 23+50N	12
L108E 24+00N	15
L108E 24+50N	10
L108E 25+00N	8

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG5

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L108E 25+50N	23
L108E 26+00N	25
L108E 26+50N	20
L108E 27+00N	13
L108E 27+50N	9
L108E 28+00N	7
L108E 28+50N	15
L108E 29+00N	10
L108E 29+50N	9
L108E 30+00N	27
L108E 30+50N	41
L108E 31+00N	5
L108E 31+50N	16
L108E 32+00N	19
L108E 32+50N	9
L108E 33+00N	9
L108E 33+50N	20
L108E 34+00N	4
L108E 34+50N	17
L108E 35+00N	14
L108E 35+50N	8
L108E 36+00N	22
L108E 36+50N	10
L108E 37+00N	18

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG6


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L108E 37+50N	8
L108E 38+00N	5
L108E 38+50N	44
L108E 39+00N	24
L108E 39+50N	14
L108E 40+00N	18
L108E 40+50N	13
L108E 41+00N	54
L108E 41+50N	8
L108E 42+00N	29
L108E 42+50N	7
L108E 43+00N	14
L108E 43+50N	33
L108E 44+00N	83
L108E 44+50N	11
L108E 45+00N	17
L108E 45+50N	3
L108E 46+00N	10
L108E 46+50N	10
L108E 47+00N	9
L108E 47+50N	N/S
L108E 48+00N	18
L108E 48+50N	3
L108E 49+00N	7

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG7


Company: **Lithic Resources Ltd.**
Project: Friendly Lake
Attn: Chris Staargaard

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L108E 49+50N	9
L108E 50+00N	43
L108E 50+50N	12
L108E 51+00N	5
L108E 51+50N	3
L108E 52+00N	1
L108E 52+50N	2
L108E 53+00N	5
L108E 53+50N	4
L108E 54+00N	3
L108E 54+50N	2
L108E 55+00N	14
L108E 55+50N	14
L108E 56+00N	17
L108E 56+50N	12
L108E 57+00N	13
L108E 57+50N	35
L108E 58+00N	20
L108E 58+50N	46
L108E 59+00N	10
L108E 59+50N	12
L108E 60+00N	4
L108E 60+50N	43
L108E 61+00N	1

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG8


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L108E 61+50N	4
L108E 62+00N	4
L108E 62+50N	6
L108E 63+00N	3
L108E 63+50N	4
L108E 64+00N	2
L108E 64+50N	3
L108E 65+00N	7
L108E 65+50N	3
L108E 66+00N	7
L108E 66+50N	32
L108E 67+00N	3
L108E 67+50N	17
L108E 68+00N	3
L108E 68+50N	3
L108E 69+00N	3
L108E 69+50N	2
L108E 69+75N	6
L108E 70+00N	N/S
L108E 70+50N	N/S
L108E 71+00N	N/S
L112E 38+00N	N/S
L112E 38+50N	N/S
L112E 39+00N	N/S
L112E 39+50N	N/S

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG9


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L112E 40+00N	N/S
L112E 40+50N	N/S
L112E 41+00N	N/S
L112E 41+50N	12
L112E 42+00N	10
L112E 42+50N	5
L112E 43+00N	6
L112E 43+50N	10
L112E 44+00N	N/S
L112E 44+50N	9
L112E 45+00N	10
L112E 45+50N	4
L112E 46+00N	9
L112E 46+50N	5
L112E 47+00N	3
L112E 47+50N	4
L112E 48+00N	4
L112E 48+50N	N/S
L112E 49+00N	N/S
L112E 49+50N	N/S
L112E 50+00N	7
L112E 50+50N	6
L112E 51+00N	4
L112E 51+50N	6

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG10

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L112E 52+00N	14
L112E 52+50N	5
L112E 53+00N	7
L112E 53+50N	14
L112E 54+00N	17
L112E 54+50N	23
L112E 55+00N	1
L112E 55+50N	3
L112E 56+00N	4
L112E 56+50N	3
L112E 57+00N	5
L112E 57+50N	2
L112E 58+00N	7
L112E 58+50N	8
L112E 59+00N	N/S
L112E 59+50N	2
L112E 60+00N	3
L112E 60+50N	3
L112E 61+00N	3
L112E 61+50N	2
L112E 62+00N	2
L112E 62+50N	1
L112E 63+00N	2
L112E 63+50N	2

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG11

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L112E 64+00N	5
L112E 64+50N	5
L112E 65+00N	2
L112E 65+50N	4
L120E 50+00N	11
L120E 49+50N	16
L120E 49+00N	11
L120E 48+50N	14
L120E 48+00N	8
L120E 47+50N	N/S
L120E 47+00N	8
L120E 46+50N	15
L120E 46+00N	10
L120E 45+50N	12
L120E 45+00N	14
L120E 44+50N	6
L120E 44+00N	9
L120E 43+50N	12
L120E 43+00N	8
L120E 42+50N	10
L120E 42+00N	70
L120E 41+50N	6
L120E 41+00N	15
L120E 40+50N	13

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG12

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L120E 40+00N	11
L120E 39+50N	12
L120E 39+00N	5
L120E 38+50N	15
L120E 38+00N	8
L120E 37+50N	23
L120E 37+00N	12
L120E 36+50N	9
L120E 36+00N	9
L120E 35+50N	16
L120E 35+00N	15
L112E 66+00N	3
L112E 66+50N	2
L112E 67+00N	2
L112E 67+50N	3
L112E 68+00N	5
L112E 68+50N	21
L112E 69+00N	18
L112E 69+50N	N/S
L112E 70+00N	2
L112E 70+50N	3
L112E 71+00N	3
L112E 71+50N	3
L112E 72+00N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG13

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L112E 72+50N	12
L112E 73+00N	22
L112E 73+50N	N/S
L112E 74+00N	5
L112E 74+50N	7
L112E 75+00N	3
L112E 75+50N	13
L112E 76+00N	2
L112E 76+50N	3
L112E 77+00N	4
L112E 77+50N	3
L112E 78+00N	9
L116E 65+50N	6
L116E 66+00N	2
L116E 66+50N	N/S
L116E 67+00N	4
L116E 67+50N	4
L116E 68+00N	16
L116E 68+50N	1
L116E 69+00N	2
L116E 69+50N	3
L116E 70+00N	3
L116E 70+50N	2
L116E 71+00N	70

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG14


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L120E 80+00N	3
L120E 79+50N	3
L120E 79+00N	5
L120E 78+50N	1
L120E 78+00N	5
L120E 77+50N	3
L120E 77+00N	2
L120E 76+50N	3
L120E 76+00N	6
L120E 75+50N	2
L120E 75+00N	5
L120E 74+50N	9
L120E 74+00N	3
L120E 73+50N	3
L120E 73+00N	5
L120E 72+50N	2
L120E 72+00N	1
L120E 71+50N	6
L120E 71+00N	3
L120E 70+50N	1
L120E 70+00N	2
L120E 69+50N	5
L120E 69+00N	4
L120E 68+50N	20

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG15

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We *hereby certify* the following geochemical analysis of 24 sol samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L120E 68+00N	2
L120E 67+50N	N/S
L120E 67+00N	N/S
L120E 66+90N	7
L120E 66+50N	1
L120E 66+00N	6
L120E 65+50N	3
L120E 65+00N	6
L120E 64+50N	6
L120E 64+00N	1
L120E 63+50N	4
L120E 63+00N	6
L120E 62+50N	3
L120E 62+00N	43
L120E 61+50N	5
L120E 61+00N	11
L120E 60+50N	1
L120E 60+00N	8
L120E 59+50N	43
L120E 59+00N	44
L120E 58+50N	2
L120E 58+00N	1
L120E 57+50N	11
L120E 57+00N	4
L120E 56+50N	7

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG16


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L120E 56+00N	24
L120E 55+50N	6
L120E 55+05N	16
L104E 50+00N	25
L104E 49+50N	5
L104E 49+00N	4
L104E 48+50N	4
L104E 48+00N	9
L104E 47+50N	27
L104E 47+00N	7
L104E 46+50N	31
L104E 46+00N	4
L104E 45+50N	4
L104E 45+00N	5
L104E 44+50N	24
L104E 44+00N	10
L104E 43+50N	5
L104E 43+00N	15
L104E 42+50N	12
L104E 42+00N	11
L104E 41+50N	46
L104E 41+00N	24
L104E 40+50N	9
L104E 40+00N	9

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG17

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 sol samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L104E 39+50N	22
L104E 39+00N	8
L104E 38+50N	8
L104E 38+00N	4
L104E 37+50N	14
L104E 37+00N	38
L104E 36+50N	4
L104E 36+00N	15
L104E 35+50N	12
L104E 35+00N	8
L104E 34+50N	4
L104E 34+00N	14
L104E 33+50N	5
L104E 33+00N	13
L104E 32+50N	11
L104E 32+00N	9
L104E 31+50N	6
L104E 31+00N	43
L104E 30+50N	9
L104E 30+00N	39
L104E 29+50N	7
L104E 29+00N	8
L104E 28+50N	8
L104E 28+00N	8

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG18

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L104E 27+50N	6
L104E 27+00N	5
L104E 26+50N	3
L104E 26+00N	6
L104E 25+50N	20
L104E 25+00N	8
L104E 24+50N	62
L104E 24+00N	15
L104E 23+50N	25
L104E 23+00N	11
L104E 22+50N	9
L104E 22+00N	12
L104E 21+50N	15
L104E 21+00N	147
L104E 20+50N	7
L104E 20+00N	6
L120E 50+50N	4
L120E 51+00N	6
L120E 51+50N	7
L120E 52+00N	11
L120E 52+50N	4
L120E 53+00N	10
L120E 53+50N	42
L120E 54+00N	6

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG19

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L120E 54+50N	9
L128E 50+00N	18
L128E 50+50N	N/S
L128E 51+00N	10
L128E 51+50N	12
L128E 52+00N	10
L128E 52+50N	16
L128E 53+00N	15
L128E 53+50N	11
L128E 54+00N	10
L128E 54+50N	11
L128E 55+00N	6
L128E 55+50N	10
L128E 56+00N	8
L128E 56+50N	34
L128E 57+00N	5
L128E 57+50N	4
L128E 58+00N	9
L128E 58+50N	4
L128E 59+00N	17
L128E 59+50N	15
L128E 60+00N	5
L128E 60+50N	13
L128E 61+00N	15

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG20

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L128E 61+50N	1
L128E 62+00N	1
L128E 62+50N	12
L128E 63+00N	5
L128E 63+50N	2
L128E 64+00N	12
L128E 64+50N	3
L128E 65+00N	4
L128E 65+50N	6
L128E 66+00N	2
L128E 66+50N	3
L128E 67+00N	4
L128E 67+50N	5
L128E 68+00N	11
L128E 68+50N	3
L128E 69+00N	69
L128E 69+50N	5
L128E 70+00N	1
L128E 70+50N	4
L128E 71+00N	14
L128E 71+50N	10
L128E 72+00N	5
L128E 72+50N	7
L128E 73+00N	3

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0706-SG21

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-22-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L128E 73+50N	4
L128E 74+00N	7
L128E 74+50N	4
L128E 75+00N	5

Certified by _____

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assaye Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ

Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L112E 17+00N	0.7	2.90	22	144	<0.5	<5	0.55	<1	25	92	160	5.53	0.13	1.36	641	5	0.02	71	784	42	6	12	<10	53	0.11	135	<10	23	133	6
L112E 17+50N	<0.2	2.68	19	413	1.1	9	1.04	2	36	95	275	6.82	0.16	1.48	7536	15	0.02	138	1190	59	10	13	<10	62	0.10	139	16	21	151	9
L112E 18+00N	<0.2	2.63	36	130	<0.5	<5	1.05	<1	36	90	138	6.23	0.20	1.80	1639	3	0.03	65	1288	23	9	11	<10	79	0.14	156	16	12	137	8
L112E 18+50N	<0.2	2.64	21	106	<0.5	<5	0.71	<1	30	107	113	5.11	0.14	1.84	666	2	0.02	72	773	36	10	9	<10	33	0.16	140	12	12	112	6
L112E 19+00N	<0.2	3.46	17	102	<0.5	<5	0.82	<1	40	150	103	5.67	0.14	2.69	527	<2	0.03	118	427	16	11	8	<10	44	0.25	168	12	8	141	15
L112E 19+50N	<0.2	3.56	22	212	<0.5	<5	0.95	<1	32	90	130	5.45	0.12	1.52	1159	<2	0.03	76	621	31	6	10	<10	72	0.14	138	<10	13	140	9
L112E 20+00N	<0.2	3.80	18	139	<0.5	<5	0.37	<1	30	61	61	5.30	0.07	0.86	777	<2	0.02	47	699	22	6	6	<10	26	0.15	119	12	8	112	8
L112E 20+50N	<0.2	3.69	19	192	<0.5	<5	0.56	<1	30	86	80	5.12	0.11	1.41	566	<2	0.02	69	546	24	10	7	<10	45	0.16	136	<10	6	133	10
L112E 21+00N	<0.2	2.94	16	162	<0.5	<5	0.65	<1	29	82	78	4.93	0.12	1.35	527	<2	0.02	59	461	22	<5	6	<10	41	0.18	137	14	7	165	7
L112E 21+50N	<0.2	2.89	17	145	<0.5	<5	0.65	<1	29	105	113	4.84	0.14	1.79	648	<2	0.03	77	452	30	11	9	<10	36	0.17	140	14	10	154	5
L112E 22+00N	<0.2	2.15	18	61	<0.5	<5	0.28	<1	21	83	65	4.41	0.11	1.41	479	3	0.02	51	552	34	10	5	<10	7	0.14	124	<10	5	94	4
L112E 22+50N	<0.2	2.31	14	99	<0.5	<5	0.44	<1	24	68	78	4.26	0.09	1.17	440	<2	0.02	43	977	24	7	5	<10	23	0.12	118	<10	4	100	4
L112E 23+00N	<0.2	3.88	13	156	<0.5	<5	0.26	<1	29	71	60	5.19	0.09	1.05	454	<2	0.02	53	1019	24	<5	5	<10	16	0.13	123	13	5	119	8
L112E 23+50N	<0.2	2.37	18	108	<0.5	<5	0.48	<1	29	86	105	4.70	0.11	1.58	768	<2	0.02	59	722	42	10	9	<10	27	0.15	131	<10	14	98	6
L112E 24+00N	0.6	2.85	19	214	<0.5	<5	0.86	<1	29	91	125	5.11	0.15	1.47	922	<2	0.02	67	674	45	13	10	<10	73	0.15	133	12	13	139	10
L112E 24+50N	<0.2	2.54	14	103	<0.5	<5	0.45	<1	23	80	74	4.65	0.10	1.53	493	2	0.02	47	678	38	8	6	<10	22	0.15	136	<10	7	104	4
L112E 25+00N	0.3	2.37	11	103	<0.5	<5	0.39	<1	15	68	52	4.38	0.10	1.13	337	<2	0.02	36	742	26	8	5	<10	15	0.14	121	10	4	110	4
L112E 25+50N	<0.2	2.30	14	96	<0.5	<5	0.55	<1	22	76	61	4.34	0.11	1.40	579	3	0.02	47	834	29	11	5	<10	24	0.15	125	<10	7	112	4
L112E 26+00N	<0.2	2.13	13	96	<0.5	<5	0.48	<1	18	75	57	4.39	0.10	1.38	430	3	0.02	42	1033	30	<5	5	<10	23	0.14	129	<10	6	98	3
L112E 26+50N	0.8	2.18	9	115	<0.5	<5	0.47	<1	20	70	61	4.01	0.11	1.26	494	<2	0.02	43	541	21	<5	5	<10	19	0.15	117	<10	7	141	3
L112E 27+00N	<0.2	2.36	22	91	<0.5	<5	0.48	<1	27	89	79	4.75	0.13	1.58	609	2	0.02	57	651	40	13	5	<10	20	0.14	128	11	6	101	4
L112E 27+50N	<0.2	2.34	17	81	<0.5	6	0.54	<1	25	98	79	4.79	0.14	1.67	636	3	0.02	61	868	38	11	6	<10	22	0.14	132	<10	8	100	4
L112E 28+00N	<0.2	3.14	16	133	<0.5	<5	0.44	<1	30	91	105	5.45	0.13	1.49	595	<2	0.02	63	980	39	10	7	<10	26	0.14	146	13	7	152	5
L112E 28+50N	<0.2	2.06	13	83	<0.5	<5	0.55	<1	30	86	91	4.60	0.16	1.67	771	<2	0.02	58	965	53	9	6	<10	26	0.15	127	13	8	100	4
L112E 29+00N	<0.2	2.56	18	98	<0.5	<5	0.54	<1	28	101	120	5.50	0.14	1.37	613	4	0.02	51	1086	52	8	5	<10	42	0.15	139	11	4	137	8
L112E 29+50N	<0.2	2.97	11	97	<0.5	<5	0.36	<1	27	79	46	5.64	0.09	1.80	362	2	0.03	61	1318	13	<5	7	<10	24	0.12	155	16	8	197	5
L112E 30+00N	<0.2	3.59	9	97	<0.5	5	0.26	<1	44	82	49	5.30	0.06	0.85	454	<2	0.03	77	767	30	6	5	<10	20	0.13	121	<10	4	148	8
L112E 30+50N	<0.2	4.36	<5	90	<0.5	<5	0.51	<1	46	38	140	8.95	0.11	2.34	1088	<2	0.02	31	1206	65	16	9	<10	31	0.28	287	14	7	137	14
L112E 31+00N	<0.2	3.23	12	75	<0.5	<5	0.39	<1	32	37	36	8.13	0.06	1.34	742	3	0.02	22	1310	22	7	4	<10	23	0.23	193	19	5	155	10
L112E 31+50N	<0.2	2.79	13	84	<0.5	8	0.32	<1	20	74	63	4.60	0.11	1.17	348	2	0.02	47	1078	16	<5	5	<10	20	0.14	125	<10	5	103	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ


Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L112E 32+00N	<0.2	2.79	10	113	<0.5	<5	0.35	<1	19	84	50	4.90	0.11	1.37	325	3	0.02	51	1140	10	7	5	<10	17	0.13	134	<10	5	134	5
L112E 32+50N	<0.2	2.28	9	95	<0.5	<5	0.42	<1	23	93	77	4.41	0.22	1.40	554	<2	0.03	71	957	23	9	4	<10	19	0.13	124	<10	6	90	4
L112E 33+00N	<0.2	2.81	11	102	<0.5	<5	0.45	<1	26	85	57	5.16	0.13	1.57	459	<2	0.03	56	1337	19	<5	6	<10	15	0.15	148	<10	6	190	6
L112E 33+50N	<0.2	2.62	12	123	<0.5	<5	0.36	<1	22	93	65	4.85	0.12	1.27	332	<2	0.03	54	998	16	6	5	<10	19	0.15	135	<10	5	111	5
L112E 34+00N	<0.2	2.80	12	123	<0.5	11	0.43	<1	18	82	73	4.87	0.12	1.45	377	4	0.03	51	826	4	12	6	<10	22	0.15	137	<10	6	129	5
L112E 34+50N	<0.2	2.69	14	111	<0.5	<5	0.42	<1	22	99	81	5.12	0.13	1.69	459	4	0.03	60	1010	22	10	6	<10	18	0.13	140	13	7	116	5
L112E 35+00N	<0.2	2.79	9	103	<0.5	<5	0.31	<1	16	73	38	4.92	0.08	1.12	282	2	0.02	38	1221	8	<5	5	<10	16	0.14	136	<10	5	90	5
L116E 20+00N	<0.2	3.08	11	193	<0.5	<5	0.57	<1	29	100	90	4.84	0.12	1.61	399	7	0.02	67	300	5	<5	7	<10	31	0.15	141	11	8	108	6
L116E 20+50N	<0.2	4.90	9	174	<0.5	<5	0.34	<1	30	57	46	5.44	0.06	0.77	463	<2	0.03	50	956	19	<5	5	<10	20	0.17	112	12	4	116	18
L116E 21+00N	<0.2	3.51	9	127	<0.5	10	0.40	<1	27	47	43	5.23	0.05	0.75	1305	<2	0.03	33	1000	10	8	5	<10	34	0.13	124	12	4	106	7
L116E 21+50N	<0.2	3.78	12	225	<0.5	16	0.35	<1	34	56	54	5.85	0.07	1.08	527	<2	0.03	54	755	14	<5	5	<10	29	0.14	121	10	5	138	7
L116E 22+00N	<0.2	2.82	<5	103	<0.5	5	0.38	<1	21	40	24	5.13	0.04	0.70	1253	<2	0.03	25	1222	6	<5	4	<10	26	0.12	139	10	3	116	4
L116E 22+50N	<0.2	3.64	6	78	<0.5	8	0.28	<1	32	21	60	8.69	0.05	0.51	875	<2	0.02	24	1281	5	8	4	<10	19	0.10	93	15	6	116	7
L116E 23+00N	<0.2	4.28	17	106	<0.5	12	0.39	<1	40	54	69	7.78	0.06	0.67	1543	<2	0.02	44	1371	31	7	17	<10	33	0.10	127	16	10	111	7
L116E 23+50N	<0.2	2.57	13	92	<0.5	10	0.28	<1	23	28	71	7.81	0.06	0.59	1354	<2	0.02	26	1158	10	<5	4	<10	19	0.06	85	19	7	107	7
L116E 24+00N	<0.2	3.56	5	134	<0.5	7	0.29	<1	35	42	61	7.96	0.06	0.52	468	<2	0.02	44	748	4	8	6	<10	22	0.10	99	<10	5	105	15
L116E 24+50N	<0.2	3.49	16	104	<0.5	8	0.30	<1	37	42	75	6.10	0.05	0.67	767	<2	0.02	39	1226	12	7	4	<10	15	0.09	97	<10	6	101	6
L116E 25+00N	<0.2	3.17	15	113	<0.5	7	0.33	<1	28	78	59	4.93	0.09	1.25	513	3	0.02	49	753	27	8	5	<10	19	0.14	131	14	5	123	6
L116E 25+50N	<0.2	2.78	18	98	<0.5	<5	0.41	<1	27	93	83	5.39	0.12	1.72	666	<2	0.02	63	814	36	<5	6	<10	14	0.14	143	11	8	128	5
L116E 26+00N	1.6	2.72	12	185	<0.5	<5	1.27	1	23	72	145	4.68	0.10	1.03	818	3	0.03	51	710	40	5	6	<10	74	0.10	122	<10	17	132	5
L116E 26+50N	<0.2	2.65	11	107	<0.5	<5	0.38	<1	29	74	67	4.70	0.10	1.33	459	<2	0.02	55	817	22	<5	5	<10	18	0.14	121	<10	5	128	5
L116E 27+00N	<0.2	2.52	12	79	<0.5	<5	0.39	<1	25	69	72	5.11	0.10	1.42	434	3	0.02	46	692	27	<5	5	<10	21	0.14	135	11	5	101	9
L116E 27+50N	<0.2	2.86	13	106	<0.5	<5	0.62	<1	24	93	84	5.28	0.09	1.71	458	<2	0.02	59	766	46	<5	6	<10	34	0.15	144	<10	6	98	5
L116E 28+00N	<0.2	2.56	7	100	<0.5	<5	0.25	<1	18	48	33	4.78	0.06	0.62	328	3	0.02	32	585	24	<5	4	<10	11	0.17	124	<10	4	112	5
L116E 28+50N	<0.2	2.14	5	86	<0.5	<5	0.26	<1	16	35	22	2.93	0.03	0.44	1322	<2	0.02	22	517	14	<5	2	<10	18	0.11	83	<10	3	85	3
L116E 29+00N	<0.2	4.05	15	208	<0.5	<5	0.41	<1	31	96	96	6.03	0.10	1.69	501	<2	0.02	70	783	32	7	7	<10	15	0.19	167	13	6	145	10
L116E 29+50N	0.3	3.26	13	161	<0.5	<5	0.52	<1	29	79	62	4.87	0.07	0.97	857	<2	0.03	56	743	38	5	6	<10	30	0.16	128	13	7	235	7
L116E 30+00N	<0.2	3.00	17	111	<0.5	<5	0.35	<1	25	83	67	5.58	0.08	1.40	450	<2	0.02	53	639	28	7	5	<10	17	0.16	150	12	5	154	5
L116E 30+50N	<0.2	2.97	7	102	<0.5	<5	0.23	<1	23	26	17	4.32	0.03	0.26	762	<2	0.02	17	709	16	<5	2	<10	23	0.13	92	<10	3	116	7
L116E 31+00N	<0.2	4.50	15	191	<0.5	<5	0.28	<1	33	90	99	5.15	0.08	1.24	424	<2	0.03	67	628	29	7	9	<10	17	0.19	133	<10	9	125	31

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assaye, Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ

Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L116E 31+50N	<0.2	2.50	9	100	<0.5	<5	0.30	<1	19	53	31	4.98	0.07	0.54	492	<2	0.03	27	594	28	<5	4	<10	16	0.17	160	<10	4	99	6
L116E 32+00N	0.6	4.88	18	216	<0.5	<5	0.76	<1	45	113	110	6.53	0.13	1.55	541	<2	0.03	90	822	41	5	9	<10	36	0.18	170	12	9	216	11
L116E 32+50N	<0.2	3.28	18	139	<0.5	<5	0.39	<1	26	109	77	6.11	0.11	1.71	456	<2	0.03	67	719	40	6	7	<10	17	0.19	171	14	6	141	6
L116E 33+00N	0.8	3.54	18	220	<0.5	<5	1.10	<1	32	120	133	6.32	0.19	1.88	1081	2	0.03	84	881	54	6	11	<10	45	0.17	163	14	13	151	8
L116E 33+50N	<0.2	3.55	12	152	<0.5	<5	0.41	<1	25	97	74	5.52	0.12	1.52	392	<2	0.03	61	1271	24	<5	7	<10	19	0.19	149	12	7	155	7
L116E 34+00N	0.3	3.91	19	151	<0.5	<5	0.42	<1	33	131	144	6.77	0.18	1.83	593	<2	0.03	85	960	47	7	9	<10	17	0.18	169	11	9	196	7
L116E 34+50N	<0.2	3.84	16	147	<0.5	<5	0.58	<1	36	154	124	6.78	0.34	2.59	696	<2	0.03	92	1143	33	<5	9	<10	17	0.21	189	13	10	168	7
L116E 35+00N	<0.2	2.90	17	155	<0.5	<5	0.78	<1	31	122	73	6.42	0.15	2.14	513	4	0.03	70	1114	34	7	7	<10	40	0.21	184	<10	8	151	7
L116E 35+50N	<0.2	2.71	11	139	<0.5	<5	0.62	<1	26	107	91	5.37	0.15	1.90	596	<2	0.03	69	1041	20	5	7	<10	32	0.17	151	13	9	141	5
L116E 36+00N	<0.2	2.92	14	112	<0.5	<5	0.45	<1	30	99	117	5.34	0.16	1.77	566	<2	0.02	63	823	32	5	7	<10	23	0.17	147	<10	8	129	7
L116E 36+50N	<0.2	3.30	10	131	<0.5	<5	0.42	<1	20	92	88	5.22	0.13	1.56	368	2	0.02	57	795	27	<5	7	<10	20	0.17	146	<10	6	127	6
L116E 37+00N	<0.2	3.37	12	115	<0.5	<5	0.52	<1	21	103	83	5.84	0.12	1.61	427	<2	0.02	62	1284	24	7	6	<10	20	0.16	158	14	7	168	6
L116E 37+50N	<0.2	2.78	<5	129	<0.5	<5	0.34	1	16	76	89	4.33	0.13	1.30	394	<2	0.02	49	890	19	<5	6	<10	13	0.10	115	13	7	108	4
L116E 38+00N	<0.2	2.49	9	124	<0.5	<5	0.47	<1	24	76	103	4.65	0.13	1.39	746	7	0.02	50	553	22	11	6	<10	25	0.12	121	15	8	119	4
L116E 38+50N	<0.2	3.03	8	206	<0.5	<5	0.70	<1	23	95	157	5.50	0.19	1.52	779	5	0.03	66	859	31	<5	8	<10	33	0.09	139	11	10	154	4
L116E 39+00N	<0.2	2.33	14	135	<0.5	<5	0.67	<1	25	83	93	5.53	0.18	1.58	583	4	0.03	54	751	34	<5	6	<10	31	0.14	149	14	8	137	5
L108E 15+50N	<0.2	2.87	<5	88	<0.5	<5	0.36	<1	20	57	33	4.85	0.08	0.80	272	<2	0.04	40	911	19	<5	4	<10	22	0.13	121	18	4	136	6
L108E 16+00N	<0.2	3.07	11	234	<0.5	<5	1.20	<1	27	74	127	5.05	0.14	1.42	1073	2	0.03	64	613	31	<5	9	<10	128	0.12	116	12	16	154	10
L108E 16+50N	<0.2	2.40	11	145	<0.5	<5	0.66	<1	28	75	78	4.63	0.13	1.44	669	2	0.03	54	514	28	6	7	<10	44	0.15	130	16	8	109	6
L108E 17+00N	<0.2	2.32	8	79	<0.5	<5	0.53	<1	23	57	62	4.23	0.11	1.19	577	3	0.03	37	878	23	6	6	<10	30	0.15	121	14	8	91	6
L108E 17+50N	<0.2	2.30	10	81	<0.5	<5	0.53	<1	19	73	74	4.46	0.14	1.45	535	5	0.02	46	793	30	<5	6	<10	24	0.14	129	12	8	91	4
L108E 18+00N	<0.2	2.20	6	91	<0.5	<5	0.50	<1	15	47	44	3.61	0.07	0.82	275	<2	0.03	27	574	8	<5	5	<10	39	0.15	113	<10	6	71	5
L108E 18+50N	1.6	4.16	17	296	0.8	<5	1.32	1	25	106	251	6.67	0.25	1.50	1149	5	0.03	103	1329	34	10	19	<10	124	0.08	140	18	50	195	12
L108E 19+00N	<0.2	1.50	10	158	<0.5	<5	0.14	<1	9	22	42	2.89	0.06	0.23	139	8	0.02	33	1330	11	6	3	<10	4	0.04	57	17	4	151	5
L108E 19+50N	<0.2	2.34	10	97	<0.5	<5	0.26	<1	20	63	64	4.33	0.09	0.97	289	3	0.02	39	506	23	<5	5	<10	13	0.13	121	16	7	113	7
L108E 20+00N	<0.2	1.97	11	86	<0.5	<5	0.38	<1	19	64	73	4.42	0.10	1.06	358	4	0.02	45	1029	24	5	5	<10	17	0.10	112	16	6	110	5
L108E 20+50N	<0.2	2.42	16	140	<0.5	<5	0.33	<1	21	77	58	4.44	0.10	1.12	339	3	0.02	50	1188	27	<5	5	<10	10	0.11	118	13	5	137	5
L108E 21+00N	<0.2	2.66	12	137	<0.5	<5	0.63	<1	24	84	88	4.88	0.13	1.51	502	3	0.03	55	453	32	<5	7	<10	48	0.15	146	19	10	126	4
L108E 21+50N	<0.2	1.89	6	92	<0.5	<5	0.30	<1	13	57	38	4.26	0.06	0.93	232	5	0.02	30	225	13	6	4	<10	12	0.17	154	<10	4	88	6
L108E 22+00N	<0.2	3.00	5	126	<0.5	<5	1.56	2	13	34	50	3.14	0.05	0.53	258	<2	0.03	24	545	16	<5	3	<10	158	0.11	59	<10	10	131	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assay. Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ

Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L108E 22+50N	<0.2	2.64	18	91	<0.5	<5	0.42	<1	25	79	67	5.19	0.13	1.43	385	5	0.03	52	727	31	8	5	<10	20	0.14	143	<10	5	111	5
L108E 23+00N	<0.2	1.55	<5	91	<0.5	<5	0.32	<1	15	45	46	3.09	0.16	0.72	360	<2	0.02	33	683	19	6	3	<10	18	0.10	95	12	6	78	2
L108E 23+50N	<0.2	2.35	13	127	<0.5	<5	0.64	<1	27	77	116	4.82	0.14	1.32	667	5	0.03	56	804	36	<5	8	<10	39	0.11	127	14	12	122	5
L108E 24+00N	<0.2	2.30	14	133	<0.5	<5	0.52	<1	24	77	87	4.78	0.13	1.37	657	2	0.02	56	762	29	8	6	<10	23	0.12	127	13	8	135	4
L108E 24+50N	<0.2	2.16	19	109	<0.5	<5	0.60	<1	25	77	108	4.81	0.17	1.44	781	4	0.02	57	623	49	9	8	<10	28	0.14	131	17	10	125	5
L108E 25+00N	<0.2	2.49	10	99	<0.5	<5	0.25	<1	21	58	73	4.95	0.07	0.82	400	4	0.02	50	1343	21	<5	5	<10	14	0.09	117	23	6	169	4
L108E 25+50N	<0.2	1.99	<5	113	<0.5	<5	0.61	<1	26	62	67	4.08	0.09	1.25	554	<2	0.02	44	411	19	<5	6	<10	31	0.13	112	<10	8	88	5
L108E 26+00N	<0.2	1.97	10	118	<0.5	<5	0.59	<1	25	60	73	4.24	0.10	1.21	680	<2	0.02	46	355	19	<5	7	<10	39	0.13	112	<10	9	93	5
L108E 26+50N	<0.2	2.35	12	161	<0.5	<5	1.08	<1	36	77	100	5.81	0.20	1.56	3102	13	0.02	67	1052	35	<5	10	<10	77	0.11	142	<10	12	118	8
L108E 27+00N	<0.2	3.20	16	176	<0.5	<5	0.77	<1	33	73	112	5.87	0.12	1.40	848	6	0.02	66	562	47	<5	10	<10	58	0.13	147	<10	11	173	12
L108E 27+50N	<0.2	1.94	<5	122	<0.5	<5	0.38	<1	16	45	26	3.89	0.09	0.65	275	<2	0.02	30	1468	23	<5	3	<10	17	0.13	106	<10	3	139	5
L108E 28+00N	<0.2	2.18	10	112	<0.5	<5	0.48	<1	25	62	59	4.33	0.09	1.15	551	<2	0.02	47	850	17	<5	5	<10	25	0.12	117	<10	5	123	5
L108E 28+50N	<0.2	2.39	16	123	<0.5	<5	0.78	<1	37	103	165	5.79	0.31	1.96	1088	<2	0.03	76	1016	35	<5	12	<10	31	0.15	153	<10	13	130	9
L108E 29+00N	<0.2	2.30	9	106	<0.5	<5	0.37	<1	25	66	51	4.57	0.14	1.24	371	<2	0.02	49	698	14	<5	5	<10	16	0.16	132	<10	5	99	6
L108E 29+50N	<0.2	2.32	7	95	<0.5	<5	0.31	<1	22	61	33	4.43	0.10	1.02	315	<2	0.02	44	780	16	<5	4	<10	13	0.14	128	<10	4	97	6
L108E 30+00N	<0.2	2.95	5	154	<0.5	<5	0.40	<1	25	60	41	4.48	0.12	0.90	344	<2	0.02	54	1019	16	<5	4	<10	17	0.13	116	<10	4	148	7
L108E 30+50N	<0.2	2.58	6	130	<0.5	<5	0.36	<1	21	35	58	4.47	0.07	0.73	707	<2	0.02	28	927	27	<5	4	<10	16	0.11	121	<10	4	110	5
L108E 31+00N	<0.2	4.85	11	121	<0.5	<5	0.20	<1	28	42	42	5.53	0.05	0.56	419	<2	0.02	36	1542	14	<5	5	<10	9	0.14	130	<10	4	118	17
L108E 31+50N	<0.2	3.65	6	128	<0.5	<5	0.25	<1	20	33	28	4.98	0.05	0.43	424	<2	0.02	25	1188	20	<5	3	<10	17	0.14	114	<10	2	177	11
L108E 32+00N	<0.2	3.74	8	174	<0.5	<5	0.33	<1	26	40	37	4.59	0.06	0.62	378	<2	0.02	34	850	22	<5	4	<10	19	0.14	117	<10	4	179	9
L108E 32+50N	<0.2	4.54	9	217	0.6	<5	0.28	<1	23	56	94	5.60	0.07	1.07	405	<2	0.02	43	1573	20	<5	6	<10	44	0.10	127	<10	5	173	11
L108E 33+00N	0.6	4.63	9	283	0.6	<5	1.39	<1	28	62	153	5.57	0.11	0.66	512	<2	0.02	79	637	10	<5	9	<10	63	0.10	123	<10	17	224	14
L108E 33+50N	<0.2	3.34	8	140	<0.5	<5	0.27	<1	25	69	78	5.00	0.08	1.16	392	<2	0.02	53	974	20	<5	6	<10	11	0.12	130	<10	6	151	11
L108E 34+00N	<0.2	2.53	<5	137	<0.5	<5	0.33	<1	21	38	68	6.29	0.06	0.63	579	<2	0.02	33	1413	56	<5	5	<10	20	0.12	154	<10	5	203	6
L108E 34+50N	<0.2	2.59	5	251	<0.5	<5	0.85	<1	24	70	141	4.56	0.16	1.33	1193	7	0.02	55	713	45	<5	10	<10	39	0.12	122	<10	15	143	11
L108E 35+00N	<0.2	1.88	6	183	<0.5	<5	0.95	<1	24	60	107	4.41	0.15	1.21	956	3	0.02	46	686	51	<5	8	<10	40	0.09	118	<10	13	120	5
L108E 35+50N	<0.2	4.67	6	155	<0.5	<5	0.42	<1	23	68	54	5.75	0.11	0.92	303	<2	0.02	51	977	35	<5	5	<10	22	0.15	134	<10	4	245	14
L108E 36+00N	<0.2	1.48	<5	117	<0.5	<5	0.36	<1	10	24	19	2.74	0.05	0.29	308	<2	0.02	21	659	34	<5	3	<10	35	0.10	86	<10	3	117	3
L108E 36+50N	<0.2	1.54	<5	88	<0.5	<5	0.25	<1	13	27	15	3.95	0.04	0.26	348	<2	0.02	18	1045	10	<5	2	<10	23	0.16	131	<10	2	114	5
L108E 37+00N	<0.2	2.13	<5	75	<0.5	<5	0.65	<1	24	95	71	5.83	0.09	1.47	364	2	0.02	64	575	10	<5	5	<10	34	0.18	181	10	10	296	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assaye . Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ

Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L108E 37+50N	0.4	3.04	9	133	<0.5	<5	0.44	<1	22	80	57	5.41	0.09	1.36	332	<2	0.02	53	728	26	7	5	<10	18	0.15	144	10	5	135	7
L108E 38+00N	<0.2	3.48	<5	125	<0.5	<5	0.22	<1	14	48	24	4.41	0.07	0.58	232	<2	0.02	25	2347	24	<5	4	<10	6	0.15	115	<10	3	146	15
L108E 38+50N	<0.2	3.17	8	208	<0.5	<5	0.48	<1	23	81	84	4.70	0.15	1.64	400	<2	0.02	56	420	21	5	7	<10	20	0.18	142	<10	8	140	8
L108E 39+00N	<0.2	4.56	<5	139	<0.5	<5	0.33	<1	20	69	48	5.56	0.09	1.02	285	<2	0.02	43	1019	44	5	5	<10	10	0.21	153	<10	7	196	11
L108E 39+50N	<0.2	2.37	<5	106	<0.5	<5	0.24	<1	14	49	23	4.21	0.05	0.71	183	<2	0.02	28	368	21	7	4	<10	7	0.17	128	<10	4	66	9
L108E 40+00N	0.6	3.25	6	510	<0.5	<5	0.71	<1	30	83	97	5.07	0.10	1.43	412	4	0.02	82	327	46	<5	7	<10	37	0.16	146	<10	7	148	8
L108E 40+50N	1.2	3.14	<5	395	<0.5	<5	0.68	<1	26	72	117	4.71	0.11	1.24	504	3	0.02	69	222	52	7	8	<10	40	0.14	132	<10	11	133	11
L108E 41+00N	<0.2	2.01	<5	172	<0.5	<5	0.33	<1	15	39	22	3.51	0.10	0.49	207	<2	0.03	31	636	36	7	3	<10	21	0.17	103	<10	3	134	6
L108E 41+50N	0.3	1.96	<5	124	<0.5	<5	0.43	<1	20	41	26	3.84	0.14	1.18	347	<2	0.03	29	1025	24	<5	5	<10	18	0.16	120	<10	4	227	6
L108E 42+00N	0.6	3.49	<5	234	<0.5	<5	0.16	<1	14	34	13	3.93	0.06	0.35	235	<2	0.02	25	1998	24	7	3	<10	5	0.15	88	<10	3	198	16
L108E 42+50N	<0.2	3.89	<5	229	<0.5	<5	0.38	<1	27	56	36	4.39	0.11	0.91	331	<2	0.03	61	957	29	6	4	<10	11	0.17	120	<10	4	188	10
L108E 43+00N	<0.2	2.98	<5	163	<0.5	<5	0.60	<1	33	75	82	5.29	0.61	2.24	665	<2	0.03	53	757	53	6	8	<10	15	0.17	157	<10	7	198	10
L108E 43+50N	<0.2	1.19	<5	147	<0.5	<5	0.24	<1	10	28	16	2.37	0.05	0.47	170	<2	0.02	17	296	15	<5	2	<10	28	0.10	85	<10	3	50	3
L108E 44+00N	<0.2	1.87	<5	317	<0.5	<5	0.50	<1	17	58	70	3.49	0.12	1.01	515	3	0.02	39	308	20	5	5	<10	59	0.09	101	<10	4	83	4
L108E 44+50N	0.5	2.94	<5	298	<0.5	<5	0.95	<1	33	98	173	5.50	0.22	1.88	1314	3	0.03	83	469	65	9	13	<10	43	0.16	152	<10	19	197	8
L108E 45+00N	<0.2	3.32	12	821	1.3	<5	1.55	6	101	123	545	7.62	0.43	1.76	>10000	48	0.03	236	748	143	<5	20	<10	50	0.13	182	13	40	181	14
L108E 45+50N	0.4	2.88	<5	129	<0.5	<5	0.52	<1	24	79	63	5.59	0.13	1.19	343	4	0.03	53	905	46	7	6	<10	18	0.19	165	<10	5	166	9
L108E 46+00N	<0.2	2.31	6	112	<0.5	<5	0.74	<1	36	88	102	4.76	0.29	1.75	718	5	0.03	67	497	66	7	7	<10	22	0.17	143	<10	7	111	7
L108E 46+50N	1.3	3.17	<5	225	0.5	<5	1.46	2	32	232	263	5.97	0.57	2.50	949	7	0.04	168	665	63	8	11	<10	50	0.13	134	<10	19	168	11
L108E 47+00N	3.5	2.43	<5	188	<0.5	<5	1.36	2	17	42	159	3.14	0.09	0.52	315	3	0.03	93	309	36	<5	4	<10	56	0.11	59	<10	10	90	11
L108E 48+00N	0.3	3.28	9	168	<0.5	9	0.55	<1	39	145	88	6.26	0.14	1.61	511	5	0.03	111	597	161	8	6	<10	11	0.19	160	<10	5	252	13
L108E 48+50N	0.7	3.01	<5	172	<0.5	<5	0.53	<1	39	179	64	5.71	0.41	2.32	938	<2	0.06	100	1033	99	9	6	<10	7	0.23	167	<10	5	267	9
L108E 49+00N	<0.2	3.88	<5	119	<0.5	<5	0.44	<1	47	293	150	6.81	0.78	3.62	958	<2	0.04	173	1168	181	10	8	<10	2	0.25	185	14	6	360	12
L108E 49+50N	0.9	2.29	<5	135	<0.5	<5	0.34	<1	29	187	83	4.67	0.38	2.16	1422	<2	0.04	112	805	166	9	6	<10	2	0.19	133	<10	4	185	8
L108E 50+00N	0.2	3.21	<5	100	<0.5	<5	0.38	<1	45	376	92	6.35	1.14	4.01	914	<2	0.05	247	807	295	12	8	<10	<1	0.18	184	14	4	286	9
L108E 50+50N	0.4	3.20	<5	102	<0.5	<5	0.39	<1	32	180	117	5.67	0.47	2.54	623	2	0.03	108	607	112	8	6	<10	3	0.20	152	11	4	242	9
L108E 51+00N	<0.2	3.12	6	123	<0.5	<5	0.38	<1	32	162	116	6.26	0.40	2.78	536	3	0.03	115	544	57	12	6	<10	6	0.25	173	14	4	222	12
L108E 51+50N	<0.2	4.15	<5	158	<0.5	<5	0.83	<1	40	128	154	7.76	0.72	3.14	896	3	0.03	70	843	102	8	9	<10	9	0.31	214	14	8	308	13
L108E 52+00N	0.6	3.51	<5	148	<0.5	<5	0.59	<1	24	72	66	5.82	0.18	1.61	515	4	0.03	37	1181	78	7	6	<10	3	0.26	157	14	6	191	13
L108E 52+50N	1.6	2.22	<5	81	<0.5	6	0.49	<1	18	58	192	4.23	0.12	1.06	355	3	0.03	28	1056	952	10	4	<10	2	0.24	135	<10	5	131	12

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assay & Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ


Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L108E 53+00N	0.4	3.47	<5	102	<0.5	<5	0.72	<1	45	137	411	7.15	0.85	3.01	846	7	0.03	86	949	287	8	8	<10	4	0.25	186	17	8	221	11
L108E 53+50N	<0.2	3.75	5	147	<0.5	<5	0.76	<1	42	135	259	7.16	0.63	2.89	755	5	0.03	75	1037	175	11	8	<10	10	0.30	204	12	7	265	13
L108E 54+00N	0.5	2.52	<5	99	<0.5	<5	0.55	<1	27	85	64	5.28	0.24	1.69	479	4	0.03	47	996	125	8	5	<10	7	0.28	164	12	6	170	9
L108E 54+50N	<0.2	3.23	5	113	<0.5	<5	0.46	<1	35	136	150	6.24	0.33	2.65	703	3	0.03	77	967	101	11	7	<10	2	0.26	184	11	6	255	12
L108E 55+00N	<0.2	2.93	11	206	<0.5	<5	0.63	<1	40	131	283	6.69	0.72	2.61	1082	5	0.04	77	1276	177	11	8	<10	11	0.24	194	14	6	251	13
L108E 55+50N	<0.2	2.88	12	134	<0.5	<5	0.48	<1	37	137	266	6.49	0.55	2.53	891	6	0.03	78	949	139	11	8	<10	2	0.23	201	13	7	219	11
L108E 56+00N	<0.2	2.01	9	135	<0.5	<5	0.37	<1	25	80	146	4.68	0.35	1.50	677	3	0.03	46	975	141	7	6	<10	6	0.17	148	11	5	143	8
L108E 56+50N	0.3	2.66	<5	109	<0.5	<5	0.37	<1	26	108	226	5.49	0.31	2.02	467	3	0.03	58	989	110	8	6	<10	4	0.17	163	11	4	234	9
L108E 57+00N	0.6	2.75	7	91	<0.5	<5	0.42	<1	28	95	319	6.09	0.30	2.23	556	5	0.03	59	1410	134	9	6	<10	1	0.20	162	11	4	181	9
L108E 57+50N	0.8	3.81	7	90	<0.5	<5	0.32	<1	27	128	182	6.10	0.12	2.10	373	<2	0.02	78	1014	81	9	6	<10	5	0.21	169	12	4	194	15
L108E 58+00N	1.4	1.95	<5	101	<0.5	<5	0.25	<1	18	51	110	4.32	0.15	0.88	307	3	0.02	29	719	130	7	5	<10	3	0.20	154	10	4	85	8
L108E 58+50N	0.5	3.42	<5	78	<0.5	<5	0.30	<1	23	66	148	5.49	0.11	1.41	421	<2	0.02	39	1099	40	<5	7	<10	<1	0.18	152	13	6	168	14
L108E 59+00N	0.4	2.17	6	84	<0.5	<5	0.23	<1	20	70	92	5.51	0.09	1.20	428	<2	0.02	39	1200	50	<5	6	<10	<1	0.15	171	14	4	109	4
L108E 59+50N	<0.2	1.31	6	84	<0.5	5	0.12	<1	12	42	72	4.76	0.07	0.39	141	3	0.02	21	795	21	6	3	<10	<1	0.13	152	<10	3	55	3
L108E 60+00N	<0.2	1.38	<5	162	<0.5	<5	0.29	<1	18	78	39	5.28	0.11	1.00	186	3	0.03	39	1543	20	10	4	<10	11	0.30	253	<10	3	48	6
L108E 60+50N	<0.2	1.63	6	83	<0.5	<5	0.17	<1	11	46	78	4.67	0.07	0.57	148	<2	0.02	23	973	14	7	3	<10	2	0.14	156	<10	3	56	7
L108E 61+00N	<0.2	2.46	10	63	<0.5	<5	0.17	<1	15	55	41	5.61	0.07	0.77	212	<2	0.02	29	1847	13	9	4	<10	2	0.18	170	<10	3	96	12
L108E 61+50N	<0.2	1.78	<5	214	<0.5	<5	0.85	<1	17	57	87	3.65	0.10	1.11	327	3	0.02	33	668	10	<5	5	<10	23	0.11	105	<10	4	263	3
L108E 62+00N	<0.2	1.92	6	64	<0.5	<5	0.27	<1	16	55	59	4.59	0.07	0.92	244	<2	0.02	33	1202	3	<5	3	<10	<1	0.14	122	16	3	86	6
L108E 62+50N	<0.2	2.54	6	59	<0.5	<5	0.30	<1	24	71	170	5.25	0.11	1.41	398	<2	0.02	49	1116	<2	<5	5	<10	<1	0.14	134	<10	5	105	6
L108E 63+00N	0.3	1.79	<5	83	<0.5	<5	0.75	<1	14	37	62	2.98	0.05	0.64	401	6	0.02	28	337	4	<5	3	<10	22	0.11	84	<10	5	92	4
L108E 63+50N	0.5	1.72	<5	57	<0.5	<5	0.45	<1	18	45	74	3.52	0.09	0.99	196	<2	0.02	29	303	<2	<5	4	<10	7	0.15	108	<10	6	79	6
L108E 64+00N	<0.2	1.83	<5	47	<0.5	<5	0.26	<1	19	51	85	4.92	0.16	1.35	252	<2	0.02	28	1139	3	<5	5	<10	<1	0.16	149	<10	4	77	8
L108E 64+50N	<0.2	2.60	<5	84	<0.5	<5	0.50	<1	25	82	389	4.45	0.14	1.48	538	<2	0.02	137	469	3	5	6	<10	8	0.14	133	<10	11	147	5
L108E 65+00N	<0.2	2.10	5	68	<0.5	<5	0.86	<1	28	106	534	4.85	0.24	1.86	578	2	0.02	102	485	3	<5	9	<10	17	0.13	143	<10	18	87	7
L108E 65+50N	<0.2	1.97	<5	51	<0.5	<5	0.19	<1	18	113	42	4.26	0.12	1.28	325	<2	0.02	59	917	3	<5	3	<10	<1	0.13	113	<10	3	81	4
L108E 66+00N	<0.2	2.72	8	48	<0.5	<5	0.19	<1	22	53	108	5.09	0.10	1.02	274	<2	0.02	38	1204	<2	<5	4	<10	<1	0.10	120	<10	4	157	5
L108E 66+50N	<0.2	2.35	7	61	<0.5	<5	0.24	<1	18	62	91	4.47	0.06	1.06	318	<2	0.03	47	1125	4	<5	4	<10	<1	0.09	107	<10	3	86	6
L108E 67+00N	<0.2	1.88	<5	36	<0.5	<5	0.15	<1	8	30	14	3.12	0.08	0.36	170	<2	0.02	13	991	7	<5	2	<10	<1	0.12	78	<10	2	41	8
L108E 67+50N	<0.2	0.82	<5	30	<0.5	<5	0.17	<1	6	23	8	2.32	0.05	0.24	73	<2	0.02	10	525	6	<5	1	<10	<1	0.15	84	<10	1	24	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assay... Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ


Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L108E 68+00N	<0.2	2.47	<5	55	<0.5	<5	0.33	<1	24	108	41	4.99	0.10	1.70	300	<2	0.05	74	831	<2	6	4	<10	6	0.23	135	<10	4	89	10
L108E 68+50N	<0.2	2.25	<5	50	<0.5	<5	0.31	<1	21	55	81	5.35	0.22	1.67	417	<2	0.03	21	733	2	7	7	<10	12	0.26	161	<10	5	67	11
L108E 69+00N	<0.2	4.07	<5	86	<0.5	<5	0.42	<1	43	395	16	6.54	1.13	4.57	639	<2	0.04	259	642	<2	10	5	<10	<1	0.26	158	<10	4	114	10
L108E 69+50N	<0.2	2.05	<5	59	<0.5	<5	0.25	<1	13	40	27	4.30	0.07	0.83	257	<2	0.02	25	1184	5	<5	3	<10	4	0.13	114	<10	2	65	6
L108E 69+75N	<0.2	1.61	5	60	<0.5	<5	0.45	<1	14	35	40	4.26	0.11	0.88	242	<2	0.02	21	502	<2	<5	4	<10	13	0.13	117	<10	2	59	5
L112E 41+50N	<0.2	1.92	<5	143	<0.5	<5	0.53	<1	12	54	29	3.28	0.07	1.04	327	3	0.01	33	353	32	<5	6	<10	18	0.12	89	<10	4	107	5
L112E 42+00N	<0.2	2.09	<5	154	0.5	<5	0.52	<1	11	37	39	3.19	0.09	1.00	287	4	0.01	24	295	24	<5	5	<10	17	0.11	93	<10	4	73	3
L112E 42+50N	<0.2	2.12	<5	146	0.6	<5	0.87	<1	10	68	65	4.16	0.11	1.38	478	2	0.01	42	644	27	<5	5	<10	33	0.10	111	<10	6	97	4
L112E 43+00N	<0.2	2.03	<5	112	0.5	<5	0.29	<1	10	48	45	3.96	0.09	0.74	237	2	0.01	29	1255	28	5	4	<10	5	0.12	102	<10	3	109	4
L112E 43+50N	<0.2	2.80	9	125	0.8	<5	0.41	<1	13	88	88	5.45	0.09	1.37	369	3	0.01	58	1126	23	8	6	<10	8	0.09	120	<10	5	127	5
L112E 44+50N	<0.2	2.13	<5	154	0.9	<5	1.28	<1	21	71	157	4.56	0.22	1.40	927	7	0.02	60	826	80	<5	7	<10	32	0.10	107	<10	10	112	6
L112E 45+00N	1.5	2.45	<5	220	0.9	<5	1.46	2	19	63	146	4.27	0.11	0.93	656	6	0.02	56	489	72	<5	6	<10	47	0.10	88	<10	10	113	7
L112E 45+50N	0.9	3.19	<5	262	1.2	<5	0.81	<1	20	78	176	5.02	0.21	1.31	691	4	0.02	84	451	49	<5	10	<10	22	0.13	115	<10	13	176	11
L112E 46+00N	<0.2	2.53	<5	137	0.8	<5	0.63	<1	16	56	72	4.85	0.11	1.23	332	2	0.01	39	1118	48	5	6	<10	12	0.16	122	<10	6	200	10
L112E 46+50N	<0.2	2.26	<5	109	0.6	<5	0.62	<1	19	83	83	4.59	0.17	1.68	497	3	0.01	54	623	32	<5	6	<10	11	0.13	128	<10	6	124	5
L112E 47+00N	<0.2	2.39	<5	68	0.8	<5	0.52	<1	15	101	90	4.79	0.24	2.04	468	<2	0.02	72	800	37	<5	7	<10	6	0.15	133	<10	5	145	8
L112E 47+50N	<0.2	1.37	<5	155	0.5	<5	0.68	<1	14	64	27	3.07	0.12	0.97	971	<2	0.02	51	875	28	<5	3	<10	14	0.14	86	<10	3	94	3
L112E 48+00N	1.8	2.11	<5	212	0.7	<5	1.57	<1	17	65	69	3.50	0.20	1.19	465	2	0.01	61	462	32	<5	4	<10	37	0.11	89	<10	6	107	4
L112E 50+00N	0.6	3.07	<5	207	0.9	<5	0.83	<1	24	67	116	5.55	0.19	1.60	540	7	0.01	56	694	53	5	7	<10	11	0.17	140	<10	7	260	7
L112E 50+50N	<0.2	2.74	<5	145	0.9	<5	0.54	<1	21	199	85	5.68	0.42	2.46	579	4	0.02	122	808	52	5	5	<10	6	0.17	142	<10	5	184	5
L112E 51+00N	0.4	3.03	<5	175	0.9	<5	0.66	1	27	98	221	5.48	0.15	1.60	519	13	0.02	111	715	123	<5	6	<10	9	0.18	135	<10	7	243	9
L112E 51+50N	1.9	3.92	<5	152	1.5	<5	0.54	<1	32	89	329	5.21	0.23	1.65	559	8	0.02	75	597	116	7	5	<10	10	0.20	111	<10	8	226	22
L112E 52+00N	54.6	2.92	<5	365	1.9	<5	0.77	<1	28	83	634	5.92	0.20	1.27	719	12	0.02	85	510	181	7	12	<10	19	0.17	144	<10	26	170	13
L112E 52+50N	<0.2	2.15	<5	281	1.2	<5	0.43	1	33	62	329	5.08	0.27	1.41	1448	3	0.03	50	805	130	<5	6	<10	9	0.17	137	<10	7	255	6
L112E 53+00N	<0.2	2.27	<5	118	0.8	<5	0.40	<1	14	79	95	4.85	0.15	1.23	354	3	0.02	44	2134	58	5	5	<10	4	0.16	137	<10	5	152	8
L112E 53+50N	<0.2	2.63	8	113	1.2	<5	0.37	<1	20	155	161	5.29	0.23	2.01	478	6	0.03	112	816	72	7	6	<10	6	0.18	143	<10	5	159	8
L112E 54+00N	1.0	2.71	7	109	1.5	<5	0.20	<1	21	84	175	3.76	0.09	0.82	316	2	0.02	61	625	102	<5	4	<10	3	0.17	106	<10	4	127	13
L112E 54+50N	1.2	2.83	17	318	2.1	<5	0.45	<1	22	130	544	6.34	0.21	1.59	1378	13	0.02	87	555	149	5	12	<10	13	0.15	189	<10	15	163	7
L112E 55+00N	0.3	2.26	<5	116	0.8	<5	0.21	<1	15	108	61	4.80	0.23	1.65	530	3	0.03	45	699	49	5	5	<10	<1	0.22	159	<10	3	158	9
L112E 55+50N	<0.2	2.37	<5	108	0.8	<5	0.41	<1	17	118	93	5.32	0.28	2.00	610	<2	0.03	61	921	47	6	6	<10	3	0.24	182	<10	6	172	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assaye... Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ


Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L112E 56+00N	<0.2	2.39	<5	127	0.7	<5	0.35	<1	16	73	57	4.41	0.10	1.14	644	<2	0.02	41	1001	43	5	4	<10	6	0.15	126	<10	5	124	7
L112E 56+50N	<0.2	2.74	7	107	0.8	<5	0.50	<1	17	89	71	5.73	0.19	1.69	377	<2	0.02	51	1426	48	<5	7	<10	8	0.21	171	<10	6	154	13
L112E 57+00N	<0.2	2.89	<5	85	1.0	<5	0.46	<1	21	183	89	6.14	0.39	2.55	410	<2	0.03	131	1013	46	8	7	<10	7	0.23	177	<10	5	371	11
L112E 57+50N	<0.2	3.05	<5	67	1.1	<5	0.47	<1	20	52	186	6.33	0.14	1.45	382	<2	0.02	31	1551	44	<5	6	<10	12	0.24	183	<10	6	105	14
L112E 58+00N	<0.2	2.22	<5	66	0.5	<5	0.30	<1	9	49	30	4.32	0.07	0.83	189	<2	0.02	18	1122	12	5	3	<10	4	0.18	125	<10	4	61	8
L112E 58+50N	<0.2	2.56	8	94	0.6	<5	0.45	<1	12	98	85	5.70	0.10	1.62	354	4	0.02	56	814	26	5	6	<10	9	0.19	160	<10	6	96	8
L112E 59+50N	<0.2	2.53	<5	124	0.6	<5	0.39	<1	23	283	207	4.80	0.44	2.91	424	<2	0.05	160	535	14	11	7	<10	5	0.32	169	<10	7	85	12
L112E 60+00N	<0.2	2.51	<5	130	0.8	<5	0.26	<1	20	56	292	4.54	0.12	0.94	260	2	0.02	37	1468	14	6	5	<10	5	0.20	131	<10	4	133	16
L112E 60+50N	<0.2	2.05	<5	74	0.7	<5	0.39	<1	18	95	129	5.36	0.21	1.36	259	2	0.03	52	1000	16	5	5	<10	3	0.28	185	<10	5	69	11
L112E 61+00N	<0.2	2.49	<5	107	1.0	<5	0.32	<1	23	86	222	5.47	0.15	1.36	401	<2	0.03	50	941	37	<5	6	<10	3	0.26	181	<10	5	77	11
L112E 61+50N	<0.2	2.22	<5	70	0.8	<5	0.26	<1	17	66	136	5.15	0.08	0.97	356	3	0.02	37	1028	32	<5	4	<10	<1	0.23	161	<10	4	84	11
L112E 62+00N	<0.2	3.22	<5	107	1.0	<5	0.29	<1	21	108	194	5.92	0.11	1.79	407	4	0.02	59	1125	48	7	6	<10	<1	0.27	164	<10	5	150	16
L112E 62+50N	0.9	2.47	<5	78	0.7	<5	0.23	<1	13	54	116	4.56	0.07	0.86	276	4	0.02	30	895	66	<5	4	<10	3	0.22	132	<10	4	84	15
L112E 63+00N	<0.2	3.12	<5	113	0.8	<5	0.29	<1	20	90	136	5.24	0.07	1.26	369	3	0.02	65	1376	18	7	5	<10	5	0.18	136	<10	3	154	10
L112E 63+50N	<0.2	3.22	<5	77	0.8	<5	0.29	<1	17	84	164	6.17	0.10	1.59	368	3	0.02	46	1385	16	<5	6	<10	2	0.25	177	<10	5	95	18
L112E 64+00N	<0.2	3.14	<5	100	0.8	<5	0.36	<1	17	85	92	5.47	0.10	1.53	429	3	0.02	56	1286	18	<5	6	<10	7	0.19	143	<10	4	120	9
L112E 64+50N	<0.2	2.62	<5	73	0.8	<5	0.42	<1	11	57	88	5.45	0.08	1.01	296	5	0.02	32	1101	17	<5	5	<10	8	0.19	156	<10	4	68	8
L112E 65+00N	<0.2	2.42	<5	86	0.6	<5	0.31	<1	13	66	101	5.58	0.09	1.16	375	3	0.02	35	1932	28	<5	5	<10	3	0.20	151	<10	4	94	8
L112E 65+50N	<0.2	1.78	<5	61	<0.5	<5	0.19	<1	9	35	25	3.55	0.05	0.42	365	3	0.01	15	882	14	<5	3	<10	3	0.14	105	<10	2	55	5
L120E 50+00N	<0.2	2.92	<5	188	1.4	<5	0.89	<1	23	128	291	5.38	0.26	1.82	1514	9	0.02	110	541	43	6	14	<10	35	0.15	144	<10	23	168	7
L120E 49+50N	<0.2	2.77	10	169	1.2	<5	1.06	<1	27	125	339	6.25	0.40	1.88	1302	21	0.03	111	1076	50	6	14	<10	72	0.13	146	<10	18	155	15
L120E 49+00N	0.5	2.86	10	207	1.1	<5	1.00	<1	22	122	245	5.66	0.28	1.68	1362	8	0.02	98	689	47	8	11	<10	38	0.12	139	<10	18	157	9
L120E 48+50N	0.2	2.75	6	189	1.2	<5	0.90	<1	21	100	241	5.37	0.21	1.46	993	5	0.02	83	707	48	7	11	<10	35	0.13	128	<10	18	159	9
L120E 48+00N	0.6	2.80	8	191	1.0	<5	0.96	<1	17	102	198	5.22	0.24	1.51	668	5	0.02	79	874	33	7	9	<10	36	0.11	128	<10	14	151	7
L120E 47+00N	<0.2	2.66	7	110	0.8	<5	0.48	<1	18	87	62	4.70	0.10	1.36	377	3	0.02	54	1143	25	<5	6	<10	20	0.13	122	<10	5	119	7
L120E 46+50N	<0.2	2.57	11	88	0.6	<5	0.56	<1	17	99	137	5.16	0.26	1.68	874	6	0.02	64	1172	41	<5	7	<10	32	0.16	138	<10	7	118	9
L120E 46+00N	0.8	1.79	15	410	5.1	<5	1.31	3	54	76	212	10.09	0.21	1.18	8100	66	0.02	153	992	55	6	12	<10	239	0.08	117	<10	26	150	15
L120E 45+50N	<0.2	2.01	6	162	0.8	<5	1.59	<1	17	88	161	4.30	0.14	1.32	714	6	0.02	63	853	51	6	7	<10	45	0.09	109	<10	10	104	7
L120E 45+00N	<0.2	2.11	19	140	0.7	<5	1.17	<1	30	91	121	6.55	0.16	1.45	1019	10	0.02	64	982	62	6	8	<10	30	0.10	120	<10	10	114	8
L120E 44+50N	0.4	2.44	<5	98	0.7	<5	1.02	<1	10	66	96	3.10	0.11	0.86	446	<2	0.03	53	642	22	<5	4	<10	29	0.11	64	<10	9	99	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ

Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L120E 44+00N	0.3	2.66	7	201	0.8	<5	1.08	<1	21	86	157	4.74	0.17	1.35	943	2	0.02	72	723	31	7	7	<10	31	0.12	108	<10	11	158	8
L120E 43+50N	0.6	2.60	11	203	0.9	<5	1.26	<1	21	95	162	5.16	0.16	1.39	1311	5	0.03	74	855	42	8	9	<10	36	0.11	125	<10	12	138	9
L120E 43+00N	<0.2	2.61	11	174	0.9	<5	0.95	<1	20	100	123	5.08	0.22	1.61	765	3	0.02	75	742	33	<5	9	<10	31	0.12	124	<10	13	142	8
L120E 42+50N	<0.2	3.08	8	214	1.0	<5	0.95	<1	20	93	130	5.11	0.15	1.35	810	4	0.02	75	410	48	8	9	<10	29	0.14	123	<10	8	151	15
L120E 42+00N	<0.2	2.48	<5	119	0.8	<5	1.34	<1	17	86	79	4.77	0.18	1.31	470	4	0.02	56	644	41	6	8	<10	39	0.12	119	<10	7	125	8
L120E 41+50N	<0.2	3.28	11	264	1.1	<5	0.72	<1	24	118	169	5.95	0.27	1.58	911	5	0.02	99	796	61	9	8	<10	26	0.12	146	<10	8	208	5
L120E 41+00N	<0.2	2.97	17	174	1.2	<5	0.99	<1	28	119	329	6.35	0.24	1.64	1245	8	0.02	95	636	59	7	14	<10	26	0.13	145	<10	17	178	11
L120E 40+50N	<0.2	2.51	16	118	0.6	<5	0.59	<1	15	122	104	5.93	0.17	1.72	570	8	0.02	62	798	70	8	6	<10	13	0.16	161	<10	4	145	6
L120E 40+00N	<0.2	2.14	9	162	0.6	<5	0.66	<1	18	101	87	5.07	0.20	1.67	752	5	0.02	65	999	39	<5	6	<10	21	0.15	138	<10	7	118	6
L120E 39+50N	<0.2	2.08	16	145	0.7	<5	0.70	<1	19	84	78	5.10	0.12	1.16	944	6	0.02	50	583	38	6	6	<10	28	0.12	139	<10	10	142	5
L120E 39+00N	<0.2	2.32	16	192	0.7	<5	0.51	<1	16	83	77	4.86	0.14	1.10	896	4	0.02	54	700	28	<5	5	<10	20	0.12	124	<10	6	133	5
L120E 38+50N	<0.2	2.67	17	161	0.8	<5	0.71	<1	24	116	115	5.30	0.21	1.83	983	7	0.02	81	608	67	5	8	<10	24	0.14	132	<10	6	139	7
L120E 38+00N	<0.2	2.41	10	140	0.7	<5	0.46	<1	18	106	96	5.05	0.16	1.77	610	4	0.02	69	639	46	5	6	<10	15	0.15	131	<10	6	150	6
L120E 37+50N	<0.2	2.43	9	134	0.9	<5	0.49	<1	19	95	130	4.81	0.16	1.51	1255	4	0.02	58	577	48	6	8	<10	17	0.13	126	<10	9	122	6
L120E 37+00N	<0.2	2.74	9	171	1.1	<5	0.61	<1	19	94	105	5.31	0.13	1.22	717	5	0.02	58	582	52	7	7	<10	21	0.12	135	<10	7	140	5
L120E 36+50N	<0.2	2.21	12	86	0.6	<5	0.42	<1	14	88	74	4.72	0.11	1.52	432	4	0.02	52	878	40	<5	5	<10	10	0.13	126	<10	5	115	4
L120E 36+00N	<0.2	2.00	9	132	0.6	<5	0.55	<1	14	75	67	3.97	0.11	1.23	452	4	0.02	48	413	29	<5	5	<10	21	0.12	107	<10	7	102	4
L120E 35+50N	<0.2	2.37	9	116	0.7	<5	1.04	<1	20	100	110	5.27	0.23	1.58	927	5	0.02	75	641	44	6	9	<10	27	0.12	119	<10	8	138	9
L120E 35+00N	0.8	2.65	12	158	0.9	<5	1.21	<1	21	97	219	5.29	0.30	1.59	1379	5	0.03	80	927	43	7	9	<10	35	0.13	124	<10	17	163	9
L112E 66+00N	<0.2	2.35	<5	74	0.5	<5	0.16	<1	9	43	41	3.49	0.05	0.48	265	3	0.02	21	835	6	<5	3	<10	3	0.13	94	<10	3	59	6
L112E 66+50N	<0.2	1.69	<5	62	<0.5	<5	0.29	<1	10	43	60	4.96	0.08	0.65	179	4	0.02	20	1219	11	<5	3	<10	11	0.23	163	<10	4	54	9
L112E 67+00N	<0.2	1.16	<5	67	<0.5	<5	0.18	<1	7	29	28	3.34	0.06	0.39	127	2	0.02	16	645	8	<5	2	<10	5	0.16	108	<10	2	43	5
L112E 67+50N	<0.2	1.27	<5	63	<0.5	<5	0.41	<1	8	39	23	3.92	0.08	0.57	210	<2	0.02	18	813	10	<5	3	<10	7	0.20	147	<10	3	52	5
L112E 68+00N	<0.2	3.05	<5	131	0.7	<5	0.20	<1	10	56	74	4.68	0.07	0.77	279	8	0.02	36	522	14	<5	4	<10	5	0.10	107	<10	8	111	5
L112E 68+50N	<0.2	2.37	<5	85	<0.5	<5	0.18	<1	5	34	11	4.08	0.03	0.30	140	2	0.02	13	882	11	<5	2	<10	5	0.12	103	<10	2	61	7
L112E 69+00N	<0.2	2.57	<5	92	1.7	<5	0.44	<1	26	168	225	6.45	0.60	2.45	780	<2	0.03	59	667	14	5	10	<10	1	0.20	200	<10	10	100	10
L112E 70+00N	<0.2	1.75	<5	106	<0.5	<5	0.41	<1	9	63	28	4.37	0.07	0.74	386	4	0.02	41	907	25	<5	3	<10	8	0.14	105	<10	4	89	6
L112E 70+50N	<0.2	2.68	8	77	0.6	<5	0.43	<1	11	96	39	5.12	0.11	1.43	331	4	0.02	74	1101	12	6	4	<10	11	0.15	119	<10	4	104	8
L112E 71+00N	<0.2	3.30	5	73	0.6	<5	0.46	<1	12	104	47	5.26	0.07	1.35	327	5	0.02	70	1068	17	7	4	<10	10	0.16	121	<10	4	102	9
L112E 71+50N	<0.2	4.18	<5	109	1.0	<5	1.12	<1	13	478	92	7.04	0.22	2.34	655	17	0.07	293	824	26	13	8	<10	10	0.23	137	<10	4	242	15

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assaye. Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ

Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L112E 72+00N	<0.2	1.68	8	78	<0.5	<5	0.49	<1	6	49	16	4.00	0.05	0.67	294	4	0.02	23	1029	26	<5	3	<10	7	0.17	126	<10	3	84	8
L112E 72+50N	<0.2	3.04	<5	109	0.6	<5	0.30	<1	8	76	46	5.22	0.07	1.20	400	3	0.02	45	1060	14	7	5	<10	8	0.09	115	<10	5	146	5
L112E 73+00N	<0.2	2.21	<5	116	<0.5	<5	0.27	<1	6	53	25	4.02	0.06	0.87	343	<2	0.02	29	1080	13	<5	3	<10	8	0.08	99	<10	3	112	3
L112E 74+00N	<0.2	2.37	<5	103	0.5	<5	0.35	<1	9	56	18	4.58	0.09	0.90	282	3	0.02	30	732	14	6	4	<10	9	0.14	109	<10	3	119	7
L112E 74+50N	<0.2	2.39	7	394	0.6	<5	0.59	<1	13	56	48	4.36	0.08	1.03	998	9	0.02	51	607	15	<5	4	<10	21	0.09	103	<10	9	151	3
L112E 75+00N	<0.2	2.21	<5	115	0.6	<5	0.37	<1	9	41	49	3.83	0.05	0.68	315	<2	0.02	31	625	13	6	3	<10	16	0.08	88	<10	9	123	3
L112E 75+50N	<0.2	2.10	<5	105	<0.5	<5	0.33	<1	7	39	20	4.11	0.04	0.51	210	<2	0.02	19	763	14	<5	3	<10	10	0.11	110	<10	3	109	4
L112E 76+00N	<0.2	2.16	<5	76	<0.5	<5	0.21	<1	8	35	18	3.84	0.04	0.51	218	<2	0.02	20	1113	10	5	3	<10	5	0.10	94	<10	3	103	5
L112E 76+50N	<0.2	3.68	<5	111	1.0	<5	0.86	<1	18	47	72	4.69	0.04	0.64	1683	3	0.02	50	780	16	6	5	<10	28	0.11	105	<10	14	150	9
L112E 77+00N	<0.2	3.79	<5	161	0.9	<5	0.25	<1	15	57	53	6.14	0.05	0.83	347	<2	0.02	45	966	22	7	5	<10	3	0.12	139	<10	5	165	6
L112E 77+50N	<0.2	3.03	<5	126	0.7	<5	0.26	<1	14	38	33	4.28	0.04	0.41	287	2	0.02	31	592	16	6	3	<10	6	0.09	100	<10	4	165	6
L112E 78+00N	0.2	3.26	5	144	0.8	<5	0.97	1	16	55	102	4.89	0.06	1.07	710	<2	0.02	57	821	15	8	8	<10	30	0.09	105	<10	24	169	9
L116E 65+50N	<0.2	2.96	<5	98	0.8	<5	0.33	<1	16	121	64	5.62	0.09	1.51	441	2	0.02	82	1278	50	7	4	<10	6	0.19	148	<10	4	141	9
L116E 66+00N	<0.2	1.65	<5	102	<0.5	<5	0.30	<1	10	63	24	4.17	0.06	0.70	204	5	0.02	33	552	14	<5	3	<10	8	0.21	122	<10	4	57	7
L116E 67+00N	<0.2	2.29	<5	83	0.5	<5	0.34	<1	10	124	20	4.65	0.08	1.16	184	5	0.02	84	487	15	7	4	<10	8	0.27	172	<10	3	51	13
L116E 67+50N	<0.2	3.44	<5	88	0.7	<5	0.34	<1	18	207	72	5.12	0.10	2.66	372	3	0.02	176	686	18	9	3	<10	5	0.21	126	<10	3	86	9
L116E 68+00N	<0.2	2.14	<5	79	<0.5	<5	0.29	<1	8	76	30	4.58	0.06	0.83	200	3	0.02	42	716	22	6	3	<10	3	0.19	132	<10	3	67	8
L116E 68+50N	<0.2	2.67	<5	97	0.5	<5	0.32	<1	13	138	44	4.83	0.12	1.92	282	4	0.02	137	728	33	8	3	<10	7	0.19	123	<10	5	88	5
L116E 69+00N	<0.2	2.67	<5	224	<0.5	<5	0.27	<1	8	172	90	5.99	0.20	1.83	226	7	0.03	123	1229	15	10	3	<10	16	0.21	126	<10	2	65	9
L116E 69+50N	<0.2	2.22	<5	100	<0.5	<5	0.28	<1	10	94	35	5.51	0.12	1.43	294	5	0.02	78	1292	19	8	3	<10	6	0.19	145	<10	3	85	7
L116E 70+00N	<0.2	2.93	7	100	0.6	<5	0.30	<1	10	67	37	5.06	0.06	0.98	287	4	0.02	41	910	19	<5	4	<10	9	0.12	113	<10	4	101	6
L116E 70+50N	<0.2	4.29	<5	70	0.8	<5	0.20	<1	10	54	30	4.53	0.05	0.61	222	5	0.02	25	1120	21	6	4	<10	<1	0.16	99	<10	3	82	21
L116E 71+00N	<0.2	2.60	<5	74	0.5	<5	0.32	<1	8	57	35	5.12	0.07	0.76	259	6	0.02	27	1063	32	5	3	<10	2	0.19	139	<10	3	65	10
L120E 80+00N	<0.2	3.05	10	164	0.7	<5	0.18	<1	12	54	33	5.56	0.05	0.64	284	3	0.02	50	625	20	7	4	<10	2	0.09	126	<10	3	269	5
L120E 79+50N	<0.2	3.32	11	179	0.6	<5	0.16	<1	11	68	52	5.40	0.06	0.93	430	3	0.02	52	821	18	<5	5	<10	3	0.06	129	<10	4	206	4
L120E 79+00N	<0.2	3.16	10	161	0.7	<5	0.23	<1	12	64	54	5.36	0.07	0.94	351	2	0.02	59	633	22	8	5	<10	4	0.09	123	<10	3	199	5
L120E 78+50N	<0.2	3.66	7	141	0.9	<5	0.24	<1	14	68	48	6.01	0.05	0.66	340	3	0.01	41	1259	18	7	4	<10	7	0.10	125	<10	3	214	6
L120E 78+00N	0.7	3.54	9	172	0.8	<5	0.20	<1	12	57	54	5.59	0.04	0.84	323	5	0.02	48	841	17	5	4	<10	6	0.07	116	<10	6	323	4
L120E 77+50N	<0.2	4.93	15	335	1.4	<5	0.39	<1	32	91	92	6.16	0.08	1.14	910	8	0.02	154	619	22	8	8	<10	15	0.08	146	<10	12	306	6
L120E 77+00N	<0.2	2.69	7	124	0.6	<5	0.13	<1	9	43	38	5.18	0.05	0.48	294	4	0.02	31	807	19	5	3	<10	2	0.09	117	<10	2	158	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays - Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ


Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L120E 76+50N	<0.2	2.43	8	115	<0.5	<5	0.16	<1	9	54	30	5.72	0.04	0.66	284	3	0.02	32	870	20	<5	4	<10	3	0.11	146	<10	2	153	5
L120E 76+00N	<0.2	3.10	<5	125	0.7	<5	0.95	<1	19	21	30	4.03	0.06	0.22	381	<2	0.02	25	1310	22	<5	2	<10	43	0.14	65	<10	5	217	12
L120E 75+50N	<0.2	2.59	9	113	<0.5	<5	0.21	<1	9	56	37	4.76	0.04	0.86	318	3	0.02	41	568	14	6	4	<10	7	0.08	120	<10	3	164	3
L120E 75+00N	2.1	3.46	7	124	1.1	<5	0.91	2	22	50	50	4.84	0.04	0.57	862	<2	0.02	63	1203	21	6	3	<10	28	0.08	96	<10	12	343	5
L120E 74+50N	2.1	3.76	12	145	1.1	<5	0.82	1	15	50	86	4.15	0.05	0.60	645	3	0.02	58	839	18	6	5	<10	27	0.10	87	<10	18	231	9
L120E 74+00N	<0.2	3.84	<5	127	0.7	<5	0.52	<1	18	213	29	4.93	0.13	2.65	286	2	0.03	186	489	11	9	4	<10	7	0.23	126	<10	6	106	12
L120E 73+50N	<0.2	4.07	<5	90	0.7	<5	0.21	<1	12	101	20	4.04	0.04	0.70	255	4	0.02	60	1554	15	7	3	<10	6	0.14	90	<10	3	79	18
L120E 73+00N	<0.2	1.70	<5	77	<0.5	<5	0.70	<1	6	57	36	4.97	0.05	0.70	300	11	0.02	31	1127	31	<5	4	<10	8	0.15	167	<10	4	87	6
L120E 72+50N	<0.2	2.14	<5	79	<0.5	<5	0.37	<1	8	61	21	4.24	0.06	0.77	274	4	0.02	34	777	15	<5	3	<10	6	0.17	114	<10	3	75	7
L120E 72+00N	<0.2	2.91	<5	59	0.8	<5	0.36	<1	12	56	40	6.50	0.08	1.02	378	8	0.03	27	1659	13	7	5	<10	3	0.23	163	<10	4	81	13
L120E 71+50N	0.3	2.66	6	108	0.8	<5	0.56	<1	17	88	88	4.82	0.11	1.20	409	6	0.02	75	614	19	5	5	<10	17	0.10	113	<10	20	155	4
L120E 71+00N	<0.2	2.57	<5	80	0.6	<5	0.24	<1	11	58	32	4.81	0.05	0.75	316	2	0.02	36	788	17	5	4	<10	2	0.12	116	<10	4	92	6
L120E 70+50N	<0.2	2.81	<5	108	0.6	<5	0.53	<1	15	150	47	5.40	0.13	1.79	392	9	0.02	106	1003	51	5	5	<10	14	0.19	149	<10	3	119	6
L120E 70+00N	<0.2	3.55	<5	98	0.7	<5	0.34	<1	20	190	103	5.36	0.62	4.05	435	22	0.04	241	630	21	9	2	<10	6	0.28	125	<10	2	104	8
L120E 69+50N	<0.2	2.17	<5	92	0.6	<5	0.40	<1	13	59	38	5.40	0.08	0.83	245	10	0.02	47	1020	25	<5	4	<10	12	0.18	125	<10	3	141	8
L120E 69+00N	<0.2	2.58	9	141	0.9	<5	0.52	<1	17	63	256	4.59	0.11	0.91	488	27	0.02	135	603	21	6	7	<10	17	0.13	105	<10	14	167	6
L120E 68+50N	<0.2	2.41	<5	88	0.5	<5	0.27	<1	9	55	31	5.44	0.05	0.73	272	9	0.02	32	730	19	<5	3	<10	6	0.14	130	<10	4	112	7
L120E 68+00N	<0.2	3.66	<5	80	0.8	<5	0.18	<1	9	41	30	5.48	0.05	0.34	177	4	0.02	17	1292	26	<5	4	<10	7	0.19	120	<10	3	80	22
L120E 66+90N	<0.2	3.13	9	432	1.6	<5	0.97	<1	21	105	290	5.88	0.23	1.62	573	8	0.02	91	612	158	<5	10	<10	36	0.15	150	<10	12	174	8
L120E 66+50N	<0.2	1.94	<5	129	<0.5	<5	0.23	<1	7	75	28	4.25	0.05	0.93	226	5	0.02	32	490	20	<5	3	<10	8	0.16	120	<10	2	100	6
L120E 66+00N	<0.2	3.29	<5	149	0.7	<5	0.37	<1	12	72	49	4.78	0.06	1.18	363	3	0.02	49	615	15	<5	5	<10	11	0.10	118	<10	6	136	5
L120E 65+50N	<0.2	2.36	<5	107	<0.5	<5	0.17	<1	7	50	30	4.89	0.04	0.60	229	2	0.02	25	797	31	<5	3	<10	2	0.15	124	<10	3	90	7
L120E 65+00N	<0.2	2.06	<5	106	0.5	<5	0.24	<1	7	45	41	4.48	0.05	0.62	202	3	0.02	26	1131	32	<5	3	<10	6	0.13	109	<10	3	82	8
L120E 64+50N	<0.2	2.22	<5	96	<0.5	<5	0.31	<1	16	119	61	4.74	0.09	1.67	342	3	0.02	96	656	39	<5	3	<10	6	0.19	135	<10	3	110	5
L120E 64+00N	<0.2	3.45	<5	106	<0.5	<5	0.55	<1	19	289	25	4.74	0.16	3.41	321	<2	0.05	349	513	13	9	2	<10	6	0.20	111	<10	2	75	5
L120E 63+50N	<0.2	2.99	<5	130	0.6	<5	0.40	<1	17	142	54	4.82	0.07	1.78	316	3	0.02	122	940	27	<5	4	<10	10	0.16	122	<10	4	115	6
L120E 63+00N	<0.2	3.02	<5	248	0.8	<5	0.78	<1	17	92	63	4.58	0.10	1.50	425	8	0.02	75	460	20	<5	3	<10	30	0.16	122	<10	5	90	8
L120E 62+50N	<0.2	3.48	<5	171	0.8	<5	0.19	<1	9	80	38	4.67	0.05	0.72	225	4	0.02	52	829	30	<5	3	<10	7	0.14	117	<10	3	114	13
L120E 62+00N	<0.2	4.11	6	127	0.9	<5	0.19	<1	11	64	80	4.86	0.05	0.94	300	3	0.02	43	816	33	6	5	<10	8	0.12	113	<10	4	119	10
L120E 61+50N	<0.2	3.15	<5	154	1.4	<5	0.14	<1	15	34	88	3.57	0.04	0.35	324	10	0.02	37	541	36	<5	3	<10	4	0.14	83	<10	5	116	14

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assaya Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ

Date : Aug-22-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L120E 61+00N	0.3	3.34	5	250	0.9	<5	0.26	<1	17	83	394	4.80	0.07	0.99	250	12	0.02	111	369	34	6	5	<10	11	0.16	129	<10	6	124	9
L120E 60+50N	<0.2	2.56	<5	140	1.2	<5	0.28	<1	13	83	241	5.78	0.31	2.23	274	<2	0.03	54	946	40	<5	9	<10	5	0.22	219	<10	5	87	11
L120E 60+00N	<0.2	2.38	<5	134	0.7	<5	0.22	<1	12	53	48	5.65	0.08	0.86	281	12	0.02	28	464	31	<5	5	<10	4	0.23	163	<10	3	182	12
L120E 59+50N	<0.2	2.62	10	131	0.9	<5	0.37	<1	23	134	143	6.07	0.18	1.90	417	54	0.02	121	716	53	8	7	<10	6	0.25	220	<10	4	140	8
L120E 59+00N	<0.2	2.27	<5	161	0.8	<5	0.28	<1	15	94	148	5.47	0.14	1.67	346	5	0.02	56	1362	32	<5	6	<10	4	0.23	168	<10	4	112	9
L120E 58+50N	<0.2	2.58	<5	89	0.7	<5	0.61	<1	15	60	74	5.18	0.10	1.37	342	6	0.02	33	1328	11	<5	5	<10	10	0.24	161	<10	4	85	11
L120E 58+00N	<0.2	1.72	5	64	<0.5	<5	0.33	<1	14	60	107	4.52	0.23	1.66	170	4	0.04	31	650	20	<5	4	<10	<1	0.30	174	<10	7	43	12
L120E 57+50N	<0.2	3.05	<5	121	0.9	<5	0.38	<1	18	218	94	6.46	0.40	2.54	439	5	0.02	104	907	27	<5	7	<10	4	0.24	188	<10	4	91	8
L120E 57+00N	0.2	2.76	<5	191	0.9	<5	0.69	<1	19	70	245	4.20	0.12	1.18	1340	10	0.02	136	615	29	<5	5	<10	21	0.17	108	<10	7	119	8
L120E 56+50N	<0.2	2.41	<5	229	1.1	<5	0.68	<1	21	85	387	4.92	0.13	1.44	877	8	0.02	154	475	42	<5	9	<10	23	0.18	134	<10	13	99	8
L120E 56+00N	0.7	2.72	10	182	1.4	<5	1.09	<1	31	184	737	6.27	0.46	2.30	1451	17	0.02	297	530	58	7	18	<10	85	0.17	154	<10	25	160	11
L120E 55+50N	<0.2	2.74	<5	189	0.9	<5	0.61	<1	21	116	211	4.80	0.26	1.60	716	8	0.02	130	537	38	<5	7	<10	37	0.17	128	<10	9	145	7
L120E 55+05N	0.5	2.40	10	137	1.3	<5	0.87	<1	28	127	699	5.91	0.34	1.75	1015	8	0.02	182	839	67	7	16	<10	38	0.11	134	<10	40	177	9
L104E 50+00N	<0.2	2.45	7	110	0.9	<5	0.68	<1	17	61	76	5.35	0.17	1.61	570	<2	0.02	37	1244	72	<5	7	<10	8	0.16	144	<10	6	181	8
L104E 49+50N	<0.2	2.91	<5	140	1.5	<5	0.99	<1	26	188	101	5.46	0.54	2.77	864	<2	0.03	129	770	30	7	8	<10	13	0.17	147	<10	8	217	8
L104E 49+00N	<0.2	2.27	<5	118	1.0	<5	0.61	<1	19	66	76	4.70	0.57	1.94	608	<2	0.02	46	579	52	<5	8	<10	8	0.16	145	<10	6	163	8
L104E 48+50N	<0.2	3.48	<5	235	1.2	<5	0.68	<1	29	65	83	5.25	0.51	2.08	715	<2	0.02	58	921	50	<5	8	<10	10	0.19	142	<10	6	444	12
L104E 48+00N	<0.2	2.82	<5	94	1.1	<5	0.49	<1	21	68	80	5.18	0.65	2.34	701	<2	0.02	47	794	54	<5	8	<10	3	0.17	150	<10	6	229	10
L104E 47+50N	<0.2	1.86	6	130	0.8	<5	0.67	<1	15	78	85	4.55	0.19	1.48	601	4	0.02	52	820	84	<5	6	<10	16	0.15	129	<10	5	169	7
L104E 47+00N	<0.2	1.87	<5	149	0.8	<5	0.52	<1	13	53	98	4.08	0.13	1.03	367	2	0.03	37	721	61	<5	6	<10	14	0.15	114	<10	6	190	5
L104E 46+50N	1.3	2.93	12	378	3.1	<5	0.92	17	24	75	795	5.45	0.30	1.18	3548	79	0.02	264	658	121	6	14	<10	35	0.13	115	<10	45	1092	15
L104E 46+00N	<0.2	2.99	<5	87	0.6	<5	0.15	<1	12	35	24	3.73	0.05	0.43	403	5	0.02	16	2601	42	<5	3	<10	5	0.16	85	<10	2	161	17
L104E 45+50N	<0.2	2.25	<5	122	0.6	<5	0.32	<1	17	102	72	4.72	0.16	1.55	711	7	0.03	55	1576	48	<5	6	<10	9	0.17	123	<10	3	157	9
L104E 45+00N	<0.2	2.59	6	110	0.8	<5	0.28	<1	17	83	65	4.60	0.17	1.41	479	6	0.02	51	1444	62	<5	6	<10	7	0.16	121	<10	4	201	13
L104E 44+50N	<0.2	2.64	13	601	1.6	<5	0.73	<1	18	88	154	5.28	0.19	1.56	656	8	0.02	65	485	61	<5	12	<10	23	0.14	130	<10	25	179	6
L104E 44+00N	<0.2	2.04	<5	123	<0.5	<5	0.29	<1	12	65	43	3.96	0.06	1.13	366	<2	0.02	39	968	32	<5	4	<10	5	0.18	110	<10	3	171	9
L104E 43+50N	<0.2	2.51	8	141	0.7	<5	0.32	<1	10	82	52	5.13	0.08	1.18	302	3	0.02	47	1045	40	<5	5	<10	4	0.15	130	<10	4	155	8
L104E 43+00N	<0.2	2.78	10	141	1.0	<5	0.39	<1	14	109	121	5.13	0.15	1.69	488	5	0.02	70	685	44	6	6	<10	12	0.13	135	<10	5	135	5
L104E 42+50N	<0.2	2.27	10	254	0.5	<5	0.69	<1	12	112	72	4.77	0.09	1.78	438	3	0.02	74	462	36	<5	6	<10	25	0.15	141	<10	5	115	5
L104E 42+00N	<0.2	2.30	5	146	0.7	<5	0.26	<1	11	43	26	3.67	0.06	0.57	226	4	0.02	31	822	36	<5	3	<10	7	0.13	86	<10	3	169	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ


Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L104E 41+50N	<0.2	2.56	<5	120	0.8	<5	0.28	<1	11	70	83	4.45	0.08	1.20	365	5	0.02	41	890	49	<5	5	<10	5	0.11	119	<10	4	120	7
L104E 41+00N	<0.2	3.39	<5	123	1.1	<5	0.28	<1	19	57	46	4.27	0.06	0.90	352	3	0.02	41	1233	40	6	5	<10	5	0.13	100	<10	4	178	9
L104E 40+50N	<0.2	2.00	<5	122	0.5	<5	0.23	<1	7	51	26	3.37	0.06	0.58	200	2	0.02	31	1117	42	<5	3	<10	6	0.12	84	<10	3	121	6
L104E 40+00N	<0.2	2.11	6	107	0.6	<5	0.36	<1	12	52	42	3.95	0.06	0.97	374	2	0.02	34	769	36	<5	4	<10	9	0.13	110	<10	3	119	5
L104E 39+50N	<0.2	2.54	7	158	0.6	<5	0.42	<1	12	78	67	4.73	0.08	1.48	598	3	0.02	48	1119	49	<5	6	<10	13	0.13	139	<10	4	130	9
L104E 39+00N	<0.2	3.20	7	192	1.1	<5	0.25	<1	21	57	58	4.31	0.08	0.71	707	<2	0.02	44	1315	49	5	5	<10	8	0.14	114	<10	4	177	14
L104E 38+50N	<0.2	3.47	5	172	1.1	<5	0.37	<1	16	67	85	4.85	0.07	1.12	555	<2	0.02	49	1393	73	6	6	<10	10	0.18	134	<10	4	189	19
L104E 38+00N	<0.2	1.90	<5	152	0.6	<5	0.23	<1	12	32	19	3.25	0.04	0.43	258	<2	0.02	27	443	40	<5	3	<10	7	0.15	94	<10	2	105	9
L104E 37+50N	<0.2	0.96	<5	269	<0.5	<5	0.24	<1	9	21	10	2.48	0.06	0.26	273	<2	0.02	15	1125	29	<5	2	<10	14	0.11	70	<10	2	118	4
L104E 37+00N	<0.2	2.11	6	137	1.0	<5	0.53	<1	18	73	91	4.50	0.14	1.40	790	<2	0.02	47	984	51	<5	7	<10	23	0.14	123	<10	7	119	5
L104E 36+50N	<0.2	1.04	<5	82	<0.5	<5	0.25	<1	8	28	16	3.42	0.05	0.30	132	<2	0.02	13	787	49	<5	3	<10	5	0.22	123	<10	2	65	7
L104E 36+00N	<0.2	3.20	<5	140	1.0	<5	0.51	<1	20	164	97	5.47	0.36	2.34	504	2	0.02	126	916	44	10	6	<10	9	0.21	146	<10	5	182	8
L104E 35+50N	<0.2	3.16	<5	65	1.7	<5	0.88	<1	25	49	416	7.75	0.04	1.30	683	<2	0.02	45	2919	38	6	7	<10	55	0.11	132	<10	6	153	8
L104E 35+00N	<0.2	2.37	<5	94	0.7	<5	0.34	<1	10	40	62	4.40	0.06	0.83	276	<2	0.02	28	771	33	6	4	<10	23	0.13	120	<10	4	98	6
L104E 34+50N	<0.2	4.19	<5	121	1.1	<5	0.23	<1	17	46	58	4.71	0.05	0.57	328	<2	0.02	32	1923	32	<5	5	<10	26	0.15	102	<10	4	163	22
L104E 34+00N	<0.2	2.07	<5	120	1.0	<5	1.22	<1	21	55	167	4.48	0.15	1.03	1042	3	0.03	41	584	61	<5	8	<10	69	0.11	103	<10	9	116	8
L104E 33+50N	<0.2	1.33	<5	76	<0.5	<5	0.29	<1	11	30	25	3.57	0.06	0.36	265	<2	0.02	17	424	41	<5	3	<10	21	0.13	111	<10	3	77	4
L104E 33+00N	<0.2	2.88	8	149	1.0	<5	0.46	<1	18	60	75	5.01	0.09	1.02	408	<2	0.02	45	978	48	<5	5	<10	28	0.14	128	<10	3	138	6
L104E 32+50N	<0.2	2.20	6	115	0.6	<5	0.62	<1	17	58	63	4.17	0.08	1.04	391	<2	0.02	41	342	38	<5	5	<10	27	0.12	116	<10	4	130	6
L104E 32+00N	<0.2	2.06	<5	137	0.9	<5	0.54	<1	15	51	80	3.86	0.10	0.92	854	<2	0.02	38	499	47	<5	6	<10	27	0.11	108	<10	8	128	4
L104E 31+50N	<0.2	2.84	<5	92	1.0	<5	0.39	<1	15	56	67	4.84	0.08	1.05	320	2	0.02	36	1334	73	<5	5	<10	13	0.18	126	<10	5	140	10
L104E 31+00N	<0.2	4.09	27	124	1.0	<5	0.22	<1	28	28	312	11.46	0.07	0.41	757	9	0.02	20	3704	127	<5	6	<10	14	0.15	139	<10	10	139	18
L104E 30+50N	<0.2	3.07	6	100	0.8	<5	0.42	<1	16	57	70	5.09	0.09	1.05	392	<2	0.02	39	885	51	<5	5	<10	20	0.15	138	<10	4	130	11
L104E 30+00N	<0.2	2.67	6	101	0.7	<5	0.33	<1	15	52	49	4.92	0.07	0.90	352	2	0.02	34	743	44	7	4	<10	16	0.18	139	<10	3	136	9
L104E 29+50N	<0.2	3.17	9	143	1.0	<5	0.38	<1	24	56	72	5.26	0.09	1.09	377	4	0.02	43	639	43	<5	5	<10	29	0.19	137	<10	4	245	12
L104E 29+00N	1.2	3.04	<5	109	1.1	<5	1.57	5	21	52	219	3.98	0.08	0.63	3056	11	0.03	167	496	54	5	6	<10	94	0.13	72	<10	16	489	8
L104E 28+50N	<0.2	2.52	9	122	1.1	<5	1.07	<1	24	71	125	5.34	0.14	1.17	1042	11	0.02	55	498	59	5	11	<10	83	0.12	119	<10	10	111	8
L104E 28+00N	<0.2	2.35	8	129	0.7	<5	0.41	<1	19	50	56	4.52	0.11	1.00	520	3	0.02	41	450	42	<5	5	<10	48	0.14	124	<10	4	166	5
L104E 27+50N	<0.2	3.28	18	119	1.3	<5	0.32	<1	42	66	154	9.24	0.10	1.04	924	33	0.02	110	930	51	<5	8	<10	13	0.11	155	<10	8	458	10
L104E 27+00N	<0.2	2.02	7	102	0.5	<5	0.44	<1	16	49	43	4.21	0.08	0.92	377	8	0.02	47	384	23	<5	4	<10	28	0.14	124	<10	4	190	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ


Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L104E 26+50N	<0.2	2.77	<5	171	0.8	<5	0.47	<1	19	56	48	5.03	0.07	0.69	1025	7	0.02	52	855	41	<5	5	<10	26	0.13	127	<10	5	235	4
L104E 26+00N	<0.2	2.75	6	109	0.8	<5	0.57	<1	21	62	88	4.77	0.08	1.30	474	10	0.02	64	398	43	<5	7	<10	49	0.14	127	<10	7	162	4
L104E 25+50N	<0.2	2.40	<5	172	0.8	<5	0.97	2	19	51	71	4.38	0.08	0.73	2391	10	0.02	42	415	41	<5	6	<10	82	0.12	108	<10	8	232	7
L104E 25+00N	<0.2	2.14	7	122	0.7	<5	0.33	<1	16	55	77	4.66	0.08	1.10	422	4	0.02	41	516	45	<5	6	<10	48	0.13	130	<10	6	108	4
L104E 24+50N	0.7	1.48	36	166	0.7	<5	0.11	<1	23	23	140	7.61	0.06	0.24	505	10	0.01	88	1464	30	<5	6	<10	<1	0.02	52	<10	12	258	8
L104E 24+00N	<0.2	1.11	105	213	0.8	<5	0.31	<1	33	17	307	9.97	0.05	0.20	1021	40	0.01	146	1813	58	<5	4	<10	20	<0.01	34	<10	10	466	7
L104E 23+50N	<0.2	2.40	18	127	0.8	<5	0.31	<1	17	55	79	4.85	0.07	0.92	577	5	0.02	58	883	34	<5	5	<10	23	0.09	116	<10	4	183	5
L104E 23+00N	<0.2	2.32	9	114	0.8	<5	0.49	<1	18	56	120	5.92	0.09	1.47	645	4	0.02	68	944	33	<5	9	<10	27	0.09	135	<10	8	179	8
L104E 22+50N	<0.2	1.99	6	104	0.6	<5	0.34	<1	20	50	55	3.98	0.07	0.87	425	3	0.02	43	909	32	<5	5	<10	22	0.10	93	<10	4	139	6
L104E 22+00N	<0.2	1.77	<5	81	<0.5	<5	0.25	<1	11	36	33	4.14	0.07	0.49	230	3	0.02	31	910	23	<5	3	<10	13	0.10	89	<10	3	129	6
L104E 21+50N	<0.2	1.84	<5	95	0.6	<5	0.38	<1	16	52	56	3.79	0.08	0.94	561	<2	0.02	39	568	30	<5	4	<10	21	0.12	103	<10	5	124	3
L104E 21+00N	<0.2	1.96	<5	123	0.6	<5	0.49	<1	14	55	74	4.37	0.10	1.14	544	3	0.02	43	786	30	<5	5	<10	30	0.11	106	<10	7	139	3
L104E 20+50N	<0.2	2.23	<5	134	0.7	<5	0.43	<1	17	56	70	4.40	0.10	1.01	546	3	0.02	42	924	37	<5	5	<10	27	0.12	109	<10	6	167	3
L104E 20+00N	<0.2	1.77	<5	103	0.5	<5	0.33	<1	13	44	38	3.47	0.07	0.65	385	3	0.02	29	681	31	<5	4	<10	22	0.10	95	<10	4	130	3
L120E 50+50N	<0.2	2.36	<5	131	0.7	<5	0.92	<1	20	82	145	4.74	0.14	1.49	454	3	0.02	67	685	28	<5	6	<10	12	0.17	130	<10	6	231	5
L120E 51+00N	<0.2	2.55	<5	140	0.9	<5	0.45	<1	15	102	111	4.75	0.16	1.35	373	2	0.02	69	1336	28	<5	5	<10	9	0.18	130	<10	4	167	5
L120E 51+50N	<0.2	2.13	<5	88	0.7	<5	0.44	<1	13	82	65	4.07	0.11	1.29	303	3	0.02	53	809	27	<5	4	<10	10	0.16	121	<10	5	88	6
L120E 52+00N	<0.2	2.05	7	102	0.9	<5	0.57	<1	19	98	99	4.61	0.29	1.72	663	3	0.02	66	775	34	<5	6	<10	17	0.16	134	<10	9	98	5
L120E 52+50N	<0.2	2.30	<5	119	0.6	<5	0.55	<1	16	88	37	4.07	0.19	1.32	409	<2	0.02	63	1207	21	<5	4	<10	11	0.17	111	<10	4	143	6
L120E 53+00N	<0.2	2.61	<5	99	0.8	<5	0.45	<1	16	108	65	4.54	0.22	1.52	369	2	0.02	73	1130	25	<5	5	<10	12	0.15	119	<10	5	140	6
L120E 53+50N	<0.2	1.57	<5	198	<0.5	<5	0.39	<1	12	52	31	3.30	0.08	0.73	505	<2	0.02	32	984	25	<5	3	<10	13	0.14	102	<10	4	92	5
L120E 54+00N	<0.2	3.48	<5	143	1.1	<5	0.43	<1	24	129	238	6.54	0.19	2.18	450	7	0.02	82	1861	52	<5	7	<10	5	0.18	179	<10	6	212	8
L120E 54+50N	<0.2	2.75	14	184	0.7	<5	0.47	<1	16	95	104	5.98	0.11	1.40	359	4	0.02	67	1585	24	5	6	<10	11	0.16	163	<10	5	151	8
L128E 50+00N	<0.2	2.14	21	119	0.8	<5	0.84	<1	24	102	127	5.94	0.21	1.70	1420	13	0.02	63	1165	59	5	9	<10	18	0.11	142	<10	10	117	6
L128E 51+00N	<0.2	2.47	11	130	0.8	<5	0.68	<1	23	98	101	5.20	0.25	1.71	975	6	0.02	68	608	37	6	8	<10	25	0.15	135	<10	8	129	6
L128E 51+50N	<0.2	2.27	9	126	0.7	<5	0.65	<1	15	91	102	4.53	0.19	1.37	595	5	0.02	62	579	27	<5	7	<10	25	0.13	115	<10	9	122	6
L128E 52+00N	<0.2	2.13	<5	119	0.5	<5	0.80	<1	15	94	60	4.25	0.27	1.77	607	6	0.02	60	516	20	<5	6	<10	27	0.16	123	<10	7	92	8
L128E 52+50N	<0.2	2.47	12	129	0.8	<5	0.98	<1	17	154	144	6.04	0.57	2.44	590	10	0.02	105	1141	38	6	9	<10	31	0.16	152	<10	13	118	9
L128E 53+00N	0.2	2.58	10	229	0.9	<5	0.89	2	25	93	235	4.75	0.28	1.26	791	13	0.03	83	843	28	<5	8	<10	39	0.12	109	<10	13	150	10
L128E 53+50N	<0.2	2.34	<5	165	0.8	<5	0.70	<1	18	88	139	4.72	0.19	1.57	766	6	0.02	67	496	44	5	7	<10	27	0.12	123	<10	8	129	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ

Date : Aug-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L128E 54+00N	0.6	2.38	9	207	1.0	<5	0.81	<1	21	85	230	4.63	0.17	1.30	899	7	0.02	77	432	35	7	8	<10	34	0.12	114	<10	10	151	6
L128E 54+50N	<0.2	2.53	8	107	0.8	<5	1.08	<1	14	96	129	4.98	0.16	2.12	573	10	0.02	69	303	27	7	7	<10	31	0.15	142	<10	8	144	7
L128E 55+00N	<0.2	2.62	<5	116	0.9	<5	1.23	<1	16	99	151	5.11	0.17	2.12	614	10	0.02	70	310	24	6	8	<10	34	0.16	151	<10	10	150	7
L128E 55+50N	<0.2	2.70	9	206	0.9	<5	0.71	<1	13	77	123	4.53	0.16	1.00	465	10	0.02	66	404	20	6	8	<10	28	0.11	111	<10	11	137	7
L128E 56+00N	<0.2	1.97	6	135	0.6	<5	0.58	<1	15	64	81	3.75	0.11	0.97	659	5	0.02	52	358	18	<5	5	<10	20	0.11	99	<10	7	124	4
L128E 56+50N	<0.2	1.76	6	121	0.6	<5	0.54	<1	13	67	71	3.80	0.12	1.15	584	3	0.02	44	492	16	6	5	<10	18	0.12	107	<10	6	91	4
L128E 57+00N	<0.2	1.66	<5	133	<0.5	<5	0.48	<1	10	52	57	3.29	0.09	0.77	352	3	0.02	36	419	15	<5	3	<10	18	0.11	92	<10	4	110	3
L128E 57+50N	<0.2	1.94	<5	171	0.6	<5	0.36	<1	13	51	51	3.67	0.10	0.67	409	2	0.02	38	1039	16	<5	4	<10	13	0.13	93	<10	4	155	5
L128E 58+00N	<0.2	1.76	<5	112	<0.5	<5	0.47	<1	11	81	59	4.27	0.15	1.28	426	3	0.02	49	831	14	5	5	<10	12	0.15	137	<10	4	84	5
L128E 58+50N	<0.2	2.81	<5	114	0.6	<5	0.34	<1	19	53	28	3.73	0.09	0.59	385	<2	0.02	34	2412	16	7	3	<10	10	0.12	89	<10	3	167	9
L128E 59+00N	<0.2	1.86	9	146	0.6	<5	0.24	<1	10	51	79	4.20	0.07	0.78	343	3	0.02	31	1388	42	5	4	<10	6	0.12	120	<10	3	121	5
L128E 59+50N	<0.2	2.91	8	126	1.2	<5	0.22	<1	22	92	150	5.77	0.20	1.67	378	4	0.02	71	824	18	9	7	<10	<1	0.21	201	<10	3	91	10
L128E 60+00N	<0.2	3.47	<5	111	1.0	<5	0.30	<1	24	132	107	6.30	0.39	3.01	525	2	0.03	72	968	12	7	8	<10	<1	0.33	226	<10	3	148	10
L128E 60+50N	<0.2	2.47	9	121	1.0	<5	0.32	<1	21	105	127	5.25	0.23	1.75	617	2	0.02	71	850	18	<5	7	<10	3	0.20	175	<10	5	91	9
L128E 61+00N	<0.2	3.02	8	123	1.0	<5	0.27	<1	24	103	110	5.09	0.14	1.57	421	3	0.02	80	831	16	<5	6	<10	4	0.20	157	<10	4	122	16
L128E 61+50N	<0.2	3.28	<5	99	1.1	<5	0.26	<1	24	255	253	5.81	0.30	2.86	430	4	0.03	139	1201	10	8	7	<10	<1	0.24	203	<10	3	110	13
L128E 62+00N	<0.2	1.74	<5	87	0.6	<5	0.30	<1	11	85	70	4.77	0.14	1.47	282	7	0.02	52	1084	12	<5	5	<10	1	0.20	204	<10	4	57	7
L128E 62+50N	<0.2	2.66	<5	88	0.7	<5	0.31	<1	18	142	94	5.02	0.19	1.92	510	2	0.02	103	1254	15	<5	5	<10	3	0.23	153	<10	4	98	8
L128E 63+00N	<0.2	3.39	<5	105	0.7	<5	0.26	<1	26	357	142	5.13	0.23	3.73	378	4	0.03	278	535	11	12	4	<10	<1	0.23	142	<10	3	84	5
L128E 63+50N	<0.2	2.37	<5	82	0.5	<5	0.28	<1	14	174	46	4.88	0.11	2.27	413	3	0.03	113	847	15	8	5	<10	4	0.24	186	<10	3	65	5
L128E 64+00N	<0.2	3.71	6	130	0.9	<5	0.28	<1	25	264	55	5.64	0.46	3.17	423	2	0.02	202	870	7	8	6	<10	2	0.27	176	<10	3	110	10
L128E 64+50N	<0.2	1.40	<5	79	<0.5	<5	0.34	<1	10	84	46	4.26	0.11	1.08	217	11	0.02	45	478	14	<5	4	<10	7	0.24	149	<10	3	50	6
L128E 65+00N	<0.2	1.13	<5	122	<0.5	<5	0.21	<1	9	121	26	2.73	0.07	1.01	165	3	0.02	65	435	16	<5	2	<10	8	0.20	110	<10	2	44	4
L128E 65+50N	<0.2	2.17	<5	68	<0.5	<5	0.27	<1	13	104	47	5.29	0.14	1.42	258	3	0.02	61	1665	16	<5	4	<10	3	0.27	187	<10	3	65	10
L128E 66+00N	<0.2	3.82	<5	146	1.0	<5	0.47	<1	20	417	71	5.83	1.89	5.85	639	<2	0.03	335	1328	12	11	6	<10	7	0.36	216	<10	6	114	7
L128E 66+50N	<0.2	3.55	<5	109	0.6	<5	0.57	<1	27	211	54	5.44	1.07	4.70	387	4	0.03	287	1054	13	6	2	<10	6	0.34	169	<10	4	56	7
L128E 67+00N	<0.2	2.41	<5	117	0.6	<5	0.30	<1	16	126	63	6.32	0.12	1.69	286	5	0.02	70	504	23	<5	5	<10	3	0.27	200	<10	4	69	11
L128E 67+50N	<0.2	1.43	<5	84	<0.5	<5	0.16	<1	9	86	25	4.17	0.04	0.60	335	3	0.02	41	945	13	<5	2	<10	5	0.18	113	<10	2	45	5
L128E 68+00N	<0.2	2.36	5	86	<0.5	<5	0.18	<1	10	130	28	5.59	0.07	1.54	242	3	0.02	92	1030	16	8	3	<10	1	0.21	171	<10	2	73	7
L128E 68+50N	<0.2	1.78	<5	83	<0.5	<5	0.32	<1	9	74	20	4.31	0.07	1.33	333	<2	0.03	33	961	15	5	5	<10	4	0.28	169	<10	3	70	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0706 SJ

Date : Aug-22-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L128E 69+00N	0.2	1.41	6	134	<0.5	<5	0.35	<1	7	54	23	3.72	0.09	0.78	659	4	0.02	28	1344	16	<5	3	<10	11	0.13	113	<10	3	79	3
L128E 69+50N	<0.2	2.99	5	87	0.5	<5	0.19	<1	7	61	21	4.92	0.05	0.68	254	4	0.02	27	1405	16	<5	3	<10	2	0.12	111	<10	3	99	9
L128E 70+00N	<0.2	1.92	<5	103	<0.5	<5	0.51	<1	12	134	35	4.52	0.25	1.93	346	4	0.03	77	1724	11	6	4	<10	12	0.19	122	<10	5	60	4
L128E 70+50N	<0.2	2.75	<5	78	0.6	<5	0.29	<1	7	88	44	6.15	0.30	1.71	335	7	0.02	40	1644	16	<5	4	<10	3	0.22	180	<10	4	79	9
L128E 71+00N	<0.2	2.64	<5	56	0.7	<5	0.18	<1	4	57	63	6.43	0.81	2.36	257	18	0.02	15	429	10	<5	8	<10	<1	0.35	225	<10	4	60	12
L128E 71+50N	<0.2	2.22	5	158	0.6	<5	0.43	<1	11	52	31	5.67	0.10	0.75	285	6	0.02	28	1159	21	<5	3	<10	9	0.14	162	<10	5	125	6
L128E 72+00N	0.2	1.67	<5	114	<0.5	<5	0.24	1	8	24	23	3.57	0.07	0.30	493	3	0.02	16	1083	15	<5	2	<10	10	0.13	83	<10	3	123	7
L128E 72+50N	<0.2	1.87	7	196	<0.5	<5	0.20	<1	7	32	23	4.14	0.06	0.46	212	4	0.02	21	539	11	<5	3	<10	6	0.10	106	<10	3	120	4
L128E 73+00N	<0.2	3.08	<5	115	0.9	<5	0.26	2	27	47	23	5.29	0.05	0.37	643	3	0.02	28	1916	20	<5	2	<10	6	0.11	102	<10	3	213	7
L128E 73+50N	<0.2	3.27	10	191	0.8	<5	0.39	5	32	27	25	4.80	0.06	0.30	1803	2	0.02	29	1790	16	6	3	<10	13	0.15	96	<10	4	375	9
L128E 74+00N	<0.2	3.68	12	160	0.8	<5	0.21	<1	15	53	49	6.21	0.06	0.77	352	4	0.02	50	584	21	6	5	<10	1	0.11	141	<10	4	291	11
L128E 74+50N	0.9	4.20	14	179	1.1	<5	0.36	1	25	43	46	4.58	0.05	0.47	448	3	0.02	46	833	13	7	5	<10	10	0.10	98	<10	11	409	14
L128E 75+00N	<0.2	2.74	10	213	0.6	<5	0.44	<1	10	49	36	5.23	0.11	0.81	614	4	0.01	39	949	25	6	3	<10	8	0.07	119	<10	3	256	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG1

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L124E 74+00N	12
L124E 73+50N	84
L124E 73+00N	4
L124E 72+50N	7
L124E 72+00N	11
L124E 71+50N	4
L124E 71+00N	3
L124E 70+50N	2
L124E 70+00N	3
L124E 69+50N	2
L124E 69+00N	3
L124E 68+50N	8
L124E 68+00N	11
L124E 67+50N	18
L124E 67+00N	20
L124E 66+50N	3
L124E 66+00N	10
L124E 65+50N	7
L124E 65+00N	8
L124E 64+50N	7
L124E 64+00N	12
L124E 63+50N	2
L124E 63+00N	5
L124E 62+50N	8

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG2


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L124E 62+00N	8
L124E 61+50N	4
L124E 61+00N	6
L124E 60+50N	8
L124E 60+00N	8
L124E 59+50N	7
L124E 59+00N	2
L124E 58+50N	2
L124E 58+00N	3
L124E 57+50N	3
L124E 57+00N	10
L124E 56+50N	5
L124E 56+00N	13
L124E 55+50N	10
L124E 55+00N	7
L124E 54+50N	15
L124E 54+00N	13
L124E 53+50N	8
L124E 53+00N	19
L124E 52+50N	6
L124E 52+00N	14
L124E 51+50N	11
L124E 51+00N	9
L124E 50+50N	8

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG3


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L124E 50+00N	10
L124E 49+50N	9
L124E 49+00N	1
L124E 48+50N	3
L124E 48+00N	5
L124E 47+50N	3
L124E 47+00N	9
L124E 46+50N	1
L124E 46+00N	3
L124E 45+50N	5
L124E 45+00N	8
L124E 44+50N	2
L124E 44+00N	N/S
L124E 43+50N	N/S
L116E 77+00N	7
L116E 76+50N	3
L116E 76+00N	2
L116E 75+50N	2
L116E 75+00N	1
L116E 74+50N	1
L116E 74+00N	1
L116E 73+50N	N/S
L116E 73+00N	15
L116E 72+50N	1

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG4


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L116E 72+00N	10
L116E 71+50N	7
L116E 65+00N	1
L116E 64+50N	5
L116E 64+00N	3
L116E 63+50N	27
L116E 63+00N	3
L116E 62+50N	13
L116E 62+00N	2
L116E 61+50N	5
L116E 61+00N	4
L116E 60+50N	37
L116E 60+00N	3
L116E 59+50N	2
L116E 59+00N	12
L116E 58+50N	3
L116E 58+00N	12
L116E 57+50N	15
L116E 57+00N	3
L116E 56+50N	6
L116E 56+00N	6
L116E 55+50N	2
L116E 55+00N	6
L116E 54+50N	14

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG5

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L116E 54+00N	1
L116E 53+50N	1
L116E 53+00N	3
L116E 52+50N	13
L116E 52+00N	6
L116E 51+50N	10
L116E 51+00N	10
L116E 50+50N	13
L116E 50+00N	52
L116E 49+50N	3
L116E 49+00N	16
L116E 48+50N	8
L116E 48+00N	58
L116E 47+50N	7
L116E 47+00N	8
L116E 46+50N	1
L116E 46+00N	3
L116E 45+50N	14
L116E 45+00N	6
L116E 44+50N	10
L116E 44+00N	5
L116E 43+50N	8
L116E 43+00N	12
L136E 80+00N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG6


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L136E 79+50N	3
L136E 79+00N	4
L136E 78+50N	1
L136E 78+00N	5
L136E 77+50N	18
L136E 77+00N	4
L136E 76+50N	6
L136E 76+00N	10
L136E 75+50N	23
L136E 75+00N	10
L136E 74+50N	7
L136E 74+00N	14
L136E 73+50N	31
L136E 73+00N	102
L136E 72+50N	10
L136E 72+00N	N/S
L136E 71+50N	5
L136E 71+00N	5
L136E 70+50N	1
L136E 70+00N	3
L136E 69+50N	5
L136E 69+00N	2
L136E 68+50N	2
L136E 68+00N	4

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG7

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L136E 67+50N	17
L136E 67+00N	1
L136E 66+50N	9
L136E 66+00N	2
L136E 65+50N	3
L136E 65+00N	2
L136E 64+50N	1
L136E 64+00N	12
L136E 63+50N	1
L136E 63+00N	1
L136E 62+50N	7
L136E 62+00N	3
L136E 61+50N	2
L136E 61+00N	6
L136E 60+50N	7
L136E 60+00N	5
L136E 59+50N	1
L136E 59+00N	1
L136E 58+50N	10
L136E 58+00N	18
L136E 57+50N	9
L136E 57+00N	10
L136E 56+50N	5
L136E 56+00N	1

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG8


Aug-25-04

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L136E 55+50N	15
L136E 55+00N	2
L136E 54+50N	6
L136E 54+00N	5
L136E 53+50N	N/S
L136E 53+00N	4
L136E 52+50N	43
L136E 52+00N	1
L136E 51+50N	1
L136E 51+00N	3
L136E 50+50N	2
L136E 50+00N	1
L120E 22+00N	6
L120E 22+50N	8
L120E 23+00N	6
L120E 23+50N	1
L120E 24+00N	9
L120E 24+50N	2
L120E 25+00N	7
L120E 25+50N	6
L120E 26+00N	5
L120E 26+50N	8
L120E 27+00N	31
L120E 27+50N	11

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG9

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L120E 28+00N	11
L120E 28+50N	5
L120E 29+00N	10
L120E 29+50N	6
L120E 30+00N	17
L120E 30+50N	21
L120E 31+00N	9
L120E 31+50N	34
L120E 32+00N	11
L120E 32+50N	12
L120E 33+00N	28
L120E 33+50N	8
L120E 34+00N	8
L120E 34+50N	10
L124E 33+00N	5
L124E 33+50N	28
L124E 34+00N	1130
L124E 34+50N	9
L124E 35+00N	13
L124E 35+50N	6
L124E 36+00N	7
L124E 36+50N	9
L124E 37+00N	12
L124E 37+50N	4
L124E 38+00N	24
L124E 38+50N	13
L124E 39+00N	8
L124E 39+50N	17
L124E 40+00N	7

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG10

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 28 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L124E 40+50N	7
L124E 41+00N	6
L124E 41+50N	10
L124E 42+00N	9
L124E 42+50N	1
L124E 43+00N	5
L124E 43+50N	5
L124E 44+00N	7
L128E 28+25N	6
L128E 28+50N	4
L128E 29+00N	2
L128E 29+50N	2
L128E 30+00N	4
L128E 30+50N	4
L128E 31+00N	1
L128E 31+50N	2
L128E 32+00N	3
L128E 32+50N	5
L128E 33+00N	1
L128E 33+50N	15
L128E 34+00N	5
L128E 34+50N	11
L128E 35+00N	3
L128E 35+50N	3
L128E 36+00N	3
L128E 36+50N	2
L128E 37+00N	1
L128E 37+25N	8

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG11

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L128E 38+00N	N/S
L128E 38+50N	7
L128E 39+00N	1
L128E 39+50N	4
L128E 40+00N	16
L128E 40+50N	1
L128E 41+00N	5
L128E 41+50N	1
L128E 42+00N	3
L128E 42+50N	1
L128E 43+00N	11
L128E 43+50N	1
L128E 44+00N	565
L128E 44+50N	1
L128E 45+00N	4
L128E 45+50N	3
L128E 46+00N	4
L128E 46+50N	3
L128E 47+00N	1
L128E 47+50N	1
L128E 48+00N	1
L128E 48+50N	26
L128E 49+00N	17
L128E 49+50N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG12

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L132E 30+00N	13
L132E 30+50N	4
L132E 31+00N	7
L132E 31+50N	1
L132E 32+00N	7
L132E 32+50N	8
L132E 33+00N	N/S
L132E 33+50N	N/S
L132E 34+00N	36
L132E 34+50N	12
L132E 35+00N	46
L132E 35+50N	239
L132E 36+00N	10
L132E 36+50N	7
L132E 37+00N	9
L132E 37+50N	14
L132E 38+00N	14
L132E 38+50N	6
L132E 39+00N	5
L132E 39+50N	29
L132E 40+00N	6
L132E 40+50N	8
L132E 41+00N	2
L132E 41+50N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG13

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L132E 42+00N	10
L132E 42+50N	106
L132E 43+00N	10
L132E 43+50N	7
L132E 44+00N	6
L132E 44+50N	6
L132E 45+00N	16
L132E 45+50N	6
L132E 46+00N	8
L132E 46+50N	10
L132E 47+00N	8
L132E 47+50N	9
L132E 48+00N	10
L132E 48+50N	11
L132E 49+00N	8
L140E 74+50N	8
L140E 75+00N	5
L140E 75+50N	22
L140E 76+00N	5
L140E 76+50N	5
L140E 77+00N	6
L140E 77+50N	15
L140E 78+00N	6
L140E 78+50N	7

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG14

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L144E 60+50N	4
L144E 61+00N	4
L144E 61+50N	6
L144E 62+00N	16
L144E 62+50N	8
L144E 63+00N	4
L144E 63+50N	7
L144E 64+00N	4
L144E 64+50N	9
L144E 65+00N	5
L144E 65+50N	14
L144E 66+00N	2
L144E 66+50N	13
L144E 67+00N	3
L144E 67+50N	10
L144E 68+00N	30
L144E 68+50N	71
L144E 69+00N	8
L144E 69+50N	14
L144E 70+00N	20
L144E 70+50N	20
L144E 71+00N	11
L144E 71+50N	37
L144E 72+00N	30

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG15

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L144E 72+50N	26
L144E 73+00N	34
L144E 73+50N	6
L144E 74+00N	5
L144E 74+50N	5
L144E 75+00N	3
L144E 75+50N	4
L144E 75+75N	6
L144E 76+50N	N/S
L144E 77+00N	N/S
L144E 77+50N	8
L144E 78+00N	8
L144E 78+50N	9
L144E 79+00N	3
L148E 66+00N	64
L148E 66+50N	9
L148E 67+00N	44
L148E 67+50N	164
L148E 68+00N	14
L148E 68+50N	23
L148E 69+00N	30
L148E 69+50N	36
L148E 70+00N	8
L148E 70+50N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG16

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L148E 71+00N	8
L148E 71+50N	16
L148E 72+00N	15
L148E 72+50N	6
L148E 73+00N	6
L132E 49+50N	10
L132E 50+00N	6
L132E 50+50N	11
L132E 51+00N	29
L132E 51+50N	27
L132E 52+00N	4
L132E 52+50N	7
L132E 53+00N	5
L132E 53+50N	7
L132E 54+00N	15
L132E 54+50N	3
L132E 55+00N	6
L132E 55+50N	7
L132E 56+00N	1
L132E 56+50N	15
L132E 57+00N	12
L132E 57+50N	7
L132E 58+00N	12
L132E 58+50N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG17

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L132E 59+00N	20
L132E 59+50N	2
L132E 60+00N	18
L132E 60+50N	2
L132E 61+00N	1
L132E 61+50N	3
L132E 62+00N	7
L132E 62+50N	8
L132E 63+00N	2
L132E 63+50N	1
L132E 64+00N	17
L132E 64+50N	1
L132E 65+00N	2
L132E 65+50N	1
L132E 66+00N	1
L132E 66+50N	3
L132E 67+00N	8
L132E 67+50N	10
L132E 68+00N	3
L132E 68+50N	1
L132E 69+00N	1
L132E 69+50N	1
L132E 70+00N	5
L132E 70+50N	2

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG18


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L132E 71+00N	8
L132E 71+50N	3
L132E 72+00N	4
L132E 72+50N	1
L132E 73+00N	3
L132E 73+50N	8
L132E 74+00N	11
L132E 74+50N	1
L132E 75+00N	1
L132E 75+50N	6
L132E 76+00N	5
L132E 76+50N	2
L132E 77+00N	4
L132E 77+50N	2
L132E 78+00N	N/S
L100E 55+00N	11
L100E 54+50N	2
L100E 54+00N	29
L100E 53+50N	1
L100E 53+00N	2
L100E 52+50N	3
L100E 52+00N	5
L100E 51+50N	10
L100E 51+00N	2

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate


4V-0707-SG19

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L100E 50+50N	9
L100E 50+00N	9
L100E 49+50N	6
L100E 49+00N	5
L100E 48+50N	8
L100E 48+00N	11
L100E 47+50N	3
L100E 47+00N	4
L100E 46+50N	90
L100E 46+00N	6
L100E 45+50N	4
L100E 45+00N	15
L100E 44+50N	3
L100E 44+00N	23
L100E 43+50N	6
L100E 43+00N	2
L100E 42+50N	15
L100E 42+00N	16
L100E 41+50N	48
L100E 41+00N	20
L100E 40+50N	20
L100E 40+00N	16
L100E 39+50N	9
L100E 39+00N	9

Certified by 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG20

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L100E 38+50N	4
L100E 38+00N	6
L100E 37+50N	3
L100E 37+00N	4
L104E 50+50N	1
L104E 51+00N	5
L104E 51+50N	103
L104E 52+00N	1
L104E 52+50N	6
L104E 53+00N	2
L104E 53+50N	28
L104E 54+00N	2
L104E 54+50N	1
L104E 55+00N	8
L104E 55+50N	2
L104E 56+00N	1
L104E 56+50N	4
L104E 57+00N	2
L104E 57+50N	5
L104E 58+00N	3
L104E 58+50N	15
L104E 59+00N	1
L104E 59+50N	2
L104E 60+00N	1

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0707-SG21

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Aug-25-04

We *hereby certify* the following geochemical analysis of 22 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L104E 60+50N	1
L104E 61+00N	N/S
L104E 61+50N	N/S
L104E 62+00N	10
L104E 62+50N	5
L104E 63+00N	2
L104E 63+50N	1
L104E 64+00N	1
L104E 64+50N	1
L104E 65+00N	2
L104E 65+50N	8
L104E 66+00N	2
L104E 66+50N	2
L104E 67+00N	2
L104E 67+50N	2
L104E 68+00N	4
L104E 68+50N	7
L104E 69+00N	3
L104E 69+50N	4
L104E 70+00N	3
L104E 70+50N	21
L104E 71+00N	2

Certified by _____

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L124E 74+00N	<0.2	2.73	20	140	0.7	<5	0.30	<1	20	64	56	5.04	0.05	1.05	532	3	<0.01	56	886	18	5	6	<10	9	0.07	108	<10	6	253	5
L124E 73+50N	0.5	3.88	23	147	0.9	<5	0.26	<1	21	73	57	6.19	0.05	1.09	382	3	0.01	78	1559	19	7	6	<10	6	0.06	125	<10	6	375	7
L124E 73+00N	0.5	1.95	<5	103	0.6	<5	0.88	<1	11	35	37	5.40	0.07	1.15	463	3	0.01	17	903	22	<5	7	<10	11	0.27	180	<10	6	108	10
L124E 72+50N	<0.2	3.46	14	94	0.7	<5	0.27	<1	14	85	82	5.35	0.07	1.27	479	4	0.01	63	1494	19	7	4	<10	3	0.09	118	<10	4	187	6
L124E 72+00N	<0.2	2.03	<5	63	<0.5	<5	0.26	<1	7	36	15	3.95	0.04	0.37	171	2	0.02	17	1160	18	<5	2	<10	4	0.15	101	<10	3	60	6
L124E 71+50N	<0.2	2.96	<5	113	0.7	<5	0.74	<1	7	78	45	5.82	0.13	2.16	485	4	0.02	42	707	16	<5	8	<10	12	0.24	191	<10	5	80	6
L124E 71+00N	<0.2	2.75	<5	98	0.7	<5	0.30	<1	7	81	53	5.30	0.11	1.57	306	5	0.02	36	939	13	<5	4	<10	5	0.21	156	<10	4	72	8
L124E 70+50N	<0.2	2.10	<5	81	<0.5	<5	0.19	<1	7	33	15	3.09	0.04	0.44	192	3	0.01	20	800	16	<5	2	<10	9	0.10	70	<10	4	68	2
L124E 70+00N	<0.2	2.28	<5	67	0.6	<5	0.29	<1	12	116	36	4.47	0.16	1.33	256	5	0.02	64	404	19	<5	4	<10	4	0.22	127	<10	5	100	7
L124E 69+50N	<0.2	1.80	<5	179	<0.5	<5	0.41	<1	6	77	46	5.20	0.19	1.02	232	4	0.02	30	729	22	<5	4	<10	14	0.26	178	<10	3	49	5
L124E 69+00N	0.3	1.74	<5	56	<0.5	<5	0.10	<1	4	27	22	2.66	0.03	0.25	101	2	0.01	10	509	17	<5	2	<10	3	0.10	65	<10	2	34	4
L124E 68+50N	<0.2	3.37	<5	81	1.0	<5	0.24	<1	16	56	61	5.59	0.05	0.48	232	40	0.01	77	837	19	5	5	<10	5	0.15	128	<10	5	99	9
L124E 68+00N	0.3	2.12	9	156	0.5	<5	0.28	<1	8	60	41	4.97	0.07	0.79	294	6	0.01	31	704	22	<5	4	<10	11	0.10	127	<10	3	108	4
L124E 67+50N	<0.2	1.96	15	118	<0.5	<5	0.29	<1	10	67	46	4.74	0.07	0.99	339	4	0.01	41	1108	21	<5	5	<10	9	0.10	124	<10	3	99	4
L124E 67+00N	<0.2	3.64	<5	87	0.9	<5	0.11	<1	9	61	60	4.44	0.05	0.61	186	3	0.02	27	1216	20	5	4	<10	<1	0.18	114	<10	4	71	31
L124E 66+50N	<0.2	2.51	<5	100	0.6	<5	0.26	<1	15	165	27	4.35	0.54	2.62	499	<2	0.02	154	485	9	<5	3	<10	5	0.29	127	<10	2	78	6
L124E 66+00N	<0.2	3.68	<5	90	0.8	<5	0.07	<1	8	43	40	3.55	0.04	0.37	172	<2	0.02	20	856	21	<5	4	<10	<1	0.15	89	<10	3	62	22
L124E 65+50N	<0.2	2.86	6	71	0.7	<5	0.09	<1	8	53	36	4.88	0.04	0.41	175	3	0.01	19	748	23	<5	4	<10	<1	0.18	138	<10	3	65	15
L124E 65+00N	<0.2	3.81	6	89	0.8	<5	0.11	<1	7	54	43	4.22	0.04	0.45	174	2	0.01	21	1214	30	<5	4	<10	<1	0.14	112	<10	2	83	27
L124E 64+50N	<0.2	3.05	<5	88	0.6	<5	0.09	<1	5	42	27	4.24	0.04	0.30	136	3	0.01	13	1132	37	<5	3	<10	<1	0.16	115	<10	2	59	11
L124E 64+00N	<0.2	2.87	<5	118	0.8	<5	0.09	<1	6	26	32	2.64	0.03	0.23	115	<2	0.01	13	811	26	<5	3	<10	3	0.10	69	<10	3	65	17
L124E 63+50N	<0.2	1.53	<5	39	<0.5	<5	0.01	<1	3	10	5	1.47	0.02	0.03	47	<2	0.01	2	591	21	<5	<1	<10	1	0.12	48	<10	<1	17	5
L124E 63+00N	<0.2	1.82	<5	74	0.5	<5	0.07	<1	4	16	8	2.69	0.03	0.12	94	2	0.01	7	1530	21	<5	2	<10	2	0.11	56	<10	2	58	9
L124E 62+50N	<0.2	0.91	<5	49	<0.5	<5	0.06	<1	3	11	7	1.65	0.02	0.06	70	<2	0.01	5	378	21	<5	1	<10	2	0.07	50	<10	1	26	2
L124E 62+00N	<0.2	1.97	6	99	0.5	<5	0.12	<1	5	37	31	3.71	0.05	0.41	171	4	0.01	21	589	30	<5	3	<10	2	0.10	104	<10	2	71	6
L124E 61+50N	<0.2	2.17	7	227	0.8	<5	0.32	<1	13	52	77	3.90	0.06	0.68	434	8	0.02	33	655	30	<5	4	<10	13	0.09	106	<10	4	102	3
L124E 61+00N	<0.2	2.75	11	234	1.0	<5	0.32	<1	10	55	62	4.42	0.07	0.65	220	5	0.02	38	457	29	<5	4	<10	12	0.11	105	<10	5	157	5
L124E 60+50N	<0.2	2.34	<5	186	0.7	<5	0.73	<1	14	58	79	4.04	0.11	0.83	546	7	0.01	42	297	35	<5	7	<10	39	0.10	96	<10	6	141	9
L124E 60+00N	1.1	2.50	9	217	0.8	<5	1.13	<1	14	85	204	4.50	0.11	1.13	399	5	0.02	74	410	37	7	7	<10	28	0.12	116	<10	10	97	7
L124E 59+50N	<0.2	2.28	18	104	1.0	<5	0.34	<1	20	53	311	8.50	0.28	1.45	313	22	0.02	35	1160	67	<5	7	<10	<1	0.26	267	<10	5	64	13

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L124E 59+00N	<0.2	3.02	<5	120	0.9	<5	0.49	<1	23	83	133	6.14	0.21	2.14	642	3	0.02	45	827	51	<5	7	<10	7	0.27	208	<10	6	107	9
L124E 58+50N	<0.2	2.52	<5	88	0.9	<5	0.31	<1	25	62	97	6.09	0.11	1.55	453	2	0.02	37	965	57	<5	6	<10	<1	0.23	202	<10	6	84	8
L124E 58+00N	<0.2	2.36	10	82	0.7	<5	0.34	<1	16	67	103	5.60	0.12	1.35	290	3	0.02	44	946	26	<5	5	<10	3	0.20	166	<10	4	95	7
L124E 57+50N	<0.2	2.09	<5	103	0.6	<5	0.25	<1	14	104	52	4.11	0.10	1.36	258	<2	0.02	65	797	29	<5	4	<10	4	0.20	124	<10	4	109	6
L124E 57+00N	<0.2	2.16	9	105	0.6	<5	0.44	<1	15	76	79	4.61	0.11	1.45	467	2	0.01	53	575	27	6	5	<10	11	0.14	125	<10	5	111	4
L124E 56+50N	<0.2	1.96	<5	72	0.6	<5	0.54	<1	12	64	74	4.10	0.14	1.04	269	2	0.02	46	520	25	<5	4	<10	13	0.17	126	<10	5	94	5
L124E 56+00N	<0.2	2.08	11	96	0.9	<5	0.60	<1	20	86	144	4.73	0.28	1.59	622	3	0.02	67	853	39	<5	7	<10	18	0.15	138	<10	9	79	7
L124E 55+50N	<0.2	1.88	7	135	0.6	<5	0.65	<1	12	72	91	4.44	0.15	1.33	330	3	0.04	48	736	28	<5	5	<10	17	0.17	139	<10	6	83	5
L124E 55+00N	0.6	2.97	8	139	1.3	<5	0.47	<1	32	118	152	5.40	0.11	1.58	1371	6	0.02	95	1027	41	5	7	<10	11	0.18	139	<10	6	191	5
L124E 54+50N	<0.2	2.03	8	177	0.8	<5	0.46	<1	18	67	173	4.22	0.13	1.00	585	4	0.02	59	390	27	<5	9	<10	14	0.12	106	<10	14	83	5
L124E 54+00N	0.6	2.99	11	190	1.3	<5	0.61	<1	20	99	230	5.62	0.20	1.54	719	5	0.02	86	444	37	5	11	<10	18	0.14	149	<10	13	148	7
L124E 53+50N	0.7	2.21	<5	162	0.7	<5	1.27	<1	18	71	150	4.28	0.15	1.21	599	5	0.02	64	554	41	<5	6	<10	45	0.11	103	<10	11	148	7
L124E 53+00N	1.6	3.15	12	273	1.4	<5	0.84	<1	18	88	323	5.44	0.19	1.23	829	7	0.02	97	557	37	<5	13	<10	32	0.12	126	<10	23	143	10
L124E 52+50N	1.0	3.20	19	198	1.0	<5	1.11	2	18	68	131	5.51	0.10	0.94	1301	14	0.03	107	597	29	<5	6	<10	46	0.16	109	<10	12	147	11
L124E 52+00N	0.8	3.14	10	238	1.0	<5	0.60	<1	23	111	207	5.49	0.13	1.53	1088	12	0.02	109	484	39	<5	11	<10	26	0.16	139	<10	12	152	9
L124E 51+50N	0.9	2.23	7	167	0.9	<5	1.04	<1	19	79	231	4.85	0.15	1.18	1363	12	0.02	82	782	25	<5	9	<10	50	0.11	120	<10	15	130	5
L124E 51+00N	<0.2	2.21	6	102	0.7	<5	0.98	<1	14	86	93	4.68	0.26	1.69	1093	8	0.02	52	956	22	<5	8	<10	22	0.13	117	<10	10	80	7
L124E 50+50N	<0.2	2.36	16	110	0.8	<5	0.79	<1	18	105	131	5.36	0.31	1.95	805	7	0.02	81	1134	28	7	10	<10	27	0.14	135	<10	12	120	11
L124E 50+00N	<0.2	2.46	6	125	0.7	<5	0.57	<1	14	93	66	4.37	0.14	1.58	642	5	0.01	64	548	22	<5	6	<10	23	0.13	113	<10	6	132	4
L124E 49+50N	<0.2	2.19	12	108	0.6	<5	0.35	<1	12	86	76	4.86	0.10	1.39	404	6	0.01	54	666	26	9	6	<10	9	0.13	127	<10	5	142	5
L124E 49+00N	<0.2	0.57	<5	46	<0.5	<5	0.88	<1	5	7	17	1.59	0.04	0.15	186	<2	0.03	9	1006	7	<5	1	<10	31	0.08	56	<10	4	32	3
L124E 48+50N	1.6	2.12	9	174	1.1	<5	1.00	<1	13	47	127	3.74	0.12	0.47	738	9	0.02	44	653	25	6	5	<10	36	0.07	84	<10	15	96	4
L124E 48+00N	0.8	3.26	15	241	1.4	<5	0.68	<1	19	88	140	5.32	0.17	1.09	684	5	0.02	87	466	35	7	9	<10	25	0.11	121	<10	13	185	5
L124E 47+50N	1.7	2.11	5	136	0.7	<5	1.77	1	8	44	83	3.42	0.09	0.50	180	8	0.02	37	450	20	5	4	<10	56	0.09	77	<10	10	103	6
L124E 47+00N	1.7	2.82	9	172	0.8	<5	0.88	<1	12	72	121	4.04	0.15	0.90	565	6	0.04	71	643	23	5	6	<10	32	0.12	70	<10	11	139	9
L124E 46+50N	<0.2	1.87	<5	115	0.8	<5	0.69	<1	11	81	73	5.44	0.38	1.65	643	<2	0.02	42	1030	27	<5	8	<10	4	0.17	193	<10	5	103	7
L124E 46+00N	0.4	2.68	<5	116	0.9	<5	0.88	<1	26	96	209	5.93	0.10	1.43	626	4	0.02	59	559	57	6	8	<10	12	0.20	168	<10	7	148	9
L124E 45+50N	<0.2	2.16	11	107	0.6	<5	0.30	<1	12	122	58	4.72	0.10	1.27	299	3	0.02	60	326	38	8	5	<10	8	0.18	133	<10	3	123	8
L124E 45+00N	<0.2	1.89	8	101	<0.5	<5	0.36	<1	9	77	50	4.35	0.07	1.08	274	2	0.01	42	702	24	8	5	<10	11	0.13	129	<10	3	97	4
L124E 44+50N	<0.2	2.44	<5	88	0.7	<5	0.20	<1	16	76	58	5.45	0.05	0.73	388	4	0.01	36	1107	25	<5	5	<10	2	0.12	130	<10	3	141	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assaya Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L116E 77+00N	<0.2	4.53	7	163	0.9	<5	0.21	<1	12	58	55	5.88	0.05	0.81	329	5	0.01	46	716	16	9	6	<10	<1	0.10	138	<10	5	181	9
L116E 76+50N	<0.2	3.86	5	158	0.8	<5	0.14	<1	12	51	38	4.91	0.05	0.65	287	2	0.01	35	1083	15	5	5	<10	<1	0.11	111	<10	5	175	13
L116E 76+00N	<0.2	3.53	7	182	0.7	<5	0.29	<1	14	69	58	5.60	0.07	1.14	465	3	<0.01	53	631	21	6	6	<10	6	0.08	141	<10	4	191	5
L116E 75+50N	<0.2	2.53	7	164	0.6	<5	0.28	<1	15	53	46	4.45	0.06	0.85	421	2	0.01	37	1161	11	6	5	<10	7	0.08	105	<10	5	182	3
L116E 75+00N	0.7	2.68	<5	210	0.7	<5	0.68	2	13	51	34	3.70	0.06	0.75	1992	3	0.02	39	1029	15	<5	4	<10	17	0.13	94	<10	5	257	4
L116E 74+50N	<0.2	2.15	<5	167	<0.5	<5	0.23	<1	5	67	55	5.15	0.12	1.13	313	9	0.02	32	1303	47	<5	5	<10	6	0.13	160	<10	4	98	5
L116E 74+00N	<0.2	2.94	<5	98	0.6	<5	0.27	<1	9	44	25	4.87	0.05	0.58	230	3	0.01	24	794	17	<5	4	<10	7	0.12	110	<10	4	115	7
L116E 73+00N	<0.2	3.31	<5	83	0.6	<5	0.30	<1	9	60	19	4.53	0.04	0.61	202	4	0.01	33	985	14	<5	4	<10	4	0.15	103	<10	3	81	10
L116E 72+50N	<0.2	2.86	<5	121	0.6	<5	0.47	<1	13	76	38	5.50	0.18	1.38	399	5	0.01	53	778	20	<5	5	<10	<1	0.18	135	<10	4	122	7
L116E 72+00N	0.6	2.89	<5	147	0.7	<5	0.37	<1	18	222	47	5.91	0.10	2.03	508	7	0.02	127	1105	83	7	6	<10	2	0.18	149	<10	4	197	6
L116E 71+50N	<0.2	2.78	<5	105	0.7	<5	0.45	<1	9	88	61	5.36	0.09	1.23	301	6	0.01	44	927	27	<5	5	<10	3	0.19	134	<10	5	76	7
L116E 65+00N	0.4	3.57	<5	75	0.9	<5	0.16	<1	11	44	43	4.52	0.05	0.61	234	3	0.02	22	1270	22	<5	4	<10	<1	0.22	120	<10	4	102	25
L116E 64+50N	0.6	2.67	<5	116	0.8	<5	0.43	<1	11	61	70	5.44	0.08	0.89	280	7	0.01	34	532	25	<5	5	<10	8	0.19	149	<10	4	144	9
L116E 64+00N	0.7	2.68	<5	196	2.0	<5	0.56	<1	11	67	280	3.44	0.06	0.75	194	4	0.02	54	517	23	<5	6	<10	26	0.15	117	<10	16	138	7
L116E 63+50N	<0.2	1.72	11	150	0.7	<5	0.21	<1	11	32	98	4.57	0.10	0.95	263	3	0.02	17	620	17	<5	5	<10	2	0.22	174	<10	3	120	9
L116E 63+00N	0.6	2.06	<5	136	0.8	<5	0.27	<1	12	44	211	5.29	0.14	1.12	574	3	0.02	19	1170	29	<5	5	<10	<1	0.23	177	<10	5	92	9
L116E 62+50N	<0.2	3.65	7	123	1.7	<5	0.26	<1	27	230	261	6.10	0.77	3.69	429	<2	0.02	187	637	20	9	10	<10	<1	0.28	221	<10	5	124	14
L116E 62+00N	<0.2	0.68	<5	61	<0.5	<5	0.32	<1	8	25	35	2.78	0.08	0.41	145	<2	0.01	8	533	23	<5	4	<10	10	0.25	143	<10	4	40	6
L116E 61+50N	<0.2	2.70	<5	115	1.5	<5	0.45	<1	19	72	640	6.47	0.23	1.93	559	6	0.02	41	1256	25	<5	9	<10	6	0.23	225	<10	7	136	12
L116E 61+00N	<0.2	1.99	<5	89	0.6	<5	0.22	<1	11	54	52	5.22	0.09	0.90	336	5	0.01	27	1106	26	<5	5	<10	<1	0.17	156	<10	3	123	6
L116E 60+50N	0.5	2.85	<5	1139	3.2	<5	0.31	<1	50	222	687	8.45	0.53	2.15	1463	120	0.01	140	843	268	8	18	<10	9	0.16	306	<10	7	245	11
L116E 60+00N	<0.2	2.34	<5	100	1.0	<5	0.25	<1	13	54	169	5.11	0.16	1.97	227	2	0.02	29	752	12	<5	7	<10	<1	0.26	191	<10	8	89	13
L116E 59+50N	0.4	1.25	<5	71	<0.5	<5	0.41	<1	8	32	55	3.83	0.12	0.98	173	6	0.02	12	1213	49	<5	3	<10	5	0.32	127	<10	7	56	11
L116E 59+00N	<0.2	2.52	<5	102	1.0	<5	0.35	<1	20	71	273	5.65	0.25	1.62	325	13	0.02	51	1130	21	<5	7	<10	1	0.23	173	<10	6	94	11
L116E 58+50N	0.2	2.59	<5	90	0.8	<5	0.35	<1	19	111	109	5.80	0.12	1.68	300	5	0.02	84	1464	18	<5	5	<10	<1	0.24	168	<10	4	153	8
L116E 58+00N	<0.2	2.38	<5	110	0.7	<5	0.43	<1	17	99	133	5.93	0.34	2.00	369	6	0.02	68	1424	22	<5	6	<10	4	0.25	180	<10	5	121	9
L116E 57+50N	<0.2	2.28	7	95	0.8	<5	0.49	<1	18	91	233	5.22	0.22	1.73	494	6	0.02	68	690	22	5	7	<10	9	0.18	151	<10	7	117	6
L116E 57+00N	<0.2	1.42	<5	147	0.5	<5	0.49	<1	11	51	94	3.01	0.12	0.86	361	2	0.02	31	487	15	<5	4	<10	19	0.12	96	<10	9	66	3
L116E 56+50N	0.4	2.24	<5	101	0.5	<5	0.30	<1	10	65	62	3.84	0.09	1.18	397	3	0.01	37	486	14	5	5	<10	6	0.13	118	<10	4	107	3
L116E 56+00N	<0.2	1.90	6	69	<0.5	<5	0.36	<1	9	56	69	3.90	0.08	1.01	311	2	0.01	37	879	18	<5	5	<10	7	0.11	104	<10	5	94	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assaya... Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ


Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L116E 55+50N	0.3	2.23	<5	138	0.7	<5	0.58	<1	15	60	121	4.78	0.17	1.20	675	5	0.02	51	790	43	5	6	<10	9	0.15	134	<10	7	159	4
L116E 55+00N	<0.2	1.83	6	80	<0.5	<5	0.33	<1	8	69	46	4.68	0.08	1.00	274	4	0.02	35	740	32	6	4	<10	5	0.16	139	<10	4	91	5
L116E 54+50N	<0.2	2.30	<5	95	0.6	<5	0.46	<1	11	82	51	4.78	0.09	1.28	314	2	0.02	49	1836	38	<5	5	<10	10	0.17	139	<10	5	151	10
L116E 54+00N	<0.2	2.14	<5	129	0.7	<5	0.43	<1	14	86	48	4.67	0.10	1.52	340	3	0.02	48	1622	53	<5	5	<10	4	0.22	142	<10	4	190	9
L116E 53+50N	0.7	1.42	<5	112	0.5	<5	0.81	<1	10	47	70	3.39	0.17	0.95	205	5	0.02	28	309	41	<5	5	<10	19	0.23	116	<10	6	123	9
L116E 53+00N	0.8	2.05	<5	125	0.6	<5	0.83	<1	17	58	101	4.19	0.14	1.14	277	7	0.02	46	297	37	7	5	<10	19	0.18	118	<10	6	127	7
L116E 52+50N	0.8	2.23	<5	152	1.0	<5	0.83	<1	23	65	184	4.56	0.18	1.10	927	9	0.02	58	357	54	6	8	<10	21	0.16	112	<10	13	127	8
L116E 52+00N	2.0	2.28	<5	148	0.9	<5	0.73	<1	16	48	165	4.39	0.09	0.61	268	8	0.02	52	206	67	<5	6	<10	20	0.19	99	<10	10	124	16
L116E 51+50N	1.3	2.12	<5	157	1.0	<5	0.98	<1	17	62	203	4.26	0.13	0.92	614	7	0.02	55	505	49	5	7	<10	32	0.11	98	<10	15	95	6
L116E 51+00N	<0.2	1.92	6	108	0.8	<5	0.87	<1	19	76	114	6.00	0.34	1.46	627	9	0.02	43	857	70	<5	10	<10	19	0.14	147	<10	11	134	9
L116E 50+50N	<0.2	2.24	8	121	0.8	<5	0.76	<1	20	76	100	5.04	0.41	1.62	847	4	0.02	49	410	36	<5	11	<10	20	0.16	136	<10	10	142	8
L116E 50+00N	0.3	1.60	<5	123	<0.5	<5	0.60	<1	9	75	27	3.07	0.19	0.94	363	<2	0.02	42	1050	24	5	3	<10	17	0.15	91	<10	3	104	5
L116E 49+50N	0.2	2.03	<5	225	0.6	<5	0.34	<1	12	218	38	4.51	0.45	2.11	498	<2	0.02	97	1391	51	7	5	<10	7	0.23	148	<10	3	122	8
L116E 49+00N	<0.2	2.15	15	123	0.7	<5	0.52	<1	22	83	102	5.10	0.16	1.49	926	3	0.01	60	924	27	6	9	<10	17	0.10	120	<10	9	130	5
L116E 48+50N	<0.2	1.71	<5	103	0.6	<5	0.42	<1	13	60	67	3.71	0.10	0.92	415	2	0.01	40	896	37	<5	4	<10	11	0.12	100	<10	5	102	5
L116E 48+00N	<0.2	1.74	6	84	0.6	<5	0.36	<1	11	70	65	3.61	0.10	1.09	372	<2	0.01	44	739	26	<5	4	<10	8	0.13	101	<10	5	94	3
L116E 47+50N	<0.2	2.16	<5	79	0.7	<5	0.45	<1	13	79	77	4.24	0.12	1.33	418	<2	0.01	56	696	24	<5	5	<10	10	0.13	116	<10	6	122	4
L116E 47+00N	<0.2	2.15	5	95	0.7	<5	0.46	<1	16	78	79	4.40	0.17	1.40	629	2	0.01	51	754	24	<5	6	<10	10	0.14	120	<10	7	121	5
L116E 46+50N	0.5	1.95	5	141	0.7	<5	0.33	<1	15	60	50	3.44	0.09	0.77	633	2	0.02	36	769	25	<5	4	<10	11	0.11	100	<10	4	107	3
L116E 46+00N	<0.2	2.29	5	125	0.6	<5	0.44	<1	13	89	72	4.57	0.11	1.43	520	3	0.02	53	1003	28	6	6	<10	11	0.14	129	<10	5	120	5
L116E 45+50N	<0.2	2.33	5	103	0.6	<5	0.43	<1	12	87	66	4.42	0.12	1.41	430	2	0.02	53	900	22	<5	5	<10	11	0.14	120	<10	4	118	5
L116E 45+00N	<0.2	2.27	<5	118	0.8	<5	0.39	<1	19	80	83	4.17	0.12	1.28	572	2	0.01	57	752	28	<5	5	<10	9	0.14	110	<10	5	152	4
L116E 44+50N	<0.2	1.76	<5	132	0.6	<5	0.37	<1	12	51	49	3.49	0.08	0.72	395	3	0.02	37	698	31	<5	4	<10	15	0.12	98	<10	5	86	3
L116E 44+00N	<0.2	1.21	<5	70	<0.5	<5	0.29	<1	7	45	32	2.80	0.08	0.63	199	<2	0.01	27	506	21	<5	3	<10	8	0.10	81	<10	3	73	2
L116E 43+50N	1.4	2.51	<5	140	1.0	<5	0.74	<1	17	83	126	4.72	0.16	1.33	702	4	0.02	65	579	30	<5	9	<10	29	0.11	114	<10	13	139	7
L116E 43+00N	1.2	2.92	<5	207	1.1	<5	0.81	<1	15	86	132	5.00	0.18	1.18	731	4	0.02	67	853	29	7	9	<10	30	0.10	120	<10	12	143	7
L136E 80+00N	<0.2	2.06	<5	83	0.6	<5	0.32	<1	12	30	31	5.04	0.04	0.47	389	2	0.01	21	644	28	<5	3	<10	7	0.09	132	<10	2	180	4
L136E 79+50N	<0.2	2.95	12	131	0.6	<5	0.17	<1	11	54	45	5.30	0.05	0.93	351	2	0.01	39	536	18	6	5	<10	<1	0.07	121	<10	3	140	5
L136E 79+00N	<0.2	3.25	10	127	0.8	<5	0.11	<1	10	41	29	4.61	0.04	0.49	237	<2	0.01	28	894	16	<5	4	<10	<1	0.08	95	<10	3	115	9
L136E 78+50N	<0.2	3.38	13	141	0.8	<5	0.19	<1	19	48	34	5.29	0.06	0.69	407	2	0.01	43	712	20	5	5	<10	4	0.10	117	<10	4	193	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assayer Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L136E 78+00N	<0.2	2.57	8	134	0.5	<5	0.16	<1	8	44	28	4.97	0.05	0.69	270	3	0.01	32	553	18	<5	4	<10	<1	0.08	116	<10	3	162	3
L136E 77+50N	<0.2	3.00	42	155	0.6	<5	0.21	<1	11	53	53	6.60	0.05	0.91	449	2	0.01	35	818	40	6	4	<10	3	0.07	129	<10	4	208	4
L136E 77+00N	<0.2	1.84	<5	76	<0.5	<5	0.10	<1	6	26	15	3.68	0.04	0.26	146	<2	0.01	12	805	15	<5	2	<10	2	0.09	93	<10	2	70	4
L136E 76+50N	0.2	2.31	<5	65	0.6	<5	0.08	<1	6	19	17	3.09	0.03	0.17	166	<2	0.01	10	711	13	<5	2	<10	<1	0.10	71	<10	2	70	7
L136E 76+00N	<0.2	2.21	12	68	0.6	<5	0.26	<1	19	34	74	6.55	0.05	0.63	421	5	0.01	27	1267	23	5	4	<10	<1	0.14	158	<10	4	159	5
L136E 75+50N	0.6	2.15	10	101	<0.5	<5	0.18	<1	11	44	20	4.30	0.04	0.58	271	3	0.01	28	328	26	5	3	<10	3	0.10	120	<10	2	132	3
L136E 75+00N	<0.2	2.90	121	126	0.6	<5	0.27	<1	11	76	47	5.97	0.06	0.96	341	4	0.01	42	659	26	<5	5	<10	13	0.07	161	<10	2	173	4
L136E 74+50N	3.9	2.01	205	59	0.9	<5	1.46	<1	14	31	231	2.62	0.03	0.17	2806	3	0.02	57	1209	13	6	6	<10	39	0.04	52	<10	55	123	5
L136E 74+00N	0.2	1.52	26	46	<0.5	<5	0.07	<1	5	24	25	3.56	0.02	0.15	123	3	0.01	9	694	14	<5	2	<10	<1	0.11	90	<10	1	53	5
L136E 73+50N	0.8	3.05	15	73	1.1	<5	0.18	<1	26	29	81	6.51	0.05	0.25	365	5	0.01	32	2543	17	<5	3	<10	11	0.18	108	<10	3	120	17
L136E 73+00N	0.4	2.94	19	70	0.8	<5	0.14	<1	11	28	25	5.14	0.05	0.23	260	3	0.01	14	2158	15	<5	2	<10	3	0.14	110	<10	2	86	10
L136E 72+50N	0.2	3.09	14	137	0.8	<5	0.26	<1	15	53	44	5.43	0.06	0.91	355	3	0.01	44	962	16	<5	5	<10	9	0.08	119	<10	4	181	5
L136E 71+50N	11.3	1.27	7	100	<0.5	<5	0.23	<1	6	34	22	3.33	0.06	0.49	175	2	0.01	20	977	11	<5	2	<10	10	0.09	89	<10	2	77	2
L136E 71+00N	0.4	2.13	7	82	0.5	<5	0.19	<1	9	40	33	3.97	0.06	0.53	345	5	0.01	28	596	14	<5	2	<10	6	0.08	93	<10	3	117	3
L136E 70+50N	<0.2	1.91	<5	74	<0.5	<5	0.38	<1	9	113	31	4.47	0.17	2.22	316	6	0.02	90	827	19	<5	2	<10	12	0.20	114	<10	3	79	4
L136E 70+00N	0.3	1.27	<5	110	<0.5	<5	0.28	<1	7	34	12	4.11	0.04	0.31	245	4	0.01	12	689	20	<5	2	<10	9	0.14	99	<10	2	48	4
L136E 69+50N	<0.2	1.64	<5	88	0.6	<5	0.37	<1	11	100	37	5.09	0.08	1.09	325	4	0.02	47	819	23	<5	3	<10	9	0.21	135	<10	4	67	4
L136E 69+00N	<0.2	1.47	<5	112	<0.5	<5	0.11	<1	6	36	40	4.51	0.08	0.64	126	3	0.01	14	1127	25	<5	3	<10	6	0.18	123	<10	3	41	7
L136E 68+50N	1.5	4.00	<5	132	2.4	<5	0.78	4	204	122	1026	3.99	0.22	1.83	4571	26	0.02	444	1039	31	11	7	<10	30	0.11	75	<10	29	168	5
L136E 68+00N	<0.2	1.39	<5	186	<0.5	<5	0.33	<1	9	97	36	3.99	0.10	1.19	232	3	0.03	43	752	31	<5	3	<10	9	0.16	112	<10	3	50	4
L136E 67+50N	0.2	1.48	<5	86	<0.5	<5	0.12	<1	9	69	21	4.19	0.06	0.57	169	5	0.02	28	858	31	<5	3	<10	<1	0.14	117	<10	2	69	6
L136E 67+00N	<0.2	1.47	<5	80	0.8	<5	0.13	<1	12	49	152	5.14	0.08	1.18	207	3	0.02	29	758	82	5	2	<10	<1	0.13	134	<10	2	63	6
L136E 66+50N	<0.2	2.30	13	122	0.6	<5	0.20	<1	15	68	60	4.94	0.08	1.18	399	3	0.01	47	893	24	7	4	<10	3	0.10	111	<10	3	130	4
L136E 66+00N	1.4	2.68	<5	147	2.2	<5	0.34	<1	33	338	787	7.01	0.91	3.16	771	15	0.02	65	1193	611	10	9	<10	6	0.21	155	<10	3	206	10
L136E 65+50N	<0.2	1.25	<5	64	0.5	<5	0.24	<1	7	72	63	3.41	0.16	1.48	239	6	0.02	40	685	49	5	4	<10	3	0.14	108	<10	4	53	5
L136E 65+00N	0.4	2.06	<5	85	0.7	<5	0.28	<1	13	80	81	4.67	0.11	1.40	339	7	0.02	49	531	52	6	4	<10	5	0.14	115	<10	3	104	5
L136E 64+50N	0.3	1.93	<5	88	0.7	<5	0.12	<1	12	90	87	5.64	0.22	1.70	337	10	0.02	47	570	88	5	4	<10	<1	0.16	159	<10	2	83	6
L136E 64+00N	0.6	1.68	27	117	0.8	<5	0.22	<1	21	109	340	6.37	0.09	1.44	406	22	0.02	43	817	148	<5	4	<10	<1	0.18	154	<10	2	116	7
L136E 63+50N	<0.2	2.41	<5	71	0.6	<5	0.56	<1	15	180	124	5.24	1.03	3.07	536	2	0.02	126	746	152	7	5	<10	3	0.19	142	<10	4	101	6
L136E 63+00N	<0.2	1.82	<5	99	0.6	<5	0.66	<1	20	180	51	3.92	0.29	2.22	697	3	0.02	127	517	96	<5	2	<10	17	0.22	112	<10	3	89	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L136E 62+50N	0.7	2.31	<5	121	2.3	<5	0.45	<1	20	69	1199	7.38	0.96	2.73	449	12	0.01	60	856	858	<5	9	<10	<1	0.23	191	<10	10	81	19
L136E 62+00N	<0.2	1.94	12	110	<0.5	<5	0.15	<1	11	70	51	4.22	0.07	0.95	222	4	0.01	45	575	36	8	3	<10	<1	0.11	107	<10	3	94	5
L136E 61+50N	0.6	2.54	8	105	0.7	<5	0.23	<1	16	59	74	4.30	0.08	0.85	324	5	0.01	47	737	33	6	4	<10	4	0.09	95	<10	4	111	7
L136E 61+00N	<0.2	2.24	7	137	0.7	<5	0.26	<1	14	86	164	4.58	0.12	1.52	344	3	0.01	58	750	47	6	5	<10	3	0.13	117	<10	4	100	5
L136E 60+50N	<0.2	2.50	8	106	0.8	<5	0.29	<1	15	93	144	5.23	0.15	1.69	374	4	0.01	57	872	52	6	5	<10	4	0.15	131	<10	4	121	9
L136E 60+00N	1.3	2.85	8	246	0.9	<5	0.69	<1	16	82	184	4.75	0.13	1.14	386	4	0.01	74	553	33	9	6	<10	34	0.11	105	<10	8	175	7
L136E 59+50N	0.6	1.90	<5	50	0.8	<5	0.24	<1	10	41	142	4.22	0.09	0.93	192	4	0.01	22	940	292	<5	4	<10	<1	0.15	139	<10	4	83	11
L136E 59+00N	0.8	3.04	<5	112	1.3	<5	0.24	<1	20	53	260	5.36	0.51	2.16	426	<2	0.01	22	1285	106	6	8	<10	1	0.17	165	<10	3	118	13
L136E 58+50N	0.4	2.57	6	87	0.9	<5	0.41	<1	13	93	201	4.95	0.07	1.63	442	4	0.01	61	1174	105	5	5	<10	<1	0.14	138	<10	3	162	7
L136E 58+00N	0.2	1.60	<5	112	0.5	<5	0.39	<1	8	76	70	3.28	0.09	0.89	266	3	0.01	52	512	35	<5	3	<10	14	0.10	85	<10	3	80	3
L136E 57+50N	0.9	3.46	14	244	1.0	<5	0.45	<1	13	120	178	6.16	0.14	1.44	373	8	0.01	94	551	43	8	7	<10	20	0.10	138	<10	7	178	5
L136E 57+00N	0.3	1.99	6	93	0.5	<5	0.52	<1	9	112	80	4.39	0.18	1.71	391	27	0.01	71	387	20	6	5	<10	20	0.12	114	<10	5	94	4
L136E 56+50N	0.3	2.24	8	110	0.5	<5	0.36	<1	11	146	104	4.91	0.31	2.18	427	12	0.01	108	479	29	7	5	<10	12	0.14	140	<10	4	143	4
L136E 56+00N	0.3	1.61	<5	68	<0.5	<5	0.17	<1	9	88	66	3.97	0.09	1.30	266	5	0.01	52	611	24	6	3	<10	<1	0.15	123	<10	2	67	4
L136E 55+50N	<0.2	2.71	<5	125	1.1	<5	0.55	<1	18	154	162	5.16	0.44	2.38	520	17	0.02	95	389	28	11	7	<10	17	0.14	144	<10	8	115	6
L136E 55+00N	0.8	2.31	<5	59	0.5	<5	0.23	<1	9	192	74	4.72	0.16	2.47	406	4	0.02	102	677	58	7	4	<10	<1	0.17	131	<10	3	101	5
L136E 54+50N	13.6	2.23	<5	198	1.0	34	1.04	<1	14	199	152	4.59	0.39	2.35	1013	13	0.02	122	795	574	7	5	<10	29	0.11	121	<10	6	135	5
L136E 54+00N	<0.2	1.84	5	93	<0.5	<5	0.36	<1	8	160	62	3.89	0.36	2.22	381	3	0.02	98	1131	25	5	3	<10	4	0.17	119	<10	4	95	5
L136E 53+00N	3.2	2.96	<5	192	1.0	<5	0.38	<1	19	92	223	4.57	0.08	1.32	280	13	0.01	72	390	327	<5	5	<10	6	0.15	119	<10	4	164	9
L136E 52+50N	2.6	2.30	<5	123	0.7	<5	0.20	2	14	113	91	4.37	0.09	1.58	374	4	0.01	58	1181	150	6	3	<10	<1	0.16	118	<10	3	163	6
L136E 52+00N	1.3	2.46	<5	108	1.8	<5	0.41	<1	22	120	148	6.85	0.56	2.99	738	5	0.03	79	1775	467	7	4	<10	<1	0.16	182	<10	3	240	10
L136E 51+50N	3.0	2.42	<5	90	0.9	9	0.26	<1	9	156	70	5.87	0.12	2.04	370	5	0.02	84	1179	291	<5	4	<10	<1	0.15	210	<10	2	173	9
L136E 51+00N	0.8	2.38	<5	104	0.9	<5	0.50	<1	16	140	109	4.95	0.29	2.09	513	4	0.01	87	985	169	7	5	<10	8	0.17	136	<10	5	153	6
L136E 50+50N	0.8	2.24	<5	132	0.6	<5	0.24	<1	8	209	74	5.20	0.18	2.47	339	13	0.02	95	534	137	6	5	<10	2	0.18	153	<10	2	125	7
L136E 50+00N	0.8	1.93	<5	140	0.7	<5	0.38	<1	8	147	127	4.38	0.70	3.09	663	5	0.03	84	1500	135	6	5	<10	7	0.13	139	<10	3	144	7
L120E 22+00N	2.8	3.95	7	149	1.5	<5	0.92	1	15	61	277	4.37	0.09	0.61	901	<2	0.03	69	610	32	7	10	<10	74	0.12	65	<10	36	134	23
L120E 22+50N	0.7	3.09	13	143	0.9	<5	1.17	<1	23	98	178	5.13	0.09	1.47	1336	2	0.02	69	592	45	8	9	<10	60	0.09	107	<10	18	137	11
L120E 23+00N	0.3	3.21	6	110	0.8	<5	0.24	<1	23	96	104	5.62	0.09	1.50	354	5	0.01	67	471	38	7	5	<10	5	0.17	129	<10	4	167	10
L120E 23+50N	0.5	3.74	6	110	0.9	<5	0.18	<1	20	51	30	4.34	0.04	0.49	323	2	0.02	36	930	25	<5	3	<10	5	0.15	91	<10	5	231	19
L120E 24+00N	<0.2	2.91	10	150	0.7	<5	0.35	<1	21	69	60	4.50	0.06	1.04	340	3	0.01	50	459	34	6	4	<10	14	0.12	112	<10	4	106	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L120E 24+50N	<0.2	2.50	10	134	0.7	<5	0.14	<1	14	43	44	4.80	0.07	0.61	363	3	0.01	32	687	24	<5	3	<10	3	0.07	92	<10	3	208	4
L120E 25+00N	<0.2	2.36	11	103	0.6	<5	0.41	<1	13	78	67	5.01	0.08	1.39	390	4	0.01	47	899	30	<5	5	<10	15	0.10	125	<10	5	116	4
L120E 25+50N	0.6	3.83	9	164	0.9	<5	0.22	<1	17	75	86	5.29	0.09	0.93	297	3	0.02	57	1257	30	<5	6	<10	8	0.13	115	<10	4	157	10
L120E 26+00N	<0.2	3.31	11	149	0.7	<5	0.26	<1	22	73	67	5.23	0.05	1.08	504	2	0.01	54	982	33	6	5	<10	6	0.09	122	<10	4	167	6
L120E 26+50N	<0.2	2.27	8	110	0.6	<5	0.35	<1	15	78	83	4.37	0.08	1.39	470	3	0.02	48	366	26	5	6	<10	15	0.11	114	<10	6	122	4
L120E 27+00N	0.8	3.21	12	211	0.9	<5	0.57	1	22	88	101	5.14	0.10	1.53	848	3	0.02	66	414	52	<5	10	<10	57	0.11	123	<10	13	510	13
L120E 27+50N	2.4	3.33	9	226	1.1	<5	1.10	<1	18	83	179	5.00	0.11	1.01	956	4	0.02	70	655	44	7	8	<10	90	0.11	100	<10	19	182	12
L120E 28+00N	0.3	2.88	16	165	<0.5	<5	0.91	<1	30	99	135	5.57	0.18	1.54	1080	3	0.02	73	629	47	<5	13	<10	65	0.09	127	11	14	177	7
L120E 28+50N	0.4	2.14	6	97	<0.5	<5	0.35	<1	15	60	64	3.67	0.08	0.99	311	<2	0.01	40	624	43	<5	5	<10	20	0.09	99	<10	5	129	3
L120E 29+00N	0.2	2.68	9	126	<0.5	<5	0.42	<1	23	77	63	4.50	0.09	1.29	501	<2	0.01	54	1415	23	5	5	<10	20	0.10	117	<10	4	244	4
L120E 29+50N	0.5	2.92	8	193	<0.5	<5	0.44	<1	21	70	62	4.25	0.06	0.92	717	2	0.01	47	439	26	7	6	<10	28	0.11	121	<10	5	113	4
L120E 30+00N	<0.2	3.45	14	117	<0.5	<5	0.44	<1	23	96	94	5.63	0.10	1.64	428	<2	0.01	60	765	30	6	7	<10	19	0.13	167	<10	5	133	6
L120E 30+50N	1.1	4.25	11	172	<0.5	<5	0.68	<1	29	82	98	4.97	0.12	1.18	420	<2	0.02	60	420	30	<5	9	<10	36	0.14	135	<10	14	149	14
L120E 31+00N	<0.2	2.41	16	120	<0.5	<5	0.68	<1	27	95	82	4.87	0.11	1.62	655	3	0.02	64	474	28	8	10	<10	37	0.13	133	<10	9	113	5
L120E 31+50N	0.3	3.13	11	118	<0.5	<5	0.26	<1	20	67	33	5.52	0.07	0.96	361	<2	0.01	41	1174	26	<5	5	<10	15	0.13	144	13	3	203	11
L120E 32+00N	<0.2	3.39	12	160	<0.5	<5	0.39	<1	29	86	67	5.13	0.07	1.46	686	<2	0.02	60	540	28	<5	6	<10	21	0.13	147	11	5	152	7
L120E 32+50N	0.3	3.07	10	223	<0.5	<5	0.54	<1	32	90	110	5.39	0.13	1.46	619	2	0.01	89	654	36	<5	8	<10	27	0.10	140	<10	7	168	4
L120E 33+00N	0.6	3.48	14	248	<0.5	<5	0.59	<1	27	104	200	5.03	0.12	1.38	518	3	0.01	97	324	31	<5	14	<10	45	0.10	123	<10	16	165	18
L120E 33+50N	<0.2	3.23	11	141	<0.5	<5	0.33	<1	28	100	79	5.19	0.08	1.64	410	<2	0.01	65	695	28	7	6	<10	18	0.14	140	<10	5	131	5
L120E 34+00N	0.6	2.28	7	88	<0.5	<5	0.23	<1	19	59	52	3.90	0.05	0.72	236	<2	0.01	37	406	28	<5	4	<10	10	0.08	101	<10	5	122	3
L120E 34+50N	3.0	3.04	6	224	<0.5	<5	1.38	<1	20	65	101	3.85	0.16	0.96	363	<2	0.02	78	627	27	5	6	<10	46	0.10	75	<10	9	165	6
L124E 33+00N	<0.2	2.51	10	90	<0.5	<5	0.46	<1	29	112	63	4.90	0.18	1.92	481	<2	0.02	76	1051	46	9	4	<10	16	0.15	134	<10	4	160	5
L124E 33+50N	<0.2	3.12	8	143	<0.5	<5	0.39	<1	26	92	69	5.11	0.12	1.42	453	<2	0.02	58	1314	19	<5	7	<10	18	0.13	134	<10	6	245	4
L124E 34+00N	0.5	4.73	65	1895	1.5	5	0.42	<1	69	23	450	9.58	0.11	0.98	1147	10	0.01	29	2483	12	<5	7	<10	922	0.07	142	17	10	245	12
L124E 34+50N	0.7	5.45	9	180	<0.5	<5	0.21	<1	41	69	82	6.71	0.08	0.87	502	<2	0.02	62	2085	26	<5	6	<10	26	0.17	136	13	6	287	22
L124E 35+00N	<0.2	2.51	5	98	<0.5	<5	0.64	<1	25	99	88	4.95	0.14	1.79	471	<2	0.02	66	867	23	<5	6	<10	23	0.15	138	<10	8	107	5
L124E 35+50N	<0.2	3.12	9	117	<0.5	<5	0.42	<1	23	100	69	5.93	0.10	1.60	391	<2	0.02	62	1143	21	7	6	<10	16	0.16	159	13	6	161	6
L124E 36+00N	0.4	3.94	<5	143	<0.5	<5	0.32	1	38	84	57	5.46	0.10	1.00	403	<2	0.01	69	1398	35	6	6	<10	18	0.14	121	13	6	290	10
L124E 36+50N	0.2	4.09	14	142	<0.5	<5	0.30	<1	32	94	108	5.83	0.08	1.59	479	<2	0.01	67	1000	39	7	7	<10	16	0.14	153	13	6	153	8
L124E 37+00N	0.4	4.33	10	183	<0.5	<5	0.35	<1	25	97	109	5.90	0.12	1.32	361	<2	0.02	73	1494	27	5	7	<10	17	0.12	141	<10	5	246	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95c for 2 hours and diluted to 25ml with D.I.H₂O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L124E 37+50N	0.4	3.37	5	144	<0.5	<5	0.28	<1	28	68	59	5.57	0.08	1.00	427	<2	0.02	50	1170	31	<5	5	<10	19	0.16	144	<10	4	184	8
L124E 38+00N	0.6	3.47	7	118	<0.5	<5	0.55	<1	29	113	74	6.18	0.10	1.72	401	2	0.02	70	1689	45	8	6	<10	19	0.16	164	11	6	221	6
L124E 38+50N	<0.2	4.20	9	179	<0.5	<5	0.43	<1	36	110	128	6.36	0.09	1.77	549	<2	0.02	80	1007	26	9	6	<10	38	0.19	166	<10	5	216	14
L124E 39+00N	0.6	3.42	<5	337	<0.5	<5	0.24	<1	17	44	115	6.02	0.06	0.54	462	<2	0.01	27	1188	22	<5	4	<10	125	0.14	137	<10	3	121	10
L124E 39+50N	<0.2	3.20	8	116	<0.5	<5	0.22	<1	21	76	98	4.98	0.06	1.10	325	<2	0.02	51	893	18	7	5	<10	17	0.12	122	<10	4	132	9
L124E 40+00N	<0.2	2.84	8	120	<0.5	<5	0.24	<1	22	82	96	5.29	0.06	1.11	332	<2	0.02	52	690	28	6	6	<10	12	0.12	151	<10	5	109	4
L124E 40+50N	<0.2	4.04	8	146	<0.5	<5	0.24	<1	31	96	145	5.80	0.09	1.51	545	<2	0.02	69	1094	42	9	7	<10	17	0.12	144	14	5	428	11
L124E 41+00N	<0.2	3.33	10	101	<0.5	<5	0.29	<1	25	109	108	5.42	0.08	1.77	432	<2	0.02	75	593	33	11	6	<10	13	0.15	158	<10	5	144	7
L124E 41+50N	<0.2	3.06	8	161	<0.5	<5	0.53	<1	43	90	115	6.70	0.12	1.63	615	3	0.02	66	908	205	<5	7	<10	48	0.17	176	15	6	228	6
L124E 42+00N	0.2	2.75	<5	108	<0.5	<5	0.35	<1	24	92	89	5.74	0.08	1.26	363	3	0.02	49	468	40	6	5	<10	25	0.17	173	<10	4	134	7
L124E 42+50N	<0.2	2.75	7	130	<0.5	<5	0.44	<1	26	87	73	6.10	0.07	1.16	710	2	0.02	51	1167	46	9	5	<10	21	0.15	167	11	4	188	5
L124E 43+00N	<0.2	3.10	7	77	<0.5	<5	0.43	<1	30	118	153	5.54	0.13	1.79	621	2	0.02	76	351	39	8	8	<10	13	0.14	149	10	6	126	7
L124E 43+50N	1.3	2.71	11	157	<0.5	<5	1.61	<1	30	99	166	5.34	0.17	1.51	1038	3	0.02	76	786	41	5	8	<10	52	0.11	128	10	14	140	6
L124E 44+00N	1.0	3.10	12	230	<0.5	<5	1.28	<1	34	119	157	5.66	0.18	1.74	1264	7	0.02	94	541	47	8	9	<10	40	0.14	136	<10	9	146	8
L128E 28+25N	0.2	2.08	<5	107	<0.5	<5	0.64	<1	15	67	54	3.75	0.08	1.13	288	7	0.02	43	195	24	8	5	<10	30	0.13	111	<10	5	82	4
L128E 28+50N	0.5	2.57	<5	138	<0.5	<5	0.74	<1	21	76	80	4.14	0.10	1.29	387	4	0.02	49	259	22	6	6	<10	39	0.10	111	<10	9	77	3
L128E 29+00N	0.2	2.33	6	118	<0.5	<5	0.98	<1	20	64	68	4.14	0.06	0.95	233	9	0.02	38	206	33	<5	5	<10	51	0.11	118	<10	5	67	5
L128E 29+50N	0.9	2.20	7	85	<0.5	<5	0.26	<1	16	61	46	4.14	0.07	0.95	267	3	0.02	36	530	26	<5	4	<10	12	0.10	106	<10	4	102	3
L128E 30+00N	<0.2	2.21	7	105	<0.5	<5	0.45	<1	18	72	67	4.35	0.10	1.36	461	<2	0.02	47	777	26	6	5	<10	22	0.10	116	<10	6	117	3
L128E 30+50N	0.3	2.24	7	86	<0.5	<5	0.62	<1	18	72	61	4.43	0.10	1.45	453	<2	0.02	46	930	20	6	5	<10	25	0.11	121	11	7	100	4
L128E 31+00N	0.7	1.99	6	120	<0.5	<5	0.32	<1	15	55	44	3.88	0.08	0.90	330	<2	0.02	32	611	24	<5	5	<10	17	0.12	105	<10	5	154	4
L128E 31+50N	0.6	3.11	8	184	<0.5	<5	0.58	<1	22	80	114	4.84	0.12	1.29	544	3	0.02	55	682	38	<5	7	<10	32	0.11	128	10	9	186	4
L128E 32+00N	<0.2	2.33	7	100	<0.5	<5	0.71	<1	28	85	114	5.11	0.13	1.87	688	5	0.02	50	627	25	6	7	<10	42	0.14	149	<10	8	101	6
L128E 32+50N	1.0	3.57	7	101	<0.5	<5	0.31	<1	32	100	76	6.10	0.13	1.51	433	2	0.02	67	1511	16	7	5	<10	14	0.16	149	18	4	237	9
L128E 33+00N	0.4	3.98	<5	124	<0.5	<5	0.29	<1	32	72	51	6.27	0.07	1.03	455	<2	0.02	45	2914	14	<5	6	<10	9	0.15	143	14	4	295	15
L128E 33+50N	<0.2	2.74	9	96	<0.5	<5	0.37	<1	32	79	62	5.47	0.10	1.30	463	<2	0.02	50	1988	19	6	4	<10	16	0.14	140	11	3	235	7
L128E 34+00N	0.3	2.54	12	123	<0.5	<5	0.43	<1	25	81	78	5.01	0.10	1.33	431	3	0.02	53	813	25	7	7	<10	23	0.12	134	11	5	153	4
L128E 34+50N	<0.2	2.25	8	95	<0.5	<5	0.46	<1	20	80	73	4.39	0.11	1.46	530	2	0.02	49	672	22	9	6	<10	28	0.12	124	<10	6	110	4
L128E 35+00N	<0.2	2.35	8	97	<0.5	<5	0.34	<1	24	73	57	4.43	0.08	1.10	477	3	0.02	43	1297	29	5	4	<10	19	0.11	117	<10	3	132	4
L128E 35+50N	0.5	2.88	9	120	<0.5	<5	0.37	<1	23	74	48	4.66	0.09	1.05	292	<2	0.02	47	1006	26	<5	5	<10	16	0.13	116	<10	5	173	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L128E 36+00N	<0.2	2.48	12	154	<0.5	<5	0.69	<1	23	68	79	4.31	0.09	1.07	1156	2	0.02	44	547	21	<5	6	<10	31	0.09	116	<10	6	112	4
L128E 36+50N	<0.2	2.79	14	145	<0.5	<5	0.90	<1	31	90	106	5.49	0.17	1.77	684	9	0.02	61	794	38	7	12	<10	43	0.15	156	<10	14	135	9
L128E 37+00N	<0.2	1.89	<5	119	<0.5	<5	0.49	<1	15	76	49	3.44	0.08	1.08	357	<2	0.02	47	492	22	6	5	<10	29	0.11	98	<10	5	108	3
L128E 37+25N	<0.2	2.08	7	120	<0.5	<5	0.43	<1	20	64	59	3.79	0.08	1.06	674	<2	0.02	41	618	26	<5	5	<10	22	0.11	111	<10	6	110	4
L128E 38+50N	<0.2	2.37	9	86	<0.5	<5	0.94	<1	26	78	158	4.49	0.13	1.32	748	4	0.02	51	935	38	<5	9	<10	41	0.08	111	<10	10	156	9
L128E 39+00N	0.4	2.13	<5	22	<0.5	<5	0.49	<1	3	6	29	0.73	0.02	0.08	283	<2	0.03	13	351	5	<5	1	<10	17	0.06	11	<10	5	35	9
L128E 39+50N	0.5	3.68	8	139	<0.5	<5	0.42	<1	33	63	182	5.76	0.08	1.44	559	<2	0.02	54	955	27	<5	6	<10	23	0.08	126	13	8	238	6
L128E 40+00N	<0.2	2.54	10	99	<0.5	<5	0.43	<1	26	81	90	4.92	0.11	1.41	528	<2	0.02	52	1058	40	<5	5	<10	34	0.11	125	11	4	192	4
L128E 40+50N	<0.2	2.10	<5	89	<0.5	<5	0.32	<1	16	30	64	4.08	0.05	0.43	224	2	0.02	22	716	111	<5	3	<10	56	0.11	92	<10	2	269	5
L128E 41+00N	0.5	3.90	<5	106	0.6	<5	0.86	7	31	63	662	4.70	0.09	0.88	3142	8	0.03	116	802	61	<5	9	<10	38	0.17	87	21	18	947	17
L128E 41+50N	<0.2	2.46	<5	102	<0.5	<5	0.29	<1	30	76	83	4.86	0.08	1.16	907	<2	0.02	50	734	48	7	4	<10	17	0.14	135	12	3	150	5
L128E 42+00N	<0.2	2.42	<5	101	<0.5	<5	0.30	<1	22	72	171	4.83	0.08	0.86	440	3	0.02	54	485	32	6	4	<10	12	0.12	131	<10	3	135	4
L128E 42+50N	<0.2	2.66	<5	141	<0.5	<5	0.21	<1	28	55	196	5.93	0.08	0.86	607	3	0.01	38	1629	81	<5	5	<10	52	0.10	148	11	2	154	7
L128E 43+00N	<0.2	2.63	<5	125	<0.5	<5	0.24	<1	24	72	105	5.06	0.10	1.49	595	<2	0.02	48	594	40	5	5	<10	33	0.15	142	10	3	150	8
L128E 43+50N	<0.2	3.34	6	135	<0.5	<5	0.18	<1	24	73	78	5.43	0.07	0.88	504	<2	0.02	55	1014	35	<5	4	<10	4	0.12	132	12	2	145	10
L128E 44+00N	<0.2	1.19	<5	183	<0.5	7	0.10	<1	22	10	123	6.98	0.04	0.19	313	<2	0.01	13	948	50	<5	3	<10	<1	0.03	112	13	2	92	4
L128E 44+50N	<0.2	4.20	<5	75	<0.5	<5	0.10	<1	17	47	31	2.90	0.04	0.42	515	<2	0.02	31	1804	13	<5	4	<10	5	0.13	69	<10	4	102	29
L128E 45+00N	<0.2	3.14	<5	65	<0.5	<5	0.10	<1	17	52	25	4.04	0.04	0.50	306	<2	0.02	30	1128	22	<5	3	<10	3	0.13	105	10	2	77	14
L128E 45+50N	<0.2	3.13	9	101	<0.5	<5	0.16	<1	24	76	79	4.21	0.07	1.10	584	<2	0.02	49	1020	24	<5	5	<10	3	0.11	114	10	3	110	12
L128E 46+00N	<0.2	2.27	9	77	<0.5	<5	0.19	<1	18	79	59	4.34	0.07	1.24	318	2	0.02	52	1032	28	7	4	<10	3	0.12	117	<10	3	115	6
L128E 46+50N	<0.2	2.80	<5	114	<0.5	<5	0.24	<1	22	100	64	5.09	0.07	1.08	294	3	0.02	60	971	36	<5	4	<10	4	0.14	132	12	3	143	10
L128E 47+00N	<0.2	1.30	<5	157	<0.5	<5	0.19	<1	22	121	71	5.57	0.13	1.41	1243	8	0.02	46	1124	48	<5	4	<10	4	0.13	189	12	2	92	4
L128E 47+50N	<0.2	2.21	<5	128	<0.5	<5	0.57	<1	35	121	102	5.74	0.45	2.19	647	<2	0.02	58	1488	28	7	5	<10	3	0.18	171	11	6	122	7
L128E 48+00N	<0.2	2.81	<5	153	<0.5	<5	0.62	<1	38	160	102	6.79	0.88	3.02	943	2	0.02	80	1860	9	8	7	<10	9	0.23	260	14	5	100	6
L128E 48+50N	<0.2	2.47	15	115	<0.5	<5	0.41	<1	29	113	118	5.05	0.30	1.70	709	8	0.02	83	704	75	<5	7	<10	13	0.10	122	11	6	127	5
L128E 49+00N	0.9	2.14	18	122	<0.5	<5	0.85	<1	27	85	96	4.90	0.14	1.38	1075	7	0.02	61	851	47	<5	6	<10	31	0.08	120	<10	6	170	4
L128E 49+50N	0.6	2.64	17	159	<0.5	<5	0.71	<1	24	96	127	5.07	0.15	1.49	646	6	0.02	76	708	180	<5	8	<10	23	0.10	128	11	8	153	5
L132E 30+00N	<0.2	2.96	11	192	<0.5	<5	0.76	<1	31	97	103	5.14	0.11	1.50	1779	5	0.03	66	616	43	<5	8	<10	39	0.09	134	11	9	128	5
L132E 30+50N	<0.2	2.41	5	97	<0.5	<5	0.29	<1	23	65	40	4.23	0.08	1.00	311	3	0.02	43	1200	34	<5	4	<10	14	0.11	108	<10	4	119	8
L132E 31+00N	<0.2	3.47	10	108	<0.5	<5	0.35	<1	26	102	94	5.62	0.09	1.61	415	4	0.02	63	1171	56	6	6	<10	13	0.12	142	11	5	157	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L132E 31+50N	<0.2	1.63	8	90	<0.5	<5	0.27	<1	13	60	40	3.83	0.08	0.88	290	3	0.02	33	814	29	<5	3	<10	13	0.12	115	<10	2	87	3
L132E 32+00N	<0.2	2.12	9	112	<0.5	<5	0.47	<1	18	75	56	4.52	0.11	1.38	473	3	0.02	43	1048	24	<5	5	<10	24	0.12	132	<10	5	111	4
L132E 32+50N	0.4	2.84	11	181	<0.5	<5	0.97	<1	27	91	94	5.03	0.12	1.56	729	5	0.03	64	726	45	<5	6	<10	50	0.09	134	<10	7	137	4
L132E 34+00N	<0.2	2.69	8	181	<0.5	<5	0.73	<1	22	88	123	4.70	0.13	1.33	650	5	0.03	62	431	49	<5	9	<10	35	0.10	123	10	15	142	5
L132E 34+50N	<0.2	2.28	10	112	<0.5	<5	0.62	<1	25	104	104	4.64	0.15	1.78	825	3	0.02	66	774	74	6	6	<10	27	0.11	125	<10	7	132	4
L132E 35+00N	<0.2	2.29	12	73	<0.5	<5	0.42	<1	22	95	94	4.90	0.10	1.70	465	4	0.02	58	906	83	<5	5	<10	20	0.12	131	<10	5	113	4
L132E 35+50N	0.3	2.99	6	117	<0.5	<5	0.25	<1	25	76	50	5.67	0.09	0.97	371	2	0.02	51	1751	35	<5	4	<10	11	0.14	134	<10	3	185	11
L132E 36+00N	<0.2	1.71	6	81	<0.5	<5	0.32	<1	14	59	20	4.25	0.05	0.77	419	2	0.02	33	1087	45	<5	3	<10	13	0.08	121	<10	2	87	3
L132E 36+50N	<0.2	1.99	5	73	<0.5	<5	0.23	<1	20	75	55	4.63	0.05	1.12	273	3	0.02	42	887	30	<5	4	<10	7	0.16	145	<10	3	109	5
L132E 37+00N	0.2	3.34	13	187	<0.5	<5	0.84	<1	34	104	169	5.99	0.18	1.57	826	5	0.03	85	555	110	5	11	<10	32	0.12	151	12	9	166	9
L132E 37+50N	<0.2	2.61	9	96	<0.5	<5	0.32	<1	24	87	65	5.03	0.08	1.25	541	3	0.02	51	949	82	6	5	<10	16	0.13	145	<10	3	121	5
L132E 38+00N	1.4	3.12	16	128	<0.5	<5	1.15	<1	28	109	195	5.77	0.13	1.36	490	6	0.03	85	350	127	6	12	<10	35	0.12	148	<10	18	120	8
L132E 38+50N	1.1	2.33	9	110	<0.5	<5	0.64	<1	24	108	89	4.46	0.14	1.61	545	4	0.03	79	462	187	<5	6	<10	21	0.13	127	<10	6	158	6
L132E 39+00N	<0.2	2.33	11	63	<0.5	<5	0.39	<1	21	93	67	4.70	0.09	1.49	376	3	0.02	57	438	70	<5	4	<10	12	0.15	140	11	3	150	6
L132E 39+50N	<0.2	2.82	11	68	<0.5	<5	0.30	<1	26	112	98	4.93	0.10	1.79	811	3	0.02	69	963	151	<5	5	<10	9	0.14	138	11	4	122	7
L132E 40+00N	<0.2	1.64	8	96	<0.5	<5	0.29	<1	15	61	43	3.82	0.13	0.91	556	<2	0.02	36	674	51	<5	3	<10	14	0.10	111	<10	2	85	4
L132E 40+50N	<0.2	3.08	9	64	<0.5	<5	0.35	<1	21	99	98	5.32	0.09	1.41	407	4	0.02	57	1064	57	<5	4	<10	17	0.12	138	11	3	130	7
L132E 41+00N	<0.2	2.49	<5	67	<0.5	<5	0.39	<1	26	17	97	5.54	0.22	1.75	770	<2	0.02	17	1060	17	7	4	<10	24	0.21	167	13	4	154	6
L132E 41+50N	<0.2	3.27	<5	108	<0.5	<5	0.52	<1	26	108	83	4.84	0.12	1.46	502	<2	0.02	67	1287	34	<5	4	<10	21	0.15	131	11	3	144	9
L132E 42+00N	<0.2	2.71	<5	64	<0.5	<5	0.20	<1	21	108	41	4.22	0.10	1.33	308	<2	0.01	58	1031	32	<5	3	<10	9	0.13	109	<10	2	99	9
L132E 42+50N	<0.2	2.26	<5	50	<0.5	<5	0.20	<1	18	61	93	4.57	0.05	0.89	294	<2	0.01	30	431	65	7	4	<10	12	0.13	112	<10	5	94	6
L132E 43+00N	0.5	2.47	<5	81	1.0	<5	0.64	<1	27	91	251	4.48	0.08	1.11	1210	6	0.02	89	270	67	<5	8	<10	22	0.10	106	<10	14	122	6
L132E 43+50N	<0.2	1.85	<5	38	<0.5	<5	0.22	<1	17	97	42	3.80	0.05	1.03	227	<2	0.02	44	586	50	<5	3	<10	13	0.14	113	<10	3	63	6
L132E 44+00N	<0.2	2.55	<5	50	<0.5	<5	0.25	<1	31	114	145	4.98	0.07	1.43	372	2	0.02	61	910	62	6	4	<10	14	0.17	136	<10	4	99	9
L132E 44+50N	<0.2	2.48	<5	68	<0.5	<5	0.22	<1	29	113	57	4.70	0.07	1.31	434	2	0.02	59	940	85	5	4	<10	13	0.19	139	<10	4	117	10
L132E 45+00N	0.3	1.45	<5	45	<0.5	<5	0.28	<1	18	68	58	4.32	0.05	0.74	236	5	0.02	30	468	55	9	4	<10	11	0.20	154	<10	3	112	5
L132E 45+50N	<0.2	2.95	<5	63	<0.5	<5	0.26	<1	26	123	81	5.04	0.07	1.82	488	4	0.02	62	912	114	7	5	<10	10	0.18	153	<10	4	149	9
L132E 46+00N	0.3	2.59	<5	123	<0.5	<5	0.41	<1	30	72	166	4.98	0.05	0.68	357	5	0.02	103	416	57	6	5	<10	19	0.12	117	<10	7	137	5
L132E 46+50N	<0.2	2.65	8	65	<0.5	<5	0.47	<1	30	155	76	4.97	0.08	1.85	470	3	0.02	87	438	54	8	5	<10	12	0.16	143	<10	5	184	7
L132E 47+00N	<0.2	2.03	15	91	<0.5	<5	0.35	<1	20	73	46	4.09	0.07	1.26	485	<2	0.01	45	646	27	6	4	<10	14	0.07	108	<10	3	132	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L132E 47+50N	<0.2	2.01	19	101	<0.5	<5	0.43	<1	22	66	54	4.08	0.09	1.25	614	2	0.01	46	605	24	6	6	<10	26	0.07	106	<10	5	123	3
L132E 48+00N	<0.2	2.14	11	112	<0.5	<5	0.62	<1	21	68	82	4.14	0.08	1.18	695	<2	0.01	46	511	29	<5	6	<10	35	0.07	106	<10	7	103	4
L132E 48+50N	<0.2	2.13	17	108	<0.5	<5	0.82	<1	23	68	80	4.45	0.09	1.14	696	3	0.02	46	500	51	<5	8	<10	26	0.08	113	<10	7	105	5
L132E 49+00N	<0.2	2.21	9	80	<0.5	<5	0.90	<1	24	115	68	4.48	0.09	1.87	454	4	0.02	70	324	70	5	5	<10	16	0.15	125	<10	6	134	6
L140E 74+50N	0.6	3.04	31	210	<0.5	<5	0.87	<1	33	64	103	5.21	0.09	1.14	979	<2	0.01	69	542	8	7	11	<10	34	0.07	101	<10	11	195	10
L140E 75+00N	0.3	1.93	26	105	<0.5	<5	0.22	<1	11	30	22	3.45	0.03	0.48	172	<2	0.01	19	297	6	<5	3	<10	8	0.06	98	<10	3	109	3
L140E 75+50N	1.2	5.01	68	187	<0.5	<5	0.22	<1	61	335	214	7.81	0.05	2.67	766	9	0.01	502	622	32	27	10	<10	1	0.07	146	13	6	325	10
L140E 76+00N	<0.2	3.32	10	151	<0.5	<5	0.19	<1	20	41	33	4.58	0.05	0.68	406	<2	0.01	38	1066	4	<5	4	<10	9	0.09	94	10	3	189	7
L140E 76+50N	0.6	3.85	8	106	<0.5	<5	0.10	<1	18	27	23	2.99	0.03	0.31	232	<2	0.02	22	820	<2	<5	3	<10	5	0.09	57	<10	4	128	11
L140E 77+00N	<0.2	2.12	12	166	<0.5	<5	0.23	<1	22	36	38	4.01	0.03	0.71	1209	<2	0.01	33	602	2	<5	3	<10	13	0.05	81	<10	3	195	3
L140E 77+50N	<0.2	3.82	84	140	<0.5	<5	0.12	<1	43	107	127	7.32	0.05	1.72	657	4	0.01	108	654	22	11	6	<10	3	0.07	118	15	7	367	11
L140E 78+00N	<0.2	4.68	12	110	<0.5	<5	0.14	<1	22	52	45	5.56	0.04	0.61	350	<2	0.01	37	1497	8	7	6	<10	2	0.16	120	<10	5	156	24
L140E 78+50N	<0.2	4.26	7	82	<0.5	<5	0.19	<1	17	30	39	4.23	0.03	0.47	439	<2	0.01	21	912	8	5	5	<10	6	0.14	84	<10	6	167	21
L144E 60+50N	0.3	2.62	7	70	<0.5	<5	0.39	<1	28	223	223	5.73	0.34	2.81	514	12	0.02	124	694	121	9	6	<10	14	0.19	151	12	5	122	6
L144E 61+00N	0.4	1.87	6	94	<0.5	<5	0.30	<1	22	71	122	4.56	0.09	1.08	271	7	0.02	48	515	99	6	5	<10	13	0.17	142	<10	5	150	6
L144E 61+50N	0.4	2.56	7	84	<0.5	<5	0.30	<1	29	99	136	5.45	0.15	1.88	367	10	0.02	67	938	120	8	6	<10	8	0.17	161	<10	4	171	6
L144E 62+00N	<0.2	2.50	17	94	<0.5	<5	0.35	<1	24	69	88	5.45	0.08	1.24	397	6	0.02	51	2380	18	6	5	<10	11	0.09	130	13	4	166	5
L144E 62+50N	<0.2	2.90	10	63	<0.5	<5	0.28	<1	35	173	447	6.83	0.31	2.29	432	30	0.02	113	1049	63	10	6	<10	3	0.19	163	11	5	120	11
L144E 63+00N	<0.2	3.04	7	132	<0.5	<5	0.16	<1	36	85	165	6.35	0.26	2.16	333	15	0.02	55	1000	18	5	9	<10	5	0.20	193	14	4	103	13
L144E 63+50N	<0.2	2.72	<5	61	<0.5	<5	0.27	<1	29	81	309	6.11	0.31	2.21	522	33	0.02	57	1236	102	6	6	<10	5	0.20	181	13	6	120	14
L144E 64+00N	1.0	3.21	5	116	<0.5	<5	0.05	<1	14	39	107	4.56	0.05	0.49	285	26	0.02	19	1452	33	<5	3	<10	2	0.10	103	<10	2	77	17
L144E 64+50N	<0.2	2.97	<5	84	<0.5	<5	0.12	<1	17	54	104	4.73	0.08	1.48	231	48	0.01	45	578	9	<5	5	<10	<1	0.14	135	<10	3	154	8
L144E 65+00N	<0.2	3.18	9	85	<0.5	<5	0.15	<1	27	108	69	4.99	0.11	2.08	447	3	0.02	67	783	8	<5	4	<10	3	0.14	123	11	4	126	11
L144E 65+50N	<0.2	2.79	19	92	<0.5	<5	0.20	<1	22	76	102	5.57	0.08	1.50	487	7	0.02	60	949	13	6	6	<10	6	0.09	137	10	4	130	4
L144E 66+00N	<0.2	2.69	<5	54	<0.5	<5	0.31	<1	34	122	150	6.11	0.35	2.60	650	13	0.03	65	487	45	7	5	<10	4	0.24	164	14	6	151	7
L144E 66+50N	0.3	3.30	14	90	<0.5	<5	0.16	<1	26	97	131	5.82	0.09	1.41	350	11	0.02	77	1114	9	<5	5	<10	5	0.13	137	14	4	173	8
L144E 67+00N	<0.2	2.46	<5	88	<0.5	<5	0.39	<1	17	36	166	6.57	0.42	1.97	501	4	0.02	30	1597	11	<5	4	<10	10	0.23	167	14	8	162	10
L144E 67+50N	<0.2	3.25	14	92	<0.5	<5	0.25	<1	27	88	62	5.66	0.07	1.28	428	6	0.02	67	728	5	<5	4	<10	7	0.13	129	14	3	183	6
L144E 68+00N	3.6	2.68	15	162	<0.5	<5	1.13	5	13	50	429	3.42	0.07	0.58	475	8	0.02	79	786	5	<5	6	<10	28	0.07	64	<10	18	143	6
L144E 68+50N	0.5	3.51	25	67	<0.5	<5	0.25	<1	32	121	81	5.35	0.09	1.58	328	2	0.02	118	1394	<2	<5	4	<10	7	0.11	114	12	4	140	7

A. 5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ


Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L144E 69+00N	<0.2	2.31	<5	45	<0.5	<5	0.11	<1	11	37	28	3.65	0.03	0.29	112	<2	0.02	16	1839	7	<5	3	<10	8	0.16	95	<10	2	35	10
L144E 69+50N	0.2	2.11	32	76	<0.5	<5	0.23	<1	20	54	79	3.54	0.04	0.56	249	3	0.02	94	409	6	<5	3	<10	12	0.07	81	<10	6	121	4
L144E 70+00N	<0.2	2.73	23	112	<0.5	<5	0.19	<1	29	50	35	5.14	0.06	0.61	312	<2	0.01	70	829	<2	<5	3	<10	6	0.12	100	11	4	273	7
L144E 70+50N	<0.2	4.50	20	140	<0.5	<5	0.14	<1	33	41	52	5.18	0.06	0.60	286	<2	0.02	51	1530	<2	<5	4	<10	6	0.13	98	12	5	161	15
L144E 71+00N	<0.2	3.97	24	130	<0.5	<5	0.09	<1	16	55	64	5.28	0.05	0.83	372	2	0.02	46	1507	5	<5	5	<10	3	0.07	120	10	3	154	11
L144E 71+50N	0.5	3.88	40	156	<0.5	<5	0.17	<1	28	39	37	7.33	0.05	0.51	391	<2	0.02	47	1028	7	7	5	<10	8	0.11	116	16	4	212	11
L144E 72+00N	<0.2	3.98	18	182	<0.5	<5	0.11	<1	27	61	71	5.20	0.07	1.03	374	<2	0.02	59	969	5	<5	6	<10	2	0.08	115	12	5	158	12
L144E 72+50N	<0.2	3.56	20	152	<0.5	<5	0.11	<1	18	59	61	5.26	0.06	0.90	457	3	0.01	50	954	8	<5	5	<10	2	0.06	118	<10	4	170	9
L144E 73+00N	<0.2	2.53	16	196	<0.5	<5	0.15	<1	20	49	65	5.05	0.06	0.73	766	<2	0.01	45	803	12	7	2	<10	7	0.04	111	<10	5	154	3
L144E 73+50N	0.7	2.57	15	195	<0.5	<5	0.28	<1	17	50	68	4.77	0.04	0.74	262	3	0.01	41	396	8	<5	5	<10	14	0.06	122	<10	11	130	3
L144E 74+00N	<0.2	3.14	25	151	<0.5	<5	0.16	<1	17	48	47	4.91	0.06	0.83	302	<2	0.01	43	791	6	<5	4	<10	5	0.06	106	<10	3	161	6
L144E 74+50N	<0.2	3.36	19	162	<0.5	<5	0.11	<1	26	56	60	5.11	0.07	0.88	522	<2	0.02	52	718	9	<5	5	<10	2	0.05	111	10	4	214	7
L144E 75+00N	<0.2	3.30	14	160	<0.5	<5	0.12	<1	18	51	34	4.68	0.06	0.78	295	2	0.01	39	532	7	<5	5	<10	3	0.07	106	<10	3	168	6
L144E 75+50N	<0.2	1.81	10	88	<0.5	<5	0.12	<1	10	32	27	3.74	0.04	0.44	196	2	0.01	22	350	11	<5	3	<10	3	0.06	103	<10	3	115	2
L144E 76+00N 75+75N	0.3	2.49	22	145	<0.5	<5	0.65	1	25	59	162	4.54	0.07	1.09	869	<2	0.01	59	452	9	9	8	<10	29	0.05	94	<10	13	146	7
L144E 77+50N	<0.2	2.73	16	147	<0.5	<5	0.19	<1	20	49	43	4.52	0.05	1.00	316	4	0.01	45	453	7	<5	4	<10	8	0.04	103	<10	4	224	4
L144E 78+00N	0.3	3.00	16	210	<0.5	<5	0.46	<1	19	57	59	5.20	0.06	0.96	380	2	0.01	61	1098	7	6	5	<10	25	0.04	117	<10	5	297	6
L144E 78+50N	0.6	2.48	20	153	<0.5	<5	0.26	<1	18	54	44	4.95	0.05	0.96	326	4	0.01	49	1206	6	<5	4	<10	11	0.04	96	<10	4	255	5
L144E 79+00N	<0.2	2.43	8	121	<0.5	<5	0.18	2	15	44	30	4.23	0.04	0.84	264	<2	0.01	39	1133	4	<5	3	<10	6	0.05	90	<10	3	285	4
L148E 66+00N	0.2	2.60	18	73	<0.5	<5	0.21	<1	35	114	85	5.48	0.08	1.69	358	4	0.02	87	665	15	7	5	<10	4	0.12	154	<10	3	176	4
L148E 66+50N	<0.2	2.27	8	90	<0.5	<5	0.16	<1	20	59	86	5.57	0.23	1.30	217	9	0.02	31	791	22	<5	4	<10	31	0.21	153	<10	4	81	9
L148E 67+00N	<0.2	3.68	14	92	<0.5	<5	0.15	<1	43	85	89	5.41	0.05	0.77	736	4	0.01	155	1308	15	5	4	<10	2	0.11	120	14	3	365	10
L148E 67+50N	0.7	2.61	18	106	<0.5	<5	0.12	<1	17	47	25	5.76	0.04	0.53	205	<2	0.01	32	1812	10	7	3	<10	3	0.11	134	11	3	193	7
L148E 68+00N	<0.2	1.20	12	56	<0.5	<5	0.08	<1	9	19	20	2.53	0.04	0.21	155	2	0.01	14	437	3	<5	2	<10	2	0.05	64	<10	1	53	2
L148E 68+50N	<0.2	3.39	34	129	<0.5	<5	0.13	<1	27	52	63	5.47	0.06	0.79	251	2	0.01	60	1344	4	6	5	<10	4	0.06	112	12	3	168	8
L148E 69+00N	<0.2	3.54	29	148	<0.5	<5	0.13	<1	26	61	65	4.91	0.06	0.75	328	<2	0.02	60	864	7	5	6	<10	3	0.08	107	10	5	142	16
L148E 69+50N	<0.2	3.32	24	185	<0.5	<5	0.12	<1	24	70	83	5.26	0.06	1.18	395	<2	0.01	65	954	13	<5	6	<10	2	0.06	121	10	5	174	5
L148E 70+00N	0.3	2.61	24	131	<0.5	<5	0.72	<1	27	62	109	4.91	0.08	1.05	966	5	0.02	119	529	11	6	8	<10	33	0.05	95	<10	11	157	9
L148E 70+50N	<0.2	2.54	22	118	<0.5	<5	0.22	<1	21	57	44	4.92	0.06	1.08	358	2	0.01	54	719	5	<5	5	<10	6	0.06	110	<10	3	147	4
L148E 71+00N	<0.2	2.75	42	169	<0.5	<5	0.18	<1	23	52	47	4.57	0.06	0.91	354	2	0.01	56	742	7	6	5	<10	9	0.06	96	10	4	189	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ


Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L148E 71+50N	0.2	5.53	23	97	<0.5	<5	0.09	<1	27	37	86	4.90	0.05	0.53	335	<2	0.02	50	1563	5	9	7	<10	6	0.14	82	<10	7	145	40
L148E 72+00N	<0.2	2.44	33	147	<0.5	<5	0.19	<1	21	48	58	5.37	0.05	0.83	326	<2	0.01	48	446	8	<5	4	<10	9	0.05	104	<10	3	146	4
L148E 72+50N	<0.2	2.43	22	179	<0.5	<5	0.18	<1	18	47	41	4.92	0.05	0.80	549	<2	0.01	35	1203	6	<5	4	<10	8	0.05	99	<10	3	210	4
L148E 73+00N	1.0	3.13	27	258	<0.5	<5	0.89	<1	26	53	65	4.74	0.07	1.00	1119	<2	0.01	58	730	5	<5	8	<10	50	0.08	95	<10	12	229	10
L132E 49+50N	<0.2	2.02	12	101	<0.5	<5	0.88	<1	24	92	151	4.36	0.25	1.69	760	7	0.01	64	862	75	<5	7	<10	22	0.11	119	<10	9	116	5
L132E 50+00N	1.3	2.30	8	179	<0.5	<5	0.92	<1	22	93	88	4.32	0.15	1.10	379	8	0.02	65	348	107	7	6	<10	30	0.14	120	<10	5	134	8
L132E 50+50N	0.7	2.01	<5	83	<0.5	<5	0.19	<1	12	91	24	3.76	0.07	0.86	171	<2	0.02	41	598	56	7	3	<10	6	0.19	120	<10	3	69	7
L132E 51+00N	<0.2	1.76	6	131	<0.5	<5	0.35	<1	17	119	65	3.93	0.11	1.51	392	4	0.02	62	551	63	10	4	<10	12	0.16	130	<10	4	95	4
L132E 51+50N	3.0	2.19	5	238	<0.5	14	0.83	3	47	224	491	6.13	1.21	2.89	1645	13	0.03	139	967	1059	9	12	<10	24	0.15	162	10	16	154	12
L132E 52+00N	0.2	2.22	7	106	<0.5	<5	0.31	<1	17	93	46	4.74	0.07	1.26	308	3	0.02	50	920	39	8	4	<10	11	0.13	134	<10	3	156	5
L132E 52+50N	<0.2	2.57	7	76	<0.5	<5	0.31	<1	26	161	102	5.12	0.30	2.20	466	3	0.02	93	511	48	10	6	<10	7	0.16	146	<10	3	147	6
L132E 53+00N	0.3	1.91	<5	191	<0.5	<5	0.28	<1	24	78	157	3.54	0.10	0.84	1993	11	0.02	66	637	73	6	4	<10	12	0.10	103	<10	4	112	2
L132E 53+50N	1.0	2.74	8	153	<0.5	<5	0.83	<1	37	126	219	5.73	0.48	2.26	974	11	0.02	81	557	114	8	10	<10	25	0.15	165	<10	13	138	7
L132E 54+00N	<0.2	2.53	7	167	<0.5	<5	0.88	<1	36	140	160	5.45	0.41	2.16	878	9	0.02	100	482	61	7	8	<10	28	0.14	132	<10	6	185	8
L132E 54+50N	1.4	2.36	<5	78	<0.5	<5	0.24	<1	24	221	112	5.26	0.94	3.25	577	7	0.03	80	868	169	12	5	<10	6	0.20	152	<10	4	134	8
L132E 55+00N	<0.2	2.56	<5	93	<0.5	<5	0.23	<1	22	136	58	5.82	0.12	1.82	298	2	0.02	63	895	25	11	4	<10	5	0.20	189	11	3	150	5
L132E 55+50N	<0.2	2.57	6	75	<0.5	<5	0.32	<1	23	171	72	5.32	0.25	2.51	448	<2	0.03	90	997	48	7	4	<10	7	0.18	169	11	4	124	4
L132E 56+00N	<0.2	2.12	<5	127	<0.5	<5	0.42	<1	40	28	179	6.84	0.88	2.49	843	3	0.02	21	1179	161	5	6	<10	10	0.21	171	14	9	153	8
L132E 56+50N	<0.2	2.25	12	439	<0.5	<5	0.98	5	39	112	321	5.13	0.45	1.71	4113	36	0.02	134	682	27	6	10	<10	43	0.12	140	<10	14	101	7
L132E 57+00N	<0.2	2.36	7	92	<0.5	<5	0.36	<1	22	104	115	4.62	0.23	1.72	315	2	0.02	68	1071	15	7	5	<10	9	0.16	140	<10	4	118	6
L132E 57+50N	<0.2	1.83	<5	59	<0.5	<5	0.19	<1	14	52	45	3.48	0.06	0.72	174	<2	0.02	30	1214	11	7	3	<10	4	0.11	107	<10	3	73	5
L132E 58+00N	<0.2	1.83	<5	113	<0.5	<5	0.41	<1	23	98	180	3.78	0.23	1.43	368	6	0.02	76	423	18	6	5	<10	12	0.14	122	<10	5	81	5
L132E 58+50N	<0.2	1.25	5	85	<0.5	<5	0.36	<1	13	75	58	3.15	0.20	1.25	213	2	0.02	47	879	12	7	3	<10	12	0.15	117	<10	3	55	4
L132E 59+00N	<0.2	2.01	13	74	<0.5	<5	0.24	<1	24	114	164	4.54	0.17	1.63	344	4	0.02	79	736	25	<5	5	<10	4	0.15	146	<10	3	99	6
L132E 59+50N	<0.2	2.15	7	59	<0.5	<5	0.48	<1	18	68	96	5.03	0.18	1.70	403	4	0.02	38	838	25	5	6	<10	6	0.18	148	12	5	70	6
L132E 60+00N	<0.2	2.60	7	131	<0.5	<5	0.35	<1	31	199	135	4.82	0.25	2.45	522	<2	0.03	141	571	20	6	5	<10	12	0.20	147	10	3	101	7
L132E 60+50N	<0.2	2.22	7	101	<0.5	<5	0.46	<1	26	81	400	5.16	0.19	1.79	315	<2	0.03	63	780	19	<5	4	<10	5	0.18	144	11	5	64	8
L132E 61+00N	<0.2	3.53	<5	94	<0.5	<5	0.59	<1	38	452	163	5.48	1.55	5.57	583	<2	0.02	298	675	52	14	9	<10	13	0.26	170	14	6	87	10
L132E 61+50N	<0.2	2.88	<5	69	<0.5	<5	0.70	<1	41	300	253	6.87	1.59	3.64	914	<2	0.02	171	678	27	9	10	<10	6	0.20	197	12	7	100	11
L132E 62+00N	<0.2	2.33	8	90	<0.5	<5	0.26	<1	22	77	97	4.71	0.16	1.60	341	<2	0.02	60	786	13	<5	5	<10	6	0.13	114	<10	4	96	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95c for 2 hours and diluted to 25ml with D.I.H₂O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ


Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L132E 62+50N	<0.2	1.90	11	101	<0.5	<5	0.35	<1	23	210	45	4.59	0.10	2.13	442	5	0.03	117	411	18	6	4	<10	9	0.20	159	<10	2	105	4
L132E 63+00N	<0.2	2.67	<5	63	<0.5	<5	0.19	<1	22	253	142	5.57	0.54	3.05	444	9	0.03	140	651	27	10	6	<10	<1	0.20	164	12	3	98	8
L132E 63+50N	<0.2	2.76	7	87	<0.5	<5	0.52	<1	32	250	108	5.59	0.51	3.26	583	4	0.03	155	574	55	7	4	<10	11	0.22	143	14	3	120	7
L132E 64+00N	0.3	2.41	<5	85	<0.5	<5	0.18	<1	14	103	60	4.24	0.05	0.85	234	4	0.02	50	1817	8	<5	2	<10	4	0.15	100	<10	2	60	9
L132E 64+50N	<0.2	3.53	<5	59	<0.5	<5	0.28	<1	35	473	50	5.38	0.34	5.54	354	4	0.02	449	577	6	10	3	<10	8	0.18	110	<10	1	55	4
L132E 65+00N	<0.2	2.23	<5	71	<0.5	<5	0.23	<1	20	165	53	4.79	0.09	2.03	343	13	0.03	97	578	27	7	4	<10	4	0.19	141	10	3	87	5
L132E 65+50N	<0.2	1.54	<5	108	<0.5	<5	0.20	<1	16	55	55	4.48	0.09	1.06	574	11	0.03	28	903	35	<5	4	<10	2	0.17	135	10	3	58	4
L132E 66+00N	<0.2	2.09	<5	160	<0.5	<5	0.31	<1	19	81	96	4.92	0.25	1.98	479	4	0.03	36	825	30	<5	4	<10	9	0.19	142	<10	4	77	5
L132E 66+50N	<0.2	1.50	<5	85	<0.5	<5	0.27	<1	13	56	120	4.21	0.14	0.92	189	14	0.02	38	473	17	<5	5	<10	8	0.12	118	<10	12	53	3
L132E 67+00N	0.4	2.23	<5	78	<0.5	<5	0.30	<1	19	63	80	4.20	0.08	1.18	575	19	0.02	69	497	30	<5	4	<10	9	0.13	109	12	4	118	3
L132E 67+50N	<0.2	1.68	5	66	<0.5	<5	0.15	<1	11	56	58	4.48	0.07	1.15	200	15	0.02	31	725	24	<5	4	<10	<1	0.12	135	11	3	54	3
L132E 68+00N	<0.2	2.05	<5	58	<0.5	<5	0.13	<1	13	50	25	3.87	0.04	0.71	222	3	0.02	31	1117	12	<5	2	<10	<1	0.13	106	10	2	57	5
L132E 68+50N	0.6	1.56	<5	63	<0.5	<5	0.22	<1	13	42	83	4.80	0.10	1.25	413	18	0.02	20	709	30	<5	4	<10	2	0.14	135	<10	3	58	3
L132E 69+00N	<0.2	1.95	<5	92	<0.5	<5	0.35	<1	12	64	59	4.55	0.46	2.05	408	3	0.03	29	766	12	<5	3	<10	7	0.19	126	11	6	63	4
L132E 69+50N	<0.2	2.29	<5	235	<0.5	<5	0.60	<1	16	124	79	8.01	1.23	2.23	519	19	0.02	48	1188	41	8	10	<10	55	0.25	183	19	5	112	9
L132E 70+00N	<0.2	2.24	<5	174	<0.5	<5	0.74	<1	39	170	234	6.80	1.17	2.39	1039	21	0.02	118	1011	38	10	14	<10	43	0.17	172	15	11	126	7
L132E 70+50N	0.4	1.81	<5	94	<0.5	<5	0.67	<1	13	60	29	3.99	0.07	0.91	286	<2	0.02	29	643	15	<5	3	<10	18	0.14	120	10	4	85	4
L132E 71+00N	0.2	2.56	6	62	<0.5	<5	0.41	<1	23	92	70	6.10	0.16	1.80	468	2	0.02	48	1164	25	6	4	<10	9	0.12	144	13	4	105	4
L132E 71+50N	0.7	2.16	<5	84	<0.5	<5	0.51	<1	24	274	46	5.79	0.15	2.53	471	3	0.04	151	1103	72	8	4	<10	11	0.16	138	13	3	91	4
L132E 72+00N	<0.2	2.91	14	128	<0.5	<5	0.23	<1	17	57	56	5.53	0.08	1.44	621	3	0.02	50	710	6	6	5	<10	6	0.05	126	11	5	158	4
L132E 72+50N	<0.2	2.25	7	155	<0.5	<5	0.27	<1	13	34	32	3.92	0.04	0.64	327	2	0.02	30	579	8	<5	3	<10	9	0.07	100	11	4	141	3
L132E 73+00N	0.8	3.08	9	93	<0.5	<5	0.15	<1	15	35	27	5.04	0.05	0.51	419	<2	0.02	27	2177	<2	<5	2	<10	4	0.06	107	13	3	153	5
L132E 73+50N	<0.2	4.26	13	135	<0.5	<5	0.11	<1	18	40	45	5.38	0.05	0.53	433	2	0.02	36	1397	8	7	4	<10	2	0.10	114	14	4	164	19
L132E 74+00N	<0.2	3.22	8	121	<0.5	<5	0.12	<1	11	38	37	4.45	0.04	0.56	279	2	0.02	28	958	6	<5	3	<10	1	0.07	105	10	2	113	8
L132E 74+50N	0.2	1.41	<5	95	<0.5	<5	0.14	<1	8	21	13	3.51	0.03	0.30	161	2	0.02	16	430	9	<5	2	<10	6	0.11	114	<10	1	76	3
L132E 75+00N	1.0	3.11	7	201	<0.5	<5	0.52	<1	18	42	63	4.36	0.06	0.76	447	<2	0.02	51	497	8	<5	4	<10	24	0.04	107	11	6	210	4
L132E 75+50N	0.9	2.06	<5	103	<0.5	6	0.15	1	23	26	69	6.43	0.04	0.36	459	8	0.02	53	1015	11	<5	2	<10	5	0.07	116	17	6	256	4
L132E 76+00N	<0.2	3.52	14	204	<0.5	<5	0.24	<1	20	50	52	5.16	0.04	0.88	318	<2	0.02	42	390	10	<5	5	<10	11	0.06	122	<10	6	153	6
L132E 76+50N	0.4	3.60	12	195	<0.5	5	0.17	<1	18	52	66	5.83	0.05	1.02	345	2	0.02	52	627	5	<5	5	<10	6	0.06	126	13	4	198	5
L132E 77+00N	<0.2	2.49	8	98	<0.5	<5	0.14	<1	10	37	23	5.41	0.04	0.57	224	<2	0.02	26	584	11	<5	3	<10	2	0.08	144	11	2	108	5

A 5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L132E 77+50N	<0.2	2.60	9	124	<0.5	<5	0.17	<1	11	31	18	4.32	0.04	0.51	343	<2	0.02	23	579	8	<5	3	<10	7	0.06	110	<10	2	118	4
L100E 55+00N	0.8	2.29	<5	223	0.7	<5	0.58	5	38	145	229	6.82	0.98	2.63	1239	<2	0.03	106	964	164	7	11	<10	16	0.16	139	19	9	669	11
L100E 54+50N	0.4	2.23	<5	227	<0.5	<5	0.57	3	25	102	82	5.59	0.41	2.16	774	3	0.03	62	689	92	<5	6	<10	14	0.21	147	17	5	523	6
L100E 54+00N	<0.2	3.38	<5	252	<0.5	<5	0.45	3	43	370	95	6.22	1.44	3.92	1189	<2	0.03	212	663	72	13	7	<10	13	0.22	144	19	5	574	9
L100E 53+50N	<0.2	3.08	<5	165	<0.5	<5	0.63	<1	34	65	124	7.07	0.80	2.53	767	<2	0.03	48	1055	33	<5	11	<10	7	0.22	204	16	5	350	10
L100E 53+00N	<0.2	3.24	<5	166	<0.5	<5	0.41	<1	37	310	88	5.94	0.80	3.27	801	<2	0.03	185	982	62	11	5	<10	8	0.17	130	15	4	359	10
L100E 52+50N	<0.2	2.57	<5	135	<0.5	<5	0.31	1	28	158	44	4.88	0.38	2.18	621	<2	0.03	99	648	68	7	5	<10	4	0.20	124	12	3	364	9
L100E 52+00N	1.3	2.58	<5	203	<0.5	<5	0.62	2	21	62	111	4.36	0.15	1.14	786	7	0.02	46	786	75	<5	5	<10	14	0.11	98	15	8	271	4
L100E 51+50N	<0.2	2.23	7	86	<0.5	<5	0.26	<1	21	70	84	4.74	0.13	1.48	537	3	0.02	45	796	95	<5	5	<10	5	0.10	117	12	4	235	4
L100E 51+00N	<0.2	1.20	<5	62	<0.5	<5	0.08	<1	13	18	37	2.73	0.06	0.62	457	2	0.02	12	666	31	<5	3	<10	<1	0.09	72	<10	1	107	4
L100E 50+50N	<0.2	1.89	<5	112	<0.5	<5	0.19	<1	19	47	98	4.32	0.09	0.95	285	<2	0.02	28	636	45	<5	5	<10	5	0.14	128	12	4	164	8
L100E 50+00N	<0.2	2.04	<5	195	<0.5	<5	0.54	<1	23	42	73	4.46	0.20	1.24	991	<2	0.02	32	1094	54	7	6	<10	12	0.15	123	<10	3	226	8
L100E 49+50N	<0.2	1.95	7	129	<0.5	<5	0.47	<1	23	66	121	4.27	0.28	1.43	542	<2	0.02	49	549	58	<5	8	<10	14	0.13	119	13	8	125	6
L100E 49+00N	0.3	2.23	<5	145	<0.5	<5	0.33	<1	25	67	83	5.29	0.26	1.39	465	2	0.03	52	905	34	7	7	<10	7	0.15	144	13	3	273	8
L100E 48+50N	<0.2	2.06	6	113	<0.5	<5	0.35	<1	20	59	115	5.08	0.16	1.36	418	5	0.03	39	1152	43	<5	6	<10	7	0.14	141	10	4	156	8
L100E 48+00N	0.3	1.84	9	269	0.7	<5	1.04	<1	29	56	235	6.30	0.25	1.03	902	28	0.03	44	361	64	<5	11	<10	29	0.08	132	11	15	144	11
L100E 47+50N	3.1	1.42	<5	160	<0.5	<5	1.07	1	14	20	107	2.30	0.05	0.27	522	11	0.03	24	466	21	6	2	<10	40	0.10	63	<10	11	139	3
L100E 47+00N	2.7	2.82	<5	259	<0.5	<5	0.64	<1	21	44	170	4.90	0.08	0.76	267	26	0.03	47	380	45	9	5	<10	20	0.18	139	10	12	239	9
L100E 46+50N	3.3	2.08	<5	263	1.1	<5	1.49	3	19	44	450	3.51	0.12	0.81	927	14	0.03	59	665	44	<5	5	<10	50	0.09	85	<10	32	135	5
L100E 46+00N	1.4	2.15	<5	301	<0.5	<5	1.71	3	18	37	256	3.39	0.20	0.84	646	7	0.03	51	770	37	7	5	<10	58	0.09	70	<10	17	211	6
L100E 45+50N	1.2	2.05	<5	145	<0.5	<5	0.51	<1	21	58	84	4.03	0.14	1.20	700	4	0.02	40	483	50	<5	4	<10	20	0.09	111	<10	6	145	3
L100E 45+00N	0.2	2.20	5	94	<0.5	<5	0.35	<1	16	44	48	4.09	0.10	0.85	542	<2	0.02	27	1249	38	8	4	<10	10	0.10	104	<10	3	113	4
L100E 44+50N	0.6	3.15	6	165	<0.5	<5	0.28	<1	24	37	53	6.16	0.13	0.82	552	10	0.02	25	2150	92	<5	4	<10	14	0.12	121	12	3	122	10
L100E 44+00N	0.7	2.54	29	242	<0.5	<5	0.23	<1	23	46	255	7.62	0.73	2.05	656	29	0.03	26	1367	261	9	11	<10	36	0.18	195	11	3	135	9
L100E 43+50N	<0.2	2.27	7	107	<0.5	<5	0.34	<1	22	57	88	4.45	0.17	1.21	507	4	0.02	40	838	61	6	6	<10	12	0.15	124	<10	7	136	5
L100E 43+00N	<0.2	3.49	5	219	<0.5	<5	0.60	<1	23	121	24	5.82	0.11	1.61	495	3	0.03	70	1583	21	8	6	<10	31	0.18	148	15	6	226	17
L100E 42+50N	0.3	2.39	8	146	<0.5	<5	0.44	<1	19	57	73	4.98	0.13	1.24	429	4	0.02	36	1242	41	8	6	<10	16	0.13	130	<10	5	123	6
L100E 42+00N	<0.2	1.77	<5	226	<0.5	<5	0.37	<1	11	36	39	3.86	0.09	0.55	186	6	0.02	22	421	34	5	4	<10	15	0.13	110	<10	3	92	5
L100E 41+50N	3.3	3.28	8	1623	2.1	<5	1.22	2	25	69	298	6.08	0.20	0.91	1924	13	0.03	74	1697	65	<5	11	<10	63	0.05	116	<10	30	207	12
L100E 41+00N	0.2	2.35	7	159	<0.5	<5	0.31	<1	17	56	83	4.74	0.12	1.12	416	<2	0.02	37	691	41	7	5	<10	17	0.11	121	<10	6	139	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ

Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L100E 40+50N	<0.2	2.30	7	126	<0.5	<5	0.35	<1	18	56	81	4.47	0.11	1.20	381	<2	0.02	41	1078	30	7	5	<10	14	0.10	109	<10	6	149	5
L100E 40+00N	<0.2	2.14	6	122	<0.5	<5	0.37	<1	17	52	74	4.21	0.10	1.14	384	3	0.02	37	904	27	<5	5	<10	14	0.11	108	13	4	131	5
L100E 39+50N	0.4	1.99	<5	366	<0.5	<5	0.31	<1	16	44	61	3.61	0.11	0.83	289	<2	0.02	35	873	31	7	5	<10	13	0.10	88	11	6	143	3
L100E 39+00N	<0.2	1.90	5	145	<0.5	<5	0.28	<1	14	43	43	3.78	0.08	0.63	264	<2	0.03	29	941	37	7	4	<10	11	0.12	100	<10	3	110	4
L100E 38+50N	<0.2	2.07	<5	155	0.8	<5	0.33	<1	12	50	67	4.04	0.08	0.97	355	<2	0.01	33	749	43	<5	5	<10	7	0.11	102	<10	5	147	4
L100E 38+00N	<0.2	1.40	<5	127	0.6	<5	0.36	<1	13	42	55	3.56	0.14	0.83	592	3	0.02	28	744	56	<5	4	<10	10	0.09	95	<10	4	119	3
L100E 37+50N	<0.2	2.61	<5	138	0.9	<5	0.33	<1	12	53	65	5.13	0.10	0.86	301	3	0.01	31	1071	49	<5	5	<10	6	0.13	132	<10	6	122	5
L100E 37+00N	<0.2	2.63	<5	112	0.8	<5	0.34	<1	11	49	50	3.90	0.07	0.90	308	<2	0.01	30	1150	34	<5	5	<10	5	0.13	103	<10	5	133	6
L104E 50+50N	<0.2	1.78	<5	81	1.0	<5	0.32	<1	22	221	14	3.67	0.86	2.21	753	<2	0.02	162	443	8	8	3	<10	2	0.10	74	<10	2	137	5
L104E 51+00N	<0.2	0.92	<5	53	<0.5	<5	0.17	<1	7	19	22	2.32	0.06	0.47	185	<2	0.01	12	438	36	<5	3	<10	1	0.10	66	<10	2	77	4
L104E 51+50N	<0.2	1.55	58	85	1.1	<5	0.24	<1	16	36	125	4.62	0.49	1.37	585	5	<0.01	22	681	212	<5	7	<10	1	0.08	117	<10	4	128	4
L104E 52+00N	<0.2	1.31	<5	62	<0.5	<5	0.30	<1	9	48	35	3.14	0.24	1.17	362	<2	0.01	27	654	44	<5	4	<10	2	0.10	83	<10	3	112	4
L104E 52+50N	<0.2	1.82	<5	72	0.7	<5	0.22	<1	12	47	42	3.45	0.11	1.05	323	<2	0.01	29	732	78	<5	4	<10	<1	0.11	83	<10	2	222	6
L104E 53+00N	<0.2	1.25	<5	43	0.6	<5	0.19	<1	8	33	41	2.72	0.06	0.68	220	<2	<0.01	21	463	63	<5	3	<10	2	0.08	68	<10	3	86	3
L104E 53+50N	<0.2	2.36	<5	70	1.5	<5	0.47	<1	18	71	150	5.06	0.20	1.71	533	<2	0.01	47	1363	182	<5	6	<10	4	0.13	126	<10	5	221	4
L104E 54+00N	<0.2	1.95	<5	97	0.8	<5	0.30	<1	12	61	54	4.55	0.21	1.33	419	<2	0.02	31	1119	85	5	5	<10	2	0.14	121	<10	4	143	4
L104E 54+50N	<0.2	2.21	<5	64	0.6	<5	0.20	<1	7	42	21	3.74	0.06	0.57	227	<2	0.02	16	854	88	<5	3	<10	<1	0.15	92	<10	2	103	10
L104E 55+00N	<0.2	2.85	<5	108	0.9	<5	0.57	<1	18	79	68	5.19	0.20	1.92	713	<2	0.02	53	824	134	<5	6	<10	3	0.19	140	<10	4	244	7
L104E 55+50N	<0.2	2.16	<5	85	0.8	<5	0.34	<1	14	47	51	4.94	0.16	1.34	499	<2	0.02	25	948	75	<5	6	<10	<1	0.17	151	<10	3	144	5
L104E 56+00N	<0.2	1.76	<5	65	0.6	<5	0.34	<1	11	44	33	4.41	0.12	0.97	361	<2	0.06	23	1002	68	<5	5	<10	4	0.18	136	<10	3	120	5
L104E 56+50N	<0.2	2.01	<5	93	0.9	<5	0.21	<1	15	46	41	4.20	0.08	0.71	448	3	0.02	22	1055	60	<5	4	<10	<1	0.20	123	<10	4	120	8
L104E 57+00N	<0.2	2.45	<5	88	1.1	<5	0.31	<1	17	50	88	4.94	0.14	1.34	651	5	0.02	30	999	97	<5	6	<10	1	0.15	131	<10	4	186	7
L104E 57+50N	<0.2	2.21	<5	84	0.7	<5	0.38	<1	10	46	46	4.50	0.08	0.91	386	4	0.02	22	719	78	<5	5	<10	3	0.15	129	<10	4	98	5
L104E 58+00N	<0.2	2.72	<5	100	0.6	<5	0.21	<1	6	45	27	3.96	0.05	0.50	184	3	0.02	15	793	63	<5	4	<10	3	0.14	97	<10	3	62	8
L104E 58+50N	0.7	2.77	7	171	0.9	<5	0.38	<1	12	114	81	5.82	0.23	1.86	301	17	0.02	45	359	100	7	7	<10	4	0.18	176	<10	6	162	7
L104E 59+00N	<0.2	1.75	<5	153	0.5	<5	0.59	3	10	35	37	3.61	0.10	0.85	247	10	0.02	24	288	23	<5	4	<10	13	0.24	111	<10	4	320	10
L104E 59+50N	<0.2	2.55	<5	88	0.9	<5	0.33	<1	14	63	121	6.06	0.35	1.84	438	6	0.02	31	529	29	<5	6	<10	<1	0.27	189	<10	4	120	7
L104E 60+00N	<0.2	1.66	<5	90	0.5	<5	0.35	<1	9	36	16	4.52	0.15	0.80	238	8	0.02	15	339	15	<5	4	<10	7	0.29	169	<10	3	62	9
L104E 60+50N	<0.2	2.47	<5	128	0.7	<5	1.10	<1	12	23	94	3.66	0.10	0.88	269	18	0.02	23	583	17	<5	5	<10	34	0.16	83	<10	6	110	6
L104E 62+00N	<0.2	1.54	<5	89	0.6	<5	0.22	<1	9	37	22	4.70	0.06	0.41	137	5	0.01	16	1108	49	<5	3	<10	4	0.23	138	<10	2	63	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0707 SJ


Date : Aug-25-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L104E 62+50N	<0.2	1.41	<5	51	<0.5	<5	0.21	<1	8	37	13	3.49	0.08	0.56	155	3	0.02	26	863	11	<5	2	<10	6	0.17	98	<10	2	52	5
L104E 63+00N	<0.2	2.13	<5	75	0.6	<5	0.38	<1	15	73	44	5.43	0.14	1.47	250	3	0.02	50	1428	13	<5	4	<10	11	0.25	144	<10	4	81	8
L104E 63+50N	<0.2	2.10	7	52	0.7	<5	0.42	<1	14	55	65	5.32	0.15	1.36	250	3	0.03	29	1158	15	<5	5	<10	7	0.28	172	<10	6	50	13
L104E 64+00N	<0.2	1.59	<5	54	<0.5	<5	0.31	<1	9	131	17	3.95	0.08	1.01	196	3	0.03	69	599	12	<5	3	<10	8	0.26	126	<10	3	69	7
L104E 64+50N	<0.2	1.75	<5	64	0.7	<5	0.41	<1	12	52	54	5.29	0.11	0.93	195	4	0.02	23	1440	19	<5	4	<10	14	0.29	166	<10	5	63	10
L104E 65+00N	<0.2	1.34	<5	41	0.6	<5	0.40	<1	10	28	154	3.14	0.06	0.37	107	5	0.02	27	410	12	<5	3	<10	10	0.19	85	<10	6	34	6
L104E 65+50N	<0.2	2.00	<5	90	0.7	<5	0.26	<1	14	79	99	5.77	0.09	1.13	254	5	0.02	37	774	11	<5	5	<10	3	0.24	170	<10	3	91	8
L104E 66+00N	<0.2	0.96	<5	75	<0.5	<5	0.46	<1	7	34	44	3.09	0.07	0.44	126	4	0.02	18	374	12	<5	3	<10	13	0.18	106	<10	4	39	5
L104E 66+50N	<0.2	2.29	<5	48	0.5	<5	0.51	<1	13	137	40	5.09	0.12	1.80	257	2	0.02	102	995	10	7	3	<10	10	0.23	155	<10	4	44	7
L104E 67+00N	<0.2	2.22	<5	45	0.6	<5	0.53	<1	11	48	38	4.62	0.09	1.02	225	3	0.01	22	1017	10	6	4	<10	10	0.20	141	<10	4	56	9
L104E 67+50N	<0.2	2.99	<5	61	0.9	<5	0.35	<1	24	45	29	5.89	0.08	1.13	231	3	0.02	39	1021	9	<5	3	<10	2	0.40	149	<10	5	60	19
L104E 68+00N	<0.2	1.25	<5	36	<0.5	<5	0.19	<1	9	29	16	4.35	0.04	0.32	143	4	0.01	16	1051	14	<5	2	<10	4	0.21	138	<10	2	46	6
L104E 68+50N	<0.2	2.99	<5	75	0.8	<5	0.33	<1	14	40	59	5.20	0.04	0.58	250	4	0.02	31	2922	13	<5	3	<10	12	0.17	109	<10	2	77	12
L104E 69+00N	<0.2	3.05	<5	79	0.8	<5	0.23	<1	15	63	43	5.58	0.06	0.70	260	4	0.02	45	2130	16	<5	4	<10	6	0.19	126	<10	3	90	17
L104E 69+50N	<0.2	2.37	<5	66	0.8	<5	0.39	<1	14	40	50	5.44	0.06	0.47	412	3	0.02	25	1959	13	<5	3	<10	21	0.19	122	<10	2	63	6
L104E 70+00N	<0.2	2.60	<5	57	0.8	<5	0.26	<1	14	53	35	5.17	0.05	0.60	293	4	0.02	33	1537	13	<5	3	<10	6	0.21	121	<10	3	82	13
L104E 70+50N	<0.2	2.70	<5	84	0.8	<5	0.50	<1	12	57	59	6.72	0.13	1.38	346	6	0.01	33	1486	16	<5	8	<10	17	0.20	179	<10	4	74	11
L104E 71+00N	<0.2	2.96	<5	65	1.0	<5	0.17	<1	17	175	71	6.73	0.04	0.67	251	7	0.01	73	1721	12	8	4	<10	6	0.14	115	<10	2	59	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG1

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L96E 40+50N	8
L96E 40+00N	8
L96E 39+50N	20
L96E 39+00N	9
L96E 38+50N	5
L96E 38+00N	8
L96E 37+50N	6
L96E 37+00N	6
L96E 36+50N	10
L96E 36+00N	14
L96E 35+50N	4
L96E 35+00N	124
L96E 34+50N	3
L96E 34+00N	2
L96E 33+50N	6
L96E 33+00N	7
L96E 32+50N	4
L96E 32+00N	10
L96E 31+50N	8
L96E 31+00N	5
L96E 30+50N	3
L96E 30+00N	6
L96E 29+50N	5
L96E 29+00N	2

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG2

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L96E 28+50N	10
L96E 28+00N	13
L96E 27+50N	33
L96E 27+00N	24
L96E 26+50N	7
L96E 26+00N	9
L96E 25+50N	8
L96E 25+00N	10
L96E 24+50N	9
L96E 24+00N	78
L96E 23+50N	N/S
L96E 23+00N	63
L96E 22+50N	87
L96E 22+00N	12
L96E 21+50N	9
L96E 21+00N	15
L96E 20+50N	9
L96E 20+00N	10
L96E 19+50N	6
L96E 19+00N	14
L96E 18+50N	8
L96E 18+00N	4
L96E 17+50N	190
L96E 17+00N	11

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG3

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L96E 16+50N	3
L96E 16+00N	2
L96E 15+50N	5
L96E 15+00N	8
L96E 14+50N	20
L96E 14+00N	14
L96E 13+50N	14
L96E 13+00N	11
L96E 12+50N	12
L96E 12+00N	5
L96E 11+50N	10
L96E 11+00N	11
L96E 10+50N	9
L96E 10+00N	7
L100E 36+50N	8
L100E 36+00N	17
L100E 35+50N	13
L100E 35+00N	19
L100E 34+50N	17
L100E 34+00N	10
L100E 33+50N	2
L100E 33+00N	27
L100E 32+50N	11
L100E 32+00N	9

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG4

Sep-03-04

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L100E 31+50N	6
L100E 31+00N	3
L100E 30+50N	65
L100E 30+00N	26
L100E 29+50N	15
L100E 29+00N	2
L100E 28+50N	4
L100E 28+00N	1
L100E 27+50N	5
L100E 27+00N	4
L100E 26+50N	11
L100E 26+00N	2
L100E 25+50N	4
L100E 25+00N	6
L100E 24+50N	1
L100E 24+00N	8
L100E 23+50N	4
L100E 23+00N	12
L100E 22+50N	4
L100E 22+00N	2
L100E 21+50N	12
L100E 21+00N	3
L100E 20+50N	4
L100E 20+00N	10

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG5

Sep-03-04

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L100E 19+50N	10
L100E 19+00N	16
L100E 18+50N	13
L100E 18+00N	23
L100E 17+50N	10
L100E 17+00N	1
L100E 16+50N	12
L100E 16+00N	1
L100E 15+50N	1
L100E 15+00N	3
L100E 14+50N	9
L100E 14+00N	9
L100E 13+50N	4
L100E 13+00N	12
L100E 12+50N	10
L100E 12+00N	24
L100E 11+50N	8
L96E 41+00N	8
L96E 41+50N	12
L96E 42+00N	8
L96E 42+50N	8
L96E 43+00N	8
L96E 43+50N	68
L96E 44+00N	12

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG6

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L96E 44+50N	7
L96E 45+00N	N/S
L96E 45+50N	N/S
L96E 46+00N	10
L96E 46+50N	20
L96E 47+00N	8
L96E 47+50N	4
L96E 48+00N	8
L96E 48+50N	18
L96E 49+00N	9
L96E 49+50N	4
L96E 50+00N	3
L96E 50+50N	7
L96E 51+00N	2
L96E 51+50N	5
L96E 52+00N	2
L96E 52+50N	1
L96E 53+00N	1
L96E 53+50N	4
L96E 54+00N	4
L96E 54+50N	1
L96E 55+00N	3
L96E 55+50N	4
L96E 56+00N	2

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG7

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L96E 56+50N	5
L96E 57+00N	1
L96E 57+50N	19
L96E 58+00N	5
L96E 58+50N	4
L96E 59+00N	42
L96E 59+50N	11
L96E 60+00N	13
L96E 60+50N	2
L96E 61+00N	2
L96E 61+50N	77
L96E 62+00N	8
L96E 62+50N	2
L96E 63+00N	12
L96E 63+50N	352
L96E 64+00N	7
L96E 64+50N	2
L96E 65+00N	6
L96E 65+50N	14
L96E 66+00N	21
L96E 66+50N	1
L96E 67+00N	0
L96E 67+50N	7
L96E 68+00N	2

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG8

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L96E 68+50N	1
L96E 69+00N	1
L96E 69+50N	1
L96E 70+00N	369
L96E 70+50N	4
L96E 71+00N	3
L100E 55+50N	1
L100E 56+00N	5
L100E 56+50N	2
L100E 57+00N	9
L100E 57+50N	14
L100E 58+00N	6
L100E 58+50N	3
L100E 59+00N	7
L100E 59+50N	2
L100E 60+00N	9
L100E 60+50N	5
L100E 61+00N	13
L100E 61+50N	9
L100E 62+00N	7
L100E 62+50N	6
L100E 63+00N	5
L100E 63+50N	30
L100E 64+00N	4

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG9

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L100E 64+50N	8
L100E 65+00N	3
L100E 65+50N	12
L100E 66+00N	2
L100E 66+50N	14
L100E 67+00N	2
L100E 67+50N	30
L100E 68+00N	6
L100E 68+50N	7
L100E 69+00N	7
L140E 74+00N	13
L140E 73+50N	12
L140E 73+00N	10
L140E 72+50N	30
L140E 72+00N	62
L140E 71+50N	110
L140E 71+00N	20
L140E 70+50N	15
L140E 70+00N	12
L140E 69+50N	12
L140E 69+00N	4
L140E 68+50N	5
L140E 68+00N	3
L140E 67+50N	N/S

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG10

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L140E 67+00N	N/S
L140E 66+50N	6
L140E 66+00N	5
L140E 65+50N	10
L140E 65+00N	8
L140E 64+50N	7
L140E 64+00N	3
L140E 63+50N	4
L140E 63+00N	5
L140E 62+50N	4
L140E 62+00N	7
L140E 61+50N	3
L140E 61+00N	3
L140E 60+50N	10
L140E 60+00N	6
L140E 59+50N	4
L140E 59+00N	4
L140E 58+50N	10
L140E 58+00N	9
L140E 57+50N	3
L140E 57+00N	2
L140E 56+50N	8
L140E 56+00N	10
L140E 55+50N	11

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG11

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L140E 55+00N	9
L140E 54+50N	N/S
L140E 54+00N	N/S
L140E 53+50N	16
L140E 53+00N	24
L140E 52+50N	7
L140E 52+00N	3
L140E 51+50N	8
L140E 51+00N	5
L140E 50+50N	7
L140E 50+00N	13
L140E 49+50N	15
L140E 49+00N	8
L140E 48+50N	13
L136E 49+50N	6
L136E 49+00N	32
L136E 48+50N	14
L136E 48+00N	12
L136E 47+50N	8
L136E 47+00N	9
L136E 46+50N	2
L136E 46+00N	8
L88E 53+00N	4
L88E 53+50N	3

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate


4V-0708-SG12

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L88E 54+00N	5
L88E 54+50N	1
L88E 55+00N	10
L88E 55+50N	2
L88E 56+00N	4
L88E 56+50N	4
L88E 57+00N	5
L88E 57+50N	5
L88E 58+00N	6
L88E 58+50N	7
L88E 59+00N	4
L88E 59+50N	9
L88E 60+00N	6
L88E 60+50N	12
L88E 61+00N	7
L88E 61+50N	6
L88E 62+00N	8
L88E 62+50N	97
L88E 63+00N	2
L88E 63+50N	3
L88E 64+00N	2
L88E 64+50N	66
L88E 65+00N	4
L88E 65+50N	5

Certified by _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG13

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L88E 66+00N	10
L88E 66+50N	7
L88E 67+00N	14
L88E 67+50N	11
L88E 68+00N	4
L88E 68+50N	16
L88E 69+00N	28
L88E 69+50N	119
L88E 70+00N	5
L88E 70+50N	3
L88E 71+00N	2
L88E 71+50N	2
L88E 72+00N	2
L88E 72+50N	3
L88E 73+00N	4
L88E 73+50N	3
L88E 74+00N	3
L88E 74+50N	15
L88E 75+00N	16
L88E 75+50N	3
L88E 76+00N	7
L88E 76+50N	25
L88E 77+00N	1
L88E 77+50N	3

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG14

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L88E 78+00N	2
L88E 78+50N	5
L88E 79+00N	1
L92E 55+00N	9
L92E 55+50N	13
L92E 56+00N	4
L92E 56+50N	3
L92E 57+00N	2
L92E 57+50N	2
L92E 58+00N	6
L92E 58+50N	9
L92E 59+00N	3
L92E 59+50N	15
L92E 60+00N	9
L92E 60+50N	12
L92E 61+00N	5
L92E 61+50N	16
L92E 62+00N	3
L92E 62+50N	6
L92E 63+00N	3
L92E 63+50N	2
L92E 64+00N	2
L92E 64+50N	5
L92E 65+00N	N/S

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG15

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L92E 65+50N	N/S
L92E 66+00N	N/S
L92E 66+50N	1
L92E 67+00N	4
L92E 67+50N	5
L92E 68+00N	2
L92E 68+50N	1
L92E 69+00N	1
L92E 69+50N	2
L92E 70+00N	1
L92E 70+50N	55
L92E 71+00N	2
L92E 71+50N	1
L92E 72+00N	1
L92E 72+50N	1
L92E 73+00N	8
L92E 73+50N	5
L92E 74+00N	7
L92E 74+50N	8
L92E 75+00N	7
L92E 75+50N	2
L92E 76+00N	5
L92E 76+50N	3
L92E 77+00N	6

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG16

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L92E 77+50N	150
L92E 78+00N	3
L144E 60+00N	2
L144E 59+50N	5
L144E 59+00N	1
L144E 58+50N	3
L144E 58+00N	3
L144E 57+50N	3
L144E 57+00N	2
L144E 56+50N	4
L144E 56+00N	6
L144E 55+50N	4
L144E 55+00N	1
L144E 54+50N	10
L144E 54+00N	5
L144E 53+50N	3
L144E 53+00N	2
L144E 52+50N	2
L144E 52+00N	4
L144E 51+50N	4
L144E 51+00N	5
L144E 50+50N	1
L144E 50+00N	33
L144E 49+50N	6

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG17


Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L144E 49+00N	7
L144E 48+50N	19
L144E 48+00N	12
L144E 47+50N	8
L144E 47+00N	16
L144E 46+50N	8
L144E 46+00N	11
L144E 45+50N	3
L144E 45+00N	6
L144E 44+50N	4
L140E 48+00N	30
L140E 47+50N	5
L140E 47+00N	2
L140E 46+50N	25
L140E 46+00N	5
L140E 45+50N	15
L140E 45+00N	8
L140E 44+50N	8
L140E 44+00N	12
L136E 33+00N	8
L136E 33+50N	11
L136E 34+00N	8
L136E 34+50N	2
L136E 35+00N	7

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG18

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L136E 35+50N	11
L136E 36+00N	2
L136E 36+50N	2
L136E 37+00N	4
L136E 37+50N	1
L136E 38+00N	5
L136E 38+50N	6
L136E 39+00N	6
L136E 39+50N	4
L136E 40+00N	13
L136E 40+50N	12
L136E 41+00N	4
L136E 41+50N	7
L136E 42+00N	3
L136E 42+50N	7
L136E 43+00N	5
L136E 43+50N	8
L136E 44+00N	12
L136E 44+50N	11
L136E 45+00N	7
L136E 45+50N	8
L152E 43+50N	7
L152E 44+00N	7
L152E 44+50N	9

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG19

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L152E 45+00N	15
L152E 45+50N	21
L152E 46+00N	11
L152E 46+50N	19
L148E 40+00N	18
L148E 40+50N	23
L148E 41+00N	10
L148E 41+50N	8
L148E 42+00N	17
L148E 42+50N	12
L148E 43+00N	6
L148E 43+50N	12
L148E 44+00N	13
L148E 44+50N	12
L148E 45+00N	13
L148E 45+50N	N/S
L144E 37+50N	32
L144E 38+00N	18
L144E 38+50N	22
L144E 39+00N	12
L144E 39+50N	14
L144E 40+00N	8
L144E 40+50N	6
L144E 41+00N	11

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG20

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L144E 41+50N	7
L144E 42+00N	10
L144E 42+50N	17
L148E 65+50N	10
L148E 65+00N	9
L148E 64+50N	9
L148E 64+00N	35
L148E 63+50N	2
L148E 63+00N	87
L148E 62+50N	296
L148E 62+00N	19
L148E 61+50N	26
L148E 61+00N	5
L148E 60+50N	2
L148E 60+00N	48
L148E 59+50N	7
L148E 59+00N	20
L148E 58+50N	7
L148E 58+00N	4
L148E 57+50N	2
L148E 57+00N	6
L148E 56+50N	6
L148E 56+00N	2
L148E 55+50N	18

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG21

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L148E 55+00N	6
L148E 54+50N	9
L148E 54+00N	38
L148E 53+50N	10
L148E 53+00N	9
L148E 52+50N	8
L148E 52+00N	11
L148E 51+50N	14
L148E 51+00N	6
L148E 50+50N	10
L148E 50+00N	8
L148E 49+50N	12
L148E 49+00N	8
L104E 10+50N	13
L104E 11+00N	13
L104E 11+50N	10
L104E 12+00N	6
L104E 12+50N	4
L104E 13+00N	12
L104E 13+50N	6
L104E 14+00N	3
L104E 14+50N	9
L104E 15+00N	21
L104E 15+50N	4

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG22

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L104E 16+00N	3
L104E 16+50N	6
L104E 17+00N	5
L104E 17+50N	5
L104E 18+00N	6
L104E 18+50N	4
L104E 19+00N	2
L104E 19+50N	6
L152E 50+00N	67
L152E 50+50N	16
L152E 51+00N	1
L152E 51+50N	3
L152E 52+00N	7
L152E 52+50N	2
L152E 53+00N	6
L152E 53+50N	8
L152E 54+00N	2
L152E 54+50N	4
L152E 55+00N	9
L152E 55+50N	3
L152E 56+00N	2
L152E 56+50N	3
L152E 57+00N	121
L152E 57+50N	N/S

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0708-SG23

Company: **Lithic Resources Ltd.**
Project: **Fiendly Lake**
Attn: **Chris Staargaard**

Sep-03-04

We *hereby certify* the following geochemical analysis of 19 soil samples submitted Aug-04-04 by Rick Henderson.

Sample Name	Au PPB
L152E 58+00N	N/S
L152E 58+50N	7
L152E 59+00N	2
L152E 59+50N	1
L152E 60+00N	4
L152E 60+50N	8
L152E 61+00N	17
L152E 61+50N	10
L152E 62+00N	44
L152E 62+50N	22
L152E 63+00N	2
L152E 63+50N	11
L152E 64+00N	20
L152E 64+50N	1
L152E 65+00N	1
L152E 65+50N	19
L152E 66+00N	3
L152E 66+50N	24
L152E 67+00N	2

Certified by _____

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L96E 40+50N	<0.2	2.20	<5	112	0.8	<5	0.39	<1	12	70	88	3.99	0.18	1.52	498	4	0.02	46	696	52	<5	5	<10	10	0.12	102	<10	6	124	4
L96E 40+00N	<0.2	2.03	<5	85	0.6	<5	0.19	<1	7	41	65	3.00	0.07	0.68	219	<2	0.02	25	377	61	<5	4	<10	3	0.13	71	<10	4	89	4
L96E 39+50N	<0.2	2.42	<5	83	0.8	<5	0.32	<1	14	74	59	4.41	0.11	1.36	378	2	0.02	58	974	41	<5	5	<10	5	0.13	112	<10	4	123	4
L96E 39+00N	<0.2	2.19	<5	108	0.6	<5	0.33	<1	8	56	52	3.78	0.08	1.08	311	2	0.02	31	592	55	<5	5	<10	8	0.15	108	<10	5	107	5
L96E 38+50N	<0.2	2.31	<5	105	0.6	<5	0.42	<1	8	57	54	4.16	0.09	1.22	353	3	0.02	35	908	43	<5	5	<10	10	0.13	111	<10	6	114	4
L96E 38+00N	<0.2	2.26	<5	82	0.8	<5	0.45	<1	12	69	85	4.55	0.14	1.42	469	2	0.02	53	955	58	<5	6	<10	9	0.12	114	<10	7	123	5
L96E 37+50N	<0.2	1.48	<5	98	<0.5	<5	0.29	<1	9	41	40	3.39	0.08	0.75	270	2	0.02	25	529	49	<5	4	<10	6	0.12	98	<10	4	105	4
L96E 37+00N	<0.2	1.92	6	327	1.0	<5	0.75	<1	14	51	72	3.78	0.09	0.79	424	3	0.02	38	405	71	<5	5	<10	73	0.08	95	<10	11	93	3
L96E 36+50N	<0.2	2.46	<5	176	1.2	<5	0.44	<1	16	59	138	4.35	0.12	0.96	763	9	0.02	51	566	131	<5	6	<10	23	0.08	104	<10	8	124	3
L96E 36+00N	<0.2	3.85	18	354	2.3	<5	0.87	<1	36	117	311	7.79	0.29	1.73	2635	16	0.02	126	585	218	7	12	<10	32	0.11	180	<10	11	245	12
L96E 35+50N	<0.2	2.14	<5	85	0.5	<5	0.39	<1	12	54	56	4.57	0.08	1.20	362	2	0.03	38	1329	53	<5	4	<10	7	0.11	116	<10	4	117	5
L96E 35+00N	<0.2	1.67	<5	81	<0.5	<5	0.22	<1	9	44	44	4.55	0.05	0.74	234	<2	0.02	28	807	27	<5	3	<10	8	0.12	120	<10	2	88	3
L96E 34+50N	<0.2	1.66	<5	39	<0.5	<5	0.18	<1	11	42	28	3.68	0.05	0.72	210	<2	0.03	24	538	17	<5	2	<10	8	0.20	121	<10	2	51	4
L96E 34+00N	<0.2	2.19	<5	93	<0.5	<5	0.51	<1	17	100	38	4.35	0.19	1.64	429	<2	0.05	94	945	31	<5	4	<10	15	0.23	136	<10	4	89	5
L96E 33+50N	<0.2	3.20	<5	106	1.0	<5	0.34	<1	17	56	120	4.77	0.07	1.21	403	<2	0.02	41	754	102	<5	6	<10	24	0.16	132	<10	4	118	15
L96E 33+00N	<0.2	2.17	5	60	0.6	<5	0.23	<1	8	36	50	3.96	0.04	0.44	154	3	0.02	20	489	42	<5	3	<10	4	0.13	104	<10	2	81	7
L96E 32+50N	<0.2	2.96	6	98	0.9	<5	0.31	<1	17	54	55	5.43	0.05	1.04	379	<2	0.02	40	1589	42	<5	4	<10	9	0.18	142	<10	3	228	8
L96E 32+00N	<0.2	3.90	<5	144	1.2	<5	0.30	<1	24	15	91	6.47	0.10	0.84	563	<2	0.02	19	1357	22	<5	3	<10	97	0.20	151	<10	3	141	9
L96E 31+50N	<0.2	1.76	<5	78	<0.5	<5	0.17	<1	9	16	38	4.01	0.04	0.27	270	3	0.02	14	845	31	<5	2	<10	13	0.16	113	<10	1	71	9
L96E 31+00N	<0.2	3.25	<5	90	0.9	<5	0.17	<1	12	43	36	5.31	0.05	0.59	358	4	0.02	32	1588	63	<5	3	<10	<1	0.15	120	<10	2	215	17
L96E 30+50N	<0.2	1.57	<5	56	<0.5	<5	0.16	<1	8	33	31	3.71	0.04	0.55	366	3	0.02	25	960	46	<5	3	<10	2	0.11	99	<10	2	104	4
L96E 30+00N	<0.2	2.01	<5	94	0.6	<5	0.21	2	11	43	27	5.02	0.04	0.57	232	8	0.01	32	779	51	<5	3	<10	6	0.16	146	<10	2	296	8
L96E 29+50N	<0.2	2.18	<5	88	0.6	<5	0.37	<1	16	52	67	4.65	0.08	1.01	492	3	0.02	44	591	63	<5	5	<10	17	0.14	130	<10	4	183	5
L96E 29+00N	<0.2	2.79	<5	88	0.8	<5	0.22	<1	10	107	60	4.89	0.05	1.86	365	5	0.01	70	755	21	<5	7	<10	9	0.13	137	<10	7	223	5
L96E 28+50N	<0.2	2.76	<5	128	0.8	<5	0.31	<1	21	55	46	4.64	0.08	0.96	459	2	0.02	49	884	51	<5	4	<10	13	0.14	110	<10	3	359	8
L96E 28+00N	<0.2	3.65	<5	208	1.2	<5	0.26	<1	28	63	110	5.72	0.10	1.10	522	3	0.02	74	811	65	6	5	<10	55	0.16	133	<10	4	266	9
L96E 27+50N	0.6	2.72	<5	99	0.8	<5	0.56	<1	13	45	62	4.29	0.03	0.51	191	5	0.02	34	414	45	<5	3	<10	33	0.10	102	<10	8	101	4
L96E 27+00N	0.3	2.65	5	94	1.0	<5	0.16	<1	29	62	106	6.38	0.04	0.96	1082	3	0.01	40	1137	38	<5	4	<10	10	0.18	144	<10	4	226	6
L96E 26+50N	<0.2	3.07	<5	123	0.9	<5	0.21	<1	14	70	53	6.10	0.05	0.82	495	3	0.02	45	1247	41	<5	4	<10	6	0.13	137	<10	3	238	7
L96E 26+00N	<0.2	2.91	<5	99	0.8	<5	0.14	<1	14	72	46	4.70	0.05	1.08	282	4	0.02	48	1037	38	<5	5	<10	4	0.11	120	<10	3	271	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ


Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L96E 25+50N	<0.2	1.70	<5	189	<0.5	<5	0.30	<1	10	50	54	4.07	0.04	0.82	364	22	0.01	47	920	27	<5	4	<10	22	0.05	124	<10	4	252	3
L96E 25+00N	<0.2	2.12	<5	69	0.7	<5	0.18	<1	12	80	49	4.48	0.06	1.08	293	5	0.01	54	703	31	<5	5	<10	6	0.08	117	<10	4	182	5
L96E 24+50N	<0.2	1.79	<5	102	0.5	<5	0.24	2	18	50	27	4.28	0.07	0.74	579	3	0.02	44	1089	38	<5	3	<10	10	0.12	96	<10	2	310	5
L96E 24+00N	1.3	2.55	<5	184	1.3	<5	1.23	<1	17	67	222	5.23	0.22	1.34	708	3	0.02	65	565	44	<5	8	<10	88	0.10	114	<10	12	132	7
L96E 23+00N	<0.2	2.20	6	159	0.7	<5	0.55	<1	19	56	72	4.37	0.08	1.07	639	3	0.02	47	644	29	5	6	<10	45	0.07	105	<10	8	133	4
L96E 22+50N	<0.2	2.05	7	170	0.8	<5	0.58	<1	15	56	81	4.06	0.07	0.95	663	5	0.02	49	429	24	<5	5	<10	48	0.07	93	<10	8	136	3
L96E 22+00N	<0.2	2.34	7	202	0.7	<5	0.41	<1	23	50	71	4.40	0.08	0.65	617	4	0.02	43	931	28	<5	4	<10	40	0.06	99	<10	4	205	3
L96E 21+50N	0.3	1.92	<5	169	<0.5	<5	0.23	<1	10	32	33	4.41	0.05	0.34	185	4	0.01	36	1212	21	<5	3	<10	15	0.05	68	<10	2	166	4
L96E 21+00N	<0.2	1.02	<5	150	<0.5	<5	0.21	<1	9	18	47	3.16	0.07	0.14	358	5	0.01	31	1137	13	<5	2	<10	16	0.03	40	<10	2	116	2
L96E 20+50N	0.8	1.77	7	144	0.6	<5	0.09	2	10	25	32	3.81	0.05	0.19	373	18	0.01	34	2391	18	<5	2	<10	2	0.04	50	<10	2	267	6
L96E 20+00N	0.3	1.23	15	158	<0.5	<5	0.13	<1	13	17	61	3.78	0.04	0.18	257	17	0.01	60	1643	15	<5	3	<10	8	0.02	31	<10	4	251	3
L96E 19+50N	1.1	0.96	45	163	<0.5	<5	0.15	<1	13	15	108	4.38	0.04	0.13	161	114	0.01	118	1602	19	13	2	<10	15	<0.01	50	<10	3	667	2
L96E 19+00N	1.8	2.06	14	169	0.7	<5	0.18	2	12	22	38	4.29	0.05	0.15	189	33	0.01	59	2923	19	6	3	<10	12	0.04	53	<10	2	363	8
L96E 18+50N	2.7	1.13	24	101	0.5	<5	0.19	<1	10	11	85	3.77	0.04	0.10	121	55	0.01	83	1770	16	9	2	<10	13	0.01	26	<10	3	376	3
L96E 18+00N	<0.2	0.90	16	173	<0.5	<5	0.12	<1	14	14	65	3.68	0.04	0.11	193	40	0.01	76	969	14	<5	3	<10	7	0.01	33	<10	3	300	4
L96E 17+50N	0.4	2.22	<5	251	0.6	<5	0.31	1	10	17	13	3.36	0.04	0.12	196	5	0.02	32	4819	13	<5	3	<10	35	0.06	40	<10	2	178	7
L96E 17+00N	0.3	1.56	6	211	0.6	<5	0.13	<1	11	17	37	3.68	0.06	0.14	168	6	0.01	45	2860	16	<5	3	<10	10	0.03	35	<10	2	170	3
L96E 16+50N	<0.2	0.90	10	178	<0.5	<5	0.12	<1	9	11	39	3.14	0.05	0.09	160	11	0.01	46	1047	12	<5	2	<10	7	0.01	29	<10	2	127	2
L96E 16+00N	<0.2	0.50	<5	113	<0.5	<5	0.23	<1	7	9	31	2.17	0.05	0.08	313	8	0.01	27	373	8	<5	2	<10	18	0.02	30	<10	2	83	2
L96E 15+50N	<0.2	1.25	<5	182	<0.5	<5	0.21	<1	13	19	32	3.29	0.05	0.22	213	7	0.01	46	228	17	<5	3	<10	23	0.02	37	<10	3	110	3
L96E 15+00N	0.7	1.49	10	242	0.7	<5	1.09	2	18	44	105	4.42	0.10	0.77	833	15	0.02	73	957	27	<5	6	<10	118	0.03	64	<10	11	231	7
L96E 14+50N	0.3	1.86	15	160	0.8	<5	0.85	<1	22	73	147	5.09	0.16	1.38	857	12	0.02	82	1108	33	<5	10	<10	72	0.07	100	<10	16	176	7
L96E 14+00N	<0.2	1.51	15	96	0.6	<5	0.59	<1	18	51	83	4.36	0.14	0.89	583	16	0.02	59	792	25	<5	6	<10	42	0.07	88	<10	6	184	3
L96E 13+50N	<0.2	1.45	8	132	0.6	<5	0.40	<1	15	46	73	3.83	0.09	0.80	643	11	0.01	47	726	24	<5	5	<10	30	0.05	83	<10	6	141	3
L96E 13+00N	<0.2	1.15	10	77	<0.5	<5	0.43	<1	11	40	58	3.68	0.09	0.74	397	15	0.02	45	1089	21	<5	3	<10	27	0.05	75	<10	4	151	2
L96E 12+50N	<0.2	1.91	10	135	0.9	<5	0.30	<1	14	54	96	4.07	0.07	0.89	370	10	0.02	61	494	21	<5	7	<10	24	0.07	84	<10	11	152	4
L96E 12+00N	1.5	2.66	5	294	0.8	<5	1.00	1	13	42	69	3.61	0.08	0.62	876	5	0.02	67	509	24	6	5	<10	93	0.08	55	<10	12	200	7
L96E 11+50N	1.3	1.79	8	199	0.6	<5	1.51	1	13	44	127	3.15	0.09	0.62	888	6	0.02	47	766	21	<5	3	<10	119	0.05	54	<10	9	106	6
L96E 11+00N	<0.2	2.07	9	176	<0.5	<5	0.50	<1	12	30	31	3.56	0.05	0.47	174	3	0.02	31	235	21	<5	4	<10	54	0.10	78	14	4	125	6
L96E 10+50N	1.3	1.45	<5	170	0.5	<5	1.11	<1	8	22	73	2.27	0.05	0.29	934	<2	0.02	25	431	15	<5	2	<10	127	0.07	44	<10	9	74	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L96E 10+00N	<0.2	1.74	7	176	<0.5	<5	0.82	<1	10	26	34	2.84	0.05	0.40	357	<2	0.02	22	298	18	<5	3	<10	92	0.08	60	<10	5	100	4
L100E 36+50N	<0.2	2.12	7	208	1.1	<5	0.27	<1	9	48	136	3.73	0.09	0.69	259	6	0.02	27	397	64	<5	8	<10	10	0.11	101	<10	16	110	5
L100E 36+00N	<0.2	1.47	<5	49	<0.5	<5	0.89	<1	7	23	50	2.57	0.03	0.32	223	<2	0.02	17	336	24	<5	2	<10	26	0.08	68	<10	3	56	3
L100E 35+50N	<0.2	2.75	5	70	0.9	<5	0.21	<1	10	36	50	4.72	0.04	0.52	256	<2	0.02	21	1092	37	<5	4	<10	8	0.10	106	<10	3	92	8
L100E 35+00N	<0.2	3.09	5	96	0.9	<5	0.17	<1	12	42	35	4.76	0.04	0.49	197	<2	0.01	23	1643	45	<5	4	<10	5	0.11	100	<10	3	108	13
L100E 34+50N	<0.2	2.30	<5	145	0.7	<5	0.35	<1	13	77	77	4.69	0.08	1.34	329	3	0.02	52	772	57	6	4	<10	11	0.14	125	<10	4	103	4
L100E 34+00N	<0.2	0.96	<5	66	<0.5	<5	0.19	<1	10	13	20	3.46	0.04	0.18	172	<2	0.02	10	611	31	<5	2	<10	12	0.20	113	<10	1	58	4
L100E 33+50N	<0.2	1.00	<5	51	<0.5	<5	0.14	<1	7	18	12	3.13	0.03	0.21	153	<2	0.02	11	318	32	<5	2	<10	3	0.14	99	<10	1	46	5
L100E 33+00N	<0.2	3.54	12	115	1.1	<5	0.28	<1	17	49	95	4.84	0.05	0.78	373	2	0.04	38	1081	56	<5	5	<10	11	0.13	116	<10	4	121	12
L100E 32+50N	<0.2	1.42	<5	86	<0.5	<5	0.44	<1	10	33	29	3.78	0.06	0.57	229	<2	0.02	21	535	26	<5	3	<10	25	0.15	115	<10	3	75	4
L100E 32+00N	<0.2	2.60	<5	79	0.6	<5	0.17	<1	11	19	26	4.44	0.04	0.28	319	<2	0.02	11	963	36	<5	3	<10	9	0.17	118	<10	2	84	10
L100E 31+50N	<0.2	2.50	<5	76	0.7	<5	0.18	<1	14	26	52	6.52	0.06	0.57	378	2	0.02	17	1439	38	<5	3	<10	14	0.18	161	<10	2	121	9
L100E 31+00N	<0.2	2.76	<5	82	0.7	<5	0.26	<1	14	21	66	5.21	0.04	0.58	318	<2	0.02	16	952	28	<5	3	<10	25	0.18	122	<10	2	99	11
L100E 30+50N	<0.2	2.76	<5	72	0.8	<5	0.15	<1	13	19	74	4.09	0.05	0.38	312	3	0.02	14	1026	43	<5	3	<10	6	0.14	94	<10	3	82	19
L100E 30+00N	<0.2	1.69	<5	56	0.5	<5	0.21	<1	13	18	43	4.65	0.06	0.45	389	4	0.02	14	895	45	<5	3	<10	13	0.17	126	<10	2	99	6
L100E 29+50N	<0.2	2.71	<5	58	0.8	<5	0.44	<1	20	31	118	5.52	0.05	0.96	402	13	0.02	40	495	56	5	4	<10	22	0.18	149	<10	5	164	8
L100E 29+00N	<0.2	2.73	<5	117	0.7	<5	0.25	<1	14	56	38	5.52	0.04	0.66	311	19	0.02	38	513	65	<5	4	<10	47	0.16	228	<10	4	260	7
L100E 28+50N	<0.2	3.08	<5	182	0.8	<5	0.41	<1	16	44	75	5.20	0.06	1.05	656	3	0.02	40	910	40	<5	5	<10	35	0.20	162	<10	4	266	7
L100E 28+00N	<0.2	3.92	<5	123	1.0	<5	0.22	<1	22	38	37	4.84	0.06	0.50	510	5	0.02	46	1859	40	<5	4	<10	10	0.16	109	<10	3	356	11
L100E 27+50N	<0.2	2.35	<5	122	0.7	<5	0.21	<1	15	53	72	5.89	0.05	0.95	444	11	0.01	66	943	37	<5	4	<10	47	0.11	131	<10	5	287	6
L100E 27+00N	<0.2	3.37	<5	146	1.1	<5	0.36	<1	19	73	114	5.70	0.09	1.41	472	4	0.02	88	684	49	5	6	<10	45	0.14	144	<10	5	243	7
L100E 26+50N	<0.2	2.46	6	147	0.8	<5	0.38	<1	21	63	116	4.76	0.08	1.38	501	3	0.01	66	638	40	6	5	<10	51	0.10	113	<10	6	207	6
L100E 26+00N	<0.2	3.19	<5	110	1.1	<5	0.24	<1	24	48	72	4.83	0.07	0.70	388	4	0.02	47	1205	57	<5	4	<10	9	0.15	106	<10	4	282	12
L100E 25+50N	<0.2	2.32	<5	186	1.1	<5	0.69	<1	15	49	115	4.11	0.08	0.69	406	4	0.02	42	456	47	<5	5	<10	52	0.09	103	<10	13	127	3
L100E 25+00N	<0.2	2.02	<5	104	0.6	<5	0.30	<1	12	42	42	4.53	0.06	0.59	292	6	0.02	24	723	45	<5	4	<10	19	0.14	118	<10	3	145	6
L100E 24+50N	<0.2	1.02	<5	132	<0.5	<5	0.16	<1	8	24	25	2.62	0.06	0.27	530	4	0.01	23	745	15	<5	2	<10	12	0.04	67	<10	2	100	2
L100E 24+00N	<0.2	2.32	<5	134	0.6	<5	0.29	<1	13	39	21	3.98	0.04	0.40	231	2	0.02	34	533	24	7	3	<10	20	0.10	91	<10	4	149	7
L100E 23+50N	<0.2	1.85	13	203	0.5	<5	0.13	<1	14	38	53	4.69	0.04	0.34	320	4	0.02	45	995	21	7	3	<10	4	0.05	85	<10	3	136	3
L100E 23+00N	<0.2	1.23	<5	118	<0.5	<5	0.30	<1	13	28	12	3.29	0.04	0.22	828	<2	0.01	22	548	18	<5	2	<10	18	0.06	72	<10	2	115	2
L100E 22+50N	0.2	2.75	6	224	1.0	<5	0.59	<1	15	59	97	4.20	0.10	0.83	1176	2	0.02	55	502	34	<5	7	<10	50	0.07	103	<10	12	152	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ


Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L100E 22+00N	<0.2	1.89	8	168	0.5	<5	0.27	<1	12	42	31	4.11	0.06	0.51	293	2	0.02	36	1210	24	<5	3	<10	19	0.07	90	<10	2	125	5
L100E 21+50N	1.5	3.16	<5	234	1.1	<5	1.62	<1	15	60	122	4.65	0.12	0.70	1692	3	0.02	64	1004	29	<5	7	<10	178	0.06	76	<10	15	97	10
L100E 21+00N	<0.2	1.92	<5	118	0.6	<5	0.39	<1	13	40	48	3.61	0.06	0.56	240	3	0.02	35	481	28	<5	3	<10	40	0.07	87	<10	4	161	3
L100E 20+50N	<0.2	2.19	<5	190	0.8	<5	1.03	<1	17	59	125	4.21	0.09	0.99	573	4	0.02	51	448	34	<5	7	<10	88	0.08	104	<10	12	148	5
L100E 20+00N	0.4	3.18	8	200	1.1	<5	1.09	5	20	44	58	4.51	0.06	0.68	1299	5	0.03	90	435	41	<5	7	<10	97	0.13	72	<10	12	298	10
L100E 19+50N	<0.2	2.29	22	162	0.7	<5	0.95	<1	18	50	68	4.64	0.08	0.69	371	12	0.01	46	563	31	<5	4	<10	77	0.05	91	<10	6	150	5
L100E 19+00N	<0.2	2.46	<5	135	0.7	<5	0.72	2	18	45	26	3.75	0.07	0.69	1534	4	0.01	37	795	28	<5	4	<10	62	0.09	85	<10	6	171	5
L100E 18+50N	<0.2	1.73	9	152	<0.5	<5	0.28	<1	13	34	45	4.29	0.05	0.60	360	6	0.01	31	1251	20	<5	3	<10	13	0.06	83	<10	2	134	3
L100E 18+00N	<0.2	2.15	5	144	0.6	<5	0.28	<1	17	42	33	4.69	0.06	0.60	361	11	0.01	40	651	33	<5	3	<10	18	0.09	102	<10	3	136	4
L100E 17+50N	<0.2	1.15	8	141	<0.5	<5	0.27	<1	11	19	32	3.21	0.06	0.21	274	4	0.01	33	1174	18	<5	2	<10	20	0.03	45	<10	2	117	2
L100E 17+00N	0.5	1.60	6	254	0.5	<5	0.24	<1	9	21	25	3.64	0.04	0.17	178	4	0.01	33	3019	19	<5	2	<10	30	0.04	50	<10	2	140	3
L100E 16+50N	<0.2	1.06	9	163	<0.5	<5	0.25	<1	15	24	82	3.60	0.06	0.38	266	4	0.01	75	825	17	<5	3	<10	15	0.03	44	<10	3	176	2
L100E 16+00N	<0.2	0.69	<5	173	<0.5	<5	0.13	<1	8	9	47	2.39	0.04	0.04	104	<2	0.01	25	565	11	<5	1	<10	10	0.02	36	<10	2	85	1
L100E 15+50N	<0.2	0.73	<5	237	<0.5	<5	0.28	<1	9	14	29	2.58	0.13	0.12	488	<2	0.01	41	775	14	<5	2	<10	26	0.02	33	<10	1	123	2
L100E 15+00N	<0.2	0.93	8	300	<0.5	<5	0.41	<1	14	19	53	3.09	0.08	0.17	803	6	0.01	51	942	16	5	2	<10	38	0.02	42	<10	2	148	2
L100E 14+50N	<0.2	0.68	13	114	<0.5	<5	0.16	<1	13	15	89	3.39	0.04	0.18	251	15	0.01	68	964	15	6	3	<10	11	0.01	28	<10	3	188	2
L100E 14+00N	<0.2	0.74	8	146	<0.5	<5	0.20	<1	11	15	53	3.12	0.06	0.18	266	21	<0.01	55	974	12	<5	2	<10	17	0.02	32	<10	2	195	2
L100E 13+50N	<0.2	3.35	7	355	1.0	<5	0.47	<1	15	18	41	3.34	0.12	0.24	370	9	0.02	71	726	29	6	4	<10	46	0.09	34	<10	5	161	24
L100E 13+00N	<0.2	1.35	8	195	<0.5	<5	0.25	<1	14	25	66	3.57	0.07	0.36	245	10	0.01	53	463	17	6	4	<10	21	0.04	52	<10	3	144	3
L100E 12+50N	<0.2	1.44	8	88	<0.5	<5	0.59	<1	16	51	61	3.89	0.16	0.94	546	4	0.01	39	618	27	<5	5	<10	36	0.08	91	<10	5	97	4
L100E 12+00N	<0.2	1.55	12	127	0.6	<5	0.60	<1	23	57	119	4.42	0.16	1.11	1054	4	0.02	58	1284	40	5	8	<10	37	0.07	93	<10	12	118	5
L100E 11+50N	<0.2	1.54	10	168	0.7	<5	0.96	<1	20	59	136	4.42	0.19	1.09	1362	3	0.02	64	1193	36	<5	8	<10	70	0.08	89	<10	13	168	6
L96E 41+00N	0.5	2.49	<5	121	1.0	<5	0.21	<1	9	53	113	3.69	0.11	0.74	264	3	0.02	36	735	68	<5	6	<10	6	0.10	83	<10	8	114	3
L96E 41+50N	<0.2	2.41	<5	141	0.9	<5	0.56	<1	14	79	95	4.75	0.17	1.56	568	5	0.02	53	557	44	7	6	<10	17	0.13	118	<10	11	157	4
L96E 42+00N	<0.2	2.21	<5	151	0.8	<5	0.66	<1	15	66	83	4.79	0.13	1.34	543	6	0.02	44	624	69	<5	6	<10	23	0.12	120	<10	7	154	3
L96E 42+50N	<0.2	2.14	6	96	0.6	<5	0.33	<1	10	52	66	4.48	0.12	1.29	462	6	0.01	33	940	43	5	5	<10	7	0.07	103	<10	5	134	3
L96E 43+00N	<0.2	2.00	<5	167	0.7	<5	0.53	<1	16	52	59	4.12	0.09	1.04	918	5	0.01	42	826	113	<5	4	<10	14	0.07	97	<10	6	151	3
L96E 43+50N	1.4	3.16	<5	181	1.1	<5	0.67	1	19	47	68	4.97	0.06	0.67	303	22	0.02	37	526	59	<5	5	<10	21	0.14	96	<10	10	158	10
L96E 44+00N	2.4	2.87	<5	234	1.5	<5	1.52	1	17	59	159	4.76	0.14	0.84	1162	30	0.02	50	583	110	<5	8	<10	47	0.08	105	<10	17	125	10
L96E 44+50N	0.6	1.82	<5	101	0.7	<5	0.47	<1	7	36	39	3.88	0.06	0.52	172	13	0.02	17	340	56	<5	3	<10	10	0.09	87	<10	8	69	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L96E 46+00N	3.0	2.44	<5	181	1.4	<5	0.78	1	14	42	173	4.29	0.09	0.45	239	11	0.02	50	335	423	<5	7	<10	24	0.10	88	<10	12	146	8
L96E 46+50N	8.4	1.48	<5	236	1.3	32	1.28	1	33	47	142	5.52	0.45	1.28	1773	17	0.02	40	586	1438	<5	5	<10	33	0.08	130	<10	12	141	6
L96E 47+00N	0.8	1.98	<5	121	0.8	<5	0.32	<1	16	67	139	6.63	0.14	1.30	394	6	0.02	33	1204	218	7	9	<10	<1	0.16	183	<10	4	177	7
L96E 47+50N	<0.2	0.90	<5	105	<0.5	<5	0.28	<1	11	23	22	2.39	0.05	0.34	364	<2	0.02	14	516	77	<5	3	<10	6	0.09	72	<10	2	75	2
L96E 48+00N	0.5	2.27	<5	110	1.2	<5	0.52	<1	22	65	137	6.40	0.21	1.82	451	5	0.02	34	569	280	<5	8	<10	3	0.20	183	<10	5	196	10
L96E 48+50N	<0.2	2.22	7	138	1.0	<5	0.62	<1	19	99	123	6.28	0.30	2.21	530	3	0.03	50	765	143	6	8	<10	5	0.22	171	<10	6	251	10
L96E 49+00N	<0.2	2.51	5	121	1.0	<5	0.60	<1	22	110	132	6.45	0.22	2.34	707	2	0.03	57	1765	146	<5	9	<10	<1	0.21	189	<10	8	188	6
L96E 49+50N	<0.2	1.72	<5	96	<0.5	<5	0.37	<1	8	39	36	4.28	0.07	0.60	218	6	0.02	18	298	55	<5	4	<10	6	0.17	124	<10	3	146	7
L96E 50+00N	<0.2	2.51	<5	150	1.1	<5	0.59	<1	22	147	66	5.34	0.40	2.46	688	<2	0.03	114	1086	173	7	5	<10	4	0.17	141	<10	5	250	7
L96E 50+50N	<0.2	2.08	<5	155	0.7	<5	0.37	<1	24	71	68	5.13	0.22	1.85	525	<2	0.02	48	1009	152	<5	5	<10	2	0.17	149	<10	3	251	7
L96E 51+00N	1.1	2.43	<5	146	0.9	<5	0.26	<1	27	87	69	4.71	0.08	1.48	512	3	0.02	52	628	201	<5	3	<10	<1	0.19	103	<10	3	203	8
L96E 51+50N	<0.2	2.96	<5	131	1.0	<5	0.60	<1	19	70	50	5.08	0.59	2.00	740	<2	0.01	48	1129	51	<5	6	<10	<1	0.17	120	<10	4	256	6
L96E 52+00N	<0.2	1.60	<5	134	0.7	<5	0.65	<1	15	28	79	5.10	0.64	1.55	913	<2	0.02	14	828	48	<5	8	<10	6	0.25	154	<10	5	148	7
L96E 52+50N	<0.2	1.74	<5	110	0.5	<5	0.32	<1	7	43	49	4.89	0.34	1.47	482	<2	0.03	17	1033	73	<5	6	<10	1	0.15	132	<10	3	114	7
L96E 53+00N	<0.2	1.95	<5	79	<0.5	<5	1.38	<1	13	43	80	4.42	0.12	1.00	613	<2	0.02	22	1014	25	<5	7	<10	5	0.20	133	<10	5	161	9
L96E 53+50N	<0.2	2.58	<5	108	0.8	<5	1.09	<1	14	37	67	5.44	0.21	1.63	1105	3	0.02	21	797	60	<5	8	<10	3	0.20	142	<10	6	226	10
L96E 54+00N	<0.2	2.22	<5	151	1.6	<5	1.20	<1	20	34	84	6.37	0.73	1.89	1305	<2	0.02	22	1589	53	<5	12	<10	6	0.18	211	<10	8	183	7
L96E 54+50N	<0.2	2.67	<5	120	0.9	<5	0.65	<1	19	39	48	5.64	0.16	1.20	898	<2	0.02	21	1611	95	<5	8	<10	4	0.22	152	<10	5	238	7
L96E 55+00N	<0.2	1.69	<5	123	0.8	<5	0.25	<1	17	86	69	5.17	0.16	1.60	823	<2	0.03	39	793	121	<5	5	<10	1	0.17	167	<10	2	153	5
L96E 55+50N	<0.2	2.02	<5	85	0.7	<5	0.62	<1	11	31	72	5.43	0.11	1.27	611	6	0.01	15	1123	99	<5	5	<10	<1	0.13	114	<10	5	127	4
L96E 56+00N	<0.2	1.91	<5	90	0.6	<5	0.22	<1	14	105	51	4.89	0.10	1.18	660	2	0.02	51	1087	65	5	4	<10	<1	0.17	127	<10	2	180	5
L96E 56+50N	0.4	1.58	10	94	<0.5	<5	0.17	<1	17	29	43	5.12	0.16	0.76	425	3	0.02	28	879	152	8	5	<10	<1	0.15	146	<10	1	179	7
L96E 57+00N	<0.2	2.36	<5	127	<0.5	<5	0.57	<1	32	87	71	6.50	0.47	1.99	665	<2	0.02	41	1469	142	7	6	<10	8	0.24	190	14	5	181	7
L96E 57+50N	<0.2	2.54	<5	123	<0.5	<5	0.31	<1	24	92	132	4.82	0.46	2.15	510	5	0.02	50	471	95	7	4	<10	7	0.18	130	<10	2	248	7
L96E 58+00N	0.3	2.47	<5	83	<0.5	<5	0.25	<1	17	45	98	4.17	0.05	0.98	346	4	0.01	30	505	102	8	4	<10	1	0.15	114	11	2	213	9
L96E 58+50N	<0.2	2.43	<5	86	<0.5	<5	0.23	<1	18	53	82	4.34	0.07	0.99	309	4	0.01	40	582	81	7	4	<10	6	0.13	124	<10	2	213	7
L96E 59+00N	0.8	1.67	21	78	<0.5	<5	0.29	<1	19	35	121	4.06	0.12	1.07	453	4	0.02	26	710	108	6	4	<10	4	0.11	123	13	3	176	3
L96E 59+50N	<0.2	1.91	7	79	<0.5	<5	0.15	<1	8	32	16	4.02	0.03	0.42	161	5	0.01	16	1031	15	<5	2	<10	5	0.09	99	<10	2	76	5
L96E 60+00N	<0.2	1.74	6	58	<0.5	<5	0.07	<1	5	26	12	3.37	0.02	0.26	116	2	0.01	11	851	16	6	1	<10	<1	0.06	75	<10	1	47	3
L96E 60+50N	<0.2	1.84	<5	70	<0.5	<5	0.10	<1	7	29	10	3.01	0.03	0.36	126	<2	0.01	15	1109	12	<5	2	<10	1	0.06	68	<10	1	60	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ


Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L96E 61+00N	<0.2	1.44	6	82	<0.5	<5	0.14	<1	7	28	16	3.22	0.04	0.36	134	7	0.01	17	723	16	<5	2	<10	4	0.06	73	<10	2	70	3
L96E 61+50N	<0.2	2.67	13	71	0.6	<5	0.08	<1	7	22	13	2.85	0.03	0.30	173	<2	0.01	15	1452	14	5	3	<10	1	0.04	55	<10	2	96	6
L96E 62+00N	<0.2	2.05	7	94	<0.5	<5	0.21	<1	8	34	19	3.87	0.04	0.54	205	<2	0.01	18	1411	10	<5	3	<10	7	0.07	101	<10	2	81	3
L96E 62+50N	1.1	2.91	<5	114	<0.5	<5	0.18	<1	11	32	17	3.29	0.04	0.41	196	7	0.01	22	766	10	<5	2	<10	6	0.08	71	<10	4	95	4
L96E 63+00N	<0.2	1.16	<5	87	<0.5	<5	0.16	<1	7	23	13	2.83	0.03	0.31	131	<2	0.01	12	1131	11	7	2	<10	6	0.10	78	<10	2	62	3
L96E 63+50N	0.6	1.85	<5	125	<0.5	<5	0.23	<1	8	40	28	2.77	0.05	0.63	194	5	0.01	24	395	10	<5	2	<10	10	0.06	78	<10	5	75	2
L96E 64+00N	<0.2	1.79	<5	117	<0.5	<5	0.68	<1	14	52	60	3.17	0.05	0.86	3013	4	0.01	65	688	3	<5	6	<10	27	0.06	70	<10	12	129	5
L96E 64+50N	<0.2	0.96	<5	59	<0.5	<5	0.12	<1	6	22	12	2.42	0.03	0.25	133	<2	0.01	14	697	10	<5	<1	<10	7	0.09	75	<10	1	52	2
L96E 65+00N	<0.2	2.81	7	75	<0.5	<5	0.20	<1	18	48	43	3.94	0.04	0.88	350	<2	0.01	37	1083	26	<5	3	<10	5	0.08	92	<10	4	156	6
L96E 65+50N	<0.2	1.50	7	79	<0.5	<5	0.20	<1	9	30	19	3.93	0.03	0.51	248	<2	0.01	17	1213	11	9	2	<10	8	0.10	109	<10	2	93	3
L96E 66+00N	0.3	1.67	<5	76	<0.5	<5	0.13	<1	11	30	11	3.57	0.03	0.43	259	<2	0.01	16	1245	8	7	2	<10	2	0.09	90	<10	1	118	3
L96E 66+50N	<0.2	2.17	<5	74	<0.5	<5	0.26	<1	12	34	9	4.02	0.03	0.43	259	<2	0.01	18	1148	11	5	2	<10	8	0.13	104	<10	2	119	5
L96E 67+00N	0.3	0.78	<5	45	<0.5	<5	0.13	<1	8	21	4	2.13	0.03	0.22	122	<2	0.01	12	652	10	5	1	<10	4	0.15	67	<10	1	65	2
L96E 67+50N	<0.2	2.18	8	93	<0.5	<5	0.36	<1	15	42	25	3.99	0.06	0.77	284	<2	0.01	31	1153	8	<5	3	<10	17	0.10	106	<10	3	108	5
L96E 68+00N	<0.2	1.76	<5	59	<0.5	<5	0.20	<1	9	27	23	3.40	0.03	0.42	197	<2	0.01	17	486	9	6	2	<10	8	0.10	95	<10	2	75	3
L96E 68+50N	<0.2	0.77	<5	32	<0.5	<5	0.18	<1	5	10	7	1.66	0.04	0.12	107	<2	0.01	23	653	8	<5	1	<10	4	0.08	43	<10	1	56	3
L96E 69+00N	<0.2	1.42	<5	56	<0.5	<5	0.18	<1	12	22	14	3.17	0.03	0.30	344	<2	0.01	31	1477	12	<5	2	<10	6	0.11	67	<10	1	133	3
L96E 69+50N	<0.2	0.50	<5	29	<0.5	<5	0.09	<1	4	9	6	1.51	0.02	0.10	96	<2	0.01	22	261	6	<5	<1	<10	3	0.07	42	<10	<1	52	1
L96E 70+00N	<0.2	2.50	<5	90	0.6	<5	0.19	<1	13	29	19	4.52	0.03	0.32	305	<2	0.01	36	1153	13	<5	3	<10	5	0.14	93	<10	2	156	7
L96E 70+50N	<0.2	3.86	<5	76	0.7	<5	0.12	<1	7	41	26	4.96	0.03	0.41	214	<2	0.01	36	1368	14	<5	4	<10	<1	0.15	113	<10	3	87	15
L96E 71+00N	<0.2	2.89	31	83	0.6	<5	0.21	<1	10	68	39	5.71	0.04	0.80	321	3	0.01	76	554	41	11	4	<10	2	0.18	146	<10	3	220	6
L100E 55+50N	<0.2	3.26	<5	99	1.0	<5	0.49	<1	26	103	57	5.28	0.21	1.93	679	<2	0.02	80	2284	174	5	6	<10	4	0.17	133	<10	3	263	10
L100E 56+00N	<0.2	1.72	<5	80	0.6	<5	0.10	<1	9	57	25	3.15	0.07	0.64	276	6	0.01	45	705	106	<5	3	<10	<1	0.14	87	<10	2	119	9
L100E 56+50N	<0.2	2.05	<5	88	0.7	<5	0.53	<1	14	54	24	5.50	0.12	0.72	391	6	0.01	46	1956	151	<5	3	<10	3	0.19	156	<10	2	192	8
L100E 57+00N	<0.2	1.72	6	83	0.6	<5	0.29	<1	13	44	50	4.56	0.07	1.01	592	3	0.01	43	1136	125	<5	4	<10	3	0.17	131	<10	3	171	5
L100E 57+50N	<0.2	2.45	<5	76	0.7	<5	0.28	<1	15	57	133	5.04	0.13	1.71	393	3	0.01	55	691	119	<5	5	<10	1	0.15	128	<10	3	222	6
L100E 58+00N	0.3	1.91	5	65	<0.5	<5	0.25	<1	8	35	35	4.37	0.05	0.74	231	<2	0.01	34	788	37	<5	4	<10	<1	0.16	127	<10	3	71	7
L100E 58+50N	<0.2	1.81	<5	137	0.5	<5	0.54	<1	11	44	73	4.78	0.11	1.32	345	8	0.02	43	554	64	<5	6	<10	6	0.16	145	<10	3	164	6
L100E 59+00N	<0.2	1.02	6	116	<0.5	<5	0.23	<1	8	26	33	3.06	0.05	0.52	195	3	0.01	34	550	28	<5	2	<10	6	0.13	91	<10	2	83	3
L100E 59+50N	<0.2	2.36	<5	126	0.6	<5	0.50	<1	15	63	61	4.59	0.24	1.57	380	<2	0.02	71	1231	33	<5	4	<10	5	0.17	125	<10	3	126	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L100E 60+00N	<0.2	2.09	<5	128	0.7	<5	0.65	<1	20	61	82	4.37	0.09	1.18	541	5	0.01	51	377	16	<5	6	<10	18	0.11	107	<10	8	106	4
L100E 60+50N	<0.2	1.89	<5	74	0.8	<5	0.62	<1	13	37	129	5.03	0.10	1.02	461	<2	0.01	24	852	27	<5	7	<10	4	0.14	163	<10	4	134	6
L100E 61+00N	<0.2	1.79	11	202	0.8	<5	1.15	<1	11	24	188	4.10	0.20	0.81	351	4	0.02	29	522	20	<5	6	<10	29	0.12	120	<10	11	132	4
L100E 61+50N	<0.2	1.93	8	107	0.6	<5	0.23	<1	9	42	39	3.55	0.05	0.52	198	4	0.02	34	463	17	<5	4	<10	7	0.09	88	<10	7	91	2
L100E 62+00N	<0.2	0.61	<5	99	<0.5	<5	0.25	<1	4	17	9	2.10	0.04	0.15	132	<2	0.01	10	858	16	<5	1	<10	8	0.10	67	<10	<1	38	1
L100E 62+50N	<0.2	1.43	<5	64	<0.5	<5	0.21	<1	4	27	10	2.75	0.03	0.27	115	<2	0.01	28	1505	13	<5	1	<10	7	0.07	74	<10	1	55	4
L100E 63+00N	<0.2	0.28	<5	50	<0.5	<5	0.14	<1	2	9	6	0.80	0.03	0.06	38	<2	0.02	22	342	10	<5	<1	<10	8	0.08	33	<10	<1	21	<1
L100E 63+50N	<0.2	1.19	<5	79	<0.5	<5	0.21	<1	9	38	57	4.37	0.07	0.65	186	8	0.01	39	466	34	<5	3	<10	2	0.17	143	<10	2	85	5
L100E 64+00N	<0.2	1.47	<5	81	<0.5	<5	0.26	<1	9	76	22	3.96	0.07	0.97	198	5	0.02	65	609	13	<5	3	<10	6	0.18	122	<10	2	92	4
L100E 64+50N	<0.2	1.49	<5	71	1.1	<5	0.59	<1	17	40	200	3.71	0.06	0.70	521	3	0.01	57	614	21	<5	5	<10	16	0.09	80	<10	26	112	3
L100E 65+00N	<0.2	1.32	<5	59	<0.5	<5	0.39	<1	10	33	24	4.00	0.05	0.56	221	2	0.01	34	749	17	<5	3	<10	10	0.14	109	<10	3	97	4
L100E 65+50N	<0.2	2.45	<5	63	0.6	<5	0.24	<1	11	42	24	4.51	0.04	0.59	216	3	0.01	35	876	14	<5	3	<10	6	0.15	101	<10	3	96	7
L100E 66+00N	<0.2	0.20	<5	20	<0.5	<5	0.04	<1	3	7	3	0.72	0.02	0.02	37	<2	0.01	15	132	7	<5	<1	<10	2	0.06	25	<10	<1	20	<1
L100E 66+50N	<0.2	2.93	<5	89	0.8	<5	0.22	<1	20	45	43	5.33	0.05	0.54	409	<2	0.01	46	2275	15	<5	4	<10	2	0.15	104	<10	4	178	12
L100E 67+00N	<0.2	1.18	<5	65	<0.5	<5	0.16	<1	6	23	17	2.96	0.04	0.29	299	<2	0.01	26	1744	12	<5	2	<10	2	0.09	63	<10	1	95	2
L100E 67+50N	<0.2	0.35	<5	27	<0.5	<5	0.09	<1	3	9	5	1.13	0.03	0.07	59	<2	0.01	17	386	6	<5	<1	<10	2	0.07	34	<10	<1	31	<1
L100E 68+00N	<0.2	2.51	8	108	0.5	<5	0.27	<1	13	43	29	4.42	0.05	0.75	290	<2	0.01	42	953	14	6	4	<10	6	0.10	105	<10	3	89	6
L100E 68+50N	<0.2	1.45	<5	56	<0.5	<5	0.18	<1	7	24	8	3.19	0.03	0.26	136	<2	0.01	24	706	15	<5	2	<10	2	0.11	84	<10	2	71	5
L100E 69+00N	<0.2	3.48	<5	50	0.8	<5	0.14	<1	16	34	33	4.64	0.03	0.38	258	<2	0.01	32	2004	9	<5	3	<10	1	0.16	112	<10	3	97	15
L140E 74+00N	<0.2	2.09	7	152	<0.5	<5	0.30	<1	9	38	27	3.77	0.04	0.53	197	3	0.01	38	390	15	5	3	<10	11	0.06	95	<10	3	115	3
L140E 73+50N	<0.2	3.10	30	162	0.8	<5	0.95	<1	19	53	76	4.69	0.06	0.76	857	2	0.02	65	578	18	10	8	<10	39	0.07	79	<10	15	142	11
L140E 73+00N	<0.2	3.25	16	198	0.9	<5	0.94	1	19	60	118	5.01	0.07	0.88	995	3	0.02	78	635	17	8	9	<10	38	0.07	94	<10	14	237	10
L140E 72+50N	<0.2	3.49	36	96	1.1	<5	0.34	<1	35	64	133	4.97	0.05	0.74	680	7	0.02	94	511	19	6	9	<10	14	0.11	95	<10	24	232	14
L140E 72+00N	<0.2	1.31	167	65	<0.5	<5	0.08	<1	7	34	32	4.78	0.04	0.18	242	3	0.01	30	1703	19	<5	2	<10	<1	0.10	117	<10	1	64	3
L140E 71+50N	<0.2	1.40	13	48	<0.5	<5	0.07	<1	8	26	21	4.99	0.03	0.19	191	2	0.01	25	1437	16	6	2	<10	<1	0.18	162	<10	1	61	4
L140E 71+00N	<0.2	1.87	8	103	<0.5	<5	0.16	<1	10	42	35	5.48	0.05	0.50	221	9	0.02	37	713	20	5	3	<10	1	0.11	162	<10	2	95	3
L140E 70+50N	<0.2	2.68	10	164	1.1	<5	0.71	<1	16	68	238	4.53	0.07	0.90	929	10	0.02	134	514	18	<5	7	<10	30	0.06	88	<10	20	140	6
L140E 70+00N	<0.2	2.19	6	141	0.7	<5	1.30	2	10	43	83	3.88	0.07	0.60	330	6	0.02	94	718	18	5	4	<10	45	0.05	67	<10	8	131	5
L140E 69+50N	<0.2	1.10	<5	59	<0.5	<5	0.10	<1	16	51	71	8.01	0.03	0.26	401	12	0.01	35	2258	27	<5	2	<10	<1	0.07	137	<10	2	51	4
L140E 69+00N	<0.2	1.23	<5	69	<0.5	<5	0.23	<1	9	33	35	3.53	0.07	0.45	236	6	0.01	52	565	19	<5	1	<10	8	0.07	75	<10	2	93	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ


Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L140E 68+50N	<0.2	2.05	<5	106	0.5	<5	0.29	<1	15	68	84	4.63	0.12	0.98	365	9	0.01	105	685	20	6	3	<10	9	0.09	101	<10	3	124	3
L140E 68+00N	<0.2	1.60	<5	45	0.5	<5	0.32	<1	12	94	148	7.04	0.15	1.53	209	24	0.03	49	664	57	6	3	<10	7	0.34	185	<10	3	59	7
L140E 66+50N	0.9	1.76	<5	108	0.7	<5	2.48	1	8	31	100	2.38	0.06	0.33	554	9	0.02	31	1009	15	<5	2	<10	121	0.04	46	<10	15	60	5
L140E 66+00N	<0.2	2.39	12	114	0.5	<5	0.28	<1	16	75	70	5.63	0.09	1.46	424	7	0.02	52	468	25	6	5	<10	10	0.10	135	<10	4	134	4
L140E 65+50N	<0.2	2.06	8	86	0.6	<5	0.31	<1	12	59	117	4.63	0.08	0.87	389	10	0.01	63	551	28	<5	3	<10	11	0.08	102	<10	4	134	3
L140E 65+00N	<0.2	2.63	8	137	1.4	<5	0.67	4	19	81	571	5.11	0.16	1.12	598	38	0.02	203	566	32	5	7	<10	29	0.09	98	<10	17	221	4
L140E 64+50N	<0.2	2.22	7	71	<0.5	<5	0.20	<1	9	69	48	4.78	0.06	1.00	295	6	0.01	40	860	23	<5	3	<10	3	0.10	103	<10	2	108	4
L140E 64+00N	<0.2	1.56	<5	64	<0.5	<5	0.07	<1	5	30	13	3.51	0.04	0.25	182	4	0.01	16	1290	23	<5	1	<10	<1	0.10	82	<10	1	51	3
L140E 63+50N	<0.2	1.53	5	81	<0.5	<5	0.11	<1	8	50	49	4.50	0.06	0.74	233	6	0.02	28	989	50	<5	3	<10	<1	0.13	120	<10	2	68	4
L140E 63+00N	<0.2	2.56	<5	93	0.8	<5	0.17	<1	14	76	65	4.40	0.07	1.16	326	5	0.02	51	1098	31	6	4	<10	2	0.12	96	<10	3	109	7
L140E 62+50N	<0.2	2.05	<5	94	<0.5	<5	0.14	<1	9	59	30	4.96	0.05	0.70	235	6	0.01	31	1339	38	<5	3	<10	<1	0.10	120	<10	2	95	4
L140E 62+00N	<0.2	2.38	<5	106	0.8	<5	0.15	<1	13	93	102	4.91	0.08	1.19	299	10	0.02	54	838	52	7	4	<10	2	0.14	119	<10	3	111	6
L140E 61+50N	<0.2	1.00	<5	78	<0.5	<5	0.13	<1	6	36	18	3.66	0.04	0.42	171	5	0.01	17	1086	48	<5	2	<10	1	0.16	118	<10	1	53	4
L140E 61+00N	<0.2	0.96	<5	85	<0.5	<5	0.15	<1	5	22	40	3.75	0.06	0.61	249	6	0.01	13	1059	73	<5	2	<10	<1	0.10	83	<10	2	66	3
L140E 60+50N	<0.2	0.94	<5	91	<0.5	<5	0.17	<1	12	33	41	3.25	0.06	0.49	622	5	0.01	22	868	41	<5	2	<10	1	0.10	90	<10	2	63	3
L140E 60+00N	<0.2	2.03	<5	95	0.6	<5	0.17	<1	12	68	49	4.98	0.06	0.83	245	7	0.02	38	1216	74	<5	3	<10	<1	0.16	121	<10	2	142	10
L140E 59+50N	<0.2	2.50	<5	102	0.7	<5	0.25	<1	14	103	47	5.19	0.08	1.18	303	4	0.01	57	2663	57	<5	3	<10	2	0.13	128	<10	2	155	5
L140E 59+00N	<0.2	1.61	<5	90	<0.5	<5	0.36	<1	10	70	39	4.19	0.10	0.91	243	9	0.02	44	607	36	<5	3	<10	12	0.14	108	<10	3	83	4
L140E 58+50N	<0.2	2.41	10	157	0.8	<5	0.90	<1	25	105	317	4.67	0.25	1.39	1200	31	0.02	131	538	43	5	7	<10	38	0.10	107	<10	12	127	6
L140E 58+00N	<0.2	1.92	6	120	0.9	<5	0.76	<1	20	57	304	3.95	0.12	0.72	743	15	0.02	71	594	41	<5	6	<10	34	0.07	80	<10	14	106	3
L140E 57+50N	<0.2	2.29	<5	108	0.6	<5	0.27	<1	13	95	67	4.61	0.09	1.61	381	4	0.04	63	786	44	<5	5	<10	3	0.16	122	<10	4	122	4
L140E 57+00N	<0.2	1.27	<5	69	0.7	<5	0.25	<1	19	57	88	3.31	0.09	0.64	760	13	0.02	38	581	51	<5	3	<10	9	0.09	85	<10	5	67	2
L140E 56+50N	<0.2	2.05	<5	141	1.2	<5	0.56	<1	9	158	251	4.58	0.21	2.04	337	43	0.02	89	616	73	8	7	<10	22	0.13	116	<10	10	98	5
L140E 56+00N	<0.2	1.82	5	178	0.5	<5	0.41	<1	19	94	91	3.91	0.10	1.31	605	65	0.08	76	402	35	6	4	<10	27	0.09	98	<10	7	98	2
L140E 55+50N	<0.2	1.81	<5	169	0.9	<5	0.75	<1	19	41	684	2.42	0.12	0.55	1214	43	0.02	95	733	22	<5	4	<10	44	0.06	50	<10	20	72	4
L140E 55+00N	1.4	1.54	<5	73	<0.5	<5	0.44	<1	4	8	168	0.38	0.04	0.09	77	8	0.04	39	641	4	<5	2	<10	35	0.06	13	<10	9	18	6
L140E 53+50N	<0.2	2.77	<5	122	1.5	<5	0.17	<1	27	168	291	7.26	0.49	2.99	596	5	0.04	53	1498	156	8	11	<10	<1	0.16	214	<10	4	119	8
L140E 53+00N	<0.2	2.77	6	143	1.3	<5	0.26	<1	22	134	226	5.66	0.30	2.13	551	29	0.02	104	799	95	6	7	<10	5	0.15	141	<10	5	124	5
L140E 52+50N	<0.2	2.70	<5	125	0.8	<5	0.27	<1	13	123	86	5.99	0.10	1.61	285	7	0.02	54	2199	97	5	5	<10	<1	0.18	171	<10	4	159	7
L140E 52+00N	0.5	2.15	<5	82	1.0	<5	0.30	<1	14	89	232	5.70	0.22	1.96	462	20	0.03	37	1378	155	<5	8	<10	1	0.18	186	<10	5	117	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L140E 51+50N	<0.2	2.11	<5	119	0.7	<5	0.29	<1	12	97	96	5.00	0.10	1.30	325	14	0.06	53	1069	123	<5	4	<10	7	0.18	147	<10	3	103	6
L140E 51+00N	<0.2	2.79	7	95	1.2	<5	0.43	<1	18	172	192	5.88	0.24	2.47	449	14	0.03	96	1258	131	<5	6	<10	7	0.18	152	<10	5	179	6
L140E 50+50N	<0.2	1.71	8	123	0.5	<5	0.30	<1	12	100	83	4.53	0.14	1.54	345	10	0.02	52	440	75	6	5	<10	10	0.16	141	<10	4	105	4
L140E 50+00N	<0.2	2.50	9	87	1.0	<5	0.58	<1	17	137	184	5.69	0.41	2.61	489	20	0.03	85	706	133	6	9	<10	15	0.17	158	<10	9	121	7
L140E 49+50N	2.4	3.13	14	242	1.4	<5	0.94	<1	24	116	350	6.02	0.26	1.71	825	17	0.02	96	531	124	6	14	<10	34	0.13	140	<10	20	168	7
L140E 49+00N	0.7	2.00	9	157	0.8	<5	0.59	<1	14	67	201	4.29	0.18	0.82	542	11	0.02	60	338	62	<5	9	<10	19	0.09	103	<10	10	91	5
L140E 48+50N	2.9	3.38	9	248	1.0	<5	1.32	<1	19	111	232	5.22	0.25	1.55	612	14	0.03	112	640	72	<5	9	<10	46	0.14	106	<10	14	175	9
L136E 49+50N	0.5	2.85	<5	178	1.3	<5	0.36	<1	23	142	317	6.71	0.74	2.88	593	13	0.03	118	765	120	5	7	<10	1	0.26	166	<10	7	117	13
L136E 49+00N	<0.2	2.35	<5	124	1.0	<5	0.55	<1	16	212	117	5.30	0.62	2.98	521	9	0.03	122	715	172	7	8	<10	13	0.18	163	<10	8	116	5
L136E 48+50N	0.6	2.54	6	203	1.1	<5	0.78	<1	25	142	142	5.00	0.44	2.00	1226	19	0.02	117	555	306	7	9	<10	21	0.16	130	<10	9	125	8
L136E 48+00N	<0.2	2.46	17	117	0.8	<5	0.74	<1	25	117	128	5.30	0.27	1.98	1118	7	0.02	77	748	90	<5	10	<10	24	0.14	138	<10	9	120	6
L136E 47+50N	1.0	2.45	8	111	1.2	<5	0.92	<1	18	116	145	4.77	0.15	1.59	537	4	0.02	75	608	337	6	8	<10	22	0.14	130	<10	12	98	4
L136E 47+00N	<0.2	2.48	8	101	0.7	<5	0.49	<1	20	113	75	4.67	0.19	1.73	498	2	0.02	71	877	121	<5	6	<10	17	0.16	128	<10	6	145	4
L136E 46+50N	<0.2	1.17	<5	62	<0.5	<5	0.17	<1	9	58	24	2.75	0.07	0.62	169	<2	0.04	34	428	62	<5	2	<10	6	0.14	93	<10	2	68	2
L136E 46+00N	<0.2	3.29	<5	105	1.1	<5	0.26	<1	23	133	80	5.15	0.12	1.74	425	3	0.02	82	1050	241	6	5	<10	5	0.19	144	<10	4	151	8
L88E 53+00N	<0.2	2.34	<5	159	0.7	<5	0.41	<1	19	34	134	6.38	0.23	1.65	596	11	0.03	19	1183	30	<5	8	<10	1	0.20	159	<10	5	173	6
L88E 53+50N	<0.2	4.15	<5	241	1.8	<5	1.03	<1	30	70	219	5.56	0.26	2.13	622	4	0.02	67	627	41	<5	7	<10	10	0.20	134	<10	8	199	9
L88E 54+00N	<0.2	2.96	<5	144	0.8	<5	0.33	<1	19	82	94	5.54	0.26	1.86	518	19	0.02	52	729	28	<5	5	<10	<1	0.18	113	<10	4	200	10
L88E 54+50N	<0.2	2.91	<5	87	0.7	<5	0.22	<1	16	145	45	6.02	0.72	3.07	577	<2	0.03	79	1028	31	<5	2	<10	<1	0.22	105	<10	2	244	9
L88E 55+00N	<0.2	3.25	<5	171	0.8	<5	0.34	<1	22	117	60	5.38	0.08	2.11	494	<2	0.02	82	1058	20	<5	6	<10	4	0.17	125	<10	3	305	7
L88E 55+50N	<0.2	3.38	<5	64	0.7	<5	0.13	<1	8	86	17	3.69	0.05	0.59	152	<2	0.02	36	1069	8	5	3	<10	<1	0.14	72	<10	3	63	16
L88E 56+00N	<0.2	2.20	<5	84	0.6	<5	0.29	<1	10	45	104	5.10	0.11	1.17	390	5	0.02	24	1028	25	<5	5	<10	<1	0.15	127	<10	3	127	6
L88E 56+50N	<0.2	1.14	<5	109	0.5	<5	0.25	<1	9	29	70	4.49	0.11	0.96	386	4	0.03	13	911	20	<5	4	<10	3	0.15	117	<10	3	114	5
L88E 57+00N	<0.2	2.42	<5	102	0.9	<5	0.23	<1	8	51	123	5.75	0.18	1.38	360	7	0.02	20	675	36	<5	6	<10	<1	0.14	149	<10	3	113	6
L88E 57+50N	<0.2	2.10	<5	138	0.6	<5	0.15	<1	7	44	97	6.49	0.29	1.44	334	15	0.02	19	1365	83	<5	5	<10	<1	0.18	174	<10	3	119	9
L88E 58+00N	<0.2	1.76	<5	151	0.6	<5	0.18	<1	13	35	75	4.73	0.10	0.73	776	9	0.01	20	691	45	<5	4	<10	<1	0.12	118	<10	2	176	4
L88E 58+50N	<0.2	2.04	<5	91	0.7	<5	0.28	<1	27	50	101	4.46	0.13	1.02	743	3	0.01	38	737	18	<5	4	<10	4	0.09	99	<10	5	109	3
L88E 59+00N	<0.2	1.37	<5	55	<0.5	<5	0.15	<1	8	27	18	2.78	0.03	0.33	228	<2	0.01	16	678	10	<5	2	<10	3	0.08	71	<10	2	62	2
L88E 59+50N	0.6	1.96	<5	184	0.5	<5	1.14	<1	10	38	61	3.22	0.07	0.42	271	6	0.02	31	495	12	<5	3	<10	44	0.08	74	<10	5	80	3
L88E 60+00N	<0.2	2.46	8	171	0.8	<5	0.85	<1	14	62	137	4.85	0.10	0.81	393	13	0.01	51	407	20	<5	6	<10	28	0.10	113	<10	8	140	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L88E 60+50N	<0.2	2.29	<5	108	0.6	<5	0.93	<1	21	86	57	4.19	0.11	1.46	751	8	0.01	77	656	14	<5	4	<10	25	0.12	104	<10	6	129	3
L88E 61+00N	<0.2	2.26	<5	121	0.6	<5	0.82	<1	19	69	64	4.33	0.09	1.22	657	7	0.01	55	735	14	5	5	<10	29	0.11	100	<10	8	115	4
L88E 61+50N	<0.2	1.85	<5	99	0.5	<5	0.63	<1	13	54	49	3.47	0.05	0.71	291	6	0.01	38	489	15	<5	3	<10	23	0.13	93	<10	6	92	4
L88E 62+00N	<0.2	2.81	5	203	1.0	<5	0.72	<1	19	82	178	4.81	0.10	1.09	667	5	0.02	83	765	25	6	9	<10	30	0.10	110	<10	16	144	5
L88E 62+50N	<0.2	2.47	195	137	1.1	<5	0.60	<1	47	166	268	7.09	0.17	1.96	950	12	0.01	107	1056	27	9	10	<10	13	0.16	266	<10	11	80	8
L88E 63+00N	<0.2	2.50	<5	120	0.9	<5	0.43	<1	18	131	57	5.14	0.16	1.38	360	3	0.02	66	1452	54	<5	4	<10	4	0.20	136	<10	5	142	8
L88E 63+50N	<0.2	2.43	7	214	0.7	<5	1.11	<1	26	113	293	4.83	0.18	1.87	1057	7	0.02	99	949	16	<5	7	<10	36	0.14	113	<10	11	127	6
L88E 64+00N	<0.2	2.04	<5	87	0.5	<5	0.22	<1	8	35	43	3.82	0.04	0.57	282	<2	0.01	59	567	13	<5	3	<10	6	0.10	85	<10	3	94	3
L88E 64+50N	<0.2	2.46	<5	71	<0.5	<5	0.28	<1	12	44	45	4.66	0.04	0.85	337	<2	0.01	44	1119	12	<5	4	<10	4	0.10	96	<10	3	110	4
L88E 65+00N	<0.2	2.39	<5	84	0.6	<5	0.30	<1	16	46	30	4.92	0.04	0.54	422	<2	0.01	26	1311	13	<5	3	<10	6	0.14	117	<10	3	157	5
L88E 65+50N	<0.2	3.28	<5	214	0.9	<5	0.35	<1	20	64	98	5.13	0.08	0.92	651	2	0.02	60	762	17	<5	6	<10	13	0.09	107	<10	11	192	4
L88E 66+00N	0.4	2.47	10	93	<0.5	<5	0.29	<1	23	53	65	4.17	0.06	1.04	606	<2	0.01	45	932	14	<5	4	<10	9	0.09	88	10	6	125	3
L88E 66+50N	<0.2	2.11	<5	61	<0.5	<5	0.36	<1	22	49	83	4.54	0.08	1.16	574	<2	0.01	32	685	16	<5	4	<10	8	0.12	104	<10	7	131	4
L88E 67+00N	<0.2	2.04	6	54	<0.5	<5	0.46	<1	28	65	126	4.88	0.22	1.56	761	2	0.01	45	631	31	<5	7	<10	12	0.14	123	11	7	153	4
L88E 67+50N	<0.2	2.30	<5	63	<0.5	<5	0.61	<1	21	47	84	4.78	0.08	1.25	487	<2	0.01	41	745	16	<5	5	<10	17	0.13	117	10	5	183	4
L88E 68+00N	<0.2	1.86	<5	67	<0.5	<5	0.28	<1	14	35	36	3.11	0.04	0.65	270	<2	0.01	25	488	19	<5	3	<10	14	0.11	77	<10	3	68	2
L88E 68+50N	<0.2	2.63	10	92	<0.5	<5	0.31	<1	19	56	45	4.36	0.05	1.06	508	<2	0.01	44	1015	11	<5	4	<10	11	0.08	96	<10	4	138	4
L88E 69+00N	0.5	3.46	7	96	<0.5	<5	0.22	<1	24	50	50	4.51	0.04	0.70	430	3	0.01	38	403	13	<5	6	<10	7	0.12	101	<10	7	121	12
L88E 69+50N	<0.2	2.33	6	53	<0.5	<5	0.26	<1	13	36	27	3.67	0.03	0.59	217	<2	0.01	24	371	12	<5	3	<10	13	0.11	84	<10	4	79	3
L88E 70+00N	0.9	3.61	10	164	<0.5	<5	0.67	<1	22	57	88	4.44	0.07	0.80	529	<2	0.02	58	573	15	<5	6	<10	26	0.07	88	11	8	143	7
L88E 70+50N	<0.2	2.65	10	64	<0.5	<5	0.31	<1	17	48	49	4.87	0.03	0.97	399	<2	0.01	35	523	10	<5	4	<10	6	0.11	112	12	4	97	4
L88E 71+00N	<0.2	2.78	<5	87	<0.5	<5	0.34	2	32	36	31	4.82	0.03	0.41	805	<2	0.01	21	1581	13	<5	3	<10	15	0.11	98	13	5	220	5
L88E 71+50N	0.4	3.54	8	64	<0.5	<5	0.35	<1	21	45	45	4.96	0.03	0.90	419	<2	0.01	37	637	11	<5	5	<10	8	0.12	111	<10	5	166	9
L88E 72+00N	0.7	2.87	10	98	<0.5	<5	0.88	<1	19	51	55	4.40	0.04	0.94	375	<2	0.01	45	631	13	<5	6	<10	27	0.08	99	<10	14	110	6
L88E 72+50N	2.5	3.76	15	77	<0.5	<5	1.67	<1	33	73	73	4.61	0.04	0.50	621	<2	0.02	35	1176	14	<5	7	<10	53	0.10	89	10	36	153	10
L88E 73+00N	0.3	2.26	8	71	<0.5	<5	0.53	<1	16	41	32	5.61	0.03	0.81	412	<2	0.01	25	756	12	<5	3	<10	12	0.14	134	15	7	106	5
L88E 73+50N	0.3	3.97	8	74	<0.5	<5	0.28	<1	22	45	29	5.75	0.04	0.59	426	<2	0.01	29	1132	12	<5	5	<10	2	0.18	121	13	6	148	13
L88E 74+00N	1.0	5.03	17	74	<0.5	<5	0.73	<1	35	58	72	5.30	0.04	0.81	936	<2	0.01	53	2026	12	<5	8	<10	19	0.08	101	12	31	166	12
L88E 74+50N	<0.2	2.14	5	78	<0.5	<5	0.23	<1	15	37	25	3.92	0.03	0.72	307	<2	0.01	27	805	12	<5	3	<10	6	0.08	90	<10	3	110	3
L88E 75+00N	0.7	2.79	<5	102	<0.5	<5	0.27	<1	16	38	31	4.36	0.03	0.76	315	<2	0.01	30	856	10	<5	3	<10	5	0.10	104	12	4	143	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ


Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L88E 75+50N	<0.2	3.14	18	77	<0.5	<5	0.27	<1	25	39	43	5.15	0.03	0.67	480	<2	0.01	34	1327	10	<5	4	<10	5	0.08	106	16	4	230	7
L88E 76+00N	1.5	3.51	8	69	<0.5	<5	1.60	<1	15	23	33	3.16	0.02	0.19	336	<2	0.02	67	1062	15	<5	3	<10	49	0.12	57	<10	13	88	8
L88E 76+50N	0.2	3.30	6	151	<0.5	<5	0.44	<1	19	42	48	5.23	0.04	0.64	395	<2	0.01	45	691	13	<5	4	<10	17	0.12	129	11	8	185	5
L88E 77+00N	0.5	2.67	<5	79	<0.5	<5	0.31	<1	14	34	20	4.02	0.03	0.57	248	<2	0.01	28	655	12	<5	3	<10	15	0.14	100	<10	3	91	6
L88E 77+50N	0.8	4.21	<5	64	<0.5	<5	0.18	<1	13	31	15	4.48	0.02	0.34	332	<2	0.01	16	1082	11	<5	3	<10	6	0.15	86	<10	4	115	16
L88E 78+00N	<0.2	2.38	<5	96	<0.5	<5	0.29	<1	13	37	24	3.97	0.04	0.59	929	<2	0.02	19	561	13	<5	4	<10	8	0.12	106	<10	3	89	3
L88E 78+50N	0.2	5.67	17	277	1.6	<5	0.72	<1	32	116	173	9.52	0.19	1.46	1977	5	0.02	97	1346	25	11	10	<10	30	0.09	199	<10	12	398	9
L88E 79+00N	<0.2	1.79	<5	90	<0.5	<5	0.30	<1	7	30	23	3.24	0.04	0.47	210	<2	0.02	19	426	11	<5	3	<10	11	0.11	87	<10	4	75	3
L92E 55+00N	<0.2	2.71	<5	121	0.9	<5	0.54	<1	15	54	87	6.13	0.27	1.69	568	9	0.02	28	1009	54	<5	8	<10	3	0.23	165	<10	5	180	7
L92E 55+50N	<0.2	3.51	6	108	1.2	<5	0.59	<1	18	72	107	6.02	0.17	1.78	601	4	0.02	42	914	51	<5	9	<10	4	0.19	164	<10	5	263	9
L92E 56+00N	<0.2	3.43	<5	113	1.2	<5	0.59	<1	15	68	123	5.49	0.10	1.23	555	12	0.02	33	981	76	6	7	<10	4	0.20	152	<10	5	188	11
L92E 56+50N	<0.2	2.15	<5	109	0.8	<5	0.78	<1	19	48	56	4.82	0.14	1.22	759	<2	0.02	30	1459	55	<5	6	<10	8	0.17	132	<10	5	131	4
L92E 57+00N	<0.2	3.42	<5	131	1.7	<5	0.70	<1	33	209	235	6.29	1.02	3.68	909	2	0.03	85	788	166	7	13	<10	<1	0.28	212	<10	8	230	14
L92E 57+50N	<0.2	2.29	<5	99	1.0	<5	0.45	<1	18	45	78	4.81	0.12	0.94	484	3	0.02	30	812	41	<5	6	<10	4	0.20	141	<10	3	124	7
L92E 58+00N	<0.2	3.23	<5	119	1.4	<5	0.38	<1	21	98	157	5.61	0.15	1.51	598	4	0.02	72	1525	57	<5	7	<10	4	0.18	148	<10	4	179	7
L92E 58+50N	0.7	0.78	<5	55	<0.5	<5	0.99	<1	11	30	97	3.14	0.11	0.52	330	<2	0.02	14	444	60	<5	4	<10	11	0.24	129	<10	6	42	7
L92E 59+00N	<0.2	1.20	<5	49	0.6	<5	0.38	<1	12	22	86	4.19	0.06	0.44	933	<2	0.02	11	778	19	<5	4	<10	<1	0.18	141	<10	3	79	6
L92E 59+50N	<0.2	1.89	<5	113	1.0	<5	0.26	<1	16	49	233	5.27	0.11	1.06	578	<2	0.02	24	735	36	<5	6	<10	2	0.16	204	<10	3	135	5
L92E 60+00N	<0.2	1.90	7	88	0.7	<5	0.31	<1	15	40	137	4.96	0.16	1.26	461	<2	0.02	27	1081	16	<5	6	<10	3	0.18	177	<10	3	123	7
L92E 60+50N	<0.2	1.48	<5	114	<0.5	<5	0.16	<1	6	25	13	3.36	0.03	0.24	168	<2	0.02	12	585	18	<5	2	<10	6	0.14	100	<10	2	54	5
L92E 61+00N	<0.2	2.14	<5	90	0.6	<5	0.21	<1	7	49	25	4.17	0.04	0.51	185	<2	0.02	18	527	14	<5	4	<10	4	0.14	126	<10	3	71	5
L92E 61+50N	<0.2	1.98	<5	150	0.6	<5	0.18	<1	9	35	20	3.87	0.05	0.47	434	<2	0.02	24	763	31	<5	3	<10	3	0.10	107	<10	2	107	3
L92E 62+00N	<0.2	3.89	<5	71	1.0	<5	0.21	<1	12	56	54	5.67	0.07	0.70	336	2	0.02	29	1343	13	<5	5	<10	<1	0.20	150	<10	3	106	20
L92E 62+50N	<0.2	3.16	<5	86	0.9	<5	0.28	<1	12	87	95	5.14	0.07	1.28	404	<2	0.02	69	1114	21	<5	6	<10	7	0.10	129	<10	4	124	6
L92E 63+00N	<0.2	2.49	<5	85	0.5	<5	0.14	<1	5	30	11	3.02	0.03	0.32	142	<2	0.02	14	962	19	<5	3	<10	3	0.11	78	<10	2	60	8
L92E 63+50N	<0.2	1.27	<5	122	<0.5	<5	0.24	<1	9	42	54	4.01	0.13	0.83	730	2	0.02	24	1001	15	<5	3	<10	7	0.18	132	<10	3	120	4
L92E 64+00N	<0.2	0.66	<5	118	<0.5	<5	0.27	<1	4	20	10	2.04	0.06	0.18	168	<2	0.01	11	617	18	<5	1	<10	12	0.11	77	<10	1	49	2
L92E 64+50N	<0.2	2.28	<5	128	0.8	<5	0.32	<1	9	38	46	4.36	0.05	0.60	329	2	0.01	26	1043	14	<5	4	<10	12	0.08	106	<10	3	99	4
L92E 66+50N	<0.2	2.89	<5	87	0.7	<5	0.46	<1	13	41	35	3.73	0.03	0.66	241	2	0.01	27	265	11	5	5	<10	13	0.12	101	<10	6	87	8
L92E 67+00N	<0.2	2.46	8	100	<0.5	<5	0.26	<1	11	42	25	5.40	0.03	0.73	295	3	0.01	23	477	12	<5	4	<10	7	0.15	138	<10	3	117	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L92E 67+50N	<0.2	2.06	<5	95	0.5	<5	1.38	2	13	40	50	3.13	0.04	0.64	1805	<2	0.02	32	854	11	5	3	<10	38	0.06	65	<10	10	130	4
L92E 68+00N	0.5	1.63	<5	50	0.6	<5	0.70	<1	9	24	58	2.22	0.02	0.24	860	<2	0.02	20	664	6	6	3	<10	21	0.07	52	<10	14	61	2
L92E 68+50N	<0.2	2.43	8	58	0.6	<5	1.24	<1	13	47	79	3.59	0.03	0.59	504	<2	0.01	32	616	13	<5	3	<10	33	0.08	72	<10	11	110	4
L92E 69+00N	<0.2	1.97	5	58	0.6	<5	1.45	2	13	41	61	2.65	0.03	0.34	1519	3	0.02	30	688	12	7	2	<10	40	0.07	57	<10	10	86	3
L92E 69+50N	<0.2	3.25	<5	76	0.8	<5	0.34	<1	12	36	21	5.04	0.03	0.60	273	<2	0.01	25	1219	15	6	4	<10	7	0.16	110	<10	4	130	12
L92E 70+00N	<0.2	2.58	<5	84	0.6	<5	0.31	<1	21	37	32	4.50	0.04	0.85	570	<2	0.01	37	1163	11	<5	4	<10	10	0.14	111	<10	3	255	8
L92E 70+50N	<0.2	3.17	<5	111	0.8	<5	0.45	<1	21	32	18	4.80	0.05	0.58	444	<2	0.01	28	2511	14	<5	3	<10	14	0.15	89	<10	3	278	18
L92E 71+00N	<0.2	1.83	<5	72	<0.5	<5	0.25	<1	12	32	13	5.01	0.04	0.40	315	<2	0.01	17	2723	18	<5	3	<10	6	0.16	110	<10	2	195	12
L92E 71+50N	<0.2	1.63	<5	56	<0.5	<5	0.18	<1	9	17	9	3.34	0.03	0.18	235	<2	0.01	11	1123	9	<5	2	<10	4	0.14	73	<10	2	100	6
L92E 72+00N	<0.2	3.67	<5	98	0.8	<5	0.23	<1	14	37	19	4.46	0.03	0.64	368	<2	0.01	27	1315	12	6	4	<10	6	0.13	99	<10	3	222	12
L92E 72+50N	<0.2	2.62	<5	73	0.6	<5	0.24	<1	12	32	11	4.83	0.03	0.29	306	<2	0.02	15	1863	17	<5	3	<10	11	0.22	109	<10	2	136	10
L92E 73+00N	<0.2	2.64	12	76	0.8	<5	0.18	<1	14	51	22	6.00	0.04	0.54	362	2	0.01	26	1155	13	<5	3	<10	1	0.18	142	<10	3	300	9
L92E 73+50N	<0.2	3.39	6	55	0.5	<5	0.17	<1	9	34	19	4.77	0.02	0.41	425	<2	0.01	15	1518	10	<5	3	<10	<1	0.19	116	<10	2	75	18
L92E 74+00N	<0.2	2.17	6	73	0.5	<5	0.16	<1	7	40	19	4.40	0.02	0.40	225	8	0.01	24	621	17	<5	3	<10	2	0.12	141	<10	3	140	6
L92E 74+50N	<0.2	1.60	<5	123	<0.5	<5	0.24	<1	8	22	16	4.60	0.03	0.28	294	2	0.01	15	639	16	<5	2	<10	7	0.12	119	<10	3	89	3
L92E 75+00N	<0.2	2.29	58	73	0.7	<5	0.72	<1	16	41	72	3.35	0.04	0.54	698	<2	0.01	53	517	12	<5	4	<10	20	0.08	63	<10	12	428	4
L92E 75+50N	<0.2	2.01	7	65	<0.5	<5	0.10	<1	8	37	22	4.58	0.03	0.37	219	3	0.01	20	633	12	<5	3	<10	<1	0.11	130	<10	2	142	5
L92E 76+00N	<0.2	1.96	8	87	<0.5	<5	0.15	<1	9	53	19	3.79	0.02	0.49	245	<2	0.01	27	471	11	<5	2	<10	4	0.10	98	<10	2	76	3
L92E 76+50N	<0.2	2.56	<5	86	0.5	<5	0.36	<1	9	43	44	4.37	0.04	0.78	309	<2	0.01	51	509	11	<5	4	<10	10	0.12	112	<10	3	115	4
L92E 77+00N	<0.2	1.59	15	56	<0.5	<5	0.16	<1	8	128	26	4.24	0.03	0.90	234	<2	0.01	46	1015	14	5	3	<10	5	0.10	123	<10	2	68	3
L92E 77+50N	<0.2	3.72	11	128	0.7	<5	0.33	<1	18	58	78	5.44	0.05	1.06	469	<2	0.01	146	696	18	<5	6	<10	8	0.11	126	<10	5	198	6
L92E 78+00N	0.8	3.45	<5	143	0.8	<5	0.61	<1	14	43	45	5.25	0.05	0.51	315	2	0.02	49	561	20	<5	5	<10	35	0.18	116	<10	6	158	7
L144E 60+00N	<0.2	2.77	6	101	0.7	<5	0.53	<1	19	132	68	5.22	0.18	1.89	373	5	0.02	84	1858	39	<5	5	<10	16	0.16	124	<10	4	152	6
L144E 59+50N	<0.2	2.32	7	121	0.5	<5	0.40	<1	17	78	58	5.06	0.11	1.31	403	6	0.02	85	861	22	5	5	<10	22	0.14	126	<10	3	151	4
L144E 59+00N	<0.2	3.01	18	144	0.9	<5	0.90	<1	35	165	168	5.94	0.26	2.04	936	16	0.02	140	501	67	6	9	<10	49	0.14	127	<10	13	200	7
L144E 58+50N	0.3	2.63	11	112	0.9	<5	1.07	<1	31	212	220	5.98	0.38	2.31	834	40	0.02	221	549	67	9	10	<10	43	0.14	129	<10	10	143	8
L144E 58+00N	<0.2	2.39	<5	77	0.8	<5	0.77	<1	18	257	184	6.02	0.17	2.36	475	29	0.02	134	652	55	8	10	<10	26	0.19	173	<10	8	105	7
L144E 57+50N	0.7	2.86	7	134	1.1	<5	0.89	1	28	170	350	5.33	0.26	2.47	1071	16	0.02	207	481	133	7	9	<10	42	0.18	117	<10	12	234	7
L144E 57+00N	<0.2	2.48	12	108	0.8	<5	0.77	<1	19	119	197	5.25	0.25	1.95	574	20	0.02	111	531	67	5	7	<10	35	0.17	126	<10	9	127	6
L144E 56+50N	<0.2	2.43	7	111	0.8	<5	0.88	<1	27	158	294	5.36	0.48	2.34	922	29	0.02	120	724	92	6	8	<10	50	0.17	127	<10	9	136	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L144E 56+00N	<0.2	2.05	7	88	0.8	<5	0.77	<1	11	133	238	5.04	0.48	2.13	434	19	0.02	88	951	60	<5	10	<10	34	0.15	126	<10	10	95	6
L144E 55+50N	<0.2	2.38	<5	130	0.8	<5	0.32	<1	20	97	174	5.46	0.35	2.17	657	23	0.02	55	995	49	<5	8	<10	11	0.18	150	<10	5	127	5
L144E 55+00N	<0.2	3.41	<5	91	0.8	<5	0.53	<1	21	105	90	6.87	0.92	3.02	701	5	0.02	46	996	39	<5	9	<10	3	0.27	204	<10	7	105	8
L144E 54+50N	<0.2	2.87	15	129	0.9	<5	0.98	<1	28	191	164	7.05	0.47	2.94	987	39	0.02	129	971	77	10	11	<10	34	0.17	157	<10	12	112	7
L144E 54+00N	0.3	2.79	<5	158	0.8	<5	0.73	<1	18	108	117	4.62	0.13	1.73	679	10	0.02	102	648	33	<5	7	<10	25	0.13	115	<10	9	189	3
L144E 53+50N	<0.2	2.43	17	102	0.8	<5	0.66	<1	25	105	205	5.45	0.26	1.87	1034	23	0.02	74	906	50	<5	8	<10	24	0.13	140	<10	9	132	4
L144E 53+00N	0.3	3.05	16	178	1.1	<5	0.71	<1	27	137	230	6.11	0.25	2.08	1147	27	0.02	109	632	66	7	11	<10	27	0.15	141	<10	12	180	6
L144E 52+50N	<0.2	2.45	10	115	0.9	<5	0.71	<1	19	144	168	5.42	0.27	2.24	670	20	0.02	89	580	58	5	9	<10	26	0.16	140	<10	9	129	6
L144E 52+00N	<0.2	2.58	9	143	0.9	<5	0.77	<1	23	131	182	5.56	0.26	2.08	941	22	0.02	97	568	54	<5	9	<10	34	0.14	132	<10	10	159	6
L144E 51+50N	0.6	3.05	9	242	1.5	<5	1.15	<1	18	146	395	6.13	0.32	2.30	775	45	0.02	112	1114	84	7	17	<10	58	0.12	166	<10	23	150	11
L144E 51+00N	<0.2	2.58	20	134	1.0	<5	0.75	<1	28	112	183	5.84	0.24	1.71	758	36	0.02	88	491	41	<5	12	<10	25	0.15	140	<10	14	174	9
L144E 50+50N	<0.2	3.52	11	227	0.9	<5	0.58	<1	20	97	151	5.36	0.17	1.26	509	21	0.02	84	717	33	<5	9	<10	22	0.14	124	<10	8	181	7
L144E 50+00N	<0.2	2.88	6	168	0.8	<5	0.57	<1	20	104	144	5.05	0.15	1.56	454	14	0.02	76	750	42	<5	7	<10	20	0.15	132	<10	7	218	4
L144E 49+50N	<0.2	2.64	5	153	1.1	<5	0.63	<1	21	112	172	5.34	0.28	2.25	754	8	0.02	69	706	74	6	8	<10	23	0.16	144	<10	9	139	4
L144E 49+00N	1.2	2.20	5	91	<0.5	26	0.50	<1	19	94	126	4.39	0.13	1.63	356	13	0.02	65	748	302	<5	6	<10	19	0.12	121	14	7	129	3
L144E 48+50N	0.3	1.92	9	97	<0.5	<5	0.57	<1	21	73	140	4.28	0.15	1.35	583	12	0.02	50	528	47	<5	7	<10	25	0.10	116	<10	9	88	3
L144E 48+00N	0.2	2.17	7	99	<0.5	<5	0.61	<1	22	106	128	4.40	0.22	1.67	600	8	0.02	68	702	37	6	7	<10	26	0.11	117	16	7	106	4
L144E 47+50N	0.5	1.65	5	91	<0.5	<5	0.37	<1	13	55	81	3.00	0.08	0.92	309	5	0.02	41	358	31	<5	4	<10	15	0.09	83	<10	5	81	2
L144E 47+00N	<0.2	1.79	9	85	<0.5	<5	0.56	<1	24	74	101	3.79	0.21	1.53	641	5	0.01	56	722	40	8	6	<10	20	0.10	101	<10	8	82	3
L144E 46+50N	<0.2	2.24	7	78	<0.5	<5	0.27	<1	15	106	67	4.14	0.11	1.59	361	2	0.01	64	874	22	<5	5	<10	12	0.11	115	<10	4	107	3
L144E 46+00N	<0.2	2.06	<5	83	<0.5	<5	0.33	<1	14	75	66	3.29	0.11	1.45	419	3	0.02	49	707	23	<5	4	<10	11	0.11	99	<10	5	86	2
L144E 45+50N	<0.2	1.99	<5	56	<0.5	<5	0.28	<1	14	67	53	3.87	0.27	1.59	412	<2	0.02	41	916	28	8	5	<10	7	0.11	127	<10	4	97	3
L144E 45+00N	<0.2	1.94	<5	81	<0.5	<5	0.28	<1	14	61	53	3.53	0.07	1.09	364	3	0.01	42	869	34	<5	4	<10	11	0.10	103	<10	4	92	4
L144E 44+50N	<0.2	1.65	<5	86	<0.5	<5	0.36	<1	15	52	61	2.82	0.06	0.92	198	2	0.02	42	208	13	<5	4	<10	24	0.08	88	<10	4	62	2
L140E 48+00N	3.0	2.68	14	197	<0.5	<5	1.01	<1	25	97	309	4.86	0.27	1.40	1074	11	0.02	100	732	88	<5	9	<10	32	0.10	111	11	16	145	9
L140E 47+50N	0.6	2.27	7	134	<0.5	<5	0.50	<1	20	83	110	3.93	0.13	1.25	445	5	0.02	65	272	66	<5	6	<10	20	0.13	107	<10	5	161	6
L140E 47+00N	<0.2	2.84	<5	100	<0.5	<5	0.45	<1	27	152	66	3.94	0.47	2.62	328	<2	0.02	208	768	22	<5	3	<10	9	0.20	118	<10	5	97	4
L140E 46+50N	<0.2	2.38	7	124	<0.5	<5	0.84	<1	29	129	212	4.68	0.38	2.12	1277	14	0.02	94	818	80	<5	9	<10	27	0.13	126	<10	13	129	5
L140E 46+00N	<0.2	2.28	8	92	<0.5	<5	0.46	<1	22	117	80	4.72	0.22	1.94	375	<2	0.02	77	725	40	11	4	<10	18	0.17	133	<10	4	97	5
L140E 45+50N	<0.2	1.86	9	126	<0.5	<5	0.72	<1	20	103	147	4.46	0.39	1.89	477	6	0.02	68	945	113	<5	8	<10	26	0.12	121	<10	11	100	8

A. 5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L140E 45+00N	<0.2	2.25	7	116	<0.5	9	0.49	<1	19	82	113	3.65	0.10	1.26	442	4	0.02	66	351	39	<5	5	<10	17	0.11	103	<10	6	111	3
L140E 44+50N	0.5	2.42	11	135	<0.5	10	0.74	<1	31	86	158	5.19	0.17	1.66	878	6	0.02	68	858	90	<5	7	<10	25	0.09	159	<10	10	122	4
L140E 44+00N	<0.2	1.96	6	85	<0.5	<5	0.60	<1	23	107	94	3.93	0.20	1.60	400	6	0.01	81	132	41	<5	9	<10	19	0.12	106	<10	6	67	8
L136E 33+00N	0.8	2.54	7	145	<0.5	<5	0.88	<1	27	107	116	4.74	0.17	1.65	716	3	0.02	79	617	106	11	8	<10	35	0.11	122	11	8	120	6
L136E 33+50N	0.6	2.71	9	158	<0.5	5	0.86	<1	26	111	132	4.60	0.14	1.67	813	<2	0.02	75	544	121	6	8	<10	34	0.11	127	<10	10	117	5
L136E 34+00N	<0.2	2.70	8	183	<0.5	<5	0.95	<1	29	106	149	5.06	0.30	1.93	935	<2	0.02	87	771	113	<5	9	<10	32	0.14	138	<10	10	122	8
L136E 34+50N	0.2	2.39	8	96	<0.5	<5	0.53	<1	25	119	95	4.55	0.31	2.07	547	<2	0.02	68	597	84	10	6	<10	18	0.17	143	10	7	155	4
L136E 35+00N	<0.2	2.18	8	77	<0.5	<5	0.45	<1	19	104	78	4.04	0.13	1.67	408	<2	0.02	68	544	56	<5	5	<10	18	0.14	122	<10	6	105	4
L136E 35+50N	<0.2	2.71	14	140	<0.5	<5	1.04	<1	35	133	158	5.45	0.25	2.12	1628	<2	0.02	97	665	111	7	10	<10	44	0.13	135	16	11	131	7
L136E 36+00N	0.5	2.39	6	125	<0.5	<5	0.44	<1	23	110	80	4.39	0.16	1.63	363	2	0.02	71	555	115	<5	5	<10	15	0.14	128	<10	6	120	4
L136E 36+50N	<0.2	2.83	<5	82	<0.5	<5	0.20	<1	17	94	46	3.64	0.09	1.15	312	<2	0.02	57	1303	87	<5	4	<10	3	0.11	96	<10	5	125	8
L136E 37+00N	<0.2	3.15	7	72	<0.5	<5	0.24	<1	19	102	61	5.45	0.06	1.45	351	<2	0.02	61	1233	68	5	5	<10	3	0.15	155	12	4	114	7
L136E 37+50N	<0.2	2.48	6	59	<0.5	<5	0.46	<1	29	126	71	5.06	0.19	2.01	422	<2	0.02	75	1227	59	<5	4	<10	7	0.19	167	<10	5	88	5
L136E 38+00N	<0.2	2.89	<5	101	<0.5	<5	0.47	<1	31	159	121	5.86	0.42	2.37	530	2	0.02	90	891	145	9	6	<10	14	0.17	169	<10	6	142	5
L136E 38+50N	1.0	2.45	5	143	<0.5	8	1.28	<1	29	110	107	4.76	0.27	1.60	876	2	0.02	76	562	143	5	7	<10	43	0.11	116	<10	8	85	6
L136E 39+00N	0.7	2.73	11	92	<0.5	<5	1.25	<1	42	261	154	6.44	0.59	3.25	1011	10	0.03	166	1012	135	<5	9	<10	33	0.18	141	13	10	149	10
L136E 39+50N	0.3	3.21	<5	92	<0.5	<5	0.27	<1	30	120	102	5.30	0.09	1.63	418	2	0.02	78	1217	63	7	5	<10	12	0.19	145	<10	4	173	8
L136E 40+00N	<0.2	3.13	11	68	<0.5	<5	0.24	<1	33	126	49	6.04	0.07	1.17	915	<2	0.02	71	2669	99	<5	4	<10	7	0.15	170	<10	3	209	6
L136E 40+50N	1.7	2.59	12	104	<0.5	<5	1.21	<1	34	184	165	5.28	0.46	2.63	1250	2	0.02	122	982	228	6	9	<10	29	0.13	140	<10	12	121	6
L136E 41+00N	1.4	3.33	12	94	<0.5	<5	0.27	<1	37	122	56	6.09	0.13	1.89	456	<2	0.02	87	994	78	7	5	<10	6	0.18	160	12	4	308	6
L136E 41+50N	0.3	3.77	6	108	<0.5	<5	0.19	<1	27	91	73	3.59	0.13	1.16	430	<2	0.02	80	1439	73	<5	5	<10	8	0.14	90	<10	5	162	15
L136E 42+00N	<0.2	2.52	7	115	<0.5	<5	0.55	1	28	111	72	5.11	0.18	1.77	587	<2	0.02	77	1643	84	<5	5	<10	20	0.15	144	<10	5	164	4
L136E 42+50N	<0.2	2.22	15	85	<0.5	<5	0.63	<1	27	125	95	4.62	0.22	2.04	905	2	0.02	82	833	158	14	6	<10	20	0.13	135	<10	7	110	3
L136E 43+00N	<0.2	2.66	7	118	<0.5	<5	0.77	<1	32	144	106	4.72	0.22	2.21	689	<2	0.02	109	669	133	<5	6	<10	19	0.15	130	<10	7	180	5
L136E 43+50N	0.3	2.37	8	86	<0.5	<5	0.71	<1	28	137	91	4.75	0.22	2.14	670	<2	0.02	93	712	144	7	6	<10	21	0.15	142	<10	8	129	4
L136E 44+00N	<0.2	2.42	10	82	<0.5	<5	0.55	<1	25	138	100	4.70	0.25	2.27	628	<2	0.02	93	547	113	<5	6	<10	20	0.16	139	15	8	134	4
L136E 44+50N	<0.2	2.32	12	73	<0.5	<5	0.55	<1	25	115	104	4.81	0.18	1.89	429	3	0.02	81	539	278	<5	6	<10	14	0.16	146	<10	6	112	5
L136E 45+00N	<0.2	2.45	14	96	<0.5	<5	0.34	<1	23	80	57	4.81	0.08	1.46	412	<2	0.02	59	543	41	<5	5	<10	13	0.13	136	<10	4	114	4
L136E 45+50N	<0.2	2.56	12	78	<0.5	<5	0.50	<1	29	127	101	4.66	0.15	1.94	520	3	0.02	88	835	202	5	5	<10	18	0.16	135	<10	6	123	4
L152E 43+50N	0.3	2.20	8	164	<0.5	14	0.11	<1	12	35	51	7.21	0.04	0.28	226	45	0.02	22	4094	165	<5	3	<10	82	0.14	160	15	2	84	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ


Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L152E 44+00N	<0.2	2.40	14	98	<0.5	<5	0.18	<1	18	73	97	5.52	0.06	1.08	362	3	0.02	50	1222	19	8	4	<10	7	0.10	142	<10	3	96	4
L152E 44+50N	0.6	2.16	8	83	<0.5	<5	0.15	<1	14	51	68	5.78	0.04	0.39	187	3	0.02	27	1220	13	<5	3	<10	11	0.12	151	<10	2	59	5
L152E 45+00N	<0.2	2.88	33	104	<0.5	<5	0.30	<1	33	90	71	5.63	0.09	1.55	506	<2	0.02	60	877	11	<5	5	<10	9	0.12	142	13	4	120	4
L152E 45+50N	0.3	2.92	23	188	<0.5	<5	1.20	<1	35	117	217	5.87	0.12	1.70	975	14	0.02	91	660	23	11	8	<10	37	0.10	144	14	12	127	8
L152E 46+00N	<0.2	3.95	19	138	<0.5	<5	1.02	<1	32	98	106	6.96	0.08	1.39	359	13	0.02	64	630	16	9	6	<10	34	0.17	173	12	9	96	13
L152E 46+50N	0.2	2.65	17	103	<0.5	<5	1.10	<1	35	104	134	6.29	0.11	1.80	658	13	0.02	75	729	17	8	7	<10	34	0.13	140	14	10	127	8
L148E 40+00N	1.4	2.83	13	215	<0.5	<5	2.20	2	22	67	196	4.22	0.09	0.88	1156	2	0.02	58	1003	15	10	5	<10	57	0.08	94	<10	15	166	7
L148E 40+50N	<0.2	2.51	23	177	<0.5	<5	1.20	<1	29	89	162	5.37	0.09	1.26	1046	16	0.02	66	756	15	12	9	<10	39	0.09	126	14	11	128	6
L148E 41+00N	<0.2	1.77	8	94	<0.5	<5	0.27	<1	13	51	26	3.75	0.06	0.59	337	<2	0.01	26	817	12	10	3	<10	10	0.10	114	11	2	71	4
L148E 41+50N	<0.2	4.49	<5	122	<0.5	<5	0.34	<1	19	80	40	4.47	0.05	0.65	542	<2	0.02	48	744	5	<5	6	<10	14	0.11	85	<10	4	202	24
L148E 42+00N	<0.2	2.50	10	157	<0.5	6	0.25	<1	27	68	87	5.46	0.08	1.11	781	<2	0.02	39	1295	11	10	4	<10	23	0.11	130	<10	3	122	4
L148E 42+50N	<0.2	2.22	7	88	<0.5	<5	0.45	<1	24	173	39	5.65	0.09	1.55	622	203	0.02	49	941	86	6	3	<10	21	0.17	173	<10	2	112	5
L148E 43+00N	<0.2	2.13	12	109	<0.5	<5	0.69	<1	19	54	59	4.42	0.07	0.69	456	6	0.02	34	524	24	9	4	<10	24	0.13	124	<10	4	104	4
L148E 43+50N	<0.2	2.15	16	104	<0.5	<5	0.86	<1	25	76	86	4.29	0.08	1.12	784	10	0.02	50	652	87	<5	6	<10	29	0.09	105	11	8	127	5
L148E 44+00N	<0.2	2.82	16	142	<0.5	<5	0.39	<1	27	90	86	5.11	0.08	1.19	475	5	0.02	55	702	75	7	6	<10	17	0.11	128	12	6	130	4
L148E 44+50N	<0.2	2.02	17	129	<0.5	<5	0.60	<1	26	79	95	4.37	0.09	1.26	660	4	0.02	54	854	73	6	6	<10	24	0.10	111	<10	7	106	4
L148E 45+00N	<0.2	3.15	14	163	<0.5	<5	0.65	<1	29	76	90	5.20	0.07	1.17	709	2	0.02	57	770	26	6	6	<10	25	0.11	117	12	6	193	6
L144E 37+50N	<0.2	2.30	12	98	<0.5	<5	0.29	<1	21	70	65	4.77	0.06	1.09	372	<2	0.01	37	1128	9	9	4	<10	13	0.11	133	12	3	119	4
L144E 38+00N	<0.2	2.69	13	132	<0.5	<5	0.42	<1	22	72	62	5.05	0.06	0.82	367	<2	0.01	41	451	16	11	5	<10	13	0.09	137	11	3	88	5
L144E 38+50N	1.5	3.68	18	233	<0.5	<5	0.89	<1	29	92	332	5.27	0.09	1.26	961	<2	0.02	70	642	26	7	12	<10	27	0.12	126	12	20	124	15
L144E 39+00N	1.1	3.87	17	225	<0.5	<5	1.60	2	23	79	253	4.94	0.09	0.99	1456	<2	0.02	72	915	19	6	7	<10	39	0.10	117	<10	19	158	9
L144E 39+50N	1.3	3.49	20	383	<0.5	<5	1.03	<1	29	101	127	5.85	0.10	1.34	567	3	0.02	81	506	25	7	10	<10	28	0.12	146	14	11	148	12
L144E 40+00N	<0.2	2.22	29	97	<0.5	<5	0.28	<1	22	61	41	4.03	0.05	0.91	384	<2	0.01	38	528	13	6	4	<10	12	0.10	110	<10	4	80	5
L144E 40+50N	<0.2	1.98	11	105	<0.5	<5	0.28	<1	20	69	41	4.42	0.07	1.01	433	3	0.01	39	902	11	7	5	<10	13	0.14	143	12	3	78	4
L144E 41+00N	<0.2	3.90	7	113	0.7	<5	0.29	<1	65	287	181	8.84	0.27	2.92	2269	3	0.01	170	1520	14	8	13	<10	2	0.07	145	18	8	141	10
L144E 41+50N	<0.2	2.62	12	112	<0.5	<5	0.26	<1	27	79	55	5.05	0.08	1.32	472	<2	0.02	51	881	17	6	5	<10	12	0.13	140	13	4	135	8
L144E 42+00N	<0.2	2.39	13	106	<0.5	<5	0.48	<1	27	77	73	4.62	0.08	1.27	659	4	0.02	50	922	23	<5	6	<10	21	0.11	129	<10	6	110	5
L144E 42+50N	<0.2	2.29	13	140	<0.5	<5	0.76	<1	27	95	158	4.85	0.10	1.57	574	4	0.02	60	649	14	<5	11	<10	26	0.10	130	11	11	90	7
L148E 65+50N	<0.2	1.13	<5	337	1.1	12	0.30	4	44	140	139	8.90	0.03	0.18	3847	18	0.01	160	1450	105	<5	11	<10	3	0.03	274	22	5	289	6
L148E 65+00N	<0.2	2.56	9	80	<0.5	<5	0.40	<1	32	212	98	6.52	0.24	2.97	680	6	0.02	131	526	12	9	6	<10	7	0.22	196	12	4	88	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ


Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L148E 64+50N	<0.2	2.58	9	60	<0.5	<5	0.31	<1	39	220	93	6.41	0.27	2.87	552	5	0.02	143	712	16	5	6	<10	4	0.18	198	15	3	94	6
L148E 64+00N	<0.2	2.37	21	65	<0.5	<5	0.59	<1	26	174	370	6.42	0.39	2.26	545	82	0.02	165	399	23	<5	8	<10	12	0.12	148	17	6	146	8
L148E 63+50N	0.7	1.60	5	42	<0.5	<5	0.50	2	17	74	76	4.51	0.20	1.27	324	26	0.02	63	430	35	<5	3	<10	12	0.18	130	13	4	151	5
L148E 63+00N	0.4	1.43	10	83	<0.5	<5	0.45	2	22	88	68	5.18	0.13	0.98	267	20	0.02	72	486	27	<5	4	<10	19	0.17	157	14	3	140	6
L148E 62+50N	1.8	2.67	8	63	<0.5	<5	1.03	4	34	229	204	5.10	0.36	2.78	587	26	0.02	235	455	268	6	4	<10	38	0.17	117	12	7	146	7
L148E 62+00N	2.4	2.36	15	91	<0.5	<5	1.13	5	49	234	560	5.40	0.45	2.57	1639	58	0.02	234	786	386	7	7	<10	46	0.13	110	13	12	189	8
L148E 61+50N	1.1	2.70	14	87	<0.5	<5	1.21	2	33	132	212	4.91	0.19	1.86	912	27	0.02	129	491	85	10	8	<10	40	0.14	112	12	10	168	12
L148E 61+00N	<0.2	2.21	11	74	<0.5	<5	0.40	<1	22	132	78	4.94	0.12	1.84	361	18	0.02	82	650	42	<5	4	<10	15	0.18	133	<10	4	148	7
L148E 60+50N	0.3	2.34	<5	135	<0.5	<5	0.40	1	40	72	232	7.01	0.16	1.56	339	47	0.02	61	1700	42	8	5	<10	27	0.19	197	16	4	153	10
L148E 60+00N	<0.2	1.93	19	59	<0.5	<5	0.31	<1	24	73	99	4.60	0.08	1.13	367	15	0.01	57	477	60	5	5	<10	8	0.12	103	<10	5	86	5
L148E 59+50N	<0.2	2.39	13	81	<0.5	<5	0.75	<1	32	102	194	6.18	0.53	2.30	858	50	0.02	80	768	46	6	9	<10	40	0.16	156	16	11	87	8
L148E 59+00N	<0.2	2.11	21	102	<0.5	<5	0.64	<1	33	90	81	5.23	0.14	1.33	1212	183	0.02	61	543	40	<5	8	<10	33	0.11	118	11	7	142	8
L148E 58+50N	0.4	2.62	6	109	<0.5	<5	0.50	1	29	88	170	5.01	0.11	1.46	635	36	0.02	75	662	14	<5	5	<10	18	0.15	121	11	5	101	9
L148E 58+00N	0.5	1.65	7	67	<0.5	<5	0.28	<1	19	67	45	4.94	0.10	1.21	303	10	0.02	39	942	19	<5	3	<10	10	0.19	143	17	3	89	6
L148E 57+50N	<0.2	2.62	<5	126	<0.5	<5	0.45	<1	30	74	59	6.83	0.42	2.09	473	4	0.02	43	1912	7	5	5	<10	12	0.20	175	16	5	108	11
L148E 57+00N	<0.2	2.53	9	68	<0.5	<5	0.42	<1	25	93	79	5.43	0.24	1.64	413	6	0.02	52	1380	94	<5	5	<10	9	0.18	140	14	5	107	7
L148E 56+50N	0.8	2.56	<5	82	<0.5	<5	0.71	<1	34	80	147	6.26	0.29	1.70	548	25	0.02	57	625	38	<5	6	<10	20	0.21	152	15	8	126	8
L148E 56+00N	<0.2	2.21	<5	93	<0.5	<5	0.49	<1	31	84	63	6.62	0.42	2.19	640	<2	0.02	37	1213	19	9	5	<10	12	0.23	184	15	5	85	7
L148E 55+50N	<0.2	2.30	6	90	<0.5	<5	0.60	<1	24	92	135	5.48	0.32	1.87	719	39	0.02	58	699	61	<5	7	<10	15	0.16	141	14	5	97	6
L148E 55+00N	1.8	2.49	<5	174	<0.5	<5	0.79	<1	28	83	103	5.50	0.12	1.22	495	19	0.02	54	623	22	8	5	<10	20	0.18	156	<10	8	127	8
L148E 54+50N	<0.2	2.48	14	102	<0.5	<5	0.36	<1	22	94	64	5.51	0.11	1.52	474	<2	0.02	60	1236	7	7	5	<10	12	0.15	158	<10	5	138	5
L148E 54+00N	<0.2	2.58	13	113	<0.5	<5	0.65	<1	28	79	86	5.11	0.13	1.68	842	13	0.02	64	562	14	7	6	<10	21	0.12	131	<10	6	146	5
L148E 53+50N	0.4	3.03	16	186	<0.5	<5	0.71	<1	33	124	194	5.55	0.16	1.67	790	8	0.02	108	658	30	9	9	<10	30	0.11	133	<10	13	153	6
L148E 53+00N	1.6	3.17	11	119	<0.5	<5	0.76	<1	22	77	109	5.02	0.09	1.48	484	11	0.02	66	526	30	7	7	<10	30	0.15	121	<10	11	150	8
L148E 52+50N	<0.2	2.96	21	151	<0.5	<5	0.48	<1	34	88	215	5.97	0.11	1.78	599	6	0.02	78	530	14	10	8	<10	17	0.14	155	12	7	150	7
L148E 52+00N	<0.2	2.27	14	91	<0.5	<5	0.62	<1	21	86	70	4.58	0.09	1.73	594	11	0.02	55	510	24	<5	5	<10	19	0.13	127	<10	6	105	5
L148E 51+50N	<0.2	2.38	22	101	<0.5	<5	0.81	<1	37	111	158	5.85	0.23	1.77	4748	91	0.02	74	809	41	11	12	<10	46	0.12	139	12	12	103	7
L148E 51+00N	<0.2	2.21	10	114	<0.5	<5	0.70	<1	26	74	67	4.49	0.11	1.71	2306	27	0.02	51	646	16	9	6	<10	24	0.14	134	<10	6	119	5
L148E 50+50N	<0.2	2.12	9	88	<0.5	<5	0.72	<1	26	91	77	4.82	0.15	1.81	903	14	0.02	59	534	32	9	7	<10	21	0.14	128	<10	7	112	6
L148E 50+00N	<0.2	2.34	9	96	<0.5	<5	1.08	<1	29	98	80	6.01	0.40	2.17	1399	18	0.02	59	1367	18	8	10	<10	29	0.14	152	11	10	126	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L148E 49+50N	0.5	3.05	16	149	<0.5	<5	0.61	<1	33	78	119	5.36	0.09	1.32	624	15	0.02	65	591	22	8	8	<10	25	0.11	138	10	12	147	5
L148E 49+00N	0.6	2.99	15	161	<0.5	<5	0.42	<1	28	92	128	5.66	0.13	1.55	624	8	0.02	68	677	26	8	7	<10	16	0.13	147	12	6	204	5
L104E 10+50N	<0.2	2.34	19	109	<0.5	<5	0.47	<1	23	65	66	4.71	0.07	1.24	446	<2	0.02	54	711	14	7	5	<10	35	0.11	118	<10	5	124	4
L104E 11+00N	0.8	3.97	14	182	<0.5	<5	0.66	<1	25	50	75	4.80	0.13	0.59	300	<2	0.02	69	1269	18	7	7	<10	49	0.11	86	<10	9	147	11
L104E 11+50N	<0.2	0.87	8	154	<0.5	<5	0.49	<1	13	22	49	2.85	0.08	0.36	561	<2	0.01	33	517	12	<5	2	<10	39	0.04	56	<10	4	71	2
L104E 12+00N	0.4	1.69	8	129	<0.5	<5	0.21	<1	16	36	52	3.33	0.08	0.55	262	<2	0.02	49	973	10	6	4	<10	10	0.08	71	<10	3	138	3
L104E 12+50N	1.7	2.34	9	205	<0.5	<5	0.50	<1	13	25	19	3.40	0.05	0.26	152	<2	0.01	41	323	11	6	3	<10	72	0.08	63	<10	4	156	10
L104E 13+00N	1.8	1.66	8	166	<0.5	<5	4.22	<1	18	34	86	3.86	0.09	0.70	626	<2	0.02	62	912	17	7	6	<10	230	0.04	56	<10	14	144	9
L104E 13+50N	1.0	3.17	7	261	<0.5	<5	0.89	<1	20	37	40	4.08	0.06	0.66	577	<2	0.02	64	326	17	<5	6	<10	112	0.09	63	<10	8	181	13
L104E 14+00N	0.4	1.48	8	168	<0.5	<5	0.46	<1	12	20	25	2.77	0.05	0.29	977	<2	0.01	44	459	9	<5	2	<10	52	0.06	48	<10	2	146	3
L104E 14+50N	<0.2	1.46	19	119	<0.5	<5	0.31	<1	17	30	104	4.05	0.05	0.55	436	<2	0.01	74	569	12	6	4	<10	26	0.03	59	10	4	147	3
L104E 15+00N	<0.2	1.45	14	120	<0.5	<5	0.28	<1	16	36	78	3.58	0.05	0.65	392	<2	0.02	58	894	13	6	4	<10	17	0.05	72	<10	4	139	2
L104E 15+50N	<0.2	1.07	8	205	<0.5	<5	0.27	<1	10	19	30	2.91	0.06	0.21	399	<2	0.01	41	951	7	<5	2	<10	25	0.04	47	<10	2	137	2
L104E 16+00N	0.6	0.86	11	155	<0.5	<5	0.14	<1	10	12	47	2.64	0.03	0.16	613	3	<0.01	49	576	5	7	2	<10	16	0.01	27	<10	3	104	3
L104E 16+50N	0.8	1.05	14	115	<0.5	<5	0.25	<1	12	12	70	3.03	0.04	0.17	288	<2	<0.01	62	1271	5	<5	3	<10	21	0.01	26	15	2	140	3
L104E 17+00N	0.7	1.75	13	140	<0.5	<5	0.32	<1	13	32	41	3.00	0.06	0.56	352	3	0.01	45	1190	12	5	3	<10	25	0.06	68	14	4	123	5
L104E 17+50N	<0.2	1.45	8	99	<0.5	<5	0.26	<1	13	34	34	2.73	0.05	0.68	308	2	0.01	32	395	13	6	3	<10	20	0.08	78	<10	3	80	3
L104E 18+00N	<0.2	1.35	7	116	<0.5	<5	0.50	<1	14	55	33	2.67	0.20	0.95	354	<2	0.01	41	594	11	6	3	<10	28	0.10	81	<10	3	78	4
L104E 18+50N	0.3	1.16	<5	63	<0.5	<5	0.32	<1	11	34	33	2.55	0.09	0.63	317	<2	0.01	29	396	13	5	3	<10	19	0.08	72	12	4	62	3
L104E 19+00N	1.0	2.11	7	204	<0.5	<5	0.80	<1	17	44	66	3.33	0.08	0.74	480	<2	0.02	43	320	24	8	5	<10	70	0.08	86	13	10	94	7
L104E 19+50N	1.1	1.99	7	160	<0.5	<5	0.67	<1	17	44	36	3.16	0.07	0.78	332	<2	0.01	40	288	18	8	4	<10	57	0.10	78	<10	5	84	6
L152E 50+00N	0.4	1.22	60	148	<0.5	<5	0.33	<1	17	87	76	4.95	0.10	0.71	320	118	0.01	28	541	30	7	5	<10	9	0.11	126	12	5	121	7
L152E 50+50N	0.2	1.65	53	85	<0.5	<5	0.17	<1	22	85	99	4.78	0.17	1.43	586	33	0.02	37	1039	24	10	3	<10	4	0.13	125	11	2	90	5
L152E 51+00N	0.6	1.01	<5	33	<0.5	<5	0.17	<1	5	30	10	2.16	0.04	0.38	89	3	0.01	16	226	<2	6	2	<10	11	0.09	68	<10	2	26	3
L152E 51+50N	0.7	1.52	<5	55	<0.5	<5	0.32	<1	15	46	29	3.71	0.13	1.09	260	4	0.01	27	372	4	8	3	<10	12	0.13	117	12	3	46	5
L152E 52+00N	0.5	2.01	<5	71	<0.5	<5	0.23	<1	24	61	45	5.07	0.20	1.56	418	6	0.02	34	811	28	5	5	<10	5	0.17	147	12	4	94	6
L152E 52+50N	0.4	2.38	<5	83	<0.5	<5	0.29	<1	24	74	43	5.05	0.15	1.48	434	<2	0.02	41	1759	17	10	4	<10	10	0.15	131	17	3	125	7
L152E 53+00N	0.6	1.75	5	129	<0.5	<5	0.53	<1	22	65	41	5.54	0.23	1.45	440	7	0.02	31	366	12	9	5	<10	20	0.18	156	15	4	80	6
L152E 53+50N	2.6	1.55	5	109	<0.5	<5	1.07	<1	17	51	112	4.07	0.13	0.94	373	8	0.02	29	464	17	<5	5	<10	36	0.10	96	11	8	66	5
L152E 54+00N	1.3	1.59	6	101	<0.5	<5	0.38	<1	15	34	77	4.00	0.10	0.64	311	6	0.02	25	450	3	7	4	<10	19	0.13	104	<10	6	73	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Fiendly Lake

Sample: soil

Assay... Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0708 SJ


Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L152E 54+50N	0.9	2.56	7	77	<0.5	<5	0.40	<1	29	104	91	6.40	0.29	2.20	677	5	0.02	46	1354	9	10	6	<10	19	0.19	173	15	4	115	8
L152E 55+00N	0.5	2.65	7	92	<0.5	<5	0.59	<1	63	74	182	8.95	1.06	3.16	1483	4	0.01	46	909	14	13	17	<10	14	0.18	247	19	9	95	9
L152E 55+50N	<0.2	2.64	10	94	<0.5	<5	0.43	<1	29	110	96	6.64	0.38	2.62	677	4	0.02	55	1463	10	14	7	<10	15	0.17	180	15	4	107	8
L152E 56+00N	<0.2	2.05	<5	65	<0.5	<5	0.26	<1	22	89	38	4.69	0.14	1.70	584	<2	0.03	50	974	26	8	3	<10	7	0.15	124	16	3	118	6
L152E 56+50N	1.6	1.53	6	72	<0.5	<5	0.82	<1	14	39	50	3.61	0.07	0.84	676	9	0.02	25	484	8	6	3	<10	30	0.09	104	12	4	76	4
L152E 57+00N	0.5	2.37	17	95	<0.5	<5	0.29	<1	23	77	78	5.00	0.07	1.19	368	7	0.01	50	424	7	13	5	<10	13	0.13	132	15	6	113	6
L152E 58+50N	<0.2	2.72	7	59	<0.5	<5	0.31	<1	33	76	69	7.39	0.17	2.14	492	2	0.02	47	537	<2	6	6	<10	2	0.20	210	14	4	109	9
L152E 59+00N	<0.2	2.94	<5	120	<0.5	<5	0.50	<1	34	110	51	8.13	0.50	3.14	744	<2	0.02	50	1019	<2	<5	6	<10	11	0.23	237	14	4	147	8
L152E 59+50N	0.3	2.23	8	59	<0.5	<5	0.16	<1	15	56	28	5.24	0.07	0.73	270	3	0.02	32	1491	<2	<5	3	<10	4	0.12	145	<10	2	96	5
L152E 60+00N	0.4	1.78	13	71	<0.5	<5	0.30	<1	18	63	24	5.44	0.07	1.00	324	<2	0.02	34	1041	7	<5	3	<10	10	0.16	155	14	3	101	5
L152E 60+50N	0.2	2.15	15	90	<0.5	<5	0.27	<1	23	85	52	6.36	0.08	1.66	408	<2	0.04	52	958	6	6	4	<10	10	0.14	182	13	3	86	4
L152E 61+00N	0.5	2.74	27	164	<0.5	<5	0.89	<1	37	90	147	6.32	0.19	1.56	1053	9	0.02	84	739	12	<5	12	<10	26	0.09	140	17	11	151	8
L152E 61+50N	0.2	1.51	20	55	<0.5	<5	0.16	<1	15	53	33	4.72	0.09	0.89	229	4	0.02	37	558	15	<5	4	<10	3	0.14	157	<10	2	66	5
L152E 62+00N	<0.2	2.27	16	288	<0.5	<5	1.38	1	27	53	142	5.21	0.05	0.69	5952	44	0.02	141	1055	11	5	6	<10	56	0.05	89	<10	13	119	7
L152E 62+50N	0.4	1.37	18	99	<0.5	<5	0.21	<1	18	35	74	7.29	0.05	0.34	185	17	0.02	58	692	9	<5	6	<10	7	0.07	144	15	8	99	6
L152E 63+00N	<0.2	3.07	7	99	<0.5	<5	0.30	<1	14	29	16	4.23	0.04	0.31	164	<2	0.02	28	1143	3	<5	3	<10	6	0.11	90	<10	2	84	10
L152E 63+50N	<0.2	3.32	30	128	<0.5	<5	0.23	<1	21	74	61	7.58	0.06	1.35	502	3	0.02	61	857	3	6	5	<10	3	0.10	202	20	3	197	5
L152E 64+00N	3.7	2.79	38	170	0.6	<5	1.55	<1	18	64	319	4.41	0.07	0.69	1263	<2	0.02	89	1364	10	6	8	<10	62	0.05	91	<10	43	192	9
L152E 64+50N	<0.2	3.82	8	120	<0.5	<5	0.71	<1	33	49	69	7.17	0.07	2.09	381	<2	0.02	42	671	5	<5	4	<10	25	0.18	205	15	5	148	8
L152E 65+00N	<0.2	1.47	9	96	<0.5	<5	0.25	<1	11	27	12	3.28	0.03	0.37	219	<2	0.02	22	476	7	<5	2	<10	11	0.10	103	<10	2	88	3
L152E 65+50N	<0.2	2.82	25	157	<0.5	<5	0.32	<1	21	65	54	5.45	0.05	1.13	436	<2	0.02	55	969	4	<5	5	<10	22	0.07	134	<10	3	137	4
L152E 66+00N	0.2	3.80	14	134	<0.5	<5	0.20	<1	17	44	31	4.32	0.04	0.57	215	<2	0.02	40	1217	4	<5	3	<10	6	0.08	99	<10	2	148	13
L152E 66+50N	0.4	2.56	23	141	<0.5	<5	0.24	<1	17	49	42	6.41	0.05	0.96	377	<2	0.01	46	1093	8	6	4	<10	6	0.05	141	12	2	158	5
L152E 67+00N	<0.2	2.68	19	155	<0.5	<5	0.27	<1	14	48	31	4.61	0.04	0.75	350	<2	0.01	43	1061	6	<5	3	<10	10	0.05	109	<10	3	173	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG1


Company: **Lithic Resources Ltd.**
Project: Friendly Lake
Attn: Chris Staargaard

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L68 43+00N	15
L68 43+50N	13
L68 44+00N	6
L68 44+50N	11
L68 45+00N	11
L68 46+00N	6
L68 47+00N	19
L68 47+50N	12
L68 48+00N	4
L68 48+50N	11
L68 49+00N	6
L68 49+50N	6
L68 50+00N	4
L68 50+50N	38
L68 51+00N	12
L68 51+50N	13
L68 52+00N	16
L68 52+50N	13
L68 53+00N	8
L68 53+50N	5
L68 54+00N	8
L68 54+50N	26
L68 55+00N	19
L68 55+50N	10

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG2


Company: **Lithic Resources Ltd.**
Project: Friendly Lake
Attn: Chris Staargaard

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L68 56+00N	2
L68 56+50N	8
L68 57+00N	64
L68 57+50N	13
L68 58+00N	5
L68 58+50N	4
L68 59+00N	7
L68 59+50N	1
L68 60+00N	26
L72 18+00N	29
L72 18+50N	7
L72 19+00N	6
L72 19+50N	7
L72 20+00N	10
L72 20+50N	14
L72 21+00N	15
L72 21+50N	10
L72 22+00N	19
L72 22+50N	37
L72 23+00N	25
L72 23+50N	12
L72 24+00N	8
L72 24+50N	10
L72 25+00N	10

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG3


Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L72 25+50N	14
L72 26+00N	9
L72 26+50N	18
L72 27+00N	10
L72 27+50N	8
L72 28+00N	6
L72 28+50N	10
L72 29+00N	18
L72 29+50N	73
L72 45+00N	14
L72 45+50N	25
L72 46+00N	12
L72 46+50N	9
L72 47+00N	15
L72 47+50N	11
L72 48+00N	7
L72 48+50N	12
L72 49+00N	8
L72 49+50N	8
L72 50+00N	7
L72 50+50N	8
L72 51+00N	8
L72 51+50N	11
L72 52+00N	11

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG4

Company: **Lithic Resources Ltd.**
Project: Friendly Lake
Attn: Chris Staargaard

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L72 52+50N	3
L72 53+00N	1
L72 53+50N	5
L72 54+00N	9
L72 54+50N	7
L72 55+00N	2
L72 55+50N	6
L72 56+00N	6
L72 56+50N	3
L72 57+00N	17
L72 57+50N	4
L72 58+00N	9
L72 58+50N	5
L72 59+00N	6
L72 59+50N	8
L72 60+00N	26
L72 60+50N	4
L72 61+00N	3
L72 61+50N	3
L72 62+00N	5
L72 62+50N	11
L72 63+00N	32
L76 18+00N	14
L76 18+50N	28

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG5

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L76 19+00N	5
L76 19+50N	10
L76 20+00N	75
L76 20+50N	7
L76 21+00N	6
L76 21+50N	4
L76 22+00N	18
L76 22+50N	3
L76 23+00N	9
L76 23+50N	7
L76 24+00N	3
L76 24+50N	6
L76 25+00N	4
L76 25+50N	7
L76 26+00N	3
L76 26+50N	11
L76 27+00N	56
L76 27+50N	18
L76 28+00N	8
L76 28+50N	1
L76 29+00N	9
L76 29+50N	6
L76 30+00N	4
L76 30+50N	11

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG6

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L76 31+00N	32
L76 31+50N	16
L76 32+00N	21
L76 32+50N	8
L76 33+00N	10
L76 33+50N	5
L76 34+00N	5
L76 34+50N	104
L76 35+00N	35
L76 35+50N	6
L76 36+00N	16
L76 36+50N	12
L76 37+00N	12
L76 37+50N	10
L76 38+00N	9
L76 38+50N	9
L76 39+00N	10
L76 39+50N	10
L76 40+00N	21
L76 40+50N	15
L76 41+00N	12
L76 41+50N	14
L76 42+00N	10
L76 42+00N	11
DUP L76 32+00N	14

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG7

Company: **Lithic Resources Ltd.**
Project: Friendly Lake
Attn: Chris Staargaard

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L76 43+00N	15
L76 43+50N	14
L76 44+00N	16
L76 44+50N	7
L76 45+00N	7
L76 45+50N	37
L76 46+00N	16
L76 46+50N	17
L76 47+00N	14
L76 47+50N	11
L76 48+00N	4
L76 48+50N	113
L76 49+00N	10
L76 49+50N	4
L76 50+00N	3
L76 50+50N	4
L76 51+00N	20
L76 51+50N	3
L76 52+00N	5
L76 52+50N	3
L76 53+00N	13
L76 53+50N	24
L76 54+00N	3
L76 54+75N	13

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG8

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L76 55+00N	17
L76 55+50N	6
L76 56+00N	7
L76 56+50N	18
L76 57+00N	44
L76 57+50N	4
L76 58+00N	12
L76 58+50N	17
L76 59+00N	17
L76 59+50N	6
L76 60+00N	34
L76 60+50N	5
L76 61+00N	8
L76 61+50N	7
L76 62+00N	9
L76 62+50N	12
L76 63+00N	7
L76 63+50N	2
L76 64+00N	5
L76 64+50N	2
L76 65+00N	3
L76 65+50N	37
L76 66+00N	68
L76 66+50N	8

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG9

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L76 67+00N	3
L76 67+50N	6
L76 68+00N	5
L76 68+50N	4
L76 69+00N	11
L76 69+50N	8
L76 70+00N	4
L76 70+50N	12
L76 71+00N	3
L76 71+50N	4
L80 18+00N	15
L80 18+50N	86
L80 19+00N	9
L80 19+50N	21
L80 20+00N	64
L80 20+50N	9
L80 21+00N	11
L80 21+50N	11
L80 22+00N	5
L80 22+50N	16
L80 23+00N	6
L80 23+50N	23
L80 24+00N	51
L80 24+50N	8

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG10

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L80 25+00N	27
L80 25+50N	30
L80 26+00N	34
L80 26+50N	16
L80 27+00N	99
L80 27+50N	7
L80 28+00N	23
L80 28+50N	16
L80 29+00N	6
L80 29+50N	6
L80 30+00N	5
L80 30+50N	16
L80 31+00N	18
L80 31+50N	12
L80 32+00N	18
L80 32+50N	15
L80 33+00N	1
L80 33+50N	6
L80 34+00N	5
L80 34+50N	24
L80 35+00N	50
L80 35+50N	10
L80 36+00N	2
L80 36+50N	11

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG11

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L80 37+00N	6
L80 37+50N	6
L80 38+00N	33
L80 38+50N	16
L80 39+00N	18
L80 39+50N	12
L80 40+00N	38
L80 40+50N	49
L80 41+00N	17
L80 41+50N	22
L80 42+00N	9
L80 42+50N	1
L80 43+00N	6
L80 43+50N	9
L80 44+00N	30
L80 44+50N	4
L80 45+00N	3
L80 45+50N	14
L80 46+00N	5
L80 46+50N	5
L80 47+00N	3
L80 47+50N	10
L80 48+00N	1
L80 48+50N	4

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG12

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L80 49+00N	3
L80 49+50N	2
L80 50+00N	27
L80 50+50N	12
L80 51+00N	1
L80 51+50N	2
L80 52+00N	12
L80 52+50N	3
L80 53+00N	5
L80 53+50N	1
L80 54+00N	4
L80 54+50N	8
L80 55+00N	6
L80 55+50N	10
L80 56+00N	12
L80 56+50N	10
L80 57+00N	5
L80 57+50N	6
L80 58+00N	5
L80 58+50N	6
L80 59+00N	4
L80 59+50N	12
L80 60+00N	7
L80 60+50N	2

Certified by _____



Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG13

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples
submitted Aug-14-04

Sample Name	Au PPB
L80 61+00N	4
L80 61+50N	9
L80 62+00N	5
L80 62+50N	11
L80 63+00N	19
L80 63+50N	10
L80 64+00N	14
L80 64+50N	10
L80 65+00N	8
L80 65+50N	7
L80 66+00N	9
L80 66+50N	5
L80 67+00N	13
L80 67+50N	14
L80 68+00N	8
L80 68+50N	20
L80 69+00N	7
L80 69+50N	5
L80 70+00N	13
L80 70+50N	6
L80 71+00N	19
L80 71+50N	10
L80 72+00N	14
L80 72+50N	16

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG14

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L80 73+00N	9
L84 18+00N	2
L84 18+50N	1
L84 19+00N	10
L84 19+50N	8
L84 20+00N	6
L84 20+50N	10
L84 21+00N	22
L84 21+50N	24
L84 22+00N	11
L84 22+50N	13
L84 23+00N	6
L84 23+50N	18
L84 24+00N	10
L84 24+50N	15
L84 25+00N	6
L84 25+50N	29
L84 26+00N	24
L84 26+50N	20
L84 27+00N	10
L84 27+50N	117
L84 28+00N	25
L84 28+50N	13
L84 29+00N	45

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG15

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L84 29+50N	4
L84 30+00N	6
L84 30+50N	17
L84 31+00N	11
L84 31+50N	25
L84 32+00N	8
L84 32+50N	23
L84 33+00N	96
L84 33+50N	26
L84 34+00N	20
L84 34+50N	47
L84 35+00N	35
L84 35+50N	38
L84 36+00N	56
L84 36+50N	41
L84 37+00N	31
L84 37+50N	67
L84 38+00N	23
L84 38+50N	17
L84 39+00N	22
L84 39+50N	10
L84 40+00N	12
L84 40+50N	9
L84 41+00N	12

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG16

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L84 41+50N	5
L84 42+00N	1
L84 42+50N	1
L84 43+00N	2
L84 43+50N	6
L84 44+00N	15
L84 44+50N	4
L84 45+00N	3
L84 45+50N	2
L84 46+00N	1
L84 46+50N	73
L84 47+00N	10
L84 47+50N	2
L84 48+00N	8
L84 48+50N	6
L84 49+00N	1
L84 49+50N	7
L84 50+00N	2
L84 50+50N	3
L84 51+00N	2
L84 51+50N	4
L84 52+00N	27
L84 52+50N	4
L84 53+00N	2

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG17

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L84 53+50N	1
L84 54+00N	7
L84 54+50N	3
L84 55+00N	5
L84 55+50N	48
L84 56+00N	8
L84 56+50N	6
L84 57+00N	5
L84 57+50N	6
L84 58+00N	7
L84 58+50N	N/S
L84 59+00N	N/S
L84 59+50N	N/S
L84 60+00N	5
L84 60+50N	14
L84 61+00N	4
L84 61+50N	16
L84 62+00N	2
L84 62+50N	9
L84 63+00N	1
L84 63+50N	4
L84 64+00N	10
L84 64+50N	5
L84 65+00N	9

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG18

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L84 65+50N	2
L84 66+00N	4
L84 66+50N	11
L84 67+00N	7
L84 67+50N	8
L84 68+00N	4
L84 68+50N	6
L84 69+00N	8
L84 69+50N	11
L84 70+00N	6
L84 70+50N	3
L84 71+00N	9
L84 71+50N	24
L84 72+00N	44
L84 72+50N	1
L84 73+00N	9
L84 73+50N	3
L84 74+00N	2
L84 74+50N	8
L84 75+00N	3
L84 75+50N	2
L84 76+00N	1
L88 13+00N	4
L88 13+50N	7

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG19

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L88 14+00N	9
L88 14+50N	9
L88 15+00N	10
L88 15+50N	16
L88 16+00N	51
L88 16+50N	17
L88 17+00N	14
L88 17+50N	9
L88 18+00N	8
L88 18+50N	11
L88 19+00N	20
L88 19+50N	5
L88 20+00N	5
L88 20+50N	4
L88 21+00N	9
L88 21+50N	10
L88 22+00N	23
L88 22+50N	6
L88 23+00N	8
L88 23+50N	9
L88 24+00N	12
L88 24+50N	12
L88 25+00N	36
L88 25+50N	7

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG20


Company: **Lithic Resources Ltd.**
Project: Friendly Lake
Attn: Chris Staargaard

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L88 26+00N	12
L88 26+50N	7
L88 27+00N	10
L88 27+50N	15
L88 28+00N	13
L88 28+50N	20
L88 29+00N	18
L88 29+50N	N/S
L88 30+00N	9
L88 30+50N	23
L88 31+00N	21
L88 31+50N	28
L88 32+00N	14
L88 32+50N	9
L88 33+00N	15
L88 33+50N	10
L88 34+00N	9
L88 34+50N	27
L88 35+00N	13
L88 35+50N	9
L88 36+00N	13
L88 36+50N	10
L88 37+00N	12
L88 37+50N	N/S

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG21

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L88 38+00N	N/S
L88 38+50N	2
L88 39+00N	11
L88 39+50N	24
L88 40+00N	2
L88 40+50N	14
L88 41+00N	9
L88 41+50N	21
L88 42+00N	8
L88 42+50N	5
L88 43+00N	11
L88 43+50N	3
L88 44+00N	4
L88 44+50N	1
L88 45+00N	3
L88 45+50N	2
L88 46+00N	2
L88 46+50N	3
L88 47+00N	1
L88 47+50N	1
L88 48+00N	7
L88 48+50N	N/S
L88 49+00N	N/S
L88 49+50N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG22

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L88 50+00N	8
L88 50+50N	4
L88 51+00N	3
L88 51+50N	2
L88 52+00N	4
L88 52+50N	3
L92 13+00N	14
L92 13+50N	7
L92 14+00N	10
L92 14+50N	16
L92 15+00N	10
L92 15+50N	16
L92 16+00N	271
L92 16+50N	5
L92 17+00N	12
L92 17+50N	10
L92 18+00N	8
L92 18+50N	15
L92 19+00N	10
L92 19+50N	15
L92 20+00N	9
L92 20+50N	6
L92 21+00N	15
L92 21+50N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG23

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L92 22+00N	27
L92 22+50N	10
L92 23+00N	9
L92 23+50N	8
L92 24+00N	1
L92 24+50N	10
L92 25+00N	5
L92 25+50N	13
L92 26+00N	5
L92 26+50N	8
L92 27+00N	31
L92 27+50N	7
L92 28+00N	6
L92 28+50N	2
L92 29+00N	1
L92 29+50N	6
L92 30+00N	1
L92 30+50N	1
L92 31+00N	1
L92 31+50N	3
L92 32+00N	14
L92 32+50N	16
L92 33+00N	12
L92 33+50N	7

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG24

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-14-04

Sample Name	Au PPB
L92 34+00N	5
L92 34+50N	8
L92 35+00N	12
L92 35+50N	15
L92 36+00N	9
L92 36+50N	22
L92 37+00N	10
L92 37+50N	10
L92 38+00N	20
L92 38+50N	8
L92 39+00N	2
L92 40+00N	39
L92 40+50N	10
L92 41+00N	29
L92 41+50N	10
L92 42+00N	11
L92 42+50N	17
L92 43+00N	7
L92 43+50N	10
L92 44+00N	12
L92 44+50N	13
L92 45+00N	34
L92 45+50N	18
L92 46+00N	12

Certified by



Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-SG25

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 24 soil samples
submitted Aug-14-04

Sample Name	Au PPB
L92 46+50N	16
L92 47+00N	16
L92 47+50N	10
L92 48+00N	18
L92 48+50N	8
L92 49+00N	4
L92 49+50N	10
L92 50+00N	2
L92 50+50N	4
L92 51+00N	8
L92 51+50N	6
L92 52+00N	12
L92 52+50N	2
L92 53+00N	4
L92 53+50N	8
L92 54+00N	38
L92 54+50N	8

Certified by _____

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assaye Canada
 8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
 Tel: (604) 327-3436 Fax: (604) 327-3423

Report No 4V0769 SJ
 Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L68 43+00N	0.8	1.50	<5	191	0.8	<5	1.04	<1	19	42	172	4.05	0.13	0.86	1839	5	0.02	39	686	34	6	7	<10	55	0.05	79	<10	11	96	6
L68 43+50N	0.4	1.51	<5	167	0.7	<5	1.07	<1	17	38	129	3.50	0.10	0.78	855	2	0.01	34	645	29	<5	6	<10	60	0.04	70	<10	9	87	4
L68 44+00N	0.7	2.49	<5	129	0.8	<5	0.23	<1	21	55	60	4.26	0.08	0.86	785	3	0.01	39	604	19	<5	5	<10	8	0.08	90	<10	5	139	3
L68 44+50N	<0.2	1.94	7	95	0.5	<5	0.37	<1	19	50	60	3.86	0.07	1.03	456	2	0.01	38	516	14	5	4	<10	12	0.10	91	<10	5	95	3
L68 45+00N	<0.2	2.14	<5	109	0.5	<5	0.41	<1	13	49	46	3.91	0.07	1.06	426	<2	0.02	34	691	16	<5	5	<10	14	0.10	95	<10	5	111	3
L68 46+00N	<0.2	2.04	<5	108	<0.5	<5	0.28	<1	9	42	35	4.07	0.06	0.66	255	3	0.01	25	989	22	<5	4	<10	10	0.08	88	<10	3	113	3
L68 47+00N	0.6	2.36	<5	159	0.9	<5	0.56	2	23	56	131	4.47	0.11	0.94	1050	4	0.02	52	452	40	<5	8	<10	23	0.11	100	<10	11	244	7
L68 47+50N	<0.2	1.97	<5	81	0.6	<5	0.62	<1	21	49	102	3.99	0.11	1.15	588	3	0.02	37	379	29	<5	7	<10	20	0.13	102	<10	9	108	4
L68 48+00N	<0.2	2.24	6	108	0.7	<5	0.45	<1	18	41	104	4.15	0.09	0.94	409	3	0.02	39	575	29	<5	5	<10	14	0.12	105	<10	5	204	4
L68 48+50N	<0.2	1.95	5	82	0.7	<5	0.60	<1	25	47	127	4.15	0.09	1.14	835	3	0.02	40	437	32	<5	7	<10	17	0.12	105	<10	11	116	4
L68 49+00N	0.3	2.77	6	97	0.8	<5	0.34	<1	25	45	98	4.41	0.12	1.19	517	3	0.01	44	896	38	<5	5	<10	6	0.12	94	<10	4	290	8
L68 49+50N	0.3	2.41	<5	105	0.7	<5	0.40	<1	20	45	67	4.17	0.08	0.98	392	2	0.01	41	820	30	<5	4	<10	11	0.11	96	<10	4	216	5
L68 50+00N	<0.2	2.49	<5	105	0.8	<5	0.44	<1	22	47	79	4.61	0.09	0.97	395	2	0.02	41	842	26	<5	5	<10	11	0.13	107	<10	5	189	5
L68 50+50N	0.4	2.93	29	93	0.8	<5	0.21	<1	22	37	30	4.85	0.06	0.44	356	3	0.01	28	1400	13	<5	3	<10	6	0.11	113	<10	3	136	8
L68 51+00N	<0.2	2.54	8	129	0.7	<5	0.52	<1	21	52	92	4.72	0.08	1.17	650	<2	0.02	39	845	19	<5	6	<10	16	0.14	118	<10	7	149	5
L68 51+50N	<0.2	2.31	<5	95	0.6	<5	0.62	<1	18	51	75	4.37	0.08	1.20	482	<2	0.02	34	523	25	<5	6	<10	20	0.15	118	<10	6	111	5
L68 52+00N	0.2	2.26	8	136	0.7	<5	0.86	<1	22	59	104	4.69	0.12	1.19	848	3	0.02	41	416	31	5	9	<10	27	0.13	111	<10	10	129	7
L68 52+50N	<0.2	2.80	7	127	0.6	<5	0.35	<1	17	47	98	4.37	0.06	0.98	354	2	0.01	43	717	19	<5	5	<10	10	0.10	100	<10	4	176	4
L68 53+00N	<0.2	2.28	6	113	0.7	<5	0.54	<1	23	46	87	4.04	0.07	1.00	506	3	0.01	36	613	22	<5	5	<10	18	0.10	99	<10	7	137	3
L68 53+50N	0.5	3.75	6	98	1.0	<5	0.35	1	28	37	63	5.68	0.11	1.09	532	4	0.02	32	927	20	<5	7	<10	8	0.19	122	<10	9	464	14
L68 54+00N	<0.2	2.43	7	139	0.6	<5	0.43	<1	20	70	70	5.01	0.16	1.68	523	4	0.02	47	602	25	5	6	<10	12	0.16	130	<10	5	254	8
L68 54+50N	0.9	2.34	10	121	0.9	<5	0.08	<1	25	42	102	6.49	0.09	0.85	602	69	0.02	29	1131	284	<5	7	<10	2	0.11	185	<10	3	452	12
L68 55+00N	<0.2	2.86	14	97	0.7	<5	0.40	<1	18	51	97	4.91	0.07	1.24	429	5	0.01	39	566	30	6	6	<10	5	0.14	122	<10	4	233	9
L68 55+50N	0.7	3.04	11	221	0.9	<5	0.92	2	27	55	98	5.11	0.11	1.14	1251	13	0.02	45	443	41	9	9	<10	30	0.14	116	<10	13	268	11
L68 56+00N	<0.2	2.85	7	85	2.1	<5	0.54	<1	44	34	270	9.48	0.09	1.05	1061	9	0.01	39	1074	31	7	13	<10	<1	0.10	158	<10	13	202	10
L68 56+50N	0.3	2.37	14	65	0.6	<5	0.27	<1	13	41	107	5.67	0.08	0.90	409	9	0.02	24	1357	36	7	4	<10	10	0.14	122	<10	3	150	9
L68 57+00N	1.9	2.40	8	1306	2.3	32	0.13	20	9	31	55	3.97	0.03	0.30	5946	21	0.01	20	494	2366	6	4	<10	22	0.06	77	53	6	3608	3
L68 57+50N	1.4	1.87	<5	85	1.0	17	0.12	3	5	20	83	4.16	0.03	0.19	731	14	0.01	8	391	684	5	2	<10	4	0.09	70	14	3	980	5
L68 58+00N	<0.2	3.13	7	104	0.6	<5	0.26	<1	17	45	46	4.54	0.07	1.16	409	3	0.01	32	400	24	6	5	<10	7	0.13	115	<10	4	168	5
L68 58+50N	<0.2	2.94	10	84	0.7	<5	0.27	<1	17	53	41	5.07	0.06	1.20	397	2	0.01	31	561	29	<5	5	<10	7	0.13	113	<10	3	244	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____

Assayer Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ

Date : Sep-17-04

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L68 59+00N	0.7	3.54	<5	58	1.0	<5	0.20	1	21	32	50	3.72	0.06	0.67	378	4	0.02	26	995	33	6	4	<10	4	0.12	74	<10	4	361	13
L68 59+50N	<0.2	3.06	<5	122	1.9	<5	0.50	<1	27	60	290	7.71	0.83	2.67	2138	25	0.02	33	853	247	7	10	<10	9	0.19	201	<10	4	520	13
L68 60+00N	0.7	3.57	23	101	0.9	<5	0.46	<1	32	48	93	7.28	0.32	2.27	1090	2	0.02	35	953	170	8	8	<10	6	0.17	201	<10	5	815	11
L72 18+00N	0.3	1.76	7	86	0.7	<5	0.42	<1	16	46	114	4.29	0.14	1.20	386	3	0.01	44	1057	49	<5	5	<10	19	0.06	79	<10	4	113	4
L72 18+50N	<0.2	1.23	<5	126	<0.5	<5	0.37	<1	12	30	29	2.74	0.13	0.55	471	<2	0.01	27	693	20	<5	3	<10	22	0.06	62	<10	3	137	2
L72 19+00N	<0.2	0.83	<5	91	<0.5	<5	0.25	<1	8	21	21	2.18	0.07	0.33	218	<2	0.02	17	327	24	<5	2	<10	14	0.06	54	<10	3	78	1
L72 19+50N	<0.2	1.51	<5	116	0.5	<5	0.40	<1	13	41	53	3.11	0.13	0.83	300	<2	0.02	33	324	37	<5	4	<10	16	0.10	78	<10	5	131	3
L72 20+00N	<0.2	1.40	<5	95	0.5	<5	0.29	<1	13	31	33	2.85	0.07	0.58	338	<2	0.02	25	540	30	<5	3	<10	15	0.07	64	<10	4	106	2
L72 20+50N	<0.2	1.34	6	64	<0.5	<5	0.24	<1	11	27	41	3.06	0.06	0.53	199	<2	0.01	30	475	19	<5	3	<10	15	0.06	53	<10	2	93	2
L72 21+00N	<0.2	1.77	6	126	0.6	<5	0.23	<1	17	36	53	3.43	0.12	0.74	286	<2	0.02	39	421	27	<5	4	<10	11	0.08	65	<10	3	129	3
L72 21+50N	<0.2	1.48	<5	111	<0.5	<5	0.31	<1	15	29	46	3.55	0.13	0.58	291	<2	0.01	41	481	22	<5	4	<10	23	0.06	57	<10	2	128	2
L72 22+00N	<0.2	1.27	7	103	0.5	<5	0.13	<1	16	23	68	3.71	0.05	0.41	357	2	0.01	44	687	16	<5	3	<10	6	0.03	48	<10	2	153	2
L72 22+50N	0.4	1.36	9	138	0.6	<5	0.23	<1	11	18	35	3.76	0.05	0.21	226	3	0.01	34	1335	14	<5	2	<10	20	0.02	42	<10	1	147	3
L72 23+00N	<0.2	1.77	9	161	0.6	<5	0.19	<1	19	30	75	3.99	0.08	0.64	434	3	0.01	41	681	12	<5	4	<10	14	0.03	61	15	3	120	3
L72 23+50N	0.3	1.64	7	109	<0.5	<5	0.39	<1	12	24	25	3.16	0.10	0.36	519	<2	0.01	23	1136	17	<5	2	<10	27	0.06	51	<10	2	148	3
L72 24+00N	1.0	2.18	<5	191	0.6	<5	0.74	<1	15	32	41	3.21	0.06	0.68	950	<2	0.02	35	394	31	<5	4	<10	88	0.07	63	<10	6	128	4
L72 24+50N	<0.2	1.97	<5	147	0.6	<5	0.37	<1	17	37	55	3.52	0.07	0.64	629	<2	0.02	34	547	20	<5	4	<10	29	0.07	80	<10	5	140	3
L72 25+00N	<0.2	1.75	7	122	0.6	<5	0.42	<1	16	51	68	3.67	0.12	1.03	400	<2	0.02	38	358	21	<5	4	<10	19	0.12	99	<10	5	89	5
L72 25+50N	<0.2	1.78	8	106	<0.5	<5	0.41	<1	21	43	67	3.79	0.09	1.01	460	<2	0.01	33	365	14	<5	4	<10	18	0.08	98	<10	4	82	3
L72 26+00N	<0.2	1.95	7	93	<0.5	<5	0.38	<1	16	35	27	3.74	0.11	0.71	236	<2	0.01	28	602	11	<5	3	<10	22	0.08	93	<10	2	159	4
L72 26+50N	<0.2	2.23	11	140	<0.5	<5	0.21	<1	21	37	37	3.83	0.08	0.66	320	<2	0.01	35	681	10	7	3	<10	7	0.09	93	<10	3	183	4
L72 27+00N	0.4	1.58	8	101	<0.5	<5	0.43	<1	14	34	53	3.35	0.09	0.78	479	<2	0.01	27	735	6	<5	3	<10	21	0.07	84	<10	3	90	3
L72 27+50N	<0.2	2.70	14	139	<0.5	<5	0.22	<1	30	35	56	4.52	0.09	0.64	1379	<2	0.02	43	653	10	<5	4	<10	10	0.07	82	<10	5	201	4
L72 28+00N	<0.2	2.55	6	217	<0.5	<5	0.33	<1	22	38	41	4.42	0.08	0.64	783	<2	0.02	37	740	9	<5	4	<10	20	0.09	103	<10	3	193	4
L72 28+50N	<0.2	1.81	10	115	<0.5	<5	0.21	<1	17	29	62	3.91	0.06	0.68	675	<2	0.01	32	492	7	5	3	<10	8	0.05	86	<10	3	122	3
L72 29+00N	<0.2	3.63	11	135	<0.5	<5	0.71	<1	24	17	65	4.64	0.07	0.32	1936	<2	0.02	30	988	10	<5	5	<10	62	0.08	54	<10	12	166	10
L72 29+50N	0.5	4.92	15	227	0.7	<5	0.98	<1	29	24	178	4.68	0.08	0.50	2745	<2	0.02	45	1300	20	<5	8	<10	109	0.12	64	<10	27	134	20
L72 45+00N	0.4	3.03	9	361	0.6	5	0.73	<1	22	50	72	4.63	0.07	0.76	1061	<2	0.02	43	711	18	5	10	<10	35	0.07	87	<10	16	132	7
L72 45+50N	<0.2	2.19	10	209	<0.5	<5	0.80	<1	22	53	112	4.21	0.11	1.02	1186	10	0.02	40	579	24	<5	8	<10	39	0.06	105	<10	14	94	5
L72 46+00N	<0.2	2.21	11	104	<0.5	<5	0.37	<1	21	53	54	4.01	0.07	1.14	478	<2	0.02	40	456	13	<5	4	<10	7	0.11	104	<10	5	105	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ


Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L72 46+50N	<0.2	2.37	9	99	<0.5	<5	0.32	<1	18	50	39	4.07	0.06	0.98	347	<2	0.01	31	588	10	5	5	<10	7	0.12	107	<10	5	120	4
L72 47+00N	<0.2	2.00	12	110	<0.5	<5	0.46	<1	20	43	45	3.62	0.06	0.89	411	<2	0.02	30	479	14	5	4	<10	20	0.11	97	<10	5	85	3
L72 47+50N	<0.2	2.86	12	120	<0.5	<5	0.30	<1	19	47	37	4.22	0.06	0.89	343	<2	0.01	36	850	9	6	5	<10	7	0.10	103	<10	5	135	7
L72 48+00N	<0.2	2.09	10	70	<0.5	<5	0.45	<1	16	47	53	4.37	0.09	1.01	408	<2	0.02	30	822	17	6	5	<10	14	0.11	120	<10	4	91	3
L72 48+50N	<0.2	2.13	6	95	<0.5	<5	0.47	<1	17	48	35	4.35	0.10	1.01	406	2	0.01	29	739	12	7	5	<10	11	0.12	115	<10	5	105	4
L72 49+00N	<0.2	2.13	8	97	<0.5	<5	0.57	<1	23	50	67	4.29	0.11	1.22	544	<2	0.02	34	775	19	7	5	<10	13	0.11	112	<10	6	106	3
L72 49+50N	<0.2	1.83	10	62	<0.5	<5	0.61	<1	24	47	61	3.96	0.15	1.26	734	<2	0.01	34	894	16	<5	6	<10	14	0.12	108	<10	8	85	4
L72 50+00N	<0.2	1.73	8	62	<0.5	<5	0.49	<1	19	48	66	3.65	0.10	1.08	456	<2	0.01	33	686	8	<5	5	<10	13	0.11	97	<10	6	82	3
L72 50+50N	<0.2	1.87	7	86	<0.5	<5	0.62	<1	30	56	78	4.08	0.10	1.20	1010	<2	0.02	42	905	13	<5	9	<10	22	0.12	106	<10	16	100	4
L72 51+00N	<0.2	1.91	11	85	<0.5	<5	0.69	<1	28	55	89	4.19	0.17	1.33	869	<2	0.02	47	906	9	<5	8	<10	24	0.11	106	<10	13	112	5
L72 51+50N	<0.2	2.47	12	127	<0.5	<5	1.01	<1	27	67	125	5.10	0.17	1.45	856	<2	0.02	50	917	14	6	10	<10	36	0.12	129	<10	16	137	6
L72 52+00N	<0.2	2.43	10	90	<0.5	<5	0.63	<1	30	60	84	4.82	0.14	1.37	916	<2	0.02	41	847	10	6	7	<10	23	0.13	127	<10	7	109	4
L72 52+50N	0.2	1.19	<5	48	<0.5	<5	0.28	<1	8	24	29	2.14	0.05	0.51	204	<2	0.02	17	395	13	<5	3	<10	6	0.13	72	<10	3	46	5
L72 53+00N	<0.2	3.18	<5	107	0.8	<5	0.56	<1	26	39	81	6.04	0.26	1.98	449	<2	0.02	28	1133	46	<5	9	<10	11	0.22	156	<10	5	184	10
L72 53+50N	<0.2	3.75	<5	79	0.9	<5	0.36	<1	18	34	26	4.00	0.05	0.55	225	3	0.02	30	1169	37	<5	4	<10	16	0.13	79	<10	3	121	19
L72 54+00N	<0.2	1.75	<5	89	0.5	<5	0.35	<1	14	36	36	3.69	0.08	0.75	355	3	0.01	26	489	105	<5	4	<10	11	0.10	95	<10	3	104	4
L72 54+50N	<0.2	2.45	<5	71	0.7	<5	0.40	<1	24	47	89	4.20	0.11	1.24	369	3	0.02	51	572	27	<5	4	<10	10	0.11	101	<10	3	129	6
L72 55+00N	0.3	1.60	<5	47	<0.5	<5	0.32	<1	15	34	37	3.33	0.08	0.72	258	<2	0.02	27	536	20	<5	3	<10	8	0.11	89	<10	2	126	3
L72 55+50N	0.3	2.64	<5	73	0.9	<5	0.22	<1	23	56	126	4.17	0.10	1.00	308	3	0.02	57	764	41	<5	4	<10	6	0.13	85	<10	3	238	9
L72 56+00N	<0.2	2.18	<5	49	0.6	<5	0.32	<1	21	51	88	4.13	0.08	1.23	375	3	0.01	44	461	26	5	4	<10	9	0.12	99	<10	3	103	5
L72 56+50N	0.8	3.27	<5	60	2.0	<5	0.19	<1	18	23	88	3.79	0.05	0.36	230	3	0.02	35	754	45	<5	4	<10	5	0.13	66	<10	4	131	19
L72 57+00N	<0.2	2.15	108	43	1.6	<5	0.14	<1	26	45	316	6.27	0.13	1.35	632	10	0.01	31	882	50	6	7	<10	<1	0.08	162	<10	2	109	10
L72 57+50N	<0.2	3.15	<5	87	0.9	<5	0.29	<1	25	43	42	4.61	0.07	0.75	278	2	0.02	41	1332	22	<5	4	<10	9	0.15	94	<10	4	209	14
L72 58+00N	<0.2	2.11	6	60	0.5	<5	0.36	<1	18	42	45	3.87	0.05	0.92	376	3	0.02	32	684	16	<5	4	<10	12	0.11	96	<10	3	91	4
L72 58+50N	<0.2	3.08	8	99	0.9	<5	0.86	<1	24	74	148	5.24	0.33	2.38	588	3	0.02	71	657	31	6	7	<10	21	0.18	138	<10	8	180	7
L72 59+00N	0.6	2.94	12	165	0.9	<5	0.37	<1	18	54	243	5.18	0.07	0.82	296	12	0.01	56	683	61	7	5	<10	8	0.12	113	<10	3	191	5
L72 59+50N	<0.2	2.63	<5	75	0.5	<5	0.22	<1	15	40	32	3.99	0.05	0.70	259	3	0.01	30	1087	12	<5	4	<10	7	0.08	83	<10	3	136	6
L72 60+00N	<0.2	2.21	12	85	0.7	<5	0.33	<1	26	52	79	4.30	0.06	1.09	511	3	0.02	38	534	15	6	5	<10	15	0.10	103	<10	4	102	3
L72 60+50N	0.4	3.32	<5	73	0.7	<5	0.24	<1	15	37	28	4.40	0.04	0.59	266	3	0.01	32	1189	10	<5	3	<10	5	0.12	93	<10	3	211	11
L72 61+00N	0.3	2.46	<5	50	0.6	<5	0.27	<1	10	28	17	5.08	0.03	0.38	227	<2	0.01	15	3168	14	<5	3	<10	3	0.14	89	<10	2	130	13

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ

Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L72 61+50N	0.4	3.39	5	52	0.8	<5	0.24	<1	26	26	35	4.33	0.04	0.56	378	<2	0.02	35	1799	9	<5	3	<10	4	0.11	73	<10	4	175	15
L72 62+00N	<0.2	2.46	7	96	<0.5	<5	0.34	<1	25	39	62	4.72	0.06	0.92	406	<2	0.01	43	1490	11	<5	4	<10	8	0.07	96	<10	2	170	6
L72 62+50N	<0.2	3.23	17	112	1.0	<5	0.31	<1	33	39	86	5.33	0.13	1.16	445	3	0.02	49	1848	14	<5	5	<10	6	0.10	103	<10	4	224	9
L72 63+00N	<0.2	3.63	54	171	1.1	<5	0.40	<1	33	49	134	7.34	0.08	1.39	464	8	0.02	52	1494	15	<5	8	<10	15	0.13	163	<10	6	224	10
L76 18+00N	<0.2	1.26	7	117	<0.5	<5	0.19	<1	12	27	26	2.84	0.08	0.42	404	3	0.02	25	514	18	<5	3	<10	10	0.06	61	<10	3	118	3
L76 18+50N	0.6	1.88	7	158	0.6	<5	0.31	<1	18	38	58	3.59	0.11	0.71	377	2	0.02	47	594	30	<5	4	<10	14	0.08	71	<10	5	171	3
L76 19+00N	0.4	1.28	5	183	<0.5	<5	0.26	<1	14	28	24	2.63	0.11	0.53	591	2	0.01	31	1166	21	<5	2	<10	17	0.04	47	<10	2	144	3
L76 19+50N	<0.2	1.15	<5	116	<0.5	<5	0.33	<1	17	31	47	3.04	0.13	0.56	714	3	0.01	33	721	28	<5	3	<10	24	0.04	57	<10	3	117	3
L76 20+00N	<0.2	1.20	8	77	<0.5	<5	0.29	<1	14	34	59	3.22	0.15	0.78	362	5	0.02	37	473	29	<5	3	<10	15	0.05	66	<10	4	99	3
L76 20+50N	<0.2	1.09	6	76	<0.5	<5	0.29	<1	12	26	24	2.77	0.11	0.52	316	2	0.01	24	700	25	<5	2	<10	15	0.05	58	<10	2	112	3
L76 21+00N	0.2	1.39	<5	90	<0.5	<5	0.27	<1	13	36	35	3.12	0.14	0.85	318	<2	0.01	29	427	38	<5	3	<10	18	0.07	76	<10	2	94	3
L76 21+50N	0.7	1.35	7	137	0.6	<5	0.28	<1	10	12	23	2.90	0.04	0.12	427	3	0.01	42	1739	10	<5	2	<10	23	0.03	29	<10	2	171	4
L76 22+00N	<0.2	1.15	10	76	<0.5	<5	0.23	<1	14	23	70	3.54	0.06	0.52	236	3	0.01	40	416	16	<5	4	<10	14	0.03	49	<10	2	101	3
L76 22+50N	0.5	0.89	9	133	<0.5	<5	0.14	<1	11	13	62	3.25	0.04	0.17	252	<2	0.01	40	815	14	<5	4	<10	11	0.01	26	<10	2	109	3
L76 23+00N	0.4	0.74	11	141	<0.5	<5	0.29	<1	10	11	49	3.18	0.06	0.15	304	4	0.01	40	854	13	<5	3	<10	22	<0.01	24	<10	2	107	3
L76 23+50N	0.5	1.15	12	88	<0.5	<5	0.17	<1	11	16	63	3.14	0.03	0.23	245	5	0.01	41	1232	13	<5	2	<10	13	0.01	26	<10	2	130	3
L76 24+00N	0.4	1.26	<5	112	<0.5	<5	0.11	<1	9	16	30	3.18	0.04	0.19	167	<2	0.01	32	1460	11	<5	2	<10	8	0.03	32	<10	2	130	4
L76 24+50N	0.8	1.39	10	159	<0.5	<5	0.15	<1	12	20	40	3.55	0.05	0.27	218	2	0.01	34	1688	11	<5	2	<10	9	0.02	36	<10	1	134	3
L76 25+00N	0.3	1.02	8	209	<0.5	<5	0.22	<1	11	17	64	3.09	0.04	0.24	386	4	0.01	50	790	10	<5	4	<10	16	0.01	27	<10	16	110	3
L76 25+50N	0.3	1.50	9	203	0.5	<5	0.25	<1	15	22	70	3.82	0.07	0.55	289	2	0.01	45	934	11	<5	3	<10	17	0.02	49	<10	2	153	3
L76 26+00N	0.2	0.73	6	108	<0.5	<5	0.16	<1	8	14	21	2.65	0.05	0.15	266	<2	0.01	21	837	12	<5	1	<10	13	0.02	35	<10	<1	79	2
L76 26+50N	0.5	1.46	16	165	0.5	<5	0.21	<1	13	22	36	4.47	0.05	0.33	278	<2	0.01	35	1165	20	<5	2	<10	19	0.04	53	<10	1	149	4
L76 27+00N	0.5	1.28	21	241	0.9	<5	0.23	<1	18	9	69	4.62	0.04	0.12	826	<2	0.01	46	809	17	<5	3	<10	26	0.02	27	<10	6	149	4
L76 27+50N	0.4	1.99	22	173	0.7	<5	0.23	<1	22	24	120	4.81	0.06	0.51	499	<2	0.01	46	600	19	<5	5	<10	18	0.04	57	<10	4	148	5
L76 28+00N	0.9	1.95	23	174	0.7	<5	0.17	<1	29	17	139	5.28	0.04	0.20	726	4	0.01	55	997	17	<5	4	<10	8	0.03	40	<10	5	285	5
L76 28+50N	0.8	2.81	8	109	0.7	<5	0.39	<1	17	19	39	3.44	0.03	0.27	833	2	0.02	30	578	18	<5	3	<10	31	0.07	48	<10	6	149	11
L76 29+00N	0.2	1.54	8	96	0.5	<5	0.15	<1	15	20	35	2.99	0.03	0.33	722	<2	0.01	27	578	13	<5	2	<10	6	0.07	59	<10	2	138	6
L76 29+50N	<0.2	1.84	8	148	0.5	<5	0.12	<1	11	31	46	4.03	0.04	0.52	291	<2	0.01	29	511	17	<5	3	<10	6	0.04	76	<10	2	123	3
L76 30+00N	0.6	2.01	10	164	0.6	<5	0.23	<1	14	23	36	3.74	0.04	0.37	278	3	0.01	29	554	17	<5	2	<10	15	0.05	60	<10	2	148	4
L76 30+50N	1.0	1.53	9	236	0.6	<5	0.11	<1	14	24	43	3.88	0.04	0.37	493	<2	0.01	29	849	13	<5	2	<10	7	0.02	56	<10	2	122	2

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ

Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L76 31+00N	0.7	0.72	7	134	<0.5	<5	0.11	<1	10	12	59	3.55	0.03	0.08	171	<2	0.01	29	665	9	8	2	<10	9	0.02	40	<10	2	92	2
L76 31+50N	0.8	0.88	<5	161	<0.5	<5	0.17	<1	8	19	31	3.21	0.05	0.19	202	2	0.02	22	797	10	<5	1	<10	13	0.03	49	<10	1	76	2
L76 32+00N	0.8	2.09	10	262	0.7	<5	0.14	<1	11	59	52	4.91	0.03	0.71	187	<2	0.01	45	1049	14	5	3	<10	6	0.02	82	<10	4	126	4
L76 32+50N	0.9	2.62	29	198	0.8	<5	0.23	<1	40	44	207	7.35	0.05	1.13	570	4	0.01	74	1815	33	5	3	<10	11	0.02	76	<10	4	194	7
L76 33+00N	1.3	2.58	31	142	0.7	<5	0.12	<1	21	50	91	5.38	0.03	1.06	1019	2	0.02	53	1016	14	6	3	<10	3	0.02	95	<10	5	145	5
L76 33+50N	0.3	3.26	<5	191	0.7	<5	0.13	<1	9	38	39	5.14	0.04	0.45	249	<2	0.01	21	1385	16	<5	3	<10	3	0.07	100	<10	2	128	10
L76 34+00N	<0.2	1.49	<5	164	<0.5	<5	0.17	<1	8	25	30	4.12	0.05	0.37	204	2	0.02	16	429	14	<5	2	<10	9	0.06	97	<10	2	81	3
L76 34+50N	0.7	3.36	24	444	1.3	<5	0.42	<1	21	29	86	5.29	0.05	0.43	584	2	0.02	27	1581	29	<5	5	<10	24	0.13	95	<10	4	132	13
L76 35+00N	0.2	1.78	14	123	0.7	<5	0.13	<1	20	22	119	4.80	0.04	0.34	311	3	0.01	33	949	8	6	4	<10	10	<0.01	55	<10	2	114	3
L76 35+50N	0.7	2.90	<5	252	0.9	<5	0.42	<1	16	27	78	5.88	0.04	0.36	595	<2	0.02	22	1711	13	<5	3	<10	11	0.11	105	<10	7	112	11
L76 36+00N	0.4	1.62	14	107	0.7	<5	0.18	<1	20	60	149	5.17	0.03	0.85	917	5	0.01	66	1252	16	6	4	<10	6	<0.01	69	<10	7	177	5
L76 36+50N	0.4	2.07	7	205	0.6	<5	0.28	<1	13	45	70	4.64	0.08	0.91	356	4	0.02	35	987	27	<5	4	<10	28	0.06	95	<10	3	106	4
L76 37+00N	<0.2	1.76	<5	106	0.9	<5	0.64	<1	26	64	107	4.38	0.37	1.62	744	3	0.02	39	742	85	<5	8	<10	19	0.11	116	<10	8	86	6
L76 37+50N	<0.2	2.05	<5	164	0.7	<5	0.39	1	15	41	66	4.25	0.08	0.80	503	11	0.01	51	327	32	<5	4	<10	17	0.07	104	<10	3	230	4
L76 38+00N	0.2	2.40	6	168	0.9	<5	0.57	<1	18	51	101	4.41	0.09	0.85	540	5	0.02	41	391	33	6	5	<10	35	0.07	99	<10	6	100	8
L76 38+50N	<0.2	1.91	7	103	0.5	<5	0.26	<1	16	48	47	4.06	0.07	1.06	411	2	0.01	34	700	26	<5	3	<10	6	0.08	88	<10	4	95	4
L76 39+00N	0.5	2.53	9	171	1.2	<5	0.31	<1	13	60	124	4.64	0.12	0.92	453	4	0.02	39	448	35	<5	5	<10	16	0.07	102	<10	8	111	5
L76 39+50N	0.2	2.18	7	128	0.8	<5	0.23	<1	10	44	65	4.44	0.08	0.82	278	3	0.02	25	511	25	<5	4	<10	8	0.10	94	<10	3	102	8
L76 40+00N	0.8	2.01	6	145	0.8	<5	0.35	<1	14	43	67	4.26	0.12	1.07	386	2	0.02	26	743	27	<5	4	<10	14	0.09	97	<10	5	103	5
L76 40+50N	<0.2	1.75	6	175	0.8	<5	1.14	<1	18	52	115	4.14	0.14	1.06	711	3	0.02	42	751	39	<5	7	<10	58	0.05	87	<10	11	106	6
L76 41+00N	0.4	1.87	6	194	0.9	<5	1.02	<1	18	53	123	4.24	0.13	1.02	746	4	0.02	41	773	40	<5	6	<10	56	0.05	94	<10	11	98	5
L76 41+50N	<0.2	2.06	9	171	1.0	<5	0.76	<1	21	57	132	4.44	0.14	1.10	713	4	0.02	45	690	37	<5	8	<10	37	0.06	97	<10	17	111	5
L76 42+00N	<0.2	1.79	8	100	0.7	<5	0.34	<1	15	48	71	3.93	0.11	1.05	537	3	0.02	32	479	19	<5	4	<10	12	0.09	96	<10	6	94	4
L76 42+50N	<0.2	1.97	<5	158	0.8	<5	0.47	<1	19	53	95	4.09	0.13	1.12	785	3	0.02	38	732	31	<5	6	<10	21	0.06	95	<10	12	112	4
DUP L76	1.1	2.15	11	284	0.7	<5	0.18	<1	15	53	96	4.89	0.03	0.75	387	<2	0.02	58	1072	15	<5	7	<10	9	0.03	69	<10	25	152	5
L76 43+00N	<0.2	1.95	10	202	0.8	<5	0.79	<1	18	57	110	4.28	0.13	1.18	683	4	0.02	41	686	46	<5	7	<10	35	0.06	99	<10	11	104	6
L76 43+50N	0.4	3.12	8	296	1.1	<5	0.89	<1	28	70	176	5.28	0.16	1.23	1068	8	0.02	71	763	41	6	8	<10	43	0.07	109	<10	14	181	6
L76 44+00N	0.2	1.87	12	135	0.6	<5	0.31	<1	16	44	109	3.79	0.08	0.93	515	6	0.02	34	426	50	6	4	<10	9	0.09	89	<10	5	106	4
L76 44+50N	0.5	1.97	6	91	0.5	<5	0.14	<1	8	35	43	3.68	0.05	0.53	237	5	0.01	20	644	48	<5	2	<10	3	0.09	81	<10	2	126	6
L76 45+00N	0.4	1.55	<5	59	<0.5	<5	0.09	<1	4	21	18	2.97	0.03	0.15	89	3	0.01	7	613	64	<5	2	<10	1	0.10	73	<10	1	51	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ

Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L76 45+50N	0.5	2.15	12	100	0.5	<5	0.18	<1	13	50	76	4.75	0.06	0.95	337	3	0.01	31	627	58	6	4	<10	<1	0.12	107	<10	3	111	6
L76 46+00N	<0.2	2.31	16	111	0.9	<5	1.03	<1	27	66	103	5.70	0.26	1.77	1069	8	0.02	52	1062	52	5	9	<10	24	0.09	116	<10	11	131	9
L76 46+50N	0.3	1.94	7	168	0.7	<5	0.59	<1	20	49	135	4.24	0.10	0.92	767	5	0.02	42	449	38	<5	7	<10	33	0.09	87	<10	12	201	6
L76 47+00N	0.3	2.10	8	154	0.9	<5	0.92	<1	27	64	258	4.77	0.20	1.28	553	4	0.02	70	951	33	6	10	<10	48	0.08	102	<10	14	144	10
L76 47+50N	0.4	2.97	10	253	1.2	<5	0.76	<1	26	81	360	4.99	0.10	1.30	700	8	0.02	105	311	28	7	9	<10	37	0.14	111	<10	11	153	12
L76 48+00N	<0.2	2.11	<5	107	0.7	<5	0.35	<1	13	49	38	3.92	0.07	0.93	292	4	0.02	32	528	15	<5	4	<10	10	0.15	99	<10	3	123	8
L76 48+50N	<0.2	1.90	7	122	0.6	<5	0.24	<1	13	29	15	3.50	0.05	0.38	353	2	0.02	16	1249	15	6	2	<10	5	0.12	80	<10	2	128	8
L76 49+00N	<0.2	2.89	6	199	0.9	<5	0.48	<1	22	52	85	5.10	0.09	1.02	385	6	0.02	44	634	29	<5	5	<10	18	0.14	108	<10	6	214	10
L76 49+50N	<0.2	2.35	<5	170	0.9	<5	0.47	<1	22	52	165	4.48	0.14	1.32	741	<2	0.02	40	1348	81	5	5	<10	17	0.14	99	<10	4	179	8
L76 50+00N	<0.2	2.97	6	115	0.8	<5	0.47	<1	24	90	163	5.82	0.31	2.33	537	<2	0.02	52	1044	44	7	6	<10	5	0.19	155	<10	3	144	11
L76 50+50N	<0.2	2.38	7	114	0.8	<5	0.37	<1	17	41	92	4.94	0.13	1.27	358	<2	0.02	26	663	25	5	4	<10	7	0.15	115	<10	3	90	8
L76 51+00N	<0.2	2.47	64	132	1.2	<5	0.25	<1	30	37	302	6.63	0.18	1.53	519	3	0.02	34	968	51	9	7	<10	5	0.13	138	<10	3	152	10
L76 51+50N	0.6	4.13	7	93	1.0	<5	0.18	<1	12	22	60	3.94	0.05	0.31	1021	2	0.02	9	2578	54	<5	3	<10	3	0.13	64	<10	3	62	27
L76 52+00N	<0.2	2.56	12	121	0.8	<5	0.36	<1	17	38	136	5.34	0.14	1.50	373	<2	0.02	21	792	58	5	6	<10	2	0.18	156	<10	4	118	13
L76 52+50N	<0.2	2.96	5	105	0.7	<5	0.26	<1	18	44	38	4.29	0.07	0.76	372	2	0.02	24	725	16	<5	4	<10	4	0.12	94	<10	3	98	11
L76 53+00N	1.0	2.49	9	266	0.8	<5	1.14	1	16	47	267	4.25	0.10	0.85	598	7	0.02	51	538	23	7	5	<10	56	0.10	90	<10	12	129	7
L76 53+50N	1.0	2.70	8	278	0.9	<5	1.14	<1	22	57	144	4.81	0.13	1.11	1097	7	0.02	49	674	25	10	7	<10	55	0.08	103	<10	12	147	8
L76 54+00N	<0.2	2.83	8	97	0.7	<5	0.25	<1	19	43	51	4.74	0.05	0.76	339	2	0.02	34	1255	9	7	4	<10	6	0.10	105	<10	5	107	8
L76 54+75N	<0.2	1.95	6	84	0.5	<5	0.43	<1	16	48	54	3.91	0.06	0.99	568	3	0.02	35	501	12	<5	4	<10	17	0.08	88	<10	6	94	3
L76 55+00N	<0.2	2.06	5	84	0.6	<5	0.43	<1	17	49	56	3.90	0.06	1.01	580	<2	0.02	35	480	21	6	5	<10	19	0.08	89	<10	6	101	4
L76 55+50N	<0.2	2.52	8	92	0.7	<5	0.33	<1	25	52	64	4.31	0.07	1.01	459	<2	0.02	48	910	15	<5	5	<10	12	0.09	100	<10	5	166	7
L76 56+00N	0.4	2.19	6	99	0.7	<5	0.28	<1	17	45	35	3.85	0.06	0.70	314	<2	0.02	31	824	18	<5	4	<10	9	0.07	86	<10	5	102	4
L76 56+50N	0.6	3.24	<5	96	0.8	<5	0.31	<1	23	43	50	4.16	0.06	0.66	309	<2	0.02	44	1384	13	<5	5	<10	11	0.09	85	<10	6	157	9
L76 57+00N	0.3	2.50	<5	66	0.6	<5	0.26	<1	21	36	21	3.72	0.06	0.59	303	<2	0.01	29	1418	15	<5	3	<10	7	0.09	73	<10	4	163	13
L76 57+50N	0.3	3.29	<5	85	0.9	<5	0.19	<1	20	36	26	4.60	0.05	0.51	227	<2	0.02	28	2258	19	<5	3	<10	5	0.12	85	<10	3	149	16
L76 58+00N	0.4	2.68	8	99	0.7	<5	0.32	<1	25	51	129	4.82	0.08	1.18	333	<2	0.02	48	647	20	<5	4	<10	10	0.12	107	<10	3	101	8
L76 58+50N	<0.2	3.16	6	117	0.9	<5	0.29	<1	25	50	49	5.06	0.07	0.97	365	7	0.02	42	966	36	<5	4	<10	6	0.13	119	<10	3	215	9
L76 59+00N	0.4	2.82	<5	102	1.0	<5	0.30	<1	27	34	134	4.73	0.07	0.82	448	<2	0.02	27	1014	48	<5	4	<10	7	0.13	105	<10	4	133	12
L76 59+50N	0.3	3.51	7	89	1.1	<5	0.17	<1	27	33	61	4.68	0.04	0.45	633	<2	0.02	19	1656	29	<5	3	<10	<1	0.12	100	<10	3	132	15
L76 60+00N	<0.2	3.30	6	124	0.7	<5	0.32	<1	22	69	72	5.49	0.07	1.35	525	2	0.02	50	1008	19	7	5	<10	13	0.09	125	<10	4	141	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ

Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L76 60+50N	0.3	2.94	8	84	0.9	<5	0.21	<1	15	48	73	5.34	0.07	1.04	341	3	0.02	28	980	16	<5	4	<10	5	0.14	128	<10	4	124	10
L76 61+00N	<0.2	3.13	10	120	0.7	<5	0.36	<1	20	57	55	5.08	0.06	1.19	568	<2	0.02	41	847	17	<5	4	<10	18	0.07	116	<10	5	141	5
L76 61+50N	<0.2	2.23	8	103	0.6	<5	0.57	2	25	57	99	4.67	0.07	1.17	917	9	0.02	50	406	16	6	5	<10	29	0.10	102	<10	8	131	5
L76 62+00N	2.1	3.28	9	211	1.5	<5	1.06	12	24	76	1390	5.96	0.10	1.00	1285	13	0.02	97	794	29	<5	8	<10	43	0.08	115	<10	30	229	10
L76 62+50N	0.4	2.28	6	92	0.7	<5	0.52	2	19	64	156	4.57	0.08	1.20	540	8	0.02	46	300	17	6	8	<10	25	0.10	107	<10	19	117	6
L76 63+00N	<0.2	3.67	6	144	1.1	<5	1.02	<1	36	67	204	7.14	0.45	2.03	1089	8	0.03	57	746	29	8	12	<10	31	0.16	186	<10	20	172	9
L76 63+50N	<0.2	2.46	<5	80	0.5	<5	0.30	<1	20	33	47	4.53	0.09	0.95	443	<2	0.02	25	1144	12	<5	6	<10	4	0.11	118	<10	3	135	9
L76 64+00N	<0.2	2.51	<5	109	0.6	<5	0.63	<1	25	60	68	4.29	0.07	1.06	818	3	0.01	43	592	16	<5	7	<10	27	0.06	92	<10	7	175	6
L76 64+50N	0.4	1.43	<5	76	<0.5	<5	0.46	<1	12	24	27	3.37	0.05	0.28	461	<2	0.02	15	1253	16	<5	2	<10	15	0.09	70	<10	2	132	5
L76 65+00N	<0.2	2.47	5	98	0.5	<5	0.28	<1	22	44	41	3.97	0.06	0.90	348	<2	0.01	41	941	13	<5	4	<10	14	0.08	85	<10	3	124	7
L76 65+50N	<0.2	3.13	30	122	1.1	<5	0.16	<1	48	50	187	8.11	0.08	0.78	446	7	0.02	53	1395	18	<5	7	<10	8	0.14	145	<10	2	101	14
L76 66+00N	0.5	4.84	6	85	1.3	<5	0.08	<1	21	37	35	6.05	0.03	0.43	363	4	0.02	27	1821	18	<5	3	<10	<1	0.15	94	<10	4	95	32
L76 66+50N	<0.2	3.77	11	94	0.8	<5	0.14	<1	19	55	103	4.86	0.04	1.00	398	<2	0.01	47	911	16	6	5	<10	6	0.11	100	<10	5	119	12
L76 67+00N	0.5	4.46	8	65	0.8	<5	0.16	<1	18	31	32	4.67	0.05	0.68	375	3	0.02	21	1206	13	<5	5	<10	1	0.13	89	<10	4	125	17
L76 67+50N	0.3	3.80	8	121	0.7	<5	0.30	<1	16	41	29	4.35	0.03	0.69	358	<2	0.01	37	1275	13	<5	3	<10	19	0.07	85	<10	4	192	6
L76 68+00N	0.3	2.46	8	76	<0.5	<5	0.11	<1	9	33	20	3.86	0.03	0.40	268	2	0.02	19	643	15	<5	3	<10	4	0.09	85	<10	2	87	6
L76 68+50N	0.5	3.59	9	93	0.6	<5	0.15	<1	12	42	45	5.24	0.03	0.65	322	3	0.02	30	866	15	<5	3	<10	11	0.11	97	<10	3	125	8
L76 69+00N	<0.2	4.11	9	86	0.8	<5	0.18	<1	15	37	29	4.80	0.03	0.51	305	3	0.02	31	675	16	6	3	<10	12	0.14	97	<10	4	171	13
L76 69+50N	0.7	3.11	58	58	0.6	<5	0.13	<1	18	41	96	6.40	0.03	0.66	509	4	0.01	39	1370	22	6	4	<10	8	0.10	122	<10	3	224	7
L76 70+00N	0.2	2.96	<5	84	0.7	<5	0.18	<1	14	37	28	6.10	0.03	0.53	329	2	0.02	23	867	20	<5	3	<10	18	0.19	140	<10	3	130	9
L76 70+50N	<0.2	4.54	11	74	0.7	<5	0.16	<1	11	41	45	4.88	0.03	0.65	304	3	0.01	25	1139	12	6	5	<10	11	0.13	102	<10	5	90	18
L76 71+00N	<0.2	2.45	<5	69	0.7	<5	0.15	<1	13	32	22	5.70	0.04	0.39	278	2	0.02	14	688	20	<5	4	<10	2	0.16	144	<10	4	77	9
L76 71+50N	<0.2	3.16	7	68	0.7	<5	0.18	<1	12	41	27	4.81	0.04	0.55	300	<2	0.02	20	697	16	5	4	<10	6	0.16	116	<10	5	113	8
L80 18+00N	0.4	1.21	13	115	<0.5	<5	0.29	<1	15	30	55	3.18	0.10	0.59	587	4	0.01	36	962	22	<5	3	<10	17	0.04	56	<10	3	118	2
L80 18+50N	0.7	1.77	9	118	0.6	<5	0.26	<1	18	25	48	3.57	0.08	0.57	413	<2	0.02	41	1595	21	<5	3	<10	14	0.05	56	<10	2	158	4
L80 19+00N	0.6	1.39	6	196	<0.5	<5	0.41	<1	10	21	31	2.57	0.05	0.33	417	4	0.02	31	283	18	<5	3	<10	48	0.04	38	<10	4	114	5
L80 19+50N	0.3	1.67	7	119	0.5	<5	0.40	<1	14	45	80	3.60	0.11	0.85	426	5	0.02	52	462	23	<5	4	<10	27	0.06	68	<10	3	125	3
L80 20+00N	<0.2	1.45	7	151	<0.5	<5	0.44	<1	11	27	32	3.01	0.05	0.59	369	4	0.02	29	194	29	<5	3	<10	41	0.05	56	<10	3	104	4
L80 20+50N	0.3	1.50	6	279	0.5	<5	0.31	<1	14	33	50	3.15	0.07	0.51	1182	4	0.02	33	479	23	<5	4	<10	24	0.05	69	<10	4	131	4
L80 21+00N	0.4	1.10	18	122	<0.5	<5	0.23	<1	10	14	50	3.11	0.07	0.20	165	13	0.01	41	1023	14	<5	2	<10	16	0.02	34	<10	2	157	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ


Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L80 21+50N	<0.2	1.53	6	105	<0.5	<5	0.30	<1	13	35	39	3.44	0.11	0.66	480	5	0.02	26	601	37	<5	3	<10	17	0.07	88	<10	4	93	3
L80 22+00N	0.7	0.82	9	269	<0.5	<5	0.23	<1	10	11	27	2.82	0.07	0.09	2036	3	0.01	29	622	14	<5	2	<10	22	0.02	29	<10	1	94	1
L80 22+50N	<0.2	1.42	11	106	<0.5	<5	0.26	<1	14	36	66	3.64	0.06	0.71	316	4	0.02	40	304	33	<5	4	<10	20	0.05	69	<10	3	110	2
L80 23+00N	1.5	1.84	6	218	0.7	<5	0.95	2	12	33	92	3.17	0.07	0.58	862	3	0.02	48	337	32	<5	5	<10	113	0.04	57	<10	14	108	5
L80 23+50N	1.3	1.92	7	237	0.6	<5	0.42	<1	13	27	35	3.17	0.08	0.48	290	2	0.02	37	317	25	<5	3	<10	55	0.05	55	<10	3	104	5
L80 24+00N	0.3	1.71	7	144	0.6	<5	0.64	<1	15	37	41	3.32	0.07	0.78	335	<2	0.02	32	302	39	<5	4	<10	80	0.04	73	<10	4	87	4
L80 24+50N	0.3	1.89	<5	170	0.6	<5	0.48	<1	15	34	35	3.27	0.06	0.66	726	<2	0.02	30	316	35	<5	4	<10	57	0.06	73	<10	3	108	4
L80 25+00N	<0.2	1.29	11	184	0.8	<5	0.31	<1	12	33	135	4.54	0.06	0.62	431	3	0.01	47	536	33	<5	7	<10	22	0.03	60	<10	5	118	3
L80 25+50N	1.8	0.96	11	146	0.8	<5	0.75	<1	25	30	209	5.62	0.07	0.40	1119	5	0.01	85	1042	35	<5	14	<10	62	<0.01	41	<10	37	185	6
L80 26+00N	0.3	1.63	10	131	0.6	<5	0.18	<1	12	26	78	3.93	0.05	0.43	220	3	0.01	40	796	18	<5	4	<10	9	0.04	55	<10	3	129	3
L80 26+50N	0.6	1.80	8	209	0.6	<5	0.44	<1	14	28	56	4.16	0.11	0.56	271	2	0.01	35	1022	16	<5	3	<10	27	0.03	68	<10	2	146	3
L80 27+00N	0.7	1.15	29	215	0.5	<5	0.27	<1	22	19	130	4.34	0.06	0.21	830	2	0.01	67	909	18	<5	4	<10	20	0.02	41	<10	7	173	3
L80 27+50N	0.3	1.47	<5	64	<0.5	<5	0.38	<1	16	34	25	3.26	0.09	0.64	411	<2	0.02	25	473	36	<5	3	<10	20	0.10	79	<10	3	113	3
L80 28+00N	<0.2	1.84	8	103	1.1	<5	0.67	<1	24	60	131	4.82	0.35	1.51	909	5	0.02	44	981	92	<5	9	<10	31	0.10	119	<10	9	139	5
L80 28+50N	0.8	2.11	7	169	1.2	<5	0.85	<1	20	63	155	4.76	0.14	1.20	835	2	0.02	55	724	70	6	10	<10	66	0.05	98	<10	15	143	7
L80 29+00N	<0.2	1.77	<5	81	0.7	<5	0.26	<1	15	47	53	3.85	0.11	1.04	313	2	0.02	32	342	59	<5	5	<10	9	0.11	97	<10	3	137	3
L80 29+50N	0.9	2.92	<5	109	1.0	<5	0.14	<1	14	31	38	3.63	0.05	0.49	239	2	0.02	28	676	28	<5	3	<10	6	0.09	63	<10	3	171	8
L80 30+00N	0.5	1.71	<5	132	0.6	<5	0.26	<1	17	26	27	3.55	0.07	0.33	835	3	0.02	23	1322	23	<5	2	<10	17	0.08	74	<10	2	177	3
L80 30+50N	<0.2	2.01	<5	119	0.6	<5	0.24	<1	15	35	37	3.83	0.05	0.67	297	3	0.01	33	705	23	<5	3	<10	13	0.07	84	<10	3	131	3
L80 31+00N	0.3	2.53	10	135	0.7	<5	0.23	<1	16	37	67	4.74	0.06	0.73	485	4	0.02	44	736	25	<5	4	<10	11	0.06	96	<10	4	157	4
L80 31+50N	0.3	1.81	11	186	0.6	<5	0.25	<1	20	30	76	4.18	0.06	0.58	1352	3	0.01	37	529	27	<5	3	<10	21	0.05	90	<10	3	148	3
L80 32+00N	0.5	3.17	30	181	1.2	<5	0.15	<1	33	40	129	6.72	0.06	0.77	1006	5	0.02	61	830	33	<5	6	<10	6	0.07	107	<10	7	280	7
L80 32+50N	0.3	3.95	6	1050	1.2	<5	0.26	<1	40	57	245	7.52	0.06	1.31	1016	5	0.02	113	694	22	5	10	<10	73	0.10	146	<10	11	274	6
L80 33+00N	<0.2	4.73	<5	3414	2.0	<5	0.52	<1	42	153	203	6.88	0.32	1.32	752	3	0.03	166	1442	27	6	9	<10	109	0.28	131	<10	10	187	26
L80 33+50N	<0.2	1.97	<5	73	0.8	<5	0.34	<1	23	34	57	5.21	0.04	0.56	609	4	0.02	42	773	30	<5	3	<10	19	0.08	89	<10	4	187	4
L80 34+00N	1.2	3.07	<5	141	0.9	<5	0.85	<1	16	44	40	3.80	0.03	0.31	258	6	0.02	38	429	18	<5	4	<10	69	0.13	69	<10	9	77	10
L80 34+50N	<0.2	3.13	<5	153	0.8	<5	0.22	<1	15	33	53	3.76	0.05	0.67	389	2	0.02	32	793	10	<5	3	<10	19	0.13	82	<10	4	193	5
L80 35+00N	<0.2	1.95	<5	176	1.0	<5	0.16	1	16	30	69	5.54	0.06	0.45	415	34	0.01	62	1071	26	<5	4	<10	8	0.03	81	<10	4	318	4
L80 35+50N	<0.2	2.63	<5	319	0.7	<5	0.42	1	13	35	40	3.80	0.07	0.56	502	4	0.02	53	402	25	<5	5	<10	34	0.06	69	<10	6	158	7
L80 36+00N	1.2	2.61	<5	286	0.9	<5	1.07	<1	14	42	68	3.83	0.08	0.71	521	5	0.02	37	464	29	<5	5	<10	59	0.07	73	<10	9	87	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ

Date : Sep-17-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L80 36+50N	1.2	2.93	<5	351	1.0	<5	0.78	<1	13	39	50	3.64	0.07	0.72	623	<2	0.02	41	318	31	<5	6	<10	43	0.08	67	<10	10	93	10
L80 37+00N	0.3	2.25	12	480	1.0	<5	0.58	<1	19	53	77	4.18	0.09	1.02	729	<2	0.02	43	341	44	<5	7	<10	26	0.06	90	<10	11	115	6
L80 37+50N	0.4	1.81	9	279	0.8	<5	0.85	<1	22	45	75	4.19	0.11	0.86	954	<2	0.02	39	637	38	<5	7	<10	51	0.05	77	<10	9	128	8
L80 38+00N	<0.2	1.82	9	316	1.0	<5	0.64	<1	22	57	116	4.44	0.19	1.19	958	4	0.02	44	790	40	<5	11	<10	78	0.07	99	<10	14	104	10
L80 38+50N	<0.2	1.32	9	337	0.6	<5	0.40	<1	14	41	65	3.46	0.07	0.80	500	2	0.02	29	225	38	<5	6	<10	32	0.07	78	<10	8	77	5
L80 39+00N	0.3	2.73	9	454	1.2	<5	0.27	<1	18	53	102	4.49	0.08	0.83	514	3	0.02	38	349	38	<5	6	<10	16	0.08	93	<10	7	113	4
L80 39+50N	<0.2	2.16	6	426	0.9	<5	0.56	<1	15	41	63	3.74	0.06	0.70	504	3	0.02	31	451	37	<5	4	<10	44	0.05	77	<10	6	97	4
L80 40+00N	<0.2	2.04	7	319	<0.5	<5	0.15	<1	9	31	35	3.84	0.05	0.49	195	<2	0.01	22	578	27	<5	3	<10	120	0.07	77	<10	2	90	4
L80 40+50N	<0.2	2.26	6	135	0.6	<5	0.11	<1	9	29	29	3.87	0.04	0.42	207	<2	0.01	18	921	18	<5	3	<10	5	0.08	76	<10	2	89	7
L80 41+00N	0.2	1.38	<5	322	1.0	<5	0.69	<1	20	22	91	5.54	0.16	0.23	1465	<2	0.01	29	1480	29	<5	4	<10	17	0.02	73	<10	2	116	4
L80 41+50N	<0.2	1.52	<5	201	0.7	<5	0.23	<1	12	24	44	4.98	0.08	0.33	439	<2	0.01	17	747	20	<5	4	<10	5	0.03	75	<10	2	122	3
L80 42+00N	0.3	1.97	8	153	1.1	<5	0.90	<1	22	52	145	4.86	0.31	1.72	977	2	0.02	41	867	80	6	9	<10	47	0.08	111	<10	12	130	8
L80 42+50N	0.3	2.22	9	165	0.7	<5	0.85	<1	25	61	103	5.38	0.39	1.68	1433	16	0.02	49	614	40	7	9	<10	27	0.11	131	<10	9	135	8
L80 43+00N	<0.2	2.33	7	176	0.7	<5	0.79	<1	22	58	95	5.65	0.27	1.27	993	17	0.02	52	382	33	<5	8	<10	26	0.10	110	<10	6	200	10
L80 43+50N	0.4	2.57	12	201	0.8	<5	0.76	<1	19	64	127	4.48	0.13	1.15	422	10	0.02	59	276	30	<5	6	<10	35	0.12	98	<10	10	143	6
L80 44+00N	1.2	2.52	10	235	0.8	<5	0.70	<1	22	56	197	4.49	0.17	1.16	542	12	0.02	54	393	33	<5	8	<10	36	0.11	105	<10	11	115	6
L80 44+50N	0.6	2.48	<5	146	0.9	<5	0.59	<1	26	126	188	4.82	0.27	2.09	448	10	0.02	88	335	81	5	8	<10	26	0.16	142	<10	5	144	10
L80 45+00N	1.2	3.41	<5	123	0.8	<5	0.47	<1	27	209	193	4.47	0.50	3.32	430	<2	0.02	212	733	52	8	4	<10	16	0.19	89	<10	3	208	12
L80 45+50N	0.3	2.61	11	133	0.7	<5	0.40	<1	22	113	182	4.53	0.17	1.70	450	3	0.02	82	882	35	6	5	<10	12	0.14	107	<10	3	194	10
L80 46+00N	0.2	2.06	9	132	0.6	<5	0.35	<1	16	48	115	4.02	0.16	1.06	329	4	0.02	32	583	39	<5	4	<10	8	0.13	104	<10	3	116	7
L80 46+50N	0.5	2.74	10	129	0.9	<5	0.53	<1	24	40	141	5.38	0.15	1.19	558	2	0.02	32	1633	25	5	6	<10	9	0.13	140	<10	4	193	6
L80 47+00N	0.6	3.31	21	220	1.0	<5	0.58	<1	20	49	281	4.15	0.09	0.92	446	7	0.02	70	398	35	<5	6	<10	24	0.13	100	<10	12	150	10
L80 47+50N	<0.2	3.44	13	229	1.2	<5	1.14	<1	32	119	285	5.67	1.01	3.11	765	<2	0.02	85	536	83	5	8	<10	24	0.19	160	<10	5	138	12
L80 48+00N	0.2	2.56	<5	76	1.2	<5	0.74	<1	17	42	116	5.20	0.16	1.72	294	<2	0.02	27	982	20	<5	9	<10	5	0.16	166	<10	7	114	14
L80 48+50N	0.4	2.85	7	115	1.1	<5	0.40	<1	21	91	178	5.35	0.23	1.51	352	<2	0.02	60	1652	48	5	7	<10	14	0.14	138	<10	4	188	10
L80 49+00N	<0.2	2.55	<5	149	0.8	<5	0.63	<1	23	87	136	4.61	0.09	1.52	347	<2	0.02	57	982	38	<5	6	<10	12	0.11	116	<10	3	191	11
L80 49+50N	<0.2	2.70	7	79	1.5	<5	0.99	<1	29	14	268	6.84	0.83	2.38	715	3	0.02	15	1223	31	<5	12	<10	5	0.14	189	<10	12	111	11
L80 50+00N	0.3	2.92	25	137	1.6	<5	0.27	<1	34	49	526	7.00	0.31	2.06	454	22	0.02	32	804	57	5	9	<10	2	0.14	188	<10	6	164	15
L80 50+50N	<0.2	2.64	13	75	0.8	<5	0.38	<1	17	39	85	5.00	0.15	1.31	383	<2	0.02	21	958	24	<5	5	<10	6	0.19	133	<10	5	113	11
L80 51+00N	1.1	1.77	14	181	0.7	<5	0.86	1	13	31	231	2.94	0.06	0.53	1332	8	0.02	37	540	20	<5	3	<10	34	0.07	74	<10	12	103	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ


Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L80 51+50N	<0.2	1.90	6	53	0.6	<5	0.17	<1	10	24	24	3.65	0.06	0.40	183	<2	0.02	11	912	25	<5	2	<10	4	0.15	98	<10	2	61	7
L80 52+00N	<0.2	2.47	59	94	0.9	<5	0.33	<1	21	34	60	6.02	0.12	1.39	530	4	0.03	19	683	93	7	5	<10	4	0.25	167	<10	5	110	14
L80 52+50N	0.3	2.55	13	130	0.9	<5	0.31	<1	17	46	41	5.23	0.08	0.94	398	<2	0.02	26	589	27	<5	5	<10	5	0.16	124	<10	4	148	8
L80 53+00N	<0.2	2.71	45	112	1.8	<5	0.38	<1	38	43	110	8.17	0.38	1.47	1359	4	0.02	31	1000	55	<5	9	<10	4	0.12	172	<10	5	166	6
L80 53+50N	<0.2	2.56	7	84	0.9	<5	0.53	<1	24	45	73	5.93	0.29	1.63	608	<2	0.02	25	1186	56	<5	6	<10	6	0.18	145	<10	5	162	8
L80 54+00N	<0.2	2.16	5	86	<0.5	<5	0.26	<1	11	47	23	4.45	0.04	0.83	268	6	0.02	25	339	19	<5	4	<10	6	0.18	116	<10	2	105	7
L80 54+50N	<0.2	2.30	<5	127	1.1	<5	1.06	<1	22	51	269	4.37	0.10	1.24	1011	4	0.02	39	515	26	<5	8	<10	27	0.11	107	<10	29	133	6
L80 55+00N	<0.2	2.64	6	96	0.7	<5	0.44	<1	21	64	78	4.85	0.09	1.41	536	3	0.02	42	495	33	<5	6	<10	12	0.13	120	<10	5	115	4
L80 55+50N	1.6	2.99	<5	215	1.0	<5	1.32	2	20	56	193	4.48	0.10	1.07	1244	7	0.02	53	625	26	<5	7	<10	50	0.10	97	<10	15	133	9
L80 56+00N	<0.2	2.24	7	123	0.7	<5	1.07	<1	22	67	73	4.50	0.16	1.35	772	4	0.02	50	1002	23	<5	7	<10	44	0.12	104	<10	9	112	7
L80 56+50N	<0.2	2.51	11	85	0.7	<5	0.34	<1	20	54	55	5.17	0.07	1.14	388	<2	0.02	41	815	14	6	6	<10	10	0.14	121	<10	6	123	6
L80 57+00N	0.4	2.44	<5	137	0.7	<5	0.53	<1	18	56	51	4.36	0.08	0.98	573	3	0.02	46	690	13	<5	5	<10	19	0.08	91	<10	5	149	4
L80 57+50N	<0.2	2.32	10	99	0.6	<5	0.64	<1	17	59	84	4.54	0.09	1.01	434	3	0.02	44	760	18	<5	5	<10	24	0.08	104	<10	8	116	4
L80 58+00N	<0.2	2.06	<5	109	0.6	<5	0.57	<1	25	55	76	4.19	0.10	1.04	767	<2	0.02	40	909	18	<5	5	<10	22	0.08	98	<10	8	114	4
L80 58+50N	<0.2	2.01	7	63	0.6	<5	0.40	<1	24	50	65	4.27	0.08	1.17	568	<2	0.02	34	790	14	<5	5	<10	14	0.10	98	<10	5	99	3
L80 59+00N	<0.2	1.90	<5	53	0.6	<5	0.29	<1	13	33	35	4.06	0.08	0.70	300	<2	0.02	20	1058	20	<5	4	<10	8	0.12	106	<10	3	73	6
L80 59+50N	<0.2	2.70	<5	91	1.0	<5	0.46	<1	27	40	93	5.24	0.10	1.13	433	<2	0.02	37	1361	19	<5	5	<10	15	0.13	117	<10	4	127	8
L80 60+00N	<0.2	2.78	<5	108	0.6	<5	0.33	<1	18	40	37	4.24	0.04	0.84	330	<2	0.02	37	1393	13	<5	4	<10	13	0.10	93	<10	4	131	6
L80 60+50N	0.2	2.37	<5	71	0.6	<5	0.27	<1	17	39	26	4.41	0.08	0.85	321	2	0.02	25	1148	10	<5	4	<10	12	0.14	99	<10	2	101	7
L80 61+00N	<0.2	2.09	<5	70	0.7	<5	0.36	<1	23	33	26	4.09	0.07	0.63	472	2	0.02	29	1267	10	<5	4	<10	11	0.11	88	<10	3	161	5
L80 61+50N	<0.2	2.27	6	66	0.8	<5	0.33	<1	23	29	22	3.97	0.07	0.54	319	<2	0.02	24	1342	8	<5	3	<10	12	0.12	78	<10	2	132	6
L80 62+00N	<0.2	2.36	<5	103	0.9	<5	0.27	<1	25	30	45	4.66	0.07	0.70	439	<2	0.02	33	986	17	<5	4	<10	8	0.14	98	<10	3	124	8
L80 62+50N	<0.2	2.53	6	99	0.7	<5	0.34	<1	25	35	42	4.36	0.08	0.89	352	<2	0.02	39	667	13	<5	4	<10	11	0.14	96	<10	3	117	6
L80 63+00N	<0.2	2.95	11	93	0.8	<5	0.25	<1	28	47	87	4.88	0.07	1.08	368	6	0.02	47	862	17	<5	5	<10	9	0.15	115	<10	4	106	9
L80 63+50N	<0.2	3.06	6	81	0.7	<5	0.32	<1	19	42	35	4.37	0.05	0.71	346	3	0.02	32	1303	11	<5	3	<10	17	0.12	93	<10	3	102	8
L80 64+00N	<0.2	2.61	10	72	0.6	<5	0.25	<1	17	52	36	4.54	0.07	0.77	307	2	0.01	43	984	8	<5	3	<10	10	0.13	100	<10	3	91	5
L80 64+50N	<0.2	3.36	7	79	0.7	<5	0.15	<1	13	35	43	4.23	0.04	0.55	223	3	0.01	22	1054	8	<5	4	<10	5	0.15	89	<10	3	86	18
L80 65+00N	<0.2	3.17	8	84	0.7	<5	0.13	<1	11	34	74	4.05	0.03	0.41	299	<2	0.02	17	1333	9	<5	4	<10	1	0.16	95	<10	3	81	22
L80 65+50N	<0.2	4.26	<5	90	0.8	<5	0.21	<1	22	119	49	6.09	0.16	2.86	364	2	0.02	65	745	4	7	6	<10	<1	0.31	162	<10	6	61	18
L80 66+00N	<0.2	3.70	10	97	0.7	<5	0.19	<1	17	39	46	5.30	0.06	1.02	336	<2	0.01	26	1294	4	<5	5	<10	6	0.15	117	<10	4	120	13

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ

Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L80 66+50N	<0.2	2.74	<5	57	0.6	<5	0.32	<1	20	12	37	5.08	0.10	1.48	436	<2	0.02	11	1006	4	<5	3	<10	8	0.24	145	<10	3	83	11
L80 67+00N	<0.2	3.12	15	72	0.6	<5	0.25	<1	18	48	65	4.87	0.04	0.89	376	4	0.01	42	759	7	<5	5	<10	9	0.11	120	<10	5	118	6
L80 67+50N	<0.2	4.33	13	80	0.9	<5	0.13	<1	25	45	54	4.69	0.04	0.59	255	3	0.02	37	1548	4	5	4	<10	4	0.15	106	<10	4	158	17
L80 68+00N	<0.2	2.27	9	68	<0.5	<5	0.15	<1	8	28	23	3.48	0.02	0.37	179	<2	0.01	16	971	6	<5	2	<10	7	0.09	80	<10	2	67	5
L80 68+50N	<0.2	2.67	26	63	0.5	<5	0.13	<1	11	36	46	4.90	0.03	0.49	217	<2	0.01	23	812	8	<5	3	<10	2	0.13	106	<10	3	68	7
L80 69+00N	<0.2	2.28	16	60	0.5	<5	0.18	<1	10	45	30	5.56	0.03	0.56	265	2	0.01	20	1160	20	<5	3	<10	4	0.17	139	<10	2	110	7
L80 69+50N	<0.2	3.02	9	65	<0.5	<5	0.20	<1	9	45	26	4.42	0.03	0.63	246	<2	0.01	25	1217	7	<5	3	<10	8	0.09	94	<10	2	99	6
L80 70+00N	0.2	3.55	19	81	0.7	<5	0.11	<1	10	33	50	5.12	0.03	0.34	175	2	0.01	18	1444	8	<5	3	<10	22	0.13	115	<10	2	68	11
L80 70+50N	<0.2	3.46	9	88	0.7	<5	0.23	<1	12	43	37	4.69	0.03	0.72	273	<2	0.01	27	905	6	<5	4	<10	15	0.10	102	<10	4	132	7
L80 71+00N	<0.2	2.79	15	86	0.6	<5	0.33	<1	15	49	57	5.01	0.04	0.88	331	<2	0.01	35	517	10	<5	4	<10	22	0.11	117	<10	3	107	5
L80 71+50N	<0.2	3.42	11	97	0.7	<5	0.20	<1	18	49	81	6.45	0.04	0.77	306	<2	0.01	46	1377	19	<5	4	<10	17	0.14	122	<10	3	131	9
L80 72+00N	0.5	3.86	19	73	0.8	<5	0.17	<1	18	47	80	5.93	0.05	0.76	308	3	0.01	42	1379	10	7	4	<10	8	0.10	109	<10	3	134	8
L80 72+50N	0.2	2.06	9	75	0.6	<5	0.22	<1	12	34	20	4.90	0.04	0.47	320	<2	0.02	19	905	12	<5	3	<10	7	0.13	125	<10	2	144	5
L80 73+00N	1.7	3.66	16	116	0.8	<5	1.04	2	24	46	69	3.99	0.04	0.60	2341	2	0.02	53	915	15	<5	6	<10	28	0.10	67	<10	13	260	7
L84 18+00N	0.4	1.38	<5	82	<0.5	<5	0.29	<1	11	34	25	2.91	0.07	0.50	268	2	0.02	31	932	19	<5	3	<10	11	0.16	73	<10	2	133	4
L84 18+50N	0.4	2.16	<5	104	0.6	<5	0.23	<1	15	35	21	3.84	0.06	0.57	228	3	0.02	33	769	18	<5	4	<10	11	0.08	74	<10	3	185	4
L84 19+00N	<0.2	1.68	<5	95	<0.5	<5	0.45	<1	13	53	53	3.77	0.09	1.10	377	3	0.02	41	801	27	<5	4	<10	20	0.09	95	<10	4	99	3
L84 19+50N	<0.2	1.43	13	112	<0.5	<5	0.17	<1	13	34	66	3.63	0.07	0.59	234	14	0.02	53	597	13	<5	4	<10	9	0.04	54	<10	3	146	4
L84 20+00N	0.5	0.92	11	396	<0.5	<5	0.13	<1	16	8	108	4.23	0.05	0.08	501	<2	0.01	52	639	15	<5	6	<10	11	<0.01	19	<10	10	111	4
L84 20+50N	0.4	1.30	7	121	<0.5	<5	0.19	<1	13	24	43	3.24	0.05	0.45	281	3	0.02	30	895	21	<5	3	<10	9	0.06	58	<10	3	120	2
L84 21+00N	0.2	1.47	12	86	0.6	<5	0.26	<1	14	28	77	4.16	0.06	0.65	510	3	0.02	32	693	25	<5	4	<10	11	0.06	70	11	4	108	3
L84 21+50N	0.3	1.53	<5	180	<0.5	<5	0.97	<1	12	34	63	3.26	0.07	0.77	309	<2	0.02	29	447	25	<5	3	<10	81	0.05	67	<10	4	87	3
L84 22+00N	1.2	1.68	<5	206	<0.5	<5	0.65	<1	13	21	33	2.88	0.08	0.30	345	2	0.02	27	413	17	<5	3	<10	66	0.06	49	<10	7	100	4
L84 22+50N	1.1	1.79	<5	216	0.9	<5	1.08	1	19	45	119	3.93	0.11	0.96	1068	2	0.02	45	600	47	5	7	<10	93	0.05	72	<10	12	124	6
L84 23+00N	<0.2	1.60	<5	148	0.6	<5	0.44	<1	14	32	43	3.37	0.07	0.56	338	2	0.02	31	381	26	<5	4	<10	28	0.09	76	<10	3	131	5
L84 23+50N	<0.2	1.35	<5	116	<0.5	<5	0.36	<1	12	31	65	3.28	0.10	0.69	340	3	0.02	40	474	18	<5	4	<10	25	0.05	58	<10	3	96	2
L84 24+00N	0.4	1.27	7	105	<0.5	<5	0.27	<1	11	29	26	2.74	0.08	0.56	245	<2	0.02	24	305	19	<5	3	<10	18	0.07	67	<10	2	111	2
L84 24+50N	<0.2	1.39	6	96	<0.5	<5	0.29	<1	12	34	54	3.22	0.10	0.76	270	3	0.02	33	503	26	<5	3	<10	16	0.08	69	<10	3	93	2
L84 25+00N	<0.2	1.41	<5	103	<0.5	<5	0.26	<1	12	30	35	3.04	0.08	0.66	215	2	0.02	27	284	23	<5	3	<10	17	0.08	71	<10	3	89	2
L84 25+50N	0.3	1.55	<5	127	0.5	<5	0.25	<1	11	29	34	3.10	0.10	0.51	200	3	0.02	25	568	26	<5	3	<10	13	0.08	70	<10	3	104	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ


Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L84 26+00N	<0.2	1.45	<5	119	<0.5	<5	0.30	<1	12	31	33	2.96	0.07	0.63	268	<2	0.02	26	632	23	<5	3	<10	21	0.07	70	<10	3	97	2
L84 26+50N	0.3	1.80	7	114	0.5	<5	0.23	<1	15	31	34	3.27	0.07	0.66	336	<2	0.02	28	931	24	<5	3	<10	9	0.08	80	<10	3	131	3
L84 27+00N	<0.2	1.02	<5	77	<0.5	<5	0.30	<1	7	20	13	2.41	0.04	0.37	205	<2	0.02	13	562	19	<5	2	<10	21	0.06	66	<10	2	69	1
L84 27+50N	<0.2	1.37	8	116	0.5	<5	0.34	<1	15	40	88	3.73	0.10	0.89	467	4	0.02	30	425	39	<5	5	<10	22	0.07	87	<10	5	97	2
L84 28+00N	<0.2	1.31	5	164	0.7	<5	0.47	<1	20	43	95	3.47	0.22	1.02	725	2	0.02	34	759	42	<5	6	<10	36	0.07	80	<10	9	90	3
L84 28+50N	<0.2	1.71	<5	96	0.7	<5	0.31	<1	15	42	54	3.54	0.12	0.92	304	2	0.02	32	745	40	<5	4	<10	11	0.09	84	<10	3	103	3
L84 29+00N	0.3	1.86	<5	87	0.8	<5	0.31	<1	16	42	65	3.80	0.13	0.95	336	2	0.02	34	622	58	<5	4	<10	8	0.10	92	<10	3	130	3
L84 29+50N	0.2	1.40	<5	74	<0.5	<5	0.22	<1	13	29	14	2.87	0.06	0.44	284	<2	0.01	19	870	30	<5	3	<10	9	0.07	66	<10	2	99	3
L84 30+00N	0.8	2.01	8	171	0.8	<5	0.23	<1	18	25	70	4.28	0.06	0.31	616	3	0.01	50	1163	21	<5	3	<10	10	0.04	53	<10	3	151	4
L84 30+50N	<0.2	1.66	<5	441	0.5	<5	0.31	<1	11	31	56	3.49	0.09	0.56	273	<2	0.02	29	334	21	<5	4	<10	20	0.05	76	<10	4	77	3
L84 31+00N	<0.2	2.17	<5	152	0.7	<5	0.48	<1	20	40	74	4.27	0.06	0.79	395	<2	0.02	37	338	35	<5	4	<10	27	0.07	103	<10	6	152	3
L84 31+50N	0.6	2.42	<5	285	1.0	<5	0.80	<1	18	39	94	3.82	0.09	0.56	797	<2	0.02	36	354	46	<5	6	<10	46	0.08	89	<10	12	102	7
L84 32+00N	0.4	1.84	<5	246	0.9	<5	0.83	<1	22	49	119	4.11	0.15	0.89	1073	<2	0.02	43	521	51	<5	7	<10	61	0.09	86	<10	11	153	7
L84 32+50N	<0.2	1.63	<5	152	<0.5	<5	0.31	<1	10	33	31	3.39	0.06	0.69	230	<2	0.02	19	290	27	<5	4	<10	24	0.09	81	<10	3	100	4
L84 33+00N	<0.2	1.87	<5	237	0.6	<5	0.35	<1	13	35	72	3.28	0.09	0.71	329	<2	0.02	28	360	26	<5	4	<10	27	0.08	81	<10	4	119	3
L84 33+50N	<0.2	2.60	<5	142	0.8	<5	0.19	<1	12	23	18	2.93	0.05	0.34	199	<2	0.02	19	839	16	<5	3	<10	15	0.09	62	<10	2	92	8
L84 34+00N	<0.2	2.40	<5	183	1.8	<5	0.29	<1	13	19	140	5.63	0.08	0.33	413	<2	0.01	24	1094	23	<5	5	<10	9	0.02	103	<10	4	91	4
L84 34+50N	<0.2	2.21	<5	163	1.2	<5	0.22	<1	14	31	66	5.16	0.06	0.53	438	<2	0.02	19	574	27	<5	5	<10	11	0.06	113	<10	4	120	3
L84 35+00N	<0.2	2.11	<5	224	0.6	<5	0.34	<1	12	42	54	4.09	0.08	0.92	358	<2	0.02	26	408	29	<5	5	<10	41	0.09	89	<10	4	102	5
L84 35+50N	<0.2	3.19	<5	183	0.7	<5	0.15	<1	10	30	17	4.03	0.05	0.43	165	2	0.02	17	417	21	<5	3	<10	28	0.12	90	<10	3	124	13
L84 36+00N	<0.2	1.53	<5	305	<0.5	<5	0.31	<1	6	29	39	3.27	0.07	0.62	192	2	0.02	18	265	17	<5	3	<10	70	0.06	80	<10	3	69	4
L84 36+50N	<0.2	1.70	<5	166	0.5	<5	0.24	<1	10	34	59	3.36	0.10	0.68	226	3	0.02	23	712	22	<5	3	<10	26	0.09	82	<10	3	78	4
L84 37+00N	<0.2	1.99	<5	794	<0.5	<5	0.23	<1	5	18	20	2.80	0.08	0.35	137	<2	0.01	12	636	20	<5	2	<10	187	0.04	58	<10	1	65	3
L84 37+50N	<0.2	2.06	<5	171	<0.5	<5	0.15	<1	7	23	17	3.19	0.04	0.36	198	<2	0.01	13	686	20	<5	3	<10	29	0.06	81	<10	2	81	5
L84 38+00N	<0.2	2.60	<5	220	0.8	<5	0.25	<1	13	39	63	3.66	0.07	0.90	320	<2	0.02	28	618	21	<5	4	<10	40	0.09	91	<10	4	102	7
L84 38+50N	<0.2	2.62	<5	255	0.6	<5	0.31	<1	14	45	52	3.92	0.07	0.96	348	<2	0.02	30	508	25	<5	4	<10	58	0.09	104	<10	3	132	4
L84 39+00N	<0.2	2.31	<5	285	0.9	<5	0.20	<1	11	40	21	5.04	0.06	0.32	229	4	0.02	18	466	38	<5	3	<10	33	0.12	130	<10	4	80	9
L84 39+50N	<0.2	1.88	<5	106	0.5	<5	0.29	<1	12	46	52	3.75	0.06	0.90	339	3	0.02	28	433	24	<5	4	<10	5	0.11	106	<10	4	70	4
L84 40+00N	0.3	2.44	7	170	1.1	<5	0.76	<1	26	61	154	5.52	0.13	1.15	830	3	0.02	52	328	36	<5	10	<10	49	0.08	115	<10	9	106	8
L84 40+50N	0.4	2.30	6	266	1.0	<5	0.93	<1	23	50	113	5.23	0.09	0.98	669	<2	0.02	46	440	36	<5	11	<10	44	0.07	99	<10	11	111	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ

Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L84 41+00N	0.2	2.21	5	182	0.8	<5	0.13	<1	17	51	72	6.36	0.07	0.62	294	37	0.02	36	1137	30	<5	5	<10	<1	0.06	122	<10	3	77	6
L84 41+50N	0.8	2.93	<5	139	1.1	<5	0.65	<1	24	210	191	5.44	0.34	2.64	468	13	0.02	159	478	70	8	9	<10	80	0.19	131	<10	16	110	6
L84 42+00N	<0.2	2.58	<5	99	0.6	<5	0.33	<1	17	159	79	5.16	0.17	2.15	368	7	0.02	107	798	49	5	5	<10	3	0.19	140	<10	4	92	6
L84 42+50N	0.3	3.24	<5	113	0.6	<5	0.21	<1	18	325	30	5.52	0.58	3.33	671	6	0.03	184	891	35	9	3	<10	3	0.24	112	<10	3	96	7
L84 43+00N	0.3	2.45	<5	150	0.7	<5	0.19	<1	17	85	75	4.41	0.08	0.80	204	9	0.02	54	798	37	6	4	<10	2	0.16	115	<10	2	111	13
L84 43+50N	1.3	1.93	<5	129	0.5	<5	0.15	<1	13	27	222	4.28	0.05	0.32	333	25	0.02	25	1306	48	<5	4	<10	<1	0.08	88	<10	2	118	7
L84 44+00N	1.1	2.43	<5	168	0.7	<5	0.20	<1	17	38	416	6.60	0.07	0.72	220	21	0.02	26	986	186	5	6	<10	<1	0.13	145	<10	3	172	11
L84 44+50N	1.2	1.66	<5	80	0.6	<5	0.22	<1	10	28	122	4.15	0.09	0.64	383	4	0.02	11	1022	40	<5	4	<10	<1	0.14	116	<10	3	64	8
L84 45+00N	0.4	2.36	17	88	1.3	<5	0.65	<1	34	42	249	7.17	0.23	1.66	667	12	0.02	26	1307	76	<5	8	<10	<1	0.18	159	<10	6	65	16
L84 45+50N	0.4	2.41	<5	146	0.8	<5	0.52	<1	19	52	145	5.83	0.28	1.73	452	4	0.02	30	1230	60	<5	8	<10	4	0.19	164	<10	6	224	8
L84 46+00N	0.4	2.13	<5	153	1.2	<5	0.75	<1	18	55	213	5.07	0.25	1.73	1244	10	0.03	33	541	113	<5	7	<10	18	0.17	140	<10	7	149	7
L84 46+50N	<0.2	2.01	55	94	1.2	<5	1.33	<1	42	33	243	7.51	0.53	2.04	1025	21	0.02	19	733	87	<5	9	<10	10	0.18	150	<10	15	49	10
L84 47+00N	0.9	2.60	8	166	1.5	<5	0.95	<1	23	57	489	5.49	0.24	1.27	810	14	0.02	82	565	36	<5	11	<10	29	0.12	123	<10	36	148	8
L84 47+50N	<0.2	2.68	<5	122	1.1	<5	0.37	<1	27	48	186	5.32	0.31	1.88	627	7	0.02	33	443	60	<5	9	<10	5	0.18	141	<10	6	315	8
L84 48+00N	<0.2	2.65	6	111	0.9	<5	0.27	<1	21	43	164	5.38	0.13	1.18	352	4	0.02	35	575	29	5	7	<10	<1	0.13	140	<10	4	118	7
L84 48+50N	<0.2	2.89	<5	155	1.2	<5	0.30	<1	22	45	219	5.74	0.19	1.97	495	4	0.02	28	446	28	<5	9	<10	2	0.22	145	<10	6	240	16
L84 49+00N	<0.2	2.70	<5	78	1.1	<5	0.29	<1	20	47	176	5.59	0.43	1.96	517	4	0.02	30	517	57	6	10	<10	<1	0.18	147	<10	6	157	10
L84 49+50N	<0.2	3.10	<5	132	0.9	<5	0.45	<1	22	45	118	5.25	0.19	1.56	537	4	0.02	31	679	19	<5	8	<10	3	0.19	135	<10	5	245	12
L84 50+00N	0.2	2.58	<5	93	1.0	<5	0.19	<1	26	32	135	5.10	0.14	1.26	408	8	0.02	27	681	32	<5	8	<10	<1	0.21	142	<10	4	138	15
L84 50+50N	<0.2	3.08	<5	101	0.8	<5	0.41	<1	16	37	42	5.74	0.30	1.63	499	3	0.02	21	1066	20	<5	10	<10	3	0.24	188	<10	3	202	10
L84 51+00N	<0.2	1.83	<5	80	0.8	<5	0.32	<1	17	22	124	5.69	0.37	1.63	491	<2	0.03	13	654	15	<5	9	<10	<1	0.29	180	<10	7	75	13
L84 51+50N	0.2	3.20	<5	178	2.6	<5	0.18	<1	25	40	291	7.37	1.32	3.13	833	<2	0.02	26	561	13	<5	14	<10	<1	0.19	191	<10	6	132	13
L84 52+00N	<0.2	2.27	6	153	1.2	<5	0.33	<1	24	36	175	6.41	0.27	1.60	597	<2	0.02	21	1117	14	<5	6	<10	<1	0.23	148	<10	6	133	10
L84 52+50N	0.3	1.54	<5	77	0.6	<5	0.17	<1	11	58	51	4.74	0.13	1.49	371	7	0.03	17	578	20	<5	6	<10	<1	0.22	139	<10	4	72	8
L84 53+00N	<0.2	2.10	<5	111	0.5	<5	0.59	<1	10	35	71	5.27	0.23	1.72	578	2	0.02	13	1010	18	5	7	<10	13	0.13	138	<10	2	197	7
L84 53+50N	5.9	2.20	27	59	0.8	<5	0.50	<1	10	36	86	5.41	0.12	1.20	335	3	0.02	13	1334	16	7	5	<10	<1	0.18	128	<10	4	192	10
L84 54+00N	0.6	1.93	10	116	0.9	<5	0.20	<1	16	39	70	5.32	0.10	1.30	403	9	0.02	21	637	16	<5	6	<10	<1	0.15	137	<10	3	129	6
L84 54+50N	0.5	1.70	<5	111	0.7	<5	0.09	<1	18	30	70	4.77	0.19	1.39	1198	6	0.02	16	576	10	<5	7	<10	<1	0.15	130	<10	3	134	4
L84 55+00N	1.0	1.64	<5	93	<0.5	<5	0.39	<1	11	29	45	4.32	0.13	1.00	466	2	0.02	16	450	19	<5	5	<10	2	0.16	124	<10	3	93	4
L84 55+50N	0.6	2.23	7	168	0.6	<5	0.55	<1	18	67	56	4.51	0.10	1.51	737	<2	0.02	43	656	20	<5	6	<10	8	0.13	114	<10	5	146	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3
at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ

Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L84 56+00N	<0.2	2.00	7	183	1.0	<5	0.99	<1	17	50	181	4.39	0.15	1.25	701	9	0.02	39	691	21	<5	8	<10	34	0.09	111	<10	19	146	4
L84 56+50N	0.4	1.98	<5	133	0.6	<5	1.05	<1	24	72	102	4.42	0.19	1.31	884	10	0.02	56	755	25	<5	7	<10	32	0.11	104	<10	9	134	5
L84 57+00N	1.2	2.25	6	83	0.6	<5	0.25	<1	11	79	39	4.10	0.07	1.07	257	<2	0.02	49	559	17	<5	4	<10	4	0.14	96	<10	4	120	3
L84 57+50N	0.4	1.94	7	93	0.6	<5	0.68	<1	23	63	54	4.36	0.10	1.24	941	7	0.02	41	970	19	<5	6	<10	23	0.10	101	<10	8	122	3
L84 58+00N	0.2	2.03	8	130	0.5	<5	0.42	<1	15	63	58	4.55	0.07	1.15	562	2	0.01	42	848	14	<5	5	<10	16	0.10	108	<10	6	127	3
L84 60+00N	3.7	3.57	17	170	1.4	<5	1.00	1	19	79	190	5.64	0.14	0.81	1331	13	0.02	82	1004	41	<5	11	<10	35	0.08	113	<10	22	168	9
L84 60+50N	0.7	2.79	5	148	1.3	<5	0.82	<1	18	65	114	4.99	0.12	1.12	763	6	0.02	57	622	23	<5	10	<10	25	0.10	109	<10	19	134	5
L84 61+00N	0.6	1.17	<5	86	<0.5	<5	0.37	<1	10	28	24	3.33	0.08	0.54	304	3	0.02	18	674	22	<5	3	<10	9	0.12	93	<10	3	79	3
L84 61+50N	0.3	2.71	<5	119	1.3	<5	0.34	<1	19	57	138	5.24	0.12	1.19	382	6	0.02	54	594	37	<5	8	<10	7	0.15	124	<10	13	112	5
L84 62+00N	0.3	2.14	<5	60	0.6	<5	0.20	<1	12	25	10	3.84	0.06	0.34	196	<2	0.02	14	1856	27	<5	2	<10	4	0.16	80	<10	2	82	7
L84 62+50N	<0.2	1.87	7	73	0.5	<5	0.43	<1	12	38	22	4.13	0.07	0.67	241	3	0.01	24	732	14	<5	3	<10	11	0.13	103	<10	3	96	4
L84 63+00N	0.2	1.43	<5	57	<0.5	<5	0.25	<1	12	25	18	3.32	0.08	0.33	179	<2	0.02	17	1019	12	<5	2	<10	7	0.14	79	<10	2	77	5
L84 63+50N	<0.2	2.55	<5	66	0.7	<5	0.31	<1	20	49	31	4.21	0.06	0.80	291	<2	0.02	50	1522	10	<5	4	<10	9	0.15	94	<10	3	99	9
L84 64+00N	<0.2	2.97	14	98	0.8	<5	0.39	<1	29	77	56	5.03	0.07	1.17	368	3	0.02	66	971	10	<5	5	<10	11	0.16	124	<10	4	95	8
L84 64+50N	<0.2	3.58	9	77	0.8	<5	0.54	<1	30	159	104	5.66	0.11	2.02	323	4	0.02	137	502	8	5	5	<10	21	0.25	144	<10	4	87	7
L84 65+00N	0.6	3.78	26	99	1.1	<5	0.29	<1	29	49	63	5.99	0.10	1.07	370	4	0.01	45	876	32	<5	5	<10	6	0.18	144	<10	4	175	10
L84 65+50N	0.4	2.92	11	74	0.9	<5	0.21	<1	21	31	61	5.40	0.05	0.58	253	4	0.02	22	2229	15	5	4	<10	2	0.13	120	<10	3	127	10
L84 66+00N	0.7	2.99	<5	72	1.0	<5	0.26	<1	29	44	18	5.40	0.08	0.49	351	6	0.02	29	1276	23	<5	3	<10	3	0.27	132	<10	4	133	16
L84 66+50N	0.5	2.87	6	70	0.8	<5	0.43	<1	22	53	31	5.09	0.09	0.89	326	<2	0.02	45	2059	13	7	5	<10	12	0.20	129	<10	4	187	13
L84 67+00N	<0.2	3.13	58	64	0.9	<5	0.46	<1	26	58	34	5.00	0.09	1.08	408	2	0.02	51	1262	22	7	5	<10	13	0.21	131	<10	5	271	8
L84 67+50N	<0.2	2.72	9	84	0.7	<5	0.39	<1	19	48	24	4.92	0.07	0.82	337	<2	0.02	33	1203	15	7	5	<10	14	0.17	122	<10	4	151	7
L84 68+00N	0.4	0.63	6	64	<0.5	<5	0.15	<1	7	17	9	2.86	0.04	0.12	203	3	0.02	7	920	10	<5	1	<10	5	0.16	86	<10	1	68	3
L84 68+50N	<0.2	2.29	23	69	0.6	<5	0.19	<1	11	36	27	5.09	0.06	0.39	191	4	0.01	18	1418	12	<5	3	<10	6	0.17	145	<10	3	114	7
L84 69+00N	0.6	4.21	10	73	1.2	<5	0.17	<1	12	23	14	5.31	0.04	0.11	152	2	0.02	14	3128	11	5	2	<10	4	0.21	98	<10	3	94	28
L84 69+50N	0.3	2.05	11	87	0.6	<5	0.23	<1	11	36	24	4.55	0.05	0.44	209	2	0.01	20	1693	13	<5	3	<10	7	0.16	120	<10	2	96	6
L84 70+00N	0.2	2.39	18	92	0.6	<5	0.34	<1	15	61	30	5.39	0.05	0.84	331	2	0.01	44	860	10	7	4	<10	8	0.17	142	<10	3	113	6
L84 70+50N	0.7	1.28	13	90	<0.5	<5	0.14	<1	14	35	20	4.08	0.04	0.37	1513	<2	0.01	18	1015	10	<5	2	<10	3	0.10	108	<10	2	95	2
L84 71+00N	0.3	1.79	17	67	<0.5	<5	0.16	<1	13	51	21	5.27	0.04	0.59	470	<2	0.02	31	2426	11	<5	2	<10	5	0.13	145	<10	2	140	3
L84 71+50N	0.4	1.94	<5	84	<0.5	<5	0.22	<1	12	36	30	5.53	0.04	0.56	276	<2	0.02	18	1520	10	<5	3	<10	31	0.12	144	<10	2	115	4
L84 72+00N	0.5	4.07	7	85	0.8	<5	0.21	<1	18	104	54	6.52	0.03	1.28	424	2	0.01	59	1176	15	8	6	<10	4	0.12	157	<10	4	184	8

A 5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ


Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L84 72+50N	0.5	1.86	<5	69	<0.5	<5	0.16	<1	8	30	15	4.19	0.03	0.45	254	<2	0.01	14	900	12	<5	3	<10	8	0.15	116	<10	2	88	4
L84 73+00N	0.4	4.35	<5	94	0.8	<5	0.22	<1	16	53	28	6.28	0.04	0.60	417	2	0.01	25	1988	16	7	5	<10	11	0.19	149	<10	3	177	19
L84 73+50N	0.5	2.65	<5	90	0.6	<5	0.25	<1	13	46	22	5.93	0.03	0.66	372	<2	0.02	20	1181	13	5	4	<10	21	0.20	180	<10	3	127	6
L84 74+00N	1.5	1.96	<5	76	0.6	<5	0.23	<1	9	31	15	4.02	0.03	0.37	194	<2	0.02	15	527	13	5	3	<10	8	0.18	103	<10	3	83	6
L84 74+50N	0.4	3.39	<5	121	0.8	<5	0.43	<1	25	49	41	5.63	0.04	0.75	469	2	0.01	37	1104	12	7	5	<10	17	0.11	127	<10	5	190	5
L84 75+00N	0.4	3.83	8	120	0.8	<5	0.31	<1	19	45	57	5.85	0.04	0.88	370	2	0.01	39	1014	14	7	5	<10	41	0.11	120	<10	5	180	9
L84 75+50N	0.3	2.14	<5	90	0.6	<5	0.28	<1	13	32	18	4.91	0.04	0.46	265	<2	0.01	20	1033	13	<5	3	<10	13	0.17	113	<10	2	159	6
L84 76+00N	0.6	1.82	<5	63	<0.5	<5	0.42	<1	8	30	18	3.94	0.03	0.52	247	<2	0.01	17	552	8	5	3	<10	10	0.12	103	<10	3	85	3
L88 13+00N	1.2	3.84	8	140	1.0	<5	0.15	<1	21	47	50	4.22	0.08	0.57	203	3	0.02	52	1528	15	<5	5	<10	5	0.12	83	<10	6	126	18
L88 13+50N	<0.2	1.99	11	147	0.8	<5	0.49	<1	20	56	80	4.21	0.13	0.96	542	4	0.01	49	595	21	6	7	<10	37	0.08	95	<10	10	107	6
L88 14+00N	0.2	1.80	8	99	0.6	<5	0.27	<1	14	45	51	3.50	0.11	0.81	292	3	0.01	37	870	23	<5	4	<10	12	0.09	82	<10	3	95	5
L88 14+50N	<0.2	1.55	8	102	0.5	<5	0.43	<1	13	45	56	3.24	0.10	0.95	420	3	0.02	37	332	17	<5	5	<10	23	0.10	82	<10	6	99	5
L88 15+00N	<0.2	1.34	8	62	<0.5	<5	0.47	<1	12	42	44	3.32	0.08	0.86	345	3	0.02	31	970	19	<5	4	<10	24	0.09	79	<10	5	78	3
L88 15+50N	0.6	1.85	7	129	0.7	<5	0.53	<1	17	55	87	4.20	0.13	1.08	618	5	0.02	47	599	26	<5	9	<10	32	0.09	95	<10	12	109	5
L88 16+00N	<0.2	2.08	9	121	0.7	<5	0.56	<1	19	67	71	4.34	0.12	1.28	418	3	0.02	57	401	22	5	6	<10	37	0.11	101	<10	5	138	4
L88 16+50N	0.3	2.00	9	261	0.9	<5	0.57	<1	19	61	126	4.20	0.12	1.06	941	3	0.02	50	521	38	<5	8	<10	39	0.08	95	<10	13	107	5
L88 17+00N	0.3	1.51	5	138	0.6	<5	0.45	<1	18	49	67	3.78	0.14	0.98	620	5	0.02	43	591	26	5	6	<10	27	0.09	85	<10	6	104	5
L88 17+50N	1.7	2.96	7	267	1.0	<5	0.78	<1	22	47	60	4.46	0.10	0.70	343	4	0.02	54	327	33	<5	6	<10	56	0.11	80	<10	7	121	10
L88 18+00N	0.8	1.99	<5	172	0.7	<5	0.80	<1	22	43	65	4.14	0.19	1.08	886	2	0.02	40	497	21	<5	6	<10	50	0.11	100	<10	7	98	4
L88 18+50N	0.4	1.87	9	136	0.6	<5	0.38	<1	20	43	85	4.13	0.14	0.90	459	6	0.01	49	534	24	<5	6	<10	19	0.08	85	<10	4	147	3
L88 19+00N	2.8	2.59	20	364	1.1	<5	1.31	1	26	67	167	5.75	0.29	0.98	1334	6	0.01	72	841	132	9	12	<10	89	0.07	111	<10	14	144	10
L88 19+50N	0.5	1.56	<5	80	<0.5	<5	0.18	<1	11	28	11	2.75	0.06	0.33	484	2	0.01	20	1634	17	<5	2	<10	6	0.07	59	<10	2	87	3
L88 20+00N	0.6	0.43	15	145	<0.5	<5	0.09	<1	9	7	71	3.14	0.07	0.05	779	34	<0.01	48	900	13	10	2	<10	4	0.01	26	<10	2	166	2
L88 20+50N	0.5	1.02	9	112	<0.5	<5	0.39	<1	8	23	19	2.60	0.07	0.29	217	5	0.01	21	1026	15	7	2	<10	19	0.06	54	<10	2	83	2
L88 21+00N	1.5	1.76	<5	78	0.5	<5	0.40	<1	11	36	45	3.60	0.07	0.66	275	4	0.01	32	1375	20	8	3	<10	16	0.09	72	<10	3	156	3
L88 21+50N	1.4	1.66	9	187	0.6	<5	1.67	<1	13	41	85	3.18	0.09	0.88	1261	4	0.02	38	966	29	<5	3	<10	155	0.05	68	<10	10	81	4
L88 22+00N	1.6	2.12	10	175	0.6	<5	0.52	<1	16	37	29	3.70	0.06	0.64	330	4	0.02	33	386	26	<5	3	<10	56	0.10	82	<10	4	159	3
L88 22+50N	0.8	1.60	7	121	<0.5	<5	0.28	<1	12	34	21	3.64	0.06	0.45	263	4	0.01	25	2066	24	<5	3	<10	14	0.09	74	<10	2	167	3
L88 23+00N	0.7	2.73	6	170	0.9	<5	0.47	<1	21	52	58	4.20	0.07	0.98	586	3	0.02	54	435	36	<5	5	<10	40	0.11	97	<10	5	124	5
L88 23+50N	0.5	0.80	12	64	<0.5	<5	0.15	<1	5	20	17	2.26	0.02	0.23	102	6	0.01	14	242	14	<5	2	<10	11	0.06	67	<10	2	48	1

A. 5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ

Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L88 24+00N	0.6	1.83	19	177	0.6	<5	0.25	<1	16	49	85	4.96	0.09	0.67	474	9	0.01	48	667	45	<5	4	<10	10	0.08	105	<10	4	151	3
L88 24+50N	0.5	1.69	20	193	0.7	<5	0.35	<1	15	41	43	4.44	0.05	0.58	390	7	0.01	37	648	38	<5	4	<10	22	0.09	96	<10	6	213	3
L88 25+00N	0.9	0.93	106	234	0.6	12	0.35	2	30	14	224	9.25	0.04	0.07	1030	90	<0.01	175	2076	54	6	3	<10	18	0.01	71	14	7	1356	8
L88 25+50N	<0.2	1.77	8	99	0.5	<5	0.35	<1	13	47	38	3.95	0.09	0.85	327	2	0.02	33	593	31	<5	4	<10	10	0.12	100	<10	3	145	3
L88 26+00N	<0.2	1.55	<5	87	<0.5	<5	0.24	<1	11	59	39	3.22	0.09	0.87	282	2	0.01	44	758	22	<5	3	<10	6	0.10	82	<10	3	97	3
L88 26+50N	2.0	2.71	6	131	0.8	<5	0.26	<1	16	55	64	4.50	0.10	1.00	311	3	0.01	45	856	45	<5	4	<10	6	0.12	102	<10	3	136	7
L88 27+00N	0.2	2.47	7	156	0.9	<5	0.38	<1	14	65	87	4.35	0.13	1.13	1218	7	0.02	49	483	33	<5	5	<10	14	0.10	100	<10	5	125	4
L88 27+50N	0.9	2.38	10	152	0.8	<5	0.44	<1	16	58	96	4.67	0.10	0.94	369	6	0.02	46	397	37	<5	5	<10	19	0.11	107	<10	5	151	4
L88 28+00N	1.9	2.95	10	241	1.3	<5	0.96	1	21	79	224	5.26	0.18	1.08	1119	8	0.02	71	576	53	<5	10	<10	51	0.08	115	<10	14	171	7
L88 28+50N	1.4	3.91	9	485	2.2	<5	1.37	<1	24	95	269	6.53	0.25	1.31	1803	12	0.02	96	922	86	5	12	<10	60	0.08	142	<10	21	160	10
L88 29+00N	0.3	2.65	6	171	0.9	<5	0.24	<1	19	61	110	4.60	0.13	1.11	508	4	0.02	56	451	44	<5	6	<10	9	0.12	104	<10	6	157	5
L88 30+00N	0.8	1.72	5	98	0.5	<5	1.89	<1	14	39	61	3.28	0.09	0.69	432	4	0.02	27	523	37	<5	4	<10	63	0.07	76	<10	5	103	4
L88 30+50N	3.5	2.24	11	320	1.3	<5	1.83	2	15	50	340	3.83	0.16	0.69	1287	5	0.03	66	875	50	<5	5	<10	67	0.06	76	<10	21	145	7
L88 31+00N	0.9	3.14	10	308	1.7	<5	1.07	<1	20	75	228	5.25	0.24	1.19	1135	9	0.02	67	711	86	<5	10	<10	40	0.09	118	<10	15	159	6
L88 31+50N	1.5	1.37	7	171	0.6	<5	0.38	<1	15	38	61	3.14	0.11	0.78	514	<2	0.01	29	504	50	<5	4	<10	17	0.08	81	<10	7	98	2
L88 32+00N	0.2	1.49	5	132	0.7	<5	0.44	<1	14	43	71	3.40	0.14	0.99	458	2	0.01	34	595	35	<5	5	<10	17	0.09	85	<10	7	95	3
L88 32+50N	0.9	2.07	7	120	0.7	<5	0.32	<1	17	49	52	3.97	0.10	0.97	290	<2	0.01	41	862	39	<5	4	<10	7	0.11	97	<10	4	149	5
L88 33+00N	<0.2	1.91	14	170	0.6	<5	0.35	<1	14	40	37	3.43	0.08	0.76	287	<2	0.01	32	1046	30	<5	4	<10	14	0.09	81	<10	4	150	5
L88 33+50N	<0.2	1.80	6	158	0.7	<5	0.55	<1	16	61	73	3.84	0.13	1.33	473	3	0.02	47	374	41	<5	5	<10	23	0.12	103	<10	6	93	3
L88 34+00N	<0.2	1.75	<5	135	0.8	<5	0.37	<1	13	48	72	3.64	0.11	0.94	327	2	0.02	34	475	42	<5	5	<10	13	0.11	94	<10	6	118	3
L88 34+50N	<0.2	2.54	5	194	0.7	<5	0.23	<1	12	46	53	4.06	0.06	0.94	289	3	0.01	28	847	41	<5	5	<10	9	0.13	111	<10	3	80	16
L88 35+00N	<0.2	2.35	9	140	0.7	<5	0.19	<1	11	40	29	3.85	0.05	0.59	294	<2	0.01	21	796	36	<5	4	<10	7	0.13	102	<10	3	96	15
L88 35+50N	0.3	3.72	<5	164	0.8	<5	0.19	<1	10	39	18	3.84	0.04	0.45	236	<2	0.02	17	1033	25	<5	3	<10	9	0.12	79	<10	3	119	15
L88 36+00N	0.8	1.47	5	730	<0.5	<5	0.19	<1	6	22	15	2.70	0.05	0.36	395	<2	0.01	12	1081	21	<5	2	<10	92	0.08	65	<10	2	102	2
L88 36+50N	0.8	3.09	6	230	1.2	<5	0.37	<1	18	71	131	5.32	0.18	1.33	624	8	0.02	54	622	77	<5	7	<10	10	0.11	125	<10	8	152	5
L88 37+00N	0.5	1.87	<5	101	0.6	<5	0.51	<1	10	48	54	3.96	0.11	1.17	354	5	0.02	29	479	35	<5	4	<10	16	0.10	101	<10	6	94	3
L88 38+50N	0.6	1.22	8	76	<0.5	<5	0.50	<1	8	27	48	2.63	0.06	0.49	373	6	0.02	21	595	31	<5	3	<10	33	0.10	67	<10	4	87	2
L88 39+00N	0.6	2.24	6	137	1.0	<5	1.03	<1	24	92	203	5.37	0.44	1.81	877	8	0.02	83	1109	48	<5	8	<10	52	0.10	113	<10	12	142	5
L88 39+50N	1.6	3.45	7	195	1.4	<5	0.55	<1	20	83	221	5.92	0.14	1.37	1128	34	0.02	75	508	49	<5	11	<10	80	0.12	132	<10	12	153	7
L88 40+00N	0.6	1.49	7	71	<0.5	<5	0.32	<1	9	40	28	3.89	0.08	0.77	219	4	0.02	21	1061	26	<5	4	<10	4	0.15	129	<10	3	78	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ

Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L88 40+50N	0.3	2.12	5	60	0.7	<5	0.31	<1	14	52	58	5.19	0.10	1.21	303	6	0.02	27	356	42	<5	5	<10	3	0.19	141	<10	3	104	9
L88 41+00N	3.8	1.28	5	94	0.7	<5	1.64	<1	10	49	159	3.34	0.04	0.49	404	16	0.02	45	789	24	<5	2	<10	80	0.05	62	<10	17	52	3
L88 41+50N	2.8	2.63	6	150	1.5	<5	1.33	<1	24	70	365	5.41	0.20	1.09	1199	18	0.02	78	680	64	<5	15	<10	64	0.09	104	<10	35	120	10
L88 42+00N	0.5	1.82	<5	88	0.7	<5	0.52	<1	17	35	68	3.69	0.08	0.97	414	9	0.02	24	601	48	<5	5	<10	17	0.12	97	<10	6	109	9
L88 42+50N	0.5	1.04	<5	68	<0.5	<5	0.17	<1	10	24	33	3.76	0.07	0.50	172	4	0.01	13	1137	30	<5	3	<10	2	0.13	104	<10	2	82	3
L88 43+00N	0.4	1.73	<5	56	0.6	<5	0.21	<1	11	25	35	4.37	0.09	0.90	187	4	0.02	12	908	21	<5	4	<10	2	0.17	126	<10	3	52	5
L88 43+50N	<0.2	1.13	<5	117	<0.5	<5	0.40	<1	12	28	39	3.73	0.10	0.76	464	3	0.02	17	748	35	<5	4	<10	8	0.14	115	<10	3	54	3
L88 44+00N	0.2	1.82	<5	109	0.5	<5	0.36	<1	14	31	82	4.89	0.10	1.26	689	11	0.02	20	1001	53	<5	8	<10	5	0.17	154	<10	3	118	6
L88 44+50N	<0.2	2.01	<5	78	0.5	<5	0.52	<1	12	82	33	4.26	0.13	1.52	551	2	0.02	48	1108	24	<5	5	<10	6	0.17	120	<10	3	82	4
L88 45+00N	0.8	2.45	<5	87	0.7	<5	0.26	<1	11	51	30	3.83	0.08	0.78	279	5	0.02	26	732	38	<5	4	<10	4	0.15	92	<10	3	68	10
L88 45+50N	0.8	1.70	<5	70	0.7	<5	0.30	<1	13	33	131	5.07	0.26	1.53	409	3	0.02	17	758	94	<5	7	<10	2	0.10	148	<10	3	84	5
L88 46+00N	0.7	2.85	<5	155	0.9	<5	0.38	<1	17	38	79	5.24	0.18	1.24	443	5	0.02	16	1327	75	<5	5	<10	6	0.17	116	<10	3	97	11
L88 46+50N	1.7	2.89	<5	113	0.9	<5	0.31	<1	19	228	49	5.75	0.72	3.30	729	4	0.03	150	732	154	7	9	<10	<1	0.17	164	<10	3	176	9
L88 47+00N	<0.2	3.10	<5	114	1.8	<5	0.38	<1	29	21	318	8.05	0.83	2.67	775	2	0.01	19	991	31	<5	12	<10	<1	0.08	214	<10	7	130	12
L88 47+50N	0.5	0.32	<5	31	<0.5	<5	0.07	<1	3	7	11	1.01	0.03	0.09	83	2	0.01	3	215	8	<5	<1	<10	1	0.09	41	<10	1	11	1
L88 48+00N	<0.2	0.28	<5	33	<0.5	<5	0.06	<1	3	7	8	1.25	0.03	0.07	36	<2	0.01	3	160	7	<5	<1	<10	1	0.08	49	<10	<1	11	1
L88 49+50N	0.2	1.34	<5	108	<0.5	<5	0.37	<1	9	29	49	4.11	0.13	0.93	296	5	0.02	15	810	17	<5	4	<10	3	0.13	111	<10	2	87	5
L88 50+00N	<0.2	1.28	<5	86	<0.5	<5	0.45	<1	12	23	43	3.75	0.10	0.90	292	4	0.02	11	957	25	<5	4	<10	8	0.17	120	<10	4	93	5
L88 50+50N	<0.2	2.92	21	92	<0.5	<5	0.24	<1	29	35	200	7.20	0.65	3.02	580	12	0.10	26	464	51	<5	9	<10	<1	0.22	196	15	3	237	9
L88 51+00N	<0.2	2.18	<5	51	<0.5	<5	0.32	<1	13	28	38	4.90	0.05	0.66	239	<2	0.02	14	1480	29	5	4	<10	<1	0.18	136	16	2	112	9
L88 51+50N	<0.2	3.10	<5	119	<0.5	<5	0.59	<1	26	30	192	4.81	0.12	1.62	416	<2	0.02	23	1429	38	<5	6	<10	3	0.17	101	14	5	257	14
L88 52+00N	<0.2	2.25	8	103	<0.5	<5	0.27	<1	19	63	145	5.03	0.19	1.49	435	4	0.02	35	932	22	<5	7	<10	4	0.12	141	16	4	144	5
L88 52+50N	<0.2	1.87	<5	86	<0.5	<5	0.48	<1	14	44	56	4.00	0.10	1.17	430	6	0.02	22	593	9	<5	4	<10	1	0.12	118	<10	5	95	3
L92 13+00N	<0.2	2.00	10	95	<0.5	<5	0.43	<1	23	53	81	4.01	0.11	1.30	365	4	0.02	53	466	10	<5	5	<10	18	0.11	102	<10	4	86	5
L92 13+50N	<0.2	0.83	6	79	<0.5	<5	0.31	<1	10	28	38	2.73	0.08	0.50	292	6	0.01	26	783	11	<5	3	<10	20	0.05	71	<10	3	87	2
L92 14+00N	<0.2	1.43	14	135	<0.5	<5	0.48	<1	21	46	97	3.75	0.15	0.92	852	4	0.02	52	671	15	<5	7	<10	31	0.06	84	13	10	130	3
L92 14+50N	<0.2	1.37	8	97	<0.5	<5	0.40	<1	17	35	58	3.03	0.12	0.72	353	3	0.02	40	554	11	<5	4	<10	21	0.08	74	<10	6	99	4
L92 15+00N	<0.2	1.58	9	97	<0.5	<5	0.32	<1	17	37	55	3.17	0.12	0.76	276	2	0.02	41	590	14	<5	4	<10	16	0.09	79	<10	4	105	3
L92 15+50N	<0.2	0.99	6	79	<0.5	<5	0.30	<1	10	27	32	2.47	0.07	0.43	251	3	0.01	24	487	9	<5	2	<10	21	0.06	65	<10	3	99	1
L92 16+00N	<0.2	1.73	6	166	<0.5	<5	0.23	<1	15	31	38	3.01	0.08	0.54	377	3	0.02	37	646	9	<5	3	<10	19	0.07	71	10	3	166	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assay & Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ


Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L92 16+50N	<0.2	0.83	7	85	<0.5	<5	0.26	<1	10	21	20	2.64	0.09	0.30	279	4	0.01	19	899	10	<5	2	<10	31	0.05	68	<10	2	73	2
L92 17+00N	<0.2	1.24	9	90	<0.5	<5	0.49	<1	19	39	93	3.68	0.13	0.79	648	6	0.02	52	997	18	<5	6	<10	34	0.06	78	<10	8	137	3
L92 17+50N	<0.2	1.25	10	75	<0.5	<5	0.29	<1	15	33	47	3.10	0.09	0.53	437	4	0.02	42	688	7	<5	3	<10	15	0.05	65	<10	3	106	2
L92 18+00N	<0.2	1.31	10	141	<0.5	<5	0.24	<1	14	28	38	3.29	0.07	0.45	275	6	0.01	42	1136	10	<5	3	<10	14	0.06	62	10	3	145	2
L92 18+50N	<0.2	1.34	10	128	<0.5	<5	0.24	<1	11	28	35	3.25	0.08	0.38	244	6	0.01	37	1507	10	<5	2	<10	14	0.04	59	<10	2	130	2
L92 19+00N	<0.2	1.19	15	111	<0.5	<5	0.20	<1	14	24	67	3.43	0.07	0.36	229	7	0.01	48	987	9	<5	3	<10	11	0.03	50	<10	4	142	3
L92 19+50N	<0.2	0.64	27	116	<0.5	5	0.37	<1	18	9	194	4.92	0.04	0.07	350	10	<0.01	97	1463	11	5	4	<10	28	<0.01	27	13	5	231	4
L92 20+00N	<0.2	1.69	15	97	<0.5	<5	0.27	<1	17	40	56	4.02	0.08	0.67	269	9	0.02	50	1547	8	<5	4	<10	13	0.06	73	<10	5	193	4
L92 20+50N	<0.2	1.02	8	93	<0.5	<5	0.16	<1	8	20	23	2.85	0.06	0.20	147	7	0.02	23	919	11	<5	2	<10	8	0.05	55	10	2	89	3
L92 21+00N	<0.2	1.25	19	184	<0.5	<5	0.23	<1	14	21	108	3.92	0.07	0.31	250	16	0.01	71	801	8	<5	6	<10	13	0.02	44	12	9	198	4
L92 21+50N	<0.2	1.08	13	108	<0.5	<5	0.18	<1	11	20	37	3.20	0.07	0.20	157	7	0.01	41	1369	7	<5	2	<10	6	0.03	54	<10	2	149	3
L92 22+00N	2.0	1.95	10	108	<0.5	<5	0.19	<1	14	24	21	2.93	0.05	0.34	189	4	0.02	32	1283	7	<5	2	<10	6	0.08	59	<10	2	121	12
L92 22+50N	<0.2	1.48	14	184	<0.5	<5	0.22	<1	14	26	76	3.86	0.04	0.49	253	2	0.01	52	1553	9	<5	3	<10	14	0.03	57	<10	3	142	3
L92 23+00N	<0.2	0.75	11	141	<0.5	<5	0.15	<1	9	11	41	2.87	0.05	0.09	286	3	0.01	26	1275	5	<5	1	<10	9	0.02	40	<10	<1	116	2
L92 23+50N	<0.2	2.65	12	101	<0.5	<5	0.29	<1	21	87	79	4.65	0.13	1.37	551	<2	0.02	57	1149	17	<5	5	<10	9	0.10	110	11	5	157	4
L92 24+00N	0.8	1.37	6	157	<0.5	<5	1.34	<1	9	32	60	2.45	0.05	0.55	307	<2	0.02	23	427	14	6	2	<10	141	0.07	65	<10	5	71	3
L92 24+50N	<0.2	2.18	9	95	<0.5	<5	0.34	<1	19	45	48	4.11	0.09	1.07	402	<2	0.02	39	1015	14	7	4	<10	7	0.10	104	10	4	147	4
L92 25+00N	<0.2	2.31	12	89	<0.5	<5	0.23	<1	22	46	54	4.00	0.05	0.77	422	<2	0.01	50	1111	8	<5	3	<10	8	0.07	80	14	3	207	6
L92 25+50N	<0.2	1.20	<5	75	<0.5	<5	0.14	<1	10	22	29	2.57	0.03	0.36	469	<2	0.01	17	598	7	6	2	<10	5	0.06	64	<10	2	72	2
L92 26+00N	<0.2	1.95	6	91	<0.5	<5	0.27	<1	14	41	27	3.09	0.05	0.74	270	<2	0.01	27	367	25	<5	3	<10	10	0.12	94	<10	3	117	4
L92 26+50N	<0.2	1.63	<5	47	<0.5	<5	0.25	<1	13	36	50	2.83	0.05	0.75	280	<2	0.02	26	644	21	<5	2	<10	5	0.09	78	<10	3	76	2
L92 27+00N	<0.2	1.91	<5	49	<0.5	<5	0.36	<1	15	51	75	3.59	0.09	1.15	326	<2	0.02	36	762	28	<5	4	<10	14	0.10	98	<10	4	93	4
L92 27+50N	1.0	1.66	5	56	<0.5	<5	0.31	<1	12	42	39	3.52	0.06	0.84	264	<2	0.02	28	738	21	<5	3	<10	12	0.10	106	11	4	78	3
L92 28+00N	<0.2	2.24	7	89	<0.5	<5	0.48	<1	17	42	43	3.93	0.08	0.98	448	<2	0.01	33	1440	28	<5	4	<10	11	0.13	101	12	4	216	8
L92 28+50N	<0.2	2.00	<5	167	<0.5	<5	0.44	<1	23	43	58	4.31	0.10	0.98	470	<2	0.01	43	1476	23	<5	4	<10	21	0.12	109	12	3	292	5
L92 29+00N	<0.2	3.31	<5	87	<0.5	<5	0.31	1	28	45	37	4.33	0.04	0.51	1306	3	0.02	55	1145	19	7	3	<10	11	0.16	92	14	6	307	12
L92 29+50N	<0.2	1.29	<5	70	<0.5	<5	0.23	<1	13	38	39	3.65	0.04	0.64	453	<2	0.01	25	712	33	5	3	<10	4	0.11	108	10	2	122	3
L92 30+00N	<0.2	1.86	<5	51	<0.5	<5	0.21	<1	12	96	24	4.05	0.03	1.14	256	<2	0.01	45	535	8	<5	4	<10	3	0.08	108	13	4	138	3
L92 30+50N	<0.2	2.68	14	94	<0.5	<5	0.24	<1	29	71	157	5.79	0.06	1.27	421	2	0.01	81	925	40	<5	6	<10	6	0.09	130	17	6	195	8
L92 31+00N	<0.2	1.48	<5	63	<0.5	<5	1.50	<1	9	27	37	3.01	0.03	0.35	330	2	0.01	22	435	12	<5	1	<10	88	0.06	70	<10	5	72	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ


Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L92 31+50N	0.3	1.37	6	135	<0.5	<5	0.27	<1	8	33	51	3.55	0.04	0.27	201	13	0.01	43	1534	19	6	2	<10	61	0.06	90	13	2	194	3
L92 32+00N	0.4	2.10	11	163	<0.5	<5	1.28	<1	24	59	191	4.30	0.22	1.20	961	5	0.02	58	1024	69	6	7	<10	50	0.08	109	10	14	162	6
L92 32+50N	<0.2	1.94	11	119	<0.5	<5	0.88	<1	26	55	142	4.28	0.17	1.15	782	5	0.02	52	651	48	6	7	<10	39	0.10	109	14	9	154	6
L92 33+00N	<0.2	2.26	7	138	<0.5	<5	0.67	<1	19	58	111	4.61	0.17	1.22	470	<2	0.02	44	503	48	6	6	<10	20	0.11	124	11	10	125	4
L92 33+50N	<0.2	2.93	<5	103	<0.5	<5	0.35	<1	21	52	42	4.24	0.09	0.95	319	<2	0.02	41	1551	34	5	4	<10	8	0.15	100	11	4	201	11
L92 34+00N	<0.2	2.04	<5	72	<0.5	<5	0.35	<1	11	43	47	3.53	0.09	0.82	279	<2	0.02	19	531	77	<5	5	<10	2	0.13	95	<10	3	84	7
L92 34+50N	0.5	2.85	6	215	0.6	<5	0.54	<1	20	63	124	4.65	0.14	1.04	1159	13	0.02	46	623	68	<5	6	<10	34	0.06	113	<10	7	152	4
L92 35+00N	<0.2	2.02	8	139	<0.5	<5	0.75	<1	20	58	117	4.15	0.30	1.39	745	7	0.02	45	939	53	<5	8	<10	32	0.09	108	<10	11	122	4
L92 35+50N	<0.2	2.51	<5	257	<0.5	<5	0.58	<1	20	65	105	4.15	0.11	1.26	485	<2	0.02	53	430	40	<5	6	<10	19	0.12	110	<10	9	153	5
L92 36+00N	<0.2	2.05	<5	173	<0.5	<5	0.53	<1	18	64	62	3.86	0.20	1.43	379	<2	0.02	49	778	20	<5	4	<10	17	0.13	104	<10	5	127	5
L92 36+50N	<0.2	2.43	<5	236	<0.5	<5	0.19	<1	13	41	28	3.21	0.05	0.79	298	<2	0.01	25	807	17	<5	4	<10	57	0.13	83	<10	3	109	15
L92 37+00N	<0.2	1.58	<5	63	<0.5	<5	0.29	<1	10	40	28	3.49	0.07	0.75	244	<2	0.01	20	932	28	<5	3	<10	4	0.13	107	<10	3	82	5
L92 37+50N	<0.2	2.09	7	65	<0.5	<5	0.48	<1	19	63	81	4.11	0.32	1.49	493	<2	0.02	39	892	37	8	5	<10	10	0.13	112	<10	6	107	5
L92 38+00N	<0.2	1.76	8	149	<0.5	<5	0.52	<1	18	49	79	3.73	0.12	1.04	543	3	0.01	34	518	35	<5	5	<10	17	0.09	99	<10	7	93	3
L92 38+50N	<0.2	2.32	<5	136	<0.5	<5	0.86	<1	27	59	71	4.36	0.46	2.23	787	<2	0.02	37	845	36	<5	7	<10	29	0.13	128	11	6	143	4
L92 39+00N	0.6	1.84	<5	67	0.5	<5	1.28	2	14	30	221	3.15	0.08	0.37	197	58	0.02	45	815	36	<5	5	<10	81	0.02	49	<10	27	90	5
L92 40+00N	<0.2	3.47	35	257	1.9	7	0.90	<1	39	85	464	10.93	0.24	1.16	1320	22	0.02	73	993	165	6	19	<10	66	0.08	203	17	44	161	20
L92 40+50N	<0.2	2.38	5	170	<0.5	<5	0.98	2	21	63	201	4.42	0.17	1.15	1226	9	0.02	54	728	60	7	8	<10	59	0.10	102	<10	15	147	7
L92 41+00N	<0.2	2.04	<5	84	<0.5	<5	0.63	<1	25	69	111	4.47	0.24	1.83	610	4	0.02	46	341	53	9	6	<10	21	0.13	116	<10	6	154	4
L92 41+50N	<0.2	2.26	6	82	<0.5	<5	0.47	<1	19	51	41	4.08	0.09	1.18	334	<2	0.02	34	1170	34	<5	4	<10	15	0.14	112	<10	4	143	6
L92 42+00N	<0.2	2.34	5	72	<0.5	<5	0.37	<1	26	65	39	4.78	0.15	1.36	382	2	0.01	44	1272	68	<5	5	<10	11	0.14	110	12	4	177	8
L92 42+50N	<0.2	2.83	<5	61	<0.5	<5	0.37	<1	27	88	46	4.56	0.22	1.81	405	<2	0.02	82	754	57	<5	5	<10	15	0.16	115	<10	3	101	7
L92 43+00N	<0.2	2.25	<5	79	<0.5	<5	0.37	<1	25	43	40	3.60	0.12	1.02	440	<2	0.01	31	928	36	<5	5	<10	8	0.13	98	12	4	164	5
L92 43+50N	<0.2	2.22	<5	72	<0.5	<5	0.39	<1	17	46	49	4.09	0.10	1.22	404	<2	0.01	30	898	38	<5	5	<10	7	0.12	109	<10	4	142	5
L92 44+00N	<0.2	2.44	8	99	<0.5	<5	0.48	<1	19	54	72	4.44	0.11	1.26	412	<2	0.02	42	1030	73	9	5	<10	11	0.13	115	<10	5	145	6
L92 44+50N	<0.2	2.04	<5	184	<0.5	<5	0.74	1	17	48	126	4.01	0.16	0.93	575	11	0.01	43	638	61	<5	5	<10	23	0.09	96	<10	9	121	4
L92 45+00N	<0.2	1.99	6	63	<0.5	<5	0.37	<1	15	48	48	4.25	0.07	1.11	341	<2	0.01	29	989	48	<5	4	<10	6	0.13	118	<10	4	99	5
L92 45+50N	<0.2	1.97	<5	79	<0.5	<5	0.52	<1	20	56	81	4.30	0.21	1.36	435	2	0.01	40	646	60	6	5	<10	11	0.12	115	<10	5	123	4
L92 46+00N	2.2	1.90	5	183	<0.5	<5	0.80	<1	15	36	108	3.90	0.10	0.64	279	11	0.02	28	474	75	<5	4	<10	24	0.14	94	<10	9	145	5
L92 46+50N	1.4	2.58	7	194	<0.5	<5	1.04	2	22	58	192	4.63	0.18	1.06	890	17	0.02	62	635	94	<5	7	<10	35	0.12	105	<10	13	234	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.



Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: SOIL

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 SJ


Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L92 47+00N	1.3	2.74	5	198	<0.5	<5	1.32	2	20	54	243	4.40	0.17	1.01	991	20	0.02	66	771	71	<5	8	<10	46	0.10	97	<10	21	154	9
L92 47+50N	0.9	2.19	<5	149	<0.5	<5	0.75	<1	17	36	67	4.26	0.08	0.76	283	14	0.01	26	319	72	<5	5	<10	20	0.14	112	<10	6	139	10
L92 48+00N	0.5	2.24	5	155	<0.5	<5	0.32	<1	25	45	106	5.18	0.18	1.42	529	3	0.02	36	1296	80	<5	5	<10	4	0.13	136	<10	3	204	7
L92 48+50N	<0.2	1.93	<5	117	<0.5	<5	0.35	<1	18	51	81	4.79	0.24	1.47	377	<2	0.02	34	861	55	<5	5	<10	6	0.17	137	<10	3	133	8
L92 49+00N	0.2	1.88	5	82	<0.5	<5	0.26	<1	17	55	53	4.27	0.10	1.19	322	<2	0.02	35	839	38	<5	4	<10	4	0.17	129	<10	2	130	8
L92 49+50N	<0.2	2.39	6	93	<0.5	<5	0.39	<1	25	68	115	4.91	0.21	1.67	555	<2	0.02	47	776	72	<5	5	<10	4	0.13	121	<10	4	160	6
L92 50+00N	<0.2	2.55	<5	174	<0.5	<5	0.60	<1	23	37	78	4.86	0.26	1.40	499	<2	0.01	24	851	78	6	5	<10	2	0.18	126	<10	4	153	7
L92 50+50N	<0.2	2.19	<5	92	<0.5	9	0.27	<1	25	41	253	7.27	0.23	1.59	488	79	0.02	32	915	237	<5	4	<10	<1	0.17	122	16	5	233	14
L92 51+00N	<0.2	1.95	6	109	<0.5	<5	0.32	<1	23	41	116	4.86	0.30	1.82	780	2	0.02	27	756	21	<5	5	<10	6	0.12	140	<10	3	143	3
L92 51+50N	<0.2	2.90	22	171	<0.5	<5	0.84	<1	23	31	82	5.34	0.41	1.67	712	<2	0.01	28	1471	17	<5	6	<10	16	0.15	155	<10	4	109	5
L92 52+00N	<0.2	2.19	12	112	<0.5	<5	0.26	<1	20	57	47	4.57	0.14	1.25	935	5	0.02	35	1463	33	5	4	<10	2	0.12	116	<10	3	144	3
L92 52+50N	<0.2	1.93	<5	90	<0.5	<5	0.31	<1	19	72	66	4.44	0.14	1.32	474	<2	0.02	48	1052	67	5	3	<10	3	0.15	124	<10	3	131	5
L92 53+00N	0.6	3.21	<5	171	<0.5	<5	0.36	<1	36	304	46	5.23	0.21	2.16	1159	<2	0.02	215	884	166	7	2	<10	3	0.20	114	10	1	432	8
L92 53+50N	<0.2	2.74	<5	93	<0.5	<5	0.38	<1	26	197	85	5.16	0.16	2.14	547	<2	0.02	124	993	109	<5	4	<10	4	0.17	127	12	3	237	6
L92 54+00N	<0.2	2.11	5	93	<0.5	<5	0.29	<1	18	55	75	5.27	0.10	1.21	435	<2	0.02	35	806	89	5	4	<10	2	0.16	143	10	3	138	8
L92 54+50N	<0.2	1.54	13	45	<0.5	<5	0.29	<1	14	41	64	5.16	0.10	1.32	311	13	0.02	21	942	114	6	3	<10	1	0.17	138	<10	1	135	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG1

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
48E 35+00N	17
48E 35+50N	9
48E 36+00N	18
48E 36+50N	2
48E 37+00N	10
48E 37+50N	11
48E 38+00N	1
48E 38+50N	6
48E 39+00N	36
48E 39+50N	4
48E 40+00N	2
48E 40+50N	143
48E 41+00N	15
48E 41+50N	9
48E 42+00N	6
48E 42+50N	3
48E 43+00N	6
48E 43+50N	7
48E 44+00N	11
48E 44+50N	5
48E 45+00N	11
48E 45+50N	10
48E 46+00N	21
48E 46+50N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG2

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
48E 47+00N	12
48E 47+50N	4
48E 48+00N	137
48E 48+50N	5
48E 49+00N	15
48E 49+50N	13
48E 50+00N	6
48E 50+50N	8
48E 51+00N	5
48E 51+50N	4
48E 52+00N	15
48E 52+50N	23
48E 53+00N	7
48E 53+50N	8
48E 54+00N	9
48E 54+50N	6
48E 55+00N	1
48E 55+50N	4
48E 56+00N	9
48E 56+50N	14
48E 57+00N	10
48E 57+50N	5
48E 58+00N	10
48E 58+50N	4

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG3

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
48E 59+00N	1
48E 59+50N	1
48E 60+00N	4
48E 60+50N	162
48E 61+00N	5
48E 61+50N	6
48E 62+00N	4
52E 50+00N	21
52E 50+50N	18
52E 51+00N	29
52E 51+50N	88
52E 52+00N	83
52E 52+50N	55
52E 53+00N	11
52E 53+50N	4
52E 54+00N	4
52E 54+50N	10
52E 55+00N	3
52E 55+50N	4
52E 56+00N	3
52E 56+50N	7
52E 57+00N	1
52E 57+50N	13
52E 58+00N	3

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG4


Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
52E 58+50N	1
52E 59+00N	1
52E 59+50N	4
52E 60+00N	1
52E 60+50N	4
52E 61+00N	2
56E 23+00N	26
56E 23+50N	22
56E 24+00N	13
56E 24+50N	32
56E 25+00N	55
56E 25+50N	27
56E 26+00N	6
56E 26+50N	9
56E 27+00N	22
56E 27+50N	18
56E 28+00N	1
56E 28+50N	7
56E 29+00N	472
56E 29+50N	14
56E 30+00N	12
56E 30+50N	9
56E 31+00N	12
56E 31+50N	87

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG5

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
56E 32+00N	13
56E 32+50N	1
56E 33+00N	43
56E 33+50N	12
56E 34+00N	10
56E 34+50N	7
56E 35+00N	9
56E 35+50N	4
56E 36+00N	1
56E 36+50N	8
56E 37+00N	4
56E 37+50N	6
56E 38+00N	40
56E 38+50N	8
56E 39+00N	56
56E 39+50N	8
56E 40+00N	5
56E 40+50N	6
56E 41+00N	16
56E 41+50N	6
56E 42+00N	18
56E 42+50N	9
56E 43+00N	17
56E 43+50N	6

Certified by _____



Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG6

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples
submitted Aug-17-04

Sample Name	Au PPB
56E 44+00N	12
56E 44+50N	10
56E 45+00N	19
56E 45+50N	53
56E 46+00N	47
56E 46+50N	12
56E 47+00N	13
56E 47+50N	10
56E 48+00N	4
56E 48+50N	26
56E 49+00N	34
56E 49+50N	7
56E 50+00N	76
56E 50+50N	104
56E 51+00N	155
56E 51+50N	37
56E 52+00N	17
56E 52+50N	6
56E 53+00N	19
56E 53+50N	11
56E 54+00N	2
56E 54+50N	4
56E 55+00N	4
56E 55+50N	3

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG7

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
56E 56+00N	2
56E 56+50N	3
56E 57+00N	1
56E 57+50N	1
56E 58+00N	1
56E 58+50N	1
56E 59+00N	1
56E 59+50N	3
56E 60+00N	2
60E 17+00N	54
60E 17+50N	6
60E 18+00N	6
60E 18+50N	11
60E 19+00N	27
60E 19+50N	7
60E 20+00N	6
60E 20+50N	6
60E 21+00N	25
60E 21+50N	11
60E 22+00N	9
60E 22+50N	14
60E 23+00N	11
60E 23+50N	2
60E 24+00N	11

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG8

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
60E 24+50N	18
60E 25+00N	29
60E 25+50N	27
60E 26+00N	12
60E 26+50N	10
60E 27+00N	75
60E 27+50N	20
60E 28+00N	6
60E 28+50N	19
60E 29+00N	8
60E 29+50N	10
60E 30+00N	9
60E 30+50N	5
60E 31+00N	9
60E 31+50N	2
60E 32+00N	12
60E 32+50N	12
60E 33+00N	11
60E 33+50N	11
60E 34+00N	30
60E 34+50N	8
60E 35+00N	13
60E 35+50N	40
60E 36+00N	9

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG9

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
60E 36+50N	14
60E 37+00N	19
60E 37+50N	8
60E 38+00N	62
60E 38+50N	7
60E 39+00N	7
60E 39+50N	13
60E 40+00N	11
60E 40+50N	12
60E 41+00N	10
60E 41+50N	10
60E 42+00N	10
60E 42+50N	9
60E 43+00N	8
60E 43+50N	10
60E 44+00N	6
60E 44+50N	5
60E 45+00N	9
60E 45+50N	11
60E 46+00N	5
60E 46+50N	9
60E 47+00N	28
60E 47+50N	14
60E 48+00N	11

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG10

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
60E 48+50N	13
60E 49+00N	10
60E 49+50N	46
60E 50+00N	16
60E 50+50N	6
60E 51+00N	48
60E 51+50N	75
60E 52+00N	10
60E 52+50N	13
60E 53+00N	70
60E 53+50N	8
60E 54+00N	6
60E 54+50N	5
60E 55+00N	6
60E 55+50N	3
60E 56+00N	3
60E 56+50N	22
60E 57+00N	5
60E 57+50N	3
60E 58+00N	5
60E 58+50N	4
60E 59+00N	5
60E 59+50N	5
60E 60+00N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG11

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
60E 60+50N	3
60E 61+00N	3
60E 61+50N	4
60E 62+00N	4
60E 62+50N	2
60E 63+00N	1
60E 63+50N	5
60E 64+00N	2
60E 64+50N	2
60E 65+00N	2
60E 65+50N	3
60E 66+00N	5
60E 66+50N	8
60E 67+00N	5
60E 67+50N	3
60E 68+00N	4
60E 68+50N	14
60E 69+00N	4
60E 69+50N	4
64E 25+50N	21
64E 26+00N	49
64E 26+50N	23
64E 27+00N	22
64E 27+50N	17

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG12

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
64E 28+00N	6
64E 28+50N	6
64E 29+00N	7
64E 29+50N	687
64E 30+00N	65
64E 30+50N	4
64E 31+00N	5
64E 31+50N	24
64E 32+00N	4
64E 32+50N	7
64E 33+00N	26
64E 33+50N	177
64E 34+00N	26
64E 34+50N	15
64E 35+00N	6
64E 35+50N	26
64E 36+00N	9
64E 36+50N	39
64E 37+00N	48
64E 37+50N	4
64E 38+00N	22
64E 38+50N	15
64E 39+00N	7
64E 39+50N	13

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG13

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
64E 40+00N	178
64E 40+50N	20
64E 41+00N	20
64E 41+50N	18
64E 42+00N	15
64E 42+50N	12
64E 43+00N	12
64E 43+50N	8
64E 44+00N	10
64E 44+50N	8
64E 45+00N	9
64E 45+50N	5
64E 46+00N	7
64E 46+50N	5
64E 47+00N	14
64E 47+50N	7
64E 48+00N	9
64E 48+50N	6
64E 49+00N	6
64E 49+50N	7
64E 50+00N	13
64E 50+50N	24
64E 51+00N	12
64E 51+50N	11

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG14

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
64E 52+00N	1
64E 52+50N	15
64E 53+00N	22
64E 53+50N	10
64E 54+00N	27
64E 54+50N	8
64E 55+00N	17
64E 55+50N	14
64E 56+00N	10
64E 56+50N	22
64E 57+00N	43
64E 57+50N	6
64E 58+00N	7
64E 58+50N	6
64E 59+00N	8
64E 59+50N	4
64E 60+00N	3
64E 60+50N	5
64E 61+00N	2
64E 61+50N	2
64E 62+00N	5
64E 62+50N	5
64E 63+00N	5
64E 63+50N	10

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG15

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staaqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
64E 64+00N	2
64E 64+50N	3
64E 65+00N	2
64E 65+50N	3
64E 66+00N	3
64E 66+50N	5
64E 67+00N	4
64E 67+50N	5
64E 68+00N	7
64E 68+50N	3
64E 69+00N	3
68E 20+00N	7
68E 20+50N	17
68E 21+00N	13
68E 21+50N	2
68E 22+00N	7
68E 22+50N	4
68E 23+00N	4
68E 23+50N	6
68E 24+00N	92
68E 24+50N	37
68E 25+00N	10
68E 25+50N	7
68E 26+00N	13

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG16

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
68E 26+50N	15
68E 27+00N	10
68E 27+50N	17
68E 28+00N	18
68E 28+50N	39
68E 29+00N	10
68E 29+50N	11
68E 30+00N	7
68E 30+50N	14
68E 31+00N	27
68E 31+50N	8
68E 32+00N	67
68E 32+50N	15
68E 33+00N	14
68E 33+50N	5
68E 34+00N	45
68E 34+50N	25
68E 35+00N	54
68E 35+50N	56
68E 36+00N	6
68E 36+50N	3
68E 37+00N	10
68E 37+50N	7
68E 38+00N	38

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG17

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
68E 38+50N	16
68E 39+00N	8
68E 39+50N	11
68E 40+00N	12
68E 40+50N	16
68E 41+00N	55
68E 41+50N	3
68E 42+00N	8
68E 42+50N	22
68E 60+50N	15
68E 61+00N	3
68E 61+50N	5
68E 62+00N	3
68E 62+50N	24
68E 63+00N	2
68E 63+50N	1
68E 64+00N	2
68E 64+50N	8
68E 65+00N	4
68E 65+50N	5
68E 66+00N	6
68E 66+50N	6
68E 67+00N	7
68E 67+50N	2

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG18


Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
68E 68+00N	4
68E 68+50N	2
68E 69+00N	1
68E 69+50N	2
68E 70+00N	3
68E 70+50N	2
68E 71+00N	16
68E 71+50N	2
68E 72+00N	3
72E 30+00N	10
72E 30+50N	6
72E 31+00N	8
72E 31+50N	9
72E 32+00N	7
72E 32+50N	94
72E 33+00N	1
72E 33+50N	24
72E 34+00N	10
72E 34+50N	10
72E 35+00N	25
72E 35+50N	44
72E 36+00N	10
72E 36+50N	4
72E 37+00N	12

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG19

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-17-04

Sample Name	Au PPB
72E 37+50N	35
72E 38+00N	10
72E 38+50N	26
72E 39+00N	56
72E 39+50N	8
72E 40+00N	10
72E 40+50N	6
72E 41+00N	35
72E 41+50N	12
72E 42+00N	12
72E 42+50N	24
72E 43+00N	22
72E 43+50N	20
72E 44+00N	4
72E 44+50N	14
72E 63+50N	1
72E 64+00N	14
72E 64+50N	8
72E 65+00N	12
72E 65+50N	40
72E 66+00N	10
72E 66+50N	5
72E 67+00N	13
72E 67+50N	3

Certified by _____

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-SG20

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We hereby certify the following geochemical analysis of 19 soil samples submitted Aug-17-04

Sample Name	Au PPB
72E 68+00N	3
72E 68+50N	3
72E 69+00N	4
72E 69+50N	3
72E 70+00N	2
72E 70+50N	5
72E 71+00N	4
72E 71+50N	3
72E 72+00N	3
64E 44+00N dup	7
64E 44+50N dup	8
64E 45+00N dup	1
64E 45+50N dup	12
64E 46+00N dup	9
64E 46+50N dup	18
64E 47+00N dup	8
64E 47+50N dup	8
64E 48+00N dup	19
64E 48+50N dup	10

Certified by _____



Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
48E 35+00N	<0.2	1.86	7	91	<0.5	7	0.15	<1	16	27	63	3.30	0.04	0.63	378	<2	0.01	27	383	8	<5	3	<10	7	0.04	64	<10	4	74	4
48E 35+50N	<0.2	1.93	9	79	<0.5	<5	0.29	<1	17	30	56	4.57	0.05	0.75	331	<2	0.02	27	698	7	<5	3	<10	19	0.04	82	27	2	111	3
48E 36+00N	<0.2	0.62	5	113	<0.5	6	0.51	<1	9	12	19	1.98	0.03	0.19	1121	<2	0.02	9	306	10	<5	1	<10	49	0.04	46	<10	1	60	1
48E 36+50N	0.3	1.08	<5	56	<0.5	<5	0.22	<1	9	9	16	1.99	0.03	0.12	444	<2	0.01	4	391	7	<5	1	<10	18	0.05	41	<10	2	42	2
48E 37+00N	<0.2	1.58	9	83	<0.5	5	0.23	<1	17	32	62	3.48	0.05	0.79	507	<2	0.02	27	347	10	<5	3	<10	8	0.04	72	<10	4	81	2
48E 37+50N	<0.2	2.29	11	80	<0.5	<5	0.19	<1	18	38	73	4.46	0.05	0.84	322	<2	0.02	32	569	12	<5	4	<10	7	0.06	89	<10	3	89	4
48E 38+00N	<0.2	0.49	<5	60	<0.5	8	0.55	<1	7	9	23	1.72	0.03	0.14	297	<2	0.02	6	321	11	<5	1	<10	70	0.04	38	<10	1	39	1
48E 38+50N	0.4	1.82	12	87	<0.5	<5	0.21	<1	18	21	40	3.98	0.04	0.36	384	<2	0.02	21	938	12	<5	2	<10	16	0.07	71	<10	2	126	3
48E 39+00N	<0.2	1.91	14	70	<0.5	<5	0.18	<1	16	28	87	4.28	0.04	0.61	340	<2	0.01	27	566	5	<5	3	<10	9	0.03	77	<10	2	91	3
48E 39+50N	0.3	1.92	9	115	<0.5	6	0.32	<1	14	31	41	4.82	0.04	0.58	603	<2	0.02	22	1093	6	<5	3	<10	17	0.05	93	11	2	120	4
48E 40+00N	0.4	1.50	7	87	<0.5	8	0.27	<1	9	19	27	3.10	0.04	0.28	188	<2	0.01	12	654	10	<5	2	<10	21	0.03	60	<10	1	66	4
48E 40+50N	0.6	2.01	16	90	<0.5	5	0.19	<1	16	37	84	4.83	0.05	0.81	309	<2	0.02	29	1119	12	5	4	<10	<1	0.04	91	<10	3	112	3
48E 41+00N	0.3	1.39	12	77	<0.5	5	0.12	<1	9	20	65	4.18	0.04	0.33	279	<2	0.02	18	1563	6	<5	2	<10	2	0.03	59	<10	2	108	3
48E 41+50N	0.4	1.27	8	84	<0.5	<5	0.36	<1	19	34	65	3.19	0.08	0.85	974	4	0.02	31	696	16	<5	4	<10	10	0.04	70	<10	8	79	3
48E 42+00N	0.6	1.34	7	73	<0.5	<5	0.56	<1	18	36	45	3.26	0.07	0.93	650	4	0.02	25	639	15	7	4	<10	16	0.05	77	<10	5	81	4
48E 42+50N	0.6	1.34	9	109	<0.5	<5	0.48	<1	9	23	33	2.84	0.04	0.26	141	3	0.02	17	326	11	6	3	<10	24	0.06	75	<10	3	62	2
48E 43+00N	<0.2	2.25	9	102	<0.5	7	0.14	<1	14	34	28	4.28	0.04	0.56	231	<2	0.02	25	968	9	<5	3	<10	<1	0.05	92	<10	2	119	4
48E 43+50N	0.3	1.85	12	154	<0.5	<5	0.67	<1	18	39	45	4.17	0.04	0.77	393	2	0.02	30	344	10	<5	3	<10	39	0.05	90	<10	3	107	3
48E 44+00N	0.5	2.29	9	126	<0.5	<5	0.25	<1	20	33	33	4.28	0.05	0.63	397	<2	0.02	30	699	8	<5	3	<10	6	0.05	89	<10	3	140	6
48E 44+50N	0.3	2.23	9	93	<0.5	<5	0.20	<1	15	37	26	5.58	0.05	0.52	252	<2	0.02	24	1442	14	<5	3	<10	7	0.11	119	13	2	144	6
48E 45+00N	<0.2	2.08	10	91	<0.5	<5	0.24	<1	19	43	64	4.45	0.04	1.03	391	3	0.02	31	520	10	<5	4	<10	10	0.04	95	<10	3	91	3
48E 45+50N	0.8	5.04	15	464	0.8	<5	0.53	<1	26	51	155	5.16	0.08	0.58	755	3	0.03	67	464	13	<5	10	<10	59	0.08	89	<10	20	127	24
48E 46+00N	<0.2	2.47	15	198	<0.5	5	0.59	<1	23	42	60	4.57	0.05	0.97	454	2	0.02	34	404	9	<5	5	<10	42	0.04	93	<10	5	105	4
48E 46+50N	<0.2	2.36	9	158	<0.5	<5	0.37	<1	21	37	62	4.20	0.05	0.63	494	<2	0.02	34	311	16	<5	5	<10	23	0.05	81	<10	6	104	8
48E 47+00N	<0.2	3.09	8	138	<0.5	<5	0.91	<1	17	31	45	3.83	0.03	0.44	430	<2	0.02	36	403	11	<5	4	<10	68	0.07	68	<10	10	82	6
48E 47+50N	<0.2	1.93	5	133	<0.5	<5	0.39	<1	17	37	51	3.73	0.03	0.64	366	<2	0.02	32	297	8	<5	5	<10	32	0.04	82	<10	6	84	4
48E 48+00N	<0.2	2.32	<5	178	<0.5	<5	0.61	<1	19	42	62	3.95	0.06	0.77	797	<2	0.02	37	346	8	<5	6	<10	48	0.05	76	<10	12	100	6
48E 48+50N	<0.2	2.65	7	184	<0.5	<5	0.40	<1	16	34	46	4.01	0.04	0.54	506	<2	0.02	35	576	4	<5	3	<10	40	0.06	80	16	6	113	4
48E 49+00N	0.3	1.45	5	75	<0.5	<5	0.19	<1	11	17	38	2.58	0.04	0.19	199	<2	0.02	17	358	5	<5	2	<10	16	0.05	60	<10	4	52	2
48E 49+50N	0.4	1.53	6	139	<0.5	<5	0.29	<1	12	22	27	3.38	0.07	0.36	497	<2	0.02	21	1334	28	<5	2	<10	17	0.04	62	<10	2	107	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
48E 50+00N	<0.2	2.60	10	165	<0.5	<5	0.33	<1	19	28	61	5.31	0.04	0.81	871	<2	0.02	37	819	4	<5	4	<10	21	0.05	101	<10	3	106	4
48E 50+50N	<0.2	2.13	8	209	<0.5	<5	0.22	<1	16	20	69	3.78	0.05	0.41	402	<2	0.01	34	812	50	<5	3	<10	18	0.05	58	<10	3	129	4
48E 51+00N	<0.2	1.97	8	106	<0.5	<5	0.29	<1	17	34	36	4.28	0.07	0.66	294	<2	0.02	29	764	9	<5	3	<10	15	0.07	100	<10	2	116	3
48E 51+50N	<0.2	1.69	<5	100	<0.5	<5	0.17	<1	13	28	11	3.43	0.11	0.62	258	<2	0.02	15	1909	17	<5	3	<10	10	0.18	83	17	2	115	5
48E 52+00N	<0.2	2.20	7	101	<0.5	<5	0.12	<1	16	23	18	3.23	0.05	0.36	345	<2	0.02	16	1793	12	<5	3	<10	5	0.07	66	<10	2	98	5
48E 52+50N	<0.2	1.66	<5	146	<0.5	<5	0.15	<1	11	21	23	3.74	0.04	0.42	383	<2	0.01	18	986	13	5	2	<10	9	0.05	78	<10	1	89	3
48E 53+00N	<0.2	1.57	20	194	<0.5	<5	0.16	<1	21	35	32	4.53	0.05	0.51	787	<2	0.02	26	784	11	<5	4	<10	8	0.07	105	<10	2	101	3
48E 53+50N	<0.2	0.62	6	144	<0.5	<5	0.20	<1	8	14	9	2.63	0.04	0.16	449	<2	0.02	13	738	11	<5	1	<10	12	0.05	54	<10	<1	54	<1
48E 54+00N	0.4	1.36	11	169	<0.5	<5	0.13	<1	15	27	45	4.68	0.04	0.53	310	4	0.02	35	781	16	<5	2	<10	7	0.05	78	<10	2	116	2
48E 54+50N	0.3	2.53	9	158	<0.5	<5	0.20	<1	21	39	38	4.49	0.04	0.89	391	<2	0.02	40	897	10	<5	3	<10	5	0.06	94	<10	3	110	5
48E 55+00N	<0.2	2.39	<5	92	<0.5	<5	0.15	<1	15	31	22	3.89	0.04	0.46	265	<2	0.02	20	1037	15	<5	3	<10	4	0.10	83	<10	4	87	6
48E 55+50N	<0.2	1.41	11	54	<0.5	<5	0.12	<1	9	21	22	3.52	0.03	0.38	267	<2	0.02	13	484	49	<5	2	<10	2	0.07	92	<10	1	52	3
48E 56+00N	<0.2	1.52	5	133	<0.5	<5	0.25	<1	13	23	15	3.37	0.03	0.37	312	<2	0.02	15	338	13	<5	2	<10	13	0.07	82	<10	2	61	2
48E 56+50N	<0.2	1.51	34	232	<0.5	<5	0.31	<1	19	21	30	4.40	0.03	0.36	592	<2	0.02	14	789	13	<5	2	<10	19	0.05	92	<10	2	68	2
48E 57+00N	<0.2	1.82	<5	59	<0.5	<5	0.33	<1	24	45	58	4.09	0.06	1.00	744	<2	0.02	33	748	7	6	5	<10	23	0.06	90	<10	6	108	3
48E 57+50N	<0.2	1.89	<5	57	<0.5	<5	0.28	1	14	39	29	3.88	0.04	0.84	353	<2	0.02	23	942	7	<5	3	<10	16	0.03	84	<10	2	108	3
48E 58+00N	<0.2	1.48	<5	58	<0.5	<5	0.24	<1	14	30	24	3.16	0.06	0.65	331	<2	0.02	19	1268	5	<5	1	<10	15	0.03	73	<10	2	74	2
48E 58+50N	<0.2	2.14	<5	79	<0.5	<5	0.27	<1	16	43	58	4.01	0.06	0.85	447	<2	0.02	34	831	5	<5	5	<10	16	0.05	85	<10	8	113	3
48E 59+00N	0.5	2.13	7	129	<0.5	6	0.87	<1	22	52	86	4.45	0.09	1.05	806	<2	0.02	42	858	5	5	6	<10	57	0.05	98	<10	9	123	5
48E 59+50N	<0.2	1.76	7	78	<0.5	8	0.24	<1	12	32	24	3.72	0.05	0.71	295	<2	0.02	22	738	5	6	3	<10	7	0.07	91	<10	2	83	4
48E 60+00N	<0.2	1.72	7	88	<0.5	<5	0.30	<1	14	36	34	3.70	0.05	0.78	369	<2	0.02	22	798	5	<5	2	<10	14	0.04	89	<10	3	99	3
48E 60+50N	<0.2	1.87	14	102	<0.5	6	0.75	<1	18	42	47	3.83	0.05	0.83	748	<2	0.02	29	563	11	<5	4	<10	34	0.04	87	<10	8	100	4
48E 61+00N	<0.2	1.70	8	79	<0.5	6	0.23	<1	14	32	20	3.48	0.05	0.57	473	<2	0.02	20	984	8	<5	3	<10	7	0.05	83	<10	2	91	3
48E 61+50N	<0.2	2.50	10	121	<0.5	<5	0.23	<1	16	45	34	3.83	0.07	0.81	339	<2	0.02	33	705	8	<5	4	<10	9	0.07	89	<10	4	100	4
48E 62+00N	<0.2	2.53	9	111	<0.5	6	0.30	<1	20	39	31	3.93	0.04	0.77	345	<2	0.02	29	605	<2	<5	4	<10	15	0.08	94	<10	4	83	6
52E 50+00N	<0.2	4.38	10	125	<0.5	7	0.19	<1	25	24	26	5.34	0.03	0.21	473	<2	0.03	26	2494	<2	<5	3	<10	16	0.13	72	<10	3	198	21
52E 50+50N	<0.2	1.26	9	108	<0.5	9	0.13	<1	13	23	52	3.57	0.05	0.37	264	<2	0.02	24	448	5	<5	3	<10	7	0.03	71	<10	2	68	3
52E 51+00N	<0.2	1.83	10	178	0.6	7	0.18	<1	19	29	102	4.65	0.07	0.62	402	<2	0.02	44	1213	6	6	4	<10	4	0.02	71	<10	3	126	3
52E 51+50N	0.4	1.08	7	120	<0.5	10	0.14	<1	10	19	29	3.16	0.05	0.27	254	<2	0.02	20	558	<2	<5	2	<10	5	0.04	60	<10	1	94	2
52E 52+00N	0.4	2.26	13	266	0.9	10	0.10	<1	25	28	69	7.19	0.04	0.20	417	<2	0.02	69	1146	5	<5	8	<10	4	0.05	87	11	2	145	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assay, Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
52E 52+50N	0.5	2.64	13	310	0.7	<5	0.20	<1	24	28	122	5.94	0.04	0.32	695	3	0.02	67	1171	10	<5	6	<10	12	0.06	87	13	5	221	7
52E 53+00N	0.4	2.50	30	206	0.7	9	0.16	<1	24	46	95	6.09	0.04	0.72	459	<2	0.02	55	1094	12	<5	4	<10	2	0.05	101	14	3	189	5
52E 53+50N	0.4	2.54	12	152	<0.5	<5	0.23	<1	16	40	30	4.60	0.04	0.57	303	<2	0.02	30	1095	6	6	3	<10	9	0.07	99	10	2	148	6
52E 54+00N	<0.2	1.81	9	77	<0.5	7	0.13	<1	12	38	36	4.11	0.04	0.52	230	<2	0.01	25	1017	9	<5	3	<10	3	0.04	85	10	2	105	5
52E 54+50N	<0.2	1.81	10	170	0.5	6	0.20	<1	16	34	50	4.94	0.03	0.52	432	<2	0.01	40	1008	8	<5	3	<10	11	0.02	79	12	3	187	3
52E 55+00N	<0.2	1.68	6	96	<0.5	<5	0.21	<1	14	38	26	3.95	0.04	0.63	270	<2	0.01	23	609	13	6	3	<10	8	0.06	88	<10	2	124	4
52E 55+50N	<0.2	1.59	12	101	<0.5	<5	0.15	<1	13	31	22	3.21	0.03	0.46	237	<2	0.01	23	990	10	7	3	<10	4	0.05	78	<10	2	134	4
52E 56+00N	<0.2	2.15	10	113	<0.5	6	0.20	<1	20	40	44	5.54	0.04	0.70	699	<2	0.02	23	860	15	7	4	<10	11	0.07	135	<10	3	99	4
52E 56+50N	<0.2	3.18	<5	177	1.0	9	0.51	<1	29	78	189	5.74	0.06	1.16	608	<2	0.02	54	625	18	5	16	<10	28	0.07	133	13	19	129	7
52E 57+00N	<0.2	2.53	<5	111	<0.5	<5	0.25	<1	28	81	66	5.37	0.09	1.27	575	<2	0.02	39	616	24	6	7	<10	5	0.10	147	<10	3	121	5
52E 57+50N	<0.2	2.44	8	154	<0.5	5	0.57	<1	18	43	26	4.02	0.05	0.63	325	<2	0.02	33	677	7	7	4	<10	38	0.08	102	<10	4	97	4
52E 58+00N	<0.2	2.08	<5	74	<0.5	<5	0.30	<1	27	64	96	5.36	0.09	1.23	666	2	0.02	39	1026	24	5	8	<10	6	0.08	140	12	4	145	4
52E 58+50N	0.3	1.58	<5	166	0.5	<5	1.30	<1	7	25	31	2.57	0.03	0.28	196	<2	0.02	16	513	8	<5	3	<10	90	0.06	55	<10	6	72	2
52E 59+00N	<0.2	1.93	<5	96	0.5	<5	0.37	<1	9	37	26	3.22	0.04	0.66	424	<2	0.01	24	344	15	<5	4	<10	18	0.08	82	<10	6	71	2
52E 59+50N	0.2	3.99	6	195	1.0	<5	0.26	<1	15	59	84	4.68	0.10	0.99	394	<2	0.02	51	440	13	5	7	<10	8	0.11	103	<10	6	154	14
52E 60+00N	<0.2	2.16	<5	84	0.5	<5	0.30	<1	9	40	26	4.24	0.04	0.68	323	<2	0.01	21	400	13	<5	4	<10	8	0.12	109	<10	3	91	3
52E 60+50N	<0.2	1.90	7	93	<0.5	<5	0.30	<1	9	40	28	3.65	0.07	0.62	288	<2	0.01	23	619	18	<5	4	<10	10	0.09	88	<10	4	79	2
52E 61+00N	<0.2	1.70	<5	74	<0.5	<5	0.28	<1	7	35	21	3.25	0.05	0.61	296	<2	0.01	19	450	15	<5	3	<10	10	0.10	81	<10	3	70	2
56E 23+00N	0.4	1.45	6	93	0.7	<5	0.23	<1	11	23	67	3.72	0.07	0.47	275	<2	0.01	27	565	15	<5	4	<10	9	0.04	54	47	3	102	2
56E 23+50N	0.8	4.04	10	107	1.4	<5	0.50	<1	19	15	41	4.63	0.07	0.25	718	<2	0.02	53	1950	15	<5	5	<10	47	0.13	42	<10	7	165	14
56E 24+00N	<0.2	1.03	6	80	0.6	<5	0.23	<1	13	11	38	3.65	0.05	0.20	476	<2	0.01	14	683	11	<5	3	<10	21	0.01	47	29	2	74	2
56E 24+50N	0.4	2.16	14	197	0.8	<5	0.27	<1	15	17	37	4.56	0.07	0.31	646	<2	0.01	27	1631	21	<5	4	<10	25	0.05	54	32	3	211	4
56E 25+00N	0.6	0.74	8	101	1.0	<5	0.35	<1	22	7	61	5.65	0.05	0.09	719	<2	0.01	28	832	21	<5	3	<10	32	0.03	39	59	3	106	3
56E 25+50N	1.0	1.89	<5	88	0.9	<5	0.18	<1	16	13	41	4.40	0.08	0.15	570	<2	0.01	19	1173	16	<5	2	<10	17	0.05	45	59	4	114	2
56E 26+00N	<0.2	1.31	<5	81	<0.5	<5	0.32	<1	9	32	52	3.43	0.09	0.68	370	<2	0.01	23	481	15	<5	3	<10	14	0.05	72	<10	3	81	2
56E 26+50N	2.0	2.04	<5	125	0.9	<5	1.22	1	14	28	115	3.11	0.05	0.53	2133	<2	0.02	31	407	16	<5	6	<10	163	0.07	55	<10	12	87	7
56E 27+00N	0.8	3.74	6	219	1.4	<5	0.40	<1	26	38	108	6.74	0.08	0.44	459	3	0.02	47	622	22	<5	7	<10	79	0.07	83	83	9	155	7
56E 27+50N	<0.2	1.67	<5	116	0.6	<5	0.33	<1	9	34	75	3.53	0.07	0.64	423	<2	0.02	32	359	14	<5	6	<10	28	0.05	62	<10	12	80	3
56E 28+00N	<0.2	1.60	<5	102	<0.5	<5	0.30	<1	7	27	22	3.62	0.05	0.32	259	<2	0.01	16	1169	14	<5	2	<10	23	0.06	69	<10	2	96	6
56E 28+50N	<0.2	1.32	12	73	<0.5	<5	0.18	<1	6	30	74	4.05	0.04	0.56	222	2	<0.01	25	786	16	<5	4	<10	8	0.05	75	<10	2	84	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
56E 29+00N	<0.2	1.53	6	79	0.8	<5	0.12	<1	13	15	56	5.17	0.03	0.18	293	<2	0.02	21	1380	17	<5	3	<10	10	0.05	51	<10	2	110	2
56E 29+50N	0.4	2.28	<5	133	0.7	<5	0.56	<1	16	24	67	4.22	0.05	0.29	355	<2	0.01	32	371	18	<5	6	<10	85	0.05	54	<10	6	117	5
56E 30+00N	<0.2	2.03	7	165	0.6	<5	0.17	<1	14	25	89	4.49	0.05	0.42	319	<2	0.01	35	688	10	<5	4	<10	11	0.04	57	<10	3	123	2
56E 30+50N	0.3	1.86	7	136	1.0	<5	0.13	<1	19	16	112	5.31	0.04	0.19	260	3	0.01	36	740	20	<5	3	<10	14	0.04	52	<10	2	134	3
56E 31+00N	<0.2	1.41	<5	85	<0.5	<5	0.19	<1	8	29	32	3.00	0.05	0.46	246	<2	0.01	22	611	22	<5	3	<10	8	0.06	62	<10	2	81	2
56E 31+50N	0.4	2.34	20	148	1.2	<5	0.13	<1	17	19	134	5.21	0.06	0.18	580	6	0.01	53	1578	13	<5	6	<10	2	0.03	37	<10	4	175	5
56E 32+00N	0.5	2.01	10	242	1.6	<5	0.20	<1	17	21	114	5.24	0.10	0.25	737	5	0.01	44	2391	18	<5	5	<10	21	0.02	53	<10	3	196	3
56E 32+50N	0.4	1.73	<5	328	0.6	<5	0.41	<1	11	20	19	3.36	0.03	0.19	184	<2	0.01	13	326	15	<5	3	<10	48	0.04	61	<10	3	55	3
56E 33+00N	<0.2	2.02	<5	108	0.6	<5	0.33	<1	16	36	51	3.98	0.06	0.73	438	<2	0.01	32	690	17	<5	5	<10	10	0.10	86	<10	4	92	6
56E 33+50N	0.3	2.72	<5	84	1.1	<5	0.29	<1	25	18	50	4.73	0.06	0.22	1042	<2	0.02	28	1627	20	<5	5	<10	26	0.08	52	<10	6	205	7
56E 34+00N	<0.2	1.99	7	95	<0.5	<5	0.34	<1	12	34	57	3.99	0.06	0.70	314	<2	0.02	31	333	19	<5	4	<10	13	0.10	85	<10	4	99	3
56E 34+50N	<0.2	1.81	7	101	<0.5	<5	0.37	<1	14	34	43	3.69	0.06	0.71	299	<2	0.01	27	231	14	<5	4	<10	14	0.11	90	<10	4	74	3
56E 35+00N	<0.2	1.93	<5	127	<0.5	<5	0.31	<1	13	27	40	3.76	0.04	0.50	281	<2	0.01	21	267	15	<5	4	<10	21	0.06	97	<10	2	75	2
56E 35+50N	<0.2	2.07	<5	118	0.6	<5	0.30	<1	18	22	36	3.80	0.05	0.30	604	<2	0.02	26	648	15	<5	4	<10	23	0.13	89	<10	4	133	5
56E 36+00N	<0.2	0.25	<5	24	<0.5	<5	0.09	<1	6	7	5	1.65	0.02	0.05	204	<2	0.01	5	146	6	<5	<1	<10	7	0.06	55	<10	<1	31	<1
56E 36+50N	<0.2	3.59	5	219	1.0	<5	0.41	<1	30	24	182	6.89	0.05	0.53	827	<2	0.02	35	1220	28	<5	7	<10	54	0.09	110	<10	8	201	5
56E 37+00N	2.2	5.06	7	315	1.7	<5	0.88	<1	16	72	111	5.92	0.15	1.01	1338	3	0.03	75	553	30	7	13	<10	141	0.15	101	<10	14	235	25
56E 37+50N	<0.2	1.11	<5	56	<0.5	<5	0.14	<1	7	19	36	2.99	0.04	0.30	202	<2	0.01	13	666	14	<5	3	<10	4	0.05	68	<10	2	64	2
56E 38+00N	<0.2	1.82	6	107	<0.5	<5	0.32	<1	11	40	35	3.83	0.06	0.67	302	<2	0.01	28	859	17	<5	4	<10	9	0.09	88	<10	3	91	3
56E 38+50N	0.3	1.71	<5	77	0.6	<5	0.31	<1	11	34	31	3.45	0.06	0.57	306	<2	0.01	22	502	18	<5	4	<10	11	0.10	85	<10	4	79	3
56E 39+00N	0.4	1.26	<5	84	<0.5	<5	0.23	<1	9	25	31	3.40	0.06	0.35	268	<2	0.01	18	578	13	<5	3	<10	6	0.08	76	<10	2	86	2
56E 39+50N	<0.2	2.16	8	107	0.5	<5	0.32	<1	11	37	69	4.83	0.07	0.75	320	<2	0.01	32	874	19	<5	4	<10	10	0.07	87	<10	4	121	3
56E 40+00N	0.6	3.75	<5	295	1.1	<5	0.50	<1	21	57	88	5.34	0.09	0.91	640	<2	0.02	60	744	24	<5	8	<10	38	0.10	102	<10	8	191	7
56E 40+50N	<0.2	2.33	5	139	0.6	<5	0.39	<1	12	49	54	4.86	0.07	0.97	417	2	0.01	33	784	25	<5	5	<10	12	0.11	112	<10	5	113	5
56E 41+00N	<0.2	2.35	<5	109	0.7	<5	0.35	<1	13	51	62	4.49	0.07	0.98	438	<2	0.01	37	824	26	<5	5	<10	11	0.11	105	<10	4	121	5
56E 41+50N	<0.2	2.41	<5	103	0.7	<5	0.37	<1	14	47	76	4.26	0.08	0.93	395	<2	0.01	35	950	20	5	5	<10	8	0.10	96	<10	4	128	4
56E 42+00N	<0.2	1.82	<5	100	0.7	<5	0.46	<1	18	46	101	4.44	0.10	1.00	813	<2	0.01	37	909	23	<5	8	<10	17	0.10	95	<10	10	97	4
56E 42+50N	0.6	2.60	<5	160	0.8	<5	0.78	<1	12	42	58	4.32	0.07	0.63	337	5	0.02	31	491	24	5	5	<10	40	0.09	98	<10	5	121	5
56E 43+00N	<0.2	1.88	<5	81	0.6	<5	0.36	<1	14	41	73	4.10	0.09	0.88	514	<2	0.01	34	655	22	<5	5	<10	9	0.10	94	<10	4	96	4
56E 43+50N	<0.2	1.41	<5	90	<0.5	<5	0.19	<1	8	23	29	3.13	0.04	0.33	195	<2	0.01	15	811	17	<5	3	<10	5	0.08	76	<10	3	79	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.

Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
56E 44+00N	1.2	2.58	13	197	1.0	<5	0.67	<1	14	54	146	4.83	0.10	0.85	986	2	0.02	53	483	23	<5	12	<10	45	0.06	91	<10	23	149	6
56E 44+50N	0.3	2.18	7	184	0.7	<5	0.54	<1	14	42	74	4.42	0.07	0.51	526	3	0.02	35	441	21	<5	7	<10	37	0.06	93	<10	7	120	4
56E 45+00N	<0.2	1.71	8	96	0.6	<5	0.34	<1	13	40	69	4.15	0.06	0.78	502	2	0.01	30	760	22	<5	4	<10	9	0.06	88	<10	3	104	3
56E 45+50N	<0.2	1.73	7	88	0.6	<5	0.25	<1	11	29	29	3.60	0.05	0.53	296	<2	0.01	25	651	13	<5	3	<10	9	0.07	78	<10	2	95	3
56E 46+00N	<0.2	0.89	7	85	<0.5	<5	0.12	<1	8	13	20	2.27	0.03	0.10	234	<2	0.01	9	505	12	<5	2	<10	9	0.07	47	<10	2	66	1
56E 46+50N	<0.2	2.33	9	93	0.7	<5	0.35	<1	14	45	45	4.62	0.06	0.80	358	2	0.01	35	587	17	<5	5	<10	10	0.09	100	<10	3	121	4
56E 47+00N	<0.2	2.05	10	101	0.7	<5	0.26	<1	14	39	55	4.16	0.05	0.66	377	3	0.01	33	601	16	<5	5	<10	8	0.08	87	<10	5	122	4
56E 47+50N	<0.2	1.13	8	97	<0.5	<5	0.27	<1	11	23	29	2.96	0.04	0.32	355	<2	0.01	18	332	10	<5	2	<10	15	0.06	71	<10	2	68	2
56E 48+00N	<0.2	0.65	<5	91	<0.5	<5	0.07	<1	9	12	11	2.56	0.03	0.11	296	<2	0.01	10	274	10	<5	1	<10	5	0.04	50	<10	1	61	1
56E 48+50N	0.3	1.54	20	152	0.8	<5	0.25	<1	21	24	33	4.67	0.04	0.23	944	<2	0.01	31	950	19	<5	4	<10	15	0.07	69	<10	3	189	4
56E 49+00N	0.3	1.55	31	137	0.9	<5	0.13	<1	20	20	44	5.09	0.03	0.14	937	<2	0.01	30	888	18	<5	4	<10	8	0.05	64	<10	2	164	3
56E 49+50N	<0.2	0.64	30	95	<0.5	<5	0.15	<1	12	11	19	3.67	0.03	0.07	310	<2	0.01	16	550	17	<5	2	<10	7	0.04	52	<10	1	85	2
56E 50+00N	0.8	2.62	38	190	1.4	<5	0.28	<1	48	25	183	10.67	0.05	0.23	2153	2	0.01	49	1640	51	6	12	<10	8	0.07	93	<10	8	220	15
56E 50+50N	<0.2	1.54	23	154	1.4	<5	0.21	<1	23	16	171	7.16	0.04	0.14	811	2	0.01	52	919	27	<5	7	<10	9	<0.01	59	<10	3	177	4
56E 51+00N	0.6	2.38	37	239	1.2	<5	0.18	<1	20	34	173	6.06	0.05	0.37	672	3	0.01	56	1674	22	<5	6	<10	10	0.03	70	<10	5	202	4
56E 51+50N	0.2	0.94	6	122	<0.5	<5	0.05	<1	8	13	49	2.70	0.02	0.08	241	<2	0.01	12	546	11	<5	2	<10	6	0.04	55	<10	1	71	1
56E 52+00N	0.5	3.73	19	172	1.1	<5	0.17	<1	17	49	66	5.80	0.07	0.67	409	6	0.01	54	972	21	<5	5	<10	4	0.11	116	<10	4	287	10
56E 52+50N	0.5	2.96	10	137	1.1	<5	0.29	<1	15	40	40	4.69	0.03	0.30	234	4	0.01	31	630	16	<5	5	<10	23	0.07	93	<10	7	157	6
56E 53+00N	<0.2	1.73	13	127	<0.5	<5	0.24	<1	7	30	23	3.75	0.03	0.39	179	3	0.01	19	440	16	<5	3	<10	8	0.08	99	<10	2	83	3
56E 53+50N	0.8	2.45	10	163	0.9	<5	0.34	<1	12	35	31	4.24	0.04	0.33	177	6	0.01	47	771	21	<5	4	<10	18	0.08	84	<10	5	127	6
56E 54+00N	<0.2	1.72	9	102	<0.5	<5	0.19	<1	7	36	22	3.78	0.04	0.56	298	<2	0.01	20	728	16	<5	3	<10	6	0.06	89	<10	3	88	3
56E 54+50N	0.2	2.14	11	236	0.7	<5	1.23	<1	15	52	72	4.40	0.07	0.88	815	4	0.01	48	761	20	6	6	<10	66	0.05	83	<10	12	152	4
56E 55+00N	<0.2	2.18	<5	273	1.2	<5	1.22	<1	19	34	77	4.60	0.05	0.44	1193	5	0.01	31	703	16	<5	7	<10	70	0.04	68	<10	12	94	4
56E 55+50N	0.3	2.28	<5	272	0.9	<5	1.17	<1	14	45	88	4.28	0.06	0.70	962	5	0.02	48	686	16	5	7	<10	67	0.05	75	<10	13	121	5
56E 56+00N	<0.2	1.97	12	102	0.6	<5	0.42	<1	9	41	30	3.71	0.05	0.67	304	<2	0.01	27	596	21	<5	5	<10	13	0.13	99	<10	6	76	4
56E 56+50N	<0.2	2.69	<5	135	0.7	<5	0.44	<1	10	47	37	4.16	0.07	0.84	333	<2	0.02	31	613	14	<5	5	<10	16	0.13	102	<10	5	101	3
56E 57+00N	<0.2	2.65	5	117	0.6	<5	0.50	<1	12	51	36	4.68	0.07	1.02	438	<2	0.02	33	978	17	6	6	<10	14	0.15	120	<10	6	107	4
56E 57+50N	<0.2	3.30	6	129	0.8	<5	0.35	<1	15	57	55	4.90	0.09	0.88	439	<2	0.02	41	1091	16	5	6	<10	9	0.14	118	<10	5	174	5
56E 58+00N	<0.2	2.79	11	82	0.7	<5	0.48	<1	13	48	25	4.57	0.06	0.74	353	<2	0.02	27	1610	12	<5	5	<10	14	0.16	121	<10	4	141	6
56E 58+50N	<0.2	2.84	8	115	0.9	<5	0.35	<1	29	27	34	4.79	0.05	0.41	703	2	0.02	26	776	22	<5	4	<10	43	0.14	115	<10	5	208	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assays Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
56E 59+00N	<0.2	3.34	6	112	0.9	<5	0.46	<1	19	47	54	4.90	0.05	0.78	474	<2	0.02	36	602	16	<5	6	<10	20	0.12	127	<10	7	131	5
56E 59+50N	<0.2	3.92	12	138	1.1	<5	0.33	<1	23	55	75	5.49	0.06	0.76	388	2	0.01	46	542	22	8	6	<10	7	0.12	126	<10	6	136	9
56E 60+00N	<0.2	3.14	13	137	0.7	<5	0.65	<1	17	54	56	4.98	0.07	0.86	489	<2	0.01	40	565	17	<5	6	<10	22	0.12	126	<10	7	116	5
60E 17+00N	1.0	1.22	5	168	<0.5	<5	1.86	<1	10	22	105	2.92	0.05	0.53	1451	<2	0.02	32	827	18	<5	3	<10	200	0.03	36	<10	8	59	5
60E 17+50N	0.4	2.92	<5	280	1.2	<5	1.10	<1	23	46	25	5.63	0.08	0.58	468	<2	0.03	34	222	24	<5	6	<10	107	0.28	110	<10	9	84	13
60E 18+00N	<0.2	1.12	6	113	<0.5	<5	0.32	<1	12	15	17	2.60	0.07	0.18	550	<2	0.01	22	830	12	<5	2	<10	25	0.06	41	<10	2	151	2
60E 18+50N	<0.2	1.10	8	75	<0.5	<5	0.27	<1	11	21	31	2.94	0.08	0.36	269	<2	0.01	21	435	14	<5	3	<10	12	0.06	56	<10	2	73	2
60E 19+00N	<0.2	1.44	11	107	0.7	<5	0.46	<1	11	36	113	4.20	0.14	0.73	542	2	0.02	37	579	22	<5	9	<10	27	0.08	74	<10	11	96	6
60E 19+50N	<0.2	1.37	10	111	<0.5	<5	0.25	<1	10	26	33	3.27	0.09	0.43	406	<2	0.01	22	547	17	<5	3	<10	14	0.07	67	<10	3	108	2
60E 20+00N	0.7	2.74	7	205	0.8	<5	0.41	<1	14	31	57	3.90	0.10	0.44	421	2	0.02	38	575	24	<5	5	<10	44	0.07	67	<10	4	118	5
60E 20+50N	0.3	1.61	7	158	<0.5	<5	0.27	<1	10	25	30	3.17	0.08	0.40	264	<2	0.01	22	1227	20	<5	3	<10	20	0.06	64	<10	3	105	3
60E 21+00N	0.2	1.36	8	89	<0.5	<5	0.32	<1	13	30	59	3.29	0.08	0.67	464	<2	0.01	28	416	24	<5	4	<10	17	0.07	67	<10	4	98	2
60E 21+50N	<0.2	0.74	<5	75	<0.5	<5	0.23	<1	9	18	26	2.41	0.07	0.32	554	<2	0.01	15	405	15	<5	2	<10	11	0.06	51	<10	2	76	1
60E 22+00N	<0.2	1.19	10	72	<0.5	<5	0.24	<1	8	26	44	3.31	0.08	0.64	260	<2	0.01	21	573	20	<5	3	<10	8	0.06	70	<10	3	76	2
60E 22+50N	<0.2	1.16	<5	109	<0.5	<5	0.43	<1	10	24	37	2.85	0.13	0.61	997	<2	0.01	22	441	19	<5	3	<10	25	0.07	62	<10	3	90	2
60E 23+00N	0.3	1.39	12	115	0.5	<5	0.77	<1	19	10	47	2.92	0.08	0.17	1851	<2	0.02	19	970	15	<5	2	<10	68	0.07	37	<10	4	136	2
60E 23+50N	<0.2	0.60	9	67	<0.5	<5	0.42	<1	14	8	18	2.19	0.06	0.12	1615	<2	0.01	8	556	16	<5	1	<10	44	0.05	40	<10	2	69	<1
60E 24+00N	0.6	1.11	14	86	0.7	<5	0.88	<1	27	9	79	4.18	0.06	0.16	1890	<2	0.02	24	1038	24	<5	3	<10	94	0.04	41	<10	8	154	3
60E 24+50N	<0.2	2.12	10	134	0.8	<5	0.27	<1	19	14	64	4.30	0.05	0.32	819	<2	0.02	33	505	18	<5	5	<10	48	0.07	53	<10	6	117	9
60E 25+00N	<0.2	1.11	<5	64	<0.5	<5	0.29	<1	14	14	20	3.02	0.04	0.22	609	<2	0.01	16	464	14	<5	2	<10	22	0.05	43	<10	2	97	2
60E 25+50N	<0.2	1.61	6	112	0.7	<5	0.50	<1	18	19	75	3.91	0.06	0.37	1156	<2	0.01	26	642	22	<5	5	<10	48	0.05	50	31	6	116	4
60E 26+00N	0.2	1.94	6	64	0.7	<5	0.52	<1	18	9	35	3.32	0.07	0.12	1374	<2	0.02	16	1289	19	<5	3	<10	64	0.10	35	<10	5	127	7
60E 26+50N	<0.2	1.65	16	119	0.8	<5	0.58	<1	19	15	78	4.56	0.05	0.28	532	<2	0.01	32	588	23	<5	3	<10	61	0.04	49	<10	4	131	3
60E 27+00N	0.3	2.66	14	122	1.0	<5	0.73	<1	28	18	53	4.72	0.04	0.38	875	<2	0.02	32	498	16	<5	6	<10	61	0.09	66	<10	8	112	7
60E 27+50N	<0.2	2.84	16	81	0.9	<5	0.53	<1	26	17	63	4.40	0.04	0.22	669	<2	0.02	37	562	26	<5	6	<10	58	0.11	47	<10	10	106	10
60E 28+00N	0.7	2.12	19	111	1.0	<5	0.66	<1	31	12	81	5.15	0.05	0.18	1699	<2	0.02	31	726	31	<5	4	<10	84	0.06	40	<10	11	136	6
60E 28+50N	<0.2	2.39	8	119	1.0	<5	0.41	<1	22	28	49	4.88	0.04	0.41	1081	<2	0.02	23	1022	18	<5	4	<10	39	0.08	83	<10	5	162	4
60E 29+00N	<0.2	0.71	7	66	<0.5	<5	0.39	<1	6	14	31	2.50	0.07	0.23	283	<2	0.01	12	551	11	<5	2	<10	36	0.04	49	<10	2	65	1
60E 29+50N	<0.2	1.02	6	69	<0.5	<5	0.18	<1	10	15	45	2.84	0.04	0.24	350	<2	0.01	17	369	12	<5	2	<10	14	0.03	49	<10	2	65	2
60E 30+00N	<0.2	1.78	10	108	0.6	<5	0.20	<1	14	26	45	3.58	0.06	0.40	590	<2	0.01	23	1144	21	<5	3	<10	6	0.05	66	<10	3	108	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
60E 30+50N	0.4	1.01	<5	89	<0.5	<5	0.24	<1	7	17	22	2.61	0.04	0.25	189	<2	0.01	12	384	16	<5	2	<10	16	0.05	61	<10	2	52	2
60E 31+00N	0.5	1.09	17	86	<0.5	<5	0.14	<1	12	16	92	4.26	0.03	0.16	304	<2	<0.01	22	1083	15	<5	3	<10	5	0.06	48	<10	2	144	2
60E 31+50N	0.2	1.05	<5	49	<0.5	<5	0.22	<1	10	14	27	2.62	0.02	0.23	290	<2	0.01	11	348	9	<5	2	<10	18	0.03	57	<10	3	55	2
60E 32+00N	<0.2	1.47	8	92	0.5	<5	0.23	<1	9	31	45	3.75	0.06	0.59	317	<2	0.01	22	514	17	<5	4	<10	6	0.07	79	<10	3	86	3
60E 32+50N	<0.2	2.08	7	113	0.8	<5	0.37	<1	15	38	71	4.24	0.06	0.70	704	<2	0.01	31	455	25	<5	6	<10	27	0.06	84	<10	9	127	3
60E 33+00N	0.5	1.56	6	66	0.6	<5	0.61	<1	16	33	67	3.86	0.06	0.89	1055	<2	0.01	32	426	28	<5	6	<10	52	0.07	68	<10	10	125	5
60E 33+50N	<0.2	1.71	7	89	0.6	<5	0.62	<1	16	46	84	4.10	0.13	1.15	614	2	0.02	34	705	46	<5	6	<10	31	0.10	99	<10	7	102	4
60E 34+00N	0.4	2.56	8	156	0.8	<5	0.79	<1	18	49	101	4.55	0.07	1.00	559	2	0.02	41	337	36	<5	7	<10	69	0.08	98	<10	9	94	7
60E 34+50N	<0.2	2.69	6	150	0.7	<5	0.20	<1	17	32	63	5.31	0.04	0.60	382	<2	0.01	30	1362	25	<5	5	<10	7	0.12	99	<10	3	173	9
60E 35+00N	<0.2	2.43	7	100	0.6	<5	0.24	<1	13	33	51	4.29	0.05	0.54	306	<2	0.01	25	947	21	<5	4	<10	7	0.09	104	<10	3	98	9
60E 35+50N	<0.2	1.73	6	159	0.6	<5	0.48	<1	9	38	72	3.55	0.06	0.71	286	2	0.01	31	311	24	<5	4	<10	33	0.07	84	<10	6	88	3
60E 36+00N	<0.2	1.79	8	98	0.5	<5	0.31	<1	10	41	70	4.11	0.09	0.90	376	3	0.01	29	504	26	<5	4	<10	8	0.09	91	<10	4	112	3
60E 36+50N	0.3	1.59	6	101	0.6	<5	0.24	<1	15	37	65	3.71	0.08	0.67	372	3	0.01	28	661	38	<5	4	<10	12	0.06	76	<10	4	86	4
60E 37+00N	<0.2	1.31	<5	144	<0.5	<5	0.12	<1	11	21	38	3.77	0.05	0.31	482	<2	0.01	19	705	20	<5	2	<10	7	0.07	65	<10	2	102	3
60E 37+50N	<0.2	1.89	13	102	0.6	<5	0.15	<1	15	38	94	4.43	0.04	0.69	487	2	0.01	40	789	20	<5	4	<10	1	0.04	84	<10	3	110	4
60E 38+00N	0.3	2.02	20	170	0.7	<5	0.97	<1	22	45	304	5.14	0.07	1.00	1403	<2	0.01	58	624	27	<5	8	<10	88	0.03	77	<10	19	138	6
60E 38+50N	<0.2	1.84	6	92	0.6	<5	0.17	<1	9	40	52	3.63	0.05	0.72	309	<2	0.01	25	729	19	<5	4	<10	3	0.06	82	<10	5	86	4
60E 39+00N	0.3	2.04	5	116	0.6	<5	0.22	<1	10	39	35	3.83	0.05	0.61	266	<2	0.01	26	719	18	<5	4	<10	6	0.07	83	<10	3	102	4
60E 39+50N	<0.2	1.49	9	126	0.6	<5	0.62	<1	15	48	110	4.06	0.15	1.02	696	3	0.01	39	877	23	<5	6	<10	20	0.06	86	<10	11	102	3
60E 40+00N	0.3	1.74	8	143	0.8	<5	1.02	<1	17	46	113	4.26	0.08	0.89	1033	<2	0.01	38	752	29	<5	7	<10	79	0.04	79	<10	12	104	5
60E 40+50N	0.3	1.48	8	107	0.6	<5	0.78	<1	14	40	95	3.78	0.08	0.79	794	<2	0.01	34	730	24	<5	6	<10	51	0.04	73	<10	10	84	4
60E 41+00N	0.2	1.98	7	138	1.1	<5	0.78	<1	15	52	112	4.48	0.09	0.99	1049	4	0.01	42	672	29	5	8	<10	39	0.05	90	<10	13	110	6
60E 41+50N	<0.2	1.98	<5	106	0.7	<5	0.77	<1	12	55	71	3.16	0.13	1.15	397	3	0.02	37	874	26	<5	7	<10	28	0.05	79	<10	10	138	4
60E 42+00N	<0.2	1.66	<5	121	0.6	<5	0.40	<1	9	35	66	3.31	0.08	0.59	379	<2	0.01	28	515	22	<5	5	<10	16	0.05	73	<10	12	100	2
60E 42+50N	<0.2	2.44	7	91	0.6	<5	0.21	<1	13	43	51	4.30	0.07	0.82	333	<2	0.01	30	1008	17	<5	4	<10	3	0.07	90	<10	3	105	4
60E 43+00N	0.3	2.02	9	142	0.6	<5	0.34	<1	11	46	51	3.83	0.06	0.89	641	<2	0.01	31	568	19	<5	4	<10	14	0.05	84	<10	4	118	2
60E 43+50N	<0.2	2.27	8	97	0.6	<5	0.24	<1	11	40	40	4.28	0.06	0.75	424	<2	0.01	28	1053	23	<5	4	<10	6	0.06	90	<10	3	133	5
60E 44+00N	0.4	2.70	<5	93	0.8	<5	0.20	<1	13	37	35	4.05	0.06	0.53	418	<2	0.01	32	1472	19	<5	3	<10	7	0.08	79	<10	3	137	7
60E 44+50N	<0.2	1.07	7	88	<0.5	<5	0.09	<1	21	18	46	3.78	0.03	0.30	958	<2	0.01	23	612	17	<5	3	<10	6	0.04	56	<10	3	110	2
60E 45+00N	0.3	1.68	10	219	1.0	<5	0.23	<1	28	22	67	5.01	0.05	0.38	1646	<2	0.01	37	693	23	<5	5	<10	17	0.05	60	<10	6	150	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assay, Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
60E 45+50N	0.4	2.10	8	204	0.8	<5	0.38	<1	26	25	70	4.81	0.07	0.44	1573	<2	0.01	47	812	21	<5	4	<10	27	0.08	61	<10	6	196	6
60E 46+00N	0.6	3.64	12	130	1.0	<5	0.57	<1	21	21	57	3.86	0.06	0.34	1756	<2	0.02	35	767	23	<5	3	<10	30	0.12	50	<10	8	186	18
60E 46+50N	<0.2	1.39	10	246	1.1	<5	0.58	<1	26	16	51	5.40	0.04	0.18	1225	<2	<0.01	47	677	20	<5	4	<10	29	0.04	45	<10	8	136	4
60E 47+00N	0.7	2.03	31	177	1.2	<5	0.19	<1	42	38	373	9.51	0.05	0.71	938	3	<0.01	118	860	52	7	6	<10	<1	0.02	79	<10	13	284	8
60E 47+50N	0.5	2.18	35	306	0.8	<5	0.50	<1	30	34	310	6.42	0.07	0.84	1551	<2	0.01	64	660	40	6	9	<10	36	0.02	72	<10	22	153	6
60E 48+00N	0.5	1.26	14	206	<0.5	<5	0.20	<1	19	12	67	3.94	0.04	0.15	1631	2	0.01	20	585	23	<5	3	<10	26	0.04	53	<10	3	121	2
60E 48+50N	1.1	1.97	13	175	0.7	<5	0.12	<1	12	24	107	4.52	0.06	0.38	423	<2	0.01	31	799	23	<5	3	<10	4	0.04	83	<10	4	117	3
60E 49+00N	0.6	3.06	16	77	1.5	<5	0.12	<1	17	48	242	6.43	0.05	0.90	464	<2	0.01	54	1578	31	<5	5	<10	<1	0.15	137	<10	4	170	14
60E 49+50N	0.4	3.16	7	121	1.4	<5	0.17	<1	20	43	86	5.45	0.05	0.54	696	2	0.01	46	1102	27	<5	4	<10	2	0.18	115	<10	4	170	19
60E 50+00N	0.2	3.17	8	191	1.4	<5	0.27	<1	23	44	74	6.61	0.05	0.71	754	3	0.01	53	1443	23	<5	5	<10	7	0.09	132	<10	3	286	6
60E 50+50N	<0.2	1.27	<5	96	0.5	<5	0.15	<1	15	39	29	4.18	0.03	0.29	472	2	0.01	30	523	18	<5	2	<10	7	0.07	110	<10	2	168	3
60E 51+00N	<0.2	2.04	13	201	0.7	<5	0.28	<1	20	40	73	5.19	0.06	0.81	685	6	0.01	36	855	18	<5	6	<10	8	0.04	92	<10	5	137	3
60E 51+50N	<0.2	1.71	5	253	0.8	<5	0.27	<1	22	29	62	6.07	0.07	0.50	831	<2	0.01	25	703	20	<5	9	<10	3	0.02	97	<10	4	91	4
60E 52+00N	<0.2	2.05	<5	87	1.0	<5	0.39	<1	28	6	168	7.24	0.05	0.90	605	<2	<0.01	12	1136	18	<5	9	<10	1	<0.01	149	<10	6	93	4
60E 52+50N	<0.2	2.07	<5	263	0.9	<5	0.16	<1	15	24	52	5.53	0.04	0.37	270	<2	0.01	18	569	20	<5	5	<10	1	0.03	98	<10	2	82	3
60E 53+00N	<0.2	2.57	12	377	1.0	<5	0.36	<1	20	37	76	5.41	0.07	0.64	1038	<2	0.01	40	638	21	<5	10	<10	11	0.04	77	<10	12	113	5
60E 53+50N	0.2	2.27	<5	555	0.9	<5	0.60	<1	29	33	90	5.76	0.06	0.61	884	<2	0.01	40	473	16	<5	14	<10	21	0.02	80	<10	6	126	5
60E 54+00N	1.4	2.56	9	185	0.7	<5	1.54	<1	10	35	59	3.50	0.05	0.62	995	2	0.02	28	1065	14	<5	3	<10	47	0.04	63	<10	13	118	5
60E 54+50N	0.3	2.60	10	111	0.7	<5	0.25	<1	9	39	20	4.51	0.04	0.68	363	<2	0.01	22	857	20	<5	3	<10	7	0.07	102	<10	2	144	4
60E 55+00N	<0.2	2.77	16	108	0.6	<5	0.23	<1	13	47	46	4.69	0.04	1.03	455	<2	0.01	32	751	20	6	4	<10	7	0.08	108	<10	4	129	4
60E 55+50N	<0.2	2.13	102	126	1.1	<5	0.16	<1	13	90	52	5.09	0.03	0.55	297	<2	0.01	109	422	25	10	10	<10	7	0.02	112	<10	9	95	3
60E 56+00N	<0.2	2.39	7	147	<0.5	<5	0.22	<1	7	40	27	4.19	0.04	0.58	231	<2	0.01	25	421	19	<5	4	<10	9	0.10	101	<10	3	162	6
60E 56+50N	<0.2	2.75	18	124	0.6	<5	0.34	<1	19	46	74	5.11	0.06	1.18	584	<2	0.01	37	805	26	<5	5	<10	13	0.07	110	<10	5	122	6
60E 57+00N	<0.2	2.37	9	104	0.6	<5	0.28	<1	10	30	18	4.38	0.04	0.52	384	<2	0.01	18	1054	23	<5	3	<10	12	0.07	94	<10	3	156	5
60E 57+50N	<0.2	1.93	12	84	<0.5	<5	0.18	<1	8	26	19	3.60	0.05	0.35	356	<2	0.01	17	614	16	<5	2	<10	5	0.06	85	<10	2	111	4
60E 58+00N	0.7	2.33	20	86	0.5	<5	0.10	<1	7	27	25	4.49	0.03	0.39	241	2	0.01	15	938	17	<5	3	<10	<1	0.08	105	<10	2	116	8
60E 58+50N	<0.2	0.69	<5	33	<0.5	<5	0.03	<1	3	9	10	1.86	0.01	0.06	139	<2	0.01	5	268	8	<5	<1	<10	<1	0.04	49	<10	<1	34	1
60E 59+00N	0.4	2.55	18	163	0.7	<5	0.28	<1	22	47	46	4.92	0.04	0.87	727	<2	0.01	31	475	24	<5	4	<10	10	0.06	107	<10	7	156	3
60E 59+50N	0.5	2.09	25	171	0.6	<5	0.14	<1	13	23	25	4.62	0.04	0.41	885	2	0.01	16	1123	31	<5	2	<10	8	0.05	79	<10	2	199	4
60E 60+00N	0.5	2.05	26	161	<0.5	<5	0.08	<1	12	22	41	5.01	0.05	0.65	374	<2	0.01	20	1119	19	5	2	<10	<1	0.03	83	<10	2	159	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assay, Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
60E 60+50N	<0.2	4.04	14	60	<0.5	<5	0.25	<1	25	36	39	6.74	0.04	0.81	684	<2	0.02	19	1754	10	<5	5	<10	3	0.15	155	13	7	115	14
60E 61+00N	<0.2	3.31	12	57	<0.5	<5	0.10	<1	12	21	17	4.54	0.03	0.40	246	6	0.01	12	1021	5	<5	3	<10	<1	0.11	110	<10	3	124	12
60E 61+50N	<0.2	2.08	6	71	<0.5	<5	0.20	<1	13	41	16	4.08	0.03	0.68	272	<2	0.01	23	443	8	<5	3	<10	7	0.11	108	<10	3	96	4
60E 62+00N	<0.2	2.05	12	99	<0.5	5	0.39	<1	19	40	34	3.91	0.05	0.89	610	<2	0.01	30	515	6	<5	3	<10	16	0.09	100	<10	3	195	3
60E 62+50N	<0.2	3.01	9	118	<0.5	<5	1.15	<1	23	64	79	4.84	0.06	1.11	883	<2	0.02	44	428	6	<5	7	<10	46	0.08	117	<10	12	124	7
60E 63+00N	<0.2	1.96	<5	69	<0.5	<5	0.38	<1	13	36	30	3.76	0.05	0.42	267	<2	0.01	26	347	8	<5	3	<10	15	0.08	106	<10	2	91	3
60E 63+50N	<0.2	3.57	5	132	<0.5	<5	0.38	<1	26	48	52	4.60	0.06	1.18	417	<2	0.01	57	1097	<2	<5	5	<10	9	0.11	104	<10	6	132	10
60E 64+00N	<0.2	1.95	<5	89	<0.5	<5	0.25	<1	18	26	11	4.19	0.05	0.45	432	<2	0.01	16	1562	8	<5	2	<10	5	0.12	105	<10	2	136	5
60E 64+50N	<0.2	3.70	5	119	<0.5	<5	0.27	<1	22	54	37	5.28	0.08	0.96	437	<2	0.01	36	1453	6	<5	5	<10	2	0.12	134	<10	5	144	10
60E 65+00N	<0.2	3.10	6	70	<0.5	<5	0.33	<1	18	37	25	4.90	0.05	0.56	539	<2	0.01	25	1548	10	<5	3	<10	3	0.12	120	<10	4	140	7
60E 65+50N	<0.2	3.13	7	118	<0.5	<5	0.33	<1	22	48	37	4.80	0.08	0.85	383	<2	0.01	35	1109	3	<5	5	<10	7	0.10	112	<10	6	172	8
60E 66+00N	<0.2	3.07	12	141	<0.5	<5	0.27	<1	19	47	44	6.19	0.09	0.90	452	<2	0.01	36	1193	8	<5	4	<10	3	0.10	141	12	3	189	5
60E 66+50N	<0.2	2.48	11	115	<0.5	<5	0.66	<1	25	61	51	4.66	0.08	1.29	760	<2	0.02	39	472	6	<5	9	<10	28	0.13	118	<10	11	98	8
60E 67+00N	<0.2	1.93	<5	94	<0.5	<5	0.36	<1	10	34	19	3.63	0.05	0.57	224	<2	0.01	19	644	6	<5	3	<10	15	0.10	96	<10	3	101	4
60E 67+50N	<0.2	1.78	<5	88	<0.5	<5	0.45	<1	10	29	12	3.46	0.05	0.48	233	<2	0.01	16	921	10	<5	3	<10	17	0.10	98	<10	2	84	4
60E 68+00N	<0.2	1.81	<5	76	<0.5	<5	0.31	<1	10	31	12	4.21	0.05	0.49	224	<2	0.01	16	1162	8	<5	2	<10	4	0.10	108	<10	2	82	3
60E 68+50N	0.4	2.70	8	100	<0.5	<5	0.83	<1	17	40	54	3.86	0.05	0.52	671	<2	0.02	32	523	9	<5	6	<10	25	0.09	104	<10	22	103	4
60E 69+00N	<0.2	2.81	5	94	<0.5	<5	0.18	<1	14	39	32	4.04	0.05	0.60	245	<2	0.01	26	935	6	<5	4	<10	<1	0.10	103	<10	3	96	7
60E 69+50N	<0.2	1.37	<5	31	<0.5	<5	0.06	<1	4	18	6	2.35	0.02	0.17	100	<2	0.01	7	548	10	<5	1	<10	<1	0.09	70	<10	<1	32	2
64E 25+50N	<0.2	1.27	19	205	0.6	<5	0.91	<1	31	13	92	3.55	0.10	0.19	5300	<2	0.01	28	888	16	<5	2	<10	107	0.04	42	<10	9	130	2
64E 26+00N	<0.2	1.57	23	135	0.6	5	0.43	<1	33	11	132	3.74	0.05	0.18	2934	<2	0.01	28	832	20	<5	3	<10	68	0.05	38	<10	10	134	2
64E 26+50N	<0.2	0.70	10	55	<0.5	<5	0.12	<1	9	8	16	2.87	0.10	0.10	212	<2	0.01	11	499	10	<5	1	<10	15	0.04	41	<10	1	72	1
64E 27+00N	<0.2	1.12	15	89	<0.5	<5	0.26	<1	13	18	24	3.32	0.08	0.35	395	<2	0.01	22	379	8	<5	2	<10	19	0.05	64	<10	1	97	2
64E 27+50N	0.3	1.67	10	84	<0.5	<5	0.23	<1	14	26	74	3.59	0.04	0.67	270	2	0.01	22	318	9	<5	4	<10	13	0.03	77	<10	3	70	3
64E 28+00N	<0.2	2.48	13	126	0.7	<5	0.24	<1	12	33	66	4.35	0.09	0.68	329	<2	0.01	35	852	18	<5	5	<10	11	0.05	79	<10	4	143	4
64E 28+50N	<0.2	2.44	8	150	0.7	<5	0.18	<1	12	35	59	4.34	0.08	0.80	429	<2	<0.01	33	737	24	6	4	<10	5	0.06	76	27	3	119	4
64E 29+00N	0.6	2.46	<5	97	0.8	<5	0.61	<1	14	27	55	3.48	0.05	0.64	1849	<2	0.02	34	487	19	<5	6	<10	83	0.06	49	<10	9	99	7
64E 29+50N	<0.2	2.26	13	162	0.6	<5	0.16	<1	17	28	79	4.39	0.05	0.56	426	<2	0.01	43	668	16	<5	4	<10	7	0.04	67	<10	3	151	5
64E 30+00N	<0.2	1.06	21	105	<0.5	<5	0.28	<1	17	9	30	4.64	0.05	0.12	426	<2	<0.01	21	660	15	<5	3	<10	25	0.02	40	<10	2	122	3
64E 30+50N	1.0	0.97	13	105	<0.5	<5	0.14	<1	8	11	26	3.69	0.04	0.11	189	3	<0.01	23	1478	13	<5	2	<10	9	0.03	36	<10	1	112	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assaya Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64E 31+00N	0.5	1.01	8	116	<0.5	<5	0.06	<1	10	12	59	4.22	0.04	0.12	676	<2	<0.01	28	1166	14	<5	2	<10	<1	0.01	31	<10	3	120	2
64E 31+50N	0.5	0.88	23	85	<0.5	<5	0.33	<1	25	11	158	5.47	0.04	0.14	1114	<2	<0.01	39	1280	18	<5	3	<10	10	<0.01	35	<10	4	137	3
64E 32+00N	0.4	0.78	6	38	<0.5	<5	0.07	<1	5	17	20	2.79	0.02	0.17	231	<2	<0.01	11	493	14	<5	<1	<10	3	0.04	53	<10	<1	48	1
64E 32+50N	0.5	1.82	7	128	0.7	<5	0.53	<1	15	32	60	3.89	0.06	0.61	1082	<2	0.01	29	749	23	<5	3	<10	60	0.03	69	<10	6	123	3
64E 33+00N	0.2	0.81	<5	84	<0.5	<5	0.16	<1	9	16	20	2.43	0.04	0.23	374	<2	<0.01	12	374	17	<5	2	<10	10	0.04	54	<10	1	60	1
64E 33+50N	<0.2	1.54	<5	93	<0.5	<5	0.15	<1	8	22	32	3.48	0.03	0.36	211	<2	0.01	17	448	16	<5	2	<10	6	0.05	67	<10	2	76	2
64E 34+00N	<0.2	1.07	<5	90	<0.5	<5	0.31	<1	7	15	18	2.71	0.03	0.22	197	<2	<0.01	12	234	12	<5	2	<10	16	0.05	59	<10	1	39	2
64E 34+50N	<0.2	0.90	<5	60	<0.5	<5	0.12	<1	5	14	24	2.88	0.03	0.20	158	<2	<0.01	11	297	17	<5	1	<10	4	0.04	64	<10	1	48	1
64E 35+00N	0.3	1.73	10	94	<0.5	<5	0.17	<1	8	32	65	5.00	0.04	0.44	258	3	<0.01	26	420	24	<5	3	<10	5	0.06	102	<10	2	119	3
64E 35+50N	0.9	3.54	7	131	1.3	<5	0.58	<1	21	34	103	4.67	0.07	0.53	1483	2	0.01	37	850	23	<5	8	<10	51	0.08	70	<10	22	148	14
64E 36+00N	<0.2	1.10	12	97	<0.5	<5	0.11	<1	12	15	59	4.12	0.03	0.21	369	2	0.01	23	488	19	7	2	<10	4	0.03	54	<10	2	107	2
64E 36+50N	0.5	1.80	<5	123	1.1	<5	0.71	<1	22	23	95	5.03	0.04	0.29	991	3	0.01	43	459	22	5	5	<10	52	0.03	54	<10	8	129	5
64E 37+00N	1.3	1.77	42	181	0.7	<5	0.20	<1	32	24	374	6.72	0.04	0.36	2055	2	<0.01	65	1532	36	5	6	<10	1	0.02	48	<10	8	216	6
64E 37+50N	0.2	1.38	6	130	<0.5	<5	0.30	<1	9	29	28	3.73	0.04	0.54	296	<2	0.01	21	511	25	<5	2	<10	21	0.06	78	<10	2	137	2
64E 38+00N	0.5	1.42	14	138	0.8	<5	0.33	<1	15	26	91	4.18	0.04	0.34	871	4	<0.01	39	575	24	<5	5	<10	33	0.02	50	<10	15	115	4
64E 38+50N	0.2	1.45	<5	109	<0.5	<5	0.27	<1	9	28	47	3.42	0.06	0.52	353	<2	<0.01	20	512	21	<5	3	<10	14	0.04	71	<10	2	104	2
64E 39+00N	<0.2	0.82	<5	78	<0.5	<5	0.20	<1	8	14	35	3.04	0.03	0.24	288	<2	0.01	15	749	8	<5	2	<10	12	0.05	53	<10	1	78	1
64E 39+50N	<0.2	1.04	<5	59	<0.5	<5	0.16	<1	12	18	43	3.27	0.04	0.32	635	<2	<0.01	13	835	17	<5	2	<10	6	0.06	70	<10	2	90	2
64E 40+00N	<0.2	1.38	7	69	0.5	<5	0.37	<1	12	41	88	4.02	0.11	0.90	488	4	0.01	29	777	40	<5	5	<10	10	0.06	84	<10	4	102	3
64E 40+50N	<0.2	1.36	6	100	0.6	<5	0.49	<1	15	46	87	3.95	0.14	0.98	727	2	0.01	37	926	31	<5	6	<10	14	0.06	81	<10	8	102	3
64E 41+00N	0.4	1.53	<5	132	0.7	<5	1.14	<1	14	46	146	4.27	0.15	1.01	732	3	0.01	41	910	40	<5	8	<10	81	0.05	84	<10	10	115	4
64E 41+50N	0.5	1.37	<5	126	0.6	<5	0.70	<1	15	41	97	3.92	0.14	0.94	1273	3	0.01	36	902	38	<5	7	<10	34	0.06	84	<10	8	91	4
64E 42+00N	0.4	1.60	6	138	0.7	<5	0.94	<1	14	46	111	3.98	0.12	0.95	733	2	0.02	36	723	31	<5	6	<10	67	0.05	87	<10	10	100	4
64E 42+50N	<0.2	1.93	<5	74	0.6	<5	0.29	<1	9	35	32	3.60	0.07	0.73	259	<2	0.01	23	1082	17	<5	4	<10	3	0.10	93	<10	3	119	5
64E 43+00N	0.5	0.72	<5	62	<0.5	<5	0.16	<1	4	13	15	1.36	0.04	0.21	115	<2	0.01	8	314	12	<5	1	<10	6	0.05	34	<10	2	31	<1
64E 43+50N	<0.2	2.55	<5	191	1.0	<5	0.63	<1	9	54	80	4.18	0.08	0.95	882	5	0.01	39	533	24	<5	5	<10	38	0.06	89	<10	8	106	4
64E 44+00N	<0.2	1.99	6	84	0.6	<5	0.44	<1	14	47	59	4.24	0.07	1.07	438	<2	0.01	33	1077	26	<5	5	<10	12	0.08	96	<10	5	102	3
64E 44+50N	0.3	1.60	<5	116	0.7	<5	1.02	<1	17	42	79	3.94	0.13	1.06	1128	4	0.02	40	754	21	<5	6	<10	32	0.06	86	<10	13	92	4
64E 45+00N	0.2	2.22	<5	130	0.7	<5	0.36	<1	13	47	83	3.72	0.08	0.69	1048	<2	0.01	37	649	21	<5	6	<10	17	0.06	83	<10	12	122	3
64E 45+50N	<0.2	2.47	<5	107	0.7	<5	0.30	<1	9	38	23	3.84	0.09	0.61	280	<2	0.01	24	1437	19	<5	3	<10	8	0.08	79	<10	3	134	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assaye. Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423


Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS**Aqua Regia Digestion**

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64E 46+00N	0.4	2.36	12	116	0.7	<5	0.46	<1	12	39	48	4.61	0.06	0.66	238	3	0.01	29	507	29	<5	4	<10	18	0.11	111	<10	4	122	6
64E 46+50N	0.3	2.96	<5	123	0.9	<5	0.55	<1	23	48	34	4.49	0.13	0.76	701	<2	0.02	36	2145	22	<5	4	<10	19	0.12	89	<10	3	264	9
64E 47+00N	<0.2	1.57	<5	80	<0.5	<5	0.37	<1	8	38	54	3.78	0.06	0.83	287	<2	0.01	26	600	22	<5	3	<10	9	0.09	91	<10	3	81	3
64E 47+50N	<0.2	2.07	<5	139	0.6	<5	0.28	<1	13	43	37	4.43	0.06	0.78	287	<2	0.01	32	1156	21	<5	4	<10	5	0.09	95	<10	2	154	4
64E 48+00N	<0.2	1.70	5	109	0.7	<5	0.19	<1	15	17	23	4.21	0.05	0.28	226	<2	0.01	14	731	22	<5	3	<10	4	0.10	84	<10	2	127	5
64E 48+50N	<0.2	1.66	<5	154	0.6	<5	0.34	<1	11	27	27	3.99	0.05	0.45	333	<2	0.01	24	957	18	<5	2	<10	14	0.07	74	<10	2	89	3
64E 49+00N	<0.2	0.90	<5	168	<0.5	<5	0.32	<1	13	16	23	4.47	0.06	0.15	368	<2	<0.01	16	665	24	<5	4	<10	6	0.04	67	<10	2	87	2
64E 49+50N	<0.2	0.82	<5	202	0.5	<5	0.14	<1	19	15	35	4.58	0.04	0.07	668	<2	<0.01	19	1464	18	<5	5	<10	3	0.04	48	<10	2	88	3
64E 50+00N	0.7	1.78	<5	391	0.7	<5	0.60	<1	19	26	27	4.04	0.04	0.36	2508	<2	0.01	31	529	21	<5	6	<10	36	0.06	58	<10	5	134	3
64E 50+50N	<0.2	1.64	10	232	0.6	<5	0.14	<1	17	25	21	4.17	0.05	0.30	187	2	0.01	26	430	18	<5	3	<10	7	0.05	77	<10	2	130	4
64E 51+00N	<0.2	1.35	23	331	0.5	<5	0.17	<1	15	22	36	4.71	0.07	0.26	326	<2	0.01	27	1187	16	<5	4	<10	4	0.05	66	<10	1	151	2
64E 51+50N	0.3	1.79	<5	145	<0.5	<5	0.14	<1	8	15	15	3.37	0.05	0.07	159	<2	0.01	12	986	15	<5	2	<10	2	0.05	47	<10	1	96	4
64E 52+00N	0.2	0.80	6	115	<0.5	<5	0.09	<1	10	13	44	3.73	0.03	0.09	201	3	0.01	13	625	34	<5	2	<10	<1	0.06	71	<10	1	85	3
64E 52+50N	<0.2	2.48	27	128	0.8	<5	0.18	<1	19	61	39	5.68	0.05	0.69	330	4	0.01	40	795	26	<5	4	<10	<1	0.10	127	<10	2	215	7
64E 53+00N	<0.2	2.48	40	119	0.9	<5	0.27	<1	23	53	69	5.15	0.10	1.09	530	3	0.01	47	834	25	<5	5	<10	7	0.09	113	<10	4	123	5
64E 53+50N	<0.2	1.02	24	63	<0.5	<5	0.10	<1	7	19	22	3.04	0.03	0.23	281	<2	0.01	13	593	15	<5	2	<10	1	0.07	71	<10	1	56	3
64E 54+00N	<0.2	0.88	23	56	<0.5	<5	0.07	<1	8	15	22	4.58	0.03	0.13	234	4	<0.01	14	794	20	<5	3	<10	<1	0.07	93	<10	1	73	2
64E 54+50N	0.4	3.33	61	143	0.9	<5	0.21	<1	13	44	49	6.53	0.05	0.65	416	3	0.01	29	1633	22	6	5	<10	<1	0.12	136	<10	4	172	10
64E 55+00N	<0.2	3.97	150	166	1.1	<5	0.20	<1	24	51	124	6.95	0.05	0.80	381	6	0.01	61	983	23	<5	6	<10	<1	0.10	141	<10	5	165	9
64E 55+50N	0.3	3.55	52	66	0.8	<5	0.07	<1	8	37	66	6.56	0.03	0.39	259	6	0.01	16	3457	26	<5	4	<10	<1	0.14	147	<10	2	78	27
64E 56+00N	0.3	3.65	31	132	0.9	<5	0.14	<1	10	41	27	5.83	0.04	0.51	277	3	0.01	22	1388	20	<5	4	<10	<1	0.12	115	<10	3	250	12
64E 56+50N	0.6	1.62	47	178	0.8	<5	0.13	<1	19	182	94	5.90	0.05	0.95	1576	11	0.01	105	771	109	10	7	<10	<1	0.08	143	<10	4	707	4
64E 57+00N	0.7	2.38	33	88	0.9	<5	0.14	<1	21	23	21	6.51	0.04	0.19	514	2	0.01	15	2945	33	<5	3	<10	<1	0.18	108	<10	3	236	13
64E 57+50N	<0.2	3.98	30	142	0.8	<5	0.23	<1	14	51	54	5.84	0.05	0.92	437	3	0.01	40	1178	28	6	5	<10	3	0.09	126	<10	4	221	12
64E 58+00N	<0.2	3.66	33	171	0.8	<5	0.26	<1	17	57	79	5.91	0.07	1.03	417	2	0.01	50	470	25	<5	6	<10	6	0.11	133	<10	4	196	7
64E 58+50N	<0.2	4.04	30	56	0.8	<5	0.08	<1	7	34	28	5.30	0.04	0.34	278	3	0.01	15	1504	21	<5	3	<10	<1	0.17	114	<10	3	91	26
64E 59+00N	0.7	5.12	23	56	1.0	<5	0.09	<1	12	34	48	5.10	0.03	0.32	246	3	0.01	21	1694	16	<5	4	<10	<1	0.14	86	<10	3	161	30
64E 59+50N	0.2	3.52	23	128	0.8	<5	0.28	<1	14	49	34	5.03	0.04	0.74	368	2	0.01	31	836	20	<5	5	<10	8	0.12	117	<10	4	235	11
64E 60+00N	0.6	2.56	35	80	0.7	<5	0.71	<1	11	38	60	4.17	0.04	0.62	378	6	0.01	39	643	20	<5	4	<10	20	0.09	91	<10	10	241	4
64E 60+50N	0.4	3.25	60	145	0.8	<5	0.69	<1	17	55	72	5.13	0.06	0.89	481	7	0.01	67	445	16	<5	6	<10	25	0.10	105	<10	11	419	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.



Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assaye. Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64E 61+00N	<0.2	2.99	12	146	0.7	<5	0.26	<1	19	45	48	4.81	0.04	0.89	363	<2	0.01	43	844	17	<5	4	<10	8	0.09	111	<10	4	140	6
64E 61+50N	0.2	4.97	14	108	1.2	<5	0.15	<1	12	27	24	5.81	0.04	0.24	291	3	0.01	13	2760	24	<5	4	<10	23	0.19	107	<10	5	133	34
64E 62+00N	<0.2	3.73	11	122	0.9	<5	0.19	<1	20	41	33	6.32	0.05	0.65	596	2	0.01	26	1628	26	<5	6	<10	<1	0.14	138	<10	5	160	9
64E 62+50N	0.6	5.22	13	120	1.4	<5	0.23	<1	21	41	33	5.26	0.04	0.42	497	3	0.01	39	890	23	<5	5	<10	5	0.17	100	<10	6	204	22
64E 63+00N	<0.2	4.14	5	165	0.9	<5	0.27	<1	16	48	45	5.08	0.05	0.85	423	<2	0.01	39	990	20	<5	5	<10	9	0.13	113	<10	4	176	10
64E 63+50N	1.1	3.26	<5	118	0.8	<5	1.44	<1	13	35	49	3.68	0.04	0.50	534	<2	0.02	34	588	18	<5	4	<10	56	0.10	70	<10	13	127	5
64E 64+00N	<0.2	2.67	<5	142	0.7	<5	0.83	<1	14	47	52	4.45	0.06	0.88	650	<2	0.01	40	634	7	<5	5	<10	29	0.07	102	<10	10	139	4
64E 64+50N	0.6	3.23	6	166	0.8	<5	0.81	<1	14	43	64	4.49	0.07	0.49	381	<2	0.01	47	579	7	5	5	<10	27	0.11	93	<10	10	148	6
64E 65+00N	0.6	3.09	7	165	0.9	<5	1.05	<1	21	50	96	4.31	0.06	0.59	1366	<2	0.02	57	698	10	6	7	<10	37	0.10	89	<10	16	189	7
64E 65+50N	<0.2	2.27	<5	110	0.6	<5	0.42	<1	12	37	20	4.64	0.06	0.59	366	<2	0.01	25	1052	4	<5	3	<10	13	0.09	110	<10	3	165	4
64E 66+00N	<0.2	2.87	7	129	0.7	<5	0.29	<1	14	46	42	4.84	0.06	0.82	614	<2	0.01	34	719	5	<5	4	<10	6	0.11	124	<10	4	105	6
64E 66+50N	<0.2	3.37	6	135	0.8	<5	0.25	<1	18	51	46	5.03	0.06	0.85	422	<2	0.01	41	524	7	7	5	<10	5	0.13	124	<10	5	145	7
64E 67+00N	<0.2	2.98	<5	79	0.7	<5	0.15	<1	8	39	28	5.13	0.04	0.50	343	<2	0.01	20	1144	4	<5	4	<10	<1	0.15	134	<10	3	81	9
64E 67+50N	<0.2	5.01	<5	195	0.8	<5	0.15	<1	12	68	73	4.80	0.05	1.11	380	<2	0.01	52	544	4	6	7	<10	3	0.09	124	<10	4	102	17
64E 68+00N	0.6	4.32	<5	75	1.1	<5	0.96	<1	16	43	67	3.86	0.03	0.26	264	<2	0.02	27	539	3	5	7	<10	18	0.14	80	<10	33	78	18
64E 68+50N	<0.2	2.30	<5	113	0.6	<5	0.53	<1	8	30	29	3.80	0.03	0.47	241	<2	0.01	19	538	<2	6	2	<10	15	0.07	86	<10	6	93	2
64E 69+00N	<0.2	2.49	<5	99	0.7	<5	0.18	<1	6	31	29	4.28	0.04	0.48	237	<2	0.01	19	668	5	<5	3	<10	5	0.12	98	<10	4	88	5
68E 20+00N	<0.2	2.06	9	130	0.6	<5	0.24	<1	13	39	75	4.11	0.08	0.75	429	<2	0.01	45	702	21	<5	4	<10	8	0.06	77	<10	4	171	3
68E 20+50N	1.9	2.91	13	398	1.2	<5	0.69	<1	17	51	218	5.41	0.15	0.78	1727	3	0.02	73	602	25	5	15	<10	57	0.05	81	<10	28	186	10
68E 21+00N	<0.2	1.05	<5	99	<0.5	<5	0.27	<1	7	17	56	2.85	0.08	0.39	255	<2	0.01	18	905	6	<5	2	<10	15	0.05	53	<10	2	106	1
68E 21+50N	0.3	0.84	<5	103	<0.5	<5	8.86	<1	9	21	77	2.43	0.07	0.53	673	<2	0.01	29	687	5	<5	3	<10	226	0.02	37	<10	7	92	2
68E 22+00N	0.8	1.84	<5	136	<0.5	<5	5.74	<1	4	10	22	1.41	0.03	0.27	3091	<2	0.04	18	887	<2	<5	<1	<10	327	0.04	13	<10	7	16	3
68E 22+50N	0.3	1.35	8	148	<0.5	<5	0.52	<1	15	22	29	3.04	0.14	0.39	1532	<2	0.01	28	806	5	<5	3	<10	38	0.05	49	<10	3	147	2
68E 23+00N	<0.2	2.64	10	132	1.2	<5	0.32	<1	25	15	40	4.37	0.05	0.21	806	<2	0.02	41	1336	7	<5	4	<10	39	0.10	42	<10	7	201	8
68E 23+50N	<0.2	1.09	7	76	<0.5	<5	0.28	<1	13	9	19	2.93	0.04	0.12	561	<2	0.01	18	803	3	<5	2	<10	31	0.07	36	<10	3	135	2
68E 24+00N	<0.2	2.57	8	119	0.9	<5	0.34	<1	21	15	43	4.37	0.07	0.26	696	<2	0.02	47	643	9	<5	5	<10	32	0.09	44	<10	6	145	8
68E 24+50N	<0.2	1.72	13	178	0.6	<5	0.46	<1	19	27	88	4.65	0.09	0.63	863	<2	0.01	44	604	8	<5	6	<10	32	0.03	60	<10	4	136	3
68E 25+00N	<0.2	1.46	13	152	<0.5	<5	0.21	<1	13	19	28	3.60	0.07	0.26	536	<2	0.01	30	550	3	<5	3	<10	12	0.06	51	<10	2	132	2
68E 25+50N	<0.2	1.80	15	201	0.6	<5	0.24	<1	18	21	32	4.12	0.07	0.32	1105	<2	0.01	42	663	7	<5	4	<10	17	0.04	52	<10	3	186	3
68E 26+00N	<0.2	1.55	<5	103	<0.5	<5	0.39	<1	12	33	75	3.87	0.08	0.76	533	<2	0.01	33	1058	5	<5	4	<10	18	0.04	68	<10	4	106	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____



Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assaye Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
68E 26+50N	<0.2	1.88	11	142	0.5	<5	0.21	<1	12	30	58	3.56	0.06	0.68	323	<2	0.01	37	515	17	<5	3	<10	12	0.05	68	<10	3	97	3
68E 27+00N	0.6	3.16	26	235	0.9	<5	0.26	<1	16	28	44	4.06	0.07	0.51	296	<2	0.02	70	744	14	<5	5	<10	19	0.08	60	<10	6	159	11
68E 27+50N	<0.2	1.20	<5	94	<0.5	<5	0.25	<1	8	22	29	3.03	0.07	0.42	236	<2	0.01	18	462	13	<5	2	<10	12	0.05	67	<10	2	79	2
68E 28+00N	0.4	3.19	10	111	1.0	<5	0.33	<1	21	25	20	4.00	0.07	0.26	351	<2	0.02	25	1858	17	<5	2	<10	28	0.13	67	<10	3	160	8
68E 28+50N	0.4	1.58	34	94	0.6	<5	0.24	<1	26	18	234	6.49	0.05	0.32	697	<2	0.01	65	865	25	<5	8	<10	22	0.02	44	<10	9	204	4
68E 29+00N	<0.2	1.67	35	121	0.6	<5	0.41	<1	38	19	124	5.10	0.06	0.30	1332	<2	0.02	56	791	31	<5	4	<10	38	0.06	51	<10	7	256	3
68E 29+50N	1.2	4.28	17	192	1.2	<5	0.96	<1	27	22	115	5.02	0.07	0.49	3273	<2	0.02	47	1139	31	6	6	<10	128	0.10	52	<10	17	170	11
68E 30+00N	2.5	6.01	13	128	1.7	<5	1.09	<1	18	18	108	3.79	0.06	0.43	1401	<2	0.02	36	943	27	6	7	<10	114	0.16	44	<10	25	136	43
68E 30+50N	<0.2	4.41	9	138	1.3	<5	0.25	<1	23	26	89	4.42	0.05	0.39	1743	<2	0.02	30	968	28	<5	5	<10	26	0.14	66	<10	13	169	15
68E 31+00N	<0.2	1.65	8	150	0.5	<5	0.28	<1	10	27	47	3.99	0.06	0.45	864	<2	0.01	24	562	19	<5	2	<10	29	0.05	78	<10	3	107	2
68E 31+50N	<0.2	2.99	17	98	0.9	<5	0.40	<1	26	34	154	6.13	0.05	0.88	1409	<2	0.02	38	1379	33	<5	5	<10	23	0.11	110	<10	6	189	5
68E 32+00N	<0.2	1.62	8	92	<0.5	<5	0.15	<1	10	18	39	3.25	0.03	0.31	766	<2	0.01	15	622	13	<5	1	<10	9	0.05	75	<10	3	109	2
68E 32+50N	0.2	3.99	<5	132	1.2	<5	0.14	<1	15	32	63	5.06	0.06	0.51	432	2	0.02	33	1113	17	5	5	<10	5	0.10	82	<10	6	160	10
68E 33+00N	<0.2	2.01	10	104	<0.5	<5	0.22	<1	8	35	75	5.04	0.06	0.66	332	2	0.01	25	722	21	<5	2	<10	4	0.06	101	<10	3	111	3
68E 33+50N	<0.2	1.71	6	119	<0.5	<5	0.17	<1	13	33	56	4.73	0.03	0.29	598	4	0.01	27	649	22	<5	3	<10	8	0.05	91	<10	4	109	3
68E 34+00N	0.2	1.40	10	175	<0.5	<5	0.36	<1	13	19	57	4.74	0.04	0.25	439	<2	0.01	26	623	20	<5	2	<10	19	0.04	72	<10	2	111	2
68E 34+50N	<0.2	2.47	6	130	0.5	<5	0.23	<1	11	68	57	4.89	0.04	0.86	478	3	0.01	46	813	16	<5	2	<10	9	0.02	97	<10	2	121	3
68E 35+00N	0.4	2.83	<5	78	0.9	<5	0.21	<1	13	26	35	3.88	0.03	0.29	316	<2	0.02	17	795	18	<5	3	<10	10	0.14	74	<10	4	100	9
68E 35+50N	0.9	2.71	10	145	0.9	<5	0.35	<1	17	31	117	4.97	0.05	0.57	756	2	0.01	40	791	23	<5	3	<10	21	0.04	69	<10	8	142	4
68E 36+00N	0.9	0.94	<5	187	<0.5	<5	0.12	<1	11	15	53	3.96	0.05	0.10	315	<2	0.01	34	916	19	<5	2	<10	3	0.02	41	<10	3	128	2
68E 36+50N	0.5	1.88	7	149	0.6	<5	0.15	<1	11	44	68	4.73	0.04	0.62	265	4	0.01	60	780	19	5	3	<10	<1	0.03	59	<10	3	149	3
68E 37+00N	0.3	1.50	5	273	0.9	<5	0.32	<1	14	23	103	5.15	0.04	0.14	231	5	0.01	49	932	21	<5	3	<10	21	<0.01	43	<10	5	186	3
68E 37+50N	0.3	1.33	5	189	<0.5	<5	0.10	<1	9	21	54	4.45	0.04	0.19	265	4	0.01	26	900	19	<5	2	<10	2	0.03	59	<10	2	123	2
68E 38+00N	0.4	2.05	8	147	0.6	<5	0.25	<1	13	30	71	4.48	0.05	0.59	385	2	0.01	29	717	17	<5	3	<10	15	0.04	78	<10	4	116	3
68E 38+50N	0.5	2.07	<5	190	0.6	<5	0.18	<1	17	27	145	5.50	0.06	0.47	1083	6	0.01	37	1262	21	<5	5	<10	10	0.03	61	<10	4	153	3
68E 39+00N	<0.2	1.48	<5	107	0.6	<5	0.16	<1	12	20	52	4.42	0.04	0.24	355	<2	0.01	17	648	18	<5	3	<10	12	0.04	71	<10	3	92	3
68E 39+50N	<0.2	1.94	<5	118	0.7	<5	0.37	<1	14	46	77	3.97	0.10	0.96	584	<2	0.01	34	505	25	<5	5	<10	15	0.08	92	<10	5	95	2
68E 40+00N	<0.2	1.92	<5	117	0.9	<5	0.80	<1	19	61	132	4.40	0.15	1.22	842	2	0.02	48	829	34	<5	9	<10	43	0.08	105	<10	13	112	6
68E 40+50N	0.2	2.78	<5	136	0.9	<5	0.22	<1	17	44	60	4.13	0.07	0.67	447	2	0.01	33	560	27	<5	4	<10	6	0.09	88	<10	5	142	5
68E 41+00N	0.9	2.61	6	203	1.2	<5	0.99	<1	21	54	201	4.72	0.09	0.91	878	3	0.02	59	655	30	<5	9	<10	67	0.07	92	<10	23	178	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____



Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assaya Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
68E 41+50N	<0.2	3.05	<5	110	0.9	<5	0.28	<1	21	31	38	4.25	0.03	0.42	312	<2	0.02	28	649	17	<5	3	<10	7	0.11	83	<10	6	160	5
68E 42+00N	<0.2	1.98	<5	164	0.7	<5	0.80	<1	15	39	74	3.92	0.09	0.77	410	2	0.01	29	304	28	<5	5	<10	43	0.08	90	<10	6	88	3
68E 42+50N	<0.2	1.70	<5	212	0.8	<5	0.94	<1	13	39	108	4.10	0.09	0.73	533	<2	0.02	32	435	33	<5	6	<10	52	0.06	87	<10	9	91	3
68E 60+50N	<0.2	1.01	<5	31	<0.5	<5	0.16	<1	4	20	18	3.70	0.05	0.44	206	3	0.01	8	822	8	<5	2	<10	<1	0.13	107	<10	2	40	2
68E 61+00N	<0.2	4.92	6	228	1.1	<5	0.54	<1	17	64	67	8.67	0.16	2.12	700	4	0.02	37	1821	27	<5	11	<10	4	0.18	223	<10	4	220	15
68E 61+50N	<0.2	3.14	<5	159	0.7	<5	0.42	<1	11	38	51	6.10	0.13	1.73	496	4	0.01	25	749	15	<5	9	<10	2	0.12	148	<10	2	139	6
68E 62+00N	<0.2	2.93	5	90	0.6	<5	0.22	<1	9	38	20	4.42	0.03	0.63	270	<2	0.01	22	797	11	<5	4	<10	5	0.11	98	<10	3	110	6
68E 62+50N	<0.2	2.40	124	118	0.7	<5	0.22	<1	19	39	119	7.22	0.03	0.93	517	14	<0.01	38	871	38	8	5	<10	5	0.05	123	<10	4	283	4
68E 63+00N	<0.2	1.34	12	97	<0.5	<5	0.18	<1	9	20	18	5.55	0.03	0.18	508	4	0.01	10	1231	22	<5	2	<10	7	0.17	173	<10	1	91	4
68E 63+50N	<0.2	3.40	<5	72	0.7	<5	0.17	<1	9	27	15	4.55	0.03	0.29	258	<2	0.01	14	1454	13	<5	3	<10	3	0.15	97	<10	3	108	18
68E 64+00N	0.7	3.61	<5	80	0.6	<5	0.22	<1	4	32	20	2.79	0.03	0.31	173	<2	0.01	10	1392	12	<5	3	<10	8	0.11	64	<10	3	114	13
68E 64+50N	1.0	3.90	<5	174	1.0	<5	1.13	<1	9	52	103	3.92	0.05	0.68	333	<2	0.02	47	872	15	<5	8	<10	34	0.10	77	<10	17	125	11
68E 65+00N	<0.2	2.45	<5	123	<0.5	<5	0.34	<1	8	42	32	4.56	0.03	0.87	343	<2	0.01	26	285	13	<5	4	<10	10	0.11	108	<10	4	82	4
68E 65+50N	<0.2	2.15	<5	108	<0.5	<5	0.26	<1	7	44	26	4.40	0.03	0.74	269	<2	0.01	27	511	14	<5	3	<10	10	0.08	99	<10	3	101	3
68E 66+00N	<0.2	1.25	<5	68	<0.5	<5	0.11	<1	3	13	7	2.47	0.02	0.09	47	<2	0.01	3	225	9	<5	1	<10	6	0.11	72	<10	1	25	4
68E 66+50N	<0.2	2.35	<5	110	0.8	<5	0.72	<1	11	35	78	3.28	0.04	0.35	335	<2	0.02	26	433	14	<5	6	<10	23	0.10	70	<10	22	73	4
68E 67+00N	<0.2	1.30	<5	65	<0.5	<5	0.15	<1	6	24	9	4.61	0.03	0.27	169	<2	0.01	9	1244	16	<5	2	<10	2	0.16	121	<10	1	67	4
68E 67+50N	<0.2	2.65	<5	114	0.6	<5	0.31	<1	10	38	33	4.31	0.04	0.72	382	<2	0.01	26	558	14	<5	3	<10	11	0.09	94	<10	5	112	4
68E 68+00N	<0.2	3.01	6	128	0.8	<5	0.53	<1	17	39	66	4.69	0.05	0.67	432	2	0.01	35	633	14	<5	3	<10	15	0.07	93	<10	8	123	4
68E 68+50N	<0.2	1.67	6	135	<0.5	<5	0.30	<1	6	27	15	3.99	0.06	0.40	175	<2	0.01	13	475	15	<5	2	<10	18	0.11	92	<10	2	93	3
68E 69+00N	<0.2	1.16	<5	100	<0.5	<5	0.12	<1	5	19	10	3.32	0.03	0.22	188	<2	0.01	10	708	15	<5	2	<10	2	0.10	83	<10	1	56	2
68E 69+50N	<0.2	2.43	<5	98	0.5	<5	0.20	<1	7	39	27	4.77	0.04	0.59	286	<2	0.01	22	969	15	<5	3	<10	5	0.11	113	<10	2	84	4
68E 70+00N	<0.2	2.69	<5	119	0.5	<5	0.17	<1	5	40	40	4.64	0.03	0.63	266	<2	0.01	21	725	12	<5	3	<10	5	0.09	105	<10	3	76	4
68E 70+50N	<0.2	2.39	<5	79	0.6	<5	0.12	<1	6	26	20	3.96	0.02	0.32	159	<2	0.01	12	393	15	<5	3	<10	4	0.12	99	<10	2	63	7
68E 71+00N	1.0	1.82	<5	168	0.9	<5	0.90	<1	18	41	205	4.25	0.10	0.97	1374	4	0.02	62	712	44	<5	7	<10	49	0.06	76	<10	15	244	5
68E 71+50N	<0.2	1.94	<5	106	<0.5	<5	0.43	<1	5	31	20	4.11	0.03	0.47	190	<2	0.01	15	478	12	<5	3	<10	13	0.09	94	<10	3	72	3
68E 72+00N	<0.2	2.36	6	116	0.6	<5	0.26	<1	9	34	30	3.86	0.04	0.57	309	<2	0.01	23	511	13	<5	3	<10	8	0.09	87	<10	4	94	3
72E 30+00N	<0.2	2.44	6	207	0.7	<5	0.22	<1	13	29	95	4.29	0.07	0.62	372	<2	0.01	33	497	17	<5	4	<10	15	0.05	77	<10	4	136	4
72E 30+50N	0.3	2.09	<5	185	0.7	<5	0.29	<1	12	26	27	4.00	0.05	0.40	470	<2	0.01	22	503	19	<5	2	<10	23	0.07	84	<10	3	174	3
72E 31+00N	<0.2	2.35	6	130	0.7	<5	0.18	<1	13	36	69	4.10	0.07	0.68	479	2	0.01	31	581	20	<5	3	<10	3	0.05	83	<10	3	129	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assayer Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
72E 31+50N	<0.2	2.17	18	120	0.7	<5	0.26	<1	12	36	92	4.44	0.05	0.76	486	3	0.01	47	606	21	<5	3	<10	13	0.04	82	<10	4	243	3
72E 32+00N	1.2	4.86	9	95	1.4	<5	0.50	<1	38	26	106	4.45	0.05	0.44	1344	2	0.02	56	1041	19	6	3	<10	21	0.18	69	<10	9	277	18
72E 32+50N	<0.2	2.19	<5	206	0.6	<5	0.13	<1	8	31	33	4.15	0.03	0.39	443	<2	0.01	19	998	16	<5	2	<10	5	0.10	86	<10	2	119	4
72E 33+00N	1.7	3.41	32	119	0.9	<5	0.65	<1	11	21	38	5.02	0.03	0.38	591	<2	0.02	20	1267	18	<5	2	<10	31	0.13	70	<10	6	133	9
72E 33+50N	0.8	1.22	67	186	0.6	<5	0.15	<1	17	19	76	5.19	0.04	0.21	720	2	<0.01	28	1542	21	10	<1	<10	7	0.01	45	<10	2	116	3
72E 34+00N	1.1	2.24	8	157	0.6	<5	0.17	<1	12	37	58	4.89	0.05	0.51	1280	3	0.01	37	1857	20	5	3	<10	5	0.03	71	<10	5	145	5
72E 34+50N	1.0	1.27	16	146	0.6	<5	0.24	<1	10	22	69	4.45	0.06	0.31	499	4	0.01	30	1529	20	<5	2	<10	9	0.01	58	<10	3	174	3
72E 35+00N	1.0	1.12	9	130	0.6	<5	0.04	<1	14	17	82	5.31	0.03	0.09	403	6	<0.01	42	1235	20	<5	2	<10	<1	<0.01	35	<10	3	152	5
72E 35+50N	0.7	1.34	14	123	0.7	<5	0.11	<1	19	12	171	6.08	0.04	0.15	523	2	<0.01	31	1420	21	<5	4	<10	<1	0.02	41	<10	5	165	4
72E 36+00N	0.4	2.09	15	98	0.6	<5	0.17	<1	13	27	125	5.92	0.04	0.47	459	2	0.01	19	1119	22	<5	2	<10	6	0.03	90	<10	3	104	3
72E 36+50N	0.3	1.78	<5	85	0.6	<5	0.19	<1	10	28	56	5.11	0.03	0.53	588	2	0.01	15	807	26	<5	3	<10	5	0.05	123	<10	2	86	3
72E 37+00N	<0.2	2.28	8	91	0.8	<5	0.32	<1	10	41	111	4.65	0.11	1.57	429	2	0.02	29	994	15	<5	6	<10	4	0.10	115	<10	5	104	5
72E 37+50N	1.2	2.61	<5	133	0.8	<5	0.40	<1	14	30	40	4.84	0.04	0.39	260	4	0.02	20	359	28	<5	4	<10	29	0.06	117	<10	4	93	4
72E 38+00N	1.8	3.20	8	165	1.4	<5	0.72	<1	16	31	97	5.62	0.05	0.35	488	3	0.02	37	454	25	<5	9	<10	59	0.04	94	<10	23	126	12
72E 38+50N	1.4	1.03	14	206	1.8	<5	1.19	<1	39	29	635	8.33	0.07	0.17	4919	7	0.01	93	1269	35	7	31	<10	91	<0.01	98	<10	53	236	10
72E 39+00N	1.4	1.43	25	175	1.2	<5	0.86	<1	36	19	203	6.22	0.06	0.21	2512	7	0.01	88	1017	36	6	14	<10	65	0.02	39	<10	33	259	8
72E 39+50N	0.8	2.49	11	170	0.8	<5	0.32	<1	12	36	86	5.27	0.08	0.73	401	3	0.02	32	1040	21	<5	5	<10	8	0.08	107	<10	4	174	3
72E 40+00N	<0.2	2.06	<5	133	0.6	<5	0.43	<1	11	48	52	3.98	0.10	0.89	591	<2	0.02	32	817	24	<5	5	<10	19	0.11	103	<10	5	111	3
72E 40+50N	<0.2	3.05	6	291	1.1	<5	0.38	<1	15	53	72	4.94	0.10	0.87	431	2	0.02	43	1158	22	<5	6	<10	15	0.09	113	<10	5	185	6
72E 41+00N	<0.2	1.45	<5	209	<0.5	<5	0.14	<1	6	21	15	3.42	0.04	0.31	172	<2	0.01	12	621	18	<5	3	<10	9	0.07	79	<10	2	82	3
72E 41+50N	<0.2	2.31	<5	330	0.6	<5	0.16	<1	6	26	17	3.40	0.05	0.36	194	<2	0.01	14	1054	11	<5	3	<10	13	0.06	67	<10	3	104	5
72E 42+00N	<0.2	1.49	<5	135	0.5	<5	0.31	<1	6	34	40	3.77	0.13	0.72	251	<2	0.02	20	1014	22	<5	4	<10	10	0.11	98	<10	3	77	3
72E 42+50N	0.2	2.47	7	174	1.0	<5	0.41	<1	13	57	140	4.97	0.14	1.20	625	3	0.02	40	533	29	<5	7	<10	12	0.10	127	<10	5	121	3
72E 43+00N	<0.2	2.11	8	267	0.9	<5	0.37	<1	12	55	97	4.90	0.10	0.77	636	3	0.02	34	667	24	7	6	<10	16	0.08	107	<10	6	116	3
72E 43+50N	0.7	2.85	8	467	1.3	<5	1.12	<1	21	56	117	5.04	0.10	0.81	1061	<2	0.02	43	638	27	5	10	<10	45	0.10	85	<10	16	144	6
72E 44+00N	<0.2	1.97	14	247	1.1	<5	0.21	<1	23	23	97	6.23	0.06	0.35	515	<2	0.02	24	979	21	6	6	<10	<1	0.05	80	<10	4	122	3
72E 44+50N	<0.2	3.25	8	689	1.1	<5	0.34	<1	26	59	121	6.17	0.09	0.79	635	<2	0.02	60	876	35	5	8	<10	18	0.07	105	<10	4	139	5
72E 63+50N	<0.2	4.60	20	138	1.2	<5	0.90	<1	13	50	26	5.24	0.07	0.87	384	13	0.02	54	6241	16	<5	8	<10	7	0.10	135	<10	13	268	14
72E 64+00N	1.0	3.49	195	126	0.8	<5	0.45	<1	16	37	40	6.13	0.04	0.63	586	9	0.02	36	1391	21	8	4	<10	27	0.09	188	<10	6	244	6
72E 64+50N	<0.2	3.09	6	124	0.7	<5	0.31	<1	9	51	37	5.31	0.05	0.80	354	<2	0.02	29	859	18	<5	5	<10	9	0.13	132	<10	3	118	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Soil

Assayer Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 SJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
72E 65+00N	<0.2	3.69	6	80	0.8	<5	0.20	<1	9	47	34	4.96	0.04	0.66	332	2	0.01	27	1212	16	6	4	<10	5	0.14	114	<10	3	116	9
72E 65+50N	0.4	3.08	18	94	0.9	<5	0.26	<1	17	51	91	6.01	0.17	1.62	975	6	0.02	34	655	27	<5	9	<10	12	0.11	179	<10	5	433	6
72E 66+00N	0.2	4.46	7	91	1.0	<5	0.28	<1	11	56	43	5.27	0.06	0.64	348	2	0.02	33	1197	14	<5	5	<10	7	0.17	117	<10	4	109	13
72E 66+50N	<0.2	4.30	<5	130	0.9	<5	0.32	<1	11	63	48	5.33	0.06	0.84	360	<2	0.02	39	1094	17	5	6	<10	12	0.15	124	<10	4	149	11
72E 67+00N	0.4	2.98	5	105	1.0	<5	0.17	<1	16	43	40	4.51	0.05	0.51	337	<2	0.02	29	593	18	<5	4	<10	4	0.16	103	<10	7	132	5
72E 67+50N	<0.2	2.98	<5	85	0.7	<5	0.18	<1	8	38	34	4.42	0.04	0.42	216	<2	0.02	20	587	16	<5	4	<10	2	0.13	119	<10	3	89	6
72E 68+00N	0.3	2.56	<5	75	<0.5	<5	0.23	<1	6	33	20	4.56	0.03	0.52	221	<2	0.02	17	790	7	<5	2	<10	7	0.11	92	<10	2	68	9
72E 68+50N	<0.2	2.83	9	94	0.5	<5	0.13	<1	8	26	22	3.83	0.03	0.32	227	2	0.02	13	668	4	<5	3	<10	2	0.11	86	<10	3	48	8
72E 69+00N	0.2	3.03	<5	90	0.5	<5	0.22	<1	8	38	42	4.84	0.03	0.68	368	4	0.02	26	1010	3	<5	3	<10	7	0.08	98	<10	4	91	5
72E 69+50N	<0.2	2.41	<5	75	0.5	<5	0.15	<1	7	26	17	4.11	0.03	0.33	188	<2	0.02	13	676	3	<5	2	<10	3	0.12	88	<10	2	54	7
72E 70+00N	<0.2	2.56	8	76	0.6	<5	0.11	<1	6	26	15	4.90	0.02	0.23	148	<2	0.02	10	845	4	<5	2	<10	<1	0.15	115	<10	3	41	8
72E 70+50N	0.4	3.20	8	85	0.6	<5	0.18	<1	11	34	33	4.02	0.02	0.59	301	<2	0.02	24	851	<2	<5	3	<10	4	0.11	86	<10	3	84	8
72E 71+00N	<0.2	1.73	<5	68	<0.5	<5	0.14	<1	7	22	20	4.23	0.03	0.35	267	3	0.02	12	592	4	<5	1	<10	5	0.11	102	<10	2	53	3
72E 71+50N	<0.2	2.38	9	75	0.6	<5	0.14	<1	9	28	27	4.52	0.04	0.37	198	4	0.02	14	565	5	<5	3	<10	5	0.15	102	<10	4	56	7
72E 72+00N	<0.2	3.05	8	88	0.6	<5	0.18	<1	11	32	35	4.83	0.04	0.52	285	<2	0.02	25	782	2	<5	3	<10	8	0.14	102	<10	4	108	8
64E 44+00N dup	0.3	1.65	7	103	<0.5	<5	0.54	<1	9	38	55	3.51	0.08	0.88	328	2	0.02	27	754	9	<5	4	<10	18	0.06	78	<10	4	81	3
64E 44+50N dup	0.2	1.71	8	140	0.7	<5	0.95	<1	18	49	88	4.40	0.13	1.14	2473	13	0.02	44	1017	11	<5	7	<10	37	0.05	87	<10	12	89	5
64E 45+00N dup	<0.2	2.22	<5	93	0.6	<5	0.43	<1	14	47	55	4.37	0.09	1.00	342	2	0.02	33	1032	9	<5	4	<10	10	0.08	96	<10	4	93	3
64E 45+50N dup	<0.2	2.11	6	103	0.6	<5	0.47	<1	19	52	103	4.54	0.12	1.17	553	3	0.02	36	976	17	<5	5	<10	12	0.09	101	<10	5	104	4
64E 46+00N dup	1.1	2.78	12	219	1.0	<5	0.71	<1	17	58	147	4.91	0.10	0.98	687	4	0.02	55	345	21	<5	9	<10	34	0.10	103	<10	16	154	9
64E 46+50N dup	<0.2	2.35	11	96	0.6	<5	0.34	<1	18	37	68	3.81	0.07	0.88	342	<2	0.02	36	800	8	<5	3	<10	7	0.10	84	<10	3	123	7
64E 47+00N dup	<0.2	2.49	12	147	0.6	<5	0.33	<1	14	44	61	4.85	0.07	0.92	336	2	0.02	37	1329	10	<5	4	<10	9	0.07	96	<10	3	162	4
64E 47+50N dup	<0.2	2.33	<5	133	0.7	<5	0.32	<1	17	40	25	4.19	0.06	0.60	248	2	0.02	32	1358	7	<5	2	<10	7	0.11	85	<10	2	137	6
64E 48+00N dup	0.3	2.15	8	314	0.7	<5	0.40	<1	17	34	69	3.73	0.05	0.70	1425	2	0.02	31	363	13	<5	6	<10	15	0.07	69	<10	10	121	7
64E 48+50N dup	<0.2	1.91	6	206	0.6	<5	0.21	<1	13	35	62	4.18	0.06	0.82	285	<2	0.02	29	568	7	<5	4	<10	3	0.07	80	<10	3	70	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0815-SG1


Company: **Lithic Resources Ltd.**
Project:
Attn:

Sep-24-04

We *hereby certify* the following geochemical analysis of 24 soil samples submitted Aug-23-04

Sample Name	Au PPB
36E 54+00N	1
36E 54+50N	4
36E 55+00N	1
36E 55+50N	3
36E 56+00N	4
36E 56+50N	1
36E 57+00N	4
36E 57+50N	6
36E 58+00N	4
36E 58+50N	5
36E 59+00N	10
36E 59+50N	10
36E 60+00N	8
36E 60+50N	8
36E 61+00N	14
40E 48+00N	1
40E 48+50N	1
40E 49+00N	3
40E 49+50N	4
40E 50+00N	14
40E 50+50N	1
40E 51+00N	2
40E 51+50N	1
40E 52+00N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate


4V-0815-SG2

Company: **Lithic Resources Ltd.**
Project:
Attn:

Sep-24-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-23-04

Sample Name	Au PPB
40E 52+50N	5
40E 53+00N	13
40E 53+50N	8
40E 54+00N	7
40E 54+50N	7
40E 55+00N	18
40E 55+50N	16
40E 56+00N	30
40E 56+50N	7
40E 57+00N	6
40E 57+50N	4
40E 58+00N	2
40E 58+50N	13
40E 59+00N	8
40E 59+50N	5
40E 60+00N	7
40E 60+50N	5
40E 61+00N	5
40E 61+50N	6
40E 62+00N	1
40E 62+50N	3
40E 63+00N	3
40E 63+50N	1
40E 64+00N	1

Certified by 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0815-SG3

Company: **Lithic Resources Ltd.**

Sep-24-04

Project:

Attn:

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-23-04

Sample Name	Au PPB
40E 64+50N	1
40E 65+00N	1
44E 42+00N	38
44E 42+50N	6
44E 43+00N	5
44E 43+50N	4
44E 44+00N	1
44E 44+50N	3
44E 45+00N	1
44E 45+50N	96
44E 46+00N	6
44E 46+50N	4
44E 47+00N	2
44E 47+50N	4
44E 48+00N	13
44E 48+50N	25
44E 49+00N	2
44E 49+50N	6
44E 50+00N	21
44E 50+50N	7
44E 51+00N	3
44E 51+50N	32
44E 52+00N	19
44E 52+50N	6

Certified by _____



Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0815-SG4

Company: **Lithic Resources Ltd.**

Project:

Attn:

Sep-24-04

We hereby certify the following geochemical analysis of 24 soil samples
submitted Aug-23-04

Sample Name	Au PPB
44E 53+00N	13
44E 53+50N	5
44E 54+00N	8
44E 54+50N	12
44E 55+00N	12
44E 55+50N	46
44E 56+00N	12
44E 56+50N	10
44E 57+00N	8
44E 57+50N	18
44E 58+00N	1
44E 58+50N	4
44E 59+00N	4
44E 59+50N	4
44E 60+00N	11
44E 60+50N	4
44E 61+00N	1
44E 61+50N	2
44E 62+00N	1
44E 62+50N	3
44E 63+00N	1
44E 63+50N	8
44E 64+00N	3
44E 64+50N	3

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0815-SG5

Company: **Lithic Resources Ltd.**
Project:
Attn:

Sep-24-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Aug-23-04

Sample Name	Au PPB
44E 65+00N	1
52E 30+00N	45
52E 30+50N	43
52E 31+00N	40
52E 31+50N	66
52E 32+00N	37
52E 32+50N	64
52E 33+00N	135
52E 33+50N	201
52E 34+00N	150
52E 34+50N	6
52E 35+00N	82
52E 35+50N	45
52E 36+00N	52
52E 36+50N	9
52E 37+00N	7
52E 37+50N	7
52E 38+00N	6
52E 38+50N	1
52E 39+00N	2
52E 39+50N	11
52E 40+00N	4
52E 40+50N	4
52E 41+00N	5

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0815-SG6

Company: **Lithic Resources Ltd.**
Project:
Attn:

Sep-24-04

We hereby certify the following geochemical analysis of 17 soil samples submitted Aug-23-04

Sample Name	Au PPB
52E 41+50N	12
52E 42+00N	8
52E 42+50N	24
52E 43+00N	2
52E 43+50N	49
52E 44+00N	26
52E 44+50N	5
52E 45+00N	9
52E 45+50N	74
52E 46+00N	9
52E 46+50N	1
52E 47+00N	4
52E 47+50N	19
52E 48+00N	24
52E 48+50N	25
52E 49+00N	19
52E 49+50N	2

Certified by _____

Lithic Resources Ltd.

Attention:

Project:

Sample: Soil

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0815 SJ

Date : Sep-24-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
36E 54+00N	<0.2	1.78	10	116	<0.5	<5	0.85	<1	23	45	18	4.30	0.04	0.75	580	<2	0.02	25	323	8	<5	5	<10	62	0.09	102	12	5	60	6
36E 54+50N	<0.2	1.89	6	90	<0.5	<5	0.27	<1	15	42	25	3.30	0.05	0.71	275	<2	0.02	27	534	6	5	3	<10	4	0.10	84	<10	4	97	4
36E 55+00N	<0.2	1.61	5	108	<0.5	<5	1.05	<1	11	34	22	2.87	0.05	0.58	456	<2	0.03	22	416	8	<5	3	<10	86	0.07	76	<10	4	81	2
36E 55+50N	<0.2	2.23	<5	123	<0.5	<5	0.39	<1	14	44	25	3.81	0.05	0.79	331	<2	0.02	31	835	8	<5	4	<10	12	0.11	103	<10	5	112	4
36E 56+00N	<0.2	1.91	<5	94	<0.5	<5	0.40	<1	16	40	20	3.21	0.05	0.73	362	<2	0.02	25	546	5	6	4	<10	13	0.12	90	<10	4	93	3
36E 56+50N	<0.2	1.62	<5	119	<0.5	<5	0.41	<1	13	33	19	2.90	0.08	0.58	372	<2	0.02	22	717	10	6	3	<10	17	0.10	84	10	5	102	2
36E 57+00N	<0.2	2.31	11	125	<0.5	<5	0.97	<1	21	52	62	3.73	0.07	1.06	670	<2	0.03	38	1052	11	8	7	<10	39	0.10	108	<10	12	124	5
36E 57+50N	<0.2	1.93	8	62	<0.5	<5	0.70	<1	19	42	30	4.07	0.05	1.16	602	<2	0.02	29	907	4	9	5	<10	11	0.13	106	13	8	100	6
36E 58+00N	<0.2	1.82	9	100	<0.5	<5	1.69	<1	20	50	90	3.83	0.06	0.80	843	<2	0.03	39	873	11	7	5	<10	63	0.06	86	<10	10	127	6
36E 58+50N	<0.2	3.16	24	203	<0.5	<5	0.60	<1	36	75	133	6.91	0.09	1.11	1157	<2	0.02	70	1090	13	8	9	<10	27	0.08	133	18	13	234	9
36E 59+00N	<0.2	2.63	19	175	0.5	<5	0.63	<1	36	72	192	6.32	0.07	0.99	1640	<2	0.02	67	1143	17	<5	11	<10	26	0.05	118	17	22	208	9
36E 59+50N	<0.2	2.17	14	169	<0.5	<5	0.51	<1	23	56	95	4.96	0.05	0.68	834	<2	0.02	42	1280	13	<5	6	<10	18	0.07	105	11	8	184	6
36E 60+00N	<0.2	2.59	14	194	<0.5	<5	0.41	<1	25	66	87	5.80	0.05	0.90	653	<2	0.02	47	862	9	7	6	<10	16	0.06	122	17	6	179	8
36E 60+50N	0.6	2.62	11	134	<0.5	<5	0.43	<1	20	49	55	4.87	0.07	0.62	598	<2	0.02	37	1536	13	7	5	<10	14	0.09	102	12	7	176	6
36E 61+00N	<0.2	2.41	17	173	<0.5	<5	1.00	<1	31	70	147	5.57	0.09	1.02	1470	<2	0.02	61	970	14	8	10	<10	32	0.08	115	10	16	198	8
40E 48+00N	0.3	1.46	7	80	<0.5	<5	0.31	<1	24	17	27	3.67	0.04	0.23	966	<2	0.02	19	697	12	6	2	<10	19	0.10	71	14	3	129	4
40E 48+50N	<0.2	0.90	<5	30	<0.5	<5	0.08	<1	5	9	4	2.13	0.02	0.10	126	<2	0.02	4	531	6	7	1	<10	4	0.07	61	<10	1	34	2
40E 49+00N	<0.2	2.39	<5	82	<0.5	<5	0.24	<1	13	28	21	4.04	0.04	0.57	320	<2	0.02	18	1483	5	8	3	<10	9	0.09	96	<10	3	110	5
40E 49+50N	<0.2	1.53	<5	74	<0.5	<5	0.16	<1	8	18	5	2.64	0.02	0.22	201	<2	0.02	8	616	4	<5	2	<10	7	0.09	74	<10	2	67	3
40E 50+00N	<0.2	1.62	<5	59	<0.5	<5	0.20	<1	11	18	15	3.11	0.02	0.33	301	<2	0.02	14	702	7	7	2	<10	11	0.07	72	<10	2	70	4
40E 50+50N	<0.2	0.73	<5	40	<0.5	<5	0.07	<1	5	12	10	1.92	0.02	0.18	138	<2	0.02	6	686	3	7	1	<10	1	0.06	54	<10	<1	43	<1
40E 51+00N	<0.2	1.69	5	65	<0.5	<5	0.26	<1	12	27	27	3.37	0.03	0.48	240	<2	0.02	19	709	13	<5	3	<10	12	0.08	85	12	2	86	4
40E 51+50N	<0.2	0.63	<5	29	<0.5	<5	0.08	<1	5	9	7	1.73	0.02	0.06	145	<2	0.01	4	534	14	<5	<1	<10	2	0.08	56	<10	<1	36	1
40E 52+00N	<0.2	0.56	<5	28	<0.5	<5	0.15	<1	5	13	2	1.62	0.02	0.13	71	<2	0.01	6	223	7	7	<1	<10	9	0.09	61	<10	<1	28	1
40E 52+50N	0.3	1.65	<5	64	<0.5	<5	0.92	<1	13	37	64	2.73	0.03	0.59	698	<2	0.02	22	417	7	<5	3	<10	73	0.07	58	<10	6	71	5
40E 53+00N	<0.2	1.78	10	123	<0.5	<5	0.33	<1	17	42	26	3.25	0.04	0.68	436	<2	0.02	28	326	11	6	5	<10	22	0.05	73	12	7	67	5
40E 53+50N	<0.2	1.62	5	87	<0.5	<5	0.29	<1	15	32	17	3.01	0.03	0.58	326	<2	0.02	23	306	7	<5	3	<10	21	0.07	71	<10	3	65	3
40E 54+00N	0.4	2.08	7	136	<0.5	<5	0.87	<1	18	47	39	3.56	0.05	0.76	583	<2	0.02	34	544	9	<5	5	<10	65	0.06	78	<10	9	99	6
40E 54+50N	<0.2	1.89	7	93	<0.5	<5	0.50	<1	16	38	19	3.38	0.03	0.64	261	<2	0.02	26	297	6	<5	3	<10	47	0.08	84	<10	3	88	4
40E 55+00N	<0.2	1.90	7	106	<0.5	<5	0.65	<1	17	34	44	3.44	0.04	0.77	604	<2	0.02	29	383	8	<5	5	<10	44	0.08	82	<10	8	95	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention:
Project:
Sample: Soil


Assays Canada
8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0815 SJ
Date : Sep-24-04

MULTI-ELEMENT ICP ANALYSIS
Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
40E 55+50N	0.4	1.97	6	135	<0.5	<5	1.46	<1	13	29	68	2.87	0.05	0.56	730	<2	0.02	27	765	10	<5	3	<10	110	0.04	62	<10	10	96	5
40E 56+00N	0.2	1.86	6	132	<0.5	<5	0.82	<1	14	36	51	2.89	0.05	0.57	750	<2	0.02	29	689	8	<5	5	<10	64	0.06	67	<10	14	82	5
40E 56+50N	0.3	1.26	5	106	<0.5	<5	1.74	<1	9	26	49	2.06	0.04	0.44	376	<2	0.02	23	617	6	<5	3	<10	122	0.04	43	<10	12	53	4
40E 57+00N	0.6	1.85	8	108	<0.5	<5	0.63	<1	11	27	26	2.62	0.04	0.32	165	<2	0.02	22	344	11	<5	3	<10	55	0.08	66	<10	6	85	4
40E 57+50N	<0.2	1.33	6	79	<0.5	<5	0.27	<1	10	30	13	2.88	0.03	0.55	225	<2	0.02	19	563	8	<5	2	<10	13	0.06	72	<10	3	68	3
40E 58+00N	<0.2	1.12	<5	80	<0.5	<5	0.27	<1	8	19	6	1.94	0.03	0.26	166	<2	0.02	13	327	12	<5	2	<10	24	0.06	52	<10	2	62	3
40E 58+50N	<0.2	1.62	5	106	<0.5	<5	0.36	<1	12	33	18	2.82	0.04	0.65	264	<2	0.02	22	494	15	<5	3	<10	22	0.06	75	<10	3	84	3
40E 59+00N	<0.2	1.60	9	72	<0.5	<5	0.59	<1	17	36	36	3.13	0.04	0.82	387	<2	0.02	26	715	9	<5	5	<10	23	0.06	78	<10	8	83	5
40E 59+50N	<0.2	1.70	10	79	<0.5	<5	0.49	<1	17	39	29	3.29	0.04	0.82	629	<2	0.02	24	474	11	<5	5	<10	21	0.08	84	<10	7	81	4
40E 60+00N	<0.2	1.58	12	70	<0.5	<5	0.51	<1	22	43	34	3.32	0.07	0.80	754	<2	0.02	27	561	14	9	5	<10	21	0.10	93	11	7	83	4
40E 60+50N	<0.2	1.77	9	96	<0.5	<5	0.49	<1	18	41	36	3.40	0.08	0.81	569	<2	0.02	26	607	13	<5	4	<10	18	0.09	95	<10	6	91	4
40E 61+00N	<0.2	2.73	12	161	<0.5	<5	0.73	<1	21	62	87	4.55	0.16	1.02	1047	<2	0.02	46	598	11	<5	10	<10	32	0.09	111	<10	10	124	6
40E 61+50N	<0.2	1.92	9	110	<0.5	<5	0.53	<1	19	46	53	3.54	0.08	0.83	608	<2	0.02	31	445	14	<5	5	<10	24	0.08	91	<10	8	98	3
40E 62+00N	0.3	0.65	<5	53	<0.5	<5	0.16	<1	5	14	5	1.50	0.04	0.20	105	<2	0.02	8	431	10	<5	1	<10	9	0.06	48	<10	1	58	2
40E 62+50N	<0.2	1.44	<5	69	<0.5	<5	0.34	<1	13	32	20	2.87	0.05	0.63	321	<2	0.02	21	368	12	<5	3	<10	14	0.08	78	<10	3	71	2
40E 63+00N	<0.2	1.73	7	93	<0.5	<5	0.45	<1	17	40	24	3.26	0.07	0.83	956	<2	0.02	26	418	7	<5	4	<10	16	0.08	84	<10	4	81	3
40E 63+50N	<0.2	0.78	<5	43	<0.5	<5	0.16	<1	5	13	3	1.59	0.04	0.15	146	<2	0.01	7	555	5	<5	1	<10	5	0.06	53	<10	1	37	1
40E 64+00N	<0.2	1.33	8	87	<0.5	<5	0.32	<1	11	28	13	3.15	0.07	0.51	357	<2	0.02	17	353	11	<5	2	<10	8	0.10	98	<10	2	74	3
40E 64+50N	<0.2	1.05	<5	138	<0.5	<5	0.80	<1	9	21	13	2.53	0.08	0.35	572	<2	0.01	13	1109	13	<5	2	<10	28	0.08	68	<10	1	104	3
40E 65+00N	<0.2	2.26	9	112	0.5	<5	0.39	<1	15	38	30	4.33	0.06	0.74	681	<2	0.02	26	1165	15	<5	3	<10	13	0.10	108	<10	3	111	3
44E 42+00N	<0.2	2.56	14	155	0.8	<5	0.78	<1	23	57	61	5.12	0.09	1.07	1062	<2	0.02	36	318	23	5	9	<10	66	0.10	105	<10	7	107	12
44E 42+50N	<0.2	2.33	16	143	0.7	<5	0.92	<1	23	63	78	5.38	0.11	1.30	1230	<2	0.02	39	1070	25	7	10	<10	71	0.09	106	<10	12	113	8
44E 43+00N	<0.2	2.06	10	113	0.5	<5	0.57	<1	14	35	55	4.19	0.05	0.68	378	<2	0.02	24	287	18	<5	6	<10	53	0.06	87	<10	5	84	8
44E 43+50N	<0.2	1.35	5	99	<0.5	<5	0.26	<1	8	22	28	3.31	0.04	0.34	259	<2	0.02	14	464	15	<5	3	<10	22	0.05	77	<10	2	65	3
44E 44+00N	<0.2	1.77	<5	83	<0.5	<5	0.23	<1	10	21	17	3.23	0.04	0.26	220	<2	0.02	18	382	14	<5	2	<10	19	0.08	73	<10	2	78	4
44E 44+50N	<0.2	1.61	12	90	<0.5	<5	0.31	<1	13	26	64	4.14	0.05	0.69	632	<2	0.02	23	437	12	<5	5	<10	22	0.05	75	<10	4	85	3
44E 45+00N	<0.2	1.44	6	118	<0.5	<5	0.18	<1	11	14	24	2.47	0.05	0.15	1013	<2	0.02	12	897	12	<5	2	<10	13	0.04	47	<10	2	110	2
44E 45+50N	<0.2	2.64	12	195	0.6	<5	0.29	<1	16	22	50	4.41	0.06	0.39	387	<2	0.02	31	623	9	<5	3	<10	25	0.04	76	<10	3	141	3
44E 46+00N	<0.2	1.91	17	145	0.5	<5	0.13	<1	10	15	58	5.08	0.04	0.34	319	<2	0.01	17	1421	13	<5	4	<10	13	0.01	69	<10	2	121	4
44E 46+50N	<0.2	3.43	13	57	1.1	<5	0.25	<1	18	17	38	3.93	0.04	0.25	1104	<2	0.02	21	2710	16	<5	5	<10	15	0.11	79	<10	4	167	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention:

Project:

Sample: Soil

Assaye - Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0815 SJ

Date : Sep-24-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
44E 47+00N	0.2	1.01	6	66	<0.5	<5	0.10	<1	11	10	23	3.17	0.03	0.10	1071	<2	0.01	9	1176	10	<5	1	<10	5	0.03	52	<10	1	73	1
44E 47+50N	<0.2	1.68	8	96	<0.5	<5	0.19	<1	10	29	17	3.42	0.03	0.40	309	<2	0.02	20	409	14	<5	3	<10	14	0.06	77	<10	2	106	2
44E 48+00N	<0.2	1.80	49	113	0.6	<5	0.32	<1	24	26	131	5.09	0.06	0.50	1358	2	0.02	28	1145	25	<5	4	<10	22	0.02	80	<10	4	132	4
44E 48+50N	<0.2	1.44	8	66	<0.5	<5	0.14	<1	10	26	33	4.25	0.05	0.32	361	<2	0.01	22	852	19	<5	3	<10	4	0.05	75	<10	2	110	2
44E 49+00N	<0.2	2.09	6	106	0.6	<5	0.16	<1	14	28	32	4.96	0.04	0.40	525	<2	0.02	23	675	12	<5	6	<10	9	0.06	101	<10	5	123	3
44E 49+50N	0.3	2.32	21	128	1.1	<5	0.20	<1	27	24	132	5.53	0.04	0.33	1555	4	0.02	24	1790	32	5	4	<10	16	0.04	120	<10	4	169	3
44E 50+00N	<0.2	2.49	<5	113	0.7	<5	0.14	<1	9	22	34	4.63	0.03	0.27	359	<2	0.02	13	2110	16	<5	4	<10	6	0.09	98	<10	2	106	8
44E 50+50N	<0.2	1.70	5	56	0.6	<5	0.09	<1	8	18	19	3.53	0.04	0.15	228	<2	0.02	10	1337	14	<5	2	<10	3	0.11	78	<10	2	67	4
44E 51+00N	<0.2	1.16	<5	68	<0.5	<5	0.16	<1	6	13	9	2.35	0.03	0.12	148	<2	0.02	9	913	11	<5	1	<10	10	0.08	48	<10	<1	54	2
44E 51+50N	<0.2	2.31	7	122	0.7	<5	0.25	<1	20	35	85	4.13	0.04	0.74	821	<2	0.02	39	671	13	<5	5	<10	8	0.07	82	<10	6	111	5
44E 52+00N	0.3	2.18	7	104	0.7	<5	0.20	<1	21	38	127	4.41	0.03	0.77	973	<2	0.02	74	806	15	<5	4	<10	7	0.05	91	<10	4	156	3
44E 52+50N	<0.2	2.12	7	96	0.5	<5	0.22	<1	10	33	24	4.34	0.05	0.49	346	<2	0.02	21	1259	12	<5	3	<10	4	0.07	87	<10	3	112	3
44E 53+00N	0.2	1.37	6	97	<0.5	<5	0.25	<1	7	25	24	3.31	0.04	0.33	188	<2	0.02	16	457	12	<5	3	<10	15	0.09	76	<10	3	63	3
44E 53+50N	0.9	1.81	16	97	<0.5	<5	0.19	<1	9	28	23	3.92	0.03	0.30	212	<2	0.02	20	1050	19	<5	3	<10	7	0.05	72	<10	2	131	3
44E 54+00N	0.2	0.96	<5	51	<0.5	<5	0.12	<1	6	22	18	2.60	0.03	0.24	132	<2	0.01	13	269	12	<5	2	<10	5	0.07	70	<10	1	45	2
44E 54+50N	<0.2	2.19	<5	152	0.9	<5	0.36	<1	14	38	62	3.92	0.07	0.56	1092	<2	0.02	31	575	18	5	7	<10	22	0.05	80	<10	13	97	4
44E 55+00N	<0.2	1.59	<5	113	<0.5	<5	0.21	<1	10	28	18	3.54	0.03	0.30	300	<2	0.02	18	425	15	<5	3	<10	10	0.08	77	<10	2	81	3
44E 55+50N	0.2	1.20	<5	139	0.5	<5	0.20	<1	15	26	49	4.52	0.04	0.24	706	<2	0.01	20	633	15	<5	4	<10	18	0.06	92	<10	2	101	2
44E 56+00N	<0.2	0.30	<5	106	<0.5	<5	4.03	<1	3	5	23	0.79	0.03	0.26	294	<2	0.02	6	770	6	<5	<1	<10	248	<0.01	16	<10	2	18	2
44E 56+50N	<0.2	0.86	<5	70	<0.5	<5	0.37	<1	7	21	36	3.16	0.02	0.13	136	4	0.01	13	336	16	<5	2	<10	31	0.06	85	<10	1	53	2
44E 57+00N	0.5	1.84	<5	97	0.5	<5	0.25	<1	11	34	33	3.45	0.04	0.43	246	4	0.02	21	515	18	<5	4	<10	8	0.10	79	<10	4	133	3
44E 57+50N	0.3	2.74	6	231	0.7	<5	1.39	<1	16	49	68	4.21	0.06	0.87	794	<2	0.02	38	454	12	6	7	<10	108	0.09	92	<10	9	94	6
44E 58+00N	<0.2	1.35	<5	94	<0.5	<5	0.27	<1	11	28	39	2.92	0.05	0.41	638	<2	0.02	19	848	14	<5	2	<10	9	0.06	70	<10	2	66	2
44E 58+50N	<0.2	1.47	7	74	<0.5	<5	0.44	<1	8	34	26	3.37	0.06	0.75	385	<2	0.02	22	455	12	<5	3	<10	19	0.08	83	<10	4	68	3
44E 59+00N	<0.2	1.67	<5	77	<0.5	<5	0.30	<1	7	32	19	3.37	0.03	0.64	288	<2	0.02	20	712	14	<5	3	<10	9	0.09	82	<10	3	72	3
44E 59+50N	<0.2	1.80	11	81	<0.5	<5	0.52	<1	9	30	22	3.88	0.04	0.73	299	<2	0.02	19	997	14	<5	3	<10	18	0.12	107	<10	3	83	3
44E 60+00N	0.8	2.36	10	166	0.6	<5	0.92	<1	19	53	73	4.23	0.08	0.89	1194	3	0.02	41	1139	18	6	7	<10	41	0.06	94	<10	13	123	5
44E 60+50N	0.3	2.85	6	168	0.9	<5	0.82	<1	15	59	65	4.10	0.09	0.90	891	<2	0.02	43	648	16	6	8	<10	37	0.08	91	<10	15	114	6
44E 61+00N	0.5	4.82	16	258	1.3	<5	1.18	<1	18	93	107	5.63	0.15	1.36	1433	<2	0.03	71	1027	22	11	16	<10	61	0.08	119	<10	29	157	10
44E 61+50N	<0.2	1.99	7	89	0.5	<5	0.40	<1	16	43	31	3.78	0.08	0.88	489	<2	0.02	29	554	21	5	5	<10	11	0.11	91	<10	4	84	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention:

Project:

Sample: Soil

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0815 SJ

Date : Sep-24-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sp ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
44E 62+00N	0.2	2.02	7	96	<0.5	<5	0.28	<1	10	40	26	3.62	0.05	0.65	272	<2	0.02	27	872	15	<5	3	<10	7	0.10	87	<10	3	78	3
44E 62+50N	<0.2	2.45	6	101	0.5	<5	0.32	<1	12	43	33	3.82	0.06	0.80	365	<2	0.02	31	678	18	5	4	<10	12	0.10	92	<10	3	88	3
44E 63+00N	<0.2	1.75	6	95	<0.5	<5	0.39	<1	11	35	30	3.18	0.06	0.64	316	<2	0.02	26	370	15	6	4	<10	17	0.08	74	<10	6	94	2
44E 63+50N	0.8	2.63	16	168	0.7	<5	1.77	<1	13	53	89	4.34	0.12	0.71	823	<2	0.02	46	846	24	7	7	<10	67	0.06	82	<10	14	121	7
44E 64+00N	0.2	2.46	11	137	0.8	<5	0.81	<1	16	51	75	4.34	0.09	0.86	855	<2	0.02	42	418	25	7	7	<10	32	0.09	95	<10	10	112	8
44E 64+50N	0.4	2.60	12	128	0.8	<5	0.95	<1	16	52	78	4.51	0.09	0.88	793	<2	0.02	40	464	22	6	8	<10	33	0.10	98	<10	13	123	7
44E 65+00N	<0.2	1.28	7	65	<0.5	<5	0.45	<1	7	23	25	2.82	0.04	0.33	188	<2	0.02	16	394	19	<5	3	<10	16	0.11	73	<10	5	85	3
52E 30+00N	0.3	0.93	6	91	0.5	<5	0.24	<1	14	8	36	2.98	0.06	0.08	228	<2	0.02	8	666	13	<5	2	<10	32	0.03	35	<10	3	83	2
52E 30+50N	<0.2	1.87	<5	136	0.9	<5	0.71	<1	21	14	61	4.07	0.05	0.30	852	<2	0.02	19	567	19	<5	5	<10	95	0.06	64	11	6	107	3
52E 31+00N	0.2	2.17	6	152	0.7	<5	0.40	<1	18	24	47	3.99	0.04	0.47	1128	<2	0.02	24	890	13	<5	4	<10	43	0.08	71	<10	4	126	3
52E 31+50N	0.3	2.52	7	198	1.0	<5	0.84	<1	22	28	75	5.16	0.07	0.50	1614	<2	0.02	35	744	19	<5	6	<10	107	0.07	75	<10	4	156	4
52E 32+00N	<0.2	1.75	<5	155	0.5	<5	0.37	<1	19	26	50	3.56	0.05	0.48	1523	<2	0.02	22	712	14	<5	4	<10	37	0.07	77	<10	3	151	2
52E 32+50N	<0.2	2.13	10	105	0.7	<5	0.31	<1	17	22	48	3.75	0.04	0.35	399	<2	0.02	30	813	15	<5	4	<10	31	0.08	63	<10	3	123	2
52E 33+00N	<0.2	1.17	<5	49	0.6	<5	0.31	<1	16	13	33	3.28	0.04	0.16	671	<2	0.02	14	1174	11	<5	4	<10	29	0.06	44	<10	5	110	2
52E 33+50N	<0.2	1.11	<5	71	<0.5	<5	0.25	<1	19	16	30	3.83	0.04	0.17	476	<2	0.02	14	409	14	<5	4	<10	25	0.04	70	<10	2	107	2
52E 34+00N	<0.2	1.72	9	101	0.9	<5	0.45	<1	25	26	99	6.16	0.03	0.55	469	<2	0.02	34	479	17	<5	12	<10	36	0.02	88	50	3	99	3
52E 34+50N	<0.2	0.60	<5	57	<0.5	<5	0.19	<1	9	11	15	1.98	0.02	0.13	1458	<2	0.02	9	305	11	<5	1	<10	18	0.04	48	<10	<1	56	1
52E 35+00N	0.5	1.85	10	81	1.5	<5	0.23	<1	45	15	70	6.80	0.05	0.12	2321	<2	0.02	24	2497	30	<5	4	<10	22	0.08	46	<10	6	241	4
52E 35+50N	<0.2	1.05	<5	42	<0.5	<5	0.22	<1	13	12	29	3.11	0.03	0.16	281	<2	0.02	12	429	10	<5	3	<10	14	0.05	58	<10	3	56	2
52E 36+00N	<0.2	2.66	5	97	0.7	<5	0.40	<1	17	18	45	3.69	0.04	0.30	821	<2	0.02	21	1584	14	<5	4	<10	45	0.11	49	<10	6	132	5
52E 36+50N	<0.2	1.05	8	71	<0.5	<5	0.31	<1	9	16	41	2.90	0.04	0.28	342	<2	0.02	12	519	14	<5	3	<10	21	0.06	65	<10	3	72	1
52E 37+00N	<0.2	1.75	<5	80	<0.5	<5	0.20	<1	11	25	58	4.44	0.04	0.51	362	<2	0.02	18	687	19	<5	5	<10	9	0.07	118	<10	2	113	3
52E 37+50N	<0.2	0.98	<5	105	<0.5	<5	0.34	<1	7	25	21	2.61	0.06	0.38	276	<2	0.02	14	685	18	<5	3	<10	11	0.10	74	<10	3	68	2
52E 38+00N	<0.2	2.12	<5	98	0.6	<5	0.49	<1	15	38	33	4.38	0.06	0.65	348	<2	0.02	25	749	15	<5	4	<10	28	0.12	96	<10	3	163	4
52E 38+50N	<0.2	2.59	9	110	0.7	<5	0.48	<1	23	18	33	3.88	0.06	0.22	718	<2	0.02	20	3584	27	<5	4	<10	54	0.14	49	<10	5	174	7
52E 39+00N	0.6	1.87	6	83	<0.5	<5	0.29	<1	18	18	37	3.44	0.04	0.20	819	<2	0.02	15	1701	17	<5	3	<10	21	0.09	65	<10	3	96	4
52E 39+50N	<0.2	2.08	11	86	0.6	<5	0.23	<1	15	34	53	4.66	0.05	0.55	325	2	0.02	28	1156	23	<5	4	<10	11	0.07	99	<10	3	115	3
52E 40+00N	<0.2	1.17	<5	51	<0.5	<5	0.18	<1	7	17	14	2.63	0.03	0.22	141	<2	0.02	9	1007	11	<5	2	<10	8	0.08	61	<10	1	70	3
52E 40+50N	<0.2	1.35	8	95	<0.5	<5	0.33	<1	9	28	40	3.09	0.05	0.58	289	<2	0.02	21	799	15	<5	3	<10	14	0.09	74	<10	3	88	3
52E 41+00N	<0.2	1.24	<5	162	<0.5	<5	0.24	<1	10	27	29	3.13	0.05	0.33	414	<2	0.02	18	861	18	<5	3	<10	10	0.07	73	<10	3	101	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Lithic Resources Ltd.

Attention:

Project:

Sample: Soil

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0815 SJ

Date : Sep-24-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
52E 41+50N	<0.2	1.66	11	95	0.6	<5	0.46	<1	18	42	89	4.12	0.08	0.96	690	3	0.02	30	1019	21	<5	6	<10	17	0.07	93	<10	7	94	3
52E 42+00N	<0.2	1.71	10	106	0.7	<5	0.74	<1	22	46	97	4.25	0.15	1.08	926	<2	0.02	36	988	25	<5	7	<10	27	0.09	97	<10	10	111	4
52E 42+50N	<0.2	0.69	<5	53	<0.5	<5	0.16	<1	3	14	11	1.43	0.03	0.16	73	<2	0.02	6	332	8	<5	1	<10	10	0.06	40	<10	2	29	<1
52E 43+00N	0.3	0.37	<5	39	<0.5	<5	0.05	<1	2	7	7	1.04	0.03	0.03	83	<2	0.01	4	197	4	<5	<1	<10	2	0.04	28	<10	<1	31	<1
52E 43+50N	<0.2	2.37	11	108	0.6	<5	0.25	<1	11	38	60	4.37	0.05	0.70	318	2	0.02	34	1530	14	6	4	<10	6	0.07	88	<10	3	141	4
52E 44+00N	<0.2	1.32	6	82	<0.5	<5	0.23	<1	6	26	24	3.24	0.04	0.40	212	<2	0.02	17	586	9	<5	3	<10	8	0.08	82	<10	2	78	2
52E 44+50N	0.9	2.06	<5	114	0.6	<5	0.97	<1	8	37	49	3.18	0.03	0.36	221	<2	0.02	21	576	11	<5	4	<10	61	0.06	59	<10	9	119	3
52E 45+00N	<0.2	2.51	9	147	0.9	<5	0.27	<1	21	45	61	4.32	0.06	0.70	296	<2	0.02	44	938	15	<5	4	<10	9	0.09	87	<10	3	150	5
52E 45+50N	<0.2	1.69	8	138	0.5	<5	0.32	<1	14	30	44	3.36	0.05	0.50	825	<2	0.02	24	714	12	<5	4	<10	14	0.08	82	<10	3	112	2
52E 46+00N	<0.2	0.74	<5	54	<0.5	<5	0.17	<1	5	16	18	2.07	0.03	0.16	144	<2	0.02	10	225	6	<5	2	<10	9	0.06	58	<10	1	58	2
52E 46+50N	<0.2	1.36	<5	82	<0.5	<5	0.27	<1	11	22	23	3.49	0.04	0.26	761	<2	0.02	18	755	10	<5	2	<10	18	0.08	72	<10	2	108	2
52E 47+00N	0.2	0.81	<5	49	<0.5	<5	0.10	<1	7	13	23	1.87	0.02	0.14	221	<2	0.02	11	268	8	<5	1	<10	6	0.05	43	<10	1	56	1
52E 47+50N	<0.2	1.91	9	135	0.6	<5	0.28	<1	12	40	98	4.02	0.05	0.82	337	<2	0.02	36	460	15	<5	4	<10	9	0.06	78	<10	4	107	3
52E 48+00N	0.2	2.19	9	118	0.7	<5	0.26	<1	16	35	60	4.74	0.05	0.66	378	<2	0.02	38	754	17	<5	4	<10	13	0.09	86	<10	3	172	4
52E 48+50N	<0.2	2.05	6	129	1.0	<5	0.15	<1	20	30	72	5.05	0.04	0.41	369	3	0.02	44	892	17	<5	5	<10	5	0.10	73	<10	3	205	4
52E 49+00N	0.2	1.83	10	185	0.6	<5	0.34	<1	14	34	56	4.43	0.04	0.53	476	<2	0.02	31	825	12	<5	5	<10	15	0.05	86	<10	3	147	2
52E 49+50N	<0.2	0.82	<5	66	<0.5	<5	0.14	<1	6	14	12	2.30	0.03	0.10	241	<2	0.02	10	440	9	<5	2	<10	8	0.05	51	<10	<1	70	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0431-RG1

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake Project**
Attn: **Chris Staargaard**

Jun-15-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Jun-04-04

Sample Name	Au ppb
RSPW-001	289
RSPW-002	43
RSPW-003	8
RSPW-004	189
RSPW-005	13
RSPW-006	92
RSPW-007	3
RSPW-008	594
RSPW-009	113
RSPW-010	125
RSPW-011	50
RSPW-012	9
RSPW-013	13
RSPW-014	114
RSPW-015	13
RSPW-016	1758
RSPW-017	112
RSPW-018	19
RSPW-019	3
RSPW-020	7
RSPW-021	8
RSPW-022	118
RSPW-023	4
RSPW-024	5

Certified by _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0431-RG2

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake Project**
Attn: **Chris Staargaard**

Jun-15-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Jun-04-04

Sample Name	Au ppb
RSPW-025	13
RSPW-026	12
RSPW-027	71
RSPW-028	5
RSPW-029	7
RSPW-030	3
RSPW-031	31
RSPW-032	25
RSPW-033	249
RSPW-034	242
RSPW-035	112
RSPW-036	1417
RSPW-037	35
RSPW-038	24
RSPW-039	42
RSPW-040	26
RSPW-041	67
RSPW-042	90
RSPW-043	42
RSPW-044	19
RSPW-045	1954
RSPW-046	38
RSPW-047	13
RSPW-048	199

Certified by _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0431-RG3

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake Project**
Attn: **Chris Staargaard**

Jun-15-04

We hereby certify the following geochemical analysis of 14 rock samples submitted Jun-04-04

Sample Name	Au ppb
RSPW-049	18
RSPW-050	47
RSPW-051	24
RSPW-052	14
RSPW-053	23
RSPW-054	2
RSPW-055	43
RSPW-056	67
RSPW-057	8
RSPW-058	15
RSPW-059	4
RSPW-060	91
RSPW-061	440
RSPW-062	69

Certified by _____

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake Project

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0431 RJ

Date : Jun-15-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
RSPW-001	3.0	0.08	5	80	<0.5	10	0.69	5	13	223	75	2.98	0.08	0.12	280	486	0.01	77	70	196	<5	1	<10	37	<0.01	18	<10	1	98	3
RSPW-002	0.4	0.11	<5	140	0.5	<5	2.14	1	6	207	298	2.09	0.11	0.20	540	76	0.02	55	170	14	5	2	<10	47	0.01	29	<10	2	17	4
RSPW-003	<0.2	1.93	30	50	0.5	<5	0.92	<1	35	42	253	6.11	0.27	1.40	390	6	0.08	18	910	8	5	5	<10	18	0.16	109	<10	5	26	7
RSPW-004	<0.2	0.07	15	250	0.5	<5	6.18	<1	3	94	307	3.32	0.07	1.77	1775	2	0.01	20	370	36	5	9	<10	148	<0.01	103	<10	12	92	5
RSPW-005	<0.2	0.28	20	250	2.0	<5	3.33	<1	10	66	47	4.99	0.30	0.51	2260	2	0.03	31	470	10	5	10	<10	84	0.04	690	<10	10	111	23
RSPW-006	<0.2	0.15	135	240	<0.5	<5	4.07	<1	8	90	162	4.07	0.16	0.90	555	10	0.03	14	380	16	5	5	<10	148	0.01	138	10	5	36	7
RSPW-007	<0.2	0.13	<5	180	<0.5	<5	0.52	<1	3	80	9	0.92	0.13	0.04	245	2	0.04	10	180	<2	<5	2	<10	74	0.01	47	<10	3	14	8
RSPW-008	<0.2	0.20	110	170	<0.5	<5	0.11	<1	7	48	120	4.61	0.22	0.06	115	58	0.03	13	1080	56	5	5	<10	27	0.01	52	<10	3	11	13
RSPW-009	<0.2	0.08	20	100	<0.5	<5	4.57	<1	10	63	108	3.78	0.09	1.49	725	6	0.02	27	890	50	5	10	<10	117	<0.01	77	<10	8	41	9
RSPW-010	<0.2	0.04	20	150	<0.5	<5	4.08	<1	7	78	154	2.96	0.04	1.68	680	20	0.02	23	350	32	<5	9	<10	67	<0.01	53	<10	3	35	5
RSPW-011	<0.2	0.03	10	100	<0.5	<5	0.83	<1	4	67	37	1.03	0.02	0.31	155	8	0.01	14	140	4	<5	3	<10	30	<0.01	12	<10	1	7	2
RSPW-012	<0.2	0.13	25	20	<0.5	<5	>15.00	<1	4	20	9	1.63	0.04	1.20	1105	<2	0.01	6	230	4	<5	6	<10	1050	<0.01	12	<10	4	9	1
RSPW-013	3.2	0.02	10	430	<0.5	10	2.81	<1	1	180	975	0.49	0.01	0.03	400	8	0.01	11	940	238	50	<1	<10	88	<0.01	10	<10	4	14	1
RSPW-014	<0.2	0.03	15	350	<0.5	<5	2.03	<1	6	88	19	1.92	0.04	0.52	370	46	0.01	34	490	64	<5	5	<10	118	<0.01	34	<10	3	16	4
RSPW-015	2.8	0.13	<5	430	1.5	45	1.46	<1	10	71	1544	2.66	0.11	0.14	1170	2	0.03	24	230	46	5	2	<10	233	0.01	317	<10	3	51	12
RSPW-016	<0.2	0.02	<5	1520	1.0	<5	7.88	3	<1	91	27	3.23	0.01	3.67	1290	14	0.01	86	60	132	5	3	<10	251	<0.01	166	<10	5	110	6
RSPW-017	<0.2	0.32	95	100	0.5	<5	6.91	<1	16	94	144	4.35	0.39	2.91	1135	2	0.03	57	760	24	5	15	<10	125	0.02	174	<10	9	23	8
RSPW-018	0.4	0.06	<5	390	<0.5	<5	7.88	1	6	47	864	3.47	0.08	3.59	835	2	0.01	32	640	50	5	12	<10	207	0.01	165	<10	8	78	5
RSPW-019	<0.2	1.41	<5	20	0.5	<5	1.58	<1	29	57	157	4.03	0.01	0.06	75	2	0.04	52	1000	4	<5	<1	<10	138	0.09	10	<10	3	6	3
RSPW-020	<0.2	1.89	25	30	0.5	<5	0.40	<1	154	41	714	>15.00	0.05	1.21	890	4	0.01	144	1700	36	5	7	<10	<1	0.07	373	<10	4	62	17
RSPW-021	<0.2	1.87	<5	80	0.5	<5	0.25	<1	50	53	42	8.36	0.08	2.24	595	4	0.03	36	660	28	5	9	<10	51	0.26	173	<10	2	69	9
RSPW-022	0.4	0.06	5	60	0.5	<5	13.73	9	<1	30	71	3.91	0.02	6.13	1330	12	0.01	31	340	18	25	4	<10	542	<0.01	116	<10	7	608	4
RSPW-023	<0.2	1.61	<5	30	0.5	<5	1.97	<1	17	35	73	4.58	0.09	1.22	1185	<2	0.03	8	1500	12	5	3	<10	67	0.11	112	<10	9	74	7
RSPW-024	<0.2	2.44	10	80	0.5	<5	2.43	<1	17	40	45	3.66	0.04	0.93	770	2	0.02	15	1460	8	<5	3	<10	71	0.08	82	<10	6	64	7
RSPW-025	<0.2	1.93	<5	40	0.5	<5	1.80	<1	25	39	76	4.24	0.07	0.96	690	2	0.05	17	1600	14	<5	4	<10	37	0.09	90	<10	6	82	7
RSPW-026	<0.2	1.06	<5	40	0.5	<5	7.10	<1	63	61	175	7.31	0.12	0.29	1030	10	0.02	105	1730	14	<5	7	<10	32	0.21	101	<10	12	78	10
RSPW-027	<0.2	0.11	<5	370	<0.5	<5	0.17	<1	1	128	4	0.48	0.05	0.02	175	2	0.03	7	60	4	<5	<1	<10	24	<0.01	12	<10	1	14	2
RSPW-028	<0.2	0.12	<5	150	<0.5	<5	0.18	<1	1	107	26	0.68	0.07	0.02	155	2	0.04	7	100	126	<5	1	<10	35	<0.01	11	<10	1	100	3
RSPW-029	1.8	0.05	20	170	0.5	5	2.33	<1	4	30	2	1.06	0.03	0.13	810	6	0.06	6	50	446	<5	2	<10	48	<0.01	43	<10	2	63	9
RSPW-030	<0.2	0.93	30	70	0.5	<5	0.59	5	11	45	60	4.99	1.19	1.41	480	92	0.03	14	1330	40	<5	7	<10	56	0.04	62	<10	12	128	13

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake Project

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0431 RJ

Date : Jun-15-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
RSPW-031	0.4	0.43	25	100	0.5	<5	0.39	15	7	83	44	3.12	0.56	0.68	255	142	0.04	12	1220	170	<5	4	<10	31	0.02	33	<10	11	516	15
RSPW-032	<0.2	0.23	30	260	<0.5	<5	0.26	<1	2	53	33	1.18	0.29	0.10	65	20	0.02	5	1220	16	<5	2	<10	38	0.01	21	<10	7	15	8
RSPW-033	1.8	0.02	20	620	<0.5	<5	>15.00	<1	<1	61	53	0.85	0.01	0.66	600	14	0.01	6	40	96	<5	2	<10	736	<0.01	43	<10	7	14	1
RSPW-034	4.0	0.47	35	100	1.0	5	0.38	2	38	27	827	5.97	0.44	0.48	230	14	0.05	21	1640	506	<5	7	<10	11	0.04	74	<10	11	209	10
RSPW-035	4.6	0.05	25	270	0.5	5	3.34	1	<1	120	67	1.86	0.06	1.53	595	14	0.01	14	230	506	5	4	<10	79	<0.01	47	<10	5	53	4
RSPW-036	76.8	0.74	15	340	1.5	10	0.17	1	11	66	221	4.44	0.71	0.85	395	46	0.04	15	790	1002	5	16	<10	48	0.05	224	<10	7	122	11
RSPW-037	1.0	0.10	5	130	0.5	<5	0.80	1	10	94	108	2.50	0.09	0.20	415	2	0.03	19	320	258	<5	4	<10	11	<0.01	35	<10	2	102	3
RSPW-038	0.2	0.10	<5	110	0.5	<5	1.56	2	8	121	65	2.28	0.10	0.38	490	2	0.02	19	240	52	<5	6	<10	26	<0.01	45	<10	2	154	4
RSPW-039	<0.2	0.08	<5	180	<0.5	<5	0.79	1	6	196	260	2.09	0.07	0.17	530	2	0.03	15	210	12	5	4	<10	19	<0.01	43	<10	2	58	4
RSPW-040	0.8	0.88	65	140	0.5	<5	0.12	<1	3	39	157	3.88	0.69	0.64	130	12	0.06	8	550	124	5	7	<10	25	0.04	128	<10	3	105	10
RSPW-041	1.2	0.55	130	140	1.5	5	0.15	<1	9	166	133	5.41	0.79	0.97	425	24	0.05	21	1040	100	5	9	<10	23	0.03	86	<10	3	86	17
RSPW-042	0.6	0.01	25	360	<0.5	<5	>15.00	<1	<1	9	77	1.20	0.02	3.31	1195	86	0.01	5	70	104	25	2	<10	1938	<0.01	85	<10	6	33	3
RSPW-043	2.4	0.10	5	100	0.5	<5	9.46	3	21	24	933	6.73	0.13	2.84	2130	8	0.03	22	730	542	20	17	<10	340	0.01	83	<10	9	189	9
RSPW-044	<0.2	0.11	<5	230	<0.5	<5	0.46	<1	1	106	3	0.50	0.06	0.05	200	2	0.02	5	90	6	<5	1	<10	47	<0.01	9	<10	1	12	2
RSPW-045	<0.2	0.06	<5	1570	<0.5	<5	0.07	<1	<1	168	10	0.45	0.04	0.02	50	2	0.02	7	30	26	<5	<1	<10	25	<0.01	3	<10	<1	95	2
RSPW-046	0.4	0.05	<5	130	0.5	<5	12.37	1	12	76	258	6.93	0.04	6.17	1975	48	0.02	108	330	102	<5	8	<10	176	<0.01	92	<10	4	126	7
RSPW-047	<0.2	0.03	<5	140	0.5	<5	10.79	<1	4	72	28	4.85	0.03	4.74	1415	8	0.01	86	220	40	<5	9	<10	183	<0.01	72	<10	3	94	4
RSPW-048	88.6	0.03	75	140	<0.5	170	7.96	<1	12	78	350	3.69	0.04	3.59	1555	102	0.01	57	920	>10000	10	5	<10	182	<0.01	60	<10	5	100	6
RSPW-049	0.8	0.04	25	690	0.5	<5	2.22	4	2	155	164	1.87	0.04	0.75	1245	68	0.01	32	120	134	10	3	<10	80	<0.01	38	<10	6	173	6
RSPW-050	5.2	0.19	10	130	<0.5	15	0.13	<1	3	92	387	5.17	0.24	0.12	55	38	0.02	10	530	112	5	2	<10	30	<0.01	57	<10	<1	21	9
RSPW-051	4.4	0.03	40	280	<0.5	<5	12.52	2	3	65	593	2.37	0.03	2.69	920	10	0.01	38	300	2592	230	5	<10	500	<0.01	48	<10	7	122	5
RSPW-052	9.2	0.01	<5	330	<0.5	55	>15.00	7	<1	4	79	0.59	0.01	0.06	1450	<2	0.01	2	560	7820	<5	1	<10	2681	<0.01	24	<10	29	21	1
RSPW-053	0.2	0.12	20	150	0.5	<5	12.85	<1	30	52	51	5.06	0.10	6.09	1225	2	0.02	58	620	154	5	20	<10	224	<0.01	63	<10	7	73	4
RSPW-054	<0.2	0.09	<5	760	<0.5	<5	0.23	<1	<1	137	2	0.45	0.07	0.05	65	2	0.03	6	430	12	<5	<1	<10	29	<0.01	10	<10	1	8	1
RSPW-055	5.4	0.02	5	350	<0.5	<5	>15.00	2	<1	20	253	0.45	0.01	1.05	405	2	0.02	1	30	62	75	1	<10	1357	<0.01	99	<10	2	41	1
RSPW-056	0.4	0.09	5	190	<0.5	<5	0.48	<1	1	162	36	0.82	0.10	0.17	170	6	0.01	9	40	70	5	1	<10	17	<0.01	16	<10	1	11	9
RSPW-057	0.2	0.07	<5	130	<0.5	<5	1.72	<1	1	109	29	0.40	0.06	0.05	200	2	0.02	6	70	26	5	<1	<10	91	<0.01	12	<10	1	9	1
RSPW-058	0.4	0.05	<5	50	2.0	<5	>15.00	1	22	110	22	5.04	0.06	1.43	2775	<2	0.01	173	250	78	5	18	<10	274	<0.01	74	<10	17	72	9
RSPW-059	1.8	0.23	<5	90	1.0	<5	2.41	1	16	38	1340	4.10	0.29	0.34	650	2	0.05	36	1040	14	<5	7	<10	83	0.02	72	<10	20	51	11
RSPW-060	2.8	0.19	20	140	<0.5	15	0.31	<1	<1	96	56	2.69	0.32	0.22	100	988	0.04	10	490	406	<5	3	<10	32	0.01	22	<10	2	30	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake Project

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0431 RJ

Date : Jun-15-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
RSPW-061	0.2	0.10	95	140	<0.5	<5	6.82	<1	9	64	64	3.89	0.11	1.77	855	34	0.01	34	670	34	5	11	<10	272	<0.01	100	<10	8	16	8
RSPW-062	0.6	0.07	<5	280	<0.5	5	1.09	<1	9	193	33	2.18	0.07	0.39	440	406	0.01	18	290	40	5	4	<10	21	<0.01	54	<10	3	17	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0592-RG1

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chirs Staargaard**

Jul-30-04

We hereby certify the following geochemical analysis of 18 rock samples submitted Jul-12-04 by Chris Staargaard.

Sample Name	Au PPB
C-1	4
C-2	5
C-3	14
C-4	31
C-5	71
C-6	12
FL-10	6
FL-12	3
FL-15	2
FL-25	9
FL-26	2
FL-27	1962
FL-35	4
FL-38	2
FL-46	8
FL-48	158
FL-52	27
FL-55	136

Certified by _____

Lithic Resources Ltd.

Attention: Chirs Staargaard

Project: Friendly Lake

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0592 RJ

Date : Jul-30-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
C-1	0.2	0.11	<5	347	2.1	<5	5.90	3	14	19	148	3.75	0.11	0.65	1904	<2	0.04	18	59	21	<5	<1	<10	145	0.01	102	<10	6	193	9
C-2	5.8	0.84	<5	91	0.6	<5	0.75	6	131	76	2163	5.28	0.97	1.20	451	16	0.11	46	1051	480	<5	3	<10	29	0.14	67	<10	8	204	11
C-3	46.8	0.43	<5	327	2.7	436	11.29	12	11	94	892	2.79	0.59	2.19	1767	3	0.02	32	574	>10000	<5	6	<10	157	0.04	131	<10	12	79	8
C-4	37.4	0.54	<5	128	2.2	219	8.41	8	16	89	320	3.25	0.77	1.22	1766	54	0.05	42	697	9641	<5	3	<10	297	0.05	104	<10	10	81	10
C-5	3.6	0.10	32	63	0.9	29	1.37	19	12	101	340	4.47	0.10	0.19	1090	4592	0.03	79	490	836	<5	9	<10	47	<0.01	32	<10	21	689	6
C-6	1.1	0.32	<5	122	1.0	<5	5.58	3	18	147	1157	3.25	0.45	1.23	929	19	0.03	52	632	58	46	8	<10	228	0.02	74	<10	7	136	10
FL-10	<0.2	1.09	<5	29	<0.5	<5	0.94	<1	21	43	114	3.58	0.10	0.57	131	7	0.05	18	1194	22	<5	3	<10	8	0.13	67	<10	8	15	5
FL-12	0.9	1.22	<5	175	0.9	<5	1.45	1	52	137	425	3.44	1.47	1.99	713	7	0.07	109	639	148	<5	3	<10	54	0.16	70	<10	7	142	9
FL-15	<0.2	0.10	<5	126	<0.5	<5	0.02	<1	<1	128	13	0.43	0.09	0.01	30	3	0.04	7	35	4	<5	<1	<10	33	<0.01	30	<10	<1	4	1
FL-25	0.8	0.44	<5	147	<0.5	<5	2.28	3	9	40	751	1.13	0.36	0.39	378	<2	0.10	17	926	8	<5	2	<10	53	0.07	39	<10	17	26	7
FL-26	<0.2	0.95	<5	72	0.9	<5	1.23	<1	41	46	281	3.75	0.44	0.74	292	3	0.06	23	1171	9	<5	3	<10	25	0.15	84	<10	10	35	10
FL-27	>200.0	0.10	1232	39	0.8	1911	2.13	>100	22	32	>10000	4.36	0.14	0.44	1149	10	0.02	12	3074	391	724	5	<10	187	<0.01	77	41	6	633	14
FL-35	1.4	0.85	9	69	0.6	<5	0.73	<1	17	45	378	3.04	0.10	0.71	434	3	0.06	21	1595	12	<5	3	<10	34	0.17	54	<10	9	59	10
FL-38	1.4	0.04	<5	38	<0.5	<5	0.01	<1	<1	207	108	0.32	0.04	<0.01	29	<2	0.02	11	13	3	<5	<1	<10	11	<0.01	14	<10	<1	4	1
FL-46	0.7	0.46	20	102	<0.5	<5	0.38	<1	9	35	74	4.17	0.25	0.74	133	5	0.07	14	1329	17	5	8	<10	9	0.01	93	<10	3	25	12
FL-48	0.8	0.08	74	105	1.0	<5	7.51	<1	13	35	42	3.79	0.08	1.10	1022	25	0.03	25	790	50	<5	10	<10	221	<0.01	40	<10	10	77	13
FL-52	13.7	0.21	33	16	2.7	21	1.80	<1	327	50	7128	>15.00	0.01	0.04	380	23	0.02	35	543	114	6	<1	<10	<1	<0.01	127	23	2	190	22
FL-55	33.6	0.05	233	31	<0.5	8	1.93	15	78	81	>10000	>15.00	0.02	0.02	220	23	0.03	135	631	180	6	<1	<10	<1	<0.01	88	19	1	321	18

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0769-RG1

Company: **Lithic Resources Ltd.**
Project: **Friendly Lake**
Attn: **Chris Staargaard**

Sep-17-04

We hereby certify the following geochemical analysis of 14 rock samples submitted Aug-14-04

Sample Name	Au PPB
DR-01	4
DR-02	2
DR-03	1
DR-04	50
DR-05	809
DR-06	8
JZ-01	3
JZ-02	1
JZ-03	1
JZ-04	56
JZ-05	8
RR-01	53
RR-02	88
RR-03	1

Certified by _____

Lithic Resources Ltd.

Attention: Chris Staargaard

Project: Friendly Lake

Sample: rock

Assay Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0769 RJ

Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
DR-01	<0.2	2.15	<5	116	0.5	<5	1.71	<1	19	49	147	5.11	0.19	1.78	942	<2	0.06	2	2192	6	5	2	<10	88	0.21	89	<10	9	80	7
DR-02	<0.2	1.80	<5	110	<0.5	<5	1.81	<1	26	52	96	5.32	0.13	1.34	772	<2	0.11	16	1395	11	<5	6	<10	62	0.18	115	<10	7	70	8
DR-03	<0.2	1.28	7	49	<0.5	<5	1.31	<1	22	25	102	3.87	0.08	1.21	569	3	0.06	11	1444	7	<5	3	<10	50	0.12	69	<10	4	39	5
DR-04	10.0	0.09	<5	140	<0.5	14	6.30	64	3	117	3120	2.23	0.09	0.34	368	165	0.02	9	422	580	32	4	<10	437	<0.01	17	13	6	1485	8
DR-05	0.4	0.19	<5	158	<0.5	<5	0.16	<1	<1	121	14	0.82	0.16	0.01	171	4	0.07	4	136	7	<5	<1	<10	37	<0.01	3	<10	<1	21	2
DR-06	0.4	0.31	<5	144	0.7	<5	6.00	<1	24	26	87	6.34	0.24	1.64	1669	3	0.05	10	1219	22	<5	13	<10	111	<0.01	43	<10	8	72	7
JZ-01	0.3	2.36	<5	175	<0.5	<5	0.51	<1	6	54	104	5.30	0.17	1.97	566	6	0.05	15	1188	20	<5	9	<10	17	0.13	105	<10	7	70	9
JZ-02	<0.2	0.34	<5	47	<0.5	<5	0.11	<1	<1	73	2	0.84	0.11	0.06	40	<2	0.08	3	124	10	<5	1	<10	28	<0.01	15	<10	<1	32	3
JZ-03	<0.2	0.59	<5	42	<0.5	<5	0.55	<1	13	86	107	2.43	0.06	0.56	69	<2	0.07	28	1021	8	<5	2	<10	6	0.15	67	<10	9	6	9
JZ-04	<0.2	2.00	331	40	0.6	<5	1.38	<1	15	88	99	4.19	0.05	1.26	289	3	0.05	39	1256	8	<5	4	<10	4	0.09	131	<10	7	34	8
JZ-05	<0.2	0.21	<5	193	<0.5	<5	0.05	<1	<1	128	<1	0.79	0.12	0.02	359	2	0.08	5	142	10	<5	1	<10	68	<0.01	12	<10	1	23	3
RR-01	<0.2	1.71	22	38	<0.5	<5	3.19	<1	27	99	165	7.20	0.03	1.67	811	2	0.07	59	2163	14	<5	7	<10	66	0.16	180	<10	11	31	14
RR-02	32.4	0.27	61	28	0.5	38	2.41	38	60	90	>10000	>15.00	0.23	0.32	405	34	0.03	75	606	2946	<5	1	<10	<1	0.03	134	<10	39	495	14
RR-03	<0.2	0.79	7	119	1.1	<5	0.71	<1	15	45	141	2.93	0.08	0.60	904	6	0.08	13	751	36	<5	9	<10	29	0.07	77	<10	18	75	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0794-RG1

Company: **Lithic Resources Ltd.**
Project: **FRIENDLY LAKE**
Attn: **Chris Staarqaard**

Sep-23-04

We *hereby certify* the following geochemical analysis of 4 rock samples submitted Aug-17-04

Sample Name	Au PPB
JZ-06 L56E 46+00N	75
JZ-07 L60E 29+55N	2
DR-07 104	8
DR-08 104	4

Certified by _____

Lithic Resources Ltd.

Attention: Chris Staarqaard

Project: FRIENDLY LAKE

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0794 RJ

Date : Sep-23-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
JZ-06 L56E 46+00N	<0.2	0.20	<5	304	0.6	<5	3.49	<1	18	29	148	4.44	0.17	1.41	1454	<2	0.04	11	1590	6	<5	6	<10	360	<0.01	21	<10	10	84	5
JZ-07 L60E 29+55N	<0.2	1.51	<5	396	<0.5	<5	4.76	<1	31	139	70	5.10	0.20	2.93	1193	<2	0.04	39	1013	8	<5	15	<10	367	<0.01	54	<10	7	71	5
DR-07 104	<0.2	0.37	7	50	<0.5	<5	0.87	<1	11	61	24	3.30	0.08	0.38	132	4	0.07	21	1363	16	6	4	<10	57	0.11	47	<10	5	108	6
DR-08 104	<0.2	0.20	<5	102	<0.5	<5	0.58	<1	<1	105	7	0.79	0.10	0.03	194	<2	0.11	7	151	8	<5	<1	<10	90	<0.01	4	<10	<1	26	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0815-RG1

Company: **Lithic Resources Ltd.**
Project:
Attn:

Sep-24-04

We *hereby certify* the following geochemical analysis of 1 rock sample submitted Aug-23-04

Sample Name	Au g/tonne
DR-9/04	2

Certified by _____

Lithic Resources Ltd.

Attention:

Project:

Sample: rock

Assaye Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0815 RJ


Date : Sep-24-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
DR-9/04	0.2	0.17	<5	236	<0.5	<5	0.47	<1	2	73	10	0.97	0.10	0.02	431	<2	0.06	5	201	24	<5	<1	<10	40	<0.01	4	<10	2	42	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____ 



ASSAYING
 GEOCHEMISTRY
 ANALYTICAL CHEMISTRY
 ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
 Phone (250) 573-5700 Fax (250) 573-4557
 E-mail: info@ecotechlab.com
 www.ecotechlab.com


CERTIFICATE OF ANALYSIS AK 2004-1697

Lithic Resources
 912 - 510 W. Hastings St.
 Vancouver, BC
 V6B 1L8


27-Oct-04

No. of samples received: 75
 Sample type: Core
 Submitted by: R. Montgomery
 Project: Friendly Lake

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	45001	10	<5	5
2	45002	5	5	5
3	45003	5	<5	<5
4	45004	10	5	<5
5	45005	10	5	5
6	45006	10	5	<5
7	45007	10	<5	<5
8	45008	5	5	<5
9	45009	5	<5	<5
10	45010	5	<5	<5
11	45011	5	<5	<5
12	45012	20	<5	<5
13	45013	175	5	<5
14	45014	15	5	5
15	45015	25	5	<5
16	45016	>1000	<5	<5
17	45017	265	<5	<5
18	45018	10	<5	<5
19	45019	20	5	<5
20	45020	25	5	<5
21	45021	5	<5	<5
22	45022	10	5	<5
23	45023	15	10	15
24	45024	5	<5	<5
25	45025	30	<5	<5


 ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
26	45026	10	<5	<5
27	45027	10	<5	<5
28	45028	10	<5	<5
29	45029	15	5	<5
30	45030	<5	5	10
31	45031	<5	5	<5
32	45032	10	5	<5
33	45033	5	<5	<5
34	45034	5	<5	5
35	45035	<5	<5	10
36	45036	5	5	<5
37	45037	15	<5	5
38	45038	10	<5	<5
39	45039	10	5	<5
40	45040	5	<5	<5
41	45041	10	10	<5
42	45042	10	<5	<5
43	45043	5	5	5
44	45044	10	<5	<5
45	45045	10	<5	<5
46	45046	5	<5	5
47	45047	10	<5	5
48	45048	15	<5	<5
49	45049	5	<5	5
50	45050	5	5	5
51	45051	15	<5	5
52	45052	10	<5	5
53	45053	5	<5	5
54	45054	15	<5	5
55	45055	10	<5	5
56	45056	5	5	5
57	45057	5	<5	<5
58	45058	<5	<5	<5
59	45059	5	<5	<5
60	45060	15	<5	<5
61	45060A	15	5	<5
62	45061	10	5	10
63	45062	5	<5	<5
64	45063	5	<5	5
65	45064	65	<5	5
66	45065	5	<5	5
67	45066	10	<5	5
68	45067	35	<5	5
69	45068	10	<5	5


 ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
70	45069	<5	<5	5
71	45070	10	<5	5
72	45071	20	<5	<5
73	45072	20	<5	<5
74	45073	25	<5	5
75	45074	35	<5	<5

QC DATA:

Repeat:

1	45001	5	<5	5
10	45010	5	5	<5
13	45013	170		
17	45017	260		
19	45019	15	5	<5
23	45023	50		
36	45036	5	5	<5
45	45045	10	<5	<5
54	45054	10	<5	5
65	45064	35		


Resplit:


1	45001	5	<5	<5
36	45036	<5	5	5
71	45070	10	<5	<5

Standard:

GEO '04	140	<5	<5
GEO '04	140	<5	<5
GEO '04	140	<5	<5

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-1697

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

28-Oct-04


No. of samples received: 75
Sample type: Core
Submitted by: R. Montgomery
Project: Friendly Lake

ET #.	Tag #	Au (g/t)	Au (oz/t)
16	45016	1.65	0.048

Standard:
SN16

8.87 0.259

JJ/sc
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1697

Lithic Resources

912 - 510 W. Hastings St.

Vancouver, BC

V6B 1L8

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 75

Sample type: Core

Submitted by: R. Montgomery

Project: Friendly Lake

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	45001	0.6	1.12	<5	35	<5	1.22	1	22	51	283	3.89	<10	1.39	618	7	0.05	28	1110	56	<5	<20	40	0.11	<10	117	<10	6	132
2	45002	0.6	0.79	<5	25	<5	2.03	6	23	46	432	3.84	<10	1.18	553	8	0.06	21	1030	60	<5	<20	81	0.12	<10	93	<10	8	337
3	45003	0.4	0.97	<5	35	<5	1.83	<1	24	51	349	4.00	<10	1.39	718	7	0.05	26	1070	40	<5	<20	72	0.11	<10	118	<10	9	123
4	45004	3.2	0.81	<5	80	<5	2.91	1	25	46	492	3.83	<10	1.43	808	6	0.05	23	970	386	<5	<20	140	0.08	<10	109	<10	11	109
5	45005	3.3	0.58	<5	155	<5	3.09	1	14	45	457	2.69	<10	1.24	841	5	0.05	15	920	404	<5	<20	169	0.07	<10	130	<10	15	96
6	45006	2.5	0.50	10	95	<5	5.18	2	17	47	643	3.46	<10	1.34	1168	5	0.03	19	800	300	5	<20	233	0.05	<10	136	<10	11	99
7	45007	1.6	0.90	<5	95	<5	2.48	1	19	52	619	3.29	<10	1.59	802	8	0.06	20	930	176	<5	<20	120	0.09	<10	114	<10	11	123
8	45008	1.1	0.72	<5	115	<5	4.23	<1	20	69	362	3.65	<10	1.40	1032	7	0.05	35	920	62	<5	<20	192	0.09	<10	173	<10	13	120
9	45009	3.0	0.29	<5	160	<5	4.42	2	8	23	139	2.06	<10	0.70	911	3	0.05	12	430	324	<5	<20	189	0.02	<10	147	<10	10	85
10	45010	6.0	0.45	<5	170	<5	5.51	2	11	31	209	2.48	<10	0.95	1023	4	0.04	18	680	438	<5	<20	192	0.04	<10	150	<10	16	89
11	45011	1.7	0.93	<5	155	<5	2.56	1	21	48	408	3.18	<10	1.45	700	6	0.05	24	980	120	<5	<20	149	0.08	<10	106	<10	11	125
12	45012	1.5	0.98	<5	115	<5	5.50	1	27	149	240	4.43	<10	1.67	1134	18	0.05	84	630	154	<5	<20	240	0.08	<10	206	<10	5	112
13	45013	10.5	0.30	125	25	5	9.90	<1	14	60	255	3.16	<10	1.80	1340	21	0.02	26	680	2434	20	<20	445	0.02	<10	137	<10	13	56
14	45014	1.7	0.52	10	170	<5	4.05	2	13	89	190	2.66	<10	0.98	991	3	0.05	34	980	170	5	<20	198	0.04	<10	104	<10	20	90
15	45015	1.9	1.04	10	140	<5	3.41	<1	20	86	200	3.53	<10	1.62	1034	8	0.05	31	1100	170	<5	<20	120	0.09	<10	124	<10	15	106
16	45016	1.6	0.70	95	110	<5	4.01	<1	15	55	218	2.84	<10	1.12	854	12	0.05	16	970	154	5	<20	162	0.07	<10	137	<10	13	73
17	45017	1.4	0.71	25	135	<5	2.14	<1	17	54	276	2.58	<10	1.09	643	6	0.07	17	1090	158	5	<20	96	0.11	<10	88	<10	14	80
18	45018	0.8	0.73	5	130	<5	1.84	<1	18	50	225	2.57	<10	1.10	609	5	0.07	19	1160	50	5	<20	77	0.10	<10	68	<10	12	77
19	45019	1.0	0.81	<5	100	<5	2.80	2	23	50	439	3.33	<10	1.18	681	10	0.05	19	1480	56	<5	<20	106	0.08	<10	90	<10	15	113
20	45020	1.8	0.75	<5	90	<5	4.01	1	20	72	332	3.42	<10	1.29	716	8	0.04	29	1240	148	<5	<20	112	0.06	<10	132	<10	14	102
21	45021	0.9	1.14	<5	100	<5	1.99	2	22	60	316	4.13	<10	1.60	817	10	0.06	27	1230	46	<5	<20	83	0.10	<10	164	<10	13	199
22	45022	1.3	0.57	<5	105	<5	2.71	<1	26	113	324	3.32	<10	0.97	790	33	0.05	70	1060	46	<5	<20	104	0.08	<10	121	<10	17	91
23	45023	1.1	0.83	25	190	<5	3.97	<1	20	263	234	3.81	<10	1.40	1079	11	0.05	132	1020	44	<5	<20	158	0.07	<10	137	<10	12	131
24	45024	0.6	0.53	<5	115	<5	2.50	<1	11	43	175	2.48	<10	0.85	667	6	0.04	23	1100	32	<5	<20	102	0.04	<10	120	<10	15	88
25	45025	0.8	0.41	<5	125	<5	3.15	<1	14	54	263	2.84	<10	0.83	650	3	0.04	22	570	96	<5	<20	141	0.03	<10	136	<10	10	72
26	45026	0.4	0.28	<5	265	<5	2.95	<1	5	38	49	1.59	<10	0.66	549	2	0.06	10	590	100	5	<20	195	0.03	<10	80	<10	11	54
27	45027	0.6	0.36	<5	190	<5	4.33	<1	8	76	59	2.45	<10	0.81	783	3	0.04	17	620	82	<5	<20	228	0.03	<10	147	<10	10	69
28	45028	0.8	0.23	<5	195	<5	4.24	<1	8	71	42	2.51	<10	0.81	871	2	0.03	16	440	134	<5	<20	265	0.02	<10	165	<10	7	69
29	45029	0.7	0.58	<5	135	5	8.70	<1	19	357	84	4.79	<10	1.12	1555	23	0.01	146	460	80	<5	<20	219	0.04	<10	286	<10	6	108
30	45030	0.6	1.11	<5	80	<5	2.02	<1	24	186	335	3.71	<10	1.61	700	4	0.04	145	1020	62	<5	<20	77	0.09	<10	128	<10	11	108

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
31	45031	0.3	0.70	<5	70	<5	2.08	<1	15	48	168	3.05	<10	1.17	580	4	0.05	22	790	28	<5	<20	90	0.07	<10	114	<10	13	78
32	45032	0.3	0.39	<5	55	<5	2.32	<1	8	36	157	1.83	<10	0.79	500	3	0.06	16	470	30	<5	<20	357	0.03	<10	76	<10	5	62
33	45033	0.8	0.62	<5	150	<5	2.32	<1	11	59	168	2.54	<10	1.02	643	3	0.05	17	650	92	<5	<20	150	0.06	<10	104	<10	8	83
34	45034	0.6	0.64	<5	125	<5	1.69	<1	15	43	202	2.59	<10	0.84	493	5	0.05	18	960	54	<5	<20	78	0.09	<10	96	<10	14	72
35	45035	0.3	0.46	<5	160	<5	1.97	<1	10	39	179	2.17	<10	0.69	478	5	0.05	18	1030	34	<5	<20	95	0.05	<10	85	<10	13	68
36	45036	0.6	0.94	<5	80	<5	1.96	<1	25	29	483	4.32	<10	1.09	531	4	0.05	18	1390	40	<5	<20	75	0.08	<10	109	<10	11	107
37	45037	0.9	0.94	<5	60	<5	2.32	<1	34	35	849	5.82	<10	1.06	639	13	0.04	21	1440	76	<5	<20	90	0.06	<10	147	<10	6	110
38	45038	0.4	1.24	<5	95	<5	1.35	<1	26	21	300	5.05	<10	1.50	680	5	0.05	11	1350	30	<5	<20	60	0.10	<10	122	<10	11	130
39	45039	0.4	2.07	35	130	<5	2.19	<1	26	12	268	5.94	<10	2.16	952	8	0.04	11	1320	50	<5	<20	89	0.15	<10	209	<10	9	161
40	45040	2.6	0.49	10	195	<5	5.65	1	11	104	242	2.68	<10	0.81	1129	3	0.03	56	880	358	<5	<20	246	0.05	<10	125	<10	39	113
41	45041	0.7	1.08	<5	245	<5	2.97	1	18	139	251	3.40	<10	1.60	891	3	0.06	96	960	48	<5	<20	147	0.07	<10	112	<10	15	161
42	45042	0.4	1.73	<5	145	<5	2.08	<1	35	94	265	5.42	<10	2.17	917	4	0.04	35	1190	42	<5	<20	101	0.11	<10	139	<10	10	166
43	45043	0.6	1.21	<5	85	<5	2.65	<1	29	53	346	5.00	<10	1.56	800	5	0.06	29	1090	46	<5	<20	115	0.09	<10	133	<10	12	96
44	45044	0.4	0.80	<5	75	<5	2.15	<1	24	45	224	4.03	<10	0.87	533	5	0.04	21	1000	36	<5	<20	80	0.08	<10	99	<10	9	62
45	45045	1.5	0.67	<5	90	<5	2.42	2	27	23	927	4.51	<10	0.79	562	9	0.05	11	830	48	<5	<20	97	0.07	<10	93	<10	8	141
46	45046	0.5	0.90	<5	70	<5	2.46	<1	22	73	242	3.70	<10	1.21	723	2	0.04	34	940	30	<5	<20	90	0.07	<10	96	<10	14	138
47	45047	0.8	0.41	<5	100	<5	1.71	<1	21	27	337	2.57	<10	0.45	349	4	0.06	7	810	80	<5	<20	86	0.07	<10	62	<10	13	42
48	45048	1.0	0.51	<5	100	<5	2.19	<1	21	33	209	2.67	<10	0.59	382	8	0.06	14	790	114	<5	<20	98	0.07	<10	70	<10	12	48
49	45049	0.2	1.37	<5	115	<5	2.16	<1	18	76	84	3.69	<10	1.58	691	3	0.04	41	870	48	5	<20	110	0.08	<10	99	<10	10	96
50	45050	0.4	1.34	<5	40	<5	6.16	<1	23	74	193	3.88	<10	1.54	828	3	0.04	41	810	60	<5	<20	1742	0.07	<10	107	<10	15	85
51	45051	1.1	0.38	<5	135	<5	2.53	2	16	24	411	2.53	<10	0.46	409	4	0.05	8	630	60	<5	<20	143	0.04	<10	63	<10	12	61
52	45052	1.0	0.49	<5	185	<5	1.77	<1	12	28	189	2.24	<10	0.51	395	4	0.04	6	690	82	<5	<20	109	0.06	<10	56	<10	12	46
53	45053	0.5	0.63	<5	155	<5	1.86	<1	13	23	186	2.36	<10	0.80	447	3	0.05	7	710	40	<5	<20	128	0.06	<10	66	<10	14	53
54	45054	0.2	2.02	10	155	<5	2.34	<1	27	38	143	5.33	<10	2.25	958	6	0.04	12	940	32	<5	<20	92	0.13	<10	171	<10	16	137
55	45055	0.2	1.86	10	80	<5	3.54	<1	26	156	136	4.69	<10	2.81	1067	4	0.05	92	860	26	<5	<20	156	0.10	<10	137	<10	7	168
56	45056	0.2	1.63	<5	55	<5	2.54	<1	23	110	167	4.54	<10	2.34	870	3	0.03	73	750	28	<5	<20	142	0.08	<10	139	<10	9	157
57	45057	0.2	2.70	<5	70	5	2.39	<1	31	42	159	6.60	<10	3.22	1230	5	0.03	21	950	42	<5	<20	111	0.13	<10	232	<10	15	187
58	45058	0.2	2.01	<5	120	<5	3.63	<1	24	38	112	5.55	<10	2.36	1246	4	0.03	16	850	28	<5	<20	193	0.09	<10	237	<10	18	139
59	45059	0.3	1.81	<5	155	<5	2.37	<1	25	40	167	5.27	<10	2.10	1017	6	0.03	16	910	34	<5	<20	120	0.09	<10	195	<10	20	143
60	45060	1.5	0.99	<5	160	<5	4.56	<1	18	37	184	3.61	<10	1.50	951	6	0.04	22	1010	216	5	<20	279	0.08	<10	120	<10	16	134
61	45060A	1.1	1.06	5	155	<5	4.25	<1	20	26	222	3.81	<10	1.53	946	7	0.04	17	1080	162	<5	<20	258	0.10	<10	132	<10	15	137
62	45061	0.3	0.90	<5	210	<5	2.45	<1	15	20	104	3.84	<10	1.34	821	4	0.05	16	960	36	<5	<20	136	0.05	<10	158	<10	18	117
63	45062	0.5	1.55	<5	110	<5	2.20	<1	24	13	214	4.96	<10	1.86	947	4	0.03	11	960	56	<5	<20	117	0.06	<10	172	<10	15	146
64	45063	0.7	1.70	<5	60	<5	3.33	5	27	16	252	5.03	<10	1.82	1006	8	0.03	15	1040	88	<5	<20	145	0.06	<10	174	<10	16	410
65	45064	1.0	0.96	45	100	<5	5.71	<1	20	12	215	4.00	<10	1.39	1095	5	0.05	14	700	24	<5	<20	261	0.06	<10	179	<10	15	136
66	45065	0.2	2.15	<5	75	10	2.75	<1	30	15	163	6.27	<10	2.00	1036	6	0.04	9	1150	38	<5	<20	111	0.09	<10	194	<10	12	139
67	45066	0.2	2.44	<5	85	<5	2.30	<1	32	14	187	6.46	<10	2.46	885	7	0.03	11	1140	38	<5	<20	107	0.10	<10	244	<10	12	161
68	45067	<0.2	0.34	<5	105	<5	4.16	<1	13	37	94	3.54	<10	1.01	998	3	0.02	8	760	10	<5	<20	181	0.03	<10	161	<10	7	84
69	45068	<0.2	0.92	<5	160	<5	3.31	<1	12	29	115	3.65	<10	1.13	765	4	0.03	9	980	16	<5	<20	162	0.08	<10	130	<10	11	65
70	45069	<0.2	1.22	<5	125	<5	1.91	<1	12	31	142	3.76	<10	1.10	550	4	0.04	13	1230	20	<5	<20	63	0.08	<10	128	<10	12	58

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	45070	0.2	1.08	<5	85	<5	2.78	<1	15	28	97	3.52	<10	0.99	512	7	0.03	11	1130	22	<5	<20	89	0.07	<10	114	<10	10	41
72	45071	0.8	0.82	10	40	<5	2.64	<1	17	21	342	4.68	<10	0.88	841	8	0.03	11	1110	20	<5	<20	126	0.02	<10	176	<10	18	54
73	45072	0.9	0.12	<5	110	<5	2.42	<1	<1	24	241	0.44	<10	0.01	246	8	0.02	2	30	72	<5	<20	147	<0.01	<10	16	<10	10	13
74	45073	1.4	0.09	10	40	<5	4.81	3	10	29	571	2.90	<10	0.46	1200	35	0.01	6	100	140	<5	<20	314	<0.01	<10	130	<10	5	134
75	45074	0.6	0.19	25	25	10	>10	2	20	23	59	4.59	<10	0.80	2177	39	0.02	11	590	78	<5	<20	716	0.01	<10	239	<10	14	125

QC DATA:

Repeat:


1	45001	0.6	1.12	<5	30	<5	1.24	1	23	53	286	3.95	<10	1.39	644	8	0.05	25	1170	60	<5	<20	37	0.13	<10	121	<10	7	134
10	45010	6.0	0.45	5	165	<5	5.57	2	11	32	212	2.55	<10	0.95	1035	3	0.05	17	690	456	<5	<20	193	0.04	<10	153	<10	16	92
19	45019	1.0	0.79	<5	100	<5	2.75	1	23	51	416	3.28	<10	1.15	672	11	0.05	19	1440	52	<5	<20	102	0.08	<10	91	<10	12	112
36	45036	0.6	0.97	<5	75	<5	2.04	<1	27	30	493	4.48	<10	1.12	550	5	0.05	20	1420	44	<5	<20	81	0.09	<10	115	<10	10	112
45	45045	1.5	0.68	<5	85	<5	2.43	2	27	23	947	4.55	<10	0.80	575	9	0.05	11	800	44	<5	<20	96	0.07	<10	94	<10	7	138
54	45054	0.2	2.05	10	165	5	2.39	<1	27	38	142	5.41	<10	2.27	972	7	0.04	14	940	34	<5	<20	99	0.12	<10	171	<10	17	139
71	45070	0.2	1.13	<5	80	<5	2.93	<1	16	29	96	3.73	<10	1.04	539	8	0.03	15	1180	26	<5	<20	91	0.07	<10	120	<10	12	44


Resplit:

1	45001	0.4	1.14	<5	40	<5	1.29	<1	22	60	282	4.06	<10	1.40	639	8	0.06	27	1200	54	<5	<20	40	0.10	<10	114	<10	7	140
36	45036	0.6	0.99	<5	75	<5	1.96	<1	27	32	585	4.56	<10	1.14	547	5	0.05	19	1560	40	<5	<20	77	0.07	<10	109	<10	12	115

Standard:

3EO '04		1.6	1.36	55	145	<5	1.37	<1	18	56	88	3.56	<10	0.72	541	<1	0.02	29	62J	20	<5	<20	53	0.04	<10	65	<10	10	74
3EO '04		1.5	1.40	60	130	<5	1.35	<1	18	57	86	3.70	<10	0.74	569	<1	0.02	29	690	24	<5	<20	53	0.11	<10	67	<10	10	77


ECO TECH LABORATORY LTD.
 Jutta Jealousé
 B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ANALYSIS AK 2004-1734

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

8-Nov-04

No. of samples received: 72
Sample Type: Core
Project: Friendly Lake
Submitted By: Alec Tebbutt


ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	45075	65	<5	<5
2	45076	5	<5	<5
3	45077	15	<5	<5
4	45078	10	<5	<5
5	45079	10	5	<5
6	45080	5	<5	<5
7	45080 A	5	<5	<5
8	45081	40	5	<5
9	45082	15	5	<5
10	45083	25	<5	<5
11	45084	10	5	<5
12	45085	10	<5	<5
13	45086	15	<5	<5
14	45087	10	5	<5
15	45088	10	<5	5
16	45089	5	<5	<5
17	45090	15	5	<5
18	45091	5	<5	10
19	45092	5	<5	<5
20	45093	40	<5	5
21	45094	10	5	<5
22	45095	5	<5	<5
23	45096	10	<5	<5
24	45097	10	<5	10
25	45098	5	<5	<5
26	45099	5	<5	<5
27	45100	10	<5	<5
28	45100 A	5	5	<5
29	45101	5	5	<5
30	45102	5	5	<5

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
31	45103	10	5	<5
32	45104	10	10	<5
33	45105	80	<5	<5
34	45106	15	<5	<5
35	45107	15	5	<5
36	45108	20	<5	<5
37	45109	15	<5	<5
38	45110	20	5	<5
39	45111	20	<5	5
40	45112	25	5	<5
41	45113	25	<5	15
42	45114	5	<5	<5
43	45115	15	<5	<5
44	45116	15	<5	10
45	45117	15	5	<5
46	45118	35	<5	<5
47	45119	40	<5	<5
48	45120	20	<5	<5
49	45121	15	<5	<5
50	45122	5	<5	<5
51	45123	<5	<5	<5
52	45123 A	5	<5	15
53	45124	5	<5	5
54	45125	5	5	<5
55	45126	5	5	<5
56	45127	5	<5	<5
57	45128	5	<5	<5
58	45129	5	5	<5
59	45130	5	<5	<5
60	45131	30	<5	<5
61	45132	10	5	5
62	45133	165	5	<5
63	45134	65	<5	<5
64	45135	20	<5	<5
65	45136	15	<5	<5
66	45137	25	<5	<5
67	45138	10	<5	<5
68	45138 A	5	<5	5
69	45138 B	5	<5	<5
70	45139	5	<5	<5
71	45140	15	<5	<5
72	45141	5	<5	<5


QC DATA:

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
Resplit:				
1	45075	25	<5	<5
36	45108	25	5	<5
71	45140	5	<5	<5
Repeat:				
1	45075	10	<5	<5
10	45083	25	<5	<5
19	45092	5	<5	<5
36	45108	20	<5	<5
45	45117	10	5	<5
54	45125	5	5	<5
62	45133	165		
63	45134	65		
67	45138	10		
Standard:				
GEO 04		135	<5	<5
GEO 04		140	<5	<5
GEO 04		130	<5	<5

JJ/jm
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2004-1734

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

8-Nov-04


No. of samples received: 72
Sample Type: Core
Project: Friendly Lake
Submitted By: Alec Tebbutt

ET #.	Tag #	Cu %
30	45102	0.87

Standard:

Cu106	1.43
-------	------

JJ/jm
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.

10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700

Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1734

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

No. of samples received: 72

Sample Type: Core

Project: Friendly Lake

Submitted By: Alec Tebbutt


Values in ppm unless otherwise reported


Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	45075	0.4	0.77	<5	55	<5	2.36	<1	22	48	367	4.79	<10	0.71	850	<1	0.04	20	780	14	<5	<20	121	0.07	<10	252	<10	13	68
2	45076	0.6	0.60	15	70	<5	3.86	2	22	60	355	4.05	<10	0.78	814	9	0.05	19	980	40	<5	<20	153	0.08	<10	185	<10	19	94
3	45077	0.5	0.83	<5	75	<5	2.84	<1	17	49	359	2.96	<10	0.98	579	1	0.08	12	820	14	<5	<20	153	0.11	<10	84	<10	16	60
4	45078	0.3	0.83	<5	60	<5	2.83	1	19	60	200	4.66	<10	0.99	643	9	0.08	20	940	24	<5	<20	129	0.06	<10	242	<10	15	49
5	45079	1.9	0.11	10	50	<5	9.38	39	10	123	233	2.48	<10	0.13	1214	86	0.01	9	200	320	<5	<20	719	<0.01	<10	79	<10	27	840
6	45080	0.4	0.86	<5	50	<5	1.76	<1	18	73	440	4.94	<10	1.05	715	3	0.06	23	890	16	<5	<20	84	0.06	<10	313	<10	14	59
7	45080 A	0.6	0.89	<5	55	<5	1.81	1	17	85	518	4.72	<10	1.05	682	10	0.06	23	860	34	<5	<20	86	0.06	<10	301	<10	14	72
8	45081	1.1	0.71	<5	40	<5	2.45	<1	24	68	314	4.35	<10	0.93	664	5	0.08	24	910	50	<5	<20	80	0.06	<10	182	<10	6	69
9	45082	0.3	0.11	<5	60	<5	3.99	2	9	47	6	2.50	<10	0.75	1252	30	0.03	3	<10	16	<5	<20	161	<0.01	<10	117	<10	<1	109
10	45083	0.3	0.13	<5	35	<5	2.00	<1	5	63	22	1.90	<10	0.34	613	7	0.05	3	<10	10	<5	<20	57	<0.01	<10	60	<10	<1	48
11	45084	<2	0.13	<5	55	<5	2.83	<1	8	47	16	2.00	<10	0.55	939	5	0.06	4	<10	6	<5	<20	115	<0.01	<10	69	<10	<1	98
12	45085	<2	0.15	<5	120	<5	2.49	<1	6	55	5	1.61	<10	0.46	845	6	0.04	2	<10	4	<5	<20	96	<0.01	<10	84	<10	<1	61
13	45086	<2	0.14	<5	185	<5	3.11	<1	3	40	2	1.53	<10	0.11	943	2	0.06	2	30	<2	<5	<20	103	<0.01	<10	78	<10	2	67
14	45087	<2	0.14	<5	175	5	4.57	<1	11	37	4	4.78	<10	0.16	2177	4	0.05	5	10	6	<5	<20	174	<0.01	<10	300	<10	3	136
15	45088	1.0	2.47	10	85	<5	3.31	<1	27	20	428	5.55	<10	1.82	1011	5	0.26	10	1220	80	<5	<20	105	0.09	<10	182	<10	14	110
16	45089	0.5	3.47	<5	130	<5	3.81	<1	29	12	198	6.33	<10	2.21	1174	6	0.63	7	1280	86	<5	<20	130	0.15	<10	174	<10	16	108
17	45090	0.5	3.54	20	105	<5	5.05	<1	29	9	414	6.35	<10	2.22	1226	7	0.54	3	1880	44	<5	<20	244	0.16	<10	222	<10	22	121
18	45091	0.8	0.90	85	50	<5	4.40	<1	20	43	386	4.31	<10	1.23	975	20	0.05	14	830	26	<5	<20	222	0.06	<10	136	<10	17	80
19	45092	1.4	1.12	40	50	<5	4.12	<1	17	50	210	3.94	<10	1.47	685	6	0.07	19	910	160	<5	<20	185	0.06	<10	187	<10	15	68
20	45093	0.5	1.43	10	65	<5	4.32	<1	16	37	277	4.29	<10	1.42	923	4	0.04	15	1090	58	<5	<20	163	0.04	<10	207	<10	18	88
21	45094	0.6	1.03	5	85	<5	4.28	<1	17	39	481	3.79	<10	1.01	779	9	0.04	17	1120	26	<5	<20	195	0.06	<10	146	<10	21	70
22	45095	0.2	1.34	25	75	<5	8.39	<1	19	37	77	3.73	<10	1.33	1053	5	0.04	17	950	18	<5	<20	384	0.05	<10	133	<10	24	58
23	45096	0.4	1.00	20	90	<5	7.59	1	18	35	421	3.49	<10	1.02	1134	2	0.05	14	1230	22	<5	<20	268	0.04	<10	156	<10	30	74
24	45097	0.2	1.74	15	55	<5	3.30	<1	22	47	140	4.62	<10	1.71	823	5	0.04	18	1170	28	<5	<20	129	0.06	<10	187	<10	13	94
25	45098	0.4	1.02	15	40	<5	9.15	2	14	31	204	3.58	<10	1.03	1327	5	0.03	16	990	20	<5	<20	222	0.03	<10	169	<10	38	66
26	45099	0.5	1.09	5	60	<5	4.54	<1	18	48	359	3.98	<10	1.11	858	3	0.05	17	1030	22	<5	<20	193	0.03	<10	201	<10	20	66
27	45100	1.8	1.38	<5	25	<5	4.25	2	15	50	910	3.88	<10	1.25	773	3	0.10	15	940	<2	<5	<20	98	0.12	<10	128	<10	8	63
28	45100 A	0.8	1.21	5	90	<5	4.52	1	24	46	616	3.78	<10	1.09	768	3	0.11	15	870	22	<5	<20	144	0.10	<10	117	<10	22	62
29	45101	2.9	1.31	10	100	<5	4.71	3	15	41	2722	3.90	<10	1.27	794	4	0.07	16	910	36	5	<20	174	0.12	<10	118	<10	32	69
30	45102	14.0	0.45	215	30	<5	9.06	5	17	35	8713	3.88	<10	0.71	1087	83	0.05	14	460	328	140	<20	1089	0.02	<10	75	<10	65	140

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	45103	1.7	0.83	10	70	<5	5.09	<1	10	30	569	3.23	<10	0.83	819	4	0.04	11	810	26	<5	<20	191	0.05	<10	124	<10	35	46
32	45104	1.4	0.90	5	150	<5	5.23	<1	12	37	706	3.89	<10	0.76	834	3	0.04	10	920	18	<5	<20	133	0.07	<10	130	<10	31	50
33	45105	4.6	1.25	<5	75	<5	3.84	<1	38	46	826	5.28	<10	1.17	664	6	0.06	15	1080	260	<5	<20	113	0.14	<10	123	<10	19	49
34	45106	0.3	1.06	<5	105	<5	4.51	<1	15	47	83	3.30	<10	1.02	611	2	0.08	15	940	16	<5	<20	154	0.14	<10	95	<10	37	35
35	45107	1.9	0.84	20	90	<5	7.15	<1	16	52	134	4.07	<10	1.15	876	6	0.06	18	960	494	<5	<20	444	0.08	<10	170	<10	31	47
36	45108	0.6	0.69	20	65	<5	8.30	<1	20	42	184	4.49	<10	0.87	1256	5	0.05	17	830	58	<5	<20	337	0.04	<10	150	<10	43	59
37	45109	0.5	0.89	25	65	<5	8.03	<1	22	42	298	4.49	<10	0.99	1142	<1	0.05	9	840	36	<5	<20	321	0.09	<10	166	<10	36	60
38	45110	0.7	0.52	<5	70	<5	8.49	<1	31	36	624	5.98	<10	1.02	1113	6	0.03	19	1080	46	<5	<20	295	0.03	<10	212	<10	19	67
39	45111	1.3	0.36	5	75	<5	4.77	<1	15	61	523	4.18	<10	1.16	861	4	0.05	18	800	44	<5	<20	195	0.03	<10	152	<10	10	75
40	45112	0.5	0.68	50	70	<5	7.23	<1	21	54	294	4.82	<10	1.40	1145	17	0.05	18	870	54	<5	<20	524	0.05	<10	175	<10	17	74
41	45113	0.6	0.77	45	55	<5	5.71	<1	22	56	332	4.19	<10	1.01	1018	13	0.06	18	860	50	<5	<20	233	0.10	<10	156	<10	36	62
42	45114	1.1	0.43	<5	110	<5	7.82	1	15	39	164	4.13	<10	1.20	1720	2	0.08	11	530	194	<5	<20	459	0.08	<10	171	<10	41	138
43	45115	0.6	0.43	20	75	<5	6.12	<1	16	71	254	3.93	<10	1.18	1038	4	0.05	21	780	58	<5	<20	283	0.04	<10	157	<10	29	166
44	45116	0.6	0.25	10	80	<5	8.76	<1	14	45	252	4.20	<10	1.16	1037	7	0.04	12	900	56	<5	<20	754	0.01	<10	143	<10	9	79
45	45117	0.6	0.19	<5	100	<5	5.62	1	17	61	212	4.66	<10	1.45	1061	9	0.03	16	710	52	<5	<20	207	<0.01	<10	173	<10	5	104
46	45118	0.8	0.10	25	35	<5	4.85	2	14	70	222	4.31	<10	1.08	975	16	0.02	11	760	64	<5	<20	281	<0.01	<10	90	<10	5	110
47	45119	1.3	0.01	15	135	<5	>10	4	2	79	436	1.08	<10	0.37	558	33	0.01	3	80	128	10	<20	1984	<0.01	<10	52	<10	8	185
48	45120	0.4	0.56	<5	55	<5	3.51	<1	14	68	151	3.22	<10	0.79	579	55	0.06	18	770	40	<5	<20	183	0.13	<10	57	<10	21	43
49	45121	0.4	0.52	<5	55	<5	3.17	<1	14	64	164	3.03	<10	0.67	517	48	0.06	17	720	34	<5	<20	177	0.15	<10	52	<10	20	41
50	45122	0.6	0.62	5	65	<5	4.01	1	18	61	556	2.82	<10	0.62	593	4	0.07	11	920	18	<5	<20	193	0.09	<10	95	<10	26	54
51	45123	0.3	1.21	<5	80	<5	2.21	<1	16	44	197	3.33	<10	1.09	572	6	0.15	13	1000	26	<5	<20	118	0.10	<10	74	<10	18	77
52	45123 A	0.3	1.31	<5	75	<5	2.93	<1	23	47	176	4.26	<10	1.16	694	7	0.19	14	1190	26	<5	<20	119	0.10	<10	87	<10	19	87
53	45124	0.3	0.58	<5	45	<5	8.21	<1	26	21	102	5.44	<10	1.36	1633	6	0.02	21	820	10	<5	<20	158	<0.01	<10	83	<10	33	71
54	45125	0.4	1.99	<5	80	<5	4.45	<1	29	39	246	6.24	<10	2.08	1202	3	0.05	16	520	32	<5	<20	111	0.09	<10	208	<10	13	106
55	45126	0.7	1.54	<5	75	<5	4.62	<1	32	326	300	5.23	<10	2.67	1049	6	0.06	221	950	40	<5	<20	164	0.06	<10	180	<10	13	144
56	45127	0.6	1.16	<5	90	<5	3.68	<1	22	113	320	5.17	<10	1.49	931	2	0.05	81	710	46	<5	<20	133	0.06	<10	187	<10	15	126
57	45128	0.4	1.41	<5	85	<5	4.12	<1	26	54	193	4.78	<10	1.43	996	4	0.04	31	930	42	<5	<20	121	0.05	<10	139	<10	22	114
58	45129	0.6	2.01	<5	60	<5	2.86	<1	25	87	323	5.66	<10	2.40	1239	6	0.04	43	1150	34	<5	<20	109	0.07	<10	170	<10	4	180
59	45130	0.6	0.96	<5	45	<5	6.30	<1	21	63	403	4.33	<10	1.13	1073	13	0.04	36	1040	42	<5	<20	225	0.04	<10	214	<10	26	92
60	45131	0.7	0.57	<5	40	<5	7.21	<1	20	42	226	4.14	<10	0.94	1251	389	0.03	31	710	54	<5	<20	366	0.03	<10	151	<10	31	83
61	45132	0.6	1.57	<5	110	<5	5.87	1	37	421	182	4.70	<10	3.23	1054	121	0.07	322	990	112	<5	<20	390	0.09	<10	107	<10	13	162
62	45133	0.7	0.40	<5	85	<5	5.96	<1	17	58	145	3.95	<10	1.05	1017	172	0.05	22	540	26	<5	<20	221	0.03	<10	157	<10	12	94
63	45134	0.8	0.08	5	50	<5	7.78	2	7	38	43	2.22	<10	0.74	888	287	0.02	12	260	78	<5	<20	361	<0.01	<10	59	<10	15	81
64	45135	0.2	0.11	<5	100	<5	2.76	1	4	51	19	1.73	<10	0.40	579	14	0.04	7	160	24	<5	<20	210	<0.01	<10	79	<10	<1	53
65	45136	0.3	0.13	<5	125	<5	2.68	<1	3	59	50	1.24	<10	0.22	409	105	0.05	4	180	30	<5	<20	184	<0.01	<10	67	<10	2	34
66	45137	<0.2	0.12	<5	115	<5	2.27	<1	3	56	11	1.30	<10	0.26	484	4	0.05	6	140	6	<5	<20	117	<0.01	<10	43	<10	<1	34
67	45138	0.2	0.11	<5	105	<5	2.01	<1	4	55	7	1.44	<10	0.27	459	10	0.05	5	130	12	<5	<20	77	<0.01	<10	60	<10	<1	48
68	45138 A	<0.2	0.14	<5	470	<5	1.04	<1	<1	79	6	0.75	<10	0.06	269	2	0.06	2	190	4	<5	<20	83	<0.01	<10	5	<10	<1	21
69	45138 B	<0.2	0.16	<5	375	<5	1.05	<1	<1	86	5	0.77	<10	0.10	275	<1	0.06	1	220	6	<5	<20	89	<0.01	<10	5	<10	<1	19
70	45139	<0.2	0.18	<5	605	<5	1.28	<1	<1	79	6	0.74	<10	0.07	254	2	0.06	2	150	6	<5	<20	154	<0.01	<10	4	<10	<1	19
71	45140	<0.2	0.17	<5	605	<5	1.37	<1	<1	79	7	0.86	<10	0.05	279	<1	0.06	<1	180	6	<5	<20	82	<0.01	<10	7	<10	<1	22
72	45141	<0.2	0.16	<5	560	<5	1.28	<1	<1	76	5	0.84	<10	0.05	270	<1	0.06	<1	170	4	<5	<20	70	<0.01	<10	6	<10	<1	21

QC DATA:

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
Repeat:																													
1	45075	0.4	0.76	<5	50	<5	2.42	<1	23	50	343	4.92	<10	0.72	868	6	0.04	21	810	12	<5	<20	114	0.04	<10	261	<10	15	72
10	45083	0.3	0.13	<5	40	<5	2.01	<1	5	63	20	1.91	<10	0.34	613	6	0.05	2	<10	10	<5	<20	54	<0.01	<10	61	<10	<1	47
19	45092	1.4	1.08	45	55	<5	4.01	<1	17	50	197	3.87	<10	1.40	668	6	0.07	15	920	158	<5	<20	175	0.06	<10	184	<10	15	68
36	45108	0.6	0.68	20	60	<5	8.42	<1	21	41	176	4.52	<10	0.86	1267	5	0.05	17	850	60	<5	<20	325	0.04	<10	148	<10	43	61
45	45117	0.6	0.19	<5	105	<5	5.59	<1	18	61	212	4.67	<10	1.45	1062	9	0.03	16	680	50	<5	<20	209	<0.01	<10	174	<10	5	104
54	45125	0.4	1.91	<5	80	<5	4.39	<1	28	39	235	6.13	<10	1.99	1181	4	0.04	18	490	36	<5	<20	106	0.08	<10	200	<10	15	105
Resplit:																													
1	45075	0.4	0.68	<5	45	<5	2.39	<1	24	53	298	4.80	<10	0.63	827	7	0.03	19	790	18	<5	<20	99	0.03	<10	246	<10	14	74
36	45108	0.6	0.63	25	50	<5	8.12	<1	21	36	175	4.57	<10	0.81	1243	7	0.05	16	850	44	<5	<20	306	0.03	<10	147	<10	43	64
71	45140	<0.2	0.16	<5	560	<5	1.33	<1	<1	72	6	0.83	<10	0.04	272	1	0.06	2	160	4	<5	<20	75	<0.01	<10	6	<10	1	21
Standard:																													
GEO '04		1.5	1.43	60	150	<5	1.52	<1	18	65	86	4.14	<10	0.75	625	<1	0.02	30	650	22	<5	<20	57	0.11	<10	65	<10	7	72
GEO '04		1.4	1.45	55	155	<5	1.59	<1	17	66	84	4.38	<10	0.76	661	<1	0.02	31	660	22	<5	<20	54	0.11	<10	64	<10	9	73
GEO '04		1.5	1.42	55	155	<5	1.57	<1	19	68	84	4.29	<10	0.75	642	<1	0.02	31	680	22	<5	<20	55	0.11	<10	68	<10	8	74


 ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557

E-mail: info@ecotechlab.com

www.ecotechlab.com

CERTIFICATE OF ANALYSIS AK 2004-1758

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

17-Nov-04

No. of samples received: 11
Sample Type: Core
Project: Friendly Lake
Shipment #: C
Submitted By: Warner Gruenwald

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
1	45142	30	<5	5
2	45143	145	<5	30
3	45144	40	<5	10
4	45145	175	<5	10
5	45145 A	100	<5	<5
6	45146	215	<5	<5
7	45147	185	<5	50
8	45148	60	<5	5
9	45149	25	<5	15
10	45150	70	<5	<5
11	45151	135	<5	15

QC DATA:

Resplit:

1	45142	45	<5	5
---	-------	----	----	---

Repeat:

1	45142	40	<5	5
---	-------	----	----	---

Standard:

PG114	440	760	390
-------	-----	-----	-----

ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

JJ/sc
XLS/04

ECO TECH LABORATORY LTD.

10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700

Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1758

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

No. of samples received: 11

Sample type: Core

Submitted by: Warner Gruenwald

Project: Friendly Lake

Shipment #: "C"

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	45142	<0.2	0.17	<5	335	<5	1.30	<1	<1	43	2	0.63	<10	0.14	234	<1	0.04	3	130	2	<5	<20	151	<0.01	<10	4	<10	<1	13
2	45143	0.2	0.15	<5	220	<5	1.48	<1	<1	36	1	0.75	<10	0.16	229	<1	0.05	3	150	4	<5	<20	165	<0.01	<10	5	<10	1	15
3	45144	0.2	0.28	<5	675	<5	1.21	<1	<1	113	1	0.61	<10	0.11	167	4	0.04	3	120	2	<5	<20	484	<0.01	<10	3	<10	<1	9
4	45145	0.4	0.25	<5	210	<5	0.86	<1	<1	31	1	0.62	<10	0.17	190	<1	0.02	3	140	<2	<5	<20	75	<0.01	<10	6	<10	<1	13
5	45145 A	<0.2	0.21	<5	405	<5	1.50	<1	<1	62	1	0.70	<10	0.15	278	2	0.05	3	140	2	<5	<20	325	<0.01	<10	5	<10	1	12
6	45146	0.2	0.14	<5	200	<5	1.12	<1	<1	40	1	0.49	<10	0.12	189	1	0.05	2	160	2	<5	<20	222	<0.01	<10	3	<10	<1	5
7	45147	0.4	0.13	<5	130	<5	0.84	<1	<1	37	1	0.66	<10	0.17	233	<1	0.05	3	210	2	<5	<20	82	<0.01	<10	3	<10	<1	7
8	45148	<0.2	0.21	<5	365	5	5.89	<1	18	18	21	5.43	<10	1.75	1242	3	0.05	6	1050	4	<5	<20	254	<0.01	<10	91	<10	1	76
9	45149	<0.2	0.17	<5	285	<5	6.09	<1	18	15	22	5.10	<10	1.76	1218	3	0.03	6	920	<2	<5	<20	264	<0.01	<10	54	<10	<1	74
10	45150	<0.2	0.12	<5	280	<5	2.16	<1	4	28	2	1.76	<10	0.57	537	2	0.05	4	370	<2	<5	<20	109	<0.01	<10	12	<10	<1	31
11	45151	<0.2	0.16	<5	130	<5	6.33	<1	17	10	47	4.65	<10	1.38	1313	2	0.03	6	1200	20	<5	<20	341	<0.01	<10	73	<10	4	75

QC DATA:**Repeat:**

1	45142	<0.2	0.17	<5	345	<5	1.32	<1	<1	42	2	0.64	<10	0.14	240	<1	0.04	4	140	2	<5	<20	148	<0.01	<10	4	<10	2	13
---	-------	------	------	----	-----	----	------	----	----	----	---	------	-----	------	-----	----	------	---	-----	---	----	-----	-----	-------	-----	---	-----	---	----

Resplit:

1	45142	<0.2	0.16	<5	325	<5	1.38	<1	<1	61	2	0.65	<10	0.13	232	2	0.04	3	140	2	<5	<20	141	<0.01	<10	4	<10	2	12
---	-------	------	------	----	-----	----	------	----	----	----	---	------	-----	------	-----	---	------	---	-----	---	----	-----	-----	-------	-----	---	-----	---	----

Standard:

GEO '04		1.5	1.49	55	140	<5	1.40	<1	17	58	86	3.80	<10	0.79	594	<1	0.03	28	600	22	<5	<20	51	0.09	<10	61	<10	9	72
---------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

JJ/jm
df/1758
XLS/04



ECO TECH LABORATORY LTD.

Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.

10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1841

Lithic Resources
 912 - 510 W. Hastings St.
Vancouver, BC
 V6B 1L8

No. of samples received: 10
Sample type: Core
Submitted by: R. Montgomery
Project: Friendly Lake
Shipment: F

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	45226	1.0	0.08	<5	50	<5	4.28	4	9	84	137	2.98	<10	1.26	1019	7	0.02	23	1230	580	<5	<20	630	<0.01	<10	32	<10	8	455
2	45227	0.4	0.09	<5	45	<5	5.06	<1	11	68	56	3.41	<10	1.45	1139	10	0.03	27	1180	100	<5	<20	568	<0.01	<10	52	<10	9	119
3	45228	0.6	0.50	<5	120	<5	2.68	<1	14	36	144	3.77	<10	1.37	880	3	0.03	22	1220	12	<5	<20	539	0.01	<10	52	<10	5	78
4	45229	0.5	0.34	10	60	<5	4.60	<1	14	39	107	3.46	<10	1.34	1167	2	0.03	30	1120	6	<5	<20	521	<0.01	<10	24	<10	8	79
5	45230	0.5	1.04	15	95	<5	6.35	<1	14	72	107	3.20	<10	1.07	1476	3	0.03	31	1500	12	<5	<20	268	0.03	<10	99	<10	12	73
6	45231	0.5	0.67	<5	85	<5	3.08	<1	14	37	120	3.72	<10	1.33	981	2	0.04	18	1500	12	<5	<20	446	0.02	<10	64	<10	10	74
7	45232	0.6	1.03	15	60	<5	3.59	<1	16	40	111	3.85	<10	1.45	1289	3	0.03	25	1660	18	<5	<20	343	<0.01	<10	85	<10	10	80
8	45233	0.7	1.32	25	70	<5	5.46	<1	17	67	105	3.84	<10	1.21	1299	5	0.02	51	1550	18	<5	<20	328	<0.01	<10	86	<10	8	111
9	45234	0.6	0.12	5	215	<5	2.35	<1	<1	32	158	0.52	<10	0.88	333	<1	0.04	3	1600	32	10	<20	449	0.03	<10	32	<10	105	10
10	45235	0.4	0.11	10	320	<5	4.38	<1	<1	26	125	0.63	10	0.44	354	<1	0.04	2	2480	10	5	<20	612	0.03	<10	55	<10	149	10


QC DATA:

Resplit:


1	45226	1.0	0.08	<5	50	<5	4.40	3	9	76	144	3.06	<10	1.28	1049	5	0.02	25	1260	600	<5	<20	666	<0.01	<10	32	<10	9	462
---	-------	-----	------	----	----	----	------	---	---	----	-----	------	-----	------	------	---	------	----	------	-----	----	-----	-----	-------	-----	----	-----	---	-----

Standard:

GEO '04		1.4	1.47	65	140	<5	1.42	<1	17	62	86	4.00	<10	0.78	603	<1	0.03	27	670	24	<5	<20	58	0.09	<10	60	<10	9	75
---------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----



ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ANALYSIS AK 2004-1806

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

22-Nov-04

No. of samples received: 17
Sample type: Core
Submitted by: Rob Montgomery
Project: Friendly Lake
Shipment #: "D"

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	45152	10	5	<5
2	45153	10	5	<5
3	45154	10	10	5
4	45155	5	10	<5
5	45156	5	10	<5
6	45157	5	5	<5
7	45158	<5	5	<5
8	45159	5	5	<5
9	45160	5	10	<5
10	45160A	5	5	5
11	45161	5	10	<5
12	45162	220	5	<5
13	45163	15	5	10
14	45164	25	<5	5
15	45165	20	5	20
16	45166	5	<5	10
17	45167	5	5	5

QC DATA:

Repeat:

1	45152	5	10	10
12	45162	240		


Resplit:

1	45152	10	10	5
---	-------	----	----	---

Standard:

PG114	420	390	730
-------	-----	-----	-----

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1806

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 17
Sample type: Core
Submitted by: Rob Montgomery
Project: Friendly Lake
Shipment #: "D"

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	45152	<0.2	0.61	<5	145	<5	5.81	<1	29	41	105	6.08	<10	1.96	900	2	0.02	41	1330	8	<5	<20	271	0.03	<10	151	<10	3	69
2	45153	0.2	0.49	<5	95	<5	6.13	<1	28	29	133	6.13	<10	2.17	882	4	0.03	39	1130	6	<5	<20	341	0.02	<10	100	<10	<1	65
3	45154	<0.2	0.33	<5	140	<5	7.92	<1	20	22	104	5.30	<10	1.64	1162	2	0.02	26	1290	10	<5	<20	326	<0.01	<10	82	<10	4	61
4	45155	<0.2	0.86	<5	50	<5	8.06	<1	26	38	92	5.57	<10	1.69	1352	3	0.04	29	1480	12	<5	<20	416	0.02	<10	133	<10	4	67
5	45156	<0.2	0.56	<5	80	<5	7.11	<1	21	27	75	4.85	<10	1.41	1196	2	0.02	17	1290	44	<5	<20	348	<0.01	<10	108	<10	8	57
6	45157	<0.2	0.43	<5	50	<5	7.19	<1	28	11	98	6.43	<10	1.90	1073	3	0.03	10	810	12	<5	<20	269	<0.01	<10	105	<10	5	70
7	45158	<0.2	0.58	<5	25	<5	6.54	<1	29	10	99	6.25	<10	1.73	1223	3	0.03	10	820	12	<5	<20	281	<0.01	<10	126	<10	6	64
8	45159	<0.2	0.22	<5	25	<5	7.53	<1	26	38	113	5.83	<10	2.00	1397	2	0.03	27	1310	6	<5	<20	379	<0.01	<10	74	<10	2	69
9	45160	<0.2	0.75	<5	30	<5	8.03	<1	21	47	84	4.71	<10	1.68	1183	2	0.03	28	1380	6	<5	<20	471	0.04	<10	144	<10	6	51
10	45160A	<0.2	0.70	<5	30	<5	7.90	<1	22	52	72	4.74	<10	1.63	1239	2	0.03	28	1480	10	<5	<20	407	0.03	<10	137	<10	8	56
11	45161	<0.2	1.46	<5	70	<5	7.16	<1	32	58	137	5.77	<10	1.56	1109	2	0.04	38	1330	16	<5	<20	548	0.07	<10	260	<10	5	70
12	45162	0.6	0.31	<5	50	<5	4.81	<1	22	16	76	5.97	<10	1.40	926	17	0.03	1	1320	10	<5	<20	135	<0.01	<10	44	<10	5	71
13	45163	<0.2	0.15	<5	15	<5	5.30	<1	19	14	63	5.04	<10	1.59	1071	3	0.04	6	950	4	<5	<20	239	<0.01	<10	45	<10	<1	52
14	45164	<0.2	0.41	<5	20	<5	6.46	<1	23	14	80	5.80	<10	1.90	1331	3	0.03	6	950	6	<5	<20	349	<0.01	<10	67	<10	<1	56
15	45165	<0.2	0.30	<5	35	<5	6.90	<1	28	7	82	6.66	<10	1.85	1294	2	0.02	7	1000	6	<5	<20	302	<0.01	<10	74	<10	1	77
16	45166	0.2	0.33	<5	35	<5	6.90	<1	32	13	106	7.06	<10	2.14	1303	3	0.02	7	860	8	<5	<20	214	<0.01	<10	77	<10	1	73
17	45167	0.7	0.69	<5	30	5	5.62	<1	31	2	86	6.78	<10	1.79	1152	5	0.02	8	1040	12	<5	<20	328	<0.01	<10	79	<10	3	74

QC DATA:**Repeat:**


1	45152	<0.2	0.64	<5	150	<5	5.80	<1	30	41	107	6.18	<10	2.02	904	2	0.03	41	1340	8	<5	<20	278	0.03	<10	159	<10	3	69
---	-------	------	------	----	-----	----	------	----	----	----	-----	------	-----	------	-----	---	------	----	------	---	----	-----	-----	------	-----	-----	-----	---	----

Resplit:


1	45152	<0.2	0.71	<5	160	<5	5.69	<1	30	49	105	6.25	<10	1.95	886	2	0.03	43	1330	10	<5	<20	263	0.03	<10	164	<10	2	72
---	-------	------	------	----	-----	----	------	----	----	----	-----	------	-----	------	-----	---	------	----	------	----	----	-----	-----	------	-----	-----	-----	---	----

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
Standard:																													
GEO '04		1.4	1.52	60	150	<5	1.50	<1	19	65	87	4.18	<10	0.80	632	<1	0.03	31	640	24	<5	<20	54	0.07	<10	64	<10	9	76

JJ/sc
df/1800/1800a
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com


CERTIFICATE OF ANALYSIS AK 2004-1823

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

23-Nov-04

No. of samples received: 58
Sample Type: Core
Project: Friendly Lake
Shipment #: E

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	45168	15	10	5
2	45169	5	5	<5
3	45170	10	5	<5
4	45171	10	<5	<5
5	45172	15	5	<5
6	45173	15	<5	<5
7	45174	20	5	<5
8	45175	30	30	<5
9	45176	30	10	<5
10	45177	30	10	<5
11	45178	80	5	<5
12	45179	15	5	5
13	45180	10	10	<5
14	45181	5	5	<5
15	45182	5	5	<5
16	45183	10	10	5
17	45184	15	10	5
18	45185	10	10	5
19	45186	10	10	10
20	45187	10	5	5
21	45188	5	10	<5
22	45189	15	10	5
23	45190	5	5	10
24	45191	15	5	<5
25	45192	10	5	<5
26	45193	35	10	<5
27	45194	10	10	<5
28	45195	15	5	5
29	45196	35	5	<5


ECO TECH LABORATORY LTD.
Goutta Jealouse
B.C. Certified Assayer

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
30	45197	85	10	<5
31	45198	85	5	<5
32	45199	20	10	<5
33	45200	25	10	<5
34	45201	20	10	<5
35	45202	80	10	5
36	45203	55	10	5
37	45204	35	10	5
38	45205	75	10	10
39	45206	25	5	<5
40	45207	25	5	20
41	45208	15	10	10
42	45209	10	5	<5
43	45210	15	10	<5
44	45211	20	5	5
45	45212	15	10	<5
46	45213	20	5	<5
47	45214	20	15	<5
48	45215	15	10	10
49	45216	10	10	5
50	45217	15	10	25
51	45218	5	5	10
52	45219	10	5	5
53	45220	10	5	10
54	45221	15	<5	<5
55	45222	20	<5	<5
56	45223	25	5	<5
57	45224	15	5	<5
58	45225	10	5	5

QC DATA:**Resplit:**

1	45168	10	10	<5
36	45203	30	5	<5

Repeat:

1	45168	20	10	5
10	45177	30	5	<5
19	45186	15	5	15
36	45203	35	10	<5
45	45212	10	5	10

Standard:

PG114	455	380	777
PG114	440	400	760

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1823

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 58
Sample Type: Core
Project: Friendly Lake
Shipment #: E

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	45168	0.3	0.60	5	95	<5	3.68	<1	15	38	115	3.89	<10	1.56	1118	4	0.04	29	1230	10	<5	<20	393	<0.01	<10	78	<10	7	71
2	45169	0.4	1.33	15	90	<5	4.03	<1	13	67	82	3.51	<10	1.26	1180	3	0.03	37	1110	12	<5	<20	234	0.01	<10	109	<10	10	75
3	45170	0.2	1.52	<5	80	<5	4.19	<1	13	49	85	3.35	<10	1.22	1153	3	0.03	26	1080	10	<5	<20	238	0.02	<10	85	<10	10	79
4	45171	0.2	0.66	<5	90	<5	2.99	<1	12	56	147	3.15	<10	1.29	898	3	0.05	25	920	10	<5	<20	262	<0.01	<10	55	<10	6	74
5	45172	0.3	0.65	25	55	<5	5.16	<1	15	78	79	4.00	<10	1.45	1312	7	0.04	57	1210	14	<5	<20	421	0.01	<10	74	<10	8	141
6	45173	0.3	0.46	10	90	<5	4.33	<1	13	43	96	3.45	<10	1.31	1143	3	0.03	36	1020	10	<5	<20	366	<0.01	<10	43	<10	7	78
7	45174	0.4	1.25	20	75	<5	3.93	<1	13	64	101	3.44	<10	1.32	907	4	0.03	41	1150	18	<5	<20	385	0.03	<10	87	<10	17	77
8	45175	0.2	0.29	<5	65	<5	3.39	<1	14	30	104	3.97	<10	1.42	1207	4	0.04	24	1330	8	<5	<20	580	<0.01	<10	39	<10	7	69
9	45176	0.3	0.19	<5	60	<5	4.74	<1	15	52	106	3.86	<10	1.67	1155	6	0.04	27	1310	10	<5	<20	585	<0.01	<10	54	<10	8	72
10	45177	0.3	0.16	10	55	<5	4.26	<1	14	31	129	3.81	<10	1.47	948	2	0.03	19	1100	10	<5	<20	493	<0.01	<10	61	<10	5	61
11	45178	0.4	0.14	5	40	<5	4.07	<1	13	54	75	3.62	<10	1.49	943	9	0.03	21	1120	16	<5	<20	488	<0.01	<10	44	<10	5	53
12	45179	0.3	0.28	5	55	<5	3.98	<1	15	20	121	3.75	<10	1.50	1088	3	0.04	18	1380	8	<5	<20	539	<0.01	<10	40	<10	8	57
13	45180	0.3	0.62	<5	70	<5	3.70	<1	14	27	109	3.65	<10	1.30	932	5	0.03	28	1410	10	<5	<20	451	<0.01	<10	49	<10	8	76
14	45181	0.3	0.62	<5	70	<5	3.92	<1	15	19	112	3.85	<10	1.33	989	4	0.03	31	1440	10	<5	<20	449	<0.01	<10	46	<10	7	85
15	45182	0.2	0.86	<5	80	<5	3.60	<1	15	31	109	3.68	<10	1.41	1073	4	0.04	27	1330	12	<5	<20	456	<0.01	<10	66	<10	6	68
16	45183	0.5	0.28	10	50	<5	3.74	<1	18	18	151	4.09	<10	1.43	919	4	0.03	26	1450	10	<5	<20	557	<0.01	<10	35	<10	7	92
17	45184	0.6	0.41	15	70	<5	5.28	<1	18	16	151	4.33	<10	1.50	1210	4	0.03	23	1590	10	<5	<20	651	<0.01	<10	39	<10	9	84
18	45185	0.3	0.27	30	55	<5	4.27	<1	17	22	108	4.22	<10	1.73	1058	3	0.03	21	1520	10	<5	<20	504	<0.01	<10	38	<10	7	71
19	45186	0.2	0.24	<5	60	<5	4.83	<1	15	39	78	4.05	<10	1.69	840	4	0.04	24	1090	12	<5	<20	543	<0.01	<10	52	<10	5	71
20	45187	<0.2	1.04	5	150	<5	5.11	<1	17	61	64	4.33	<10	1.77	948	2	0.04	28	1190	14	<5	<20	451	0.03	<10	100	<10	7	74
21	45188	<0.2	1.01	15	150	<5	7.04	<1	19	45	99	4.61	<10	1.88	1077	3	0.04	26	1170	14	<5	<20	885	<0.01	<10	105	<10	11	71
22	45189	<0.2	1.98	10	210	<5	5.75	<1	21	64	103	5.15	<10	1.97	1134	4	0.04	31	1420	18	<5	<20	483	0.04	<10	180	<10	8	79
23	45190	0.2	0.89	<5	85	<5	1.25	<1	24	47	134	4.08	<10	0.65	865	3	0.03	44	1470	12	<5	<20	153	<0.01	<10	118	<10	11	82
24	45191	0.2	0.93	15	90	<5	3.18	<1	14	38	91	4.00	<10	1.18	856	2	0.03	26	1160	14	<5	<20	274	<0.01	<10	84	<10	5	80
25	45192	<0.2	0.82	20	75	<5	3.25	<1	15	30	109	3.90	<10	1.25	943	3	0.04	18	1450	14	<5	<20	382	<0.01	<10	86	<10	5	74
26	45193	0.4	0.45	10	60	<5	3.48	<1	16	48	154	3.89	<10	1.23	945	4	0.04	18	1370	12	<5	<20	519	<0.01	<10	61	<10	7	67
27	45194	<0.2	1.36	15	75	<5	4.93	<1	13	41	113	3.31	<10	1.01	1019	3	0.03	22	1550	14	<5	<20	208	0.02	<10	98	<10	10	74
28	45195	0.2	0.68	15	165	<5	4.49	<1	13	26	97	3.53	<10	1.30	1397	3	0.04	20	1450	12	<5	<20	284	<0.01	<10	54	<10	9	73
29	45196	0.3	0.67	15	65	<5	3.12	<1	15	34	110	3.52	<10	1.20	856	3	0.04	17	1380	12	<5	<20	401	0.01	<10	62	<10	6	70
30	45197	0.2	0.69	15	120	<5	3.88	<1	15	34	116	3.84	<10	1.36	951	2	0.04	18	1550	12	<5	<20	518	<0.01	<10	61	<10	10	72

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	45198	0.2	0.18	5	55	<5	4.58	<1	14	35	89	3.89	<10	1.42	1331	3	0.04	17	1680	6	<5	<20	541	<0.01	<10	44	<10	8	68
32	45199	<0.2	0.18	5	90	<5	4.80	<1	15	29	93	3.93	<10	1.44	1266	2	0.06	18	1980	8	<5	<20	325	<0.01	<10	27	<10	6	87
33	45200	<0.2	0.14	<5	85	<5	4.85	<1	14	35	99	4.03	<10	1.54	1198	3	0.06	21	1360	4	<5	<20	380	<0.01	<10	37	<10	4	81
34	45201	<0.2	0.13	<5	85	<5	4.91	<1	14	27	121	4.03	<10	1.53	1184	3	0.06	22	1390	6	<5	<20	369	<0.01	<10	36	<10	3	78
35	45202	0.2	0.20	15	70	<5	4.19	<1	17	29	133	4.26	<10	1.42	1120	3	0.06	13	1440	8	<5	<20	417	<0.01	<10	45	<10	3	72
36	45203	<0.2	0.16	<5	50	<5	5.11	<1	15	31	172	4.20	<10	1.60	1069	4	0.06	25	1220	6	<5	<20	387	<0.01	<10	32	<10	2	109
37	45204	<0.2	0.15	10	50	<5	4.49	<1	15	44	106	3.90	<10	1.48	1127	4	0.05	38	1220	6	<5	<20	404	<0.01	<10	39	<10	2	97
38	45205	0.3	0.25	5	60	<5	3.56	<1	15	42	133	3.71	<10	1.30	1016	3	0.03	22	1310	10	<5	<20	468	<0.01	<10	44	<10	5	72
39	45206	0.2	0.24	5	60	<5	4.74	<1	16	52	101	4.00	<10	1.66	1328	4	0.03	28	1360	12	<5	<20	502	<0.01	<10	51	<10	5	70
40	45207	0.2	0.24	5	100	<5	4.86	<1	14	30	116	3.87	<10	1.66	1333	3	0.04	16	1670	8	<5	<20	562	<0.01	<10	41	<10	10	59
41	45208	0.2	0.34	5	75	<5	3.70	<1	14	25	121	3.18	<10	1.27	1244	2	0.04	17	1480	8	<5	<20	565	<0.01	<10	39	<10	10	59
42	45209	0.3	0.31	<5	50	<5	3.21	<1	13	39	127	3.44	<10	1.20	898	3	0.03	19	1410	10	<5	<20	499	<0.01	<10	49	<10	7	64
43	45210	0.3	0.13	<5	55	<5	3.89	<1	12	108	156	3.19	<10	1.29	966	5	0.03	30	1290	18	<5	<20	465	<0.01	<10	52	<10	6	91
44	45211	0.4	0.10	<5	45	<5	4.19	<1	10	74	53	3.07	<10	1.35	997	8	0.03	21	1460	140	<5	<20	464	<0.01	<10	42	<10	7	135
45	45212	0.2	0.11	<5	60	<5	3.96	1	12	90	99	3.18	<10	1.28	962	5	0.03	25	1320	38	<5	<20	479	<0.01	<10	45	<10	6	193
46	45213	<0.2	0.26	<5	55	<5	3.74	<1	13	58	88	3.65	<10	1.35	1027	4	0.03	23	960	14	<5	<20	568	<0.01	<10	44	<10	3	131
47	45214	0.2	0.36	<5	90	<5	3.01	<1	12	35	112	3.47	<10	1.28	922	4	0.02	16	1050	10	<5	<20	490	0.01	<10	47	<10	4	77
48	45215	<0.2	0.08	<5	50	<5	4.33	3	16	67	67	3.96	<10	1.39	1149	6	0.02	58	1070	26	<5	<20	449	<0.01	<10	45	<10	3	429
49	45216	<0.2	0.08	5	70	<5	4.80	<1	15	48	59	3.83	<10	1.54	1177	6	0.02	37	1200	14	<5	<20	545	<0.01	<10	49	<10	5	139
50	45217	0.2	0.18	<5	55	<5	3.57	<1	14	48	158	3.72	<10	1.31	935	4	0.03	25	1180	14	<5	<20	636	<0.01	<10	44	<10	5	91
51	45218	0.2	0.09	<5	50	<5	4.47	<1	12	46	165	3.31	<10	1.41	977	6	0.03	20	1260	8	<5	<20	537	<0.01	<10	54	<10	7	87
52	45219	<0.2	0.15	<5	40	<5	4.95	<1	13	50	82	3.73	<10	1.55	1236	4	0.03	23	1200	8	<5	<20	450	<0.01	<10	60	<10	7	86
53	45220	0.2	0.08	<5	25	<5	5.20	<1	16	51	66	4.14	<10	1.68	1285	5	0.02	37	1160	10	<5	<20	500	<0.01	<10	58	<10	4	97
54	45221	0.2	0.09	<5	20	<5	4.86	<1	15	64	73	3.90	<10	1.55	1191	6	0.03	38	1120	8	<5	<20	452	<0.01	<10	57	<10	4	96
55	45222	0.3	0.09	<5	45	<5	3.80	1	13	45	167	3.37	<10	1.19	1008	4	0.02	27	1160	50	<5	<20	560	<0.01	<10	47	<10	5	220
56	45223	0.3	0.13	<5	70	<5	4.30	2	13	68	162	3.60	<10	1.40	1074	7	0.03	29	1210	84	<5	<20	615	<0.01	<10	54	<10	5	316
57	45224	0.5	0.07	10	40	<5	4.05	6	12	54	106	3.40	<10	1.35	1043	11	0.02	29	1140	398	<5	<20	508	<0.01	<10	39	<10	4	719
58	45225	0.7	0.10	<5	25	<5	3.81	1	12	54	167	3.09	<10	1.23	1035	5	0.02	20	1160	298	<5	<20	494	<0.01	<10	37	<10	5	231

QC DATA:**Repeat:**


1	45168	0.3	0.53	5	90	<5	3.41	<1	14	35	106	3.61	<10	1.44	1033	3	0.04	27	1140	8	<5	<20	366	<0.01	<10	71	<10	7	62
10	45177	0.3	0.15	10	50	<5	4.27	<1	14	29	123	3.83	<10	1.43	950	3	0.03	20	1070	8	<5	<20	480	<0.01	<10	59	<10	3	65
19	45186	0.2	0.25	<5	60	<5	4.95	<1	16	39	79	4.17	<10	1.71	858	4	0.04	26	1120	10	<5	<20	551	<0.01	<10	53	<10	5	74
36	45203	<0.2	0.16	<5	45	<5	5.16	<1	15	32	177	4.33	<10	1.63	1100	4	0.06	27	1270	6	<5	<20	391	<0.01	<10	33	<10	3	114
45	45212	0.2	0.12	<5	65	<5	4.13	<1	13	94	105	3.22	<10	1.34	1058	5	0.04	28	1290	40	<5	<20	512	<0.01	<10	48	<10	6	212

Resplit:


1	45168	0.3	0.62	5	100	<5	3.84	<1	16	53	109	4.04	<10	1.56	1173	5	0.04	29	1360	12	<5	<20	389	<0.01	<10	81	<10	6	70
36	45203	0.2	0.16	<5	45	<5	5.20	<1	15	28	169	4.31	<10	1.62	1087	4	0.06	28	1290	8	<5	<20	389	<0.01	<10	33	<10	2	103

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
Standard:																													
GEO '04		1.4	1.52	60	145	<5	1.48	<1	18	60	87	4.02	<10	0.81	620	<1	0.03	27	660	20	<5	<20	50	0.07	<10	65	<10	10	76
GEO '04		1.4	1.54	60	145	<5	1.47	<1	18	61	86	4.04	<10	0.81	619	<1	0.03	28	680	24	<5	<20	51	0.08	<10	68	<10	9	75

JJ/jm
 dt/1823
 XLS/04



ECO TECH LABORATORY LTD.
 Julia Jealous
 B.C. Certified Assayer



ASSAYING
 GEOCHEMISTRY
 ANALYTICAL CHEMISTRY
 ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
 Phone (250) 573-5700 Fax (250) 573-4557

E-mail: info@ecotechlab.com

www.ecotechlab.com

CERTIFICATE OF ANALYSIS AK 2004-1841

Lithic Resources
 912 - 510 W. Hastings St.
Vancouver, BC
 V6B 1L8

22-Nov-04

No. of samples received: 10
 Sample type: Core
 Submitted by: R. Montgomery
 Project: Friendly Lake
 Shipment: F

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	45226	35	5	<5
2	45227	25	5	<5
3	45228	65	<5	<5
4	45229	50	<5	<5
5	45230	10	5	<5
6	45231	15	5	5
7	45232	15	<5	<5
8	45233	10	5	5
9	45234	5	5	<5
10	45235	15	5	5

QC DATA:


Resplit:


1	45226	30	<5	<5
---	-------	----	----	----

Standard:

GEO 04	140
--------	-----

JJ/jm
 XLS/04


ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer



ASSAYING
 GEOCHEMISTRY
 ANALYTICAL CHEMISTRY
 ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
 Phone (250) 573-5700 Fax (250) 573-4557
 E-mail: info@ecotechlab.com
 www.ecotechlab.com

CERTIFICATE OF ANALYSIS AK 2004-1878

Lithic Resources
 912 - 510 W. Hastings St.
Vancouver, BC
 V6B 1L8

25-Nov-04

No. of samples received: 68
Sample type: Core
Submitted by: Rob M.
Project: Friendly Lake
Shipment#: G

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	45236	10	<5	<5
2	45237	10	5	<5
3	45238	55	70	<5
4	45239	10	<5	<5
5	45240	25	<5	<5
6	45241	35	<5	<5
7	45242	15	<5	<5
8	45243	15	<5	<5
9	45244	10	5	<5
10	45245	<5	5	<5
11	45246	<5	5	<5
12	45247	<5	<5	<5
13	45248	55	<5	<5
14	45249	55	<5	<5
15	45250	30	35	<5
16	45251	35	10	<5
17	45252	5	5	<5
18	45253	<5	<5	5
19	45254	20	<5	<5
20	45255	20	20	<5
21	45256	35	5	<5
22	45257	25	<5	<5
23	45258	55	5	<5
24	45259	10	5	<5
25	45260	50	5	5

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
26	45261	55	5	<5
27	45262	10	5	<5
28	45263	5	5	<5
29	45264	20	5	<5
30	45265	5	5	<5
31	45266	5	<5	<5
32	45267	10	<5	<5
33	45268	10	10	<5
34	45269	50	10	5
35	45270	100	5	<5
36	45271	5	5	<5
37	45272	30	10	<5
38	45273	10	5	<5
39	45274	5	15	<5
40	45275	5	15	<5
41	45276	15	5	<5
42	45277	10	25	5
43	45278	5	10	<5
44	45279	5	5	<5
45	45280	15	5	<5
46	45281	20	5	<5
47	45282	10	<5	<5
48	45283	5	5	<5
49	45284	10	5	<5
50	45285	20	<5	<5
51	45286	30	5	<5
52	45287	25	<5	<5
53	45288	125	<5	<5
54	45289	25	35	<5
55	45290	15	<5	<5
56	45291	5	<5	<5
57	45292	15	<5	<5
58	45293	10	5	<5
59	45294	10	5	<5
60	45295	5	5	<5
61	45296	15	<5	<5
62	45297	35	<5	<5
63	45298	15	<5	<5
64	45299	30	<5	<5
65	45300	30	<5	<5
66	45301	30	<5	<5
67	45302	200	<5	<5
68	45303	10	<5	<5

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
-------	-------	-------------	-------------	-------------

QC DATA:

Resplit:

1	45236	5	<5	<5
36	45271	5	5	<5


Repeat:

1	45236	<5	<5	<5
10	45245	5	5	<5
19	45254	20	5	<5
35	45270	110		
36	45271	<5	5	<5
45	45280	20	5	<5
53	45288	125		
54	45289	40		
54	45289	20	40	<5
63	45298	15	5	<5
67	45302	185		

Standard:

PG114		410	360	812
PG114		450	390	809

JJ/jm
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ICO TECH LABORATORY LTD.

0041 Dallas Drive

CAMLOOPS, B.C.

/2C 6T4

Phone: 250-573-5700

Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1878

Lithic Resources

912 - 510 W. Hastings St.

Vancouver, BC

V6B 1L8

No. of samples received: 68

Sample type: Core

Submitted by: Rob M.

Project: Friendly Lake

Shipment#: G


/values in ppm unless otherwise reported


Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	45236	0.3	0.28	<5	155	<5	3.46	<1	6	53	178	1.68	<10	0.39	497	13	0.04	11	890	12	<5	<20	496	0.05	<10	100	<10	50	21
2	45237	0.2	0.46	<5	145	<5	3.40	<1	8	44	176	1.85	<10	0.45	467	20	0.04	7	660	12	<5	<20	241	0.05	<10	90	<10	21	22
3	45238	0.3	0.99	10	125	<5	3.32	<1	11	39	110	2.49	<10	0.96	470	147	0.05	10	940	32	<5	<20	233	0.10	<10	73	<10	15	25
4	45239	0.2	1.23	<5	115	<5	3.21	<1	15	48	148	3.11	<10	1.03	451	3	0.05	15	690	22	<5	<20	86	0.10	<10	93	<10	18	25
5	45240	0.3	0.93	<5	50	<5	6.10	<1	14	36	105	3.14	<10	0.92	804	6	0.02	18	900	18	<5	<20	250	0.02	<10	144	<10	23	37
6	45241	0.6	0.91	10	50	<5	5.00	<1	13	41	97	3.18	<10	0.80	709	6	0.03	17	930	26	<5	<20	245	0.02	<10	149	<10	22	39
7	45242	0.2	1.03	<5	60	<5	2.08	<1	16	37	307	4.70	<10	0.99	812	28	0.04	18	960	14	<5	<20	94	0.04	<10	164	<10	19	35
8	45243	1.1	0.93	<5	105	<5	2.10	<1	14	66	625	3.32	<10	1.06	424	38	0.07	23	500	42	<5	<20	91	0.06	<10	93	<10	20	22
9	45244	2.6	0.90	<5	130	<5	3.00	<1	18	28	1833	3.84	<10	0.63	764	4	0.07	13	840	18	<5	<20	108	0.02	<10	142	<10	25	41
10	45245	<0.2	1.02	<5	75	<5	3.02	<1	17	38	194	3.69	<10	0.75	532	4	0.14	13	710	34	<5	<20	110	0.06	<10	87	<10	18	24
11	45246	<0.2	1.21	<5	95	<5	3.23	<1	17	46	151	3.50	<10	1.02	456	4	0.07	13	800	36	<5	<20	102	0.08	<10	90	<10	12	22
12	45247	<0.2	0.11	<5	135	<5	1.57	<1	<1	55	7	0.25	<10	0.05	207	3	0.05	2	60	26	<5	<20	115	<0.01	<10	7	<10	3	12
13	45248	0.3	0.12	5	80	<5	1.90	<1	2	55	23	0.73	<10	0.11	266	44	0.05	3	70	46	<5	<20	149	<0.01	<10	30	<10	5	18
14	45249	0.2	0.13	15	35	<5	1.21	<1	3	54	23	1.11	<10	0.27	315	22	0.04	5	280	18	<5	<20	68	<0.01	<10	25	<10	3	18
15	45250	<0.2	0.16	<5	40	<5	4.70	<1	18	42	123	4.62	<10	1.66	841	11	0.04	18	330	16	<5	<20	219	<0.01	<10	146	<10	2	55
16	45251	0.7	0.57	<5	50	<5	4.93	1	34	41	901	5.21	<10	1.17	1032	21	0.05	15	570	68	<5	<20	304	0.03	<10	221	<10	15	77
17	45252	0.2	0.42	<5	75	<5	1.26	<1	12	59	212	2.77	<10	0.37	438	5	0.06	9	370	12	<5	<20	65	0.04	<10	73	<10	18	18
18	45253	<0.2	0.31	<5	120	<5	1.09	<1	8	92	93	1.36	<10	0.28	186	4	0.07	9	360	22	<5	<20	60	0.05	<10	17	<10	20	7
19	45254	0.3	0.11	<5	180	<5	1.90	<1	3	93	126	0.66	<10	0.07	228	5	0.05	4	170	22	<5	<20	92	0.01	<10	10	<10	16	6
20	45255	0.6	0.27	<5	110	<5	3.01	<1	13	61	262	1.87	<10	0.33	421	15	0.07	12	830	22	<5	<20	174	0.06	<10	26	<10	22	16
21	45256	0.6	0.20	5	25	<5	4.27	<1	14	54	251	3.27	<10	0.85	828	207	0.05	13	530	38	<5	<20	360	<0.01	<10	119	<10	14	35
22	45257	0.4	0.12	<5	90	<5	7.80	<1	7	34	172	1.71	<10	0.72	1178	17	0.05	4	310	50	5	<20	605	<0.01	<10	72	<10	49	40
23	45258	0.8	0.10	10	45	<5	4.87	<1	9	51	226	2.76	<10	0.72	904	17	0.04	6	110	30	<5	<20	432	<0.01	<10	105	<10	15	70
24	45259	1.0	0.14	<5	90	<5	2.97	<1	4	51	765	0.93	<10	0.15	409	21	0.05	3	260	24	<5	<20	249	<0.01	<10	22	<10	17	17
25	45260	2.5	0.09	20	35	<5	4.68	21	13	92	276	3.88	<10	1.46	1050	120	0.02	12	160	384	40	<20	249	<0.01	<10	169	<10	12	552
26	45261	2.8	0.12	15	40	<5	4.36	19	13	82	219	4.03	<10	1.42	1041	123	0.02	12	210	440	25	<20	224	<0.01	<10	164	<10	11	507
27	45262	<0.2	0.74	<5	85	<5	2.66	<1	16	56	212	3.18	<10	0.93	511	4	0.06	9	640	16	<5	<20	135	0.06	<10	97	<10	18	28
28	45263	<0.2	2.25	<5	100	<5	4.17	<1	25	86	107	4.43	<10	2.73	945	9	0.04	37	720	30	<5	<20	193	0.12	<10	181	<10	12	57
29	45264	0.4	0.63	10	80	<5	5.47	<1	18	55	156	3.22	<10	0.75	774	25	0.07	14	660	42	<5	<20	283	0.11	<10	70	<10	35	38
30	45265	<0.2	2.16	<5	130	<5	3.88	<1	26	54	90	4.48	<10	2.23	844	2	0.05	26	550	16	<5	<20	159	0.17	<10	181	<10	17	41

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	45266	<0.2	2.83	<5	420	<5	5.16	<1	32	58	124	5.14	<10	3.09	1195	1	0.04	32	620	34	<5	<20	830	0.18	<10	222	<10	64	59
32	45267	<0.2	1.97	<5	120	<5	5.34	<1	25	51	112	4.26	<10	2.27	1166	3	0.03	26	490	12	<5	<20	207	0.12	<10	202	<10	55	58
33	45268	0.4	0.80	<5	105	<5	4.59	<1	13	38	175	3.15	<10	0.94	989	26	0.06	13	390	18	<5	<20	209	0.06	<10	123	<10	77	56
34	45269	16.1	0.70	45	80	<5	2.63	4	14	43	4073	3.12	<10	0.74	661	17	0.04	13	440	24	65	<20	114	0.07	<10	148	<10	17	58
35	45270	23.0	0.56	15	170	<5	2.67	9	10	38	8332	2.38	<10	0.60	471	12	0.04	9	100	16	40	<20	103	0.03	<10	75	<10	22	37
36	45271	<0.2	0.97	<5	85	<5	2.95	<1	15	43	170	3.69	<10	0.99	700	3	0.03	13	650	10	<5	<20	158	0.04	<10	163	<10	25	37
37	45272	<0.2	0.41	<5	55	<5	5.10	<1	20	40	241	4.74	<10	1.65	907	19	0.04	14	700	14	<5	<20	253	0.01	<10	193	<10	8	72
38	45273	<0.2	0.85	<5	105	<5	3.56	<1	16	38	93	3.06	<10	1.08	566	10	0.05	13	610	24	<5	<20	159	0.07	<10	129	<10	21	25
39	45274	0.3	0.99	<5	95	<5	5.73	<1	19	160	226	2.73	<10	2.02	749	4	0.05	124	330	10	<5	<20	218	0.05	<10	146	<10	13	52
40	45275	<0.2	1.88	<5	30	<5	4.84	1	35	297	212	3.63	<10	4.07	831	18	0.05	275	470	24	<5	<20	176	0.08	<10	78	<10	10	79
41	45276	1.0	1.15	<5	60	<5	4.43	<1	17	77	341	3.51	<10	1.78	709	2	0.06	43	470	12	<5	<20	188	0.06	<10	146	<10	24	38
42	45277	<0.2	3.15	<5	105	<5	3.44	<1	46	387	87	5.71	<10	5.58	827	<1	0.02	343	800	16	<5	<20	157	0.15	<10	108	<10	8	57
43	45278	<0.2	2.67	<5	155	<5	4.24	<1	38	411	86	4.94	<10	5.13	878	<1	0.02	308	780	14	<5	<20	178	0.11	<10	132	<10	7	55
44	45279	<0.2	1.74	<5	135	<5	6.04	<1	33	414	134	3.89	<10	3.71	976	16	0.04	271	850	16	<5	<20	262	0.06	<10	128	<10	7	93
45	45280	0.2	0.47	20	100	<5	4.60	<1	9	38	139	1.79	<10	0.63	831	11	0.05	13	510	14	<5	<20	263	0.03	<10	84	<10	13	80
46	45281	0.2	0.45	20	110	<5	3.90	<1	10	45	151	1.86	<10	0.62	867	13	0.05	14	530	12	<5	<20	242	0.03	<10	82	<10	10	83
47	45282	0.2	0.96	<5	85	<5	3.10	<1	19	39	202	3.76	<10	1.20	696	4	0.06	17	560	10	<5	<20	129	0.08	<10	133	<10	13	47
48	45283	<0.2	0.79	<5	90	<5	2.52	<1	20	47	132	4.12	<10	1.00	757	4	0.07	20	550	10	<5	<20	100	0.07	<10	128	<10	13	49
49	45284	0.2	0.49	<5	95	<5	1.98	<1	14	53	106	2.71	<10	0.59	546	15	0.08	14	780	40	<5	<20	111	0.08	<10	72	<10	21	55
50	45285	0.3	0.15	<5	250	<5	2.95	2	3	41	23	1.45	<10	0.31	501	45	0.04	4	80	66	<5	<20	232	<0.01	<10	79	<10	<1	76
51	45286	<0.2	0.17	<5	105	<5	1.53	<1	1	36	10	0.62	<10	0.10	221	1	0.03	3	30	10	<5	<20	176	<0.01	<10	52	<10	2	20
52	45287	<0.2	0.15	<5	130	<5	1.46	<1	2	44	11	1.08	<10	0.16	265	2	0.03	4	50	6	<5	<20	101	<0.01	<10	76	<10	<1	27
53	45288	<0.2	0.13	<5	155	<5	2.59	<1	1	39	62	0.88	<10	0.23	372	1	0.02	5	10	4	<5	<20	137	<0.01	<10	43	<10	3	34
54	45289	1.6	0.82	<5	65	<5	3.05	<1	12	38	1648	2.39	<10	0.98	528	<1	0.05	9	600	18	<5	<20	173	0.07	<10	83	<10	20	46
55	45290	0.2	0.86	<5	100	<5	3.10	<1	14	42	134	2.86	<10	1.05	562	40	0.05	11	540	28	<5	<20	172	0.07	<10	109	<10	10	52
56	45291	0.2	0.82	<5	95	<5	3.21	<1	12	40	94	2.59	<10	1.08	588	3	0.06	9	530	46	<5	<20	187	0.07	<10	97	<10	17	56
57	45292	0.2	0.58	<5	90	<5	3.24	<1	13	39	113	2.57	<10	0.79	578	100	0.07	7	490	28	<5	<20	180	0.04	<10	105	<10	14	40
58	45293	<0.2	1.34	<5	90	<5	2.84	<1	20	39	142	3.97	<10	1.72	659	2	0.05	12	710	26	<5	<20	188	0.10	<10	121	<10	13	61
59	45294	0.2	1.43	<5	60	<5	2.34	<1	20	35	145	4.05	<10	1.61	577	3	0.05	10	710	38	<5	<20	144	0.10	<10	109	<10	17	60
60	45295	<0.2	2.35	<5	55	<5	1.47	<1	26	29	149	5.50	<10	2.44	1003	3	0.03	12	540	28	<5	<20	116	0.09	<10	201	<10	14	88
61	45296	0.4	1.81	<5	70	<5	2.22	<1	24	25	259	5.40	<10	2.14	919	7	0.04	6	460	94	<5	<20	140	0.10	<10	212	<10	11	99
62	45297	0.9	0.65	10	45	<5	7.88	3	18	31	333	3.65	<10	1.36	1014	432	0.05	7	370	72	10	<20	776	0.05	<10	141	<10	13	179
63	45298	0.2	1.50	15	70	<5	2.57	2	23	23	192	5.05	<10	1.88	850	2	0.05	7	430	28	<5	<20	120	0.10	<10	195	<10	6	138
64	45299	0.8	0.60	35	65	<5	3.80	<1	15	35	324	3.59	<10	1.07	750	5	0.07	9	350	106	<5	<20	223	0.03	<10	142	<10	9	100
65	45300	<0.2	0.14	<5	55	<5	2.32	<1	3	39	24	1.14	<10	0.27	381	6	0.06	3	30	10	<5	<20	123	<0.01	<10	65	<10	<1	26
66	45301	<0.2	0.11	<5	50	<5	2.53	<1	3	35	29	1.19	<10	0.30	413	5	0.05	3	40	16	<5	<20	129	<0.01	<10	66	<10	1	28
67	45302	0.7	0.10	<5	80	5	4.84	1	5	36	25	1.82	<10	0.43	817	5	0.04	5	50	56	<5	<20	341	<0.01	<10	60	<10	16	60
68	45303	<0.2	0.11	<5	85	<5	1.53	<1	1	56	6	0.72	<10	0.12	236	4	0.05	3	20	14	<5	<20	95	<0.01	<10	14	<10	<1	16

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
Repeat:																													
1	45236	0.3	0.28	<5	125	<5	3.48	<1	5	52	182	1.66	<10	0.39	504	13	0.04	12	920	12	<5	<20	496	0.05	<10	99	<10	51	19
10	45245	<0.2	1.02	<5	75	<5	3.06	<1	18	38	197	3.77	<10	0.76	547	4	0.14	15	740	42	<5	<20	108	0.05	<10	86	<10	18	25
19	45254	0.3	0.10	<5	170	<5	1.85	<1	3	87	125	0.64	<10	0.07	227	5	0.05	4	170	20	<5	<20	91	0.01	<10	10	<10	15	6
36	45271	<0.2	0.97	<5	85	<5	2.95	<1	15	44	177	3.69	<10	0.99	696	3	0.03	13	620	10	<5	<20	159	0.05	<10	165	<10	25	37
45	45280	0.2	0.47	20	105	<5	4.65	<1	9	41	140	1.84	<10	0.64	847	11	0.05	14	520	14	<5	<20	267	0.03	<10	86	<10	12	79
54	45289	1.6	0.82	<5	65	<5	3.10	1	13	38	1462	2.46	<10	0.99	539	2	0.05	10	600	20	<5	<20	173	0.07	<10	84	<10	20	48
Resplit:																													
1	45236	0.3	0.30	<5	135	<5	3.50	<1	6	60	202	1.79	<10	0.40	497	10	0.04	12	990	12	<5	<20	503	0.05	<10	108	<10	50	20
36	45271	<0.2	1.02	<5	85	<5	2.98	<1	15	46	169	3.85	<10	1.02	714	3	0.03	13	670	12	<5	<20	158	0.04	<10	169	<10	25	39
Standard:																													
3EO '04		1.4	1.50	45	135	<5	1.40	<1	17	56	84	3.78	<10	0.80	585	<1	0.02	24	540	22	<5	<20	57	0.07	<10	64	<10	9	65
3EO '04		1.4	1.58	55	135	<5	1.47	<1	17	59	85	3.99	<10	0.84	608	<1	0.02	25	590	20	<5	<20	58	0.06	<10	60	<10	8	71

JJ/jm
2/1878
XLS/04


 ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer



ASSAYING
 GEOCHEMISTRY
 ANALYTICAL CHEMISTRY
 ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
 Phone (250) 573-5700 Fax (250) 573-4557
 E-mail: info@ecotechlab.com
 www.ecotechlab.com


CERTIFICATE OF ANALYSIS AK 2004-1897

Lithic Resources
 912 - 510 W. Hastings St.
 Vancouver, BC
 V6B 1L8

3-Dec-04

No. of samples received: 24
 Sample type: Core
 Shipment#: H

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	45304	10	5	<5
2	45305	15	5	5
3	45306	5	5	5
4	45307	5	5	10
5	45307A	85	5	5
6	45308	15	5	<5
7	45309	5	<5	5
8	45310	25	10	<5
9	45311	15	5	5
10	45312	25	10	<5
11	45313	15	20	20
12	45314	10	10	10
13	45315	20	10	10
14	45316	5	10	5
15	45317	5	5	<5
16	45318	130	5	<5
17	45319	120	10	5
18	45320	15	25	<5
19	45321	5	15	<5
20	45322	10	10	5
21	45323	10	10	10
22	45324	10	15	5
23	45325	45	5	<5
24	45326	10	10	<5


ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
-------	-------	-------------	-------------	-------------

QC DATA:

Repeat:

1	45304	10	5	<5
10	45312	20	5	5


Resplit:

1	45304	10	5	<5
---	-------	----	---	----

Standard:

PG114		440	370	722
-------	--	-----	-----	-----

JJ/jm
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.

10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1897

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

No. of samples received: 24

Sample type: Core

Shipment#: H

Values in ppm unless otherwise reported


Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	45304	1.8	1.77	<5	145	<5	4.04	2	29	281	359	4.76	<10	2.82	1131	14	0.05	127	890	290	<5	<20	136	0.10	<10	149	<10	10	83
2	45305	1.0	2.00	5	110	<5	4.24	<1	26	280	213	4.43	<10	3.52	1066	17	0.05	139	920	148	<5	<20	214	0.10	<10	104	<10	10	112
3	45306	0.2	2.70	<5	100	<5	2.79	<1	41	688	114	4.54	<10	5.28	959	8	0.05	353	1000	70	<5	<20	109	0.10	<10	70	<10	5	105
4	45307	0.3	2.60	<5	120	<5	1.92	<1	37	633	166	4.49	<10	5.21	1095	2	0.05	352	870	78	<5	<20	79	0.11	<10	89	<10	5	152
5	45307A	1.8	1.56	<5	105	<5	8.53	<1	27	427	253	3.41	<10	3.32	1012	155	0.04	208	720	206	<5	<20	368	0.07	<10	94	<10	8	69
6	45308	1.2	2.50	<5	85	<5	2.66	<1	41	639	319	4.96	<10	5.11	911	50	0.05	289	850	290	<5	<20	117	0.12	<10	101	<10	4	108
7	45309	1.7	2.02	<5	155	<5	2.22	2	33	483	379	4.39	<10	4.09	1019	42	0.08	238	720	330	<5	<20	179	0.09	<10	102	<10	6	131
8	45310	3.4	1.04	5	110	<5	3.16	2	24	196	648	3.84	<10	1.92	952	11	0.07	99	770	358	<5	<20	169	0.05	<10	129	<10	13	107
9	45311	3.8	1.46	<5	85	<5	3.39	3	31	227	761	4.89	<10	2.63	1123	28	0.07	126	880	554	<5	<20	177	0.07	<10	91	<10	11	126
10	45312	1.8	1.51	<5	60	<5	3.06	2	36	265	540	4.95	<10	2.62	1010	26	0.06	142	960	312	<5	<20	132	0.11	<10	62	<10	11	111
11	45313	1.7	1.17	<5	145	<5	3.65	3	27	203	491	4.38	<10	2.12	1102	32	0.06	118	700	242	<5	<20	246	0.07	<10	126	<10	17	118
12	45314	3.2	1.49	<5	85	<5	3.87	2	32	235	392	4.90	<10	2.70	1084	23	0.06	130	710	534	<5	<20	188	0.09	<10	113	<10	10	121
13	45315	4.3	1.24	<5	110	<5	4.90	2	28	217	516	3.88	<10	2.20	1085	39	0.05	103	840	582	<5	<20	244	0.08	<10	86	<10	8	104
14	45316	0.5	1.99	<5	135	<5	2.46	<1	34	332	138	4.48	<10	3.57	931	12	0.07	164	890	128	<5	<20	123	0.12	<10	90	<10	7	114
15	45317	1.0	1.92	<5	150	<5	3.65	1	36	452	289	4.60	<10	3.45	1024	21	0.06	205	970	168	<5	<20	158	0.11	<10	107	<10	7	114
16	45318	1.1	2.20	<5	135	<5	6.98	4	39	546	269	4.97	<10	4.51	1507	12	0.04	254	720	248	<5	<20	254	0.08	<10	138	<10	10	101
17	45319	0.8	2.41	<5	80	<5	4.89	<1	44	458	461	5.63	<10	4.83	1224	9	0.04	241	1100	112	<5	<20	340	0.10	<10	152	<10	6	101
18	45320	2.0	1.63	<5	65	<5	3.76	<1	44	371	617	5.82	<10	2.68	1126	7	0.06	190	1250	394	<5	<20	149	0.08	<10	123	<10	6	89
19	45321	1.8	1.59	<5	70	<5	3.47	<1	42	368	780	5.74	<10	2.60	1057	9	0.06	178	1100	304	<5	<20	133	0.08	<10	125	<10	6	80
20	45322	1.6	1.50	<5	90	<5	2.98	<1	29	145	469	4.63	<10	2.56	942	4	0.07	67	1100	198	<5	<20	142	0.08	<10	89	<10	11	107
21	45323	1.6	1.72	<5	130	<5	4.14	2	32	217	493	4.87	<10	3.04	1145	3	0.05	97	830	222	<5	<20	199	0.10	<10	123	<10	8	131
22	45324	1.3	1.59	<5	125	<5	3.94	2	29	195	474	4.69	<10	2.83	1221	2	0.07	94	750	196	<5	<20	207	0.09	<10	138	<10	15	131
23	45325	1.6	1.16	<5	70	<5	3.98	2	27	195	505	4.14	<10	2.14	889	19	0.08	84	750	166	<5	<20	200	0.05	<10	117	<10	11	100
24	45326	1.5	1.44	<5	75	<5	3.66	2	36	175	706	5.56	<10	2.35	928	7	0.07	79	1110	140	<5	<20	153	0.10	<10	155	<10	10	104

QC DATA:**Repeat:**


1	45304	1.7	1.77	<5	145	<5	4.03	2	28	279	367	4.72	<10	2.81	1127	14	0.05	126	880	280	<5	<20	136	0.10	<10	147	<10	9	83
10	45312	1.8	1.47	<5	55	<5	2.93	1	36	263	539	4.74	<10	2.57	991	27	0.06	139	920	298	<5	<20	127	0.08	<10	58	<10	17	103

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
Resplit:																													
1	45304	1.7	1.80	<5	150	<5	4.15	1	28	294	391	4.82	<10	2.85	1147	18	0.05	128	870	268	<5	<20	142	0.11	<10	154	<10	11	84
Standard:																													
GEO '04		1.5	1.59	50	145	<5	1.48	<1	18	59	87	4.03	<10	0.84	617	<1	0.02	28	570	20	<5	<20	59	0.07	<10	63	<10	9	76

JJ/jm
dt/1878
XLS/04



ECO TECH LABORATORY LTD.
Jutta Dealyse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com


CERTIFICATE OF ANALYSIS AK 2004-1907

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

1-Dec-04

No. of samples received: 30
Sample type: Core
Submitted by: R. Montgomery
Project: Friendly Lake
Shipment: J

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	45346	25	15	25
2	45347	20	10	15
3	45348	90	15	5
4	45349	45	10	<5
5	45350	15	10	10
6	45351	50	10	15
7	45352	110	10	10
8	45353	25	10	5
9	45354	55	10	10
10	45355	15	10	15
11	45356	10	15	15
12	45357	30	15	5
13	45357A	30	10	10
14	45358	70	10	10
15	45359	50	10	10
16	51901	15	10	<5
17	51902	5	5	10
18	51903	5	5	5
19	51904	10	10	5
20	51905	10	10	<5
21	51906	20	5	<5
22	51907	15	15	<5
23	51908	10	10	<5
24	51909	15	5	<5
25	51910	50	5	5


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
26	51911	30	10	<5
27	51912	30	10	5
28	51913	30	5	<5
29	51914	35	15	<5
30	51915	65	5	20

QC DATA:**Resplit:**

1	45346	10	15	15
---	-------	----	----	----


Repeat:

1	45346	10	15	20
10	45355	10	10	20
19	51904	15	5	5

Standard:

PG114	440	370	800
-------	-----	-----	-----

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

Phone: 250-573-5700

Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1907

Lithic Resources

912 - 510 W. Hastings St.

Vancouver, BC

V6B 1L8

No. of samples received: 30

Sample type: Core

Submitted by: R. Montgomery

Project: Friendly Lake

Shipment: J

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	45346	1.1	2.03	<5	95	<5	2.66	1	36	273	360	5.31	<10	3.48	1097	<1	0.04	140	1240	132	<5	<20	167	0.15	<10	122	<10	7	174
2	45347	0.4	2.00	<5	95	<5	2.77	<1	34	275	224	5.41	<10	3.38	1039	1	0.05	138	1010	74	<5	<20	197	0.14	<10	119	<10	10	139
3	45348	0.9	0.93	<5	45	<5	2.74	1	29	57	432	4.35	<10	1.57	726	15	0.06	35	1700	102	<5	<20	176	0.10	<10	121	<10	10	85
4	45349	1.1	1.22	<5	65	<5	3.32	<1	28	157	286	3.63	<10	2.27	746	2	0.05	96	1650	138	<5	<20	238	0.12	<10	119	<10	9	128
5	45350	0.5	1.98	<5	60	<5	2.93	<1	33	333	215	4.58	<10	3.80	985	3	0.04	183	1190	84	<5	<20	204	0.19	<10	87	<10	7	203
6	45351	1.4	0.58	10	<5	<5	>10	2	15	176	165	2.49	<10	1.58	926	49	0.03	78	680	238	20	<20	5927	0.04	<10	275	<10	5	113
7	45352	2.0	1.93	<5	85	<5	3.82	<1	31	287	203	4.63	<10	3.44	1053	1	0.04	160	1140	544	<5	<20	229	0.19	<10	141	<10	7	139
8	45353	0.7	1.98	<5	135	<5	4.92	<1	27	328	145	4.59	<10	3.55	1049	<1	0.03	147	1150	194	<5	<20	242	0.15	<10	170	<10	10	143
9	45354	0.7	1.46	<5	90	<5	6.17	<1	21	246	136	3.46	<10	2.78	944	13	0.04	140	970	176	<5	<20	295	0.12	<10	96	<10	11	96
10	45355	0.6	1.78	<5	105	<5	2.86	1	36	304	301	4.26	<10	3.16	852	15	0.04	180	1020	112	<5	<20	127	0.13	<10	101	<10	6	143
11	45356	1.1	1.71	<5	65	<5	3.50	3	27	210	732	4.40	<10	2.87	828	9	0.03	130	1260	182	<5	<20	136	0.16	<10	120	<10	10	137
12	45357	1.2	1.89	<5	75	<5	4.32	1	32	345	298	4.69	<10	3.26	1029	25	0.04	179	1080	228	<5	<20	177	0.13	<10	158	<10	10	127
13	45357A	0.6	1.75	<5	90	<5	3.10	<1	32	308	156	4.18	<10	3.04	821	8	0.05	167	1150	130	<5	<20	143	0.13	<10	119	<10	11	121
14	45358	0.8	1.20	<5	80	<5	3.50	<1	24	147	215	4.06	<10	1.96	829	15	0.05	67	1540	142	<5	<20	160	0.13	<10	107	<10	13	114
15	45359	1.6	1.81	<5	60	<5	3.93	11	48	501	1033	5.99	<10	3.16	1058	6	0.04	262	1320	378	<5	<20	184	0.17	<10	124	<10	8	185
16	51901	0.5	1.60	<5	35	<5	0.66	<1	24	81	114	5.70	<10	1.44	404	17	0.04	46	1260	42	<5	<20	17	0.11	<10	288	<10	5	120
17	51902	0.2	1.73	5	35	<5	1.52	<1	20	72	65	5.01	<10	1.50	529	4	0.03	30	1360	26	<5	<20	34	0.11	<10	190	<10	5	69
18	51903	<0.2	1.18	20	30	<5	1.26	<1	22	52	46	3.50	<10	0.91	344	3	0.03	18	1400	20	<5	<20	21	0.13	<10	109	<10	9	63
19	51904	<0.2	1.41	15	30	<5	1.04	<1	21	76	65	4.14	<10	1.06	322	4	0.04	36	1370	22	<5	<20	25	0.07	<10	146	<10	3	46
20	51905	0.3	1.33	15	30	<5	1.44	<1	21	79	90	4.03	<10	0.80	260	7	0.05	40	1380	28	<5	<20	27	0.08	<10	133	<10	4	62
21	51906	<0.2	1.10	15	25	<5	2.57	<1	21	68	93	3.48	<10	0.66	319	3	0.07	29	1300	18	<5	<20	73	0.10	<10	78	<10	7	37
22	51907	0.4	1.24	20	30	<5	2.08	<1	30	63	149	4.69	<10	0.88	349	3	0.03	41	1880	20	<5	<20	44	0.11	<10	85	<10	4	52
23	51908	0.3	1.26	45	<5	<5	1.59	<1	23	43	89	3.01	<10	0.88	285	2	0.03	32	1530	10	<5	<20	17	0.10	<10	74	<10	4	51
24	51909	<0.2	1.31	20	30	<5	1.45	<1	17	51	44	3.30	<10	0.88	241	5	0.04	27	1790	22	<5	<20	41	0.09	<10	81	<10	8	37
25	51910	0.3	1.11	15	30	<5	2.30	<1	30	267	97	4.55	<10	1.47	341	9	0.04	205	1240	20	<5	<20	48	0.10	<10	63	<10	<1	52
26	51911	<0.2	0.55	<5	25	<5	1.18	<1	23	84	83	4.32	<10	0.58	214	11	0.06	51	1340	10	<5	<20	32	0.11	<10	70	<10	4	28
27	51912	0.2	0.75	20	30	<5	1.39	<1	22	88	110	4.42	<10	0.74	231	8	0.06	48	1360	12	<5	<20	32	0.10	<10	95	<10	2	31
28	51913	<0.2	1.00	45	25	<5	0.53	<1	20	89	69	4.23	<10	1.07	162	4	0.05	40	1210	18	<5	<20	6	0.11	<10	150	<10	2	30
29	51914	<0.2	1.33	15	25	<5	1.54	<1	26	79	82	5.41	<10	1.12	225	7	0.04	41	1320	22	<5	<20	16	0.09	<10	159	<10	<1	38
30	51915	0.3	0.59	5	25	<5	2.46	<1	22	80	86	4.34	<10	0.57	414	12	0.05	55	1520	10	<5	<20	45	0.11	<10	138	<10	5	56

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	-------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:

Repeat:

1	45346	1.0	2.03	<5	95	<5	2.71	2	38	278	351	5.41	<10	3.48	1113	<1	0.04	144	1260	136	<5	<20	166	0.15	<10	124	<10	7	180
10	45355	0.6	1.81	<5	110	<5	2.96	1	37	314	295	4.40	<10	3.20	877	16	0.05	182	1070	112	<5	<20	130	0.14	<10	102	<10	6	149
19	51904	0.2	1.45	15	35	<5	1.09	<1	21	79	65	4.21	<10	1.07	327	4	0.04	36	1370	22	<5	<20	27	0.08	<10	150	<10	3	46


Resplit:

1	45346	1.2	2.05	<5	95	<5	2.74	2	39	289	346	5.61	<10	3.49	1133	2	0.04	152	1290	164	<5	<20	161	0.14	<10	122	<10	7	192
---	-------	-----	------	----	----	----	------	---	----	-----	-----	------	-----	------	------	---	------	-----	------	-----	----	-----	-----	------	-----	-----	-----	---	-----

Standard:

GEO '04		1.4	1.27	50	150	<5	1.47	<1	17	62	86	4.00	<10	0.70	611	<1	0.02	31	730	24	<5	<20	50	0.09	<10	63	<10	9	76
---------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

Jutta Jealouse
 ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer



ASSAYING
 GEOCHEMISTRY
 ANALYTICAL CHEMISTRY
 ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
 Phone (250) 573-5700 Fax (250) 573-4557
 E-mail: info@ecotechlab.com
 www.ecotechlab.com

CERTIFICATE OF ANALYSIS AK 2004-1913

Lithic Resources
 912 - 510 W. Hastings St.
 Vancouver, BC
 V6B 1L8

1-Dec-04

No. of samples received: 18
 Sample type: Core
 Submitted by: Alec Tebbitt
 Project: Friendly Lake
 Shipment #: 1

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	45327	105	10	10
2	45328	25	10	15
3	45329	185	5	<5
4	45331	65	5	15
5	45332	50	10	<5
6	45333	60	5	<5
7	45334	210	5	<5
8	45335	130	5	<5
9	45336	25	5	<5
10	45337	15	5	<5
11	45338	45	10	<5
12	45339	20	5	<5
13	45340	10	5	<5
14	45341	15	10	<5
15	45342	20	5	<5
16	45343	10	<5	<5
17	45344	35	5	<5
18	45345	80	5	<5

QC DATA:

Resplit:

1	45327	75	10	<5
---	-------	----	----	----

Lynne Brown / 2007
 ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

Lithic Resources

1-Dec-04

<u>ET #.</u>	<u>Tag #</u>	<u>Au</u> <u>(ppb)</u>	<u>Pd</u> <u>(ppb)</u>	<u>Pt</u> <u>(ppb)</u>
Repeat:				
1	45327	110	10	<5
3	45329	220		
7	45334	205		
8	45335	120		
10	45337	15	5	<5
Standard:				
PG114		460	360	745

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.

10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700

Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1913

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

No. of samples received: 18

Sample type: Core

Submitted by: Alec Tebbitt

Project: Friendly Lake

Shipment #: 1

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	45327	0.4	1.29	<5	65	<5	4.51	<1	28	106	275	5.10	<10	2.16	920	5	0.03	51	1370	74	<5	<20	151	0.13	<10	182	<10	8	79
2	45328	0.3	1.62	<5	65	<5	3.94	<1	32	146	215	5.65	<10	2.63	940	4	0.05	65	1160	72	<5	<20	175	0.16	<10	182	<10	9	75
3	45329	0.2	1.05	<5	110	<5	>10	2	18	119	100	3.43	<10	2.21	921	3	0.03	55	730	78	10	<20	2319	0.13	<10	279	<10	9	89
4	45331	0.5	1.85	30	75	5	4.15	<1	26	174	97	5.50	<10	2.86	929	5	0.05	84	1160	74	<5	<20	215	0.17	<10	185	<10	10	90
5	45332	1.0	1.13	<5	90	<5	3.02	2	24	80	303	3.89	<10	1.71	789	43	0.06	41	860	136	<5	<20	166	0.13	<10	117	<10	12	100
6	45333	1.5	1.54	<5	60	<5	2.54	<1	30	96	279	5.97	<10	2.44	976	4	0.05	56	930	264	<5	<20	135	0.14	<10	150	<10	10	128
7	45334	1.5	1.40	<5	70	<5	3.42	2	33	87	480	5.35	<10	2.51	970	4	0.06	60	940	252	<5	<20	175	0.17	<10	163	<10	14	110
8	45335	1.7	1.46	<5	75	<5	3.17	2	27	133	461	4.82	<10	2.25	889	15	0.05	84	1320	280	<5	<20	145	0.13	<10	139	<10	9	103
9	45336	3.5	1.37	<5	85	<5	5.05	5	31	146	1509	4.38	<10	2.58	1014	14	0.06	74	900	308	<5	<20	222	0.16	<10	117	<10	10	170
10	45337	0.3	1.85	<5	85	<5	3.29	2	28	337	182	4.12	<10	3.49	990	<1	0.05	203	980	82	<5	<20	144	0.17	<10	93	<10	9	160
11	45338	0.7	1.47	<5	65	<5	3.40	2	26	291	403	3.52	<10	3.02	911	95	0.06	171	760	94	<5	<20	166	0.16	<10	103	<10	11	142
12	45339	1.1	2.01	<5	80	<5	2.85	2	31	362	335	4.30	<10	3.85	972	13	0.04	200	840	112	<5	<20	146	0.20	<10	94	<10	8	167
13	45340	0.8	1.81	<5	85	<5	2.93	1	31	358	263	4.13	<10	3.40	1028	39	0.05	203	870	116	<5	<20	157	0.20	<10	94	<10	8	170
14	45341	0.7	1.82	<5	90	<5	2.93	1	32	366	308	4.22	<10	3.40	1019	29	0.05	215	850	108	<5	<20	166	0.19	<10	96	<10	7	177
15	45342	1.6	0.67	<5	95	<5	4.38	2	18	172	520	2.56	<10	1.39	1033	16	0.07	98	620	194	<5	<20	280	0.07	<10	85	<10	9	112
16	45343	1.5	0.05	<5	65	<5	3.28	<1	2	32	54	1.10	<10	0.38	797	3	0.06	6	30	212	<5	<20	242	<0.01	<10	50	<10	4	33
17	45344	2.6	0.04	<5	35	<5	4.00	2	3	35	271	1.12	<10	0.41	749	2	0.05	5	30	350	<5	<20	878	<0.01	<10	61	<10	2	34
18	45345	2.1	0.43	<5	75	<5	4.20	2	14	56	624	2.32	<10	0.91	803	7	0.06	24	1050	196	<5	<20	232	0.06	<10	69	<10	11	89

QC DATA:**Repeat:**

1	45327	0.5	1.30	5	55	<5	4.61	<1	30	109	280	5.36	<10	2.17	942	5	0.03	55	1450	76	<5	<20	145	0.16	<10	189	<10	9	80
---	-------	-----	------	---	----	----	------	----	----	-----	-----	------	-----	------	-----	---	------	----	------	----	----	-----	-----	------	-----	-----	-----	---	----


Resplit:


1	45327	0.4	1.32	<5	60	<5	4.62	<1	30	122	302	5.48	<10	2.19	951	7	0.04	55	1460	70	<5	<20	150	0.13	<10	189	<10	9	84
---	-------	-----	------	----	----	----	------	----	----	-----	-----	------	-----	------	-----	---	------	----	------	----	----	-----	-----	------	-----	-----	-----	---	----

Standard:

GEO '04		1.4	1.33	60	145	<5	1.43	<1	17	62	86	3.97	<10	0.72	608	<1	0.02	30	710	22	<5	<20	52	0.09	<10	65	<10	10	74
---------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	----	----

JJ/jm
dl/1906
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ANALYSIS AK 2004-1920

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

1-Dec-04

No. of samples received: 20
Sample Type: Core
Project: Friendly lake
Shipment #: K
Submitted By: R. Montgomery

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	51916	115	5	<5
2	51917	70	5	<5
3	51918	35	5	<5
4	51919	45	5	<5
5	51920	115	10	<5
6	51921	145	10	<5
7	51922	75	5	<5
8	51923	250	5	<5
9	51924	25	5	<5
10	51925	20	5	<5
11	51926	115	10	<5
12	51927	75	10	<5
13	51928	5	5	<5
14	51929	5	5	<5
15	51930	10	<5	<5
16	51931	5	5	<5
17	51932	35	10	<5
18	51933	30	5	<5
19	51934	60	5	<5
20	51935	70	5	<5

QC DATA:

Resplit:


1	51916	130	5	<5
---	-------	-----	---	----

Lithic Resources

1-Dec-04

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
Repeat:				
1	51916	100	5	<5
6	51921	140		
8	51923	290		
10	51925	30	10	<5
11	51926	120		
Standard:				
PG114		450	385	763

JJ/jm
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ICO TECH LABORATORY LTD.

0041 Dallas Drive

CAMLOOPS, B.C.

/2C 6T4

Phone: 250-573-5700

Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1920

Lithic Resources

912 - 510 W. Hastings St.

Vancouver, BC

V6B 1L8

No. of samples received: 20

Sample Type: Core

Project: Friendly lake

Shipment #: K

Submitted By: R. Montgomery

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	51916	0.2	0.57	15	25	<5	2.36	<1	19	69	115	3.09	<10	0.54	248	9	0.08	30	1210	6	<5	<20	41	0.10	<10	58	<10	6	18
2	51917	<0.2	0.80	15	20	<5	1.56	<1	20	78	112	3.85	<10	0.86	272	10	0.08	30	1300	10	<5	<20	35	0.09	<10	90	<10	5	27
3	51918	<0.2	0.60	15	20	<5	1.09	<1	19	59	66	3.45	<10	0.66	211	9	0.06	29	1370	8	<5	<20	18	0.06	<10	75	<10	3	22
4	51919	<0.2	0.64	30	20	<5	1.46	<1	20	77	68	3.67	<10	0.65	238	13	0.06	32	1370	10	<5	<20	41	0.08	<10	64	<10	5	37
5	51920	0.3	0.73	15	20	<5	4.34	<1	28	64	117	6.65	<10	0.80	667	20	0.07	37	1750	8	<5	<20	95	0.07	<10	97	<10	<1	106
6	51921	0.3	0.73	15	25	<5	4.03	<1	26	74	121	5.78	<10	0.80	650	16	0.07	33	1780	12	<5	<20	94	0.09	<10	96	<10	3	110
7	51922	0.2	0.93	20	15	<5	3.65	6	28	91	52	4.30	<10	1.13	794	27	0.05	80	1810	38	<5	<20	95	0.09	<10	83	<10	5	530
8	51923	0.2	1.29	20	20	<5	2.59	<1	22	74	95	4.34	<10	1.41	528	8	0.07	30	1560	22	<5	<20	70	0.09	<10	86	<10	2	122
9	51924	<0.2	0.70	10	5	<5	1.51	<1	17	69	76	3.14	<10	0.83	256	7	0.06	32	1510	12	<5	<20	25	0.07	<10	77	<10	4	33
10	51925	<0.2	1.81	<5	130	10	5.72	<1	28	302	27	5.45	<10	3.35	1260	6	0.04	163	1570	22	<5	<20	304	0.06	<10	222	<10	4	183
11	51926	0.3	1.46	35	15	<5	8.84	1	48	354	50	7.64	<10	5.93	1747	11	0.02	396	890	18	5	<20	1394	<0.01	<10	124	<10	<1	262
12	51927	0.3	0.14	15	15	5	>10	2	56	113	45	8.37	<10	4.68	2182	28	0.02	345	640	26	<5	<20	1161	<0.01	<10	71	<10	<1	280
13	51928	<0.2	1.15	5	30	5	1.95	<1	15	68	46	3.57	<10	1.46	494	6	0.06	30	1610	14	<5	<20	84	0.12	<10	92	<10	10	49
14	51929	<0.2	1.13	<5	40	10	1.96	<1	16	58	56	3.46	<10	1.35	428	5	0.06	31	1420	12	<5	<20	81	0.11	<10	75	<10	9	36
15	51930	<0.2	0.93	5	20	<5	2.06	<1	14	58	31	2.71	<10	1.12	433	6	0.06	27	1430	16	<5	<20	92	0.10	<10	56	<10	9	42
16	51931	<0.2	1.10	<5	70	<5	2.15	<1	16	65	47	3.14	<10	1.24	439	6	0.07	30	1600	14	<5	<20	88	0.11	<10	61	<10	10	52
17	51932	0.4	0.98	5	25	<5	2.44	<1	23	61	116	4.14	<10	1.07	635	6	0.07	35	1360	28	<5	<20	99	0.09	<10	59	<10	7	113
18	51933	0.2	0.77	20	25	5	3.78	<1	27	54	81	4.81	<10	0.71	807	25	0.05	38	1510	14	<5	<20	74	0.08	<10	92	<10	6	77
19	51934	0.5	0.81	15	20	<5	1.98	<1	19	92	115	4.44	<10	0.85	584	24	0.04	37	1430	26	<5	<20	118	0.07	<10	42	<10	4	197
20	51935	0.6	1.29	20	10	<5	5.14	7	27	145	138	5.05	<10	1.46	1123	22	0.04	124	1320	82	<5	<20	148	0.06	<10	83	<10	<1	645

ICP DATA:

Repeat:


1	51916	0.2	0.59	20	20	<5	2.47	<1	21	72	114	3.23	<10	0.55	255	9	0.08	32	1350	10	<5	<20	39	0.10	<10	57	<10	8	19
10	51925	<0.2	1.82	5	130	10	5.59	<1	28	300	26	5.39	<10	3.37	1236	8	0.04	159	1530	20	<5	<20	304	0.06	<10	221	<10	5	178

Resplit:


1	51916	0.2	0.58	15	20	<5	2.57	<1	22	78	127	3.43	<10	0.56	257	9	0.07	34	1410	10	<5	<20	42	0.10	<10	61	<10	7	20
---	-------	-----	------	----	----	----	------	----	----	----	-----	------	-----	------	-----	---	------	----	------	----	----	-----	----	------	-----	----	-----	---	----

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
Standard:																													
3EO '04		1.5	1.52	50	140	<5	1.53	<1	19	61	86	4.09	<10	0.81	636	<1	0.02	29	770	20	<5	<20	59	0.09	<10	60	<10	10	74

JJ/jm
3/1/1921
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
 GEOCHEMISTRY
 ANALYTICAL CHEMISTRY
 ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
 Phone (250) 573-5700 Fax (250) 573-4557
 E-mail: info@ecotechlab.com
 www.ecotechlab.com

CERTIFICATE OF ANALYSIS AK 2004-1931

Lithic Resources
 912 - 510 W. Hastings St.
 Vancouver, BC
 V6B 1L8

8-Dec-04

No. of samples received: 37
Sample type: Core
Submitted by: Rob Montgomery
Project: Friendly Lake
Shipment: L

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	51936	15	5	<5
2	51937	10	<5	<5
3	51938	5	10	<5
4	51939	<5	5	<5
5	51940	<5	5	<5
6	51941	<5	5	<5
7	51942	<5	5	<5
8	51943	10	5	<5
9	51944	5	5	5
10	51945	<5	5	<5
11	51946	5	10	<5
12	51947	<5	5	<5
13	51948	<5	5	<5
14	51949	5	5	<5
15	51950	5	5	<5
16	51951	5	10	<5
17	51952	5	5	<5
18	51953	5	10	<5
19	51954	5	5	<5
20	51955	<5	10	<5
21	51956	<5	5	<5
22	51957	5	10	10
23	51958	5	10	<5
24	51959	<5	<5	<5
25	51960	5	<5	<5
26	51961	10	<5	<5
27	51962	<5	5	<5
28	51963	<5	5	<5
29	51964	<5	10	<5

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
30	51965	<5	10	<5
31	51966	<5	10	<5
32	51967	<5	5	<5
33	51968	<5	10	<5
34	51969	<5	5	<5
35	51970	<5	<5	<5
36	51971	5	5	<5
37	51972	5	5	<5

QC DATA:

Repeat:

1	51936	10	5	<5
10	51945	<5	5	<5
19	51954	<5	<5	<5
36	51971	5	5	<5


Resplit:

1	51936	15	<5	<5
36	51971	10	5	<5

Standard:

PG114	420	375	768
PG114	430	360	760

JJ/jm
XLS/04


ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

Phone: 250-573-5700

Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1931

Lithic Resources

912 - 510 W. Hastings St.

Vancouver, BC

V6B 1L8

No. of samples received: 37

Sample type: Core

Submitted by: Rob Montgomery

Project: Friendly Lake

Shipment: L

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	51936	0.2	0.80	10	15	<5	1.56	<1	19	56	48	2.76	<10	0.72	277	6	0.04	24	1000	10	<5	<20	112	0.09	<10	67	<10	3	35
2	51937	<0.2	0.80	5	15	<5	1.67	<1	20	63	34	2.72	<10	0.62	243	4	0.05	27	1070	6	<5	<20	61	0.12	<10	39	<10	3	20
3	51938	0.2	1.33	<5	30	<5	1.72	<1	31	152	381	5.30	<10	2.95	358	52	0.05	63	1050	28	<5	<20	155	0.17	<10	115	<10	2	35
4	51939	0.3	1.33	<5	30	<5	2.22	<1	32	159	423	5.52	<10	2.76	461	42	0.06	65	1100	38	<5	<20	97	0.18	<10	132	<10	4	42
5	51940	0.3	1.41	<5	35	<5	2.32	<1	33	177	377	6.34	<10	2.85	574	55	0.06	70	1100	26	<5	<20	87	0.18	<10	170	<10	<1	43
6	51941	0.2	1.37	<5	30	<5	2.13	<1	33	177	404	6.50	<10	2.81	547	61	0.05	71	1070	22	<5	<20	84	0.17	<10	167	<10	<1	42
7	51942	0.5	1.13	<5	30	<5	2.67	<1	29	155	412	5.81	<10	2.33	619	120	0.05	63	1000	52	<5	<20	90	0.13	<10	174	<10	5	41
8	51943	1.0	1.08	<5	30	<5	3.93	<1	29	151	626	5.36	<10	2.20	608	512	0.05	63	1170	150	<5	<20	122	0.14	<10	170	<10	4	34
9	51944	0.5	1.21	<5	30	<5	3.82	<1	30	138	415	5.68	<10	2.53	625	55	0.05	63	1230	88	<5	<20	172	0.16	<10	167	<10	5	37
10	51945	0.3	1.65	<5	40	<5	1.92	<1	33	167	182	6.63	<10	2.98	487	22	0.04	80	1260	54	<5	<20	67	0.16	<10	239	<10	3	35
11	51946	0.3	1.14	<5	35	<5	2.13	<1	35	151	265	7.24	<10	2.29	666	52	0.06	72	1210	40	<5	<20	70	0.11	<10	202	<10	4	39
12	51947	0.6	0.45	<5	35	<5	1.99	<1	12	83	278	3.04	<10	0.69	202	158	0.05	22	890	100	<5	<20	62	0.03	<10	84	<10	6	23
13	51948	0.7	0.42	<5	35	<5	1.95	<1	12	83	295	2.81	<10	0.72	205	156	0.05	24	880	108	<5	<20	67	0.04	<10	78	<10	8	26
14	51949	0.6	0.42	<5	35	<5	1.96	1	13	80	376	3.04	<10	0.68	241	292	0.05	23	960	88	<5	<20	71	0.03	<10	79	<10	9	27
15	51950	0.8	0.36	<5	35	<5	1.44	<1	13	67	404	3.02	<10	0.54	210	209	0.04	23	1020	90	<5	<20	76	0.02	<10	112	<10	10	28
16	51951	0.7	0.45	<5	35	<5	2.24	<1	16	75	586	3.71	<10	0.85	254	267	0.06	26	1120	92	<5	<20	105	0.03	<10	96	<10	9	31
17	51952	0.6	1.32	<5	45	<5	4.90	1	28	133	296	5.75	<10	2.42	1063	126	0.04	66	1260	128	<5	<20	208	0.07	<10	234	<10	8	72
18	51953	0.6	1.30	<5	55	<5	5.23	<1	27	64	352	6.07	<10	1.95	1106	24	0.04	31	1620	126	<5	<20	279	0.09	<10	219	<10	8	70
19	51954	1.4	1.05	<5	40	<5	>10	3	20	91	280	4.91	<10	2.97	1194	378	0.04	47	1030	572	<5	<20	719	0.07	<10	212	<10	12	65
20	51955	0.6	1.58	<5	45	<5	5.51	2	36	83	495	6.79	<10	2.66	1299	55	0.04	34	1680	118	<5	<20	254	0.12	<10	249	<10	5	84
21	51956	1.1	0.97	<5	35	<5	3.61	<1	23	159	230	4.31	<10	1.87	649	165	0.08	81	1310	206	<5	<20	294	0.08	<10	132	<10	10	47
22	51957	1.8	1.65	<5	40	<5	5.41	3	33	66	535	7.40	<10	2.66	1514	39	0.04	40	1540	446	<5	<20	271	0.11	<10	286	<10	14	141
23	51958	0.7	1.76	<5	50	<5	4.92	<1	40	142	407	7.42	<10	2.78	1569	54	0.04	87	1480	182	<5	<20	259	0.11	<10	249	<10	10	127
24	51959	1.5	1.51	<5	25	<5	5.96	<1	21	47	252	5.83	<10	2.12	1083	41	0.05	28	1630	364	<5	<20	258	0.08	<10	193	<10	12	57
25	51960	0.7	1.64	<5	20	<5	4.74	<1	29	51	305	6.54	<10	2.64	1032	32	0.06	24	1560	200	<5	<20	234	0.12	<10	208	<10	6	65
26	51961	0.5	1.72	<5	30	<5	4.65	<1	28	56	288	6.58	<10	2.74	1045	33	0.06	23	1620	172	<5	<20	233	0.16	<10	218	<10	7	66
27	51962	0.9	1.30	<5	25	<5	5.41	<1	31	69	310	6.49	<10	2.94	1082	113	0.07	37	1390	282	<5	<20	449	0.10	<10	229	<10	15	65
28	51963	0.7	1.17	<5	25	<5	5.12	<1	30	77	249	6.92	<10	2.36	863	280	0.08	29	1400	176	<5	<20	207	0.10	<10	187	<10	9	58
29	51964	1.1	0.34	<5	55	<5	3.89	3	17	78	694	4.41	<10	0.70	1294	3421	0.04	20	1220	166	<5	<20	191	0.02	<10	254	<10	10	69
30	51965	1.0	1.05	<5	35	<5	3.15	2	25	53	817	6.43	<10	2.06	1144	140	0.04	19	1690	146	<5	<20	147	0.07	<10	257	<10	13	108

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	51966	0.9	1.25	<5	30	<5	2.91	3	35	72	596	7.12	<10	2.29	995	29	0.04	28	1830	154	<5	<20	122	0.07	<10	261	<10	11	114
32	51967	0.9	0.99	<5	30	<5	2.76	2	30	43	599	6.22	<10	1.60	1059	81	0.04	18	1600	118	<5	<20	117	0.05	<10	250	<10	15	99
33	51968	1.3	1.39	<5	50	<5	3.39	1	30	72	718	6.00	<10	2.14	1021	20	0.05	33	1840	160	<5	<20	149	0.10	<10	210	<10	12	94
34	51969	1.7	1.43	<5	25	<5	2.64	<1	27	47	467	6.64	<10	2.02	1061	7	0.05	29	1900	336	<5	<20	101	0.09	<10	238	<10	11	106
35	51970	2.4	1.06	<5	25	<5	7.06	5	26	61	448	5.39	<10	1.80	872	66	0.06	25	1280	528	<5	<20	613	0.07	<10	181	<10	10	97
36	51971	0.3	1.74	<5	40	<5	3.12	<1	27	102	293	6.15	<10	2.75	1059	61	0.07	45	1400	120	<5	<20	138	0.08	<10	219	<10	9	65
37	51972	0.5	1.51	<5	35	<5	3.43	<1	35	142	380	6.63	<10	2.46	923	40	0.07	71	1620	76	<5	<20	152	0.11	<10	185	<10	9	69

QC DATA:

Repeat:


1	51936	0.2	0.77	10	15	<5	1.66	<1	21	58	46	2.93	<10	0.71	288	7	0.04	26	1140	14	<5	<20	107	0.10	<10	64	<10	2	41
10	51945	0.3	1.68	<5	35	<5	1.99	<1	35	174	186	6.89	<10	3.04	501	23	0.04	85	1400	56	<5	<20	68	0.16	<10	244	<10	5	38
19	51954	1.4	1.13	<5	40	<5	>10	3	21	98	295	5.09	<10	3.13	1273	404	0.04	52	1190	584	15	<20	805	0.07	<10	227	<10	10	73


Resplit:

1	51936	0.2	0.83	15	20	<5	1.78	<1	22	60	50	3.15	<10	0.74	306	7	0.04	28	1320	18	<5	<20	127	0.10	<10	73	<10	2	43
36	51971	0.3	1.73	<5	35	<5	3.17	<1	29	107	288	6.20	<10	2.72	1057	69	0.07	47	1450	118	<5	<20	134	0.11	<10	222	<10	9	66

Standard:

GEO '04		1.4	1.52	75	155	<5	1.60	<1	19	65	81	3.80	<10	0.84	659	<1	0.02	30	820	22	<5	<20	54	0.10	<10	62	<10	8	74
GEO '04		1.4	1.47	75	155	<5	1.52	<1	18	61	79	4.08	<10	0.80	629	<1	0.02	29	740	20	<5	<20	52	0.08	<10	68	<10	9	78


 ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer



ASSAYING
 GEOCHEMISTRY
 ANALYTICAL CHEMISTRY
 ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
 Phone (250) 573-5700 Fax (250) 573-4557
 E-mail: info@ecotechlab.com
 www.ecotechlab.com


CERTIFICATE OF ANALYSIS AK 2004-1952

Lithic Resources
 912 - 510 W. Hastings St.
 Vancouver, BC
 V6B 1L8

16-Dec-04


No. of samples received: 26
Sample type: Core
Submitted by: Sean Bohle
Project: Friendly Lake
Shipment: M

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	51973	10	5	5
2	51974	20	10	5
3	51975	15	5	5
4	51976	5	<5	<5
5	51977	15	5	<5
6	51978	10	5	<5
7	51979	15	5	<5
8	51980	15	10	10
9	51981	10	<5	<5
10	51982	15	5	<5
11	51983	10	<5	<5
12	51984	10	5	<5
13	51985	15	5	<5
14	51986	15	5	<5
15	51987	10	5	<5
16	51988	15	5	<5
17	51989	20	10	<5
18	51990	10	10	<5
19	51991	5	10	<5
20	51992	10	5	5
21	51993	15	10	<5
22	51994	10	5	10
23	51995	5	5	<5
24	51996	10	5	<5
25	51997	10	5	<5
26	51998	5	10	5


ECO TECH LABORATORY LTD.
 Jutta Jealduse
 B.C. Certified Assayer

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
QC DATA:				
<i>Resplit:</i>				
1	51973	5	10	<5
<i>Repeat:</i>				
1	51973	10	5	<5
10	51982	10	5	<5
19	51991	10	5	<5
<i>Standard:</i>				
PG114		450	390	737

JJ/jm
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-1952

Lithic Resources
912 - 510 W. Hastings St.
Vancouver, BC
V6B 1L8

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 26
Sample type: Core
Submitted by: Sean Bohle
Project: Friendly Lake
Shipment: M

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	51973	<0.2	2.05	<5	80	5	1.82	<1	20	293	12	3.48	<10	3.75	424	34	0.03	237	1050	8	<5	<20	518	0.09	<10	58	<10	7	31
2	51974	<0.2	1.97	<5	50	<5	1.07	<1	47	262	79	3.94	<10	2.87	314	9	0.03	238	1050	10	<5	<20	117	0.05	<10	67	<10	4	24
3	51975	<0.2	1.28	10	20	<5	2.76	<1	32	126	409	4.22	<10	2.75	306	16	0.04	89	940	8	<5	<20	720	0.06	<10	87	<10	4	22
4	51976	<0.2	1.02	<5	30	<5	1.49	<1	28	49	255	3.85	<10	1.19	221	21	0.04	31	1130	10	<5	<20	119	0.05	<10	108	<10	7	17
5	51977	2.0	0.84	<5	50	<5	2.10	<1	19	55	245	3.05	<10	1.32	304	9	0.05	32	920	40	<5	<20	176	0.06	<10	89	<10	10	34
6	51978	<0.2	1.13	<5	65	<5	1.55	<1	19	54	66	2.82	<10	1.72	330	6	0.05	18	1030	14	<5	<20	311	0.06	<10	83	<10	8	35
7	51979	<0.2	1.14	<5	35	<5	1.52	<1	23	64	149	4.06	<10	1.58	272	12	0.06	33	1070	14	<5	<20	277	0.07	<10	119	<10	7	28
8	51980	<0.2	1.09	<5	35	<5	1.19	<1	13	52	68	2.98	<10	1.22	227	7	0.05	19	980	6	<5	<20	104	0.06	<10	79	<10	6	22
9	51981	<0.2	1.11	<5	35	<5	1.16	<1	14	49	62	3.03	<10	1.20	229	9	0.05	19	960	6	<5	<20	92	0.06	<10	81	<10	6	22
10	51982	<0.2	0.75	<5	30	<5	1.16	<1	18	57	108	3.13	<10	0.72	196	14	0.06	25	1020	6	<5	<20	97	0.05	<10	70	<10	8	18
11	51983	<0.2	0.90	<5	25	<5	0.82	<1	15	56	91	3.23	<10	0.90	163	7	0.05	27	960	6	<5	<20	80	0.05	<10	107	<10	7	20
12	51984	<0.2	1.21	<5	35	<5	1.09	<1	22	81	174	4.62	<10	1.45	296	9	0.05	40	1030	8	<5	<20	85	0.07	<10	130	<10	9	47
13	51985	<0.2	0.81	15	<5	<5	1.51	<1	19	70	104	3.68	<10	0.78	160	10	0.06	30	1090	4	<5	<20	2386	0.07	<10	111	<10	8	23
14	51986	<0.2	1.08	<5	30	<5	2.22	<1	23	58	163	4.27	<10	1.40	287	17	0.05	29	1170	8	<5	<20	99	0.08	<10	114	<10	14	31
15	51987	<0.2	0.95	20	30	<5	1.04	<1	22	64	114	3.89	<10	0.99	166	10	0.05	31	1150	8	<5	<20	61	0.06	<10	99	<10	7	18
16	51988	<0.2	0.80	15	25	<5	1.12	<1	18	54	95	3.44	<10	0.83	184	8	0.03	24	1030	8	<5	<20	92	0.05	<10	98	<10	5	20
17	51989	<0.2	1.04	<5	60	<5	1.29	<1	17	57	128	3.10	<10	1.40	342	6	0.05	14	1020	10	<5	<20	152	0.08	<10	73	<10	8	52
18	51990	0.3	0.91	<5	35	<5	1.07	<1	21	45	266	2.97	<10	1.20	268	6	0.04	23	1040	14	<5	<20	101	0.06	<10	50	<10	8	47
19	51991	0.3	0.91	<5	30	<5	2.32	<1	17	45	316	3.36	<10	1.31	435	2	0.04	16	1090	38	<5	<20	175	0.04	<10	74	<10	8	34
20	51992	0.2	1.04	<5	35	<5	2.43	<1	21	46	109	3.12	<10	1.33	437	6	0.05	29	1240	26	<5	<20	157	0.05	<10	83	<10	10	31
21	51993	<0.2	0.85	<5	25	<5	0.80	<1	18	66	62	3.16	<10	0.70	102	7	0.05	24	1110	10	<5	<20	35	0.06	<10	82	<10	9	8
22	51994	<0.2	0.81	<5	35	<5	1.89	<1	19	55	110	5.14	<10	0.88	334	17	0.04	22	1070	10	<5	<20	151	0.05	<10	82	<10	6	19
23	51995	<0.2	0.90	<5	30	<5	1.40	<1	22	70	132	4.14	<10	0.96	200	9	0.05	30	1070	10	<5	<20	110	0.06	<10	88	<10	6	16
24	51996	<0.2	0.83	<5	40	<5	0.99	<1	18	62	94	2.92	<10	0.94	201	11	0.04	27	990	14	<5	<20	61	0.06	<10	90	<10	10	27
25	51997	<0.2	0.42	<5	25	<5	2.10	<1	12	32	106	2.42	<10	0.69	301	6	0.03	17	980	8	<5	<20	111	0.03	<10	42	<10	7	19
26	51998	<0.2	1.33	<5	40	<5	1.20	<1	19	70	96	3.86	<10	1.52	183	13	0.04	30	1190	18	<5	<20	54	0.07	<10	130	<10	9	24


QC DATA:


Repeat:

1	51973	<0.2	2.07	<5	75	10	1.86	<1	21	300	10	3.54	<10	3.77	431	37	0.03	239	1060	12	<5	<20	508	0.09	<10	63	<10	9	33
10	51982	<0.2	0.77	<5	30	<5	1.27	<1	18	61	108	3.31	<10	0.73	198	16	0.06	26	1100	10	<5	<20	98	0.06	<10	69	<10	9	19

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
Resplit:																													
1	51973	<0.2	2.00	<5	75	10	1.98	<1	22	308	10	3.71	<10	3.67	444	34	0.03	254	1180	18	<5	<20	637	0.08	<10	52	<10	9	37
Standard:																													
GEO '04		1.4	1.33	65	140	<5	1.42	<1	17	56	85	3.86	<10	0.75	603	2	0.02	25	660	22	<5	<20	53	0.05	<10	64	<10	8	72

JJ/jm
df/1968
XLS/04


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
 GEOCHEMISTRY
 ANALYTICAL CHEMISTRY
 ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
 Phone (250) 573-5700 Fax (250) 573-4557
 E-mail: info@ecotechlab.com
 www.ecotechlab.com


CERTIFICATE OF ANALYSIS AK 2004-1976

Lithic Resources
 912 - 510 W. Hastings St.
Vancouver, BC
 V6B 1L8

21-Dec-04

No. of samples received: 25
Sample type: Drill Core
Submitted by: R. Montgomery
Project: Friendly Lake
Shipment: 0

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	51999	15	5	5
2	52000	10	10	5
3	52001	10	10	5
4	52002	15	5	5
5	52003	10	10	10
6	52004	20	5	5
7	52005	10	5	<5
8	52006	10	<5	5
9	52007	35	<5	<5
10	52008	25	5	10
11	52009	40	5	<5
12	52010	40	5	<5
13	52011	15	<5	<5
14	52012	25	5	10
15	52013	20	<5	5
16	52014	10	5	10
17	52015	10	15	20
18	52016	40	10	5
19	52017	25	5	10
20	52018	10	<5	5
21	52019	25	10	5
22	52020	5	10	10
23	52021	10	10	5
24	52022	20	5	5
25	52023	240	10	<5


ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
-------	-------	-------------	-------------	-------------

QC DATA:

Resplit:

1	51999	10	5	5
---	-------	----	---	---


Repeat:

1	51999	10	5	5
10	52008	15	5	5

Standard:

GEO 04	140
--------	-----

JJ/jm
XLS/04



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

/2C 6T4

Phone: 250-573-5700

Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2004-1976

Lithic Resources

912 - 510 W. Hastings St.

Vancouver, BC

V6B 1L8

No. of samples received: 25

Sample type: Drill Core

Submitted by: R. Montgomery

Project: Friendly Lake


Shipment: 0

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	51999	0.7	0.87	<5	65	<5	1.59	<1	23	65	237	3.98	<10	1.06	355	8	0.09	33	950	160	<5	<20	50	0.08	<10	96	<10	13	45
2	52000	0.5	1.00	<5	55	<5	2.14	<1	25	66	208	4.73	<10	1.25	475	10	0.06	34	960	54	<5	<20	66	0.08	<10	122	<10	15	45
3	52001	0.5	1.03	<5	55	<5	1.90	<1	25	62	212	4.75	<10	1.30	446	7	0.06	32	1010	44	<5	<20	64	0.08	<10	118	<10	13	48
4	52002	0.6	1.09	<5	110	<5	1.90	<1	25	125	168	3.32	<10	1.60	561	5	0.08	69	940	124	<5	<20	141	0.09	<10	56	<10	15	74
5	52003	0.2	1.37	<5	110	<5	1.93	<1	24	200	75	3.41	<10	2.17	737	75	0.08	123	950	38	<5	<20	146	0.09	<10	53	<10	10	103
6	52004	0.4	0.53	<5	120	<5	4.93	<1	13	62	110	3.32	<10	0.73	1190	102	0.06	35	820	24	<5	<20	153	0.06	<10	133	<10	27	58
7	52005	0.3	0.67	<5	100	<5	3.61	<1	15	45	63	3.36	<10	0.93	873	29	0.08	19	850	14	<5	<20	119	0.06	<10	89	<10	22	49
8	52006	0.5	1.14	<5	150	<5	2.52	<1	15	35	117	3.76	<10	1.34	797	8	0.07	10	670	106	<5	<20	89	0.07	<10	98	<10	18	80
9	52007	0.5	0.70	<5	135	<5	2.28	<1	23	38	160	2.94	<10	0.93	667	17	0.08	17	830	90	<5	<20	82	0.09	<10	83	<10	24	61
10	52008	0.7	0.93	<5	95	<5	2.68	<1	21	32	230	4.34	<10	1.19	889	8	0.06	15	910	108	<5	<20	93	0.06	<10	116	<10	30	83
11	52009	0.4	0.30	<5	95	<5	5.74	<1	12	28	95	4.75	<10	0.48	1012	13	0.03	14	900	10	<5	<20	169	0.03	<10	277	<10	112	41
12	52010	0.5	0.69	5	105	<5	3.39	<1	13	28	105	2.88	<10	0.80	672	9	0.05	13	1170	18	<5	<20	142	0.04	<10	109	<10	31	57
13	52011	<0.2	0.37	<5	260	<5	3.54	<1	5	27	9	1.89	<10	0.68	735	11	0.07	16	940	12	<5	<20	154	0.03	<10	91	<10	10	51
14	52012	<0.2	2.38	<5	170	5	2.32	<1	17	27	47	5.40	<10	2.64	1029	4	0.05	14	1050	12	<5	<20	96	0.06	<10	174	<10	18	107
15	52013	0.2	1.24	5	120	<5	2.20	<1	16	15	123	4.02	<10	1.53	651	5	0.07	9	1080	22	<5	<20	89	0.06	<10	104	<10	27	71
16	52014	0.2	2.00	<5	95	<5	2.22	<1	26	271	145	4.79	<10	2.97	913	6	0.07	187	990	24	<5	<20	158	0.07	<10	112	<10	16	132
17	52015	0.3	1.51	<5	110	<5	2.29	<1	34	349	192	4.10	<10	2.56	917	7	0.07	329	680	20	<5	<20	174	0.06	<10	73	<10	17	118
18	52016	0.7	0.80	<5	110	<5	3.56	1	21	172	169	3.62	<10	1.26	804	22	0.08	120	980	62	<5	<20	184	0.06	<10	93	<10	16	97
19	52017	0.6	0.97	<5	225	<5	4.05	<1	13	14	104	3.61	<10	0.95	775	5	0.03	10	1300	88	<5	<20	165	0.03	<10	115	<10	30	68
20	52018	1.2	1.46	<5	120	<5	4.21	<1	26	16	309	5.06	<10	1.47	884	7	0.04	18	1240	124	<5	<20	178	0.05	<10	156	<10	25	105
21	52019	0.3	1.07	<5	95	<5	6.91	1	20	42	149	4.84	<10	1.51	1068	5	0.05	35	830	24	<5	<20	129	0.05	<10	146	<10	39	85
22	52020	0.3	0.96	<5	75	<5	3.28	<1	21	68	131	4.01	<10	1.21	725	5	0.07	35	930	22	<5	<20	112	0.06	<10	117	<10	30	50
23	52021	0.2	1.10	<5	80	<5	3.05	<1	20	60	169	4.31	<10	1.28	843	14	0.04	27	1150	14	<5	<20	131	0.09	<10	123	<10	18	59
24	52022	0.2	0.96	<5	110	<5	3.84	<1	17	117	211	4.39	<10	1.69	966	9	0.05	35	1030	14	<5	<20	156	0.06	<10	236	<10	20	84
25	52023	0.2	0.42	45	35	<5	5.35	<1	16	51	135	4.12	<10	1.21	819	24	0.04	25	980	8	<5	<20	217	0.02	<10	157	<10	12	52

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
Repeat:																													
1	51999	0.7	0.88	<5	60	<5	1.61	<1	23	66	242	3.98	<10	1.07	362	10	0.09	35	970	166	<5	<20	46	0.08	<10	98	<10	16	46
10	52008	0.7	0.96	<5	95	<5	2.58	<1	21	32	229	4.26	<10	1.21	867	7	0.07	15	950	104	<5	<20	93	0.06	<10	115	<10	28	84
Resplit:																													
1	51999	0.7	0.92	<5	60	<5	1.60	<1	20	68	233	3.94	<10	1.10	363	10	0.10	34	1100	198	<5	<20	48	0.09	<10	93	<10	14	50
Standard:																													
3EO '04																													
		1.4	1.56	55	145	<5	1.44	<1	17	61	88	4.02	<10	0.81	617	<1	0.03	27	630	22	<5	<20	53	0.06	<10	68	<10	7	77

JJ/jm
 d/1974
 XLS/04


 ECO TECH LABORATORY LTD.
 Jutta Jealoyse
 B.C. Certified Assayer

APPENDIX B

Drill Logs

Down Hole Survey		
Depth	Angle	Azimuth
212.15	-55°	

Easting (NAD 83): 674323	Core Size: NQ	Date Started: 13-Oct-2004
Northing (NAD 83): 5720514	Hole Azimuth: 215°	Date Finished: 16-Oct-2004
Grid Location: L107+85E;57+30N	Hole Angle: -60°	Logged by: Rob Montgomery
Elevation:	Total Depth (m): 212.15	Analysis by: Eco Tech Laboratory Ltd.

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	12.20	OVERBURDEN Casing to 40'							
12.20	29.75	ASH TUFF Mottled, medium to dark green, fine grained ash tuff. Locally brecciated. Moderate to strongly pervasive chlorite alteration. Calcite veinlets common at irregular angles to the C.A. Limonitic fractures to 21.5 metres. Core quite soft/broken; recovery poor over first 30 m. Mineralization: trace to 1/2% pyrite, primarily along fractures.							
29.75	30.15	SHEAR ZONE/CRUSH ZONE Minor pale green gouge on hanging wall/footwall.							
30.15	32.90	ASH TUFF Pale to medium green, fine-grained ash tuff, locally well developed at 35° to core axis. Section quite broken/rubby.							
32.90	33.20	DYKE Dark gray, fine-grained, basaltic(?) dyke. Sharp, irregular hanging wall /footwall contacts. Contacts at ~45° to core axis.							
33.20	65.85	ASH TUFF Medium green, fine-grained ash tuff. Interval is characterized by well developed bedding and intermittent volcanic breccias. Occasional section of coarser lapilli tuff. Pervasive chlorite ± epidote alteration. Weak carbonate alteration of matrix.							
		Moderate to strong carbonate veining throughout interval. Fractures average 30-45° to core axis. Mineralization: 1/2 to 1% pyrite, disseminated along fractures. Trace fracture controlled chalcopyrite. 57.00-57.40 m: Brecciated ash tuff. Clast supported breccia. 60.90-61.20 m: Chloritized and ash tuff fragments supported by carbonated matrix.		45001	37.30	38.90	10	0.6	283
				45002	38.90	40.40	5	0.6	432
				45003	40.40	41.90	5	0.4	349
				45004	41.90	43.40	10	3.2	492
				45005	43.40	44.90	10	3.3	457
		½% cpy as blebs and diss. Carb & hem		45006	44.90	45.60	10	2.5	643
				45007	45.60	47.10	10	1.6	619
				45008	47.10	49.00	5	1.1	362
				45009	60.90	62.40	5	3	139
				45010	62.40	63.90	5	6	209
				45011	63.90	64.75	5	1.7	408
				45012	64.75	65.85	20	1.5	240
65.85	68.80	VOLCANIC FLOW (AUGITE PORPHYRY) Medium green. 5% euhedral augite phenocrysts. Minor hematite on fractures Contacts gradational 5 cm wide, pink, medium-grained monzonite dyke(?) on hanging wall contact. Contacts at 45° to core axis. Minor irregular carbonate veining							
68.80	208.00	ASH TUFF-MINOR INTERBEDDED VOLCANIC FLOWS Medium to olive green. Generally fine-grained volcanics. Locally well developed bedding (ash tuffs). Some sections strongly brecciated. Pervasive carbonate/chlorite alteration. Locally strongly hematitic section (e.g. 117.90-119.40 m) 155.00-209.00m: Occasional section of weak to moderate silica. Also noting minor chalcocenic quartz. Occasional blue amphibole mineral over lower half of interval 69.20-71.40m: Carbonate ± hematite altered breccia. 81.00-84.85 m: well bedded ash tuff, bedding at 40° to core axis at 81.00 metres. Augite porphyry flows,		45013	81.70	82.70	175	10.5	255
				45014	82.70	84.00	15	1.7	190
				45015	84.00	85.50	25	1.9	200
				45016	85.50	87.00	1650	1.6	218
				45017	87.00	88.50	265	1.4	276
				45018	88.50	90.00	10	0.8	225
				45019	101.50	103.00	20	1	439
				45020	103.00	104.50	25	1.8	332
				45021	104.50	106.00	5	0.9	316
				45022	106.00	107.50	10	1.3	324
				45023	107.50	109.30	15	1.1	234
				45024	109.30	110.60	5	0.6	175
				45025	110.60	112.60	30	0.8	263
				45026	112.60	114.60	10	0.4	49
				45027	114.60	116.60	10	0.6	59

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
		brecciated, carbonate altered		45028	116.60	117.90	10	0.8	42
		102.90-103.20 m: Coarse-grained bedded ash tuff		45029	117.90	119.40	15	0.7	84
		125.00-147.00 m: Occasional fracture controlled and disseminated chalcopyrite. Trace sph and galena		45030	119.40	121.40	<5	0.6	335
				45031	121.40	123.40	<5	0.3	168
				45032	123.40	125.40	10	0.3	157
				45033	125.40	127.40	5	0.8	168
				45034	127.40	128.90	5	0.6	202
				45035	128.90	130.90	<5	0.3	179
				45036	130.90	132.40	5	0.6	483
				45037	132.40	133.70	15	0.9	849
				45038	133.70	135.20	10	0.4	300
				45039	135.20	136.70	10	0.4	268
				45040	136.70	138.20	5	2.6	242
				45041	138.20	139.80	10	0.7	251
				45042	139.80	141.80	10	0.4	265
				45043	141.80	143.80	5	0.6	346
				45044	143.80	145.80	10	0.4	224
				45045	145.80	147.20	10	1.5	927
				45046	147.20	149.20	5	0.5	242
				45047	157.25	158.75	10	0.8	337
				45048	158.75	160.75	15	1	209
			7mm resinous yellow sphalerite bleb	45049	160.75	162.05	5	0.2	84
			Trace galena and chalcopyrite						
			Chalcedonic Qtz with cpy+sph+ga(?)	45050	162.05	163.50	5	0.4	193
				45051	163.50	165.00	15	1.1	411
				45052	165.00	166.40	10	1	189
				45053	174.40	175.90	5	0.5	186
				45054	175.90	177.90	15	0.2	143
				45055	177.90	179.40	10	0.2	136
				45056	179.40	180.90	5	0.2	167
				45057	180.90	182.90	5	0.2	159
				45058	182.90	184.90	<5	0.2	112
				45059	184.90	186.90	5	0.3	167
				45060	191.40	193.40	15	1.5	184
				45061	193.40	195.25	10	0.3	104
				45062	195.25	197.15	5	0.5	214
				45063	201.00	203.00	5	0.7	252
				45064	206.60	208.00	65	1	215
208.00	212.15	BASALTIC FLOW (ANDESITIC)							
		Fairly massive, homogenous, cut by a few epidote/ carbonate stringers.		45065	208.00	210.00	5	0.2	163
		Epidote tends to increase down hole		45066	210.00	212.15	10	0.2	187
		END OF HOLE AT 212.15 METRES							

Down Hole Survey		
Depth	Angle	Azimuth
236 m	-60°	

Easting (NAD 83): 671744	Core Size: NQ	Date Started: 18-Oct-2004
Northing (NAD 83): 5721253	Hole Azimuth: 180°	Date Finished: 19-Oct-2004
Grid Location: B/L;81+95E	Hole Angle: -60°	Logged by: Rob Montgomery
Elevation:	Total Depth (m): 236.85	Analysis by: Ecotech Laboratory Ltd.

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	9.75	OVERBURDEN Casing to 32'							
9.75	18.35	ANDESITIC VOLCANICS (ASH TUFFS) Medium green to maroon, fine-grained ash tuff. Crude bedding(?) at ~45° to core axis at top of interval. Limonitic fractures, broken/rubbly core, poor recovery. Pervasive chlorite, carbonate alteration. Local hematite alteration. Quartz veins = 3 cm at irregular orientations to core axis at top of interval.	Tr cpy/sph associated with qtz veining at 10.5 m. 1% diss py	45067	9.75	11.00	35	<0.2	94
			Tr 1/2% diss cpy, 1% py	45068	11.00	13.00	10	<0.2	115
				45069	13.00	15.00	<5	<0.2	142
				45070	15.00	17.00	10	0.2	97
				45071	17.00	19.50	20	0.8	342
18.35	24.00	SYENITE Pale pink, medium-grained syenite. Occasional 2-3 mm wide quartz veins at low angles to core axis. Patchy calcite alteration ± quartz over lower half of interval. Fractures commonly sub-parallel to core axis. 1/2% disseminated pyrite. Trace 1/4% diss cpy.	1/4-1/2% diss cpy. Tr sph/ga(?)	45072	0.00	21.00	20	0.9	241
				45073	21.00	23.00	25	1.4	571
				45074	23.00	24.00	35	0.6	59
24.00	32.60	ANDESITIC VOLCANICS Medium to dark green, fine-grained ash tuff. Rock has a mottled appearance due to abundant, randomly oriented fractures which have chlorite/carbonate haloes. Occasional small cpy bleb along fracture. 1/2% disseminate pyrite.		45075	24.00	26.00	65	0.4	367
			Tr finely diss cpy, 1/2-1% py	45076	29.00	30.50	5	0.6	355
			Tr cpy along fractures	45077	30.50	32.60	15	0.5	359
32.60	33.10	FELDSPAR PORPHYRY DYKE Grey-green to pinkish, medium-grained. ~50% sub to euhedral, 3-4 mm average plagioclase phenocrysts. Hanging wall and footwall contacts sharp and irregular. 10-15% chlorite altered mafics. 1/2%-1% disseminated pyrite. Trace chalcocopyrite.							
33.10	52.65	ANDESITIC ASH TUFF Medium to dark green, fine-grained, locally weakly magnetic. Rock is criss-crossed by numerous, fine, chloritic/carbonate filled fractures. Bleaching typically surrounds fractures. 1% very finely disseminated pyrite. Trace cpy. Feldspar porphyry dykes at 41.60m (45° to C.A.) and 43.15-43.35m (irregular contacts). 45.45-46.55m: Quartz Vein Zone Grey to creamy white qtz/calcite veining at 45° to C.A. Minor brecciation and clay gouge.	Tr qtz/calcite veining. 1/2% py, tr cpy, tr sph(?)	45078	43.30	45.45	10	0.3	200
			1/2-1% py, tr cpy, tr sph(?)	45079	45.45	46.55	10	1.9	233
52.65	63.10	FELDSPAR PORPHYRY Pale pink to green, fine to medium-grained, 15-20% subhedral to euhedral plagioclase phenocrysts. Feldspar phenocrysts are set in a fine groundmass. Fractures at 50-70° and at low angles to core axis. Chlorite alteration of mafics, minor calcite veining. Minor chalcidonic quartz near bottom of interval. Section weakly to moderately silicified.	Moderate silicification, Tr cpy	45080	46.55	48.15	5	0.4	440
				45081	50.80	52.65	40	1.1	314
			1% finely diss py, tr cpy, tr sph(?)	45082	52.65	54.15	15	0.3	6
			Mod silica, sulphides, similar to above	45083	54.15	56.15	25	0.3	22
			Tr cpy, fractures parallel to C.A.	45084	56.15	58.00	10	<2	16
				45085	58.00	59.80	10	<2	5
			Gyp crystals on large vug. Minor chalcidonic qtz, blue amphibole	45086	59.80	61.30	15	<2	2
				45087	61.30	63.10	10	<2	4
63.10	174.60	ANDESITIC VOLCANIC ASH /CRYSTAL TUFF Dark green, fine-grained, occasional porphyritic flows. Calcite veining/large irregular calcite patches common. Occasional narrow feldspar porphyry dyke. Local narrow breccias; often rehealed with calcite. Moderate to strong chlorite alteration often gives the core a mottled appearance. Locally weak to moderate silicification Trace blue amphibole (i.e. at 90.65 m).	Tr cpy in carb healed breccia	45088	70.50	72.50	10	1.0	428
			5 cm wide carb ± qtz breccia at top	45089	72.50	74.50	5	0.5	198
			Minor cpy along calcitic fractures	45090	74.50	76.30	15	0.5	414
			Calcite/volcanic breccia.	45091	83.75	85.75	5	0.8	386
				45092	85.75	87.75	5	1.4	210
				45093	87.75	89.10	40	0.5	277
			Cpy, bornite(?) as larger dissem/blebs	45094	89.10	90.60	10	0.6	481
			2 narrow monz dykes at bottom						

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
		79.85 m: 5 cm wide monzonitic dyke. Sharp contacts at 80° to core axis	Abund carb and minor blue amphibole	45095	90.60	92.40	5	0.2	77
		1-1 1/2% disseminated and fracture controlled pyrite over interval.	STA-weakly brecciated, tr diss cpy	45096	92.40	94.20	10	0.4	421
		Trace chalcopyrite typically associated with calcite filled fractures.	Tr cpy, brecciated.	45097	94.20	96.20	10	0.2	140
			Tr cpy, brecciated.	45098	96.20	98.20	5	0.4	204
			Less brecciation, tr chalcedonic qtz, cpy	45099	98.20	99.65	5	0.5	359
			Tr-1/2% cpy, pred along fractures.	45100	99.65	101.15	10	1.8	910
			Tr-1/4% cpy, bornite, 1/2% local brecciation	45101	101.15	102.50	5	2.9	2722
		45102: cpy within calcite veining. Tr blue amphibole 3-5% cpy over top 15 cm of sample, 1/2-1% over whole sample, tr ga in carbonate vein(?)		45102	102.50	104.00	5	14.0	8713
				45103	104.00	105.50	10	1.7	569
			Many v.f. calcite ± qtz veins-30° to C.A.	45104	105.50	107.00	10	1.4	706
			Tr-1/4% cpy, tr mo, v.f.g. sph(?)	45105	107.00	108.20	80	4.6	826
			Tr cpy	45106	108.20	109.70	15	0.3	83
		45107: large blebs of ga in 2 cm wide irregular calcite vein. Tr cpy (very finely diss in calcite)		45107	120.00	121.50	15	1.9	134
				45108	121.50	123.50	20	0.6	184
			Abundant calcite veining	45109	123.50	125.00	15	0.5	298
			Tr cpy in calcite veins	45110	125.00	126.50	20	0.7	624
		45111: ~5-7 cm wide, maroon, irregular, feldspar porphyry dyke running parallel to core axis.		45111	126.50	128.50	20	1.3	523
			Tr cpy	45112	128.50	130.50	25	0.5	294
			Volcanic, brecciated, healed with calcite	45113	130.50	132.50	25	0.6	332
		45114: Weak K-spar(?) alteration, 10 cm calcite/quartz at 133.55 m.		45114	132.50	134.50	5	1.1	164
			Brecciated, weak silicification	45115	134.50	136.50	15	0.6	254
			Weak to moderate silicification	45116	136.50	138.50	15	0.6	252
			Weak to moderate silicification	45117	138.50	140.00	15	0.6	212
		45118: Mod-strong silicification, white/grey irregular quartz veins. Trace chalcopyrite		45118	140.00	141.10	35	0.8	222
		45119: Calcite vein with minor grey quartz veins/microveins, trace cpy, ga, mo(?)		45119	141.10	141.80	40	1.3	436
				45120	141.80	143.30	20	0.4	151
				45121*	141.80	143.30	15	0.4	164
		45122: chlorite altered, fine-grained ash tuff.		45122	152.50	154.00	5	0.6	556
		Downhole of calcite/quartz vein (45119): dark green		45123	161.00	162.70	<5	0.3	197
		chlorite/carbonate (±) altered volcanics, generally less altered/mineralized than overlying rocks.	Coarse, volc, breccia. Frags =4 cm	45123A	172.60	174.60	5	0.3	176
174.60	177.40	SHEAR ZONE							
		Pale green, strongly bleached/brecciated volcanics.		45124	174.60	176.00	5	0.3	102
		Green clay gouge at 175.60 m.		45125	176.00	177.40	5	0.4	246
		Crystalline calcite with hematite at 177.75 m.							
177.40	179.95	ANDESITIC ASH TUFFS							
		Mottled, green/brown, locally weak brecciation.	1/2-1% disseminated pyrite	45126	177.40	179.90	5	0.7	300
		Carbonate/chlorite alteration.							
179.95	189.55	VOLCANIC BRECCIA							
		Mottled, medium to dark green/brown.		45127	179.90	181.90	5	0.6	320
		Coarse breccia (fragments =2-3 cm) typically matrix supported.		45128	181.90	183.90	5	0.4	193
				45129	183.90	186.20	5	0.6	323
		Local strong silicification; vuggy/pitted core.	Strongest silicification over this interval	45130	186.20	188.20	5	0.6	403
		Minor green clay gouge (i.e. at 183.90 m).		45131	188.20	189.55	30	0.7	226
189.55	210.10	ANDESITIC ASH TUFF							
		Med. (chloritic) green, f. g., occasional weak bedding.		45132	189.55	191.05	10	0.6	182
		Spotty, very weak magnetism.							
		Local volcanic breccia (matrix supported)							
		e.g. 203.00-203.80 m.		45133	208.60	210.10	165	0.7	145
		Noting a few pink, medium-grained intrusive xenoliths (=3 cm) also a few patches of blue amphibole (195.70 m)							
		1/2-1% disseminated and fracture controlled pyrite							
		Minor patchy/veinlets calcite.							
210.10	236.85	FELDSPAR PORPHYRITIC MONZONITE							
		Maroon to grey, fine to medium-grained porphyritic monzonite(?)		45134	210.10	211.60	65	0.8	43
		Locally up to 50% crowded plagioclase phenocrysts (average 2-3 mm).		45135	211.60	213.10	20	0.2	19
		Section quite low in sulphides - ~1/2% v. fine. diss py.		45136	213.10	214.60	15	0.3	50
		Core quite competent, relatively unaltered (fractures generally at 50-60° to core axis) other than occasional bleached/weakly silicified section.		45137	223.00	225.00	25	<0.2	11
				45138	235.35	236.85	10	0.2	7

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
		Chlorite/calcite common on fractures. END OF HOLE AT 236.85 METRES							

Down Hole Survey			Easting (NAD 83): 671030		Core Size: NQ		Date Started: 20-Oct-2004	
Depth	Angle	Azimuth	Northing (NAD 83): 5720490		Hole Azimuth: 35°		Date Finished: 26-Oct-2004	
168.86	-60.5°		Grid Location: L80+00E,39+84N		Hole Angle: -60°		Logged by: Rob Montgomery	
			Elevation:		Total Depth (m): 168.55 m		Analysis by: Ecotech Laboratory Ltd.	

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	9.15	OVERBURDEN Casing to 30'							
9.15	53.55	PORPHYRITIC MONZONITE Pale green to brown/pink, medium grained monzonite. 40%, 3 mm Avg Kspar 50-60% plagioclase (weakly sericitized) Fractures weakly limonitic over top 35m of hole Occasional chloritic fractures. 26.00-28.50 m: crumbly, strongly bleached core. Interval is characterized by sporadic, 1-2 cm, milky white quartz veins which contain trace pyrite. Sulphides are very low over entire interval.	-1cm wide qtz veins at ~20-30 cm spacings STA - Limonitic fractures.	45138A 45138B	9.15 11.15	11.15 13.15	5 5	<0.2 <0.2	6 5
			Minor chlorite on fractures. Less veining than 45138A, B. 45141 is duplicate	45139 45140 *45141	15.35 17.35 17.35	17.35 19.35 19.35	5 15 5	<0.2 <0.2 <0.2	6 7 5
			Several 1-3 cm milky white qtz veins	45142	31.25	33.25	30	<0.2	2
			Local minor silica flooding/veining	45143 45144	33.25 40.40	35.25 42.40	145 40	0.2 0.2	1 1
53.55	55.55	SHEAR ZONE Bleached, sheared monzonite. 54.20-55.15 m: Green clay gouge	Tr py, chloritic fractures.	45145	53.55	55.55	175	0.4	1
55.55	77.85	PORPHYRITIC MONZONITE Similar to 9.15-53.55 m. 62.00-65.00 m: chlorite ± calcite crystals on fractures. Two fractures sets: 50-70° and 10-15° to core axis.	Wk, bleached/silicified, minor qtz veins	45145A	65.60	67.60	100	<0.2	1
			Wk, bleached, silic., less altered than 45145A	45146	69.20	71.20	215	0.2	1
			Similar to above	45147	71.20	73.20	185	0.4	1
77.85	88.30	ASH TUFF Medium grey-green, fine-grained ash tuff. Chlorite/sericite alteration 1/2-1% disseminated fracture controlled pyrite. Sheared/broken core.							
88.30	87.40	PORPHYRITIC MONZONITE Pale grey/brown to pink, medium grained monzonite. Trace very fine-grained disseminated pyrite. Monzonite is at a low angle to the core axis. May represent a narrow dyke within the volcanics.							
87.40	91.20	ASH TUFF Similar to 77.85-88.30 m. Fabric (bedding?) at 15° to core axis. Coarser fragments against finer bedded ash. Locally minor hematite along fractures.	1/4-1/2% f. diss fracture pyrite. Chl/ser alt'n	45148	87.40	89.40	60	<0.2	21
			Similar to above	45149	89.40	91.20	25	<0.2	22
91.20	93.15	PORPHYRITIC MONZONITE Similar to 88.30-87.40 m. Crude fabric at 35-40° to core axis Trace disseminated pyrite and magnetite	Trace disseminated pyrite	45150	91.20	93.15	70	<0.2	2
93.15	97.15	ASH TUFF Mottled grey-green to salmon pink. Fine-grained Interval well sheared. Chlorite, sericite and hematite. Calcite along fractures. Locally clots of hematite after magnetite.		45151	93.15	95.15	135	<0.2	47
97.15	100.05	PORPHYRITIC MONZONITE Pale grey/brown. Locally sheared, crumbly, soft core. Bleached. Trace disseminated pyrite.							
100.05	109.20	LAPILLI TUFF Olive green to maroon, mottled, lapilli tuff. Hem, chl altered with minor late stage calcite veining. Section low in sulphides, occasional v. finely diss py.							
109.20	109.70	DYKE (MONZONITE) Lge, (5-8mm) Kspar megacrysts. Orig texture is indistinct. Minor late stage calcite veining. Irregular Hanging wall and footwall contacts.							
109.70	126.00	ASH TUFF Varicoloured: pale to dark grey, maroon, brown ash tuff. Relict fabric (bedding?) at 20° to core axis. Strong hematite/chlorite/carbonate alteration over interval. 124.00-125.00 m: Few 1-3 mm wide, pale grey quartz veins at low angle to core axis. 120.00 m: Breccia. Sub angular volcanics clasts in a white/pale grey matrix of carbonate ± silica.	Strong chlorite alteration Bleached, weak bedding at 40° to CA Weakly silicified Large calcite line void at 116.70 m Weak silicification over last 1/2 of sample Increasing hematite/chlorite Increasing hematite/chlorite Increasing hematite/chlorite	45152 45153 45154 45155 45156 45157 45158 45159	109.70 111.70 113.50 115.60 117.70 119.70 121.70 123.50 125.00	111.70 113.50 115.60 117.70 119.70 121.70 123.50 125.00	10 10 10 5 5 5 5 5	<0.2 <0.2 <0.2 <0.2 <0.2 <0.2 <0.2 <0.2	105 133 104 92 75 98 99 113

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
		114.30-114.95 m: Silicification	Increasing hematite/chlorite	45160	124.70	126.00	5	<0.2	84
		116.70 m: Large voids lined with calcite crystals.	Duplicate	*45160A	124.70	126.00	5	<0.2	72
126.00	157.20	CHLORITE ALTERED ASH TUFF Dark green, fine to medium grained ash tuff Pervasive chlorite alteration, moderate carbonate alteration Locally hematitic. Minor bleaching/shearing. Occasional large void lined with calcite ± gypsum/anhydrite crystals (i.e. 135.50 m). Core quite broken and soft. Sulphides quite low overall, locally to 1/2%, associated with fractures and calcite veining. Occasional hematitic slickenside.		45161	126	128.20	5	<0.2	137
157.20	168.55	WEAKLY SILICIFIED ASH TUFF Pale green to maroon, fine-grained ash tuffs Interval characterized by weak silicification, Moderate to strong carbonate alteration and weak chloritization. Sulphide content quite low, locally up to 1/2%. Pyrite primarily fracture controlled Section quite broken, difficult drilling. END OF HOLE AT 168.55 METRES	Chlorite/calcite alt'n, weak silicification	45162	157.20	159.20	220	0.6	76
				45163	159.20	161.20	15	<0.2	63
				45164	161.20	163.70	25	<0.2	80
			Strongest silicification. Trace pyrite.	45165	163.20	166.00	20	<0.2	82
			Strongest silicification. Trace pyrite.	45166	166.10	167.45	5	0.2	106
			Wk-mod silicification. Tr py	45167	167.45	168.55	5	0.7	86

Down Hole Survey			Easting (NAD 83): 669620		Core Size: NQ		Date Started: 01-Nov-2004	
Depth	Angle	Azmth	Northing (NAD 83): 5722771		Hole Azimuth: 215°		Date Finished: 05-Nov-2004	
201.78	-57°		Grid Location: L56+00E;51-95N		Hole Angle: -60°		Logged by: Rob Montgomery	
			Elevation:		Total Depth (m): 201.75 m		Analysis by: Ecotech Laboratory Ltd.	

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	6.10	CASING Overburden to ~20 feet							
6.10	201.80	ARGILLITE/MINOR INTERBEDDED SILTSTONE Dark grey to black, fine-grained argillite. Generally finely bedded; some sections massive black argillite. Bedding is typically 30-40° to core axis. Bedding often shows 0.5-1.0 cm offsets due to late stage calcite filled shears. Abundant fine (1-5 mm average) calcite stringers cutting core at 30-60° to core axis. Occasional breccia zone (angular argillite clasts supported in a matrix of carbonate) i.e 9.50-10.30 m, 38.60-38.90 m, 47.40-47.50 m, 74.65-75.60 m, 110.85-111.50 m. 99.40 m: 1 cm wide, dark grey clay gouge at 24° to CA. 100.00-102.50 m: Medium grey siltstone.	Brecciation, local moderate silicification	45168	8.30	10.30	15	0.3	115
			1/2-1% disseminated pyrite.	45169	10.30	12.30	5	0.4	82
			Strong carb alt'n. Weak brecciation. Fabric sub parallel to core axis	45170	21.90	23.90	10	0.2	85
			Grey, qtz-calcite breccia at top of sample	45171	27.45	29.45	10	0.2	147
			Brecciation, weak-mod silic at bottom of interval. Wk, local silic elsewhere	45172	37.40	38.90	15	0.3	79
			Tr cpy(?), 1/2% py. Dirty SST lens at 47.00m. Breccia at 47.40-47.50 m	45173	46.00	47.50	15	0.3	96
			Argo breccia with cal ± qtz matrix. Tr cpy(?)	45174	74.65	76.65	20	0.4	101
			Bleached, weak silica, tr cpy(?), 1% pyrite	45175	104.25	106.25	30	0.2	104
			Tr cpy in quartz/calcite/hematite veins	45176	106.25	108.25	30	0.3	106
			Mod-stg silica. 1-2 cm, white to grey qtz vein at 109.00m at ~30° to core axis	45177	108.25	109.25	30	0.3	129
			1 cm wide milky white qtz vn @110.70 m. Qtz vn vuggy with tr py. Qtz vn is hanging wall to coarse angular argillite breccia.	45178	109.25	111.50	80	0.4	75
			Wkly brecciated, wk silicification	45179	111.50	113.50	15	0.3	121
			Less altered than 45178, 45179	45180	113.50	115.50	10	0.3	109
			Duplicate	*45181	113.50	115.50	5	0.3	112
				45182	115.50	117.50	5	0.2	109
			1-2% pyrite	45183	139.85	141.85	10	0.5	151
			2-3% pyrite	45184	141.85	143.85	15	0.6	151
			2% pyrite	45185	143.85	146.00	10	0.3	108
			1 cm qtz/calcite vein. Weak silicification	45186	163.65	165.15	10	0.2	78
			Increasing silicification with minor quartz veining ± brecciation.	45187	165.15	167.15	10	<0.2	64
			Olive grn, bleached wkly silic SST/arg	45188	189.75	191.60	5	<0.2	99
			Olive grn, bleached wkly silic SST/arg	45189	191.60	193.60	15	<0.2	103
			Well develop bed at 201.70m-40° to CA	45190	200.30	201.80	5	0.2	134
		END OF HOLE AT 201.80 METRES							

Down Hole Survey		
Depth	Angle	Azimuth
147.50	-49°	

Easting (NAD 83): 669519	Core Size: NQ	Date Started: 5-Nov-2004
Northing (NAD 83): 5722861	Hole Azimuth: 215°	Date Finished: 7-Nov-2004
Grid Location: 137m & 318° from FL-04-04	Hole Angle: -50°	Logged by: Rob Montgomery
Elevation:	Total Depth (m): 147.50 m	Analysis by: Ecotech Laboratory Ltd.

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	3.65	OVERBURDEN Casing to 12 feet							
3.65	91.50	ARGILLITE Dark grey to black, fine-grained argillite. Generally massive, but locally well bedded at 20-30° to CA. Occasional narrow (5-20 cm avg) breccias consisting of angular argillite fragments supported by a carbonate matrix. Numerous fine calcite stringers at all angles to CA. Fractures quite limonitic to 20.0 metres. Sparse zones of silicification & minor quartz veining. These sections tend to be grey/olive green. Top 25 metres of hole is quite broken. 1/2-1% very finely disseminated pyrite over interval	Limonic, trace quartz Tr qtz. Lower 50 cm wky silicified - high core loss. Bleached, silicified, wk bx, 1/2% py Similar to above-several 2-3 mm qtz vns @ 20-60° to CA Weak silicification 21.00 m: 10 cm wide frac, milky white to grey qtz vein at 45° to core axis. 1 cm white qtz vein at 25° to CA. Strg silic, white/grey qtz patches/veins. 1/2-1% py Tr breccia, wky silicified.	45191 45192 45193 45194 45195 45196 45197 45198 45199 45200	3.65 5.65 8.25 10.15 18.20 20.20 22.20 24.00 58.85 60.85	5.65 8.25 10.15 12.15 20.20 22.20 24.00 60.85 62.85	15 10 35 10 15 35 85 85 20 25	0.2 <0.2 0.4 <0.2 0.2 0.3 0.2 0.2 <0.2 <0.2	91 109 154 113 97 110 116 89 93 99
91.50	129.15	BRECCIATED/SILICIFIED ARGILLITE Grey to black, fine-grained argillite, occasional grey interbed of siltstone. Section is characterized by a higher intensity of brecciation (angular argillite fragments in a carb ± quartz matrix) and moderate to very strong silicification ± quartz veining. Late calcite ± quartz veins cut and post date breccias. Quartz veins tend to occur sub-parallel to the CA.	5-10 mm qtz veins (milky white to grey) run sub-parallel to CA. Strong silicification. 1-2% disseminated pyrite cubes Strongly silicified/brecciated. Lower 1m brecciated/silicified. Minor irregular qtz/carb veins.	45210 45211 45212 45213 45214 45215 45216 45217 45218 45219 45220 *45221 45222 45223 45224 45225 45226 45227 45228 45229	91.50 93.50 95.50 97.50 99.35 101.35 103.35 105.35 107.35 109.35 111.15 113.15 115.15 117.15 119.15 121.65 123.65 125.65 127.65	93.50 95.50 97.50 99.35 101.35 103.35 105.35 107.35 109.35 111.15 113.15 115.15 117.15 119.15 121.65 123.65 125.65 127.65 129.15	15 20 15 20 20 15 10 15 10 10 15 20 25 15 35 25 65 50	0.3 0.4 0.2 <0.2 0.2 <0.2 <0.2 0.2 0.2 0.2 0.2 0.3 0.3 0.5 0.7 1 0.4 0.6 0.5	156 53 99 88 112 67 59 158 165 82 66 73 167 162 106 167 137 56 144 107
129.15	147.50	ARGILLITE Dk grey to black argillite, occasional layer of SST/poorly sorted sandstone (i.e. 146.35 m). Fine, irregular calcite veinlets common. Core very competent, fractures at 50-80° to core axis. Sediments are less altered than previous interval. + END OF HOLE AT 147.50 METRES	3 cm wide milky white quartz vein at 134.65 m at 50-55° to core axis. Bedding at 146.35 m at 45° to CA.	45230 45231 45232 45233	133.90 138.40 144.45 145.95	135.55 139.90 145.95 147.50	10 15 15 10	0.5 0.5 0.6 0.7	107 120 111 105

Down Hole Survey		
Depth	Angle	Azmth
230.73	-57.5°	

Eastings (NAD 83): 671609E	Core Size: NQ	Date Started: 10-Nov-04
Northing (NAD 83): 5721303N	Hole Azimuth: 215°	Date Finished: 12-Nov-2004
Grid Location: ~L80E, 49+50N	Hole Angle: -60°	Logged by: Rob Montgomery
Elevation:	Total Depth (m): 231.35 m	Analysis by: Ecotech Laboratory Ltd.

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	6.10	OVERBURDEN Casing to 20 feet							
6.10	40.85	ANDESITIC ASH TUFF Med green, f.grained, locally finely bedded ash tuff. Sections of weak to strong brecciation throughout. Occasional dyke(?) or xenolith of feldspar porphyry. Chlorite, carbonate alteration throughout. Limonite on fractures to 18 m. Sulphides relatively low (1/2-1% py, tr cpy). Brecciation gives core a mottled olive to chloritic green colour.							
			1 cm grey qtz vein + carb at 45° to CA	45235	8.35	10.35	15	0.4	125
			Trace quartz veinlets	45236	10.35	12.35	10	0.3	178
			Coarse volcanic breccia (frags to 10 cm)	45237	12.35	13.85	10	0.2	176
			Coarse volcanic breccia (frags to 10 cm)	45238	13.85	14.90	55	0.3	110
			Coarse volcanic breccia (frags to 10 cm)	45239	14.90	16.50	10	0.2	148
			17.30-17.60 m: Feldspar porphyry dyke	45240	16.50	18.50	25	0.3	105
			Duplicate of 45240	*45241	16.50	18.50	35	0.6	97
				45242	18.50	20.50	15	0.2	307
				45243	23.40	25.40	15	1.1	625
			Coarse volcanic breccia. Trace cpy	45244	34.50	36.50	10	2.6	1833
			37.70 m: 2 cm calcite vein	45245	36.50	38.50	<5	<0.2	194
			40.40 m: Coarse fs porph crystal tuff	45246	38.50	40.50	<5	<0.2	151
40.85	54.85	MONZONITE Light to medium pink, fine to medium-grained. Scattered plagioclase phenocrysts yield a weakly porphyritic texture. Quite low in sulphides, trace py, cpy(?).							
				45247	40.50	42.50	<5	<0.2	7
				45248	42.50	44.50	55	0.3	23
				45249	53.40	54.85	55	0.2	23
54.85	83.50	ANDESITIC ASH TUFF Medium to dark green, fine-grained ash tuff. Local weak brecciation. Bedding at 45° to core axis. Strong chlorite/carbonate alteration throughout. 66.30-66.70 m: monzonite dyke at 30° to core axis. 67.80 m: trace blue amphibole mineral. 75.05-75.00 m: monzonite dyke							
			Bleached, wkly sil. Volc and alt'd intrusive	45250	54.85	56.85	30	<0.2	123
				45251	56.85	57.90	35	0.7	901
			Mottled, brown/green bleached ash tuff	45252	70.00	72.00	5	0.2	212
			Mottled green/blue/maroon. Weak to moderately silicified. Large, irregular patches of blue amphibole	45253	72.00	74.00	<5	<0.2	93
				45254	74.00	76.00	20	0.3	126
				45255	76.00	78.00	20	0.6	262
				45256	78.00	79.40	35	0.6	251
			82.10 m: 15 cm wide cal vn at 35° to CA	45257	82.00	83.50	25	0.4	172
83.50	85.00	ALTERED MONZONITE(?) DYKE Maroon/brown, mottled. Appears to be an altered monzonite dyke (carbonate ± silica altered).							
			1/2% py, tr cpy(?)	45258	83.50	85.00	55	0.8	226
85.00	111.50	ANDESITIC ASH TUFFS Medium green, fine-grained. Bedding at ~20-25° to core axis. Most sections quite massive. Samples 45256-45262: large (up to 10 cm) irregular patches of blue amphibole.							
				45259	85.00	87.00	10	1	765
				45260	96.35	97.50	50	2.5	276
			Duplicate of 45260	*45261	96.35	97.50	55	2.8	219
				45262	97.50	99.00	10	<0.2	212
111.50	114.70	AUGITE PORPHYRY Dark green-black. Scattered, 2-3 mm (average, euhedral augite phenocrysts.							
114.70	115.50	FELDSPAR PORPHYRY DYKE Dyke is probably only 15 cm wide - true width. Dyke cuts core axis at a low angle							
115.50	123.00	AUGITE PORPHYRY Similar to 111.50-114.70 metres. Chlorite/carbonate alteration throughout.							
				45263	121.00	123.00	5	<0.2	107
123.00	166.00	ANDESITIC ASH TUFF Varicoloured (olive to dark green, brown, maroon) fine grained ash tuff. Core has a mottled appearance due to varying degrees of chlorite and carbonate alt'n, bleaching ± silicification. 130.60-130.75 m: occasional narrow dyke of feldspar porphyry (monzonitic). Core quite competent, fractures at 50-70° to CA. 45269-45270: large patches/blebs of chalcopyrite-bornite specular hematite-minor galena(?) Highest concentrations of sulphides within fsp porphyry dyke(?) which cuts CA at low angle. Cpy extends into silicified volcanics. Cpy occurs as disseminations and filaments/blebs along fractures. 45275: tr diss cpy. Top 1.0 m brecciated							
			1% py diss and as larger blebs	45264	127.90	129.50	20	0.4	156
			130.60-130.75 m: dyke	45265	129.50	131.00	5	<0.2	90
				45266	131.00	133.00	5	<0.2	124
				45267	133.00	135.00	10	<0.2	112
			Irregular patch of creamy hematite stained carbonate ± silica	45268	135.00	137.00	10	0.4	175
				45269	137.00	139.00	50	16.1	4073
				45270	139.00	141.00	100	23	8332
			Patches of mag altering to specular hem	45271	141.00	143.00	5	<0.2	170
			Silicified, large blebs py/magnetite	45272	143.00	145.00	30	<0.2	241
			Patchy mag altering to hem, hematitic slickensides, tr cpy	45273	145.00	147.00	10	<0.2	93
				45274	147.00	149.00	5	0.3	226
				45275	149.00	151.00	5	<0.2	212
				45276	151.00	152.15	15	1	341
				45277	152.15	153.50	10	<0.2	87

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm	
From	To				From	To				
			last 30 cm bleached, tr hematite	45278	153.50	155.50	5	<0.2	86	
			Bleached mottled	45279	155.50	157.50	5	<0.2	134	
		45281: 3 cm wide, vuggy cal vein at 158.70 m at 25° to CA Hematite, slickensides.	Mixed volc (irregular altered intrusive dykes. Minor blue amphibole, minor hem. mag blebs	45280	157.50	159.50	15	0.2	139	
				*45281	157.50	159.50	20	0.2	151	
				1% py blebs • magnetite.	45282	159.50	161.50	10	0.2	202
				Bedded ash tuff (25-30° to CA)	45283	161.50	163.50	5	<0.2	132
				Finely bedded olive grn ash tuff	45284	163.50	166.00	10	0.2	106
166.00	179.10	MONZONITE Pale pink to maroon, medium-grained monzonite. Occasional quartz/carbonate veinlet. 173.30-174.00 m: carbonate healed breccia. Trace to 1/2% pyrite								
				45285	166.00	168.00	20	0.3	23	
				45286	168.00	170.00	30	<0.2	10	
				45287	170.00	172.00	25	<0.2	11	
			173.00-173.50 m: wk intrusive breccia.	45288	172.00	173.50	125	<0.2	62	
179.10	209.25	ANDESITIC ASH TUFF/MONZONITE DYKES Olive to medium green, fine-grained ash tuff. Cut by several 30-90 cm wide pink monz dykes at 45° to CA 45289: at 185 m, 1-2% combined cpy/bomite. 1-2% cpy								
			Tr hem on fractures.	45289	184.20	186.20	25	1.6	1648	
			187.85-188.40 m: monz dykes	45290	186.20	188.00	15	0.2	134	
				45291	188.00	190.00	5	0.2	94	
			Monz dyke. 190.60-191.00 m: tr Ga	45292	190.00	192.00	15	0.2	113	
			Few, narrow irreg., monz dykes.	45293	195.10	197.10	10	<0.2	142	
			Stronger chl/carb alt'n than 45296	45294	197.10	199.20	10	0.2	145	
			Stronger chl/carb alt'n than 45296	45295	199.20	201.20	5	<0.2	149	
				45296	201.20	203.40	15	0.4	259	
			Qtz/carb vein	45297	203.40	204.90	35	0.9	333	
			Narrow intrusive/volc breccia.	45298	204.90	206.90	15	0.2	192	
				45299	206.90	209.25	30	0.8	324	
209.25	231.35	MONZONITE Pink, medium-grained monzonite. Similar to 166.0-179.10 m. Trace to 1/2% py as disseminated cubes/blebs. Few 1/2 cm milky white to pale grey quartz veins. END OF HOLE AT 231.35 METRES								
				45300	209.25	211.25	30	<0.2	24	
			Duplicate of 45300	*45301	209.25	211.25	30	<0.2	29	
			10 cm creamy white to pink carb ± qtz vein	45302	211.25	213.25	200	0.7	25	
			at 211.40 m	45303	229.85	231.35	10	<0.2	6	

Down Hole Survey			Easting (NAD 83): 676425E		Core Size: NQ		Date Started: 14-Nov-2004	
Depth	Angle	Azimuth	Northing (NAD 83): 5718780N		Hole Azimuth: 215°		Date Finished: 16-Nov-2004	
202.35	-55.5°		Grid Location: L134+75E; 53+00N		Hole Angle: -60°		Logged by: Rob Montgomery	
			Elevation:		Total Depth (m): 203.3 m		Analysis by: Ecotech Laboratory Ltd.	

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	6.10	OVERBURDEN Casing to 20'							
6.10	163.30	ANDESITIC VOLCANIC FLOWS/LAPILLI TUFF(?) Dark green, generally, fine-grained. Occasionally larger lapilli are elongate, partially remelted. Regional metamorphism(?) has resulted in pervasive chlorite alteration as well as numerous irregular stringers, filaments and patches - lavender blue glaucophane(?) Glaucophane is often associated with hematite/calcite. Larger veins of creamy white to greenish calcite occur up to 50 cm wide. (i.e. 22.60-23.10 m). This vein contains minor white to grey quartz. Fractures are often hematitic/slickensided. Pyrite content is relatively high, often 2%, usually as fine disseminations and cubes. Trace cpy, usually as isolated blebs or localized disseminations. Galena noted as blebs up to 3-4 mm, usually associated with calcite veining, glaucophane, chlorite alteration. Trace bornite. Occasional narrow (5-15 cm) breccia with carbonate matrix.	5 cm qtz/carb vein at 20° to core axis 3 mm Ga bleb. 1% pyrite 2% disseminated pyrite Tr cpy associated with chl alteration 50 cm carb and minor qtz vein 2% pyrite cubes/diss Tr Ga within narrow qtz vein Tr-1/2% Ga, cpy within carb veins 2-3% py. Tr-1/2% Ga (STA) Tr Ga. 37.60 m: Drusy qtz vug with tr Ga adjacent Tr cpy, Ga Tr cpy, Ga Hem, Amph, carb, wk sil, Ga, cpy Tr cpy Strong hematitic/glaucopane fractures Tr Ga in 2 cm wide calcite vein Tr disseminated cpy Duplicate of 45320 Abundant glaucophane, hematite on fractures. Strong chlorite/carbonate alteration.	45304 45305 45306 45307 45307A 45308 45309 45310 45311 45312 45313 45314 45315 45316 45317 45318 45319 45320 *45321 45322 45323 45324 45325 45326 45327 45328 45329 45331 45332 45333 45334 45335 45336 45337 45338 45339 45340 *45341 45342 45343 45344 45345 45346 45347 45348 45349 45350	6.10 15.90 17.90 19.90 21.90 29.50 31.50 33.30 35.30 37.30 39.30 60.90 62.90 64.90 66.90 68.80 70.80 72.00 74.00 76.00 78.00 78.00 78.00 80.00 81.80 83.80 85.80 87.65 89.65 91.65 93.65 95.65 97.65 99.65 101.65 106.20 119.60 121.60 123.60 123.60 125.40 127.40 129.40 129.40 131.30 133.30 133.30 135.30 137.10 142.10 144.10 146.10 157.80 159.80 161.80	8.10 17.90 19.90 21.90 23.10 31.50 33.30 35.30 37.30 39.30 62.90 64.90 66.90 68.80 70.80 74.00 76.00 78.00 80.00 81.80 83.80 85.80 87.65 89.65 91.65 93.65 95.65 97.65 99.65 101.65 107.90 121.60 123.60 125.40 127.40 129.40 129.40 131.30 133.30 135.30 137.10 144.10 146.10 159.80 161.80	10 15 5 5 85 15 5 25 15 25 15 10 20 5 5 130 120 15 5 10 10 10 45 10 105 25 185 65 50 60 1.5 210 25 3.5 15 45 20 10 35 80 25 20 90 45 15	1.8 1.0 0.2 0.3 1.8 1.2 1.7 3.4 3.8 1.8 1.7 3.2 4.3 0.5 1 1.1 0.8 2 1.8 1.6 1.6 1.3 1.6 1.5 0.4 0.3 0.2 0.5 1 1.5 1.7 3.5 0.3 0.7 0.8 0.7 0.6 2.1 1.1 0.4 0.9 1.1 0.5	359 213 114 166 253 319 379 648 761 540 491 392 516 138 289 269 461 617 780 469 493 474 505 706 275 215 100 97 303 279 480 461 1599 182 403 335 263 308 520 271 624 360 224 432 286 215
163.30	165.25	LIMESTONE Mottled grey/white limestone. Contacts sharp. Hanging wall at 80°, Footwall at 30° to CA.	Tr Ga. 1/2% py	45351	163.30	165.25	50	1.4	165
165.25	203.30	ANDESITIC VOLCANIC FLOWS Dark green, chlorite, carbonate altered, f. grained flows. Occasional bed of lapilli tuff(?) Hematite, blue amphibole (glaucophane?) common along fractures. Pervasive chlorite/glaucophane likely the result of metamorphism. Pyrite typically 1% diss. Locally 2-3%. 166.00-166.30 m: Breccia/shear zone. Hematite, strongly		45352 45353 45354 45355 45356 45357	165.25 167.25 184.50 193.30 195.30 197.30	167.25 169.25 186.50 195.30 197.30 199.30	110 25 55 15 10 30	2 0.7 0.7 0.6 1.1 1.2	203 145 136 301 732 298

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
		chloritized.	with chlorite, calcite, glauconitic fractures	45358	199.30	201.30	70	0.8	215
		174.00-174.10 m Shear zone, calcareous, sericitic.		45359	201.30	203.30	50	1.6	1033
		186.40-186.50 m Pearl white limestone bed							
		END OF HOLE AT 203.30 METRES							

Down Hole Survey		
Depth	Angle	Azimuth

Easting (NAD 83): 677870E	Core Size: NQ	Date Started: 18-Nov-2004
Northing (NAD 83): 5720205N	Hole Azimuth: 215°	Date Finished: 19-Nov-2004
Grid Location: L140E; 74+25N	Hole Angle: -60°	Logged by: Rob Montgomery
Elevation:	Total Depth (m): 104.25 m	Analysis by: Ecotech Laboratory Ltd.

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	9.75	OVERBURDEN Casing to 32'							
9.75	20.10	CRYSTAL TUFF Dark grey, fine-grained. Consists of ~50% lath-like plagioclase crystals which average 0.15-1.0 mm in length. Plagioclase crystals are set in a fine-grained, black matrix. Locally plagioclase altering to sericite/clays. Sulphide content low. Tr py < po as small blebs and along carbonate fractures. Sparse, late stage calcite veinlets.							
20.10	25.60	ARGILLITE Dark grey to black argillite. Bedding often well developed and varies between 30° and 50° to core axis. Beds occasionally show guided bedding (tops down hole). Beds often show 0.5-2.0 cm offsets. Sulphide content low. Py ~ Po. Locally 1% finely disseminated py, po, tr cpy(?)	1/2-1% py, po	51901	23.60	25.60	15	0.5	114
25.60	26.75	COARSE LAPILLI TUFF Dark grey to black. Lapilli vary from 1-30 mm and average ~10 mm. Fragments are sub-rounded to rounded and occasionally consist almost entirely of po ± py.	Tr-1/2% po, py	51902	25.60	26.75	5	0.2	65
26.75	27.25	ASH TUFF Medium green, fine-grained ash tuff. 1/2-1% disseminated po Sharp upper and lower contacts at 25° and 50° respectively.							
27.25	32.35	INTERBEDDED ARGILLITE/LAPILLI TUFF Dark grey to black. Similar to 25.60-26.75 m. Argillite bedding quite contorted, often running sub-parallel to core axis. 1/2-1% combined po, py.							
32.35	34.35	LAPILLI TUFF Green-grey, lapilli average 2-5 mm. Weak chlorite alteration gives rock a green colour. Occasional welded fragments. 1% po, py (po > py) sulphides often as discrete fragments.		51903	32.35	34.35	5	<0.2	46
34.35	66.05	INTERBEDDED ARGILLITE/LAPILLI TUFF Black, finely bedded argillite interbedded with coarse lapilli tuff. Fragments are sub-rounded to rounded and are set in a fine-grained black matrix. Rounded fragments to 7 mm are 80-90% po. A few medium grey silstone beds at 59.10-59.25 m and 62.50-67.60 m. Sulphide content is variable, but averages ~1/2% with po ~ py, tr cpy.	Few large blebs/irregular filaments on py. po. Tr cpy	51904	34.35	36.35	10	<0.2	65
				51905	36.35	38.35	10	0.3	90
			Irregular late stage cal veining with py, po, tr cpy at top of sample	51906	64.45	66.05	20	<0.2	93
66.05	84.55	CRYSTAL TUFF Medium to dark green, fine to medium-grained - similar to 9.75-20.10 m. Darker sections very weakly magnetic. Unit is quite fresh/unaltered except for sporadic, narrow, late stage calcite veinlets. The exception is ~81.10 m to 84.55 m. This section is bleached, silicified and contains po ● cpy and magnetite along fractures. 73.85-73.95 m: Milky white calcite vein at 65° to CA.	Bleached, sil. Po with minor cpy	51907	79.75	81.75	15	0.4	149
			Less altered than 51907	51908	81.75	84.55	10	0.3	89
84.55	88.00	INTERBEDDED CRYSTAL TUFF/BLACK MASSIVE ARGILLITE Relatively fresh, unaltered sequence. Trace po, py.							
88.00	104.25	CRYSTAL TUFF Fresh, unaltered, crystal tuff Core very competent, fractures at 50-80° to core axis. END OF HOLE AT 104.25 METRES	Trace po, py	51909	102.75	104.25	15	<0.2	44

Down Hole Survey		
Depth	Angle	Azimuth

Easting (NAD 83): 678260E	Core Size: NQ	Date Started: 20-Nov-2004
Northing (NAD 83): 5719728N	Hole Azimuth: 215°	Date Finished: 21-Nov-2004
Grid Location: L145+50E; 70+50N	Hole Angle: -60°	Logged by: Rob Montgomery
Elevation:	Total Depth (m): 93.55 m	Analysis by: Ecotech Laboratory Ltd.

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	3.05	OVERBURDEN Casing to 10'							
3.05	7.80	ANDESITIC VOLCANIC FLOW Medium green porphyry flows. Calcite, chlorite, limonite on fractures. Trace epidote. 1/2% disseminated pyrite. Core quite broken, fractured.							
7.80	50.90	ASH TUFF Medium to dark mottled green andesitic(?) ash tuff Bedding poorly to well developed at 40-50° to core axis. Interval characterized by epidote, chlorite, pyrite ± calcite and intermittent silicification Bedding is often disrupted or offset by small shears. 12.20-12.60 m: unusual spotted texture, concentric black spheres set in carbonate, epidote altered ash tuff.	Moderately strongly silicified. Epidote along fractures and as irregular patches 1-2% pyrite. Minor late stage calcite veining.	51910	7.80	9.80	50	0.3	97
				51911	9.80	11.80	30	<0.2	83
				51912	11.80	13.80	30	0.2	110
				51913	13.80	15.80	30	<0.2	69
				51914	15.80	17.80	35	<0.2	82
				51915	25.00	26.50	65	0.3	86
				51916	31.40	33.10	115	0.2	115
				51917	33.10	35.10	70	<0.2	112
				51918	35.10	37.10	35	<0.2	66
				51919	37.10	39.10	45	<0.2	68
				51920	39.10	41.00	115	0.3	117
				*51921	39.10	41.00	145	0.3	121
				51922	41.00	43.00	75	0.2	52
				51923	43.00	44.80	250	0.2	95
				51924	44.80	46.30	25	<0.2	76
50.90	56.70	BRECCIATED, QTZ VEINED ALTERED ASH TUFF Light to medium green, bleached, locally silicified and quartz/carbonate veined ash tuff. Hematite common on fractures.	50.0-51.20 m: 4-5% combined py/mag 5% qtz/carb veinlets. 1-2% py 10% qtz/carb veinlets. 2-3% py as large blebs, fracture fillings and disseminations.	51925	50.90	52.90	20	<0.2	27
				51926	52.90	54.90	115	0.3	50
				51927	54.90	56.70	75	0.3	45
56.70	61.00	ASH TUFF Medium to dark green ash tuff. Hematite/calcite on fractures. 1% diss/fracture controlled pyrite.							
61.00	70.00	MULTILITHIC VOLCANIC AGGLOMERATE Light to dark green, coarse (1-2 cm average fragments) grained, poorly sorted agglomerate Fragments consist of fine-grained ash tuff, sulphide clasts, crystal tuff. Fragments are generally sub to well rounded and commonly exhibit welding or remelting. Contacts with ash tuff are sharp and irregular.	1-2% py as blebs and clasts up to 1 cm. Weakly silicified.	51928	61.00	63.00	5	<0.2	46
				51929	63.00	65.00	5	<0.2	56
				51930	65.00	67.00	10	<0.2	31
				51931	67.00	68.50	5	<0.2	47
				51932	68.50	70.00	35	0.4	116
70.00	78.00	ASH TUFF Similar to 56.70-61.00 m, but somewhat coarser ash. Core is very broken over this interval. Local weak silicification ± carbonate alteration Epidote increasing slightly towards bottom of interval.		51933	73.45	74.95	30	0.2	81
78.00	79.25	SHEAR ZONE Crushed, sheared, bleached ash tuff. Minor green to grey clay gouge. Shearing has occurred sub-parallel to the core axis. Noticeable increase in epidote from previous section. 2-3% fine-grained, grey sulphides (predominate py) within shear zone.		51934	78.00	79.25	60	0.5	115
79.25	93.55	ASH TUFF Medium to olive green ash tuff. Interval characterized by pervasive epidote, calcite, chlorite alteration. Pyrite locally 2-3%, ~1% overall. Trace po. Some sections are weakly brecciated, weak silicification. END OF HOLE AT 93.55 METRES	1-2% py, po 1-2% py, po 1% py, po	51935	83.20	85.20	70	0.6	138
				51936	85.20	87.00	15	0.2	48
				51937	91.55	93.55	10	<0.2	34

Down Hole Survey		
Depth	Angle	Azimuth
236.85	55.5°	

Easting (NAD 83): 677133E	Core Size: NQ	Date Started: 22-Nov-2004
Northing (NAD 83): 5718562N	Hole Azimuth: 350°	Date Finished: 27-Nov-2004
Grid Location: L142E;S4+50N	Hole Angle: -60°	Logged by: Rob Montgomery
Elevation:	Total Depth (m): 291.70 m	Analysis by: Ecotech Laboratory Ltd.

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	6.10	OVERBURDEN Casing to 20'							
6.10	291.70	ANDESITIC VOLCANIC FLOWS Medium green-brown, fine-grained volcanics. Rock quite soft and is characterized by pervasive carbonate, chlorite alteration. Blue amphibole (glaucofane?) throughout on fractures and as large irregular patches. Pyrite content relatively high carrying 1-2%. Locally 3-5% (i.e. 42.00 m). Sporadic, 1-2 cm wide, white to grey quartz veins, usually at 25-30° to core axis. Quartz veins contain trace disseminated pyrite. 44.00-66.00 m: Higher intensity of glaucofane.							
			Few small cpy blebs with carb/glaucofane	51938	13.80	15.80	5	0.2	381
			2% diss py and py cubes.	51939	15.80	17.80	<5	0.3	423
			Duplicate of 51940	51940	17.80	19.80	<5	0.3	377
			Tr cpy blebs with glaucofane/carbonate veining. Three 1 cm qtz veins.	*51941	17.80	19.80	<5	0.2	404
			Tr mo on slickensides.	51942	19.80	21.80	<5	0.5	412
			Tr mo on slickensides.	51943	32.60	34.60	10	1	626
			Tr cpy at 35.20 m	51944	34.60	36.20	5	0.5	415
			Soft core, carbonate altered. Trace quartz veins.	51945	39.10	40.60	<5	0.3	182
				51946	40.60	42.20	5	0.3	265
			Section of higher quartz vein intensity. 1-5 cm veins every 30 cm at 25-45° to core axis.	51947	48.10	50.10	<5	0.6	278
				51948	50.10	52.10	<5	0.7	295
				51949	52.10	54.00	5	0.6	376
			Ep, qtz, chlorite/carb at 58.00 m	51950	58.00	60.00	5	0.8	404
			Abundant glaucofane	51951	60.00	61.80	5	0.7	586
		51964: 69.40 m, 1/2% Mo							
		69.00-75.50 m: Intermittent narrow carbonate supported breccias.	Mottled brown-green, chl carb altered. Tr ep, glaucofane. Few irregular qtz/carb veins.	51964	69.20	71.20	5	0.6	296
			1-2% diss py. Patchy, brown iron staining.	51965	71.20	73.20	5	0.6	352
				51966	73.20	75.20	5	1.4	280
				51967	75.20	77.20	<5	0.6	495
		108.00-129.00 m: Large (1-3 cm) patches of epidote.	Tr ga in white/brown, 2 cm wide calcite vein, 2% disseminated pyrite	51968	100.80	102.30	<5	1.1	230
			Vuggy, calcite breccia at	51969	125.00	127.00	5	1.8	535
		51952: at 163.20 m, large (1-2 cm) Open spaces filled with botryoidal calcite.		51952	162.80	164.80	5	0.7	407
		Carbonate supported breccia over much of interval	Minor bleaching over top 1/3 of sample	51953	164.80	166.80	<5	1.5	252
		51954: Coarse volcanic breccia (carbonate matrix), clasts are sub-rounded to sub-angular and are up to 5 cm in width.		51954	181.30	183.30	5	0.7	305
				51955	183.30	185.50	10	0.5	288
			Chalcedonic carbonate/quartz	51956	208.30	210.00	<5	0.9	310
			Carb supported breccia at 210.10 m.	51957	210.00	212.00	<5	0.7	249
			Weak-moderate brecciation.	51958	212.00	213.75	<5	1.1	694
		51959: Glaucofane on fractures. Carbonate healed breccia at 226.80-227.00 m/	Large voids infilled with calcite crystals.	51959	225.10	227.10	<5	1	817
				51960	227.10	228.80	<5	0.9	596
			Duplicate of 51960	*51961	227.10	228.80	<5	0.9	599
			Strong carb veining. Breccia at 257.75-258.15 m. 2% finely diss py.	51962	256.25	258.25	<5	1.3	718
				51963	258.25	260.25	<5	1.7	467
			Tr diss Ga at 271.00 m.	51970	270.35	272.35	<5	2.4	448
				51971	272.35	274.00	5	0.3	293
		END OF HOLE AT 291.70 METRES		51972	290.20	291.70	5	0.5	380

Down Hole Survey		
Depth	Angle	Azimuth
100.00	-51.0°	

Easting (NAD 83): 675260E	Core Size: NQ	Date Started: 29-Nov-2004
Northing (NAD 83): 5719950N	Hole Azimuth: 215°	Date Finished: 01-Dec-2004
Grid Location: ~L119E; 57+25N	Hole Angle: -60°	Logged by: Rob Montgomery
Elevation:	Total Depth (m): 121.00 m	Analysis by: Ecotech Laboratory Ltd.

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	6.10	OVERBURDEN Casing to 20'							
6.10	64.85	ASH TUFF INTERBEDDED WITH FINE-GRAINED LOCALLY PORPHYRITIC VOLCANIC FLOWS Medium to dark green volcanics. Chlorite alteration throughout. Low to moderate intensity of carbonate veinlets which occur at irregular angles to the core axis. 12.80 m: One white to pale grey, 15 cm wide limestone bed. Weakly limonitic fractures from surface to 27 metres. Core quite broken, fractured to 15.0 m. Locally filaments and web-like patches of epidote. 20.00-36.00 m: Intermittent blebs and fracture controlled pyrite/magnetite ± cpy and trace bornite. Blebs of py/mag up to 2 cm long Note: Magnetite content significantly higher than any previous holes (FL-04-01 to FL-04-10)	Py/mag blebs along chloritic fractures	51973	20.20	21.70	10	<0.2	12
			1% py, tr cpy, bornite(?)	51974	21.70	23.50	20	<0.2	79
			1-2% disseminated pyrite.	51975	23.50	25.00	15	<0.2	409
			Bedded at 45° to CA. Ash tuff Mag blebs to 2.0 cm	51976	29.55	31.55	5	<0.2	255
			Few lge py/mag blebs with tr cpy	51977	31.55	33.55	15	2	245
			Similar to 51977, tr bornite	51978	33.55	35.55	10	<0.2	66
			1% py/po with magnetite	51979	38.70	40.70	15	<0.2	149
			Weakly silicified	51980	40.70	42.70	15	<0.2	68
			duplicate of 51980	*51981	40.70	42.70	10	<0.2	62
			Wk-mod sil. Frac controlled py, cpy, mag	51982	42.70	44.70	15	<0.2	108
			Similar to 51982	51983	44.70	46.70	10	<0.2	91
			Less alteration than 51983	51984	46.70	48.40	10	<0.2	174
			49.90 m. 3 cm limestone bed at 50° to CA	51985	48.40	50.40	15	<0.2	104
			Wk-mod silicified bedded ash tuffs. Beds often offset by small scale shears. 1-2% py/po. Tr magnetite and epidote.	51986	54.00	56.00	15	<0.2	163
				51987	56.00	57.50	10	<0.2	114
				51988	57.50	59.00	15	<0.2	95
			1% diss py, tr % fine cpy(?)	51989	63.35	64.85	20	<0.2	128
64.85	75.35	LAPILLI TUFF Medium to dark green lapilli tuff, few interbeds of ash tuff i.e. 66.35-66.50 m. Chloritized, minor epidote alteration, primarily on fractures. Coarse sections of lapilli tuff have a mottled appearance due to local bleaching. These tuffs often contain 0.5 to 1 cm irregular py, magnetite blebs. Minor late stage calcite veining (less than previous interval of ash tuff).	1% diss py. Tr very fine cpy	51990	64.85	66.35	10	0.3	266
				51991	72.00	74.00	5	0.3	316
				51992	74.00	75.35	10	0.2	109
75.35	99.30	ASH TUFF Dark green, locally mottled to olive green due to bleaching and weak silicification. Local disseminations and blebs of magnetite/pyrite. Epidote slightly higher than previous interval. Tuffs often well bedded (45° to CA). 1-2% diss, fracture/bleb pyrite over interval.	Bleached/wk sil 1/2% py ± mag and epidote	51993	83.00	85.00	15	<0.2	62
				51994	85.00	87.00	10	<0.2	110
			1/2-1% magnetite and disseminations and blebs, associated with pyrite/epidote. Tr cpy.	51995	87.00	89.00	5	<0.2	132
				51996	89.00	91.00	10	<0.2	94
99.30	107.30	LAPILLI TUFF Similar to 64.85-75.35 m. Less magnetite/epidote than previous interval of ash tuff. Still noting a few scattered py/mag blebs. Clasts average 5-10 mm and are sub-rounded to sub-angular	1/2-15 py blebs, tr cpy	51997	99.30	101.30	10	<0.2	106
107.30	121.00	ASH TUFF Dark green ash tuff. Lower half of section very broken/fractured/rubbly. Difficult drilling, some caving down hole. 1/2% disseminated and fracture controlled pyrite. Pervasive chlorite alteration, locally minor epidote on fractures. END OF HOLE AT 121.00 METRES	1/2-1% diss py. Calcite on fractures.	51998	119.50	121.00	5	<0.2	96

Down Hole Survey			Easting (NAD 83): 674500E	Core Size: NQ	Date Started: 1-Dec-2004
Depth	Angle	Azimuth	Northing (NAD 83): 5720000N	Hole Azimuth: 215°	Date Finished: 3-Dec-2004
			Grid Location: L112E; 53+50N	Hole Angle: -60°	Logged by: Rob Montgomery
			Elevation:	Total Depth (m): 181.95 m	Analysis by: Ecotech Laboratory Ltd.

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	6.10	OVERBURDEN Casing to 20 feet							
6.10	181.95	ASH TUFF/ANDESITIC FLOWS Medium to dark green. Pervasive, chlorite alteration. Local patchy epidote, occasional fine, late stage calcite veinlet Limonitic fractures to 15 m. 23.0 m: locally ash tuffs show bedding at 15-20° to CA 31.50-39.70 m: Crumbly, broken core, slickensides common and often parallel or sub-parallel to core axis. Hematite/glaucophane on slickensides. Occasional galena bleb with epidote/chlorite, minor sph? 52010: narrow monzonite dyke(?) on secondary Kspar crystals(?) at 45.40 m	Tr cpy, 1/2% py, po	51999	15.80	17.30	15	0.7	237
			1% po, py, weak silicification	52000	21.90	24.30	10	0.5	208
			Duplicate of 52000	*52001	21.90	24.30	10	0.5	212
			Tr cpy	52002	27.70	29.50	15	0.6	168
				52003	29.50	31.50	10	0.2	75
			Broken core. Slickensides parallel to CA	52004	31.50	33.20	20	0.4	110
			Broken core. Slickensides parallel to CA	52005	33.20	35.40	10	0.3	63
			Bleached, strong epidote/chlorite. Trace galena, sphalerite(?)	52006	35.40	37.40	10	0.5	117
				52007	37.40	39.70	35	0.5	160
				52008	39.70	41.70	25	0.7	230
			Hematite on fractures	52009	41.70	43.70	40	0.4	95
				52010	43.70	45.70	40	0.5	105
				52011	45.70	47.50	15	<0.2	9
				52012	47.50	49.50	25	<0.2	47
				52013	49.50	51.10	20	0.2	123
			Large, irregular mag + py, tr cpy	52014	51.10	53.10	10	0.2	145
			Similar to 52014, but less magnetite	52015	53.10	55.40	10	0.3	192
				52016	55.40	57.40	40	0.7	169
			Patchy secondary K-spar over top 1.0 m. Weak brecciation	52017	67.70	68.20	25	0.6	104
			70.50-73.00 m: Chlorite altered, bleached, augite porphyry, hematitic fractures.						
			Tr cpy associated with calcite veining Minor blue amphibole.	52018	77.00	79.00	10	1.2	309

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
		108.80-123.00 m: Patchy epidote alteration. Larger calcite veinlets (=3 cm) at low angle to core axis. Sulphides quite low (~1/2% disseminated pyrite).	Carbonate breccia. Large, angular volcanic fragments supported by a calcite matrix. Trace chalcopyrite.	52019	157.00	158.50	25	0.3	149
		142.00-145.00 m: Pitted, vuggy core, vugs coated with calcite.	Tr py. Chlorite/carbonate altered.	52020	180.45	181.95	5	0.3	131
		112.00-181.95 m: Overall degree of alteration quite low, occasional increase in epidote. Sulphides low, occasional widely separated small bleb of cpy, usually associated with calcite fractures.							
		170.00-175.00 m: Patchy epidote alteration. END OF HOLE AT 181.95 METRES							


Down Hole Survey		
Depth	Angle	Azimuth

Easting (NAD 83): 675300E	Core Size: NQ	Date Started: 6-Dec-2004
Northing (NAD 83): 5720650N	Hole Azimuth: 250°	Date Finished: 8-Dec-2004
Grid Location: ~L116+50E;63+20N	Hole Angle: -50°	Logged by: Rob Montgomery
Elevation:	Total Depth (m): 178.90 m	Analysis by: Ecotech Laboratory Ltd.

Depth (m)		Interval Description	Sample Description	Sample Number	Interval (m)		Au ppb	Ag ppm	Cu ppm
From	To				From	To			
0.00	6.10	OVERBURDEN Casing to 20(?)							
6.10	178.90	INTERBEDDED ASH TUFFS/VOLCANIC FLOWS Thick volcanic sequence of interbedded ash tuffs andesitic flows, augite porphyry flows. Medium to dark green, chloritized throughout likely due to regional metamorphism. Variable degrees of late stage carbonate veining; occasional weak carbonate alteration of matrix. Bedding cuts core axis at 5-20°, this core angle is quite consistent throughout the entire hole. Sulphide content quite low, usually <1/2% py, widely scattered 0.5 mm (average) blebs of cpy. Locally blue amphibole along fractures. (i.e. 53.65 m) 36.00-44.00 m: A few hematitic fractures Minor shear zones noted at 46.00-46.40 m, 54.20-54.60 m. Shears are strongly chloritized and contain minor amounts of green clay gouge. 71.80-72.25 m: Augite porphyry at low angle to CA. 111.85-111.90 m: Narrow shear with green clay gouge. 172.00-175.85 m: Augite porphyry. Augite phenocrysts have been stretched. Bedding(?) at 25° to core axis. END OF HOLE AT 178.90 METRES							
			Slightly higher sulphides than adjacent core. 1/2% diss py. Tr cpy.	52021 52022	118.50 120.00	120.00 121.50	10 20	0.2 0.2	169 211
			Large, irregular calcite vein at 178.15 m	52023	177.40	178.90	240	0.2	135


APPENDIX C

Drill Sections




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppm_Cu	R	█	N	None	200	Min 200
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:
 REF. PT. E, N 674243 5720400
 EXTENTS 172.5 210
 SECTION TOP, BOT 1558.14 1348.14
 TOLERANCE +/- 5.25002 m




**Friendly Lake
 2004 Drilling
 Section FL-04-01**

16-May-2005	08:57:44
PLOTTED BY :	
CHECKED BY :	




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppm_Cu	R	█	N	None	1000	Min 200
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:
 REF. PT. E, N 671744 5721101
 EXTENTS 185.339 225.63
 SECTION TOP, BOT 1620.26 1394.63
 TOLERANCE +/- 5.88375 m



**Friendly Lake
 2004 Drilling
 Section FL-04-02**


16-May-2005	08:05:08
PLOTTED BY :	
CHECKED BY :	




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppm_Cu	R	█	N	None	1000	Min 200
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:

REF. PT. E, N	671016	5720470
EXTENTS	131.893	160.565
SECTION TOP, BOT	1555.3	1394.73
TOLERANCE +/-	4.18625 m	



AZIMUTH (DEG) = 35




**Friendly Lake
2004 Drilling
Section FL-04-03**

16-May-2005

09:14:51

PLOTTED BY:


CHECKED BY:



BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppb_Au	R	█	N	None	20	Min 10
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:

REF. PT. E, N 669546 5722665
 EXTENTS 157.872 192.193
 SECTION TOP, BOT 1586.74 1394.54
 TOLERANCE +/- 5.00752 m




**Friendly Lake
 2004 Drilling
 Section FL-04-04**

16-May-2005 09:18:01

PLOTTED BY :


CHECKED BY :




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppb_Au	R	█	N	None	20	Min 10
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:

REF. PT. E, N 669465 5722784
 EXTENTS 115.421 140.513
 SECTION TOP, BOT 1586.39 1445.87
 TOLERANCE +/- 3.64877 m



AZIMUTH (DEG) = 35




**Friendly Lake
 2004 Drilling
 Section FL-04-05**

16-May-2005

09:20:58

 PLOTTED BY :


 CHECKED BY :




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppm_Cu	R	█	N	None	1000	Min 200
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:

REF. PT. E, N 671524 5721162
 EXTENTS 181.035 220.391
 SECTION TOP, BOT 1608.02 1387.63
 TOLERANCE +/- 5.74628 m



AZIMUTH (DEG) = 35




**Friendly Lake
 2004 Drilling
 Section FL-04-06**

16-May-2005

09:22:33

PLOTTED BY :


CHECKED BY :




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppm_Cu	R	█	N	None	1000	Min 200
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:

REF. PT. E, N	676351	5718674
EXTENTS	159.085	193.669
SECTION TOP, BOT	1450.8	1257.13
TOLERANCE +/-	5.03253 m	



AZIMUTH (DEG) = 35




**Friendly Lake
2004 Drilling
Section FL-04-07**

16-May-2005

09:31:27

PLOTTED BY :


CHECKED BY :




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppb_Au	R	█	N	None	20	Min 10
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:

REF. PT. E, N	677832	6720151
EXTENTS	81.5773	89.311
SECTION TOP, BOT	1546.51	1447.2
TOLERANCE +/-	2.58876 m	



AZIMUTH (DEG) = 35




**Friendly Lake
2004 Drilling
Section FL-04-08**

16-May-2005 09:33:40

PLOTTED BY :


CHECKED BY :




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppb_Au	R	█	N	None	50	Mn 50
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:

REF. PT. E, N	678226	5719679
EXTENTS	73.2044	89.119
SECTION TOP, BOT	1574.05	1484.93
TOLERANCE +/-	2.28876 m	



AZIMUTH (DEG) = 35




**Friendly Lake
2004 Drilling
Section FL-04-09**

16-May-2005

09:37:21

PLOTTED BY:


CHECKED BY:




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppm_Cu	R	█	N	None	1000	Min 200
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:

REF. PT. E, N	677140	5718521
EXTENTS	228.26	277.662
SECTION TOP, BOT	1442.63	1164.75
TOLERANCE +/-	7.25505 m	



AZIMUTH (DEG) = 350




**Friendly Lake
2004 Drilling
Section FL-04-10**

16-May-2005

09:40:52

PLOTTED BY :


CHECKED BY :




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppm_Cu	R	█	N	None	1000	Min 200
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:

REF. PT. E, N 675216 5719887
 EXTENTS 94.6844 115.268
 SECTION TOP, BOT 1537.24 1421.97
 TOLERANCE +/- 2.98751 m



AZIMUTH (DEG) = 35




**Friendly Lake
 2004 Drilling
 Section FL-04-11**

16-May-2005

08:42:31


PLOTTED BY :

CHECKED BY :




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppm_Cu	R	█	N	None	1000	Min 200
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:
 REF. PT. E, N 674433 5719905
 EXTENTS 142.379 173.331
 SECTION TOP, BOT 1514.88 1341.55
 TOLERANCE +/- 4.51127 m



**Friendly Lake
 2004 Drilling
 Section FL-04-12**


16-May-2005	08:43:40
PLOTTED BY :	
CHECKED BY :	




BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Ppm_Cu	R	█	N	None	1000	Min 200
REMARKS	L/R	COL	TIC	LEN	CLOSE?	
Lithology	L	█	Y	500	Force	

SECTION SPECS:

REF. PT. E, N 675190 5720610
EXTENTS 123.83 150.75
SECTION TOP, BOT 1576.85 1426.1
TOLERANCE +/- 5.54085 m



AZIMUTH (DEG) = 70



Friendly Lake
2004 Drilling
Section FL-04-13

16-May-2006

08:44:52

PLOTTED BY :

CHECKED BY :

APPENDIX D

Statement of Costs - 2004 Friendly Lake Exploration Program								
Item	Name	Position	Period of Work	Number	Unit	Rate	Subtotal	Totals
Salaries and Wages	W. Gruenwald	Project Manager	Feb. 11 - Dec. 31	20	days @	\$ 453.75	9,075.00	
	G. Ray	Mapping Geologist	June 7 - Aug 13	38	days @	\$ 501.22	19,046.36	
	E. Gruenwald	Drafting	Mar. 15 - Dec. 31	24	hrs @	\$ 30.00	720.00	
	R. Montgomery	Drill Geologist	Oct. 10 - Dec. 6	50	days @	\$ 400.00	20,000.00	
	S. Bohle	Geological Assistant	Oct. 10 - Dec. 6	36	days @	\$ 350.00	12,600.00	
	A. Tebbutt	Geological Assistant	Oct. 10 - Nov. 15	19	days @	\$ 302.37	5,745.03	
	P. Watt	Prospector	May 17 - June 10	14	days @	\$ 275.00	3,850.00	
							----->	\$ 71,036.39
Room and Board			May 17 - Dec 6	806	days @	\$ 62.60		\$ 50,451.28
Analytical	soil samples			2,693	samples @	\$ 13.13	35,359.09	
	rock samples			140	samples @	\$ 13.13	1,838.20	
	drill core samples			491	samples @	\$ 22.77	11,180.07	
							----->	\$ 48,375.40
Diamond Drilling			Oct. 10 - Dec. 6	2,372.8	metres @	\$ 84.20		\$ 199,791.00
Road Construction			Oct. 8 - Nov. 15	131	hours @	\$ 153.16		\$ 20,063.50
IP Survey	Walcott & Associates		June 8 - July 29	97.2	km @	\$ 1,223.51		\$ 118,925.00
Soil Sampling	Hendex Exploration		July 18 - Aug. 20	83	days @	\$ 350.78		\$ 29,114.75
Line Cutting	Hendex Exploration		May 17 - Aug. 10	133.75	km @	\$ 508.22		\$ 67,975.00
Equipment Rentals								\$ 5,426.63
Vehicle Rental								\$ 11,639.14
Miscellaneous (supplies, communications etc.)								\$ 10,714.11
Grand Total								\$ 633,512.20