

**MANSON CREEK (QCM) PROJECT  
MANSON CREEK, BC**

**REPORT ON THE GEOCHEMICAL,  
GEOPHYSICAL AND DIAMOND DRILLING  
PROGRAMS ON THE QCM PROPERTY**

**OMINECA MINING DIVISION**

**AUGUST 01, 2004 -OCTOBER 31, 2004**

**(BCGS: 93N 067/068/077/078)**

**(NTS: 93N/10E)**

**(Long. 124°35' W; Lat. 55° 41'N)**

**By**

**J. E. Christoffersen, P. Eng.**

**For**

**CANADIAN GOLD HUNTER CORP.  
VANCOUVER, B.C.**

**April 2005**

**Submitted to the BC Ministry of Energy and Mines  
In Partial Fulfillment of Assessment Requirements**

**RECEIVED**  
Mg  
Gold Commissioner's Office  
VANCOUVER, B.C.  
2005

27-804  
GEOLOGICAL SURVEY BRANCH  
ASSESSMENT REPORT

27804  
PART 1 of 2

## SUMMARY

The Manson Creek property (QCM claims) is situated in the historic Manson Creek-Germansen Landing placer district of Central British Columbia, where gold has been recovered intermittently from stream gravels since 1870.

The property is characterized by a very strong Fe-Mg carbonate altered, quartz veined and pyritic zone in volcanoclastic rocks. The altered and mineralized zone (QCM Zone) extends over an area of at least 1,000 m by 500 m, elongated in a NW-SE direction. Visible gold, where seen, is associated with minor chalcopyrite both in both quartz veins and altered groundmass. The QCM gold zone appears to be of orogenic (or mesothermal) origin. It is associated with the NW-striking Manson Creek fault zone, a right-lateral structure of regional extent that passes through the claims.

A gold soil anomaly (>50 ppb) extends over an area of at least 1,400 m by 600 m and includes exceptional samples carrying up to 4,000 ppb Au. The soil anomaly coincides with a resistivity high in large part and a weak to moderate chargeability anomaly. Magnetic data suggest the existence of NE-striking cross faults.

In 1983, Anaconda Exploration carried out percussion, reverse circulation and diamond drilling and demonstrated the existence of a broad gold-bearing zone (> 300 ppb) Au in altered and pyritic rocks of the QCM Zone. Little work has been undertaken since then. In 2004, Canadian Gold Hunter Corp. completed line cutting, geological mapping, rock and soil geochemistry and geophysics (IP and magnetic surveys) prior to a diamond drilling program of 1,190 meters in five holes. The cost of the program was \$281,000.

Gold Hunter's drill program in the QCM Zone confirmed the existence of a broad, low-grade (>300 ppb Au) gold zone with better grade intervals up to 1.05 g/t Au over 48 meters and rare spectacular intercepts up to 173 g/t Au over 1.5 meters. Visible gold was observed in some high-grade zones, associated with chalcopyrite and pyrite in quartz veins.

Further work is recommended on the claims, given the encouraging results of the 2004 campaign. The work should include additional soil geochemistry, geophysics and diamond drilling to explore the QCM Zone further and identify additional gold targets on the property.

## TABLE OF CONTENTS

	<u>Page</u>
<b>1.0 INTRODUCTION</b>	1
<b>1.1 General Statement</b>	1
<b>1.2 Property Location, Physical Features and Climate</b>	1
<b>1.3 Claim Status</b>	1
<b>2.0 GEOLOGICAL FEATURES</b>	2
<b>2.1 Regional Geological Setting</b>	2
<b>2.2 Property Geology</b>	3
<b>3.0 PREVIOUS WORK</b>	4
<b>4.0 SUMMER PROGRAM 2004</b>	7
<b>5.0 EVALUATION OF RESULTS</b>	8
<b>5.1 Geology</b>	8
<b>5.2 Geochemistry</b>	8
<b>5.3 Geophysics</b>	9
<b>5.3.1 Ground Magnetic Survey</b>	9
<b>5.3.2 Induced Polarization Survey</b>	9
<b>5.4 Diamond Drilling</b>	10
<b>5.4.1 Sampling and Assay Procedures</b>	10
<b>5.4.2 Drill Assay Results</b>	10
<b>6.0 2004 EXPENDITURES</b>	11
<b>7.0 CONCLUSIONS</b>	12
<b>8.0 RECOMMENDATIONS</b>	12

## LIST OF FIGURES

	<u>After Page</u>
<b>Figure 1:</b> General Location Map	1
<b>Figure 2:</b> QCM Property Location and Claim Map	1
<b>Figure 3:</b> Geomorphological Belts of B.C.	2
<b>Figure 4:</b> Regional Terrane Map	2
<b>Figure 5:</b> Regional Geology	2
<b>Figure 6:</b> Regional Geology (Manson Creek – Germansen Landing)	2
<b>Figure 7:</b> Property Geological Map	In Pocket
<b>Figure 8:</b> Gold Soil Geochemical Map	In Pocket

## LIST OF TABLES

	<u>Page</u>
<b>TABLE I:</b> Anaconda Canada Drill Results Summary – 1983	6
<b>TABLE II:</b> 2004 Canadian Gold Hunter Diamond Drill Intercepts	11

## APPENDICES

- APPENDIX I:** Rock Sample Descriptions
- APPENDIX II:** Rock and Soil Analytical Results (ALS Chemex)
- APPENDIX III:** Logistical Report: IP and Magnetometer Surveys, QCM Property by Scott Geophysics Ltd.
- APPENDIX IV:** Drill Logs – QCM-04-001 to 005
- APPENDIX V:** Drilling - Gold Assays and Multi-element Analyses (ALS Chemex Laboratories)
- APPENDIX VI:** References
- APPENDIX VII:** Statement of Qualifications

## **1.0 INTRODUCTION**

### **1.1 General Statement**

This report summarizes the results of exploration carried out on the Manson Creek (QCM) property near Manson Creek, British Columbia in the period August 01, 2004 to October 31, 2004. The project is 100% owned by Canadian Gold Hunter Corp (CGH).

Between early August and late October 2004, the company carried out line cutting, geological, geochemical and geophysical surveys and 1,190 meters of NQ core drilling in five holes.

### **1.2 Property Location, Physical Features and Climate**

The QCM claims are located at longitude 124° 35' W and latitude 55° 41' N, about seven kilometers northwest of the historic placer mining community of Manson Creek in north central British Columbia (Fig. 1). Manson Creek is accessible by well-maintained logging roads via Mackenzie, 160 km to the south east, from Prince George some 320 km distant by road. The area is also reachable from Fort St. James, about 175 km to the south of Manson Creek.

From Manson Creek, the heart of the claims are accessed by road along Slate Creek and by a rough 4x4 track that turns right off of the road seven km WNW of the village.

The terrain around Manson Creek is heavily forest covered and moderately rugged with elevations ranging from about 850 meters asl to about 1,400 meters asl on some of the higher peaks and ridges. Glacial erosion combined with the underlying structural framework has imparted a NW-SE orientation to valleys and ridges in the district. On the QCM claims, relief is about 350 meters from the Germansen River gorge to a prominent hill in the south-central part of the property at 1,225 meters asl.

The region has a humid, moderately extreme climate with cool to warm summers from May through September and cold to very cold winters from November through March. Average maximum summer temperatures (July and August) are about 21°C and minimum temperatures (January and February) are in the region of -20°C. Annual rain-equivalent precipitation is about 540 mm, representing 320 mm of rainfall and 240 cm of snow.

### **1.3 Claim Status**

The QCM property consists of the three claims, QCM 1-3, formerly comprising 48 units and with tenure numbers 392743, 392744 and 413585. On March 4<sup>th</sup>, 2005 the claim group was converted to the new BC online (MTO) system and was allocated a new tenure number of 508247 (Fig. 2). The converted block extends over 1,200 hectares.

The QCM claims are wholly owned by CGH subject to a 1.0% NSR payable to 650399 BC Ltd.



● City / Town

— Main Roads

0 200 km


*Canadian Gold Hunter Corp.*

**QCM PROPERTY**

BRITISH COLUMBIA

**GENERAL LOCATION MAP**

Figure 1



**LEGEND**

- Gravel Road
- - - Rough Road

BCGS: 93N067,068,  
077,078

NTS: 93N/10E

Projection: UTM Zone 10  
Datum: NAD83

20m Contour interval  
Elevations are in metres

0 1 km

**QCM PROPERTY**



**Canadian Gold Hunter Corp.**  
**QCM PROPERTY**  
 Omineca Mining Division  
 BRITISH COLUMBIA  
**CLAIM MAP**  
 Figure 2

Apr. 2005

## 2.0 GEOLOGICAL FEATURES

### 2.1 General Geological Setting

The Manson Creek area lies at the boundary between the Intermontane Belt to the west and the Omineca Belt to the east (Fig. 3). This geomorphological boundary also marks the boundary between Mesozoic accreted arc terranes to the west (Quesnelia, Stikinia) and Paleozoic and older continental-margin terranes to the east (Slide Mountain, Kootenay, Cassiar) (Fig 4) (Ferri and Melville, 1994).

Volcanic island arcs formed to the west of the region commencing in late Paleozoic time (Lay Range arc) and continuing through the Mesozoic (Takla arc). Eastward subduction along the western margin of the arc systems gave rise to a collision zone in the continental margin culminating with arc obduction and tectonic wedging in the late Jurassic to early Cretaceous eras (ibid, 1994). Crustal thickening during this period induced regional metamorphism at depth, as witnessed by the high-grade Wolverine metamorphic complex to the east of Manson Creek, now well exposed following rapid uplift in the Tertiary.

The Manson Creek fault zone, a parallel series of NW-striking right-lateral faults of regional extent, is believed to have become active in the latest Jurassic or earliest Cretaceous (Fig. 5). It may have been an important conduit in terms of localizing gold-bearing fluids at Manson Creek and elsewhere.

The complex tectonic setting of the Manson Creek area has rendered the interpretation of the regional geology somewhat difficult. Not uncommonly, the correlation of formations is difficult due to poor exposure, disruption along the NW-SE Manson Creek fault system, lack of fossil evidence in some instances and facies changes due to the influence of both continental and later island arc deposition.

The oldest rocks in the region are miogeosynclinal sedimentary sequences (quartzite, sandstone, siltstone, shale, carbonates) of Late Proterozoic to Paleozoic age deposited on the western margin of the old North American continent (Fig 6). Proterozoic rocks are now widely exposed east of Manson Creek within the Wolverine metamorphic complex. Most formations exhibit a preferred NW-SE structural fabric complicated by eastward directed thrusts and later batholithic intrusions.

Rifting along the continental margin in the Mississippian and Permian gave rise to the extrusion of thick tholeiitic basalts (MORB) and gabbro sills on a deep ocean floor (Slide Mountain ocean basin) (Nina Creek group). Ultramafic (Manson Lake ultramafites) and gabbroic bodies (Wolf Ridge gabbro) emplaced tectonically along the Manson Creek fault zone may be dismembered parts of this mafic succession (ophiolite complex).

Near and within the QCM claims, the Middle Triassic Slate Creek succession of argillite, volcanoclastic sediments, tuffs and basaltic flows represent the first appearance of westerly derived Takla arc detritus in the map area. On the QCM claims, lithic detrital






Figure 3. Location of map area within geomorphological belts of the Canadian Cordillera. Shaded area represents region portrayed in Figures 4 and 5.




Figure 4. Terrane map centred on the map area. NA - Cratonic North America; CA - Cassiar Terrane; KO - Kootenay Terrane; SM - Slide Mountain Terrane; QN - Quesnel Terrane; QN<sub>HR</sub> - Harper Ranch Subterrane; CC - Cache Creek Terrane; ST - Stikine Terrane.




Figure 5. Regional geology in the vicinity of the map area. WC - Wolverine Complex; Ig - Ingenika Group; Ta - Takla Group; CC - Cache Creek Group; B - Bowser Lake Group; VS - Mesozoic to Cenozoic volcanic and igneous rocks; CDM - Lower Paleozoic sequence; HB - Hogem batholith; GB - Germansen batholith; LR - Lay Range assemblage; SM - Nina Creek group and equivalents; P - Proterozoic to Lower Cambrian sediments; PM - Paleozoic to Mesozoic sediments; US - undeformed Mesozoic sediments. 'Zig-zag' line roughly corresponds to the westward shale-out of Lower Paleozoic platformal carbonates; c - carbonates, s - shale.

From: Bedrock Geology of the Germansen Landing - Manson Creek Area, British Columbia; Bulletin 91; Ferri & Melville, 1994.


**Canadian Gold Hunter Corp.**

**QCM PROPERTY**

BRITISH COLUMBIA

Figures 3 to 5

Apr. 2005



Simplified from: Ferri, F and Melville, D.M.;  
 Bedrock Geology of the Germsansen Landing -  
 Manson Creek Area, British Columbia;  
 Geological Survey Branch, Bulletin 91, 1994.

**Canadian Gold Hunter Corp.**  
**QCM PROPERTY**  
 BRITISH COLUMBIA

**REGIONAL GEOLOGY**  
**- MANSON CREEK AREA**

Figure 6

rocks belonging to this formation are abundantly pyritic, strongly altered to iron-bearing carbonates, sericite and quartz and are gold bearing. They constitute the principal gold exploration target on the property.

Metamorphism reached a peak in the Middle Jurassic to Lower Cenozoic and was particularly high (upper amphibolite grade) in the Wolverine metamorphic complex some 10 kilometers or so east of Manson Creek. Regional metamorphism probably resulted in partial melting of the crust and intrusion of the Germansen batholith, south west of Manson Creek, in the mid Cretaceous (107 Ma) and the Wolverine intrusions to the east in the latest Cretaceous (72 Ma). Combined, these long-lived thermal events could have provided the heat energy needed to drive auriferous hydrothermal fluids into the Manson Creek fault zone.

## **2.2 Property Geology**

The geology of the central part of the claim group is shown in Figure 7. Outcrop is generally poor except for higher ground in the west-central part of the grid area.

Rocks within the property are assigned to the Middle Triassic Slate Creek succession and/or the Lay Range assemblage of Devonian to Permian age (see Fig. 6), based on the work of Ferri and Melville (1994). In the vicinity of the QCM claims, these two sequences have similar lithologic components in part, including arc-assemblage volcanoclastic units that are indistinguishable and lack fossil evidence to distinguish them conclusively.

The dominant structural fabric is NW-SE with steep south-westerly dips between 60° and 90°. Stratigraphic tops are uncertain. Folds may be present at the western end of the grid area. Alternatively, the abrupt termination of some units may be due to northeast-striking faults, a few examples of which are found in the field; several others are interpreted from ground magnetic data.

### **Volcanoclastic Rocks (Units QCA, QCM, WCKE)**

The most important rocks on the claims are crystal and lithic wackes (units QCM and QCA) or tuffs. They are intensely altered to carbonates (magnesium- and iron-bearing varieties) and sericite, which minerals impart a buff to pale grey colour to the fresh surface. Weathered surfaces are typically a rusty orange colour. Locally, light apple-green platelets of mariposite are present, especially near exposures of ultramafic intrusive rocks in the north of the map area. Strongly altered wackes are tough, compact and massive with an even-grained, granular to crystalline texture due to extensive carbonate replacement, which has eradicated most primary features.

Primary minerals are ragged and broken plagioclase and minor quartz. Mafic minerals are notable by their absence and may have been replaced totally by carbonate. In less altered zones, matrix-supported lithic fragments up to 10 mm (rarely > 30 mm) and in highly variable proportions are evident. They are normally sub-angular to sub-round and

composed of fine-grained, buff to light grey-green rock types of indeterminate, but possibly volcanic, origin. Rare green chloritic and pink volcanic fragments are present. One possible pumice clast was noted in thin section.

Altered wackes are variably silicified and veined by quartz, quartz carbonate and carbonate. The matrix carries disseminated, cubic pyrite (up to 8 mm across) exceptionally in amounts up to 10% by volume together with traces of chalcopyrite. Some quartz veins also carry small amounts of pyrite and chalcopyrite. In thin section, very fine free gold has been noted in quartz veins and in altered matrix associated with chalcopyrite and pyrite. Fresh wackes (unit GWKE) are not mineralized.

### **Sedimentary Rocks (Units ARG, GrSh)**

Argillite and graphitic shale are poorly exposed on the property. One band of argillite is exposed over 1,100 meters within the volcanoclastic sequence in the western part of the grid. It is dark grey and locally exhibits graded beds and soft-sediment slumps. In low-lying ground to the east of the baseline, fissile, black graphitic (and pyritic) shale and argillite form small outcrops. However, resistivity and chargeability data suggest graphitic sediments underlie an extensive area east of the baseline.

### **Mafic Flows (Units MV, ANDE)**

Massive dark grey-green to black basalts (unit MV) are restricted to the northern end of the baseline. They are fine grained with small pyroxene phenocrysts largely altered to fibrous amphiboles and chlorite. Epidote occurs along some narrow horizons in the basalts.

One outcrop and a few boulders mapped as "andesite" are greenish grey, weakly schistose and variably silicified. They may represent altered tuffs.

### **Ultramafic Intrusions (Unit UM)**

Manson Lake ultramafic intrusions are exposed along the north eastern extremity of the mapped grid. They are normally dark grey-black, sheared and serpentized with talc, quartz, mariposite and carbonate (listwanite) developed near contacts. They are weakly magnetic; ground magnetic data suggest that the unit underlies the area just beyond the eastern limit of the cut grid.

## **3.0 PREVIOUS WORK**

The Manson Creek-Germansen Landing district has a long history of placer gold mining dating back to 1870. Seasonal mechanized operations continue to this day on Slate Creek, just to the south of the QCM claims, and on Germansen River.

In 1972, Sullivan and Rogers carried out soil and rock geochemical and induced polarization surveys over a flagged grid on the property (A. R. 4,245 and 4,246). The

work identified an extensive gold soil geochemical anomaly over one kilometer in length and large, strong chargeability and resistivity anomalies. As a follow up in 1973, Rio Tinto is reported to have drilled six holes on the property but there are no published reports of their results.

In 1980, Golden Rule Resources staked the QCM claims and carried out geological, soil geochemical and geophysical (ground magnetic and VLF-EM) surveys (A. R. 9,944). The geochemical survey outlined a broad, somewhat sporadic gold anomaly over 3,000 m by 300 m. with soil contents up to 2950 ppb Au. The gold soil anomaly led to the identification of the QCM quartz-carbonate alteration zone in the central part of the claims and the Flagstaff (now Motherlode) showing on the south bank of Germansen River.

In 1982, Anaconda Canada Exploration Ltd. optioned the claims from Golden Rule and carried out additional geological, geochemical and geophysical surveys and excavated four trenches, only one of which reached bedrock (A. R. 10,746). In 1983, Anaconda undertook a major campaign involving percussion (32 holes – 2,425 m.), reverse circulation (four holes – 414 m.) and diamond drilling ( three holes – 422 m.), largely focused on the Central, or QCM, Zone. Only the reverse circulation program was filed for assessment (A. R. 11,627). The three drill programs identified a large pyritic area in the QCM Zone with broadly anomalous gold (>300 ppb) in a number of holes, including 80 assays in excess of 1 g/t Au (maximum of 8.47 g/t Au). Drill assay summaries are presented below in Table I. Anaconda ceased operations in Canada subsequent to 1983.

Golden Rule completed some modest surface programs in the late 1980's (A. R. 19,594 and 20,854) but abandoned the claims in 1992. Michael Fox staked the Au 1-12 claims in 1993 and conducted small surface programs up to 1998 (A. R. 24,349 and 25, 471), after which time the claims were allowed to lapse.

In 2002, Viceroy Resources staked the 36-unit QCM 1 and 2 claims and optioned them to Royal County Minerals Ltd. Royal County conducted a limited soil and rock geochemical survey along access roads and trails in the late summer of 2002 (A. R. 27,137). The soil survey confirmed earlier strong gold anomalies in the QCM Zone, including one exceptional sample containing 4,093 ppb Au that indicated a source for at least part of the gold up slope from previous drill holes.

In August 2003, Canadian Gold Hunter Corp. acquired the QCM claims by virtue of its take over of Royal County and later staked the QCM 3 claim.

**Table I**  
**Anaconda Drill Holes – 1983**  
**Percussion Holes**

Hole No.	Depth (m)	Collar	Az/Angle	Interval (m)	Length (m)	Au (g/t)
PD 83-01	47.24	790N/085E	-90°	no	intercept	
PD 83-02	42.67	1000N/100E	000°/-60°	no	intercept	
PD 83-03	91.44	1100N/080E	000°/-60°	12.19-25.91	13.72	0.346
				67.06-70.10	3.04	0.363
PD 83-04	91.44	1070N/040E	000°/-60°	67.06-91.44	24.38	0.391
PD 83-05	79.25	1125N/020W	-90°	7.62-79.25	71.63	0.506
including				7.62-32.00	24.38	0.703
PD 83-06	67.06	1165N/015E	000°/-60°	24.38-38.10	13.72	0.380
PD 38-07	91.44	1245N/075W	000°/-60°	9.14-15.24	6.10	0.401
and				76.20-88.39	12.19	0.339
PD 83-08	91.44	1275N/030W	000°/-80°	3.05-9.14	6.09	0.511
PD 83-09	60.96	1000N/100E	-90°	no	intercept	
PD 83-10	70.10	790N/065E	-90°	no	intercept	
PD 83-11	106.68	1090N/020E	000°/-60°	12.19-27.43	15.24	0.484
and				33.53-39.62	6.09	0.361
and				71.63-99.06	27.43	0.362
PD 83-12	106.68	1190N/040E	000°/-60°	30.48-35.05	4.57	0.345
PD 83-13	94.49	1090N/020E	000°/-60°	4.57-91.44	86.87	0.388
PD 83-14	82.30	1100N/040W	-90°	6.10-82.30	76.20	1.209
including				25.91-62.48	36.57	1.313
PD 83-15	76.20	1025N/060W	000°/-75°	57.91-76.20	18.29	0.725
including				59.44-64.01	4.55	1.137
PD 83-17	94.49	1105N/005W	000°/-60°	88.39-94.49	6.10	0.534
PD 83-18	68.58	1000N/00E	-90°	6.10-18.29	12.19	0.481
and				27.43-35.05	7.62	2.066
and				44.20-68.58	24.38	0.940
PD 83-19	100.58	925N/005E	000°/-70°	22.86-25.91	3.05	0.463
and				38.10-60.96	42.86	0.475
PD 83-20	76.20	945N/075W	000°/-60°	6.10-15.24	9.14	0.510
PD 83-21	85.34	960N/045E	000°/-75	15.24-70.10	54.86	0.553
PD 83-22	91.44	1215N/115W	000°/-70°	7.62-25.91	18.29	0.822
and				56.39-89.92	33.53	0.541
PD 83-23	64.01	1150N/080W	-90°	3.05-13.72	10.67	0.762
and				19.81-24.38	4.57	1.127
and				36.58-59.44	22.86	0.473
PD 83-24	68.58	845N/035E	000°/-75	25.91-45.72	19.81	0.409

Table I (continued)

## Reverse Circulation Holes

Hole No.	Depth (m)	Collar	Az/Angle	Interval (m)	Length (m)	Au (g/t)
83 RD-01	111.20	1135N/025W	000°/-60°	3.00-8.50	5.50	1.600
and				78.60-87.80	9.20	0.648
and				92.90-97.90	5.00	0.420
83 RD-02	124.50	1135N/030W	040°/-50°	4.00-12.50	8.50	1.331
and				90.8-91.8	1.00	1.170
and				99.00-100.00	1.00	0.895
83 RD-03	104.00	1080N/020E	350°/-60°	20.70-21.70	1.00	1.510
and				32.90-38.00	5.10	0.365
and				67.40-70.50	3.10	0.985
83 RD-04	74.5	1080N/020E	350°/-80°	11.50-13.60	2.10	0.508
and				50.20-57.30	7.10	0.365

## Diamond Drill Holes

Hole No.	Depth (m)	Collar	Az/Angle	Interval (m)	Length (m)	Au (g/t)
DDH 83-01	100.60	1000N/00E	-90°	14.00-18.00	4.00	0.560
and				22.00-24.00	2.00	0.860
and				31.00-34.00	3.00	0.973
and				45.00-46.00	1.00	8.47
and				79.00-86.00	7.00	1.057
and				89.00-95.00	6.00	0.715
DDH 83-02	123.44	1085N/025W	000°/-62°	16.00-25.00	9.00	0.904
and				37.00-48.00	11.00	0.754
and				118.00-122.00	4.00	0.448
DDH 83-03	197.80	1070N/065W	000°/-62°	13.90-20.00	6.10	0.481
and				43.00-49.00	6.00	0.802
and				56.00-77.00	21.00	0.594
and				91.00-103.00	12.00	0.503
and				109.00-117.00	8.00	0.556
and				141.00-152.00	11.00	0.621
and				165.00-173.00	8.00	0.790
and				179.00-197.80	18.80	0.555

## 4.0 CANADIAN GOLD HUNTER PROGRAM - 2004

Canadian Gold Hunter undertook a significant exploration campaign from August to October 2004. CJL Enterprises Ltd. of Smithers re-established the grid, including the refurbishing of 22 km and cutting of 12 km of new line. Taiga Consultants of Calgary carried out geological mapping over the grid, during the course of which 57 rock samples were collected for gold and multi-element litho-geochemical analyses. Some 375 soil samples were collected to extend coverage and fill in gaps in previous surveys and analyzed for the same elemental package. Scott Geophysics Ltd. of Vancouver, B.C. carried out induced polarization and ground magnetic surveys over 21.1 line km of the grid.

Between late September and early October, Britton Bros. Drilling of Smithers, B.C. completed 1,190 meters of NQ core drilling in five angled holes. Core was logged in detail on site and split and bagged at 1.50-meter intervals for assay. The split samples (812 samples) were shipped at the end of the program in one batch to ALS Chemex's laboratory in North Vancouver for gold assays (fire assay with an AAS finish) and 34-element ICP analyses.

## **5.0 EVALUATION OF RESULTS**

### **5.1 Geology**

A geological map of the central part of the claims is presented in Figure 7 at a scale of 1:5,000. All known holes drilled on the property are also shown. The property geology has been described in an earlier section. Field descriptions of rocks collected for geochemical analyses are presented in Appendix I.

### **5.2 Geochemistry**

Rock and soil geochemical analyses from ALS Chemex are given in Appendix II for gold and 34 elements. Gold soil data are plotted in Figure 8 at a scale of 1: 5,000. Gold data shown in the figure are a combination of 1981 samples reported by Golden Rule Resources and 2004 samples collected by Gold Hunter.

A strong gold soil anomaly (+50 ppb up to 2,230 ppb), extends over 1,400 meters by 600 meters centered on the baseline, from 00N to 1400N and 200E to 400W. The anomaly is open to the northwest and southeast. It lies along the eastern flank of a prominent ridge and constituted the focus of drilling by Anaconda in 1983 and Gold Hunter in 2004. This general area of widespread gold comprises the QCM Zone.

Gold anomalies of uncertain extent and importance occur elsewhere, as follows:

- Poorly defined anomaly at the eastern extent of lines 200N and 400N;
- Spotty, low-level anomalies on line 1500N east of the baseline;
- Sharp two-sample anomaly of 455 and 701 ppb gold near the eastern end of line 1800N, possibly within ultramafic rocks;
- Two-sample anomaly up to 576 ppb gold on line "X" off the main grid near Germansen River, possibly reflecting the Motherlode showing on the river bank below.

Most or all of the anomalies require follow-up sampling to determine their full dimensions.

The only other anomalous metal in soils is copper, which commonly ranges from 50-80 ppm and uncommonly reaches maximum levels of 250 ppm or so with exceptional peaks over 1,000ppm.



### 5.3 Geophysics

Scott Geophysics' field report is given in Appendix III, including pseudo-sections and contoured magnetic, resistivity and chargeability maps. Magnetic and I.P. surveys were completed over grid lines at 200-meter spacing. Magnetic readings were taken at 25-meter station intervals. A pole-dipole array was used for the I.P. survey with an electrode spacing of 25 meters and one to five separations.

#### 5.3.1 Ground Magnetic Survey

Magnetic relief is subdued (generally  $< 60$  nT) over much of the survey area except in the north where higher magnetic susceptibilities coincide in part with mapped ultramafic rocks. Although outcrop is lacking, an ultramafic intrusion appears to underlie the eastern-most extremity of the grid and beyond, based on magnetic data.

The magnetic data not only confirm the dominant NW-SE geological fabric but also point to sharp NE-SW cross features, possibly faults, that disrupt the main pattern, notably along the approximate trace of line 1400N and perhaps also along line 800N among others. In-fill magnetic survey coverage on 100-meter-spaced lines is needed to detail these features.

The QCM Zone in the west center of the grid is characterized by low magnetic susceptibilities and low magnetic relief. These features undoubtedly reflect an underlying zone of strong alteration and high pyrite content with the attendant destruction of magnetite.

#### 5.3.2 Induced Polarization Survey

Resistivity levels exhibit wide variations from very conductive ( $< 10$   $\Omega\text{m}$ ) to moderately resistive (1,000  $\Omega\text{m}$ ). Low resistivity/high chargeability zones correlate well with graphitic and pyritic shale and argillite either mapped in scarce outcrops or encountered in a number of Anaconda drill holes in 1983. These conductive sediments occupy a broad belt in the central part of the grid with little or no outcrop.

A large area west of the baseline is dominated by higher resistivities ( $+300$   $\Omega\text{m}$ ) and coincides with the volcanoclastic sequence best suited as a host for gold. The core of this zone ( $+500$   $\Omega\text{m}$ ) nearest the baseline defines the most strongly carbonate-altered rocks over an area measuring about 800m x 400m with the best gold intercepts to date. The resistivity high partly coincides with a weak to moderate chargeability anomaly, consistent with widely disseminated pyrite.

Low resistivity measurements in the first two or three separations on lines at the eastern end of the grid point to thick overburden cover of up to 50 meters.

## **5.4 Diamond Drilling**

Britton Bros. completed 5 NQ core holes (QCM-04-001 to 005) amounting to 1,190 meters. Drill logs are presented in Appendix IV. The locations of all summer 2004 holes drilled on the property are shown in Figures 7 and 8.

The holes were drilled to test a strong gold soil geochemical partly coincident with a resistivity high and modest, but broad, chargeability anomaly. All of the holes encountered volcanoclastic rocks (described as crystal and lithic wackes in the logs) altered to carbonate and sericite, veined by quartz and variably pyritic.

### **5.4.1 Sampling and Assay Procedures**

In total, 812 samples of split core were submitted for gold assays and multi-element analyses. ALS Chemex Laboratories in North Vancouver, B.C, a registered assayer, carried out all assays and multi-element analyses of the core. Analytical data are presented in Appendix V.

Core samples were split on an interval of 150 cm and bagged securely on site. The samples were shipped to ALS Chemex in one batch by Russell Transfer, a commercial trucking company, at the end of the drill program.

A standard fire assay was done using a 30-gram sample with an AAS (atomic absorption spectrometry) finish. ALS Chemex also provided multi-element analyses for 34 elements by ICP-AES (inductively coupled plasma-atomic emission spectrometry) after an aqua regia digestion.

A "metallics" gold assay was requested for five runs (110 samples) of split samples bracketing several high and/or erratic gold assays initially reported by ALS. This analytical procedure involves screening up to one kilogram of ground sample at 150 mesh (+106 microns). The +150 mesh and -150 mesh fractions are assayed separately for gold. The entire +150-mesh (coarse) fraction is fire assayed with a gravimetric finish. Two 30-gram sub-samples of the -150-mesh fraction are fire assayed with an AAS finish and the two gold assays are averaged. Results from the two assay fractions are then combined to provide a final assay for the sample reported in parts per million (ppm), based on the entire sample weight.

### **5.4.2 Drill Assay Results**

Collar locations and assay results for the core holes drilled in the QCM Zone in 2004 are presented in Table II below.

Table II

## 2004 Canadian Gold Hunter Diamond Drill Intercepts

Hole No.	Depth (m)	Collar	Az/Angle	Interval (m)	Length (m)	Au (g/t)
QCM 04-001	203.30	1100N/009E	240°/-45°	7.50-13.50	6.00	0.412
and				40.50-75.00	34.50	0.300
and				117.00-124.50	7.50	0.543
QCM 04-002	203.30	1138N/076W	230°/-45°	3.05-63.00	59.95	0.490
and				63.00-64.50	1.50	173.0
and				64.50-114.00	49.50	0.580
and				145.50-181.50	36.00	0.431
QCM 04-003	200.25	703N/068W	243°/-45°	27.00-168.00	141.00	0.783
including				45.00-157.50	112.50	0.859
including				45.00-93.00	48.00	1.050
QCM 04-004	294.74	770N/106W	248°/-45°	30.00-33.00	3.00	0.530
and				57.00-63.00	6.00	0.688
and				127.50-136.50	9.00	0.353
and				264.00-276.00	12.00	0.313
QCM 04-005	294.74	1002N/003W	247°/-45°	75.00-262.50	187.50	0.447
including				75.00-90.00	15.00	0.562
including				222.00-234.00	12.00	2.484

All 2004 drill holes were oriented up slope to the south west, almost opposite to the azimuth of angled holes drilled by Anaconda in 1983. All holes encountered variably altered, veined and pyritic volcanoclastic rocks. All holes carried some low-grade gold; the best gold intersections were in QCM-002, 003 and 005. Visible gold is associated with pyrite and chalcopyrite in quartz veins in QCM-002 (63.00-64.50 m – 173.0 g/t Au) and QCM-005 (232.50-234.00 m – 12.20 g/t Au).

## 6.0 2004 EXPENDITURES

Expenditures for the program carried out between August and October 2004 are listed below.

Geological and Technical Field Support:	\$45,672.00
Casual Labour:	750.00
Line Cutting:	47,741.05
Analytical Costs:	30,369.91
Geophysics:	28,497.00
Diamond Drilling:	106,539.26
Room and Board:	4,284.05
Vehicle Rentals:	2,160.00
Travel, Meals and Hotels (mobilization-demobilization):	4,401.58
Camp and Field Supplies:	1,318.16
Heavy Equipment Contractors:	1,380.00
Shipping:	2,839.27
Report and Maps:	<u>5,000.00</u>
<b>Total:</b>	<b>\$280,952.28</b>

## 7.0 CONCLUSIONS

Low-grade gold on the QCM claims is associated with a large carbonate-sericite-quartz alteration system, the QCM Zone, carrying abundant disseminated pyrite. Chalcopyrite is a minor constituent but appears to be closely associated with gold. Quartz veins and stockworks are common in the zone. High-grade, visible gold occurs in some quartz veins whose strike direction, frequency and extent are not known at present

The limits of the mineralized system have not been constrained by drilling either laterally or at depth. Gold soil geochemistry suggests a target size in the order of 1,400 m by 400 m for the QCM Zone but there are gaps in sampling and overburden cover is suspected to be thick over much of the property. Resistivity and chargeability data over the QCM Zone imply an anomaly roughly consistent with the size of the gold soil anomaly. There are other untested geophysical targets. Ground magnetics suggest the presence of cross structures at right angles to the dominant NW-SE fabric.

## 8.0 RECOMMENDATIONS

The 2004 exploration program on the QCM property was successful in defining a large altered and mineralized body carrying widespread, low-grade gold, whose limits remain to be determined. More work is recommended and should include:

- Extension of the cut grid to the south west to provide survey access to more of the property;
- In-fill ground magnetic and I.P. surveys to tighten up geophysical control;
- In-fill soil geochemistry to establish limits of gold anomalies;
- Diamond drilling (1,500 m) of existing and new geophysical and geochemical anomalies.

The cost of the recommended program is estimated to be in the order of \$240,000.

  
J. B. Christoffersen, P. Eng,  
April 20, 2005

**APPENDIX I**  
**QCM PROJECT**  
**ROCK SAMPLE DESCRIPTIONS**

**QCM PROJECT**  
**MANSON CREEK 2004 Rock Sample Descriptions**

Sample No.	Grid		Sample Type	Width (m)	Rock Type	Description	Au g/t	Cu ppm
	Grid N	Grid E						
RNR-QCM-001 84501	1580	4+80W	GRAB		Wacke	Lt. Green med gd wacke. Ank flakes with dissem Py to 1/2%. Qv'd. Py cubes to cm diameter adjacent to smpl site. Hydro clay altn..	0.005	108
RNR-QCM-002 84502	1590	5+15W	GRAB		Congl	Rubbly 3X10m o/c. Crs conglomerate hillside. Strongly Ankeritic, oxidized. Py cubes to 1/2cm diameter. Poss volcanic conglomerate.	<0.005	126
RNR-QCM-003 84503	1705	1+75W	GRAB		Wacke	Ankeritic fine to med gd grey coloured wacke. Siliceous with 1% Py along Qz veinlet margins. O/c = shattered/orange weathered.	0.038	122
RNR-QCM-004 84504	9+00	1+30W	GRAB		Wacke	Lt green wacke, ankeritic flakes throughout. Subhed to euhedral Py 1%. Weakly clay altered	0.623	140
RNR-QCM-005 84505	11+08	2+00W	GRAB		Wacke	Lt green, ankeritic o/c. 1/2% Py cubes finely dissem. Silicified strongly. Dark red oxidation weathering rims.	0.033	172
RNR-QCM-006 84506	11+65	2+45W	GRAB		Wacke	137/42 o/c. Qvs to 2,3cm widths. Mm diameter Py cubes throughout.	<0.005	89
RNR-QCM-007 84507	18+40	0+10W	GRAB		Wacke	Med to crs gd detrital wackestone. Shale & Qtzte pbls throughout. 1/2% Py	0.035	110
RNR-QCM-008 84508	18+70	5+00W	GRAB		Wacke	1% Py in strongly ankeritic / spotted wacke o/c. Qv'd extensively.	0.028	84
RNR-QCM-009 84509	19+05	6+20E	GRAB		Wacke	Very carbonatized/ankeritic/Mariposite outcrop. Smoky and milky Qvs. 1/2% Py as splashes / anhedral.	<0.005	131
RNR-QCM-010 84510	18+50	7+60E	GRAB		Wacke	245/62 strongly ankeritic/qv'd o/c. 1% Py along qv margins and dissem.. Qvs @ 128/45	0.01	49
RNR-QCM-011 84511	18+00	7+90E	GRAB		Wacke	1/2% Py in strongly ankeritic-Mariposite silicified o/c. Qv'd throughout.	0.012	47
RNR-QCM-012 84512	16+85	7+75E	GRAB		Wacke	Very silic'd / vitreous Qtzite wacke. Lt orange Ankerite resorbed into rock. Qtz stockworked strongly; green/grey. 1/2% Py internal to qvng	<0.005	142
RNR-QCM-013 84513	16+15	0+75E	GRAB		Wacke	Py 1% along microfrax in Ankeritic 'sandy' wacke host. N facing hillside Orange wx rims, ankeritic flakes throughout.	0.084	132
RNR-QCM-014 84514	10+50	1+45W	GRAB		Wacke	Thin & papery sheared & strongly ankeritic subcrop. Spotty ankerite flakes with >1% Py along shear planes and frax	<0.005	166
RNR-QCM-015 84515	10+60	1+45W	GRAB		Wacke	Very siliceous light grey. 1% Py cubes to mm diam. Are euhedral. Calcite veined strongly. Weak to moderate ankerite. Orange / red weathering rims.	<0.005	181
RNR-QCM-016 84516	13+93	3+65E	GRAB		Xtal Tuff	Med green / grey matix with numerous fdsp & ankerite Xtals 186/58 frax: 205/76 foliation. 3X15m. o/c. 1-2% Cpy, 1% Py. Cpy marginal to Ankerite Xtals.	0.006	2390
RNR-QCM-017 84517	11+95	1+75E	GRAB		Wacke	F.gd. Numerous microfrax offset dark grey argillite clasts. Argillite tendrils/lamellae throughout. Py 2% both euhedral/subhedral to 2mm. Pink to lt green coloured wacke; dk grey argillite wisps.	<0.005	220
RNR-QCM-018 84518	11+96	3+20E	GRAB		Xtal Tuff	1/2% Cpy; andesitic Xtal tuff. Medium grey/green. Carbonatized and ankeritic. Strongly fractured. spotted with Ankerite flakes.	0.017	3270
RNR-QCM-019 84519	9+95	0+95E	GRAB		Wacke	Very siliceous fine grained wacke. Microcrystalline bands = cherty horizons. 2% Py concentrated in cherty banding. Py = euhedral; to 2mm diameter.	0.264	156
RNR-QCM-020 84520						LOST SAMPLE		
RNC-QCM-021 84521	8+24	2+15W	CHIP	1.0	Wacke	168/68° Frc/faulted. Chip @ 190°. 1/2-1% Py as cubes to 0.3cm. Fn gd ankeritic/calcareous wacke with argillitic wisps and 0.5 cm horizons. 118/subvert beds. Med grey.	<0.005	85
RNC-QCM-022 84522	8+24	2+16W	CHIP	1.0	Wacke	1/2%Py cubes disseminated. Shaley clvg - interbedded argillite/ fn gd wacke. Medium grey colour. bedding.	<0.005	113
RNC-QCM-023 84523	8+24	2+17W	CHIP	1.0	Wacke	As above	<0.005	97

Sample No.	Grid N	Grid E	Sample Type	Width (m)	Rock Type	Description	Au	Cu
							g/t	ppm
RNC-QCM-024 84524	8+24	2+18W	CHIP	1.5	Wacke	138/subvertical faulted. White Qvng at right angles to faulting/foiation.. Argillitic interbeds.	<0.005	76
RNC-QCM-025 84525	15+80	4+70W	CHIP	1.0	Wacke	Fn-med gd wacke. Ankerite flecks parallel bdg. Smpl @ 220°. 1% Py as 0.3cm cubes disseminated. Strong Qvng in lt green hydrothermal clay-altered host.	0.01	129
RNC-QCM-026 84526	15+80	4+70W	CHIP	1.0	Wacke	Immediately grid South of above smpl. Moderately clay altered alteration. Tr Py disseminated. Qv'd weakly. Sheared & moderately ankeritic.	0.021	110
RNC-QCM-027 84527	15+90	5+15W	CHIP	1.0	Wacke	180° chip. Fn gd, clay altered wacke. <cm white Qvng. Strongly ankeritic. Mm Py cubes disseminated marginal to Qvng.	<0.005	110
RNC-QCM-028 84528	15+89	5+15W	CHIP	1.0	Wacke	Extension south of above smpl. 1% mm diameter Py cubes disseminated. Orange ankerite staining. 137/84° bedding. 148° faulted.	0.016	89
RNC-QCM-029 84529	14+80	4+50W	CHIP	1.0	Wacke	205° chip across o/c. Fn gd wacke/5cm argillite interbeds. 1/2% fn Py cubes disseminated Ankeritic. Psammo-pelitic appearance to massive rounded o/c	<0.005	93
RNC-QCM-030 84530	13+99	4+50W	CHIP	1.2	Wacke	As above, sheared and strongly fractured. Quartz veined. Extension of above smpl.	0.008	56
RNC-QCM-031 84531	14+90	4+30W	CHIP	1.3	Wacke	Qv'd, very ankeritic o/c. 1-2% euhedral Py cubes adjacent to qtz veining. Ankerite flakes throughout. Shattered, fractured appearance.	<0.005	80
RNC-QCM-032 84532	13+03	2+95W	CHIP	1.3	Wacke	Faulted o/c. Shattered/brecciated appearance. 1/2% fine Py cubes disseminated. Strongly ankeritized and car'd. 'Dry' rock @ base of cliff.	0.007	87
RNC-QCM-033 84533	13+93	3+65E	CHIP	1.5	Wacke	Chip across o/c. Siliceous fine grained wacke. Lt green/grey matrix. Dark grey argillitic banding and pebbles disseminated. Tr-1/2% Py, possible Cpy flecks	<0.005	369
RNC-QCM-034 84534	13+91	3+63E	CHIP	1.5	Wacke	Sheared strongly ankeritic cliff face. 1/2% disseminated Py cubes. Mod light green hydro clay alteration within matrix. Strong ankerite xtals disseminated thickly.	<0.005	165
RNC-QCM-035 84535	11+43	1+73E	CHIP	1.5	Wacke	Ankerite crystal flecks throughout wacke with disseminated 1/2% Py cubes.	<0.005	77
RNC-QCM-036 84536	11+44	1+73E	CHIP	1.5	Wacke	Extension to above smpl to north. 2-3% Py in med-crs grained wacke. Very ankeritic/calcareous Argillite pebbles and wisps define bedding.	0.032	72
RNC-QCM-037 84537	11+45	1+73E	CHIP	1.5	Wacke	North extension of 035,036. 1% Py in siliceous, very hard ankeritic fine grained wacke host. Qtz veined cliff face.	<0.005	78
RNR-QCM-038 84538	6173688	399194	GRAB		Wacke	O/c adjacent to shale contact. 2% Py. Ankerite flakes throughout recrystallized siliceous rock. 112/72 shear. Lt green hydrothermal clay altered matrix	0.039	23
RNC-QCM-039 84539	18+00	7+93E	CHIP	1.0	Wacke	Highly altered Qtz-calcite-mariposite wacke contact with Ultramafic dyke contact. 1-2% Py disseminated as <mm cubes. Qv'd extensively. Very ankeritic rock. North Zone	<0.005	131
RNC-QCM-040 84540	18+98	6+65E	CHIP	1.2	Wacke	Very siliceous and ankeritic with mariposite segregations. 1% Py, med grained, Qtz veined rock. North Zone	0.052	108
RNC-QCM-041 84541	18+94	6+65E	CHIP	1.1	Wacke	1/2% Py disseminated in light green clay-altered Qtz-mariposite-calcite wacke. Fault zone, soft & crumbly & qtz veined. North Zone	0.026	118
RNC-QCM-042 84542	18+98	6+29E	CHIP	1.0	Wacke	Ankerite flakes/crystals throughout siliceous QCM.o/c. 1-2% Py microcubes disseminated North Zone	0.041	162
RNC-QCM-043 84543	18+98	6+28E	CHIP	1.0	Wacke	Extension of 042 smpl. Vertical cliff face. Dk grey argillite wisps within med gd. QCM. North Zone	0.144	117
RNC-QCM-044 84544	11+25	1+00W	CHIP	0.8	Wacke	Dry' f.gd wacke. 1/2% Py dissem as fine cubelets. Very ankeritic above main zone. Light green hydro clay alteration within matrix. Strong ankerite xtals disseminated thickly.	0.033	118
RNC-QCM-045 84545	11+10N	1+00W	CHIP	1.0	Wacke	N. extension of 044. Semi vertical cliff face. Powdery and fractured fine grained o/c. light green hydro clay alteration. 1/2% Py very disseminated	0.011	153
RNC-QCM-046 84546	11+10N	1+49W	CHIP	1.0	Wacke	154/62° sheared vertical cliff face. 1% Py as <mm cubes. Strongly ankeritic med gd wacke. Beds defined by dark grey siliceous argillite pebbles and wisps	<0.005	159
RNC-QCM-047 84547	11+10N	1+45W	CHIP	1.0	Wacke	136/42° sheared vertical cliff face 4m grid south of smpl 046 on same topo level. 2-3% fn Py cubes. Weakly qv'd. Yellow oxide wx. Argillite pebbles within wacke host defines beds.	0.445	107
RNC-QCM-048 84548	11+10N	1+44W	CHIP	1.0	Wacke	As above, grid south extension of above smpl. 4- 5% Py fine to 0.3mm Xtals. Qtz stockwork veins to 2 cm widths throughout rock. Med gd wacke supports argillite pebbles / wisps. Siliceous.	0.631	129

Sample No.	Grid N	Grid E	Sample Type	Width (m)	Rock Type	Description	Au	Cu
							g/t	ppm
YTR-QCM-001 84549	6173668	399067	GRAB		Wacke	North Zone off grid to NW. o/c = Quartz veined Ankerite-mariposite-wacke shear. 1% Py along qvs	0.103	5
YTR-QCM-002 84550	6173698	399049	GRAB		Wacke	North Zone off grid to NW. o/c = Quartz veined Ankerite-mariposite-wacke shear. 1% Py along qvs	0.113	12
YTR-QCM-003 84551	6173706	399040	GRAB		Wacke	North Zone off grid to NW. o/c = Quartz veined Ankerite-mariposite-wacke shear. 1% Py along qvs Ankerite flakes copiously	0.071	8
YTR-QCM-004 84552	6173919	399735	GRAB		Wacke	North Zone off grid to NW. o/c = Quartz veined Ankerite-mariposite-wacke shear. 1% Py along qvs Ankerite flakes throughout. Phyllitic appearance. Site = old flume	<0.005	77
YTR-QCM-005 84553	6173918	399738	GRAB		Wacke	As above	<0.005	27
YTR-QCM-006 84554	6173924	399703	CHIP	1.0	Wacke	1-2% Py from wallrock of flume = outcrop. Ankeritic Qtz-mariposite zone rock. Ankerite crystals dissem.	<0.005	285
RNC-QCM-049 84555	6173682	399022	CHIP	1.5	Wacke	Strongly sheared @ 100/54°. Overprints o/c mariposite rich altered WACKE.. 1/2% Py disseminated as micro cubes. Hydro clay altered light green matrix. Qv'd contact zone with shale.	0.012	100
RNC-QCM-050 84556	6173683	399023	CHIP	1.5	Wacke	As above. 1% Py marginal to cm width Qvng at right angles to bedding/shear.	<0.005	116
RNC-QCM-051 84557	6173718	399029	CHIP	1.2	Wacke	120/77° shear pervasively. 1-2% local Py marginal to heavy Qtz stockwork veining.. Very dolomitic o/c with euhedral 0.3cm diameter Py cubes.	0.044	88
RNC-QCM-052 84558	6173719	399030	CHIP	1.3	Wacke	Tetrahedite clusters marginal to Qtz vein stockwork in ankeritic orange o/c. Disseminated Py cubes within matrix. Sandy appearing WACKE.	0.038	175



**APPENDIX II**  
**QCM PROJECT**  
**SOIL AND ROCK ANALYTICAL RESULTS**  
**(ALS CHEMEX LABORATORY)**



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 1

Finalized Date: 14-SEP-2004

Account: MYA

## CERTIFICATE VA04058273

Project: QCM

P.O. No.:

This report is for 15 Rock samples submitted to our lab in Vancouver, BC, Canada on 30-AUG-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: CANADIAN GOLD HUNTER CORP

ATTN: RICK J. BAILES

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 14-SEP-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04058273**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
84501		10	<1	0.22	<10	1.94	1075	<1	0.04	13	1520	8	0.22	<2	7	219
84502		<10	<1	0.26	10	1.32	1015	<1	0.03	13	1430	6	0.42	<2	7	108
84503		<10	<1	0.29	<10	0.62	938	<1	0.05	11	760	<2	0.21	<2	6	138
84504		<10	<1	0.30	<10	1.42	1355	<1	0.04	12	1510	2	2.17	<2	9	322
84505		<10	<1	0.19	10	1.42	1210	<1	0.05	11	1580	<2	0.17	<2	9	244
84506		<10	<1	0.22	<10	1.00	1405	<1	0.05	15	930	14	0.18	<2	10	111
84507		<10	<1	0.28	<10	1.18	1110	<1	0.03	13	880	<2	0.12	<2	6	241
84508		<10	1	0.20	10	1.25	1185	<1	0.05	12	1240	2	0.01	<2	8	208
84509		<10	<1	0.23	<10	0.99	843	<1	0.03	21	700	2	0.10	<2	8	198
84510		<10	<1	0.11	<10	3.18	929	<1	0.05	57	440	3	0.35	<2	21	385
84511		<10	<1	0.09	10	1.17	962	<1	0.14	15	1340	3	0.01	<2	11	179
84512		<10	<1	0.05	10	1.88	888	<1	0.12	15	1120	2	<0.01	<2	14	118
84513		<10	1	0.30	10	0.55	1030	<1	0.03	17	990	<2	0.24	<2	7	85
84514		<10	<1	0.13	<10	0.89	1245	1	0.07	15	1650	3	0.34	<2	12	92
84515		<10	<1	0.23	<10	1.12	1130	1	0.06	14	1920	3	0.42	<2	9	139



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 14-SEP-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04058273**

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	TI	TI	U	V	W	Zn
Units		%	ppm	ppm	ppm	ppm	ppm
LOR		0.01	10	10	1	10	2
84501		0.01	<10	<10	63	<10	92
84502		<0.01	<10	<10	45	<10	93
84503		<0.01	<10	<10	16	<10	49
84504		<0.01	<10	<10	23	<10	61
84505		<0.01	<10	<10	55	<10	83
84506		<0.01	<10	<10	34	<10	48
84507		<0.01	<10	<10	16	<10	40
84508		<0.01	<10	<10	20	<10	112
84509		<0.01	<10	<10	18	<10	62
84510		<0.01	<10	<10	18	<10	44
84511		<0.01	<10	<10	39	<10	75
84512		<0.01	<10	<10	67	<10	72
84513		<0.01	<10	<10	26	<10	63
84514		<0.01	<10	<10	27	<10	90
84515		<0.01	<10	<10	24	<10	69



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 1  
Finalized Date: 24-SEP-2004  
Account: MYA

## CERTIFICATE VA04062877

Project: QCM

P.O. No.:

This report is for 42 Rock samples submitted to our lab in Vancouver, BC, Canada on 16-SEP-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: CANADIAN GOLD HUNTER CORP  
ATTN: RICK J. BAILES  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 2 - A  
 Total # Pages: 3 (A - C)  
 Finalized Date: 24-SEP-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04062877**

Sample Description	Method	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Recvd Wt. kg 0.02	Au ppm 0.005	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Ca % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
B084516		0.82	0.006	4.0	2.95	28	<10	40	<0.5	<2	1.48	<0.5	27	36	2390	5.55
B084517		0.66	<0.005	0.2	1.52	26	<10	80	<0.5	<2	5.55	<0.5	22	18	220	4.65
B084518		0.96	0.017	6.5	0.99	35	<10	40	<0.5	<2	3.58	<0.5	24	21	3270	5.13
B084519		1.02	0.264	0.5	0.35	29	<10	60	<0.5	<2	4.14	<0.5	20	12	156	5.07
B084521		0.88	<0.005	<0.2	1.49	39	<10	90	<0.5	<2	3.73	<0.5	19	13	85	5.49
B084522		1.16	<0.005	0.2	1.29	40	<10	70	<0.5	<2	2.82	<0.5	21	16	113	5.63
B084523		1.26	<0.005	<0.2	2.22	48	<10	60	<0.5	<2	2.56	<0.5	27	32	97	6.35
B084524		1.04	<0.005	<0.2	1.57	36	<10	60	<0.5	<2	3.99	<0.5	23	29	76	5.36
B084525		1.06	0.010	0.2	1.38	41	<10	50	<0.5	<2	3.49	<0.5	22	17	129	5.73
B084526		1.14	0.021	0.2	2.06	35	<10	50	<0.5	<2	2.48	<0.5	23	16	110	5.54
B084527		1.18	<0.005	<0.2	1.61	28	<10	40	<0.5	<2	3.09	<0.5	20	24	110	5.39
B084528		1.02	0.016	0.2	1.64	30	<10	50	<0.5	<2	3.53	<0.5	20	23	89	5.32
B084529		1.30	<0.005	<0.2	3.85	15	<10	40	<0.5	<2	1.36	<0.5	29	34	93	6.81
B084530		1.64	0.008	<0.2	2.43	14	<10	60	<0.5	<2	2.15	<0.5	20	31	56	5.63
B084531		2.06	<0.005	<0.2	0.94	29	<10	50	<0.5	<2	3.29	<0.5	24	20	80	5.64
B084532		1.58	0.007	<0.2	2.49	25	<10	70	<0.5	<2	2.91	<0.5	23	28	87	5.93
B084533		1.34	<0.005	0.6	3.65	21	<10	70	<0.5	<2	0.44	<0.5	23	48	369	6.30
B084534		1.68	<0.005	0.2	2.39	31	<10	50	<0.5	<2	2.04	<0.5	23	72	165	5.72
B084535		1.14	<0.005	0.2	0.34	58	<10	60	<0.5	<2	1.72	<0.5	22	13	77	5.85
B084536		1.04	0.032	0.3	0.25	70	<10	60	<0.5	<2	3.86	<0.5	28	24	72	5.54
B084537		0.92	<0.005	0.3	0.31	66	<10	70	<0.5	<2	2.20	<0.5	20	20	78	5.80
B084538		1.04	0.039	0.2	0.17	8	<10	10	<0.5	<2	6.42	<0.5	22	47	23	4.00
B084539		1.28	<0.005	<0.2	0.98	5	<10	10	<0.5	<2	8.42	<0.5	22	11	131	5.34
B084540		1.48	0.052	0.2	0.26	6	<10	50	<0.5	<2	5.56	<0.5	18	18	108	4.72
B084541		1.32	0.026	0.2	0.29	5	<10	40	<0.5	<2	5.18	<0.5	20	7	118	5.25
B084542		1.16	0.041	0.4	0.29	32	<10	30	<0.5	<2	9.22	<0.5	18	19	162	4.81
B084543		1.32	0.144	0.3	0.32	19	<10	60	<0.5	<2	8.24	<0.5	24	15	117	5.31
B084544		0.78	0.033	<0.2	0.35	33	<10	80	<0.5	<2	0.81	<0.5	24	10	118	6.10
B084545		0.66	0.011	<0.2	0.34	37	<10	90	<0.5	<2	1.44	<0.5	25	8	153	6.26
B084546		1.54	<0.005	0.3	0.37	41	<10	70	<0.5	<2	4.02	<0.5	23	9	159	5.98
B084547		1.50	0.445	0.4	0.37	27	<10	80	<0.5	<2	4.72	<0.5	23	10	107	5.73
B084548		1.08	0.631	0.4	0.35	25	<10	60	<0.5	<2	4.12	<0.5	20	24	129	5.34
B084549		1.50	0.103	0.2	0.15	7	<10	10	<0.5	<2	8.22	<0.5	25	44	5	4.56
B084550		1.10	0.113	0.2	0.15	5	<10	10	<0.5	<2	7.23	<0.5	25	39	12	4.55
B084551		1.60	0.071	0.2	0.24	2	<10	20	<0.5	<2	5.98	<0.5	21	10	8	4.45
B084552		1.48	<0.005	<0.2	1.99	12	<10	10	<0.5	<2	4.38	<0.5	29	68	77	5.97
B084553		1.44	<0.005	<0.2	0.32	63	<10	40	<0.5	<2	3.14	<0.5	39	70	27	5.81
B084554		0.98	<0.005	<0.2	1.74	19	<10	20	<0.5	<2	4.36	<0.5	30	57	285	6.58
B084555		1.28	0.012	0.2	0.68	7	<10	10	<0.5	<2	2.77	<0.5	30	30	100	4.22
B084556		0.94	<0.005	0.2	0.45	10	<10	30	<0.5	<2	1.71	<0.5	26	33	116	5.34



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 2 - B

Total # Pages: 3 (A - C)

Finalized Date: 24-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04062877

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	
B084516		10	<1	0.08	<10	3.22	1185	2	0.02	27	580	22	0.10	2	10	82
B084517		<10	<1	0.19	<10	0.98	1095	4	0.02	18	730	10	0.31	<2	7	204
B084518		<10	<1	0.11	<10	2.62	1430	1	0.03	18	680	3	0.11	<2	11	251
B084519		<10	<1	0.21	10	1.32	1100	1	0.03	10	1970	3	0.30	<2	6	202
B084521		<10	<1	0.24	<10	0.87	969	1	0.02	12	1110	2	0.13	<2	9	171
B084522		<10	<1	0.18	10	0.79	932	<1	0.02	16	980	5	0.08	<2	9	129
B084523		10	<1	0.14	10	1.70	1130	1	0.02	22	940	3	0.07	<2	11	143
B084524		<10	1	0.17	10	1.70	1085	1	0.02	18	820	5	0.02	<2	9	264
B084525		<10	<1	0.19	10	1.58	1030	1	0.01	10	1450	5	0.31	<2	7	248
B084526		<10	1	0.19	10	1.58	1005	<1	0.01	12	1260	4	0.15	<2	7	145
B084527		<10	<1	0.12	10	1.76	1095	1	0.02	12	1130	5	0.34	2	8	201
B084528		<10	<1	0.14	<10	1.96	1020	1	0.02	12	1070	6	0.45	<2	8	246
B084529		10	<1	0.10	10	2.91	1140	<1	0.01	20	930	4	0.07	<2	9	87
B084530		<10	1	0.16	10	2.05	1280	<1	0.02	14	850	2	0.24	<2	8	166
B084531		<10	<1	0.12	10	1.29	1325	1	0.02	15	960	3	0.05	<2	8	251
B084532		10	<1	0.13	10	1.44	1170	1	0.03	18	1100	2	0.08	<2	10	107
B084533		10	<1	0.08	<10	3.51	880	1	0.01	33	740	12	0.02	<2	11	40
B084534		10	1	0.09	<10	2.90	1005	1	0.03	39	650	<2	0.02	<2	15	108
B084535		<10	<1	0.18	10	0.98	1210	1	0.02	29	1080	<2	0.04	<2	9	97
B084536		<10	<1	0.14	<10	1.61	1410	1	0.03	45	670	<2	1.64	<2	11	331
B084537		<10	<1	0.18	<10	0.96	1260	1	0.03	33	860	2	0.41	2	10	156
B084538		<10	1	0.09	<10	3.54	1315	1	0.03	60	530	4	2.21	<2	13	447
B084539		<10	1	0.08	10	0.97	1075	1	0.08	15	1140	4	0.08	<2	12	147
B084540		<10	<1	0.17	<10	1.74	851	1	0.02	13	1000	3	0.24	<2	9	317
B084541		<10	<1	0.16	10	1.68	870	<1	0.02	12	1090	2	0.06	<2	10	223
B084542		<10	1	0.18	<10	1.02	982	1	0.02	23	1170	3	0.14	2	9	200
B084543		<10	<1	0.19	<10	0.92	908	1	0.02	27	1430	3	0.42	<2	12	215
B084544		<10	<1	0.19	10	0.26	1465	1	0.01	9	1790	3	0.01	<2	6	46
B084545		<10	<1	0.19	10	0.45	1725	1	0.01	10	1590	3	0.01	<2	7	82
B084546		<10	<1	0.20	10	0.83	1480	1	0.02	9	1880	3	0.03	<2	8	188
B084547		<10	<1	0.24	<10	1.27	1460	1	0.02	10	1590	4	2.05	<2	7	303
B084548		<10	<1	0.19	<10	0.96	1315	1	0.03	11	1740	3	1.18	<2	9	213
B084549		<10	<1	0.08	<10	4.44	1395	<1	0.02	59	160	4	1.62	<2	19	997
B084550		<10	<1	0.07	<10	3.81	1290	<1	0.03	37	640	3	2.11	<2	20	682
B084551		<10	1	0.14	<10	2.83	1040	1	0.03	13	890	5	2.12	<2	13	489
B084552		<10	<1	0.05	10	2.40	1090	1	0.06	34	1080	3	0.01	<2	21	123
B084553		<10	<1	0.17	<10	5.34	1435	<1	0.02	198	470	<2	0.01	<2	23	159
B084554		<10	<1	0.09	10	1.52	1185	1	0.05	35	1140	<2	0.03	<2	19	80
B084555		<10	<1	0.08	10	2.75	704	<1	0.03	30	860	2	0.30	<2	12	201
B084556		<10	1	0.14	10	2.94	886	1	0.02	31	800	10	0.01	<2	11	107



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 2 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 24-SEP-2004  
 Account: MYA

Project: QCM

<b>CERTIFICATE OF ANALYSIS VA04062877</b>
---

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	TI	TI	U	V	W	Zn
	Units LOR	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B084516		<0.01	<10	<10	108	<10	67
B084517		0.01	<10	<10	49	<10	65
B084518		<0.01	<10	<10	48	<10	63
B084519		<0.01	<10	<10	14	<10	72
B084521		<0.01	<10	<10	44	<10	80
B084522		<0.01	<10	<10	51	<10	82
B084523		<0.01	<10	<10	87	<10	99
B084524		<0.01	<10	<10	55	<10	74
B084525		<0.01	<10	<10	41	<10	86
B084526		<0.01	<10	<10	58	<10	81
B084527		<0.01	<10	<10	56	<10	77
B084528		<0.01	<10	<10	53	<10	82
B084529		0.01	<10	<10	142	<10	97
B084530		0.01	<10	<10	80	<10	76
B084531		<0.01	<10	<10	70	<10	83
B084532		0.01	<10	<10	90	<10	101
B084533		<0.01	<10	<10	136	<10	78
B084534		<0.01	<10	<10	126	<10	67
B084535		<0.01	<10	<10	12	<10	78
B084536		<0.01	<10	<10	12	<10	57
B084537		<0.01	<10	<10	13	<10	70
B084538		<0.01	<10	<10	19	<10	49
B084539		<0.01	<10	<10	40	<10	79
B084540		<0.01	<10	<10	12	<10	60
B084541		<0.01	<10	<10	13	<10	68
B084542		<0.01	<10	<10	11	<10	86
B084543		<0.01	<10	<10	13	<10	86
B084544		<0.01	<10	<10	10	<10	78
B084545		<0.01	<10	<10	10	<10	82
B084546		<0.01	<10	<10	13	<10	87
B084547		<0.01	<10	<10	14	<10	59
B084548		<0.01	<10	<10	14	<10	61
B084549		<0.01	<10	<10	20	<10	57
B084550		<0.01	<10	<10	17	<10	48
B084551		<0.01	<10	<10	21	<10	42
B084552		<0.01	<10	<10	128	<10	90
B084553		<0.01	<10	<10	16	<10	86
B084554		<0.01	<10	<10	93	<10	91
B084555		<0.01	<10	<10	34	<10	63
B084556		<0.01	<10	<10	20	<10	102





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2G1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 3 - A

Total # Pages: 3 (A - C)

Finalized Date: 24-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04062877

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
B084557		0.98	0.044	0.3	0.25	4	<10	30	<0.5	<2	3.62	<0.5	19	22	88	4.26
B084558		0.94	0.038	0.7	0.26	<2	<10	20	<0.5	<2	3.25	<0.5	24	28	175	4.78



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 3 - B  
 Total # Pages: 3 (A - C)  
 Finalized Date: 24-SEP-2004  
 Account: MYA

Project: QCM

<b>CERTIFICATE OF ANALYSIS VA04062877</b>
---

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	
B084557		<10	<1	0.13	<10	2.67	956	1	0.03	19	990	17	0.40	2	11	255
B084558		<10	<1	0.13	<10	2.99	958	<1	0.03	37	710	4	0.68	3	14	258



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 3 - C

Total # Pages: 3 (A - C)

Finalized Date: 24-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04062877

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
B084557		<0.01	<10	<10	15	<10	81
B084558		<0.01	<10	<10	15	<10	65



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 1

Finalized Date: 24-SEP-2004

Account: MYA

## CERTIFICATE VA04063256

Project: QCM

P.O. No.:

This report is for 152 Soil samples submitted to our lab in Vancouver, BC, Canada on 14-SEP-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: CANADIAN GOLD HUNTER CORP

ATTN: RICK J. BAILES

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 24-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063256

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
000 000N		0.28	0.021	<0.2	1.43	23	<10	80	<0.5	<2	0.56	<0.5	11	28	35	4.49
000 025N		0.20	0.037	<0.2	1.60	18	<10	120	<0.5	<2	0.73	<0.5	15	28	60	4.60
000 050N		0.24	0.034	<0.2	1.82	11	<10	90	<0.5	<2	0.47	<0.5	14	34	26	4.17
000 075N		0.24	0.192	<0.2	1.84	20	<10	120	<0.5	<2	0.59	<0.5	18	32	27	4.89
000 100N		0.22	0.064	0.2	1.68	17	<10	200	<0.5	<2	0.57	<0.5	16	32	52	4.79
000 125N		0.26	0.028	<0.2	1.70	16	<10	100	<0.5	<2	0.42	<0.5	14	33	36	4.42
000 150N		0.20	0.157	0.2	1.75	26	<10	110	<0.5	<2	0.71	<0.5	17	34	37	4.97
000 175N		0.22	0.051	<0.2	1.22	21	<10	60	<0.5	<2	0.37	<0.5	8	22	34	4.35
000 200N		0.16	0.038	0.5	1.44	13	<10	90	<0.5	<2	0.85	<0.5	15	23	35	4.19
000 225N		0.24	0.152	2.3	0.92	31	<10	110	<0.5	<2	0.46	<0.5	11	20	23	4.71
000 250N		0.22	0.196	0.4	1.57	23	<10	60	<0.5	<2	0.28	<0.5	15	30	67	4.75
000 275N		0.22	0.050	0.2	1.38	12	<10	110	<0.5	<2	0.52	<0.5	16	25	23	4.32
000 300N		0.24	0.030	<0.2	0.85	12	<10	60	<0.5	<2	0.47	<0.5	5	21	12	3.53
000 325N		0.16	0.057	0.2	0.97	15	<10	50	<0.5	<2	0.34	<0.5	8	20	35	3.63
000 350N		0.20	0.038	0.3	1.44	9	<10	100	<0.5	<2	2.15	<0.5	9	18	36	3.42
000 450N		0.20	0.048	0.3	1.54	20	<10	90	<0.5	<2	0.50	<0.5	10	20	26	4.07
000 475N		0.24	0.067	0.6	2.47	19	<10	110	0.5	<2	1.26	<0.5	21	42	54	5.10
000 500N		0.22	0.173	<0.2	1.55	48	<10	50	<0.5	<2	0.37	<0.5	21	29	132	5.61
000 525N		0.24	0.097	0.4	1.40	36	<10	100	<0.5	<2	0.48	<0.5	18	28	106	5.20
000 550N		0.20	0.156	0.4	1.70	34	<10	70	<0.5	<2	0.43	<0.5	14	29	82	5.23
000 575N		0.20	0.115	<0.2	1.00	25	<10	100	<0.5	<2	0.26	<0.5	12	23	44	4.76
000 600N		0.18	0.174	0.3	0.90	22	<10	50	<0.5	<2	0.38	0.7	11	22	19	4.94
000 625N		0.22	0.079	<0.2	1.09	24	<10	50	<0.5	<2	0.22	<0.5	9	24	42	4.28
000 650N		0.20	0.096	0.5	1.10	23	<10	30	<0.5	<2	0.22	0.5	9	23	27	4.69
000 675N		0.24	0.111	0.4	1.25	25	<10	50	<0.5	<2	0.23	<0.5	10	27	40	4.86
000 700N		0.20	0.072	0.4	1.30	29	<10	90	<0.5	<2	0.26	<0.5	13	26	42	5.30
000 725N		0.24	0.276	0.2	1.17	27	<10	40	<0.5	<2	0.17	<0.5	11	22	28	5.07
000 750N		0.20	0.183	<0.2	1.51	26	<10	60	<0.5	<2	0.30	<0.5	14	26	30	5.27
000 775N		0.22	0.159	0.2	0.93	12	<10	90	<0.5	<2	0.25	<0.5	6	18	16	3.86
000 800N		0.22	0.103	0.2	1.44	22	<10	80	<0.5	<2	0.55	<0.5	19	33	88	4.62
000 825N		0.20	0.320	0.3	1.52	37	<10	60	<0.5	<2	0.43	<0.5	22	28	63	6.09
000 850N		0.18	0.074	<0.2	1.23	20	<10	60	<0.5	<2	0.23	<0.5	11	25	32	4.64
000 875N		0.18	0.028	0.6	1.67	17	<10	120	<0.5	<2	1.12	0.6	16	28	59	4.87
000 900N		0.20	0.192	<0.2	0.80	14	<10	30	<0.5	<2	0.19	<0.5	5	19	23	4.01
000 925N		0.32	0.236	0.6	1.53	41	<10	70	<0.5	<2	0.52	<0.5	22	30	141	6.05
000 950N		0.26	0.095	0.3	1.54	31	<10	50	<0.5	<2	0.21	<0.5	13	31	46	5.21
000 975N		0.26	0.200	0.3	1.35	31	<10	50	<0.5	<2	0.26	<0.5	12	29	57	5.05
000 1000N		0.28	0.121	0.4	1.76	35	<10	90	<0.5	<2	0.54	<0.5	21	35	90	5.51
000 1025N		0.24	0.139	0.3	1.44	36	<10	80	<0.5	<2	0.58	<0.5	24	30	115	5.59
000 1050N		0.22	0.126	0.3	0.93	23	<10	80	<0.5	<2	0.28	0.5	9	22	51	4.46



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 2 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 24-SEP-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04063256**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
000 000N		<10	1	0.07	10	0.36	385	1	0.01	15	430	7	<0.01	<2	5	32
000 025N		<10	<1	0.06	10	0.41	400	<1	0.01	18	430	5	0.01	<2	7	47
000 050N		10	1	0.04	10	0.38	453	<1	0.01	18	330	6	<0.01	<2	5	27
000 075N		10	<1	0.06	10	0.43	1175	<1	0.01	17	550	8	0.01	<2	5	35
000 100N		<10	1	0.06	10	0.46	2330	<1	0.01	22	570	10	0.01	<2	7	39
000 125N		10	<1	0.04	10	0.51	444	<1	0.01	20	360	8	0.01	<2	5	26
000 150N		10	<1	0.06	10	0.42	880	1	0.01	22	510	8	0.02	<2	6	48
000 175N		<10	<1	0.15	10	0.31	260	<1	0.01	11	420	4	0.01	<2	3	24
000 200N		<10	1	0.06	10	0.37	910	1	0.01	19	510	6	0.03	<2	5	53
000 225N		<10	<1	0.10	10	0.21	983	1	0.01	13	560	9	0.01	2	3	29
000 250N		<10	<1	0.07	10	0.53	370	1	0.01	20	460	5	0.01	<2	5	15
000 275N		<10	<1	0.08	10	0.34	842	<1	0.01	13	540	9	0.01	<2	4	31
000 300N		<10	1	0.07	10	0.21	295	<1	0.01	8	420	5	0.01	<2	2	28
000 325N		<10	1	0.04	10	0.23	321	<1	0.01	9	530	5	0.02	<2	3	19
000 350N		<10	<1	0.03	10	0.32	284	<1	0.01	10	610	7	0.07	<2	4	114
000 450N		<10	<1	0.18	10	0.32	193	<1	0.01	9	420	5	0.02	<2	4	39
000 475N		10	<1	0.08	10	0.98	1165	1	0.02	26	630	7	0.02	2	12	83
000 500N		<10	<1	0.04	10	0.48	352	1	0.01	25	660	7	0.01	<2	7	16
000 525N		<10	<1	0.04	10	0.47	1425	<1	0.01	24	800	5	0.02	<2	8	24
000 550N		10	<1	0.05	10	0.48	376	<1	<0.01	20	630	2	<0.01	<2	6	29
000 575N		<10	1	0.04	10	0.22	627	1	<0.01	13	720	3	<0.01	<2	4	16
000 600N		<10	<1	0.12	<10	0.18	649	1	<0.01	9	820	3	0.01	<2	2	28
000 625N		<10	<1	0.04	10	0.29	264	<1	<0.01	14	480	<2	<0.01	<2	4	14
000 650N		<10	<1	0.04	10	0.25	247	1	<0.01	11	740	3	<0.01	<2	3	13
000 675N		<10	<1	0.04	10	0.37	336	1	<0.01	14	550	2	<0.01	2	4	15
000 700N		<10	<1	0.03	10	0.34	635	1	<0.01	13	670	2	<0.01	<2	5	19
000 725N		<10	<1	0.03	10	0.24	258	1	<0.01	12	530	3	<0.01	<2	3	14
000 750N		10	1	0.06	10	0.41	389	1	<0.01	13	840	4	0.01	2	4	19
000 775N		<10	<1	0.03	10	0.14	228	<1	<0.01	7	400	4	<0.01	<2	3	22
000 800N		<10	<1	0.08	10	0.67	736	1	<0.01	25	870	2	<0.01	2	9	36
000 825N		<10	<1	0.05	10	0.44	841	1	<0.01	18	1120	4	0.02	<2	5	34
000 850N		<10	<1	0.05	10	0.29	272	1	<0.01	13	520	3	<0.01	<2	4	24
000 875N		<10	<1	0.05	10	0.41	824	1	<0.01	18	610	5	0.02	<2	7	115
000 900N		<10	<1	0.04	10	0.14	150	<1	<0.01	8	540	2	<0.01	2	3	15
000 925N		<10	<1	0.06	10	0.67	1005	1	<0.01	27	940	3	<0.01	<2	15	36
000 950N		10	<1	0.04	10	0.36	324	1	<0.01	15	720	3	<0.01	<2	4	15
000 975N		<10	<1	0.06	10	0.39	312	1	<0.01	16	580	2	<0.01	<2	4	19
000 1000N		<10	<1	0.07	10	0.67	769	1	<0.01	25	750	3	0.01	2	11	38
000 1025N		<10	1	0.09	10	0.63	1025	1	<0.01	26	1060	3	0.01	2	10	40
000 1050N		10	<1	0.07	10	0.23	315	1	<0.01	11	700	3	<0.01	<2	3	17



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 24-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063256

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
000 000N		0.05	<10	<10	78	<10	42
000 025N		0.06	<10	<10	77	<10	38
000 050N		0.09	<10	<10	93	<10	67
000 075N		0.09	<10	<10	92	<10	60
000 100N		0.07	<10	<10	81	<10	69
000 125N		0.06	<10	<10	78	<10	50
000 150N		0.05	<10	<10	80	<10	55
000 175N		0.05	<10	<10	75	<10	40
000 200N		0.03	<10	<10	65	<10	48
000 225N		0.05	<10	<10	73	<10	38
000 250N		0.06	<10	<10	68	<10	47
000 275N		0.06	<10	<10	81	<10	50
000 300N		0.07	<10	<10	74	<10	34
000 325N		0.06	<10	<10	69	<10	38
000 350N		0.02	<10	<10	56	<10	55
000 450N		0.04	<10	<10	72	<10	46
000 475N		0.16	<10	<10	96	<10	64
000 500N		0.07	<10	<10	63	<10	60
000 525N		0.07	<10	<10	65	<10	69
000 550N		0.07	<10	<10	77	<10	58
000 575N		0.06	<10	<10	72	<10	55
000 600N		0.05	<10	<10	74	<10	69
000 625N		0.06	<10	<10	64	<10	42
000 650N		0.05	<10	<10	75	<10	66
000 675N		0.07	<10	<10	75	<10	67
000 700N		0.05	<10	<10	79	<10	62
000 725N		0.04	<10	<10	70	<10	79
000 750N		0.04	<10	<10	78	<10	90
000 775N		0.04	<10	<10	77	<10	43
000 800N		0.08	<10	<10	65	<10	62
000 825N		0.05	<10	<10	69	<10	71
000 850N		0.05	<10	<10	75	<10	59
000 875N		0.04	<10	<10	75	<10	47
000 900N		0.04	<10	<10	82	<10	39
000 925N		0.07	<10	<10	65	<10	68
000 950N		0.07	<10	<10	80	<10	61
000 975N		0.07	<10	<10	74	<10	54
000 1000N		0.07	<10	<10	73	<10	70
000 1025N		0.07	<10	<10	66	<10	72
000 1050N		0.05	<10	<10	68	<10	51



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 3 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 24-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063256

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Recvd Wt. kg 0.02	Au ppm 0.005	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Cu % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
000 1075N		0.18	0.106	0.5	1.17	40	<10	50	<0.5	<2	0.29	<0.5	10	25	52	4.76
000 1100N		0.30	0.113	0.4	1.39	29	<10	60	<0.5	<2	6.98	<0.5	25	30	108	4.71
000 1125N		0.20	0.042	0.4	1.38	9	<10	90	<0.5	<2	0.30	0.6	10	24	27	3.75
000 1150N		0.22	0.186	0.3	1.34	21	<10	50	<0.5	<2	0.17	<0.5	7	29	18	4.86
000 1175N		0.26	0.262	0.3	1.12	33	<10	50	<0.5	<2	0.22	<0.5	9	22	58	4.93
000 1200N		0.26	1.575	1.5	0.51	106	<10	70	<0.5	<2	0.08	<0.5	15	9	88	7.87
000 1225N		0.32	0.125	2.4	1.31	172	<10	70	<0.5	<2	0.17	<0.5	22	19	154	8.36
000 1250N		0.24	0.116	0.3	0.84	25	<10	50	<0.5	<2	0.27	<0.5	7	21	30	4.20
000 1275N		0.28	0.262	0.6	1.17	43	<10	100	<0.5	<2	0.30	<0.5	12	24	60	5.18
000 1300N		0.28	0.822	1.2	0.91	140	<10	60	<0.5	<2	0.08	<0.5	24	11	141	10.25
000 1325N		0.22	0.226	1.1	1.13	46	<10	90	<0.5	<2	0.15	<0.5	10	16	32	5.29
000 1350N		0.28	0.114	0.3	1.72	38	<10	90	<0.5	<2	0.30	<0.5	12	33	61	4.84
000 1375N		0.22	0.289	0.4	1.69	38	<10	80	<0.5	<2	0.30	<0.5	15	28	42	5.50
000 1400N		0.24	0.013	0.2	1.61	5	<10	70	<0.5	<2	0.47	<0.5	7	34	16	3.38
200N 900E		0.22	0.021	<0.2	2.35	29	<10	130	<0.5	<2	0.62	<0.5	19	40	173	4.67
200N 925E		0.22	0.017	<0.2	2.05	8	<10	180	<0.5	<2	0.49	0.8	15	30	67	4.50
200N 975E		0.24	0.033	0.8	1.36	11	<10	130	<0.5	<2	0.38	1.1	10	31	46	3.85
200N 1000E		0.20	0.025	0.3	1.28	4	<10	110	<0.5	<2	0.37	0.5	7	27	26	2.79
200N 1025E		0.26	0.012	0.7	0.88	14	<10	60	<0.5	<2	0.35	1.0	8	27	39	3.38
200N 1050E		0.22	0.072	0.4	0.98	17	<10	70	<0.5	<2	0.19	1.1	8	22	24	4.06
200N 1075E		0.28	0.019	0.6	1.16	21	<10	80	<0.5	<2	0.36	1.9	10	28	36	4.42
200N 1100E		0.24	0.110	0.4	1.38	20	<10	100	<0.5	<2	1.27	0.7	16	33	108	4.26
400N 725E		0.38	0.016	0.3	1.24	7	<10	60	<0.5	<2	0.30	<0.5	7	40	27	3.71
400N 750E		0.34	0.010	<0.2	1.29	9	<10	90	<0.5	<2	0.32	<0.5	6	31	27	3.33
400N 775E		0.32	0.015	0.3	1.37	9	<10	80	<0.5	<2	0.47	0.6	7	33	24	3.98
400N 800E		0.40	<0.005	0.2	0.59	19	<10	60	<0.5	<2	0.18	<0.5	5	13	39	2.33
400N 825E		0.36	0.012	0.2	1.19	9	<10	80	<0.5	<2	0.22	0.5	8	22	37	3.26
400N 850E		0.38	0.038	<0.2	1.69	33	<10	70	<0.5	<2	0.21	<0.5	17	30	106	5.79
400N 875E		0.30	0.066	0.2	2.39	19	<10	140	<0.5	<2	0.48	<0.5	18	51	81	5.02
400N 975E		0.32	0.120	0.4	0.96	35	<10	80	<0.5	<2	0.36	2.0	15	21	112	4.27
400N 1000E		0.24	0.150	0.2	1.24	11	<10	60	<0.5	<2	0.26	1.2	8	27	23	3.91
500N 025E		0.28	0.092	0.2	1.16	31	<10	70	<0.5	<2	0.29	<0.5	10	20	70	4.65
500N 075E		0.34	0.119	<0.2	1.89	34	<10	60	<0.5	<2	0.22	<0.5	15	28	99	5.38
500N 100E		0.36	0.057	<0.2	2.08	27	<10	60	<0.5	<2	0.22	<0.5	15	33	78	5.52
500N 750E		0.28	0.041	0.5	1.42	17	<10	70	<0.5	<2	1.16	0.5	11	39	71	3.91
500N 800E		0.30	0.051	0.2	1.42	11	<10	70	<0.5	<2	0.29	<0.5	7	35	28	3.94
500N 825E		0.30	0.043	0.2	1.46	14	<10	90	<0.5	<2	0.27	<0.5	7	31	26	3.75
500N 850E		0.32	0.024	0.6	1.35	16	<10	100	<0.5	<2	1.28	0.5	13	46	74	3.97
500N 875E		0.34	0.102	0.5	1.42	29	<10	60	<0.5	<2	0.20	0.6	11	38	45	5.61
500N 925E		0.36	0.042	1.5	2.05	3	<10	100	<0.5	<2	1.68	<0.5	10	45	48	3.64





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 3 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 24-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063256

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
000 1075N		<10	<1	0.05	10	0.33	285	<1	<0.01	13	750	<2	0.01	<2	3	21
000 1100N		<10	<1	0.09	10	0.89	973	1	0.01	27	1000	3	0.01	<2	11	215
000 1125N		10	<1	0.03	10	0.20	668	<1	<0.01	10	320	5	<0.01	<2	5	35
000 1150N		10	<1	0.07	10	0.20	181	1	<0.01	10	450	2	<0.01	<2	3	15
000 1175N		10	<1	0.04	10	0.31	212	1	<0.01	11	850	<2	<0.01	2	4	14
000 1200N		<10	<1	0.05	10	0.05	564	1	<0.01	11	1420	4	0.03	44	4	10
000 1225N		<10	<1	0.03	10	0.29	674	1	<0.01	18	1150	<2	0.10	30	11	14
000 1250N		<10	1	0.05	10	0.17	162	1	<0.01	10	960	2	0.01	<2	3	18
000 1275N		10	<1	0.06	10	0.29	413	1	<0.01	15	1040	3	<0.01	<2	4	20
000 1300N		<10	<1	0.03	10	0.08	610	1	<0.01	16	1240	4	0.06	4	11	8
000 1325N		<10	<1	0.04	10	0.16	268	<1	<0.01	10	720	2	<0.01	<2	4	13
000 1350N		<10	<1	0.04	10	0.52	338	1	<0.01	17	710	2	<0.01	<2	5	17
000 1375N		10	<1	0.04	10	0.31	357	1	<0.01	14	710	6	<0.01	<2	5	27
000 1400N		10	<1	0.03	10	0.51	220	1	<0.01	15	490	4	<0.01	<2	3	24
200N 900E		10	<1	0.04	10	0.88	1070	1	<0.01	23	540	6	0.01	<2	7	41
200N 925E		10	1	0.04	<10	0.74	681	1	<0.01	15	540	5	<0.01	<2	5	42
200N 975E		<10	<1	0.05	10	0.38	506	3	<0.01	20	390	4	<0.01	<2	4	27
200N 1000E		10	<1	0.12	10	0.27	300	1	<0.01	15	430	4	<0.01	<2	3	25
200N 1025E		<10	<1	0.05	10	0.25	271	4	<0.01	30	740	6	<0.01	2	2	21
200N 1050E		<10	<1	0.05	10	0.21	202	4	<0.01	22	420	8	<0.01	2	2	17
200N 1075E		10	<1	0.04	10	0.26	260	5	<0.01	21	380	8	<0.01	2	3	23
200N 1100E		<10	<1	0.06	10	0.77	784	2	<0.01	33	1020	4	0.02	3	6	59
400N 725E		10	<1	0.04	<10	0.37	223	1	<0.01	19	1000	3	<0.01	2	3	18
400N 750E		<10	<1	0.05	10	0.36	196	1	<0.01	16	870	2	<0.01	2	3	16
400N 775E		10	<1	0.06	10	0.41	190	1	<0.01	16	1020	3	<0.01	<2	3	29
400N 800E		<10	<1	0.06	10	0.14	134	2	<0.01	15	630	3	<0.01	<2	2	13
400N 825E		<10	<1	0.04	10	0.35	279	1	<0.01	15	620	2	<0.01	<2	3	15
400N 850E		10	<1	0.06	<10	0.57	331	2	<0.01	30	900	5	<0.01	3	6	15
400N 875E		10	<1	0.06	10	0.92	710	1	<0.01	29	400	3	<0.01	<2	8	32
400N 975E		<10	<1	0.04	10	0.20	358	9	<0.01	52	480	12	<0.01	3	5	30
400N 1000E		10	<1	0.02	10	0.29	249	2	<0.01	15	400	9	<0.01	<2	3	22
500N 025E		<10	<1	0.05	10	0.28	369	1	<0.01	16	540	4	<0.01	3	4	16
500N 075E		10	1	0.03	10	0.52	242	1	<0.01	20	350	4	<0.01	2	6	12
500N 100E		10	1	0.03	10	0.59	313	1	<0.01	21	630	3	<0.01	<2	5	12
500N 750E		<10	<1	0.04	10	0.63	389	1	<0.01	29	620	3	0.03	<2	6	65
500N 800E		10	1	0.03	10	0.44	191	1	<0.01	17	340	2	<0.01	3	4	17
500N 825E		10	1	0.05	10	0.48	188	1	<0.01	16	470	6	<0.01	2	4	15
500N 850E		<10	<1	0.06	10	0.67	429	1	<0.01	32	590	6	0.03	2	9	66
500N 875E		<10	<1	0.03	<10	0.42	226	1	<0.01	23	610	7	<0.01	2	5	14
500N 925E		<10	<1	0.04	<10	1.02	408	<1	<0.01	21	610	4	0.07	<2	5	124



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 3 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 24-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063256

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
000 1075N		0.06	<10	<10	68	<10	56
000 1100N		0.10	<10	<10	61	<10	75
000 1125N		0.04	<10	<10	88	<10	47
000 1150N		0.07	<10	<10	104	<10	46
000 1175N		0.07	<10	<10	82	<10	46
000 1200N		0.02	<10	<10	33	<10	67
000 1225N		0.03	<10	<10	53	<10	87
000 1250N		0.06	<10	<10	69	<10	40
000 1275N		0.06	<10	<10	74	<10	50
000 1300N		0.01	<10	<10	38	<10	75
000 1325N		0.03	<10	<10	75	<10	44
000 1350N		0.08	<10	<10	92	<10	57
000 1375N		0.07	<10	<10	99	<10	86
000 1400N		0.14	<10	<10	114	<10	48
200N 900E		0.06	<10	<10	104	<10	64
200N 925E		0.08	<10	<10	134	<10	73
200N 975E		0.06	<10	<10	79	<10	77
200N 1000E		0.07	<10	<10	74	<10	51
200N 1025E		0.05	<10	<10	59	<10	90
200N 1050E		0.03	<10	<10	68	<10	68
200N 1075E		0.05	<10	<10	90	<10	74
200N 1100E		0.06	<10	<10	61	<10	65
400N 725E		0.09	<10	<10	87	<10	65
400N 750E		0.09	<10	<10	75	<10	48
400N 775E		0.09	<10	<10	89	<10	61
400N 800E		0.02	<10	<10	33	<10	58
400N 825E		0.04	<10	<10	63	<10	53
400N 850E		0.06	<10	<10	85	<10	73
400N 875E		0.07	<10	<10	100	<10	47
400N 975E		0.02	<10	<10	57	<10	140
400N 1000E		0.04	<10	<10	83	<10	109
500N 025E		0.05	<10	<10	72	<10	44
500N 075E		0.06	<10	<10	78	<10	49
500N 100E		0.08	<10	<10	81	<10	55
500N 750E		0.05	<10	<10	60	<10	48
500N 800E		0.11	<10	<10	106	<10	52
500N 825E		0.07	<10	<10	86	<10	50
500N 850E		0.04	<10	<10	53	<10	60
500N 875E		0.06	<10	<10	106	<10	68
500N 925E		0.05	<10	<10	72	<10	49



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 4 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 24-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063256

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
500N 950E		0.48	0.017	0.3	2.04	16	<10	110	<0.5	<2	0.46	<0.5	16	40	85	4.20
500N 975E		0.36	0.014	<0.2	1.33	11	<10	70	<0.5	<2	0.22	<0.5	7	28	40	3.42
500N 1000E		0.42	0.035	0.3	1.16	15	<10	60	<0.5	<2	0.23	0.5	10	30	28	4.26
500N 025W		0.24	0.091	0.2	1.13	31	<10	80	<0.5	<2	0.33	<0.5	11	24	39	4.94
500N 050W		0.28	0.032	0.3	1.73	12	<10	100	<0.5	<2	0.50	<0.5	15	38	23	4.65
500N 075W		0.42	0.040	0.2	1.49	17	<10	70	<0.5	<2	0.27	<0.5	14	31	37	5.06
500N 100W		0.36	0.043	0.2	0.82	19	<10	60	<0.5	<2	0.36	<0.5	8	23	20	2.96
500N 125W		0.30	0.230	0.3	1.28	21	<10	50	<0.5	<2	0.31	<0.5	12	30	36	4.38
500N 150W		0.38	0.025	0.3	1.69	21	<10	80	<0.5	<2	0.39	<0.5	12	30	48	4.31
500N 175W		0.36	0.089	0.5	1.85	37	<10	70	<0.5	<2	0.48	<0.5	19	42	73	4.98
500N 200W		0.38	0.039	0.2	1.56	21	<10	70	<0.5	<2	0.36	<0.5	12	32	58	4.41
500N 225W		0.34	0.072	0.3	1.39	23	<10	70	<0.5	<2	0.51	<0.5	14	31	22	4.33
500N 250W		0.42	0.019	<0.2	1.63	16	<10	70	<0.5	<2	0.36	<0.5	13	36	52	3.89
500N 275W		0.32	0.030	<0.2	1.57	17	<10	60	<0.5	<2	0.38	<0.5	9	32	37	4.01
500N 300W		0.38	0.105	<0.2	1.73	18	<10	70	<0.5	<2	0.53	<0.5	18	36	58	4.40
600N 700E		0.26	0.016	0.4	1.96	14	<10	120	<0.5	<2	0.74	0.7	14	34	44	4.20
600N 725E		0.34	0.047	0.6	1.65	13	<10	80	<0.5	<2	0.63	0.6	12	51	37	3.84
600N 750E		0.24	0.041	0.3	1.92	13	<10	120	<0.5	<2	0.89	1.0	15	36	43	4.39
600N 775E		0.26	0.009	0.7	2.05	6	<10	120	<0.5	<2	0.73	0.7	13	38	32	4.13
600N 800E		0.36	0.014	0.2	2.40	20	<10	160	<0.5	<2	0.40	<0.5	23	46	42	4.88
600N 825E		0.24	0.070	0.2	2.11	10	<10	140	<0.5	<2	0.51	<0.5	17	57	22	4.62
600N 850E		0.44	0.016	0.2	2.40	15	<10	160	<0.5	<2	0.42	<0.5	16	47	65	4.67
600N 900E		0.28	0.011	0.2	2.15	22	<10	150	<0.5	<2	0.63	<0.5	19	46	79	5.01
600N 925E		0.34	0.029	<0.2	1.44	14	<10	60	<0.5	<2	0.38	<0.5	10	49	39	3.90
600N 1000E		0.28	0.079	0.2	1.49	20	<10	80	<0.5	<2	0.65	<0.5	14	39	58	5.40
800N 025E		0.24	0.099	0.3	1.08	20	<10	70	<0.5	<2	0.33	<0.5	11	24	45	4.35
800N 050E		0.22	0.221	0.4	1.61	29	<10	90	<0.5	<2	0.34	<0.5	20	30	55	5.83
800N 075E		0.22	0.090	0.6	1.42	22	<10	60	<0.5	<2	0.22	<0.5	16	28	42	5.55
800N 100E		0.22	0.448	0.2	1.74	17	<10	90	<0.5	<2	0.31	<0.5	15	30	40	4.82
800N 125E		0.24	0.018	0.2	1.79	9	<10	100	<0.5	<2	0.49	<0.5	11	27	31	3.78
800N 150E		0.22	0.046	<0.2	1.67	27	<10	60	<0.5	<2	0.36	<0.5	13	29	62	5.05
800N 175E		0.22	0.030	<0.2	1.17	9	<10	90	<0.5	<2	0.66	<0.5	7	16	30	2.68
800N 200E		0.28	0.040	0.4	1.07	32	<10	50	<0.5	<2	0.19	<0.5	5	20	22	4.23
800N 025W		0.22	0.075	<0.2	1.11	22	<10	70	<0.5	<2	0.22	<0.5	9	23	57	4.24
800N 050W		0.20	0.240	0.4	1.28	30	<10	50	<0.5	<2	0.17	<0.5	11	26	47	5.30
800N 075W		0.28	0.070	<0.2	1.04	14	<10	50	<0.5	<2	0.23	<0.5	7	23	23	3.84
800N 100W		0.26	0.040	0.5	1.67	20	<10	90	<0.5	<2	0.29	<0.5	14	31	44	4.75
800N 125W		0.20	0.019	0.4	0.74	10	<10	80	<0.5	<2	0.38	0.5	7	19	18	3.75
800N 150W		0.22	0.062	<0.2	1.24	13	<10	60	<0.5	<2	0.24	<0.5	11	22	24	4.56
800N 175W		0.30	0.132	0.3	1.54	17	<10	80	<0.5	<2	0.37	<0.5	15	28	63	4.45



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 4 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 24-SEP-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04063256**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
500N 950E		<10	<1	0.06	10	0.97	479	1	<0.01	25	640	3	<0.01	<2	6	31
500N 975E		10	<1	0.04	10	0.38	189	1	<0.01	14	430	2	<0.01	<2	4	14
500N 1000E		10	1	0.04	10	0.35	268	2	<0.01	17	540	4	<0.01	2	3	18
500N 025W		10	<1	0.04	<10	0.20	359	1	<0.01	13	550	2	0.01	<2	3	25
500N 050W		<10	<1	0.03	10	0.53	902	<1	<0.01	20	520	6	0.01	<2	5	36
500N 075W		10	<1	0.04	10	0.38	484	<1	<0.01	19	840	7	0.01	<2	4	20
500N 100W		<10	<1	0.05	10	0.21	350	1	<0.01	11	540	5	<0.01	<2	2	26
500N 125W		10	<1	0.06	10	0.45	430	1	<0.01	17	950	3	<0.01	<2	4	20
500N 150W		10	<1	0.07	10	0.56	333	1	<0.01	18	680	3	<0.01	<2	5	30
500N 175W		<10	1	0.05	10	0.52	410	1	<0.01	30	450	3	<0.01	<2	6	29
500N 200W		10	<1	0.05	10	0.51	291	1	<0.01	20	450	3	<0.01	2	5	20
500N 225W		<10	1	0.06	10	0.28	682	1	<0.01	18	1450	4	0.01	<2	3	25
500N 250W		<10	<1	0.06	10	0.68	617	1	<0.01	28	800	2	<0.01	2	4	20
500N 275W		10	<1	0.05	10	0.54	254	1	<0.01	17	550	2	<0.01	2	4	23
500N 300W		<10	<1	0.05	10	0.77	718	1	<0.01	23	540	5	0.01	<2	6	32
600N 700E		<10	1	0.03	10	0.65	551	1	<0.01	22	200	6	0.02	<2	7	52
600N 725E		<10	<1	0.04	10	0.77	512	1	<0.01	26	320	3	0.02	2	6	37
600N 750E		10	<1	0.04	10	0.70	951	1	<0.01	23	460	8	0.03	<2	8	62
600N 775E		10	<1	0.04	10	0.71	489	1	<0.01	22	250	7	0.01	<2	6	44
600N 800E		10	<1	0.04	10	0.71	505	1	<0.01	26	440	6	0.01	<2	6	27
600N 825E		10	<1	0.04	10	0.60	475	1	<0.01	24	250	7	0.01	<2	6	33
600N 850E		10	<1	0.04	10	0.84	340	1	<0.01	27	250	2	0.02	<2	7	27
600N 900E		10	<1	0.05	10	0.73	603	1	<0.01	28	500	4	0.03	<2	7	41
600N 925E		10	<1	0.04	10	0.57	246	1	<0.01	21	550	3	0.02	<2	4	20
600N 1000E		10	1	0.06	<10	0.55	475	2	<0.01	23	1080	3	0.03	<2	5	40
800N 025E		<10	<1	0.05	10	0.34	346	1	<0.01	13	610	2	0.01	<2	4	26
800N 050E		10	<1	0.04	10	0.45	687	1	<0.01	16	680	3	0.02	2	8	29
800N 075E		<10	<1	0.04	10	0.42	442	<1	<0.01	13	500	5	0.03	<2	6	23
800N 100E		10	<1	0.03	10	0.51	538	1	<0.01	14	370	3	0.01	2	6	23
800N 125E		10	<1	0.03	10	0.54	270	1	<0.01	15	220	<2	0.02	<2	5	45
800N 150E		10	<1	0.03	10	0.42	323	2	<0.01	20	540	4	0.02	<2	4	29
800N 175E		10	<1	0.02	10	0.26	177	1	<0.01	8	360	2	0.04	2	3	60
800N 200E		10	<1	0.03	10	0.18	184	1	<0.01	10	380	5	0.02	4	3	14
800N 025W		<10	<1	0.05	10	0.31	186	1	<0.01	13	460	4	0.02	<2	4	19
800N 050W		<10	1	0.04	10	0.31	252	1	<0.01	15	750	2	0.03	<2	4	13
800N 075W		10	<1	0.04	10	0.25	225	1	<0.01	10	670	3	0.03	<2	3	14
800N 100W		10	<1	0.04	10	0.44	774	1	<0.01	18	570	2	0.03	<2	5	21
800N 125W		<10	<1	0.10	10	0.20	451	1	<0.01	10	1000	4	0.03	<2	3	21
800N 150W		10	<1	0.05	10	0.29	312	1	<0.01	12	740	4	0.01	<2	4	15
800N 175W		<10	<1	0.08	10	0.57	572	1	<0.01	19	940	3	0.01	<2	5	21



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 4 - C  
 Total # Pages: 5 (A - C)  
 Finalized Date: 24-SEP-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063256

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
500N 950E		0.05	<10	<10	82	<10	64
500N 975E		0.06	<10	<10	80	<10	47
500N 1000E		0.06	<10	<10	86	<10	74
500N 025W		0.06	<10	<10	74	<10	52
500N 050W		0.09	<10	<10	81	<10	86
500N 075W		0.07	<10	<10	73	<10	120
500N 100W		0.06	<10	<10	56	<10	70
500N 125W		0.06	<10	<10	71	<10	78
500N 150W		0.05	<10	<10	76	<10	43
500N 175W		0.08	<10	<10	81	<10	41
500N 200W		0.07	<10	<10	76	<10	44
500N 225W		0.05	<10	<10	73	<10	58
500N 250W		0.10	<10	<10	71	<10	62
500N 275W		0.09	<10	<10	82	<10	44
500N 300W		0.10	<10	<10	81	<10	53
600N 700E		0.05	<10	<10	82	<10	58
600N 725E		0.07	<10	<10	74	<10	56
600N 750E		0.04	<10	<10	73	<10	62
600N 775E		0.05	<10	<10	81	<10	77
600N 800E		0.06	<10	<10	110	<10	90
600N 825E		0.08	<10	<10	92	<10	76
600N 850E		0.05	<10	<10	97	<10	64
600N 900E		0.06	<10	<10	93	<10	67
600N 925E		0.09	<10	<10	85	<10	51
600N 1000E		0.08	<10	<10	92	<10	76
800N 025E		0.05	<10	<10	64	<10	62
800N 050E		0.05	<10	<10	76	<10	60
800N 075E		0.04	<10	<10	69	<10	55
800N 100E		0.06	<10	<10	82	<10	54
800N 125E		0.05	<10	<10	87	<10	39
800N 150E		0.08	<10	<10	89	<10	60
800N 175E		0.04	<10	<10	78	<10	33
800N 200E		0.05	<10	<10	80	<10	48
800N 025W		0.05	<10	<10	74	<10	44
800N 050W		0.06	<10	<10	78	<10	52
800N 075W		0.07	<10	<10	85	<10	52
800N 100W		0.09	<10	<10	88	<10	82
800N 125W		0.05	<10	<10	65	<10	70
800N 150W		0.05	<10	<10	80	<10	65
800N 175W		0.06	<10	<10	69	<10	63



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 5 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 24-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063256

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
800N 200W		0.30	0.119	0.3	1.18	36	<10	70	<0.5	<2	0.33	<0.5	12	20	28	4.18
800N 225W		0.30	0.007	0.5	0.89	35	<10	120	<0.5	<2	1.22	<0.5	23	11	106	6.77
800N 250W		0.28	0.005	1.1	1.56	73	10	180	0.5	<2	2.37	<0.5	34	13	264	6.05
800N 325W		0.30	0.109	0.4	1.73	28	<10	130	<0.5	<2	1.20	0.6	36	19	157	5.49
800N 350W		0.32	0.036	0.3	1.46	25	<10	120	<0.5	<2	0.65	<0.5	18	26	52	4.48
800N 375W		0.32	0.063	0.4	1.63	44	<10	160	<0.5	<2	0.73	0.5	21	21	78	5.42
800N 400W		0.24	0.008	0.5	1.52	88	<10	180	<0.5	<2	0.96	<0.5	38	16	109	6.69
800N 425W		0.16	0.005	0.2	1.02	20	<10	120	<0.5	<2	0.63	<0.5	18	17	38	4.11
800N 450W		0.22	0.136	<0.2	1.21	14	<10	80	<0.5	<2	0.55	<0.5	10	35	13	3.91
800N 475W		0.18	0.010	0.2	1.66	14	<10	90	<0.5	<2	0.92	<0.5	14	31	30	3.96
800N 500W		0.24	0.016	0.3	1.46	19	<10	90	<0.5	<2	0.65	<0.5	15	27	38	4.07
900N 025E		0.14	0.021	0.4	1.85	19	<10	140	<0.5	<2	0.89	1.1	20	30	49	4.91
900N 050E		0.20	0.151	<0.2	1.20	27	<10	40	<0.5	<2	0.26	<0.5	9	21	26	4.23
900N 075E		0.30	0.093	0.3	1.16	34	<10	50	<0.5	<2	0.19	<0.5	9	20	34	5.56
900N 200E		0.20	0.102	0.7	2.10	35	<10	130	0.5	<2	0.54	0.8	21	33	57	5.43
900N 025W		0.24	0.116	<0.2	1.72	39	<10	70	<0.5	<2	0.24	0.5	14	30	63	6.42
900N 050W		0.18	0.063	<0.2	1.28	34	<10	40	<0.5	<2	0.23	0.6	11	28	46	5.47
900N 075W		0.30	0.810	0.5	1.18	60	<10	70	<0.5	<2	0.61	<0.5	26	26	150	7.14
900N 100W		0.20	0.120	0.3	0.80	21	<10	30	<0.5	<2	0.15	<0.5	7	18	29	4.22
900N 125W		0.22	0.170	0.4	1.12	28	<10	100	<0.5	<2	0.25	0.6	16	23	64	6.47
900N 150W		0.22	0.108	0.3	1.22	25	<10	110	<0.5	<2	0.31	<0.5	14	25	33	5.27
900N 175W		0.20	0.048	<0.2	1.07	18	<10	70	<0.5	<2	0.39	<0.5	10	24	87	4.25
900N 200W		0.16	0.011	0.3	1.04	28	<10	110	<0.5	<2	0.34	<0.5	13	13	132	4.57
900N 225W		0.16	0.018	0.4	2.03	49	<10	180	<0.5	<2	0.55	1.1	32	28	112	8.01
900N 250W		0.18	0.019	0.3	1.43	19	<10	90	<0.5	<2	0.46	<0.5	13	28	38	3.85
900N 275W		0.22	0.080	0.2	1.34	35	<10	90	<0.5	<2	0.47	<0.5	20	20	79	4.64
900N 325W		0.24	0.015	<0.2	1.44	7	<10	100	<0.5	<2	0.43	<0.5	12	36	17	3.53
900N 350W		0.26	0.037	0.4	1.58	51	<10	140	0.5	<2	0.64	<0.5	28	29	119	6.69
900N 375W		0.20	0.012	0.3	2.40	66	<10	150	0.6	<2	0.54	0.5	39	24	198	8.83
900N 450W		0.16	0.007	<0.2	1.56	22	<10	90	<0.5	<2	0.50	<0.5	16	29	34	4.47
900N 475W		0.22	0.008	<0.2	1.64	14	<10	60	<0.5	<2	0.42	<0.5	13	48	31	3.87
900N 500W		0.28	0.008	0.4	1.60	21	<10	120	<0.5	<2	0.44	0.5	18	27	107	4.23



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 5 - B

Total # Pages: 5 (A - C)

Finalized Date: 24-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063256

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	
800N 200W		<10	<1	0.09	10	0.33	382	1	<0.01	11	350	4	0.02	<2	3	22
800N 225W		<10	<1	0.14	<10	0.21	1570	1	<0.01	18	1020	6	0.06	<2	8	83
800N 250W		<10	<1	0.12	10	0.70	2730	1	<0.01	13	2120	9	0.12	<2	8	157
800N 325W		<10	<1	0.11	10	0.54	3430	<1	<0.01	18	2250	9	0.07	<2	10	78
800N 350W		<10	<1	0.08	10	0.48	1320	1	<0.01	18	630	4	0.03	2	5	52
800N 375W		<10	<1	0.09	10	0.59	1855	1	<0.01	16	1040	7	0.03	<2	7	56
800N 400W		<10	<1	0.09	<10	0.49	4950	1	<0.01	18	1020	9	0.06	<2	7	85
800N 425W		<10	<1	0.07	10	0.21	1625	<1	<0.01	10	560	6	0.01	<2	4	51
800N 450W		10	<1	0.08	10	0.37	355	1	<0.01	14	280	6	<0.01	<2	3	49
800N 475W		<10	<1	0.06	10	0.64	1410	<1	<0.01	17	340	6	0.01	<2	5	98
800N 500W		<10	<1	0.06	10	0.54	1180	1	<0.01	14	300	5	<0.01	<2	4	62
900N 025E		10	<1	0.05	10	0.48	2110	<1	<0.01	18	460	6	0.01	<2	6	83
900N 050E		10	<1	0.04	10	0.25	203	1	<0.01	10	440	3	<0.01	<2	3	25
900N 075E		10	<1	0.03	10	0.20	240	1	<0.01	12	430	5	<0.01	<2	4	13
900N 200E		10	<1	0.03	10	0.60	617	1	<0.01	24	230	10	<0.01	<2	8	49
900N 025W		10	<1	0.04	10	0.44	378	1	<0.01	19	720	6	<0.01	<2	5	14
900N 050W		<10	<1	0.05	10	0.33	265	1	<0.01	16	840	5	<0.01	<2	4	14
900N 075W		<10	<1	0.05	10	0.52	1105	1	<0.01	25	1100	7	0.01	<2	14	38
900N 100W		10	<1	0.06	10	0.15	178	1	<0.01	10	690	4	<0.01	<2	3	11
900N 125W		<10	<1	0.07	10	0.19	390	1	<0.01	17	3160	5	0.01	<2	5	21
900N 150W		10	1	0.08	10	0.31	373	1	<0.01	15	830	6	<0.01	<2	4	21
900N 175W		<10	<1	0.09	10	0.23	269	1	<0.01	12	580	6	0.01	<2	3	25
900N 200W		<10	<1	0.05	10	0.16	590	1	<0.01	16	470	5	0.02	<2	4	23
900N 225W		10	<1	0.08	10	0.48	4480	1	<0.01	24	1160	8	0.01	<2	12	43
900N 250W		10	1	0.06	10	0.41	435	<1	<0.01	16	580	6	<0.01	<2	4	24
900N 275W		<10	<1	0.10	10	0.39	500	1	<0.01	25	300	5	<0.01	<2	9	26
900N 325W		10	<1	0.05	10	0.34	444	<1	<0.01	20	400	5	<0.01	<2	3	23
900N 350W		<10	1	0.14	10	0.50	1460	1	<0.01	25	680	8	0.02	<2	10	49
900N 375W		<10	<1	0.07	10	0.89	2290	1	<0.01	23	870	19	0.02	<2	14	49
900N 450W		<10	<1	0.08	10	0.51	897	<1	<0.01	18	860	7	0.01	<2	4	34
900N 475W		<10	<1	0.04	10	0.56	537	1	<0.01	25	270	4	<0.01	<2	5	22
900N 500W		10	<1	0.10	10	0.44	1730	1	<0.01	17	600	7	0.02	<2	4	31



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 5 - C

Total # Pages: 5 (A - C)

Finalized Date: 24-SEP-2004

Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04063256**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
800N 200W		0.03	<10	<10	82	<10	37
800N 225W		0.01	<10	<10	58	<10	91
800N 250W		0.01	<10	<10	79	<10	114
800N 325W		0.03	<10	<10	60	<10	140
800N 350W		0.06	<10	<10	69	<10	55
800N 375W		0.04	<10	<10	80	<10	78
800N 400W		0.03	<10	<10	74	<10	70
800N 425W		0.03	<10	<10	71	<10	45
800N 450W		0.07	<10	<10	92	<10	39
800N 475W		0.07	<10	<10	69	<10	49
800N 500W		0.06	<10	<10	80	<10	44
900N 025E		0.04	<10	<10	77	<10	83
900N 050E		0.03	<10	<10	72	<10	83
900N 075E		0.04	<10	<10	83	<10	53
900N 200E		0.06	<10	<10	83	<10	67
900N 025W		0.06	<10	<10	87	<10	71
900N 050W		0.06	<10	<10	78	<10	57
900N 075W		0.06	<10	<10	58	<10	77
900N 100W		0.04	<10	<10	79	<10	47
900N 125W		0.04	<10	<10	72	<10	73
900N 150W		0.04	<10	<10	87	<10	81
900N 175W		0.04	<10	<10	78	<10	48
900N 200W		0.02	<10	<10	53	<10	47
900N 225W		0.03	<10	<10	112	<10	180
900N 250W		0.06	<10	<10	79	<10	56
900N 275W		0.03	<10	<10	51	<10	50
900N 325W		0.10	<10	<10	81	<10	65
900N 350W		0.03	<10	<10	82	<10	81
900N 375W		0.02	<10	<10	108	<10	135
900N 450W		0.08	<10	<10	71	<10	79
900N 475W		0.12	<10	<10	93	<10	39
900N 500W		0.06	<10	<10	84	<10	59





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 1  
Finalized Date: 27-SEP-2004  
Account: MYA

## CERTIFICATE VA04063257

Project: QCM

P.O. No.:

This report is for 202 Soil samples submitted to our lab in Vancouver, BC, Canada on 14-SEP-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: CANADIAN GOLD HUNTER CORP  
ATTN: RICK J. BAILES  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - A  
Total # Pages: 7 (A - C)  
Finalized Date: 27-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
1000N 025E		0.22	0.458		0.2	1.51	40	<10	70	<0.5	<2	0.28	<0.5	12	27	69
1000N 050E		0.14	0.162		<0.2	0.82	40	<10	50	<0.5	<2	0.20	<0.5	8	16	36
1000N 75E		0.22	0.241		1.1	1.32	52	<10	70	<0.5	<2	0.79	<0.5	19	28	68
1000N 125E		0.14	0.027		<0.2	1.24	26	<10	70	<0.5	<2	0.45	<0.5	7	20	17
1000N 150E		0.22	0.037		0.2	1.66	21	<10	70	<0.5	<2	0.30	<0.5	10	23	20
1000N 175E		0.32	0.037		0.3	0.88	30	<10	50	<0.5	<2	0.18	<0.5	7	17	32
1000N 025W		0.24	0.088		0.2	1.54	21	<10	80	<0.5	<2	0.28	<0.5	16	26	42
1000N 050W		0.30	0.306		0.5	1.54	37	<10	100	<0.5	<2	0.29	<0.5	17	27	71
1000N 075W		0.34	0.150		<0.2	1.22	34	<10	70	<0.5	<2	0.22	<0.5	11	23	24
1000N 100W		0.32	0.088		<0.2	1.40	26	<10	60	<0.5	<2	0.28	<0.5	11	26	53
1000N 125W		0.36	0.039		<0.2	1.34	24	<10	70	<0.5	<2	0.21	<0.5	9	25	31
1000N 150W		0.44	0.126		0.2	1.52	31	<10	90	<0.5	<2	0.24	<0.5	12	26	54
1000N 175W		0.44	0.043		<0.2	1.03	18	<10	70	<0.5	<2	0.23	<0.5	6	20	19
1000N 200W		0.26	0.090		0.2	1.13	18	<10	60	<0.5	<2	0.29	<0.5	7	20	14
1000N 225W		0.32	0.020		<0.2	1.12	13	<10	50	<0.5	<2	0.32	<0.5	8	24	15
1000N 250W		0.18	0.030		0.7	2.99	8	<10	150	0.7	<2	0.91	<0.5	22	39	81
1000N 275W		0.32	0.027		<0.2	2.48	50	<10	170	0.6	<2	0.65	<0.5	30	28	105
1100N 025E		0.28	0.115		0.6	1.66	32	<10	70	<0.5	<2	1.16	<0.5	21	28	95
1100N 050E		0.22	0.189		0.3	1.66	43	<10	50	<0.5	<2	0.30	<0.5	12	32	57
1100N 075E		0.20	0.278		0.4	1.34	53	<10	60	<0.5	<2	0.44	<0.5	18	32	75
1100N 100E		0.18	0.069		1.0	1.90	24	<10	90	0.5	<2	1.02	1.5	22	29	109
1100N 150E		0.14	0.021		0.2	1.96	20	<10	60	<0.5	<2	0.39	<0.5	12	26	26
1100N 175E		0.16	0.015		0.2	1.64	18	<10	110	<0.5	<2	0.51	<0.5	12	28	38
1100N 200E		0.18	0.035		0.4	1.52	31	<10	100	<0.5	<2	0.44	<0.5	12	24	62
1100N 025W		0.14	0.219		0.2	0.90	36	<10	40	<0.5	<2	0.19	<0.5	9	18	33
1100N 050W		0.26	0.091		0.7	1.19	24	<10	90	<0.5	<2	0.31	<0.5	10	26	42
1100N 075W		0.14	0.675		0.6	0.80	18	<10	60	<0.5	<2	0.18	<0.5	9	18	27
1100N 100W		0.14	0.100		0.2	0.71	16	<10	60	<0.5	<2	0.22	<0.5	8	15	13
1100N 125W		0.16	0.182		0.4	1.19	34	<10	60	<0.5	<2	0.27	<0.5	9	20	61
1100N 150W		0.18	0.664		0.2	1.11	18	<10	90	<0.5	<2	0.29	<0.5	19	13	31
1100N 175W		0.16	0.037		<0.2	1.00	13	<10	50	<0.5	<2	0.18	<0.5	5	9	16
1100N 200W		0.26	0.032		<0.2	1.13	10	<10	50	<0.5	<2	0.26	<0.5	7	20	14
1100N 225W		0.28	0.025		0.4	1.45	24	<10	80	<0.5	<2	0.33	<0.5	11	26	34
1100N 250W		0.14	0.060		<0.2	1.30	13	<10	160	<0.5	<2	0.39	0.5	11	29	39
1100N 275W		0.26	0.027		0.2	1.49	15	<10	60	<0.5	<2	0.36	<0.5	10	37	17
1100N 300W		0.22	0.067		<0.2	1.48	16	<10	110	<0.5	<2	0.40	<0.5	12	24	21
1100N 375W		0.26	0.008		<0.2	1.64	26	<10	110	<0.5	<2	0.72	<0.5	19	29	44
1100N 400W		0.08	<0.005		0.3	1.73	18	<10	100	<0.5	<2	0.71	<0.5	16	35	47
1100N 425W		0.20	0.014		<0.2	1.39	8	<10	60	<0.5	<2	0.41	<0.5	12	29	19
1100N 450W		0.24	0.011		<0.2	1.46	21	<10	50	<0.5	<2	0.31	<0.5	13	27	48

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - B  
Total # Pages: 7 (A - C)  
Finalized Date: 27-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
1000N 025E		5.70	10	<1	0.06	10	0.42	387	1	<0.01	15	640	3	0.03	2	5
1000N 050E		5.11	<10	<1	0.07	10	0.14	177	1	<0.01	11	490	3	0.03	2	3
1000N 75E		5.99	<10	<1	0.05	10	0.56	795	1	<0.01	23	660	7	0.05	<2	10
1000N 125E		4.72	<10	<1	0.04	10	0.21	171	1	<0.01	9	360	5	0.02	<2	3
1000N 150E		4.86	<10	<1	0.02	10	0.34	278	1	<0.01	12	360	5	0.02	<2	5
1000N 175E		5.10	10	1	0.04	10	0.14	246	1	<0.01	9	380	6	0.02	<2	4
1000N 025W		5.07	10	1	0.05	10	0.37	564	<1	<0.01	15	590	4	0.01	<2	6
1000N 050W		5.47	<10	<1	0.08	10	0.44	475	1	<0.01	18	780	4	0.02	<2	8
1000N 075W		4.81	10	<1	0.05	10	0.26	419	1	<0.01	12	520	4	0.02	<2	4
1000N 100W		4.60	<10	<1	0.05	10	0.40	347	1	<0.01	16	700	2	0.03	<2	4
1000N 125W		4.52	<10	<1	0.04	10	0.27	211	1	<0.01	11	710	4	0.03	<2	4
1000N 150W		5.26	<10	<1	0.05	10	0.32	269	<1	<0.01	15	710	4	0.03	<2	5
1000N 175W		3.57	<10	<1	0.04	10	0.20	150	<1	<0.01	9	510	4	0.02	<2	3
1000N 200W		3.82	<10	<1	0.04	10	0.21	234	<1	<0.01	10	660	3	0.03	<2	3
1000N 225W		3.12	10	<1	0.07	10	0.30	211	1	<0.01	10	540	4	0.04	<2	3
1000N 250W		4.71	10	1	0.08	10	0.43	2040	<1	<0.01	37	520	7	0.04	<2	10
1000N 275W		5.16	10	<1	0.10	10	0.71	1625	1	<0.01	23	530	12	0.03	<2	7
1100N 025E		5.08	<10	<1	0.05	10	0.63	726	<1	<0.01	23	720	4	0.02	<2	9
1100N 050E		5.69	10	<1	0.04	10	0.49	254	1	<0.01	19	370	3	0.01	2	6
1100N 075E		5.15	<10	<1	0.03	10	0.45	525	2	<0.01	23	450	4	0.02	2	7
1100N 100E		5.30	<10	<1	0.05	10	0.69	1500	<1	<0.01	25	440	5	0.03	<2	8
1100N 150E		4.48	10	<1	0.03	10	0.58	229	1	<0.01	16	170	4	0.01	<2	6
1100N 175E		4.05	10	<1	0.05	10	0.46	473	1	<0.01	15	360	9	0.02	<2	5
1100N 200E		3.76	<10	<1	0.05	10	0.55	313	4	<0.01	25	590	8	0.02	2	5
1100N 025W		4.96	10	<1	0.05	10	0.15	252	1	<0.01	11	750	5	0.02	<2	3
1100N 050W		4.24	10	<1	0.05	10	0.34	274	1	<0.01	13	670	3	0.01	<2	4
1100N 075W		4.79	<10	<1	0.07	10	0.13	294	1	<0.01	13	700	4	0.01	<2	3
1100N 100W		3.67	<10	<1	0.05	10	0.09	150	<1	<0.01	7	430	4	<0.01	<2	2
1100N 125W		5.09	<10	<1	0.06	10	0.31	200	1	<0.01	13	820	3	0.01	<2	4
1100N 150W		7.79	<10	1	0.05	10	0.14	313	1	<0.01	11	550	5	0.05	<2	6
1100N 175W		2.66	<10	<1	0.02	10	0.11	115	<1	<0.01	6	280	2	<0.01	<2	2
1100N 200W		2.80	<10	<1	0.05	10	0.27	183	<1	<0.01	8	290	3	<0.01	<2	3
1100N 225W		4.10	10	<1	0.06	10	0.41	353	<1	<0.01	15	480	2	<0.01	<2	4
1100N 250W		3.54	<10	<1	0.06	10	0.33	2850	1	0.01	20	870	6	0.01	2	4
1100N 275W		3.96	10	<1	0.04	10	0.41	222	1	<0.01	16	560	4	<0.01	<2	3
1100N 300W		3.71	10	<1	0.11	10	0.34	341	1	<0.01	14	260	4	<0.01	<2	3
1100N 375W		4.24	<10	<1	0.09	10	0.45	1315	1	<0.01	17	560	5	<0.01	<2	5
1100N 400W		3.86	<10	<1	0.06	10	0.53	624	1	0.01	21	700	3	0.03	<2	6
1100N 425W		3.58	<10	<1	0.06	10	0.47	447	1	<0.01	14	580	5	<0.01	<2	3
1100N 450W		4.28	<10	<1	0.08	10	0.57	335	1	<0.01	16	310	4	<0.01	<2	4

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 2 - C

Total # Pages: 7 (A - C)

Finalized Date: 27-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Tl	Tl	U	V	W	Zn
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
1000N 025E		19	0.06	<10	<10	80	<10	61
1000N 050E		18	0.05	<10	<10	73	<10	39
1000N 75E		82	0.05	<10	<10	54	<10	70
1000N 125E		57	0.04	<10	<10	90	<10	40
1000N 150E		26	0.04	<10	<10	92	<10	45
1000N 175E		17	0.06	<10	<10	90	<10	47
1000N 025W		24	0.05	<10	<10	80	<10	58
1000N 050W		20	0.05	<10	<10	65	<10	65
1000N 075W		20	0.06	<10	<10	84	<10	84
1000N 100W		17	0.07	<10	<10	74	<10	54
1000N 125W		15	0.06	<10	<10	86	<10	66
1000N 150W		22	0.04	<10	<10	79	<10	67
1000N 175W		16	0.06	<10	<10	76	<10	42
1000N 200W		17	0.05	<10	<10	77	<10	58
1000N 225W		20	0.06	<10	<10	71	<10	39
1000N 250W		75	0.09	<10	<10	90	<10	61
1000N 275W		63	0.06	<10	<10	100	<10	74
1100N 025E		92	0.05	<10	<10	66	<10	66
1100N 050E		23	0.07	<10	<10	81	<10	50
1100N 075E		31	0.08	<10	<10	66	<10	49
1100N 100E		110	0.05	<10	<10	65	<10	79
1100N 150E		36	0.06	<10	<10	91	<10	39
1100N 175E		40	0.07	<10	<10	97	<10	65
1100N 200E		39	0.05	<10	<10	63	<10	61
1100N 025W		17	0.05	<10	<10	79	<10	57
1100N 050W		22	0.06	<10	<10	76	<10	58
1100N 075W		15	0.05	<10	<10	76	<10	49
1100N 100W		17	0.04	<10	<10	69	<10	38
1100N 125W		18	0.05	<10	<10	73	<10	53
1100N 150W		25	0.02	<10	<10	72	<10	34
1100N 175W		14	0.02	<10	<10	61	<10	24
1100N 200W		16	0.05	<10	<10	72	<10	25
1100N 225W		22	0.05	<10	<10	76	<10	51
1100N 250W		25	0.07	<10	<10	76	<10	69
1100N 275W		20	0.09	<10	<10	98	<10	52
1100N 300W		38	0.05	<10	<10	86	<10	38
1100N 375W		76	0.07	<10	<10	86	<10	61
1100N 400W		84	0.06	<10	<10	71	<10	56
1100N 425W		24	0.07	<10	<10	75	<10	51
1100N 450W		20	0.07	<10	<10	74	<10	41

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 3 - A  
 Total # Pages: 7 (A - C)  
 Finalized Date: 27-SEP-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04063257**

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR	0.02	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	
1100N 475W		0.20	<0.005		<0.2	1.42	19	<10	90	<0.5	<2	0.40	<0.5	13	31	27
1100N 500W		0.20	<0.005		0.5	2.41	30	<10	230	0.7	<2	0.84	1.0	64	23	234
1200N 025E		0.16	0.445		0.8	1.01	54	<10	60	<0.5	<2	0.14	<0.5	13	19	79
1200N 050E		0.18	0.331		0.5	0.74	40	<10	40	<0.5	<2	0.12	<0.5	11	9	41
1200N 100E		0.22	0.073		0.2	1.21	60	<10	70	<0.5	<2	0.18	<0.5	12	24	46
1200N 125E		0.14	1.735		0.4	1.04	29	<10	70	<0.5	<2	0.14	<0.5	14	8	26
1200N 150E		0.12	0.056		0.2	1.54	15	<10	70	<0.5	<2	0.74	<0.5	16	23	40
1200N 175E		0.16	0.029		0.4	1.61	16	<10	60	<0.5	<2	0.35	<0.5	11	27	46
1200N 200E		0.10	0.007		0.4	1.46	16	<10	110	<0.5	<2	0.51	0.5	9	24	54
1200N 025W		0.16	0.244		0.6	1.00	28	<10	90	<0.5	<2	0.16	<0.5	9	15	48
1200N 050W		0.12	0.411		1.0	1.75	15	<10	160	0.5	<2	1.05	1.6	22	25	74
1200N 075W		0.20	0.110		0.2	1.12	40	<10	80	<0.5	<2	0.29	<0.5	11	25	57
1200N 100W		0.18	2.23		1.0	1.00	28	<10	90	<0.5	<2	0.13	<0.5	8	17	78
1200N 125W		0.14	0.201		<0.2	0.96	20	<10	70	<0.5	<2	0.30	<0.5	7	21	21
1200N 150W		0.18	0.055		0.3	1.38	22	<10	110	<0.5	<2	0.22	<0.5	11	25	27
1200N 175W		0.22	0.323		0.4	1.78	28	<10	60	<0.5	<2	0.24	<0.5	13	31	95
1200N 200W		0.24	0.141		<0.2	1.45	30	<10	70	<0.5	<2	0.30	<0.5	11	27	31
1200N 225W		0.22	0.057		0.2	1.73	24	<10	90	<0.5	<2	0.31	<0.5	16	31	33
1200N 250W		0.18	0.028		<0.2	1.51	9	<10	60	<0.5	<2	0.37	<0.5	8	37	22
1200N 275W		0.16	0.029		0.2	1.39	19	<10	170	<0.5	<2	0.58	<0.5	13	32	31
1200N 300W		0.16	0.062		0.2	1.13	11	<10	120	<0.5	<2	0.45	<0.5	9	24	20
1200N 325W		0.20	0.055		<0.2	1.15	24	<10	60	<0.5	<2	0.44	<0.5	10	24	68
1200N 350W		0.20	<0.005		<0.2	1.33	58	<10	140	<0.5	<2	0.62	0.5	35	7	65
1200N 375W		0.26	0.011		<0.2	1.21	62	<10	70	<0.5	<2	0.35	<0.5	13	25	35
1200N 400W		0.18	0.008		0.3	1.95	45	<10	120	<0.5	<2	0.36	<0.5	30	27	97
1200N 425W		0.16	0.015		0.2	1.35	18	<10	80	<0.5	<2	0.58	<0.5	11	25	28
1200N 450W		0.18	<0.005		0.2	2.50	26	<10	200	0.7	<2	0.72	<0.5	64	18	126
1200N 475W		0.20	0.020		0.3	1.20	13	<10	80	<0.5	<2	0.48	<0.5	13	24	15
1200N 500W		0.14	0.016		<0.2	2.06	32	<10	120	<0.5	<2	0.35	<0.5	21	22	54
1300N 025E		0.22	0.151		0.2	1.69	29	<10	80	<0.5	<2	0.34	<0.5	14	30	40
1300N 050E		0.30	0.107		<0.2	0.99	20	<10	70	<0.5	<2	0.27	<0.5	8	27	21
1300N 075E		0.20	0.011		0.4	2.03	14	<10	70	<0.5	<2	0.64	<0.5	12	28	37
1300N 100E		0.16	0.008		0.5	1.82	27	<10	60	<0.5	<2	0.28	<0.5	12	33	45
1300N 125E		0.16	0.637		<0.2	1.54	29	<10	60	<0.5	<2	0.25	<0.5	13	20	44
1300N 150E		0.20	0.013		0.2	1.22	19	<10	80	<0.5	<2	0.23	<0.5	7	22	25
1300N 175E		0.20	0.006		0.2	1.60	26	<10	100	<0.5	<2	0.33	<0.5	13	28	48
1300N 200E		0.18	0.013		0.5	1.51	22	<10	90	<0.5	<2	0.33	0.9	8	24	39
1300N 025W		0.24	0.171		0.7	0.71	123	<10	60	<0.5	<2	0.15	<0.5	15	8	67
1300N 050W		0.30	0.017		0.3	1.56	23	<10	100	<0.5	<2	0.32	<0.5	11	33	39
1300N 075W		0.28	0.078	NSS	0.2	0.90	27	<10	70	<0.5	<2	0.27	<0.5	7	18	23

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 3 - B

Total # Pages: 7 (A - C)

Finalized Date: 27-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
1100N 475W		3.86	10	<1	0.08	10	0.36	494	1	<0.01	17	280	4	0.01	<2	4
1100N 500W		6.23	10	<1	0.20	10	0.70	2260	3	0.01	38	1100	11	0.03	<2	12
1200N 025E		6.25	<10	<1	0.04	10	0.21	287	1	<0.01	14	1000	3	0.02	3	5
1200N 050E		5.87	<10	<1	0.03	10	0.06	233	1	<0.01	10	520	3	0.01	2	3
1200N 100E		5.68	<10	<1	0.02	10	0.22	241	2	<0.01	14	460	4	<0.01	<2	4
1200N 125E		6.16	<10	<1	0.04	10	0.12	302	1	<0.01	8	570	4	<0.01	<2	4
1200N 150E		4.53	<10	<1	0.03	10	0.60	948	1	<0.01	15	250	6	0.01	<2	6
1200N 175E		4.15	10	<1	0.03	10	0.48	291	1	<0.01	15	340	6	<0.01	<2	5
1200N 200E		4.01	10	<1	0.03	10	0.29	367	1	<0.01	13	420	5	0.01	<2	5
1200N 025W		5.01	<10	1	0.04	10	0.14	198	1	<0.01	9	810	4	0.01	<2	4
1200N 050W		4.99	<10	<1	0.04	10	0.47	3490	1	0.01	22	810	9	0.02	<2	9
1200N 075W		4.57	<10	<1	0.05	10	0.33	401	1	<0.01	15	860	3	<0.01	<2	4
1200N 100W		5.09	<10	1	0.04	10	0.13	275	1	<0.01	10	1000	4	0.01	<2	3
1200N 125W		4.18	<10	1	0.06	10	0.19	273	1	<0.01	10	610	4	<0.01	<2	3
1200N 150W		4.46	10	<1	0.04	10	0.22	324	1	<0.01	12	650	3	<0.01	<2	4
1200N 175W		5.24	<10	1	0.05	10	0.53	284	1	<0.01	19	830	5	<0.01	<2	5
1200N 200W		4.87	10	1	0.04	10	0.36	265	1	<0.01	13	760	5	<0.01	<2	3
1200N 225W		4.78	10	<1	0.04	10	0.43	661	<1	0.01	14	1060	5	<0.01	<2	4
1200N 250W		3.61	10	<1	0.03	10	0.45	224	1	<0.01	17	300	5	<0.01	<2	3
1200N 275W		3.75	10	<1	0.08	10	0.45	1595	1	0.01	15	750	4	<0.01	<2	3
1200N 300W		3.35	<10	<1	0.07	10	0.24	405	1	<0.01	11	370	4	<0.01	<2	3
1200N 325W		4.15	<10	<1	0.06	10	0.39	313	1	<0.01	14	560	2	0.01	<2	5
1200N 350W		8.39	<10	1	0.09	10	0.42	3230	2	<0.01	11	1610	13	<0.01	<2	12
1200N 375W		4.19	<10	<1	0.09	10	0.29	276	3	<0.01	14	320	5	<0.01	<2	3
1200N 400W		5.18	10	<1	0.10	10	0.64	604	2	<0.01	25	410	5	0.01	<2	5
1200N 425W		3.89	10	<1	0.07	10	0.39	339	1	<0.01	15	320	6	0.01	<2	3
1200N 450W		6.90	10	<1	0.12	10	0.73	1695	2	0.01	34	960	10	0.02	<2	9
1200N 475W		3.69	10	<1	0.09	<10	0.26	537	1	<0.01	11	590	5	0.02	<2	2
1200N 500W		4.65	10	<1	0.10	<10	0.58	505	2	<0.01	16	450	5	0.02	2	4
1300N 025E		5.60	10	<1	0.04	10	0.40	582	1	<0.01	15	660	5	0.02	<2	5
1300N 050E		4.56	<10	1	0.05	10	0.23	266	1	<0.01	12	770	4	0.02	<2	3
1300N 075E		4.05	<10	<1	0.02	10	0.56	243	<1	<0.01	16	390	4	0.04	<2	6
1300N 100E		5.07	<10	<1	0.04	10	0.47	245	2	<0.01	19	750	6	0.02	<2	5
1300N 125E		6.24	10	<1	0.04	10	0.23	299	2	<0.01	13	690	6	0.02	<2	5
1300N 150E		3.53	10	<1	0.04	10	0.25	197	2	<0.01	12	380	4	0.02	<2	3
1300N 175E		5.64	<10	1	0.05	10	0.44	362	3	<0.01	17	550	8	0.02	<2	5
1300N 200E		4.11	<10	<1	0.04	10	0.51	277	5	<0.01	18	700	8	0.02	2	3
1300N 025W		8.71	<10	<1	0.03	10	0.07	476	1	<0.01	8	1240	7	0.08	<2	5
1300N 050W		4.74	<10	1	0.06	10	0.46	335	1	<0.01	18	830	5	0.01	<2	4
1300N 075W		4.07	<10	<1	0.03	10	0.13	150	1	<0.01	9	470	3	0.01	<2	3

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 3 - C

Total # Pages: 7 (A - C)

Finalized Date: 27-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sr	Tl	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
LOR	1	0.01	10	10	1	10	2	
1100N 475W		28	0.08	<10	<10	88	<10	41
1100N 500W		67	0.03	<10	<10	90	<10	108
1200N 025E		11	0.04	<10	<10	60	<10	47
1200N 050E		11	0.02	<10	<10	56	<10	54
1200N 100E		13	0.04	<10	<10	67	<10	56
1200N 125E		14	0.01	<10	<10	53	<10	59
1200N 150E		67	0.06	<10	<10	62	<10	44
1200N 175E		28	0.06	<10	<10	88	<10	51
1200N 200E		55	0.04	<10	<10	98	<10	43
1200N 025W		13	0.03	<10	<10	62	<10	50
1200N 050W		106	0.04	<10	<10	67	<10	94
1200N 075W		17	0.06	<10	<10	70	<10	70
1200N 100W		13	0.02	<10	<10	61	<10	46
1200N 125W		20	0.06	<10	<10	85	<10	45
1200N 150W		14	0.06	<10	<10	90	<10	47
1200N 175W		14	0.07	<10	<10	75	<10	61
1200N 200W		21	0.05	<10	<10	84	<10	71
1200N 225W		19	0.07	<10	<10	94	<10	77
1200N 250W		25	0.09	<10	<10	88	<10	42
1200N 275W		39	0.06	<10	<10	78	<10	58
1200N 300W		34	0.06	<10	<10	73	<10	40
1200N 325W		23	0.07	<10	<10	77	<10	53
1200N 350W		100	0.01	<10	<10	82	<10	101
1200N 375W		33	0.04	<10	<10	62	<10	50
1200N 400W		40	0.04	<10	<10	83	<10	73
1200N 425W		42	0.06	<10	<10	70	<10	39
1200N 450W		69	0.02	<10	<10	86	<10	98
1200N 475W		37	0.04	<10	<10	75	<10	46
1200N 500W		27	0.05	<10	<10	94	<10	68
1300N 025E		21	0.07	<10	<10	100	<10	52
1300N 050E		18	0.07	<10	<10	76	<10	54
1300N 075E		46	0.05	<10	<10	82	<10	47
1300N 100E		15	0.06	<10	<10	120	<10	52
1300N 125E		19	0.02	<10	<10	122	<10	72
1300N 150E		17	0.05	<10	<10	77	<10	46
1300N 175E		21	0.04	<10	<10	108	<10	66
1300N 200E		20	0.05	<10	<10	67	<10	65
1300N 025W		14	0.01	<10	<10	32	<10	55
1300N 050W		18	0.07	<10	<10	82	<10	65
1300N 075W		23	0.04	<10	<10	77	<10	36

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 4 - A  
Total # Pages: 7 (A - C)  
Finalized Date: 27-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
1300N 100W		0.20	0.097		0.4	1.25	19	<10	80	<0.5	<2	0.29	<0.5	9	26	33
1300N 125W		0.22	0.028		<0.2	1.39	22	<10	70	<0.5	<2	0.30	<0.5	12	27	47
1300N 150W		0.26	0.106	NSS	0.4	1.30	24	<10	60	<0.5	<2	0.23	<0.5	10	29	42
1300N 175W		0.26	0.107	NSS	<0.2	1.40	23	<10	80	<0.5	<2	0.27	<0.5	12	26	30
1300N 200W		0.28	0.054	0.036	0.6	1.57	20	<10	100	<0.5	<2	0.37	<0.5	11	29	41
1300N 225W		0.22	0.093	<0.005	<0.2	1.86	10	<10	90	<0.5	<2	0.80	<0.5	16	42	35
1300N 250W		0.20	0.009		0.2	1.20	12	<10	50	<0.5	<2	0.29	<0.5	7	26	19
1300N 275W		0.24	0.046		0.2	0.90	10	<10	60	<0.5	<2	0.29	<0.5	6	22	20
1300N 300W		0.22	0.113		0.2	1.86	27	<10	80	<0.5	<2	0.37	<0.5	12	27	45
1300N 325W		0.22	0.033		<0.2	1.20	15	<10	100	<0.5	<2	0.41	<0.5	7	24	22
1300N 375W		0.20	0.055		<0.2	1.47	24	<10	100	<0.5	<2	0.41	<0.5	16	29	23
1300N 400W		0.14	0.007		<0.2	1.56	26	<10	90	<0.5	<2	0.25	<0.5	15	20	22
1300N 425W		0.20	0.016		0.2	1.63	29	<10	150	<0.5	<2	0.52	<0.5	30	26	35
1300N 450W		0.22	0.009		0.3	1.60	52	<10	120	<0.5	<2	0.36	<0.5	33	23	81
1300N 500W		0.18	0.011		<0.2	2.18	20	<10	150	<0.5	<2	0.52	<0.5	30	27	87
1400N 075E		0.22	0.098		<0.2	1.31	40	<10	50	<0.5	<2	0.22	<0.5	10	25	57
1400N 100E		0.20	0.027		0.6	1.51	12	<10	90	<0.5	<2	0.44	<0.5	9	27	23
1400N 500E		0.20	0.010		0.2	1.73	21	<10	110	<0.5	<2	0.53	<0.5	12	33	70
1400N 525E		0.26	0.064		0.2	1.15	6	<10	50	<0.5	<2	0.37	<0.5	4	24	10
1400N 550E		0.26	<0.005		<0.2	1.36	9	<10	60	<0.5	<2	0.45	0.5	7	36	17
1400N 575E		0.20	0.049		<0.2	1.79	13	<10	110	<0.5	<2	0.71	<0.5	13	38	39
1400N 600E		0.26	0.012		0.3	1.42	10	<10	90	<0.5	<2	0.52	<0.5	6	33	15
1400N 650E		0.26	0.017		<0.2	1.73	19	<10	80	<0.5	<2	0.26	<0.5	10	37	53
1400N 675E		0.22	0.124		0.2	0.95	18	<10	70	<0.5	<2	0.20	<0.5	6	20	32
1400N 725E		0.18	0.043		1.8	1.73	12	<10	90	<0.5	<2	0.98	<0.5	11	33	32
1400N 750E		0.28	0.050		0.2	1.57	14	<10	60	<0.5	<2	0.25	<0.5	9	33	56
1400N 775E		0.22	0.020		<0.2	1.96	15	<10	100	<0.5	<2	0.34	<0.5	19	38	46
1400N 800E		0.24	0.025		<0.2	1.29	12	<10	50	<0.5	<2	0.19	<0.5	6	27	22
1400N 825E		0.16	0.010		<0.2	1.99	15	<10	100	<0.5	<2	0.40	<0.5	15	36	37
1400N 850E		0.22	0.017		<0.2	1.53	10	<10	100	<0.5	<2	0.49	0.5	14	33	36
1400N 875E		0.20	0.052		<0.2	1.30	5	<10	70	<0.5	<2	0.29	<0.5	8	26	23
1400N 900E		0.22	0.014		<0.2	1.80	14	<10	90	<0.5	<2	0.34	<0.5	10	36	32
1400N 050W		0.18	0.169		0.3	1.71	34	<10	90	0.5	<2	0.64	0.8	23	26	61
1400N 100W		0.22	0.048		<0.2	1.31	44	<10	60	<0.5	<2	0.23	<0.5	12	21	40
1400N 125W		0.20	0.225		0.3	0.96	53	<10	60	<0.5	<2	0.22	<0.5	11	18	26
1400N 150W		0.18	0.017		0.3	1.89	24	<10	90	<0.5	<2	0.65	<0.5	15	33	49
1400N 175W		0.24	0.033		<0.2	1.04	16	<10	50	<0.5	<2	0.25	<0.5	6	25	13
1400N 200W		0.30	0.108		<0.2	1.70	36	<10	90	0.5	<2	0.36	<0.5	19	32	65
1400N 225W		0.22	0.020		<0.2	1.20	17	<10	110	<0.5	<2	0.48	<0.5	8	28	22
1400N 250W		0.20	0.015		<0.2	0.95	13	<10	30	<0.5	<2	0.27	<0.5	5	21	15

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 4 - B

Total # Pages: 7 (A - C)

Finalized Date: 27-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc
	Units LOR	% 0.01	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
1300N 100W		4.02	<10	<1	0.05	10	0.33	222	1	<0.01	13	700	4	0.02	<2	3
1300N 125W		4.12	<10	<1	0.04	10	0.44	437	1	<0.01	16	680	5	0.01	<2	4
1300N 150W		4.59	<10	1	0.05	10	0.35	239	1	<0.01	17	780	2	0.01	<2	4
1300N 175W		4.39	<10	<1	0.04	10	0.42	460	1	<0.01	14	690	3	0.01	<2	4
1300N 200W		4.24	10	<1	0.04	10	0.45	390	1	<0.01	14	610	4	0.01	<2	5
1300N 225W		4.04	10	<1	0.04	10	0.68	581	1	0.01	22	500	7	0.02	<2	5
1300N 250W		3.44	10	1	0.06	10	0.34	215	1	<0.01	11	460	4	0.01	<2	3
1300N 275W		2.95	<10	<1	0.04	10	0.19	184	1	<0.01	9	630	4	0.02	<2	2
1300N 300W		4.69	10	1	0.05	10	0.40	346	1	<0.01	13	540	5	0.02	<2	5
1300N 325W		3.47	<10	<1	0.05	10	0.30	278	1	<0.01	9	390	2	0.01	<2	3
1300N 375W		4.03	10	1	0.06	10	0.39	1090	1	<0.01	15	560	5	0.01	<2	3
1300N 400W		4.67	10	<1	0.06	10	0.42	626	1	<0.01	12	340	9	0.01	<2	6
1300N 425W		3.94	<10	<1	0.14	10	0.42	1280	1	<0.01	18	390	7	0.02	<2	4
1300N 450W		6.68	<10	<1	0.15	10	0.39	1390	3	<0.01	24	510	9	0.02	<2	6
1300N 500W		5.03	10	<1	0.08	10	0.58	841	2	<0.01	22	510	7	0.03	<2	5
1400N 075E		4.86	<10	<1	0.03	10	0.31	229	1	<0.01	16	350	3	0.03	<2	4
1400N 100E		3.48	10	<1	0.03	10	0.38	217	2	<0.01	15	300	4	0.03	<2	4
1400N 500E		3.98	<10	<1	0.04	10	0.61	262	2	0.01	26	430	4	<0.01	<2	5
1400N 525E		1.89	10	<1	0.03	10	0.33	140	1	0.01	10	350	2	<0.01	<2	3
1400N 550E		2.87	<10	<1	0.04	10	0.41	418	1	0.01	15	770	4	<0.01	<2	3
1400N 575E		3.62	<10	<1	0.05	10	0.77	568	1	0.01	26	420	3	<0.01	<2	7
1400N 600E		2.78	10	<1	0.05	10	0.46	178	1	0.01	14	220	3	<0.01	<2	4
1400N 650E		4.25	<10	<1	0.04	10	0.49	196	3	0.01	23	650	6	<0.01	<2	5
1400N 675E		2.73	<10	<1	0.04	10	0.22	176	4	<0.01	15	520	3	<0.01	4	3
1400N 725E		3.39	<10	<1	0.04	10	0.52	241	1	0.01	19	230	4	<0.01	<2	5
1400N 750E		4.82	10	<1	0.05	10	0.37	230	1	0.01	19	660	4	<0.01	<2	5
1400N 775E		4.57	<10	<1	0.07	10	0.50	678	1	0.01	23	480	3	<0.01	2	6
1400N 800E		3.45	10	<1	0.05	10	0.30	169	1	<0.01	13	330	3	<0.01	<2	3
1400N 825E		4.18	<10	<1	0.05	10	0.59	321	1	0.01	20	310	4	<0.01	<2	5
1400N 850E		3.67	<10	<1	0.04	10	0.46	518	1	0.01	21	380	5	<0.01	<2	5
1400N 875E		2.92	10	<1	0.03	10	0.33	228	1	0.01	13	330	2	<0.01	<2	4
1400N 900E		4.23	10	<1	0.04	10	0.45	386	1	0.01	14	1050	3	<0.01	<2	4
1400N 050W		5.67	<10	<1	0.04	10	0.45	1080	1	0.01	15	470	3	<0.01	<2	8
1400N 100W		5.56	<10	<1	0.04	10	0.24	347	1	0.01	11	750	3	<0.01	<2	5
1400N 125W		5.94	<10	<1	0.05	10	0.11	294	1	<0.01	10	460	4	<0.01	<2	3
1400N 150W		4.79	10	<1	0.03	10	0.48	367	1	0.01	18	470	4	<0.01	<2	5
1400N 175W		3.50	10	<1	0.03	10	0.23	154	1	0.01	9	450	<2	<0.01	<2	3
1400N 200W		5.04	<10	<1	0.04	10	0.46	445	1	0.01	18	560	3	<0.01	<2	6
1400N 225W		3.73	10	<1	0.05	10	0.38	457	1	0.01	12	730	5	<0.01	<2	3
1400N 250W		3.13	10	<1	0.04	10	0.20	154	1	0.01	8	560	4	<0.01	<2	3

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 4 - C  
Total # Pages: 7 (A - C)  
Finalized Date: 27-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Tl	Tl	U	V	W	Zn
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
1300N 100W		20	0.07	<10	<10	76	<10	44
1300N 125W		15	0.07	<10	<10	73	<10	51
1300N 150W		14	0.07	<10	<10	82	<10	59
1300N 175W		17	0.07	<10	<10	82	<10	63
1300N 200W		24	0.07	<10	<10	85	<10	58
1300N 225W		63	0.09	<10	<10	88	<10	73
1300N 250W		22	0.07	<10	<10	85	<10	57
1300N 275W		21	0.07	<10	<10	75	<10	42
1300N 300W		29	0.06	<10	<10	93	<10	59
1300N 325W		27	0.06	<10	<10	79	<10	38
1300N 375W		27	0.06	<10	<10	87	<10	80
1300N 400W		28	0.03	<10	<10	114	<10	65
1300N 425W		46	0.04	<10	<10	79	<10	65
1300N 450W		30	0.04	<10	<10	71	<10	91
1300N 500W		40	0.06	<10	<10	88	<10	84
1400N 075E		17	0.04	<10	<10	64	<10	60
1400N 100E		38	0.04	<10	<10	91	<10	62
1400N 500E		38	0.07	<10	<10	72	<10	64
1400N 525E		17	0.10	<10	<10	64	<10	26
1400N 550E		19	0.12	<10	<10	90	<10	43
1400N 575E		37	0.09	<10	<10	72	<10	43
1400N 600E		30	0.08	<10	<10	77	<10	43
1400N 650E		14	0.07	<10	<10	77	<10	68
1400N 675E		14	0.03	<10	<10	48	<10	57
1400N 725E		67	0.06	<10	<10	76	<10	44
1400N 750E		15	0.07	<10	<10	88	<10	45
1400N 775E		23	0.04	<10	<10	85	<10	56
1400N 800E		13	0.06	<10	<10	85	<10	45
1400N 825E		28	0.06	<10	<10	88	<10	69
1400N 850E		42	0.06	<10	<10	77	<10	47
1400N 875E		17	0.07	<10	<10	77	<10	54
1400N 900E		17	0.10	<10	<10	108	<10	59
1400N 050W		66	0.03	<10	<10	75	<10	85
1400N 100W		16	0.04	<10	<10	74	<10	65
1400N 125W		29	0.02	<10	<10	65	<10	75
1400N 150W		64	0.08	<10	<10	99	<10	62
1400N 175W		17	0.06	<10	<10	78	<10	45
1400N 200W		26	0.06	<10	<10	75	<10	66
1400N 225W		30	0.09	<10	<10	87	<10	77
1400N 250W		18	0.08	<10	<10	82	<10	44

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 5 - A  
 Total # Pages: 7 (A - C)  
 Finalized Date: 27-SEP-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
1400N 275W		0.30	0.036		<0.2	1.45	21	<10	70	<0.5	<2	0.32	<0.5	9	31	33
1400N 300W		0.24	0.117		<0.2	1.24	34	<10	70	<0.5	<2	0.23	<0.5	13	20	32
1400N 325W		0.20	0.323		<0.2	1.96	31	<10	70	<0.5	<2	0.41	<0.5	20	27	71
1400N 350W		0.18	0.179		<0.2	1.31	27	<10	120	<0.5	<2	0.38	<0.5	11	23	22
1400N 375W		0.22	0.006		0.4	1.53	27	<10	70	<0.5	<2	0.22	0.5	13	20	35
1400N 400W		0.18	0.007		0.2	1.17	16	<10	60	<0.5	<2	0.32	<0.5	7	32	24
1400N 425W		0.12	0.008		<0.2	1.44	25	<10	100	<0.5	<2	0.71	0.5	21	27	38
1400N 450W		0.20	0.033		<0.2	0.99	16	<10	60	<0.5	<2	0.41	<0.5	9	26	15
1400N 475W		0.20	0.013		0.2	1.23	22	<10	70	<0.5	<2	0.37	<0.5	12	23	27
1400N 500W		0.18	0.019		<0.2	1.34	20	<10	50	<0.5	<2	0.26	<0.5	8	26	23
1500N 500E		0.20	0.020		<0.2	0.89	6	<10	70	<0.5	<2	0.40	<0.5	2	14	8
1500N 550E		0.24	0.158		<0.2	0.94	9	<10	60	<0.5	<2	0.34	<0.5	4	19	14
1500N 575E		0.16	0.014		0.9	1.73	9	<10	110	<0.5	<2	0.94	0.8	13	39	31
1500N 600E		0.24	0.161		0.3	1.57	16	<10	80	<0.5	<2	0.24	<0.5	10	29	36
1500N 625E		0.26	0.017		0.4	1.02	9	<10	40	<0.5	<2	0.26	<0.5	4	19	12
1500N 650E		0.18	0.209		0.6	1.54	21	<10	90	<0.5	<2	0.26	1.5	9	29	38
1500N 675E		0.16	0.026		<0.2	1.60	16	<10	90	<0.5	<2	0.29	1.1	14	35	39
1500N 700E		0.22	0.082		<0.2	1.98	12	<10	90	<0.5	<2	0.57	<0.5	10	35	44
1500N 725E		0.22	0.024		<0.2	1.38	15	<10	80	<0.5	<2	0.30	<0.5	8	30	25
1500N 750E		0.22	0.018		<0.2	0.89	13	<10	70	<0.5	<2	0.25	<0.5	12	16	87
1500N 775E		0.18	0.036		<0.2	1.09	9	<10	90	<0.5	<2	0.23	<0.5	12	25	41
1500N 800E		0.14	0.037		<0.2	1.96	17	<10	90	<0.5	<2	0.36	<0.5	16	36	65
1500N 825E		0.22	0.021		<0.2	1.31	16	<10	70	<0.5	<2	0.35	<0.5	10	29	73
1500N 850E		0.18	0.032		<0.2	1.05	12	<10	60	<0.5	<2	0.23	<0.5	9	26	34
1500N 925E		0.06	0.164		4.5	0.69	125	<10	60	<0.5	<2	3.31	1.0	17	8	1955
1500N 950E		0.20	0.007		<0.2	3.21	7	<10	80	<0.5	<2	0.25	<0.5	17	23	61
1500N 975E		0.20	<0.005		<0.2	2.05	6	<10	50	<0.5	<2	0.34	<0.5	12	48	19
1500N 1000E		0.18	0.018		<0.2	1.74	7	<10	80	<0.5	<2	0.33	<0.5	10	34	15
1500N 025W		0.22	0.089		0.4	1.46	54	<10	80	<0.5	<2	0.39	<0.5	19	19	95
1500N 050W		0.24	0.061		<0.2	0.83	57	<10	60	<0.5	<2	0.26	<0.5	10	9	17
1500N 100W		0.12	0.026		<0.2	1.20	37	<10	50	<0.5	<2	0.25	<0.5	9	18	50
1500N 150W		0.16	0.034		<0.2	1.80	24	<10	90	<0.5	<2	0.33	<0.5	14	25	28
1500N 175W		0.18	0.090		<0.2	1.64	48	<10	90	0.5	<2	0.46	<0.5	21	18	64
1500N 200W		0.22	0.061		<0.2	1.92	21	<10	70	<0.5	<2	0.32	<0.5	18	31	34
1500N 225W		0.24	0.025		<0.2	1.38	20	<10	60	<0.5	<2	0.34	<0.5	10	26	45
1500N 250W		0.20	0.073		<0.2	1.10	10	<10	40	<0.5	<2	0.34	<0.5	7	26	17
1500N 275W		0.26	0.049		<0.2	1.59	17	<10	80	<0.5	<2	0.48	<0.5	13	30	32
1500N 350W		0.16	0.124		<0.2	1.19	39	<10	60	<0.5	<2	0.35	<0.5	9	23	30
1500N 375W		0.18	0.045		<0.2	1.67	29	<10	130	0.5	<2	0.51	<0.5	21	23	69
1500N 450W		0.12	0.005		<0.2	0.85	8	<10	90	<0.5	<2	0.37	0.5	8	16	18

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 5 - B  
Total # Pages: 7 (A - C)  
Finalized Date: 27-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
1400N 275W		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
1400N 300W		4.36	10	<1	0.04	10	0.44	427	1	0.01	14	680	3	<0.01	<2	4
1400N 325W		5.43	<10	<1	0.05	10	0.26	376	1	<0.01	12	560	2	<0.01	<2	4
1400N 350W		5.69	<10	<1	0.04	10	0.57	594	1	0.01	20	480	4	<0.01	<2	7
1400N 375W		4.00	<10	<1	0.06	10	0.26	780	1	0.01	12	340	4	<0.01	<2	4
1400N 400W		4.89	<10	<1	0.04	<10	0.47	458	1	<0.01	11	620	4	<0.01	<2	4
1400N 425W		3.28	10	<1	0.05	10	0.33	231	1	<0.01	13	480	4	<0.01	<2	3
1400N 450W		4.60	<10	<1	0.09	10	0.36	1320	1	0.01	12	900	5	0.01	<2	3
1400N 475W		3.90	<10	<1	0.08	10	0.30	328	1	0.01	10	340	4	<0.01	<2	3
1400N 500W		3.78	10	<1	0.07	10	0.30	417	1	0.01	11	420	2	<0.01	<2	3
1400N 500W		3.74	10	<1	0.05	10	0.27	205	1	0.01	12	350	4	<0.01	2	3
1500N 500E		1.50	<10	<1	0.05	10	0.11	78	1	0.01	6	260	2	<0.01	2	1
1500N 550E		1.78	10	<1	0.05	10	0.27	116	2	0.01	9	360	3	<0.01	<2	2
1500N 575E		3.49	<10	<1	0.04	10	0.66	679	1	0.01	23	360	4	<0.01	<2	6
1500N 600E		3.53	<10	<1	0.03	10	0.43	226	2	<0.01	20	680	4	0.01	<2	4
1500N 625E		2.00	<10	<1	0.03	10	0.24	118	3	<0.01	8	550	4	<0.01	<2	2
1500N 650E		3.73	<10	<1	0.04	10	0.35	189	8	<0.01	20	2440	6	0.01	3	4
1500N 675E		3.69	<10	<1	0.03	10	0.53	328	2	<0.01	24	460	3	0.01	2	4
1500N 700E		3.55	10	<1	0.03	10	0.66	218	2	0.01	22	220	2	0.01	<2	6
1500N 725E		3.91	<10	<1	0.04	10	0.35	226	1	0.01	17	590	5	0.01	<2	4
1500N 750E		4.65	<10	<1	0.06	10	0.23	497	1	<0.01	14	630	3	0.01	<2	5
1500N 775E		4.17	<10	<1	0.05	10	0.25	370	<1	<0.01	12	360	4	0.01	<2	3
1500N 800E		4.48	<10	<1	0.04	10	0.50	275	1	0.01	25	280	<2	0.01	<2	5
1500N 825E		4.41	<10	<1	0.04	<10	0.36	240	1	<0.01	14	560	3	<0.01	<2	4
1500N 850E		3.77	<10	<1	0.03	10	0.23	284	1	<0.01	12	560	3	<0.01	<2	3
1500N 925E		5.29	<10	<1	0.05	<10	0.29	1860	1	<0.01	14	880	5	0.11	452	9
1500N 950E		5.31	10	<1	0.08	10	1.56	698	1	0.01	16	640	17	0.01	<2	8
1500N 975E		3.59	10	<1	0.03	10	0.52	279	1	0.01	19	1650	3	0.01	<2	3
1500N 1000E		2.79	10	<1	0.04	10	0.57	245	1	0.01	18	470	4	<0.01	<2	3
1500N 025W		5.83	<10	1	0.08	10	0.38	594	1	<0.01	18	710	6	0.01	<2	6
1500N 050W		5.20	<10	<1	0.03	10	0.12	182	1	<0.01	8	430	3	0.01	<2	3
1500N 100W		5.22	<10	<1	0.05	10	0.26	227	1	<0.01	10	540	2	0.01	<2	4
1500N 150W		4.84	10	<1	0.04	10	0.49	430	1	<0.01	13	530	3	0.01	<2	4
1500N 175W		5.85	<10	<1	0.06	10	0.31	369	1	<0.01	14	510	3	0.01	<2	7
1500N 200W		4.49	10	<1	0.03	10	0.55	556	1	0.01	15	380	2	0.01	<2	5
1500N 225W		4.48	<10	<1	0.05	10	0.43	339	1	0.01	12	960	3	0.01	<2	4
1500N 250W		3.30	<10	<1	0.07	10	0.36	205	1	0.01	12	610	5	0.01	<2	3
1500N 275W		3.69	<10	<1	0.06	10	0.51	472	1	0.01	16	410	2	0.01	<2	4
1500N 350W		4.83	10	<1	0.03	10	0.25	264	2	0.01	10	470	6	0.01	<2	3
1500N 375W		5.86	<10	<1	0.04	10	0.40	921	1	<0.01	18	670	5	0.02	<2	7
1500N 450W		2.60	<10	<1	0.06	<10	0.17	978	<1	<0.01	5	530	6	0.01	<2	2

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 5 - C

Total # Pages: 7 (A - C)

Finalized Date: 27-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	TI	TI	U	V	W	Zn
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
1400N 275W		17	0.10	<10	<10	92	<10	49
1400N 300W		17	0.04	<10	<10	69	<10	76
1400N 325W		35	0.04	<10	<10	93	<10	61
1400N 350W		31	0.04	<10	<10	78	<10	41
1400N 375W		17	0.03	<10	<10	84	<10	60
1400N 400W		20	0.10	<10	<10	79	<10	36
1400N 425W		52	0.05	<10	<10	88	<10	76
1400N 450W		30	0.07	<10	<10	78	<10	33
1400N 475W		28	0.05	<10	<10	74	<10	46
1400N 500W		17	0.06	<10	<10	84	<10	34
1500N 500E		34	0.05	<10	<10	50	<10	22
1500N 550E		18	0.07	<10	<10	57	<10	30
1500N 575E		52	0.08	<10	<10	64	<10	50
1500N 600E		13	0.06	<10	<10	60	<10	78
1500N 625E		12	0.06	<10	<10	54	<10	39
1500N 650E		14	0.04	<10	<10	65	<10	110
1500N 675E		16	0.07	<10	<10	67	<10	116
1500N 700E		32	0.08	<10	<10	84	<10	54
1500N 725E		16	0.06	<10	<10	77	<10	59
1500N 750E		16	0.02	<10	<10	38	<10	55
1500N 775E		19	0.05	<10	<10	74	<10	83
1500N 800E		28	0.06	<10	<10	84	<10	55
1500N 825E		17	0.07	<10	<10	68	<10	47
1500N 850E		13	0.07	<10	<10	76	<10	48
1500N 925E		109	0.01	<10	<10	24	<10	178
1500N 950E		23	0.03	<10	<10	122	<10	90
1500N 975E		17	0.11	<10	<10	100	<10	79
1500N 1000E		25	0.07	<10	<10	72	<10	55
1500N 025W		31	0.02	<10	<10	50	<10	63
1500N 050W		20	0.01	<10	<10	56	<10	25
1500N 100W		20	0.02	<10	<10	67	<10	52
1500N 150W		28	0.04	<10	<10	71	<10	132
1500N 175W		50	0.02	<10	<10	64	<10	53
1500N 200W		29	0.06	<10	<10	85	<10	60
1500N 225W		22	0.08	<10	<10	66	<10	61
1500N 250W		18	0.08	<10	<10	78	<10	37
1500N 275W		27	0.08	<10	<10	80	<10	31
1500N 350W		30	0.05	<10	<10	87	<10	45
1500N 375W		69	0.03	<10	<10	72	<10	58
1500N 450W		38	0.04	<10	<10	57	<10	41

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 6 - A  
Total # Pages: 7 (A - C)  
Finalized Date: 27-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
1500N 500W		0.10	0.011		<0.2	1.27	30	<10	140	<0.5	<2	0.57	<0.5	20	15	49
1600N 500E		0.24	0.038		<0.2	1.59	26	<10	70	<0.5	<2	0.43	<0.5	15	35	53
1600N 525E		0.18	0.008		<0.2	1.24	9	<10	80	<0.5	<2	0.56	<0.5	9	36	42
1600N 550E		0.24	<0.005		<0.2	1.55	8	<10	90	<0.5	<2	0.42	<0.5	11	31	23
1600N 575E		0.20	0.022		<0.2	1.66	12	<10	80	<0.5	<2	0.38	<0.5	10	37	19
1600N 600E		0.24	0.015		<0.2	1.42	14	<10	80	<0.5	<2	0.33	0.6	8	33	26
1600N 625E		0.24	0.013		<0.2	1.50	9	<10	60	<0.5	<2	0.41	1.2	11	37	37
1600N 650E		0.28	0.009		0.3	1.60	5	<10	70	<0.5	<2	0.28	<0.5	9	42	17
1600N 700E		0.22	0.048		<0.2	1.40	20	<10	110	<0.5	<2	0.48	0.6	17	31	72
1600N 725E		0.16	0.034		<0.2	1.56	21	<10	130	<0.5	<2	0.39	<0.5	15	40	59
1600N 750E		0.16	0.057		<0.2	1.16	18	<10	70	<0.5	<2	0.34	<0.5	9	38	19
1600N 775E		0.18	0.031		<0.2	1.54	19	<10	80	<0.5	<2	0.39	<0.5	11	33	41
1600N 800E		0.16	0.024		<0.2	1.13	10	<10	100	<0.5	<2	0.33	<0.5	7	34	13
1600N 825E		0.14	0.007		<0.2	1.49	9	<10	50	<0.5	<2	0.42	<0.5	9	33	18
1600N 925E		0.22	<0.005		<0.2	1.70	8	<10	100	<0.5	<2	0.42	<0.5	11	32	17
1600N 950E		0.20	<0.005		<0.2	1.75	<2	<10	90	<0.5	<2	0.39	<0.5	9	32	18
1600N 975E		0.18	0.006		<0.2	1.84	8	<10	70	<0.5	<2	0.25	<0.5	11	33	43
1600N 1000E		0.18	0.005		<0.2	1.54	10	<10	90	<0.5	<2	0.25	<0.5	7	35	11
1900N 750E		0.16	0.020		0.6	1.28	24	<10	90	<0.5	<2	1.30	0.7	16	29	100
1900N 800E		0.30	0.006		<0.2	2.16	6	<10	70	<0.5	<2	0.36	0.5	11	33	28
1900N 850E		0.30	0.008		0.2	2.12	19	<10	80	<0.5	<2	0.39	<0.5	14	46	37
1900N 900E		0.24	0.012		<0.2	1.66	10	<10	80	<0.5	<2	0.46	<0.5	11	41	31
1900N 950E		0.28	0.006		0.5	1.82	14	<10	130	<0.5	<2	0.63	0.7	17	31	20
1900N 1000E		0.32	0.455		<0.2	2.08	13	<10	160	<0.5	<2	0.51	0.7	15	43	28
1900N 1050E		0.36	0.701		<0.2	1.69	5	<10	100	<0.5	<2	0.49	0.6	14	36	16
1900N 1100E		0.48	0.005		<0.2	1.91	7	<10	100	<0.5	<2	0.39	<0.5	17	38	29
1900N 1150E		0.38	<0.005		<0.2	1.84	5	<10	130	<0.5	<2	0.35	<0.5	11	39	17
1900N 1200E		0.30	<0.005		<0.2	1.90	4	<10	90	<0.5	<2	0.32	<0.5	9	38	12
X 0		0.30	0.008		0.4	1.91	47	<10	110	<0.5	<2	0.32	0.5	22	35	79
X 025		0.26	<0.005		0.2	2.47	40	<10	50	<0.5	<2	0.22	<0.5	17	40	61
X 050		0.32	0.007		<0.2	1.77	6	<10	80	<0.5	<2	0.38	<0.5	9	49	17
X 075		0.30	0.034		0.4	1.22	6	<10	120	<0.5	<2	0.28	0.5	9	32	13
X 100		0.30	0.007		0.2	1.51	27	<10	120	<0.5	<2	0.21	0.9	11	29	27
X 125		0.30	0.576		<0.2	1.00	53	<10	130	<0.5	<2	0.25	<0.5	26	24	39
X 150		0.28	0.067		<0.2	1.51	14	<10	90	<0.5	<2	0.44	<0.5	12	29	31
X 175		0.30	0.026		<0.2	1.69	11	<10	80	<0.5	<2	0.62	<0.5	12	47	65
Y 0		0.32	0.049		<0.2	1.37	15	<10	60	<0.5	<2	0.33	0.5	14	48	37
Y 025		0.26	0.102		<0.2	2.01	2	<10	90	0.5	<2	0.36	0.7	14	71	17
Y 050		0.28	0.007		<0.2	1.62	12	<10	60	<0.5	<2	0.35	<0.5	8	44	20
Y 075		0.32	0.005		<0.2	1.20	12	<10	100	<0.5	<2	0.47	<0.5	11	23	34

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 6 - B

Total # Pages: 7 (A - C)

Finalized Date: 27-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
1500N 500W		5.06	<10	<1	0.09	<10	0.35	1070	2	<0.01	11	520	5	0.03	<2	4
1600N 500E		4.56	10	<1	0.04	10	0.55	500	4	<0.01	25	750	7	0.01	2	4
1600N 525E		2.74	<10	<1	0.03	10	0.59	320	2	0.01	25	760	2	0.01	<2	4
1600N 550E		3.60	10	<1	0.03	10	0.57	302	2	<0.01	17	530	3	<0.01	<2	4
1600N 575E		3.88	<10	<1	0.03	10	0.62	276	1	0.01	18	440	3	<0.01	<2	4
1600N 600E		3.50	<10	<1	0.04	10	0.43	202	2	0.01	17	1340	4	<0.01	<2	3
1600N 625E		3.33	<10	<1	0.05	10	0.57	398	3	0.01	22	940	3	<0.01	<2	4
1600N 650E		3.02	<10	<1	0.03	10	0.51	227	2	<0.01	21	750	2	<0.01	<2	3
1600N 700E		4.86	<10	<1	0.04	10	0.33	635	1	0.01	29	480	3	0.02	<2	7
1600N 725E		4.44	10	<1	0.05	10	0.45	857	1	0.01	28	440	3	0.01	<2	5
1600N 750E		4.54	<10	<1	0.03	<10	0.21	278	1	0.01	17	500	4	0.02	<2	4
1600N 775E		3.55	<10	<1	0.03	10	0.43	279	1	<0.01	19	320	4	0.01	<2	4
1600N 800E		3.96	10	<1	0.02	10	0.27	274	1	<0.01	15	210	4	0.01	<2	3
1600N 825E		4.38	10	<1	0.04	10	0.37	282	1	0.01	12	270	5	0.02	<2	4
1600N 825E		3.71	10	<1	0.04	<10	0.57	722	1	0.01	16	720	4	0.02	<2	3
1600N 950E		3.13	10	<1	0.04	10	0.43	655	1	0.01	14	1120	5	0.02	<2	3
1600N 975E		4.02	10	<1	0.03	10	0.25	399	2	0.01	15	1290	5	0.01	<2	3
1600N 1000E		2.94	10	<1	0.03	<10	0.36	236	1	0.01	14	650	5	0.01	<2	2
1900N 750E		3.83	<10	<1	0.06	10	0.61	834	4	0.01	28	1150	10	0.07	2	5
1900N 800E		3.87	10	<1	0.04	10	0.69	352	2	0.01	16	760	5	0.01	<2	5
1900N 850E		4.08	10	<1	0.04	10	0.62	281	2	0.01	30	1720	4	0.02	<2	4
1900N 900E		3.54	10	<1	0.06	10	0.53	423	2	0.01	20	1230	6	0.02	<2	3
1900N 950E		3.67	<10	<1	0.07	10	0.60	917	1	<0.01	18	420	6	0.02	<2	5
1900N 1000E		4.20	10	<1	0.06	10	0.67	1040	2	0.01	24	2050	6	0.02	<2	4
1900N 1050E		3.41	10	<1	0.09	10	0.61	657	1	0.01	18	970	5	0.02	<2	3
1900N 1100E		3.94	10	<1	0.06	10	0.73	530	2	0.01	20	840	5	0.02	<2	3
1900N 1150E		3.73	10	<1	0.07	10	0.89	511	1	0.01	20	950	5	0.01	<2	3
1900N 1200E		3.56	10	<1	0.05	10	0.47	354	2	0.01	16	1130	6	0.01	<2	3
X 0		5.25	<10	<1	0.04	10	0.85	1280	7	0.01	35	680	5	0.01	<2	7
X 025		4.79	10	1	0.02	10	1.57	515	1	<0.01	17	410	4	0.01	<2	11
X 050		3.92	10	<1	0.03	10	0.54	227	1	0.01	20	350	4	0.01	<2	3
X 075		3.22	10	<1	0.03	<10	0.28	412	1	0.01	12	360	5	0.01	2	3
X 100		3.72	10	<1	0.06	10	0.26	270	5	<0.01	16	820	6	0.01	<2	3
X 125		5.14	<10	<1	0.06	10	0.23	1245	1	<0.01	31	900	4	0.02	<2	5
X 150		3.21	10	<1	0.09	10	0.56	791	2	0.01	16	950	5	0.03	2	3
X 175		2.98	<10	1	0.04	10	0.77	323	1	0.01	28	770	2	0.01	<2	5
Y 0		4.14	<10	<1	0.04	10	0.57	430	2	0.01	26	870	5	0.02	<2	4
Y 025		4.54	10	<1	0.09	10	0.69	789	1	0.01	24	1700	6	0.02	<2	3
Y 050		4.08	10	<1	0.06	10	0.52	263	2	0.01	16	1220	6	0.02	<2	3
Y 075		3.42	10	<1	0.10	10	0.40	636	1	0.01	12	670	5	0.02	<2	3

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 6 - C  
Total # Pages: 7 (A - C)  
Finalized Date: 27-SEP-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Ti	Ti	U	V	W	Zn
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
1500N 500W		58	0.02	<10	<10	63	<10	37
1600N 500E		21	0.09	<10	<10	84	<10	78
1600N 525E		31	0.08	<10	<10	63	<10	45
1600N 550E		18	0.08	<10	<10	80	<10	47
1600N 575E		21	0.09	<10	<10	80	<10	45
1600N 600E		16	0.07	<10	<10	73	<10	61
1600N 625E		20	0.09	<10	<10	73	<10	71
1600N 650E		15	0.09	<10	<10	63	<10	93
1600N 700E		34	0.06	<10	<10	65	<10	91
1600N 725E		23	0.09	<10	<10	87	<10	94
1600N 750E		24	0.09	<10	<10	90	<10	45
1600N 775E		24	0.06	<10	<10	78	<10	45
1600N 800E		25	0.06	<10	<10	101	<10	33
1600N 825E		25	0.08	<10	<10	95	<10	41
1600N 825E		21	0.13	<10	<10	102	<10	68
1600N 950E		22	0.13	<10	<10	89	<10	71
1600N 975E		15	0.09	<10	<10	84	<10	81
1600N 1000E		17	0.10	<10	<10	84	<10	40
1900N 750E		96	0.03	<10	<10	45	<10	68
1900N 800E		18	0.08	<10	<10	116	<10	103
1900N 850E		20	0.11	<10	<10	97	<10	60
1900N 900E		26	0.11	<10	<10	90	<10	74
1900N 950E		46	0.08	<10	<10	70	<10	73
1900N 1000E		32	0.14	<10	<10	115	<10	156
1900N 1050E		28	0.14	<10	<10	104	<10	118
1900N 1100E		25	0.14	<10	<10	117	<10	73
1900N 1150E		19	0.15	<10	<10	102	<10	97
1900N 1200E		18	0.13	<10	<10	102	<10	95
X 0		27	0.03	<10	<10	72	<10	83
X 025		18	0.04	<10	<10	204	<10	63
X 050		25	0.14	<10	<10	131	<10	44
X 075		20	0.09	<10	<10	98	<10	59
X 100		14	0.04	<10	<10	64	<10	95
X 125		17	0.02	<10	<10	50	<10	106
X 150		25	0.13	<10	<10	78	<10	60
X 175		23	0.15	<10	<10	84	<10	36
Y 0		17	0.09	<10	<10	87	<10	74
Y 025		19	0.11	<10	<10	126	<10	114
Y 050		20	0.15	<10	<10	129	<10	47
Y 075		27	0.05	<10	<10	64	<10	70

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 7 - A

Total # Pages: 7 (A - C)

Finalized Date: 27-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
Y 100		0.30	0.063		<0.2	0.80	12	<10	80	<0.5	<2	0.28	<0.5	19	11	21
Y 125		0.20	<0.005		<0.2	1.01	5	<10	150	<0.5	<2	0.36	0.7	11	28	15

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 7 - B

Total # Pages: 7 (A - C)

Finalized Date: 27-SEP-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04063257

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
Y 100		4.26	<10	<1	0.07	10	0.23	683	1	0.01	9	490	3	0.03	<2	4
Y 125		2.53	<10	<1	0.09	10	0.32	1180	1	0.01	12	500	6	0.02	<2	2

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brookbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 7 - C  
 Total # Pages: 7 (A - C)  
 Finalized Date: 27-SEP-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04063257**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Tl	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		1	0.01	10	10	1	10	2
Y 100		21	0.02	<10	<10	46	<10	51
Y 125		25	0.09	<10	<10	68	<10	53

Comments: Due to sample type, some samples exhibit Au nugget effect. NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 1  
Finalized Date: 27-OCT-2004  
Account: MYA

## CERTIFICATE VA04072974

Project: QCM

P.O. No.:

This report is for 21 Soil samples submitted to our lab in Vancouver, BC, Canada on 19-OCT-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

DAVID MEHNER

## SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: CANADIAN GOLD HUNTER CORP  
ATTN: RICK J. BAILES  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 27-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072974

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
700N 25E		0.30	0.015	0.4	1.55	21	<10	90	<0.5	<2	0.25	0.5	13	26	29	4.97
700N 50E		0.34	0.014	<0.2	1.86	15	<10	80	<0.5	<2	0.33	<0.5	11	26	21	5.26
700N 100E		0.28	0.035	0.4	1.90	20	<10	100	<0.5	<2	1.06	0.6	16	30	59	4.39
700N 125E		0.36	0.059	<0.2	1.72	23	<10	70	<0.5	<2	0.40	<0.5	13	29	73	4.32
700N 150E		0.34	0.052	<0.2	2.00	52	<10	80	<0.5	<2	0.35	<0.5	14	29	72	7.01
700N 25W		0.32	0.067	0.4	1.71	23	<10	190	<0.5	<2	0.34	<0.5	21	31	55	5.25
700N 50W		0.26	0.023	<0.2	1.50	23	<10	80	<0.5	<2	0.31	0.6	18	28	25	5.25
700N 75W		0.26	0.039	0.3	1.34	9	<10	90	<0.5	<2	0.24	0.7	8	27	24	3.38
700N 100W		0.38	0.212	0.2	1.23	24	<10	100	<0.5	<2	0.33	0.5	13	32	32	4.15
700N 125W		0.30	0.016	0.3	1.42	8	<10	60	<0.5	<2	0.36	<0.5	12	36	34	3.22
700N 150W		0.38	0.010	<0.2	1.63	15	<10	80	<0.5	<2	0.55	<0.5	13	40	38	3.46
700N 175W		0.28	0.023	0.2	1.25	20	<10	70	<0.5	<2	0.44	<0.5	12	28	19	3.32
700N 200W		0.36	0.039	0.5	2.13	37	<10	110	<0.5	<2	0.48	<0.5	18	28	100	5.42
700N 225W		0.24	0.146	0.3	1.01	46	<10	120	<0.5	<2	0.61	0.5	35	14	61	7.16
700N 250W		0.34	0.047	0.2	1.36	41	<10	150	<0.5	<2	0.51	<0.5	16	21	44	5.56
700N 275W		0.42	0.088	0.4	1.90	28	<10	170	<0.5	2	0.51	<0.5	20	26	51	4.81
700N 300W		0.34	0.028	<0.2	1.23	21	<10	70	<0.5	<2	0.35	<0.5	9	22	27	4.10
700N 325W		0.28	0.017	<0.2	1.24	11	<10	90	<0.5	<2	0.37	<0.5	8	23	13	3.20
700N 350W		0.28	0.061	<0.2	1.30	35	<10	100	<0.5	<2	0.37	<0.5	13	23	38	4.18
700N 375W		0.22	0.023	<0.2	1.69	18	<10	50	<0.5	<2	0.29	<0.5	13	32	34	4.43
700N 400W		0.36	0.022	<0.2	1.56	14	<10	80	<0.5	<2	0.35	<0.5	13	29	16	4.07



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 27-OCT-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072974

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
700N 25E		10	<1	0.03	10	0.38	431	1	0.01	14	420	4	0.02	<2	5	18
700N 50E		10	<1	0.04	10	0.55	312	1	0.01	14	490	6	0.01	3	5	26
700N 100E		10	1	0.03	10	0.56	971	<1	0.01	19	530	5	0.03	<2	7	85
700N 125E		<10	<1	0.03	10	0.52	255	1	0.01	20	360	5	0.02	2	7	23
700N 150E		10	<1	0.04	10	0.47	451	2	0.01	20	580	9	0.03	<2	6	25
700N 25W		10	<1	0.05	10	0.48	2210	<1	0.01	20	580	6	0.01	<2	7	29
700N 50W		10	<1	0.04	10	0.46	1060	<1	0.01	13	790	7	0.01	<2	5	18
700N 75W		10	<1	0.05	10	0.24	438	1	0.01	11	600	7	0.01	<2	4	14
700N 100W		<10	<1	0.07	10	0.41	734	1	0.01	16	1190	4	0.01	2	3	17
700N 125W		<10	1	0.08	10	0.69	424	1	0.01	22	680	7	0.01	<2	4	20
700N 150W		<10	<1	0.11	10	0.82	651	1	0.01	24	750	3	0.01	<2	5	31
700N 175W		10	<1	0.06	10	0.39	206	<1	0.01	17	440	4	0.01	<2	3	26
700N 200W		10	1	0.06	10	0.74	621	<1	0.01	25	370	5	0.02	<2	8	33
700N 225W		<10	1	0.10	10	0.22	2970	1	0.01	19	1200	5	0.04	<2	9	41
700N 250W		<10	<1	0.08	10	0.36	1075	<1	0.01	14	990	5	0.03	<2	6	31
700N 275W		10	<1	0.10	10	0.58	1225	<1	0.01	17	920	10	0.02	<2	6	33
700N 300W		<10	1	0.08	10	0.41	293	1	0.01	12	580	7	0.01	<2	4	21
700N 325W		10	<1	0.08	10	0.39	465	<1	0.01	11	410	4	0.01	<2	3	23
700N 350W		<10	<1	0.08	10	0.40	402	1	0.01	13	490	3	0.02	<2	4	26
700N 375W		10	<1	0.06	10	0.59	360	1	0.01	19	440	4	0.01	<2	5	19
700N 400W		10	1	0.05	10	0.49	436	<1	0.01	19	340	6	0.01	<2	4	25



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 27-OCT-2004

Account: MYA

Project: QCM

CERTIFICATE OF ANALYSIS	VA04072974
-------------------------	------------

Sample Description	Method Analyte Units LQR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
700N 25E		0.05	<10	<10	77	<10	71
700N 50E		0.06	<10	<10	96	<10	69
700N 100E		0.05	<10	<10	80	<10	66
700N 125E		0.07	<10	<10	76	<10	41
700N 150E		0.07	<10	<10	91	<10	57
700N 25W		0.07	<10	<10	76	<10	96
700N 50W		0.08	<10	<10	85	<10	64
700N 75W		0.07	<10	<10	83	<10	83
700N 100W		0.07	<10	<10	75	<10	85
700N 125W		0.10	<10	<10	69	<10	76
700N 150W		0.11	<10	<10	76	<10	64
700N 175W		0.05	<10	<10	65	<10	37
700N 200W		0.05	<10	<10	75	<10	56
700N 225W		0.03	<10	<10	40	<10	89
700N 250W		0.03	<10	<10	62	<10	55
700N 275W		0.05	<10	<10	85	<10	82
700N 300W		0.05	<10	<10	66	<10	47
700N 325W		0.07	<10	<10	77	<10	42
700N 350W		0.05	<10	<10	70	<10	60
700N 375W		0.08	<10	<10	88	<10	51
700N 400W		0.07	<10	<10	79	<10	60

**APPENDIX III**

**LOGISTICAL REPORT: IP AND MAGNETOMETER SURVEYS,**

**QCM PROPERTY**

**SCOTT GEOPHYSICS LTD.**

**September 07, 2004**

**(SEPARATE FOLDER)**



**APPENDIX 1V**

**QCM PROJECT**

**DRILL LOGS – QCM -04-001 to 005**

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No: QCM-04-001	Depth (m): 203.30	Azimuth: 240°	Angle: -45	Elevation (m): 1150	Casing (m): 6.40	Page: 1 of 14
Drill Company: BRITTON BROS	Start Date: SEPT 29/04	Finish Date: SEPT 30/04	Logged by: D. MEHNER			
NTS: 400030/6172671±10	Local Grid: 1100+00N / 0+09E	Claim No: QCM-2	Core Size: NQ			
Down-hole Surveys: 127.10m = -43°@240° ; 200.25m = -41°@240°						
Target: RESISTIVITY HIGH, RELATIVE CHARGEABILITY LOW, Au GEOCHEM ANOMALY						

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
0.00	6.40		CASING No recovery			
6.40	21.15		Messine, med grained lithic wackes; elongated (structurally deformed/			
6.40	8.00		altered) lithic frags to 6mm long; core is blocky with numerous	87501	<0.005	
8.00	9.50		10-20cm intervals of crushed core & clay / fault gouge; @ 12.30 fault	87502	0.904	
			gouge is 75-80° to core axis; @ 14.33 gouge is carbonaceous / graphitic;	87503	0.016	
			- hairline, black fracture fill, @ various angles but commonly 50° to	87504	0.029	
			lower extent, 85° is likely manganese;	87505	0.694	
			- diss pyrite is typically ≤ 1mm and averages ≤ 0.5%; appears to be	87506	0.013	
			increase to 1-2% diss in zones & gtz veining, typically over 10-33cm	87507	0.009	
			long intervals;	87508	0.12	
			- 13.82-14.17 interval contains 5-8% gtz veining; 1-7mm thick @	87509	0.017	
			60-80° to core axis; one vein x-cuts @ 20°; traces of pyrite as pyrite	87510	0.065	
			grain aggregates;			
			- micro brecciation assoc & increased manganese is common throughout			
			but more intense from 13.82-21.15			
			- core is grey, contains tr of 1-3mm "spots" of malpasite & no limonite;			
			- diss throughout are <1mm cream coloured "blocky" grains, possibly of ankerite;			

Graphic Log

--	--	--	--	--	--

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-001

Page 7 of 14

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			- sericite is very common throughout the groundmass - 16.76 to 17.1 = qtz vein to 5mm @ 10-15° to core axis; contains pyrite; adjacent washes contain 2% diss & fracture pyrite, possible increase in sericite content as well; pyrite overall shows increase to 0.7% @ depth			
21.15	22.36		Same wash; possibly a bit finer grained; interval is characterized by strong diss pyrite & cubes to 5mm across & lenses of pyrite cube aggregates (grains av 1mm) 3.5 to 4cm long by 3-6mm wide; overall pyrite is 2-3%; lenses of manganese fract-fill are aligned @ 10-15° to core axis - interval starts @ shearing @ 30° to core over 15cm; - minor qtz veining (< 2%)	87511	0.547	
22.36	41.37		Back into medium grained washes / lithic washes & < 1% diss pyrite grains averaging < 1mm across; qtz veining is minor (< 1%) and where present is generally < 2mm across and typically @ 0-15° to core axis; - core is blocky, contains numerous narrow (< 1cm) gouge seams & most fractures have thin film of grey clay; - brecciated & "spongy" - fault zone (?) @ 25.74 - 27.33; appears to be clay (grey) alteration - rock is quite soft (argillitic); - find hairline fractures @ 60°-80° to core with pyrite fracture-filling scattered throughout (< 1%); often & qtz veining (prevalent @ 30.00-30.50)	87512 87513 87514 87515 87516 87517 87518 87519 87520	< 0.005 < " < " < " 0.01 0.024 0.05 < <	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-001

Page 3 of 14

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			- occasional sulphate fracture filling as at 31.30; - common on many fractures from 29.33 to 31.30;	87521	<	
				87522	<	
			- @ 32.15 a 5cm fault breccia & minor carbon cuts core @ 20°;	87523	<	
			thereafter minor beds of siltstone along & angular siltstone shards to 4cm long occur to at least 37.70; bedding, based on siltstone beds 32.30 is 5° to core axis; @ 35.10 bedding is 20°	87524	0.258	
			- weak, patchy CaCO <sub>3</sub> cement in waxes; rare specs / patches 1-2mm of malpaisite; Note: overall, there does not seem to be strong hydrothermal alteration; qtz veining is << 1% and pyrite is < 1%, probably 0.5% overall average for interval;			
41.37	44.55		Med grained, somewhat "bleached" waxes & faint brown, very fine grained material in cement surrounding grains; start getting qtz veining and possibly some qtz flooding associated & veins - rock is hard;	87525	0.507	
			- noticeable increase in disseminated pyrite 3-4% as cubes to 5mm, as clusters of cubes over 7cm and in discontinuous fracture fillings / stringers @ 15-20° to core;	87526	0.119	
44.55	50.46		Fine-medium grained, leucocratic waxes but with 3-4% pyrite & locally 5-6% pyrite, is disseminated as grains averaging < 1mm across; Qtz veining increases substantially (30-40% of interval) but is dominated by a single 2.5cm vein @ 0-5° to core axis; pyrite content	87527	0.255	
				87528	0.695	
				87529	0.112	
				87530	0.139	

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-001

Page 4 of 14



From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			<p>appears to increase where Qtz Veining increases; there are also 2-4mm veins @ 55° to core &amp; some irregular silica patches;</p> <p>- pyrite is predominantly diss (occ. cubes to 4mm - very minor) in wacks but also minor grains &amp; grain aggregates occur in Qtz veins &amp; along fractures cutting Qtz Veins</p> <p>- Note: appears to be Qtz grains surrounded by fine grained, cream coloured mineral assemblage - guessing fine sericite but could be in part, some carbonate - does not fizz acid</p>			
50.46	53.00		<p>Same fine-med grained, leucocratic, wacks. relatively massive to about 53.00; to 51.00 pyrite as ≤1mm disseminations = 2-2%; from 51.00 - 53.00 pyrite average ≤0.5%; hairline to 1mm Qtz-filled fractures, @ 0-5° occur sporadically (&lt;1%) throughout; traces of mariposite</p>	87531	0.087	
53.00	56.83		<p>Wacks to lithic wacke &amp; frags, subangular &amp; elongated, to 5mm; interval is cut by 1-2% (?), hairline fractures filled &amp; clear &amp; dark grey to blackish Qtz - various angles; portions of interval are crackle-brecciated &amp; fractures filled &amp; black Qtz (hairline);</p> <p>- disseminated pyrite is ≤0.5%; fracture pyrite, sometimes in Qtz veins, is present but averages ≤0.1%; tr mariposite;</p> <p>- numerous fractures &amp; clay gouge typically @ 60-90° to core in lower 0.75 meters; most Qtz veins are @ 45-75° to core</p>	87532 87533 87534	0.633 0.005 0.095	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-001

Page 5 of 14

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
56.83	66.57		Same leucocratic rocks but now with 0.5-1%, 1mm disc pyrite & local 10-30cm patches of 2% pyrite; irregular bull qtz veins ( $\pm$ white $\text{CaCO}_3$ ); up to 7cm wide but generally 6-12mm cut core @ 25-75° to core, adjacent to veins (make 1-2% of interval) pyrite crystals can be slightly larger and range to 3mm; <sup>Bull</sup> qtz veins average 1/1.5m - interval has common $\pm$ -cutting fractures filled with fine sericite; sericite also on margins of bull qtz veins and within the veins - $\text{CaCO}_3$ common as cement in groundmass & in some veins 	87535	0.266	
				87536	0.301	
				87537	0.526	
				87538	0.283	
				87539	0.051	
				87540	0.767	
			- Traces of mariposite throughout rocks 			
			Bull qtz Vein $\pm$ sericite margins @ 40° to core - Bull qtz is yellow			
			$\pm$ qtz & sericite @ 35-40° average			
66.57	69.19		Massive leucocratic rocks; <1%, early-stage qtz veining ( $\pm$ out sericite) 1-2mm wide @ 00-05° to core axis; upper 1/2 of interval has 1-2%	87541	0.317	
				87542	0.187	

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-001

Page 6 of 14

From	To	Rcy	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
Meters		%		Tag	Au g/t	As ppm
			pyrite as diss grains in 1-2mm range; lower 1/2 of interval has $\pm 0.5\%$ py generally as grains $\leq 1\text{mm}$ ; note fine $\text{CaCO}_3$ as cement throughout			
69.19	73.40		Similar to 56.83-66.57 $\bar{c}$ 1-2mm qtz veins (older?) @ 00-05° to core, occasional white, bull dtz veins, 6-12mm across @ 00-05°, 40° & 70° to core - with associated $\text{CaCO}_3$ & sericite margins and 0.75-1% disseminated pyrite cubes @ 1-2mm typically - slight increase in pyrite near veins - reduction in pyrite away from veins; - includes 25cm qtz stockwork zone & some minor patchy silicification - increase from 1-2% pyrite over lower 60cm	87543 87544 87545	0.209 0.229 0.798	
73.40	78.00		Foliated /sheared & partially brecciated lithic waste; has medium to darker grey colour, owing in part to lithic frags; varies from med to coarser medium with sections composed of grains averaging 3-4mm but ranging to 7mm; - clay gouge & sericite seams @ 15-20 & 40°; entire interval has clay saturation & rock is quite soft - a foliation/shearing is @ 40-45° to core; - minor qtz veining (1-2mm) but sheared; - $\leq 0.5\%$ diss pyrite; rare spec cop; tr. mariposite; moderately calcareous;	87546 87547 87548	0.152	

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-001

Page 7 of 14

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Assays Au g/t      As ppm	
78.00	83.10		Same medium to medium-coarse lithic wacke @ 73.40-78.00 but lacks shearing/foliation; subangular frags are up to 1.8cm; - black, hairline fractures of ?? MnO ± Qtz? are common, locally sheeted over 10-20cm → cut core @ 50-80°; these are cut by occasional late qtz-CaCO <sub>3</sub> veins, 2-3mm thick @ 30° to low, (≤2% Q veins) - pyrite content (dis grains ≤ 1mm on average) = ≤0.5% - from 80.20-81.36 there are a number of 2-5cm fault gouge ± slickensided shears cutting core @ 40-50° - 82.18 to 83.10 is fault breccia; approximately the basal 30cm is graphitic	87549 87550 87551 87552		
83.10	98.21		Massive, fine-medium grained, equigranular lithic wacke; "salt & pepper" Texture is dark grey to black grains spread throughout - very minor, 2-5mm, qtz + CaCO <sub>3</sub> ± ankerite (examined) + sericite; can be up to 2cm thick; veins cut core @ 50-80° and contain weak dis pyrite; wacke contains ≤0.3% dis pyrite; - numerous clay lined fractures, often @ 10-20° to core axis - Qtz veins have local stockwork but only average 1-2% of internal - they are "early-stage" veins (?) - from 92.1-96.62 there is a slight increase in qtz veining & irregular silica flooding to 3-5%; veins are typically 3-5mm thick @ 10-25° to core; occasional steeper veins; most have CaCO <sub>3</sub> ± traces sericite & traces dis pyrite; wacke appears to be much richer in	87553 87554 87555 87556 87557 87558 87559 87560 87561 87562		

Graphic Log



CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-001

Page 8 of 14

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			carbonate (CaCO <sub>3</sub> ± ankerite?) from 92.70 - 96.70 - carbonate grains 2-4 mm give a "pseudo" porphyritic texture; trace (rare) malpaisite in this zone & still < 0.3% diss pyrite; carbonate "patches" are ± 10-15%			
98.21	99.95		Varied, disrupted lithic wacke to pebble breccia; angular siltstone fragments to 8.5 cm long are caught up in lithic wacke & many angular frags in the 0.5-1 cm long range; 20 cm zone at top of interval has irregular (but 30° is prevalent) black veining composed of qtz & ?? - contains traces of diss qtz & occasional pyrite; occasional 2-3 mm qtz veins elsewhere in interval (< 1%); - clay along a number of fractures; @ 99.70 a fracture @ 10° to core has striations (slickensides?) @ 45° rake. - pyrite is < 0.1%	87563		
99.95	129.45		Fine-medium grained, leucocratic wacke / lithic wacke characterized by 5-8% disseminated pyrite grains averaging ≤ 1 mm and occasional pyrite filled fractures, typically @ 40-75° to core axis; - the interval is also characterized by qtz veining, generally @ 00-15° to core axis & widths of 1 cm to the entire core width; - portions of the wacke are strongly silicified; - CaCO <sub>3</sub> is present as cement throughout the wacke and is very common along qtz vein margins and along fractures cutting the veins; NB The veins are white, "bull qtz", from those, which are	87564	87565	87566
					87567	87568
					87569	87570
					87571	

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-001

Page 9 of 14.

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			generally sub-parallel to core are numerous 1-2 mm & 4-6 mm veins	87572	0.150	
			that cut core @ various angles but generally @ 40°-70°	87573	0.113	
			- scattered throughout veins, esp in area of 107.3 - 107.8 are	87574	0.266	
			fine disseminations of galena - usually as irregular aggregates	87575	0.507	
			- also find trace (< rare) specs of spy in Qtz veins	87576	0.490	
			- by 110.50 qtz veining becomes very irregular veins / patches as	87577	0.082	
			core is flooded w silica; traces of galena are common - very fine	87578	1.235	
			grained; core is silicified and clastic, where texture is largely	87579	0.403	
			obliterated; sericite is common but more patchy; where veins	87580	0.146	
			occur, (2-6mm) they are irregular & exist as a stockwork;	87581	0.060	
			- starting @ 116.75, the core becomes blocky, there are numerous	87582	0.482	
			clay gouge seams / fracture fills & the core is brecciated to			
			varying degrees - peripheral to a fault; from ± 118.00-127.10			
			much of the core is rubble w clay fault-gouge seams; 121.20-121.90			
			is fault gouge & breccia; 124.15-127.10 the core is crackle brecciated w			
			fault gouge / clay seams; within this interval bull white qtz veins			
			re-appear - gouge seams - in part, @ 30° to core; note throughout fault			
			zone (116.75-127.10) qtz veining occurs but clastic texture reappears; pyrite			
			content remained @ 5-8%;			
			- 127.10 to 129.45 is veined w minor patchy silica in leucocratic			
			where w 5-8% dis pyrite as upper part of this interval; basal			
			contact is a fault (like upper contact) @ 45° to core; it is also a			
			Q vein contact as upper contact is;			

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-001

Page 10 of 14

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
129.45	133.62		<p>Fine-med grained, equigranular, leucocratic, massive wacke <math>\bar{c}</math> 5-8% disseminated (<math>\leq 1</math>mm grains), pyrite <math>\bar{c}</math> occasional 1-3% qtz veins; includes dark grey veins (3-4mm across) and younger (?) white veins of qtz <math>\pm</math> CaCO<sub>3</sub> @ Typically, shallower angles (10°-20° &amp; 40°); Here seem to cut &amp; off-set the darker qtz veins;</p> <ul style="list-style-type: none"> <li>- CaCO<sub>3</sub> is common as cement in wackes;</li> <li>- numerous clay-filled fractures - various angles (15-35° are common)</li> </ul>	87583	0.256	
				87584	0.307	
				87585	0.118	
133.62	135.02		<p>Light grey wackes &amp; lithic wackes <math>\bar{c}</math> light-grey angular argillite fragments several cm across within med grained wacke; pyrite content is <math>\leq 0.5\%</math> &amp; varies from grains <math>\leq 1</math>mm to local patches <math>\bar{c}</math> cubes up to 4mm across; very minor to no qtz veining</p>	87586	0.347	
135.02	145.20		<p>Light grey, fine-medium grained, equigranular wacke; little/no qtz veining; dis pyrite, average <math>\leq 1</math>mm across = 1%.</p> <ul style="list-style-type: none"> <li>- numerous, black, hairline fractures (<math>\bar{c}</math> MnO??), occasionally partly filled <math>\bar{c}</math> pyrite = 30°-40° to core is common</li> <li>- 138.55 to 139.62 is "crushed" core of rubble, fault gouge &amp; 40-50% qtz vein; seems to be brecciated; veining is irregular &amp; includes silica flooding; 1-2% dis &amp; stringer pyrite; strong gouge @ start &amp; end of interval</li> <li>- from 139.62 to 142.70 pyrite cubes are slightly larger @ <math>\leq 2</math>mm and increase to 2%; occasional stringers @ 20°-30° to core</li> <li>- 142.70 to 145.20 core is brecciated / fractured &amp; has 5% CaCO<sub>3</sub> fracture filling</li> </ul>	87587	0.209	
				87588	0.295	
				87589	0.395	
				87590	0.163	
				87591	0.038	
				87592	0.092	
				87593	0.246	

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-001

Page 11 of 14

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
145.20	149.25		Leucocratic wacke, blocky, 2-4% irregular to stockwork qtz veining plus silica flooding; 3-5% disseminated pyrite averaging 3mm, occasional 4mm cubes; occasional pyrite stringers; - qtz veining is white bull qtz & contains diss pyrite - CaCO <sub>3</sub> is present as cement in wacke plus fracture-fill across qtz veins	87594	0.272	
				87595	0.723	
				87596	0.565	
149.25	154.60		Light grey wacke; varies from fine-medium grained & massive to largely leucocratic lithic wacke (light grey to pale green siltstone) or argillite frags averaging 0.6-1.0cm; minor (<<1%) qtz veining; - pyrite is very minor (<0.2%) and generally very fine grained; - traces of mariposite & small chalky-cream coloured (<1mm) crystals (ankerite?);	87597	0.008	
				87598	0.006	
				87599	0.262	
154.60	157.04		Wacke; 3-5% diss cubes to 5mm; average 1.5-2mm; locally to 7% pyrite - contains 3-4% bull white qtz veining to 3cm wide and irregular stockwork, silica flooding related to veining - veins @ 20 & 50-60° to to core; veins contain traces of cpy & possibly hematite (? - steel grey, soft mineral c a brown streak); strong pyrite in qtz veins	87600	0.199	
				87601	0.428	
157.04	173.85		Lithic wacke; 157.04-161.20 = med grained, light grey to pale green frags 3-4mm across, generally aligned parallel to core; ≤ 0.3% finely diss pyrite; - very minor qtz veins (<<1%) - bull qtz ≤ 12mm; occasional dark grey vein ≤ 3mm;	87602		
				87603		

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-001

Page 12 of 14

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			-161.20 to 168.60 rock is coarse lithic wacke to siltstone wacke ± same	87604		
			light coloured angular siltstone largillite fragments (& rip-ups?) but	87605		
			now up to 6cm long - Note: long axis of frags varies from perpendicular			
			to core in one zone to parallel to core in others - suggests folding!	87606		
			- CaCO <sub>3</sub> as cement & as fracture-filling in localized "crackles"	87607		
			breccia zones generally ≤6cm is very common;	87608		
			- Note from 171.55 to 173.85 there are numerous ≤1.5mm, irregular, dark	87609		
			qtz veins / fracture fills ± weak pyrite (early veining??) - overall these	87610		
			fractures = ±1%; they vary but often are @ 50-65° to core axis	87611		
			-169.80 - 170.80, CaCO <sub>3</sub> fracture stockwork occurs	87612	0.232	
173.85	176.70		Leucocratic wacke with 2-3% dark pyrite averaging ≤1mm to 176.80			
			and 5mm afterwards. upper contact is a clay-filled shear @	87613	0.503	
			20° (≤1cm thick); bulk qtz veining makes up 5-8% as ±1cm wide vein	87614	0.189	
			subparallel to core, as 0.5cm veins @ ±30° to core & a 23cm wide vein			
			@ 60-65° to core; veins are fractured, contain minor dark pyrite, traces			
			of epid and traces of hematite (?) - stony grey mineral ± deep red brown streaks			
			- CaCO <sub>3</sub> commonly fills fractures cutting veins;			
176.70	181.10		Lithic wacke ± siltstone frags up to 7cm across; foliated @ 30-45°	87615		
			to core ± associated minor, dark qtz veining (≤2mm) & 2% porphyroblast			
			pyrite cubes to 5mm @ 177.00 - 177.67; thereafter pyrite averages ±0.5% &	87616		
			is ≤1mm; only occasional porphyroblast;	87617		

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-001

Page 13 of 14

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
181.10	187.70		Same lithic waste as above to 183.50; thereafter rock is med. grained lithic waste to waste & only occasional lithic frags $\leq 0.5$ cm; - pyrite increases to 5% average; clear & white bull qtz veins are $\pm 1\%$ to 184.40 & 3% afterwards - CaCO <sub>3</sub> fracture common in area of qtz stockwork / silica flooding @ 186.80 - 187.30.	87618 87619 87620 87621	0.010 0.290 0.345 0.993	
187.70	192.60		Med. grained waste & 2-3% diss pyrite averaging $\leq 1$ mm, minor ( $\leq 1\%$ ) qtz veining and strong CaCO <sub>3</sub> veining @ 0-25° to core, CaCO <sub>3</sub> veins are at least as thick as core; - from 190.50 core is much more blocky & @ 192.40-192.60 core is crushed & contains Qtz vein frags and clay;	87622 87623 87624	0.151 0.142 0.055	
192.60	196.80		From 192.84 to 193.25 is fine-med grained equigranular waste; from 193.25 to 196.80 is lithic waste (& angular siltstone frags to 5cm & what appears to be disrupted, interbedded siltstones & wastes & bedding @ 20° to core. - pyrite content varies from 0.1% to 2% of 0.8meters - averages 0.5-0.7% - Qtz veining is absent.	87625 87626 87627		
196.80	199.22		From 196.80-198.36 = lithic waste as above but & 1-2% diss pyrite & minor qtz veining including qtz + CaCO <sub>3</sub> stockwork @ 197.12-197.90 - 198.36-199.22 = lithic waste to med grained waste but $< 1\%$ pyrite	87628 87629	0.046 0.109	

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-001

Page 14 of 14

From Meters	To Meters	Rey %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Assays	
					Au g/t	As ppm
199.22	203.30		Massive, fine-med. grained waste; minor, occasional 4-6 um qtz veins (random orientation) = <1%; - to 200.30 pyrite averages <math>\leq 0.5\%</math>; 200.30 to 201.60 disc pyrite (<math>\leq 1\text{mm}</math> cubes) averages 1-1.5%; 201.60 - 203.30 pyrite <math>\leq 0.5\%</math> - from 200.25 to EOH, core is very blocky to rubble; many pieces are sheared / fractured / broken subparallel to parallel to core; clay & minor chloite occur along these fractures; these rocks are quite calcareous;	87630	0.119	
End of Hole				87631	0.260	
				87632	0.097	

Graphic Log

**CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No: QCM-04-002	Depth (m): 203.30	Azimuth: 230	Angle: -45	Elevation (m): 1180	Casing (m): 3.05	Page: 1 of 10
Drill Company: BRITTON BRDS	Start Date: Oct. 1/04	Finish Date: Oct. 2/04	Logged by: D. MEHNER			
NTS: 399928/617623±11	Local Grid: 1100+38N / 0+76W	Claim No: QCM-2	Core Size: NQ			
Down-hole Surveys: 136.25m = -50° @ 230°; 190.25m = -51° @ 230°						
Target: RESISTIVITY HIGH; RELATIVE CHARGEABILITY LOW; Au GEOCHEM ANOMALY						

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Assays Au g/t C <sub>As</sub> ppm	
0.00	3.05		CASING No recovery			
3.05	14.20		Med grey, lithic matrix ± subangular to subrounded siliceous frags (prob grey - cream predominate), up to 7cm but generally ≤ 1cm; limonite (oxidized) on fractures to 19.00 meters - irregular qtz veining up to 3cm subparallel to core but generally veins @ steep angles ≤ 1cm average 1-1.5% (1 vein / meter) - 3.05 to 3.80 = 1% diss pyrite - grains / scales ≤ 1mm; 3.80 - 6.50 pyrite = 0.3% as diss scales ≤ 1mm; 6.50 - 14.20 pyrite = ≤ 0.3% ± cubes < 1mm; mts @ 11.70 to 12.06 diss pyrite = 2% & is associated ± 1-1.5cm QV - rare spec copy assoc ± vein	87633 87634 87635 87636 87637 87638 87639	1.895 1.205 1.230 0.138 0.045 0.176 0.146	164 122 163 162 114 127 152
14.20	16.50		Similar lithic matrix but ± fragments generally 0.5-0.8cm across; internal is brecciated & foliated ± crude, weakly developed gneissic texture including "aligned" stretched frags; gneissic texture varies from very weak to moderately developed @ 60-70° to core predominantly - note core is darker grey colour than above interval; Qtz veining is rare (< 0.5%)	87640	0.167	154

Graphic Log

--	--	--	--	--	--



**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-002

Page 2 of 10

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	Cu AS ppm
			-pyrite $\leq 0.3\%$ ; as above interval, core is calcareous (weakly - in patches that are likely cement)			
16.50	19.15		Lithic rocks $\bar{c}$ frags up to 1cm but typically $\leq 0.5$ cm; as above unit, a weakly developed foliation exists @ 60-70° to core; pyrite however is about 1.5%; irregular qtz veining (stockwork) & silica flooding is 20% of interval;	87641	0.482	200
				87642	0.558	160
19.15	20.60		Lithic rocks $\bar{c}$ ripped up siltstone frags, 10cm long, @ 30° to core; most frags $\leq 1$ cm; pyrite $\leq 0.1\%$ ; one, 2mm qtz vein @ 50° to core	87643	0.109	134
20.60	25.10		Massive, med grained rocks and lithic rocks $\bar{c}$ siltstone frags averaging $\leq 1$ cm. interval is characterized by qtz veining ( $\bar{c}$ minor $\text{CaCO}_3$ ), local qtz stockwork and silica flooding; veining is typically @ 15-20°, 30-50° and parallel to core;	87644	0.082	124
				87645	0.140	134
				87646	1.085	93
			-pyrite $\leq 0.3\%$ from 20.60-22.90; 22.90-25.1 pyrite average 0.5 to locally 1%	87647	0.038	108
				87648	0.736	178
25.10	33.00		Lithic rocks < frags < 1cm) $\bar{c}$ 1 qtz vein generally 0.7cm but up to 6cm every 1.5 meters; variable pyrite but average 1-1.5%; limonite on fractures from 26.52 to 33.70; core is very blocky from 28.40-32.61; from 29.20-32.54 core is brecciated and contains "rounded" ground pieces	87649	0.929	136
				87650	0.299	106
				87651	0.098	130
				87652	0.166	121
				87653	0.428	148
33.00	45.60		Med grained, massive rocks; $\leq 0.3\%$ diss pyrite to 34.50; from 34.50	87654	0.371	139

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-002

Page 3 of 10

From Meters	To Meters	Rey %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Assays Au g/t	Assays Cu ppm
			to 37.70 disc pyrite cubes, <1mm, = 2-3%; from 37.70 pyrite averages	87655	0.080	132
			<1% ± 20-30cm intervals of <0.3% & similar intervals to 2%	87656	0.367	104
			- from 36.20 core is blocky and has numerous clay filled fractures;	87657	0.052	146
			- $P_{25}$ Veining averages 1% (1 vein / 1.5 meters) to 38.45; thereafter $qtz$	87658	0.235	127
			veining averages 2-3% ± 2 veins / meter, from 43.70 - 44.56 is a bull	87659	0.861	71
			white $qtz$ vein			
45.60	55.25		Fault zone, rubble, crushed core and clay, fault gouge; from 50.90	87660	0.587	138
			core is brecciated ± clay-filled fractures; $qtz$ veining and pyrite	87661	0.561	123
			(based on pieces in rubble and brecciated core) appear to be as	87662	0.959	160
			above - 2% pyrite to ± 48.7; from thro to 55.25 is 0.5%, locally, 1%	87663	0.208	55
			- $qtz$ veining is 1-2% over entire interval; note "crushed"	87664	0.252	115
			sections, contain many white, bull $qtz$ frags, in last 0.5 meter	87665	0.283	166
			of interval, carbon (graphite?) occurs ± in fault breccia / gouge	87666	0.125	112
			- basal contact is foliated @ 50° to core axis;			
55.25	60.05		Med ground, massive lithic wacke, Traces mariposite; th disc pyrite	87667	0.010	123
			(≤0.2%) aside from minor intervals of 28, 14 & 16 cm ± 2-4% pyrite	87668	0.556	124
			associated ± $qtz$ veins of 3mm to 15mm @ 35-65°; also some	87669	1.165	118
			"faint green", possible sericite-rich veining subparallel to core @ 57.35 -			
			57.53			
60.05	77.64		From above grades into coarse lithic wacke ± frags to 4cm; crude	87670	1.795	141

Graphic Log

60.00 - 61.50

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-002

Page 4 of 10

From Meters	To Meters	Rey %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	Cu-As ppm
61.50	63.00		bedding appears to be 70° to core; superimposed is crackle brecciation	87671	0.230	109
63.00	64.50		associated & development of foliation and small fractures &	87672	28.600	134
			clay gouge beginning @ 62.50; @ 65.30-65.40 is carbonaceous	87673	0.200	124
			shear @ 30°. Starting @ 67.00 core is very blocky & increasing # of	87674	0.285	108
			clay filled fractures - often adjacent or near to qtz veining.	87675	1.815	96
			- 71.02 to 71.26 = fault gouge, from 71.26 - 77.64 is brecciated wacke &	87676	0.219	171
			foliation & clay filled fractures @ 40-60°; base of interval is rubble.	87677	0.054	112
			- QV overall averages 0.75-1% & occasional white Qtz Veins 1-6 cm	87678	0.708	136
			@ 20-60°; minor qtz stockwork @ 70.40-71.02	87679	0.108	147
			- pyrite is ≤ 0.2% aside from a few localized intervals	87680	0.116	110
			adjacent to Qtz Veins where content increases to 2-4%; these	87681	0.273	132
			include 63.50-63.86; 67.90-68.30; 68.56-68.90; 72.50-72.76			
77.64	81.00		Med grained lithic wacke, partially blocky, 3-5% qtz veining (00-30°	87682	0.229	136
			to core) and irregular silica flooding; weak CaCO <sub>3</sub> cement;	87683	0.200	136
			- weakly brecciated.			
			- average 2-3% < 1mm, diss pyrite			
81.00	92.12		Medium to coarse grained lithic wacke - continuation from	87684	0.202	161
			above; frags (angular) of pale brown siltstone up to 9cm; average	87685	0.008	122
			is ≤ 1mm;	87686	0.205	146
			- 2% qtz veining & 1% diss pyrite @ 81.00-81.68;	87687	0.245	108
			- from 81.68-86.40, qtz veining is minimal (≤ 0.5%) and diss pyrite	87688	0.885	129

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-002

Page 5 of 10

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			is $\leq 0.3\%$ aside from 84.43-85.10 where pyrite associated with a	87689	0.105	90
			weakly fractured / brecciated zone is $\pm 1\%$	87690	0.979	112
			- 86.40-87.60 is Qtz veinlet @ 15%, primarily as a 1.5cm vein parallel	87691	0.773	89
			to core & 1.5-3cm veins @ 30-45° to core axis; diss pyrite, much of it			
			quite fine grained, is 3-5%; CaCO <sub>3</sub> as cement & minor fracture-			
			fill is common; rare specks of malpaisite (bullwhite Qtz in interval)			
			- 87.60-89.35 = no Qtz veining & $\leq 0.3\%$ diss pyrite;			
			- 89.35-91.40 = 1-2% Qtz veining & irregular, patchy to vein-like,			
			carbonate-cement rich zones - sometimes $\bar{c}$ diss pyrite, overall			
			$\leq 0.5\%$ pyrite			
92.12	95.70		Fault zone (in lithic wacke?); core is brecciated & largely consists	87692	0.404	117
			as rubble $\bar{c}$ rock frags surrounded by clay; includes clay	87693	3.410	144
			fault gouge; minor pieces of bull white Qtz veins; $\leq 0.5\%$			
			diss pyrite throughout;			
95.70	100.40		Medium grained lithic wacke; very blocky to 100.40 $\bar{c}$ numerous	87694	1.020	122
			clay-filled fractures; some brecciation	87695	0.078	106
			- Qtz veining is very minor ( $\ll 0.5\%$ ) and restricted to occasional	87696	0.063	103
			1mm fracture fills in brecciated core - appears to be associated $\bar{c}$			
			increase in sericite & local increase in pyrite to 2-3%; overall			
			pyrite is $\leq 0.5\%$			

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-002

Page 6 of 10

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	Cu ppm
100.40	105.30		Fine to medium grained, equigranular wacke; Fractured / brecciated ± 1% dark grey, 2mm wide qtz veins to 100.75; - ≤ 0.3% pyrite - very fine grained, < 0.5% qtz veining - 1cm, bull white Qtz vein ± dis py cubes to 2mm @ 15° to core @ 102.29-102.70	87697 87698 87699	0.187 0.235 0.047	106 124 81
105.30	110.60		Fine to med grained massive wacke as above but is a fault zone ± blocky core, much as rubble fault gouge seams ± foliation @ ± 50° & numerous fractures ± clay fill; - disseminated pyrite = 5-7% - cubes ≤ 1mm on average - Qtz veining = 2% as 5cm bull qtz vein, fractured ± CaCO <sub>3</sub> fracture fill & a number of irregular veins ≤ 3mm; - slickensides on numerous fractures have a 50° ratio.	87700 87701 87702 87703	0.686 0.716 0.818 0.820	77 109 107 108
110.60	114.91		Massive fine - medium grained wacke as above; Very blocky & fractured ± clay fracture-fill common; - disseminated pyrite, 1-2mm cubes = 2-3%; - interval is characterized by 2-3% qtz - carbonate veins + minor stockwork - veins ≤ 6mm & typically @ 50-80° to core;	87704 87705	0.884 0.733	69 44
114.91	118.60		Strongly foliated (40-50° to core), dark grey to black med grained wacke; brecciated; CaCO <sub>3</sub> veins / fracture filling, parallel to foli; - varying amounts of carbonaceous material; graphite along shears; - 20cm of fault gouge; - pyrite = 2%, mainly as 3-4mm porphyroblasts & to lesser extent as	87706 87707 87708	0.180 0.138 0.081	118 124 112

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-002

Page 7 of 10

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	<del>Ag</del> ppm
			<i>fine grained disseminations &amp; fracture-related mineralization</i>			
118.60	141.00		<i>Fine-medium grained, massive rock; from 118.60-119.36 = 10% white qtz veining &amp; diss pyrite &amp; pyrite enveloping veins; rocks in this interval = 5% disseminated;</i>	87709	0.499	62
				87710	0.399	67
				87711	0.014	107
			<i>-119.36 prod. fine-med grained rock &amp; minor interbedded, med grained (≤1cm) lithic rocks; numerous clay-chlorite filled shears &amp; weak precipitation (noted by MnO??, filled, irregular, hairline fractures - as elsewhere)</i>	87712	0.119	88
				87713	0.129	190
				87714	0.034	124
				87715	0.105	93
			<i>- Qtz Veining is minor (&lt;1% overall) &amp; a couple of veins, 0.5 cm @ 124.46-130.15 @ 20 &amp; 70° to core</i>	87716	0.106	83
				87717	0.413	162
			<i>- pyrite is ≤ 0.3%, ≤1mm diss cubes except &amp; in 20cm of Qtz Veins where it increases from 0.5-1.5%</i>	87718	0.018	91
				87719	0.679	129
			<i>- Strong (≤1cm) CaCO<sub>3</sub> veining occurs in blocky, brecciated areas @ 123.90, 126.60-127.10 &amp; 127.50</i>	87720	<0.005	101
				87721	0.018	104
			<i>- 138.37-138.75 is silica flooding &amp; qtz veining &amp; 3-5%, ≤1mm diss pyrite</i>	87722	0.187	99
				87723	0.131	114
			<i>- 140.30-140.85 = 2cm, white, bull qtz vein @ 10-15° to core; pyrite content increases to 3% around vein - very finely disseminated;</i>			
141.00	149.27		<i>Med. grained lithic rock; minor fractured / brecciated zones; Qtz Veining is ≤0.5% &amp; consists of a 4-8mm Qtz Vein/meter</i>	87724	0.060	116
				87725	0.145	141
			<i>- Pyrite is ≤ 0.3% aside from 145.33-145.77 where py assoc &amp; qtz</i>	87726	0.118	96

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-002

Page B of 10

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	CuAs ppm
			veining = 2-3%; Note - increase in Qtz Veining to 2% @ 145.50 - 147.30	87727	0.761	97
			- sheared / fault $\bar{c}$ gouge @ 147.57 - 148.50; gouge @ 50° to core	87728	0.256	88
				87729	0.238	112
149.27	155.90		One lithic nodule $\bar{c}$ angular, rippled - up siltstone frags to 6cm; - aligned fragments @ 155.60 = 45° (bedding?)	87730	0.631	67
			- qtz veining is restricted to a 1.2cm white, bull qtz vein	87731	0.774	19
			@ 10° to core & 1cm vein @ 70° to core from 151.64 - 152.34;	87732	0.089	114
			- 150.90 to 152.95 (area around qtz veining) contains 3%, $\leq 1$ mm, dark pyrite cubes; rest of interval averages $\leq 0.75\%$	87733	0.014	103
155.90	167.18		Massive fine to medium grained rocks; general increase in overall pyrite although % varies considerably from section to section	87734	0.558	65
			- to 156.0 $\leq 0.3\%$ ; 156.0 - 156.82 = 3-5% of $\leq 2$ mm dis; 156.82 - 158.70 $\leq 0.3\%$ .	87735	0.513	97
			- 158.70 - 161.80 pyrite is 3-6% & includes a # of 15cm patches $\bar{c}$ 'psyky' subhedral pyrite to 5mm across - This interval includes 2-3% white, bull qtz	87736	0.468	37
			veining as veins 3.5-6cm cutting core @ 80° & 1cm cutting	87737	0.524	52
			core @ 10-20°	87738	0.737	66
			- 161.80 - 167.18 average $\leq 0.5\%$ pyrite; includes 2cm wide band @ 40° $\bar{c}$ 10-15%	87739	0.192	118
			pyrite; qtz veining is $< 1\%$ & includes 1.3cm vein @ 55°, a 0.5cm vein @ 75°	87740	0.079	99
			and a few 1-2mm, dark grey veins (older??)	87741	0.547	82
			- @ 164.55, a 5cm siltstone bed @ 55° to core			
167.18	176.80		Fine to med grained rocks - minor interbedded siltstone - @ 171.00 bedding	87742	0.281	114
			is 35° to core and flame structures indicate "top" are up hole; Qtz veining	87743	0.362	78

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-002

Page 9 of 10

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	Cu-As ppm
			= 2-3% & includes numerous, 1-3mm, dark-grey veins @ 40° & occ. 20° to	87744	0.289	213
			core & white, bull gtz veins & minor CaCO <sub>3</sub> @ 15-20° to core & 3cm thick;	87745	0.941	111
			- core is quite calcareous & includes CaCO <sub>3</sub> cement & occasional	87746	0.165	112
			vein; - disseminated pyrite ≤ 1.5mm averages 3% but locally is down	87747	0.173	87
			to 0.5% and near gtz veins 5-6% to 173.34; thereafter < 0.5%			
			- 173.81-173.94 is another, thick, white, bull gtz vein @ 60° to core			
			- siltstones - bedded @ 175.0m = 45°			
176.80	187.19		Fine med grained wacke, but only ≤ 1% white bull gtz (veins to 3.5cm)	87748	0.848	80
			@ 10° & 70° to core; disseminated pyrite, typically ≤ 1mm, locally to 3mm	87749	0.478	142
			over 20cm is 2% average,	87750	0.436	102
			- interval is very blocky / fractured & numerous clay-filled fractures; to	87751	0.228	89
			182.00 it is also brecciated; considerable rubble; numerous fault	87752	0.055	89
			breccia intervals;	87753	0.120	92
			- 178.84-179.27 is carbonaceous fault gouge;	87754	0.463	70
			- note throughout zone there are numerous 1-3mm, black gtz veins			
			(old) & diss pyrite; - minor silicified patches			
			- many clay-filled fractures are 00-10° & 45° to core			
			* NB - coarser pyrite seems to occur within fine grained, possibly,			
			argillaceous zones,			
187.19	197.21		Weakly brecciated, fine-med grained wacke & ≤ 0.3% diss pyrite;	87755	0.020	117
			- 1 to 2mm dark grey gtz veining, to stockwork is common throughout	87756	0.186	114
			(< 1% total gtz)	87757	0.348	100

Graphic Log



CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-002

Page 10 of 10


From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			- numerous clay-filled fractures, typically @ 10-15° to core;	87758	0.070	117
			- fault breccia @ gauge & rubble @ 190.80-191.36	87759	3.950	56
			- pyrite is ≤ 0.5% to 193.50; 193.50-195.20, pyrite is 3-5%;	87760	0.032	120
			195.20-197.21 pyrite is ≤ 1% - Fe malposite in this interval as well as Very common, dark-grey, ≤ 1mm qtz stockwork.	87761	0.028	84
197.21	203.30		Medium grained lithic rock; massive; minor (< 0.5%) dark grey qtz veining; traces dark pyrite	87762	0.009	105
			- No white qtz veining	87763	0.005	104
			- trace malposite	87764	< 0.005	100
			EO4			

Graphic Log

**CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No: QCM-04-003	Depth (m): 200.25	Azimuth: 243°	Angle: -45°	Elevation (m): 1176	Casing (m): 3.05	Page: 1 of 7
Drill Company: Britton Bros.	Start Date: Oct 2/04	Finish Date: Oct 3/04	Logged by: J. E. Christoffersen			
NTS: 400134/6172488±7	Local Grid: 700+03N / 0+68W	Claim No: QCM 2	Core Size: NQ			
Down-hole Surveys: 87.48m = -45° @ 243°; 197.25m = -43° @ 243°						
Target: Resistivity high; low chargeability; Au soil anomaly						

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Au g/t	Ag ppm
0.00	3.05	-	CASING			
3.05	15.20	59	F.G. → M.G CRYSTAL WACKE (much broken core; local ground core)	87765	<0.005	136
4.50	6.00		• Lt. br → buff → rusty br. → med-pale grey (i.e. variably weathered zone); med grained (<1-2mm); rare lithic frags to 1-2mm; generally subdued speckled appearance; massive, non-bedded in sections of competent core;	87766	0.023	128
			• Buff → rusty sections likely due to weathering of iron carbonates	87767	0.015	128
			• Local clay-rich frags @ low $\phi$ 's to $\phi$ ; clayey, bx gouge @ 6.00 - 6.60m (@ 40° to $\phi$ @ 6.6m)	87768	0.039	165
			also @ ~ 11.40 - 11.60m	87769	0.005	99
			• Rare dk grey, contorted bands, f.g. chloritic?; probably carbonate rich; fr. calcite	87770	<0.005	100
13.50	15.00		• Low py content - fr → 0.5% max; all as cubes 0.1-1.0mm	87771	"	108
				87772	"	86
15.20	27.60	95	GREYWACKE, MINOR LITHIC WACKE (<1%)			
15.00	16.50		• Generally mottled: speckled lt → med. grey; fg → mg. (<1 → 2mm); much fractured ± clay gouge (@ ± 40° to $\phi$ + 10-15° to $\phi$ ); dk grey silty layers (disrupted) @ 17m ~ 25° to $\phi$ ; tiny white xls (<1mm) throughout, gdmass (dolomite? ankerite?)	87773	0.007	100
			• Increasing py down section from rare cubes to 3mm @ top → 3-5% fine (0.5mm) cubes @ 27-27.5m; minor q.v.'s @ various angles ± tr py	87774	<0.005	100
21.00	22.50			87775	0.133	96
				87776	0.275	95
				87777	0.050	101




**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-003

Page 2 of 7

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Au g/t	Ag ppm
27.60	48.40	90	GREYWACKE ; LOCAL LITHIC WACKE (SLUMPS)	87778	0.020	100
			• Uniformly lt. grey, even grained (<1-2 mm) & generally massive, non bedded	87779	0.256	101
25.50	27.00		• Local lithic zones showing frags from 2 mm → +50 mm ± randomly oriental	87780	0.020	110
			med grey finely banded siltstone (± py cubes) showing mm-scale synsed flts-	87781	0.601	51
	30.00		see 42.1-44.2 m)	87782	1.240	104
			• Crush/gouge zones common +/- Calcite + py - generally indeterminate direction	87783	0.492	93
	33.00		(i.e. multiple fract's) - see 27.7-29.6 m; 39.15-39.5 m; 41.0-41.6 m; 45.3-45.9 m	87784	0.558	98
			46.6-48.3 m; fract angles: 0° to ⊥; 40° to ⊥; 60°-70° to ⊥; 15° to ⊥; bx frags to 5 cm	87785	0.173	95
	36.00		• Py is variable throughout section & tends to be higher in the crush/gouge	87786	0.449	93
			zones (2-5%), finer grained @ top of section (1-2 mm cubes) & @ very bottom	87787	0.022	96
	39.00		± v. c.g. cubes to 8 mm @ 45.4-45.75 m (in crush/gouge/bx zone)	87788	1.845	90
			• Drusy qtz-cpl-py veinlet (1 cm) @ 44.9 m (55° to ⊥)	87789	0.609	120
	42.00		• Q.v.'s - @ 35.2 m - 1 cm/0° to ⊥; @ 46.7 m - 1 cm/45° to ⊥; possibly others too badly broken	87790	0.085	86
			to identify.	87791	0.021	94
	45.00			87792	0.398	102
48.40	56.30	97	GREYWACKE (CRUSHED)	87793	1.640	68
	48.00		• Uniformly lt. grey, even grained (<1-2 mm); strongly fractured core ± some	87794	1.480	69
			massive sections but dominated by crush/gouge/crackle zones that are very	87795	0.007	108
	51.00		friable & calcite rich (cement) & contain broken q.v. → 55.2 m @ 0° to ⊥; ditto @ 54.8 m	87796	0.050	106
			• Dissem py (cubes) throughout ranging from 0.1-2% (1-2 mm) in competent sections to	87797	2.360	102
	54.00		1-3% in crush zone, where py cubes & aggregates reach 4-5 mm	87798	0.942	58
			• Rare qtz seams (<1 mm) @ 0° to ⊥ in competent sections	87799	1.670	38
	57.00		Note: all these rocks are presumed to be carbonate altered (dolomite/ankerite) but	87800	0.801	71
			alteration is not obvious			




**CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-003

Page 3 of 7

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	CuAs ppm
56.30	76.50	96	GREYWACKE (MASSIVE)	87801	0.662	82
	60.00		• Lt grey, even-grained, gritty-textured, monotonous sequence of massive greywacke, probably altered to dolomite/jankerite; non bedded	87802	1.225	107
	63.00		• Fractures spaced @ 10-50cm generally @ 50°-60° to $\phi$	87803	0.031	85
			• Some low $\phi$ fract $\bar{c}$ py growths; rare other fract @ 50°-60° to $\phi$ $\bar{c}$ growths of py	87804	1.350	95
	66.00		cubes (1mm)	87805	0.880	80
			• One qv (1.5cm) @ 73.2-73.7m @ 10° to $\phi$ carries fr f.s. py; 2 <sup>nd</sup> q.v. @ 79.6m	87806	2.330	64
	69.00		(7cm) @ 65° to $\phi$ is barren; low $\phi$ q.v. may offset narrow, earlier q.v.s @ 50°-60° to $\phi$	87807	0.820	122
			• Py cubes (0.5-5mm) distributed throughout from <0.5% - 3-5%	87808	0.190	92
	72.00		• @ 71.2m $\rightarrow$ 1-2 mm q.v. @ 60° to $\phi$ appears to cut off 1 mm q.v. @ 25° to $\phi$	87809	0.145	59
			• 74.45-74.65m - soft crush zone @ 40° to $\phi$	87810	2.300	80
	75.00			87811	0.913	67
				87812	0.851	20
76.50	88.00	96	GREYWACKE (MASSIVE) (Thin section sample taken @ 84.5m)	87813	0.588	87
	79.00		• Monotonous, lt. grey, mainly massive & even-grained greywacke though more fractured than above; all carbonate altered incl. some calcite in matrix	87814	2.100	86
	81.00		• Generally non-bedded except for med-grey-coloured bands @ 84-85m @ ~60° to $\phi$ that may represent relict beds?; @ 77m - alternating pelex lt. grey bands @ ~40° to $\phi$ look like beds (note: implied dip is ~vertical given surface measurement)	87815	0.382	83
82.50	84.00			87816	3.760	57
84.00	85.50		• Significant increase in density of q.v. in section - earlier narrow (1-3mm) qtz-carb- ?py? @ low $\phi$ to $\phi$ (locally stockwork) cut by later barren q.v.'s generally @ a higher $\phi$ to $\phi$ (see graphic log & T.S. sample)	87817	0.897	86
	87.00			87818	0.254	61
	88.50		• Dissem py throughout as cubes ranging from 0.2mm $\rightarrow$ 6mm & 0.5 to 3-4% & probably +5% in stockwork zones where py seems to be added along fract	87819	0.538	94
			• 87.95m - slickensides @ 5° to $\phi$ indicating movement ~ along core axis.	87820	0.588	72
				87821	0.696	60




**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-003

Page 4 of 7

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	CuAs ppm
88.00	93.00	96	STRONG CRUSH/FAULT GOUGE ZONE IN GREYWACKE	87822	0.607	98
			• Pale → lt. grey greynacke intensely crushed & friable ± strong fault gouge @ 89.1-89.8m	87823	0.263	107
91.50	93.00		• 91.9-92.1m; slicks on edges of gouge zones indicate movement along $\phi$ @ 5-10° to $\phi$ .	87824	0.728	129
			• Fragmentary q.v.'s throughout + locally recognizable stockwork; rare late q.v.'s @ high $\phi$ to $\phi$ ; wk → mod. Calcite throughout			
			• Finely dissem cubic py throughout - 2 → 5%			
93.00	112.50	90	GREYWACKE (CARBONATE ALTERED)	87825	0.092	95
	96.00		• Lt → pale grey, generally massive & competent (though fractured) ± well-defined	87826	0.008	104
			dk + lt grey beds showing small-scale offsets (synsed faults?), slumps +	87827	0.425	134
	99.00		discontinuities along beds from ~ 94.5 → ~ 101.5m; possible load casts give	87828	0.345	140
			contradictory evidence as to tops → this section is low in py (<<1%) & where	87829	0.012	108
100.50	102.00		present, py occurs as large cubes to 6-7 mm; local calcite stringers-irregular	87830	0.168	163
102.00	103.50		• Core $\phi$ s @ ~ 35° to $\phi$ equate to steep dips (nr. vertical) @ azimuth 150° (surface)	87831	0.909	41
103.50	105.00		• 101.5-102.5 m - pale grey, f.g. mudstone (calcilutite?) - massive, textureless +	87832	1.530	126
105.00	106.50		carrying some calcite (carbonate mudstone) + 1-4% dissem py cubes passing	87833	1.030	45
106.50	108.00		down @ ~ 106m into pale grey, even-grained greynacke ± lithic frags to 5cm	87834	0.054	70
			@ 107.3m over 20cm + elsewhere	87835	0.755	86
	111.00		• Py cubes 1-3% decreasing to <1% generally in lithic units lower in section	87836	0.300	161
	112.50		• Minor q.v. & qtz-cal veins + rare wk. stock works	87837	0.134	148
112.50	120.0	96	GREYWACKE & LITHIC WACKE	87838	0.423	140
	115.50		• Pale grey, generally massive but ± fault zones; approx 50% of section is lithic wacke	87839	0.989	87




**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-003

Page 5 of 7

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	Cu-As ppm
112.5	120.0		(cont') containing crowded, largely lt. buff-coloured, subround frags to 1-5mm set in a weakly speckled pale grey matrix; rare dk green chloritic frags; 1 lge qtz <sup>?</sup> frag @ 117.1m	87840	1.400	104
				87841	0.331	165
	120.00		• Variable py → generally v. weak in lithic sections; up to 3% elsewhere	87842	0.993	141
			• A few large (2-3cm) q.v. ± tr. py & rare, narrow qtz-cal stringers (earlier?)			
120.00	128.60	97	LITHIC WACKE	87843	0.336	112
	129.00		• Lt grey, crowded lithic wacke - generally lt. buff → lt grey green lithic cblsts to 6-8mm	87844	1.000	136
			one angular lithic wacke or buff frag (35mm) @ 124.3m - pale pink/buff	87845	1.465	112
	126.00		• Good dissem py cubes throughout (2-4%)	87846	0.816	133
			• Two qtz-vein phases - earlier grey qtz ± py (rarer) cut by later wh. qtz-py veins; late chl. frags cut off wh. q.v.'s; chl frags ~15° to φ	87847	0.030	114
	129.00		• 120.2m - slicks on frags @ 15° to φ show movement ~ ⊥ to hole direction	87848	1.450	84
128.60	143.40	97	GREYWACKE	87849	0.551	101
	132.00		• Lt → pale grey, relatively uniform m.g. (1-2mm) texture, locally affected by crush/fault bx zones (+q.v.) @ relatively shallow φ to φ (5°-25°)	87850	0.690	80
				87851	0.361	73
133.50	135.00		• Wk → mod dissem py (<1 → 3-5%) mainly as small → med size (3mm) cubes but also local	87852	0.893	52
135.00	136.50		finer grained aggregates	87853	1.795	78
136.50	138.00			87854	1.295	132
143.40	146.80	86	LITHIC WACKE	138.00-139.50 87855	1.505	130
139.50	141.00		• Lt → pale-med grey; crowded ± small (2-10mm) buff → lt. grey sub ang. → round lithic	87856	1.140	78
141.00	142.50		class cut by qtz veins @ generally hi φ to φ + qtz-dolomite? veins @ low φ to φ	87857	0.623	91
142.50	144.00		• <1-4% fine py cubes throughout	87858	1.400	109
144.00	145.50			87859	0.664	25




**CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-003

Page 6 of 7

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	CuAs ppm
146.90	162.0	91	GREYWACKE	145.50-147.00 87860	0.762	83
147.00	148.50		<ul style="list-style-type: none"> <li>Uniformly pale grey, even grained (&lt;1-2mm), generally massive (though much fractured core) &amp; non bedded; clastic texture indistinct in places, especially in palest (bleached?) sections - ? due to original f.g. beds or alteration (Carb) + py formation, which converts any ferro-mags into FeS<sub>2</sub> &amp; CaMgCO<sub>3</sub>?</li> <li>Relict lithic clasts to 3-4 mm (indistinct due to altn); local speckling of buff-coloured mineral in matrix is probably ankerite</li> <li>Variable f.g. py (&lt;&lt;1 → 2mm max) from &lt;&lt;1% to &gt;5% locally</li> <li>3 white q.v. ± minor py (or barren); several dk grey gtz stringers (&lt;5mm) from 160.7 - 162.0 m + numerous tiny dk grey ramifying fracts</li> <li>157.6 - 160.0 - fracture zone; wk bx zone ~ 11 φ; fracts @ low &amp; to φ filled ± white clayey mineral; minor calcite</li> </ul>	87861	0.569	90
				87862	0.325	57
				87863	0.470	35
				87864	0.963	71
				87865	0.582	85
				87866	0.534	68
				87867	0.726	94
				87868	0.262	70
				87869	0.299	78
				87870	0.713	61
162.00	171.60	96	GREYWACKE (FAULT BX ZONES)	87871	0.366	63
			<ul style="list-style-type: none"> <li>Pale grey, f.g. (&lt;1mm) &amp; even grained, non bedded, weakly pyritic to 165.2 m ± narrow (&lt;1mm) dk grey gtz (?) stringers to 164.7 m;</li> <li>Major flt. bxs @ 165.2 - 166.1 m &amp; 169.0 - 171.60 m; bx zones typically have lt. coloured milled frags (incl. gtz) to 8cm set in dk grey matrix; curvilinear slick surfaces @ low &amp; to φ</li> </ul>	87872	0.559	109
				87873	0.306	85
				87874	0.943	74
				87875	0.437	71
				87876	0.428	129
171.60	180.00	98	GREYWACKE	87877	0.232	112
			<ul style="list-style-type: none"> <li>Pale → lt grey; even grained; somewhat crackled → subxiated &amp; ± numerous dk grey seams &amp; fracts (gtz?) to 177.3 m; &lt;1 → 2-3% fine dissem py throughout</li> <li>locally mottled lt. grey → buff (possible ankerite) → T.S. sample @ 175.1 m</li> </ul>	87878	0.059	83
				87879	0.011	76
				87880	0.769	107




**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-003

Page 7 of 7

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	CuAs ppm
171.60	180.00		(Cont') • several white q.v.'s ± minor py generally @ high $\phi$ to $\phi$ & cut by dk grey qtz veins associated ± slick surfaces @ 15°-20° to $\phi$ & ± movement @ 70° to $\phi$ (i.e. across core) • soft crush zone @ 176.4 - 177.3m	87881 87882	0.141 0.244	86 119
180.00	200.25	96	GREYWACKE (INCL. MUDSTONE, SILTSTONE) • Pale $\rightarrow$ lt $\rightarrow$ med grey; massive, non bedded; even grained; speckled ± dk mafic grains (darker) & ± low py (<<1%); local buff speckles/mottles (ankerite?) • 180.0 - 191.3m - generally med $\rightarrow$ dk grey ± <1% $\rightarrow$ <<1% dissem py • 188.1 - 190.0m - fault bx & complex fract zone ± ramifying qtz & qtz-carb veinlet network • 191.3 - 195.0m - pale grey mudstone; wkly cracked & cut by ramifying network of fract <sup>s</sup> & white carb stringers; local patches & stringers of py most commonly @ low $\phi$ to $\phi$ but high angles also; • 195.0m - 2-cm qtz-dol vein ± 2 grains of reddish sphalerite; other q.v.'s carry minor py • 195.0 - 200.25m - gradual transition to pale $\rightarrow$ lt grey siltstone ± pale grey-green ramifying stringers (alteration mineral along fract <sup>s</sup> ) ± patchy py cubes to 2mm (<<1% $\rightarrow$ 2%); massive competent core; non bedded • 197.1 $\rightarrow$ 197.3m - 1mm specks (<1%) of black unidentified mineral E.O.H.	87883 87884 87885 87886 87887 87888 87889 87890 87891 87892 87893 87894 87895	0.028 0.299 0.013 0.041 0.008 0.202 0.048 0.189 0.845 0.064 0.118 0.486 0.145	91 101 97 100 85 79 96 166 56 113 93 86 76





**CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No: QCM-04-004	Depth (m): 294.74	Azimuth: 248	Angle: -45	Elevation (m): 1174	Casing (m): 12.19	Page: 1 of 20
Drill Company: BRITTON BROS.	Start Date: Oct. 3/04	Finish Date: Oct. 6/04	Logged by: D. MEHNER			
NTS: 400213/6172371	Local Grid: 700+70N / 100+06 W	Claim No: QCM-2	Core Size: NQ			
Down-hole Surveys: #11M	84.43 m = -43° @ 248°;		233.78 m = -40° @ 248°;		291.69 = -41° @ 248°	
Target: RESISTIVITY HIGH; CHARGEABILITY LOW INTO HIGH; Au GEOCHEM ANOMALY.						

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc,	Assay Tag	Assays Au g/t	Assays As ppm
0.00	12.19		CASING - No recovery			
12.19	20.42		Interbedded lithic wacke (av. frag <math>\leq 0.5m</math>; occasional, porphyritic frag to 6cm), med grained wacke and siltstones / argillite beds. - bedding, defined by argillite are 75° to core; possible flame textures suggest tops are "up-hole" - weak foliation in wacke (weakly stretched frags - almond shaped) is 70° to core. - considerable rounded core pieces (grinding), blocky; poor recovery - traces of disc pyrite, rare spec spy replacing black lithic, very fine-grained fragment - only trace fracture limonite	87907		
13.50	15.00			87908		
				87909		
				87910		
				87911		
				87912		
20.42	23.61		Brecciated fine grained wacke; numerous clay-filled fractures; - random orientated, black, hairline fractures - possibly filled c chlorite & / or MnO; - fragments are buff to tan coloured & very calcareous; - possiblyankerite (?); <math>< 0.5\%</math> disseminated pyrite, spec spy near Q Vein	87913		
				87914		

Graphic Log

--	--	--	--	--	--	--

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 2 of 20

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			- one, 2cm qtz - CaCO <sub>3</sub> vein @ 50° to core; CaCO <sub>3</sub> occurs along outer margins and to minor degree in core of vein along fractures perpendicular to core; - qtz vein appears to cut brecciation but is affected by foliation. - chlorite common along fractures → E grey clay			
23.61	26.40		Fault zone within fine-medium grained wacke; includes rubble, fault gouge and clay seams; considerable portions are carbonaceous; - qtz vein pieces (±1cm) near base of interval - indications of core grinding - CaCO <sub>3</sub> stockwork in larger core fragments; Tourmaline here is 2-3mm, weakly developed qtz veining - suggestion of "shaded veins" over 20-25 cm; - average ≤ 0.5% finely (≤ 1mm) diss pyrite, up to 1-2% near qtz veins	87915 87916		
26.40	27.45		Fine-med grained, massive wacke; crackle brecciated; weakly developed, "shaded" qtz veining - veins to 2cm thick but typically 1-2mm @ 10-25° to core; cut by haul-line CaCO <sub>3</sub> fractures; - wacke is calcareous (cement); - < 0.5% diss pyrite; blocky core	87917		
27.45	34.70		Fault zone developed in fine-medium grained, massive wacke; interval is brecciated, crushed and sheared; much is clay-rich rubble; other portions, especially @ upper and lower contacts, are strongly carbonaceous over ± 20cm intervals; graphitic shears	87918 87919 87920 87921	0.009 0.712 1.060 0.087	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 3 of 20

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Assays	
					Au g/t	As ppm
			<ul style="list-style-type: none"> <li>- qtz veining is very common throughout → 4 to 5% - occurs as fragments &amp; brecciated veining @ 70-90° to core = typically ≤ 1cm,</li> <li>- CaCO<sub>3</sub> fracture-filling (hairline fractures) cuts core including qtz veining</li> <li>- variable pyrite from trace over much of interval to 2% disc of fracture pyrite (grains ≤ 1mm) over 50-60 cm; traces of malachite &amp; pyrite-rich intervals</li> </ul>			
34.70	39.33		<p>Fine-medium grained matrix, brecciated, very blocky to partial rubble,</p> <ul style="list-style-type: none"> <li>- characterized by strong shearing &amp; slickensides &amp; quartz veining</li> <li>- shearing is 00-10° to core; slickensides have a rake of 05° &amp; 60° to core axis; appears to be chlorite &amp; clay on fractures</li> <li>- qtz veining from 37.60 to 39.33 is white, dull qtz and includes a vein to at least 1.5cm thick @ 005-020° to core &amp; trace pyrite &amp; weak, patchy of fracture CaCO<sub>3</sub>; overall 3-5% qtz veining</li> <li>- white waxy clay (montmorillonite) on fractures &amp; as void filling in breccia; entire interval is pervasively clay altered - very soft</li> <li>- finely disseminated pyrite is 4-5% average - most ≤ 0.5mm,</li> </ul>	87922		
				87923	0.029	
				87924	0.30	
39.33	43.28		<p>Fine-medium grained matrix as above but no qtz veining; the above matrix is soft and pervasively clay altered;</p> <ul style="list-style-type: none"> <li>- waxy white clay is common on fractures;</li> <li>- entire interval is crackle brecciated &amp; fractures filled by clay &amp;/or dark mineral (chlorite ??)</li> </ul>	87925	0.310	
				87926	0.059	
				87927	0.165	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 4 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			- carbonate cement throughout; minor $\text{CaCO}_3$ fracture-filling - pyrite is $\leq 0.5\%$ Note: finely disseminated black mineral in part of interval - could be relic silicate like pyroxene.			
43.28	48.04		Fault zone developed in fine-medium grained wacke; interval includes blocky, brecciated core to fault gouge/breccia and rubble - minor carbonaceous zones (3-5cm) near upper and lower contacts; - pervasive clay alteration of wacke (soft core) plus minor, white, waxy clay on occasional fractures (montmorillonite?) - white, bull gtz veining to at least 2cm wide (one vein) exists from 43.28 - 47.20; occur @ a variety of orientations but mainly 005-015° to core; - pyrite is strongly developed around veins, especially along outer contacts; away from veins, pyrite is $< 0.5\%$ ; overall average is 0.3-0.5%; rare Cpy - minor, $\leq 1\text{mm}$ , discontinuous, dark grey gtz veins throughout; - bull gtz veins vary from gtz $\pm$ minor pyrite to gtz $\pm$ $\text{CaCO}_3$ .	87928 87929 87930		
48.04	55.51		Fine-medium grained wacke $\pm$ minor interbedded siltstone to 54.67 $\pm$ than underlain by coarse lithic wacke $\pm$ frag to 3cm down to 55.51 - coarse graded bedding (?) $\pm$ tops up hole; - the entire interval is crackle-brecciated/fractured (siltstone beds have counters off sets) - fractures are filled $\pm$ a fine, dark mineral - likely chlorite - gtz veining is $\leq 0.5\%$ and is restricted to a couple of 3-4mm bull	87931 87932 87933 87934 87935		

Graphic Log

**CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 5 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			<p>qtz veins sub-parallel to core &amp; minor, 1-2mm dark grey qtz veins at varying but generally steep angles to core</p> <p>- siltstone bedding is <math>\pm 20^\circ</math> to core</p> <p>- core remains soft and seems to have some clay alteration of groundmass; core is also calcareous - many grains are weak yellow/tan colour suggesting carbonate in core may be ankerite</p> <p>- minor waxy white clay along fractures</p> <p>- numerous 5-10cm fault zones <math>\rightarrow</math> breccias &amp; clay <math>\pm</math> carbon. <math>\pm</math> <math>\text{CaCO}_3</math> <math>\pm</math> slickensides &amp; chlorite</p> <p>- pyrite is trace to 0.3%</p>			
55.51	57.25		<p>Fault zone developed in coarse to medium grained lithic matrix;</p> <p>- upper 30cm is sheared @ <math>45^\circ</math> to core; rest of interval is fractured, brecciated &amp; fault breccia</p> <p>- chlorite filled fractures; minor <math>\text{CaCO}_3</math> veining; very calcareous in breccia areas</p> <p>- No qtz veining; traces of diss pyrite only;</p>	87936		
57.25	62.06		<p>Medium grained, light grey to partly tan coloured lithic matrix;</p> <p>- white, bull qtz veins 1.2-2.3cm across cut core @ <math>45^\circ</math> &amp; <math>20^\circ</math> respectively</p> <p>- fracturing increasing to weak brecciation starts @ <math>\pm 59.60</math> &amp; increases <math>\bar{c}</math> depth, minor clay-filled fault/shear zones</p> <p>- core is cut/broken along dominant fracture @ <math>10-15^\circ</math> to core</p> <p>- from 57.74 to 59.84 &amp; 60.30-60.90 pyrite = 3%; elsewhere <math>\leq 0.5\%</math></p>	87937	0.330	
				87938	0.625	
				87939	1.170	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 6 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			throughout groundmass, pale yellow to tan grains occur - likely ankerite - they do react to acid			
62.06	68.02		Predominantly coarse lithic rocks; appears to be angular frags of siltstone to 4cm long within rocks, most fragments are aligned @ 50- 55° (bedding?) to core core;	87940	0.625	
			- as above the interval is fractured to brecciated & brecciation intensity increasing to depth,	87941	0.023	
			- gtz veining is minor (<1%) and includes a white bull gtz vein 2.5cm wide @ 40° to core, a gtz-CaCO <sub>3</sub> vein, 0.5cm @ 10° to core and minor, 1mm wide dark grey veins @ steep angles	87942		
			- chlorite common on fractures	87943		
			- core is blocky and includes 3, 20-25cm fault breccia zones & clay gouge and varying amounts of CaCO <sub>3</sub> ; numerous narrow, clay-filled veins.			
			- pyrite averages <0.5%; minor increase near gtz veins.			
68.02	75.56		Loose lithic rocks; predominantly subrounded "fine-medium grained" rocks fragments within a groundmass of finer detrital; interval is progressively deformed to depth - @ 67.80 fragments are angular and alignment suggests bedding @ 55-60°, by 69.50 fragments are weakly "stretched" and subrounded; weak fracturing starts; by 80.00 the rock is strongly fractured, brecciated & foliated @ 65-75°; fragments are elliptical and enclosed in an argillaceous matrix; imparts a dark colour to core; becomes very friable and has broken down into blocky core to rubble;	87944	0.037	
				87945	0.726	
				87946	0.346	
				87947	0.051	
				87948	0.005	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 7 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			- strongly foliated, almost gneissic texture & deformed qtz veining of rocks @ 72.85 to 73.70 (<15-20° to core) and @ 74.70-74.90 (<20-25° to core);			
			- Qtz veining is <<1% aside from 69.73 to 71.17 where white bulk qtz veins to 4cm thick, cut core @ 45-60° & 0.5cm vein cuts @ 15°			
			- pyrite is <0.5% aside from 69.64-70.87 where 4-5%, 1-2mm diss pyrite cubes occur - associated & white, bulk qtz veins			
			- anhedral (?) grains very common throughout rocks			
75.56	79.50		Fault zone developed within same medium to coarse grained lithic rocks as above, fragments are fine-medium grained rocks, argillaceous matrix, brecciated. some of the brecciated intervals are also carbonaceous (graphitic?); numerous gouge/breccia zones; crushed, rubble sections; weakly developed, local foliation @ 00-10° to core;	87949		
			- minor (<1%) disrupted, contorted - deformed, grey qtz veining	87950		
			- pyrite averages <0.5%	87951		
79.50	89.12		Medium to coarse grained lithic rocks as above; from 79.50-81.00 matrix is dark argillite; fragments become increasingly angular & less deformed & depth, @ 80.1 foliation is 55-60°; by 81.80 no foliation evident	87952		
			- from 81.00-89.12 rock is light grey to tan coloured	87953		
			- 82.55 to 84.90 the core is brecciated, clay altered (argillite), soft, leached and contains a number of clay-filled fractures - fault interval	87954		
				87955		
				87956		
				87957		
				87958		

Graphic Log

**CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 8 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			- on a fracture @ 25° to core, slickensides have a 50° rake.			
			-- 85.87 to 87.50 are a number of ±10 cm fault/breccia intervals ± wuggy-leached portions			
			- entire interval has <<1% qtz veining and ≤0.5% pyrite (tr only)			
89.12	96.35		Deformed / foliated / variously leached fine-medium grained wacke to coarse lithic wacke;	87959		
			- upper contact of interval is strongly foliated (80 cm) @ 10° to core;	87960		
			- basal 24 cm is sheared / brecciated / clay altered @ 60° to core	87961		
			- rocks between vary from simple fracturing to crackle brecciation to strong brecciation / foliation; carbon occurs over a number of 5-10 cm breaks / faults @ 10-25° to core	87962	0.708	
			- note: qtz veining is minor (<<1% but those present are contorted / foliated / folded (?) - see photos;			
			- pyrite ≤0.5% except for slight increase near qtz veins			
			- numerous black, irregular, hairline fractures - chlorite ± carbon (?)			
			- "wuggy" intervals likely represent leached pyrite & near faults, leached CaCO <sub>3</sub>			
96.35	107.74		Massive to weakly bedded medium grained lithic wacke with	87963	0.034	
			minor coarse, black siltstone fragments up to 7cm long, all	87964		
			grains are at least weakly stretched implying foliation - typically	87965		
			at 45-50° to core axis.	87966		
			- numerous, 1-3mm irregular fractures filled ± fine-grained	87967		

Graphic Log



**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 9 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			black assemblage (chlorite + ??) are common throughout	87968		
			- qtz veining is <<1% and primarily consists of white bull qtz veins	87969		
			0.5 to 2cm thick @ 25-70° to core axis between 100.67 and 101.08, other	87970	0.102	
			2-3mm veins occur sporadically throughout interval;			
			- ankerite appears to be weaker in upper 1/2 of interval; also note QV is off-set by fracture parallel to foliation			
			- pyrite is ≤ 0.5% - disseminated (tr only)			
107.74	120.00		Gradational from above downward to medium grained waste & occasional	87971		
			lithic fragments; core is progressively more fractured & brecciated (cracks	87972		
			brecciation) with depth; black (chlorite + ??) fracture filling is very common	87973		
			and varies from irregular fractures to stockwork fracturing	87974		
			- Qtz veining is very minor & consists of a few 4-8mm qtz ± CoCO <sub>3</sub> veins	87975		
			@ 35-60° to core & 20° to core	87976		
			- numerous "darken" intervals after 113.85 may be due to higher diagenetic	87977	<0.005	
			component;	87978	0.323	
			- 116.15 - 117.40 is a fault zone with 2, 15-30cm wide intervals of			
			fault breccia / gouge & rubble,			
			- 117.40 to 120.00 is fractured like portion above fault zone, note in			
			this latter section "black" fractures are more typically sub-parallel			
			to core axis, above fault they are often @ 50-60° to core & stockwork			
			- overall pyrite is trace (≤ 0.5%)			
120.00	125.55		Medium to fine grained waste; relatively undeformed and fractured	87979	<0.005	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 10 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			when compared to above interval; few "black" fractures;	87980		
			- minor qtz veining (<<1%); trace only pyrite; ankerite is common	87981		
			throughout groundmass; core is soft & likely reflects some clay alteration	87982	0.013	
125.55	138.65		Medium to coarse grained lithic wacke; from 125.55 to 126.60 the	87983	0.018	
			unit is strongly foliated to sheared @ contact, dark coloured (owing	87984	0.434	
			to carbon and graphite near contact & possibly (?) argillite in matrix	87985	0.190	
			away from contact; shearing / foliation = 20-30° to core axis;	87986	0.339	
			- from 126.60 the core is very light grey, lithic fragments are	87987	0.410	
			pale green to tan coloured and portions appear to be quite hard;	87988	0.383	
			- a weak foliation occurs @ 45-55° to core;	87989	0.363	
			- wide, white, bull qtz veins (1-4cm) @ 25-30° to core & associated	87990	<0.005	
			irregular silica flooding adjacent to veins occurs from 127.94-135.43			
			(1.5% ± 133.00-135.00 averaging 4% QV; associated with veining are			
			zones of 4-6% 1-2mm disseminated pyrite; these include 127.60-128.81;			
			129.94-130.05; 130.62-130.74; 132.71-135.43; elsewhere only tr pyrite			
			- most pyrite is ≤ 1mm but porphyroblasts to 5mm exist in wacke & some QV			
			- there are traces of disc mariposite & @ 130.25 @ 35-40° to core are			
			wraps of a soft, pale green mineral - has sericite colour			
			- from 136.25 start developing weak, black, hairline fracturing to			
			stockwork; by 136.80 core is micro-brecciated & has a weak			
			foliation (± aligned, "almond" shaped frags) @ 35°; becomes			
			increasingly brecciated & by 137.80, "black" fracturing is "foliated" or			
			present as irregular shearing ± 10-15° to core; from then to 138.65			

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 11 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			<p>unlike is brecciated &amp; cut by hairline, "black" (chlorite ± ??) fractures @ various angles but dominantly @ 45-60° to core: Note * all these black fractures have weakly developed dendritic textures suggesting possible MnO<sub>2</sub> - from 136.80 to 138.65 rock has dark colour</p>			
138.65	142.75		<p>Massive, light grey to tan coloured, fine-medium grained uacke; Traces of disc pyrite, no gtz veining - minor clay-filled fractures</p>	87991 87992 87993	0.009	
142.75	151.88		<p>Medium to coarse grained lithic uacke; light grey to tan coloured as above and then abrupt (knife edge) changes to darker, seemingly more natural colour; suspect lighter/tan portions are more intensely altered → possibly more carbonate alteration superimposed (not evident - simple acid test); note these colour differences oscillate back &amp; forth between light &amp; dark</p> <p>- minor (&lt;&lt;1%) gtz veining ± very limited Pyrite (single 1cm QVp 148.00m @ 20° to core) - 2% disc pyrite for 15cm on either side of vein; elsewhere only trace pyrite</p> <p>Note: basal 1.2 meters are weakly foliated @ 30-50° and cut by CaCO<sub>3</sub> fractures, ≤1mm @ 35-50° - Trace pyrite in same interval</p>	87994 87995 87996 87997 87998 87999	0.108	0.021
151.88	155.48		<p>Fault zone in fine-medium grained uacke to lithic uacke; upper contact 65°; lower contact 60°; Brecciated &amp; strongly sheared @ 30-55°; brecciated Qtz Vein fragments are common throughout (≤ 1%) - carbon (graphite) occurs in some gouge/breccia seams;</p>	88000 398901 398902	0.327 0.520	0.022

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 12 of 20

From Meters	To	Rey %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			<ul style="list-style-type: none"> <li>- clay gouge, some chlorite and minor <math>\text{CaCO}_3</math> throughout, <math>\text{CaCO}_3</math> filled fractures are common in lower 20-30cm</li> <li>- black, fractured argillite fragment 4-5 cm thick occurs in same basal 20-30cm, from this point to base, this one is much darker colour,</li> <li>- traces of disseminated mariposite</li> <li>- white, waxy clay is common on fractures</li> <li>- pyrite varies from 3-4% near <math>\text{qtz}</math> veining to trace disseminated over most of the interval; average is likely 0.75-1% pyrite</li> </ul>	398902	0.022	
155.48	162.60		<p>Dark to medium grey, argillaceous, medium to coarse grained lithic units; typically the unit consists of wacke fragments <math>\leq 4\text{mm}</math> across (tan coloured &amp; coherent) &amp; somewhat coarser portions where fragments are <math>\leq 8\text{mm}</math> across, scattered throughout are fragments to 4cm, generally but not always, of siltstone/argillite composition; matrix is dark grey to black argillite.</p> <ul style="list-style-type: none"> <li>- occasional black siltstone/argillite beds to 4cm thick are bedded @ <math>55^\circ</math> to core axis; small "flame" and possible load casts suggest tops are up-hole</li> <li>- from 155.48-156.50 the core is crackle-brecciated and has numerous 2-3mm <math>\text{Qtz}</math>-<math>\text{CaCO}_3</math> veins (2-3%) @ <math>55-80^\circ</math> to core; these veins as well as minor siltstone beds in same interval are contorted &amp; offset by numerous later fractures</li> <li>- 160.54 to 161.76 are numerous contorted <math>\text{qtz}</math> veins (5-6%) to 4cm thick @ <math>55-65^\circ</math> to core, these veins have been brecciated, have chlorite &amp;/or graphite</li> </ul>	398903		
				398904		
				398905		
				398906		

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 13 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			partings of a "gneissic" appearance - elsewhere in interval, qtz veins are very minor (<< 1%) - trace to 0.5% disc. pyrite throughout			
162.60	165.33		Fault zone in argillaceous, dark coloured, medium to coarse grained lithic wacke; almost subtle gradation from foliated through sheared to brecciated / sheared / fault gouge & then sheared; - upper contact is 15-20° to core; lower contact is ± 60° - interval includes ± 1% highly contorted / deformed qtz veining and carbon (graphite) along some shears - traces pyrite - calcareous; includes CaCO <sub>3</sub> filled fractures	398907 398908		
165.33	178.76		Dark grey, argillaceous - medium to coarse lithic wacke as above but ± more black siltstone / argillite fragments - most are angular, - numerous 5-10 cm brecciated / sheared - crushed zones (small faults) & clay gouge ± chlorite ± carbon / graphite; much of interval is micro-brecciated - white waxy clay (montmorillonite?) occurs on some fractures and as void filling in occasional brecciated zones; - irregular, black fracture filling - locally as weak stockwork - occurs intermittently throughout - composition of material is uncertain; - 174.17 to 177.65 is minor contorted, often fractured & off-set qtz veins to 6 mm w/ @ various orientations - pyrite = trace	398909 398910 398911 398912 398913 398914 398915 398916 398917		0.016

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 14 of 20.

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
178.76	185.55		Fine to medium grained wacke ± minor black lithic fragments	398918	0.409	
			- characterized by 3-4% white, bull qtz veining, 0.5-10.0cm thick @ 50-75° to core axis,	398919	0.023	
			- color varies from grey at start of interval to light grey near base - suggests leaching of mafic constituents - may correspond to increased alteration associated ± qtz veining - including more intense carbonate flooding (?) - impossible to ascertain with acid hand lens	398920	0.242	
			- numerous fracture & crackle-breccia zones - fractures are filled with grey clay; intensity of fracturing & crackle-brecciation increases from 183.75; somewhat similar relationship to "bleaching"	398921	0.551	
			- pyrite averages 2-3% finely disseminated cubes within 10-20cm of qtz veins - elsewhere it is trace to 0.5%, owing to # of qtz veins, pyrite overall, is estimated @ ≤1%	398922	0.220	
185.55	200.50		Same light grey, "bleached", fine grained wacke as lower portion of above interval but is highly brecciated and includes "bleached", pyrite-bearing fault (?) intervals:	398923	0.009	
			- 185.55 to 188.98 - bleached, brecciated, textures partially obliterated, Qtz Veined (bull qtz ≤2cm + occasional dark grey, ≤1mm veins) (≤1%); tr to 4% pyrite,	398924	0.238	
			averages 1-2% overall; rubble, including @ contacts;	398925	0.115	
			- 191.22 to 192.90 as above but ± 50% is brecciated white, bull qtz vein; the vein is wuggy owing to bleached carbonate + pyrite, overall	398926	0.384	
				398927	0.129	
				398928	0.129	
				398929	0.335	
				398930	0.187	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 15 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			pyrite content of zone is 4-5%, much of it as patches of very fine grained material	398931	0.106	
			- 195.36-196.68 - brecciated and partly crushed interval; upper contact is 55° to core, lower contact is ± 30-35° to core, includes a number (1-2%) of white, bull gty vein fragments, ± 1cm across, pyrite, some very fine grained averages 4-5%			
			- 198.75-200.50 - Strongly brecciated, crushed, shear interval, much made up of fault gouge & grey clay holding together fragments, @ 200.50 shear zone @ 010° to core axis, interval contains 6-8% brecciated, white gty veining @ 15-20° & 80° to core, veins contain disc pyrite - possible "spic" of sphalerite, overall pyrite content is ≤ 1%; lower contact = 35°			
			- cracks between various crushed "fault" zones is brecciated, contains < 1% gty veins and 2-3% disseminated pyrite on average (197.40-198.75 contains tr - 0.5% pyrite)			
200.50	218.33		Light grey, medium to coarse lithic matrix. tan colored angular to subangular fragments to 3cm across; micro brecciation / cracks fracturing / brecciation throughout,	398932	0.067	
			- waxy white clay along fractures & void filling in breccia zones (< 1%)	398933	0.156	
			- white bull gty veins to 5cm across throughout; from 200.50-207.20 veining and associated silica flooding adjacent to veins averages 2-3%, - veins contain weak disc py and cross core @ 30-60°	398934	0.449	
			- from 207.20-218.33 gty veining is slightly more common @ 3-4%	398935	0.449	
			- this includes minor stockworking / patchy silicification away (≤ 10cm) from veins - Note some veins are wuggy due to leaching of carbonate (most likely)	398936	0.082	
				398937	0.224	
				398938	0.081	
				398939	0.237	
				398940	0.127	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 16 of 20

From Meters	To	Rey %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			- pyrite is quite variable but generally more abundant than up the hole,	398941	0.055	
			- intervals generally associated w/ gtz veining tend to contain 4-5%	398942	0.178	
			disseminated pyrite including 201.70-205.20; 207.10-211.73; 212.43-212.98;	398943	0.133	
			214.47-217.80; other intervening intervals contain trace 0.75% ±	398944	0.023	
			average @ ≤ 0.5%			
			- throughout interval common core cracks (filled w/ grey clay are			
			00-10°);			
			- 217.70-217.85 core is strongly sheared @ 20° to core; shear is chloritic			
			& weakly graphitic,			
218.33	223.90		Fine to med grained rocks w/ occasional subrounded lithic fragments	398945	0.361	
			in an otherwise "mottled" to weakly deformed - foliated unit	398946	0.250	
			- upper 4 meters contains abundant angular siltstone to argillite	398947	0.467	
			fragments / rip-ups to 10cm across. There have been "crackles brecciated"			
			- from 220.50-223.90, white gtz veining to 4.5cm wide @ 30-90°;			
			local, weakly developed silica flooding & patchy silicification are			
			common (core is quite hard) = 6-7% of interval			
			- disseminated pyrite = 4-5% from 220.00-223.90			
223.90	232.50		Light coloured, medium to coarse lithic rocks; @ 224.70 argillite	398948	0.161	
			fragments (cusped up-hole) are aligned @ 10° to core (suggests folding)	398949	0.013	
			- from 229.10 core is progressively deformed, starting w/ fracturing &	398950	0.092	
			foliation / minor shearing @ 15°, crackle brecciation & then by 230.35	398951	0.095	
			strong brecciation and obliteration of most primary textures;	398952	0.155	

Graphic Log



**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 17 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			- gtz veining is $\leq 2\%$ and includes dark grey (older?) veins 1mm-2cm wide $\bar{c}$ minor disse pyrite & tr. cpy plus highly irregular, white gtz veining to silicified zones - typically in brecciated intervals - with minor disseminated pyrite; these zones are wuggy (small xtls growing into vugs in places) - in part due to leached $\text{CaCO}_3$ (?) - pyrite is generally 0.5% as fine disseminations with exceptions being 223.90 - 224.45 & 230.73 - 232.50 where finely dis pyrite cubes ( $\leq 1\text{mm}$ ) average 4-5% - locally cubes to 2mm over 15cm.	398953	0.219	
232.50	234.63		Fault zone developed in fine - medium grained urcle; upper contact is a shear @ $20^\circ$ ; interval is crushed and includes fault zone / breccia $\bar{c}$ shear @ $005^\circ$ ; interval contains 3-5% finely dis pyrite - some of which is deformed into "almond shaped" aggregates - No gtz veining obvious - lower contact is shear @ $20^\circ$ ; chlonite = graphite	398954	0.251	
234.63	241.90		Light grey, fine - medium grained urcle; much of the core is blocky - broken; core is strongly calcareous down to 236.50; many pieces within same section (to 236.50) are very hard and partly silicified - gtz veining is $\pm 1\%$ to 247.65, typically as irregular, 2-3mm white veins $\bar{c}$ associated, weak adjacent silicification - from 247.65 gtz veining as white bull gt. veins to 5cm across and numerous 1-4mm gtz veins $\bar{c}$ associated silicification increases to 3-4% - note many veins have irregular, poorly defined contacts	398955 398956 398957 398958 398959 398960 398961 398962	0.191 0.158 0.492 0.751 0.238 0.157 0.041 1.335	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 18 of 20

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			- pyrite is much more prevalent and averages 4-6% from 234.63-243.90;	398963	0.038	
			246.00-251.35; 260.13-2: occasional fractures & disc pyrite cubes	398964	0.046	
			- traces of malpaisite throughout	398965	0.11	
			- minor white waxy clay as fracture filling	398966	0.237	
			Note: Brecciated sections from 247.88- 249.15; 250.10-250.73;	398967	0.148	
			251.30 - 251.90: these intervals are typically blocky, held together	398968	0.104	
			& grey clay and contain minor qtz veining plus significant	398969	0.180	
			portions of hard, limby, silicified waste - textures obliterated.	398970	0.325	
			- from 258.60 - 261.90 the rock is increasingly brecciated / fractured	398971	0.143	
			and soft - seems to be pervasive argillie (clay) alteration (seems	398972	0.061	
			to have less carbonate)	398973	0.235	
261.90	265.69		Fault zone developed in above rocks; occurs as subtle transition from	398974	0.204	
			brecciated, clay altered rocks above into increasingly brecciated, friable	398975	0.328	
			interval composed of blocky-broken to rubble size; upper contact			
			is rubble, lower contact shear @ 45°			
			- chlorite filled fractures; weakly calcareous (less than elsewhere); minor			
			montmorillonite fracture-filling; qtz veining ≤ 1% - contorted (pre			
			faulting); 3-5% finely disc pyrite			
265.69	278.70		Light grey, fine-medium grained waste; significant increase in white	398976	0.305	
			qtz veining; intervening waste is brecciated, contorted and significantly	398977	0.198	
			altered; shearing is common; core is soft & lacks strength	398978	1.050	
			- pyrite averages 4-6%, generally, as cubes ≤ 1mm but a number of			

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-004

Page 19 of 20

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			intervals to a meter long contain porphyroblastic pyrite cubes to 6mm (these are generally very fine grained, light coloured intervals)	398979	0.370	
			- gtz veining including white bull gtz veins (wuggy & small gtz xls)	398980	0.396	
			Irregular, discontinuous gtz vein pieces, silicified patches & local pyrite	398981	0.174	
			Stotework is 8-10% - note traces Cpy + minor pyrite are found in veins	398982	0.305	
				398983	0.152	
				398984	0.189	
278.70	282.55		Contorted, sheared fault zone in fine - medium grained wacke, shearing @ 65-70° to core; gtz veins are distorted, weakly folded & brecciated	398985	0.408	
			- strong argillic (? - clay?) alteration; includes minor graphite-filled fracture @ 10 & 25° Note: seems to be strong ankerte as well.	398986	0.045	
			- wuggy where pyrite cubes have been leached out			
			- strong brecciation; basal 1/2 is dark & seems to be argillaceous			
			- gtz veining / pieces 3-4%			
			- pyrite is variable from <1% to 5-6%; averages 2-3%			
			- upper contact is 20°, lower 10-15°; Note rock above fault is strongly contorted & increasing brecciation towards fault contact.			
282.55	294.30		Relatively massive, light cream-grey, not strongly altered fine-medium grained wacke, yellow-orange grains throughout - wuggy where pyrite appears to have been leached out	398987	0.456	
			- resembles pervasive argillic alteration + ankerte; tr. malapelite	398988	0.049	
			- pyrite is variable but averages 1-2% overall, occasional pyrite-filled fractures	398989	0.166	
				398990	0.073	
				398991	0.030	
				398992	0.008	
291.00	292.50		- gtz veining is 1-2% - white bull gtz & irregular margins & signs of	398993	0.033	

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-004

Page 20 of 20

From	To	Rcy	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
Meters		%		Tag	Au g/t	As ppm
			<i>deformation</i>			
294.30	294.74		<i>Fine to med grained, massive matrix; 10% finely dis pyrite; likely same as above unit but lacking alteration &amp; leaching</i>	398994	0.096	
	EOH					

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No: QCM-04-005	Depth (m): 294.74	Azimuth: 247	Angle: -45	Elevation (m): 1153	Casing (m): 12.19	Page: 1 of 19
Drill Company: BRITTON BROS	Start Date: OCT 6/04	Finish Date: OCT 8/04	Logged by: D. MEHNER			
NTS: -	Local Grid: 1000+02N / 0+03W	Claim No: QCM-2	Core Size: NQ			
Down-hole Surveys: 90.52m = -45° @ 247°; 233.78m = -43° @ 247°; 291.69m = -40° @ 247°						
Target: RESISTIVITY HIGH; CHARGEABILITY LOW INTO HIGH; AU GEOCHEM ANOMALY						

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc,	Assay	Assays	
				Tag	Au g/t	As ppm
0.00	12.19		CASING - No recovery			
12.19	16.40		Dark grey, argillaceous medium grained wacke; strongly broken-	398995		
13.50	15.00		blocky to rubble - likely includes fault zone @ 15.90-16.40 ±	398996		
			shearing @ 45-55° to core; Very stoned, friable core;	398997		
			- <1% contorted qtz veining to 3cm thick; 0.5-0.7% diss pyrite			
16.40	30.00		Fine to medium grained, very blocky, wacke;	398998	0.410	
			- 16.40 to 20.14 - core is largely rubble; sections are clearly brecciated	398999	0.037	
			± larger pieces having slickensides @ 80° to core along fractures parallel	399000	0.188	
			to core - probably a fault zone over most of this interval; is	399051	0.155	
			calcareous, contains <1% qtz veining to 0.5cm thick & averages	399052	0.233	
			0.5% diss pyrite	399053	0.180	
				399054	0.182	
			- 20.14 to 24.55 - predominantly med. grained wacke ± minor interbedded	399055		
			medium to coarse grained lithic wacke; entire interval is micro	399056		
			brecciated, fractured & core is blocky, broken and rubble; includes a			
			number of 10-20cm wide "crushed" intervals;			

Graphic Log

--	--	--	--

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 2 of 19

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Assays	
					Au g/t	As ppm
			<p>- contorted/deformed, white bull gtz veins to 7mm thick &amp; minor  dis pyrite &lt; 1% of interval;</p> <p>- dis pyrite cubes &lt; 3mm average 0.5-1% throughout;</p>			
			<p>- 24.55 to 30.00 - relatively massive fine - med. grained light coloured  wacke &amp; angular siltstone frags (frags &amp; flame structures indicating top  is up hole) that by 27.40 turns noticeably darker (less carbonate  alteration ??) - siltstone frags end by 26.40;</p> <p>- fracturing starts by 27.80 meters and increases to strong cracks -  fracturing by 28.70; from 28.70-30.00 core is fractured/sheared  &amp; weakly brecciated along fractures 00°-005° to core core; grey clay,  chlonte &amp; weak carbon are common on fractures; darker section of  interval contains 1-2mm black subangular pieces throughout → unaltered  ferromag minerals?</p> <p>- gtz veining is &lt;&lt; 1% (tr); pyrite is tr - a few psphyroblasts  to 9mm are developed in fracture fill in basal portion</p>			
30.00	34.40		<p>Dark grey, argillaceous, fine-medium grained wacke &amp; 3 separate  crushed shear zones @ 20-60cm long following fractures subparallel  to core axis, shear-faults contain clay spurge, chlonte &amp; minor  graphite</p> <p>- between shears, wacke is strongly calcareous, microbrecciated &amp;  locally thinly laminated (calcareous siltstone) @ 05-010° to core;</p> <p>- minor montmorillonite fracture-fill</p>	399057		
				399058		
				399059		

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-000

Page 3 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			≤ 1% qtz - CaCO <sub>3</sub> veining (≤ 0.5cm) @ 10-15° to core; sharp contacts & minor offsets;			
			- pyrite is ≤ 0.5% and largely restricted to occasional porphyroblasts to 7mm across			
34.40	49.80		Massive, medium grained rocks interbedded & occasional, 10-20cm thick, medium - coarse lithic rock beds	399060		
			- rocks are light grey with most ferromag minerals leached - ankerite (?) appears common throughout groundmass	399061		
			- many core breaks along fractures @ 00-05° to core	399062		
			- occasional siltstone beds (44.50-44.80) - generally are contorted & ripped-up,	399063		
			- numerous small faults - brecciated - crushed intervals 10-50cm long,	399064		
			- qtz veining is << 1% and consists of grey to dark grey veins ≤ 0.5cm to 46.00	399065		
			thenceforth qtz veining averages 2-3% largely as 2-3mm white-grey veins	399066		
			cutting core @ 10°, 30° & 50° - veins contain carbonate & tr. pyrite	399067		
			- trace pyrite throughout, occasional pyrite porphyroblast to 7mm	399068		
49.80	56.85		Dark grey to black, argillaceous rocks interbedded & black siltstone to argillite; argillite beds display a number of orientations (bedding?)	399070		
			hauling from 30° to core to dominantly 00°-10°.	399071		
			- siltstone-argillite beds are thinly laminated and typically very calcareous; beds are weakly contorted by display numerous fracture	399072	0.032	
			off-sets;	399073	0.200	
				399074	0.009	

Graphic Log

**CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 4 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			- brecciated/crushed fault intervals include 51.00-51.30; 52.50-53.50; & 53.95-54.30 (basal contact @ 60° to core); entire interval has varying degrees of crackle brecciation; - pyrite 1-2% and consists of white sp. ± carbonate veins to 1cm thick; Note: some veins have sharp well defined margins; - weak stockwork; others are brecciated &/or are leached & wuggy (leached pyrite & Mn (CO <sub>2</sub> ))			
56.85	69.20		Fine to med grained wacke; 56.85-62.40 unit is med. grey colour and contains fine grained black fragments (argillite grains?). 62.40-63.70 is light coloured & no black fragments; from 63.70 back to st. lth 56.85-62.40 - Strong fracturing @ 005° & associated brecciation & fault gouge @ 58.10- 59.00 & 59.30-59.70 - grey clay & chlorite common on striae / in faults; adjacent str. are calcareous	399075		
			- minor montmorillonite along fractures; minor CO <sub>2</sub> filled fractures to 3mm - str. is blocky throughout	399076		
			- Pt, veining is <1% and confined largely to 2-3mm veins @ 05° to core; pyrite is tr on average but 1-2% dis & as cubes along fractures over 20cm - 67.11-67.94 = fault, upper contact @ 40°; brecciated, fault gouge, str. & & clay; strong CaCO <sub>3</sub>	399077		
				399078		
				399079		
				399080		
				399081		
				399082		
69.20	71.67		Medium to coarse lithic wacke, larger, angular fragments are ripped up siltstone (argillite 5-7cm across; by 70.20 core is micro brecciated & mafic fragments are increasingly bleached, last 0.5 meters is strongly	399083		
				399084		

Graphic Log



**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 5 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Assays	
					Au g/t	As ppm
			fractured; core is soft; may reflect some argillic alteration - No qtz veining; trace only pyrite			
71.67	80.34		Alternating intervals of Breccia ( $\leq 1$ meter long) and massive to fractured, fine-medium grained, light coloured matrix, - brecciated intervals vary from strong crackle-brecciation to quartz clay filling fractures to breccias to clay gouge to rubble, occasional shaving, @ $30^\circ \pm$ chlorite, contacts of breccia zones are $45^\circ - 75^\circ$ - average 3-5% white bull qtz veining to 3.2cm wide, subparallel to core, contain diss. pyrite & Typically have carbonate xls (suberite?) intergrown to qtz along vein margins; dk gray qtz stockwork ( $\leq 2$ mm) 77.50-79.50; - to 75.29 pyrite content is tr to 0.3%; from 75.29 to 79.60 pyrite averages 5-6% as diss cubes $\leq 1$ mm; occasional porphyryoblasts to 3mm plus very minor fracture pyrite; * Note: some grey (older?) sheeted qtz veins are cut by white bull qtz - took photograph	399085 399086 399087 399088 399089 399090	0.005 0.450 1.130 0.871 0.055	
80.34	88.30		Massive, pale gray to tan coloured, medium grained lithic matrix; - from 87.60-88.30 core is fractured, sheared, brecciated; includes clay fault gouge; rubble - pale yellow-orange argente is well disseminated/developed throughout lithic matrix; - white to semi-translucent bull qtz veins to 9cm thick are common (4-5%) from 84.10; some of the veining is sub-parallel to core,	399091 399092 399093 399094 399095	0.253 1.015 0.432 0.915 0.212	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 6 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			contains minor disc pyrite and traces of "ragged" cpy & a steelly grey mineral ± dark red-brown streaks, also minor, darker grey, 1-2 mm qtz veins; areas adjacent veins are hard and likely partially silicified - traces of malpaisite throughout - variable pyrite content: 80.34-82.50 = trace; 82.50-88.30 varies from 1-7% - averages 4% as disc cubes; occasional porphyryoblasts to 4mm & lenses/lenses composed of grains <1mm occur in basal shearol/brecciated interval;			
88.30	89.90		Dark grey to black, interbedded argillite (<top of interval?) underlain by argillaceous (dark matrix + occasional bed ≤ 1cm) medium grained lithic wacke; - upon contact is pyrite - graphite - Qtz vein shear @ 50° to core - argillaceous beds are strongly calcareous & include argillaceous list beds 4-6cm thick @ 45° to core; weakly contorted; contact & underlying lithic wacke is gradational (graded bedding - tops up hole); - pyrite is ± 8% - largely as semi-massive, conformable lenses in argillaceous/calcareous beds and as porphyryoblasts to 4mm in elastic portion; pyrite cubes are disseminated, plus aligned along occasional fractures	399096	0.265	
89.90	93.00		Grey, medium grained lithic wacke - downward continuation of above unit; - occasional angular argillite fragment ≤ 2cm; minor CaCO <sub>3</sub> filled fracture; widespread disc. ankerite; minor fracture mount morillonite; - <<1% 1-2mm qtz veins;	399097 399098	0.016	

Graphic Log

CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG

Hole No.: QCM-04-005

Page 7 of 19

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Assays	
					Au g/t	As ppm
			- $\leq 1\%$ diss pyrite			
			- core is blocky & fractured; becomes very broken over last 1 meter			
93.00	109.50		Fine-medium grained rocks; occasional lithic siltstone/argillite	399099		
94.50	96.00		fragment to 2cm; much of the interval is in fact qtz sandstone! - quite hard!	399100	0.025	
			- interval characterized by strong, 1-5mm qtz veining, somewhat sheeted,	399101		
			to local stockwork; patchy silicification; much of the interval	399102		
			is mottled & primary textures are obliterated.	399103	0.337	
			- the veining is strongest @ 94.90-98.30 ( $\pm 4-5\%$ ) & 99.60-104.20 ( $\pm 5\%$ );	399104	0.829	
			carbonate (ankhanta?) often envelopes veins & occurs in qtz along	399105	0.209	
			fractures that are in turn cut by veins, in the interval 99.60-104.20,	399106	0.125	
			earlier qtz-carbonate veins are in a semi-sheeted pattern from 00-20°	399107	0.051	
			to core; these are cut by later veins & less carbonate @ 60-70° to core.	399108	0.743	
			- veining is irregular & patchy; other intervals contain 2% qtz veining	399109	0.543	
			- fault gouge / breccia / rubble @ 94.45-94.60 & 98.30-98.60			
			106.72-108.60; entire interval is micro brecciated!			
			- pyrite is highly variable, generally most intense near veins &			
			less away from them; average 1-2%, largely as $\leq 2$ mm diss grains in			
			matrix but also in qtz veins & occasionally, along fractures in rocks			
			$\pm 104.10-106.55$ is tr. pyrite; 106.55-109.00 is 4-5%; qtz pale grey, subrounded			
			siltstone fragments to 6cm across sporadically from 107.50-109.30			
109.50	114.75		Fine-medium grained rocks & minor interbedded siltstone/argillite	399110		
			beds $\leq 2$ cm; core is softer (no qtz grains); 111.30-111.55 is fault	399111		

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 8 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			with brecciation and clay gouge, - minor "micro" qtz veining; bedding @ 040° to core axis - traces to 0.5% finely diss pyrite	399112		
114.75	126.00		Fine - med grained wacke, massive; occasional lithic frags ≤ 1cm, - characterized by 5-8% qtz veining @ 00-15° (most common) some to 30°, average 2-3mm but up to 8mm - veins contain minor diss pyrite - a 10cm white quartz vein also @ 123.81-123.91 - much of the veining is dark grey, ≤ 1mm and appears sheared - fault @ 124.66-125.50; crushed core & fault gouge; elsewhere (from 120.00-126.00) core is very blocky, broken, locally ground & includes a member of clay-filled fractures, - abundant throughout (yellow-orange) - pyrite is variable - ≤ 1% except for 119.40-120.00 (4% finely diss) & 124.05-126.00 (4-6% diss, fracture & irregular lenses to 2cm)	399113 399114 399115 399116 399117 399118 399119 399120	0.192 0.671 0.010 0.306 0.012 0.009 0.541 0.356	
126.00	136.25		Fine grained wacke as above but only 2-3% qtz veining, principally as 1-2mm, dark grey, locally sheared/banded veins, subparallel to core axis; minor bull qtz veining ≤ 1cm - core is very blocky & broken; ground core, some clay-filled fractures; poor recovery - average ≤ 1% diss pyrite 126.00-131.50; thereafter 3-4% diss pyrite ≤ 1mm plus minor fracture pyrite	399121 399122 399123 399124 399125 399126 399127	0.488 0.361 0.419 0.222 0.635 0.404 0.808	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: Q22-01-005

Page 9 of 19

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
136.25	138.00		Fault zone developed in fine grained wacke, brecciated, crushed, minor gouge, poor recovery, - brecciated white bull qtz vein at least 4cm thick - to diss pyrite aside from within 15cm of qtz vein - these pyrite increases to 3-4%	399128	0.279	
138.00	139.45		Massive (blocky core), tan-light grey, fine-medium grained wacke, - 2-3% white, bull qtz veins to 2.5cm @ 15° to core, average 2-3% diss pyrite - most intense (4-5%) near veins - diss pyrite in qtz veins,	399129	0.532	
139.45	148.02		Fault zone developed within med grained wacke interbedded & thinly laminated argillaceous wacke underlain by fine grained wacke CYCLE 2 ::::: ← med gr wacke CYCLE 1 ::::: ← argillaceous wacke ← fine gr wacke	399130 399131 399132 399133 399134 399135	0.006 0.005 0.009 0.977 0.635 0.450	
			- interval consists of breccia zones, shears, rubble and fault/clay gouge; shear cut emc @ 00-15°, have slickensides parallel to core and some are graphitic; thrust faulting? - minor CO <sub>2</sub> fracture fill, - minor qtz veining < 1% - pyrite is < 1% from 139.45-146.40, from 146.40-148.02 < 2%			
148.02	158.66		Fine-med, grey wacke; occasional black, argillite laminations; core	399136	0.230	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 10 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			is very blocky, broken and fractured; small shear crushed zones & fault breccia/gouge zones to 27 cm (@ 55° to core) throughout;	399137		
			- prevalent fracture / core break is 00-15° to core;	399138		
			- occasional black-argillite lamination is 20° to core;	399139	0.156	
			- 148.02 - 151.00 is 3-4% gtz, mainly wh. to bull gtz, to 1.5cm @ 10-45° to core; also minor 1-2mm darker grey gtz veins, same	399141	0.866	
			interval averages 5-7% diss & minor fracture pyrite (occasional lens of ± 1cm)	399142	0.117	
			- 151.00 to 158.66 contains only 1-2% pyrite, mainly as a 10cm white bull gtz vein cutting core @ 60°; vein contains traces of "loopy" Cpy & a grey-steel mineral (red brown streaks) and minor pyrite;			
			- minor 5-12mm dark grey veins; interval averages 1-2% diss pyrite & minor fracture pyrite; within 20cm of gtz vein pyrite is 5-6%;			
			- occasional pyrite porphyroblast to 3mm			
			- entire interval is weakly calcareous especially in strongly fractured portions			
158.66	169.32		Finely bedded (laminations) black argillite in fine to medium grained matrix, bedding @ 00-20° - ± 10° is most common	399143	0.346	
			- 160.38 to 163.05 = 3-4% gtz veining as white bull gtz veins to 7cm @ 30-80° to core; - contain traces pyrite & carbonate on smaller (<0.5cm)	399144	0.736	
			veins & anhedral xtl growths principally along vein margins or on fractures perpendicular to vein;	399145	0.219	
			- quartz brecciation is common throughout; argillite beds have	399146	0.010	
				399147	0.270	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 11 of 19

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			<p>numerous small fracture of host;</p> <p>- pyrite content is 0.5-0.7% (locally, 3-5% near Qtz Vein) as disc cubes, often porphyroblasts to 4mm across</p> <p>- fault @ 165.70-166.73 → rubble, fault breccia, some shearing; from fault to base of interval, argillite exists as occasional fine laminations; same interval contains 5-10% finely disseminated subhedral black grains - resemble hornblende; a few have pyrite replacing them</p> <p>- from 167.80 core becomes mottled weakly deformed &amp; weakly fractured,</p>	399148	0.030	
169.32	170.86		<p>Fault zone developed in fine-grained wacke; breccia, minor shearing and rubble; 2-3% qtz veining (deformed) and pieces of brecciated veins; traces disc pyrite;</p> <p>- upper contact is ± 20° to core axis; lower contact is rubble</p>	399149	0.517	
				399150	0.139	
170.86	178.41		<p>Fine-medium grained wacke; characterized by white bull qtz veins to ± 10cm thick @ 15° &amp; 70° to core; also minor dark grey, 1-3mm qtz veins; total 3-4% qtz veining, contain traces of disc pyrite;</p> <p>- wacke contains variable pyrite depending upon proximity to qtz veins - from tr. to 5%; overall average is ± 2%</p> <p>- minor minor morillonite fracture filling</p>	399251	0.569	
				399252	0.124	
				399253	0.157	
				399254	0.247	
				399255	0.038	
178.41	190.63		<p>From 178.41 to ± 186, fine grained, mottled siltstone &amp; wackes ±</p>	399256		

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 12 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			interbedded argillite; interval is light grey to tan coloured; entire interval is fractured & weakly deformed; @ ±100m, bedding is 15°; @ 183.20, bedding is 20°	399257	<0.005	
				399258	0.292	
				399259	0.412	
			- from 184.60 core is very blocky to broken, contains numerous fault gouge / rubble zones ≤ 20cm, core breaks are typically @ ±15° & to a lesser extent @ 0°	399260	0.090	
				399261	0.178	
				399262	0.159	
			- white bull qtz veining to 6cm thick averages 3%; minor dark grey 1-2mm qtz veins as well as weak silicification adjacent to some veins; qtz veins are both sharp edged and relatively undeformed as well as strongly brecciated; ankerite along margins is very common with the narrower veins, pyrite occurs in minor amounts in veins	399263	0.301	
			- weak, localized montmorillonite as fracture-fill.			
			- 178.41- 182.13 = tr pyrite, 182.13- variable pyrite but average ± 2-3% mainly as disc grains ≤ 2mm but also as fracture filling and occasional porphyroblasts			
190.63	195.08		Fault zone developed within medium grained rocks; upper contact rubble, lower contact is breccia; clay (argillic) altered;	399264	0.401	
			- interval is fault breccia & grey clay gouge plus rubble intervals	399265	0.227	
			- contains <1% pieces of brecciated qtz veins,	399266	0.048	
			- 3 to 5% disc pyrite			

Graphic Log



**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 13 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
195.08	205.68		interbedded fine to medium grained wacke to grey-tan siltstones and an 11 cm wide limestone bed < 199.80-199.91 @ 65-70° to core	399267	0.752	
			- occasional white bull qtz veins ± minor disc pyrite and traces of "ragged" cpq & steely grey mineral	399268	0.115	
			- core is microbrecciated, fractured & fine grained sections are weakly mottled	399269	0.768	
			- dominant feature is widespread disc pyrite (average 3-4%) no cubes < 2mm	399270	0.121	
			- Qtz veining is 3-4% in veins to 8cm @ 30-80° to core, also minor silicification adjacent to veins in fine grained wackes to siltstones	399271	0.525	
			- from 204.20-205.68 core is increasingly fractured & broken ± clay-filled slips / fractures; patchy clay (argillie) alteration - these zones contain only trace pyrite (leached out??)	399272	0.091	
				399273	0.591	
205.68	217.60		Fault zone in fine grained wacke; crushed, brecciated core; blocky; chloritized fractures	399274	0.149	
			- traces of disc & fracture pyrite to 211.50; thereafter 0.75-1.9% disc + fract	399275	0.549	
			- shearing / gouge @ contacts is ± 75° to core, minor graphite on a few fractures @ 10 & 25° to core axis	399276	0.463	
			- includes 1-2% white brecciated bull qtz veining and minor, dark grey, 1-2mm qtz veins	399277	0.251	
				399278	0.224	
217.60	216.80		Fine-medium grained grey wacke ± 1-2% pyrite on average but ranging from 0.5% away from Qtz veins to 4.5% ± in 40cm of veins	399279	0.301	
				399280	0.446	

Graphic Log

**CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-24-005

Page 14 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Assays	
					Au g/t	As ppm
			- qtz veins - white bulk qtz to 4cm @ 20-70° = 4-5%; minor dark grey, 1-2 mm veins as well - veins contain disc. pyrite & arsenite along margins. * Note: also find fracture pyrite in discontinuous fractures near & parallel to qtz veins			
216.80	219.00		Bedded - to laminated siltstones / argillites & list on top of fine - med. grained siltstone; bedding is ± 30° to core; - limy beds (to 30 cm wide) are wuggy; - to 218.20 = tr - 0.5% disc. pyrite, 218.20 to 219.00 = 3-4% disc & fracture pyrite - ≤ 1% qtz veins up to 2cm	399281 399282	0.426 0.046	
217.00	223.52		Medium grained lithic rocks interbedded w black argillite to 32160; overall unit varies from dark grey colour down to medium grey; many argillite fragments < 1cm; @ 220.40 bedding is 50° to core and grading + flame structures suggests tops are "down-hole"; - entire interval is scaly brecciated and generally soft, suggesting argillic alteration; yellow-orange arsenite grains evident throughout; - minor CaCO <sub>3</sub> fracture fill; also "wuggy" intervals where CaCO <sub>3</sub> on fractures may have been leached out - minor white bulk qtz veining (1-2%) @ 005° & 65° to core; contain minor disc. pyrite	399283 399284 399285	0.279 0.107 0.303	

Graphic Log

**CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-0A-005

Page 15 of 19

From Meters	To Meters	Rey %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay Tag	Assays	
					Au g/t	As ppm
			pyrite content is $\pm 0.5\%$ to 222.65 (3-5%) near $qtz$ veins, from 222.65-223.52, pyrite is 5-6% finely ( $\leq 1mm$ ) disseminated - near $qtz$ veins @ 005°			
						1.70
223.50-225.00	223.52	226.25	Massive, brecciated & strongly leached fine - med grained lithic rocks, considerable rubble - likely a fault zone,	399286	0.192	
	225.00	226.50	- strong $qtz$ veining & associated $CaCO_3$ fracture - fill & veining, - includes white, buff $qtz$ veining & darker grey 1-5mm veins - stockwork (7-8% $qtz$ ) - include minor pyrite - coarse than in waste - waxy sections - likely leached $CaCO_3$ fracture - fill - 5-7% diss ( $\leq 1mm$ ) pyrite	399287	2.940	
	226.25	231.90	Pyritic, $qtz$ vein rich, med. grained lithic rocks, has a faint pink colour owing to large number of fine grained pink fragments (typically $\leq 0.5cm$ ) - These contain very fine grained fracture & disseminated pyrite,	399288	0.572	
			- mottled texture when pale green material (not calcareous, not clay) - swirls through core (different colour owing to Fe??)	399289	0.554	
			- $qtz$ veins are to 15cm thick, contain minor pyrite and amberite near margins and range from $10^\circ$ to $80^\circ$ to core axis; 11-17% of interval	399290	0.213	
			- pyrite, which is related to veining averages 4% diss & minor fracture,	399291	0.455	
	231.90	248.50	Massive, brown coloured medium grained rocks & occasional lithic frags to $\pm 1cm$ , characterized by yellow-orange amberite (?) throughout	399292	16.600	232.50-234.00
				399293	0.011	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 16 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			interval of minimal qtz veining and pyrite			
			- groundmass is "soft" and non-amberite grains appear to be argillically altered to white clay. tr. of disc variscite throughout	399294	0.224	
			- qtz veining typically averages $\leq 1\%$ (occasional veins 2-3um) and pyrite $\leq 0.3\%$ ; exceptions occur @ 238.47 - 239.04 (2, $\pm 0.5$ cm qtz veins of 4-5% disc pyrite) & 240.18 - 246.15 (4-5% white, bull qtz veins & minor disc pyrite and traces op, & italy grey mineral plus 4-5% disc pyrite in wacke)	399295	0.019	
				399296	0.084	
				399297	0.193	
				399298	0.114	
				399299	0.847	
			- core is blocky & broken @ 242.00 - 242.75 where qtz vein @ 30° cuts core and is leached & fractured. mont morillonite fracture filling occurs in this zone, wuggy texture in QV likely due to bucked coll.	399300	0.331	
				399301	<0.005	
				399302	0.045	
248.50	251.27		Medium grained wacke, widespread amberite as above but argillic alteration is weak;	399303	1.125	
			- pyrite is widespread varying from 3-4%, $\leq 1$ mm disc grains & occasional fracture to 0.7-1%; average $\leq 2\%$	399304	0.106	
			- qtz veining averages $\pm 3\%$ as white qtz veins to 1.7cm @ 20-80° to core;			
251.27	253.65		Med grained wacke & minor lithic-rich ( $\leq 40$ cm) portion (frags $\leq 1$ cm) with widespread amberite as above but $\ll 1\%$ qtz veining, tr only pyrite and characteristically "darker grey" owing to patchy black matrix (argillaceous?) & irregular, black fractures or thin argillite laminations ( $\leq 2$ mm) that are since deformed; entire	399305	0.008	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 17 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			interval is micro brecciated & from 253.45 is blocky & argillically altered			
253.65	256.38		Fault zone developed in wacke - minor lithic frags < 1cm and minor argillaceous matrix; contacts are rubble	399306	0.107	
			- core is broken, some rubble; brecciated; strong argillic alteration; - leached, brecciated qtz veining (3%?); < 1% average pyrite (locally 3-4% near veins); minor pyrite in veins; pyrite also along fractures	399307	0.476	
			- minor graphite along shears/fractures @ 10° to core			
256.38	264.52		Med to locally dark grey, argillaceous, med grained lithic wacke;	399308	<0.005	
			- fragments are typically subangular argillite < 2cm long;	399309	0.428	
			- entire interval is micro brecciated - areas of more intense fracturing (often sub-parallel to core) associated - graphite fractures and argillic alteration of wacke.	399310	1.020	
			- minor CaCO <sub>3</sub> fracture filling; traces of montmorillonite;	399311	0.638	
			- foliation (± 45° to core), fracturing/brecciation increase progressively from 261.55; argillic alteration increases as well	399312	0.018	
			- qtz veining occurs from 259.04 - 259.84 (± 18%) and correlates closely - zone of 4-6% dis pyrite (258.80 - 260.05) - rest of interval averages fr. to 0.5% dis pyrite			
264.52	268.80		Argillaceous (matrix) wacke; blocky, strongly fractured - associated argillic alteration (very similar to above lithic wacke); common fractures	399313	0.528	
				399314	0.009	

Graphic Log

**CANADIAN GOLD HUNTER CORP.**  
**QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 18 of 19

From Meters	To Meters	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			<p>all sub-parallel to core;</p> <p>- minor qtz veining (<math>\pm 2\%</math>) - mainly "broken" white bull qtz but includes minor 1-5 mm grey-qtz veins</p> <p>- graphite-filled fractures @ 35-40° to core</p> <p>- microbrecciated <math>\rightarrow</math> increasing deformation <math>\bar{c}</math> depth</p> <p>- average <math>\leq 1\%</math> pyrite - near qtz veins it is <math>\pm 3-4\%</math></p>	399315	0.171	
268.80	273.10		<p>Fault zone within fine-medium grained waste; corresponds <math>\bar{c}</math> increase in white, bull qtz veining down to 287.95</p> <p>- interval is brecciated &amp; broken to rubble; much of the interval is soft (argillie alteration)</p> <p>- qtz veining (vegy &amp; brecciated white bull qtz) is very common,</p> <p>- <math>\text{CaCO}_3</math> fracture-filling occurs throughout breccia rubble</p> <p>- minor graphite filled fractures</p> <p>- average 2% pyrite; <math>\pm 10\%</math> qtz veining</p>	399316	0.062	
				399317	0.397	
				399318	0.113	
273.10	288.82		<p>Grey, fine to med grained, qtz vein - pyrite rich, waste; blocky, generally hard core; minor argillie altered "soft" zones;</p> <p>- from 285.10 - 288.82 rock is mottled, siltstone to argillaceous siltstone - This section contains common, <math>\leq 1\text{mm}</math>, subrounded black grains (ferromag minerals?) and occasional porphyroblast pyrite to 4mm;</p> <p>- bedding (?) @ 45° to core;</p> <p>- qtz veining (<math>\pm 6\%</math>) includes veins to 33 cm thick plus waste,</p>	399319	0.072	
				399320	0.338	
				399321	0.081	
				399322	0.450	
				399323	0.374	
				399324	0.204	
				399325	0.033	
				399326	0.125	

Graphic Log

**CANADIAN GOLD HUNTER CORP.  
QCM PROJECT, BRITISH COLUMBIA - DIAMOND DRILL LOG**

Hole No.: QCM-04-005

Page 19 of 19

From Meters	To	Rcy %	General Description - Lithology, Structure, Alteration, Mineralogy, etc.	Assay	Assays	
				Tag	Au g/t	As ppm
			Local staurolite and associated silicification next to veins, traces of a steely grey mineral plus minor pyrite are common	399327	0.100	
			- unclastic contains 5% pyrite average but next to veins can be $\leq 10\%$	399328	0.208	
288.82	292.43		Fault zone developed in very fine grained rocks; crushed - brecciated; largely a zone of rubble; fault gouge; graphite on shears	399329	0.111	
			- primary textures are obliterated;	399330	0.135	
291.00	292.50		- numerous pieces of white, brecciated bull qtz	399331	0.026	
			- $\pm 3-4\%$ diss. pyrite throughout			
			- upper and lower contacts are rubble			
292.43	294.74		Very hard, fine grained rocks; core is very blocky - broken and in large part rubble - drill bit went and could be cause of crushing the core	399332	0.040	
			- 2-3% white bull qtz fragments - core seems, in part - silicified			
			- 3-4% diss & fracture pyrite			
			* note - left casing in hole			

Graphic Log

**APPENDIX V**

**QCM PROJECT**

**DRILLING – GOLD ASSAYS  
AND MULTI-ELEMENT ANALYSES**

**(ALS CHEMEX LABORATORIES)**





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 1

Finalized Date: 1-NOV-2004

Account: MYA

## CERTIFICATE VA04073340

Project: QCM

P.O. No.:

This report is for 155 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-OCT-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

DAVID MEHNER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: CANADIAN GOLD HUNTER CORP  
 ATTN: RICK J. BAILES  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

QCM - 001, 002

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073340

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
B87501		1.36	<0.005			0.2	0.40	41	<10	30	<0.5	<2	3.78	<0.5	21	14
B87502		3.06	0.904			1.0	0.50	32	<10	50	<0.5	<2	4.43	<0.5	23	21
B87503		4.44	0.016			<0.2	0.41	40	<10	50	<0.5	<2	4.65	<0.5	23	11
B87504		3.34	0.029			0.2	0.45	36	<10	50	<0.5	<2	5.30	<0.5	22	15
B87505		2.82	0.694			0.3	0.42	31	<10	70	<0.5	<2	6.24	<0.5	22	14
B87506		4.38	0.013			<0.2	0.47	49	<10	60	<0.5	<2	5.47	<0.5	23	19
B87507		4.34	0.009			<0.2	0.38	52	<10	50	<0.5	<2	4.06	<0.5	26	16
B87508		3.48	0.120			<0.2	0.46	30	<10	60	<0.5	<2	5.19	<0.5	22	25
B87509		4.00	0.017			0.2	0.42	59	<10	60	<0.5	<2	4.78	<0.5	22	10
B87510		4.12	0.065			<0.2	0.49	42	<10	80	<0.5	<2	4.08	<0.5	20	13
B87511		3.90	0.547			0.9	0.43	158	<10	70	<0.5	<2	4.32	<0.5	32	17
B87512		3.70	<0.005			<0.2	0.47	61	<10	50	<0.5	<2	6.42	<0.5	25	13
B87513		3.88	<0.005			<0.2	0.43	50	<10	50	<0.5	<2	5.43	<0.5	20	12
B87514		3.40	<0.005			<0.2	0.53	50	<10	60	<0.5	<2	4.00	<0.5	25	18
B87515		3.94	<0.005			0.2	0.42	54	<10	40	<0.5	<2	3.43	<0.5	25	16
B87516		3.80	0.010			0.2	0.45	51	<10	60	<0.5	<2	5.40	<0.5	23	20
B87517		3.58	0.024			0.2	0.44	42	<10	70	<0.5	<2	4.63	<0.5	23	14
B87518		3.14	0.050			0.3	0.45	42	<10	70	<0.5	<2	4.20	<0.5	21	17
B87519		3.72	<0.005			<0.2	0.37	49	<10	30	<0.5	<2	3.82	<0.5	23	11
B87520		3.74	<0.005			0.2	0.42	46	<10	40	<0.5	<2	3.30	<0.5	23	17
B87521		3.82	<0.005			<0.2	0.38	43	<10	30	<0.5	<2	2.73	<0.5	23	10
B87522		3.76	<0.005			<0.2	0.38	44	<10	20	<0.5	<2	2.84	<0.5	23	16
B87523		3.96	<0.005			0.3	0.33	46	<10	30	<0.5	<2	2.73	<0.5	22	10
B87524		3.40	0.258			0.3	0.41	65	<10	60	<0.5	<2	3.75	<0.5	24	23
B87525		3.14	0.507			0.4	0.37	95	<10	70	<0.5	<2	5.07	<0.5	20	16
B87526		3.46	0.119			0.4	0.45	79	<10	90	<0.5	<2	4.96	<0.5	21	11
B87527		3.46	0.255			<0.2	0.49	27	<10	80	<0.5	<2	4.33	<0.5	21	13
B87528		3.62	0.695			0.5	0.32	52	<10	50	<0.5	<2	5.11	<0.5	20	9
B87529		3.42	0.112			0.3	0.19	46	<10	20	<0.5	<2	3.25	<0.5	14	43
B87530		3.68	0.139			0.5	0.27	63	<10	40	<0.5	<2	4.99	<0.5	20	11
B87531		3.22	0.087			0.2	0.41	21	<10	40	<0.5	<2	4.14	<0.5	19	11
B87532		3.48	0.633			0.3	0.40	34	<10	40	<0.5	2	3.70	<0.5	22	7
B87533		2.84	0.005			<0.2	0.44	33	<10	50	<0.5	<2	3.62	<0.5	20	8
B87534		3.80	0.095	0.163	0.130	<0.2	0.51	24	<10	100	<0.5	<2	4.92	<0.5	20	7
B87535		3.28	0.266	0.343	0.302	0.4	0.46	51	<10	100	<0.5	<2	6.89	<0.5	21	12
B87536		3.60	0.301	0.097	0.063	0.3	0.41	21	<10	60	<0.5	<2	3.95	<0.5	20	8
B87537		3.80	0.526			0.4	0.54	27	<10	80	<0.5	2	4.74	<0.5	20	9
B87538		3.68	0.283			0.4	0.45	69	<10	70	<0.5	<2	3.90	<0.5	22	8
B87539		3.62	0.051			0.3	0.50	83	<10	60	<0.5	<2	3.87	<0.5	20	8
B87540		3.48	0.767			0.5	0.52	21	<10	80	<0.5	2	4.31	<0.5	22	9

Comments: some samples show erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 2 - B

Total # Pages: 5 (A - C)

Finalized Date: 1-NOV-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073340

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
		ppm 1	% 0.01	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2
B87501		89	6.05	<10	<1	0.21	10	1.98	1480	1	0.03	14	960	2	0.04	9
B87502		92	5.95	<10	<1	0.26	<10	2.09	1620	1	0.04	13	1040	5	0.62	<2
B87503		107	6.20	<10	<1	0.22	<10	2.05	1675	1	0.03	13	1110	4	0.10	<2
B87504		98	6.03	<10	<1	0.25	10	1.89	1810	1	0.03	15	1040	2	0.03	<2
B87505		102	5.54	<10	<1	0.23	<10	1.88	1945	1	0.02	11	1300	3	0.28	<2
B87506		70	5.66	<10	<1	0.27	<10	2.02	1385	1	0.02	17	830	3	0.36	<2
B87507		59	6.02	<10	<1	0.22	<10	2.23	1375	1	0.02	18	780	3	0.35	<2
B87508		52	5.54	<10	<1	0.26	<10	2.08	1435	1	0.03	14	960	2	1.58	<2
B87509		110	6.06	<10	<1	0.27	<10	1.89	1410	2	0.02	15	1080	4	0.78	<2
B87510		91	6.28	<10	<1	0.33	<10	2.03	1355	1	0.01	16	930	3	0.53	<2
B87511		320	7.10	<10	1	0.31	<10	1.39	1135	11	0.01	26	890	7	3.94	<2
B87512		65	5.40	<10	<1	0.28	<10	2.27	1715	1	0.02	13	1020	4	0.50	<2
B87513		58	5.00	<10	<1	0.25	<10	1.95	1510	1	0.02	13	860	4	0.38	<2
B87514		84	5.54	<10	<1	0.26	<10	2.01	1355	1	0.02	14	820	5	0.29	<2
B87515		108	5.98	<10	<1	0.26	<10	2.07	1315	1	0.02	15	820	<2	0.25	<2
B87516		99	5.53	<10	<1	0.27	<10	2.08	1385	1	0.02	16	990	4	0.71	<2
B87517		78	5.53	<10	<1	0.30	<10	1.88	1310	1	0.03	14	980	3	1.01	<2
B87518		74	5.27	<10	<1	0.28	<10	1.90	1240	2	0.03	13	830	2	0.81	<2
B87519		73	5.48	<10	<1	0.23	<10	2.11	1385	1	0.03	14	1070	<2	0.15	<2
B87520		32	5.80	<10	<1	0.25	<10	2.19	1325	1	0.04	12	930	<2	0.14	<2
B87521		34	5.72	<10	<1	0.23	<10	2.24	1275	1	0.03	15	870	<2	0.13	<2
B87522		54	5.93	<10	<1	0.24	<10	2.28	1345	1	0.04	15	910	3	0.18	<2
B87523		48	5.88	<10	<1	0.22	<10	2.26	1350	1	0.03	14	900	<2	0.22	<2
B87524		44	5.86	<10	<1	0.26	<10	2.10	1320	2	0.04	16	910	3	2.09	<2
B87525		100	5.31	<10	<1	0.26	<10	1.52	1100	2	0.02	13	970	4	2.89	<2
B87526		144	5.79	<10	<1	0.32	<10	1.82	1165	8	0.02	16	1030	2	2.02	<2
B87527		71	5.44	<10	<1	0.33	<10	1.75	1220	1	0.03	14	960	<2	0.90	<2
B87528		113	5.29	<10	<1	0.23	<10	1.58	1200	<1	0.03	15	940	2	2.61	<2
B87529		22	4.01	<10	1	0.09	<10	1.20	933	1	0.06	11	900	3	3.01	<2
B87530		69	5.47	<10	<1	0.17	<10	1.79	1325	1	0.04	14	1070	<2	3.55	<2
B87531		83	5.38	<10	<1	0.27	10	1.75	1235	<1	0.03	13	1020	<2	0.30	<2
B87532		75	5.71	<10	<1	0.29	<10	1.72	1185	<1	0.02	14	980	<2	0.43	<2
B87533		62	5.64	<10	<1	0.29	10	1.80	1170	<1	0.02	11	1040	3	0.16	<2
B87534		73	5.25	<10	<1	0.37	<10	1.80	1190	<1	0.01	11	950	3	0.38	<2
B87535		118	5.58	<10	<1	0.32	<10	1.84	1275	1	0.02	15	900	<2	2.05	<2
B87536		92	5.66	<10	<1	0.27	<10	1.88	1275	<1	0.04	12	1020	2	0.78	<2
B87537		111	5.39	<10	<1	0.37	<10	1.77	1270	<1	0.03	14	910	2	1.74	<2
B87538		74	5.45	<10	<1	0.31	<10	1.72	1210	<1	0.03	14	850	<2	2.33	<2
B87539		83	5.42	<10	<1	0.34	<10	1.65	1205	<1	0.03	11	800	2	1.92	<2
B87540		58	5.37	<10	<1	0.36	<10	1.91	1295	<1	0.02	11	830	<2	1.54	<2

Comments: some samples show erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073340

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sc	Sr	Tl	Tl	U	V	W	Zn
		ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B87501		8	140	<0.01	<10	<10	16	<10	83
B87502		10	201	<0.01	<10	<10	20	<10	77
B87503		10	183	<0.01	<10	<10	17	<10	79
B87504		8	181	<0.01	<10	<10	17	<10	75
B87505		8	268	<0.01	<10	<10	14	<10	65
B87506		9	222	<0.01	<10	<10	15	<10	70
B87507		9	173	<0.01	<10	<10	12	<10	79
B87508		10	263	<0.01	<10	<10	16	<10	69
B87509		8	186	<0.01	<10	<10	12	<10	69
B87510		8	164	<0.01	<10	<10	14	<10	71
B87511		6	177	<0.01	<10	<10	11	<10	64
B87512		10	233	<0.01	<10	<10	14	<10	70
B87513		7	190	<0.01	<10	<10	11	<10	86
B87514		8	156	<0.01	<10	<10	13	<10	76
B87515		7	130	<0.01	<10	<10	12	<10	77
B87516		9	261	<0.01	<10	<10	15	<10	67
B87517		8	251	<0.01	<10	<10	15	<10	72
B87518		8	222	<0.01	<10	<10	13	<10	65
B87519		9	158	<0.01	<10	<10	15	<10	71
B87520		9	137	<0.01	<10	<10	17	<10	85
B87521		8	109	<0.01	<10	<10	14	<10	85
B87522		9	119	<0.01	<10	<10	17	<10	86
B87523		8	128	<0.01	<10	<10	14	<10	84
B87524		9	247	<0.01	<10	<10	18	<10	77
B87525		6	229	<0.01	<10	<10	13	<10	48
B87526		8	242	<0.01	<10	<10	17	<10	56
B87527		8	241	<0.01	<10	<10	21	<10	61
B87528		9	315	<0.01	<10	<10	20	<10	56
B87529		8	233	<0.01	<10	<10	13	<10	34
B87530		11	353	<0.01	<10	<10	22	<10	49
B87531		8	235	<0.01	<10	<10	21	<10	68
B87532		7	157	<0.01	<10	<10	17	<10	78
B87533		7	174	<0.01	<10	<10	15	<10	79
B87534		6	253	<0.01	<10	<10	14	<10	71
B87535		9	411	<0.01	<10	<10	20	<10	52
B87536		9	241	<0.01	<10	<10	22	<10	56
B87537		9	331	<0.01	<10	<10	22	<10	53
B87538		8	267	<0.01	<10	<10	21	<10	53
B87539		8	202	<0.01	<10	<10	22	<10	64
B87540		7	254	<0.01	<10	<10	17	<10	62

Comments: some samples show erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 3 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073340

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
B87541		3.58	0.317			<0.2	0.49	43	<10	80	<0.5	<2	4.73	<0.5	23	11
B87542		3.98	0.187			0.3	0.48	21	<10	70	<0.5	<2	3.28	<0.5	23	7
B87543		3.68	0.209			0.3	0.38	89	<10	60	<0.5	<2	5.22	<0.5	22	14
B87544		2.80	0.229			0.3	0.44	23	<10	60	<0.5	<2	4.16	<0.5	24	8
B87545		3.38	0.798			0.4	0.48	35	<10	80	<0.5	2	4.60	<0.5	22	11
B87546		3.78	0.152			0.3	0.57	27	<10	60	<0.5	<2	3.59	<0.5	23	8
B87547		3.86	0.006			<0.2	0.62	48	<10	70	<0.5	<2	3.87	<0.5	25	9
B87548		4.22	<0.005			0.2	0.54	44	<10	70	<0.5	2	4.34	<0.5	23	7
B87549		3.74	0.006			<0.2	0.59	45	<10	80	<0.5	<2	4.97	<0.5	23	8
B87550		3.40	<0.005			<0.2	0.56	39	<10	70	<0.5	<2	4.17	<0.5	21	6
B87551		3.68	<0.005			<0.2	0.53	42	<10	60	<0.5	2	4.84	<0.5	21	8
B87552		3.10	<0.005			<0.2	0.54	49	<10	80	<0.5	<2	4.44	<0.5	22	8
B87553		2.98	<0.005			0.2	0.50	51	<10	70	<0.5	2	3.51	<0.5	24	11
B87554		3.70	<0.005			<0.2	0.62	47	<10	70	<0.5	<2	3.12	<0.5	23	8
B87555		3.38	<0.005			0.2	0.50	48	<10	70	<0.5	2	3.40	<0.5	24	8
B87556		3.46	0.006			0.3	0.54	40	<10	80	<0.5	2	3.21	<0.5	22	10
B87557		2.96	<0.005			0.3	0.55	51	<10	60	<0.5	<2	3.04	<0.5	27	17
B87558		3.80	0.005			0.2	0.55	44	<10	80	<0.5	<2	3.78	<0.5	24	7
B87559		3.16	<0.005			0.2	0.48	45	<10	60	<0.5	<2	2.88	<0.5	24	7
B87560		3.90	<0.005			0.3	0.53	47	<10	40	<0.5	<2	2.75	<0.5	27	9
B87561		3.44	<0.005			0.3	0.57	53	<10	70	<0.5	<2	3.43	<0.5	25	10
B87562		3.50	0.014			0.2	0.59	52	<10	80	<0.5	<2	4.50	<0.5	24	8
B87563		3.28	0.013			<0.2	0.53	49	<10	60	<0.5	<2	4.05	<0.5	21	10
B87564		4.10	0.060			0.4	0.47	83	<10	70	<0.5	<2	4.91	<0.5	20	12
B87565		3.16	0.038			2.1	0.21	32	<10	30	<0.5	<2	3.24	<0.5	13	58
B87566		3.00	0.030			0.8	0.18	44	<10	30	<0.5	<2	2.94	<0.5	13	49
B87567		3.34	0.032			1.6	0.17	91	<10	30	<0.5	<2	4.38	0.5	19	15
B87568		3.50	0.036			3.1	0.14	52	<10	20	<0.5	<2	3.85	<0.5	13	43
B87569		3.24	0.049			3.5	0.21	75	<10	40	<0.5	2	3.79	<0.5	21	21
B87570		3.74	0.019			2.2	0.16	38	<10	30	<0.5	<2	3.78	<0.5	11	52
B87571		3.22	0.040			1.7	0.19	50	<10	40	<0.5	<2	8.88	<0.5	15	15
B87572		3.60	0.150	0.049	0.198	1.1	0.18	40	<10	40	<0.5	2	7.66	<0.5	18	18
B87573		3.42	0.113			1.0	0.22	63	<10	50	<0.5	3	5.36	<0.5	18	12
B87574		3.04	0.266	0.257		0.7	0.25	44	<10	50	<0.5	3	7.07	<0.5	18	13
B87575		2.76	0.507			2.2	0.23	70	<10	50	<0.5	2	7.03	<0.5	30	12
B87576		3.14	0.490			0.9	0.31	49	<10	70	<0.5	2	5.53	<0.5	22	16
B87577		2.36	0.082			0.5	0.22	103	<10	40	<0.5	6	5.29	<0.5	16	14
B87578		3.10	1.235			0.4	0.32	28	<10	50	<0.5	3	4.55	<0.5	19	20
B87579		2.12	0.403			0.2	0.30	29	<10	50	<0.5	3	4.85	<0.5	18	12
B87580		2.76	0.146			1.8	0.31	94	<10	40	<0.5	<2	5.40	<0.5	21	24

Comments: some samples show erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 3 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 1-NOV-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073340

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
		ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
		1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
B87541		85	5.59	<10	1	0.34	<10	2.15	1375	<1	0.03	16	750	4	2.81	<2
B87542		94	5.62	<10	<1	0.34	<10	2.19	1365	<1	0.02	11	860	<2	0.28	<2
B87543		61	5.49	<10	<1	0.24	<10	1.92	1300	1	0.04	17	780	3	3.64	2
B87544		110	5.98	<10	<1	0.29	<10	2.36	1505	<1	0.02	13	880	2	0.72	<2
B87545		79	5.46	<10	<1	0.31	<10	2.09	1330	<1	0.03	15	820	2	3.00	<2
B87546		104	5.83	<10	<1	0.35	10	2.26	1480	<1	0.02	12	1020	<2	0.46	<2
B87547		102	5.92	<10	<1	0.35	10	2.25	1495	<1	0.02	13	1120	<2	0.09	<2
B87548		94	5.75	<10	<1	0.31	10	2.20	1655	1	0.01	13	1040	2	0.07	<2
B87549		102	5.90	<10	<1	0.36	10	2.32	1780	<1	0.03	14	1160	2	0.30	<2
B87550		106	5.88	<10	<1	0.35	10	2.19	1630	1	0.02	13	1080	<2	0.15	<2
B87551		88	5.67	<10	<1	0.30	10	2.23	1725	1	0.02	14	1130	2	0.04	<2
B87552		82	5.69	<10	<1	0.30	10	2.18	1520	<1	0.04	16	800	3	0.07	<2
B87553		102	5.63	<10	1	0.26	<10	2.10	1330	<1	0.02	15	780	<2	0.12	<2
B87554		100	5.73	<10	<1	0.34	10	2.12	1345	<1	0.03	15	840	<2	0.08	<2
B87555		96	5.40	<10	<1	0.32	10	2.02	1415	<1	0.02	14	750	<2	0.13	<2
B87556		96	5.54	<10	<1	0.36	10	2.08	1485	<1	0.03	14	810	<2	0.24	<2
B87557		118	5.81	<10	<1	0.32	10	2.18	1530	<1	0.02	17	770	<2	0.26	<2
B87558		92	5.79	<10	1	0.33	10	2.19	1500	<1	0.03	15	770	2	0.17	<2
B87559		96	5.67	<10	<1	0.27	10	2.07	1250	<1	0.03	16	760	3	0.03	<2
B87560		104	5.83	<10	<1	0.28	10	2.15	1310	<1	0.04	17	760	2	0.14	<2
B87561		93	6.01	<10	<1	0.32	10	2.30	1440	<1	0.04	20	810	4	0.09	<2
B87562		120	5.71	<10	<1	0.36	<10	2.17	1520	<1	0.03	17	810	3	0.58	<2
B87563		86	5.83	<10	<1	0.32	<10	1.94	1330	1	0.03	18	1060	<2	1.44	<2
B87564		31	6.38	<10	<1	0.29	<10	1.91	1235	1	0.05	17	1110	3	6.15	<2
B87565		55	4.02	<10	<1	0.10	<10	1.23	822	1	0.06	11	790	<2	4.06	19
B87566		31	4.07	<10	<1	0.11	<10	1.20	802	1	0.04	12	730	<2	3.89	5
B87567		50	5.56	<10	<1	0.10	<10	1.73	1130	1	0.04	16	710	<2	5.74	13
B87568		71	4.11	<10	<1	0.08	<10	1.53	1005	1	0.04	14	920	3	3.89	24
B87569		80	5.15	<10	2	0.13	<10	1.69	1065	1	0.04	20	690	3	5.15	27
B87570		54	3.75	<10	<1	0.09	<10	1.23	847	<1	0.04	10	980	<2	3.22	17
B87571		58	4.63	<10	1	0.13	<10	1.55	1270	1	0.03	15	910	2	4.45	7
B87572		86	5.10	<10	<1	0.11	<10	1.57	1170	4	0.04	16	810	<2	4.87	<2
B87573		94	5.70	<10	<1	0.15	<10	1.76	1080	4	0.04	19	880	4	4.98	<2
B87574		120	5.00	<10	<1	0.18	<10	1.57	1155	3	0.03	16	790	<2	2.77	<2
B87575		423	5.93	<10	<1	0.16	<10	1.43	1060	9	0.03	22	840	4	3.73	<2
B87576		140	5.21	<10	<1	0.22	<10	1.68	1090	1	0.03	16	800	3	2.32	<2
B87577		64	5.12	<10	<1	0.12	<10	1.74	1120	1	0.03	14	930	<2	3.22	<2
B87578		49	5.47	<10	<1	0.20	<10	1.67	1150	1	0.02	16	960	<2	4.13	<2
B87579		88	5.99	<10	1	0.18	<10	1.95	1345	1	0.03	16	1180	<2	1.44	<2
B87580		72	5.72	<10	1	0.13	<10	1.86	1250	1	0.02	17	1170	3	4.87	3

Comments: some samples show erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 3 - C

Total # Pages: 5 (A - C)

Finalized Date: 1-NOV-2004

Account: MYA

Project: QCM

<b>CERTIFICATE OF ANALYSIS VA04073340</b>
---

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sc	Sr	Ti	Ti	U	V	W	Zn
		ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B87541		10	362	<0.01	<10	<10	23	<10	57
B87542		7	201	<0.01	<10	<10	16	<10	67
B87543		11	349	<0.01	<10	<10	20	<10	47
B87544		9	265	<0.01	<10	<10	18	<10	70
B87545		11	408	<0.01	<10	<10	21	<10	50
B87546		7	214	<0.01	<10	<10	18	<10	77
B87547		8	153	<0.01	<10	<10	21	<10	83
B87548		8	178	<0.01	<10	<10	17	<10	74
B87549		10	262	<0.01	<10	<10	25	<10	71
B87550		8	196	<0.01	<10	<10	19	<10	90
B87551		9	202	<0.01	<10	<10	18	<10	82
B87552		10	202	<0.01	<10	<10	23	<10	72
B87553		8	140	<0.01	<10	<10	18	<10	77
B87554		8	113	<0.01	<10	<10	21	<10	78
B87555		7	141	<0.01	<10	<10	17	<10	72
B87556		8	180	<0.01	<10	<10	22	<10	71
B87557		7	141	<0.01	<10	<10	17	<10	79
B87558		8	198	<0.01	<10	<10	19	<10	74
B87559		8	113	<0.01	<10	<10	18	<10	83
B87560		10	97	<0.01	<10	<10	23	<10	82
B87561		9	150	<0.01	<10	<10	21	<10	86
B87562		8	216	<0.01	<10	<10	18	<10	65
B87563		8	183	<0.01	<10	<10	20	<10	67
B87564		11	380	<0.01	<10	<10	34	<10	50
B87565		8	236	<0.01	<10	<10	14	<10	36
B87566		8	208	<0.01	<10	<10	12	<10	31
B87567		11	354	<0.01	10	<10	13	<10	87
B87568		10	283	<0.01	<10	<10	12	<10	41
B87569		10	294	<0.01	<10	<10	18	<10	46
B87570		8	263	<0.01	<10	<10	12	<10	44
B87571		11	609	<0.01	<10	<10	13	<10	39
B87572		11	500	<0.01	10	<10	15	<10	33
B87573		11	379	<0.01	<10	<10	16	<10	35
B87574		9	525	<0.01	<10	<10	13	<10	38
B87575		8	342	<0.01	<10	<10	11	<10	36
B87576		9	370	<0.01	<10	<10	12	<10	39
B87577		10	378	<0.01	<10	<10	14	<10	39
B87578		8	360	<0.01	10	<10	11	<10	44
B87579		10	346	<0.01	<10	<10	14	<10	63
B87580		13	350	<0.01	<10	<10	18	<10	37

Comments: some samples show erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 4 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073340

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
B87581		3.22	0.060			2.7	0.24	46	<10	50	<0.5	2	5.04	<0.5	19	21
B87582		4.06	0.482			0.9	0.28	72	<10	50	<0.5	2	5.05	<0.5	21	22
B87583		3.42	0.256			0.4	0.22	70	<10	30	<0.5	<2	4.26	<0.5	22	10
B87584		3.08	0.307			1.2	0.23	61	<10	30	<0.5	2	4.43	<0.5	20	24
B87585		3.88	0.118			1.0	0.21	62	<10	30	<0.5	3	4.13	<0.5	18	13
B87586		3.74	0.347			0.3	0.34	31	<10	60	<0.5	2	4.29	<0.5	15	13
B87587		3.16	0.209			0.7	0.29	69	<10	60	<0.5	2	4.08	<0.5	17	11
B87588		3.62	0.295			0.3	0.33	42	<10	50	<0.5	<2	4.15	<0.5	21	13
B87589		3.54	0.395			5.9	0.20	65	<10	40	<0.5	<2	3.53	<0.5	22	22
B87590		3.98	0.163			0.5	0.30	46	<10	50	<0.5	4	3.49	<0.5	21	14
B87591		3.60	0.038			0.4	0.27	84	<10	50	<0.5	2	2.95	<0.5	23	10
B87592		3.30	0.092			0.6	0.25	73	<10	40	<0.5	3	5.39	<0.5	20	21
B87593		3.54	0.246	0.277		0.3	0.22	33	<10	20	<0.5	3	4.63	<0.5	17	12
B87594		3.48	0.272	0.241		0.2	0.28	57	<10	30	<0.5	<2	5.22	<0.5	20	27
B87595		3.08	0.723			2.6	0.28	39	<10	50	<0.5	3	5.01	<0.5	23	12
B87596		3.96	0.565			1.3	0.27	45	<10	40	<0.5	<2	4.67	<0.5	23	20
B87597		4.02	0.008			0.2	0.24	34	<10	30	<0.5	2	4.04	<0.5	18	8
B87598		4.00	0.006			0.2	0.31	40	<10	30	<0.5	2	3.32	<0.5	21	12
B87599		3.78	0.282			0.4	0.26	39	<10	20	<0.5	2	4.46	<0.5	20	9
B87600		3.82	0.199			2.2	0.24	31	<10	30	<0.5	<2	5.68	<0.5	19	22
B87601		3.92	0.428			12.4	0.24	52	<10	40	<0.5	2	4.55	0.5	20	24
B87602		3.32	0.038			0.6	0.26	44	<10	30	<0.5	3	4.24	<0.5	20	11
B87603		3.64	0.015			0.4	0.28	21	<10	30	<0.5	3	4.04	<0.5	20	12
B87604		4.00	0.019			0.4	0.24	34	<10	40	<0.5	3	5.07	<0.5	21	6
B87605		3.02	0.037			0.3	0.29	41	<10	40	<0.5	<2	6.85	<0.5	21	16
B87606		3.88	0.068			0.2	0.24	13	<10	30	<0.5	2	6.36	<0.5	20	8
B87607		2.90	0.159			0.4	0.25	17	<10	50	<0.5	<2	5.58	<0.5	18	18
B87608		3.12	0.129			0.3	0.27	22	<10	40	<0.5	2	4.08	<0.5	21	10
B87609		3.38	0.039			0.3	0.33	27	<10	40	<0.5	<2	3.76	<0.5	19	17
B87610		3.18	0.174			0.2	0.27	30	<10	30	<0.5	<2	5.19	<0.5	18	10
B87611		3.44	0.018			0.3	0.31	35	<10	40	<0.5	2	5.61	<0.5	19	14
B87612		3.82	0.232			0.3	0.27	39	<10	30	<0.5	3	5.12	<0.5	22	9
B87613		3.88	0.503			1.4	0.26	42	<10	20	<0.5	<2	4.40	<0.5	21	23
B87614		3.38	0.189			2.6	0.27	69	<10	40	<0.5	2	4.57	<0.5	18	32
B87615		4.00	0.081			0.2	0.32	79	<10	50	<0.5	<2	3.78	<0.5	21	15
B87616		3.94	0.048			0.2	0.30	43	<10	40	<0.5	<2	4.58	<0.5	23	9
B87617		4.02	0.036			1.1	0.29	55	<10	40	<0.5	<2	6.36	<0.5	17	15
B87618		3.98	0.010			0.7	0.28	62	<10	40	<0.5	3	4.68	<0.5	21	8
B87619		3.66	0.290			2.4	0.33	98	<10	50	<0.5	<2	4.64	<0.5	25	23
B87620		3.38	0.345			0.8	0.24	50	<10	40	<0.5	<2	5.15	<0.5	19	16

Comments: some samples show erratic Au





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 4 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073340

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
Units		ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
LOR		1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
B87581		60	4.85	<10	<1	0.12	<10	1.67	1135	2	0.04	14	1100	2	4.80	13
B87582		57	5.73	<10	<1	0.18	<10	1.82	1180	1	0.03	17	1050	2	4.84	5
B87583		42	6.22	<10	1	0.15	<10	1.73	1190	<1	0.03	17	980	6	5.88	<2
B87584		49	5.85	<10	<1	0.13	<10	1.87	1230	1	0.05	18	970	5	5.84	5
B87585		56	5.59	<10	<1	0.13	<10	1.84	1070	1	0.03	17	900	2	5.58	<2
B87586		76	5.41	<10	<1	0.23	<10	1.85	1065	1	0.02	15	850	4	2.76	<2
B87587		202	5.80	<10	<1	0.22	<10	1.74	967	9	0.01	15	1000	4	1.89	<2
B87588		110	5.72	<10	1	0.24	<10	1.69	1115	1	0.02	16	1020	<2	1.49	<2
B87589		200	5.19	<10	<1	0.13	<10	1.29	870	12	0.03	18	860	3	4.04	25
B87590		80	5.35	<10	<1	0.20	<10	1.79	1285	1	0.03	16	890	<2	1.46	<2
B87591		135	5.83	<10	<1	0.18	<10	1.66	1260	4	0.03	17	860	4	2.08	<2
B87592		116	5.49	<10	<1	0.16	<10	1.60	1290	12	0.04	19	980	2	3.89	<2
B87593		78	5.34	<10	<1	0.13	<10	1.76	1415	1	0.04	14	1320	<2	2.14	<2
B87594		72	5.62	<10	<1	0.15	<10	2.30	1645	<1	0.04	16	1400	2	4.28	<2
B87595		106	5.72	<10	1	0.18	<10	2.20	1690	1	0.03	15	1200	<2	3.44	9
B87596		77	5.48	<10	1	0.17	<10	2.07	1630	1	0.02	15	1090	<2	2.54	3
B87597		88	5.29	<10	1	0.15	<10	2.02	1560	1	0.03	13	1040	<2	0.38	<2
B87598		89	5.49	<10	<1	0.20	10	2.02	1505	1	0.03	18	1040	<2	0.15	<2
B87599		81	5.52	<10	<1	0.17	<10	2.03	1620	1	0.03	16	1120	<2	0.96	<2
B87600		51	4.93	<10	<1	0.14	<10	1.90	1670	1	0.04	15	1470	5	4.65	12
B87601		219	5.13	<10	1	0.16	<10	1.86	1500	1	0.03	18	980	4	3.66	57
B87602		82	5.75	<10	<1	0.17	<10	2.23	1575	1	0.04	16	890	<2	2.84	<2
B87603		88	5.57	<10	<1	0.19	10	2.14	1585	1	0.03	16	880	<2	0.18	<2
B87604		106	5.17	<10	<1	0.18	10	2.01	1685	1	0.03	15	1100	<2	0.13	<2
B87605		92	5.09	<10	<1	0.21	10	1.85	1945	1	0.04	13	1200	2	0.32	<2
B87606		91	5.22	<10	1	0.17	10	1.88	1870	1	0.04	14	1210	<2	0.35	<2
B87607		89	5.26	<10	1	0.18	<10	1.83	1545	1	0.04	14	930	<2	1.11	<2
B87608		94	5.60	<10	<1	0.18	10	2.11	1505	1	0.04	14	1150	<2	0.58	<2
B87609		89	5.66	<10	<1	0.20	10	2.15	1550	1	0.04	13	920	<2	0.34	<2
B87610		91	5.45	<10	1	0.17	<10	2.01	1555	<1	0.04	12	920	2	1.09	<2
B87611		92	5.47	<10	<1	0.21	10	1.90	1580	1	0.03	12	900	<2	0.20	<2
B87612		83	5.42	<10	<1	0.17	<10	1.89	1565	<1	0.03	14	860	2	0.50	<2
B87613		56	5.60	<10	<1	0.11	<10	1.82	1405	1	0.04	18	1080	3	5.56	2
B87614		49	5.26	<10	<1	0.16	<10	1.99	1355	1	0.02	14	920	<2	4.96	8
B87615		81	5.62	<10	<1	0.20	<10	2.12	1435	1	0.02	13	900	<2	1.61	<2
B87616		84	6.12	<10	1	0.18	10	2.41	1715	1	0.03	15	1040	<2	0.05	<2
B87617		88	5.11	<10	<1	0.20	<10	2.16	1805	1	0.03	15	1140	4	0.83	<2
B87618		101	6.07	<10	<1	0.19	<10	2.23	1545	1	0.04	16	1100	<2	1.25	<2
B87619		72	6.08	<10	<1	0.23	<10	2.12	1555	1	0.03	17	1020	4	4.38	11
B87620		59	5.62	<10	1	0.16	<10	2.10	1475	1	0.04	15	1030	<2	4.65	4

Comments: some samples show erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 4 - C

Total # Pages: 5 (A - C)

Finalized Date: 1-NOV-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073340

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sc	Sr	Tl	Tl	U	V	W	Zn
		ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B87581		11	359	<0.01	<10	<10	14	<10	43
B87582		11	374	<0.01	<10	<10	17	<10	47
B87583		10	340	<0.01	<10	<10	17	<10	44
B87584		12	368	<0.01	<10	<10	16	<10	44
B87585		10	385	<0.01	10	<10	13	<10	43
B87586		8	354	<0.01	<10	<10	10	<10	46
B87587		6	233	<0.01	<10	<10	7	<10	51
B87588		6	272	<0.01	10	<10	12	<10	56
B87589		8	236	<0.01	<10	<10	9	<10	44
B87590		8	226	<0.01	<10	<10	12	<10	82
B87591		7	188	<0.01	10	<10	10	<10	68
B87592		9	315	<0.01	<10	<10	14	<10	49
B87593		9	314	<0.01	<10	<10	13	<10	56
B87594		13	472	<0.01	10	<10	17	<10	49
B87595		10	449	<0.01	<10	<10	12	<10	55
B87596		8	372	<0.01	<10	<10	11	<10	55
B87597		7	238	<0.01	<10	<10	11	<10	68
B87598		7	166	<0.01	<10	<10	13	<10	76
B87599		8	251	<0.01	10	<10	13	<10	74
B87600		10	465	<0.01	<10	<10	14	<10	54
B87601		10	407	<0.01	<10	<10	13	<10	82
B87602		11	389	<0.01	<10	<10	15	<10	59
B87603		8	247	<0.01	<10	<10	13	<10	67
B87604		8	305	<0.01	<10	<10	12	<10	66
B87605		9	309	<0.01	<10	<10	14	<10	69
B87606		9	308	<0.01	<10	<10	13	<10	64
B87607		9	368	<0.01	<10	<10	15	<10	53
B87608		9	304	<0.01	<10	<10	15	<10	62
B87609		8	260	<0.01	<10	<10	16	<10	69
B87610		9	362	<0.01	<10	<10	13	<10	61
B87611		8	313	<0.01	10	<10	12	<10	74
B87612		8	294	<0.01	<10	<10	11	<10	65
B87613		11	333	<0.01	10	<10	17	<10	47
B87614		8	441	<0.01	<10	<10	10	<10	47
B87615		8	325	<0.01	<10	<10	11	<10	75
B87616		8	306	<0.01	<10	<10	13	<10	76
B87617		8	407	<0.01	10	<10	12	<10	60
B87618		9	345	<0.01	<10	<10	14	<10	66
B87619		8	433	<0.01	<10	<10	13	<10	61
B87620		11	468	<0.01	<10	<10	14	<10	49

Comments: some samples show erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 5 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 1-NOV-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073340

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
B87621		3.24	0.993			1.5	0.32	28	<10	50	<0.5	<2	4.82	<0.5	18	38
B87622		3.20	0.151			0.3	0.24	22	<10	40	<0.5	<2	8.82	<0.5	19	12
B87623		3.28	0.142			0.2	0.19	19	<10	40	<0.5	<2	15.6	<0.5	14	15
B87624		3.76	0.055			0.3	0.21	46	<10	30	<0.5	<2	5.36	<0.5	22	12
B87625		3.56	0.167			0.4	0.28	34	<10	30	<0.5	<2	4.95	<0.5	21	18
B87626		3.76	0.081			0.4	0.29	56	<10	30	<0.5	<2	5.17	<0.5	24	11
B87627		3.24	<0.005			0.4	0.29	34	<10	30	<0.5	<2	3.96	<0.5	20	8
B87628		3.52	0.046			0.4	0.25	46	<10	40	<0.5	<2	5.18	<0.5	16	20
B87629		3.78	0.109			0.3	0.26	30	<10	40	<0.5	<2	5.17	<0.5	19	5
B87630		2.64	0.119			0.5	0.28	37	<10	40	<0.5	<2	4.74	<0.5	21	10
B87631		3.80	0.260			0.9	0.29	38	<10	50	<0.5	<2	5.41	<0.5	21	10
B87632		1.24	0.097			0.6	0.32	44	<10	40	<0.5	<2	6.19	<0.5	23	10
B87633		2.52	1.895			0.8	0.19	26	<10	40	<0.5	<2	5.02	<0.5	20	8
B87634		3.00	1.205			0.7	0.29	22	<10	60	<0.5	<2	5.45	<0.5	21	23
B87635		2.86	1.230			1.0	0.25	18	<10	50	<0.5	<2	5.21	<0.5	20	11
B87636		5.62	0.138			0.6	0.34	44	<10	70	<0.5	<2	4.67	<0.5	20	10
B87637		3.00	0.045			0.5	0.32	89	<10	60	<0.5	<2	3.32	<0.5	20	8
B87638		3.38	0.176			0.5	0.26	21	<10	70	<0.5	<2	4.80	<0.5	20	9
B87639		2.86	0.146			0.5	0.28	43	<10	80	<0.5	<2	4.57	<0.5	20	7
B87640		3.16	0.167			0.5	0.28	35	<10	60	<0.5	<2	4.20	<0.5	20	9
B87641		4.12	0.482			1.0	0.25	41	<10	60	<0.5	<2	5.57	<0.5	25	7
B87642		3.26	0.558			0.7	0.26	30	<10	60	<0.5	<2	5.11	<0.5	21	12
B87643		3.38	0.109			0.4	0.29	36	<10	70	<0.5	<2	3.48	<0.5	23	7
B87644		4.02	0.082			0.4	0.27	17	<10	70	<0.5	<2	4.35	<0.5	21	8
B87645		3.30	0.140			0.6	0.22	35	<10	50	<0.5	<2	5.96	<0.5	24	7
B87646		3.28	1.085			0.4	0.31	22	<10	70	<0.5	<2	5.43	<0.5	20	10
B87647		3.90	0.038			0.3	0.29	39	<10	80	<0.5	<2	3.30	<0.5	23	5
B87648		3.58	0.736			1.6	0.29	31	<10	80	<0.5	<2	4.96	<0.5	22	10
B87649		3.58	0.929			0.6	0.28	23	<10	50	<0.5	<2	5.19	<0.5	22	7
B87650		3.52	0.299			0.4	0.33	27	<10	60	<0.5	<2	4.11	<0.5	19	14
B87651		3.14	0.098			0.3	0.33	31	<10	50	<0.5	<2	3.74	<0.5	23	7
B87652		3.06	0.166			0.6	0.34	29	<10	70	<0.5	<2	3.55	<0.5	23	14
B87653		3.26	0.428			1.0	0.26	34	<10	60	<0.5	<2	6.37	<0.5	23	9
B87654		3.40	0.371			0.6	0.26	23	<10	50	<0.5	<2	5.16	<0.5	20	12
B87655		3.84	0.080			0.7	0.31	34	<10	70	<0.5	<2	5.09	<0.5	21	5

Comments: some samples show erratic Au



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 5 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 1-NOV-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04073340**

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	
B87621		50	5.34	<10	1	0.21	<10	1.82	1340	1	0.03	15	1000	<2	4.31	6
B87622		116	5.06	<10	<1	0.14	<10	2.02	1465	1	0.03	11	840	<2	1.70	<2
B87623		68	3.85	<10	1	0.12	<10	1.42	1155	1	0.03	10	700	<2	2.67	<2
B87624		76	5.99	<10	<1	0.12	<10	2.13	1465	<1	0.03	18	950	<2	4.66	<2
B87625		97	5.64	<10	<1	0.19	<10	1.94	1435	<1	0.03	14	980	2	1.52	<2
B87626		167	5.86	<10	<1	0.19	<10	1.97	1465	<1	0.04	21	1040	<2	2.75	<2
B87627		134	5.82	<10	<1	0.19	10	2.22	1405	1	0.03	12	1220	<2	0.35	<2
B87628		62	5.11	<10	<1	0.16	<10	1.82	1260	1	0.05	12	1210	4	2.76	<2
B87629		116	5.38	<10	<1	0.19	<10	1.75	1260	1	0.03	15	890	2	1.48	<2
B87630		79	5.51	<10	<1	0.18	<10	1.88	1290	1	0.04	17	1040	2	2.52	<2
B87631	001	104	5.32	<10	<1	0.18	<10	1.82	1355	1	0.04	15	1120	4	3.02	3
B87632		166	5.74	<10	<1	0.19	<10	1.82	1550	1	0.03	16	1120	<2	1.42	<2
B87633	002	164	5.15	<10	<1	0.12	<10	1.71	1210	<1	0.03	13	980	5	1.46	<2
B87634		122	5.44	<10	<1	0.19	<10	1.63	1300	<1	0.04	14	1070	4	1.80	<2
B87635		168	5.07	<10	<1	0.17	<10	1.48	1275	<1	0.04	11	940	2	1.56	<2
B87636		162	5.38	<10	<1	0.22	<10	1.82	1475	1	0.04	8	1680	4	0.86	<2
B87637		114	5.76	<10	<1	0.20	<10	1.73	1475	<1	0.03	12	1180	2	0.69	<2
B87638		127	5.33	<10	<1	0.18	<10	1.75	1460	1	0.04	11	1340	4	0.99	<2
B87639		152	5.20	<10	<1	0.20	<10	1.81	1465	1	0.03	12	1360	6	0.29	<2
B87640		154	5.69	<10	<1	0.19	<10	1.80	1390	1	0.04	12	1320	3	0.41	<2
B87641		200	5.94	<10	<1	0.17	<10	1.86	1440	1	0.03	15	1020	7	2.09	<2
B87642		160	5.39	<10	<1	0.17	<10	1.86	1280	1	0.05	13	1350	4	2.11	<2
B87643		134	5.90	<10	<1	0.20	<10	2.05	1300	<1	0.04	12	1300	<2	0.17	<2
B87644		124	5.68	<10	<1	0.19	<10	2.01	1255	<1	0.04	13	1100	2	0.46	<2
B87645		134	5.20	<10	<1	0.14	<10	1.75	1185	1	0.05	14	1280	7	2.68	<2
B87646		93	5.33	<10	<1	0.21	<10	1.93	1220	1	0.04	12	1160	3	1.24	<2
B87647		108	6.05	<10	<1	0.21	<10	2.09	1240	1	0.03	13	1260	2	0.30	<2
B87648		178	5.83	<10	<1	0.20	<10	1.98	1305	<1	0.04	12	1040	2	1.60	<2
B87649		136	5.77	<10	<1	0.18	<10	2.01	1185	<1	0.04	13	980	2	1.50	<2
B87650		108	5.34	<10	<1	0.22	<10	1.81	1130	<1	0.03	11	1020	<2	0.47	<2
B87651		130	5.84	<10	<1	0.24	<10	1.98	1205	1	0.03	12	1100	3	0.44	<2
B87652		121	5.86	<10	<1	0.23	<10	2.01	1175	1	0.04	11	1090	2	0.85	<2
B87653		148	5.68	<10	<1	0.17	<10	1.92	1185	<1	0.04	13	1190	2	2.32	<2
B87654		139	5.41	<10	<1	0.16	<10	1.88	1150	<1	0.04	11	1030	3	1.94	<2
B87655		132	5.56	<10	<1	0.20	<10	1.98	1210	1	0.03	11	1340	<2	0.52	<2

Comments: some samples show erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 5 - C

Total # Pages: 5 (A - C)

Finalized Date: 1-NOV-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073340

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sc	Sr	Ti	Ti	U	V	W	Zn
		ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B87621		8	412	<0.01	<10	<10	13	<10	41
B87622		9	571	<0.01	10	<10	12	10	49
B87623		7	994	<0.01	<10	<10	10	<10	32
B87624		11	429	<0.01	<10	<10	13	<10	47
B87625		9	278	<0.01	<10	<10	14	<10	72
B87626		11	319	<0.01	10	<10	16	<10	53
B87627		8	233	<0.01	<10	<10	15	<10	79
B87628		10	346	<0.01	<10	<10	17	<10	49
B87629		8	295	<0.01	<10	<10	12	<10	54
B87630		10	298	<0.01	<10	<10	15	<10	63
B87631		11	374	<0.01	<10	<10	17	<10	45
B87632		10	339	<0.01	10	<10	16	<10	51
B87633		9	370	<0.01	<10	<10	12	<10	56
B87634		10	397	<0.01	<10	10	16	<10	50
B87635		9	323	<0.01	<10	<10	15	<10	49
B87636		9	301	<0.01	<10	10	17	<10	66
B87637		7	217	<0.01	<10	10	13	<10	64
B87638		9	355	<0.01	<10	<10	15	<10	56
B87639		8	331	<0.01	<10	<10	13	<10	68
B87640		8	262	<0.01	<10	<10	14	<10	66
B87641		10	373	<0.01	<10	<10	14	<10	58
B87642		10	394	<0.01	<10	<10	17	<10	50
B87643		8	235	<0.01	<10	<10	14	<10	73
B87644		9	324	<0.01	<10	<10	17	<10	53
B87645		10	432	<0.01	<10	<10	15	<10	47
B87646		10	401	<0.01	<10	<10	17	<10	56
B87647		8	218	<0.01	<10	<10	14	<10	68
B87648		9	329	<0.01	<10	<10	16	<10	65
B87649		8	342	<0.01	<10	<10	15	<10	58
B87650		6	240	<0.01	<10	<10	13	<10	58
B87651		6	227	<0.01	<10	10	12	<10	64
B87652		8	251	<0.01	<10	<10	16	<10	55
B87653		10	452	<0.01	<10	<10	16	<10	49
B87654		10	343	<0.01	<10	<10	16	<10	51
B87655		9	382	<0.01	<10	<10	14	<10	65

Comments: some samples show erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 1

Finalized Date: 31-OCT-2004

Account: MYA

## CERTIFICATE VA04073341

Project: QCM

P.O. No.:

This report is for 171 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-OCT-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

DAVID MEHNER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rod w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

QCM-002, 003

To: CANADIAN GOLD HUNTER CORP

ATTN: RICK J. BAILES

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - A  
Total # Pages: 6 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

QCM-003

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm
		0.02	0.005	0.005	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
B87656		3.30	0.367				<0.2	0.39	19	<10	80	<0.5	<2	4.84	<0.5	20
B87657		3.16	0.052				0.2	0.37	31	<10	60	<0.5	<2	4.57	<0.5	22
B87658		3.30	0.235				0.3	0.34	25	<10	60	<0.5	<2	4.62	<0.5	22
B87659		3.32	0.861				0.2	0.28	14	<10	50	<0.5	<2	2.78	<0.5	14
B87660		2.10	0.587				0.3	0.43	26	<10	80	<0.5	<2	4.57	<0.5	22
B87661		2.18	0.561				<0.2	0.40	28	<10	50	<0.5	<2	4.70	<0.5	22
B87662		2.84	0.959				0.4	0.45	11	<10	90	<0.5	<2	5.74	<0.5	21
B87663		3.22	0.208				<0.2	0.48	29	<10	80	<0.5	<2	4.52	<0.5	21
B87664		2.76	0.252	0.139	0.499		0.2	0.46	25	<10	60	<0.5	<2	5.36	<0.5	19
B87665		3.24	0.283				0.3	0.39	60	<10	60	<0.5	<2	4.60	<0.5	21
B87666		3.80	0.125				<0.2	0.51	40	<10	80	<0.5	<2	4.62	<0.5	20
B87667		3.82	0.010				<0.2	0.43	34	<10	110	<0.5	<2	4.29	<0.5	20
B87668		3.74	0.556				0.2	0.51	32	<10	120	<0.5	<2	4.49	<0.5	20
B87669		3.96	1.165				0.3	0.43	26	<10	100	<0.5	<2	4.40	<0.5	22
B87670		3.20	1.795				<0.2	0.47	33	<10	120	<0.5	<2	4.73	<0.5	19
B87671		2.94	0.230				<0.2	0.39	37	<10	100	<0.5	<2	4.36	<0.5	21
B87672		4.12	>10.0			88.6	21.0	0.42	34	<10	100	<0.5	<2	4.13	<0.5	19
B87673		3.46	0.200				0.3	0.40	50	<10	80	<0.5	<2	4.42	<0.5	22
B87674		3.08	0.285				<0.2	0.39	35	<10	70	<0.5	<2	4.87	<0.5	20
B87675		3.70	1.815				0.8	0.35	12	<10	70	<0.5	<2	5.05	<0.5	20
B87676		3.40	0.219				0.3	0.39	29	<10	80	<0.5	<2	5.35	<0.5	21
B87677		3.20	0.054				<0.2	0.33	33	<10	60	<0.5	<2	4.66	<0.5	20
B87678		3.58	0.708				0.3	0.41	32	<10	80	<0.5	<2	5.79	<0.5	20
B87679		3.76	0.108				<0.2	0.36	37	<10	50	<0.5	<2	4.03	<0.5	22
B87680		3.24	0.116				<0.2	0.47	28	<10	70	<0.5	<2	4.73	<0.5	20
B87681		3.16	0.273				0.2	0.28	32	<10	50	<0.5	<2	4.97	<0.5	18
B87682		3.12	0.229				0.3	0.32	23	<10	60	<0.5	<2	4.91	<0.5	19
B87683		3.54	0.200				0.4	0.27	33	<10	50	<0.5	<2	5.72	<0.5	18
B87684		3.10	0.202				0.3	0.34	24	<10	70	<0.5	<2	4.77	<0.5	22
B87685		2.96	0.008				<0.2	0.31	34	<10	70	<0.5	<2	3.37	<0.5	21
B87686		3.02	0.205				0.3	0.31	34	<10	70	<0.5	<2	4.83	<0.5	22
B87687		3.06	0.245				0.2	0.32	28	<10	80	<0.5	<2	5.07	<0.5	19
B87688		3.36	0.885				0.3	0.31	18	<10	70	<0.5	<2	4.39	<0.5	21
B87689		3.38	0.105				<0.2	0.29	23	<10	70	<0.5	<2	4.19	<0.5	19
B87690		2.88	0.979				0.8	0.28	18	<10	70	<0.5	<2	6.72	<0.5	21
B87691		2.74	0.773				0.4	0.33	16	<10	70	<0.5	<2	4.77	<0.5	19
B87692		2.10	0.404				0.8	0.42	45	<10	80	<0.5	<2	4.60	<0.5	24
B87693		2.70	3.41				1.4	0.34	45	<10	70	<0.5	<2	4.45	<0.5	25
B87694		2.88	1.020				0.7	0.36	24	<10	90	<0.5	<2	4.84	<0.5	23
B87695		3.08	0.078				0.5	0.35	34	<10	70	<0.5	<2	3.51	<0.5	22

Comments: sample B87664 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - B  
Total # Pages: 6 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S
		ppm 1	ppm 1	% 0.01	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01
B87656	13	104	5.73	<10	1	0.24	<10	2.00	1165	1	0.04	12	1080	5	0.84	
B87657	16	146	5.85	<10	<1	0.20	10	2.05	1160	1	0.04	8	1060	3	0.36	
B87658	13	127	5.94	<10	<1	0.21	<10	2.01	1150	1	0.05	14	1060	2	0.94	
B87659	60	71	3.99	<10	<1	0.17	<10	1.20	661	1	0.04	9	1900	<2	1.28	
B87660	26	138	6.06	<10	<1	0.20	<10	2.04	1105	1	0.03	11	1100	4	1.78	
B87661	15	123	5.81	<10	1	0.18	<10	2.13	1190	<1	0.03	8	1100	4	1.28	
B87662	18	160	5.40	<10	1	0.27	<10	2.10	1265	<1	0.03	8	1320	<2	1.10	
B87663	12	55	6.05	<10	<1	0.22	<10	2.11	1255	1	0.02	10	1230	<2	0.92	
B87664	23	115	5.77	<10	1	0.20	<10	2.05	1195	1	0.03	10	1180	2	1.56	
B87665	17	166	5.84	<10	<1	0.19	<10	1.98	1170	1	0.03	14	1020	4	1.61	
B87666	33	112	5.89	<10	<1	0.26	<10	2.03	1155	1	0.03	11	1220	3	1.47	
B87667	14	123	5.68	<10	<1	0.28	10	2.01	1125	1	0.03	8	1090	<2	0.10	
B87668	14	124	5.69	<10	1	0.33	10	1.98	1170	1	0.03	9	1400	<2	0.72	
B87669	13	118	5.59	<10	<1	0.28	<10	1.93	1150	1	0.03	9	1160	4	1.28	
B87670	10	141	5.49	<10	<1	0.31	10	1.98	1190	1	0.03	7	1440	3	0.36	
B87671	8	109	5.77	<10	1	0.25	<10	2.01	1265	1	0.02	11	1450	4	0.55	
B87672	14	134	5.49	<10	1	0.28	<10	1.87	1075	1	0.02	9	1100	<2	1.06	
B87673	8	124	5.89	<10	1	0.26	<10	2.03	1145	1	0.02	10	1120	4	0.35	
B87674	11	108	5.71	<10	1	0.25	10	2.00	1160	1	0.01	8	1160	2	0.18	
B87675	14	96	5.39	<10	1	0.22	<10	1.84	1055	1	0.03	8	1300	2	1.46	
B87676	12	171	5.78	<10	1	0.24	<10	1.97	1105	1	0.04	8	1240	3	0.64	
B87677	10	112	5.45	<10	<1	0.21	10	1.90	1055	1	0.03	9	1390	2	0.09	
B87678	12	136	6.04	<10	1	0.27	<10	1.98	1180	<1	0.03	8	1000	<2	0.99	
B87679	8	147	5.96	<10	<1	0.24	10	1.97	1130	1	0.01	9	1060	<2	0.06	
B87680	13	110	5.85	<10	<1	0.31	<10	1.82	1090	1	0.02	9	1110	<2	0.68	
B87681	12	132	5.13	<10	<1	0.19	<10	1.76	1005	1	0.03	7	1060	3	1.04	
B87682	11	136	5.68	<10	1	0.19	<10	2.06	1165	1	0.04	9	1460	7	1.06	
B87683	13	136	5.16	<10	1	0.17	<10	1.84	1100	1	0.04	8	1260	5	2.51	
B87684	9	161	5.78	<10	1	0.22	<10	1.99	1170	1	0.03	8	1520	3	0.81	
B87685	7	122	5.71	<10	<1	0.21	10	1.96	1140	1	0.03	10	1280	<2	0.15	
B87686	6	146	5.86	<10	<1	0.20	<10	1.94	1205	1	0.03	8	1340	4	1.18	
B87687	11	108	5.66	<10	<1	0.22	<10	1.88	1105	<1	0.04	7	1560	5	2.17	
B87688	10	129	5.57	<10	<1	0.21	<10	1.94	1100	1	0.03	8	1260	<2	1.22	
B87689	8	90	5.67	<10	<1	0.20	<10	1.96	1040	<1	0.04	9	1180	3	1.16	
B87690	12	112	5.59	<10	1	0.18	<10	1.84	1270	<1	0.03	12	1060	2	2.24	
B87691	8	89	5.64	<10	1	0.20	<10	1.89	1090	1	0.03	10	1240	5	1.54	
B87692	12	117	5.77	<10	<1	0.19	<10	1.86	1035	1	0.03	15	1080	6	1.32	
B87693	11	144	5.58	<10	<1	0.18	<10	1.91	1045	1	0.03	14	1000	2	1.02	
B87694	12	122	5.81	<10	1	0.21	<10	2.00	1135	1	0.03	13	1100	3	1.76	
B87695	9	106	5.87	<10	2	0.20	<10	1.92	1145	1	0.03	13	1250	3	0.50	

Comments: sample B87664 shows erratic Au





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - C  
Total # Pages: 6 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Sb	Sc	Sr	Tl	Tl	U	V	W	Zn
		ppm 2	ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B87656	<2	9	393	<0.01	<10	<10	18	<10	51	
B87657	<2	10	274	<0.01	<10	<10	17	<10	58	
B87658	<2	11	309	<0.01	<10	<10	21	<10	56	
B87659	<2	6	225	<0.01	<10	<10	12	<10	39	
B87660	2	10	339	<0.01	<10	<10	18	<10	57	
B87661	<2	10	333	<0.01	<10	<10	14	<10	59	
B87662	<2	9	385	<0.01	<10	<10	15	<10	55	
B87663	<2	9	262	<0.01	<10	<10	17	<10	60	
B87664	2	11	359	<0.01	<10	<10	18	<10	52	
B87665	2	10	308	<0.01	<10	<10	17	<10	52	
B87666	<2	9	327	<0.01	<10	<10	18	<10	63	
B87667	<2	7	324	<0.01	<10	<10	15	<10	66	
B87668	<2	8	292	<0.01	<10	<10	16	<10	58	
B87669	<2	7	311	<0.01	<10	<10	13	<10	54	
B87670	<2	8	344	<0.01	<10	<10	17	<10	69	
B87671	<2	8	312	<0.01	<10	<10	13	<10	62	
B87672	<2	7	304	<0.01	<10	<10	12	<10	60	
B87673	<2	7	275	<0.01	<10	<10	10	<10	72	
B87674	2	7	321	<0.01	<10	<10	10	<10	65	
B87675	3	8	398	<0.01	<10	<10	13	<10	54	
B87676	<2	10	375	<0.01	<10	<10	18	<10	62	
B87677	<2	9	332	<0.01	<10	<10	13	<10	82	
B87678	<2	8	417	<0.01	<10	<10	13	<10	56	
B87679	<2	8	259	<0.01	<10	<10	10	<10	66	
B87680	<2	7	282	<0.01	<10	<10	13	<10	58	
B87681	<2	9	317	<0.01	<10	<10	12	<10	59	
B87682	<2	10	353	<0.01	<10	<10	16	<10	68	
B87683	<2	11	413	<0.01	<10	<10	16	<10	50	
B87684	2	10	323	<0.01	<10	<10	17	<10	67	
B87685	<2	8	222	<0.01	<10	<10	14	<10	71	
B87686	<2	10	334	<0.01	<10	<10	15	<10	62	
B87687	<2	9	401	<0.01	<10	<10	16	<10	51	
B87688	<2	9	365	<0.01	<10	<10	15	<10	61	
B87689	<2	10	292	<0.01	<10	<10	16	<10	65	
B87690	<2	10	379	<0.01	<10	<10	17	<10	62	
B87691	<2	9	280	<0.01	<10	<10	16	<10	64	
B87692	2	10	290	<0.01	<10	<10	17	<10	55	
B87693	<2	10	313	<0.01	<10	<10	17	<10	44	
B87694	2	9	352	<0.01	<10	<10	15	<10	69	
B87695	<2	8	205	<0.01	<10	<10	15	<10	74	

Comments: sample B87664 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: **CANADIAN GOLD HUNTER CORP**  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 3 - A  
 Total # Pages: 6 (A - C)  
 Finalized Date: 31-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	
		0.02	0.005	0.005	0.005	0.05	0.2	0.01	2	10	10	10	0.5	2	0.01	0.5	1
B87696		3.28	0.063				0.4	0.37	31	<10	60	<0.5	<2	3.55	<0.5	21	
B87697		3.76	0.187				0.5	0.28	37	<10	50	<0.5	<2	5.01	<0.5	22	
B87698		3.36	0.235				0.6	0.27	39	<10	40	<0.5	<2	4.89	<0.5	23	
B87699		3.64	0.047				0.3	0.33	23	<10	60	<0.5	<2	4.38	<0.5	21	
B87700		3.64	0.686				3.1	0.41	27	<10	80	<0.5	<2	5.10	<0.5	20	
B87701		3.40	0.716				0.6	0.39	22	<10	80	<0.5	<2	4.78	<0.5	21	
B87702		3.52	0.818				0.7	0.40	31	<10	60	<0.5	<2	4.99	<0.5	19	
B87703		3.86	0.820				0.8	0.37	44	<10	80	<0.5	<2	5.83	<0.5	23	
B87704		2.89	0.884				0.5	0.38	21	<10	60	<0.5	<2	4.38	<0.5	20	
B87705		3.38	0.733				0.5	0.37	39	<10	70	<0.5	<2	4.16	<0.5	23	
B87706		3.40	0.180				0.5	0.41	43	<10	70	<0.5	<2	6.45	<0.5	20	
B87707		3.62	0.138				0.5	0.38	99	<10	90	<0.5	<2	6.13	<0.5	20	
B87708		3.68	0.081				0.5	0.38	97	<10	80	<0.5	<2	7.11	<0.5	20	
B87709		3.30	0.499				1.0	0.42	48	<10	70	<0.5	<2	4.41	<0.5	24	
B87710		3.44	0.399				0.5	0.42	31	<10	60	<0.5	<2	4.83	<0.5	21	
B87711		3.86	0.014				0.4	0.40	44	<10	50	<0.5	<2	3.88	<0.5	24	
B87712		3.04	0.119				0.4	0.42	36	<10	250	<0.5	<2	6.99	<0.5	17	
B87713		3.96	0.129				0.6	0.46	71	<10	90	<0.5	<2	3.85	<0.5	25	
B87714		3.42	0.034				0.5	0.32	33	<10	50	<0.5	<2	7.64	<0.5	17	
B87715		3.60	0.105				0.4	0.34	24	<10	50	<0.5	<2	4.95	<0.5	19	
B87716		3.24	0.106				0.4	0.39	20	<10	70	<0.5	<2	5.34	<0.5	18	
B87717		3.72	0.413				0.6	0.39	43	<10	80	<0.5	<2	4.00	<0.5	24	
B87718		3.40	0.018				0.3	0.33	27	<10	50	<0.5	<2	4.05	<0.5	23	
B87719		3.70	0.679				0.6	0.42	43	<10	80	<0.5	<2	4.14	<0.5	25	
B87720		3.98	<0.005				0.4	0.36	39	<10	70	<0.5	<2	3.00	<0.5	23	
B87721		3.16	0.018				0.4	0.45	34	<10	120	<0.5	<2	3.30	<0.5	22	
B87722		3.76	0.187				0.6	0.36	32	<10	90	<0.5	<2	4.82	<0.5	21	
B87723		3.14	0.131				0.5	0.28	32	<10	70	<0.5	<2	4.52	<0.5	21	
B87724		3.48	0.060				0.4	0.35	31	<10	90	<0.5	<2	3.85	<0.5	22	
B87725		3.56	0.145				0.5	0.40	30	<10	90	<0.5	<2	4.65	<0.5	22	
B87726		3.04	0.118				0.5	0.43	36	<10	80	<0.5	<2	3.89	<0.5	21	
B87727		3.02	0.761				0.7	0.44	23	<10	70	<0.5	<2	4.45	<0.5	20	
B87728		2.38	0.256				0.5	0.35	41	<10	50	<0.5	<2	6.77	<0.5	21	
B87729		3.62	0.238				0.5	0.47	33	<10	80	<0.5	<2	5.32	<0.5	22	
B87730		3.16	0.831				0.8	0.36	35	<10	50	<0.5	<2	4.43	<0.5	21	
B87731		3.36	0.774				0.8	0.36	14	<10	40	<0.5	<2	4.27	<0.5	21	
B87732		2.82	0.089				0.4	0.39	59	<10	40	<0.5	<2	5.17	<0.5	26	
B87733		2.68	0.014				0.4	0.38	56	<10	50	<0.5	<2	4.80	<0.5	24	
B87734		3.18	0.558				0.5	0.35	43	<10	50	<0.5	<2	4.75	<0.5	23	
B87735		3.58	0.513				0.6	0.38	34	<10	60	<0.5	<2	5.44	<0.5	21	

Comments: sample B87664 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 3 - B  
Total # Pages: 6 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Cr ppm 1	Cu ppm 1	Fe % 0.01	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01
B87696		10	103	8.01	<10	<1	0.24	<10	1.88	1175	1	0.03	13	1200	2	0.55
B87697		11	108	5.65	<10	<1	0.18	<10	1.75	1055	<1	0.04	13	980	3	0.98
B87698		13	124	5.56	<10	<1	0.17	<10	1.72	1030	<1	0.06	14	960	4	1.40
B87699		8	81	5.66	<10	<1	0.20	10	1.70	1000	<1	0.04	12	940	<2	0.17
B87700		24	77	5.50	<10	1	0.22	<10	1.74	998	2	0.03	13	1280	4	3.18
B87701		10	109	5.62	<10	<1	0.24	<10	1.82	1045	1	0.03	13	1340	3	1.96
B87702		12	107	5.23	<10	1	0.24	<10	1.65	1025	1	0.03	14	940	4	1.96
B87703		14	108	5.67	<10	1	0.20	<10	1.72	949	3	0.03	18	1080	5	3.39
B87704		14	69	5.16	<10	<1	0.23	<10	1.61	966	1	0.03	15	980	<2	1.52
B87705		13	44	5.15	<10	<1	0.22	<10	1.58	1005	<1	0.03	16	1160	4	1.82
B87706		15	118	5.35	<10	1	0.22	<10	1.76	1155	1	0.03	14	1170	3	1.35
B87707		13	124	5.68	<10	<1	0.25	<10	1.30	878	10	0.01	14	920	4	2.22
B87708		14	112	5.43	<10	1	0.23	<10	1.43	1100	8	0.02	11	1460	2	1.79
B87709		23	62	5.79	<10	<1	0.25	<10	1.59	1055	3	0.02	18	1120	7	4.18
B87710		12	67	5.59	<10	<1	0.25	<10	1.63	1035	1	0.02	14	920	3	1.88
B87711		10	107	5.77	<10	1	0.24	<10	1.75	951	2	0.03	16	1140	3	0.65
B87712		10	88	4.91	<10	<1	0.26	<10	1.52	952	2	0.02	13	990	2	0.63
B87713		10	190	5.86	<10	1	0.29	<10	1.50	804	3	0.03	16	900	3	1.20
B87714		10	124	4.58	<10	<1	0.19	<10	1.44	938	1	0.04	10	880	2	0.79
B87715		12	83	5.43	<10	1	0.21	<10	1.83	1000	1	0.04	14	880	2	1.90
B87716		6	83	5.13	<10	1	0.26	<10	1.60	982	<1	0.03	10	910	2	0.61
B87717		9	162	5.59	<10	1	0.27	<10	1.61	922	3	0.03	18	1140	<2	1.23
B87718		8	91	5.71	<10	<1	0.21	10	1.75	1105	1	0.04	13	1030	2	0.14
B87719		10	129	6.23	<10	1	0.27	<10	2.09	1245	<1	0.03	16	1200	5	0.39
B87720		7	101	5.96	<10	1	0.24	10	2.02	1155	1	0.03	14	1000	4	0.06
B87721		8	104	5.72	<10	<1	0.30	10	1.96	1095	1	0.03	13	910	2	0.13
B87722		8	99	5.74	<10	<1	0.23	<10	1.97	1195	<1	0.04	15	1000	<2	1.50
B87723		14	114	5.44	<10	<1	0.18	<10	1.90	1085	1	0.04	13	950	4	0.99
B87724		7	116	6.03	<10	<1	0.23	<10	2.02	1230	1	0.04	15	1340	4	0.43
B87725		8	141	5.82	<10	<1	0.27	<10	1.94	1160	1	0.04	14	990	2	0.58
B87726		6	96	5.74	<10	2	0.28	<10	1.90	1170	1	0.03	12	1410	4	0.29
B87727		11	97	5.58	<10	<1	0.28	<10	1.79	1110	1	0.03	13	950	3	1.04
B87728		9	88	5.35	<10	1	0.19	<10	1.74	1165	1	0.03	12	1040	3	0.58
B87729		9	112	5.57	<10	1	0.27	<10	1.93	1250	1	0.03	12	1310	<2	0.35
B87730		10	67	5.89	<10	<1	0.22	<10	1.88	1170	1	0.03	14	1090	3	2.35
B87731		23	19	5.78	<10	<1	0.23	<10	1.71	1055	1	0.04	16	1020	4	5.34
B87732		8	114	5.91	<10	<1	0.22	<10	1.79	1035	1	0.03	18	1140	3	0.59
B87733		7	103	5.10	<10	<1	0.25	10	1.51	943	1	0.03	14	950	4	0.23
B87734		9	65	5.82	<10	1	0.21	<10	1.87	1110	<1	0.02	13	1160	3	2.00
B87735		8	97	5.55	<10	<1	0.25	<10	1.63	1070	1	0.03	14	910	3	0.94

Comments: sample B87664 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 3 - C  
Total # Pages: 6 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sb	Sc	Sr	Ti	Ti	U	V	W	Zn
		ppm 2	ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B87696		<2	7	164	<0.01	<10	<10	15	<10	68
B87697		<2	9	281	<0.01	<10	<10	15	<10	68
B87698		<2	11	290	<0.01	<10	<10	16	<10	64
B87699		<2	8	198	<0.01	<10	<10	14	<10	73
B87700		13	8	313	<0.01	<10	<10	15	<10	61
B87701		<2	8	296	<0.01	<10	<10	14	<10	59
B87702		<2	8	287	<0.01	<10	<10	13	<10	45
B87703		2	9	345	<0.01	<10	<10	15	<10	43
B87704		<2	7	266	<0.01	<10	<10	12	<10	56
B87705		<2	7	232	<0.01	<10	<10	14	<10	65
B87706		2	8	300	<0.01	<10	<10	14	<10	73
B87707		<2	6	216	<0.01	<10	<10	10	<10	48
B87708		<2	7	272	<0.01	<10	<10	10	<10	46
B87709		4	7	273	<0.01	<10	<10	13	<10	55
B87710		<2	6	240	<0.01	<10	<10	13	<10	55
B87711		<2	7	168	<0.01	<10	<10	14	<10	75
B87712		<2	7	279	<0.01	<10	<10	12	<10	52
B87713		<2	6	158	<0.01	<10	<10	14	<10	71
B87714		2	8	263	<0.01	<10	<10	10	<10	59
B87715		<2	8	283	<0.01	<10	<10	15	<10	60
B87716		<2	6	219	<0.01	<10	<10	10	<10	60
B87717		<2	6	182	<0.01	<10	<10	13	<10	59
B87718		<2	7	164	<0.01	<10	<10	14	<10	78
B87719		<2	8	189	<0.01	<10	<10	18	<10	79
B87720		<2	7	134	<0.01	<10	<10	14	<10	78
B87721		<2	7	184	<0.01	<10	<10	16	<10	75
B87722		<2	9	314	<0.01	<10	<10	16	<10	62
B87723		<2	9	357	<0.01	<10	<10	16	<10	61
B87724		<2	9	273	<0.01	<10	<10	17	<10	73
B87725		<2	9	277	<0.01	<10	<10	17	<10	62
B87726		<2	7	225	<0.01	<10	<10	13	<10	73
B87727		<2	7	261	<0.01	<10	<10	15	<10	58
B87728		<2	7	322	<0.01	<10	<10	11	<10	56
B87729		<2	7	272	<0.01	<10	<10	14	<10	68
B87730		<2	7	292	<0.01	<10	<10	13	<10	63
B87731		<2	7	346	<0.01	<10	<10	18	<10	49
B87732		<2	7	198	<0.01	<10	<10	13	<10	86
B87733		<2	6	184	<0.01	<10	<10	12	<10	77
B87734		<2	7	281	<0.01	<10	<10	12	<10	64
B87735		<2	7	295	<0.01	<10	<10	14	<10	70

Comments: sample B87664 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 4 - A  
Total # Pages: 6 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Au ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm
		0.02	0.005	0.005	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
B87736		3.24	0.468				0.9	0.28	33	<10	50	<0.5	<2	4.87	<0.5	19
B87737		3.22	0.524				0.9	0.38	25	<10	70	<0.5	<2	3.59	<0.5	18
B87738		3.52	0.737				0.6	0.36	32	<10	60	<0.5	<2	4.19	<0.5	21
B87739		3.20	0.192				0.5	0.46	49	<10	90	<0.5	<2	3.89	<0.5	23
B87740		3.34	0.079				0.5	0.35	40	<10	70	<0.5	<2	3.85	<0.5	24
B87741		3.28	0.547				0.8	0.31	18	<10	70	<0.5	<2	4.81	<0.5	21
B87742		3.30	0.281				0.8	0.31	69	<10	70	<0.5	<2	6.08	<0.5	28
B87743		2.96	0.362				0.5	0.37	44	<10	70	<0.5	<2	4.21	<0.5	24
B87744		3.28	0.289				1.4	0.34	35	<10	60	<0.5	<2	4.34	<0.5	23
B87745		3.18	0.941				1.8	0.36	42	<10	60	<0.5	<2	4.07	<0.5	22
B87746		3.58	0.185				0.6	0.29	36	<10	50	<0.5	<2	5.37	<0.5	23
B87747		3.22	0.173				0.5	0.46	39	<10	90	<0.5	<2	4.78	<0.5	22
B87748		3.80	0.848				4.3	0.42	48	<10	90	<0.5	<2	4.58	<0.5	21
B87749		2.80	0.478				0.9	0.53	59	<10	170	0.5	<2	4.36	<0.5	21
B87750		3.20	0.436				0.6	0.32	25	<10	60	<0.5	<2	5.27	<0.5	22
B87751		3.32	0.228				0.7	0.26	37	<10	40	<0.5	<2	5.40	<0.5	22
B87752		4.08	0.055				0.6	0.36	28	<10	50	<0.5	<2	3.69	<0.5	22
B87753		3.78	0.120				0.5	0.33	33	<10	40	<0.5	<2	4.57	<0.5	22
B87754		3.54	0.463				1.1	0.32	20	<10	40	<0.5	<2	4.96	<0.5	21
B87755		3.32	0.020				0.6	0.46	42	<10	50	<0.5	<2	3.68	<0.5	23
B87756		4.00	0.186				0.6	0.44	28	<10	60	<0.5	<2	5.01	<0.5	23
B87757		3.60	0.348				1.2	0.53	37	<10	70	<0.5	<2	6.23	<0.5	22
B87758		4.08	0.070				0.6	0.39	59	<10	50	<0.5	<2	5.11	<0.5	23
B87759		3.80	3.95				0.6	0.39	33	<10	70	<0.5	<2	5.37	<0.5	22
B87760		4.90	0.032				0.5	0.35	53	<10	50	<0.5	<2	5.73	<0.5	22
B87761		4.44	0.028				0.5	0.42	51	<10	60	<0.5	<2	5.28	<0.5	22
B87762		3.88	0.009				0.2	0.36	8	<10	30	<0.5	<2	5.02	<0.5	24
B87763		3.28	0.005				<0.2	0.39	7	<10	20	<0.5	<2	4.28	<0.5	23
B87764		6.16	<0.005				<0.2	0.41	<2	<10	20	<0.5	<2	4.04	<0.5	23
B87765		0.88	<0.005				0.4	1.60	23	<10	50	<0.5	<2	4.04	<0.5	19
B87766		1.22	0.023				0.4	0.44	25	<10	70	<0.5	<2	4.12	<0.5	19
B87767		1.96	0.015				0.4	1.92	32	<10	60	<0.5	<2	3.37	<0.5	25
B87768		1.34	0.039				0.4	1.05	18	<10	50	<0.5	<2	3.68	<0.5	24
B87769		0.98	0.005				0.3	1.04	37	<10	60	<0.5	<2	4.00	<0.5	18
B87770		2.02	<0.005				0.2	0.95	16	<10	30	<0.5	<2	4.33	<0.5	22
B87771		3.32	<0.005				0.3	0.43	14	<10	20	<0.5	<2	3.57	<0.5	23
B87772		3.52	<0.005				0.3	0.34	22	<10	30	<0.5	<2	3.52	<0.5	21
B87773		3.04	0.007				0.3	0.44	34	<10	50	<0.5	<2	2.70	<0.5	24
B87774		3.52	<0.005				0.3	0.44	35	<10	50	<0.5	<2	3.31	<0.5	19
B87775		2.98	0.133				0.5	0.41	34	<10	40	<0.5	<2	4.82	<0.5	22

Comments: sample B87664 shows erratic Au

404-003 | QCM-002



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 4 - B  
 Total # Pages: 6 (A - C)  
 Finalized Date: 31-OCT-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04073341**

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Cr ppm 1	Cu ppm 1	Fe % 0.01	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01
B87736		12	37	5.66	<10	1	0.18	<10	1.72	1020	2	0.04	17	990	4	4.63
B87737		16	52	4.51	<10	1	0.24	<10	1.35	832	1	0.03	13	830	3	3.11
B87738		14	66	5.74	<10	1	0.22	<10	1.70	1100	1	0.03	14	980	6	2.25
B87739		11	118	6.12	<10	<1	0.29	<10	1.93	1145	3	0.03	15	1040	4	1.14
B87740		8	99	5.90	<10	1	0.22	<10	2.12	1160	1	0.03	16	900	3	0.32
B87741		16	82	5.27	<10	1	0.19	<10	2.00	1090	1	0.05	14	800	2	2.12
B87742		11	114	6.42	<10	1	0.19	<10	1.94	1260	5	0.03	20	1140	5	3.57
B87743		11	78	5.89	<10	1	0.23	<10	1.96	1205	1	0.02	14	760	4	1.76
B87744		15	213	5.79	<10	<1	0.21	<10	1.59	1040	1	0.03	17	900	4	3.51
B87745		26	111	5.54	<10	<1	0.23	<10	1.41	944	2	0.03	17	700	<2	4.40
B87746		11	112	5.20	<10	<1	0.19	<10	1.46	1015	1	0.04	17	900	2	1.44
B87747		14	87	5.50	<10	1	0.26	<10	1.66	1075	1	0.02	14	870	<2	1.17
B87748		11	80	5.43	<10	<1	0.26	<10	1.65	953	1	0.02	13	860	3	0.76
B87749		15	142	5.74	<10	<1	0.28	<10	1.72	1000	3	0.02	15	1000	5	1.49
B87750		13	102	5.51	<10	1	0.18	<10	1.86	1120	1	0.03	16	910	3	2.11
B87751		12	89	5.64	<10	<1	0.15	<10	1.88	1125	1	0.04	16	780	5	3.00
B87752		10	89	5.74	<10	1	0.20	<10	1.98	1130	1	0.04	15	840	2	1.18
B87753		11	92	5.83	<10	<1	0.20	<10	2.04	1300	1	0.04	16	850	4	2.86
B87754		13	70	5.65	<10	1	0.19	<10	1.99	1360	1	0.04	17	1000	<2	2.88
B87755		10	117	5.72	<10	<1	0.27	<10	1.97	1180	1	0.03	16	1100	4	0.33
B87756		8	114	5.53	<10	<1	0.28	<10	2.04	1295	1	0.03	13	1380	4	0.42
B87757		12	100	5.57	<10	<1	0.31	<10	1.81	1330	1	0.03	14	800	5	0.94
B87758		9	117	5.83	<10	<1	0.27	<10	1.68	1390	6	0.02	14	1100	4	1.96
B87759		17	56	5.67	<10	1	0.26	<10	1.98	1330	2	0.03	16	860	5	4.54
B87760		6	120	5.72	<10	1	0.24	<10	1.80	1095	3	0.02	14	820	5	1.77
B87761		11	84	5.53	<10	<1	0.26	<10	1.96	1275	1	0.03	14	880	4	0.89
B87762		8	105	5.87	<10	<1	0.22	<10	2.15	1680	1	0.01	16	1050	5	0.17
B87763		11	104	5.88	<10	1	0.17	<10	2.14	1575	1	0.04	15	940	3	0.17
B87764	002	10	100	5.73	<10	2	0.16	10	2.14	1360	1	0.05	17	790	<2	0.06
B87765	003	22	136	5.57	<10	1	0.13	<10	1.16	1280	1	0.03	17	1080	3	0.71
B87766		7	128	5.81	<10	<1	0.21	<10	1.45	1445	1	0.03	13	1380	<2	0.15
B87767		17	128	5.84	<10	1	0.16	10	1.28	1250	1	0.04	17	1020	4	0.09
B87768		11	165	5.86	<10	1	0.15	<10	1.69	1360	1	0.04	16	1220	<2	0.19
B87769		22	99	4.55	<10	1	0.25	<10	1.33	858	<1	0.05	15	870	3	0.15
B87770		13	100	5.83	<10	<1	0.13	<10	1.71	1105	1	0.06	19	1080	2	0.12
B87771		13	108	5.80	<10	1	0.12	<10	2.10	1080	1	0.09	16	1000	<2	0.14
B87772		10	86	5.68	<10	<1	0.14	<10	1.98	1055	<1	0.06	15	950	2	0.09
B87773		9	100	5.75	<10	1	0.21	10	1.93	1030	1	0.05	15	920	<2	0.08
B87774		8	100	5.73	<10	1	0.22	<10	1.68	996	1	0.04	15	830	2	0.12
B87775		10	96	5.79	<10	<1	0.21	<10	1.92	1220	1	0.04	16	1050	2	0.38

Comments: sample B87664 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 4 - C  
Total # Pages: 6 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sb	Sc	Sr	Tl	Tl	U	V	W	Zn
		ppm 2	ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B87736		<2	8	365	<0.01	<10	<10	14	<10	56
B87737		2	5	240	<0.01	<10	<10	12	<10	42
B87738		<2	7	265	<0.01	<10	<10	13	<10	66
B87739		2	7	197	<0.01	<10	<10	15	<10	69
B87740		<2	8	227	<0.01	<10	<10	12	<10	68
B87741		<2	10	422	<0.01	<10	<10	15	<10	53
B87742		<2	9	360	<0.01	<10	<10	12	<10	55
B87743		<2	7	278	<0.01	<10	<10	11	<10	78
B87744		2	9	293	<0.01	<10	<10	16	<10	63
B87745		3	7	290	<0.01	<10	<10	13	<10	55
B87746		<2	9	299	<0.01	<10	<10	13	<10	79
B87747		3	8	287	<0.01	<10	<10	13	<10	66
B87748		<2	7	265	<0.01	<10	<10	10	<10	61
B87749		2	9	275	<0.01	<10	<10	17	<10	78
B87750		2	9	391	<0.01	<10	<10	16	<10	55
B87751		<2	11	418	<0.01	<10	<10	15	<10	52
B87752		<2	9	269	<0.01	<10	<10	14	<10	64
B87753		<2	10	336	<0.01	<10	<10	18	<10	62
B87754		<2	9	346	<0.01	<10	<10	14	<10	61
B87755		<2	7	173	<0.01	<10	<10	14	<10	75
B87756		<2	7	243	<0.01	<10	<10	13	<10	69
B87757		<2	7	323	<0.01	<10	<10	13	<10	51
B87758		<2	6	207	<0.01	<10	<10	10	<10	60
B87759		<2	8	434	<0.01	<10	<10	15	<10	53
B87760		<2	7	227	<0.01	<10	<10	11	<10	66
B87761		<2	9	276	<0.01	<10	<10	18	<10	64
B87762		<2	9	219	<0.01	<10	<10	15	<10	73
B87763		<2	14	142	<0.01	<10	<10	19	<10	75
B87764		<2	14	129	<0.01	<10	<10	20	<10	79
B87765		<2	11	236	0.05	<10	<10	82	<10	71
B87766		<2	9	222	<0.01	<10	<10	16	<10	64
B87767		<2	9	179	0.05	<10	<10	69	<10	86
B87768		<2	8	226	0.03	<10	<10	33	<10	76
B87769		<2	6	174	0.03	<10	<10	46	<10	57
B87770		<2	15	130	0.06	<10	<10	39	<10	79
B87771		<2	17	123	<0.01	<10	<10	25	<10	77
B87772		<2	13	128	<0.01	<10	<10	19	<10	61
B87773		<2	9	110	<0.01	<10	<10	17	<10	80
B87774		<2	9	124	<0.01	<10	<10	15	<10	74
B87775		<2	11	224	<0.01	<10	<10	19	<10	68

Comments: sample B87664 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 5 - A  
Total # Pages: 6 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm
		0.02	0.005	0.005	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
B87776		3.00	0.275				0.4	0.37	28	<10	50	<0.5	<2	5.01	<0.5	22
B87777		3.38	0.050				0.3	0.45	37	<10	60	<0.5	<2	3.78	<0.5	24
B87778		2.50	0.020				0.4	0.41	44	<10	30	<0.5	<2	3.32	<0.5	25
B87779		3.02	0.256				0.4	0.38	28	<10	40	<0.5	<2	3.98	<0.5	20
B87780		3.08	0.020				0.4	0.41	12	<10	40	<0.5	<2	3.45	<0.5	21
B87781		2.52	0.601				0.4	0.34	<2	<10	40	<0.5	<2	4.27	<0.5	21
B87782		3.04	1.240				0.7	0.42	8	<10	40	<0.5	<2	4.99	<0.5	20
B87783		3.54	0.492				0.5	0.38	6	<10	40	<0.5	<2	6.22	<0.5	19
B87784		3.02	0.558				0.5	0.33	8	<10	30	<0.5	<2	4.32	<0.5	21
B87785		3.68	0.173				0.3	0.44	19	<10	40	<0.5	<2	4.08	<0.5	20
B87786		3.22	0.449				0.5	0.36	7	<10	40	<0.5	<2	4.94	<0.5	22
B87787		3.36	0.022				0.3	0.38	9	<10	40	<0.5	<2	3.65	<0.5	19
B87788		2.96	1.845				0.7	0.40	15	<10	40	<0.5	<2	4.68	<0.5	19
B87789		3.72	0.609				0.6	0.46	12	<10	50	<0.5	<2	4.58	<0.5	20
B87790		3.10	0.085				0.5	0.41	21	<10	40	<0.5	<2	3.60	<0.5	22
B87791		3.12	0.021				0.4	0.42	36	<10	30	<0.5	<2	5.35	<0.5	20
B87792		3.24	0.398				0.5	0.36	9	<10	30	<0.5	<2	5.77	<0.5	17
B87793		2.94	1.640				0.7	0.43	15	<10	60	<0.5	<2	5.21	<0.5	19
B87794		2.64	1.480				0.7	0.40	22	<10	50	<0.5	<2	4.58	<0.5	21
B87795		3.60	0.007				0.3	0.41	13	<10	30	<0.5	<2	2.90	<0.5	21
B87796		3.14	0.050				0.4	0.42	8	<10	40	<0.5	<2	3.73	<0.5	21
B87797		3.64	2.36				0.9	0.43	13	<10	50	<0.5	<2	5.22	<0.5	20
B87798		4.08	0.942				0.3	0.35	15	<10	40	<0.5	<2	5.38	<0.5	17
B87799		4.02	1.670				0.9	0.40	40	<10	50	<0.5	<2	5.43	<0.5	19
B87800		3.56	0.801				0.4	0.34	34	<10	50	<0.5	<2	4.89	<0.5	15
B87801		3.84	0.662				0.2	0.41	26	<10	50	<0.5	<2	4.35	<0.5	20
B87802		2.70	1.225				0.4	0.35	49	<10	50	<0.5	<2	4.04	<0.5	19
B87803		2.88	0.031				0.2	0.41	40	<10	60	<0.5	<2	3.06	<0.5	18
B87804		4.56	1.350				0.3	0.34	16	<10	50	<0.5	<2	4.79	<0.5	17
B87805		3.38	0.880				0.2	0.37	24	<10	60	<0.5	<2	4.50	<0.5	19
B87806		2.98	2.33				1.1	0.38	42	<10	50	<0.5	<2	3.89	<0.5	20
B87807		3.10	0.820				2.0	0.42	46	<10	60	<0.5	<2	3.69	<0.5	20
B87808		3.04	0.190				0.3	0.40	63	<10	50	<0.5	<2	3.29	<0.5	19
B87809		3.44	0.145				0.2	0.38	17	<10	50	<0.5	<2	4.31	<0.5	16
B87810		3.32	2.30				0.5	0.34	20	<10	50	<0.5	<2	4.92	<0.5	18
B87811		2.60	0.913				0.4	0.28	4	<10	40	<0.5	<2	4.52	<0.5	19
B87812		4.64	0.851				0.4	0.31	14	<10	40	<0.5	<2	4.47	<0.5	17
B87813		3.24	0.588				0.5	0.36	17	<10	40	<0.5	<2	4.06	<0.5	19
B87814		3.04	2.10				1.9	0.34	31	<10	60	<0.5	<2	4.35	<0.5	20
B87815		3.20	0.382				0.3	0.42	22	<10	80	<0.5	<2	3.06	<0.5	17

Comments: sample B87664 shows erratic Au





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 5 - B  
 Total # Pages: 6 (A - C)  
 Finalized Date: 31-OCT-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04073341**

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
Units		ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
LOR		1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
B87776		9	95	5.58	<10	<1	0.21	10	1.82	1225	1	0.03	14	960	<2	0.20
B87777		11	101	6.08	<10	<1	0.22	10	2.27	1300	1	0.03	16	940	2	0.10
B87778		8	100	6.36	<10	<1	0.19	10	2.34	1360	1	0.04	18	990	3	0.14
B87779		16	101	5.42	<10	<1	0.21	<10	1.78	1055	1	0.03	16	850	2	0.43
B87780		9	110	5.91	<10	<1	0.22	10	2.12	1085	1	0.03	14	880	2	0.20
B87781		14	51	5.64	<10	1	0.20	<10	1.87	986	<1	0.05	15	830	5	3.43
B87782		8	104	5.13	<10	1	0.26	<10	1.66	1130	1	0.03	12	890	<2	1.17
B87783		10	83	5.23	<10	1	0.23	<10	1.88	1350	1	0.04	14	1060	2	1.86
B87784		7	98	5.49	<10	<1	0.21	<10	1.97	1255	<1	0.04	12	920	3	0.91
B87785		9	95	5.51	<10	<1	0.28	<10	1.96	1255	1	0.03	12	870	2	0.32
B87786		8	93	5.64	<10	1	0.23	<10	1.93	1340	1	0.04	15	1040	2	1.25
B87787		7	96	5.56	<10	1	0.27	10	1.59	1170	1	0.03	13	1020	5	0.11
B87788		10	90	5.55	<10	<1	0.23	<10	1.83	1195	1	0.03	12	880	4	1.19
B87789		8	120	5.56	<10	1	0.28	<10	1.81	1255	1	0.02	12	850	3	0.79
B87790		7	86	5.73	<10	1	0.23	10	1.95	1320	1	0.03	13	960	2	0.14
B87791		7	94	5.43	<10	1	0.26	10	1.57	1285	1	0.03	13	1030	<2	0.15
B87792		7	102	5.20	<10	1	0.24	<10	1.52	1225	1	0.04	13	870	3	1.22
B87793		10	68	5.19	<10	<1	0.28	<10	1.74	1245	1	0.03	13	910	3	2.41
B87794		13	69	5.26	<10	<1	0.21	<10	1.83	1095	1	0.03	15	860	2	2.35
B87795		9	108	5.87	<10	<1	0.20	10	2.04	1230	<1	0.04	15	1100	<2	0.10
B87796		9	106	5.86	<10	1	0.23	10	2.01	1265	1	0.04	13	1100	4	0.16
B87797		13	102	5.05	<10	<1	0.26	<10	1.80	1260	1	0.04	11	1360	3	2.21
B87798		11	58	4.80	<10	<1	0.19	<10	1.88	1170	<1	0.03	11	850	2	1.10
B87799		19	38	5.11	<10	<1	0.22	<10	1.60	1210	4	0.03	14	1000	2	2.24
B87800		11	71	4.74	<10	1	0.21	<10	1.53	1060	1	0.03	12	800	<2	1.01
B87801		13	82	5.42	<10	<1	0.23	<10	1.81	1115	1	0.04	15	890	4	0.91
B87802		8	107	5.38	<10	<1	0.24	<10	1.90	943	1	0.03	14	810	2	1.94
B87803		8	85	5.60	<10	<1	0.26	<10	1.96	950	1	0.03	13	870	<2	0.51
B87804		7	95	5.00	<10	<1	0.24	<10	1.67	1010	1	0.03	11	820	2	1.49
B87805		9	80	4.93	<10	<1	0.25	<10	1.62	1010	1	0.03	12	800	2	2.36
B87806		13	64	5.41	<10	<1	0.24	<10	1.57	1100	5	0.03	14	1060	3	2.66
B87807		15	122	5.01	<10	<1	0.26	<10	1.50	1075	2	0.03	13	850	<2	1.58
B87808		10	92	5.27	<10	<1	0.22	<10	1.70	1165	1	0.03	13	790	<2	1.26
B87809		7	59	5.32	<10	<1	0.24	<10	1.66	1185	1	0.03	13	990	<2	0.47
B87810		10	80	5.32	<10	<1	0.23	<10	1.74	1080	1	0.03	13	930	2	2.77
B87811		12	67	5.18	<10	<1	0.17	<10	2.00	1110	<1	0.05	14	990	<2	2.69
B87812		15	20	4.96	<10	<1	0.18	<10	1.74	1010	1	0.04	14	920	2	3.79
B87813		8	87	5.57	<10	<1	0.23	<10	1.96	1155	<1	0.04	13	890	<2	0.76
B87814		10	86	5.31	<10	<1	0.24	<10	1.68	1100	1	0.03	14	730	2	2.79
B87815		8	88	5.58	<10	<1	0.31	<10	1.48	919	1	0.02	10	760	<2	1.30

Comments: sample B87664 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 5 - C  
 Total # Pages: 6 (A - C)  
 Finalized Date: 31-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Sb ppm 2	Sc ppm 1	Sr ppm 1	Tl % 0.01	Tl ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
B87776		<2	8	240	<0.01	<10	<10	12	<10	60
B87777		2	11	192	<0.01	<10	<10	18	<10	79
B87778		2	13	162	<0.01	<10	<10	20	<10	75
B87779		<2	9	225	<0.01	<10	<10	14	<10	65
B87780		<2	8	203	<0.01	<10	<10	13	<10	73
B87781		<2	10	389	<0.01	<10	<10	16	<10	51
B87782		<2	7	291	<0.01	<10	<10	12	<10	50
B87783		<2	10	389	<0.01	<10	<10	14	<10	50
B87784		<2	9	299	<0.01	<10	<10	14	<10	61
B87785		<2	7	227	<0.01	<10	<10	15	<10	65
B87788		<2	8	314	<0.01	<10	<10	15	<10	77
B87787		<2	6	186	<0.01	<10	<10	13	<10	70
B87788		2	8	302	<0.01	<10	<10	13	<10	63
B87789		<2	7	250	<0.01	<10	<10	12	<10	61
B87790		<2	8	176	<0.01	<10	<10	13	<10	68
B87791		<2	7	245	<0.01	<10	<10	13	<10	91
B87792		<2	7	294	<0.01	<10	<10	12	<10	52
B87793		<2	8	359	<0.01	<10	<10	12	<10	48
B87794		<2	8	381	<0.01	<10	<10	12	<10	50
B87795		<2	9	162	<0.01	<10	<10	16	<10	81
B87796		<2	9	233	<0.01	<10	<10	16	<10	77
B87797		<2	8	411	<0.01	<10	<10	14	<10	54
B87798		<2	8	334	<0.01	<10	<10	12	<10	51
B87799		<2	7	284	<0.01	<10	<10	11	<10	45
B87800		<2	7	236	<0.01	<10	<10	10	<10	47
B87801		<2	8	231	<0.01	<10	<10	14	<10	67
B87802		<2	7	307	<0.01	<10	<10	10	<10	55
B87803		<2	6	184	<0.01	<10	<10	11	<10	69
B87804		<2	6	341	<0.01	<10	<10	9	<10	47
B87805		<2	6	357	<0.01	<10	<10	11	<10	50
B87806		2	6	265	<0.01	<10	<10	11	<10	51
B87807		13	6	208	<0.01	<10	<10	11	<10	65
B87808		<2	6	196	<0.01	<10	<10	10	<10	65
B87809		<2	7	224	<0.01	<10	<10	12	<10	54
B87810		<2	8	404	<0.01	<10	<10	12	<10	50
B87811		<2	10	406	<0.01	<10	<10	14	<10	49
B87812		2	9	393	<0.01	<10	<10	13	<10	44
B87813		<2	7	323	<0.01	<10	<10	14	<10	60
B87814		2	7	420	<0.01	<10	<10	10	<10	45
B87815		<2	5	207	<0.01	<10	<10	10	<10	50

Comments: sample B87664 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 6 - A  
 Total # Pages: 6 (A - C)  
 Finalized Date: 31-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm
		0.02	0.005	0.005	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
B87816		3.32	3.76				0.8	0.34	28	<10	70	<0.5	<2	5.03	<0.5	16
B87817		3.30	0.897				1.4	0.43	60	<10	90	<0.5	<2	3.80	<0.5	20
B87818		3.38	0.254				0.8	0.29	28	<10	60	<0.5	<2	3.42	<0.5	18
B87819		3.22	0.538				0.4	0.41	33	<10	90	<0.5	<2	4.16	<0.5	16
B87820		3.48	0.588	0.835			0.2	0.42	16	<10	60	<0.5	<2	4.64	<0.5	18
B87821		3.44	0.696				0.4	0.40	19	<10	40	<0.5	<2	4.17	<0.5	18
B87822		2.82	0.807				0.6	0.46	54	<10	50	<0.5	<2	4.35	<0.5	22
B87823		3.78	0.263				0.2	0.42	38	<10	60	<0.5	<2	4.37	<0.5	17
B87824		3.76	0.728				0.6	0.40	48	<10	80	<0.5	<2	5.04	<0.5	16
B87825		3.94	0.092				0.2	0.40	19	<10	60	<0.5	<2	3.15	<0.5	16
B87826		3.76	0.008				0.2	0.43	35	<10	60	<0.5	<2	3.01	<0.5	19

Comments: sample B87664 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 6 - B

Total # Pages: 6 (A - C)

Finalized Date: 31-OCT-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %
		1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
B87816		13	57	5.03	<10	<1	0.25	<10	1.44	913	1	0.03	13	760	2	3.27
B87817		11	86	5.08	<10	<1	0.28	<10	1.40	838	2	0.03	14	860	2	3.03
B87818		15	61	5.23	<10	<1	0.18	<10	1.42	774	1	0.04	14	750	3	4.88
B87819		17	94	4.43	<10	<1	0.30	<10	1.31	763	2	0.03	12	800	<2	2.38
B87820		11	72	5.19	<10	<1	0.22	<10	1.84	1065	1	0.03	11	930	<2	1.81
B87821		13	60	5.15	<10	<1	0.19	<10	1.87	1085	<1	0.03	13	910	2	1.92
B87822		14	88	5.44	<10	<1	0.16	<10	1.69	1000	1	0.02	16	800	2	3.11
B87823		9	107	4.73	<10	<1	0.22	<10	1.50	866	1	0.02	12	740	<2	1.25
B87824		13	129	4.62	<10	<1	0.24	<10	1.42	845	1	0.02	11	770	<2	1.45
B87825		7	95	4.93	<10	<1	0.24	<10	1.54	881	1	0.03	11	830	<2	0.27
B87826		8	104	5.72	<10	<1	0.22	<10	2.01	984	1	0.03	12	970	<2	0.10

Comments: sample B87664 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 6 - C  
Total # Pages: 6 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04073341

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sb	Sc	Sr	Tl	Tl	U	V	W	Zn
		ppm 2	ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B87816		<2	5	365	<0.01	<10	<10	8	<10	41
B87817		4	6	280	<0.01	<10	<10	11	<10	47
B87818		3	8	293	<0.01	<10	<10	13	<10	42
B87819		<2	6	293	<0.01	<10	<10	12	<10	45
B87820		<2	8	304	<0.01	<10	<10	13	<10	46
B87821		<2	8	300	<0.01	<10	<10	12	<10	51
B87822		2	8	324	<0.01	<10	<10	13	<10	42
B87823		<2	6	316	<0.01	<10	<10	9	<10	49
B87824		<2	6	318	<0.01	<10	<10	9	<10	53
B87825		<2	6	164	<0.01	<10	<10	11	<10	56
B87826		<2	8	133	<0.01	<10	<10	14	<10	85

Comments: sample B87664 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 1  
Finalized Date: 31-OCT-2004  
Account: MYA

## CERTIFICATE VA04072975

Project: QCM

P.O. No.:

This report is for 138 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-OCT-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

DAVID MEHNER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

*QCM-003, 002B, 004*

To: CANADIAN GOLD HUNTER CORP  
ATTN: RICK J. BAILES  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 2 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 31-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072975

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
B87827		4.18	0.425			0.7	0.54	55	<10	80	<0.5	2	3.38	1.3	23	18
B87828		3.90	0.345			9.9	0.46	56	<10	70	<0.5	2	3.97	1.2	23	17
B87829		3.06	0.012			0.3	0.52	44	<10	70	<0.5	3	4.68	1.0	23	17
B87830		3.64	0.168			0.5	0.45	42	<10	60	<0.5	2	5.14	1.0	20	17
B87831		3.30	0.909			0.6	0.45	14	<10	60	<0.5	2	4.41	1.1	22	32
B87832		2.74	1.530			0.8	0.44	7	<10	70	<0.5	2	4.36	0.9	20	13
B87833		3.48	1.030			0.9	0.48	16	<10	60	<0.5	2	4.77	1.0	24	26
B87834		3.14	0.054			<0.2	0.40	28	<10	50	<0.5	3	4.83	0.9	24	12
B87835		2.90	0.755			0.5	0.34	19	<10	60	<0.5	2	4.97	1.0	20	38
B87836		3.30	0.300			0.9	0.48	40	<10	60	<0.5	3	4.85	0.9	23	15
B87837		3.30	0.134			0.3	0.53	12	<10	90	<0.5	2	4.61	1.2	21	15
B87838		4.32	0.423			0.4	0.44	14	<10	60	<0.5	2	4.92	1.0	23	12
B87839		3.38	0.989			1.3	0.43	27	<10	70	<0.5	2	4.93	1.1	19	27
B87840		3.34	1.400			2.4	0.40	37	<10	70	<0.5	2	4.05	1.1	17	25
B87841		3.64	0.331			0.4	0.53	20	<10	70	<0.5	2	3.68	1.1	23	19
B87842		2.66	0.993			0.5	0.38	14	<10	60	<0.5	2	5.47	1.1	25	18
B87843		3.26	0.336			0.3	0.52	22	<10	70	<0.5	2	4.63	0.9	22	21
B87844		2.74	1.000			4.5	0.47	78	<10	80	<0.5	2	4.74	1.4	21	26
B87845		3.48	1.485			1.5	0.54	44	<10	80	<0.5	2	5.17	1.2	20	24
B87846		3.90	0.816			0.5	0.48	34	<10	70	<0.5	2	4.74	1.0	21	25
B87847		3.46	0.030			0.3	0.60	43	<10	70	<0.5	2	3.70	0.9	21	19
B87848		3.60	1.450			0.7	0.42	36	<10	50	<0.5	2	3.99	1.0	20	27
B87849		3.68	0.551			1.6	0.54	98	<10	70	<0.5	3	4.24	1.0	20	25
B87850		3.88	0.690			4.8	0.41	26	<10	50	<0.5	2	4.47	0.8	21	25
B87851		3.60	0.361			0.5	0.60	34	<10	70	<0.5	2	3.90	0.8	21	29
B87852		3.62	0.893			0.6	0.47	31	<10	70	<0.5	2	3.68	1.0	21	80
B87853		2.86	1.795			0.7	0.47	47	<10	70	<0.5	3	4.78	1.0	21	28
B87854		3.48	1.295			0.6	0.52	31	<10	110	<0.5	2	5.39	1.0	22	27
B87855		3.94	1.505			0.6	0.43	23	<10	70	<0.5	2	4.85	1.1	19	21
B87856		3.50	1.140			0.6	0.55	34	<10	60	<0.5	2	4.64	1.2	22	39
B87857		3.50	0.623			0.7	0.48	24	<10	130	<0.5	3	5.38	0.9	19	29
B87858		3.30	1.400			1.0	0.49	31	<10	80	<0.5	3	5.26	1.0	17	44
B87859		3.46	0.664			0.2	0.36	11	<10	50	<0.5	<2	4.26	<0.5	20	25
B87860		2.86	0.762			0.5	0.46	74	<10	50	<0.5	<2	4.54	<0.5	21	24
B87861		3.18	0.569			0.4	0.43	20	<10	50	<0.5	<2	4.73	<0.5	18	19
B87862		3.44	0.325			<0.2	0.42	12	<10	50	<0.5	<2	3.87	<0.5	19	26
B87863		3.32	0.470			0.8	0.36	14	<10	40	<0.5	<2	4.26	<0.5	18	26
B87864		3.18	0.963			0.5	0.47	13	<10	60	<0.5	<2	4.91	<0.5	18	24
B87865		3.44	0.582			0.2	0.41	10	<10	60	<0.5	<2	4.22	<0.5	18	19
B87866		2.64	0.534			0.2	0.31	10	<10	40	<0.5	<2	4.44	<0.5	20	29

Comments: some samples show erratic Au

QCM-003



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072975

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
		ppm 1	% 0.01	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2
B87827		134	6.20	<10	<1	0.31	<10	1.88	978	<1	0.02	11	760	3	1.75	2
B87828		140	5.66	<10	<1	0.27	<10	1.46	912	1	0.02	17	750	3	2.36	4
B87829		108	5.65	<10	1	0.31	<10	1.66	1030	1	0.02	14	800	3	0.19	4
B87830		103	5.09	<10	<1	0.29	<10	1.44	1060	<1	0.01	11	840	3	0.58	2
B87831		41	5.53	<10	<1	0.28	<10	1.54	942	<1	0.03	12	870	2	4.35	2
B87832		126	5.09	<10	<1	0.28	<10	1.48	949	<1	0.03	12	820	2	2.22	3
B87833		45	5.73	<10	<1	0.31	<10	1.80	1045	<1	0.02	14	860	<2	3.87	4
B87834		70	5.95	<10	<1	0.26	<10	2.05	1130	<1	0.02	13	1100	<2	0.41	3
B87835		86	5.23	<10	<1	0.21	<10	1.77	1025	1	0.04	16	930	3	1.88	3
B87836		161	5.79	<10	<1	0.28	<10	2.21	1215	1	0.02	8	1100	2	1.14	2
B87837		148	5.85	<10	<1	0.31	10	2.21	1260	<1	0.01	7	1150	<2	0.28	4
B87838		140	5.80	<10	<1	0.27	<10	2.00	1270	<1	0.02	8	1240	<2	1.24	3
B87839		87	4.99	<10	<1	0.28	<10	1.52	1055	<1	0.02	7	970	4	2.73	5
B87840		104	4.87	<10	<1	0.29	<10	1.36	953	1	<0.01	8	970	2	3.28	6
B87841		165	5.80	<10	<1	0.34	<10	1.92	1235	<1	0.01	8	1240	2	0.73	3
B87842		141	5.88	<10	<1	0.26	<10	2.03	1290	<1	0.02	9	1120	4	2.93	2
B87843		112	5.37	<10	<1	0.30	<10	1.76	1195	1	0.01	8	1350	2	0.86	3
B87844		136	5.35	<10	<1	0.28	<10	1.56	1130	<1	0.01	7	1400	4	3.69	15
B87845		112	5.51	<10	<1	0.36	<10	1.72	1250	1	0.01	5	1500	<2	3.25	3
B87846		133	5.56	<10	<1	0.30	<10	1.76	1245	<1	0.02	8	1440	2	1.82	<2
B87847		114	5.76	<10	<1	0.32	10	1.81	1170	1	0.01	7	1340	<2	0.35	4
B87848		84	5.14	<10	<1	0.24	<10	1.52	996	<1	0.01	7	1200	3	2.28	3
B87849		101	5.00	<10	<1	0.34	<10	1.46	960	1	0.01	7	1050	<2	2.41	5
B87850		80	5.33	<10	<1	0.23	<10	1.65	1020	<1	0.02	10	1010	2	2.62	3
B87851		73	5.01	<10	<1	0.32	<10	1.42	1015	1	0.01	10	1230	2	1.36	5
B87852		52	5.02	<10	<1	0.28	<10	1.34	781	2	0.01	13	970	3	4.43	5
B87853		78	5.37	<10	<1	0.24	<10	1.58	945	1	<0.01	9	1140	3	4.34	2
B87854		132	5.14	<10	1	0.39	<10	1.57	1005	<1	0.01	9	1140	5	2.48	4
B87855		130	4.99	<10	<1	0.30	<10	1.54	970	<1	0.01	11	910	2	2.37	3
B87856		78	5.68	<10	<1	0.28	<10	1.71	1115	<1	0.02	9	1080	4	3.64	4
B87857		91	4.77	<10	<1	0.27	<10	1.56	1155	<1	0.01	9	1050	5	1.31	4
B87858		109	4.97	<10	<1	0.32	<10	1.52	1040	2	0.01	8	1070	8	2.95	4
B87859		25	5.53	<10	<1	0.22	<10	1.71	1045	1	0.03	11	1200	4	4.56	<2
B87860		83	5.53	<10	<1	0.30	<10	1.68	1125	1	0.02	12	1220	4	2.27	<2
B87861		90	4.82	<10	<1	0.27	<10	1.56	1060	1	0.02	10	1110	3	1.98	<2
B87862		57	5.24	<10	<1	0.24	<10	1.58	963	1	0.04	10	1150	2	2.65	<2
B87863		35	5.22	<10	<1	0.20	<10	1.71	1045	1	0.04	11	1250	3	4.13	3
B87864		71	4.90	<10	<1	0.27	<10	1.57	1005	1	0.03	10	1110	2	2.37	<2
B87865		85	5.24	<10	<1	0.24	<10	1.64	1010	1	0.02	10	1190	2	0.90	<2
B87866		68	5.52	<10	<1	0.19	<10	1.70	1060	1	0.04	10	1100	3	2.68	<2

Comments: some samples show erratic Au





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072975

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sc ppm 1	Sr ppm 1	Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
B87827		9	219	<0.01	<10	<10	17	<10	81
B87828		7	209	<0.01	<10	<10	13	80	63
B87829		7	205	<0.01	<10	<10	14	<10	81
B87830		6	292	<0.01	<10	<10	11	<10	61
B87831		9	378	<0.01	<10	<10	17	<10	48
B87832		8	342	<0.01	<10	<10	15	<10	51
B87833		10	388	<0.01	<10	<10	19	<10	47
B87834		10	295	<0.01	<10	<10	17	<10	64
B87835		10	331	<0.01	<10	<10	17	<10	59
B87836		9	368	<0.01	<10	<10	14	<10	62
B87837		9	303	<0.01	<10	<10	15	<10	76
B87838		9	312	<0.01	<10	<10	15	<10	68
B87839		8	327	<0.01	<10	10	13	<10	49
B87840		5	289	<0.01	<10	<10	11	<10	45
B87841		7	222	<0.01	<10	<10	13	<10	70
B87842		10	428	<0.01	<10	<10	14	<10	60
B87843		8	267	<0.01	<10	<10	14	<10	58
B87844		7	370	<0.01	<10	<10	12	<10	49
B87845		7	400	<0.01	<10	10	14	<10	49
B87846		8	308	<0.01	<10	<10	13	<10	65
B87847		8	186	<0.01	<10	10	14	<10	92
B87848		6	245	<0.01	<10	<10	10	<10	55
B87849		6	320	<0.01	<10	<10	12	<10	53
B87850		9	321	<0.01	<10	<10	14	<10	50
B87851		7	228	<0.01	<10	<10	15	<10	58
B87852		7	286	<0.01	<10	<10	15	<10	41
B87853		7	319	<0.01	<10	<10	14	<10	44
B87854		7	375	<0.01	<10	<10	11	<10	50
B87855		6	304	<0.01	<10	<10	11	<10	50
B87856		9	341	<0.01	<10	<10	15	<10	48
B87857		7	308	<0.01	<10	<10	11	<10	55
B87858		7	317	<0.01	<10	<10	13	<10	43
B87859		9	376	<0.01	<10	<10	18	<10	40
B87860		6	318	<0.01	<10	<10	14	<10	52
B87861		7	274	<0.01	<10	<10	13	<10	43
B87862		8	271	<0.01	<10	<10	17	<10	50
B87863		10	327	<0.01	<10	<10	13	<10	46
B87864		8	340	<0.01	<10	<10	16	<10	46
B87865		7	261	<0.01	<10	<10	14	<10	55
B87866		10	300	<0.01	<10	<10	14	<10	50

Comments: some samples show erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 3 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072975

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt.	Au	Au Check	Au Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr
		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
B87867		2.62	0.726			0.5	0.41	16	<10	50	<0.5	<2	4.50	<0.5	20	21
B87868		4.08	0.262			<0.2	0.48	26	<10	50	<0.5	<2	4.67	<0.5	18	26
B87869		3.80	0.299			0.2	0.53	24	<10	40	<0.5	<2	4.13	<0.5	20	15
B87870		3.56	0.713			<0.2	0.53	7	<10	50	<0.5	<2	4.38	<0.5	18	28
B87871		2.86	0.366			<0.2	0.43	8	<10	50	<0.5	<2	4.33	<0.5	16	12
B87872		3.56	0.559			0.2	0.52	4	<10	60	<0.5	<2	4.32	<0.5	19	20
B87873		3.40	0.306			0.5	0.44	18	<10	70	<0.5	<2	4.38	<0.5	20	30
B87874		3.56	0.943			0.7	0.41	20	<10	70	<0.5	<2	4.02	<0.5	21	36
B87875		3.46	0.437			0.7	0.38	21	<10	50	<0.5	<2	4.32	<0.5	20	35
B87876		3.62	0.428			0.6	0.54	26	<10	70	<0.5	<2	4.74	<0.5	17	39
B87877		3.90	0.232			0.7	0.52	50	<10	70	0.5	<2	4.78	<0.5	20	29
B87878		3.74	0.059			<0.2	0.50	37	<10	60	<0.5	<2	4.43	<0.5	17	21
B87879		3.36	0.011			<0.2	0.52	43	<10	70	<0.5	<2	4.13	<0.5	22	22
B87880		3.60	0.769			0.4	0.51	45	<10	70	<0.5	<2	4.74	<0.5	24	19
B87881		3.44	0.141			<0.2	0.47	21	<10	60	<0.5	<2	4.53	<0.5	23	21
B87882		3.58	0.244			0.2	0.37	31	<10	40	<0.5	<2	5.21	<0.5	21	17
B87883		3.26	0.028			<0.2	0.53	41	<10	40	<0.5	<2	3.51	<0.5	23	18
B87884		4.20	0.299			0.5	0.44	56	<10	50	<0.5	<2	4.00	<0.5	21	14
B87885		3.68	0.013			<0.2	0.48	38	<10	60	<0.5	<2	3.55	<0.5	23	15
B87886		3.74	0.041			<0.2	0.41	47	<10	40	<0.5	<2	3.75	<0.5	22	11
B87887		3.66	0.008			<0.2	0.46	43	<10	50	<0.5	<2	5.46	<0.5	20	15
B87888		3.22	0.202			<0.2	0.48	56	<10	60	<0.5	<2	6.12	<0.5	21	18
B87889		3.60	0.048			<0.2	0.44	46	<10	50	<0.5	<2	6.57	<0.5	18	22
B87890		4.02	0.189			0.4	0.43	44	<10	60	<0.5	<2	5.75	<0.5	26	10
B87891		3.84	0.845			0.7	0.50	34	<10	80	<0.5	<2	4.42	<0.5	21	24
B87892		4.18	0.064			0.2	0.44	29	<10	70	<0.5	<2	4.39	<0.5	21	16
B87893		3.60	0.118			<0.2	0.34	14	<10	60	<0.5	<2	4.08	<0.5	21	16
B87894		3.30	0.486			<0.2	0.33	12	<10	60	<0.5	<2	3.80	<0.5	18	13
B87895		4.68	0.145			<0.2	0.34	22	<10	60	<0.5	<2	4.79	<0.5	21	18
B87896		2.00	3.26			0.5	0.33	37	<10	50	<0.5	<2	3.95	<0.5	24	14
B87897		3.48	<0.005			<0.2	0.48	42	<10	60	<0.5	<2	3.61	<0.5	22	15
B87898		3.72	0.113			<0.2	0.47	37	<10	80	<0.5	<2	3.21	<0.5	24	13
B87899		3.58	1.270			0.3	0.44	29	<10	90	<0.5	<2	4.25	<0.5	26	21
B87900		3.66	0.499			0.3	0.36	31	<10	80	<0.5	<2	5.18	<0.5	22	16
B87901		2.92	0.518			0.2	0.38	22	<10	70	<0.5	<2	5.52	<0.5	20	30
B87902		3.32	0.130			0.3	0.29	18	<10	60	<0.5	<2	6.41	<0.5	18	21
B87903		3.18	0.266			0.3	0.35	41	<10	60	<0.5	<2	5.50	<0.5	19	26
B87904		3.60	0.023			0.3	0.39	38	<10	80	<0.5	<2	4.48	<0.5	21	18
B87905		3.68	0.007			<0.2	0.44	36	<10	90	<0.5	<2	4.14	<0.5	23	19
B87906		5.70	<0.005			<0.2	0.37	40	<10	90	<0.5	<2	4.08	<0.5	24	13

Comments: some samples show erratic Au

ALS QCM-002



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 3 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 31-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072975

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Cu ppm 1	Fe % 0.01	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2
B87867		94	5.15	<10	<1	0.20	<10	1.55	1015	1	0.02	14	1020	7	2.33	2
B87868		70	5.10	<10	<1	0.27	<10	1.62	1155	1	0.01	11	940	3	1.40	<2
B87869		78	5.62	<10	<1	0.29	<10	1.74	1220	1	0.01	8	1490	2	1.70	<2
B87870		61	4.79	<10	<1	0.34	<10	1.62	1180	1	0.02	6	1040	2	1.22	<2
B87871		63	4.74	<10	<1	0.27	10	1.58	1215	1	0.02	7	1070	2	0.35	<2
B87872		109	5.74	<10	<1	0.29	10	1.98	1520	1	0.03	7	1340	3	0.80	<2
B87873		85	5.04	<10	<1	0.19	<10	1.62	1140	1	0.01	13	1100	3	2.76	<2
B87874		74	5.00	<10	<1	0.26	<10	1.51	958	1	0.02	17	700	2	3.82	<2
B87875		71	5.30	<10	<1	0.20	<10	1.66	1040	1	0.02	15	910	3	4.09	2
B87876		129	4.56	<10	<1	0.27	<10	1.51	933	1	<0.01	12	1110	3	2.18	2
B87877		112	5.47	<10	<1	0.28	<10	1.64	1115	1	0.01	11	1090	11	1.40	2
B87878		83	4.98	<10	<1	0.28	10	1.62	1085	1	0.01	10	1070	2	0.37	<2
B87879		76	5.65	<10	<1	0.32	<10	1.87	1160	1	0.01	12	950	3	0.30	2
B87880		107	5.72	<10	<1	0.30	<10	1.82	1155	4	0.01	13	840	3	2.47	<2
B87881		86	5.64	<10	<1	0.28	<10	1.97	1050	<1	0.02	14	910	2	0.74	<2
B87882		119	5.82	<10	<1	0.22	<10	2.15	1125	<1	0.03	13	840	2	1.56	<2
B87883		91	5.92	<10	<1	0.29	10	2.08	1075	<1	0.02	13	860	<2	0.09	<2
B87884		101	6.06	<10	<1	0.26	<10	2.13	1110	<1	0.02	13	810	2	1.73	<2
B87885		97	6.00	<10	<1	0.27	10	2.13	1070	<1	0.02	14	860	<2	0.07	<2
B87886		100	5.59	<10	<1	0.26	<10	1.93	1020	<1	0.02	14	820	<2	0.19	<2
B87887		85	5.09	<10	<1	0.30	<10	1.90	1080	<1	0.01	12	760	<2	0.10	<2
B87888		79	5.23	<10	<1	0.30	<10	1.83	971	1	0.01	13	810	2	0.43	<2
B87889		96	5.39	<10	<1	0.27	<10	1.97	1025	1	0.02	13	840	<2	0.46	<2
B87890		166	5.34	<10	<1	0.29	<10	1.78	1075	1	0.01	17	690	3	1.36	<2
B87891		58	5.30	<10	<1	0.32	<10	1.86	1020	1	0.01	15	810	3	2.82	<2
B87892		113	4.66	<10	<1	0.29	<10	1.70	909	<1	0.02	13	630	<2	0.33	<2
B87893		93	5.38	<10	<1	0.23	<10	2.07	1005	<1	0.03	14	650	<2	1.07	<2
B87894		86	4.92	<10	<1	0.22	<10	1.76	928	<1	0.04	12	630	<2	1.02	<2
B87895		76	5.39	<10	<1	0.21	<10	1.94	1050	<1	0.05	14	790	3	2.18	2
B87896		170	6.10	<10	<1	0.19	<10	1.16	1430	1	0.04	17	1150	<2	0.82	<2
B87897		120	6.27	<10	<1	0.31	<10	1.89	1420	1	0.03	14	1110	3	0.12	<2
B87898		140	6.24	<10	<1	0.30	10	1.64	1460	<1	0.02	12	1470	3	0.09	<2
B87899		118	6.41	<10	<1	0.27	<10	1.81	1530	<1	0.03	13	1100	<2	1.32	<2
B87900		134	5.77	<10	<1	0.22	<10	1.86	1550	1	0.04	11	1450	2	1.48	<2
B87901		145	5.27	<10	<1	0.20	<10	1.52	1425	1	0.04	10	1670	2	2.01	<2
B87902		134	5.31	<10	<1	0.16	<10	1.61	1575	1	0.04	10	1810	2	1.62	<2
B87903		157	5.32	<10	<1	0.22	<10	1.70	1505	1	0.05	12	1370	<2	0.96	2
B87904		138	5.70	<10	<1	0.26	10	1.66	1510	<1	0.03	10	1260	2	0.13	<2
B87905		130	5.91	<10	<1	0.29	10	1.92	1465	1	0.03	12	1240	<2	0.06	<2
B87906		116	5.96	<10	<1	0.25	<10	1.96	1430	<1	0.03	13	1030	2	0.21	<2

Comments: some samples show erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 3 - C  
 Total # Pages: 5 (A - C)  
 Finalized Date: 31-OCT-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04072975**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sc ppm 1	Sr ppm 1	Tl % 0.01	Tl ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
B87867		8	288	<0.01	<10	<10	14	<10	51
B87868		7	251	<0.01	<10	<10	13	<10	56
B87869		6	234	<0.01	<10	<10	13	<10	64
B87870		6	233	<0.01	<10	<10	12	<10	45
B87871		6	221	<0.01	<10	<10	9	<10	49
B87872		8	259	<0.01	<10	<10	17	<10	62
B87873		9	289	<0.01	<10	<10	15	<10	42
B87874		8	351	<0.01	<10	<10	14	<10	41
B87875		11	352	<0.01	<10	<10	16	<10	37
B87876		8	329	<0.01	<10	<10	14	<10	42
B87877		8	276	<0.01	<10	<10	17	<10	110
B87878		6	229	<0.01	<10	<10	12	<10	53
B87879		7	204	<0.01	<10	<10	13	<10	73
B87880		7	314	<0.01	<10	<10	13	<10	51
B87881		8	262	<0.01	<10	<10	17	<10	60
B87882		10	323	<0.01	<10	<10	18	<10	58
B87883		7	130	<0.01	<10	<10	17	<10	74
B87884		7	263	<0.01	<10	<10	14	<10	71
B87885		7	144	<0.01	<10	<10	16	<10	86
B87886		6	157	<0.01	<10	<10	13	<10	70
B87887		6	234	<0.01	<10	<10	12	<10	59
B87888		7	273	<0.01	<10	<10	13	<10	78
B87889		8	281	<0.01	<10	<10	13	<10	75
B87890		6	284	<0.01	<10	<10	11	<10	50
B87891		7	330	<0.01	<10	<10	14	<10	51
B87892		6	292	<0.01	<10	<10	12	<10	71
B87893		8	329	<0.01	<10	<10	16	<10	57
B87894		8	292	<0.01	<10	<10	16	<10	54
B87895		10	385	<0.01	<10	<10	19	<10	48
B87896		10	250	<0.01	<10	<10	17	<10	61
B87897		7	198	<0.01	<10	<10	19	<10	70
B87898		7	181	<0.01	<10	<10	16	<10	73
B87899		9	335	<0.01	<10	<10	19	<10	62
B87900		10	393	<0.01	<10	<10	20	<10	53
B87901		11	387	<0.01	<10	<10	19	<10	49
B87902		12	412	<0.01	<10	10	19	<10	51
B87903		9	325	<0.01	<10	<10	19	<10	56
B87904		7	266	<0.01	<10	<10	16	<10	66
B87905		7	243	<0.01	<10	<10	17	<10	72
B87906		8	280	<0.01	<10	<10	16	<10	71

QCM-003  
QCM-002B

Comments: some samples show erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 4 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072975

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Cu %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
B87907		0.98	<0.005			<0.2	1.67	21	<10	60	<0.5	<2	5.43	<0.5	20	24
B87908		1.50	<0.005			<0.2	2.88	12	<10	70	<0.5	<2	2.84	<0.5	22	32
B87909		1.72	<0.005			<0.2	3.10	16	<10	60	<0.5	<2	3.77	<0.5	20	40
B87910		1.40	<0.005			<0.2	1.75	27	<10	100	<0.5	<2	3.64	<0.5	23	27
B87911		1.38	0.011			<0.2	1.44	25	<10	70	<0.5	<2	3.78	<0.5	18	34
B87912		2.70	0.121			0.3	0.57	57	<10	60	<0.5	<2	4.05	<0.5	22	17
B87913		3.92	0.006			<0.2	0.50	41	<10	50	<0.5	<2	4.38	<0.5	20	15
B87914		2.96	0.154			<0.2	0.51	63	<10	60	<0.5	<2	3.91	<0.5	20	14
B87915		3.18	0.007			0.2	0.54	65	<10	70	<0.5	<2	4.54	<0.5	21	23
B87916		3.04	0.030			<0.2	0.47	67	<10	90	<0.5	<2	4.99	<0.5	18	28
B87917		2.96	0.047			0.3	0.56	75	<10	110	<0.5	<2	4.43	<0.5	20	26
B87918		2.80	0.009			0.4	0.58	52	<10	90	<0.5	<2	4.62	<0.5	20	32
B87919		3.16	0.712			0.7	0.48	31	<10	80	<0.5	<2	5.84	<0.5	19	52
B87920		3.50	1.060			0.5	0.41	26	<10	50	<0.5	<2	5.77	<0.5	21	27
B87921		3.66	0.087			<0.2	0.49	33	<10	70	<0.5	<2	4.43	<0.5	19	35
B87922		3.18	0.106			0.5	0.49	59	<10	40	<0.5	<2	5.24	<0.5	20	21
B87923		3.28	0.029	0.085	0.355	<0.2	0.49	34	<10	40	<0.5	<2	3.79	<0.5	21	24
B87924		3.52	0.300			<0.2	0.33	10	<10	30	<0.5	<2	4.80	<0.5	20	39
B87925		3.76	0.310	0.181	0.048	<0.2	0.40	27	<10	40	<0.5	<2	4.26	<0.5	20	36
B87926		3.30	0.059			<0.2	0.44	35	<10	60	<0.5	<2	3.56	<0.5	18	22
B87927		3.36	0.165			<0.2	0.50	17	<10	60	<0.5	<2	3.72	<0.5	18	23
B87928		2.66	0.048			<0.2	0.54	42	<10	50	<0.5	<2	3.74	<0.5	19	39
B87929		2.60	0.027			<0.2	0.40	32	<10	30	<0.5	<2	4.79	<0.5	22	22
B87930		2.88	0.200			<0.2	0.48	18	<10	40	<0.5	<2	6.06	<0.5	19	40
B87931		3.48	0.008			0.4	0.51	82	<10	60	<0.5	<2	3.52	<0.5	20	22
B87932		3.60	0.005			0.3	0.47	50	<10	60	<0.5	<2	3.88	<0.5	17	27
B87933		3.22	<0.005			0.2	0.55	47	<10	40	<0.5	<2	4.31	<0.5	21	27
B87934		3.18	<0.005			<0.2	0.41	48	<10	40	<0.5	<2	4.67	<0.5	22	22
B87935		3.92	<0.005			0.2	0.49	31	<10	70	<0.5	<2	3.61	<0.5	18	13
B87936		4.04	0.022			0.3	0.58	29	<10	80	<0.5	<2	4.13	<0.5	19	19
B87937		2.58	0.330			0.2	0.36	5	<10	70	<0.5	<2	4.77	<0.5	19	25
B87938		3.66	0.625			0.5	0.42	11	<10	80	<0.5	<2	5.16	<0.5	21	24
B87939		4.06	1.170			0.3	0.44	30	<10	60	<0.5	<2	5.10	<0.5	22	22
B87940		3.08	0.625			0.2	0.49	31	<10	70	<0.5	<2	4.57	<0.5	20	33
B87941		3.28	0.023			0.2	0.44	47	<10	70	<0.5	<2	3.89	<0.5	22	21
B87942		3.40	0.005			<0.2	0.49	35	<10	90	<0.5	<2	3.57	<0.5	21	24
B87943		3.76	0.006			<0.2	0.44	46	<10	70	<0.5	<2	5.55	<0.5	23	19
B87944		3.28	0.037			0.5	0.55	31	<10	110	<0.5	<2	4.46	<0.5	20	25
B87945		3.30	0.726			1.3	0.45	23	<10	90	<0.5	<2	4.25	<0.5	17	33
B87946		2.96	0.346			0.6	0.56	28	<10	120	<0.5	<2	4.26	<0.5	17	31

Comments: some samples show erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 4 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 31-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072975

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm
		1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
B87907		91	5.45	<10	<1	0.22	10	2.08	1230	1	0.04	12	1570	2	0.12	<2
B87908		105	5.66	10	<1	0.18	10	2.09	1110	1	0.04	16	950	4	0.20	<2
B87909		103	5.70	10	1	0.16	10	2.21	1090	<1	0.04	22	930	2	0.09	<2
B87910		144	6.01	<10	<1	0.22	10	1.98	1175	1	0.05	20	1090	2	0.19	<2
B87911		87	5.73	<10	<1	0.18	10	1.92	1115	<1	0.05	18	1110	4	0.16	<2
B87912		121	5.70	<10	<1	0.22	<10	1.82	1265	1	0.05	8	1350	3	0.47	<2
B87913		105	5.80	<10	<1	0.19	10	1.98	1380	1	0.06	8	1290	<2	0.21	<2
B87914		118	6.25	<10	<1	0.23	<10	2.00	1320	1	0.04	9	1380	2	0.69	<2
B87915		108	5.56	<10	<1	0.27	10	1.64	1070	1	0.04	15	1090	3	0.21	<2
B87916		96	5.19	<10	<1	0.26	<10	1.58	1065	1	0.04	14	1050	2	0.59	<2
B87917		115	5.39	<10	<1	0.30	<10	1.70	942	1	0.03	11	1100	2	0.96	<2
B87918		136	5.67	<10	<1	0.27	10	1.84	1065	2	0.03	9	1310	2	0.30	<2
B87919		103	5.66	<10	<1	0.23	<10	1.96	1120	1	0.02	11	1030	3	1.52	2
B87920		93	5.62	<10	<1	0.20	<10	1.88	1120	1	0.02	14	940	3	1.90	2
B87921		80	5.37	<10	<1	0.25	<10	1.69	977	1	0.02	13	950	2	0.26	<2
B87922		91	5.69	<10	<1	0.21	<10	1.97	1150	1	0.02	16	1010	<2	0.84	3
B87923		74	5.80	<10	<1	0.25	10	1.82	1025	1	0.02	14	870	2	0.02	<2
B87924		33	5.37	<10	<1	0.16	<10	1.92	1075	1	0.04	14	940	<2	3.32	<2
B87925		71	4.87	<10	<1	0.22	<10	1.69	894	1	0.02	14	870	<2	0.87	<2
B87926		95	5.05	<10	<1	0.24	<10	1.58	870	1	0.01	11	880	<2	0.38	<2
B87927		111	5.58	<10	<1	0.28	<10	1.76	932	3	0.01	13	870	5	0.73	<2
B87928		76	5.15	<10	<1	0.29	<10	1.76	913	2	0.02	13	900	<2	0.31	<2
B87929		94	5.78	<10	<1	0.19	<10	1.96	1055	1	0.03	15	930	2	0.08	<2
B87930		111	5.24	<10	<1	0.21	<10	1.80	1055	1	0.03	14	870	2	0.74	<2
B87931		91	5.62	<10	<1	0.24	<10	1.85	1025	1	0.05	14	880	<2	0.77	2
B87932		83	5.49	<10	<1	0.22	<10	1.96	1030	1	0.04	14	900	<2	0.39	<2
B87933		89	6.44	<10	<1	0.19	<10	2.16	1180	1	0.06	17	1150	<2	0.08	<2
B87934		86	5.44	<10	<1	0.19	<10	1.90	1165	1	0.05	18	910	2	0.24	<2
B87935		157	5.70	<10	<1	0.25	10	2.03	1105	1	0.04	10	1290	<2	0.06	<2
B87936		144	5.74	<10	<1	0.26	10	2.09	1175	1	0.05	12	1260	<2	0.07	<2
B87937		90	5.41	<10	<1	0.23	<10	2.28	1185	1	0.04	11	1050	<2	1.70	<2
B87938		99	5.43	<10	<1	0.28	<10	2.13	1130	1	0.02	12	970	3	1.89	<2
B87939		103	5.66	<10	<1	0.26	<10	2.09	1155	1	0.02	14	990	2	0.99	<2
B87940		124	5.39	<10	<1	0.27	<10	1.95	1055	1	0.03	16	890	<2	0.61	<2
B87941		142	5.82	<10	<1	0.25	<10	2.08	1120	1	0.02	15	980	2	0.12	<2
B87942		106	5.51	<10	<1	0.29	<10	2.04	1060	1	0.03	15	910	2	0.14	<2
B87943		145	5.41	<10	<1	0.25	<10	2.01	1250	1	0.02	14	1120	<2	0.24	<2
B87944		169	5.56	<10	<1	0.27	10	1.88	1265	2	0.02	9	1370	3	0.10	<2
B87945		172	5.62	<10	<1	0.25	<10	1.81	1250	2	0.02	7	1480	<2	1.50	<2
B87946		194	5.63	<10	<1	0.29	<10	1.93	1330	2	0.03	6	1450	4	1.52	<2

Comments: some samples show erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 4 - C  
 Total # Pages: 5 (A - C)  
 Finalized Date: 31-OCT-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04072975**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sc ppm 1	Sr ppm 1	Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
B87907		9	385	0.03	<10	<10	70	<10	84
B87908		8	190	0.17	<10	<10	95	<10	80
B87909		10	248	0.17	<10	<10	113	<10	76
B87910		10	192	0.02	<10	<10	63	<10	78
B87911		10	176	0.03	<10	<10	59	<10	70
B87912		9	188	<0.01	<10	<10	21	<10	72
B87913		11	186	<0.01	<10	<10	20	<10	73
B87914		10	186	<0.01	<10	<10	19	<10	88
B87915		8	198	<0.01	<10	<10	17	<10	87
B87916		8	281	<0.01	<10	<10	15	<10	58
B87917		8	272	<0.01	<10	<10	15	<10	59
B87918		9	224	<0.01	<10	<10	17	<10	62
B87919		11	382	<0.01	<10	<10	19	<10	57
B87920		11	366	<0.01	<10	<10	17	<10	51
B87921		8	200	<0.01	<10	<10	15	<10	64
B87922		10	251	<0.01	<10	<10	17	<10	62
B87923		7	167	<0.01	<10	<10	14	<10	67
B87924		13	343	<0.01	<10	<10	17	<10	46
B87925		7	230	<0.01	<10	<10	12	<10	53
B87926		6	156	<0.01	<10	<10	9	<10	60
B87927		6	205	<0.01	<10	<10	9	<10	63
B87928		8	160	<0.01	<10	<10	16	<10	73
B87929		9	194	<0.01	<10	<10	15	<10	71
B87930		9	277	<0.01	<10	<10	16	<10	51
B87931		9	140	<0.01	<10	<10	15	<10	80
B87932		9	158	<0.01	<10	<10	14	<10	79
B87933		11	158	<0.01	<10	<10	23	<10	89
B87934		9	163	<0.01	<10	10	16	<10	66
B87935		9	124	<0.01	<10	<10	15	<10	81
B87936		8	148	<0.01	<10	<10	16	<10	76
B87937		10	317	<0.01	<10	<10	15	<10	60
B87938		8	338	<0.01	<10	<10	14	<10	61
B87939		8	258	<0.01	<10	<10	13	<10	57
B87940		8	207	<0.01	<10	<10	16	<10	56
B87941		8	151	<0.01	<10	<10	15	<10	75
B87942		8	135	<0.01	<10	<10	15	<10	71
B87943		8	198	<0.01	<10	<10	16	<10	65
B87944		7	197	<0.01	<10	<10	14	<10	71
B87945		6	245	<0.01	<10	<10	12	<10	69
B87946		7	241	<0.01	<10	<10	15	<10	72

Comments: some samples show erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 5 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 31-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072975

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
B87947		3.04	0.051			0.4	0.56	25	<10	130	<0.5	<2	2.89	<0.5	18	32
B87948		3.60	0.005			0.2	0.62	29	<10	130	<0.5	<2	3.66	<0.5	17	31
B87949		3.60	0.014			0.2	0.51	32	<10	110	<0.5	<2	4.04	<0.5	16	35
B87950		3.82	<0.005			<0.2	0.55	26	<10	90	<0.5	<2	3.59	<0.5	17	26
B87951		3.52	<0.005			0.2	0.49	25	<10	150	<0.5	<2	3.52	<0.5	15	45
B87952		3.12	<0.005			<0.2	0.58	38	<10	100	<0.5	<2	4.72	<0.5	18	33
B87953		3.42	<0.005			0.2	0.52	29	<10	90	<0.5	<2	3.71	<0.5	18	19
B87954		3.22	0.048			0.3	0.60	25	<10	70	<0.5	<2	4.24	<0.5	19	27
B87955		3.18	0.008			0.2	0.56	24	<10	70	<0.5	<2	4.34	<0.5	17	21
B87956		3.28	<0.005			0.2	0.59	23	<10	60	<0.5	<2	4.16	<0.5	19	21
B87957		2.60	<0.005			<0.2	0.57	16	<10	70	<0.5	<2	3.99	<0.5	16	26
B87958		3.06	<0.005			0.2	0.53	33	<10	70	<0.5	<2	3.89	<0.5	23	18
B87959		3.80	<0.005			<0.2	0.52	39	<10	50	<0.5	<2	4.59	<0.5	21	21
B87960		3.58	0.015			<0.2	0.55	42	<10	50	<0.5	<2	4.18	<0.5	21	24
B87961		3.16	<0.005			<0.2	0.70	78	<10	80	<0.5	<2	6.37	<0.5	31	33
B87962		3.72	0.708			1.0	0.54	63	<10	50	<0.5	<2	4.73	<0.5	28	21
B87963		3.46	0.034			0.2	0.44	25	<10	40	<0.5	<2	4.05	<0.5	17	26
B87964		4.18	<0.005			0.2	0.58	35	<10	50	<0.5	<2	3.90	<0.5	18	45

Comments: some samples show erratic Au





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 5 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 31-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072975

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
		ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
B87947		209	6.12	<10	<1	0.29	10	1.94	1230	2	0.04	6	1740	<2	0.10	<2
B87948		203	5.74	<10	<1	0.28	10	1.90	1295	2	0.06	5	1570	2	0.09	<2
B87949		186	5.17	<10	<1	0.21	<10	1.72	1235	2	0.06	6	1530	6	0.21	<2
B87950		188	5.41	<10	<1	0.19	10	1.77	1210	2	0.07	5	1440	3	0.10	<2
B87951		164	5.21	<10	<1	0.19	10	1.68	1135	2	0.06	8	1290	10	0.07	<2
B87952		194	5.74	<10	<1	0.21	<10	1.92	1465	2	0.08	6	1560	9	0.23	<2
B87953		218	5.96	<10	<1	0.19	10	1.97	1320	2	0.07	7	1590	4	0.10	<2
B87954		151	5.67	<10	<1	0.21	<10	1.98	1285	2	0.04	8	1380	2	0.67	<2
B87955		191	5.79	<10	<1	0.18	10	2.10	1375	2	0.06	7	1450	5	0.17	<2
B87956		199	6.00	<10	<1	0.14	10	2.31	1425	1	0.10	9	1500	4	0.04	<2
B87957		178	5.65	<10	<1	0.14	10	2.16	1315	1	0.10	9	1350	3	0.05	<2
B87958		151	5.73	<10	<1	0.17	10	2.09	1240	1	0.08	12	1270	<2	0.06	<2
B87959		114	5.61	<10	<1	0.12	<10	1.96	1170	1	0.08	18	1050	3	0.08	<2
B87960		75	5.87	<10	<1	0.17	<10	2.00	1055	1	0.07	16	930	<2	0.08	<2
B87961		81	7.40	<10	<1	0.29	<10	2.59	1230	1	0.06	24	1310	<2	0.17	<2
B87962		94	4.86	<10	<1	0.17	<10	1.81	884	1	0.05	22	1040	<2	0.15	<2
B87963		109	5.30	<10	<1	0.19	10	1.83	1040	2	0.04	10	1170	<2	0.09	<2
B87964		123	5.47	<10	<1	0.18	10	1.88	1085	2	0.08	10	1230	<2	0.06	<2

Comments: some samples show erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 5 - C

Total # Pages: 5 (A - C)

Finalized Date: 31-OCT-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072975

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sc	Sr	Ti	Ti	U	V	W	Zn
		ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
B87947		7	122	<0.01	<10	<10	15	<10	96
B87948		8	121	<0.01	<10	<10	17	<10	85
B87949		8	111	<0.01	<10	<10	15	<10	67
B87950		8	102	<0.01	<10	<10	16	<10	78
B87951		8	104	<0.01	<10	<10	15	<10	80
B87952		9	122	<0.01	<10	<10	17	<10	84
B87953		9	97	<0.01	<10	<10	15	<10	96
B87954		7	168	<0.01	<10	<10	15	<10	76
B87955		9	121	<0.01	<10	<10	15	<10	77
B87956		11	87	<0.01	<10	<10	20	<10	90
B87957		11	77	<0.01	<10	<10	20	<10	81
B87958		11	81	<0.01	<10	<10	18	<10	81
B87959		11	106	<0.01	<10	<10	20	<10	79
B87960		10	107	<0.01	<10	<10	16	<10	85
B87961		11	197	<0.01	<10	<10	20	<10	101
B87962		9	118	<0.01	<10	<10	18	<10	59
B87963		8	112	<0.01	<10	<10	14	<10	73
B87964		9	116	<0.01	<10	<10	17	<10	80

Comments: some samples show erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 1  
Finalized Date: 30-OCT-2004  
Account: MYA

## CERTIFICATE VA04072976

Project: QCM

P.O. No.:

This report is for 152 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-OCT-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

DAVID MEHNER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

QCM-004, 005

To: CANADIAN GOLD HUNTER CORP  
ATTN: RICK J. BAILES  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 2 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 30-OCT-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04072976**

QCM-004

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B87965		2.94	<0.005	0.3	0.57	36	<10	70	<0.5	<2	4.22	<0.5	20	16	132	5.50
B87966		2.74	0.014	0.3	0.45	33	<10	50	<0.5	<2	5.71	<0.5	17	18	108	4.94
B87967		2.94	<0.005	0.2	0.66	34	<10	40	<0.5	<2	4.63	<0.5	20	11	133	5.51
B87968		3.62	<0.005	0.3	0.54	23	<10	30	<0.5	<2	3.91	<0.5	18	10	111	5.41
B87969		2.90	<0.005	0.3	0.65	28	<10	40	<0.5	<2	3.69	<0.5	21	12	130	5.78
B87970		3.54	0.102	0.4	0.53	35	<10	40	<0.5	<2	3.86	<0.5	25	11	123	5.78
B87971		3.02	<0.005	<0.2	0.55	38	<10	40	<0.5	<2	4.67	<0.5	23	23	80	5.94
B87972		3.32	0.007	0.3	0.54	41	<10	60	<0.5	<2	5.88	<0.5	24	8	114	5.53
B87973		3.86	<0.005	0.2	0.62	46	<10	60	<0.5	<2	4.91	<0.5	24	16	98	5.86
B87974		3.72	<0.005	0.2	0.55	43	<10	30	<0.5	<2	4.29	<0.5	25	13	83	6.32
B87975		3.74	<0.005	0.4	0.55	36	<10	40	<0.5	<2	4.87	<0.5	22	25	53	5.69
B87976		3.48	<0.005	<0.2	0.40	37	<10	50	<0.5	<2	3.95	<0.5	21	16	61	5.49
B87977		3.26	<0.005	0.3	0.46	58	<10	60	<0.5	<2	6.35	<0.5	26	13	110	5.45
B87978		3.98	0.323	0.2	0.32	52	<10	50	<0.5	<2	5.78	<0.5	23	12	83	5.24
B87979		3.30	<0.005	0.2	0.46	43	<10	40	<0.5	<2	4.21	<0.5	26	13	88	5.92
B87980		3.76	<0.005	0.2	0.39	43	<10	40	<0.5	<2	3.70	<0.5	25	12	92	6.36
B87981		2.82	<0.005	0.2	0.49	34	<10	40	<0.5	<2	4.14	<0.5	22	22	88	5.96
B87982		4.10	0.013	0.3	0.41	45	<10	60	<0.5	<2	4.41	<0.5	23	10	121	5.65
B87983		4.58	0.018	0.4	0.48	37	<10	90	<0.5	<2	4.32	<0.5	20	8	177	5.58
B87984		2.80	0.434	0.7	0.33	15	<10	60	<0.5	<2	5.03	<0.5	19	13	133	5.64
B87985		3.12	0.190	0.6	0.44	21	<10	80	<0.5	<2	3.58	<0.5	20	9	182	5.47
B87986		3.54	0.339	0.5	0.38	5	<10	60	<0.5	<2	3.60	<0.5	19	8	173	5.41
B87987		3.68	0.410	0.5	0.40	3	<10	70	<0.5	<2	4.39	<0.5	18	21	150	5.34
B87988		3.12	0.383	0.6	0.27	7	<10	50	<0.5	<2	4.58	<0.5	18	19	69	5.52
B87989		3.34	0.363	0.4	0.43	8	<10	70	<0.5	<2	4.51	<0.5	20	15	128	5.59
B87990		2.80	<0.005	0.2	0.42	28	<10	60	<0.5	<2	3.82	<0.5	20	9	162	5.79
B87991		3.28	0.009	0.2	0.54	22	<10	70	<0.5	<2	5.05	<0.5	18	9	150	5.83
B87992		3.72	<0.005	<0.2	0.44	8	<10	50	<0.5	<2	3.96	<0.5	21	9	120	5.80
B87993		3.06	<0.005	<0.2	0.50	4	<10	40	<0.5	<2	3.86	<0.5	23	14	89	5.91
B87994		3.38	<0.005	<0.2	0.40	11	<10	40	<0.5	<2	4.34	<0.5	21	6	150	5.54
B87995		4.06	0.108	0.2	0.53	21	<10	60	<0.5	<2	4.69	<0.5	21	6	174	5.73
B87996		3.40	<0.005	0.2	0.42	33	<10	70	<0.5	<2	3.60	<0.5	21	4	196	5.95
B87997		2.36	0.072	0.5	0.44	21	<10	80	<0.5	<2	4.38	<0.5	20	11	165	5.83
B87998		3.20	0.009	0.4	0.36	26	<10	60	<0.5	<2	3.71	<0.5	21	5	187	5.79
B87999		2.40	0.021	0.4	0.45	25	<10	70	<0.5	<2	5.37	<0.5	18	21	152	5.36
B88000		3.58	0.327	0.6	0.43	25	<10	80	<0.5	<2	6.69	<0.5	22	17	103	5.64
M398901		3.92	0.520	0.4	0.41	19	<10	50	<0.5	<2	6.01	<0.5	21	24	98	5.80
M398902		3.64	0.022	0.4	0.42	33	<10	50	<0.5	<2	4.83	<0.5	20	14	140	5.45
M398903		4.08	<0.005	0.3	0.49	31	<10	60	<0.5	<2	3.97	<0.5	22	13	190	6.15
M398904		3.22	0.022	0.3	0.42	29	<10	50	<0.5	<2	4.91	<0.5	19	12	146	5.54



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 2 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 30-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072976

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
B87965		<10	<1	0.27	10	1.78	1065	1	0.07	9	1190	<2	0.04	<2	9	123
B87966		<10	<1	0.19	<10	1.68	1115	1	0.08	9	1050	<2	0.12	<2	9	158
B87967		<10	<1	0.15	10	1.86	1115	1	0.15	9	1250	<2	0.06	<2	11	114
B87968		<10	<1	0.09	10	1.79	1050	1	0.13	9	1200	2	0.02	<2	11	77
B87969		<10	<1	0.12	10	1.90	1030	1	0.16	12	1230	<2	0.04	<2	12	72
B87970		<10	<1	0.12	<10	2.09	1085	1	0.13	17	1020	2	0.10	<2	14	64
B87971		<10	<1	0.12	<10	1.92	1035	1	0.12	18	910	<2	0.05	<2	13	78
B87972		<10	<1	0.23	<10	2.03	1140	1	0.08	15	870	<2	0.39	<2	10	203
B87973		<10	<1	0.24	10	2.05	1115	1	0.09	16	1010	<2	0.05	<2	11	160
B87974		<10	<1	0.11	<10	2.11	1095	1	0.13	18	1040	3	0.13	<2	14	108
B87975		<10	<1	0.12	<10	1.89	1055	1	0.13	18	920	3	0.11	<2	12	102
B87976		<10	<1	0.15	<10	1.76	985	1	0.07	17	980	<2	0.13	<2	10	95
B87977		<10	<1	0.21	<10	1.75	1090	1	0.06	19	920	2	0.18	<2	9	154
B87978		<10	<1	0.14	<10	1.68	1060	1	0.06	16	890	2	0.19	<2	10	158
B87979		<10	<1	0.14	<10	1.90	1120	1	0.09	18	930	3	0.05	<2	11	106
B87980		<10	<1	0.10	<10	1.92	1100	1	0.09	19	970	<2	0.13	<2	12	89
B87981		<10	<1	0.13	<10	1.96	1200	<1	0.10	18	1000	<2	0.07	<2	11	102
B87982		<10	<1	0.20	<10	1.86	1080	1	0.05	14	1080	<2	0.10	<2	8	142
B87983		<10	<1	0.30	10	1.96	1160	1	0.02	5	1440	3	0.04	<2	7	178
B87984		<10	<1	0.20	<10	2.09	1220	<1	0.03	7	2070	<2	3.52	<2	10	417
B87985		<10	<1	0.29	<10	1.98	1155	1	0.02	6	1380	<2	0.50	<2	6	231
B87986		<10	<1	0.24	<10	1.96	1185	1	0.02	7	1380	<2	0.45	<2	6	206
B87987		<10	<1	0.25	<10	1.94	1215	<1	0.03	6	1330	4	2.14	<2	7	341
B87988		<10	<1	0.17	<10	1.92	1205	<1	0.04	9	1420	3	4.32	<2	10	381
B87989		<10	<1	0.27	<10	1.90	1285	<1	0.03	6	1320	4	1.36	<2	7	294
B87990		<10	<1	0.23	10	1.90	1200	1	0.03	8	1440	<2	0.06	<2	6	150
B87991		<10	<1	0.20	10	1.99	1320	1	0.09	8	1380	2	0.09	<2	9	140
B87992		<10	<1	0.13	<10	1.94	1195	<1	0.09	13	1080	<2	0.07	<2	11	77
B87993		<10	<1	0.10	<10	1.98	1240	<1	0.12	18	960	2	0.17	<2	15	75
B87994		<10	<1	0.12	<10	2.08	1380	<1	0.09	10	1310	<2	0.16	<2	11	91
B87995		<10	<1	0.17	10	2.21	1405	1	0.10	10	1530	5	0.06	<2	10	124
B87996		<10	<1	0.24	10	2.16	1270	1	0.03	7	1520	3	0.05	<2	7	134
B87997		<10	<1	0.26	<10	2.11	1345	<1	0.04	7	1540	3	0.65	<2	7	251
B87998		<10	<1	0.24	10	2.06	1285	1	0.03	6	1440	3	0.04	<2	6	170
B87999		<10	<1	0.25	10	1.92	1190	1	0.02	7	1380	3	0.07	<2	6	256
B88000		<10	<1	0.17	<10	2.02	1205	<1	0.02	15	1110	3	1.38	<2	10	369
M398901		<10	<1	0.19	<10	1.90	1145	<1	0.03	16	920	2	1.08	<2	11	350
M398902		<10	<1	0.17	<10	1.84	1115	<1	0.03	8	1280	2	0.10	<2	8	187
M398903		<10	<1	0.23	10	1.96	1115	1	0.04	9	1530	<2	0.04	<2	8	142
M398904		<10	<1	0.20	<10	1.82	1085	1	0.03	7	1420	3	0.06	<2	7	179



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 2 - C  
 Total # Pages: 5 (A - C)  
 Finalized Date: 30-OCT-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04072976**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
B87965		<0.01	<10	<10	18	<10	78
B87966		<0.01	<10	<10	15	<10	71
B87967		<0.01	<10	<10	20	<10	77
B87968		<0.01	<10	<10	17	<10	69
B87969		<0.01	<10	<10	22	<10	86
B87970		<0.01	<10	<10	22	<10	79
B87971		<0.01	<10	<10	24	<10	93
B87972		<0.01	<10	<10	19	<10	67
B87973		<0.01	<10	<10	21	<10	67
B87974		<0.01	<10	<10	25	<10	88
B87975		<0.01	<10	<10	22	<10	72
B87976		<0.01	<10	<10	16	<10	74
B87977		<0.01	<10	<10	15	<10	60
B87978		<0.01	<10	<10	15	<10	64
B87979		<0.01	<10	<10	21	<10	74
B87980		<0.01	<10	<10	20	<10	84
B87981		<0.01	<10	<10	21	<10	74
B87982		<0.01	<10	<10	15	<10	78
B87983		<0.01	<10	<10	13	<10	75
B87984		<0.01	<10	<10	14	<10	50
B87985		<0.01	<10	<10	12	<10	61
B87986		<0.01	<10	<10	10	<10	64
B87987		<0.01	<10	<10	15	<10	58
B87988		<0.01	<10	<10	15	<10	45
B87989		<0.01	<10	<10	15	<10	60
B87990		<0.01	<10	<10	11	<10	88
B87991		<0.01	<10	10	17	<10	72
B87992		<0.01	<10	<10	17	<10	76
B87993		<0.01	<10	<10	23	<10	76
B87994		<0.01	<10	<10	17	<10	75
B87995		<0.01	<10	<10	18	<10	84
B87996		<0.01	<10	<10	13	<10	90
B87997		<0.01	<10	<10	15	<10	64
B87998		<0.01	<10	<10	11	<10	79
B87999		<0.01	<10	<10	12	<10	67
B88000		<0.01	<10	<10	22	<10	45
M398901		<0.01	<10	<10	20	<10	44
M398902		<0.01	<10	<10	15	<10	77
M398903		<0.01	<10	<10	15	<10	86
M398904		<0.01	<10	<10	13	<10	82



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 3 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 30-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072976

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
M398905		3.70	<0.005	0.2	0.51	30	<10	50	<0.5	<2	4.18	<0.5	18	13	154	5.80
M398906		3.74	0.023	0.2	0.42	33	<10	60	<0.5	<2	5.60	<0.5	19	16	142	5.32
M398907		3.44	<0.005	0.2	0.49	25	<10	60	<0.5	<2	4.17	<0.5	19	17	158	5.29
M398908		3.48	<0.005	0.2	0.47	32	<10	70	<0.5	<2	5.15	<0.5	19	12	168	5.80
M398909		3.16	0.005	0.2	0.52	31	<10	70	<0.5	<2	5.93	<0.5	19	19	203	5.08
M398910		3.54	0.009	<0.2	0.48	31	<10	60	<0.5	<2	5.71	<0.5	18	9	152	5.49
M398911		2.08	<0.005	0.2	0.57	34	<10	50	<0.5	<2	3.84	<0.5	20	13	178	5.97
M398912		2.80	<0.005	0.2	0.44	30	<10	40	<0.5	<2	3.78	<0.5	20	8	178	6.00
M398913		3.44	<0.005	0.3	0.53	32	<10	40	<0.5	<2	3.59	<0.5	22	11	176	6.09
M398914		3.00	<0.005	0.2	0.45	34	<10	40	<0.5	<2	3.25	<0.5	21	6	178	6.01
M398915		3.02	<0.005	0.2	0.76	30	<10	40	<0.5	<2	3.59	<0.5	22	11	152	5.99
M398916		3.60	<0.005	0.2	0.48	24	<10	50	<0.5	<2	3.59	<0.5	18	11	164	5.75
M398917		3.44	0.016	0.2	0.46	34	<10	50	<0.5	<2	4.25	<0.5	20	9	157	5.77
M398918		4.48	0.409	0.6	0.34	16	<10	50	<0.5	<2	4.77	<0.5	20	17	120	5.65
M398919		2.88	0.023	0.2	0.37	32	<10	40	<0.5	<2	3.66	<0.5	19	8	107	5.45
M398920		3.02	0.242	0.3	0.36	37	<10	40	<0.5	<2	4.56	<0.5	19	13	108	5.78
M398921		3.60	0.551	0.2	0.42	20	<10	60	<0.5	<2	5.03	<0.5	19	24	47	5.29
M398922		4.24	0.220	1.0	0.44	14	<10	70	<0.5	<2	4.53	<0.5	19	17	154	5.62
M398923		3.80	0.009	0.3	0.34	23	<10	160	<0.5	<2	3.44	<0.5	17	8	142	4.83
M398924		3.66	0.238	<0.2	0.25	27	<10	40	<0.5	<2	3.59	<0.5	18	22	120	5.05
M398925		3.52	0.115	0.3	0.43	10	<10	60	<0.5	<2	3.63	<0.5	19	15	104	5.35
M398926		3.88	0.384	3.6	0.38	20	<10	50	<0.5	<2	4.07	<0.5	20	45	112	5.19
M398927		0.32	0.129	1.0	0.48	14	<10	50	<0.5	<2	3.90	<0.5	16	28	65	4.75
M398928		3.18	0.129	0.6	0.43	25	<10	60	<0.5	<2	4.14	<0.5	19	18	98	5.18
M398929		3.84	0.335	0.8	0.46	29	<10	60	<0.5	<2	4.69	<0.5	19	22	65	5.22
M398930		3.18	0.187	0.8	0.45	44	<10	70	<0.5	<2	4.16	<0.5	18	27	49	5.19
M398931		3.58	0.106	0.7	0.51	23	<10	80	<0.5	<2	4.05	<0.5	16	20	148	4.74
M398932		1.30	0.067	1.0	0.43	32	<10	60	<0.5	<2	4.53	<0.5	17	32	119	5.03
M398933		3.52	0.156	0.6	0.47	11	<10	80	<0.5	<2	4.39	<0.5	19	17	132	5.51
M398934		3.42	0.449	5.1	0.59	85	<10	80	<0.5	<2	5.56	<0.5	25	50	118	7.33
M398935		3.70	0.449	2.5	0.49	43	<10	80	<0.5	<2	3.82	<0.5	21	18	95	5.70
M398936		3.70	0.082	0.3	0.44	20	<10	70	<0.5	<2	3.82	<0.5	21	18	152	5.31
M398937		3.40	0.224	3.1	0.32	15	<10	50	<0.5	<2	4.40	<0.5	16	20	133	4.91
M398938		3.88	0.081	1.8	0.32	29	<10	50	<0.5	2	4.01	<0.5	19	31	96	5.80
M398939		3.94	0.237	1.6	0.45	72	<10	70	<0.5	<2	3.85	<0.5	18	19	101	5.10
M398940		3.36	0.127	2.4	0.43	50	<10	80	<0.5	<2	3.96	<0.5	22	33	124	5.88
M398941		3.34	0.055	0.6	0.42	14	<10	70	<0.5	<2	3.24	<0.5	20	11	138	5.60
M398942		3.36	0.178	0.8	0.35	29	<10	90	<0.5	<2	5.01	<0.5	19	33	90	5.19
M398943		3.76	0.133	0.5	0.36	22	<10	70	<0.5	<2	4.74	<0.5	18	24	34	5.64
M398944		3.88	0.023	0.6	0.44	32	<10	80	<0.5	<2	3.41	<0.5	20	16	79	5.56



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 3 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 30-OCT-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04072976**

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
M398905		<10	<1	0.19	10	1.90	1160	1	0.04	8	1390	<2	0.05	<2	7	148
M398906		<10	<1	0.20	<10	1.88	1110	<1	0.03	10	1230	<2	0.39	<2	7	238
M398907		<10	1	0.21	10	1.99	1155	<1	0.04	8	1350	3	0.04	<2	7	185
M398908		<10	<1	0.21	10	2.09	1270	<1	0.04	8	1540	2	0.04	<2	8	198
M398909		<10	<1	0.22	10	1.83	1185	1	0.04	7	1370	3	0.11	<2	7	190
M398910		<10	<1	0.19	10	1.96	1375	1	0.05	8	1390	4	0.09	<2	8	174
M398911		<10	<1	0.17	10	1.99	1170	<1	0.07	9	1550	3	0.05	<2	8	128
M398912		<10	<1	0.14	10	2.02	1355	1	0.08	8	1420	5	0.12	<2	9	112
M398913		<10	<1	0.13	10	1.92	1270	1	0.08	11	1520	3	0.14	<2	10	118
M398914		<10	<1	0.12	10	1.92	1255	1	0.07	8	1450	<2	0.10	<2	10	110
M398915		<10	<1	0.14	10	1.92	1265	1	0.06	10	1350	7	0.14	<2	10	132
M398916		<10	<1	0.18	10	1.87	1255	1	0.06	8	1390	2	0.09	<2	8	134
M398917		<10	<1	0.18	10	1.90	1265	<1	0.04	8	1370	2	0.19	<2	8	178
M398918		<10	<1	0.16	<10	1.80	1170	1	0.04	11	1240	2	2.27	<2	9	328
M398919		<10	<1	0.21	10	1.80	1060	1	0.04	8	1160	2	0.04	<2	7	184
M398920		<10	<1	0.19	<10	1.91	1185	1	0.03	9	1160	<2	0.78	<2	7	237
M398921		<10	<1	0.21	<10	1.78	1155	<1	0.03	11	1120	3	1.72	<2	8	306
M398922		<10	<1	0.22	<10	1.82	1475	1	0.02	7	1550	<2	1.42	<2	7	308
M398923		<10	<1	0.22	<10	1.56	1285	1	0.01	7	1220	2	0.18	<2	5	198
M398924		<10	<1	0.12	<10	1.47	1115	1	0.01	8	1040	<2	3.39	2	8	313
M398925		<10	<1	0.24	<10	1.72	1180	1	0.04	6	1240	<2	1.62	<2	7	251
M398926		<10	<1	0.17	<10	1.76	1085	<1	0.03	8	1090	3	4.40	5	8	370
M398927		<10	<1	0.17	<10	1.70	1100	1	0.03	7	1540	6	2.28	<2	9	282
M398928		<10	<1	0.25	<10	1.90	1330	1	0.02	6	1020	2	0.21	<2	7	240
M398929		<10	<1	0.20	<10	1.88	1280	1	0.03	9	1110	2	3.37	<2	9	384
M398930		<10	<1	0.24	<10	1.69	1245	1	0.02	7	1020	<2	2.94	<2	6	335
M398931		<10	<1	0.25	10	1.68	1240	1	0.02	4	1300	<2	0.20	<2	7	287
M398932		<10	<1	0.16	<10	1.90	1295	1	0.03	10	1650	3	2.31	3	11	376
M398933		<10	<1	0.29	<10	1.94	1310	<1	0.04	8	1340	2	2.48	2	8	421
M398934		<10	<1	0.35	<10	2.48	1655	1	0.06	14	1910	5	6.77	31	9	628
M398935		<10	<1	0.30	<10	1.85	1200	1	0.03	10	1200	4	4.42	10	6	378
M398936		<10	<1	0.28	<10	1.82	1185	1	0.03	9	1260	<2	0.40	<2	6	313
M398937		<10	<1	0.16	<10	1.79	1100	1	0.05	10	1160	<2	3.63	5	10	390
M398938		<10	<1	0.18	<10	1.82	1100	1	0.05	10	1240	3	5.15	5	11	486
M398939		<10	<1	0.28	<10	1.65	1055	1	0.03	10	1140	<2	2.62	2	5	411
M398940		<10	1	0.25	<10	1.83	1190	2	0.02	11	1420	4	2.40	11	7	343
M398941		<10	<1	0.25	10	1.88	1170	1	0.02	9	1250	2	0.32	<2	6	212
M398942		<10	1	0.17	<10	1.84	1130	<1	0.03	10	1080	3	3.38	<2	10	414
M398943		<10	<1	0.18	<10	1.84	1100	1	0.05	11	1200	3	5.01	<2	11	434
M398944		<10	<1	0.24	<10	1.75	1085	1	0.02	11	1100	3	1.06	2	7	228





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 3 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 30-OCT-2004  
Account: MYA

Project: QCM

<b>CERTIFICATE OF ANALYSIS VA04072976</b>
---

Sample Description	Method Analyte Units LOR	ME-ICP41		ME-ICP41		ME-ICP41		ME-ICP41	
		Tl	Tl	U	V	W	Zn		
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2		
M398905		<0.01	<10	<10	14	<10	81		
M398906		<0.01	<10	<10	13	<10	68		
M398907		<0.01	<10	<10	14	<10	63		
M398908		<0.01	<10	<10	15	<10	80		
M398909		<0.01	<10	<10	14	<10	95		
M398910		<0.01	<10	<10	14	<10	69		
M398911		<0.01	<10	<10	17	<10	87		
M398912		<0.01	<10	<10	16	<10	78		
M398913		<0.01	<10	<10	18	<10	84		
M398914		<0.01	<10	<10	16	<10	86		
M398915		0.01	<10	<10	28	<10	84		
M398916		<0.01	<10	<10	17	<10	80		
M398917		<0.01	<10	<10	16	<10	83		
M398918		<0.01	<10	<10	16	<10	55		
M398919		<0.01	<10	<10	14	<10	76		
M398920		<0.01	<10	10	12	<10	67		
M398921		<0.01	<10	<10	14	<10	57		
M398922		<0.01	<10	<10	15	<10	55		
M398923		<0.01	<10	<10	12	<10	70		
M398924		<0.01	<10	<10	12	<10	43		
M398925		<0.01	<10	<10	18	<10	57		
M398926		<0.01	<10	<10	16	<10	39		
M398927		<0.01	<10	<10	20	<10	59		
M398928		<0.01	<10	<10	17	<10	67		
M398929		<0.01	<10	<10	20	<10	41		
M398930		<0.01	<10	<10	13	<10	35		
M398931		<0.01	<10	<10	15	<10	40		
M398932		<0.01	<10	<10	21	<10	52		
M398933		<0.01	<10	<10	20	<10	65		
M398934		<0.01	<10	<10	20	<10	63		
M398935		<0.01	<10	<10	17	<10	52		
M398936		<0.01	<10	<10	14	<10	72		
M398937		<0.01	<10	<10	20	<10	52		
M398938		<0.01	<10	<10	18	<10	42		
M398939		<0.01	<10	<10	11	<10	53		
M398940		<0.01	<10	<10	15	<10	78		
M398941		<0.01	<10	<10	12	<10	72		
M398942		<0.01	<10	<10	16	<10	46		
M398943		<0.01	<10	<10	19	<10	31		
M398944		<0.01	<10	<10	13	<10	71		



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 4 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 30-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072976

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg 0.02	ppm 0.005	ppm 0.2	% 0.01	ppm 2	ppm 10	ppm 10	ppm 0.5	ppm 2	% 0.01	ppm 0.5	ppm 1	ppm 1	ppm 1	% 0.01
M398945		3.38	0.361	0.6	0.48	16	<10	90	<0.5	<2	4.00	<0.5	20	15	80	5.73
M398946		3.32	0.250	3.3	0.36	17	<10	80	<0.5	<2	3.99	<0.5	14	45	66	4.56
M398947		4.18	0.467	1.0	0.36	25	<10	70	<0.5	<2	5.05	<0.5	18	18	108	5.01
M398948		0.66	0.161	1.5	0.32	37	<10	60	<0.5	<2	4.32	<0.5	20	14	108	5.81
M398949		2.34	0.013	1.0	0.43	46	<10	100	<0.5	<2	3.85	<0.5	23	15	173	6.22
M398950		3.96	0.092	1.4	0.44	38	<10	70	<0.5	<2	5.47	<0.5	22	6	205	6.59
M398951		3.48	0.095	1.6	0.46	26	<10	70	<0.5	<2	5.30	<0.5	23	12	213	6.13
M398952		3.96	0.155	0.8	0.46	22	<10	80	<0.5	<2	4.93	<0.5	19	14	105	5.65
M398953		3.90	0.219	1.0	0.36	11	<10	60	<0.5	<2	4.68	<0.5	19	22	114	5.52
M398954		3.84	0.251	1.5	0.57	39	<10	70	<0.5	2	6.85	<0.5	22	12	118	6.35
M398955		3.44	0.191	1.5	0.39	48	<10	40	<0.5	<2	4.75	<0.5	22	25	95	5.39
M398956		3.14	0.158	1.0	0.32	29	<10	50	<0.5	<2	5.03	<0.5	20	11	106	4.94
M398957		3.54	0.492	2.4	0.45	51	<10	70	<0.5	<2	4.41	<0.5	22	26	75	5.79
M398958		2.46	0.751	0.9	0.43	21	<10	60	<0.5	<2	3.96	<0.5	20	15	76	5.43
M398959		0.66	0.238	0.9	0.35	36	<10	50	<0.5	<2	3.97	<0.5	19	16	208	5.13
M398960		3.58	0.157	2.3	0.45	88	<10	80	<0.5	<2	5.99	<0.5	21	12	143	5.78
M398961		3.32	0.041	0.3	0.41	53	<10	80	<0.5	<2	4.16	<0.5	24	17	82	5.56
M398962		3.30	1.335	1.8	0.49	92	<10	100	<0.5	<2	4.65	<0.5	25	13	104	5.89
M398963		2.82	0.038	2.0	0.24	28	<10	60	<0.5	<2	4.50	<0.5	21	28	57	5.18
M398964		3.78	0.046	0.9	0.44	30	<10	70	<0.5	<2	3.89	<0.5	24	14	90	5.75
M398965		3.94	0.110	0.6	0.33	23	<10	50	<0.5	<2	4.57	<0.5	24	22	105	5.65
M398966		4.14	0.237	1.1	0.34	28	<10	60	<0.5	2	4.10	<0.5	20	15	95	5.21
M398967		3.50	0.148	1.0	0.27	38	<10	40	<0.5	<2	4.65	<0.5	21	30	80	5.34
M398968		3.06	0.104	0.7	0.30	16	<10	50	<0.5	<2	4.07	<0.5	20	15	110	5.56
M398969		3.46	0.180	0.6	0.34	12	<10	50	<0.5	<2	4.05	<0.5	21	23	83	5.33
M398970		3.28	0.325	1.0	0.31	28	<10	60	<0.5	<2	4.64	<0.5	22	16	84	5.78
M398971		3.40	0.143	0.9	0.29	21	<10	50	<0.5	<2	4.31	<0.5	22	14	88	5.91
M398972		3.76	0.061	0.8	0.24	32	<10	30	<0.5	<2	4.87	<0.5	20	23	87	5.40
M398973		3.90	0.235	0.5	0.28	45	<10	40	<0.5	<2	5.65	<0.5	26	19	163	5.98
M398974		3.46	0.204	0.4	0.27	24	<10	40	<0.5	<2	5.37	<0.5	20	12	96	5.30
M398975		3.56	0.328	0.5	0.32	14	<10	50	<0.5	<2	5.10	<0.5	18	17	77	4.86
M398976		4.08	0.305	0.3	0.30	20	<10	40	<0.5	<2	4.11	<0.5	21	13	79	5.39
M398977		3.62	0.198	38.1	0.27	86	<10	40	<0.5	<2	4.72	2.0	22	23	621	6.11
M398978		3.32	1.050	0.9	0.34	21	<10	50	<0.5	<2	4.85	<0.5	20	22	89	5.56
M398979		3.82	0.370	3.6	0.31	48	<10	60	<0.5	<2	3.57	<0.5	20	31	70	4.96
M398980		3.82	0.396	3.0	0.37	34	<10	60	<0.5	<2	4.66	<0.5	22	19	68	6.19
M398981		3.18	0.174	4.3	0.27	28	<10	60	<0.5	<2	2.60	<0.5	13	61	61	3.70
M398982		4.10	0.305	2.3	0.31	30	<10	50	<0.5	<2	4.09	<0.5	19	31	61	5.22
M398983		3.64	0.152	0.9	0.35	29	<10	40	<0.5	<2	4.38	<0.5	21	25	69	5.27
M398984		3.56	0.189	1.1	0.38	35	<10	50	<0.5	<2	5.55	<0.5	22	19	128	5.45



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 4 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 30-OCT-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072976

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
M398945	<10	<1	0.31	<10	1.75	1120	1	0.02	11	1040	2	2.96	2	6	298	
M398946	<10	<1	0.22	<10	1.44	1010	1	0.03	10	1080	24	3.54	12	6	317	
M398947	<10	1	0.22	<10	1.67	1070	1	0.03	11	880	2	2.53	<2	8	410	
M398948	<10	<1	0.20	<10	1.82	1195	1	0.03	11	1060	<2	3.34	2	9	356	
M398949	<10	<1	0.27	10	2.01	1335	1	0.02	12	1320	<2	0.38	<2	8	233	
M398950	<10	<1	0.26	10	2.28	1530	1	0.03	11	1520	4	1.04	<2	10	400	
M398951	<10	1	0.27	10	2.11	1425	2	0.03	11	1320	<2	0.74	<2	10	422	
M398952	<10	<1	0.26	<10	1.93	1305	1	0.02	9	1200	<2	0.86	<2	7	414	
M398953	<10	<1	0.22	<10	1.77	1180	1	0.03	11	1010	2	3.23	3	8	472	
M398954	<10	<1	0.20	<10	2.19	1440	1	0.02	9	1900	3	3.24	2	12	569	
M398955	<10	<1	0.12	<10	1.68	1045	2	0.03	18	1110	14	4.05	5	12	358	
M398956	<10	<1	0.19	<10	1.58	991	1	0.03	12	920	7	1.39	<2	9	356	
M398957	<10	<1	0.25	<10	1.76	1090	1	0.02	13	1140	4	5.27	<2	8	380	
M398958	<10	<1	0.25	<10	1.65	1060	1	0.01	12	1010	4	2.87	<2	6	300	
M398959	<10	<1	0.21	<10	1.59	1085	<1	0.01	12	890	2	2.49	<2	6	289	
M398960	<10	<1	0.26	<10	1.96	1360	1	0.02	12	1400	<2	2.98	<2	8	551	
M398961	<10	<1	0.23	<10	2.06	1225	1	0.01	13	930	3	0.60	<2	8	314	
M398962	<10	<1	0.30	<10	2.07	1145	1	0.01	14	980	4	2.65	<2	8	482	
M398963	<10	<1	0.09	<10	2.00	1065	<1	0.04	13	1060	3	4.78	4	12	448	
M398964	<10	<1	0.25	<10	2.27	1175	1	0.02	13	740	2	1.78	<2	10	337	
M398965	<10	<1	0.19	<10	2.30	1185	<1	0.03	12	900	<2	1.66	<2	10	449	
M398966	<10	<1	0.20	<10	1.99	1090	<1	0.03	9	1000	<2	2.39	<2	8	447	
M398967	<10	<1	0.16	<10	2.08	1170	<1	0.05	13	1090	2	3.93	<2	12	534	
M398968	<10	<1	0.17	<10	2.17	1115	<1	0.04	10	840	<2	2.87	<2	10	468	
M398969	<10	<1	0.20	<10	2.10	1100	<1	0.03	10	850	2	2.31	<2	7	413	
M398970	<10	<1	0.17	<10	2.20	1165	<1	0.04	13	1060	2	4.38	2	11	524	
M398971	<10	<1	0.16	<10	2.24	1145	<1	0.03	11	890	<2	2.13	2	10	408	
M398972	<10	<1	0.10	<10	2.03	1130	<1	0.04	13	950	2	4.28	2	13	406	
M398973	<10	<1	0.14	<10	2.22	1210	1	0.03	18	960	9	3.96	3	12	485	
M398974	<10	<1	0.13	<10	2.21	1100	<1	0.03	12	740	<2	2.18	<2	12	454	
M398975	<10	<1	0.16	<10	1.98	1015	<1	0.03	9	760	3	1.42	<2	8	412	
M398976	<10	<1	0.16	<10	1.90	1025	<1	0.03	10	830	2	2.76	<2	8	354	
M398977	<10	<1	0.14	<10	2.22	1190	<1	0.03	13	900	2	5.76	248	11	464	
M398978	<10	<1	0.16	<10	2.05	1165	<1	0.03	12	960	<2	3.48	2	10	455	
M398979	<10	<1	0.17	<10	1.84	908	<1	0.02	19	840	2	4.43	7	6	398	
M398980	<10	<1	0.18	<10	2.18	1190	<1	0.03	14	1110	4	5.80	6	9	511	
M398981	<10	<1	0.11	<10	1.20	635	<1	0.02	8	650	<2	3.45	7	6	289	
M398982	<10	<1	0.14	<10	1.84	1045	<1	0.02	10	910	3	4.53	3	8	442	
M398983	<10	<1	0.12	<10	1.90	1010	1	0.03	14	1140	3	4.55	2	12	447	
M398984	<10	1	0.13	<10	1.98	1025	3	0.02	12	880	4	3.71	3	11	375	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 4 - C  
 Total # Pages: 5 (A - C)  
 Finalized Date: 30-OCT-2004  
 Account: MYA

Project: QCM

<b>CERTIFICATE OF ANALYSIS VA04072976</b>
---

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M398945		<0.01	<10	<10	12	<10	56
M398946		<0.01	<10	<10	13	<10	56
M398947		<0.01	<10	<10	14	<10	56
M398948		<0.01	<10	<10	12	<10	56
M398949		<0.01	<10	<10	15	<10	88
M398950		<0.01	<10	<10	20	<10	88
M398951		<0.01	<10	<10	19	<10	88
M398952		<0.01	<10	<10	15	<10	78
M398953		<0.01	<10	<10	15	<10	59
M398954		<0.01	<10	<10	24	<10	68
M398955		<0.01	<10	<10	19	<10	79
M398956		<0.01	<10	<10	17	<10	53
M398957		<0.01	<10	<10	17	<10	50
M398958		<0.01	<10	10	13	<10	68
M398959		<0.01	<10	<10	13	<10	76
M398960		<0.01	<10	<10	13	<10	53
M398961		<0.01	<10	<10	12	<10	76
M398962		<0.01	<10	<10	14	<10	77
M398963		<0.01	<10	<10	13	<10	44
M398964		<0.01	<10	<10	19	<10	50
M398965		<0.01	<10	<10	17	<10	49
M398966		<0.01	<10	<10	13	<10	51
M398967		<0.01	<10	<10	16	<10	45
M398968		<0.01	<10	<10	17	<10	67
M398969		<0.01	<10	<10	14	<10	50
M398970		<0.01	<10	<10	17	<10	46
M398971		<0.01	<10	<10	16	<10	50
M398972		<0.01	<10	<10	22	<10	45
M398973		<0.01	<10	<10	19	<10	59
M398974		<0.01	<10	<10	23	<10	50
M398975		<0.01	<10	<10	13	<10	47
M398976		<0.01	<10	<10	15	<10	50
M398977		<0.01	<10	<10	16	<10	132
M398978		<0.01	<10	<10	17	<10	48
M398979		<0.01	<10	<10	11	<10	44
M398980		<0.01	<10	<10	14	<10	50
M398981		<0.01	<10	<10	11	<10	26
M398982		<0.01	<10	<10	15	<10	38
M398983		<0.01	<10	<10	24	<10	44
M398984		<0.01	<10	10	22	<10	46



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 5 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 30-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072976

QCM-004  
QCM-005

Sample Description	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	
	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	
M398985	3.48	0.408	1.3	0.33	39	<10	50	<0.5	<2	5.45	<0.5	22	16	161	5.02	
M398986	3.74	0.045	0.8	0.38	13	<10	50	<0.5	<2	4.57	<0.5	24	13	84	5.64	
M398987	3.22	0.456	0.8	0.29	11	<10	50	<0.5	<2	6.29	<0.5	25	11	128	5.25	
M398988	3.58	0.049	0.6	0.30	18	<10	50	<0.5	<2	4.31	<0.5	23	14	75	5.65	
M398989	3.56	0.166	0.8	0.30	27	<10	40	<0.5	<2	4.61	<0.5	27	18	96	6.10	
M398990	3.78	0.073	0.4	0.32	9	<10	50	<0.5	<2	3.62	<0.5	24	10	103	5.73	
M398991	3.52	0.030	0.4	0.23	14	<10	40	<0.5	<2	4.75	<0.5	19	21	83	4.85	
M398992	3.88	0.008	0.3	0.33	6	<10	50	<0.5	<2	3.57	<0.5	21	8	135	5.74	
M398993	3.84	0.033	0.4	0.30	9	<10	50	<0.5	<2	3.68	<0.5	24	12	118	5.48	
M398994	2.06	0.096	0.4	0.31	12	<10	50	<0.5	<2	4.42	<0.5	24	8	94	5.83	
M398995	1.02	0.007	0.3	0.31	52	<10	60	<0.5	<2	3.70	<0.5	26	12	98	6.22	
M398996	1.70	0.112	0.3	0.37	50	<10	60	<0.5	<2	4.83	<0.5	22	12	94	5.91	
M398997	2.92	<0.005	0.4	0.35	42	<10	50	<0.5	<2	4.02	<0.5	23	8	93	5.73	
M398998	1.88	0.410	0.4	0.34	30	<10	50	<0.5	<2	4.23	<0.5	21	8	76	5.70	
M398999	2.86	0.037	0.2	0.29	39	<10	40	<0.5	<2	4.04	<0.5	22	8	85	5.66	
M399000	2.72	0.188	0.4	0.28	51	<10	50	<0.5	<2	4.48	<0.5	24	7	122	6.21	
M399051	3.34	0.155	0.4	0.25	50	<10	50	<0.5	<2	5.38	<0.5	18	11	90	5.08	
M399052	3.30	0.233	0.3	0.30	43	<10	50	<0.5	<2	6.54	<0.5	21	7	121	5.40	
M399053	3.50	0.180	0.8	0.31	67	<10	50	<0.5	<2	5.82	<0.5	24	17	207	5.58	
M399054	3.48	0.182	0.3	0.30	28	<10	50	<0.5	<2	4.13	<0.5	23	7	114	5.23	
M399055	3.64	0.012	0.2	0.28	46	<10	50	<0.5	<2	3.44	<0.5	23	8	92	5.67	
M399056	1.70	0.006	0.3	0.32	52	<10	50	<0.5	<2	6.56	<0.5	21	6	71	5.42	
M399057	4.02	<0.005	0.3	0.33	56	<10	70	<0.5	<2	4.83	<0.5	18	10	138	5.15	
M399058	3.88	<0.005	0.2	0.35	51	<10	60	<0.5	<2	4.47	<0.5	22	6	95	4.82	
M399059	4.26	<0.005	0.3	0.33	48	<10	40	<0.5	<2	3.78	<0.5	20	11	96	5.66	
M399060	2.98	<0.005	0.2	0.31	56	<10	30	<0.5	<2	4.07	<0.5	24	7	93	5.67	
M399061	3.54	<0.005	0.2	0.34	48	<10	30	<0.5	<2	2.88	<0.5	25	10	99	6.11	
M399062	3.20	<0.005	<0.2	0.32	40	<10	30	<0.5	<2	3.30	<0.5	23	8	79	5.75	
M399063	3.50	<0.005	<0.2	0.33	38	<10	10	<0.5	<2	4.13	<0.5	23	10	96	6.09	
M399064	3.30	<0.005	0.2	0.31	35	<10	10	<0.5	<2	4.07	<0.5	24	8	96	5.94	
M399065	3.70	<0.005	0.2	0.33	40	<10	20	<0.5	<2	3.92	<0.5	21	9	93	5.78	
M399066	3.40	<0.005	0.2	0.35	46	<10	40	<0.5	<2	3.59	<0.5	24	7	98	5.77	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 5 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 30-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072976

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
	Units LOR	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	
M398985		<10	<1	0.13	<10	1.88	921	2	0.02	10	700	4	2.48	<2	8	365
M398986		<10	<1	0.18	<10	2.18	1090	<1	0.02	10	900	<2	1.08	<2	9	308
M398987		<10	<1	0.16	<10	2.22	1170	<1	0.03	10	780	2	0.88	<2	8	445
M398988		<10	<1	0.17	<10	2.13	1070	<1	0.03	11	720	3	1.58	<2	9	299
M398989		<10	<1	0.17	<10	2.27	1235	<1	0.03	13	760	<2	1.88	<2	10	326
M398990		<10	<1	0.19	<10	2.18	1175	<1	0.02	10	890	<2	0.28	<2	8	235
M398991		<10	<1	0.11	<10	1.92	1120	<1	0.03	9	1000	2	1.62	<2	10	301
M398992		<10	<1	0.21	<10	2.19	1260	1	0.02	8	1080	<2	0.11	<2	7	203
M398993		<10	<1	0.20	<10	2.09	1165	<1	0.02	7	840	2	0.18	<2	6	218
M398994		<10	<1	0.20	<10	2.16	1210	<1	0.02	9	920	3	1.91	<2	8	308
M398995		<10	<1	0.20	<10	2.17	1325	<1	0.02	14	980	<2	0.11	<2	8	175
M398996		<10	1	0.22	<10	2.09	1355	1	0.02	14	1180	5	0.19	<2	8	228
M398997		<10	<1	0.18	<10	2.01	1305	<1	0.02	11	1260	2	0.15	<2	8	194
M398998		<10	<1	0.18	<10	2.01	1335	<1	0.04	11	1090	2	0.62	<2	9	214
M398999		<10	<1	0.17	<10	1.78	1310	1	0.03	11	1080	2	0.22	<2	8	164
M399000		<10	<1	0.20	<10	1.88	1170	2	0.02	14	960	4	1.03	<2	8	212
M399051		<10	<1	0.17	<10	1.75	1120	2	0.03	9	980	5	1.56	<2	7	292
M399052		<10	<1	0.18	<10	1.94	1320	1	0.04	14	1350	4	1.61	<2	9	360
M399053		<10	<1	0.21	<10	1.82	1115	2	0.03	17	890	2	1.18	<2	7	235
M399054		<10	<1	0.20	<10	1.96	1075	<1	0.04	13	780	<2	0.59	<2	9	235
M399055		<10	<1	0.18	<10	2.31	1075	<1	0.03	12	900	<2	0.05	<2	9	179
M399056		<10	<1	0.19	<10	2.12	1210	<1	0.03	13	880	<2	0.60	<2	9	234
M399057		<10	<1	0.22	<10	1.58	990	2	0.03	11	800	6	0.51	<2	6	136
M399058		<10	<1	0.21	<10	1.59	972	<1	0.04	13	710	3	0.32	<2	6	108
M399059		<10	<1	0.16	<10	1.76	1055	<1	0.04	15	860	2	0.16	<2	9	95
M399060		<10	<1	0.14	<10	2.15	1175	1	0.05	18	910	2	0.20	<2	8	92
M399061		<10	<1	0.13	<10	2.42	1160	<1	0.06	16	810	<2	0.11	<2	10	65
M399062		<10	<1	0.11	<10	2.36	1100	<1	0.07	16	760	2	0.14	<2	10	73
M399063		<10	<1	0.09	<10	2.40	1255	1	0.07	15	1160	<2	0.11	<2	13	94
M399064		<10	<1	0.06	<10	2.29	1240	<1	0.08	16	980	3	0.10	<2	14	93
M399065		<10	<1	0.14	<10	1.98	1180	<1	0.06	13	900	2	0.16	<2	8	94
M399066		<10	<1	0.18	<10	1.88	1110	<1	0.05	17	860	2	0.06	<2	8	88



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 5 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 30-OCT-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072976

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M398985		<0.01	<10	<10	15	<10	39
M398986		<0.01	<10	<10	20	<10	67
M398987		<0.01	<10	<10	9	<10	53
M398988		<0.01	<10	<10	15	<10	54
M398989		<0.01	<10	<10	19	<10	55
M398990		<0.01	<10	<10	14	<10	65
M398991		<0.01	<10	<10	14	<10	53
M398992		<0.01	<10	<10	13	<10	66
M398993		<0.01	<10	<10	12	<10	65
M398994		<0.01	<10	<10	12	<10	57
M398995		<0.01	<10	<10	9	<10	74
M398996		<0.01	<10	<10	12	<10	78
M398997		<0.01	<10	<10	11	<10	72
M398998		<0.01	<10	<10	13	<10	68
M398999		<0.01	<10	<10	11	<10	78
M399000		<0.01	<10	<10	11	<10	71
M399051		<0.01	<10	<10	8	<10	55
M399052		<0.01	<10	<10	13	<10	60
M399053		<0.01	<10	<10	10	<10	56
M399054		<0.01	<10	<10	11	<10	57
M399055		<0.01	<10	<10	10	<10	79
M399056		<0.01	<10	<10	10	<10	52
M399057		<0.01	<10	<10	9	<10	62
M399058		<0.01	<10	<10	10	<10	56
M399059		<0.01	<10	<10	12	<10	79
M399060		<0.01	<10	<10	14	<10	71
M399061		<0.01	<10	<10	16	<10	85
M399062		<0.01	<10	<10	17	<10	76
M399063		<0.01	<10	<10	19	<10	86
M399064		<0.01	<10	<10	19	<10	78
M399065		<0.01	<10	<10	14	<10	75
M399066		<0.01	<10	<10	13	<10	75



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 1  
Finalized Date: 1-NOV-2004  
Account: MYA

## CERTIFICATE VA04072977

Project: QCM  
P.O. No.:  
This report is for 166 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19-OCT-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

DAVID MEHNER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: CANADIAN GOLD HUNTER CORP  
ATTN: RICK J. BAILES  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - A  
Total # Pages: 6 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072977

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm
		0.02	0.005	0.005	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
M399067		3.80	0.014				0.2	0.32	43	<10	40	<0.5	<2	3.92	<0.5	24
M399068		3.18	<0.005				<0.2	0.34	45	<10	30	<0.5	<2	3.80	<0.5	23
M399069		3.52	<0.005				0.2	0.30	52	<10	40	<0.5	<2	5.34	<0.5	21
M399070		3.36	0.005				<0.2	0.36	60	<10	40	<0.5	<2	4.91	<0.5	25
M399071		3.76	0.008				0.3	0.28	42	<10	40	<0.5	<2	5.31	<0.5	18
M399072		3.08	0.032				0.3	0.31	50	<10	40	<0.5	<2	6.69	<0.5	19
M399073		3.28	0.200				0.5	0.27	33	<10	40	<0.5	<2	3.87	<0.5	19
M399074		4.00	0.009				<0.2	0.33	46	<10	40	<0.5	<2	4.07	<0.5	17
M399075		3.42	0.020				0.2	0.30	47	<10	30	<0.5	<2	5.35	<0.5	20
M399076		3.12	0.007				0.3	0.31	51	<10	30	<0.5	<2	5.81	<0.5	22
M399077		3.24	0.024				<0.2	0.27	51	<10	30	<0.5	<2	5.63	<0.5	21
M399078		4.26	0.057				0.2	0.35	36	<10	30	<0.5	<2	5.55	<0.5	20
M399079		4.32	0.061				0.3	0.33	40	<10	40	<0.5	<2	5.08	<0.5	23
M399080		3.42	0.005				0.5	0.32	37	<10	30	<0.5	<2	3.32	<0.5	23
M399081		3.58	0.013				0.2	0.30	42	<10	40	<0.5	<2	3.78	<0.5	19
M399082		3.34	0.034				0.2	0.33	50	<10	40	<0.5	<2	4.94	<0.5	28
M399083		3.66	0.012				0.3	0.27	49	<10	40	<0.5	<2	5.13	<0.5	21
M399084		3.52	<0.005				<0.2	0.30	40	<10	30	<0.5	<2	4.03	<0.5	21
M399085		3.12	<0.005				<0.2	0.29	36	<10	30	<0.5	<2	4.48	<0.5	21
M399086		3.66	0.005				0.3	0.31	30	<10	40	<0.5	<2	3.08	<0.5	22
M399087		3.22	0.450				0.3	0.23	26	<10	40	<0.5	<2	4.39	<0.5	21
M399088		3.46	1.130				0.8	0.19	34	<10	30	<0.5	<2	4.53	<0.5	18
M399089		3.10	0.871				1.1	0.23	34	<10	50	<0.5	<2	5.22	<0.5	22
M399090		3.08	0.055				0.4	0.32	23	<10	40	<0.5	<2	3.65	<0.5	25
M399091		3.60	0.253				<0.2	0.28	25	<10	20	<0.5	<2	3.58	<0.5	21
M399092		3.50	1.015				1.7	0.23	29	<10	30	<0.5	<2	4.29	<0.5	17
M399093		3.36	0.432				0.6	0.19	83	<10	20	<0.5	<2	4.68	<0.5	23
M399094		2.98	0.915				0.2	0.32	33	<10	50	<0.5	<2	3.88	<0.5	19
M399095		0.98	0.212				1.0	0.20	112	<10	30	<0.5	<2	5.91	<0.5	25
M399096		3.48	0.265				0.7	0.33	114	<10	50	<0.5	<2	5.05	<0.5	28
M399097		3.38	<0.005				<0.2	0.26	44	<10	30	<0.5	<2	3.73	<0.5	23
M399098		3.76	0.016				0.5	0.25	72	<10	30	<0.5	<2	4.24	0.5	21
M399099		1.38	0.063				0.6	0.24	126	<10	50	<0.5	<2	3.73	<0.5	21
M399100		3.86	0.025				0.2	0.23	42	<10	40	<0.5	<2	5.09	<0.5	21
M399101		3.22	0.051				0.3	0.23	30	<10	40	<0.5	<2	4.92	<0.5	20
M399102		3.02	0.020				0.3	0.24	22	<10	50	<0.5	<2	6.75	<0.5	20
M399103		4.00	0.337				0.2	0.27	23	<10	50	<0.5	<2	4.66	<0.5	25
M399104		3.40	0.829				1.0	0.21	32	<10	40	<0.5	<2	5.07	<0.5	21
M399105		4.04	0.209				0.3	0.22	26	<10	30	<0.5	<2	4.47	<0.5	24
M399106		3.08	0.125				0.5	0.22	29	<10	30	<0.5	<2	3.82	<0.5	21

Comments: sample M399287 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - B  
Total # Pages: 6 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072977

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
		ppm 1	ppm 1	% 0.01	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01
M399067		14	89	6.27	<10	<1	0.16	<10	2.15	1220	1	0.03	15	850	<2	0.06
M399068		9	90	6.18	<10	<1	0.15	<10	2.05	1240	1	0.04	15	920	3	0.10
M399069		10	84	5.04	<10	<1	0.16	<10	1.68	1135	1	0.03	13	900	5	0.18
M399070		8	102	5.65	<10	<1	0.20	<10	1.81	1270	1	0.03	17	790	4	0.11
M399071		10	102	5.35	<10	<1	0.16	<10	1.64	1295	1	0.02	13	780	4	0.08
M399072		9	90	5.10	<10	<1	0.19	<10	1.62	1360	1	0.02	14	980	<2	0.15
M399073		12	92	4.68	<10	<1	0.18	<10	1.40	1105	<1	0.01	11	720	4	0.78
M399074		6	108	4.97	<10	<1	0.19	<10	1.43	1050	1	0.02	12	740	<2	0.19
M399075		11	89	5.58	<10	<1	0.16	<10	1.73	1340	1	0.02	16	930	3	0.17
M399076		9	88	5.65	<10	<1	0.14	<10	1.78	1375	1	0.02	16	970	6	0.12
M399077		9	89	5.98	<10	<1	0.14	<10	1.84	1425	1	0.02	15	990	<2	0.18
M399078		7	95	5.81	<10	<1	0.19	<10	1.68	1335	1	0.03	12	1000	<2	0.14
M399079		11	112	5.93	<10	<1	0.18	<10	2.08	1450	1	0.02	13	970	2	0.31
M399080		7	87	6.01	<10	<1	0.19	10	2.27	1320	1	0.02	12	880	4	0.03
M399081		11	96	5.77	<10	<1	0.17	<10	2.00	1230	1	0.02	12	810	3	0.11
M399082		10	110	5.98	<10	<1	0.18	<10	1.98	1365	1	0.02	16	950	6	0.12
M399083		9	114	5.46	<10	<1	0.17	<10	1.81	1320	1	0.02	10	1150	<2	0.29
M399084		7	89	5.65	<10	<1	0.18	<10	2.00	1360	1	0.02	10	1170	<2	0.08
M399085		9	100	5.64	<10	<1	0.15	<10	2.12	1380	1	0.02	12	930	2	0.13
M399086		6	89	5.69	<10	<1	0.16	<10	2.03	1275	1	0.02	12	840	<2	0.06
M399087		24	56	5.29	<10	<1	0.12	<10	1.82	1180	1	0.03	13	800	<2	2.12
M399088		22	61	6.17	<10	<1	0.12	<10	1.59	1150	<1	0.03	12	610	<2	3.30
M399089		13	110	5.32	<10	<1	0.16	<10	1.74	1285	1	0.02	16	780	3	2.87
M399090		8	115	5.82	<10	<1	0.16	<10	2.20	1405	1	0.02	13	990	3	0.16
M399091		11	86	5.66	<10	<1	0.18	<10	1.84	1520	1	0.02	11	1120	<2	0.52
M399092		19	68	5.39	<10	<1	0.15	<10	1.59	1430	<1	0.02	10	910	<2	3.58
M399093		16	87	6.53	<10	<1	0.12	<10	1.76	1540	1	0.03	13	930	<2	4.85
M399094		10	74	5.90	<10	<1	0.19	<10	1.89	1595	1	0.03	12	1040	<2	0.84
M399095		12	168	8.38	<10	<1	0.12	<10	1.47	1380	34	0.03	18	1050	7	4.96
M399096		11	201	7.06	<10	<1	0.23	<10	1.22	1170	29	0.02	20	1010	7	3.48
M399097		9	46	5.62	<10	<1	0.16	<10	1.98	1480	1	0.03	13	1120	<2	0.29
M399098		9	74	5.94	<10	<1	0.14	<10	2.10	1560	1	0.02	15	970	10	0.51
M399099		12	104	5.73	<10	<1	0.16	<10	1.87	1345	1	0.02	12	1140	3	0.95
M399100		11	89	5.85	<10	<1	0.16	<10	1.73	1290	1	0.03	13	1100	<2	1.20
M399101		9	86	6.17	<10	<1	0.15	<10	1.72	1300	1	0.02	10	1040	<2	0.43
M399102		10	108	5.20	<10	<1	0.18	<10	1.70	1155	1	0.02	12	910	3	1.15
M399103		13	73	5.95	<10	<1	0.19	<10	2.04	1215	1	0.02	14	770	<2	1.32
M399104		12	53	5.66	<10	<1	0.14	<10	2.05	1265	<1	0.02	11	720	<2	2.66
M399105		12	88	5.90	<10	<1	0.13	<10	2.04	1245	1	0.03	14	700	2	1.29
M399106		10	76	5.19	<10	<1	0.15	<10	1.67	1100	<1	0.02	10	800	2	0.54

Comments: sample M399287 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 2 - C  
 Total # Pages: 6 (A - C)  
 Finalized Date: 1-NOV-2004  
 Account: MYA

Project: QCM

<b>CERTIFICATE OF ANALYSIS VA04072977</b>
---

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Tl	Tl	U	V	W
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR	2	1	1	0.01	10	10	1	10	Zn 2
M399067	<2	9	104	<0.01	<10	<10	14	<10	85
M399068	<2	9	98	<0.01	<10	<10	15	<10	77
M399069	<2	7	120	<0.01	<10	<10	13	<10	44
M399070	<2	8	118	<0.01	<10	<10	12	<10	85
M399071	<2	7	134	<0.01	<10	<10	10	<10	62
M399072	<2	7	205	<0.01	<10	<10	12	<10	61
M399073	<2	5	176	<0.01	<10	<10	7	<10	50
M399074	<2	5	132	<0.01	<10	<10	8	<10	66
M399075	<2	7	174	<0.01	<10	<10	10	<10	67
M399076	<2	8	200	<0.01	<10	<10	11	<10	63
M399077	<2	7	182	<0.01	<10	<10	9	<10	68
M399078	<2	6	151	<0.01	<10	<10	12	<10	64
M399079	<2	7	185	<0.01	<10	<10	10	<10	62
M399080	<2	6	136	<0.01	<10	<10	10	<10	78
M399081	<2	6	164	<0.01	<10	<10	8	<10	70
M399082	<2	8	201	<0.01	<10	<10	12	<10	78
M399083	<2	7	178	<0.01	<10	<10	10	<10	71
M399084	<2	8	161	<0.01	<10	<10	12	<10	79
M399085	<2	7	243	<0.01	<10	<10	9	<10	69
M399086	<2	7	170	<0.01	<10	<10	11	<10	73
M399087	<2	8	325	<0.01	<10	<10	9	<10	46
M399088	2	9	345	<0.01	<10	<10	9	<10	42
M399089	3	10	403	<0.01	<10	<10	11	<10	46
M399090	<2	7	198	<0.01	<10	<10	10	<10	64
M399091	<2	7	158	<0.01	<10	<10	12	<10	70
M399092	6	7	329	<0.01	<10	<10	12	<10	43
M399093	2	10	342	<0.01	<10	<10	13	<10	44
M399094	2	7	200	<0.01	<10	<10	12	<10	62
M399095	<2	9	287	<0.01	<10	<10	13	<10	43
M399096	<2	6	181	<0.01	<10	<10	10	<10	47
M399097	<2	8	148	<0.01	<10	<10	11	<10	76
M399098	2	8	205	<0.01	<10	<10	11	<10	81
M399099	3	6	224	<0.01	<10	<10	9	<10	68
M399100	<2	7	312	<0.01	<10	<10	12	<10	60
M399101	<2	7	257	<0.01	<10	<10	11	<10	61
M399102	<2	7	381	<0.01	<10	<10	9	<10	50
M399103	2	8	336	<0.01	<10	<10	11	<10	62
M399104	<2	10	409	<0.01	<10	<10	11	<10	52
M399105	<2	9	314	<0.01	<10	<10	14	<10	53
M399106	<2	8	235	<0.01	<10	<10	10	<10	68

Comments: sample M399287 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 3 - A  
Total # Pages: 6 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072977

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm
		0.02	0.005	0.005	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
M399107		4.00	0.051				<0.2	0.24	25	<10	30	<0.5	<2	4.00	<0.5	25
M399108		3.18	0.743				0.3	0.24	28	<10	40	<0.5	<2	5.11	<0.5	22
M399109		3.82	0.543				0.3	0.19	23	<10	30	<0.5	<2	4.64	<0.5	20
M399110		3.96	0.096				0.4	0.24	41	<10	30	<0.5	<2	4.42	<0.5	25
M399111		3.16	0.009				0.2	0.28	39	<10	40	<0.5	<2	3.24	<0.5	24
M399112		3.72	0.005				0.3	0.27	37	<10	40	<0.5	<2	2.87	<0.5	22
M399113		3.98	0.192				0.4	0.23	25	<10	40	<0.5	<2	5.42	<0.5	22
M399114		2.98	0.671				0.2	0.24	10	<10	40	<0.5	<2	4.53	<0.5	24
M399115		3.82	0.010				<0.2	0.23	20	<10	40	<0.5	<2	4.41	<0.5	25
M399116		3.34	0.306				0.2	0.24	18	<10	40	<0.5	<2	3.90	<0.5	26
M399117		3.50	0.012				0.3	0.25	29	<10	40	<0.5	<2	4.31	<0.5	21
M399118		3.36	0.009				0.3	0.26	33	<10	50	<0.5	<2	4.39	<0.5	20
M399119		3.20	0.541				2.1	0.29	56	<10	60	<0.5	<2	3.63	<0.5	25
M399120		2.66	0.356				0.7	0.26	55	<10	40	<0.5	<2	4.43	<0.5	25
M399121		3.30	0.488				0.6	0.24	21	<10	40	<0.5	<2	4.88	<0.5	23
M399122		1.54	0.361				0.4	0.26	19	<10	30	<0.5	<2	4.63	<0.5	23
M399123		0.86	0.419				0.2	0.23	20	<10	30	<0.5	2	4.42	<0.5	21
M399124		2.34	0.222				0.2	0.23	19	<10	30	<0.5	<2	4.93	<0.5	21
M399125		2.06	0.635				3.3	0.23	42	<10	30	<0.5	<2	5.41	0.5	23
M399126		2.30	0.404				1.4	0.22	44	<10	30	<0.5	<2	4.82	<0.5	22
M399127		1.88	0.808				0.4	0.26	33	<10	30	<0.5	<2	5.80	<0.5	22
M399128		2.80	0.279				1.2	0.30	31	<10	30	<0.5	<2	4.52	<0.5	20
M399129		3.44	0.532				0.5	0.24	29	<10	30	<0.5	<2	5.30	<0.5	21
M399130		2.22	0.006				0.3	0.31	44	<10	20	<0.5	<2	4.38	<0.5	21
M399131		2.74	<0.005				0.2	0.30	52	<10	70	<0.5	<2	4.42	<0.5	21
M399132		1.98	0.009				0.2	0.30	58	<10	40	<0.5	<2	5.68	<0.5	17
M399133		1.76	0.977				4.8	0.24	76	<10	40	<0.5	<2	3.47	<0.5	26
M399134		0.30	0.635				1.2	0.32	53	<10	40	<0.5	<2	3.75	<0.5	22
M399135		3.94	0.450				0.6	0.24	43	<10	30	<0.5	<2	4.27	<0.5	19
M399136		3.82	0.230				0.5	0.26	48	<10	40	<0.5	<2	5.64	<0.5	21
M399137		1.66	0.083				0.3	0.21	69	<10	30	<0.5	<2	4.94	<0.5	20
M399138		1.10	0.023				0.3	0.31	34	<10	40	<0.5	<2	4.08	<0.5	20
M399139		1.46	0.156				0.5	0.31	72	<10	50	<0.5	<2	4.44	<0.5	24
M399140		4.14	0.017				0.5	0.28	64	<10	40	<0.5	<2	5.73	<0.5	24
M399141		2.14	0.866				1.7	0.31	50	<10	40	<0.5	<2	3.97	<0.5	23
M399142		1.68	0.117				0.4	0.31	37	<10	40	<0.5	<2	4.38	<0.5	23
M399143		0.88	0.346				<0.2	0.32	47	<10	40	<0.5	<2	3.35	<0.5	23
M399144		2.68	0.736				0.8	0.28	41	<10	60	<0.5	<2	4.21	<0.5	20
M399145		3.98	0.219				0.2	0.31	41	<10	40	<0.5	<2	3.60	<0.5	21
M399146		0.70	0.010				<0.2	0.27	40	<10	30	<0.5	<2	3.38	<0.5	19

Comments: sample M399287 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 3 - B  
Total # Pages: 6 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072977

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %
		1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
M399107		10	82	6.20	<10	<1	0.13	<10	2.12	1355	1	0.03	13	840	<2	0.31
M399108		12	61	5.52	<10	<1	0.16	<10	1.60	1220	1	0.03	12	1010	<2	2.73
M399109		13	50	5.37	<10	<1	0.12	<10	1.60	1155	1	0.03	12	1010	2	2.42
M399110		8	102	5.72	<10	<1	0.15	<10	1.74	1175	1	0.03	13	1060	<2	0.40
M399111		9	89	6.06	<10	<1	0.17	10	1.98	1115	1	0.03	12	1020	<2	0.07
M399112		5	87	5.54	<10	<1	0.17	<10	1.94	976	<1	0.02	10	790	<2	0.09
M399113		9	94	5.17	<10	<1	0.15	<10	1.97	1080	1	0.03	10	720	3	0.36
M399114		10	62	5.49	<10	<1	0.15	<10	2.04	1065	1	0.03	12	810	3	1.48
M399115		12	98	5.54	<10	<1	0.15	<10	2.12	1015	1	0.03	12	710	2	0.96
M399116		7	95	5.68	<10	<1	0.18	<10	1.96	945	1	0.02	13	730	<2	1.52
M399117		8	94	5.25	<10	<1	0.15	<10	1.99	927	1	0.02	11	700	<2	0.26
M399118		7	82	5.44	<10	<1	0.18	<10	1.84	907	<1	0.02	12	680	4	0.22
M399119		17	168	5.71	<10	<1	0.21	<10	1.38	795	4	0.02	14	710	<2	3.91
M399120		11	138	6.02	<10	<1	0.16	<10	1.68	906	3	0.02	16	760	5	3.42
M399121		10	102	5.66	<10	<1	0.17	<10	2.02	1040	<1	0.02	15	840	<2	1.52
M399122		10	94	6.06	<10	<1	0.16	<10	2.08	1155	1	0.02	12	880	<2	1.59
M399123		9	89	5.93	<10	<1	0.15	<10	1.98	1125	1	0.02	12	830	<2	1.26
M399124		7	94	5.85	<10	<1	0.15	<10	1.84	1105	1	0.02	13	940	<2	1.84
M399125		10	154	5.63	<10	<1	0.14	<10	1.81	1085	1	0.03	16	1040	<2	2.71
M399126		10	71	5.82	<10	<1	0.14	<10	1.81	1005	1	0.02	16	970	2	4.23
M399127		9	104	5.63	<10	<1	0.16	<10	1.78	1035	1	0.02	12	890	<2	2.47
M399128		12	74	5.48	<10	<1	0.17	<10	1.63	1015	1	0.01	10	910	<2	2.00
M399129		10	56	5.88	<10	<1	0.15	<10	1.88	1185	1	0.03	12	1020	2	2.30
M399130		8	88	6.04	<10	<1	0.15	<10	1.85	1100	1	0.02	13	1010	<2	0.14
M399131		9	91	5.82	<10	<1	0.16	<10	1.68	1080	2	0.02	14	860	2	0.25
M399132		5	96	5.71	<10	<1	0.20	<10	1.61	1050	1	0.02	11	910	<2	0.57
M399133		15	223	6.53	<10	<1	0.14	<10	1.28	839	10	0.02	18	720	3	5.09
M399134		9	116	6.04	<10	<1	0.19	<10	1.65	1015	1	0.02	14	720	3	2.35
M399135		14	79	5.40	<10	<1	0.14	<10	1.49	910	1	0.02	14	760	<2	2.40
M399136		7	124	6.37	<10	<1	0.17	<10	1.62	1015	5	0.02	12	770	<2	2.40
M399137		15	87	5.58	<10	<1	0.13	<10	1.42	894	5	0.03	13	830	<2	3.75
M399138		9	68	5.81	<10	<1	0.17	<10	1.54	1055	1	0.02	13	860	<2	0.98
M399139		12	140	6.11	<10	<1	0.20	<10	1.38	979	5	0.01	14	880	<2	2.19
M399140		6	120	5.92	<10	<1	0.18	<10	1.53	1245	7	0.02	13	910	<2	1.94
M399141		24	85	5.56	<10	<1	0.20	<10	1.40	1010	1	0.01	12	890	<2	3.45
M399142		7	90	5.95	<10	<1	0.20	<10	1.61	1145	1	0.02	11	910	<2	0.60
M399143		13	72	5.54	<10	<1	0.21	<10	1.36	925	1	0.02	12	850	<2	1.86
M399144		10	84	4.95	<10	<1	0.18	<10	1.33	979	1	0.02	13	900	<2	2.94
M399145		11	100	5.75	<10	<1	0.20	<10	1.44	954	1	0.02	13	830	<2	0.44
M399146		6	89	5.55	<10	<1	0.17	<10	1.44	939	1	0.01	12	820	<2	0.25

Comments: sample M399287 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 3 - C  
Total # Pages: 6 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072977

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Ti	Ti	U	V	W	Zn
	Units LOR	ppm 2	ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M399107		<2	9	227	<0.01	<10	<10	12	<10	65
M399108		<2	8	355	<0.01	<10	<10	11	<10	44
M399109		<2	8	336	<0.01	<10	<10	10	<10	50
M399110		<2	8	220	<0.01	<10	<10	11	<10	73
M399111		<2	7	194	<0.01	<10	<10	9	<10	72
M399112		<2	7	178	<0.01	<10	<10	9	<10	67
M399113		<2	8	347	<0.01	<10	<10	8	<10	59
M399114		<2	8	361	<0.01	<10	<10	9	<10	54
M399115		<2	8	338	<0.01	<10	<10	10	<10	56
M399116		<2	6	303	<0.01	<10	<10	8	<10	51
M399117		<2	7	310	<0.01	<10	<10	9	<10	61
M399118		<2	7	268	<0.01	<10	<10	9	<10	66
M399119		6	5	276	<0.01	<10	<10	7	<10	48
M399120		<2	9	318	<0.01	<10	<10	11	<10	47
M399121		<2	9	356	<0.01	<10	<10	10	<10	52
M399122		<2	10	333	<0.01	<10	<10	13	<10	56
M399123		<2	9	314	<0.01	<10	<10	11	<10	54
M399124		<2	8	331	<0.01	<10	<10	12	<10	48
M399125		28	9	369	<0.01	<10	<10	11	<10	62
M399126		10	9	374	<0.01	<10	<10	12	<10	49
M399127		<2	9	383	<0.01	<10	<10	13	<10	51
M399128		4	7	267	<0.01	<10	<10	11	<10	56
M399129		<2	9	356	<0.01	<10	<10	13	<10	60
M399130		<2	8	168	<0.01	<10	<10	13	<10	72
M399131		<2	8	179	<0.01	<10	<10	12	<10	74
M399132		<2	6	281	<0.01	<10	<10	8	<10	63
M399133		3	8	276	<0.01	<10	<10	14	<10	48
M399134		3	8	285	<0.01	<10	<10	12	<10	66
M399135		<2	7	301	<0.01	<10	<10	10	<10	54
M399136		<2	7	278	<0.01	<10	<10	10	<10	56
M399137		2	8	289	<0.01	<10	<10	10	<10	38
M399138		<2	6	207	<0.01	<10	<10	9	<10	64
M399139		<2	6	226	<0.01	<10	<10	7	<10	56
M399140		<2	7	263	<0.01	<10	<10	8	<10	63
M399141		5	7	269	<0.01	<10	<10	11	<10	55
M399142		<2	7	205	<0.01	<10	<10	10	<10	67
M399143		<2	5	180	<0.01	<10	<10	9	<10	56
M399144		4	6	269	<0.01	<10	<10	8	<10	51
M399145		<2	6	138	<0.01	<10	<10	9	<10	69
M399146		<2	5	126	<0.01	<10	<10	8	<10	68

Comments: sample M399287 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 4 - A  
Total # Pages: 6 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072977

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au Check	Au Check	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
Units		kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
LOR		0.02	0.005	0.005	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
M399147		3.12	0.270				0.4	0.32	38	<10	30	<0.5	<2	3.77	<0.5	21
M399148		2.80	0.030				0.2	0.29	33	<10	40	<0.5	<2	3.25	<0.5	21
M399149		3.96	0.517				0.5	0.28	8	<10	50	<0.5	<2	3.49	<0.5	20
M399150		2.00	0.139				<0.2	0.28	35	<10	40	<0.5	<2	6.00	0.6	18
M399251		1.26	0.569				0.3	0.25	33	<10	40	<0.5	<2	5.38	<0.5	23
M399252		3.52	0.124				0.9	0.20	42	<10	40	<0.5	<2	3.06	<0.5	16
M399253		3.48	0.157				<0.2	0.25	27	<10	40	<0.5	<2	3.35	<0.5	21
M399254		2.90	0.247				0.6	0.30	18	<10	60	<0.5	<2	4.48	<0.5	19
M399255		3.64	0.038				0.3	0.24	29	<10	40	<0.5	<2	4.07	<0.5	15
M399256		3.22	0.012				0.2	0.30	34	<10	50	<0.5	<2	2.85	<0.5	16
M399257		3.64	<0.005				0.2	0.27	28	<10	50	<0.5	<2	2.64	<0.5	16
M399258		3.90	0.292				1.3	0.32	32	<10	60	<0.5	<2	3.13	<0.5	20
M399259		3.14	0.412				0.8	0.21	26	<10	40	<0.5	<2	4.04	<0.5	17
M399260		2.78	0.090				0.3	0.30	24	<10	60	<0.5	<2	3.91	<0.5	17
M399261		3.44	0.178				2.0	0.22	34	<10	50	<0.5	<2	4.39	<0.5	18
M399262		3.20	0.159				2.8	0.25	58	<10	50	<0.5	2	3.81	<0.5	19
M399263		3.22	0.301				0.9	0.24	70	<10	40	<0.5	<2	4.74	<0.5	21
M399264		2.94	0.401				0.5	0.29	42	<10	40	<0.5	<2	4.12	<0.5	21
M399265		2.48	0.227				0.3	0.31	19	<10	40	<0.5	<2	4.02	<0.5	21
M399266		3.28	0.048				0.6	0.29	29	<10	40	<0.5	<2	4.86	<0.5	24
M399267		3.44	0.752				5.0	0.29	35	<10	50	<0.5	2	4.28	1.1	23
M399268		3.10	0.115				1.1	0.28	21	<10	50	<0.5	<2	4.27	<0.5	23
M399269		3.32	0.768				0.7	0.24	16	<10	30	<0.5	<2	4.40	<0.5	24
M399270		4.32	0.121				0.9	0.20	41	<10	30	<0.5	<2	6.80	<0.5	20
M399271		3.24	0.525				0.3	0.25	22	<10	50	<0.5	<2	5.11	<0.5	25
M399272		3.60	0.091				0.6	0.24	50	<10	40	<0.5	<2	4.41	<0.5	26
M399273		4.06	0.591				0.3	0.26	28	<10	40	<0.5	<2	5.26	<0.5	24
M399274		2.50	0.149				0.4	0.37	35	<10	60	<0.5	<2	4.29	<0.5	21
M399275		2.88	0.549				1.0	0.29	17	<10	40	<0.5	<2	4.03	<0.5	21
M399276		3.26	0.463				2.0	0.27	38	<10	30	<0.5	<2	4.02	0.8	19
M399277		3.68	0.251				0.4	0.23	29	<10	30	<0.5	<2	3.98	<0.5	18
M399278		3.64	0.224				0.6	0.29	32	<10	30	<0.5	<2	4.08	<0.5	15
M399279		2.94	0.301				0.6	0.18	29	<10	30	<0.5	<2	3.97	<0.5	18
M399280		3.84	0.446				0.9	0.27	22	<10	50	<0.5	<2	4.12	<0.5	19
M399281		4.14	0.426				0.8	0.23	30	<10	50	<0.5	<2	4.97	<0.5	23
M399282		3.88	0.046				0.5	0.29	44	<10	60	<0.5	2	5.50	<0.5	18
M399283		3.52	0.279				1.0	0.32	36	<10	40	<0.5	<2	3.77	<0.5	19
M399284		3.34	0.107				0.4	0.34	29	<10	40	<0.5	<2	3.85	<0.5	18
M399285		3.68	0.303				16.9	0.20	52	<10	30	<0.5	<2	4.15	0.9	18
M399286		2.86	0.192				25.9	0.24	41	<10	40	<0.5	2	5.24	<0.5	16

Comments: sample M399287 shows erratic Au



# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 4 - B  
Total # Pages: 6 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

### CERTIFICATE OF ANALYSIS VA04072977

Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %
Sample Description	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
M399147	11	101	5.63	<10	<1	0.19	<10	1.48	961	1	0.01	12	890	<2	0.82
M399148	6	91	5.37	<10	<1	0.18	<10	1.64	920	1	0.01	10	750	8	0.12
M399149	10	114	4.86	<10	<1	0.19	<10	1.44	808	1	0.01	12	710	2	0.74
M399150	12	118	5.08	<10	<1	0.17	<10	1.50	939	1	0.02	11	790	<2	1.16
M399251	12	98	5.88	<10	<1	0.16	<10	1.72	1030	1	0.02	14	990	<2	2.32
M399252	19	62	4.60	<10	<1	0.13	<10	1.34	836	1	0.02	12	480	<2	3.83
M399253	11	79	5.06	<10	<1	0.17	<10	1.92	979	1	0.01	7	750	<2	0.61
M399254	12	78	5.14	<10	<1	0.22	<10	2.09	1070	1	0.02	6	720	2	2.29
M399255	10	101	4.85	<10	<1	0.16	<10	1.52	875	1	0.03	9	760	<2	0.63
M399256	9	91	5.00	<10	<1	0.20	<10	1.47	808	1	0.03	9	800	<2	0.25
M399257	8	90	5.46	<10	<1	0.17	<10	1.56	845	<1	0.03	10	780	<2	0.23
M399258	11	90	4.99	<10	<1	0.21	<10	1.46	810	1	0.03	12	830	2	2.45
M399259	19	78	4.72	<10	<1	0.14	<10	1.38	799	<1	0.03	13	750	<2	3.42
M399260	11	85	4.77	<10	<1	0.19	<10	1.40	824	<1	0.03	10	770	2	1.48
M399261	25	69	4.61	<10	<1	0.14	<10	1.45	880	1	0.03	13	750	3	4.20
M399262	14	82	4.92	<10	<1	0.17	<10	1.60	906	<1	0.03	15	650	2	4.25
M399263	19	97	5.29	<10	<1	0.16	<10	2.05	1095	<1	0.02	12	720	2	4.27
M399264	19	87	4.88	<10	<1	0.15	<10	1.87	953	<1	0.02	12	700	2	3.15
M399265	20	119	5.03	<10	<1	0.16	<10	1.90	986	<1	0.02	12	910	2	2.74
M399266	19	53	5.63	<10	<1	0.16	<10	2.22	1150	1	0.03	14	1080	3	5.07
M399267	22	153	4.72	<10	1	0.18	<10	1.84	1010	1	0.02	13	920	4	3.16
M399268	14	64	5.84	<10	<1	0.19	<10	2.09	1090	1	0.02	13	920	2	3.97
M399269	13	144	5.16	<10	1	0.16	<10	1.76	1000	1	0.02	13	1090	2	1.10
M399270	17	37	5.03	<10	1	0.13	<10	1.68	1055	<1	0.03	16	710	4	4.28
M399271	19	27	5.89	<10	<1	0.15	<10	2.01	1100	<1	0.02	19	730	2	4.19
M399272	16	37	6.18	<10	<1	0.16	<10	2.06	1105	2	0.03	20	600	<2	5.71
M399273	14	75	5.68	<10	<1	0.18	<10	2.04	1105	<1	0.02	17	660	<2	2.29
M399274	10	89	5.77	<10	<1	0.21	<10	1.80	1030	1	0.03	14	730	2	1.68
M399275	15	99	5.61	<10	1	0.17	<10	1.92	1050	1	0.03	10	1180	2	1.46
M399276	14	105	4.49	<10	<1	0.13	<10	1.30	795	<1	0.04	12	720	4	2.74
M399277	18	110	4.19	<10	<1	0.13	<10	1.37	842	<1	0.03	12	710	2	1.94
M399278	13	74	4.52	<10	<1	0.14	<10	1.38	814	<1	0.03	12	630	2	2.97
M399279	16	62	4.59	<10	<1	0.13	<10	1.45	848	<1	0.03	14	740	<2	3.26
M399280	13	81	5.30	<10	<1	0.20	<10	1.58	885	<1	0.03	10	770	2	2.52
M399281	20	116	4.69	<10	<1	0.18	<10	1.42	1055	1	0.02	13	750	<2	2.25
M399282	15	173	5.08	<10	<1	0.20	<10	1.55	1115	1	0.02	5	1270	<2	2.38
M399283	19	156	5.29	<10	<1	0.19	<10	1.48	1085	1	0.02	7	1240	3	2.12
M399284	11	157	5.32	<10	<1	0.20	10	1.50	1075	1	0.03	6	1240	4	0.23
M399285	23	343	5.50	<10	<1	0.11	<10	1.62	1040	1	0.04	7	1100	3	3.72
M399286	27	110	5.07	<10	<1	0.10	<10	1.52	1045	1	0.04	6	1180	3	4.16

Comments: sample M399287 shows erratic Au





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 4 - C  
 Total # Pages: 6 (A - C)  
 Finalized Date: 1-NOV-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072977

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Sb	Sc	Sr	Tl	Tl	U	V	W	
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
LOR	2	1	1	0.01	10	10	1	10	Zn ppm 2	
M399147		<2	6	164	<0.01	<10	<10	9	<10	68
M399148		<2	5	147	<0.01	<10	<10	7	<10	74
M399149		<2	5	202	<0.01	<10	<10	6	<10	50
M399150		<2	8	332	<0.01	<10	<10	10	<10	142
M399251		2	9	373	<0.01	<10	<10	10	<10	49
M399252		3	8	278	<0.01	<10	<10	11	<10	33
M399253		<2	6	198	<0.01	<10	<10	7	<10	72
M399254		<2	6	383	<0.01	<10	<10	8	<10	57
M399255		<2	5	238	<0.01	<10	<10	7	<10	51
M399256		<2	5	150	<0.01	<10	<10	8	<10	72
M399257		<2	5	154	<0.01	<10	<10	7	<10	79
M399258		3	6	240	<0.01	<10	<10	9	<10	51
M399259		2	7	342	<0.01	<10	<10	8	<10	46
M399260		2	5	291	<0.01	<10	<10	8	<10	48
M399261		7	7	290	<0.01	<10	<10	9	<10	43
M399262		18	7	288	<0.01	<10	<10	11	<10	53
M399263		3	9	471	<0.01	<10	<10	10	<10	43
M399264		<2	8	371	<0.01	<10	<10	9	<10	42
M399265		2	7	344	<0.01	<10	<10	9	<10	49
M399266		2	10	460	<0.01	<10	<10	13	<10	44
M399267		26	6	414	<0.01	<10	<10	7	<10	104
M399268		5	7	392	<0.01	<10	<10	11	<10	55
M399269		<2	7	262	<0.01	<10	<10	9	<10	65
M399270		5	9	497	<0.01	<10	<10	11	<10	48
M399271		<2	9	402	<0.01	<10	<10	10	<10	54
M399272		<2	10	382	<0.01	<10	<10	14	<10	56
M399273		<2	9	361	<0.01	<10	<10	11	<10	61
M399274		<2	7	251	<0.01	<10	<10	12	<10	57
M399275		<2	8	252	<0.01	<10	<10	11	<10	60
M399276		<2	7	239	<0.01	<10	<10	10	<10	160
M399277		<2	7	243	<0.01	<10	<10	9	<10	41
M399278		<2	7	258	<0.01	<10	<10	11	<10	37
M399279		<2	8	290	<0.01	<10	<10	11	<10	50
M399280		3	6	311	<0.01	<10	<10	10	<10	58
M399281		<2	5	302	<0.01	<10	<10	7	<10	47
M399282		<2	5	320	<0.01	<10	<10	9	<10	54
M399283		<2	5	233	<0.01	<10	<10	9	<10	59
M399284		<2	5	190	<0.01	<10	<10	9	<10	74
M399285		115	9	312	<0.01	<10	<10	11	<10	85
M399286		13	8	315	<0.01	<10	<10	11	<10	51

Comments: sample M399287 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 5 - A  
 Total # Pages: 6 (A - C)  
 Finalized Date: 1-NOV-2004  
 Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072977

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au Check	Au Check	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.005	0.005	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
M399287		3.12	2.94	2.37	6.31		4.7	0.20	66	<10	30	<0.5	<2	4.45	<0.5	15
M399288		2.94	0.572				4.4	0.27	18	<10	60	<0.5	<2	4.54	<0.5	16
M399289		3.50	0.554				7.0	0.16	71	<10	30	<0.5	<2	3.49	0.5	17
M399290		3.34	0.213				6.2	0.19	35	<10	40	<0.5	2	3.46	0.5	15
M399291		3.90	0.455				0.5	0.27	15	<10	50	<0.5	<2	4.71	<0.5	17
M399292		3.32	>10.0			16.60	10.2	0.35	24	<10	50	<0.5	<2	3.57	<0.5	19
M399293		3.94	0.011				0.6	0.32	25	<10	50	<0.5	<2	3.81	<0.5	18
M399294		2.86	0.224				0.3	0.32	21	<10	50	<0.5	<2	3.70	<0.5	19
M399295		3.94	0.019				0.4	0.31	20	<10	50	<0.5	<2	3.99	<0.5	17
M399296		3.72	0.084				0.4	0.27	22	<10	50	<0.5	2	4.45	<0.5	18
M399297		3.46	0.193				0.6	0.23	36	<10	50	<0.5	2	4.32	<0.5	19
M399298		3.26	0.114				0.6	0.21	28	<10	40	<0.5	<2	4.88	<0.5	17
M399299		3.54	0.847				0.8	0.24	27	<10	60	<0.5	<2	4.43	<0.5	19
M399300		3.60	0.331				5.0	0.35	34	<10	70	<0.5	2	4.47	0.6	18
M399301		3.68	<0.005				0.4	0.29	29	<10	50	<0.5	2	3.76	<0.5	18
M399302		3.40	0.045				0.6	0.26	20	<10	50	<0.5	<2	3.97	<0.5	18
M399303		3.48	1.125				2.4	0.23	44	<10	50	<0.5	<2	4.09	0.5	18
M399304		0.20	0.106				0.9	0.30	20	<10	50	<0.5	<2	4.51	<0.5	20
M399305		4.12	0.008				0.7	0.29	25	<10	40	<0.5	<2	3.40	<0.5	18
M399306		0.66	0.107				0.8	0.30	15	<10	40	<0.5	<2	3.86	<0.5	19
M399307		3.10	0.476				0.6	0.28	29	<10	40	<0.5	<2	3.77	<0.5	20
M399308		3.78	<0.005				0.4	0.32	45	<10	40	<0.5	<2	3.69	<0.5	21
M399309		3.74	0.428				1.0	0.30	41	<10	50	<0.5	<2	3.53	<0.5	24
M399310		3.36	1.020				0.8	0.31	23	<10	50	<0.5	<2	3.98	<0.5	18
M399311		3.34	0.638				1.5	0.29	41	<10	50	<0.5	<2	3.61	<0.5	21
M399312		3.42	0.018				0.9	0.29	31	<10	70	<0.5	<2	3.68	<0.5	18
M399313		3.74	0.528				0.6	0.24	37	<10	40	<0.5	<2	4.07	<0.5	22
M399314		3.54	0.009				0.5	0.33	31	<10	50	<0.5	<2	4.00	<0.5	21
M399315		3.52	0.171				2.2	0.22	65	<10	30	<0.5	<2	3.94	<0.5	21
M399316		3.50	0.062				2.6	0.29	43	<10	40	<0.5	<2	4.41	<0.5	20
M399317		3.22	0.397				0.6	0.26	36	<10	40	<0.5	2	4.94	<0.5	22
M399318		4.18	0.113				7.7	0.27	35	<10	40	<0.5	<2	3.83	0.7	19
M399319		2.10	0.072				1.6	0.21	52	<10	30	<0.5	<2	3.95	<0.5	21
M399320		3.30	0.338				2.7	0.24	38	<10	40	<0.5	<2	4.68	<0.5	22
M399321		3.84	0.081				0.2	0.24	31	<10	30	<0.5	<2	3.70	<0.5	20
M399322		3.74	0.450				0.7	0.28	17	<10	40	<0.5	2	3.74	<0.5	23
M399323		3.84	0.374				0.7	0.23	56	<10	30	<0.5	2	3.77	<0.5	20
M399324		2.68	0.204				4.7	0.25	77	<10	30	<0.5	<2	3.60	0.5	21
M399325		3.18	0.033				4.6	0.20	126	<10	30	<0.5	<2	3.58	0.6	21
M399326		3.82	0.125				3.9	0.24	46	<10	40	<0.5	<2	3.08	3.4	16

Comments: sample M399287 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 5 - B  
Total # Pages: 6 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072977

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units LOR	ppm 1	ppm 1	% 0.01	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01
M399287		38	150	4.28	<10	<1	0.09	<10	1.30	844	1	0.03	8	910	3	3.94
M399288		16	204	4.91	<10	<1	0.19	<10	1.46	1075	1	0.03	5	1370	2	2.25
M399289		19	126	5.35	<10	<1	0.10	<10	1.48	1040	1	0.04	7	1380	2	5.16
M399290		23	137	4.88	<10	1	0.11	<10	1.44	980	1	0.03	5	1420	3	4.55
M399291		17	129	5.35	<10	<1	0.20	<10	1.58	1195	1	<0.01	7	1420	2	1.99
M399292		8	196	5.59	<10	<1	0.23	10	1.70	1195	1	0.01	6	1360	9	0.06
M399293		10	172	5.78	<10	<1	0.21	10	1.76	1225	1	0.01	6	1380	2	0.05
M399294		6	181	5.46	<10	1	0.21	10	1.69	1220	1	0.01	6	1320	3	0.16
M399295		8	160	5.51	<10	<1	0.21	10	1.66	1195	1	0.01	5	1400	<2	0.07
M399296		6	174	5.45	<10	<1	0.20	<10	1.62	1190	1	0.01	6	1340	2	1.14
M399297		14	168	5.58	<10	<1	0.16	<10	1.74	1185	1	0.02	7	1360	2	2.97
M399298		12	124	5.39	<10	<1	0.12	<10	1.67	1155	1	0.02	6	1280	3	3.11
M399299		10	184	5.23	<10	<1	0.18	<10	1.70	1175	1	0.01	7	1260	<2	2.31
M399300		11	183	5.66	<10	<1	0.24	<10	1.78	1250	1	0.01	6	1380	3	2.20
M399301		9	162	5.38	<10	<1	0.21	10	1.66	1220	1	0.01	6	1260	2	0.06
M399302		6	168	5.21	<10	<1	0.20	<10	1.65	1215	1	0.01	6	1220	2	0.50
M399303		14	140	5.58	<10	<1	0.17	<10	1.68	1165	1	0.02	7	1170	2	4.61
M399304		7	172	5.52	<10	<1	0.21	<10	1.78	1255	1	0.01	6	1360	3	0.51
M399305		9	160	5.55	<10	<1	0.20	10	1.64	1195	1	0.01	5	1340	3	0.04
M399306		6	152	5.29	<10	<1	0.20	10	1.58	1180	1	0.01	7	1240	<2	0.18
M399307		26	102	4.19	<10	<1	0.14	<10	1.28	1005	1	0.01	12	1030	2	1.60
M399308		8	71	4.64	<10	<1	0.23	10	1.32	1060	1	<0.01	11	1100	<2	0.11
M399309		17	88	5.17	<10	<1	0.19	<10	1.46	1110	1	<0.01	9	1210	4	1.84
M399310		12	198	5.29	<10	<1	0.19	<10	1.67	1215	1	0.01	7	1220	4	1.67
M399311		12	217	5.15	<10	<1	0.19	10	1.64	1220	1	0.01	5	1220	2	0.08
M399312		8	130	5.05	<10	<1	0.22	10	1.56	1145	1	0.01	9	1080	2	0.38
M399313		19	106	5.19	<10	<1	0.16	<10	1.56	1155	1	0.02	12	1120	2	2.15
M399314		8	146	5.30	<10	<1	0.21	10	1.67	1235	1	0.01	8	1260	2	0.16
M399315		22	73	5.19	<10	<1	0.12	<10	1.62	1095	1	0.02	11	1260	2	4.29
M399316		17	134	4.88	<10	<1	0.15	<10	1.45	1055	1	0.01	10	1160	4	1.81
M399317		14	72	5.25	<10	<1	0.15	<10	1.49	1100	1	0.01	12	1220	2	2.42
M399318		18	200	5.11	<10	<1	0.14	<10	1.45	1010	1	0.02	10	1140	3	2.15
M399319		25	63	5.23	<10	1	0.12	<10	1.56	1085	1	0.02	11	1160	<2	4.54
M399320		16	111	4.68	<10	<1	0.15	<10	1.37	995	1	0.01	12	1120	<2	2.60
M399321		13	87	4.58	<10	<1	0.16	<10	1.34	1010	1	0.01	8	1080	3	0.33
M399322		12	62	5.54	<10	1	0.19	<10	1.52	1120	1	0.01	11	1180	3	4.26
M399323		21	80	5.23	<10	<1	0.14	<10	1.50	1050	1	0.01	13	1140	4	3.55
M399324		14	127	5.21	<10	<1	0.15	<10	1.49	1035	1	0.02	12	1150	4	4.66
M399325		23	95	5.44	<10	<1	0.11	<10	1.58	1035	1	0.03	13	1160	4	5.27
M399326		36	80	4.35	<10	<1	0.14	<10	1.24	858	1	0.03	10	1000	5	3.85

Comments: sample M399287 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 5 - C  
Total # Pages: 6 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072977

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sb	Sc	Sr	Tl	Tl	U	V	W	Zn
		ppm 2	ppm 1	ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M399287		17	8	260	<0.01	<10	<10	11	<10	44
M399288		17	7	338	<0.01	<10	<10	10	<10	58
M399289		32	8	259	<0.01	<10	<10	11	<10	52
M399290		22	9	286	<0.01	<10	<10	15	<10	51
M399291		<2	8	324	<0.01	<10	<10	9	<10	54
M399292		<2	5	153	<0.01	<10	<10	9	<10	87
M399293		<2	6	137	<0.01	<10	<10	11	<10	82
M399294		<2	5	144	<0.01	<10	<10	10	<10	75
M399295		<2	5	209	<0.01	<10	<10	9	<10	75
M399296		<2	6	284	<0.01	<10	<10	11	<10	75
M399297		<2	8	337	<0.01	<10	<10	12	<10	56
M399298		<2	8	352	<0.01	<10	<10	10	<10	49
M399299		<2	7	367	<0.01	<10	<10	10	<10	54
M399300		22	5	307	<0.01	<10	<10	10	<10	76
M399301		2	5	188	<0.01	<10	<10	8	<10	80
M399302		<2	8	259	<0.01	<10	<10	9	<10	61
M399303		5	8	361	<0.01	<10	<10	13	<10	77
M399304		<2	6	282	<0.01	<10	<10	11	<10	69
M399305		<2	5	149	<0.01	<10	<10	9	<10	77
M399306		<2	5	203	<0.01	<10	<10	9	<10	64
M399307		<2	5	247	<0.01	<10	<10	8	<10	39
M399308		<2	4	179	<0.01	<10	<10	7	<10	72
M399309		2	4	231	<0.01	<10	<10	7	<10	67
M399310		<2	5	278	<0.01	<10	<10	9	<10	57
M399311		<2	5	201	<0.01	<10	<10	9	<10	52
M399312		<2	5	241	<0.01	<10	<10	10	<10	56
M399313		<2	7	304	<0.01	<10	<10	10	<10	62
M399314		<2	5	217	<0.01	<10	<10	9	<10	84
M399315		7	9	294	<0.01	<10	<10	11	<10	44
M399316		7	7	275	<0.01	<10	<10	12	<10	56
M399317		<2	8	288	<0.01	<10	<10	10	<10	59
M399318		51	7	254	<0.01	<10	<10	10	<10	74
M399319		11	9	306	<0.01	<10	<10	13	<10	50
M399320		17	7	333	<0.01	<10	<10	11	<10	84
M399321		<2	5	186	<0.01	<10	<10	7	<10	62
M399322		<2	6	293	<0.01	<10	<10	11	<10	58
M399323		<2	7	295	<0.01	<10	<10	10	<10	53
M399324		30	9	311	<0.01	<10	<10	14	<10	69
M399325		36	9	275	<0.01	<10	<10	13	<10	62
M399326		17	7	274	<0.01	<10	<10	11	<10	332

Comments: sample M399287 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 6 - A  
Total # Pages: 6 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04072977**

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-AA23 Au Check ppm	Au-AA23 Au Check ppm	Au-GRA21 Au ppm	ME-ICP41 As ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm
Sample Description	0.02	0.005	0.005	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
M399327	2.62	0.100				1.4	0.31	39	<10	60	<0.5	<2	3.87	<0.5	20
M399328	4.06	0.208				6.8	0.24	71	<10	60	<0.5	<2	3.97	<0.5	15
M399329	3.88	0.111				1.2	0.30	67	<10	50	<0.5	<2	4.62	<0.5	20
M399330	3.58	0.135				1.1	0.35	76	<10	50	<0.5	<2	5.00	<0.5	20
M399331	3.12	0.026				0.8	0.31	43	<10	50	<0.5	<2	3.33	<0.5	21
M399332	4.84	0.040				0.6	0.28	52	<10	50	<0.5	<2	4.15	<0.5	22

Comments: sample M399287 shows erratic Au



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 6 - B  
Total # Pages: 6 (A - C)  
Finalized Date: 1-NOV-2004  
Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04072977

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units LOR	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
		1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
M399327		17	110	5.32	<10	<1	0.20	<10	1.62	1130	1	0.02	9	1040	3	2.38
M399328		23	184	4.98	<10	<1	0.18	<10	1.66	1100	1	0.02	4	610	3	3.57
M399329		20	64	5.25	<10	<1	0.17	<10	1.60	1090	1	0.02	12	1060	7	3.68
M399330		13	118	5.33	<10	<1	0.15	<10	2.05	1045	1	0.03	13	790	6	3.79
M399331		15	95	5.70	<10	<1	0.17	<10	1.90	910	1	0.03	11	790	<2	2.53
M399332		11	86	5.67	<10	<1	0.16	<10	1.95	983	1	0.04	14	950	2	3.23

Comments: sample M399287 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
 2101-885 W GEORGIA ST  
 VANCOUVER BC V6C 3E8

Page: 6 - C  
 Total # Pages: 6 (A - C)  
 Finalized Date: 1-NOV-2004  
 Account: MYA

Project: QCM

**CERTIFICATE OF ANALYSIS VA04072977**

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Sb	Sc	Sr	Tl	Tl	U	V	W	
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
LOR		2	1	1	0.01	10	10	1	10	
Zn									2	
M399327		4	7	329	<0.01	<10	<10	10	<10	71
M399328		28	9	335	<0.01	<10	<10	9	<10	62
M399329		5	9	354	<0.01	<10	<10	13	<10	57
M399330		2	13	556	<0.01	<10	<10	22	<10	51
M399331		<2	10	366	<0.01	<10	<10	17	<10	53
M399332		<2	10	398	<0.01	<10	<10	17	<10	50

Comments: sample M399287 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 1

Finalized Date: 11-NOV-2004

Account: MYA

## CERTIFICATE VA04077013

Project: QCM

P.O. No.:

This report is for 20 Other samples submitted to our lab in Vancouver, BC, Canada on 3-NOV-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

DAVID MEHNER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCRa	Au Screen FA - Over Wt. A	WST-SIM
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: CANADIAN GOLD HUNTER CORP  
ATTN: RICK J. BAILES  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 11-NOV-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04077013

Sample Description	Method Analyte Units LOR	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		ppm 0.05	ppm 0.05	ppm 0.05	mg 0.001	g 0.01	g 0.1	ppm 0.01	ppm 0.01
B87531		0.20	0.09	0.21	0.004	44.86	1027.0	0.13	0.28
B87532		0.86	5.40	0.69	0.195	36.11	980.0	0.78	0.60
B87533		<0.05	<0.05	<0.05	<0.001	27.63	970.7	0.01	0.01
B87534		0.13	<0.05	0.13	0.001	35.30	985.8	0.16	0.10
B87535		0.29	1.10	0.28	0.025	22.83	987.9	0.25	0.30
B87536		0.12	<0.05	0.12	0.001	44.48	1003.0	0.13	0.11
B87537		0.81	0.92	0.81	0.043	46.99	952.0	0.85	0.97
B87538		0.29	0.17	0.30	0.008	45.90	1019.0	0.27	0.32
B87539		<0.05	<0.05	<0.05	0.001	76.79	980.1	0.03	0.05
B87540		0.68	1.17	0.65	0.072	61.40	986.2	0.62	0.68
B87569		0.05	0.10	0.05	0.002	19.41	1010.5	0.05	0.05
B87570		<0.05	<0.05	<0.05	<0.001	57.95	966.1	0.01	0.04
B87571		<0.05	0.07	<0.05	0.003	41.41	1031.5	0.03	0.04
B87572		0.14	0.27	0.14	0.009	33.14	970.3	0.14	0.13
B87573		0.15	0.21	0.15	0.006	29.21	983.9	0.15	0.14
B87574		0.28	0.37	0.28	0.021	57.51	1014.5	0.28	0.27
B87575		0.53	0.43	0.54	0.019	44.60	994.9	0.59	0.48
B87576		0.45	0.33	0.46	0.017	51.33	956.0	0.51	0.41
B87577		0.15	0.09	0.15	0.006	64.45	997.2	0.18	0.12
B87578		1.23	1.55	1.22	0.095	61.29	969.2	1.20	1.23



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 1  
Finalized Date: 15-NOV-2004  
Account: MYA

## CERTIFICATE VA04077014

Project: QCM

P.O. No.:

This report is for 46 Other samples submitted to our lab in Vancouver, BC, Canada on 3-NOV-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

DAVID MEHNER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: CANADIAN GOLD HUNTER CORP  
ATTN: RICK J. BAILES  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP  
2101-885 W GEORGIA ST  
VANCOUVER BC V6C 3E8

Page: 2 - A  
Total # Pages: 3 (A)  
Finalized Date: 15-NOV-2004  
Account: MYA

Project: QCM

<b>CERTIFICATE OF ANALYSIS VA04077014</b>
---

Sample Description	Method	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25	Au-AA25D
	Analyte	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au Check	Au
	Units LOR	ppm 0.05	ppm 0.05	ppm 0.05	mg 0.001	g 0.01	g 0.1	ppm 0.01	ppm 0.01	ppm 0.01
B87660		0.75	8.31	0.71	0.056	6.74	1043.0	0.69		0.72
B87661		0.53	1.40	0.53	0.010	7.14	998.9	0.54		0.51
B87662		1.58	4.63	1.52	0.121	26.12	1151.5	1.67		1.36
B87663		0.30	0.17	0.31	0.004	23.82	1038.5	0.26		0.35
B87664		0.35	2.32	0.31	0.065	27.98	1116.0	0.27		0.34
B87665		0.34	0.53	0.33	0.017	31.90	997.2	0.30		0.36
B87666		0.16	0.44	0.15	0.016	36.52	967.5	0.12		0.17
B87667		<0.05	<0.05	<0.05	<0.001	23.02	990.0	0.01		0.01
B87668		0.56	0.51	0.56	0.010	19.61	1007.5	0.57		0.55
B87669		1.15	1.10	1.15	0.022	20.03	963.4	1.04		1.28
B87670		1.12	6.94	0.91	0.235	33.87	953.0	0.91		0.91
B87671		0.24	0.22	0.25	0.004	17.87	974.9	0.28		0.23
B87672		173.0	8260	25.5	154.450	18.69	1027.0	26.7	31.1	18.80
B87673		1.71	251	0.42	1.306	5.21	1004.0	0.43		0.40
B87674		0.35	29.3	0.16	0.208	7.09	1039.0	0.18		0.13
B87675		1.53	27.3	1.30	0.233	8.52	950.3	1.22		1.38
B87756		0.19	0.21	0.19	0.002	9.37	1011.5	0.20		0.18
B87757		0.23	0.63	0.23	0.006	9.46	970.0	0.26		0.20
B87758		0.06	<0.05	0.06	<0.001	8.80	1030.5	0.07		0.05
B87759		0.49	0.37	0.49	0.002	5.39	1007.5	0.52		0.46
B87760		<0.05	<0.05	0.05	<0.001	9.16	942.3	0.05		0.04
B87761		0.05	<0.05	0.05	<0.001	10.71	973.9	0.06		0.04
B87785		0.14	<0.05	0.15	<0.001	6.72	1053.5	0.15		0.14
B87786		0.37	<0.05	0.38	<0.001	12.08	947.5	0.44		0.31
B87787		<0.05	<0.05	<0.05	<0.001	9.55	1057.5	0.02		0.03
B87788		1.31	11.55	1.10	0.257	22.26	1062.5	1.19		1.01
B87789		0.49	0.92	0.49	0.010	10.87	991.3	0.52		0.45
B87790		0.10	0.23	0.10	0.004	17.32	999.4	0.10		0.10
B87791		<0.05	<0.05	<0.05	<0.001	6.70	1042.0	0.02		0.02
B87792		0.45	0.63	0.45	0.014	22.36	1038.5	0.36		0.53
B87793		1.44	1.84	1.43	0.077	41.86	970.2	1.36		1.49
B87794		1.23	1.72	1.22	0.052	30.20	1002.0	1.13		1.31
B87795		<0.05	<0.05	<0.05	<0.001	19.51	995.9	0.01		0.03
B87796		0.10	0.23	0.10	0.005	21.43	930.6	0.10		0.09
B87797		2.89	32.8	2.23	0.674	20.58	936.6	2.59		1.87
B87798		1.04	1.56	1.02	0.061	39.15	964.2	0.99		1.04
B87813		0.71	2.92	0.69	0.037	12.88	945.3	0.70		0.67
B87814		2.11	7.89	2.00	0.149	18.88	1011.0	1.85		2.15
B87815		0.58	0.59	0.58	0.009	15.37	972.3	0.55		0.60
B87816		3.43	7.68	3.34	0.159	20.71	1008.0	3.67		3.01



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 3 - A

Total # Pages: 3 (A)

Finalized Date: 15-NOV-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04077014

Sample Description	Method Analyte Units LOR	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25	Au-AA25D
		Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au Check	Au
		ppm	ppm	ppm	mg	g	g	ppm	ppm	ppm
		0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01	0.01
B87817		1.20	2.62	1.18	0.053	20.25	989.4	1.26		1.09
B87818		0.31	0.76	0.30	0.012	15.74	1038.0	0.32		0.28
B87819		0.70	1.21	0.70	0.018	14.84	1051.0	0.73		0.66
B87820		0.87	1.09	0.86	0.045	41.38	930.0	0.85		0.87
B87821		1.09	1.53	1.07	0.065	42.35	919.0	1.02		1.11
B87822		0.73	0.85	0.73	0.035	41.40	920.2	0.72		0.73



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 1

Finalized Date: 11-NOV-2004

Account: MYA

## CERTIFICATE VA04077015

Project: QCM

P.O. No.:

This report is for 20 Other samples submitted to our lab in Vancouver, BC, Canada on 3-NOV-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

DAVID MEHNER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCRa	Au Screen FA - Over Wt. A	WST-SIM
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: CANADIAN GOLD HUNTER CORP

ATTN: RICK J. BAILES

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 11-NOV-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04077015

Sample Description	Method Analyte Units LOR	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		ppm 0.05	ppm 0.05	ppm 0.05	mg 0.001	g 0.01	g 0.1	ppm 0.01	ppm 0.01
B87917		0.06	0.06	0.06	0.002	30.89	986.8	0.07	0.05
B87918		<0.05	<0.05	<0.05	<0.001	30.48	978.2	0.01	0.01
B87919		0.65	1.02	0.63	0.040	39.11	950.8	0.65	0.61
B87920		0.41	0.46	0.41	0.025	54.61	948.1	0.39	0.42
B87921		0.06	0.06	0.06	0.002	31.65	975.0	0.05	0.06
B87922		0.10	0.06	0.10	0.003	49.49	941.7	0.11	0.09
B87923		0.05	0.06	0.05	0.001	17.88	1005.0	0.04	0.06
B87924		0.35	0.37	0.35	0.019	51.79	920.1	0.39	0.30
B87925		0.23	0.20	0.24	0.012	59.85	1013.0	0.22	0.25
B87926		<0.05	0.05	<0.05	0.003	61.50	899.4	0.01	0.02
B87937		0.30	0.33	0.30	0.025	74.95	983.4	0.33	0.26
B87938		0.74	0.84	0.73	0.069	81.93	955.7	0.75	0.71
B87939		1.43	1.91	1.41	0.070	36.63	1051.0	1.54	1.28
B87940		0.55	0.44	0.56	0.030	68.16	907.3	0.57	0.54
B87941		<0.05	<0.05	<0.05	0.001	78.03	1007.0	0.01	0.04
B87942		<0.05	<0.05	<0.05	<0.001	67.70	978.5	<0.01	<0.01
B87943		<0.05	<0.05	<0.05	0.002	55.48	1009.5	0.01	<0.01
B87944		<0.05	0.29	<0.05	0.009	31.04	977.9	0.03	0.04
B87945		0.63	1.11	0.62	0.025	22.58	1028.0	0.64	0.60
B87946		0.37	0.62	0.37	0.020	32.24	923.6	0.36	0.37



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 1

Finalized Date: 10-NOV-2004

Account: MYA

## CERTIFICATE VA04077016

Project: QCM

P.O. No.:

This report is for 24 Other samples submitted to our lab in Vancouver, BC, Canada on 3-NOV-2004.

The following have access to data associated with this certificate:

RICK J. BAILES

JAN CHRISTOFFERSEN

DAVID MEHNER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCRa	Au Screen FA - Over Wt. A	WST-SIM
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: CANADIAN GOLD HUNTER CORP

ATTN: RICK J. BAILES

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: CANADIAN GOLD HUNTER CORP

2101-885 W GEORGIA ST

VANCOUVER BC V6C 3E8

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 10-NOV-2004

Account: MYA

Project: QCM

## CERTIFICATE OF ANALYSIS VA04077016

Sample Description	Method Analyte Units LOR	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		ppm 0.05	ppm 0.05	ppm 0.05	mg 0.001	g 0.01	g 0.1	ppm 0.01	ppm 0.01
M399085		<0.05	<0.05	<0.05	<0.001	27.92	988.2	<0.01	<0.01
M399086		<0.05	<0.05	<0.05	<0.001	33.84	912.1	<0.01	<0.01
M399087		0.55	0.45	0.55	0.008	17.74	957.1	0.52	0.58
M399088		1.15	1.97	1.12	0.076	38.49	988.5	1.13	1.10
M399089		0.94	0.87	0.94	0.027	30.87	1016.5	0.92	0.96
M399090		<0.05	<0.05	<0.05	<0.001	25.63	981.6	0.02	0.04
M399091		0.28	0.24	0.29	0.007	29.02	963.1	0.26	0.31
M399092		1.31	1.43	1.31	0.040	27.92	1036.5	1.31	1.30
M399093		0.30	0.25	0.31	0.008	31.38	1015.5	0.30	0.31
M399094		0.57	2.66	0.51	0.074	27.78	945.9	0.56	0.46
M399095		0.16	<0.05	0.16	<0.001	9.71	702.6	0.18	0.14
M399096		0.36	0.53	0.35	0.021	39.39	925.0	0.36	0.34
M399285		0.31	0.37	0.31	0.008	21.91	934.4	0.25	0.37
M399286		1.70	32.6	0.50	1.210	37.14	956.7	0.50	0.50
M399287		3.51	37.4	2.28	1.376	36.77	1016.5	2.27	2.29
M399288		0.67	0.73	0.67	0.034	46.74	994.0	0.70	0.64
M399289		0.93	5.43	0.80	0.151	27.80	944.3	0.74	0.85
M399290		0.16	0.12	0.17	0.005	42.66	1017.0	0.16	0.17
M399291		0.39	0.63	0.37	0.035	55.62	904.6	0.50	0.24
M399292		12.20	124.0	8.04	6.535	52.75	956.4	6.48	5.60
M399293		<0.05	<0.05	<0.05	<0.001	27.08	1014.5	0.01	0.01
M399294		0.21	0.11	0.22	0.004	37.41	948.8	0.19	0.24
M399295		<0.05	0.08	<0.05	0.002	25.34	978.9	0.03	0.03
M399296		0.08	0.22	0.08	0.008	37.09	977.2	0.08	0.08



## **APPENDIX VI**

### **QCM PROJECT**

#### **REFERENCES**

1. Evans, B. T.; Digital Topographic Mapping on the QCM 1-5 Claims, Assessment Report 20,854, Golden Rule Resources Ltd., 1991
2. Ferri, Filippo and Melville, David M.; Bedrock Geology of the Germansen Landing – Manson Creek Area, British Columbia; BCGS Bulletin 91, 1994.
3. Fominoff, Peter J. and Lewis, Michael J.; Report on Induced Polarization Survey, Manson Creek Area, British Columbia on behalf of Sullivan and Rogers, Assessment Report 4,246, 1972.
4. Fox, Michael; Geochemical, Geological, Geophysical, Physical Report on the QCM Claims, Assessment Report 9,944, Golden Rule Resources Ltd., 1981.
5. Fox, Michael; Geophysical Report on the QCM Claim, Assessment Report 19,594, Golden Rule Resources Ltd., 1989.
6. Fox, Michael; Geological Report on the Au Claims, Assessment Report 24,349, 1995.
7. Fox, Michael; Structural Geological Report on the Au Property, Assessment Report 25,471, 1998.
8. Riccio, L., Atkinson, M. and Scott, A.; Geological, Geochemical and Geophysical Report on the QCM 1-5 and OPEC 1-10 Mineral Claims, Assessment Report 10,746, Anaconda Canada Exploration Ltd., 1982.
9. Riccio, L; Reverse Circulation Drilling Report on the QCM 1-5 Mineral Claims, Manson Creek Project, Assessment Report 11,627, Anaconda Canada exploration Ltd., 1983.
10. Rogers, T.; Report on the Geology and Geochemistry of the Pad, Dom, Bye and Matt Groups, Manson Creek, British Columbia, Assessment Report 4,245, 1972.
11. Travis, Adam; Geological, Geochemical and Prospecting Report Undertaken on the QCM Property, Assessment Report 27,137, Royal County Minerals Ltd., 2003.

**APPENDIX VII**  
**QCM PROJECT**  
**STATEMENT OF**  
**QUALIFICATIONS**

**J. E. CHRISTOFFERSEN, P. ENG.**

I, Jan E. Christoffersen. P. Eng, do hereby state that:

I reside at # 219 – 1952 152A St., White Rock, BC, Canada, V4A 9T2

I graduated with a B. A. Sc. in Geological Engineering from the University of Toronto in 1968 and with an MBA from the University of British Columbia in 1988.


I have been a full member in good standing of the Association of Professional Engineers of the Province of British Columbia since 1986.


I have practiced as a professional geologist virtually continuously since 1968 in a number of technical and managerial positions involving various mineral exploration projects in Canada and internationally.

I currently am engaged as Vice President of Canadian Gold Hunter Corp. with offices at 2101 W. Georgia St., Vancouver, BC, V6C 3E8.

I personally participated in the field program described in this report and am the sole author of this report.

Signed and sealed:

  
Jan E. Christoffersen, P. Eng.  
April 28, 2005



- LEGEND**
- Topographic Contours (5m interval)
  - Creek / River
  - Road
  - Track
  - Trail
  - Property Boundary

- GEOLOGICAL LEGEND**
- Mafic volcanic flow: dark green/grey, massive, occasional epidote
  - Intermediate volcanic: tuff, variably silicified; medium grey with crystal tuff horizons
  - Argillitic Sediment: medium to dark grey, occasionally graded bedding with soft sediment deformation features
  - Graphitic Shale: black carbonaceous shale, thin bedded and fissile
  - Ankeritic Quartz-Carbonate Wacke: fine to coarse grained, recrystallized, siliceous to 'dry', orange weathered.
  - Ankeritic Quartz-Carbonate-Mariposite Wacke: fine to coarse grained, siliceous with <= 5% mariposite, light orange weathering.
  - Unaltered Greywacke: medium to dark grey quartz-feldspar wacke, unmineralized
  - Ultramafic Intrusive: dark grey/black, porphyritic, margins replaced by talc. Weakly magnetic.
- Geological Contact: defined & inferred  
 Fault: (also interpreted from magnetics)  
 Area of outcrop / subcrop  
 Frost heave, Boulders, Subcrop  
 Bedding  
 Jointing  
 Shear  
 Swamp  
 84 Rock Geochemical Sample - ppb Au  
 Old Trench  
 DDH1 Diamond drill hole (1983)  
 RD1 Reverse circulation drill hole (1983)  
 1 Percussion drill hole (1983)  
 QCM-002 2004 Diamond drill hole

GEOLOGICAL SURVEY BRANCH  
ASSESSMENT REPORT  
27-804

Topographic base from assessment report 20854 (1990)  
 Projection & Datum: NAD 83, UTM, Zone 10




**Canadian Gold Hunter Corp.**

**QCM PROPERTY**  
BRITISH COLUMBIA

**GEOLOGY**


To accompany Report on the Geochemical, Geophysical and Diamond Drilling Programs on the QCM Property, April 2005.

Scale: 1:5000      BCGS: 104K067,068,077,078      Fig. 7  
 Date: April 2005



**LEGEND**

- Topographic Contours (5m interval)
- Creek / River
- Road
- Track
- Trail
- Property Boundary



- 196 2004 Soil Sample with Au in ppb
- 190 1981 Golden Rule Soil Sample with Au in ppb

2004 Diamond drill hole  
QCM-002

Topographic base from assessment report 20854 (1990)  
Projection: Datum: NAD 83, UTM, Zone 10



**Canadian Gold Hunter Corp.**

**QCM PROPERTY**  
BRITISH COLUMBIA  
**GOLD**  
**SOIL GEOCHEMISTRY**

To accompany Report on the Geochemical, Geophysical and Diamond Drilling Programs on the QCM Property, April 2005.  
Scale: 1:5000 BCGS: 104K067,068,077,078  
Date: April 2005