

SOIL GEOCHEMICAL
ASSESSMENT REPORT ON
WG "COT" PROPERTY

-for-

RICHFIELD VENTURES CORP.
331 Reid St.
Quesnel, BC
V2J 2M5

-location-


LATITUDE 53°1'52"N, LONGTITUDE 122°21'28"

-prepared by-

Dirk Tempelman-Kluit, Ph.D,FGAC
4697 West 4th Avenue, Vancouver, BC
September 28, 2005

TABLE OF CONTENTS

Location	3
Accessibility	4
Geological Setting	5
Introduction and Summary	9
Results	12
Conclusions	24
Recommendations	24
Writers Certificate	26
Cost Statement	27
Assays	Appendix A



ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

The Project area is in central BC, immediately east of the Cariboo transportation-utility corridor. Cariboo Highway (97), the B.C. Rail mainline, electric transmission lines, and gas transmission pipelines follow this corridor (Figure 3). Access to the project area is by highway 26, the Quesnel-Wells highway which bisects the project area into northern and southern halves. Within the Project area access is facilitated by innumerable recent logging roads that branch from the Cariboo Highway and the Wells-Barkerville Highway.

The climate in the area is boreal continental. Summers are hot, varying from dry to fairly wet. Winters tend to be cold with -30°C . temperatures common. Precipitation is fairly evenly distributed throughout the year with snow accumulations commonly more than a meter. The exploration working season is from mid-April to end October.



Figure 1. Index map.

Quesnel, the city, is immediately west of the project area. Prince George, Quesnel and local smaller centers provide experienced manpower, equipment, logistical support and services. Prince George, 120 km north of Quesnel is a major regional center, with regularly scheduled air services to Vancouver and Kamloops. Helicopters and small fixed wing aircraft are readily available for charter.

The project area lies within the Interior Plateau physiographic province, a region of rolling north-northwest trending hills incised by small to medium sized, steep walled stream valleys. The relief is modest, generally less than 300 m, and the topography is dominated by drumlins and deglaciation drainage channels. Drainage is westward to the Fraser River. Much of the project area is underlain by thick glaciofluvial cover. As in many glaciated areas bedrock outcrops are most common on hill tops and in stream valleys. Logging road construction has improved access and increased outcrop exposure.

GEOLOGICAL SETTING

The project area is in the heart of Quesnel Trough, a linear northwest trending belt underlain by Late Triassic and Early Jurassic basalt and sedimentary rocks. From north to south the belt includes strata assigned to the Takla, Stuhini and Nicola groups. Quesnel Trough is generally 20 to 40 km wide and can be followed most of the length of BC from near Mackenzie to the 49th parallel. On the southwest Quesnel Trough is flanked by sedimentary and volcanic rocks of the Permian Cache Creek Group and on the northeast are metamorphic rocks of the Omineca Belt, dominantly Late PreCambrian and Early Paleozoic in age. The Pinchi Fault system forms the boundary of Quesnel Trough on the southwest and the Eureka-Spanish Mountain thrusts are at the Omineca Belt boundary.

Alkalic basaltic volcanic and volcanoclastic rocks of the upper Triassic Nicola Group (Quesnel Terrane) are the main rock types on the west side of the project area (Figures 3 and 4). Massive saussuritized green to dark brown green rocks dominate. The volcanoclastic textures are rarely visible and then only on weathered surfaces. Depositional or structural layering is lacking. Locally thin beds of black slate are intercalated with the volcanoclastic rocks.

Polyphase composite dykes, plugs and stocks of monzonite (nepheline) syenitic, syeno-diorite and alkali-gabbro intrude the alkalic volcanoclastic rocks and basalt. These undersaturated intrusive rocks are coeval with, or just younger than, the volcanics they invade. The stocks represent the remnants of eruptive centres of felsic volcanic rocks. They host alkalic suite porphyry mineral deposits.




Figure 2.
Quesnel Trough runs most of the length of BC.

It is a narrow belt of Late Triassic volcanic and sedimentary rock. Quesnel Trough hosts many important porphyry copper-gold deposits in BC.

The east margin of the project area follows the Eureka and Spanish thrusts approximately. These thrust faults bring eastern Nicola slate over the Proterozoic to Permian Snowshoe Group. The Snowshoe is dominated by quartz mica schist and micaceous quartzite and represents metamorphosed continental sourced sedimentary and volcanic rocks. Along the thrust faulted boundary are slices and sheets of serpentinized ultramafic rocks (Crooked Amphibolite), thought to represent obducted remnants of oceanic crust and associated oceanic sediments.

Between the Eureka Spanish thrust and the Nicola volcanic belt is a low area with little relief and few outcrops. Here are scattered outcrops of black recessive weathering slate. Silty to fine sandy black slate, volcanic tuff and calcareous slate are interbedded locally. The rocks are weakly metamorphosed to lower greenschist facies and mostly unaltered. A slaty cleavage is common, but recrystallization along it is lacking. Bedding and cleavage trend northwest. Open to subsoclinal folds that trend northwest are seen locally.

Relations between the black slate and the volcanic rocks are not exposed. The slate is considered to be broadly coeval with the volcanoclastic Nicola and they may be an eastern forearc or backarc facies.

Quartz monzonite to granodiorite radiometrically dated as Cretaceous, the Naver Plutonic suite, invade the older rocks in the northwest part of the project area. They form a pluton of which only the southern extremity reaches the project area.




Figure 3. Geological Map of the project area.
 This geological map shows the known mineral occurrences in Richfield's Quesnel Trough project area in relation to the regional geology. Red circles mark known occurrences; bedrock showings are labeled and unlabelled circles represent placer occurrences. Mouse Mountain and G-South are the two main bedrock mineral occurrences in the region.

Note the three main rock units. On the east are quartzite and mica schist of the Precambrian to Carboniferous Snowshoe Group (coloured purple-pink). In the central belt (uncoloured) is slate of the eastern Nicola facies. These rocks are late Triassic in age. On the west (coloured green) are alkalic volcanic and volcanoclastic rocks of the late Triassic to early Jurassic Nicola Group. Faults are indicated by dark blue lines. Small bodies of syenite and allied rocks invade the Nicola volcanics; one is seen immediately south of the Mouse Mountain showing. The Naver pluton, a large granodiorite body, is shown in pink immediately north of the G-South occurrence. Ultramafic rocks occupy a discontinuous area along the fault boundary between the eastern Nicola facies and the Snowshoe Group. The two faults along this boundary are the Eureka and Spanish Thrusts.





Figure 4. Facies distribution of the Nicola Group.

This map shows the eastern (dark green) and western (light green) Nicola Group facies of Quesnel Trough in the project area. The Eureka-Spanish Thrust system (dark blue line) on the east is the boundary of Quesnel Trough with Barkerville Terrane.

Isolated exposures of Tertiary rocks, the Eocene Kamloops Group and Eocene to Oligocene Endako Group volcanics and sediments, are found in the south of the Project area.

The geologic fabric seen only in the eastern Nicola rocks and in the Snowshoe Group, strikes north northwest. This fabric is accompanied by regional and lesser faults which also trend north-northwest. Many sub regional northeast trending faults truncate this north-northwest trend. The northeast striking faults locally displace Cretaceous and earlier rocks.

Figure 5. Map of RVC title and known mineral showings. Here the Richfield Ventures Corp title ground in pale blue (as of June 12, 2006) is shown on the geological map as taken from mapplace.ca. Note that the eastern claims cover most of the area underlain by the black slate eastern Nicola facies. In contrast the western claims are underlain by the volcanic part of the Nicola Group.



Introduction and summary

The WG soil grid of Richfield Ventures Corp, ten km east northeast of Quesnel, is accessible from the Quesnel-Wells highway. The grid was cut in spring 2005 and soil sampled in June 2005. Some 421 samples were collected and geochemically analyzed by ICP-MS by Eco Tech Labs of Kamloops. The grid is entirely on the Cot claim, which is ground owned by Richfield Ventures Corp.

Massive dark green, resistant weathering, volcaniclastic rocks of the Nicola Group underlie the grid area and surroundings. Orange weathering ferrodolomite and iron carbonate altered zones are common on the southern and western sides of the grid. Outcrop is generally fair. The grid was designed to test the continuity of iron carbonate altered zones. The WG zone of iron carbonate alteration is at the southern end of the grid.

East-west soil sampling grid lines are spaced at 100 metres with samples at 25 m intervals.


Results of the analyses were examined for reproducibility and accuracy from data supplied by Eco Tech and found adequate. The results were compiled, imported into Manifold, georegistered, mapped and contoured by Kriging. Results are presented as a series of maps with commentary.

Maps show the topography on an imaginary surface defined by the geochemical response of each metal and contoured. Anomalous sample localities are labeled with the value of the result in the particular metal.


Anomalous thresholds at 95% of the population, determined from the entire data set are as follows.

Au 15 ppb
Ag 1ppm
As 70 ppm
Ba 500 ppm
Co 20 ppm
Cr 45 ppm
Cu 76 ppm
Mo 15 ppm
Ni 55 ppm
Pb 16 ppm
Zn 167 ppm

It is recommended that 11 sample pulps from the northern half of the grid be analyzed for platinum group elements as this was not done in the initial work and as the rocks look to have possibilities for these elements. It is also recommended that the southwest corner of the grid be carefully prospected again to make sure that nothing significant was missed there. Lastly an area about 100 m south of the trenching on the WG zone looks geochemically interesting and should be trenched with one or two trenches.



This map shows the location of the soil sample grid in relation to topography (brown contours with labels) and roads (green and mauve lines). The UTM grid shown is at 100 m intervals. The 421 sampling localities are represented by round dots in grey. Rock sample localities for the WG iron carbonate altered zone are shown in larger red dots at the south end of the grid.



This is a map of the soil sample grid in relation to the airborne magnetics flown earlier this field season and the topographic base and UTM grid. The large black squares represent registration marks from the airborne data.

Geochemistry and geophysics point to a quandary. Most of the grid covers an area of low magnetic response. The north half of the grid has the lowest magnetics (blue), but the geochemistry there gives a strong mafic suite response. So while the magnetics indicate nonmagnetic rocks in the north half of the grid the mafic geochemical response implies the sort of rocks which generally contain magnetite and hence are magnetic.

Results

In general the grid is responsive in cobalt, chromium, nickel, zinc, manganese, lead and nickel. Moderate response is seen in gold and copper. No response was seen in silver, cadmium, bismuth or molybdenum. Major rock forming elements such as iron, magnesium and calcium show results that probably largely reflect the distribution of rocks and which could be useful to map rock type distribution in detail.


Nickel, cobalt, chromium and magnesium coincide and show similar distributions with coincident highs and lows. Highs in these metals dominate the northern half of the grid. A secondary zone of highs in these metals is seen about a quarter of the way north

of the southern end of the grid. Zinc and lead distributions correspond fairly well with that of nickel, cobalt, chromium and magnesium.

Manganese behaves inversely to cobalt, nickel chromium and zinc. It is high at the southwest of the grid where these other metals are low. Barium mimics manganese in distribution.


Magnesium and iron behave oppositely, where one is high the other is low and conversely. So while magnesium moves with nickel, cobalt, chromium and zinc the iron corresponds roughly to manganese and barium.

A single high calcium of 3.9% is isolated and relates to none of the other metals. It may represent a calcite zone or calcium in surficial material.




The chromium map for the WG grid shows that the north end of the grid is responsive. The rock sampling localities of the iron carbonate altered zone near the south end of the grid are shown with their Chromium response for comparison.


The WG iron carbonate altered zone is on the edge of the southern chromium high zone and has sampled the northwest flank of that zone. The soil response suggests that stronger alteration may occur just south of the WG trenches or the chromium soil response is not simply mapping iron carbonate alteration. Comparison between this map and the next several diagrams demonstrates the correspondence of metal distributions of chromium with cobalt, nickel and magnesium.





Cobalt behaves similarly to chromium with the north half of the grid responding well in this metal. Chromium has more samples with anomalous results than does cobalt. The high at 542700E 5874000N lacks a corresponding high in chromium. The rock samples taken on the iron carbonate altered WG zone are shown in yellow with their cobalt analytical results in sloping black labels.




Nickel moves with chromium and cobalt as a comparison of this diagram with the two above demonstrates. None of the anomalous values are especially high and likely this distribution reflects bedrock map unit variation rather than concentrated metal zones.





Magnesium corresponds to chromium, cobalt and nickel with the north half of the grid comparatively high and the south half less so. The high at 543000E 58755550N is seen in all four metals and speaks to their common distribution pattern.




Lead is a big surprise with 27 samples anomalous. The lead distribution corresponds to that of chromium, cobalt, nickel and magnesium. Even the secondary high at 543000E 5875500N is reflected in lead demonstrating the faithful similarity of these metals. Again none of the anomalous values are particularly high suggesting that we are seeing a reflection of rock unit distribution, not metal concentration. Correspondence of lead to chromium, cobalt, nickel and magnesium is surprising. The detail diagram shows the lead analyses in rock from the WG iron carb alteration zone with sloping blue labels and yellow sample localities. Although the samples are close to the centre of the soil lead high only modest lead values were found in the rock.





Zinc is close to chromium, cobalt, nickel and magnesium, but shows some differences. The northern part of the grid is not uniformly high as in these other metals and the southern half has a new high centered at 542700E 5875650N. This new high with two anomalous zinc values may reflect a metal concentration beyond that which reflects rock distribution. The secondary at 543000E 5875500N high, present in the other metals, is absent in the zinc again suggesting that zinc distribution is only loosely linked to that of chromium, cobalt, nickel and magnesium.




Two diagrams on the preceding page show the copper map and a detail of the southern part of the copper map. Unlike chromium, cobalt, nickel and magnesium the copper distribution lacks response in the north part of the grid and shows one significant high. Copper has merely five anomalous values in the entire sample population of 421. The copper high at 542700E 5875800N corresponds pretty closely to the zinc high at 542700E 5875650N. Copper probably does not reflect rock type distribution and may signal a concentration of mineralization. Interestingly the Cu/Zn ratio map supports this as the next diagram shows. The WG rock sample localities are in yellow and labeled in black. WG alteration zone is outside the area of the copper high.




The Cu/Zn ratio is represented here as percent. A ratio of 1 is represented by 100 in the labels. The single high at 542700E 5875800N reflects the copper high at this locality. This high is not a single value high but five values above 0.7 define it. The Cu/Zn high is close to the zinc high at 542700E 5875650N. The WG iron carbonate zone is exposed and was trenched and sampled at 542950E 5875650N. This Cu/Zn high is 300 m to west northwest of the WG zone.



Two diagrams on the previous page display the manganese response from the soil grid and from the rock samples at the south of the grid. Manganese, barium and iron behave unlike the other metals in this grid and define a high near the southwest corner of the grid as is shown here. The WG iron carbonate altered zone is exposed and was trenched and sampled at 542950E 5875650 and does not coincide with the WG altered zone. The detail map of the southern part of the grid shows locations of rock samples from the WG iron carbonate altered zone in yellow; black sloping labels indicate the Mg content of the rock samples.



Barium results in soils show a high which corresponds roughly to that of manganese but which is areally more extensive. The barium high is 200 m farther west than the WG zone.



Lastly here is the iron distribution for the grid. Again it shows the inverse of chromium, cobalt, nickel and magnesium comparing instead with copper, barium and manganese. The WG iron carbonate zone is some 250 metres southeast of this high.

CONCLUSIONS

This analysis of the soil geochemistry of the WG grid shows that rocks in the northern half of the grid area respond in cobalt, chromium, nickel and magnesium.

The chromium response does not simply reflect iron carbonate altered zones in the volcanic rocks as shown by the less than perfect correlation between the Cr soil results and the WG sampling zone. So far this iron carbonate alteration has proved economically uninteresting.

Moderate response is seen in gold and copper. No response was seen in silver, cadmium, bismuth or molybdenum. Results from major rock forming elements such as iron, magnesium and calcium show results that probably reflect the distribution of rocks and which could be useful to map rock type distribution in detail.

RECOMMENDATIONS

Three recommendations flow from the current work, a reanalysis of certain pulps for platinum group metals, limited further trenching south of the WG altered zone and prospecting at the southwest corner of the grid to examine a multielement geochemical high.

The high chromium-cobalt-nickel-magnesium zone in the north half of the grid area is considered the geochemical response of the bedrock and not a reflection of anomalous metal concentration. The mafic geochemistry of these rocks suggests potential for platinum group elements and it is recommended that the best responding samples from this area be reanalyzed for platinum group elements. Until such analysis is complete no further exploration is warranted.

Following is a list of soil sample localities with the highest combined Co, Ni, and Cr results from the entire 421 samples. These sample localities are the 11 highest in the north half of the grid for the three metals. UTM locations with sample tag numbers of the samples that should be analyzed for platinum and palladium are as follows

543075E	5876600N	L6600 30+75
543100E	5876800N	L6800 31+00
542800E	5875800N	L5800 28+00
542625E	5875800N	L5800 26+25
542750E	5875800N	L5800 27+50
542775E	5876400N	L6400 27+75
542775E	5876000N	L6000 27+75
543000E	5876700N	L6700 30+00
542725E	5875700N	L5700 27+25
542775E	5876900N	L6900 27+25
542625E	5876300N	L6300 26+25

Lead, chromium, cobalt and nickel responses near the south end of the grid centered at **542950E 5875550N** are about 100 m south of the trenching and sampling on the WG zone. That trenching did not expose the centre of the high geochemical response zone so this should be corrected. One or two trenches at the centre of the high to expose bedrock for examination, sampling and assay are recommended to test this high fully. Despite the unsatisfactory assay results from the WG trenches the massive and disseminated pyrite mineralization and extensive iron carbonate alteration there are intriguing.

The target about 200 to 300 m west of the WG trenches at about **542700E** between **5875900N** and **5875300N**, defined by copper, Cu/Zn ratio, manganese, iron and barium needs to be followed up. There are plenty of outcrops and cat roads here. These were examined by the writer in June 2005 without his noting anything significant. It is recommended that this area be reexamined and carefully prospected once again to make sure that nothing was missed.

WRITER'S CERTIFICATE

I, Dirk Tempelman-Kluit, residing at 4697 West 4th Avenue, Vancouver, British Columbia, do hereby certify that:

1. I am a geologist residing in the Vancouver, B.C.
2. I obtained a Bachelor of Applied Science degree in Geological Engineering in 1962 and a Master of Applied Science degree in Geological Engineering in 1964 from The University of British Columbia, Vancouver, British Columbia, Canada and obtained a Ph D in Geology in 1968 from Mc Gill University in Montreal, Quebec, Canada.
3. I have practiced my profession as a geologist since 1962 for the Geological Survey of Canada and several junior companies.
4. I am a Fellow of the Geological Association of Canada, fellow #1969.
5. This report is based upon my knowledge of the project gained from working on the project between June and August, 2005 and from a review of proprietary and published reports and maps on the subject property and surrounding area.
6. By reason of education, work experience and professional membership I am a "qualified person" as defined by National Instrument 43-101.
7. I am not aware of any material fact or material change with respect to the subject matter of the report which is not reflected in the report and by which the omission to disclose would make the Technical Report misleading.
8. I am a not an employee of Richfield Ventures Corp. and have no interest in the subject property.
9. I hereby consent to the publication of this report by Richfield Ventures Corp.

Dirk Jacob Tempelman-Kluit

COST STATEMENT

Line Cutting 25 days @ \$275.00 per day May 7, 2005 – May 25, 2005	\$6,875.00
Truck & Saw Rental – May 2005	\$1,352.50
TOTAL PHYSICAL	<hr/> \$8,227.50
Assays – Eco Tech AK 2005-588 + AK 2005-589	\$8,649.45
Soil Sampling 7 days @ \$275.00 per day May 26, 2005 – May 29, 2005	\$1,925.00
TOTAL GEOCHEMICAL	<hr/> \$10,574.45 <hr/>
 TOTAL DOLLARS SPENT	 \$18,801.95

ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

Phone: 250-573-5700

Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2005-588

Richfield Ventures Corp.

350 St. Laurent

Quesnel, BC

V2J 5A3

ATTENTION: Peter Bernier

No. of samples received: 233

Sample type: Soil

Project #: N/A

Shipment #: N/A

Samples submitted by: Dirk Temperman

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L5500N 27+50E	<5	0.2	0.88	5	775	<5	0.41	<1	7	<1	8	1.90	<10	0.16	4420	<1	0.01	10	840	10	<5	<20	19	0.04	<10	38	<10	2	137
2	L5500N 27+75E	<5	<0.2	0.84	10	130	<5	0.22	<1	7	29	13	3.12	<10	0.15	279	<1	0.02	7	390	10	<5	<20	12	0.03	<10	80	<10	3	62
3	L5500N 28+00E	5	<0.2	0.55	5	430	<5	0.48	<1	5	13	5	1.83	<10	0.09	1448	1	0.02	5	580	8	<5	<20	21	0.02	<10	42	<10	2	73
4	L5500N 28+25E	<5	<0.2	0.62	5	305	<5	0.39	<1	5	16	6	2.50	<10	0.12	1305	<1	0.02	5	630	10	<5	<20	17	0.04	<10	61	<10	2	86
5	L5500N 28+50E	<5	<0.2	1.13	10	540	<5	0.37	<1	9	34	14	4.38	<10	0.21	909	<1	0.03	9	1160	14	<5	<20	15	0.04	<10	97	<10	4	121
6	L5500N 28+75E	<5	<0.2	1.21	10	205	<5	0.33	<1	9	36	16	3.79	<10	0.31	874	2	0.02	12	1740	14	<5	<20	14	0.05	<10	85	<10	3	68
7	L5500N 29+00E	<5	0.2	1.17	<5	155	<5	0.37	<1	9	28	11	2.21	<10	0.39	384	<1	0.02	21	500	10	<5	<20	20	0.07	<10	52	<10	4	73
8	L5500N 29+25E	<5	<0.2	1.81	5	220	<5	0.51	<1	14	54	23	3.17	10	0.63	430	<1	0.02	36	540	16	<5	<20	30	0.10	<10	69	<10	14	58
9	L5500N 29+50E	<5	<0.2	1.39	<5	100	<5	0.47	<1	12	45	14	2.60	<10	0.54	453	<1	0.02	27	290	14	<5	<20	27	0.10	<10	61	<10	5	53
10	L5500N 29+75E	5	<0.2	1.56	<5	100	<5	0.39	<1	12	47	9	2.99	<10	0.42	423	<1	0.02	23	2200	14	<5	<20	20	0.09	<10	59	<10	4	84
11	L5500N 30+00E	5	<0.2	1.56	5	65	<5	0.42	<1	15	53	19	3.15	10	0.72	341	<1	0.02	35	510	14	<5	<20	26	0.12	<10	70	<10	5	58
12	L5500N 30+25E	<5	<0.2	1.21	<5	90	<5	0.42	<1	12	39	15	2.48	10	0.54	479	<1	0.02	28	630	14	<5	<20	22	0.10	<10	57	<10	6	51
13	L5500N 30+50E	<5	<0.2	1.57	5	165	<5	0.59	<1	9	37	13	2.68	<10	0.42	946	<1	0.02	20	1170	14	<5	<20	21	0.09	<10	61	<10	4	82
14	L5500N 30+75E	<5	<0.2	1.44	5	100	<5	0.36	<1	10	39	14	2.33	10	0.56	270	<1	0.02	24	620	12	<5	<20	21	0.10	<10	59	<10	5	50
15	L5500N 31+00E	<5	<0.2	1.34	<5	150	<5	0.31	<1	10	41	9	2.44	<10	0.39	208	<1	0.02	25	1810	12	<5	<20	18	0.08	<10	54	<10	4	58
16	L5500N 31+25E	<5	<0.2	1.12	<5	60	<5	0.37	<1	8	35	13	2.10	<10	0.43	261	<1	0.01	20	950	10	<5	<20	18	0.08	<10	52	<10	4	50
17	L5500N 31+50E	<5	<0.2	1.23	<5	100	<5	0.45	<1	9	38	10	2.17	<10	0.40	292	<1	0.02	22	1560	10	<5	<20	27	0.08	<10	50	<10	3	69
18	L7000N 25+50E	<5	<0.2	1.06	5	80	<5	0.55	<1	9	36	18	2.36	<10	0.46	267	<1	0.02	24	990	10	<5	<20	32	0.08	<10	54	<10	6	62
19	L5500N 25+75E	5	0.2	1.25	10	275	<5	0.37	<1	16	12	27	2.34	20	0.43	4292	<1	0.02	25	850	12	<5	<20	25	0.06	<10	53	<10	14	59
20	L7000N 26+00E	<5	<0.2	1.12	10	60	<5	0.33	<1	8	32	19	2.12	<10	0.46	226	<1	0.02	21	360	10	<5	<20	16	0.07	<10	49	<10	7	39
21	L7000N 26+25E	<5	<0.2	1.33	5	120	<5	0.45	<1	12	38	18	2.70	10	0.59	680	<1	0.02	26	540	12	<5	<20	22	0.10	<10	60	<10	6	61
22	L7000N 26+50E	<5	<0.2	1.15	10	145	<5	0.41	<1	9	36	14	2.44	<10	0.40	323	<1	0.02	16	800	10	<5	<20	18	0.06	<10	59	<10	3	54
23	L7000N 26+75E	<5	<0.2	2.23	5	145	<5	0.44	<1	11	49	25	3.36	<10	0.50	573	<1	0.02	26	1950	16	<5	<20	22	0.08	<10	78	<10	3	99
24	L7000N 27+00E	<5	<0.2	1.03	10	135	<5	0.33	<1	10	30	13	2.28	<10	0.38	493	<1	0.02	17	670	10	<5	<20	18	0.07	<10	55	<10	4	50
25	L7000N 27+25E	10	<0.2	1.67	10	265	<5	0.41	<1	12	38	28	3.23	<10	0.45	887	<1	0.02	21	1640	14	<5	<20	23	0.06	<10	73	<10	4	81

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L7000N 27+50E	5	<0.2	1.47	10	150	<5	0.35	<1	10	43	15	2.96	<10	0.49	335	<1	0.02	24	1010	12	<5	<20	21	0.07	<10	70	<10	4	65
27	L7000N 27+75E	<5	<0.2	1.63	10	130	<5	0.36	<1	11	42	16	2.84	<10	0.49	402	<1	0.02	23	740	14	<5	<20	22	0.08	<10	71	<10	4	61
28	L7000N 28+00E	<5	<0.2	1.51	10	140	<5	0.47	<1	11	36	23	2.82	<10	0.50	333	<1	0.02	18	1000	12	<5	<20	26	0.09	<10	72	<10	4	59
29	L7000N 28+25E	<5	<0.2	1.46	15	100	<5	0.30	<1	10	43	16	3.00	<10	0.50	246	1	0.02	23	580	14	<5	<20	18	0.07	<10	69	<10	3	77
30	L7000N 28+50E	<5	<0.2	1.40	10	150	<5	0.35	<1	12	42	17	2.80	<10	0.47	298	1	0.02	23	1730	12	<5	<20	22	0.09	<10	68	<10	4	83
31	L7000N 28+75E	5	<0.2	1.42	10	95	<5	0.80	<1	11	47	29	2.93	10	0.70	281	<1	0.03	32	800	14	<5	<20	35	0.10	<10	65	<10	13	57
32	L7000N 29+00E	5	<0.2	2.39	15	265	<5	0.49	<1	15	44	15	3.44	<10	0.53	590	<1	0.02	25	2480	16	<5	<20	38	0.06	<10	73	<10	3	155
33	L7000N 29+25E	5	<0.2	1.47	<5	155	<5	0.44	<1	9	30	11	2.10	<10	0.42	463	<1	0.02	24	370	12	<5	<20	25	0.06	<10	48	<10	4	94
34	L7000N 29+50E	5	0.4	1.49	10	65	<5	0.32	<1	12	44	24	2.82	<10	0.63	221	1	0.02	38	800	12	<5	<20	18	0.09	<10	60	<10	5	92
35	L7000N 29+75E	5	<0.2	1.31	5	90	<5	0.33	<1	10	41	16	2.57	<10	0.53	322	1	0.02	30	990	10	<5	<20	19	0.09	<10	58	<10	4	81
36	L7000N 30+00E	<5	0.2	1.39	5	130	<5	0.32	<1	9	40	12	2.46	<10	0.45	200	1	0.02	26	1500	12	<5	<20	25	0.08	<10	53	<10	5	96
37	L7000N 30+25E	5	<0.2	1.66	5	155	<5	0.32	<1	11	49	21	2.93	<10	0.51	208	1	0.02	30	990	14	<5	<20	16	0.07	<10	70	<10	4	106
38	L7000N 30+50E	5	<0.2	2.40	10	395	<5	0.84	<1	17	30	50	3.91	<10	0.75	2639	<1	0.02	30	1370	18	<5	<20	23	0.14	<10	104	<10	5	132
39	L7000N 30+75E	<5	<0.2	1.70	5	110	<5	0.33	<1	10	46	15	2.67	<10	0.53	217	1	0.02	31	1050	14	<5	<20	18	0.07	<10	60	<10	3	124
40	L7000N 31+00E	5	<0.2	1.41	5	70	<5	0.29	<1	10	43	18	2.55	<10	0.49	204	<1	0.02	25	360	12	<5	<20	18	0.08	<10	63	<10	4	70
41	L7000N 31+25E	<5	<0.2	1.23	<5	85	<5	0.46	<1	10	32	9	2.22	<10	0.36	447	<1	0.02	18	910	10	<5	<20	24	0.08	<10	53	<10	3	97
42	L7000N 31+50E	5	<0.2	1.32	10	80	<5	0.39	<1	10	48	16	2.61	<10	0.55	197	1	0.02	27	1030	14	<5	<20	28	0.08	10	55	<10	4	80
43	L6900N 25+50E	5	<0.2	1.20	5	120	<5	0.37	<1	9	36	12	2.31	<10	0.48	314	<1	0.02	21	1430	12	<5	<20	21	0.08	<10	50	<10	4	96
44	L6900N 25+75E	<5	<0.2	1.28	5	130	<5	0.36	<1	10	41	16	2.52	<10	0.53	328	<1	0.02	26	1400	12	<5	<20	23	0.09	<10	53	<10	4	75
45	L6900N 26+00E	<5	<0.2	0.86	<5	80	<5	0.29	<1	7	24	10	1.76	<10	0.28	200	<1	0.02	16	900	8	<5	<20	18	0.07	<10	43	<10	3	77
46	L6900N 26+25E	5	<0.2	0.84	<5	65	<5	0.30	<1	9	28	11	1.92	<10	0.34	304	1	0.01	18	630	8	<5	<20	17	0.07	<10	45	<10	4	65
47	L6900N 26+50E	<5	<0.2	1.70	15	225	<5	0.86	<1	17	29	35	3.41	10	0.69	2645	1	0.03	54	510	16	<5	<20	54	0.08	<10	65	<10	12	99
48	L6900N 26+75E	5	<0.2	1.24	15	155	<5	0.54	<1	14	38	29	3.11	<10	0.50	634	<1	0.02	22	1320	12	<5	<20	31	0.08	<10	74	<10	5	74
49	L6900N 27+00E	5	<0.2	2.13	25	130	<5	0.63	<1	17	53	30	4.43	<10	1.16	515	<1	0.03	28	1380	16	<5	<20	26	0.19	<10	127	<10	8	90
50	L6900N 27+25E	5	0.2	1.29	10	135	<5	0.43	<1	11	42	27	2.47	10	0.43	371	<1	0.02	25	330	12	<5	<20	25	0.07	<10	58	<10	14	58
51	L6900N 27+50E	5	0.3	1.88	25	220	<5	0.60	<1	18	57	47	4.18	10	0.65	927	1	0.03	40	470	18	<5	<20	41	0.07	<10	74	<10	20	82
52	L6900N 27+75E	10	0.4	1.74	15	215	<5	0.49	1	19	48	34	3.56	20	0.55	1669	1	0.03	45	280	18	<5	<20	35	0.08	<10	70	<10	24	100
53	L6900N 28+00E	5	0.6	1.86	15	165	<5	0.47	<1	16	54	47	3.43	20	0.63	976	1	0.02	46	260	18	<5	<20	33	0.09	<10	65	<10	30	74
54	L6900N 28+25E	<5	<0.2	0.57	<5	155	<5	0.26	<1	4	25	4	1.34	<10	0.18	152	<1	0.01	8	550	8	<5	<20	14	0.07	<10	36	<10	3	79
55	L6900N 28+50E	5	<0.2	1.05	5	110	<5	0.38	<1	8	36	15	2.36	<10	0.46	360	<1	0.02	17	650	8	<5	<20	22	0.09	<10	58	<10	5	54
56	L6900N 28+75E	5	0.2	1.05	<5	90	<5	0.33	<1	10	31	8	2.09	<10	0.34	289	<1	0.01	16	1120	10	<5	<20	19	0.07	<10	48	<10	3	153
57	L6900N 29+00E	5	0.2	1.72	5	120	<5	0.54	<1	10	47	19	2.51	10	0.57	191	<1	0.02	27	140	14	<5	<20	36	0.06	<10	66	<10	8	58
58	L6900N 29+25E	5	0.3	1.26	5	100	<5	0.46	<1	10	36	22	2.47	<10	0.51	241	1	0.02	28	200	12	<5	<20	25	0.06	<10	55	<10	10	66
59	L6900N 29+50E	<5	<0.2	1.00	5	70	<5	0.28	<1	8	31	11	2.01	<10	0.41	284	<1	0.01	20	1000	8	<5	<20	14	0.06	<10	44	<10	3	86
60	L6900N 29+75E	5	0.2	1.01	5	90	<5	0.27	<1	8	29	9	2.07	<10	0.36	169	<1	0.01	18	1170	10	<5	<20	15	0.07	<10	45	<10	3	81

07-Jul-05

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L6900N 30+00E	5	<0.2	1.47	5	125	<5	0.32	<1	11	43	16	2.80	<10	0.52	232	1	0.02	32	1400	14	<5	<20	16	0.08	<10	61	<10	4	91
62	L6900N 30+25E	5	<0.2	1.35	5	150	<5	0.34	<1	10	44	15	2.63	<10	0.49	266	<1	0.02	26	1660	12	<5	<20	21	0.08	<10	59	<10	4	94
63	L6900N 30+50E	<5	<0.2	1.41	<5	105	<5	0.36	<1	11	42	12	2.53	<10	0.53	367	<1	0.02	28	560	12	<5	<20	19	0.09	<10	58	<10	4	102
64	L6900N 30+75E	<5	<0.2	1.07	<5	90	<5	0.30	<1	7	28	8	1.81	<10	0.38	193	<1	0.01	15	380	10	<5	<20	16	0.09	<10	48	<10	4	63
65	L6900N 31+00E	<5	<0.2	1.43	5	105	<5	0.42	<1	10	36	10	2.65	<10	0.44	254	<1	0.02	22	1390	12	<5	<20	25	0.09	<10	59	<10	4	132
66	L6800N 25+50E	5	<0.2	2.34	10	80	<5	0.34	<1	13	55	29	3.52	<10	0.71	283	1	0.02	33	1190	16	<5	<20	21	0.08	<10	81	<10	5	85
67	L6800N 25+75E	<5	<0.2	1.17	5	300	<5	0.42	<1	10	32	15	2.46	<10	0.38	956	<1	0.02	17	2270	12	<5	<20	25	0.08	<10	51	<10	3	133
68	L6800N 26+00E	<5	<0.2	1.06	5	55	<5	0.31	<1	9	36	12	2.27	<10	0.49	187	<1	0.02	20	120	10	<5	<20	19	0.10	<10	58	<10	4	40
69	L6800N 26+25E	<5	<0.2	1.53	10	110	<5	0.37	<1	15	50	19	3.10	10	0.70	425	1	0.02	37	290	12	<5	<20	23	0.12	<10	68	<10	9	66
70	L6800N 26+50E	<5	<0.2	1.58	10	160	<5	0.53	<1	13	42	24	3.26	10	0.58	550	<1	0.02	22	830	12	<5	<20	24	0.11	<10	80	<10	9	84
71	L6800N 26+75E	<5	<0.2	1.88	10	160	<5	0.43	<1	13	51	20	3.16	10	0.66	397	<1	0.02	29	2330	14	<5	<20	23	0.08	<10	68	<10	5	94
72	L6800N 27+00E	5	<0.2	1.18	30	205	<5	0.36	<1	14	39	41	4.11	<10	0.47	668	2	0.02	23	1210	14	<5	<20	23	0.06	<10	77	<10	5	107
73	L6800N 27+50E	5	0.3	1.48	5	125	<5	0.69	<1	13	49	17	3.05	10	0.72	611	<1	0.03	32	420	14	<5	<20	39	0.09	<10	56	<10	9	70
74	L6800N 27+75E	<5	<0.2	1.70	25	145	<5	0.34	<1	13	45	22	3.81	<10	0.58	294	1	0.02	25	380	14	<5	<20	19	0.07	<10	89	<10	5	74
75	L6800N 28+00E	<5	<0.2	1.24	30	170	<5	0.28	<1	10	44	18	3.39	<10	0.43	299	<1	0.02	20	1010	12	<5	<20	19	0.05	<10	68	<10	4	90
76	L6800N 28+25E	15	<0.2	1.36	20	145	<5	0.37	<1	10	44	20	3.18	<10	0.50	272	1	0.02	22	850	14	<5	<20	22	0.06	<10	71	<10	4	62
77	L6800N 28+50E	<5	<0.2	1.47	10	180	<5	0.39	<1	12	48	17	3.00	10	0.62	507	<1	0.02	26	1110	14	<5	<20	25	0.09	<10	66	<10	6	88
78	L6800N 28+75E	<5	0.4	1.06	<5	120	<5	0.36	<1	9	35	12	2.16	<10	0.38	310	1	0.02	22	1200	10	<5	<20	22	0.06	<10	46	<10	3	178
79	L6800N 29+25E	<5	<0.2	1.24	5	65	<5	0.38	<1	11	44	15	2.64	<10	0.50	211	1	0.02	26	200	12	<5	<20	20	0.09	<10	64	<10	4	74
80	L6800N 29+50E	5	<0.2	1.31	10	210	<5	0.35	<1	11	35	20	2.79	<10	0.49	299	1	0.02	28	2010	12	<5	<20	22	0.07	<10	57	<10	5	158
81	L6800N 29+75E	5	<0.2	1.23	5	60	<5	0.31	<1	8	39	11	2.50	<10	0.40	149	1	0.02	19	710	12	<5	<20	18	0.08	<10	59	<10	3	77
82	L6800N 30+00E	5	<0.2	1.18	10	80	<5	0.38	<1	10	43	22	2.89	<10	0.53	251	1	0.02	27	310	12	<5	<20	26	0.09	<10	63	<10	4	73
83	L6800N 30+25E	10	0.3	1.94	10	165	<5	0.89	1	14	51	30	3.23	10	0.60	811	1	0.03	41	410	18	<5	<20	61	0.08	<10	66	<10	17	81
84	L6800N 30+50E	5	<0.2	1.15	5	60	<5	0.33	<1	9	41	13	2.54	<10	0.49	196	<1	0.02	24	150	10	<5	<20	22	0.09	<10	61	<10	4	55
85	L6800N 30+75E	<5	0.2	0.91	<5	140	<5	0.47	<1	10	32	8	2.28	<10	0.34	555	<1	0.02	16	1170	12	<5	<20	33	0.10	<10	50	<10	3	96
86	L6800N 31+00E	5	1.5	3.67	15	340	<5	0.95	2	26	102	111	5.84	30	0.98	1335	2	0.03	100	670	30	<5	<20	59	0.08	<10	108	<10	29	106
87	L6800N 31+25E	5	<0.2	1.46	10	90	<5	0.46	<1	12	46	20	3.03	10	0.65	267	1	0.02	33	930	14	<5	<20	26	0.10	<10	66	<10	7	89
88	L6800N 31+50E	<5	0.3	1.30	<5	85	<5	0.47	<1	9	43	16	2.46	10	0.58	311	<1	0.02	23	800	14	<5	<20	26	0.10	<10	61	<10	7	54
89	L6700N 25+50E	5	<0.2	1.07	15	65	<5	0.34	<1	6	34	10	2.27	<10	0.28	142	<1	0.02	12	110	10	<5	<20	22	0.05	<10	63	<10	3	33
90	L6700N 25+75E	5	<0.2	1.41	5	105	<5	0.38	<1	11	43	13	2.55	<10	0.46	252	<1	0.02	29	1010	12	<5	<20	22	0.08	<10	56	<10	4	95
91	L6700N 26+00E	<5	<0.2	1.00	5	55	<5	0.39	<1	8	28	13	2.14	<10	0.47	176	<1	0.02	22	440	8	<5	<20	19	0.07	<10	48	<10	5	65
92	L6700N 26+25E	<5	<0.2	1.12	5	95	<5	0.33	<1	9	36	10	2.42	<10	0.43	334	<1	0.02	23	1430	10	<5	<20	20	0.10	<10	53	<10	4	64
93	L6700N 26+50E	5	<0.2	1.39	5	75	<5	0.56	<1	10	47	11	2.78	<10	0.47	180	<1	0.02	31	2360	12	<5	<20	33	0.09	<10	61	<10	4	62
94	L6700N 26+75E	5	<0.2	1.63	5	195	<5	0.47	<1	9	31	17	2.76	<10	0.35	1950	<1	0.02	18	1110	16	<5	<20	29	0.05	<10	67	<10	3	84
95	L6700N 27+00E	5	<0.2	1.79	10	130	<5	0.48	<1	13	35	30	3.53	<10	0.69	490	<1	0.02	22	1120	14	<5	<20	20	0.08	<10	87	<10	5	84

07-Jul-05

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-588

Richfield Ventures Corp.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L6700N 27+25E	5	<0.2	1.68	10	150	<5	0.34	<1	14	44	17	3.51	<10	0.50	535	<1	0.02	25	1720	14	<5	<20	19	0.07	<10	76	<10	4	144

97	L6700N 27+50E	5	<0.2	1.41	5	90	<5	0.54	<1	10	41	13	2.52	<10	0.43	168	<1	0.02	25	150	12	<5	<20	37	0.07	<10	58	<10	4	46
98	L6700N 27+75E	<5	<0.2	1.07	<5	125	<5	0.38	<1	9	38	9	2.49	<10	0.42	402	<1	0.02	17	660	12	<5	<20	22	0.10	<10	59	<10	4	93
99	L6700N 28+00E	5	<0.2	1.19	5	95	<5	0.46	<1	9	34	11	2.19	<10	0.44	296	<1	0.02	20	230	10	<5	<20	27	0.07	<10	49	<10	4	122
100	L6700N 28+25E	5	0.2	1.46	5	115	<5	0.53	<1	12	40	19	2.93	<10	0.52	987	1	0.02	29	330	16	<5	<20	32	0.09	<10	66	<10	9	103
101	L6700N 28+50E	5	<0.2	1.29	5	95	<5	0.52	<1	11	39	20	2.54	<10	0.51	305	<1	0.02	28	560	12	<5	<20	32	0.08	<10	55	<10	7	63
102	L6700N 28+75E	5	0.2	1.33	5	90	<5	0.36	<1	10	41	13	2.61	<10	0.44	343	<1	0.02	20	1040	10	<5	<20	22	0.08	<10	58	<10	4	119
103	L6700N 29+00E	5	<0.2	1.38	10	90	<5	0.39	<1	12	45	25	3.01	<10	0.61	244	1	0.02	35	920	12	<5	<20	24	0.08	<10	63	<10	5	83
104	L6700N 29+25E	<5	0.7	2.05	10	165	<5	0.46	<1	15	49	46	3.32	10	0.58	1101	1	0.02	44	590	16	<5	<20	27	0.07	<10	66	<10	8	102
105	L6700N 29+50E	<5	0.4	1.60	10	140	<5	0.37	<1	12	46	23	3.15	10	0.63	263	2	0.02	36	2050	14	<5	<20	23	0.07	<10	60	<10	5	154
106	L6700N 29+75E	<5	0.2	1.23	5	85	<5	0.36	<1	12	34	18	2.39	<10	0.52	357	<1	0.02	26	420	10	<5	<20	20	0.09	<10	58	<10	6	63
107	L6700N 30+00E	<5	0.4	1.87	10	205	<5	0.46	<1	20	45	38	3.42	20	0.61	2176	1	0.02	43	520	18	<5	<20	26	0.09	<10	75	<10	16	90
108	L6700N 30+25E	5	<0.2	1.05	10	75	<5	0.45	<1	11	43	18	2.48	10	0.56	403	<1	0.02	23	640	10	<5	<20	24	0.11	<10	64	<10	8	41
109	L6700N 30+50E	5	<0.2	1.23	5	180	<5	0.45	<1	10	41	14	2.48	<10	0.47	339	<1	0.02	24	1480	10	<5	<20	26	0.08	<10	53	<10	4	74
110	L6700N 30+75E	5	0.3	1.33	5	115	<5	0.39	<1	12	37	22	2.42	10	0.50	471	<1	0.02	23	430	10	<5	<20	22	0.08	<10	63	<10	8	58
111	L6700N 31+00E	5	<0.2	1.13	5	95	<5	0.46	<1	10	32	18	2.29	<10	0.53	335	<1	0.02	19	700	10	<5	<20	24	0.10	<10	63	<10	7	47
112	L6700N 31+25E	<5	<0.2	1.05	<5	85	<5	0.33	<1	7	30	11	2.08	<10	0.41	221	<1	0.02	15	420	8	<5	<20	18	0.08	<10	55	<10	4	50
113	L6700N 31+50E	25	<0.2	1.16	5	70	<5	0.38	<1	11	34	16	2.24	<10	0.56	409	<1	0.02	23	480	10	<5	<20	21	0.10	<10	57	<10	6	46
114	L6600N 25+50E	<5	<0.2	1.75	10	185	<5	0.29	<1	12	43	14	3.18	<10	0.48	305	1	0.02	25	1340	12	<5	<20	16	0.07	<10	74	<10	3	108
115	L6600N 25+75E	5	<0.2	1.35	10	155	<5	0.21	<1	12	32	15	2.52	<10	0.34	645	<1	0.02	17	2240	12	<5	<20	15	0.05	<10	52	<10	3	108
116	L6600N 26+00E	5	<0.2	1.35	10	95	<5	0.49	<1	12	48	19	2.73	<10	0.59	413	<1	0.02	31	160	12	<5	<20	28	0.09	<10	59	<10	9	45
117	L6600N 26+25E	5	0.2	1.17	<5	95	<5	0.40	<1	8	36	11	2.11	<10	0.25	123	<1	0.02	19	60	10	<5	<20	23	0.07	<10	50	<10	4	29
118	L6600N 26+50E	5	<0.2	0.83	<5	90	<5	0.28	<1	7	20	10	1.74	<10	0.30	388	<1	0.02	18	550	8	<5	<20	17	0.07	<10	41	<10	5	85
119	L6600N 26+75E	5	0.2	0.60	<5	45	<5	0.22	<1	4	14	3	1.11	<10	0.15	107	<1	0.01	7	510	6	<5	<20	12	0.06	<10	32	<10	2	26
120	L6600N 27+00E	5	0.2	1.46	5	160	<5	0.29	<1	10	36	11	2.61	<10	0.46	248	<1	0.02	27	1220	12	<5	<20	14	0.07	<10	56	<10	4	137
121	L6600N 27+25E	10	<0.2	1.06	20	240	<5	0.31	<1	10	31	37	3.47	<10	0.26	359	1	0.02	16	730	10	<5	<20	20	0.01	<10	56	<10	3	99
122	L6600N 27+50E	<5	<0.2	2.03	30	185	<5	0.65	<1	19	42	35	3.69	<10	0.75	1466	1	0.03	27	1230	14	<5	<20	38	0.06	<10	104	<10	6	101
123	L6600N 27+75E	5	<0.2	0.66	<5	65	<5	0.43	<1	6	23	11	1.67	<10	0.24	199	<1	0.02	11	110	8	<5	<20	27	0.07	<10	55	<10	2	37
124	L6600N 28+00E	5	<0.2	1.01	5	100	<5	0.33	<1	11	35	13	2.29	<10	0.43	409	<1	0.02	22	350	10	<5	<20	17	0.08	<10	55	<10	3	69
125	L6600N 28+25E	5	0.3	1.41	<5	160	<5	0.44	<1	11	32	17	2.47	10	0.52	2191	<1	0.02	33	180	12	<5	<20	25	0.09	<10	56	<10	10	64
126	L6600N 28+50E	5	<0.2	1.13	5	105	<5	0.39	<1	9	41	13	2.54	<10	0.51	253	<1	0.02	23	890	10	<5	<20	22	0.10	<10	57	<10	4	74
127	L6600N 28+75E	5	<0.2	1.33	5	70	<5	0.32	<1	10	41	13	2.63	<10	0.56	202	<1	0.02	26	110	12	<5	<20	20	0.10	<10	62	<10	4	57
128	L6600N 29+00E	5	0.2	1.59	10	155	<5	0.52	<1	13	54	35	2.88	20	0.59	369	<1	0.02	37	160	14	<5	<20	29	0.08	<10	62	<10	20	57
129	L6600N 29+25E	<5	<0.2	1.27	5	115	<5	0.47	<1	13	52	23	2.64	10	0.64	420	<1	0.02	31	590	10	<5	<20	25	0.10	<10	60	<10	10	51
130	L6600N 29+50E	5	0.2	1.63	5	120	<5	0.44	<1	9	40	25	2.41	10	0.57	314	<1	0.02	25	420	14	<5	<20	24	0.08	<10	59	<10	9	52

07-Jul-05

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-588

Richfield Ventures Corp.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	L6600N 29+75E	5	0.2	1.39	5	170	<5	0.37	<1	10	43	14	2.68	<10	0.52	281	<1	0.02	23	1500	10	<5	<20	19	0.07	<10	59	<10	4	106
132	L6600N 30+00E	5	0.2	1.39	5	110	<5	0.32	<1	11	40	10	2.64	<10	0.39	315	<1	0.02	18	1840	12	<5	<20	18	0.08	<10	59	<10	3	79
133	L6600N 30+25E	<5	<0.2	1.35	<5	80	<5	0.34	<1	9	37	14	2.22	<10	0.49	339	<1	0.02	19	300	12	<5	<20	18	0.08	<10	60	<10	5	51

134	L6600N 30+50E	<5	<0.2	1.34	<5	90	<5	0.34	<1	9	40	14	2.44	<10	0.47	249	<1	0.02	22	350	10	<5	<20	18	0.09	<10	63	<10	5	61
135	L6600N 30+75E	10	0.5	3.47	25	340	<5	0.66	<1	31	87	124	5.97	30	1.17	2268	2	0.03	74	530	30	<5	<20	48	0.07	<10	124	<10	29	97
136	L6600N 31+00E	5	<0.2	1.21	5	85	<5	0.38	<1	11	39	19	2.56	<10	0.51	369	<1	0.02	21	490	10	<5	<20	20	0.10	<10	67	<10	5	52
137	L6600N 31+25E	<5	<0.2	1.09	<5	90	<5	0.35	<1	9	36	12	2.28	<10	0.46	248	<1	0.02	19	190	8	<5	<20	20	0.10	<10	60	<10	4	55
138	L6600N 31+50E	<5	<0.2	1.20	<5	125	<5	0.36	<1	10	32	13	2.22	<10	0.51	318	<1	0.02	21	530	10	<5	<20	21	0.09	<10	57	<10	4	60
139	L6500N 25+50E	5	<0.2	1.15	10	75	<5	0.36	<1	9	35	22	2.38	<10	0.50	234	<1	0.02	24	510	10	<5	<20	18	0.06	<10	57	<10	4	75
140	L6500N 25+75E	5	<0.2	2.42	15	140	<5	0.43	<1	18	39	35	3.91	<10	0.93	379	2	0.03	26	200	16	<5	<20	27	0.08	<10	109	<10	4	66
141	L6500N 26+25E	<5	0.3	0.54	<5	125	<5	3.94	1	3	16	14	0.96	<10	0.28	180	<1	0.02	11	450	4	<5	<20	190	0.02	<10	24	<10	3	10
142	L6500N 26+50E	<5	<0.2	0.95	<5	50	<5	0.32	<1	8	29	13	1.99	<10	0.43	171	<1	0.02	24	640	8	<5	<20	16	0.07	<10	47	<10	5	55
143	L6500N 26+75E	<5	<0.2	1.22	5	80	<5	0.38	<1	9	37	13	2.31	<10	0.46	234	<1	0.02	28	800	10	<5	<20	21	0.08	<10	55	<10	5	69
144	L6500N 27+00E	<5	<0.2	0.79	<5	95	<5	0.33	<1	7	31	9	1.83	<10	0.36	289	<1	0.02	17	190	8	<5	<20	17	0.08	<10	48	<10	4	44
145	L6500N 27+25E	<5	<0.2	1.08	30	230	<5	0.51	<1	10	27	16	2.49	<10	0.45	1636	2	0.02	17	840	10	<5	<20	26	0.05	<10	59	<10	3	108
146	L6500N 27+75E	<5	<0.2	1.37	5	115	<5	0.35	<1	11	42	18	2.67	<10	0.59	306	<1	0.02	30	820	12	<5	<20	20	0.09	<10	61	<10	5	61
147	L6500N 28+00E	5	<0.2	1.52	15	200	<5	0.40	<1	13	42	39	3.43	<10	0.52	604	3	0.02	21	870	12	<5	<20	20	0.04	<10	82	<10	3	84
148	L6500N 28+25E	<5	<0.2	0.80	<5	200	<5	0.38	<1	8	26	6	1.78	<10	0.30	773	<1	0.01	13	720	8	<5	<20	20	0.07	<10	41	<10	3	70
149	L6500N 28+50E	5	<0.2	1.60	5	135	<5	0.39	<1	11	48	15	3.00	<10	0.59	232	<1	0.02	31	1410	12	<5	<20	20	0.09	<10	65	<10	4	69
150	L6500N 28+75E	<5	0.2	1.10	<5	130	<5	0.30	<1	8	32	8	2.12	<10	0.41	205	<1	0.02	18	1100	10	<5	<20	17	0.08	<10	46	<10	4	90
151	L6500N 29+00E	<5	<0.2	1.26	<5	90	<5	0.39	<1	11	45	13	2.56	<10	0.57	246	<1	0.02	27	620	10	<5	<20	25	0.11	<10	61	<10	5	56
152	L6500N 29+25E	<5	<0.2	1.23	5	65	<5	0.32	<1	10	44	9	2.52	<10	0.47	174	<1	0.02	22	160	10	<5	<20	18	0.10	<10	63	<10	3	46
153	L6500N 29+50E	<5	<0.2	1.52	5	125	<5	0.44	<1	13	44	16	2.76	<10	0.57	329	<1	0.02	29	780	12	<5	<20	23	0.08	<10	63	<10	4	69
154	L6500N 29+75E	<5	0.2	1.40	5	110	<5	0.31	<1	11	40	15	2.63	<10	0.53	269	<1	0.02	27	780	12	<5	<20	18	0.09	<10	61	<10	4	61
155	L6500N 30+00E	15	0.3	1.43	<5	120	<5	0.31	<1	10	43	13	2.67	<10	0.55	285	<1	0.02	26	910	12	<5	<20	17	0.08	<10	60	<10	4	102
156	L6500N 30+25E	<5	<0.2	1.56	5	105	<5	0.36	<1	13	44	21	2.75	10	0.64	542	<1	0.02	30	310	14	<5	<20	22	0.10	<10	66	<10	7	78
157	L6500N 30+50E	<5	<0.2	1.08	5	80	<5	0.37	<1	10	32	16	2.16	<10	0.57	306	<1	0.02	23	360	10	<5	<20	22	0.10	<10	55	<10	6	39
158	L6500N 30+75E	5	0.2	1.45	10	150	<5	0.43	<1	13	38	32	2.65	10	0.59	758	<1	0.02	29	350	12	<5	<20	25	0.09	<10	70	<10	13	54
159	L6500N 31+00E	5	<0.2	1.23	5	115	<5	0.41	<1	13	36	23	2.40	10	0.51	801	<1	0.02	22	440	10	<5	<20	23	0.09	<10	62	<10	8	55
160	L6500N 31+25E	<5	<0.2	1.12	5	85	<5	0.44	<1	11	38	20	2.46	<10	0.55	384	<1	0.02	20	420	12	<5	<20	23	0.11	<10	67	<10	6	48
161	L6500N 31+50E	<5	<0.2	1.16	5	80	<5	0.37	<1	9	37	15	2.33	<10	0.55	254	<1	0.02	21	220	10	<5	<20	22	0.11	<10	61	<10	6	49
162	L6400N 25+50E	5	<0.2	1.37	5	115	<5	0.47	<1	12	44	20	2.53	10	0.49	325	<1	0.02	32	310	12	<5	<20	29	0.09	<10	61	<10	11	45
163	L6400N 25+75E	5	<0.2	1.10	<5	80	<5	0.34	<1	11	36	13	2.19	<10	0.46	200	<1	0.02	25	200	10	<5	<20	21	0.09	<10	55	<10	4	43
164	L6400N 26+00E	<5	0.2	0.94	5	90	<5	0.38	<1	7	34	6	1.84	<10	0.41	331	<1	0.02	14	110	8	<5	<20	21	0.06	<10	53	<10	3	61
165	L6400N 26+25E	5	<0.2	1.73	10	105	<5	0.47	<1	17	57	36	3.34	10	0.81	566	<1	0.02	42	440	14	<5	<20	33	0.11	<10	70	<10	10	69

07-Jul-05

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-588

Richfield Ventures Corp.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	L6400N 26+50E	5	<0.2	1.05	<5	60	<5	0.33	<1	10	38	16	2.26	<10	0.49	253	<1	0.02	24	590	8	<5	<20	19	0.09	<10	54	<10	4	51
167	L6400N 26+75E	5	<0.2	1.10	5	135	<5	0.28	<1	9	35	12	2.21	<10	0.42	270	<1	0.02	22	1110	8	<5	<20	15	0.07	<10	51	<10	3	62
168	L6400N 27+00E	<5	0.2	1.05	<5	80	<5	0.38	<1	9	35	13	2.19	<10	0.45	237	<1	0.02	21	740	10	<5	<20	21	0.07	<10	49	<10	3	60
169	L6400N 27+25E	5	<0.2	1.52	20	140	<5	0.49	<1	18	53	38	3.63	10	0.68	565	1	0.02	35	1050	14	<5	<20	31	0.09	<10	75	<10	6	70
170	L6400N 27+50E	<5	0.6	1.76	10	200	<5	0.43	<1	16	43	25	3.25	10	0.64	1046	<1	0.02	33	1340	14	<5	<20	28	0.08	<10	69	<10	7	103

171	L6400N 27+75E	5	<0.2	1.69	60	390	<5	0.80	<1	23	50	57	5.02	10	0.61	994	1	0.03	33	1000	16	5	<20	40	0.04	<10	104	<10	23	75
172	L6400N 28+00E	5	<0.2	1.15	<5	75	<5	0.31	<1	10	42	13	2.47	10	0.53	282	<1	0.02	22	530	10	<5	<20	19	0.10	<10	58	<10	4	54
173	L6400N 28+25E	<5	<0.2	1.27	<5	170	<5	0.31	<1	10	41	15	2.49	<10	0.52	272	<1	0.02	23	510	10	<5	<20	18	0.08	<10	57	<10	4	65
174	L6400N 28+50E	<5	0.2	1.31	<5	175	<5	0.33	<1	9	44	10	2.54	<10	0.42	268	<1	0.02	22	1450	10	<5	<20	19	0.08	<10	54	<10	3	122
175	L6400N 28+75E	5	0.2	1.17	<5	90	<5	0.28	<1	7	33	7	1.94	<10	0.41	165	<1	0.01	18	370	10	<5	<20	16	0.08	<10	51	<10	3	67
176	L6400N 29+00E	5	0.3	0.99	<5	140	<5	0.30	<1	9	32	12	1.96	<10	0.38	352	<1	0.01	19	740	8	<5	<20	17	0.08	<10	46	<10	5	76
177	L6400N 29+25E	5	<0.2	1.29	<5	90	<5	0.38	<1	11	49	20	2.58	10	0.58	251	<1	0.02	29	980	10	<5	<20	23	0.09	<10	57	<10	6	72
178	L6400N 29+50E	5	<0.2	1.43	5	105	<5	0.33	<1	11	48	19	2.76	<10	0.61	316	<1	0.02	28	1150	10	<5	<20	19	0.09	<10	60	<10	4	86
179	L6400N 29+75E	5	<0.2	1.34	<5	115	<5	0.61	<1	11	46	18	2.51	<10	0.55	310	<1	0.02	26	190	12	<5	<20	36	0.08	<10	60	<10	6	45
180	L6400N 30+00E	5	<0.2	1.11	<5	115	<5	0.46	<1	11	36	14	2.39	<10	0.53	310	<1	0.02	25	970	10	<5	<20	24	0.09	<10	54	<10	5	76
181	L6400N 30+25E	5	0.2	1.31	<5	125	<5	0.46	<1	10	50	19	2.74	<10	0.51	207	1	0.02	24	400	12	<5	<20	31	0.09	<10	62	<10	4	67
182	L6400N 30+50E	5	0.5	2.13	10	345	<5	0.54	<1	16	63	75	3.66	10	0.75	515	<1	0.02	42	890	16	<5	<20	33	0.08	<10	80	<10	13	67
183	L6400N 30+75E	5	0.2	1.11	15	260	<5	0.42	<1	15	33	19	3.99	<10	0.53	1005	<1	0.02	17	1380	12	<5	<20	21	0.08	<10	88	<10	9	141
184	L6400N 31+00E	5	0.2	1.10	5	95	<5	0.34	<1	11	39	22	2.29	<10	0.51	527	<1	0.02	22	470	10	<5	<20	20	0.09	<10	62	<10	7	51
185	L6400N 31+25E	5	<0.2	1.00	5	75	<5	0.42	<1	9	32	19	2.27	<10	0.47	265	<1	0.01	17	850	8	<5	<20	22	0.10	<10	62	<10	5	42
186	L6400N 31+50E	5	<0.2	1.04	10	75	<5	0.42	<1	10	38	22	2.38	<10	0.53	359	<1	0.02	19	550	8	<5	<20	23	0.11	<10	63	<10	6	42
187	L6300N 26+00E	5	<0.2	0.93	<5	55	<5	0.36	<1	8	39	10	2.10	<10	0.39	159	<1	0.01	21	1050	8	<5	<20	20	0.08	<10	51	<10	4	51
188	L6300N 26+25E	5	<0.2	1.64	5	95	<5	0.50	<1	19	59	40	3.42	20	0.76	444	<1	0.02	44	630	14	<5	<20	38	0.12	<10	71	<10	10	66
189	L6300N 26+50E	5	<0.2	1.11	<5	110	<5	0.40	<1	10	39	14	2.36	<10	0.53	331	<1	0.01	25	1220	10	<5	<20	22	0.08	<10	50	<10	4	74
190	L6300N 26+75E	5	<0.2	1.05	<5	80	<5	0.29	<1	8	39	12	2.23	<10	0.44	268	<1	0.01	19	900	10	<5	<20	17	0.08	<10	50	<10	4	53
191	L6300N 27+00E	5	<0.2	1.29	<5	80	<5	0.42	<1	9	42	15	2.52	<10	0.52	259	<1	0.02	21	920	10	<5	<20	23	0.08	<10	61	<10	4	58
192	L6300N 27+25E	5	<0.2	1.36	5	90	<5	0.53	<1	11	45	14	2.77	<10	0.59	363	<1	0.02	25	230	12	<5	<20	31	0.08	<10	62	<10	4	56
193	L6300N 27+50E	5	<0.2	1.24	<5	100	<5	0.44	<1	10	46	14	2.48	<10	0.46	322	<1	0.02	24	300	10	<5	<20	23	0.09	<10	58	<10	4	61
194	L6300N 27+75E	5	<0.2	1.25	<5	125	<5	0.45	<1	11	49	19	2.71	10	0.59	356	<1	0.02	28	1160	12	<5	<20	24	0.10	<10	63	<10	6	57
195	L6300N 28+00E	5	<0.2	1.38	10	215	<5	0.37	<1	11	40	14	3.88	<10	0.40	659	<1	0.02	17	950	12	<5	<20	18	0.04	<10	84	<10	4	81
196	L6300N 28+25E	5	<0.2	1.05	10	125	<5	0.28	<1	8	43	8	2.33	<10	0.37	256	<1	0.01	16	1450	10	<5	<20	16	0.08	<10	52	<10	3	62
197	L6300N 28+50E	5	<0.2	1.28	<5	165	<5	0.31	<1	8	34	10	2.24	<10	0.41	282	<1	0.01	17	320	10	<5	<20	16	0.07	<10	60	<10	5	43
198	L6300N 28+75E	5	<0.2	1.28	<5	125	<5	0.35	<1	9	40	17	2.41	<10	0.51	411	<1	0.02	20	860	10	<5	<20	20	0.08	<10	63	<10	6	51
199	L6300N 29+00E	5	<0.2	1.39	<5	150	<5	0.34	<1	10	47	13	2.53	<10	0.52	334	<1	0.02	25	640	10	<5	<20	19	0.07	<10	62	<10	4	72
200	L6300N 29+25E	5	<0.2	1.46	<5	95	<5	0.31	<1	11	50	17	2.81	<10	0.55	275	<1	0.02	25	210	12	<5	<20	19	0.08	<10	70	<10	4	53

07-Jul-05

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-588

Richfield Ventures Corp.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201	L6300N 29+50E	5	<0.2	1.06	<5	80	<5	0.36	<1	9	40	11	2.45	<10	0.42	204	<1	0.01	19	330	10	<5	<20	17	0.09	<10	61	<10	3	51
202	L6300N 29+75E	5	<0.2	0.90	<5	415	<5	0.42	<1	10	33	19	2.10	<10	0.32	1312	<1	0.01	18	1490	10	<5	<20	25	0.07	<10	46	<10	4	131
203	L6300N 30+00E	<5	<0.2	1.02	<5	105	<5	0.40	<1	9	41	8	2.31	<10	0.38	218	<1	0.02	18	230	10	<5	<20	22	0.10	<10	61	<10	5	60
204	L6300N 30+25E	5	<0.2	1.22	<5	75	<5	0.35	<1	11	49	12	2.57	<10	0.46	232	<1	0.02	24	1360	10	<5	<20	20	0.09	<10	60	<10	4	80
205	L6300N 30+50E	<5	<0.2	1.22	10	60	<5	0.40	<1	10	42	14	2.71	<10	0.50	262	1	0.02	22	1090	10	<5	<20	21	0.10	<10	67	<10	4	81
206	L6300N 30+75E	5	<0.2	1.28	<5	70	<5	0.35	<1	9	45	17	2.35	10	0.54	301	<1	0.02	25	650	12	<5	<20	20	0.09	<10	57	<10	6	61

207	L6300N 31+00E	<5	<0.2	1.28	5	120	<5	0.41	<1	12	49	19	2.72	<10	0.58	325	<1	0.02	32	1790	12	<5	<20	26	0.08	<10	55	<10	6	129
208	L6300N 31+25E	5	<0.2	1.27	<5	100	<5	0.36	<1	12	48	20	2.79	10	0.61	402	<1	0.02	28	660	10	<5	<20	23	0.09	<10	61	<10	9	67
209	L6300N 31+50E	10	0.2	1.71	5	175	<5	0.49	<1	16	56	33	3.24	10	0.70	1097	<1	0.02	37	1010	14	<5	<20	35	0.09	<10	69	<10	13	87
210	L6200N 25+50E	5	<0.2	1.24	<5	145	<5	0.32	<1	8	30	17	2.22	<10	0.43	647	<1	0.01	21	1090	10	<5	<20	16	0.05	<10	50	<10	3	101
211	L6200N 25+75E	5	<0.2	1.49	5	60	<5	0.40	<1	11	46	26	2.86	<10	0.61	274	<1	0.02	30	990	12	<5	<20	22	0.07	<10	62	<10	4	76
212	L6200N 26+25E	<5	0.2	0.67	<5	45	<5	0.25	<1	5	22	6	1.62	<10	0.25	201	<1	0.01	10	570	6	<5	<20	13	0.07	<10	41	<10	2	65
213	L6200N 26+50E	<5	0.2	0.67	<5	75	<5	0.43	<1	7	31	9	1.83	<10	0.26	252	<1	0.01	11	320	6	<5	<20	24	0.06	<10	48	<10	2	64
214	L6200N 26+75E	<5	<0.2	0.91	<5	120	<5	0.35	<1	9	25	12	2.10	<10	0.39	446	<1	0.01	20	920	8	<5	<20	19	0.06	<10	47	<10	3	121
215	L6200N 27+00E	5	0.2	0.67	<5	100	<5	0.33	<1	6	23	4	1.65	<10	0.21	378	<1	0.01	9	840	6	<5	<20	17	0.06	<10	42	<10	2	102
216	L6200N 27+25E	5	0.3	0.74	<5	85	<5	0.32	<1	7	25	6	2.12	<10	0.24	519	<1	0.01	10	1350	8	<5	<20	16	0.08	<10	53	<10	3	94
217	L6200N 27+50E	<5	0.3	0.77	<5	135	<5	0.45	<1	10	22	10	2.03	<10	0.29	1272	<1	0.01	16	1070	8	<5	<20	23	0.08	<10	46	<10	4	99
218	L6200N 27+75E	5	<0.2	0.45	<5	75	<5	0.23	<1	4	29	4	1.41	<10	0.13	132	<1	0.01	5	530	6	<5	<20	12	0.07	<10	39	<10	2	30
219	L6200N 28+00E	<5	<0.2	0.64	<5	215	<5	0.50	<1	7	20	8	1.75	<10	0.28	1481	<1	0.01	13	590	8	<5	<20	26	0.09	<10	41	<10	3	77
220	L6200N 28+25E	5	0.6	1.73	5	215	<5	1.26	<1	14	52	43	3.35	10	0.69	1318	<1	0.03	41	500	16	<5	<20	60	0.08	<10	63	<10	13	61
221	L6200N 28+50E	5	<0.2	1.41	5	90	<5	0.49	<1	17	56	25	3.24	10	0.68	530	<1	0.02	35	500	12	<5	<20	27	0.12	<10	72	<10	6	55
222	L6200N 28+75E	5	0.3	1.58	5	140	<5	0.66	<1	14	49	23	3.30	10	0.57	738	<1	0.02	33	350	14	<5	<20	30	0.10	<10	69	<10	14	55
223	L6200N 29+00E	5	<0.2	1.10	<5	80	<5	0.40	<1	12	46	16	2.83	<10	0.49	335	<1	0.02	24	470	10	<5	<20	21	0.11	<10	67	<10	5	50
224	L6200N 29+25E	15	<0.2	1.07	<5	135	<5	0.38	<1	11	44	16	2.51	<10	0.44	350	<1	0.02	22	900	10	<5	<20	16	0.09	<10	56	<10	4	66
225	L6200N 29+50E	<5	0.2	1.71	10	400	<5	0.46	<1	14	42	20	3.19	<10	0.38	1317	<1	0.02	23	2510	16	<5	<20	22	0.07	<10	68	<10	5	115
226	L6200N 29+75E	<5	<0.2	1.45	5	200	<5	0.39	<1	10	41	12	3.40	<10	0.50	377	<1	0.02	16	1620	14	<5	<20	17	0.07	<10	86	<10	4	78
227	L6200N 30+00E	<5	0.2	1.08	<5	140	<5	0.37	<1	10	42	10	2.91	<10	0.38	362	<1	0.02	16	320	10	<5	<20	19	0.10	<10	64	<10	4	112
228	L6200N 30+25E	5	<0.2	1.16	<5	95	<5	0.39	<1	11	39	13	2.45	<10	0.43	288	<1	0.02	27	640	10	<5	<20	19	0.09	<10	57	<10	5	58
229	L6200N 30+50E	5	0.2	0.96	<5	90	<5	0.32	<1	8	33	10	2.10	<10	0.37	253	<1	0.02	17	630	8	<5	<20	17	0.08	<10	49	<10	4	63
230	L6200N 30+75E	5	0.2	1.52	10	130	<5	0.63	<1	13	54	35	3.25	10	0.62	479	<1	0.03	38	510	14	<5	<20	37	0.09	<10	67	<10	13	55
231	L6200N 31+00E	5	<0.2	1.15	5	80	<5	0.54	<1	13	49	22	2.87	10	0.60	477	<1	0.02	32	890	10	<5	<20	29	0.10	<10	62	<10	9	58
232	L6200N 31+25E	5	<0.2	1.07	10	85	<5	0.41	<1	10	36	16	2.40	10	0.46	357	<1	0.02	23	550	8	<5	<20	22	0.10	<10	56	<10	9	63
233	L6200N 31+50E	5	<0.2	1.16	5	75	<5	0.43	<1	12	45	19	2.92	<10	0.55	286	<1	0.02	27	1130	10	<5	<20	23	0.09	<10	65	<10	6	71

07-Jul-05

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-588

Richfield Ventures Corp.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	-------	---------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:

Repeat:

1	L5500N 27+50E	<5	0.2	0.89	5	790	<5	0.45	1	9	<1	10	2.06	<10	0.17	5074	<1	0.02	13	970	12	<5	<20	20	0.06	<10	38	<10	3	132
10	L5500N 29+75E	<5	<0.2	1.54	5	95	<5	0.41	<1	12	44	9	2.82	<10	0.41	383	<1	0.02	22	2020	12	<5	<20	21	0.09	<10	59	<10	4	84
19	L5500N 25+75E	<5	<0.2	1.25	10	320	<5	0.43	<1	18	10	30	2.43	20	0.49	4311	1	0.02	28	990	14	<5	<20	29	0.07	<10	52	<10	15	64
28	L7000N 28+00E	5	0.2	1.41	10	125	<5	0.45	<1	10	29	21	2.62	<10	0.46	344	<1	0.02	17	910	12	<5	<20	26	0.08	<10	67	<10	4	55
36	L7000N 30+00E	5	0.3	1.33	5	115	<5	0.29	<1	9	35	11	2.26	<10	0.42	199	<1	0.01	24	1520	10	<5	<20	22	0.07	<10	48	<10	4	87
45	L6900N 26+00E	<5	<0.2	0.84	<5	75	<5	0.28	<1	7	34	9	1.76	<10	0.28	208	<1	0.01	15	870	8	<5	<20	17	0.07	<10	43	<10	3	73

54	L6900N 28+25E	<5	<0.2	0.55	<5	155	<5	0.24	<1	4	23	4	1.25	<10	0.19	150	<1	0.01	7	480	6	<5	<20	14	0.07	<10	33	<10	2	72
63	L6900N 30+50E	10	<0.2	1.36	<5	100	<5	0.34	<1	10	40	12	2.52	<10	0.53	351	<1	0.02	27	520	10	<5	<20	18	0.09	<10	56	<10	4	98
71	L6800N 26+75E	5	<0.2	1.85	10	160	<5	0.42	<1	13	48	20	3.13	10	0.65	403	<1	0.02	28	2110	16	<5	<20	23	0.07	<10	67	<10	5	94
80	L6800N 29+50E	<5	<0.2	1.31	10	210	<5	0.34	<1	12	41	20	2.77	<10	0.52	303	1	0.02	27	1990	12	<5	<20	21	0.07	<10	56	<10	5	155
89	L6700N 25+50E	<5	<0.2	1.00	10	65	<5	0.33	<1	6	27	10	2.14	<10	0.26	134	<1	0.01	11	120	10	<5	<20	20	0.04	<10	59	<10	2	31
98	L6700N 27+75E	<5	<0.2	0.99	<5	115	<5	0.34	<1	9	38	8	2.34	<10	0.40	375	<1	0.02	16	600	10	<5	<20	19	0.09	<10	55	<10	3	88
106	L6700N 29+75E	<5	0.2	1.21	5	85	<5	0.36	<1	11	38	17	2.32	<10	0.50	352	<1	0.02	25	420	10	<5	<20	20	0.10	<10	58	<10	6	61
113	L6700N 31+50E	10																												
115	L6600N 25+75E	<5	<0.2	1.42	10	175	<5	0.23	<1	13	39	17	2.62	<10	0.37	674	<1	0.02	20	2280	14	<5	<20	17	0.06	<10	59	<10	3	103
124	L6600N 28+00E	<5	<0.2	1.08	5	105	<5	0.36	<1	11	41	14	2.41	<10	0.47	426	<1	0.02	22	340	10	<5	<20	18	0.09	<10	59	<10	4	70
133	L6600N 30+25E	<5	<0.2	1.37	5	80	<5	0.35	<1	9	39	15	2.21	<10	0.49	345	<1	0.02	20	320	12	<5	<20	19	0.09	<10	59	<10	5	52
141	L6500N 26+25E	<5	0.3	0.52	<5	125	<5	3.92	1	3	13	14	0.94	<10	0.27	177	<1	0.02	11	480	4	<5	<20	187	0.02	<10	24	<10	3	10
150	L6500N 28+75E	<5	0.2	1.17	<5	135	<5	0.30	<1	8	38	9	2.27	<10	0.43	229	<1	0.02	19	1160	10	<5	<20	18	0.09	<10	48	<10	4	95
159	L6500N 31+00E	5	<0.2	1.33	10	125	<5	0.44	<1	14	33	26	2.66	10	0.56	907	<1	0.02	25	490	12	<5	<20	25	0.10	<10	69	<10	9	61
176	L6400N 29+00E	5	0.2	0.90	<5	130	<5	0.27	<1	8	31	11	1.89	<10	0.35	321	<1	0.01	17	770	8	<5	<20	16	0.07	<10	42	<10	4	72
185	L6400N 31+25E	5	0.2	1.01	5	80	<5	0.42	<1	10	32	19	2.38	<10	0.49	292	<1	0.02	17	910	8	<5	<20	21	0.10	<10	64	<10	5	45
194	L6300N 27+75E	5	<0.2	1.19	5	115	<5	0.43	<1	11	49	19	2.75	<10	0.59	369	<1	0.02	29	1010	12	<5	<20	22	0.10	<10	63	<10	6	59
203	L6300N 30+00E	<5	<0.2	0.96	<5	105	<5	0.39	<1	9	37	8	2.24	<10	0.36	225	<1	0.02	17	230	10	<5	<20	21	0.09	<10	58	<10	5	58
211	L6200N 25+75E	5	<0.2	1.54	5	60	<5	0.41	<1	11	48	26	2.93	<10	0.63	253	<1	0.01	30	900	12	<5	<20	25	0.08	<10	63	<10	5	80
220	L6200N 28+25E	5	0.6	1.74	5	215	<5	1.30	<1	14	49	44	3.27	10	0.66	1360	<1	0.03	40	480	14	<5	<20	60	0.08	<10	63	<10	14	60

Standard:

GEO '05	135	1.5	1.62	50	130	<5	1.65	<1	19	62	84	3.85	<10	0.99	689	<1	0.04	30	820	24	<5	<20	57	0.11	<10	71	<10	11	74
GEO '05	140	1.5	1.72	50	125	<5	1.59	<1	19	60	82	3.73	<10	0.97	667	<1	0.04	30	770	24	<5	<20	54	0.12	<10	67	<10	10	76
GEO '05	130	1.5	1.56	55	120	<5	1.54	<1	17	59	85	3.32	<10	0.86	598	<1	0.03	26	580	22	<5	<20	48	0.10	<10	68	<10	9	73
GEO '05	135	1.5	1.61	50	130	<5	1.61	<1	19	60	84	3.72	<10	0.98	676	<1	0.04	30	570	24	<5	<20	55	0.12	<10	69	<10	11	75
GEO '05	140	1.5	1.57	55	125	<5	1.57	<1	18	58	88	3.39	<10	0.88	615	<1	0.03	27	730	22	<5	<20	50	0.11	<10	71	<10	10	74
GEO '05	130	1.5	1.62	50	120	<5	1.62	<1	19	60	86	3.80	<10	0.92	679	<1	0.03	29	880	24	<5	<20	54	0.11	<10	66	<10	11	78
GEO '05	135	1.6	1.62	50	120	<5	1.66	<1	18	63	86	3.79	<10	0.86	687	<1	0.04	28	810	22	<5	<20	56	0.11	<10	67	<10	11	77

JJ/ga/bs
df/588,588t
XLS/05

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2005-589

Richfield Ventures Corp.
350 St. Laurent
Quesnel, BC
V2J 5A3

Phone: 250-573-5700
Fax : 250-573-4557

ATTENTION: Peter Bernier

No. of samples received: 214

Sample type: Soil

Project #: N/A

Shipment #: N/A

Samples submitted by: Dirk Temperman

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L6100N 26+00E	5	0.2	1.08	10	130	<5	0.16	<1	9	31	19	2.58	<10	0.31	163	<1	<0.01	34	1140	12	<5	<20	13	0.04	<10	53	<10	<1	100
2	L6100N 26+25E	5	0.2	0.67	10	120	<5	0.20	<1	6	24	13	1.94	<10	0.27	234	<1	<0.01	19	850	6	<5	<20	15	0.03	<10	38	<10	<1	74
3	L6100N 26+50E	5	0.2	0.40	<5	75	<5	0.13	<1	5	14	6	1.40	<10	0.15	139	<1	<0.01	8	350	4	<5	<20	8	0.03	<10	32	<10	<1	59
4	L6100N 26+75E	5	<0.2	0.84	5	100	<5	0.39	<1	5	20	16	1.71	<10	0.33	102	<1	<0.01	14	50	6	<5	<20	35	0.02	<10	45	<10	1	27
5	L6100N 27+00E	5	<0.2	0.65	5	135	<5	0.27	<1	7	22	19	1.95	<10	0.26	495	1	<0.01	16	330	6	<5	<20	19	0.03	<10	43	<10	3	61
6	L6100N 27+25E	5	<0.2	0.48	80	365	<5	0.13	<1	7	6	27	3.99	<10	0.05	259	8	<0.01	8	620	10	<5	<20	10	<0.01	<10	49	<10	<1	69
7	L6100N 27+75E	5	<0.2	0.86	25	490	<5	0.35	<1	10	10	14	4.84	<10	0.37	1306	3	0.01	7	820	12	<5	<20	19	0.03	<10	120	<10	5	91
8	L6100N 28+00E	5	<0.2	0.91	5	160	5	0.19	<1	9	29	19	2.49	<10	0.38	218	<1	<0.01	26	440	8	<5	<20	9	0.04	<10	55	<10	2	59
9	L6100N 28+25E	<5	<0.2	0.44	20	355	<5	0.38	<1	7	6	13	4.15	<10	0.10	753	3	0.01	5	620	8	<5	<20	21	0.01	<10	94	<10	<1	85
10	L6100N 28+50E	5	<0.2	0.78	10	145	<5	0.52	<1	8	28	34	2.21	<10	0.32	449	<1	0.01	24	250	6	<5	<20	30	0.03	<10	48	<10	6	48
11	L6100N 28+75E	5	0.2	1.12	20	210	<5	0.49	<1	11	41	34	2.98	<10	0.39	893	2	0.01	32	360	10	<5	<20	26	0.04	<10	61	<10	17	57
12	L6100N 29+00E	5	<0.2	0.78	5	100	<5	0.20	<1	8	29	10	2.31	<10	0.33	170	<1	<0.01	22	570	6	<5	<20	12	0.05	<10	47	<10	2	57
13	L6100N 29+25E	5	0.2	0.89	10	205	<5	0.27	<1	8	17	10	3.11	<10	0.29	490	2	0.01	11	1480	8	<5	<20	16	0.03	<10	73	<10	<1	108
14	L6100N 29+50E	5	<0.2	0.76	5	120	<5	0.20	<1	10	34	16	2.50	<10	0.35	259	<1	<0.01	22	880	8	<5	<20	12	0.04	<10	50	<10	1	68
15	L6100N 29+75E	5	<0.2	0.60	<5	100	<5	0.29	<1	6	26	11	1.99	<10	0.22	179	<1	<0.01	18	230	6	<5	<20	15	0.04	<10	48	<10	4	32
16	L6100N 30+00E	5	<0.2	0.81	5	155	<5	0.26	<1	7	28	14	2.45	<10	0.27	156	<1	<0.01	18	1890	8	<5	<20	15	0.03	<10	47	<10	2	64
17	L6100N 30+25E	5	<0.2	0.56	5	80	<5	0.17	<1	5	21	8	1.42	<10	0.23	241	<1	<0.01	14	340	6	<5	<20	8	0.03	<10	33	<10	3	45
18	L6100N 30+50E	5	<0.2	0.48	<5	65	<5	0.15	<1	6	21	5	1.74	<10	0.17	109	<1	<0.01	11	150	6	<5	<20	7	0.05	<10	44	<10	1	42
19	L6100N 30+75E	5	<0.2	0.78	5	80	<5	0.19	<1	9	31	16	2.36	<10	0.33	212	<1	0.01	24	250	8	30	<20	12	0.05	<10	53	<10	3	41
20	L6100N 31+00E	5	0.3	1.00	55	135	<5	0.66	<1	10	42	45	2.75	<10	0.34	560	2	0.01	36	300	10	<5	<20	30	0.03	<10	54	<10	22	49
21	L6100N 31+25E	5	<0.2	0.72	75	115	<5	0.25	<1	8	25	12	2.50	<10	0.22	383	2	<0.01	15	180	8	<5	<20	11	0.04	<10	60	<10	2	47
22	L6100N 31+50E	5	<0.2	0.66	10	55	<5	0.25	<1	9	30	23	2.21	<10	0.32	227	<1	<0.01	23	520	6	<5	<20	14	0.04	<10	48	<10	6	43
23	L6000N 26+50E	10	<0.2	0.73	5	75	<5	0.11	<1	6	23	10	1.98	<10	0.19	95	1	<0.01	17	560	6	<5	<20	7	0.02	<10	46	<10	<1	44
24	L6000N 26+75E	5	<0.2	0.44	<5	110	<5	0.14	<1	6	19	10	1.74	<10	0.20	414	<1	<0.01	15	440	6	<5	<20	7	0.03	<10	37	<10	<1	88
25	L6000N 27+00E	5	0.2	0.63	10	80	<5	0.34	<1	6	22	15	2.02	<10	0.18	115	1	<0.01	15	120	8	<5	<20	15	0.03	<10	50	<10	2	40
26	L6000N 27+25E	5	0.2	1.16	25	295	<5	0.79	<1	11	41	41	3.39	<10	0.38	1271	2	0.01	38	650	10	<5	<20	42	0.03	<10	65	<10	22	55
27	L6000N 27+50E	5	0.2	0.68	10	200	<5	0.61	<1	7	26	17	2.21	<10	0.22	919	<1	<0.01	19	610	8	<5	<20	29	0.03	<10	45	<10	5	93
28	L6000N 27+75E	5	<0.2	0.50	40	265	5	0.30	<1	21	11	45	7.52	<10	0.08	793	8	<0.01	13	1040	8	<5	<20	16	<0.01	<10	97	<10	<1	89
29	L6000N 28+00E	5	<0.2	0.40	35	455	<5	0.34	<1	6	9	17	5.60	<10	0.03	562	8	0.01	7	1280	8	<5	<20	21	<0.01	<10	47	<10	<1	66
30	L6000N 28+25E	5	<0.2	0.65	5	255	<5	0.17	<1	5	22	12	2.14	<10	0.23	231	1	<0.01	16	1140	6	<5	<20	8	0.03	<10	40	<10	<1	57

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	L6000N 28+50E	5	0.2	0.41	<5	120	<5	0.19	<1	5	17	4	1.41	<10	0.13	300	<1	<0.01	9	620	6	<5	<20	12	0.03	<10	29	<10	1	55
32	L6000N 28+75E	5	<0.2	0.70	10	80	<5	0.21	<1	8	31	21	2.32	<10	0.34	181	1	<0.01	26	850	6	<5	<20	14	0.04	<10	46	<10	3	49
33	L6000N 29+00E	10	<0.2	1.24	15	165	<5	0.39	<1	14	49	29	3.25	<10	0.48	1710	2	0.01	38	500	12	<5	<20	31	0.04	<10	60	<10	12	63
34	L6000N 29+25E	5	<0.2	0.63	5	180	<5	0.23	<1	7	27	10	2.16	<10	0.25	312	<1	<0.01	16	1060	6	<5	<20	15	0.04	<10	43	<10	1	73
35	L6000N 29+50E	5	<0.2	0.64	5	235	<5	0.15	<1	5	25	6	2.11	<10	0.20	273	<1	<0.01	14	1640	8	<5	<20	10	0.04	<10	38	<10	1	101
36	L6000N 29+75E	5	<0.2	0.69	<5	140	<5	0.21	<1	6	26	10	1.98	<10	0.26	307	<1	<0.01	17	840	8	<5	<20	16	0.04	<10	43	<10	2	68
37	L6000N 30+00E	5	<0.2	0.79	5	115	<5	0.41	<1	6	29	12	2.44	<10	0.26	143	<1	0.01	16	120	8	<5	<20	23	0.05	<10	65	<10	1	33
38	L6000N 30+25E	5	<0.2	0.86	10	85	<5	0.30	<1	10	34	18	2.56	<10	0.43	351	<1	<0.01	27	650	8	<5	<20	17	0.06	<10	54	<10	4	67
39	L6000N 30+50E	5	<0.2	0.79	10	85	<5	0.24	<1	9	31	16	2.38	<10	0.36	284	<1	0.01	20	800	6	<5	<20	15	0.05	<10	52	<10	2	61
40	L6000N 30+75E	5	0.2	0.98	10	130	<5	0.37	<1	9	33	20	2.41	<10	0.34	495	2	0.01	25	180	6	<5	<20	25	0.04	<10	55	<10	9	43
41	L6000N 31+00E	10	0.2	1.02	10	110	<5	0.34	<1	11	43	39	2.87	<10	0.46	374	<1	0.01	33	500	8	<5	<20	22	0.05	<10	63	<10	13	50
42	L6000N 31+25E	10	<0.2	0.74	5	65	<5	0.38	<1	6	27	12	2.15	<10	0.24	159	<1	<0.01	16	320	8	<5	<20	21	0.03	<10	50	<10	1	51
43	L6000N 31+50E	10	<0.2	0.65	5	110	<5	0.22	<1	6	25	13	1.74	<10	0.22	379	<1	<0.01	17	450	6	<5	<20	13	0.03	<10	40	<10	6	55
44	L5900N 25+50E	5	<0.2	2.02	20	160	<5	0.29	<1	11	14	47	2.93	<10	0.41	424	<1	0.01	15	1440	10	<5	<20	17	0.06	<10	84	<10	<1	98
45	L5900N 25+75E	5	0.3	2.15	15	390	<5	0.89	1	11	11	106	2.93	<10	0.45	1777	<1	0.01	13	2910	10	<5	<20	43	0.06	<10	83	<10	4	182
46	L5900N 26+00E	5	<0.2	0.67	<5	65	<5	0.13	<1	6	23	10	2.05	<10	0.22	122	<1	<0.01	14	170	6	<5	<20	8	0.04	<10	51	<10	<1	49
47	L5900N 26+25E	5	<0.2	0.67	10	60	<5	0.17	<1	7	22	17	2.07	<10	0.30	197	1	<0.01	21	830	4	<5	<20	9	0.03	<10	45	<10	2	52
48	L5900N 26+50E	5	<0.2	0.60	10	50	<5	0.22	<1	8	27	15	1.95	<10	0.31	174	<1	0.01	20	440	6	<5	<20	16	0.04	<10	47	<10	5	36
49	L5900N 26+75E	5	<0.2	0.69	10	295	<5	0.27	<1	11	25	18	2.34	<10	0.25	3464	2	<0.01	18	770	10	<5	<20	17	0.04	<10	51	<10	4	82
50	L5900N 27+00E	10	<0.2	1.02	20	80	<5	0.22	<1	9	28	24	2.74	<10	0.45	268	3	<0.01	30	910	8	<5	<20	14	0.02	<10	52	<10	<1	95
51	L5900N 27+25E	5	0.2	0.71	10	190	<5	0.27	<1	7	29	17	2.34	<10	0.26	650	1	<0.01	17	1630	6	<5	<20	16	0.03	<10	48	<10	<1	81
52	L5900N 27+50E	5	0.3	0.50	<5	85	<5	0.16	<1	6	17	9	1.80	<10	0.15	186	1	<0.01	11	470	<2	<5	<20	10	0.03	<10	43	<10	<1	59
53	L5900N 27+75E	5	<0.2	0.74	<5	95	<5	0.21	<1	7	21	25	1.99	<10	0.38	253	<1	<0.01	27	500	<2	<5	<20	12	0.03	<10	42	<10	1	59
54	L5900N 28+00E	<5	<0.2	0.44	<5	535	<5	0.21	<1	4	6	12	3.50	<10	0.04	482	2	<0.01	4	1110	2	<5	<20	11	<0.01	<10	58	<10	<1	85
55	L5900N 28+25E	5	<0.2	0.57	<5	505	<5	0.33	<1	5	10	18	4.40	<10	0.11	533	2	<0.01	8	710	4	<5	<20	12	0.02	<10	131	<10	4	89
56	L5900N 28+50E	<5	<0.2	0.51	<5	165	<5	0.16	<1	5	19	7	1.75	<10	0.20	135	<1	<0.01	11	260	2	<5	<20	8	0.04	<10	44	<10	<1	41
57	L5900N 28+75E	<5	0.2	0.73	<5	160	<5	0.35	<1	8	28	24	2.10	<10	0.31	415	<1	<0.01	20	750	2	<5	<20	20	0.04	<10	46	<10	<1	56
58	L5900N 29+00E	<5	<0.2	0.53	<5	175	<5	0.25	<1	5	21	6	1.60	<10	0.18	416	<1	<0.01	13	690	2	<5	<20	16	0.05	<10	36	<10	<1	63
59	L5900N 29+25E	5	0.3	2.06	<5	480	<5	0.63	1	18	66	44	4.44	<10	0.55	3101	1	0.01	61	500	6	<5	<20	34	0.05	<10	92	<10	11	91
60	L5900N 29+50E	5	<0.2	0.70	<5	285	<5	0.19	<1	6	28	6	2.13	<10	0.19	407	<1	<0.01	15	1360	2	<5	<20	12	0.04	<10	44	<10	<1	84
61	L5900N 29+75E	<5	<0.2	0.39	<5	95	<5	0.13	<1	3	14	3	0.96	<10	0.11	89	<1	<0.01	7	130	4	<5	<20	6	0.04	<10	29	<10	<1	30
62	L5900N 30+00E	<5	<0.2	0.88	<5	110	<5	0.17	<1	8	30	10	2.27	<10	0.27	151	<1	<0.01	22	1000	<2	<5	<20	10	0.04	<10	51	<10	<1	97
63	L5900N 30+25E	5	<0.2	0.85	<5	95	<5	0.21	<1	8	31	21	2.41	<10	0.31	162	<1	<0.01	23	590	32	<5	<20	12	0.05	<10	57	<10	<1	55
64	L5900N 30+50E	5	<0.2	0.85	<5	100	<5	0.16	<1	8	30	14	2.65	<10	0.27	134	1	<0.01	20	350	<2	<5	<20	11	0.05	<10	64	<10	<1	64
65	L5900N 30+75E	5	<0.2	0.85	<5	130	<5	0.25	<1	6	30	12	2.35	<10	0.23	156	1	<0.01	18	1530	2	<5	<20	16	0.03	<10	54	<10	<1	61
66	L5900N 31+00E	5	<0.2	0.76	<5	170	<5	0.28	<1	6	26	13	2.02	<10	0.19	245	<1	<0.01	16	1530	<2	<5	<20	14	0.03	<10	44	<10	<1	75
67	L5900N 31+25E	5	<0.2	0.93	<5	90	<5	0.24	<1	8	31	14	2.32	<10	0.27	144	<1	<0.01	23	490	<2	<5	<20	11	0.04	<10	57	<10	<1	74
68	L5900N 31+50E	<5	<0.2	0.83	<5	95	<5	0.23	<1	6	28	10	2.10	<10	0.19	95	2	<0.01	17	40	<2	<5	<20	9	0.03	<10	65	<10	<1	34
69	L5800N 25+50E	<5	<0.2	0.35	<5	80	<5	0.18	<1	4	16	3	1.22	<10	0.09	144	<1	<0.01	7	490	2	<5	<20	11	0.04	<10	32	<10	<1	47
70	L5800N 25+75E	<5	<0.2	0.51	<5	65	<5	0.24	<1	6	22	8	1.52	<10	0.19	254	<1	<0.01	12	140	<2	<5	<20	13	0.05	<10	44	<10	<1	34

05-Jul-05

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	L5800N 26+00E	5	<0.2	0.91	10	120	<5	0.31	<1	9	34	20	2.48	<10	0.40	228	<1	0.02	25	150	6	<5	<20	22	0.06	<10	60	<10	5	48
72	L5800N 26+25E	5	0.2	0.66	20	645	5	0.40	1	24	104	75	8.26	<10	0.08	682	6	0.01	163	1290	4	<5	<20	69	<0.01	<10	117	<10	8	139
73	L5800N 26+50E	5	<0.2	0.43	15	525	<5	0.30	<1	10	3	147	6.28	<10	0.03	233	4	<0.01	5	830	6	<5	<20	48	0.02	<10	109	<10	<1	53
74	L5800N 26+75E	5	<0.2	1.08	10	285	<5	0.33	<1	14	27	33	4.84	<10	0.33	985	1	0.01	13	1180	10	<5	<20	14	0.06	<10	135	<10	<1	90
75	L5800N 27+00E	5	<0.2	1.05	15	365	<5	0.38	<1	13	14	48	5.35	<10	0.27	765	2	0.01	8	1690	8	<5	<20	23	0.05	<10	117	<10	<1	94
76	L5800N 27+25E	5	<0.2	0.87	35	360	<5	0.25	<1	14	15	38	5.22	<10	0.07	892	6	0.01	14	820	8	<5	<20	20	0.01	<10	103	<10	<1	73
77	L5800N 27+50E	5	0.2	2.01	35	385	<5	0.66	<1	24	23	126	9.19	<10	0.89	1294	8	0.02	18	1970	16	<5	<20	40	0.01	<10	242	<10	24	139
78	L5800N 27+75E	5	<0.2	0.57	35	365	10	0.48	<1	13	12	31	6.77	<10	0.04	1112	6	0.02	9	1480	10	<5	<20	26	0.01	<10	152	<10	<1	113
79	L5800N 28+00E	5	<0.2	1.40	110	195	5	0.29	<1	26	26	45	8.09	<10	0.59	1126	8	0.01	16	1300	14	<5	<20	16	0.01	<10	273	<10	<1	142
80	L5800N 28+25E	5	<0.2	1.04	30	310	<5	0.32	<1	10	10	15	4.94	<10	0.46	1073	4	0.02	6	1580	16	<5	<20	12	0.01	<10	101	<10	2	124
81	L5800N 28+50E	5	0.2	1.07	15	275	5	0.62	<1	9	27	23	2.96	<10	0.31	1624	1	0.02	24	420	10	<5	<20	28	0.05	<10	66	<10	17	74
82	L5800N 28+75E	10	<0.2	0.77	<5	130	<5	0.37	<1	7	25	12	2.00	<10	0.27	526	<1	0.01	17	300	8	<5	<20	19	0.05	<10	50	<10	4	42
83	L5800N 29+00E	<5	<0.2	0.93	10	205	<5	0.28	<1	8	25	9	2.66	<10	0.23	342	<1	0.01	14	1500	8	<5	<20	13	0.05	<10	58	<10	2	85
84	L5800N 29+25E	<5	<0.2	1.16	10	450	<5	0.36	<1	7	29	11	3.13	<10	0.27	767	1	0.01	19	1040	10	<5	<20	18	0.04	<10	66	<10	1	111
85	L5800N 29+50E	<5	<0.2	0.78	10	315	<5	0.39	<1	7	31	17	2.41	<10	0.26	1753	<1	0.01	19	1110	8	<5	<20	26	0.07	<10	48	<10	3	60
86	L5800N 29+75E	<5	<0.2	0.58	5	55	<5	0.25	<1	6	23	7	1.79	<10	0.20	127	<1	0.01	12	180	6	<5	<20	11	0.06	<10	54	<10	2	35
87	L5800N 30+00E	<5	<0.2	0.81	5	135	<5	0.20	<1	7	26	9	2.07	<10	0.24	200	<1	0.01	14	570	6	<5	<20	12	0.05	<10	52	<10	1	72
88	L5800N 30+25E	5	<0.2	1.15	10	115	<5	0.27	<1	10	34	13	2.59	<10	0.33	155	<1	0.01	24	160	10	<5	<20	16	0.06	<10	62	<10	3	53
89	L5800N 30+50E	15	<0.2	0.98	10	75	<5	0.23	<1	10	32	9	2.75	<10	0.28	165	<1	0.01	20	160	10	<5	<20	15	0.07	<10	69	<10	2	57
90	L5800N 30+75E	5	<0.2	1.11	10	115	5	0.40	<1	11	36	18	2.71	<10	0.38	210	<1	0.02	26	180	8	<5	<20	27	0.07	<10	66	<10	3	42
91	L5800N 31+00E	5	<0.2	1.16	10	265	5	0.80	<1	9	34	15	2.58	<10	0.33	157	<1	0.02	23	160	8	<5	<20	33	0.06	<10	64	<10	5	39
92	L5800N 31+25E	5	<0.2	0.80	5	155	<5	0.31	<1	8	29	11	2.22	<10	0.28	188	<1	0.01	16	110	6	<5	<20	16	0.07	<10	59	<10	2	44
93	L5800N 31+50E	<5	<0.2	1.09	10	160	<5	0.30	<1	10	34	15	2.62	<10	0.36	259	<1	0.01	25	830	8	<5	<20	15	0.07	<10	61	<10	3	79
94	L5700N 25+50E	<5	0.2	1.04	10	110	<5	0.36	<1	12	39	22	2.68	<10	0.46	515	<1	0.02	27	440	8	<5	<20	26	0.07	<10	64	<10	9	60
95	L5700N 25+75E	<5	0.4	0.96	10	170	<5	0.51	1	9	31	22	2.28	<10	0.36	758	<1	0.01	22	700	10	<5	<20	35	0.06	<10	51	<10	7	98
96	L5700N 26+00E	5	<0.2	0.76	5	145	<5	0.31	<1	6	26	11	1.96	<10	0.26	320	<1	0.01	16	570	8	<5	<20	19	0.06	<10	47	<10	4	76
97	L5700N 26+25E	5	<0.2	0.86	10	130	<5	0.23	<1	8	32	10	2.32	<10	0.29	210	<1	0.01	18	980	8	<5	<20	14	0.05	<10	51	<10	3	93
98	L5700N 26+50E	<5	<0.2	0.97	10	140	<5	0.44	<1	10	31	22	2.88	<10	0.37	398	<1	0.01	23	550	6	<5	<20	22	0.05	<10	68	<10	7	59
99	L5700N 26+75E	5	<0.2	0.90	20	125	<5	0.53	<1	13	26	35	3.17	<10	0.34	321	2	0.02	22	400	4	<5	<20	31	0.03	<10	84	<10	6	50
100	L5700N 27+00E	<5	0.2	0.55	35	730	<5	0.28	<1	9	12	29	4.88	<10	0.05	875	4	0.01	9	1220	4	<5	<20	30	0.01	<10	96	<10	<1	150
101	L5700N 27+25E	<5	<0.2	1.76	25	210	5	0.42	<1	20	25	51	7.27	<10	0.53	528	4	0.01	18	1340	8	<5	<20	18	0.06	<10	177	<10	<1	128
102	L5700N 27+50E	<5	<0.2	0.73	25	95	<5	0.27	<1	7	17	20	2.69	<10	0.24	153	2	0.01	13	170	6	<5	<20	13	0.03	<10	71	<10	<1	44
103	L5700N 27+75E	<5	<0.2	0.98	50	170	<5	0.82	<1	15	27	46	4.53	<10	0.46	812	4	0.02	25	710	8	<5	<20	27	0.04	<10	114	<10	14	73
104	L5700N 28+00E	<5	<0.2	1.89	70	630	<5	0.58	<1	16	23	32	6.05	<10	0.48	3237	5	0.02	15	2070	6	<5	<20	26	0.02	<10	195	<10	2	224
105	L5700N 28+25E	<5	<0.2	0.99	35	245	5	0.41	<1	16	18	18	6.33	<10	0.23	1142	5	0.01	8	1820	8	<5	<20	20	0.03	<10	186	<10	<1	91
106	L5700N 28+50E	<5	<0.2	0.85	20	375	5	0.16	<1	9	20	17	5.55	<10	0.13	592	4	0.01	13	1430	16	<5	<20	9	0.02	<10	152	<10	6	132
107	L5700N 28+75E	5	<0.2	1.16	15	200	<5	0.31	<1	9	31	14	3.05	<10	0.33	541	<1	0.01	25	1420	12	<5	<20	12	0.05	<10	67	<10	2	96
108	L5700N 29+00E	5	<0.2	0.95	10	195	<5	0.30	<1	7	26	8	2.74	<10	0.27	288	<1	0.01	19	660	10	<5	<20	12	0.05	<10	54	<10	2	79
109	L5700N 29+25E	5	<0.2	0.95	10	140	<5	0.29	<1	10	41	14	2.69	<10	0.35	247	<1	0.01	24	750	8	<5	<20	15	0.07	<10	61	<10	2	56
110	L5700N 29+50E	5	<0.2	0.86	5	105	<5	0.27	<1	8	30	11	2.12	<10	0.32	291	<1	0.01	21	170	8	<5	<20	15	0.06	<10	53	<10	5	41

05-Jul-05

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
111	L5700N 29+75E	5	<0.2	0.92	10	120	<5	0.28	<1	8	31	11	2.48	<10	0.34	169	<1	0.01	22	820	8	<5	<20	14	0.06	<10	57	<10	2	61
112	L5700N 30+00E	5	<0.2	1.35	20	160	<5	0.34	<1	13	48	33	3.35	<10	0.55	263	<1	0.02	33	380	12	<5	<20	21	0.09	<10	74	<10	4	61
113	L5700N 30+25E	5	<0.2	1.04	10	135	<5	0.26	<1	8	35	10	2.54	<10	0.30	177	<1	0.01	21	1340	8	<5	<20	12	0.05	<10	57	<10	2	80
114	L5700N 30+50E	5	<0.2	1.21	10	90	5	0.25	<1	10	39	18	2.95	<10	0.44	204	<1	0.01	25	630	8	<5	<20	14	0.07	<10	69	<10	2	55
115	L5700N 30+75E	5	<0.2	0.64	20	285	<5	0.17	<1	5	12	43	3.36	<10	0.11	382	4	0.01	9	640	6	<5	<20	8	<0.01	<10	47	<10	<1	56
116	L5700N 31+00E	5	<0.2	1.23	10	150	5	0.26	<1	9	36	11	2.89	<10	0.32	194	<1	0.01	22	1560	10	<5	<20	13	0.06	<10	61	<10	2	82
117	L5700N 31+25E	5	<0.2	0.76	10	100	<5	0.25	<1	8	29	12	2.13	<10	0.28	276	<1	0.01	19	260	8	<5	<20	15	0.07	<10	56	<10	5	53
118	L5700N 31+50E	5	<0.2	0.97	10	95	<5	0.26	<1	9	32	14	2.51	<10	0.33	180	<1	0.01	25	920	8	<5	<20	16	0.06	<10	58	<10	3	66
119	L5600N 27+50E	5	<0.2	0.65	5	255	<5	0.23	<1	4	20	7	1.82	<10	0.17	484	<1	0.01	12	720	6	<5	<20	10	0.04	<10	47	<10	1	69
120	L5600N 27+75E	5	<0.2	0.74	10	400	<5	0.45	1	6	25	13	2.11	<10	0.25	1114	<1	0.01	16	820	8	<5	<20	23	0.05	<10	50	<10	1	83
121	L5600N 28+00E	5	<0.2	0.94	25	325	<5	0.51	1	13	25	33	7.84	<10	0.12	1395	6	0.01	16	740	8	<5	<20	26	0.02	<10	271	<10	10	145
122	L5600N 28+25E	<5	<0.2	0.80	25	310	10	0.37	<1	11	15	20	6.64	<10	0.13	857	8	0.01	11	1160	12	<5	<20	15	0.02	<10	162	<10	5	118
123	L5600N 28+50E	5	<0.2	1.05	15	190	5	0.78	<1	10	36	24	3.23	<10	0.37	779	<1	0.02	23	320	10	<5	<20	26	0.05	<10	77	<10	9	53
124	L5600N 28+75E	5	<0.2	1.10	30	235	5	0.28	<1	13	34	24	4.53	<10	0.27	484	4	0.01	27	490	10	<5	<20	12	0.05	<10	119	<10	10	84
125	L5600N 29+00E	5	<0.2	0.91	10	250	<5	0.27	<1	8	24	12	2.79	<10	0.28	614	<1	0.01	15	660	8	<5	<20	10	0.06	<10	65	<10	2	71
126	L5600N 29+25E	5	<0.2	1.03	5	95	<5	0.36	<1	10	35	18	2.67	<10	0.42	225	<1	0.01	25	960	10	<5	<20	19	0.07	<10	58	<10	4	71
127	L5600N 29+50E	5	<0.2	0.93	10	120	<5	0.29	<1	10	34	15	2.52	<10	0.37	248	<1	0.01	23	1200	8	<5	<20	17	0.07	<10	57	<10	4	56
128	L5600N 29+75E	5	<0.2	0.88	10	85	<5	0.32	<1	8	31	10	2.48	<10	0.29	203	<1	0.01	19	700	8	<5	<20	16	0.07	<10	58	<10	<1	57
129	L5600N 30+00E	5	<0.2	1.72	15	205	<5	0.53	<1	17	59	28	3.91	<10	0.68	701	<1	0.02	45	300	12	<5	<20	29	0.08	<10	81	<10	20	59
130	L5600N 30+25E	5	0.3	2.52	20	360	<5	0.69	<1	17	78	62	4.79	10	0.67	690	<1	0.02	67	290	18	<5	<20	33	0.08	<10	94	<10	43	71
131	L5600N 30+50E	5	0.3	1.10	<5	180	<5	0.42	<1	11	39	31	2.52	10	0.33	345	<1	0.01	34	380	6	<5	<20	22	0.07	<10	60	<10	19	56
132	L5600N 30+75E	5	<0.2	0.95	10	100	5	0.27	<1	10	37	15	2.59	<10	0.42	245	<1	0.01	27	500	10	<5	<20	15	0.08	<10	60	<10	6	56
133	L5600N 31+00E	<5	<0.2	0.83	5	85	<5	0.25	<1	9	33	15	2.25	<10	0.31	245	<1	0.01	22	500	8	<5	<20	14	0.07	<10	57	<10	6	46
134	L5600N 31+25E	5	<0.2	0.86	5	85	<5	0.23	<1	8	34	12	2.36	<10	0.29	176	<1	0.01	19	450	8	<5	<20	12	0.07	<10	62	<10	4	49
135	L5600N 31+50E	5	<0.2	0.95	5	85	<5	0.22	<1	8	29	8	2.06	<10	0.20	144	<1	0.01	17	300	10	<5	<20	13	0.06	<10	55	<10	3	44
136	BL 2850E 53+50N	5	<0.2	0.93	10	315	5	0.33	<1	7	21	14	2.95	<10	0.25	666	<1	0.01	15	640	10	<5	<20	14	0.04	<10	69	<10	4	69
137	BL 2850E 54+50N	<5	<0.2	0.95	15	480	<5	0.14	<1	8	11	16	5.19	<10	0.19	416	5	0.01	9	600	6	<5	<20	10	0.02	<10	109	<10	<1	89
138	BL 2850E 55+50N	<5	<0.2	0.78	10	125	<5	0.19	<1	6	18	7	2.57	<10	0.17	344	1	0.01	9	680	8	<5	<20	7	0.03	<10	64	<10	<1	60
139	BL 2850E 56+50N	<5	<0.2	1.03	<5	190	<5	0.24	<1	8	28	16	2.52	<10	0.35	245	<1	0.01	25	1340	4	<5	<20	12	0.05	<10	58	<10	1	97
140	BL 2850E 57+50N	5	<0.2	1.64	20	155	5	0.51	<1	15	25	21	4.74	<10	0.53	542	<1	0.01	23	1420	14	<5	<20	18	0.12	<10	150	<10	3	182
141	BL 2850E 58+50N	5	<0.2	0.66	10	555	<5	0.22	<1	4	18	15	3.76	<10	0.11	560	2	0.01	20	500	4	<5	<20	13	0.02	<10	97	<10	<1	98
142	BL 2850E 59+50N	5	<0.2	0.96	5	100	<5	0.27	<1	11	37	25	2.63	<10	0.44	319	<1	0.01	29	660	4	<5	<20	18	0.07	<10	61	<10	3	60
143	BL 2850E 60+50N	5	<0.2	0.75	5	180	<5	0.27	<1	8	25	11	2.14	<10	0.27	411	<1	<0.01	14	730	6	<5	<20	15	0.06	<10	54	<10	2	113
144	BL 2850E 61+50N	5	<0.2	0.48	5	145	<5	0.21	<1	6	16	7	2.07	<10	0.14	674	<1	<0.01	8	490	6	<5	<20	10	0.04	<10	50	<10	<1	59
145	BL 2850E 62+50N	5	<0.2	0.75	10	145	<5	0.25	<1	6	23	11	2.07	<10	0.23	275	<1	<0.01	13	590	4	<5	<20	11	0.04	<10	56	<10	<1	69
146	BL 2850E 63+50N	5	<0.2	0.94	5	180	<5	0.25	<1	7	30	13	2.43	<10	0.33	220	<1	<0.01	21	1190	4	<5	<20	14	0.06	<10	56	<10	<1	73
147	BL 2850E 64+50N	5	0.2	0.93	10	125	<5	0.28	<1	10	34	21	2.39	<10	0.35	737	<1	0.01	26	250	6	<5	<20	19	0.07	<10	56	<10	10	68
148	BL 2850E 65+50N	45	<0.2	0.93	10	105	<5	0.28	<1	10	34	20	2.61	<10	0.41	253	<1	<0.01	26	410	6	<5	<20	15	0.08	<10	63	<10	2	60
149	BL 2850E 66+50N	25	<0.2	1.22	10	140	<5	0.41	<1	11	39	27	2.77	<10	0.36	313	<1	0.01	31	150	4	<5	<20	25	0.06	<10	63	<10	7	57
150	BL 2850E 67+50N	10	0.4	1.07	10	370	<5	0.23	1	9	29	17	2.55	<10	0.25	654	1	0.01	22	2350	6	<5	<20	15	0.05	<10	51	<10	1	155

05-Jul-05

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-589

Richfield Ventures Corp.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
151	BL 2850E 68+50N	5	<0.2	0.31	<5	75	<5	0.14	<1	4	13	4	1.05	<10	0.09	249	<1	<0.01	6	230	4	<5	<20	8	0.05	<10	29	<10	2	40

152	BL 2850E 69+50N	5	<0.2	0.53	5	65	<5	0.19	<1	4	20	8	1.74	<10	0.16	138	<1	<0.01	9	160	6	<5	<20	10	0.06	<10	59	<10	<1	40
153	L5400N 27+50E	5	<0.2	0.88	<5	165	<5	0.36	<1	10	34	16	2.59	<10	0.39	472	<1	0.01	23	720	8	<5	<20	19	0.07	<10	59	<10	1	75
154	L5400N 27+75E	5	<0.2	1.18	20	100	<5	0.36	<1	12	22	25	4.19	<10	0.49	433	1	<0.01	15	840	6	<5	<20	13	0.06	<10	107	<10	<1	71
155	L5400N 28+00E	5	<0.2	0.94	5	250	<5	0.28	<1	7	32	11	2.37	<10	0.26	283	<1	<0.01	17	1120	6	<5	<20	14	0.05	<10	55	<10	<1	61
156	L5400N 28+25E	5	0.2	0.63	20	525	<5	0.38	<1	6	10	21	3.68	<10	0.07	783	3	0.01	6	730	6	<5	<20	14	0.01	<10	57	<10	<1	95
157	L5400N 28+50E	5	<0.2	0.25	5	80	<5	0.15	<1	3	8	7	1.44	<10	0.04	386	<1	<0.01	4	230	4	<5	<20	6	0.03	<10	40	<10	<1	27
158	L5400N 28+75E	5	<0.2	1.01	25	610	<5	0.33	<1	11	11	32	4.64	<10	0.27	1917	2	0.01	10	1100	8	<5	<20	15	0.03	<10	97	<10	2	124
159	L5400N 29+00E	5	0.2	0.36	<5	90	<5	0.28	<1	3	11	7	1.22	<10	0.11	342	<1	<0.01	7	280	6	<5	<20	12	0.04	<10	37	<10	<1	30
160	L5400N 29+25E	5	<0.2	0.84	10	150	<5	0.59	<1	6	24	16	2.00	<10	0.27	936	<1	0.01	20	270	4	<5	<20	23	0.06	<10	52	<10	9	53
161	L5400N 29+50E	5	<0.2	1.12	10	175	<5	0.58	<1	10	34	28	2.75	<10	0.39	817	<1	0.02	30	260	6	<5	<20	26	0.06	<10	62	<10	10	50
162	L5400N 29+75E	5	<0.2	1.34	15	155	<5	0.26	<1	13	31	22	3.29	<10	0.43	413	<1	0.01	21	900	4	<5	<20	14	0.06	<10	89	<10	2	73
163	L5400N 30+00E	5	0.2	0.51	<5	105	<5	0.38	<1	4	20	8	1.43	<10	0.11	191	<1	<0.01	10	100	4	<5	<20	18	0.05	<10	43	<10	2	36
164	L5400N 30+25E	5	0.2	1.06	10	240	<5	0.51	<1	12	38	20	2.63	<10	0.36	446	<1	0.01	24	180	6	<5	<20	26	0.07	<10	65	<10	1	63
165	L5400N 30+50E	5	<0.2	0.82	10	175	<5	0.36	<1	8	31	14	2.20	<10	0.31	475	<1	0.01	19	1130	4	<5	<20	21	0.06	<10	50	<10	2	89
166	L5400N 30+75E	5	0.2	0.80	5	200	<5	0.28	<1	7	31	13	2.25	<10	0.31	828	<1	0.01	21	830	4	<5	<20	17	0.07	<10	50	<10	<1	80
167	L5400N 31+00E	5	0.2	0.71	5	90	<5	0.34	<1	6	27	14	1.91	<10	0.24	180	<1	0.01	17	130	2	<5	<20	19	0.06	<10	55	<10	3	29
168	L5400N 31+25E	10	<0.2	0.99	10	140	<5	0.35	<1	9	39	22	2.50	<10	0.29	403	<1	0.01	31	210	4	<5	<20	20	0.07	<10	62	<10	16	48
169	L5400N 31+50E	5	<0.2	0.79	5	105	<5	0.30	<1	9	33	15	2.26	<10	0.32	272	<1	<0.01	23	810	6	<5	<20	16	0.07	<10	56	<10	3	60
170	L5300N 27+50E	5	<0.2	0.93	10	115	<5	0.48	<1	8	36	15	1.91	<10	0.37	119	<1	0.01	21	200	6	<5	<20	34	0.05	<10	44	<10	6	39
171	L5300N 27+75E	5	0.2	1.19	5	155	<5	0.47	<1	9	43	16	2.39	<10	0.47	163	<1	0.01	24	150	4	<5	<20	29	0.06	<10	47	<10	5	55
172	L5300N 28+00E	10	<0.2	1.15	15	140	<5	1.61	<1	13	46	40	3.09	<10	0.64	500	<1	0.02	41	760	8	<5	<20	67	0.08	<10	67	<10	11	65
173	L5300N 28+25E	5	<0.2	1.11	15	320	<5	0.27	<1	9	31	19	3.20	<10	0.38	798	<1	0.01	21	650	4	<5	<20	17	0.05	<10	70	<10	2	87
174	L5300N 28+50E	5	<0.2	1.22	15	285	<5	0.43	<1	9	16	16	3.35	<10	0.51	659	<1	0.01	10	710	4	<5	<20	16	0.07	<10	84	<10	4	100
175	L5300N 28+75E	5	<0.2	1.16	15	165	<5	0.20	<1	7	21	13	2.72	<10	0.29	210	2	0.01	12	360	4	<5	<20	10	0.02	<10	65	<10	2	49
176	L5300N 29+00E	5	<0.2	1.57	20	440	<5	0.30	<1	11	27	25	3.48	<10	0.38	664	<1	0.01	16	1540	4	<5	<20	14	0.05	<10	87	<10	2	119
177	L5300N 29+25E	5	0.2	1.30	20	380	<5	0.30	<1	8	25	19	2.98	<10	0.31	549	<1	0.01	17	910	6	<5	<20	13	0.04	<10	61	<10	4	136
178	L5300N 29+50E	10	0.2	1.76	40	315	<5	0.48	<1	10	16	21	3.70	<10	0.57	722	<1	0.01	12	890	8	<5	<20	15	0.06	<10	97	<10	2	104
179	L5300N 29+75E	5	<0.2	1.16	10	210	<5	0.44	<1	8	24	14	2.71	<10	0.29	486	<1	0.01	19	1020	6	<5	<20	15	0.05	<10	65	<10	<1	96
180	L5300N 30+00E	10	0.2	1.80	40	525	<5	0.72	<1	9	23	23	3.83	<10	0.56	1595	<1	0.01	16	1300	6	<5	<20	26	0.08	<10	94	<10	3	125
181	L5300N 30+25E	5	0.2	1.72	20	240	<5	0.67	<1	8	7	15	3.52	<10	0.42	574	<1	0.01	3	2270	2	<5	<20	23	0.05	<10	85	<10	3	79
182	L5300N 30+50E	5	0.2	1.31	10	160	<5	0.58	<1	10	33	17	2.69	<10	0.32	338	<1	0.01	22	180	4	<5	<20	28	0.07	<10	62	<10	6	57
183	L5300N 30+75E	5	0.2	1.09	10	125	<5	0.37	<1	9	32	11	2.46	<10	0.26	571	<1	0.01	21	1280	6	<5	<20	18	0.06	<10	60	<10	1	89
184	L5300N 31+00E	5	<0.2	1.02	5	105	<5	0.26	<1	9	35	14	2.44	<10	0.32	323	<1	0.01	23	510	6	<5	<20	15	0.07	<10	60	<10	2	53
185	L5300N 31+25E	5	<0.2	0.87	10	210	<5	0.26	<1	8	32	14	2.24	<10	0.31	686	<1	0.01	21	830	6	<5	<20	19	0.06	<10	51	<10	2	61
186	L5300N 31+50E	10	<0.2	0.93	10	110	<5	0.25	<1	9	34	13	2.41	<10	0.33	209	<1	0.01	22	360	4	<5	<20	15	0.07	<10	60	<10	1	53
187	2965	15	<0.2	0.65	175	335	<5	0.27	<1	32	9	138	>10	<10	0.08	838	18	<0.01	16	1480	10	<5	<20	20	<0.01	<10	132	<10	10	155
188	2966	30	<0.2	0.42	165	515	<5	0.26	<1	26	14	112	>10	<10	<0.01	1341	26	0.01	14	990	8	<5	<20	22	<0.01	<10	363	<10	68	229
189	2967	15	<0.2	0.46	45	145	<5	1.31	<1	32	8	88	>10	<10	0.01	862	7	0.04	10	1500	10	<5	<20	135	<0.01	<10	187	<10	3	131
190	2968	15	<0.2	0.29	65	160	5	0.14	<1	18	17	59	8.60	<10	<0.01	566	9	<0.01	15	710	14	<5	<20	9	<0.01	<10	280	<10	22	135

05-Jul-05

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-589

Richfield Ventures Corp.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
191	2969	20	<0.2	0.90	65	165	<5	0.27	<1	19	25	65	7.42	<10	0.27	1002	8	0.01	23	460	10	<5	<20	11	0.02	<10	178	<10	36	112
192	2970	15	<0.2	0.73	260	235	<5	0.27	<1	21	21	91	>10	<10	0.08	1199	15	<0.01	17	910	8	<5	<20	12	<0.01	<10	435	<10	47	214
193	2971	20	<0.2	0.50	240	460	<5	0.40	<1	21	9	97	>10	<10	0.04	1867	42	0.01	18	610	12	<5	<20	14	<0.01	<10	289	<10	42	200

194	2972	15	<0.2	0.56	105	695	<5	0.29	<1	32	15	93	>10	<10	0.08	1247	8	<0.01	16	1280	10	<5	<20	26	<0.01	<10	237	<10	27	178
195	2973	5	<0.2	0.80	10	115	<5	0.32	<1	8	33	16	2.61	<10	0.37	262	<1	<0.01	25	570	4	<5	<20	13	0.06	<10	66	<10	3	49
196	2974	5	<0.2	1.30	15	210	<5	0.26	<1	9	36	19	2.99	<10	0.33	202	<1	0.01	31	470	4	<5	<20	11	0.06	<10	79	<10	2	44
197	4000	5	<0.2	0.95	15	135	<5	0.25	<1	7	26	16	2.57	<10	0.29	205	<1	<0.01	24	380	4	<5	<20	10	0.04	<10	65	<10	2	48
198	TO 05 80	5	0.6	1.31	15	80	<5	0.18	<1	14	53	35	3.29	<10	0.53	379	1	<0.01	36	1170	10	<5	<20	14	0.05	<10	53	<10	8	103
199	TO 05 81	10	<0.2	1.89	20	110	<5	0.52	<1	34	39	99	5.02	<10	0.94	598	3	<0.01	68	1800	16	<5	<20	29	0.06	<10	77	<10	16	165
200	TO 05 90	15	1.4	1.75	180	85	<5	0.29	6	30	30	552	6.61	<10	0.36	951	34	<0.01	198	3420	12	<5	<20	201	<0.01	<10	180	<10	23	340
201	TO 05 90A	10	0.5	1.42	20	140	<5	0.33	2	4	155	213	1.21	20	0.24	157	4	<0.01	71	370	12	<5	<20	94	<0.01	<10	100	<10	4	229
202	TO 05 91	15	0.3	0.94	10	130	<5	0.19	<1	9	34	30	2.42	<10	0.28	421	6	<0.01	33	270	8	<5	<20	18	0.02	<10	50	<10	2	107
203	TO 05 92	15	0.8	0.99	10	180	<5	0.44	3	9	32	40	2.47	<10	0.28	1844	9	<0.01	38	520	8	<5	<20	34	0.02	<10	47	<10	6	144
204	TO 05 93	10	0.4	0.97	10	130	<5	0.33	2	9	32	25	2.90	<10	0.27	598	8	<0.01	27	340	10	<5	<20	23	0.03	<10	64	<10	1	127
205	TO 05 94	10	1.0	1.07	20	100	<5	0.42	<1	13	32	43	2.76	<10	0.39	565	7	<0.01	42	370	12	<5	<20	33	0.01	<10	44	<10	9	101
206	TO 05 95	35	4.4	1.80	25	165	<5	0.65	6	13	45	78	3.48	<10	0.30	1766	12	0.01	76	720	14	<5	<20	57	0.02	<10	72	<10	28	240
207	TO 05 96	5	0.6	0.37	10	95	<5	0.24	<1	4	21	31	1.61	<10	0.08	162	8	<0.01	23	230	8	<5	<20	19	0.02	<10	42	<10	3	85
208	TO 05 97	10	1.9	0.53	10	205	<5	0.40	1	9	26	35	2.06	<10	0.12	2385	7	<0.01	26	590	10	<5	<20	26	0.02	<10	42	<10	<1	128
209	TO 05 98	5	0.8	0.72	10	100	<5	0.15	<1	9	29	43	2.44	<10	0.22	567	7	<0.01	32	350	10	<5	<20	16	0.02	<10	49	<10	5	105
210	TO 05 99	10	0.7	0.92	15	90	<5	0.21	<1	8	35	54	3.02	<10	0.35	382	10	<0.01	51	340	10	<5	<20	20	0.02	<10	44	<10	3	137
211	TO 05 100	5	0.5	0.88	10	90	<5	0.22	<1	9	28	33	2.06	<10	0.30	321	6	<0.01	37	370	8	<5	<20	18	0.02	<10	37	<10	6	91
212	542788E 5875808N	5	<0.2	0.39	15	135	<5	>10	<1	3	14	14	0.90	<10	0.35	137	<1	0.02	7	360	<2	10	<20	224	0.02	<10	20	<10	10	17
213	542790E 5875750N	5	<0.2	0.96	25	130	<5	0.62	<1	8	27	13	3.28	<10	0.16	158	2	0.01	13	120	4	<5	<20	20	0.05	<10	87	<10	2	39
214	542791E 5875751N	5	<0.2	1.26	30	165	<5	0.41	<1	11	31	17	3.78	<10	0.28	270	2	0.01	22	160	8	<5	<20	17	0.05	<10	93	<10	2	59

QC DATA:

Repeat:

1	L6100N 26+00E	5	0.2	1.01	10	125	<5	0.16	<1	8	29	18	2.45	<10	0.29	161	<1	<0.01	30	1070	14	<5	<20	11	0.03	<10	50	<10	<1	94
10	L6100N 28+50E	5	<0.2	0.87	15	160	<5	0.55	<1	9	30	32	2.42	<10	0.36	483	1	0.01	27	270	10	<5	<20	32	0.03	<10	53	<10	8	49
19	L6100N 30+75E	5	<0.2	0.86	10	85	<5	0.22	<1	10	33	17	2.52	<10	0.36	216	<1	<0.01	25	270	8	30	<20	14	0.06	<10	57	<10	3	43
28	L6000N 27+75E	5	<0.2	0.50	45	255	<5	0.29	<1	21	12	46	7.69	<10	0.07	824	7	<0.01	12	1100	8	<5	<20	16	<0.01	<10	97	<10	<1	92
36	L6000N 29+75E	5	<0.2	0.64	5	125	<5	0.19	<1	5	23	9	1.82	<10	0.24	284	<1	<0.01	16	790	8	<5	<20	12	0.04	<10	39	<10	1	64
45	L5900N 25+75E		0.3	2.12	<5	395	<5	0.84	<1	12	11	107	2.89	<10	0.44	1749	<1	0.02	14	2730	<2	<5	<20	40	0.07	<10	85	<10	<1	201
46	L5900N 26+00E	5																												
54	L5900N 28+00E	5	<0.2	0.44	<5	555	<5	0.22	<1	4	7	12	3.62	<10	0.04	497	3	<0.01	5	1140	4	<5	<20	11	<0.01	<10	59	<10	<1	87
63	L5900N 30+25E	5	<0.2	0.88	<5	95	<5	0.22	<1	8	33	22	2.48	<10	0.30	166	<1	<0.01	25	540	30	<5	<20	13	0.05	<10	60	<10	<1	56
71	L5800N 26+00E	5	<0.2	0.83	10	110	<5	0.29	<1	9	32	18	2.36	<10	0.37	212	<1	0.01	24	160	8	<5	<20	21	0.06	<10	57	<10	4	46
80	L5800N 28+25E	<5	<0.2	1.01	25	310	<5	0.31	<1	9	9	15	4.77	<10	0.44	1007	4	0.02	6	1510	12	<5	<20	18	0.01	<10	96	<10	1	120
82	L5800N 28+75E	10																												

05-Jul-05

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
89	L5800N 30+50E	15	<0.2	0.96	10	70	<5	0.23	<1	10	32	9	2.63	<10	0.28	151	<1	0.01	19	140	8	<5	<20	12	0.07	<10	66	<10	2	53
98	L5700N 26+50E	5	<0.2	0.93	15	135	<5	0.42	<1	9	31	22	2.82	<10	0.36	419	<1	0.01	23	590	8	<5	<20	20	0.05	<10	67	<10	7	57
106	L5700N 28+50E	5	<0.2	0.87	20	360	5	0.15	<1	9	20	17	5.39	<10	0.14	584	4	0.01	13	1360	18	<5	<20	9	0.02	<10	150	<10	6	123
115	L5700N 30+75E	5	<0.2	0.62	20	280	<5	0.18	<1	6	12	42	3.38	<10	0.11	416	4	<0.01	9	620	6	<5	<20	8	<0.01	<10	47	<10	<1	56

124	L5600N 28+75E	5	<0.2	1.05	35	225	<5	0.27	<1	13	33	24	4.58	<10	0.27	491	4	0.01	25	490	10	<5	<20	11	0.05	<10	119	<10	10	83
133	L5600N 31+00E	5	<0.2	0.80	10	85	<5	0.24	<1	9	32	15	2.20	<10	0.30	242	<1	0.01	23	500	8	<5	<20	14	0.07	<10	56	<10	6	46
141	BL 2850E 58+50N	5	<0.2	0.68	10	530	<5	0.22	<1	5	18	14	3.74	<10	0.11	525	2	0.01	21	490	4	<5	<20	12	0.02	<10	96	<10	<1	100
149	BL 2850E 66+50N	15																												
150	BL 2850E 67+50N	5	0.4	1.10	15	365	<5	0.24	1	9	29	17	2.60	<10	0.27	689	<1	<0.01	23	2260	4	<5	<20	14	0.05	<10	53	<10	<1	155
159	L5400N 29+00E	5	0.2	0.37	5	90	<5	0.26	<1	3	12	6	1.22	<10	0.10	343	<1	<0.01	6	270	6	<5	<20	14	0.04	<10	37	<10	<1	29
168	L5400N 31+25E	10	<0.2	1.03	10	145	<5	0.37	<1	8	40	23	2.56	<10	0.30	408	<1	0.01	31	220	4	<5	<20	21	0.07	<10	64	<10	17	51
172	L5300N 28+00E	10																												
176	L5300N 29+00E	5	<0.2	1.65	15	450	<5	0.32	<1	11	27	26	3.56	<10	0.38	635	1	0.01	17	1560	8	<5	<20	12	0.06	<10	90	<10	1	125
185	L5300N 31+25E	5	<0.2	0.93	10	210	<5	0.30	<1	8	33	15	2.40	<10	0.32	649	<1	0.01	22	870	4	<5	<20	21	0.07	<10	56	<10	3	63
187	2965	10																												
188	2966	30																												
189	2967	15																												
194	2972	20	<0.2	0.61	115	700	<5	0.32	<1	32	15	91	>10	<10	0.08	1219	8	<0.01	17	1390	12	<5	<20	29	<0.01	<10	243	<10	27	184
200	TO 05 90	15																												
203	TO 05 92	10	0.8	1.04	15	175	<5	0.45	3	9	31	40	2.39	<10	0.29	1783	8	<0.01	35	520	8	<5	<20	34	0.02	<10	47	<10	6	141
206	TO 05 95	45																												
211	TO 05 100	10	0.6	1.00	20	100	<5	0.24	<1	10	32	37	2.08	<10	0.33	316	7	<0.01	43	390	10	<5	<20	18	0.02	<10	44	<10	5	104

Standard:

GEO '05		135	1.5	1.11	55	135	<5	1.15	<1	19	54	82	3.33	<10	0.64	516	<1	0.02	28	570	22	<5	<20	57	0.11	<10	65	<10	10	73
GEO '05		135	1.5	1.44	65	140	<5	1.30	<1	18	53	81	3.77	<10	0.76	562	<1	0.02	28	590	20	<5	<20	56	0.09	<10	70	<10	9	78
GEO '05		130	1.5	1.48	60	145	<5	1.30	<1	18	54	84	3.83	<10	0.78	576	<1	0.03	30	620	20	<5	<20	58	0.10	<10	72	<10	9	76
GEO '05		140	1.5	1.25	65	150	<5	1.25	<1	18	60	86	3.48	<10	0.67	577	<1	0.01	29	520	22	<5	<20	52	0.11	<10	70	<10	10	74
GEO '05		135	1.5	1.41	60	145	<5	1.28	<1	19	56	82	3.68	<10	0.73	566	<1	0.02	29	530	24	<5	<20	55	0.12	<10	71	<10	9	72
GEO '05		135	1.5	1.48	50	150	<5	1.37	<1	19	59	84	3.86	<10	0.75	606	<1	0.03	30	550	22	<5	<20	59	0.10	<10	65	<10	8	76
GEO '05		135	1.5	1.43	60	150	<5	1.36	<1	19	58	83	3.87	<10	0.73	596	<1	0.02	28	580	22	<5	<20	56	0.09	<10	69	<10	10	76

JJ/bs/ga
df/589/591
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer