

**Assessment Report on Technical Work**

**Year 2005 Exploration Program  
On the  
Amazing Grace Property  
Firestone Ventures Inc.**

BIG MCPHEE 1 (411017), BIG MCPHEE 2 (411018) CLAIMS,  
GOLDEN STAMP, GOLDEN STAMP 1-2 Claims,  
Tenure No's: 501113 (MOONLIGHT), 501117 (SONATA), 505015 (IO),  
505016 (EUROPA), 505249 (TRITON), 520355 (GOLDEN STAMP 1),  
521363 (GOLDEN STAMP 2), 520835 (WEST GOLD)  
Unnamed Tenures: 50744, 510749, 510753, 510754

**Castlegar area, Nelson Mining Division**

49°16'50" N Lat, 112°29'57" W Long

BCGS Sheets 082F023, 082F033

Nov 18, 2005

GEOLOGICAL SURVEY BRANCH  
ASSESSMENT REPORT

27,969

For: Firestone Ventures Inc.  
Suite 52 – 10203 178<sup>th</sup> St.  
Edmonton, Alberta T5S 1M3  
Tel: 780-428-3465  
Fax: 780-428-3476  
[lawalton@telus.net](mailto:lawalton@telus.net)

By:  
Carl Schulze, BSc, PGeo  
All-Terrane Mineral Exploration Services  
35 Dawson Rd  
Whitehorse, Yukon Y1A 5T6  
Tel: 867-633-4807  
Fax: **867-633-4883**  
Email: [allterrane@northwestel.net](mailto:allterrane@northwestel.net)



Nov 30, 2005

## Summary

From August 24 to September 26 2005 Firestone Ventures Inc (FV: TSX-V) conducted a comprehensive detailed surface exploration program on its 100% owned Amazing Grace property, located 15 km southeast of Castlegar, British Columbia, Canada. In September 2004 Firestone entered into an option agreement to obtain a 100% interest in the property from vendor Bruce Doyle of Nelson, British Columbia. In January 2005 the property was expanded to its present size of 4243.5 hectares (10439.0 acres).

The property is located within Quesnellia Terrane of the southern Omineca Belt of the Northern Cordillera. It covers western portions of the Lower Jurassic Bonnington Pluton, a large, predominantly quartz monzonitic to monzodioritic stock. This, a member of the Nelson Intrusive Suite, has intruded Rossland Group volcano-sedimentary stratigraphy. The stock is bounded to the northwest by hornfelsed metaclastic sediments, possibly of the Hall Formation of the Rossland Group, and to the southeast by a pendant of Rossland Group, Elise Formation metavolcanics and volcanoclastics and equivalent subvolcanic metagabbros.

The property hosts the Maud S gold vein prospect, a vein gold producer in the early 20<sup>th</sup> Century. The property also hosts the Meister gold prospect, consisting of minor quartz veining in altered quartz monzonite, last reported in the early 1930s. This was “re-discovered” by Mr. Doyle in May 2005. Mr. Doyle also found the polymetallic “Cordierite Showing” within the roof pendant in 1995, the “Scheelite Showing” molybdenum-tungsten prospect in the present northwestern property area in 1998, and the High Grade vein prospect east of the Maud S workings in 1999.

The August-September program focused on evaluation of the Maud S and Meister prospects, the Scheelite and Cordierite showings, and several other targets. The program led to discovery of the “Marilyn prospect”, located south of the Meister prospect and with a similar fabric; the “Manson Occurrence”, a large barren but strongly limonitic zone along a NNW – SSE trending lineament, and the “Aaron Zone” in the northeast, where strongly fractured granodiorite with abundant quartz +/- carbonate veining is coincident with anomalous gold-in-silt values and minor free gold in two adjacent streams.

The 2005 program determined that all mineralization is intrusive-related, emanating from metal-bearing fluids from the Bonnington Pluton. The occurrences, including the Scheelite Showing, Aaron Zone and Cordierite Showing, now believed to be a skarn occurrence, were found to be small and of limited economic potential. Vein occurrences, including the Maud S prospect, are too small to potentially host sizable gold deposits; the Maud S prospect also lacks sufficient size and grade to be a viable bulk tonnage target.

The Meister and Marilyn occurrences are also small; however they represent a distinct mineralogical setting whereby high gold and silver values were returned from strongly altered quartz monzonite with minor auriferous quartz veins. This suggests wallrock-hosted gold occurs, improving viability of this deposit setting. A 200m long gold-in-soil

anomaly along strike to the east of the Marilyn Prospect suggests the possibility of similar mineralization, and may be the best known gold target on the property.

The Manson Zone, although barren, suggests that other similar, possibly auriferous broad, long zones may occur along members of a prominent NNW – SSE trending lineation, consisting of fault and shear zones, in the Bonnington Pluton area.

The mineral potential of the Amazing Grace property is insufficient to suit Firestone Ventures' mandate of exploration and development of mid-tier and advanced projects. No further work is recommended for Firestone on this property.

Further exploration by subsequent operators should focus on the Meister/ Marilyn prospect area, and on exploration for auriferous zones along prominent NNW - SSE trending lineaments similar to that hosting the Manson Zone. Further prospecting is recommended for the strong gold-in-soil anomaly west of the High Grade Prospect.

## Table of Contents

	<u>Page</u>
Summary	2
1.0 Introduction	6
1.1 Introduction	6
1.1.1 Underlying Agreements	6
1.2 Terms of Reference	7
1.3 Sources of Information	7
1.4 Field Involvement of Qualified Person	8
2.0 Property Description and Location	8
3.0 Access, Physiography and Climate	11
4.0 History	14
5.0 Geology	15
5.1 Regional Geology	15
5.2 Property Geology	16
6.0 Deposit Types	18
6.1 Vein and “Lode”-style Gold Deposits	18
6.2 Vein-style Base-metal and Polymetallic Vein Deposits	19
6.3 Skarn and Replacement Deposits	19
7.0 Mineralization	19
7.1 Gold Occurrences	20
7.1.1 High-Grade Showing	20
7.1.2 Maud S Prospect	20
7.1.3 Meister/ Marilyn Prospects	21
7.1.4 Manson Zone	22
7.1.5 Aaron Zone	22
7.1.6 Meiko Showing	23
7.1.7 Other Quartz Veins, Toklat Grid	23
7.2 Other Showings	23
7.2.1 Cordierite Showing	23
7.2.2 Scheelite Showing	24
7.2.3 “Mines of Moira” Shafts	25
8.0 Work Program	25
8.1 Significant Results from Specific Zones	26
8.1.1 Results from Maud S Prospect	26
8.1.2 Results from Meister and Marilyn Prospects	26
8.1.3 Results from the Aaron Showing	27
8.1.4 Results from the Scheelite Showing area	28
8.1.5 Results from the Phelps Dodge Grid Infilling	28
8.2 Personnel	29
9.0 Sampling Method and Approach	29
10.0 Sample Preparation, Analysis and Security	30
11.0 Data Verification	30
12.0 Mineralization on Adjacent Properties	31
13.0 Resources and Reserves	31
14.0 Mineral Production	31
15.0 Reclamation Activities	32
16.0 Interpretation and Conclusions	32
16.1 Interpretations	32
16.2 Conclusions	34
17.0 Recommendations	36
18.0 References	37

### List of Tables

	<u>Page</u>
Table 1: Annual Payments by Firestone	6
Table 2: Claim Status and Expiry Dates	12

### List of Figures

Figure 1: Location Map	9
Figure 2: Regional Location Map	10
Figure 3: Claim Location Map	13
Figure 4a: Detailed Geology Map, "Meister" Trench area	In pocket
Figure 4b: Rock Sample Location Map, "Meister" Trench area	In pocket
Figure 4c: Soil Sample Location Map, "Meister" Trench area	In pocket

### Appendices

Appendix 1: Certificate of Author	38
Appendix 2: Statement of Costs	39
Appendix 3 Rock Sample Descriptions	40
Appendix 4: Soil Sample Descriptions	
Appendix 5: Silt Sample Descriptions	
Appendix 6: Original Geochemical Results	
Appendix 6a: Results to September 26, 2005	
Appendix 6b: Results from October, 2005	

### Maps

Map 1: Geology Map	In pocket
Map 2: Rock Sample Location Map	In pocket
Map 3: Soil and Silt Sample Location Map	In pocket

## 1.0 Introduction

### 1.1 Introduction

From August 24 to Sept 26 Firestone Ventures Inc. conducted a detailed surface exploration on its 100% owned Amazing Grace property, located 15 km southeast of Castlegar, British Columbia, Canada. Mr. Bruce Doyle, property vendor, also conducted one-day surface program in late May, 2005 (the subject of a previous assessment report) and several visits in early October 2005. The 4243.5-hectare (10439.0-acre) property consists of the BIG McPHEE 1-2 claims and 13 newer claims obtained or converted through map staking.

In September 2004 Firestone Ventures entered into an option agreement to obtain the 32-unit McPhee property from Mr. Doyle, then conducted a one-day field visit, and subsequently expanded the property, renaming it the “Amazing Grace” property. The original holdings contained the “High Grade” and past-producing “Maud S” prospects, and one polymetallic occurrence, the “Cordierite Showing”. In May 2005 Mr. Doyle “rediscovered” the Meister occurrence northeast of the Maud S prospect. The expanded block contains several other previously known prospects, including the “Scheelite Occurrence”; several new discoveries, including the “Aaron” and “Marilyn” occurrences were made during the August – September program.

This independently produced report was prepared to satisfy assessment filing requirements of the Mines Division of the Ministry of Energy and Mines, Government of British Columbia. Actual work filed was done inclusive of September 17<sup>th</sup>, 2005, except for some additional work done and filed in October 2005 on Claim 510749.

#### 1.1.1 Underlying Agreements

The property is currently held by Mr. Bruce Doyle of Nelson, British Columbia. In September 2004 Firestone finalized its option agreement to earn a 100% interest through cash payments totaling \$156,000 and issuance of 250,000 common shares over four years. An initial payment of \$6,000 and 100,000 common shares of Firestone were made to Mr. Doyle following approval by the TSX-V exchange.

The following table lists annual cash and share payments provided to Mr. Doyle by Firestone.

**Table 1: Annual Payments by Firestone**

<b>Due Date of Payment</b>	<b>Cash (CDN\$)</b>	<b>FV Common Shares</b>
Oct 31, 2005	\$10,000	75,000
Oct 31, 2006	\$20,000	50,000
Oct 31, 2007	\$40,000	25,000
Oct 31, 2008	\$80,000	

There were no exploration expenditure requirements by Firestone. Mr. Doyle retained a 2% Net Smelter Return, half of which was purchasable by Firestone at any time for CDN\$1,000,000.

The newly added cells were incorporated into the option agreement. In late October 2005 Firestone Ventures declined further participation in the project, following receipt and analysis of geochemical results, and has returned the property to Mr. Doyle.

## **1.2 Terms of Reference**

The author has been requested to write this report using these terms of reference:

- a) To review and compile the available information and data, including geological, structural and geochemical data obtained by Firestone Ventures Inc. following the year 2005 program, pertaining to the Amazing Grace property and associated interpreted gold, gold-silver, copper-tungsten-molybdenum and polymetallic potential.
- b) To comply with the TSX Venture Exchange regulatory requirements.
- c) To follow the guidelines and framework defined in the Form 43-101-F1, pertaining to National Instrument 43-101: "Standards of Disclosure for Mineral Projects".
- d) To support the technical disclosures by Firestone Ventures Inc. in its Annual Information Form.
- e) To satisfy requirements for assessment report filing under the Mines Branch of the Ministry of Energy and Mines, Government of British Columbia.

## **1.3: Sources of Information**

This report is based on information obtained from assessment reports and internal documents, including geological and geochemical maps, rock, soil and silt geochemical results, and results from past drilling. Much of the historical information used in the compilation work originated from working maps by Eagle Plains Resources through its subsidiary "Toklat Resources". Much of the geological information used in the legend of Map 1 was derived from preliminary mapping by Mr. Charles Greig for Eagle Plains Resources, and from "The Map Place" website of the British Columbia Ministry of Energy and Mines. Some local information was obtained from personal communication with Mr. Bruce Doyle as well as from his prior reports.

This report is also based on surface sampling results from the 2004 and 2005 Firestone programs, and on results of compilation of year-2004 and all previous and historic data.

Mr. David Grieve, regional geologist for the Nelson Mining Division, also provided information on the regional geologic setting.

#### **1.4 Field Involvement of Qualified Person**

Mr. Carl Schulze, PGeo, the Qualified Person for this report, was present during most of the August-September program on the Amazing grace property, and was responsible for all aspects of supervision. Compilation and interpretation of geological, structural, geochemical and diamond drilling results, both past and current, were done by All Terrane Mineral Exploration Services, of which Mr. Schulze is sole proprietor.

**Disclaimer:** The author cannot verify the quality of sample collection, preparation, analysis, shipping and security, or of reporting of geological, geochemical, structural or any other geoscience data obtained from historical documents pertaining to the Amazing Grace property.

## **2.0 Property Description and Location**


The road-accessible Amazing Grace property is located 15 kilometres southeast of the City of Castlegar, southeastern British Columbia, Canada. The 4243.5-hectare (10,439.0-acre) property consists of the single-cell BIG MCPHEE 1-2 claims, covering 25 hectares each, and 13 claims acquired or converted by map staking since January 12, 2005 (Table 1). Total coverage is likely slightly less than the given figure, as the Big McPhee claims are contained within Claim 510744 (Figure 3). The property is centered at 49°16'50" N Latitude, 112°29'57" W Longitude, on BCGS Sheets 082F023 and 082F033 in the Nelson Mining Division (Figures 1 and 2). All claims are contiguous and unpatented.


Details of underlying agreements are stated in Section 1.1.1, "Underlying Agreements"; expiry dates are stated in Table 1.

The previously known major occurrences include the "High Grade" gold prospect and the "Cordierite Showing" polymetallic prospect. The past-producing "Maud S" mine, located on Claim 510749, produced 330 oz (10,265 g) gold and 57 oz (1,772g) silver from 159 tons (144 tonnes) of ore from 1936 – 1941 (B.C. Minfile, 2004). Firestone has not verified these results. The expanded land package now covers numerous other previously known showings, including the "Breccia" silver-lead-copper-gold showing, the "Fork" tungsten showing, the "BW" gold showing and the "Scheelite" tungsten-gold showing, as well as two other tungsten-molybdenum showings.

No mineral resources under modern Canadian Institute of Mining and Metallurgy standards exist on the property. There are no major past mine workings, existing tailings ponds, waste deposits or major bulk sample excavations; disturbances are limited to small historic shafts and pits including the Maud S site, reclaimed drill sites, some trenches and 2-wheel and 4-wheel drive forestry access roads.







**Figure 2**  
**Regional Location Map**  
**Amazing Grace Property**  
BCGS Sheets: 082F023/033  
Nov 23, 2005

Lower  
Arrow  
Lake

18° W. Long

Nelson

Kootenay  
Lake

Amazing Grace  
Property

Castlegar

Salmo

Rossland

Trail

Creston

Canada

United States of America

There are no known environmental liabilities associated with the property. The 2005 work required no permitting due to its minimal environmental impact.

### **3.0 Access, Physiography and Climate**

The Amazing Grace property is located within moderate to locally steep terrain with elevations ranging from 1200m to 1620m. Fairly abundant although variable outcrop exposure exists across most of the claim block, although some areas lack outcrop exposure.

The property has a fairly dry montane climate typical of southern British Columbia with warm summer temperatures typically in the +25° to +30° C range, and winter temperatures typically from -8° to +4° C. The field season extends from mid May to late October; maximum snowfall amounts on the ground are in the 1.2m to 1.4m range. The area is covered by locally thick montane spruce, hemlock and pine forests, although much of the area has been recently logged. Numerous streams and a few small ponds, particularly near the High Grade occurrence, occur throughout the property.

The property has seasonal 2WD road access, with 4WD vehicles required on certain rough access roads. The property is roughly 25 road kilometers from Castlegar, accessed from a logging road extending north from B.C. Highway 3 (Crow's Nest Highway). Castlegar is a full service community with access to major highway, railway and power line infrastructure, and an available work force. A major power line extends across eastern portions of the property, although local transformer facilities would need to be constructed to service potential mining operations.

The property is large enough to host potential mining, milling, heap-leach facilities and processing plant sites. Some areas of gentle to moderate terrain suitable for tailings ponds also exist, particularly in southern property areas, although northern areas may be too rugged for such sites.


**Table 2**

**Claim Status and Expiry Dates**

**Amazing Grace Property, Firestone Ventures Inc.**

(as of Nov 23, 2005)

<b>Tenure No.</b>	<b>Claim Name</b>	<b>Hectares</b>	<b>Expiy Date</b>
411017	Big McPhee 1	25.0	3-Jun-09
411018	Big McPhee 2	25.0	3-Jun-09
501113	Sonata	526.8	12-Jan-10
501117	Moonlight	526.6	12-Jan-10
505015	Io	527.0	27-Jan-09
505016	Europa	527.0	27-Jan-09
505249	Triton	505.5	12-Jan-09
510744		800.8	24-Sep-09
510745	Golden Stamp	105.4	14-Apr-08
510749		147.5	4-Jun-07
510753		105.4	19-Sep-09
510754		63.2	21-Sep-09
520355	Golden Stamp 1	105.4	23-Sep-06
520835	West Gold	63.2	6-Oct-06
521363	Golden Stamp 2	189.7	19-Oct-06
	<b>Total Hectares</b>	<b>4243.5</b>	



N



**Figure 3**  
**Claim Location Map**  
**Amazing Grace Property**  
**Firestone Ventures Inc.**  
 BCGS Sheets 082F023/ 033  
 Nov 23, 2005

Scale: 1:50,000

0 1.0 2.0  
 km

## 4.0 History

The Maud S area along Champion Creek was first explored and developed in 1896, and “Crown-Granted” to B.A. True, C.B. Etnier and David Crombie in 1897. By 1900 the property consisted of six claims: the Maude S, Yellow Jacket, Touch-Me-Not, Standard, Eric and Syracuse, held by The Onondaga Mining Company based in Breckenridge, Colorado (B.C. Minfile, 2005). A 10-stamp mill was installed and about 157m of development work was completed (B.C. Minfile). The workings produced 330 oz (10,265 g) gold and 57 oz (1,772g) silver from 159 tons (144 tonnes) of ore from 1936 – 1941 (B.C. Minfile, 2004).

The Minfile report states the Maud S property was acquired by Pearson, Gallagher Ltd. of Nelson, B.C. in 1981, but no further descriptions are provided. The Maud S workings were re-discovered by Bruce Doyle in the mid-1990s.

A second high-grade showing with values to 85.7 g/t gold on the “WOLF” claims was described in a 1933 letter to the Chamber of Mines in Nelson, B.C. Although the location was stated in the B.C. Minfile report as “about 1.5 km east of the Maud S”, the claim recording application also states that the claim was located “on the northeast side of the Maud S mineral claim and mines, southwest of Iron Creek” (Meister, 1933). In May 2005 Bruce Doyle rediscovered this prospect roughly 300m northeast of the Maud S workings.

Recent exploration began in 1995 with prospecting by Mr. Bruce Doyle, leading to discovery of the High Grade and Cordierite showings and identification of the old Maud S workings by 1999. Mr. Doyle staked 108 units covering these showings. In October 1996 the Phelps-Dodge Corporation of Canada optioned a contiguous block of 108 units consisting of the MAG 1 - 2, MCPHEE 1-9, MCPHEE I, AARONS HILL, AARON STAR and the AARONS ROD 1-4 claims. In June 1997 Mr. Doyle staked the ROD 1-14 claims which became part of the option agreement (Kulla, 1997). Small portions were allowed to lapse; by October 1997 the property consisted of 113 units.

The work program by Phelps Dodge consisted of soil sampling, geological mapping and prospecting, leading to delineation of a weak 1200 – 2500m linear gold anomaly, roughly coincident with an anomalous molybdenum trend and elevated copper, silver, cobalt and nickel values. Soil profiling at the western end indicate gold values increase with depth. Anomalous copper and lead values were obtained from the easternmost lines, partially contained within the present property. The final report recommended further deep sampling along the gold trend; however Phelps-Dodge discontinued its option in late 1997.

Towards the end of 1997 the property was optioned by Eagle Plains Resources and Miner River Resources, with results submitted by subsidiary “Toklat Resources”. In the spring of 1998 Toklat conducted grid soil sampling across northwestern property areas hosting

pyrrhotite-scheelite skarns, identifying two coincident molybdenum-antimony anomalies, several weak tungsten anomalies and scattered high gold values, in places coincident with other anomalies. Eagle Plains also conducted detailed geological mapping and some rock sampling; however the option was dropped in late 1998 and no assessment report was filed. Data from this program was submitted directly to Mr. Doyle.

In 1999 Mr. Doyle continued prospecting the property and discovered several other occurrences, including molybdenum-tungsten skarns. Mr. Doyle also conducted detailed soil sampling just west of the High Grade prospect. Gold values ranged from background levels to 621.8 ppb, and included abundant strongly anomalous values. Grid sampling was also done to the northwest on the "Doyle Grid Extension", returning gold values ranging from background to 312.2 g/t.

Late in 1999 the Cassidy Gold Corporation entered into an option agreement to earn a 100% interest in the property. In September 2000 Cassidy drilled three holes totaling 211.23m targeting the High Grade Prospect, and two holes totaling 395.63m targeting the Maud S prospect. No significant intervals were encountered at the High Grade Occurrence; however, short intervals of anomalous gold-zinc-arsenic mineralization were returned from the Maud S, including intercepts of 2.47 g/t gold across 0.40m in DDH MP0004 and 0.53 g/t gold across 0.8m in DDH MP0005. The holes were collared to the west and may not have fully penetrated the zone; the short mineralized intercepts were encountered west of the down-dip extension of the surface workings. Cassidy Gold identified a relationship between gold and sphalerite, arsenopyrite and to a lesser extent galena within quartz veins and recommended further exploration focusing on this geochemical relationship (Augsten, 2000).

The property was again returned to Mr. Doyle; however, due to an oversight in assessment filing, the claims were allowed to lapse. In December 2002 Doyle staked the CURT 1-2 claims and in June 2003 staked the GOLDEN STAMP 1 – 2 claims. In September 2004 Mr. Doyle staked the MCPHEE and MCPHEE 1-9 claims just prior to completion of the option agreement with Firestone. The property was expanded to its present size by February 2005.

## **5.0 Geology**

### **5.1 Regional Geology**

The Amazing Grace property is located within the Quesnellia terrane of the southern Omineca Belt. The property area is underlain by the Lower Jurassic Bonnington Pluton, part of the 170 Ma calc-alkaline Nelson Intrusive Suite, consisting of feldspar porphyritic hornblende-biotite granite, hornblende-biotite granodiorite and quartz diorite. The Nelson Suite is part of a continental magmatic arc emplaced during obduction of Quesnellia terrane onto the Ancestral North American craton. The Bonnington Pluton has intruded Lower Jurassic Rossland Group metavolcanic and metaclastic rocks, part of

the upper Triassic to lower Jurassic Nicolai Volcanic assemblage, occurring primarily to the south and east. Remnants of Rossland Group rocks occur within the pluton, including an andesitic unit within the property.

The Rossland Group is comprised of lower Jurassic Archibald Formation siltstone, argillite, quartzite and minor volcanics, overlain by lower Elise Formation agglomerates, augite porphyritic andesite flows, breccias and tuffs (Kulla, 1997). The Elise Formation is overlain conformably by the Hall Formation, comprised of argillite, siltstone, conglomerate and minor volcanics.

The Amazing Grace property is located roughly 20 to 25 km west of mineral claims held by Anglo Swiss Resources Inc, which has reported its discovery of the "McAllister Diatreme. In recent news releases Anglo Swiss reported this as "the host of a potentially diamondiferous lamproite", and also that it may have found a second diatreme (Anglo Swiss Resources News Release Feb 3, 2005).

## 5.2 Property Geology

The Amazing Grace property is underlain primarily by the Bonnington Pluton, as well as a pendant of metavolcanic and minor clastic sedimentary rocks to the southeast, and a unit of metaclastic sediments, particularly quartz-pebble-conglomerate, to the northwest. In an unpublished paper, Greig divided the Bonnington Pluton rocks into several phases classed into three broad categories; feldspar porphyritic to megacrystic biotite-hornblende granodiorite to quartz monzonite (Unit 3c, Map 1), non-megacrystic hornblende monzodiorite to granodiorite (Unit 3a); and fine grained diorite. Claim 510749 is underlain entirely by Unit 3c megacrystic hornblende monzodiorite to granodiorite.

The megacrystic granodiorite phase, itself consisting of several phases, is the most aerially extensive, underlying most of the central, western and southern property areas and is the host rock for the High Grade and Maude S prospects. Eastern portions of this phase, particularly just west of a metaigneous roof pendant underlying the eastern property areas, have a more intermediate dioritic composition, and are more equigranular, although fairly coarse grained. This has been designated as a separate phase (Unit 3b, Map 1). The diorite phase interpreted by Greig occurs as small units marginal to a roof pendant of volcanic and volcanoclastic sediments in southeastern areas (Map 1). Greig interpreted the non-megacrystic phase as the youngest, and possibly the least related to other phases.

The metavolcanic pendant, likely belonging to the Elise Formation, extends east-west across a minimum length of 2.5 km. Year-2005 mapping indicates the pendant consists of metagabbro, locally coarse grained, intercalated with mafic volcanics, including lapilli tuffs, mafic flow units and fairly broad metasedimentary units, the latter underlying the Cordierite showing (Map 1). The metagabbros are commonly amphibole phyric, possibly as a result of recrystallization following emplacement of the Bonnington Pluton (Greig). Year-2005 mapping suggests that the previously described dioritic phase of the



Bonnington pluton likely belongs to the metavolcanic pendant instead, to which it is more similar in texture and composition. The similar compositions of the gabbros and extrusive units suggest that the gabbros are equivalent subvolcanic units to the volcanics.

The entire metavolcanic package has undergone ductile shearing, with strain increasing in intensity to the north (Greig). Aplite dykes occur at several locations, commonly oriented along ESE – WNW trending foliation.

The metasediments along the northwestern boundary of the pluton consist largely of fine to medium grained clastic rocks, mostly foliated hornfelsed siltstone, fine grained quartzite and pelite. These are typically black with very fine grained biotite and disseminated pyrite. The metaclastics also include several extensive east-west trending lenticular units of quartz-pebble conglomerate, with generally rounded to subrounded grains from several millimeters to one centimeter in length. The poorly sorted conglomerate is matrix supported, with a black, siliceous and very fine grained matrix (Greig). Doyle has also identified limestone members within this package (Doyle, pers comm).

Most past authors have categorized the metaclastic sediments along the northwest boundary as belonging to the Hall Formation; however Greig suggests they may also be correlative with older clastic units, possibly the Paleozoic Mt. Roberts Formation, or alternatively a facies variation of the Archibald Formation of the Rossland Group (Greig).

A suite of mafic metaigneous rocks, occurring largely as dykes, sills and possible flow units occurs in outcrop near Aaron Hill, along margins of the megacrystic pluton and as float throughout the northwestern grid. These are foliated, suggesting emplacement prior to the Bonnington Pluton, which is unfoliated. Aplite and pegmatite dykes also occur near the pluton, most notably within the metavolcanic pendant, where they commonly extend along the ESE – WNW trending foliation. Late lamprophyre, andesite and basalt dykes crosscut all other major lithological units.

Foliation within the northwestern metasediments strikes roughly east-west, dipping subvertically to steeply southwards. Within the metavolcanic pendant, foliation extends ESE – WNW, with subvertical dips. A district scale lineation, consisting of major fault lineaments, extends north-northwest – south-southeast across the property. A major fault lineament, part of this lineation, extends at about N 20°W through the Maud S prospect; a second lineament is interpreted to extend at about the same orientation just west of the High Grade prospect, east of the strong gold-in-soil geochemical anomaly.

Certain portions of the property are covered by extensive, locally thick glacial till and glacialfluvial deposits, particularly north-facing slopes near Aaron Hill. Mr. Doyle has identified an easterly ice movement direction.

## 6.0 Deposit Types

The property hosts a wide variety of intrusive-related mineralized showings, largely related to emplacement from hydrothermal or hydromagmatic fluid movement. These include gold vein and vein stockwork showings, breccia-hosted zones, skarns, including pyrrhotite-tungsten skarns, and copper-molybdenum vein showings. The “Cordierite Showing” was originally interpreted as a “Volcanogenic Massive Sulphide” (VMS) setting, although mapping in 2005 indicates it is a base-metal “skarn” occurrence.

### 6.1 Vein and “Lode”-style Gold Deposits

The High Grade Showing is typical of narrow, high-grade quartz vein style occurrences. Veins are narrow, low-tonnage sheet-like structures, commonly fairly linear, and usually requiring high grades of precious metal mineralization to be economically viable. Veins result from “hydrothermal” (hot water) activity, formed from progressive deposition of silica, metals, metal sulphide complexes and various other minerals from metal and silica rich fluids at high pressures and temperatures. Specific metals and sulphide mineral assemblages are deposited under particular chemical and physical conditions; thus particular metal associations occur within particular phases of hydrothermal systems.

A related deposit setting is the vein “stringer” deposit, consisting of a network of smaller, largely irregular mineralized quartz veins. The “host rock” is also commonly altered, and may host lower grades of the same economic mineral assemblage as the veins. The deposition mechanism is similar; however it occurs within host rock which has undergone a high degree of fracturing or coarse brecciation resulting in an extensional setting. Ductile deformation is also common, resulting in an irregular, “swirling” vein texture. Deposits of this type tend to be lower-grade than vein deposits, intermediate in tonnage between vein and “stockwork” deposits. Parts of the Maud S prospect consist of quartz stringer-style mineralization.

Stockwork deposits are essentially lode deposits, with fine fracture-filling quartz and quartz-carbonate veins occurring across a broad area, potentially leading to lower-grade “bulk tonnage” deposits. Stockwork zones occur within host rock that has undergone “brecciation” or intense fracturing, commonly due to faulting or tectonic activity, resulting in creation of open space and high permeability for hydrothermal fluid movement. Mineralogy of fine veining can be similar to large veins; however, overall ore grades tend to be lower due to incorporation of a high proportion of low grade “host rock”. Breccia-hosted fine stockwork mineralization within the metaclastics may represent stockwork-type settings.

## **6.2 Vein-style Base-metal and Polymetallic Vein Deposits**

These are essentially very similar in genesis and setting to lode gold-style deposits, with the difference being the vein mineralogy. Common assemblages include: lead-zinc-silver veins and copper-molybdenum veins. Mixed base and precious metal vein deposits are also common; gold lode deposits are commonly associated with strongly anomalous copper, lead and zinc values, and have a very strong affinity with arsenopyrite.

## **6.3 Skarn and Replacement Deposits**

Skarn deposits are developed during or shortly following emplacement of a subsurface magma chamber, most commonly of granitic, syenitic or monzonitic composition, within pre-existing reactive host rock. As the magma solidifies, creating an "intrusive" lithologic unit, late stage metal and associated "pathfinder" ions become concentrated within the remaining fluid phases, commonly enriched in hydrothermal (water-based) and pneumatolytic (vapour-based) solutions. Under favourable conditions of structural preparation, most commonly fault or fracture zones or permeable rock units, these acidic fluids are able to migrate from the intrusive-host rock contact, causing formation of mineralized zones within favourable host rock depositional environments. Deposition of metal ions from fluids may also occur within the intrusive body near the contact; mineralized zones within intrusive rock are called "endoskarns" and those within surrounding host rock are called "exoskarns". Intrusive units may include dykes, resulting in formation of adjacent linear mineralized zones, possibly with significant strike length potential.

Typical skarn assemblages include: copper-gold-silver skarns, tungsten +/- molybdenum +/- copper skarns occurring in the Scheelite Showing area, and lead-zinc +/- copper skarns.

Replacement-style mineralization occurs within reactive rock units, most commonly with a calcareous matrix, including limestone units. Here, metal-bearing and alteration minerals have replaced pre-existing minerals, resulting from introduction of ion-rich acidic fluids into the calcareous units, resulting in subsequent dissolution of the original minerals and emplacement of the introduced ions into the original mineral lattice, resulting in formation of new minerals.

## **7.0 Mineralization**

The two most important mineralized settings on the Amazing Grace property are lode gold settings of several types and skarn and replacement-type settings, particularly tungsten skarns. Lode settings include the High Grade and Maud S prospects; skarn settings include the Scheelite showing. The Cordierite Showing is also likely a skarn occurrence, rather than a VMS occurrence as interpreted previously.

## **7.1 Gold Occurrences**

### **7.1.1 High-Grade Showing**

The High Grade gold prospect, discovered by Mr. Doyle in 1999, consists of a small lode gold zone traced for 5-6 metres and up to 0.5m wide, hosted by feldspar megacrystic hornblende granodiorite. The vein strikes at 140°, and dips at 80° to the southwest; foliation extends at 350°, dipping at 70° to the east. Visible gold occurs in cockscomb-textured quartz with minor pyrite and up to 0.5% galena. Past sampling by Cassidy Gold returned values to 5.94 oz/ton (203.43 g/t) gold; sampling by Mr. Doyle returned values to 20.716 oz/ton (709.45 g/t) gold. Chip sampling by Firestone in 2004 returned a value of 28.5 g/t gold with 18.4 g/t silver; grab sampling returned values of 3.41 g/t gold with 167 g/t silver, and 81.3 g/t gold with 58.4 g/t silver. All samples contained anomalous lead and tungsten values. Smaller veins in the immediate area sampled by Mr. Doyle returned values exceeding 17.0 g/t gold. No significant work was done on the prospect in 2005.

A soil anomaly covering a minimum area of 700m by 300m, just west of a NNW-SSE trending lineament west of the High Grade prospect, hosts gold values ranging from background levels to 621.8 ppb gold, and includes abundant strongly anomalous gold values as well as anomalous molybdenum, antimony and arsenic values. Quartz float in the area sampled by Mr. Doyle returned values of 0.88 oz/ton (30.14 g/t) and 3.45 oz/ton (118.15 g/t) gold. Re-sampling of the latter by Firestone in 2004 returned a value of 54.5 g/t gold with 28 g/t silver. Geochemical pathfinder signatures are similar but not identical; the float boulder returned somewhat lower lead and background tungsten values. Mr. Doyle stated glacial ice movement from west to east; if so, the High Grade prospect to the east cannot be the source of float scatter and the soil anomaly. A grab sample taken in 2005 of nearby vein material in rubblecrop returned 2.57 g/t gold with 5.2 g/t silver.

A composite grab sample taken in October 2005 of white quartz in talus with trace pyrite returned 0.707 g/t gold with 4.5 g/t silver and 203 ppm lead. Two other samples taken nearby returned low gold and weakly anomalous silver values; all returned anomalous lead, suggesting precious metal values are associated with galena.

### **7.1.2 Maud S Prospect**

The Maud S mine produced 330 oz (10,265 g) gold and 57 oz (1,772g) silver from 159 tons (144 tonnes) of ore from 1936 – 1941 (B.C. Minfile, 2004). The prospect consists of several north-northwest – south-southeast striking parallel quartz veins to 0.25m in width, the target of past excavations, hosted by feldspar porphyritic granodiorite (Map 1a). Two veins have been mined by means of adits and drifting along strike lengths of about 100m and 40m respectively. Local “blow-outs” and zones of feathering occur within

underground excavations. A grab sample of apparently “bull” white quartz in talus taken by Mr. Doyle returned 6.4 g/t gold was re-sampled by Firestone in 2004, returning a value of 8.12 g/t gold with 2.2 g/t silver.

The Maud S prospect also includes several small pod-like structures hosting quartz stringers up to 2.0 cm in width, locally, within moderately sericite altered and weakly silicified granodiorite. In one pod, veins are also arsenopyrite enriched within strongly altered granodiorite hosting up to 3% disseminated pyrite. The dominant vein orientation is roughly east-west, ranging from about 70° to 90°; veins dip steeply to subvertically southwards. Lengths of individual pods remain indeterminate, although they are up to about 7-8 metres wide.

Detailed surface mapping and sampling, and examination of underground workings indicate that mineralization is confined to veins and small pods comprising a small portion of the overall prospect area, the majority of which consists of unaltered granodiorite with rare centimeter-scale quartz veins.

### **7.1.3 Meister/ Marilyn Prospects**

In May 2005 Mr. Doyle explored the area northeast of the Maud S prospect and re-discovered the “Meister Prospect”, first described in 1933, with no references in subsequent literature. The prospect consists of two trenches in series extending across a northwest – southeast trending lens of moderately sericite and carbonate-altered quartz monzonite within the main megacrystic phase of the pluton (Figure 4a, Map 1). The central area hosts several sheeted east-southeast striking, steeply south-southwest dipping to vertical quartz veins to 5 cm in width within areas of more strongly altered quartz monzonite.

Chip sampling was done along the entire extent of the trench which extends southwest-northeast, roughly at right angles to the lens, as well as along a small pit wall at right angles to the trench, and parallel to the strike of the lens. Values from 2.0-metre chip samples along the southeast trench wall ranged from 0.01 to 3.20 g/t gold; a sample along the northwest wall directly across from the 3.20 g/t value returned 7.63 g/t gold (Figure 4a). A 1.6m chip sample taken along the northwest-southeast trending pit wall returned 3.25 g/t gold. A 0.1-metre composite grab across a quartz vein returned 32.2 g/t gold with 81.9 g/t silver. Chip sampling of similarly altered material within the lens up to 15m from the trench returned low anomalous to background values.

Detailed prospecting roughly 175 metres south led to discovery of the “Marilyn showing”, locally sheared, consisting of strongly hematitic and sericite altered, moderately argillically altered quartz monzonite with variable quartz stringer development. Chip sampling across the discovery outcrop returned 2.237 g/t gold across 3.2m (Figure 4b). Several trenches, likely the same age as the Meister trench, were excavated across zones of parallel centimeter-scale quartz veining in zones of weaker

alteration, although of a similar nature. Chip sampling returned low values from 0.014 to 0.048 g/t gold.

Detailed geological mapping and soil sampling surveys were done across the Meister/Marilyn area. Soil sampling revealed an east-west trending gold anomaly extending 200 metres, open-ended to the east, with values to 0.091 g/t gold (Figure 4c). A sample about 75 metres to the south returned 0.259 g/t gold; its source has not been ascertained. Minor Meister-style alteration was located about 200m east-northeast of the Meister trench. Although rock sampling returned background values, soil sampling returned values to 44 g/t gold. A soil sample taken just to the west and downslope of the Meister trench returned 0.112 g/t gold. Weakly anomalous gold values were returned elsewhere from the grid (Figure 4c).

In October 2005 Mr. Doyle obtained two rock samples about 70m northwest of the Meister trench of altered monzonitic rock, the latter with trace amounts of quartz veining. These returned gold values of 0.352 g/t and 0.294 g/t respectively, suggesting some further intrusive-hosted mineralization occurs nearby.

#### **7.1.4. Manson Zone**

The August-September program led to discovery of a north-northwest – south-southeast trending fault-controlled zone of strong carbonate alteration, moderate argillic alteration and hematite development within a more intermediate quartz monzodioritic phase of the pluton (Unit 3b, Map1). This zone, called the “Manson zone” has a minimum strike extent of 1.0 km with widths to 100m. Central areas are strongly limonitic and locally pyritic, and include strongly developed quartz stockwork zones. Composite grab and limited chip sampling was done along the entire extent of the zone; however these returned background gold values. No discernable zones of anomalous gold were returned from systematic soil sampling across the zone, although a few isolated anomalous values to 0.194 g/t gold were returned near the zone.

#### **7.1.5 Aaron Zone**

The flagged grid placed by Toklat Resources was extended eastwards in 2005 to cover an area hosting several anomalous gold values obtained from pre-2005 soil and silt sampling by Mr. Doyle in the “Doyle Grid Extension”. This earlier work returned values from soil sampling to 0.312 g/t gold, and from silt sampling along a particular north-flowing creek to 0.570 g/t gold. Year-2005 geological mapping showed the area to be underlain by the northern granodioritic phase of the pluton (Unit 3a, Map 1), with a texture similar to that of Unit 3b in the Manson Zone area. A zone of strongly fractured quartz monzonite with associated quartz +/-carbonate veining and moderate argillic, sericitic and chloritic alteration, and minor pyrite extends north-south directly west of the creek hosting the 0.570 g/t gold-in silt value.

Silt sampling was done along this creek and a parallel stream just west of the zone. Gold values along the former increased upstream to a maximum value of 0.067 g/t, coincident with the most strongly altered portion of the zone; background values were returned further upstream. Values to 0.065 g/t gold were returned from the other stream at about the same latitude, indicating a proximal source. Panning along both streams returned minor but consistent visible gold and some scheelite coincident with anomalous gold-in-silt values. However, rock sampling returned low values, to a maximum of 0.051 g/t gold and 10 ppm molybdenum across a 1.6m chip sample.

Fairly abundant gossanous zones associated with up to 3% pyrite and trace chalcopyrite occur elsewhere within the granodioritic phase (Unit 3a). These returned background gold values and low copper values to 285 ppm.

### **7.1.6 Meiko Showing**

Mapping along flagged soil lines placed in 2005 intermediate to those of the Phelps Dodge grid led to discovery of the "Meiko Showing". This consists of minor quartz-pyrite veining within strongly silicified and moderate carbonate-altered mafic volcanics. Sampling of quartz veins returned background values, with the exception of one grab sample returning 0.147 g/t gold. Chip sampling of silicified volcanics returned background gold values.

### **7.1.7 Other Quartz Veins, Toklat Grid**

A quartz-arsenopyrite vein occurs about 30m northeast of the Scheelite Showing. This has a maximum width of about 0.2m, pinching out to the west and covered by overburden to the east. Previous sampling by Mr. Doyle returned values of 8.01 g/t gold; a 2005 composite grab sample returned a value of 2.72 g/t gold with 2.6 g/t silver. No further vein mineralization was discovered in 2005.

A 2-centimetre quartz vein located in 2005 near a gold-in-soil value of ">1000 ppb" taken by Toklat Resources at L 2+00E, 10+00N (Map 3) returned a value of 3.88 g/t gold.

## **7.2 Other Showings**

### **7.2.1 Cordierite Showing**

The Cordierite Showing is a polymetallic occurrence consisting of up to 12% pyrite with strongly anomalous copper and gold values and anomalous cobalt, nickel, chrome and silver values. Host volcanoclastic sediments show moderate, locally strong silica alteration, and strong phyllic (sericitic) and chloritic alteration, with stringer-style and clotty magnetite. The portion visited by Firestone in 2004 is a linear zone at least 35m

long and 7m wide striking N 75°E and dipping at 75° top the south. Two 1.1m chip samples, RM157617 and RM157618 taken in 2004 returned values of 0.182 gpt gold, 0.6 g/t silver, 428 ppm Cr, 413 ppm Cu, and 144 ppm Ni; and 0.258 g/t gold, 16.8 g/t silver, 481 ppm Cr, 699 ppm Cu and 182 ppm Ni respectively. A composite grab sample, RM157619, returned similar values to sample RM157617.

Previous sampling returned somewhat higher values ranging from 643 ppm Cu with 320 ppb Au and 395 ppm Ni to 753 ppm Cu with 2.94 g/t Au and 1178 ppm Ni. Precious metal values are occasionally much higher than typical values, with nearby sampling returning a value of 13.07 g/t gold and, from a separate sample, a value of 26.1 g/t silver. Petrographic analysis indicated a “segregation of pyrite with intergrown quartz” oblique to the foliation, suggesting relict pre-metamorphic quartz-sulphide veining (Harris, 1995). Local very high values may represent an earlier emplacement of precious metal veins; re-examination of sampled sites is required to confirm this.

The Cordierite Showing, originally considered as a possible VMS-style occurrence, is now considered a polymetallic skarn or hornfels occurrence. This is supported by thin section analysis which states an uncertain origin, but suggests that the cordierite-biotite-anthophyllite assemblage is typical of a magnesium-rich hornfels, formed through contact metamorphism of magnesium-rich rocks, typically mafic to ultramafic rocks (Harris).

Mapping in 2005 failed to reveal extensions of the zone; infill soil sampling of the 1996 Phelps Dodge grid also failed to reveal any consistently anomalous gold or base metal values.

### **7.2.2 Scheelite Showing**

The 2005 extension of the Toklat Resources flagged grid covers the Scheelite Showing and vicinity (Maps 1, 2, 3). The Scheelite Showing consists of a small skarn pod of strongly silicified and moderately calc-silica and chlorite altered sediments about 200m west of the granodioritic phase (Unit 3c) of the pluton. Several other small skarn pods were discovered by Mr. Doyle prior to 2005 in this area. Mineralization consists of fracture controlled and locally massive pyrrhotite, with some associated scheelite and localized fairly abundant disseminated and fracture-controlled molybdenite. Outcrop exposures nearby show weak alteration and negligible mineralization in moderately hornfelsed fine clastic sediments.

A small shaft targeting quartz veining with molybdenite selvages within a small chloritic, silicified and calc-silicate altered skarn within sediments was excavated about 275m northeast of the Scheelite Showing prior to the mid 1990s. Although grab samples are locally impressive, the showing is of very limited extent. A separate adit was excavated roughly 575m south-southeast of the Scheelite Showing. This targeted abundant north-south trending, foliation-controlled limonitic quartz veining and minor molybdenite within altered quartz diorite. Although visually impressive near the adit, the quartz veining extends only 15-20 metres either side of the adit. Minor molybdenite occurs



along the contact of the granodiorite unit with hornfelsed sediments east of the Scheelite showing.

### **7.2.3 “Mines of Moira” Shafts**

Several deep shafts were excavated to depths exceeding 30m in an area of locally massive pyrrhotite skarn mineralization with minor chalcopyrite. This, dubbed the “Mines of Moira” showing, has been intensively sampled by Toklat Resources, returning low copper and near-background precious metal values. It is believed early workers attempted to reach higher grade mineralization at depth, ultimately failing in their efforts. This occurrence was visited in 2005 but was not a major focus of the program.

## **8.0 Work Program**

The 2005 program focused on detailed geological mapping, systematic soil sampling and silt sampling targeting mineralized areas either previously known or discovered early in the program. Detailed mapping and rock chip sampling was done at the Maud S prospect (Map 1a). A flagged grid with an east-west trending base line and six north-south lines, L99+00E through L104+00E, extending from 98+00N through 101+00N was placed across the Meister Prospect area, leading to discovery of the Marilyn showing.

The flagged and compassed Toklat Resources grid was expanded to the east, with Lines 11+00E and 12+00E extending from newly flagged Tie Line 5+00N; Lines 2+00E, 9+00E and 10+00E were extended from 10+00N to 12+00N. This improved coverage of the Scheelite Showing area. TL 5+00N was also extended to 15+00E, with L15+00E extending south to 0+50N. TL 4+00N was flagged onward to 18+00E, with lines 16+00E through 18+00E extended south to 0+50N, to cover the Aaron Showing area. A 25-metre sample station spacing was used throughout this grid.

The 1996 Phelps Dodge grid, covering the Cordierite Showing and extending almost to the Manson zone, has a 200-metre line spacing and 50-metre station spacing. Intermediate lines to provide a 100-metre line spacing and 25-metre sample station spacing were added from L 85+00E to 97+00E, extending from 95+00N to 106+00N in central areas, and to BL 100+00N in marginal areas. This was done to test for potential extensions of the Cordierite Zone, and extensions of scattered gold, molybdenite and base metal anomalies across the 1996 grid. The Manson Grid was tied on to L76+00E and consists of nine east-west lines, Lines 100+00N through 92+00N, extending west to 71+00E. The sample station spacing on the Manson grid is 50 metres.

Limited rock sampling and geological mapping was also done elsewhere on the property, particularly along the new access road to the Aaron Zone area. A total of 210 rock, 628 soil and 32 silt samples were taken. However, work done at the date of filing was inclusive to September 17; as of that time, 161 rock and 402 soil and silt samples were

taken. Mr. Doyle took an additional 6 soil and 3 rock samples on Claim 510749 in October, 2005; these are listed separately in the appendix.

All sample descriptions are listed in Appendices 3 through 5; original results are shown in Appendix 6.

## **8.1 Significant Results from Specific Zones**

### **8.1.1 Results from Maud S Prospect**

Surface exploration at the Maud S prospect consisted of detailed geological mapping, including underground examination of the “Central” and “North” adits, and rock chip sampling of the immediate Maud S workings. Continuous chip sampling of three pods of quartz stringer mineralization within altered quartz monzonite northeast (uphill) of the adits returned values of 0.649 g/t gold with 2.1 g/t silver across 4.4m, 0.535 g/t gold with 4.4 g/t silver across 7.1m, and 1.808 g/t gold with 3.9 g/t silver across 3.9m (the central 1.5m sample returned 4.25 g/t gold with 4.9 g/t silver). Samples also showed weakly anomalous arsenic and zinc values and moderately anomalous lead values. Composite grab sampling of altered rubblecrop about 35 metres east of the 7.1-metre chip sample returned gold values of 0.101 and 0.274 g/t respectively.

A separate adit, not reported in recent literature, was re-discovered about 200m east of the North Adit. Two “select composite grab” samples of pyritic quartz vein mineralization in talus beneath the adit returned values of 2.24 g/t gold with 5.3 g/t silver, and 12.8 g/t gold with 7.5 g/t silver respectively. These samples returned weakly anomalous lead values. A 0.7-metre chip sample of altered quartz monzonite with 5-6% quartz stringers at the adit entrance returned 0.272 g/t gold with 1.4 g/t silver. A 0.15-metre chip sample of a white quartz vein returned 0.163 g/t gold with 1.6 g/t silver.

### **8.1.2: Results from Meister and Marilyn Prospects**

Both segments of the northeast – southwest trending Meister trench underwent continuous chip sampling along the southeast wall (Figure 4a). Values from continuous 2.0m chip sampling ranged from 0.010 g/t to 3.200 g/t gold across 2.0m, the latter part of a 4.0m interval grading 1.904 g/t gold with 8.9 g/t silver. A 2.2-metre chip sample from the northwest wall directly across from the highest grades returned 7.4 g/t gold with 5.9 g/t silver. A 1.6-metre chip sample taken along the southwest wall of the northern segment returned 4.78 g/t gold with 11.8 g/t silver. These values were taken from the area of strongest alteration with several parallel white quartz veins; a 0.1-metre chip sample comprised largely of vein material returned 32.2 g/t gold with 81.9 g/t silver and 1,040 ppm lead. The northernmost 2.0 chip sample returned 0.405 g/t gold with background silver; samples elsewhere along the trench returned low anomalous to near-background values to a maximum of 0.123 g/t gold, the latter adjacent to the sample

returning 0.405 g/t gold. High gold values are associated with strongly anomalous lead and weakly anomalous arsenic and zinc values.

Three chip samples taken about 10 metres northwest of the trench returned values ranging from 0.128 g/t gold across 2.0 metres to 0.364 g/t gold across 1.6 metres. A 1.5-metre chip sample taken about 15 metres southeast returned 0.014 g/t gold.

In October Mr. Doyle submitted a sample of material from the shaft dump at the showing, analyzing it both by standard 50-gram fire assay and for "Metallic Screen Fire Assay" (MSFA) techniques, to test for the presence of coarse gold. The 50-gram procedure returned a value of 18.65 g/t gold with 108 g/t silver. The MSFA technique returned a combined value of 29.8 g/t gold, including a coarse fraction (>100 micron) value of 7400 g/t gold and a fine fraction value (<100 micron) of 19.95 g/t gold. This confirms the presence of both coarse and fine gold in quartz veins at the Meister prospect.

At the Marilyn showing south of the Meister prospect, a value of 2.237 g/t gold was returned from 3.2 metres of continuous chip sampling. A grab sample about 20m northeast returned 0.497 g/t gold with 2.4 g/t silver; a 0.08-metre chip sample from an adit south of the zone returned 0.451 g/t gold with 4.8 g/t silver. High gold values here lack the associated anomalous lead values occurring at the Meister prospect. Rock sampling elsewhere along the zone returned low values from background to 0.76 g/t gold. Soil sampling revealed an east-west trending gold anomaly extending 200 metres, open-ended to the east, with values to 0.091 g/t gold (Figure 4c). A sample about 75 metres to the south returned 0.259 g/t gold; its source has not been ascertained.

In October Mr. Doyle obtained two composite grab sample roughly 70 metres north of the Meister trench; these returned gold values of 0.352 and 0.298 g/t respectively with weakly elevated arsenic values, suggesting the presence of another zone of similar fabric to the Meister prospect.

### **8.1.3 Results from the Aaron Showing**

The north-south trending Aaron Showing occurs between two small north-flowing streams. Gold values from silt sampling along the stream to the east increased upstream to a maximum value of 0.067 g/t, coincident with the most strongly altered portion of the zone; background values were returned further upstream. Values to 0.065 g/t gold were returned from the other stream at about the same latitude. Panning along both streams returned minor but consistent visible gold and some scheelite coincident with anomalous gold-in-silt values. However, rock sampling returned low values, to a maximum of 0.051 g/t gold and 10 ppm molybdenum across a 1.6m chip sample.

Soil sampling did not reveal a strong correlation of gold with the zone, although one proximal soil sample returned 195 g/t gold. Scattered anomalous gold values to 204 g/t were returned from throughout the eastern Toklat grid extension, although no sizable gold-in-soil anomalies are indicated.

#### **8.1.4 Results from the Scheelite Showing area**

Composite grab sampling across the Scheelite Showing returned values of 190 ppm tungsten with 85 ppm molybdenum, and 140 ppm tungsten with 93 ppm molybdenum respectively. A 1.5-metre "composite grab" sample from another skarn pod to the east returned 136 ppm molybdenite and 330 ppm tungsten. Grab sampling at the small shaft hosting quartz veining with molybdenite selvages returned values of 3500 ppm molybdenum with 100 ppm tungsten, and 1010 ppm molybdenum with 80 ppm tungsten respectively; these are not representative of overall grades within the shaft area. Grab and composite grab sampling elsewhere to the east and north returned scattered elevated molybdenum and/ or tungsten values, ranging from near-background to 2730 ppm molybdenum with 90 ppm tungsten, the latter from a 0.5-metre "composite grab" sample.

Sampling of the adit roughly 575 metres south-southeast of the showing returned molybdenum values from 28 ppm across 0.3m to 450 ppm from a composite grab sample. No significant precious metal values were returned from molybdenum and/or tungsten bearing samples, although a composite grab sample of a small quartz-arsenopyrite vein showing just northeast of the Scheelite showing returned a value of 2.72 g/t gold.

Soil sampling in the Toklat Grid extension covering the Scheelite Showing area returned weakly elevated gold values from 0.013 to 0.053 ppm along L 11+00E, from 1+25N to 5+00N. Three intermittent higher gold values of 0.202 g/t, 0.230 g/t and 0.102 g/t respectively were returned from L 11+00E from 4+25N to 7+25N; other samples along this interval returned background to weakly anomalous gold values. No significant tungsten anomalies were returned; the only notable molybdenum anomaly occurs along the L 9+00N extension, where samples from stations 10+50 and 10+75N returned molybdenum values of 23 and 21 ppm respectively.

A silt sample taken near TL5+00N, 15+00E from a dry stream bed draining areas to the west returned a value of 0.141 g/t gold.

#### **8.1.5 Results from the Phelps Dodge Grid Infilling**

Rock sampling on the infill surveying on the Phelps Dodge grid returned only one significant gold value; a grab sample from the "Meiko Showing" returned 0.147 g/t gold. A 0.5-metre "composite grab" sample southwest of the Cordierite Showing returned 0.044 g/t gold with 261 ppm copper. A grab sample north of the Cordierite Showing returned a value of 1320 ppm copper.

Soil sampling returned no notable gold anomalies, although consistently weakly elevated gold values were returned from the southwestern area. A few widely spaced higher gold values to 0.122 g/t gold were returned from the area south of BL 100+00 N (Map 3). No significant anomalous copper, tungsten or molybdenum values were returned; lead values

are similar to or less than those for other target areas, although soil sampling across area revealed high background lead values the property.

## 8.2 Personnel

The following personnel were employed during the 2005 Amazing Grace program:

Carl Schulze, BSc, PGeo:	Project Geologist and Qualified Person
Robert Fogal, HBSoc, PGeo:	Field Geologist
Dennis Ouellette, BSc:	Field Geologist
Darwin Wreggitt, BSc:	Field Technician
Bruce Doyle:	Field Technician
Craig Tervit:	Field Technician

All were under the supervision of All-Terrane Mineral Exploration Services of Whitehorse, Yukon; all but Mr. Ouellette were employed by or subcontracted to All-Terrane. Mr. Ouellette was employed directly by Firestone Ventures Inc.

## 9.0 Sampling Method and Approach

All geochemical sampling was subject to rigorous parameters, including detailed descriptions of each sample. Rock samples were obtained using a 22-oz Estwing rock hammer, and located in the field using a non-differential Global Positioning System (GPS) instrument. Samples were placed in plastic bags designed specifically for rock sampling. A tag with the unique sample number, supplied by ALS Chemex Labs, was placed in the bag; the sample number was written on both outsides of the bag using "Magic Markers". The sample numbers were also written on Tyvex Tags using grease pencils; the tags were attached to the sample locations in the field.

Rock samples were recorded as to location (UTM - NAD 83), sample type (grab, composite grab, chip, etc), exposure type (outcrop, rubblecrop, float, etc.), formation, lithology, modifier (for textural or structural descriptions), colour, degrees of carbonate presence and silicification, other alteration if applicable, economic mineralization including estimated amounts, date, sampler and comments (Appendix 2). Minimum sample weight was 0.5 kg, although samples tended to be larger than this.

Silt samples were also described as to location (UTM-NAD 83), percent fines, colour, stream grade, stream width, date, sampler, and comments, including type of sample, including mossmat samples.

Field data was entered into Microsoft Excel spreadsheet format, and later matched with analytical results. This process was continually re-checked to ensure that sample descriptions are associated with the correct results.

The author cannot verify the adequacy and quality of historical sampling, sample preparation, security and analytical procedures for work performed before 2004; the author was not involved in past exploration. Documents describing adequate sampling methods and results by Mr. Doyle and Phelps Dodge, and soil sampling by Eagle Plains, were made available to Firestone, improving reliability of results.

### **10.0 Sample Preparation, Analysis and Security**

All rock samples were placed in thick plastic industry standard sample bags, sealed with thick plastic serrated "Zap Straps" and sent in a similarly sealed rice bag to ALS Chemex Labs of North Vancouver, B.C., a certified analytical laboratory. Sealed rice bags were personally handed to the courier, Greyhound Bus Lines, by the qualified person, and were delivered by the courier directly to ALS Chemex. All rock samples were crushed to ensure that a minimum of 70% of the material was less than 2.0 mm in size; this material was thoroughly mixed. From this, a 250g sample was pulverized to 75-micron size; then a 50-gram sample of this underwent fire assay analysis with atomic absorption finish. This technique provides gold analysis ranging from 0.005 to 10.0 g/t gold; samples exceeding these values (overlimits) were re-analyzed by 30-gram gravimetric finish.

Silt samples were screened to 180-micron size (minus-80 mesh); the fine fraction then underwent gold analysis by 30-gram fire assay with ICP – AES finish, providing a detection limit of 0.001 g/tonne.

All samples were also analyzed by 34-element ICP to test for abundances of Ag, Al, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, Hg, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Sr, Ti, Tl, U, V, W and Zn.

ALS Chemex provides comprehensive in-house quality-control, using numerous blanks to test for any potential contamination, confirming that no detectable contamination has occurred. ALS Chemex also conducts repeated in-house standard sampling for all 34 elements involved in ICP analysis and gold to determine accuracy of analysis. The lab also incorporates more limited analysis of standard samples with known element concentrations provided by several outside firms.

### **11.0 Data Verification**

Sampling at the Maud S and Meister prospects is essentially due-diligence sampling of previous work to test for economic viability of the prospects. Results from sampling at the Maud S prospect confirmed the presence of gold within pods of auriferous quartz stringers, but indicate average values are lower than those from vein material only. An outcrop of such mineralization was previously chip sampled by Mr. Doyle, returning a

value of 7.94 g/t across 3.5m. Re-sampling of this returned a value of 0.649 g/t gold with 2.1 g/t silver across 4.4m, lower than Mr. Doyle's values but comparable to values from chip sampling across two other pods within the Maud S prospect. Local higher values may be partially attributed to the "coarse gold effect"; early workings focused on liberation of free gold from quartz vein material.

At the Meister showing sampling of vein material returned a value of 32.2 g/t gold, fairly comparable to a value of 85.7 g/t gold from exploration in the 1930s. In October Mr. Doyle submitted a sample of material from the shaft dump at the showing, analyzing it both by standard 50-gram fire assay and for "Metallic Screen Fire Assay" (MSFA) techniques, to test for the presence of coarse gold. The 50-gram procedure returned a value of 18.65 g/t gold with 108 g/t silver. The MSFA technique returned a higher combined value of 29.8 g/t gold, including a coarse fraction (>100 micron) value of 7400 g/t gold and a fine fraction value (<100 micron) of 19.95 g/t gold. This confirms the presence of both coarse and fine gold in quartz veins at the Meister prospect.

A stream in the Aaron Showing area underwent previous silt sampling by Mr. Doyle, returning values of 0.183 g/t and 0.570 g/t gold. Sampling in 2005 returned anomalous values to 0.067 g/t gold, with a similar pattern of increasing values upstream. The higher previous values may be indicative of the type of sampling employed; Mr. Doyle obtained mossmat samples whereas the 2005 samples were mostly of stream bed silt. Mossmat samples, which are more likely to trap coarse gold grains, tend to return higher gold values.

## **12.0 Mineralization on Adjacent Properties**

The Amazing Grace property largely surrounds the majority of Claim 510158, held by Mr. J. F. Critchlow. The Meister Prospect area occurs just south of the southern boundary of this claim; however no similar mineralized zones are known within this claim.

## **13.0 Resources and Reserves**

No reserves or resources have been delineated within the present Amazing Grace property.

## **14.0 Mineral Production**

No mineral production has occurred on the Amazing Grace property, except for 144 tonnes of ore extracted from the Maud S area prior to 1941.

## **15.0 Reclamation Activities**

No reclamation activities have taken place, as no significant disturbance was incurred during the 2004 and 2005 Firestone programs.

## **16.0 Interpretation and Conclusions**

### **16.1 Interpretations**

Work in 2005 confirmed that mineralization at the Amazing Grace property is “intrusion-related”, including intrusion-hosted quartz vein and fault-controlled quartz-carbonate mineralization, and metasomatic skarn mineralization along marginal areas of the Bonnington Pluton. Mineralized occurrences are fairly abundant across the property; however all are of limited size, in turn limiting their potential to host economically viable deposits.

The Maud S prospect consists of several fairly linear northwest-southeast trending quartz veins to roughly 0.25m in width, hosting free gold along the base of a steep hill with abundant talus. Sampling of veins on surface or in underground “drifts” returned variable gold values, although diamond drilling by Cassidy Resources returned values to 2.47 g/t gold across 0.40 metres. Detailed year-2005 investigations showed these veins to be lineament-controlled, with limited wallrock alteration or mineralization. Adits extending across strike leading to the drifts revealed very sparse quartz veining.

Similarly, although chip sampling was done across several pods of quartz stringer veining within altered quartz monzonite, grades are typically less than 1.0 grams. The pods themselves are small, with widths to about 7 metres, although pod lengths remain undetermined. Quartz monzonite elsewhere within and comprising the majority of the prospect is unaltered and unmineralized, with negligible quartz veining. Traversing along the north-south trending base of the talus slope revealed little further mineralization, although a single adit along a high-grade quartz vein was located about 200 metres to the south. Therefore the Maud S prospect is of limited size; mineralized zones are too sparse to render this as a viable bulk tonnage target.

The area hosting the Meister and Marilyn prospects has the best potential to host sizable gold zones within the property. Unlike the Maud S showing, both showings consist primarily of strongly altered and moderately mineralized wallrock, with only fairly minor quartz veining. At the Meister prospect the quartz veins yield gold values comparable to, and possibly exceeding those at the Maud S prospect; silver content is higher also, with values to 108 g/t. Still, locally high gold grades from continuous chip sampling suggest that gold must also occur within altered wallrock, or within fine stringers in the wallrock.



At the Marilyn showing, a value of 2.237 g/t gold across 3.2 metres was returned from altered monzonite lacking distinct quartz veins. Gold mineralization at the Marilyn lacks the associated high silver and elevated lead values at the Meister, indicating that, although similar in fabric, some evolution towards a more epithermal setting at the Marilyn showing has occurred. Soil sampling indicates an east-west trending gold anomaly at least 200 metres in length, open to the east, and roughly along strike to the east of the Marilyn showing. This suggests the small Marilyn showing may occur along an east-west trending mineralized lineament; if so, it represents the largest target on the Amazing Grace property. This would be part of a separate lineation set to that hosting the northwest-southeast trending Meister prospect.

Low-grade mineralization in altered quartz monzonite with some quartz veining located to the northwest of the Meister trench, and a separate occurrence of similarly altered monzonite to the east indicates that further "Meister-style" mineralized zones may occur in this area. The Meister area is the only area known to date where altered wallrock itself, as opposed to mineralized quartz stringers within altered wallrock, is likely to be a significant contributor to total gold content. The presence of strongly altered auriferous monzonite indicates mineralizing fluids were of a higher temperature and/or more enriched in volatile components.

The north-south trending Aaron showing is very likely the source of the anomalous gold-in-silt values in both of the neighbouring creeks and in some proximal soil samples. The southern (uphill) limit is likely coincident with the upstream limit of anomalous values. However, the lack of high gold values from rock sampling, and relatively low gold-in-silt grades and small amounts of gold recovered from panning indicate that potential for economically viable mineralization is low, exacerbated by steep terrain.

The granodiorite phase of the Bonnington pluton hosting the Aaron showing and numerous barren limonitic occurrences may be more reactive than other phases of the pluton, and thus a more viable exploration target.

No further work was done on the High Grade showing, which was found to have very limited strike potential. No further significant veins were located near this vein.

With the exception of the Marilyn showing, gold mineralization throughout the property area is associated with anomalous lead and elevated arsenic values.

The Manson Zone, discovered in 2005, is the largest known alteration zone to date within the property, with local areas of strongly limonitic pyritic mineralization, commonly associated with chalcedonic quartz stockwork zones. Although barren, this fault-controlled NNW – SSE trending zone illustrated the presence of a major lineation set, comprised of large fault or shear zone lineaments along this orientation, parallel to major structural zones in the Bonnington Pluton area. If a similarly sized zone with appreciable gold mineralization occurs elsewhere, it may have potential as a bulk-tonnage gold

deposit. Thus, lineament-hosted mineralization along this orientation may represent viable targets elsewhere in the Bonnington Pluton area.

Mapping and sampling of the Scheelite showing area revealed several other minor molybdenum +/-tungsten occurrences, some previously known and excavated, some discovered in 2005. In all cases skarn-style molybdenum-tungsten and vein-style molybdenum mineralization is of such limited extent and insufficient grade to have substantial economic potential. The Cordierite showing also has limited economic potential, although its eastern extent remains undetermined. No significant mineralized zones were located elsewhere on the Phelps-Dodge grid, nor are any suggested from soil sample results.

## **16.2 Conclusions**

The following conclusions result from the year-2005 exploration program by Firestone Ventures Inc;

1. All mineralization is “intrusion-related”, resulting from metal-bearing fluids emanating from the stock and deposited either within the stock, as quartz vein or stringer-hosted gold mineralization (High Grade, Maud S prospects), as combined vein and mineralized altered wallrock (Meister, Marilyn prospects), as fracture-hosted mineralization (Aaron showing) or as exoskarn or vein occurrences within adjacent volcanic or sedimentary formations (Scheelite, Cordierite showings). The presence of molybdenum +/- tungsten skarn zones indicates zonation and possible multiple pulses of mineral emplacement.
2. The previously identified dioritic phase in eastern areas of the Bonnington Pluton is now believed to be part of a gabbroic subvolcanic member of the Rosslund Group roof pendant to the east.
3. The Meister/ Marilyn area, the only area known to date consisting of auriferous altered quartz monzonite with minor quartz veining, has the highest potential to host sizable mineralized zones. The prospects themselves are small; however, anomalous gold-in-soil values in the area suggest further similar mineralization.
4. An east-west trending gold-in-soil anomaly, at least 200 metres long and open to the east, extending east of the Marilyn showing may indicate a sizable lineament-controlled mineralized trend.
5. Although barren, the large north-northwest – south-southeast trending Manson Zone suggests the possible of other, possibly auriferous, mineralized zones along other members of the prominent NNW – SSE lineation in the Bonnington Pluton area.
6. Gold vein-style mineralized zones at the Maud S prospect were deemed too small, inconsistent, and of insufficient grade to host a bulk-tonnage gold deposit. Individual

veins and pods are too small to represent viable high-grade targets. Vein occurrences in the property area are too small to have significant economic potential.

7. Molybdenum – tungsten skarn mineralization is confined to the Scheelite Zone area along the west margin of the granodioritic phase of the pluton. Mineralized zones are too small and of insufficient grade to be potentially economically viable. The majority of the area is underlain by hornfelsed clastic sediments.

8. The Cordierite showing is a low-grade polymetallic skarn within a volcaniclastic member of the primarily volcanic and subvolcanic roof pendant along the eastern margin of the pluton. Economic potential here is low, although the eastern strike extent was not ascertained.

## **17.0 Recommendations**

Although some grass-roots style exploration potential may remain, the mineral potential of the Amazing Grace property is deemed insufficient to suit Firestone Ventures' mandate of exploration and development of mid-tier and advanced projects. No further work is recommended for Firestone on the Amazing Grace property.

Further exploration by subsequent operators is recommended to focus on the Meister/Marilyn prospect area, as the combination of auriferous intrusive wallrock and vein material located here represents a favourable deposit model setting. A second target area would be prominent north-northwest – south-southeast trending lineaments similar to that hosting the Manson Zone. Some further prospecting is recommended for the previously outlined strong gold-in-soil anomaly west of the High Grade Prospect.

## 18.0 References

- Anglo-Swiss Resources Inc, 2005: News Release, Feb 3, 2005, "Anglo Swiss Resources Inc. increases its 31,000 hectare Diamond Exploration Property.
- B. Augsten, 2000: Diamond Drilling Report on the McPhee Property; In-house report for Cassidy Gold Corporation.
- B. Doyle, 1999: Rock and Soil Geochemical Report on the McPhee Property, Nelson Mining Division, British Columbia.
- B. Doyle, 2003: McPhee Property, Castlegar B.C; Private report intended for promotion
- Eagle Plains Resources Inc: In-house geology and compilation maps, 1998.
- Energy, Mines and Resources Canada, 2005: British Columbia Geological Survey digital geology map, on "The Map Place" website.
- Geological Survey of Canada, 1991: Tectonic Assemblage Map of the Canadian Cordillera and adjacent parts of the United States of America; Geological Survey of Canada Map 1712A; Energy Mines and Resources Canada.
- C. Greig, 1998: Geology of the McPhee Property, Castlegar area, southeast B.C.; Unpublished report for Eagle Plains Resources Inc.
- J.F. Harris, 1995: Report on thin section analysis, Cordierite Showing, by Vancouver Petrographics Ltd, Langley, British Columbia.
- G. Kulla, 1997: Geological and Geochemical Report on the McPhee Property; In-house report for Phelps Dodge Corporation of Canada, Limited
- J. McFaull, 2004: Report on a Property Examination of the McPhee and Bradshaw Hill Properties, Southern British Columbia, In-house report for Firestone Ventures Inc.
- B.W. Meister, 1932: Affidavit for Full-Sized Claim (Wolf Mineral Claim), Nelson B.C. Mining Recorder.
- B.W. Meister, 1933: Letter to Secretary, Nelson Chamber of Mines, Sept 5, 1933.
- "Minfile" Mineral Inventory, 2005: Reports on McPhee and Maud S Minfile occurrences, British Columbia Ministry of Energy and Mines, 2005
- C. Schulze, 2004: NI-43-101 – Compliant Report on the Year 2004 Exploration Program on the Amazing Grace Property, Firestone Ventures Inc. Available on "SEDAR" website
- C. Schulze, 2005: Assessment Report on May 2005 Exploration Program on Claim Tenure No. 510749 Amazing Grace Property, Firestone Ventures Inc. Available at Mines Division, Ministry of Energy and Mines, Government of British Columbia

## Appendix 1. Certificate of Author

I, Carl M. Schulze, PGeo, hereby certify that:

- 1) I am a self-employed Consulting Geologist and sole proprietor of:  
     All-Terrane Mineral Exploration Services  
     35 Dawson Rd  
     Whitehorse, Yukon Y1A 5T6
  
- 2) I graduated with a Bachelor of Science Degree in geology from Lakehead University, Thunder Bay, Ontario, in 1984.
  
- 3) I am a member in good standing of the Association of Professional Engineers and Geoscientists of British Columbia (APEGBC).
  
- 4) I have worked as a geologist for a total of 20 years since my graduation from Lakehead University.
  
- 5) I have read the definition of “qualified person” set out in National Instrument 43-101 (“NI 43-101”) and certify that by reason of my education, affiliation with a professional association (as defined in NI 43-101) and past relevant work experience, I fulfill the requirements to be a “qualified person” for the purposes of NI 43-101.
  
- 6) I am responsible for preparation of all sections of the technical report titled “Assessment Report on Technical Work, Year 2004 Exploration Program On the Amazing Grace Property, Firestone Ventures Inc.” on the entire property area comprising the Amazing Grace Project. I was active on-site during most of the program of 34 days from Aug 24 to Sep 27, 2005, and am responsible for post-project compilation.
  
- 7) I have not had prior involvement with the properties that are the subject of the Technical Report prior to September 2004.
  
- 8) I am not aware of any material facts or material changes with respect to the subject matter of the technical report not contained within the report, of which the omission to disclose makes the report misleading.
  
- 9) I am independent of the issuers applying all of the tests in section 1.5 of National Instrument 43-101.
  
- 10) I have read National Instrument 43-101 and Form 43-101F1, and the Technical Report has been prepared in compliance with that instrument and form.
  
- 11) I consent to the filing of the Technical Report with any stock exchange and other regulatory authority and any publication by them for regulatory purposes, including electronic publication in the public company files on their websites accessible by the public, of the Technical Report.
  
- 12) The effective date of this report is Nov 18, 2005.

Dated this 30<sup>th</sup> Day of November, 2005

“Carl Schulze”

Carl Schulze, BSc, PGeo  
 Address: 35 Dawson Rd  
 Whitehorse, Yukon Y1A 5T6  
 Telephone: 867-633-4807  
 Fax: 867-633-4883  
 E-mail: allterrane@northwestel.net

## Appendix 2: Statement of Costs

NB. Costs are inclusive from Aug 21 to September 17, 2005 (date of filing was Sept 18, 2005) except for additional expenditures on Claim 510749, done in October, 2005 and listed separately.

### Expenses: Aug 21 –Sept 17, 2005

Wages: Project Geologist:	20 days @ \$480/day:	\$ 9,600.00
Assistant Geologist 1:	13 days @ \$460/day:	\$ 5,980.00
	3.5 days @ \$475/day:	\$ 1,662.50
Assistant Geologist 2:	5 days @ \$400/day:	\$ 2,000.00
Field Technician 1:	14 days @ \$275/day:	\$ 3,850.00
Field Technician 2:	8 days @ \$275/day:	\$ 2,200.00
	5 days @ \$350/day:	\$ 1,750.00
Field Technician 3:	12 days @ \$250/day:	\$ 3,000.00
Rock Sampling:	161 rocks @ \$32.00/sample:	\$ 5,120.00
Soil and Silt Sampling:	402 samples @ \$29.00/sample:	\$11,658.00
Sample Shipping:		\$ 297.28
Truck Rental:	25 days @ \$70/day:	\$ 1,750.00
Fuel:		\$ 393.87
Accommodations:		\$ 3,600.00
Groceries:		\$ 591.18
<b>Sub-total:</b>		<b>\$53,452.83</b>
<u>Mobe-De-mob:</u>		<u>\$ 4,080.25</u>
<b>Total Field Program to September 17, 2005:</b>		<b>\$57,533.08</b>

### Expenses, October, 2005

Field Technician:	2 days @ \$225/day:	\$ 450.00
Rock sampling:	3 rocks @ \$32.00/sample:	\$ 96.00
	1 Sample for Metallic Screen Fire Assay:	\$ 40.00
Soil Sampling:	6 soils @ \$29.00/sample:	\$ 174.00
Sample shipping:		\$ 20.00
<u>Truck rental:</u>	<u>2 days @ \$70.00/day:</u>	<u>\$ 140.00</u>
<b>Total, October program:</b>		<b>\$ 920.00</b>

**Appendix 3: Rock Sample Descriptions**







RM269219	459353	5459143	CG	2	o/c	mJb	QM	Mas	brn	C-2	S-2					none						RF	Meister Grid
RM269220	459284	5458975	C	2	o/c	mJb	QM	Mas	brn	C-1	S-1					py	1					RF	Trench at Marilyn showing
RM269221	459284	5458975	C	1	o/c	mJb	QM	Mas	brn	C-1	S-1	Ph-2				py	1					RF	Trench at Marilyn showing
RM269222	459294	5458953	C	1	o/c	mJb	QM	Mas	brn	C-3	S-2	Ph-1				py	3					RF	subcrop, near Marilyn
RM269223	459380	5459064	CG	0.05	o/c	mJb	QM/Vn	Vn	white/grey	C-2	S-2					py	3					RF	Meister Grid, near Marilyn
RM269224	459382	5459047	C	0.3	o/c	mJb	QM/Vn	Vn	white/grey	C-2	S-2	Ph-1				py	1					RF	Meister
RM269225	459392	5459022	G	1	boulder	mJb	QM	Mas	brn	C-1	S-1					py	1					RF	Meister
RM269226	459365	5458964	C	1.3	o/c	mJb		Vn	rst, white	C-1	S-1	Ph-1	Pr-1			py	1					RF	Ovein, boudinaged
RM269227	459338	5458986	G	0.05	Rb	mJb	QM	Mas	rust	C-1	S-1	Ph-2				py	5					RF	Meister
RM269228	459306	5458890	C	0.08	o/c	mJb	QM	Vn	rust	C-2	S-3	Ph-2				py	1					RF	Q vein at Marilyn adit (entrance)

mJb refers to the Bottnington Pluton, as referenced in "Geological compilation of the Trail Map area- Southern British Columbia (082F/3.A.5.6)" by T. Hoy and K.P.E. Dymac. Geoscience Map 1998-1. Scale 1:100,000.

## Rock Sample Descriptions, October, 2005 Program

### Amazing Grace Property

NB. Samples RB468001 – 468003 are from Meister prospect area, Claim 510749.  
Samples RB468004 – 468006 are located on Claim 510744

**RB468001:** Location: 99+60E, 100+50N, UTM Location (NAD 83): 459240E, 5459185N

Composite Grab of altered intrusive with disseminated coarse pyrite.

**RB468002:** Same location as RB468001, UTM Location: 459242E, 5459283N

Composite grab of altered intrusive, trace amounts of quartz vein

**RB468003:** Location: Meister Trench, UTM Location: 459262E, 5459138N

Composite grab of white quartz, with trace pyrite and galena, from Meister trench dump.

**RB468004:** UTM Location: 461495E, 5459248 (west of High Grade showing).

Composite grab of white quartz from talus boulders, trace pyrite.

**RB468005:** UTM Location: 461461E, 5459325N.

Composite grab of thin quartz veins in outcrop, trace pyrite and galena.

**RB468006:** UTM Location: 461462, 5459326N.

Composite grab of thin quartz veins in place with trace pyrite.

**Appendix 4: Soil Sample Descriptions**





















SM269195	459387	5459107	10100	9950		B	15	Gentle	brown	10	Con. Forest				5			
SM269196	459388	5459082	10100	9925		B	20	Mod	brown	20	Con. Forest				5			4m East
SM269197	459390	5459056	10100	9900		B	10	Gentle	dk. Brn	10	Con. Forest				15			7m East, thin B horizon
SM269198	459391	5459028	10100	9875		B	15	Gentle	brown	15	Con. Forest				5			
SM269199	459393	5459002	10100	9850		B	30	Gentle	brown	25	Con. Forest				10			
SM269200	459394	5458976	10100	9825		B	25	Gentle	brown	25	Con. Forest				5			
SM269229	460795	5458105	7550	10000		B	15	Gentle	brwn	50	Con. Forest	till	cg intrusive		10	9/3/2005	RF	Manson Grid, E. of road, above road grade
SM269230	460742	5458104	7500	10000		A2	20	Flat	blk	2	cedar swamp	org. muck		90	9/3/2005	RF	Manson Grid, W. of road in creek bottom	
SM269231	460688	5458102	7450	10000		B	15	Gentle	brwn	5	cedar swamp	org. muck		10	9/3/2005	RF	Manson Grid, creek bottom	
SM269232	460634	5458101	7400	10000		B	18	Mod	brwn	2	Con. Forest	till		5	9/3/2005	RF	Manson Grid	
SM269233	460580	5458099	7350	10000		B	15	Flat	brwn	5	Con. Forest	till		2	9/3/2005	RF	Manson Grid, 460563/5458194	
SM269234	460526	5458098	7300	10000		B	15	Gentle	or/brwn	2	Con. Forest	till		5	9/3/2005	RF	Manson Grid, B horizon below grey leached horizon	
SM269235	460472	5458096	7250	10000		A2	20	Mod	blk	0	cedar swamp	org. muck		100	9/3/2005	RF	Manson Grid, no B horizon	
SM269236	460418	5458094	7200	10000		B	15	Mod	brwn/or	2	Con. Forest	till		5	9/3/2005	RF	Manson Grid	
SM269237	460364	5458092	7150	10000		B	20	Gentle	brwn	5	Con. Forest	till		10	9/3/2005	RF	Manson Grid	
SM269238	460310	5458090	7100	10000		B/A2	30	Flat	brwn/blk	0	cedar swamp	org. muck		85	9/3/2005	RF	Manson Grid, wet, 460266/5458222	
SM269240	460845	5458107	7600	10000		B	20	Gentle	brwn	10	Con. Forest	till		10	9/3/2005	RF	Manson Grid, disturbed soil at road, 460815/5458149	
SM269241	460800	5457940	7600	9800		B	15	Flat	brwn	15	Con. Forest	till		15	9/5/2005	RF	Manson Grid, 460804/5457949	
SM269242	460750	5457940	7550	9800		B	20	Flat	brwn	5	Con. Forest	till		5	9/5/2005	RF	Manson Grid	
SM269243	460700	5457940	7500	9800		B?	15	Flat	brwn	15	roadside			5	9/5/2005	RF	Manson Grid, disturbed soil along road	
SM269244	460650	5457940	7450	9800		B	20	Flat	brwn	5	Con. Forest	till		10	9/5/2005	RF	Manson Grid	
SM269245	460600	5457940	7400	9800		B	20	Gentle	rust/brwn	10	cedar swamp	till		5	9/5/2005	RF	Manson Grid	
SM269246	460550	5457940	7350	9800		B	15	Mod	brwn	5	Con. Forest	till		5	9/5/2005	RF	Manson Grid, 460546/5457930	
SM269247	460500	5457940	7300	9800		B	20	Mod	brwn	10	Con. Forest	till		10	9/5/2005	RF	Manson Grid	
SM269248																		
SM269249	460450	5457940	7250	9800		B	15	Flat	brwn	5	Con. Forest	till		5	9/5/2005	RF	Manson Grid, log storage area	
SM269250	460400	5457940	7200	9800		B	20	Steep	brwn	10	Con. Forest	till		5	9/5/2005	RF	Manson Grid	

NB: TR under "Depth" = "Tree Root"

Slope measured in degrees by B. Doyle; otherwise qualitative

**Appendix 5: Silt Sample Descriptions**



## Appendix 5

### Silt Sample Descriptions, Amazing Grace Property

#### 2005 Program, Firestone Ventures Inc.

Sample No.	Easting	Northing	% Fines	Colour	Stream Grade	Stream Width (m)	Date	Sampler	Comments
MB342925	460768	5460820	60		Moderate	0.25	12/5/2005	BD	Mossmat
MB342927	460812	5460831	50		Gentle	0.2	12/5/2005	BD	Mossmat, panned gold at site
MB342930	460894	5460898	60		Steep	0.25	12/5/2005	BD	
MB342942	460690	5460475	70		Steep	0.4	16/5/05	BD	Abundant sheared intrusive nearby
MB342977	462505	5457645	50		Gentle	0.6	20/5/05	BD	
TB342706	460689	5457635	35	tan brwn	Grade	0.3	9/5/2005	RF	Manson/dry stream bed
TB342795	460515	5460952	80	dk brn	Steep	0.4	8/9/2005	CS	Dry, several sites
TB342796	460101	5458607	65	dk brn	Gentle	2.0	7/9/2005	CS	Includes mossmat; several sites
TB342797	460423	5457850	80	lt brn	Gentle	1.0	5/9/2005	CS	Active stream, abundant silt
TB342798	460627	5458019	45	gr-brn	Gentle	1.2	3/9/2005	CS	Several sites, low flow
TB342799	460470	5458030	55	brown	Gentle	0.4	3/9/2005	CS	Dry, mixed sand and fine silts
TB342800	468048	5058025	80	gr-brn	Gentle	0.2	3/9/2005	CS	Almost dry, incl. mossmat
TB342850	460302	5457703	10	brown	Gentle	0.6m	9/5/2005	DW	
TB342924	460768	5460819	50		Moderate		12/5/2005	BD	
TB342926	460812	5460830	40		Gentle	0.2	12/5/2005	BD	
TB342928	460954	5460824	38		Moderate	0.1	12/5/2005	BD	Dry creek
TB342929	460894	5460897	50		Steep	0.25	12/5/2005	BD	
TB342931	461321	5461065	55		Moderate	0.2	12/5/2005	BD	Slow flowing
TB342932	461341	5461052	28		Moderate	0.25	12/5/2005	BD	
TB343040	460705	5460695	50	dk brn	Steep	0.8	9/19/2005	CS	80m upstream of TB343041
TB343041	460710	5460750	65	Med brn	Moderate	1	9/19/2005	CS	50m upstream of road - active
TB343042	460686	5460622	40	buff-brn	Steep	0.5	9/18/2005	CS	Active; one site only, sparse silt
TB343043	460671	5460579	60	Med brn	Steep	0.7	9/18/2005	CS	Fairly abnt silt - wet
TB343044	460670	5460415	75	dk brn	Steep	0.8	9/18/2005	CS	Right fork, dry, mod abnt fine silt
TB343045	460685	5460415	65	dk brn	Steep	1	9/18/2005	CS	Trickle, mossmat
TB343046	460680	5460450	70	dk brn	Steep	0.5	9/18/2005	CS	Mossmat
TB343047	460655	5460471	65	dk brn	Moderate	1.2	9/18/2005	CS	Includes mossmat
TB343048	460701	5460578	60	dk brn	Moderate	0.6	9/18/2005	CS	Mossmat, approx 75m upstream
TB343049	460750	5460640	80	dk brn	Moderate	0.7	9/18/2005	CS	Mossmat, approx 75m further upstream
TB343050	460770	5460705	50	dk brn	Moderate	0.8	9/18/2005	CS	Active, fine silts rare
TM269239	460499	5458276	95	blck	Flat	0.1	9/3/2005	RF	Manson/low cedar forest/mainly org. muck
TM269248	460476	5457932	30	tan brwn	Grade	0.8	9/5/2005	RF	Manson/slow moving braided stream

**Appendix 6: Original Geochemical Results**  
**Appendix 6a: Results to September 26, 2005**  
**Appendix 6b: Results from October, 2005**

## **Rock Geochemical Results**



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 1

Finalized Date: 14-SEP-2005

Account: FIRVEN

## CERTIFICATE VA05076566

Project: AGrace

P.O. No.:

This report is for 39 Rock samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2005.

The following have access to data associated with this certificate:

CARL SCHULZE

LORI WALTON

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: FIRESTONE VENTURES INC.  
ATTN: CARL SCHULZE  
35 DAWSON RD  
WHITEHORSE YT Y1A 5T6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 14-SEP-2005

Account: FIRVEN

Project: AGrace

## CERTIFICATE OF ANALYSIS VA05076566

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
RB342715		<10	<1	0.13	10	0.02	372	3	0.05	2	320	6	0.05	<2	1	14
RB342716		10	<1	0.09	40	1.53	1060	1	0.05	19	2780	19	0.03	<2	4	44
RB342717		<10	1	0.15	10	0.61	755	1	0.05	5	860	4	0.02	<2	5	13
RB342718		10	<1	0.13	20	1.09	794	1	0.06	9	980	16	0.01	<2	8	22
RB342719		10	<1	0.08	40	1.09	1115	<1	0.03	12	2490	10	0.02	<2	8	194
RB342720		<10	<1	0.12	10	0.05	197	<1	0.04	4	370	5	0.02	<2	1	9
RB342721		<10	<1	0.15	10	0.05	773	2	0.04	6	1060	5	<0.01	<2	6	11
RB342722		<10	<1	0.12	10	0.06	839	2	0.05	6	910	6	0.04	<2	5	10
RB342723		<10	<1	0.15	30	0.47	792	2	0.05	6	940	5	0.06	<2	6	21
RB342724		<10	<1	0.24	10	0.76	342	2	0.08	34	1070	5	0.12	<2	5	26
RB342725		<10	1	0.30	10	0.69	317	2	0.10	14	1120	5	0.13	<2	4	45
RB342831		<10	<1	0.14	10	0.06	568	2	0.05	10	940	14	0.02	<2	5	12
RB342832		<10	<1	0.16	10	0.09	863	2	0.05	20	1000	8	0.01	<2	7	15
RB342833		<10	<1	0.15	10	0.07	346	10	0.04	8	800	9	0.13	<2	4	7
RB342834		<10	<1	0.11	10	0.07	577	4	0.04	6	910	9	0.03	<2	6	7
RB342835		<10	<1	0.13	10	0.04	406	5	0.04	5	850	6	0.06	<2	4	7
RB342836		<10	<1	0.13	20	0.27	614	2	0.04	5	850	10	0.23	<2	4	11
RB342837		<10	<1	0.14	10	0.09	381	1	0.04	4	520	9	0.03	<2	2	9
RB342838		<10	<1	0.13	20	0.10	640	2	0.04	7	990	9	0.15	<2	6	12
RB342901		10	<1	0.06	<10	4.17	1155	<1	0.03	77	1100	<2	0.10	<2	19	135
RB342902		10	<1	0.10	<10	1.10	385	2	0.07	10	1180	4	0.40	<2	5	69
RB342903		<10	<1	0.14	<10	0.46	125	1	0.15	51	1160	<2	3.12	<2	2	97
RB342904		<10	<1	0.23	10	0.14	669	<1	0.03	1	270	25	0.04	<2	1	22
RB342905		<10	<1	0.23	10	0.12	851	2	0.01	4	360	416	0.08	<2	1	18
RB343329		<10	<1	0.11	10	0.03	447	1	0.07	3	420	7	0.01	<2	1	10
RB343330		<10	1	0.10	30	0.11	1225	1	0.04	18	2110	20	0.03	<2	7	35
RB343331		<10	<1	0.08	10	0.04	737	1	0.07	4	640	6	<0.01	<2	3	10
RB343332		<10	<1	0.10	20	0.02	345	2	0.06	6	190	8	0.03	<2	1	13
RB343333		<10	<1	0.03	30	0.07	1010	1	0.09	10	1260	3	0.01	<2	4	17
RB343334		<10	<1	0.09	30	0.12	898	10	0.07	5	1000	40	0.03	<2	2	51
RB343335		<10	<1	0.10	20	0.12	666	1	0.09	1	620	2	0.01	<2	1	47
RB343336		<10	<1	0.12	10	0.06	623	5	0.04	8	890	8	0.16	<2	6	6
RB343337		<10	<1	0.26	10	0.06	647	2	0.03	6	790	11	0.04	<2	7	7
RB343338		<10	<1	0.08	50	0.30	999	1	0.04	30	3070	15	0.05	<2	6	40
RB343339		<10	<1	0.11	40	0.55	819	1	0.05	23	1820	16	0.09	<2	6	69
RB343340		<10	<1	0.12	10	0.07	697	2	0.04	6	880	10	0.02	<2	4	13
RB343341		<10	<1	0.13	10	0.04	441	1	0.05	2	430	7	0.01	<2	2	10
RB343342		<10	<1	0.11	10	0.03	1050	1	0.03	3	300	6	0.01	<2	2	10
RB343343		<10	<1	0.13	10	0.39	1375	1	0.05	4	950	7	0.07	<2	4	25



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 14-SEP-2005

Account: FIRVEN

Project: AGrace

## CERTIFICATE OF ANALYSIS VA05076566

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
RB342715		<0.01	<10	<10	10	<10	28
RB342716		0.01	<10	<10	76	<10	102
RB342717		<0.01	<10	<10	62	<10	49
RB342718		0.05	<10	<10	106	<10	80
RB342719		<0.01	<10	<10	90	<10	80
RB342720		<0.01	<10	<10	23	<10	20
RB342721		<0.01	<10	<10	68	<10	74
RB342722		<0.01	<10	<10	61	<10	69
RB342723		0.01	<10	<10	69	<10	74
RB342724		0.22	<10	<10	118	<10	33
RB342725		0.22	<10	<10	111	<10	31
RB342831		<0.01	<10	<10	64	<10	75
RB342832		<0.01	<10	<10	76	<10	75
RB342833		<0.01	<10	<10	57	<10	70
RB342834		<0.01	<10	<10	74	<10	76
RB342835		<0.01	<10	<10	58	<10	72
RB342836		<0.01	<10	<10	51	<10	64
RB342837		<0.01	<10	<10	33	<10	38
RB342838		<0.01	<10	<10	68	<10	77
RB342901		0.13	<10	10	203	<10	81
RB342902		0.22	<10	<10	122	<10	53
RB342903		0.20	<10	<10	58	<10	13
RB342904		0.01	<10	<10	6	<10	29
RB342905		<0.01	<10	<10	5	<10	416
RB343329		0.01	<10	<10	22	<10	35
RB343330		<0.01	<10	<10	85	<10	107
RB343331		0.01	<10	<10	41	<10	44
RB343332		<0.01	<10	<10	12	<10	26
RB343333		0.01	<10	<10	55	<10	65
RB343334		0.01	<10	<10	35	<10	58
RB343335		0.01	<10	<10	22	<10	34
RB343336		<0.01	<10	<10	76	<10	81
RB343337		<0.01	<10	<10	52	<10	57
RB343338		0.01	<10	<10	82	<10	99
RB343339		<0.01	<10	<10	81	<10	94
RB343340		<0.01	<10	<10	65	<10	69
RB343341		<0.01	<10	<10	32	<10	26
RB343342		<0.01	<10	<10	21	<10	26
RB343343		<0.01	<10	<10	52	<10	54



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 1

Finalized Date: 18-SEP-2005

Account: FIRVEN

## CERTIFICATE VA05075505

Project: Amazing Grace

P.O. No.:

This report is for 68 Rock samples submitted to our lab in Vancouver, BC, Canada on 6-SEP-2005.

The following have access to data associated with this certificate:

CARL SCHULZE

LORI WALTON

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: FIRESTONE VENTURES INC.

ATTN: CARL SCHULZE

35 DAWSON RD

WHITEHORSE YT Y1A 5T6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:









# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

to: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - C

Total # Pages: 3 (A - C)

Finalized Date: 18-SEP-2005

Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075505

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Ti	Ti	U	V	W	Zn
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
RB343302		20	<0.01	<10	<10	4	20	7
RB343303		59	<0.01	<10	<10	5	<10	47
RB343304		7	<0.01	<10	<10	4	<10	13
RB343305		10	<0.01	<10	<10	4	<10	18
RB343306		14	<0.01	<10	<10	2	<10	27
RB343307		23	<0.01	<10	<10	3	<10	27
RB343308		24	<0.01	<10	<10	3	<10	24
RB343309		8	<0.01	<10	<10	1	<10	15
RB343310		26	<0.01	<10	<10	6	<10	46
RB343311		14	<0.01	<10	<10	6	<10	31
RB343312		19	<0.01	<10	<10	11	<10	33
RB343313		38	<0.01	<10	<10	5	<10	23
RB343314		20	<0.01	<10	<10	6	<10	18
RB343315		19	<0.01	<10	<10	9	<10	60
RB343316		43	0.01	<10	<10	11	<10	31
RB343317		156	0.01	<10	<10	13	<10	33
RB343318		16	<0.01	<10	<10	10	<10	43
RB343319		17	<0.01	<10	<10	6	<10	45
RB343320		22	<0.01	<10	<10	4	<10	34
RB343321		35	0.02	<10	<10	25	<10	30
RB343322		25	0.01	<10	<10	16	<10	19
RB343323		41	0.09	<10	<10	53	<10	27
RB343324		109	0.01	<10	<10	11	<10	26
RB343325		180	0.01	<10	<10	9	<10	27
RB343326		14	<0.01	<10	<10	5	<10	22
RB343327		71	<0.01	<10	<10	10	<10	34
RB343328		75	<0.01	<10	<10	5	<10	29
RM269151		9	<0.01	<10	<10	6	<10	139
RM269152		7	<0.01	<10	<10	6	<10	172
RM269153		37	<0.01	<10	<10	9	<10	127
RM269154		29	<0.01	<10	<10	7	<10	344
RM269155		7	<0.01	<10	<10	8	<10	427
RM269156		11	<0.01	<10	<10	12	<10	405
RM269157		18	<0.01	<10	<10	17	<10	612
RM269158		11	<0.01	<10	<10	13	<10	296
RM269159		18	0.04	<10	<10	55	<10	157
RM269160		15	<0.01	<10	<10	6	<10	27
RM269161		24	0.02	<10	<10	14	<10	107
RM269162		12	<0.01	<10	<10	5	<10	60
RM269163		15	<0.01	<10	<10	5	<10	41



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 3 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 18-SEP-2005  
Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075505

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	Au-GRA22	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	
RM269201		2.44	0.405		<0.2	0.89	27	10	100	1.0	<2	0.18	<0.5	4	10	2
RM269202		2.20	0.123		<0.2	0.89	10	<10	170	1.0	<2	0.19	<0.5	4	2	2
RM269203		1.96	0.010		<0.2	0.81	<2	<10	320	1.0	<2	0.84	<0.5	3	7	1
RM269204		2.22	0.006		<0.2	0.78	2	<10	110	1.1	<2	1.24	<0.5	3	2	1
RM269205		2.16	0.013		<0.2	0.77	<2	<10	70	1.0	<2	0.31	<0.5	4	6	1
RM269206		1.62	0.058		<0.2	0.73	15	<10	180	1.0	<2	2.46	<0.5	3	2	2
RM269207		1.66	0.070		<0.2	0.84	31	<10	100	1.1	<2	0.94	<0.5	4	7	1
RM269208		1.28	0.152		0.3	0.88	87	10	120	1.2	<2	0.98	<0.5	3	1	3
RM269209		1.14	0.608		12.0	0.79	168	10	60	1.2	<2	0.49	4.1	3	12	33
RM269210		1.34	3.20		5.7	0.73	206	10	80	1.0	<2	0.18	1.1	3	5	11
RM269211		1.50	>10.0	32.2	81.9	0.29	158	<10	30	<0.5	<2	0.05	2.1	2	175	66
RM269212		3.06	3.25		11.8	0.85	122	10	90	1.3	<2	0.63	2.7	3	8	64
RM269213		3.90	7.63		5.9	0.77	156	10	120	1.2	<2	1.28	1.4	3	57	8
RM269214		1.24	0.380		0.7	0.81	63	<10	90	1.1	<2	1.28	0.5	4	2	6
RM269215		1.12	4.78		4.9	0.09	20	<10	20	<0.5	<2	0.02	0.6	1	194	7
RM269216		0.98	0.042		<0.2	0.98	7	<10	220	0.6	<2	0.35	<0.5	3	4	5
RM269217		1.24	0.043		0.2	1.18	2	<10	290	0.5	<2	0.55	<0.5	3	57	5
RM269218		1.12	0.028		<0.2	1.22	6	<10	230	0.7	<2	0.43	<0.5	3	3	4
RM269219		0.96	0.169		0.3	0.84	22	<10	280	<0.5	<2	0.33	<0.5	3	75	6
RM269220		1.52	0.014		0.3	0.77	11	10	400	0.6	<2	0.24	<0.5	3	7	9
RM269221		1.18	0.029		<0.2	0.74	13	10	170	0.7	<2	0.17	<0.5	2	74	3
RM269222		1.22	0.013		0.3	0.82	14	<10	300	0.6	<2	0.56	0.7	5	3	3
RM269223		1.24	<0.005		<0.2	0.62	<2	<10	320	<0.5	<2	0.24	<0.5	3	162	18
RM269224		1.40	<0.005		0.4	0.37	<2	<10	290	<0.5	<2	0.11	<0.5	1	14	13
RM269225		0.98	0.008		<0.2	0.78	<2	<10	130	1.2	<2	0.46	<0.5	4	35	2
RM269226		1.10	<0.005		<0.2	0.90	<2	<10	20	<0.5	<2	0.73	<0.5	3	22	15
RM269227		1.32	0.497		2.4	0.99	110	10	300	0.6	<2	0.12	<0.5	2	27	3
RM269228		1.52	0.451		4.8	0.40	48	<10	60	<0.5	<2	0.06	1.6	4	13	11



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 3 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 18-SEP-2005  
Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075505

Sample Description	Method Analyte Units LOR															
	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	
	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	
RM269201	2.65	<10	<1	0.38	30	0.05	1090	<1	0.06	1	870	5	0.21	<2	2	
RM269202	2.70	<10	<1	0.35	30	0.06	1015	<1	0.07	1	840	3	0.06	<2	2	
RM269203	2.47	<10	<1	0.34	30	0.05	904	<1	0.07	1	880	2	0.01	<2	2	
RM269204	2.35	<10	<1	0.31	30	0.08	753	<1	0.08	2	920	4	0.03	<2	1	
RM269205	2.79	<10	<1	0.29	30	0.05	802	<1	0.07	2	950	4	0.02	<2	2	
RM269206	2.99	<10	<1	0.34	20	0.12	932	<1	0.07	1	910	5	0.24	<2	1	
RM269207	2.86	<10	<1	0.35	20	0.07	681	<1	0.06	2	940	3	0.22	<2	2	
RM269208	3.08	<10	<1	0.39	20	0.09	791	<1	0.06	<1	950	9	0.40	<2	2	
RM269209	2.46	<10	<1	0.40	20	0.03	644	<1	0.05	2	900	291	0.39	3	1	
RM269210	1.95	<10	<1	0.40	10	0.03	506	<1	0.04	<1	630	188	0.40	2	1	
RM269211	2.00	<10	<1	0.17	<10	0.01	366	3	0.02	4	180	1040	0.13	28	<1	
RM269212	2.25	<10	<1	0.51	10	0.04	719	1	0.04	2	700	121	0.78	5	1	
RM269213	2.32	<10	<1	0.46	10	0.06	669	<1	0.04	2	730	39	0.97	<2	1	
RM269214	2.82	<10	<1	0.36	20	0.14	723	<1	0.06	<1	900	14	0.69	<2	2	
RM269215	1.11	<10	<1	0.05	<10	<0.01	305	1	0.01	4	30	20	0.09	<2	<1	
RM269216	2.53	<10	<1	0.30	20	0.22	638	<1	0.08	1	760	6	0.13	<2	2	
RM269217	2.57	<10	<1	0.30	20	0.33	707	<1	0.09	2	800	5	0.02	<2	2	
RM269218	2.63	<10	<1	0.35	20	0.31	667	<1	0.07	1	830	6	0.10	<2	2	
RM269219	1.73	<10	<1	0.38	20	0.12	704	<1	0.07	3	540	10	0.11	<2	1	
RM269220	2.12	<10	1	0.32	20	0.12	628	2	0.07	2	610	10	0.08	<2	2	
RM269221	1.85	<10	<1	0.42	20	0.03	712	1	0.04	2	540	11	0.06	<2	1	
RM269222	2.49	<10	<1	0.40	20	0.07	980	<1	0.07	3	930	15	0.10	<2	2	
RM269223	1.90	<10	<1	0.19	10	0.16	412	1	0.07	3	380	8	0.18	<2	1	
RM269224	1.19	<10	<1	0.13	10	0.08	202	<1	0.05	1	180	9	0.02	<2	<1	
RM269225	2.89	<10	<1	0.31	30	0.05	896	<1	0.09	1	960	7	0.01	<2	1	
RM269226	2.20	<10	<1	0.02	<10	0.43	460	2	0.02	7	690	6	0.04	<2	2	
RM269227	2.58	<10	<1	0.54	10	0.07	268	1	0.05	1	630	42	0.44	<2	1	
RM269228	1.67	<10	<1	0.15	<10	0.11	431	1	0.02	2	150	176	0.09	<2	1	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 3 - C

Total # Pages: 3 (A - C)

Finalized Date: 18-SEP-2005

Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075505

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		1	0.01	10	10	1	10	2
RM269201		22	<0.01	<10	<10	10	<10	25
RM269202		32	<0.01	<10	<10	12	<10	28
RM269203		65	<0.01	<10	<10	12	<10	29
RM269204		58	<0.01	<10	<10	13	<10	27
RM269205		30	<0.01	<10	<10	14	<10	36
RM269206		108	<0.01	<10	<10	11	<10	26
RM269207		38	<0.01	<10	<10	11	<10	40
RM269208		52	<0.01	<10	<10	11	<10	38
RM269209		27	<0.01	<10	<10	9	<10	354
RM269210		17	<0.01	<10	<10	8	<10	114
RM269211		6	<0.01	<10	<10	3	<10	282
RM269212		31	<0.01	<10	<10	7	<10	174
RM269213		59	<0.01	<10	<10	7	<10	86
RM269214		64	<0.01	<10	<10	10	<10	49
RM269215		2	<0.01	<10	<10	1	<10	33
RM269216		43	0.01	<10	<10	29	<10	32
RM269217		54	0.02	<10	<10	33	<10	33
RM269218		37	<0.01	<10	<10	26	<10	35
RM269219		36	0.01	<10	<10	13	<10	40
RM269220		38	0.01	<10	<10	23	<10	26
RM269221		24	<0.01	<10	<10	6	<10	22
RM269222		32	<0.01	<10	<10	12	<10	50
RM269223		36	0.02	<10	<10	14	<10	23
RM269224		21	0.01	<10	<10	7	<10	13
RM269225		51	<0.01	<10	<10	14	<10	39
RM269226		133	0.09	<10	<10	31	<10	30
RM269227		20	<0.01	<10	<10	13	<10	14
RM269228		10	<0.01	<10	<10	6	<10	188



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 1  
Finalized Date: 28-SEP-2005  
Account: FIRVEN

**CERTIFICATE VA05079521**

Project: A. GRACE

P.O. No.:

This report is for 22 Rock samples submitted to our lab in Vancouver, BC, Canada on 19-SEP-2005.

The following have access to data associated with this certificate:

CARL SCHULZE

LORI WALTON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: FIRESTONE VENTURES INC.  
ATTN: CARL SCHULZE  
35 DAWSON RD  
WHITEHORSE YT Y1A 5T6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 28-SEP-2005

Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079521

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
RB342726		3.34	0.008	0.2	2.52	14	<10	100	0.8	<2	0.99	<0.5	22	92	81	5.69
RB343727		3.76	<0.005	<0.2	1.88	6	<10	80	0.5	<2	0.93	<0.5	20	78	80	5.40
RB344728		3.50	<0.005	0.2	1.56	6	<10	60	<0.5	<2	0.79	<0.5	17	71	65	4.42
RB345729		3.64	0.018	0.3	2.45	11	<10	130	0.7	<2	0.87	<0.5	25	83	140	5.76
RB346730		2.58	0.007	0.2	2.37	13	<10	120	0.7	<2	0.77	<0.5	15	32	96	5.37
RB347731		2.30	<0.005	<0.2	1.11	<2	<10	60	<0.5	<2	0.33	<0.5	7	21	25	2.21
RB348732		1.02	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	0.01	<0.5	<1	10	6	0.52
RB349733		0.98	<0.005	0.2	1.91	7	<10	20	0.6	<2	1.36	<0.5	2	13	59	2.42
RB350734		1.60	0.007	0.2	0.55	3	<10	<10	<0.5	<2	2.37	<0.5	6	10	45	3.47
RB351735		1.50	<0.005	<0.2	3.29	<2	<10	40	0.5	<2	2.32	<0.5	3	12	11	0.74
RB352736		0.98	<0.005	<0.2	1.65	<2	<10	170	0.5	<2	0.72	<0.5	2	48	10	1.48
RB353737		0.96	0.018	<0.2	0.33	5	<10	20	<0.5	<2	0.15	<0.5	1	10	8	1.09
RB354738		0.98	0.014	<0.2	1.52	3	<10	220	<0.5	<2	0.25	<0.5	3	73	20	2.01
RB355739		1.26	<0.005	<0.2	0.25	3	<10	10	<0.5	<2	0.18	<0.5	1	8	11	0.72
RB356740		0.98	<0.005	<0.2	0.79	2	<10	110	<0.5	<2	0.15	<0.5	1	29	10	1.19
RB357741		1.12	0.007	<0.2	0.67	2	<10	60	<0.5	<2	0.29	<0.5	<1	19	10	0.87
RB358742		1.32	0.016	<0.2	1.12	<2	<10	50	<0.5	<2	0.76	<0.5	2	26	33	1.44
RB359743		1.02	<0.005	<0.2	0.56	2	<10	30	<0.5	<2	0.32	<0.5	2	10	16	1.37
RB360744		1.60	0.008	0.2	1.01	6	<10	50	0.5	<2	0.36	<0.5	2	6	14	1.78
RB361745		1.48	0.005	0.2	2.17	2	<10	130	0.5	<2	1.70	<0.5	14	21	90	4.16
RB362840		2.10	<0.005	0.2	1.90	3	<10	50	0.7	<2	0.94	<0.5	4	8	50	2.03
RB363933		1.58	3.88	1.4	0.70	6400	<10	220	0.5	<2	0.08	<0.5	2	8	24	3.12





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 28-SEP-2005

Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079521

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	
RB342726		10	1	0.09	10	1.36	998	<1	0.06	33	1080	2	<0.01	<2	18	101
RB343727		10	<1	0.13	10	1.16	820	<1	0.09	27	1050	6	<0.01	<2	15	58
RB344728		10	<1	0.08	10	0.95	753	<1	0.05	26	1010	5	<0.01	<2	11	61
RB345729		10	<1	0.07	10	1.20	1055	<1	0.04	38	1150	13	<0.01	2	17	86
RB346730		10	1	0.09	10	1.02	849	1	0.05	18	1410	9	<0.01	<2	12	55
RB347731		10	<1	0.09	10	0.47	354	<1	0.04	8	450	8	<0.01	<2	4	30
RB348732		<10	<1	<0.01	<10	0.01	42	7	<0.01	1	20	<2	<0.01	<2	<1	1
RB349733		<10	1	0.03	10	0.05	70	5	0.26	6	660	<2	0.11	<2	1	93
RB350734		<10	<1	0.01	<10	0.04	749	158	0.02	9	220	2	0.79	<2	1	6
RB351735		10	1	0.08	10	0.17	104	34	0.42	14	610	<2	0.03	<2	1	122
RB352736		10	<1	0.32	10	0.45	190	226	0.17	14	340	<2	0.03	<2	7	36
RB353737		<10	1	0.08	<10	0.14	110	7	0.03	2	190	<2	<0.01	<2	1	11
RB354738		10	<1	0.72	<10	0.72	180	251	0.06	24	230	<2	0.13	<2	8	18
RB355739		<10	<1	0.02	<10	0.08	69	6	0.02	1	230	<2	0.08	<2	1	9
RB356740		<10	<1	0.39	10	0.53	132	237	0.04	9	370	<2	0.01	<2	4	9
RB357741		<10	<1	0.15	10	0.22	91	506	0.07	3	380	8	0.04	<2	2	11
RB358742		<10	<1	0.06	10	0.12	83	24	0.12	9	430	3	0.16	<2	1	45
RB359743		<10	<1	0.11	<10	0.21	168	108	0.06	2	540	<2	0.04	<2	1	17
RB360744		<10	<1	0.12	20	0.34	391	2	0.05	3	400	9	0.01	<2	3	47
RB361745		10	<1	0.53	<10	0.72	662	64	0.14	25	470	<2	1.60	<2	4	80
RB362840		10	1	0.13	20	0.38	198	6	0.04	2	460	3	0.09	<2	4	67
RB363933		<10	1	0.17	<10	0.31	236	2	0.01	2	160	11	0.15	<2	2	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 28-SEP-2005  
Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079521

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
RB342726		0.28	<10	<10	205	<10	84
RB343727		0.26	10	<10	212	<10	74
RB344728		0.21	10	<10	166	<10	65
RB345729		0.27	<10	<10	202	<10	106
RB346730		0.27	<10	<10	164	<10	108
RB347731		0.16	<10	<10	73	<10	48
RB348732		<0.01	<10	<10	2	<10	2
RB349733		0.12	<10	<10	31	180	10
RB350734		0.05	10	<10	46	40	22
RB351735		0.13	<10	<10	23	<10	11
RB352736		0.16	<10	<10	90	<10	22
RB353737		0.04	<10	<10	15	<10	11
RB354738		0.15	<10	<10	156	<10	48
RB355739		0.03	<10	<10	11	<10	6
RB356740		0.11	<10	<10	81	<10	31
RB357741		0.05	<10	<10	165	<10	25
RB358742		0.10	<10	<10	66	<10	28
RB359743		0.09	<10	<10	22	200	15
RB360744		0.11	<10	<10	31	<10	49
RB361745		0.15	<10	<10	230	250	83
RB362840		0.11	<10	<10	42	<10	22
RB363933		0.02	<10	<10	16	<10	29



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 1

Finalized Date: 29-SEP-2005

Account: FIRVEN

## CERTIFICATE VA05080047

Project: A. Grace

P.O. No.:

This report is for 37 Rock samples submitted to our lab in Vancouver, BC, Canada on 21-SEP-2005.

The following have access to data associated with this certificate:

CARL SCHULZE

LORI WALTON

## SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: FIRESTONE VENTURES INC.  
 ATTN: CARL SCHULZE  
 35 DAWSON RD  
 WHITEHORSE YT Y1A 5T6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 29-SEP-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05080047

Sample Description	WEI-21	Au-AA24	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	
	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	
RB342746	1.30	0.025	0.3	1.39	5	<10	30	<0.5	<2	0.95	<0.5	3	7	81	3.27	
RB342747	1.46	0.006	0.4	1.24	17	<10	130	<0.5	<2	0.89	1.8	9	93	37	2.15	
RB342748	2.20	0.008	0.4	1.66	15	<10	90	0.6	<2	1.17	<0.5	8	41	73	3.71	
RB342749	0.96	<0.005	<0.2	0.81	8	<10	160	<0.5	<2	0.18	<0.5	<1	56	13	2.16	
RB342750	1.18	0.018	0.2	3.18	7	<10	30	0.7	<2	1.72	<0.5	1	8	56	3.52	
RB342839	1.62	<0.005	<0.2	1.08	5	<10	70	<0.5	<2	0.22	<0.5	3	79	35	2.39	
RB342925	Not Recvd															
RB342943	0.90	<0.005	<0.2	0.66	7	<10	100	<0.5	<2	0.15	<0.5	3	37	7	1.17	
RB342974	1.58	0.027	0.2	1.32	9	<10	40	<0.5	<2	0.63	<0.5	3	77	10	1.49	
RB342975	1.26	<0.005	<0.2	1.11	11	<10	60	<0.5	<2	0.33	<0.5	10	14	12	2.34	
RB342976	1.62	<0.005	<0.2	1.56	8	<10	60	0.6	<2	0.69	<0.5	4	43	13	2.31	
RB343001	3.58	<0.005	<0.2	0.63	3	<10	90	<0.5	<2	0.39	<0.5	6	10	150	2.32	
RB343002	2.18	<0.005	0.3	0.89	8	<10	60	<0.5	<2	0.30	<0.5	5	56	43	2.34	
RB343003	1.12	<0.005	<0.2	2.11	7	<10	50	0.7	<2	0.95	<0.5	4	13	35	2.61	
RB343004	1.54	<0.005	<0.2	2.88	6	<10	60	0.6	<2	1.99	<0.5	<1	17	20	2.22	
RB343005	0.82	<0.005	<0.2	1.30	2	<10	30	1.1	<2	1.55	<0.5	2	13	5	0.80	
RB343006	1.14	0.006	<0.2	0.31	4	<10	30	<0.5	<2	0.09	<0.5	1	59	17	0.78	
RB343007	1.48	<0.005	<0.2	0.23	5	<10	60	<0.5	<2	0.04	<0.5	1	23	19	0.85	
RB343008	1.66	0.005	<0.2	0.89	9	<10	50	<0.5	<2	0.28	<0.5	6	57	23	2.29	
RB343009	1.44	<0.005	<0.2	0.94	3	<10	50	<0.5	<2	0.39	<0.5	5	18	35	2.66	
RB343010	1.84	0.051	<0.2	2.08	10	<10	50	0.5	<2	1.01	<0.5	4	54	17	2.04	
RB343011	1.52	0.005	<0.2	1.38	3	<10	80	0.5	<2	0.69	<0.5	6	10	29	2.63	
RB343012	1.26	<0.005	0.2	0.30	3	<10	30	<0.5	<2	0.12	<0.5	1	94	3	0.36	
RB343013	1.72	0.019	2.4	0.36	27	10	80	<0.5	<2	0.02	1.1	5	34	18	2.86	
RB343014	1.38	0.012	<0.2	2.20	8	<10	120	0.5	<2	1.21	<0.5	4	57	10	1.87	
RB343134	1.74	2.72	2.6	0.72	2270	<10	100	0.7	<2	0.15	0.5	7	14	26	3.03	
RB343135	1.94	0.011	0.5	0.59	14	<10	20	0.7	<2	0.95	<0.5	13	60	139	4.98	
RB343136	1.56	0.014	0.4	0.57	15	<10	30	0.6	<2	1.18	<0.5	9	16	80	4.86	
RB343137	1.08	0.023	1.7	0.44	61	<10	20	<0.5	<2	0.10	<0.5	49	110	225	11.65	
RB343344	0.54	0.005	<0.2	0.63	6	<10	<10	<0.5	<2	0.96	<0.5	4	19	12	3.34	
RB343345	0.88	0.014	0.4	0.34	5	<10	<10	<0.5	<2	4.31	<0.5	5	43	34	4.67	
RB343346	1.40	<0.005	0.2	0.71	<2	<10	100	<0.5	<2	0.32	<0.5	9	9	285	4.01	
RB343347	1.98	<0.005	<0.2	0.46	4	<10	110	<0.5	<2	0.28	<0.5	2	68	49	0.91	
RB343348	1.26	<0.005	<0.2	0.56	3	<10	100	<0.5	<2	0.12	<0.5	<1	21	12	2.18	
RB343349	0.52	0.008	<0.2	0.04	7	<10	10	<0.5	<2	0.01	<0.5	1	173	5	1.50	
RB343350	0.74	<0.005	<0.2	0.57	6	<10	40	<0.5	<2	0.10	<0.5	2	21	7	0.94	
RB343498	0.64	<0.005	0.2	0.77	<2	<10	60	<0.5	<2	0.28	<0.5	8	74	78	2.08	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 29-SEP-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05080047

Sample Description	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	
	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	
Method Analyte Units LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	
RB342746	10	1	0.09	10	0.46	235	1050	0.12	3	2260	5	0.39	<2	3	77	
RB342747	<10	<1	0.30	10	0.41	432	7	0.08	23	530	46	0.30	<2	4	30	
RB342748	<10	1	0.17	10	0.46	364	136	0.07	30	620	3	0.92	<2	2	56	
RB342749	<10	1	0.26	<10	0.37	179	6	0.06	4	290	2	0.08	<2	8	21	
RB342750	10	3	0.10	10	0.58	341	18	0.03	2	1090	8	0.09	<2	7	296	
RB342839	<10	1	0.27	20	0.38	249	5	0.06	5	550	11	0.04	<2	2	32	
RB342925	<10	<1	0.26	<10	0.28	110	5	0.04	6	150	<2	0.01	<2	3	12	
RB342943	10	<1	0.08	10	0.31	339	4	0.04	3	410	4	<0.01	<2	2	87	
RB342974	10	1	0.09	10	0.60	402	<1	0.05	4	670	10	<0.01	<2	4	50	
RB342976	10	<1	0.12	20	0.46	557	1	0.06	5	740	6	0.01	<2	4	89	
RB343001	<10	<1	0.11	10	0.21	214	31	0.08	1	650	5	0.98	<2	1	58	
RB343002	<10	<1	0.26	10	0.34	205	7	0.09	3	670	5	0.28	<2	2	37	
RB343003	10	<1	0.10	20	0.56	519	2	0.04	4	690	13	0.01	<2	5	115	
RB343004	10	1	0.11	10	0.26	209	1	0.06	3	920	4	0.02	<2	2	332	
RB343005	10	<1	0.11	10	0.10	155	1	0.05	2	120	8	0.01	<2	1	22	
RB343006	<10	<1	0.11	10	0.09	83	1	0.05	4	100	7	0.02	<2	1	17	
RB343007	<10	<1	0.15	<10	0.03	34	2	0.05	1	50	5	0.05	<2	<1	22	
RB343008	<10	<1	0.10	10	0.55	452	5	0.05	6	650	10	0.01	<2	4	32	
RB343009	<10	<1	0.19	10	0.43	430	13	0.07	3	680	7	0.10	<2	3	30	
RB343010	10	<1	0.11	10	0.42	464	10	0.04	4	640	4	0.01	<2	4	143	
RB343011	10	<1	0.12	10	0.52	489	<1	0.06	3	910	8	0.02	<2	3	92	
RB343012	<10	<1	0.13	<10	0.03	62	1	0.04	6	40	5	<0.01	<2	<1	10	
RB343013	<10	<1	0.16	10	0.06	963	10	0.01	16	140	362	<0.01	4	5	10	
RB343014	10	<1	0.08	10	0.40	427	1	0.04	5	770	6	<0.01	<2	2	183	
RB343134	<10	<1	0.37	10	0.22	237	19	0.01	8	660	28	0.65	<2	2	12	
RB343135	<10	<1	0.01	<10	0.05	498	93	0.01	16	220	2	1.28	<2	1	15	
RB343136	<10	<1	0.01	<10	0.05	679	85	0.01	11	220	<2	0.88	<2	1	16	
RB343137	<10	<1	0.11	10	0.15	89	450	0.02	8	210	6	7.84	<2	1	9	
RB343344	<10	1	0.01	<10	0.10	668	3500	0.04	11	250	2	0.35	2	1	12	
RB343345	10	1	0.01	<10	0.01	800	1010	0.02	9	120	<2	0.78	<2	<1	5	
RB343346	<10	1	0.21	10	0.29	267	15	0.07	3	680	2	2.29	<2	<1	48	
RB343347	<10	<1	0.15	10	0.14	143	7	0.05	3	510	5	0.19	<2	1	44	
RB343348	<10	<1	0.34	10	0.35	115	38	0.04	1	520	5	0.14	<2	3	39	
RB343349	<10	<1	0.02	<10	0.01	23	28	0.01	5	60	29	0.18	<2	<1	2	
RB343350	<10	<1	0.13	<10	0.28	157	2	0.06	5	70	8	<0.01	<2	2	17	
RB343498	<10	<1	0.35	10	0.41	206	2	0.07	6	660	2	0.82	<2	2	24	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 29-SEP-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05080047

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
RB342746		0.18	<10	<10	72	10	22
RB342747		0.06	<10	<10	38	30	94
RB342748		0.12	<10	<10	111	330	55
RB342749		0.15	<10	<10	27	10	26
RB342750		0.18	<10	<10	63	<10	27
RB342839		0.13	<10	<10	43	<10	30
RB342925							
RB342943		0.08	<10	<10	34	<10	17
RB342974		0.09	<10	<10	31	<10	32
RB342975		0.13	<10	<10	55	<10	47
RB342976		0.13	<10	<10	48	<10	47
RB343001		0.08	<10	<10	23	<10	13
RB343002		0.12	<10	<10	38	<10	27
RB343003		0.16	<10	<10	60	<10	50
RB343004		0.12	<10	<10	56	<10	17
RB343005		0.04	<10	<10	18	<10	11
RB343006		0.03	<10	<10	10	<10	8
RB343007		0.02	<10	<10	7	<10	3
RB343008		0.11	<10	<10	49	<10	41
RB343009		0.13	<10	<10	47	<10	40
RB343010		0.12	<10	<10	48	<10	59
RB343011		0.12	<10	<10	68	<10	31
RB343012		0.01	<10	<10	3	<10	6
RB343013		<0.01	<10	<10	21	<10	243
RB343014		0.09	10	<10	49	<10	28
RB343134		0.01	<10	<10	13	<10	44
RB343135		0.07	<10	<10	43	140	37
RB343136		0.06	<10	<10	35	190	36
RB343137		0.02	<10	<10	17	<10	12
RB343344		0.07	<10	<10	46	100	42
RB343345		0.01	<10	<10	51	80	17
RB343346		0.11	<10	<10	29	<10	25
RB343347		0.07	<10	<10	16	<10	13
RB343348		0.04	<10	<10	65	<10	12
RB343349		<0.01	<10	<10	2	<10	21
RB343350		0.06	<10	<10	25	<10	16
RB343498		0.13	<10	<10	39	<10	22



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 1

Finalized Date: 7-OCT-2005

Account: FIRVEN

## CERTIFICATE VA05081178

Project: A. Grace

P.O. No.:

This report is for 30 Rock samples submitted to our lab in Vancouver, BC, Canada on 23-SEP-2005.

The following have access to data associated with this certificate:

CARL SCHULZE

LORI WALTON

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
PGM-ICP24	Pt, Pd, Au 50g FA ICP	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: FIRESTONE VENTURES INC.  
ATTN: CARL SCHULZE  
35 DAWSON RD  
WHITEHORSE YT Y1A 5T6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 7-OCT-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05081178

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B342944		0.92	0.006	<0.2	1.50	15	<10	210	<0.5	<2	0.93	<0.5	2	20	57	2.84
B342945		1.12	0.006	0.3	4.40	<2	<10	140	<0.5	<2	1.94	<0.5	18	112	144	4.82
B342946		1.02	<0.005	<0.2	2.54	7	<10	200	<0.5	<2	1.02	<0.5	13	44	55	4.28
B342947		1.20	0.006	0.4	2.35	5	<10	120	<0.5	<2	0.64	<0.5	15	105	107	3.71
B342948		0.80	0.006	0.2	3.96	2	<10	330	0.5	<2	0.35	<0.5	6	230	84	6.94
B342978		1.74	0.007	0.4	0.15	4	<10	10	<0.5	<2	0.07	<0.5	32	59	364	1.80
B342979		1.16	0.006	0.3	0.95	30	<10	20	<0.5	<2	0.41	<0.5	11	51	136	3.31
B342980		1.92	0.147	1.3	0.53	10	10	120	<0.5	<2	0.05	0.7	2	41	6	1.66
B342981		2.90		<0.2	0.99	3	<10	130	<0.5	<2	1.78	<0.5	25	75	206	7.11
B342982		3.26		<0.2	1.54	4	<10	180	<0.5	<2	1.73	<0.5	21	89	116	3.70
B342983		2.62		<0.2	1.65	<2	<10	90	<0.5	<2	1.57	<0.5	21	79	146	3.74
B342984		3.54		0.2	1.26	8	<10	90	<0.5	<2	1.65	<0.5	33	115	265	4.70
B342985		3.66		<0.2	0.91	<2	<10	50	<0.5	<2	1.29	<0.5	28	167	189	4.51
B342986		2.70		0.2	0.64	4	<10	30	<0.5	<2	1.28	<0.5	27	208	226	5.21
B342987		3.28		<0.2	0.51	<2	<10	20	<0.5	<2	0.96	<0.5	33	105	141	4.66
B342988		3.64		<0.2	1.16	<2	<10	170	<0.5	<2	1.87	<0.5	26	87	208	6.28
B342989		1.90		0.2	0.65	4	<10	20	<0.5	<2	1.15	<0.5	55	43	287	9.35
B343015		1.50	0.007	0.2	0.17	12	<10	10	<0.5	<2	0.07	<0.5	10	19	89	1.73
B343016		1.74	0.005	0.3	0.68	12	<10	30	<0.5	<2	0.08	<0.5	6	76	67	3.08
B343017		0.90	0.014	0.3	0.53	2	<10	10	<0.5	<2	0.12	<0.5	11	40	240	2.63
B343018		0.96	0.020	2.6	0.70	6	10	260	<0.5	3	0.12	0.9	3	21	7	1.35
B343019		1.34		0.3	0.86	<2	<10	40	<0.5	<2	1.63	<0.5	55	34	385	6.51
B343020		0.76		0.2	0.64	<2	<10	30	<0.5	<2	1.42	<0.5	40	59	279	4.24
B343021		2.02		0.2	0.48	<2	<10	20	<0.5	<2	1.07	<0.5	36	233	217	5.30
B343022		0.66	<0.005	<0.2	0.33	<2	<10	10	<0.5	<2	0.07	<0.5	3	23	20	0.95
B467851		2.78	<0.005	<0.2	0.21	10	<10	10	<0.5	<2	0.08	<0.5	5	27	69	1.38
B467852		1.22		<0.2	0.33	4	<10	10	<0.5	<2	0.83	<0.5	8	57	9	1.12
B467853		1.78		<0.2	0.44	<2	<10	20	<0.5	<2	1.07	<0.5	10	136	8	1.29
B467854		1.58		<0.2	0.35	2	<10	20	<0.5	<2	0.93	<0.5	10	174	11	1.58
B467855		1.58		<0.2	0.86	<2	<10	70	<0.5	<2	1.55	<0.5	13	154	14	2.25





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 7-OCT-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05081178

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
B342944		<10	1	0.36	10	0.46	423	1	0.09	4	730	4	0.49	<2	6	53
B342945		10	<1	0.63	<10	1.49	288	2	0.48	50	1100	2	1.96	<2	6	178
B342946		10	<1	0.70	<10	1.28	338	1	0.20	19	1020	9	1.32	<2	9	119
B342947		10	1	0.80	<10	1.49	259	2	0.18	41	890	31	1.68	<2	12	48
B342948		10	<1	0.77	10	2.93	419	8	0.07	40	1030	2	0.32	<2	20	32
B342978		<10	1	0.03	<10	0.03	39	7	0.02	10	60	3	1.01	2	<1	6
B342979		<10	<1	0.05	10	0.54	240	3	0.03	22	1750	3	0.47	<2	5	9
B342980		<10	<1	0.15	10	0.15	454	7	0.01	2	180	161	0.05	<2	1	8
B342981		10	1	0.11	<10	1.25	376	1	0.13	42	390	<2	0.18	<2	16	52
B342982		<10	<1	0.29	<10	1.43	341	1	0.18	44	700	2	0.23	<2	13	74
B342983		<10	2	0.14	<10	1.04	281	<1	0.20	41	540	3	0.17	<2	10	96
B342984		<10	1	0.11	<10	1.21	388	<1	0.12	52	290	3	0.23	<2	14	58
B342985		<10	1	0.09	<10	1.12	357	<1	0.09	47	210	2	0.04	<2	14	31
B342986		<10	<1	0.06	<10	1.11	312	1	0.08	38	150	3	0.14	<2	14	20
B342987		<10	1	0.06	<10	0.88	234	1	0.06	43	100	3	0.29	<2	10	13
B342988		<10	1	0.11	<10	1.25	392	1	0.14	47	530	2	0.15	<2	15	85
B342989		10	1	0.06	<10	0.93	277	<1	0.08	40	110	5	0.74	<2	13	18
B343015		<10	1	0.04	<10	0.06	47	3	0.01	7	110	2	0.30	<2	1	4
B343016		<10	1	0.05	<10	0.46	114	17	0.01	21	320	40	0.24	2	2	4
B343017		<10	<1	0.04	<10	0.40	162	3	0.02	10	290	<2	1.12	<2	2	4
B343018		<10	1	0.26	20	0.15	546	7	0.02	3	470	232	0.04	<2	1	14
B343019		<10	1	0.12	<10	1.24	365	1	0.14	40	190	<2	1.04	<2	15	22
B343020		<10	1	0.08	<10	1.14	317	1	0.10	46	120	4	0.79	<2	14	14
B343021		<10	<1	0.04	<10	0.93	243	1	0.06	34	80	2	0.41	<2	12	11
B343022		<10	<1	0.18	10	0.06	82	<1	0.07	3	10	6	0.05	<2	1	4
B467851		<10	<1	0.06	<10	0.07	43	1	0.02	10	200	<2	0.28	<2	1	4
B467852		<10	1	0.04	<10	0.76	216	<1	0.04	24	130	2	0.01	<2	7	11
B467853		<10	1	0.07	<10	1.03	176	<1	0.06	35	130	<2	0.01	<2	8	12
B467854		<10	1	0.04	<10	0.83	138	<1	0.05	31	130	2	0.01	<2	8	14
B467855		<10	1	0.18	<10	1.32	236	<1	0.11	29	1160	<2	0.01	<2	10	52



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 7-OCT-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05081178

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	PGM-ICP24	PGM-ICP24	PGM-ICP24
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm	Pt ppm	Pd ppm
		0.01	10	10	1	10	2	0.001	0.005	0.001
B342944		0.20	<10	<10	52	<10	42			
B342945		0.25	<10	<10	154	<10	41			
B342946		0.25	<10	<10	117	<10	47			
B342947		0.23	<10	<10	157	<10	52			
B342948		0.28	<10	<10	297	<10	57			
B342978		0.03	<10	<10	17	<10	2			
B342979		0.04	<10	<10	101	<10	25			
B342980		<0.01	<10	<10	6	<10	176			
B342981		0.25	<10	<10	358	<10	34	0.007	0.021	0.046
B342982		0.18	<10	<10	137	<10	38	0.006	0.007	0.014
B342983		0.16	<10	<10	166	<10	34	0.004	0.009	0.011
B342984		0.23	<10	<10	230	<10	40	0.004	0.011	0.020
B342985		0.18	<10	<10	214	<10	31	0.003	0.019	0.009
B342986		0.16	<10	<10	256	10	26	0.006	0.014	0.020
B342987		0.12	<10	<10	172	<10	20	0.011	0.045	0.154
B342988		0.25	<10	<10	322	10	35	0.004	0.017	0.027
B342989		0.20	<10	<10	443	10	29	0.010	0.029	0.127
B343015		0.01	<10	<10	11	<10	3			
B343016		0.01	<10	<10	46	<10	20			
B343017		0.06	<10	<10	63	<10	14			
B343018		<0.01	<10	<10	8	<10	102			
B343019		0.23	<10	<10	320	10	28	0.014	0.032	0.124
B343020		0.16	<10	<10	176	<10	24	0.012	0.048	0.222
B343021		0.13	<10	<10	227	<10	22	0.011	0.021	0.067
B343022		0.02	<10	10	11	<10	7			
B467851		0.01	<10	<10	13	<10	5			
B467852		0.05	<10	<10	26	<10	9	0.001	<0.005	0.004
B467853		0.05	<10	<10	27	<10	11	0.001	<0.005	0.002
B467854		0.05	<10	<10	40	<10	8	0.001	<0.005	0.002
B467855		0.08	<10	<10	74	<10	19	0.001	0.006	0.004

**Soil and Silt Geochemical Results**



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 1

Finalized Date: 27-SEP-2005

Account: FIRVEN

## CERTIFICATE VA05080045

Project: A. Grace

P.O. No.:

This report is for 48 Soil samples submitted to our lab in Vancouver, BC, Canada on 21-SEP-2005.

The following have access to data associated with this certificate:

CARL SCHULZE

LORI WALTON

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: FIRESTONE VENTURES INC.  
ATTN: CARL SCHULZE  
35 DAWSON RD  
WHITEHORSE YT Y1A 5T6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 







# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - C

Total # Pages: 3 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05080045

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
TB343040		0.17	<10	10	83	<10	97
TB343041		0.17	<10	10	86	<10	88
TB343042		0.17	<10	10	87	<10	94
TB343043		0.18	<10	10	82	<10	99
TB343044		0.26	<10	10	124	<10	91
TB343045		0.27	<10	10	131	<10	117
TB343046		0.25	<10	10	124	<10	109
TB343047		0.23	<10	10	114	<10	113
TB343048		0.24	<10	10	122	10	104
TB343049		0.21	<10	10	114	<10	89
TB343050		0.23	<10	10	112	<10	99
SB342951		0.15	<10	<10	54	<10	78
SB342952		0.16	<10	<10	64	<10	65
SB342953		0.16	<10	<10	48	<10	81
SB342954		0.15	<10	<10	54	<10	78
SB342955		0.22	<10	<10	71	<10	85
SB342956		0.17	<10	<10	76	<10	54
SB342957		0.17	<10	<10	67	<10	70
SB342958		0.18	<10	<10	86	<10	55
SB342959		0.14	<10	<10	87	<10	37
SB342960		0.17	<10	<10	90	<10	159
SB342961		0.15	<10	<10	72	<10	81
SB342962		0.20	<10	<10	79	<10	96
SB342963		0.15	<10	<10	53	<10	100
SB342964		0.19	<10	<10	77	<10	74
SB342965		0.17	<10	<10	77	<10	64
SB342966		0.20	<10	<10	82	<10	74
SB342967		0.18	<10	<10	76	<10	74
SB342968		0.17	<10	<10	66	<10	57
SB342969		0.20	<10	<10	70	<10	94
SB342970		0.18	<10	<10	70	<10	72
SB342971		0.13	<10	<10	54	<10	77
SB342972		0.18	<10	10	56	<10	129
SB342973		0.22	<10	<10	65	<10	142
SB343120		0.21	<10	<10	68	<10	129
SB343121		0.19	<10	<10	76	<10	79
SB343122		0.20	<10	<10	74	<10	67
SB343123		0.17	<10	<10	67	<10	64
SB343124		0.14	<10	<10	51	<10	61
SB343125		0.15	<10	<10	57	<10	97



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 3 - A

Total # Pages: 3 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05080045

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
SB343126		0.44	0.014	<0.2	1.81	<2	<10	200	<0.5	<2	0.32	<0.5	9	46	17	2.70
SB343127		0.38	0.005	0.2	2.67	10	<10	170	0.6	<2	0.28	1.0	8	18	18	2.38
SB343128		0.32	0.006	<0.2	2.05	2	<10	220	<0.5	<2	0.49	0.5	10	34	22	2.81
SB343129		0.44	0.010	0.2	2.14	<2	<10	130	0.6	<2	0.24	<0.5	7	26	15	2.42
SB343130		0.44	0.009	<0.2	1.84	<2	<10	300	<0.5	<2	0.20	<0.5	8	27	11	2.44
SB343131		0.42	0.006	0.2	2.17	<2	<10	240	0.5	<2	0.19	0.5	7	21	11	2.27
SB343132		0.44	0.203	0.3	3.00	<2	<10	180	0.8	<2	0.20	<0.5	8	29	20	2.76
SB343133		0.46	0.025	0.3	4.06	<2	<10	550	1.3	<2	1.15	<0.5	35	192	58	5.81





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 3 - B

Total # Pages: 3 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05080045

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
SB343126		10	<1	0.12	10	0.63	515	2	0.02	21	1920	15	0.01	<2	4	34
SB343127		10	<1	0.08	10	0.27	500	2	0.02	10	1490	49	0.02	<2	3	37
SB343128		10	<1	0.23	10	0.69	641	3	0.03	17	1290	24	0.01	<2	5	55
SB343129		10	<1	0.11	10	0.43	302	2	0.02	12	1210	17	0.01	<2	4	29
SB343130		10	<1	0.12	10	0.41	861	2	0.02	12	1900	16	0.01	<2	4	23
SB343131		10	<1	0.09	10	0.33	716	1	0.03	15	1360	25	0.01	<2	4	23
SB343132		10	<1	0.10	10	0.49	366	3	0.02	24	1480	28	0.02	<2	4	25
SB343133		10	<1	0.77	30	4.44	1050	2	0.03	202	1530	21	0.02	<2	10	105



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 3 - C

Total # Pages: 3 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05080045

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
SB343126		0.18	<10	<10	70	<10	79
SB343127		0.15	<10	<10	46	<10	94
SB343128		0.18	<10	<10	70	<10	86
SB343129		0.15	<10	<10	56	<10	71
SB343130		0.17	<10	<10	52	<10	89
SB343131		0.17	<10	<10	48	10	84
SB343132		0.16	<10	<10	56	<10	80
SB343133		0.40	<10	<10	124	<10	102



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 1

Finalized Date: 27-SEP-2005

Account: FIRVEN

## CERTIFICATE VA05079524

Project: A. GRACE

P.O. No.:

This report is for 151 Soil samples submitted to our lab in Vancouver, BC, Canada on 19-SEP-2005.

The following have access to data associated with this certificate:

CARL SCHULZE

LORI WALTON

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: FIRESTONE VENTURES INC.  
ATTN: CARL SCHULZE  
35 DAWSON RD  
WHITEHORSE YT Y1A 5T6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - A

Total # Pages: 5 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
SB343051		0.24	0.011	<0.2	2.18	18	<10	190	0.5	<2	0.27	<0.5	10	37	21	2.80
SB343052		0.32	0.034	<0.2	2.19	16	<10	160	0.7	<2	0.35	1.0	11	39	24	3.27
SB343053		0.26	0.013	0.2	1.85	8	<10	100	0.7	<2	0.20	<0.5	15	37	23	2.95
SB343054		0.32	0.202	0.3	1.83	16	<10	190	0.6	<2	0.24	<0.5	12	36	19	3.42
SB343055		0.26	0.014	<0.2	2.32	23	<10	130	0.6	<2	0.19	<0.5	10	38	17	3.31
SB343056		0.34	0.024	<0.2	2.02	24	<10	120	0.7	<2	0.36	1.1	12	49	27	3.22
SB343057		0.22	0.015	0.3	1.88	22	<10	90	0.7	<2	0.45	1.0	12	31	29	2.92
SB343058		0.32	0.010	0.6	2.08	33	<10	80	0.8	<2	0.66	1.6	15	31	37	2.73
SB343059		0.30	0.031	0.4	2.11	41	<10	80	0.9	<2	0.39	0.9	13	34	35	3.19
SB343060		0.32	0.022	<0.2	2.24	26	<10	80	0.6	<2	0.18	0.5	9	37	20	3.35
SB343061		0.30	0.013	0.2	2.14	20	<10	90	0.5	<2	0.15	<0.5	8	36	20	3.09
SB343062		0.32	0.028	<0.2	2.51	42	<10	100	0.7	<2	0.20	<0.5	10	43	22	3.58
SB343063		0.38	0.008	0.3	2.73	134	<10	100	0.9	<2	0.18	<0.5	13	38	22	3.40
SB343064		0.36	0.027	<0.2	2.38	93	<10	110	0.5	<2	0.27	0.5	11	56	33	3.36
SB343065		0.28	0.053	0.2	2.31	61	<10	80	0.6	<2	0.13	<0.5	9	39	24	3.45
SB343066		0.24	0.016	0.3	1.97	36	<10	130	0.5	<2	0.15	<0.5	10	37	21	3.42
SB343067		0.24	0.007	0.3	2.04	10	<10	160	0.5	<2	0.40	<0.5	11	38	26	3.02
SB343068		0.30	<0.005	0.3	2.63	14	<10	180	0.6	<2	0.13	<0.5	9	26	17	2.91
SB343069		0.30	<0.005	0.4	2.81	14	<10	100	0.6	<2	0.08	<0.5	6	20	13	2.64
SB343070		0.32	0.010	0.5	3.11	23	<10	90	0.6	<2	0.11	<0.5	8	31	20	3.18
SB343071		0.22	0.014	0.2	1.97	18	<10	100	0.5	<2	0.08	<0.5	6	24	14	2.87
SB343072		0.28	0.008	0.2	2.26	40	<10	120	0.5	<2	0.22	<0.5	9	33	14	3.07
SB343073		0.28	0.015	0.2	2.21	19	<10	110	0.5	<2	0.18	<0.5	9	34	16	3.18
SB343074		0.36	0.017	0.2	2.19	19	<10	130	0.5	<2	0.35	<0.5	9	47	27	3.14
SB343075		0.34	0.013	0.4	2.26	22	<10	130	0.7	<2	0.39	<0.5	12	40	30	3.40
SB343076		0.24	0.011	0.3	2.08	16	<10	110	0.6	<2	0.53	0.9	11	42	31	2.96
SB343077		0.30	0.015	<0.2	2.33	7	<10	130	0.5	<2	0.51	0.6	13	43	26	3.03
SB343078		0.26	0.005	0.4	1.71	5	<10	80	0.5	<2	0.37	0.9	8	25	32	2.69
SB343079		0.34	0.022	0.4	1.95	4	<10	100	0.5	<2	0.35	0.5	11	33	26	2.69
SB343080		0.34	0.006	<0.2	2.22	6	<10	180	0.6	<2	0.35	<0.5	11	29	21	2.94
SB343081		0.28	0.031	0.3	2.61	6	<10	210	0.6	<2	0.24	0.5	10	24	20	2.71
SB343082		0.30	0.031	0.2	1.79	6	<10	280	<0.5	<2	0.30	<0.5	10	29	20	2.68
SB343083		0.26	0.007	0.4	2.64	10	<10	200	0.8	<2	0.25	<0.5	12	29	26	3.16
SB343084		0.36	<0.005	0.2	2.17	7	<10	380	0.5	<2	0.23	<0.5	10	21	14	2.54
SB343085		0.34	0.062	0.7	2.34	11	<10	130	0.9	<2	0.32	1.0	11	22	44	2.83
SB343086		0.30	0.009	<0.2	2.39	7	<10	290	0.6	<2	0.44	1.1	12	35	29	2.96
SB343087		0.28	0.013	0.2	3.01	7	<10	180	0.6	<2	0.20	0.6	11	31	17	3.08
SB343088		0.32	0.073	<0.2	1.26	2	<10	180	<0.5	<2	0.16	<0.5	9	17	11	2.30
SB343089		0.32	0.034	<0.2	1.23	<2	<10	210	<0.5	<2	0.17	<0.5	7	27	12	2.05
SB343090		0.36	0.011	0.2	1.47	4	<10	160	<0.5	<2	0.24	0.7	9	40	12	2.38

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - B

Total # Pages: 5 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
SB343051	10	<1	0.06	10	0.41	662	2	0.02	17	3480	12	0.01	<2	3	26	
SB343052	10	1	0.08	10	0.52	843	3	0.02	19	2750	19	0.01	<2	4	28	
SB343053	10	<1	0.06	10	0.44	690	3	0.01	17	1500	14	0.02	<2	3	20	
SB343054	10	<1	0.09	10	0.48	1520	2	0.02	18	2820	24	0.01	2	3	24	
SB343055	10	1	0.08	10	0.50	523	2	0.01	19	2240	14	0.01	<2	3	20	
SB343056	10	<1	0.08	10	0.86	495	6	0.02	28	730	49	0.01	2	4	31	
SB343057	10	<1	0.06	10	0.44	782	8	0.02	21	860	25	0.06	<2	2	39	
SB343058	10	<1	0.07	20	0.49	909	6	0.02	22	1100	16	0.07	<2	2	47	
SB343059	10	<1	0.07	20	0.52	391	5	0.02	21	590	17	0.02	<2	4	30	
SB343060	10	<1	0.07	10	0.54	405	2	0.01	18	1400	25	0.02	<2	4	16	
SB343061	10	<1	0.07	10	0.49	321	2	0.01	17	1680	13	0.02	<2	4	14	
SB343062	10	1	0.08	10	0.66	323	3	0.01	25	1280	12	0.01	<2	5	18	
SB343063	10	1	0.08	10	0.55	527	5	0.01	25	870	13	0.01	<2	4	16	
SB343064	10	1	0.10	10	0.82	438	3	0.02	31	1350	18	0.01	<2	5	22	
SB343065	10	<1	0.09	10	0.60	451	2	0.01	22	1150	12	0.02	<2	4	14	
SB343066	10	<1	0.10	10	0.60	643	1	0.01	22	1480	15	0.01	<2	5	15	
SB343067	10	<1	0.09	10	0.45	533	3	0.02	20	2190	10	0.02	<2	2	34	
SB343068	10	<1	0.08	10	0.45	730	2	0.01	16	1000	12	0.01	<2	4	16	
SB343069	10	<1	0.06	10	0.27	527	2	0.02	13	1070	19	0.02	2	3	10	
SB343070	10	<1	0.08	10	0.48	223	5	0.01	18	860	9	0.03	<2	4	13	
SB343071	10	1	0.05	10	0.27	686	1	0.01	12	1340	16	0.01	<2	2	9	
SB343072	10	1	0.07	10	0.36	362	2	0.01	17	1340	23	0.01	<2	3	19	
SB343073	10	<1	0.06	10	0.44	320	2	0.01	18	1000	12	0.01	<2	4	18	
SB343074	10	<1	0.08	10	0.57	264	2	0.02	21	1490	10	0.01	2	4	31	
SB343075	10	<1	0.07	10	0.60	388	5	0.02	24	680	13	0.02	<2	4	32	
SB343076	10	<1	0.07	20	0.55	745	6	0.02	22	1360	20	0.06	<2	2	41	
SB343077	10	<1	0.08	20	0.67	504	7	0.02	27	1140	11	0.03	<2	3	40	
SB343078	10	<1	0.07	10	0.31	728	6	0.02	18	1010	16	0.05	<2	2	29	
SB343079	10	<1	0.08	10	0.42	539	4	0.02	21	1400	10	0.03	<2	2	30	
SB343080	10	<1	0.10	10	0.56	520	3	0.02	18	990	9	0.02	<2	3	29	
SB343081	10	<1	0.10	10	0.49	643	3	0.02	18	1950	13	0.02	<2	3	22	
SB343082	10	1	0.12	10	0.60	795	3	0.02	19	1900	8	<0.01	<2	5	26	
SB343083	10	<1	0.12	10	0.50	463	6	0.02	22	1020	15	0.01	<2	5	26	
SB343084	10	<1	0.09	10	0.43	558	3	0.02	17	2950	12	<0.01	<2	3	25	
SB343085	10	<1	0.07	20	0.41	650	7	0.02	20	640	18	0.01	2	5	30	
SB343086	10	<1	0.11	10	0.44	662	2	0.01	20	2290	14	<0.01	2	4	45	
SB343087	10	<1	0.12	10	0.51	342	2	0.02	28	1930	9	<0.01	2	5	17	
SB343088	<10	<1	0.16	<10	0.45	516	2	0.02	8	950	12	<0.01	<2	4	16	
SB343089	10	<1	0.06	10	0.30	447	1	0.02	13	1220	9	<0.01	<2	3	16	
SB343090	10	<1	0.10	10	0.48	633	1	0.02	26	1430	33	<0.01	<2	3	25	

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - C

Total # Pages: 5 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
SB343051		0.15	<10	<10	58	<10	112
SB343052		0.17	<10	<10	65	<10	124
SB343053		0.15	<10	<10	61	<10	92
SB343054		0.17	<10	<10	66	<10	139
SB343055		0.17	<10	<10	70	<10	99
SB343056		0.18	<10	<10	72	<10	110
SB343057		0.12	<10	10	55	<10	66
SB343058		0.10	<10	20	49	<10	74
SB343059		0.17	<10	10	61	<10	102
SB343060		0.17	<10	<10	70	<10	129
SB343061		0.17	<10	<10	67	<10	89
SB343062		0.19	<10	<10	80	<10	92
SB343063		0.19	<10	<10	66	<10	102
SB343064		0.19	<10	<10	80	<10	109
SB343065		0.17	<10	<10	76	<10	106
SB343066		0.18	<10	<10	78	<10	104
SB343067		0.14	<10	<10	62	<10	85
SB343068		0.18	<10	<10	59	<10	112
SB343069		0.16	<10	<10	53	<10	81
SB343070		0.19	<10	<10	64	<10	71
SB343071		0.16	<10	<10	57	<10	74
SB343072		0.17	<10	<10	65	<10	73
SB343073		0.18	<10	<10	67	<10	85
SB343074		0.15	<10	<10	76	<10	58
SB343075		0.18	<10	<10	70	<10	71
SB343076		0.12	<10	10	63	<10	72
SB343077		0.16	<10	<10	66	<10	86
SB343078		0.13	<10	<10	48	<10	94
SB343079		0.14	<10	<10	52	<10	83
SB343080		0.15	<10	<10	57	<10	89
SB343081		0.15	<10	<10	51	<10	107
SB343082		0.15	<10	<10	50	10	134
SB343083		0.18	<10	<10	58	<10	79
SB343084		0.15	<10	<10	46	<10	113
SB343085		0.17	<10	<10	48	<10	144
SB343086		0.17	10	<10	60	10	149
SB343087		0.19	<10	<10	65	<10	100
SB343088		0.16	<10	<10	52	<10	102
SB343089		0.13	<10	<10	46	<10	67
SB343090		0.15	<10	<10	54	<10	86

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 3 - A

Total # Pages: 5 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
SB343091		0.38	<0.005	<0.2	4.30	3	<10	460	1.5	<2	0.97	<0.5	40	183	64	6.22
SB343092		0.36	0.041	0.2	2.32	<2	<10	130	0.7	<2	0.20	<0.5	13	61	22	3.08
SB343093		0.24	<0.005	0.3	3.39	8	<10	120	0.8	<2	0.18	0.7	9	27	19	2.86
SB343094		0.38	0.007	<0.2	2.69	6	<10	100	0.5	<2	0.15	<0.5	8	26	13	2.61
SB343095		0.36	0.013	<0.2	1.79	2	<10	90	<0.5	<2	0.22	<0.5	7	28	13	2.06
SB343096		0.40	0.006	<0.2	2.24	6	<10	120	0.5	<2	0.19	<0.5	9	32	14	2.95
SB343097		0.32	0.018	<0.2	1.42	6	<10	160	<0.5	<2	0.20	<0.5	9	36	12	2.71
SB343098		0.24	0.007	0.2	3.26	7	<10	150	0.7	<2	0.19	<0.5	11	28	12	2.63
SB343099		0.32	0.195	<0.2	1.54	11	<10	140	<0.5	<2	0.27	<0.5	11	56	20	3.63
SB343100		0.32	0.070	0.2	2.10	6	<10	100	0.5	<2	0.23	<0.5	7	28	15	2.64
SB343101		0.36	0.054	<0.2	2.11	5	<10	140	0.5	<2	0.27	0.5	11	52	13	3.20
SB343102		0.38	0.029	0.4	3.17	8	<10	160	1.1	<2	0.42	0.8	7	13	20	2.25
SB343103		0.44	0.012	<0.2	1.69	2	<10	250	<0.5	<2	0.37	<0.5	12	67	13	3.16
SB343104		0.50	0.019	0.2	1.99	7	<10	230	0.5	<2	0.33	<0.5	12	51	23	3.13
SB343105		0.46	0.017	0.2	1.62	5	<10	160	0.5	<2	0.27	<0.5	9	50	11	3.19
SB343106		0.46	0.031	<0.2	2.02	4	<10	260	0.5	<2	0.69	0.5	13	95	16	3.73
SB343107		0.46	0.015	<0.2	1.58	10	<10	150	<0.5	<2	0.43	1.0	12	79	15	3.51
SB343108		0.34	0.008	0.4	2.00	11	<10	310	0.8	<2	0.53	2.3	14	39	31	3.04
SB343109		0.48	0.016	<0.2	1.40	6	<10	280	<0.5	<2	0.78	0.5	16	90	19	3.72
SB343110		0.42	0.008	<0.2	1.76	6	<10	260	0.5	<2	0.59	<0.5	13	76	20	3.48
SB343111		0.38	0.009	0.2	2.07	4	<10	180	0.8	<2	0.41	<0.5	14	57	19	3.40
SB343112		0.34	0.014	<0.2	1.90	6	<10	170	0.5	<2	0.42	0.7	11	53	16	3.15
SB343113		0.42	0.019	<0.2	1.08	<2	<10	220	<0.5	<2	0.93	<0.5	10	103	16	3.58
SB343114		0.40	0.007	0.3	2.24	<2	<10	240	0.5	<2	0.48	<0.5	10	65	16	3.07
SB343115		0.44	0.009	0.2	2.17	3	<10	350	0.6	<2	0.65	0.6	13	99	38	3.90
SB343116		0.34	0.009	0.3	2.52	3	<10	260	0.6	2	0.35	<0.5	13	60	30	3.41
SB343117		0.46	0.024	<0.2	1.50	3	<10	190	<0.5	<2	0.29	<0.5	9	37	14	2.45
SB343118		0.46	0.007	0.5	2.12	2	<10	180	<0.5	<2	0.25	<0.5	9	33	17	2.48
SB343119		0.46	<0.005	0.3	2.58	<2	<10	230	0.5	<2	0.24	<0.5	10	39	20	2.83
SB343151		0.32	<0.005	0.2	3.00	22	<10	110	0.9	<2	0.37	1.9	13	28	20	2.83
SB343152		0.42	0.005	0.3	2.77	10	<10	130	0.6	<2	0.23	<0.5	9	38	23	3.15
SB343153		0.34	<0.005	0.5	3.97	54	<10	110	1.2	<2	0.34	0.8	14	29	26	2.85
SB343154		0.36	0.005	0.3	2.57	19	<10	120	0.5	<2	0.16	0.6	10	32	14	2.87
SB343155		0.40	<0.005	0.4	3.45	17	<10	110	0.8	<2	0.16	0.5	11	32	21	2.93
SB343156		0.32	0.009	0.3	3.22	12	<10	180	0.7	2	0.15	0.5	10	31	22	2.76
SB343157		0.40	<0.005	0.3	2.81	11	<10	200	0.7	<2	0.31	<0.5	11	51	31	3.53
SB343158		0.40	0.007	0.2	2.75	11	<10	310	0.6	<2	0.16	<0.5	11	38	23	2.99
SB343159		0.30	0.014	0.2	2.80	10	<10	200	0.6	<2	0.18	0.5	8	25	16	2.55
SB343160		0.40	<0.005	0.2	3.10	<2	<10	300	0.7	<2	0.19	<0.5	10	23	17	2.62
SB343161		0.38	<0.005	0.2	3.14	2	<10	210	0.8	2	0.16	<0.5	11	38	25	2.91

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 3 - B

Total # Pages: 5 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
SB343091		10	<1	0.58	10	4.52	762	<1	0.02	258	1560	13	<0.01	<2	9	91
SB343092		10	1	0.09	10	1.03	499	1	0.02	60	1520	11	<0.01	<2	4	17
SB343093		10	1	0.08	10	0.27	353	7	0.02	13	2040	16	0.01	2	3	19
SB343094		10	<1	0.05	10	0.33	383	2	0.02	11	1940	7	<0.01	<2	4	13
SB343095		<10	<1	0.05	10	0.24	392	2	0.02	11	1860	7	<0.01	<2	3	17
SB343096		10	1	0.06	10	0.34	395	2	0.02	13	3260	10	<0.01	<2	3	17
SB343097		10	<1	0.07	10	0.42	473	2	0.02	14	980	13	<0.01	<2	3	19
SB343098		10	<1	0.05	10	0.34	588	1	0.02	18	2430	12	0.01	2	3	18
SB343099		10	<1	0.09	10	0.51	327	2	0.02	18	2180	14	<0.01	<2	4	24
SB343100		10	<1	0.06	10	0.32	285	2	0.02	10	2260	18	0.01	<2	3	27
SB343101		10	<1	0.08	10	0.44	366	3	0.02	21	1660	14	0.01	<2	3	27
SB343102		10	<1	0.06	10	0.23	1185	2	0.02	8	3810	27	0.02	<2	2	62
SB343103		10	<1	0.10	10	0.53	583	3	0.02	24	3040	28	<0.01	<2	3	36
SB343104		10	<1	0.20	10	0.61	507	2	0.02	24	1780	23	0.01	2	5	31
SB343105		10	<1	0.09	10	0.35	405	2	0.02	14	2720	26	0.01	<2	3	27
SB343106		10	<1	0.13	30	0.50	469	1	0.03	24	5270	16	0.01	<2	3	65
SB343107		10	<1	0.09	20	0.41	521	1	0.03	20	2200	35	<0.01	<2	3	43
SB343108		10	<1	0.12	10	0.44	1790	2	0.02	21	2450	92	0.02	2	3	56
SB343109		10	1	0.22	30	0.63	490	1	0.03	26	4130	27	<0.01	3	4	75
SB343110		10	<1	0.15	20	0.52	556	1	0.03	24	3660	13	0.01	<2	4	59
SB343111		10	<1	0.13	20	0.61	782	6	0.02	25	1230	15	<0.01	<2	4	38
SB343112		10	<1	0.11	10	0.46	470	2	0.02	20	2020	33	<0.01	<2	3	37
SB343113		10	<1	0.18	30	0.56	256	1	0.02	21	4230	15	0.02	<2	3	89
SB343114		10	1	0.12	20	0.46	397	1	0.02	21	4000	12	0.03	2	4	47
SB343115		10	<1	0.26	20	0.78	628	2	0.02	38	1960	26	0.03	<2	5	66
SB343116		10	<1	0.20	10	0.70	681	4	0.02	33	1400	25	0.02	<2	4	37
SB343117		<10	<1	0.12	10	0.45	287	1	0.01	14	1830	11	0.02	2	5	26
SB343118		10	<1	0.16	10	0.46	271	1	0.01	16	1230	14	0.02	<2	5	23
SB343119		10	<1	0.23	10	0.70	352	1	0.01	29	1700	14	0.02	<2	5	23
SB343151		10	1	0.07	10	0.51	1495	34	0.02	26	2050	51	0.04	<2	3	29
SB343152		10	<1	0.08	10	0.53	319	8	0.01	25	910	20	0.03	2	4	20
SB343153		10	<1	0.07	20	0.40	1280	59	0.02	36	740	21	0.03	<2	4	25
SB343154		10	<1	0.07	10	0.35	400	12	0.01	21	1140	19	0.03	<2	3	16
SB343155		10	<1	0.07	10	0.44	251	13	0.02	27	860	14	0.03	2	4	17
SB343156		10	<1	0.08	10	0.42	875	3	0.01	25	2200	22	0.04	<2	3	19
SB343157		10	<1	0.12	10	0.75	465	6	0.01	33	1250	15	0.03	2	5	30
SB343158		10	<1	0.12	10	0.70	468	2	0.01	39	2730	26	0.03	<2	5	21
SB343159		10	<1	0.08	10	0.45	564	2	0.01	21	1970	19	0.03	2	4	18
SB343160		10	1	0.09	10	0.40	902	3	0.01	20	2250	22	0.02	<2	4	24
SB343161		10	<1	0.13	10	0.66	355	2	0.01	29	850	11	0.03	<2	5	20

Comments: NSS is non-sufficient sample.





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 3 - C

Total # Pages: 5 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
SB343091		0.45	10	<10	127	<10	77
SB343092		0.18	<10	<10	62	<10	78
SB343093		0.20	<10	<10	54	<10	100
SB343094		0.15	<10	<10	57	<10	66
SB343095		0.11	<10	<10	47	<10	70
SB343096		0.15	<10	<10	63	<10	89
SB343097		0.17	<10	<10	70	<10	98
SB343098		0.18	<10	<10	48	<10	112
SB343099		0.16	<10	<10	94	10	75
SB343100		0.14	<10	<10	62	<10	62
SB343101		0.19	<10	<10	83	<10	96
SB343102		0.11	<10	<10	39	10	95
SB343103		0.18	<10	<10	83	<10	89
SB343104		0.18	<10	<10	80	<10	94
SB343105		0.18	<10	<10	73	10	102
SB343106		0.20	<10	<10	103	<10	97
SB343107		0.19	<10	<10	97	<10	110
SB343108		0.18	<10	<10	56	<10	158
SB343109		0.22	<10	<10	106	<10	85
SB343110		0.20	<10	<10	93	<10	95
SB343111		0.23	<10	<10	81	<10	90
SB343112		0.20	<10	<10	73	<10	105
SB343113		0.19	<10	<10	112	<10	62
SB343114		0.19	<10	<10	80	<10	88
SB343115		0.27	<10	<10	114	<10	86
SB343116		0.28	<10	<10	83	<10	107
SB343117		0.16	<10	<10	64	<10	57
SB343118		0.17	<10	<10	61	<10	66
SB343119		0.19	<10	<10	65	<10	83
SB343151		0.18	<10	<10	56	<10	157
SB343152		0.20	<10	<10	67	<10	95
SB343153		0.20	<10	<10	64	<10	92
SB343154		0.20	<10	<10	64	<10	110
SB343155		0.20	<10	<10	62	<10	91
SB343156		0.18	<10	<10	58	<10	108
SB343157		0.21	<10	<10	82	<10	114
SB343158		0.18	<10	<10	62	<10	124
SB343159		0.17	<10	<10	51	10	105
SB343160		0.19	<10	<10	52	<10	128
SB343161		0.19	<10	<10	63	<10	85

Comments: NSS is non-sufficient sample.



# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 4 - A

Total # Pages: 5 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. GRACE

### CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
SB343162		0.48	<0.005	0.4	3.14	7	<10	170	0.7	<2	0.12	<0.5	8	26	16	2.64
SB343163		0.40	<0.005	0.2	3.09	8	<10	200	0.7	<2	0.15	0.6	10	28	24	2.74
SB343164		0.36	0.007	0.2	2.61	6	<10	220	0.6	<2	0.17	0.5	11	26	16	2.47
SB343165		0.32	<0.005	<0.2	2.77	5	<10	190	0.6	2	0.15	1.1	12	31	15	2.64
SB343166		0.42	<0.005	0.2	2.54	3	<10	150	0.6	<2	0.14	<0.5	9	38	19	2.97
SB343167		0.30	<0.005	<0.2	1.80	11	<10	160	0.5	<2	0.10	<0.5	10	28	13	3.03
SB343168		0.40	<0.005	0.2	2.35	8	<10	200	0.6	<2	0.18	<0.5	9	42	20	3.01
SB343169		0.38	<0.005	0.2	2.61	5	<10	180	0.5	<2	0.15	<0.5	9	38	19	2.88
SB343170		0.48	0.014	0.2	2.86	7	<10	180	0.6	<2	0.23	<0.5	9	34	22	2.67
SB343171		0.42	<0.005	0.2	2.78	6	<10	160	0.5	<2	0.12	0.6	9	29	19	2.50
SB343172		0.34	<0.005	0.3	2.53	9	<10	210	0.5	<2	0.21	<0.5	9	31	16	2.51
SB343173		0.38	<0.005	0.2	2.38	<2	<10	280	0.5	<2	0.14	<0.5	10	27	18	2.58
SB343174		0.34	<0.005	0.2	2.55	3	<10	190	0.6	<2	0.12	<0.5	9	28	16	2.38
SB343175		0.42	0.008	0.2	2.04	11	<10	110	<0.5	<2	0.30	<0.5	8	41	20	2.77
SB343176		0.38	<0.005	0.4	2.88	10	<10	140	0.6	<2	0.22	0.5	9	32	14	2.72
SB343177		0.40	<0.005	0.3	2.57	5	<10	240	0.6	<2	0.28	0.6	10	36	16	2.59
SB343178		0.30	<0.005	0.3	3.15	5	<10	180	0.6	<2	0.30	0.6	9	37	20	2.66
SB343179		0.36	<0.005	0.3	2.38	10	<10	160	0.7	<2	0.44	0.8	12	43	27	2.89
SB343180		0.32	<0.005	0.3	2.35	5	<10	200	0.5	<2	0.50	<0.5	10	28	22	3.22
SB343181		0.30	<0.005	0.2	2.19	6	<10	100	0.6	<2	0.48	<0.5	11	46	29	2.99
SB343182		0.40	<0.005	0.2	1.99	9	<10	90	0.5	<2	0.44	0.5	11	44	31	3.16
SB343183		0.42	0.009	0.5	1.93	25	<10	110	0.8	<2	0.80	1.3	13	35	37	2.81
SB343184		0.30	<0.005	0.5	1.88	14	<10	100	0.6	<2	0.78	1.5	13	45	36	3.00
SB343185		0.34	<0.005	<0.2	2.33	10	<10	310	0.6	<2	0.30	0.6	11	41	22	3.14
SB343186		0.36	0.012	<0.2	2.36	9	<10	200	0.6	<2	0.23	<0.5	10	40	18	3.01
SB343187		0.46	<0.005	0.2	2.43	10	<10	130	0.6	<2	0.21	<0.5	11	40	20	3.08
SB343188		0.38	0.005	0.2	2.60	10	<10	150	0.6	<2	0.28	<0.5	10	50	25	3.16
SB343189		0.46	0.009	0.2	2.57	11	<10	250	0.6	<2	0.28	0.5	10	47	19	3.18
SB343190		0.40	0.011	0.2	2.09	14	<10	100	0.7	<2	0.42	0.5	12	53	25	3.38
SB343191		0.36	<0.005	0.3	1.75	18	<10	280	0.5	<2	0.31	0.9	12	53	20	3.50
SB343192		0.32	0.008	0.3	3.05	16	<10	150	0.7	<2	0.17	<0.5	9	34	16	2.94
SB343193		0.34	<0.005	0.3	1.90	7	<10	140	0.5	<2	0.22	<0.5	7	42	19	3.05
SB343194		0.34	<0.005	0.3	2.27	4	<10	150	0.5	<2	0.13	<0.5	8	30	13	2.87
SB343195		0.34	0.007	0.3	1.99	15	<10	80	0.5	<2	0.15	<0.5	6	40	13	3.05
SB343196		0.32	<0.005	0.3	3.00	10	<10	90	0.6	<2	0.12	1.0	8	27	15	2.54
SB343197		0.28	0.041	0.2	1.85	16	<10	120	0.5	<2	0.18	<0.5	7	39	16	3.34
SB343198		0.46	0.007	<0.2	1.30	<2	<10	160	<0.5	<2	0.22	<0.5	8	31	10	2.19
SB343199		0.38	0.005	0.2	1.32	5	<10	300	<0.5	<2	0.72	<0.5	10	93	15	3.36
SB342789		0.36	<0.005	0.3	2.90	6	<10	160	0.7	<2	0.21	0.5	11	34	21	2.66
SB342790		0.38	0.005	0.2	2.71	4	<10	160	0.7	2	0.10	<0.5	13	24	16	2.52

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 4 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 27-SEP-2005  
Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
SB343162		10	<1	0.07	10	0.43	393	4	0.01	18	1100	13	0.03	2	4	15
SB343163		10	<1	0.08	10	0.43	632	2	0.01	23	1610	26	0.03	<2	3	19
SB343164		10	<1	0.07	10	0.38	839	4	0.01	22	1000	28	0.03	<2	3	25
SB343165		10	1	0.09	10	0.39	935	4	0.01	32	1640	18	0.03	<2	3	17
SB343166		10	<1	0.08	10	0.46	557	4	0.01	25	1410	18	0.03	<2	4	15
SB343167		10	<1	0.09	10	0.37	1020	7	0.01	17	1160	21	0.03	<2	3	13
SB343168		10	1	0.10	10	0.58	359	6	0.01	25	1880	18	0.03	3	4	21
SB343169		10	1	0.10	10	0.58	266	3	0.01	27	1130	14	0.03	<2	4	20
SB343170		10	1	0.11	10	0.49	322	2	0.01	25	1800	34	0.03	<2	4	32
SB343171		10	1	0.08	10	0.39	451	1	0.01	19	2970	20	0.03	<2	3	16
SB343172		10	<1	0.08	10	0.41	360	1	0.01	20	2490	19	0.02	<2	3	27
SB343173		10	<1	0.07	10	0.36	1135	1	0.01	18	2460	15	0.03	<2	3	18
SB343174		10	<1	0.08	10	0.38	537	1	0.01	19	2110	15	0.03	<2	3	15
SB343175		10	<1	0.07	10	0.62	199	2	0.01	20	830	11	0.03	<2	4	28
SB343176		10	1	0.08	10	0.42	216	2	0.01	19	860	12	0.03	<2	3	21
SB343177		10	1	0.08	10	0.37	760	1	0.02	21	2750	19	0.03	<2	3	29
SB343178		10	1	0.09	10	0.39	389	1	0.02	22	3080	15	0.03	<2	3	30
SB343179		10	<1	0.09	20	0.52	687	2	0.02	25	1580	17	0.04	<2	3	39
SB343180		10	1	0.22	10	0.79	565	4	0.03	17	820	12	0.04	<2	6	37
SB343181		10	<1	0.07	20	0.64	488	7	0.02	26	1120	11	0.04	<2	4	38
SB343182		10	1	0.08	10	0.60	470	8	0.02	27	1070	12	0.05	<2	3	36
SB343183		10	1	0.08	20	0.52	1080	8	0.02	22	1370	30	0.09	<2	2	56
SB343184		10	<1	0.08	20	0.66	785	7	0.03	27	1190	38	0.05	<2	3	50
SB343185		10	1	0.06	10	0.45	632	2	0.02	21	4680	16	0.01	<2	4	29
SB343186		10	<1	0.06	10	0.45	494	2	0.02	22	2530	23	0.01	<2	3	21
SB343187		10	1	0.06	10	0.50	495	3	0.02	22	1750	14	0.01	<2	3	18
SB343188		10	<1	0.08	10	0.58	497	2	0.02	26	1590	18	0.01	<2	4	25
SB343189		10	1	0.08	10	0.50	593	2	0.01	23	2670	21	0.02	<2	3	30
SB343190		10	<1	0.08	20	0.63	546	4	0.01	22	1300	27	0.02	<2	4	33
SB343191		10	<1	0.09	10	0.52	1040	3	0.01	23	2740	29	0.02	<2	3	25
SB343192		10	<1	0.07	10	0.40	325	2	0.01	18	1970	13	0.02	<2	3	18
SB343193		10	<1	0.06	10	0.35	409	1	0.01	15	1920	17	0.02	2	2	23
SB343194		10	<1	0.06	10	0.33	390	2	0.01	14	2490	20	0.02	2	2	17
SB343195		10	<1	0.05	10	0.41	317	1	0.01	15	1360	24	0.02	<2	3	16
SB343196		10	1	0.05	10	0.27	466	1	0.01	12	2110	17	0.02	<2	2	12
SB343197		10	<1	0.09	10	0.47	396	2	0.01	18	1900	27	0.02	<2	3	18
SB343198		10	<1	0.10	10	0.46	464	2	0.01	13	1570	10	0.01	<2	3	21
SB343199		10	1	0.13	30	0.55	774	1	0.02	23	3220	17	0.02	<2	3	71
SB342789		10	<1	0.09	10	0.80	371	1	0.01	32	910	18	0.02	<2	5	24
SB342790		10	<1	0.06	10	0.44	323	3	0.01	23	800	17	0.02	2	3	14

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 4 of 5

Total # Pages: 5 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
SB343162		0.19	<10	<10	53	<10	110
SB343163		0.18	<10	<10	56	<10	115
SB343164		0.17	<10	<10	51	<10	84
SB343165		0.18	<10	<10	56	<10	228
SB343166		0.18	<10	<10	70	<10	113
SB343167		0.19	<10	<10	65	<10	111
SB343168		0.17	<10	<10	68	<10	100
SB343169		0.17	<10	<10	67	<10	77
SB343170		0.17	<10	<10	59	<10	72
SB343171		0.16	<10	<10	54	<10	72
SB343172		0.17	<10	<10	53	<10	82
SB343173		0.17	<10	<10	50	<10	107
SB343174		0.15	<10	<10	47	<10	83
SB343175		0.17	<10	<10	68	<10	71
SB343176		0.18	<10	<10	54	<10	93
SB343177		0.16	<10	<10	56	<10	153
SB343178		0.17	<10	<10	62	<10	99
SB343179		0.17	<10	<10	64	<10	107
SB343180		0.21	<10	<10	65	<10	90
SB343181		0.16	<10	<10	71	<10	70
SB343182		0.15	<10	<10	71	<10	80
SB343183		0.09	<10	10	56	<10	108
SB343184		0.14	<10	<10	71	<10	107
SB343185		0.17	<10	<10	66	<10	166
SB343186		0.17	<10	<10	67	<10	110
SB343187		0.18	<10	<10	69	<10	97
SB343188		0.18	<10	<10	77	<10	94
SB343189		0.18	<10	<10	72	<10	110
SB343190		0.18	<10	<10	76	<10	104
SB343191		0.21	<10	<10	80	<10	147
SB343192		0.19	<10	<10	65	<10	98
SB343193		0.16	<10	<10	72	<10	70
SB343194		0.17	<10	<10	60	<10	90
SB343195		0.17	<10	<10	73	<10	72
SB343196		0.15	<10	<10	52	<10	91
SB343197		0.19	<10	<10	73	<10	105
SB343198		0.14	<10	<10	50	<10	78
SB343199		0.20	<10	<10	103	<10	101
SB342789		0.18	<10	<10	52	<10	86
SB342790		0.19	<10	<10	47	<10	81

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 5 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 27-SEP-2005  
Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
SB342791		0.34	<0.005	0.3	4.09	9	<10	180	0.8	<2	0.14	<0.5	11	15	26	2.09
SB342792		0.32	<0.005	0.2	2.63	7	<10	300	0.6	<2	0.21	<0.5	8	19	15	2.32
SB342793		0.40	0.017	0.4	3.03	<2	<10	220	0.7	2	0.17	<0.5	10	24	17	2.66
SB342794		0.34	0.017	0.2	2.65	6	<10	160	0.7	<2	0.14	<0.5	11	25	20	2.78
SB342841		0.38	0.010	0.3	2.72	7	<10	170	0.6	<2	0.19	<0.5	9	35	17	2.80
SB342842		0.32	<0.005	0.4	3.14	11	<10	80	0.8	<2	0.21	<0.5	11	26	16	2.68
SB342843		0.34	0.007	0.3	2.85	21	<10	200	0.8	<2	0.35	1.0	10	39	29	3.18
SB342844		0.34	0.008	0.3	3.45	7	<10	150	0.7	<2	0.13	0.5	10	24	19	2.65
SB342845		0.40	0.005	0.2	3.33	2	<10	130	0.8	<2	0.12	0.5	14	20	38	3.05
SB342846		0.40	<0.005	0.2	2.69	4	<10	160	0.5	<2	0.09	<0.5	6	21	29	3.17
SB342847		0.42	<0.005	<0.2	2.91	12	<10	140	0.5	2	0.10	0.6	7	32	22	3.07
SB342848		0.30	0.007	0.2	3.48	5	<10	100	0.7	<2	0.06	<0.5	8	26	21	2.62
SB342849		0.34	<0.005	0.3	3.17	17	<10	180	0.7	<2	0.19	0.9	11	52	29	3.09
SB342934		0.28	0.014	0.9	3.42	52	<10	90	1.0	<2	0.16	<0.5	10	30	22	2.64
SB342935		0.28	0.008	0.3	2.84	18	<10	190	0.8	<2	0.16	0.7	11	24	11	2.83
SB342936		0.24	<0.005	0.2	2.59	11	<10	130	0.7	<2	0.17	<0.5	12	30	14	2.79
SB342937		0.22	<0.005	0.3	3.03	17	<10	160	0.7	<2	0.10	<0.5	10	18	14	2.34
SB342938		0.26	<0.005	0.2	3.05	22	<10	140	0.6	<2	0.09	<0.5	7	26	12	2.93
SB342939		0.28	<0.005	<0.2	1.98	27	<10	170	<0.5	<2	0.13	0.5	7	30	15	2.43
SB342940		0.26	0.005	<0.2	2.59	35	<10	140	0.6	<2	0.15	<0.5	13	31	20	3.14
SB342941		0.30	0.058	0.3	2.58	76	<10	210	0.6	<2	0.11	0.5	9	29	17	3.14
MB342925		0.28	NSS	0.8	1.49	13	<10	160	0.5	<2	0.73	0.9	8	47	43	2.56
MB342927		0.28	0.024	0.2	1.57	11	<10	140	<0.5	<2	0.50	<0.5	12	68	26	3.22
MB342930		0.34	0.028	0.2	1.30	9	<10	120	<0.5	<2	0.85	<0.5	10	100	24	3.94
MB342942		0.46	0.076	0.6	1.85	9	<10	170	<0.5	<2	0.62	0.8	12	65	31	3.29
TB342924		0.46	0.009	0.5	1.70	12	<10	180	0.6	<2	0.83	0.9	10	50	26	2.81
TB342926		0.54	0.010	0.5	1.90	9	<10	170	0.5	<2	0.62	<0.5	11	60	27	3.13
TB342928		0.44	0.008	0.4	3.16	6	<10	280	1.2	<2	0.69	<0.5	14	71	62	4.21
TB342929		0.52	0.009	0.2	1.25	<2	<10	110	<0.5	<2	0.68	<0.5	10	83	19	3.50
TB342931		0.36	<0.005	0.5	1.53	6	<10	120	0.8	<2	0.73	0.5	8	65	34	3.20
TB342932		0.42	<0.005	0.2	1.22	<2	<10	100	0.5	<2	0.69	0.5	9	73	20	3.64

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 5 - B

Total # Pages: 5 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	0.01	2	1	1	
SB342791		10	1	0.06	10	0.29	489	2	0.02	26	1950	14	0.02	2	4	19
SB342792		10	<1	0.14	<10	0.26	461	4	0.02	17	3140	12	0.02	<2	3	27
SB342793		10	<1	0.09	10	0.42	502	3	0.01	25	1120	14	0.01	3	4	25
SB342794		10	<1	0.08	10	0.46	905	2	0.01	19	970	15	0.02	2	4	17
SB342841		10	<1	0.07	10	0.40	637	3	0.01	20	2380	18	0.02	<2	3	20
SB342842		10	<1	0.06	10	0.32	240	23	0.01	20	630	17	0.02	<2	4	20
SB342843		10	<1	0.11	10	0.61	470	21	0.02	31	730	48	0.03	<2	5	35
SB342844		10	<1	0.06	10	0.29	464	6	0.02	16	1550	13	0.02	<2	3	17
SB342845		10	1	0.07	10	0.33	279	14	0.01	20	450	13	0.02	<2	5	16
SB342846		10	1	0.10	10	0.46	296	8	0.01	12	1130	10	0.03	<2	8	14
SB342847		10	<1	0.08	10	0.39	376	6	0.01	18	1140	17	0.04	3	6	15
SB342848		10	<1	0.05	10	0.27	331	2	0.01	17	1790	19	0.03	2	3	9
SB342849		10	<1	0.08	10	0.87	1540	5	0.01	40	1740	30	0.02	<2	3	19
SB342934		10	<1	0.10	10	0.45	269	<1	0.01	23	990	20	0.02	<2	6	20
SB342935		10	1	0.07	10	0.39	707	1	0.02	21	1830	20	0.02	<2	4	17
SB342936		10	1	0.06	10	0.40	196	1	0.02	24	640	12	0.01	<2	3	20
SB342937		10	1	0.05	<10	0.24	389	1	0.02	18	1760	12	0.02	<2	3	12
SB342938		10	1	0.06	10	0.37	307	2	0.02	19	990	12	0.03	<2	3	13
SB342939		10	1	0.05	10	0.39	720	1	0.02	19	1720	18	0.01	<2	3	17
SB342940		10	1	0.08	10	0.52	397	2	0.01	27	800	10	0.02	<2	4	18
SB342941		10	1	0.07	10	0.43	1005	1	0.02	20	1790	13	0.02	<2	4	14
MB342925		10	<1	0.21	10	0.65	709	3	0.02	31	1020	57	0.06	<2	4	69
MB342927		<10	<1	0.19	10	1.03	387	2	0.01	32	790	26	0.03	<2	7	45
MB342930		<10	1	0.18	20	0.61	424	2	0.02	27	2130	19	0.03	<2	3	71
MB342942		<10	1	0.26	10	1.15	466	2	0.02	30	760	33	0.05	<2	10	53
TB342924		10	1	0.22	10	0.71	725	3	0.02	29	1060	31	0.05	<2	5	80
TB342926		10	1	0.21	10	1.10	493	2	0.02	30	800	24	0.03	<2	8	57
TB342928		10	1	0.24	20	1.06	696	5	0.02	38	980	13	0.02	<2	8	98
TB342929		<10	1	0.17	20	0.63	390	1	0.02	25	1840	15	0.02	<2	3	61
TB342931		<10	<1	0.15	30	0.49	663	4	0.02	19	1530	28	0.04	<2	3	77
TB342932		10	<1	0.14	30	0.44	492	7	0.02	18	1600	16	0.03	<2	3	62

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 5 - C

Total # Pages: 5 (A - C)

Finalized Date: 27-SEP-2005

Account: FIRVEN

Project: A. GRACE

## CERTIFICATE OF ANALYSIS VA05079524

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
SB342791		0.18	<10	<10	38	<10	108
SB342792		0.18	<10	<10	44	<10	128
SB342793		0.18	<10	<10	52	<10	88
SB342794		0.17	<10	<10	53	<10	108
SB342841		0.17	<10	<10	57	<10	128
SB342842		0.18	<10	<10	55	<10	56
SB342843		0.19	<10	<10	70	<10	103
SB342844		0.17	<10	<10	47	<10	106
SB342845		0.17	<10	<10	49	<10	118
SB342846		0.18	<10	<10	63	<10	82
SB342847		0.22	<10	<10	69	<10	90
SB342848		0.18	<10	<10	49	<10	95
SB342849		0.21	<10	<10	62	<10	184
SB342934		0.17	<10	<10	47	<10	103
SB342935		0.17	<10	<10	47	<10	189
SB342936		0.16	<10	<10	53	<10	87
SB342937		0.16	<10	<10	43	<10	99
SB342938		0.17	<10	<10	53	<10	72
SB342939		0.13	<10	<10	48	<10	86
SB342940		0.15	<10	<10	55	<10	142
SB342941		0.16	<10	<10	60	<10	130
MB342925		0.14	<10	10	67	<10	93
MB342927		0.18	<10	<10	104	10	75
MB342930		0.14	<10	10	122	<10	53
MB342942		0.22	<10	10	114	10	92
TB342924		0.16	<10	10	76	<10	91
TB342926		0.20	<10	10	101	<10	82
TB342928		0.21	<10	20	101	<10	85
TB342929		0.14	<10	10	104	10	47
TB342931		0.13	<10	10	84	<10	67
TB342932		0.11	<10	10	97	<10	62

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 1

Finalized Date: 2-OCT-2005

Account: FIRVEN

## CERTIFICATE VA05081179

Project: A. Grace

P.O. No.:

This report is for 30 Soil samples submitted to our lab in Vancouver, BC, Canada on 23-SEP-2005.

The following have access to data associated with this certificate:

CARL SCHULZE

LORI WALTON

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: FIRESTONE VENTURES INC.  
ATTN: CARL SCHULZE  
35 DAWSON RD  
WHITEHORSE YT Y1A 5T6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 2-OCT-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05081179

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
SB343138		0.30	<0.005	0.3	1.69	7	<10	60	<0.5	<2	0.07	0.5	2	14	9	1.98
SB343139		0.38	0.008	0.4	3.07	4	<10	80	0.6	<2	0.08	<0.5	5	20	11	2.41
SB343140		0.28	<0.005	0.2	2.40	5	<10	70	0.6	<2	0.12	<0.5	6	35	18	2.42
SB343141		0.28	0.035	0.2	3.26	3	<10	70	0.5	<2	0.07	<0.5	5	20	12	2.51
SB343142		0.24	0.005	0.2	3.32	12	<10	70	0.5	<2	0.10	0.5	3	20	10	2.43
SB343143		0.28	<0.005	0.3	2.23	8	<10	90	<0.5	<2	0.17	0.8	4	21	12	2.26
SB343144		0.30	<0.005	0.3	1.91	8	<10	100	0.8	<2	0.18	0.7	9	26	14	2.99
SB343145		0.24	<0.005	0.4	2.99	6	<10	70	0.6	<2	0.13	<0.5	6	22	12	2.86
SB343146		0.26	<0.005	0.2	0.95	5	<10	50	<0.5	<2	0.08	0.6	3	20	7	1.94
SB343147		0.34	<0.005	0.3	2.97	7	<10	110	0.5	<2	0.09	<0.5	5	17	13	2.26
SB343148		0.24	<0.005	0.3	2.78	8	<10	70	0.5	<2	0.11	0.7	8	20	13	2.72
SB343149		0.36	<0.005	0.3	3.92	<2	<10	70	0.8	<2	0.09	<0.5	8	26	16	2.51
SB343150		0.36	<0.005	0.4	4.07	4	<10	50	0.7	<2	0.05	<0.5	3	22	15	3.04
SB343210		0.24	<0.005	0.4	2.73	<2	<10	70	<0.5	<2	0.06	<0.5	4	15	11	2.01
SB343211		0.34	0.007	0.4	1.34	16	<10	60	<0.5	<2	0.12	1.2	3	23	11	2.54
SB343212		0.38	<0.005	0.3	1.60	5	<10	70	<0.5	<2	0.12	0.5	8	35	17	2.30
SB343213		0.24	0.005	0.4	2.94	5	<10	80	0.7	<2	0.09	0.5	7	25	16	2.53
SB343214		0.30	<0.005	0.3	2.16	9	<10	100	0.5	<2	0.13	0.8	6	25	13	2.64
SB343215		0.34	<0.005	0.4	2.30	4	<10	80	0.6	<2	0.18	1.0	7	26	17	2.94
SB343216		0.32	0.005	0.3	2.60	10	<10	80	0.6	<2	0.15	0.8	8	32	20	2.48
SB343217		0.28	<0.005	0.2	2.39	7	<10	70	0.6	<2	0.22	0.8	5	35	19	2.78
SB343218		0.38	<0.005	0.2	2.55	9	<10	110	0.7	<2	0.24	<0.5	9	42	20	2.94
SB343219		0.48	<0.005	0.4	1.60	<2	<10	80	0.6	<2	0.21	0.6	6	37	20	2.55
SB343220		0.52	<0.005	<0.2	1.16	5	<10	70	<0.5	<2	0.18	0.5	4	45	13	3.01
SB343221		0.36	<0.005	0.3	3.23	9	<10	80	0.7	<2	0.35	0.6	7	17	17	2.29
SB343222		0.40	<0.005	0.2	2.37	<2	<10	120	0.5	<2	0.07	<0.5	5	15	11	2.03
SB343223		0.38	<0.005	<0.2	2.14	6	<10	90	0.5	<2	0.16	0.5	6	50	14	3.31
SB343224		0.42	0.005	<0.2	2.29	7	<10	80	0.6	<2	0.25	0.5	9	69	22	3.91
SB343225		0.58	0.012	0.2	1.81	<2	<10	100	0.5	<2	0.38	<0.5	10	64	37	3.32
MB342977		0.52	0.062	0.2	1.10	7	<10	90	<0.5	<2	0.64	1.0	10	78	21	3.58



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 2-OCT-2005  
Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05081179

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
SB343138		10	1	0.03	10	0.10	160	1	0.01	6	560	46	0.03	<2	1	8
SB343139		10	<1	0.04	10	0.19	322	1	0.01	11	1100	13	0.03	<2	2	11
SB343140		10	1	0.04	10	0.33	177	1	0.01	16	1160	11	0.02	<2	3	16
SB343141		10	1	0.03	10	0.18	366	1	0.01	12	1560	10	0.02	<2	2	9
SB343142		10	<1	0.03	<10	0.14	270	1	0.01	10	2130	19	0.03	2	1	10
SB343143		10	1	0.06	10	0.18	691	1	0.01	9	1880	48	0.03	3	2	15
SB343144		10	<1	0.05	10	0.31	360	7	0.03	13	1310	27	0.04	<2	2	20
SB343145		10	1	0.04	10	0.20	198	4	0.01	11	1590	16	0.03	2	2	14
SB343146		10	1	0.03	10	0.16	203	1	0.01	9	610	55	0.02	3	1	11
SB343147		10	1	0.03	10	0.13	208	1	0.01	10	1690	10	0.02	<2	2	10
SB343148		10	<1	0.04	10	0.16	606	1	0.01	11	3170	23	0.03	<2	1	11
SB343149		10	1	0.05	10	0.25	209	1	0.01	16	1840	11	0.03	<2	3	13
SB343150		10	1	0.03	10	0.16	114	1	0.01	10	1900	13	0.04	<2	3	8
SB343210		10	1	0.02	<10	0.10	230	1	0.01	7	1540	9	0.02	<2	1	8
SB343211		10	1	0.04	10	0.17	168	1	0.01	10	1910	20	0.02	<2	1	13
SB343212		10	<1	0.04	10	0.28	653	1	<0.01	22	1790	7	0.01	<2	2	13
SB343213		10	1	0.04	10	0.18	375	<1	0.01	9	1980	18	0.02	<2	2	11
SB343214		10	1	0.05	10	0.21	301	<1	0.01	12	2150	12	0.02	<2	2	14
SB343215		10	1	0.05	10	0.24	302	1	0.01	13	1300	18	0.03	<2	2	18
SB343216		10	<1	0.05	10	0.29	368	<1	0.01	18	1940	35	0.03	<2	2	16
SB343217		10	1	0.05	10	0.31	162	2	0.02	13	1080	21	0.03	<2	2	22
SB343218		10	<1	0.05	10	0.30	268	1	0.01	17	1800	11	0.02	<2	2	19
SB343219		10	1	0.05	20	0.29	156	3	0.01	16	460	10	0.02	<2	2	23
SB343220		10	<1	0.04	10	0.20	132	2	0.01	11	340	18	0.02	<2	1	20
SB343221		10	1	0.05	10	0.22	261	2	0.01	15	1280	19	0.04	<2	2	28
SB343222		10	1	0.04	10	0.16	446	<1	0.01	8	1440	16	0.02	<2	2	9
SB343223		10	1	0.05	10	0.27	140	1	0.01	16	530	13	0.02	<2	2	18
SB343224		10	1	0.06	10	0.43	190	1	0.01	29	1030	12	0.02	<2	2	22
SB343225		10	1	0.07	10	0.56	260	2	0.02	33	1000	8	0.02	<2	2	37
MB342977		10	<1	0.09	20	0.37	755	1	0.02	19	1790	16	0.04	<2	2	61



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 2-OCT-2005

Account: FIRVEN

Project: A. Grace

## CERTIFICATE OF ANALYSIS VA05081179

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
SB343138	0.01	0.14	<10	<10	43	<10	33
SB343139	0.01	0.12	<10	<10	44	<10	51
SB343140	0.01	0.13	<10	<10	55	<10	46
SB343141	0.01	0.14	<10	<10	50	<10	51
SB343142	0.01	0.13	<10	<10	47	<10	48
SB343143	0.01	0.13	<10	<10	46	<10	63
SB343144	0.01	0.18	<10	<10	62	<10	62
SB343145	0.01	0.17	<10	<10	52	<10	54
SB343146	0.01	0.13	<10	<10	52	<10	38
SB343147	0.01	0.15	<10	<10	42	<10	50
SB343148	0.01	0.14	<10	<10	49	<10	70
SB343149	0.01	0.15	<10	<10	48	<10	76
SB343150	0.01	0.16	<10	<10	52	<10	40
SB343210	0.01	0.13	<10	<10	39	<10	40
SB343211	0.01	0.12	<10	<10	54	<10	49
SB343212	0.01	0.13	<10	<10	59	<10	107
SB343213	0.01	0.13	<10	<10	51	<10	88
SB343214	0.01	0.14	<10	<10	53	<10	79
SB343215	0.01	0.14	<10	<10	55	<10	78
SB343216	0.01	0.12	<10	<10	53	<10	75
SB343217	0.01	0.13	<10	<10	59	<10	57
SB343218	0.01	0.12	<10	<10	65	<10	71
SB343219	0.01	0.12	<10	<10	59	<10	64
SB343220	0.01	0.11	<10	<10	71	<10	45
SB343221	0.01	0.13	<10	<10	39	<10	73
SB343222	0.01	0.16	<10	<10	40	<10	59
SB343223	0.01	0.12	<10	<10	75	<10	56
SB343224	0.01	0.12	<10	<10	89	10	57
SB343225	0.01	0.12	<10	<10	78	<10	47
MB342977	0.01	0.07	<10	<10	101	<10	93



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 1

Finalized Date: 22-SEP-2005

Account: FIRVEN

## CERTIFICATE VA05077081

Project: A Grace

P.O. No.:

This report is for 127 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-SEP-2005.

The following have access to data associated with this certificate:

CARL SCHULZE

LORI WALTON

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: FIRESTONE VENTURES INC.  
ATTN: CARL SCHULZE  
35 DAWSON RD  
WHITEHORSE YT Y1A 5T6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - A

Total # Pages: 5 (A - C)

Finalized Date: 22-SEP-2005

Account: FIRVEN

Project: A Grace

## CERTIFICATE OF ANALYSIS VA05077081

Sample Description	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
SB342701	0.20	<0.005	0.4	1.14	6	<10	120	<0.5	2	0.19	1.2	6	11	17	2.44
SB342702	0.52	<0.005	0.3	3.58	10	<10	160	0.8	2	0.13	1.2	8	21	21	2.87
SB342703	0.26	<0.005	0.2	2.40	7	<10	70	0.6	<2	0.10	0.5	7	25	15	3.06
SB342704	0.22	<0.005	0.3	2.07	11	<10	90	<0.5	<2	0.12	0.6	6	14	15	2.32
SB342705	0.34	0.194	<0.2	1.18	9	<10	60	<0.5	<2	0.21	<0.5	8	27	22	3.02
SB342706	0.34	<0.005	0.4	2.11	7	<10	70	0.7	<2	0.71	1.3	10	30	35	3.28
SB342707	0.34	<0.005	0.2	3.97	5	<10	110	1.0	<2	0.18	0.5	9	21	22	2.86
SB342708	0.38	<0.005	0.3	2.14	8	<10	100	0.5	<2	0.23	0.8	9	27	19	2.59
SB342709	0.24	<0.005	0.2	2.44	7	<10	70	0.6	<2	0.14	0.5	7	26	9	2.52
SB342710	0.30	<0.005	0.2	3.30	7	<10	110	0.7	<2	0.16	<0.5	8	24	16	2.80
SB342711	0.30	0.026	0.2	1.90	7	<10	150	<0.5	<2	0.10	<0.5	5	18	9	2.23
SB342712	0.28	<0.005	0.9	3.40	18	<10	80	0.6	<2	0.16	1.0	7	20	13	3.00
SB342713	0.24	<0.005	<0.2	2.58	13	<10	70	0.5	<2	0.14	0.6	5	20	12	2.50
SB342714	0.24	<0.005	<0.2	2.19	8	<10	90	0.5	<2	0.11	<0.5	5	19	8	2.35
SB342751	0.42	<0.005	0.4	2.11	5	<10	90	0.5	<2	0.15	<0.5	6	15	12	3.56
SB342752	0.40	<0.005	0.2	2.89	11	<10	180	1.0	<2	0.10	0.6	9	15	24	3.95
SB342753	0.38	<0.005	0.3	2.73	8	<10	60	0.6	<2	0.51	0.9	9	25	23	2.67
SB342754	0.38	<0.005	0.5	3.00	12	<10	80	0.7	<2	0.52	0.7	13	51	54	2.53
SB342755	0.54	0.005	0.4	1.72	5	<10	80	<0.5	2	0.19	0.5	11	42	48	2.93
SB342756	0.40	<0.005	0.4	3.50	7	<10	80	0.7	<2	0.09	0.6	10	28	24	2.45
SB342757	0.38	0.005	0.7	1.89	14	<10	50	0.6	<2	0.31	<0.5	8	44	58	2.34
SB342758	0.32	0.006	0.9	1.97	5	<10	50	0.9	<2	0.42	1.1	6	16	73	1.18
SB342759	0.34	0.005	1.2	2.91	13	<10	110	0.9	<2	0.27	0.6	18	32	64	2.97
SB342760	0.30	<0.005	0.5	3.28	7	<10	90	0.6	<2	0.07	<0.5	7	18	20	2.26
SB342761	0.38	<0.005	0.2	2.67	8	<10	130	0.6	<2	0.10	0.6	6	16	11	2.32
SB342762	0.40	<0.005	0.6	3.71	9	<10	90	0.8	<2	0.10	0.7	9	34	20	2.79
SB342763	0.44	<0.005	0.3	3.66	8	<10	120	0.9	<2	0.18	<0.5	10	22	21	2.89
SB342764	0.36	<0.005	0.2	2.92	9	<10	90	0.6	<2	0.12	0.6	6	19	12	2.26
SB342765	0.42	<0.005	0.5	3.51	5	<10	100	0.9	<2	0.56	0.5	10	32	25	2.84
SB342766	0.40	<0.005	0.4	3.48	13	<10	90	0.8	2	0.10	0.7	8	18	14	3.10
SB342767	0.36	0.007	0.3	3.22	8	<10	130	0.8	<2	0.09	0.6	8	21	18	2.66
SB342768	0.38	<0.005	0.3	3.01	6	<10	50	0.7	<2	0.47	<0.5	7	30	26	2.51
SB342769	0.46	0.012	<0.2	2.56	8	<10	100	0.6	<2	0.17	<0.5	7	30	20	2.53
SB342770	0.40	<0.005	0.4	2.52	10	<10	110	0.6	<2	0.34	0.7	14	74	48	3.42
SB342771	0.40	<0.005	0.4	3.08	9	<10	110	0.7	<2	0.16	<0.5	8	20	16	2.43
SB342772	0.40	0.006	0.4	3.21	7	<10	130	0.8	<2	0.21	<0.5	9	29	19	2.94
SB342773	0.30	<0.005	<0.2	2.66	12	<10	120	0.6	<2	0.20	1.0	8	19	14	2.65
SB342774	0.30	<0.005	0.2	3.35	7	<10	100	0.6	<2	0.10	<0.5	5	17	16	2.52
SB342775	0.32	<0.005	0.3	4.13	8	<10	90	0.9	<2	0.25	0.6	8	17	16	2.54
SB342776	0.32	<0.005	0.2	2.91	9	<10	90	0.6	<2	0.09	0.5	4	17	15	3.54

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 2 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 22-SEP-2005  
Account: FIRVEN

Project: A Grace

## CERTIFICATE OF ANALYSIS VA05077081

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
SB342701		10	<1	0.05	<10	0.26	3890	1	0.01	8	840	36	0.03	<2	2	13
SB342702		10	<1	0.08	10	0.46	659	1	0.01	19	910	19	0.02	2	3	14
SB342703		10	<1	0.05	10	0.33	341	1	0.01	13	650	19	0.02	<2	3	9
SB342704		10	<1	0.05	10	0.22	755	1	0.01	8	1490	16	0.03	<2	2	13
SB342705		10	<1	0.04	10	0.48	399	1	0.01	13	630	13	0.01	<2	3	15
SB342706		10	<1	0.07	20	0.66	1180	3	0.02	19	970	31	0.05	2	4	49
SB342707		10	1	0.06	<10	0.60	451	<1	0.02	16	930	23	0.02	<2	3	16
SB342708		10	<1	0.06	10	0.37	873	1	0.01	18	1460	40	0.02	2	3	19
SB342709		10	<1	0.04	<10	0.28	1000	1	0.01	16	1850	10	0.01	<2	2	14
SB342710		10	<1	0.05	10	0.36	336	<1	0.02	16	1670	10	0.01	<2	3	16
SB342711		10	<1	0.04	<10	0.23	796	<1	0.01	11	1530	15	0.01	2	2	12
SB342712		10	<1	0.05	<10	0.25	214	3	0.01	11	950	46	0.03	<2	3	15
SB342713		10	1	0.05	<10	0.23	105	1	0.02	12	910	13	0.02	<2	2	14
SB342714		10	<1	0.04	10	0.21	114	1	0.01	10	1110	9	0.02	<2	2	15
SB342751		10	<1	0.05	10	0.35	484	1	0.01	6	600	19	0.02	2	4	16
SB342752		10	<1	0.07	10	0.28	518	3	0.01	14	1350	17	0.02	2	3	11
SB342753		10	<1	0.05	10	0.32	306	4	0.02	17	720	13	0.03	<2	2	30
SB342754		10	<1	0.05	10	0.49	367	3	0.02	68	490	11	0.03	<2	3	49
SB342755		10	<1	0.06	10	0.52	314	1	0.01	36	950	19	0.01	<2	3	17
SB342756		10	<1	0.04	10	0.27	292	1	0.01	26	2110	10	0.02	<2	3	11
SB342757		10	<1	0.03	20	0.27	252	5	0.01	27	330	7	0.02	<2	2	24
SB342758		10	<1	0.03	20	0.14	176	3	0.01	46	580	9	0.06	2	1	34
SB342759		10	<1	0.06	10	0.39	331	4	0.02	66	500	14	0.02	<2	3	27
SB342760		10	1	0.04	<10	0.21	840	1	0.01	14	2120	10	0.02	2	2	8
SB342761		10	<1	0.05	10	0.22	1315	<1	0.02	12	1520	18	0.02	<2	2	12
SB342762		10	1	0.05	10	0.31	606	<1	0.02	49	2330	17	0.05	<2	3	10
SB342763		10	<1	0.05	20	0.30	233	2	0.02	16	350	11	0.01	<2	5	24
SB342764		10	<1	0.05	10	0.22	602	1	0.01	13	2350	13	0.02	2	2	10
SB342765		10	<1	0.06	30	0.50	637	3	0.03	28	410	16	0.02	<2	6	47
SB342766		10	<1	0.05	10	0.23	231	1	0.01	13	2690	14	0.02	<2	3	10
SB342767		10	<1	0.05	10	0.29	405	1	0.01	15	1720	13	0.02	<2	3	11
SB342768		10	<1	0.03	20	0.31	404	5	0.02	17	350	6	0.02	<2	4	29
SB342769		10	<1	0.06	10	0.42	408	<1	0.01	18	990	16	0.01	<2	3	17
SB342770		10	<1	0.07	10	0.91	356	1	0.01	43	1120	25	0.02	<2	3	34
SB342771		10	1	0.04	<10	0.23	606	<1	0.01	15	1380	16	0.01	<2	2	15
SB342772		10	<1	0.10	10	0.47	258	1	0.01	20	590	12	0.01	<2	3	21
SB342773		10	<1	0.09	10	0.31	906	<1	0.01	13	1900	27	0.02	<2	2	15
SB342774		10	1	0.05	10	0.31	334	<1	0.01	13	1240	16	0.02	<2	3	11
SB342775		10	<1	0.05	10	0.23	249	1	0.02	12	2010	19	0.02	<2	3	20
SB342776		10	<1	0.09	10	0.30	401	1	0.01	10	2810	18	0.02	<2	2	9

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - C

Total # Pages: 5 (A - C)

Finalized Date: 22-SEP-2005

Account: FIRVEN

Project: A Grace

## CERTIFICATE OF ANALYSIS VA05077081

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
SB342701		0.08	<10	<10	52	<10	105
SB342702		0.14	<10	<10	52	<10	159
SB342703		0.12	<10	<10	66	<10	70
SB342704		0.10	<10	<10	44	<10	79
SB342705		0.07	<10	<10	74	<10	61
SB342706		0.11	<10	<10	78	<10	86
SB342707		0.10	<10	<10	57	<10	87
SB342708		0.10	<10	<10	54	<10	78
SB342709		0.13	<10	<10	48	<10	92
SB342710		0.14	<10	<10	57	<10	119
SB342711		0.14	<10	<10	45	<10	82
SB342712		0.18	<10	<10	57	<10	71
SB342713		0.14	<10	<10	47	<10	61
SB342714		0.12	<10	<10	47	<10	45
SB342751		0.16	<10	<10	81	<10	94
SB342752		0.08	<10	<10	61	<10	127
SB342753		0.12	<10	<10	58	<10	101
SB342754		0.14	<10	<10	50	<10	54
SB342755		0.15	<10	<10	68	<10	74
SB342756		0.14	<10	<10	44	<10	92
SB342757		0.11	<10	<10	56	<10	24
SB342758		0.09	<10	<10	27	<10	17
SB342759		0.15	<10	<10	59	<10	116
SB342760		0.15	<10	<10	45	<10	69
SB342761		0.14	<10	<10	46	<10	116
SB342762		0.14	<10	<10	48	<10	118
SB342763		0.15	<10	<10	52	<10	45
SB342764		0.13	<10	<10	43	<10	91
SB342765		0.16	<10	10	51	<10	75
SB342766		0.14	<10	<10	53	<10	111
SB342767		0.13	<10	<10	54	<10	85
SB342768		0.14	<10	20	52	<10	30
SB342769		0.13	<10	<10	56	<10	61
SB342770		0.20	<10	<10	84	<10	102
SB342771		0.15	<10	<10	52	<10	84
SB342772		0.18	<10	<10	64	<10	68
SB342773		0.16	<10	<10	55	<10	96
SB342774		0.14	<10	<10	44	<10	54
SB342775		0.19	<10	<10	47	<10	86
SB342776		0.19	<10	<10	60	<10	80

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 3 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 22-SEP-2005  
Account: FIRVEN

Project: A Grace

## CERTIFICATE OF ANALYSIS VA05077081

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
SB342777		0.26	<0.005	0.2	4.30	10	<10	140	0.9	<2	0.11	<0.5	7	16	16	2.59
SB342778		0.46	<0.005	0.2	1.99	7	<10	100	1.3	<2	0.13	0.5	14	25	31	5.97
SB342779		0.48	0.046	0.6	2.63	8	<10	60	0.7	<2	0.41	0.7	8	29	17	2.86
SB342780		0.38	<0.005	0.3	2.65	7	<10	180	0.6	<2	0.20	0.5	8	21	12	2.37
SB342781		0.42	<0.005	0.3	2.61	10	<10	140	0.7	<2	0.23	0.6	12	41	16	3.90
SB342782		0.44	<0.005	0.2	3.54	8	<10	190	0.9	<2	0.18	0.6	9	19	22	2.91
SB342783		Not Recvd														
SB342784		0.40	0.012	0.2	2.15	16	<10	210	0.6	<2	0.43	0.8	12	45	28	3.28
SB342785		0.46	0.014	0.2	2.16	11	<10	170	0.5	<2	0.25	0.7	10	34	20	3.00
SB342786		0.38	0.006	0.2	2.79	11	<10	230	0.6	<2	0.32	0.5	8	20	13	2.66
SB342787		0.38	<0.005	0.4	2.37	9	<10	170	0.7	<2	0.27	0.7	11	26	24	2.90
SB342788		0.34	0.005	0.2	1.83	6	<10	370	0.5	<2	0.40	1.1	9	24	20	2.47
SB342801		0.38	0.022	0.2	2.19	11	<10	120	0.5	<2	0.58	0.9	8	27	26	2.64
SB342802		0.32	<0.005	<0.2	0.88	7	<10	40	<0.5	<2	0.34	<0.5	3	12	6	1.59
SB342804		0.48	<0.005	0.2	1.23	5	<10	70	<0.5	<2	0.09	<0.5	5	18	9	2.11
SB342805		0.50	<0.005	0.2	3.45	4	<10	140	0.8	<2	0.12	<0.5	8	21	18	3.03
SB342806		0.46	<0.005	<0.2	3.56	14	<10	80	0.8	<2	0.10	0.8	9	21	17	3.40
SB342807		0.44	<0.005	0.2	3.07	7	<10	140	0.7	<2	0.11	0.5	9	19	13	3.43
SB342808		0.36	<0.005	0.3	3.47	15	<10	70	0.7	<2	0.18	0.7	8	20	15	2.84
SB342809		0.44	<0.005	<0.2	3.89	8	<10	110	0.9	<2	0.09	<0.5	8	19	21	2.59
SB342810		0.38	<0.005	<0.2	2.66	5	<10	110	0.6	<2	0.16	<0.5	6	24	12	2.49
SB342811		0.42	<0.005	0.2	2.68	10	<10	90	0.6	<2	0.15	0.8	9	24	13	2.81
SB342812		0.26	0.006	0.2	4.26	14	<10	130	0.8	<2	0.11	0.6	8	15	14	2.75
SB342814		0.32	0.005	<0.2	1.52	9	<10	80	<0.5	<2	0.12	0.5	6	17	9	2.06
SB342815		0.32	0.007	<0.2	2.98	12	<10	80	0.5	<2	0.09	0.8	5	22	13	2.65
SB342816		0.30	<0.005	0.4	3.39	7	<10	70	0.7	<2	0.16	<0.5	5	14	10	2.43
SB342817		0.32	<0.005	0.3	2.49	10	<10	120	0.5	<2	0.08	0.9	5	14	12	2.34
SB342818		0.38	<0.005	0.3	2.91	11	<10	80	0.6	<2	0.12	0.5	7	20	12	2.58
SB342819		0.42	<0.005	0.5	3.21	7	<10	140	1.1	<2	0.44	0.5	11	21	37	3.93
SB342820		0.54	<0.005	0.5	2.75	9	<10	100	0.9	<2	0.39	<0.5	11	28	39	3.74
SB342821		0.34	<0.005	0.3	2.59	6	<10	100	0.7	<2	0.50	1.0	10	27	22	2.73
SB342822		0.44	<0.005	0.6	4.05	5	<10	90	1.0	<2	0.25	<0.5	7	17	19	2.25
SB342823		0.44	<0.005	0.4	3.77	5	<10	130	0.9	<2	0.15	0.6	9	22	18	2.62
SB342824		0.40	<0.005	<0.2	2.44	5	<10	100	0.6	<2	0.14	<0.5	8	23	16	2.91
SB342825		0.30	<0.005	0.2	1.60	7	<10	50	<0.5	<2	0.12	0.5	6	20	13	2.14
SB342826		0.28	<0.005	0.3	3.00	3	<10	100	0.7	<2	0.28	0.5	8	17	14	2.92
SB342827		0.44	<0.005	0.2	2.54	<2	<10	90	0.6	<2	0.12	<0.5	7	20	11	2.59
SB342828		0.42	<0.005	0.3	3.50	6	<10	190	0.8	<2	0.14	0.5	10	26	16	2.98
SB342829		0.50	<0.005	<0.2	2.40	6	<10	210	0.8	<2	0.23	<0.5	15	70	19	4.05
SB342830		0.46	<0.005	0.2	2.64	5	<10	220	0.9	<2	0.25	0.6	13	18	18	3.57

Comments: NSS is non-sufficient sample.







# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10. FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 3 of 5

Total # Pages: 5 (A - C)

Finalized Date: 22-SEP-2005

Account: FIRVEN

Project: A Grace

## CERTIFICATE OF ANALYSIS VA05077081

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
SB342777		0.18	<10	<10	50	<10	106
SB342778		0.04	<10	<10	112	<10	127
SB342779		0.15	<10	<10	58	<10	77
SB342780		0.15	<10	<10	46	<10	117
SB342781		0.11	<10	<10	66	<10	119
SB342782		0.15	<10	<10	56	<10	121
SB342783							
SB342784		0.21	<10	<10	74	<10	101
SB342785		0.17	<10	<10	60	<10	97
SB342786		0.16	<10	<10	49	<10	109
SB342787		0.17	<10	<10	53	<10	83
SB342788		0.15	<10	<10	45	<10	124
SB342801		0.13	<10	<10	58	<10	75
SB342802		0.11	<10	<10	37	<10	29
SB342804		0.12	<10	<10	49	<10	54
SB342805		0.16	<10	<10	58	<10	75
SB342806		0.13	<10	<10	63	<10	105
SB342807		0.12	<10	<10	63	<10	131
SB342808		0.15	<10	<10	51	<10	103
SB342809		0.16	<10	<10	51	<10	85
SB342810		0.12	<10	<10	51	<10	65
SB342811		0.13	<10	<10	58	<10	83
SB342812		0.16	<10	<10	45	<10	108
SB342814		0.12	<10	<10	46	<10	60
SB342815		0.15	<10	<10	54	<10	65
SB342816		0.17	<10	<10	45	<10	38
SB342817		0.15	<10	<10	47	<10	85
SB342818		0.15	<10	<10	50	<10	61
SB342819		0.13	<10	<10	71	<10	93
SB342820		0.12	<10	<10	75	<10	91
SB342821		0.13	<10	<10	58	<10	94
SB342822		0.16	<10	<10	41	<10	76
SB342823		0.14	<10	<10	51	<10	85
SB342824		0.12	<10	<10	60	<10	81
SB342825		0.11	<10	<10	52	<10	51
SB342826		0.17	<10	<10	50	<10	147
SB342827		0.15	<10	<10	53	<10	63
SB342828		0.15	<10	<10	59	<10	152
SB342829		0.08	<10	<10	79	<10	116
SB342830		0.09	<10	<10	70	<10	141

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 4 - C

Total # Pages: 5 (A - C)

Finalized Date: 22-SEP-2005

Account: FIRVEN

Project: A Grace

## CERTIFICATE OF ANALYSIS VA05077081

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
SB342906		0.18	<10	<10	61	<10	94
SB342907		0.16	<10	<10	74	<10	70
SB342908		0.18	<10	<10	66	<10	144
SB342909		0.17	<10	10	60	<10	118
SB342910		0.21	<10	<10	72	<10	96
SB342911		0.23	<10	<10	73	<10	79
SB342912		0.21	<10	<10	75	<10	72
SB342913		0.19	<10	<10	77	<10	84
SB342914		0.17	<10	<10	59	<10	79
SB342915		0.17	<10	<10	71	<10	82
SB342916		0.19	<10	<10	49	<10	45
SB342917		0.19	<10	<10	66	<10	61
SB342918		0.19	<10	<10	76	<10	88
SB342919		0.22	<10	<10	79	<10	96
SB342920		0.20	<10	<10	79	<10	112
SB342921		0.19	<10	<10	69	<10	127
SB342922		0.22	<10	<10	81	<10	90
SB342923		0.20	<10	<10	76	<10	100
SM269229		0.13	<10	<10	64	<10	57
SM269230		0.12	<10	<10	33	<10	32
SM269231		0.14	<10	<10	69	<10	73
SM269232		0.16	<10	<10	61	<10	60
SM269233		0.18	<10	<10	45	<10	77
SM269234		0.15	<10	<10	49	<10	64
SM269235		0.02	<10	30	17	<10	32
SM269236		0.17	<10	<10	49	<10	116
SM269237		0.14	<10	<10	55	<10	117
SM269238		0.13	<10	20	45	<10	37
SM269239		0.09	<10	30	56	<10	33
SM269240		0.15	<10	<10	65	<10	64
SM269241		0.18	<10	<10	55	<10	78
SM269242		0.12	<10	<10	42	<10	53
SM269243		0.14	<10	<10	57	<10	59
SM269244		0.14	<10	<10	44	<10	83
SM269245		0.14	<10	<10	39	<10	59
SM269246		0.10	<10	<10	57	<10	50
SM269247		0.14	<10	<10	53	<10	80
SM269248		0.12	<10	<10	54	<10	61
SM269249		0.14	<10	<10	48	<10	48
SM269250		0.12	<10	<10	73	<10	105

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: FIRESTONE VENTURES INC.  
 #52 10203-178 STREET  
 EDMONTON AB T5S 1M3

Page: 5 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 22-SEP-2005  
 Account: FIRVEN

Project: A Grace

## CERTIFICATE OF ANALYSIS VA05077081

Sample Description	Method	Analyte	Units	LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41			
					Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
					kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
					0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
TB342795					0.50	0.141	0.4	1.84	7	<10	120	0.7	<2	0.74	1.5	9	47	25	2.75
TB342796					0.54	<0.005	0.7	1.66	13	<10	120	0.7	<2	0.85	0.8	7	39	35	1.95
TB342797					0.50	0.065	0.3	1.62	9	<10	90	0.5	<2	0.51	0.8	8	29	34	2.14
TB342798					0.48	0.006	0.3	1.98	14	<10	90	0.6	<2	0.58	<0.5	15	42	67	1.88
TB342799					0.52	0.018	0.9	2.36	9	<10	100	0.7	2	0.69	0.7	13	58	66	2.66
TB342800					0.34	<0.005	0.4	3.73	6	<10	70	0.8	2	0.54	<0.5	6	20	29	1.90
TB342850					0.66	0.036	0.4	1.40	7	<10	90	<0.5	<2	0.87	0.8	9	31	31	2.20

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.  
 #52 10203-178 STREET  
 EDMONTON AB T5S 1M3

Page: 5 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 22-SEP-2005  
 Account: FIRVEN

Project: A Grace

## CERTIFICATE OF ANALYSIS VA05077081

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
TB342795		10	1	0.10	20	0.52	533	3	0.01	17	830	29	0.05	<2	4	56
TB342796		10	<1	0.04	20	0.53	787	6	0.01	20	790	19	0.07	<2	2	80
TB342797		10	<1	0.04	10	0.37	517	4	0.01	21	620	19	0.04	<2	2	44
TB342798		10	1	0.03	20	0.52	487	7	0.01	32	960	9	0.06	<2	2	49
TB342799		10	<1	0.05	20	0.56	773	5	0.02	67	720	13	0.05	<2	3	63
TB342800		10	<1	0.05	10	0.26	169	5	0.02	14	660	18	0.06	<2	3	32
TB342850		<10	<1	0.06	20	0.43	616	3	0.01	22	950	45	0.06	<2	2	63

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 5 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 22-SEP-2005  
Account: FIRVEN

Project: A Grace

## CERTIFICATE OF ANALYSIS VA05077081

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
TB342795		0.13	<10	10	67	<10	106
TB342796		0.07	<10	30	48	<10	62
TB342797		0.09	<10	<10	49	<10	57
TB342798		0.08	<10	10	51	<10	36
TB342799		0.11	<10	10	64	<10	61
TB342800		0.16	<10	<10	48	<10	58
TB342850		0.08	<10	20	54	<10	67

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 1  
Finalized Date: 18-SEP-2005  
Account: FIRVEN

## CERTIFICATE VA05075504

Project: Amazing Grace

P.O. No.:

This report is for 96 Soil samples submitted to our lab in Vancouver, BC, Canada on 6-SEP-2005.

The following have access to data associated with this certificate:

CARL SCHULZE

LORI WALTON

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: FIRESTONE VENTURES INC.  
ATTN: CARL SCHULZE  
35 DAWSON RD  
WHITEHORSE YT Y1A 5T6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_







# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 18-SEP-2005

Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075504

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
SM269164		10	<1	0.04	10	0.22	940	2	<0.01	12	1260	22	0.01	3	2
SM269165		10	<1	0.05	10	0.22	1015	2	<0.01	13	980	21	0.01	<2	2
SM269166		10	<1	0.05	20	0.32	314	2	0.01	17	470	26	0.01	<2	3
SM269167		10	<1	0.05	10	0.27	862	1	<0.01	12	590	35	<0.01	3	2
SM269168		10	<1	0.05	10	0.23	1260	1	<0.01	13	1870	78	<0.01	<2	2
SM269169		10	<1	0.05	10	0.23	732	1	<0.01	13	1250	32	0.01	2	2
SM269170		10	<1	0.04	10	0.34	648	1	<0.01	21	1520	23	0.01	<2	3
SM269171		10	<1	0.06	10	0.21	913	1	<0.01	13	1070	29	0.01	<2	2
SM269172		10	<1	0.05	20	0.22	1115	2	0.01	14	790	23	0.01	<2	3
SM269173		10	<1	0.05	20	0.26	1225	2	0.01	16	1080	21	0.01	<2	3
SM269174		10	<1	0.05	10	0.27	686	2	<0.01	15	810	24	0.01	3	2
SM269175		10	<1	0.07	10	0.21	1265	1	<0.01	11	1620	60	<0.01	<2	2
SM269176		10	1	0.06	10	0.27	503	1	0.01	15	750	21	0.01	<2	3
SM269177		10	<1	0.04	<10	0.14	528	1	<0.01	11	1130	24	<0.01	<2	2
SM269178		10	<1	0.04	10	0.17	591	1	<0.01	12	1700	20	<0.01	2	2
SM269179		10	<1	0.05	10	0.23	1455	1	<0.01	12	1550	42	0.01	3	2
SM269180		10	<1	0.05	10	0.27	1095	1	<0.01	10	1290	81	<0.01	2	1
SM269181		<10	<1	0.06	10	0.08	129	1	<0.01	6	980	184	0.03	3	<1
SM269182		10	<1	0.07	10	0.38	828	1	<0.01	14	1690	52	<0.01	<2	2
SM269183		10	<1	0.06	10	0.30	1475	1	<0.01	12	1440	83	0.01	<2	1
SM269184		10	1	0.05	10	0.25	384	1	<0.01	14	1530	50	0.01	<2	3
SM269185		<10	<1	0.05	10	0.12	2710	1	<0.01	8	1060	93	0.01	3	1
SM269186		10	<1	0.07	10	0.33	1485	1	<0.01	16	1890	31	<0.01	<2	3
SM269187		10	<1	0.07	10	0.26	1490	1	<0.01	15	1760	26	0.01	<2	2
SM269188		10	<1	0.07	10	0.31	1405	1	<0.01	16	1200	99	<0.01	<2	2
SM269189		10	<1	0.05	10	0.22	1085	1	<0.01	14	1410	39	0.03	4	2
SM269190		10	<1	0.05	10	0.19	700	<1	<0.01	9	2160	28	0.02	2	2
SM269191		10	<1	0.04	<10	0.17	768	1	<0.01	9	2180	32	0.02	3	2
SM269192		10	<1	0.05	20	0.27	2750	2	0.01	13	750	46	0.02	<2	2
SM269193		10	<1	0.04	20	0.25	601	1	0.01	12	600	25	0.02	2	3
SM269194		10	<1	0.06	10	0.38	1470	<1	<0.01	15	1770	20	0.02	4	3
SM269195		10	<1	0.05	10	0.31	384	<1	<0.01	15	1450	44	0.02	3	2
SM269196		10	<1	0.05	10	0.26	443	<1	<0.01	13	2300	28	0.03	3	3
SM269197		10	1	0.05	10	0.20	999	1	<0.01	10	1730	32	0.02	3	2
SM269198		10	1	0.05	10	0.27	634	1	<0.01	13	1360	20	0.02	<2	2
SM269199		10	<1	0.06	10	0.28	1105	1	<0.01	13	2050	129	0.02	3	2
SM269200		10	<1	0.06	10	0.32	650	1	<0.01	15	1180	29	0.02	2	2
SB343201		10	<1	0.04	10	0.18	614	1	<0.01	11	1920	29	0.02	4	2
SB343202		10	<1	0.03	<10	0.10	219	<1	<0.01	6	310	51	0.01	<2	1
SB343203		10	<1	0.03	10	0.13	154	1	<0.01	7	1200	47	0.03	<2	2



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 18-SEP-2005

Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075504

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Ti	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
SM269164		0.16	<10	<10	45	<10	87
SM269165		0.14	<10	<10	43	<10	75
SM269166		0.16	<10	10	48	<10	73
SM269167		0.12	<10	<10	49	<10	92
SM269168		0.13	<10	<10	41	<10	113
SM269169		0.14	<10	<10	45	<10	90
SM269170		0.17	<10	<10	52	<10	68
SM269171		0.15	<10	<10	45	<10	104
SM269172		0.16	<10	<10	45	<10	92
SM269173		0.15	<10	<10	49	<10	64
SM269174		0.16	<10	<10	48	<10	65
SM269175		0.12	<10	<10	40	<10	172
SM269176		0.19	<10	<10	46	<10	62
SM269177		0.15	<10	<10	41	<10	78
SM269178		0.15	<10	<10	39	<10	69
SM269179		0.13	<10	<10	40	<10	81
SM269180		0.13	<10	<10	41	<10	71
SM269181		0.01	<10	<10	24	<10	72
SM269182		0.14	<10	<10	52	<10	81
SM269183		0.07	<10	<10	47	<10	114
SM269184		0.15	<10	<10	45	<10	68
SM269185		0.08	<10	<10	28	<10	108
SM269186		0.15	<10	<10	48	<10	114
SM269187		0.15	<10	<10	42	<10	98
SM269188		0.15	<10	<10	47	<10	124
SM269189		0.15	<10	<10	41	<10	80
SM269190		0.14	<10	<10	42	<10	82
SM269191		0.17	<10	<10	41	<10	81
SM269192		0.16	<10	<10	45	<10	74
SM269193		0.16	<10	<10	44	<10	52
SM269194		0.13	<10	<10	48	<10	102
SM269195		0.15	<10	<10	49	<10	111
SM269196		0.15	<10	<10	48	<10	95
SM269197		0.13	<10	<10	44	<10	90
SM269198		0.14	<10	<10	49	<10	60
SM269199		0.12	<10	<10	46	<10	89
SM269200		0.14	<10	<10	53	<10	61
SB343201		0.15	<10	<10	42	<10	78
SB343202		0.10	<10	<10	36	<10	48
SB343203		0.11	<10	<10	27	<10	44



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 18-SEP-2005

Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075504

Sample Description	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	
	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	
SB343204	0.32	0.032	0.3	2.56	27	<10	90	0.5	3	0.09	0.6	4	15	11	2.53	
SB343205	0.30	0.018	0.5	2.69	10	<10	300	0.9	<2	0.32	1.2	6	15	17	2.05	
SB343206	0.46	0.007	0.4	3.50	12	<10	120	0.7	<2	0.08	0.5	4	16	12	2.19	
SB343207	0.36	<0.005	0.7	3.76	13	<10	70	1.0	<2	0.53	0.6	5	30	21	2.43	
SB343208	0.30	<0.005	0.3	3.40	8	<10	130	0.7	<2	0.13	<0.5	6	20	14	2.39	
SB343209	0.22	<0.005	0.5	2.10	10	<10	90	<0.5	2	0.07	0.6	4	12	12	1.71	
SB343351	0.16	0.006	0.2	0.99	12	<10	170	<0.5	2	0.35	1.7	3	11	14	1.27	
SB343352	0.28	0.030	0.7	2.18	11	<10	130	0.7	2	0.09	<0.5	6	19	13	2.70	
SB343353	0.36	0.005	0.3	2.30	8	<10	120	0.5	<2	0.09	<0.5	6	20	12	2.78	
SB343354	0.42	0.044	0.2	2.73	5	<10	140	0.5	2	0.06	<0.5	5	15	10	2.38	
SB343355	0.30	0.006	0.4	3.24	14	<10	130	0.5	<2	0.11	0.6	5	14	11	2.33	
SB343356	0.28	0.008	0.4	1.71	16	<10	180	<0.5	<2	0.20	<0.5	5	15	8	2.08	
SB343357	0.30	<0.005	0.4	3.20	9	<10	170	0.6	2	0.08	0.6	5	10	11	2.00	
SB343358	0.36	0.005	0.3	2.34	10	<10	150	0.5	<2	0.07	0.5	5	14	11	2.06	
SB343359	0.26	0.012	0.5	3.91	7	<10	150	0.8	<2	0.10	<0.5	4	13	15	2.16	
SB343360	0.36	0.005	0.2	3.45	12	<10	110	0.8	<2	0.10	<0.5	4	13	12	2.11	
SB343361	0.30	0.035	0.2	1.74	11	<10	240	0.5	2	0.26	1.3	6	18	11	2.27	
SB343362	0.42	0.010	0.2	2.75	8	<10	240	0.7	2	0.17	<0.5	7	21	16	2.60	
SB343363	0.48	0.006	0.2	2.29	5	<10	260	0.6	2	0.21	<0.5	6	21	13	2.60	
SB343364	0.36	0.032	<0.2	2.27	16	<10	300	0.6	2	0.23	<0.5	6	24	18	2.63	
SB343365	0.56	0.006	0.5	2.55	15	<10	100	0.6	<2	0.49	<0.5	6	36	26	2.65	
SB343366	0.42	<0.005	0.3	2.46	12	<10	100	0.5	2	0.09	0.5	7	21	12	2.43	
SB343367	0.28	0.011	0.4	3.62	12	<10	90	0.8	2	0.53	<0.5	6	19	12	2.65	
SB343368	0.38	0.044	0.8	3.80	14	<10	140	1.2	3	0.31	<0.5	7	23	21	2.56	
SB343369	0.38	0.047	0.2	2.49	16	<10	110	0.5	2	0.08	0.8	5	16	14	2.22	
SB343370	0.38	0.019	0.2	1.18	18	<10	50	<0.5	<2	0.05	<0.5	3	14	7	2.07	
SB343371	0.34	0.010	0.6	3.13	27	<10	100	0.6	2	0.06	0.8	4	14	13	2.02	
SB343372	0.34	<0.005	0.3	1.86	23	<10	70	<0.5	3	0.07	0.7	4	9	10	1.62	
SB343373	0.42	0.009	0.5	3.42	7	<10	120	0.7	2	0.06	<0.5	7	16	15	2.36	
SB343374	0.26	<0.005	0.2	3.61	9	10	150	0.7	2	0.08	<0.5	4	14	12	2.53	
SB343375	0.34	0.007	0.3	3.67	16	<10	100	0.8	<2	0.10	0.5	6	13	15	2.01	
SB343376	0.38	0.059	0.2	3.37	14	<10	130	0.7	3	0.09	<0.5	6	18	14	2.30	
SB343377	0.40	0.091	<0.2	2.44	14	<10	180	0.6	4	0.10	1.2	6	18	13	2.33	
SB343378	0.38	<0.005	0.3	3.32	8	<10	120	0.7	2	0.08	<0.5	5	15	17	2.10	
SB343379	0.36	<0.005	0.3	2.91	6	<10	100	0.5	<2	0.08	0.5	5	11	12	1.97	
SB343380	0.26	0.008	0.5	3.15	14	<10	100	0.5	2	0.10	0.6	6	19	16	2.25	
SB343381	0.34	0.005	0.2	2.07	21	<10	50	<0.5	<2	0.10	0.6	8	27	17	2.74	
SB343382	0.44	0.006	0.4	3.23	14	<10	100	0.6	3	0.07	<0.5	6	20	15	2.43	
SB343383	0.34	<0.005	0.3	3.16	6	<10	70	0.5	2	0.05	<0.5	5	18	12	2.39	
SB343384	0.32	0.007	0.2	2.04	7	<10	90	<0.5	<2	0.09	0.6	4	13	13	1.68	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 18-SEP-2005  
Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075504

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
SB343204		10	<1	0.03	10	0.15	206	3	<0.01	8	540	40	0.04	3	1	12
SB343205		10	<1	0.05	20	0.19	2470	11	0.01	9	960	58	0.03	3	2	38
SB343206		10	<1	0.04	10	0.18	1645	1	<0.01	10	1120	15	0.03	2	2	10
SB343207		10	<1	0.05	10	0.21	923	5	0.01	17	660	27	0.02	2	3	38
SB343208		10	<1	0.04	10	0.25	563	1	<0.01	15	1310	17	0.02	<2	2	15
SB343209		10	<1	0.03	10	0.14	577	<1	<0.01	7	1080	69	0.02	4	1	11
SB343351		<10	<1	0.06	10	0.15	473	<1	<0.01	7	670	105	0.04	4	1	26
SB343352		10	<1	0.04	10	0.21	198	3	<0.01	9	370	27	0.02	3	2	12
SB343353		10	<1	0.05	10	0.23	565	1	<0.01	10	530	25	0.02	2	2	11
SB343354		10	<1	0.04	10	0.19	275	1	<0.01	9	1290	27	0.02	<2	2	10
SB343355		10	<1	0.03	<10	0.14	399	1	<0.01	7	2110	22	0.02	2	2	12
SB343356		10	<1	0.04	10	0.16	813	1	<0.01	7	1700	30	0.02	<2	1	20
SB343357		10	<1	0.03	<10	0.12	848	<1	<0.01	7	2530	26	0.02	2	1	10
SB343358		10	<1	0.04	10	0.15	998	<1	<0.01	8	2340	29	0.02	3	1	9
SB343359		10	<1	0.04	10	0.20	490	1	<0.01	10	1950	13	0.02	2	2	12
SB343360		10	<1	0.03	10	0.14	118	1	<0.01	9	740	13	0.02	2	2	12
SB343361		10	<1	0.05	10	0.22	1250	<1	<0.01	10	2840	64	0.02	2	1	24
SB343362		10	<1	0.05	10	0.28	489	<1	<0.01	14	1490	17	0.01	2	2	20
SB343363		10	<1	0.06	10	0.30	935	<1	<0.01	13	1240	18	0.01	2	2	21
SB343364		10	<1	0.07	10	0.35	807	<1	<0.01	13	1320	26	0.01	2	2	26
SB343365		10	<1	0.05	10	0.32	249	9	<0.01	23	390	16	0.02	<2	2	41
SB343366		10	<1	0.04	10	0.18	226	4	0.02	11	380	20	<0.01	<2	2	11
SB343367		10	1	0.04	10	0.18	267	6	0.03	12	520	23	0.01	<2	2	37
SB343368		10	<1	0.05	10	0.25	679	5	0.02	14	700	15	<0.01	<2	2	29
SB343369		10	<1	0.04	10	0.17	1395	1	0.02	12	1730	25	<0.01	<2	2	10
SB343370		10	<1	0.03	<10	0.10	256	1	0.02	5	2170	51	<0.01	2	1	7
SB343371		10	<1	0.04	10	0.15	1200	1	0.02	10	1390	48	0.02	<2	2	9
SB343372		10	<1	0.03	<10	0.07	1060	<1	0.02	6	1540	41	<0.01	<2	1	8
SB343373		10	<1	0.04	10	0.18	251	1	0.02	14	800	14	<0.01	<2	2	9
SB343374		10	1	0.04	10	0.14	380	<1	0.02	9	2500	17	0.01	<2	2	13
SB343375		10	<1	0.04	10	0.16	314	<1	0.02	12	1960	30	0.01	<2	2	13
SB343376		10	1	0.05	10	0.21	321	1	0.02	12	1320	14	<0.01	<2	2	13
SB343377		10	<1	0.06	10	0.22	1635	1	0.02	14	1130	50	<0.01	<2	2	14
SB343378		10	<1	0.04	10	0.17	930	1	0.02	7	1360	20	<0.01	<2	2	11
SB343379		10	<1	0.03	<10	0.10	741	<1	0.02	7	1380	27	<0.01	<2	1	9
SB343380		10	<1	0.05	10	0.21	1230	<1	0.02	10	1510	40	0.01	<2	1	14
SB343381		10	<1	0.05	10	0.27	1245	2	0.02	13	1960	55	0.01	<2	2	12
SB343382		10	<1	0.04	10	0.17	222	1	0.02	12	890	14	<0.01	<2	2	11
SB343383		10	<1	0.03	10	0.15	319	<1	0.02	7	1150	32	0.01	<2	2	8
SB343384		10	<1	0.04	<10	0.13	919	<1	0.02	7	1630	41	0.01	<2	1	11



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.  
#52 10203-178 STREET  
EDMONTON AB T5S 1M3

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 18-SEP-2005  
Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075504

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
SB343204		0.15	<10	<10	43	<10	45
SB343205		0.12	<10	<10	40	<10	61
SB343206		0.13	<10	<10	40	<10	76
SB343207		0.17	<10	10	62	<10	46
SB343208		0.14	<10	<10	46	<10	64
SB343209		0.11	<10	<10	35	<10	54
SB343351		0.06	<10	<10	24	<10	87
SB343352		0.14	<10	<10	52	<10	52
SB343353		0.14	<10	<10	53	<10	67
SB343354		0.14	<10	<10	44	<10	59
SB343355		0.13	<10	<10	39	<10	59
SB343356		0.11	<10	<10	41	<10	72
SB343357		0.13	<10	<10	34	<10	52
SB343358		0.11	<10	<10	38	<10	81
SB343359		0.14	<10	<10	38	<10	55
SB343360		0.13	<10	<10	37	<10	37
SB343361		0.11	<10	<10	43	<10	97
SB343362		0.13	<10	<10	50	<10	75
SB343363		0.12	<10	<10	50	<10	63
SB343364		0.12	<10	<10	53	<10	65
SB343365		0.12	<10	10	59	<10	77
SB343366		0.15	<10	<10	50	<10	65
SB343367		0.16	<10	<10	49	<10	60
SB343368		0.15	<10	<10	49	<10	62
SB343369		0.12	<10	<10	46	<10	76
SB343370		0.11	<10	<10	41	<10	43
SB343371		0.12	<10	<10	39	<10	65
SB343372		0.11	<10	<10	33	<10	43
SB343373		0.15	<10	<10	46	<10	75
SB343374		0.14	<10	<10	45	<10	61
SB343375		0.14	<10	<10	37	<10	55
SB343376		0.13	<10	<10	45	<10	61
SB343377		0.13	<10	<10	45	<10	86
SB343378		0.14	<10	<10	41	<10	65
SB343379		0.13	<10	<10	38	<10	59
SB343380		0.11	<10	<10	45	10	71
SB343381		0.13	<10	<10	59	<10	56
SB343382		0.13	<10	<10	50	<10	51
SB343383		0.13	<10	<10	48	<10	55
SB343384		0.11	<10	<10	35	<10	44



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 4 - A

Total # Pages: 4 (A - C)

Finalized Date: 18-SEP-2005

Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075504

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
SB343385		0.44	0.007	0.2	3.62	7	<10	120	0.6	2	0.07	<0.5	6	18	16	2.24
SB343386		0.26	0.006	0.4	2.62	13	<10	70	0.5	3	0.10	0.8	4	17	17	1.97
SB343387		0.34	<0.005	0.5	3.06	15	<10	120	0.6	3	0.07	<0.5	7	23	20	2.55
SB343388		0.32	0.007	0.3	2.84	13	<10	170	0.6	<2	0.14	0.6	6	21	15	2.36
SB343389		0.40	<0.005	0.2	0.70	11	<10	310	<0.5	2	0.12	3.5	3	8	8	1.02
SB343390		0.34	0.034	0.4	3.04	17	<10	180	0.8	2	0.09	<0.5	8	18	15	2.34
SB343391		0.36	0.015	<0.2	2.15	15	<10	310	0.5	2	0.20	1.0	7	27	17	2.35
SB343392		0.44	0.010	<0.2	2.32	13	<10	220	0.6	<2	0.23	<0.5	6	32	18	2.26
SB343393		0.38	0.015	<0.2	2.23	15	<10	180	0.6	3	0.13	<0.5	6	22	11	2.57
SB343394		0.40	<0.005	<0.2	3.65	11	<10	150	0.6	2	0.12	<0.5	4	19	14	2.53
SB343395		0.38	<0.005	0.2	3.04	8	<10	220	0.7	3	0.22	<0.5	6	19	15	2.52
SB343396		0.50	<0.005	0.3	3.65	7	<10	140	0.9	3	0.12	<0.5	6	19	20	2.52
SB343397		0.38	0.112	0.4	2.32	25	<10	180	0.8	2	0.21	0.9	8	18	14	2.58
SB343398		0.30	0.028	<0.2	3.43	17	<10	200	0.8	3	0.10	<0.5	5	17	11	2.53
SB343399		0.36	0.009	0.2	2.91	13	<10	140	0.7	<2	0.16	0.5	5	24	15	2.86
SB343400		0.40	0.012	0.2	1.49	13	<10	140	0.7	2	0.28	0.7	10	23	14	2.08



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 18-SEP-2005

Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075504

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41															
	Analyte	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units															
LOR	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units															
	Ga	ppm	Hg	ppm	K	%	La	ppm	Mg	%	Mn	ppm	Mo	ppm	Na	%	Ni	ppm	P	ppm	Pb	ppm	S	%	Sb	ppm	Sc	ppm	Sr	ppm
	10	1	0.01	10	0.01	5	1	0.01	1	0.01	1	10	2	0.01	2	0.01	2	1	1	10	2	0.01	2	0.01	2	1	1	1	1	
SB343385	10	<1	0.04	<10	0.21	973	<1	0.02	12	1430	20	0.01	<2	2	10															
SB343386	10	<1	0.05	10	0.20	1145	<1	0.02	6	1660	86	0.01	<2	2	12															
SB343387	10	1	0.05	10	0.29	446	<1	0.02	14	800	26	0.01	<2	2	11															
SB343388	10	1	0.05	10	0.24	930	<1	0.02	16	1660	19	<0.01	<2	2	15															
SB343389	<10	<1	0.08	10	0.07	2780	<1	0.01	2	480	67	<0.01	<2	<1	16															
SB343390	10	<1	0.06	10	0.20	808	<1	0.02	15	2380	20	<0.01	<2	2	13															
SB343391	10	<1	0.06	10	0.30	1495	<1	0.02	17	1360	48	<0.01	<2	2	23															
SB343392	10	<1	0.07	10	0.36	723	<1	0.02	21	1040	35	<0.01	<2	2	32															
SB343393	10	<1	0.06	10	0.28	1185	<1	0.02	13	1690	21	<0.01	<2	2	18															
SB343394	10	<1	0.05	10	0.24	1040	<1	0.02	12	1870	18	<0.01	<2	2	17															
SB343395	10	1	0.05	10	0.26	817	<1	0.02	13	990	27	<0.01	<2	2	20															
SB343396	10	<1	0.05	10	0.27	360	<1	0.02	14	1700	16	<0.01	<2	3	16															
SB343397	10	<1	0.05	10	0.26	1550	<1	0.03	12	1030	63	<0.01	<2	2	22															
SB343398	10	1	0.03	10	0.18	240	1	0.02	11	590	16	<0.01	<2	2	14															
SB343399	10	<1	0.05	10	0.30	663	<1	0.02	12	2180	29	<0.01	<2	2	17															
SB343400	10	<1	0.05	20	0.35	1020	1	0.02	13	710	31	<0.01	<2	2	30															



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: FIRESTONE VENTURES INC.

#52 10203-178 STREET

EDMONTON AB T5S 1M3

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 18-SEP-2005

Account: FIRVEN

Project: Amazing Grace

## CERTIFICATE OF ANALYSIS VA05075504

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
SB343385		0.14	<10	<10	45	<10	87
SB343386		0.11	<10	<10	41	<10	55
SB343387		0.14	<10	<10	50	<10	64
SB343388		0.14	<10	<10	47	<10	83
SB343389		0.02	<10	<10	22	<10	84
SB343390		0.13	<10	<10	44	<10	83
SB343391		0.12	<10	<10	47	<10	84
SB343392		0.12	<10	<10	47	<10	55
SB343393		0.13	<10	<10	54	<10	77
SB343394		0.15	<10	<10	49	<10	72
SB343395		0.15	<10	<10	50	<10	75
SB343396		0.16	<10	<10	49	<10	76
SB343397		0.15	<10	<10	46	<10	120
SB343398		0.16	<10	<10	51	<10	62
SB343399		0.15	<10	<10	57	<10	91
SB343400		0.11	<10	<10	47	<10	65



**Appendix 6b: Results from October, 2005**

VA05096957 - Finalized

CLIENT : "FIRVEN - Firestone Ventures Inc."

# of SAMPLES : 6

DATE RECEIVED : 2005-11-09 DATE FINALIZED : 2005-11-16

PROJECT : "Amazing Grace"

CERTIFICATE COMMENTS : ""

PO NUMBER : ""

	Au-AA24	Au-GRA22	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
SAMPLE	Au	Au	Ag	Al	As	B	Ba	Be
DESCRIPT1	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RB468001	0.532			0.5	0.51	168 <10		260 0.8
RB468002	0.294			0.2	0.57	125 <10		130 0.9
RB468003	>10.0	18.65	>100		0.1	124 <10		20 <0.5
RB468004	0.707			4.5	0.12	5 <10		40 <0.5
RB468005	0.063			1.8	0.4	13	10	290 <0.5
RB468006	0.011			1.2	0.26	7 <10		70 <0.5

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	
ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
<2	0.56	<0.5		3	2	4	2.27	<10	<1
<2	0.19	<0.5		3	3	2	2.35	<10	<1
<2	0.03		4.3	1	9	96	1.51	<10	<1
<2	0.05	<0.5	<1		13	4	0.79	<10	<1
<2	0.17	0.9		1	9	5	1.04	<10	1
<2	0.26	1.1		1	11	2	0.95	<10	<1

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
K	La	Mg	Mn	Mo	Na	Ni	P	Pb	
%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	
0.29	10	0.03	628	<1	0.03	3	860	16	
0.26	20	0.05	651	<1	0.03	2	760	6	
0.07	<10	0.01	541		1	0.01	1	90	1690
0.02	<10	0.06	244		2	0.01	1	40	203
0.16	10	0.13	425	<1	0.01	2	320	118	
0.07	<10	0.08	442	<1	0.01	1	250	195	

ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
S	Sb	Sc	Sr	Ti	Tl	U	V	W
%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
0.55	<2		1	30	<0.01	<10		5
0.4		2	1	14	<0.01	<10		5
0.42		78		3	<0.01	<10		1
0.03	<2	<1		4	<0.01	<10		2
0.04	<2		1	25	<0.01	<10		4
0.09	<2		1	36	<0.01	<10		3

ME-ICP41	Ag-AA46
Zn	Ag
ppm	ppm
15	
18	
181	108
19	
129	
149	

VA05096958 - Finalized

CLIENT : "FIRVEN - Firestone Ventures Inc."

# of SAMPLES : 1


DATE RECEIVED : 2005-11-09 DATE FINALIZED : 2005-11-17

PROJECT : "Amazing Grace"

CERTIFICATE COMMENTS : ""

PO NUMBER : ""

	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
SAMPLE	Au Total (+ Au (+) Frac	Au (+) Frac	Au (-) Frac	Au (+) mg	WT. + Frac	WT. - Frac	Au	Au
DESCRIP1	ppm	ppm	ppm	mg	g	g	ppm	ppm
RB468003	29.8	7400	19.95	10.81	1.46	1087	19.25	20.6



**LEGEND**

- Lower - Middle Jurassic: Bonnington Pluton
- 3c MJBgm: Quartz Monzonite: monzoniorite, largely megacrystic; includes hornblende-biotite qz monzonite and uncrystallized quartz monzonite
  - 3b MJBgd: Quartz Diorite, quartz-hornblende diorite, mel-coarse grained
  - 3a MJBgd: Granodiorite, fine-medium grained, largely biotite-hornblende granite

- Lower Jurassic (Rossland Group)
- 2b LJREg: Elise Formation?: Mafic Subvolcanic Rocks (Gabbro?), commonly argite phytic, locally coarse grained
  - 2a LJREv: Mafic Volcanic Rocks, predominantly coarse fragmentals, including tuff breccia, lapilli tuff, includes interflow volcanoclastic sediments

- Early Mesozoic
- 1 LJRa: Hall Formation: Siliceous metaclastic rocks, hornfelsed near pluton; includes quartz-pebble conglomerate, metaillstone, fine grained quartzite, pelite

- SYMBOLS**
- Strike + Dip of Bedding; Vertical bedding
  - Strike + Dip of Foliation; Vertical foliation
  - Strike + Dip of Fault, Shear Zone; Vertical fault
  - Strike + Dip of small Dyke (Capite)
  - Strike + Dip of Vein
  - Outcrop boundary
  - Rubblecrop, talus boundary
  - Geological Contact
  - Past workings
  - Major Fault
  - Property boundary
  - Driveway road, track
  - Stream

**ABBREVIATIONS**

Ab: Abundant	Amc: Muscovite
Alt: Altered	Ps: Pyroxenite
Arg: Argillitic	Qtz: Quartz
Bas: Basalt	Qva: Quartz Vein
Bio: Biotite	Sch: Schist
Brec: Brecciated	Ser: Sericite
Amph: Amphibole	Sil: Silicified
chl: Chlorite	Stwk: Stockwork
Cpy: Chalcopyrite	Tr: Trace
Dior: Diorite	V.G.: Veinle Gabbro
Fsp: Feldspar	
F.P.: Feldspar Porphyritic	
Gr: Granite	
Gdior: Granodiorite	Vs: Veins
Hbl: Hornblende	W: Tungsten
Lim: Limonite	Volc: Volcanics
Maf: Mafic	wk: Weak
Mag: Magnetite	
Mang: Manganese	
Mo: Molybdenite	

GEOLOGICAL SURVEY OF CANADA  
27.9.99

**MAP 1**

**GEOLOGY MAP  
AMAZING GRCU PROPERTY  
(2005 Program)  
FIRESTONE VENTURES Inc.  
BCGS Sheet D02-0103, 011  
UTM DATUM NAD 83**

Scale: 1:5,000



N

5459600

5458700

5458800


5458700

459000

459100

459200

Fairly Continuous  
Talus Cover,  
Unaltered Q Monz - Dior



### SYMBOLS

- Strike + Dip of Jointing
- Strike + Dip of Foliation
- Strike + Dip of Shear or Fault
- Strike + Dip of Vein, Dyke
- Fault
- Outcrop Boundary
- Rubblecrop, talus boundary
- Trench, known length + bearing
- Adit, drift (estimated underground location)
- Rock sample location, Au in g/t (ppm)
- Continuous chip sampling location


### ABBREVIATIONS

- As: Arsenopyrite
- Alt: Altered
- Arg: Argillic alteration
- Au: Gold
- Dior: Diorite
- Hblc: Hornblende
- Lamp: Lamprophyre
- F.P. Monz: Feldspar Porphyritic Monzonite
- Fol: Foliation
- Phy: Phyllic alteration (sericitic)
- Py: Pyrite
- Q Monz Dior: Quartz Monzodiorite
- QV: Quartz Veins
- Sil: Silica
- Vns: Veins

Map 1a  
 C.M. SCHULZE  
 25393  
 BRITISH COLUMBIA  
 GEOLOGICAL SURVEY BRANCH  
 ENVIRONMENT REPORT

Detailed Geology Map  
 "MAUD S AREA"  
 AMAZING GRACE PROJECT  
 FIRESTONE VENTURES Inc


BCGS Sheet 082 F/023, 033  
 NTS DATUM: NAD 83  
 Scale: 1:1,000  
 metres



**LEGEND**

- 14 1111 A Rock Sample Location, 14 1111, No. 1111  
Cultural elements (circle of significance)
- 14 1111 B Soil Sample Location, 14 1111, No. 1111
- 14 1111 C Mineral Sample, 14 1111, No. 1111


Map 2  
**Sample Location Map**  
**A MAZING GRACE PROJECT**  
 (2005 Project)  
**FIRESTONE VENTURES Inc.**  
 B.C.E.T. SHAUN, 202 Folsom  
 UTAH DATUM: MAD BE  
 Scale: 1:5,000  
 100 0 50 100 150  
 METERS



LEGEND

- Symbol (circle with dot) Soil Sample Location
- Symbol (dashed line) Approx. McPhee (Contour of significance)

Map 3  
Soil Sample Location Map  
Amazing Grace Project  
(2005 Program)  
Firestone Ventures Inc.  
BC65 Sheet: 02P01, 023  
VTM DATUM: NAD 83



459000

QM: Qtz Monzonite





Figure 4a  
 DETAILED GEOLOGY MAP  
 "MEISTER" TRENCH AREA  
 AMAZING GRACE PROPERTY  
 (Year 2005 Program)  
 FIRESTONE VENTURES Inc  
 BCGS sheet 082F/023  
 UTM DATUM: NAD 83  
 Scale: 1:2,500  
 0 50 100 150 200  
 metres

459000

459500

L 99+00E L 100+00E L 101+00E L 102+00E L 103+00E L 104+00E

BL 100+00 N





Figure 46  
 Rock Sample Location Map  
 MEISTER TRENCH AREA  
 AMAZING GRACE PROJECT  
 FIRESTONE VENTURES Inc.  
 BCGS Sheet M032 F023  
 UTM Datum NAD 83  
 Scale: 1:2,500  
 50 0 50 100 150  
 metres



459000




Figure 4c  
 Soil Sample Location Map  
 Meister Trench area  
 Amazing Grace Project  
 (Year-2005 program)  
 FIRESTONE VENTURES Inc.  
 BCAS Sheet N082 F023, 033  
 UTM DATUM NAD 83  
 Scale: 1:5,000

