

# **DRILLING REPORT**

## **SUMMIT PROPERTY**

**Latitude: 56°15'N  
Longitude: 130°04'W  
NTS: 104B 1E & 8E**

**By: Dave Visagie, P. Geo.  
Group Exploration Manager  
The Northair Group  
860-625 Howe Street  
Vancouver, B.C.  
V6C-2T6**

**For**

**Tenajon Resources Corp.  
860-625 Howe Street,  
Vancouver, B.C.  
V6C-2T6**

**Work Supervised By  
Dave Visagie, P. Geo.**

**Work Completed Between August 15<sup>th</sup> and October 10<sup>th</sup> 2005**

**Report Written: February, 2005**

## TABLE OF CONTENTS

1.0	Introduction	1
2.0	Location and Access	1
3.0	Topography and Vegetation	1
4.0	Claim Status	3
5.0	Property History	3
6.0	Regional Geology	6
7.0	Property Geology	6
	7.1 Lithology	8
	7.2 Mineralization	10
	7.3 Structure	10
	7.4 Alteration	10
	7.5 Bend Vein Description	11
8.0	2005 Work Program	11
9.0	Field Procedure	12
10.0	Assaying Method	12
	10.1 Gold Assaying	12
	10.2 ICP Analysis	12
11.0	Results	14
12.0	Summary and Conclusions	15
13.0	Recommendations	17
14.0	Cost Statement	17
15.0	Bibliography	18
16.0	Statement of Qualifications	19

## LIST OF FIGURES

1	Property Location	2
2	Claim Map	4
3	Regional Geology	7
4	Property Geology	9
5	Bend Vein Surface Compilation	13
6	Bend Vein-Longitudinal Section	16

## LIST OF TABLES

1	Summit Lake Property Status	3
2	Summit Lake Property-History of the Bow Claim	5
3	2005 Drill Results	14

## APPENDICES

1	Drill Logs	Back of Report
2	Assay Certificates	“

## **1.0 INTRODUCTION**

Tenajon Resources Corp.'s Summit Property is located approximately 48 km north of Stewart, British Columbia. The property, consisting of three claims totaling 28 units in size and 16 crown grants, hosts several zones of auriferous quartz-carbonate-sulphide veining including those at the formerly producing Summit Lake Gold Mine. Previous work on the most northerly claim, Bow, located three zones of veining: Bend, Blueberry and Road. Prior to 2005, drilling at the Bend Vein resulted in the completion of 19 holes totaling 989.53 metres in length. The program showed a 30 metre long x 2 metre wide lens of vein related semi massive pyrite and pyrrhotite mineralization to host high-grade gold values. In 2005, the zone was tested through drilling along strike and down-dip from the original drilling. Thirteen holes totaling 535.7 metres in length were drilled at the Bend Vein between September 1<sup>st</sup> and September 30<sup>th</sup>, 2005. The cost of the program is calculated to be \$69,591.

## **2.0 LOCATION AND ACCESS**

The Summit Property is located approximately 48 kilometres north of Stewart, British Columbia. The property is centred at latitude 56°15'N, longitude 130°04'W. It occurs on NTS sheets 104B 1E and 104B 8E (Figure 1)

Access to the property during the late spring to early fall seasons is by a combination of paved and gravel road from Stewart. In winter, the initial 25 km of the road is kept open to provide access to the Silbak Premier mine site. To keep the road open year round to the Summit Property requires extensive avalanche control and snow removal. The Stewart area receives over 200 cm of precipitation per year with much of it falling as snow. Although melt back starts as early as May, the Snow pack is usually present to late July to early August.

## **3.0 TOPOGRAPHY AND VEGETATION**

The Summit Property is located in a region of extensive glaciation that has resulted in the formation of extensive steep-sided U-shaped valleys and lateral moraines. It occurs on the divide between the Salmon and Bowser River drainages to the immediate east of the toe of the Berendon Glacier.

Property topography is relatively subdued with elevations ranging from 650 metres on the Tide Lake airstrip on the north to in excess of 900 metres in the northeast corner of the property.

The area was recently covered by the Berendon Glacier. The various stages of retreat have left clean outcrops and prominent lateral moraines. Vegetation varies from open alpine with blueberry bushes to moderately dense stunted spruce. Flat areas covered by recent fluvial or lacustrine sediment are partially overgrown by dense alder brush.



#### 4.0 CLAIM STATUS

The Summit Property consisting of three contiguous mineral claims totaling 28 units and 14 crown grants is 677.55 hectares in size. The claims and crown grants are listed below

**Table 1: Summit Lake Property Status**

<b>Name</b>	<b>Status</b>	<b>Record #</b>	<b>Units</b>	<b>Hectares</b>	<b>Expiry</b>
Sum #1	Mineral Claim	338685	6	9.58	Jan14/16*
Scot #4	"	250851	6	97.29	Jan 14/6
Bow	"	251148	16	357.6	Jan14/16*
	<b>3</b>		<b>28</b>	<b>464.47</b>	
Summit Lake #2	Crown Grant	6297	1	15.69	July 1/06
Summit Lake #8	"	6406	1	20.61	"
Summit Lake #7 Fr	"	6405	1	7.83	"
Summit Lake #6	"	6301	1	20.10	"
Summit Lake #5	"	6300	1	19.65	"
Prince No. 1	"	6407	1	18.65	"
Summit Lake #3	"	6298	1	4.93	"
Prince No. 2	"	6408	1	16.57	"
Summit Lake #1	"	6296	1	15.69	"
Prince Fraction	"	6412	1	6.88	"
Prince No. 6	"	6411	1	17.20	"
Prince No. 5	"	6410	1	20.90	"
Prince No. 4	"	6409	1	20.90	"
Summit Lake #4	"	6299	1	7.48	"
	<b>14</b>		<b>14</b>	<b>213.08</b>	
		<b>Total</b>	<b>42</b>	<b>677.55</b>	


\* Upon acceptance of this report.

The property is located in the Skeena Mining Division. It occurs on trim map sheet 104B 30 (Figure 2).


The property is 100% owned by Tenajon Resources Corp.

#### 5.0 PROPERTY HISTORY

Exploration on the Summit Property is largely confined to the Bend Vein. The following is a summary of the work completed on the claim.



**Summit Lake  
Crown Grants**



TENAJON RESOURCES CORP.  
**SUMMIT PROPERTY**  
**CLAIM MAP**

Figure 2

**Table 2: Summit Lake Property-History of the Bow Claim**

<b>Year</b>	<b>Company</b>	<b>Summary</b>
1984	Summit J.V. (Esso Resources Canada-Scottie Gold Mines Ltd.)	A 50/50 Joint Venture between Esso Resources Canada and Scottie Gold Mines was formed to evaluate a 37 unit claim block acquired through staking that included the Bow #1 mineral claim.
1984	Summit J.V.	Property wide mapping and prospecting located three sulphide bearing quartz carbonate veins (Bend, Blueberry and Road). Grids located over the Bend and Blueberry Veins. Soil and rock chip sampling, geophysical surveying (magnetic, horizontal loop EM and induced polarization), mechanical stripping and the diamond drilling of 1,094.80 metres of core in 20 holes undertaken. Trenching exposed the Bend Vein for 60 metres. Average width of the vein at surface is 1.5 metres. Twelve diamond drill holes completed on a 350 metre segment of the structure hosting the Bend Vein. All holes intersected the structure with a high grade gold values being intersected in the vicinity of the trenching. Drill results included a 4.17 metre section averaging 70.65 gpt Au (grams per tonne gold) with 47.8 gpt Ag (silver). Blueberry Vein exposed for 90 metres. Five holes tested the zone from two sites 45 metres apart. One of the holes intersected a 1.59 metre section averaging 26.56 gpt Au. The remaining three holes returned weak gold values. Four other holes tested other targets with no significant zones being outlined.
1989	Homestake Mining (Canada) Ltd.	Purchased the assets of Esso Resources Canada Limited.
1990	Summit J. V.	Limited soil sampling and mapping undertaken. Results outlined a 150 x 600 metre alteration zone hosting anomalous in soil gold values in association with a quartz vein stockwork located to the south of the Bend Vein.
1991	Homestake Mining (Canada) Ltd.	Completed a ten hole drill program, totaling 1,261.1 metres, that tested the gold in soil anomaly. Drill results negative.
1991	Tenajon Resources Corp.	Completed ten diamond drill holes, totaling 306.4 metres, on a 34 metre section of the Bend Vein centred about the 4.17 metre intercept averaging 70.65 gpt Au with 47.8 gpt Ag. The results showed highly anomalous gold values to occur through the tested section to a depth of up to 30 metres. The zone is open in part along strike and down-dip. Results included a 2.4 metre section averaging 0.963 opt Au with 0.68 opt Ag and a 3.40 metre section averaging 1.360 opt Au with 2.79 opt Ag.
2000	Homestake Mining (Canada) Ltd.	Assigned its' interest in the Bow Claim to Tenajon Resources Corp.
2002	Tenajon Resources Corp.	Undertook additional soil sampling along the Bend Vein and completed minor reclamation.
2004	Tenajon Resources Corp.	Completed limited prospecting and sampling in the vicinity of the Road Zone.

## **6.0 REGIONAL GEOLOGY**

The Summit Lake Property is located in the western margin of the Stikinia Terrane of the North America Cordillera, occurring immediately adjacent to the eastern margin of the Coast Plutonic Complex.

Stikinia is composed primarily of volcanic and related sedimentary rocks of the Triassic Stuhini and the Early to Middle Jurassic Hazelton Groups (Anderson and Thorkelson, 1990). It also includes rarely exposed Paleozoic Stikine Assemblage volcanic and sedimentary rocks (Souther, 1971; Gunning, 1990).


The Stuhini Group consists mainly of augite phyric basaltic andesite, however, in the area Triassic volcanic rocks are rare and the Triassic sections are predominantly sedimentary in composition.

Tipper and Richards (1976) defined the Hazelton Group on work completed in the Smithers, Hazelton and McConnel Creek map sheet areas. Grove (1985) and Alldrick (1987) mapped correlative rocks in the Stewart area where they recognized four, Early to Middle Jurassic, formations. The oldest rocks are Unuk River Formation fine-grained marine sediments and hornblende phyric andesites. A distinctive sequence of porphyritic subvolcanic and extrusive rocks occurring at the top of the Unuk River Formation, has been dated by Alldrick et al. (1985) at 190 +/- Ma and by Brown (1987) at 195 +/- 2 Ma. The Betty Creek Formation, a partially subaerial accumulation of andesitic to dacitic volcanic and epiclastic rocks, overlies these mainly marine rocks. Highly oxidized debris flow deposits and maroon volcanic sandstone characterized this unit. The Betty Creek Formation is overlain by the Mount Dilworth Formation a thin, but distinctive, regional marker consisting of a lower section of dust tuff or tuffaceous argillite and an upper unit of welded felsic lapilli tuff. The age of the formation is poorly constrained by overlying Toarcian aged Salmon River Formation calcareous sandstone. This formation also includes well-bedded turbiditic sediments, the informally designated pajama beds or Troy Ridge Facies of Anderson and Thorkelson (1990). The Salmon River Formation shows prominent lateral changes from an eastern subaerial volcanic facies (Lefebure and Gunning, 1989) as exposed in the Snippaker Mountain Area to marine basalts in the Eskay Creek area and pajama beds in the Troy Ridge area (Anderson and Thorkelson, 1990) (Figure 3).

## **7.0 PROPERTY GEOLOGY**

There is approximately 30% bedrock exposure on the Summit Property. Extensive lateral moraines occur throughout the property (Figure 4).





Map Document C:\NORTH\AI\ARCGIS\BC REGIONAL.mxd  
 4/8/2004 - 8:00:50 AM


## 7.1 Lithology

The Summit Property is underlain by subvertical units of the Unuk River Formation that locally have been intruded by the Summit Granodiorite Stock. The Unuk River Formation is pre-lower Pliensbachian in age whereas the Summit Stock is Lower Pliensbachian, dated by U-Pb in zircon separates at 190 Ma by Alldrick et al. (1985).

The Sum #1 and Scot #4 mineral claims are largely underlain by Middle Andesite Member rocks locally consisting of matrix-supported andesitic tuff breccias and lapilli tuffs along with intercalated ash tuffs, volcanic sandstone#4 mineral claims are largely underlain by Middle Andesite Member rocks locally consisting of matrix-supported andesitic tuff breccias and lapilli tuffs with intercalated ash tuffs, volcanic sandstones and volcanic conglomerates. The tuffs are massive and vary from coarse ash tuffs to fine-grained crystal-rich tuffs composed of plagioclase and plagioclase-pyroxene-hornblende phenocrysts.

Middle Andesite Tuff, Upper Siltstone Member and Upper Andesite Tuffs underlie the Bow Claim from west to east. The Middle Andesite Tuff consists of volcanic conglomerate and lesser green lapilli tuff. The conglomerates consist of pebbles of hornblende porphyry in exposures around the Bend Vein and towards the Tide Lake airstrip to the north. Further south, near the Blueberry Vein, this unit consists of enigmatic green feldspar and hornblende bearing fragmental rocks. This unit is overlain by Upper Siltstone Member rocks locally consisting of thin bedded to laminated argillite interbedded with siltstone to fine feldspathic sandstone. The turbidite has good graded bedding and load structures that frequently provide top indicators. The Upper Andesite Tuff unit varies from lapilli tuff to a tuff breccia. It is green to rust weathered and contains prominent hornblende, plagioclase and lesser biotite. Fragments are weakly to moderately flattened and are matrix supported. This unit appears to be a succession of subaerial ash flow and hot avalanche deposits that are best exposed on the west side of the Bowser River. In the northwest corner of the Bow claim the units are intruded by Summit Lake granodiorite.

The Summit Lake stock compositionally is a coarse-grained equigranular to subtly potassium feldspar porphyritic hornblende granodiorite. In the vicinity of the past producing Summit Lake Mine located 4 km to the south it crops out 1,650 feet to the west of the mine workings. Although contact relationships indicate relatively passive emplacement, the pluton has produced a distinctive metasomatic alteration assemblage. Near the contact with the stock, the andesite is bleached and impregnated with fine to very coarse grained accessory hornblende (up to 3 cm long) and minor fine pyrite. The bleaching is due to carbonate  $\pm$ sericite flooding.



## 7.2 Mineralization

The vein zones on the Summit Lake District are localized within shear or fracture zones.

Mapping has traced individual veins for hundreds of feet. Classic sigmoidal loops are observed. In general, the veins are narrow, widening to several feet at deflection points. At the deflection points the veins often carry massive lenses of auriferous pyrrhotite and pyrite within a quartz-carbonate gangue. The massive sulphide lenses will typically be a few feet to a few tens of feet in length. They rarely exceed a 100 feet in length.

The majority of the gold bearing showings occur in fault/fracture zones that include:

- i) quartz carbonate veins with varying to massive pyrite/pyrrhotite with lesser chalcopyrite arsenopyrite, sphalerite and galena,
- ii) pyrrhotite bearing shear zones/fractures,
- iii) irregular pyrite bearing shears,
- iv) pyrite/pyrrhotite in an altered volcanic host rock and
- v) hematite bearing shear zones.

Only Type i veins have been found to be auriferous. In order of abundance, opaque minerals in Type I mineralization are pyrrhotite, pyrite, sphalerite, chalcopyrite, galena, arsenopyrite, native gold, tennantite and rare chalcocite. The gold to silver ratio is approximately generally less than 1.

## 7.3 Structure

Overall, the units in the area strike north-south and are steeply dipping. Tops are to the east. Mapping by Grove shows north-south striking synclines to occur just east of Summit Lake and to the west of Summit Lake through August Mountain. In addition, Grove identified an east-west striking syncline just north of the Berendon Glacier paralleling the trend of the Summit Lake Stock and the trend of the major showings.

On the Bow claim there are many north and east-northeast striking faults with the latter being the most prominent. The Millsite Fault extends across the claim. Reconstruction of the contacts suggests the fault has approximately 1 km of right lateral offset.

## 7.4 Alteration

Andesitic volcanic rocks on the property are strongly propylitic altered with pervasive chlorite, minor epidote and trace disseminated pyrite being common.

Alteration intensity increases progressively within 10 metres of the mineralized zones. Pyrrhotite, pyrite and chalcopyrite are present as fine disseminations and hairline fracture coatings adjacent to the main mineral deposits and seem to be associated with the most abundant chloritization. Zoisite commonly occurs in close proximity to the Bend Vein.

## **7.5 Bend Vein Description**

The Bend Vein is a quartz-carbonate-chlorite sulphide bearing vein system located in or in close proximity to the east-northeast trending Bend Fault. The Bend Fault has been traced for in excess of 700 metres. Overall the Bend Vein strikes at  $060^{\circ}$  with the dip being  $45-70^{\circ}$  to the north. Trenching has exposed the vein for 60 metres with the along strike extensions being drift covered. Average width varies between 1.5 and 2 metres. Sulphide mineralization consists of up to 60% combined pyrrhotite and pyrite along with minor chalcopyrite and arsenopyrite. Traces of sphalerite and galena are common. Crude banding of sulphides and gangue minerals is present, caused by multiple stages of shearing and mineralization within the Bend Fault. Late stage faulting has brecciated the footwall of the Bend Vein and minor related shears have cut the vein into steeply westward plunging segments. Sampling of the vein has shown the best values to occur at the western end of the zone with a 16 metre section of the vein averaging 22.69 gpt Au, 67.52 gpt Ag over an average width of 2 metres.

Prior to 2005, nineteen drill holes totaling 989.53 metres in length tested a 350 metre segment of the Bend Fault. Fifteen of the holes tested the 60 metre segment, exposed through trenching at depths of up to 45 metres down-dip.

The results showed highly anomalous,  $>0.100$  opt, gold values to occur over a 34 metre strike length to a depth of 25 metres below surface. The average true width of the block is 1.97 metres with the grade of the block being 0.771 opt Au. Limited expansion along strike to the north and south is possible. Twenty-five metres along strike to the east two holes intersected anomalous gold values over narrow widths. Forty metres to the west of the high grade block two holes, intersected sections of fault related veining, corresponding with the zone, however no sampling was undertaken. At depth the zone was considered to be open with one of two holes located outside of the high grade core intersecting a 0.9m section averaging 0.073 opt Au, 20 metres below the block. Drilling did not conclusively demonstrated which way the zone plunges.

## **8.0 2005 WORK PROGRAM**

The 2005 program consisted of the drilling of 13, NQ sized diamond drill holes totaling 535.7 metres in length. The holes tested the Bend Zone along strike and down dip from the high grade block outlined above. The drilling commenced on September 8<sup>th</sup> and was completed by September 26. The drilling was completed by Driftwood Drilling of Smithers, B.C. Dave Visagie, P. Geo, supervised the program. Northair Group Exploration Manager. The work required 18 days of Visagie's time. Eric Townbridge split the core. His services required eight man-days of labour.

## **9.0 FIELD PROCEDURE**

All drilling was completed using a unitized Longyear 38 diamond drill rig, recovering NQ sized core. Drill moves were completed using a D-6 caterpillar. All core was logged on site. Logging was completed using the imperial measurement system. Sections were selected for analysis based on favourable geology and sulphide content. Selected sections were split in half using a saw, identified and stored in plastic bags for analysis. The drill core is stored on site at the original Summit Lake campsite. The drill core reject is presently stored at Eco-Tech's prep lab facility in Stewart with the pulps being located at Eco-Tech's Lab in Kamloops.

The drill logs are located in Appendix 1. The drill hole locations are plotted on Figure 5.

## **10.0 ASSAY PROCEDURE**

All of the core was assayed by Eco-Tech Labs, Kamloops, B.C for gold using a 30 gram sub sample with selected sections being analyzed using Inductively Coupled Plasma. Blank and standards were entered into the sample stream at 20 sample intervals. The following are outlines of the procedures used in assaying.

### **10.1 Gold Assaying**

Samples are sorted and dried (if necessary). The samples are crushed through a jaw crusher and cone or rolls crusher to -10 mesh. The sample is split through a Jones riffle until a -250 gram sub sample is achieved. The sub sample is pulverized in a ring & puck pulverizer to 95% - 140 mesh. The sample is rolled to homogenize.

A 30 g sample size is fire assayed using appropriate fluxes. The resultant dore bead is parted and then digested with aqua regia and then analyzed on a Perkin Elmer AA instrument.


Appropriate standards and repeat sample (Quality Control Components) accompany the samples on the data sheet.

### **10.2 ICP Analysis**

A 0.5 gram sample is digested with 3ml of a 3:1:2 (HCl:HN03:H2O) which contains beryllium which acts as an internal standard for 90 minutes in a water bath at 95°C. The sample is then diluted to 10ml with water. The sample is analyzed on a Jarrell Ash ICP unit.

**GEOLOGY**

- Bend Vein Projected
- Bend Vein Exposed
- Andesite Lapilli Tuff
- Outcrop
- Fault
- 05-X : 2005 Drill Hole
- Pre 2005 Drill Hole
- Chip Sample
- Channel Sample Intercept



**TENAJON RESOURCES CORP.**  
**SUMMIT LAKE PROPERTY**  
**BEND VEIN**  
**COMPILATION MAP**  
 December 2005

Results are collated by computer and are printed along with accompanying quality control data (repeats and standards). Results are printed on a laser printer and are faxed and/or mailed to the client.

	<u>Detection Limit</u>			<u>Detection Limit</u>	
	<u>Low</u>	<u>Upper</u>		<u>Low</u>	<u>Upper</u>
Ag	0.2ppm	30.0ppm	Fe	0.01%	10.00%
Al	0.01%	10.0%	La	10ppm	10,000ppm
As	5ppm	10,000ppm	Mg	0.01%	10.00%
Ba	5ppm	10,000ppm	Mn	1ppm	10,000ppm
Bi	5ppm	10,000ppm	Mo	1ppm	10,000ppm
Ca	0.01%	10.00%	Na	0.01%	10.00%
Cd	1ppm	10,000ppm	Ni	1ppm	10,000ppm
Co	1ppm	10,000ppm	P	10ppm	10,000ppm
Cr	1ppm	10,000ppm	Pb	2ppm	10,000ppm
Cu	1ppm	10,000ppm	Sb	5ppm	10,000ppm
Sn	20ppm	10,000ppm	Sr	1ppm	10,000ppm
Ti	0.01%	10.00%	U	10ppm	10,000ppm
V	1ppm	10,000ppm	Y	1ppm	10,000ppm
Zn	1ppm	10,000ppm			

The leach is partial for Al, B, Ba, Ca, Cr, Fe, K, Mg, Mn, Na, P, Sb, Ti, U and Y. The numbers reported for these elements are indicative only of trends and are not absolute. The assay results are located in Appendix 2

## 11.0 RESULTS

The 2005 drilling tested the Bend Vein over a 110 metre strike length at down-dip depths of up to 60 metres. The results are summarized below.

**Table 3: 2005 Drill Hole Summary**

Hole	Sec. (M) West	North (M)	Az	Dip	Length (M)	From (M)	To (M)	Int. (M)	Approx True Width	Au (opt)	Ag (opt)	Co (%)	Cu (%)
05-01	32W	0	155	-45	30.5	16.86	18.14	1.28	1.28	0.365	0.53	0.30	0.14
05-02	32W	1.5	155	-85	41.8	33.23	35.67	2.44	2.00	0.627	1.40	0.33	0.19
05-03	32W	3.0	155	-72	34.8	18.84	20.70	1.86	1.86	0.319	0.24	0.15	0.16
05-04	32W	28.0	155	-59	74.7	51.07	51.97	0.90	0.86	0.315	0.12	nsv	0.04
05-05	64W	21.0	155	-83	50.3	33.04	34.70	1.66	1.50	0.125	1.73	0.11	0.15
05-06	72W	21.0	0	-90	50.0	nsv.							
05-07	24W	2.5	155	-45	37.5	28.59	30.15	1.56	1.56	0.273	0.13	0.14	0.14
05-08	24W	3.0	155	-58	47.5	29.12	30.57	1.46	1.40	0.291	0.24	0.16	0.14
05-09	24W	4.0	155	-85	41.8	35.82	37.37	1.55	1.56	0.614	1.39	0.31	0.18
05-10	72W	0	155	-45	21.3	7.77	12.44	4.67	4.67	0.671	1.77	0.48	0.22
05-11	91W	1.0	155	-75	23.5	14.33	15.51	2.18	1.55	0.035	1.10	0.11	0.14
05-15	134W	5.0	118	-45	43.0	10.55	11.43	0.88	0.88	0.580	0.06	nsv	ns
05-16	134W	3.5	0	-90	39.0	20.91	21.71	0.80	0.60	0.040	3.15	0.10	0.15
					<b>535.7</b>	<b>Average</b>			<b>1.64</b>	<b>0.389</b>	<b>1.07</b>	<b>0.25</b>	<b>0.16</b>



NSV-no significant values

Drilling has traced the Bend Vein over a 110 metre strike length and up to 60 metres down-dip. The zone is open along strike and down plunge to the west. Unlike the majority of zones including those at the Summit Lake Mine the Bend Vein is cobalt rich with the cobalt appearing to be in the form of cobaltite. Using weighted averages, the zone grades 0.389 opt Au, 1.07 opt Ag, 0.25% Co and 0.16% Cu across 1.64 m (true width). The drill hole pierce points on a vertical longitudinal section are shown on Figure 6.

## **12.0 SUMMARY AND CONCLUSIONS**

Tenajon Resources Corp.'s Summit Lake Property hosts at least thirteen zones of gold bearing pyrite/pyrrhotite veining including those at the formerly producing Summit Lake Gold Mine.

The Bend Vein located 3 km to the north of the mine is a quartz-carbonate-chlorite sulphide bearing vein system located in or in close proximity to the east-northeast trending Bend Fault. The Bend Fault has been traced for in excess of 700 metres. Overall the Bend Vein strikes at  $060^{\circ}$  with the dip being  $45-70^{\circ}$  to the north. Trenching exposed the vein for 60 metres with the along strike extensions being drift covered. Average width at surface varies between 1.5 and 2 metres. Sulphide mineralization consists of up to 60% combined pyrrhotite and pyrite along with minor chalcopyrite and arsenopyrite. Traces of sphalerite and galena are common. Crude banding of sulphides and gangue minerals is present, caused by multiple stages of shearing and mineralization within the Bend Fault. Late stage faulting has brecciated the footwall of the Bend Vein and minor related shears have cut the vein into steeply westward plunging segments. Sampling of the vein has shown the best values to occur at the western end of the zone with a 16 metre section of the vein averaging 22.69 gpt Au, 67.52 gpt Ag over an average width of 2 metres.

Prior to 2005, nineteen drill holes totaling 989.53 metres in length tested a 350 metre segment of the Bend Fault. Fifteen of the holes tested the 60 metre segment, exposed through trenching at depths of up to 45 metres down-dip.

The results showed highly anomalous,  $>0.100$  opt, gold values to occur over a 34 metre strike length to a depth of 25 metres below surface. The average true width of the block is 1.97 metres with the grade of the block being 0.771 opt Au. Limited expansion along strike to the north and south is possible. Twenty-five metres along strike to the east two holes intersected anomalous gold values over narrow widths. Forty metres to the west of the high grade block two holes, intersected sections of fault related veining, corresponding with the zone, however no sampling was undertaken. At depth the zone was considered to be open with one of two holes located outside of the high grade core intersecting a 0.9m section averaging 0.073 opt Au, 20 metres below the block. Drilling did not conclusively demonstrated which way the zone plunges.


**LEGEND**

Grade x Width (true)  
Au (opt Au) Width (ft)

- > 2.5   ● > 0.5   ▲ SAW CUT
- > 2.0   ● > 0.25   ○ Drill Hole
- > 1.5   ● < 0.25   84-7 year drilled - #
- > 1.0   NS- not sampled

1.690/8.53' opt Au / true width (feet)

▨ DOWN PLUNGE POTENTIAL



**TENAJON RESOURCES CORP**  
**SUMMIT LAKE AREA - BRITISH COLUMBIA**  
**BEND VEIN**  
**LONGITUDINAL SECTION**

In 2005 13,NQ sized diamond drill holes totaling 535.7 metres in length test the Bend Zone along strike and down dip from the high grade block outlined above. The results showed highly anomalous gold values to occur over a 110 metre strike length, down-dip to 50 metres with the zone being in part open along strike, at depth and down-plunge. Unlike the majority of zones including those at the Summit Lake Mine the Bend Vein is cobalt rich with the cobalt appearing to be in the form of cobaltite. Using only the weighted averages from the 2005 drill core, the zone grades 0.389 opt Au, 1.07 opt Ag, 0.25% Co and 0.16% Cu across 1.64 m (true width).

It is concluded that the Bend Vein has significant potential to host significant reserves in addition to those at the nearby Summit Lake Gold Mine.

Additional drilling is required to test the zone in the immediate vicinity of the 2005 drilling to determine the ultimate size of the deposit. In addition the entire length of the Bend Fault has the potential to host additional zones similar to that at the Bend Showing.

### **13.0 RECOMMENDATIONS**

It is recommended that additional drilling be completed along strike and dip from the main zone of mineralization. In addition geophysical surveying should be completed over the zone over the length of the Bend Fault system to determine whether any additional targets occur that could most mineralization similar to that at the Bend Showing.

### **14.0 COST STATEMENT**

<b>Labour</b>	<b>\$ 10,360</b>
D. Visagie: Geologist: September 1-30 <sup>th</sup> : 18 days @ \$420/day	
E. Townbridge: Core splitter: 8 days @ \$350/day	
<b>Transportation</b>	<b>\$ 2,160</b>
Truck Rental, Fuel and Insurance pro-rated @ \$120/day x 18 days	
<b>Room &amp; Board</b>	<b>\$ 2,600</b>
26 man-days @ \$100/man-day	
<b>Supplies</b>	<b>\$ 300</b>
Sample bags, core splitter, flagging etc	
<b>Assaying</b>	<b>\$ 3,091</b>
163 core samples: prep-\$5.50/sample	

	Au assay: \$8.75/sample		
95 samples:	ICP analysis: \$7.00/sample		
2 samples:	Lead analysis: \$8.00/sample		
2 samples:	Zinc analysis: \$8.00/sample		
11 samples:	Silver analysis: \$6.50/sample		
<b>Drilling</b>			<b>\$ 41,754</b>
Mobe/Demobe		\$ 2,400	
Footage:	1757 Feet @ \$22.00/foot	\$38,654	
Bulldozer	10 hours @ \$100/hr	\$ 1,000	
<b>Report</b>			<b>\$ 3,000</b>
Includes drafting of maps, report writing, copying			
		<b>Sub-Total</b>	<b>\$ 63,265</b>
<b>Management Fees</b>			<b><u>\$ 6,326</u></b>
Office overhead, field equipment rental 10%			
		<b>Total All</b>	<b>\$ 69,591</b>

## 15.0 BIBLIOGRAPHY

Alldrick, J.D., 1987, Geology and mineral deposits of the Salmon River Valley, Stewart Area, NTS 104 A and 104 B, British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File Map 1987-22.

Alldrick, J.D., et al, 1987, Geochronology of the Stewart Mining Camp (104 B/1); British Columbia Ministry of Energy, Mines and Petroleum Resources, Fieldwork 1986, Paper 1987-1, p 81-92.

Alldrick, J.D., 1993, Geology and Metallogeny of the Stewart Mining Camp British Columbia Ministry of Energy, Mines and Petroleum Resources, Bulletin 85

Anderson, R.G. and Thorkelson, D.J., 1990, Mesozoic Stratigraphy and Setting for Some Mineral Deposits in Iskut River Map area, Northwestern British Columbia; in Current Research, Part E, Geological Survey of Canada, Paper 90-1E, p. 131-140.

Brown, D.A., 1987, Geological Setting of the Volcanic Hosted Silbak Premier Mine, Northwestern British Columbia (104A/4, B1), Unpublished M.Sc. Thesis, University of British Columbia.

Fraser, S. et al., 1983, Geology and Epithermal Gold Mineralization within the Tide Lake Mineral Reserve; Private Company Report for Esso Minerals.

Grove, E.W., 1986, Geology and Mineral Deposits of the Stewart Area, British Columbia Ministry of Energy, Mines and Petroleum Resources, Bulletin 58, 219 pp.

Gunning, M.H., 1990, Stratigraphy of the Stikine Assemblage, Scud River Area, Northwest British Columbia (104 G/5, 6), British Columbia Ministry of Energy Mines and Petroleum Resources, Geological Fieldwork, 1989, Paper 1990-1

Lefebure, D. and Gunning, M.H., 1989, Geology of the Bronson Creek area; British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File Map 1989-28.

Marsden H., Bozek J., 1990, 1990 Exploration Report of the Summit Property; Private Report for Homestake Mining (Canada) Ltd.

McGuigan, P. and Wilson, L. 1985, Summary Report 1984 Exploration Program and Diamond Drilling Program on the Summit Group of Claims; Private Report for Esso Resources Canada and Scottie Gold Mines Ltd.

Visagie, D., 2004, Technical Report-Summit Lake Property, Filed for sedar.

## **16.0 STATEMENT OF QUALIFICATIONS**

David A Visagie, B.Sc  
860-625 Howe Street,  
Vancouver, B.C.  
V6C 2T6  
Tel: 604-687-7545  
E-Mail: [visagie@northair.com](mailto:visagie@northair.com)

I, David A Visagie, do hereby certify that:

I graduated from the University of British Columbia in 1976 with a Bachelor of Science Degree Majoring in Geology.

I have been continuously employed within the mining industry since that time.

I am a member of the Association of Professional Engineers and Geoscientist of B.C. (#19520).

I am currently employed by the Northair Group, which acts as an umbrella group for a group of exploration companies including NDT Ventures Ltd. as Group Exploration Manager

Dated this 2<sup>nd</sup> day of February, 2006 at Vancouver, B.C.

---

Dave Visagie, P. Geo.  
Group Exploration Manager  
The Northair Group



Interval (Feet)		Rock Type	Geological Description	Alteration				Mineral			Assay Data					Core Data				
From (feet)	To (feet)			From (feet)	To (feet)	SIL	CHL O	SER	CARB	% Po	% Py	% Cp	Sample #	From (feet)	To (feet)	Int. (ft)	Au opt	Au chk.	% RQD	Run
53.3	57.3	AnLt	<b>Andesite Lapilli Tuff-Mineralized</b> 53.3-55.3 increasing sulphide content with depth. Asp in at 3", Po/py occur as stringers, splashes and minor dissem, asp as fine dissem. From 55.3-57.3 the core is broken t/o. Good sulphide content in the first 8"	53.3	55.5	SIL	m	m	w	5	10	1 to 2 asp	77856	53.3	55.3	2.0	0.047			
													77857	55.3	57.3	2.0	0.128			
57.3	59.5	QCSVn	<b>Quartz Cabonate Sulphide Vein</b> initial foot is po rich with the last 1/2 being pyrite dominated. Lower contact sharp @ 90. Dark chlorite alteration occurs t/o	57.3	59.5	s	s	m	w	30	40	5 asp	77858	57.3	59.5	2.2	0.580	0.586		
																	0.601			
59.5	65.5	AnLt	<b>Andesite Lapilli Tuff</b> pred. Light brown to brown tinged. From 61-62 the unit is chloritic with 15% pyrite stringers. At 57.8-67 the Bend Fault is encountered with most of the unit broken into sections less than 2" long. From 62-65 the core is broken. At 64.8 is 2" sil section with 10% py										77859	59.5	62.0	2.5	0.020			
													77860	62.0	65.0	3.0	0.045	0.045		
65.5	100	AnLt	<b>Andesite Lapilli Tuff</b> pred light grey, fine grained, 10% calcite-quartz veining, minor dissem and stringer py. broken from 68-70, from 73.5-75.5 the core is bleached and has minor py stringers. At 74.8 is 2" qv @ 90 with tr pyrite. From 77-78 the core is broken At 92 is 1" quartz vein@ 30 with 15% py  100 feet E.O.H.										77861	73.5	75.5	2.0	0.004			
													77862	90.5	92.5	2.0	0.040			



Tenajon Resource Corp.  
Summit Lake Property

Page: 1 of 3

Date: Aug 10/05

Depth	Bearing	Dip	Survey Type	Property: Summit	Length: 137 feet	Hole #: 05-02
collar	155	-85	surv.	Claim: Bow	Core Size: NQ	Sheet # 1 of: 3
137		-85	acid	Latitude:	Recovery: 100%	Logged By: D. Visagie
			acid	Departure:	Started: Sep8/05	Sampled By: E. Towbridge
				Elevation:	Completed: Sep 8/05	Purpose: Test Bend Vein

Interval (Feet)		Rock Type	Geological Description	Alteration				Mineral			Assay Data					Core		
From (feet)	To (feet)			SIL	CHLO	SER	CARB	% Po	% Py	% Cp	Sample #	From (feet)	To (feet)	Int. (feet)	Au opt	Au chk.	% RQD	Run
0.0	22.0	Csg	Casing															
22.0	56.1	AnLt	Andesite Lapilli Tuff fine grained, light green mottled with black matrix in which light green rounded to subrounded lapilli fragments occur. On occasion almost apple green. Fracturings is @ 70 and 45. Minor carb veining @ 30 occasionally @ 70. Fine dissem py occurs throughout. To 39.5 unit is pred apple green coloured. From 39.5-48 pred dark grey matrix with abundant light green lapilli giving a spotted appearance. From 46-47 the core is broken up due to faulting. Minor limonite stain on fracture faces. From 41.8 42.3 the unit is pale green with quartz-pyrite veins occurring @ 80 to ca. At 49.2 there is a 1" qc vein with trace pyrite. at 56.1-1" gouge @ 30															
56.1	64.2	AnLt?	Andesite Lapilli Tuff? Dyke? pale greenish-cream colored, minor py as splotches and stringers occurs t/o, argillically alt'd minor qv // to ca and at various angles, lower								77863	56.1	60.1	4	0.007			
											77864	60.1	64.2	4.1	0.012			







Interval (Feet)		Rock Type	Geological Description			Alteration				Mineral			Assay Data					Core Data		
From (feet)	To (feet)			From (feet)	To (feet)	SIL	CHLO	SER	CARB	% Po	% Py	% Cp	Sample #	From (feet)	To (feet)	Int. (ft)	Au opt	Au chk.	% RQD	Run
53.5	61.8	AnLt	<b>Andesite Lapilli Tuff</b> similar to 30-34 minor brown tinge t/o minor stringer and disse py	53.5	61.8	w	m	m/w	w				77881	54.4	57.0	2.6	0.036	0.035		
													77882	57.0	61.8	4.8	0.006	0.006		
61.8	63.4	QCSVn	<b>Quartz Carbonate Sulphide Vein</b> highly chloritic-dark green/black wall rock in which massive po/py occurs, irreg upper contact @20-40 lower contact sharo @ 20.	61.8	63.4		s	w		50	20	5 ap	77883	61.8	63.4	1.6	0.382	0.367		
63.4	65.2	LaDy	<b>Lamprophyre Dyke</b> grey to light green coloured matrix in which minor hornblende and feldspar pheno's to 1/4" occur. Minor calcite veining-baren	63.4	65.2								77884	63.4	65.2	1.8	0.004			
65.2	66.5	AnLt/L	<b>Mixed Assemblage of Andesite Lapilli Tuff, Lamprophyre Dyke, Massive Sulphide</b> 65.2-65.4: massive sulphide vein similar to 61.8- 63.4, 65.4-65.9 Lamprophyre Dyke similar to previous, 65.9-66.3: AnLt with the first 4" almost massive sulphide	65.2	66.5	w	s	m	w	20	20		77885	65.2	66.5	1.3	0.287	0.300		
66.5	67.9	QCSVn	<b>Quartz Carbonate Sulphide Vein</b> irreg contacts massive sulphide-banding not evident	66.50	67.90	w	s	m		20	60	2 as	77886	66.5	67.9	1.4	0.749	0.755		
													77886rs				0.802			
67.9	69.5	AnLt	<b>Andesite Lapilli Tuff</b> well mineralized to 68.4 thereafter the unit hosts minor py stringers	67.9	69.5	w	s	m			20		77887	67.9	69.5	1.6	0.034	0.034		













Depth	Bearing	Dip	Survey Type	Property: Summit	Length: 114 feet	Hole #: 05-05
collar	155	-83	surv.	Claim: Bow	Core Size: NQ	Sheet # 1 of: 3
165		-83	acid	Latitude: 13m behind 9/10	Recovery: 100%	Logged By: D. Visagie
			acid	Departure: 64 N	Started: Sep 10/05	Sampled By: E. Towbridge
				Elevation:	Completed: Sep 11/05	Purpose: Test Bend Vein

Interval (Feet)		Rock Type	Geological Description	Alteration				Mineral			Assay Data					Core				
From (feet)	To (feet)			From (feet)	To (feet)	SIL	CHLO	SER	CARB	% Po	% Py	% Cp	Sample #	From (feet)	To (feet)	Int. (feet)	Au opt	Au chk.	% RQD	Run
0.0	10.0	csq	Casing																	
10.0	108.5	AnLt	Andesite Lapilli Tuff	10.0	64.0	w	w			1										
			fine grained pale green to grey matrix in which light green to grey coloured rounded to sub-rounded lapilli fragments to 0.5" occur. Chlorite patches occ. t/o. Overall the unit has 10-15% calcite quartz veining with most veins being <0.5" in width. On occ there are veins that are up to 2" thick. The preferred orientation is @ 70 to ca. Most veins are barren or have trace py at best. Fracturing is at 10, 30 and 70 to ca. from 10-64 the unit is relatively fresh. At 30.5 is a weakly developed fracture zone for 3". At 29.2 is a 5" qv stkwk with tr py from 60.5-63.5 there is 40% erratic quartz veining with minor po/py in wallrock from 64-81.7 the unit is predominantly apple green, veining comprises <10% of the unit. Po/py more prevalent than before occurring as splotches, dissem and stringers with overall content being 5%. On occ. The core has a weak brown tinge, At 64.3 is 8" section of 2 1" wide // to ca stringer																	
												77912	60.0	63.5	3.5	<0.001				

Interval (Feet)		Rock Type	Geological Description	Alteration				Mineral			Assay Data					Core Data				
From (feet)	To (feet)			From (feet)	To (feet)	SIL	CHLO	SER	CARB	% Po	% Py	% Cp	Sample #	From (feet)	To (feet)	Int. (ft)	Au opt	Au chk.	% RQD	Run
			of 30% py	63.5	67.0	w	m	m/s			5	77913	63.5	67.0	3.5	0.001				
			At 72.4: 1 foot of 15% stringer py	67.0	71.0	w	m	m/s		3 to 5		77914	67.0	71.0	5.0	0.001				
			At 78.3: 7" section with heavy chlorite and 30% py	71.0	76.0	w	m	m/s		5		77915	71.0	76.0	5.0	0.002				
				76.0	79.0	w	m	m/s		5 to 10		77916	76.0	79.0	3.0	0.005				
				79.0	81.7	w	m	m/s		10		77917	79.0	81.7	2.7	0.007	0.007			
			from 81.7-88 the rock is light grey green with a weak brown tinge, minor dissem sulphide occurs t/o	81.7	88.0	m	m	w		1 to 2										
			10% barren veining																	
			from 88-96.7 the core is pred. Pale green to apple green. From 88.3-89.6 20% sulphides as irreg. splotches (12% po, 8% py)	88.0	96.7	w	m/s	m/s		3 to 5										
			from 96.7-105.2 pred pale grey green with minor brown tinge, weak veining and minor sulphides	96.7	105.2	w	m	m/s		2										
			f105.2-108.4: core has light brown tinge, minor dissem py. At 105.5 is 1/2" qv @ 40 with 20% py.									77919	105.6	108.4	2.8	<b>0.053</b>				
<b>108.4</b>	<b>116.0</b>	<b>MZ</b>	<b>Quartz Carbonate Sulphide Veined Zone</b>																	
			erratically veined zone hosting significant sulphides in both wallrock and vein. Wall rock is highly alt'd and is dark green coloured.																	
			from 108.4-110.9 veins and wall rock host up to 2 1/2" seams of massive po/py. Core is broken	108.4	110.9	m	s	m	w	20	10	77920	108.4	110.9	2.5	<b>0.233</b>	<b>0.230</b>			
			110.9-112.4: initial 4" has 40% po, at 111.2 is a 1/2" band of massive galena. From 111.6-112.1 ~40% py, from 112.1-112.3 30% galena, 10% sp	110.9	112.4	m	s	m	w	10	20	2 ga 1 sp 77921rs	110.9	112.4	1.5	<b>0.044</b>	<b>0.043</b>			
			112.4-113.8: 112.4-113.1 is highly ser alt'd minor veing. From 113.1-113.8 the core is broken up (Bend Fault).	112.4	113.8	m	m	s	w		5	77922	112.4	113.8	1.4	<b>0.020</b>	<b>0.020</b>			
			113.8-116: quartz vein with dissem and splotchy py	113.8	116.0	m	m	s	w		10	77923	113.8	116.0	2.2	0.006				











Depth	Bearing	Dip	Survey Type	Property: Summit	Length: 123 feet	Hole #: 05-07
collar	155	-45	surv.	Claim: Bow	Core Size: NQ	Sheet # 1 of: 2
123		-45	acid	Latitude:	Recovery: 100%	Logged By: D. Visagie
				Departure: 24 N	Started: Sep 15/05	Sampled By: E. Towbridge
				Elevation:	Completed: Sep 16/05	Purpose: Test Bend Vein

Interval (Feet)		Rock Type	Geological Description	Alteration				Mineral			Assay Data					Core				
From (feet)	To (feet)			From (feet)	To (feet)	SIL	CHLO	SER	CARB	% Po	% Py	% Cp	Sample #	From (feet)	To (feet)	Int. (feet)	Au opt	Au chk.	% RQD	Run
0.0	50.0	csg	Casing																	
50.0	94.0	AnLt	Andesite Lapilli Tuff																	
			pale grey and light green with occ chlorite and minor brown tinge (Zoicite). Rounded to sub-rounded fragments to 1". Broken sections 53-53.5, 57.5-61, 62-63. Fracture zones commonly have limonite staining, occasional chlorite lining, veining is minor t/o as is sulphide content																	
			from 58.5-60 core is bleached and limonite stained									77941	80.0	81.5	1.5	0.007				
			from 80-81.5 have minor py stringers @ 80 to ca									77942	81.5	85.5	4.0	0.003				
			80-82 light brown tinged																	
			82-85.5 mottled brown and dark grey, from 82-85.5 have minor py/po																	
			from 85.5-94: primarily light brown tinged core. 89.2 have 1/2" of gouge corresponding with Bend Fault.																	
			At 89.7 have 6" of massive (60% py, 5% Asp) at 80-90 to ca within a highly chloritic wall rock.																	
			90.5-91.7 have 10% py as stringers and dissem. From 91.7-94 brown tinged to 93.1, 5% py. At 93.1 is 8" section of granodiorite (pale white green mottled. UC @ 90, LC irreg @ 80.																	
												77945	91.7	93.8	2.1	0.007	0.008			



Depth	Bearing	Dip	Survey Type	Property: Summit	Length: 156 feet	Hole #: 05-08
collar	155	-58	surv.	Claim: Bow	Core Size: NQ	Sheet # 1 of: 3
156		-56	acid	Latitude: 2m behind 07	Recovery: 100%	Logged By: D. Visagie
				Departure: 24 N	Started: Sep 17/05	Sampled By: E. Towbridge
				Elevation:	Completed: Sep 18/05	Purpose: Test Bend Vein

Interval (Feet)		Rock Type	Geological Description			Alteration				Mineral			Assay Data					Core		
From (feet)	To (feet)			From (feet)	To (feet)	SIL	CHLOR	SER	CARB	% Po	% Py	% Cp	Sample #	From (feet)	To (feet)	Int. (feet)	Au opt	Au chk.	% RQD	Run
0.0	40.0	Csg	Casing																	
40.0	48.0	AnLt	<b>Andesite Lapilli Tuff</b> pale grey/cream, fine grained matrix (argillic alt) in which fine grained py occurs t/o as fine dissem and minor stringer veins. At 41.5 minor gouge, To 44 palegrey/cream 44-48 sil bx frags cream white, light grey bx frags 1". Minor dissem py in frags and in quartz, minor vuggy qtz. At 47.8 is 1" patch of py	40.0	48.0	w	w			1		77952	40.0	44.0	4.0	0.004				
												77953	44.0	48.0	4.0	0.002				
48.0	87.1	AnLt	<b>Andesite Lapilli Tuff</b> fine grained grey/green matrix in whxih rounded fragments to 2" occur. Chlorite patching common t/o. From 49.5-54.6 core is broken (fault) with wk limonite stain on fracture faces. 58.4-59.5, wk bleached zone, minor py stringers 72.5-73.4 bleached zone centred around 3" qcv with minor py @ 80 at 72.7 80.2-81.7 erratic chloritic patches with dissem and patch po/py 81.7-84.4 pred pale green with darker green patches, minor dissem py	48.0	87.1		w	w												
												77954	72.5	74.5	1.3	0.008				
				80.2	81.7	w	m		w	5	2	77955	80.2	81.7	1.5	0.015				
				81.7	84.4	w		w	t	t		77956	81.7	84.4	2.7	0.012				

Interval (Feet)		Rock Type	Geological Description	Alteration		Mineral			Assay Data					Core Data						
From (feet)	To (feet)			From (feet)	To (feet)	SIL	CHLO	SER	CARB	% Po	% Py	% Cp	Sample #	From (feet)	To (feet)	Int. (ft)	Au opt	Au chk.	% RQD	Run
			84.4-87.1 to 86 patchy sulphide (pale green) with 25% py/po. From 86-97.1 minor dissem and stringer py. At 85.9 broken core for 1"	84.4	87.1	w	m		w	10	3	77957	84.4	87.1	2.7	0.016				
<b>87.1</b>	<b>100.3</b>	<b>MZ</b>	<b>Mineralized Zone</b> includes sections of minor and massive sulphide, chlorite alt t/o variable t/o																	
			87-90.2 crude sulphide banding on occ dev @80 patches and bands to 1" of massive sulphide. At 87.7 1" broken core	87.0	90.2		s		m/s	20	5		87.1	90.2	3.1					
			90.2-93.2, pred pale brown AnLt, minor sulphide patches. Wk carb-qtz veins @45. At 92.5 1" patchof 40% sulphide	90.2	93.2		m/s	w	m/s	5	1	77958	90.2	93.2	3.0	0.063				
			93.2-95.5, ms to 94-grading to brown alt'd wallrock	93.2	95.5		m/s	w	m/s	20	5	77959	93.2	95.5	2.3	0.027				
			95.5-98.2, minor py/po in sulphide veinlets @ 50	95.5	98.2		m/s		m/s	2	7	77960	95.5	98.2	2.7	0.039				
			98.2-100.3, massive sulphide, po dominant to 99.1 then py dominant in second half	98.2	100.3		m/s		m/s	30	30	77961								
												77962								
												77963	98.1	100.3	2.1	0.615				
<b>100.3</b>	<b>108.6</b>	<b>AnLt</b>	<b>Andesite Lapilli Tuff</b> pred lighth green with brown patches to 102.8 there after pred brown tinged.									77963rs				0.633				
			100.3-103.3, minor py stringers @ 80 irreg @ 105.7, 102.3-103 20% dissem py in assoc. with chlortie patches	100.3	103.3		m		w	2	5	77964	100.3	103.3	3.0	0.022				
			103.3-107, minor chlorite patches with dissem and splotches of py	103.3	107.0		m		w	1	5	77965	103.3	107.0	3.7	0.036				
<b>108.6</b>	<b>156</b>	<b>AnLt</b>	<b>Andesite Lapilli Tuff</b> pred light green/grey coloured, wk chlorite ser alt. from 119-126~10% qv with veins @ 30 and //	108.6	156.0			w	w	t	t	77966	107.0	111.0	4.0	0.013				
												77967	111.0	116.0	5.0	0.007				























## Appendix 2

CERTIFICATE OF ASSAY AS 2005-5165				
<b>Tenajon Resources Corp</b>				
860 625 Howe Street				11-Oct-05
Vancouver, BC				
V6C 2T6				
<i>No. of samples received: 76</i>				
<i>Sample type: Rock</i>				
<b>Project #: Summit</b>				
<b>Shipment #: 13</b>				
<i>Samples Submitted by: D. Visagie</i>				
		<b>Au</b>	<b>Au</b>	
<b>ET #.</b>	<b>Tag #</b>	<b>(g/t)</b>	<b>(oz/t)</b>	
1	77851	0.25	0.007	
2	77852	0.42	0.012	
3	77853	0.62	0.018	
4	77854	0.88	0.026	
5	77855	6.23	0.182	
6	77856	1.61	0.047	
7	77857	4.38	0.128	
8	77858	19.9	0.580	
9	77859	0.68	0.020	
10	77860	1.53	0.045	
11	77861	0.15	0.004	
12	77862	1.36	0.040	
13	77863	0.23	0.007	
14	77864	0.40	0.012	
15	77865	3.41	0.099	
16	77866	0.11	0.003	
17	77867	0.06	0.002	
18	77868	0.06	0.002	
19	77869	0.09	0.003	
20	77870	0.09	0.003	
21	77871	<0.03	<0.001	
22	77872	1.01	0.029	
23	77873	0.51	0.015	
24	77874	2.28	0.066	
25	77875	20.5	0.598	
26	77876	31.1	0.907	
27	77877	11.8	0.344	
				<b>ECO TECH LABORATORY LTD.</b>
				Jutta Jealous
				B.C. Certified Assayer
<b>Tenajon Resources Corp AS5-5165</b>				
				11-Oct-05
		<b>Au</b>	<b>Au</b>	
<b>ET #.</b>	<b>Tag #</b>	<b>(g/t)</b>	<b>(oz/t)</b>	
28	77878	0.11	0.003	
29	77879	0.09	0.003	
30	77880	0.36	0.010	
31	77881	1.25	0.036	
32	77882	0.21	0.006	
33	77883	13.1	0.382	
34	77884	0.15	0.004	
35	77885	9.85	0.287	
36	77886	25.7	0.749	
37	77887	1.18	0.034	
38	77888	0.38	0.011	
39	77889	0.08	0.002	
40	77890	0.61	0.018	
41	77891	<0.03	<0.001	
42	77892	1.05	0.031	
43	77893	0.06	0.002	
44	77894	0.16	0.005	
45	77895	0.37	0.011	
46	77896	0.17	0.005	
47	77897	0.03	0.001	
48	77898	0.06	0.002	
49	77899	10.8	0.315	
50	77900	0.06	0.002	
51	77901	0.04	0.001	
52	77902	0.05	0.001	
53	77903	0.06	0.002	
54	77904	0.03	0.001	
55	77905	0.06	0.002	
56	77906	<0.03	<0.001	
57	77907	0.05	0.001	
58	77908	0.05	0.001	
59	77909	<0.03	<0.001	
60	77910	<0.03	<0.001	
61	77911	1.07	0.031	
62	77912	<0.03	<0.001	
63	77913	0.05	0.001	
64	77914	0.05	0.001	
65	77915	0.08	0.002	
66	77916	0.17	0.005	
67	77917	0.25	0.007	
68	77918	0.30	0.009	
69	77919	1.83	0.053	
70	77920	8.00	0.233	
71	77921	1.50	0.044	

						<b>ECO TECH LABORATORY LTD.</b>		
						Jutta Jealouse		
						B.C. Certified Assayer		
<b>Tenajon Resources Corp AS5-5165</b>								11-Oct-05
			<b>Au</b>	<b>Au</b>				
<b>ET #.</b>	<b>Tag #</b>		<b>(g/t)</b>	<b>(oz/t)</b>				
72	77922		0.68	0.020				
73	77923		0.19	0.006				
74	77924		0.17	0.005				
75	77925		0.09	0.003				
76	77926		0.12	0.003				
<b>QC DATA:</b>								
<b>Repeat:</b>								
1	77851		0.29	0.008				
5	77855		6.24	0.182				
8	77858		20.1	0.586				
8	77858		20.6	0.601				
10	77860		1.55	0.045				
15	77865		3.39	0.099				
19	77869		0.09	0.003				
25	77875		19.8	0.577				
26	77876		29.5	0.860				
27	77877		11.4	0.332				
31	77881		1.19	0.035				
32	77882		0.21	0.006				
33	77883		12.6	0.367				
35	77885		10.3	0.300				
36	77886		25.9	0.755				
37	77887		1.15	0.034				
45	77895		0.39	0.011				
49	77899		10.0	0.292				
54	77904		0.03	0.001				
67	77917		0.24	0.007				
69	77919		1.76	0.051				
70	77920		7.88	0.230				
71	77921		1.48	0.043				
72	77922		0.70	0.020				
<b>Resplit:</b>								
1	77851		0.30	0.009				
36	77886		27.5	0.802				
71	77921		1.35	0.039				
<b>Standard:</b>								
SH13			1.28	0.037				
SH13			1.30	0.038				
SH13			1.30	0.038				
SN16			8.68	0.253				
<b>ECO TECH LABORATORY LTD.</b>								
JJ/kk						Jutta Jealouse		
XLS/05						B.C. Certified Assayer		



CERTIFICATE OF ASSAY AS 2005-5166					
<b>Tenajon Resources Corp</b>					
860 625 Howe Street					12-Oct-05
<b>Vancouver, BC</b>					
V6C 2T6					
No. of samples received: 75					
Sample type: Rock					
Project #: Summit					
Shipment #: n/a					
Samples Submitted by: D. Visagie					
			<b>Au</b>	<b>Au</b>	
<b>ET #.</b>	<b>Tag #</b>		<b>(g/t)</b>	<b>(oz/t)</b>	
1	77927		0.06	0.002	
2	77928		<0.03	<0.001	
3	77929		0.48	0.014	
4	77930		0.45	0.013	
5	77931		<0.03	<0.001	
6	77932		1.01	0.029	
7	77933		0.33	0.010	
8	77934		0.11	0.003	
9	77935		0.08	0.002	
10	77936		0.04	0.001	
11	77937		0.03	0.001	
12	77938		0.10	0.003	
13	77939		0.13	0.004	
14	77940		0.22	0.006	
15	77941		0.23	0.007	
16	77942		0.10	0.003	
17	77943		0.64	0.019	
18	77944		1.42	0.041	
19	77945		0.24	0.007	
20	77946		16.4	0.478	
21	77947		1.55	0.045	
22	77948		0.43	0.013	
23	77949		0.83	0.024	
24	77950		0.07	0.002	
25	77951		0.19	0.006	
26	77952		0.14	0.004	
					<b>ECO TECH LABORATORY LTD.</b>
					Jutta Jealouse
					B.C. Certified Assayer
<b>Tenajon Resources Corp AS5-5166</b>					12-Oct-05
			<b>Au</b>	<b>Au</b>	
<b>ET #.</b>	<b>Tag #</b>		<b>(g/t)</b>	<b>(oz/t)</b>	
27	77953		0.07	0.002	
28	77954		0.27	0.008	
29	77955		0.51	0.015	
30	77956		0.41	0.012	
31	77957		0.56	0.016	
32	77958		2.17	0.063	
33	77959		0.92	0.027	
34	77960		1.34	0.039	
35	77961		<0.03	<0.001	
36	77962		1.03	0.030	
37	77963		21.1	0.615	
38	77964		0.77	0.022	
39	77965		1.22	0.036	
40	77966		0.46	0.013	
41	77967		0.24	0.007	
42	77968		0.26	0.008	
43	77969		0.53	0.015	
44	77970		0.22	0.006	
45	77971		0.38	0.011	
46	77972		0.21	0.006	
47	77973		0.19	0.006	
48	77974		0.42	0.012	
49	77975		31.1	0.907	
50	77976		6.73	0.196	
51	77977		0.13	0.004	
52	77978		0.09	0.003	
53	77979		0.52	0.015	
54	77980		0.23	0.007	
55	77981		0.99	0.029	
56	77982		<0.03	<0.001	
57	77983		0.31	0.009	
58	77984		0.30	0.009	
59	77985		19.4	0.566	
60	77986		35.9	1.047	
61	77987		19.9	0.580	
62	77988		29.8	0.869	
63	77989		0.44	0.013	
64	77990		30.1	0.878	
65	77991		0.85	0.025	
66	77992		0.20	0.006	
67	77993		0.13	0.004	
68	77994		0.07	0.002	
69	77995		0.10	0.003	
70	77996		0.35	0.010	



				ECO TECH LABORATORY LTD.	
				Jutta Jealouse	
				B.C. Certified Assayer	
Tenajon Resources Corp AS5-5169				17-Oct-05	
ET #.	Tag #		Au (g/t)	Au (oz/t)	
25	77776		16.3	0.475	
26	77777		0.06	0.002	
27	77778		30.4	0.887	
28	77779		32.9	0.959	
29	77780		9.25	0.270	
30	77781		0.80	0.023	
31	77782		1.47	0.043	
32	77783		0.67	0.020	
33	77784		<0.03	<0.001	
34	77785		0.25	0.007	
35	77786		<0.03	<0.001	
36	77787		<0.03	<0.001	
37	77788		<0.03	<0.001	
38	77789		0.05	0.001	
39	77790		0.04	0.001	
40	77791		1.04	0.030	
41	77792		<0.03	<0.001	
42	77793		0.07	0.002	
43	77794		<0.03	<0.001	
44	77795		<0.03	<0.001	
45	77796		0.03	0.001	
46	77797		0.47	0.014	
47	77798		0.04	0.001	
48	77799		0.18	0.005	
49	77800		19.9	0.580	
50	77825		0.59	0.017	
51	77826		0.07	0.002	
52	77827		0.05	0.001	
53	77828		0.08	0.002	
54	77829		0.40	0.012	
55	77830		2.30	0.067	
56	77831		1.07	0.031	
57	77832		<0.03	<0.001	
58	77833		0.04	0.001	
59	77834		0.08	0.002	
60	77835		0.12	0.003	
				ECO TECH LABORATORY LTD.	
				Jutta Jealouse	
				B.C. Certified Assayer	
Tenajon Resources Corp AS5-5169				17-Oct-05	
ET #.	Tag #		Au (g/t)	Au (oz/t)	
61	77836		0.10	0.003	
62	77837		0.35	0.010	
63	77838		0.03	0.001	
64	77839		0.21	0.006	
65	77840		0.40	0.012	
66	77841		1.38	0.040	
67	77842		<0.03	<0.001	
68	77843		0.03	0.001	
69	77844		0.04	0.001	
70	77845		0.04	0.001	
71	77846		0.10	0.003	
<b>QC DATA:</b>					
<b>Repeat:</b>					
1	77752		<0.03	<0.001	
10	77761		1.92	0.056	
19	77770		0.12	0.003	
25	77776		16.8	0.490	
27	77778		31.0	0.904	
28	77779		33.8	0.986	
29	77780		8.95	0.261	
31	77782		1.39	0.041	
36	77787		<0.03	<0.001	
45	77796		0.03	0.001	
49	77800		20.4	0.595	
50	77825		0.53	0.015	
54	77829		0.36	0.010	
55	77830		2.30	0.067	
66	77841		1.25	0.036	
71	77846		0.09	0.003	
<b>Resplit:</b>					
1	77752		<0.03	<0.001	
36	77787		<0.03	<0.001	
71	77846		0.09	0.003	



ECO TECH LABORATORY LTD.				ICP CERTIFICATE OF ANALYSIS AS 2005-5175																				Tenajon Resources Corp					
10041 Dallas Drive																								860 625 Howe Street					
KAMLOOPS, B.C.																								Vancouver, BC					
V2C 6T4																								V6C 2T6					
Phone: 250-573-5700																								No. of samples received: 95					
Fax : 250-573-4557																								Sample type: Rock					
																								Project #: Summit					
Values in ppm unless otherwise reported																								Samples Submitted by: D. Visagie					
Et #.	Tag #	Aq	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	77854	1.3	1.38	2410	65	<5	0.97	10	364	58	1513	9.12	10	0.92	209	9	<0.01	3	1500	26	<5	<20	18	0.02	<10	166	<10	8	49
2	77855	2.4	0.81	>10000	120	<5	0.33	55	2027	19	2160	>10	<10	0.44	128	28	<0.01	16	270	<2	<5	<20	7	<0.01	<10	61	<10	<1	32
3	77856	1.7	1.89	2765	70	<5	1.86	11	786	51	566	>10	<10	1.55	402	24	0.01	<1	1360	38	<5	<20	38	0.09	<10	191	<10	<1	36
4	77857	2.3	1.81	>10000	60	<5	2.10	83	2672	49	607	>10	<10	1.51	541	37	0.01	<1	1480	38	<5	<20	54	0.02	<10	155	<10	<1	38
5	77858	21.0	0.94	>10000	105	<5	1.24	152	3253	30	2051	>10	<10	0.46	1349	22	<0.01	<1	160	36	<5	<20	25	<0.01	<10	68	<10	<1	59
6	77859	3.2	2.56	650	70	<5	1.09	4	187	112	577	>10	<10	2.09	981	9	<0.01	6	1020	54	<5	<20	25	0.07	<10	270	<10	<1	43
7	77860	2.0	2.95	65	85	5	2.11	1	31	95	211	9.56	<10	2.20	1554	6	0.01	10	1250	64	<5	<20	36	0.06	<10	280	<10	<1	55
8	77861	0.5	1.47	40	70	<5	4.98	<1	22	29	168	7.77	<10	1.71	611	6	0.02	8	1270	24	<5	<20	168	<0.01	<10	135	<10	4	38
9	77862	0.4	1.63	15	85	<5	1.26	<1	23	63	210	5.78	<10	0.96	175	<1	0.09	11	1050	38	<5	<20	12	0.17	<10	131	<10	<1	24
10	77865	4.7	3.18	2305	65	10	4.39	10	392	54	184	>10	<10	2.01	1243	15	0.02	1	1200	78	<5	<20	88	0.02	<10	208	<10	<1	78
11	77868	0.5	1.44	25	55	<5	2.98	<1	46	51	332	7.07	<10	1.17	373	4	0.05	11	1280	30	<5	<20	129	0.06	<10	117	<10	2	22
12	77874	3.2	2.21	685	75	<5	4.86	4	228	39	369	9.01	30	1.47	1094	11	<0.01	2	1300	48	<5	<20	117	0.02	<10	203	<10	<1	66
13	77875	26.1	3.18	9180	90	<5	2.87	63	1703	37	1123	>10	<10	2.00	1496	25	<0.01	2	610	260	<5	<20	107	<0.01	<10	113	<10	<1	444
14	77876	>30	1.07	>10000	130	<5	0.88	199	4036	10	3530	>10	<10	0.40	1243	29	<0.01	6	<10	4058	<5	<20	12	<0.01	<10	45	<10	<1	4952
15	77877	22.3	1.86	>10000	70	<5	1.73	154	3975	43	787	>10	<10	1.33	1488	14	0.01	11	880	280	<5	<20	24	0.03	<10	124	<10	<1	276
16	77881	0.8	2.01	230	65	<5	2.55	1	123	37	303	8.76	100	1.75	496	5	0.02	8	1190	42	<5	<20	98	0.06	<10	203	<10	8	42
17	77882	0.3	2.08	115	120	<5	3.42	<1	30	38	132	6.48	10	1.74	476	2	0.03	5	1280	42	<5	<20	82	0.09	<10	189	<10	5	38
18	77883	8.4	1.40	>10000	100	<5	0.73	67	2508	20	2931	>10	<10	0.88	310	24	0.01	<1	600	28	<5	<20	11	0.01	<10	64	<10	<1	36
19	77884	0.2	3.37	190	265	15	4.43	<1	55	79	83	9.55	<10	2.97	1250	<1	0.05	28	2560	72	<5	<20	132	0.18	<10	253	<10	5	91
20	77885	6.6	3.33	>10000	90	<5	2.39	66	1580	35	1740	>10	<10	2.43	1736	20	0.01	7	1420	94	<5	<20	124	0.01	<10	183	<10	<1	276
21	77886	16.5	1.07	>10000	95	<5	0.53	98	2324	36	1805	>10	<10	0.59	861	21	<0.01	<1	50	58	<5	<20	17	<0.01	<10	42	<10	<1	80
22	77887	3.7	2.95	935	70	<5	2.31	6	186	44	947	>10	20	1.75	1134	215	<0.01	3	640	66	<5	<20	110	<0.01	<10	136	<10	<1	49
23	77890	0.4	1.95	15	40	<5	2.85	<1	37	51	293	7.24	<10	0.97	290	3	0.08	8	1130	46	<5	<20	31	0.09	<10	84	<10	<1	31
24	77899	4.1	2.96	40	80	<5	4.72	<1	51	52	371	9.58	<10	2.53	1348	11	<0.01	7	1280	86	<5	<20	127	<0.01	<10	189	<10	<1	94
25	77900	0.7	2.79	20	65	<5	3.94	<1	59	58	351	9.10	<10	1.93	733	5	0.03	11	1330	62	<5	<20	78	0.07	<10	172	<10	<1	32
26	71918	1.1	2.12	10	75	<5	1.59	1	70	48	470	>10	<10	1.85	535	8	0.07	23	980	48	<5	<20	52	0.08	<10	152	<10	<1	35
27	71919	2.2	1.53	110	75	<5	4.76	<1	94	68	278	6.45	<10	1.32	957	8	0.02	10	1290	36	<5	<20	136	<0.01	<10	165	<10	3	28
28	71920	>30	1.80	1465	95	<5	0.98	23	1084	45	1513	>10	<10	1.47	5008	25	<0.01	21	310	1224	<5	<20	46	<0.01	<10	74	<10	<1	1196
29	71921	>30	1.11	2140	70	<5	0.97	139	1684	60	2166	>10	<10	1.34	3786	12	<0.01	33	200	>10000	<5	<20	63	<0.01	<10	70	<10	<1	>10000
30	71922	16.4	1.04	870	55	<5	1.24	9	519	68	774	>10	<10	1.54	1811	74	0.02	21	700	364	<5	<20	103	<0.01	<10	88	<10	<1	267
31	71923	>30	1.07	100	55	<5	1.10	114	79	106	679	9.31	<10	1.22	2554	88	<0.01	9	250	>10000	<5	<20	65	<0.01	<10	65	<10	<1	>10000
32	77929	1.1	1.82	10	70	<5	2.45	<1	41	48	200	6.06	<10	0.93	262	<1	0.08	9	1190	48	<5	<20	22	0.12	<10	111	<10	<1	29
33	77930	1.8	2.14	15	85	<5	4.22	<1	45	47	216	8.20	<10	1.42	447	<1	0.11	11	1090	48	<5	<20	33	0.12	<10	155	<10	<1	39
34	77944	1.4	2.71	3425	75	<5	2.28	17	700	75	1201	>10	<10	2.43	730	23	<0.01	9	790	52	<5	<20	39	0.06	<10	305	<10	<1	53
35	77945	0.5	2.20	290	175	<5	4.58	2	161	73	350	8.36	<10	1.61	579	2	<0.01	2	950	50	<5	<20	84	0.20	<10	253	<10	<1	55

ECO TECH LABORATORY LTD.			ICP CERTIFICATE OF ANALYSIS AS 2005-5175																		Tenajon Resources Corp									
Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
36	77946	6.3	2.10	>10000	230	<5	1.66	100	2338	35	2099	>10	<10	1.29	704	20	0.03	<1	550	40	<5	<20	38	0.04	<10	208	<10	<1	53	
37	77947	2.1	2.00	2145	125	<5	2.93	11	407	33	738	>10	<10	1.21	685	10	<0.01	2	1070	50	<5	<20	29	0.09	<10	199	<10	<1	38	
38	77948	0.5	1.95	65	160	<5	3.29	<1	32	39	185	6.44	<10	1.38	496	<1	<0.01	6	1260	48	<5	<20	31	0.14	<10	224	<10	5	38	
39	77949	2.9	3.23	205	85	<5	2.83	1	114	30	587	>10	<10	30	1.82	1262	12	<0.01	7	1190	70	<5	<20	34	0.05	<10	224	<10	<1	67
40	77812	4.0	1.74	7090	125	<5	2.05	36	1240	39	1291	>10	<10	60	1.51	291	16	0.01	5	640	34	<5	<20	37	0.04	<10	149	<10	<1	48
41	77955	0.7	1.34	15	80	<5	0.88	<1	59	64	485	7.57	<10	0.86	217	<1	0.05	14	1170	34	<5	<20	16	0.16	<10	170	<10	<1	32	
42	77956	0.2	1.47	20	145	<5	1.10	<1	52	64	224	5.77	<10	1.16	200	<1	0.05	9	1280	40	<5	<20	15	0.20	<10	207	<10	<1	29	
43	77957	0.8	1.48	60	90	<5	1.70	<1	97	56	630	7.38	<10	1.13	251	<1	0.06	7	1250	38	<5	<20	35	0.15	<10	171	<10	<1	35	
44	77958	1.3	1.99	1695	160	<5	2.10	8	332	56	426	8.97	<10	1.63	254	2	0.02	4	1210	42	<5	<20	34	0.13	<10	257	<10	<1	31	
45	77959	2.1	1.78	160	185	<5	2.02	1	225	42	863	>10	<10	1.37	237	9	0.03	7	870	30	<5	<20	37	0.12	<10	170	<10	<1	35	
46	77960	1.8	2.28	205	105	<5	2.80	<1	143	59	533	>10	<10	1.89	466	7	0.02	2	1260	50	<5	<20	71	0.08	<10	234	<10	4	43	
47	77961	<0.2	0.88	5	35	<5	0.63	<1	7	59	4	1.59	<10	0.50	274	<1	0.05	2	470	30	<5	<20	53	0.08	<10	31	<10	<1	78	
48	77962	2.2	0.30	380	30	<5	0.13	1	21	770	40	3.36	<10	0.03	156	7	0.01	609	360	6	10	<20	1	<0.01	<10	17	<10	2	41	
49	77963	15.9	1.69	>10000	100	<5	1.66	70	2136	38	2475	>10	<10	0.86	938	24	<0.01	<1	300	64	<5	<20	24	<0.01	<10	65	<10	<1	109	
50	77964	0.7	1.88	165	100	<5	2.47	<1	77	48	334	7.82	<10	1.42	492	1	0.02	5	1230	46	<5	<20	28	0.13	<10	227	<10	<1	29	
51	77965	5.4	2.58	295	120	<5	1.91	1	142	39	367	>10	<10	1.78	725	2	0.01	8	1280	70	<5	<20	25	0.16	<10	267	<10	<1	48	
52	77984	2.7	0.43	160	65	<5	4.88	1	83	36	294	7.66	<10	1.99	2254	8	<0.01	4	980	12	<5	<20	286	<0.01	<10	81	<10	5	50	
53	77985	8.2	0.41	>10000	100	<5	1.75	231	4735	25	1689	>10	<10	0.66	870	22	<0.01	<1	140	5	<5	<20	47	<0.01	<10	56	<10	<1	59	
54	77986	14.3	0.72	>10000	95	<5	2.66	153	3455	7	2320	>10	<10	0.63	885	19	<0.01	<1	<10	6	<5	<20	48	<0.01	<10	62	<10	<1	53	
55	77987	22.8	1.97	>10000	90	<5	1.88	234	4976	39	1708	>10	<10	1.09	3110	22	<0.01	<1	560	58	<5	<20	38	<0.01	<10	114	<10	<1	181	
56	77988	>30	0.61	>10000	115	<5	1.97	325	7099	22	1982	>10	<10	0.26	3852	26	<0.01	<1	150	1126	<5	<20	97	<0.01	<10	33	<10	<1	388	
57	77989	>30	0.21	1155	125	<5	1.23	19	815	17	2963	>10	<10	0.14	1841	26	<0.01	10	<10	158	<5	<20	19	<0.01	<10	5	<10	<1	1149	
58	77990	>30	0.88	>10000	105	<5	1.42	371	8127	29	2394	>10	<10	0.81	2797	24	<0.01	<1	520	834	<5	<20	54	<0.01	<10	43	<10	<1	853	
59	77991	6.4	0.55	1595	60	<5	3.43	5	282	50	406	9.61	<10	1.81	2482	12	<0.01	6	1060	22	<5	<20	231	<0.01	<10	82	<10	<1	60	
60	77974	0.7	2.27	170	85	<5	3.85	<1	79	52	181	7.44	10	1.95	450	6	0.01	3	1350	50	<5	<20	121	0.02	<10	239	<10	7	38	
61	77975	12.9	1.90	>10000	75	<5	3.61	81	3188	27	1014	>10	<10	2.14	922	31	<0.01	<1	670	40	<5	<20	173	<0.01	<10	219	<10	<1	64	
62	77976	>30	0.57	>10000	80	<5	2.43	62	2891	25	2905	>10	<10	0.27	1010	19	<0.01	<1	<10	1252	<5	<20	51	<0.01	<10	24	<10	<1	2006	
63	77977	1.2	1.15	55	35	<5	1.28	<1	44	48	213	4.81	<10	0.80	336	<1	0.08	14	1220	30	<5	<20	23	0.10	<10	87	<10	<1	21	
64	77978	0.5	1.73	15	45	<5	2.07	<1	56	51	401	7.18	<10	0.90	289	4	0.07	21	1370	42	<5	<20	21	0.09	<10	94	<10	<1	27	
65	77979	0.6	2.16	25	100	<5	1.94	<1	48	55	389	9.16	<10	1.66	424	1	0.05	10	1370	50	<5	<20	28	0.14	<10	169	<10	<1	35	
66	77998	27.9	0.56	4900	70	<5	1.00	28	1156	95	1247	>10	<10	1.00	1228	21	<0.01	12	360	318	<5	<20	85	<0.01	<10	48	<10	<1	713	
67	77999	>30	1.13	2585	65	<5	1.21	26	1067	71	1562	>10	<10	1.51	2301	20	0.01	17	350	458	<5	<20	101	<0.01	<10	115	<10	<1	1877	
68	77800	2.2	1.68	55	55	<5	3.67	<1	36	69	243	7.51	<10	1.89	1120	45	0.03	11	1370	38	<5	<20	184	<0.01	<10	207	<10	4	42	
69	77755	0.2	1.74	20	65	<5	2.00	<1	61	42	333	>10	<10	1.13	547	3	0.10	10	1610	40	<5	<20	82	0.13	<10	97	<10	<1	62	
70	77759	0.2	1.28	20	25	<5	3.86	<1	30	30	167	4.39	<10	0.82	369	<1	0.08	6	1310	34	<5	<20	71	0.23	<10	71	<10	<1	42	
71	77560	1.0	2.21	20	50	<5	3.87	<1	50	28	368	8.20	<10	1.77	743	55	0.03	11	1390	62	<5	<20	77	0.14	<10	137	<10	<1	64	
72	77561	0.4	2.54	10	50	<5	4.97	<1	25	39	159	7.53	<10	2.16	815	40	0.04	5	1630	58	<5	<20	84	0.20	<10	167	<10	<1	59	
73	77767	0.8	3.61	15	90	<5	5.79	<1	37	34	287	>10	<10	2.53	1798	6	0.01	8	1320	76	<5	<20	91	0.08	<10	218	<10	<1	176	
74	77813	0.7	2.60	105	80	10	3.93	<1	28	51	123	9.80	<10	1.33	1886	17	<0.01	6	940	66	<5	<20	55	0.06	<10	128	<10	<1	126	
75	77775	1.0	1.88	25	70	<5	4.27	1	63	29	710	>10	<10	1.16	676	11	0.02	5	1310	46	<5	<20	71	0.16	<10	116	<10	<1	77	
76	77776	2.0	2.13	20	65	<5	4.34	<1	48	28	393	8.02	<10	1.39	587	12	0.05	8	1370	52	<5	<20	43	0.17	<10	168	<10	<1	59	
77	77777	0.7	2.17	10	70	<5	3.32	<1	63	28	530	9.35	<10	1.25	520	9	0.06	8	1520	58	<5	<20	49	0.20	<10	143	<10	<1	60	
78	77778	3.1	2.31	10	70	<5	4.10	<1	57	30	539	>10	<10	1.56	690	14	0.04	6	1550	60	<5	<20	66	0.15	<10	190	<10	<1	77	
79	77779	3.2	3.07	15	50	<5	6.67	<1	52	45	617	>10	<10	2.29	1261	37	0.02	7	1690	80	<5	<20	97	0.12	<10	300	<10	<1	125	
80	77780	0.9	1.98	5	20	<5	4.72	<1	40	32	462	>10	<10	1.33	806	3	0.02	6	1700	48	<5	<20	89	0.12	<10	157	<10	<1	84	

ECO TECH LABORATORY LTD.				ICP CERTIFICATE OF ANALYSIS AS 2005-5175																	Tenajon Resources Corp										
Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn		
81	77781	0.4	2.97	10	65	5	4.31	<1	40	33	287	>10	<10	1.71	1006	3	0.05	8	1780	70	<5	<20	78	0.15	<10	206	<10	<1	95		
82	77782	0.5	2.54	10	50	<5	4.91	<1	31	29	237	>10	<10	1.57	908	2	0.05	8	1810	58	<5	<20	86	0.13	<10	188	<10	<1	112		
83	77783	0.5	2.59	10	65	<5	4.13	2	64	26	266	>10	<10	1.62	852	5	0.06	11	1790	62	<5	<20	111	0.12	<10	186	<10	<1	153		
84	77793	0.6	2.06	25	75	<5	2.09	<1	53	44	432	9.85	<10	1.54	406	9	0.06	12	1550	52	<5	<20	33	0.11	<10	151	<10	<1	35		
85	77794	0.3	1.80	25	110	<5	1.78	<1	35	41	254	7.02	<10	1.40	290	<1	0.07	11	1610	48	<5	<20	29	0.17	<10	156	<10	<1	34		
86	77795	1.6	1.83	35	65	<5	2.69	<1	68	59	369	8.85	<10	1.19	839	<1	0.07	12	1620	48	<5	<20	34	0.12	<10	128	<10	<1	31		
87	77796	1.8	1.92	30	70	<5	2.65	<1	82	56	464	>10	<10	1.25	586	6	0.04	16	1350	46	<5	<20	34	0.08	<10	113	<10	<1	35		
88	77797	0.6	2.23	30	75	<5	3.53	<1	49	63	304	9.45	<10	1.34	412	<1	0.06	13	1680	58	<5	<20	23	0.14	<10	150	<10	<1	41		
89	77825	0.8	2.71	675	75	<5	4.32	2	133	60	212	9.92	<10	2.29	1456	7	<0.01	8	1630	66	<5	<20	78	0.06	<10	269	<10	2	64		
90	77829	20.8	4.63	1280	95	<5	1.38	10	442	62	959	>10	<10	2.11	4951	28	<0.01	14	1820	478	<5	<20	44	<0.01	<10	225	<10	<1	640		
91	77830	4.3	2.60	130	55	<5	2.63	<1	111	76	423	>10	<10	2.12	1707	10	<0.01	8	1340	74	<5	<20	77	<0.01	<10	234	<10	<1	108		
92	77839	29.1	4.60	2365	110	<5	1.13	9	1134	37	1251	>10	<10	2.17	5801	28	<0.01	35	1550	210	<5	<20	31	0.01	<10	200	<10	<1	190		
93	77840	>30	4.86	405	100	<5	1.37	1	314	46	1066	>10	<10	1.87	6483	21	<0.01	8	2140	198	<5	<20	29	0.01	<10	245	<10	<1	172		
94	77841	>30	3.47	>10000	95	<5	1.51	81	1030	35	1509	>10	<10	1.46	6523	34	<0.01	28	1540	1652	<5	<20	61	0.01	<10	155	<10	<1	4190		
95	77842	0.9	0.90	35	60	<5	6.46	<1	45	49	312	8.88	20	1.83	1015	11	0.01	9	1250	22	<5	<20	290	<0.01	<10	82	<10	<1	41		
<b>QC DATA:</b>																															
<b>Repeat:</b>																															
1	77854	1.3	1.36	2380	65	<5	0.96	11	360	57	1472	8.86	10	0.90	205	9	<0.01	4	1480	26	<5	<20	18	0.02	<10	162	<10	8	34		
10	77865	4.7	2.86	2130	60	15	4.01	12	369	50	185	>10	<10	1.81	1141	14	0.02	2	1120	80	<5	<20	76	0.02	<10	188	<10	<1	74		
19	77884	0.2	3.33	185	250	15	4.33	<1	53	78	82	9.34	<10	2.94	1226	<1	0.05	29	2520	70	<5	<20	133	0.18	<10	249	<10	7	88		
28	77920	>30	1.75	1445	95	<5	0.88	20	1054	44	1411	>10	<10	1.43	4910	22	<0.01	19	330	1206	<5	<20	46	<0.01	<10	73	<10	<1	1176		
36	77946	6.3	2.16	>10000	200	<5	1.65	107	2554	36	2205	>10	<10	1.33	717	21	0.03	<1	540	40	<5	<20	35	0.04	<10	214	<10	<1	53		
45	77959	2.1	1.67	180	180	<5	1.96	<1	225	41	835	>10	<10	1.32	234	9	0.02	6	870	34	<5	<20	36	0.11	<10	166	<10	<1	35		
54	77986	15.7	0.76	>10000	90	<5	2.62	130	3607	8	2608	>10	<10	0.66	941	20	<0.01	<1	<10	10	<5	<20	49	<0.01	<10	65	<10	<1	57		
63	77977	1.2	1.18	50	40	<5	1.33	<1	48	53	232	5.23	<10	0.88	367	<1	0.09	16	1250	34	<5	<20	26	0.12	<10	97	<10	<1	22		
71	77560	1.0	2.21	25	55	<5	4.18	<1	52	28	372	8.32	<10	1.70	749	55	0.03	11	1530	68	<5	<20	82	0.17	<10	144	<10	4	69		
80	77780	0.9	1.95	15	25	<5	4.72	<1	46	34	478	>10	<10	1.29	814	5	0.02	7	1840	48	<5	<20	95	0.13	<10	162	<10	<1	88		
<b>Standard:</b>																															
GEO '05		1.5	1.47	55	125	<5	1.48	<1	19	60	82	3.66	<10	0.80	578	<1	0.02	29	540	22	<5	<20	56	0.11	<10	73	<10	10	74		
GEO '05		1.5	1.50	60	130	<5	1.53	<1	18	61	82	3.74	<10	0.81	594	<1	0.02	28	600	24	<5	<20	54	0.11	<10	67	<10	10	74		
GEO '05		1.5	1.48	60	130	<5	1.55	<1	19	59	88	4.01	<10	0.78	622	<1	0.02	29	710	26	<5	<20	53	0.10	<10	71	<10	9	74		