

**DIAMOND DRILLING AND PHYSICAL WORK REPORT
ON THE DD MINERAL PROPERTY, CARIBOO MINING
DIVISION, NORTH - CENTRAL BRITISH COLUMBIA**

Mineral claims: Snow #1 to Snow #4, Moose #1 to 4, Calf 1, DD #1 to DD
#5

NTS: 92 J/14

Latitude 54°57'00" N
Longitude 123°11'30" W

Owner: Ram Vallabh (in trust for Almo Capital Corp. and Precious Metals Corp.)

Operator: Almo Capital Corp.

By: David J. Bridge MASc, P. Geo

Date: April 30, 2006

GEOLOGICAL SURVEY BRANCH
28-319

RECEIVED

JAN 03 2007

Gold Commissioner's Office
VANCOUVER, B.C.

RECEIVED

MAY 02 2006

Gold Commissioner's Office
VANCOUVER, B.C.

**DIAMOND DRILLING AND PHYSICAL WORK REPORT
ON THE DD MINERAL PROPERTY, CARIBOO MINING
DIVISION, NORTH – CENTRAL BRITISH COLUMBIA**

Mineral claims: Snow #1 to Snow #4, Moose #1 to 4, Calf 1, DD #1 to DD
#5

NTS: 92 J/14

Latitude 54°57'00" N
Longitude 123°11'30" W

Owner: Ram Vallabh (in trust for Almo Capital Corp. and Precious Metals Corp.)

Operator: Almo Capital Corp.

By: David J. Bridge MASc, P. Geo

Date: April 30, 2006 (revised January 2, 2007)

TABLE OF CONTENTS

Introduction	1
Property Definition	1
Summary of Work	1
Regional Geology	1
Local Geology	4
Description of Physical Work	4
Diamond Drilling	7
Specifications of Sampling, Assaying and Analysis	12
Interpretation and Conclusions	12
References	13
Cost Statement	14
Statement of Qualifications	16
Appendix 1 Trench Maps and Sample Descriptions	17
Appendix 2 Drill Logs	28
Appendix 3 Assay Certificates	54

FIGURES

Figure 1:	Index Map	2
Figure 2:	Regional Geology	3
Figure 3:	Location of Hand Dug Trenches and Diamond Drill Holes	5
Figure 4:	Location of Hand Dug Trenches T3A and T7A, Moose#3 Mineral Claim	6
Figure 5:	Section showing DD – 05 – 01	8
Figure 6:	Section showing DD – 05 – 02	9
Figure 7:	Section showing DD – 05 – 03	10
Figure 8a:	Section showing DD – 05 – 04	11a
Figure 8b:	Section showing DD – 05 – 05	11b
Figures 9a to 9h	Map showing location of trenches and chip sample assays of trenches dug in 2005	18a - 18h

Introduction:

The DD Mineral Property consists of 18 mineral claims comprising 178 claim units located in the Cariboo Mining Division, north – central British Columbia (figure 1). The property is located 32 km south of the town of Mackenzie, British Columbia and it is accessed by gravel logging roads from Highway 97 just south of Windy Point.

Property Definition:

Almo Capital Corp. optioned 50.1% of the DD Mineral Property from Precious Metals Corp. for exploration expenditures totaling \$200,000 before April 30, 2006. The DD Mineral Property contains copper, nickel, cobalt, vanadium, platinum and palladium mineralization in four ultramafic belts across it. The mineral claims are held in trust by Ram Vallabh for Almo Capital Corp. and Precious Metals Corp.

Physical work was done on the Moose #3 and Snow #1 to Snow #4 mineral claims (tenure numbers 386377, 380877 – 380878 and 380881 – 380882) and the diamond drilling was done on the Snow #1 to Snow #4 mineral claims (tenure numbers 380877 – 380878 and 380881 – 380882).

Summary of Work

The physical work consisted of 27 hand dug trenches totaling 238 meters and the diamond drilling consisted of 629.27 meters of NQ core drilling in five holes and collection of 266 samples and submittal of 11 blank samples.

Regional geology


The DD Mineral Property mineralization is hosted by ultramafic dykes which cut Triassic Takla Group sedimentary rocks which form the base of the Quesnel Terrane. The Takla Group sediments are stratigraphically overlain by the Takla Group mafic volcanics (Struik, 1994) (figure 2). Feeding these volcanic rocks are the ultramafic dykes which strike north-westerly across the DD Mineral Property.

The Quesnel Terrane (Takla Group) has been thrust eastward on to the Slide Mountain Terrane, that consists of Carboniferous to Permian mafic volcanics and metamorphosed sediments.


The region is cut by prominent north-westerly and lesser north-easterly faults that relate to crustal extension caused by the development of the Wolverine metamorphic core complex in the Carp Lake area, 20 km to the southeast.




2



Claim Boundary



D.D. MINERAL PROPERTY	
CARBOO MINING DIVISION	93J14E, 93J14W
INDEX MAP	
DRAWN BY D.B. DATE APRIL, 2006	FIGURE 1



PALEOCENE (?) AND EOCENE

- PEv** Rhyolite, dacite, trachyte flows; raised tuff and breccia, minor sediments
- PEg** Quartz feldspar porphyry granite plutons and dykes

UPPER CRETACEOUS, PALEOCENE, EOCENE

- uKTgn** Muscovite and biotite schist, paragneiss, minor quartzite and marble, includes undifferentiated granitic pegmatite, granodiorite and rhyolite, amphibolite, calcilicite and marble

CRETACEOUS

- Kg** Muscovite granite, with garnet and biotite in many places, commonly as pegmatite (Kgp), flattened and elongated, and locally mylonitic; includes some screenwork of country rock

QUESNEL TERRANE

TRIASSIC AND JURASSIC

TAKLA GROUP (Tjv - Ts)

MIDDLE AND UPPER TRIASSIC AND LOWER JURASSIC

- Tjv** Basalt flows, agglomerate and breccia, conglomerate and lesser amounts of tuff, greywacke and argillite

MIDDLE AND UPPER TRIASSIC

- Tm** Limestone, slate
- Ts** Slate, argillite, phyllite, fine-grained and minor coarse-grained greywacke, and lesser amounts of tuff, tuffaceous siltite and argillite, limestone and limy greywacke

D.D. MINERAL PROPERTY	
CARIBOO MINING DIVISION	93J14E, 93J14W
REGIONAL GEOLOGY MAP (MODIFIED FROM GEOLOGICAL SURVEY OF CANADA OPEN FILE 2439)	
DRAWN BY DJR DATE OCTOBER 2001	FIGURE 2

Local Geology:

No systematic geological mapping has been conducted on the whole DD Mineral Property. Outcrops are few, and the ground is mostly covered by glacial drift. In the past, geological mapping has been conducted along roads and along creeks cutting across the Property.


Most of the property is underlain by weakly metamorphosed Middle to Upper Triassic Takla Group argillite / shale, marble and siltstone which are cut by four northwesterly trending belts of mineralized ultramafic rocks.

The ultramafic rocks are composed of black pyroxenite, hornblende pyroxenite and hornblendite – lesser diorite and granodiorite occurs as later phases – possible Cretaceous in age. The location of the ultramafic rocks can be identified from the airborne magnetic maps because of the high concentration of magnetite in the black pyroxenite.


Description of Physical Work.

A total of 27 hand dug trenches were dug on the Snow #1 to Snow #4 and Moose #3 mineral claims. The following trenches were located using the pre-existing grid (see figure 3 and 4 for their locations). All of the trenches were chip-channel sampled at one meter intervals and assayed. Ultramafic rocks were intersected in all of the trenches. Trench maps are in Appendix 1 figures 9a to 9h followed by sample descriptions. The dimension of the hand dug trenches is as follows

Trench	Length (meters)	Width (meters)	Depth (meters)
SS 8-26	19	0.4	0.3
SS 100-102	3	0.4	0.3
ST	24	0.3	0.4
SU 1-8	8	0.4	0.3
SU 11-16	6	0.4	0.3
SV	10	0.5	0.4
TA	6	0.5	0.5
TU	5	0.4	0.5
UJ	5	0.4	0.3
WW	12	0.4	0.2
QA	12	0.4	0.4
QB	8	0.4	0.3
QQ 7-9	13	0.4	0.3
QQ 100-102	3	0.4	0.5
QQ 105-106	2	0.4	0.4
QQ 109-112	4	0.4	0.4
QQ 115-118	4	0.4	0.4



-  HAND DUG TRENCH
-  CLAIM POST
-  ROAD
-  DIAMOND DRILL HOLE





D.D. MINERAL PROPERTY	
CARBO MINING DIVISION	93/14E.93/14W
LOCATION OF HAND DUG TRENCHES AND DIAMOND DRILL HOLES	
<small>DRAWN BY DS DATE APRIL, 2004</small>	<small>FIGURE 3</small>



DD #29

MOOSE #3



9

-  HAND DUG TRENCH
-  CLAIM POST
-  ROAD.



D.D. MINERAL PROPERTY	
CARBON MINING DIVISION	93J14E, 93J14W
LOCATION OF HAND DUG TRENCHES T3A AND T7A, MOOSE #3 MINERAL CLAIM	
DESIGNED BY DATE APR., 2004	FIGURE 4

DD - 05 - 01

Azimuth 010°
 Dip -45°
 Elev 880m
 Depth 157.01m

Assay intervals

Interval	From (m)	To (m)	Length (m)	Cu (ppm)	Ni (ppm)	Co (ppm)	V2O5 (ppm)	Au (ppb)	Pt (ppb)	Pd (ppb)
1	37.50	61.00	23.5	377	837	71	72	10	48	54
2	63.80	69.92	6.12	38	719	71	57	8	7	3
3	93.80	97.20	3.4	19	670	71	68	1	19	24
4	109.15	131.56	22.41	43	445	59	83	3	34	41
5	145.00	154.00	9.0	55	909	90	73	3	8	9

LEGEND

DIOR - Diorite

∞

HBPX - Hornblende Pyroxenite

BLPX - Black Pyroxenite

SEDS - Hornfels argillite and siltstone


 Fault



D.D. MINERAL PROPERTY	
CARIBOO MINING DIVISION	93J14E, 93J14W
Section Showing DD - 05 - 01	
<small>DRAWN BY CLB DATE APRIL, 2006</small>	FIGURE 5

DD - 05 - 02


Azimuth 348°
 Dip -45°
 Elev. 880 m
 Depth 92.98m



LEGEND

- DIOR - Diorite
- HBPX - Hornblende Pyroxenite
- BLPX - Black Pyroxenite
- SEDS - Hornfels argillite and siltstone

Fault



D.D. MINERAL PROPERTY	
CARIBOO MINING DIVISION	93J14E, 93J14W
Section Showing DD - 05 - 02	
DRAWN BY GJB DATE APRIL, 2006	FIGURE 6

DD - 05 - 03


Azimuth 065°
 Dip -45°
 Elev. 880 m
 Depth 157.93 m

Interval	From (m)	To (m)	Length (m)	Cu (ppm)	Ni (ppm)	Co (ppm)	V2O5 (ppm)	Au (ppb)	Pt (ppb)	Pd (ppb)
1	28.78	42.07	13.29	138	924	90	83	2	4	9
2	52.13	85.16	33.03	22	584	68	58	2	7	8
3	139.15	156.38	17.23	241	453	54	150	2	13	7

LEGEND

- NBHB - Needle Hornblendite
- HBPX - Hornblende Pyroxenite
- BLPX - Black Pyroxenite
- SEDS - Hornfels argillite and siltstone


 Fault



D.D. MINERAL PROPERTY	
CARBOO MINING DIVISION	93J14E, 93J14W
Section Showing DD - 05 - 03	
DRAWN BY DB DATE APRIL, 2004	FIGURE 7

DD - 05 - 04

Azimuth 055°
Dip -45°
Elev. 870 m
Depth 173.7 m




Interval	From (m)	To (m)	Length (m)	Cu (ppm)	Ni (ppm)	Co (ppm)	V2O5 (ppm)	Au (ppb)	Pt (ppb)	Pd (ppb)
1	28.43	35.00	6.57	49	339	52	202	<2	35	47
2	81.71	90.85	9.14	44	425	52	93	<2	21	21
3	106.48	109.80	3.32	70	534	50	89	<2	8	7
4	131.50	136.40	4.90	39	395	41	73	<2	11	11

LEGEND

- NBHB - Needle Hornblendite
- HBPX - Hornblende Pyroxenite
- BLPX - Black Pyroxenite
- SEDs - Hornfels argillite and siltstone

Fault



110

D.D. MINERAL PROPERTY	
CARBDO MINING DIVISION	93J14E.93J14W
Section Showing DD - 05 - 04	
DRAWN BY DLS DATE APRIL 2006	FIGURE 8

DD - 05 - 05

Azimuth 055°
Dip -45°
Elev. 880 m
Depth 48.17 m



LEGEND


NBHB - Needle Hornblendite

HBPX - Hornblende Pyroxenite

BLPX - Black Pyroxenite

SEDS - Hornfels argillite and siltstone

 Fault



D.D. MINERAL PROPERTY	
CARBON MINING DIVISION	93J14E, 93J14W
Section Showing DD - 05 - 04	
DRAWN BY DS DATE APRIL, 2004	FIGURE 8b

Specifications of Sampling, Assaying and Analysis

All of the core samples were analyzed by Acme Analytical Laboratories Ltd. of 852 E. Hastings Street, Vancouver, B.C., V6A 1R6 by 30 element induced coupled plasma – emission spectrometry (ICP – ES) and gold, platinum and palladium by fire assay. All samples were ground and pulverized to minus 150 mesh and a 0.50 gm split was leached by 3 ml of 2-2-2 HCl – HNO₃ – H₂O at 95 degrees Celsius and diluted to 10 ml with demineralized water. The solution was analyzed for 30 elements by ICP – ES. A 30 gm split was taken for fire assay which was finished by analyzing the dissolved bead by ICP – ES.

Acme inserted a standard every 31 samples or less; all of the results were within the accuracy range for the standard. Acme retested the sample split and coarse reject every 31 samples or less. The accuracy and precision were within limits.

Interpretation and Conclusions

Disseminated chalcopyrite and nickeliferous pyrrhotite was intersected in two drill holes on the DD Mineral Property. Minor platinum and palladium mineralization was also found in all three drill holes which were assayed. The mineralization is hosted by an ultramafic dyke which strikes east – west with a vertical dip. The dyke is composed of black pyroxenite with disseminated pyrrhotite +/- chalcopyrite and hornblende pyroxenite. Later dioritic intrusive phases with pyrrhotite and chalcopyrite have been intersected in the drilling. The hand dug trenches revealed ultramafic rocks in three other areas other than where the drilling was conducted on the DD Mineral Property.

References:

Struik, L.C., 1994. Geology of the McLeod Lake map area (93J), British Columbia; Geological Survey of Canada, Open File 2439, 18p.

Cost Statement

Hand trenching program

Labour

David Bridge (Supervisor)	624 hours	\$37.5/hour	\$23,400
Farid Mostafavi	120 hours	\$31.25/hour	\$ 3,750
Troy McLeod	400 hours	\$18.75/hour	\$ 7,500
Rick Dutchak	384 hours	\$18.75/hour	\$ 7,200

Transpotation 4x4 Pick up truck	18,920 km at \$0.35/km	Total	\$41,850 \$6,622
Lodging	78 days at \$20.00/day		\$1,560
Food	78 days at \$40.00/day		\$3,120
Equipment: Shovels, picks, axes, oil, etc.			\$500
		Total Physical Work	\$53,652

Diamond Drilling

Labour

David Bridge (Supervisor)	480 hours	\$37.5/hour	\$18,000
Farid Mostafavi	632 hours	\$31.25/hour	\$19,750
Troy McLeod	64 hours	\$18.75/hour	\$ 1,200
Rick Dutchak	24 hours	\$18.75/hour	\$ 450

		Total	\$39,400
Transportation 4X4 Pickup truck	14,400 km at \$0.35/km		\$5,040
Lodging	79 days at \$20.00/day		\$1,580
Food	139 mandays at \$20.00/day		\$2,780
Equipment: Core splitter and bags, tie straps, etc.			\$3,000
Drilling (total cost of contract)			\$47,805.64

Assaying	(277 core and blank samples)	\$5,806.72
	Total cost of drilling	\$105,412.36
	Total cost of program	\$159,064.36

Statement of Qualifications

I, David J. Bridge of 505 – 711 5th Avenue, New Westminster, BC, V3M 1X6 hereby certify that:

1. I supervised the hand trenching and diamond drilling programs on the DD Mineral Property from June 7, 2005 to March 14, 2006. The drill core was logged and sampled by me.
2. I am a graduate of the University of British Columbia, BAsC in 1990 and a MASc in 1994; both degrees were in Geological Engineering.
3. I am registered as a P. Geo since year 2000.
4. I am a qualified person.
5. I have practiced geology professionally for more than 12 years.

Dated at New Westminster, B.C.
April 30, 2006

David J. Bridge

April 30, 2006

Revised January 2, 2007




APPENDIX 1: TRENCH MAPS AND SAMPLE DESCRIPTIONS

LEGEND

BLPX-SX - Black Pyroxenite with disseminated pyrrhotite and chalcopyrite

SEDS - Hornfels argillite and siltstone

CB - Ankerite carbonate alteration of ultramafic rock

CB-SX - Ankerite carbonate alteration as CB but with diss. pyrrhotite and chalcopyrite

SAMPLE	Cu	Ni	Co	V	Au	Pt	Pd
	ppm	ppm	ppm	ppm	ppb	ppb	ppb
Qa1	148	134	44	241	2	4	9
Qa2	125	100	31	150	3	29	46
Qa3	229	178	61	175	17	88	82
Qa4	370	233	47	139	36	22	25
Qa5	440	230	47	123	23	40	37
Qa6	322	350	73	124	30	43	85
Qa7	103	225	69	168	42	21	24
Qa8	89	132	47	136	59	18	18
Qa9	44	161	45	93	16	24	27
Qa10	92	162	41	105	79	39	40
Qa11	161	232	47	121	18	14	23
Qa12	267	519	73	217	47	11	17

SAMPLE	Cu	Ni	Co	V	Au	Pt	Pd
	ppm	ppm	ppm	ppm	ppb	ppb	ppb
Qb1	63	29	12	101	3	<2	3
Qb2	133	284	53	135	4	18	15
Qb3	44	171	34	93	3	39	84
Qb4	22	223	49	82	3	14	21
Qb5	31	151	31	71	<2	91	71
Qb6	353	238	39	87	7	63	85
Qb7	211	291	59	128	3	22	28
Qb8	78	164	42	136	2	21	31

SAMPLE	Cu	Ni	Co	V	Au	Pt	Pd
	ppm	ppm	ppm	ppm	ppb	ppb	ppb
Qq161	992	567	84	221	4	64	76
Qq162	139	200	38	146	3	12	15
Qq163	39	20	10	80	<2	<2	2
Qq164	24	25	10	65	<2	<2	2
Qq165	29	13	9	56	2	<2	<2
Qq166	32	10	7	52	<2	<2	2
Ww100	656	169	134	734	17	6	8
Ww101	442	131	80	361	6	2	3
Ww102	1326	428	144	305	11	17	15
Ww103	926	450	93	273	10	40	40
Ww104	266	103	49	258	3	7	7
Ww105	153	69	33	191	4	10	12
Ww106	90	32	20	107	3	5	3
Ww107	84	47	18	104	5	<2	<2
Ww108	227	117	56	232	5	18	18
Ww109	244	54	47	323	3	<2	11
Ww110	84	162	38	114	5	14	10
Ww111	105	237	47	129	2	27	29
Ww112	135	404	79	168	4	22	26


SAMPLE	Cu	Ni	Co	V	Au	Pt	Pd
	ppm	ppm	ppm	ppm	ppb	ppb	ppb
Qq7	1003	1080	108	101	25	388	314
Qq8	840	1121	105	142	18	212	267
Qq9	211	717	95	200	4	62	56
Qq10	99	336	47	142	9	23	23
Qq11	113	179	40	120	<2	88	105
Qq12	103	129	40	154	<2	47	47
Qq13	169	90	45	261	2	13	12
Qq14	166	28	41	331	4	<2	4
Qq15	78	20	21	151	3	3	4
Qq16	53	12	15	128	9	<2	<2
Qq17	49	8	16	94	2	6	<2
Qq18	53	8	16	67	3	<2	<2
Qq19	60	10	19	89	10	2	<2
Qq100	450	272	41	47	14	75	76
Qq101	110	300	49	42	4	27	17
Qq102	239	302	71	60	18	76	43

Qq105	15	168	40	73	10	11	3
Qq106	16	142	31	58	5	6	6
Qq109	13	423	63	103	5	9	10
Qq110	13	222	51	174	3	15	10
Qq111	16	260	63	177	4	22	16
Qq112	28	250	63	234	2	35	27
Qq115	16	506	107	230	5	54	31
Qq116	20	267	65	221	3	23	14
Qq117	44	220	55	196	<2	66	43
Qq118	46	592	89	208	8	41	41

Qq120	46	624	108	288	5	24	25
Qq121	47	720	103	174	6	13	11
Qq122	29	1399	137	177	8	4	6
Qq123	28	1119	138	150	5	277	287
Qq124	15	969	101	89	4	8	3
Qq125	8	1087	106	79	4	<2	2
Qq126	12	951	101	126	<2	<2	5
Qq127	13	1260	126	97	5	9	2
Qq130	8	356	49	116	9	32	30
Qq131	119	396	76	140	7	4	3
Qq132	59	918	108	124	13	11	17
Qq133	41	1024	141	203	7	18	12
Qq134	22	512	74	123	5	6	<2
Qq135	30	807	103	148	9	11	9
Qq136	117	705	82	183	12	25	28
Qq137	201	489	94	175	5	24	22
Qq138	98	628	90	143	8	9	2

SAMPLE	Cu	Ni	Co	V	Au	Pt	Pd
	ppm	ppm	ppm	ppm	ppb	ppb	ppb
Qq145	128	168	86	202	2	2	<2
Qq146	106	79	51	139	6	4	<2
Qq147	277	265	120	205	15	<2	<2

Qq150	403	154	81	191	5	17	17
Qq151	409	215	95	352	7	18	16
Qq152	493	251	112	539	14	5	3
Qq153	287	214	94	539	6	17	15
Qq154	137	73	30	183	2	5	10
Qq155	219	114	50	267	5	17	19
Qq156	260	90	52	235	6	12	11
Qq157	124	106	35	153	2	12	18
Qq158	120	208	43	123	2	22	22
Qq159	64	170	34	99	4	80	67
J4	145	1251	113	115	60	22	43
J5	141	1211	117	141	51	10	21
J6	350	402	64	132	55	25	23
J7	143	703	75	103	25	47	36
J8	270	862	97	135	52	44	41



D.D. PLATINUM PALLADIUM MINERAL CLAIMS
 CARBOO MINING DIVISION 93J14E,93J14W
 TARGET AREA 1
 MAP SHOWING LOCATION OF TRENCHES
 AND CHIP SAMPLE ASSAYS OF TRENCHES
 DUG IN 2005
 DRAWN BY C.J.S. DATE: JULY 2006
 FIGURE 9a





SAMPLE	Cu ppm	Ni ppm	Co ppm	V ppm	Au ppb	Pt ppb	Pd ppb
TA 1	18	147	43	149	.2	.2	8
TA 2	78	99	48	302	.2	10	12
TA 3	97	211	64	295	26	10	19
TA 4	35	211	54	198	5	7	12
TA 5	62	118	48	225	.2	.2	5
TA 6	106	168	59	248	3	4	8
TU 1	161	129	55	261	12	6	8
TU 2	137	133	56	264	2	15	10
TU 3	374	220	78	326	3	38	47
TU 4	269	153	79	444	3	15	47
TU 5	287	164	81	362	2	13	22


LEGEND

- BLPX-SX - Black Pyroxenite with disseminated pyrrhotite and chalcopyrite
- SEDS - Hornfels argillite and siltstone
- CB - Ankerite carbonate alteration of ultramafic rock
- CB-SX - Ankerite carbonate alteration as CB but with dis. pyrrhotite and chalcopyrite

D.D PLATINUM PALLADIUM MINERAL CLAIMS	
CARIBOO MINING DIVISION	93314E, 93314W
TARGET AREA 1 MAP SHOWING LOCATION OF TRENCHES AND CHIP SAMPLE ASSAYS OF TRENCHES DUG IN 2005	
DRAWN BY DDB DATE JULY 2006	FIGURE 9b



Dave Bridge
 PROFESSIONAL ENGINEER
 PROVINCE OF BRITISH COLUMBIA
 NO. 2444



SAMPLE	Cu ppm	Ni ppm	Co ppm	V ppm	Au ppb	Pt ppb	Pd ppb
SU 1	23	142	45	207	.2	35	21
SU 2	23	137	42	176	.2	14	24
SU 3	25	102	30	129	7	26	22
SU 4	42	91	32	161	.2	80	64
SU 5	35	186	54	245	2	32	37
SU 6	31	216	71	268	.2	15	11
SU 7	19	136	42	150	3	34	31
SU 8	20	111	35	113	.2	6	14
SU 11	21	74	22	69	.2	29	34
SU 12	22	83	22	79	.2	84	84
SU 13	22	104	26	104	.2	15	15
SU 14	38	131	38	142	.2	45	48
SU 15	92	134	32	114	4	22	20
SU 16	127	75	24	127	31	10	5

SV1	56	264	61	155	<2	17	15
SV2	58	472	82	209	<2	30	22
SV3	40	299	56	129	4	19	21
SV4	105	63	24	81	12	3	<2
SV5	89	39	17	74	3	<2	<2
SV6	115	37	18	82	8	4	3
SV7	81	35	17	89	3	7	8
SV8	63	79	27	87	54	8	8
SV9	114	176	36	45	25	9	3
SV10	89	50	15	48	15	6	3

LEGEND


- BHPX-SX - Black Pyroxenite with disseminated pyrrhotite and chalcopyrite
- HBPX - Hornblende pyroxenite
- SEDS - Hornfels argillite and siltstone
- CB - Ankerite carbonate alteration of ultramafic rock
- CB-SX - Ankerite carbonate alteration as CB but with diss. pyrrhotite and chalcopyrite

D.D PLATINUM PALLADIUM MINERAL CLAIMS

CARIBOO MINING DIVISION 93J14E,93J14W

TARGET AREA I
MAP SHOWING LOCATION OF TRENCHES
AND CHIP SAMPLE ASSAYS OF TRENCHES
DUG IN 2005


DRAWN BY DJS FIGURE 9c
DATE JULY, 2005






SAMPLE	Cu ppm	Ni ppm	Co ppm	V ppm	Au ppb	Pt ppb	Pd ppb
ST 1	26	126	32	69	2	9	9
ST 2	23	117	29	109	.2	22	19
ST 3	14	110	26	88	.2	17	21
ST 4	20	211	48	153	.2	20	20
ST 5	7	143	39	135	.2	22	24
ST 6	6	140	39	139	.2	14	11
ST 7	45	206	43	173	.2	89	106
ST 8	24	334	58	189	.2	64	70
ST 9	14	162	33	78	.2	9	20
ST 10	15	80	18	111	.2	12	19
ST 11	19	111	29	129	.2	19	22
ST 12	31	264	72	279	.2	15	22
ST 13	32	251	71	272	3	26	47
ST 14	43	199	59	224	.2	50	43
ST 15	27	194	57	211	.2	42	43
ST 16	16	156	40	169	.2	41	46
ST 17	122	186	49	234	.2	48	61
ST 18	48	152	37	192	.2	35	39
ST 19	22	101	27	186	4	24	28
ST 20	49	182	47	198	.2	32	32
ST 21	49	148	40	124	2	.2	4
ST 22	32	362	66	78	3	43	29
ST 23	17	802	107	48	5	103	130
ST 24	11	865	105	37	.2	4	6

Variable clay to fresh hornblende pyroxenite



- LEGEND
- BLPX-SX - Black Pyroxenite with disseminated pyrrhotite and chalcopyrite
 - SEDS - Hornfels argillite and siltstone
 - CB - Ankerite carbonate alteration of ultramafic rock
 - CB-SX - Ankerite carbonate alteration as CB but with diss. pyrrhotite and chalcopyrite

D.D PLATINUM PALLADIUM MINERAL CLAIMS	
CARIBOO MINING DIVISION	93J14E, 93J14W
TARGET AREA I MAP SHOWING LOCATION OF TRENCHES AND CHIP SAMPLE ASSAYS OF TRENCHES DUG IN 2005	
DRAWN BY DUB DATE JULY 2006	FIGURE 9d



PROFESSIONAL
 GEOSCIENTIST
 D.J. BRIGGS
David Briggs





N

SAMPLE	Cu ppm	Ni ppm	Co ppm	V ppm	Au ppb	Pt ppb	Pd ppb
SS 8	53	290	48	42	31	35	41
SS 9	32	344	51	35	7	42	46
SS 10	16	121	19	31	12	13	13
SS 11	19	131	23	35	2	10	14
SS 12	48	246	43	47	3	14	17
SS 13	45	280	58	40	2	30	24
SS 14	113	228	47	56	72	38	36
SS 15	36	201	39	31	6	9	11
SS 16	41	130	26	39	2	19	15
SS 17	53	141	29	44	5	48	32
SS 18	62	176	35	45	4	51	38
SS 19	107	232	45	50	3	56	47
SS 20	103	185	35	38	2	175	172
SS 21	55	196	36	49	6	12	18
SS 22	56	167	31	51	8	9	14
SS 23	59	168	35	75	43	9	14
SS 24	30	315	51	47	7	10	17
SS 25	40	425	61	54	5	9	24
SS 26	54	406	64	62	6	35	54
SS 100	27	138	30	34	7	9	12
SS 101	11	93	17	25	2	8	6
SS 102	11	90	17	34	2	2	2

LEGEND

- BLPX-SX - Black Pyroxenite with disseminated pyrrhotite and chalcocopyrite
- HBPX -po - Hornblende pyroxenite with variable amounts of pyrrhotite
- SEDS - Hornfels argillite and siltstone
- CB - Ankerite carbonate alteration of ultramafic rock
- CB-SX - Ankerite carbonate alteration as CB but with diss. pyrrhotite and chalcocopyrite



PROFESSIONAL
PROVINCE OF
D.J. BRIDGE
2004
SCIENCE

David Bridge

D.D PLATINUM PALLADIUM MINERAL CLAIMS	
CARIBOO MINING DIVISION	93J14E,93J116W
TARGET AREA I MAP SHOWING LOCATION OF TRENCHES AND CHIP SAMPLE ASSAYS OF TRENCHES DUG IN 2005	
DRAWN BY D.J.B. DEC. MAY 2006	FIGURE 9e


181

MAIN ROAD

SAMPLE	Cu ppm	Ni ppm	Co ppm	V ppm	Au ppb	Pt ppb	Pd ppb
OVA1	179	84	32	38	5	102	110
OVF1	205	154	37	122	4	27	16
OVF2	200	133	41	86	3	7	3
OVF3	87	136	38	127	6	15	8
OVF4	246	216	53	88	5	22	14
OVF5	424	139	54	84	4	16	21
OVF6	325	198	71	92	<2	13	13
OVF7	273	232	68	82	5	77	77
OVF8	214	282	63	64	4	118	93
OVF9	3305	104	27	88	3	19	24
OVF10	343	181	31	39	15	45	52
OVF11	1192	214	33	40	109	332	348



HBPX-SX




HBPX

I OVA

Old Tote Road

LEGEND

- BLPX-SX - Black Pyroxenite with disseminated pyrrhotite and chalcopyrite
- HBPX - Hornblende pyroxenite
- HBPX-SX - Hornblende pyroxenite with variable amounts of pyrrhotite and chalcopyrite
- BEDS - Hornfels argillite and siltstone
- CB - Ankerite carbonate alteration of ultramafic rock
- CB-SX - Ankerite carbonate alteration as CB but with diss. pyrrhotite and chalcopyrite



D.D PLATINUM PALLADIUM MINERAL CLAIMS

CARIBOO MINING DIVISION 93J14E, 93J14W

TARGET AREA 2
MAP SHOWING LOCATION OF TRENCHES
AND CHIP SAMPLE ASSAYS OF TRENCHES
DUG IN 2005

DRAWN BY D.S.
DATE JULY 2009



FIGURE 91



SAMPLE	Cu ppm	Ni ppm	Co ppm	V ppm	Au ppb	Pt ppb	Pd ppb
T3A1	73	321	71	109	2	14	8
T3A2	76	465	77	42	4	5	6
T3A3	88	91	26	69	3	11	6
T3A4	104	119	34	112	2	6	7
T3A5	96	114	37	94	<2	12	9
T3A6	124	125	35	94	<2	7	7
T3A7	84	134	31	85	<2	12	11
T3A8	149	195	49	188	<2	9	9
T3A9	158	138	40	137	<2	7	3
T3A10	117	133	34	89	<2	11	10
T3A11	142	88	30	110	<2	12	10
T3A12	171	169	45	142	4	13	17
T3A13	240	145	44	108	<2	16	22
T3A14	186	86	35	133	<2	4	3
T3A15	118	82	28	112	<2	11	10
T3A16	138	83	44	185	<2	9	<2
T3A17	143	65	33	140	<2	8	8
T3A18	131	75	30	107	6	20	18
T3A19	126	58	29	99	<2	7	9
T3A20	128	50	25	101	<2	2	2
T3A21	308	49	23	132	4	3	<2
T3A22	173	65	32	198	6	<2	5
T3A23	187	54	23	115	<2	4	2
T3A24	147	47	26	141	<2	2	<2
T3A25	147	39	25	93	<2	<2	<2





681



D.D PLATINUM PALLADIUM MINERAL CLAIMS	
CARIBOO MINING DIVISION	93J14E, 93J14W
TARGET AREA 3 MAP SHOWING LOCATION OF TRENCHES AND CHIP SAMPLE ASSAYS OF TRENCHES DUG IN 2005 ALONG THE MAIN ROAD	
DRAWN BY D.B. DATE JULY, 2006	FIGURE 9g

18h

SAMPLE	Cu ppm	Ni ppm	Co ppm	V ppm	Au ppb	Pt ppb	Pd ppb
T7A1	115	68	57	275	<2	5	6
T7A2	41	34	35	192	<2	<2	<2
T7A3	47	29	29	165	<2	3	4
T7A4	77	39	39	195	3	<2	<2
T7A5	60	39	37	200	<2	5	3
T7A6	85	45	46	180	<2	2	3
T7A7	81	41	43	203	2	<2	3
T7A8	59	44	45	234	<2	<2	3
T7A9	79	45	53	215	<2	4	3
T7A10	51	41	44	182	<2	<2	4
T7A11	33	475	49	116	2	5	5
T7A12	107	1095	92	90	<2	9	7
T7A13	60	1045	79	97	2	7	5
T7A14	31	1029	70	63	3	9	6
T7A15	28	1478	105	54	2	7	7
T7A16	26	559	51	66	<2	9	8
T7A17	39	857	74	66	<2	5	2
T7A18	35	537	54	94	<2	8	5
T7A19	19	720	48	49	<2	3	4
T7A20	18	603	39	61	2	3	2
T7A21	41	123	34	151	<2	<2	<2
T7A22	16	296	31	109	2	3	4



LEGEND

- SEDS - Hornfels argillite and siltstone
- CB - Ankerite carbonate alteration of ultramafic rock
- CB-SX - Ankerite carbonate alteration as CB but with diss. pyrrhotite and chalcocite

PROFESSIONAL
 PROVINCE OF
 D.J. BRIDGE
 24544
 BRITISH COLUMBIA
D.J. Bridge

D.D PLATINUM PALLADIUM MINERAL CLAIMS
 CARBOO MINING DIVISION 93J14E,93J14W
 TARGET AREA 7
 MAP SHOWING LOCATION OF TRENCHES
 AND CHIP SAMPLE ASSAYS OF TRENCHES
 DUG IN 2005 LOCATED ALONG THE MAIN ROAD
 DRAWN BY D.J.B.
 DATE JULY, 2008
 FIGURE 9h

Sample Number	From (m)	To (m)	Cu (ppm)	Ni (ppm)	Co (ppm)	V (ppm)	Au (ppb)	Pt (ppb)	Pd (ppb)	Sample Description
Trench SS										
SS8	8.0	9.0	53	290	48	42	31	35	41	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS9	9.0	10.0	32	344	51	35	7	42	46	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS10	10.0	11.0	16	121	19	31	12	13	13	Rubbly pyroxenite
SS11	11.0	12.0	19	131	23	35	2	10	14	Rubbly pyroxenite
SS12	12.0	13.0	48	246	43	47	3	14	17	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS13	13.0	14.0	45	280	58	40	2	30	24	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS14	14.0	15.0	113	228	47	56	72	38	35	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS15	15.0	16.0	36	201	39	31	6	9	11	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS16	16.0	17.0	41	130	26	39	2	19	15	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS17	17.0	18.0	53	141	29	44	5	48	32	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS18	18.0	19.0	62	176	35	45	4	51	38	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS19	19.0	20.0	107	232	45	50	3	56	47	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS20	20.0	21.0	103	185	35	38	2	175	172	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS21	21.0	22.0	55	196	36	49	6	12	18	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS22	22.0	23.0	56	167	31	51	8	9	14	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS23	23.0	24.0	59	168	35	75	43	9	14	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS24	24.0	25.0	30	315	51	47	7	10	17	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS25	25.0	26.0	40	425	61	54	5	9	24	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS26	26.0	27.0	54	406	64	62	6	35	54	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS100	0.0	-1.0	27	138	30	34	21	9	12	Rubbly hornblende pyroxenite with trace disseminated pyrrhotite.
SS101	-1.0	-2.0	11	93	17	25	<2	9	6	Rubbly, fresh looking pyroxenite - no sulphide minerals
SS102	-2.0	-3.0	11	90	17	34	<2	2	<2	Rubbly, fresh looking pyroxenite - no sulphide

											minerals
Trench ST											
ST1	0.0	1.0	26	126	32	69	2	9	9		Hornblende pyroxenite - no sulphide minerals seen
ST2	1.0	2.0	23	117	29	109	<2	22	19		Hornblende pyroxenite - no sulphide minerals seen
ST3	2.0	3.0	14	110	26	88	<2	17	21		Pyroxenite
ST4	3.0	4.0	20	211	48	153	<2	20	20		Pyroxenite
ST5	4.0	5.0	7	143	39	135	<2	22	24		Clay altered pyroxenite
ST6	5.0	6.0	6	140	39	139	<2	14	11		Clay altered pyroxenite
ST7	6.0	7.0	45	206	43	173	<2	89	106		Clay altered pyroxenite
ST8	7.0	8.0	24	334	58	189	<2	64	70		Clay altered pyroxenite
ST9	8.0	9.0	14	162	33	78	<2	9	20		Hornblende pyroxenite - no sulphide minerals seen
ST10	9.0	10.0	15	80	18	111	<2	12	19		Hornblende pyroxenite - no sulphide minerals seen
ST11	10.0	11.0	19	111	29	129	<2	19	22		Hornblende pyroxenite - no sulphide minerals seen
ST12	11.0	12.0	31	264	72	279	<2	15	22		Clay altered pyroxenite
ST13	12.0	13.0	32	251	71	272	3	26	47		Clay altered pyroxenite
ST14	13.0	14.0	43	199	59	224	<2	50	43		Clay altered pyroxenite
ST15	14.0	15.0	27	194	57	211	<2	42	43		Clay altered pyroxenite
ST16	15.0	16.0	16	156	40	169	<2	41	46		Clay altered pyroxenite
ST17	16.0	17.0	122	186	49	234	<2	48	61		Clay altered pyroxenite
ST18	17.0	18.0	48	152	37	192	<2	35	39		Clay altered pyroxenite
ST19	18.0	19.0	22	101	27	186	4	24	28		Pyroxenite
ST20	19.0	20.0	49	182	47	198	<2	32	32		Pyroxenite
ST21	20.0	21.0	49	148	40	124	2	<2	4		Clay altered pyroxenite
ST22	21.0	22.0	32	362	66	78	3	43	29		Clay altered pyroxenite
ST23	22.0	23.0	17	802	107	48	5	103	130		Hornblende pyroxenite - no sulphide minerals seen
ST24	23.0	24.0	11	865	105	37	<2	4	6		Hornblende pyroxenite - no sulphide minerals seen
Trench SU											
SU1	0.0	1.0	23	142	45	207	<2	35	21		Ankerite altered ultramafic rock with minor pyrite +/- pyrrhotite and trace chalcopyrite
SU2	1.0	2.0	23	137	42	176	<2	14	24		Ankerite altered ultramafic rock with minor pyrite +/- pyrrhotite and trace chalcopyrite
SU3	2.0	3.0	25	102	30	129	7	26	22		Ankerite altered ultramafic rock with minor pyrite +/- pyrrhotite and trace chalcopyrite
SU4	3.0	4.0	42	91	32	161	<2	80	64		Ankerite altered ultramafic rock with minor pyrite +/- pyrrhotite and trace chalcopyrite
SU5	4.0	5.0	35	186	54	245	2	32	37		Ankerite altered ultramafic rock with minor pyrite +/- pyrrhotite and trace chalcopyrite
SU6	5.0	6.0	31	216	71	268	<2	15	11		Ankerite altered ultramafic rock with minor pyrite +/-

Trench TU											
TU1	0.0	1.0	161	129	55	261	12	6	8	Ankerite altered ultramafic rock with 2% pyrite	
TU2	1.0	2.0	137	133	56	264	2	15	10	Ankerite altered ultramafic rock with 2% pyrite	
TU3	2.0	3.0	374	220	78	326	3	38	47	Ankerite altered ultramafic rock with 2% pyrite	
TU4	3.0	4.0	269	153	79	444	3	15	47	Ankerite altered ultramafic rock with 2% pyrite	
TU5	4.0	5.0	287	164	81	362	2	13	22	Ankerite altered ultramafic rock with 2% pyrite	
Trench QQ											
QQ7	6.0	7.0	1003	1080	108	101	25	388	314	Pyrrhotite 5% black pyroxenite	
QQ8	7.0	8.0	840	1121	105	142	18	212	287	Pyrrhotite 5% black pyroxenite	
QQ9	8.0	9.0	211	717	95	200	4	62	56	Ankerite - quartz alteration of ultramafic rock	
QQ10	9.0	10.0	99	336	47	142	9	23	25	Ankerite - quartz alteration of ultramafic rock	
QQ11	10.0	11.0	113	179	40	120	<2	88	105	Hornblende pyroxenite	
QQ12	11.0	12.0	105	129	40	154	<2	47	47	Hornblende pyroxenite	
QQ13	12.0	13.0	169	90	45	261	2	13	12	Hornblende pyroxenite	
QQ14	13.0	14.0	166	28	41	331	4	<2	4	Ankerite altered hornfels argillite	
QQ15	14.0	15.0	78	20	21	151	3	3	4	Ankerite altered hornfels argillite	
QQ16	15.0	16.0	53	12	15	128	9	<2	<2	Ankerite altered hornfels argillite	
QQ17	16.0	17.0	48	8	16	94	2	6	<2	Ankerite altered hornfels argillite	
QQ18	17.0	18.0	53	8	16	67	3	<2	<2	Ankerite altered hornfels argillite	
QQ19	18.0	19.0	60	10	19	89	10	2	<2	Ankerite altered hornfels argillite	
QQ100	0	-1.0	450	272	41	47	14	75	76	black pyroxenite	
QQ101	-1.0	-2.0	110	300	49	42	4	27	17	black pyroxenite	
QQ102	-2.0	-3.0	239	302	71	60	18	76	43	black pyroxenite	
QQ105	-4.0	-5.0	15	168	40	73	10	11	3	black pyroxenite	
QQ106	-5.0	-6.0	16	142	31	58	5	6	6	black pyroxenite	
QQ109	-8.0	-9.0	13	423	63	103	5	9	10	Ankerite altered ultramafic	
QQ110	-9.0	-10.0	13	222	51	174	3	15	10	Ankerite altered ultramafic	
QQ111	-10.0	-11.0	16	260	63	177	4	22	16	Ankerite altered ultramafic	
QQ112	-11.0	-12.0	28	250	63	234	2	35	27	Ankerite altered ultramafic	
QQ115	-14.0	-15.0	63	506	107	230	5	54	31	Ankerite altered ultramafic	
QQ116	-15.0	-16.0	15	267	65	221	3	23	14	Ankerite altered ultramafic	
QQ117	-16.0	-17.0	20	220	55	196	<2	66	43	Hornblende pyroxenite	
QQ118	-17.0	-18.0	44	592	89	204	8	41	41	Hornblende pyroxenite	
QQ120	-19.0	-20.0	46	624	108	288	5	24	25	Ankerite altered hornblende pyroxenite	

QQ121	-20.0	-21.0	47	720	103	174	6	13	11	Ankerite altered hornblende pyroxenite
QQ122	-21.0	-22.0	29	1399	137	177	8	4	6	Ankerite altered hornblende pyroxenite
QQ123	-22.0	-23.0	28	1119	138	150	5	277	287	Ankerite altered hornblende pyroxenite
QQ124	-23.0	-24.0	15	969	101	88	4	8	3	Ankerite altered hornblende pyroxenite
QQ125	-24.0	-25.0	8	1087	106	79	4	<2	2	Ankerite altered ultramafic
QQ126	-25.0	-26.0	12	951	101	126	<2	<2	5	Ankerite altered ultramafic
QQ127	-26.0	-27.0	13	1260	126	97	5	9	2	Ankerite altered ultramafic
QQ130	-29.0	-30.0	8	356	49	116	9	32	30	Ankerite altered ultramafic
QQ131	-30.0	-31.0	119	396	76	140	7	4	3	Ankerite altered ultramafic
QQ132	-31.0	-32.0	59	918	108	124	13	11	17	Ankerite altered ultramafic
QQ133	-32.0	-33.0	41	1024	141	203	7	18	12	Ankerite altered ultramafic
QQ134	-33.0	-34.0	22	512	74	123	5	6	<2	Ankerite altered ultramafic
QQ135	-34.0	-35.0	30	807	103	148	9	11	9	Ankerite altered ultramafic
QQ136	-35.0	-36.0	117	705	82	183	12	25	28	Ankerite altered ultramafic
QQ137	-36.0	-37.0	201	489	94	175	5	24	22	Ankerite and quartz altered ultramafic
QQ138	-37.0	-38.0	98	628	90	143	8	9	2	Ankerite and quartz altered ultramafic
QQ140	-39.0	-40.0	122	389	119	271	8	58	47	Green ankerite altered ultramafic with trace pyrrhotite and pyrite
QQ141	-40.0	-41.0	236	313	85	236	9	15	8	Green ankerite altered ultramafic with trace pyrrhotite and pyrite
QQ145	-44.0	-45.0	128	168	86	202	2	2	<2	Ankerite and quartz altered ultramafic 2% pyrite
QQ146	-45.0	-46.0	106	79	51	139	6	4	<2	Ankerite and quartz altered ultramafic 2% pyrite
QQ147	-46.0	-47.0	277	255	120	205	15	<2	<2	Ankerite and quartz altered ultramafic 2% pyrite
QQ150	-49.0	-50.0	403	154	81	191	5	17	17	Ankerite altered ultramafic
QQ151	-50.0	-51.0	409	215	95	352	7	18	16	Ankerite altered ultramafic
QQ152	-51.0	-52.0	493	251	112	539	14	5	3	Ankerite altered ultramafic
QQ153	-52.0	-53.0	287	214	94	539	6	17	15	Ankerite altered ultramafic
QQ154	-53.0	-54.0	137	73	30	183	2	5	10	Ankerite altered ultramafic
QQ155	-54.0	-55.0	219	114	50	267	5	17	19	Ankerite altered ultramafic
QQ156	-55.0	-56.0	260	90	52	235	6	12	11	Ankerite altered ultramafic
QQ157	-56.0	-57.0	124	106	35	153	2	12	18	Ankerite altered ultramafic
QQ158	-57.0	-58.0	120	208	43	123	2	22	22	Ankerite altered ultramafic
QQ159	-58.0	-59.0	64	170	34	99	4	80	67	Ankerite altered ultramafic
QQ161	-60.0	-61.0	992	567	84	221	4	64	76	Ankerite altered ultramafic
QQ162	-61.0	-62.0	139	200	38	146	3	12	15	Ankerite altered ultramafic
QQ163	-62.0	-63.0	39	20	10	80	<2	<2	2	Hornfels argillite
QQ164	-63.0	-64.0	24	25	10	65	<2	<2	2	Hornfels argillite
QQ165	-64.0	-65.0	29	13	9	56	2	<2	<2	Hornfels argillite

WW100	0.0	1.0	656	169	134	734	17	6	8	
WW101	1.0	2.0	442	131	80	361	6	2	3	Ankerite altered ultramafic with variable amount of pyrrhotite and chalcopyrite
WW102	2.0	3.0	1326	428	144	305	11	17	15	Ankerite altered ultramafic with variable amount of pyrrhotite and chalcopyrite
WW103	3.0	4.0	926	450	93	273	10	40	40	Ankerite altered ultramafic with variable amount of pyrrhotite and chalcopyrite
WW104	4.0	5.0	266	103	49	258	3	7	7	Ankerite altered ultramafic with variable amount of pyrrhotite and chalcopyrite
WW105	5.0	6.0	153	69	33	191	4	10	12	Ankerite altered ultramafic
WW106	6.0	7.0	90	32	20	107	3	5	3	Ankerite altered ultramafic
WW107	7.0	8.0	84	47	18	104	5	<2	<2	Ankerite altered ultramafic
WW108	8.0	9.0	227	117	56	232	5	18	18	Ankerite altered ultramafic
WW109	9.0	10.0	244	54	47	323	3	<2	11	Ankerite altered ultramafic
WW110	10.0	11.0	84	162	38	114	5	14	10	Ankerite altered ultramafic
WW111	11.0	12.0	105	237	47	129	2	27	29	Ankerite altered ultramafic
WW112	12.0	13.0	135	404	79	168	4	22	26	Ankerite altered ultramafic
Trench JJ										
JJ4	3.0	4.0	145	1251	113	115	60	22	43	Ankerite altered ultramafic
JJ5	4.0	5.0	141	1211	117	141	51	10	21	Ankerite altered ultramafic
JJ6	5.0	6.0	350	402	64	132	55	25	23	Ankerite altered ultramafic
JJ7	6.0	7.0	143	703	75	103	25	47	36	Ankerite altered ultramafic
JJ8	7.0	8.0	270	862	97	135	52	44	41	Ankerite altered ultramafic
Target 2 Trench OVA										
OVA1	0.0	1.5	179	84	32	38	5	102	110	Grey-green pyroxenite with trace chalcopyrite and pyrrhotite
Trench OVF										
OVF1	0.0	1.0	205	154	37	122	4	27	16	Rubbly Hornblendite
OVF2	1.0	2.0	200	133	41	86	3	7	3	Rubbly Hornblendite
OVF3	2.0	3.0	87	136	38	127	6	15	8	Rubbly Hornblendite
OVF4	3.0	4.0	246	216	53	88	5	22	14	Rubbly Hornblendite with trace chalcopyrite and pyrrhotite
OVF5	4.0	5.0	424	139	54	84	4	16	21	Rubbly Hornblendite with trace chalcopyrite and pyrrhotite
OVF6	5.0	6.0	325	198	71	92	<2	13	13	Rubbly Hornblendite with trace chalcopyrite and pyrrhotite
OVF7	6.0	7.0	273	232	68	62	5	77	77	Rubbly Hornblendite with trace chalcopyrite and pyrrhotite
OVF8	7.0	8.0	214	282	63	64	4	118	93	Rubbly Hornblendite with trace chalcopyrite and pyrrhotite
OVF9	8.0	9.0	3305	104	27	88	3	19	24	Rubbly Hornblendite with trace chalcopyrite and

											pyrrhotite
OVF10	9.0	10.0	343	181	31	39	15	45	52		Rubby Hornblendite with trace chalcopyrite and pyrrhotite
OVF11	10.0	11.0	1192	214	33	40	109	332	348		Rubby Hornblendite with trace chalcopyrite and pyrrhotite
Target 3 Trench T3A											
T3A1	0.0	1.0	73	321	71	109	2	14	8		Hornblendite +/- biotite
T3A2	1.0	2.0	76	465	77	42	4	5	6		Hornblendite +/- biotite
T3A3	2.0	3.0	88	91	26	69	3	11	6		Coarse grained diorite +/- pyrrhotite
T3A4	3.0	4.0	104	119	34	112	2	6	7		Coarse grained diorite +/- pyrrhotite
T3A5	4.0	5.0	96	114	37	94	<2	12	9		Coarse grained diorite +/- pyrrhotite
T3A6	5.0	6.0	124	125	35	94	<2	7	7		Coarse grained diorite +/- pyrrhotite
T3A7	6.0	7.0	84	134	31	85	<2	12	11		Fault gouge
T3A8	7.0	8.0	149	195	49	188	<2	9	9		Rubby hematite stained diorite +/- pyrrhotite
T3A9	8.0	9.0	158	138	40	137	<2	7	3		Rubby hematite stained diorite +/- pyrrhotite
T3A10	9.0	10.0	117	133	34	89	<2	11	10		Rubby hematite stained diorite +/- pyrrhotite
T3A11	10.0	11.0	142	88	30	110	<2	12	10		Rubby hematite stained diorite +/- pyrrhotite
T3A12	11.0	12.0	171	169	45	142	4	13	17		Fault gouge
T3A13	12.0	13.0	240	145	44	108	<2	16	22		Diorite +/- trace chalcopyrite and pyrrhotite
T3A14	13.0	14.0	186	86	35	133	<2	4	3		Diorite +/- trace chalcopyrite and pyrrhotite
T3A15	14.0	15.0	118	82	28	112	<2	11	10		Diorite +/- trace chalcopyrite and pyrrhotite
T3A16	15.0	16.0	138	83	44	183	<2	9	<2		Diorite +/- trace chalcopyrite and pyrrhotite
T3A17	16.0	17.0	143	65	33	140	<2	8	8		Diorite +/- trace chalcopyrite and pyrrhotite
T3A18	17.0	18.0	131	75	30	107	6	20	18		Diorite +/- trace chalcopyrite and pyrrhotite
T3A19	18.0	19.0	126	58	29	99	<2	7	9		Diorite +/- trace chalcopyrite and pyrrhotite
T3A20	19.0	20.0	128	50	25	101	<2	2	2		Diorite +/- trace chalcopyrite and pyrrhotite
T3A21	20.0	21.0	308	49	23	132	4	3	<2		Fault gouge
T3A22	21.0	22.0	173	65	32	198	6	<2	5		Oxidized diorite 5% pyrrhotite
T3A23	22.0	23.0	187	54	23	115	<2	4	2		Oxidized diorite 5% pyrrhotite
T3A24	23.0	24.0	147	47	26	141	<2	2	<2		Oxidized diorite 5% pyrrhotite
T3A25	24.0	25.0	147	39	25	93	<2	<2	<2		Oxidized diorite 5% pyrrhotite
Target 7 Trench T7A											
T7A1	0.0	1.0	115	68	57	275	<2	5	6		Ankerite altered argillite +/- trace pyrite
T7A2	1.0	2.0	41	34	35	192	<2	<2	<2		Ankerite altered argillite +/-

T7A3	2.0	3.0	47	30	29	165	<2	3	4	trace pyrite
T7A4	3.0	4.0	77	32	39	195	3	<2	<2	Ankerite altered argillite +/- trace pyrite
T7A5	4.0	5.0	60	39	37	200	<2	5	3	Ankerite altered argillite +/- trace pyrite
T7A6	5.0	6.0	85	46	46	180	<2	2	3	Rubblly ankerite altered argillite +/- trace pyrite
T7A7	6.0	7.0	81	41	43	203	2	<2	3	Rubblly ankerite altered argillite +/- trace pyrite
T7A8	7.0	8.0	59	44	45	234	<2	<2	3	Rubblly ankerite altered argillite +/- trace pyrite
T7A9	8.0	9.0	79	45	53	215	<2	4	3	Rubblly ankerite altered ultramafic rock +/- trace pyrite
T7A10	9.0	10.0	51	41	44	182	<2	<2	4	Rubblly ankerite altered ultramafic rock +/- trace pyrite
T7A11	10.0	11.0	33	475	49	116	2	6	5	Rubblly ankerite altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite
T7A12	11.0	12.0	107	1095	92	90	<2	9	7	Rubblly ankerite and quartz altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite
T7A13	12.0	13.0	60	1045	79	97	2	7	5	Rubblly ankerite and quartz altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite
T7A14	13.0	14.0	31	1029	70	63	3	9	6	Rubblly ankerite and quartz altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite
T7A15	14.0	15.0	28	1478	106	54	2	7	7	Rubblly ankerite and quartz altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite
T7A16	15.0	16.0	26	569	51	66	<2	9	8	Rubblly ankerite and quartz altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite
T7A17	16.0	17.0	39	857	74	66	<2	6	2	Rubblly ankerite and quartz altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite
T7A18	17.0	18.0	35	537	54	94	<2	8	5	Rubblly ankerite and quartz altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite
T7A19	18.0	19.0	19	720	48	49	<2	3	4	Rubblly ankerite and quartz altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite
T7A20	19.0	20.0	18	603	39	61	2	3	2	Rubblly ankerite and quartz altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite
T7A21	20.0	21.0	41	123	34	151	<2	<2	<2	Rubblly ankerite and quartz altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite
T7A22	21.0	22.0	16	296	31	109	2	3	4	Rubblly ankerite and quartz altered ultramafic rock +/- malachite, trace chalcopyrite and pyrrhotite

APPENDIX 2

DRILL LOGS

Drill hole: DD-05-01	Azimuth 010 degrees
Length: 157.01 meters	Dip -45 degrees
Date Started: September 13, 2005	Elevation 880 meters
Date Stopped: October 5, 2005	Core size : NQ

From (m)	To (m)	Sample Number	Cu (ppm)	Ni (ppm)	Co (ppm)	V (ppm)	Au (ppb)	Pt (ppb)	Pd (ppb)	Description
0	2.74									Casing
2.74	3.4									Weak ankerite alteration of biotite hornfels of sediment – blocky core – oxidized fractures. Trace to 1% pyrite as fracture filling – veinlets 0.5 mm thick.
2.74	3.40	51501	17	10	10	99	.2	.2	.2	
3.40	6.40									Intense ankerite alteration of sediment with rare pyrite – quartz veins 1 – 2 mm thick at 20-30o CA – trace chalcopyrite. Oxidized fractures – blocky rubbly core.
3.40	5.00	51502	45	19	14	89	2	2	.2	
5.00	6.40	51503	37	4	9	67	2	.2	.2	
6.4	6.70									Fault zone – oxidized – breccia rubble zone – 40oCA
6.4	8.00	51504	61	6	13	94	14	3	.2	
6.7	17.0									Variably ankerite altered sediment where fresh to weakly hornfels. Hornfels - 7.5 to 8.2 m - 14.0 to 17.0 m Elsewhere the unit is intensely ankerite altered with zones of quartz veining / breccia at 9.8 to 10.1 m - 5% pyrite At 12.26 to 12.55 m – no pyrite Blocky core – lost core
8.00	9.50	51505	38	5	11	82	2	.2	.2	
9.50	11.00	51506	44	2	10	67	13	.2	.2	
11.00	12.50	51507	43	3	10	77	5	2	3	
12.50	14.00	51508	45	3	11	89	.2	.2	.2	

14.00	16.00	51509	42	4	11	95	.2	2	.2	
16.00	17.00	51510	45	4	11	103	2	2	.2	
17.0	23.53									Intensely ankerite altered sediment with carbonate veinlets and quartz veinlets – 20 to 40oCA Pyrite veinlets - 12.20 to 12.52 – 5% pyrite veins 40oCA around quartz veins 21 to 21.5 Ground core
17.00	18.50	51511	37	7	14	96	3	3	2	
18.50	20.00	51512	71	9	16	109	.2	.2	.2	
20.00	21.50	51513	73	8	15	116	.2	.2	.2	
21.50	23.53	51514	71	7	14	94	.2	5	3	
23.53	25.2									Biotite hornfels of sediment. Trace pyrite on chlorite veinlets
23.53	25.2	51515	93	8	14	121	.2	5	3	
25.2	27.36									Black pyroxenite – top contact is a fault 30oCA - dark brown in colour - trace cp and po diss'td - unit is cut by quartz – carbonate veins at 30 - 60 o CA
25.20	26.20	51516	523	164	56	171	.2	29	11	
26.20	27.36	51517	228	148	43	153	4	52	49	
27.36	36.54									Hornblende pyroxenite – variably carbonate altered cut by a chyroprase vein 3 cm thick at 27.55 m at 60oCA and quartz – calcite veins to 1.5 cm at 40oCA Calcite – quartz shear vein 5 cm thick at 35.38 at 60oCA
27.36	29.00	51518	32	123	27	80	.2	10	9	
29.00	30.50	51519	14	95	21	79	4	9	11	
30.50	32.00	51520	159	159	26	63	4	83	82	
32.00	33.50	51521	22	94	25	83	2	24	23	
33.50	35.00	51522	26	81	21	85	2	9	9	
35.00	36.54	51523	22	106	21	56	.2	7	10	
36.54	37.50									Clay fault zone with blue green talc
36.54	37.50	51524	234	98	27	129	3	78	75	
37.50	40.80									Black pyroxenite – dark black mottled dark green magnetitic rock 1% diss'td po. Clots of po on shear fractures. 60% black pyroxenes with crystals 2-3 mm in size with interstitial pyroxene.
Brick	Brick	51525	8	8	3	19	.2	.2	.2	
37.50	39.00	51526	13	1071	90	30	3	4	3	

39.00	40.85	51527	20	933	86	40	3	5	6	
40.80	40.85									Fault 60oCA
40.85	42.00									Black pyroxenite with 20-30% hornblende laths 1% po on fractures
40.85	42.60	51528	59	464	58	45	17	29	30	
42.0	42.60									Serpentine with deformed calcite veins, slippery shear planes. Trace diss'td po and on fractures. Foliation 70-75 oCA. Calcite 2% of the unit.
42.60	43.10									Ankerite alteration of serpentine – pale purple – green in colour. 2% calcite veinlets. Shear planes 30 – 50oCA. No sulphide seen.
42.60	43.10	51529	2	124	21	44	32	28	21	
43.10	49.27									Black pyroxenite – 3 – 5% diss'td po on fractures – strongly magnetic. Trace cp diss'td – blocky core.
43.10	44.50	51530	14	898	92	25	3	2	4	
44.50	46.00	51531	13	1169	108	22	.2	2	.2	
46.00	47.50	51532	16	1089	108	25	.2	2	3	
47.50	49.27	51533	120	1138	121	40	2	14	19	
49.27	50.13									Ankerite alteration of black pyroxenite. Top contact is a fault at 30 – 40 oCA. No sulphides seen. Bottom contact is a fault over 10cm.
49.27	50.13	51534	59	274	38	73	10	117	116	
50.13	56.00									Black pyroxenite – diss'td po and 0.5% cp. Up to 5% diss'td po – blocky core. Increasing po and cp with depth. Bottom contact is a fault. The rock becomes mottled grey-green with depth from 54.27.
50.13	51.50	51535	620	1063	86	31	11	57	58	
51.50	53.00	51536	525	1022	86	33	20	51	56	
53.00	54.50	51537	741	1079	89	66	10	63	69	
54.50	56.00	51538	1236	1028	80	84	20	74	86	
56.00	57.50									Mineralized zone – faulted, rubbly core, pale green – grey altered pyroxenite – coarse po – cp 0.5 to 0.8 cm insize clots 2%. Numerous calcite shear veins at 20 – 40 oCA –

										clay gouge.
56.00	57.50	51539	657	678	44	35	9	150	185	
57.50	61.0									Mineralized zone – black pyroxenite – coarse po – cp – pn clots up to 1.0 cm in diameter 3% - po on fractures, blocky core, core lost between 58.5 to 60.37 – poor core recovery.
57.50	59.00	51540	538	640	57	31	9	69	80	
59.00	60.00	51541	1509	700	48	24	9	153	184	
60.00	61.00	51542	437	439	46	46	7	52	58	
61.0	69.92									Increasing alteration of pyroxenite to pale green – grey – calcite – sericite rock. Where the rock is less altered it has up to 3% diss'td po with trace of to 1% cp and 5% po on fractures. Unit where fresh is magnetic. Fault at 62.6 - 40oCA clay
61.00	62.50	51543	50	346	47	35	4	18	15	
62.50	63.80	51544	20	165	22	20	4	10	13	
63.80	65.00	51545	40	583	67	31	4	7	3	
65.00	66.50	51546	58	604	65	35	2	10	3	
66.50	68.00	51547	33	932	81	31	23	7	.2	
68.00	69.00	51548	28	909	83	30	5	2	6	
69.00	69.92	51549	25	533	59	33	5	6	6	
Brick	Brick	51550	3	8	2	15	4	2	4	
69.92	72.23									Coarse grained hornblende pyroxenite with variable sericite alteration of hornblende crystals. No sulphides seen 70.15 shear fault at 70oCA – sericite / clay on fault trace 70.60 – 70.65 shear fault 60-70 oCA sericite / talc.
69.92	71.00	51551	19	317	37	24	8	7	9	
71.00	72.23	51552	13	261	31	30	5	4	.2	
72.23	93.80									Hornblende pyroxenite with up to 2 cm patches of feldspar with needles of hornblende in vugs - 5 % of unit. Sericite on fractures. Trace cp on fractures. No diss'td sulphides seen. Minor calcite on fractures 30-40oCA – 0.5%. Blocky rubbly core. Fault 77.70 – talc gouge – rubble. Patches of feldspar decrease with depth Core lost between 85.50 to 86.50 Black pyroxenite sub unit 85.50 to 86.00

										Calcite on fractures Quartz vein up to 5 cm thick 86.50 20oCA Numerous faults with increasing depth so that the core becomes rubbly with chlorite / sericite slickensides on fragments. Bottom contact is a fault at 30 – 40 oCA from 92.0 to 93.80
72.23	73.50	51553	16	109	15	30	5	6	4	
73.50	75.00	51554	19	116	18	29	2	10	6	
75.00	76.50	51555	28	143	21	33	3	23	21	
76.50	78.00	51556	45	132	22	38	2	19	13	
78.00	80.50	51557	26	98	18	37	4	30	39	
80.50	82.00	51558	28	109	19	43	.2	17	16	
82.00	83.50	51559	27	95	17	35	4	23	25	
83.50	85.00	51560	14	98	17	46	3	37	38	
85.00	86.50	51561	76	80	18	53	2	33	35	
86.50	87.80	51562	60	101	20	61	2	27	36	
87.80	89.00	51563	49	113	19	60	3	37	54	
89.00	90.50	51564	20	106	19	48	.2	10	17	
90.50	92.00	51565	94	217	24	45	.2	32	44	
92.00	93.80	51566	99	250	24	46	4	67	133	
93.80	94.88									Black pyroxenite with up to 5% fgr diss'td po – magnetic unit. No cp seen. The unit is cut by green clay veins 0 – 20oCA up to 5 mm thick.
93.80	94.88	51567	10	811	84	35	.2	14	18	
94.88	97.20									Coarse grained hornblende pyroxenite – trace to 1% po – fgr diss'td cut by green clay – pink clay veins at 20 oCA and shears at 50 oCA. Fault at 95.5 to 95.8 rubbly core Fault at 96.1 to 96.18 white clay 30oCA
94.88	96.00	51568	12	593	62	43	.2	11	14	
96.00	97.20	51569	34	614	67	37	3	32	40	
97.20	98.43									Breccia fault – top contact 65 oCA – trace to 1% diss'td po. Cataclastic flow – intense ankerite alteration of pyroxenite.
97.20	98.43	51570	20	213	27	37	.2	72	79	
98.43	100.82									Intensely to weakly ankerite altered pyroxenite. Trace po on shear fractures. Trace diss'td py. 1% calcite on fractures. Blocky core.

											Bottom contact is a shear calcite vein at 70oCA over 10 cm.
98.43	100.00	51571	23	125	20	41	2	62	72		
100.00	100.82	51572	37	244	36	48	.2	51	64		
100.82	101.27										Hornfelds sediment – dark brown – purple in colour. 5% calcite shear veins.
100.82	101.27	51573	25	32	31	189	.2	.2	5		
101.27	104.33										Hornblende pyroxenite – medium grained. 1% po on shear fractures – weak ankerite alteration – Trace diss'td po. Blocky core – 15% hbl, 5% plagioclase – weak sericite alteration, 80% pyroxene
101.27	103.05	51574	43	223	35	53	.2	15	16		
Brick	brick	51575	4	6	2	17	.2	.2	.2		
103.05	104.33	51576	35	209	32	44	.2	16	17		
104.33	109.15										Weak to intense ankerite alteration of hornblende pyroxenite as above. Blocky core – calcite on fractures +/- clay Trace po in unit. 104.90 to 105.00 cherty sediment – pale grey – brown in colour. 106.71 to 106.80 clay gouge fault – cataclastic flow
104.33	106.00	51577	24	95	18	47	3	26	30		
106.00	107.50	51578	99	116	31	71	2	49	50		
107.50	109.15	51579	57	182	36	70	2	18	19		
109.15	112.80										Black pyroxenite – ankerite and chlorite altered – trace diss'td po – foliation – shear fabric 50 oCA – po on fractures – trace Cataclastic fault at 40 oCA 111.65 to 111.80 and at 112.05
109.15	111.00	51580	20	472	66	39	4	28	18		
111.00	112.80	51581	53	599	83	41	3	36	42		
112.80	113.60										Cataclastic fault – fabric 45 oCA - fragments of ankerite altered pyroxenite in clay gouge. Trace po on fractures.
112.80	113.60	51582	67	345	56	55	4	71	86		
113.60	118.90										Black pyroxenite – ankerite and chlorite altered. - weakly blocky core

										<ul style="list-style-type: none"> - clay - talc - po 1% on fractures - 0.5% diss'td po 115.18 to 115.68 Cataclastic fault 55 oCA bottom contact 116.72 to 116.90 clay rubble fault
113.60	115.00	51583	82	332	53	52	2	80	118	
115.00	116.50	51584	32	361	57	45	3	54	80	
116.50	118.00	51585	19	478	71	39	2	18	15	
118.00	118.90	51586	18	472	65	46	.2	14	16	
118.90	119.92									Diorite dyke - 20% pyroxene, 30% hbl, 50% plag. Salt and pepper texture - no sulphides seen. Minor calcite veins Bottom contact at 75 oCA
118.90	119.92	51587	82	41	25	134	3	.2	6	
119.92	127.65									Ankerite and chlorite altered black pyroxenite. 1% po on fractures - trace diss'td po to 0.5% diss'td po. Rubbly core 121.62 to 122.60 123.0 to 123.24 Cataclastic fault - 2% po diss'td 123.60 shear fault 60oCA 124.00 and downwards - calcite - talc veining Bottom contact a shear at 70oCA
119.92	121.50	51588	32	329	46	64	3	21	22	
121.50	123.00	51589	35	395	51	46	2	78	110	
123.00	124.50	51590	55	383	52	56	4	27	39	
124.50	126.00	51591	84	252	34	44	7	32	37	
126.00	127.65	51592	119	379	49	47	3	57	59	
127.65	128.72									Diorite dyke - no sulphides seen.
127.65	128.72	51593	15	761	84	40	4	5	4	
128.72	128.95									Ductile shear zone - ankerite - chlorite rock - trace diss'td po. Fabric 60oCA.
128.72	130.00	51594	15	732	76	62	3	4	8	
128.95	131.10									Black pyroxenite +/- hornblende. Trace diss'td po. Calcite veins +/- chlorite 1% of unit. Blocky core.
130.00	131.10	51595	11	925	95	29	.2	2	3	
131.10	131.56									Dark purple - brown hornfels sediment 5% calcite veins -

										rubbly core – contact 20oCA.
131.10	131.56	51596	26	284	48	106	4	.2	4	
131.56	154.00									<p>Black pyroxenite – varying ankerite alteration throughout the unit. Where fresh the unit has up to 5% diss'td po – highly magnetic. The unit is pale grey – green where ankerite – sericite – talc altered.</p> <p>The core is competent except around fault zones – which occur at abupt changes of alteration.</p> <p>137.30 – 137.40</p> <p>137.72 – 137.80 - 45oCA</p> <p>138.28 – 138.88 - rubbly core</p> <p>Calcite shear veins 30oCA and 70oCA 2% of the unit between 132.50 and 134.70</p> <p>Blocky rubbly core 139.20 to 143.60 abundant shear planes 60oCA.</p> <p>Fault 144.70 to 145.00 rubble gouge.</p> <p>Major fault 146.30 to 146.60 – 70oCA clay</p> <p>146.74 to 146.80 cataclastic fault 70oCA</p> <p>Blocky black pyroxenite 145.00 to bottom of unit.</p> <p>Chlorite? Serpentine on shear surfaces 40-70 oCA</p> <p>Bottom contact 80oCA – shear contact</p> <p>Lense of hornfels 152.73 to 152.90</p> <p>Fault 152.37 to 152.42 clay gouge.</p>
131.56	133.00	51597	6	251	33	52	3	5	4	
133.00	134.50	51598	17	416	51	51	3	4	6	
134.50	136.00	51599	20	532	64	33	7	9	8	
brick	brick	51600	4	8	3	14	.2	.2	.2	
136.00	137.50	51601	17	138	19	35	.2	17	14	
137.50	139.00	51602	21	558	63	37	12	12	7	
139.00	140.50	51603	50	446	55	35	12	25	23	
140.50	142.00	51604	37	195	30	27	7	60	40	
142.00	143.50	51605	14	161	24	30	8	104	147	
143.50	145.00	51606	34	159	23	31	4	75	83	
145.00	146.60	51607	40	813	94	29	5	9	4	
146.60	148.00	51608	37	849	92	34	3	7	7	
148.00	149.70	51609	32	899	87	36	3	6	3	
149.70	151.00	51610	111	984	90	39	2	17	20	

Drill hole: DD-05-02
 Length: 92.98 meters
 Date Started: October 9, 2005
 Date Stopped: October 16, 2005

Azimuth 348 degrees
 Dip -45 degrees
 Elevation 880 meters
 Core size : NQ

From (m)	To (m)	Sample Number	Cu (ppm)	Ni (ppm)	Co (ppm)	V (ppm)	Au (ppb)	Pt (ppb)	Pd (ppb)	Description
0	2.44									Casing
2.44	7.50									Ankerite altered hornfels sediment - trace pyrite. Oxidized fractures, blocky core.
2.44	4.00	51615	23	4	11	90	3	2	3	
4.00	5.48	51616	34	5	13	111	2	.2	.2	
5.48	7.50	51617	41	4	11	105	.2	2	2	
7.50	9.50									Highly siliceous ankerite alteration of sediment with a contact of mottled blue green dyke between 7.60 and 8.40 m at 0oCA. Siliceous rock has pyrite masses in it 2% of unit which makes dark grey patches in the rock. Bottom contact is sharp at 7oCA.
7.50	8.53	51618	56	105	24	110	3	2	2	
8.53	9.50	51619	54	6	11	87	3	.2	4	
9.50	35.20									Ankerite altered hornfels sediment cut by numerous carbonate veins +/- pyrite 2% of unit. Trace pyrite in fractures +/- quartz. The unit is dark grey, medium grained sediment between 14.20 and 17.00 m. The unit is bleached fgr to mgr between 17.00 and 19.00m Fault 18.50 m 7oCA Pale blue - green siliceous patches 2% of unit starting at 18.50 ending at 23.50m Pale brown ankerite alteration around quartz - carbonate +/- pyrite veins. Veins are related to shears at 40 to 50 oCA. Alteration zones are overlapping starting at 25.50 and downwards to the end of the unit.

										<p>Fault 26.36 to 26.50 45 oCA. 27.80 to 28.00 Chalcedonic quartz vein 0 to 20oCA – 1.0 cm thick – drussy cavities</p> <p>32.30 to 32.50 Intense silicification of sediment around milky white quartz – pyrite veins – ankerite alteration of sediment.</p> <p>33.20 to 34.10 Intense silicification around milky quartz – pyrite veins. Bottom contact is a shear at 80oCA with pyrite</p>
9.50	11.00	51620	77	7	15	83	3	.2	.2	
11.00	12.50	51621	109	11	14	79	7	.2	4	
12.50	14.00	51622	106	7	9	66	3	2	4	
14.00	15.50	51623	79	6	10	99	12	6	5	
15.50	17.00	51624	82	5	11	107	4	.2	4	
Brick	Brick	51625	2	5	3	15	2	.2	.2	
17.00	18.50	51626	104	8	17	144	6	6	8	
18.50	20.00	51627	27	5	12	109	3	5	5	
20.00	21.50	51628	23	6	12	138	2	4	4	
21.50	23.00	51629	81	5	12	135	5	.2	4	
23.00	24.50	51630	88	4	11	133	3	5	4	
24.50	25.50	51631	81	5	12	134	3	7	9	
25.50	27.00	51632	97	7	17	174	5	.2	6	
27.00	28.00	51633	52	7	14	95	34	.2	5	
28.00	29.88	51634	64	5	16	138	3	4	3	
29.88	31.00	51635	88	5	18	125	5	.2	5	
31.00	32.30	51636	69	7	15	140	3	3	9	
32.30	34.10	51637	96	7	17	136	3	3	5	
34.10	35.20	51638	89	9	19	163	5	.2	6	
35.20	39.42									<p>Intense ankerite alteration of black pyroxenite. Unit is increasingly apple green in colour with depth and cut by carbonate veins some of which are vuggy. 5% cgr magnetite in unit. Rare chalcedonic quartz veins, trace pyrite with carbonate.</p> <p>Ductile shear at 39.27 45 oCA</p>
35.20	36.80	51639	179	179	45	180	2	10	29	
36.80	38.00	51640	25	319	60	117	7	4	7	
38.00	39.42	51641	18	335	48	72	79	14	20	

39.42	45.44										Black pyroxenite with carbonate alteration – carbonate ductile shear zones at 40.60 to 40.88 45oCA 41.45 to 42.07 50oCA And talc – carbonate veinlets 2% of unit. Trace po on fractures.
39.42 41.00 42.50 44.00	41.00 42.50 44.00 45.44	51642 51643 51644 51645	11 18 13 35	531 573 641 843	55 63 69 89	60 78 38 49	105 120 43 20	7 5 5 .2	7 6 2 3		
45.44	55.11										Variable clay – carbonate alteration of black pyroxenite. Trace po on fractures in less altered core. Colour of core varies from light grey – green to dark green in colour. Loss of core in soft section. Numerous shear faults at 45 oCA. Abundant carbonate veins 45.44 to 47.40 – 10% of unit. Bottom contact a shear fault at 45oCA.
45.44 47.00 48.50 50.00 Brick 51.50 53.00 53.00	47.00 48.50 50.00 51.50 Brick 53.00 55.11	51646 51647 51648 51649 51650 51651 51652	11 21 14 200 3 24 32	142 171 120 393 7 276 402	26 29 22 53 2 43 53	71 40 55 36 18 41 55	.2 2 3 3 4 4 .2	5 18 9 3 .2 2 3	8 20 4 .2 .2 3 4		
55.11	57.74										Highly mineralized zone. Relatively fresh black pyroxenite with up to 5% po masses 2 cm in diameter and lesser 1% cp with po. 5% calcite veins with 1% pyrite at 10 to 40 oCA and as shear carbonate veins 45oCA.
55.11 56.50	56.50 57.74	51653 51654	105 1130	1064 1549	105 114	39 46	4 14	9 180	9 198		
57.74	67.70										Grey – green clay and carbonate altered black pyroxenite – trace po on fractures. Blue – green sericite replacing feldspar patches with hbl xtals around clots.
57.74 59.00 60.50 62.00 63.50	59.00 60.50 62.00 63.50 65.00	51655 51656 51657 51658 51659	84 14 36 43 47	202 124 252 174 173	27 20 39 32 27	40 33 32 47 44	34 .2 6 6 .2	9 5 3 .2 13	21 6 8 2 7		

65.00	66.46	51660	25	174	26	30	.2	8	9	
66.46	67.70	51661	28	204	30	46	13	8	12	
67.70	83.12									Unaltered black pyroxenite up to 1% fgr diss'td po and trace po on fractures. The unit is highly magnetic
67.70	69.51	51662	17	527	62	29	.2	10	8	
69.51	71.00	51663	9	542	64	27	.2	.2	3	
71.00	72.56	51664	10	608	70	31	.2	7	2	
72.56	74.10	51665	13	872	97	24	.2	.2	8	
74.10	75.61	51666	27	729	79	35	3	13	11	
75.61	77.11	51667	38	495	50	33	.2	.2	4	
77.11	78.66	51668	39	1035	88	52	.2	6	4	
78.66	80.16	51669	18	958	83	39	.2	11	7	
80.16	81.71	51670	71	865	89	48	.2	13	16	
81.71	83.12	51671	44	965	95	43	.2	6	2	
83.12	87.80									Grey – green hornblende pyroxenite with up to 30% 1 cm clots of Hbl crystals. Carbonate alteration. No sulphides seen.
83.12	84.76	51672	49	94	20	54	.2	7	4	
84.76	86.26	51673	45	78	19	56	.2	6	10	
86.26	87.80	51674	48	86	18	61	.2	.2	2	
Brick	Brick	51675	3	7	2	17	.2	.2	.2	
87.80	90.85									Highly deformed black pyroxenite with green clay gouge. 1 – 2 %po on fractures.
87.80	90.85	51676	203	301	52	34	.2	32	43	
90.85	92.88									Black pyroxenite with up to 5% fgr diss'td po – abundant core loss trace cp diss'td
90.85	92.88	51677	963	429	45	32	15	100	128	
92.88										EOH – hole lost in clay gouge

Drill hole: DD-05-03	Azimuth 055 degrees
Length: 157.93 meters	Dip -45 degrees
Date Started: October 17, 2005	Elevation 880 meters
Date Stopped: October 29, 2005	Core size : NQ

To (m)	From (m)	Sample Number	Cu (ppm)	Ni (ppm)	Co (ppm)	V (ppm)	Au (ppb)	Pt (ppb)	Pd (ppb)	Description
0	2.44									Casing
2.44	21.35									<p>Fine grained ankerite altered sediment with abundant carbonate veinlets and < 1% carbonate – quartz – pyrite veins – up to 5 mm thick. Core is oxidized on fractures to a depth of 10 meters.</p> <p>Core has been lost / ground between 6.00 and 10.00 meters</p> <p>Carbonate veins are 30 -45 oCA and up to 2.5 cm thick.</p> <p>Blocky core</p> <p>Carbonate breccia vein +/- trace pyrite 14.05 to 14.15 meters</p> <p>Less carbonate altered between 17.00 to 17.70 meters</p> <p>Sharp contact at 21.35 meters</p>
2.44	3.94	51678	26	4	14	106	4	.2	.2	
3.94	5.49	51679	23	5	15	78	3	.2	.2	
5.49	6.99	51680	27	5	13	60	2	.2	.2	
6.99	8.53	51681	9	4	16	111	3	.2	.2	
8.53	10.03	51682	61	3	13	55	9	.2	.2	
10.03	11.58	51683	51	4	14	94	2	.2	.2	
11.58	13.08	51684	37	3	13	68	12	.2	.2	
13.08	14.63	51685	32	4	12	52	4	.2	.2	
14.63	16.13	51686	49	4	13	86	2	.2	.2	
16.13	17.68	51687	64	3	13	83	3	.2	.2	
17.68	19.18	51688	94	3	15	85	3	.2	.2	
19.18	20.10	51689	76	4	16	79	6	.2	.2	
20.10	21.35	51690	54	20	20	125	2	.2	.2	
21.35	28.78									Hornblende pyroxenite with hornblende crystals 0.5 to 2.0 cm long and rare patches of sericite replacing plagioclase.

										Up to 5% diss'td po (up to 5 mm blebs) with trace to 0.5% cp. Minor carbonate veining – shear veins at 30 to 50 oCA.
21.35	22.35	51691	235	118	44	189	10	17	19	
22.35	23.78	51692	232	118	42	192	2	12	19	
23.78	25.28	51693	209	120	38	145	.2	12	18	
25.28	26.83	51694	70	93	25	78	.2	25	38	
26.83	27.83	51695	43	86	21	73	.2	20	28	
27.83	28.78	51696	50	89	22	75	.2	24	46	
28.78	29.33									Clay gouge – fault zone as is in DD-05-01
28.78	30.10	51697	66	585	70	87	2	15	21	
29.33	30.10									Black pyroxenite – highly magnetic, po on fractures – 1% carbonate veins, 2% clay gouge in fault slips in unit – 70 oCA
30.10	32.60									Sericite – quartz alteration of black pyroxenite. Unit is grey – green in colour. Trace diss'td cp. Core lost / ground.
30.10	32.60	51698	642	7	20	99	3	.2	3	
32.60	42.07									Black pyroxenite – highly magnetic, trace diss'td fgr cp and po. Very blocky core.
32.60	34.00	51699	11	1130	102	31	.2	5	52	
Brick	Brick	51700	8	20	5	21	.2	.2	12	
34.00	35.98	51701	44	1178	106	32	.2	3	2	
35.98	37.48	51702	8	1317	120	26	2	3	2	
37.48	39.02	51703	4	1256	114	24	4	3	2	
39.02	40.52	51704	6	1260	117	21	2	2	.2	
40.52	42.07	51705	7	1149	108	27	.2	3	2	
42.07	52.13									Clay alteration of grey-green hornblende pyroxenite with abundant clay gouge 30% of unit which decreases with depth. Up to 1% diss'td fgr to mgr cp in patches of later plagioclase. Minor cb and chlorite alteration of the unit. Up to 2% mgr po in unit and also on fractures. Minor cb veins Bottom contact is a fault at 45 oCA.
42.07	43.57	51706	40	224	42	88	3	9	11	

43.57	45.12	51707	19	226	45	113	2	5	5	
43.12	46.62	51708	29	273	47	62	3	7	6	
46.62	48.17	51709	27	224	40	43	2	31	31	
48.17	49.67	51710	45	184	34	58	2	14	17	
49.67	51.22	51711	68	116	23	52	2	12	17	
51.22	52.13	51712	136	157	31	64	2	7	7	
52.13	63.41									Black pyroxenite – highly magnetic – 1% po on fractures – rubbly core.
52.13	54.27	51713	20	882	97	33	2	12	9	
54.27	55.77	51714	23	469	57	28	2	6	7	
55.77	57.32	51715	17	570	70	27	.2	5	6	
57.32	58.82	51716	5	938	111	52	3	12	9	
58.82	60.37	51717	8	923	99	35	5	9	6	
60.37	61.87	51718	8	885	92	29	.2	4	4	
61.87	63.41	51719	6	795	87	28	.2	4	15	
63.41	66.46									Grey – green hornblende pyroxenite with hornblende and sericite altered plagioclase patches. Trace po in rock. 2.89 m of core lost in interval.
63.41	66.46	51720	37	258	33	27	7	4	6	
66.46	79.40									Black pyroxenite – highly magnetic 1% po on fractures and 0.5% po fgr diss'td . rubbly core with green serpentine on fractures. 72.2 to 72.5 clay gouge – fault.
66.46	69.51	51721	21	729	81	26	.2	6	10	
69.51	72.56	51722	33	438	54	42	2	3	7	
72.56	75.61	51723	28	475	60	29	.2	2	3	
75.61	78.66	51724	25	717	80	28	2	11	8	
78.66	79.40	51725	24	351	46	34	2	4	5	
Brick	Brick	51726	4	10	4	17	.2	.2	.2	
79.40	83.55									Grey – green hornblende pyroxenite with hornblende and sericite altered plagioclase. Clay altered, trace po on fractures.
79.40	80.40	51727	32	356	46	38	4	20	2	
80.40	81.71	51728	39	293	37	31	6	13	15	
81.71	83.55	51729	12	251	32	33	3	12	13	
83.55	85.16									Black pyroxenite. Blocky core – 1% po on fractures. Bottom contact – shear at 35oCA
83.55	85.16	51730	16	710	84	41	2	5	6	

85.16	96.40										Grey – green hornblende pyroxenite with hbl and sericite altered plagioclase – soft core. Rare carbonate veins. Minor shear fabric at 30 – 40 oCA. Clay gouge fault 88.55 to 90.85 - 60oCA Trace diss'td cp and po, blocky core. 91.2 to 92.2 clay gouge / sand in fault.
85.16	86.16	51731	40	244	38	61	.2	7	6		
86.16	87.80	51732	16	203	34	40	.2	5	5		
87.80	90.85	51733	16	184	28	31	.2	4	6		
90.85	92.20	51734	56	165	30	45	3	27	27		
92.20	93.90	51735	317	222	34	62	3	45	52		
93.90	95.40	51736	120	162	29	64	3	38	53		
95.40	96.40	51737	129	142	23	58	2	15	21		
96.40	97.70										Porous quartz rock, pale white mottled light green with 1% diss'td po – possibly quartz rich aplite dyke. Upper contact is a fault at 50oCA. Sharp lower contact.
96.40	97.70	51738	73	5	3	11	.2	2	5		
97.70	122.84										Blackish – brown hornblende with interstitial plagioclase 5%. Trace to 1% diss'td po, trace diss'td cp – po is usually with plagioclase between hbl crystals. Blocky to competent core. 98.90 to 99.16 quartz rich aplite dyke.
97.70	99.16	51739	82	110	24	58	.2	13	16		
99.16	100.00	51740	136	137	31	89	2	6	7		
100.00	101.50	51741	95	152	33	87	.2	11	35		
101.50	103.05	51742	341	114	41	146	.2	8	7		
103.05	104.55	51743	227	137	37	110	4	7	5		
104.55	106.10	51744	153	159	36	86	2	8	7		
106.10	107.60	51745	106	131	36	66	2	7	6		
107.60	109.15	51746	107	130	28	62	.2	6	5		
109.15	110.65	51747	94	131	27	72	2	6	6		
110.65	112.20	51748	101	119	27	67	.2	5	3		
112.20	115.24	51749	115	136	26	52	.2	6	4		
Brick	Brick	51750	7	7	2	15	.2	2	2		
115.24	116.74	51751	84	148	28	59	2	5	4		
116.74	118.29	51752	94	126	26	52	.2	6	6		
118.29	121.34	51753	68	130	25	60	.2	6	6		
121.34	122.84	51754	51	118	25	70	.2	5	5		

122.84	122.97										
122.84	124.39	51755	41	445	48	53	2	24	12		Hornfels sediment
122.97	137.45										Black pyroxenite – up to 5% diss'td po – cgr to fgr. Heavily faulted with clay alteration around the faults. Clay gouge fault – 124.80 to 128.60 Fabric 30oCA
124.39	127.44	51756	49	188	29	80	.2	13	13		
127.44	128.94	51757	44	326	39	57	2	10	7		
128.94	130.49	51758	22	88	15	29	3	36	29		
130.49	132.00	51759	16	88	16	25	.2	22	18		
132.00	133.54	51760	23	140	25	27	.2	16	12		
133.54	135.04	51761	194	226	43	43	2	146	167		
135.04	136.58	51762	62	106	21	37	2	66	58		
136.58	137.45	51763	60	154	22	47	.2	63	69		
137.45	139.15										Faulted fgr sediment – 2% carbonate veins – hornfels. Lower contact at 80oCA. 30% clay alteration of sediment.
137.45	139.15	51764	13	235	23	37	2	9	4		
139.15	142.46										Black pyroxenite – magnetic, 2% po on fractures, 1% fgr diss'td po and talc slips 10 to 30oCA.
139.15	139.63	51765	14	613	60	25	2	5	4		
139.63	141.13	51766	17	624	63	30	2	5	2		
141.13	142.46	51767	31	542	49	36	3	20	21		
142.46	149.11										Needle hornblende – plagioclase 30%. 5% po mgr – trace to 1% cp in rock Blocky core, top contact at 70 oCA Bottom contact a fault at 60oCA Rare quartz veins at 50oCA up to 2.5 cm thick – weak sericite alteration of plagioclase.
142.46	145.73	51768	668	28	46	174	2	3	.2		
145.73	147.23	51769	650	33	37	142	2	3	.2		
147.23	149.11	51770	337	75	34	105	.2	8	8		
149.11	150.22										Fault zone – with fragments of black pyroxenite in a talc -- po – 5% shear gouge matrix. Top contact at 60oCA.
149.11	150.22	51771	105	593	60	104	2	8	7		
150.22	157.93										Black pyroxenite – compentant to blocky core – magnetic unit up to 5% fgr diss'td po. 156.50 to 156.78 breccia fault - 70 oCA.

Drill hole: DD-05-04	Azimuth 065 degrees
Length: 173.17 meters	Dip -45 degrees
Date Started: November 2, 2005	Elevation 870 meters
Date Stopped: November 20, 2005	Core size : NQ

From (m)	To (m)	Sample Number	Cu (ppm)	Ni (ppm)	Co (ppm)	V (ppm)	Au (ppb)	Pt (ppb)	Pd (ppb)	Description
0	11.59									Casing
11.59	24.90									Intense ankerite – quartz alteration of fine grained sediment with vuggy quartz – pyrite veins at 0 – 30oCA up to 10 cm thick. Pyrite up to 5% of unit associated with quartz. Possible patches of fgr stibnite Blocky core. Note 23.78 to 24.90 core ground / lost – fault zone?
11.59	14.63	51778	84	6	13	79	5	.3	.2	
14.63	15.68	51779	71	5	14	142	2	.3	.2	
15.68	17.68	51780	81	14	19	143	.2	.3	.3	
17.68	19.18	51781	139	7	16	112	.2	.3	.3	
19.18	20.73	51782	123	4	7	54	3	.3	.3	
20.73	22.23	51783	81	5	12	85	.2	.3	.2	
22.23	24.90	51784	216	22	19	133	.2	14	.2	
24.90	28.43									Clay – quartz ankerite alteration of black pyroxenite – heavily veined with vuggy quartz – carbonate – pyrite veins 0 – 10 oCA up to 5 cm thick. Bottom contact is a fault at 40oCA – clay gouge for 30 cm.
24.90	26.83	51785	197	98	31	191	9	21	20	
26.83	28.43	51786	78	248	38	120	2	5	5	
28.43	55.00									Patches of minor clay alteration of black pyroxenite with up to 2% mgr po. Clay alteration - possibly montmorillonite is associated with quartz – carbonate veins at 45 oCA.

											Clay gouge – fault zone 32.50 – 45oCA Bottom contact is a fault over 35.00 to 35.30
28.43	29.88	51787	42	452	56	131	.2	7	6		
29.88	31.38	51788	65	345	59	170	.2	35	50		
31.38	32.93	51789	56	303	50	100	.2	77	112		
32.93	35.00	51790	38	282	46	58	.2	22	25		
35.00	81.71										Grey – green hornblende pyroxenite with hornblende and sericite – very competent core. Rare quartz – carbonate veins at 45 to 60oCA. Rare xenoliths of black pyroxenite 46.62 to 48.17. Shear slips at 45 oCA with talc. 52.50 to 52.70 Hornfels sediment – trace pyrite 56.20 to 57.10 fault zone – core lost between Quartz vein in clay shear at 67.50 40oCA and black pyroxenite – 20 cm at 68.50 81.50 to 81.71 fault gouge
35.00	35.98	51791	12	151	23	31	.2	3	5		
35.98	37.48	51792	11	124	20	21	.2	3	2		
37.48	39.02	51793	17	146	25	24	.2	8	7		
39.02	40.52	51794	16	123	20	25	.2	6	5		
40.52	42.07	51795	13	156	23	24	.2	5	4		
42.07	43.57	51796	15	149	20	25	.2	4	2		
43.57	45.12	51797	11	148	21	28	.2	3	3		
45.12	46.62	51798	10	143	21	35	.2	24	29		
46.62	48.17	51799	33	225	37	39	.2	9	5		
Brick	Brick	51800	3	9	3	15	.2	3	.2		
48.17	49.67	51801	15	307	40	28	.2	7	8		
49.67	51.22	51802	11	174	25	33	.2	32	23		
51.22	52.72	51803	18	171	24	37	.2	6	5		
52.72	54.27	51804	10	132	20	30	.2	5	3		
54.27	55.77	51805	13	249	34	31	.2	5	4		
55.77	57.32	51806	22	107	22	58	.2	3	2		
57.32	58.82	51807	20	145	23	38	.2	7	4		
58.82	60.37	51808	12	178	26	22	.2	3	.2		
60.37	61.87	51809	8	154	23	22	.2	3	9		
61.87	63.41	51810	115	100	29	85	.2	3	.2		
63.41	64.91	51811	148	62	31	133	10	4	4		
64.91	66.46	51812	20	143	23	28	.2	3	.2		
66.46	69.51	51813	10	211	31	29	5	14	17		
69.51	71.01	51814	13	115	19	24	.2	4	4		
71.01	72.56	51815	27	221	35	22	7	3	3		
72.56	74.06	51816	24	119	20	18	.2	8	9		
74.06	75.61	51817	29	99	17	25	.2	22	25		
75.61	77.11	51818	23	96	18	36	.2	4	6		

77.11	78.61	51819	55	87	20	45	.2	16	14	
78.61	80.11	51820	508	113	45	267	8	37	36	
80.11	81.71	51821	167	156	44	173	2	39	31	
81.71	90.85									Black pyroxenite – blocky core – clay altered around quartz – carbonate veins 2 % fgr po – magnetic Lost core in fault zones at 82.50 and 83.00 Fault 89.00 to 89.20 60 oCA clay gouge – po on slips
81.71	84.76	51822	33	307	44	54	.2	13	10	
84.76	86.26	51823	15	523	63	38	.2	22	19	
86.26	87.80	51824	16	584	61	33	.2	5	4	
87.80	89.30	51825	44	586	64	46	.2	13	11	
89.30	90.85	51826	122	253	38	84	3	61	70	
Brick	Brick	51827	4	11	3	15	.2	.3	.2	
90.85	106.48									Grey – green pyroxenite with hornblende and sericite replacing plagioclase – 2 % fgr diss'td po
90.85	93.90	51828	83	134	26	107	.2	18	29	
93.90	96.95	51829	165	168	34	122	.2	8	7	
96.95	98.45	51830	165	141	31	115	.2	17	16	
98.45	100.00	51831	49	121	24	47	.2	30	36	
100.00	101.30	51832	21	143	26	39	.2	9	12	
101.50	103.05	51833	15	156	26	38	.2	6	14	
103.05	104.55	51834	9	157	24	32	.2	5	5	
104.55	106.48	51835	23	231	32	36	.2	8	7	
106.48	109.80									Variably clay and chlorite altered black pyroxenite – no sulphides seen continuously in unit.
106.48	107.98	51836	67	465	53	59	.2	6	5	
107.98	109.80	51837	73	592	67	42	.2	9	9	
109.80	115.60									Hornblende pyroxenite with sericite altered plagioclase. Bottom contact is sharp – shear at 45oCA.
109.80	111.00	51838	92	228	38	78	.2	62	71	
111.00	112.30	51839	15	146	26	35	.2	6	7	
112.30	113.70	51840	23	135	26	49	.2	12	13	
113.70	115.60	51841	19	134	30	85	.2	12	12	
115.60	118.60									Fine grained, pyritic argillite with bleached intervals. The unit has contorted carbonate veins – general strike of foliation is 45oCA.
115.60	117.10	51842	32	424	56	96	.2	8	8	
117.10	118.60	51843	19	316	45	108	.2	11	11	
118.60	128.00									Black pyroxenite – variably clay – chlorite altered to fresh rock intruded by dykes of fine to medium grained diorite.

										120.80 to 121.40 interval of diorite with contacts 30oCA 122.90 to 123.50 interval of diorite
118.60	120.10	51844	42	353	46	57	.2	10	14	
120.10	121.40	51845	49	159	26	47	.2	10	22	
121.40	122.90	51846	53	327	41	35	.2	29	38	
122.90	124.39	51847	37	186	30	61	.2	8	7	
124.39	125.89	51848	15	531	56	28	.2	5	5	
125.89	128.00	51849	9	315	37	32	.2	10	11	
Brick	Brick	51850	5	38	6	17	.2	3	2	
128.00	131.50									Hornblende pyroxenite with fresh clots of plagioclase with hornblende needles growing into them. No sulphides seen.
128.00	129.75	51851	10	120	16	38	.2	7	9	
129.75	131.50	51852	23	114	18	40	.2	5	5	
131.50	136.40									Black pyroxenite with trace to 2% diss'd fgr po. The rock is fresh except around fractures where it is clay and talc altered. 133.54 to 134.14 HBPX dyke 136.30 to 136.40 clay gouge fault
131.50	133.54	51853	22	401	47	31	.2	6	5	
133.54	135.04	51854	42	465	49	37	.2	17	20	
135.04	136.40	51855	61	308	39	60	.2	11	11	
136.40	137.50									Hornblende pyroxenite with fresh clots of plagioclase – minor talc alteration
136.40	137.50	51856	59	120	22	61	.2	17	22	
137.50	140.84									Black pyroxenite 2 – 5% diss'td po on fracture slips, quartz – carbonate shear veins at 30oCA. Up to 5 cm thick mark the lower contact.
137.50	139.00	51857	51	220	37	56	.2	13	12	
139.00	140.84	51858	59	393	54	61	.2	39	42	
140.84	165.20									Hornblende pyroxenite – grey – green to pinkish brown in colour, trace to 1% diss'td po. Blocky to competent core. The unit is cut by the occasional quartz – carbonate ribbon veins up to 6 cm thick at 10 to 30 oCA. Clay gouge fault zone 45 oCa at 145.30 to 145.52 Quartz vein at 145.52 to 145.60 Quartz vein at 147.10 to 147.95 0 to 5 oCA Quartz – carbonate vein 149.73 to 149.84 45 oCA 5 cm quartz vein 153.33 to 153.43 10 oCA

APPENDIX 3

ASSAY CERTIFICATES

GEOCHEMICAL ANALYSIS CERTIFICATE


Almo Capital Corp. File # A505958
 603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppb	ppb	ppb																
51501	2	17	4	73	.7	10	10	1544	4.36	4	<8	<2	<2	137	<.5	5	<3	99	3.40	.115	8	12	1.23	434	.02	7	1.94	.03	.16	<2	<2	<2	<2
51502	2	45	<3	87	.7	19	14	1716	4.94	5	<8	<2	<2	83	<.5	7	4	89	2.15	.117	10	22	.98	72	<.01	10	.95	.03	.19	<2	2	2	<2
51503	3	37	9	78	.8	4	9	1388	3.83	<2	<8	<2	2	114	<.5	5	<3	67	3.53	.112	8	3	1.21	66	<.01	7	1.03	.02	.21	2	2	<2	<2
51504	3	61	<3	77	.7	6	13	1237	4.24	69	<8	<2	<2	124	<.5	10	<3	94	2.95	.116	6	7	1.48	369	.06	5	1.28	.03	.14	<2	14	3	<2
51505	2	38	4	82	<.3	5	11	1703	4.25	<2	<8	<2	<2	136	<.5	4	4	82	3.63	.118	9	5	1.74	106	.01	<3	.93	.01	.13	<2	2	<2	<2
51506	1	44	6	76	.9	2	10	1306	4.09	5	<8	<2	<2	134	<.5	9	<3	67	3.04	.102	7	4	1.52	48	<.01	6	1.01	.02	.15	3	13	<2	<2
51507	1	43	<3	58	.6	3	10	1582	5.04	4	<8	<2	<2	235	<.5	9	<3	72	5.12	.089	7	3	1.91	84	<.01	6	.78	.01	.15	<2	5	2	3
51508	2	45	<3	77	.5	3	11	1311	4.18	<2	21	<2	<2	133	<.5	<3	3	89	2.87	.108	7	3	1.47	174	.03	<3	1.10	.01	.14	<2	<2	<2	<2
51509	2	42	4	66	<.3	4	11	764	3.86	<2	<8	<2	<2	73	<.5	<3	<3	95	1.83	.118	5	3	1.02	673	.13	<3	1.83	.04	.13	<2	<2	2	<2
51510	1	44	4	80	.5	5	11	1147	4.01	3	<8	<2	<2	111	<.5	3	<3	102	2.64	.125	7	5	1.31	172	.06	<3	1.37	.03	.14	2	2	3	5
RE 51510	1	44	4	85	.6	4	12	1171	4.08	5	<8	<2	<2	113	<.5	4	<3	105	2.71	.126	7	2	1.34	173	.06	6	1.39	.03	.14	<2	<2	<2	<2
RRE 51510	4	46	5	85	.5	4	11	1125	4.00	2	<8	<2	<2	106	<.5	<3	4	103	2.58	.128	7	3	1.30	170	.06	<3	1.34	.03	.14	<2	2	2	<2
51511	1	37	5	76	.5	7	14	1318	5.01	2	<8	<2	<2	146	<.5	7	<3	96	4.11	.117	6	4	1.77	78	<.01	<3	.89	.01	.20	2	3	3	2
51512	1	71	3	87	.5	9	16	1854	4.97	<2	<8	<2	<2	133	<.5	<3	<3	109	3.71	.150	9	8	1.65	65	<.01	4	.66	<.01	.18	<2	<2	<2	<2
51513	1	73	5	88	.8	8	15	1950	5.06	3	<8	<2	2	182	<.5	6	<3	116	4.80	.151	9	9	1.91	77	<.01	6	.73	.01	.17	<2	<2	<2	<2
51514	1	71	<3	74	.4	7	14	1356	4.47	<2	<8	<2	<2	115	<.5	4	4	94	2.87	.130	8	8	1.56	84	<.01	4	1.02	.01	.20	<2	<2	5	3
51515	3	93	8	69	.6	8	14	750	4.34	4	<8	<2	2	127	<.5	<3	<3	121	2.09	.140	6	15	1.41	272	.09	11	1.74	.03	.13	3	<2	2	2
51516	<1	523	6	31	.6	164	56	827	5.38	6	<8	<2	<2	258	<.5	14	<3	171	5.49	.017	<1	185	2.47	71	.17	<3	1.21	.04	.03	<2	<2	29	11
51517	<1	228	<3	33	.5	148	43	1435	5.37	3	12	<2	<2	516	<.5	18	<3	153	10.03	.021	1	357	3.79	97	.05	<3	1.20	.02	.03	<2	4	52	49
51518	<1	32	<3	23	<.3	123	27	616	2.94	5	<8	<2	<2	274	<.5	34	5	80	4.87	.030	1	340	2.78	60	.07	<3	1.02	.04	.04	2	<2	10	9
51519	<1	14	<3	23	<.3	95	21	750	2.68	7	<8	<2	<2	197	<.5	24	<3	79	5.52	.039	<1	370	2.82	261	.10	<3	1.21	.03	.03	<2	4	9	11
51520	<1	159	3	21	<.3	159	26	611	2.58	6	<8	<2	<2	178	<.5	41	<3	63	3.73	.034	<1	213	2.87	161	.07	<3	1.10	.04	.03	<2	4	83	82
51521	<1	22	<3	20	<.3	94	25	672	2.83	4	<8	<2	<2	205	<.5	7	<3	83	4.00	.030	1	176	3.21	56	.09	<3	1.27	.04	.03	<2	2	24	23
51522	2	26	5	17	.4	81	21	660	2.47	8	<8	<2	<2	273	<.5	13	<3	85	6.44	.022	1	354	2.88	68	.09	4	1.24	.02	.03	<2	2	9	9
51523	<1	22	<3	10	.3	106	21	568	1.89	7	<8	<2	<2	202	<.5	18	<3	56	5.56	.017	<1	492	2.64	21	.07	<3	.99	.02	.01	<2	<2	7	10
51524	<1	234	<3	27	.5	98	27	684	4.67	7	<8	<2	<2	232	<.5	31	<3	129	.72	.060	1	351	10.74	12	.06	10	2.53	.01	.01	<2	3	78	75
51525 (rock)	1	8	3	9	<.3	8	3	216	.97	<2	<8	<2	<2	110	<.5	<3	4	19	7.73	.022	7	22	1.02	85	.04	<3	.59	.02	.07	<2	<2	<2	<2
STANDARD DS6/FA-10R	11	122	30	142	.3	24	10	743	2.93	23	<8	<2	3	46	5.7	3	5	59	.91	.077	12	184	.64	147	.08	16	1.82	.07	.15	4	496	484	500

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
 (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
 AU** PT** & PD** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: SEP 21 2005 DATE REPORT MAILED: Oct 5/05





GEOCHEMICAL ANALYSIS CERTIFICATE



Almo Capital Corp. File # A506331
603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb	ppb	ppb								
51526	<1	13	<3	52	<.3	1071	90	930	6.64	2	8	<2	<2	27	<.5	<3	<3	30	.58	.010	2 371	12.74	25	.04	66	.45	.02	.02	<2	3	4	3	
51527	1	20	<3	53	<.3	933	86	974	6.29	5	<8	<2	<2	59	.6	<3	<3	40	1.07	.012	2 450	13.69	39	.04	125	.56	.01	.02	<2	3	5	6	
51528	<1	59	<3	33	<.3	464	58	764	3.64	<2	<8	<2	<2	237	.5	<3	<3	45	5.34	.010	1 546	6.00	49	.04	27	.68	.01	.01	<2	17	29	30	
51529	<1	2	<3	21	<.3	124	21	381	1.79	6	<8	<2	<2	121	<.5	6	<3	44	3.38	.013	1 430	3.69	21	.07	3	.90	.01	<.01	<2	32	28	21	
51530	<1	14	<3	44	<.3	898	92	855	5.87	<2	<8	<2	<2	37	.6	3	<3	25	.94	.007	2 356	11.17	17	.03	84	.35	.01	.02	<2	3	2	4	
51531	<1	13	<3	55	<.3	1169	108	1178	7.42	<2	10	<2	<2	32	<.5	<3	<3	22	.64	.007	2 359	16.91	19	.03	130	.32	.01	.02	<2	<2	2	<2	
51532	<1	16	<3	56	<.3	1122	111	1241	7.88	<2	10	<2	<2	54	<.5	<3	<3	26	1.00	.009	2 398	16.55	27	.03	135	.37	.01	.02	<2	<2	<2	2	
RE 51532	<1	16	<3	58	<.3	1074	107	1175	7.54	<2	<8	<2	<2	53	<.5	<3	<3	25	.97	.008	2 391	14.43	27	.03	131	.36	.01	.03	<2	2	2	5	
RRE 51532	<1	16	<3	56	<.3	1071	106	1180	7.53	<2	<8	<2	<2	53	<.5	<3	<3	24	.96	.008	2 376	15.02	28	.03	127	.34	.01	.03	<2	<2	2	3	
51533	<1	170	<3	61	<.3	1138	121	1281	8.79	<2	<8	<2	<2	60	<.5	<3	<3	40	1.01	.013	3 472	15.88	48	.04	136	.56	.02	.07	<2	2	14	19	
51534	<1	59	<3	31	<.3	274	38	562	3.09	3	<8	<2	<2	116	<.5	5	<3	73	2.23	.032	2 466	4.77	33	.08	9	1.58	.02	.01	<2	10	117	116	
51535	<1	620	<3	53	.5	1063	86	817	5.62	<2	<8	<2	<2	25	.7	<3	<3	31	.39	.015	2 350	10.81	35	.03	42	.55	.02	.03	<2	11	57	58	
51536	<1	525	<3	49	.4	1022	86	812	5.70	2	<8	<2	<2	30	.6	<3	<3	33	.47	.016	2 316	10.44	29	.04	49	.59	.02	.04	<2	20	51	56	
51537	<1	741	<3	53	.6	1079	89	828	6.25	<2	8	<2	<2	46	.6	<3	<3	66	.58	.017	2 358	9.46	42	.06	48	.73	.03	.05	<2	10	63	69	
51538	<1	1236	<3	51	1.0	1028	80	705	5.81	<2	<8	<2	<2	46	.7	<3	<3	84	.62	.016	2 326	8.23	42	.07	40	.79	.04	.06	<2	20	74	86	
51539	2	657	8	27	1.1	678	44	248	2.27	<2	<8	<2	<2	37	<.5	<3	<3	35	.79	.018	1 277	1.97	16	.06	3	1.00	.02	.02	<2	9	150	185	
51540	<1	538	<3	31	.7	640	57	442	3.45	<2	<8	<2	<2	34	.5	<3	<3	31	.51	.015	1 305	4.04	26	.05	13	.69	.02	.03	<2	9	69	80	
51541	<1	1509	<3	35	1.5	700	48	282	2.47	<2	<8	<2	<2	39	1.1	<3	<3	24	.84	.024	1 206	2.01	15	.05	5	.87	.05	.03	<2	9	153	184	
51542	5	437	<3	37	.3	439	46	415	3.37	<2	<8	<2	<2	81	<.5	<3	<3	46	1.32	.044	2 277	3.56	33	.08	9	1.24	.05	.05	5	7	52	58	
51543	<1	50	<3	24	<.3	346	47	462	3.22	2	<8	<2	<2	88	<.5	<3	<3	35	1.59	.014	1 491	4.11	16	.05	15	.82	.02	.04	<2	4	18	15	
51544	<1	20	<3	17	<.3	165	22	260	1.67	4	<8	<2	<2	55	<.5	15	<3	20	.98	.020	1 339	2.69	10	.06	5	.92	.01	.02	<2	4	10	13	
STANDARD DS6/FA-10R	11	123	29	141	<.3	25	11	697	2.82	22	<8	<2	4	40	6.0	4	6	55	.86	.079	14 189	.58	167	.08	17	1.92	.07	.15	3	494	492	494	

GROUP 10 - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: DRILL CORE R150 AU** PT** PD** GROUP 3B BY FIRE ASSAY & ANALYSIS BY ICP-ES. (30 gm)
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA _____ DATE RECEIVED: OCT 3 2005 DATE REPORT MAILED: Oct 25/05



GEOCHEMICAL ANALYSIS CERTIFICATE

Almo Capital Corp. File # A506533 Page 1

603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**	Sample
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppb	ppb	ppb	kg																
51545	3	40	5	26	.5	583	67	719	5.26	3	<8	<2	3	26	<.5	<3	11	31	.48	.014	1	368	6.25	20	.04	23	.58	.02	.08	<2	4	7	3	3.53
51546	2	58	<3	24	.3	604	65	625	5.01	4	<8	<2	2	36	<.5	<3	15	35	.54	.016	<1	397	5.71	28	.05	22	.77	.01	.12	<2	2	10	3	4.28
51547	<1	33	5	32	.4	932	81	878	6.08	2	<8	<2	<2	29	<.5	<3	4	31	.53	.013	<1	399	8.98	26	.04	39	.60	.01	.10	<2	23	7	<2	4.25
51548	1	28	4	38	<.3	909	83	916	6.33	4	<8	<2	2	46	<.5	<3	5	30	.57	.010	1	385	8.93	19	.03	61	.51	.01	.06	<2	5	2	6	2.84
51549	<1	25	4	21	<.3	533	59	649	4.60	<2	<8	<2	<2	43	<.5	<3	<3	33	.75	.010	<1	424	5.89	15	.04	21	.53	.01	.04	<2	5	6	6	3.17
51550 (rock)	1	3	<3	6	<.3	8	2	169	.84	<2	<8	<2	<2	90	<.5	<3	<3	15	6.46	.026	7	12	.84	81	.03	<3	.52	.02	.06	<2	4	2	4	.59
51551	<1	19	3	12	<.3	317	37	346	2.67	<2	<8	<2	<2	64	<.5	5	<3	29	.96	.013	1	371	3.31	9	.05	13	.67	.02	.02	<2	8	7	9	3.13
51552	1	13	7	12	<.3	261	31	276	2.21	<2	<8	<2	<2	48	<.5	8	3	24	.61	.017	<1	277	2.61	5	.06	<3	1.07	.02	.01	<2	5	4	<2	2.84
51553	<1	16	6	10	.4	109	15	208	1.39	<2	<8	<2	3	85	<.5	8	<3	30	1.63	.017	1	229	1.55	28	.10	<3	.84	.02	.02	<2	5	6	4	3.81
51554	<1	19	6	12	.3	116	18	193	1.50	2	<8	<2	3	33	<.5	9	6	29	.74	.022	1	224	1.50	33	.10	<3	.86	.02	.02	<2	2	10	6	4.44
51555	1	28	6	13	<.3	143	21	214	1.71	2	<8	<2	<2	48	<.5	<3	<3	33	.87	.022	1	210	1.62	12	.10	<3	.95	.02	.02	<2	3	23	21	3.75
51556	<1	45	<3	13	<.3	132	22	236	1.73	<2	<8	<2	<2	78	<.5	<3	<3	38	1.35	.019	<1	227	1.62	13	.11	<3	.90	.02	.02	<2	2	19	13	3.86
51557	<1	26	<3	9	<.3	97	18	193	1.40	3	<8	<2	<2	63	<.5	5	<3	36	1.34	.018	<1	201	1.38	27	.11	<3	.83	.02	.01	<2	6	29	43	4.05
RE 51557	<1	26	<3	11	<.3	98	18	195	1.44	2	<8	<2	<2	63	<.5	4	<3	37	1.34	.017	<1	201	1.38	27	.11	<3	.84	.02	.02	<2	3	33	42	-
RRE 51557	<1	26	<3	11	<.3	99	18	197	1.44	2	<8	<2	<2	62	<.5	4	<3	38	1.33	.019	<1	203	1.40	27	.12	<3	.85	.02	.02	<2	2	27	31	-
51558	<1	28	3	13	<.3	109	19	198	1.46	3	<8	<2	<2	40	<.5	<3	<3	43	.87	.022	<1	208	1.46	15	.12	<3	.91	.02	.02	<2	<2	17	16	3.84
51559	1	27	<3	12	.7	95	17	182	1.28	6	<8	<2	3	49	<.5	4	<3	35	1.03	.020	1	204	1.27	13	.12	<3	.75	.02	.02	<2	4	23	25	3.54
51560	<1	14	3	12	.3	98	17	214	1.55	5	<8	<2	<2	135	<.5	<3	<3	46	1.91	.025	<1	259	1.45	14	.13	<3	.95	.02	.01	<2	3	37	38	3.04
51561	<1	76	6	13	.9	80	18	216	1.76	<2	<8	<2	4	185	<.5	6	<3	53	2.27	.027	1	190	1.33	28	.14	<3	.98	.02	.02	<2	2	33	35	1.28
51562	<1	60	<3	13	<.3	101	20	240	1.65	5	<8	<2	<2	76	<.5	5	<3	61	1.33	.011	<1	146	1.57	20	.18	<3	1.03	.04	.03	<2	2	27	36	1.79
51563	<1	49	<3	12	.4	113	19	243	1.87	<2	<8	<2	<2	66	<.5	8	<3	60	1.03	.011	<1	255	1.78	14	.17	<3	1.20	.03	.02	<2	3	37	54	1.98
51564	<1	20	<3	13	<.3	106	19	249	1.84	5	<8	<2	<2	46	<.5	<3	<3	48	.81	.013	<1	368	1.85	9	.13	<3	1.19	.03	.02	<2	<2	10	17	2.56
51565	<1	94	6	14	<.3	217	24	252	1.96	<2	<8	<2	<2	66	<.5	<3	<3	45	1.10	.015	<1	315	1.90	13	.11	<3	1.23	.03	.02	<2	<2	32	44	2.44
51566	2	99	<3	19	.9	250	24	270	1.79	<2	<8	<2	<2	97	<.5	5	<3	46	.95	.018	<1	364	2.26	29	.10	<3	1.28	.02	.01	<2	4	67	133	1.53
51567	1	10	9	36	.6	811	84	1062	6.61	3	<8	<2	3	41	<.5	<3	<3	35	.43	.010	<1	418	9.07	15	.04	26	.55	.02	.02	<2	<2	14	18	3.35
51568	<1	12	4	24	<.3	593	62	761	5.05	<2	<8	<2	<2	58	<.5	<3	<3	43	.52	.011	<1	454	5.99	18	.05	23	.63	.03	.03	<2	<2	11	14	2.71
51569	2	34	8	30	<.3	614	67	832	5.33	3	<8	<2	<2	62	<.5	<3	<3	37	.44	.019	1	375	6.55	24	.05	14	.90	.02	.05	<2	3	32	40	2.87
51570	<1	20	<3	18	<.3	213	27	351	2.38	<2	<8	<2	2	102	<.5	<3	<3	37	.82	.016	1	275	3.06	21	.08	<3	1.35	.03	.05	<2	<2	72	79	2.79
51571	<1	23	<3	14	.4	125	20	252	1.83	<2	<8	<2	<2	79	<.5	4	<3	41	.72	.020	1	175	2.09	21	.10	<3	1.43	.03	.08	<2	2	62	72	3.05
51572	<1	37	<3	20	.3	244	36	490	3.03	5	<8	<2	2	256	<.5	7	<3	48	1.96	.019	2	338	3.29	22	.07	5	1.41	.04	.10	<2	<2	51	64	2.76
51573	2	25	10	33	.9	32	31	711	4.58	8	<8	<2	<2	250	<.5	<3	<3	189	2.61	.123	4	66	2.63	557	.27	<3	2.31	.12	.47	<2	<2	<2	5	.93
51574	1	43	<3	19	<.3	223	35	345	2.67	<2	<8	<2	<2	71	<.5	<3	<3	53	.86	.014	<1	245	2.48	27	.09	<3	1.17	.06	.06	<2	<2	15	16	2.98
51575 (rock)	<1	4	<3	7	<.3	6	2	189	.97	3	<8	<2	4	93	<.5	<3	<3	17	6.40	.020	8	14	.90	85	.04	4	.61	.03	.07	<2	<2	<2	<2	.34
51576	<1	35	6	19	<.3	209	32	321	2.42	2	<8	<2	<2	58	<.5	<3	<3	44	.84	.015	<1	249	2.47	18	.09	<3	1.09	.05	.04	<2	<2	16	17	2.66
STANDARD DS6	12	121	28	142	.3	24	11	740	2.91	22	<8	<2	3	44	5.7	5	5	59	.78	.081	14	185	.63	145	.08	16	1.88	.07	.14	3	495	476	491	-

Standard is STANDARD DS6/FA-10R.

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.

(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: DRILL CORE R150 AU** PT** PD** GROUP 3B BY FIRE ASSAY & ANALYSIS BY ICP-ES. (30 gm)

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: OCT 11 2005 DATE REPORT MAILED: Nov 3/05



All results are considered the confidential property of the client. Acme assumes no liability for actual cost of the analysis only.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**	Sample
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppb	ppb	ppb	kg																
51577	<1	24	6	16	.3	95	18	208	1.56	<2	<8	<2	<2	80	<.5	<3	<3	47	1.32	.036	<1	218	1.48	103	.13	<3	.98	.03	.03	<2	3	26	30	4.60
51578	2	99	<3	13	.6	116	31	232	2.05	2	<8	<2	3	71	<.5	<3	<3	71	1.01	.023	1	152	1.73	1504	.17	<3	1.31	.03	.08	<2	2	49	50	3.11
51579	1	57	<3	18	.3	182	36	339	2.45	<2	<8	<2	<2	108	<.5	<3	<3	70	1.60	.023	<1	222	2.43	855	.17	<3	1.49	.06	.08	<2	2	18	19	1.66
51580	<1	20	6	29	<.3	472	66	701	4.78	2	<8	<2	<2	66	<.5	<3	<3	39	.66	.017	<1	348	5.49	34	.06	17	.92	.04	.03	<2	4	28	18	2.78
51581	<1	53	3	38	<.3	599	83	907	6.38	<2	<8	<2	<2	49	<.5	<3	5	41	.56	.018	<1	357	6.98	35	.06	21	.76	.03	.05	<2	3	36	42	4.56
51582	<1	67	<3	24	<.3	345	56	540	3.82	<2	<8	<2	<2	99	.5	<3	<3	55	1.12	.018	<1	338	4.54	23	.09	8	1.23	.03	.03	<2	4	71	86	1.79
51583	<1	82	3	22	<.3	332	53	450	3.37	7	<8	<2	<2	83	<.5	<3	5	52	1.23	.016	<1	389	3.83	20	.10	4	1.14	.04	.03	<2	2	80	118	4.08
51584	<1	32	<3	24	<.3	361	57	551	3.75	<2	<8	<2	<2	31	<.5	<3	<3	45	.55	.015	<1	430	4.71	23	.08	8	1.00	.02	.03	<2	3	54	80	3.40
51585	2	19	5	33	<.3	478	71	738	5.17	2	<8	<2	3	56	<.5	<3	<3	39	.69	.017	1	406	5.94	34	.07	22	.93	.02	.06	<2	2	18	15	3.08
51586	2	18	<3	27	<.3	472	65	604	4.45	<2	<8	<2	<2	90	<.5	<3	7	46	.79	.017	<1	459	5.52	29	.07	17	1.03	.03	.03	<2	<2	14	16	1.75
51587	<1	82	<3	44	<.3	41	25	600	3.89	<2	<8	<2	<2	208	<.5	<3	<3	134	2.08	.123	5	85	2.09	581	.26	<3	2.53	.06	.51	<2	3	<2	6	3.14
51588	<1	32	<3	20	<.3	329	46	494	3.64	4	<8	<2	<2	102	<.5	<3	<3	64	1.25	.021	<1	665	4.34	32	.10	9	1.15	.03	.04	<2	3	21	22	3.78
51589	<1	35	<3	24	<.3	395	51	476	3.66	<2	<8	<2	<2	72	<.5	<3	<3	46	1.02	.015	<1	576	4.27	31	.08	12	1.00	.03	.05	<2	2	78	110	2.14
51590	<1	55	8	21	<.3	383	52	447	3.53	12	<8	<2	<2	187	<.5	<3	<3	56	2.73	.021	<1	672	3.97	22	.09	<3	1.06	.03	.02	<2	4	27	39	2.86
51591	<1	84	<3	16	.5	252	34	317	2.21	10	<8	<2	<2	199	<.5	16	<3	44	2.34	.020	1	455	2.71	16	.10	<3	1.23	.05	.01	<2	7	32	37	3.88
51592	<1	119	<3	24	<.3	383	51	371	3.13	3	<8	<2	<2	177	<.5	<3	<3	49	1.29	.028	1	439	3.63	35	.09	<3	1.42	.08	.03	<2	2	55	58	4.10
RE 51592	<1	114	3	22	.5	370	47	356	2.98	6	<8	<2	<2	167	<.5	<3	<3	46	1.23	.028	1	431	3.50	33	.09	<3	1.37	.07	.02	<2	3	57	59	-
RRE 51592	<1	123	<3	24	.3	383	50	366	3.10	5	<8	<2	<2	173	<.5	<3	<3	46	1.30	.027	1	443	3.56	32	.09	6	1.41	.07	.02	<2	4	58	61	-
51593	1	15	6	36	<.3	761	84	1089	6.12	9	<8	<2	2	198	<.5	<3	9	40	1.81	.018	1	592	9.00	100	.04	23	.67	.04	.10	<2	4	5	4	2.68
51594	<1	15	<3	23	<.3	732	76	969	4.94	4	<8	<2	<2	398	<.5	<3	3	62	3.78	.018	<1	934	7.97	56	.05	38	.77	.03	.08	<2	3	4	8	3.76
51595	1	11	<3	39	<.3	925	95	847	6.02	10	<8	<2	<2	114	<.5	<3	<3	29	1.13	.020	<1	470	8.47	58	.05	40	.75	.03	.15	<2	<2	2	3	2.37
51596	<1	26	11	37	<.3	284	48	1223	4.62	35	<8	<2	<2	290	<.5	10	<3	106	2.88	.080	2	465	7.13	172	.13	<3	3.22	.07	.72	<2	4	<2	4	1.36
51597	<1	6	<3	16	<.3	251	33	496	2.50	2	<8	<2	<2	147	<.5	<3	5	52	2.15	.023	<1	584	3.72	73	.08	<3	1.52	.02	.25	<2	3	5	4	3.62
51598	<1	17	7	21	<.3	416	51	657	3.51	8	<8	<2	<2	177	<.5	<3	3	51	3.02	.023	<1	684	5.00	40	.07	10	.99	.03	.12	<2	3	4	6	3.96
51599	2	20	<3	24	<.3	532	64	757	4.69	5	<8	<2	<2	103	<.5	<3	<3	33	1.48	.013	<1	451	6.83	31	.06	20	.77	.03	.13	<2	7	9	8	3.54
51600 (rock)	<1	4	<3	8	<.3	8	3	215	.89	5	<8	<2	2	97	<.5	<3	<3	14	7.32	.022	7	22	.94	96	.04	8	.56	.02	.06	<2	<2	<2	<2	.60
51601	<1	17	6	9	<.3	138	19	317	1.65	2	<8	<2	<2	147	<.5	3	<3	35	1.99	.019	<1	488	2.64	319	.08	<3	1.22	.03	.13	<2	<2	17	14	3.41
51602	2	21	<3	21	<.3	558	63	591	4.23	<2	<8	<2	<2	91	<.5	<3	4	37	1.28	.011	<1	547	5.64	28	.05	15	.76	.02	.03	<2	12	12	7	3.22
51603	<1	50	6	26	<.3	446	55	550	3.77	4	<8	<2	<2	48	<.5	<3	<3	35	.86	.017	<1	451	5.17	29	.06	12	.89	.03	.03	<2	12	25	23	2.47
51604	1	37	3	12	.4	195	30	305	2.19	<2	<8	<2	<2	18	<.5	<3	<3	27	.62	.016	<1	407	3.06	12	.06	8	.83	.02	.02	<2	7	60	40	2.52
51605	<1	14	<3	11	<.3	161	24	234	1.75	<2	<8	<2	<2	18	<.5	<3	<3	30	.66	.014	<1	475	2.60	7	.07	<3	1.03	.02	.01	<2	8	104	147	2.37
51606	<1	34	4	12	<.3	159	23	229	1.74	3	<8	<2	<2	34	<.5	6	<3	31	.89	.016	<1	553	2.56	12	.09	<3	1.18	.02	.02	<2	4	75	83	3.68
51607	<1	40	<3	35	<.3	813	94	917	6.31	14	<8	<2	<2	46	<.5	3	<3	29	.59	.012	1	451	8.86	31	.04	32	.47	.02	.03	<2	5	9	4	2.70
51608	<1	37	4	29	<.3	849	92	802	6.12	4	<8	<2	<2	60	<.5	<3	<3	34	.56	.012	<1	440	8.30	28	.04	37	.59	.02	.01	<2	3	7	7	1.98
STANDARD DS6	12	123	30	141	.4	24	12	753	3.01	23	<8	<2	4	47	6.0	4	5	59	.91	.081	14	186	.64	170	.09	16	1.91	.07	.14	3	494	475	484	-

Standard is STANDARD DS6/FA-10R. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**	Sample
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb	ppb	ppb	kg								
51609	1	32	4	29	.6	899	87	904	6.07	6	<8	<2	<2	63	<.5	6	<3	36	.69	.009	<1	494	9.36	26	.03	57	.41	.02	.02	<2	3	6	3	2.18
51610	<1	111	<3	27	<.3	984	90	866	6.00	7	<8	<2	2	37	<.5	<3	<3	39	.43	.012	<1	472	9.06	22	.04	48	.53	.02	.02	<2	2	17	20	1.91
51611	3	77	<3	35	<.3	1105	94	1008	6.62	<2	<8	<2	<2	41	<.5	3	<3	42	.62	.011	<1	490	11.22	21	.03	80	.40	.01	.03	<2	2	4	6	2.87
51612	<1	45	<3	27	<.3	818	81	887	5.74	4	8	<2	2	89	<.5	<3	<3	65	1.33	.017	1	545	8.58	26	.06	81	.83	.03	.02	<2	<2	8	16	3.63
51613	2	284	4	24	<.3	13	18	544	3.97	50	8	<2	<2	180	<.5	<3	<3	97	3.82	.118	7	12	1.36	80	.14	5	1.21	.06	.09	2	15	4	3	3.65
51614	2	194	<3	27	<.3	13	19	518	3.17	69	<8	<2	<2	131	<.5	<3	<3	89	2.50	.134	8	11	1.03	90	.17	<3	1.45	.07	.11	<2	5	<2	<2	3.45
STANDARD	12	123	25	142	.4	24	10	749	2.92	21	<8	<2	2	47	5.8	4	5	58	.83	.078	15	182	.64	147	.08	15	1.92	.07	.15	3	489	486	495	-

Standard is STANDARD DS6/FA-10R.

GEOCHEMICAL ANALYSIS CERTIFICATE

Almo Capital Corp. File # A506797 Page 1
603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**	Sample
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb	ppb	ppb	kg															
51615	1	23	<3	70	<.3	4	11	956	3.58	6	<8	<2	<2	63	<.5	3	<3	90	2.12	.109	7	1	.91	112	.09	4	1.80	.05	.16	<2	3	2	3	1.72
51616	<1	34	9	79	<.3	5	13	1046	4.01	8	<8	<2	3	80	<.5	5	<3	111	2.01	.115	9	2	1.10	82	.05	13	1.71	.05	.17	<2	2	<2	<2	2.40
51617	<1	41	13	75	.4	4	11	996	4.13	9	<8	<2	5	56	<.5	4	<3	105	1.48	.112	8	3	1.06	100	.11	14	1.81	.06	.14	<2	<2	2	2	1.04
51618	<1	56	3	46	.3	103	24	1524	4.75	3	<8	<2	<2	347	<.5	17	<3	111	9.99	.081	7	244	3.87	108	<.01	5	1.04	.01	.07	<2	4	6	3	1.65
RE 51618	<1	57	<3	45	<.3	107	24	1522	4.74	9	<8	<2	<2	351	<.5	14	<3	110	9.98	.081	6	242	3.88	107	<.01	<3	1.03	.01	.07	<2	4	2	3	-
RRE 51618	<1	55	8	41	.4	106	24	1538	4.84	11	<8	<2	<2	358	<.5	21	<3	109	10.09	.079	6	231	3.85	113	<.01	9	.99	.01	.06	2	2	<2	<2	-
51619	<1	54	<3	61	<.3	6	11	1684	4.19	2	<8	<2	<2	289	<.5	<3	<3	87	8.39	.099	7	6	2.97	59	<.01	<3	.77	<.01	.15	3	3	<2	4	2.08
51620	2	77	<3	81	<.3	7	15	1176	4.15	<2	<8	<2	<2	102	<.5	4	<3	83	2.41	.135	9	2	1.41	51	<.01	4	1.38	.02	.22	<2	3	<2	<2	1.76
51621	1	109	7	70	<.3	11	14	1390	3.82	60	<8	<2	<2	147	<.5	<3	<3	79	4.35	.129	10	6	1.77	71	<.01	3	1.19	.02	.21	<2	7	<2	4	2.79
51622	<1	106	8	48	<.3	7	9	660	2.66	3	<8	<2	<2	87	<.5	<3	<3	66	1.66	.127	8	3	.73	138	.13	<3	1.43	.05	.13	<2	3	2	4	3.39
51623	1	79	7	57	<.3	6	10	922	3.33	3	<8	<2	<2	98	<.5	<3	<3	99	2.32	.141	7	8	1.01	133	.13	10	1.75	.05	.16	<2	12	6	5	2.11
51624	1	82	5	49	<.3	5	11	671	3.03	2	<8	<2	<2	57	<.5	<3	<3	107	1.91	.150	5	2	.86	111	.16	<3	1.69	.07	.18	<2	4	<2	4	4.70
51625 (rock)	1	2	<3	8	<.3	5	3	233	.97	4	<8	<2	<2	87	<.5	<3	<3	15	7.32	.025	9	11	.85	84	.04	18	.59	.03	.07	<2	2	<2	<2	.99
51626	1	104	9	78	<.3	8	17	1263	4.77	<2	<8	<2	<2	157	<.5	3	<3	144	3.24	.136	7	9	1.27	208	.07	<3	1.97	.04	.21	<2	6	6	8	3.91
51627	<1	27	13	58	.3	5	12	999	3.41	3	<8	<2	<2	126	<.5	<3	<3	109	3.36	.129	6	<1	1.00	105	.10	6	1.90	.05	.11	2	3	5	5	3.30
51628	<1	23	14	59	<.3	6	12	1026	4.00	4	<8	<2	<2	124	<.5	<3	<3	138	3.37	.137	7	<1	1.29	50	.10	5	2.41	.05	.09	<2	2	4	4	3.17
51629	1	81	4	56	<.3	5	12	919	3.69	4	<8	<2	<2	78	<.5	5	<3	135	2.33	.161	6	3	1.14	113	.17	5	1.96	.06	.16	2	5	<2	4	3.62
51630	1	88	10	56	<.3	4	11	804	3.49	<2	<8	<2	<2	80	<.5	<3	4	133	2.03	.154	5	8	.98	222	.19	5	1.82	.07	.23	<2	3	5	4	3.86
51631	1	81	9	56	<.3	5	12	1017	3.62	6	<8	<2	<2	114	<.5	3	<3	134	2.49	.156	5	9	1.08	182	.17	7	1.89	.07	.16	<2	3	7	9	2.48
51632	<1	97	14	87	.6	7	17	1628	6.24	24	<8	<2	4	241	<.5	5	4	174	4.84	.155	10	15	1.76	138	.02	13	2.37	.03	.22	<2	5	<2	6	3.66
51633	<1	52	<3	71	<.3	7	14	1698	4.98	648	<8	<2	<2	182	<.5	3	<3	95	6.72	.130	7	6	2.44	101	<.01	8	1.25	.01	.22	<2	34	<2	5	1.95
51634	<1	64	8	82	<.3	5	16	1147	4.94	11	<8	<2	<2	124	<.5	4	4	138	2.51	.132	7	3	1.33	143	.08	11	2.17	.05	.14	<2	3	4	3	3.68
51635	<1	88	10	88	<.3	5	18	1071	4.90	2	<8	<2	<2	121	<.5	5	<3	125	2.13	.131	6	<1	1.19	231	.06	10	1.91	.04	.12	<2	5	<2	5	2.17
51636	1	69	7	76	.9	7	15	906	4.68	4	<8	<2	5	150	<.5	3	<3	140	2.44	.137	8	6	1.29	179	.07	18	2.13	.04	.14	<2	3	3	9	2.26
51637	1	96	7	78	<.3	7	17	1645	5.67	2	<8	<2	<2	179	<.5	<3	3	136	5.49	.147	8	4	2.37	94	<.01	10	1.41	.01	.16	<2	3	3	5	3.42
51638	2	89	4	83	<.3	9	19	1052	5.77	2	<8	<2	2	106	<.5	<3	<3	163	2.05	.166	8	8	1.82	140	<.01	14	2.09	.03	.16	<2	5	<2	6	2.25
51639	<1	179	5	44	.9	179	45	1420	5.72	<2	<8	<2	<2	392	<.5	17	<3	180	10.54	.034	3	186	4.63	129	<.01	13	.98	.01	.06	<2	2	10	29	3.75
51640	<1	25	4	33	.5	319	60	1461	6.05	5	<8	<2	<2	530	<.5	<3	10	117	13.05	.018	2	1147	5.59	131	<.01	15	.96	.01	.02	<2	7	4	7	3.11
51641	<1	18	<3	18	<.3	335	48	1122	4.76	2	<8	<2	<2	431	<.5	7	4	72	11.56	.024	1	547	6.05	53	<.01	8	.39	.01	.04	<2	79	14	20	3.44
51642	<1	11	6	17	<.3	531	55	903	4.60	6	<8	<2	<2	350	<.5	<3	<3	60	8.39	.016	1	573	5.54	85	.01	17	.68	.01	.01	<2	105	7	7	4.25
51643	<1	18	<3	23	<.3	573	63	1057	5.36	2	<8	<2	<2	352	<.5	<3	<3	78	9.00	.018	1	749	6.79	134	.01	23	.81	.01	.02	2	120	5	6	3.65
51644	<1	13	7	17	.4	641	69	731	5.15	<2	<8	<2	2	99	<.5	<3	4	38	2.92	.012	1	562	6.50	26	.02	46	.47	.02	.02	<2	43	<2	2	3.26
51645	<1	35	<3	29	1.4	843	89	931	6.34	3	<8	<2	2	92	<.5	<3	3	49	2.14	.019	2	516	7.45	21	.03	66	.73	.02	.04	2	20	3	3	2.38
51646	6	11	<3	14	.6	142	26	904	2.18	10	<8	<2	<2	356	<.5	13	<3	71	10.28	.016	2	1038	3.49	58	.09	8	1.17	.01	.01	<2	<2	5	8	2.22
STANDARD DS6	12	123	29	141	.3	24	10	744	2.93	23	<8	<2	2	40	5.6	3	5	59	.79	.078	14	182	.57	168	.08	16	1.90	.07	.15	3	495	492	496	-

Standard is STANDARD DS6/FA-10R.


GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.

(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: DRILL CORE R150 AU** PT** PD** GROUP 3B BY FIRE ASSAY & ANALYSIS BY ICP-ES. (30 gm)

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA

DATE RECEIVED: OCT 20 2005

DATE REPORT MAILED: *Nov 14 / 2005*



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au** ppb	Pt** ppb	Pd** ppb	Sample kg
51647	<1	21	6	14	<.3	171	29	288	2.24	6	<8	<2	<2	138	.7	18	<3	40	1.14	.030	1	363	3.29	10	.06	<3	1.09	.02	.01	<2	2	18	20	2.90
51648	1	14	8	17	<.3	120	22	336	2.12	9	<8	<2	<2	135	.5	30	<3	55	1.47	.025	1	467	3.40	17	.09	<3	1.37	.02	.01	<2	3	9	4	3.41
51649	1	200	4	15	<.3	393	53	332	3.20	7	<8	<2	<2	49	.7	65	<3	36	.71	.013	1	548	3.10	8	.04	9	.85	.02	.01	<2	3	3	<2	1.98
51650 (rock)	<1	3	6	10	<.3	7	2	179	.87	5	<8	<2	<2	85	.5	<3	4	18	7.46	.024	7	23	.93	83	.03	8	.53	.02	.06	<2	4	<2	<2	.92
51651	<1	24	<3	14	<.3	276	43	443	3.22	2	<8	<2	<2	67	<.5	<3	3	41	1.08	.018	<1	515	4.10	12	.05	12	.77	.02	.02	<2	4	2	3	1.60
51652	<1	32	<3	22	<.3	402	53	1016	4.08	2	<8	<2	<2	221	<.5	10	3	55	6.07	.017	1	638	5.82	26	.04	37	.69	.02	.02	<2	<2	3	4	2.64
51653	<1	105	<3	45	.6	1064	105	1148	6.22	7	9	<2	<2	283	.7	3	5	39	7.82	.010	1	790	8.25	44	.02	73	.42	.01	.04	<2	4	9	9	3.16
51654	<1	1130	<3	36	.7	1549	114	998	6.69	8	<8	<2	2	201	.8	3	<3	46	3.64	.017	1	691	8.99	42	.03	77	.62	.01	.04	<2	14	180	198	3.05
51655	<1	84	7	11	.3	202	27	697	1.99	239	<8	<2	<2	327	<.5	>2000	<3	40	7.54	.013	1	559	2.72	19	.03	3	.83	.01	.01	<2	34	9	21	2.60
51656	<1	14	5	9	<.3	124	20	283	1.60	3	<8	<2	<2	92	<.5	20	<3	33	1.67	.016	<1	442	2.36	10	.06	<3	.99	.01	.01	<2	<2	5	6	2.34
51657	<1	36	4	12	.4	252	39	244	2.43	6	<8	<2	<2	50	<.5	43	<3	32	.85	.014	1	331	2.48	6	.05	7	.90	.01	.01	<2	6	3	8	3.86
51658	1	43	6	14	.4	174	32	406	2.51	6	<8	<2	2	153	<.5	6	<3	47	1.15	.045	2	293	4.08	122	.08	4	1.68	.02	.02	<2	6	<2	2	3.30
51659	1	47	3	15	<.3	173	27	264	1.99	4	<8	<2	<2	89	<.5	<3	<3	44	.92	.025	1	305	2.44	30	.09	<3	1.10	.03	.03	<2	<2	13	7	3.43
51660	<1	25	3	16	.5	174	26	265	1.91	<2	<8	<2	<2	52	<.5	<3	<3	30	.79	.020	1	282	2.49	9	.06	3	.94	.03	.02	<2	<2	8	9	3.46
51661	<1	28	<3	9	<.3	204	30	403	2.29	2	<8	<2	2	41	<.5	<3	6	46	.75	.018	1	446	3.76	8	.06	6	.90	.02	.01	<2	13	8	12	3.26
51662	<1	17	<3	20	<.3	527	62	699	4.65	3	<8	<2	2	26	<.5	<3	<3	29	.46	.013	1	383	6.66	13	.04	30	.50	.02	.01	<2	<2	10	8	1.97
51663	<1	9	<3	22	.5	542	64	729	4.84	4	<8	<2	4	25	<.5	<3	<3	27	.50	.011	<1	413	7.14	13	.03	38	.41	.01	.02	<2	2	<2	3	1.71
51664	<1	10	3	22	.7	608	70	763	4.98	6	<8	<2	3	26	<.5	3	<3	31	.43	.013	1	472	7.98	12	.03	44	.48	.01	.01	<2	<2	7	2	1.88
51665	<1	13	<3	34	.4	872	97	1112	7.09	4	<8	<2	4	19	.5	<3	5	24	.34	.015	1	357	11.56	22	.03	68	.36	.02	.03	<2	<2	<2	8	3.13
51666	1	27	6	25	<.3	729	79	863	5.64	10	<8	<2	<2	66	<.5	25	<3	35	1.08	.017	1	526	8.72	33	.04	59	.55	.02	.04	<2	3	13	11	4.40
51667	4	38	6	24	<.3	495	50	560	3.69	4	<8	<2	<2	32	<.5	<3	3	33	.57	.022	<1	463	5.45	39	.05	15	.69	.03	.06	<2	<2	<2	4	2.82
51668	<1	39	<3	38	<.3	1035	88	937	6.08	6	<8	<2	<2	47	.5	22	7	52	.74	.017	1	484	10.42	39	.06	57	.78	.04	.04	<2	2	6	4	2.29
51669	<1	18	9	38	.3	958	83	913	5.92	3	<8	<2	3	36	<.5	<3	<3	39	.50	.024	1	468	10.45	49	.04	45	.66	.03	.06	<2	<2	11	7	3.42
51670	<1	71	3	40	.5	865	89	978	6.61	5	<8	<2	4	29	.8	<3	5	48	.42	.022	1	350	9.22	47	.05	34	.66	.04	.07	<2	<2	13	16	2.81
51671	69	44	10	45	<.3	965	95	1045	7.04	<2	<8	<2	<2	43	<.5	<3	4	43	.43	.027	<1	303	9.80	52	.05	15	.75	.03	.06	<2	<2	6	2	3.61
51672	1	49	<3	18	<.3	94	20	274	2.00	3	<8	<2	<2	65	<.5	<3	4	54	.90	.030	1	222	2.02	99	.12	<3	1.54	.03	.07	<2	2	7	4	3.51
51673	<1	45	<3	18	<.3	78	19	246	2.02	<2	<8	<2	<2	70	<.5	4	<3	56	.95	.037	1	213	1.72	211	.14	<3	1.67	.01	.07	<2	<2	6	10	4.11
51674	<1	48	3	15	<.3	86	18	357	2.08	<2	<8	<2	<2	146	<.5	<3	<3	61	1.93	.044	1	252	2.65	32	.12	<3	1.90	.01	.02	<2	<2	2	2	2.27
51675 (rock)	<1	3	7	8	<.3	7	2	255	1.06	2	<8	<2	<2	89	<.5	<3	<3	17	7.48	.022	8	14	.90	101	.04	7	.59	.03	.07	<2	<2	<2	<2	.65
51676	<1	203	5	24	<.3	302	52	464	3.58	<2	<8	<2	4	83	<.5	<3	3	35	1.02	.018	1	245	4.06	88	.05	16	.66	.04	.04	<2	<2	34	43	3.94
RE 51676	<1	212	3	27	.8	311	54	480	3.79	<2	<8	<2	<2	85	<.5	<3	<3	34	1.04	.020	<1	255	4.15	91	.05	20	.68	.04	.04	<2	<2	35	49	-
RRE 51676	<1	194	5	23	<.3	290	51	450	3.55	<2	<8	<2	<2	72	<.5	<3	3	35	.95	.019	<1	249	3.82	77	.05	12	.67	.04	.05	<2	<2	27	39	-
51677	<1	963	<3	20	.7	429	45	396	3.01	6	<8	<2	<2	35	.5	8	3	32	.64	.021	1	254	3.06	41	.05	11	.68	.05	.06	<2	15	100	128	2.21
STANDARD DS6/FA-10R	10	120	28	141	<.3	25	10	739	2.92	22	<8	<2	3	39	5.9	4	6	58	.78	.073	14	179	.64	164	.07	17	1.90	.07	.14	3	486	496	501	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE

Almo Capital Corp. File # A506962 Page 1

603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge




Table with columns: SAMPLE#, Mo, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sr, Cd, Sb, Bi, V, Ca, P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Au**, Pt**, Sample kg. Rows include sample IDs like G-1, 51678, 51679, etc., and STANDARD DS6.

Standard is STANDARD DS6/FA-10R.

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: DRILL CORE R150 AU** PT** PD** GROUP 3B BY FIRE ASSAY & ANALYSIS BY ICP-ES. (30 gm)
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: OCT 28 2005 DATE REPORT MAILED: Nov 25/05

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.





SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**	Sample
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppb	ppb	ppb	kg																
G-1	1	9	3	43	.3	8	6	593	2.06	3	<8	<2	5	76	<.5	<3	<3	38	.69	.078	9	22	.74	201	.14	3	1.10	.08	.47	<2	<2	<2	<2	-
51710	1	45	<3	13	<.3	184	34	363	2.57	2	<8	<2	<2	53	<.5	10	<3	58	.95	.034	<1	336	2.71	101	.11	5	1.26	.03	.03	<2	2	14	17	1.42
51711	<1	68	<3	8	<.3	116	23	328	1.97	3	<8	<2	<2	104	<.5	12	3	52	1.60	.043	<1	342	2.56	124	.10	<3	1.43	.01	.03	<2	2	12	17	3.03
51712	2	136	<3	11	<.3	157	31	421	2.61	4	<8	<2	<2	125	<.5	7	<3	64	2.08	.033	<1	352	3.14	25	.12	<3	1.67	.02	.01	<2	2	7	7	2.47
51713	2	20	<3	26	<.3	882	97	938	6.84	3	<8	<2	<2	43	<.5	7	<3	33	.61	.012	<1	397	9.51	19	.04	48	.46	.01	.02	<2	2	12	9	2.19
51714	1	23	<3	13	<.3	469	57	495	3.74	<2	<8	<2	<2	30	<.5	<3	<3	28	.69	.016	<1	417	4.95	17	.05	24	.78	.02	.02	<2	2	6	7	1.17
51715	<1	17	<3	18	<.3	570	70	724	4.95	<2	<8	<2	<2	33	<.5	3	<3	27	.53	.016	<1	402	6.93	24	.04	41	.61	.02	.04	<2	<2	5	6	2.38
51716	3	5	<3	11	<.3	938	111	1001	7.23	13	<8	<2	<2	88	.5	10	<3	52	1.28	.010	<1	881	10.64	22	.03	115	.45	.02	.02	<2	3	12	9	1.35
51717	1	8	4	23	<.3	923	99	1019	7.01	4	8	<2	<2	46	.7	9	<3	35	.72	.011	<1	536	10.87	18	.04	89	.45	.02	.02	<2	5	9	6	1.37
51718	1	8	<3	22	<.3	885	92	967	6.53	<2	11	<2	<2	47	.6	4	<3	29	.73	.010	<1	472	10.15	20	.03	94	.38	.02	.02	<2	<2	4	4	1.38
51719	<1	6	<3	26	<.3	795	87	985	6.54	<2	<8	<2	<2	27	.6	3	<3	28	.50	.011	<1	430	9.72	17	.04	60	.45	.01	.02	<2	<2	4	15	1.50
51720	<1	37	<3	7	<.3	258	33	226	1.76	<2	<8	<2	<2	19	<.5	<3	<3	27	.63	.014	<1	431	2.51	7	.07	3	1.04	.02	.01	<2	7	4	6	.39
51721	1	21	3	17	<.3	729	81	805	5.58	<2	<8	<2	<2	39	.5	6	<3	26	.58	.011	<1	445	8.40	18	.04	53	.43	.01	.02	<2	<2	6	10	1.22
51722	1	33	<3	13	<.3	438	54	607	4.04	<2	<8	<2	<2	32	<.5	4	<3	42	.57	.014	<1	421	5.94	12	.06	20	.97	.02	.01	<2	2	3	7	2.70
51723	1	28	<3	9	<.3	475	60	571	4.14	<2	<8	<2	<2	27	<.5	3	<3	29	.62	.014	<1	462	5.95	12	.05	29	.55	.02	.02	<2	<2	2	3	1.03
51724	2	25	<3	15	<.3	717	80	829	5.61	4	<8	<2	<2	30	.5	8	<3	28	.55	.011	<1	453	8.67	12	.04	67	.43	.02	.02	<2	2	11	8	2.71
51725	1	24	<3	12	<.3	351	46	461	3.13	<2	<8	<2	<2	31	<.5	<3	<3	34	.77	.015	<1	441	4.20	10	.06	22	.75	.03	.02	<2	2	4	5	1.06
51726 (rock)	<1	4	<3	7	<.3	10	4	187	.96	<2	14	<2	2	92	<.5	4	<3	17	7.60	.021	8	19	.98	123	.04	10	.60	.04	.09	<2	<2	<2	<2	1.03
51727	1	32	<3	14	<.3	356	46	488	3.25	<2	<8	<2	<2	57	<.5	<3	3	38	.84	.019	<1	401	4.15	11	.06	17	1.10	.03	.02	<2	4	20	2	2.04
51728	2	39	<3	9	<.3	293	37	316	2.28	<2	<8	<2	<2	26	<.5	<3	<3	31	.69	.016	<1	412	3.62	8	.06	6	1.14	.02	.01	<2	6	13	15	1.89
51729	1	12	<3	6	<.3	251	32	379	2.35	<2	<8	<2	<2	47	<.5	<3	<3	33	1.50	.014	<1	428	3.42	17	.06	15	.83	.03	.02	<2	3	12	13	4.47
51730	1	16	<3	29	<.3	710	84	858	5.79	<2	<8	<2	<2	99	.5	<3	<3	41	1.54	.015	<1	506	6.74	37	.05	41	.68	.03	.04	<2	2	5	6	1.43
51731	<1	38	<3	10	<.3	238	37	526	2.59	<2	<8	<2	<2	195	<.5	<3	<3	59	4.19	.034	<1	617	3.51	41	.09	8	1.21	.04	.06	<2	<2	7	6	2.75
RE 51731	1	41	<3	10	<.3	245	39	544	2.66	2	<8	<2	<2	203	<.5	<3	<3	63	4.32	.035	<1	646	3.61	43	.10	3	1.24	.04	.07	<2	<2	6	6	-
RRE 51731	<1	42	<3	11	<.3	248	38	537	2.62	<2	<8	<2	<2	197	<.5	3	<3	61	4.22	.033	1	629	3.55	42	.10	6	1.19	.05	.06	<2	<2	8	7	-
51732	<1	16	<3	10	<.3	203	34	330	2.47	<2	<8	<2	<2	71	<.5	<3	<3	40	.98	.026	<1	305	2.94	17	.09	<3	1.28	.04	.05	<2	<2	5	5	4.79
51733	<1	16	<3	7	<.3	184	28	225	1.84	<2	<8	<2	<2	79	<.5	<3	4	31	.82	.021	<1	301	2.44	16	.08	<3	1.12	.04	.05	<2	<2	4	6	3.35
51734	4	56	<3	9	2.1	165	30	272	2.25	<2	<8	<2	<2	48	<.5	<3	<3	45	.85	.019	<1	267	2.57	23	.10	<3	1.24	.03	.03	7	3	27	27	1.50
51735	2	317	<3	14	<.3	222	34	320	2.57	<2	<8	<2	<2	78	<.5	<3	<3	62	.97	.036	<1	208	2.46	48	.13	<3	1.37	.08	.15	<2	3	45	52	1.97
51736	<1	120	<3	12	<.3	162	29	303	2.28	<2	<8	<2	<2	49	<.5	<3	5	64	.88	.032	<1	214	2.26	37	.12	<3	1.28	.08	.16	<2	3	38	53	1.92
51737	<1	129	<3	8	<.3	142	23	244	1.74	<2	<8	<2	<2	38	<.5	<3	<3	58	1.32	.029	2	207	1.82	18	.13	<3	1.03	.07	.12	<2	2	15	21	2.03
51738	<1	73	5	3	.3	5	3	89	.75	<2	<8	<2	7	48	<.5	<3	<3	11	2.43	.015	21	9	.27	163	.09	<3	.47	.15	.63	<2	<2	2	5	2.89
51739	<1	82	<3	10	<.3	110	24	301	2.05	<2	9	<2	<2	196	<.5	3	<3	58	2.40	.018	5	151	1.63	42	.13	<3	.95	.08	.05	<2	<2	13	16	2.06
51740	1	136	<3	12	<.3	137	31	338	3.45	<2	<8	<2	<2	80	<.5	<3	<3	89	1.41	.025	1	153	1.89	48	.20	4	1.39	.13	.08	<2	2	6	7	1.85
51741	2	95	<3	13	2.1	152	33	401	3.26	<2	8	<2	<2	150	<.5	3	<3	87	1.92	.044	2	211	2.58	37	.19	10	1.60	.12	.07	5	<2	11	35	2.10
STANDARD DS6	12	124	30	143	.3	25	12	754	2.96	23	<8	<2	3	42	6.6	4	5	60	.93	.081	15	184	.65	168	.09	16	1.92	.09	.16	2	494	472	491	-

Standard is STANDARD DS6/FA-10R. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**	Sample
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppb	ppb	ppb	kg																
G-1	<1	5	<3	45	<.3	5	6	615	2.05	4	<8	<2	4	67	<.5	<3	<3	40	.59	.079	9	14	.74	192	.15	<3	1.10	.08	.50	<2	3	<2	<2	-
51742	<1	341	3	14	<.3	114	41	352	4.57	2	<8	<2	<2	80	<.5	6	<3	146	1.70	.028	<1	181	2.17	33	.31	4	1.62	.14	.07	2	<2	8	7	3.88
51743	1	227	<3	15	<.3	137	37	418	4.01	5	<8	<2	<2	126	<.5	5	<3	110	2.43	.022	1	222	2.41	36	.26	8	1.65	.13	.06	<2	4	7	5	3.10
51744	1	153	4	16	<.3	159	36	375	3.66	3	<8	<2	<2	77	.5	6	<3	86	1.39	.047	<1	171	2.18	26	.17	6	1.64	.09	.06	<2	2	8	7	2.87
STANDARD	11	124	29	143	.4	24	13	753	2.99	23	<8	<2	3	40	6.0	4	5	60	.91	.084	14	183	.64	154	.09	17	2.05	.08	.15	4	489	491	485	-

Standard is STANDARD_DS6/FA-10R.



GEOCHEMICAL ANALYSIS CERTIFICATE

Almo Capital Corp. File # A507153 Page 1
603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**	Sample
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppb	ppb	ppb	kg																
51745	<1	106	3	16	<.3	131	36	288	3.06	2	<8	<2	<2	67	<.5	3	<3	66	1.26	.059	2	139	1.78	31	.14	<3	1.38	.09	.07	<2	2	7	6	1.91
51746	1	107	5	16	<.3	130	28	299	2.77	2	<8	<2	<2	75	<.5	<3	<3	62	1.38	.061	2	158	1.81	26	.14	<3	1.42	.09	.05	<2	<2	6	5	2.27
51747	1	94	<3	17	<.3	131	27	324	2.82	<2	<8	<2	<2	61	<.5	<3	<3	72	1.37	.067	2	159	1.84	26	.17	<3	1.53	.11	.06	<2	2	6	6	2.30
51748	<1	101	3	16	<.3	119	27	310	2.84	<2	<8	<2	<2	75	<.5	<3	<3	67	1.53	.077	2	152	1.75	31	.15	<3	1.48	.10	.05	<2	<2	5	3	2.21
51749	<1	115	<3	15	<.3	136	26	285	2.79	<2	<8	<2	<2	57	<.5	<3	<3	52	1.14	.073	2	158	1.67	22	.11	3	1.33	.09	.05	<2	<2	6	4	.97
51750 (rock)	1	7	<3	12	<.3	7	2	173	.88	2	<8	<2	2	95	<.5	<3	<3	15	6.87	.025	7	13	.83	116	.03	15	.52	.04	.08	<2	<2	<2	<2	.90
51751	<1	84	<3	17	<.3	148	28	303	2.74	2	<8	<2	<2	64	<.5	<3	<3	59	1.14	.061	2	176	1.94	25	.14	<3	1.49	.09	.05	<2	2	5	4	1.88
51752	<1	94	4	16	<.3	126	26	290	2.60	2	<8	<2	<2	58	<.5	<3	<3	52	1.13	.069	2	173	1.70	17	.12	<3	1.39	.06	.03	<2	<2	6	6	3.09
51753	<1	68	<3	18	<.3	130	25	331	2.60	<2	<8	<2	<2	74	<.5	<3	<3	60	1.40	.074	2	188	1.97	25	.13	<3	1.55	.08	.04	<2	<2	6	6	3.27
51754	<1	51	3	17	<.3	118	25	333	2.65	<2	<8	<2	<2	80	<.5	3	<3	70	1.54	.092	2	180	1.99	23	.15	<3	1.64	.08	.04	<2	<2	5	5	3.18
51755	<1	41	<3	23	<.3	445	48	403	3.57	2	<8	<2	<2	88	<.5	<3	<3	53	1.53	.044	2	247	3.77	41	.10	12	1.06	.08	.07	<2	2	24	12	3.29
51756	1	49	<3	28	<.3	188	29	473	3.06	3	<8	<2	<2	140	<.5	<3	<3	80	1.39	.057	3	244	3.74	73	.15	3	2.14	.07	.15	<2	<2	14	15	2.93
RE 51756	1	48	<3	29	<.3	188	29	474	3.02	3	<8	<2	<2	140	<.5	3	<3	80	1.40	.057	3	243	3.75	72	.15	3	2.16	.07	.15	<2	<2	14	13	-
RRE 51756	<1	50	4	29	<.3	186	29	481	3.09	2	<8	<2	<2	141	<.5	<3	<3	82	1.43	.057	3	247	3.77	75	.15	4	2.17	.07	.15	<2	2	11	12	-
51757	<1	44	3	22	<.3	326	39	341	2.75	9	<8	<2	<2	156	<.5	9	<3	57	2.05	.021	2	492	3.52	41	.11	6	1.31	.10	.07	<2	2	10	7	2.04
51758	<1	22	<3	11	<.3	88	15	191	1.17	7	<8	<2	<2	70	<.5	10	<3	29	1.65	.018	1	332	1.46	15	.09	<3	.75	.04	.02	<2	3	36	29	2.44
51759	<1	16	<3	10	<.3	88	16	169	1.13	5	<8	<2	<2	52	<.5	9	<3	25	1.22	.020	1	299	1.27	23	.08	<3	.74	.03	.03	<2	<2	22	18	2.45
51760	<1	23	<3	14	<.3	140	25	208	1.51	3	<8	<2	<2	49	<.5	<3	<3	27	.91	.018	1	240	1.69	17	.07	<3	.88	.05	.03	<2	<2	16	12	2.49
51761	<1	194	4	18	<.3	226	43	268	2.50	2	<8	<2	<2	47	<.5	<3	<3	43	1.02	.021	1	213	2.07	15	.08	4	.86	.06	.03	<2	2	146	167	4.04
51762	<1	62	<3	12	<.3	106	21	210	1.54	5	<8	<2	<2	49	<.5	7	3	37	1.22	.022	1	264	1.62	15	.09	<3	.95	.05	.02	<2	2	66	58	2.98
51763	4	60	<3	11	<.3	154	22	166	1.28	7	<8	<2	<2	43	<.5	3	<3	47	1.33	.023	1	183	1.02	30	.14	<3	.76	.05	.03	<2	<2	63	69	2.20
51764	<1	13	<3	21	<.3	235	23	326	1.76	14	<8	<2	<2	150	<.5	11	<3	37	1.74	.069	3	239	2.97	38	.09	<3	1.47	.06	.02	<2	2	9	4	3.31
51765	<1	14	<3	23	<.3	613	60	498	4.02	3	<8	<2	<2	47	<.5	<3	<3	25	.56	.018	2	381	6.10	42	.04	24	.79	.04	.09	<2	2	5	4	1.24
51766	<1	17	<3	21	<.3	624	63	697	4.47	<2	<8	<2	<2	58	<.5	<3	<3	30	.81	.017	3	552	8.91	46	.03	51	.68	.04	.09	<2	2	5	2	3.69
51767	<1	31	<3	19	<.3	542	49	425	3.05	2	<8	<2	<2	72	<.5	<3	<3	36	.71	.043	3	457	5.42	43	.07	24	1.41	.06	.08	<2	3	20	21	3.31
51768	1	668	4	25	.4	28	46	337	5.66	<2	<8	<2	<2	105	<.5	4	<3	174	2.08	.101	3	6	1.76	58	.33	<3	2.28	.11	.10	<2	2	3	<2	3.71
51769	<1	650	5	23	.5	33	47	308	5.36	2	<8	<2	<2	74	<.5	3	<3	142	2.22	.122	3	3	1.33	38	.27	3	2.25	.07	.06	<2	2	3	<2	2.65
51770	1	337	4	24	<.3	75	34	342	4.03	2	<8	<2	<2	74	<.5	<3	<3	105	1.80	.131	3	24	1.53	37	.19	<3	2.09	.06	.05	<2	<2	8	8	4.27
51771	1	105	<3	33	<.3	593	60	669	5.11	<2	<8	<2	<2	91	<.5	3	<3	104	.64	.034	3	237	7.58	59	.13	16	1.99	.07	.10	<2	2	8	7	2.23
51772	<1	33	3	37	<.3	913	75	767	5.66	<2	<8	<2	<2	46	<.5	<3	<3	51	.52	.023	3	255	10.93	75	.08	20	.96	.07	.16	<2	2	6	5	2.48
51773	<1	25	<3	26	<.3	815	67	635	4.70	<2	<8	<2	<2	35	<.5	<3	<3	41	.51	.034	3	344	8.79	70	.06	38	.92	.06	.17	<2	2	24	8	2.49
51774	2	15	<3	23	<.3	762	59	573	4.10	<2	<8	<2	<2	40	<.5	<3	<3	33	.51	.034	3	344	9.15	97	.05	24	.91	.06	.21	<2	2	51	25	2.61
51775 (rock)	<1	4	3	11	<.3	12	2	216	.82	4	<8	<2	2	91	<.5	<3	3	14	7.03	.022	7	15	.90	112	.03	15	.50	.04	.08	<2	3	4	<2	.71
51776	<1	33	3	21	<.3	694	53	468	3.40	<2	<8	<2	<2	56	<.5	<3	<3	34	.61	.040	3	273	7.08	115	.06	16	1.17	.08	.28	<2	<2	14	9	3.99
STANDARD DS6	11	122	30	143	.3	25	11	700	2.84	21	<8	<2	3	41	5.9	4	5	56	.86	.079	14	188	.58	166	.08	16	1.93	.07	.15	4	499	492	491	-

Standard is STANDARD DS6/FA-10R.

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.

(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: DRILL CORE R150 AU** PT** PD** GROUP 3B BY FIRE ASSAY & ANALYSIS BY ICP-ES. (30 gm)

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA _____

DATE RECEIVED: NOV 2 2005

DATE REPORT MAILED: Dec 1/05





SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**	Sample
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppb	ppb	ppb	kg																
G-1	<1	2	<3	44	<.3	4	4	525	1.82	<2	<8	<2	4	59	<.5	<3	<3	35	.47	.075	8	10	.57	209	.11	5	.91	.05	.46	<2	2	<2	<2	-
51777	<1	46	<3	21	<.3	312	40	476	2.79	2	<8	<2	<2	75	<.5	3	<3	41	.81	.030	2	317	4.45	30	.07	9	1.28	.05	.05	<2	<2	15	25	4.15
STANDARD DS6/FA-10R	11	121	30	142	.4	25	11	701	2.80	22	<8	<2	2	39	5.9	4	5	55	.86	.078	14	185	.58	164	.08	17	1.92	.07	.15	3	491	489	488	-

Sample type: DRILL CORE R150.

GEOCHEMICAL ANALYSIS CERTIFICATE


Almo Capital Corp. File # A607135 Page 1
603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sample
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	kg															
G-1	<1	3	7	46	<.3	4	4	520	1.77	<2	<8	<2	4	65	<.5	<3	<3	37	.48	.067	4	11	.55	221	.12	10	1.00	.11	.54	<2	-
51778	1	84	3	47	.7	6	13	1183	3.58	68	<8	<2	<2	290	<.5	4	<3	79	9.03	.097	5	6	2.96	91	<.01	9	.65	.01	.16	<2	1.9
51779	1	71	4	78	.6	5	14	838	5.27	<2	<8	<2	<2	94	<.5	3	142	1.73	.136	4	8	1.27	196	.08	14	1.92	.04	.16	<2	1.3	
51780	1	81	<3	78	.7	14	19	1111	5.11	3	<8	<2	<2	136	<.5	<3	<3	143	2.78	.131	5	29	1.42	149	.05	11	1.89	.04	.14	<2	2.2
51781	1	139	<3	73	.6	7	16	1156	4.33	3	<8	<2	<2	167	<.5	<3	<3	112	5.10	.145	6	7	1.92	101	<.01	10	1.07	.02	.17	<2	3.0
51782	1	123	4	26	.6	4	7	1733	4.51	4	<8	<2	<2	493	<.5	<3	3	54	16.16	.067	3	6	4.51	164	<.01	5	.57	.01	.11	<2	3.0
51783	1	81	3	53	.6	5	12	1499	4.55	3	<8	<2	<2	233	<.5	<3	<3	85	8.52	.106	5	5	2.76	92	<.01	7	1.03	<.01	.20	<2	4.0
51784	1	216	<3	35	.7	22	19	1406	4.89	<2	<8	<2	<2	268	<.5	<3	<3	133	8.13	.099	5	19	2.83	86	<.01	7	.93	.01	.11	<2	2.0
51785	1	197	3	29	.9	98	31	1481	5.38	7	<8	<2	<2	548	.8	26	<3	191	12.90	.023	1	167	3.91	160	<.01	3	.78	<.01	.04	<2	3.8
51786	1	78	4	32	.8	242	37	1522	5.29	6	<8	<2	<2	591	.7	52	<3	117	12.90	.033	2	234	4.26	130	<.01	5	.80	.01	.05	<2	3.3
RE 51786	1	80	<3	35	.8	250	39	1582	5.56	6	9	<2	<2	615	.9	52	<3	122	13.50	.036	1	247	4.43	135	<.01	9	.86	.01	.05	<2	-
RRE 51786	<1	75	<3	32	1.1	250	39	1561	5.46	6	<8	<2	<2	612	.7	49	<3	121	13.39	.034	1	243	4.37	133	<.01	<3	.82	<.01	.04	<2	-
51787	1	42	<3	40	.8	452	56	1547	6.75	4	<8	<2	<2	670	.8	28	<3	131	11.16	.020	1	442	4.94	170	.01	6	1.45	.01	.05	3	3.4
51788	1	65	4	44	.8	345	59	1533	6.48	<2	<8	<2	<2	741	.7	4	<3	170	12.51	.022	1	541	3.95	169	.01	4	1.68	.01	.03	<2	3.6
51789	<1	56	<3	25	.7	303	50	977	4.62	3	<8	<2	<2	329	.6	7	<3	100	8.02	.016	<1	488	3.16	77	.05	13	1.15	.03	.03	<2	4.2
51790	<1	38	<3	20	.6	282	46	646	3.95	2	<8	<2	<2	208	<.5	5	<3	68	3.90	.015	<1	393	3.46	58	.03	17	.82	.02	.04	<2	4.7
51791	2	12	<3	9	.3	151	23	242	1.44	5	<8	<2	<2	101	<.5	4	<3	31	1.39	.019	<1	390	2.56	9	.06	9	.88	.03	.02	<2	2.1
51792	3	11	<3	4	.3	124	20	181	1.28	<2	<8	<2	<2	59	<.5	5	<3	21	1.07	.017	<1	325	1.81	5	.04	5	.68	.02	.01	<2	2.5
51793	<1	17	3	8	.5	146	25	248	1.50	8	<8	<2	<2	116	<.5	17	<3	24	1.79	.016	<1	481	2.08	12	.05	9	.85	.03	.01	<2	2.1
51794	<1	16	<3	4	<.3	123	20	163	1.16	3	<8	<2	<2	61	<.5	3	<3	25	1.10	.011	<1	418	1.77	8	.05	6	.60	.02	.01	<2	4.5
51795	<1	13	<3	2	.3	156	23	147	1.26	<2	<8	<2	<2	127	<.5	<3	<3	24	2.45	.009	<1	440	1.55	11	.04	6	.46	.02	<.01	<2	4.7
51796	<1	15	<3	2	<.3	149	20	143	1.09	<2	<8	<2	<2	70	<.5	<3	<3	25	1.09	.009	<1	500	1.62	6	.04	10	.52	.02	<.01	<2	4.3
51797	<1	11	<3	6	.4	148	21	183	1.55	<2	<8	<2	<2	35	<.5	<3	<3	28	.73	.018	<1	404	2.09	5	.04	6	.90	.01	.01	<2	3.0
51798	<1	10	<3	11	.4	143	21	240	1.82	<2	<8	<2	<2	47	<.5	<3	<3	35	.85	.019	<1	397	2.38	6	.06	11	1.08	.01	.01	<2	4.0
51799	1	33	<3	17	.6	255	37	406	2.71	3	9	<2	<2	64	.6	16	<3	39	.92	.025	<1	341	3.41	16	.06	17	1.27	.02	.04	<2	4.3
51800(rock)	1	3	<3	7	<.3	9	3	191	.85	<2	<8	<2	2	83	<.5	3	<3	15	7.00	.019	5	23	.80	85	.03	16	.52	.03	.07	<2	.7
51801	1	15	3	17	.6	307	40	392	2.96	<2	<8	<2	<2	40	<.5	<3	<3	28	.69	.017	<1	377	3.85	37	.04	25	.76	.03	.07	<2	4.6
51802	<1	11	3	12	.4	174	25	287	2.01	<2	<8	<2	<2	41	<.5	<3	<3	33	.67	.019	<1	335	2.80	24	.06	13	1.06	.02	.03	<2	3.9
51803	1	18	6	16	.5	171	24	288	2.04	<2	<8	<2	<2	64	<.5	7	<3	37	.99	.026	<1	385	2.55	27	.07	9	1.41	.03	.02	<2	3.8
51804	<1	10	3	12	.4	132	20	263	1.78	<2	<8	<2	<2	64	<.5	<3	<3	30	1.00	.024	<1	351	2.25	11	.06	7	1.25	.02	.01	<2	2.7
51805	<1	13	3	16	.5	249	34	313	2.45	2	<8	<2	<2	61	<.5	20	<3	31	1.06	.018	<1	409	2.81	27	.05	12	.88	.03	.04	<2	3.8
51806	<1	22	4	14	.5	107	22	418	2.36	7	<8	<2	<2	216	.5	37	<3	58	4.52	.047	1	519	2.91	34	.09	11	1.49	.03	.01	<2	2.1
51807	1	20	<3	10	.5	145	23	288	1.92	<2	<8	<2	<2	135	<.5	16	<3	38	1.61	.030	<1	437	2.76	39	.07	8	1.21	.03	.01	<2	4.1
51808	<1	12	<3	9	1.0	178	26	208	1.86	<2	<8	<2	<2	50	<.5	<3	<3	22	.64	.015	<1	380	2.26	21	.04	11	.79	.02	.04	<2	4.0
51809	<1	8	<3	9	.4	154	23	196	1.65	<2	<8	<2	<2	41	<.5	<3	<3	22	.80	.017	<1	372	2.06	15	.04	11	.88	.02	.03	<2	3.0
STANDARD DS7	20	98	65	378	1.1	53	9	603	2.32	48	<8	<2	3	72	5.9	7	5	83	.90	.073	6	181	1.00	374	.11	39	.97	.09	.44	3	-

GROUP 10 - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. AU SUBJECT TO INTERFERENCES AND NUGGET EFFECTS.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: OCT 18 2006 DATE REPORT MAILED:





SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sample
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	kg															
G-1	1	9	14	67	.3	4	4	519	1.79	<2	<8	<2	4	69	<.5	<3	<3	34	.51	.067	5	12	.55	213	.12	4	1.02	.10	.53	<2	-
51810	<1	115	6	45	.4	100	29	655	3.69	<2	<8	<2	<2	244	.5	12	<3	85	1.81	.066	1	214	4.21	128	.08	6	2.30	.03	.04	<2	2.5
51811	1	148	5	41	.3	62	31	1167	5.04	2	<8	<2	<2	548	<.5	4	<3	133	5.78	.083	2	260	4.96	52	.09	<3	3.61	.02	.03	<2	2.5
51812	<1	20	<3	5	<.3	143	23	184	1.60	<2	<8	<2	<2	44	<.5	5	<3	28	.81	.013	<1	363	1.74	15	.05	3	.73	.03	.03	<2	4.8
51813	<1	10	<3	13	<.3	211	31	351	2.24	7	<8	<2	<2	359	<.5	4	<3	29	5.13	.015	<1	659	2.57	26	.05	<3	1.06	.02	.01	<2	4.6
51814	1	13	<3	7	<.3	115	19	199	1.35	3	<8	<2	<2	71	<.5	<3	<3	24	2.70	.017	<1	242	1.72	8	.07	<3	.92	.02	.01	<2	3.4
51815	<1	27	<3	5	<.3	221	35	218	2.27	4	<8	<2	<2	95	<.5	4	<3	22	2.14	.013	<1	332	1.91	11	.03	7	.56	.02	.01	<2	3.7
51816	1	24	<3	7	<.3	119	20	180	1.27	7	<8	<2	<2	65	<.5	30	<3	18	1.54	.013	<1	274	1.57	8	.06	<3	.83	.02	.01	<2	3.5
51817	1	29	<3	9	<.3	99	17	167	1.34	2	<8	<2	<2	41	<.5	10	<3	25	1.00	.015	<1	119	1.35	8	.07	<3	.85	.02	.01	<2	3.2
51818	<1	23	<3	8	<.3	96	18	191	1.46	<2	<8	<2	<2	74	<.5	3	<3	36	1.45	.014	<1	319	1.44	11	.09	<3	.91	.02	.01	<2	4.0
51819	<1	55	<3	10	<.3	87	20	189	1.69	<2	<8	<2	<2	68	<.5	3	<3	45	1.20	.020	<1	108	1.33	16	.11	<3	.96	.03	.02	<2	4.7
51820	1	508	<3	22	1.2	113	45	291	6.48	3	<8	<2	<2	139	<.5	3	<3	267	2.74	.019	<1	89	1.51	16	.23	<3	1.11	.06	.03	<2	4.3
51821	<1	167	<3	24	.4	156	44	343	4.76	3	<8	<2	<2	95	<.5	<3	<3	173	1.61	.027	<1	143	2.08	18	.14	5	1.24	.06	.03	<2	2.6
51822	<1	33	<3	22	.4	307	44	457	3.81	6	<8	<2	<2	114	<.5	8	<3	54	2.18	.021	<1	324	3.17	20	.07	12	.95	.04	.02	<2	3.4
51823	1	15	<3	31	.3	523	63	796	5.90	3	8	<2	<2	53	<.5	5	<3	38	.60	.015	<1	368	6.33	28	.04	26	.57	.02	.03	<2	3.5
51824	<1	16	<3	25	<.3	584	61	687	5.05	3	<8	<2	<2	34	<.5	5	<3	33	.49	.011	<1	388	6.84	24	.04	28	.54	.02	.04	<2	4.2
51825	1	44	3	34	<.3	586	64	658	5.81	2	<8	<2	<2	63	<.5	3	<3	46	.64	.014	<1	329	6.14	37	.05	29	.78	.04	.07	<2	2.5
51826	1	122	<3	20	.5	253	38	420	3.54	2	<8	<2	<2	88	<.5	4	<3	84	.97	.023	<1	227	2.95	30	.12	7	1.63	.07	.10	<2	2.1
51827(rock)	<1	4	<3	8	<.3	11	3	201	.91	3	<8	<2	<2	90	<.5	<3	<3	15	7.28	.021	7	20	.94	92	.03	15	.55	.03	.08	<2	1.3
51828	1	83	<3	14	.5	134	26	316	2.74	<2	<8	<2	<2	91	<.5	3	<3	107	1.46	.024	<1	166	2.01	76	.18	5	1.51	.13	.22	<2	1.7
51829	1	164	<3	16	.3	165	34	276	3.27	<2	<8	<2	<2	36	<.5	<3	<3	119	1.01	.018	<1	173	1.67	28	.12	7	1.05	.08	.10	<2	2.1
RE 51829	1	165	<3	16	.4	168	34	283	3.35	<2	<8	<2	<2	37	<.5	<3	<3	121	1.04	.018	<1	176	1.72	28	.13	11	1.06	.09	.10	<2	-
RRE 51829	<1	168	<3	15	.5	174	36	300	3.52	<2	<8	<2	<2	38	<.5	3	<3	128	1.06	.019	<1	183	1.80	29	.13	7	1.12	.09	.11	<2	-
51830	1	165	<3	12	.4	141	31	240	3.19	3	<8	<2	<2	79	<.5	22	<3	115	1.97	.011	<1	235	1.77	20	.12	9	1.05	.05	.11	<2	2.2
51831	<1	49	4	11	.3	121	24	243	2.23	<2	<8	<2	<2	72	<.5	11	<3	47	1.09	.014	<1	176	2.00	22	.08	11	1.03	.04	.10	<2	2.4
51832	<1	21	5	13	.3	143	26	242	2.18	3	<8	<2	<2	67	<.5	18	<3	39	.86	.017	<1	227	2.26	23	.07	9	1.15	.03	.14	<2	3.7
51833	1	15	<3	16	.3	156	26	245	2.20	2	<8	<2	<2	87	<.5	3	<3	38	.70	.019	<1	247	2.30	26	.07	9	1.20	.03	.15	<2	3.1
51834	<1	9	<3	14	.4	157	24	229	2.00	2	<8	<2	<2	34	<.5	<3	<3	32	.69	.019	<1	276	2.32	26	.07	12	1.14	.03	.15	<2	4.0
51835	<1	23	<3	15	.3	231	32	249	2.55	<2	<8	<2	<2	84	<.5	4	<3	36	.69	.017	<1	264	2.72	32	.07	13	1.08	.05	.10	<2	4.7
51836	1	67	<3	24	.4	465	53	500	4.52	<2	<8	<2	<2	66	<.5	<3	<3	59	.78	.007	<1	368	4.07	25	.07	24	.76	.05	.07	<2	3.0
51837	<1	73	<3	34	.3	592	67	730	5.99	<2	<8	<2	<2	82	<.5	3	<3	42	.60	.008	<1	332	5.96	31	.04	34	.61	.04	.04	<2	4.6
51838	<1	92	5	21	.5	228	38	378	2.99	2	10	<2	<2	112	<.5	14	<3	78	.68	.011	<1	302	3.35	21	.09	12	1.51	.05	.03	<2	2.7
51839	1	15	<3	15	<.3	146	26	257	2.21	<2	<8	<2	<2	74	<.5	<3	<3	35	.74	.015	<1	196	2.40	22	.07	5	1.09	.04	.06	<2	3.4
51840	5	23	<3	13	<.3	135	26	265	2.10	3	9	<2	<2	91	<.5	4	<3	49	1.36	.012	<1	230	2.40	19	.08	<3	1.09	.04	.03	<2	4.2
51841	<1	19	3	15	.5	134	30	516	2.56	31	<8	<2	<2	266	<.5	8	<3	85	5.13	.011	<1	374	2.51	25	.06	7	1.18	.03	.03	<2	3.7
STANDARD DS7	19	94	65	386	1.2	53	9	607	2.35	45	<8	<2	4	74	6.1	7	5	82	.92	.074	7	179	1.02	375	.11	42	.98	.08	.44	3	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Sample kg
G-1	1	4	21	42	.5	4	4	480	1.66	<2	9	<2	4	55	<.5	<3	<3	34	.47	.063	4	12	.52	186	.11	7	.88	.08	.46	<2	-
51842	<1	32	3	30	1.0	424	56	986	4.64	39	<8	3	<2	518	<.5	32	<3	96	12.02	.019	<1	1349	3.81	52	.01	10	1.60	.05	.04	2	3.5
51843	<1	19	10	26	1.0	316	45	914	3.68	51	<8	3	<2	542	.8	50	<3	108	11.53	.016	<1	742	3.58	54	.04	14	1.38	.04	.04	<2	3.9
51844	1	42	<3	24	.8	353	46	498	3.49	3	<8	<2	<2	211	<.5	6	<3	57	2.92	.019	<1	429	4.28	39	.07	19	1.39	.08	.06	<2	3.6
51845	1	49	<3	20	.6	159	26	530	2.59	8	<8	<2	<2	295	<.5	27	<3	47	2.63	.035	<1	172	4.63	34	.05	6	2.36	.08	.03	<2	2.9
51846	1	53	<3	23	.8	327	41	394	3.35	<2	<8	<2	<2	116	<.5	5	<3	35	.96	.023	<1	230	3.88	44	.06	19	1.26	.07	.09	<2	3.0
51847	1	37	3	25	.7	186	30	426	2.98	5	<8	<2	<2	180	<.5	14	<3	61	1.83	.053	1	169	3.18	61	.10	14	1.68	.06	.10	<2	3.5
51848	<1	15	<3	25	.8	531	56	615	4.46	3	<8	<2	<2	44	<.5	3	<3	28	.51	.021	<1	342	6.40	56	.04	28	.73	.04	.10	<2	4.7
51849	1	9	6	22	.6	315	37	361	2.66	<2	<8	<2	<2	61	<.5	<3	<3	32	.71	.024	<1	321	3.86	31	.06	21	1.09	.05	.06	<2	5.0
51850(rock)	1	5	4	10	.3	38	6	199	1.12	4	<8	<2	2	88	<.5	4	<3	17	7.40	.021	5	50	1.13	89	.04	15	.61	.02	.07	<2	.9
51851	2	10	<3	10	.4	120	16	173	1.43	<2	8	<2	<2	58	<.5	9	<3	38	.86	.026	<1	310	1.84	15	.09	4	1.10	.04	.03	<2	4.0
51852	2	23	<3	13	.5	114	18	186	1.56	<2	<8	<2	<2	42	<.5	3	<3	40	.79	.029	<1	307	1.63	11	.10	10	1.11	.04	.02	<2	3.2
51853	<1	22	<3	16	.8	401	47	359	3.40	<2	<8	<2	<2	44	<.5	5	<3	31	.73	.025	<1	333	3.29	39	.05	21	.82	.07	.08	<2	5.2
51854	<1	42	<3	23	.8	465	49	519	3.83	<2	<8	<2	<2	70	<.5	<3	<3	37	.71	.036	<1	285	5.03	29	.06	21	1.16	.05	.05	<2	4.2
51855	1	61	3	18	.8	308	39	423	3.24	2	<8	<2	<2	122	<.5	15	<3	60	1.04	.021	<1	319	4.09	19	.08	18	1.62	.07	.02	<2	3.2
51856	1	59	<3	14	.5	120	22	353	2.10	3	<8	<2	<2	100	<.5	8	<3	61	.98	.026	<1	383	2.66	13	.08	5	1.45	.05	.01	<2	3.5
51857	<1	51	<3	17	.8	220	37	382	3.13	2	<8	<2	<2	71	<.5	21	<3	56	1.15	.048	<1	270	2.35	25	.09	11	1.27	.06	.04	<2	4.0
51858	1	59	<3	19	.8	393	54	682	4.65	13	<8	<2	<2	157	<.5	7	<3	61	3.24	.018	<1	511	3.85	25	.05	19	.81	.04	.03	<2	5.3
51859	2	134	<3	12	.6	168	26	355	2.45	4	<8	<2	<2	125	<.5	16	3	68	2.26	.025	<1	351	2.14	12	.09	6	1.29	.04	.01	<2	4.5
51860	1	162	5	8	.6	100	25	250	2.69	<2	<8	<2	<2	55	<.5	6	<3	47	1.26	.049	<1	220	1.42	22	.09	8	1.03	.07	.04	<2	5.8
51861	2	126	<3	18	1.0	61	27	655	4.15	408	<8	<2	<2	331	<.5	7	3	129	5.62	.061	1	322	3.31	71	.09	8	1.96	.07	.06	2	3.4
51862	1	136	3	30	1.2	98	35	719	5.34	271	<8	<2	<2	570	<.5	6	5	196	7.01	.049	1	770	4.23	30	.06	11	2.73	.04	.01	<2	3.1
51863	<1	21	<3	10	.8	257	39	1055	2.87	427	<8	<2	<2	931	<.5	45	<3	92	14.06	.010	<1	735	2.20	26	.02	9	1.19	.01	.01	2	3.6
51864	<1	21	<3	18	1.0	164	29	1062	2.78	49	<8	<2	<2	619	<.5	72	<3	103	11.26	.019	<1	624	2.96	17	.07	7	1.68	.02	.01	<2	3.9
51865	<1	120	<3	12	.7	154	26	587	2.48	15	<8	<2	<2	171	<.5	21	<3	85	4.18	.025	<1	286	2.02	19	.09	5	1.15	.05	.02	<2	3.9
51866	<1	15	<3	34	.8	116	30	1130	4.35	45	<8	2	<2	488	<.5	25	6	171	7.98	.023	1	412	3.50	23	.10	<3	2.26	.02	<.01	3	2.9
51867	<1	110	<3	32	.8	79	19	645	3.25	18	<8	<2	<2	161	<.5	26	<3	106	2.90	.077	3	191	2.44	29	.09	11	1.57	.07	.04	<2	3.0
51868	1	167	4	29	.9	91	33	780	4.48	12	<8	<2	<2	225	<.5	7	<3	132	4.49	.060	2	186	2.53	38	.11	10	1.53	.09	.05	<2	3.8
51869	<1	98	<3	12	.7	132	34	335	2.99	4	<8	<2	<2	79	<.5	7	<3	71	1.18	.025	<1	259	2.00	17	.09	11	1.15	.04	.03	<2	4.6
51870	1	56	<3	19	.6	136	35	371	3.09	2	<8	<2	<2	76	<.5	9	<3	64	1.24	.027	<1	227	2.43	29	.10	12	1.29	.07	.05	<2	3.8
RE 51870	<1	52	<3	18	.6	130	34	362	3.01	<2	<8	<2	<2	74	<.5	7	<3	61	1.19	.025	<1	221	2.35	28	.10	11	1.25	.07	.05	<2	-
RRE 51870	<1	47	<3	18	.6	135	35	356	3.02	2	<8	<2	<2	77	<.5	11	<3	57	1.24	.026	<1	230	2.35	30	.09	10	1.20	.07	.05	<2	-
51871	<1	61	3	19	.9	127	37	1007	3.94	45	<8	<2	<2	622	<.5	11	4	145	11.48	.019	<1	699	2.98	25	.09	4	1.74	.03	.01	2	3.6
51872	1	86	<3	12	.5	74	22	291	2.14	3	<8	<2	<2	82	<.5	6	<3	65	1.64	.027	<1	176	1.66	17	.11	7	1.11	.06	.03	<2	5.3
51873	<1	179	<3	13	.6	91	29	302	2.69	2	<8	<2	<2	99	<.5	3	3	76	1.36	.049	<1	127	1.65	23	.13	9	1.17	.09	.03	<2	1.9
STANDARD DS7	19	101	71	398	1.2	56	10	627	2.44	50	<8	<2	5	71	6.3	6	5	88	.93	.073	7	203	1.04	373	.12	38	.98	.08	.44	3	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sample
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	kg																
G-1	1	6	<3	39	.8	5	5	526	1.87	<2	<8	<2	5	74	<.5	<3	<3	36	.55	.066	5	17	.57	216	.13	9	1.08	.12	.55	<2	-
51874	2	702	<3	23	1.8	71	57	513	7.06	25	<8	<2	<2	122	<.5	8	<3	137	2.67	.097	1	36	1.78	52	.21	9	1.63	.11	.08	2	3.1
51875(rock)	1	13	<3	8	.5	7	4	172	.99	3	<8	<2	2	84	<.5	3	<3	17	6.72	.021	5	16	.84	89	.04	14	.55	.02	.08	<2	.8
51876	6	154	<3	24	1.4	54	22	466	3.92	<2	<8	<2	<2	107	<.5	4	3	67	2.79	.102	3	61	.91	53	.11	12	1.13	.08	.09	<2	3.1
51877	1	100	3	32	1.3	13	14	772	3.68	7	<8	<2	<2	145	<.5	4	<3	81	3.97	.106	3	23	.94	64	.11	9	1.13	.06	.12	<2	3.3
51878	1	116	5	21	1.4	22	17	400	3.26	<2	<8	<2	<2	77	<.5	4	<3	48	2.33	.112	3	22	.55	48	.10	8	1.14	.07	.14	<2	2.3
51879	2	108	3	23	1.4	35	19	484	3.57	<2	<8	<2	<2	97	<.5	4	<3	57	2.68	.108	3	43	.67	38	.10	10	1.07	.09	.11	<2	4.0
51880	1	164	7	16	1.6	41	23	362	3.95	<2	<8	<2	<2	76	<.5	<3	<3	46	2.01	.101	2	41	.58	42	.11	17	1.03	.08	.12	2	2.6
STANDARD DS7	21	96	67	383	1.7	52	9	620	2.37	47	<8	<2	4	73	5.8	6	5	81	.93	.075	7	182	1.03	381	.12	37	.97	.08	.44	3	-

Sample type: DRILL CORE R150.

GEOCHEM PRECIOUS METALS ANALYSIS


Almo Capital Corp. File # A607135 Page 1

603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge



SAMPLE#	Au** ppb	Pt** ppb	Pd** ppb
G-1	<2	<3	<2
51778	5	<3	<2
51779	2	<3	3
51780	<2	<3	3
51781	<2	<3	3
51782	3	<3	<2
51783	<2	<3	<2
51784	<2	14	13
51785	9	21	20
51786	2	5	5
RE 51786	<2	4	4
RRE 51786	<2	5	3
51787	<2	7	6
51788	<2	35	50
51789	<2	77	112
51790	<2	22	25
51791	<2	3	5
51792	<2	<3	<2
51793	<2	8	7
51794	<2	6	5
51795	<2	5	4
51796	<2	4	2
51797	<2	3	3
51798	<2	24	29
51799	<2	9	5
51800 (rock)	<2	<3	<2
51801	<2	7	8
51802	<2	32	23
51803	<2	6	5
51804	<2	5	3
51805	<2	5	4
51806	<2	<3	2
51807	<2	7	4
51808	<2	<3	<2
51809	<2	<3	9
STANDARD FA-10R	476	468	488

GROUP 38 - FIRE GEOCHEM AU, PT, PD - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
 GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
 - SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA DATE RECEIVED: OCT 18 2006 DATE REPORT MAILED:.....

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Au** ppb	Pt** ppb	Pd** ppb
G-1	<2	<3	<2
51810	2	<3	<2
51811	10	4	4
51812	<2	<3	<2
51813	5	14	17
51814	<2	4	4
51815	7	3	3
51816	<2	8	9
51817	<2	22	25
51818	<2	4	6
51819	<2	16	14
51820	8	37	36
51821	2	39	31
51822	<2	13	10
51823	<2	22	19
51824	<2	5	4
51825	<2	13	11
51826	3	61	70
51827 (rock)	<2	<3	<2
51828	<2	18	29
51829	<2	7	6
RE 51829	<2	8	7
RRE 51829	<2	8	7
51830	<2	17	16
51831	<2	30	36
51832	<2	9	12
51833	<2	6	14
51834	<2	5	5
51835	<2	8	7
51836	<2	6	5
51837	<2	9	9
51838	2	62	71
51839	<2	6	7
51840	<2	12	13
51841	<2	12	12
STANDARD FA-10R	477	472	482

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** ppb	Pt** ppb	Pd** ppb
G-1	<2	<3	<2
51842	<2	8	8
51843	<2	11	11
51844	<2	10	14
51845	<2	10	22
51846	<2	29	38
51847	<2	8	7
51848	<2	5	5
51849	<2	10	11
51850 (rock)	<2	<3	<2
51851	<2	7	9
51852	<2	5	5
51853	<2	6	5
51854	<2	17	20
51855	<2	11	11
51856	<2	17	22
51857	<2	13	12
51858	<2	39	42
51859	<2	76	112
51860	<2	21	35
51861	6	<3	<2
51862	12	<3	2
51863	29	41	54
51864	<2	22	24
51865	<2	86	90
51866	<2	57	76
51867	<2	3	4
51868	<2	7	8
51869	<2	5	6
51870	<2	<3	3
RE 51870	<2	<3	3
RRE 51870	<2	3	4
51871	3	11	13
51872	<2	28	35
51873	<2	51	69
STANDARD FA-10R	484	470	485

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** ppb	Pt** ppb	Pd** ppb
G-1	<2	<3	5
51874	8	12	14
51875 (rock)	2	6	<2
51876	2	6	6
51877	9	5	4
51878	4	5	2
51879	2	5	<2
51880	5	<3	<2
STANDARD FA-10R	467	482	471

Sample type: DRILL CORE R150.



GEOCHEMICAL ANALYSIS CERTIFICATE



Almo Capital Corp. File # A502959


603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm									
QQ7	2	1003	<3	71	1.1	1080	108	1136	7.00	14	<8	<2	<2	21	.7	<3	<3	101	.55	.050	3	708	2.80	74	.08	10	1.85	.03	.03	<2
QQ8	1	840	<3	72	.8	1121	105	1725	7.66	47	<8	<2	<2	31	.6	<3	<3	142	.50	.040	4	1380	2.44	122	.05	8	1.83	.02	.02	<2
QQ9	<1	211	4	73	.4	717	95	2224	9.10	12	<8	<2	3	71	.7	4	4	200	.59	.047	4	1743	2.38	160	.01	6	2.60	.01	.03	<2
QQ10	1	99	<3	34	<.3	336	47	995	5.40	7	<8	<2	<2	306	<.5	3	<3	142	2.95	.025	2	574	2.44	177	.12	6	1.41	.03	.04	<2
QQ11	<1	113	<3	31	.3	179	40	700	4.01	9	<8	<2	<2	22	<.5	13	<3	120	.75	.025	1	334	2.06	272	.15	14	1.70	.05	.04	<2
QQ12	1	105	<3	30	<.3	129	40	741	4.22	72	<8	<2	<2	23	<.5	4	<3	154	.76	.028	1	345	2.44	220	.13	7	1.73	.03	.03	<2
QQ13	<1	169	<3	44	<.3	90	45	713	6.06	35	<8	<2	<2	38	<.5	<3	<3	261	1.22	.045	1	221	2.09	159	.25	5	2.01	.08	.07	<2
QQ14	<1	166	<3	56	.3	26	41	809	7.29	113	<8	<2	<2	51	<.5	<3	<3	331	1.26	.063	2	40	1.61	215	.29	11	2.48	.15	.16	<2
QQ15	<1	78	3	58	<.3	20	21	744	4.76	73	<8	<2	<2	40	<.5	<3	<3	151	.72	.120	5	26	1.20	194	.06	8	2.35	.07	.19	<2
QQ16	<1	53	6	81	<.3	12	15	889	4.50	15	<8	<2	<2	79	<.5	<3	<3	128	.91	.147	7	17	1.09	263	.05	7	2.55	.04	.22	<2
QQ17	<1	48	<3	75	<.3	8	16	994	4.52	95	<8	<2	<2	20	<.5	<3	<3	94	.33	.126	6	12	.61	142	.01	6	2.03	.02	.26	<2
QQ18	<1	53	<3	67	<.3	8	16	1001	4.14	235	<8	<2	2	11	<.5	5	<3	67	.21	.113	7	10	.30	127	<.01	11	1.45	.03	.29	<2
QQ19	<1	60	4	67	<.3	10	19	1060	4.36	118	<8	<2	2	7	<.5	<3	<3	89	.18	.112	5	14	.26	92	<.01	9	1.41	.01	.23	<2
QQ100	<1	450	<3	29	.5	272	41	410	2.96	4	<8	<2	<2	12	<.5	<3	<3	47	.60	.022	1	534	2.66	64	.07	7	1.01	.04	.05	<2
QQ101	<1	110	<3	35	<.3	300	49	533	3.48	4	<8	<2	<2	13	<.5	<3	<3	42	.51	.022	1	498	3.48	61	.06	16	.83	.03	.06	<2
QQ102	1	239	<3	60	.5	302	71	838	4.57	4	<8	<2	2	13	<.5	<3	<3	60	.50	.027	2	560	2.53	72	.07	12	1.05	.03	.04	<2
QQ105	1	15	<3	34	<.3	168	40	907	3.47	4	<8	<2	<2	11	<.5	<3	<3	73	.50	.020	1	862	2.92	61	.08	11	1.45	.02	.02	<2
QQ106	<1	16	<3	24	<.3	142	31	543	2.71	<2	<8	<2	<2	13	<.5	<3	<3	58	.70	.016	1	684	2.10	46	.08	5	1.09	.03	.01	<2
OVA1	<1	179	<3	15	<.3	84	32	246	1.73	2	<8	<2	<2	12	<.5	<3	<3	38	.71	.026	2	200	1.23	27	.09	6	.76	.06	.04	<2
R80m	<1	47	<3	24	<.3	27	14	204	3.39	<2	<8	<2	<2	41	<.5	<3	<3	70	1.53	.213	4	41	.77	87	.23	5	1.52	.06	.22	2
R107m	<1	217	5	26	<.3	35	14	174	2.77	<2	<8	<2	<2	31	<.5	<3	<3	79	.93	.077	3	104	.83	81	.25	7	1.31	.06	.19	<2
RE R107m	<1	212	4	27	<.3	35	14	173	2.76	<2	<8	<2	<2	30	<.5	<3	<3	78	.93	.077	3	102	.84	77	.24	6	1.29	.06	.18	<2
FOVA1	<1	54	<3	11	<.3	61	15	194	1.32	<2	<8	<2	<2	13	<.5	<3	<3	38	1.23	.022	1	222	1.38	17	.10	4	.71	.09	.05	<2
FOVA2	1	70	3	24	<.3	47	10	207	1.59	<2	<8	<2	<2	12	<.5	<3	<3	28	.80	.019	<1	170	1.22	68	.07	5	.66	.07	.04	<2
FOVA3	<1	173	<3	16	<.3	65	16	246	2.02	<2	<8	<2	<2	15	<.5	<3	<3	49	.87	.033	1	326	1.38	61	.11	<3	.84	.07	.04	<2
FOVA4	<1	485	<3	12	<.3	86	120	145	3.58	<2	<8	<2	<2	13	<.5	<3	<3	39	.78	.016	<1	63	1.01	38	.10	4	.62	.07	.05	<2
FOVB10	<1	380	<3	8	<.3	39	120	126	5.68	<2	<8	<2	<2	5	<.5	<3	<3	36	.60	.009	<1	31	.83	9	.08	4	.50	.03	.03	<2
FOVB20	1	1245	<3	39	1.0	31	90	96	3.10	<2	<8	<2	<2	18	4.6	<3	<3	27	.87	.026	1	111	.73	61	.06	<3	.37	.07	.06	<2
FOVB3	<1	472	<3	9	.3	173	139	147	4.42	<2	<8	<2	<2	11	<.5	<3	<3	34	.73	.016	<1	74	1.05	26	.09	9	.64	.06	.04	<2
FOVC1	<1	223	<3	46	<.3	395	62	706	5.08	<2	<8	<2	<2	25	<.5	<3	<3	48	.69	.019	<1	192	4.32	88	.09	9	.58	.10	.12	<2
FOVD1	<1	637	<3	9	<.3	161	110	101	3.71	<2	<8	<2	<2	5	<.5	<3	<3	25	.64	.015	<1	81	.87	12	.06	5	.40	.03	.01	<2
Trench S	<1	21	<3	43	<.3	416	67	925	5.75	3	<8	<2	<2	16	<.5	<3	<3	44	.59	.012	<1	457	6.18	30	.07	13	.61	.04	.03	<2
STANDARD DS6	12	125	28	146	<.3	25	11	720	2.91	22	<8	<2	3	38	5.8	3	5	59	.86	.078	14	197	.55	162	.09	17	1.95	.08	.17	3

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: Rock R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data h FA _____

DATE RECEIVED: JUN 27 2005 DATE REPORT MAILED: July 5/05



All results are considered the confidential property of the client. Acme assumes no liabilities for actual cost of the analysis only.

GEOCHEMICAL ANALYSIS CERTIFICATE

Almo Capital Corp. File # A505957 Page 1
 603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb	ppb	ppb
QQ 109	3	13	4	30	<.3	425	63	1493	6.16	6	<8	<2	<2	1260	<.5	27	<3	103	15.19	.010	1	594	6.09	159	<.01	<3	.43	<.01	.01	<2	5	9	10
QQ 110	2	13	<3	36	<.3	222	51	1709	6.34	2	<8	<2	<2	946	.6	12	<3	174	13.59	.019	2	784	5.32	142	<.01	<3	.63	.01	.01	<2	3	15	10
QQ 111	2	16	7	43	<.3	260	63	1741	6.63	7	<8	<2	<2	620	.6	19	<3	177	16.45	.026	1	664	3.52	126	<.01	<3	.66	<.01	.01	<2	4	22	16
QQ 112	3	28	<3	48	<.3	250	63	2161	7.73	10	<8	<2	2	441	.9	21	<3	234	14.08	.028	2	499	2.73	140	<.01	<3	.78	<.01	.03	<2	2	35	27
QQ 115	3	63	8	44	<.3	506	107	1965	8.82	5	<8	<2	<2	135	.6	11	<3	230	2.52	.032	3	1339	2.86	96	.03	<3	1.88	.01	.02	<2	5	54	31
QQ 116	3	16	6	52	<.3	271	67	1800	7.48	5	<8	<2	<2	617	<.5	8	<3	224	11.84	.025	2	767	4.30	116	<.01	<3	1.23	.01	.02	<2	4	23	13
RE QQ 116	4	15	<3	52	<.3	263	64	1753	7.23	6	<8	<2	<2	598	.5	8	<3	217	11.50	.023	2	737	4.16	113	<.01	<3	1.18	.01	.02	<2	2	23	16
QQ 117	3	20	<3	39	<.3	220	55	1673	7.08	3	<8	<2	<2	688	.6	8	<3	196	9.59	.019	2	656	4.77	112	.03	<3	1.32	.01	.01	<2	<2	66	43
QQ 118	4	44	8	54	<.3	592	89	1844	8.60	7	13	<2	<2	258	.5	18	<3	204	3.87	.029	2	1255	3.52	108	.03	<3	1.89	.01	.02	<2	8	41	41
QQ 120	2	46	5	59	<.3	624	108	2377	10.91	6	<8	<2	<2	125	.6	11	<3	288	1.61	.032	4	1682	3.43	121	.02	<3	2.55	.01	.02	<2	5	24	25
QQ 121	4	47	7	39	<.3	720	103	2009	8.86	4	<8	<2	<2	201	.7	13	<3	174	3.16	.028	3	1165	3.59	99	.01	<3	1.81	.01	.02	<2	6	13	11
QQ 122	3	29	<3	35	<.3	1399	137	2392	11.71	8	<8	<2	3	345	.7	8	<3	177	3.95	.014	5	1535	3.82	127	.01	<3	1.88	.01	.01	2	8	4	6
QQ 123	4	28	6	49	<.3	1119	138	1957	10.27	5	<8	<2	<2	37	.6	<3	<3	150	.39	.024	4	1299	4.74	102	.03	<3	2.07	.02	.01	<2	5	277	287
QQ 124	3	15	<3	34	<.3	969	101	1771	8.11	3	<8	<2	<2	908	<.5	5	<3	88	9.71	.012	2	1147	5.45	112	<.01	<3	1.02	<.01	.01	<2	4	8	3
QQ 125	4	8	<3	32	<.3	1087	106	1640	7.97	<2	<8	<2	<2	841	.9	6	<3	79	9.39	.010	1	1033	5.13	115	<.01	<3	.85	<.01	.01	<2	4	<2	2
QQ 126	2	12	<3	40	<.3	951	101	1839	8.54	6	<8	<2	<2	434	.7	6	<3	126	5.91	.028	4	1241	5.97	95	.01	8	1.71	.01	.01	<2	<2	<2	5
QQ 127	6	13	<3	40	<.3	1260	126	1935	10.04	5	<8	<2	<2	614	<.5	3	<3	97	5.95	.018	2	1372	4.43	107	<.01	<3	1.22	<.01	.01	<2	5	9	2
QQ 130	2	8	3	18	<.3	356	49	1473	5.19	2	<8	<2	<2	524	.5	10	<3	116	8.89	.015	2	1873	4.82	97	<.01	<3	1.13	<.01	.01	<2	9	32	30
QQ 131	3	119	3	35	<.3	396	76	1857	7.46	45	16	<2	2	139	.7	46	<3	140	1.98	.022	6	802	1.64	86	.01	4	1.17	.01	.02	<2	7	4	3
QQ 132	5	59	<3	41	<.3	918	108	2034	8.41	12	9	<2	2	109	.7	29	<3	124	1.03	.022	7	852	1.45	151	<.01	<3	1.15	.01	.04	<2	13	11	17
QQ 133	4	41	3	60	<.3	1024	141	2570	12.30	11	<8	<2	2	431	1.0	28	<3	203	4.12	.017	6	1693	3.62	202	<.01	3	1.88	<.01	.03	<2	7	18	12
QQ 134	1	22	8	25	<.3	512	74	1497	6.55	9	<8	<2	2	1242	.5	22	<3	123	12.02	.009	3	1227	6.36	161	<.01	<3	1.02	.01	.02	<2	5	6	<2
QQ 135	1	30	<3	48	.5	807	103	1994	8.78	19	10	<2	2	1279	.7	63	<3	148	10.03	.010	4	1394	5.57	234	<.01	7	1.23	.01	.02	<2	9	11	9
QQ 136	3	117	3	50	<.3	705	82	1423	8.36	51	<8	<2	<2	77	.5	110	<3	183	.90	.019	5	647	1.26	88	<.01	<3	1.26	<.01	.02	<2	12	25	28
QQ 137	4	201	<3	54	<.3	489	94	1755	6.71	53	<8	<2	<2	64	<.5	40	<3	175	.95	.021	6	645	1.14	74	<.01	<3	1.32	<.01	.03	<2	5	24	22
QQ 138	3	98	9	37	<.3	628	90	1785	6.29	137	<8	<2	<2	319	.7	56	<3	143	5.87	.018	2	966	3.28	74	<.01	<3	1.18	<.01	.02	<2	8	9	2
QQ 140	4	122	8	60	<.3	389	119	2150	9.28	243	<8	<2	<2	90	.6	195	<3	271	1.45	.021	1	1087	1.81	75	<.01	<3	1.93	<.01	.02	<2	8	58	47
QQ 141	4	236	8	78	<.3	313	85	1805	8.99	224	<8	<2	<2	16	.5	88	<3	236	.27	.088	3	409	1.57	81	<.01	<3	2.70	<.01	.08	<2	9	15	8
QQ 145	2	128	6	66	<.3	168	86	1640	6.97	20	<8	<2	<2	17	.6	54	<3	202	.28	.050	4	601	1.91	71	<.01	3	2.27	<.01	.04	<2	2	2	<2
QQ 146	3	106	7	66	<.3	79	51	999	5.77	24	<8	<2	<2	15	.7	29	<3	139	.28	.104	6	189	.86	58	<.01	<3	1.76	<.01	.10	<2	6	4	<2
QQ 147	4	277	6	74	<.3	255	120	2285	8.71	16	<8	<2	<2	7	.8	40	<3	205	.11	.056	4	530	1.68	80	<.01	<3	2.30	<.01	.03	<2	15	<2	<2
QQ 150	2	403	6	44	<.3	154	81	1646	6.33	<2	<8	<2	<2	429	<.5	13	<3	191	9.05	.066	2	285	4.17	71	<.01	<3	1.06	<.01	.01	<2	5	17	17
QQ 151	3	409	<3	51	<.3	215	95	1795	9.66	7	<8	<2	<2	444	.9	21	<3	352	9.47	.030	3	351	3.80	109	<.01	<3	.62	.01	.02	<2	7	18	16
QQ 152	4	493	<3	85	.7	251	112	2095	11.48	12	<8	<2	2	189	.9	26	<3	539	4.24	.042	8	307	1.93	129	<.01	7	.98	<.01	.02	<2	14	5	3
STANDARD	12	122	37	142	.3	25	11	737	2.90	21	8	<2	4	40	6.0	4	4	59	.78	.075	14	183	.62	145	.07	16	2.00	.08	.14	2	491	483	492

Standard is STANDARD DS6/FA-10R.

GROUP 10 - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.

(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: ROCK R150 AU** PT** & PD** GROUP 3B BY FIRE ASSAY & ANALYSIS BY ICP-ES. (30 gm)

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data | FA | DATE RECEIVED: SEP 21 2005 DATE REPORT MAILED: Oct 7/05



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb	ppb	ppb															
QQ 153	4	287	4	98	<.3	214	94	1817	11.16	6	<8	<2	<2	13	2.2	22	<3	539	.27	.062	5	359	.40	75	<.01	10	1.19	<.01	.04	3	6	17	15
QQ 154	<1	137	<3	32	<.3	73	30	1285	6.88	5	25	<2	<2	539	1.8	16	<3	183	10.59	.022	2	162	4.22	89	<.01	<3	.43	<.01	.01	<2	2	5	10
QQ 155	<1	219	3	41	<.3	114	50	1181	6.36	4	9	<2	<2	488	1.9	15	<3	267	10.03	.017	3	190	3.97	88	<.01	<3	.40	.01	.01	<2	5	17	19
QQ 156	2	260	3	42	<.3	90	52	1025	6.16	2	16	<2	<2	278	1.7	18	<3	235	5.97	.018	2	137	2.46	64	.01	<3	.45	<.01	.01	<2	6	12	11
QQ 157	1	124	<3	28	<.3	106	35	1042	5.28	2	<8	<2	<2	390	1.2	22	<3	153	8.09	.018	1	228	3.37	70	<.01	<3	.29	<.01	.01	<2	2	12	18
QQ 158	<1	120	<3	34	.4	208	43	1148	4.83	<2	<8	<2	<2	483	.9	17	<3	123	9.79	.009	1	611	4.12	114	<.01	<3	.27	<.01	.01	<2	2	22	22
QQ 159	<1	64	<3	61	<.3	170	34	1411	4.31	<2	22	<2	<2	457	.8	20	<3	99	8.40	.038	1	531	3.70	119	<.01	<3	.28	<.01	.01	<2	4	80	67
STANDARD DS6/FA-10R	13	119	30	141	.4	24	9	663	2.87	20	<8	<2	3	40	6.0	4	5	58	.88	.071	12	179	.57	143	.07	15	1.90	.07	.14	5	508	494	498

Sample type: ROCK R150.



GEOCHEMICAL ANALYSIS CERTIFICATE



Almo Capital Corp. File # A503123
603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge


SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**
	ppm	%	ppm	%	%	ppm	ppm	%	%	%	ppm	%	%	ppm	ppb	ppb	ppb																
SS8	<1	53	<3	40	<.3	290	48	614	4.07	<2	<8	<2	<2	17	<.5	4	<3	42	.51	.020	2	392	3.77	57	.06	22	.91	.03	.03	<2	31	35	41
SS9	<1	32	<3	33	<.3	344	51	604	3.99	2	<8	<2	<2	16	<.5	<3	<3	35	.50	.018	1	371	3.99	55	.05	19	.84	.02	.02	<2	7	42	46
SS10	<1	16	<3	15	<.3	121	19	203	1.54	<2	<8	<2	<2	5	<.5	<3	<3	31	.46	.015	1	299	1.86	9	.08	<3	.99	.02	.01	<2	12	13	13
SS11	<1	19	<3	17	<.3	131	23	231	1.74	<2	<8	<2	<2	8	<.5	<3	<3	35	.54	.017	1	248	1.88	18	.09	<3	.99	.02	.02	<2	2	10	14
SS12	<1	48	<3	28	<.3	246	43	463	3.40	6	8	<2	<2	13	<.5	10	<3	47	.48	.014	2	342	3.33	41	.06	15	.95	.02	.02	<2	3	14	17
SS13	<1	45	<3	36	<.3	280	58	673	4.57	3	<8	<2	<2	17	<.5	5	<3	40	.49	.012	3	392	3.84	65	.04	24	.68	.02	.01	<2	2	30	24
SS14	<1	113	<3	36	<.3	228	47	650	4.39	2	8	<2	<2	28	<.5	3	<3	56	.88	.037	3	291	3.96	91	.08	10	1.81	.02	.02	<2	72	38	35
SS15	<1	36	<3	26	<.3	201	39	409	3.12	4	<8	<2	<2	13	<.5	4	<3	31	.45	.014	3	343	2.87	51	.04	10	.75	.02	.01	<2	6	9	11
SS16	<1	41	<3	16	<.3	130	26	276	2.18	2	<8	<2	<2	13	<.5	5	<3	39	.60	.014	2	284	1.98	34	.08	3	.93	.03	.02	<2	2	19	15
SS17	<1	53	<3	29	<.3	141	29	387	2.39	3	<8	<2	<2	15	<.5	4	<3	44	.55	.028	3	205	2.17	40	.08	4	1.19	.03	.04	<2	5	48	32
SS18	<1	62	<3	29	<.3	176	35	385	2.92	3	<8	<2	<2	15	<.5	<3	<3	45	.53	.019	2	287	2.23	53	.07	10	.86	.03	.03	<2	4	51	38
SS19	<1	107	<3	35	<.3	232	45	460	3.55	<2	<8	<2	<2	16	<.5	<3	<3	50	.56	.015	2	303	2.90	61	.07	16	.88	.03	.03	<2	3	56	47
SS20	<1	103	<3	22	<.3	185	35	285	2.52	2	<8	<2	<2	12	<.5	<3	<3	38	.51	.015	1	203	1.87	38	.06	5	.78	.03	.02	<2	2	175	172
SS100	<1	27	<3	18	<.3	138	30	427	2.64	3	8	<2	<2	12	<.5	4	<3	34	.51	.017	2	337	2.76	32	.05	13	.83	.03	.01	<2	21	9	12
SS101	<1	11	<3	17	<.3	94	18	252	1.60	<2	<8	<2	<2	10	<.5	<3	<3	25	.57	.017	2	233	2.10	14	.06	<3	.96	.03	.01	<2	7	8	5
RE SS101	<1	11	<3	12	<.3	92	17	251	1.55	<2	<8	<2	<2	10	<.5	<3	<3	24	.54	.016	2	226	2.09	14	.06	3	.94	.03	.01	<2	<2	11	7
SS102	<1	11	<3	17	<.3	90	17	247	1.77	2	10	<2	<2	14	<.5	4	<3	34	.51	.021	3	213	1.83	62	.07	<3	1.20	.02	.03	<2	<2	2	<2
STANDARD DS6/FA-10R	12	126	27	139	<.3	24	10	689	2.74	20	<8	<2	2	38	5.8	5	6	53	.84	.080	12	177	.58	160	.07	16	1.93	.07	.15	3	485	487	498

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: ROCK R150 60C AU** PT** PD** GROUP 3B BY FIRE ASSAY & ANALYSIS BY ICP-ES. (30 gm)
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: JUL 4 2005

DATE REPORT MAILED: July 13/05





GEOCHEMICAL ANALYSIS CERTIFICATE



Almo Capital Corp. File # A506330 Page 1

603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au** ppb	Pt** ppb	Pd** ppb
QA1	<1	148	5	42	.5	134	44	1325	5.90	2	<8	<2	<2	569	.6	19	<3	241	14.30	.019	1	445	5.32	93	<.01	<3	.41	.01	.01	<2	2	4	9
QA2	<1	125	<3	24	.3	100	31	1004	4.67	4	<8	<2	<2	484	.5	20	<3	150	11.22	.012	1	237	4.20	65	<.01	<3	.31	<.01	.01	<2	3	29	46
QA3	<1	229	3	37	.4	178	51	1329	6.10	7	<8	<2	<2	362	.5	34	<3	175	8.05	.028	2	293	3.18	65	<.01	<3	.45	<.01	.02	<2	17	88	82
QA4	<1	370	4	33	1.0	233	47	1725	6.71	21	<8	<2	<2	348	<.5	34	<3	139	7.24	.018	2	262	2.93	75	<.01	<3	.40	.01	.04	<2	36	22	25
QA5	<1	440	6	34	1.4	230	47	1586	6.32	24	<8	<2	<2	301	.6	73	<3	123	6.73	.023	2	231	2.82	73	<.01	<3	.41	.01	.05	<2	23	40	37
QA6	<1	322	6	37	.6	350	73	1805	6.77	199	<8	<2	<2	65	.7	128	<3	124	1.25	.020	2	354	.75	66	<.01	<3	.65	.01	.06	<2	30	43	55
QA7	<1	103	6	47	.8	225	69	1998	8.77	136	<8	<2	<2	147	<.5	121	<3	168	2.56	.016	1	259	1.45	60	<.01	<3	.69	.01	.04	<2	42	21	24
QA8	<1	89	<3	38	.8	132	47	1753	7.75	123	<8	<2	<2	303	<.5	55	<3	136	5.62	.022	1	148	2.50	68	<.01	<3	.53	.01	.07	<2	59	18	18
QA9	<1	44	3	26	<.3	161	45	1469	5.79	118	<8	<2	<2	308	<.5	70	<3	93	6.08	.010	<1	238	2.75	61	<.01	<3	.42	.01	.05	<2	16	24	27
QA10	<1	92	<3	23	<.3	162	41	1431	5.77	90	<8	<2	<2	316	<.5	57	<3	105	6.42	.006	1	268	2.82	55	<.01	<3	.39	<.01	.04	<2	79	39	40
QA11	<1	161	<3	50	.3	232	47	1355	5.72	98	<8	<2	<2	125	<.5	60	<3	121	2.60	.043	3	296	1.49	73	<.01	<3	1.03	.01	.09	<2	18	14	23
QA12	<1	267	<3	56	.9	519	73	1762	8.15	24	<8	<2	<2	106	<.5	62	<3	217	2.41	.023	4	507	1.55	92	<.01	<3	1.21	<.01	.03	2	47	11	17
QB1	<1	63	4	60	<.3	29	12	1123	3.75	4	<8	<2	<2	36	.5	7	<3	101	.92	.158	8	24	1.26	141	.06	<3	2.13	.04	.23	<2	3	<2	3
QB2	<1	133	<3	41	<.3	284	53	1792	6.86	5	<8	<2	<2	632	.5	10	<3	135	10.43	.029	3	493	4.25	163	<.01	<3	.71	.01	.04	<2	4	18	15
QB3	<1	44	<3	26	<.3	171	34	1108	4.58	<2	<8	<2	<2	576	<.5	14	<3	93	12.34	.011	1	452	4.94	89	<.01	<3	.31	.01	.02	<2	3	39	84
QB4	<1	22	<3	27	<.3	223	49	1558	5.05	2	<8	<2	<2	564	<.5	25	<3	82	13.75	.007	<1	595	5.68	84	<.01	<3	.21	<.01	.01	<2	3	14	21
QB5	<1	31	3	18	<.3	151	31	1106	4.24	2	<8	2	<2	545	.6	25	<3	71	13.59	.005	<1	567	5.81	73	<.01	<3	.19	.01	.01	2	<2	81	71
QB6	<1	353	<3	24	.3	238	39	1251	4.56	4	<8	<2	<2	555	<.5	33	<3	87	12.79	.006	1	474	5.46	77	<.01	<3	.23	.01	.01	<2	7	63	85
QB7	<1	211	<3	37	.3	291	59	1367	5.41	4	<8	<2	<2	544	.7	29	<3	128	12.72	.007	1	597	5.31	116	<.01	3	.30	.01	.01	<2	3	22	28
QB8	<1	78	<3	34	1.0	164	42	1359	5.68	5	<8	<2	4	664	.6	37	<3	136	15.29	.014	2	521	6.05	118	<.01	14	.30	.01	.01	<2	2	21	31
QQ161	1	992	<3	61	.3	562	84	2640	8.53	5	<8	<2	<2	53	.6	6	<3	221	1.13	.051	7	551	1.67	170	<.01	<3	1.76	<.01	.04	<2	4	64	76
QQ162	1	139	<3	78	<.3	200	38	1779	5.83	4	<8	<2	<2	37	.5	3	<3	146	.62	.120	8	401	1.94	167	.01	3	2.47	.03	.15	<2	3	12	15
QQ163	1	39	3	60	<.3	20	10	1065	3.54	4	<8	<2	<2	54	<.5	4	<3	80	.76	.132	8	26	1.62	275	.07	<3	2.19	.04	.17	<2	<2	<2	2
QQ164	<1	24	7	56	<.3	25	10	1217	3.17	<2	<8	<2	<2	52	.5	3	<3	65	.78	.116	7	32	1.62	189	.08	3	2.19	.04	.17	<2	<2	<2	2
QQ165	1	29	<3	52	<.3	13	9	1037	2.85	<2	8	<2	2	41	<.5	4	<3	56	.75	.121	6	13	1.25	223	.07	4	2.11	.05	.22	<2	2	<2	<2
QQ166	1	32	3	53	<.3	10	7	1131	2.55	2	<8	<2	<2	27	<.5	<3	<3	52	.49	.122	8	9	1.07	118	.04	<3	1.72	.04	.20	<2	<2	<2	2
WW100	1	656	7	119	.5	169	134	2405	17.06	13	<8	<2	<2	152	.6	21	<3	734	4.03	.041	3	116	1.51	125	.01	<3	1.21	.01	.02	<2	17	6	8
WW101	<1	442	7	59	.5	131	80	1777	11.53	6	<8	<2	<2	331	.5	10	<3	361	8.63	.067	2	91	3.17	94	.01	9	.83	<.01	.02	<2	6	2	3
WW102	2	1326	9	53	.7	428	144	1685	10.73	5	<8	<2	<2	240	.5	10	<3	305	6.25	.064	2	245	2.42	96	<.01	7	.87	.01	.02	<2	11	17	15
WW103	1	926	<3	43	.5	450	93	1690	8.84	5	<8	<2	<2	352	<.5	8	<3	273	8.87	.046	1	215	3.39	79	<.01	3	.58	<.01	.02	<2	10	40	40
WW104	<1	266	<3	39	<.3	103	49	1424	7.25	4	<8	<2	<2	444	<.5	7	<3	258	10.03	.052	2	87	3.81	81	<.01	<3	.71	<.01	.03	<2	3	7	7
WW105	2	151	10	33	<.3	68	33	1253	5.69	<2	<8	<2	<2	517	<.5	7	<3	190	11.46	.048	2	74	4.33	73	<.01	<3	.56	.01	.03	<2	4	9	11
RE WW105	1	155	<3	34	<.3	71	33	1273	5.79	4	<8	<2	<2	527	.8	10	<3	193	11.72	.048	3	75	4.42	74	<.01	<3	.56	.01	.02	<2	3	12	14
WW106	1	90	3	36	<.3	32	20	948	4.34	<2	<8	<2	<2	341	.5	4	<3	107	7.66	.079	6	37	2.98	65	<.01	9	.79	.01	.06	<2	3	5	3
STANDARD DS6/FA-10R	13	122	29	141	<.3	24	11	743	2.93	24	<8	<2	4	44	5.8	5	4	59	.88	.075	12	184	.59	166	.07	16	2.00	.07	.16	3	496	489	485

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: ROCK R150 AU** PT** PD** GROUP 3B BY FIRE ASSAY & ANALYSIS BY ICP-ES. (30 gm)

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA _____ DATE RECEIVED: OCT 3 2005 DATE REPORT MAILED: Oct 28/05





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au** ppb	Pt** ppb	Pd** ppb
WW107	<1	84	<3	14	<.3	47	18	930	4.12	<2	9	<2	<2	620	.7	7	<3	104	17.72	.008	2	77	6.33	50	<.01	6	.23	<.01	.01	<2	5	<2	<2
WW108	<1	277	<3	41	<.3	117	56	1404	6.07	<2	13	<2	<2	465	1.0	9	<3	232	12.09	.009	3	131	4.94	65	<.01	8	.48	.01	.01	<2	5	18	18
WW109	<1	244	<3	47	.5	54	47	1562	6.89	<2	9	<2	2	418	1.0	7	<3	323	9.98	.010	3	45	4.22	54	<.01	7	.52	<.01	.01	<2	3	<2	11
WW110	<1	84	<3	33	<.3	162	38	1025	4.11	<2	10	<2	<2	507	.9	4	<3	114	11.05	.007	2	502	4.84	82	<.01	3	.30	.01	.01	<2	5	14	10
WW111	<1	105	3	49	<.3	237	47	1902	6.15	<2	10	<2	<2	417	.9	<3	<3	129	9.58	.030	3	552	4.21	106	<.01	5	.54	<.01	.03	<2	2	27	29
WW112	1	135	<3	66	<.3	404	79	2456	6.95	<2	9	<2	<2	372	1.2	<3	<3	168	8.21	.035	4	751	3.74	161	<.01	5	1.02	<.01	.03	<2	4	22	26
STANDARD DS6/FA-10R	12	123	30	141	<.3	25	11	712	2.85	22	<8	<2	3	41	6.1	4	5	56	.88	.080	14	191	.59	169	.08	17	1.95	.08	.16	5	495	484	489

Sample type: ROCK R150.



GEOCHEMICAL ANALYSIS CERTIFICATE



Almo Capital Corp. File # A503548 Page 1

603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb	ppb	ppb															
ST1	3	26	4	19	<.3	126	32	495	2.93	<2	<8	<2	<2	18	<.5	<3	<3	69	.84	.016	1	401	2.66	117	.13	<3	1.46	.07	.04	<2	2	9	9
ST2	3	23	10	26	<.3	117	29	651	3.85	<2	<8	<2	<2	26	<.5	<3	<3	109	1.03	.034	1	481	2.84	77	.14	<3	1.72	.04	.04	2	<2	22	19
ST3	1	14	<3	22	<.3	110	26	621	3.06	<2	<8	<2	<2	57	<.5	<3	<3	88	2.10	.023	1	481	2.20	74	.10	<3	1.42	.03	.03	<2	<2	17	21
ST4	1	20	3	42	<.3	209	48	1356	5.22	21	8	<2	<2	259	<.5	9	<3	153	12.55	.022	2	959	2.28	186	.05	<3	1.83	.02	.03	3	<2	21	19
RE ST4	<1	20	6	42	<.3	214	49	1390	5.33	19	<8	<2	<2	269	.5	10	<3	154	12.83	.023	2	980	2.29	190	.05	<3	1.81	.02	.03	3	<2	19	21
ST5	1	7	6	46	<.3	143	39	1529	5.37	28	<8	<2	<2	223	<.5	31	<3	135	7.86	.032	2	697	2.06	298	<.01	<3	1.52	.01	.05	2	<2	22	24
ST6	1	6	8	52	<.3	140	39	1869	5.71	11	16	<2	<2	240	.5	6	<3	139	9.06	.030	4	851	1.64	246	<.01	<3	1.53	.01	.05	2	<2	14	11
ST7	1	45	3	51	<.3	206	43	2346	6.05	8	<8	<2	<2	258	<.5	5	<3	173	9.60	.032	4	463	1.52	131	<.01	<3	1.50	<.01	.03	2	<2	89	106
ST8	<1	24	8	55	<.3	334	58	1874	5.98	4	<8	<2	<2	236	<.5	7	<3	189	10.60	.025	2	863	2.51	110	.02	<3	2.10	<.01	.02	3	<2	64	70
ST9	1	14	<3	22	<.3	162	33	852	2.69	<2	<8	<2	<2	88	<.5	4	<3	78	5.16	.020	1	454	2.64	46	.10	<3	1.23	.02	.02	2	<2	9	20
ST10	1	15	3	20	<.3	80	18	675	3.36	<2	<8	<2	<2	138	<.5	<3	<3	111	6.07	.023	2	552	2.70	122	.12	4	1.54	.02	.02	2	<2	12	19
ST11	1	19	6	37	<.3	111	29	1038	3.97	2	<8	<2	<2	176	.5	<3	<3	129	9.58	.035	2	722	1.91	107	.06	<3	1.56	.01	.03	<2	<2	19	22
ST12	1	31	7	97	<.3	264	72	993	6.70	14	9	<2	<2	142	<.5	3	3	279	7.21	.057	3	1659	2.40	123	<.01	<3	2.84	.01	.05	2	<2	15	22
ST13	<1	32	6	97	<.3	251	71	780	6.04	10	<8	<2	<2	71	<.5	<3	<3	272	2.44	.071	3	1591	2.55	89	<.01	<3	2.89	.01	.04	<2	3	26	47
ST14	<1	43	5	84	<.3	199	59	1224	5.08	9	8	<2	<2	81	<.5	3	<3	224	4.22	.058	4	1077	2.01	72	<.01	<3	2.48	.01	.04	2	<2	50	43
ST15	<1	27	<3	79	<.3	194	57	1081	4.97	9	<8	<2	<2	53	<.5	<3	<3	211	2.89	.065	3	851	2.16	79	<.01	<3	2.56	<.01	.05	<2	<2	42	43
ST16	1	16	<3	52	<.3	156	40	1539	4.19	104	<8	<2	<2	95	.5	10	<3	169	5.82	.035	4	720	1.85	74	<.01	<3	1.99	<.01	.06	<2	<2	41	46
ST17	1	122	3	64	<.3	186	49	1419	4.34	12	<8	<2	<2	203	<.5	3	<3	234	11.91	.061	3	421	1.52	109	.01	<3	1.85	.01	.05	2	<2	48	61
ST18	<1	48	<3	41	<.3	152	37	1708	4.28	10	12	<2	<2	241	<.5	6	<3	192	13.45	.033	3	752	2.20	92	.07	<3	1.75	.01	.03	3	<2	35	39
ST19	<1	22	5	33	<.3	101	27	1351	3.92	7	<8	<2	<2	304	<.5	3	<3	186	13.66	.030	2	396	1.91	110	.11	<3	1.52	.02	.04	<2	4	24	28
ST20	1	49	<3	50	<.3	182	47	1470	4.73	20	<8	<2	<2	251	<.5	10	<3	198	14.21	.036	3	930	1.74	113	.01	<3	1.96	<.01	.04	2	<2	32	32
ST21	1	49	5	39	<.3	148	40	1603	3.86	12	<8	<2	2	418	<.5	9	<3	124	14.35	.046	3	766	1.91	130	.03	<3	1.71	.01	.04	<2	2	<2	4
ST22	1	32	6	36	<.3	362	66	1536	5.42	6	<8	<2	<2	191	<.5	<3	<3	78	8.39	.027	1	733	5.06	88	.08	36	1.42	.01	.01	2	3	43	29
ST23	<1	17	10	49	<.3	802	107	1218	7.85	8	<8	<2	<2	24	<.5	5	<3	48	.71	.013	1	518	9.24	80	.04	105	.67	.02	.01	<2	5	103	130
ST24	1	11	<3	44	<.3	865	105	1110	7.56	6	<8	<2	<2	16	<.5	5	<3	37	.48	.011	1	498	9.49	86	.04	121	.53	.01	.01	<2	<2	4	6
SU1	1	23	<3	45	<.3	142	45	1601	5.81	15	<8	<2	<2	98	<.5	32	<3	207	2.43	.042	2	947	2.44	127	.07	<3	1.85	.03	.05	2	<2	35	21
SU2	<1	23	7	37	<.3	137	42	1179	5.09	7	<8	<2	<2	17	<.5	<3	<3	176	.63	.048	1	884	2.35	81	.11	<3	2.08	.03	.04	<2	<2	14	24
SU3	<1	25	<3	28	<.3	102	30	817	3.57	4	8	<2	<2	16	<.5	4	3	129	.69	.031	2	461	2.63	94	.14	<3	1.76	.03	.03	<2	7	26	22
SU4	<1	42	<3	31	<.3	91	32	905	3.90	4	<8	<2	<2	27	.6	<3	<3	161	1.01	.034	1	419	2.54	118	.16	<3	1.74	.04	.04	<2	<2	80	64
SU5	1	35	<3	54	<.3	186	54	1819	6.71	19	<8	<2	<2	125	<.5	19	<3	245	3.22	.039	3	864	2.52	217	.02	<3	1.99	.01	.06	<2	2	32	37
SU6	<1	31	3	77	<.3	216	71	2007	8.03	7	<8	<2	<2	14	<.5	10	<3	268	.34	.055	3	1008	2.04	176	.01	<3	2.57	.01	.05	<2	<2	15	11
SU7	<1	19	<3	38	<.3	136	42	1200	5.05	3	<8	<2	2	18	<.5	4	<3	150	.66	.039	2	1012	2.88	89	.08	4	2.10	.02	.03	<2	3	34	31
SU8	<1	20	<3	29	<.3	111	35	793	3.61	7	<8	<2	<2	26	<.5	6	<3	113	.73	.053	1	665	3.34	602	.12	<3	2.02	.04	.05	<2	<2	6	14
SU11	<1	21	<3	19	<.3	74	22	406	2.27	<2	<8	<2	<2	16	<.5	3	<3	69	.80	.035	1	340	2.19	74	.13	3	1.35	.05	.04	<2	<2	29	34
STANDARD DS6/FA-10R	12	127	31	148	<.3	26	11	728	2.85	22	<8	<2	3	39	6.3	4	5	60	.89	.082	15	199	.61	160	.09	16	1.95	.08	.16	4	486	476	483

GROUP 10 - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
 (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: ROCK R150 60C AU** PT** PD** GROUP 3B BY FIRE ASSAY & ANALYSIS BY ICP-ES. (30 gm)
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data L FA _____ DATE RECEIVED: JUL 18 2005 DATE REPORT MAILED: July 28/05.....



All results are considered the confidential property of the client. Acme assumes no liabilities for actual cost of the analysis only.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	AU**	Pt**	Pd**
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb	ppb	ppb															
SU12	<1	22	<3	21	<.3	83	22	636	2.66	<2	8	<2	<2	13	<.5	<3	<3	79	.74	.039	1	319	2.38	75	.10	<3	1.32	.03	.03	<2	<2	84	84
SU13	<1	22	5	29	<.3	104	26	821	3.28	16	<8	<2	<2	21	<.5	<3	<3	104	.80	.039	1	520	2.42	105	.09	<3	1.54	.02	.03	<2	<2	15	15
SU14	<1	38	<3	41	<.3	131	38	1164	4.70	4	<8	<2	<2	22	<.5	<3	<3	142	.67	.044	2	534	2.70	92	.09	<3	2.07	.03	.03	<2	<2	45	48
SU15	2	92	<3	79	<.3	134	32	1217	5.41	22	<8	<2	2	11	<.5	7	<3	114	.27	.081	8	241	1.20	119	.01	<3	1.86	.01	.11	<2	4	22	20
SU16	1	127	3	123	<.3	75	24	1051	5.56	5	<8	<2	3	9	<.5	3	<3	127	.23	.119	13	67	.69	266	<.01	<3	1.90	.02	.18	<2	31	10	5
SV1	<1	56	<3	69	<.3	264	61	2477	7.86	90	<8	<2	<2	208	<.5	26	<3	155	3.63	.059	7	465	1.40	154	<.01	<3	.96	<.01	.07	<2	<2	17	15
SV2	<1	58	<3	77	.3	472	82	2725	9.32	13	<8	<2	<2	221	.7	43	3	209	4.86	.050	6	947	2.33	175	<.01	<3	1.36	<.01	.02	2	<2	30	32
SV3	<1	40	<3	53	.3	299	56	2160	7.11	29	<8	<2	<2	451	.5	42	<3	129	9.14	.038	5	725	3.51	172	<.01	<3	.99	<.01	.04	2	4	19	21
SV4	<1	105	6	80	<.3	63	24	1010	4.21	63	<8	<2	<2	45	<.5	8	<3	81	.91	.066	7	110	.51	81	<.01	<3	1.06	<.01	.14	<2	12	3	<2
SV5	1	89	8	84	<.3	39	17	1149	3.76	3	<8	<2	2	8	<.5	5	<3	74	.21	.085	15	32	.17	88	<.01	<3	.82	<.01	.16	<2	3	<2	<2
SV6	1	115	<3	95	<.3	37	18	916	3.81	<2	<8	<2	2	7	<.5	4	<3	82	.18	.098	17	36	.20	97	<.01	<3	1.21	.01	.15	<2	8	4	3
SV7	1	82	4	86	<.3	35	18	1156	3.97	3	<8	<2	3	8	<.5	<3	<3	90	.25	.098	11	101	.69	106	.01	<3	1.30	.01	.16	<2	2	7	10
RE SV7	1	79	<3	83	<.3	35	17	1132	3.89	<2	<8	<2	2	8	<.5	<3	<3	89	.25	.096	11	99	.67	105	.01	<3	1.29	.01	.16	<2	4	7	6
SV8	<1	63	<3	79	<.3	79	27	1232	3.84	12	<8	<2	<2	22	<.5	3	<3	87	.45	.100	7	184	.99	145	.03	<3	1.40	.04	.16	<2	54	8	8
SV9	1	114	5	94	<.3	176	36	1119	3.87	269	<8	<2	2	10	<.5	7	<3	45	.25	.060	5	156	.76	118	.01	<3	1.00	.02	.17	<2	25	9	3
SV10	4	89	9	128	.3	50	15	964	3.36	133	<8	<2	2	13	<.5	7	<3	48	.30	.127	8	52	.17	138	<.01	<3	.96	.01	.23	2	15	6	3
STANDARD DS6/FA-10R	11	126	31	144	.4	25	10	722	2.90	24	<8	<2	3	39	5.9	4	5	59	.86	.078	15	199	.59	161	.08	17	1.89	.08	.16	3	485	472	482

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Almo Capital Corp. File # A503960
603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb	ppb	ppb								
JJ4	1	145	<3	42	.5	1251	113	1997	9.27	7	<8	<2	2	515	<.5	14	5	115	6.30	.025	2	1563	3.91	145	.01	<3	1.24	<.01	.01	<2	60	22	43
JJ5	<1	141	4	43	<.3	1211	117	2097	10.38	10	<8	<2	2	426	.8	13	4	141	5.83	.023	3	1952	3.74	146	.02	<3	1.32	<.01	.01	<2	51	10	21
JJ6	2	350	4	43	.4	402	64	964	7.19	2	<8	<2	<2	59	<.5	7	4	132	1.38	.066	3	421	1.62	255	.14	<3	2.12	.05	.06	<2	55	23	23
JJ7	<1	146	<3	53	.3	711	76	1249	6.39	7	<8	<2	2	28	<.5	9	3	105	.64	.041	5	800	2.29	153	.07	5	1.59	.02	.05	<2	24	47	36
RE JJ7	1	141	4	54	<.3	696	74	1218	6.21	9	<8	<2	2	27	<.5	8	7	102	.63	.038	5	776	2.24	143	.07	4	1.56	.02	.05	<2	25	47	37
JJ8	2	270	6	47	<.3	862	97	1449	7.61	28	<8	<2	2	37	.6	7	<3	133	.75	.030	5	912	2.64	147	.10	3	1.60	.04	.05	<2	52	44	41
SS21	<1	55	5	18	<.3	196	36	293	2.62	<2	<8	<2	<2	13	<.5	3	3	49	.48	.014	1	322	1.73	34	.06	8	.77	.03	.02	<2	6	12	18
SS22	1	56	3	19	.3	167	31	354	2.54	<2	<8	<2	<2	12	<.5	4	4	51	.47	.019	1	308	1.84	38	.08	5	1.01	.03	.03	<2	8	9	14
SS23	1	59	3	27	.4	168	35	523	3.35	3	<8	<2	<2	22	<.5	5	3	75	.54	.029	1	317	2.49	45	.09	8	1.33	.02	.02	<2	43	9	14
SS24	<1	30	3	28	<.3	315	51	535	4.00	4	<8	<2	<2	20	<.5	3	6	47	.51	.014	1	400	3.10	67	.05	18	.69	.02	.02	<2	7	10	17
SS25	<1	40	<3	32	<.3	425	61	730	4.91	3	<8	<2	<2	17	<.5	<3	<3	54	.43	.013	<1	420	4.74	62	.06	25	.77	.02	.02	<2	5	9	24
SS26	<1	54	3	38	.4	406	64	797	5.38	<2	8	<2	<2	18	<.5	<3	<3	62	.43	.015	3	439	4.84	67	.06	22	.86	.03	.03	<2	6	35	54
TA1	1	18	<3	40	<.3	147	43	1394	5.58	5	<8	<2	2	540	<.5	6	4	149	12.21	.031	3	734	4.60	122	.01	<3	.61	.01	.03	<2	<2	<2	8
TA2	1	78	5	48	<.3	99	48	1448	8.43	4	<8	<2	<2	317	.8	7	3	302	6.16	.039	5	376	3.09	131	.01	<3	1.35	.01	.02	<2	<2	10	12
TA3	2	97	7	62	<.3	211	64	1945	10.10	3	<8	<2	3	19	.6	11	5	295	.32	.038	11	549	.72	154	.01	6	1.30	.01	.05	<2	26	10	19
TA4	1	35	7	53	.4	211	54	1677	7.37	7	<8	<2	3	312	.5	15	5	198	6.76	.043	7	739	2.57	127	.01	6	.77	.01	.02	2	5	7	12
TA5	1	62	5	61	<.3	110	48	1155	5.87	4	<8	<2	<2	191	<.5	5	3	225	4.90	.093	8	300	1.98	94	<.01	6	.97	<.01	.02	<2	<2	<2	5
TA6	3	106	6	64	<.3	168	59	1353	7.06	2	<8	<2	2	56	.5	5	<3	248	1.29	.081	11	300	.95	100	.02	5	1.27	.01	.03	<2	3	4	8
STANDARD DS6/FA-10R	12	126	31	140	.3	26	11	720	2.87	20	<8	<2	3	40	6.1	5	5	58	.86	.080	15	200	.59	165	.08	16	1.94	.08	.16	4	486	470	478

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
AU** PT** & PD** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: Rock R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA _____ DATE RECEIVED: JUL 29 2005 DATE REPORT MAILED: Aug 13/05





GEOCHEMICAL ANALYSIS CERTIFICATE



Almo Capital Corp. File # A506961
603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**	Sample
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb	ppb	ppb	kg															
G-1	<1	11	8	44	<.3	3	5	577	1.99	7	<8	<2	4	77	<.5	<3	<3	36	.53	.074	8	10	.58	205	.14	4	1.07	.08	.46	<2	<2	<2	<2	-
Tu-1	1	161	10	65	.8	129	55	1580	8.75	5	<8	<2	2	201	.6	7	<3	261	4.00	.160	10	290	2.50	109	<.01	<3	2.07	.01	.03	<2	12	6	8	2.25
Tu-2	<1	137	7	62	.8	133	56	1575	9.03	6	<8	<2	2	261	.7	6	<3	264	5.46	.136	10	360	3.00	118	<.01	3	2.12	<.01	.02	<2	2	15	10	3.03
Tu-3	1	374	<3	68	.7	220	78	1628	10.04	3	<8	<2	2	19	<.5	<3	5	326	.32	.068	8	321	.67	100	<.01	5	1.50	<.01	.05	<2	3	38	47	2.16
Tu-4	1	269	5	75	.3	153	79	1488	12.73	<2	<8	<2	<2	24	.5	<3	7	444	.45	.067	7	257	1.14	122	<.01	4	2.27	<.01	.04	<2	3	15	47	2.05
Tu-5	2	287	11	73	.9	164	81	1621	10.94	<2	<8	<2	<2	33	<.5	<3	4	362	.63	.089	7	142	.72	119	<.01	8	1.41	<.01	.04	<2	2	13	22	2.38
STANDARD	10	123	26	139	.6	24	12	743	2.93	25	<8	<2	3	46	6.5	5	4	59	.88	.077	14	185	.56	172	.09	16	1.90	.09	.16	3	491	486	489	-

Standard is STANDARD DS6/FA-10R.

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.

(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.

AU** PT** & PD** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.


ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: ROCK R150

Data *fy* FA _____

DATE RECEIVED: OCT 28 2005

DATE REPORT MAILED: *Nov 25/05*





GEOCHEMICAL ANALYSIS CERTIFICATE

Almo Capital Corp. File # A504941
603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**
	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb	ppb	ppb															
OVF1	4	205	16	27	.6	154	37	341	3.89	5	<8	<2	<2	33	<.5	<3	<3	122	1.13	.020	1	259	1.71	64	.19	4	1.07	.13	.08	<2	4	27	16
OVF2	3	200	5	21	.5	133	41	332	3.66	6	<8	<2	2	24	<.5	<3	<3	86	.92	.022	1	254	1.79	59	.15	8	1.16	.08	.06	<2	3	7	3
OVF3	2	87	16	29	<.3	136	38	515	3.68	9	<8	<2	<2	28	<.5	4	<3	127	1.05	.026	1	260	2.89	43	.26	12	2.03	.08	.06	<2	6	15	8
OVF4	2	246	3	25	.4	216	53	377	3.77	5	<8	<2	<2	24	<.5	<3	<3	88	.87	.026	1	234	1.98	49	.17	5	1.35	.08	.06	<2	5	22	14
OVF5	3	424	5	21	.7	139	54	326	4.34	6	<8	<2	<2	30	<.5	<3	<3	84	1.00	.025	1	223	1.47	84	.15	7	1.11	.10	.07	<2	4	16	21
OVF6	1	325	<3	42	.6	198	71	591	4.24	7	<8	<2	<2	98	<.5	4	<3	92	1.09	.091	1	170	2.01	60	.18	5	1.81	.09	.07	<2	<2	13	13
OVF7	1	273	<3	38	.6	232	68	586	4.61	5	<8	<2	<2	44	<.5	<3	<3	62	.91	.037	1	240	2.60	61	.12	<3	1.11	.08	.05	<2	5	77	77
OVF8	1	214	<3	48	1.1	282	63	779	5.66	4	<8	<2	<2	29	<.5	<3	<3	64	.75	.023	1	258	3.32	78	.11	9	.82	.08	.05	<2	4	118	93
T3A1	2	73	<3	65	1.9	321	71	1388	6.97	6	<8	<2	3	36	<.5	3	<3	109	2.29	.058	8	518	3.04	172	.06	7	.97	.03	.05	2	2	14	8
T3A2	2	76	<3	39	1.1	465	77	816	5.93	4	<8	<2	<2	42	.5	<3	<3	42	.50	.048	3	455	6.34	136	.08	8	1.04	.04	.04	<2	4	5	6
T3A3	2	88	6	35	<.3	91	26	411	2.79	5	<8	<2	<2	35	<.5	<3	<3	69	.92	.085	5	134	1.36	105	.18	<3	1.14	.05	.08	<2	3	11	6
T3A4	2	104	<3	39	.5	119	34	499	3.40	3	<8	<2	<2	39	<.5	<3	<3	112	.95	.089	3	138	1.09	113	.20	8	.97	.05	.10	<2	2	6	7
T3A5	4	96	6	47	<.3	114	37	614	3.63	3	<8	<2	<2	36	<.5	<3	<3	94	.87	.092	3	172	1.36	106	.17	8	1.20	.04	.08	<2	<2	12	9
T3A6	1	124	<3	40	<.3	125	35	491	3.35	7	<8	<2	<2	47	<.5	3	<3	94	1.04	.091	3	157	1.52	123	.23	3	1.26	.05	.12	<2	<2	7	7
T3A7	4	84	11	41	.4	134	31	511	3.20	7	<8	<2	2	33	<.5	<3	<3	85	.86	.094	4	152	1.35	94	.16	7	1.19	.05	.10	<2	<2	12	11
T3A8	3	149	6	79	1.4	195	49	1303	5.99	3	11	<2	3	33	<.5	5	<3	188	.79	.105	5	245	1.35	146	.12	15	1.37	.03	.08	<2	<2	9	9
T3A9	3	158	4	51	1.0	138	40	670	4.16	4	<8	<2	2	34	<.5	<3	<3	137	1.02	.150	5	154	1.17	113	.17	14	1.11	.04	.07	<2	<2	7	3
T3A10	4	117	7	43	.5	133	34	502	3.36	4	<8	<2	2	29	<.5	<3	<3	89	.92	.107	4	148	1.54	98	.17	7	1.28	.03	.07	<2	<2	11	10
T3A11	1	142	<3	39	<.3	88	30	435	3.48	2	<8	<2	<2	38	<.5	<3	<3	110	1.02	.168	5	102	1.14	110	.15	4	.97	.04	.07	<2	<2	12	10
T3A12	5	171	3	67	.8	169	45	776	5.29	6	<8	<2	<2	38	.5	3	<3	142	1.15	.164	6	205	1.72	139	.12	5	1.53	.03	.06	<2	4	13	17
T3A13	5	240	<3	46	.5	145	44	526	4.08	<2	<8	<2	<2	27	<.5	<3	<3	108	.86	.154	4	134	1.02	99	.15	<3	.87	.03	.05	<2	<2	16	22
T3A14	5	186	6	39	.3	86	35	426	3.51	3	<8	<2	<2	36	<.5	<3	<3	133	1.01	.153	5	76	1.00	99	.18	6	1.02	.04	.08	<2	<2	4	3
T3A15	4	118	7	37	<.3	82	28	384	3.22	2	<8	<2	<2	51	<.5	<3	<3	112	1.27	.145	4	119	1.29	85	.21	6	1.22	.06	.10	<2	<2	11	10
T3A16	<1	138	4	53	.4	83	44	694	5.24	3	<8	<2	<2	65	<.5	3	<3	183	1.35	.149	4	186	2.25	86	.23	5	1.84	.09	.08	<2	<2	9	<2
T3A17	3	143	10	55	.9	65	33	650	4.42	6	<8	<2	2	66	<.5	3	<3	140	1.57	.224	7	112	1.93	109	.19	5	1.88	.06	.10	<2	<2	8	8
T3A18	2	131	4	46	.3	75	30	501	3.58	7	<8	<2	<2	52	<.5	<3	<3	107	1.32	.197	6	81	1.22	60	.17	7	1.40	.04	.07	<2	6	20	18
T3A19	2	126	10	40	.3	58	29	403	3.28	3	<8	<2	<2	47	<.5	<3	<3	99	1.30	.208	6	60	.93	73	.17	8	1.20	.05	.08	<2	<2	7	9
T3A20	5	128	4	40	<.3	50	25	446	3.41	<2	<8	<2	<2	50	<.5	<3	<3	101	1.35	.232	7	47	.73	122	.15	<3	1.07	.04	.08	<2	<2	2	2
T3A21	3	308	7	78	1.9	49	23	1034	5.15	4	<8	<2	2	33	<.5	<3	<3	132	.92	.169	10	58	.76	182	.11	10	1.09	.03	.09	<2	4	3	<2
T3A22	5	173	<3	83	1.6	65	32	1078	6.08	4	<8	<2	2	34	.6	<3	<3	198	1.13	.222	12	77	.95	211	.13	8	1.26	.02	.07	<2	6	<2	5
T3A23	4	187	6	45	.4	54	23	465	3.51	3	<8	<2	<2	36	<.5	<3	<3	115	.83	.163	8	59	.72	143	.16	5	1.00	.03	.09	<2	<2	4	2
T3A24	2	147	3	61	.6	47	26	818	4.21	3	<8	<2	<2	39	<.5	<3	<3	141	.69	.140	7	50	.57	150	.12	4	1.06	.02	.07	<2	<2	2	<2
T3A25	2	150	4	40	<.3	40	26	382	3.02	2	<8	<2	2	49	<.5	3	<3	95	1.22	.144	6	39	.59	137	.18	<3	1.17	.03	.09	<2	<2	<2	<2
RE T3A25	1	143	<3	38	<.3	38	25	364	2.88	<2	<8	<2	2	47	<.5	<3	<3	91	1.17	.139	6	38	.56	132	.17	<3	1.12	.04	.09	2	<2	<2	<2
STANDARD DS6/FA-10R	10	120	29	140	.3	24	10	690	2.79	23	<8	<2	3	39	5.9	4	5	55	.85	.078	14	184	.57	163	.08	17	1.89	.07	.15	4	474	477	478

GROUP 10 - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
AU** PT** & PD** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: ROCK R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns

Data FA DATE RECEIVED: AUG 23 2005 DATE REPORT MAILED: *Sept 8/05*



All results are considered the confidential property of the client. Acme assumes no liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD.
(I. 9001 Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716



GEOCHEMICAL ANALYSIS CERTIFICATE



Almo Capital Corp. File # A600632
603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
G-1	<1	2	3	43	<.3	3	4	522	1.86	2	<8	<2	3	52	<.5	3	<3	35	.52	.073	6	6	.60	202	.13	<3	.91	.05	.45	<2
OVF9	<1	3305	92	394	3.0	104	27	409	2.69	19	<8	<2	<2	28	7.0	5	<3	88	.72	.029	2	182	2.68	40	.19	<3	1.64	.05	.05	<2
OVF10	2	343	88	39	1.6	181	31	256	3.19	6722	<8	<2	<2	14	.5	11	8	39	.49	.021	2	166	1.63	24	.06	<3	.86	.04	.03	<2
OVF11	1	1192	18	61	1.9	214	33	261	3.23	22	<8	<2	<2	17	1.0	5	<3	40	.57	.023	2	186	1.59	27	.08	<3	.91	.05	.04	<2
STANDARD DS6	11	119	29	137	.4	24	10	668	2.87	20	8	<2	3	41	5.7	5	5	52	.87	.075	13	183	.59	158	.08	15	1.95	.08	.15	4

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: ROCK R150

Data 1 FA _____ DATE RECEIVED: FEB 13 2006 DATE REPORT MAILED: Feb 23/06.....





GEOCHEM PRECIOUS METALS ANALYSIS



Almo Capital Corp. File # A600632
 603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge

SAMPLE#	Au** ppb	Pt** ppb	Pd** ppb
G-1	<2	<3	<2
OVF9	3	19	24
OVF10	15	45	52
OVF11	109	332	348
STANDARD FA-10R	484	472	480

GROUP 3B - FIRE GEOCHEM AU, PT, PD - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
 - SAMPLE TYPE: ROCK R150

Data FA DATE RECEIVED: FEB 13 2006 DATE REPORT MAILED: Feb 17/06



GEOCHEMICAL ANALYSIS CERTIFICATE

Almo Capital Corp. File # A505361

603 E. 30th Ave, Vancouver BC V5V 2V7 Submitted by: David Bridge



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**	Pt**	Pd**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppb	ppb	ppb									
T7A1	2	115	<3	100	<.3	68	57	2521	10.47	8	<8	<2	2	36	1.0	<3	<3	275	1.59	.103	6	163	.58	121	<.01	8	1.06	<.01	.06	<2	<2	5	6
T7A2	1	41	3	90	.3	34	35	1497	6.73	18	<8	<2	2	72	.9	5	<3	192	4.24	.090	6	35	.94	83	<.01	8	.80	<.01	.09	<2	<2	<2	<2
T7A3	1	46	6	64	<.3	30	29	1957	6.69	15	<8	<2	<2	194	1.5	7	<3	163	10.50	.063	4	36	2.36	130	<.01	<3	.65	<.01	.10	<2	<2	2	3
RE T7A3	1	48	<3	67	.4	30	30	2003	6.84	19	21	<2	<2	198	1.3	9	3	168	10.85	.064	5	38	2.42	132	<.01	8	.66	<.01	.10	2	3	4	5
T7A4	2	77	<3	92	.4	39	39	2447	8.32	13	<8	<2	<2	94	1.3	6	<3	195	4.98	.081	7	33	1.17	135	<.01	7	.86	<.01	.12	<2	<2	<2	<2
T7A5	<1	60	3	91	.3	39	37	2146	7.36	16	<8	<2	2	52	1.6	5	<3	200	3.36	.089	8	38	.77	139	<.01	7	.96	<.01	.14	<2	<2	5	3
T7A6	3	85	4	97	.5	46	46	1977	7.35	15	<8	<2	2	45	1.2	3	8	180	1.81	.087	8	38	.82	123	<.01	9	.95	<.01	.18	<2	2	2	3
T7A7	1	81	7	95	<.3	41	43	2021	8.33	8	<8	<2	2	9	.8	<3	4	203	.25	.085	8	39	.23	107	<.01	6	1.08	<.01	.14	<2	<2	<2	3
T7A8	<1	59	<3	105	<.3	44	45	1785	9.06	2	<8	<2	2	8	1.0	<3	6	254	.24	.095	6	42	.26	75	<.01	4	1.04	<.01	.12	<2	<2	<2	3
T7A9	1	79	5	103	<.3	45	53	2014	8.30	2	<8	<2	2	19	.9	3	<3	215	.39	.085	5	37	.29	89	<.01	10	.95	<.01	.12	<2	<2	4	3
T7A10	1	51	<3	90	<.3	41	44	2057	8.29	4	<8	<2	<2	82	1.2	6	4	182	2.39	.088	4	30	1.49	111	<.01	7	.80	<.01	.10	<2	2	<2	4
T7A11	<1	33	<3	36	<.3	475	49	1651	5.07	10	<8	<2	<2	309	.7	3	4	116	8.14	.058	3	390	4.32	79	<.01	5	.55	<.01	.02	<2	<2	6	5
T7A12	1	107	<3	30	.4	1095	92	1434	5.87	9	<8	<2	2	102	.6	5	<3	90	2.38	.046	2	542	2.28	588	<.01	7	.93	<.01	.02	<2	2	9	7
T7A13	<1	60	<3	18	<.3	1045	79	1488	5.98	<2	<8	<2	<2	202	.8	5	3	97	4.81	.030	2	402	4.58	127	<.01	<3	.33	<.01	.01	<2	3	7	5
T7A14	<1	31	5	12	<.3	1029	70	1342	5.52	<2	<8	<2	<2	218	.5	7	3	63	5.99	.030	1	362	5.02	120	<.01	<3	.32	<.01	.01	2	2	9	6
T7A15	1	28	<3	14	.3	1478	106	1331	6.67	2	<8	<2	<2	117	.8	<3	<3	54	2.69	.027	1	419	5.04	101	<.01	9	.33	<.01	.01	<2	<2	7	7
T7A16	<1	26	<3	15	.5	569	51	1311	4.76	47	<8	<2	2	379	.7	15	<3	66	7.87	.018	1	300	4.73	84	.01	10	.56	.01	.02	<2	<2	9	8
T7A17	<1	39	<3	13	.5	857	74	1468	6.01	18	<8	<2	2	265	.9	10	4	66	5.61	.024	1	384	4.02	159	<.01	7	.40	<.01	.02	<2	<2	6	2
T7A18	<1	35	<3	21	<.3	537	54	1751	6.28	6	<8	<2	<2	239	1.0	10	3	94	7.75	.039	2	310	3.60	110	<.01	<3	.36	<.01	.03	<2	<2	8	5
T7A19	<1	19	<3	6	.4	720	48	1427	5.30	5	<8	<2	<2	456	.8	12	<3	49	12.87	.018	<1	298	6.91	164	<.01	<3	.24	<.01	.01	<2	2	3	4
T7A20	<1	18	<3	16	.5	603	39	1410	5.11	7	<8	<2	3	490	.7	14	7	61	11.69	.022	2	175	6.66	117	<.01	3	.24	<.01	.02	<2	<2	3	2
T7A21	<1	41	<3	51	<.3	123	34	1811	6.87	12	<8	<2	<2	475	.8	7	<3	151	8.27	.056	2	96	3.51	122	<.01	<3	.49	<.01	.04	<2	2	<2	<2
T7A22	<1	16	<3	30	<.3	296	31	1564	5.49	<2	<8	<2	<2	362	.7	3	5	109	8.46	.045	2	153	3.92	135	<.01	<3	.38	.01	.02	<2	<2	3	4
STANDARD DS6/FA-10R	11	123	29	143	.5	24	10	747	2.92	21	<8	<2	3	41	6.0	4	6	59	.81	.078	13	181	.64	147	.07	16	2.03	.07	.14	3	473	482	478

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: ROCK R150 AU** PT** PD** GROUP 3B BY FIRE ASSAY & ANALYSIS BY ICP-ES. (30 gm)
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: SEP 8 2005 DATE REPORT MAILED: Sept 26/05

