**ASSESSMENT REPORT ON**

**DRILLING AND TRENCHING**

**2003 TO 2005**

on the

**LAC LA HACHE PROPERTY**

Clinton Mining Division

Longitude 121˚ 17’ W, Latitude 51˚ 58’ N
NTS 92P/14W

Prepared for:

GWR Resources Inc.
P.O.Box 545
Armstrong, BC
V0E 1B0

Prepared by:

Brian Callaghan, B.Sc.
Geo-Crystal Exploration
989 Curtis Road
Kelowna, BC

September 2005

**TABLE OF CONTETS**


SUMMARY ……. iv

1.0 INTRODUCTION…….. 1

2.0 LEGAL DESCRIPTION AND PROPERTY STATUS…… 2

3.0 LOCATION, ACCESS AND INFRACTURE…… 2

4.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE…….. 2

5.0 PROPERTY HISTORY……. 3

6.0 2003 to 2005 WORK PROGRAM……. 3

7.0 GEOLOGICAL SETTING…….. 3

7.1 Regional Geology……. 3

7.2 Property Geology……. 4

7.3 Structure……. 5

7.4 Alteration and Mineralization……. 5

8.0 TRENCHING……. 6

8.1 Procedure……. 6

8.2 Results……. 7

9.0 DIAMOND DRILL PROGRAM……. 9

9.1 Procedure……. 9

9.2 Results…… 12

9.21 Harvey…… 12

9.22 Ann North…….. 13

9.23 98 Zone……. 18

9.24 Telegraph Corner…… 19

9.25 Peach 2 Zone…….. 20

9.26 Peach Melba/Peach Lake…… 21

9.27 Spout Lake, North and South…… 22

10.0 COMPILATION…….. 26

11.0 SAMPLE PREPARATION AND ANALYSES……. 27

12.0 INTERPRETATION AND CONCLUSIONS…….. 27

13.0 RECOMMENDATIONS……. 32

14.0 BIBLIOGRAPHY…….. 38

15.0 CERTIFICATE OF AUTHOR following page 42

APPENDICES

## LIST OF FIGURES


Figure 1. Location map of the Lac La Hache mineral claims following page 2
Figure 2. Claim map of the Lac La Hache property following page 2
Figure 3. Regional geology map of the Lac La Hache property following page 3
Figure 4. Regional Compilation, 1:10,000 in pocket
Figure 5. Spout Lake, North and South Zone, compilation, 1:1000 in pocket
Figure 6. Ann North compilation, 1:1000 in pocket
Figure 7. Location map of Peach 2 Zone trenches, 1:5000 following page 6
Figure 8a. Peach 2 Zone Compilation, 1:500 in pocket
Figure 8b. Peach 2 Zone- Copper gold assays from trench sampling program, 1:500 in pocket
Figure 8c. Telegraph Corner- Copper gold assays from trench sampling program, 1:500 in pocket
Figure 9. Peach Melba Compilation, 1:5000 following page 20
Figure 10 to Figure 42 are enclosed in the Appendix C.


## LIST OF TABLES


TABLE 1. Summary of trench sampling from Peach 2 Zone page 8
TABLE 2. 2003-2005 Diamond drill-hole specifications and sampling statistics page 9
TABLE 3. Summary of copper and gold drill-hole intersections page 24


## LIST OF APPENDICES


APPENDIX A. Mineral Tenure
Exploration history
APPENDIX B. Statement of expenditures

APPENDIX C.
Figure 10. Cross-section DDH 03-12 and 03-13, Harvey Zone, 1:1000
Figure 11. Cross-section DDH 03-11 and 03-13, Harvey Zone, 1:1000
Figure 12. Cross-section DDH 03-14 and 03-15, Harvey Zone, 1:1000
Figure 13. Cross-section DDH 03-16, Harvey Zone, 1:1000
Figure 14. Cross-section DDH 03-17, Harvey Zone, 1:1000
Figure 15. Cross-section DDH 04-18, Harvey Zone, 1:1000
Figure 16. Cross-section DDH 04-19, Ann North, 1:1000
Figure 17. Cross-section DDH 04-20, Ann North, 1:1000

Figure 18. Cross-section DDH 04-21, Ann North, 1:1000
Figure 19. Cross-section DDH 03-22, Ann North, 1:1000
Figure 20. Cross-section DDH 04-23, Ann North, 1:1000
Figure 21. Cross-section DDH 04-24, 98 Zone, 1:1000
Figure 22. Cross-section DDH 04-25, 98 Zone, 1:1000
Figure 23. Cross-section DDH 04-26, Ann North, 1:1000
Figure 24. Cross-section DDH 04-27, Ann North, 1:1000
Figure 25. Cross-section DDH 04-28, Ann North, 1:1000
Figure 26. Cross-section DDH 04-29, Ann North, 1:1000
Figure 27. Cross-section DDH 04-30, Ann North, 1:1000
Figure 28. Cross-section DDH 04-31 and 04-32, Telegraph Corner, 1:1000
Figure 29. Cross-section DDH 04-33, Peach 2 Zone, 1:1000
Figure 30. Cross-section DDH 04-34, Peach 2 Zone, 1:1000
Figure 31. Cross-section DDH 04-35, Ann North, 1:1000
Figure 32. Cross-section DDH 04-36, Ann North, 1:1000
Figure 33. Cross-section ANN-05-01, Ann North, 1:1000
Figure 34. Cross-section PL- 05-01, Peach Lake, 1:1000
Figure 35. Cross-section PM- 05-01, Peach Melba, 1:1000
Figure 36. Cross-section SPL- 05-01, Spout Lake, NZ, 1:1000
Figure 37. Cross-section SPL- 05-02 & 05-07, Spout Lake, SZ, 1:1000
Figure 38. Cross-section SPL- 05-03, Spout Lake, SZ, 1:1000
Figure 39. Cross-section SPL- 05-04, Spout Lake, SZ, 1:1000
Figure 40. Cross-section SPL- 05-05, Spout Lake, NZ, 1:1000
Figure 41. Cross-section SPL- 05-06, Spout Lake, SZ, 1:1000
Figure 42. Cross-section SPL- 05-08, Spout Lake, NZ, 1:1000

APPENDIX D Diamond drill logs
Analytical Procedures Cu, Au, 28-element ICP and whole rock analysis.
Diamond drill hole assay certificates
APPENDIX E Petrographic work by Kamloops Geological Services

**SUMMARY**

GWR Resources Inc. has conducted an extensive exploration program on their Lac La Hache property between October 2003 and May 2005 and has focused on re-evaluating numerous targets for their copper and gold potential in potassically altered alkalic intrusive and volcanic rocks and in magnetite-bearing skarn systems. The program has included a total of 36 holes drilled in seven areas. They include the Harvey, Ann North, 98 Zone, Telegraph Corner, Peach 2, Peach Melba-Peach Lake and Spout Lake for a total of 7670 metres. 1350 metres of trenching was completed in the Peach 2 zone and Telegraph Corner area. A regional compilation at a scale of 1:10 000 and detailed maps at 1: 1 000 scale of the Spout Lake, Ann North and Peach 2 showing and Telegraph Corner were also completed. The property is comprised of 29 mineral claims within the Clinton Mining Division in south-central British Columbia. The claim block consists of 222 units that cover an area of approximately 50 square kilometres and are located approximately 20 kilometres northeast of Lac La Hache. The claims are located on NTS map sheet 92P/14W with the approximate central coordinates of 51˚ 58' N latitude and 121˚ 17' W longitude.

The Lac La Hache property is underlain primarily by Late Triassic/Early Jurassic Nicola Group volcanic, volcaniclastic and subordinate sedimentary rocks that are affected by broadly coeval, small alkalic to calc-alkalic intrusions, Early to Middle Triassic Takomkane Batholith and Tertiary flood basalts. The Nicola Group rocks form a part of the island arch assemblage within a western margin of the Quesnellia Terrane (Intermontane Belt), a large trough extending for over a thousand kilometres from northern Washington to central British Columbia that hosts several important alkalic porphyry copper-gold deposits, copper-magnetite+/-gold skarns and numerous porphyry copper occurrences.

An airborne magnetic survey of the region in 1967 stimulated exploration activities in the late 1960's and early 1970's for porphyry copper-gold and copper-magnetite skarn mineralization hosted in altered Nicola Group intrusive and volcanic rocks of alkalic affinity. Many target areas including the Spout Lake skarn, Peach Lake-Peach Melba and Miracle were discovered during this early exploration phase.

Two styles of mineralization and associated alteration were recognized during the 2003-2005 drilling and trenching program confirming the observations and results of the previous exploration activity on the property. These two types are: 1. alkalic porphyry copper-gold and 2. copper-magnetite+/-gold skarn, the former associated with potassically altered mafic volcanic and intrusive rocks and the latter with calc-silicate altered (hornfels/skarn) mafic volcanic and related volcanic breccia, volcaniclastic, tuffaceous and sedimentary rocks. Most of the 36 drill holes have

intersected wide zones of alteration; however, copper and gold mineralized intercepts are generally narrow, low grade and lack strike and depth continuity. This is possibly due to structural displacements, interference by crosscutting porphyritic andesite dykes and locally, discontinuous and lensoidal in character, mineralized bodies.

The most significant results from the 2003/05 drill-program, expressed as weighted averages, are summarized in the table below, including only the assays >0.15% Cu over >8.0 m core length.

| Hole ID | Zone | From (m) | To (m) | Width (m) | Cu (%) | Au (g/t) |
|---|---|---|---|---|---|---|
| GWR-03-12 | Harvey | 38.82 | 63.09 | 24.3 | 0.17 | 0.04 |
| GWR-03-16 | Harvey | 68.40 | 76.55 | 8.15 | 0.22 | 0.07 |
| | | 187.22 | 197.30 | 10.08 | 0.18 | 0.06 |
| GWR-04-19 | Ann North | 24.10 | 54.10 | 30.00 | 0.45 | 1.10 |
| | | 76.10 | 86.30 | 10.20 | 0.18 | 0.18 |
| | | 106.75 | 120.85 | 14.10 | 0.31 | 0.20 |
| | | 154.85 | 260.15 | 105.30 | 0.29 | 0.33 |
| GWR-04-20 | Ann North | 10.35 | 20.19 | 9.84 | 0.17 | 0.08 |
| | | 86.60 | 102.00 | 15.40 | 0.16 | 0.09 |
| | | 215.78 | 234.30 | 18.52 | 0.22 | 0.23 |
| | | 244.92 | 254.92 | 10.00 | 0.17 | 0.05 |
| GWR-04-21 | Ann North | 56.10 | 69.25 | 13.15 | 0.46 | 4.57 |
| GWR-04-22 | Ann North | 55.86 | 103.40 | 47.54 | 0.26 | 0.09 |
| | includes | 55.86 | 63.20 | 7.34 | 0.76 | 0.12 |
| | | 176.10 | 206.70 | 30.60 | 0.26 | 0.09 |
| GWR-04-23 | Ann North | 36.60 | 47.10 | 10.50 | 0.71 | 0.25 |
| | | 255.00 | 319.20 | 64.20 | 0.22 | 0.01 |
| | | 363.20 | 390.55 | 27.35 | 0.19 | 0.07 |
| GWR-04-24 | Ann North | 169.80 | 181.90 | 12.10 | 0.34 | 0.10 |
| GWR-04-26 | Ann North | 26.50 | 45.10 | 18.60 | 0.19 | 0.08 |
| | | 88.25 | 119.25 | 31.00 | 0.21 | 0.40 |
| | | 237.00 | 257.00 | 20.00 | 0.19 | 0.22 |
| GWR-04-27 | Ann North | 217.10 | 250.48 | 33.38 | 0.24 | 0.42 |
| GWR-04-28 | Ann North | 289.00 | 307.00 | 18.00 | 0.25 | 0.08 |
| GWR-04-29 | Ann North | 128.00 | 148.30 | 20.30 | 0.25 | 0.13 |
| GWR-04-30 | Ann North | 232.00 | 250.50 | 18.50 | 0.22 | 0.42 |
| GWR-04-36 | Ann North | 37.50 | 50.00 | 12.50 | 0.49 | 0.10 |
| SPL-05-01 | Spout Lake /NZ | 34.1 | 56.7 | 22.60 | 0.23 | 0.03 |
| SPL05-01 | Spout Lake/NZ | 180.5 | 198.9 | 18.40 | 0.60 | 0.12 |
| | | 215.4 | 297.3 | 81.90 | 0.40 | 0.01 |
| SPL-05-02 | Spout Lake/SZ | 33.5 | 66.2 | 32.70 | 0.24 | 0.06 |
| | includes | 33.5 | 43.9 | 10.40 | 0.45 | 0.12 |
| SPL-05-04 | Spout Lake/SZ | 17.4 | 26.4 | 9.00 | 0.15 | |
| SPL-05-05 | Spout Lake/NZ | 305.5 | 327.5 | 22.00 | 0.64 | 0.05 |
| SPL-05-07 | Spout Lake/SZ | 38.60 | 50.30 | 11.70 | 0.40 | 0.28 |
| | | 79.5 | 91.5 | 12.00 | 0.45 | 0.18 |
| SPL-05-08 | Spout Lake/NZ | 81.4 | 102.9 | 21.50 | 0.21 | |

Results of the regional compilation have identified ten areas to follow-up with prospecting, geological mapping and detailed soil geochemical sampling to define new trenching and drilling targets. Recent road construction by logging companies has improved access and exposed outcrop in previously overburden-covered areas. Drilling and trenching in some areas have determined the causative source of copper-gold soil geochemical anomalies and associated conductors. It is expected that other geochemical and geophysical signatures that occur on the property that have not been followed up, will indicate significant areas of copper-gold mineralization.

Recently, an airborne multi-sensor geophysical survey was completed over the entire GWR Resources claim block with the anticipation that this technique will help to identify potassic alteration, magnetite enrichment/depletion zones and potential, associated copper-gold mineralization. Results of this survey in conjunction with the compilation work will help in defining and connecting target zones for immediate ground follow-up and subsequent trenching and drilling.

## 1.0 INTRODUCTION

GWR Resources Inc. has recently completed an extensive exploration program of diamond-drilling, trenching, lithogeochemical sampling, limited geological mapping and a regional and detailed compilation. The program was initiated in November 2003 and completed May 2005 to re-evaluate numerous explored target areas with copper gold alkalic porphyry and associated skarn type mineralization on their large claim block that covers an area of approximately 50 square kilometres. The claim block is located about 20 kilometres northeast of Lac La Hache, in central British Columbia (Figures 1 and 2).

This report documents 7,670 meters of diamond drilling in thirty-six holes (GWR-03-12 to 03-16, GWR-04-17 to 36, SPL-05-01 to 08, PM-05-01, PL-05-01 and AN-05-01) that were drilled on the Dora M.C., Dora 2, Peewee 3 and Ann 1 and 2 mineral claims. Drilling was conducted in the Harvey, Ann North, Telegraph Corner, Peach 2, Peach Melba/Peach Lake and Spout Lake, North and South Zone showings. 900 metres of trenching, geological mapping and rock-chip sampling were completed at the Peach 2 showing and 450 metres of trenching at Telegraph Corner.

The field supervision of the drill-program and core logging was carried out by the author in consultation with Geoquest Consulting and GWR Resource's management from November 2003 to May 2004. The management and supervision of the project, fieldwork and most of the core logging was carried out by the author in conjunction with GWR Resource's management from October 2003 to present. M. Morrison and D Taylor logged three holes in the Ann North and D. Duba logged six holes in the Spout Lake area.

Regional compilation was carried out by Geoquest Consulting until May 2004 and was completed by D & J Consulting in August 2005. Geospectrum Engineering was retained by the company to tabulate and process historical and current drill hole data using 3D graphical data and to identify areas that required infill drilling as well as to assist in designing future drill programs. The compilation involved compiling and digitizing drilling data from 1972 to present into an Excel database. Drill hole locations and their surface projections and other relevant geological, geochemical and geophysical surveys were plotted at a scale of 1:10 000 (Figure 4, in pocket of this report). A detailed compilation of the Spout Lake, Ann North and Peach 2 prospects was completed at a scale of 1:1000 and illustrated in Figures 5 to 7 (in pocket). Cross-sections for thirty-six drill holes are found in Appendix C (Figures 10 to 42). The core was split, sampled and packed by F. Marshall and shipped by Greyhound from 100 Mile House to Ecotech Laboratories

in Kamloops by the author. All core boxes are stored at the D.Fuller residence, a private property in Lac La Hache.

## 2.0 LEGAL DESCRIPTION AND PROPERTY STATUS

The current list of claims owned by GWR Resources Inc. is provided in the Appendix A. The Lac La Hache property is comprised of 29 contiguous modified grid and two-post mineral claims consisting of 222 units located approximately 20 km northeast of Lac La Hache in the Clinton Mining Division of south-central British Columbia (Figure 2). All claims have been located in accordance with the requirements of the Mineral Act of British Columbia and grouped together as a single group with a common anniversary date of 30 September. GWR Resources Inc has 100% ownership of 23 claims totalling 169 units. The remaining six mineral claims consisting of 53 units are 80 % owned by GWR Resources Inc and 20% by Peach Lake Resources Inc.

## 3.0 LOCATION, ACCESS AND INFRASTRUCTURE

The Lac La Hache property is located approximately 20 km north-northeast of the village of Lac La Hache, on Highway 97, and 400 km northeast of Vancouver, British Columbia (Figure 1). The property is situated within the Clinton Mining Division, on NTS map sheet 92P/14W. The approximate central coordinates are 51˚ 58' N latitude and 121˚ 17' W longitude.

The Lac La Hache property is accessible by approximately 30 kms of all-weather gravel roads from the village of Lac La Hache via Rail Lake or Timothy Mountain roads. Lac La Hache is located on Highway 97, and is serviced by BC Rail, BC Hydro and Westcoast Transmission natural gas. A larger supply centre is 100 Mile House, a town of 5,000 people, situated 26 km southeast on Hwy 97.


## 4.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE

The Lac La Hache property is situated in the Central Plateau of the Cariboo region, in south-central British Columbia. The topography of the region consists of moderately sloped hills and wide valleys, densely covered by forests of spruce, fir and pine. Approximately 40% of the forests have been clear-cut and replanted.Several lakes and numerous creeks and marshes provide a year-round water supply. The annual precipitation is from 500 to 1000 mm, most of which occurs during the winter months. Snow coverage is from 1 to 2 metres between November to April.




| | |
|---|---|
| J & D Consulting | GWR Resources Inc. |
| Lac La Hache Project | LOCATION MAP |

| Date: | Project: | Scale: | N.T.S.: | Mining Div: | Figure: |
|---|---|---|---|---|---|
| July 31/2005 | | as shown | B.C. | Clinton | 1 |




| | |
|---|---|
| J&D Consulting | GWR Resources Inc. |
| Lac La Hache Project | Claim Map |

| Date: | July 30/2005 | Project: | | Scale: | 1:100,000 | N.T.S.: | 092P/14W | Mining Div: | Clinton | Figure: | 2 |
|---|---|---|---|---|---|---|---|---|---|---|---|

## 5.0 PROPERTY HISTORY

Early exploration activity in the Lac La Hache area was initiated during the Cariboo Gold Rush in the 1890's and included prospecting for placer gold, and continued intermittently into the 1960's. In 1966, Coranex Syndicate conducted systematic exploration that included reconnaissance soil sampling, geological mapping, IP and magnetic surveys, followed by trenching and diamond drilling. This work resulted in the discovery of copper-gold mineralization hosted in Nicola Group intrusive rocks on the ANN 2 claim (Peach showing). In 1967, the GSC, Geophysics Division conducted an airborne magnetic survey over the region that resulted in delineation of a large annular magnetic anomaly, which spurred extensive exploration for alkalic copper-gold porphyry and related skarn systems throughout the area including. This resulted in the discovery of Spout Lake, Peach Melba, Miracle and other copper-gold occurrences within the Nicola Group rocks. GWR Resources Inc. acquired ownership of the Lac La Hache property in 1987.

The exploration history of various showings on the property, from 1971 to 2001, is summarized in the 403-101 report by Blann (2001), included in Appendix A.


## 6.0 2003 - 2005 WORK PROGRAM

The 2003-2005 exploration program included 7,670 meters of diamond drilling in thirty-six holes (GWR-03-12 to 03-16, GWR-04-17 to 36, SPL-05-01 to 08, PM-05-01, PL-05-01 and AN-05-01) that were drilled on the Dora M.C., Dora 2, Peewee 3 and Ann 1 and 2 mineral claims. The target areas for drilling included the Harvey, Ann North, Telegraph Corner, Peach 2 Zone, Peach Melba/Peach Lake and Spout Lake, North/South Zone showings. In addition, 900 metres of trenching, geological mapping and rock-chip sampling were completed at the Peach 2 showing and 450 metres at Telegraph Corner. A regional compilation at a scale of 1:10 000 and detailed compilations at 1: 1 000 scale of Spout Lake, Ann North and Peach 2 showings were also completed.

## 7.0 GEOLOGICAL SETTING

### 7.1 Regional Geology

The Lac La Hache property is situated within the western margin of the Quesnellia Terrane (Intermontane Belt) in the Canadian Cordillera (Figure 3). The Quesnellia Terrane is a northwest trending, more than one thousand kilometres in length structural trough that extends from




NOTE: Modified after GSC Map 1712A, CIMM Spec. Vol.15, Map 8, and Saleken and Simpson, 1984

G.W.R. RESOURCES INC.

LAC LA HACHE PROPERTY

**REGIONAL GEOLOGY**

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 3 |

northern Washington State to north-central British Columbia and is bounded to the west by the Pinchi Lake Fault system and to the east by a zone of strike-slip faults. It is underlain primarily by a Late Triassic to Early Jurassic, Nicola Group submarine to subaerial island arch assemblage composed of volcanic, volcaniclastic and related sedimentary rocks that have been intruded by broadly coeval, small alkalic to calc-alkalic intrusions (Preto, 1979) and Lower Triassic in age Takomkane Batholith (193.5 ma, Whiteaker, 1996). The batholith is approximately 50 km in diameter and is exposed in the northern part of the property and less than 2 km from the eastern claim boundary. The youngest rocks in the region are Tertiary flood basalts, which have been largely removed by Pleistocene glaciation.

The Nicola Group has been subdivided into four different lithological assemblages by Stanley et al. (1995); a western volcanic belt composed of mafic to felsic, calc-alkalic volcanic and volcaniclastic rocks, a central volcanic belt consisting predominantly of alkalic to calc-alkalic basalt and andesite flows, volcanic breccia and lahar; an eastern volcanic belt composed of alkalic intermediate and mafic flow and fragmental rocks and an eastern sedimentary assemblage of greywacke, argillite, tuff and limestone. Observed assemblages within the property suggest the correlation with the central and/or eastern volcanic belt (Whittaker, 1996).

The Intermontane Belt (Quesnellia Trough) hosts most of the important Mesozoic Cu-Au porphyry-style deposits and occurrences in the Canadian Cordillera, including Mount Milligan, Mount Polley, Ingerbelle, Galore Creek and Afton- Ajax (Figure 3).

### 7.2 Property Geology

Property geology is compiled in Figure 4 (in pocket) at a scale of 1:10 000, together with the regional compilation of geophysical and geochemical data and drilling from 1972 to 2005. Geological contacts are modified after Hodgson (1972, 1973), Asarco (1991) and Blann (2001) using recent drill-hole information.

The Lac La Hache property is underlain dominantly by Upper Triassic-Lower Jurassic Nicola Group volcano-sedimentary and intrusive rocks (map units 1 to 3). The volcanic assemblage (map unit 1) includes basalt and andesite flows, amygdaloidal and/or augite-plagioclase phyric andesite, andesite breccia and bedded mafic tuffaceous rocks, crystal tuff and lapilli tuff. Volcaniclastic and sedimentary rocks (map unit 2) consists of greywacke, siltstone, conglomerate, polymictic breccia and minor limestone (2a) mostly exposed in the northern and western part of the property. Skarn and calc-silicate altered equivalents of volcanic and sedimentary rocks are

map unit 3. The coeval, small alkalic stocks, dykes and sills of syenite, monzonite, quartz monzonite and diorite occur throughout the property (map units 4 and 5).

The Lower Jurassic Takomkane Batholith, granodiorite in composition, is exposed in the northern part of the Dora MC and Dora 3 and covers most of the Dora 1 and 2 claims (map unit 6). This pluton is unmineralized, relatively unaltered, and, therefore, presumed to be post-mineralization. Relatively fresh mafic volcanic rocks, assumed to be Tertiary in age, were mapped in the south and eastern part of the area (map unit 7). These consist of amygdaloidal and porphyritic mafic flows, unconformably overlying Nicola Group rocks.

### 7.3 Structure

The attitude of Nicola Group volcano-sedimentary rocks in the area is dominantly northwest with moderate to steep north easterly dips.

Mapped and inferred structures include north, northeast, west and northwest trending faults, joints and veins. Structural data from geological mapping, geophysical surveys and diamond drilling suggest strong structural control in localizing intrusive bodies, hydrothermal brecciation, alteration and associated porphyry copper-gold and copper-magnetite+/-gold skarn-style mineralization. Crosscutting relationships suggest that some of the jointing faulting post-dates alteration and mineralization (Whiteaker, 1996; section 9.27 of this report).

Campbell and Tipper (1971; p.78, Fig.5) have interpreted the multitude of pronounced, closely spaced topographic lineaments in the Lac La Hache area to represent block faulting dominated by northwest trending faults and subordinate north, northeast and east striking faults. However, some joint systems parallel the major lineaments and indicate no movement on the joints. Detailed structural information is lacking because of the insufficient bedrock exposure but apparently many of the inferred faults are sub vertical and displacement is believed to be minor.

### 7.4 Alteration and Mineralization

Nicola Group volcanic and intrusive rocks have, locally, undergone structurally controlled and/or pervasive hydrothermal alteration with closely associated copper-gold+/-magnetite mineralization. Numerous showings and occurrences have been discovered in the region since the late 1960's and early 1970's including the Harvey, Peach Melba, Peach 2, Ann North, Telegraph Corner, 98 Zone and Spout Lake, North and South (detailed in this report) and the previously explored NK, Miracle and Aurizon.

Two styles of mineralization are recognized on the Lac La Hache property. 1.akalic porphyry-copper-gold (i.e. Ann North, Harvey, NK and Miracle showings) and 2. skarn/calc-silicate hornfelse copper-magnetite+/-gold (i.e. Spout Lake, North and South Zones).

1. Alkalic porphyry-style Cu-Au mineralization occurs in areas underlain by small intrusive stocks, dykes and sills. The alteration associated with this style of mineralization is complex, variable in intensity and roughly zoned (Ann showing; Whiteaker, 1996). It consists of intense potassic alteration grading outward into areas of moderate potassic to strong propylitic alteration, which in turn, is surrounded by a large zone of moderate to weak propylitization.

Mineralization is both, fracture controlled and pervasive in character and intimately associated with moderate to intense potassic-propylitic alteration of intrusive rocks and adjacent volcanic rocks. It consists of chalcopyrite (trace to 2% average) and subordinate bornite, as fine to coarse grained disseminations, blebs, veins and stockwork, chalcocite as patches, veinlets and disseminations. Accessory sulphides are pyrite, molybdenite, pyrrhotite and tetrahedrite.


2. The alteration associated with skarn/calc-silicate style of Cu-magnetite+/-Au mineralization consists of variable (weak to strong), stratigraphically and fracture-controlled calc-silicate alteration to pervasive skarn development of volcanic rocks and their fragmental equivalents, volcaniclastic and related sedimentary rocks.

Sulphide mineralization consists of chalcopyrite-rare bornite and occurs as fine-grained disseminations to coarse-grained blebs, typically, in zones of high-grade magnetite and lesser pyrite. Less commonly chalcopyrite is found in narrow veinlets (<1 to 5 mm) with +/- pyrite+/-magnetite+/-calc-silicate minerals.

## 8.0 TRENCHING

### 8.1 Procedures

Trenching in the Telegraph Corner area of the Ann 1 and 2 mineral claims was conducted during the period August 20, 2004 to October 16 2004 and was initiated by the company's management by the discovery of malachite staining in the road-bed of the Old Mine Road just east of Telegraph Corner. 18 trenches were dug for a total of approximately 434 metres and 278 samples were collected, tagged and sealed by D. Taylor and shipped to Eco-Tech laboratories Ltd. Sampling was conducted initially on 1metre chip sample spacings from the two initial




| | |
|---|---|
| J&D Consulting | GWR Resources Inc. |
| Lac La Hache Project | Peach 2 Zone Trenches |

| Date: | Project: | Scale: | N.T.S.: | Mining Div: | Figure: |
|---|---|---|---|---|---|
| Aug.30/2005 | | 1:5000 | 092P.094 | Clinton | 7 |

trenches dug across the Old Mine Road. The remaining trenches were sampled on 2 metre spacings. Assay results have been plotted and the interpretation of these results is ongoing (Figure 8c.)

Between 4 and 31 October 2004, 900m of trenching was conducted in 22 trenches located off the Mine road in the Peach 2 Zone. The Peach 2 Zone is situated approximately 650 metres to the west of the Telegraph Corner and 1.5 kilometres south-west of the Ann North in the southeast corner of the Ann 2 mineral claim (Figure 7). The centre of the trenched area is accessed along a previously disturbed access trail developed in 1972 by Amax Explorations Ltd.

The equipment used for trenching, reclamation and building of access trials included a Coring Banton 266 with a one-yard bucket and a John Deere 450 long track LGP using a 3.05 metre wide blade.

Trenches were located and excavated under the supervision of GWR Resources Inc. in conjunction with the author. The average trench was approximately 30 m in length and 1.5 m in depth. Areas of deeper (> 4 m) overburden were back filled. Approximately 250 metres of trenching were not backfilled in sampled areas where exposed bedrock was at, or close to surface.

Detailed mapping of sixteen trenches on the south side of the Mine road in the Peach 2 Zone were completed at a scale of 1:500 to the west of and in close proximity, to traverse line 16+00E, 3+00N (Figure.8a). 174 continuous chip samples were taken in the excavated trenches in addition to six grab samples. Each chip sample was taken over a 2-m sample interval along the length of the trench from exposed outcrop along the sides walls of the trenches. Sample material was placed in a plastic sample bag, numbered and sealed with zipper ties. Location of sample intervals were flagged and labelled along trench walls. Assay values for copper and gold from the rock chip-sampling program are plotted on (Figure 8b). Significant values (% Cu and g/t Au) are summarized in Table 1.

### 8.2 Results

Trenching was conducted over an area of exposed gossan in fine-grained, grey, micro-monzodiorite with visible malachite, pyrite and chalcopyrite mineralization. The gossan occurs on the edges of a northeast trending magnetic high anomaly coincident with a northeast trending copper-gold geochemical anomaly in soils and a northeast trending IP chargeability anomaly that was recommended for drilling by Lloyd Geophysics Inc. in 1991.

The trenching program exposed highly fractured and locally sheared intermixed volcanic tuff breccia, flows and grey to pink to green monzo/diorite/syenodiorite cut by northeast trending (020˚), vertically dipping Tertiary amygdaloidal basaltic flows. Alteration including secondary K-feldspar, magnetite and biotite is most intense within the highly fractured contact zones between the diorites/syenite intrusives and volcanic flows. Pyrite and pyrrhotite mineralization occurs within veinlets and fracture planes and as fine-grained disseminations in the volcanic flows. Up to 1.5% chalcopyrite occurs as scattered, 1-2 mm blebs associated with epidote, magnetite and as fracture-fill in 1mm veinlets in epidote and locally potassic altered monzodiorite.

The assay results for copper and gold range from 0.02 to 0.34% Cu and <0.03 to 2.25g/t Au, respectively. The highest value was recorded from a 2-metre continuous chip sample that assayed 0.34% Cu and 2.25 g/t Au. The sample was taken across the sheared diorites within a northeasterly fault, traceable for approximately 150 metres, in the most easterly north-south trench No 2.

Sporadic pyrite (0.05-2%) and chalcopyrite (<0.1-1.5%) mineralization with locally trace bornite can be traced (east to west) across the width of the trenched areas for approximately 45 metres and extends in a northeast/southwest direction for approximately 150 metres as indicated from assay results of the rock-chip sampling program (Figure 8b).

Evaluation of geophysical data in conjunction with geological mapping and sampling of the trenches indicates that the northeast mineralized zone appears to be spatially related to a northeast plunging 700 metre IP high chargeability anomaly that may represent an offset mineralized extension of the NK Zone, 700 metres to the northeast.

| Trench ID | Zone | From (m) | To (m) | Width (m) | Cu (%) | Au (g/t) |
|---|---|---|---|---|---|---|
| Trench 1 | Peach 2 | 2.00 | 26.00 | 24.00 | 0.12 | 0.14 |
| Trench 2 | Peach 2 | 32.00 | 60.00 | 28.00 | 0.07 | 0.22 |
| | | 66.00 | 74.00 | 8.00 | 0.08 | 0.26 |
| | | 84.00 | 90.00 | 6.00 | 0.19 | 0.84 |
| | Includes | 84.00 | 86.00 | 2.00 | 0.34 | 2.25 |

TABLE 1. Peach 2 Zone-results of trench sampling.

## 9.0 DIAMOND DRILL PROGRAM

### 9.1 Procedure

A total of 7,670.3 meters of diamond drilling was completed on the Lac La Hache property between November 2003 and May 2005, in thirty six holes, GWR-03-12 to 03-16, GWR-04-17 to 36, SPL-05-01 to 08, PM-05-01, PL-05-01 and AN-05-01, in seven areas (Harvey, Ann North, Telegraph Corner, Peach Melba/Peach Lake, Peach 2, 98 Zone and Spout Lake, North and South Zones). 2,403 drill-core samples and 11 core samples for whole rock analysis and magnetic separation were selected for assaying and shipped to Eco-tech Laboratories for analysis (detailed in the following section 10.0). Diamond-drill hole specifications and sampling statistics are summarized below, in Table 2.

**TABLE 2. 2003-2005 diamond drill-hole specifications and sampling statistics.**

| Hole ID | Zone | UTM (NAD 83) | | Elev. (m) | Az. (deg) | Dip (deg) | Length (m) | Sample Number | No. | Certificate of Assay, ICP. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | East | North | | | | | | | |
| GWR 03-12 | Harvey | 615558 | 5759313 | 1170 | 310 | -45 | 65.35 | 196120-133 | 14 | AK3 642a, 642 |
| GWR 03-13 | Harvey | 615546 | 5759355 | 1170 | - | -90 | 114.30 | 196113-119 | 7 | AK3 642a, 642 |
| GWR 03-14 | Harvey | 615743 | 5759367 | 1186 | 209 | -45 | 62.48 | 196134-143, 196152-162 | 21 | AK3 642a, 642 |
| GWR 03-15 | Harvey | 615738 | 5759276 | 1186 | 209 | -50 | 172.82 | 196163-196228 | 66 | Ak3 629a, 629 |
| GWR 03-16 | Harvey | 615412 | 5759322 | 1183 | 209 | -55 | 249.33 | 196229-268 6401-6444 | 83 | AK3 629a, 629 AK3 027a, 027 |
| GWR 03-17 | Harvey | 615412 | 5759328 | 1183 | 40 | -50 | 65.23 | 6445-6459 | 15 | AK4 088a, 088 |
| GWR 03-18 | Harvey | 615138 | 5759108 | 1191 | 209 | -50 | 217.93 | 6462-6486 | 25 | AK4 088a, 088 |
| GWR 04-19 | Ann North | 616143 | 5759285 | 1175 | 180 | -65 | 363.63 | 6487-6632 | 146 | AK4 088a, 008, AK4 112a, 112 |
| GWR 04-20 | Ann North | 616186 | 5759287 | 1154 | 180 | -70 | 415.44 | 6633-6750, 7801-7826, 196269-281 *274 missing | 156 | AK4 128a, 128 AK4 133a, 133 AK4 150a, 150 AK4 150a, 150 |
| GWR 04-21 | Ann North | 616143 | 5759285 | 1175 | 330 | -45 | 199.03 | 6801-6894, 6808A, 14A | 97 | AK4 207a, 207i, AK4 207 |
| GWR 04-22 | Ann North | 616096 | 5759278 | 1178 | 180 | -65 | 259.75 | 8024-8100, 6751-6781 | 108 | AK4 175a, 175 AK4189a, 189 |
| GWR 04-23 | Ann North | 616065 | 5759211 | 1185 | 180 | -55 | 425.91 | 7827-8023 | 197 | AK4 150a, 150i AK4 168a, 168i AK4 175a, 175i AK4 174a, 174 |
| GWR 04-24 | 98 Zone | 616070 | 5758890 | 1230 | 230 | -50 | 349.60 | 6895-6900, 6781-6800, 8351-8388 | 64 | AK4 257a, 257 |
| GWR 04-25 | 98 Zone | 616105 | 5758752 | 1285 | 230 | -50 | 206.40 | 8389-8400, 3001-3009 | 21 | AK4 285a, 285 |
| GWR 04-26 | Ann North | 616173 | 5759319 | 1152 | 180 | -65 | 309.68 | 14101-254 | 154 | AK4 278a, 278 AK4 285a, 285 AK4 325a,325 |
| GWR 04-27 | Ann North | 616221 | 5759382 | 1148 | 180 | -65 | 332.23 | 4255-3001 5000-078 | 125 | AK4 354a, 354 |
| GWR 04-28 | Ann North | 616092 | 5759334 | 1160 | 180 | -60 | 342.29 | 15079-198 | 120 | AK4 772a, 772 AK4 881a, 881 |
| GWR 04-29 | Ann North | 616115 | 5759286 | 1160 | 180 | -65 | 264.26 | 15201-241 | 41 | AK4 939a, 939 |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| GWR 04-30 | Ann North | 616248 | 5759300 | 1155 | 180 | -65 | 282.00 | 15251-15342, 15351-15370 | 112 | AK4 938a, 938<br>AK4 919a, 919 |
| GWR 04-31 | Telegraph C. | 616448 | 5757968 | 1415 | 1411 | -90 | 78.33 | 44638-650, 46501-521 | 34 | AK 1916a |
| GWR 04-32 | Telegraph C. | 616437 | 5758013 | 1410 | 160 | -45 | 137.45 | 46522-533 | 12 | AK4 1916a,<br>AK4 1761a, 1761i |
| GWR 04-33 | Peach 2 | 615797 | 5747794 | 1435 | 115 | -45 | 207.87 | 46636-700, 44701-740 | 104 | AK4 1916a, 1945a<br>AK4 1890a, 1890i |
| GWR 04-34 | Peach 2 | 615765 | 5757855 | 1388 | 115 | -45 | 193.85 | 44741-800, 47151-157 | 67 | AK4 1977a, 1977i |
| GWR 04-35 | Ann North | 616530 | 5759481 | 1133 | 140 | -55 | 121.92 | 47179-47233 | 55 | AK4 2006a |
| GWR 04-36 | Ann North | 616528 | 5759528 | 1140 | 320 | -55 | 96.01 | 47234-47274 | 41 | AK5 001a |
| SPL-05-01 | Spout Lake/N | 611862 | 5761252 | 1109 | 220 | -65 | 301.1 | 47301-380 | 80 | AK5 165a, 165i<br>AK5 216a, 216i<br>AK5 217a, 217i<br>AK5 242a, 242i |
| SPL-05-02 | Spout Lake/S | 611967 | 5760821 | 1130 | 245 | -55 | 276.1 | 47381-400, 46757-789 | 53 | AK5 262a, 262i |
| SPL-05-03 | Spout Lake/S | 611893 | 5760704 | 1125 | 245 | -50 | 139.6 | 54501-54540 | 40 | AK5 306a, 306i |
| SPL-05-04 | Spout Lake/S | 611729 | 5760834 | 1140 | 245 | -55 | 115.2 | 46790-800, 54551-589 | 50 | AK5 327a, 327i |
| SPL-05-05 | Spout Lake/N | 611770 | 5761108 | 1120 | 40 | -71 | 331.3 | 54590-601, 54603-650 | 60 | AK5 370a, 370i<br>AK5 346a, 346i |
| SPL-05-06 | Spout Lake/S | 611829 | 5760934 | 1130 | 350 | -50 | 129.8 | 54901-54940 | 40 | AK5 325a, 325 |
| SPL-05-07 | Spout Lake/S | 612011 | 5760848 | 1138 | 245 | -55 | 279.8 | 54941-999, 61401-414 | 73 | AK5 457a, 457i<br>AK5 456a, 456i |
| SPL-05-08 | Spout Lake/S | 612075 | 5760929 | 1142 | 267 | -50 | 215.5 | 61415-61468 | 54 | AK5 456a, 456i |
| PM-05-01 | Peach Melba | 614026 | 5760132 | 1050 | 30 | -50 | 176.17 | 46706-46756 | 51 | AK5 242a, 242<br>AK5 246a, 246 |
| PL-05-01 | Peach Lake | 613946 | 5759917 | 1070 | 220 | -50 | 53.95 | 46701-46705 | 5 | AK5165a, 165i |
| AN-05-01 | Ann North | 616320 | 5759520 | 1100 | 180 | -50 | 123.44 | 47285-47296 | 12 | AK5 165a, 165i |

## 9.2 Results

### 9.21 Harvey Zone

**Procedure**

Seven NQ2 diamond drill-holes including, DDH03-12 to 03-18, totalling 947.50 m, were completed in the Harvey Zone between 20 October 2003 and 17 February 2004 by Al Harvey Diamond Drilling of Clinton, B.C. Drill hole locations are shown on the regional compilation (Figure 4) and specifications are summarized in Table 2.

**Results**

DDH03-12, 03-13, 03-14, 03-15, 03-16, 04-17 and 04-18.were collared between the Peach Melba Zone situated to the north-west and the 98 Zone to the southeast. Holes were drilled to the southeast of a series of 15-25 metres wide, northwest trending (290˚)**,** copper-gold mineralized zones that are thought by Barker (2003) to represent a northeast dipping mineralized extension of the Peach Melba zone that runs to the southeast at 120˚ into the Ann North Zone. Holes were drilled on, or near, a large total field magnetic anomaly defined by 60,000 and 61,000 nT contours. The drill program was also designed to intersect an interpreted east-west trending copper-gold mineralized fault zone closely associated with both potassic and propylitic alteration just north of the 2002 drill-program in the Harvey Zone (Baker, 2002).

**DDH 03-12** (Appendix C, Figure 10.)

DDH03-12 was drilled as part of the 2003 fall drill- program (Barker, 2003). The hole returned values of 0.17% Cu over 17.15 m (45.25-65.35 m).

**DDH 03-13** (Appendix C, Figure 10.)

DDH03-13 was drilled vertically from the same collar as DDH03-12 to test for copper-gold mineralization in DDH 03-12, north of the east-west fault. No significant mineralization was intersected.

**DDH 03-14** (Appendix C, Figure 12.)

Hole 03-14, was collared approximately 230 m to the northeast of hole 03-11, was designed to intersect a northeast trending inferred fault on the edges of a magnetic low situated just to the north of the east-west trending fault zone. The hole did not intersect any significant mineralization.

**DDH 03-15** (Appendix C, Figure 12.)

DDH03-15 was collared approximately 75 metres to the south of hole 03-14 to intersect two interpreted northwest trending faults just north of a magnetic low. The only significant mineralization was intersected from 135.45 to 136.45 m that assayed 0.48% Cu over 1.0 m.

**DDH 03-16** (Appendix C, Figure 13.)

DDH 03-16 was collared 150 metres west of DDH 03-11 and was drilled to the southwest from the edge of a magnetic high anomaly, through the east-west fault, and into a coincident magnetic low and copper-gold soil anomaly. The hole intersected mineralization between 68.40 and 76.55 m (8.15 m) and between 181.22 and 197.30 m (12.08 m) that assayed 0.22% Cu, 0.07 g/t Au and 0.18% Cu, 0.10 g/t Au, respectively.

**DDH 04-17** (Appendix C, Figure 14.)

DDH 04-17 was drilled to the northeast from the collar of DDH 03-16 and did not intersect any significant mineralization.

**DDH 04-18** (Appendix C, Figure 15.)

DDH 04-18 was collared approximately 350 m to the southwest of hole 04-17and drilled to the south to intersect east-west and northwest faults and coincident anomalous copper and gold values in soils. The hole did not intersect any significant mineralization.

### 9.22 Ann North

#### Procedure

Thirteen NQ holes, DDH 04-19 to 04-23, 04-26 to 04-30, 04-35, 04-36 and AN 05-1, totalling 3535.6m, were drilled in the Ann North Zone by Frontier Drilling of Kamloops, BC, between 20 February 2004 and 14 March 2005. Drilling targeted a large zone of potassic altered and brecciated, copper-gold porphyry style mineralization hosted in quartz monzonites. Significant copper–gold mineralization in the Ann North zone was initially discovered By GWR Resources during a program of diamond drilling (Wild and Blann, 2000). The porphyry is interpreted to be a late phase, deep intrusion into a large alkalic intrusive–volcanic complex. Drill-holes were collared within a 1-kilometre in diameter anomalous magnetic low, a low to moderate induced polarization chargeability effect of 4millisecs to the south and east, as well as, northeast trending copper geochemical soil anomalies with associated gold geochemical soil signatures to the north.

The drill-hole collars with traces of these holes projected to surface are found on the compilation map of the Ann North area together with historical drill holes at a scale of 1:1000 and shown on Figure 6. (In the pocket of this report). The most significant assay results for copper and gold expressed as weighted grade averages are summarized in Table 3.

Kamloops Geological Services (unpublished report R. Wells, 2005) conducted petrographic studies on one drill core sample from the Ann North. It was confirmed that altered rocks from the Ann North zone represent a high level felsic crowded feldspar porphyry intrusion with interstial quartz and potassium feldspar. Textures suggest injection of late silica rich fluids into a crystal fractionate.

Copper-gold mineralization occurs along a series of northeast trending sub parallel lenses that extend approximately 200 metres with variable widths of 10 to 15m and up to 35metres. The zones dip steeply to the north, northwest and appear to be displaced along northwest trending faults.

**Results**

**DDH 04-19, 04-21 and 04-28** ( Appendix C, Figures 16, 18 & 25.)

Drill-hole 04-19, 04-21 and 04-28 were collared on the same section and were designed to test for longer intervals of higher grade copper mineralization associated with intense potassic altered porphyritic quartz monzonite between holes 00-15 and 00-16. DDH 00-15 returned 0.20% Cu and 0.30 g/t Au over 125 m between 71.0 and 196.0 m (Wild, 2000).

DDH 04-19 intersected four zones of Cu-Au mineralization with the longest interval showing continuity to the southwest to hole 00-15 but not to the northeast to DH 04-26 suggesting that the mineralized zone may have been displaced to the north along a northerly fault. The most significant widths and copper and gold values are from 24.10 to 54.10 m and from 154.85 to 260.15 m assaying 0.45%Cu and 1.10 g/t Au over 30.0 m and 0.29% Cu and 0.33 g/t Au over 105.3 m, respectively. The most significant copper and gold mineralization appears to be hosted in more intensely fractured, grey quartz stockwork development associated with chalcocite, chalcopyrite, bornite and pyrite.

DDH 00-21 was drilled in an untested area to the northwest from the collar of DDH 04-19 and intersected a zone of mineralization between 56.10 and 69.25 m (13.15 m) that assayed 0.46% Cu and 4.56 g/t Au including significantly higher grade gold values of 47.1 g/t Au and 3.76% Cu over 1.15 m and 3.02 g/t Au and 0.25% Cu over 1.5 m (66.60-69.25 m). The host rock is highly fractured and faulted monzonite with up to 2% chalcocite.

DDH 04-28 was located approximately 50 metres to the north of the DDH 04-19 and drilled to the south. It was collared into highly fractured and faulted, variably potassically altered quartz monzonite, cut by a series of steeply dipping, porphyritic andesite dykes. A northeast striking fault is interpreted to form the contact with porphyritic monzonite phases to the south. Three narrow zones of copper-gold mineralization were intersected with the longest from 289.0 to 307.0 m that carried 0.25% Cu over 18.0 m.

**DDH 04-20** (Appendix C, Figure 17.)

DDH 04-20 was drilled to the south from the collar of DDH 00-16. Five narrow zones of weak to moderate copper-gold mineralization were intersected in what may represent a fairly deep and extensive northeast striking, steeply dipping, mineralized zone associated with potassic altered porphyritic monzonite. The finer-grained potassic-altered quartz monzonite recorded values of 0.23% Cu, 0.15 g/t Au between 274.92 and 280.92m over 6 meters at the contact with an augite-plagioclase porphyry dyke.

**DDH 04-22** (Appendix C, Figure 19.)

DDH 04-22 was drilled south, approximately 40 m to the north and 35 m to the west of DDH 00-15. Fine-grained, brecciated quartz monzonite with potassic-altered intrusive fragments supported in a grey-black quartz matrix assayed 0.76% Cu and 0.12 g/t Au over 7.34 m between 55.86 and 63.20m. The oxidized portions of the porphyritic phases of the quartz monzonites assayed 0.23% Cu and 0.16 g/t Au over 12 m between 78.10 and 90.11 m. Both of these zones are part of a larger mineralized interval that returned 0.26% Cu and 0.09 g/t Au over 47.55 m (55.86-103.40 m). Values of 0.26% Cu and 0.08 g/t Au over 32.6 m were recorded from 174.1 to 206.7m including 8.9 m (176.1-185.0 m) of 0.56% Cu and 0.13 g/t Au at the lower contact between andesitic porphyry and sheared highly fractured, potassic altered quartz monzonite breccia.

**DDH 04-23** (Appendix C, Figure 20.)

DDH 04-23 was drilled south approximately 80 m to the north of the collar of DDH 00-14 and 50 m to the west of DDH 04-22. The hole intersected six mineralized zones, some of which remain open to the south and west. The highest copper values include 10.5 m of 0.71% Cu and 0.25g/t Au between 36.60 and 47.10 m and the longest mineralized zone is from 255.0 to 319.2 m that carried 0.22% Cu over 64.20 m. The former is hosted in potassically altered, limonitic and brecciated quartz monzonite with multi-stage, grey-black tourmaline-magnetite-chalcocite-

chalcopyrite veins and stringers. Similar bleached, fine-grained, brecciated monzonite with goethite, native copper, and chalcocite assayed 0.25% Cu and 0.37 g/t Au over 6.90 m between 58.40 and 65.30 m.

**DDH 04-26** (Appendix C, Figure 23.)

DDH 04-26 was collared approximately 50 m to the northeast of DDH 04-19 and drilled to the south to test for continuity of high grade copper and gold intercepts of 4.38 g/t Au and 1.04% Cu over 4.0 m recorded close to surface in DDH 04-19. It was also testing for an extension of mineralization in DDH 04-21, located to the southwest (0.64% Cu and 7.17 g/t over 8.45 m). The hole collared into a fault that may represent a northwest extension of major northwest faulting through DDH 00-18 and DDH 00-17 to the south and east.

The hole intersected five narrow mineralized zones associated with increased grey quartz-carbonate fracturing in hydrothermally brecciated, crowded plagioclase porphyritic andesite. The most significant zones were from 88.25 to 119.25 m that carried 0.21% Cu and 0.40 g/t Au over 30.0 m and from 107.25 to 119.25 m that carried 0.23% Cu and 0.27g/t Au over 12.0 m. Assay values of 0.19% Cu and 0.22g/t Au between 237.0 and 257.0 m over 20.0 m were also recorded near the contact with biotite monzonite. A magnetic, mafic diorite phase with large rounded to sub-rounded fragments within the quartz monzonite were encountered between approximately 253.0 and 276.0 m indicating a possible mixing of phases along contacts.

**DDH 04-27** (Appendix C, Figure 24.)

DDH 04-27 was collared in an untested area approximately 70 m northeast of the collar of DDH 04-26. The hole was drilled to the south and intersected highly fractured intrusive breccia cut by plagioclase porphyritic dykes before intersecting multistage grey quartz carbonate vein breccia zones in quartz monzonite with chalcopyrite and chalcocite. Three narrow mineralized zones were intersected from 178.48 to 181.25 m that assayed 0.80% Cu and 0.76 g/t Au over 2.77 m, between 217.1 and 250.48 m that assayed 0.24% Cu and 0.42 g/t Au over 33.38 m and a zone closer to the bottom of the hole, that assayed 0.18% Cu and 0.20 g/t Au over 7.88m between 309.75 and 317.75 m. Higher values were recorded in both the porphyritic and non-porphyritic phases of the quartz monzonite at contact margins with more intense potassic-altered crowded plagioclase porphyry and associated tourmaline. The potassically-altered porphyry is possibly open to the northeast.

**DDH 04-29** (Appendix C, Figure 26.)

DDH 04-29 was collared on the same section as DDH 04-15 and was drilled 80 m to the north of DDH 00-15 to test for continuity of copper-gold mineralization that included values of 0.20% Cu and 0.30 g/t Au over 125.0 m between 71.0 and 196.0 m. Two narrow, sub- vertical, potassic altered, porphyritic quartz monzonite zones were intersected from 70.4 to 78.0 m and from 128.0 to 148.3m assaying 0.25% Cu and 0.27g/t Au over 7.6 m and 0.25% Cu and 0.13g/t Au over 20.3 m, respectively. Drilling did not undercut longer intervals of copper and gold mineralization in hole 00-15 suggesting that the mineralized zone is narrower and steeply dipping.

**DDH04-30** (Appendix C, Figure 27.)

DDH 04-30 was collared on the same section as DDH 00-17, 50 m to the north and drilled to the south to test the depth continuity of copper-gold mineralization that assayed 0.28% Cu and 0.34 g/t Au over 35.4 m in hole 00-17. DDH 04-30 intersected mineralization from 232.00 to 250.50 m that carried 0.22% Cu and 0.42g/t Au over 18.5 m. The monzonite-porphyry contact in hole 04-30 maybe the same northern contact seen near the middle of DDH 04-27 indicating possibly, a right lateral displacement of the potassically altered porphyritic monzonites by a northwest trending fault.

**DDH 04-35 and 04-36** (Appendix C, Figures 31, 32.)

DDH 04-35 and 36 were collared approximately 380 m to the northwest of the collar of DDH 00-17 that recorded values of 0.28% Cu and 0.34g/t Au over 35.4 m. Both holes were collared in an area of low magnetic susceptibility and coincident copper-gold soil geochemical anomalies intersected by several interpreted northwest trending faults.

DDH 04-35 was drilled to the southeast approximately 90 m northwest of the collar of DDH 00-24 that intersected a narrow copper gold mineralized zone between 62.2 and 64.0 m that assayed 2.95% Cu and 5.01g/t Au over 0.8 m in a stockwork of quartz+/-calcite with 10% chalcopyrite. DDH 04-35 intersected a narrow fracture zone between 9.0 and 15.0 m that assayed 0.33% Cu and 0.10 g/t Au over 2.0 m. This structure, infilled with chalcopyrite and associated grey quartz, potassium feldspar, tourmaline, epidote and magnetite, is possibly the source of the anomalous copper-gold values in the underlying soils at the collar.

DDH 04-36 was collared approximately 15 m to the south and west of DDH 04-35 and drilled to the northwest and intersected 5.7 m of 0.96% copper and 0.18 g/t gold associated with grey quartz, amethyst, tourmaline, magnetite, chlorite, sericite in an envelope of orange K-feldspar alteration in weak, pervasive, potassically altered monzodiorite. DDH 04-36 was shutdown due to cave in highly fractured and faulted monzodiorite at 96.0 m.

**AN 05-1** (Appendix C, Figure 33.)

DDH AN 05-1 was collared approximately 180 m to the north-east of hole 04-27 and drilled to the south to test continuity of the potassic-altered porphyritic intrusive from the southwest. The hole intersected highly fractured and faulted variably propylitic/potassic altered quartz monzonite and diorite. No significant mineralization was encountered.

### 9.23 98 Zone

#### Procedure

A total of 555.64 m of diamond drilling was completed just north of the 98 Zone in the northeast corner of the Ann 2 mineral claim. Drilling was done by Frontier Drilling of Kamloops, BC, between 19 and 21 April, 2004, under the supervision of GWR Resources Inc. management who spotted the drill pads.

#### Results

#### DDH 04-24 and 04-25

DDH 04-24 and 25s were designed to intersect copper gold mineralization in the 98 Zone. The two holes were collared approximately 100 m apart, south and east of DDH 00-13, in an area underlain by a 5 to 10 millisecond chargeability anomaly and were drilled to the southwest to test the strike extent of a possibly mineralized northwest striking fault system. The structure is interpreted to pass through to the east of the 98 Zone and to connect with the NK zone to the south and Ann North to the north.

**DDH 04-24** (Appendix C, Figure 21.)

Hole 04-24 intersected a narrow zone of copper-gold mineralization between 169.80 and 181.90mm hosted in a variably altered propylitic and potassic altered, fine to medium grained microdiorite breccia. Mineralization occurs near a faulted contact with an augite andesitic porphyry dyke and includes chalcopyrite and pyrite as fine-grained disseminations and as hairline fractures and veinlets. The assays returned 0.34% Cu and 0.10 g/t Au over 12.1 m.

**DDH 04-25** (Appendix C, Figure 22.)

Hole 04-25 intersected traces of disseminated pyrite and pyrrhotite in a weak to moderate propylitic and potassic altered, weakly fractured monzodiorite. No significant mineralization was encountered.

### 9.24 Telegraph Corner

#### Procedure

Two NQ holes including DDH 04-31 and 04-32 were drilled by Frontier Drilling of Kamloops, BC, in the Telegraph Corner area, totalling 215.78 m. The drill-program was carried out between 2 and 7 October 2004, under the supervision of D.Taylor in conjunction with GWR Resources Inc. management. The drill-hole collars with their horizontal projection to surface are found on the regional compilation map, together with historical drill holes (Figure 4.) and Figure 8c. The significant assay results for copper and gold are summarized in Table 3.

#### Results

Drill holes 04-31 and 04-32 were collared in the southern portion of the Ann 2 mineral claim approximately 1.5 km south-southwest of the Ann North Zone. The holes were collared in areas of mineralized outcrop that are coincident with anomalous copper-gold in soils with values as high as 2237ppm Cu and 380 ppb Au. The drill holes are located along the mine road with outcrops of malachite, chalcopyrite and magnetite as veinlets in trenches from previous exploration programs.

**DDH 04-31** (Appendix C, Figure 28.)

Drill-hole 04-31, was drilled vertically and targeted copper mineralization at depth, underneath malachite-chalcopyrite exposed in the outcrop along the Mine road. The hole was also collared in close proximity to values of 11.5 g/t Au and 0.27%Cu from the trenching program across the Mine road (Figure 8c.). No significant mineralization was intersected.

**DDH 04-32** (Appendix C, Figure 28.)

DDH 04-32 was collared 50 m to the northwest of hole 04-31 and drilled to the southeast to test for depth continuity of exposed mineralization at the surface (Mine road). Significant copper-gold mineralization was not encountered.

### 9.25 Peach 2 Zone

#### Procedure

A total of 402.0 metres of diamond drilling were completed by Frontier Drilling of Kamloops, BC, on the Peach 2 Zone, between 18 and 27 November 2004 under the supervision of the author in conjunction with GWR Resources Inc. management. Diamond drill hole specifications and sampling are summarized in Table 2.

#### Results


DDH 04-33 and 04-34 were drilled to the southeast to drill test underneath trenched areas of exposed gossan in microdiorite with visible malachite, chalcopyrite and traces of bornite that assayed 0.34% copper and 2.25 g/t gold from a 2 m continuous chip sample. A possible 45 m wide mineralized zone that extends to the northeast for approximately 150 metres was delineated from trench mapping and sampling, that may represent an offset mineralized extension of the NK zone to the northeast. The two holes were collared on the edges of a northeast trending magnetic anomaly, coincident with northeast trending copper-gold in soil anomalies with values ranging to 2237 ppm copper and 380 ppb gold and the southwest plunging 700 m long IP high chargeability anomaly, recommended for drilling by Lloyd Geophysics Inc. in 1991.

**DDH 04-33** (Appendix C, Figure 29.)

DDH 04-33 was drilled approximately 60 metres to the north of DDH 04-34 and intersected copper-gold mineralization between 11.27 and 13.27m that assayed 1.09% Cu and 1.06 g/t Au over 2 m and between 68.19 and 69.19m that assayed 0.55%Cu and 0.32g/t Au over 1 m. Pyrite chalcopyrite occurs locally as semi-massive patches up to 5 cm and as fracture fill and veins over narrow zones within moderate propylitic and intense potassically altered, intermixed Nicola Group basaltic tuff breccia and monzodiorite/syenodiorite intrusives, at steeply dipping fault breccia contacts.

**DDH 04-34** (Appendix C, Figure 30.)

Hole 04-34 intersected Cu-Au mineralization between 118.60 and 120.60 metres. Mineralization forms from 2% to locally 10% of the core consisting of pyrite, pyrrhotite, chalcopyrite as stockwork veining and mostly chalcopyrite infilling matrix in volcanic brecciated zones, crosscut by epidote-calcite altered syenite.




| | |
|---|---|
| J&D Consulting | GWR Resources Inc. |
| Lac La Hache Project | Peach Melba Compilation Map |

| Date: | Aug.30/2005 | Project: | Scale: | 1:5000 | N.T.S.: | 092P.094 | Mining Div: | Clinton | Figure: | 9 |
|---|---|---|---|---|---|---|---|---|---|---|

### 9.26 Peach Melba/Peach Lake

#### Procedure

A total of 230.12 metres of NQ2 (2" diameter) diamond drilling, in two holes, were completed by Al Harvey Diamond Drilling of Clinton, BC, between 10 and 23 March, 2005. DDH PL 05-1 and PM 05-01 were located and drilling was supervised by the author in conjunction with GWR Resources Inc. management. The location of the two drill holes is shown in (Figure 9) and their specifications on Table 2.

#### Results

**DDH PL 05-01** (Appendix C, Figure 34.)

DDH PL 05-1 was drilled approximately 150 m to the southwest of DDH 97- 01 to drill test a possible northwest striking, steep north dipping sulphide mineralized zone with up to 3 to 4% pyrite with anomalous gold values intersected in the bottom of DDH 02-6, drilled to the northeast. Drill-hole PL 05-1 was collared on the edges of a northwest trending magnetic low in an area that is coincident with northwest trending copper gold anomalies in soils and the edges of a northwest trending IP chargeability anomaly. The hole did not intersect any significant copper mineralization in propylitic and potassic altered andesitic volcanic breccia intruded by monzodiorite.

**DDH PM 05-1** (Appendix C, Figure 35.)

PM 05-1 was collared in the Peach Melba zone 50 m to the northwest of PL 95-2 that recorded values of 0.23% copper and 0.23g/t gold over an approximate true width of 30 m and core length of 112m and 0.20% copper and 0.13g/t gold encountered in DDH PM 95-1. Copper mineralization in this area is associated with moderate to intense sericite and K-feldspar alteration.

Drill-hole PM 05-1 was drilled on the northeast side of the IP anomaly to intersect an east-southeast trending mineralized zone with associated pyrite-chalcopyrite mineralization that is interpreted by Blann (2001) to be approximately 200 m in width and 400 m in length. Drill hole PM 05-1 was drilled to the northeast and intersected wide zones of, locally up to 10% fine grained disseminated and fracture-fill pyrite and pyrrhotite. Mineralization is hosted in propylitic and potassic altered, Nicola magnetite-plagioclase-augite andesitic flow breccia and intercalated tuff sediments that are cross cut by fine-grained potassic altered sill-like intrusives. Chalcopyrite mineralization was intersected close to a faulted contact with andesitic flow breccia and monzodiorite towards the bottom of the hole between 144.75 to 149.75 metres and assayed 0.49%Cu and 0.59g/t Au over 5.5 m.

### 9.27 Spout Lake Zone

**Procedure**

Eight holes were drilled in the Spout Lake area, three in the North Zone (SPL-05-1, 05-5 and 05-8) and six in the South Zone (SPL-05-2 to 05-3, 05-6 and 05-7), totalling 1783.6 m, between February and May 2005. Two zones of significant Cu-magnetite+/-gold in the North and South Zones were discovered by Amax Potash during a program of follow-up drilling of a buried, strong IP chargeability anomaly coincident with strong, ground magnetic anomalies (Hodgson and DePaoli, 1972 and 1973).

Drill-hole collars and their projections to the surface (1972-2005 diamond-drill programs), geophysical surveys (IP and magnetometric) and some geological/structural data is compiled at a scale of 1:1 000 and shown in Figure 5 (in pocket of this report). The most significant assay results for copper and gold, expressed as weighted averages, are summarized in Table 3.

The Spout Lake North and South Zone drilling indicates that the area is underlain by a moderately to steeply north easterly to southwesterly dipping sequence of Nicola Group mafic volcanic and tuffaceous rocks, and bedded volcaniclastic sediments. Volcanic rocks consist of augite+/-plagioclase+/hornblende phyric and +/-amygdaloidal andesite and porphyritic andesite breccia. Volcaniclastic, tuffaceous and related sedimentary rocks include andesite lapilli tuff, crystal lithic tuff, greywacke and siltstone. The entire assemblage is intruded by narrow monzonite, quartz monzonite and microdiorite dykes and sills. Jointing, fracturing and faulting are intermittent and variable in intensity and commonly accompany zones of alteration and mineralization.

The Nicola Group volcano-sedimentary sequence is weakly to strongly calc-silicate altered, from patchy, discontinuous hornfels to pervasive skarn with completely obliterated primary textures. The alteration appears to be, both, stratigraphically and structurally controlled. Garnet (grossularite), epidote, calcite and magnetite are dominant constituents with subordinate potassium feldspar, albite, scapolite, biotite and chlorite. Locally, all the assemblages are potassically altered, from weak and patchy alteration of volcano-sedimentary rocks to pervasive flooding by potassium feldspar affecting intrusive rocks, latter exhibiting similar textures and mineralogy as that observed at other showings on the property (i.e. Ann North and Harvey zones). Calc-silicate and lesser potassic alteration form large envelopes around narrow mineralized zones.

Kamloops Geological Services (unpublished report R. Wells, 2005) conducted petrographic studies on 3 drill-core samples from the Spout Lake, North Zone and two samples from the South Zone and can be found in Appendix E. It was confirmed that rocks from these areas have calc-silicate hornfels/skarn affinities and most of them probably represent coarse-grained tuffaceous and/or volcaniclastic protoliths.

Sulphide mineralization forms stratiform lenses and structurally controlled zones of variable widths consisting of chalcopyrite, pyrite and subordinate bornite in association with intense magnetite-bearing skarn development and calc-silicate alteration. Chalcopyrite occurs as fine-grained disseminations and medium to coarse grained blebs, trace to 5%, typically in massive magnetite zones (50-80% magnetite over <1-10 m widths) and less commonly as chalcopyrite+/-magnetite+/-pyrite+/-hematite+/-epidote+/-calcite veinlets, <1 to 3 mm in width.

**Results**

**DDH SPL-05-01 and 05-05** (Appendix C, Figures 36, 40.)

Drill-holes SPL-05-01 and 05-05 were designed to test for copper-magnetite mineralization in the North Zone between DDH73-13 and 73-15. DDH 73-13 returned 0.47% Cu over 73.2 m from 19.82 to 92.99 m (Hodgson and DePaoli, 1973). DDH SPL-05-01 was collared approximately 38 m southeast of 73-13 and drilled to the southwest (220˚) at -65˚. DDH SPL-05-05 was drilled close to the same section as hole 73-15 with the collar located approximately 50 metres to the south-southwest (Az 40˚ and dip -71˚).

SPL-05-01 intersected two narrow zones of mineralization, from 36.1 to 56.7 m (22.6 m) and from 180.5 to 198.9 m (18.4 m) carrying 0.23% Cu, 0.03 g/t Au and 0.60% Cu, 0.12 g/t Au, respectively. A significant width of copper mineralization was encountered close to the bottom of this hole from 215.4 to 297.3 m, assaying an impressive 0.40% Cu, 0.01 g/t Au over 81.9 m. SPL-05-05 intersected one highly mineralized zone from 305.5 to 327.5 (22.0 m) that returned 0.64% Cu and insignificant gold values.

**DDH SPL-02 and SPL-05-07** (Appendix C, Figure 37.)

DDH SPL-05-02 and 05-07 were designed to test the strike extension to the south of the interpreted mineralized zones from holes 72-3, 72-4, 73-11 and 95-4. DDH SPL-05-07 was collared on the same section as SPL-05-02, 50 m to the east-northeast to drill test the depth continuity of the Cu-Au mineralization in DDH SPL-05-07.

Both drill holes intersected variably calc-silicate altered sequences of plagioclase-augite phyric andesite, andesite breccia and volcaniclastic sediments/mafic tuff. Alteration is weak to strong, intermittently developed, with narrow intervals of magnetite-diopside-sulphide skarn averaging 2.5 to 5 metres in width. Calc-silicate hornfelsing and skarn alteration have destroyed much of the primary texture of the host rocks making it often difficult to identify the protolith and correlate lithological contacts between these two holes.

Several zones of mineralization were intersected in SPL-05-02 and in SPL-05-07. In holes 05-02, mineralized intersections were recorded from 33.5 to 66.2 m and from 186.4 to 201.7 m assaying 0.24% Cu, 0.06 g/t Au over 32.7 m, including 10.4 m of 0.45% Cu, 0.12 g/t Au (33.5-43.9 m) and 0.46% Cu, 0.20 g/t Au over 15.3 m, including 5.3 m of 1.19% Cu, 0.20 g/t Au (186.4-191.7 m), respectively. The former is hosted by moderately calc-silicate altered andesite/andesite breccia and latter by strongly fractured and faulted, intensely calc-silicate altered andesite breccia. SPL-05-07 also intersected several narrow, mineralized zones, from 38.6 to 50.3 m (11.7 m) returning 0.45% Cu, 0.28 g/t Au and from 79.5 to 91.5 m (12.0 m), assaying 0.45% Cu, 0.18 g/t Au.

Mineralization on this section appears to form discontinuous, stratiform lenses and pods, showing poor continuity with depth. Also it is difficult to correlate geology from one drill hole to the other.

**SPL-05-03** (Appendix C, Figure 38.)

DDH SPL-05-03 was designed to intersect malachite, chalcopyrite and traces of bornite mineralization hosted in calc-silicate altered volcanic breccias exposed in trenched areas 30 metres to the south of the collar of DDH 05-3. No significant Cu-Au mineralization was encountered.

**SPL-05-04** (Appendix C, Figure 39.)

Hole SPL-05-04 was drilled at an azimuth of 245º to test for copper-magnetite mineralization underneath a mineralized outcrop exposure along a road-cut in the South zone. The collar is located approximately 220 m to the west of the DDH SPL 05-02.

This hole intersected a narrow mineralized zone at the shallow depth, from 17.4 to 26.4 m, which returned 9.0 m of 0.15% Cu. Mineralization, trace to <0.3% chalcopyrite, is associated with variably altered, narrow intervals of weak to strong, patchy and lesser fracture-controlled calc-silicate alteration with magnetite content averaging <1 to 3%. Host rock is garnet-diopside altered, porphyritic andesite and andesite breccia.

**SPL-05-06** (Appendix C, Figure 41.)

DDH SPL-05-06 was collared in the South Zone, approximately 15 m to the south of an east-west trending trench with exposures of discontinuous, oxidized chalcopyrite-pyrite-magnetite mineralization and copper-magnetite in bedrock approximately 25 m to the northwest. The hole was drilled at an azimuth of 350º, coincident with the interpreted strike of magnetic anomaly in the area.

Several, narrow, mineralized zones hosted in skarn and strongly calc-silicate altered andesite/ andesite breccia were intersected at shallow depths, from 8.9 to 13.3 (4.40 m) and from 35.9 to 52.4 m (16.50 m). The assay results carried 1.11% Cu and 0.14% Cu, respectively.

**SPL-05-08** (Appendix C, Figure 42.)

DDH SPL-05-08 was designed to test for a southern extension of copper mineralization intersected in holes 74-20 and 72-9 (North Zone) that recorded 0.24% Cu over 38.4 m and 0.3% Cu over 12.2 m, respectively. A mineralized zone, 21.5 m in width, was encountered from 81.4 to 102.9 m in strongly fractured and partially faulted, magnetite-diopside-scapolite-silica-carbonate skarn and strongly calc-silicate altered andesite breccia carrying up to 3% cpy (1% average), trace to 1% pyrite and <5 to 35% magnetite. The assay returned 0.21% Cu and insignificant gold values.

| Hole ID | Zone | From (m) | To (m) | Width (m) | Cu (%) | Au (g/t) |
|---|---|---|---|---|---|---|
| GWR-03-12 | Harvey | 38.82 | 63.09 | 24.3 | 0.17 | 0.04 |
| GWR-03-16 | Harvey | 68.40 | 76.55 | 8.15 | 0.22 | 0.07 |
| | | 187.22 | 197.30 | 10.08 | 0.18 | 0.06 |
| GWR-04-19 | Ann North | 24.10 | 54.10 | 30.00 | 0.45 | 1.10 |
| | | 76.10 | 86.30 | 10.20 | 0.18 | 0.18 |
| | | 106.75 | 120.85 | 14.10 | 0.31 | 0.20 |
| | | 154.85 | 260.15 | 105.30 | 0.29 | 0.33 |
| GWR-04-20 | Ann North | 10.35 | 20.19 | 9.84 | 0.17 | 0.08 |
| | | 86.60 | 102.00 | 15.40 | 0.16 | 0.09 |
| | | 215.78 | 234.30 | 18.52 | 0.22 | 0.23 |
| | | 244.92 | 254.92 | 10.00 | 0.17 | 0.05 |
| | | 274.92 | 280.92 | 6.00 | 0.23 | 0.15 |
| GWR-04-21 | Ann North | 56.10 | 69.25 | 13.15 | 0.46 | 4.57 |
| GWR-04-22 | Ann North | 55.86 | 103.40 | 47.54 | 0.26 | 0.09 |
| GWR-04-22 | includes | 55.86 | 63.20 | 7.34 | 0.76 | 0.12 |
| | | 176.10 | 206.70 | 30.60 | 0.26 | 0.09 |
| GWR-04-23 | Ann North | 36.60 | 47.10 | 10.50 | 0.71 | 0.25 |
| | | 58.40 | 65.30 | 6.90 | 0.25 | 0.37 |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | 79.25 | 85.90 | 6.65 | 0.36 | 0.13 |
| | | 255.00 | 319.20 | 64.20 | 0.22 | 0.01 |
| | | 363.20 | 390.55 | 27.35 | 0.19 | 0.07 |
| GWR-04-24 | Ann North | 169.80 | 181.90 | 12.10 | 0.34 | 0.10 |
| GWR-04-26 | Ann North | 26.50 | 45.10 | 18.60 | 0.19 | 0.08 |
| GWR-04-26 | Ann North | 88.25 | 119.25 | 31.00 | 0.21 | 0.40 |
| | | 237.00 | 257.00 | 20.00 | 0.19 | 0.22 |
| GWR-04-27 | Ann North | 178.48 | 181.25 | 2.77 | 0.80 | 0.76 |
| | | 217.10 | 250.48 | 33.38 | 0.24 | 0.42 |
| GWR-04-28 | Ann North | 289.00 | 307.00 | 18.00 | 0.25 | 0.08 |
| GWR-04-29 | Ann North | 70.40 | 78.00 | 7.60 | 0.25 | 0.27 |
| | | 128.00 | 148.30 | 20.30 | 0.25 | 0.13 |
| GWR-04-30 | Ann North | 232.00 | 250.50 | 18.50 | 0.22 | 0.42 |
| GWR-04-36 | Ann North | 37.50 | 50.00 | 12.50 | 0.49 | 0.10 |
| SPL-05-01 | Spout Lake/NZ | 34.1 | 56.7 | 22.60 | 0.23 | 0.03 |
| | | 180.5 | 198.9 | 18.40 | 0.60 | 0.12 |
| | | 215.4 | 297.3 | 81.90 | 0.40 | 0.01 |
| SPL-05-02 | Spout Lake/SZ | 33.5 | 66.2 | 32.70 | 0.24 | 0.06 |
| | includes | 33.5 | 43.9 | 10.40 | 0.45 | 0.12 |
| SPL-05-04 | Spout Lake/SZ | 17.4 | 26.4 | 9.00 | 0.15 | |
| SPL-05-05 | Spout Lake/NZ | 305.5 | 327.5 | 22.00 | 0.64 | 0.05 |
| SPL-05-06 | Spout Lake/SZ | 8.9 | 13.3 | 4.40 | 1.11 | |
| | | 35.9 | 52.4 | 16.50 | 0.14 | |
| SPL-05-07 | Spout Lake/SZ | 38.60 | 50.30 | 11.70 | 0.40 | 0.28 |
| | | 79.5 | 91.5 | 12.00 | 0.45 | 0.18 |
| SPL-05-08 | Spout Lake/NZ | 81.4 | 102.9 | 21.50 | 0.21 | |

TABLE 3. Summary of drill-hole intersections
Note: Cu (%) and Au (g/t) are expressed as weighted averages

**10.0 COMPILATION**

The regional compilation was undertaken between May and July 2005. All relevant data was digitized from previous and current exploration activity on the Lac La Hache property. Data acquisition included location of drill hole collars and their traces, geology (modified after Hodgson, 1973, Hodgson and DePaoli, 1973, Gale, Rowan, 1990, 1991, Dunn, 1992, Guttenberg, 1994, Whiteaker, 1996, Wild, 2000, Blann, 2001, Barker, 2002), structure (after Blann, 2001), soil geochemistry (after White 1987 to 1990, Gale, 1989, Blann, 2001), stream sediment geochemistry (after Coronex ltd 1966, Blann, 1993), geophysics (after Coranex Ltd, 1967, Amax Exploration, 1972, 1973, Lloyd, 1991, 1994, 1995, White, 1987, 1990 and after Gale, 1989). The drill hole statistics for more than 200 holes (from 1972 to 2005), sampling and assay results were incorporated into an Excel database.

Most of the geological contacts are from historical geological mapping and current drill-hole data. The current exploration program did not allow for verification of the geology with follow-up mapping.

## 11.0 SAMPLE PREPARATION AND ANALYSES

The drill core samples were delivered to Mr. D. Fuller's residence in Lac La Hache for logging, sampling and storage. Sections of drill core were identified and marked by the author for sampling. Selected core intervals were cut in half lengthwise with a diamond saw under the supervision of the author. Half of the cut core for each sample was placed in a plastic bag, labelled and sealed to prevent contamination. The other half was placed back into the same position in the core-box. The saw was washed down after cutting each sampling interval.

All core samples were individually sealed after each sample was cut using zipper ties and packed into rice bags that were in turn sealed with zipper ties and transported either by the author or company representatives directly to the laboratory or to 100 Mile House for shipping by Greyhound bus to Ecotech Laboratories in Kamloops, BC. All of the core samples were analyzed for copper and gold. Core samples were submitted for copper, gold and 28-elements analysis using ICP method (detailed in Appendix C). Ecotech Laboratories are certified under the Assayer's Certification Program of British Columbia. The lab inserted standards and conducted repeat analyses of sample pulps and rejects.

It is the author's opinion that sample preparation and analysis were carried out properly and that the security in sample handling was adequate.

## 12. 0 INTERPRETATION AND CONCLUSIONS

### Harvey Zone

Copper-gold mineralization is closely associated with zones of moderate to strong, propylitic and potassic altered, highly fractured, fault brecciated rocks at or near contacts between crosscutting quartz-hornblende-plagioclase porphyritic dykes and brecciated diorites.

Chalcopyrite-pyrite mineralization occurs as narrow zones within the intrusives and as disseminations and fracture fill, possibly associated with intersecting northwest and east-west structures. Chlorite, epidote, quartz, calcite +/- K-feldspar +/- magnetite +/- tourmaline, are the dominant constituents infilling veins and fractures.

Holes 03-13, 03-14, and 03-15 did not intersect a northeast dipping mineralized extension from the Peach Melba zone, hosted by a variably propylitic and potassic altered fine grained

monzodiorite that possibly runs to the southeast at 120˚ into the Ann North zone. Narrow zones of copper-gold mineralization intersected in DH 03-16 that assayed 0.22% Cu over 8.15 m maybe associated with a copper mineralized zone intersected in DDH 03-10 that assayed 0.24%Cu and 0.13g/t Au over 40 m and 0.24% Cu over 91 m intersected in drill hole HAR 02-1. The narrow mineralized zone maybe offset by west-northwest faulting and extends approximately 300 m at 350˚ between drill-holes 03-10 and HAR 02-1.

**Ann North**

Results of the 2000-2005 diamond drilling program indicate that copper-gold mineralization occurs more extensively in variably potassic-altered, hydrothermally brecciated, crowded, megacrystic (glomeral) quartz monzonite porphyry with multi-stage veining where primary textures are obliterated. Potassium-feldspar megacrysts, possibly perthite, are locally crowded in a pink, orange monzonite groundmass. The porphyry is interpreted to be a late phase, deeper intrusion into a large alkalic intrusive-volcanic complex.

Mineralization includes chalcopyrite as massive patches, disseminations along fractures and veinlets as well as blebs hosted in grey quartz ± carbonate, in tourmaline patches and breccia. Higher grades of copper in mineralized zones without visible chalcopyrite contain chalcocite that occurs as stringers, along fractures and as veinlets, blebs and as rings replacing chalcopyrite. Tennantite occurs as patches more often associated with chalcopyrite. Bornite occurs as patches and blebs associated with and surrounding chalcopyrite. Pyrite is found more prevalently in propylitic-altered pink to grey monzonite. Native copper can be abundant as discontinuous stringers and veinlets that occur close to surface in the areas of oxidation.

Significant mineralized zones were intersected in seven of the thirteen holes and include DDH 04-19, 04-20, 04-22, 04-23, 04-26, 04-27 and 04-30. The most consistent mineralization is found in the area between drill holes 00-15, 04-19, and 00-16. The most significant and longest mineralized interval from the 2004 program extends 107.3 m in DDH 04-19 that assayed 0.29% Cu and 0.33 g/t Au. Values of 0.46% Cu and 4.47g/t Au intersected in DDH 04-21 has extended the zone to the northwest. Narrow zones of copper-gold mineralization in hole 04-23 indicate continuity of the mineralized porphyry system, over variable intervals to the southwest, approximately 180 m from the mineralized interval in DDH 04-27. Results of step-out drilling to the northwest of the collar of hole 04-27 suggest that the mineralized zone is cut off to the northeast, as evidenced by non- mineralized quartz monzonite encountered in DDH AN 05-1. Step out drilling to the northeast of the main mineralized zone intersected a narrow zone of copper-gold mineralization associated with potassic-altered porphyritic monzonite over 5.7 m in drill hole 04-36.

Mineralization although extensive to depth in some of the holes lacks continuity in other holes and along strike as indicated by the fill-in and step-out drilling. Copper-gold mineralization is commonly associated with brecciated highly fractured rocks at the contact margins between crowded porphyry and associated andesitic dykes along faults. The mineralized zone within the potassic altered porphyry trends to the northeast and dips steeply to the northwest and is intersected by northwest, north and northeast faults intersected in the drilling that appear to have offset the mineralized zone

The monzonite-porphyry contact in hole 04-30 maybe the same northern contact seen near the middle of DDH 04-27 indicating possibly, a right lateral displacement of the potassically altered mineralized porphyritic monzonite by a northwest trending fault. The 18.5 metre mineralized interval in drill hole 04-30 remains open to the northeast. Mineralization in DDH 04-23 appears open to the southwest.

**98 Zone**

Values of 0.34% Cu over 12.10 m in drill hole 04-24 indicates that the mineralized northwest fault that is interpreted to pass through to the east of the 98 Zone and to connect with the NK zone to the south and Ann North to the north, is mineralized at a vertical depth of approximately 130 metres. Mineralization appears localized within steep dipping faulted contact zones between the augite-plagioclase porphyry and strong propylitic and potassic altered crowded, porphyritic, hydrothermally brecciated diorites. DDH 04-25 intersected this fault to the south and did not intersect any significant mineralization in weak propylitic altered monzodiorite, suggesting post mineral fault movement, or possibly, late stage emplacement of non-mineralized porphyry along the north-westerly, mineralized fault system.

**Telegraph Corner**

Drill holes 04-31 and 04-32 intersected variably propylitic altered, very fine-grained, black-green, mafic volcanics intruded by grey to pink porphyritic crowded monzonite. More intense potassic alteration occurs at the contacts with the intrusives that may be either sills or dykes. Intrusives are locally moderately to highly magnetic. Traces of fine-grained pyrite and minor traces of chalcopyrite are associated with epidote along fractures and as scattered patches. Traces of scattered, very fine-grained bornite were also recorded but no significant mineralization was encountered. Copper-gold geochemical anomalies in the telegraph Corner area may represent other areas of malachite, pyrite and chalcopyrite mineralization close to surface in the overburden-covered areas.

**Peach 2 Zone**

Drilling encountered extensive pyrite and associated pyrrhotite fracture-fill and disseminated mineralization with increasing depth in both holes. The heavy sulphide content, that includes locally up to 10 to 15% with low copper-gold values within the northeast trending mineralized zone are the most likely source for the higher chargeability anomalies. Large blebs of chalcopyrite in the fine grained micro-monzodiorite crosscut by syenite phases occur close to and locally at surface and appear to be the source of the copper-gold anomalies in soils. Chalcopyrite occurs over narrow zones within the heavy pyrite-pyrrhotite zones and may be more concentrated on the edges of the IP chargeability anomalies with coincident copper gold anomalies in soils along a possible offset mineralized extension of the NK Zone, approximately 700 m to the northeast. The area to the northeast remains open and untested and crosscut by northwest structures towards the NK Zone and Ann North and towards the southwest that includes the Jody Zone.

No significant mineralization was discovered from drilling of the two holes. Sporadic mineralized zones with greater concentrations of chalcopyrite and associated elevated gold values occur at monzodiorite/syenite dyke contacts with volcanics at fault contacts. Mineralization maybe structurally controlled along sub-vertical dipping northeast faults. Width and grade of combined gold copper values in the exposed mineralized zones are too narrow and low grade.

**Peach Melba/Peach Lake**

Results indicate that chalcopyrite mineralization in PM 05-1 occurs close to a faulted contact with andesitic flow breccia and monzodiorite. The contact is coincident with the edges of a large 1.7 km long northwest trending, approximately 800 m wide 5 to 25 millisecond IP anomaly. The anomaly trends southeast towards the Ann North and northwest towards the calc silicate altered volcanics, that host magnetite chalcopyrite mineralization at Spout Lake. Mineralization is associated with steeply dipping fracture zones, fault contacts and veins. The brecciated volcaniclastic sedimentary horizon intersected in PM 05-1appears similar to the mineralized volcaniclastic units encountered to the northwest in the North and South Zones at Spout Lake.

Both holes intersected wide zones of up to, 10% fine grained disseminated and fracture controlled pyrite, pyrrhotite and traces of chalcopyrite with magnetite in propylitic and potassic altered magnetite, plagioclase, augite andesitic flow breccia and intercalated tuffaceous sediments and monzodiorite that are cross cut by fine grained potassic altered sill-like intrusives. The high sulphide content is the likely source for the high chargeability effect in the area to the south and west of Peach Lake.

**Spout Lake, North and South Zones**

1. Spout Lake area, North and South Zones, are underlain by porphyritic (augite+/-plagioclase+/-hornblende) and locally amygdaloidal andesite, related volcaniclastic and tuffaceous rocks and sediments. These are intruded by lesser, narrow monzonite and microdiorite stocks, dykes and sills. The volcano-sedimentary rocks are dominantly calc-silicate altered, from weak to strong hornfelsing to skarn development. Potassic alteration is less common and affects all the lithologies. The copper+/gold mineralization forms discontinuous, stratiform lenses and structurally-controlled zones of variable widths consisting of chalcopyrite, pyrite and subordinate bornite and is enclosed in large zones of variable, weak to strong magnetite-bearing calc-silicate and lesser potassic alteration.

2. The spatial association of intrusive bodies, microdiorite and monzonite with calc-silicate hosted Cu+/-Au-magnetite mineralization suggests their strong control on hydrothermal alteration and possibly mineralizing event. Intrusive rocks are commonly potassically altered, however, rarely mineralized.

3. Detailed compilation of the Spout Lake, North and South Zones included copper intersections projected to the surface from the 2005 drill-program together with historical drilling (1972 to 1995), IP chargeability and magnetic contours and some geology and structure (Figure 5).

The only existing geology maps of the Spout Lake area are from Hodgson and DePaoli (1972, 1973). However, their mapping was not included in the compilation since ten geological units were not recognized in the drill-core during the 2005 drill program. The winter-spring drilling did not allow for a follow-up geological study to confirm the historical mapping and expand on the knowledge and understanding of the geology and structure and controls on alteration and mineralization.

4. Seven drill holes, SPL 05-01, 05-02, 05-04 to 05-08, intersected variable grades and widths of copper-magnetite+/-gold mineralization in association with calc-silicate/skarn and/or potassic alteration.

In the North Zone, skarn-type copper-magnetite+/-gold mineralization is interpreted to form narrow, northwest trending, roughly sub-parallel to regional stratigraphy, discontinuous zones, possibly offset by northeast structures, or, alternatively, these may represent stratiform lenses and pods. The total strike length of the mineralized area is more than 400 m, extending from DDH 93-6 and 93-9 to 73-16, and its width is variable from 5 to 55 m. Another narrower, 5-20 m wide, mineralized zone is interpreted about 60 to 100 m northeast, continuous for approximately 300 m, from DDH 93-7 to 74-22. This zone appears to be open to the southeast. In the extreme

southeast of the North Zone, Cu-Au mineralized intersections in SPL 05-08, 74-20 and 95-06 define a narrow, structurally controlled north-northwest striking zone over a strike length of about 150 m.

Two, narrow, parallel, north-northwest trending fault systems are interpreted to host Cu-magnetite+/-Au mineralization in the South Zone (Figure 5). The mineralized zones are open in both directions, to the north and south, and are coincident with the north-northwest striking magnetic anomaly (5,000 to 10,000 gammas) and also in part coincident with anomalously high IP chargeability.

## 13.0 RECOMMENDATIONS

Results of the 2003-2005 drilling program on the Harvey Zone, Ann North, 98 Zone, Telegraph Corner, Peach 2 Zone, Peach Lake/Peach Melba and Spout Lake, North and South Zones indicate generally low grade and narrow widths of copper-gold mineralization in the 36 drill holes. Mineralization from the trenching program in the Peach 2 Zone and Telegraph Corner area is similarly, low grade and of narrow width**.**

No further drilling is warranted in the Spout Lake area, North and South Zones, based on the results of 2005 drilling and detailed compilation. The Cu-magnetite+/-gold mineralization is discontinuous and appears to form narrow stratiform, lenses, pods and fault-controlled zones. The copper and gold assay results are too low and erratic to warrant further extensive work programs. The proposed airborne magnetic survey will help in delineating the extension of possible copper mineralization associated with magnetite to the south and to the northwest of the most favourable copper mineralized areas in the North and South Zones.

Drilling and trenching in some areas have determined the causative source of copper- gold soil geochemical anomalies and associated conductors. It is expected that other geochemical and geophysical signatures that occur on the claim block that have not had any previous exploration activities, may indicate significant areas of copper-gold mineralization that should be investigated (i.e. Peewee 1, Murphy 4 and Jack claims).

It is recommended that the follow-up program be initiated once results of an airborne multi-sensor geophysical survey are completed. It is expected that the airborne survey will help to identify potassic alteration and magnetite enrichment/depletion zones associated with copper-gold mineralization. Results of this survey in conjunction with the compilation work, will help in defining new and connecting previously drilled target zones for immediate ground follow-up,

mapping and prospecting and, if warranted, subsequent trenching and drilling. The high priority areas include:

1. northwest interpreted mineralized fault that extends to the northwest into the Ann North and southeast to the NK zone.

2. a northeast plunging IP anomaly from the Peach 2 to the NK zone and southwest towards the Jody Zone and towards the Miracle.

3. an unexplored area between the Peach Melba and Spout Lake including area to the south of Peach Lake.

Based on results of the regional compilation, ten target areas have been identified. In some of these areas, recent road construction by logging companies has improved access and exposed outcrop in previously overburden-covered areas. A program of prospecting, geological mapping and if applicable, detailed soil geochemical surveys are recommended. Soil sampling in the areas of anomalous copper-gold in soils is recommended only if there is a well-developed, undisturbed soil 'b' horizon. Many of the gold in soil anomalies are single number anomalies that are taken along 100-metre line spacing and 50 metre sample intervals. Increased sample density is needed to better define the anomalous gold values.

**Target 1**

UTM Coordinates: 617670E, 5758850N Elevation: 1250m
Data Source: Amax Exploration, Leary 1972

Claim Area: Ann 1, approximately 1.3 kilometres east of the Ann north drilling program and 550 metres west of the north/south boundary of the Jack 2 mineral claim

Capsule Anomaly: Minor pyrite, trace chalcopyrite and malachite hosted in syenodiorite/volcanic breccia outcrop within a 0.5% pyrite zone coincidence with a copper geochemical soil anomaly cut by a west, northwest interpreted topographical fault.

Comments: Never followed up. Access might be possible because of recent logging in the area.

**Target 2**

UTM Coordinates: 615000E, 5758500N, Elevation: 1300m

Data Source: Amax Exploration, Leary 1972

Claim Area: Ann 2, approximately 400 metres south and west DDH 02-03and 600m north of the Peach 1 showing

Capsule Anomaly: Traces of disseminated and fracture fill chalcopyrite hosted in trachytic, microsyenodiorite at several outcrop exposures along a road cut and 100 metres to the east. Also traces of chalcopyrite, bornite in outcrop occur 400 metres to the west and are hosted in an andesitic tuff breccia at or near the contact with intrusives. Both exposures are coincident with north-south, northwest copper soil geochemical anomalies in an area of low chargeability (<4ms).

**Target 3**

UTM Coordinates: 614000E, 5759200N, Elevation: 1188m
Data Source: Amax Exploration, Leary 1972

Claim Area: Northeast corner of the Peewee1 and northwest corner of the Ann 2. Areas situated approximately 150-200 metres northwest of the collar of DDH 02-6.

Capsule Anomaly: Minor traces of disseminated pyrite, chalcopyrite and pyrrhotite hosted in andesitic tuff breccias and amygdaloidal flows in close proximity to the southwest edges of a large northwest trending chargeability anomaly. Anomalies are located in areas of 5 ms IP chargeability.

Comments: Drilling encountered up to 5-10% pyrite with minor chalcopyrite. Also several spot gold soil geochemical anomalies occur and maybe related to epidote, K-feldspar altered volcanics that may be an extension of the Don showing to the west.

**Target 4**

UTM coordinates: 614600E, 5761550N, Elevation: 1066m
Data Source: Combination of soil and silt geochemistry at a scale of 1:20 000. Working map from possibly 1993.

Claim Area: Northwest corner of Dora 2 mineral claim with common boundary of the Dora 1,centered approximately 700 metres east of the eastern shoreline of Spout Lake and 1 kilometre north of the west end of Peach Lake.

Capsule Anomaly: Series of soil geochemical anomalies with values varying from 206 to 498 to a high of 1946 ppm copper and 70 gold.

Comments: Appears to be poor outcrop exposure in lowland swamp areas that have never been followed up. Anomaly trends to the northeast and subparallel to a series of topographically interpreted northeast trending faults. Access would extend as far as the shoreline of Spout Lake but may extend to the south from the Candarado side.

**Target 5**

UTM Coordinates: 615750E, 5797150N, Elevation: 1463m
Data Source: Amax Exploration, Leary 1972

Claim Area: North boundary of the Murphy 1, approximately 600 metres south of the Peach 2 showing and 200 metres to the south of P91-11.

Capsule Anomaly: Traces of chalcopyrite, pyrite in north-south trench that exposed intercalated andesitic flows and sediments along a possible northwest faulted contact with intrusives. Traces of chalcopyrite and pyrite were also recorded in syenodiorite volcanic breccias approximately 270 metres to the north, northeast in an area of coincident copper soil anomalies. Outcrops occur on the northern flanks along the large, 4 to 5 ms chargeability anomaly over the Miracle Zone.

Comments: Scattered outcrop occurs in this area. Access from the Mine Road to the south via drill pad trails developed for accessing Percussion drill holes in 1991.

**Target 6**

UTM Coordinates 615000E, 5756000N, Elevation: 1400m
Data Source: Amax Exploration, Leary 1972, Reports to 1995

Claim Area: North boundary of Murphy 2

Capsule Anomaly: Anomalous copper silt samples in creek run subparallel to a north easterly trending 1 kilometre northeast trending dyke or narrow stock within a large IP chargeability

anomaly. The mineralized source for the anomalous silts may also be on the northwest side of the creek that needs prospecting.

Comments: Guttenberg recommended no further drilling based on results from the two holes he drilled during the 1995 programme. However, in-fill drilling between DDH M94-1, 3 and 6 is warranted after further inspection, as the collars are 165 to approximately 200 m apart. Further drilling to the north and east of DDH 92-2 could be considered to determine any possible extension of mineralization to the northeast in the intrusives. Prospecting along the creek and geological mapping is recommended in these areas before any possible further drilling.

Access appears not to be a major concern as the area has numerous drill pad roads.

**Target 7**

UTM Coordinates: 612800E 5756900N, Elevation 1300m
Data Source: Amax Exploration, Leary 1972

Claim Area West boundary of the Murphy 4 mineral claim, approximately 2.5 kilometres west of the central zone on the Miracle and approximately 900 metres east of the Road Showing on the Red 1 mineral claim.

Capsule Anomaly: Anomalously high copper silt samples with values of 2301 ppm and 1690 ppm with 1 sample recording 430 ppb gold were recorded in area of interpreted Nicola volcanics that may not have been followed up. Similar rock types occur on the Red 1.

Comments: Access is possible off the main logging road to the south. Airborne survey would facilitate future exploration in this area.

**Target 8**

UTM: 617350E, 5757900N, Elevation: 1430m
Data Source: Diamond Drill reports 1994/95 Blann on Ophir Property

Claim: Southeast portion of Ann1 mineral claim, Aurizon Zone

Capsule Anomaly: Chalcopyrite, bornite, malachite, tetrahedrite, magnetite and native copper occur as veinlets and stockwork. Best values were 3.8 metres of 0.22 % copper and 11.4 g gold

from the drilling. Elevated gold values may occur along the contact margins of quartz porphyry dykes that crosscut the monzonite, faults and hydrothermal breccias. Intervals are narrow and may represent scattered discontinuous lenses. A dominant inferred, northwest fault contact extends possibly from the Aurizon to the northwest to the Ann North Zone and is coincident with northwest trending copper-gold soil geochemical values that may not have been prospected or mapped to determine potential exposed mineralization along the intrusive contacts with volcanics.

Comments: Permits would be needed in order to commence trenching on the Aurizon.

**Target 9**

Coordinates UTM: 613970E, 5761700N, Elevation: 1100m
Data Source: Combination of soil and silt geochemistry at a scale of 1:20,000. Working map from possibly 1993.

Claim: Dora 1, 150 metres north of shoreline of Spout Lake

Capsule Anomaly: Copper geochemical anomaly of 483 ppm copper and 10 ppb gold. Possibly associated with a north-south trending, topographically interpreted fault in calc-silicate altered volcanics. Anomaly is more likely an isolated silt sample.

**Target 10**

UTM: 616650E, 5760000N, Elevation: 1100m
Data Source: Amax Exploration, Leary 1972.

Claim: Southwest corner of Dora 3 and common boundary of LP-1

Capsule Anomaly: Recorded secondary K-feldspar, epidote and tourmaline with associated trace chalcopyrite in monzonite, on the edges of a 5 ms IP chargeability contour, that is coincident with an east, northeast trending topographically interpreted fault at or near the contact with volcanics.

Comments: Possibly related to northeast extension of Ann North mineralization.

## 14.0 BIBLIOGRAPHY

Campbell, R.B and Tipper, H.W. 1972. Geology of Bonaparte-Lake Map Area, British Columbia; *Geological Survey of Canada,* Memoir 363, 100p.

G.S.C. (1993), Hanson Vertical Gradient of Magnetic Anomalies, in *Geological Survey of Canada, Energy, Mines and Resources*, Geophysics Paper 5232G, Lac La Hache, 1967.

**Peach Lake/Spout Lake Properties**

Blann, D. E. 1994. Geological Report on the Peach Lake Prospect (North Zone), Lac La Hache, Clinton Mining Division, BC. Prepared for Peach Lake Resources Ltd. and GWR Resources Inc. Unpublished Report.

Blann, D. E. 1995. Geological Report on the Peach Lake Property, Lac La Hache, Clinton Mining Division, British Columbia. Prepared for Peach Lake Resources Ltd., GWR Resources Inc. and Regional Resources Ltd., Unpublished Report.

Dunn, D. St. Clair. 1993. Report on Diamond Drilling on the Peach Lake Project (Pee Wee 1, Pee Wee 2, Pee Wee 3, Club 15, Dora MC, Dora 1 and Miracle Fr. Claims). Clinton Mining Division, BC. Prepared for Peach Lake Resources Inc. and GWR Resources Inc, Unpublished Report.

Gale, R.E. 1989. Spout Lake Property, Clinton Mining Division, BC. Prepared for Peach Lake Resources Inc. Unpublished Report.

Gale, R.E. 1991. Assessment Report on the Geology and Drilling of the Pee Wee 1, 2,3, Club 15, Dora MG, Dora 1 and Miracle Fr. Claims (Peach Two Group), C. Prepared for Peach Lake Resources Inc. and ASARCO Exploration Company of Canada Ltd. Unpublished Report.

Gale, R.E. 1993. Peach Lake Area Exploration Program -1993, Clinton Mining Division, BC. Prepared for GWR Resources Inc., Unpublished Report.

Hodgson, C.J. and DePaoli, G.M. 1972. 1971 Geological, Geochemical and Geophysical Report - Spout Lake Copper Property. Prepared by and for AMAX Potash Ltd., ASST RPT#3690.

Hodgson, C.J. and DePaoli, G.M. 1973. Final 1973 Property Report - Spout Lake Copper Property. Prepared by and for AMAX Potash Ltd., Vancouver, BC, Unpublished Report.

Jones, H. M. 1989. A Report on the Dora, Pee Wee and Club Claims, Spout Lake, Lac La Hache Area, British Columbia. Prepared for Toodoggone Gold Inc., Richmond, BC, Unpublished Report.

Leary, G.M. 1973. Final 1972 Property Report - Spout Lake Copper Property (Central Grid - WC Claims). Prepared by and for AMAX Potash Ltd., Vancouver, BC, Unpublished Report.

Leary, G.M., DePaoli, G.M., Horsnail, R.F. and Allan, J.F. 1972. 1972 Geological, Geochemical and Geophysical Report - Spout Lake Property - Northwest Grid of the WC Claims. Prepared by and for AMAX Potash Ltd., Vancouver, BC, ASST RPT # 3881.

Lloyd, J. and von Guttenberg, R. 1994. An Assessment Report on an Induced Polarization Survey on the Dora M.C. Claim Group, British Columbia, Prepared for Regional Resources Ltd. and GWR Resources Inc., Unpublished Report.

Lloyd, J. and Cornock, S. J. 1991. An Assessment Report on an Induced Polarization Survey on the Peach Lake Property, Clinton Mining Division, BC. Prepared for Asarco Exploration Company of Canada Ltd., Unpublished Report.

Rowan, L, G. 1990. A Geological Report on the Dora, Pee Wee and Club Claims, Spout Lake, Lac La Hache Area, British Columbia. Prepared for Queenstake Resources Ltd., Unpublished Report.

Vollo, N.B. 1975. Diamond Drilling Report - 92P/14 WC Group of AMAX Potash Ltd. at Lac La Hache, B.C. Prepared by and for AMAX Potash Ltd., Vancouver, BC, ASST RPT # 5488.

Von Guttenberg, R. 1994. Report of 1994 Drill Program, Peach Lake Claims, Prepared for Regional Resources Ltd. and GWR Resources Inc., Unpublished Report.

White, G. E. 1988. Geophysical Report (magnetic map reviewed only) on the Dora M.C. Claim Group. Prepared for Peach Lake Resources Inc., ASST RPT # 18,148.

**Ann Property**

Blann, D, E. 1993. Geological Progress Report on the Ann 1, Ann 2 Claims, Clinton Mining Division, BC. Prepared for Ophir Copper Corp. and Regional Resources Limited, Unpublished Report.

Blann, D. E. 1995. Diamond Drilling Report on the Ophir Copper Property, Lac La Hache, British Columbia. Prepared for Ophir Copper Corp., Richmond, B.C. and GWR Resources Inc. Langley, BC, ASST RPT # unknown.

Blann, D. E., P.Eng. 2001. Diamond Drilling Report on the Ann Property: Ann 1 (208270), Ann 2 (208271) Claims, Clinton Mining Division, Lac La Hache, Clinton Mining Division, BC. Prepared for GWR Resources Inc. Prepared, Unpublished Report.

Dunn, D. St. Clair. 1992. Peach Lake Project, Ann 1 and 2 Claims, Prepared for Ophir Copper Corporation, Unpublished Report.

Gale, R.E. 1991. Assessment Report on the Geology and Drilling of the Ann 1 and 2 Claims, Clinton Mining Division, BC. Prepared for Ophir Copper Corporation and ASARCO Exploration Company of Canada Ltd. ASST RPT # 21,982 (Part 1 of 2).

Hodgson, C.J. 1972. Geological Map for the Spout Lake Property, Clinton Mining Division, BC. Prepared by AMAX Potash Ltd. ASST RPT #3690.

Janes, R.H. 1967. A Report on the Geochemistry of the Peach North and South Groups, Clinton Mining Division, BC. Prepared by and for Coranex Limited. ASST RPT # 1038.

Klit, D. A. and Lloyd, J. An Assessment Report on Ground Magnetometer and Induced Polarization Surveys on the Ann Claims, Clinton Mining Division, BC. Prepared for Regional Resources Limited and GWR Resources Inc., ASST RPT # unknown.

Leary, G.M. and Godfrey, T.J.R. 1972. 1972 Geological and Geochemical Report; Peach Lake Copper Property (Coranex Option). Prepared by and for AMAX Potash Ltd. ASST # 3815.

Lloyd, J. and Cornock, S. J. A. 1991 An Assessment Report on an Induced Polarization Survey on the Ophir Property, Clinton Mining Division, BC. Prepared for ASARCO Exploration Company of Canada Limited, Unpublished Report.

Von Guttenberg, R. 1994. Lac La Hache Project, Report of 1993 Field Work, Ann 1, Ann 2 Claims, Clinton Mining Division, BC. Prepared for Regional Resources Limited and GWR Resources Inc., Unpublished Report.

Von Guttenberg, R. 1996. Lac La Hache Project, 1995 Drill Program, Ophir Copper Property, Clinton Mining Division, BC, Prepared for Regional Resources Limited and GWR Resources Inc., Unpublished Report.

White, G. E., P.Eng. 1987. Various Geochemical Maps. Prepared for Hemingson Gold Inc., Unpublished Report.

Whiteaker, R. S. 1996. The Geology, Geochronology and Mineralization of the Ann Property: An Early Jurassic Alkalic Porphyry System Near Lac La Hache, BC, University of British Columbia, Unpublished B.Sc. Thesis.

Whiteaker, R. S. 1999. An Assessment Report for 1998 Field Work on the Ann 2 Property (Tenure # 208271), Spout-Peach Lake Project, Clinton Mining Division, BC. Prepared for GWR Resources Inc., Unpublished Report.

Wild, C. J. 2000. Diamond Drilling Report on the Ann North Project, Clinton Mining Division, BC, Prepared for GWR Resources Inc., Unpublished Report.

**Miracle Property**

Blann, D.E. 1995. Geological Report on the Miracle Prospect, Lac La Hache, British Columbia, NTS 92P/14W. Prepared for GWR Resources Inc. and Regional Resources Ltd., Unpublished Report.

Dunn, D. St. Clair. 1992. Report on Diamond Drilling on the Miracle Project - Murphy 1, Murphy 2, Murphy 3 and Murphy 4 Claims, Clinton Mining Division, BC. Prepared for GWR Resources Inc., Unpublished Report.

Dunn, D. St. Clair and White, G.E. 1989. Geology, Geochemical and Geophysical Surveys, Trenching and Diamond Drilling on Miracle 2,3,4 and 5 Claims, Clinton Mining Division, Timothy Mountain Area, BC. Prepared for GWR Resources Inc., Unpublished Report.

Klit, D, A. and Lloyd, J. 1994. An Assessment Report on an Induced Polarization Survey on the Murphy Claims, British Columbia. Prepared for Regional Resources Limited and GWR Resources Inc., Unpublished Report.

Von Guttenberg, R. 1994. Report of 1993 Field Work - Murphy Grid. Clinton Mining Division, BC, Prepared for Regional Resources Ltd. and GWR Resources Inc., Unpublished Report.

White, G. E. 1987. Geological, Geochemical and Geophysical Report - Miracle 2,3,4 and 5 Claims, Clinton Mining Division, Timothy Mountain Area, BC. Prepared for GWR Resources Inc., Unpublished Report.

## 15.0. Certificate of Author

I, Brian Callaghan do certify that:

1. I am a consulting geologist and proprietor of Geo-Crystal Exploration with a business office at 989 Curtis Road, Kelowna, BC, V1V 2C9.

2. I have graduated with a Bachelor of Science Degree in Geology from Brandon University in 1980.

3. I have practiced my profession in the Canadian Mining Industry for 25 years.

4. I have been intermittently engaged in exploration geology in the Province of British Columbia from 1980 to the present.

5. This report is based on a review of pertinent data and assessment reports and the supervision of the 2003 to 2005 exploration programme on the Lac la Hache Property.

6. I have no direct or indirect interest in GWR Resources Inc., nor do I expect to receive any such interest.

September 7, 2005 at Kelowna, B.C.

Brian Callaghan, BSc.

# APPENDIX A

## Mineral Tenure

## Exploration History

## MINERAL TENURE - GWR RESOURCES INC.

| Tenure Number | Claim Name | Owner | Number of units | Work recorded to | Status | Mining Division | Tag Number |
|---|---|---|---|---|---|---|---|
| 208270 | ANN #1 | 110622 (100%) | 20 | 2010/SEP/30 | GOOD | CLINTON | 82549 |
| 208271 | ANN# 2 | 110622 (100%) | 20 | 2010/SEP/30 | GOOD | CLINTON | 82550 |
| 208311 | DORA M.C. | 110622 (80%) | 20 | 2008/SEP/30 | GOOD | CLINTON | 83492 |
| 208312 | DORA 1 | 110622 (80%) | 9 | 2008/SEP/30 | GOOD | CLINTON | 83477 |
| 208335 | PEWEE #1 | 110622 (80%) | 18 | 2008/SEP/30 | GOOD | CLINTON | 113424 |
| 208336 | PEWEE #3 | 110622 (80%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 482691M |
| 208337 | PEWEE #2 | 110622 (80%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 482692M |
| 208375 | CLUB 15 | 110622 (80%) | 4 | 2008/SEP/30 | GOOD | CLINTON | 112258 |
| 305427 | MURPHY 1 | 110622 (100%) | 6 | 2009/SEP/30 | GOOD | CLINTON | 200188 |
| 305428 | MURPHY 2 | 110622 (100%) | 18 | 2009/SEP/30 | GOOD | CLINTON | 200189 |
| 309076 | MURPHY 3 | 110622 (100%) | 8 | 2009/SEP/30 | GOOD | CLINTON | 211116 |
| 309368 | MURPHY 4 | 110622 (100%) | 20 | 2008/SEP/30 | GOOD | CLINTON | 200788 |
| 373378 | JACK 1 | 110622 (100%) | 16 | 2008/SEP/30 | GOOD | CLINTON | 239191 |
| 373379 | JACK 2 | 110622 (100%) | 16 | 2008/SEP/30 | GOOD | CLINTON | 239190 |
| 373380 | DORA 2 | 110622 (100%) | 16 | 2008/SEP/30 | GOOD | CLINTON | 239193 |
| 373381 | DORA 3 | 110622 (100%) | 16 | 2008/SEP/30 | GOOD | CLINTON | 239192 |
| 377407 | PL-3 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 690779M |
| 377408 | PL-4 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 690780M |
| 377409 | PL-5 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 690781M |
| 377974 | LP-1 | 110622 (100%) | 1 | 2009/SEP/30 | GOOD | CLINTON | 696154M |
| 377975 | LP-2 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 696155M |
| 377976 | LP-3 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 696156M |
| 377977 | LP-4 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 696157M |
| 377978 | LP-6 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 696159M |
| 377979 | LP-7 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 696160M |
| 377980 | LP-8 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 696161M |
| 377981 | PL-9 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 696158M |
| 377982 | PL-10 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 696162M |
| 377983 | PL-12 | 110622 (100%) | 1 | 2008/SEP/30 | GOOD | CLINTON | 696164M |

## Exploration history of the Lac La Hache property

### Peach Lake/Spout Lake showings

| Property Operator | Report Author | Report Date | Type of Work |
|---|---|---|---|
| AMAX Potash Ltd. | C.J. Hodgson, and G.M. DePaoli, AMAX Potash Ltd. | January/ April, 1972 | Geochemical, Geological and Geophysical |
| AMAX Potash Ltd. | G.M. Leary, G.M. DePaoli, RF. Horsnail and J.F. Allan, P.Eng. AMAX Potash Ltd. | July, 1972 | Geochemical, Geological and Geophysical |
| AMAX Potash Ltd. | G.M. Leary, AMAX Potash Ltd. | January 1973 | Geochemical, Geological, Geophysical, Packsack and Percussion Drilling |
| AMAX Potash Ltd. | C.J. Hodgson, P.Eng. and G.M. DePaoli, AMAX Potash Ltd. | November, 1973 | Geological and Geophysical |
| AMAX Potash Ltd. | N.B. Vollo, P.Eng. AMAX Potash Ltd. | May, 1975 | Diamond Drilling |
| Peach Lake Resources Inc. . | Glen E. White, P.Eng., White Geophysical Inc. | May, 1988 | Geophysical |
| Peach Lake Resources Inc. | RE. Gale, P.Eng. RE. Gale and Associates Inc. | January, 1989 | Property Review and Compilation |
| Toodoggone Gold Inc. | Harold M. Jones, Harold M. Jones & Associates Inc. | November, 1989 | Property Review |
| Queenstake Resources Ltd. | Lome G. Rowan, Euro-Canadian Geological Service Inc. | October, 1990 | Property Review |
| Asarco Exploration Company of Canada Ltd. | John Lloyd, and S. John A. Comock, Lloyd Geophysics Inc. | October, 1991 | Geophysical |
| Asarco Exploration Company of Canada Ltd. | RE. Gale, RE. Gale and Associates Inc. | November, 1991 | Geophysical, Geological, Percussion Drilling |
| GWR Resources Inc. | David St. Clair Dunn, | February, 1993 | Diamond Drilling |
| GWR Resources Inc. | RE. Gale, RE. Gale and Associates Inc | February, 1993 | Property Review |
| Regional Resources Ltd. | John Lloyd, M.Sc., | March, *19~h* | Geophysical |

| | | | |
|---|---|---|---|
| Regional Resources Ltd. and GWR Resources Inc. | Reinhard von Guttenberg, Strathcona Mineral Services Ltd. | er, 1994 | Diamond Drilling |
| GWR Resources Inc. | David E. Blann, | December, 1994 | Diamond |
| | | | |
| | Norian Resources Corp. | | Drilling |
| GWR Resources Inc. and Regional Resources Ltd. | David E. Blann, Norian Resources Corp Lloyd Geophysics Inc. and Reinhard von Guttenberg, Strathcona Mineral Services | June, 1995 | Diamond Drilling |

## Ann North showing

| **Property Operator** | **Report Author** | **Report Date** | **Type of Work** |
|---|---|---|---|
| Coranex Limited | R.H. Janes, P.Eng, Coranex Limited | August, 1967 | Geological, Geochemical |
| PJVLAJ( Potash) Ltd. | C. Hodgson PJVLAJ( Potash Ltd. | May, 1972 | Geological |
| PJVLAJ( Potash) Ltd. | G.M. Leary and T.J.R. Godfrey, P.Eng, PJVLAJ( Potash) Ltd. | August, 1972 | Geological, Geochemical, Geophysical, Percussion Drilling |
| Hemingson Gold Inc.<br><br><br>ASARCO Exploration Company of Canada Ltd. | Glen E. White,<br>White Geophysical Inc.<br>John Lloyd, M.Sc., and S. John A. Cornock, B.Sc., Lloyd Geophysics Inc. | December, 1987<br><br>October, 1991 | Geophysical,<br>Geochemical<br>Geophysical |
| ASARCO Exploration Company of Canada Ltd. | R.E. Gale, R.E. Gale and Associates Inc. | December, 1991 | Geological, Percussion Drilling |
| Ophir Copper | David St. Clair Dunn, | July, 1992 | Property Ass. |
| Regional Resources Ltd. | David E. Blann, P.Eng., Norian Resources Corp. | September, 1993 | Property Assessment, Geochemical |
| Regional Resources Ltd. and GWR Resources Inc. | Daniel A. Klit, and John Lloyd, Lloyd Geophysics Inc. | January, 1994 | Geophysical |
| Regional Resources Ltd.<br><br>and GWR Resources Inc. | Reinhard von<br>Guttenberg, Strathcona Mineral Services Ltd. | February, 1994 | Geological,<br>Geochemical |

| | | | |
|---|---|---|---|
| Ophir Copper Corp. and | David E. Blann, | July, 1995 | Diamond |
| **Property Operator** | **Report Author** | **Report Date** | **Type of Work** |
| | Robin J. Whiteaker | Apri1, 1996 | B.Sc. Thesis |
| Regional Resources Ltd. and GWR Resources Inc. | Reinhard von Guttenberg, Strathcona Mineral Services Limited | May, 1996 | Diamond Drilling |
| GWR Resources Inc. | Robin 1. Whiteaker, B.Sc. | February, 1999 | Diamond Drilling |
| GWR Resources Inc. | Christopher 1. Wild, P.Eng. Wildrock Resources Consulting and Drafting | December, 2000 | Property Assessment |
| GWR Resources Inc. | David E. Blann, P. Standard Metals Exploration Ltd. | January, 2001 | Diamond Drilling |
| Hemingson Gold Inc. | Glen E. White, White Geophysical Inc. | December, 1987 | Geophysical, Geochemical |
| ASARCO Exploration Company of Canada Ltd. | John Lloyd, M.Sc., and S. John A. Cornock, Lloyd Geophysics Inc. | October, 1991 | Geophysical |
| ASARCO Exploration Company of Canada Ltd. | R.E. Gale, R.E. Gale and Associates Inc. | December, 1991 | Geological, Percussion Drilling |
| Ophir Copper Corporation | David St. Clair Dunn, P.Geo. | July, 1992 | Property Assessment |
| Regional Resources Ltd. | David E. Blann, P.Eng, Norian Resources Corp. | September, 1993 | Property Assessment, Geochemical |
| Regional Resources Ltd. and GWR Resources Inc. | Daniel A. Klit, and John Lloyd, Lloyd Geophysics Inc. | January, 1994 | Geophysical |
| Regional Resources Ltd. and GWR Resources Inc. | Reinhard von Guttenberg, Strathcona Mineral Services Limited | February, 1994 | Geological, Geochemical |
| Ophir Copper Corp. and GWR Resources Inc. | David E. Blann, Norian Resources Corp. | July, 1995 | Diamond Drilling |
| | Robin J. Whiteaker | Apri1,1996 | B.Sc. Honours Thesis |

| | | | |
|---|---|---|---|
| Regional Resources Ltd. | Reinhard von | May, 1996 | Diamond |
| and GWR Resources Inc. | Guttenberg, Strathcona Mineral Limited | | Drilling |
| GWR Resources Inc. | Robin 1. Whitaker, B.Sc. | February, 1999 | Diamond Drilling |
| GWR Resources Inc. | Christopher 1. Wild, P.Eng, Wild rock Resources Consulting And Drafting | December, 2000 | Property Assessment |
| GWR Resources Inc. | David E. Blann, P.Eng, Standard Metals Exploration Ltd. | January, 2001 | Diamond Drilling |

## Miracle showing

| Property Operator | Report Author | Report Date | Type of Work |
|---|---|---|---|
| GWR Resources Inc. | Glen E. White, P.Eng, White Geophysical Inc. | October, 1987 | Geological, Geochemical And Geophysical |
| GWR Resources Inc. | David St. Clair Dunn, F.G.A.C., Tecucomp Geological Inc. and Glen E. White, P.Eng, White Geophysical Inc. | February, 1989 | Geological, Geochemical, Geophysical, Trenching and Diamond Drilling |
| GWR Resources Inc. | David St. Clair Dunn, | October, 1992 | Diamond Drilling |
| Regional Resources Limited and GWR Resources Inc. | Daniel A. Klit, B.Sc. and John Lloyd, M.Sc., P.Eng, Lloyd Geophysics Inc. | February, 1994 | Geophysical |
| Regional Resources Limited and GWR Resources Inc. | Reinhard von Guttenberg, Strathcona Mineral Services Limited | March, 1994 | Geological and Geochemical |
| GWR Resources Inc. / Regional Resources Limited | David E. Blann, P.Eng, Norian Resources Corp. | June, 1995 | Diamond Drilling |

Compiled by Blann (2001).

# APPENDIX B

## Statement of Expenditure

## STATEMENT OF EXPENDITURES

GWR Resources Inc. management supplied the following all inclusive cost figures for work done on the Ann 2 mineral claim (Harvey Zone) between November 15, 2003 and Febuary 17, 2004.

Professional Services

Geoquest Consulting Ltd. Vernon, B.C
Personnel

B Callaghan
Supervision, Core logging, fieldwork, data entry
44.5 days @390.00/day $17,355.00

Expenses
Contracting

Al Harvey Diamond Drilling, Clinton B.C.
(Total metres drilled: 1261.87m). All-inclusive diamond drilling cost $70,380.00

Equipment Rental ATV, $700/month (Nov 03 to Feb 04) $2,800.00

John Deere 450. Rate-30 hours @$125/hour $3,750.00
Snow removal drill pads, access, reclamation

Room and Board $2,679.08
Core preparation, boxes and storage $4,750.00

Analysis
Eco-Tech Laboratories, Kamloops, B.C.
Assay, ICP 312 samples @ $23.26 per sample $7,259.73

Transportation

Truck 4x4 28 days @$50/day $1,400.00
Mileage 4,376kms @ 35c/km $1,531.60

Miscellaneous $131.98

Total $112,037.39

GWR Resources Inc. management supplied the following all inclusive cost figures for work done on the Ann 1 and 2, Peewee 3 mineral claims between February 20, 2004 and December 15, 2004.

Professional Services
Geoquest Consulting Ltd. Vernon. B.C.
W. Gruenwald,(February 18, 2004 to March 31, 2004) $4,162.50

Personnel

| | | |
|---|---|---|
| B.Callaghan<br>Supervision, core logging, data entry<br>42.5days @t $390.00/day | | $16,575.00 |
| R. Montgomery<br>Core logging, data entry<br>9.5 days @$390/day | | $3,705.50 |
| Geospectram Engineering<br>David Makepeace (May 04 to September 04)<br>14 days @$400/day | | $5,600.00 |
| From April 15, 2004 to December 16, 2004 | | |
| B Callaghan<br>Supervision, core logging, data entry<br>101.5 days@ 350/day | | $35,575.00 |
| M. Morrison<br>Core logging, prospecting<br>14 days @t $300.00/day | | $4,200.00 |
| D.Taylor<br>Trenching, Core logging<br>37.5 days @t $375.00/day | | $14,062.50 |
| Expenses | | |
| Frontier Drilling, Kamloops, B.C.<br>(Total metres drilled: 4,381m) | All inclusive diamond drilling cost | $306,356.00 |
| Room and Board | | $6,466.12 |
| Truck 4x4 vehicle costs<br>50 days @$50.00/day<br>12022kms @35c/km | | $8,432.05<br>$2,500.00<br>$4,207.70 |
| Analysis | | |
| Eco-Tech Laboratories, Kamloops, B.C.<br>Assays, ICP 1805 samples @ $23.25. /sample | | $41,966.25 |
| Equipment Rental<br>ATV $700/month, John Deere 450 | | $28,398.16 |
| Miscellaneous | | $977.92 |
| | Total Exploration costs | $483,184.70 |

GWR Resources Inc. management supplied the following all inclusive cost figures for work done on the Ann 1- (Ann North), Peewee 3 (Peach Melba, Peach Lake) and Dora MC (Spout Lake) mineral claims between January 15, 2005 to September 2005

Professional Services

| | | |
|---|---|---|
| B Callaghan (Jan 5 to May 15) | | |
| Planning, supervision, core logging, data compilation | | $29,925.00 |
| 85.5 days @ $350.00/day | | |
| (May 16 to September 1) | | |
| Report writing, compilation, supervision, | | $8,050.00 |
| 23 days @ $350.00/day | | |
| D.Duba (April 16 to May 12) | | $9,000.00 |
| Core logging, compilation, data entry | | |
| 24 days @$375.00/day | | |
| (May 13 to September 1) | | |
| Autocad Drafting, regional detail compilation, report writing | | $17,084.80 |

24 days compilation , 30 days drafting

Expenses

| | | |
|---|---|---|
| Contracting | | |
| Frontier Drilling, Kamloops, B.C. | | |
| (Total metres drilled 1251m) | All inclusive diamond drill cost | $98,278.80 |
| Core Enterprizes Diamond Drilling, Clinton, BC. | | |
| (Total metres drilled: 612.95m) | All inclusive diamond drill cost | $37,000.00 |
| Discovery Consultants | | |
| Map Prints/photocopying /report binding PDF/CD | | $2,211.65 |
| Rick Mitchel | | |
| Autocad drafting-compilation | | $2,298.00 |
| Equipment Rental, Snow removal, access, drill pads, reclamation | | $7,062.00 |
| Equipment Rental Atv $700/m (March 2005-May 2005) | | $1,400.00 |
| Field Supplies | | $150.00 |
| Room and Board (office) | | $5,073.24 |
| Core storage | | $3,000.00 |

Analysis

| | | |
|---|---|---|
| Eco-Tech Laboratories, Kamloops, B.C. | | |
| Assays, ICP - 515 samples: sample prep & analysis | | $12,859.38 |
| Transportation | | |
| Truck 4x4 17 days @ $50/day, | | $850.00 |
| Mileage 6870 kms @35c/km | | $2,404.50 |
| Miscellaneous, communications, shipping, printing | | $1,668.54 |
| | Total exploration costs | $238,315.91 |
| Grand total period November 03 to September 05 | | **$833,538.00** |

# APPENDIX C

## Figures

611000E 612000E 613000E 614000E 615000E 616000E 617000E 618000E 619000E 620000E

5762000N 5761000N 5760000N 5759000N 5758000 5757000N 5756000N

SPOUT LAKE

Lower Peach Lake

PEACH LAKE

DORA M.C. 208311

DORA 1 208312

DORA 2 373380

DORA 3 373381

JACK 1 373378

JACK 2 373379

NORTH ZONE

SOUTH ZONE

PEACH MELBA

CLUB 15 208375

PEEWEE #2 208337

PEEWEE #3 208336

PEEWEE #1 208335

PL-3 377407

PL-4 377408

PL-5 377409

PL-7 377979

PL-6 377978

PL-1 377974

PL-2 377975

PL-3 377976

PL-4 377977

PL-12 377983

PL-10 377982

ANN NORTH

NK

AURIZON

PEACH 1,2

ANN 2 208271

ANN 1 208270

MURPHY 1 305427

MURPHY 4 309368

MURPHY 2 305426

MURPHY 3 309076

MIRACLE

tennantite zone

Cu zone Peach showing

Cu-Au zone in trenches

True North

2.5°

Map Datum: NAD 83

## LEGEND

- 7 TERTIARY ROCKS — Porphyritic and Amygdaloidal Mafic Volcanic rocks
- 6 LOWER-MID JURASSIC INTRUSIVE ROCKS — Grandiorite, Monzonite, Gabro
- 5 UPPER TRIASSIC-LOWER JURASSIC NICOLA GROUP — Quartz Monzonite
- 4 Monzonite, Diorite, Syenite, Biotite Monzonite, Intrusive Breccia
- 3 Skarn, Calc-silicate Altered Volcanic and Sedimentary Rocks
- 2 Volcaniclastic Rocks, Greywacke, Siltstone, Conglomerate, Polymictic Breccia, Limestone (2a)
- 1 Basalt, Amygdaloidal Andesite, Augite - Plagioclase Phyric Andesite, Flow Breccia, Mafic Crystal Tuff/Lapilli Tuff

Geological contact; approximate, interpreted

Infered fault

93 - 05 DDH location

Cu-Au mineralization projected to surface

93 - 05 DDH with significant Cu-Au mineralization (> 0.17% Cu over >20m core length)

X Chalcopyrite-pyrite in outcrop

I.P. chargeability (in ms)

Ground magnetics (in gamma)

Ground magnetic low (in gamma)

Soil geochemistry (ppm Cu)
- 200 - 400
- 400 - 800
- 800 - 1600
- >1600

Stream-sediment geochemistry (ppm Cu)
- 100 - 200
- 200 - 300
- >300

Scale 1:10,000

0 100 250 500 m 1000

Geological contacts are modified after Hodgson (1972), Hodgson and DePaoli (1973), Gale (1991), Blann (2001)
Soil geochemical contours after White (1987-1990), Gale (1989)
IP chargeability after White (1990), Lloyd (1991, 1994, 1995)
Magnetic contours after Hodgson and DePaoli (1972), White (1988), Gale (1989)

GWR RESOURCES INC.

# REGIONAL COMPILATION

# LAC LA HACHE PROPERTY

| | |
|---|---|
| Clinton Mining Division, B.C. | Figure : 4 |
| Tech Work by: | Date: Aug, 2005 |
| Drawn By: JK/RM | NTS: 92P/14W |

611500E
611900E
612000E
612100E
5761400N
5761300N
5761200N
5761100N
5761000N
5760900N
5760800N
5760700N
SPOUT LAKE
NORTH ZONE
SOUTH ZONE
93-10
93-12
0.21%Cu/14m
74-18
0.14%Cu/2m
0.19%Cu/2.2m
93-6
93-7
0.15%Cu/9.5m
93-9
93-3
0.14%Cu/4m
0.42%Cu/9m
93-14
0.22%Cu/2m
0.66%Cu/8m
93-5
0.76%Cu/12m
93-8
0.18%Cu/30m
93-13
74-17
73-10
74-19
0.17%Cu/14m
92-1
1.13%Cu/70m
93-11
1.23%Cu/2.4m
0.33%Cu/4m
0.45%Cu/2m
0.44%Cu/14.9m
2.24%Cu/12m
93-4
0.27%Cu/9.7m
1.3%Cu/3.1m
0.47%Cu/71.6m
74-22
0.44%Cu/62.4m
0.25%Cu/4m
73-13
SPL05-01
S72-8
1.63%Cu/48.7m
P72-3
0.23%Cu/22.6m
1.17%Cu/20m
93-2
0.64%Cu/15.2m
73-12
0.94%Cu/10m
0.47%Cu/19.5m
1.29%Cu/2.4m
0.59%Cu/26.5m
0.45%Cu/22.3m
0.40%Cu/81.9m
73-15
1.15%Cu/3.4m
73-14
SPL05-05
73-16
0.38%Cu/12.1m
0.37%Cu/3.0m
0.27%Cu/2.1m
0.85%Cu/5.5m
95-6
72-6
72-5
0.40%Cu/12.2M
72-1
0.15%Cu/25.1m
0.24%Cu/38.4m
0.14%Cu/16.5m
72-2
0.42%Cu/6.1m
74-20
73-11
SPL05-06
0.12%Cu/38.1m
0.21%Cu/21.5m
SPL05-08
72-9
0.3%Cu/12.2m
72-3
0.22%Cu/42m
95-4
72-2
0.23%Cu/22m
0.27%Cu/3.5m
0.19%Cu/53.4m
SPL05-07
SPL05-04
0.15%Cu/9m
72-4
0.15%Cu/36.5m
SPL05-02
0.24%Cu/32.7m
0.13%Cu/2.1m
0.46%Cu/15.6m
0.44%Cu/5.8 m
95-5
SPL05-03
10
12
14
8
6
4
2000
5000
10000

## LEGEND

NICOLA GROUP INTRUSIVE ROCKS

- Microdiorite
- Quartz Monzonite, Monzonite

NICOLA GROUP VOLCANIC ROCKS

- Amygdaloidal Andesite (VVV), Plagioclase-augite+/-hornblende phyric Andesite (VVV), Andesite Breccia (<V>), Mafic Tuff, Volcaniclastic Sediments (-V-)
- Outcrop area

- 93-05 Drill-hole location
- Inferred fault
- Cu-Au mineralization projected to surface
- Interpreted mineralized zone
- I.P. chargeability (in ms)
- Ground Magnetics (in gamma)
- X Chalcopyrite+Magnetite in outcrop
- Roads

0 50 100m

1:1000

GWR RESOURCES INC.

**LAC LA HACHE PROPERTY**

SPOUT LAKE COMPILATION

Clinton Mining Division, B.C. NTS: 92P/14W

| | |
|---|---|
| D & J Consulting | Date: July 2005 |
| Drawn by: J.Kaiser | Figure 5 |

## LEGEND

- Drill hole
- Fault
- Geological boundary
- Values shown as %Cu, g/t Au Length of intercept in metres
- Mineralized zone

## Geology

| | |
|---|---|
| FpA | Feldspar porphyry andesite |
| Seds | Undifferentiated sediments |
| KpMz | Potasium feldspar (Quartz) porphyry monzonite |
| QMz | Quartz monzonite |
| BMz | Biotite monzonite |
| MzDr | Monzodiorite |

ANN 2 | ANN 1

0 50 100 150
metres

GWR RESOURCES INC.

Ann North Compilation
Copper - Gold Assays

# LAC LA HACHE PROPERTY

| | |
|---|---|
| Clinton Mining Division, B.C. | Figure : 6 |
| Tech Work by: BC | Date: Aug.30/ 2005 |
| Drawn By: RM | Scale: 1:1000 |

5758000N
615750E
3600919
1420
1420
1400
1380
1360
5757750N
5757500N
615300E
3600619

Mine Road

04-34
04-33

0.24g/t Au-6.22m

Trench 1

QDr
ep,kspar fractures
lim,hem,chl
ep,kspar,chl,mag,trace cp
lm clay /gouge
ob
ob
ob
clays,lm,sc mag, tr. cp
kspar, cp,mag,chl veinlets
MzDr
kspar mag,hem,cp
.34/2.25 -2.0m
.19/0.84 -6.0m
kspar,ep,po ±cp
QDr
kspar,ep,mag diss cp
QDr
clays,lm,ep,mag,py
kspar,mag,ep,cp
MzDr
kspar,ep,cp
lm clays,cp,py ep,mag
QM/Dr
.07/0.22 -28.0m
mal,cp,py
QDr
tarnished cp
po
syenite veinlets
ep,mag trace cp
MzDr
QDr
py,po
ep,po
ep,mag
ob
cp,mal lm,ep
ob
ob
bo?,cp
trace mal,cp ep,kspar
B
hem,mag,py,po
QDr
lm,hem,ep mag,cp
ob
QDr
QDr
cp
mag,po cp
ep,kspar cp,mag
lm,hem,ep py,po±cp
bx
SyDr
?
?
ep±kspar,cp
ob
cp
po,cp,mal,mag
kspar,ep,mag
lm,hem,mag
bx
QDr
po,cp,mal,mag
Sump

Grid
16E
3N

0 25 50 75
metres

N

## LEGEND

- Trench, cleared area
- 04-33 Drill hole
- Fault
- Geological boundary
- .34/2.1-2.0m Anomalous rock sample area (>0.2g/t Au); Value %Cu/g/t Au - length in metres

## Geology

| | |
|---|---|
| B | Amygdaloidal Flow |
| QDr | Quartz diorite |
| QM/Dr | Quartz monzonite/diorite |
| MzDr | Monzodiorite |
| SyDr | Syenodiorite |

## Abbreviations

| | |
|---|---|
| ob | overburden |
| bx | breccia |
| cp | chalcopyrite |
| ch | chlorite |
| ep | epidote |
| hem | hematite |
| kspar | potasium feldspar |
| lm | limonite |
| mag | magnetite |
| mal | malachite |
| po | pyrrhotite |
| py | pyrite |
| sc | sericite |

GWR RESOURCES INC.

Peach 2 Zone Trench Compilation

# LAC LA HACHE PROPERTY

| | |
|---|---|
| Clinton Mining Division, B.C. | Figure : 8a |
| Tech Work by: BC | Date: Aug.30/ 2005 |
| Drawn By: RM | Scale: 1:500 |

5758000N
615750E
6160019E
1420
1420
1400
1380
1360
Mine Road
04-34
04-33
Trench 2
Trench 14
Trench 15
Trench 1
Trench 5
Trench 4
Trench 8
Trench 9
Trench 7
Trench 6
Trench 10
Trench 11
Trench 12
Trench 13
Sump
5757750N
Grid
16E
3N
0
25
50
75
metres
615760E
5757500N
6160019E

LEGEND

- Trench, cleared area
- 04-33 — Drill hole
- X 25401 — Rock grab sample and ID
- 46600 — Rock chip sample and ID (2 metres)
- 0.2 1.0 — Values shown as %Cu, g/t Au

GWR RESOURCES INC.

Peach 2 Zone Trench Rock Sampling
Copper - Gold Assays

**LAC LA HACHE PROPERTY**

| | |
|---|---|
| Clinton Mining Division, B.C. | Figure : 8b |
| Tech Work by: BC | Date: Aug.30/ 2005 |
| Drawn By: RM | Scale: 1:500 |

ANN 2
TN 208271

ANN 1
TN 208270

616250E

616300E

5758100N

5758000N

5757900N

1420

1400

1380

04-32(-45°)

04-31(-90°)

Grid - Line 200E,700N

0 25 50 75

metres

## LEGEND

- Trench, cleared area
- Drill hole
- Rock grab sample and ID
- Rock chip sample and ID (2 metres)
- Values shown as %Cu, g/t Au
- Au > 1.0g/t
- Cu > 0.10%

GWR RESOURCES INC.

# Telegraph Corner Trench Rock Sampling Copper - Gold Assays

# LAC LA HACHE PROPERTY

| | |
|---|---|
| Clinton Mining Division, B.C. | Figure : 8c |
| Tech Work by: D.T. | Date: Aug.30/ 2005 |
| Drawn By: RM | Scale: 1:500 |

NW

SE

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 03-12: 615558E 5759313N
DDH 03-13: 615555E 5759316N

| | |
|---|---|
| ob | Overburden |
| amyg ba | Amygdoloidal basalt |
| h pg | Hornblende plagioclase dyke |
| QMzP | Quartz monzonite porphyry |
| Dr | Diorite |
| Abx/sed | Andesitic + breccia |
| volc sed | Andesitic tuffs |

Fault

Contact

Lithology
Sample Interval

Cu,Au
%, g/t

<% Cu
- % Cu
- % Cu
>% Cu

## DDH 03-12
(Az 310°)

Elev 1170 m

-45°

ob

microdiorite weak propylitic
potassic+tr. py
Dr

crowded plagioclase
weak propylitic tr. cpy
mod. potassic patches
QMzP

weak propylitic
weak potassic,tr.cpy
ep,kspar,ch,mag
A bx/seds

Amyg ba dyke

weak propylitic
weak potassic
1%py,tr.cpy
Volc.seds

kspar + mag
h pg dyke

20 m
40 m
60 m
EOH - 65.35 m

0.09, <0.03
0.09, <0.03
0.11, 0.03
0.07, 0.03
0.16, 0.06
0.13, 0.05
0.25, 0.06
0.04, <0.03
0.33, 0.07
0.18, <0.03
0.19, 0.03
0.15, 0.03
0.04, <0.03
0.18, 0.16

1160 m
1140 m
1120 m

ep,kspar,ch,ca,hem

blebs native cu

Fault zone native cu

0.04, <0.03

A bx/seds
weak propylitic & potassic
ep,ch,ca,hem,kspar

Fault zone

20 m
40 m
60 m

## DDH 03 -13

mod. potassic
weak -mod. propylitic
ep,mag,tl,kspar
QMzDr

0.08, <0.03
0.02, <0.03
0.03, <0.03

native cu frac. fill

80 m

A bx/seds
weak propylitic

weak propylitic
microdiorite
weak propylitic
MzDr

Fault breccia

0.03, <0.03
0.04, <0.03

100 m

0.06, 0.08

sheared fracs., slickensides,trace py

EOH - 114.3 m

1100 m
1080 m
1060 m

Abbreviations

| | | | |
|---|---|---|---|
| ab | albite | kspar | potassium feldspar |
| ap | apatite | lm | limonite |
| aug | augite | ls | limestone |
| ba | barite | mag | magnetite |
| bo | bornite | mal | malachite |
| ca | calcite | p | pegmatite |
| ch | chlorite | pg | plagioclase |
| cp | chalcopyrite | py | pyrite |
| dp | diopside | po | pyrrhotite |
| ep | epidote | q | quartz |
| gt | garnet | sc | sericite |
| gyp | gypsum | sp | sphalerite |
| hem | hematite | s | sulphide |
| h | hornblende | tl | tourmaline |

Scale 1:500
0 5 10 m 20

GWR RESOURCES INC.

# DDH 03-12 & 13
(Looking NE)
**LAC LA HACHE PROPERTY**
Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: BC | Date: Aug.30/2005 |
| Drawn By: EG/RM | Figure: 11 |

SW

NE

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 03-11 615597E 5759177N
DDH 03-13 615555E 5759313N

Abbreviations

| | | | |
|---|---|---|---|
| ab | albite | kspar | potassium feldspar |
| ap | apatite | lm | limonite |
| aug | augite | ls | limestone |
| ba | barite | mag | magnetite |
| bo | bornite | mal | malachite |
| ca | calcite | p | pegmatite |
| ch | chlorite | pg | plagioclase |
| cp | chalcopyrite | py | pyrite |
| dp | diopside | po | pyrrhotite |
| ep | epidote | q | quartz |
| gt | garnet | sc | sericite |
| gyp | gypsum | sp | sphalerite |
| hem | hematite | s | sulphide |
| h | hornblende | tl | tourmaline |

ob Overburden
QMzDr Quartz monzonite diorite
MzDr Monzodiorite
Abx/sed Andesitic + breccia
Fault
Contact

Lithology Sample Interval
Cu,Au %,g/t
<0.10% Cu
0.10 - 0.15% Cu
0.16 - 0.20% Cu
>0.20% Cu

1160 m
1140 m
1120 m
1100 m
980 m
960 m
920 m

ob
Elev 1175 m
-45°
increase in ep-kspar veins
kspar,ep,tl,cp
intense potassic alt. 30.1-37.5m
20 m
0.11, 0.05
0.03, <0.03
0.07, 0.03
0.05, 0.05
0.02, 0.03
0.11, 0.07
0.17, 0.05
0.11, 0.03
0.07, 0.04
0.04, 0.05
0.11, 0.06
0.03, <0.03
0.03, <0.03
0.04, 0.03
0.02, <0.03
0.09, 0.07
0.06, <0.03
0.14, 0.08
0.15, 0.06
0.11, 0.05
0.20, 0.17
0.17, 0.08
0.14, 0.04
0.11, 0.04
0.11, 0.03
0.17, 0.10
0.13, 0.05
0.11, 0.05
0.06, 0.04
0.04, 0.03
0.12, 0.07
0.08, 0.04
0.06, 0.04
0.06, 0.05
0.14, 0.07
0.09, 0.05
0.08, 0.03
40 m
0.39, 0.16
0.35, 0.10
0.26, 0.08
0.31, 0.11
0.32, 0.08
80 m
0.56, 0.26
0.34, 0.11
0.24, 0.09
0.33, 0.05
0.38, 0.08
0.27, 0.05
0.21, 0.07
120 m
0.35, 0.08
0.26, 0.09
160 m
0.25, 0.13
0.35, 0.18
0.43, 0.12
0.45, 0.18
EOH - 174.34 m
weak -mod. potassic
mod. propylitic
MzDr
intense in ep+cp blebs 71.0-83.5m
increase in kspar & variable disseminated s, cp

DDH 03 -11
(Az 205°)

116.6m SE on section
92.8m NW on section
Elev 1153 m
ob
ep,kspar,ch,ca,hem
blebs native cu
Fault zone
native cu
0.04, <0.03
A bx/seds
weak propylitic & potassic
ep,ch,ca,hem,kspar
Fault zone
40 m
60 m
80 m
100 m
0.08, <0.03
0.02, <0.03
0.03, <0.03
mod. potassic
weak -mod. propylitic
ep,mag,tl,kspar
QMzDr
native cu frac. fill
A bx/seds
weak propylitic
weak propylitic
MzDr
microdiorite
weak propylitic
Fault breccia
0.03, <0.03
0.04, <0.03
0.06, 0.08
sheared fracs., slickensides,trace py

DDH 03 -13
EOH - 114.3 m

Scale 1:500
0 5 10 m 20

GWR RESOURCES INC.

DDH 03-11 & 13
(Looking NW 295°)
**LAC LA HACHE PROPERTY**
Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: BC | Date: Aug.30/2005 |
| Drawn By: EG/RM | Figure: 11 |

SSW

NNE

| | |
|---|---|
| ob | Overburden |
| q h pg p | Quartz hornblende plagioclase porphyry |
| h pg p | Hornblende plagioclase porphyry |
| MzDr | Monzodiorite |
| QDr | Quartz diorite |
| Dr | Diorite |
| BMzDr | Biotite monzodiorite |
| BMzQDr | Biotite monzodiorite quartz diorite |
| Abx/sed | Andesitic tuffs + breccia |

Fault

Contact

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 03-14: 615743E, 5759367N
DDH 03-15: 615738E, 5759276N

Andesitic tuffs

h pg & QDr

BMzDr

Elev 1186 m

-45°

ob

q h pg p @83-81m

h pg p & MzDr

QDr

BMzDr

Elev 1186 m

-50°

ob

QDr/Dr

ob

1180 m

trace cp & native cu
ep,kspar,ch,ca,hem,mag

BMzDr

weak propylitic
weak potassic along fracs

DDH 03-14
(Az 209°)
(+39.75m off section)

20 m

0.03, <0.03
0.02, <0.03
0.02, <0.03
0.03, <0.03
0.04, <0.03
0.02, <0.03
0.02, <0.03
0.01, <0.03
0.02, <0.03
0.01, <0.03

1160 m

40 m

BMzQDr

weak propylitic
up to 3-5% mag

0.01, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03
0.02, 0.13
0.02, 0.03
0.01, <0.03
0.01, <0.03

60 m

EOH - 62.48 m

1140 m

trace py,cp & native cu
ep,kspar,tl,q,ca,hem
weak propylitic

QDr

QDr

BMzDr

20 m

0.01, <0.03
0.01, <0.03
0.03, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03
0.02, <0.03
0.01, <0.03

BMzDr

cut potassic alt.
ep,kspar,ch

40 m

0.01, <0.03
0.01, <0.03
0.01, <0.03
0.02, <0.03
0.01, <0.03
0.01, <0.03
0.02, <0.03
0.01, <0.03

ep,ch,ca,kspar,sc,hem
weak propylitic,mod. potassic zones

QDr

60 m

0.03, <0.03
0.04, <0.03
0.02, <0.03
0.02, <0.03
0.01, <0.03
0.02, <0.03
0.01, <0.03
0.01, <0.03

h pg p

h pg bx

80 m

0.02, <0.03
0.01, <0.03
0.02, <0.03
0.01, <0.03
0.02, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03

MzDr

h pg p

Fault zone

100 m

0.05, <0.03
0.02, <0.03
0.04, <0.03
0.05, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03

1120 m

trace cp, + tl, hem
weak propylitic, potassic as selvages

QDr

Abx/seds

q h pg p

120 m

0.01, <0.03
0.01, <0.03
0.02, <0.03
0.02, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03

3-5%mag,ep,ab?,kspar,ca
weak propylitic & potassic alt.

QDr

1100 m

140 m

0.01, <0.03
0.01, <0.03
0.02, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03
0.14, <0.03
0.01, <0.03

intense potassic alt.

Dr

crowded pg p
hem,ca,ch on fracs

160 m

0.02, <0.03
0.01, <0.03
0.01, <0.03
0.02, <0.03
0.01, <0.03
0.04, <0.03
0.02, <0.03
0.02, <0.03

1080 m

EOH - 172.82 m

0.08, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03

Abx/seds

weak potassic alt.

1060 m

1040 m

Lithology
Sample Interval

Cu,Au
%, g/t

<0.10% Cu
0.10 - 0.15% Cu
0.16 - 0.20% Cu
>0.20% Cu

DDH 03-15
(Az 209°)

Abbreviations

| | | | |
|---|---|---|---|
| ab | albite | kspar | potassium feldspar |
| ap | apatite | lm | limonite |
| aug | augite | ls | limestone |
| ba | barite | mag | magnetite |
| bo | bornite | mal | malachite |
| ca | calcite | p | pegmatite |
| ch | chlorite | pg | plagioclase |
| cp | chalcopyrite | py | pyrite |
| dp | diopside | po | pyrrhotite |
| ep | epidote | q | quartz |
| gt | garnet | sc | sericite |
| gyp | gypsum | sp | sphalerite |
| hem | hematite | s | sulphide |
| h | hornblende | tl | tourmaline |

Scale 1:500

0 5 10 m 20

GWR RESOURCES INC.

# DDH 03-14, 03-15
(Looking WNW)

**LAC LA HACHE PROPERTY**

Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: BC | Date: Aug.30/2005 |
| Drawn By: EG/RM | Figure: 12 |

SSW

NNE

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 03-16: 615412E 5759322N

Elev 1183 m

1180 m
1160 m
1140 m
1120 m
1100 m
1080 m
1060 m
1040 m
1020 m
1000 m
800 m

ob

Volc seds

q h pg p

Volc seds

q h pg p

Dr

Dr

q h pg p

Dr

trace py,cp
ep,kspar,tl,ca
weak-mod. propylitic,mod potassic on fracs.

crowded q h pg p
hem,ca,py

ep,kspar,tl,ca,ch,py
mod. propylitic alt.

q h pg p
hem,cp,tl

Fault zone
intense potassic

cp with tl+hem,lm,mag
local bx
mod potassic alt.

Dr/gabbro
fresh mag to 3%

amyg ba

q h pg p

kspar,tl,ca,hem,cp±mag
intense potassic overprint

q h pg p
intense potassic overprint

ep,ch,kspar,tl
ca,trace cp,0.5-1%py

q h pg p
kspar,sc,ak

amyg ba

volc seds
mod.potassic alt.

Abx/seds
ep,tl,mag+cp,po

amyg ba

volc seds

Abx/seds

Fault bx

Abx/seds
ep,tl,mag+cp,po

ep,kspar,mag,py,po

volc seds

EOH - 249.33 m

20 m
40 m
60 m
80 m
100 m
120 m
140 m
160 m
180 m
200 m
220 m
240 m

0.06, 0.16
0.01, 0.10
0.08, 0.15
0.05, 0.12
0.07, 0.13
0.06, 0.16
<0.01, 0.10
0.01, 0.08
0.01, 0.05
0.05, 0.07
0.06, 0.12
0.03, 0.07
0.04, 0.07
0.04, 0.03
0.03, 0.07
0.03, 0.03
0.03, 0.04
0.01, 0.08
0.03, 0.08
0.11, 0.09
0.15, 0.12
0.03, 0.03
0.11, 0.13
0.16, 0.05
0.05, 0.05
0.03, <0.03
<0.01, <0.03
0.02, 0.14
0.02, 0.03
<0.01, 0.03
0.19, 0.06
0.13, 0.16
0.16, 0.15
0.03, <0.03
0.08, <0.03
0.04, 0.03
0.01, <0.03
0.04, <0.03
0.02, <0.03
0.07, <0.03
0.18, 0.07
0.08, 0.03
0.10, <0.03
0.15, 0.11
0.01, <0.03
<0.01, <0.03
<0.01, <0.03
0.03, 0.04
0.01, <0.03
0.02, 0.04
0.05, 0.07
0.02, 0.07
<0.01, <0.03
<0.01, <0.03
0.07, <0.03
0.07, 0.05
0.10, 0.03
0.07, 0.03
0.20, 0.08
0.10, 0.03
0.13, 0.03
0.05, 0.05
0.01, <0.03
<0.01, <0.03
0.04, <0.03
<0.01, <0.03
<0.01, <0.03
0.03, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03
<0.01, 0.05
0.01, <0.03
0.01, 0.04
0.02, 0.04
0.05, 0.07

**Abbreviations**

| | | | |
|---|---|---|---|
| ab | albite | kspar | potassium feldspar |
| ap | apatite | lm | limonite |
| aug | augite | ls | limestone |
| ba | barite | mag | magnetite |
| bo | bornite | mal | malachite |
| ca | calcite | p | pegmatite |
| ch | chlorite | pg | plagioclase |
| cp | chalcopyrite | py | pyrite |
| dp | diopside | po | pyrrhotite |
| ep | epidote | q | quartz |
| gt | garnet | sc | sericite |
| gyp | gypsum | sp | sphalerite |
| hem | hematite | s | sulphide |
| h | hornblende | tl | tourmaline |

Lithology
Sample Interval

Cu,Au
<0.10% Cu
0.10 - 0.15 % Cu
0.16 - 0.20% Cu
>0.20% Cu

| | |
|---|---|
| ob | Overburden |
| amyg ba | Amygdolooidal basalt |
| q h pg p | Quartz hornblende plagioclase porphyry |
| Dr/ gabbro | Diorite/gabbro |
| Dr | Diorite |
| Abx/sed | Andesitic tuffs + breccia |
| volc sed | Andesitic tuffs |

Fault

Contact

DDH 03-16
(Az 209°)

Scale 1:500
0 5 10 m 20

GWR RESOURCES INC.

DDH 03-16
(Looking WNW)


**LAC LA HACHE PROPERTY**
Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: BC | Date: Aug.30/2005 |
| Drawn By: EG/RM | Figure: 13 |

SW

NE

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 03-17: 615412E, 5759322N




DDH 03-17
(Az 040°)

| | |
|---|---|
| ob | Overburden |
| q h pg p | Quartz hornblende plagioclase porphyry |
| Abx/sed | Andesitic tuff + breccia |
| volc sed | Andesitic tuffs |
| Nicola volc sed | Volcanic sediments |

Fault

Contact

Abbreviations

| | | | |
|---|---|---|---|
| ab | albite | kspar | potassium feldspar |
| ap | apatite | lm | limonite |
| aug | augite | ls | limestone |
| ba | barite | mag | magnetite |
| bo | bornite | mal | malachite |
| ca | calcite | p | pegmatite |
| ch | chlorite | pg | plagioclase |
| cp | chalcopyrite | py | pyrite |
| dp | diopside | po | pyrrhotite |
| ep | epidote | q | quartz |
| gt | garnet | sc | sericite |
| gyp | gypsum | sp | sphalerite |
| hem | hematite | s | sulphide |
| h | hornblende | tl | tourmaline |

Scale 1:500

0 5 10 m 20

Lithology
Sample Interval

Cu,Au %, g/t

<0.10% Cu
0.10 - 0.15 % Cu
0.16 - 0.20% Cu
>0.20% Cu

GWR RESOURCES INC.

DDH 03-17

**LAC LA HACHE PROPERTY**

Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: | Date: Aug.30/2005 |
| Drawn By: EG/RM | Figure: 14 |

SW

FpA NE

1220 m

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 04-19, 04-21: 616143E, 5759285N

mod-strong potassic alt.
fragments to 8cm
Abx/seds

Elev 1191 m

-50°

ob

weak-mod. propylitic

0.03, <0.03
0.06, <0.03
0.01, <0.03
0.04, 0.08
0.03, <0.03
0.02, <0.03
0.05, <0.03
0.01, <0.03

intense potassic patches
ep,tl,ca,mag,hem
Intrusive bx
40 m

weak propylitic/potassic alt.
amyg ba

0.04, <0.03
0.07, <0.06

1140 m

mod. potassic alt.
on fractures
Abx
80 m
amyg ba

0.06, 0.06
0.05, 0.05
0.05, 0.12
0.04, 0.06

ep,ch,ca,hem
Abx/seds

FpA
Fault zone
FpA
120 m

0.02, <0.03
0.01, <0.03

1100 m

Abx/seds
ch,tl,py
MzDr
amyg ba

weak propylitic alt.
fragments to 4cm
ep,ab,tl,mag,kspar,trace cp
Abx/seds

0.04, 0.10

weak propylitic/potassic alt.
disseminated py
MzDr
160 m

0.09, 0.10
0.10, 0.10
0.13, 0.05
0.07, 0.04

1060 m

ep,kspar,mag,ca,py
Abx/seds

0.04, 0.03

weak propylitic/potassic alt.
sandstone trace py,po,cp
Abx/seds
200 m

0.04, 0.08

weak propylitic,mod. potassic alt.
ch,ep,ca
Abx/seds

0.04, 0.04

1020 m

0.02, 0.05

EOH 217.93 m
(Hole Angle -50°)

DDH 04-18
(Az 209°)

980 m

940 m

900 m

860 m

820 m

Lithology
Sample Interval

Cu,Au

<0.10% Cu
0.10 - 0.15% Cu
0.16 - 0.20% Cu
>0.20% Cu

| | |
|---|---|
| ob | Overburden |
| amyg ba | Amygdoloidal basalt flow |
| FpA | Feldspar porphyry andesite |
| Intrusive breccia | Intrusive breccia |
| MzDr | Monzodiorite |
| Abx/sed | Andesitic seds + breccia |
| ∿∿∿ | Fault |
| ..... | Contact |

Abbreviations

| | | | |
|---|---|---|---|
| ab | albite | h | hornblende |
| ap | apatite | lm | limonite |
| aug | augite | ls | limestone |
| ba | barite | mag | magnetite |
| bo | bornite | p | pegmatite |
| ca | calcite | pg | plagioclase |
| ch | chlorite | py | pyrite |
| cp | chalcopyrite | po | pyrrhotite |
| dp | diopside | q | quartz |
| ep | epidote | sc | sericite |
| gt | garnet | sp | sphalerite |
| gyp | gypsum | s | sulphide |
| hem | hematite | tl | tourmaline |

Scale 1:1000
0 10 20 m 40

GWR RESOURCES INC.

DDH 04-18
(Looking NW)

**LAC LA HACHE PROPERTY**
Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: BC | Date: Aug.30/2005 |
| Drawn By: RM | Figure: 15 |

N

S

1220 m

1180 m

1140 m

1100 m

1060 m

1020 m

980 m

940 m

900 m

860 m

820 m

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 04-19, 04-21: 616143E, 5759285N

DDH 04-21
(Dip -45º, Az 330º, EOH 199.03 m)

Elev 1163 m

-65°

ob

FpA

QMz

KpMz

Fault zone

KpMz
hem,ca,clays

FpA
lm,hem,clays
cp,chalcocite
green clays,hem,tl
cp,chalcocite

KpMzbx

grey q,ch,hem,tl clays,cp KpMz

grey q,ca,hem amethyst,cp,mal FpA

Fault zone

diss.+ blebs cp + chalcocite

KpMz

q,tl,cp

subparallel q ca@45°+cp

less brecciated healed cp fracs, cp,py q,ca,tl FpMz

bx, grey q stockwork hem,ch,tl,cp

Fault zone

Fault zone
py,po,cp

bleached vein bx py,cp,chalcocite hem,ch,clays

mag,basalt amyg ba

bleached ch,sc clays kspar,tl, local bx QMz

FpA

QMz

FpA

BMzbx

FpA

Fault zone

ch,hem,ca FpA

24.10 m

50.10 m

40 m

0.50% Cu, 1.23 g/t Au
26.0 m
( includes 1.04% Cu, 4.38 g/t Au
4.0m )

104.75 m

122.85 m

80 m

120 m

0.26% Cu, 0.17 g/t Au
18.1 m

152.85 m

160 m

0.29% Cu, 0.33 g/t Au
107.3 m

200 m

240 m

260.15 m

280 m

320 m

EOH 363.3 m
(Hole Angle -46°)

Lithology
Sample Interval

Cu,Au

<0.10% Cu
0.10 - 0.15% Cu
0.16 - 0.20% Cu
>0.20% Cu

| | |
|---|---|
| ob | Overburden |
| amyg ba | Amygdoloidal basalt flow |
| FpA | Feldspar porphyry andesite |
| FpMz | Feldspar porphyry monzonite |
| QMz | Quartz monzonite |
| KpMzbx | Kspar porphyry monzonite breccia |
| KpMz | Potassium feldspar porphyry monzonite |
| BMzbx | Biotite monzonite breccia |

Fault

Contact

Abbreviations

| | | | |
|---|---|---|---|
| ab | albite | kspar | potassium feldspar |
| ap | apatite | lm | limonite |
| aug | augite | ls | limestone |
| ba | barite | mag | magnetite |
| bo | bornite | mal | malachite |
| ca | calcite | p | pegmatite |
| ch | chlorite | pg | plagioclase |
| cp | chalcopyrite | py | pyrite |
| dp | diopside | po | pyrrhotite |
| ep | epidote | q | quartz |
| gt | garnet | sc | sericite |
| gyp | gypsum | sp | sphalerite |
| hem | hematite | s | sulphide |
| h | hornblende | tl | tourmaline |

# DDH 04-19
(Az 180º)

Scale 1:1000

0 10 20 m 40

GWR RESOURCES INC.

## DDH 04-19
## (Looking East)

**LAC LA HACHE PROPERTY**

Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: BC | Date: Aug.30/2005 |
| Drawn By: EG/RM | Figure: 16 |

N

S

1180 m

1140 m

1100 m

1060 m

1020 m

980 m

940 m

900 m

860 m

820 m

780 m

ob

FpA

KpMz

QMz

Elev 1154 m

-70°

Fault bx

QMz

native cu

KpMzbx

grey q,tl,ca mag KpMz

h pg p A

KpMz

h pg p A

chalcocite,cp KpMz

chalcocite,cp KpMzbx

h pg p A

grey q,ab ca,cp,py KpMz

h pg p A

grey q,ch,tl,mag minor amethyst?,cp+py veinlets @20-50° KpMz

crowded,bleached KpMz

crowded q,tl,ch,hem bo,cpy,chalcocite parallel to core KpMzbx

KpMz

ep,ch,ca,hem h pg p A

mag amyg ba

h pg p A + amyg ba bx

QMz

Fault zone clay gouge,ch,ca,kspar

h pg p A

mag amyg ba

h pg p A

amyg ba

volc int.bx

amyg ba

volc int.bx

EOH 415.44 m (Hole Angle -46°)

40 m

80 m

120 m

160 m

200 m

240 m

280 m

320 m

360 m

400 m

0.12, 0.06 | 0.15, 0.06 | 0.10, 0.07 | 0.06, 0.07 | 0.04, 0.08 | 0.04, 0.06 | 0.04, 0.06 | 0.03, 0.07 | 0.03, 0.08 | 0.01, 0.05 | 0.01, 0.08 | 0.01, 0.06 | <0.01, 0.06 | 0.01, 0.05 | <0.01, 0.04 | 0.04, 0.14 | <0.01, 0.07 | 0.01, 0.05 | 0.01, 0.04 | 0.02, 0.05 | 0.03, 0.04 | 0.07, 0.05 | 0.01, 0.05 | 0.02, 0.04 | 0.08, 0.06 | 0.07, 0.08 | 0.07, 0.07 | 0.05, 0.05 | 0.09, 0.07 | 0.04, 0.06 | 0.04, 0.06 | 0.02, 0.21 | <0.01, 0.05 | 0.03, <0.03 | 0.09, 0.07 | 0.08, 0.06 | 0.16, 0.10 | 0.18, 0.09 | 0.09, 0.07 | 0.14, 0.05 | 0.14, 0.07 | 0.14, 0.07 | 0.07, 0.03 | 0.07, 0.05 | 0.05, 0.03 | 0.09, 0.13 | 0.06, 0.08 | 0.19, 0.14 | 0.09, 0.05 | 0.09, 0.04 | 0.10, 0.06 | 0.07, 0.03 | 0.10, 0.26 | 0.10, 0.09 | 0.07, 0.05 | 0.06, 0.03 | 0.04, 0.04 | 0.05, 0.06 | 0.06, <0.03 | 0.05, <0.03 | 0.04, <0.03 | 0.05, 0.04 | 0.07, <0.03 | 0.10, 0.05 | 0.04, 0.33 | 0.06, 0.12 | 0.02, 0.10 | <0.01, <0.03 | 0.02, <0.03 | <0.01, <0.03 | 0.03, 0.03 | <0.01, <0.03 | 0.01, <0.03 | 0.01, <0.03 | 0.02, <0.03 | 0.01, <0.03 | 0.02, <0.03 | 0.03, 0.03 | 0.03, 0.03 | 0.04, 0.03 | 0.02, <0.03 | 0.17, 0.08 | 0.06, <0.03 | 0.03, <0.03 | 0.02, <0.03 | 0.14, 0.07 | 0.03, 0.03 | 0.03, <0.03 | 0.07, 0.03 | 0.05, 0.03 | 0.09, 0.10 | 0.12, 0.11 | 0.10, 0.10 | 0.14, 0.12 | 0.11, 0.09 | 0.11, 0.09 | 0.07, 0.04 | 0.19, 0.23 | 0.15, 0.25 | 0.05, 0.07 | 0.07, 0.12 | 0.09, 0.12 | 0.20, 0.19 | 0.09, 0.09 | 0.09, 0.12 | 0.12, 0.15 | 0.16, 0.33 | 0.18, 0.15 | 0.11, 0.12 | 0.10, 0.05 | 0.11, 0.05 | 0.09, 0.03 | 0.05, 0.04 | 0.05, <0.03 | 0.05, 0.09 | 0.05, <0.03 | 0.05, 0.04 | 0.09, 0.05 | 0.12, 0.07 | 0.05, <0.03 | 0.03, <0.03 | 0.04, 0.04 | 0.10, 0.04 | 0.07, 0.04 | 0.05, 0.04 | 0.04, 0.03 | 0.01, <0.03 | 0.08, 0.07 | 0.02, <0.03 | 0.02, <0.03 | 0.01, <0.03 | 0.02, <0.03 | 0.01, <0.03 | 0.01, <0.03 | 0.01, <0.03 | 0.05, <0.03 | 0.01, <0.03 | <0.01, 0.04

Lithology Sample Interval

Cu,Au

<0.10% Cu
0.10 - 0.15 % Cu
0.16 - 0.20% Cu
>0.20% Cu

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 04-20: 616186E, 5759287N
DDH 00-16: 616186E, 5759287N
DDH 00-25: 616195E, 5759106N

| | |
|---|---|
| ob | Overburden |
| amyg ba | Amygdoloidal basalt flow |
| h pg p A | Hornblende plagioclase porphyry andesite |
| FpA | Feldspar porphyry andesite |
| QMz | Quartz monzonite |
| KpMzbx | Kspar porphyry monzonite breccia |
| KpMz | Potassium feldspar porphyry monzonite |
| volc int.bx | Volcanic intrusive breccia |

Fault

Contact

Abbreviations

| | | | |
|---|---|---|---|
| ab | albite | kspar | potassium feldspar |
| ap | apatite | lm | limonite |
| aug | augite | ls | limestone |
| ba | barite | mag | magnetite |
| bo | bornite | mal | malachite |
| ca | calcite | p | pegmatite |
| ch | chlorite | pg | plagioclase |
| cp | chalcopyrite | py | pyrite |
| dp | diopside | po | pyrrhotite |
| ep | epidote | q | quartz |
| gt | garnet | sc | sericite |
| gyp | gypsum | sp | sphalerite |
| hem | hematite | s | sulphide |
| h | hornblende | tl | tourmaline |

Scale 1:1000

0 10 20 m 40

DDH 04-20


GWR RESOURCES INC.

# DDH 04-20
# (Looking East)

## LAC LA HACHE PROPERTY

Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: BC | Date: Aug.30/2005 |
| Drawn By: EG/RM | Figure: 17 |


NW
SE
DRILL COLLAR COORDINATES
(Map Sheet 92P094 - NAD 83 Grid Zone 10U)
DDH 04-19, 21: 616143E, 5759285N
DDH 04-19
(Dip -65°, Az 180°, EOH 363.63 m)
Elev 1185 m
-45°
ob
1180 m
1140 m
1100 m
1060 m
intense arg,clays,hem
porph fracs@30-40±
QMzP
weak-mod arg,lm,hem+clays
QMz
ch,hem,ca, along shears(porph)
QMz Bx
ob?
QMz - Kspar
QMz
ob?
lm,hem QMz
mod arg,increasing potassic
QMz
lm,ca
ep,hem,lm,ca
non porph, med potassic
fractures ca,sup,ep,green clays,talc,tl
QMz - Kspar
weak potassic
Tr spec. hem, lm, minor q veinlets
QMz
weak -moderate potassic + mag
Hole Angle -36.5°
weak Kspar
QMz
EOH 199.03m
(Hole Angle -35°)
DDH 04-21
(Az 330°)
Scale 1:1000
0 10 20 m 40
Lithology
Sample Interval
Cu,Au
%, g/t
<0.10% Cu
0.10 - 0.15% Cu
0.16 - 0.20% Cu
>0.20% Cu
ob Overburden
QMzP Quartz monzonite porphyry
QMz Quartz monzonite
QMz Bx Quartz monzonite breccia
Fault
Contact
Abbreviations
ab albite
ap apatite
aug augite
ba barite
bo bornite
ca calcite
ch chlorite
cp chalcopyrite
dp diopside
ep epidote
gt garnet
gyp gypsum
hem hematite
h hornblende
kspar
lm limonite
ls limestone
mag magnetite
mal malachite
p pegmatite
pg plagioclase
py pyrite
po pyrrhotite
q quartz
sc sericite
sp sphalerite
s sulphide
tl tourmaline
GWR RESOURCES INC.
DDH 04-21
(Looking East)
LAC LA HACHE PROPERTY
Clinton Mining Division, B.C.
Tech Work by:
Date: March, 2004
Drawn By: EG/RM
Figure: 18

N

S

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 04-22: 616096E, 5759278N

1180 m
1140 m
1100 m
1080 m
1040 m
1000 m
980 m

Elev. 1178m
-65°
Hole Angle -57.5°

ob
Andesite ash tuffs?
BMzbx
FpA + amyg ba

QMz
KpMz
mal crowded
clays,hem,lm
weak argillic alt. bleached kspar envelopes
tl,q,kspar clays,hem,lm
KpMzbx
cpy veinlets trace chalcocite
silicified grey q,kspar,tl bleached black matrix
aug,pg andesite hem,ch,ca
FpA
amyg ba
KpQMzbx
ep,kspar,tl,mag,cpy
BMzbx
Abx
BMz
propylitic/potassic alt.on fracs mag,ep,ch,kspar trace cp + py
Abx/seds
ca

40m
80m
120m
160m
200m
240m
EOH 259.75 m
Hole Angle -52.5°

DDH 04-22
(Az 180°)

Lithology
Sample Interval
Cu,Au
<0.10% Cu
0.10 - 0.15% Cu
0.16 - 0.20% Cu
>0.20% Cu

| | |
|---|---|
| ob | Overburden |
| amyg ba | Amygdoloidal basalt flow |
| FpA | Feldspar porphyry andesite |
| QMz | Quartz monzonite |
| KpMzbx | Potassium feldspar quartz porphyry monzonite breccia |
| KpMz | Potassium feldspar quartz porphyry monzonite |
| BMz | Biotite monzodiorite |
| Abx/sed | Andesitic seds + breccia |

Fault
Contact

Abbreviations

| | | | |
|---|---|---|---|
| ab | albite | kspar | potassium feldspar |
| ap | apatite | lm | limonite |
| aug | augite | ls | limestone |
| ba | barite | mag | magnetite |
| bo | bornite | mal | malachite |
| ca | calcite | p | pegmatite |
| ch | chlorite | pg | plagioclase |
| cp | chalcopyrite | py | pyrite |
| dp | diopside | po | pyrrhotite |
| ep | epidote | q | quartz |
| gt | garnet | sc | sericite |
| gyp | gypsum | sp | sphalerite |
| hem | hematite | s | sulphide |
| h | hornblende | tl | tourmaline |

Scale 1:1000
0 10 20 m 40

GWR RESOURCES INC.

# DDH 04-22
# (Looking East)

## LAC LA HACHE PROPERTY

Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: BC | Date: Aug.30/2005 |
| Drawn By: EG/RM | Figure: 19 |

N

S

Elev 1185 m

Elev 1190 m

ob

volc seds

QMz

KpQMz

FpA

1180 m

1140 m

1100 m

1060 m

1020 m

980 m

940 m

-55°

-47°

A

QMz
kspar

40 m

FpA
mag

QMz

ep,tl,kspar,cp FpA/QMz

80 m

QMz

QMzbx

QMz

120 m

A

A ash tuff

bx vein
q,ca,hem

QMz

FpA

160 m

A ash tuff

Abx/seds

200 m

A ash tuff

240 m

QMz

FpA

QMz

280 m

weak propylitic,mod. potassic along fracs
mag,tl,ep,ch,cp

mag,ep,kspar,cp

weak propylitic,weak potassic
mag,ep,kspar,cp,py
veinlets + disseminated

QMz

320 m

KpQMz

FpA

400 m

EOH 425.91 m
(Hole Angle -28°)

EOH 258.50 m

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 04-23: 616065E, 5759211N

DDH 00-14: 616078E, 5759124N

**DDH 00-14**
(Az 180°)
(+13 m off section)

**DDH 04-23**
(Az 180°)

| | |
|---|---|
| ob | Overburden |
| A<br>ash tuff | Andesite<br>ash tuff |
| FpA | Feldspar porphyry<br>andesite |
| FpMz | Feldspar porphyry<br>monzonite |
| QMz | Quartz monzonite |
| QMzbx | Quartz monzonite<br>breccia |
| KpQMz | Potassium feldspar<br>porphyry quartz monzonite |
| Abx/sed | Andesitic tuffs<br>+ breccia |
| volc sed | Andesitic tuffs |

Fault

Contact

Lithology
Sample Interval

Cu,Au

<0.10% Cu
0.10 - 0.15% Cu
0.16 - 0.20% Cu
>0.20% Cu

Scale 1:1000
0 10 20 m 40

Abbreviations

| | | | |
|---|---|---|---|
| ab | albite | kspar | potassium feldspar |
| ap | apatite | lm | limonite |
| aug | augite | ls | limestone |
| ba | barite | mag | magnetite |
| bo | bornite | mal | malachite |
| ca | calcite | p | pegmatite |
| ch | chlorite | pg | plagioclase |
| cp | chalcopyrite | py | pyrite |
| dp | diopside | po | pyrrhotite |
| ep | epidote | q | quartz |
| gt | garnet | sc | sericite |
| gyp | gypsum | sp | sphalerite |
| hem | hematite | s | sulphide |
| h | hornblende | tl | tourmaline |

GWR RESOURCES INC.

DDH 04-23, 00-14

**LAC LA HACHE PROPERTY**
Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: BC | Date: Aug.30/2005 |
| Drawn By: EG/RM | Figure: 20 |

SW NE

1220 m

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 04-24: 616070E, 5758890N

1240 m

ob

ob

Elev 1230 m

-50°

ob

MicroDr

0.04, <0.03
0.02, <0.03

40 m

1200 m

locally crowded
weak propylitic alt.
ch,ep,ca,sc,mag,trace py+hem

MicroDr

weak patchy potassic/propylitic alt.
tl,ch,ep,ca,tracepy+po

MzDr

0.02, <0.03

80 m

0.06, 0.15
0.01, <0.03
0.01, <0.03
0.02, 0.04

0.02, <0.03
0.02, <0.03
0.01, <0.03
0.03, <0.03
0.05, 0.05
0.02, <0.03

1160 m

clay gouge,ch,hem

Fault zone

120 m

kspar envelopes
ep,ca,trace py

MicroDr

0.03, <0.03
0.02, <0.03
0.02, <0.03
0.01, <0.03
0.02, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03
0.01, <0.03
0.03, <0.03

1120 m

h,pg

FpA

160 m

Dr

aug porphyry

h pg p

0.04, <0.03
0.03, <0.03
0.02, <0.03
0.02, <0.03
0.02, <0.03
0.02, <0.03
0.02, <0.03
0.02, 0.10
0.02, <0.03
0.02, 0.04
0.02, <0.03
0.30, 0.13
0.05, 0.07
0.16, 0.05
0.23, 0.10
0.44, 0.18
0.86, 0.28
0.07, <0.03
0.02, <0.03
0.01, <0.03
0.03, <0.03
0.07, 0.03
0.22, 0.08
0.11, 0.05
0.03, 0.10
0.06, 0.06
0.15, 0.34
0.04, 0.03
0.01, 0.03
0.01, <0.03
0.06, 0.06
0.06, 0.06

0.01, 0.07

mag dyke

amyg ba

200 m

1080 m

aug porphyry+biotite porphyry

h pg p

dyke

amyg ba

0.11, 0.02
0.03, 0.04
0.01, <0.03

clay gouge

Fault zone

1040 m

0.02, <0.03
0.02, <0.03
0.02, <0.03

weak propylitic alt.
ep,ca,mag,py

MzDrp

1000 m

<0.01, <0.03
0.11, <0.03
<0.01, <0.03
0.02, <0.03

0.05, <0.03

960 m

EOH 349.06 m
(Hole Angle -50°)

DDH 04-24
(Az 209°)

920 m

880 m

Lithology
Sample Interval

Cu,Au

<0.10% Cu
0.10 - 0.15% Cu
0.16 - 0.20% Cu
>0.20% Cu

| | |
|---|---|
| ob | Overburden |
| amyg ba | Amygdoloidal basalt (dyke) |
| h pg p | Hornblende plagioclase porphyry |
| FpA | Feldspar porphyry andesite |
| Dr | Diorite |
| microDr | Microdiorite |
| MzDrp | Monzodiorite porphyry |

Fault

Contact

Abbreviations

| | | |
|---|---|---|
| albite | ab | hornblende |
| apatite | ap | limonite |
| augite | aug | limestone |
| barite | mag | magnetite |
| bornite | bn | pegmatite |
| calcite | cpg | plagioclase |
| chlorite | chl | pyrite |
| chalcopyrite | cp | pyrrhotite |
| diopside | dp | quartz |
| epidote | ep | sericite |
| garnet | grt | sphalerite |
| gypsum | gyp | sulphide |
| hematite | hem | tourmaline |

Scale 1:1000

0 10 20 m 40

GWR RESOURCES INC.

DDH 04-24
(Looking NW)

**LAC LA HACHE PROPERTY**

Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: BC | Date: Aug.30/2005 |
| Drawn By: RM | Figure: 21 |

SW

FpA NE

1220 m

**DRILL COLLAR COORDINATES**
**(Map Sheet 92P094 - NAD 83 Grid Zone 10U)**
DDH 04-25: 616105E, 5758590N

1280 m

Lithology
Sample Interval

Cu,Au

<0.10% Cu
0.10 - 0.15% Cu
0.16 - 0.20% Cu
>0.20% Cu

1240 m

Elev 1235 m

-50°

ob

ob

ob

patchy locally pervasive potassic alt.
weak propylitic/potassic alt.
ch,ep,ca,sc,kspar,mag,trace py

MzDr

40 m

0.02, <0.03
0.02, <0.03
0.02, <0.03
0.02, <0.03

weakly magnetic Syenite dyke

1200 m

weak patchy potassic/propylitic alt.
tl,ch,ep,ca,tracepy+po

MzDr

0.02, <0.03
0.01, <0.03
0.01, <0.03

80 m

bx,clay gouge Fault zone

0.02, <0.03
0.04, <0.03
0.02, <0.03
0.06, 0.15
0.01, <0.03
0.01, <0.03
0.02, 0.04

1160 m

weak potassic/propylitic alt.
variably bleached
kspar,ep,ca,mag,trace py

MzDr

120 m

0.01, 0.15
<0.01, <0.03
<0.01, <0.03

clay gouge Fault zone

1120 m

<0.01, <0.03

160 m

0.01, <0.03
<0.01, <0.03

MzDr

200 m

0.02, <0.03

1080 m

0.02, <0.03

EOH 206.04 m
(Hole Angle -50°)

DDH 04-25
(Az 209°)

ob Overburden

MzDr Monzodiorite

Fault

Contact

Abbreviations

| | | | |
|---|---|---|---|
| ab | albite | h | hornblende |
| ap | apatite | lm | limonite |
| aug | augite | ls | limestone |
| ba | barite | mag | magnetite |
| bo | bornite | p | pegmatite |
| ca | calcite | pg | plagioclase |
| ch | chlorite | py | pyrite |
| cp | chalcopyrite | po | pyrrhotite |
| dp | diopside | q | quartz |
| ep | epidote | sc | sericite |
| gt | garnet | sp | sphalerite |
| gyp | gypsum | s | sulphide |
| hem | hematite | tl | tourmaline |

1040 m

1000 m

960 m

Scale 1:1000
0 10 20 m 40


920 m

GWR RESOURCES INC.

DDH 04-25
(Looking NW)

**LAC LA HACHE PROPERTY**
Clinton Mining Division, B.C.

| | |
|---|---|
| Tech Work by: BC | Date: Aug.30/2005 |
| Drawn By: RM | Figure: 22 |




LEGEND

- Biotite monzonite, biotite monzodiorite, breccia
- Quartz monzonite
- Potassium feldspar quartz porphyry monzonite
- Feldspar porphyry andesite dyke, Amygdaloidal basalt flows , Andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Ep | Epidote |
| Cal | Calcite |
| Chl | Chlorite |
| Tour | Tourmaline |
| Qtz | Quartz |
| Hem | Hematite |
| Plag | Plagioclase |
| Spec | Specular |
| P | Porphyry |
| Pyrr | Pyrrhotite |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |
| /c | With |
| Amyg Ba | Amygdaloidal basalt flow |
| FpA | Feldspar porphyry andesite dyke |
| QMz | Quartz monzonite |
| Qmz bx | Quartz monzonite breccia |
| Kp Mz | Potassium feldspar quartz porphyry monzonite |
| B Mz | Biotite monzodiorite |

0.25 <0.03 Assay value Cu(%), Au(g/t)

0.15%Cu
9.0m Weighted average

Scale 1:1000

0 10 20 m 40

G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH-04-26**

ANN NORTH

Cross Section-Looking West (270°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 23 |




LEGEND

- Biotite monzonite, biotite monzodiorite, breccia
- Quartz monzonite
- Potassium feldspar quartz porphyry monzonite
- Feldspar porphyry andesite dyke, Amygdaloidal basalt flows , Andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Ep | Epidote |
| Cal | Calcite |
| Chl | Chlorite |
| Tour | Tourmaline |
| Qtz | Quartz |
| Hem | Hematite |
| Plag | Plagioclase |
| Spec | Specular |
| P | Porphyry |
| Pyrr | Pyrrhotite |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |
| /c | With |
| Amyg Ba | Amygdaloidal basalt flow |
| FpA | Feldspar porphyry andesite dyke |
| QMz | Quartz monzonite |
| Qmz bx | Quartz monzonite breccia |
| Kp Mz | Potassium feldspar quartz porphyry monzonite |
| B Mz | Biotite monzodiorite |


0.25 <0.03 Assay value Cu(%), Au(g/t)

0.15%Cu / 9.0m Weighted average

Scale 1:1000

0 10 20 m 40

| | |
|---|---|
| G.W.R. RESOURCES INC. | |
| LAC LA HACHE PROPERTY | |
| **DDH-04-27** | |
| ANN NORTH | |
| Cross Section-Looking West (270°) | |
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 24 |




LEGEND

- Biotite monzonite, biotite monzodiorite, breccia
- Quartz monzonite
- Potassium feldspar quartz porphyry monzonite
- Feldspar porphyry andesite dyke, Amygdaloidal basalt flows , Andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Ep | Epidote |
| Cal | Calcite |
| Chl | Chlorite |
| Tour | Tourmaline |
| Qtz | Quartz |
| Hem | Hematite |
| Plag | Plagioclase |
| Spec | Specular |
| P | Porphyry |
| Pyrr | Pyrrhotite |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |
| /c | With |
| Amyg Ba | Amygdaloidal basalt flow |
| FpA | Feldspar porphyry andesite dyke |
| QMz | Quartz monzonite |
| Qmz bx | Quartz monzonite breccia |
| Kp Mz | Potassium feldspar quartz porphyry monzonite |
| B Mz | Biotite monzodiorite |

0.25 <0.03 Assay value Cu(%), Au(g/t)
0.15%Cu Weighted average
9.0m

G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH-04-28**

ANN NORTH

Cross Section-Looking East (90°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 25 |




LEGEND

| | |
|---|---|
| 0.38 0.01 | Assay >0.31 Cu(%), Au(g/t) |
| 0.25 0.15 | Assay 0.21-0.30 Cu(%),>0.31(g/t) |
| 0.16 0.11 | Assay 0.15-0.20 Cu(%), 0.10-0.30 Au(g/t) |
| | Biotite monzonite, biotite monzodiorite, breccia |
| | Quartz monzonite |
| | Potassium feldspar quartz porphyry monzonite |
| | Feldspar porphyry andesite dyke, Amygdaloidal basalt flows , Andesite breccia |

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Ep | Epidote |
| Cal | Calcite |
| Chl | Chlorite |
| Tour | Tourmaline |
| Qtz | Quartz |
| Hem | Hematite |
| Plag | Plagioclase |
| Spec | Specular |
| P | Porphyry |
| Pyrr | Pyrrhotite |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |
| /c | With |
| Amyg Ba | Amygdaloidal basalt flow |
| FpA | Feldspar porphyry andesite dyke |
| QMz | Quartz monzonite |
| Qmz bx | Quartz monzonite breccia |
| Kp Mz | Potassium feldspar quartz porphyry monzonite |
| B Mz | Biotite monzodiorite |

0.25 <0.03 Assay value Cu(%), Au(g/t)
0.15%Cu
9.0m Weighted average

Scale 1:1000
0 10 20 m 40

G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH-04-29**

ANN NORTH

Cross Section-Looking East (90°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: August 2005 |
| Drawn by: JK | Figure 26 |




LEGEND


| | |
|---|---|
| 0.38 0.01 | Assay >0.31 Cu(%), Au(g/t) |
| 0.25 0.15 | Assay 0.21-0.30 Cu(%),>0.31(g/t) |
| 0.16 0.11 | Assay 0.15-0.20 Cu(%), 0.10-0.30 Au(g/t) |
| | Biotite monzonite, biotite monzodiorite, breccia |
| | Quartz monzonite |
| | Potassium feldspar quartz porphyry monzonite |
| | Feldspar porphyry andesite dyke, Amygdaloidal basalt flows , Andesite breccia |

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Ep | Epidote |
| Cal | Calcite |
| Chl | Chlorite |
| Tour | Tourmaline |
| Qtz | Quartz |
| Hem | Hematite |
| Plag | Plagioclase |
| Spec | Specular |
| P | Porphyry |
| Pyrr | Pyrrhotite |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |
| /c | With |
| Amyg Ba | Amygdaloidal basalt flow |
| FpA | Feldspar porphyry andesite dyke |
| QMz | Quartz monzonite |
| Qmz bx | Quartz monzonite breccia |
| Kp Mz | Potassium feldspar quartz porphyry monzonite |
| B Mz | Biotite monzodiorite |
| KQ Mz | Potassic altered quartz monzonite |

0.25 <0.03 Assay value Cu(%), Au(g/t)
0.15%Cu Weighted average
9.0m

Scale 1:1000
0 10 20 m 40

| | |
|---|---|
| G.W.R. RESOURCES INC. | |
| LAC LA HACHE PROPERTY | |
| **DDH-04-30** | |
| ANN NORTH | |
| Cross Section-Looking West (270°) | |
| Tech Work by: D & J Consulting | Date: August 2005 |
| Drawn by: JK | Figure 27 |




| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Ep | Epidote |
| Cal | Calcite |
| Chl | Chlorite |
| Tour | Tourmaline |
| Qtz | Quartz |
| Hem | Hematite |
| Plag | Plagioclase |
| Spec | Specular |
| P | Porphyry |
| Pyrr | Pyrrhotite |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |
| /c | With |
| Amyg Ba | Amygdaloidal basalt flow |
| FpA | Feldspar porphyry andesite dyke |
| QMz | Quartz monzonite |
| Qmz bx | Quartz monzonite breccia |
| Kp Mz | Potassium feldspar quartz porphyry monzonite |
| B Mz | Biotite monzodiorite |
| Dr | Diorite |

0.25 <0.03 Assay value Cu(%), Au(g/t)

0.15%Cu / 9.0m Weighted average

Scale 1:500

0 10 20 m 40

LEGEND

- 0.38 0.01 Assay >0.31 Cu(%), Au(g/t)
- 0.25 0.15 Assay 0.21-0.30 Cu(%),>0.31(g/t)
- 0.16 0.11 Assay 0.15-0.20 Cu(%), 0.10-0.30 Au(g/t)
- Biotite monzonite, biotite monzodiorite, breccia
- Quartz monzonite
- Potassium feldspar quartz porphyry monzonite
- Feldspar porphyry andesite dyke, Amygdaloidal basalt flows , Andesite breccia
- Biotite monzonite, biotite monzodiorite, breccia
- Skarn
- Monzonite, quartz monzonite
- Microdiorite
- Quartz monzonite
- Augite+/-plagioclase+/-hornblende phyric, +/-amygdaloidal andesite/andesite breccia

G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH-04-31, DDH-04-32**

TELEGRAPH CORNER

Cross Section-Looking East (70°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: August 2005 |
| Drawn by: JK | Figure 28 |




0.38 0.01 Assay >0.31 Cu(%), Au(g/t)

0.25 0.15 Assay 0.21-0.30 Cu(%),>0.31(g/t)

0.16 0.11 Assay 0.15-0.20 Cu(%), 0.10-0.30 Au(g/t)

LEGEND

- Skarn
- Monzonite, quartz monzonite
- Microdiorite
- Volcaniclastic sediments, greywacke, mafic tuff
- Augite+/-plagioclase+/-hornblende phyric, +/-amygdaloidal andesite/andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |

0.25 <0.03 Assay value Cu(%), Au (g/t)
0.15%Cu Weighted average
9.0m

Scale 1:1000
0 10 20 m 40

G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH-04-33**

PEACH 2 ZONE

Cross Section-Looking NorthEast (25°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK/RM | Figure 29 |




0.38 0.01 Assay >0.31 Cu(%), Au(g/t)

0.25 0.15 Assay 0.21-0.30 Cu(%),>0.31(g/t)

0.16 0.11 Assay 0.15-0.20 Cu(%), 0.10-0.30 Au(g/t)

LEGEND

- Skarn
- Monzonite, quartz monzonite
- Microdiorite
- Volcaniclastic sediments, greywacke, mafic tuff
- Augite+/-plagioclase+/-hornblende phyric, +/-amygdaloidal andesite/andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |
| Dr Mz | Diorite Monzonite |

0.25 <0.03 Assay value Cu(%), Au (g/t)

0.15%Cu Weighted average

9.0m

Scale 1:1000

0 10 20 m 40

G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH-03-34**

PEACH 2 ZONE

Cross Section-Looking NorthEast (25°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: August 2005 |
| Drawn by: JK/RM | Figure 30 |




0.38 0.01 Assay >0.31 Cu(%), Au(g/t)

0.25 0.15 Assay 0.21-0.30 Cu(%),>0.31(g/t)

0.16 0.11 Assay 0.15-0.20 Cu(%), 0.10-0.30 Au(g/t)

LEGEND

- Biotite monzonite, biotite monzodiorite, breccia
- Quartz monzonite
- Potassium feldspar quartz porphyry monzonite
- Feldspar porphyry andesite dyke, Amygdaloidal basalt flows , Andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Ep | Epidote |
| Cal | Calcite |
| Chl | Chlorite |
| Tour | Tourmaline |
| Qtz | Quartz |
| Hem | Hematite |
| Plag | Plagioclase |
| Spec | Specular |
| P | Porphyry |
| Pyrr | Pyrrhotite |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |
| /c | With |
| Amyg Ba | Amygdaloidal basalt flow |
| FpA | Feldspar porphyry andesite dyke |
| QMz | Quartz monzonite |
| Qmz bx | Quartz monzonite breccia |
| Kp Mz | Potassium feldspar quartz porphyry monzonite |
| B Mz | Biotite monzodiorite |

0.25 <0.03 Assay value Cu(%), Au(g/t)

0.15%Cu / 9.0m Weighted average

Scale 1:1000

0 10 20 m 40

G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH-04-35**

ANN NORTH

Cross Section-Looking Northeast (50°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: August 2005 |
| Drawn by: JK | Figure 31 |




0.38 0.01 Assay >0.31 Cu(%), Au(g/t)

0.25 0.15 Assay 0.21-0.30 Cu(%),>0.31(g/t)

0.16 0.11 Assay 0.15-0.20 Cu(%), 0.10-0.30 Au(g/t)

LEGEND

- Biotite monzonite, biotite monzodiorite, breccia
- Quartz monzonite
- Potassium feldspar quartz porphyry monzonite
- Feldspar porphyry andesite dyke, Amygdaloidal basalt flows , Andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Ep | Epidote |
| Cal | Calcite |
| Chl | Chlorite |
| Tour | Tourmaline |
| Qtz | Quartz |
| Hem | Hematite |
| Plag | Plagioclase |
| Spec | Specular |
| P | Porphyry |
| Pyrr | Pyrrhotite |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |
| /c | With |
| Amyg Ba | Amygdaloidal basalt flow |
| FpA | Feldspar porphyry andesite dyke |
| QMz | Quartz monzonite |
| Qmz bx | Quartz monzonite breccia |
| Kp Mz | Potassium feldspar quartz porphyry monzonite |
| B Mz | Biotite monzodiorite |

0.25 <0.03 Assay value Cu(%), Au(g/t)

0.15%Cu (9.0m) Weighted average

Scale 1:1000

0 10 20 m 40

G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH-04-36**

ANN NORTH

Cross Section-Looking Northeast (50°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: August 2005 |
| Drawn by: JK | Figure 32 |




LEGEND

| | |
|---|---|
| | Biotite monzonite, biotite monzodiorite, breccia |
| | Quartz monzonite |
| | Potassium feldspar quartz porphyry monzonite |
| | Feldspar porphyry andesite dyke, Amygdaloidal basalt flows , Andesite breccia |

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Ep | Epidote |
| Cal | Calcite |
| Chl | Chlorite |
| Tour | Tourmaline |
| Qtz | Quartz |
| Hem | Hematite |
| Plag | Plagioclase |
| Spec | Specular |
| P | Porphyry |
| Pyrr | Pyrrhotite |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |
| /c | With |
| Amyg Ba | Amygdaloidal basalt flow |
| FpA | Feldspar porphyry andesite dyke |
| QMz | Quartz monzonite |
| Qmz bx | Quartz monzonite breccia |
| Kp Mz | Potassium feldspar quartz porphyry monzonite |
| B Mz | Biotite monzodiorite |

0.25 <0.03 Assay value Cu(%), Au(g/t)

0.15%Cu / 9.0m Weighted average

Scale 1:1000

0 10 20 m 40

| | |
|---|---|
| G.W.R. RESOURCES INC. | |
| LAC LA HACHE PROPERTY | |
| **DDH AN-05-01** | |
| ANN NORTH | |
| Cross Section-Looking West (270°) | |
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 33 |

1100m


Elevation

1070m

220°

PL-05-01

40°




Az = 220°
Dip = -50°
E.O.H = 53.95m

1000m

900m

LEGEND

- Skarn
- Monzonite, quartz monzonite
- Microdiorite
- Volcaniclastic sediments, greywacke, mafic tuff
- Augite+/-plagioclase+/-hornblende phyric, +/-amygdaloidal andesite/andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Ep | Epidote |
| Cal | Calcite |
| Chl | Chlorite |
| Tour | Tourmaline |
| Qtz | Quartz |
| Hem | Hematite |
| Plag | Plagioclase |
| Spec | Specular |
| P | Porphyry |
| Pyrr | Pyrrhotite |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |
| /c | With |
| Amyg Ba | Amygdaloidal basalt flow |
| FpA | Feldspar porphyry andesite dyke |
| QMz | Quartz monzonite |
| Qmz bx | Quartz monzonite breccia |
| Kp Mz | Potassium feldspar quartz porphyry monzonite |
| B Mz | Biotite monzodiorite |

0.25 <0.03 Assay value Cu(%), Au(g/t)

0.15%Cu / 9.0m Weighted average

Scale 1:1000

0 10 20 m 40

G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH PL-05-01**

PEACH LAKE

Cross Section-Looking Norhwest (310°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 34 |




G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH PM-05-01**

PEACH MELBA

Cross Section-Looking Southeast (120°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 35 |




G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH SPL-05-01**

SPOUT LAKE, NORTH ZONE

Cross Section-Looking Northwest (310°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 36 |




LEGEND

- Skarn
- Monzonite, quartz monzonite
- Microdiorite
- Volcaniclastic sediments, greywacke, mafic tuff
- Augite+/-plagioclase+/-hornblende phyric, +/-amygdaloidal andesite/andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |

0.25 <0.03 Assay value Cu(%), Au (g/t)
0.15%Cu / 9.0m Weighted average

Scale 1:1000
0 10 20 m 40

| | |
|---|---|
| G.W.R. RESOURCES INC. | |
| LAC LA HACHE PROPERTY | |
| **DDH SPL-05-02 & 05-07** | |
| SPOUT LAKE, SOUTH ZONE | |
| Cross Section-Looking Northwest (335°) | |
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 37 |


Elevation

1125m

1100m

1000

900m




Az = 245°
Dip = -50°
E.O.H = 139.6m

LEGEND

- Skarn
- Monzonite, quartz monzonite
- Microdiorite
- Volcaniclastic sediments, greywacke, mafic tuff
- Augite+/-plagioclase+/-hornblende phyric, +/-amygdaloidal andesite/andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments ( sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |

0.25 <0.03 Assay value Cu ( %) , Au ( g/t)
0.15%Cu Weighted average
9.0m

Scale 1:1000

0 10 20 m 40

G.W.R. RESOURCES INC.

LAC LA HACHE PROPERTY

**DDH SPL-05-03**

SPOUT LAKE, NORTH ZONE

Cross Section-Looking Northwest (335°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 38 |




LEGEND

| | |
|---|---|
| | Monzonite, quartz monzonite |
| | Microdiorite |
| | Volcaniclastic sediments, greywacke, mafic tuff |
| | Augite+/-plagioclase+/-hornblende phyric, +/-amygdaloidal andesite, andesite breccia |

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| tr | Trace |
| Ksp | Potassium Feldspar |
| sil | Silica |
| gar | Garnet |
| dio | Diopside |
| scap | Scapolite |
| car | Carbonate |
| cpy | Chalcopyrite |
| bn | Bornite |
| mal | Malachite |
| py | Pyrite |
| mag | Magnetite |

0.25 <0.03 Assay value Cu(%), Au (g/t)
0.15%Cu / 9m Weighted average

Scale 1:1 000
0 10 20 m 40

G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH SPL-05-04**

SPOUT LAKE, NORTH ZONE

Cross Section-Looking Northwest (335°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 39 |




G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH SPL-05-05**

SPOUT LAKE, NORTH ZONE

Cross Section-Looking Southeast (130°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 40 |




LEGEND

- Skarn
- Monzonite, quartz monzonite
- Microdiorite
- Volcaniclastic sediments, greywacke, mafic tuff
- Augite+/-plagioclase+/-hornblende phyric, +/-amygdaloidal andesite/andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |

0.25 <0.03 Assay value Cu(%), Au (g/t)

0.15%Cu / 9.0m Weighted average

Scale 1:1000

0 10 20 m 40

G.W.R. RESOURCES INC.


LAC LA HACHE PROPERTY

**DDH SPL-05-06**

SPOUT LAKE, NORTH ZONE

Cross Section-Looking East (80°)

| | |
|---|---|
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 41 |




LEGEND

- Skarn
- Monzonite, quartz monzonite
- Microdiorite
- Volcaniclastic sediments, greywacke, mafic tuff
- Augite+/-plagioclase+/-hornblende phyric, +/-amygdaloidal andesite/andesite breccia

| | |
|---|---|
| A | Augite+/-plagioclase+/-hornblende phyric Andesite |
| Abx | Andesite breccia |
| Volc | Volcaniclastic |
| Seds | Sediments (sandstone, siltstone) |
| FZ | Fault Zone |
| Skn | Skarn |
| Wk | Weakly |
| Mod | Moderately |
| Str | Strongly |
| Amyg | Amygdaloidal |
| Alt'd | Altered |
| Def'd | Deformed |
| Tr | Trace |
| Ksp | Potassium Feldspar |
| Sil | Silica |
| Gar | Garnet |
| Dio | Diopside |
| Scap | Scapolite |
| Car | Carbonate |
| Cpy | Chalcopyrite |
| Bn | Bornite |
| Mal | Malachite |
| Py | Pyrite |
| Mag | Magnetite |

0.25 <0.03 Assay value Cu(%), Au (g/t)
0.15%Cu / 9.0m Weighted average

Scale 1:1000
0 10 20 m 40

| | |
|---|---|
| G.W.R. RESOURCES INC. | |
| LAC LA HACHE PROPERTY | |
| **DDH SPL-05-08** | |
| SPOUT LAKE, NORTH ZONE | |
| Cross Section-Looking North (357°) | |
| Tech Work by: D & J Consulting | Date: July 2005 |
| Drawn by: JK | Figure 42 |

# APPENDIX D

**Diamond Drill Logs**

**Analytical Procedures**
**Cu, Au, 28-elements and whole rock analysis**

**Diamond Drill hole assays certificates**

# GWR RESOURCES INC.

**PROPERTY: Ann North**

**DRILL HOLE NO.: DDH 03-12**



| Angle & Azmth Tests | | |
|---|---|---|
| **Depth** | **Angle** | **Azmth** |
| | | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 615558** | **Core Size: NQ 2** | **Started: 20 Oct 03** |
| **Northing (NAD 83): 5759313** | **Hole Azimuth: 310** | **Finished: 24 Oct 03** |
| **Grid Location:** | **Hole Angle: -45** | **Logged by: B Callaghan** |
| **Elevation: 1170 m** | **Total Depth: 65.35m** | **Analysis by: Eco-Tech** |

**Alteration Scale: 1 - 5**

| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 9.14 | Casing | | | | | | | | | | | | | | |
| 9.14 | 18.68 | Micro-Diorite? (Protolith) | | | | | | | | | | | | | | |
| | | Dark grey to black, medium grained, equigranular variably | | | | | | | | | | | | | | |
| | | porphyritic, spotted with subhedral albite? Phenocrysts with 7% | | | | | | | | | | | | | | |
| | | accessory medium grained biotite, 8-10% magnetite. | | | | | | | | | | | | | | |
| | | Alteration - Fresh to weak propylitic, weak potassic (Ep, Kspar, | | | | | | | | | | | | | | |
| | | Chl, Cal along widely spaced up to 3mm veinlets dominantly | | | | | | | | | | | | | | |
| | | 30degrees to c.a. and as selvages, patches. Minor | | | | | | | | | | | | | | |
| | | late calcite veining. Ep, cal replaces albite phenocrysts, biotite | | | | | | | | | | | | | | |
| | | replaces 7% hornblende? | | | | | | | | | | | | | | |
| | | Mineralization – trace to .05% py, fine grained, disseminated | | | | | | | | | | | | | | |
| | | patches. | | | | | | | | | | | | | | |
| | | Core recovery 100% below casing where there is no recovery. | | | | | | | | | | | | | | |
| | | 17.51 - 17.80m possible andesitic tuff boulder fragment in | | | | | | | | | | | | | | |
| | | diorite. Upper contact 10 degrees and lower contact 70 degrees | | | | | | | | | | | | | | |
| | | to c.a. | | | | | | | | | | | | | | |
| | | 17.90 - 18.20m mod potassic altered with 1-2mm veinlet with | 0.05 | tr | | 5 | 2 | 1 | | | 2 | 196120 | 17.90 | 20.12 | 0.08 | <0.03 |
| | | minor stockwork development and magnetite in matrix with | | | | | | | | | | | | | | |
| | | 0.5% pyrite, trace cpy. | | | | | | | | | | | | | | |
| 18.63 | 27.06 | Crowded Plagioclase Porphyry (Monzonite) | | tr | | 5 | 3 | 2 | 1 | | 2 | | | | | |
| | | Top of contact, gradational to 18.63m. | | | | | | | | | | | | | | |
| | | 18.63 - 20.12m medium grained, equigranular with 30% plag, | | | | | | | | | | | | | | |
| | | 8% secondary magnetite. Foliation 50 degrees to c.a. Fractures | | | | | | | | | | | | | | |
| | | limonitic with orange/yellow coating. | | | | | | | | | | | | | | |
| | | Alteration - Fresh to weak propylitic with mod potassic as | | | | | | | | | | | | | | |
| | | selvages and patches. Kspar rims epidote and magnetite with | | | | | | | | | | | | | | |
| | | trace cpy. Core blocky, ground @ 18.63m with 67% recovery. | | | | | | | | | | | | | | |
| | | 20.12 - 26.05m as above, alteration pervasive potassic, 30-35% | | | | | | | | | | | | | | |
| | | albite, 7% hornblende, calcite along 1mm fractures. Other | | | | | | | | | 4 | | | | | |
| | | fractures of tourmaline? 1-2mm. | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | 25.23 26.05m as at 18.63m. Weak potassic alteration, with fractures coated with orange limonite, no magnetite. 26.05 – 27.06m Propylitic with potassic selvages and fractures at 60 degrees to c.a. with Ep, kspar .05% py, trace cpy. Secondary magnetite up to 8%. | 0.5 | 0.05 | | | 2 | 1 | | | 1 | 196121 | 26.05 | 27.06 | 0.09 | <0.03 |
| 27.06 | 45.25 | Andesitic Tuff? Medium grey to dark, fine grained with 3% secondary magnetite. Weak foliation of 40 degrees to c.a. Alteration - fresh to weak propylitic with minor kspar alteration along fractures that increase down hole. Mineralization consists of very fine-grained pyrite scattered up to .05%. Core recovery 100% from 26.05 - 33.80m. 28.80 - 29.03m 3 by 1-3 mm, Ep, kspar and cal veinlets at 20 to 30 degrees to c.a. 31.05 - 33.82m weak propylitic alteration with increase in late stage calcite veining and Ep, cal kspar veinlets up to 2mm. 33.82 - 35.00m stronger propylitic alteration with increase in potassic zones along fractures at 45 and 60 degrees to c.a. with Ep, cal, kspar, malachite, minor hematite and orange yellow limonite. Core blocky at 34.17m - 34.07m - 95% recovery. Ground at 34.30m. 35.82 - 38.82m 3% pale cream to pale green vesicles replaced with Ep, kspar. Core ground @ 35.82m, 98% recovery. 36.90 - 37.20m 4 by 2mm Ep, kspar veinlets, 40 & 70 degrees to c.a | tr | tr | | 5 | 1 | 1 | 1 | | 1 | | | | | |
| | | | | | | | 3 | 2 | | | 2 | 196122 | 33.82 | 35.82 | 0.11 | 0.03 |
| | | | | | | | | | | | | 196123 | 35.82 | 38.82 | 0.07 | 0.03 |
| | | 38.82m 1 by 2cms Ep, kspar, chl and magnetite with associated cpy blebs along edges at 40 degrees to the core axis. 38.82 - 41.82m fracture density increases to approx 16 by 1mm over 1.25metres at approximately 45 degrees to c.a. and anastomozing. Very fine-grained pyrite and scattered cpy associated with epidote. | 0.5 | tr | | 5 | 1 | 1 | | | 1 | 196124 | 38.82 | 41.82 | 0.16 | 0.06 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | 41.82 - 44.15m less fractured widely spaced 1mm veinlets in weak propylitic altered groundmass with trace py. Up to 3% secondary biotite up to 1cm. 43.82m Ep, chl, cal, kspar, mag, py - 15 cms @50 degrees to c.a. Core recovery 100% from 38.52m. | | | | | | | | | | | | | | |
| 44.15 | 45.25 | Basalt Dyke | | | | | | 2 | | | | | | | | |
| | | Grey black, aphanitic groundmass with 3% sub-rounded amygdules up to 2mm cut by late stage 1mm calcite veinlets @ 20 degrees to c.a. Lower contact 50 degrees to c.a. Weakly magnetic, no sulphides. Top of contact vuggy carbonate and chlorite. | | | | | | | | | | | | | | |
| 45.25 | 63.09 | Andesitic Tuff? | 0.5 | tr | | 3 | 1 | 1 | | | 1 | 196125 | 45.25 | 48.25 | 0.13 | 0.05 |
| | | As at 27.06m but less evidence of foliation. Fine to medium grained with up to 5 % magnetite. Alteration, fresh to weak propylitic, weak potassic along widely spaced fractures with Ep, chl ,cal and kspar. Mineralization - disseminated very fine-grained sulphides associated with potassic zones along fractures. Mostly, fine grained chalcopyrite and pyrite up to .5 to 1% at 48.20m. | | | | | | | | | | | | | | |
| | | 48.20 - 51.20m More intense potassic alteration as selvages with Ep, chl, kspar, cal, py. | | | | | | | | | | 196126 | 48.20 | 51.20 | 0.25 | 0.06 |
| | | Zenolith detextured and partly absorbed at 50.20m up to 2cms with Ep, cal, trace sulphides. Possibly volcanic fragment. | | | | | | | | | | 196127 | 51.20 | 54.20 | 0.04 | <0.03 |
| | | | | | | | | | | | | 196128 | 54.20 | 56..2 | 0.33 | 0.07 |
| | | 51.20 - 57.70m Alteration, fresher to weak propylitic, no potassic except along widely spaced 1mm fractures at 40 degrees to c.a. One kspar orange with patchy 2nd magnetite veinlet, trace cpy at 57.37m, 0.5cm at 45 degrees to c.a. | | | | | | | | | | 196129 | 56.20 | 57.92 | 0.18 | <0.03 |
| | | 57.70 - 57.92m Fault Upper contact 45 degrees to c.a. Lower 20 degrees to c.a. Serpentinized with chl, hem. | | | | | | | | | | | | | | |
| | | 57.92 - 60.92m Weak - mod propylitic altered with Ep, chl, cal, py. Weakly magnetic. Sulphides up to 1%, disseminated. | 1 | tr | | | 3 | 2 | | | 2 | 196130 | 57.92 | 60.92 | 0.19 | 0.03 |

**PROPERTY: Ann North**

# GWR RESOURCES INC.

**DRILL HOLE NO.: DDH 03-12**



| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 57.92 - 60.92m Weak - mod propylitic altered with Ep, chl, cal, | 1 | 0.1 | | | | 2 | | | | 196131 | 60.92 | 63.09 | 0.15 | 0.03 |
| | | py. Weakly magnetic. Sulphides up to 1%, disseminated | | | | | | | | | | 196132 | 63.09 | 64.20 | 0.04 | <0.03 |
| | | | | | | | | | | | | 196133 | 64.20 | 65.35 | 0.18 | 0.16 |
| | | | | | | | | | | | | | | | | |
| | | 60.92- 63.09m less fracturing, minor late stage calcite with | | | | | | | | | | | | | | |
| | | secondary magnetite up to 3 %. With up to 1% py, trace cpy. | | | | | | | | | | | | | | |
| | | Core recovery 100% to 63.09m. Core ground at 62.80m. | | | | | | | | | | | | | | |
| | | Recovery from 60.05 - 63.09m - 95% | | | | | | | | | | | | | | |
| 63.07 | 64.80 | Hornblende, Plagioclase Porphyry - (Syenite) | | | | | | | | | | | | | | |
| | | Fine to medium grained, equigranular felsic intrusive with | | | | | | | | | | | | | | |
| | | pervasive kspar alteration with 2% to 3% magnetite with late | | | | | | | | | | | | | | |
| | | stage calcite veinlets | | | | | | | | | | | | | | |
| 64.80 | 65.35 | Andesite | 1 | | | | | | | | | | | | | |
| | | Very fine grained, dense aphanitic, high level volcanic? Fresh | | | | | | | | | | | | | | |
| | | with very fine-grained sulphides up to 1%. | | | | | | | | | | | | | | |
| | | E.O.H. - 65.35m | | | | | | | | | | | | | | |

**PROPERTY: Ann North**

# GWR RESOURCES INC.

**DRILL HOLE NO.: DDH 03-13**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| | | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 615555** | **Core Size:NQ2** | **Started: 14 Nov 03** |
| **Northing (NAD 83):5759316** | **Hole Azimuth:** | **Finished:17 Nov 03** |
| **Grid Location: 7W 20+50N** | **Hole Angle:- 90** | **Logged by:B Callaghan** |
| **Elevation: 1170m** | **Total Depth:114.30m** | **Analysis by Eco Tech:** |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 5.49 | Casing | 0.50% | <.05% | 0.00% | 3.50% | 2 | 2 | 1 | | 2 | | | | | |
| | | | | | | | | | | | | | | | | |
| 5.49 | 66.96 | Andesitic Tuff -High level Volcanic | | | | | | | | | | | | | | |
| | | Medium to dark grey, fine to medium grained, ash units 1 -2 cms approximately 15°- 20° to c.a. | | | | | | | | | | | | | | |
| | | Alteration - weak propylitic with weak potassic as veinlets, selvages, patches with late stage anastomozing 1 - 2mm calcite veinlets at 20° to 30° to c.a. | | | | | | | | | | | | | | |
| | | Mineralization - .05% very fine-grained disseminated py as patches and cpy as scattered blebs associated with Ep, Kspar veinlets. | | | | | | | | | | | | | | |
| | | 6.20 - 6.46m mod potassic with Ep, chl, kspar, cal, hem. Lower contact 30° to c.a. | | | | | | | | | | | | | | |
| | | 19.38 - 20.88m Ep, Kspar, Its, Cal, tourmaline veinlets 1-3mm in width. 6 widely spaced over 1.5 metres, 30° to core axis. | | | | | | | | | | | | | | |
| | | Core recoveries: 5.49 - 17.68m - 95%, 5.49 - 17.68m - 95%, 17.68 - 22.25m 100% | | | | | | | | | | | | | | |
| | | 22.25 - 26.82m 80%, 26.82 - 44.65m 100% | | | | | | | | | | | | | | |
| | | 22.555 - 23.57 Fault | | | | | | | | | | | | | | |
| | | Chl, sericite, limonite, cal. No magnetite. Fault runs sub parallel to 10° to c.a. with fracture slips sub parallel in core to 27.12m. Blebs of native copper over 2m. | | | | 3-5% | 2 | 2 | 1 | | 1 | 196113 | 23.77 | 25.72 | 0.04 | <0.03 |
| | | 26.82 - 67.05m Core not blocky, competent with 100% recovery. | | | | | | | | | | | | | | |
| | | 35.50m - trace blebs native copper | | | | | | | | | | | | | | |
| | | 39.01 - 46.60m widely spaced, Ep, Chl, Cal veinlets up to 2 cms over 7.6 metres. | | | | 3-5% | | | | | | | | | | |
| | | 46.30 - 46.86 Fault | | | | | | | | | | | | | | |
| | | Chloritic, clay gouge with epidote, tourmaline? | | | | | | | | | | | | | | |
| | | 48.86 - 66.96m less widely spaced Ep, KSpar veinlets and late stage calcite veinlets 30 to 45 degrees and parallel to core axis. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 66.96 | 76.00 | Quartz Diorite to Micro Diorite | 0.05% | 0.01% | | 3-5% | 2 | 2 | 1 | | 2 | 196114 | 66.96 | 69.96 | 0.08 | <0.03 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | Pale grey, locally pale green, locally brecciated, medium grained, equigranular. Alteration - Weak to mod propylitic, variable potassic alteration with Ep, kspar, cal tourmaline veinlets. 3 - 5 % primary magnetite. Scattered native copper occurs as fine-grained flakes. Fracture surfaces coated with orange- red limonite. 69.96 - 73.00m Scattered weak stockwork development of qtz KSpar, Ep, cal veinlets with trace cpy blebs over 50 cms. | 0.05% | 0.01% | | 3-5% | 2 | 2 | 1 | | 2 | 196115 | 69.96 | 73.00 | 0.02 | <0.03 |
| | | 73.00 - 74.70m Moderate potassic alteration, pale green, grey, cpy associated with Ep, KSpar, magnetite and tourmaline with trace sulphides in groundmass - noticeably less late stage calcite veining. 74.70 - 76.00 native copper occurs along 45- degree fracture surfaces coated with chlorite, calcite, More late stage calcite veinlets 1 - 2 mm sub-parallel to c.a. and anastomozing. | 0.05% | 0.01% | | 3-5% | 2 | 2 | 1 | | 2 | 196116 | 73.00 | 74.70 | 0.03 | <0.03 |
| | | | | | | 3-5% | 3 | 2 | | | 1 | | | | | |
| 76.00 | 85.90 | Andesitic Tuff<br>Dark grey, aphanitic, fine grained<br>Alteration - weak propylitic, trace disseminated sulphides.<br>80.32 - 84.73m. Possible assimilation of micro diorite into volcanics near sediment contact, downhole. More Ep, KSpar veinlets up to 2mm, 20 degrees to c.a.<br>84.73 - 85.90 Fault<br>Black moderately slickensided with chlorite, hematite with late stage calcite stringers, anastomozing 1-2mm. Lower contact 70° to core axis, weakly magnetic. | tr | tr | | 3-5% | 2 | 2 | 1 | | 2 | | | | | |
| | | | | | | 3-5% | 1 | 1 | 1 | | 1 | | | | | |
| 85.90 | 93.30 | Micro Diorite<br>Fine to medium grained, grey to dark grey, equigranular<br>Alteration - weak propylitic, mostly Ep,Chl, with late partially infilled calcite veinlets. Less scattered fracture controlled Kspar alteration. Core blocky, recoveries 100%. Core ground at 87.20m. Recovery 95% from 84.73 - 87.78m. No sulphides<br>91.91 - 93.30 Fault Breccia<br>Pale apple green, grey propylitic altered with pervasive Ep, chl, KSpar, cal, hem - matrix tourmaline? Magnetite as scattered patches. Trace cpy blebs. Lower contact sub parallel to core axis. | | | | 3-5% | 3 | 2 | 1 | | 1 | | | | | |
| | | | | | | 3-5% | 4 | 2 | 1 | | 2 | 196117 | 91.91 | 93.30 | 0.03 | <0.03 |

**PROPERTY: Ann North**

# GWR RESOURCES INC.

**DRILL HOLE NO.: DDH 03-13**



| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | | | | | | | | | | | | | | | |
| 93.30 | 114.30 | Micro Diorite | | | | | | | | | | | | | | |
| | | As at 91.91m | | | | | | | | | | | | | | |
| | | 93.30 - 96.30m Fine grained, grey, green, locally brecciated. Matrix | | 0.05% | tr | 3-5% | 2 | 2 | 1 | | 2 | 196118 | 93.30 | 96.30 | 0.04 | <0.03 |
| | | cemented with magnetite? Tourmaline associated with epidote along | | | | | | | | | | | | | | |
| | | fractures in potassic zones with minor scattered cpy. Good recoveries | | | | | | | | | | | | | | |
| | | of 100%. | | | | | | | | | | | | | | |
| | | 100.70 - 103.70m core is blocky with recovery of 95%. | tr | 0.05% | | 3-5% | 2 | 2 | 1 | | 1 | 196119 | 100.70 | 103.70 | 0.06 | 0.08 |
| | | 103.70 - 114.30m as above, core blocky, locally sheared. Fractures 20 | | | | | | | | | | | | | | |
| | | degrees to c.a. with chlorite, hematite and calcite. Slickensided with | | | | | | | | | | | | | | |
| | | fractures approximately 45 degrees to core axis. | | | | | | | | | | | | | | |
| | | E.O.H. 114.30m | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

**PROPERTY: Ann North**

# GWR RESOURCES INC.

**DRILL HOLE NO.: DDH 03-14**



| Angle & Azmth Tests | | |
|---|---|---|
| **Depth** | **Angle** | **Azmth** |
| | | |
| | | |

| | | | | | |
|---|---|---|---|---|---|
| **Easting (NAD 83): 615743** | | | | **Core Size: NQ2** | **Started: 23, November 03** |
| **Northing (NAD 83): 5759367** | | | | **Hole Azimuth: 209** | **Finished: 27, November 03** |
| **Grid Location: 5W 21+ 00N** | | | | **Hole Angle: - 45** | **Logged by: B. Callaghan** |
| **Elevation: 1186m** | | | | **Total Depth: 62.48m** | **Analysis by: Eco-Tech** |

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | **Alteration Scale: 1 - 5** | | | | | | | | | |
| **Depth (m)** | | | **%** | **%** | **%** | **%** | **Chl-** | **Cal** | **2nd** | **2nd** | **2nd** | **Sample** | **terval (m)** | | **Cu** | **Au** |
| **From** | **To** | **Description** | **Py** | **Cpy** | **Mo** | **Mag** | **Ep** | | **Bio** | **Sil** | **Ksp** | **Number** | **From** | **To** | **%** | **g/t** |
| 0.00 | 4.88 | Casing | 5.00% | 0.50% | | 5.00 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 4.88 | 30.83 | Biotite Monzo-Diorite | | | | | | | | | | | | | | |
| | | Medium to dark grey - green, equigranular, variably porphyritic. | | | | | | | | | | | | | | |
| | | Plag up to 4mm, weakly sausseritized. Accessory magnetite up to | | | | | | | | | | | | | | |
| | | 5%, biotite up to 3mm. | | | | | | | | | | | | | | |
| | | Alteration - fractures limonitic to 15.80m, weakly propylitic, | | | | | | | | | | | | | | |
| | | weak potassic along fractures as veins, ep, minor kspar, chl, cal, | | | | | | | | | | | | | | |
| | | trace hematite and rare quartz also occurring as pervasive flooded | | | | | | | | | | | | | | |
| | | zones up to 25 - 30 cms. Late stage calcite as veinlets, locally | | | | | | | | | | | | | | |
| | | vuggy partially infilled. Secondary magnetite up to 3 mm occurs | | | | | | | | | | | | | | |
| | | as scattered patches, sub parallel to centre of the vein in epidote | | | | | | | | | | | | | | |
| | | and as patches enveloping potassic zones. | | | | | | | | | | | | | | |
| | | Mineralization - very fine grained cpy associated with epidote | | | | | | | | | | | | | | |
| | | and very fine grained traces of disseminated native copper in | | | | | | | | | | | | | | |
| | | magnetite. | | | | | | | | | | | | | | |
| | | 4.88 - 5.18m Core recovery 50%, ground at 4.88m, at 7.80m | | | | | | | | | | | | | | |
| | | 5.18 - 29.57m Core recovery 100%. | | | | | | | | | | | | | | |
| | | 6.24 - 8.76m Locally pervasive intense potassic ep, chl, cal, trace | | | | | | | | | | 196134 | 5.18 | 8.18 | 0.03 | <0.03 |
| | | cpy at 45 degrees to c.a. | .05-1% | 0.05% | | 5.00 | 3/4 | 2 | | tr | 2 | 196135 | 8.18 | 9.77 | 0.02 | <0.03 |
| | | | | | | | | | | | | 196136 | 9.77 | 11.77 | 0.02 | <0.03 |
| | | 8.76 - 9.77m Bleached salmon brown pale green ep, kspar, cal | | | | | | | | | | | | | | |
| | | flood zone with up to 5% scattered patches of magnetite up to | | | | | | | | | | | | | | |
| | | 1cm in width along margins of bleached zones which are less | | | | | | | | | | | | | | |
| | | magnetic than groundmass - zones run sub parallel to c.a. Lower | | | | | | | | | | | | | | |
| | | contact fault bound with clay gouge 30 degrees to c.a. | | | | | | | | | | | | | | |
| | | 9.77 - 13.83m Pervasive ep, kspar alteration as at 8.75m with | | | | | | | | | | | | | | |
| | | massive magnetite at edges. Cpy extremely fine grained | | | | | | | | | | 196137 | 11.77 | 13.83 | 0.03 | <0.03 |
| | | associated with massive magnetite at edges. Traces of native | | | | | | | | | | | | | | |
| | | copper. | | | | | | | | | | | | | | |
| | | 10.99 - 13.83m groundmass very fine grained with massive | | | | | | | | | | | | | | |
| | | magnetite up to 15%. | | | | | | | | | | | | | | |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Depth** | **(m)** | | **%** | **%** | **%** | **%** | **Chl-** | **Cal** | **2nd** | **2nd** | **2nd** | **Sample** | **terval (m)** | | **Cu** | **Au** |
| **From** | **To** | **Description** | **Py** | **Cpy** | **Mo** | **Mag** | **Ep** | | **Bio** | **Sil** | **Ksp** | **Number** | **From** | **To** | **%** | **g/t** |
| | | 13.53 - 13.83m pervasive epidote flooding with secondary | | | | | | | | | | | | | | |
| | | magnetite and associated very fine grained cpy. | | | | | | | | | | 196138 | 13.83 | 16.83 | 0.04 | <0.03 |
| | | 13.83 - 29.05m less epidote flooding. Very fine grained cpy as | | | | | | | | | | 196139 | 16.83 | 19.83 | 0.02 | <0.03 |
| | | blebs occurs in fracture controlled Kspar zones as veinlets up to | | | | | | | | | | 196140 | 19.83 | 22.83 | 0.02 | <0.03 |
| | | 2mm, 30 to 40 degrees to c.a. crosscut by 1mm late stage calcite | | | | | | | | | | | | | | |
| | | veinlets. 10% magnetite in groundmass. Fractures coated with | | | | | | | | | | | | | | |
| | | chlorite. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 20.42m ep, orange kspar, cal, qtz, tourmaline vein 4cms @ 40 | | | | | | | | | | | | | | |
| | | degrees to c.a. with very fine grained cpy. | | | | | | | | | | | | | | |
| | | 21.03 - 22.80m less porphyritic. - 5-2mm, widely spaced ep, | | | | | | | | | | 196141 | 22.83 | 25.83 | 0.01 | <0.03 |
| | | kspar, cal, tourmaline? veinlets @ 60 degrees to c.a. | | | | | | | | | | | | | | |
| | | 23.44m 1- 8cms @45 degrees to c.a. ep, kspar,cal, minor qtz, | | | | | | | | | | | | | | |
| | | tourmaline, trace cpy, locally brecciated, less magnetic. | | | | | | | | | | | | | | |
| | | 25.30 - 25.55m core blocky | | | | | | | | | | | | | | |
| | | 28.70 - 30.73m core blocky, more intense propylitic and | | | | | | | | | | 196142 | 25.83 | 28.83 | 0.02 | <0.03 |
| | | fracturing with ep, chl, kspar, calcite flooding. Core recoveries- | | | | | | | | | | 196143 | 28.23 | 31.83 | 0.01 | <0.03 |
| | | 29.57-32.61m- 95%, ground @ 32.75m | | | | | | | | *Missing tag Nos 196144-151 | | | | | | |
| | | 30.73 -30.83 Fault | | | | | | | | | | | | | | |
| | | Chl, hem, cal gouge @ 30 degrees to c.a. | | | | | | | | | | 196152 | 31.83 | 34.83 | 0.01 | <0.03 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 30.83 | 62.48 | Biotite Monzonite - quartz Diorite | tr | | | 5.00 | 1 | 1 | | 5 | 1 | | | | | |
| | | Grey equigranular, fine to medium grained, fresh to weakly | | | | | | | | | | | | | | |
| | | propylitic, with more intense calcite flooding and potassic | | | | | | | | | | | | | | |
| | | selvages. mmafics up to 10% with hornblende up to 3 - 5%. | | | | | | | | | | | | | | |
| | | magnetite 5 to 7%. | | | | | | | | | | | | | | |
| | | 32.75 -32.80 Fault | | | | | | | | | | | | | | |
| | | as at 30.73m @ 45 degrees to c.a. | | | | | | | | | | 196153 | 34.83 | 37.83 | 0.01 | <0.03 |
| | | 32.80 - 35.10m weak fracturing, 1- 5 cms, 5 over 2.3m @ 45 | | | | | | | | | | 196154 | 37.83 | 40.83 | <0.01 | <0.03 |
| | | degrees to c.a. with ep, cal, kspar, ankerite? hem, sericite, trace | | | | | | | | | | | | | | |
| | | py. | | | | | | | | | | | | | | |
| | | 42.80 - 43.4m mod propylitic zone runs parallel to core with ep, | | | | | | | | | | | | | | |
| | | chl, cal, tourmaline? trace sulphides with weak overprint of | tr | 0.05% | | 3.00 | 3 | 2 | | | 2 | 196155 | 40.83 | 42.83 | 0.01 | <0.03 |
| | | potassic alteration with secondary mag patches. | | | | | | | | | | 196156 | 42.83 | 44.83 | 0.01 | <0.03 |
| | | 43.41 - 44.97m as at 42.80m, mod potassic zone with ep, chl, | | | | | | | | | | | | | | |

**PROPERTY: Ann North**

# GWR RESOURCES INC.

**DRILL HOLE NO.: DDH 03-14**



| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Depth** | **(m)** | | **%** | **%** | **%** | **%** | **Chl-** | **Cal** | **2nd** | **2nd** | **2nd** | **Sample** | **terval (m)** | | **Cu** | **Au** |
| **From** | **To** | **Description** | **Py** | **Cpy** | **Mo** | **Mag** | **Ep** | | **Bio** | **Sil** | **Ksp** | **Number** | **From** | **To** | **%** | **g/t** |
| | | Kspar (orange), tourmaline? 2% magnetite, lower contact 60 | | | | | | | | | | | | | | |
| | | degrees to c.a. | | | | | | | | | | 196157 | 44.83 | 47.83 | 0.01 | <0.03 |
| | | 44.97- 50.90m Greater fracture intensity with approximately 30 | | | | | | | | | | 196158 | 47.83 | 50.83 | 0.02 | 0.13 |
| | | over 1 metre – average thickness 3mm and range from 1mm to | | | | | | | | | | | | | | |
| | | 1cm to 3cms at 20 degrees to c.a. ep, chl, Kspar, | | | | | | | | | | | | | | |
| | | 1 - 2mm Kspar, qtz, cal, hem 80 to core axis. | | | | | | | | | | | | | | |
| | | 50.90 - 52.40 Core blocky, less hard closer to the fault. Fractures | | | | | | | | | | | | | | |
| | | chloritic, cal, traces of native copper as blebs. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 196159 | 50.83 | 53.83 | 0.02 | 0.03 |
| | | | | | | | | | | | | | | | | |
| | | 52.40 - 52.72 Fault | | | | | | | | | | | | | | |
| | | Grey, green, pink clay gouge, contacts 20 degrees to c.a. | | | | | | | | | | | | | | |
| | | 52.72 - 62.48m as at 44.97m | tr | | | 3.00 | 1 | 1 | | | 1 | 196160 | 53.83 | 56.83 | 0.01 | <0.03 |
| | | Fresh to weak propylitic, fracture density 8 in 1m, 20 to 45 | | | | | | | | | | 196161 | 56.83 | 59.83 | 0.01 | <0.03 |
| | | degrees to c.a. Mostly, ep,Kspar, cal,sericite. With Kspar | | | | | | | | | | | | | | |
| | | envelopes. | | | | | | | | | | | | | | |
| | | 57.56 - 58.04m light tan ankeritic up to 6.5 cms@ 45 degrees to | | | | | | | | | | | | | | |
| | | c.a.with interstial black tourmaline, with trace very fine grained | | | | | | | | | | | | | | |
| | | py. Chl along fracture surface.s | | | | | | | | | | | | | | |
| | | 61.60 – 61.8m as at 57.56 10 degrees to c.a. | | | | | | | | | | 196162 | 59.83 | 62.48 | <0.01 | <0.03 |
| | | 62.15 - 62.48m minor 1mm veinlets of ep chl, cal, tourmaline. | | | | | | | | | | | | | | |
| | | Good core recovery to end of hole. | | | | | | | | | | | | | | |
| | | E.O.H. 62.48m | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

# GWR RESOURCES INC.

**PROPERTY: Ann North**

**DRILL HOLE NO.: DDH 03-15**



| Angle & Azmth Tests | | |
|---|---|---|
| **Depth** | **Angle** | **Azmth** |
| | | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 615738** | **Core Size: NQ2** | **Started: 27 Nov 03** |
| **Northing (NAD 83): 5759276** | **Hole Azimuth: 209** | **Finished: 5 Dec 03** |
| **Grid Location: 5W 20+15N** | **Hole Angle: -50** | **Logged by: B Callaghan** |
| **Elevation: 1186m** | **Total Depth: 172.82m** | **Analysis by: Eco-Tech** |

**Alteration Scale: 1 - 5**

| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 2.13 | Casing | | | | | | | | | | | | | | |
| 2.13 | 34.08 | Quartz Diorite- Diorite | 0.05 | Tr. | | 5 | 3 | 1 | | | 3 | 196163 | 2.33 | 5.33 | 0.01 | <0.03 |
| | | Same as in hole 14 at 30.83 m Dark grey, equigranular, fine | | | | | | | | | | 191194 | 5.33 | 8.33 | 0.02 | <0.03 |
| | | grained, Plag 35% Qtz 15% | | | | | | | | | | 191165 | 8.33 | 11.33 | 0.01 | <0.03 |
| | | Mafics 15% - 3-5% Biotite 10% hb (Pyroxene). Magnetite fine | | | | | | | | | | | | | | |
| | | grained, disseminated 7% | | | | | | | | | | | | | | |
| | | Alteration - fresh to weak propylitic with well-developed | | | | | | | | | | | | | | |
| | | fracture controlled potassic zones of ep, kspar, minor tourmaline | | | | | | | | | | | | | | |
| | | that increase down hole. From 2mm to.5cm to 3cms as selvages | | | | | | | | | | | | | | |
| | | and patches 30 to 40 degrees to c.a. Potassic alteration more | | | | | | | | | | | | | | |
| | | intense at 8.33m. | | | | | | | | | | | | | | |
| | | Mineralization – cpy very fine grained disseminated and as | | | | | | | | | | | | | | |
| | | 1mm veinlets and blebs associated with tourmaline? Core | | | | | | | | | | | | | | |
| | | recovery 2.13 - 5.18m - 98% - ground at 2.13 m | | | | | | | | | | | | | | |
| | | 8.33 - 12.82 m Pervasive potassic alteration as anastomosing | | | | | | | | | | | | | | |
| | | veinlets & flooded zones | | | | | | | | | | | | | | |
| | | With Ep, Kspar, Chl, Cal, Hem along fracture surfaces, | | | | | | | | | | | | | | |
| | | chalcopyrite associated with tourmaline. Core ground @ 9.80m, | | | | | | | | | | | | | | |
| | | recovery from 8.20 - 11.28m - 83%. | | | | | | | | | | | | | | |
| | | Locally brecciated at 9.80m. Matrix cemented with secondary | | | | | | | | | | | | | | |
| | | magnetite in potassic zones with trace cpy blebs, trace moly | | | | | | | | | | | | | | |
| | | flecks. Core blocky from 9.80 - 10.90m with scattered very fine- | | | | | | | | | | | | | | |
| | | grained native copper. Potassic flooding at 45 degrees to c.a. at | | | | | | | | | | | | | | |
| | | upper contact. Lower contact 29$^{o}$ to c.a. | | | | | | | | | | | | | | |
| | | 12.82-16.33m as at 2.33m. Weak potassic zones with 1mm | tr | 0.1 | | 3 | 3 | 1 | | | 3 | 196166 | 11.33 | 14.33 | 0.01 | <0.03 |
| | | veinlets at 30o to c.a. with ep, kspar, qtz, cal, hem with trace | | | | | | | | | | 196167 | 14.33 | 16.33 | 0.01 | <0.03 |
| | | fine-grained py and cpy blebs. Biotite increases with depth. | | | | | | | | | | | | | | |
| | | 16.33 - 18.33m intense pervasive potassic alteration at 20 | tr | 0.1 | | | 3 | 2 | | | 2 | 196168 | 16.33 | 18.33 | 0.03 | <0.03 |
| | | degrees to c.a. Trace py with minor scattered cpy blebs | | | | | | | | | | 196169 | 18.33 | 20.33 | 0.01 | <0.03 |
| | | associated with anastomozing stringers of epidote, tourmaline. | | | | | | | | | | 196170 | 20.33 | 22.33 | 0.01 | <0.03 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 17.34m Ep, kspar, over 7 cms at 30° to c.a. Weakly magnetic, | | | | | | | | | | 196171 | 22.33 | 25.33 | 0.01 | <0.03 |
| | | with native copper smeared along fracture surfaces at 17.50m. | | | | | | | | | | 196172 | 25.33 | 28.33 | 0.01 | <0.03 |
| | | Core ground @ 17.37m with trace native copper. | | | | | | | | | | 196173 | 28.33 | 31.33 | 0.01 | <0.03 |
| | | 17.57 - 18.37m Recoveries - 90 %. | | | | | | | | | | 196174 | 31.33 | 34.33 | 0.02 | <0.03 |
| | | At 18.33 - 20.09m - 96%, Core ground at 20.05m. Get thin | | | | | | | | | | 196175 | 34.33 | 37.33 | 0.01 | <0.03 |
| | | bands of very closely spaced ep, kspar (orange) with traces of ve | | | | | | | | | | | | | | |
| | | py? Cpy and native copper. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 20.09m intermixed with porphyritic intrusive for 7 cms with ep, | | | | | | | | | | | | | | |
| | | chl, cal, hem, trace py, at 10 degrees to c.a. with increasing | | | | | | | | | | | | | | |
| | | potassic alteration. | | | | | | | | | | | | | | |
| | | 20.68 - 22.33m Pervasive potassic - ep, chl, kspar, pink to | | | | | | | | | | | | | | |
| | | orange with 1mm tourmaline stringers? Non-magnetic. | | | | | | | | | | | | | | |
| | | Fractures coated with chl, cal with pink red coating hematite? | | | | | | | | | | | | | | |
| | | 22.51-25.33m Decrease down hole in fracture density with 4 X | | | | | | | | | | | | | | |
| | | 1 cm to 3 cms widely spaced ep, chl, and kspar veinlets. | | | | | | | | | | | | | | |
| | | 25.33 - 34.08m Gradational contact of quartz diorite | | | | | | | | | | | | | | |
| | | Fine grained with fresh to weak propylitic alteration. Increase in | | | | | | | | | | | | | | |
| | | mafics down hole, fresher - no visible sulphides. Native copper | | | | | | | | | | | | | | |
| | | @ 30.10m. Core ground @ 30.34m - 98% recovery from 29.57 - | | | | | | | | | | | | | | |
| | | 32.61m. Mafic content varies - biotite increases down hole up to | | | | | | | | | | | | | | |
| | | 10%. Sulphides trace. At 38-45m 2 x 3mm, late stage kspar- | | | | | | | | | | | | | | |
| | | orange veinlets @ 20 degrees to c.a. with trace pyrite and | | | | | | | | | | | | | | |
| | | chalcopyrite blebs. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 34.08 | 38.45 | Biotite Monzo-Diorite | | | | | | | | | | 196176 | 37.33 | 40.33 | 0.01 | <0.03 |
| | | Mafics 15 - 20 % fine grained. Consist of 10% hornblende, 5% | | | | | | | | | | 196177 | 40.33 | 43.65 | 0.02 | <0.03 |
| | | biotite, plag 35-40%, and quartz 10%? magnetite 5%. Lower | | | | | | | | | | 196178 | 43.65 | 46.76 | 0.01 | <0.03 |
| | | and upper contacts gradational with subtle | | | | | | | | | | 196179 | 46.76 | 48.05 | 0.01 | <0.03 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | Intermixing of intrusives with fracture controlled ep, chl, and | | | | | | | | | | 196180 | 48.05 | 51.05 | 0.02 | <0.03 |
| | | Kspar veinlets post potassic alteration. Trace disseminated fine- | | | | | | | | | | 196181 | 51.05 | 54.05 | 0.03 | <0.03 |
| | | grained sulphides. | | | | | | | | | | 196182 | 54.05 | 57.05 | 0.04 | <0.03 |
| 38.45 | 83.58 | Quartz Diorite - Diorite | | | | | | | | | | 196183 | 57.05 | 60.05 | 0.02 | <0.03 |
| | | As at 2.13m. Mafics 15% with less biotite 5%. | | | | | | | | | | 196184 | 60.05 | 63.05 | 0.02 | <0.03 |
| | | 43.65 - 44.81m core blockly locally sheared @ 30° to c.a. with | 0.1 | 0.05 | | 5 | 3 | 1 | | | 2 | 196185 | 63.05 | 66.05 | 0.02 | <0.03 |
| | | weak propylitic and mod potassic alt'n zones with ep, chl, cal | | | | | | | | | | 196186 | 66.05 | 69.05 | 0.01 | <0.03 |
| | | kspar, sericite, hem. Trace chalcopyrite blebs and very fine | | | | | | | | | | | | | | |
| | | grained native copper along chl, cal fracture surfaces and | | | | | | | | | | | | | | |
| | | disseminated very fine grained sulphides in groundmass. Lower | | | | | | | | | | | | | | |
| | | contact 30° to c.a. | | | | | | | | | | | | | | |
| | | 44.81 - 46.76m ep, kspar, cal, sericite with trace sulphides with | | | | | | | | | | | | | | |
| | | very fine grained disseminated py in 4 x 1cm - 1.5 cm - 3 cm | | | | | | | | | | | | | | |
| | | veinlets at 30° and sub parallel to c.a. | | | | | | | | | | | | | | |
| | | 46.76 - 47.55m. Pale salmon pink brown pale green pervasive | | | | | | | | | | | | | | |
| | | potassic - ep chl, kspar, cal, hem and tourmaline? stringers | | | | | | | | | | | | | | |
| | | with very fine grained sulphides as well as traces of native | | | | | | | | | | | | | | |
| | | copper in groundmass. | | | | | | | | | | | | | | |
| | | 47.55 - 48.05m Fault | | | | | | | | | | | | | | |
| | | Pale green, hematite stained clay gouge @ 40° to c.a. No | | | | | | | | | | | | | | |
| | | sulphides lower contact @ 50° to core axis. No magnetite. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 48.05 - 51. 96m weak - mod propylitic alteration with locally | | | | | | | | | | | | | | |
| | | pervasive intense potassic alteration.Locally brecciated with | | | | | | | | | | | | | | |
| | | fracture slips of chl, ser, cal @ 30o to c..a. | | | | | | | | | | | | | | |
| | | 51.96 - 52- 60m. Alignment of ep, kspar, albite to c.a. | | | | | | | | | | | | | | |
| | | 51.12m Ep,cal, kspar, cal, tourmaline, 2 cms @ 20 degrees c.a., | | | | | | | | | | | | | | |
| | | brecciated along fractures with trace cpy blebs. Chl, ser, cal, | | | | | | | | | | | | | | |
| | | ankerite with trace dissem vfg sulphides in groundmass. | | | | | | | | | | | | | | |
| | | 52.62- 69.75m. Fracture densities decrease down hole to | | | | | | | | | | | | | | |
| | | 63.48m. Propylitic alteration fresh to weak. Widely spaced ep, | | | | | | | | | | | | | | |
| | | kspar, cal, qtz, cpy fractures cross cut by calcite veinlets at 45 | | | | | | | | | | | | | | |
| | | degrees to c.a. Large patches of tourmaline up to 1 cm @ | | | | | | | | | | | | | | |
| | | 55.07m with trace sulphides. | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 63.48 - 64.48m. Approx 14 x 1 mm to 1.5 cms @ 20 - 45 | | | | | | | | | | | | | | |
| | | degrees to c.a. cut by late stage cal veinlets. Py, fine grained | | | | | | | | | | | | | | |
| | | disseminated with trace chalcopyrite ? in groundmass. | | | | | | | | | | | | | | |
| | | 66.00m - slip surfaces along fractures in contact with pervasive | | | | | | | | | | | | | | |
| | | potassic zones contain chl, ser, cal and blebs of native copper. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 66.99 - 67.35m Ep kspar ( orange) cal, tourmaline with trace | tr | 0.05 | | 2 | 3 | 1 | | | 3 | | | | | |
| | | cpy blebs at 30 degrees to c.a. extends to a true width of approx. | | | | | | | | | | | | | | |
| | | 25cms. Fine grained cpy in kspar, tourmaline veinlets. Calcite | | | | | | | | | | | | | | |
| | | stringers cross cut epidote alteration 3mm in thickness parallel | | | | | | | | | | | | | | |
| | | to core axis. Core 100% recovery to 69.75m | | | | | | | | | | | | | | |
| | | 69.75 - 70.53m Fault Breccia | | | | | | | | | | | | | | |
| | | Fault breccia 20 degrees to c.a. | | | | | | | | | | 196187 | 69.05 | 72.05 | 0.01 | <0.03 |
| | | Pale green, pink, equigranular, highly fractured slickensided, | | | | | | | | | | 196188 | 72.05 | 75.18 | 0.01 | <0.03 |
| | | very blocky, surfaces chloritic with blue grey tan clays coated | | | | | | | | | | 196189 | 75.18 | 77.18 | 0.02 | <0.03 |
| | | with sericite, hematite. Non magnetic. No sulphides. Matrix | | | | | | | | | | 196190 | 77.18 | 78.71 | <0.01 | <0.03 |
| | | cemented with tourmaline. No mafics | | | | | | | | | | 196191 | 78.71 | 81.74 | 0.02 | <0.03 |
| | | 70-53-74-69m Quartz Dionte – Dionte | | | | | | | | | | 196192 | 81.74 | 83.58 | 0.01 | <0.03 |
| | | Same as at 34.09m. Dark grey to maroon with weak alignment | | | | | | | | | | 196193 | 83.58 | 86.91 | 0.02 | <0.03 |
| | | of Kspar potassic selvages and patches that increase downhole | | | | | | | | | | 196194 | 86.91 | 89.23 | 0.01 | <0.03 |
| | | between 30-45-80 degrees to C.A. Typically representative is ep | | | | | | | | | | 196195 | 89.23 | 91.23 | 0.05 | <0.03 |
| | | chl, kspar (orange)+ - tourmaline, albite, cal and rutile? with | | | | | | | | | | | | | | |
| | | trace cpy along veinlets and with trace py in fresh groundmass. | | | | | | | | | | | | | | |
| | | 74.69-75.18m Faulted Diorite | | | | | | | | | | | | | | |
| | | Chl, hem, ser, cal gouge 20 degrees to C.A. | | | | | | | | | | | | | | |
| | | 75.18 - 77.72m increase in hem & chl along slips - core | | | | | | | | | | | | | | |
| | | softer down hole towards fault. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 77 - 78.77m Fault | | | | | | | | | | | | | | |
| | | Chl, hem, clay gouge along slips @ 45 degrees to c.a. Wallrock | | | | | | | | | | | | | | |
| | | dark green maroon cut by late calcite veining 1mm in thickness, | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | no sulphides. | | | | | | | | | | | | | | |
| | | 78.77 - 81.74m As at 70.53m. Med dark grey fine grained, less | | | | | | | | | | | | | | |
| | | biotite. | | | | | | | | | | | | | | |
| | | Alteration - weak propylitic mod potassic with parallel, closely | | | | | | | | | | | | | | |
| | | spaced ep, chl, cal, kspar, | | | | | | | | | | | | | | |
| | | tourmaline veinlets @ 45 degrees to C.A. as well as cal, chl | | | | | | | | | | | | | | |
| | | veinlets @ 45 degrees. Fractures surfaces with chl, ser, | | | | | | | | | | | | | | |
| | | limonite, cal. No sulphides. weakly magnetic. | | | | | | | | | | | | | | |
| | | 81.74 - 83.58m Fault Contact | | | | | | | | | | | | | | |
| | | 20 degrees to c.a. with hem, chl, ser, cal, clay gouge along slips. | | | | | | | | | | | | | | |
| | | Wallrock gray to light cream pink with kspar – plag, | | | | | | | | | | | | | | |
| | | hornblende to actinolite? cut by late calcite veinlets. | | | | | | | | | | | | | | |
| 83.58 | 86.42 | Hb-Plagioclase-Albite Porphyry-Primary Syenite? | | | | | | 2 | 1 | | 4 | | | | | |
| | | 5% qtz, 40% Plag, pervasively kspar altered, cut by late calcite | | | | | | | | | | | | | | |
| | | veining. Medium grained trachytic gorundmass with one 2.5 | | | | | | | | | | | | | | |
| | | cm angular zenolith. | | | | | | | 1 | | 3 | | | | | |
| 86.42 | 89.23 | Hb Plagioclase Breccia | | | | | | | | | | | | | | |
| | | monolithologic, matrix cemented with ep, cal, black chlorite- | | | | | | | | | | | | | | |
| | | tourmaline? with hematite, limonite envelopes, mafics - | | | | | | | | | | | | | | |
| | | actinolite? (5%). Less intense hematite rich kspar alteration. | | | | | | | | | | | | | | |
| | | No sulphides, non magnetic, hematite rings around mafics and | | | | | | | | | | | | | | |
| | | one angular zenolith ? | | | | | | | | | | | | | | |
| 89.23 | 97.63 | Monzonite - monzodrorite | | 0.05 | | | 1 | 1 | | | 2 | 196196 | 91.28 | 93.28 | 0.02 | <0.03 |
| | | light pink to rusty red, equigranular - slight Trachytic texture. | | | | | | | | | | 196197 | 93.28 | 95.28 | 0.04 | <0.03 |
| | | Quartz 10% med course grained. Mafics 5-10 % actinolite? to | | | | | | | | | | 196198 | 95.28 | 97.28 | 0.05 | <0.03 |
| | | calcite. Feldspar, 35% cloudy, twinned. Plag - albite 10% ? | | | | | | | | | | 196199 | 97.28 | 100.28 | 0.01 | <0.03 |
| | | Sulphides scattered with cpy blebs and 1mm stringers associated | | | | | | | | | | 196200 | 100.28 | 102.43 | 0.01 | <0.03 |
| | | with chl, cal and actinolite ? non magnetic. Weak to moderate | | | | | | | | | | 196201 | 102.43 | 104.35 | 0.01 | <0.03 |
| | | fracturing. Veinlets with envelopes of orange tan stain possibly | | | | | | | | | | 196202 | 104.35 | 108.81 | 0.01 | <0.03 |
| | | ankerite with kspar, cal, tourmaline? and hematite, trace cpy, | | | | | | | | | | 196203 | 108.81 | 114.91 | 0.01 | <0.03 |
| | | trace chalcocite? blebs @ 80 - 30 degrees - 45 degrees 7 cms | | | | | | | | | | 196204 | 114.91 | 117.91 | 0.01 | <0.03 |
| | | 10cms 3 cms.in thickness. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 196205 | 117.91 | 120.91 | 0.01 | <0.03 |
| 97.63 | 102.43 | Hb Plagioclase Porphyry | | | | | | | | | | 196206 | 120.91 | 123.91 | 0.02 | <0.03 |
| | | As at 83.58m, dark rust, non magnetic, fractures @ 40o to | | | | | | | | | | 196207 | 123.91 | 126.20 | 0.02 | <0.03 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | c.a.with limonite, clays. Mafics to carbonate, no sulphides. | | | | | | | | | | 196208 | 126.20 | 129.45 | 0.01 | <0.03 |
| | | Fault Contact | | | | | | | | | | | | | | |
| 102.43 | 104.35 | Upper contact at 40 degrees to c.a. Wall rock green to pinkish | | | | | 2 | 2 | | | 2 | 196209 | 129.45 | 130.45 | 0.01 | <0.03 |
| | | red. Highly altered, fine grained, equigranular. Wall rock | | | | | | | | | | 196210 | 130.45 | 131.45 | 0.14 | <0.03 |
| | | possibly qtz dionite – dionite? | | | | | | | | | | 196211 | 131.45 | 133.20 | 0.01 | <0.03 |
| | | Alteration – potassic with ep, chl, kspar, tourmaline. Abundant | | | | | | | | | | 196212 | 133.20 | 135.45 | 0.01 | <0.03 |
| | | late stage calcite at lower contact at 40 degrees to c.a. at lower | | | | | | | | | | 196213 | 135.45 | 136.45 | 0.48 | <0.03 |
| | | contact with trace sulphides. | | | | | | | | | | 196214 | 136.45 | 138.45 | 0.02 | <0.03 |
| | | Quartz Diorite - Diorite | | | | | | | | | | 196215 | 138.45 | 141.45 | 0.01 | <0.03 |
| 104.35 | 123.71 | As at 2.13m. Alteration fresh to weak propylitic potassic | | | | | 1 | 1 | | | 1 | 196216 | 141.45 | 144.45 | 0.01 | <0.03 |
| | | selvages and patches widely spaced near upper and lower | | | | | | | | | | 196217 | 144.45 | 147.45 | <0.01 | <0.03 |
| | | contacts. No visible sulphides until 114.91m. Trace | | | | | | | | | | | | | | |
| | | cpy in tourmaline with hem around margins with calcite. Kspar | | | | | | | | | | | | | | |
| | | veinlets increase down hole at 45 to core axis. Up to 1 cm, | | | | | | | | | | | | | | |
| | | widely spaced.Core Recoveries to 81. 38m -100% | | | | | | | | | | | | | | |
| | | From 81.38 to 84.43m - 85%, from 84.43 to 121.00m -100%, | | | | | | | | | | | | | | |
| | | from 121 - 123.91m, core ground 98% recovery. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 123.71 | 126.20 | Andesitic Tuff? | | | | | | | | | | | | | | |
| | | Groundmass aphanatic, dark grey. Not equigranular. Biotite | | | | | | | | | | | | | | |
| | | fresh, up to 7 % fine grained. | | | | | | | | | | | | | | |
| | | Alteration - groundmass fresh - weak propylitic with closely | | | | | | | | | | | | | | |
| | | spaced veinlets of ep, kspar, and calciteup to 0.5 cm @ 45 | | | | | | | | | | | | | | |
| | | degrees to c.a. Fractures chl, ep, cal with trace sulphides | | | | | | | | | | | | | | |
| | | with 3 - 5% magnetite. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 126.20 | 129.45 | Qtz Hb Plagioclase Porphyry | | | | | | | | | | | | | | |
| | | Hematized stained with feldspar alteration - no sulphides. 1mm | | | | | | | | | | | | | | |
| | | calcite veinlets prominently at 30 degrees to c.a. Upper contact | | | | | | | | | | | | | | |
| | | 29 degrees to c.a. lower contact at 40 degrees to c.a. Recoveries - | | | | | | | | | | | | | | |
| | | Core blocky from 126.20 - 128.30m - 100%, core blocky from | | | | | | | | | | | | | | |
| | | 129.45 - 130.15m - 100%, 130.15 - 133.20m - 70%, 133.20 - | | | | | | | | | | | | | | |
| | | 136.25m - 72.50% | | | | | | | | | | | | | | |
| 129.45 | 161.45 | Quartz - Diorite | | | | | | | | | | | | | | |
| | | As at 104.35m. Dark grey green, fine grained groundmass | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | equigranular, magnetite 3-5% biotite 3-7% fine grained. | | | | | | | | | | | | | | |
| | | Alteration - weak propylitic - potassic as selvages, veinlets | | | | | | | | | | | | | | |
| | | tomore pervasive zones associated with kspar - carb veining. | | | | | | | | | | | | | | |
| | | Other veinlets of ep, albite, kspar every 5 cms, with late stage | | | | | | | | | | | | | | |
| | | calcite veinlets @ 60 - 20 degrees to c.a. Fracture surfaces black | | | | | | | | | | | | | | |
| | | chl, cal, hem. | | | | | | | | | | | | | | |
| | | 130.45 – 130.58m Pink kspar, cal, tourmaline with black | | | | | | | | | | | | | | |
| | | chlorite? 1 cm at widest @ 40 degrees to c.a. with massive cpy | | | | | | | | | | | | | | |
| | | patches up to approximately 1cm in centre of gangue with | | | | | | | | | | | | | | |
| | | minor py. Wall rock around vein red kspar 20 degrees to c.a. | | | | | | | | | | | | | | |
| | | Sulphide content in vein approx 15%. Gange 85% mostly kspar, | | | | | | | | | | | | | | |
| | | albite? Calcite and tourmaline. | | | | | | | | | | | | | | |
| | | 133.20 - 133.60m same as 130.45m. Runs sub parallel to | | | | | | | | | | | | | | |
| | | core axis for 40 cm @ 70 degrees. Widest part lcm. Vein offset | | | | | | | | | | | | | | |
| | | along 45% slips to 1 cm | | | | | | | | | | | | | | |
| | | 135.45 - 135. 60m Vein that is same as above, extends 15 cm @ | | | | | | | | | | | | | | |
| | | 60 degrees to C.A. | | | | | | | | | | | | | | |
| | | Less cpy mostly blebs, a few scattered masses offset by calcite | | | | | | | | | | | | | | |
| | | slips at 45 degrees to c.a. | | | | | | | | | | | | | | |
| | | 135.60 - 136.45m Similar veining extends 60cms sub parallel to | | | | | | | | | | | | | | |
| | | c.a.to 70 degrees.with developed stockwork of grey quartz with | | | | | | | | | | | | | | |
| | | massive cpy 0.5 cms in width along c.a. with brecciated kspar | | | | | | | | | | | | | | |
| | | alteration along margins of vein and weakly detextured brown | | | | | | | | | | | | | | |
| | | kspar alteration with magnetite, tourmaline in groundmass with | | | | | | | | | | | | | | |
| | | 136.45m same as at 129.45m. Fracture density 5 over 1m, 1mm | | | | | | | | | | | | | | |
| | | @ 20 degrees to c.a. with | | | | | | | | | | | | | | |
| | | ep, kspar, chl, cal, cpy in pervassive potassic zones as | | tr | | 3 | 2 | 1 | | | 2 | 196218 | 147.45 | 149.16 | 0.02 | <0.03 |
| | | disseminated blebs. One zenolith up to 2 cms not absorbed- | | | | | | | | | | 196219 | 149.16 | 151.54 | <0.01 | <0.03 |
| | | possibly volcanic? Core recoveries from 136.45 to 149.16m | | | | | | | | | | 196220 | 151.54 | 153.46 | 0.01 | <0.03 |
| | | good 100%. | | | | | | | | | | 196221 | 153.46 | 156.46 | 0.04 | <0.03 |
| | | 149.16 - 151.54m Intense fracturing, core blocky, grounded in | | | | | | | | | | 196222 | 156.46 | 159.46 | 0.02 | <0.03 |
| | | several places. Recovery from 149.16 - 151.54m 35% - gouge | | | | | | | | | | 196223 | 159.46 | 161.24 | 0.02 | <0.03 |
| | | for 80cms.From 151.54 - 153.20m - 60% recovery, core locally | | | | | | | | | | 196224 | 161.24 | 162.24 | 0.08 | <0.03 |
| | | clay gouge. From 153.20 - 154.90m blocky, 154.90 - 161.00m | | | | | | | | | | 196225 | 162.24 | 164.24 | <0.01 | <0.03 |
| | | blocky, ground @ 154.77, 159.36m- 98%. | | | | | | | | | | 196226 | 164.24 | 167.24 | 0.01 | <0.03 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 151.54 - 153.46m Fault | | | | | | | | | | 196227 | 167.24 | 168.94 | <0.01 | <0.03 |
| | | Hematite, clay, cal gouge. Wall rock chl, hem, cal altered | | | | | | | | | | 196228 | 168.94 | 171.94 | 0.01 | <0.03 |
| | | diorite. | | | | | | | | | | | | | | |
| | | 153.46 - 160.77m core softer with intense late stage calcite | | tr | | | 3 | 2 | | | 2 | | | | | |
| | | veining with fracture controlled orange brown feldspar selvages | | | | | | | | | | | | | | |
| | | cross cutting ep, kspar, chl, cal patches. Fractures slickensided | | | | | | | | | | | | | | |
| | | at 30 to 40 degrees to core axis with chl, hem, cal and locally | | | | | | | | | | | | | | |
| | | brecciated. Trace sulphides. | | | | | | | | | | | | | | |
| | | 160.76 - 161m Fracture controlled brecciated kspar, cal, hem, | | tr | | | 3 | 2 | | | 2 | | | | | |
| | | tourmaline, sericite veinlet up to 1cm parallel to c.a. with trace | | | | | | | | | | | | | | |
| | | cpy blebs associated with kspar, tourmaline? Magnetite. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 161.00 | 161.45 | Crowded Plagioclase Porphyry | | | | | | | | | | | | | | |
| | | As at 126.20m | | | | | | | | | | | | | | |
| 161.45 | 162.24 | Diorite | | | | | | | | | | | | | | |
| | | Same as at 153.46m, with intense potassic alteration. Trace cpy | | | | | | | | | | | | | | |
| | | associated with tourmaline ? stringers in potassic flooded zones. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 162.24 | 168.94 | Crowded Plagioclase Porphyry | | | | | | | | | | | | | | |
| | | Same as at 126.20m with trachytic groundmass intermixed with | | | | | | | | | | | | | | |
| | | diorite? closer to bottom contact with trace sulphides. Slip | | | | | | | | | | | | | | |
| | | surfaces along fractures infilled with hematite, chlorite, calcite. | | | | | | | | | | | | | | |
| | | Fractures at 20 and 30 degrees to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 168.94 | 172.82 | Andesitic Tuff- Diorite ? | | | | | | | | | | | | | | |
| | | Dark grey black, aphanitic, fresh with widely spaced fractures | | | | | | | | | | | | | | |
| | | with associated weak potassic alteration. No sulphides. | | | | | | | | | | | | | | |
| | | E.O.H. 172.82m | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

**PROPERTY: Ann North**

# GWR RESOURCES INC.

**DRILL HOLE NO.: DDH 03-16**



| Angle & Azmth Tests | | |
|---|---|---|
| **Depth** | **Angle** | **Azmth** |
| | | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 615412** | **Core Size: NQ2** | **Started: 12 Dec 03** |
| **Northing (NAD 83): 5759322** | **Hole Azimuth: 209** | **Finished: 16 Jan 2004** |
| **Grid Location:8+75W 20+40N** | **Hole Angle: -55** | **Logged by: B Callaghan** |
| **Elevation: 1183m** | **Total Depth: 249.33m** | **Analysis by: Eco Tech** |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 6.10 | Casing No Recovery | | | | | | | | | | | | | | |
| 6.10 | 18.35 | **Diorite** | 0.50 | 0.10 | | 5.00 | 2 | 2 | 2 | | 2 | 196229 | 6.10 | 8.10 | 0.06 | 0.16 |
| | | Grey Black, fine grained with aphanitic groundmass moderate | | | | | | | | | | 196230 | 8.10 | 10.10 | 0.01 | 0.10 |
| | | porphyritic plag 40% subhedral, altered to epidote grey sericite. | | . | | | | | | | | 196231 | 10.10 | 12.10 | 0.08 | 0.15 |
| | | 20% mafics, pale grey green as subhedral aggregates, fine | | | | | | | | | | 196232 | 12.10 | 14.10 | 0.05 | 0.12 |
| | | grained, magnetite 5% ? Biotite fine grained surrounds | | | | | | | | | | 196233 | 14.10 | 16.10 | 0.07 | 0.13 |
| | | aggregates of clinopyroxenes? | | | | | | | | | | 196234 | 16.10 | 18.35 | 0.06 | 0.16 |
| | | Alteration – weak to moderate propylitic, moderate potassic | | | | | | | | | | | | | | |
| | | along fractures with Ep, Cal stringers, disseminated blebs in | | | | | | | | | | | | | | |
| | | groundmass, veinlets anastomozing. | | | | | | | | | | | | | | |
| | | Fracture density locally, intense. Veinlets 20 - 45 – 70 degrees | | | | | | | | | | | | | | |
| | | to core access (c.a.) | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 13.10m – 13.40m - multistage KSpar Cal Tourmaline vein | | | | | | | | | | | | | | |
| | | breccia. @ 45 degrees to c.a. weakly magnetic. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 14.63m – 18.35m - increase in potassic altered fragments from | | | | | | | | | | | | | | |
| | | feldspar dyke nearer the contact in diorite. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 18.35 | 27.02 | Crowded quartz hornblende plagioclase porphyry. | | tr | | | 1 | 3 | | | 3 | 196235 | 18.35 | 21.35 | <0.01 | 0.10 |
| | | Hematite rich, KSpar altered. Medium grained, non magnetic. | | | | | | | | | | 166236 | 21.35 | 24.35 | <0.01 | 0.08 |
| | | Locally dense calcite flooding, with anastomozing stringers. | | | | | | | | | | 196237 | 24.35 | 27.02 | 0.01 | 0.05 |
| | | Mineralization - locally variable cpy blebs – locally azurite @ | | | | | | | | | | 196238 | 27.02 | 30.02 | 0.05 | 0.07 |
| | | 23.77m. Upper contact 60 degrees to c.a. | | | | | | | | | | 196239 | 30.02 | 32.50 | 0.06 | 0.12 |
| | | Core blocky from 6.10m – 27.07m recovery 6.10m – 20.73m | | | | | | | | | | 196240 | 32.50 | 35.50 | 0.03 | 0.07 |
| | | 100%. | | | | | | | | | | 196241 | 35.50 | 38.50 | 0.04 | 0.07 |
| | | Core ground @ 21.73m, 26.32m blocky from 20.73m – 27.02m | | | | | | | | | | | | | | |
| | | 98%. | | | | | | | | | | | | | | |
| | | Fracture surfaces coated with chalky white, limonite, chlorite, | | | | | | | | | | | | | | |
| | | calcite. | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 27.02 | 32.50 | **Diorite** | tr | 0.10 | | 5.00 | 2 | 2 | 1 | | 2 | | | | | |
| | | Same as at 6.10m but could be volcanic, but could be volcanic | | | | | | | | | | | | | | |
| | | brecciated lapilli tuff. | | | | | | | | | | | | | | |
| | | Alteration – moderate propylitic – moderate potassic. Ep, Chl, | | | | | | | | | | | | | | |
| | | KSpar, Cal, Tourmaline, Pyrrhotite. | | | | | | | | | | | | | | |
| | | Mineralization - .1% cpy as fine grained disseminated and blebs, | | | | | | | | | | | | | | |
| | | associated with potassic patches with minor pyrrhotite. Biotite | | | | | | | | | | | | | | |
| | | variable but increases to approx 7% potassic alteration as | | | | | | | | | | | | | | |
| | | selvages and patches structurally controlled @ 45 degrees to c.a. | | | | | | | | | | | | | | |
| | | Core blocky ground at 30.70m | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 32.50 | 56.65 | **Crowded quartz hornblende feldspar porphyry**. | tr | 0.10 | | | 1 | 2 | | | 4 | 196242 | 38.50 | 41.50 | 0.04 | 0.03 |
| | | Trachytic groundmass with hematite rich KSpar alteration. | | | | | | | | | | 196243 | 41.50 | 44.50 | 0.03 | 0.07 |
| | | Mineralization – cpy associated with replacement of hornblende | | | | | | | | | | 196244 | 44.50 | 47.50 | 0.03 | 0.03 |
| | | by calcite and magnetite or tourmaline? | | | | | | | | | | 196245 | 47.50 | 50.50 | 0.03 | 0.04 |
| | | | | | | | | | | | | 196246 | 50.50 | 53.50 | 0.01 | 0.08 |
| | | 37.05m - Chl, Cal, Tourmaline? +- Magnetite with large blebs | | | | | | | | | | | | | | |
| | | of cpy, @ 60 degrees to c.a.? | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 50.75m – 50.83m – Fault | | | | | | | | | | | | | | |
| | | Black clay gouge, no sulphides, non-magnetic @ 20 degrees to | | | | | | | | | | | | | | |
| | | c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 50.83m – 55.78m - variable intensity of potassic alteration with | | | | | | | | | | | | | | |
| | | increase nearer to the contact with chalky pink salmon coloured | | | | | | | | | | | | | | |
| | | alteration zones with variable intensity of calcite flooding. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 55.78m – 56.65m - chill margin to contact down hole. | | | | | | | | | | | | | | |
| | | Alteration - Fine grained dark pink brown pervasive potassic | | tr | | | | 2 | | 1 | 4 | | | | | |
| | | altered not porphyritic with closely spaced late stage calcite | | | | | | | | | | | | | | |
| | | stringers @ 20 degrees to c.a. | | | | | | | | | | | | | | |
| | | Tourmaline? Occurs as scattered patches with replacement | | | | | | | | | | | | | | |
| | | calcite containing cpy blebs that are cross cut by 1mm – 3mm | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | quartz albite tourmaline stringers at 20 – 40 degrees to c.a. | | | | | | | | | | | | | | |
| 56.65 | 59.40 | **Diorite?** | tr | tr | | | 2 | 1 | | | 4 | 196249 | 56.65 | 59.40 | 0.03 | 0.08 |
| | | Moderate to intense potassic altered grey, pink pale green coloured. Fine grained. No primary texture, noticeable 2% black tourmaline patches with calcite, cpy as fine grained dissemination associated with the tourmaline. No biotite, locally brecciated along fractures with hematite, limonite? Chlorite – non magnetic. | | | | | | | | | | | | | | |
| 59.40 | 82.45 | **Diorite** | | | | | | | | | | 196250 | 59.40 | 62.40 | 0.11 | 0.09 |
| | | as at 6.10m. Fine grained, sheared, slickensided surfaces, grey pale-green, serpentinized (talc). | | | | | | | | | | 196251 | 62.40 | 65.40 | 0.15 | 0.12 |
| | | | | | | | | | | | | 196252 | 65.40 | 68.50 | 0.03 | 0.03 |
| | | Alteration – patchy, pale-green pink in colour, due to irregular fracture controlled potassic alteration. Hydrothermally brecciated with matrix cemented by black tourmaline? Fractures of Ep, Cal +- cpy, cross cut potassic alterations up to 5mm @ 30 degrees to c.a. Tourmaline, Cal, cpy veinlets cross cut these anastomozing veinlets through massive cpy. This suggests several stages of mineralization. Mineralization – locally up to 1% cpy in Ep patches, as fine grained disseminations in ground mass associated with tourmaline with traces of fine grained disseminated pyrrhotite. Magnetite up to 2% occurs as scattered patches. Intensity of late stage Cal, Hem decrease down hole @ 45 degrees to c.a. Core blocky from 27.02m – 63.40m - recovers 98% – 100% ground. | | | | | | | | | | | | | | |
| | | Core ground @ 65m, 65.20m, 63.50m & 66.45m – with 90% recovery 65.40m – 68.40m – noticeably finer grained, aphanitic, black with less potassic flooding and more as fracture filling and | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | widely spaced @ 45o to c.a. up to 1 cm in width. KSpar | | tr | | | | | | | | | | | | |
| | | envelopes surround Ep, black tourmaline with Cal, +- CPY. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 196253 | 68.40 | 70.55 | 0.11 | 0.13 |
| | | 68.40m – 70.55m - Hydrothermal overprinting with intense | | | | | | | | | | 196254 | 70.55 | 73.55 | 0.16 | 0.05 |
| | | potassic alteration. Core is orange pink in colour, brecciated with | | | | | | | | | | 196255 | 73.55 | 76.55 | 0.35 | 0.04 |
| | | black tourmaline groundmass. | | | | | | | | | | 196256 | 76.55 | 79.55 | 0.05 | 0.05 |
| | | | | | | | | | | | | 196257 | 79.55 | 82.55 | 0.03 | <0.03 |
| | | 70.55m – 70.80m - Fault – grey green gouge at 45 degrees to | | | | | | | | | | 196258 | 82.55 | 85.55 | <0.01 | <0.03 |
| | | c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 70.80m – 82.03m – Noticeably less intense potassic alteration, | | | | | | | | | | | | | | |
| | | less epidote. Groundmass black, fine grained, aphanitic – looks | | | | | | | | | | | | | | |
| | | more volcanic. Fractures – Ep, hem, +- Py +- Cpy with less late | | | | | | | | | | | | | | |
| | | stage Calcite veinlets down hole that are up to 3mm @ 45o to | | | | | | | | | | | | | | |
| | | core axis coated with pale green clays. Core blocky, ground @ | | | | | | | | | | | | | | |
| | | 74.60m - 98% recovery. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 81.95m Ep, Cal veinlet 5cm @ 70 degrees to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 82.45 | 93.40 | **Diorite - Gabbro** | | | | | | | | | | | | | | |
| | | Fresh porphyritic with grey to black fine grained groundmass | | | | | | | | | | | | | | |
| | | with | | | | | | | | | | | | | | |
| | | 1 – 2 % interstitial biotite up to 3mm. Magnetite up to 3%. | | | | | | | | | | | | | | |
| | | Mineralization – trace azurite as small scattered patches and | | | | | | | | | | | | | | |
| | | along fractures. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 93.40 | 94.10 | **Basalt dyke** | | | | | | | | | | 196259 | 93.10 | 94.10 | 0.02 | 0.14 |
| | | Black fine grained aphanitic possibly a boulder ? Fresh, no | | | | | | | | | | | | | | |
| | | sulphides. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 94.10 | 98.30 | **Quartz Hornblende Feldspar Porphyry** | | | | | | | | | | 196260 | 94.10 | 97.10 | 0.02 | 0.03 |
| | | As at 18.35m. Less porphyritic at upper contact. Rusty pink with | | | | | | | | | | 196261 | 97.10 | 98.30 | <0.01 | 0.03 |
| | | approximately 2% secondary magnetite decreasing down hole. | | | | | | | | | | | | | | |
| | | Fractures chalky white with Cal, Chl. Core blocky ground at | | | | | | | | | | | | | | |
| | | 95.20m. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | | | | | | | | | | | | | | | |
| 98.30 | 112.17 | **Diorite ?** | | 0.50 | | 3.00 | 3 | 2 | | | 3 | 196262 | 98.30 | 101.30 | 0.19 | 0.06 |
| | | Possible andesitic volcanic as at 16.10m. Pale pink, green. Fine | | | | | | | | | | 196263 | 101.30 | 104.30 | 0.23 | 0.11 |
| | | grained. Alteration - intense potassic overprinting, pervasive at | | | | | | | | | | 196264 | 104.30 | 107.30 | 0.13 | 0.16 |
| | | upper contact possibly @ 45 degrees to c.a. with KSpar, | | | | | | | | | | 196265 | 107.30 | 109.30 | 0.16 | 0.15 |
| | | Tourmaline? Cal, Hem, cpy +- Mag | | | | | | | | | | 196266 | 109.30 | 110.30 | 0.03 | <0.03 |
| | | Mineralization – dissememinated fine grained cpy locally up to | | | | | | | | | | 196267 | 110.30 | 112.20 | 0.08 | <0.03 |
| | | .1% as blebs, associated with 2% magnetite as patches, also with | | | | | | | | | | | | | | |
| | | Ep with trace pyrrhotite. Core blocky with short runs from | | | | | | | | | | | | | | |
| | | 102.80m to 112.17m with recoveries of 95% to 100%. | | | | | | | | | | | | | | |
| | | Fractures closely spaced, surfaces coated with Chl, cal, with trace | | | | | | | | | | | | | | |
| | | hematite and minor sulphides. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 102.80m – 112.17m Hydrothermal breccia with KSpar, | | | | | | | | | | | | | | |
| | | tourmaline overprinting with .1% - .5% CPY, fine grained. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 110.30m - 111.25m > Fault | | | | | | | | | | | | | | |
| | | Grey, green fault gouge. Wall rock is a KSpar tourmaline | | | | | | | | | | | | | | |
| | | breccia. | 0.10 | 0.50 | | 3.00 | 2 | 3 | | | 3 | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 111.25m - 112.17m > as at 109.30m | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 112.17 | 135.92 | **Quartz Hornblende Plagioclase Porphyry** | | | | | 2 | 3 | | | 2 | 196268 | 112.20 | 115.20 | 0.04 | 0.03 |
| | | Dark pink red, plagioclase to carbonate? Hornblende to chlorite - | | | | | | | | | | | | | | |
| | | actinolite?- non magnetic. Albite to white carbonate clays? | | | | | | | | | | | | | | |
| | | Abundant late vuggy calcite veinlets at 50 degrees to core axis. | | | | | | | | | | | | | | |
| | | 119.20m – 122.25m Salmon pink pale green, fine grained , | | | | | | | | | | | | | | |
| | | equigranular locally aphanitic. Primary texture obliterated due to | | | | | 2 | 3 | | | 4 | 6401 | 119.70 | 122.70 | 0.01 | <0.03 |
| | | potassic overprinting in flood zones cut by late calcite flooding | | | | | | | | | | | | | | |
| | | and minor hematite as matrix infill in locally brecciated zones as | | | | | | | | | | | | | | |
| | | well as 1mm veinlets cut by late epidote veinlets. | | | | | | | | | | | | | | |
| | | 122.25m – 134.81m as at 119.20m but very fine grained, light | | | | | | | | | | | | | | |
| | | pale brown. Fracture density weak to moderate with epidote, | | | | | | | | | | | | | | |
| | | hematite. Non magnetic. | | | | | | | | | | | | | | |
| | | Core blockv. Recoveries 98% to 100% to 124.36m. From | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | ~~Core blocky. Recoveries 95% to 100% to 124.36m. From~~ | | | | | | | | | | | | | | |
| | | 124.36m to 134.70m recoveries approximately 90%. | | | | | | | | | | | | | | |
| | | Mineralization – trace disseminated pyrite, cpy as blebs | | | | | | | | | | | | | | |
| | | associated with epidote. | | | | | | | | | | 6402 | 127.41 | 130.41 | 0.04 | <0.03 |
| | | 134.81m – 135.92m Moderate to coarse grained ,locally insitu | | | | | | | | | | | | | | |
| | | autobrecciated, weakly detextured. Matrix grey black chlorite, | | | | | | | | | | | | | | |
| | | actinolite? Tourmaline? with calcite trace cpy blebs. | tr | tr | | | | 2 | | | 2 | 6403 | 134.81 | 135.92 | 0.02 | <0.03 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | Upper contact faulted with grey green clay gouge and calcite at | | | | | | | | | | | | | | |
| | | 10 degrees to core axis. | | | | | | | | | | | | | | |
| 135.92 | 149.04 | **Andesitic Tuff Breccia?** | 0.10 | 0.50 | tr | 3.00 | 2 | 1 | 5 | | 3 | 6404 | 135.92 | 138.72 | 0.07 | <0.03 |
| | | Grey, black to pale green fine grained to aphanitic exhibiting | | | | | | | | | | 6405 | 138.92 | 140.72 | 0.18 | 0.07 |
| | | weak foliation. Fragments angular to subrounded up to 3cms | | | | | | | | | | 6406 | 140.72 | 142.72 | 0.08 | 0.03 |
| | | possibly intrusive - significant as to proximity to vent. | | | | | | | | | | 6407 | 142.72 | 145.72 | 0.10 | <0.03 |
| | | Alteration - weak to moderate propylitic/ mod to intense | tr | 0.50 | | 3.00 | 3 | 1 | 5 | | 2 | 6408 | 145.72 | 149.04 | 0.15 | 0.11 |
| | | pervasive potassic with epidote, Kspar. Matrix black tourmaline? | | | | | | | | | | | | | | |
| | | Chlorite actinolite? | | | | | | | | | | | | | | |
| | | Mineralization – Sulphide content variable from .5 to 1% in | | | | | | | | | | | | | | |
| | | pervasive altered zones.cpy associated with epidote, tourmaline | | | | | | | | | | | | | | |
| | | approximately .1% to .3%? as disseminated blebs, trace | | | | | | | | | | | | | | |
| | | pyrrhotiteand molybenite as scattered patches. | | | | | | | | | | | | | | |
| | | 142.65m – 149.04 less potassic alteration and associated | | | | | | | | | | | | | | |
| | | brecciation. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 149.04 | 155.45 | **Quartz, Hornblende, Plagioclase Porphyry** | | tr | | | 2 | 1 | | | 2 | 6409 | 149.04 | 152.04 | 0.01 | <0.03 |
| | | Same as at 134.81m Fine – medium grained, pale pink, brown. | | | | | | | | | | 6410 | 152.04 | 154.45 | <0.01 | <0.03 |
| | | Variably trachytic textured groundmass with more mafics up to | | | | | | | | | | 6411 | 154.45 | 155.45 | <0.01 | <0.03 |
| | | 7% hornblende up to .5cm in length. Less hematite, with mod | | | | | | | | | | | | | | |
| | | potassic alteration – kspar, sericite, actinolite? | | | | | | | | | | | | | | |
| | | Fractures widely spaced, 1mm to 3mm with ep, cal ,tourmaline | | | | | | | | | | | | | | |
| | | cores with associated minor cpy blebs enveloped by kspar at 30 | | | | | | | | | | | | | | |
| | | to 40 degrees to core axis with trace specular hematite. Lower | | | | | | | | | | | | | | |
| | | ~~contact 50 degrees to core axis~~ | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | contact 50 degrees to core axis. | | | | | | | | | | | | | | |
| 155.45 | 156.35 | **Andesitic Tuff Breccia?** Same as at 135.92m. Noticeable scattered tourmaline patches up to 3% with traces of cpy blebs surrounded by ep, kspar. | | 0.50 | | 3.00 | 3 | 1 | 5 | | 3 | 6412 | 155.45 | 156.35 | 0.03 | 0.04 |
| 156.35 | 157.22 | **Porphyrytic Basalt** Up to 2% amygdules in grey black aphanitic groundmass with up to 15 – 20% up to 5mm subhedral plagioclase feldspar phenocrysts, 2% hornblende with biotite. Alteration – mod propylitic along fractures, weak potassic as patches with ep, kspar tourmaline crosscut late calcite 45 degrees to core axis. Core blocky at lower contact at 45 degrees to core axis. | | tr | | 3.00 | 2 | 2 | 3 | | 1 | 6413 | 156.35 | 157.22 | 0.01 | 0.04 |
| 157.22 | 197.26 | **Andesitic Tuff** Same as 135.92m. Locally brecciated with stockwork development consisting of Kspar, epidote closely spaced veinlets up to 3mm at 20 to 70 degrees to core axis that decrease down hole.. Secondary biotite increases down hole as well as sericite. Magnetite up to approximately 5%. Mineralization - sporadic, with trace pyrrhotite. Cpy as scattered blebs, semi massive in discontinuous narrow stringers 1 to 2mm associated with either ep, magnetite. Possible traces of very fine - grained native copper. 182.27m – 190.22m Potassic alteration locally more intense cut by chl, cal, hem fractures with cpy blebs and trace native copper? Potassic veins occur at 184.50m at 45 degrees to core axis 3 – 5 cms, widely spaced – maybe peripheral dykes. | tr | 0.10 | | | 2 | 2 | 5 | | 2 | 6414 | 157.22 | 160.22 | 0.01 | <0.03 |
| | | | | | | | | | | | | 6415 | 160.22 | 163.22 | 0.02 | 0.04 |
| | | | | | | | | | | | | 6416 | 163.22 | 166.22 | 0.05 | 0.07 |
| | | | | | | | | | | | | 6417 | 166.22 | 169.22 | 0.02 | 0.07 |
| | | | | | | | | | | | | 6418 | 169.22 | 172.22 | <0.01 | <0.03 |
| | | | | | | | | | | | | 6419 | 172.22 | 175.22 | <0.01 | <0.03 |
| | | | | | | | | | | | | 6420 | 175.22 | 178.22 | 0.07 | <0.03 |
| | | | | | | | | | | | | 6421 | 178.22 | 181.22 | 0.07 | 0.05 |
| | | | | | | | | | | | | 6422 | 181.22 | 184.22 | 0.10 | 0.03 |
| | | | | | | | | | | | | 6423 | 184.22 | 187.22 | 0.07 | 0.03 |
| | | | 0.10 | 0.50 | | 5.00 | 2 | 1 | 3 | | 2 | 6424 | 187.22 | 190.22 | 0.20 | 0.08 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 190.22m – 194.46m more brecciation and fracture controlled kspar veinlets at 45 degrees to core axis in flood zones with orange kspar envelopes surrounding ep, black tourmaline, magnetite with traces cpy and pyrrhotite. Larger patches of | | | | | | | | | | 6425 | 190.22 | 193.22 | 0.10 | 0.03 |
| | | | | | | | | | | | | 6426 | 193.22 | 196.22 | 0.13 | 0.03 |
| | | | | | | | | | | | | 6427 | 196.22 | 197.30 | 0.49 | 0.16 |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | tourmaline with associated cpy. | | | | | | | | | | | | | | |
| | | 196.22m – 197.22m More bleached salmon grey with increase of | | | | | | | | | | | | | | |
| | | tourmaline and associated cpy closer to fault. | | | | | | | | | | | | | | |
| | | | tr | 0.10 | 5.00 | | 2 | 2 | 5 | | 3 | | | | | |
| 197.26 | 197.59 | **Fault Breccia** | | | | | | | | | | | | | | |
| | | Black sub-angular to sub rounded brecciated fragments of | | | | | | | | | | | | | | |
| | | volcanics and tourmaline? Up to 3cms in grey green clay gouge | | | | | | | | | | | | | | |
| | | 80 degrees to core axis. | | | | | | | | | | | | | | |
| 197.59 | 201.5 | **Basalt** | | | | | | | | | | | | | | |
| | | Grey black, fresh, fine grained, no visible sulphides. Minor calcte | | | | | | | | | | | | | | |
| | | veinlets 30 degrees to core axis. Weakly magnetic. | | | | | | | | | | | | | | |
| 201.5 | 201.86 | **Fault Contact** | | | | | | | | | | 6428 | 201.50 | 203.50 | 0.84 | 0.30 |
| | | Chloritic ,slickensided clay gouge. Wall rock as at 135.92m | | | | | | | | | | | | | | |
| | | Upper and lower contacts 40 degrees to core axis. | | | | | | | | | | | | | | |
| 201.86 | 203.5 | **Andesitic Tuff Breccia?** | 0.10 | 0.50 | tr | | 3 | 3 | 2 | | 3 | | | | | |
| | | Same as at 135.92m. Mottled grey pale green orange mottled | | | | | | | | | | | | | | |
| | | grey black fine grained , aphanitic. #0% detextured potassic | | | | | | | | | | | | | | |
| | | altered fragmenrs supported in tourmaline? Actinolite? Chlorite | | | | | | | | | | | | | | |
| | | epidote calcite flooded matrix. Most intense potassic alteration | | | | | | | | | | | | | | |
| | | and stockwork development closest to fault contact with basalt. | | | | | | | | | | | | | | |
| | | Mineralization – consists of cpy as blebs as fine grained | | | | | | | | | | | | | | |
| | | disseminated masses in groundmass matrix material and as | | | | | | | | | | | | | | |
| | | discontinuous narrow stringers. | | | | | | | | | | | | | | |
| | | Core recoveries good, 100%. | | | | | | | | | | | | | | |
| | | 201.86m – 203.50m sooty grey coating along fractures surfaces | | | | | | | | | | | | | | |
| | | @201.46m @45 degrees to core axis – chalcocite? other | | | | | | | | | | | | | | |
| | | fractures hematite, chlorite clays. | | | | | | | | | | | | | | |
| | | 205.05m Epidote, Kspar up to 3cms at 40 degrees to core axis | | | | | | | | | | | | | | |
| | | with massive cpy and scattered molybdenite patches.3cms | | | | | | | | | | | | | | |
| | | 203.50m – 215.80m Core harder, dark grey, more propylitic and | tr | 0.10 | | 2.00 | 2 | 1 | 3 | | 2 | 6429 | 203.50 | 206.50 | 0.24 | 0.11 |
| | | less potassic. Locally bleached pale green with 1% scattered | | | | | | | | | | 6430 | 206.50 | 209.50 | 0.05 | 0.05 |
| | | tourmaline patches with fine grained cpy. Cpy also occurs as | | | | | | | | | | 6431 | 209.50 | 212.50 | 0.01 | <0.03 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | blebs in albite tourmaline? veinlets, widely spaced 1mm in width at 45 degrees to core axis. Secondary biotite increases down hole. Bleached zones with more intense potassic alteration between 209.50m to 215.18m. 209.50m less sulphide and calcite flooding. 212.50m – 215.18m noticeably more foliated in core 45 degrees to core axis. Noticeable small areas fo grey quartz infilling matrix 214.85m Breccia vein up to 3cms at 45 degrees to core axis with angular potassic altered fragments inepidote, magnetite, calcite matrix. | | | | | | | | | | 6432 | 212.50 | 215.18 | <0.01 | <0.03 |
| 215.18 | 215.43 | **Fault Breccia** Dark grey green clay gouge with bleached to grey volcanic fragments up to 2 cms @ 60 degrees to c.a. | | | | | | | | | | | | | | |
| 215.43 | 215.8 | **Andesitic tuff Breccia** Same as at 201.86 m. | | | | | | | | | | | | | | |
| 215.8 | 216.14 | **Fault Breccia** Angular subangular clasts 0.5 cm – 1.5 cm mostly volcanic with kspar alteration. Others qtz calcite supported in black fine grained matrix. Weakly magnetic. Lower contact 70 degrees to c.a. | | | | | | | | | | 6433 | 215.18 | 216.14 | 0.04 | <0.03 |
| 216.14 | 236 | **Andesitic Tuff** Locally brecciated with wk-mod propylitic alteration and less late stage calcite flooding less sulphides. 217.40m Calcite brecciated veinlets with minor stockwork development up to 8 cms in width @ 10 degrees to c.a. Groundmass more grey black with sub-rounded to sub-angular propylitic altered clasts up to 3 cms in black groundmass. Less fractured. Mineralization – variably sporadic 0.1% to 0.5% disseminated very fine grained py trace cpy scattered blebs associated with epidote, magnetite. Scattered pyrrhotite blebs associated with kspar alteration along fractures. Fractures consist of ep, kspar, magnetite 1mm –3mm, 5 over 1m at 30%-45% to c.a. Locally more closely spaced with minor | tr | tr | | 3.00 | 2 | 1 | 5 | | 1 | 6434 | 216.40 | 219.40 | <0.01 | <0.03 |
| | | | | | | | | | | | | 6435 | 219.14 | 222.14 | <0.01 | <0.03 |
| | | | | | | | | | | | | 6436 | 222.14 | 225.14 | 0.03 | <0.03 |
| | | | | | | | | | | | | 6437 | 225.14 | 228.14 | 0.01 | <0.03 |
| | | | | | | | | | | | | 6438 | 228.14 | 231.14 | 0.01 | <0.03 |
| | | | | | | | | | | | | 6439 | 231.14 | 234.14 | 0.01 | <0.03 |
| | | | | | | | | | | | | 6440 | 234.14 | 237.14 | <0.01 | 0.05 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | stockwork development with minor tourmaline mag. Ep kspar. | | | | | | | | | | | | | | |
| | | Very little late stage calcite. | | | | | | | | | | | | | | |
| | | Core competent with 100% recovery to end of hole. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 236.00 | 236.36 | **Fault Volcanic breccia?** | | | | | | | | | | | | | | |
| | | As at 215.80m | | | | | | | | | | | | | | |
| | | 2 seams in volcanics 2 cms and 6cms at 60 degrees to c.a. | | | | | | | | | | | | | | |
| 236.36 | 249.33 | **Andesitic tuff** | 0.10 | | | 3.00 | 2 | 1 | 3 | | 1 | 6441 | 237.14 | 240.14 | 0.01 | <0.03 |
| | | As at 216.14m | | | | | | | | | | 6442 | 240.14 | 243.14 | 0.01 | 0.04 |
| | | 243.14m – 249.33m Increase in ep, kspar, mag as scattered | | | | | | | | | | 6443 | 243.14 | 246.14 | 0.02 | 0.04 |
| | | detextured patches in weak moderate propylitic altered zones. | | | | | | | | | | 6444 | 246.14 | 249.14 | 0.05 | 0.07 |
| | | Sulphides consist of mostly disseminated fine-grained py with | | | | | | | | | | | | | | |
| | | minor pyrrhotite. | | | | | | | | | | | | | | |
| | | Seondary biotite 3% - 5%, less secondary magnetite. | | | | | | | | | | | | | | |
| 249.33 | | **E.O.H.** | | | | | | | | | | | | | | |

**PROPERTY: Ann North**

# GWR RESOURCES INC.

**DRILL HOLE NO.: DDH 04-17**



| Angle & Azmth Tests | | |
|---|---|---|
| **Depth** | **Angle** | **Azmth** |
| | | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 615412** | **Core Size: NQ2** | **Started: 19 Jan 2004** |
| **Northing (NAD 83): 5759328** | **Hole Azimuth: 040** | **Finished: 22 Jan 2004** |
| **Grid Location: 8+75W 20+35N** | **Hole Angle: -50** | **Logged by: B Callaghan** |
| **Elevation: 1183m** | **Total Depth: 65.23m** | **Analysis by: Eco-Tech** |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **From** | **To** | | **Py** | **Cpy** | **Mo** | **Mag** | **Ep** | | **Bio** | **Sil** | **Ksp** | **Number** | **From** | **To** | **%** | **g/t** |
| 0.00 | 6.10 | **Casing** – no recovery | | | | | | | | | | | | | | |
| 6.10 | 25.10 | **Andesitic Tuff** ? | 0.5 | 0.1 | | 3 | 2 | 2 | 5 | | 2 | 6445 | 6.10 | 9.10 | <0.01 | <0.03 |
| | | Grey to black, fine grained aphanitic with intermittent coarser | | | | | | | | | | 6446 | 9.10 | 12.10 | <0.01 | 0.04 |
| | | sands? Exhibits weak foliation. 5% secondary biotite, 3% | | | | | | | | | | 6447 | 12.10 | 15.10 | 0.09 | 0.03 |
| | | secondary magnetite in groundmass. | | | | | | | | | | | | | | |
| | | Alteration – mod – propylitic/weak potassic along fractures, | | | | | | | | | | | | | | |
| | | sporadic veins and patches. Includes Ep, Chl, K,spar Tourmaline? | | | | | | | | | | | | | | |
| | | Cal, Sericite, py. | | | | | | | | | | | | | | |
| | | Mineralization – disseminated fine-grained pyrite increases down | | | | | | | | | | | | | | |
| | | hole as well as cpy associated with tourmaline in more intense | | | | | | | | | | | | | | |
| | | potassic altered zones. Locally brecciated with late stage calcite | | | | | | | | | | | | | | |
| | | flooding. | | | | | | | | | | | | | | |
| | | Fracture density variable with anastomozing, narrow Ep, cal | | | | | | | | | | | | | | |
| | | veinlets 30, 45 and parallel to core axis for 1metre up to .5cm in | | | | | | | | | | | | | | |
| | | width. | | | | | | | | | | | | | | |
| | | 14.47 – 14.53m Fault 45 degrees to core axis with green grey | | | | | | | | | | | | | | |
| | | clays. Wall rock potassic altered volcanic. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 15.10 – 18.10m locally up to 3% scattered tourmaline patches in | | | | | | | | | | 6648 | 15.10 | 18.10 | 0.16 | 0.08 |
| | | bleached fracture controlled intense potassic zones 45 degrees to | | | | | | | | | | | | | | |
| | | core axis. Hydrothermally brecciated between 17.45 – 17.70m | | | | | | | | | | | | | | |
| | | with Ep, Chl, Cal, Ser, tourmaline? Py and magnetite at 40 | | | | | | | | | | | | | | |
| | | degrees to core axis. | | | | | | | | | | | | | | |
| | | 18.10 – 21.10m local anastomozing green epidote veinlets (later | | | | | | | | | | | | | | |
| | | stage) cut by narrow calcite patches at 40 to 45 degrees to core | | | | | | | | | | 6649 | 18.10 | 21.10 | 0.05 | 0.06 |
| | | axis more intense closer to lower contact | | | | | | | | | | 6450 | 21.10 | 24.10 | 0.010 | 0.080 |
| 25.10 | 29.62 | **Quartz, hornblende, Plagioclase Porphyry** | | | | | | | | | | 6451 | 24.10 | 25.15 | <0.01 | 0.030 |
| | | Light brown to pink, medium grained, equigranular. Mafics to | | | | | | | | | | 6452 | 25.15 | 27.15 | <0.01 | 0.060 |
| | | grey green chlorite (Actinolite) sericite. Groundmass potassic – | | | | | | | | | | | | | | |
| | | Kspar. Magnetite approximately 2-3%. | | | | | | | | | | | | | | |
| | | Alteration – weak to moderate propylitic along fractures with | | | | | | | | | | | | | | |
| | | narrow moderately potassic altered brecciated flood zones cut by | | | | | | | | | | | | | | |
| | | Ep, Chl, Cal veinlets 70 degrees to core axis 70 degrees to core | | | | | | | | | | | | | | |
| | | axis. Lower contact 45 degrees to core axis. \ | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| 29.62 | 31.05 | **Andesitic Tuff** | | | | | | | | | | | | | | |
| | | Same as at 6.10m. Weak propylitic altered with widely spaced | | | | | | | | | | | | | | |
| | | fractures 10, 20, 45 degrees to core axis | | | | | | | | | | | | | | |
| 31.05 | 34.83 | **Quartz, Hornblende, Plagioclase Porphyry** | | | | | | | | | | 6453 | 32.83 | 34.83 | <0.01 | 0.050 |
| | | Medium to coarse-grained – grey, pink to brown in colour. | | | | | | | | | | | | | | |
| | | Groundmass weakly Trachytic Hornblende locally up to 7%, | | | | | | | | | | | | | | |
| | | euhedral up to 1cm in length. Weakly potassic, more bleached | | | | | | | | | | | | | | |
| | | locally down hole with Ep, sericite? around hornblende | | | | | | | | | | | | | | |
| | | phenocrysts and as patches cut by minor calcite stringers at 30 | | | | | | | | | | | | | | |
| | | degrees to core axis. | | | | | | | | | | | | | | |
| 34.83 | 65.23 | **Andesitic Tuff Breccia** | 0.1 | 0.05 | | 5 | 3 | 2 | 3 | | 2 | 6454 | 34.83 | 37.83 | 0.040 | 0.040 |
| | | Same as at 29.62 metres but more intense propylitic and moderate | | | | | | | | | | | | | | |
| | | potassic alteration | | | | | | | | | | | | | | |
| | | Consisting of Ep, Chl, Kspar, tourmaline? Cal, trace cpy as fine | | | | | | | | | | | | | | |
| | | grained disseminations in scattered patches of tourmaline and | | | | | | | | | | | | | | |
| | | epidote - Possibly a later stage of mineralization. Epidote also | | | | | | | | | | | | | | |
| | | occurs as veinlets sub-parallel to core axis. | | | | | | | | | | | | | | |
| | | Core recoveries – Good, 100% to 38m. Core ground at 38.35m. | | | | | | | | | | | | | | |
| | | Recoveries 90% from 35.97m to 39.01m. Core blocky. | | | | | | | | | | | | | | |
| | | 39.01 – 49.22m Moderate propylitic alteration with patchy | | | | | | | | | | | | | | |
| | | potassic zones with large brecciated fragments up to 4 cms. | tr | 0.05 | | 5 | 2 | 1 | 5 | | 1 | 6455 | 37.83 | 40.83 | 0.070 | 0.070 |
| | | Possible minor syenite? intrusions at 41.30m and 48m @ 45 | | | | | | | | | | 6456 | 40.83 | 43.83 | 0.050 | 0.090 |
| | | degrees to core axis from 1 cm to 6cms cut by epidote veinlets in | | | | | | | | | | 6457 | 43.83 | 46.83 | 0.040 | 0.090 |
| | | kspar altered zones. Fracture density not high. Consisting of | | | | | | | | | | 6458 | 46.83 | 49.22 | 0.030 | 0.050 |
| | | widely spaced fractures with surfaces coated with chlorite, | | | | | | | | | | 6459 | 49.22 | 51.22 | 0.030 | 0.150 |
| | | hematite and calcite. | | | | | | | | | | | | | | |
| | | Mineralization – trace fine grained disseminated pyrite and cpy as | | | | | | | | | | | | | | |
| | | scattered blebs | | | | | | | | | | | | | | |
| | | 43.00 – 45m Greater intensity of Ep, Chl Kspar patches but | | | | | | | | | | | | | | |
| | | diminishing down hole after 45m with less sulphides and | | | | | | | | | | | | | | |
| | | alteration. | tr | tr | | | | | | | | | | | | |
| | | 49.22 – 50.0m - Fault, Wall rock as above with green clays with | | | | | | | | | | | | | | |
| | | chlorite, hematite slickensided surfaces. | | | | | | | | | | | | | | |
| | | Core recoveries 100% until 49.22m. Core blocky from 49.22 to | | | | | | | | | | | | | | |
| | | 50.00m with 60% recovery. Core less fractured, less brecciated | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | down hole. Volcanics less brecciated and altered and no visible sulphides. | | | | | | | | | | | | | | |
| | | 54.15m Ep, Chl, Cal, Hem altered zone enveloped by Kspar up to 6cms at 70 degrees to core axis crosscut by magnetite stringers. | | | | | | | | | | | | | | |
| | | 57.30 – 65.23m noticeably less alteration fresher dark grey black with less fracturing and calcite flooding. No visible sulphides. | | | | | 2 | 1 | 3 | | 1 | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 65.23 | | **E.O.H**. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | to 8cm, bleached volcanic. | | | | | | | | | | | | | | |
| | | 10.27-11.27m 35cm at 45° to CA | tr | tr | | 1 | 2 | 2 | | 1 | 2 | | | | | |
| | | consists of albite?, qtz, minor calc, tour, | | | | | | | | | | | | | | |
| | | hem. Brecciated, cut by lim fractures | | | | | | | | | | | | | | |
| | | surfaces, locally veining, vuggy v.f.g. | | | | | | | | | | | | | | |
| | | dissem py in groundmass associated | | | | | | | | | | | | | | |
| | | with tourmaline. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 11.57 | 35.32 | ANDESITIC TUFF | | | | 1 | 2 | 2 | | | 1 | | | | | |
| | | Grey, black, fine grained, aphanitic. | | | | | | | | | | | | | | |
| | | Alteration-weak to moderate propylitic, | | | | | | | | | | | | | | |
| | | wide spaced patches, ep replacement of | | | | | | | | | | | | | | |
| | | fragments and along fractures, 30°-50° to | | | | | | | | | | | | | | |
| | | CA, widely spaced 45° to CA. Fractures | | | | | | | | | | | | | | |
| | | ep, clays. | | | | | | | | | | | | | | |
| | | Mineralization-none. Fragments with | | | | | | | | | | | | | | |
| | | Kspar envelopes around ep centres, | | | | | | | | | | | | | | |
| | | fractures are widely spaced, weak cal. | | | | | | | | | | | | | | |
| | | 28.2-30.2m Closer spaced Kspar vnlts, 1- | | | | | | | | | | | | | | |
| | | 3mm, 45°-60° to CA. | | | | | | | | | | | | | | |
| | | 19.8-20.3m Fault, grey-green, chloritic | | | | | | | | | | | | | | |
| | | gouges, lowere contact 50° to CA. | | | | | | | | | | | | | | |
| | | Core recovery is 100% to 42.1m; 42.1- | | | | | | | | | | | | | | |
| | | 44.45m Blocky-98%. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 35.32 | 56.05 | HYDROTHERMAL BRECCIA | | | | | 1 | 2 | | 1 | 3 | | | | | |
| | | Potassic altered intrusive dyke, no | | | | | | | | | | | | | | |
| | | primary textures. Cal, albite, hem, | | | | | | | | | | | | | | |
| | | actinolite? Grey, 45° to CA. No sulfides. | | | | | | | | | | | | | | |
| | | 41.14-44.45m Core is blocky. Locally | | | | | | | | | | | | | | |
| | | more Kspar alteration along fractures, | | | | | | | | | | | | | | |
| | | locally more intense late stage cal | | | | | | | | | | | | | | |
| | | veining, locally offset along subparallel | | | | | | | | | | | | | | |
| | | veinlets, dominant 60° to CA, 30° to CA, | | | | | | | | | | | | | | |
| | | <1mm. Hem, cal, clays along fractures, | | | | | | | | | | | | | | |
| | | locally slickensided, trace dissem py. | | | | | | | | | | | | | | |
| | | 49.79-51.79m Closer spaced more | | | | | | | | | | 6470.00 | 49.79 | 51.79 | 0.04 | 0.00 |
| | | | | tr | | | 2 | 1 | | | 2 | 6471.00 | 51.79 | 53.79 | 0.07 | 0.16 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | intense potassic altered patches and along fractures associated with light green ep, tour, cal, tr.cpy blebs, locally hydrothermally brecciated, weakly magnetic, 40° to CA. | | | | | | | | | | | | | | |
| 56.05 | 77.50 | PORPHYRITIC FELDSPAR BASALT Black, massive, porphyritic and altered phenocrysts of plagioclase (10%), subhedral, altered to chl, ser, cal, up to 5mm, mafics to cal, clinopyroxenes with pitted surfaces, 1mm. Alteration-weak propylitic, weak potassic selvages, widely spaced, fracture controlled cut by late cal anastomosing vnlts, flood zones of carbonate stringers at 63.09m. 63.09-63.35m Fault-blocky wallrock, basalt, grey green clays. 66.78-73.35m Faulted porphyritic basalt but potassically altered with late stage cal flooding, core is locally blocky, hem, chl, cal along slickensided fracture surfaces, upper contact 80° to CA. Fault related structure runs parallel to CA, down centre of core to 77.24m. Core recovery 95%, blocky and soft. 73.35-77.5m As at 56.05-77.5m. | | | | | | | | | | | | | | |
| 77.50 | 84.62 | VOLCANIC ANDESITE BRECCIA As at 4.57-11.57m. Moderate potassic patchy, fracture controlled alteration. Kspar, bright green ep. Fractures as conjugate sets, 70° to CA, cut by late cal widely spaced, narrow vnlts. Kspar, ep, ser, tour?, tr.mag, more magnetite in fresher rock. Mineralization-tr.cpy, minor scattered blebs associated with Kspar, | | tr | | 3 | 1 | 1 | | | 2 | 6472.00 | 78.62 | 81.62 | 0.06 | 0.05 |
| | | | | | | | | | | | | 6473.00 | 81.62 | 84.62 | 0.05 | 0.06 |
| | | | | | | | | | | | | 6474.00 | 84.62 | 86.50 | 0.05 | 0.12 |
| | | | | | | | | | | | | 6475.00 | 86.50 | 88.50 | 0.04 | 0.06 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | ep. | | | | | | | | | | | | | | |
| | | 82.3-82.37m Fault, grey-green clay | | | | | | | | | | | | | | |
| | | gouge. Wallrock is andesite tuff breccia. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 84.62 | 86.50 | PLAGIOCLASE PORPHYRY? | | | | | | | | | | | | | | |
| | | Light pink-brown, hydrothermally | | | | | | | | | | | | | | |
| | | brecciated, Kspar altered cut by albite?, | | | | | | | | | | | | | | |
| | | qtz, ep, hem, cal veins, minor tour, 30°- | | | | | | | | | | | | | | |
| | | 45° to CA. Fractures hem, chloritic clays, | | | | | | | | | | | | | | |
| | | 12/1m, 30°-45° to CA. Non-magnetic. | | | | | | | | | | | | | | |
| | | Kspar envelopes as stockwork, locally. | | | | | | | | | | | | | | |
| | | No visible mineralization. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 86.50 | 117.96 | ANDESITIC TUFF BRECCIA | | | | | | | | | | | | | | |
| | | As at 77.5-84.62m, decrease in potassic | | | | | | | | | | | | | | |
| | | alteration with depth. Foliation is | | | | | | | | | | | | | | |
| | | subparallel to CA with sandy to silty tuff | | | | | | | | | | | | | | |
| | | lenses. Core is blocky with 98-100% | | | | | | | | | | | | | | |
| | | recovery from 82 to 93.5m. | | | | | | | | | | | | | | |
| | | 93.51-98.63m Core is less blocky, more | | | | | | | | | | | | | | |
| | | competent. | | | | | | | | | | | | | | |
| | | 98.63-99.3m Fault, parallel to CA. Ep, | | | | | | | | | | | | | | |
| | | chl, cal, hem wallrock, volcanic ash | | | | | | | | | | | | | | |
| | | tuff/sandstone, weak propylitic alteration, | | | | | | | | | | | | | | |
| | | tr.cpy associated with ep-Kspar. | | | | | | | | | | | | | | |
| | | 101.1-101.63m Kspar flooded zone, no | | | | | | | | | | | | | | |
| | | visible sulfides. Kspar, later bright green | tr | | | 3 | 1 | 2 | | | 2 | | | | | |
| | | ep, tour, cal, hem cut by anastomosing | | | | | | | | | | | | | | |
| | | cal up to 2mm vnlts, groundmass black, | | | | | | | | | | | | | | |
| | | tr.v.f.g py. Core is blocky, 105.77- | | | | | | | | | | | | | | |
| | | 108.64m, 95% recovery. | | | | | | | | | | | | | | |
| | | 106.1-108.69m Fault, blocky chloritic | | | | | | | | | | | | | | |
| | | hem black shiny, fracture surfaces | | | | | | | | | | | | | | |
| | | slickensided. | | | | | | | | | | | | | | |
| | | 109.69m Grey-black, fresh volcanic | | | | | | | | | | | | | | |
| | | andesite tuff. | | | | | | | | | | | | | | |
| | | 109.65-113.34m Core is blocky, 80% | | | | | | | | | | | | | | |
| | | recovery. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 109.65-110.2m Fault. Black argillaceous, chloritic gouge. | | | | | | | | | | | | | | |
| | | 110.2-113.34m Blocky, fracture surfaces chloritic/hematitic, very minor weak potassic alteration at the contact with underlying porphyry. | | | | | | | | | | | | | | |
| 117.96 | 129.20 | HORNBLENDE-PLAGIOCLASE PORPHYRY<br>Grey, pink, light brown, aphanitic groundmass, black-dark green. Possibly hornblende plagioclase porphyry with Kspar overprinting, no primary textures. Hornblende is black pitted as well as other mafics, tr.f.g. dissem py., Kspar, minor ep, black matrix material, actinolite?, scapolite?, black chlorite.<br>120.3-120.5m Fault, upper contact at 70° to CA. Chl, hem, clays in porphyry. | tr | | | 3 | 1 | 2 | | | 3 | 6476.00 | 115.96 | 117.96 | 0.02 | 0.00 |
| | | 122.9-123.15m Fault, grey-green, pink clay gouge.<br>120.5m Mostly potassic alteration with minor ep, cal, mag, late cal. Core is very blocky, broken up. Trace py.<br>Core recoveries: 121.02-124.05m-75%, 123.05-127.05m-85%.<br>129.2-129.8m Andesite tuff as at 86.5-117.96m.<br>129.8-130.1m Fault, grey clay gouge, 20° to CA.<br>130.1m Core is blocky. | | | | | | | | | | 6477.00 | 124.05 | 127.05 | 0.01 | 0.10 |
| 133.10 | 133.34 | QUARTZ-PLAGIOCLASE PORPHYRY<br>Medium grained, red- pink, potassic alteration cut by late cal veining, anastomosing. Mafics altered to chl, actinolite?, cal. Non-magnetic, tr.dissem py. | tr | | | | 1 | 2 | | | 3 | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 133.34 | 139.29 | ANDESITIC TUFF<br>Grey, black aphanitic, clasts 20%, subrounded to subangular, average 1.5cm.<br>Alteration-weak propylitic, weak potassic alteration of clasts. Minor cal flooding.<br>Fracture density very low. Trace py dissem. Fractures ep, cal, tour, chl with minor Kspar envelopes, clasts ep centres with Kspar rims.<br>133.65m Trace cpy associated with 3 cm potassic altered clasts.<br>136.5m Chl, ep, cal, tour, tr.cpy, 5 cm, at 50° to CA. | | | | | | | | | | | | | | |
| 139.29 | 144.95 | MICRO-MONZODIORITE?<br>Fine grained, equigranular, grey, weakly trachytic groundmass, 20% qtz, 35% plagioclase, albite?, mafics 15-20%, chlorite, plagioclase-subhedral, 2mm.<br>Alteration-weak potassic flooded zones and 8 up to 2mm vnlts of Kspar over 1 m length, 20° to CA. Good core recoveries, 133.64-144.95m-100%.<br>Mineralization-fine grained py as narrow, discontinuous stringers associated with black sooty chlorite, tour? | tr | | | | 1 | 1 | 3 | | 1 | 6478.00 | 142.34 | 144.34 | 0.04 | 0.10 |
| 144.95 | 146.37 | PORPHYRITIC BASALT?<br>Plagioclase, hornblende, black, fine grained, 7% amygdules, up to 3mm, subhedral-euhedral plagioclase, hornblende, pyroxene altered to light green chlorite-magnetite?, alignment 30° to CA.<br>146.36m Moderate potassic alteration, propylitic patches, ep-Kspar envelopes with tr.py, pyrr, tour and cal. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 146.37 | 156.04 | VOLCANIC TUFF/LAPILLI TUFF | tr | tr | | 3 | 2 | 1 | 3 | | 1 | | | | | |
| | | Grey-black, fine grained, aphanitic groundmass with 10-15% fragments up to 4 cm, subrounded to subangular. Alteration-weak propylitic, ep-albite surrounded by Kspar, cut by minor late cal vnlts, widely spaced. Mineralization-tr.cpy associated with ep stringers cross-cutting potassic zones at 40° to CA, py associated with tour, mag to 3%, potassic zones at 153.04m with tr. cpy. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 6479.00 | 153.04 | 156.04 | 0.09 | 0.10 |
| 156.04 | 165.00 | MICRO-MONZODIORITE | tr | | | | 1 | 1 | | | | 6480.00 | 156.04 | 158.04 | 0.10 | 0.10 |
| | | Fine grained, equigranular, grey to dark grey as at 139.29-144.95m. Alteration-tr to weak propylitic. Fracture density low. Weak potassically altered fractures, widely spaced at upper contact, 30° to CA. Core recoveries 100%. Mineralization-dissem f.g. py as well as f.g., narrow stringers, widely spaced. | | | | | | | | | | 6481.00 | 163.04 | 165.04 | 0.13 | 0.05 |
| | | | | | | | | | | | | 6482.00 | 165.04 | 167.04 | 0.07 | 0.04 |
| | | | | | | | | | | | | 6483.00 | 174.50 | 176.50 | 0.04 | 0.03 |
| | | | | | | | | | | | | 6484.00 | 181.97 | 184.97 | 0.04 | 0.08 |
| | | | | | | | | | | | | 6485.00 | 197.30 | 199.80 | 0.04 | 0.04 |
| 165.04 | 190.33 | ANDESITE TUFF/TUFF BRECCIA | tr | tr | | 3 | 1 | 1 | 3 | | 1 | | | | | |
| | | As at 146.37-156.04m. Weak propylitic and weak potassic alteration. Ep, Kspar, mag, cal, py fractures at 30° to CA, locally closely spaced but mostly widely spaced. Tr.py associated with ep, tr.cpy blebs associated with ep. (Variable low energy volcanic andesitic tuff). | | | | | | | | | | | | | | |
| 190.33 | 212.05 | INTERLAYERED TUFF SANDSTONE AND LAPILLI TUFF | | | | | | | | | | | | | | |
| | | Grey, fine grained, bedding/foliation normal to CA. Alteration-weak propylitic and weak potassic. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Mineralization-tr.py, cpy, pyrr associated with ep veinlets, narrow py vnlts associated with magnetite. Fractures widely spaced. 2nd biotite increases down the hole. Magnetite associated with ep along fractures. Minor Kspar along fractures. Upper contact at 70° to CA. 197.3-199.9m More localized potassic alteration along fractures associated with mag, ep, Kspar, cal. Kspar with magnetite cores. 198.6m Fault gouge at 20° to CA, 3 cm chl, hem, clays. Alteration to end of hole, fresher, no major fracturing. Less late stage cal flooding. 208.5m Fractures at 30° to CA, hem, chl and clays. | | | | | | | | | | | | | | |
| 212.05 | 217.93 | BASALT POLYMICTIC BRECCIA Dark green to black, fine grained groundmass, higher percentage of fragments, up to 8 cm, subrounded to subangular, possibly porphyry dyke?, clasts with subhedral albite+Kspar, mafics-chl, ser, weakly propylitic, fine grained dissem py. Minor potassic altered zones, fragments with chl-ep altered cores cut by green epidote that is cut by late calcite. | | | | | | | | | | 6486.00 | 212.05 | 214.05 | 0.02 | 0.05 |
| 217.93 | | EOH | | | | | | | | | | | | | | |

# GWR RESOURCES INC.

**PROPERTY: Ann North**

**DRILL HOLE NO.: 04-19**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| 230.70 | -54 | |
| 363.63 | -46 | |

| | | |
|---|---|---|
| **Easting (NAD 83): 615125** | **Core Size: NQ** | **Started: Feb 20 04** |
| **Northing (NAD 83): 5759288** | **Hole Azimuth: 180** | **Finished: Feb 26 04** |
| **Grid Location:** | **Hole Angle: -65** | **Logged by: B Callaghan** |
| **Elevation: 1175m** | **Total Depth 363.63m:** | **Analysis by: Eco-Tech** |

| Depth (m) | | Description | | | | | Alteration Scale: 1 - 5 | | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % Py | % Cpy | % Mo | % Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | | Number | From | To | % | g/t |
| 0.00 | 6.10 | Casing | | | | | | | | | | | | | | | |
| 6.10 | 10.33 | Kspar Porphyritic Quartz Monzonite | | | | | | | | | 3 | | 6487 | 6.16 | 8.10 | 0.07 | 0.09 |
| | | Heavily oxidized, rusty red, hematized (geothite) | | | | | | | | | | | 6488 | 8.10 | 10.10 | 0.01 | 0.04 |
| | | mediium grained equigranular. Primary textures | | | | | | | | | | | | | | | |
| | | obliterated. Alteration: Intense Kspar over printing. | | | | | | | | | | | | | | | |
| | | 10% mafics to grey, black, green chl, cal, clays. | | | | | | | | | | | | | | | |
| | | Fracture @20,30 degrees to c.a. with hem, clays, cal. | | | | | | | | | | | | | | | |
| | | 8.10 - 10.33m mod to intense Kspar alteration and | | | | | | | | | | | | | | | |
| | | oxidation, core blocky. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 10.33 | 10.66 | Fault | | | | | | | | | | | 6489 | 10.10 | 12.10 | 0.00 | 0.03 |
| | | orange clay gouge. Lower c/t 45 degrees to c.a. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 10.66 | 25.86 | Kspar porphyritic Quartz Monzonite, Breccia | tr | 0.5 | | | 1 | 1 | | 1 | 4 | | | | | | |
| | | Intense Kspar altered, brecciated with locally crowded, | | | | | | | | | | | 6490 | 12.10 | 14.10 | 0.02 | 0.03 |
| | | trachytic textured groundmass with grey quartz, chl, | | | | | | | | | | | 6491 | 14.10 | 16.10 | 0.03 | 0.04 |
| | | cal, lim clays matrix cement with approximately 3 % | | | | | | | | | | | 6492 | 16.10 | 18.10 | 0.02 | 0.05 |
| | | scattered tourmaline patches up to 0.5cm with traces of | | | | | | | | | | | 6493 | 18.10 | 20.10 | 0.04 | 0.04 |
| | | fine grained cpy. Mineralization: Mostly chalcocite as | | | | | | | | | | | 6494 | 20.10 | 22.10 | 0.02 | 0.09 |
| | | fine grained disseminations and blebs and associated | | | | | | | | | | | 6495 | 22.10 | 24.10 | 0.04 | 0.03 |
| | | with tourmaline in matrix. | | | | | | | | | | | | | | | |
| | | 17.20 - 24.01m Chalcocite as dissseminated blebs up | | | | | | | | | | | | | | | |
| | | to1% associated with black chloritic (actinolite) quartz, | | | | | | | | | | | | | | | |
| | | tourmaline matrix. | | | | | | | | | | | | | | | |
| | | 24.01 - 25.86m 15/m 1,23mm veinlets in breccia @30 | | | | | | | | | | | | | | | |
| | | degrees to c.a that crosscut chl hem,ser chalcocite | | | | | | | | | | | | | | | |
| | | veinlets. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 25.86 | 26.80 | Quartz Plagioclase Porphyry Breccia | | 2 | | | 1 | 1 | | 2 | | | 6496 | 24.10 | 26.10 | 1.16 | 0.11 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | hem chl, clays, lim in vuggy matrix. Upper c/t 45, | | | | | | | | | | | | | | |
| | | lower c/t 70 degrees to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 26.80 | 45.90 | Kspar Porphyritic Quartz Monzonite. | | 2 | | | 1 | 1 | | 1 | 3 | 6497 | 26.10 | 28.10 | 0.88 | 0.79 |
| | | orange red, medium grained with intense Kspar | | | | | | | | | | 6498 | 28.10 | 30.10 | 0.10 | 0.14 |
| | | alteration. Fractures closely spaced with lim,hem,chl | | | | | | | | | | 6499 | 30.10 | 32.10 | 0.18 | 0.36 |
| | | clays @ 40 degrees to core axis 27.70 - | | | | | | | | | | 6500 | 32.10 | 34.10 | 0.57 | 1.38 |
| | | 32.10m less brecciated and less fractured down hole | | 1 | | | | | | | | 6501 | 34.10 | 36.10 | 0.28 | 0.78 |
| | | with locally developed crowded ,trachytic textured | | | | | | | | | | 6502 | 36.10 | 38.10 | 0.24 | 0.48 |
| | | groundmass with sooty grey chalcocite,ser, pale white | | | | | | | | | | 6503 | 38.10 | 40.10 | 0.69 | 3.50 |
| | | green clays and hem with cpy. | | | | | | | | | | 6504 | 40.10 | 42.10 | 1.38 | 5.26 |
| | | 32.10 - 38.10m Locally up to 7/m from 1mm-4mm | | | | | | | | | | 6505 | 42.10 | 44.10 | 0.23 | 1.39 |
| | | chalcopyrite, chalcocite veinles at 40 to 45 to core axis | | 2 | | | 1 | 1 | | 1 | 4 | 6506 | 44.10 | 46.10 | 0.42 | 1.40 |
| | | , as massive patches along fractures and becoming | | | | | | | | | | | | | | |
| | | more brecciated downhole. | | | | | | | | | | | | | | |
| | | 38.10-40.10m 1% chalcopyrite as massive patches up | | | | | | | | | | | | | | |
| | | to 0.5 to 1 % more brecciated mottled with white clays | tr | 1.5 | | | 1 | | | 1 | 4 | | | | | |
| | | ,quartz and sericite. Core more competent down hole. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 45.90 | 47.77 | Kspar Altered Hb Plagioclase Porphyry | | 0.5 | | | | | | | | 6507 | 46.10 | 48.10 | 0.18 | 0.22 |
| | | Orange with Kspar overprint. Subhehdral feldspar | | | | | | | | | | | | | | |
| | | phenocrysts up to 1 cm in grey white clays with 15 to | | | | | | | | | | | | | | |
| | | 20% hornblende phenocrysts altered to chlorite clays. | | | | | | | | | | | | | | |
| | | Less fracuring at 20 degrees to c.a. and less brecciation. | | | | | | | | | | | | | | |
| | | At 45.75m shear 3 cms in width with grey limonitic | | | | | | | | | | | | | | |
| | | clays at 20 degrees to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 47.77 | 64.10 | K Spar Altered Porphyritic Quartz Monzonite | | 0.5 | | | 1 | 1 | | 1 | 4 | 6508 | 48.10 | 50.10 | 0.24 | 0.20 |
| | | As at 26.80m. Less brecciation, widely spaced fractures | | | | | | | | | | 6509 | 50.10 | 52.10 | 0.05 | 0.31 |
| | | dominantely at 40 degrees with limonite white clays | | | | | | | | | | 6510 | 52.10 | 54.10 | 0.13 | 0.15 |
| | | and calcite.Chalcopyrite disseminated and as blebs | | | | | | | | | | 6511 | 54.10 | 56.10 | 0.09 | 0.07 |
| | | associated with scattered patches of tourmaline. Trace | | | | | | | | | | 6512 | 56.10 | 58.10 | 0.02 | 0.18 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | chalcocite. Late calcite flooding parallel to c.a.Core recoveries good, 100%. 62.01-64.10m- less intense oxidation locally hydrothermally brecciated along fractures with weak stockwork development in more trachytic crowded groundmass. | | | | | | | | | | 6513 | 58.10 | 60.10 | 0.02 | 0.08 |
| | | | | | | | | | | | | 6514 | 60.10 | 62.10 | 0.01 | 0.14 |
| | | | | | | | | | | | | 6515 | 62.10 | 64.10 | 0.02 | 0.34 |
| 64.10 | 70.10 | K spar Altered Brecciated Quartz Monzonite | | | | | | | | | | 6516 | 64.10 | 66.10 | 0.01 | 0.10 |
| | | Grey to orange , mottled with less intense Kspar alteration of bleached, detextured matrix supported breccia fragments. Matrix grey black with quartz tourmaline, actinolite?with traces of chalcopyrite, chalcocite. Fracture density decreases downhole. Upper contact 70 degrees to c.a. | | | | | | | | | | 6517 | 66.10 | 68.10 | 0.07 | 0.04 |
| | | | | | | | | | | | | 6518 | 68.10 | 70.10 | 0.06 | 0.08 |
| 70.10 | 72.24 | K Spar Altered Tourmaline Quartz Monzonite | | 0.5 | | | | | | | | 6519 | 70.10 | 72.10 | 0.17 | 0.09 |
| | | Finer grained, more pervasive K spar overprinting. Primary textures less evident. Core more hard and competent with approx 2 % tourmaline as scattered patches associated with 0.5-1% chalcopyrite blebs and chalcocite.Chalcopyrite also occurs as narrow stringers 40 to 60 degrees to c.a. -5 over locally 50 cms in grey matrix and as disseminated patches, as blebs in tourmaline . Dominant Fractures 1mm at 45 to c.a. | | | | | | | | | | | | | | |
| 72.24 | 78.17 | K Spar Altered Brecciated Quartz Monzonite | | 0.5 | | | 1 | 1 | | 2 | 4 | 6520 | 72.10 | 74.10 | 0.09 | 0.07 |
| | | More clast supported breccia, more bleached orange red . Moderate fracture density with chalcocite in matrix with chlorite, actinolite? with pale green clays, hematite. 77.27-77.62m grey quartz breccia with pale green clays with trace chalcocite? | | | | | | | | | | 6521 | 74.10 | 76.10 | 0.13 | 0.07 |
| | | | | | | | | | | | | 6522 | 76.10 | 78.17 | 0.20 | 0.22 |
| 78.17 | 97.06 | K Spar Altered Porphyritic Quartz Monzonite | | | | | | | | | | 6523 | 78.17 | 80.30 | 0.13 | 0.05 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | pale green grey orange with grey quartz chlorite | | | | | | | | | | 6524 | 80.30 | 82.30 | 0.06 | 0.23 |
| | | hematite, sericite pale white grey clays along fractures . | | | | | | | | | | 6525 | 82.30 | 84.30 | 0.32 | 0.25 |
| | | Tourmaline as scattered patches. Chalcopyrite occurs as | | | | | | | | | | 6526 | 84.30 | 86.30 | 0.20 | 0.14 |
| | | disseminated blebs and patches infilling matrix. Less | | | | | | | | | | 6527 | 86.30 | 88.30 | 0.13 | 0.19 |
| | | chalcocite, lower contact 45 degrees with hematite | | | | | | | | | | 6528 | 88.30 | 90.85 | 0.06 | 0.10 |
| | | chlorite, sericite. 80.30-80.99m Chill margin core more | | | | | | | | | | 6529 | 90.85 | 92.85 | 0.04 | 0.00 |
| | | soft, bleached, with hematite, tan clay altered | | | | | | | | | | 6530 | 92.85 | 94.85 | 0.06 | 0.03 |
| | | brecciated kspar porphyry. | | | | | | | | | | 6531 | 94.85 | 97.06 | 0.10 | 0.08 |
| | | 80.99-94.85m more trachytic groundmass. Fracture | | | | | | | | | | | | | | |
| | | density locally intense less brecciated. Fractures with | | | | | | | | | | | | | | |
| | | limonite calcite up to 2mm sub parallel to core axis for | | | | | | | | | | | | | | |
| | | 70 cms others at 30 to 50 degrees. locally sheared at 45 | | | | | | | | | | | | | | |
| | | degrees to c.a. with limonite clays 2 to 3 cms in width. | | | | | | | | | | | | | | |
| | | 92.85-94.85m Fault breccia- bleached, with light tan | | | | | | | | | | | | | | |
| | | clays, hematite, sericite in matrix. | | | | | | | | | | | | | | |
| | | 94.85-97.06m Noticeable silicification down core axis | | tr | | | 1 | 1 | | 3 | 1 | | | | | |
| | | with grey quartz, calcite, hematite, amethyst with traces | | | | | | | | | | | | | | |
| 97.06 | 98.75 | Hornblende Plagioclase Porphyry Dyke | | tr | | | | 2 | | 1 | | 6532 | 97.06 | 98.75 | 0.11 | 0.08 |
| | | Dark grey green. Upper contact 45 degrees to c.a. | | | | | | | | | | | | | | |
| | | Phenocrysts altered to chlorite sericite clays. Calcite | | | | | | | | | | | | | | |
| | | fractures 30 to 50 degrees to c.a.Trace disseminated | | | | | | | | | | | | | | |
| | | pyrite in widely spaced ,up to 2mmm calcite, quartz, | | | | | | | | | | | | | | |
| | | hematite veinlets at 30 degrees. | | | | | | | | | | | | | | |
| 98.75 | 101.90 | Crowded Quartz Plagioclase Porphyry Breccia | | tr | tr | | | | | | | 6533 | 98.75 | 100.75 | 0.05 | 0.05 |
| | | Bleached orange, with hematite sericite clays. | | | | | | | | | | 6534 | 100.75 | 102.75 | 0.04 | 0.04 |
| | | Noticeable quartz at 101.60m parallel to c.a. up to 2cms | | | | | | | | | | | | | | |
| | | in width along shear contact? With clays sericite | | | | | | | | | | | | | | |
| | | hematite.trace chalcopyrite , chalcocite. Lower contact | | | | | | | | | | | | | | |
| | | 45 degrees to c.a., | | | | | | | | | | | | | | |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 101.90 | 102.24 | Fault | | | | | | | | | | | | | | |
| | | Sub parallel to c.a. with limonitic white clays. Core | | | | | | | | | | | | | | |
| | | recoveries 100% from 38 to 98.75m. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 102.24 | 120.85 | Kspar Altered Porphyritic Quartz Monzonite | | | | | | | | | | 6535 | 102.75 | 104.75 | 0.07 | 0.12 |
| | | 104.75-108.51m Sporadic disseminated scattered blebs | tr | 0.1 | | | | 1 | | 1 | 3 | 6536 | 104.75 | 106.75 | 0.10 | 0.11 |
| | | of chalcocite, chalcopyrite with sericite clays after | | | | | | | | | | 6537 | 106.75 | 108.75 | 0.27 | 0.24 |
| | | plagioclase and as narrow 1mm widely spaced | | | | | | | | | | 6538 | 108.75 | 110.75 | 0.43 | 0.25 |
| | | stringers. At 108.51-108.75m, massive chalcocite in | | | | | | | | | | 6539 | 110.75 | 112.75 | 0.29 | 0.15 |
| | | grey black quartz tourmaline matrix with actinolite? | | | | | | | | | | 6540 | 112.75 | 114.75 | 0.37 | 0.25 |
| | | with trace chalcopyrite. | | | | | | | | | | 6541 | 114.75 | 116.75 | 0.40 | 0.33 |
| | | 108.51-120.85m- large patches of chalcopyrite as well | | 1 | | | | | | | | 5642 | 116.75 | 118.75 | 0.26 | 0.11 |
| | | as fine grained disseminations and 1mm stringers | | | | | | | | | | 6543 | 118.75 | 120.85 | 0.13 | 0.05 |
| | | parallel to core axis cutting fractures of white clays , | | | | | | | | | | | | | | |
| | | sericite, 8/metre, 1-2mm, 30 to 40 degrees to core axis. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 120.85 | 136..85 | Kspar Altered Tourmaline Quartz Monzonite | | 0.1 | | 2 | | | | | | 6544 | 120.85 | 122.85 | 0.12 | 0.07 |
| | | Orange, more competent , less brecciated, not bleached. | | | | | | | | | | 6545 | 122.85 | 124.85 | 0.07 | 0.10 |
| | | Brecciation along fractures with black tourmaline? | | | | | | | | | | 6546 | 124.85 | 126.85 | 0.05 | 0.03 |
| | | Quartz chalcopyrite as blebs and trace chalcocite? Less | | | | | | | | | | 6547 | 126.85 | 128.85 | 0.07 | 0.07 |
| | | fractured with slight increase in magnetite. Core | | | | | | | | | | 6548 | 128.85 | 130.85 | 0.09 | 0.11 |
| | | recoveries from 121m to 136 m approx 85% with 50% | | | | | | | | | | 6549 | 130.85 | 132.85 | 0.04 | 0.07 |
| | | between 126 to 126.50m.Down hole fractures parallel | | | | | | | | | | 6550 | 132.85 | 134.85 | 0.05 | 0.07 |
| | | to the core axis with black quartz tourmaline calcite | | | | | | | | | | 6551 | 134.85 | 136.85 | 0.07 | 0.14 |
| | | minor chalcopyrite and trace chalcocite? | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 136.85 | 152.85 | K Spar Altered Quartz Monzonite | | 0.05 | | | | 1 | | 1 | 4 | 6552 | 136.85 | 138.85 | 0.10 | 0.15 |
| | | Orange, bleached, crowded trachytic textured | | | | | | | | | | 6553 | 138.85 | 140.85 | 0.13 | 0.15 |
| | | groundmass, finer grained -plagioclase feldspars 1- | | | | | | | | | | 6554 | 140.85 | 142.85 | 0.11 | 0.14 |
| | | 2mm cream white. Mod fracture density with black | | | | | | | | | | 6555 | 142.85 | 144.85 | 0.11 | 0.22 |
| | | sooty tourmaline? quartz, chalcocite? Others widely | | | | | | | | | | 6556 | 144.85 | 146.85 | 0.06 | 0.11 |
| | | spaced with abundant white clays, calcite. | | | | | | | | | | 6557 | 146.85 | 148.85 | 0.05 | 0.09 |
| | | 144.75-148.44m grey quartz tourmaline with trace | tr | tr | | 1 | | | | | | 6558 | 148.85 | 150.85 | 0.08 | 0.10 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | magnetite, chalcopyrite stringers in grey quartz running parallel to core axis as well as 45 degrees. Core recoveries 100%. | | | | | | | | | | 6559 | 150.85 | 152.85 | 0.06 | 0.11 |
| 152.85 | 162.85 | Kspar Altered Brecciated Quartz Monzonite | 0.05 | 1 | | 1 | 1 | 2 | | 1 | 3 | 6560 | 152.85 | 154.85 | 0.12 | 0.22 |
| | | Noticeably more brecciated and clast supported, core softer, with more clays calcite . Trace pyrite with chalcopyyrite Weakly magnetic in veining that runs parallel to the core axis. Late calcite, clays more abundant along fractures.158.85-162.85m Core less blocky , less fracturing. Shearing at 20 degrees to c.a. for 15 cms. Late clalcite at 30 to 60 degrees to c.a.-1to 3mm. minor chalcopyrite blebs and also disseminated. | | | | | | | | | | 6561 | 154.85 | 156.85 | 0.35 | 0.54 |
| | | | | | | | | | | | | 6562 | 156.85 | 158.85 | 0.30 | 0.61 |
| | | | | | | | | | | | | 6563 | 158.85 | 160.85 | 0.29 | 0.30 |
| | | | | | | | | | | | | 6564 | 160.85 | 162.85 | 0.38 | 0.39 |
| 162.85 | 170.85 | Kspar Altered Porphyritic Quartz Monzonite | | 0.5 | | | | | | | | 6565 | 162.85 | 164.85 | 0.29 | 0.32 |
| | | Orange red ,less brecciated with large K spar phenocrysts up to 0.5cm with hornblende altered to chlorite sericite pale green clays. 1mm fractures with grey quartz, tourmaline and calcite have minor chalcopyrite, pyrite. | | | | | | | | | | 6566 | 164.85 | 166.85 | 0.27 | 0.25 |
| | | | | | | | | | | | | 6567 | 166.85 | 168.85 | 0.33 | 0.33 |
| | | | | | | | | | | | | 6568 | 168.85 | 170.85 | 0.15 | 0.23 |
| 170.85 | 190.85 | Kspar Altered Quartz Monzonite | tr | .5-1 | | | | | | | | 6569 | 170.85 | 172.85 | 0.17 | 0.24 |
| | | More bleached , core softer lss brecciated. Fracture density 10 per metre with chlorite ,calcite clays, 20 to 30 degrees to c.a. others narrow anastomozing and sub parallel to core axis with grey quartz chlorite, actinolite? Core blocky 90 % recovery from 173-176m. Chalcopyrite disseminated in tourmaline cores in quartz and scattered patches and widely spaced veinlets 1 to 2mm at 20 to 40 degrees. Fractures pale grey green clays with hematite ,sericite. those sub parallel to core axis , black chloritic exhibiting possible vertical movement. 184.71-190.60m Orange, core more competent ,harder | | | | | | | | | | 6570 | 172.85 | 174.85 | 0.13 | 0.17 |
| | | | | | | | | | | | | 6571 | 174.85 | 176.85 | 0.22 | 0.25 |
| | | | | | | | | | | | | 6572 | 176.85 | 178.85 | 0.30 | 0.43 |
| | | | | | | | | | | | | 6573 | 178.85 | 180.85 | 0.34 | 0.47 |
| | | | | | | | | | | | | 6574 | 180.85 | 182.85 | 0.14 | 0.20 |
| | | | | | | | | | | | | 6575 | 182.85 | 184.85 | 0.21 | 0.47 |
| | | | | | | | | | | | | 6576 | 184.85 | 186.85 | 0.28 | 0.43 |
| | | | | | | | | | | | | 6577 | 186.85 | 188.85 | 0.21 | 0.43 |
| | | | | | | | | | | | | 6578 | 188.85 | 190.85 | 0.43 | 0.68 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | with patchy, bleached zones. Fractures 45 to sub | | | | | | | | | | | | | | |
| | | parallel to core axis with pale green clays calcite and 7 | | | | | | | | | | | | | | |
| | | over 1 metre with grey quartz, chlorite ,tourmaline | | | | | | | | | | | | | | |
| | | ,trace chalcopyrite.. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 190.85 | 200.00 | Kspar Silicified Altered Quartz Monzonite | tr | 1 | | | 1 | | | 1 | | 6579 | 190.85 | 192.85 | 0.37 | 0.54 |
| | | Silicification increases with stockwork veining with | | | | | | | | | | 6580 | 192.85 | 194.85 | 0.27 | 0.30 |
| | | grey quartz, limonite, hematite, chlorite.1995.40m | | | | | | | | | | 6581 | 194.85 | 196.85 | 0.50 | 0.43 |
| | | Vein breccia -4cms at 45 degrees to c.a. 0.5 to 1% semi | | | | | | | | | | 6582 | 196.85 | 198.85 | 0.23 | 0.34 |
| | | masive chalcopyrite approx 5 % of the vein with quartz | | | | | | | | | | 6583 | 198.85 | 200.95 | 0.23 | 0.24 |
| | | albite? Actinolite? With disseminated pyrite, pyrrrhotite | | | | | | | | | | | | | | |
| | | with 1mm, closely spaced, chalcopyrite stringers in | | | | | | | | | | | | | | |
| | | groundmass, sub parallel to core axis. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 200.00 | 200.95 | Fault breccia | | | | | | | | | | | | | | |
| | | Light grey plagioclase porphyry fault breccia. Locally | | | | | | | | | | | | | | |
| | | sheared with grey, green chloritic clays a 70 degrees to | | | | | | | | | | | | | | |
| | | the core axis. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 200.95 | 208.95 | Kspar Altered Porphyritic Quartz Monzonite | | 1 | | | | 1 | | 1 | 4 | 6584 | 200.95 | 202.95 | 0.34 | 0.34 |
| | | 1mm narrow anastomozing chalcopyrite stringers , 10 | | | | | | | | | | 6585 | 202.95 | 204.95 | 0.29 | 0.22 |
| | | /metre with grey quartz ,calcite, hematite. Also occurs | | | | | | | | | | 6586 | 204.95 | 206.95 | 0.33 | 0.30 |
| | | as disseminated clusters in tourmaline patches and as | | | | | | | | | | 6587 | 206.95 | 208.95 | 0.22 | 0.38 |
| | | clusters replacing amphibole? | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 208..95 | 260.15 | Kspar Altred variably porphyritic Qtz Monzonite | tr | 0.5 | | | | | | | | 6588 | 208.95 | 210.95 | 0.15 | 0.15 |
| | | Core less brecciated, dense fracturing with pale green | | | | | | | | | | 6589 | 210.95 | 212.95 | 0.10 | 0.12 |
| | | clays, calcite with minor chalcopyrite as disseminated | | | | | | | | | | 6590 | 212.95 | 214.95 | 0.09 | 0.12 |
| | | replacement patches. Variable potassic alteration. At | | | | | | | | | | 6591 | 214.95 | 216.95 | 0.12 | 0.36 |
| | | 215.49m 1 cm at 45 degrees- grey quartz,albite, calcite, | | | | | | | | | | 6592 | 216.95 | 218.95 | 0.16 | 0.35 |
| | | hematite. Core recoveries 100%. | | | | | | | | | | 6593 | 218.95 | 220.95 | 0.24 | 0.33 |
| | | 222.95-224.95m- 50cms interval with two 1 cm patches | | | | | | | | | | 6594 | 220.95 | 222.95 | 0.15 | 0.21 |
| | | with semi massive discontinuous chalcopyrite in grey | tr | 0.5 | | 1 | 1 | 2 | | 1 | 4 | 6595 | 222.95 | 224.95 | 0.19 | 0.49 |
| | | quartz tourmaline veinlets at 45 degrees to c.a.in | | | | | | | | | | 6596 | 224.95 | 226.95 | 0.12 | 0.30 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | bleached, orange sections. | | | | | | | | | | 6597 | 226.95 | 228.95 | 0.12 | 0.19 |
| | | 230.95m-238.78m Chalcopyrite stringers, disseminated | | | | | | | | | | 6598 | 228.95 | 230.95 | 0.38 | 0.24 |
| | | in groundmass at 45 to 60 degrees to c.a. Pale green | | 1 | | 1 | | | | | | 6599 | 230.95 | 232.95 | 0.71 | 0.60 |
| | | clays, chlorite and calcite fractures parallel to core axis. | | | | | | | | | | 6600 | 232.95 | 234.95 | 0.42 | 0.27 |
| | | Vein breccia with massive chalcopyrite, chalcocite in | | | | | | | | | | 6601 | 234.95 | 236.95 | 0.47 | 0.32 |
| | | Kspar,albite? calcite matrix at 40 degrees. 1 mm cpy | | | | | | | | | | 6602 | 236.95 | 238.95 | 0.69 | 0.44 |
| | | stringers at 20 to 30 degrees, trace chalcocite blebs, to 25 | | | | | | | | | | 6603 | 238.95 | 240.95 | 0.66 | 0.38 |
| | | | | | | | | | | | | 6604 | 240.95 | 242.95 | 0.48 | 0.35 |
| | | | | | | | | | | | | 6605 | 242.95 | 244.95 | 0.40 | 0.32 |
| | | | | | | | | | | | | 6606 | 244.95 | 246.95 | 0.36 | 0.26 |
| 260.15 | 262.58 | Magnetite Basalt Dyke | | | | | | | | | | 6607 | 246.95 | 248.95 | 0.48 | 0.36 |
| | | Upper contact 20, lower contact 60 degrees to c.a. | | | | | | | | | | 6608 | 248.95 | 250.95 | 0.26 | 0.27 |
| | | Weakly porphyritic fine grained with calcite | | | | | | | | | | 6609 | 250.95 | 252.95 | 0.51 | 0.41 |
| | | replacement of amygdules. | | | | | | | | | | 6610 | 252.95 | 254.95 | 0.26 | 0.16 |
| | | | | | | | | | | | | 6611 | 254.95 | 256.95 | 0.19 | 0.16 |
| 262.58 | 264.05 | Kspar Altered Quartz Monzonite | | | | | | | | | | 6612 | 256.95 | 258.15 | 0.18 | 0.19 |
| | | Intrusive breccia? at top contact with 40%sub rounded | | | | | | | | | | 6613 | 258.15 | 260.15 | 0.12 | 0.18 |
| | | kspar fragments up to 2 cms supported in black | | | | | | | | | | 6614 | 260.15 | 262.58 | 0.00 | 0.04 |
| | | tourmaline fine grained matrix. No visible sulphides. | | | | | | | | | | 6615 | 262.58 | 264.58 | 0.06 | 0.07 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 264.05 | 288.10 | Kspar Variably Porphyitic Quartz Monzonite | tr | 0.05 | | 1 | 2 | 2 | | 1 | 4 | 6616 | 264.58 | 266.58 | 0.02 | 0.10 |
| | | Red, bleached. Fracturing less dense, 2 to 4 cms, at 20 | | | | | | | | | | 6617 | 266.58 | 268.58 | 0.01 | 0.00 |
| | | to 30 degrees with chlorite sericite and clays. Veinlets | | | | | | | | | | 6618 | 268.58 | 270.58 | 0.08 | 0.03 |
| | | of quartz, chlorite, calcite and magnetite widely spaced | | | | | | | | | | 6619 | 270.58 | 272.58 | 0.06 | 0.05 |
| | | at 40 degrees. 285.10-285.60m vuggy quartz calcite | | | | | | | | | | 6620 | 272.58 | 274.58 | 0.06 | 0.07 |
| | | veining ,sub parallel to core axis up to 1 cm, brecciated | | | | | | | | | | 6621 | 274.58 | 276.58 | 0.03 | 0.06 |
| | | with minor stockwork development. | | | | | | | | | | 6622 | 276.58 | 278.58 | 0.02 | 0.00 |
| | | | | | | | | | | | | 6623 | 278.58 | 280.58 | 0.06 | 0.03 |
| | | | | | | | | | | | | 6624 | 280.58 | 282.58 | 0.02 | 0.00 |
| 288.10 | 288.35 | Augite Plagioclase Magnetite Andesite Dyke | | | | | | | | | | 6625 | 282.58 | 284.58 | 0.04 | 0.06 |
| | | Dark grey green with chlorite, hematite minor | | | | | | | | | | 6626 | 284.58 | 286.58 | 0.01 | 0.05 |
| | | chalcopyrite along fractures from 2mm to 5mm at 30 | | | | | | | | | | 6627 | 286.58 | 289.10 | 0.03 | 0.16 |
| | | degrees to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| 288.35 | 291.60 | Kspar Altered Quartz Monzonite | | tr | | 1 | 2 | 2 | | 1 | 4 | 6628 | 289.10 | 291.60 | 0.04 | 0.08 |
| | | Finer grained ,more competent ,harder with minor scattered chalcopyrite patches associated with quartz tourmaline calcite ,1 to 2mm, closely spaced veinlets at 30 degrees to c.a. | | | | | | | | | | | | | | |
| 291.60 | 303.60 | Augite Plagioclase Magnetite Andesite Dyke | | | | | | | | | | 6629 | 291.60 | 293.60 | 0.02 | 0.00 |
| | | Upper contact 50 degrees to c.a.. Grey black as at 288.10m | | | | | | | | | | | | | | |
| 303.60 | 304.44 | Biotite Quartz Monzonite Breccia | | 0.5 | | 2 | 2 | 2 | 3 | | 2 | 6630 | 303.60 | 304.44 | 0.14 | 0.03 |
| | | Light grey, tan brown,insitu auto brecciated. Supported in black fine grained chlorite, magnetite biotite ,calcite matrix with miner blebs of pyrite. | | | | | | | | | | | | | | |
| 304.44 | 335.00 | Augite Plagioclase Magnetite Andesite Dyke | | | | 2 | | | | | | | | | | |
| | | As at 303.60m | | | | | | | | | | | | | | |
| 335.00 | 335.35 | Fault Breccia. | | | | | | | | | | | | | | |
| | | Grey green , black, chlorite clays with porphyry fragments supported in grey translucent quartz calcite matrix. Upper contact 80, lower contact 15 degrees to c.a. No visible sulphides. | | | | | | | | | | | | | | |
| 335.35 | 363.63 | Augite Plagioclase Magnetite Andesite Dyke | | | | | | | | | | 6631 | 359.13 | 361.63 | 0.02 | 0.11 |
| | | Core blocky, less competent. More late stage calcite as anastomozing veinlets. Fracture density increases with chlorite, hematite,calcite. One 2 cms zone at 40 degrees, with kspar altered monzonite, cut by calcite hem fracture. | | | | | | | | | | 6632 | 361.63 | 363.63 | 0.02 | 0.06 |
| 363.63 | EOH | | | | | | | | | | | | | | | |

# GWR RESOURCES INC.

**PROPERTY: Ann North** | **DRILL HOLE NO.: 04-20** | 

**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| 264.26 | 56 | |
| 413.61 | 46 | |

| | | |
|---|---|---|
| **Easting (NAD 83): 616197** | **Core Size: NQ** | **Started: 27 Feb 04** |
| **Northing (NAD 83): 5759281** | **Hole Azimuth: 180˚** | **Finished: 3 March 04** |
| **Grid Location:** | **Hole Angle: -70˚** | **Logged by: B. Calllaghan** |
| **Elevation: 1175m** | **Total Depth: 415.44m** | **Analysis by: Eco-Tech** |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| 0.00 | 9.75 | CASING | | | | | | | | | | | | | | |
| 9.75 | 10.35 | CAVE ROCK - GROUND | | | | | | | | | | | | | | |
| 10.35 | 12.19 | FAULT BRECCIA/QUARTZ MONZONITE? | | | | | 1 | 2 | | 1 | 4 | 6633 | 10.35 | 12.19 | 0.12 | 0.06 |
| | | Rust, hematite clay-wallrock bleached, qtz monzonite? | | | | | | | | | | | | | | |
| | | Fragments subrounded, subangular, upper contact 50 | | | | | | | | | | | | | | |
| | | CA, vfg intrusive. | | | | | | | | | | | | | | |
| | | Core recovery: 9.75-10.67 22%, 10.67-12.19 50% core | | | | | | | | | | | | | | |
| | | ground, 12.19-14.02 85% blocky, 19.96-27.90 90% | | | | | | | | | | | | | | |
| | | recovery. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 12.19 | 27.90 | QUARTZ MONZONITE? | | | | | 1 | 2 | | | 4 | 6634 | 12.19 | 14.19 | 0.29 | 0.12 |
| | | Red-brown, fg, equigranular, highly oxidized Kspar | | | | | | | | | | 6635 | 14.19 | 16.19 | 0.15 | 0.06 |
| | | flooded. Fractures hem, lim, clay, locally sheared at 50˚ | | | | | | | | | | 6636 | 16.19 | 18.19 | 0.21 | 0.10 |
| | | to CA, primary textures obliterated. | | | | | | | | | | 6637 | 18.19 | 20.19 | 0.10 | 0.07 |
| | | Mineralization: Native copper 1%, narrow | | | | | | | | | | 6638 | 20.19 | 22.19 | 0.06 | 0.07 |
| | | discontinuous along 30˚-50˚ fractures, up to 2mm wide. | | | | | | | | | | 6639 | 22.19 | 24.19 | 0.04 | 0.08 |
| | | Also more porphyritic at 140.2m. Locally bleached | | | | | | | | | | 6640 | 24.19 | 26.19 | 0.04 | 0.06 |
| | | zones. Locally brecciated starting at 22.19m with black | | | | | | | | | | 6641 | 26.19 | 27.90 | 0.04 | 0.06 |
| | | tourmaline? no cpy. Native copper blebs at 22.5m. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 27.90 | 29.69 | Fault | | | | | 2 | 2 | | | 2 | 6642 | 27.90 | 29.69 | 0.07 | 0.07 |
| | | Blocky core, green hematite coated fracture surfaces, | | | | | | | | | | | | | | |
| | | wallrock qtz monzonite porphyry with white clay, | | | | | | | | | | | | | | |
| | | limonite along fractures. 80% recovery. From 27.74- | | | | | | | | | | | | | | |
| | | 30.78m. | | | | | | | | | | | | | | |
| 29.69 | 45.00 | QUARTZ MONZONITE | | | | | | | | | | 6643 | 29.69 | 31.69 | 0.03 | 0.08 |
| | | The same as 12.19-27.9m. Orange-brown, limonitic, | | | | | | | | | | 6644 | 31.69 | 33.69 | 0.01 | 0.05 |
| | | highly fractured, chl-lim-ep, green clays, cal, along | | | | | | | | | | 6645 | 33.69 | 35.69 | 0.01 | 0.08 |
| | | surfaces. Less native copper to 34.14m. Primary | | | | | | | | | | 6646 | 35.69 | 37.69 | 0.01 | 0.06 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | textures obliterated with Kspar alt'n. Fractures surfaces | | | | | | | | | | 6647 | 37.69 | 39.69 | 0.00 | 0.06 |
| | | coated in limonite clays. Fracture-controlled | | | | | | | | | | 6648 | 39.69 | 41.69 | 0.01 | 0.05 |
| | | hydrothermal breccia 39.71-43.69m. More intense with | | | | | | | | | | 6649 | 41.69 | 43.69 | 0 | 0.04 |
| | | grey black qtz, cal, ser, tour?, lim matrix material in | | | | | | | | | | | | | | |
| | | fractures, sub paralllel to 80˚ to CA, widely spaced. | | | | | | | | | | | | | | |
| 45.00 | 45.35 | FAULT BRECCIA/MONZONITE | | | | | | | | | | 6650 | 43.69 | 45.69 | 0.04 | 0.14 |
| | | Intense lim, hem, clay gouge. Wallrock monzonite, | | | | | | | | | | | | | | |
| | | bleached. UC 80˚, LC 70˚ CA. The same at 46.2m-5 | | | | | | | | | | | | | | |
| | | cm at 80˚ CA. | | | | | | | | | | | | | | |
| 45.35 | 54.80 | PORPHYRITIC QTZ MONZONITE | | | | | 1.00 | 2 | | 1 | 4 | 6651 | 45.69 | 47.69 | 0.01 | 0.07 |
| | | Grey to orange, mostly cg, 25% large subhedral, Kspar | | | | | | | | | | 6652 | 47.69 | 49.69 | 0.01 | 0.05 |
| | | altered, subangular plag laths, 0.5mm, detextured down- | | | | | | | | | | 6653 | 49.69 | 51.81 | 0.01 | 0.04 |
| | | hole, supported in localized stockwork grey/black cal, | | | | | | | | | | 6654 | 51.81 | 53.81 | 0.02 | 0.05 |
| | | qtz, tour matrix, no cpy. | | | | | | | | | | 6655 | 53.81 | 54.81 | 0.03 | 0.04 |
| | | | | | | | | | | | | 6656 | 54.81 | 57.80 | 0.07 | 0.05 |
| 54.80 | 57.80 | HB-PLAG PORPHYRITIC ANDESITE | | 0.05 | | 3 | 2 | 1 | | | | | | | | |
| | | Grey, fg, weakly propylitic altered. Hb to chl, cal & | | | | | | | | | | | | | | |
| | | replacement cpy, with Kspar outer rings. Late calc | | | | | | | | | | | | | | |
| | | veining closely spaced, 2mm widths, UC 30˚ and LC | | | | | | | | | | | | | | |
| | | 20˚ to CA. | | | | | | | | | | | | | | |
| 57.80 | 62.80 | KSPAR QTZ MONZONITE | tr | tr | | | | | | | | 6657 | 57.80 | 59.80 | 0.01 | 0.05 |
| | | Kspar flooded, brecciated with detextured clasts in | | | | | | | | | | 6658 | 59.80 | 61.80 | 0.02 | 0.04 |
| | | black qtz, tour matrix, actinolite?, trace dissem | | | | | | | | | | 6659 | 61.80 | 62.80 | 0.08 | 0.06 |
| | | scattered cpy blebs. Recoveries: 100% to 57.8m, cave at | | | | | | | | | | | | | | |
| | | 58.95m core ground, recoveries 85% | | | | | | | | | | | | | | |
| | | 60.05m very fine grained chalcopyrite as blebs. | | | | | | | | | | | | | | |
| | | | tr | 0.1 | | | | 2 | | 1 | 3 | | | | | |
| 62.80 | 69.98 | HB ANDESITE MAGNETITE DYKE | tr | | | 3 | 2 | 1 | | | | 6660 | 62.80 | 64.80 | 0.07 | 0.08 |
| | | Grey, fg, weakly porphyritic, altered phenos of hb to | | | | | | | | | | 6661 | 64.80 | 66.68 | 0.07 | 0.07 |
| | | chl, ep, surrounded by Kspar and py. Locally trachytic | | | | | | | | | | 6662 | 66.68 | 68.68 | 0.05 | 0.05 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | texture. LC at 40˚ to CA. | | | | | | | | | | 6663 | 68.68 | 70.68 | 0.09 | 0.07 |
| 69.98 | 74.60 | KSPAR PORPHYRITIC QUARTZ MONZONITE | | 0.1 | | | 1 | 2 | | 1 | 3 | 6664 | 70.68 | 72.68 | 0.04 | 0.06 |
| | | Mg, Kspar flooded, mottled, locally bleached and harder sections. Core blocky, ground at 69.19m, 95% recovery. Fractures ser, clay, lim altered. Mineralization: Tenorite? as scattered patches, up to 2mm, traces to 0.05%, trace cpy assoc with tourmaline. Hydrothermal brecciation more towards fault. | | | | | | | | | | 6665 | 72.68 | 74.60 | 0.04 | 0.06 |
| 74.6 | 75.05 | FAULT | | | | | | | | | | 6666 | 74.60 | 76.60 | 0.02 | 0.21 |
| | | Internse chlorite, clay gouge and banded quartz, cal, with chl, hem at 50˚ to CA. | | | | | | | | | | | | | | |
| 75.05 | 95.34 | KSPAR QUARTZ MONZONITE | | | | | | | | | | 6667 | 76.60 | 78.60 | 0.00 | 0.05 |
| | | Noticeable scattered tour patches, trace cpy. | | | | | | | | | | 6668 | 78.60 | 80.60 | 0.03 | 0.00 |
| | | Core ground at 71.45m-recovery 98%, recoveries to 77.5m, good, 100%. Core ground at 81.38, 812.5, 79.86-81.38m - 85% recovery, 81.39-94.6- 100%. Mineralization: 75.05- 80.60m py assoc w/tour, scattered patches, tr in groundmass, 80.6-82.6m more intense hydrothermal brecciation, black matrix cement w/py, cpy to chalcocite noticeable, less tourm patches. 84.6m cpy as minor stringers, blebs replacement in groundmass, trace chalcocite? locally sporadic & slightly higher concentrations in black matrix cement with breccia zones to 90.6m. 90.6-94.1 as at 84.6m 94.1m more scattered tour, fg cpy, core hared less fractured, less brecciated, grey clays+cal along fracture surfaces. | | | | | | | | | | 6669 | 80.60 | 82.60 | 0.25 | 0.22 |
| | | | | | | | | | | | | 6670 | 82.60 | 84.60 | 0.09 | 0.07 |
| | | | | | | | | | | | | 6671 | 84.60 | 86.60 | 0.08 | 0.06 |
| | | | | | | | | | | | | 6672 | 86.60 | 88.60 | 0.16 | 0.10 |
| | | | | | | | | | | | | 6673 | 88.60 | 90.60 | 0.18 | 0.09 |
| | | | | | | | | | | | | 6674 | 90.60 | 92.60 | 0.23 | 0.13 |
| | | | | | | | | | | | | 6675 | 92.60 | 95.34 | 0.09 | 0.07 |
| 95.34 | 96.01 | PLAG ANDESITE/TRACHYTE DYKE | | | | | | | | | | 6676 | 95.34 | 96.00 | 0.27 | 0.18 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Grey, fg, trachytic texture. 10% hb phenocrysts, up to | | | | | | | | | | | | | | |
| | | 0.5cm, altered to chl+clays. Fractures chl, cal, clay | | | | | | | | | | | | | | |
| | | coated. | | | | | | | | | | | | | | |
| 96.01 | 120.44 | QUARTZ MONZONITE PORPHYRY | tr | tr | | | | | | | | 6677 | 96.00 | 98.00 | 0.14 | 0.05 |
| | | Grey, orange, moderate to intense potassic alt'n with up | | | | | | | | | | 6678 | 98.00 | 100.00 | 0.14 | 0.07 |
| | | to 30% up to 1cm subhedral Kspar and patches, weakly | | | | | | | | | | 6679 | 100.00 | 102.00 | 0.14 | 0.07 |
| | | fractured, less breccia with cpy blebs, tr py. | | | | | | | | | | 6680 | 102.00 | 104.00 | 0.07 | 0.03 |
| | | Core recovery: 96.01-97.54m-75%, core ground at | | | | | | | | | | 6681 | 104.00 | 106.00 | 0.07 | 0.05 |
| | | 96.01, 97.35, 96.4m | | | | | | | | | | 6682 | 106.00 | 108.00 | 0.05 | 0.03 |
| | | Widely spaced fractures @ 60˚ to CA, 1 to 2mm. Cpy | | | | | | | | | | 6683 | 108.00 | 110.00 | 0.09 | 0.13 |
| | | occurs as replacement assoc w/chl alt'n of mafics, as | | | | | | | | | | 6684 | 110.00 | 112.00 | 0.06 | 0.08 |
| | | patches along qtz, cal, hem, mag veinlets, up to 3mm, | | | | | | | | | | 6685 | 112.00 | 114.00 | 0.19 | 0.14 |
| | | 60 to CA./ | | | | | | | | | | 6686 | 114.00 | 116.00 | 0.09 | 0.05 |
| | | 102.35-102.65m more intense bx, matrix act?, chl, ser, | | | | | | | | | | 6687 | 116.00 | 118.00 | 0.09 | 0.04 |
| | | mag, tr cpy, core harder with ring to 120.44m, traces | | | | | | | | | | 6688 | 118.00 | 120.44 | 0.10 | 0.06 |
| | | dissem tenorite blebs, 1mm, sporadic 104-106. | | | | | | | | | | | | | | |
| | | 108-110m more silicification, 4x2-3cm, 1cm, 2mm at | | | | | | | | | | | | | | |
| | | 45˚-30˚ CA, qtz-albite? cal, ser, hem, py/cpy | | | | | | | | | | | | | | |
| | | 110-120.44m cpy/py replacement of mafics, chl, act?, | | | | | | | | | | | | | | |
| | | ser, vfg trace bornite? as fg blebs, fracturing, | | | | | | | | | | | | | | |
| | | brecciation, bleaching decreases to dyke. Cpy,pyrite | | | | | | | | | | | | | | |
| | | more interstitial as replacement & fracture controlled. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 120.44 | 122.22 | PLAG ANDESITE/TRACHYTE DYKE | | | | | | | | | | 6689 | 120.44 | 122.20 | 0.07 | 0.03 |
| | | As at 95.34-96.01m. Green trachytic texture, weakly | | | | | | | | | | | | | | |
| | | propylitic altered, ep, cal. Fractures chl-ep-cal. UC 70˚ | | | | | | | | | | | | | | |
| | | and LC 50˚ to CA. | | | | | | | | | | | | | | |
| 122.22 | 282.43 | KSPAR-QUARTZ MONZONITE PORPHYRY | | | | | | | | | | 6690 | 122.20 | 123.78 | 0.10 | 0.26 |
| | | As at 96.01-120.44m. Becomes less hard, more | | | | | | | | | | 6691 | 123.78 | 125.78 | 0.10 | 0.09 |
| | | bleached zones, greater fracture density. Less | | | | | | | | | | 6692 | 125.78 | 127.78 | 0.07 | 0.05 |
| | | brecciation, more localized fractures coated with chl, | | | | | | | | | | 6693 | 127.78 | 129.78 | 0.06 | 0.03 |
| | | hem, pale cream clays, more cal flooding. | | | | | | | | | | 6694 | 129.78 | 131.78 | 0.04 | 0.04 |
| | | Core recoveries to 122.11-100%, from 123.78-141.73 | | | | | | | | | | 6695 | 131.78 | 133.78 | 0.05 | 0.06 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | blocky with short runs (3'), 129.84-130.76-100%. | | | | | | | | | | 6696 | 133.78 | 135.78 | 0.06 | 0.00 |
| | | Traces of tenorite, scattered blebs cpy, replacement, | | | | | | | | | | 6697 | 135.78 | 137.78 | 0.05 | 0.03 |
| | | interstitial py+fractures 30˚-60˚ CA, chl, ser, clays, | | | | | | | | | | 6698 | 137.78 | 139.78 | 0.04 | 0.00 |
| | | hem partially infilled, minor qtz. Locally sheared. | | | | | | | | | | 6699 | 139.78 | 141.78 | 0.05 | 0.04 |
| | | 140.32-141.73m Fault. Core blocky, sheared monzonite | | | | | | | | | | | | | | |
| | | w/white, pale green clays, hem, amongst blocky core. | | | | | | | | | | | | | | |
| | | 141.78-144.78m Core is more competent, harder, | | | | | | | | | | | | | | |
| | | locally bleached, locally partially infilled w/qtz, cal, | | | | | | | | | | | | | | |
| | | cpy, fg, in narrow anastomosing grey/black veinlets of | | | | | | | | | | | | | | |
| | | mag, chl, act?, cal | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 6700 | 141.78 | 143.78 | 0.07 | 0.00 |
| | | 147.78-149.78 Stockwork development w/approx. | | | | | | | | | | 6701 | 143.78 | 145.78 | 0.10 | 0.05 |
| | | 8 X 2 mm - 20 mm grey, qtz-cal-mag-amethyst(?), py, | | | | | | | | | | 6702 | 145.78 | 147.78 | 0.20 | 0.58 |
| | | cpy veinlets at 20˚-50˚ CA, widely spaced over 2m, | | | | | | | | | | 6703 | 147.78 | 149.78 | 0.04 | 0.33 |
| | | subparallel. | | | | | | | | | | 6704 | 149.78 | 151.78 | 0.06 | 0.12 |
| | | 149.78-155.25 Core is less hard, less competent | | | | | | | | | | 6705 | 151.78 | 153.78 | 0.02 | 0.10 |
| | | w/white, grey clays, chl along fractures, locally sheared. | | | | | | | | | | 6706 | 153.78 | 155.78 | 0.00 | 0.00 |
| | | Black grey qtz, mag, cal, py running subparallel to CA | | | | | | | | | | 6707 | 155.78 | 157.78 | 0.02 | 0.00 |
| | | for 60 cm, at 154.6m 1 qtz-cal-albite? py veinlet, 1 cm, | | | | | | | | | | 6708 | 157.78 | 159.78 | 0.00 | 0.00 |
| | | 30˚ CA. | | | | | | | | | | 6709 | 159.78 | 161.78 | 0.03 | 0.03 |
| | | 155.25-161.8m Core darker, more competent, harder | | | | | | | | | | 6710 | 161.78 | 163.78 | 0.00 | 0.00 |
| | | less brecciated w/1cm subangular brick-red Kspar | | | | | | | | | | 6711 | 163.78 | 165.78 | 0.00 | 0.00 |
| | | veinlets cut by widely spaced grey qtz, cal, py veinlets, | | | | | | | | | | 6712 | 165.78 | 167.78 | 0.01 | 0.00 |
| | | tr cpy, sporadic patches, tour w/minor cpy. Cpy less, | | | | | | | | | | 6713 | 167.78 | 169.78 | 0.02 | 0.00 |
| | | trace chalcocite? | | | | | | | | | | 6714 | 169.78 | 171.78 | 0.01 | 0.00 |
| | | 167 -169.3m Variable intensity ep-potassic alteration. | | | | | | | | | | 6715 | 171.78 | 173.78 | 0.02 | 0.00 |
| | | Grey to grey-green sections, variably | | | | | | | | | | 6716 | 173.78 | 175.78 | 0.03 | 0.03 |
| | | propylitic w/pink plag phenos in grey groundmass, | | | | | | | | | | 6717 | 175.78 | 177.78 | 0.03 | 0.03 |
| | | variably bleached w/zones of crowded trachytic | | | | | | | | | | | | | | |
| | | texture. Less fracturing 50˚-60˚ CA. Weaker | | | | | | | | | | | | | | |
| | | mineralization. Trace cpy interstitial in | | | | | | | | | | | | | | |
| | | groundmass, tr chalcocite? as dissem blebs. | | | | | | | | | | | | | | |
| | | 169.3m 50˚ CA, 15 cm breccia along fractures with | | | | | | | | | | | | | | |
| | | Kpar frags, qtz, hem, chl, ser. | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | @170.6m Breccia w/intrusive frags, Kspar alt'd, | | | | | | | | | | | | | | |
| | | w/minor qtz in matrix, up to 2cm. | | | | | | | | | | | | | | |
| | | @171.6m Noticably more scattered tour, 1-5mm, | | | | | | | | | | | | | | |
| | | variably assoc w/py. py also occurs in groundmass | | | | | | | | | | | | | | |
| | | as scattered patches and assoc w/narrow fractures | | | | | | | | | | | | | | |
| | | w/tour?, cal to 177.1m. | | | | | | | | | | | | | | |
| | | 177.1-177.44m Grey, vuggy, qtz-cal-chl-ser-clays, | | | | | | | | | | | | | | |
| | | trace py as fg clusters at 40˚ to CA. | | | | | | | | | | | | | | |
| | | 180.5-195.99m More competent, harder, dark red | | | | | | | | | | | | | | |
| | | brown, locally brecciated, variably porphyritic. | tr | 0.05 | | | | | | | | | | | | |
| | | Fracture density is weaker. Breccia zones w/ black, | | | | | | | | | | | | | | |
| | | wispy, anostomosing matrix material w/mag, | | | | | | | | | | | | | | |
| | | actinolite? chl w/scattered cpy blebs. | | | | | | | | | | | | | | |
| | | From 181.78-185.78m more brecciated, trace | | | | | | | | | | | | | | |
| | | chalcocite? cpy assoc w/tour and mag. | | | | | | | | | | | | | | |
| | | 187.78-193.78m cpy occurs in matrix assoc w/actinolite | | | | | | | | | | 6718 | 177.78 | 179.78 | 0.04 | 0.03 |
| | | cal, as blebs replacing mafics, as thin stringers at | | | | | | | | | | 6719 | 179.78 | 181.78 | 0.02 | 0 |
| | | 20˚-30˚ CA and assoc w/ grey qtz up to 3mm at | tr | 0.5 | | 2 | 1 | 1 | | 1 | 3.00 | 6720 | 181.78 | 183.78 | 0.17 | 0.08 |
| | | 20˚-80˚ CA, | | | | | | | | | | 6721 | 183.78 | 185.78 | 0.06 | 0.00 |
| | | 195.99-197.05m softer, bleached surfaces, pitted, | | | | | | | | | | 6722 | 185.78 | 187.78 | 0.03 | 0.00 |
| | | salmonpink and more intense calcite flooding at | | | | | | | | | | 6723 | 187.78 | 189.78 | 0.02 | 0.00 |
| | | 50˚-60˚ CA. Crowded trachytic texture, less sulfides. | | | | | | | | | | 6724 | 189.78 | 191.78 | 0.14 | 0.07 |
| | | Chalcocite clusters.Core recoveries 100% | | | | | | | | | | 6725 | 191.78 | 193.78 | 0.23 | 0.19 |
| | | to 195.99m. | | | | | | | | | | 6726 | 193.78 | 195.78 | 0.03 | 0.03 |
| | | 197.05-198.2m at at 195.99-197.05. Trace tenorite? | | | | | | | | | | 6727 | 195.78 | 197.78 | 0.03 | 0 |
| | | 3mm qtz, cal veinlets at 30˚-50˚ CA, also 1/1.5cm | 0.05 | 0.5 | | 3 | 1 | 1 | | 2 | 3 | 6728 | 197.78 | 199.78 | 0.07 | 0.03 |
| | | at 30˚ CA, qtz-cal-black mag-act?-chl | | | | | | | | | | 6729 | 199.78 | 201.78 | 0.05 | 0.03 |
| | | @199.78 core is blocky to 201.78m ground, | | | | | | | | | | 6730 | 201.78 | 203.78 | 0.09 | 0.10 |
| | | 201.17-203.0m 60% recovery, more pale | | | | | | | | | | 6731 | 203.78 | 205.78 | 0.12 | 0.11 |
| | | green, white clays along fractures | | | | | | | | | | | | | | |
| | | 202.6-211.78 core more competent, red-brown | | | | | | | | | | | | | | |
| | | w/black matrix w/assoc cpy, becoming less | | | | | | | | | | | | | | |
| | | potassic altered, coarsergrained and | | | | | | | | | | | | | | |
| | | locally increased fracture density, narrow black | tr | 0.1 | | | | | | | | 6732 | 205.78 | 207.78 | 0.10 | 0.10 |
| | | sooty veinlets w/massive cpy, widely spaced | | | | | | | | | | 6733 | 207.78 | 209.78 | 0.14 | 0.12 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | at 40˚ to CA, locally brecciated, locally cpy | | | | | | | | | | 6734 | 209.78 | 211.78 | 0.11 | 0.09 |
| | | interstitial, tenorite. | | | | | | | | | | 6735 | 211.78 | 213.78 | 0.11 | 0.09 |
| | | 213m 5 cm, 30˚ CA vein breccia, | | | | | | | | | | 6736 | 213.78 | 215.78 | 0.07 | 0.04 |
| | | mag-ep-qtz-albitite?, cpy, chl, act? | | | | | | | | | | 6737 | 215.78 | 217.78 | 0.22 | 0.16 |
| | | 214-221.78m fresher, less potassically altered, | | | | | | | | | | 6738 | 217.78 | 219.78 | 0.19 | 0.23 |
| | | grey/pink, surfaces pitted, Hb locally 5%, fresher | | | | | | | | | | 6739 | 219.78 | 221.78 | 0.15 | 0.25 |
| | | coarser grained chl-ep-py occurs as blebs | | | | | | | | | | 6740 | 221.78 | 223.78 | 0.05 | 0.07 |
| | | and tour as veinlets, 1 mm, 20˚-40˚ CA, | | | | | | | | | | 6741 | 223.78 | 225.78 | 0.23 | 0.14 |
| | | qtz/ep/chl/py widely spaced, increasing to 221.78. | | | | | | | | | | 6742 | 225.78 | 227.78 | 0.44 | 0.44 |
| | | Core recoveries 100%. | | | | | | | | | | 6743 | 227.78 | 229.78 | 0.22 | 0.24 |
| | | | | | | | | | | | | 6744 | 229.78 | 231.78 | 0.24 | 0.32 |
| | | | | 0.05 | | | 2 | | | 1 | 3 | 6745 | 231.78 | 234.78 | 0.22 | 0.22 |
| | | 221.78-227.78m Becoming more porphyritic, fractures | | | | | | | | | | | | | | |
| | | coated w/pale green ep, clays, cal, minor cpy asoc w/ep | | | | | | | | | | | | | | |
| | | in groundmass | | | | | | | | | | | | | | |
| | | 227.78m more intense Kspar altered monzonite, less | | | | | | | | | | | | | | |
| | | prophyritic w/locally coarser textures, cpy assoc | | | | | | | | | | | | | | |
| | | w/black stringers, 1mm, 30˚-40˚ CA, 8 over 1 m from | | | | | | | | | | | | | | |
| | | 229.78-230.8m, 5 over 50 cm at 232.4m. | | | | | | | | | | | | | | |
| | | 234.3-244.92m bleached, softer, pale green, salmon | | | | | | | | | | | | | | |
| | | pink, porphyritic, monzonite lower contact faulted, | | | | | | | | | | | | | | |
| | | larger Kspar phenocrysts in clayey brecciated matrix, | | | | | | | | | | | | | | |
| | | crowded plag trachytic texture, pale grey-green white | | | | | | | | | | | | | | |
| | | around Kspar phenos, cut by late calc veining, | | | | | | | | | | | | | | |
| | | lim/black act?, cal, no cpy, local | | | | | | | | | | | | | | |
| | | development of stockwork w/vfg py, tr cpy, LC at 50˚ to | | | | | | | | | | | | | | |
| | | CA | | | | | | | | | | | | | | |
| | | 242.75m 30˚ CA, 3 cm vein breccia, Kspar alt'd | | | | | | | | | | 6746 | 234.30 | 236.92 | 0.07 | 0.12 |
| | | intrusive breccia, | | | | | | | | | | 6747 | 236.92 | 238.92 | 0.09 | 0.12 |
| | | fragmented, supported in black matrix, vein | | | | | | | | | | 6748 | 238.92 | 240.92 | 0.20 | 0.19 |
| | | replacement by vuggy | | | | | | | | | | 6749 | 240.92 | 242.92 | 0.09 | 0.09 |
| | | cal, hem, act?_ | | | | | | | | | | 6750 | 242.92 | 244.92 | 0.09 | 0.12 |
| | | 244.12-245.97m 6 over 1 m, 1-2mm anastomosing qtz- | | | | | | | | | | 7801 | 244.92 | 246.92 | 0.26 | 0.25 |
| | | cal veinlets | | | | | | | | | | 7802 | 246.92 | 248.92 | 0.16 | 0.33 |
| | | w/scattered veinlets of blacktormaline, minor cpy | | | | | | | | | | 7803 | 248.92 | 250.92 | 0.12 | 0.15 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 245.97-246.92m Extensive brecciation and black | | | | | | | | | | 7804 | 250.92 | 252.92 | 0.11 | 0.12 |
| | | matrix vein material | | | | | | | | | | 7805 | 252.92 | 254.92 | 0.18 | 0.15 |
| | | w/grey qtz/trpy/cpy, bornite? as interstitial blebs, | | | | | | | | | | 7806 | 254.92 | 256.92 | 0.11 | 0.05 |
| | | scattered patches, parallel to CA. | | | | | | | | | | 7807 | 256.92 | 258.92 | 0.10 | 0.05 |
| | | 246.92-252.3m Mod intense Kspar alt'n at 227.78m, | | | | | | | | | | 7808 | 258.92 | 260.92 | 0.05 | 0.04 |
| | | less cpy, metallic blue-purple coating, cut by | tr | 0.5 | | | | | | | | 7809 | 260.92 | 262.92 | 0.09 | 0.03 |
| | | widely spaced qtz-cal-hem-black tour?, act? | | | | | | | | | | 7810 | 262.92 | 264.92 | 0.05 | 0.00 |
| | | at 45˚ to CA, trace cpy. | | | | | | | | | | 7811 | 264.92 | 266.92 | 0.33 | 0.20 |
| | | 252.3-257.6m fg, red brown Kspar alt'd qtz | | | | | | | | | | 7812 | 266.92 | 268.92 | 0.05 | 0.00 |
| | | monzonite, equigranular, mafics fg, less | | | | | | | | | | 7813 | 268.92 | 270.92 | 0.05 | 0.09 |
| | | brecciated, chl fractures pale green/grey, | | | | | | | | | | 7814 | 270.92 | 272.92 | 0.09 | 0.05 |
| | | intrusive cut by irregular black fg volcanics, | | | | | | | | | | 7815 | 272.92 | 274.92 | 0.05 | 0.04 |
| | | wk propylitic & Kspar alt'n, tr py, less | | | | | | | | | | 7816 | 274.92 | 276.92 | 0.30 | 0.21 |
| | | porphyritic, veining of black sooty grey | | | | | | | | | | 7817 | 276.92 | 278.92 | 0.26 | 0.16 |
| | | qtz-cal increases downhole. Late calcite, closely | | | | | | | | | | 7818 | 278.92 | 280.92 | 0.12 | 0.07 |
| | | spaced veinlets. Patchy, massive cpy, in | | | | | | | | | | | | | | |
| | | gangue of black matrix w/cal at 45˚ to CA. | | | | | | | | | | | | | | |
| | | 257.6-265.18m Finger grained, pink grey monzonite, | | | | | | | | | | | | | | |
| | | no feldspar phenos, mod to intense Kspar alt'n, | | | | | | | | | | | | | | |
| | | competent hard core, 100% recovery, weaker | tr | 0.05 | | | 2 | 2 | tr | 1 | 2 | | | | | |
| | | density of fracturing, mostly coated w/pale green | | | | | | | | | | | | | | |
| | | clays, cal and minor veinlets at 30˚ to CA. Less | | | | | | | | | | | | | | |
| | | sulfide content only assoc w/black matrix material, | tr | tr | | 3 | 1 | 1 | 1 | | 2 | | | | | |
| | | mag, chl interstitial, but mostly py less cpy. | | | | | | | | | | | | | | |
| | | 265.18m more brick-red, greater fracturing, | | | | | | | | | | | | | | |
| | | subparallel to CA, chl/cal/ grey vuggy qtz, | | | | | | | | | | | | | | |
| | | vuggy @ stringers (discontinuous) of | | | | | | | | | | | | | | |
| | | cpy-more massive py at fault contact. | | | | | | | | | | | | | | |
| | | 264.84-264.9m Fault Breccia-Kspar frags | | | | | | | | | | | | | | |
| | | in black, sooty matrix, LCT 70˚ CA. | | | | | | | | | | | | | | |
| | | @266.92m as at 257.6m, locally bleached, | | | | | | | | | | | | | | |
| | | less fractured, no brecciation, non-porphyritic | | | | | | | | | | | | | | |
| | | close to dyke. Less mineralization, less Kspar | | | | | | | | | | | | | | |
| | | and more magnetite | | | | | | | | | | 7819 | 0 | 282.43 | 0.05 | 0.00 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 282.43 | 292.15 | MAGNETITE-AUGITE-KSPAR ANDESITE PORPHYRY | | | | 3 | 1 | 1 | | | | 7820 | 282.43 | 284.43 | 0.03 | 0.00 |
| | | Locally alt'd to ep, cal, hem, chl, minor calcite along fractures. Late stage calcite veinlets, narrow, widely spaced,10˚-20˚-40˚ to CA. No sulfides. UC 30˚ to CA. | | | | | | | | | | | | | | |
| 292.15 | 297.70 | BASALT DYKE | | | | 3 | | 1 | | | | | | | | |
| | | Vfg, grey/black, fresh, competent, no fractures, magnetic, calcite replacement of amygdules, LC 40˚ CA. 100% core recovery. Basalt dyke has frags of augite porphyry. | | | | | | | | | | | | | | |
| 297.70 | 324.70 | AUGITE-FELDSPAR ANDESITE PORPHYRY | | | | | | | | | | | | | | |
| | | Grey/black, upper contact at 20˚ to CA. Same as 282.43m w/increase in ep, cal alt'n downhole. Slip surfaces hem, chl at 40 to CA. 100% core recovery. | | | | | | | | | | 7821 | 324.70 | 326.70 | 0.04 | 0.04 |
| | | | | | | | | | | | | 196269 | 326.70 | 328.70 | 0.10 | 0.04 |
| 324.70 | 359.40 | QUARTZ MONZONITE | 0.05 | 0.08 | | | 2 | 2 | | 1 | 1 | 196270 | 328.70 | 330.70 | 0.07 | 0.04 |
| | | Pink/grey, fg, no phenocrysts of Kspar, variable mod to intense potassic alteration along fractures, core is very blocky, fracturing is intense, ep-cal fill, 30-40-70 to CA. | | | | | | | | | | 196271 | 330.70 | 332.70 | 0.05 | 0.04 |
| | | | | | | | | | | | | 196272 | 332.70 | 334.70 | 0.04 | 0.03 |
| | | | | | | | | | | | | 196273 | 334.70 | 336.95 | 0.01 | 0.00 |
| | | | | | | | | | | | | 7822 | 336.95 | 338.95 | 0.08 | 0.07 |
| | | Mineralization: py+cpy infills fractures, black chloritic gange, 1-2mm 40˚-50˚-70˚ to CA, locally moe intense. Select samples taken in more intense black flood zones, py cpy. | | | | | | | | | | 7823 | 338.95 | 340.95 | 0.02 | 0.00 |
| | | | | | | | | | | | | 196275 | 340.95 | 342.95 | 0.02 | 0.00 |
| | | | | | | | | | | | | 196276 | 342.95 | 344.95 | 0.01 | 0.00 |
| | | | | | | | | | | | | 196277 | 344.95 | 346.95 | 0.02 | 0.00 |
| | | @350.3m More pink orange, less mafics, minor calcite veining at 30˚ to CA, 1 cm. 354.3m 30˚ CA, 1 cm cal veining and narrow, locally brecciated along widely spaced fractures, mag, chl, albite?, no sulfides. 100% core recoveries. | | | | | | | | | | 196278 | 346.95 | 348.95 | 0.02 | 0.00 |
| | | | | | | | | | | | | 196279 | 348.95 | 350.95 | 0.00 | 0.00 |
| | | | | | | | | | | | | 196280 | 350.95 | 352.95 | 0.01 | 0.00 |
| | | | | | | | | | | | | 196281 | 352.95 | 354.95 | 0.01 | 0.00 |
| | | | | | | | | | | | | 7824 | 357.40 | 359.40 | 0.05 | 0.00 |
| 359.40 | 360.10 | FAULT CONTACT | | | | | | | | | | 7825 | 359.40 | 361.80 | 0.01 | 0.00 |
| | | Grey, green gouge w/banded calcite, minor orange Kspar, grey-green chl, clays, no sulfides. UCT at 30˚ to | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | CA | | | | | | | | | | | | | | |
| 360.10 | 360.76 | AUGITE-PLAG PORPHYRITIC ANDESITE DYKE | | | | 3 | | | | | | | | | | |
| | | Olive, light brown, chilled margin, rusty hematitic | | | | | | | | | | | | | | |
| | | along fractures. LCT at 30˚ CA. | | | | | | | | | | | | | | |
| 360.76 | 361.80 | FAULT BRECCIA | | | | | | | | | | | | | | |
| | | Hematite, green chl-ser-clays wall rock dyke. | | | | | | | | | | | | | | |
| 361.80 | 380.30 | AUGITE-FELDSPAR PORPHYRY DYKE | | | | 3 | | | | | | 7826 | 361.80 | 363.80 | 0.00 | 0.04 |
| | | Grey, fg groundmass, augite-chl clays up to 3mm. | | | | | | | | | | | | | | |
| | | Fresh competent. 100% core recovery. Crowded | | | | | | | | | | | | | | |
| | | trachytic texture at upper contact for 1.5m and at LC | | | | 3 | | | | | | | | | | |
| | | from 373.9m to basalt. Fresh, no fracturing, competent | | | | | | | | | | | | | | |
| | | 379.5-380.3m Black groundmass, brecciated and | | | | | | | | | | | | | | |
| | | green/black chlorite, cal UC at 20˚ CA, LCT 40˚ CA. | | | | | | | | | | | | | | |
| | | Fragments of augite porphyry w/ep alt'n. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 380.30 | 392.20 | BASALT DYKE | | | | | | | | | | | | | | |
| | | Grey, aphanitic basalt dyke, fresh, calcite replacement | | | | | | | | | | | | | | |
| | | of amygdules at 392.15. Wk fracturing. Magnetic. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 392.20 | 394.56 | ANDESITIC, MAG-AUG PORPHYRY BRECCIA | | | | | | | | | | | | | | |
| | | Black matrix fragments, up to 1.5 to 2 cm. Also at | | | | | | | | | | | | | | |
| | | 394.5-394.56m. | | | | | | | | | | | | | | |
| 394.56 | 404.00 | BASALT DYKE | | | | | | | | | | | | | | |
| | | The same as 380.3-392.20m | | | | | | | | | | | | | | |
| 404.00 | 406.60 | VOLCANIC-INTRUSIVE BRECCIA | | | | | | | | | | | | | | |
| | | Fragments of fg Kspar qtz monzonite and large clasts | | | | | | | | | | | | | | |
| | | of augite porphyry+brecciated basalt dykes supported in | | | | | | | | | | | | | | |
| | | black matrix. UC 60˚ to CA, LC at 20˚ CA. Core is | | | | | | | | | | | | | | |
| | | soft, competent, chl-hem matrix, cal cement. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 406.60 | 409.52 | BASALT DYKE | | | | | | | | | | | | | | |
| | | The same as 380.3-392.20m | | | | | | | | | | | | | | |
| 409.52 | 412.90 | INTRUSIVE BRECCIA | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | The same as 404.0-406.60m. Grey, tan, dark green. | | | | | | | | | | | | | | |
| | | Kspar altered monzonite? Fractures closely spaced, 40˚- | | | | | | | | | | | | | | |
| | | 60˚ to CA w dark grey, chl-cal. | | | | | | | | | | | | | | |
| 412.90 | 415.44 | BASALT DYKE | | | | | | | | | | | | | | |
| | | Fresh, chl-cal, maroon, hem coated fractures at 40 ˚-50˚ | | | | | | | | | | | | | | |
| | | to CA. | | | | | | | | | | | | | | |
| 415.44 | | EOH | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE: 04-21**

**PROPERTY: ANN NORTH**

**Easting (NAD 83): 616143**
**Northing (NAD 83): 5759285**
**Grid Location:**
**Elevation: 1175 m**

**Core Size: NQ**
**Hole Azimuth: 330**
**Hole Angle: -45**
**Total Depth: 199.03 m**

**Started: 3 March 04**
**Finished: 6 March 04**
**Logged by: R.Montgomery**
**Analysis by: Eco-Tech**

| Down-hole Tests | | |
|---|---|---|
| Depth | Angle | Azm. |
| 169.8 | -36.5 | 330 |
| | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 12.80 | OVB (casing) | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 12.80 | 16.15 | PORPHYRITIC QUARTZ MONZONITE. Bleached light grey, oxidized, hematitic, brecciated. Malachite noted at 12.9 and 14.14m. Fractures with hematite and clay average 30-40 to c/a. Strong argillic alteration (post potassic ?). Locally chalcocite?? To .5%. | | | | | | | | | 1 | 6801 | 14.15 | 16.15 | 1.03 | 0.65 |
| 16.15 | 26.25 | NON-PORPHYRITIC QUARTZ MONZONITE. Light tan to orange . Less argillic alteration than previous interval. Fracture density weak. At 24.80m chalcocite as semi-continuous stringer @ 20 to c/a. @22.15m 1.0 cm wide hem/lim/clay filled fracture at 10 to c/a. Interval strongly limonitic; weak potassic alteration. | | | | | | | | | 1 | 6802 | 16.15 | 18.15 | 0.03 | 0.07 |
| | | | | | | | | | | | | 6803 | 18.15 | 20.15 | 0.01 | 0.04 |
| | | | | | | | | | | | | 6804 | 20.15 | 22.15 | 0.03 | 0.09 |
| | | | | | | | | | | | | 6805 | 22.15 | 24.15 | 0.03 | 0.04 |
| | | | | | | | | | | | | 6806 | 24.15 | 25.15 | 0.1 | 0.05 |
| | | | | | | | | | | | | 6807 | 25.15 | 26.25 | 0.02 | 0.03 |
| | | | | | | | | | | | | 6808 | 26.25 | 28.25 | 0.11 | 0.43 |
| | | | | | | | | | | | | 6808A | 28.25 | 30.25 | 0.02 | 0.29 |
| | | | | | | | | | | | | 6809 | 30.25 | 32.25 | 0.05 | 0.07 |
| 26.25 | 52.10 | BRECCIATED, PORPHYRITIC QUARTZ MONZONITE. Light brick red. Fault at 27.30-27.60m. Core soft and blocky, entire section very broken with shearing increasing towards bottom of interval. Chlorite/hematite/calcite in shears. At 27.80 serpentine/hematite/black sooty mineral(?). Locally chalcocite as disseminated blebs and fracture coatings. From 29.55 to 49.1m recovery averages 80-85% | | | | | 1 | 1 | | | | 6810 | 32.25 | 34.25 | 0.05 | 0.09 |
| | | | | | | | | | | | | 6811 | 34.25 | 36.25 | 0.04 | 0.06 |
| | | | | | | | | | | | | 6812 | 36.25 | 38.25 | 0.03 | 0.03 |
| | | | | | | | | | | | | 6813 | 38.25 | 40.25 | 0.05 | 0.17 |
| | | | | | | | | | | | | 6814 | 40.25 | 42.25 | 0.02 | 0.45 |
| | | | | | | | | | | | | 6814A | 42.25 | 44.25 | 0.04 | 0.14 |
| | | | | | | | | | | | | 6815 | 44.25 | 46.25 | 0.02 | 0.13 |
| | | | | | | | | | | | | 6816 | 46.25 | 48.25 | 0.01 | 0.05 |
| | | | | | | | | | | | | 6817 | 48.25 | 50.25 | 0.03 | 0.32 |
| | | | | | | | | | | | | 6818 | 50.25 | 52.1 | 0.02 | 0.18 |
| | | | | | | | | | | | | | | | | |
| 52.10 | 69.90 | QUARTZ MONZONITE-PORPHYRITIC QUARTZ MONZONITE. Light pink to rusty | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Ch-ep | Cal | Bio | Sil | Ksp | No. | From | To | % | g/t |
| | | limonitic/hematitic. Core is soft, blocky, crumbly. | | | | | | | | | | 6819 | 52.1 | 54.1 | 0.02 | 0.07 |
| | | Moderate argillic alteration. At 56.80-66.15m | | | | | | | | | | 6820 | 54.1 | 56.1 | 0.01 | 0.03 |
| | | increasing potassic alteration with minor | | | | | | | | | | 6821 | 56.1 | 58.1 | 0.17 | 0.07 |
| | | overprinting of argillic alteration; this section is | | | | | | | | | | 6822 | 58.1 | 60.1 | 0.02 | 0.09 |
| | | strongly limonitic/hematitic. 66.15to 69.90m light | | | | | | | | | | 6823 | 60.1 | 62.1 | 0.15 | 0.07 |
| | | grey to pink, argillic altered porphyritic quartz | | | | | | | | | | 6824 | 62.1 | 64.1 | 0.19 | 0.14 |
| | | monzonite; fractures with sooty grey coatings | | | | | | | | | | 6825 | 64.1 | 66.6 | 0.09 | 0.26 |
| | | (chalcocite?) and calcite @ 10 to 60 to c/a. | | | | | | | | | | 6826 | 66.6 | 68.1 | 0.25 | 3.02 |
| | | From 69.0 to 69.30m slickensided shears (40 to | | | | | | | | | | 6827 | 68.1 | 69.25 | 3.76 | 47.05 |
| | | c/a) with chalcocite(?) | | | | | | | | | | 6828 | 69.25 | 70.55 | 0.1 | 0.7 |
| | | | | | | | | | | | | 6829 | 70.55 | 71.85 | 0.04 | 0.09 |
| 69.90 | 71.85 | FAULT. Limonitic, white clays; sandy crumbly | | | | | | | | | | 6830 | 71.85 | 73.85 | 0.01 | 0.06 |
| | | gouge. Wallrock monzonite. | | | | | | | | | | 6831 | 73.85 | 75.1 | 0.01 | 0.04 |
| | | | | | | | | | | | | 6832 | 75.1 | 76.3 | 0.01 | 0 |
| 71.85 | 76.30 | QUARTZ MONZONITE. Limonitic, crumbly, | | 3 | | | 2.5 | | | | | 6833 | 76.3 | 78.3 | 0.01 | 0.03 |
| | | abundant calcite. Intense argillic alteration. | | | | | | | | | | 6834 | 78.3 | 79.8 | 0.02 | 0.04 |
| | | Fractures parallel to c/a. @81.40m core | | | | | | | | | | 6835 | 79.8 | 81.3 | 0.02 | 0 |
| | | becoming more competent--increasing potassic | | | | | | | | | | 6836 | 81.3 | 82.8 | 0.31 | 0.32 |
| | | alteration--decreasing argillic alteration--non | | | | | | | | | | 6837 | 82.8 | 84.3 | 0.04 | 0.05 |
| | | porpyritic. | | | | | | | | | | 6838 | 84.3 | 86.3 | 0.01 | 0 |
| | | | | | | | | | | | | 6839 | 86.3 | 88.3 | 0.01 | 0 |
| 76.30 | 116.95 | K-SPAR NON-PORPHYRITIC QUARTZ | | | | | 2 | | | | 2.5 | 6840 | 88.3 | 90.3 | 0.01 | 0 |
| | | MONZONITE. Epidote/hematite/limonite/calcite | | | | | | | | | | 6841 | 90.3 | 92.3 | 0.02 | 0 |
| | | on fractures. Core much harder than previous | | | | | | | | | | 6842 | 92.3 | 94.3 | 0.01 | 0.03 |
| | | intervals, decreasing argillic alteration, moderate | | | | | | | | | | 6843 | 94.3 | 96.3 | 0.02 | 0 |
| | | potassic alteration. Only weak brecciation. At | | | | | | | | | | 6844 | 96.3 | 98.3 | 0.01 | 0 |
| | | 81.25 to 82.80m discontinuous chalcocite | | | | | | | | | | 6845 | 98.3 | 100.3 | 0.01 | 0 |
| | | veinlets up to 5mm wide (sub-parallel to c/a). | | | | | | | | | | 6846 | 100.3 | 102.3 | 0 | 0 |
| | | From 82.0-88.50m core very blocky, pale green | | | | | | | | | | 6847 | 102.3 | 104.3 | 0.01 | 0 |
| | | clays/calcite/limonite on fractures; locally | | | | | | | | | | 6848 | 104.3 | 106.3 | 0.01 | 0.08 |
| | | sheared. First fracture set at 50 to c/a; these | | | | | | | | | | 6849 | 106.3 | 108.3 | 0.02 | 0 |
| | | are cut by low angle (30 to c/a) fractures. Minor | | | | | | | | | | 6850 | 108.3 | 110.3 | 0 | 0 |
| | | late stage calcite veining parallel to c/a. Core | | | | | | | | | | 6851 | 110.3 | 112.3 | 0.01 | 0.05 |
| | | more competent from 88.5 to 107.80m. | | | | | | | | | | 6852 | 112.3 | 114.3 | 0.01 | 0 |
| | | Moderate potassic alteration, minor epidote | | | | | | | | | | 6853 | 114.3 | 116.3 | 0.02 | 0 |
| | | along fractures. Very fine fractures contain | | | | | | | | | | 6854 | 116.3 | 118.5 | 0 | 0 |
| | | calcite/serpentine/epidote/green clays/talc. | | | | | | | | | | 6855 | 118.5 | 121.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6856 | 121.0 | 123.0 | 0.01 | 0.06 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Ch-ep | Cal | Bio | Sil | Ksp | No. | From | To | % | g/t |
| | | Tourmaline sparse as blebs and stringers at 50 to c/a. Sections of lower core recovery include: 69.20-72.25m (70%),78.35-81.40m (80%), 87.5-90.55m (80%). | | | | | | | | | | 6857 | 123.0 | 125.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6858 | 125.0 | 127.0 | 0.01 | 0.04 |
| | | | | | | | | | | | | 6859 | 127.0 | 129.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6860 | 129.0 | 131.0 | 0 | 0.05 |
| | | | | | | | | | | | | 6861 | 131.0 | 133.0 | 0.01 | 0.08 |
| 116.95 | 121.00 | QUARTZ MONZONITE. Less potassic alteration than previous interval. Trace to 1/2% disseminated specular hematite. Trace chalcocite? 125.00 to 127.75m brown limonitic monzonite with 1-3mm (locally to 2cm) quartz veinlets. | | | | | | | | | 1 | 6862 | 133.0 | 135.0 | 0 | 0 |
| | | | | | | | | | | | | 6863 | 135.0 | 137.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6864 | 137.0 | 139.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6865 | 139.0 | 141.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6866 | 141.0 | 143.0 | 0.02 | 0.03 |
| | | | | | | | | | | | | 6867 | 143.0 | 145.0 | 0.02 | 0 |
| | | | | | | | | | | | | 6868 | 145.0 | 147.0 | 0.01 | 0 |
| 121.00 | 181.00 | K-SPAR NON-PORPHYRITIC QUARTZ MONZONITE? Medium pink, fine-grained. Variable, weak to moderate potassic alteration. Very fine grained, suspect little to no quartz content- therefore suspect syenitic composition. @181.00m fine-grained salmon pink quartz monzonite characterized by moderate to strong magnetism. | | | | 3 | 1 | 1 | | | 2 | 6869 | 147.0 | 149.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6870 | 149.0 | 151.0 | 0.01 | 0.03 |
| | | | | | | | | | | | | 6871 | 151.0 | 153.0 | 0.02 | 0.03 |
| | | | | | | | | | | | | 6872 | 153.0 | 155.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6873 | 155.0 | 157.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6874 | 157.0 | 159.0 | 0.02 | 0.04 |
| | | | | | | | | | | | | 6875 | 159.0 | 161.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6876 | 161.0 | 163.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6877 | 163.0 | 165.0 | 0.02 | 0 |
| 181.00 | 197.40 | K-SPAR(weak) NON-PORPHYRITIC QUARTZ MONZONITE. | | | | | | | | | | 6878 | 165.0 | 167.0 | 0 | 0 |
| | | | | | | | | | | | | 6879 | 167.0 | 169.0 | 0.02 | 0 |
| | | | | | | | | | | | | 6880 | 169.0 | 171.0 | 0.02 | 0 |
| 197.40 | 197.60 | FAULT. Footwall contact at 30 to c/a. Crushed bleached intrusive fragments. | | | | | | 1 | | | | 6881 | 171.0 | 173.0 | 0.02 | 0.03 |
| | | | | | | | | | | | | 6882 | 173.0 | 175.0 | 0.02 | 0.03 |
| | | | | | | | | | | | | 6883 | 175.0 | 177.0 | 0.02 | 0 |
| 197.60 | 199.10 | WEAKLY K-SPAR ALTERED NON-PORPHYRITIC QUARTZ MONZONITE. Moderate fracture density. Trace cpy. | | tr | | | | 1 | | | 1 | 6884 | 177.0 | 179.0 | 0.01 | 0 |
| | | | | | | | | | | | | 6885 | 179.0 | 181.0 | 0.02 | 0.03 |
| | | | | | | | | | | | | 6886 | 181.0 | 183.0 | 0.02 | 0.03 |
| | | | | | | | | | | | | 6887 | 183.0 | 185.0 | 0.02 | 0.03 |
| | | E.O.H @ 199.10M | | | | | | | | | | 6888 | 185.0 | 187.0 | 0.02 | 0 |
| | | | | | | | | | | | | 6889 | 187.0 | 189.0 | 0.02 | 0.04 |
| | | | | | | | | | | | | 6890 | 189.0 | 191.0 | 0.02 | 0.05 |
| | | | | | | | | | | | | 6891 | 191.0 | 193.0 | 0.03 | 0.05 |
| | | | | | | | | | | | | 6892 | 193.0 | 195.0 | 0.03 | 0 |
| | | | | | | | | | | | | 6893 | 195.0 | 197.0 | 0.02 | 0 |
| | | | | | | | | | | | | 6894 | 197.0 | 199.0 | 0.04 | 0 |

**GWR RESOURCES INC.**
**DRILL HOLE: 04-22**

**PROPERTY: Ann North**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Easting (NAD 83):** | **611096** | **Core Size:** | **NQ** | **Started:** | **7 March 04** | **Down-hole Tests** | |
| **Northing (NAD 83):** | **5759278** | **Hole Azimuth:** | **180** | **Finished:** | **10 March 04** | **Depth** | **Angle** | **Azm.** |
| **Grid Location:** | | **Hole Angle:** | **-65** | **Logged by:** | **R.Montgomery** | **154.5** | **-51.5** | |
| **Elevation:** | **1178 m** | **Total Depth:** | **259.75 m** | **Analysis by:** | **Eco-Tech** | **258.2** | **-51** | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 12.19 | OVB | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 12.19 | 26.97 | K-SPAR PORPHYRITIC QUARTZ | | | | | | 2 | | | 4 | 8024 | 12.19 | 14.20 | 0.06 | 0.12 |
| | | MONZONITE. Pale red to orange medium to | | | | | | | | | | 8025 | 14.20 | 16.20 | 0.06 | 0.6 |
| | | coarse grained. 15-20% bleached k-spar | | | | | | | | | | 8026 | 16.20 | 18.20 | 0.09 | 0.28 |
| | | megacrysts set in a locally trachytic, bleached | | | | | | | | | | 8027 | 18.20 | 20.20 | 0.1 | 0.35 |
| | | groundmass. Highly oxidized, limonitic, | | | | | | | | | | 8028 | 20.20 | 22.20 | 0.04 | 0.11 |
| | | hematitic section. Malachite down to | | | | | | | | | | 8029 | 22.20 | 24.20 | 0.06 | 0.13 |
| | | 20.40m. Fracture density moderate to strong. | | | | | | | | | | 8030 | 24.20 | 26.20 | 0.05 | 0.34 |
| | | S1 50-60 to c/a S2 20 to c/a. Local | | | | | | | | | | 8031 | 26.20 | 28.20 | 0.07 | 0.95 |
| | | brecciation along fractures. Core quite soft. | | | | | | | | | | | | | | |
| | | Widely spaced quartz/calcite veinlets at 40 to | | | | | | | | | | | | | | |
| | | c/a. Weak to moderate argillic alteration- | | | | | | | | | | | | | | |
| | | plagioclase to clays. Mafics largely replaced | | | | | | | | | | | | | | |
| | | with clays/micas/sericite. Chalcocite? along | | | | | | | | | | | | | | |
| | | hairline fractures and as interstitial | | | | | | | | | | | | | | |
| | | replacements? Core blocky, crumbly, soft. | | | | | | | | | | | | | | |
| | | 90% recovery to 23.47m 100%recovery to | | | | | | | | | | | | | | |
| | | 26.97m. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 26.97 | 28.10 | INTRUSIVE BRECCIA FAULT. Hematitic, | | | | | | 1 | | | | 8032 | 28.20 | 30.20 | 0.04 | 0.19 |
| | | limonitic, strong clay alteration with calcite. | | | | | | | | | | 8033 | 30.20 | 32.20 | 0.05 | 0.34 |
| | | H.W contact at 60 to c/a F.W contact at 50 to | | | | | | | | | | 8034 | 32.20 | 34.20 | 0.03 | 0.05 |
| | | c/a. 100% recovery. | | | | | | | | | | 8035 | 34.20 | 36.20 | 0.05 | 0.09 |
| | | | | | | | | | | | | 8036 | 36.20 | 38.20 | 0.02 | 0.04 |
| 28.10 | 52.00 | NON-PORPHYRITIC QUARTZ | | | | | | | | | | 8037 | 38.20 | 40.20 | 0.02 | 0.03 |
| | | MONZONITE. Fine-grained. @28.10 to | | | | | | | | | | 8038 | 40.20 | 42.20 | 0.02 | 0.05 |
| | | 36.20m strongly with limonite/hematite, | | | | | | | | | | 8039 | 42.20 | 44.20 | 0.02 | 0.04 |
| | | foliation at 50 to c/a at 30.20m. Non | | | | | | | | | | 8040 | 44.20 | 46.20 | 0.03 | 0.03 |
| | | trachyitic texture. Strong fracture intensity. | | | | | | | | | | 8041 | 46.20 | 48.20 | 0.05 | 0.05 |
| | | Trace chalcocite. From 36.20 to 52.00m | | | | | | | | | | 8042 | 48.20 | 50.20 | 0.02 | 0.06 |
| | | monzonite orange to pink; more | | | | | | | | | | 8043 | 50.20 | 52.20 | 0.02 | 0.11 |

**GWR RESOURCES INC.**
**DRILL HOLE: 04-22**

**PROPERTY: Ann North**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Easting (NAD 83):** | **611096** | **Core Size:** | **NQ** | **Started:** | **7 March 04** | **Down-hole Tests** | |
| **Northing (NAD 83):** | **5759278** | **Hole Azimuth:** | **180** | **Finished:** | **10 March 04** | **Depth** | **Angle** | **Azm.** |
| **Grid Location:** | | **Hole Angle:** | **-65** | **Logged by:** | **R.Montgomery** | **154.5** | **-51.5** | |
| **Elevation:** | **1178 m** | **Total Depth:** | **259.75 m** | **Analysis by:** | **Eco-Tech** | **258.2** | **-51** | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 12.19 | OVB | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 12.19 | 26.97 | K-SPAR PORPHYRITIC QUARTZ | | | | | | 2 | | | 4 | 8024 | 12.19 | 14.20 | 0.06 | 0.12 |
| | | MONZONITE. Pale red to orange medium to | | | | | | | | | | 8025 | 14.20 | 16.20 | 0.06 | 0.6 |
| | | coarse grained. 15-20% bleached k-spar | | | | | | | | | | 8026 | 16.20 | 18.20 | 0.09 | 0.28 |
| | | megacrysts set in a locally trachytic, bleached | | | | | | | | | | 8027 | 18.20 | 20.20 | 0.1 | 0.35 |
| | | groundmass. Highly oxidized, limonitic, | | | | | | | | | | 8028 | 20.20 | 22.20 | 0.04 | 0.11 |
| | | hematitic section. Malachite down to | | | | | | | | | | 8029 | 22.20 | 24.20 | 0.06 | 0.13 |
| | | 20.40m. Fracture density moderate to strong. | | | | | | | | | | 8030 | 24.20 | 26.20 | 0.05 | 0.34 |
| | | S1 50-60 to c/a S2 20 to c/a. Local | | | | | | | | | | 8031 | 26.20 | 28.20 | 0.07 | 0.95 |
| | | brecciation along fractures. Core quite soft. | | | | | | | | | | | | | | |
| | | Widely spaced quartz/calcite veinlets at 40 to | | | | | | | | | | | | | | |
| | | c/a. Weak to moderate argillic alteration- | | | | | | | | | | | | | | |
| | | plagioclase to clays. Mafics largely replaced | | | | | | | | | | | | | | |
| | | with clays/micas/sericite. Chalcocite? along | | | | | | | | | | | | | | |
| | | hairline fractures and as interstitial | | | | | | | | | | | | | | |
| | | replacements? Core blocky, crumbly, soft. | | | | | | | | | | | | | | |
| | | 90% recovery to 23.47m 100%recovery to | | | | | | | | | | | | | | |
| | | 26.97m. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 26.97 | 28.10 | INTRUSIVE BRECCIA FAULT. Hematitic, | | | | | | 1 | | | | 8032 | 28.20 | 30.20 | 0.04 | 0.19 |
| | | limonitic, strong clay alteration with calcite. | | | | | | | | | | 8033 | 30.20 | 32.20 | 0.05 | 0.34 |
| | | H.W contact at 60 to c/a F.W contact at 50 to | | | | | | | | | | 8034 | 32.20 | 34.20 | 0.03 | 0.05 |
| | | c/a. 100% recovery. | | | | | | | | | | 8035 | 34.20 | 36.20 | 0.05 | 0.09 |
| | | | | | | | | | | | | 8036 | 36.20 | 38.20 | 0.02 | 0.04 |
| 28.10 | 52.00 | NON-PORPHYRITIC QUARTZ | | | | | | | | | | 8037 | 38.20 | 40.20 | 0.02 | 0.03 |
| | | MONZONITE. Fine-grained. @28.10 to | | | | | | | | | | 8038 | 40.20 | 42.20 | 0.02 | 0.05 |
| | | 36.20m strongly with limonite/hematite, | | | | | | | | | | 8039 | 42.20 | 44.20 | 0.02 | 0.04 |
| | | foliation at 50 to c/a at 30.20m. Non | | | | | | | | | | 8040 | 44.20 | 46.20 | 0.03 | 0.03 |
| | | trachyitic texture. Strong fracture intensity. | | | | | | | | | | 8041 | 46.20 | 48.20 | 0.05 | 0.05 |
| | | Trace chalcocite. From 36.20 to 52.00m | | | | | | | | | | 8042 | 48.20 | 50.20 | 0.02 | 0.06 |
| | | monzonite orange to pink; more | | | | | | | | | | 8043 | 50.20 | 52.20 | 0.02 | 0.11 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Ch-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | competent than overlying sections. 36.90- | | | | | | | | | | | | | | |
| | | 39.70m 4mm wide grey quartz/calcite veinlet with | | | | | | | | | | | | | | |
| | | bleached brecciated wallrock fragments; | | | | | | | | | | | | | | |
| | | fragments have bleached k-spar envelopes. | | | | | | | | | | | | | | |
| | | Numerous cross-cutting hairline fractures with K- | | | | | | | | | | | | | | |
| | | spar haloes. 40.20-52.00m softer, crumbly core, | | | | | | | | | | | | | | |
| | | weak to moderate argillic alteration. Strong | | | | | | | | | | | | | | |
| | | fracture density 40-50 & 60 to c/a. Several 1- | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 52.00 | 56.90 | TOURMALINE-QUARTZ-K-SPAR INTRUSION | | | | | | 2 | | | | 8044 | 52.20 | 54.20 | 0.03 | 0.03 |
| | | BRECCIA. White to light grey. Scattered | | | | | | | | | | 8045 | 54.20 | 55.86 | 0.02 | 0.09 |
| | | patches of tourmaline (up to 1cm). Sub-angular | | | | | | | | | | 8046 | 55.86 | 57.15 | 0.21 | 0.08 |
| | | bleached K-spar and tourmaline fragments | | | | | | | | | | | | | | |
| | | supported by grey quartz matrix. Plagioclase to | | | | | | | | | | | | | | |
| | | clays. Mafics altered to clays and calcite. | | | | | | | | | | | | | | |
| | | Limonitic, hematitic fractures. No sulfides noted. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 56.90 | 57.15 | QUARTZ-TOURMALINE-MONZONITE | | | | | | | | | | | | | | |
| | | INTRUSION BRECCIA. Creamy grey to pink. | | | | | | | | | | | | | | |
| | | Monzonite and quartz fragments supported in a | | | | | | | | | | | | | | |
| | | grey to black quartz matrix. Moderated de- | | | | | | | | | | | | | | |
| | | texturing of intrusive fragments. Calcite in | | | | | | | | | | | | | | |
| | | matrix and as fine veinlets. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 57.15 | 67.35 | PORPHYRITIC QUARTZ MONZONITE. Pink to | | tr | | | | | | 1.5 | | 8047 | 57.15 | 59.15 | 0.64 | 0.07 |
| | | grey. Locally bleached and brecciated. Less | | | | | | | | | | 8048 | 59.15 | 61.20 | 1.62 | 0.22 |
| | | matrix support than previous interval. Plag. To | | | | | | | | | | 8049 | 61.20 | 63.20 | 0.35 | 0.08 |
| | | clays. Low to moderate fracture density (30-40 | | | | | | | | | | 8050 | 63.20 | 65.20 | 0.12 | 0.05 |
| | | to c/a) - core becoming more competent | | | | | | | | | | 8051 | 65.20 | 67.35 | 0.15 | 0.07 |
| | | downhole. Minor diss./ Matrix /and fracture | | | | | | | | | | | | | | |
| | | controlled cpy. Large intrusive frags. not | | | | | | | | | | | | | | |
| | | silicified; therefore silicification of matrix and | | | | | | | | | | | | | | |
| | | surrounding breccia occured afterwards. Minor | | | | | | | | | | | | | | |
| | | chalcocite associated with grey quartz. 63.20- | | | | | | | | | | | | | | |
| | | 67.35m softer, argillic/potassic altered porphyry; | | | | | | | | | | | | | | |
| | | locally brecciated and silicified. 1cm wide quartz | | | | | | | | | | | | | | |
| | | veinlets at 30 to c/a at 66.55m. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Ch-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 67.35 | 69.35 | FAULT ZONE. Hanging wall at 20 to c/a. Pale grey-green gouge. Abundant calcite. One 2mm wide quartz vein @ 20 to c/a. | | | | | | | | | | 8052 | 67.35 | 69.35 | 0.09 | 0.05 |
| 69.35 | 72.10 | S.T.A (57.15-67.35m). Cpy as narrow veinlets dammed up against K-spar fragments. Trace chalcocite in matrix. Minor tourmaline. | | tr | | | 1 | 2 | | 2 | 3 | 8053 | 69.35 | 70.70 | 0.13 | <0.03 |
| | | | | | | | | | | | | 8054 | 70.70 | 72.10 | 0.27 | 0.04 |
| 72.10 | 91.50 | PORPHYRITIC QUARTZ MONZONITE. Creamy pink. Softer core, locally shearing at variable angles to c/a (25 and 45 to c/a). @77.60m 5mm wide shear with grey clay/sulfide gouge at 20 to c/a. @78.50m 15 cm wide brecciated/silicified/quartz veined intrusive with 7-7% py>cpy. Adjacent to this section minor quartz stockwork veining. 78.10-82.75m pink-orange K-spar porphyry; increasing brecciation and silicification, grey-black silica. Hematite strong on widely spaced fractures. .5 to .7 cm megacrysts of K-spar. Trace disseminated py/cpy. @82.91 shear at 10 to c/a (hematite and clays). Highly oxidized to 85.65m (primarily hematite). Fracturing sub-parallel to c/a. Reddish hematitic clay gouge at 83.75m. Trace very fine grained diss. py. 85.65-91.50m less oxidized, less hematite. Oxidized bleached megacrysts in locally pale green pink groundmass. Cut by grey quartz/cpy veinlets. 89.10m grey to pale green clay gouge shear at 10 to c/a. Down section core becoming harder/competent; increasing oxidation and silicification, diss. chalcocite? Noted py rimmed by tourmaline. | 0.5 | 0.3 | | | | | | 1 | | 8055 | 72.10 | 74.10 | 0.19 | 0.05 |
| | | | | | | | | | | | | 8056 | 74.10 | 76.10 | 0.12 | 0.04 |
| | | | | | | | | | | | | 8057 | 76.10 | 78.10 | 0.11 | 0.03 |
| | | | | | | | | | | | | 8058 | 78.10 | 80.10 | 0.25 | 0.16 |
| | | | | | | | | | | | | 8059 | 80.10 | 82.10 | 0.1 | 0.1 |
| | | | | | | | | | | | | 8060 | 82.10 | 84.10 | 0.09 | 0.2 |
| | | | | | | | | | | | | 8061 | 84.10 | 86.10 | 0.29 | 0.24 |
| | | | | | | | | | | | | 8062 | 86.10 | 88.10 | 0.4 | 0.14 |
| | | | | | | | | | | | | 8063 | 88.10 | 90.11 | 0.26 | 0.14 |
| | | | | | | | | | | | | 8064 | 90.11 | 92.11 | 0.05 | <0.03 |
| 91.50 | 101.95 | PORPHYRITIC QUARTZ MONZONITE. Orange pink. Brecciation along fractures contains f.g. cpy. Minor interstitial cpy, cpy is also noted to be associated with tourmaline. | tr | 0.5 | | 1 | | | | 1.5 | | 8065 | 92.10 | 94.10 | 0.19 | 0.1 |
| | | | | | | | | | | | | 8066 | 94.10 | 96.10 | 0.17 | 0.05 |
| | | | | | | | | | | | | 8067 | 96.10 | 97.10 | 0.12 | 0.05 |
| | | | | | | | | | | | | 8068 | 97.10 | 99.15 | 0.11 | 0.06 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Ch-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 99.15-101.95m less quartz veining. | | | | | | | | | | 8069 | 99.15 | 100.95 | 0.1 | <0.03 |
| | | | | | | | | | | | | 8070 | 101 | 102 | 0.11 | 0.09 |
| 101.95 | 121.05 | SILICIFIED QUARTZ MONZONITE. 105.41- | | tr | | | | | | 2.5 | 2.5 | 8071 | 102 | 103.4 | 0.21 | 0.09 |
| | | 107.00 cream grey to light tan brecciated non k- | | | | | | | | | | 8072 | 103.4 | 105.4 | 0.08 | <0.03 |
| | | spar altered strongly silicified intrusive breccia. | | | | | | | | | | 8073 | 105.4 | 107 | 0.08 | 0.36 |
| | | Large intrusive fragments in grey-black quartz | | | | | | | | | | 8074 | 107 | 108 | 0.15 | 0.06 |
| | | matrix with scattered cpy (in veins and matrix). | | | | | | | | | | 8075 | 108 | 109 | 0.12 | <0.03 |
| | | Distinct fracture set at 20 to c/a - offsets | | | | | | | | | | 8076 | 109 | 111 | 0.19 | 0.07 |
| | | common. Grey quartz veins @ 10 to c/a offset | | | | | | | | | | 8077 | 111 | 113 | 0.04 | 0.04 |
| | | by 70 fractures. Silicified k-spar altered quartz | | | | | | | | | | 8078 | 113 | 115 | 0.11 | 0.12 |
| | | monzonite with pale pink bleached/silicified k- | | | | | | | | | | 8079 | 115 | 117 | 0.02 | <0.03 |
| | | spar megacrysts; scattered silicified tourmaline | | | | | | | | | | 8080 | 117 | 119 | 0.01 | <0.03 |
| | | crystals. Locally brecciated, low angle fractures | | | | | | | | | | 8081 | 119 | 121.1 | 0.26 | 0.13 |
| | | with grey quartz/cpy. Low calcite in silicified | | | | | | | | | | | | | | |
| | | zones. 113.15m coarse grained porphyritic | | | | | | | | | | | | | | |
| | | moderately k-spar altered quartz monzonite. | | | | | | | | | | | | | | |
| | | Locally brecciated cpy & grey quartz within | | | | | | | | | | | | | | |
| | | tourmaline. 114.75-117.96m large albite | | | | | | | | | | | | | | |
| | | phenocrysts. 117.96-1221.05m increasing k- | | | | | | | | | | | | | | |
| | | spar alteration and brecciation with fragments | | | | | | | | | | | | | | |
| | | supported in a grey black siliceous matrix. | | | | | | | | | | | | | | |
| | | Fragments <4cm. Cpy in black siliceous matrix. | | | | | | | | | | | | | | |
| | | Trace magnetite in grey quartz. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 121.05 | 162.45 | ANDESITIC AUGITE PORPHYRY DIKE. | | | | 3 | | 1 | | | | 8082 | 121.1 | 123 | 0.09 | <0.03 |
| | | 121.05m 10cm shear zone; contact at 30 to c/a. | | | | | | | | | | 8083 | 123 | 125 | 0.01 | <0.03 |
| | | Strong hematite/chorite/epidote alteration to | | | | | | | | | | 8084 | 136.3 | 138.3 | 0.01 | <0.03 |
| | | 122.80m Rock becoming fresher downhole. | | | | | | | | | | 8085 | 160.5 | 162.5 | 0.08 | <0.03 |
| | | Very competent core, widely spaced fractures | | | | | | | | | | | | | | |
| | | average 30-60 to c/a. Core fresh, unaltered. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 162.45 | 174.10 | AMYGDALOIDAL ANDESITIC BASALT. Fine- | | | | 1.5 | | 1 | | | | 8086 | 162.5 | 164.3 | 0.01 | <0.03 |
| | | grained aphanitic basalt, fresh largely unaltered, | | | | | | | | | | 8087 | 172.1 | 174.1 | 0.01 | <0.03 |
| | | widely spaced low angle calcite filled fractures. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 174.10 | 174.35 | SHEAR ZONE | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 174.35 | 179.90 | INTRUSIVE BRECCIA. S.T.A (117.96-121.05 | | tr | | 4 | 2 | | | | 2 | 8088 | 174.1 | 176.1 | 0.16 | 0.05 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Ch-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | m) but not siliceous. Smaller k-spar fragments. | | | | | | | | | | 8089 | 176.1 | 178.1 | 0.42 | 0.11 |
| | | Cpy with epidote and tourmaline in black matrix. | | | | | | | | | | 8090 | 178.1 | 179.9 | 0.91 | 0.21 |
| | | Core locally sheared, blocky to 179.90m. | | | | | | | | | | | | | | |
| | | Strongly magnetic (patches of magnetite breccia | | | | | | | | | | | | | | |
| | | with epidote/k-spar.).. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 179.90 | 186.70 | ANDESITIC TUFF. Grey to black fine-grained. | tr | 0.4 | | 4 | 2 | 1 | | | 1 | 8091 | 179.9 | 181.9 | 0.59 | 0.13 |
| | | Moderate propylitic, weak potassic alteration. | | | | | | | | | | 8092 | 181.9 | 183 | 0.35 | 0.08 |
| | | Cpy associated with epidote/orange k- | | | | | | | | | | 8093 | 183 | 185 | 0.46 | 0.11 |
| | | spar/magnetite. Brecciation weak silicification at | | | | | | | | | | 8094 | 185 | 186.7 | 0.12 | 0.03 |
| | | 186.20-186.70m - .5 to 1% cpy. | | | | | | | | | | 8095 | 186.7 | 188.7 | 0.21 | 0.04 |
| | | | | | | | | | | | | 8096 | 188.7 | 190.7 | 0.14 | <0.03 |
| 186.70 | 192.40 | BRECCIATED NON-PORPHYRITIC QUARTZ | | | | 2 | | | | | 2 | 8097 | 190.7 | 192.4 | 0.06 | <0.03 |
| | | MONZONITE. Potassic alteration, magnetite. | | | | | | | | | | 8098 | 192.4 | 194.4 | 0.38 | 0.07 |
| | | 188.28-192.40m K-spar altered fine-grained | | | | | | | | | | 8099 | 194.4 | 196.4 | 0.1 | <0.03 |
| | | biotite quartz monzonite. | | | | | | | | | | 8100 | 196.4 | 198.4 | 0.05 | <0.03 |
| | | | | | | | | | | | | 6751 | 198.4 | 200.5 | 0.05 | 0.12 |
| 192.40 | 196.40 | K-SPAR MAGNETITE SILICIFIED QUARTZ | | tr | | 2.5 | 2 | | | | 2 | 6752 | 200.5 | 202.3 | 0.17 | 0.07 |
| | | MONZONITE. Locally 2-3% cpy associated with | | | | | | | | | | 6753 | 202.3 | 204.3 | 0.16 | 0.07 |
| | | epidote and magnetite. | | | | | | | | | | 6754 | 204.3 | 206.7 | 0.23 | 0.1 |
| | | | | | | | | | | | | | | | | |
| 196.40 | 200.50 | BIOTITE QUARTZ MONZONITE. Pink variably | tr | tr | | 2 | 2 | | | | | 6755 | 206.7 | 208.7 | 0.05 | 0.04 |
| | | brecciated, locally silicified. Patches of cpy/py | | | | | | | | | | 6756 | 208.7 | 210.7 | 0.11 | 0.1 |
| | | associated with epidote/chorite/magnetite. | | | | | | | | | | 6757 | 210.7 | 212.7 | 0.1 | 0.03 |
| | | Moderated fracture density averaging 40 to the | | | | | | | | | | 6758 | 212.7 | 214.7 | 0.05 | <0.03 |
| | | c/a. | | | | | | | | | | 6759 | 214.7 | 216.7 | 0.09 | <0.03 |
| | | | | | | | | | | | | 6760 | 216.7 | 218.7 | 0.08 | 0.08 |
| 200.5 | 202.35 | BIOTITE MONZONITE BRECCIA. Clasts up to | | | | | | | | | | 6761 | 218.7 | 220.7 | 0.17 | 0.06 |
| | | 2cm wide. | | | | | | | | | | 6762 | 220.7 | 222.7 | 0.05 | 0.06 |
| | | | | | | | | | | | | 6763 | 222.7 | 224.7 | 0.03 | <0.03 |
| 202.35 | 206.70 | QUARTZ MONZONITE. Orange-pink fine- | | tr | | 2 | 2 | | | 2 | 1 | 6764 | 224.7 | 226.7 | 0.03 | <0.03 |
| | | grained. Locally moderately silicified, weak | | | | | | | | | | 6765 | 226.7 | 228.7 | 0.02 | 0.04 |
| | | potassic alteration. K-spar magnetite cut by | | | | | | | | | | 6766 | 228.7 | 230.7 | 0.02 | <0.03 |
| | | epidote stringers. Core increasingly blocky | | | | | | | | | | 6767 | 230.7 | 232.7 | 0.05 | <0.03 |
| | | downhole. Clays and calcite along fractures. | | | | | | | | | | 6768 | 232.7 | 234.7 | 0.07 | <0.03 |
| | | | | | | | | | | | | 6769 | 234.7 | 236.7 | 0.05 | <0.03 |
| 206.70 | 259.75 | ANDESITIC VOLCANICS. Dark grey to black | tr | 0.3 | | 4 | 2 | 1 | 3 | | 1 | 6770 | 236.7 | 238.7 | 0.03 | 0.05 |
| | | (similar to volcanics in DDH-04-23) Weak | | | | | | | | | | 6771 | 238.7 | 240.7 | 0.04 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Ch-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | propylitic/potassic alteration along widely spaced | | | | | | | | | | 6772 | 240.7 | 242.7 | 0.02 | <0.03 |
| | | fractures (50-60 to c/a). Competent core; no | | | | | | | | | | 6773 | 242.7 | 244.7 | 0.02 | <0.03 |
| | | silicification. Trace cpy associated with | | | | | | | | | | 6774 | 244.7 | 246.7 | 0.08 | 0.03 |
| | | magnetite and epidote/chlorite/k-spar. Sparse | | | | | | | | | | 6775 | 246.7 | 248.7 | 0.13 | 0.04 |
| | | secondary biotite (.5-1mm) at 221.50to 249.50m. | | | | | | | | | | 6776 | 248.7 | 250.7 | 0.45 | 0.36 |
| | | From 248.70 to 249.50m K-spar associated with | | | | | | | | | | 6777 | 250.7 | 252.7 | 0.07 | 0.05 |
| | | semi-massive cpy/epidote; trace py with | | | | | | | | | | 6778 | 252.7 | 254.7 | 0.02 | <0.03 |
| | | magnetite cpy up to 2-4%. Downhole k-spar and | | | | | | | | | | 6779 | 254.7 | 256.7 | 0.03 | <0.03 |
| | | mineralization decreasing, core becoming more | | | | | | | | | | 6780 | 256.7 | 258.7 | 0.02 | 0.03 |
| | | competent. Two low angle calcite fractures at 10 | | | | | | | | | | 6781 | 258.7 | 259.7 | 0.04 | 0.04 |
| | | to c/a @ 257.70 and 259.25m | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | E.O.H. @ 259.75M | | | | | | | | | | | | | | |

**PROPERTY: Ann North**

# GWR RESOURCES INC.

**DRILL HOLE NO.: 04 - 24**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| 304.8 | 39 | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 616070** | **Core Size: NQ** | **Started: 19 April 04** |
| **Northing (NAD 83): 5758890** | **Hole Azimuth: 230** | **Finished: 24 April 04** |
| **Grid Location: 2W, 5+50N** | **Hole Angle: -50** | **Logged by: B Callaghan** |
| **Elevation: 1240m** | **Total Depth: 349.61m** | **Analysis by: Eco Tech** |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0 | 15.24 | Casing | | | | | | | | | | 6895 | 21.00 | 23.00 | 0.04 | <0.03 |
| 15.24 | 122.17 | Micro Intrusive Diorite | | | | | | | | | | 6896 | 23.00 | 25.00 | 0.02 | <0.03 |
| | | medium dark grey, fine to medium grained equigranular with locally crowded texture in groundmass. With approximately 20% feldspars - albite, 20% clinopyroxenes as aggregates, 10% biotite, and 5% magnetite. Alteration weak propylitic along fractures and selvages with chl, ep cal. mafics to sericite. Also, albite , kspar, ep, cal, mag widely spaced fractures from 3mm-.5cm @ 20,40,70 degrees and subparallel to c.a. late cal av- 1mm 30-40 and 70-80 degrees to c.a. Mineralization: trace cpy, py as scattered disseminated blebs, trace specular hematite? Get alignment of feldspars at 45 degrees to c.a.. Core blocky with recoveries of 45% from 17.07 20.40m, 100% from 20.40-48.77m, 85% from 48.77-116.13m | | | | | | | | | | 6897 | 57.47 | 59.47 | 0.02 | <0.03 |
| | | 45.68 - 45.75m Shear, grey clay gouge. Upper c/t 80 degrees to c.a. | | | | | | | | | | 6898 | 81.00 | 83.00 | 0.02 | <0.03 |
| | | 48.62 - 48.93m shear grey, green chloritic clays. Wallrock - diorite. | | | | | | | | | | 6899 | 83.00 | 85.10 | 0.02 | <0.03 |
| | | 48.93 - 98.10m Mod Kspar alteration with local crowded trachytic groundmass downhole cut by widely spaced chl,cal, hem up to 3mmm @10, 30 degrees to c.a. Other fractures subparallel to c.a. slickensided with chl, sericite clays. | | | | | | | | | | 6900 | 85.10 | 87.10 | 0.01 | <0.03 |
| | | 98.10 - 102.72m more intense Kspar alteration cut by higher density of cal, chl, hem, locally brecciated fractures | | | | | | | | | | 6781 | 87.10 | 89.10 | 0.03 | <0.03 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 102.72 - 116.20m more kspar alteration along selvages. Fractures 1 to 3mm @ 30 to 45 degrees to c.a. with chl, ep, clays that cut more aphanitic black groundmass and increase towards fault.. | | | | | | | | | | 6782 | 98.10 | 100.10 | 0.05 | 0.05 |
| 120.8 | 122.17 | Fault | | | | | | | | | | 6783 | 100.10 | 102.10 | 0.02 | <0.03 |
| | | Grey, maroon slickensided clay gouge with chl, hem.. Wallrock Kspar altered diorite. Upper c/t 30 degrees to c.a. | | | | | | | | | | 6784 | 114.20 | 116.20 | 0.03 | <0.03 |
| 122.17 | 123.3 | Micro Diorite | | | | | | | | | | 6785 | 116.20 | 118.20 | 0.02 | <0.03 |
| | | As at 15.24m weak propylitic alteration with epidote as patches associated with trace py, cpy blebs. | tr | tr | | 3 | 2 | 1 | 3 | | 2 | 6786 | 118.20 | 119.20 | 0.02 | <0.03 |
| 123.3 | 125.3 | Micro Diorite Breccia | | | | | | | | | | 6787 | 119.20 | 120.80 | 0.01 | <0.03 |
| | | White pink orange, calcite flooded with argillic alteration that overprints kspar altered intrusives. Primary textures obliterated downhole cut by discontinuous hairline fractures with trace cpy blebs.At lower contact core more competent with albite, chl, cal fractures with semi massive py at 45 degrees to c.a.that cut black matrix. | | tr | | | | | | | | 6788 | 120.80 | 123.30 | 0.02 | <0.03 |
| 125.3 | 129.9 | Fault - Mico Diorite | | | | 2 | | 3 | | | | 6789 | 123.30 | 125.30 | 0.02 | <0.03 |
| | | Grey, maroon coloured with hematite grey clay gouge, surfaces slickensided. Wallrock magnetic with abundant calcite flooding. | | | | | | | | | | 6790 | 125.30 | 127.30 | 0.01 | <0.03 |
| 129.9 | 5 | Micro Diorite | | | | | 1 | 1 | | | 1 | 6791 | 127.30 | 129.30 | 0.01 | <0.03 |
| | | As at 15.24m Fresher, less kspar alteration, mostly as selvages away from the fault and downhole. Less propylitic alteration | | | | | | | | | | 6792 | 129.30 | 131.30 | 0.02 | <0.03 |
| | | 135.07 - 135.40m grey ,olive clay gouge. Upper c/t 40 degrees to c.a. Lowerc/t45 dgrees to c.a. | | | | | | | | | | 6793 | 131.30 | 133.30 | 0.01 | <0.03 |
| | | 135.40m Kspar envelopes with ep, cal, tr py, cpy crosscut other hairline fractures with kspar ,cal at 45 degrees to c.a. becoming fresher with less fracturing downhole to 141.70m. | | | | | | | | | | 6794 | 133.30 | 135.80 | 0.03 | <0.03 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Chl- | Cal | 2nd | 2nd | 2nd | | | | | |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 141.70 - 143.70m Wk-mod potassic alteration occrs along 3 zones up to 15-20 cms cut by 20 to 30 degrees to c.a. ep cal kspar envelopes with minor py, pyrr,cp becoming fresher downhole. | | | | | | | | | | 6795 | 141.70 | 143.20 | 0.04 | <0.03 |
| | | 147.55 - 151.36m Locally sheared at 20 degrees to c.a. with chl, clays, hem cut by widely spaced late cal veining, 10 to 20 degrees to c.a. up to 1 cm banded with rusty limonite. 1 veinlet extends 25cms up to 3 cms in width at 20 degrees to c.a. with cal, lim, olive to black clay gouge. Core recoveries100%. | | | | | | | | | | 6796 | 145.55 | 147.55 | 0.02 | <0.03 |
| | | 151.36 - 164.15m Weak-mod potassic alteration with increase in olive pale green ankeritic plagioclase laths and development of calcite stockwork with brecciated fragments of kspar altered diorite and clay gouge towards contact with dyke. calcite flooding 35 h/l to 2mm fractures/m at 30 degrees to c.a. | | | | | | | | | | 6797 | 149.55 | 151.65 | 0.02 | <0.03 |
| 166.15 | 169.8 | Hornblende, Plagioclase, porphyritic Dyke. | | | | | | | | | | 6798 | 151.65 | 153.65 | 0.02 | <0.03 |
| | | Bleached olive light tan aphanitic groundmass, weakly magnetic, feldspars to calcite. Lower c/t faulted @ 30 degrees to c.a. | | | | | | | | | | 6799 | 153.65 | 155.65 | 0.02 | <0.03 |
| 169.8 | 181.9 | Kspar Porphyritic Crowded Diorite/Syeniite? | | | | | | | | | | 6800 | 155.65 | 158.15 | 0.03 | <0.03 |
| | | variably orange,red to grey, fine- medium grained equigranular, weakly magnetic. Primary textures obliterated at upper c/t @30 degrees to c.a. with 8cms of grey clays. Kspar alteration weak to intense with increase in biotite, less downhole. Propylitic alteration intense along 10-15/m fractures at 20 to 30 and 70 degrees to c.a. with chl,cal,ep,hem. Locally cpy occurs as disseminated blebs in groundmass associated with ep and mag in matrix and as discontinuous stringers up to 1%. | | 1 | | 2 | 2 | 2 | 3 | | 3 | 8351 | 158.15 | 160.15 | 0.02 | <0.03 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 171.90 - 179.60m becoming less brecciated. Fragments replaced with Kspar, ep, mag, tourmaline that are cut by orange kspar envelopes along 7/m fractures @40 to 60 degrees to c.a.from 1-4mm. | | | | | | | | | | 8352 | 160.15 | 162.15 | 0.02 | <0.03 |
| | | 179.35 - 179.60m Shear at 20 degrees to c.a. with chl, cal, clays | | | | | | | | | | 8353 | 162.15 | 164.15 | 0.02 | 0.1 |
| 181.9 | 187.3 | Porphyritic Diorite /Gabbro? | 1 | tr | | 4 | 2 | 2 | 2 | | | 8354 | 164.15 | 166.15 | 0.02 | 0.04 |
| | | grey black, fine grained, equigranular , locally trachytic texture, strongly magnetic with wk-mod propylitic alteration. Mineralization: locally up to 1% py, tr cpy as blebs associated with epidote and as h/l fractures and veinlets @ 10 - 20 degrees to core with ep, mag, cal. tr cpy cut by minor late stage cal veining @30, 40 and subparallel to c.a. Recoveries 100% | | | | | | | | | | 8355 | 166.15 | 168.15 | 0.02 | <0.03 |
| 187.3 | 197.9 | Augite, Hornblende, Plagioclase Porphyry Dyke | tr | tr | | | 2 | 2 | 2 | | 1 | 8356 | 168.15 | 169.80 | 0.01 | 0.07 |
| | | Fresh with intermixed selvages of crowded porphyritic kspar altered diorite cut by dyking @ approx 30 degrees to c.a. Kspar alteration along fractures up to 2mm @ 40 degrees to c.a.associated with ep, 2nd biotite ,mag and tracesof cpy as scattered disseminations. Other fractures 8/m @ 20,30 degrees to c.a. to subparallel with chl, clays cal. cut by cal flooding increasing downhole to fault c/t. | | | | | | | | | | 8357 | 169.80 | 171.90 | 0.3 | 0.13 |
| 197.9 | 198.25 | Fault | | | | | | | | | | 8358 | 171.90 | 173.90 | 0.05 | 0.07 |
| | | Upper c/t 20 degrees to c.a. with pale green clays. Wallrock plagioclase porphyry dyke. | | | | | | | | | | 8359 | 173.90 | 175.90 | 0.16 | 0.05 |
| 198.25 | 203.3 | Kspar Porphyritic Crowded Diorite Breccia | | | | | | | | | | 8360 | 175.90 | 177.90 | 0.23 | 0.1 |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Fresh to weakly potassic altered with Kspar, ep, mag, biotite,ca, ser with trace cpy. Stockwork breccia with kspar,ep, quartz , cal biot, mag over 25 cms @45 degrees to c.a. at 201.30m becoming fresher more bleached . Fractures of chl, hem , clays , cal - 5/m @ 30 ,40 degrees to c.a. cut more crowded groundmass downhole. | | | | | | | | | | 8361 | 177.90 | 179.90 | 0.44 | 0.18 |
| 203.3 | 206.35 | Fault | | | | | | | | | | 8362 | 179.90 | 181.90 | 0.86 | 0.28 |
| | | grey, cream, pale pink green chl, cal, clay gouge. Wall rock possibly kspar altered diorite. Vuggy Cal, hem veinlets up to 1 cm 4/m @ 30 degrees to c.a. Lowerc/t 30 degrees to c.a. | | | | | | | | | | 8363 | 181.90 | 183.90 | 0.07 | <0.03 |
| 206.35 | 209.5 | Crowded, Kspar Qtz Hb, Plag, Mag Porphyry | | | | | | | | | | 8364 | 183.90 | 185.90 | 0.02 | <0.03 |
| | | Random scattered discontinuous 1mm cpy veinlets cut by late widely spaced cal hem fractures . | | | | | | | | | | 8365 | 185.90 | 187.90 | 0.01 | <0.03 |
| 209.5 | 213.14 | Magnetite Basalt Dyke. | | | | | | | | | | 8366 | 187.90 | 189.90 | 0.03 | <0.03 |
| | | Very fine grained ,light sandy olive coloured, amygdaloidal - amygdules- with minor calcite veinlets up to 3mm at 20, 45 degrees to c.a.. Upper and lower c/ts @ 60 degrees to c.a. calcite | | | | | | | | | | 8367 | 189.90 | 191.90 | 0.07 | 0.03 |
| 213.14 | 213.72 | Crowded, Kspar Qtz Hb, Plag, Mag Porphyry | | | | | | | | | | 8368 | 191.90 | 193.90 | 0.27 | 0.08 |
| | | same as at 206.35m | | | | | | | | | | 869 | 193.90 | 195.90 | 0.11 | 0.05 |
| 213.72 | 223.83 | Augite, Plagioclase Biotite Porphyry Dyke | | | | | | | | | | 8370 | 195.90 | 197.90 | 0.03 | 0.1 |
| | | Grey to olive light brown, magnetic, groundmass aphanitic with plag phenos up to 4mm. Core recoveries 100%. | | | | | | | | | | 8371 | 197.90 | 199.90 | 0.06 | 0.06 |
| 223.83 | 245.2 | Augite, Hornblende, Plagioclase Porphyry Dyke? | | | | | | | | | | 8372 | 199.90 | 201.90 | 0.15 | 0.34 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Chl- | Cal | 2nd | 2nd | 2nd | | | | | |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | light to dark grey with 5 % tabular clinopyroxene phenos altered to magnetite ep, 25-35% bladed plag, subhedral white, with 20% feldspar. In black locally crowded groundmass. At 233.30m 1 by .5cm mag, cal, kspar, py veinlet @ 45 degrees to c.a. cuts kspar envelope with locally crowded texture. | | | | | | | | | | 8373 | 201.90 | 203.30 | 0.04 | 0.03 |
| 245.2 | 247.27 | Amygdaloidal Basalt Dyke | | | | | | | | | | 8374 | 203.30 | 204.80 | 0.01 | 0.03 |
| | | Fine grained ,aphanitic, fresh, upper c/t 60, lower c/t 40 degrees to c.a. | | | | | | | | | | 8375 | 204.80 | 206.00 | 0.01 | <0.03 |
| 247.27 | 349.6 | Fresh Crowded Porphyritic Micro Monzo-Diorite? | tr | tr | | 2 | 1 | 1 | 2 | | 1 | 8376 | 206.00 | 208.00 | 0.03 | 0.14 |
| | | medium grained, magnetic. Locally crowded texture.core recoveries 100%. | | | | | | | | | | 8377 | 208.00 | 209.50 | 0.02 | <0.03 |
| | | 249.02 - 249.27m Shear- grey clay gouge. Lower c/t 80 degrees to c.a. | | | | | | | | | | 8378 | 228.47 | 230.47 | 0.11 | 0.02 |
| | | 255.27 - 257.27m Carbonate stockwork with up to 3mm veiinlets locally anastomozing , subparallel and up to 70 degrees to c.a. Core blocky - 100% recovery | | | | | | | | | | 8379 | 230.47 | 232.47 | 0.03 | 0.04 |
| | | 257.27 - 301.50m Weak propylitic alteration witih kspar ,ep cal infill along minor fracturing. | | | | | | | | | | 8380 | 232.47 | 234.47 | 0.01 | <0.03 |
| | | 301.50 - 304.50m Locally bleached with wk Kspar plus propylitic alteration cut by kspar, ep , mag, cal py widely spaced veinlets, up to 1cm at 40 degrees to c.a. cut by later 60 degrees to c.a., 2mm magnetite, chl veinlets. | | | | | | | | | | 8381 | 247.27 | 249.27 | 0.02 | <0.03 |
| | | 308.20 - 310.20m Weak kspar alteration along 10/m 40,50 to subparallel to c.a. | | | | | | | | | | 8382 | 249.27 | 251.27 | 0.02 | <0.03 |
| | | 317.00 - 319.00m Widely spaced kspar, ep, cal, mag with disseminated cpy along fractures @ 40 dgrees to the c.a. | | tr | | 2 | 2 | 2 | 2 | | 2 | 8383 | 255.27 | 257.27 | 0.02 | <0.03 |
| 349.6 | E.O.H. | | | | | | | | | | | 8384 | 301.50 | 303.50 | 0.06 | 0.06 |
| | | | | | | | | | | | | 8385 | 303.50 | 305.50 | 0.04 | <0.03 |
| | | | | | | | | | | | | 8386 | 308.20 | 310.20 | 0.03 | <0.03 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | | | | | | | | | | | 8387 | 317.00 | 319.00 | 0.03 | <0.03 |
| | | | | | | | | | | | | 8388 | 346.00 | 348.00 | 0.05 | <0.03 |

**PROPERTY: Ann North**

# GWR RESOURCES INC.

**DRILL HOLE NO.: 04-25**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| 152.4 | 40 | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 616105** | **Core Size: NQ** | **Started: 25 April 04** |
| **Northing (NAD 83): 5758752** | **Hole Azimuth: 230** | **Finished: 28 April 04** |
| **Grid Location:** | **Hole Angle: -50** | **Logged by: B Callaghan** |
| **Elevation: 1270m** | **Total Depth: 206.04m** | **Analysis by: Eco Tech** |

**Alteration Scale: 1 - 5**

| Depth (m) From | Depth (m) To | Description | % Py | % Cpy | % Mo | % Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Sample Number | Interval (m) From | Interval (m) To | Cu % | Au g/t |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 | 15.85 | Casing | | | | | | | | | | 8389 | 27.92 | 29.92 | 0.02 | <0.03 |
| 15.85 | 57.75 | Monzo - Diorite, Diorite | | | | | | | | | | 8390 | 29.92 | 31.92 | 0.02 | <0.03 |
| | | Fine to medium grained , grey , green to orange due to patchy locally pervasive potassic/propylitic alteration-fracture controlled with chl, ep, cal, ser, potassic kspar ,biotite, mag. Locally bleached with crowded texture. Fracturing widely spaced av- 6/m, 2mm-1cm with orange kspar, albite, mag, biotite @30 ,45 degrees to c.a. with tr py. | | | | | | | | | | 8391 | 31.92 | 33.92 | 0.02 | <0.03 |
| | | 27.92 - 29.92m more pervasive potassic alteration with trace fine grained py associated with magnetite. Get red brown, hem alteration along 9/m fractures @ 60 degrees to c.a. Foliation of granitic textured intrusives 60 degrees to c.a. Recoveries from 15.85 - 18.59m 5% - core ground @18.59m. 18.59 - 21.64m 10%, 21.64 - 25.30m 100%. Recoveries down hole 100% | | | | | | | | | | 8392 | 46.85 | 48.85 | 0.02 | <0.03 |
| | | 40.70m 1 by 2mm-1cm chl ep fracture at 10 degrees to c.a. Late cal cuts orange kspar 1-3mm envelopes @ 30 degrees to c.a. | | | | | | | | | | 8393 | 57.75 | 59.75 | 0.01 | <0.03 |
| | | 46.85 - 48.47m blocky more intense potassic alteration. Local shearing @ 30 degrees to c.a.with local shearing @ 30 and 40 degrees to c.a. up to 3cms with clay gouge. | | | | | | | | | | 8394 | 59.75 | 61.75 | 0.01 | <0.03 |
| 57.75 | 59.75m | Syenite Dyke | | | | 1 | | 1 | | | 3 | 8395 | 68.46 | 70.46 | 0.02 | 0.05 |
| | | Pink orange, finer grained, intense potassic alteration, weakly magnetic, cut by 12/m lim, cal along fractures @50 degrees to the c.a. Upper c/t 20,and lowerc/t 30 degrees to c.a | | | | | | | | | | 8396 | 70.46 | 72.46 | 0.04 | <0.03 |
| 59.75 | 85.69 | Monzo - Diorite, Diorite | | | | | | | | | | 8397 | 72.46 | 74.46 | 0.02 | <0.03 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | As above, 68.46 - 76.46m patchy potassic/propylitic alteration, locally brecciated witih 15% scattered patches of tourmaline, mafics altered to chl, ep, cal. Potassic alteration more pervasive downhole cut by fspar, ep, mag, trace py, pyrr anastomozing veinlets up to 1 cm. | | | | | | | | | | 8398 | 74.46 | 76.46 | 0.06 | 0.15 |
| | | 74.46 - 85.69m | tr | tr | | | 1 | | | | 2 | 8399 | 76.46 | 78.46 | 0.01 | <0.03 |
| | | Orange, pink, mod potassic alteration with alteration of mafics to chl,ep,ser, mag, becominf fresher with less kspar alteration along fractures. Mineralization: trace interstial cpy blebs and discontinuous stringers @ 30 degrees to c.a. | | | | | | | | | | 8400 | 78.46 | 80.46 | 0.01 | <0.03 |
| 85.69 | 86.40 | Fault Breccia | | | | | | | | | | 3001 | 80.46 | 82.46 | 0.02 | 0.04 |
| | | Grey to yellow pale green clay gouge. Upper c/t50, lower c/t 70 degrees to c.a. Core recoveries 100% | | | | | | | | | | 3002 | 128.60 | 130.60 | 0.01 | 0.15 |
| 86.40 | 154.53 | Monzo - Diorite, Diorite | tr | | | 2 | 1 | | 2 | | 1 | 3003 | 130.60 | 132.60 | <0.01 | <0.03 |
| | | Fresher with weak potassic/propylitic alteration locally patchy, pervasive variably bleached fractures, locally 12-15/m @ 60 degrees to the c.a. with tr disseminated cpy associated with orange kspar, ep, cal, biotite, mag, ser, up to 0.5cm downhole closer to fault.. | | | | | | | | | | 3004 | 132.60 | 134.60 | <0.01 | <0.03 |
| 154.53 | 154.73 | Fault | | | | | | | | | | 3005 | 144.70 | 146.70 | <0.01 | <0.03 |
| | | Light, olive, brown clay gouge. Lower c/t 50 degrees to c.a. | | | | | | | | | | 3006 | 154.15 | 156.15 | 0.01 | <0.03 |
| 154.73 | 158.50 | Monzo - Diorite, Diorite | | | | | | | | | | 3007 | 156.15 | 158.15 | <0.01 | <0.03 |
| | | As at 86.40m. Core blockey, recoveries 100% to bottom of hole. | | | | | | | | | | 3008 | 189.62 | 191.62 | 0.02 | <0.03 |
| 206.40 | EOH | | | | | | | | | | | 3009 | 200.60 | 202.60 | 0.02 | <0.03 |

# GWR RESOURCES INC.

**PROPERTY: Ann North**

**DRILL HOLE NO.: 04-26**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| 182.88 | 51.5 | |
| 304.8 | 41 | |

| | | |
|---|---|---|
| **Easting (NAD 83): 616173** | **Core Size: NQ** | **Started: 29 April 04** |
| **Northing (NAD 83): 5759319** | **Hole Azimuth: 180** | **Finished: 3 May 04** |
| **Grid Location:20+25N,19+70E** | **Hole Angle: -65** | **Logged by: B Callaghan** |
| **Elevation: 1152m** | **Total Depth: 309.68m** | **Analysis by: Eco Tech** |

**Alteration Scale: 1 - 5**

| Depth (m) From | Depth (m) To | Description | % Py | % Cpy | % Mo | % Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Sample Number | Interval (m) From | Interval (m) To | Cu % | Au g/t |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Casing | | | | | | | | | | | | | | |
| 12.50 | 48.08 | Kspar Quartz Monzonite (low Quartz) Breccia | | tr | | | | | 1 | 2 | 3 | 14101 | 12.50 | 14.50 | 0.03 | 0.05 |
| | | Orange pink, fine grained hydrothermal breccia (Insitu | | | | | | | | | | 14102 | 14.50 | 16.50 | 0.02 | 0.07 |
| | | auto brecciated) with 5 to 10% quartz. Mod to intense | | | | | | | | | | 14103 | 16.50 | 18.50 | 0.02 | 0.03 |
| | | Kspar alteration with local bleaching of fragments with | | | | | | | | | | | | | | |
| | | quartz,ser,lim supported in grey, black quartz K spar | | | | | | | | | | | | | | |
| | | matrix cut by Kspar limonite fractures, 10-12/m @ 20- | | | | | | | | | | | | | | |
| | | 50 degrees to c.a. Minor disseminated specular | | | | | | | | | | | | | | |
| | | hematite. | | | | | | | | | | | | | | |
| | | 17.07 - 22.87m More blockey, more brecciation. Core | | | | | | | | | | 14104 | 18.50 | 20.50 | 0.02 | 0.05 |
| | | ground at 21.10m - 90% recovery. Widely spaced lim | | | | | | | | | | 14105 | 20.50 | 22.50 | 0.02 | 0.05 |
| | | grey quartz clays fractures at 20, 60 degrees to c.a. | | | | | | | | | | | | | | |
| | | 22.87 - 25.70m Stronger brecciation with subangular | | | | | | | | | | 14106 | 22.50 | 24.50 | 0.02 | 0.06 |
| | | lim, ser, clay altered fragments up to 0.5 cms supported | | | | | | | | | | 14107 | 24.50 | 26.50 | 0.01 | 0.06 |
| | | in grey quartz, kspar, clay matrix | | | | | | | | | | | | | | |
| | | 25.70 - 27.25m strong hematite oxidation. Locally | | | | | | | | | | | | | | |
| | | bleached with grey white clays at c/t. | | | | | | | | | | | | | | |
| 27.25 | 27.58 | Kspar Quartz Monzonite (low Quartz) | | | | | | | | | | 14108 | 26.50 | 28.50 | 0.11 | 0.03 |
| | | Olive, grey green, fine grained trachytic groundmass | | | | | | | | | | | | | | |
| | | highly altered to clay gouge. Upper c/t 20, lower c/t 40 | | | | | | | | | | | | | | |
| | | degrees to c.a. | | | | | | | | | | | | | | |
| 27.58 | 35.10 | Kspar Quartz Monzonite (low Quartz) | | 0.5 | | | | | | 2 | 3 | 14109 | 28.50 | 30.50 | 0.10 | 0.03 |
| | | Intense (Geothite) hematite oxidation with bleached 0.5 | | | | | | | | | | 14110 | 30.50 | 32.50 | 0.02 | 0.08 |
| | | to 1cm fragments supported in grey quartz matrix. Up | | | | | | | | | | 14111 | 32.50 | 34.10 | 0.19 | 0.15 |
| | | to 0.5% specular hematite. Frcture density increases | | | | | | | | | | 14112 | 34.10 | 35.10 | 0.14 | 0.1 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | with depth, 15/m at 40-50-70 degrees to c.a. with 1 by | | | | | | | | | | | | | | |
| | | 2mm at 70 dgrees to c.a. at 34.70m mainly hematite | | | | | | | | | | | | | | |
| | | and geothite with chalcocite? | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 35.10 | 48.08 | Kspar Quartz Monzonite Breccia | | 1 | | | | 1 | | 3 | 2 | 14113 | 35.10 | 37.10 | 0.39 | 0.14 |
| | | Pale pink, orange, bleached with 70% detextured | | | | | | | | | | 14114 | 37.10 | 39.10 | 0.37 | 0.18 |
| | | subangular, subrounded fragments from 2mm - 4cms, | | | | | | | | | | | | | | |
| | | locally up to 10cms locally altered to chl, ser, clays | | | | | | | | | | | | | | |
| | | supported in grey black kspar hematite matrix. | | | | | | | | | | | | | | |
| | | Chalcocite rims cpy as blebs and interstially in | | | | | | | | | | | | | | |
| | | groundmss as semi massive blebs up to 1%. Fractures | | | | | | | | | | | | | | |
| | | 10/m @ 30-50 degrees to c.a. | | | | | | | | | | | | | | |
| | | 40.00 - 48.08m less matrix supported, cemented with | | 1 | | | | | | 3 | 2 | 14115 | 39.10 | 41.10 | 0.25 | 0.09 |
| | | grey, black, tourmaline? More intense oxidation with | | | | | | | | | | 14116 | 41.10 | 43.10 | 0.10 | 0.08 |
| | | fracture surfaces coated with hem, lim, 5/m at 50 | | | | | | | | | | 14117 | 43.10 | 45.10 | 0.19 | 0.06 |
| | | degrees to c.a. Foliation of breccia 20 degrees to c.a. | | | | | | | | | | 14118 | 45.10 | 47.10 | 0.01 | 0.03 |
| | | | | | | | | | | | | 14119 | 47.10 | 48.70 | 0.04 | 0.17 |
| | | | | | | | | | | | | | | | | |
| 48.08 | 48.26 | Fault | | | | | | | | | | | | | | |
| | | Upper c/t 60 degrees to c.a. Grey, clay gouge. Wallrock | | | | | | | | | | | | | | |
| | | possibly feldspar porphyry. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 48.26 | 50.70 | Kspar Monzonite Breccia | | | | | | | | | | 14120 | 48.70 | 50.70 | 0.05 | 0.08 |
| | | More clast supported in black, tourmaline Kspar, hem | | | | | | | | | | | | | | |
| | | matrix. Fragments detextured, bleached , subrounded - | | | | | | | | | | | | | | |
| | | subangular av-2mm up to 0.5 cm. Fractures mostly hem | | | | | | | | | | | | | | |
| | | 20-60 degrees to c.a. Up to 1% specular hematite. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 50.70 | 51.48 | Porphyritic Feldspar Andesitic Dyke (Faulted) | | | | | | | | | | 14121 | 50.70 | 51.48 | 0.01 | 0.00 |
| | | Grey ( montmorilanite) swelling clays. Lower c/t 60 | | | | | | | | | | | | | | |
| | | degrees to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| 51.48 | 52.85 | Kspar Monzonite Breccia | | | | | | | | | | 14122 | 51.48 | 52.85 | 0.03 | 0.07 |
| | | As at 48.26m. Heavily oxidized (geothite) with specular hematite. | | | | | | | | | | | | | | |
| 52.85 | 54.10 | Plagioclase Porphyritic Andesitic Dyke. | | | | | | | | | | 14123 | 52.85 | 54.10 | 0.02 | 0.29 |
| | | Grey, olive pale green with up to 35% plag phencrysts up to 0.5 cm. Groundmass locally trachytic in texture. Alteration Ep, Cal, Ser. | | | | | | | | | | 14124 | 54.10 | 56.10 | 0.02 | 0.07 |
| 54.10 | 65.45 | Kspar Monzonite Breccia | | 0.1 | | | | | | | 2 | 14125 | 56.10 | 58.10 | 0.02 | 0.05 |
| | | Intense (Geothite) hematite oxidation becoming less breccited downhole. Highly fractured with surfaces coated with hem, cal, clays up to 1-2mm @20-40-50 to c.a. 1 by 3mm hem veinlet at 50 degrees to c.a. | | | | | | | | | | 14126 | 58.10 | 60.10 | 0.01 | 0.03 |
| | | | | | | | | | | | | 14127 | 60.10 | 62.10 | 0.01 | 0.04 |
| | | | | | | | | | | | | 14128 | 62.10 | 64.10 | 0.02 | 0.05 |
| | | | | | | | | | | | | 14129 | 64.10 | 65.45 | 0.11 | 0.08 |
| 65.45 | 66.85 | Augite ,Plagioclase, Porphyritic Andesitic Dyke | | | | | | | | | | 14130 | 65.45 | 66.85 | 0.02 | 0.06 |
| | | Grey, green olive, bleached with 35% plag phenocrysts altered to cal, locally trachytic. Augite to cal, ep cut by calcite veinlets up to 3mm. Lower c/t 30 degrees to c.a. Grey sooty clays along c/t. | | | | | | | | | | | | | | |
| 66.85 | 107.25 | Kspar Quartz Monzonite | | 0.5 | | | 1 | 1 | 2 | 1 | 2 | 14131 | 66.85 | 68.85 | 0.05 | 0.14 |
| | | Salmon pink to grey sandy, fine grained. No oxidation below dyke. Core blocky becoming highly fractured with quartz, cal, ep, clays, hem. Upper c/t 40 degrees to c.a. No brecciation, cpy associated with scattered tourmaline as disseminated blebs. 1 by 5cms @ 70 degrees to c.a. consisting of mostly crushed grey sooty material. Core Recoveries 100%. | | | | | | | | | | 14132 | 68.85 | 70.35 | 0.05 | 0.08 |
| | | 70.35 - 78.35m Bleached zones cut by 1-2mm grey quartz, cal, cpy, hem veinlets, 8/m @40 degrees to c.a. Trace bornite or specular hematite? At 78.90m - 1by 5cms bladed quartz, cal, clays ,ser cal, hem in more bleached, intense argillic altered monzonite. | | 5 | | | | | | | | 14133 | 70.35 | 72.35 | 0.08 | 0.17 |
| | | | | | | | | | | | | 14134 | 72.35 | 74.35 | 0.04 | 0.14 |
| | | | | | | | | | | | | 14135 | 74.35 | 76.35 | 0.12 | 1.11 |
| | | | | | | | | | | | | 14136 | 76.35 | 78.35 | 0.29 | 1.04 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | | | | | | | | | | | | | | | |
| | | 81.20 - 88.25m more orange pink bleached, core softer | tr | tr | | | | 1 | 2 | | 2 | 14137 | 78.35 | 80.35 | 0.04 | 0.05 |
| | | with locally trachytic crowded groundmass cut by | | | | | | | | | | 14138 | 80.35 | 82.35 | 0.09 | 0.17 |
| | | Kspar envelopes with increased biotite, 15/m, av- 3mm | | | | | | | | | | 14139 | 82.35 | 84.35 | 0.17 | 0.63 |
| | | @70 degrees to c.a. with cal, grey quartz tr cpy, | | | | | | | | | | 14140 | 84.35 | 86.25 | 0.11 | 0.16 |
| | | bornite? hem centres. | | | | | | | | | | 14141 | 86.25 | 87.25 | 0.03 | 0.09 |
| | | | | | | | | | | | | 14142 | 87.25 | 88.25 | 0.09 | 0.55 |
| | | 88.25 - 89.25m consists of 30 cms of crushed grey | | | | | | | | | | 14143 | 88.25 | 89.25 | 0.28 | 0.78 |
| | | sooty sulphides, possibly chalcocite @ 50 to 10 degrees | | | | | | | | | | | | | | |
| | | to c.a. | | | | | | | | | | | | | | |
| | | 89.25 - 95.25m More silicious, core harder darker | | 0.5 | | | 1 | 1 | | 2 | 2 | 14144 | 89.25 | 91.25 | 0.14 | 0.26 |
| | | orange pink. Fracture density as above. At 92.20m over | | | | | | | | | | 14145 | 91.25 | 93.25 | 0.17 | 0.45 |
| | | 15 cms @30 degrees to c.a. get quartz, cal, chl, with | | | | | | | | | | 14146 | 93.25 | 95.25 | 0.34 | 1.26 |
| | | semi massive blebs of cpy, bornite? and crushed grey | | | | | | | | | | 14147 | 95.25 | 97.25 | 0.28 | 0.55 |
| | | sooty clayey,material possibly chalcocite. From 95.25 - | | | | | | | | | | 14148 | 97.25 | 99.25 | 0.48 | 1.16 |
| | | 97.25m get approximately 25/m hairline 1mm veinlets | | | | | | | | | | | | | | |
| | | @ 80 degrees to c.a. with cpy, bornite, chalcocite? | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 99.67 - 102.72m 4/20cms, 1-3mm @20 degrees to c.a. | | | | | | | | | | 14149 | 99.25 | 101.25 | 0.18 | 0.32 |
| | | with grey quartz, cal,ser, tr py, cpy, bornite? Also same | | | | | | | | | | 14150 | 101.25 | 103.25 | 0.10 | 0.10 |
| | | fracture fillings as discontinous stringers with no | | | | | | | | | | 14151 | 103.25 | 105.25 | 0.09 | 0.11 |
| | | preferred orientation. | | | | | | | | | | 14152 | 105.25 | 107.25 | 0.04 | 0.06 |
| | | | | | | | | | | | | | | | | |
| | | 102.72 - 107.25m 1 by 2cms, grey quartz, cal, ser, | tr | 0.5 | | | 1 | | | | 1 | | | | | |
| | | albite with very fine grained py @ 20 degrees to c.a. | | | | | | | | | | | | | | |
| | | with increase in late stage calcite veining. Kspar | | | | | | | | | | | | | | |
| | | alteration as envelopes along fractures. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 107.25 | 121.00 | Kspar, Porphyritic Quartz Monzonite | | | | | | | | | | 14153 | 107.25 | 109.25 | 0.57 | 0.54 |
| | | Pink, orange, cream, medium to coarse grained. Core | tr | 1 | | | | | | 1 | 2 | 14154 | 109.25 | 111.25 | 0.31 | 0.36 |
| | | hard, silicious, locally bleached, competent - recoveries | | | | | | | | | | 14155 | 111.25 | 113.25 | 0.13 | 0.19 |
| | | 100%. Up to 20% megacrysts av- 0.5 cm supported in | | | | | | | | | | 14156 | 113.25 | 115.25 | 0.1 | 0.39 |
| | | crowded locally trachytic groundmass. Fracture density- | | | | | | | | | | 14157 | 115.25 | 117.25 | 0.11 | 0.12 |
| | | 8/m @ 30 degrees to c.a.with one massive cpy veinlet | | | | | | | | | | 14158 | 117.25 | 119.25 | 0.14 | 0..01 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | at 10 degrees to c.a. up to 0.5 cm in width. Py, cpy also | | | | | | | | | | 14159 | 119.25 | 121.00 | 0.02 | 0.06 |
| | | ocurs as widely spaced discontinuous fractures - Av - | | | | | | | | | | | | | | |
| | | 1mm @ 40-50 degrees to c.a. with grey quartz, cal and | | | | | | | | | | | | | | |
| | | as disseminated scattered blebs. At 118.70m get | | | | | | | | | | | | | | |
| | | possibly chalcocite long fracture surfaces with py, cpy | | | | | | | | | | | | | | |
| | | at 40 degrees to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 121.00m - 126.00m Less silicious, more bleached | | | | | | | | | | 14160 | 121.00 | 123.00 | 0.03 | <0.03 |
| | | increase in quartz veinlets @40-50-60 degrees to c.a. | | | | | | | | | | 14161 | 123.00 | 125.00 | <0.01 | 0.12 |
| | | Cpy associated with scattered tourmaline patches. | | | | | | | | | | 14162 | 125.00 | 126.00 | <0.01 | <0.03 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 126.00 - 138.96m More silicious, variably porphyritic, | tr | tr | | | | 1 | 2 | 2 | 3 | 14163 | 126.00 | 128.00 | 0.03 | <0.03 |
| | | groundmass crowded,trachytic texture | | | | | | | | | | 14164 | 128.00 | 130.00 | 0.02 | <0.03 |
| | | | | | | | | | | | | 14165 | 130.00 | 132.00 | 0.01 | 0.07 |
| | | 138.96 - 146.36m More coarse grained , white pink, | | | | | | | | | | 14166 | 132.00 | 134.00 | 0.01 | <0.03 |
| | | less Kspar alteration, more albitic phase with | | | | | | | | | | 14167 | 134.00 | 136.00 | 0.01 | <0.03 |
| | | tourmaline associated with py,cpy. Quartz locally | | | | | | | | | | 14168 | 136.00 | 138.00 | <0.01 | <0.03 |
| | | rimmed with hem, traces of bornite?.Kspar alteration | | | | | | | | | | 14169 | 138.00 | 139.00 | 0.03 | 0.03 |
| | | more patchy downhole. Less fractured, core recovery | | | | | | | | | | 14170 | 139.00 | 141.00 | 0.22 | 0.06 |
| | | 100%. | | | | | | | | | | 14171 | 141.00 | 143.00 | 0.21 | 0.21 |
| | | | | | | | | | | | | 14172 | 143.00 | 145.00 | 0.06 | 0.03 |
| | | 146.36 - 151.00m More competent harder, less quartz | | | | | | | | | | 14173 | 145.00 | 147.00 | 0.03 | <0.03 |
| | | ,more syenitic in composition with up to 40-50% kspar | | | | | | | | | | 14174 | 147.00 | 149.00 | 0.02 | 0.03 |
| | | , 15% mafics to cal, 5-10% grey smokey quartz. | | | | | | | | | | 14175 | 149.00 | 151.00 | 0.01 | <0.03 |
| | | Fractures 20 degrees to c.a. with grey black quartz, | | | | | | | | | | | | | | |
| | | kspar altered fragments with minor disseminated cpy. | | | | | | | | | | | | | | |
| | | Recoveries 100%. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 151.00 -153.00m More albitic, softer, variably bleached | tr | tr | tr | | 1 | 1 | 1 | 1 | 2 | 14176 | 151.00 | 153.00 | 0.03 | 0.05 |
| | | with larger megacrysts up to 1 cm. Cut by 12 cms wide | | | | | | | | | | 14177 | 153.00 | 155.00 | 0.01 | 0.03 |
| | | @ 30 degrees to c.a. purple, green quartz, cal with py, | | | | | | | | | | 14178 | 155.00 | 157.00 | 0.04 | 0.03 |
| | | cpy as disseminated blebs with traces of molybdenum | | | | | | | | | | 14179 | 157.00 | 159.00 | <0.01 | <0.03 |
| | | along fracture surfaces. Albitic purple green quartz | | | | | | | | | | 14180 | 159.00 | 161.00 | 0.07 | 0.08 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | zones cut by vuggy cream bladed quartz, carb veining | | | | | | | | | | | | | | |
| | | up to 0.5 cms @ 40 degrees to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 156.00 - 161.00m Weak to intense patchy Kspar | | tr | | | | | | | | | | | | |
| | | alteration in locally albitic rich zones.Very fine grained | | | | | | | | | | | | | | |
| | | cpy associated with black tourmaline. Traces of | | | | | | | | | | | | | | |
| | | specular hematite. Scattered veinlets of qtz, hem, lim, | | | | | | | | | | | | | | |
| | | chl and clays at 70 degrees to the c.a | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 164.02 | 164.48 | Fault Breccia | | | | | | | | | | | | | | |
| | | Grey Quartz fragments up to 3cms set in argillic | | | | | | | | | | | | | | |
| | | altered white, limonitic, clay matrix. Upper c/t 40, | | | | | | | | | | | | | | |
| | | Lower c/t 50 degrees to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 164.48 | 167.97 | Kspar Porphyritic, Quartz Monzonite | | | | | | | | | | 14183 | 165.00 | 167.00 | 0.02 | 0.05 |
| | | As at 107.25 m | | | | | | | | | | 14184 | 167.00 | 169.00 | 0.13 | 0.33 |
| | | | | | | | | | | | | | | | | |
| 167.97 | 168.43 | Fault | | | | | | | | | | | | | | |
| | | Pale green, cream coloured, highly altered bleached | | | | | | | | | | | | | | |
| | | clay gouge. Upper c/t 40 degrees to c.a. Locally | | | | | | | | | | | | | | |
| | | brecciated, | | | | | | | | | | | | | | |
| 168.43 | 252.90 | Kspar Porphyritic, Quartz Monzonite | tr | tr | | | 2 | 1 | | 2 | 2 | | | | | |
| | | 168.43 - 172.52m core hard ,silicious becoming blocky | | | | | | | | | | 14185 | 169.00 | 171.00 | 0.31 | 0.29 |
| | | downhole. Dominant fractures 30-50 degrees to c.a. | | | | | | | | | | 14186 | 171.00 | 173.00 | 0.08 | 0.05 |
| | | mostly pale green clays, chl, cal | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 172.52 - 189.74m larger megacrysts up to 0.5 cm with | tr | tr | | | 2 | | 1 | 2 | 2 | 14187 | 173.00 | 175.00 | 0.09 | 0.04 |
| | | Kspar alteration as selvages, envelopes more intense | | | | | | | | | | 14188 | 175.00 | 177.00 | 0.07 | 0.03 |
| | | downhole cut by grey quartz chl veinlets up to 3mm, | | | | | | | | | | 14189 | 177.00 | 179.00 | 0.05 | <0.03 |
| | | widely spaced @50 degrees to c.a. wiith tr py, cpy | | | | | | | | | | 14190 | 179.00 | 181.00 | 0.06 | 0.04 |
| | | blebs, fillings becoming brecciated with black | | | | | | | | | | 14191 | 181.00 | 183.00 | 0.10 | 0.03 |
| | | tourmaline with possibly trace chalcocite. . Cpy | | | | | | | | | | 14192 | 183.00 | 185.00 | 0.06 | <0.03 |
| | | associated with tourmaline patches.At 187.85m get 12 | | | | | | | | | | 14193 | 185.00 | 187.00 | 0.03 | <0.03 |
| | | cms of grey purple, green quuartz, carbonate cut by cal | | | | | | | | | | 14194 | 187.00 | 189.00 | 0.06 | <0.03 |
| | | stockwork. Recoveries 100% to 204.40m Core more | | | | | | | | | | 14195 | 189.00 | 191.00 | 0.15 | 0.04 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | competent downhole less blocky.. | | | | | | | | | | 14196 | 191.00 | 193.00 | 0.04 | 0.03 |
| | | | | | | | | | | | | 14197 | 193.00 | 195.00 | 0.03 | <0.03 |
| | | | | | | | | | | | | 14198 | 195.00 | 197.00 | 0.02 | 0.03 |
| | | 197.21m 1 by 5cms @70 degrees to c.a. vuggy grey | | | | | | | | | | 14199 | 197.00 | 199.00 | 0.06 | 0.23 |
| | | quartz, carbonate bladed with py,pyrr, cpy- 0.5% . | | | | | | | | | | 14200 | 199.00 | 201.00 | 0.11 | 0.06 |
| | | | | | | | | | | | | 14201 | 201.00 | 203.00 | 0.05 | 0.04 |
| | | | | | | | | | | | | 14202 | 203.00 | 205.00 | 0.09 | 0.11 |
| | | 204.40 - 205.33m Bleached, softer with locally patchy | | | | | | | | | | | | | | |
| | | kspar alteration. Locally crowded trachytic texture in | | | | | | | | | | | | | | |
| | | groundmass. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 205.33 - 205.90m Quartz, carbonate Kspar breccia with | | | | | | | | | | 14203 | 205.00 | 207.00 | 0.09 | 0.24 |
| | | trace py,cpy. Upper c/t 50, lower c/t 30 degrees to c.a. | | | | | | | | | | 14204 | 207.00 | 209.00 | 0.22 | 0.14 |
| | | | | | | | | | | | | 14205 | 209.00 | 211.00 | 0.10 | 0.08 |
| | | | | | | | | | | | | 14206 | 211.00 | 213.00 | 0.06 | 0.06 |
| | | 209.40 - 212.00m Tourmaline porphyry , locally | | | | | | | | | | | | | | |
| | | brecciated ,silicious. Matrix black fine grained with | | | | | | | | | | | | | | |
| | | magnetite with sooty grey py, cpy and cpy associated | | | | | | | | | | | | | | |
| | | with tourmaline. Fractures widely spaced 30-50 degrees | | | | | | | | | | | | | | |
| | | to c.a. with pale green clays, cal, hem. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 212.00 - 230.73m Kspar alteration of megacrysts | | | | | | | | | | 14207 | 213.00 | 215.00 | 0.16 | 0.13 |
| | | pervasive and variable in intensity supported in locally | | | | | | | | | | 14208 | 215.00 | 217.00 | 0.06 | 0.07 |
| | | crowded trachytic groundmass cemented with grey | | | | | | | | | | 14209 | 217.00 | 219.00 | 0.08 | 0.09 |
| | | quartz minor cpy associated with tourmaline patches, | | | | | | | | | | 14210 | 219.00 | 221.00 | 0.19 | 0.24 |
| | | bornite? cut by widely spaced 1-2mm quartz, | | | | | | | | | | 14211 | 221.00 | 223.00 | 0.05 | 0.03 |
| | | tourmaline chl, cal fractures @ 50 degrees to c.a. | | | | | | | | | | 14212 | 223.00 | 225.00 | 0.06 | 0.06 |
| | | mafics altered to chl, sericite. Surfaces locally pitted. | | | | | | | | | | 14213 | 225.00 | 227.00 | 0.04 | 0.05 |
| | | Core more blockey down hole with fractures 8/m @40 | | | | | | | | | | 14214 | 227.00 | 229.00 | 0.12 | 0.09 |
| | | to 50 degrees to c.a. infilled with black sooty chl, minor | | | | | | | | | | 14215 | 229.00 | 231.00 | 0.10 | 0.07 |
| | | calcite with intense argillic? overprinting at 230.70m.. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 230.70 - 234.30m locally cream, pink orange with cut | 0.5 | 0.5 | | | 1 | 1 | | 2 | 2 | 14216 | 231.00 | 233.00 | 0.18 | 0.45 |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | by widely spaced py,cpy veinlets up to 3mm @ 30 | | | | | | | | | | 14217 | 233.00 | 235.00 | 0.09 | 0.28 |
| | | degrees to c.a.and 1 by 3cms @ 60 degrees to c.a.with | | | | | | | | | | | | | | |
| | | quartz hem ,py, cpy, chalcocite? | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 236.52 - 237.05m core blockey, fractures coated with | | | | | | | | | | 14218 | 235.00 | 237.00 | 0.09 | 0.07 |
| | | white pale green clays with sooty grey material running | | | | | | | | | | | | | | |
| | | sub parallel to c.a. Recoveries 100 %. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 237.05 - 252.95m pervasive Kspar alteration variable, | | | | | | | | | | 14219 | 237.00 | 239.00 | 0.17 | 0.14 |
| | | bleached , groundmmass crowded with trachytic texture | | | | | | | | | | 14220 | 239.00 | 241.00 | 0.10 | 0.15 |
| | | with ep alteration along fractures subparallel to c.a. and | | | | | | | | | | 14221 | 241.00 | 243.00 | 0.11 | 0.09 |
| | | at 60 degrees. Disseminated py up tp 0.5 % associated | | | | | | | | | | 14222 | 243.00 | 245.00 | 0.32 | 0.39 |
| | | with chl, ep, mag at 50 degrees to c.a. At 249.00m | | | | | | | | | | 14223 | 245.00 | 247.00 | 0.12 | 0.12 |
| | | more quartz cal, hem veining with possible chalcocite?t | | | | | | | | | | 14224 | 247.00 | 249.00 | 0.45 | 0.43 |
| | | 249.70m at 20 degrees to c.a. over 1.5 cms. | | | | | | | | | | 14225 | 249.00 | 251.00 | 0.08 | 0.08 |
| | | | | | | | | | | | | 14226 | 251.00 | 253.00 | 0.22 | 0.56 |
| | | | | | | | | | | | | 14227 | 253.00 | 255.00 | 0.22 | 0.10 |
| 252.90 | 259.11 | Kspar Porphyritic, Quartz Monzonite Breccia | | | | | | | | | | 14228 | 255.00 | 257.00 | 0.15 | 0.10 |
| | | Orange pink, medium to coarse grained with moderate Kspar alteration. Fragments up to 16 cms subrounded,subangular grey black green diorite /gabbroic in composition weak to moderately magnetic, altered to ep, cal,mag,ser,clays. Others grey black maroon , possibly augite, plag porphyry cut by late stage calcite veinlets, widely spaced at 30 degrees to c.a.Up to 0.5 py,cpy in Kspar porphyry. | | | | | | | | | | 14229 | 257.00 | 259.00 | 0.03 | <0.03 |
| 259.11 | 267.10 | Kspar Porphyritic, Quartz Monzonite | | | | | | | | | | 14230 | 259.00 | 261.00 | 0.11 | 0.09 |
| | | Medium to coarse grained, orange pink , locally bleached, plag to clays, ser, cal with 0.5% py,cpy in crowded groundmass. | | | | | | | | | | 14231 | 261.00 | 263.00 | 0.05 | 0.03 |
| 267.1 | 275.8 | Kspar Porphyritic Quartz Monzonite Breccia | | | | | | | | | | 14232 | 263.00 | 265.00 | 0.10 | 0.08 |
| | | Same as at 253.90m | | | | | | | | | | 14233 | 265.00 | 267.00 | 0.18 | 0.07 |
| | | 275.00 275.80m Fine grained with trace py,cpy as blebs | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | and scattered patches. Locally brecciated with | | | | | | | | | | | | | | |
| | | fragments supported in grey black quartz,cal matrix cut | | | | | | | | | | | | | | |
| | | by closely spaced quartz, cal veinlets with scatterd cpy | | | | | | | | | | | | | | |
| | | over 25 cms at 40 and subparallel to c.a. | | | | | | | | | | 14234 | 267.00 | 269.00 | 0.06 | 0.04 |
| | | | | | | | | | | | | 14235 | 269.00 | 271.00 | 0.12 | 0.03 |
| | | | | | | | | | | | | 14236 | 271.00 | 273.00 | 0.12 | 0.06 |
| 275.80 | 303.80 | Biotite Quartz Monzonite | tr | tr | | 2 | 1 | 2 | 2 | | 2 | 14237 | 273.00 | 275.00 | 0.12 | 0.17 |
| | | Fine grained, variably porphyritic, orange, pink, weakly | | | | | | | | | | 14238 | 275.00 | 277.00 | 0.10 | 0.07 |
| | | magnetic. Kspar alteration along fractures and | | | | | | | | | | 14239 | 277.00 | 279.00 | 0.06 | 0.05 |
| | | selvages. Groundmass crowded with trachyitic texture. | | | | | | | | | | | | | | |
| | | Ore recoveries 100%. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 278.20 - 288.64m grey pink with Kspar alteration | | | | | | | | | | 14240 | 279.00 | 281.00 | 0.10 | 0.07 |
| | | along fractures at 50 degrees to c.a. cut by closely | | | | | | | | | | 14241 | 281.00 | 283.00 | 0.16 | 0.06 |
| | | spaced late calcite veinlets. Py occurs along 30 degree | | | | | | | | | | 14242 | 283.00 | 285.00 | 0.04 | 0.09 |
| | | fractures with black chl,ep, cal - 10/m at 286.00m. | | | | | | | | | | 14243 | 285.00 | 287.00 | 0.03 | 0.04 |
| | | | | | | | | | | | | 14244 | 287.00 | 289.00 | 0.06 | 0.05 |
| | | | | | | | | | | | | | | | | |
| | | 288.64 - 293.00m more pink, orange, bleached with | | | | | | | | | | 14245 | 289.00 | 291.00 | 0.12 | <0.03 |
| | | more late calcite veining @ 40-60 degrees to c.a.and | | | | | | | | | | 14246 | 291.00 | 293.00 | 0.15 | 0.06 |
| | | interstial vuggy grey quartz chl, cal,ep with 0.5% py, | | | | | | | | | | | | | | |
| | | cpy. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 293.00 - 303.80m biotite rich with less kspar alteration. | | | | | | | | | | 14247 | 293.00 | 295.00 | 0.09 | 0.04 |
| | | | | | | | | | | | | 14248 | 295.00 | 297.00 | 0.08 | 0.03 |
| | | | | | | | | | | | | 14249 | 297.00 | 299.00 | 0.12 | 0.05 |
| 303.80 | 309.68 | Mag, Augite, Plag, Porphyritic Andesitic Dyke | | | | | | | | | | 14250 | 299.00 | 301.00 | 0.09 | 0.04 |
| | | Medium grained, grey. Core blocky cut by 15/m cal, | | | | | | | | | | 14251 | 301.00 | 302.88 | 0.08 | 0.03 |
| | | hem fractures @ 40, 60 degrees to c.a. | | | | | | | | | | 14252 | 302.88 | 303.88 | 0.05 | <0.03 |
| | | | | | | | | | | | | 14253 | 303.88 | 305.88 | 0.02 | <0.03 |
| 309.68 | E.O.H. | | | | | | | | | | | 14254 | 305.88 | 307.88 | 0.03 | <0.03 |

# GWR RESOURCES INC.

**PROPERTY: Ann North**

**DRILL HOLE NO.: 04-27**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| 182.88 | 56 | |
| 332.23 | 51.5 | |

| | | |
|---|---|---|
| **Easting (NAD 83): 616221** | **Core Size: NQ** | **Started: 6 May 04** |
| **Northing (NAD 83): 5759382** | **Hole Azimuth: 180** | **Finished: 13 May 04** |
| **Grid Location: 20+20E,20+80N** | **Hole Angle: -65** | **Logged by: B Callaghan** |
| **Elevation: 1148m** | **Total Depth: 332.23m** | **Analysis by: Eco Tech** |

| Depth (m) | | Description | | | | | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % Py | % Cpy | % Mo | % Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| 0.00 | 18.90 | Casing | | | | | | | | | | | | | | |
| 18.90 | 44.44 | Intrusive Breccia | | | | 1 | 2 | 2 | | | | | | | | |
| | | Multilithic, sub angular, sub rounded fragments of mafic volcanic, syenite to diorite trachyte up to 8 cms, supported in weakly magnetic volcanic clay matrix. Alteration: Mod propylitic with ep, chl, hem, cal that replaces fragments. No mineralization. Core blocky locally faulted with clay black grey gouge. Heavy hematite oxidation, 50 cms from dyke contact. Chl, hem fractures widely spaced @ 40 degrees to c.a. Recoveries, core ground at 18.90-19.51 25%,19.51-20.42 33%,20.42-22.25 83%,22.25-23.77 100%, 23.77-26.52 60%, 26.52-27.43 100%, 27.43-29.57 57%, 29.57-36.71 100%, 38.71-42.06 36%, 42.06-44.81 33%, 44.81-50.29 100% . | | | | | | | | | | | | | | |
| 44.44 | 49.25 | Hornblende, Plagioclse Basalt Dyke | | | | | | | | | | | | | | |
| | | Fine grined dark grey to pale green, porphyritic with amygdaloidal cavities. Hb 5-10%, Plag 15-20% pyroxenes 5%. Weak propylitic, plag +hb to calcite ep. Upper c/t 50, lower c/t 80 degrees. | | | | | | | | | | | | | | |
| 49.25 | 50.29 | Quartz Monzonite Breccia | | | | | | | | | | 14255 | 49.25 | 50.29 | 0.06 | 0.03 |
| | | Orange fine grained with hematite fractures 20 to 40 degrees to c.a. to 53.95m with sections of clay gouge. | | | | | | | | | | | | | | |
| 50.29 | 136.78 | Quartz Monzonite | | | | | | | | | | 14256 | 53.95 | 55.95 | 0.02 | 0.03 |
| | | Faded, pink, grey but more pink orange along Kspar | | | | | | | | | | 14257 | 55.95 | 57.95 | 0.03 | <0.03 |
| | | altered limonite altered, hem, chl, cal closely spaced | | | | | | | | | | 14258 | 57.95 | 59.95 | 0.03 | <0.03 |
| | | fractures at 40 degrees to c.a. that crosscut non Kspar | | | | | | | | | | 14259 | 59.95 | 61.95 | 0.05 | <0.03 |
| | | altered fragments supported locally in black | | | | | | | | | | 14260 | 61.95 | 63.95 | 0.02 | <0.03 |
| | | (tourmaline) matrix. Mafics to sericite,ep. Recoveries: | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | 50.29-53.95m -25% , 53.95-86.88m-100% | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 66.88-77.90m Kspar alteration more intense along fractures with trace v.f.g. py, ep, white clays, cal at 60 degrees to c.a. | | | | | | | | | | 14261 | 75.00 | 77.00 | 0.03 | <0.03 |
| | | 77.90-96.22m Variable limonite oxidation along mod to closely spaced Kspar fractures cut by brecciated black matrix fractures locally closely spaced at 50 to 70 degrees to c.a. in turn cut by late calcite veining 10 -50 degrees to c.a. | | | | | | | | | | 14262 | 77.00 | 79.00 | 0.04 | <0.03 |
| | | | | | | | | | | | | 14263 | 79.00 | 81.00 | 0.04 | <0.03 |
| | | | | | | | | | | | | 14264 | 81.00 | 83.00 | 0.06 | <0.03 |
| | | | | | | | | | | | | 14265 | 83.00 | 85.00 | 0.03 | <0.03 |
| | | | | | | | | | | | | 14266 | 85.00 | 87.00 | 0.04 | <0.03 |
| | | | | | | | | | | | | 14267 | 87.00 | 89.00 | 0.1 | 0.08 |
| | | | | | | | | | | | | 14268 | 89.00 | 91.00 | 0.04 | <0.03 |
| | | | | | | | | | | | | 14269 | 91.00 | 93.00 | 0.01 | <0.03 |
| | | | | | | | | | | | | 14270 | 93.00 | 95.00 | 0.01 | 0.03 |
| | | 96.22 - 115.30m Less equigranular, very fine grained, grey light tan, locally brecciated with orangre rimmed fragments in matrix with kspar altered fragments and quartz. Core blockey cut by locally close spaced calcite, white clays at 40 to 80 degrees to c.a. | | | | | | | | | | 14271 | 95.00 | 97.00 | 0.01 | <0.03 |
| | | | tr | 0.1 | | | 1 | 2 | | 2 | 2 | 14272 | 97.00 | 99.00 | 0.01 | <0.03 |
| | | | | | | | | | | | | 14273 | 114.48 | 116.48 | 0.04 | 0.03 |
| | | 115.30 - 117.10m brecciated, bleached softer with Kspar rimmed fragments supported in grey pink to pale green matrix. | | | | | | | | | | | | | | |
| | | 117.10 - 126.0m Pale pink, locally brecciated, weakly silicious grey quartz , plag matrix cut by Kspar cal hem veinlets 10 to 20 degrees to c.a. Mineralization: Fine grained py as scattered patches plus hematite and as veinlets, widely spaced at 30 degrees to c.a. . | tr | | | | | | | 1 | 2 | 14274 | 116.48 | 118.48 | 0.05 | <0.03 |
| | | | | | | | | | | | | 14275 | 118.48 | 120.48 | 0.04 | <0.03 |
| | | | | | | | | | | | | 14276 | 120.48 | 122.48 | 0.07 | 0.03 |
| | | | | | | | | | | | | 14277 | 122.48 | 124.78 | 0.04 | <0.03 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 126.0 - 136.40m Increase in calcite flooding, Kspar alt'n grey quartz and tourmaline. Veinlet at 10 degrees | | | | | | 2 | | 1 | 2 | 14278 | 124.78 | 126.78 | 0.03 | 0.03 |
| | | | | | | | | | | | | 14279 | 126.78 | 128.78 | 0.09 | <0.03 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | to c.a. up to 0.5 cm with tr py, cpy in grey black quartz | | | | | | | | | | 14280 | 128.78 | 130.78 | 0.05 | <0.03 |
| | | matrix cut by late cal veinlets, closely spaced at 40 | | | | | | | | | | 14281 | 130.78 | 132.78 | 0.12 | <0.03 |
| | | degrees to c.a. that cut Kspar envelopes. | | | | | | | | | | 14282 | 132.78 | 134.78 | 0.07 | <0.03 |
| | | | | | | | | | | | | 14283 | 134.78 | 136.78 | 0.23 | 0.03 |
| | | | | | | | | | | | | | | | | |
| 136.78 | 139.89 | Magnetite, Augite, Plagioclase Porphyritic Dyke | | | | | | | | | | | | | | |
| | | Coarse grained, grey green with 15 -20% mafic phenocrysts, 40% plagioclase, locally trachytic. Upper and lower c/t 60 degrees to c.a. | | | | | | | | | | | | | | |
| 139.89 | 140.46 | Magnetite, Basaltic Dyke | | | | 3 | | 2 | | | | | | | | |
| | | grey black, very fine grained. Vesicles replaced with calcite. Flow banding 50 degrees to ca. Lower c/t 50 degrees to c.a. | | | | | | | | | | | | | | |
| 140.46 | 223.25 | Quartz Monzonite | | | | | | | | 1 | | 14284 | 140.46 | 142.46 | 0.08 | 0.14 |
| | | Very fine grained , variably bleached , locally | | | | | | | | | | 14285 | 142.46 | 144.46 | 0.11 | 0.11 |
| | | brecciated with variable Kspar alteration along | | | | | | | | | | 14286 | 144.46 | 146.46 | 0.05 | <0.03 |
| | | fractures with grey sooty coatings. Grey quartz veinlets | | | | | | | | | | 14287 | 146.46 | 148.46 | 0.05 | 0.03 |
| | | associated with brecciated zones wiith black tourmaline | | | | | | | | | | | | | | |
| | | matrix, widely spaced at 20 degrees to c.a. up to 2mm | | | | | | | | | | | | | | |
| | | every 20 to 25 cms with trace py, cpy cut by late cal at | | | | | | | | | | | | | | |
| | | 10, 20, 45 degrees to c.a | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 148.46 - 152.48m noticeable increase in fracture | tr | | | | | | | | | 14288 | 148.46 | 150.48 | 0.04 | <0.03 |
| | | density with infillings of black tourmaline with grey | | | | | | | | | | 14289 | 150.48 | 152.48 | 0.07 | 0.04 |
| | | quartz and py blebs at 20 degrees to c.a. Downhole | | | | | | | | | | 14290 | 152.48 | 154.48 | 0.08 | 0.11 |
| | | orange Kspar envelopes anastomozing. Recoveries - | | | | | | | | | | 14291 | 154.48 | 156.48 | 0.03 | 0.05 |
| | | 100% . | | | | | | | | | | 14292 | 156.48 | 158.48 | 0.05 | 0.07 |
| | | 159.0 -164.89 m | | | | | | | | | | 14293 | 158.48 | 160.48 | 0.03 | 0.03 |
| | | Kspar alteration more pervasive, more local brecciation | 0.1 | tr | | | | | | | 2 | 14294 | 160.48 | 162.48 | 0.05 | 0.05 |
| | | and associated black tourmaline matrix material with | | | | | | | | | | 14295 | 162.48 | 164.48 | 0.13 | 0.07 |
| | | fine grained py, trace cpy cut by late calcite in more | | | | | | | | | | | | | | |
| | | bleached albite, quartz zones. | | | | | | | | | | | | | | |
| | | 162.48 - 164.48 m Harder, more silicious, competent | | | | | | | | | | 14296 | 164.48 | 166.48 | 0.05 | 0.06 |
| | | zone at 30 degrees to c.a.with 0.5% cpy blebs. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | 163.90m 1by 2mm @ 20 degrees to c.a. grey quartz. | | | | | | | | | | | | | | |
| | | 164.88m 1 by 2.5 cms @ 20 derees to c.a. Kspar, albite, quartz, py, trace cpy. | | | | | | | | | | | | | | |
| | | 164.89 - 167.96m Core blocky, less Kspar alteration. | | | | | | | | | | 14297 | 166.48 | 168.48 | 0.04 | 0.06 |
| | | Recoveries: 169.16-169.16m 75%, 169.16-171.29m | | | | | | | | | | 14298 | 168.48 | 170.48 | 0.24 | 0.11 |
| | | 100%. Increase in grey black sooty coating along | | | | | | | | | | | | | | |
| | | fractures. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 170.0 - 170.33m Albite Kspar Quartz, upper c/t 70 lower c/t 20 degrees to c.a.with fine grained py, trace cpy. | | | | | | | | | | | | | | |
| | | 170.48 - 174.48m Appoximately 12 fractures coated | | | | | | | | | | 14299 | 170.48 | 172.48 | 0.05 | 0.05 |
| | | with grey sooty mineral with fine grained py. | | | | | | | | | | 14300 | 172.48 | 174.48 | 0.08 | 0.08 |
| | | 174.48 - 178.30m fractures sub parallel to c.a.with chl, | | | | | | | | | | 15000 | 174.48 | 176.48 | 0.04 | 0.04 |
| | | hem, clays. 1 veinlet up to 3mm @ 70 degrees to c.a. | | | | | | | | | | 15001 | 176.48 | 178.48 | 0.05 | 0.06 |
| | | with grey black quartz tourmaline with very fine | | | | | | | | | | | | | | |
| | | grained py, cut by 20 to 30 degree cal veinlets. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 178.30 - 180.25m Locally sheared with white clay | | | | | | | | | | 15002 | 178.48 | 180.25 | 0.2 | 0.44 |
| | | gouge along 30 degree fractures less black matrix | | | | | | | | | | | | | | |
| | | material associated with brecciation. 90% recovery. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 180.25 - 181.25m higher grade intersection. | | | | | | | | | | 15003 | 180.25 | 181.25 | 1.87 | 1.32 |
| | | Breccciation with bleached ,Kspr rimmed fragments | | | | | | | | | | | | | | |
| | | supported in grey quartz plag py, cpy, bornite? matrix. | | | | | | | | | | | | | | |
| | | Fractures locally closely spaced at 50 degrees to c.. | | | | | | | | | | | | | | |
| | | With cpy,py and chalcocite. Lower c/t 30 degrees to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 181.25 - 186.55m porphyritic with more pervasive | | | | | | | | | | 15004 | 181.25 | 183.25 | 0.08 | 0.06 |
| | | Kspar alteration with trachhytic plagioclase groudmass. | | | | | | | | | | 15005 | 183.25 | 185.25 | 0.05 | 0.04 |
| | | | | | | | | | | | | | | | | |
| | | 186.55 - 199.05m More intense Kspar alteration and | | | | | | | | | | 15006 | 185.25 | 187.25 | 0.04 | 0.03 |
| | | bleaching. Groundmass locally crowded as above, cut | | | | | | | | | | 15007 | 187.25 | 189.25 | 0.07 | 0.06 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | by late quartz calcite veinlets up to 2.5 cms @30 degres | | | | | | | | | | 15008 | 189.25 | 191.25 | 0.08 | 0.08 |
| | | to c.a. with py,cpy at 194.15m. Abundant hairline | | | | | | | | | | 15009 | 191.25 | 193.25 | 0.05 | 0.04 |
| | | fractures with tourmaline? cutting groudmass with up | | | | | | | | | | 15010 | 193.25 | 195.25 | 0.08 | 0.05 |
| | | to locally 0.5 to 1 % disseminated py. | | | | | | | | | | 15011 | 195.25 | 197.25 | 0.15 | 0.13 |
| | | | | | | | | | | | | | | | | |
| | | 199.05 - 202.74m Cream, orange, bleached , less hard | | | | | | | | | | 15012 | 197.25 | 199.25 | 0.06 | 0..03 |
| | | locally vuggy mod-intense Kspar altered. Locally | | | | | | | | | | 15013 | 199.25 | 201.25 | 0.08 | 0.1 |
| | | brecciated with cream grey vuggy quartz, plag, cal | | | | | | | | | | | | | | |
| | | stockwork with argillic overprinting.Fracture surfaces | | | | | | | | | | | | | | |
| | | white clays grey quartz, cal with blue flecks of azurite | | | | | | | | | | | | | | |
| | | bornite? at 70 degrees to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 202.74 - 217.10m Pink to cream grey, faded harder, | | | | | | | | | | 15014 | 201.25 | 203.25 | 0.04 | <0.03 |
| | | more competent. Kspar alteration along fractures and | | | | | | | | | | 15015 | 203.25 | 205.25 | 0.04 | <0.03 |
| | | weaker in groundmass cut by minor grey quartz, cal | | | | | | | | | | 15016 | 205.25 | 207.25 | 0.04 | 0.03 |
| | | veinlets @30 degress to c.a.and hairline black | | | | | | | | | | 15017 | 207.25 | 209.25 | 0.05 | 0.04 |
| | | brecciated veinlets or matrix material cut by late stage | | | | | | | | | | 15018 | 209.25 | 211.25 | 0.08 | 0.03 |
| | | sub parallel to c.a. calcite. Py dissem, fine grained blebs | | | | | | | | | | 15019 | 211.25 | 213.25 | 0.08 | 0.04 |
| | | in locally plag hornblende crowded groundmass. | | | | | | | | | | 15020 | 213.25 | 215.25 | 0.07 | 0.03 |
| | | | | | | | | | | | | 15021 | 215.25 | 217.10 | 0.04 | 0.04 |
| | | 217.10 - 217.29m Quartz carbonate breccia vein at 50 degrees to c.a.. Mostly fine grained py, cpy and grey sooty material - chalcocite? | tr | 0.5 | | | | | | | | | | | | |
| | | 217.29 - 223.25m Cream orange pink, mod pervasively | | | | | | | | | | 15022 | 217.10 | 219.25 | 0.1 | 2.95 |
| | | Kspar altered with pink white clays, grey sooty coating. | | | | | | | | | | 15023 | 219.25 | 221.25 | 0.18 | 0.11 |
| | | Increase in grey quartz cal veining up to 2mm at 30 | | | | | | | | | | 15024 | 221.25 | 223.25 | 0.09 | 0.06 |
| | | degrees to c.a.as well as later cal veining at 20 degrees | | | | | | | | | | | | | | |
| | | and sub parallel to contact. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 223.25 | 226.20 | K Feldspar Porpphyritic Quartz Monzonite | | | | | | | | | | | | | | |
| | | Cream pink orange coarse grained , crowded | | | | | | | | | | 15025 | 223.25 | 225.25 | 0.11 | 0.07 |
| | | plagioclase hornblende groundmass. Alteration; Kspar, | | | | | | | | | | | | | | |
| | | quartz, clays cal, ser. Fratures up to 1cm widely spaced | | | | | | | | | | | | | | |
| | | , 8/m up to 3mm with quartz ser, cal, clays. | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | | | | | | | | | | | | | | | |
| 226.20 | 230.00 | Plagioclase, Hornblende, Porphyritic Dyke | | | | | | | | | | 15026 | 225.25 | 227.25 | 0.13 | 0.09 |
| | | lower c/t 30 degrees to c.a. Pink to grey vuggy. No mineralization. | | | | | | | | | | 15027 | 227.25 | 229.25 | 0.09 | 0.06 |
| 230.00 | 270.40 | K Feldspar Porpphyritic Quartz Monzonite | tr | 0.5 | | | | | | | | 15028 | 229.25 | 231.25 | 0.05 | 0.04 |
| | | 230.00 - 234.10m Pink orange to pale grey green, | | | | | | | | | | 15029 | 231.25 | 233.10 | 0.1 | 0.08 |
| | | bleached, megacrystic. Groundmass crowded | | | | | | | | | | 15030 | 233.10 | 234.10 | 0.59 | 0.16 |
| | | plagioclase hornblende. Higher grade from 233.17 - | | | | | | | | | | | | | | |
| | | 234.10m with quartz, plagioclase hem, py, cpy, | | | | | | | | | | | | | | |
| | | bornite? over 12 cms at 50 degres to c.a. and at | | | | | | | | | | | | | | |
| | | 233.82m over 20 cms at 60 degrees to c.a. with up to | | | | | | | | | | | | | | |
| | | 1% cpy. | | | | | | | | | | | | | | |
| | | 234.10 - 242.50m Salmon pink, grey pale green as | 0.5 | 0.5 | | | | | | | | 15031 | 234.10 | 236.10 | 0.25 | 0.1 |
| | | above with 30% megacrysts supported in quartz, ser, | | | | | | | | | | 15032 | 236.10 | 238.10 | 0.38 | 0.14 |
| | | clay, albite, Kspar groundmass cut by well developed | | | | | | | | | | 15033 | 238.10 | 240.10 | 0.25 | 0.05 |
| | | grey quarts stockwork. Locally vuggy with cal, 20-30- | | | | | | | | | | 15034 | 240.10 | 242.10 | 0.28 | 0.15 |
| | | 50 degrees to c.a. with massive py, cpy blebs. Other | | | | | | | | | | | | | | |
| | | veinlets with quartz, tourmaline with tarnished cpy. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 242.50 - 249.00m less porphyritic, more brecciated | | | | | | | | | | | | | | |
| | | with scattered tourmaline patches. | | | | | | | | | | 15035 | 242.10 | 244.10 | 0.51 | 1.69 |
| | | | | | | | | | | | | 15036 | 244.10 | 245.10 | 0.4 | 1.09 |
| | | | | | | | | | | | | 15037 | 245.10 | 246.40 | 0.55 | 0.14 |
| | | | | | | | | | | | | 15038 | 246.40 | 248.40 | 0.15 | 0.08 |
| | | 249.30 - 257.20m as above, with no stockwork | 0.1 | 0.5 | | | | | | | | 15039 | 248.40 | 250.48 | 0.39 | 0.33 |
| | | development . Groundmass crowded with closely | | | | | | | | | | 15040 | 250.48 | 252.40 | 0.09 | 0.07 |
| | | spaced fractures filledwith black fine grained | | | | | | | | | | 15041 | 252.40 | 254.40 | 0.08 | 0.05 |
| | | tourmaline? Py, cpy, hem interstial in groundmass | | | | | | | | | | 15042 | 254.40 | 256.40 | 0.04 | 0.05 |
| | | associated with black grey quartz black tourmaline chl, | | | | | | | | | | | | | | |
| | | cut by late hairline calcite veinlets 30-40-60 degrees to | | | | | | | | | | | | | | |
| | | c.a.. No epidote, more hemtite. | | | | | | | | | | | | | | |
| | | 257.20 - 266.76m bleached angular to subrounded | | | | | | | | | | 15043 | 256.40 | 258.40 | 0.08 | 0.12 |
| | | Kspar megacrysts up to .5cm in grey black matrix cut | | | | | | | | | | 15044 | 258.40 | 260.40 | 0.1 | 0.1 |
| | | by widely spced 7/m clay, cal,ser,ep fractures 30 to 40 | | | | | | | | | | 15045 | 260.40 | 262.40 | 0.13 | 0.09 |
| | | degrees to c.a. | | | | | | | | | | 15046 | 262.40 | 264.40 | 0.09 | 0.13 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | 266.76 - 267.47m Pale green fine grained ,less porphyritic no Kspar mostly chl, ep. Upper c/t40, lower c/t 60 degrees to c.a | | | | | | | | | | | | | | |
| | | 267.47 - 270.40m as at 249.30m | | | | | | | | | | 15048 | 266.40 | 268.40 | 0.05 | 0.03 |
| 270.40 | 272.24 | Fault | | | | | | | | | | | | | | |
| | | Cream pale green with white clays, ser, cal, kspar. Wall | | | | | | | | | | 15050 | 270.40 | 272.40 | 0.11 | 0.05 |
| | | rock - plag porphyry dyke with kspar altered intrusive | | | | | | | | | | | | | | |
| | | fragments in crowded groundmass. | | | | | | | | | | | | | | |
| 272.24 | 294.37 | Bleached ,Porphyritic Kspar Quartz Monzonite | | tr | | | | | | | | | | | | |
| | | Pink, orange, coarse grained megcrystic in crowded | | | | | | | | | | | | | | |
| | | plagioclase groundmass. Upper contact 30 degrees to | | | | | | | | | | | | | | |
| | | c.a.Alteration: Kspar,ep,ser,cal,hem. Mineralization | | | | | | | | | | | | | | |
| | | scattered metallic flecks - hematite, tr cpy associated | | | | | | | | | | | | | | |
| | | with grey quartz, plagioclase as interstial replacement | | | | | | | | | | | | | | |
| | | of mafics? Core competent 100% recovery. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 273.32 - 285.00m Rimmed pale pink megacrysts | 0.5 | | | | | | | | | 15051 | 272.40 | 274.40 | 0.06 | 0.03 |
| | | supported in black variably albitic groundmass. Kspar | | | | | | | | | | 15052 | 274.40 | 276.40 | 0.08 | 0.03 |
| | | alteration along fractures and locally intense. | | | | | | | | | | 15053 | 276.40 | 278.40 | 0.06 | 0.03 |
| | | Minneralization: py replacement of mafics to | | | | | | | | | | 15054 | 278.40 | 280.40 | 0.05 | 0.04 |
| | | chl,ep,ser,tourmaline,magnetite becoming variably | | | | | | | | | | 15055 | 280.40 | 282.40 | 0.03 | 0.04 |
| | | bleached with less magnetite downhole. Fractures | | | | | | | | | | 15056 | 282.40 | 284.40 | 0.08 | 0.05 |
| | | widely spaced with mag, chl, ep, py @20-30-80 degrees | | | | | | | | | | | | | | |
| | | to c.a. 1 to 2mm (brecciated). | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 285.00m 3cms @40 degrees to c.a. - purple, green, grey | 0.5 | tr | | | | | | | | 15057 | 284.40 | 286.40 | 0.09 | 0.04 |
| | | - quartz, cal albite ameythyst? Vein breccia with | | | | | | | | | | 15058 | 286.40 | 288.40 | 0.07 | 0.05 |
| | | massive scattered py, trace cpy associated with chl,ep, | | | | | | | | | | | | | | |
| | | hem, chl. | | | | | | | | | | | | | | |
| | | 289.35 - 294.37m Core softer, more bleached, crowded | 0.5 | | | | | | | | | 15059 | 288.40 | 290.40 | 0.05 | 0.07 |
| | | groundmass toward c/t with Dyke. At 289.35m, 30 | | | | | | | | | | 15060 | 290.40 | 292.40 | 0.13 | 0.05 |
| | | degres to c.a. up to 3 cms grey quartz, cal, albite, chl | | | | | | | | | | | | | | |
| | | with 0.5 % py, Long fracture surfaces. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 294.37 | 294.47 | Fault | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | Grey brecciated clay gouge with hem, chl, cal. Lower c/t 50 degrees to c.a. | | | | | | | | | | 15061 | 292.40 | 294.47 | 0.07 | 0.03 |
| 294.47 | 295.75 | Basalt Dyke | | | | | | | | | | | | | | |
| | | Non magnetic, olive grey, very fine grained amygdaloidal with calcite infillings. Foliation - aligned amygdules 30 degrees to c.a. | | | | | | | | | | 15062 | 294.47 | 295.75 | 0.01 | <0.03 |
| 295.75 | 317.63 | Kspar Porphyritic Quartz Monzonite | 0.5 | tr | | | | | | | | | | | | |
| | | As at 273.22m . At 296.0m 1 by 5 cms ,30 degrees to | | | | | | | | | | 15063 | 295.75 | 297.75 | 0.05 | 0.07 |
| | | c.a. pale, olive chalcedonic quartz vein breccia with | | | | | | | | | | 15064 | 297.75 | 299.75 | 0.06 | 0.09 |
| | | Kspar intrusive fragments supported in grey sooty | | | | | | | | | | 15065 | 299.75 | 301.75 | 0.08 | 0.07 |
| | | matrix with very fine grained py. Mineralization: cpy | | | | | | | | | | 15066 | 301.75 | 303.75 | 0.1 | 0.08 |
| | | replaces mafics associated with quartz chl, tourmaline | | | | | | | | | | 15067 | 303.75 | 305.75 | 0.09 | 0.11 |
| | | magnetite. traces of py cpy blebs. Py also as | | | | | | | | | | 15068 | 305.75 | 307.75 | 0.06 | 0.05 |
| | | discontinuous hairline fractures locally from 0.5 to 1%. | | | | | | | | | | 15069 | 307.75 | 309.75 | 0.06 | 0.06 |
| | | | | | | | | | | | | 15070 | 309.75 | 311.75 | 0.25 | 0.24 |
| | | | | | | | | | | | | 15071 | 311.75 | 313.63 | 0.11 | 0.18 |
| | | 301.75 - 303.75m more bleached with crowded texture | | | | | | | | | | 15072 | 313.63 | 315.63 | 0.15 | 0.2 |
| | | cut by black tourmaline, magnetite fractures up to | | | | | | | | | | 15073 | 315.63 | 317.63 | 0.2 | 0.19 |
| | | 0.5cms sub parallel to c.a. for 20 cms downhole to | | | | | | | | | | | | | | |
| | | dyke. | | | | | | | | | | | | | | |
| 317.63 | 323.8 | Magnetite, Augite, Plagioclase Porphyritic Dyke | | | | | | | | | | 15074 | 317.63 | 319.63 | 0.03 | <0.03 |
| | | Grey, black with chl,cal alteration cut by late closly | | | | | | | | | | | | | | |
| | | spced cal veinlets at 45 degrees to c.a. increasing | | | | | | | | | | | | | | |
| | | downhole. | | | | | | | | | | | | | | |
| 323.8 | 328.43 | Feldspar Porphyry Dyke ? | | | | | | | | | | 15075 | 323.50 | 325.50 | <0.01 | <0.03 |
| | | Grey, locally tan light brown trachytic textured cut by discontinuous random calcite veining with no orientation. | | | | | | | | | | 15076 | 325.50 | 327.50 | <0.01 | <0.03 |
| 328.43 | 331.24 | Plagioclase, Porphyritic Breccia | | | | | | | | | | 15077 | 327.50 | 329.50 | 0.02 | <0.03 |
| | | Grey with fragments of Kspar altered intrusives in trachytic groundmass, cemented wiith quartz calcite. No visible sulphides | | | | | | | | | | 15078 | 329.50 | 331.50 | <0.01 | <0.03 |
| 331.24 | 332.23 | Amygdaloidal, Bsaltic Andesite? | | | | | | | | | | | | | | |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 332.23 | E.O.H | Olive green, non porphyritic, very fine grained. Calcite replacement of stretched cavities. Flow banding 10 degrees to c.a. Upper c/t 60 degrees to c.a. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 3-4% red hematite on fractures and within brecciated zones. Joints: 70°, 35°, 40° to CA. 43.43-43.58m 15 cm breccia zone. 44-44.67m Breccia zone subparallel to core , on 1/2 side of core 44.8-45.07 Breccia zone. 46.4-46.85m Breccia zone at 5° to CA. 49.65-49.85m Breccia zone with 5% hematite, no sulfides of note in this interval. | | | | | | | | | | | | | | |
| | | | | <0.1 | | | | | | | | | | | | |
| | | | | | | | | | | | | 15088 | 48.00 | 50.00 | 0.02 | 0.38 |
| 49.85 | 53.10 | K-SPAR MONZONITE Fine grained, grey to white with moderate clay alteration, well fractured, locally hem on fractures up to 2%, 2-5% black sooty mineral on fractures and lense-shaped blebs: tour? manganese?, no visible sulfides. Joints: 60°, 50°, 40° to CA. | | <0.1 | | | | | | | | 15089 | 50.00 | 53.10 | 0.38 | 0.09 |
| 53.10 | 56.97 | LATE ANDESITE DYKE Grey, fine grained, 1% calcite vnlts and flattened amygdules?, upper contact at 70° to CA, lower contact ragged approximately 90° to CA. Late brecciated zones with inclusions of monzonite material at: 53.78-53.95m, 53.9-53.92m and 53.98-54.0m. | | | | | | | | | | | | | | |
| 56.97 | 60.7 | K-SPAR MONZONITE | tr | 0.5 | | | | | | | | 15090 | 56.97 | 59.00 | 0.12 | <0.03 |
| | | Fine grained, white to grey, light to moderate clay alteration, well fractured, tight fractures, trace qtz veinlets, 0.5% blebs of cpy, minor py. Joints 30°, 40° and 50° to CA. 56.97-58.55m 3% red hematite 59.55-59.8m 1m breccia zone at 20° to | tr | 0.5 | | | | | | | | 15091 | 59.00 | 61.00 | 0.42 | 0.1 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | CA with 5% black mineral (tour?) and minor cpy blebs. 59.95-60.1m 3-5% tour blebs. 60.2-60.5m Breccia zone with limonite stain. | | | | | | | | | | | | | | |
| 60.7 | 70.15 | K-SPAR MONZONITE | | <0.1 | | | | | | | | 15092 | 61.00 | 63.00 | 0.14 | 0.12 |
| | | | | <0.1 | | | | | | | | 15093 | 63.00 | 65.00 | 0.06 | 0.4 |
| | | Fine grained, pink, 1% limonite on fractures, 1% qtz/ankerite veinlets, only trace of sulfides. Joints: 50°, 60°, 40° and 80° to CA. At 65.9m 2 mm zone of black stained sulfides filling joints at 30° to CA. | | <0.1 | | | | | | | | 15094 | 65.00 | 67.00 | 0.01 | 0.08 |
| | | | | | | | | | | | | 15095 | 67.00 | 69.00 | 0.02 | 0.2 |
| | | | | <0.1 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 15096 | 69.00 | 71.00 | 0.06 | 0.2 |
| | | | | | | | | | | | | 15097 | 71.00 | 73.00 | 0.03 | 0.2 |
| 70.15 | 76.55 | K-SPAR MONZONITE | | <0.1 | | | | | | | | 15098 | 73.00 | 75.00 | 0.03 | 0.06 |
| | | F.g. pink, locally white with moderate clay alteration 70.15-71m 5% tour blebs with traces of cpy, 1% qtz vnlts, 2-5 mm at 30°, 40° and 50° to CA, trace of cpy and some tour with vnlts, close association of tour blebs and qtz/tour vnlts. 71-74.3m Well fractures with 2% limonite filling fractures (tight), trace to 1% qtz vnlts, 1% tour occurring both with qtz vnlts and as blebs, at 72.3m 2 mm tour zone at 15° to CA. 74.3-76.03m 2% qtz vnlts, 1-2 mm with minor tour, no visible sulfides, dominant joints 50°, 60° and 25° to CA. 76.03-76.55m Strong shear zone, upper contact at 40° to CA, lower at 30° to CA, tight fractures with limonite (3%), very little movement of brecciated clasts. | | <0.1 | | | | | | | | 15099 | 75.00 | 77.00 | 0.01 | <0.13 |
| | | | | <0.1 | | | | | | | | | | | | |
| | | | | <0.1 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 76.55 | 79.13 | K-SPAR MONZONITE | | | | | | | | | | 15100 | 77.00 | 79.00 | 0.01 | 0.21 |
| | | F.g. pink, 3% qtz vnlts, 1-5 mm, dominant at 50 to CA, some at 40° & 75° | | <0.1 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | to CA, 5-10% sooty black mineral with some qtz vnlts, no sulfides. | | | | | | | | | | | | | | |
| 79.13 | 80.00 | K-SPAR MONZONITE PORPHYRY 10% Kspar phenocrysts up to 1 cm in f.g. groundmass, moderately fractured, 3% limonite in tight fractures, no sulfides. | | <0.1 | | | | | | | | 15101 | 79.00 | 81.00 | 0.01 | <0.03 |
| 80.00 | 90.53 | K-SPAR MONZONITE Medium grained, pink 80.0-80.5m 3% qtz vnlts, 0.5-3 cm at 30°, 45° & 60° to CA, some with 20% black tour?, no visible sulfides. 80.5-90.53m <1% stockwork of v.g. (0.5 mm) qtz/ankerite vnlts, 1% limonite from vnlts that have oxidized, waxy green chl on joints, tr. hem. Joints: 40° & 45° to CA, tr. only of v.f.g. black vnlts (tour?), at 88.25m & 89.5m minor tour as disrupted vnlts, no visible sulfides. | | <0.1 | | | | | | | | 15102 | 81.00 | 83.00 | <0.01 | <0.03 |
| | | | | <0.1 | | | | | | | | 15103 | 83.00 | 85.00 | 0.03 | <0.03 |
| | | | | <0.1 | | | | | | | | 15104 | 85.00 | 87.00 | 0.01 | <0.03 |
| | | | | | | | | | | | | 15105 | 87.00 | 89.00 | 0.04 | <0.03 |
| 90.53 | 93.00 | K-SPAR MONZONITE Medium grained, pink to light pink where there is more clay alteration, 2% stockwork of micro qtz/ankerite vnlts, most are disrupted, trace of black vnlts: tour or black chl?, no sulfides, late joints at 35°, 45° & 70° to CA. | | <0.1 | | | | | | | | 15106 | 89.00 | 91.00 | <0.01 | <0.03 |
| | | | | <0.1 | | | | | | | | 15107 | 91.00 | 93.00 | 0.01 | <0.03 |
| | | | | <0.1 | | | | | | | | | | | | |
| 93.00 | 95.80 | K-SPAR MONZONITE Medium grained, pink, locally moderately clay altered. 93-95.8m 5% blebs and disrupted veins of tour up to 1.5cm. 94.0-94.2m smokey qtz vnlts with tour and cpy. 95-97.8m 2% qtz/tour vnlts, 1-3mm also 0.5% later white qtz/ankerite vnlts, | | 0.2 | | | | | | | | 15108 | 93.00 | 95.00 | 0.08 | 0.07 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 0.1-3mm. Cpy with earlier vnlts. Both | | | | | | | | | | | | | | |
| | | white, later vnlts and earlier smokey vnlts | | | | | | | | | | | | | | |
| | | are disrupted. | | | | | | | | | | | | | | |
| | | 94-97.8m 0.5% cpy with vnlts and | | | | | | | | | | | | | | |
| | | disseminated. At 94m veins smokey 35% | | | | | | | | | | | | | | |
| | | of core, disrupted, at 95.7m veins | | | | | | | | | | | | | | |
| | | smokey at 10° to 20° to CA, irregular, at | | | | | | | | | | | | | | |
| | | 96.2m veins smoky at 25° to CA, | | | | | | | | | | | | | | |
| | | disrupted, at 96.8m veins smokey at 15° | | | | | | | | | | | | | | |
| | | to 25° to CA, disrupted. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 95.80 | 114.00 | K-SPAR MONZONITE | | 0.5 | | | | | | | | 15109 | 95.00 | 97.00 | 0.16 | 0.25 |
| | | Medium grained, pink with local zone of | | 0.5 | | | | | | | | 15110 | 97.00 | 99.00 | 0.23 | 0.4 |
| | | Kspar phenocrysts, also local zone of | | 0.2 | | | | | | | | 15111 | 99.00 | 101.00 | 0.15 | 0.17 |
| | | white with minor clay alteration. | | | | | | | | | | 15112 | 101.00 | 103.00 | 0.16 | 0.73 |
| | | 95.8-99m 2% qtz/tour veins with cpy at | | 0.2 | | | | | | | | 15113 | 103.00 | 105.00 | 0.06 | 0.14 |
| | | 40° & 70° to CA. 0.5% cpy overall in | | 0.25 | | | | | | | | 15114 | 105.00 | 107.00 | 0.01 | 0.05 |
| | | veins+dissem. | | 0.25 | | | | | | | | 15115 | 107.00 | 109.00 | 0.02 | 0.04 |
| | | 99.15-99.4m Breccia zone with 60% | | 0.5 | | | | | | | | 15116 | 109.00 | 111.00 | 0.01 | 0.03 |
| | | monzonite clasts in grey clay gouge, | | 1 | | | | | | | | 15117 | 111.00 | 113.00 | 0.03 | 0.03 |
| | | lower contact at 40° to CA, at 100.1m 10 | | 0.2 | | | | | | | | 15118 | 113.00 | 115.00 | 0.01 | >0.03 |
| | | cm breccia zone, as above. Monzonite | | 0.1 | | | | | | | | | | | | |
| | | between two breccia zonbe is moderately | | | | | | | | | | | | | | |
| | | clay altered. No cpy. | | | | | | | | | | | | | | |
| | | 100.3-103.0m 1-2% tour & qtz/tour blebs | | | | | | | | | | | | | | |
| | | and segregations, most with cpy. At | | | | | | | | | | | | | | |
| | | 101.8m 4 mm qtz/tour vnlt with cpy at 55° | | | | | | | | | | | | | | |
| | | to CA. Overall 0.2% cpy throughout this | | | | | | | | | | | | | | |
| | | section, also slight clay altered | | | | | | | | | | | | | | |
| | | throughout. | | | | | | | | | | | | | | |
| | | 103-108.55m Fine grained, pink | | | | | | | | | | | | | | |
| | | monzonite with local white zones with | | | | | | | | | | | | | | |
| | | moderate clay alteration, well fractured, | | | | | | | | | | | | | | |
| | | but tight fractures with 1% qtz/ankerite | | | | | | | | | | | | | | |
| | | filling, disrupted, later qtz vnlts=1% with | | | | | | | | | | | | | | |
| | | cpy in vnlts and dissem in rock near | | | | | | | | | | | | | | |
| | | veins, vnlts=1-2mm, most disrupted, but | | | | | | | | | | | | | | |
| | | some 60° & 70° to CA. Local 10 cm | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | zone with 1% cpy, but less than 0.25% | | | | | | | | | | | | | | |
| | | 108.45-108.55m 10 cm zone with 0.5% | | | | | | | | | | | | | | |
| | | 108.55-111.6m same monzonite, 0.5% | | | | | | | | | | | | | | |
| | | 111.6-114m The same monzonite, | | | | | | | | | | | | | | |
| | | 112.6m-Partial 1.5 cm qtz vein at 50° to | | | | | | | | | | | | | | |
| | | CA , at 112.95 qtz rich zone at 50° to CA, | | | | | | | | | | | | | | |
| | | some of these zone could have 1% | | | | | | | | | | | | | | |
| | | chalcocite, elsewhere 0.5% blebs of | | | | | | | | | | | | | | |
| | | qtz/tour/chalco? (stained), less than 0.1% | | | | | | | | | | | | | | |
| | | cpy. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 114.00 | 153.10 | K-SPAR MONZONITE PORPHYRY | | <0.1 | | | | | | | | 15119 | 115.00 | 117.00 | 0.01 | >0.03 |
| | | Pink, generally massive, only moderately | | | | | | | | | | 15120 | 117.00 | 119.00 | 0.01 | >0.03 |
| | | fractured with very tight fractures, less | | | | | | | | | | 15121 | 119.00 | 121.00 | 0.01 | 0.04 |
| | | than 0.5% qtz/ankerite veinlets, trace of | | | | | | | | | | 15122 | 121.00 | 123.00 | 0..01 | >0.03 |
| | | tour, blebs, local clusters of lath-shaped | | 0.1 | | | | | | | | 15123 | 123.00 | 125.00 | 0.06 | 0.07 |
| | | white orthoclase crystals, 2-3mm with | | <0.1 | | | | | | | | 15124 | 125.00 | 127.00 | 0.11 | 0.08 |
| | | trachytic texture, very characteristic of | | 0.1 | | | | | | | | 15125 | 127.00 | 129.00 | 0.11 | 0.09 |
| | | this rock. | tr | 0.3 | | | | | | | | 15126 | 129.00 | 131.00 | 0.06 | 0.06 |
| | | 124.15-129m same porphyry, some | | | | | | | | | | | | | | |
| | | chalcocite?, on some joints: 50°, 55° & | | | | | | | | | | | | | | |
| | | 70° to CA, at 124.3m 1 by 2 cm blebs of | | | | | | | | | | | | | | |
| | | cpy with qtz. | | | | | | | | | | | | | | |
| | | 125-129m 0.25 to 0.5% cpy dissem as | | | | | | | | | | | | | | |
| | | blebs within 2% qtz/tour blebs, 1-2% | | | | | | | | | | | | | | |
| | | qtz/ankerite microveinlets, waxy chlorite | | | | | | | | | | | | | | |
| | | and talc on joints at 45° ,50° ,60° to CA. | | | | | | | | | | | | | | |
| | | 129-132.35m same porphyry, but altered | | | | | | | | | | | | | | |
| | | to grey and green (orthoclase | | | | | | | | | | 15127 | 131.00 | 133.00 | 0.01 | 0.03 |
| | | phenocrysts still fresh), 3% qtz veins | | | | | | | | | | 15128 | 133.00 | 135.00 | 0.03 | >0.03 |
| | | 129.21-129.27 6 cm qtz vein at 80° to | | | | | | | | | | 15129 | 135.00 | 137.00 | 0.01 | >0.03 |
| | | CA, 2% cpy in vein. | | | | | | | | | | 15130 | 137.00 | 139.00 | 0.01 | >0.03 |
| | | 129.36-129.42m 6 cm qtz vein at 80° to | | | | | | | | | | 15131 | 139.00 | 141.00 | 0.01 | >0.03 |
| | | CA, 2% cpy. | | | | | | | | | | 15132 | 141.00 | 143.00 | 0.02 | >0.03 |
| | | 129.48-129.6m four 1 cm qtz veins at 80° | | | | | | | | | | 15133 | 143.00 | 145.00 | 0.09 | 0.21 |
| | | to CA with 1% purple chalcocite? | | | | | | | | | | 15134 | 145.00 | 147.00 | 0.01 | 0.03 |
| | | 130.3-130.34m 2.5 cm qtz vein at 60° | | | | | | | | | | 15135 | 147.00 | 149.00 | 0.01 | >0.03 |
| | | | | | | | | | | | | 15136 | 149.00 | 151.00 | 0.03 | >0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | to CA, tr. py, at 130.9m 0.5 cm qtz vein, | | | | | | | | | | | | | | |
| | | tr. cpy at 55° to CA, at 130.99m 1cm | | | | | | | | | | | | | | |
| | | quartz vein at 55° to CA, 2% purple, v.f.g. | | | | | | | | | | | | | | |
| | | mineral, could be chalcocite? | | | | | | | | | | | | | | |
| | | At 131.7m 2.5cm qtz with 2% cpy, 1% | | | | | | | | | | | | | | |
| | | chalcocite?at 50° to CA, at 132.5 m | | <0.1 | | | | | | | | | | | | |
| | | 1.5cm qtz vein at 55° to CA, barren, only | | <0.1 | | | | | | | | | | | | |
| | | trace cpy in the porphyry in this section. | | <0.1 | | | | | | | | | | | | |
| | | 132.35-143.25m same pink porphyry, | | <0.1 | | | | | | | | | | | | |
| | | 0.5% qtz vnlts, 0.5-2mm, 1% qtz/tour | | <0.1 | | | | | | | | | | | | |
| | | blebs with <0.1% cpy. | | <0.1 | | | | | | | | | | | | |
| | | 135.85m 1cm qtz vein at 60° to CA, 2% | | <0.1 | | | | | | | | | | | | |
| | | blue purple mineral with qtz | | <0.1 | | | | | | | | | | | | |
| | | (chalcocite?), at 136.23m 1cm qtz vein at | | 0.2 | | | | | | | | | | | | |
| | | 40° to CA with 2% cpy, clusters of white | | 0.1 | | | | | | | | | | | | |
| | | orthoclase laths (trachytic texture) at | | | | | | | | | | | | | | |
| | | 137.1-137.4m, 139.95-140.9m and | | | | | | | | | | | | | | |
| | | 143.25-144.3m. | | | | | | | | | | | | | | |
| | | 143.25-143.65 0.25% cpy dissem with | | | | | | | | | | | | | | |
| | | tour blebs, elsewhere tr.cpy, only. | | | | | | | | | | | | | | |
| | | 144.3-146.8m same porphyry, 30% | | | | | | | | | | | | | | |
| | | altered to green with late clay and | | | | | | | | | | | | | | |
| | | chlorite minerals, most of section is | | | | | | | | | | | | | | |
| | | disrupted with fine fractures, 2% late | | | | | | | | | | | | | | |
| | | barren qtz vnlts to 1cm disrupted, tr.of | | | | | | | | | | | | | | |
| | | tour, no visible cpy. | | | | | | | | | | | | | | |
| | | 146.8-153.1m same porphyry, 2% qtz | | | | | | | | | | | | | | |
| | | veins, 1% tour blebs with tr.cpy. | | | | | | | | | | | | | | |
| | | 147.75-147.95m breccia zone at 60° to | | | | | | | | | | | | | | |
| | | CA with 2 by 5cm brecciated qtz | | | | | | | | | | | | | | |
| | | fragments in breccia zone with 5% cpy | | | | | | | | | | | | | | |
| | | in qtz fragments. At 149.1m 2 mm qtz | | | | | | | | | | | | | | |
| | | vnlt with 2% cpy at 70° to CA, at 149.2m | | | | | | | | | | | | | | |
| | | 1cm quartz vein with 2% cpy at 40° to | | | | | | | | | | | | | | |
| | | CA, at 149.95 2mm qtz vnlt with 50% | | | | | | | | | | | | | | |
| | | cpy at 60° to CA. | | | | | | | | | | | | | | |
| | | 151-151.25m breccia zone with 5% qtz | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | clasts, 5% cpy in qtz clasts. | | | | | | | | | | | | | | |
| | | 151.55m 2cm qtz vein with 2% cpy at 70° to CA. | | | | | | | | | | | | | | |
| | | 151.65m 1 cm qtz vein with tr.cpy at 15° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 15137 | 151.00 | 153.00 | 0.04 | 0.05 |
| 153.10 | 158.70 | K-SPAR MONZONITE | | <0.1 | | | | | | | | 15138 | 153.00 | 155.00 | 0.02 | 0.03 |
| | | Pink, fine to medium grained, moderately fractured with tight fractures with 1% white qtz/ankerite microvnlts, 2% tour blebs throughout. No visible cpy. Several late qtz veins. | | <0.1 | | | | | | | | 15139 | 155.00 | 157.00 | >0.01 | >0.03 |
| | | | | <0.1 | | | | | | | | 15140 | 157.00 | 159.00 | 0.01 | >0.03 |
| | | | | <0.1 | | | | | | | | | | | | |
| | | 154.53-154.59m qtz vein with 2% cpy at 70° to CA. | | | | | | | | | | | | | | |
| | | 154.67-154.71m qtz vein, tr.cpy at 55° to CA. | | | | | | | | | | | | | | |
| | | 158.1-158.23m qtz vein, 2% cpy, disrupted, discontinuous at 55°-60° to CA. | | | | | | | | | | | | | | |
| | | 158.59-158.61m 1.5cm qtz vein, 0.5% cpy at 80° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 158.70 | 169.40 | K-SPAR MONZONITE | | <0.1 | | | | | | | | 15141 | 159.00 | 161.00 | >0.01 | >0.03 |
| | | Pink, fine grained, well fractured with 1% qtz/ankerite microveinlets filling tight fractures, 1% tour blebs, also 1% black micro-vnlts of tour?, hem, tr.cpy with some tour. Generally very little cpy (<<0.1%). | | <0.1 | | | | | | | | 15142 | 161.00 | 163.00 | 0.03 | 0.04 |
| | | | | 0.1 | | | | | | | | 15143 | 163.00 | 165.00 | 0.07 | 0.13 |
| | | | | <0.1 | | | | | | | | 15144 | 165.00 | 167.00 | 0.04 | 0.06 |
| | | | | <0.1 | | | | | | | | 15145 | 167.00 | 169.00 | 0.03 | 0.05 |
| | | 163.1-163.48m Altered to light pink, 0.25% cpy dissem. | | | | | | | | | | | | | | |
| | | 164.1-166.3m 3% tour & hem, 1% qtz/ankerite filling fractures. No visible cpy. Most microfractures are very tight but very disrupted. | | | | | | | | | | | | | | |
| | | 166.3-169.4m 1% qtz/ankerite microveinlets filling very tight, but disrupted fractures, 1% tour blebs. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 168.1-168.25m 0.1% cpy dissem in white clay altered monzonite. | | | | | | | | | | | | | | |
| 169.40 | 171.00 | K-SPAR MONZONITE<br>Pink, fine to medium grained as 158.7-169.4m, but 30% altered to light pink, 2% micro blebs of tour/hem dissem, up to 1% cpy dissem. | | 0.1 | | | | | | | | 15146 | 169.00 | 171.00 | 0.07 | 0.05 |
| 171.00 | 174.40 | K-SPAR MONZONITE<br>Pink, fine to medium grained, moderately fractures, locally qtz/hem veins, most are highly disrupted at 171.23m, 0.5cm qtz/hem vein, 5% cpy, 70% hem.<br>171.8-171.9m 10cm zone of disrupted qtz/hem/cpy vnlts, 50% cpy in qtz, 10% hem<br>174-174.3m Zone of disrupted qtz/hem/cpy vnlts, 30% cpy, 30% hem, veins are very brecciated after development, v.f.g. cpy dissem, highest near veins. Entire section: 0.5-1% cpy. | | 0.2 | | | | | | | | 15147 | 171.00 | 173.00 | 0.42 | 0.34 |
| | | | | <0.1 | | | | | | | | | | | | |
| | | | | <0.1 | | | | | | | | | | | | |
| | | | | <0.1 | | | | | | | | | | | | |
| 174.40 | 175.65 | K-SPAR MONZONITE<br>Pink, fine grained, 3% qtz/hem vnlts, 1-5 mm, 50% hem, 20% cpy, most veins are disrupted, some at 25 to CA, cpy dissem throughout, entire section has 1% cpy. | | | | | | | | | | 15148 | 173.00 | 175.00 | 0.3 | 1.2 |
| | | | | 0.5 | | | | | | | | | | | | |
| 175.65 | 179.00 | K-SPAR MONZONITE<br>Pink, fine grained<br>175.65-176.5m 2% hem & tour filling very disrupted microfractures, no noticeable cpy.<br>176.5-178.42m 0.5% qtz/ankerite microvnlts, 2% tour blebs, no noticeable cpy.<br>178.42-178.45m Local zones moderately | | 0.1 | | | | | | | | 15149 | 175.00 | 177.00 | 0.11 | 0.53 |
| | | | | 0.2 | | | | | | | | 15150 | 177.00 | 179.00 | 0.05 | 0.07 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | altered to light pink, tr.cpy throughout. | | | | | | | | | | | | | | |
| | | 178.42-178.45m 5% cpy with disrupted | | | | | | | | | | | | | | |
| | | qtz/hem vnlts. At 178.74 3mm | | | | | | | | | | | | | | |
| | | qtz/hem/cpy vein at 70 to CA, 50%cpy. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 179.00 | 186.34 | K-SPAR MONZONITE | | | | | | | | | | 15151 | 179.00 | 181.00 | 0.05 | 0.43 |
| | | Fine grained, pink | | <0.1 | | | | | | | | | | | | |
| | | 179-180m Trace of hem microvnlts, 1% | | | | | | | | | | | | | | |
| | | qtz/ankerite vnlts. | | | | | | | | | | | | | | |
| | | 180-180.75m 2% qtz microvnlts, most | | | | | | | | | | | | | | |
| | | are highly disrupted, 20% hem with qtz. | | | | | | | | | | | | | | |
| | | 180.75-181.5m Broken core, joints | | | | | | | | | | 15152 | 181.00 | 183.00 | 0.15 | 0.16 |
| | | subparallel to CA, 3% tour blebs. | | | | | | | | | | 15153 | 183.00 | 185.00 | 0.06 | 0.12 |
| | | 181.5-182.6m 1% qtz micro-vnlts, highly | | | | | | | | | | 15154 | 185.00 | 187.00 | 0.27 | 0.3 |
| | | disrupted, 5% tour blebs, trace dissem | | | | | | | | | | | | | | |
| | | cpy. | | | | | | | | | | | | | | |
| | | 180.9-183m Several parallel qtz/ankerite | | | | | | | | | | | | | | |
| | | microvnlts at 40°-50° to CA, some with | | | | | | | | | | | | | | |
| | | hem/tour blebs. | | | | | | | | | | | | | | |
| | | 183.12-183.25m Late breccia zone. | | | | | | | | | | | | | | |
| | | 183.25-186.34m 2% qtz/hem micro-vnlts, | | | | | | | | | | | | | | |
| | | very disrupted, some at 10°-20° to CA, | | | | | | | | | | | | | | |
| | | some with hem cores, 1-2% tour blebs, | | | | | | | | | | | | | | |
| | | tr.cpy with vnlts & blebs. | | | | | | | | | | | | | | |
| | | 185.67-186m 0.5% cpy dissem. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 186.34 | 191.15 | LATE FAULT ZONE | | <0.1 | | | | | | | | 15155 | 187.00 | 189.00 | 0.14 | 0.22 |
| | | The same Kspar monzonite as 179- | | <0.1 | | | | | | | | 15156 | 189.00 | 192.28 | 0.08 | 0.09 |
| | | 186.34m, but highly brecciated and chl | | | | | | | | | | | | | | |
| | | altered, locally, 2% qtz veins in original | | | | | | | | | | | | | | |
| | | rock. | | | | | | | | | | | | | | |
| | | 187.65-188.9m Highly brecciated, 30% | | | | | | | | | | | | | | |
| | | clay gouge, chloritic (green). | | | | | | | | | | | | | | |
| | | 189.4-191.15m Several, 10-20 cm zone | | | | | | | | | | | | | | |
| | | of breccia with 5% green clay gouge, | | | | | | | | | | | | | | |
| | | elsewhere the rock is intact monzonite, | | | | | | | | | | | | | | |
| | | no visible cpy. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 192.28 | 197.70 | ANDESITE DYKE<br>AUGITE/plagioclase porphyry, 10% augite and 10% plagioclase, 1-2mm phenocrysts in v.f.g. black groundmass, 1% cal microvnlts, upper contact at 55° to CA (i.e. dyke should strike at 90° az.)<br>192.28-193.2m dyke is altered to tan colour, both augite and plagioclase phenocrysts are altered to tan, 1% cal veinlets filling joints. Dyke is generally unbroken (late dyke).<br>196.8-197.7 Dyke is altered to tan and the phenocrysts are altered the same as near the top of dyke. Lower contact is less well defined, could be at 60° to CA. | | | | | | | | | | | | | | |
| 197.70 | 202.40 | K-SPAR MONZONITE<br>Fine grained, pink, well fractured to brecciated, 1-2% qtz/ankerite microvnlts, 1% hem/tour microvnlts, some with cpy, 1% tour blebs some with cpy.<br>197.7-198.2m Well brecciated.<br>201.7-202.4m Narrow well brecciated zone, parallel to CA, only tr.cpy. | | | | | | | | | | 15157 | 197.7 | 200 | 0.05 | 0.12 |
| | | | | | | | | | | | | 15158 | 200 | 202 | 0.07 | 0.08 |
| 202.40 | 205.55 | K-SPAR MONZONITE<br>Pink, fine grained, highly fractured, late fractures, but clasts in place, 2% qtz/cal vnlts, 1% hem microvnlts, no notable cpy. | | | | | | | | | | 15159 | 202 | 205.55 | 0.07 | 0.17 |
| 205.55 | 228.95 | ANDESITE DYKE<br>Augite/plagioclase porphyry, the same as 192.28-197.7m. Upper contact could be at 60° to CA, but poorly defined.<br>205.55-207.2m Altered to tan with augite & plagioclase phenocrysts altered. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 205.55-206.2m Core is very broken at | | | | | | | | | | | | | | |
| | | 206.92m, 1cm ankerite/qtz vnlt at 35° to | | | | | | | | | | | | | | |
| | | CA. | | | | | | | | | | | | | | |
| | | 207.7-211.5m Plag phenocrysts | | | | | | | | | | | | | | |
| | | moderately altered to light gree and tan | | | | | | | | | | | | | | |
| | | minerals, augite is generally fresh, dyke | | | | | | | | | | | | | | |
| | | is generally not fractured. | | | | | | | | | | | | | | |
| | | 211.5-219.05m Altered to tan, both | | | | | | | | | | | | | | |
| | | plagioclase and augite phenocrysts, 2% | | | | | | | | | | | | | | |
| | | cal vnlts, 0.5-10mm at 10°, 20° and | | | | | | | | | | | | | | |
| | | some at 05° to CA. Core is generally | | | | | | | | | | | | | | |
| | | solid, broken zone at 218.1-218.52 and | | | | | | | | | | | | | | |
| | | 218.85-219.05m. | | | | | | | | | | | | | | |
| | | 219.05-223.95m Altered to tan, | | | | | | | | | | | | | | |
| | | plagioclase+augite phenocrysts, mostly | | | | | | | | | | | | | | |
| | | altered, minor zones where augite is | | | | | | | | | | | | | | |
| | | fresh, <1% cal vnlts, solid core. | | | | | | | | | | | | | | |
| | | 222.95-223.3m 3% cal veins mending | | | | | | | | | | | | | | |
| | | fracture zones, at 223.5m 0.5 cm cal | | | | | | | | | | | | | | |
| | | vein with 2-3mm qtz core, at 10° to CA. | | | | | | | | | | | | | | |
| | | The degree of tan alteration is somewhat | | | | | | | | | | | | | | |
| | | correlative with the calcite veinlets. | | | | | | | | | | | | | | |
| | | 223.95-225.1 Grey, augite fresh, tr.cal | | | | | | | | | | | | | | |
| | | vnlts. | | | | | | | | | | | | | | |
| | | 225.1-227.1m Tan, augite altered, at | | | | | | | | | | | | | | |
| | | 225.1m 5 mm white qtz vein at 20° to CA. | | | | | | | | | | | | | | |
| | | 227.1-228.95m Very local, fresh zones, | | | | | | | | | | | | | | |
| | | most altered to tan, both plag & augite | | | | | | | | | | | | | | |
| | | phenocrysts altered. | | | | | | | | | | | | | | |
| | | 227.10-227.6m Well fractured, 3% cal | | | | | | | | | | | | | | |
| | | vnlts at 35° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 228.95 | 232.95 | INCLUSIONS IN DYKE | | <0.1 | | | | | | | | 15160 | 228.95 | 230.50 | 0.08 | 0.17 |
| | | Upper contact is at 50° to CA, lower | | <0.1 | | | | | | | | 15161 | 230.50 | 232.75 | 0.05 | 0.09 |
| | | contact at 70° to CA, but ragged v.f.g. | | | | | | | | | | | | | | |
| | | white monzonite, altered and hem | | | | | | | | | | | | | | |
| | | stained, highly fractured with 3% hem | | | | | | | | | | | | | | |
| | | mending very tight fractures throughout. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | No visible cpy. At 230.4m 5 mm qtz/hem | | | | | | | | | | | | | | |
| | | 231.4-232m 30%qtz vein material, highly | | | | | | | | | | | | | | |
| | | brecciated | | | | | | | | | | | | | | |
| | | 23-232.95m Core very broken, 90% | | | | | | | | | | | | | | |
| | | recovery. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 232.95 | 264.00 | ANDESITE DYKE | | | | | | | | | | 15162 | 253.25 | 256.67 | 0.04 | 0.05 |
| | | Augite/plagioclase porphyry, same as | | | | | | | | | | | | | | |
| | | 205.55-228.95m, altered tan, | | | | | | | | | | | | | | |
| | | augite/plagioclase phenocrysts are | | | | | | | | | | | | | | |
| | | altered as before. | | | | | | | | | | | | | | |
| | | 232.95-234m Broken core. | | | | | | | | | | | | | | |
| | | 233.58-233.68m 5% cal/qtz vnlts,joints at | | | | | | | | | | | | | | |
| | | 45°, 55°, 65° to CA. | | | | | | | | | | | | | | |
| | | 235-236m Unaltered, black dyke. | | | | | | | | | | | | | | |
| | | 236-247.25m Medium brown to black,up | | | | | | | | | | | | | | |
| | | to 1% cal vnlts, most altered near vnlts, | | | | | | | | | | | | | | |
| | | plag phenocrysts are altered, augite | | | | | | | | | | | | | | |
| | | phenocryst are mostly fresh except 20 | | | | | | | | | | | | | | |
| | | cm zones here and there near cal vnlts. | | | | | | | | | | | | | | |
| | | Core is mostly solid except from 237- | | | | | | | | | | | | | | |
| | | 238.1 where late joints are at 15° to CA. | | | | | | | | | | | | | | |
| | | 241.5-242.2m 2% cal/qtz vnlts at 5°-10° | | | | | | | | | | | | | | |
| | | to CA, one 1mm vnlt with hem. | | | | | | | | | | | | | | |
| | | 242.7-242.8m 2% cal/qtz vnlts. | | | | | | | | | | | | | | |
| | | 244.8-245.3m 2% cal/qtz vnlts. | | | | | | | | | | | | | | |
| | | 246-246.7m 2% microvnlts cal/qtz, core | | | | | | | | | | | | | | |
| | | is generally solid, joints 25°,40°,45° to | | | | | | | | | | | | | | |
| | | CA. | | | | | | | | | | | | | | |
| | | 247.25-252.5m Altered to tan, both | | | | | | | | | | | | | | |
| | | plagioclase and augite phenocrysts, | | | | | | | | | | | | | | |
| | | several broken zone. | | | | | | | | | | | | | | |
| | | 247.5-247.6m 10cm breccia zone with | | | | | | | | | | | | | | |
| | | 5% cal vnlts. | | | | | | | | | | | | | | |
| | | 247.7-248.2m Very broken core. | | | | | | | | | | | | | | |
| | | 248.9-250.3m Monzonite clast | | | | | | | | | | | | | | |
| | | inclusions on side of core. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 251-252.21m 11cm inclusion on side of core altered, by monzonite? 50% qtz/50% hem. Fault zone 252.15-257.7m. 252.15-252.2m Andesite porphyry, highly broken core. 252.15-252.5m Andesite porphyry, highly broken core. 252.5-253.25m Brecciated zone, 10% dyke fragments, rest of rock is highly fractured monzonite, 20% clay, 5% qtz vein material, no sulfides. Kspar monzonite inclusions continued 253.25-256.67m. 253.25-254.5m Highly brecciated white moderately clay altered monzonite, 10% qtz vein material, 5% hem microveinlets and blebs. 254.5-256.67m Highly brecciated monzonite, 10% green and grey clay matrix, 5% qtz material, 1% hem. 256.67-257.7m Andesite porphyry, tan altered, brecciated. 257.7-264m Tan, altered except 260-260.8m augite fresh, 1% banded mutiphase cal vnlts at 35° & 50° to CA, generally unbroken. | | | | | | | | | | | | | | |
| 264.00 | 269.10 | ANDESITE DYKE Very fine grained andesite, altered to tan, 1% cal microvnlts, solid core. | | | | | | | | | | | | | | |
| 269.10 | 275.75 | SHEAR ZONE Major shear zone crush zone. Light buff colour and bentonitic to 272.6m. Includes Kspar porphyry pieces at 272.25m. Quartz vein, 2 cm, and banded at 269.96m, 40° to CA. Rare fine smokey | | | | | | 1 | | 1 | 1 | 15163 | 269.10 | 271.00 | >0.01 | >0.03 |
| | | | | | | | | | | | | 15164 | 271.00 | 273.00 | 0.02 | >0.03 |
| | | | | | | | | | | | | 15165 | 273.00 | 275.00 | 0.15 | >0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | and milky quartz vnlts noted. | | | | | | | | | | | | | | |
| | | 272.25-273.75m Crushed red bed, | | | | | | | | | | | | | | |
| | | andesite and grey qtz monzonite. | | | | | | | | | | | | | | |
| | | 273.75-276.75m Cal fracture fills. | | | | | | | | | | | | | | |
| | | 274.75-275.18m Brecciated Kspar-qtz | | | | | | | | | | | | | | |
| | | monzonite, traces tourmalinization. | | | | | | | | | | | | | | |
| | | 275.18-275.75m Crush zone, mixed | | | | | | | | | | | | | | |
| | | rocks, light green claye matrix. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 275.75 | 279.00 | QUARTZ MONZONITE | 0.1 | 0.1 | | | | 1 | | 2 | | 15166 | 275.00 | 277.00 | 0.01 | 0.05 |
| | | Pinkish white with qtz healed sections. | | | | | | | | | | 15167 | 277.00 | 279.00 | 0.47 | 0.15 |
| | | Structures subparallel to CA. Minor | | | | | | | | | | | | | | |
| | | disseminated and fracture filling cpy and | | | | | | | | | | | | | | |
| | | py. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 279.00 | 293.40 | K-SPAR-QUARTZ MONZONITE | 0.5 | 0.3 | | | | 2 | | 1 | 2 | 15168 | 279.00 | 280.00 | 0.05 | 0.03 |
| | | Medium pink with erratic areas of | | | | | | | | | | 15169 | 283.00 | 285.00 | 0.05 | 0.03 |
| | | brecciation and fine vnlts of quartz-tour, | | | | | | | | | | 15170 | 285.00 | 287.00 | 0.04 | 0.03 |
| | | traces of py and small areas of up to | | | | | | | | | | 15171 | 287.00 | 289.00 | 0.1 | 0.05 |
| | | 0.5% cpy. Tour-qtz vein 292-292.5m | | | | | | | | | | 15172 | 289.00 | 291.00 | 0.27 | 0.04 |
| | | subparallel to 10° to CA. | | | | | | | | | | 15173 | 291.00 | 293.00 | 0.63 | 0.19 |
| | | 279-284m Only 2 m of core and 3 m | | | | | | | | | | | | | | |
| | | missing, suspect marking error by | | | | | | | | | | | | | | |
| | | drillers. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 293.40 | 342.29 | K-SPAR-QUARTZ MONZONITE | 0.05 | 0.03 | | | 2 | 2 | | 2 | 2 | 15174 | 293.00 | 295.00 | 0.43 | 0.19 |
| | | Brecciated, matrix is quartz-tour, smokey | | | | | | | | | | | | | | |
| | | qtz and light green claye chloritic matrix. | | | | | | | | | | | | | | |
| | | 294.4-296m Return of smokey qtz & qtz- | | | | | | | | | | | | | | |
| | | tour alteration, up to 3% cpy in last 15 | | | | | | | | | | 15175 | 295.00 | 297.00 | 0.24 | 0.08 |
| | | cm. | | | | | | | | | | | | | | |
| | | 296-301.6m Mix of alteration and bull qtz | | | | | | | | | | | | | | |
| | | veins, up to 2 cm at 05°, 60° and 70° to | | | | | | | | | | 15176 | 297.00 | 299.00 | 0.08 | 0.04 |
| | | CA. Rare blebs of cpy and minor fracture | | | | | | | | | | 15177 | 299.00 | 301.00 | 0.1 | 0.04 |
| | | filling py and cpy. | | | | | | | | | | | | | | |
| | | 301.6-304m Lighter pink Kspar-quartz | | | | | | | | | | | | | | |
| | | monzonite. Few to no Kspar phenocrysts. | 0.01 | 0.03 | | | | 1 | | 3 | 3 | 15178 | 301.00 | 303.00 | 0.17 | 0.05 |
| | | Kspar alteration and qtz. | | | | | | | | | | 15179 | 303.00 | 305.00 | 0.09 | 0.04 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Minor cpy and tr.py as dissem and fracture fillings. | | | | | | | | | | | | | | |
| | | 304-308.1m Quartz veins at 45° to CA. Qtz-tour alteration. Core very solid. Trace dissem cpy & blebs of cpy at 305.3m. 308.1-318.45m Tour alteration plus developing ep as vnlts and crystal replacement, finely dissem cpy and tr.py associated with ep. 318.45-323m Fresher looking Kspar-quartz monzonite with minor qtz and tour vnlts, no sulfides. 323-326m Grey, higher tour Kspar-quartz monzonite with minor qtz vnlts. 326-328.5 As above-ep alteration includes cpy. 328.5-342.29m Grey, quartz monzonite, variably and decreasingly altered. Slickensides developing on fractures, 40°-60° to CA. Cpy decreases to 0, chl-feldspar alteration along fractures. | | 0.05 | | | | | | 2 | 1 | 15180 | 305.00 | 307.00 | 0.21 | 0.07 |
| | | | | | | | | | | | | 15181 | 307.00 | 309.00 | 0.07 | 0.09 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 15182 | 309.00 | 311.00 | 0.09 | 0.08 |
| | | | | | | | | | | | | 15183 | 311.00 | 313.00 | 0.13 | 0.06 |
| | | | | | | | | | | | | 15184 | 313.00 | 315.00 | 0.2 | 0.06 |
| | | | | | | | | | | | | 15185 | 315.00 | 317.00 | 0.12 | 0.07 |
| | | | 0.1 | 0.1 | | | 1 | | | 1 | 1 | 15186 | 317.00 | 319.00 | 0.04 | 0.08 |
| | | | | | | | | | | | | 15187 | 319.00 | 321.00 | 0.11 | 0.08 |
| | | | | | | | | | | | | 15188 | 321.00 | 323.00 | 0.12 | 0.06 |
| | | | | | | | | | | | | 15189 | 323.00 | 325.00 | 0.14 | 0.09 |
| | | | | | | | | | | | | 15190 | 325.00 | 327.00 | 0.11 | 0.1 |
| | | | | 0.1 | | | 1 | | | 1 | 1 | 15191 | 327.00 | 329.00 | 0.14 | 0.04 |
| | | | | | | | | | | | | 15192 | 329.00 | 331.00 | 0.11 | 0.05 |
| | | | | | | | | | | | | 15193 | 331.00 | 333.00 | 0.04 | 0.03 |
| | | | | | | | | | | | | 15194 | 333.00 | 335.00 | 0.08 | 0.05 |
| | | | | | | | | | | | | 15195 | 335.00 | 337.00 | 0.06 | 0.03 |
| | | | | | | | | | | | | 15196 | 337.00 | 339.00 | 0.04 | 0.04 |
| | | | | | | | | | | | | 15197 | 339.00 | 341.00 | 0.09 | 0.05 |
| 342.29 | | EOH | | | | | | | | | | 15198 | 341.00 | 342.29 | 0.06 | 0.04 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | feldspars and chloritized mafics to light | | | | | | 1 | | | 1 | 15203 | 70.40 | 72.00 | 0.19 | 0.11 |
| | | tan colour at fault contact 70° to CA. | | | | | | | | | | | | | | |
| | | 70-70.4m Grey fault gouge. | | | | | | | | | | | | | | |
| | | 70.4-70.86 m Qtz monzonite. | | | | | | | | | | | | | | |
| | | Slickensided gouge subparallel to 40° to | | | | | | | | | | | | | | |
| | | CA. Tour blebs. No sulfides. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 70.86 | 148.30 | K-SPAR-QUARTZ MONZONITE | | | | | | | | | | 15204 | 72.00 | 74.00 | 0.25 | 0.34 |
| | | Mixed gradational contacts into Kspar-qtz | | | | | | | | | | 15205 | 74.00 | 76.00 | 0.37 | 0.34 |
| | | monzonite. Heavy argillic alteration, Fe | | | | | | 3 | | | | 15206 | 76.00 | 78.00 | 0.17 | 0.24 |
| | | oxidation at 71.8m at 10° to CA. | | | | | | | | | | 15207 | 78.00 | 80.00 | 0.07 | 0.15 |
| | | 71.8-76.9m Medium grained, generally | | | | | | | | | | | | | | |
| | | fractured rock, rusty with intense Fe- | 0.1 | 0.2 | | | | | | | 1 | | | | | |
| | | oxides at 72.8m, 74.1m, 74.75m, 75- | | | | | | | | | | | | | | |
| | | 75.5m and 76.8m. Heavy argillization, | | | | | | | | | | | | | | |
| | | strong on fractures. Tour dissem with | | | | | | | | | | | | | | |
| | | cop, 0.1-0.2% Cu, traces py. Most | | | | | | | | | | | | | | |
| | | structures about 30°-40° to CA, 1cm qtz | | | | | | | | | | | | | | |
| | | vein at 73.7m. | | | | | | | | | | | | | | |
| | | 76.8-82m Distinct secondary zone, | 0.1 | | | | 1 | 2 | | 1 | 1 | 15208 | 80.00 | 82.00 | 0.03 | 0.13 |
| | | fracture fillings and pervasive limonite. | | | | | | | | | | | | | | |
| | | Medium grained with Kspar phenocrysts | | | | | | | | | | | | | | |
| | | up to 1 cm averaging, 2-4m widely | | | | | | | | | | | | | | |
| | | scattered tour up to 2mm. No sulfides. | | | | | | | | | | | | | | |
| | | Crush zone 80.9-81.1m at 25° to CA. | | | | | | | | | | | | | | |
| | | Oxidation patches at 82.0m. Argillic | | | | | | | | | | | | | | |
| | | alteration of plagioclase strong. | | | | | | | | | | | | | | |
| | | 82-86.25m Finer grained rock without | 0.1 | 0.1 | | | | 2 | | | 2 | 15209 | 82.00 | 84.00 | 0.08 | 0.08 |
| | | well defined Kspar. Rock is medium pink, | | | | | | | | | | 15210 | 84.00 | 86.00 | 0.13 | 0.13 |
| | | tends to be aphanitic, plagioclase only | | | | | | | | | | | | | | |
| | | partially altered. Mafics and tour? with | | | | | | | | | | | | | | |
| | | traces of py and cpy. Minor qtz veining | | | | | | | | | | | | | | |
| | | with cpy, rare blebs and traces of hem | | | | | | | | | | | | | | |
| | | quartz monzonite. | | | | | | | | | | | | | | |
| | | 86.25-90.7m As above 82-86.25m but | 0.1 | 0.1 | | | | 1 | | | 2 | 15211 | 86.00 | 88.00 | 0.02 | 0.04 |
| | | generally fractured with limonite fracture | | | | | | | | | | 15212 | 88.00 | 90.00 | 0.04 | >0.03 |
| | | fillings. Fine qtz veining with limonite, | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | some not rusty about 45° to CA. | | | | | | | | | | 15213 | 90.00 | 92.00 | 0.04 | 0.05 |
| | | 90.7-94.45m Fine to medium grained, | 0.1 | | | | | 1 | | | 1 | 15214 | 92.00 | 94.00 | 0.05 | 0.12 |
| | | pink Kspar-qtz monzonite. Minor argillic | | | | | | | | | | | | | | |
| | | alteration. Minor tour with minor qtz | | | | | | | | | | | | | | |
| | | veining, tr.py in fractures with qtz. Rock | | | | | | | | | | | | | | |
| | | hard and massive. | | | | | | | | | | | | | | |
| | | 94.45-95.05m Crushed and healed | 0.1 | 0.1 | | | | 3 | | | 2 | 15215 | 94.00 | 96.00 | 0.17 | 0.17 |
| | | sections with fracture boundaries 70° to | | | | | | | | | | | | | | |
| | | CA, up to 2 cm thick filled with chlorite | | | | | | | | | | | | | | |
| | | and clay with minor cpy & py in clay. | | | | | | | | | | | | | | |
| | | 95.05-96.38m Reddish potassic filled qtz | | | | | | 1 | | | 2 | | | | | |
| | | monzonitie with milky + tour qtz veining, | | | | | | | | | | | | | | |
| | | some brecciation, no sulfides. | | | | | | | | | | | | | | |
| | | 96.38-101m Massive evenly textured, | | | | | | 1 | | | 2 | 15216 | 96.00 | 98.00 | >0.01 | >0.03 |
| | | pink quartz monzonite, no sulfides. Few | | | | | | | | | | 15217 | 98.00 | 100.00 | >0.01 | >0.03 |
| | | quartz fractures, rare blebs of tour. | | | | | | | | | | 15218 | 100.00 | 102.00 | 0.17 | 0.09 |
| | | 101-101.2m Fractures 20° to CA. Qtz-chl | | 0.1 | | | | 2 | | 2 | 2 | | | | | |
| | | filling up to 2cm thick vnlts, blebby cpy. | | | | | | | | | | | | | | |
| | | 101.2-104.4m Even textured massive | | | | | | | | | | | | | | |
| | | quartz monzonite with small areas of | | | | | | | | | | 15219 | 102.00 | 104.00 | 0.06 | 0.18 |
| | | Kspar-qtz and minor tour-qtz veining. | | | | | | | | | | | | | | |
| | | Fault at 15 to CA, 104.9m. | | | | | | | | | | | | | | |
| | | 104.4-105.27m Contact at 20° to CA. | | | | | | | | | | | | | | |
| | | White matrix plagioclase monzonite iwth | 0.1 | 0.2 | | | | 2 | | 1 | 2 | 15220 | 104.00 | 106.00 | 0.31 | 0.6 |
| | | extensive tour as vnlts and dissem. Very | | | | | | | | | | | | | | |
| | | finely dissem cpy with tr.py with mafics. | | | | | | | | | | | | | | |
| | | Lower contact broken and gradational. | | | | | | | | | | | | | | |
| | | 105.27-107.5m Fairly massive Kspar-qtz | | | | | | | | | | | | | | |
| | | monzonite with sections of the above. | | | | | | | | | | | | | | |
| | | Flooding 105.68-105.76m and | 0.1 | 0.1 | | | | 2 | | 2 | 2 | 15221 | 106.00 | 108.00 | 0.04 | 0.03 |
| | | 105.8-105.9m and thins bands between | | | | | | | | | | 15222 | 108.00 | 110.00 | 0.05 | >0.03 |
| | | 106.2 and 106.5. Bleached areas have | | | | | | | | | | | | | | |
| | | tour and qtz-tour fracture fillings. | | | | | | | | | | | | | | |
| | | Trace of cpy, py and hem in a few | | | | | | | | | | | | | | |
| | | fractures. | | | | | | | | | | | | | | |
| | | 107.5-108.81m White bleached qtz | | | | | | | | | | | | | | |
| | | monzonite. Heavy light green alteration | | | | | | | | | | | | | | |
| | | along fractures up to 1 cm in lower | 0.1 | | | | 1 | 2 | | 1 | 2 | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 70 cm. Both contacts broken and | | | | | | | | | | | | | | |
| | | indistinct. Traces fracture py and tour. | | | | | | | | | | | | | | |
| | | Trace disseminated py with rusty haloes. | | | | | | | | | | | | | | |
| | | 108.81-112.6m Qtz monzonite with many | | | | | | | | | | | | | | |
| | | very fine tour and minor qtz vnlts. 109.96 | | | | | 1 | 2 | | 1 | 2 | | | | | |
| | | argillic and qtz veiningup to 2 cm wide. | | | | | | | | | | | | | | |
| | | 110.88-110.98m and at 111.4m trace py | | | | | | | | | | | | | | |
| | | and no cpy. | | | | | | | | | | | | | | |
| | | 112.6-113.15m Light pink qtz monzonite. | | | | | | | | | | 15223 | 110.00 | 112.00 | 0.05 | >0.03 |
| | | Clay filled fractures at 113m at 60° to CA. | | | | | | | | | | | | | | |
| | | 1cm qtz and qtz-tour veining 40° to CA. | | | | | | 1 | | 1 | 2 | 15224 | 112.00 | 114.00 | 0.06 | 0.09 |
| | | Very lower contact broken. | | | | | | | | | | | | | | |
| | | 113.15-113.75m Qtz and qtz tour | | | | | | | | | | | | | | |
| | | flooding with plagioclase. Tr. cpy wit | | | | | | | | | | | | | | |
| | | lesser cpy. | | | | | | | | | | | | | | |
| | | 113.75-114.63m Pink qtz monzonite. | 0.1 | tr | | | | | | 3 | 2 | | | | | |
| | | Few fractures with tour-tr.hem. No | | | | | | | | | | | | | | |
| | | sulfides. | | | | | | | | | | | | | | |
| | | 114.63-117.2m Brecciated zone healed | | | | | | | | 1 | 2 | | | | | |
| | | with dark qtz and argillaceous qtz. No | | | | | | | | | | | | | | |
| | | sulfides. Tour in scattered vnlts and as | | | | | | | | | | | | | | |
| | | blebs. | | | | | | | | 2 | 1 | 15225 | 114.00 | 116.00 | 0.06 | >0.03 |
| | | 117.2-119.5m Light pink qtz monzonite. | | | | | | | | | | 15226 | 116.00 | 118.00 | 0.12 | 0.07 |
| | | Solid to 118.38m them very broken with | | | | | | | | | | | | | | |
| | | gouge 119-119.5m. | | | | | | | | | | | | | | |
| | | 119.5-120.18m Dark grey qtz. | | | | | | | | | | 15227 | 118.00 | 120.00 | 0.05 | 0.05 |
| | | Subparallel to 05° to CA. Slickensided. | | | | | | | | | | | | | | |
| | | 120.18-122.6m Light pink qtz monzonite | | | | | | | | | | | | | | |
| | | and argillaceous fractures fillings, 1cm | | | | | | | | 1 | 1 | | | | | |
| | | wide at 122.6m and 122.67m. No | | | | | | | | | | | | | | |
| | | sulfides. | | | | | | | | | | 15228 | 120.00 | 122.00 | 0.05 | 0.09 |
| | | 122.6-127.3m Dark red qtz monzonite | | 0.1 | | | | | | 1 | 2 | | | | | |
| | | with smokey qtz crystals and stringers. | | | | | | | | | | | | | | |
| | | Tr. dissem and bleby cpy. | | | | | | | | | | | | | | |
| | | 127.3-129m Kspar-qtz monzonite- | 0.1 | 0.1 | | | | | | 1 | 1 | 15229 | 122.00 | 124.00 | 0.14 | 0.08 |
| | | plagioclase sericitized and argillized. | | | | | | | | | | 15230 | 124.00 | 126.00 | 0.15 | 0.09 |
| | | Rare specks of cpy and lesser py. | | | | | | | | | | 15231 | 126.00 | 128.00 | 0.1 | 0.06 |
| | | 129-130.3m Kspar-qtz monzonite. Argillic | 0.1 | 0.5 | | | | | | 2 | 1 | 15232 | 128.00 | 130.00 | 0.19 | 0.15 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | alteration. Smokey qtz stringers carry | | | | | | | | | | | | | | |
| | | 0.5% cpy. Traces of cpy in mafics, rare | | | | | | | | | | | | | | |
| | | spots of tour, very minor py. Non- | | | | | | | | | | | | | | |
| | | magnetic. Tr. Hem on selvages. | | | | | | | | | | | | | | |
| | | 130.3-130.66m Intense tour flooding. | 0.1 | 0.2 | | | | | | 2 | 1 | 15233 | 130.00 | 132.00 | 0.39 | 0.17 |
| | | Massive tour has blebs and slips of hem. | | | | | | | | | | | | | | |
| | | Weakly magnetic. Tr. dissem cpy, lesser | | | | | | | | | | | | | | |
| | | py. | | | | | | | | | | | | | | |
| | | 130.66-131.65m Mixed pale pink to red | | 0.5 | | | | | | 1 | 1 | | | | | |
| | | pink. Mafics and smokey qtz carry | | | | | | | | | | | | | | |
| | | dissem cpy, 0.5%. | | | | | | | | | | | | | | |
| | | 131.65-133.83m Kspar-qtz monzonite. | 0.1 | 0.3 | | | | | | 2 | 1 | 15234 | 132.00 | 134.00 | 0.46 | 0.32 |
| | | Ortoclase crystals up to 1 cm. Cpy in | | | | | | | | | | | | | | |
| | | smokey qtz vnlts and mafics as dissem. | | | | | | | | | | | | | | |
| | | Very minor py. Non-magnetic. | | | | | | | | | | | | | | |
| | | 133.83-134.65m Heavy smokey qtz with | | | | | | | | | | | | | | |
| | | bleby cpy along fracture fillings. Non- | 0.1 | 0.9 | | | | | | 2 | 1 | | | | | |
| | | magnetic. Main veining about 10° to CA. | | | | | | | | | | | | | | |
| | | 2-3% cpy in vein. | | | | | | | | | | | | | | |
| | | 134.65-136m Pale pink qtz monzonite. | | | | | | 1 | | 1 | 1 | 15235 | 134.00 | 136.00 | 0.3 | 0.18 |
| | | Argillized. Very low dark qtz or mafics. | | | | | | | | | | | | | | |
| | | No sulfides. | | | | | | | | | | | | | | |
| | | 136-137.3 Kspar-qtz monzonite. About | | | | | | | | 2 | 1 | 15236 | 136.00 | 138.00 | 0.08 | 0.03 |
| | | 1% blebs of tour. Argillic and smokey | | | | | | | | | | | | | | |
| | | areas. No sulfides. Tr. hem. | | | | | | | | | | | | | | |
| | | 137.3-138m First half plagioclase | | 0.1 | | | | | | 3 | 1 | | | | | |
| | | flooded. Second half tour flooded. | | | | | | | | | | | | | | |
| | | Tr.hem, rare blebs cpy. | | | | | | | | | | | | | | |
| | | 138-138.33m Light pink qtz monzonite. 3- | | | | | | | | | 1 | 15237 | 138.00 | 140.00 | 0.27 | 0.15 |
| | | 4mm specks of tour. No sulfides. | | | | | | | | | | | | | | |
| | | 138.33-138.8m Grey qtz-chl-argillic | | | | | | | | 1 | 1 | | | | | |
| | | flooding. Tr.hem, rare blebs cpy. | | | | | | | | | | | | | | |
| | | 138.8-138.29m Fault parallel to CA. | | | | | | 2 | | 1 | 1 | | | | | |
| | | Pink qtz monzonite. On one side grey | | | | | | | | | | | | | | |
| | | gouge, on the other gravelly at 139.29m. | | | | | | | | | | | | | | |
| | | 139.29-139.55m Grey fracture as above. | | 1 | | | | 1 | | | 1 | | | | | |
| | | Dissem cpy about 1%. Lower contact | | | | | | | | | | | | | | |
| | | 18° to CA, clayey. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 139.55-141.2m Light pink qtz monzonite. | 0.1 | 0.1 | | | | | | 1 | 1 | 15238 | 140.00 | 142.00 | 0.24 | 0.08 |
| | | Bleby 2-4mm tour, very broken. | | | | | | | | | | | | | | |
| | | 140.5-140.8m cpy in same milky qtz | | | | | | | | | | | | | | |
| | | vnlts, tr.py and hem. | | | | | | | | | | | | | | |
| | | 141.4-145.56m Kspar-qtz monzonite, | | | | | | 1 | 2 | 1 | 1 | | | | | |
| | | brownish pink. Biotization. Tr.cpy in | | 0.1 | | | | | | | | 15239 | 142.00 | 144.00 | 0.19 | 0.1 |
| | | smokey qtz and very fine dissem. Red | | | | | | | | | | | | | | |
| | | limonitic fractures at 143.3-143.5 and | | | | | | | | | | | | | | |
| | | 144.4-144.85, 145.15-145.5m. Rare vnlts | | | | | | | | | | | | | | |
| | | and blebs of tour. | | | | | | | | | | 15240 | 144.00 | 146.00 | 0.03 | 0.08 |
| | | 145.56-147.5m Quartz monzonite, biotite | | | | | | | | | | | | | | |
| | | altered. Minor patches dissem cpy. | | 0.1 | | | | | 2 | 1 | 1 | 15241 | 146.00 | 148.30 | 0.31 | 0.09 |
| | | 147.5-148.3m Black crushed qtz | | | | | | | | | | | | | | |
| | | monzonite with long shear at 05 to CA | | | | | | | | | | | | | | |
| | | going to crush zone at lower contact. | | 0.2 | | | | | 3 | 2 | 1 | | | | | |
| | | Shear filled with milky qtz, chl (black), | | | | | | | | | | | | | | |
| | | clay and blebby tour, up to 3cm thick. Tr. | | | | | | | | | | | | | | |
| | | dissem cpy plus over 1% cpy in 8cm x | | | | | | | | | | | | | | |
| | | 3cm tour bleb. | | | | | | | | | | | | | | |
| | | 148.3-150m Nicola Gp. Augite and biotite | | | | | | | | | | | | | | |
| | | crystals altered to yellowish clay. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 148.30 | 224.95 | BASALTIC ANDESITE | | | | | | | | | | | | | | |
| | | Nicola Group-augite and biotite crystals | | | | | | 3 | 2 | | | | | | | |
| | | altered to yellowish clay. Groundmass | | | | | | | | | | | | | | |
| | | darkenning to black with depth. | | | | | | | | | | | | | | |
| | | 150-152.5m Basaltic andesite. Losing | | | | | | 1 | | | | | | | | |
| | | alteration to mafics and becomes | | | | | | | | | | | | | | |
| | | homogenous greenish black, porphyritic, | | | | | | | | | | | | | | |
| | | lithic tuff. | | | | | | | | | | | | | | |
| | | 152.5-216.7m Mixture of thick bedded | | | | | | | | | | | | | | |
| | | basaltic andesite with thinner but | | | | | | | | | | | | | | |
| | | massive grey-green, fine grained tuff. | | | | | | | | | | | | | | |
| | | Nicola Gp. | | | | | | | | | | | | | | |
| | | 216.7-223.42m Increasingly ashy and | | | | | | | | | | | | | | |
| | | bentonitic volcano-sediments. Grades at | | | | | | 3 | | | | | | | | |
| | | 221.59m to brownish bentonite, mottled | | | | | | | | | | | | | | |
| | | with green. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 223.42-224.95m Grey-brown gouge. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 224.95 | 234.08 | BIOTITE MONZONITE | | | | | | 1 | 2 | | | | | | | |
| | | Mottled with biotite, altered fine to | | | | | | | | | | | | | | |
| | | medium grained. Minor blebs cpy. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 234.08 | 264.26 | NICOLA ANDESITE | | | | | 1 | | 2 | | 1 | | | | | |
| | | Mottled pink-greenish altered andesite, | | | | | | | | | | | | | | |
| | | Kspar and epidote. No sulfides. | | | | | | | | | | | | | | |
| | | 237.75-241.71m Medium green, fine to | | | | | 1 | | 1 | | | | | | | |
| | | medium grained andesite. No sulfides. | | | | | | | | | | | | | | |
| | | 241.71-264.26m Mixed green and | | | | | 2 | | 3 | | 1 | | | | | |
| | | brownish andesite. Biotite alteration and | | | | | | | | | | | | | | |
| | | epidotic sections increasing to dpeth. No | | | | | | | | | | | | | | |
| | | visible sulfides. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 264.26 | | EOH | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | number | From | To | % | g/t |
| | | and biotite (primary). Many smokey qtz vnlts. Core is generally borken except 79.2-80.16m. Few grains cpy, tr.py. | | | | | | | | | | | | | | |
| 81.69 | 100.40 | K-SPAR-QUARTZ MONZONITE | 0.1 | 0.2 | | | | | | 1 | 2 | 15275 | 83.00 | 85.00 | 0.01 | 0.03 |
| | | Medium grained, pinker phase, less aphanitic. | | | | | | | | | | 15276 | 85.00 | 87.00 | 0.01 | 0.05 |
| | | | | | | | | | | | | 15277 | 87.00 | 89.00 | 0.03 | <0.03 |
| | | 82.2-82.3m Smokey qtz and smokey qtz-tour vnlts with tr.mag, no sulfides. | | | | | | | | | | 15278 | 89.00 | 91.00 | 0.03 | <0.03 |
| | | | | | | | | | | | | 15279 | 91.00 | 93.00 | 0.06 | <0.03 |
| | | 85.9m 2mm stringer with blebby cpy in smokey qtz. | | | | | | | | | | 15280 | 93.00 | 95.00 | 0.04 | 0.04 |
| | | | | | | | | | | | | 15281 | 95.00 | 97.00 | 0.02 | <0.03 |
| | | 86m 20cm of broken core. | | | | | | | | | | 15282 | 97.00 | 99.00 | 0.01 | <0.03 |
| | | 87.8-88.1m Smokey qtz with tour up to 2 cm in.... with blebby cpy. | | | | | | | | | | 15283 | 99.00 | 100.84 | <0.01 | <0.03 |
| | | 90.2-94.8m Core is very broken with 9 cm gouge at the end. | | | | | | | | | | | | | | |
| | | 95.8m Graphitic fracture at 65° to CA. | | | | | | | | | | | | | | |
| | | 100.4m Clayey contact with minor.....at 50° to CA. | | | | | | | | | | | | | | |
| 100.40 | 101.20 | BULL QUARTZ | | 0.1 | | | 1 | | | 3 | 2 | 15284 | 100.84 | 101.2 | 0.04 | 0.04 |
| | | Milky with blebby cpy. Slevages bleached with propylitic alteration, chloritization in plagioclase. No biotite. No sulfides in selvages. Quartz zone brecciated, clay healed. | | | | | | | | | | | | | | |
| 101.20 | 104.15 | K-SPAR-QUARTZ MONZONITE | | | | | | | 1 | 1 | 2 | 15285 | 101.2 | 103 | 0.05 | <0.03 |
| | | Weakl propylitically altered, fine grained. Light green chlorite in plagioclase. Minor smokey qtz veining, 45°-80° to CA. No sulfides. Very weakly magnetic. Minor tour dissem and in vnlts. Lower contact at 25° to CA. | | | | | | | | | | | | | | |
| 104.15 | 108.40 | K-SPAR-QUARTZ MONZONITE | | | | | 1 | 2 | | 1 | 2 | 15286 | 103 | 105 | 0.09 | 0.05 |
| | | Light greyish tan in colour with Kspar phenocrysts 15% up to 8-9mm in | | | | | | | | | | 15287 | 105 | 107 | 0.10 | 0.03 |
| | | | | | | | | | | | | 15288 | 107 | 108.4 | 0.03 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | number | From | To | % | g/t |
| | | sections, 50% matrix is qtz flooded. Non-magnetic, no sulfides. | | | | | | | | | | | | | | |
| 108.40 | 111.00 | K-SPAR-QUARTZ MONZONITE Plagioclase-clay altered ecept 15 cm around 109.15m. Of 100% chlorite alteration. Milky & smokey quartz, tour and qtz-tour vnlts. Tour and mag are widely dissem. Weakly magnetic. | | | | | 1 | 2 | | 1 | 2 | 19289 | 108.4 | 111 | 0.01 | 0.04 |
| 111.00 | 115.14 | K-SPAR-QUARTZ MONZONITE Light pink, plagioclase moderately chloritized. Very few mafics. Smokey qtz and chlorite-clay on fractures. Non-magnetic. 115-115.14m Qtz, milky and smokey with plagioclase fragments and tour vnlts, 30° to CA. | | | | | 1 | 1 | | 1 | 2 | 15290 | 111 | 113 | 0.01 | <0.03 |
| | | | | | | | | | | | | 15291 | 113 | 115.14 | 0.04 | <0.03 |
| 115.14 | 119.80 | K-SPAR-QUARTZ MONZONITE Mainly pink with minor sections of grey qtz and bleaching, 115.4-115.5m and 119.1-119.5m. No sulfides. Weakly magnetic. | | | | | | 1 | | 1 | 2 | 15292 | 115.14 | 117 | 0.01 | <0.03 |
| 119.80 | 121.80 | K-SPAR-QUARTZ MONZONITE Brownish pink, probably biotized, aphanitic. Very few mafics, some light green chlorite. Areas of K-spar flooding. Smokey and grey qtz veining. Qtz-feldspar on fractures, non-magnetic. | | | | | | 1 | 2 | 1 | 2 | 15293 | 117 | 119 | 0.04 | <0.03 |
| | | | | | | | | | | | | 15294 | 119 | 121 | 0.07 | <0.03 |
| 121.80 | 130.13 | K-SPAR-QUARTZ MONZONITE Very fine grained, pink, almost aphanitic. 10cm smokey qtz vein at 126m. Small sections weakly magnetic. Smokey, milky qtz-feldspar veining. No sulfides. | | | | | 1 | 1 | | 1 | 2 | 15295 | 121 | 123 | 0.02 | <0.03 |
| | | | | | | | | | | | | 15296 | 123 | 125 | 0.02 | <0.03 |
| | | | | | | | | | | | | 15297 | 125 | 127 | 0.11 | 0.03 |
| | | | | | | | | | | | | 15298 | 127 | 129 | 0.04 | <0.03 |
| | | | | | | | | | | | | 15299 | 129 | 131 | 0.05 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | number | From | To | % | g/t |
| 130.15 | 167.95 | K-SPAR-QUARTZ MONZONITE | 0.1 | 0.3 | | | | 1 | | 2 | 2 | 15300 | 131.00 | 133.00 | 0.05 | <0.03 |
| | | Medium grained, pink with patchy | | | | | | | | | | 15301 | 133.00 | 135.00 | 0.11 | 0.03 |
| | | brecciation, smokey qtz and | | | | | | | | | | 15302 | 135.00 | 137.00 | 0.15 | 0.06 |
| | | chloritization. Moderate augite, patchy | | | | | | | | | | 15303 | 137.00 | 139.00 | 0.04 | <0.03 |
| | | dissem cpy and lesser py, blebby cpy, | | | | | | | | | | 15304 | 139.00 | 141.00 | 0.03 | <0.03 |
| | | often with smokey qtz vnlt, up to 0.1% in | | | | | | | | | | 15305 | 141.00 | 143.00 | 0.09 | <0.03 |
| | | sections. Core is broken at 136m with | | | | | | | | | | 15306 | 143.00 | 145.00 | 0.14 | <0.03 |
| | | tour vnlts. | | | | | | | | | | 15307 | 145.00 | 147.00 | 0.06 | 0.05 |
| | | 138.6-139.3m Bleached area, high | | | | | | | | | | 15308 | 147.00 | 149.00 | 0.05 | 0.05 |
| | | plagioclase and smokey qtz, most | | | | | | | | | | 15309 | 149.00 | 151.00 | 0.06 | 0.04 |
| | | structures at 20° to CA | | | | | | | | | | 15310 | 151.00 | 153.00 | 0.03 | <0.03 |
| | | 139.3-142.1m Medium pink, less | | | | | | | | | | 15311 | 153.00 | 155.00 | 0.05 | 0.03 |
| | | porphyritic, dark veining with tr.cpy and | | | | | | | | | | 15312 | 155.00 | 157.00 | 0.10 | 0.04 |
| | | hem. Weakly magnetic. | | | | | | | | | | 15313 | 157.00 | 159.00 | 0.06 | <0.03 |
| | | 142-153m Has 1-3cm milky qtz veins/m, | | | | | | | | | | 15314 | 159.00 | 161.00 | 0.11 | 0.11 |
| | | many with cpy blebs. One 5 cm vein at | | | | | | | | | | 15315 | 161.00 | 163.00 | 0.06 | <0.03 |
| | | 151.3m has open crystalline vugs. No | | | | | | | | | | 15316 | 163.00 | 165.00 | 0.04 | <0.03 |
| | | sulfides. | | | | | | | | | | 15317 | 165.00 | 167.00 | 0.04 | <0.03 |
| | | 153.5-158.75m Darker pink with | | | | | | | | | | | | | | |
| | | chloritization and tour. Moderately | | | | | | | | | | | | | | |
| | | magnetic. Mixed end of section with | | | | | | | | | | | | | | |
| | | erratic dissem and blebby cpy and much | | | | | | | | | | | | | | |
| | | lesser py. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 167.95 | 173.90 | K-SPAR-QUARTZ MONZONITE | 0.1 | 0.2 | | | 3 | | | 3 | 3 | 15318 | 167.00 | 169.00 | 0.01 | <0.03 |
| | | Chloritized and bleached section. Kspar | | | | | | | | | | 15319 | 169.00 | 171.00 | 0.10 | 0.17 |
| | | very bright pink. Matrix is generally light | | | | | | | | | | 15320 | 171.00 | 173.00 | 0.04 | <0.03 |
| | | green with areas of smokey qtz flooding | | | | | | | | | | | | | | |
| | | with minor cpy and less py, structures at | | | | | | | | | | | | | | |
| | | 70° to 80° to CA, 5 cm smokey qtz vein | | | | | | | | | | | | | | |
| | | at 173m 90° to CA, cpy, py. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 173.90 | 204.00 | K-SPAR-QUARTZ MONZONITE | | 0.1 | | | 1 | | | 2 | 3 | 15321 | 173.00 | 175.00 | 0.11 | 0.14 |
| | | Brownish pink with Kspar and | | | | | | | | | | 15322 | 175.00 | 177.00 | 0.02 | <0.03 |
| | | plagioclase, tending to aphanitic, smokey | | | | | | | | | | 15323 | 177.00 | 179.00 | 0.04 | <0.03 |
| | | qtz and tour, qtz vnlts. Minor epidote with | | | | | | | | | | 15324 | 179.00 | 181.00 | 0.07 | 0.03 |
| | | chlorite blebs which carry cpy. Magnetic. | | | | | | | | | | 15325 | 181.00 | 183.00 | 0.01 | <0.03 |
| | | 182-184m Bleached section with …vnlts | | | | | | | | | | 15326 | 183.00 | 185.00 | 0.03 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | number | From | To | % | g/t |
| | | & stringers. Kspar bleached. Rare blebs | | | | | | | | | | 15327 | 185.00 | 187.00 | 0.16 | 0.07 |
| | | of cpy. | | | | | | | | | | 15328 | 187.00 | 189.00 | 0.12 | 0.07 |
| | | 184-187m Smokey and milky qtz vnlts | | 0.1 | | 0.1 | | | | 1 | 2 | 15329 | 189.00 | 191.00 | 0.04 | 0.06 |
| | | with minor cpy. Also qtz-tour. Magnetic. | | | | | | | | | | 15330 | 191.00 | 193.00 | 0.08 | 0.06 |
| | | 187-192.8m Darker Kspar-quartz | | | | | | | | | | 15331 | 193.00 | 195.00 | 0.07 | 0.39 |
| | | monzonite. Weakly magnetic. Increased | | 0.1 | | | 1 | | 1 | 1 | 2 | 15332 | 195.00 | 197.00 | 0.10 | 0.05 |
| | | tour in fracture fillings. | | | | | | | | | | 15333 | 197.00 | 199.00 | 0.07 | 0.28 |
| | | 192.8-195.1m Mixture of above, less | | | | | | | | | | 15334 | 199.00 | 201.00 | 0.07 | <0.03 |
| | | sulfides. | 0.1 | 0.1 | | | | | 1 | 1 | 2 | 15335 | 201.00 | 203.00 | 0.18 | 0.27 |
| | | 195.1-197.85m Ligher pink Kspar-quartz | | | | | | | | | | | | | | |
| | | monzonite. Partially bleached. Tour-qtz | | 0.2 | | | | | | 1 | 2 | | | | | |
| | | vnlts carry minor cpy, some minor dissem | | | | | | | | | | | | | | |
| | | cpy. Smokey qtz vnlts, unmineralized. | | | | | | | | | | | | | | |
| | | 197.85-204m Brownish pink. Mixed | | | | | | | | | | | | | | |
| | | areas of chlorite and tourmaline alteration | | | | | | | | | | | | | | |
| | | and veining. Negligible sulfides. | | | | | 1 | | 2 | 1 | 1 | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 204.00 | 232.00 | K-SPAR-QUARTZ MONZONITE | | | | | | | | | | 15336 | 203.00 | 205.00 | 0.07 | 0.04 |
| | | Pink, smokey and milky qtz vnlts, some | | | | | | | | | | 15337 | 205.00 | 207.00 | 0.09 | 0.09 |
| | | cpy blebs in tour-qtz vnlts at end of | | | | | | | | | | 15338 | 207.00 | 209.00 | 0.14 | 0.05 |
| | | section with increase in dissem ep and | | | | | | | | | | 15339 | 209.00 | 211.00 | 0.13 | 0.28 |
| | | tour. | | | | | | | | | | 15340 | 211.00 | 213.00 | 0.14 | 0.2 |
| | | 207.55-210.3m Medium pink, less tour, | | 0.1 | | | | | | 2 | 2 | 15341 | 213.00 | 215.00 | 0.06 | 0.06 |
| | | cpy traces in smokey qtz vnlts. 2.5cm | | | | | | | | | | 15342 | 215.00 | 217.00 | 0.16 | 0.09 |
| | | smokey qtz vnlts at 209m, no sulfides, | | | | | | | | | | 15351 | 217.00 | 219.00 | 0.05 | 0.05 |
| | | 35° to CA, lower contact 60° to CA. | | | | | | | | | | 15352 | 219.00 | 221.00 | 0.06 | 0.07 |
| | | 210.3-213.55m Kspar-quartz monzonite | | | | | | | | 1 | 1 | 15353 | 221.00 | 223.00 | 0.07 | <0.03 |
| | | with 25% augite, tr.dissem coy. Contacts | | | | | | | | | | 15354 | 223.00 | 225.00 | 0.05 | 0.14 |
| | | broken and poorly defined. | | | | | | | | | | 15355 | 225.00 | 227.00 | 0.07 | 0.06 |
| | | 213.55-214.9m Pale pink to white Ksapr- | | 0.1 | | | 1 | | | 1 | 2 | 15356 | 227.00 | 229.00 | 0.06 | 0.04 |
| | | quartz monzonite. Distinct tour-qtz | | | | | | | | | | 15357 | 229.00 | 231.00 | 0.03 | <0.03 |
| | | fracture fillings. No sulfides. | | | | | | | | | | 15358 | 231.00 | 232.00 | 0.09 | 0.18 |
| | | 214.9-217.05m Medium pink, well | | 0.1 | | | 1 | | | 1 | 2 | | | | | |
| | | defined pink Kspar, 25-30%. At 215.75m | | | | | | | | | | | | | | |
| | | a 2-3cm epidote blotch. Ep-tour fracture | | | | | | | | | | | | | | |
| | | filling with minor cpy, 10-15% dissem | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | number | From | To | % | g/t |
| | | tour, weakly magnetic. | | 0.2 | | | | | | 2 | 2 | | | | | |
| | | 217.05-225.05m Less Kspar slightly paler matrix. Moderately, weakly magnetic. Veining now includes clear qtz, 20°-70° to CA, up to 1 cm. No sulfides. Patchy dissem coy in and associated with darker fracture fillings. | | | | | | | | | | | | | | |
| | | 225.05-227.6m Bleached section. Phenocrysts pale pink, plagioclase white. Pink for 225.9-226.4m Fault zone 227-227.6m. Most fractures 45° to CA. Traces bornite in chl-tour fracture-slickenside. | | 0.1 | | | | 1 | | 2 | 2 | | | | | |
| | | 227.6-232m Medium pink, tour varies 5-15% dissem. Rock very tight. Traces cpy. | | 0.1 | | | | | | 1 | 2 | | | | | |
| 232.00 | 282.00 | K-SPAR-QUARTZ MONZONITE | | | | | | | | | | 15359 | 232.00 | 233.00 | 0.11 | 0.17 |
| | | 232-236m Darker, moderately weakly magnetic. Both contact at 40° to CA. Fracture and dissem cpy, lesser py. Mafics include hornblende. Fracturing less intense, mainly milky qtz or qtz-feldspar and clay. Small bleached area 334.55-334.80m. | 0.1 | 0.3 | | | 1 | 1 | | 2 | 2 | 15360 | 233.00 | 235.00 | 0.18 | 0.14 |
| | | | | | | | | | | | | 15361 | 235.00 | 237.00 | 0.17 | 0.18 |
| | | | | | | | | | | | | 15362 | 237.00 | 239.00 | 0.24 | 0.15 |
| | | | | | | | | | | | | 15363 | 239.00 | 241.00 | 0.26 | 2.44 |
| | | | | | | | | | | | | 15364 | 241.00 | 242.00 | 0.59 | 0.56 |
| | | | | | | | | | | | | 15365 | 242.00 | 243.00 | 0.18 | 0.18 |
| | | | | | | | | | | | | 15366 | 243.00 | 245.00 | 0.24 | 0.23 |
| | | 236-236.8m Medium pink, weakly magnetic, less sulfides. 236.8-242m Banding of above two types: 236.8-237.7m Dark, 237.7-239.7m Light, 239.7-240.45m Dark, 240.45-242m Light, bleby cpy, less cpy on fractures and dissem (236-242m), 238m Trace arsenopyrite noted on tour fractures with minor cpy and py at 40° to CA. 242-247.3m Dark and magnetic. Cpy prominent in well healed fractures. 247.3m Reduced to BQ. | 0.1 | 0.1 | | | | | | 1 | 2 | 15367 | 245.00 | 247.30 | 0.22 | 0.17 |
| | | | | | | | | | | | | 15368 | 247.30 | 249.00 | 0.22 | 0.06 |
| | | | | | | | | | | | | 15369 | 249.00 | 250.50 | 0.11 | 0.01 |
| | | | | | | | | | | | | 15370 | 250.50 | 252.45 | 0.04 | <0.03 |
| | | | 0.1 | 0.4 | | 0.1 | | | 1 | 2 | 2 | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE NO.: 040-30**

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | number | From | To | % | g/t |
| | | | | | | | | | | | | | | | | |
| 247.30 | 250.50 | K-SPAR-QUARTZ MONZONITE | | | | | | | | | | | | | | |
| | | 247.3-250.5m The same as 232-282.0m. | 0.1 | 0.4 | | 0.1 | | | 1 | 2 | 2 | | | | | |
| | | Good cpy. | | | | | | | | | | | | | | |
| | | 250.5-252.25m Nicola contact at 70° to | | | | | | | | | | | | | | |
| | | CA. Basaltic andesite traces ep. | | | | | | | | | | | | | | |
| | | 252.45-257.55m Massive basaltic | | | | | | | | | | | | | | |
| | | andesite flow, slightly amygduloidal. In | | | | | | | | | | | | | | |
| | | small sections dark matrix has augite and | | | | | | | | | | | | | | |
| | | hornblende phenocrysts, traces primary | | | | | | | | | | | | | | |
| | | biotite. | | | | | | | | | | | | | | |
| | | 257.55-282m As above, 252.45-257.55m | | | | | | | | | | | | | | |
| | | with up to 20 cm section of lithic tuff and | 0.1 | 0.1 | | | 1 | 1 | | | | | | | | |
| | | crowded porphyry with 70% 2-3mm | | | | | | | | | | | | | | |
| | | plagioclase. Contacts are generally 30° | | | | | | | | | | | | | | |
| | | to CA. Traces of cpy and py with ep at | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 282.00 | | EOH | | | | | | | | | | | | | | |

# GWR RESOURCES INC.

**PROPERTY: Ann 1**
**Telegraph Corner**

**DRILL HOLE NO.: 04-31**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| 76m | 90° | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 616448** | **Core Size: NQ** | **Started: October 2/04** |
| **Northing (NAD 83): 5757968** | **Hole Azimuth:** | **Finished: October 4/04** |
| **Grid Location:** | **Hole Angle: 90°** | **Logged by: D.P.Taylor** |
| **Elevation: 1415m** | **Total Depth: 78.33m** | **Analysis by: Eco-Tech** |

**Alteration Scale: 1 - 5**

| Depth (m) From | Depth (m) To | Description | % Py | % Cpy | % Mo | % Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Sample Number | Interval (m) From | Interval (m) To | Cu % | Au g/t |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.00 | 1.83 | NW Casing. Mainly crowded porphyry. | | | | 1.5 | | | | | | | | | | |
| | | Moderately magnetic. | | | | | | | | | | | | | | |
| 1.83 | 5.05 | Pink monzonite with short sections of grey | Tr | Tr | | 3 to 4 | | | | | | 44638 | 1.83 | 2.90 | 0.02 | 0.05 |
| | | crowded porphyry. Possibly disseminated | | | | | | | | | | 44639 | 2.90 | 5.05 | 0.03 | 0.14 |
| | | bornite. Very minor malachite. | | | | | | | | | | | | | | |
| 5.05 | 12.15 | Variously altered crowded porphyry. Basic | Tr | Tr | | Up to 6 | 2 | | | | 2 | 44640 | 5.05 | 7.00 | 0.01 | <0.03 |
| | | medium grey rock. | | | | | | | | | | 44641 | 7.00 | 8.40 | 0.04 | <0.03 |
| | | 5.05 - 8.40 Increasing epidote and chlorite in plag | Tr | Tr | | Up to 6 | 3 to 4 | | | | 1 to 3 | | | | | |
| | | and increasing blotchy and fracture K-spar. | | | | | | | | | | | | | | |
| | | Areas of 1 - 2mm magnetite veining. | | | | | | | | | | | | | | |
| | | 8.40 - 12.05 More brecciated with increasing | | Tr | | 3 | 1 | | | | 3 to 4 | 44642 | 8.40 | 10.40 | 0.01 | <0.03 |
| | | K-spar alteration. Epidote tends to be veiny with | | | | | | | | | | 44643 | 10.40 | 12.40 | 0.01 | <0.03 |
| | | less obvious magnetite. Areas of fine | | | | | | | | | | | | | | |
| | | disseminated bornite. Limonitic fractures. | | | | | | | | | | | | | | |
| 12.15 | 13.00 | 12 - 14m 75% recovery. Gouge. | | | | | 4 | 1 to 2 | | 2 | | 44644 | 12.40 | 14.00 | 0.01 | <0.03 |
| | | Dark green crushed ?Volcanic quartz-calcite | | | | | | | | | | | | | | |
| | | healed limonitic. Trace ?Hg. on one fracture. | | | | | | | | | | | | | | |
| | | Moderately magnetic. Sub-parallel to C.A. | | | | | | | | | | | | | | |
| 13.00 | 13.95 | Pink gouge - much core loss. | | | | 1 to 2 | | 1 | | | 2 | | | | | |
| | | K-spar altered as 8.40 - 12.05. | | | | | | | | | | | | | | |
| 13.95 | 14.50 | Potassically altered crowded porphyry. Trace | Tr | Tr | | 1% | 1 | | | 1 | 2 to 3 | 44645 | 14.00 | 14.50 | 0.03 | <0.03 |
| | | Pyrite and Chalcopyrite with epidote fractures | | | | | | | | | | | | | | |
| | | very fine. Areas disseminated bornite - very | | | | | | | | | | | | | | |
| | | fine. Fractures 35° to C.A. | | | | | | | | | | | | | | |
| 14.50 | 15.95 | Vfg to mg black-green rock increasingly | Tr | Tr | | 0.75 | 2 to 3 | | | | 1 | 44646 | 14.50 | 16.00 | 0.04 | <0.03 |
| | | altered with epidote. Sub-parallel to C.A.at 15.00 | | | | | | | | | | | | | | |
| | | K-spar vein 2.5 cm wide - 35° to C.A. | | | | | | | | | | | | | | |
| 15.95 | 24.50 | Dark MG monzonite porphyry breccia. K-spar | Tr | Tr | | 4 to 3 | 3 | | Tr | | 1 | 44647 | 16.00 | 18.00 | 0.01 | <0.03 |
| | | and epodite clasts altered. Epidote scattered as | | | | | | | | | | 44648 | 18.00 | 20.00 | 0.01 | <0.03 |
| | | veinlets and blebs throughout - more intense | | | | | | | | | | 44649 | 20.00 | 22.00 | 0.01 | 0.03 |
| | | in some areas. Highly magnetic. Areas of | | | | | | | | | | 44650 | 22.00 | 24.00 | 0.02 | 0.05 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | apparent very fine-grained ?bornite. | | | | | | | | | | | | | | |
| 24.50 | 25.25 | K-spar - clay - chlorite altered section. K-spar - | Tr | | | 2 | 3 | | | | 1 | 46501 | 24.50 | 25.40 | 0.04 | 0.06 |
| | | plag 3 cm vein at top of section 45° to C.A. | | | | | | | | | | | | | | |
| | | Blebby patches of alteration throughout about | | | | | | | | | | | | | | |
| | | 1 cm in size. Traces VFG bornite. Trace pyrite. | | | | | | | | | | | | | | |
| | | Moderately magnetic. | | | | | | | | | | | | | | |
| 25.25 | 53.50 | Entire section is brecciated dark porphyritic | Tr | Tr | | 2 | 2.4 | | Tr | | 1.2 | 46502 | 25.40 | 26.00 | 0.04 | 0.06 |
| | | monzonite consistently epidote altered to | | | | | | | | | | | | | | |
| | | varying degrees with sections of K-spar | | | | | | | | | | | | | | |
| | | flooding and veining. Traces of pyrite and some | | | | | | | | | | | | | | |
| | | chalcopyrite consistent with epidote. Rock | | | | | | | | | | | | | | |
| | | generally magnetic with traces very FG ?bornite. | | | | | | | | | | | | | | |
| | | 27.75 to 29.05 section of epidote - K-spar | | | | | | | | | | 46503 | 26.00 | 28.00 | 0.07 | 0.1 |
| | | flooding with accompanying bleaching. Late | | | | | | | | | | 46504 | 28.00 | 30.00 | 0.04 | 0.05 |
| | | stage. No sulphides, broken contacts. | | | | | | | | | | | | | | |
| | | 29.60 to 30.25 K-spar vein 2.5 cm wide sub- | | | | | | | | | | | | | | |
| | | parallel to C.A. Clay - epidote inclusions and | | | | | | | | | | | | | | |
| | | alteration. 33.00 to 33.12 epidote and separate | | | | | | | | | | 46505 | 30.00 | 32.00 | 0.06 | 0.06 |
| | | K-spar veins 3 - 4 cm thick at 35° to C.A. and | | | | | | | | | | 46506 | 32.00 | 34.00 | 0.04 | 0.04 |
| | | 45° to C.A. respectively. Trace pyrite in epidote. | | | | | | | | | | 46507 | 34.00 | 36.00 | 0.07 | 0.05 |
| | | 37.95 to 38.20 Epidote plag - feldspar stringers | | | | | | | | | | 46508 | 36.00 | 38.00 | 0.05 | 0.03 |
| | | 45° to C.A. Rust spots limonite after pyrite. | | | | | | | | | | 46509 | 38.00 | 40.00 | 0.03 | 0.05 |
| | | Trace pyrite disseminated. 40.55 to 41.45 | | | | | | | | | | 46510 | 40.00 | 42.00 | 0.06 | 0.03 |
| | | 2 K-spar epidote veins - first 40° to C.A. second | | | | | | | | | | 46511 | 42.00 | 44.00 | 0.13 | 0.1 |
| | | 85° to C.A., both 2.5 - 3 cm thick. 44 - 45 epidote | | | | | | | | | | 46512 | 44.00 | 46.00 | 0.02 | 0.03 |
| | | and K-spar veinlets plus some quartz in broad | | | | | | | | | | | | | | |
| | | stockwork - trace pyrite. 45 - 47 general | | | | | | | | | | 46513 | 46.00 | 48.00 | 0.11 | 0.12 |
| | | epidote infusion, K-spar in clasts. 47 to 47.50 | | | | | | | | | | | | | | |
| | | K-spar with epidote across 4 cm sub-parallel to | | | | | | | | | | 46514 | 48.00 | 50.00 | 0.09 | 0.06 |
| | | C.A. and 35° to C.A. 47 - 53.5 much epidote | | | | | | | | | | 46515 | 50.00 | 52.00 | 0.13 | 0.28 |
| | | alteration blebby K-spar. No more bornite. | | | | | | | | | | 46516 | 52.00 | 53.50 | 0.07 | 0.03 |
| 53.50 | 55.25 | Intrusive pink monzonite. Brownish K-spar. | | | | | | | | | | 46517 | 53.50 | 55.20 | 0.04 | 0.04 |
| | | Plag gone to chlorite - probably was crowded | | | | | | | | | | | | | | |
| | | porphyry. Minor epidote. Medium magnetite, | | | | | | | | | | | | | | |
| | | trace chalcopyrite. Lower contact 50° to C.A. | | | | | | | | | | | | | | |

**PROPERTY: Ann 1**
**Telegraph Corner**

# GWR RESOURCES INC.

**DRILL HOLE NO.: 04-31**



| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 55.25 | 61.05 | Very broken and gougey green volcanics. | | | | 1 | 2 | | | | 1 | 46518 | 55.20 | 58.00 | 0.08 | 0.04 |
| | | Much purplish slickenside with minor hematite. | | | | | | | | | | 46519 | 58.00 | 60.00 | 0.1 | 0.03 |
| | | Traces K-spar, much clay, no sulphides. | | | | | | | | | | | | | | |
| 61.05 | 61.55 | Series of K-spar brown stringers 30 to 40° to C.A. | | | | 1 | | | | | 3 | 46520 | 60.00 | 62.00 | 0.08 | 0.06 |
| | | with gouge. | | | | | | | | | | | | | | |
| 61.55 | 61.60 | Chocolate brown mud. About 70° to C.A. brittle | | | | | | | | | | | | | | |
| | | cleavage. | | | | | | | | | | | | | | |
| 61.60 | 65.35 | Very broken brownish volcanics. Pervasive | | | | 0.5 | 2 | | 2 | | 1 | 46521 | 62.00 | 64.00 | 0.08 | <0.03 |
| | | biotite - chlorite alteration with epidote. Brown | | | | | | | | | | | | | | |
| | | reddish stain on all fracture faces. Some fine | | | | | | | | | | | | | | |
| | | quartz veining - low magnetism. No sulphides. | | | | | | | | | | | | | | |
| 65.35 | 71.30 | Very broken, but less than above. No brownish | | | | 1 | 2 | | | | | | | | | |
| | | alteration, very little brown stain on fractures. | | | | | | | | | | | | | | |
| | | Epidote less strong, no sulphides. | | | | | | | | | | | | | | |
| 71.30 | 77.80 | Porphyritic black - green ?intrusive (possibly | | | | 1.5 | 1 | | | | | | | | | |
| | | volcanic) Fairly fresh with fine epidote stringers | | | | | | | | | | | | | | |
| | | and alteration. Fine brown clay fractures. No | | | | | | | | | | | | | | |
| | | sulphides. | | | | | | | | | | | | | | |
| 77.80 | 78.33 | Broken volcanics with brown stain fractures. | | | | 1 | 1 | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 78.33m | | E.O.H. (last foot of core lost down hole) | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 61.60 - 71.30 possibly intrusive breccia - dark | | | | | | | | | | | | | | |
| | | green as in hole 04-32. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

# GWR RESOURCES INC.

**PROPERTY: Ann 1**
**Telegraph Corner**

**DRILL HOLE NO.: 04-32**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| 130.47 | 38.5 | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 616437** | **Core Size: NQ** | **Started: October 4/04** |
| **Northing (NAD 83): 5758013** | **Hole Azimuth: 160°** | **Finished: October 7/04** |
| **Grid Location:** | **Hole Angle: -45°** | **Logged by: D. P. Taylor** |
| **Elevation: 1410m** | **Total Depth: 137.45m** | **Analysis by: ECO TECH** |

**Alteration Scale: 1 - 5**

| Depth (m) From | Depth (m) To | Description | % Py | % Cpy | % Mo | % Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Sample Number | Interval (m) From | Interval (m) To | Cu % | Au g/t |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.00 | 6.10 | Casing | | | | | | | | | | | | | | |
| 6.10 | 13.00 | Mixed dark grey and brownish pink monzonite | | | | 2 | 3 | | | | 2 | | | | | |
| | | breccia. Hydrothermal alteration with K-spar. | | | | | | | | | | 46522 | 8.00 | 10.00 | 0.04 | <0.03 |
| | | Magnetite and epidote on cleavages. Epidote | | | | | | | | | | 46523 | 10.00 | 12.00 | 0.04 | <0.03 |
| | | pervasive locally. | | | | | | | | | | | | | | |
| 13.00 | 14.00 | Grey-green medium grained intrusive. Epidote | | | | 2 | 3 | | | | 1 | | | | | |
| | | and chlorite alteration with clay in the plag. | | | | | | | | | | | | | | |
| | | Epidote stringers also. | | | | | | | | | | | | | | |
| 14.00 | 14.65 | Darker phase as in 6.1 to 13.00. Gradational | | | | 2 | 1 | | | | 2 | | | | | |
| | | contacts. | | | | | | | | | | | | | | |
| 14.65 | 17.40 | Grey-green intrusives - pervasive epidote - | | | | 0.5 | 2 | | | | 1 | 46524 | 16.00 | 18.00 | 0.01 | 0.03 |
| | | stringers parallel to C.A. Alteration includes | | | | | | | | | | | | | | |
| | | sericite and hematite. | | | | | | | | | | | | | | |
| 17.40 | 18.10 | Brown crowded porphyry. Broken contacts. Less | | | | 1 | 1 | | | | | | | | | |
| | | altered. | | | | | | | | | | | | | | |
| 18.10 | 20.10 | Grey-green porphyry with pervasive epidote | | | | | 2 | | | | 1 | | | | | |
| | | alteration and veinlets. Non magnetic. Minor | | | | | | | | | | | | | | |
| | | K-spar alteration. | | | | | | | | | | | | | | |
| 20.10 | 22.90 | Dark grey-green ?Nicola with pervasive epidote. | | | | 1 | 2 | | | | 1 | | | | | |
| | | Limonite on fractures at 22.90. | | | | | | | | | | | | | | |
| 22.90 | 24.30 | Brownish-pink intrusive - monzonite as above | | | | 1 | 1 | | | | 1 | | | | | |
| 24.30 | 26.30 | Grey-green monzonite with epidote. Non magnetic | | | | | 2 | | | | | | | | | |
| 26.30 | 33.15 | Grey monzonite altered to brownish-pink. | | | | 2 | 2 | | | | 1 | 46525 | 28.00 | 30.00 | 0.01 | <0.03 |
| | | Varying degrees of epidote, K-spar, chlorite and | | | | | | | | | | | | | | |
| | | magnetite. | | | | | | | | | | | | | | |
| 33.15 | 42.20 | Massive medium-grained dark green ?monzonite. | | | | 1 | 2 | | | | 0.5 | | | | | |
| | | Clear plag crystals. Epidote infusions on | | | | | | | | | | | | | | |
| | | fractures, relatively unaltered. | | | | | | | | | | | | | | |
| 42.20 | 42.50 | Fracture zone with limonite and quartz veins up to | | | | | | | | | | | | | | |
| | | 3 cm. No sulphides. | | | | | | | | | | | | | | |
| 42.50 | 46.00 | Medium grained dark green monzonite as above. | | | | 1 | 2 | | | | | | | | | |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 46.00 | 49.00 | Brownish monzonite with heavy epidotization | | | | 2 to 3 | 3 | | | | 2 | 46526 | 46.00 | 48.00 | 0.06 | 0.07 |
| | | in sections. Breccia fragments noted. Structures | | | | | | | | | | | | | | |
| | | at 60° to C.A. | | | | | | | | | | | | | | |
| 49.00 | 50.30 | Green ?Nicola. 20cm gouge 50.10 to 50.30. | | | | | | | | | | | | | | |
| | | 45° to C.A. | | | | | | | | | | | | | | |
| 50.30 | 68.00 | Green Nicola with lots of epidote - many parallel | Tr | | | 1 to 2 | 4 | | | | 1 | | | | | |
| | | to C.A. 35cm intrusive with trace pyrite at 63.00. | | | | | | | | | | | | | | |
| 68.00 | 69.90 | Intrusive breccia flooded with epidote and K-spar. | 0.1 | | | 1 to 2 | 4 | | | | 4 | 46527 | 68.00 | 70.00 | 0.02 | <0.03 |
| | | Disseminated pyrite. | | | | | | | | | | | | | | |
| 69.90 | 76.20 | Nicola brecciated in places with intrusives and | 0.2 | 0.1 | | 2 | 3 | | | | 2 | 46528 | 70.00 | 72.00 | 0.02 | 0.04 |
| | | massive epidote inclusions and/or stringers. | | | | | | | | | | | | | | |
| | | Trace chalcopyrite. Minor pyrite. | | | | | | | | | | | | | | |
| 76.20 | 96.00 | Dark green intrusive breccia. Gouge 80.60 to | Tr | | | 1 | 2 | 4 | | | 2 | 26529 | 76.00 | 78.00 | 0.06 | 0.04 |
| | | 81.40. Rock finely broken, healed with epidote, | | | | | | | | | | 26530 | 86.00 | 88.00 | 0.02 | <0.03 |
| | | K-spar, calcite and quartz. Traces pyrite. | | | | | | | | | | | | | | |
| 96.00 | 97.05 | Andesite dyke. Top contact 60° to C.A. | | | | | | | | | | | | | | |
| 97.05 | 98.35 | Dark green intrusive breccia, healed as before. | | | | | | | | | | | | | | |
| 98.35 | 116.65 | Andesite - Nichola with epidote and occasional | | | | 2 | 2 | 2 | | | 1 | 46531 | 100.00 | 102.00 | 0.01 | 0.05 |
| | | 1-2cm K-spar stringers. Carbonate and quartz | | | | | | | | | | | | | | |
| | | fracture fillings. | | | | | | | | | | | | | | |
| 116.65 | 118.50 | Quartz monzonite. Pale green. Quartz flooding | | | | 2 | 4 | | | 3 | 1 | 46532 | 117.00 | 119.00 | 0.09 | 0.06 |
| | | and pervasive epidote. Minor K-spar at lower | | | | | | | | | | | | | | |
| | | contact 45° to C.A. | | | | | | | | | | | | | | |
| 118.50 | 137.45 | Nicola andesites. Core fairly massive with lesser | | | | | | | | | | 46533 | 128.00 | 130.00 | 0.04 | 0.04 |
| | | alteration. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 137.45 E.O.H. | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE: 04-33**

**PROPERTY: Ann 2 Peach 2 Zone**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Easting (NAD 83):** | **615797** | **Core Size:** | **NQ** | **Started:** | **18 Nov. 2004** | **Down-hole Tests** | |
| **Northing (NAD 83):** | **5747794** | **Hole Azimuth:** | **115°** | **Finished:** | **23 Nov. 2004** | **Depth / Angle / Azm.** | |
| **Grid Location:** | | **Hole Angle:** | **-45°** | **Logged by:** | **B. Callaghan** | **206.35 / 36.5°** | |
| **Elevation:** | **1435m** | **Total Depth:** | **207.87 m** | **Analysis by:** | **Eco-Tech** | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 6.10 | CASING | 0.5 | tr | | 2 | | 1 | 1 | | 1 | | | | | |
| 6.10 | 8.70 | OVERBURDEN-Broken wall rock with 25-50% core recovery. Core is ground, mostly cave to 8.7m | | | | | | | | | | | | | | |
| 8.70 | 11.27 | (TRACHYTIC) MONZODIORITE | 2.0 | 0.5 | | 1 | 1 | 2 | 1 | | 3 | 46636 | 8.70 | 11.27 | 0.03 | <0.03 |
| | | Light grey, weakly porphyritic, sausseritized pale grey green plagioclase, mottled, cross-cut by widely spaced Kspar vnlts, up to 2 cm with minor ep, py with minor cpy. Kspar flooded zones, sporadic >10cm, orthopyroxenes to chl, ep, mag, Kspar vnlts at 60° to CA. Recovery 90%. 11.27-20.06m Intense orange/red Kspar flooded zones with ep, massive py, cpy, vuggy infilled limonite, up to 5 cm, locally closely spaced, as weak stockwork of 1mm vnlts (py) at 60° to CA. Late cal cuts Kspar/ep. Locally brecciated with black (soft) matrix, tour? Propylitic alteration: ep, cal, hem, more intense at faulted contact at 20.6m at 50° to CA with massive cal, hem, chl, clay gouge, 10 cm. | | | | | | | | | | 46637 | 11.27 | 13.27 | 1.09 | 1.06 |
| | | | | | | | | | | | | 46638 | 13.27 | 15.27 | 0.02 | 0.05 |
| | | | | | | | | | | | | 46639 | 15.27 | 17.27 | 0.03 | 0.14 |
| | | | | | | | | | | | | 46640 | 17.27 | 19.27 | 0.01 | <0.03 |
| | | | | | | | | | | | | 46641 | 19.27 | 20.06 | 0.04 | <0.03 |
| 11.27 | 25.58 | MONZODIORITE | tr | tr | | 2 | 2 | 2 | | 1 | 1 | 46642 | 20.06 | 22.06 | 0.01 | <0.03 |
| | | The same as 8.7-11.27m. Fresher, less fractured, less Kspar, ep. Cal, hem, | | | | | | | | | | 1 | 206.35 | 24.06 | 0.01 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 1mm vnlts, closely spaced at 70° to CA, to 5mm, core recoveries 100%, trace sulfides. | | | | | | | | | | 46644 | 24.06 | 25.58 | 0.01 | <0.03 |
| 25.58 | 28.25 | MONZONDIORITE | | | | 2 | | 1 | 1 | | 2 | 46645 | 25.58 | 27.00 | 0.03 | <0.03 |
| | | Fine to medium grained, light sandy grey, porphyritic, trachytic, weakly propylitic, Kspar flooded, weakly fractured, tr.cpy, tr.py. Ep, cal along 1 mm widely spaced fractures. | | | | | | | | | | 46646 | 27.00 | 28.25 | 0.04 | <0.03 |
| 28.25 | 32.02 | DIORITE | | | | | | | | | | 46647 | 28.25 | 30.25 | 0.01 | <0.03 |
| | | Fine grained, grey, dark orthopyroxenes to chl, ep, mag, 2nd biotite. Cut by widely spaced ep vnlts, locally stockwork development, up to 1 cm, as small zones. No Kspar flooding. | | | | | | | | | | 46648 | 30.25 | 32.02 | 0.01 | <0.03 |
| 32.02 | 41.00 | MONZONDIORITE, K-SPAR FLOODED? | | tr | | | | | | | | 46649 | 32.02 | 34.02 | 0.01 | 0.03 |
| | | Fine grained, equigranular, orthopyroxenes to chl, ser?, mag, tour?, up to 3mm cut by weak calcite vnlts, also cut by closely spaced Kspar vnlts, 1-3mm at 60° to CA. | | | | | | | | | | 46650 | 34.02 | 36.02 | 0.02 | 0.05 |
| | | | | | | | | | | | | 46651 | 36.02 | 38.02 | 0.01 | <0.03 |
| | | | | | | | | | | | | 46652 | 38.02 | 39.5 | <0.01 | <0.03 |
| | | | | | | | | | | | | 46653 | 39.50 | 41.00 | 0.01 | <0.03 |
| | | 32-32.2m mineralization-pyrrhotite, py, 0.5% dissem and along fractures. | | | | | | | | | | | | | | |
| | | 39.7-41m As above with autobrecciated, cut by pink, red Kspar envelopes with cal, up to 1-2cm, closely spaced 40° to CA. LC/T at 20° to CA. Ep, cal black matrix, mag and sulfides in ep with dissem pyrr, py, tr.cpy. | tr | tr | | 2 | 2 | 1 | 1 | | 1 | | | | | |
| 41.00 | 47.07 | QUARTZ DIORITE BRECCIA | | | | 3 | 3 | 2 | 2 | | 2 | 46654 | 41.00 | 43.00 | 0.01 | <0.03 |
| | | Grey black with 10% fragments of more acid intrusive altered to albite, Kspar rimmed with ep. Cut by (hem) Kspar, ep, tour? vnlts. Locally as stockwork, | | | | | | | | | | 46655 | 43.00 | 45.00 | 0.02 | 0.14 |
| | | | | | | | | | | | | 46656 | 45.00 | 47.00 | 0.02 | 0.06 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | as vnlts at 40°-60° to CA 1-5mm. As ep zones with brick red Kspar alteration. Intrusive fragments cut by grey, black crushed sulfides, mostly py, pyrrhotite?, less cpy at 60° to CA. 46.8-47.07m Locally brecciated matrix, syenitic with replacement ep, cal, py (Kspar) fragments as (syenite) stockwork, cut by ep, cal, 40° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | tr | tr | | 2 | 2 | 1 | 1 | | 2 | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 47.07 | 64.70 | QUARTZ DIORITE BRECCIA | | | | | | | | | | 46657 | 47.00 | 49.00 | 0.01 | 0.05 |
| | | Very fine grained, grey black intrusive?, cut by closely spaced stockwork-ep, cal, py, vnlts, 1mm-3cm, mostly at 60° to CA. Sulfides 1mm at core of ep vnlts. Sulfides v.f.g., pinhead py, hard to estimate content, variable but locally higher than 2%. 57-64.7m More ep as vnlts, associated with chl, Kspar (orange) cal, locally brecciated, locally ep altered phenocrysts (amygdules), sulfides up to 2%, locally as vnlts, dissem v.f.g. pyrr (0.5%), smeared along ep coated fractures with cal. | 0.5 | 0.5 | | 4 | 2 | 1 | 4 | | | 46658 | 49.00 | 51.00 | 0.01 | 0.03 |
| | | | | | | | | | | | | 46659 | 51.00 | 53.00 | <0.01 | <0.03 |
| | | | | | | | | | | | | 46660 | 53.00 | 55.00 | 0.01 | 0.04 |
| | | | | | | | | | | | | 46661 | 55.00 | 57.00 | 0.01 | <0.03 |
| | | | | | | | | | | | | 46662 | 57.00 | 59.00 | 0.04 | 0.04 |
| | | | | | | | | | | | | 46663 | 59.00 | 61.00 | 0.02 | 0.04 |
| | | | | | | | | | | | | 46664 | 61.00 | 63.00 | 0.02 | 0.03 |
| | | | 0.5 | | | | | | | | | 46665 | 63.00 | 65.00 | 0.01 | 0.07 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 64.70 | 66.50 | FAULT | | | | | | | | | | 46666 | 65.00 | 67.00 | 0.02 | 0.05 |
| | | Clay, grey, green, (hem) fault gouge, wallrock intrusive. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 66.50 | 69.98 | VOLCANIC ASH TUFF/TUFFACEOUS SANDSTONE? Very fine grained, black with pale grey to dark green beds?, at 40° to CA. Cut by locally closely spaced ep (albite) py H/L fractures at 60° to CA from 1-2mm. Cross-cut bedding/foliation with occasional Kspar envelopes, up to 1-4%. Py, trace to 0.5% cpy. | 2 | 0.1 | | 2 | 2 | 1 | | | 1 | 46667 | 67.00 | 68.19 | 0.01 | 0.03 |
| | | | | | | | | | | | | 46668 | 68.19 | 69.19 | 0.55 | 0.32 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 68.99-69.19m 30-40% py, Kspar,ep, mag with cpy vnlts, 60° to CA. | | | | | | | | | | | | | | |
| 69.98 | 70.77 | VOLCANIC FLOW BRECCIA?/QUARTZ DIORITE<br>Grey- black, mottled, fine grained with anhedral, subround grey-green patches of grey intrusives albite, epidote, cut by 9/m 60° to CA, albite, ep and py; py as fine grained dissem. | 0.5 | tr | | | | | | | | 46669 | 69.19 | 71.19 | 0.01 | 0.05 |
| 70.77 | 72.30 | VOLCANIC ASH TUFF?<br>As at 66.5-69.98m. Fractures 15/m. 1mm to 2mm, 50°-60° to CA. Subparallel cut by late cal fracture fill. | | | | | | | | | | 46670 | 71.19 | 73.19 | 0.01 | 0.06 |
| 72.30 | 73.30 | VOLCANIC FLOW BRECCIA<br>The same as 69.98-70.77m Intrusive qtz diorite breccia/flow breccia?, cut by albite, ep, hem fragments with albite+mag, minor ep , supported in black matrix. | | | | | | | | | | | | | | |
| 73.30 | 79.79 | INTERMIXED INTRUSIVE DIORITE BRECCIA (VOLCANIC BRECCIA) & VOLCANIC ASH TUFF<br>74.98-79.72m More ep, Kspar envelopes, 8/m, up to 5 cm, 1mm ep, py fractures cross-cut Kspar altered zones at 60° to CA, cut by late cal, patchy v.f.g. sulfides, py, locally 1% dissem. Locally brecciated with Kspar surrounding ep zones. | 1 | tr | | 2 | | | | | | 46671 | 73.19 | 75.19 | 0.01 | 0.07 |
| | | | | | | | | | | | | 46672 | 75.19 | 77.19 | <0.01 | <0.03 |
| | | | | | | | | | | | | 46673 | 77.19 | 79.19 | <0.01 | <0.03 |
| 79.79 | 90.53 | VOLCANIC BRECCIA/TUFF DIORITE?<br>Moderately propylitic altered, fragments up to 2cm, albite, Kspar, ep fracturing, less intense with typically ep, albite, | 1.5 | 0.5 | | 2 | 2 | 2 | 2 | | 2 | 46674 | 79.19 | 81.19 | 0.01 | 0.04 |
| | | | | | | | | | | | | 46675 | 81.19 | 83.19 | 0.02 | 0.05 |
| | | | | | | | | | | | | 46676 | 83.19 | 85.19 | 0.01 | <0.03 |
| | | | | | | | | | | | | 46677 | 85.19 | 87.19 | 0.02 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Kspar, py with tr.cpy along ch, cal | | | | | | | | | | 46678 | 87.19 | 89.19 | 0.02 | <0.03 |
| | | fractures, 50° to CA, 2nd biotite | | | | | | | | | | 46693 | 89.19 | 91.19 | 0.03 | 0.07 |
| | | development in groundmass. More | | | | | | | | | | 46679 | 91.19 | 93.19 | <0.01 | <0.03 |
| | | fracturing in Kspar zones with stockwork. | | | | | | | | | | | | | | |
| | | 2% syenite vnlts with euhedral py, ep | | | | | | | | | | | | | | |
| | | along fractures at 90.1m. Sulfides locally | | | | | | | | | | | | | | |
| | | sparse. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 90.53 | 90.90 | FAULT | tr | | | | 3 | 2 | | | | | | | | |
| | | Dark grey-green, clay gouge, hem, ep | | | | | | | | | | | | | | |
| | | wallrock, brecciated with cal cement, | | | | | | | | | | | | | | |
| | | upper C/T 60° to CA. Black graphitic | | | | | | | | | | | | | | |
| | | seams, 0.5 cm at 60° to CA. Trace py. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 90.90 | 152.00 | INTERMIXED ASH TUFF/BRECCIA/QTZ | | | | | | | | | | 46680 | 93.19 | 95.19 | <0.01 | <0.03 |
| | | DIORITE | | | | | | | | | | 46681 | 95.19 | 97.19 | 0.01 | 0.04 |
| | | Intermixed ash tuff/breccia with grey | | | | | | | | | | 46692 | 97.19 | 99.19 | 0.10 | 0.06 |
| | | black v.f. grained qtz diorite, wk to | | | | | | | | | | 46682 | 99.19 | 101.19 | 0.09 | 0.06 |
| | | medium propylitic alteration cut by widely | | | | | | | | | | 46683 | 101.19 | 103.19 | 0.10 | <0.03 |
| | | spaced ep, Kspar envelopes with minor | | | | | | | | | | 46684 | 103.19 | 105.19 | 0.01 | 0.04 |
| | | hem, py, tr.pyrr, locally 5/10cm at 45°-60° | | | | | | | | | | | | | | |
| | | to CA. 1-3mm av. 2mm. Py massive as | | | | | | | | | | | | | | |
| | | cores of veins. | | | | | | | | | | | | | | |
| | | 97.23-98.45m Fault, core is blocky, | 0.5 | | | 2 | 2 | 1 | 2 | | 1 | | | | | |
| | | chloritic, slickensided, dark green, | | | | | | | | | | | | | | |
| | | hem,py,clay gouge along slips. | | | | | | | | | | | | | | |
| | | Core recoveries: 95-97.23m-100%, 97.23- | | | | | | | | | | | | | | |
| | | 98.45m-65%, 98.45-99.97-80%, 99.97- | | | | | | | | | | | | | | |
| | | 102.72-90%, ground 100.2cm, 102.72- | | | | | | | | | | | | | | |
| | | 116.19m-100%. | | | | | | | | | | | | | | |
| | | 99.97-101.19m More intense propylitic | 1 | tr | | | | | | | | | | | | |
| | | alteration with rusty brown Kspar alt'n | | | | | | | | | | | | | | |
| | | with locally up to 1% py, tr.cpy, pyrr. | | | | | | | | | | | | | | |
| | | 105.16-107.19m Increase in ep, Kspar, | | | | | | | | | | 46685 | 105.19 | 107.19 | 0.03 | 0.06 |
| | | cal, sulfides, massive py up to 20% of | | | | | | | | | | | | | | |
| | | core at 45° to CA to subparallel, for | | | | | | | | | | | | | | |
| | | 20cm. Py veins less magnetic, 1mm | | | | | | | | | | | | | | |
| | | black vnlt with Kspar, ep, cal (tour?) | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 107.19-116.1m Less ep with tr. Kspar | 0.5 | tr | | 1 | 1 | 1 | 2 | | | | | | | |
| | | envelopes, mostly H/L with py, hem with | | | | | | | | | | 46686 | 107.19 | 109.19 | <0.01 | 0.03 |
| | | ep widely spaced, more of qtz diorite | | | | | | | | | | 46687 | 109.19 | 111.19 | <0.01 | <0.03 |
| | | sugary v.f.g., more 2nd biotite with | | | | | | | | | | 46688 | 111.19 | 113.19 | 0.01 | <0.03 |
| | | increase in mag. Py also dissem? | | | | | | | | | | 46689 | 113.19 | 115.19 | 0.01 | <0.03 |
| | | 114.91-115.35m Pronounced ash tuff, | | | | | | | | | | 46690 | 115.19 | 116.10 | 0.01 | 0.03 |
| | | foliation to bedding 40° to CA, 2-3mm | | | | | | | | | | 46691 | 116.10 | 117.10 | 0.01 | 0.01 |
| | | beds. | | | | | | | | | | | | | | |
| | | 116.1-117.1m Intense ep, cal, chl, hem | tr | | | | 3 | 3 | | | | | | | | |
| | | stockwork breccia, mylonitic at 45° to CA. | | | | | | | | | | | | | | |
| | | Mylonitic zones up to 10 cm. | | | | | | | | | | 46695 | 117.10 | 119 | 0.02 | 0.05 |
| | | 117.1-120.2m Three zones, 10 cm, 2-3% | 2.5 | tr | | | 2 | 2 | | | | 46696 | 119.00 | 121.00 | 0.01 | <0.03 |
| | | massive py,1mm stringers of py at 45° to | | | | | | | | | | 46697 | 121.00 | 123.00 | 0.02 | 0.04 |
| | | CA, grey smokey sulfides, 2-3% along | | | | | | | | | | 46698 | 123.00 | 125.10 | 0.01 | 0.03 |
| | | brecciated syenite ep altered fractures at | | | | | | | | | | 46699 | 125.10 | 127.10 | 0.01 | <0.03 |
| | | 45° to CA. Sulfides in fractures up to 3%. | | | | | | | | | | 46700 | 127.10 | 129.10 | 0.02 | <0.03 |
| | | Core recoveries: 116.19-117.19m-100%, | 2.5 | 0.5 | | 3 | 2 | 2 | 1 | | 2 | | | | | |
| | | 117.19-117.96m-100%, 117.96-119.79m- | | | | | | | | | | | | | | |
| | | 80%, 119.79-148.44m-100%. | | | | | | | | | | | | | | |
| | | 121.1-122.9m Increase ep. Cal up to | | | | | | | | | | | | | | |
| | | 3mm subparallel to CA. Cal pinkinsh light | | | | | | | | | | | | | | |
| | | brown, chl+ep along fractures. | | | | | | | | | | | | | | |
| | | Mineralization-tr.pinhead to v.f.g.pyrite. | | | | | | | | | | | | | | |
| | | 122.9-125.1m More intrusive looking with | | | | | | | | | | | | | | |
| | | white amygdules, 2mm, | | | | | | | | | | | | | | |
| | | round/phenocrysts?, but possible like | | | | | | | | | | | | | | |
| | | volcanic breccia. | | | | | | | | | | | | | | |
| | | 126.1-129.55m More intense propylitic ep | | | | | | | | | | | | | | |
| | | syenite, vnlts with Kspar, cal, tr. sulfides | | | | | | | | | | | | | | |
| | | in magnetite. | | | | | | | | | | | | | | |
| | | 129.55-132.5 Locally 1mm ep, tr.py?, | | | | | | | | | | | | | | |
| | | 5/10cm, 60° to CA. Possibly qtz diorite | | | | | | | | | | | | | | |
| | | intrusive breccia with ep matrix. | | | | | | | | | | | | | | |
| | | 132.1-134.5m Ep breccia, ep matrix with | | | | | | | | | | 44701 | 129.10 | 131.10 | 0.01 | 0.03 |
| | | minor Kspar, cal, py along 1mm fractures | 2 | tr | | 1 | 2.5 | 1 | 3 | | 1 | 44702 | 131.10 | 132.50 | 0.03 | 0.05 |
| | | in matrix up to 2%. Moderate propylitic | | | | | | | | | | 44703 | 132.50 | 134.50 | 0.02 | 0.07 |
| | | alteration. Less syenite, more 2nd biotite. | | | | | | | | | | 44704 | 134.50 | 136.50 | 0.01 | 0.03 |
| | | Cal veinlets, cross-cutting weak potassic | | | | | | | | | | 44705 | 136.50 | 138.50 | 0.03 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | altered vnlts. | | | | | | | | | | 44706 | 138.50 | 140.50 | 0.02 | 0.03 |
| | | 134.5-137.43m Mostly dark grey, black, intermixed tuff breccia, harder, weakly propylitic ep vnlts, widely spaced 7/m, up to 3mm at 50° to CA. Mostly ep (albite?). Py along fractures with Kspar, mag increase. | | | | | | | | | | 44707 | 140.50 | 142.50 | 0.02 | <0.03 |
| | | | | | | | | | | | | 44708 | 142.50 | 144.50 | 0.01 | <0.03 |
| | | | | | | | | | | | | 44709 | 144.50 | 146.50 | 0.01 | <0.03 |
| | | | | | | | | | | | | 44710 | 146.50 | 148.50 | 0.01 | 0.03 |
| | | | | | | | | | | | | 44711 | 148.50 | 150.50 | 0.02 | 0.03 |
| | | | | | | | | | | | | | | | | |
| | | 137.43-138.5m More intense propylitic fractures, 18/m, at 50° to CA. Some stockwork-1mm up to 3mm. Locally weak 2% combined mostly py-cpy, fine grained dissem. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 138.5-144.5m Less propylitic grey-black, core hard, weakly fractured with (ep, albite?) mostly tuff breccia. Noticeable py with cpy along mostly ep, minor Kspar, tr. cal, tr.py at 50° to 60° CA, 1mm to 3mm.veinlets No Kspar. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 144.5-152m Mostly flow breccia/tuff fragments, typically pale grey-green, chl, ser with ep cores. Tr. cpy, 3 types vnlts, 1) ep, cal, hem, mag, py, up to 3mm widely spaced, 50°-60° to CA, 2) ep, Kspar (albite), no mag, possibly tour?, semi-massive diss py to 2% of vnlt to 3 cm, 148.7-149m, as stringers in matrix, brecciated parts, 3) late cal 1mm vnlts to 0.5cm. Stockwork 1mm to 0.5cm cal distension fractures with hydrothermal brecciation. Clasts angular with chl, py with oxidation (hem?), offset ep vnlts 1cm, subparallel to CA. Fine grained dissem, patchy py up to 2%, Core recoveries to 152m, 100%. | | | | | | | | | | 44712 | 150.50 | 152.00 | 0.01 | <0.03 |
| | | | | | | | | | | | | 44713 | 152.00 | 154.00 | 0.02 | 0.12 |
| | | | | | | | | | | | | 44714 | 154.00 | 156.00 | 0.06 | 0.04 |
| | | | | | | | | | | | | 44715 | 156.00 | 158.00 | 0.01 | 0.03 |
| | | | | | | | | | | | | 44716 | 158.00 | 160.00 | 0.02 | 0.04 |
| | | | | | | | | | | | | 44717 | 160.00 | 162.00 | 0.02 | 0.17 |
| | | | | | | | | | | | | 44718 | 162.00 | 164.00 | 0.07 | 0.08 |
| | | | | | | | | | | | | 44719 | 164.00 | 166.00 | 0.05 | 0.07 |
| | | | | | | | | | | | | 44720 | 166.00 | 168.00 | 0.04 | 0.04 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 152.00 | 156.00 | QUARTZ DIORITE/SYENODIORITE | | | | | | | | | | | | | | |
| | | 152-158m More intense ep altered zone with diorite phases with ep, Kspar | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | envelopes with massive py 1mm | | | | | | | | | | | | | | |
| | | subparallel to 60° to CA, 4cm wide at 152m, mostly py interstitial at 152.5m. | | | | | | | | | | | | | | |
| | | 152.7-153.m Grey-black graphitic, heavy core, dense, 20-30% of core sulfides, 2-3% peppered, crushed. Kspar rims ep, no mag. | 2.5 | tr | | | 2 | | | | 2 | | | | | |
| | | 153.3-156.8m Pale grey-green, variably hard to softer intrusive breccia? Grey, glassy to pink, translucent intrusive qtz, Kspar fragments supported in ep matrix? with qtz, cal, hem foliation at 30° to CA. Locally up to 3-4% total sulfides. Py dissem+1mm fractures & zones, 50°-60° to CA. | 3 | tr | | | 2 | 2 | | 1 | 2 | | | | | |
| 156.00 | 156.84 | INTERMIXED TUFF BRECCIA<br>As at 152-156m, with approximately 15/m Kspar, ep 1mm to 3 cm of syenitic vnlts with py fracture fill. Py also interstial with tr.cpy. | 0.5 | tr | | 3 | 2 | 1 | 2 | | 1 | | | | | |
| 156.84 | 157.56 | SYENODIORITE/QTZ DIORITE/INTRUSIVE BRECCIA<br>Hard, black-grey, porphyritic, intensely fractured, Kspar, ep, cal, hem, py breccia, 50° to CA. Sulfides locally approximately 15-20% of core, combined 1.5%. Pyrrhotite trace along fractures with cal and chl. | 1.5 | tr | | 2 | 2 | 1 | | 1 | 2.5 | | | | | |
| 157.56 | 161.15 | INTERMIXED TUFF BRECCIA<br>Black, weak propylitic alteration, mag, bio, ep, cal, py, minor Kspar along fractures, 12/m, 3cm-zones, 4cm, 50° to 60° to CA. Cut by 1mm cal and py along fractures with epidote, pyrrhotite and | 0.5 | tr | | 3 | 2 | 1 | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | tr.chalcopyrite. | | | | | | | | | | | | | | |
| 161.15 | 162.15 | SYENODIORITE | 2 | tr | | | 2 | 3 | | | 2 | | | | | |
| | | Pink-grey, equigranular, moderately | | | | | | | | | | | | | | |
| | | potassic/propylitic altered, ep, Kspar, | | | | | | | | | | | | | | |
| | | massive py cut by stockwork of ep, py | | | | | | | | | | | | | | |
| | | vnlts that cut Kspar breccia. Up to 20% of | | | | | | | | | | | | | | |
| | | core sulfides on margins of grey mottled | | | | | | | | | | | | | | |
| | | calcite up to 7 cm, 30° to CA with grey, | | | | | | | | | | | | | | |
| | | sooty black, 1.5 cm, 30° to CA crushed | | | | | | | | | | | | | | |
| | | sulfides, graphitic py. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 162.15 | 164.00 | VOLCANICS MIXED TUFF BRECCIA | | | | | | | | | | | | | | |
| | | Ep, cal, py widely spaced 5/m, up to | | | | | | | | | | | | | | |
| | | 3mm, 50° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 164.00 | 164.76 | SYENODIORITE | 2 | | | | | | | | | | | | | |
| | | As at 161.15-162.15m. Sulfides along | | | | | | | | | | | | | | |
| | | fractures, up to 2%, locally. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 164.76 | 176.90 | INTERMIXED VOLCANIC | 1 | tr | | 2 | 1 | 2 | 2 | | 1 | 44721 | 168.00 | 170.00 | 0.02 | <0.03 |
| | | BRECCIA/TUFF | | | | | | | | | | 44722 | 170.00 | 172.00 | 0.06 | 0.03 |
| | | Volcanic breccia/tuff cut by syenitic vnlts, | | | | | | | | | | 44723 | 172.00 | 174.00 | 0.03 | 0.03 |
| | | black, cut by 3 syenitic veins 6cm, 12cm | | | | | | | | | | 44724 | 174.00 | 176.00 | 0.03 | <0.03 |
| | | & 1.2m, 30°, 40°, 60° to CA. Ep, Kspar, | | | | | | | | | | 44725 | 176.00 | 178.00 | 0.04 | 0.03 |
| | | cal, py, pyrr? Trace py, variable up to 2% | | | | | | | | | | 44726 | 178.00 | 180.00 | 0.04 | 0.03 |
| | | combined to 167.7m | | | | | | | | | | 44727 | 180.00 | 182.00 | 0.01 | <0.03 |
| | | 170.08-170.35m Syenitic ep, Kspar, py | | | | | | | | | | 44728 | 182.00 | 184.00 | <0.01 | <0.03 |
| | | 40° to CA, less fracturing with 1-2% py as | | | | | | | | | | | | | | |
| | | vnlts/dissem with tr.cpy, no mag with | | | | | | | | | | | | | | |
| | | syenodiorite. | | | | | | | | | | | | | | |
| | | 170.35-174m Less ep, fracturing, no | | | | | | | | | | | | | | |
| | | Kspar, py massive as vnlts, up to 3 mm, | | | | | | | | | | | | | | |
| | | cross-cuts and offsets 30° to CA cal, ep, | | | | | | | | | | | | | | |
| | | pale tan, pink Kspar at 40° to CA. | | | | | | | | | | | | | | |
| | | 170.77-170.9m Syenodiorite, ep, Kspar, | | | | | | | | | | | | | | |
| | | py subparallel, H/L py vnlts in ep, Kspar | 1 | tr | | | 2 | 2 | | | 2 | | | | | |
| | | envelopes, 40°-50° to CA, tr. cpy? | | | | | | | | | | | | | | |
| | | 174-174.37m More of a volcanic breccia | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | with closely spaced Kspar envelopes | | | | | | | | | | | | | | |
| | | at 30 to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 176.90 | 177.76 | SYENODIORITE/QUARTZ DIORITE | 1.5 | tr | | | 2 | 2 | | | 1 | | | | | |
| | | Dark grey, orange, pale green, upper C/T | | | | | | | | | | | | | | |
| | | 60° to CA, mottled, ep-Kspar cut by | | | | | | | | | | | | | | |
| | | massive py-pyrr vnlts/fragments. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 177.76 | 178.00 | SYENITE | | | | | | | | | | | | | | |
| | | Cut by py-cal stockwork, cal cement | | | | | | | | | | | | | | |
| | | 20%. Stockwork 10% of core. Sulfides | | | | | | | | | | | | | | |
| | | over 10 cm. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 178.00 | 182.30 | VOLCANIC FLOW BRECCIA | tr | | | 3 | 2 | 1 | 3 | | | | | | | |
| | | Black intrusive fragments, ep, albite?, | | | | | | | | | | | | | | |
| | | subrounded to 2cm in tuff matrix by by | | | | | | | | | | | | | | |
| | | 5/m ep, albite zones up to 3cm, 1 cm at | | | | | | | | | | | | | | |
| | | 60° to CA with hem, cal, not easy to | | | | | | | | | | | | | | |
| | | estimate sulfide content, all recoveries | | | | | | | | | | | | | | |
| | | 100% to 181.05m. | | | | | | | | | | | | | | |
| | | Core recoveries: | | | | | | | | | | | | | | |
| | | 181.05-181.66m blocky with 15cm gouge- | | | | | | | | | | | | | | |
| | | 75%. | | | | | | | | | | | | | | |
| | | 181.66-182.88m core blocky, 75%. | | | | | | | | | | | | | | |
| | | 182.88-183.49m core blocky, 75%, 2 clay | | | | | | | | | | | | | | |
| | | seams, 5 & 15cm. | | | | | | | | | | | | | | |
| | | 180.9-181.05m Fault, hem, purple clay | | | | | | | | | | | | | | |
| | | gouge. | | | | | | | | | | | | | | |
| | | 181.05-183.06m The same as above. | | | | | | | | | | | | | | |
| | | 183.06-183.23m Fault, hem, purple clay | | | | | | | | | | | | | | |
| | | gouge, UC/T 70° to CA, LC/T at 40° to | | | | | | | | | | | | | | |
| | | CA. | | | | | | | | | | | | | | |
| 182.30 | 190.40 | FLOW BRECCIA | tr | tr | | | 3 | 2 | | | 1 | 44729 | 184.00 | 186.00 | 0.01 | <0.03 |
| | | Flow breccia starting at 183.49m. | | | | | | | | | | 44730 | 186.00 | 188.00 | 0.02 | 0.03 |
| | | 183.49-185.55m Intense propylitic chl-ep | | | | | | | | | | 44731 | 188.00 | 190.00 | 0.03 | <0.03 |
| | | alteration along fractures and fragments, | | | | | | | | | | 44732 | 190.00 | 192.00 | 0.01 | <0.03 |
| | | more pervasive. Fractures chl, hem, ep, | | | | | | | | | | 44733 | 192.00 | 194.00 | 0.01 | <0.03 |
| | | cal along slips. Most likely brecciated | | | | | | | | | | 44734 | 194.00 | 196.00 | 0.01 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | dark green-black volcanic breccia but | | | | | | | | | | 44735 | 196.00 | 198.00 | 0.01 | 0.04 |
| | | fragments that are pervasively ep altered, | | | | | | | | | | 44736 | 198.00 | 200.00 | 0.01 | 0.04 |
| | | in locally Kspar flooded matrix, intrusive. | | | | | | | | | | | | | | |
| | | Much less sulfides, v.f.g. dissem cpy?, ep | | | | | | | | | | | | | | |
| | | cross-cut by late cal-hem stringers | | | | | | | | | | | | | | |
| | | (stockwork). | | | | | | | | | | | | | | |
| | | 285.85-190.4m Black fine grained tuff | | | | | | | | | | | | | | |
| | | breccia cut by closely spaced, 1-3m, ep- | | | | | | | | | | | | | | |
| | | cal-hem-clay gouge along fractures, 60° | | | | | | | | | | | | | | |
| | | to CA cut by late calc stringers. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 190.40 | 191.04 | FAULT | | | | | | | | | | | | | | |
| | | Grey-green, blocky broken, ep-cal-hem | | | | | | | | | | | | | | |
| | | volcanic, upper C/T at 60° to CA, lower | | | | | | | | | | | | | | |
| | | C/T lighter grey gouge cut by chl-hem at | | | | | | | | | | | | | | |
| | | 40° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 191.04 | 207.87 | VOLCANIC ASH TUFF | | | | 3 | 1 | 2 | | | | | | | | |
| | | Grey-black, variably hard, weak | | | | | | | | | | | | | | |
| | | propylitically altered. Locally | | | | | | | | | | | | | | |
| | | hydrothermally brecciated along to 2 cm, | | | | | | | | | | | | | | |
| | | 50° to CA, ep, minor Kspar. | | | | | | | | | | 44737 | 200.00 | 202.00 | 0.01 | <0.03 |
| | | 198-198.65m Hydrothermally brecciated | | | | | | | | | | 44738 | 202.00 | 204.00 | 0.03 | <0.03 |
| | | with syenitic fragments?, supported in ep, | | | | | | | | | | 44739 | 204.00 | 206.00 | 0.02 | 0.1 |
| | | hem, py matrix, cemented with calcite. Py | | | | | | | | | | 44740 | 206.00 | 207.87 | <0.01 | <0.03 |
| | | 0.5-1% associated with ep fractures | | | | | | | | | | | | | | |
| | | cutting alteration. | | | | | | | | | | | | | | |
| | | 198.65-207.87 Dark green-black, less ep, | | | | | | | | | | | | | | |
| | | no Kspar core, softer, more cal, minor | | | | | | | | | | | | | | |
| | | tr.py? | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 207.87 | | EOH | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE: 04-33**

**PROPERTY: Ann 2 Peach 2 Zone**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Easting (NAD 83):** | **615797** | **Core Size:** | **NQ** | **Started:** | **18 Nov. 2004** | **Down-hole Tests** | |
| **Northing (NAD 83):** | **5747794** | **Hole Azimuth:** | **115°** | **Finished:** | **23 Nov. 2004** | **Depth / Angle / Azm.** | |
| **Grid Location:** | | **Hole Angle:** | **-45°** | **Logged by:** | **B. Callaghan** | **206.35 / 36.5°** | |
| **Elevation:** | **1435m** | **Total Depth:** | **207.87 m** | **Analysis by:** | **Eco-Tech** | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 6.10 | CASING | 0.5 | tr | | 2 | | 1 | 1 | | 1 | | | | | |
| 6.10 | 8.70 | OVERBURDEN-Broken wall rock with 25-50% core recovery. Core is ground, mostly cave to 8.7m | | | | | | | | | | | | | | |
| 8.70 | 11.27 | (TRACHYTIC) MONZODIORITE | 2.0 | 0.5 | | 1 | 1 | 2 | 1 | | 3 | 46636 | 8.70 | 11.27 | 0.03 | <0.03 |
| | | Light grey, weakly porphyritic, sausseritized pale grey green plagioclase, mottled, cross-cut by widely spaced Kspar vnlts, up to 2 cm with minor ep, py with minor cpy. Kspar flooded zones, sporadic >10cm, orthopyroxenes to chl, ep, mag, Kspar vnlts at 60° to CA. Recovery 90%. 11.27-20.06m Intense orange/red Kspar flooded zones with ep, massive py, cpy, vuggy infilled limonite, up to 5 cm, locally closely spaced, as weak stockwork of 1mm vnlts (py) at 60° to CA. Late cal cuts Kspar/ep. Locally brecciated with black (soft) matrix, tour? Propylitic alteration: ep, cal, hem, more intense at faulted contact at 20.6m at 50° to CA with massive cal, hem, chl, clay gouge, 10 cm. | | | | | | | | | | 46637 | 11.27 | 13.27 | 1.09 | 1.06 |
| | | | | | | | | | | | | 46638 | 13.27 | 15.27 | 0.02 | 0.05 |
| | | | | | | | | | | | | 46639 | 15.27 | 17.27 | 0.03 | 0.14 |
| | | | | | | | | | | | | 46640 | 17.27 | 19.27 | 0.01 | <0.03 |
| | | | | | | | | | | | | 46641 | 19.27 | 20.06 | 0.04 | <0.03 |
| 11.27 | 25.58 | MONZODIORITE | tr | tr | | 2 | 2 | 2 | | 1 | 1 | 46642 | 20.06 | 22.06 | 0.01 | <0.03 |
| | | The same as 8.7-11.27m. Fresher, less fractured, less Kspar, ep. Cal, hem, | | | | | | | | | | 1 | 206.35 | 24.06 | 0.01 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 1mm vnlts, closely spaced at 70° to CA, to 5mm, core recoveries 100%, trace sulfides. | | | | | | | | | | 46644 | 24.06 | 25.58 | 0.01 | <0.03 |
| 25.58 | 28.25 | MONZONDIORITE | | | | 2 | | 1 | 1 | | 2 | 46645 | 25.58 | 27.00 | 0.03 | <0.03 |
| | | Fine to medium grained, light sandy grey, porphyritic, trachytic, weakly propylitic, Kspar flooded, weakly fractured, tr.cpy, tr.py. Ep, cal along 1 mm widely spaced fractures. | | | | | | | | | | 46646 | 27.00 | 28.25 | 0.04 | <0.03 |
| 28.25 | 32.02 | DIORITE | | | | | | | | | | 46647 | 28.25 | 30.25 | 0.01 | <0.03 |
| | | Fine grained, grey, dark orthopyroxenes to chl, ep, mag, 2nd biotite. Cut by widely spaced ep vnlts, locally stockwork development, up to 1 cm, as small zones. No Kspar flooding. | | | | | | | | | | 46648 | 30.25 | 32.02 | 0.01 | <0.03 |
| 32.02 | 41.00 | MONZONDIORITE, K-SPAR FLOODED? | | tr | | | | | | | | 46649 | 32.02 | 34.02 | 0.01 | 0.03 |
| | | Fine grained, equigranular, orthopyroxenes to chl, ser?, mag, tour?, up to 3mm cut by weak calcite vnlts, also cut by closely spaced Kspar vnlts, 1-3mm at 60° to CA. | | | | | | | | | | 46650 | 34.02 | 36.02 | 0.02 | 0.05 |
| | | | | | | | | | | | | 46651 | 36.02 | 38.02 | 0.01 | <0.03 |
| | | | | | | | | | | | | 46652 | 38.02 | 39.5 | <0.01 | <0.03 |
| | | | | | | | | | | | | 46653 | 39.50 | 41.00 | 0.01 | <0.03 |
| | | 32-32.2m mineralization-pyrrhotite, py, 0.5% dissem and along fractures. | | | | | | | | | | | | | | |
| | | 39.7-41m As above with autobrecciated, cut by pink, red Kspar envelopes with cal, up to 1-2cm, closely spaced 40° to CA. LC/T at 20° to CA. Ep, cal black matrix, mag and sulfides in ep with dissem pyrr, py, tr.cpy. | tr | tr | | 2 | 2 | 1 | 1 | | 1 | | | | | |
| 41.00 | 47.07 | QUARTZ DIORITE BRECCIA | | | | 3 | 3 | 2 | 2 | | 2 | 46654 | 41.00 | 43.00 | 0.01 | <0.03 |
| | | Grey black with 10% fragments of more acid intrusive altered to albite, Kspar rimmed with ep. Cut by (hem) Kspar, ep, tour? vnlts. Locally as stockwork, | | | | | | | | | | 46655 | 43.00 | 45.00 | 0.02 | 0.14 |
| | | | | | | | | | | | | 46656 | 45.00 | 47.00 | 0.02 | 0.06 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | as vnlts at 40°-60° to CA 1-5mm. As ep zones with brick red Kspar alteration. Intrusive fragments cut by grey, black crushed sulfides, mostly py, pyrrhotite?, less cpy at 60° to CA. 46.8-47.07m Locally brecciated matrix, syenitic with replacement ep, cal, py (Kspar) fragments as (syenite) stockwork, cut by ep, cal, 40° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | tr | tr | | 2 | 2 | 1 | 1 | | 2 | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 47.07 | 64.70 | QUARTZ DIORITE BRECCIA | | | | | | | | | | 46657 | 47.00 | 49.00 | 0.01 | 0.05 |
| | | Very fine grained, grey black intrusive?, cut by closely spaced stockwork-ep, cal, py, vnlts, 1mm-3cm, mostly at 60° to CA. Sulfides 1mm at core of ep vnlts. Sulfides v.f.g., pinhead py, hard to estimate content, variable but locally higher than 2%. 57-64.7m More ep as vnlts, associated with chl, Kspar (orange) cal, locally brecciated, locally ep altered phenocrysts (amygdules), sulfides up to 2%, locally as vnlts, dissem v.f.g. pyrr (0.5%), smeared along ep coated fractures with cal. | 0.5 | 0.5 | | 4 | 2 | 1 | 4 | | | 46658 | 49.00 | 51.00 | 0.01 | 0.03 |
| | | | | | | | | | | | | 46659 | 51.00 | 53.00 | <0.01 | <0.03 |
| | | | | | | | | | | | | 46660 | 53.00 | 55.00 | 0.01 | 0.04 |
| | | | | | | | | | | | | 46661 | 55.00 | 57.00 | 0.01 | <0.03 |
| | | | | | | | | | | | | 46662 | 57.00 | 59.00 | 0.04 | 0.04 |
| | | | | | | | | | | | | 46663 | 59.00 | 61.00 | 0.02 | 0.04 |
| | | | | | | | | | | | | 46664 | 61.00 | 63.00 | 0.02 | 0.03 |
| | | | 0.5 | | | | | | | | | 46665 | 63.00 | 65.00 | 0.01 | 0.07 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 64.70 | 66.50 | FAULT | | | | | | | | | | 46666 | 65.00 | 67.00 | 0.02 | 0.05 |
| | | Clay, grey, green, (hem) fault gouge, wallrock intrusive. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 66.50 | 69.98 | VOLCANIC ASH TUFF/TUFFACEOUS SANDSTONE? Very fine grained, black with pale grey to dark green beds?, at 40° to CA. Cut by locally closely spaced ep (albite) py H/L fractures at 60° to CA from 1-2mm. Cross-cut bedding/foliation with occasional Kspar envelopes, up to 1-4%. Py, trace to 0.5% cpy. | 2 | 0.1 | | 2 | 2 | 1 | | | 1 | 46667 | 67.00 | 68.19 | 0.01 | 0.03 |
| | | | | | | | | | | | | 46668 | 68.19 | 69.19 | 0.55 | 0.32 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 68.99-69.19m 30-40% py, Kspar,ep, mag with cpy vnlts, 60° to CA. | | | | | | | | | | | | | | |
| 69.98 | 70.77 | VOLCANIC FLOW BRECCIA?/QUARTZ DIORITE<br>Grey- black, mottled, fine grained with anhedral, subround grey-green patches of grey intrusives albite, epidote, cut by 9/m 60° to CA, albite, ep and py; py as fine grained dissem. | 0.5 | tr | | | | | | | | 46669 | 69.19 | 71.19 | 0.01 | 0.05 |
| 70.77 | 72.30 | VOLCANIC ASH TUFF?<br>As at 66.5-69.98m. Fractures 15/m. 1mm to 2mm, 50°-60° to CA. Subparallel cut by late cal fracture fill. | | | | | | | | | | 46670 | 71.19 | 73.19 | 0.01 | 0.06 |
| 72.30 | 73.30 | VOLCANIC FLOW BRECCIA<br>The same as 69.98-70.77m Intrusive qtz diorite breccia/flow breccia?, cut by albite, ep, hem fragments with albite+mag, minor ep , supported in black matrix. | | | | | | | | | | | | | | |
| 73.30 | 79.79 | INTERMIXED INTRUSIVE DIORITE BRECCIA (VOLCANIC BRECCIA) & VOLCANIC ASH TUFF<br>74.98-79.72m More ep, Kspar envelopes, 8/m, up to 5 cm, 1mm ep, py fractures cross-cut Kspar altered zones at 60° to CA, cut by late cal, patchy v.f.g. sulfides, py, locally 1% dissem. Locally brecciated with Kspar surrounding ep zones. | 1 | tr | | 2 | | | | | | 46671 | 73.19 | 75.19 | 0.01 | 0.07 |
| | | | | | | | | | | | | 46672 | 75.19 | 77.19 | <0.01 | <0.03 |
| | | | | | | | | | | | | 46673 | 77.19 | 79.19 | <0.01 | <0.03 |
| 79.79 | 90.53 | VOLCANIC BRECCIA/TUFF DIORITE?<br>Moderately propylitic altered, fragments up to 2cm, albite, Kspar, ep fracturing, less intense with typically ep, albite, | 1.5 | 0.5 | | 2 | 2 | 2 | 2 | | 2 | 46674 | 79.19 | 81.19 | 0.01 | 0.04 |
| | | | | | | | | | | | | 46675 | 81.19 | 83.19 | 0.02 | 0.05 |
| | | | | | | | | | | | | 46676 | 83.19 | 85.19 | 0.01 | <0.03 |
| | | | | | | | | | | | | 46677 | 85.19 | 87.19 | 0.02 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Kspar, py with tr.cpy along ch, cal | | | | | | | | | | 46678 | 87.19 | 89.19 | 0.02 | <0.03 |
| | | fractures, 50° to CA, 2nd biotite | | | | | | | | | | 46693 | 89.19 | 91.19 | 0.03 | 0.07 |
| | | development in groundmass. More | | | | | | | | | | 46679 | 91.19 | 93.19 | <0.01 | <0.03 |
| | | fracturing in Kspar zones with stockwork. | | | | | | | | | | | | | | |
| | | 2% syenite vnlts with euhedral py, ep | | | | | | | | | | | | | | |
| | | along fractures at 90.1m. Sulfides locally | | | | | | | | | | | | | | |
| | | sparse. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 90.53 | 90.90 | FAULT | tr | | | | 3 | 2 | | | | | | | | |
| | | Dark grey-green, clay gouge, hem, ep | | | | | | | | | | | | | | |
| | | wallrock, brecciated with cal cement, | | | | | | | | | | | | | | |
| | | upper C/T 60° to CA. Black graphitic | | | | | | | | | | | | | | |
| | | seams, 0.5 cm at 60° to CA. Trace py. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 90.90 | 152.00 | INTERMIXED ASH TUFF/BRECCIA/QTZ | | | | | | | | | | 46680 | 93.19 | 95.19 | <0.01 | <0.03 |
| | | DIORITE | | | | | | | | | | 46681 | 95.19 | 97.19 | 0.01 | 0.04 |
| | | Intermixed ash tuff/breccia with grey | | | | | | | | | | 46692 | 97.19 | 99.19 | 0.10 | 0.06 |
| | | black v.f. grained qtz diorite, wk to | | | | | | | | | | 46682 | 99.19 | 101.19 | 0.09 | 0.06 |
| | | medium propylitic alteration cut by widely | | | | | | | | | | 46683 | 101.19 | 103.19 | 0.10 | <0.03 |
| | | spaced ep, Kspar envelopes with minor | | | | | | | | | | 46684 | 103.19 | 105.19 | 0.01 | 0.04 |
| | | hem, py, tr.pyrr, locally 5/10cm at 45°-60° | | | | | | | | | | | | | | |
| | | to CA. 1-3mm av. 2mm. Py massive as | | | | | | | | | | | | | | |
| | | cores of veins. | | | | | | | | | | | | | | |
| | | 97.23-98.45m Fault, core is blocky, | 0.5 | | | 2 | 2 | 1 | 2 | | 1 | | | | | |
| | | chloritic, slickensided, dark green, | | | | | | | | | | | | | | |
| | | hem,py,clay gouge along slips. | | | | | | | | | | | | | | |
| | | Core recoveries: 95-97.23m-100%, 97.23- | | | | | | | | | | | | | | |
| | | 98.45m-65%, 98.45-99.97-80%, 99.97- | | | | | | | | | | | | | | |
| | | 102.72-90%, ground 100.2cm, 102.72- | | | | | | | | | | | | | | |
| | | 116.19m-100%. | | | | | | | | | | | | | | |
| | | 99.97-101.19m More intense propylitic | 1 | tr | | | | | | | | | | | | |
| | | alteration with rusty brown Kspar alt'n | | | | | | | | | | | | | | |
| | | with locally up to 1% py, tr.cpy, pyrr. | | | | | | | | | | | | | | |
| | | 105.16-107.19m Increase in ep, Kspar, | | | | | | | | | | 46685 | 105.19 | 107.19 | 0.03 | 0.06 |
| | | cal, sulfides, massive py up to 20% of | | | | | | | | | | | | | | |
| | | core at 45° to CA to subparallel, for | | | | | | | | | | | | | | |
| | | 20cm. Py veins less magnetic, 1mm | | | | | | | | | | | | | | |
| | | black vnlt with Kspar, ep, cal (tour?) | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 107.19-116.1m Less ep with tr. Kspar | 0.5 | tr | | 1 | 1 | 1 | 2 | | | | | | | |
| | | envelopes, mostly H/L with py, hem with | | | | | | | | | | 46686 | 107.19 | 109.19 | <0.01 | 0.03 |
| | | ep widely spaced, more of qtz diorite | | | | | | | | | | 46687 | 109.19 | 111.19 | <0.01 | <0.03 |
| | | sugary v.f.g., more 2nd biotite with | | | | | | | | | | 46688 | 111.19 | 113.19 | 0.01 | <0.03 |
| | | increase in mag. Py also dissem? | | | | | | | | | | 46689 | 113.19 | 115.19 | 0.01 | <0.03 |
| | | 114.91-115.35m Pronounced ash tuff, | | | | | | | | | | 46690 | 115.19 | 116.10 | 0.01 | 0.03 |
| | | foliation to bedding 40° to CA, 2-3mm | | | | | | | | | | 46691 | 116.10 | 117.10 | 0.01 | 0.01 |
| | | beds. | | | | | | | | | | | | | | |
| | | 116.1-117.1m Intense ep, cal, chl, hem | tr | | | | 3 | 3 | | | | | | | | |
| | | stockwork breccia, mylonitic at 45° to CA. | | | | | | | | | | | | | | |
| | | Mylonitic zones up to 10 cm. | | | | | | | | | | 46695 | 117.10 | 119 | 0.02 | 0.05 |
| | | 117.1-120.2m Three zones, 10 cm, 2-3% | 2.5 | tr | | | 2 | 2 | | | | 46696 | 119.00 | 121.00 | 0.01 | <0.03 |
| | | massive py,1mm stringers of py at 45° to | | | | | | | | | | 46697 | 121.00 | 123.00 | 0.02 | 0.04 |
| | | CA, grey smokey sulfides, 2-3% along | | | | | | | | | | 46698 | 123.00 | 125.10 | 0.01 | 0.03 |
| | | brecciated syenite ep altered fractures at | | | | | | | | | | 46699 | 125.10 | 127.10 | 0.01 | <0.03 |
| | | 45° to CA. Sulfides in fractures up to 3%. | | | | | | | | | | 46700 | 127.10 | 129.10 | 0.02 | <0.03 |
| | | Core recoveries: 116.19-117.19m-100%, | 2.5 | 0.5 | | 3 | 2 | 2 | 1 | | 2 | | | | | |
| | | 117.19-117.96m-100%, 117.96-119.79m- | | | | | | | | | | | | | | |
| | | 80%, 119.79-148.44m-100%. | | | | | | | | | | | | | | |
| | | 121.1-122.9m Increase ep. Cal up to | | | | | | | | | | | | | | |
| | | 3mm subparallel to CA. Cal pinkinsh light | | | | | | | | | | | | | | |
| | | brown, chl+ep along fractures. | | | | | | | | | | | | | | |
| | | Mineralization-tr.pinhead to v.f.g.pyrite. | | | | | | | | | | | | | | |
| | | 122.9-125.1m More intrusive looking with | | | | | | | | | | | | | | |
| | | white amygdules, 2mm, | | | | | | | | | | | | | | |
| | | round/phenocrysts?, but possible like | | | | | | | | | | | | | | |
| | | volcanic breccia. | | | | | | | | | | | | | | |
| | | 126.1-129.55m More intense propylitic ep | | | | | | | | | | | | | | |
| | | syenite, vnlts with Kspar, cal, tr. sulfides | | | | | | | | | | | | | | |
| | | in magnetite. | | | | | | | | | | | | | | |
| | | 129.55-132.5 Locally 1mm ep, tr.py?, | | | | | | | | | | | | | | |
| | | 5/10cm, 60° to CA. Possibly qtz diorite | | | | | | | | | | | | | | |
| | | intrusive breccia with ep matrix. | | | | | | | | | | | | | | |
| | | 132.1-134.5m Ep breccia, ep matrix with | | | | | | | | | | 44701 | 129.10 | 131.10 | 0.01 | 0.03 |
| | | minor Kspar, cal, py along 1mm fractures | 2 | tr | | 1 | 2.5 | 1 | 3 | | 1 | 44702 | 131.10 | 132.50 | 0.03 | 0.05 |
| | | in matrix up to 2%. Moderate propylitic | | | | | | | | | | 44703 | 132.50 | 134.50 | 0.02 | 0.07 |
| | | alteration. Less syenite, more 2nd biotite. | | | | | | | | | | 44704 | 134.50 | 136.50 | 0.01 | 0.03 |
| | | Cal veinlets, cross-cutting weak potassic | | | | | | | | | | 44705 | 136.50 | 138.50 | 0.03 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | altered vnlts. | | | | | | | | | | 44706 | 138.50 | 140.50 | 0.02 | 0.03 |
| | | 134.5-137.43m Mostly dark grey, black, intermixed tuff breccia, harder, weakly propylitic ep vnlts, widely spaced 7/m, up to 3mm at 50° to CA. Mostly ep (albite?). Py along fractures with Kspar, mag increase. | | | | | | | | | | 44707 | 140.50 | 142.50 | 0.02 | <0.03 |
| | | | | | | | | | | | | 44708 | 142.50 | 144.50 | 0.01 | <0.03 |
| | | | | | | | | | | | | 44709 | 144.50 | 146.50 | 0.01 | <0.03 |
| | | | | | | | | | | | | 44710 | 146.50 | 148.50 | 0.01 | 0.03 |
| | | | | | | | | | | | | 44711 | 148.50 | 150.50 | 0.02 | 0.03 |
| | | | | | | | | | | | | | | | | |
| | | 137.43-138.5m More intense propylitic fractures, 18/m, at 50° to CA. Some stockwork-1mm up to 3mm. Locally weak 2% combined mostly py-cpy, fine grained dissem. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 138.5-144.5m Less propylitic grey-black, core hard, weakly fractured with (ep, albite?) mostly tuff breccia. Noticeable py with cpy along mostly ep, minor Kspar, tr. cal, tr.py at 50° to 60° CA, 1mm to 3mm.veinlets No Kspar. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 144.5-152m Mostly flow breccia/tuff fragments, typically pale grey-green, chl, ser with ep cores. Tr. cpy, 3 types vnlts, 1) ep, cal, hem, mag, py, up to 3mm widely spaced, 50°-60° to CA, 2) ep, Kspar (albite), no mag, possibly tour?, semi-massive diss py to 2% of vnlt to 3 cm, 148.7-149m, as stringers in matrix, brecciated parts, 3) late cal 1mm vnlts to 0.5cm. Stockwork 1mm to 0.5cm cal distension fractures with hydrothermal brecciation. Clasts angular with chl, py with oxidation (hem?), offset ep vnlts 1cm, subparallel to CA. Fine grained dissem, patchy py up to 2%, Core recoveries to 152m, 100%. | | | | | | | | | | 44712 | 150.50 | 152.00 | 0.01 | <0.03 |
| | | | | | | | | | | | | 44713 | 152.00 | 154.00 | 0.02 | 0.12 |
| | | | | | | | | | | | | 44714 | 154.00 | 156.00 | 0.06 | 0.04 |
| | | | | | | | | | | | | 44715 | 156.00 | 158.00 | 0.01 | 0.03 |
| | | | | | | | | | | | | 44716 | 158.00 | 160.00 | 0.02 | 0.04 |
| | | | | | | | | | | | | 44717 | 160.00 | 162.00 | 0.02 | 0.17 |
| | | | | | | | | | | | | 44718 | 162.00 | 164.00 | 0.07 | 0.08 |
| | | | | | | | | | | | | 44719 | 164.00 | 166.00 | 0.05 | 0.07 |
| | | | | | | | | | | | | 44720 | 166.00 | 168.00 | 0.04 | 0.04 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 152.00 | 156.00 | QUARTZ DIORITE/SYENODIORITE | | | | | | | | | | | | | | |
| | | 152-158m More intense ep altered zone with diorite phases with ep, Kspar | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | envelopes with massive py 1mm | | | | | | | | | | | | | | |
| | | subparallel to 60° to CA, 4cm wide at 152m, mostly py interstitial at 152.5m. | | | | | | | | | | | | | | |
| | | 152.7-153.m Grey-black graphitic, heavy core, dense, 20-30% of core sulfides, 2-3% peppered, crushed. Kspar rims ep, no mag. | 2.5 | tr | | | 2 | | | | 2 | | | | | |
| | | 153.3-156.8m Pale grey-green, variably hard to softer intrusive breccia? Grey, glassy to pink, translucent intrusive qtz, Kspar fragments supported in ep matrix? with qtz, cal, hem foliation at 30° to CA. Locally up to 3-4% total sulfides. Py dissem+1mm fractures & zones, 50°-60° to CA. | 3 | tr | | | 2 | 2 | | 1 | 2 | | | | | |
| 156.00 | 156.84 | INTERMIXED TUFF BRECCIA<br>As at 152-156m, with approximately 15/m Kspar, ep 1mm to 3 cm of syenitic vnlts with py fracture fill. Py also interstial with tr.cpy. | 0.5 | tr | | 3 | 2 | 1 | 2 | | 1 | | | | | |
| 156.84 | 157.56 | SYENODIORITE/QTZ DIORITE/INTRUSIVE BRECCIA<br>Hard, black-grey, porphyritic, intensely fractured, Kspar, ep, cal, hem, py breccia, 50° to CA. Sulfides locally approximately 15-20% of core, combined 1.5%. Pyrrhotite trace along fractures with cal and chl. | 1.5 | tr | | 2 | 2 | 1 | | 1 | 2.5 | | | | | |
| 157.56 | 161.15 | INTERMIXED TUFF BRECCIA<br>Black, weak propylitic alteration, mag, bio, ep, cal, py, minor Kspar along fractures, 12/m, 3cm-zones, 4cm, 50° to 60° to CA. Cut by 1mm cal and py along fractures with epidote, pyrrhotite and | 0.5 | tr | | 3 | 2 | 1 | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | tr.chalcopyrite. | | | | | | | | | | | | | | |
| 161.15 | 162.15 | SYENODIORITE | 2 | tr | | | 2 | 3 | | | 2 | | | | | |
| | | Pink-grey, equigranular, moderately | | | | | | | | | | | | | | |
| | | potassic/propylitic altered, ep, Kspar, | | | | | | | | | | | | | | |
| | | massive py cut by stockwork of ep, py | | | | | | | | | | | | | | |
| | | vnlts that cut Kspar breccia. Up to 20% of | | | | | | | | | | | | | | |
| | | core sulfides on margins of grey mottled | | | | | | | | | | | | | | |
| | | calcite up to 7 cm, 30° to CA with grey, | | | | | | | | | | | | | | |
| | | sooty black, 1.5 cm, 30° to CA crushed | | | | | | | | | | | | | | |
| | | sulfides, graphitic py. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 162.15 | 164.00 | VOLCANICS MIXED TUFF BRECCIA | | | | | | | | | | | | | | |
| | | Ep, cal, py widely spaced 5/m, up to | | | | | | | | | | | | | | |
| | | 3mm, 50° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 164.00 | 164.76 | SYENODIORITE | 2 | | | | | | | | | | | | | |
| | | As at 161.15-162.15m. Sulfides along | | | | | | | | | | | | | | |
| | | fractures, up to 2%, locally. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 164.76 | 176.90 | INTERMIXED VOLCANIC | 1 | tr | | 2 | 1 | 2 | 2 | | 1 | 44721 | 168.00 | 170.00 | 0.02 | <0.03 |
| | | BRECCIA/TUFF | | | | | | | | | | 44722 | 170.00 | 172.00 | 0.06 | 0.03 |
| | | Volcanic breccia/tuff cut by syenitic vnlts, | | | | | | | | | | 44723 | 172.00 | 174.00 | 0.03 | 0.03 |
| | | black, cut by 3 syenitic veins 6cm, 12cm | | | | | | | | | | 44724 | 174.00 | 176.00 | 0.03 | <0.03 |
| | | & 1.2m, 30°, 40°, 60° to CA. Ep, Kspar, | | | | | | | | | | 44725 | 176.00 | 178.00 | 0.04 | 0.03 |
| | | cal, py, pyrr? Trace py, variable up to 2% | | | | | | | | | | 44726 | 178.00 | 180.00 | 0.04 | 0.03 |
| | | combined to 167.7m | | | | | | | | | | 44727 | 180.00 | 182.00 | 0.01 | <0.03 |
| | | 170.08-170.35m Syenitic ep, Kspar, py | | | | | | | | | | 44728 | 182.00 | 184.00 | <0.01 | <0.03 |
| | | 40° to CA, less fracturing with 1-2% py as | | | | | | | | | | | | | | |
| | | vnlts/dissem with tr.cpy, no mag with | | | | | | | | | | | | | | |
| | | syenodiorite. | | | | | | | | | | | | | | |
| | | 170.35-174m Less ep, fracturing, no | | | | | | | | | | | | | | |
| | | Kspar, py massive as vnlts, up to 3 mm, | | | | | | | | | | | | | | |
| | | cross-cuts and offsets 30° to CA cal, ep, | | | | | | | | | | | | | | |
| | | pale tan, pink Kspar at 40° to CA. | | | | | | | | | | | | | | |
| | | 170.77-170.9m Syenodiorite, ep, Kspar, | | | | | | | | | | | | | | |
| | | py subparallel, H/L py vnlts in ep, Kspar | 1 | tr | | | 2 | 2 | | | 2 | | | | | |
| | | envelopes, 40°-50° to CA, tr. cpy? | | | | | | | | | | | | | | |
| | | 174-174.37m More of a volcanic breccia | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | with closely spaced Kspar envelopes | | | | | | | | | | | | | | |
| | | at 30 to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 176.90 | 177.76 | SYENODIORITE/QUARTZ DIORITE | 1.5 | tr | | | 2 | 2 | | | 1 | | | | | |
| | | Dark grey, orange, pale green, upper C/T | | | | | | | | | | | | | | |
| | | 60° to CA, mottled, ep-Kspar cut by | | | | | | | | | | | | | | |
| | | massive py-pyrr vnlts/fragments. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 177.76 | 178.00 | SYENITE | | | | | | | | | | | | | | |
| | | Cut by py-cal stockwork, cal cement | | | | | | | | | | | | | | |
| | | 20%. Stockwork 10% of core. Sulfides | | | | | | | | | | | | | | |
| | | over 10 cm. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 178.00 | 182.30 | VOLCANIC FLOW BRECCIA | tr | | | 3 | 2 | 1 | 3 | | | | | | | |
| | | Black intrusive fragments, ep, albite?, | | | | | | | | | | | | | | |
| | | subrounded to 2cm in tuff matrix by by | | | | | | | | | | | | | | |
| | | 5/m ep, albite zones up to 3cm, 1 cm at | | | | | | | | | | | | | | |
| | | 60° to CA with hem, cal, not easy to | | | | | | | | | | | | | | |
| | | estimate sulfide content, all recoveries | | | | | | | | | | | | | | |
| | | 100% to 181.05m. | | | | | | | | | | | | | | |
| | | Core recoveries: | | | | | | | | | | | | | | |
| | | 181.05-181.66m blocky with 15cm gouge- | | | | | | | | | | | | | | |
| | | 75%. | | | | | | | | | | | | | | |
| | | 181.66-182.88m core blocky, 75%. | | | | | | | | | | | | | | |
| | | 182.88-183.49m core blocky, 75%, 2 clay | | | | | | | | | | | | | | |
| | | seams, 5 & 15cm. | | | | | | | | | | | | | | |
| | | 180.9-181.05m Fault, hem, purple clay | | | | | | | | | | | | | | |
| | | gouge. | | | | | | | | | | | | | | |
| | | 181.05-183.06m The same as above. | | | | | | | | | | | | | | |
| | | 183.06-183.23m Fault, hem, purple clay | | | | | | | | | | | | | | |
| | | gouge, UC/T 70° to CA, LC/T at 40° to | | | | | | | | | | | | | | |
| | | CA. | | | | | | | | | | | | | | |
| 182.30 | 190.40 | FLOW BRECCIA | tr | tr | | | 3 | 2 | | | 1 | 44729 | 184.00 | 186.00 | 0.01 | <0.03 |
| | | Flow breccia starting at 183.49m. | | | | | | | | | | 44730 | 186.00 | 188.00 | 0.02 | 0.03 |
| | | 183.49-185.55m Intense propylitic chl-ep | | | | | | | | | | 44731 | 188.00 | 190.00 | 0.03 | <0.03 |
| | | alteration along fractures and fragments, | | | | | | | | | | 44732 | 190.00 | 192.00 | 0.01 | <0.03 |
| | | more pervasive. Fractures chl, hem, ep, | | | | | | | | | | 44733 | 192.00 | 194.00 | 0.01 | <0.03 |
| | | cal along slips. Most likely brecciated | | | | | | | | | | 44734 | 194.00 | 196.00 | 0.01 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | dark green-black volcanic breccia but | | | | | | | | | | 44735 | 196.00 | 198.00 | 0.01 | 0.04 |
| | | fragments that are pervasively ep altered, | | | | | | | | | | 44736 | 198.00 | 200.00 | 0.01 | 0.04 |
| | | in locally Kspar flooded matrix, intrusive. | | | | | | | | | | | | | | |
| | | Much less sulfides, v.f.g. dissem cpy?, ep | | | | | | | | | | | | | | |
| | | cross-cut by late cal-hem stringers | | | | | | | | | | | | | | |
| | | (stockwork). | | | | | | | | | | | | | | |
| | | 285.85-190.4m Black fine grained tuff | | | | | | | | | | | | | | |
| | | breccia cut by closely spaced, 1-3m, ep- | | | | | | | | | | | | | | |
| | | cal-hem-clay gouge along fractures, 60° | | | | | | | | | | | | | | |
| | | to CA cut by late calc stringers. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 190.40 | 191.04 | FAULT | | | | | | | | | | | | | | |
| | | Grey-green, blocky broken, ep-cal-hem | | | | | | | | | | | | | | |
| | | volcanic, upper C/T at 60° to CA, lower | | | | | | | | | | | | | | |
| | | C/T lighter grey gouge cut by chl-hem at | | | | | | | | | | | | | | |
| | | 40° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 191.04 | 207.87 | VOLCANIC ASH TUFF | | | | 3 | 1 | 2 | | | | | | | | |
| | | Grey-black, variably hard, weak | | | | | | | | | | | | | | |
| | | propylitically altered. Locally | | | | | | | | | | | | | | |
| | | hydrothermally brecciated along to 2 cm, | | | | | | | | | | | | | | |
| | | 50° to CA, ep, minor Kspar. | | | | | | | | | | 44737 | 200.00 | 202.00 | 0.01 | <0.03 |
| | | 198-198.65m Hydrothermally brecciated | | | | | | | | | | 44738 | 202.00 | 204.00 | 0.03 | <0.03 |
| | | with syenitic fragments?, supported in ep, | | | | | | | | | | 44739 | 204.00 | 206.00 | 0.02 | 0.1 |
| | | hem, py matrix, cemented with calcite. Py | | | | | | | | | | 44740 | 206.00 | 207.87 | <0.01 | <0.03 |
| | | 0.5-1% associated with ep fractures | | | | | | | | | | | | | | |
| | | cutting alteration. | | | | | | | | | | | | | | |
| | | 198.65-207.87 Dark green-black, less ep, | | | | | | | | | | | | | | |
| | | no Kspar core, softer, more cal, minor | | | | | | | | | | | | | | |
| | | tr.py? | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 207.87 | | EOH | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE: 04-34**

**PROPERTY: Ann 2 Peach 2 Zone**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Easting (NAD 83):** | **615765** | **Core Size:** | **NQ** | **Started:** | **24 Nov. 2004** | **Down-hole Tests** | |
| **Northing (NAD 83):** | **5757855** | **Hole Azimuth:** | **115°** | **Finished:** | **27 Nov.2004** | **Depth** | **Angle** | **Azm.** |
| **Grid Location:** | | **Hole Angle:** | **-45°** | **Logged by:** | **B. Callaghan** | **193.85** | **38.5°** | **115°** |
| **Elevation:** | **1388 m** | **Total Depth:** | **193.85 m** | **Analysis by:** | **Eco-Tech** | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 3.05 | CASING | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3.05 | 23.98 | DIORITE? | | | | | | | | | | 44741 | 5.00 | 7.00 | 0.01 | <0.03 |
| | | Light to dark grey, fine grained, | | | | | | | | | | | | | | |
| | | prophyritic, augite to 4 mm, plag white | | | | | | | | | | | | | | |
| | | anhedral in mafic rich (pyroxene) plag | | | | | | | | | | | | | | |
| | | groundmass cut by anastomosing ep | | | | | | | | | | | | | | |
| | | (albite), minor Kspar+/- cpy vnlts. | | | | | | | | | | | | | | |
| | | Alteration: fresh to weak propylitic | | | | | | | | | | | | | | |
| | | Mineralization: trace cpy, py,1 mm to 3 | | | | | | | | | | | | | | |
| | | mm as fracture fill, ep, Kspar, grey quartz | | | | | | | | | | | | | | |
| | | veins, up to 8 cm. Mostly widely spaced. | | | | | | | | | | | | | | |
| | | Core is brittle. Andesitic augite, plag tuff? | | | | | | | | | | | | | | |
| | | or diorite intrusive? | | | | | | | | | | | | | | |
| | | 6.85-7.70m up to 1 cm, 10° to CA, | | | | | | | | | | | | | | |
| | | intrusive monzodiorite with trachytic | | | | | | | | | | 44742 | 7.00 | 9.00 | 0.01 | 0.11 |
| | | texture, no sulfides. | | | | | | | | | | 44743 | 9.00 | 11.00 | 0.01 | 0.27 |
| | | 8.23-8.34m ep zones with banded grey, | | | | | | | | | | | | | | |
| | | semi-transculent quartz, weak 0.5 cm | tr | tr | | | 2 | | | 2 | 2 | | | | | |
| | | with Kspar bands rimming magnetic | | | | | | | | | | | | | | |
| | | fragments (intrusive) at 50° to CA, up to 2 | | | | | | | | | | | | | | |
| | | cm subrounded. Tr cpy, vfg. dissem. | | | | | | | | | | | | | | |
| | | 11.8-14.3m Brecciated and closely | | | | | | | | | | | | | | |
| | | spaced anastomosing ep, albite, Kspar, | 0.5 | 0.5 | | 3 | 2 | | 2 | 1 | 1 | 44744 | 11.00 | 13.00 | 0.02 | <0.03 |
| | | cpy (chalcocite) vnlts, up to 0.5 cm, | | | | | | | | | | 44745 | 13.00 | 15.00 | 0.02 | 0.06 |
| | | locally brecciated with py, combined 0.5- | | | | | | | | | | 44746 | 15.00 | 17.00 | 0.01 | 0.13 |
| | | 1%, 2nd mag. | | | | | | | | | | 44747 | 17.00 | 19.00 | 0.01 | <0.03 |
| | | 17.46-17.56m 10 cm ep, grey qtz rimmed | | | | | | | | | | | | | | |
| | | by black tourmaline, Kspar, | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | containing up to 5%? sulfides, py+cpy+pyrrhotite in vein at 50° to CA. Core recoveries: 5.18-7.16m-85%, 7.16-8.23m-90%. | | | | | | | | | | | | | | |
| | | 17.56-20.42m Fresh, widely spaced ep+albite zones cut by H/L ep+Kspar+tr.cpy fractures at 30° to CA. | tr | tr | | 3 | 1 | | 2 | | | 44748 | 19.00 | 21.00 | 0.01 | <0.03 |
| | | 20.42-22.1m Fresher, no Kspar, less ep, trace sulfides. | | | | | | | | | | 44749 | 21.00 | 24.00 | 0.01 | <0.03 |
| | | 22.1-22.2m 7 cm, 50° to CA, Kspar, ep, chl, cal veinlets up to 1 cm in width, cut by 20° to CA shear with chl, ep, clays, cal, brecciated with calcite cement. | | | | | | | | | | | | | | |
| 23.98 | 25.68 | MONZODIORITE? Grey, fine grained, equigranular, Kspar secondary, cloudy, pale pink, minor sericite, orthopyroxenes up to 3 mm, fresh to weak chl, ser alteration, minor biotite+mag with minor intrusive fragments up to 1.5 cm, cut by ep, albite stringers widely spaced up to 3 mm that are cross-cut by 1 mm Kspar at 40°-60° to CA, plag is locally trachytic, LC/T is 50° to CA with tr.cpy in gange of grey qtz, 1 mm ep, Kspar + black tenorite? | | | | | | | | | | 447750 | 24.00 | 26.00 | 0.05 | 0.14 |
| 25.68 | 65.50 | MONZODIORITE? | | | | | | | | | | | | | | |
| | | Light to dark grey diorite? As at 3.05-23.98m.Fresh to weak propylitic alteration, ep alt'n of mafics as veinlets 40°- 60° to CA. 10/m, to 1 cm widths, tr.cpy with ep. | | tr | 2 | 1 | 1 | | | tr | | 44751 | 26.00 | 29.00 | 0.02 | 0.06 |
| | | | | | | | | | | | | 44752 | 29.00 | 31.00 | 0.08 | 0.14 |
| | | | | | | | | | | | | 44753 | 31.00 | 33.00 | 0.02 | <0.03 |
| | | | | | | | | | | | | 44754 | 33.00 | 35.00 | 0.01 | 0.07 |
| | | 28.83-30.78m Closely spaced Kspar veins, ep, cal, hem with parallel stringers pyrrhotite, py (cpy) at 60° to CA, combined 1% sulfides. | 1 | tr | | 2 | 2 | 1 | 1 | | 2 | | | | | |
| | | 34.2-35.81m 25/1m, 40°-60° to | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | subparallel to CA, 2mm-2cm zones with | | | | | | | | | | | | | | |
| | | ep (albite), chl, tr.1 mm py (cpy), cut by | | | | | | | | | | | | | | |
| | | locally Kspar vnlts, 1 cm, 20° to CA. | | | | | | | | | | | | | | |
| | | 35.66m - 7cm Kspar, ep, cal grey qtz at | | | | | | | | | | | | | | |
| | | 60° to CA. Py, tr.cpy, pyrrhotite-1%. | 1 | tr | | | | | | | | 44755 | 35.00 | 37.00 | 0.02 | 0.04 |
| | | 42.12-43.0m More intense Kspar flooding | | | | | | | | | | 44756 | 37.00 | 39.00 | <0.01 | <0.03 |
| | | 60° to CA. Kspar with ep alteration of | | tr | | 2 | 2 | 1 | | | 2 | 44757 | 39.00 | 41.00 | <0.01 | 0.06 |
| | | plag, large orthopyroxenes, ep, mag cut | | | | | | | | | | 44758 | 41.00 | 43.00 | 0.01 | <0.03 |
| | | by Kspar, ep, cal 1 mm stringers at 60° to | | | | | | | | | | 44759 | 43.00 | 45.00 | 0.01 | 0.04 |
| | | CA. Tr.cpy associated with ep. | | | | | | | | | | 44760 | 45.00 | 47.00 | 0.01 | <0.03 |
| | | 43.5m Volcanic fragments up to 3 cm. | | | | | | | | | | 44761 | 47.00 | 49.00 | 0.01 | 0.29 |
| | | 48.55-49.0m As at 42.12-43.0m but ep | | | | | | | | | | 44762 | 49.00 | 51.00 | 0.01 | 0.14 |
| | | 60° and 30° to CA, tr. py, pyrrhotite along | | | | | | | | | | 44763 | 51.00 | 53.00 | 0.03 | 0.09 |
| | | 1 mm fractures. | tr | tr | | | | | | | | | | | | |
| | | 51.7m - 8cm Kspar, ep, black sooty | | | | | | | | | | | | | | |
| | | sulfide groundmass, 15% of core py, | | | | | | | | | | | | | | |
| | | pyrrhotite at 60° to CA. Core recoveries | | | | | | | | | | | | | | |
| | | 100% to 53.0m. | | | | | | | | | | | | | | |
| | | 54.5-55.0m Pervasive ep alteration, cal, | | | | | | | | | | | | | | |
| | | grey qtz, cut by 30° to CA Kspar, ep, | | | | | | | | | | | | | | |
| | | tr.cpy offset 1 cm 1x70° to CA Kspar | | tr | | 2 | 2 | 1 | | | 2 | 44764 | 53.00 | 55.00 | 0.02 | <0.03 |
| | | veinlets, ep, cal, tr.cpy, ep zone | | | | | | | | | | 44765 | 55.00 | 56.92 | 0.01 | 0.03 |
| | | overprints Kspar flooded intrusive. | | | | | | | | | | 44766 | 56.92 | 59.00 | 0.05 | 0.09 |
| | | 56.0-57.77m Increase in Kspar syenitic | | | | | | | | | | | | | | |
| | | intrusive with Kspar, ep, cal. Brecciated | | | | | | | | | | | | | | |
| | | Kspar fragments with ep alt'n of mafics | | | | | | | | | | | | | | |
| | | cemented with calcite. Chl+ser at 60° to | | | | | | | | | | | | | | |
| | | CA, 25 cm wide. | | | | | | | | | | | | | | |
| | | 59.0m-1x4 cm Kspar, ep, hem 1% | | | | | | | | | | | | | | |
| | | combined pyrrhotite, py,trcace cpy, 25% c | | | | | | | | | | | | | | |
| | | core | 1 | 0.5 | | | | | | | | | | | | |
| | | 62.78-63.72m Major mineralized | | | | | | | | | | | | | | |
| | | brecciated zone with Kspar, ep, | | | | | | | | | | 44767 | 59.00 | 61.00 | 0.01 | 0.17 |
| | | semi-massive py at 30° to CA. | 2.5 | | | 2 | 2 | 1 | | | 3 | 44768 | 61.00 | 62.78 | 0.02 | 0.06 |
| | | Includes 7 cm semi-massive py at 70° | | | | | | | | | | | | | | |
| | | to CA supported in black matrix with | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | | | | | | | | | | | | | | | |
| | | Kspar angular fragments as well as | | | | | | | | | | | | | | |
| | | minor ep, cal. Sulfides 40% of core. | | | | | | | | | | | | | | |
| | | 63.72-65.5m Less Kspar, ep veinlets but | | | | | | | | | | | | | | |
| | | core has more potassic alteration with | | | | | | | | | | 44769 | 62.78 | 65.00 | 0.03 | 0.26 |
| | | 1.5 cm subangular volcanic fragments. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 65.50 | 71.00 | VEIN BRECCIA | 3 | 1 | | 2 | 2 | 1 | | 0.5 | 3 | 44770 | 65.00 | 67.00 | 0.02 | 0.18 |
| | | Dark grey, black, potassic flooded | | | | | | | | | | 44771 | 67.00 | 69.00 | 0.04 | 0.29 |
| | | (syenitic?) hydrothermal breccia, cut by | | | | | | | | | | 44772 | 69.00 | 71.00 | 0.02 | 0.03 |
| | | ep, Kspar, cal veinlets with semi-massive | | | | | | | | | | | | | | |
| | | py, pyrrhotite (cpy) stringers, 1 mm | | | | | | | | | | | | | | |
| | | subparallel py with associated ep. | | | | | | | | | | | | | | |
| | | 69.5m-70° to CA shear, dark grey, green | | | | | | | | | | | | | | |
| | | chl, hem, slickensided clays, cal 70° to | | | | | | | | | | | | | | |
| | | CA, core recovery 68.88-70.71m-95%, | | | | | | | | | | | | | | |
| | | 68.88m -100%. | | | | | | | | | | | | | | |
| 71.00 | 81.70 | CRYSTAL TUFF/MONZODIORITE? | | | | 2 | 1 | 2 | | | | | | | | |
| | | Medium grey, orthopyroxene up to 3mm | | | | | | | | | | | | | | |
| | | as at 3.05-23.98m. No change. Fresh, no | | | | | | | | | | 44773 | 71.00 | 73.00 | 0.02 | <0.03 |
| | | Kspar, weak propylitic alteration with | | | | | | | | | | 44774 | 73.00 | 75.00 | 0.01 | <0.03 |
| | | occasional volcanic fragments, up to 1 | | | | | | | | | | 44775 | 75.00 | 77.00 | 0.04 | <0.03 |
| | | cm in groundmass, weak ep replacement | | | | | | | | | | 44776 | 77.00 | 79.00 | 0.02 | <0.03 |
| | | of mafics, ser, 2nd biotite+mag. | | | | | | | | | | 44777 | 79.00 | 82.00 | 0.02 | <0.03 |
| | | | | | | | | | | | | 44778 | 82.00 | 84.32 | 0.05 | 0.06 |
| 81.70 | 81.99 | FAULT | | | | | | | | | | | | | | |
| | | Chl, hem blocky, slickensided upper | | | | | | | | | | | | | | |
| | | contact, 30° to CA. Wallrock as above. | | | | | | | | | | | | | | |
| 81.99 | 84.32 | SYENODIORITE | 1.5 | 0.5 | | 2 | 1 | 1 | | | 3 | | | | | |
| | | Orange pink, equigranular, fine grained, | | | | | | | | | | | | | | |
| | | porphyritic, weakly hem stained, potassic | | | | | | | | | | | | | | |
| | | alteration, pervasive with ep alt'n or | | | | | | | | | | | | | | |
| | | plag?, mafics+/- sericite, brecciated, | | | | | | | | | | | | | | |
| | | Kspar fragments, ep altered, cemented | | | | | | | | | | | | | | |
| | | with cpy, py, sulfides disseminated in | | | | | | | | | | | | | | |
| | | matrix and fractures. | | | | | | | | | | | | | | |
| 84.32 | 86.55 | CRYSTAL TUFF?/MONZODIORITE? | | | | | | | | | | 44779 | 84.32 | 86.55 | 0.03 | <0.03 |
| | | Grey, 15% orthopyroxenes, up to 4 mm, | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | chl+ser+mag altered. Groundmass anhedral plag, feldspars, mafics, trace f.g. dissem.cpy. | | | | | | | | | | | | | | |
| 86.55 | 92.63 | SYENODIORITE | 1 | 0.5 | | | | | | | | 44780 | 86.55 | 88.55 | 0.02 | 0.03 |
| | | As 81.99-84.32m with monzodiorite and volcanic fragments, 3 cm angular, not absorbed. Intense potassic alteration cut by widely spaced 1 mm to 2 mm wide py vnlts 60° to CA. locally bleached with black matrix cut by py (cpy) veinlets+/- cal, minor ep replacement of mafics, also runs parallel to CA, cal, py, black tour? Core is blocky, 79.5-81.99. Core recoveries: 81.08-81.99-85%. 88.46m-1 mm fracture at 60° to CA with semi-massive py, tr.cpy. Mineralized 1 mm vnlts run at 60° to subparallel to CA, closely spaced and subparallel to each other. 90.22m-Highly altered Kspar with dissem.py, black sooty chloritic sulfides along 50° structures, sections with up to 2% sulfides, py as fracture filling, dissem. over 30 cm at 90.22m With grey qtz cal. Becoming less Kspar flooded at lower contact. More ep fractures, 50°-60° to CA, ep, Kspar envelopes to just Kspar cut intrusive fragments. | | | | | | | | | | 44781 | 88.55 | 90.55 | 0.03 | 0.17 |
| | | | | | | | | | | | | 44782 | 90.55 | 92.63 | 0.01 | <0.03 |
| | | | 2 | 1 | | | 2 | 1 | 1 | 1 | 3 | | | | | |
| 92.63 | 104.70 | MONZODIORITE/CRYSTAL TUFF? Medium grey, porphyritic with trachytic groundmass cut by Kspar, ep syenitic masses, up to 10 cm- widely spaced. Fresh-core is hard, no potassic alt'n, weak ep only along fractures at 60° to CA. | | | | | | | | | | 44783 | 92.63 | 94.63 | 0.02 | <0.03 |
| | | | | | | | | | | | | 44784 | 94.63 | 96.63 | 0.01 | <0.03 |
| | | | | | | | | | | | | 44785 | 96.63 | 98.63 | 0.02 | <0.03 |
| | | 97.67-98.15m More intense potassic alteration, syenitic phase by closely spaced parallel1 mmL to 2 mm vnlts, 60° | 1 | 0.5 | | | 2 | 1 | | | 3 | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | to CA with cpy,py, 11/50 cm cut by ep, Kspar 30° to CA up to 2 mm py, pyrrhotite, sooty black material+anastomosing1mm vnlts with py, cpy. 98.15-98.63m As at 92.63-104.7m. Less intense fresher 10/70 cm mostly Kspar, ep, 60° to CA with f.g.dissem py. 98.63-101.33m Intense potassic alt'n, intense propylitic, locally overprinted, cut by anastomosing Kspar, ep, cal envelopes, 10° to subparallel to CA, up to 1 cm. Locally brecciated and speckled ep, Kspar, cal up to 1 cm at 10° to CA. More qtz, cal, cpy at 100.63m. 101.33-104.36m Fresher, pink, grey with wk potassic alt'n, more primary equigranular texture, more trachytic cut | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 44786 | 98.63 | 100.63 | 0.01 | <0.03 |
| | | | | | | | | | | | | 44787 | 100.63 | 102.63 | 0.05 | <0.03 |
| | | | | | | | | | | | | 44788 | 102.63 | 104.70 | 0.03 | 0.06 |
| | | | tr | tr | | | 1 | | | | 1 | | | | | |
| | | by widely spaced ep, augite, Kspar vnlts at 50° to CA. 104.36-104.7m-Transitional- LC/T 50°, foliation compositional 50° to CA, more 2nd biotite, more magnetic at lower contact, less sulfides, volcanic fragments subrounded, 2 cm. | | | | 2 | 1 | | 2 | 1 | | | | | | |
| 104.70 | 107.15 | BASALTIC TUFF BRECCIA? Finer grained, black. Foliation to bedding 40° to CA, strongly magnetic with abundant 2nd biotite. Primary magnetite. No Kspar alteration. Ep fractures with (albite) cal mostly 1 mm, closely to widely spaced to 1.5 cm, 30°, 40°, 50° to CA. | | | | 3 | 1 | 1 | 3 | | | 44789 | 104.70 | 106.70 | 0.05 | <0.03 |
| | | | | | | | | | | | | 44790 | 106.70 | 108.70 | 0.05 | 0.03 |
| | | | | | | | | | | | | 44791 | 108.70 | 111.49 | 0.02 | <0.03 |
| | | Patches of v.f.g. pinhead cpy, py? | | | | | | | | | | | | | | |
| 107.15 | 107.74 | INTRUSIVE BRECCIA Kspar, ep, 2nd mag, cal (albite), upper contact 50° to CA, lower at 30° to CA, no | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | visible sulfides. | | | | | | | | | | | | | | |
| 107.74 | 111.48 | BASALTIC VOLCANIC TUFF BRECCIA | tr | tr | | 3 | 1 | 1 | 3 | | | | | | | |
| | | As 104.7-107.15m. 2nd mag up to 0.5 | | | | | | | | | | | | | | |
| | | cm, mafics-chl. | | | | | | | | | | | | | | |
| | | 110.0m Kspar+ep+albite at breccia | | | | | | | | | | | | | | |
| | | contact at 50° to CA. Traces of pinhead | | | | | | | | | | | | | | |
| | | dissem py, associated with ep. | | | | | | | | | | | | | | |
| 111.48 | 116.60 | MONZODIORITE? | tr | tr | | 2 | 1 | 2 | | 1 | | 44792 | 111.48 | 113.48 | 0.09 | 0.16 |
| | | Grey, pink, equigranular, locally pink | | | | | | | | | | 44793 | 113.48 | 115.00 | 0.01 | <0.03 |
| | | Kspar cloudy with weak potassic, ep, | | | | | | | | | | 44794 | 115.00 | 116.60 | 0.02 | <0.03 |
| | | albite alteration cut by widely spaced, 1 | | | | | | | | | | 44795 | 116.60 | 118.60 | 0.03 | <0.03 |
| | | mm Kspar veinlets at 50° to CA. 1 mm | | | | | | | | | | | | | | |
| | | discontinuous fractures with trace cpy. | | | | | | | | | | | | | | |
| | | Mafics to chl, ser, mag. | | | | | | | | | | | | | | |
| | | 112.5-113.28m More intense potassic | | | | | | | | | | | | | | |
| | | alt'n, speckled ep, plag, mafics cut by chl, | | tr | | | | | | | | | | | | |
| | | ser, cal, trace cpy veinlets with mag at | | | | | | | | | | | | | | |
| | | 10°-20° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 116.60 | 121.26 | BASALTIC VOLCANIC TUFF BRECCIA | | | | | | | | | | | | | | |
| | | As at 107.74-111.48m. No potassic | | | | | | | | | | | | | | |
| | | alteration. Ep, cal vnlts, 1mm to 3 cm, | | | | | | | | | | | | | | |
| | | 40°-50° and 70° to CA. | | | | | | | | | | | | | | |
| | | 118.40m-2 veinlets of orange syenite, | | | | | | | | | | | | | | |
| | | 40° to CA up to 3 mm with ep, py, cpy. | | | | | | | | | | | | | | |
| | | 118.6-120.07m Fracture density of vnlts | 2 | tr | | | 1 | 1 | 3 | | | | | | | |
| | | increases with 35 cm of py, pyrrhotite | | | | | | | | | | 44796 | 118.60 | 120.60 | 0.2 | 0.23 |
| | | stockwork veining, sulfides comprise | | | | | | | | | | | | | | |
| | | 15% of core, brecciated-cement sulfides. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 120.07-120.6m Syenitic veining up to 20 | | | | | | | | | | | | | | |
| | | cm with ep, cal, py to 3%. | | | | | | | | | | | | | | |
| 121.26 | 122.83 | MONZODIORITE | | | | 2 | 1 | 1 | 2 | | 2 | | | | | |
| | | The same as 111.48-116.6m. More | | | | | | | | | | | | | | |
| | | potassic alt'n, locally trachytic. Mafics- | | | | | | | | | | | | | | |
| | | chl, ser, ep zones cut by Kspar at 40° to | | | | | | | | | | | | | | |
| | | CA, lower contact at 30° to CA. | | | | | | | | | | | | | | |
| 122.83 | 131.46 | BASALTIC ASH TUFF/BRECCIA | | | | 3 | 1 | 1 | 3 | | | 44797 | 120.60 | 122.83 | 0.03 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Black, foliation and bedding at 60° to CA, | | | | | | | | | | 44798 | 122.83 | 125.00 | 0.06 | <0.03 |
| | | no potassic, ep alteration, propylitic | | | | | | | | | | | | | | |
| | | weak. Veinlets (albite), ep 30°-40°-60° to | | | | | | | | | | | | | | |
| | | CA, widely spaced. | | | | | | | | | | | | | | |
| | | 127.2m Ep, Kspar more intense for 20 | | | | | | | | | | 44799 | 125.00 | 127.00 | 0.03 | <0.03 |
| | | cm at 30° to CA, no visible sulfides. | | | | | | | | | | 44800 | 127.00 | 129.00 | 0.02 | 0.04 |
| | | 127.2-131.46m Cal up to 3 cm, runs | | | | | | | | | | 47151 | 129.00 | 131.46 | 0.01 | <0.01 |
| | | parallel to CA for 40° cm at 129.0m | | | | | | | | | | | | | | |
| 131.46 | 132.48 | MONZODIORITE | | tr | | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 0.00 | 133.46 | 0.06 | 0.08 |
| | | As at 111.48-116.6m. Pink, grey, up to | | | | | | | | | | | | | | |
| | | 15% mafics, chl, ser. Upper contact is at | | | | | | | | | | | | | | |
| | | 50° to CA and lower CT at 40° to CA. Cut | | | | | | | | | | | | | | |
| | | by syenite veinlets up to 3 cm with ep, | | | | | | | | | | | | | | |
| | | cal, cpy as scattered blebs, cpy also | | | | | | | | | | | | | | |
| | | dissem f.g. (tr). Partially cavity filled with | | | | | | | | | | | | | | |
| | | qtz, cal up to 1 cm, parallel to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 132.48 | 142.78 | BASALTIC VOLCANIC TUFF/BRECCIA | | | | | | | | | | 2 | 133.46 | 135.46 | 0.01 | <0.03 |
| | | Intermixed black groundmass, fine | | | | | | | | | | 3 | 135.46 | 137.46 | 0.03 | 0.03 |
| | | grained, fragments up to 1.5 cm, altered | | | | | | | | | | 4 | 137.46 | 139.46 | 0.06 | 0.08 |
| | | to ep (albite), mag. No potassic | | | | | | | | | | 5 | 139.46 | 141.46 | 0.04 | 0.04 |
| | | alteration, weak propylitic. | | | | | | | | | | 6 | 141.46 | 143.96 | 0.05 | 0.08 |
| | | 137.26-137.46m Ep, qtz, cal, 20 cm, | | | | | | | | | | | | | | |
| | | brecciated, 30° to CA, stockwork, 1 mm | | | | | | | | | | | | | | |
| | | grey qtz stringers. No visible sulfides. | | | | | | | | | | | | | | |
| | | Local scattered patches of f.g. dissem | | | | | | | | | | | | | | |
| | | pinhead py, trace cpy, pyrrhotite along | | | | | | | | | | | | | | |
| | | fractures. | | | | | | | | | | | | | | |
| | | 139.46-141.29m Py, tr.cpy as f.g. | 2 | tr | | 3 | 1 | 2 | 2 | 2 | | | | | | |
| | | dissem. Massive pyrrhotite along 60° to | | | | | | | | | | | | | | |
| | | CA fractures, intensifies at 141 to | | | | | | | | | | | | | | |
| | | 142.29m to fault. Most notably at 141.46. | | | | | | | | | | | | | | |
| | | Massive py, pyrr veining at 60° to CA. | | | | | | | | | | | | | | |
| | | 141.17m-5 cm, 70° to CA massive pyrite | | | | | | | | | | | | | | |
| | | offsets 3 mm by 40° to CA calcite 1 mm | | | | | | | | | | | | | | |
| | | vnlts. | | | | | | | | | | | | | | |
| | | 141.99m-70° to CA, to 1 cm, grey qtz | | | | | | | | | | | | | | |
| | | with sooty pyrite, downhole of massive | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | py, 5% of core. | | | | | | | | | | | | | | |
| 141.79 | 143.96 | FAULT | | | | | | | | | | | | | | |
| | | Grey, green, black, faulted volcanic breccia. Chl, cal (serpentinized) forms matrix around subrounded 2 cm volcanic fragments. Minor ep, hem, cal, hem, clay seams in fault at 50° to CA. Lower contact at 60° to CA. All core recoveries are 100%. | | | | | | | | | | | | | | |
| 143.96 | 188.60 | VOLCANIC TUFF BRECCIA? | 0.5? | 1? | | 3 | 1 | 1 | 3 | | | | | | | |
| | | As at 132.48-142.78m. Grey black, fragments subangular/subround, up to 1 cm, ep, augite, mostly ep, mag supported in black tuff matrix. Alteration: weak propylitic, weak fracturing. Ep,1mm to 3mm, widely spaced, minor cal. Locally v.f.g. cpy dissem, scattered patches, difficult to estimate percentages of sulfides. 145.39-148.44 Core is blocky, fractured, hem, chl. Core recovery 100% to 155.0m 149.5m-Cpy associated with ep, cal that replaces plag? | | | | | | | | | | | | | | |
| | | 156.0-156.6m Dissem f.g.cpy associated ep and in groundmass. | 3 | tr | | | | | | | | | | | | |
| | | 156.9-157.2m Syenite with brecciated potassic alt'n? Ep/ py/ po up to 2% as stringers, massive at 70% over 2 cm. Hem, cal, chl along slip surfaces | 3 | 0.5 | | | 2 | 1 | | 1 | 2 | | | | | |
| | | 159.48-161.55m More intense Kspar zones with ep replacement, cross-cut by ep, py, po, ep and Kspar stringers 50°-60° to CA closely spaced, anastomosing py, pyrr up to 2 cm as fracture fill+dissem. | 2 | tr | | | | | | | | | | | | |
| | | 162-163.37m-10/m ep, py, po Kspar | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | veinlets at 60° to CA, H/L to 1 cm cut by potassic flooded zones, brecciated with py matrix cut by late cal with brecciated and distension fragments, at 40° to CA up to 2 cm wide. 163.7-172m Mostly wk propylitic alt'n with py, pyrr along 1 mm fractures widely spaced, 40°, 50°, 60° to CA, ep alt'n of fragments up to 25% subrounded 170-172m. 183.35-184m Potassic flooded zone up to 7 cm cut by ep, cal, grey black cores, minor py, tr.cpy 60° to CA. Core recoveries 100% to 189m. 185.73-185.93 Fault, pale green clays, contact is at 40° to CA. 186-188.5m Brecciated, weak propylitic alteration increased potassic flooding, C/T with ep, Kspar, py, po vnlts at contact, 4 mm, 60° to CA. 188.5-193.85m Dark grey, pink weakly potassic altered, porphyritic, trachytic crowded, qtz Kspar tabular phenos up to 1mmx1mm white pink with Kspar cut by widely spaced Kspar, ep envelopes, up to 1 cm at 50° to CA. Trace scattered dissem py blebs. | | | | | | | | | | | | | | | |
| 193.85 | E.O.H. | | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE NO.: 04-35**

**PROPERTY: Ann North**

| | | | | | | |
|---|---|---|---|---|---|---|
| **Easting (NAD 83):** | **616530** | **Core Size:** | **NQ** | **Started:** | **9 Dec. 2004** | |
| **Northing (NAD 83):** | **5759481** | **Hole Azimuth:** | **140°** | **Finished:** | **12 Dec.2004** | |
| **Grid Location:** | | **Hole Angle:** | **-55°** | **Logged by:** | **B. Callaghan** | |
| **Elevation:** | **1133m** | **Total Depth:** | **121.92 m** | **Analysis by:** | **Eco-Tech** | |

| Down-hole Tests | | |
|---|---|---|
| Depth | Angle | Azm. |
| 121.92 | 23.5 | 140° |
| | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 6.10 | CASING | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 6.10 | 28.12 | MONZODIORITE? | 0 | 1 | | 2 | 1 | 1 | 2 | 1 | 2 | 47179 | 6.71 | 9.00 | 0.06 | <0.03 |
| | | Grey, fine to medium grained, porphyritic | | | | | | | | | | 47180 | 9.00 | 11.00 | 0.32 | 0.1 |
| | | groundmass, dark grey, green black | | | | | | | | | | 47181 | 11.00 | 13.00 | 0.09 | <0.03 |
| | | chlorite+sericite alteration, weak to | | | | | | | | | | 47182 | 13.00 | 15.00 | 0.06 | 0.34 |
| | | moderate potassic alteration as patches | | | | | | | | | | 47183 | 15.00 | 17.00 | 0.06 | 0.03 |
| | | to more pervasive associated with albite. | | | | | | | | | | 47184 | 17.00 | 19.00 | 0.02 | <0.03 |
| | | These zones are hydrothermally | | | | | | | | | | 47185 | 19.00 | 21.00 | 0.02 | <0.03 |
| | | brecciated along extension fractures with | | | | | | | | | | 47186 | 21.00 | 23.00 | 0.01 | <0.03 |
| | | fragments of Kspar up to 2 cm supported | | | | | | | | | | 47187 | 23.00 | 25.00 | 0.02 | <0.03 |
| | | in smokey grey, tour octohedra+mag | | | | | | | | | | 47188 | 25.00 | 27.12 | 0.02 | <0.03 |
| | | matrix with locally massive cpy+py. Also | | | | | | | | | | | | | | |
| | | Kspar veinlets 1 mm to 1.5 cm forming | | | | | | | | | | | | | | |
| | | stockwork with minor ep+mag+tour, | | | | | | | | | | | | | | |
| | | locally closely spaced at 50°-60° to CA. | | | | | | | | | | | | | | |
| | | Also widely spaced cal+hem+chl at 20°- | | | | | | | | | | | | | | |
| | | 45° to CA up to 1.5 cm wide that locally | | | | | | | | | | | | | | |
| | | cross-cut Kspar. | | | | | | | | | | | | | | |
| | | Mineralization: Cpy, bornite, semi- | | | | | | | | | | | | | | |
| | | massive as fracture fill associated with | | | | | | | | | | | | | | |
| | | grey quartz, cal, Kspar, ep, mag, tour, | | | | | | | | | | | | | | |
| | | locally up to 1%+locally dissem cpy also | | | | | | | | | | | | | | |
| | | associated with tr.py blebs+pyrrhotite | | | | | | | | | | | | | | |
| | | (0.2%). Moderately magnetic, increase | | | | | | | | | | | | | | |
| | | downhole. | | | | | | | | | | | | | | |
| | | At 8.1m-2.5 cm at 70 to CA 1% cpy in | | | | | | | | | | | | | | |
| | | Kspar brecciated distension fractures | | | | | | | | | | | | | | |
| | | with grey to smokey quartz+tour+mag | | | | | | | | | | | | | | |
| | | At 9.2m-2 cm with 30 to CA Kspar, grey | | | | | | | | | | | | | | |
| | | quartz, mag octahedra, semi-massive | | | | | | | | | | | | | | |
| | | cpy. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 9.7m-2.5 cm with 30° to CA Kspar, quartz, mag, semi-massive cpy. 13.0-21.0m Increased fracturing+pervasive Kspar flooding as Kspar veinlets from 2 mm to 1.5 cm wide zones up to 50 cm as local stockwork veinlets with grey quartz, tr. py blebs, pyrrhotite blebs in gangue of tour, mag, chl, actinolite?, minor cal. Pervasive zones of brecciated Kspar with tour patches with py, tr.cpy, pyrrhotite associated with chl+ser cut by widely spaced banded cal, chl, ser, hem (black) 1.5 cm veinlets at 20° to 30° to CA. Core is blocky from 6.71-16.5m. Core recoveries: 6.71-7.62m-66%, 7.62-8.85m-95%, 8.85-11.28m-85%, 11.28-14.63m-100%, 14.63-16.31m-90%, 16.31-23.01m-100%. | | | | | | | | | | | | | | |
| | | 21.0-26.5m Darker grey, less Kspar vnlts and flooding, less fracturing, less cal. Mostly chl+hem+cal along fractures. Kspar veinlets 30°-60° to CA, 1 cm wide spaced. 26.5-27.12m More intense Kspar flooding associated ep, tr.cpy with py. | tr | tr | | 2 | | | | | | 47189 | 27.12 | 29.00 | 0.02 | <0.03 |
| | | | | | | | | | | | | 47190 | 29.00 | 31.00 | 0.01 | <0.03 |
| 28.12 | 28.53 | FAULT Grey, pale green clay gouge with intense potassic altered intrusive breccia. Footwall upper contact and lower contact at 30° to CA. | | | | | | | | | | | | | | |
| 28.53 | 88.26 | MONZODIORITE? Fine grained, grey, porphyritic, weakly Kspar flooded with minor Kspar veinlets. Fractures chl+hem+cal. 2% bio+chl, trace dissem py, interstitially | tr | tr | | | | | | | | 47191 | 31.00 | 33.00 | 0.01 | <0.03 |
| | | | | | | | | | | | | 47192 | 33.00 | 35.00 | 0.02 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | trace cpy dissem. | | | | | | | | | | | | | | |
| | | 35.66-39.0m Pink-grey, fine grained, | 0.1 | 0.1 | | 1 | 1 | 1 | 2 | | 2 | 47193 | 35.00 | 37.00 | 0.02 | <0.03 |
| | | locally mottled pink, not hem stained, | | | | | | | | | | 47194 | 37.00 | 39.00 | 0.04 | <0.03 |
| | | potassic alt'd with tour patches, rimmed | | | | | | | | | | | | | | |
| | | with Kspar+traces cpy, py, locally | | | | | | | | | | | | | | |
| | | brecciated with bleached pink fragments, | | | | | | | | | | | | | | |
| | | subangular supported in dark grey green, | | | | | | | | | | | | | | |
| | | chlorite, sericite matrix, locally brecciated | | | | | | | | | | | | | | |
| | | fragments with tr. cpy, semi-massive | | | | | | | | | | | | | | |
| | | associated chl, weakly mag. Py as 1 mm | | | | | | | | | | | | | | |
| | | fractures with cpy associated with tour | | | | | | | | | | | | | | |
| | | patches surrounded by Kspar dissem. | | | | | | | | | | | | | | |
| | | Core recoveries: 23.01-25.6-85%, 25.6- | | | | | | | | | | | | | | |
| | | 26.82-75%, 26.82-28.65m-33%, 28.65- | | | | | | | | | | | | | | |
| | | 30.18m-80%, 30.18-31.7m-100%, 31.7- | | | | | | | | | | | | | | |
| | | 49.0m-100%. | | | | | | | | | | | | | | |
| | | 39.0-44.0m As above, locally semi- | | | | | | | | | | | | | | |
| | | massive py in black matrix around Kspar | | | | | | | | | | 47195 | 39.00 | 41.00 | 0.06 | 0.08 |
| | | fragments associated chl+ser+cal+/-ep. | | | | | | | | | | 47196 | 41.00 | 43.00 | 0.01 | <0.03 |
| | | Cpy associated with ep+cal+mag. Core | | | | | | | | | | 47197 | 43.00 | 45.00 | 0.02 | <0.03 |
| | | is mottled pink with tour patches, 1% 2-3 | | | | | | | | | | | | | | |
| | | cm cut by late cal, 30° to CA. | | | | | | | | | | | | | | |
| | | 44.0-49.0m As above, hem+cal+chl | | | | | | | | | | | | | | |
| | | along slips at 50° to CA. Py-chl-cal at 30° | | | | | | | | | | | | | | |
| | | to CA, up to 3 mm. | | | | | | | | | | 47198 | 45.00 | 47.00 | 0.01 | <0.03 |
| | | 49.0-51.0m Mottled grey-pink, locally | | | | | | | | | | 47199 | 47.00 | 49.00 | 0.02 | <0.03 |
| | | brecciated with black, chloritic, pyritic | | | | | | | | | | | | | | |
| | | matrix with locally closely spaced | | | | | | | | | | 47200 | 49.00 | 51.00 | 0.02 | <0.03 |
| | | fractures with chl+hem+cal+ser at 60° to | | | | | | | | | | | | | | |
| | | CA, 1-2 mm. Less potassic alteration | | | | | | | | | | | | | | |
| | | with propylitic (ep) alteration. | | | | | | | | | | | | | | |
| | | 51.0-76.5m Grey with weak potassic, | | | | | | | | | | | | | | |
| | | pervasive alteration, Kspar veinlets | | | | | | | | | | | | | | |
| | | widely spaced, less hem stained, | | | | | | | | | | | | | | |
| | | locally closely spaced with stockwork | | | | | | | | | | 476201 | 51.00 | 53.00 | 0.01 | <0.03 |
| | | development. Average 3 mm with Kspar | | | | | | | | | | 476202 | 53.00 | 55.00 | 0.02 | <0.03 |
| | | | | | | | | | | | | 476203 | 55.00 | 57.00 | 0.01 | <0.03 |
| | | | | | | | | | | | | 476204 | 57.00 | 59.00 | 0.02 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | cloudy pink, mafics?-chl+ser+albite? 30°- | | | | | | | | | | 476205 | 59.00 | 61.00 | 0.02 | <0.03 |
| | | 40°-60° to CA, mostly widely spaced. | | | | | | | | | | 476206 | 61.00 | 63.00 | 0.02 | <0.03 |
| | | Cpy as blebs in tour patches and as | | | | | | | | | | 476207 | 63.00 | 65.00 | 0.02 | <0.03 |
| | | trace dissem, very minor1 mm | | | | | | | | | | 476208 | 65.00 | 67.00 | 0.01 | <0.03 |
| | | discontinous fracture fill. 2nd bio, 2%, up | | | | | | | | | | 476209 | 67.00 | 70.00 | 0.01 | <0.03 |
| | | to 1 mm wide. | | | | | | | | | | 476210 | 70.00 | 73.00 | 0.02 | <0.03 |
| | | Core recoveries 100% to 65.0m. | | | | | | | | | | 476211 | 73.00 | 75.00 | 0.01 | <0.03 |
| | | 76.5-8.85m Increase in potassic | | | | | | | | | | 476212 | 75.00 | 76.50 | 0.01 | <0.03 |
| | | alteration with ep, tour, cal, chl. Locally | | | | | | | | | | 476213 | 76.50 | 78.50 | 0.01 | <0.03 |
| | | brecciated black matrix with minor py, | | | | | | | | | | 476214 | 78.50 | 80.50 | 0.02 | <0.03 |
| | | cpy alteration zones, 10°-20° to CA up to | | | | | | | | | | 476215 | 80.50 | 82.50 | 0.02 | <0.03 |
| | | 1.5 m. Cpy as f.g.blebs in tour patches | | | | | | | | | | 476216 | 82.50 | 84.50 | 0.02 | 0.03 |
| | | and black matrix, up to 0.1%. No grey | | | | | | | | | | 476217 | 84.50 | 86.33 | 0.01 | 0.03 |
| | | quartz. Lower zone at 20° to CA. | | | | | | | | | | 476218 | 86.33 | 88.26 | 0.02 | <0.03 |
| | | 81.85-86.33m Dark grey, mostly pale | | | | | | | | | | 476219 | 88.26 | 91.20 | 0.03 | <0.03 |
| | | pink Kspar veinlets, 9/m approx., 40°, | 1 | tr | | 2 | 1 | | 2 | 1 | 2 | 476220 | 91.20 | 93.20 | 0.03 | <0.03 |
| | | 50°, 60° to CA and parallel to CA, up to 5 | | | | | | | | | | 476221 | 93.20 | 94.40 | 0.03 | <0.03 |
| | | mm that cut mottled Kspar flooded, ep | | | | | | | | | | 476222 | 94.40 | 97.12 | 0.01 | <0.03 |
| | | with associated cpy blebs-2% 2nd biotite | | | | | | | | | | 476223 | 97.12 | 99.12 | 0.01 | <0.03 |
| | | with increase in black tour patches up to | | | | | | | | | | | | | | |
| | | 1.5 cm and as matrix infill in | | | | | | | | | | | | | | |
| | | mod.potassic alterated breccia zones | | | | | | | | | | | | | | |
| | | with grey quartz cut by late cal veinlets | | | | | | | | | | | | | | |
| | | up to 0.5 cm at 40° to CA that cut chl, ser | | | | | | | | | | | | | | |
| | | fractures at 50° to CA, up to 2 cm. Mod. | | | | | | | | | | | | | | |
| | | magnetic. | | | | | | | | | | | | | | |
| | | 86.33-88.26m Pink, grey more intense | | | | | | | | | | | | | | |
| | | potassic alteration, less ep. More | | | | | | | | | | | | | | |
| | | fractured surfaces, slickensided-chl, cal, | | | | | | | | | | | | | | |
| | | pale green clays, hem at 40° to CA | | | | | | | | | | | | | | |
| | | to contact. Mafics-chl, ser, py, tr.cpy, | | | | | | | | | | | | | | |
| | | v.f.g., interstitial 1 mm discontinous | | | | | | | | | | | | | | |
| | | fractures. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 88.26 | 89.24 | BASALT (POLYMICTIC) BRECCIA | | | | | | | | | | | | | | |
| | | Subrounded to subangular, potassic | | | | | | | | | | | | | | |
| | | altered, intrusive+volcanic breccia | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 94.40 | 97.12 | AUGITE HORNBLENDE MAGNETITE BASALT DYKE Dark grey, black, porphyritic, augite phenos up to 3 mm,+hornblende altered to chl (ser) in black groundmass. No visible sulfides. Late cal, 30° to CA to subparallel to CA, 1 to 3 mm. | | | | 2 | | | | | | | | | | |
| 97.12 | 97.88 | MONZODIORITE As at 93.2-94.4m. Harder-locally ep alteration more intense, minor tour patches, small up to 3 mm, associated with grey quartz-cal veinlets, 10° to CA, up to 3 mm. Trace dissem py blebs +trace. cpy in tour (vfg?) interstitial in groundmass. | tr | tr | | 1 | 2 | 2 | 2 | 1 | 2 | | | | | |
| 97.88 | 98.45 | AUGITE HB MAG BASALT DYKE As at 94.4-97.12m, more magnetic. | | | | 3 | | | | | | | | | | |
| 98.45 | 121.92 | MONZODIORITE (QUARTZ) As at 97.12-97.88m. Core is harder with weak potassic alteration to fresh. Grey, fine grained cut by widely spaced Kspar, ep vnlts, 3 mm to 1 cm, 40°+70° to CA, Kspar vnlts 40° to subparallel to CA. Trace cpy as fracture fill in Kspar, ep, py interstitial-primary textures obscured, mottled grey with 1-2% 2nd biotite. 106.22-108.4m weak-mod potassic+weak propylitic (ep, chl, cal, hem) alteration, sheared. Core is soft, fractured, chl, cal healed with dissem py clusters. 108.4-109.8m Harder core, more competent-1x40° to CA, 2 cm Kspar, ep, tour, trace py associated with ep at 109.0m and 1 mm tour fracture fill | tr | tr | | 2 | 1 | 1 | 2 | | 1 | 47224 | 99.12 | 101.12 | 0.02 | <0.03 |
| | | | | | | | | | | | | 47225 | 101.12 | 104.12 | 0.02 | <0.03 |
| | | | | | | | | | | | | 47226 | 104.12 | 106.22 | 0.03 | <0.03 |
| | | | | | | | | | | | | 47227 | 106.22 | 108.22 | 0.02 | <0.03 |
| | | | | | | | | | | | | 47228 | 108.22 | 110.22 | 0.03 | <0.03 |
| | | | | | | | | | | | | 47229 | 110.22 | 112.22 | 0.01 | <0.03 |
| | | | | | | | | | | | | 47230 | 112.22 | 114.22 | 0.01 | <0.03 |
| | | | | | | | | | | | | 47231 | 114.22 | 117.22 | 0.02 | <0.03 |
| | | | | | | | | | | | | 47232 | 117.22 | 119.22 | 0.01 | <0.03 |
| | | | | | | | | | | | | 47233 | 119.22 | 121.92 | 0.01 | <0.03 |
| | | | 0.5 | | | | | | | | | | | | | |
| | | | tr | tr | | 3 | 2 | 1 | 1 | | 2 | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | with fragments up to 1.5 cm supported by fine grained, black, porphyritic, augite+magnetite, basaltic groundmass. Cut by cal veinlets, 1 mm to 0.5 cm at 30° to CA. Foliation of cal filled amygdules 30° to CA. More magnetic at L/C at 40° to CA. | | | | | | | | | | | | | | |
| 89.24 | 92.81 | MONZODIORITE | tr | tr | | | 1 | 2 | 2 | | 2 | | | | | |
| | | As at 6.10-28.12m. Pink, grey, fine grained, weakly porphyritic, locally brecciated. Soft with weak to mod. potassic alt'n cut by late Kspar veinlets, 3 mm, locally closely spaced cut by late cal anastomosing 1-2 mm vnlts mostly at 30° to CA. Other fractures at 40°-60° to CA-cal, hem, chl, ep, grey green clay towards fault. | | | | | | | | | | | | | | |
| 92.81 | 92.90 | FAULT | | | | | | | | | | | | | | |
| | | Grey, pink clay gouge wallrock (intrusive), upper contact at 60° to CA with chl+hem. | | | | | | | | | | | | | | |
| 92.90 | 93.20 | MYLONITE | | | | | | | | | | | | | | |
| | | Grey, pink, black, pebble sized intrusive+volcanic, subround to round up to 1 cm, av. 4mm clast-supported, cut by late cal 2 mm veinlets, 50° to CA. | | | | | | | | | | | | | | |
| 93.20 | 94.40 | MONZODIORITE | | tr | | | 1 | 2 | 2 | | 1 | | | | | |
| | | As at 89.24-92.81m but less potassic alteration with weak propylitic (ep) alteration cut by widely spaced Kspar vnlts, 1-3 mm, 30°-60° to CA with minor tour patches with trace v.f.g. cpy. Core is soft. | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | (discontinuous) with py, cpy at 30° to CA | | | | | | | | | | | | | | |
| | | at 109.9m. Kspar vnlts 8/m approx. at 40° | | | | | | | | | | | | | | |
| | | 70° to CA, 1-4 mm. Also tour patches | | | | | | | | | | | | | | |
| | | and minor veinlets with py, cpy at 20°-30° | | | | | | | | | | | | | | |
| | | to CA, av. 1mm, discontinuous. | | | | | | | | | | | | | | |
| | | 109.8-112.24m Less Kspar, less tour, | | | | | | | | | | | | | | |
| | | widely spaced 40°-50° to CA-Kspar, ep, | | tr | | | | | | | | | | | | |
| | | tr.cpy 1-3 mm veinlets, 5/m. | | | | | | | | | | | | | | |
| | | 112.24-114.22m Core is blocky, chl, ser, | | | | | | | | | | | | | | |
| | | hem along 1 mm slips at 60° to CA, | | | | | | | | | | | | | | |
| | | Kspar H/L vnlts 20° to CA, minor tour. | | tr | | | 1 | 1 | 2 | 1 | 1 | | | | | |
| | | 114.22-121.92m Less Kspar, minor tour | | | | | | | | | | | | | | |
| | | up to 3mm as patches. Traces of cpy | | | | | | | | | | | | | | |
| 121.92 | | EOH | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE NO.: 04-36**

**PROPERTY: Ann North**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Easting (NAD 83):** | **616530** | **Core Size:** | **NQ** | **Started:** | **Dec.13, 2004** | **Down-hole Tests** | |
| **Northing (NAD 83):** | **5759528** | **Hole Azimuth:** | **-55°** | **Finished:** | **Dec.15, 2004** | **Depth** | **Angle** | **Azm.** |
| **Grid Location:** | | **Hole Angle:** | **320°** | **Logged by:** | **B. Callaghan** | | | |
| **Elevation:** | **1140m** | **Total Depth:** | **96.01 m** | **Analysis by:** | **Eco-Tech** | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.00 | 11.00 | CASING | | | | | | | | | | | | | | |
| | | 8.23-10.52m Core ground-8% core | | | | | | | | | | | | | | |
| 11.00 | 23.90 | QUARTZ DIORITE | tr | tr | | 2 | 1 | 1 | 2 | 1 | | 47234 | 11.00 | 13.00 | 0.02 | <0.03 |
| | | Grey, v.f. grained, equigranular with 7% | | | | | | | | | | 47235 | 13.00 | 15.00 | 0.03 | <0.03 |
| | | v.f.g. fresh biotite. Primary textures are | | | | | | | | | | 47236 | 15.00 | 17.00 | 0.02 | <0.03 |
| | | evident. Widely space fractures filled with | | | | | | | | | | 47237 | 17.00 | 19.00 | 0.03 | <0.03 |
| | | chl+ser+cal, lesser limonite, at 30° and | | | | | | | | | | 47238 | 19.00 | 21.00 | 0.01 | <0.03 |
| | | 45° to CA. Unaltered, fresh, pink, widely | | | | | | | | | | 47239 | 21.00 | 23.80 | 0.01 | <0.03 |
| | | spaced Kspar vnlts, approx. 2/1 m, | | | | | | | | | | | | | | |
| | | hairline to 2 mm to 1 cm in width, 20° - | | | | | | | | | | | | | | |
| | | 30° -50° to CA with weak ep and | | | | | | | | | | | | | | |
| | | tourmaline. Trace cpy and py associated | | | | | | | | | | | | | | |
| | | with ep. Contact with underlying | | | | | | | | | | | | | | |
| | | monzodiorite is at 40° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 23.90 | 96.01 | MONZODIORITE | tr | tr | | 2 | 1 | 1 | 2 | | 2 | 47240 | 23.80 | 26.00 | 0.02 | <0.03 |
| | | As in DDH04-34. Medium to dark grey, | | | | | | | | | | 47241 | 26.00 | 28.50 | 0.01 | <0.03 |
| | | equigranular, fine grained. Cloudy, | | | | | | | | | | 47242 | 28.50 | 31.00 | 0.01 | <0.03 |
| | | sausseritized plagioclase. Secondary | | | | | | | | | | 47243 | 31.00 | 33.50 | 0.02 | <0.03 |
| | | flaky biotite, honey brown. | | | | | | | | | | 47244 | 33.50 | 35.50 | 0.06 | <0.03 |
| | | Alteration-weak potassic with propylitic | | | | | | | | | | | | | | |
| | | overprint, as patches and veinlets with | | | | | | | | | | | | | | |
| | | ep, albite?, tour. Texture is locally | | | | | | | | | | | | | | |
| | | trachytic. Kspar, light pink, cloudy, tour 2- | | | | | | | | | | | | | | |
| | | 3 mm as patches along Kspar | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | vnlt with trace hem stain, 20°-40° to CA. | | | | | | | | | | | | | | |
| | | Locally stockwork. | | | | | | | | | | | | | | |
| | | Mineralization-v.f.g.along ep bearing H/L | | | | | | | | | | | | | | |
| | | fractures, discontinous in Kspar flooded | | | | | | | | | | | | | | |
| | | zones. Trace cpy blebs in scattered tour | | | | | | | | | | | | | | |
| | | patches, 0.5%. Core recovery: 10.52- | | | | | | | | | | | | | | |
| | | 11.58m 60% core ground, 11.58-13.11m- | | | | | | | | | | | | | | |
| | | 80% blocky, core ground, 13.11-24.08m- | | | | | | | | | | | | | | |
| | | 100%. Minor clacite veining+chl. Hem | tr | tr | | 2 | 1 | | 2 | 1 | 1 | | | | | |
| | | cuts Kspar alteration at 20° & 30° to CA, | | | | | | | | | | | | | | |
| | | up to 1 cm width, at 16.0-22.0m. | | | | | | | | | | | | | | |
| | | 25.6-28.04m 12-2mm to 1 cm on average | | | | | | | | | | | | | | |
| | | weak Kspar+weak hem stained vnlts with | | | | | | | | | | | | | | |
| | | albite+tour+ep and with trace f.g. | | | | | | | | | | | | | | |
| | | cpy+ch+ser at 20°-30°-50° to CA. Cpy | | | | | | | | | | | | | | |
| | | also as blebs in minor tour 2-4 mm | | | | | | | | | | | | | | |
| | | patches. Core is softer downhole and | | | | | | | | | | | | | | |
| | | more blocky. | | | | | | | | | | | | | | |
| | | Core recoveries: 24.09-30.78m-100%, | | | | | | | | | | | | | | |
| | | 30.78-32.0-75%, 32.0-35.66-100%. | | | | | | | | | | | | | | |
| | | 30.78-33.50m Core is more blocky. Chl is | | | | | | | | | | | | | | |
| | | black, green, shiny along low angle | | | | | | | | | | | | | | |
| | | fractures, slickensided at 10°-20° to CA. | | | | | | | | | | | | | | |
| | | Kspar vnlts also subparallel to ep, weak | | | | | | | | | | | | | | |
| | | up to 3 cm, at 31.40m. | | | | | | | | | | | | | | |
| | | 33.5-36.0m Noticable start of hem | | | | | | | | | | | | | | |
| | | stained potassic alteration as | | | | | | | | | | | | | | |
| | | vnlts+pervasive zones with black tour? | | | | | | | | | | 47245 | 35.50 | 37.50 | 0.06 | <0.03 |
| | | matrix. Kspar vnlts 50°-60° to CA, up to 4 | | | | | | | | | | | | | | |
| | | mm thick. Dissem. cpy, tr. to 0.5%? | | | | | | | | | | | | | | |
| | | as blebs in Kspar altered zones+ch+ser | | | | | | | | | | | | | | |
| | | (no ep). | | | | | | | | | | | | | | |
| | | 36.0-38.25m More pervasive, intense | 0.1 | 0.1 | | 2 | 1 | 1 | 2 | 2 | 2 | | | | | |
| | | potassic alteration+ch+ser, alt'n of 2nd | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | vnlt with trace hem stain, 20°-40° to CA. Locally stockwork. Mineralization-v.f.g.along ep bearing H/L fractures, discontinous in Kspar flooded zones. Trace cpy blebs in scattered tour patches, 0.5%. Core recovery: 10.52-11.58m 60% core ground, 11.58-13.11m-80% blocky, core ground, 13.11-24.08m-100%. Minor clacite veining+chl. Hem cuts Kspar alteration at 20° & 30° to CA, up to 1 cm width, at 16.0-22.0m. 25.6-28.04m 12-2mm to 1 cm on average weak Kspar+weak hem stained vnlts with albite+tour+ep and with trace f.g. cpy+ch+ser at 20°-30°-50° to CA. Cpy also as blebs in minor tour 2-4 mm patches. Core is softer downhole and more blocky. Core recoveries: 24.09-30.78m-100%, 30.78-32.0-75%, 32.0-35.66-100%. 30.78-33.50m Core is more blocky. Chl is black, green, shiny along low angle fractures, slickensided at 10°-20° to CA. Kspar vnlts also subparallel to ep, weak up to 3 cm, at 31.40m. 33.5-36.0m Noticable start of hem stained potassic alteration as vnlts+pervasive zones with black tour? matrix. Kspar vnlts 50°-60° to CA, up to 4 mm thick. Dissem. cpy, tr. to 0.5%? as blebs in Kspar altered zones+ch+ser (no ep). | | | | | | | | | | | | | | | |
| | | | tr | tr | | 2 | 1 | | 2 | 1 | 1 | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | bio with increase in tour scattered | | | | | | | | | | | | | | |
| | | patches with py+cpy as fracture infill in | | | | | | | | | | | | | | |
| | | grey, interstial quartz zone, magnetic | | | | | | | | | | | | | | |
| | | groundmass | | | | | | | | | | | | | | |
| | | 38.25-42.0m Grey, dense, f.g. | | | | | | | | | | 47246 | 37.50 | 39.50 | 0.12 | 0.03 |
| | | intrusive?/volcanic with up to 10-15% 2nd | | | | | | | | | | 47247 | 39.50 | 41.50 | 0.20 | 0.11 |
| | | bio, v.f.g.+interstial magnetite as fine | | | | | | | | | | | | | | |
| | | grained, black patches and veins up to 2 | | | | | | | | | | | | | | |
| | | cm widths at 40° to CA with up to 1% | | | | | | | | | | | | | | |
| | | dissem.cpy+minor py, at 39.0 m. No ep, | | | | | | | | | | | | | | |
| | | very minor Kspar veinlets. Brecciated | | | | | | | | | | | | | | |
| | | pervasive zone with minor hem stained. | | | | | | | | | | | | | | |
| | | Kspar 1 mm vnlts+ep cores rimmed with | | | | | | | | | | | | | | |
| | | hem stained Kspar, up to 4 mm with | | | | | | | | | | | | | | |
| | | replacement cpy centres. | | | | | | | | | | | | | | |
| | | 42.1-43.60m Pink, grey intense potassic | | | | | | | | | | | | | | |
| | | alteration, more equigranular intrusive. | tr | 0.5 | | 3 | 1 | 1 | 2 | 2 | 2 | 47248 | 41.50 | 43.20 | 0.08 | 0.04 |
| | | Primary textures obliterated. Noticable ep | | | | | | | | | | | | | | |
| | | with Kspar+mag+tour+cpy dissem. up to | | | | | | | | | | | | | | |
| | | 0.5%, py in fractures, chl+cal 20° to 40° | | | | | | | | | | | | | | |
| | | to CA, upper contact is at 40° to CA. | | | | | | | | | | | | | | |
| | | Core recoveries: 33.5-37.5m-70%, 35.5- | | | | | | | | | | | | | | |
| | | 37.5m-80%, 37.5-38.71m-70%, all core is | | | | | | | | | | | | | | |
| | | blocky, 38.71-44.8m-100%. | | | | | | | | | | | | | | |
| | | 43.6-45.2m Massive cpy up to 2 cm at | | | | | | | | | | | | | | |
| | | 40°-60° to CA. Up to 5% of core over 50 | | | | | | | | | | | | | | |
| | | cm with associated grey quartz, | | | | | | | | | | 47249A | 43.20 | 45.20 | 2.46 | 0.37 |
| | | amethyst, mag, chl (actinolite), ser+minor | | | | | | | | | | | | | | |
| | | tour+peripheral orange Kspar. Orange Ksp | | | | | | | | | | | | | | |
| | | discontinous vnlts 60° to CA, 6 over 30 | | | | | | | | | | | | | | |
| | | cm width in high grade sections. Trace | | | | | | | | | | | | | | |
| | | py. | | | | | | | | | | | | | | |
| | | 45.2-46.7m Grey, fine grained, very | | | | | | | | | | | | | | |
| | | minor pink Kspar veinlets, 1 at 40° to | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 45250 | 45.20 | 47.70 | 0.05 | <0.03 |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | to CA., 3 mm Kspar+qtz+cpy cut by H/L cal veining, mostly at 30° to CA. | | | | | | | | | | | | | | |
| | | 46.7-48.2m Pink, green mottled with moderate propylitic/potassic alteration with increase in mag, cpy patches with tour?, mafics+ch+ep+mag+cpy+py, tr. to 0.5%, sporadic. | | | | | | | | | | 45251 | 47.70 | 50.00 | 0.12 | <0.03 |
| | | 48.2-54.7m Orange, pink, bleached grey and black intrusive, locally brecciated in extension fractures, widely spaced at 48.5m, 5 cm at 40° to CA, orange Kspar+ep+grey quartz+cal+chl+ser with minor mag, cpy interstial in ep, other veins, massive mag, cal, Kspar, cpy at 20° and 30° to CA. | | | | | | | | | | 47252 | 50.00 | 52.00 | 0.01 | <0.03 |
| | | | | | | | | | | | | 47253B | 52.00 | 54.00 | 0.02 | 0.03 |
| | | 54.7-55.3m Grey to pink, softer, bleached with brecciated Kspar fragments with mag up 3 cm supported in grey trachytic textured groundmass. Abundant late clacite 10°-30° to CA up to 1 cm. | | | | | | | | | | 47254 | 54.00 | 56.00 | 0.03 | 0.03 |
| | | 55.0-60.0m Grey intermixed to pink, mottled, bleached zones, variable potassic alteration. Grey sections cut by pale pink Kspar+minor ep+mag. Traces of f.g. dissem cpy, mostly 30° to CA associated with mag. | | tr | | 3 | 1 | 1 | 2 | 1 | 2 | 47255 | 56.00 | 58.00 | 0.05 | <0.03 |
| | | | | | | | | | | | | 47256 | 58.00 | 60.00 | 0.07 | 0.04 |
| | | 60.0-61.0m More brick red Kspar flooding byt by mag, cpy as dissem patches with orange brick red Kspar envelopes. Also cal+ep+py veinlets up to 5 mm subparallel to CA at 60.3m. | | | | | | | | | | 47257 | 60.00 | 61.30 | 0.12 | 0.05 |
| | | | | | | | | | | | | 47258 | 61.30 | 64.30 | 0.04 | <0.03 |
| | | | | | | | | | | | | 47259 | 64.30 | 66.30 | 0.02 | <0.03 |
| | | 61.0-61.3m 2 cm at 20° to CA hydrothermally breccia fracture with elongate subangular Kspar-ep altered intrusive. Fragments up to 4 cm | tr | 0.1 | | 4 | 2 | 1 | 2 | | 2 | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | parallel aligned and supported in mag | | | | | | | | | | | | | | |
| | | matrix with minor dissem.cpy associated | | | | | | | | | | | | | | |
| | | with ep, tr.py. | | | | | | | | | | | | | | |
| | | 61.3-64.3m Core is block, fractured, | | | | | | | | | | | | | | |
| | | sheared and ground at 61.3m, recovery | | | | | | | | | | | | | | |
| | | 50%. Fracture surfaces slickensided with | | | | | | | | | | | | | | |
| | | chl, hem, cal. 64.3-67.0m-100% core | | | | | | | | | | | | | | |
| | | recovery. | | | | | | | | | | | | | | |
| | | 64.3-66.1m Mottled, pink, softer, more | | | | | | | | | | | | | | |
| | | intense potassic flooding, less ep-mag as | | | | | | | | | | | | | | |
| | | patches with Kspar+v.f.g.cpy cut by black | | | | | | | | | | | | | | |
| | | chl+cal at 40° to CA that cut discontinous | | | | | | | | | | | | | | |
| | | mag veinlets up to 5 mm widths at 30° to | | | | | | | | | | | | | | |
| | | CA. | | | | | | | | | | | | | | |
| | | 66.1-71.85m Grey, mottled pink, harder, | | 0.2 | | 4 | 1 | 1 | 2 | 2 | 1 | 47260 | 66.30 | 68.30 | 0.05 | <0.03 |
| | | more siliceous, locally brecciated with | | | | | | | | | | 47261 | 68.30 | 70.30 | 0.04 | <0.03 |
| | | bleached pale grey, pink intrusive with | | | | | | | | | | 47262 | 70.30 | 72.30 | 0.05 | <0.03 |
| | | fragments in black mag matrix+minor | | | | | | | | | | | | | | |
| | | tour?, ep, cpy, cal+traces bornite flakes | | | | | | | | | | | | | | |
| | | in mag, mag veinlets discontinous, H/L to | | | | | | | | | | | | | | |
| | | 3 mm , bornite at 66.8 and 68.5m. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | tr | tr | | 2 | 1 | 2 | 2 | | 2 | 47263 | 72.30 | 74.30 | 0.04 | <0.03 |
| | | 71.85-88.7m at at 64.3m less mag+cpy | | | | | | | | | | 47264 | 74.30 | 76.30 | 0.07 | 0.05 |
| | | associated with Kspar alteration with | | | | | | | | | | 47265 | 76.30 | 78.30 | 0.04 | 0.03 |
| | | minor ep, mostly pink Kspar veinlets as 3 | | | | | | | | | | 47266 | 78.30 | 80.30 | 0.04 | <0.03 |
| | | mm stockwork, 30°-60° to CA with | | | | | | | | | | 47267 | 80.30 | 82.30 | 0.04 | <0.03 |
| | | chl+cal+mag+cpy, 1 mm core with | | | | | | | | | | | | | | |
| | | patches at 78.45m. Banded | | | | | | | | | | | | | | |
| | | mag+cal+chl+qtz? at 40° to CA for 5 cm. | | | | | | | | | | | | | | |
| | | Core recoveries: 77.11-85.65m-100%, | | | | | | | | | | | | | | |
| | | 85.65-87.17-70%, 87.17-88.09m-100%, | | | | | | | | | | | | | | |
| | | 88.09-88.7m-50%, 88.7-93.12m-100%, | | | | | | | | | | | | | | |
| | | 93.12-94.79-55%, 94.79-95.11-80%, | | | | | | | | | | | | | | |
| | | 95.11-96.01m-100%. Core is blocky to | | | | | | | | | | | | | | |
| | | end of the hole. | | | | | | | | | | | | | | |
| | | 83.5-84.3m 6 average 3 mm, grey | | | | | | | | | | 47268 | 82.30 | 84.30 | 0.05 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | quartz veinlets, subparallel closely | | | | | | | | | | 47269 | 84.30 | 86.30 | 0.04 | <0.03 |
| | | spaced at 30°-50° to CA with | | | | | | | | | | 47270 | 86.30 | 88.30 | 0.04 | <0.03 |
| | | tr.cal+chl+ser with f.g.cpy dissem along | | | | | | | | | | 47271 | 88.30 | 90.30 | 0.02 | <0.03 |
| | | edges in chlorite. 3x3m grey quartz, chl, | | | | | | | | | | | | | | |
| | | cal, tr.cpy at 84m. Significantly less mag | | | | | | | | | | | | | | |
| | | in veins. At 84.3m, less Kspar alt'n, less | | | | | | | | | | | | | | |
| | | mag, less ep+mag. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 88.7-92.1m Fresher, weak potassic | | | | | | | | | | | | | | |
| | | alteration with 2nd bio cut by late cal | | | | | | | | | | | | | | |
| | | veining, 30°, 50°, 60° to CA, up to 2 mm | | | | | | | | | | | | | | |
| | | widths. | | | | | | | | | | | | | | |
| | | 92.1-92.8m More pervasive moderate | tr | tr | | 2 | | 1 | 2 | 2 | 2 | | | | | |
| | | potassic+tour scattered patches up to 3 | | | | | | | | | | | | | | |
| | | mm+mag, tr. dissem.cpy+py patches, | | | | | | | | | | | | | | |
| | | interstitial quartz zones. Fractures widely | | | | | | | | | | | | | | |
| | | spaced at 30° to CA. Ch-cal, 1 mm. | | | | | | | | | | | | | | |
| | | 92.8-96.01m Less potassic alteration, | | | | | | | | | | | | | | |
| | | only as widely spaced Kspar veinlets with | | tr | | 2 | 1 | 1 | 2 | 1 | 1 | | | | | |
| | | tr.cpy cross-cutting, 30°-60° to CA with | | | | | | | | | | | | | | |
| | | minor tourmaline. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 96.01 | | EOH | | | | | | | | | | | | | | |

# GWR RESOURCES INC.

**PROPERTY: Ann North**

**DRILL HOLE NO.: AN 05 - 1**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| | | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 516320** | **Core Size: NQ** | **Started: 9 March, 2005** |
| **Northing (NAD 83): 5759520** | **Hole Azimuth: 180°** | **Finished: 14 March, 2005** |
| **Grid Location:** | **Hole Angle: -50** | **Logged by: B Callaghan** |
| **Elevation: 1145m** | **Total Depth: 123.44m** | **Analysis by: Echo-Tech** |

**Alteration Scale: 1 - 5**

| Depth (m) From | Depth (m) To | Description | % Py | % Cpy | % Mo | % Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Sample Number | Interval (m) From | Interval (m) To | Cu % | Au g/t |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.00 | 18.29 | Casing | | | | | | | | | | | | | | |
| | | Boulders, rubble of quartz monzo-diorite with flecks of native copper. | | | | | | | | | | | | | | |
| 18.29 | 41.00 | Quartz Monzo-Diorite | | | | 1 | 1 | 1 | 2 | | 2 | | | | | |
| | | pink to orange mottled to grey, fine grained, groundmass mostly Kspar plagioclase up to 1mm. Quartz 2-5%, mafics 15-20% with minor traces of native copper. Alteration- weak-moderate potassic as mostly envelopes along fractures and pervasive patches in between. Minor magnetite, fractures closly spaced, mostly 30-60 degrees and subparallel to c.a. that contain hematite and minor calcite approx 1- 10 per 15 cms. 26.20m green (dark) chlorite tourmaline, calcite, sericite 4 per 10 cms , 2-5mm at 40 degrees to c.a.. 28.92-41.0 oxidized with brick red hematite, calcite, along fracture surfaces. Core more blocky 18.25-33.40m core recoveries 80%. 33.40 fault with grey mud, and sand. 50% recovery from 32.61 -35.66m. | | | | | | | | | | | | | |
| 41.00 | 42.36 | Magnetite Andesitic Feldspar Porphry and Dyke | | | | 1 | 1 | 1 | | | | | | | | |
| | | Grey green weakly crowded with minor flecks of native copper. Plagioclase phenocrysts are annhedral. Upper contact is 30 degrees to c.a. with calcite clays . Lower contact 60 degrees to c.a., slickensided with chlorite, hematitie, calcite, and sericite. | | | | | | | | | | | | | | |
| 42.36 | 66.24 | Quartz Monzo-Diorite | tr | tr | | 1 | 1 | 1 | | | 2 | | | | | |
| | | As at 18.29 m, variably Kspar altered (flooded) loss | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | fracturing but core blocky less alteration down hole. | | | | | | | | | | | | | | |
| | | Fractures 1- 2mm at 30,40,60 degrees subparallel to | | | | | | | | | | | | | | |
| | | c.a.. Approximatly 20 per metre mostly limonite, clays, | | | | | | | | | | | | | | |
| | | calcite along fracture surfaces. Minor native copper | | | | | | | | | | | | | | |
| | | flecks. Recoveries 70% to 44.80m. 55.10-60.50m | | | | | | | | | | | | | | |
| | | Variably more intense Kspar flooding with minor | | | | | | | | | | 47285 | 60.50 | 62.50 | 0.12 | <0.03 |
| | | epidote in cores of Kspar envelopes along fractures. | | | | | | | | | | 47286 | 62.50 | 64.50 | 0.06 | <0.03 |
| | | 60.50-66.24m moderate Kspar flooding cut by minor | | | | | | | | | | 47287 | 64.50 | 66.50 | 0.04 | <0.03 |
| | | widely spaced magnetite, epidote with minor calcite | | | | | | | | | | | | | | |
| | | with finegrained pyrite 1-3mm in thickness at 50 | | | | | | | | | | | | | | |
| | | degrees and subparallel to c.a.. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 66.24 | 66.39 | Fault | | | | | | | | | | | | | | |
| | | Grey clay gouge with fragments of quartz monzinite in | | | | | | | | | | | | | | |
| | | limonite sooty calcite matrix. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 66.39 | 80.60 | Quartz Monzo-Diorite as at 42.36m. | | | | | | | | | | | | | | |
| | | Core recoveries 95% 44.80m to 71.78m. Less Kspar | | | | | | | | | | 47288 | 66.50 | 68.50 | 0.05 | <0.03 |
| | | flooding core blocky more fracturing with limonite, | | | | | | | | | | 47289 | 68.50 | 70.50 | 0.05 | <0.03 |
| | | dark green chlorite, calcite at 20 to 60 degrees to c.a. | | | | | | | | | | | | | | |
| | | closely spaced. 71.70-72 60m more intense Kspar | | | | | | | | | | 47290 | 71.70 | 73.70 | 0.09 | <0.03 |
| | | flooding with higher density of fracturing with dark | | | | | | | | | | | | | | |
| | | green chlorite calcite along fractures. 72.60m-74.25m. | | | | | | | | | | | | | | |
| | | Dark pink, orange sugary textured. Slightly magnetic, | | | | | | | | | | | | | | |
| | | more abundant calcite. Fractures dark green chlorite, | | | | | | | | | | 47291 | 72.50 | 74.50 | 0.07 | <0.03 |
| | | magnetite, with trace pyrite and chalcopyrite as fracture | | | | | | | | | | | | | | |
| | | fill at 60 degrees to c.a. up to 5mm. From 78.33m | | | | | | | | | | | | | | |
| | | noticibly more calcite flooding and disseminated fine | | | | | | | | | | 47292 | 78.06 | 80.06 | 0.12 | 0.07 |
| | | grained pyrite in groundmass. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 80.60 | 80.83 | Fault | | | | | | | | | | | | | | |
| | | Grey pink clay gouge upper contact 40 degrees, lower | | | | | | | | | | | | | | |
| | | 40 degreesto c.a.. | | | | | | | | | | 474293 | 80.06 | 82.06 | 0.07 | <0.03 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | | | | | | | | | | | | | | | |
| 80.83 | 103.10 | Monzo-Diorite | | | | | | | | | | | | | | |
| | | 80.83- 86.60m Highly altered grey pink creamy coloured, soft mottled, brecciated with abundant calcite stringers. Fracture surfaces dark green slickensided with calcite and hematite. No sulphides or native copper. Becoming very blocky, fracture surfaces serpentinized. 88.60-99.10m as above, less soft more competent variably Kspar flooded. Fractures 40-60 degrees, closely spaced with limonite, chlorite, abundant late stage calcite. Core recoveries 78.33-81.40m, 100%. 81.40- 87.47m, 90%. 87.47-90.63 m, 90%. Core very blocky from 96.62- 99.67m with 30% recovery 99.67- 103.94m, 80%. | | | | | | | | | | 47294 | 82.06 | 84.06 | 0.06 | <0.04 |
| 103.10 | 103.14 | Fault | | | | | | | | | | | | | | |
| | | Upper contact 60 degrees to c.a. with hematite and grey clays, minor calcite. Recovery 102.72-103.94m, 95%. | | | | | | | | | | | | | | |
| 103.94 | 104.35 | Monzo-Diorite | tr | tr | | 2 | 1 | 1 | | | 2 | | | | | |
| | | Pink grey with dark green chlorite, clays, hematite, calcite along fractures. | | | | | | | | | | | | | | |
| 104.35 | 105.87 | Magnetite Augite Porphyritic Andesitic Dyke. | | | | | | | | | | | | | | |
| | | Dark green black phenocrysts of augite up to 3mm fractures. 20 degrees to c.a. with hematite, calcite, chlorite. | | | | | | | | | | | | | | |
| 105.87 | 123.44 | Monzo-Diorite | | | | | | | | | | | | | | |
| | | grey to pink, orange, fine grained, Kspar alteration pervasive and as fracture fill. Mostly chlorite, calcite, hematite, along fractures. Trace fine grained pyrite | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | along fractures. Core recovereies- very blocky with 85% | | | | | | | | | | | | | | |
| | | from 105.70- 108.18m, 60%. 108.18-118.86m, 70%. | | | | | | | | | | | | | | |
| | | 111.86- 117.96m, 100% to EOH. 118.42- 123.44m | | | | | | | | | | 47295 | 118.42 | 120.42 | 0.06 | <0.03 |
| | | more competent, less fractured, more pervasive Kspar | | | | | | | | | | 47296 | 120.42 | 123.44 | 0.07 | <0.03 |
| | | alteration with more late stage calcite veining 1mm to | | | | | | | | | | | | | | |
| | | 3mm, 30-50 to subparallel to c.a. with chlorite, trace | | | | | | | | | | | | | | |
| | | disseminated pyrite, 6 per metre. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 123.44 | | E.O.H. | | | | | | | | | | | | | | |

**PROPERTY: Peach Lake**

# GWR RESOURCES INC.

**DRILL HOLE NO.: PL 05 - 1**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| | | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 613946** | **Core Size: NQ 2** | **Started: 10 March 05** |
| **Northing (NAD 83):5759917** | **Hole Azimuth: 220** | **Finished: 13 March 05** |
| **Grid Location:** | **Hole Angle: -50** | **Logged by: B.Callaghan** |
| **Elevation: 1070m** | **Total Depth: 53.95m** | **Analysis by: Eco-tech** |

| Depth (m) | | Description | Alteration Scale: 1 - 5 | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % Py | % Cpy | % Mo | % Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Sample Number | Interval (m) From | Interval (m) To | Cu % | Au g/t |
| 0 | 6.1 | Casing No Recoveries | | | | | | | | | | | | | | |
| 6.1 | 18.5 | Magnetic Feldspar Porphyritic Andesitic Breccia. Grey black, fine grained, mottled, green, with grey, green epidote altered instrusive clasts up to 2cms supported in locally trachytic groundmass cut by hairline to 1cm, widely spaced epidote fractures at 30°, 40°, 50° to axis. Alteration locally intense, pervasive Kspar, as envelopes with epidote, calcite, magnetite, cut by late stage calcite veining at 20°-35° to c.a. Mineralization consists of fine grained pyrite associated with Kspar, epidote, magnetite, veinlets, as fracture fill and selvages, patches. | 1 | tr | | 2 | 1 | 1 | | | 1 | | | | | |
| | | 14.33 - 18.50 More selvages and breccia fragments with Kspar alteration with associated disseminated py at 30° to c.a. supported in grey black matrix. Core blocky with black slickensided chlorite, calcite, hemitite, on surfaces, sub parallel to core axis. Recoveries 6.10-14.43m 100 % 14.43-17.37m 95% | 0.1 | | | 2 | | 1 | | | 2 | | | | | |
| 18.5 | 21 | Feldspar Porphyritic Monzo-Diorite Breccia | | | | | | | | | | | | | | |
| | | Pink orange, locally bleached, locally grey with detextured intrusive clasts replaced with epidote and tourmaline. Calcite, magnetite, cut by black chlorite, magnetite, epidote, calcite, and hematite Kspar envelopes. | | | | | | | | | | | | | | |
| 21 | 26.52 | Magnetite Feldspar Porphyritic Andesitic Breccia | | | | | | | | | | | | | | |
| | | Grey black, fine grained with closely spaced Kspar envelopes with minor epidote, chlorite, pyrite, at 20°, | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | 30° and locally anastomozing with associated pyrite. | | | | | | | | | | | | | | |
| 26.52 | 34 | Andesite Bx/ Intermixed Syenite/ Monzo Diorite | | | | | | | | | | 46701 | 26.60 | 29.10 | 0.03 | <0.03 |
| | | | | | | | | | | | | 46702 | 29.10 | 31.60 | 0.02 | <0.03 |
| | | Grey to orange pink mottled with Kspar, epidote, magnetite, calcite, pyrite. Fracture density moderate with black slickensided cholrite calcite along surfaces at 30°, 60°, 70° to c.a.. Pyrite along fractures and disseminated. Locally displaced, cut by late calcite veinlets. Pyrite, pyrrhotite in 2.5 cm veinlet with magnetite at 60° to c.a.. | | | | | | | | | | 46703 | 31.60 | 34.10 | 0.04 | 0.04 |
| 34 | 38.35 | Felspar Porphyritic Monzo-Diorite/Syenite Dyke | | | | | | | | | | 46704 | 34.1 | 36.6 | 0.03 | 0.03 |
| | | Orange locally bleached, as at 18.50m. Mostly Kspar, epidote, chlorite, calcite, magnetite, pyrite. | | | | | | | | | | | | | | |
| | | 35.90- 36.20 calcite, quartz, Kspar breccia. Cream, bleached orange, insitu autobrecciated vuggy brecciated with angular Kspar clasts supported in calcite quartz matrix locally at 70° to c.a.. | | | | | | | | | | | | | | |
| 38.35 | 40.25 | Andesitic Volcanic Breccia and Intermixed Syenite Monzo Diorite? | | | | | | | | | | | | | | |
| | | Pervasive Kspar alternation along fractures. Selvages cut by chlorite, epidote, magnetite, calcite, 20°, 30° and anastomozing cut by vuggy calcite veinlets up to 5mm parallel to core axis. Pyrite scattered disseminated 1mm, minor pyrr, no chalcopyrite. Mafics to epidote. Groundmass locally trachytic. | | | | | | | | | | | | | | |
| 40.25 | 40.32 | Fault | | | | | | | | | | | | | | |
| | | pink pale, green clays, hematite upper cut 40° to c.a.. | | | | | | | | | | | | | | |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Depth (m)** | | **Description** | **%** | **%** | **%** | **%** | **Chl-** | **Cal** | **2nd** | **2nd** | **2nd** | **Sample** | **Interval (m)** | | **Cu** | **Au** |
| **From** | **To** | | **Py** | **Cpy** | **Mo** | **Mag** | **Ep** | | **Bio** | **Sil** | **Ksp** | **Number** | **From** | **To** | **%** | **g/t** |
| 40.32 | 44.2 | Feldspar Magnetite Porphyritic Volcanic Andesitic Flow Breccia with Monzo-Diorite | | | | | | | | | | | | | | |
| | | Orange with black groundmass as at 38.35m. Blocky Alteration- Kpsar, epidote, magnetite, less calcite .Sulphides mostly along fractures 15 per metre anastomozing. | | | | | | | | | | | | | | |
| 44.2 | 45.43 | Magnetite Augite Porphyritic Volcanic Andesitic Flow Breccia | | | | | | | | | | | | | | |
| | | Grey black fine grained. Augite altered to chlorite, calcite. No Kspar alteration. Epidote along fractures. Widely spaced with calcite, magnetite, pyrite, pyrr, mostly at 40° to c.a.. Lower contact 40° to c.a.. | | | | | | | | | | | | | | |
| 45.53 | 50.63 | Synenitic/ Monzo Diorite Porphyritic Breccia | | | | | | | | | | 46705 | 45.53 | 48.03 | 0.04 | 0.04 |
| | | Orange grey, fine grained, trachytic groundmass cut by black magnetite epidote, pyrite, Kspar bleached envelopess cut by late calcite hematite veinlets. | | | | | | | | | | | | | | |
| 50.63 | 53.95 | Intermixed Andesitic Volcanic Breccia and Monzo Diorite as at 26.52m. | | | | | | | | | | | | | | |
| | | Mostly grey black with orange Kspar patches with epidote cut by late, widely spaced, calcite veinlets 1mm-4mm subparallel, 50° and 30° degrees to c.a. No cp mostly pyrite, associated with black tourmaline. Epidote, magnetite. Recoveries average 90-95% for hole. | | | | | | | | | | | | | | |
| 53.95 | EOH | | | | | | | | | | | | | | | |

**PROPERTY: Peach Melba**

# GWR RESOURCES INC.

**DRILL HOLE NO.: PM 05-1**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| | | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 614026** | **Core Size: NQ 2** | **Started: 19 March 05** |
| **Northing (NAD 83): 5760132** | **Hole Azimuth: 030** | **Finished: 23 March 05** |
| **Grid Location:** | **Hole Angle: -50** | **Logged by: B.Callaghan** |
| **Elevation: 1050m** | **Total Depth: 176.17m** | **Analysis by: Eco- tech** |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| 0.00 | 8.53 | Casing, no recoveries. | | | | | | | | | | | | | | |
| 8.53 | 81.69 | Magnetite Plagioclase Augite Andestic Flow Breccia | 0.5 | | | 2 | 1 | 1 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | Grey, black, 50% of core consists of rounded to sub | 2.5 | | | 1 | | | | | | 46714 | 8.53 | 11.58 | 0.01 | <0.03 |
| | | rounded fragments from a 1/2 mm-1cm (average) up to | | | | | | | | | | 46715 | 11.58 | 14.08 | <0.01 | <0.03 |
| | | 1metre. with epidote altered amygdules. Fractures | | | | | | | | | | 46716 | 14.08 | 16.58 | <0.01 | <0.03 |
| | | predominantely 30-50-70 degress to c.a with chl, ep, K- | | | | | | | | | | 46717 | 16.58 | 19.08 | <0.01 | <0.03 |
| | | spar, cal, py that crosscut K-spar altered fragments. | | | | | | | | | | 46718 | 19.08 | 21.58 | <0.01 | <0.03 |
| | | Mineralization consists of fracture fill av-1mm, sub- | | | | | | | | | | 46719 | 21.58 | 24.08 | 0.04 | <0.03 |
| | | parallel,30 to 50 degrees to c.a. with up to 7 to 10% py, | | | | | | | | | | 46720 | 24.08 | 26.58 | <0.01 | <0.03 |
| | | pyrrhotite, trace cpy- locally 2 to 5 % | | | | | | | | | | 46721 | 26.58 | 29.08 | 0.05 | <0.03 |
| | | | | | | | | | | | | 46722 | 29.08 | 31.58 | <0.01 | <0.03 |
| 81.69 | 85.52 | Potassic Altered Aplite Sill. | 6 | | | 1 | | 2 | | | 3 | 46723 | 42.00 | 44.50 | 0.3 | 0.22 |
| | | Pink, highly fractured, closely spaced at 30°-60° to c.a. | | | | | | | | | | 46724 | 44.50 | 47.00 | 0.04 | 0.04 |
| | | with well developed late calcite veinlets.Up to 5-6% | | | | | | | | | | 46706 | 58.70 | 60.70 | 0.05 | 20.03 |
| | | fine grained pyrite and minor magnetite. | | | | | | | | | | 46707 | 60.70 | 62.70 | 0.08 | 0.07 |
| | | | | | | | | | | | | 46708 | 62.70 | 64.70 | 0.06 | 0.08 |
| | | | | | | | | | | | | 46709 | 64.70 | 66.70 | 0.05 | 0.22 |
| 85.52 | 87.26 | Andestitic Flow Breccia | | | | | | | | | | 46710 | 66.70 | 68.70 | 0.06 | 0.17 |
| | | Upper contace 60° to c.a., lower contact 50° to c.a. with | | | | | | | | | | 46711 | 68.70 | 70.70 | 0.02 | 0.05 |
| | | up to 10% fine grained disseminated pyrite, epidote, | | | | | | | | | | 46712 | 70.70 | 72.70 | 0.04 | 0.14 |
| | | calcite, clay alteration at lower contact. | | | | | | | | | | 46725 | 81.70 | 83.60 | 0.03 | 0.06 |
| | | | | | | | | | | | | 46726 | 83.60 | 85.52 | 0.06 | 0.09 |
| 87.26 | 98.70 | Intercalated Andesitic Flow Breccia and Tuff | | | | | | | | | | | | | | |
| | | Grey black, pink-banded with epidote, Kspar, altered | | | | | | | | | | 46727 | 85.52 | 87.25 | 0.09 | 0.32 |
| | | stretched fragments.Flow alignement 50° to c.a. Up to 3- | | | | | | | | | | | | | | |
| | | 5% disseminated fine-grained pyrite and as fractures | | | | | | | | | | | | | | |
| | | along fabric of flow that are cut by late calcite veinlets, | | | | | | | | | | | | | | |
| | | subparallel to c.a.. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

**PROPERTY: Peach Melba**

# GWR RESOURCES INC.

**DRILL HOLE NO.: PM 05-1**



| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| 98.70 | 99.00 | Potassic Altered Aplite Sill. | 10 | | | 1 | | | | | | | | | | |
| | | Pink, fine grained with vuggy partially infilled cavities | | | | | | | | | | | | | | |
| | | at 60° to c.a. with up to 10% fine grained disseminated | | | | | | | | | | | | | | |
| | | pyrite. | | | | | | | | | | | | | | |
| 99.00 | 102.80 | Fault | | | | | | | | | | | | | | |
| | | Upper contact 70° to c.a., lower contact 50° to c.a.. | | | | | | | | | | | | | | |
| | | Grey to pink with bentonite clay altered aplite and | | | | | | | | | | | | | | |
| | | andestitic flow breccia wall rock. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 102.80 | 144.05 | Andestitic Volcanic Interbedded Tuff Breccia | 5 | | | 2 | 1 | 1 | 3 | | 1 | | | | | |
| | | Grey black with weak-moderate epidote, Kspar | | | | | | | | | | | | | | |
| | | alteration- pyrite, magnetite up to 10%. Fractures at | | | | | | | | | | | | | | |
| | | 30° to c.a., with epidote calcite, clay alteration. Fabric | | | | | | | | | | | | | | |
| | | variable from 30°-50° to c.a.. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 144.05 | 151.23 | Intercalated Augite Plagioclase Porphyritic Andesitic Flow Breccia and Tuff | 5 | 1 | | 2 | | 1 | 3 | | | | | | | |
| | | No epidote, weak Kspar alteration. Increase in | | | | | | | | | | | | | | |
| | | chalcopyrite 1%, Pyrite up to 5-7% as disseminations, | | | | | | | | | | | | | | |
| | | and blebs. Fabric 30° to c.a.. | | | | | | | | | | | | | | |
| 151.23 | 151.73 | Fault | | | | | | | | | | 46748 | 137.25 | 139.75 | 0.16 | 0.09 |
| | | Dark grey green clays wall rock- Augite flows and tuff | | | | | | | | | | 46749 | 139.75 | 142.25 | 0.09 | 0.1 |
| | | cut by abundant late calcite veinlets. Lower contact 30° | | | | | | | | | | 46750 | 142.25 | 144.75 | 0.09 | 0.1 |
| | | to c.a.. | | | | | | | | | | 46751 | 144.75 | 147.25 | 0.66 | 0.89 |
| | | | | | | | | | | | | 46752 | 147.25 | 149.75 | 0.31 | 0.28 |
| 151.73 | 157.45 | Andestitic Flow and Tuff | | | | | | | | | | 46753 | 149.75 | 152.25 | 0.04 | 0.18 |
| | | As at 144.05m | | | | | | | | | | 46754 | 152.25 | 154.75 | 0.02 | 0.06 |
| 151.45 | 176.17 | Monzo-Diorite | | tr | | 3 | 1 | | 3 | | | 46755 | 154.75 | 157.25 | 0.02 | 0.03 |
| | | Grey black, medium grained, equigranular up to 25% | | | | | | | | | | 46756 | 157.25 | 159.75 | 0.01 | 0.03 |
| | | combined hornblende, biotite cut by widely spaced | | | | | | | | | | | | | | |
| | | calcite veinlets up to 1cm subparralel, 40° and 50° to | | | | | | | | | | | | | | |
| | | c.a.. Trace pyrite as scattered blebs, strongly magnetic. | | | | | | | | | | | | | | |
| EOH | 176.17 | | | | | | | | | | | | | | | |

# GWR RESOURCES INC.
# DRILL HOLE: SPL-05-06

**PROPERTY:**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Easting (NAD 83):** | **611829** | **Core Size:** | **NQ** | **Started:** | **24 April 05** | **Down-hole Tests** | |
| **Northing (NAD 83):** | **5760934** | **Hole Azimuth:** | **350°** | **Finished:** | **28 April 5** | **Depth** | **Angle** | **Azm.** |
| **Grid Location:** | | **Hole Angle:** | **-50°** | **Logged by:** | **D.Duba** | | | |
| **Elevation:** | **1132 m** | **Total Depth:** | **129.8 m** | **Analysis by:** | **Eco-Tech** | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.0 | 3.0 | CASING | | | | | | | | | | | | | | |
| 3.0 | 8.9 | WEAKLY CAL-SILICATE ALTERED ANDESITE BRECCIA | | | | <1 | | | | 3 | | 54901 | 5.5 | 7.5 | 0.01 | <0.03 |
| | | -dark green with lighter beige and green patches, weakly, discontinuously | | | | | | | | | | 54902 | 7.5 | 8.9 | 0.02 | <0.03 |
| | | calc-silicate altered volcanic breccia, andesite in composition, plag>augite | | | | | | | | | | | | | | |
| | | phyric, 1-2mm on average, total <35% phenocrysts | | | | | | | | | | | | | | |
| | | -calc-silicate altered matrix, dominant assemblage is diopside-silica and | | | | | | | | | | | | | | |
| | | minor garnet (grossularite?) | | | | | | | | | | | | | | |
| | | -chloritized fragments w/<1mm fg magnetite rims | | | | | | | | | | | | | | |
| | | -variably magnetic, fg dissem in matrix and mg replacement of mafic | | | | | | | | | | | | | | |
| | | phenocrysts, 2-5%, average 1% | | | | | | | | | | | | | | |
| | | -pervasive silicification | | | | | | | | | | | | | | |
| 8.9 | 11.3 | MAGNETITE-DIOPSIDE-SILICA-CPY/PY SKARN/LESSER CAL- | 3 | 2 | | 50 | | 1 | | 3 | 1 | 54903 | 8.9 | 11.3 | 1.94 | 0.61 |
| | | SILICATE ALTERED ANDESITE BRECCIA | | | | | | | | | | | | | | |
| | | -60% magnetite-diopside-silica-sulfides skarn, mottled green/black with | | | | | | | | | | | | | | |
| | | 75% mag, 5% cpy and bornite and 15% calc-silicate altered volcanic | | | | | | | | | | | | | | |
| | | breccia, andesite/basalt? | | | | | | | | | | | | | | |
| | | -40% calc-silicate altered andesite breccia, pseudobrecciated?, matrix | | | | | | | | | | | | | | |
| | | supported, frag to matrix ratio ~ 80-90/10-20, both are variably altered, | | | | | | | | | | | | | | |
| | | dominant assemblage is diopside-silica-scapolite-grossularite?-magnetite, | | | | | | | | | | | | | | |
| | | minor pink-red Kspar patches, remnants of earlier potassic alteration? | | | | | | | | | | | | | | |
| | | -chalcopyrite occurs clots and fg to mg disseminations in matrix and in | | | | | | | | | | | | | | |
| | | magnetite-rich fragments, <3% | | | | | | | | | | | | | | |
| | | -semi-massive py, <2-3% | | | | | | | | | | | | | | |
| | | -skarn is strongly magnetic, andesite breccia mod to strong, as fg to mg | | | | | | | | | | | | | | |
| | | dissem in matrix replacing mafic minerals/phenocrysts | | | | | | | | | | | | | | |
| | | -weakly fractured, lim/hem/cal stained, 30-35° to CA | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 54904 | 11.3 | 13.3 | 0.12 | 0.03 |
| 11.3 | 35.9 | WEAKLY CALC-SILICATE ALTERED ANDESITE BRECCIA | tr | tr | | 3 | | 2 | | | | 54905 | 13.3 | 15.3 | 0.03 | <0.03 |
| | | Mottled light to dark green/light beige, variably calc-silicate altered andesite | | | | | | | | | | 54906 | 15.3 | 17.3 | <0.01 | <0.03 |
| | | breccia? | | | | | | | | | | 54907 | 17.3 | 19.3 | 0.05 | <0.03 |
| | | -brecciated/pseudobrecciated, matrix to fragment supported, <25 to 85% | | | | | | | | | | 54908 | 19.3 | 21.3 | 0.02 | <0.03 |
| | | dark green to grey, plag-augite phyric (<1-2mm) andesite fragments | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | dark green to grey, plag-augite phyric (<1-2mm) andesite fragments, typically w/wispy, corroded boundaries, poorly sorted, <0.5cm to >10cm, matrix is mg, beige to light green, ga-dio-mag-sil+/-cal, compositionally and texturally similar to fragments | | | | | | | | | 54909 | 21.3 | 22.9 | 0.01 | <0.03 |
| | | | | | | | | | | | 54910 | 22.9 | 23.9 | 0.47 | 0.04 |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

| Depth (m) | | | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 20cm to 1.5m sections of skarnification w/remnant calc-silicate altered pseudofragments, obliterated primary textures | | | | | | | | | | | | | | |
| | | -from 11.3 to 1.3m broken core, lim-cal coating fractures, to 1.5cm cal-qtz+/-hem/mag veins, 30° and 45° to CA, locally banded, brecciated carb veins w/frags of host andesite | | | | | | | | | | | | | | |
| | | -variable magnetite contents, trace to 5% over 1 m wide sections, 1% average | | | | | | | | | | | | | | |
| | | -scapolite is observed in magnetite skarn as <0.5cm long bladed crystals | | | | | | | | | | | | | | |
| | | -locally strong epidote | | | | | | | | | | | | | | |
| | | 11.3-16.3m re-brecciated volcanic breccia, tectonic?, fragment supported, strongly magnetic, black to dark green fragments w/partially corroded rims in green fg dio-sil matrix, locally/ beige vfg garnet?+cal | | | | | | | | | | 54911 | 23.9 | 25.9 | 0.06 | <0.03 |
| | | | | | | | | | | | | 54912 | 25.9 | 27.9 | 0.04 | <0.03 |
| | | | | | | | | | | | | 54913 | 27.9 | 29.9 | 0.03 | <0.03 |
| | | 23.9-24.9m dio-mag-ep-cal-py/cpy skarn, mottled black/green/creamy/pink breccia?, 50% magnetite, <1% cpy, 50% calc-silicate altered andesite | | | | | | | | | | 54914 | 29.9 | 31.9 | 0.02 | <0.03 |
| | | | | <1 | | 50 | | | | | | 54915 | 31.9 | 33.9 | 0.04 | <0.03 |
| | | | | | | | | | | | | 54916 | 33.9 | 35.9 | 0.02 | <0.03 |
| 35.9 | 39.1 | EPIDOTE-GARNET-SCAPOLITE-SILICA SKARN | <0.3 | 0.3 | | 2 | | | | 3 | | 54917 | 35.9 | 37.9 | 0.28 | <0.03 |
| | | -mottled apple green/off-white/pinkish red/black, medium grained, epidote-silica-garnet-scapolite skarn, obliterated primary textures | | | | | | | | | | 54918 | 37.9 | 39.9 | 0.02 | 0.05 |
| | | -chalcopyrite clots and chalcopyrite/pyrite/magnetite/garnet veins w/magnetite-garnet rims, also semi-massive, interstitial cpy, ~0.3% | | | | | | | | | | | | | | |
| | | - pyrite <0.3% as medium to coarse grained euhedral crystal | | | | | | | | | | | | | | |
| | | -moderately magnetic, clots and veins, 1-3% | | | | | | | | | | | | | | |
| 39.1 | 46.9 | STRONG CALC-SILICATE ALTERED ANDESITE BRECCIA | tr | tr | | <2 | | 3 | | 4 | | 54919 | 39.9 | 41.9 | 0.12 | <0.03 |
| | | Mottled dark grey to green/creamy/beige to light/medium green, strongly calc-silicate altered andesite breccia. | | | | | | | | | | 54920 | 41.9 | 43.9 | 0.05 | 0.03 |
| | | -pseudobrecciated?, matrix to fragment supported, >30 to <60% dark green chl-mag-dio altered pseudofrags in beige to creamy, aphanitic, calc-silicate and carbonatized matrix, also mg diopside after mafic phenocrysts and amygdales | | | | | | | | | | 54921 | 43.9 | 45.6 | 0.13 | <0.03 |
| | | | | | | | | | | | | 54922 | 45.6 | 46.9 | 0.20 | <0.03 |
| | | 41.2-42.2m strongly magnetic section, to 12%, w/associated py (1%) and cpy (1%) clots | 1 | 1 | | 12 | | | | | | | | | | |
| | | 45.3-46.1m to 10-15% magnetite, mostly as semi-massive replacement of frags and matrix (after mafics) & in rims of frags, semi-massive cpy (1-2%) and subhedral py (1%) | 1 | 1.5 | | 15 | | | | | | | | | | |
| 46.9 | 50.4 | WEAKLY ALTERED, PORPHYRITIC/AMYGDALOIDAL ANDESITE | tr | tr | | <2 | | 1 | | 4 | 2 | 54923 | 46.9 | 48.9 | 0.03 | <0.03 |
| | | -medium to dark grey, locally mottled apple green/pinkish red, pervasively silicified / calc-silicate altered, dominantly diopside or | | | | | | | | | | 54924 | 48.9 | 50.4 | 0.05 | <0.03 |

| Depth (m) | | | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | pervasively silicified+/-calc-silicate altered, dominantly diopside ar | | | | | | | | | | | | | | |
| | | locally Kspar-ep altered, amygdaloidal andesite | | | | | | | | | | 54925 | 50.4 | 52.4 | 0.35 | <0.03 |
| | | -crowded, 30-40% phenocrystic (plagioclase+augite), 1-2mm on | | | | | | | | | | 54926 | 52.4 | 54.4 | 0.04 | <0.03 |
| | | average, and amygdaloidal, <1mm to 3mm, both are commonly replac | | | | | | | | | | | | | | |
| | | by calc-silicate minerals (dio+ga) and sil+/-cpy, and locally | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | rimmed by magnetite | | | | | | | | | | 54927 | 54.4 | 56.4 | 0.07 | <0.03 |
| | | -weakly/moderately magnetic, 1-2% | | | | | | | | | | 54928 | 56.4 | 58.4 | <0.01 | <0.03 |
| | | -cpy+py+scapolite veins, <2mm widths, 50̊ to CA | | | | | | | | | | 54929 | 58.4 | 60.4 | 0.04 | <0.03 |
| 50.4 | 75.6 | CALC-SILICATE ALTERED ANDESITE/ANDESITE BRECCIA | tr | tr | | tr | | 1 | | 4 | 1 | 54930 | 60.4 | 62.4 | <0.01 | <0.03 |
| | | -medium grey-brown to mottled beige/apple green/pinkish red, fine to | | | | | | | | | | 54931 | 62.4 | 64.4 | <0.01 | <0.03 |
| | | medium grained | | | | | | | | | | 54932 | 64.4 | 66.4 | 0.02 | <0.03 |
| | | -typically brecciated/pseudobrecciated?interercalations of strong and | | | | | | | | | | 54933 | 66.4 | 68.4 | <0.01 | <0.03 |
| | | weak calc-silicate altered sections, clast to matrix supported, >30% to | | | | | | | | | | | | | | |
| | | <75%, <0.5 to 3cm on average | | | | | | | | | | | | | | |
| | | -locally preserved primary textures, host rock is crowded, >40%, | | | | | | | | | | | | | | |
| | | plagioclase>augite phyric+/-amygdaloidal andesite | | | | | | | | | | | | | | |
| | | -patchy and discontinuous calc-silicate replacement, garnet-diopside- | | | | | | | | | | | | | | |
| | | silica and minor scapolite | | | | | | | | | | | | | | |
| | | -weak potassic alteration, pink-red Kspar+epidote | | | | | | | | | | | | | | |
| | | -pervasive strong silicification | | | | | | | | | | | | | | |
| | | -non-magnetic to locally strongly magnetic (trace to 2-3%), dark green | | | | | | | | | | | | | | |
| | | fragments/mafic phenocrysts/amygdules and matrix replaced by fine to | | | | | | | | | | | | | | |
| | | medium grained magnetite | | | | | | | | | | | | | | |
| | | -trace mg euhedral pyrite | | | | | | | | | | | | | | |
| | | 50.4-56.5m narrow sections, <20cm, of high grade, semi-massive | | | | | | | | | | | | | | |
| | | magnetite, associated strong epidote-Kspar+ cpy as clots 1-2%, | | | | | | | | | | | | | | |
| | | variably calc-silicate altered volcanic breccia | | | | | | | | | | | | | | |
| | | 62.7-67.6 broken, blocky core, epidote-chlorite-calcite-hematite on | | | | | | | | | | | | | | |
| | | fractures, common orientation 45̊ to CA | | | | | | | | | | | | | | |
| | | 67.6-68.5 strongly fractured andesite breccia, healed by | | | | | | | | | | | | | | |
| | | calcite-hematite-chlorite, random orientations, below 68m | | | | | | | | | | | | | | |
| | | abundant epidote fracture-fill | | | | | | | | | | | | | | |
| | | 74.6-75m core rubble, epidote-garnet altered, strong limonite on | | | | | | | | | | | | | | |
| | | fractures | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 75.6 | 81.3 | WEAK/MODERATE CALC-SILICATE ALTERED PLAG-AUGITE | | | | | | | | 3 | 1 | | | | | |
| | | PHYRIC ANDESITE | | | | | | | | | | | | | | |
| | | -medium grey-brown, weakly calc-silicate altered, crowded (~30-50%), | | | | | | | | | | | | | | |
| | | plag-augite phyric andesite, locally amygdaloidal, <7% | | | | | | | | | | | | | | |
| | | -intercalations of mottled beige/pinkish red pf patchy and fracture- | | | | | | | | | | | | | | |
| | | controlled, weakly/moderately calc-silicate altered intervals, garnet-silic | | | | | | | | | | | | | | |

| Depth (m) | | | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | diopside-magnetite | | | | | | | | | | | | | | |
| | | -minor potassic alteration (Kspar-ep), pervasive silicification | | | | | | | | | | | | | | |
| | | 77.7-78.3m wispy, wavy, beige boudins?, <1cm to >3cm in length, | | | | | | | | | | | | | | |
| | | discontinuous, silica-garnet? defining foliation at 40° to CA | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 81.3 | 93.2 | MODERATE/STRONG CALC-SILICATE ALTERED | tr | tr | | tr | | | | 3 | 1 | 54934 | 86.3 | 88.3 | 0.01 | <0.03 |
| | | ANDESITE/ANDESITE BRECCIA | | | | | | | | | | 54935 | 88.3 | 90.8 | <0.01 | <0.03 |
| | | Similar to 11.3-35.9. Moderately altered andesite/andesite breccia | | | | | | | | | | 54936 | 90.8 | 93.2 | 0.01 | <0.03 |
| | | w/intercalations of weak and strong calc-silicate volcanics/volcanic | | | | | | | | | | | | | | |
| | | altered intervals. | | | | | | | | | | | | | | |
| | | -dark green and mottled beige/red/green, fine to medium grained | | | | | | | | | | | | | | |
| | | -strongly altered, skarned sections have completely obliterated primary | | | | | | | | | | | | | | |
| | | texture, garnet-diopside-sil, alteration is patchy and fracture-controlled | | | | | | | | | | | | | | |
| | | randomly orientations and variable thickness, <2mm to >1cm | | | | | | | | | | | | | | |
| | | -minor patchy Kspar (potassic alteration) | | | | | | | | | | | | | | |
| | | -host rock is porphyritic (plag/augite), amygdaloidal andesite and | | | | | | | | | | | | | | |
| | | andesite breccia/pseudobreccia? w/ corroded dark green fragments in | | | | | | | | | | | | | | |
| | | calc-silicate altered porphyritic matrix | | | | | | | | | | | | | | |
| | | -strong pervasive silicification | | | | | | | | | | | | | | |
| | | -trace fine grained cpy and py dissem | | | | | | | | | | | | | | |
| | | -non-magnetic to locally weakly magnetic (trace) | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 93.2 | 129.8 | MODERATELY CALC-SILICATE ALTERED ANDESITE | tr | tr | | tr | | | | 3 | 1 | 54937 | 109.6 | 111.6 | 0.03 | <0.03 |
| | | -medium greenish-grey w/minor intervals of mottled beige/green/reddis | | | | | | | | | | 54938 | 111.6 | 113.6 | <0.01 | <0.03 |
| | | pink, similar to 81.3-93.2m, but less calc-silicate altered, ~25% of this | | | | | | | | | | 54939 | 113.6 | 115.6 | <0.01 | <0.03 |
| | | unit | | | | | | | | | | | | | | |
| | | -weakly preserved primary textures, amygdaloidal and plagioclase- | | | | | | | | | | | | | | |
| | | augite porphyritic andesite, 1-2mm on average | | | | | | | | | | | | | | |
| | | -mottled sections are pseudobrecciated? w/dark green, strongly | | | | | | | | | | | | | | |
| | | magnetic fragments, corroded rims, in a fg, beige garnet.> diopside | | | | | | | | | | | | | | |
| | | altered, fragmental? and porphyritic (plag-augite) matrix, <10% garnet- | | | | | | | | | | | | | | |
| | | diopside-epidote-Kspar skarn | | | | | | | | | | | | | | |
| | | -occasional, trace fg specks of cpy associated w/ strong calc-silicate | | | | | | | | | | | | | | |
| | | alteration | | | | | | | | | | | | | | |
| | | -minor ga-sil veining and amygdule-fill | | | | | | | | | | | | | | |
| | | -late stage calcite filling fractures, <2mm, 30° to CA, widely spaced 1- | | | | | | | | | | | | | | |
| | | 2/1m | | | | | | | | | | | | | | |
| | | 124.5-126.2 mag-ep-sil-Kspar-scapolite-cpy vein, to 5 cm, 35° to CA, | | | | | | | | | | | | | | |
| | | cpy as dissem and clots | | | | | | | | | | | | | | |
| | | @126.2m fracture-controlled cpy/py, 1-2mm, 2° to CA, associated qtz | | | | | | | | | | 54940 | 125.4 | 126.6 | 0.09 | <0.03 |

| Depth (m) | | | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | @126.2m fracture-controlled cpy/py, 1-2mm, 2° to CA, associated qtz-cal-ep, cpy also in selvages and clots in matrix, overall <0.5%, trace fg py | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 129.8 | | EOH | | | | | | | | | | | | | | |

# GWR RESOURCES INC.
# DRILL HOLE: SPL-05-08

**PROPERTY:**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Easting (NAD 83):** | **612073** | **Core Size:** | **NQ** | **Started:** | **4 Mayl 05** | **Down-hole Tests** | |
| **Northing (NAD 83):** | **5760930** | **Hole Azimuth:** | **245°** | **Finished:** | **11 May 05** | **Depth** | **Angle** | **Azm.** |
| **Grid Location:** | | **Hole Angle:** | **-50°** | **Logged by:** | **D.Duba** | | | |
| **Elevation:** | **1130 m** | **Total Depth:** | **215.5 m** | **Analysis by:** | **Eco-Tech** | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.0 | 6.1 | CASING | | | | | | | | | | | | | | |
| 6.1 | 21.3 | WEAKLY CALC-SILICATE ALTERED MAFIC LAPILLI TUFF?/CONGLOMERATE?/ANDESITE BRECCIA? -medium grey-green, fine to medium grained, massive, mafic lapilli tuff?/conglomerate?, polymictic, matrix supported w/<10 to 30% subangular to subround green augite phyric andesite, <0.5 to 3cm on average and minor, <3%, off-white calcite, <2-4cm, clasts -matrix is fine grained, chloritic and moderately magnetic, 1-3% subhedral, fg to mg magnetite as phenocryst/amygdule and matrix replacement -weak pervasive chloritization -weak patchy and lesser fracture-controlled calc-silicate alteration (dio-ep-sil), localized, minor potassic alteration (pink Kspar-epidote) -from 6 to 20.5m, blocky core w/strong fracture-controlled limonite, occasional malachite staining -narrow sections, <10cm, of strong magnetite, 10-15%, w/associated cpy masses and malachite (1-2%), overall trace cpy | | tr | | 2 | | | | 3 | 1 | 61415 | 7.3 | 9.30 | 0.49 | 0.06 |
| | | | | | | | | | | | | 61416 | 9.30 | 11.3 | 0.09 | <0.03 |
| | | | | | | | | | | | | 61417 | 11.3 | 13.3 | 0.03 | <0.03 |
| | | | | | | | | | | | | 61418 | 13.3 | 15.3 | 0.09 | 0.1 |
| | | | | | | | | | | | | 61419 | 15.3 | 17.3 | 0.19 | 0.04 |
| | | | | | | | | | | | | 61420 | 17.3 | 19.3 | 0.03 | <0.03 |
| | | | | | | | | | | | | 61421 | 19.3 | 21.3 | 0.13 | <0.03 |
| 21.3 | 58.5 | ANDESITE BRECCIA?/MAFIC LAPILLI TUFF? Similar to above, 6.1-21.3m. Weaker calc-silicate alteration and very rare sulfides, trace cpy. -calc-silicate alteration is in form of fragment replacement by garnet-diopside-silica-magnetite, minor Kspar-ep (potassic alt'n) -occasional calc-silicate veins, <1mm to 5mm, garnet-calcite w/dio-sil selvages, random orientations -weakly fractured, dominant orientations are 25-30°, 40° and 60° CA, minor lim-chl-clay+/-ep on fractures from 50 to 57m -weakly magnetic, locally strong, to 5% 1-2mm subhedral crystals, overall trace 28-28.6m broken section, closely spaced fractures, <2cm apart on average, 20° to CA, calc-silicate+limonite+clay filled 42-42.3m fault zone, light grey-green clay gouge, strongly calcareous, LC & UC @ 80° to CA 46.4-46.5m dio-mag-calc vein, 0.5cm, 35° to CA, wispy contacts, massive cpy in rims, ep/lim/cal on fractures 52.2-52.6m several 3 to 10mm, 10°-25° CA, magnetite-cpy-calc veins, | | | | | | | | | | 61422 | 21.3 | 23.3 | 0.26 | 0.04 |
| | | | | tr | | tr | | | | | 1 | 61423 | 23.3 | 25.3 | 0.02 | 0.03 |
| | | | | | | | | | | | | 61424 | 45.5 | 47.5 | 0.04 | <0.03 |
| | | | | | | | | | | | | 61425 | 47.5 | 49.5 | 0.01 | <0.03 |
| | | | | | | | | | | | | 61426 | 49.5 | 51.5 | 0.02 | <0.03 |
| | | | | | | | | | | | | 61427 | 51.5 | 53.9 | 0.13 | <0.03 |
| | | | | | | | | | | | | 61428 | 53.9 | 55.5 | 0.01 | <0.03 |
| | | | | | | | | | | | | 61429 | 55.5 | 57.5 | 0.05 | <0.03 |
| | | | | 3 | | 2.5 | | | | | | | | | | |

| Depth (m) | | | Py | Cpy | Mo | Mag | Alteration Scale: 1 to 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | calc-silicate(dio?-ga) altered host andesite | | | | | | | | | | | | | | |
| 58.5 | 81.4 | WEAKLY CALC-SILICATE ALTERED ANDESITE/LESSER ANDESITE BRECCIA<br>-medium to dark grey-green, fine grained andesite w/lesserintercalations of andesite breccia<br>-locally porphyritic, plagioclase-augite phyric, 1-3mm, 25 to 50% phenocrysts, amygdaloidal, <1 to 5mm, 5-10%<br>-minor intercalations of matrix supported polymictic? andesite breccia, fragments are subangular to subround, <0.5 to >3cm, poorly sorted, to 50% of rock volume<br>-matrix is andesitic in composition, equigranular to porphyritic/amygdaloidal, similar in texture and composition to fragments<br>-patchy, discontinuous calc-silicate and lesser potassic alteration, narrow sections of more pervasive replacement by ga-dio-ep-Kspar<br>-moderately magnetic, to 3%, pervasive chloritization<br>-weakly to moderately fractured, increases in intensity w/depth, pink calcite+sil+dio+Kspar+ep+mag fracture-fill<br>-narrow sections of strong epidote, 60.9-70m & 63.35-63.55m<br>59-59.7m UC and LC of alteration front @40-45° to CA, ga-dio and Kspar-ep alteration, veined cpy, 1-2mm, 35° to CA<br>Below 66m, blocky core over >50% of the interval, <15cm segments, common fracture trends 0-10°, 30°, 45° and 80° to CA<br>-calcite fill, rare calcite-magnetite, 15-25° to CA, <0.5cm w/ep-Kspar (albite?)-qtz-cal selvages | tr | tr | | 3 | | 2 | | | 1 | 61430 | 70.4 | 72.4 | <0.01 | <0.03 |
| | | | | | | | | | | | | 61431 | 72.4 | 73.4 | 0.15 | <0.03 |
| | | | | | | | | | | | | 61432 | 73.4 | 75.4 | 0.01 | <0.03 |
| | | | | | | | | | | | | 61433 | 75.4 | 77.4 | <0.01 | <0.03 |
| | | | | | | | | | | | | 61434 | 77.4 | 79.4 | 0.01 | <0.03 |
| | | | | | | | | | | | | 61435 | 79.4 | 81.4 | 0.02 | <0.03 |
| | | | | 0.2 | | tr | | | | | | | | | | |
| 81.4 | 84.9 | MAGNETITE-CPY/PY-DIOPSIDE-EPIDOTE-SCAPOLITE-CALCITE SKARN<br>-mottled dark grey/black/apple green/pinkish red<br>-magnetite(40%)-diopside(<5%)-epidote((<5%)-scapolite(<3-5%)-calcite(10%)-sulfides (cpy, 3-4%/py<1%) skarn, obliterated primary textures<br>-Kspar(albite?) alteration, pervasive silicification<br>-late stage calcite veining, 0° and 30° to CA, >1 to 5mm<br>-partly blocky core, locally brecciated, random fracturing, healed by ch-cal-magnetite<br>-cpy/py as masses and clots associated with strong magnetite, 1% py and 3% cpy<br>-locally pseudobrecciated sections, andesite breccia protolith?<br>-variable vfg to lesser mg, subhedral magnetite, 50-75% from 8.14 to 83.2m, decreases to <10% from 83.2 to 84.9m | 1 | 3 | | 35 | | 3 | | 4 | 1 | 61436 | 81.4 | 83.1 | 1.52 | 0.15 |
| | | | | | | | | | | | | 61437 | 83.1 | 84.9 | 0.57 | 0.08 |
| 84.9 | 88.4 | STRONGLY FRACTURED, ALTERED (EP-DIO-SIL) ANDESITE BRECCIA | | 0.5 | | 10 | | 2 | | 3 | 1 | | | | | |

| Depth (m) | | | Py | Cpy | Mo | Mag | Alteration Scale: 1 to 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Similar to above 81.4-84.9m, however, less intense skarnification and lesser magnetite and sulfides. | | | | | | | | | | 61438 | 84.9 | 86.9 | 0.12 | <0.03 |
| | | -mottled dark grey/black/medium green, fine to medium grained | | | | | | | | | | 61439 | 86.9 | 88.9 | 0.89 | 0.08 |
| | | -strongly calc-silicate altered andesite breccia?, pseudobrecciated(?) | | | | | | | | | | 61440 | 88.9 | 90.9 | 0.13 | <0.03 |
| | | w/dark green, strongly magnetic fragments, <0.5 to 2-3cm on average | | | | | | | | | | 61441 | 90.9 | 92.9 | 0.27 | 0.06 |
| | | in a medium grained, plag-augite phyric garnet-silica-diopside-epidote- | | | | | | | | | | | | | | |
| | | carbonate-Kspar altered matrix | | | | | | | | | | | | | | |
| | | -10-12% magnetite, <0.5% cpy, locally in core of amygdales/fragments | | | | | | | | | | | | | | |
| | | rimmed by cal-sil-ga-dio-ep | | | | | | | | | | | | | | |
| | | -high magnetite zone, 86.9-87.1m, w/associated 5% semi-massive cpy | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 88.4 | 92.9 | FAULT ZONE/STRONGLY ALTERED ANDESITE BRECCIA? | | tr | | 1 | 3 | 3 | | | | | | | | |
| | | -strongly calc-silicate altered, brecciated andesite breccia? | | | | | | | | | | | | | | |
| | | -mottled black/medium green, strong fracture-controlled and patchy | | | | | | | | | | | | | | |
| | | magnetite-garmet-epidote-calcite altered/some skarnification | | | | | | | | | | | | | | |
| | | -medium grey-green fault gouge, slickensided chloritic fractures | | | | | | | | | | | | | | |
| | | -late calcite random fracture filling | | | | | | | | | | | | | | |
| | | -weakly magnetic, locally moderate, ~1% | | | | | | | | | | | | | | |
| | | -trace cpy/py disseminations | | | | | | | | | | | | | | |
| | | -LC is at 15° CA, calcite veined, fault trend? | | | | | | | | | | | | | | |
| 92.9 | 124.3 | STRONGLY FRACTURED, CALC-SILICATE ALTERED ANDESITE BRECCIA | | tr | | 3 | | | | | 2 | 61442 | 92.9 | 94.9 | 0.42 | 0.10 |
| | | -mottled black/grey/green/red mg, strongly fractured andesite breccia? | | | | | | | | | | 61443 | 94.9 | 96.9 | 0.11 | <0.03 |
| | | -pseudobrecciated?, variably calc-silicate altered, patchy and | | | | | | | | | | 61444 | 96.9 | 98.9 | 0.15 | <0.03 |
| | | discontinuous ga-dio?, lesser patchy potassic alteration (Kspar-ep), | | | | | | | | | | 61445 | 98.9 | 100.9 | 0.07 | <0.03 |
| | | locally strong epidote | | | | | | | | | | 61446 | 100.9 | 102.9 | 0.18 | <0.03 |
| | | -variable magnetite replacement of fragments and matrix, 5-10% over | | | | | | | | | | 61447 | 102.9 | 104.9 | 0.08 | <0.03 |
| | | 20 cm sections, average ~3%, vfg to mg subhedral | | | | | | | | | | 61448 | 104.9 | 106.9 | 0.1 | <0.03 |
| | | -trace cpy as clots and dissem in strongly calc-silicate altered sections | | | | | | | | | | 61449 | 106.9 | 108.9 | 0.11 | <0.03 |
| | | w/high magnetite | | | | | | | | | | 61450 | 108.9 | 110.9 | 0.18 | <0.03 |
| | | | | | | | | | | | | 61451 | 110.9 | 112.9 | 0.09 | <0.03 |
| 124.3 | 195.4 | WEAKLY/MODERATELY FRACTURED/ALTERED ANDESITE | tr | tr | | tr | | 2 | | 3 | 1 | 61452 | 112.9 | 114.9 | 0.08 | <0.03 |
| | | Grey-green to brown, fine grained, crowded porphyritic (>40%, 1-2mm | | | | | | | | | | 61453 | 114.9 | 116.9 | 0.18 | <0.03 |
| | | on average, plagioclase, augite?) andesite, weakly calc-silicate altered. | | | | | | | | | | 61454 | 116.9 | 118.9 | 0.06 | <0.03 |
| | | Locally obscured primary textures. | | | | | | | | | | 61455 | 118.9 | 120.9 | 0.05 | <0.03 |
| | | Minor patchy and fracture-controlled garnet-diopside-silica+/-epidote+/- | | | | | | | | | | 61456 | 120.9 | 122.9 | 0.22 | 0.04 |
| | | carbonate replacement of amygdules and phenocrysts | | | | | | | | | | 61457 | 122.9 | 124.3 | 0.06 | <0.03 |
| | | -weak Kspar (albite?), weakly magnetic, trace fg to mg dissem | | | | | | | | | | | | | | |
| | | -blocky core over >50% of this interval, variably fractured, moderate to | | | | | | | | | | | | | | |
| | | strong, chlorite-calcite-minor pale green clay gouge fill, common | | | | | | | | | | 61458 | 124.3 | 126.3 | 0.07 | <0.03 |
| | | slickensides, variable orientations | | | | | | | | | | 61459 | 126.3 | 128.3 | 0.03 | <0.03 |
| | | -pervasive silicification | | | | | | | | | | | | | | |
| | | -calcite+/-chl+/-mag veins, <1 to 5mm, dominant set at low angle, 0-20° | | | | | | | | | | | | | | |
| | | to CA, and randor | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE NO.: SPL-05-08**

| Depth (m) | | | Py | Cpy | Mo | Mag | Alteration Scale: 1 to 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 137-143.1m more broken and blocky core, some rubbly sections, | | | | | | | | | | | | | | |
| | | (<10cm lengths), calcite-chlorite healing random fractures | | | | | | | | | | | | | | |
| | | 143.1-143.25m fault zone, soft core w/pale green, calcareous clay | | | | | | | | | | | | | | |
| | | gouge, UC at 85° to CA and LC is broken | | | | | | | | | | | | | | |
| | | 159.2-159.3m mottled beige/green/reddish brown, ga-dio-ep-mag-Ksp | | | | | | | | | | | | | | |
| | | skarn, remnant dark green pseudofragments, irregular wispy contacts | | | | | | | | | | | | | | |
| | | 165.3-165.7m similar to 159.2-159.3m, garnet-epidote-silica-diopside | | | | | | | | | | 61460 | 163.7 | 165.7 | <0.01 | <0.03 |
| | | skarn, rare specks of cpy/py, minor calcite filling fractures, sub ll to 10° | | | | | | | | | | 61461 | 165.7 | 167.7 | <0.01 | <0.03 |
| | | CA, undulating | | | | | | | | | | | | | | |
| 195.4 | 204.3 | WEAK/MODERATE CALC-SILICATE ALTERED ANDESITE/MINOR | | | | <0.5 | | | | 3 | 2 | 61462 | 195.4 | 197.4 | 0.03 | <0.03 |
| | | GREYWACKE/MAFIC TUFF? | | | | | | | | | | 61463 | 197.4 | 199.4 | 0.01 | <0.03 |
| | | Similar to above, 124.3-195.4, but more intensely calc-silicate altered | | | | | | | | | | 61464 | 199.4 | 201.4 | 0.01 | <0.03 |
| | | andesite/minor mafic tuff? | | | | | | | | | | 61465 | 201.4 | 203 | 0.02 | <0.03 |
| | | -variable, weak to moderate patchy and fracture-controlled ga-dio-sil | | | | | | | | | | 61466 | 203.0 | 204.3 | 0.09 | <0.03 |
| | | alteration, replacement of phenocrysts/amygdules and matrix | | | | | | | | | | | | | | |
| | | -moderate pinkish red potassic alteration | | | | | | | | | | | | | | |
| | | -weakly magnetic, trace to 0.5% | | | | | | | | | | | | | | |
| | | -weakly fractured, common set at 40-45° to CA, late pink and white | | | | | | | | | | | | | | |
| | | calcite healing fractures | | | | | | | | | | | | | | |
| | | 199.6-200.3m intercalations of greywacke/mafic tuff?, faintly banded, | | | | | | | | | | | | | | |
| | | So at 50° to CA | | | | | | | | | | | | | | |
| | | 203-204.3m pseudobreccia, mottled beige/green/dark grey/black, | | | | | | | | | | | | | | |
| | | strong garnet-diopside-siical-magnetite, trace clots of py+po | | | | | | | | | | | | | | |
| | | (@203.1m) | | tr | | 4 | | | | | | | | | | |
| 204.3 | 215.5 | MOD/STRONG CALC-SILICATE ALTERED INTERBEDDED | tr | tr | | 3 | | | | 4 | 1 | 61467 | 204.3 | 206.3 | 0.13 | <0.03 |
| | | VOLCANICLASTIC SEDS? AND ANDESITE | | | | | | | | | | 61468 | 206.3 | 208.3 | 0.1 | <0.03 |
| | | -mottled dark grey/black/beige/medium green, plagioclase- | | | | | | | | | | | | | | |
| | | augite/hornblende? phyric andesite, partially obliterated primary textures | | | | | | | | | | | | | | |
| | | -interbedded w/laminated to thickly bedded greywacke and siltstone, | | | | | | | | | | | | | | |
| | | volcanic to sediments ratio is ~40-60 | | | | | | | | | | | | | | |
| | | -minor andesite breccia (pseudobreccia?) intercalations | | | | | | | | | | | | | | |
| | | -variably calc-silicate altered, moderate to strong, discontinuous/patchy | | | | | | | | | | | | | | |
| | | and fracture-controlled, garnet-diopside-sil and lesser potassic | | | | | | | | | | | | | | |
| | | alteration (Kspar-epidote) | | | | | | | | | | | | | | |
| | | -moderately magnetic, as fg matrix replacement, mag rich bedding ll | | | | | | | | | | | | | | |
| | | lamina, mg subhedral crystal, <1 to 7-10% over 10cm sections, averag | | | | | | | | | | | | | | |
| | | 3% | | | | | | | | | | | | | | |
| | | -strong alteration 204.3-207.2m, to 30 cm sections of ga-dio skarn | | | | | | | | | | | | | | |
| | | -So 38°-40° to CA (204.6m), So 45° CA (214.9m) | | | | | | | | | | | | | | |
| | | Overall weakly fractured, blocky core to 207m, calc-silicate | | | | | | | | | | | | | | |

| Depth (m) | | | Py | Cpy | Mo | Mag | Alteration Scale: 1 to 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | fracture fill+/-chl-ep, H/L to 5mm, common 35-45° and lesser 20° & 70° to CA, locally random orientations in areas of more intense fracturing | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 215.5 | | EOH | | | | | | | | | | | | | | |

**PROPERTY: Ann North**

# GWR RESOURCES INC.

**DRILL HOLE NO.: SPL 05-1**



| Angle & Azmth Tests | | |
|---|---|---|
| **Depth** | **Angle** | **Azmth** |
| 124.05 | 64.5 | |
| 209.39 | 62 | |

| | | |
|---|---|---|
| **Easting (NAD 83): 611838** | **Core Size: NQ** | **Started: 9th April 05** |
| **Northing (NAD 83): 5761272** | **Hole Azimuth: 220°** | **Finished: 1 May 05** |
| **Grid Location:** | **Hole Angle: -65** | **Logged by: B Callaghan** |
| **Elevation: 1109m** | **Total Depth: 301. 44m** | **Analysis by: Eco-Tech** |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| 0.00 | 9.14 | Casing, no recovery | | | | | | | | | | | | | | |
| 9.14 | 32.15 | Augite Plag Porphyritic Andestitic Flow Bx | | | | | | | | | | | | | | |
| | | Grey green black, very fine grained locally up to 20% augite phenocrysts in clast supported breccia zones. Up to 4mm with flow alignment at 40° to c.a.. Fractures widely spaced with calcite , epidote, grossularite and tourmaline cut by late calcite stringers 1mm-3mm at 20°, 50°, and subparallel to c.a.. Flow breccia intermixed with fine grained flows that are more magnetic. Native copper flecks at 16.30m. No visible sulphides. Core recovery 100% to 23.47m. 23.47m-32.15m flow breccia more clast supported with up to 25% augite phenocrysts. Noticeable weakly bleached pale green zones with interstial pale pink carbonate as replacement. Flow alignent 40° at 29.15m. Weak fracturing with minor calcite, epidote at 20°-40° to c.a.. | | | | 2 | 0.5 | 1 | 1 | | | | | | | |
| 32.15 | 39.80 | Porphyritic (Augite) Andestitic Flow Breccia | 0.5 | 0.5 | | 2 | 1 | 1 | | | | 47301 | 32.10 | 34.10 | 0.08 | <0.03 |
| | | Upper contact 40° to c.a. with pale green , grey intermixed flows, breccia and intercalated lenses of greywacke. Alteration- epidote, scapolite?, calcite, very minor Kspar, magnetite. Flow alignement of streched clasts 30° to c.a.. Fracturing weak with calcite , epidote, and grossularite that rims epidote fractures at 30° to c.a.. Recoveries 100%. Mineralization- Fine grained disseminated pu=yrite, minor chalcopyrite, pyrr? associated with epidote tourmaline?grossularite calcite. | | | | | | | | | | 47302 | 34.10 | 36.10 | 0.38 | 0.03 |
| | | | | | | | | | | | | 47303 | 36.10 | 38.10 | 0.09 | 0.03 |
| | | | | | | | | | | | | 47304 | 38.10 | 40.10 | 0.10 | 0.03 |
| | | 34.30m-1.5cm a 70° to c.a.- pyrite, minor pyrr, chalcopyrite as patches up to 1% in gangue of calcite, | 0.5 | tr | | 1 | | | | | | | | | | |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | epidote. Alignment of epidote, altered phenocrysts at | | | | | | | | | | | | | | |
| | | 20° to c.a. | | | | | | | | | | | | | | |
| | | 36.90-38.60m Flow alignement 20° to c.a.. Fractures | | | | | | | | | | | | | | |
| | | widely spaced -1mm calcite, hematite at 20°-40° to c.a.. | | | | | | | | | | | | | | |
| | | Clasts stretched. Altered to epidote, minor Kspar, | | | | | | | | | | | | | | |
| | | calcite with up to 0.5% scattered patches of pyrite, | | | | | | | | | | | | | | |
| | | chalcopyrite, with brick red hematized kspar. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 39.80 | 39.92 | Greywacke Sediment | | | | | | | | | | | | | | |
| | | Light grey to pink brown, fine grained, thinly bedded. | 0.5 | 0.5 | | 2 | 2 | 1 | | | | | | | | |
| | | Cut by 1mm epidote, pyrite, magnetite veinlet at 30° to | | | | | | | | | | | | | | |
| | | c.a.. Upper contact 30°, lower contact 40° to c.a.. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 39.92 | 42.40 | Augite Porphyritic Andestitic Flow Breccia | | | | | | | | | | 47305 | 40.10 | 42.10 | 0.22 | 0.03 |
| | | Detextured clasts up to 8cms altered to epidote, | | | | | | | | | | | | | | |
| | | magnetite, calcite, with scattered patches of pyrite, | | | | | | | | | | | | | | |
| | | chalcopyrite increasing with depth. | | | | | | | | | | | | | | |
| 42.40 | 48.33 | Epidote Magnetite Skarn | 1 | 1 | | 4 | 3 | 3 | | | | 47306 | 42.10 | 44.10 | 0.11 | 0.03 |
| | | Green to black fine grained augite porphyry and | | | | | | | | | | 47307 | 44.10 | 46.10 | 0.36 | 0.03 |
| | | intercalated sediments and breccia with more pervasive | | | | | | | | | | 47308 | 46.10 | 48.10 | 0.20 | 0.03 |
| | | grossularite, epidote, magnetite, calcite, scapolite? | | | | | | | | | | | | | | |
| | | Carbonate, magnetite as patches swirls 5%-10%-15%. | | | | | | | | | | | | | | |
| | | Mineralization- Pyrite, chalcopyrite as patches as blebs | | | | | | | | | | | | | | |
| | | associated with magnetite veinlets at 30° to c.a. locally | | | | | | | | | | | | | | |
| | | up to 1.5cms. Variable 1-2% pyrite, chalcopyrite. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 48.33 | 51.53 | Epidote Magnetite Kspar Skarn | 0.5 | 0.5 | | | | | | | | 47309 | 48.10 | 50.10 | 0.07 | 0.03 |
| | | 40° upper contact. Bedding foliation 20° to c.a.. | | | | | | | | | | 47310 | 50.10 | 52.10 | 0.17 | 0.03 |
| | | Pervasive calc silicate alteration with epidote, | | | | | | | | | | | | | | |
| | | magnetite, calcite, k-feldspar scapolite?. Grey black | | | | | | | | | | | | | | |
| | | green pink with dark red bands of Kspar replacement | | | | | | | | | | | | | | |
| | | with less magnetite, less chalcopyrite. | | | | | | | | | | | | | | |
| 51.53 | 55.20 | Epidote Magnetite (Calcite) Dropside Skarn | 0.5 | 0.5 | | | | | | | | 47311 | 52.10 | 54.20 | 0.15 | 0.03 |
| | | Dark green black patchy massive magnetite with soft | | | | | | | | | | 47312 | 54.20 | 55.20 | 0.45 | 0.03 |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | pervasive epidote, calcite, altered breccia. Maroon to pink coating along fractures associated with calcite in strong calc silicate altered zones. Chalcopyrite as disseminated scattered patches. 0.5-1%. Calcite veins up to 6cm parallel , subparallel to c.a. at 53.50m. | | | | | | | | | | | | | | |
| 55.20 | 56.69 | Magnetite Kspar Chalcopyrite Skarn | | 1.5 | | | | | | | | | | | | |
| | | pink, orange, black mottled less epidote, magnetiteup to 60%. 2% chalcopyrite as blebs, fine grained, massive. Core competent 100% recovery. | | | | | | | | | | | | | | |
| 56.69 | 59.21 | Epidote Diopside? K-feldspar Skarn | | tr | | | | | | | | 47313 | 55.20 | 56.70 | 0.67 | 0.04 |
| | | Pervasive green epidote altered with bands of magnetite k-feldspar. Mottled pink, orange, black in colour , pervasive mod to intense calc silicate. Bands contain with less chalcopyrite as fine disseminations, at 70° and 20° to c.a.and 2-7cms in width. | | | | | | | | | | 47314 | 56.70 | 58.70 | 0.02 | <0.03 |
| | | | | | | | | | | | | 47315 | 58.70 | 60.70 | 0.05 | <0.03 |
| 59.21 | 62.30 | Augite Porphyritic Andestite/Andesite Breccia | tr | 0.05 | | 1 | 2 | 1 | | | 1 | 47316 | 60.70 | 62.70 | 0.02 | <0.03 |
| | | Augite phenocrysts up to 4mm with 15%fragments up to 4cms. Moderate calc silicate alteration with epidote, grossularite, calcite , magnetite with brick red hematized Kspar as intergrowths around epidote and calcite. Mineralization- 0.05% disseminated, fine grained, chalcopyrite assocaited with epidote. Flow banding at 20° to c.a.. Core competent 100% recovery. Lower contact with flows 30° to c.a. | | | | | | | | | | | | | | |
| 62.30 | 68.70 | Augite Porphyritic Andesite/ Basalt Amygdaloidal Flow | | | | | | | | | | | | | | |
| | | Dark grey , fine grained variably porphyritic with up to 10% amygdules replaced with epidote, grossularite,carbonate, up to 2cms, streched. Others epidote, scapolite? carbonate. 2mm-1cm. Foliation of flow breccia 20 to c.a. and lower contact 20°. | | | | | | | | | | | | | | |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | | | | | | | | | | | | | | | |
| 68.70 | 72.24 | Augite Porphyritic Amyg And/BasFlow/Seds | | | | | | | | | | | | | | |
| | | Grey black, fine grained, locally brecciated further | | | | | | | | | | | | | | |
| | | downhole. Siltstone bed up to 3 cms. Weak to mod calc | | | | | | | | | | | | | | |
| | | silicate altered amygdules wit epidote, grossularite, | | | | | | | | | | | | | | |
| | | chalcedonic quartz, carbonate scapolote? Core | | | | | | | | | | | | | | |
| | | competent 100% recoveries.. | | | | | | | | | | | | | | |
| 72.24 | 87.19 | Augite Plag Porphyritic Andesite Flow Breccia | | | | 3 | | 0.5 | 1 | | | | | | | |
| | | Grey black, medium grained with up to 25% augite | | | | | | | | | | | | | | |
| | | phenocrysts up to 3mm. Fresh to weak calc silicate | | | | | | | | | | | | | | |
| | | alteration, cavities replaced with grossularite and | | | | | | | | | | | | | | |
| | | carbonate cut by widely spaced cal veinlets up to 3mm | | | | | | | | | | | | | | |
| | | at 20° to c.a. Fractures with open space cavities and | | | | | | | | | | | | | | |
| | | crstal growth coated with sooty grey carbonate. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 87.19 | 89.65 | Hornblede Augite Porphyritic And/Bas Flow | | | | 3 | | | | | | | | | | |
| | | upper contact at 50% c.a. Lower contact 15% to c.a. | | | | | | | | | | | | | | |
| | | Grey black with up to 15-25% wispey accicular Hb | | | | | | | | | | | | | | |
| | | phenocysts up to 4 - 5 mm. Supported in interlayered | | | | | | | | | | | | | | |
| | | Kspa, grossularite groundmass for 50 cms. Flow | | | | | | | | | | | | | | |
| | | alignment - variable. | | | | | | | | | | | | | | |
| 89.65 | 92.50 | Hb Augite Porphyritic And/Bas Flow/Seds | | | | 3 | | | | | | | | | | |
| | | grey black - magnetite and greywacke parallel to c.a. | | | | | | | | | | | | | | |
| | | axis. Greywacke at 91m subparallel to 15° to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 92.50 | 112.95 | Augite Plag Porphyritic And/Bas Bx/Greywacke | | | | | | | | | | | | | | |
| | | Grey black, fresh to weak calc silicate altered. Medium | | tr | | 3 | | 0.5 | 1 | | | | | | | |
| | | grained, with up to 25% phenocrysts of augite up to 3 | | | | | | | | | | | | | | |
| | | mm, av 2 mm. Widely spaced calcite veinlets | | | | | | | | | | | | | | |
| | | subparallel to 50° to c.a. up to 2mm, in first 50cms. | | | | | | | | | | | | | | |
| | | At 98.40m, greywacke parellel to c.a. for 40cms and at | | | | | | | | | | | | | | |
| | | 106-108 m. Very minorscattered cpy blebs. Core | | | | | | | | | | | | | | |
| | | competent with 100% recoveries. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 112.95 | 114.32 | Augite Porphyritic And /basaltic Flow Breccia | | | | 1 | 1 | 3 | 1 | | | | | | | |
| | | Grey green, highly fractured. Surfaces green black, | | | | | | | | | | | | | | |
| | | with chorite, calcite, minor hem. Locally bleached. - | | | | | | | | | | | | | | |
| | | Upper contact 30% to core axis. Partially filled fracture | | | | | | | | | | | | | | |
| | | with 3 cm open space filling of calcite crystals that | | | | | | | | | | | | | | |
| | | extend 15cms at 20° to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 114.32 | 116.57 | Augite Pporphyritic Andesite Flow Breccia | | | | | | | | | | | | | | |
| | | Dark grey green, fresh to weak calc silicate alteration | | | | | | | | | | | | | | |
| | | with minor epidote alteration of up to15% augite | | | | | | | | | | | | | | |
| | | phenocrysts up to 3mm. Some cavities up to 5mm | | | | | | | | | | | | | | |
| | | rimmed and replaced with carbonate, grossularite. | | | | | | | | | | | | | | |
| | | Lower contact 40° to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 116.57 | 117.90 | Augite Amyg Andesite with Volcaniclastic Seds | | | | | | | | | | | | | | |
| | | Fine grained with weak calc silicate pink, red | | | | | | | | | | | | | | |
| | | alteration with carbonate, grossularite, Kspar | | | | | | | | | | | | | | |
| | | replacement of cavities.Flow contains 5% augite | | | | | | | | | | | | | | |
| | | phenocrysts. Upper lower and lower contact at 5° to | | | | | | | | | | | | | | |
| | | c.a. Recoveries 100%. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 117.90 | 128.55 | Augite Amyg Basaltic /And Porphyritic flow | | | | 2 | 0.5 | 0.5 | | | | | | | | |
| | | Grey black, fine grained groundmass with large 15% | | | | | | | | | | | | | | |
| | | augite pheno's up to 5mm, widely spaced. Amygdules | | | | | | | | | | | | | | |
| | | replaced with bleached pale green epidote,albite | | | | | | | | | | | | | | |
| | | carbonate cores. No mineralization. | | | | | | | | | | | | | | |
| | | 123.75 - 126.80m 5% augite phenocrysts. 2% | | | | | | | | | | | | | | |
| | | amygdules stretched parallel to c.a. up to 3cm by 1 cm | | | | | | | | | | | | | | |
| | | with carbonate, grossularite, albite? No mineralization. | | | | | | | | | | | | | | |
| | | Late, widely spaced calcite veinets, 1mm to 3mm, at 60- | | | | | | | | | | | | | | |
| | | 80° to c.a. | | | | | | | | | | | | | | |
| 128.55 | 129.22 | Fault | | | | | | | | | | | | | | |
| | | Upper contact at 20° to c.a. with black chlorite clays | | | | | | | | | | | | | | |
| | | along slickensided surfaces and calcite as fracture fill. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | | | | | | | | | | | | | | | |
| 129.22 | 133.15 | Augite Plag amygdaloidal And/Basalt flow. | | | | 2 | 0.5 | 0.5 | | | | | | | | |
| | | As at 119.30 m. fine grained, grey black,1005 lone recoveries plag phenos annhedral white with minor carbonate - albite? | | | | | | | | | | | | | | |
| 133.15 | 145.00 | Augite Porphyritic Amyg And Bx/ Seds | | | | | | | | | | | | | | |
| | | As at 129.22m. At 133.66 - 135.00m 1 x 1.5 cms vuggy calcite vein, sub parrallel to c.a. Extends 1.5 m. Walls, black green clays, slickensided, no alteration. 141.00-141.54m sediment lenses parallel to core axis. 141.54m 1x4mm 75 degrees to c.a. opaque white quartz, grossularite. 141.83-144.45m Increase in remnant breccia clasts of epidote altered augite porphyry breccia with sub rounded stretched clasts up to 8 cms with replacement pink carbonate, grossularite magnetite. Trace very fine grained disseminated cpy in clasts. Patchy amygdules with replacement white opague quartz. At 144.45-145m quartz monzonite sill? crowded, fine grained ,grey pink and weakly Kspar flooded with 5% mafics altered to chlorite. Minor hematite + magnetite. | | tr | | | | | | | | | | | | |
| 145.00 | 147.50 | Augite PorphyriticAndesite Flow Breccia | | | | | 1 | | | | | | | | | |
| | | Grey, pale green weak to moderate calc silicate altered fragments, locally up to 50% altered to epidote, albite?grossularite and tourmaline up to 1mm cut by widely spaced fractures to 1 mm at 30° to c.a. with epidote, calcite and minor hematite. | | | | | | | | | | | | | | |
| 147.50 | 160.50 | Augitite porphry Ep-Carb- Qtz-Scapolite? Skarn | | tr | | | 1 | 1 | | | | 47317 | 147.50 | 149.50 | 0.01 | <0.03 |
| | | Upper c/t 15° lower c/t 30°. Strong calc silicate | | | | | | | | | | 47318 | 149.50 | 151.50 | 0.01 | <0.03 |
| | | alteration. Primary textures locally, totally obliterated, | | | | | | | | | | 47319 | 151.50 | 153.50 | 0.08 | <0.03 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | bleached, pale cream brown pinkish as well as strecthed | | | | | | | | | | 47320 | 153.50 | 155.50 | 0.03 | <0.03 |
| | | clasts & amygdules. Alt'd clasts elongate narrow up to | | | | | | | | | | 47321 | 155.50 | 157.50 | 0.17 | <0.03 |
| | | 7 cms.structures . Flow aligment of augite phenocrysts | | | | | | | | | | 47322 | 157.50 | 159.50 | 0.08 | <0.03 |
| | | and fragments 5 -10 ° to c.a. Fractures widely spaced, | | | | | | | | | | | | | | |
| | | from 2mm to 1 cm variably at 10, 20, 40 and 70° to c.a. | | | | | | | | | | | | | | |
| | | with cal, ep, hem, scapolite? actinolite? and grossularite | | | | | | | | | | | | | | |
| | | halos. Non magnetic mineralization , traces f.g. cpy | | | | | | | | | | | | | | |
| | | dissem. specuar hematite? molybdenum? at 157.90m. | | | | | | | | | | | | | | |
| | | Less alteration down hole. Mostly clast supported to | | tr | tr | 1 | 2 | 1 | | | | | | | | |
| | | bottom contact where flow alignment is parallel to c.a. | | | | | | | | | | | | | | |
| 160.50 | 163.15 | Augite Porphyritic Andesite Breccia | | | | | | | | | | | | | | |
| | | Fine grained, black with with weak calc silicate | | | | | | | | | | | | | | |
| | | alteration. Less clast supported downhole - 5-10%. | | | | | | | | | | | | | | |
| | | Fractures widely spaced, 1mm-4mm, 10°-15° to c.a. | | | | | | | | | | | | | | |
| | | Lower contact 20° with chlorite, calcite. 161.10m- 1x | | | | | | | | | | | | | | |
| | | 4mm, epidote Kspar, possibly intrusive? alteration 30° | | | | | | | | | | | | | | |
| | | to c.a.. | | | | | | | | | | | | | | |
| 163.15 | 166.54 | Augite Porphyritic Amygdaloidal Basalt Flow | | | | | | | | | | | | | | |
| | | Very fine grained black groundmass with locally 2% | | | | | | | | | | | | | | |
| | | augite phenocrysts. No skarn alteration, no | | | | | | | | | | | | | | |
| | | mineralization. Foliation of flowage 10° to c.a.. | | | | | | | | | | | | | | |
| 166.54 | 166.89 | Fault | | | | | | | | | | | | | | |
| | | True width 3cms at 5° to c.a.. Grey black, clays, | | | | | | | | | | | | | | |
| | | chlorite, hematite. | | | | | | | | | | | | | | |
| 166.89 | 177.85 | Augite Porphyritic Amygdaloidal Basalt Flow | | | | 3 | 0.5 | | | | | | | | | |
| | | More blocky,fresh, fracture density moderate, surfaces | | | | | | | | | | | | | | |
| | | green black chlorite, calcite, clays at 30°, 40° and | | | | | | | | | | | | | | |
| | | subparallel to c.a. No mineralization. Recoveries | | | | | | | | | | | | | | |
| | | 166.73-169.77m, 90%. 169.77-172.82m, 80%. 172.82- | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 175.87m, 100%. 175.82-178.92m, 70%. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 177.85 | 178.00 | Fault Breccia | | | | 1 | 2 | 1 | | | | | | | | |
| | | Dark green black, slickensided hematite, clays. Wall | | | | | | | | | | | | | | |
| | | rock andesite flows. Upper and lower contact at 50° to | | | | | | | | | | | | | | |
| | | c.a.. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 178.00 | 180.50 | Augite Porphyritic Andestitic Flow Breccia | | | | 3 | | | | | | 47323 | 178.50 | 180.50 | 0.06 | <0.03 |
| | | Grey black, fine grained matrix with increase of | | | | | | | | | | | | | | |
| | | magnetite. Calc silicate altered breccia clasts altered to | | | | | | | | | | | | | | |
| | | epidote, magnetite, grossularite, cores rimmed with | | | | | | | | | | | | | | |
| | | epidote grossularite cut by 20 to 40 degree calcite, | | | | | | | | | | | | | | |
| | | chlorite hematite veinlets 1-3mm. Surfaces | | | | | | | | | | | | | | |
| | | slickensided. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 180.50 | 182.00 | Magnetite K-feldspar Chalcopyrite Skarn | tr | 3 | | 4 | 2 | | | | 2 | 47324 | 180.50 | 182.00 | 0.92 | 0.07 |
| | | Strong calc silicate alteration. Upper contact | | | | | | | | | | | | | | |
| | | subparallel and 10° to c.a.. Extends 1.08m down axis | | | | | | | | | | | | | | |
| | | with 60% magnetite, 3% chalcopyrite locally up to 7% | | | | | | | | | | | | | | |
| | | in gangue of orange green, mottled, banded quartz | | | | | | | | | | | | | | |
| | | calcite, epidote, hematite, bladed breccia fragments, | | | | | | | | | | | | | | |
| | | magnetite and chalcopyrite. ? | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 182.00 | 188.90 | Augite Plag porphyritic Amygdaloidal Basalt | | | | | | | | | | 47325 | 182.00 | 184.00 | 0.05 | 0.03 |
| | | Grey black, fine grained, with locally up to 10-15% | | | | | | | | | | 47326 | 184.00 | 186.50 | 0.02 | 0.03 |
| | | augite phenocrysts cut by up to 10/metre, 30°-40° to | | | | | | | | | | 47327 | 186.50 | 188.90 | 0.05 | 0.03 |
| | | c.a.fractures with chlorite, epidote, hematite, calcite. | | | | | | | | | | | | | | |
| | | Surfaces locally slickensided in turn cut by 1mm calcite | | | | | | | | | | | | | | |
| | | veinlets 10° to c.a.. Core blocky at lower contact from | | | | | | | | | | | | | | |
| | | 188.06-191.11m, 85% core recovery. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 188.90 | 190.90 | Magnetite Chalcopyrite K-feldspar Skarn | | | | | | | | | | | | | | |
| | | 50-60% magnetite, with locally up to 3-5% | | | | | | | | | | 47328 | 188.90 | 190.90 | 2.14 | 0.64 |
| | | chalcopyrite, 0.5% pyrite in strong calc silicate altered, | 1 | 5 | | 3 | 2 | 2 | | | 3 | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | mottled, pink, orange, black, green vein, running 10° to | | | | | | | | | | | | | | |
| | | c.a.. Core blocky, 95% recovery. Surfaces slickensided | | | | | | | | | | | | | | |
| | | with dark black green chlorite. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 190.90 | 200.44 | Augite Porphyritic Andestitic Breccia | 0.5 | 1.5 | | 3 | 2 | 1 | | | 1 | 47329 | 190.00 | 192.90 | 1.29 | 0.15 |
| | | Black green, locally mottlled, patchy calc silicate | | | | | | | | | | 47330 | 192.90 | 194.90 | 0.52 | 0.07 |
| | | alteration with pink orange, bleached, pale green | | | | | | | | | | 47331 | 194.90 | 196.90 | 0.52 | 0.05 |
| | | augite, porphyry clasts, detextured supported in black | | | | | | | | | | 47332 | 196.90 | 198.90 | 0.25 | 0.03 |
| | | magnetite matrix. Clasts altered to epidote, carbonate | | | | | | | | | | | | | | |
| | | chalcopyrite cut by 1mm fractures with chlorite, | | | | | | | | | | | | | | |
| | | hematite, calcite. Surfaces slickensided, 50° to c.a. | | | | | | | | | | | | | | |
| | | Locally chalcopyrite 1-2% as clusters and fine grained, | | | | | | | | | | | | | | |
| | | disseminated associated with up to 50% Magnetite. | | | | | | | | | | | | | | |
| | | Flow alignment 30° to c.a.. | | | | | | | | | | | | | | |
| | | 196.10-198.90m Kspar alteration more intense as | tr | 1 | | 3 | 2 | | | | 3 | | | | | |
| | | orange pink intersitial masses with epidote, carbonate. | | | | | | | | | | | | | | |
| | | Chalcopyrite fine grained andas patches locally up to 1- | | | | | | | | | | | | | | |
| | | 2% with pyrite, pyrrhotite. Upper contact 20° with jig | | | | | | | | | | | | | | |
| | | saw brecciation associated with calcite, hematite, pyrite | | | | | | | | | | | | | | |
| | | masses for 10 cms. 198.90 -200.44m Weak Kspar | | | | | | | | | | | | | | |
| | | alteration, more epidote. Flow alignment sub-parallel to | | | | | | | | | | | | | | |
| | | c.a. to 5°. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 47333 | 198.90 | 200.90 | 0.06 | <0.03 |
| 200.44 | 211.09 | HB Plag Porphyritic Basaltic Flow and Breccia | 0.5 | tr | | 2 | 1 | | | | 1 | 47334 | 200.90 | 202.90 | 0.09 | <0.03 |
| | | Grey black, pink orange, fine-grained, locally trachytic | | | | | | | | | | 47335 | 202.90 | 204.90 | 0.01 | <0.03 |
| | | textured with aligned hornblende plag phenocrysts at | | | | | | | | | | 47336 | 204.90 | 206.90 | 0.01 | <0.03 |
| | | 5°-30° to c.a.in limy tuffaceous groundmass. Weak | | | | | | | | | | 47337 | 206.90 | 208.90 | 0.04 | <0.03 |
| | | calc silicate epidote Kspar alteration at 30° to c.a. | | | | | | | | | | 47338 | 208.90 | 210.90 | 0.02 | <0.03 |
| | | Zones up to 1cm, widely spaced, no magnetite. | | | | | | | | | | | | | | |
| | | Fractures at 40°-50° to c.a.with calcite, hematite. | | | | | | | | | | | | | | |
| | | Lower contact at 20° to c.a.. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 47339 | 210.90 | 213.40 | 0.02 | <0.03 |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 211.09 | 215.44 | Polymictic, Augite Porphyritic Basalt Breccia | | | | | | | | | | 47340 | 213.40 | 215.40 | 0.04 | <0.03 |
| | | Augite porphyry fragments, mod erately calc silicalte altered with Kspar, epidote, calcite supported in black magnetite matrix cut by locally closely spaced 1-3mm Kspar envelopes with magnetite, epidote, calcite, at 20° and subparallel to c.a.. Lower contact 20° to c.a. banded with Kspar, epidote, magnetite, streched lag,? phenocrysts (gnerssic). | | | | | | | | | | | | | | |
| 215.44 | 216.05 | Magnetite Chalcopyrite Skarn | tr | 3 | | 4 | 1 | 1 | | | 3 | 47341 | 215.40 | 217.40 | 1.11 | 0.18 |
| | | Intense cal silicate altered breccia. Upper contact 20°. Lower contact 20° to c.a. 70-80% magnetite with 15% Kspar altered breccia fragments with 3% chalcopyrite, fine grained, disseminated and blebs. | | | | | | | | | | | | | | |
| 216.05 | 217.00 | Fault | | | | | | | | | | | | | | |
| | | Upper contact 20° Lower contact 30° to c.a.. Wallrock black basalt flow with magnetite replacement. 10% core recovery. | | | | | | | | | | | | | | |
| 217.00 | 218.92 | Magnetite Chalcopyrite Breccia | 1 | 2 | | 4 | 1 | 1 | | | | 47342 | 217.40 | 219.40 | 0.77 | 0.12 |
| | | Upper contact 30° to c.a. with calcite, hematite. Intense calc silicate alteration with 60-70% magnetite, 7-10% chalcopyrite intersitial as matrix replacement. Detextured fragments supported in magnetite matrix cemented with grey quartz. Flow alignment of chalcopyrite at 5° and 20° at 218.25m. 218.40m-218.52m Epidote Kspar carbonate along fractures, 3x1cm at 60° to c.a and as replacement of actinolite? Chalcopyrite up to 1-2% lower contact 20° to c.a. with replacement grey quartz. | | | | | | | | | | | | | | |
| 218.92 | 224.10 | Magnetite Chalcopyrite Volcanic Breccia | 0.1 | 2 | | | 1 | 1 | | 1 | 1 | 47343 | 219.40 | 221.40 | 0.88 | 0.12 |
| | | Intense calc silicate alteration with 30% bleached | | | | | | | | | | 47344 | 221.40 | 224.10 | 0.65 | 0.11 |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | detextured augite porphyry and volcaniclastic sediment | | | | | | | | | | | | | | |
| | | fragments up to 30cms, av 2cms, with 1-2cm | | | | | | | | | | | | | | |
| | | syenodionte clasts? Pink bleached fragments supported | | | | | | | | | | | | | | |
| | | in magnetite matrix with locally up to 2-3% semi | | | | | | | | | | | | | | |
| | | massive patches of chalcopyrite in a gaugue of quartz, | | | | | | | | | | | | | | |
| | | grey to pink orange? partially cementing andesite | | | | | | | | | | | | | | |
| | | fragments cut by four 3mm calcite, hematite fractures | | | | | | | | | | | | | | |
| | | at 40 to 60° to c.a.. Magnetite up to approximately | | | | | | | | | | | | | | |
| | | 30%. Chalcopyrite 1-3%, pyrite 0.3% in magnetite. | | | | | | | | | | | | | | |
| | | Locally up to 5%. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 224.10 | 227.59 | Intense Calc Silicate Altered Andesite Breccia | | 1 | | | | | | | | 47345 | 224.10 | 226.10 | 0.20 | 0.03 |
| | | Intermixed augite porphyrhry and tuff syenodiorite | | | | | | | | | | 47346 | 226.10 | 228.10 | 0.67 | 0.20 |
| | | clasts fragments variably kspar, epidote, quartz altered | | | | | | | | | | | | | | |
| | | in magnetite matrix. Fragments up to 10cms. 226.10- | | | | | | | | | | | | | | |
| | | 3cm quartz, chalcopyrite, calcite, magnetite, as matrix | | | | | | | | | | | | | | |
| | | infill. | | | | | | | | | | | | | | |
| | | 226.80-227.59m Breccia with magnetite matrix plus | | | | 3 | | | | | | | | | | |
| | | sand brown light pink gossularte carbonate replacement | | | | | | | | | | | | | | |
| | | with stretched magnetite inclusions, less chaclopyrite. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 227.59 | 237.68 | Magnetite Chalcopyrite Andesite Breccia | 0.5 | 5 | | 4 | 1 | 0.5 | | 1 | 1 | 47347 | 228.10 | 230.10 | 1.60 | 0.17 |
| | | As at 218.92m Intense calc silicate altered . Mottled | | | | | | | | | | 47348 | 230.10 | 232.10 | 0.84 | 0.22 |
| | | appearance with 30-50% pale green grey, stretched, | | | | | | | | | | 47349 | 232.10 | 234.10 | 0.28 | 0.08 |
| | | bleached detextured fragments supported in salmon | | | | | | | | | | 47350 | 234.10 | 236.10 | 0.86 | 0.11 |
| | | pink magnetite, quartz matrix that contains 2mm | | | | | | | | | | 47351 | 236.10 | 238.10 | 0.37 | 0.10 |
| | | needles replaced with quartz. Up to 40-50% magnetite | | | | | | | | | | | | | | |
| | | with patchy 3-5% chalcopyrite with traces of bornite | | | | | | | | | | | | | | |
| | | and pyrite.. Pyrite content increasing downhole to | | | | | | | | | | | | | | |
| | | 0.5%. Flow alignement 30° to c.a. | | | | | | | | | | | | | | |
| | | 232.55m. 2 1mm to 1cm. 50° to c.a. Late calcite, | | | | | | | | | | | | | | |
| | | chlorite crosscuts flow alignement at 30° to c.a.. | 0.1 | 1 | | 4 | | | | | | | | | | |
| | | Chalcopyrite fine grained, dissmeninated. | | | | | | | | | | | | | | |
| | | 234-10-234-90m. Increase in epidote, Kspar. Flow | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | alignmnt 30° to c.a. Chalcopyrite as patches amd | 0.5 | 1 | | | | | | | | | | | | |
| | | disseminated, trace pyrite. | | | | | | | | | | | | | | |
| | | 236-238m Increase in quartz flooding of matrix with | | | | | | | | | | | | | | |
| | | locally up to 5% chalcopyrite at 236.60m. | | | | | | | | | | | | | | |
| 237.68 | 264.85 | Augite Plag Porphyritic Basalt Flow Breccia | 0.3 | 1 | | 3 | 2 | | | 1 | 1 | 47352 | 238.10 | 240.10 | 0.21 | 0.05 |
| | | Grey black, medium grained, increase in chloritized | | | | | | | | | | 47353 | 240.10 | 242.10 | 0.21 | 0.03 |
| | | augite phenocrysts up to 25% with pronounced flow | | 2 | | | | | | | | 47354 | 242.10 | 244.30 | 0.64 | 0.36 |
| | | alignment as well as plag phenocrysts 1x3mm with | | | | | | | | | | 47355 | 244.30 | 246.30 | 0.17 | 0.03 |
| | | locally streched magnetite tears, all at 40 to c.a.. | | | | | | | | | | 47356 | 246.30 | 248.30 | 0.54 | 0.13 |
| | | Increase in epidote alteration of streched detextured | | | | | | | | | | 47357 | 248.30 | 250.30 | 0.25 | 0.03 |
| | | fragments with associated increase in Kspar alteration. | | | | | | | | | | 47358 | 250.30 | 252.30 | 0.41 | 0.18 |
| | | Magnetite variable 10-20%-40%. Chalcopyrite, fine | | | | | | | | | | 47359 | 252.30 | 254.30 | 0.49 | 0.18 |
| | | grained disseminated blebs 0.5% to locally 1 to 1-2% as | | | | | | | | | | 47360 | 254.30 | 256.30 | 0.09 | 0.03 |
| | | fine grained whispy flecks in magnetite and as semi | | 1 | | | | | | | | 47361 | 256.30 | 258.30 | 0.36 | 0.07 |
| | | masses associated with epidote. Pyrite similar, | | | | | | | | | | 47362 | 258.30 | 260.30 | 0.24 | 0.04 |
| | | assocaited with chalcopyrite as scattered patches up to | | | | | | | | | | 47363 | 260.30 | 262.30 | 0.20 | 0.03 |
| | | 0.3% | | | | | | | | | | 47364 | 262.30 | 264.30 | 0.19 | 0.03 |
| | | 242.50m -Variable flow alignment around epidote, | | | | | | | | | | | | | | |
| | | Kspar altered fragments. At 245.50m flow alignment is | | | | | | | | | | | | | | |
| | | 20° to the c.a. | | | | | | | | | | | | | | |
| | | 246.00m - 257.28m Weaker, patchy Kspar alteration, | | | | | | | | | | | | | | |
| | | mostly epidote, carbonate in varying proportions. | | | | | | | | | | | | | | |
| | | Minor hematite along fractures. Fractures at 30°, 50° | | | | | | | | | | | | | | |
| | | and 60° to c.a. that cut flow alignment at 20° to c.a. | | | | | | | | | | | | | | |
| | | Chalcopyrite fine grained, disseminated, larger patches | | | | | | | | | | | | | | |
| | | associatedwith pyrite. 257.28-264.85m- Flow | | | | | | | | | | | | | | |
| | | alignment depicted by mostly stretched, wispy, | | | | | | | | | | | | | | |
| | | magnetite tear shaped inclusions at 30° to c.a.. Less | | | | | | | | | | | | | | |
| | | clast supported, less epidote. 0.5 to 1% chalcopyrite, | | | | | | | | | | | | | | |
| | | disseminated and as blebs. Lower contact at 30° to c.a. | | | | | | | | | | | | | | |
| 264.85 | 268.72 | Mag Epidote Augite Porphyritic Flow Breccia | 1 | 2 | | 3 | 2 | 2 | | | | 47365 | 264.30 | 266.30 | 0.73 | 0.15 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Moderately calc silicate altered bleached khaki green augite fragments, average 1cm, detextured and supported in magnetite matrix cut by vuggy calcite, hematite, chlorite fractures subparallel to 20°, 30 to c.a. up to 0.5cm with pyrite, chalcopyrite. Lower contact 20 degrees to c.a. Magnetite, epidote, calcite veinlet up to 3 cms parallel to c.a. for 60 cms. | | | | | | | | | | 47366 | 266.30 | 268.30 | 1.00 | 0.10 |
| 268.72 | 274.15 | Augite Porphyritic Andestitic Flow | | | | 2 | | 1 | | | | 47367 | 268.30 | 270.30 | 0.10 | 0.03 |
| | | Fine grained, black weaker calc silica alteration with 25% augite phenocrysts- average 1mm up to 4mm. Plagioclase phenocrysts white- 1mm. Core blocky R fractures 30, 40, 60, 8/m. Lower contact 30° to core axis. No visible sulphides. | | | | | | | | | | 47368 | 270.30 | 272.30 | 0.13 | 0.03 |
| | | | | | | | | | | | | 47369 | 272.30 | 274.30 | 0.04 | 0.03 |
| 274.15 | 288.75 | Augite Plag Porphyritic Flow Breccia | tr | 0.1 | | 1 | 2 | 2 | | | | 47370 | 274.30 | 276.30 | 0.08 | 0.03 |
| | | As at 237.68m Alteration mostly epidote, calcite, hematite, minor magnetite, with weak Kspar alteration of plag phenocrysts. Mineralization, very minor 0.1% disseminated patchy chalcopyrite, pyrite. Fractures 15 over 1m at 40, 50 and 60 degrees to core axis.with calcite, epidote, 1mm to 1cm. Flow alignement 20° to c.a.. | | | | | | | | | | 47371 | 276.30 | 278.30 | 0.20 | 0.03 |
| | | | | | | | | | | | | 47372 | 278.30 | 280.30 | 0.26 | 0.03 |
| | | | | | | | | | | | | 47373 | 280.30 | 282.30 | 0.09 | 0.03 |
| | | | | | | | | | | | | 47374 | 282.30 | 284.30 | 0.11 | 0.03 |
| | | | | | | | | | | | | 47375 | 284.30 | 286.30 | 0.19 | 0.03 |
| | | | | | | | | | | | | 47376 | 286.30 | 288.30 | 0.06 | 0.03 |
| 288.75 | 301.14 | Faulted/ Interbedded Andesite Tuff/Siltstone | tr | tr | | 2 | 1 | 1 | | | | 47377 | 288.30 | 291.30 | 0.06 | 0.03 |
| | | Upper contact grey black, very fine grained with 1 cm wide calcite, epidote, trace chalcopyrite fracture, parallel to the c.a. at 297.50m for 80cms. Core recoveries 95, 100% to 291.69m and to 300.53m, 50%. From 300.53-301.14m, 75%. | | | | | | | | | | 47378 | 291.30 | 294.30 | 0.34 | 0.09 |
| | | | | | | | | | | | | 47379 | 294.30 | 297.30 | 0.14 | 0.03 |
| | | | | | | | | | | | | 47380 | 297.30 | 300.30 | 0.05 | <0.03 |
| 301.14 | EOH | | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE: SPL-05-02**

**PROPERTY: SPOUT LAKE**

| | | | | | |
|---|---|---|---|---|---|
| **Easting (NAD 83):** | **611967** | **Core Size:** | **NQ** | **Started:** | **April 2, 05** |
| **Northing (NAD 83):** | **5760821** | **Hole Azimuth:** | **245˚** | **Finished:** | **April 16, 0** |
| **Grid Location:** | | **Hole Angle:** | **-55˚** | **Logged by:** | **D. Duba** |
| **Elevation:** | **1130 m** | **Total Depth:** | **271.6 m** | **Analysis by:** | **Eco-Tech** |

| Down-hole Tests | | |
|---|---|---|
| Depth | Angle | Azm. |
| | | |
| | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Ch-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.0 | 6.1 | CASING | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 6.1 | 17.3 | WK/MD CALC-SILICATE ALT'D AMYG ANDESITE | tr | | | tr | | 1 | | 2 | 1 | | | | | |
| | | -medium grey-green, fg to mg, locally mottled pale | | | | | | | | | | | | | | |
| | | grey-green to pink | | | | | | | | | | | | | | |
| | | -weakly amygdaloidal, <10%, to 11.7m, increases to | | | | | | | | | | | | | | |
| | | ~20-25%, <1 to 3mm on average, infill with cc, dio?, | | | | | | | | | | | | | | |
| | | ga (gross), ep, qtz | | | | | | | | | | | | | | |
| | | -weakly chloritized augite phyric, <3%, 1-2mm on | | | | | | | | | | | | | | |
| | | avg | | | | | | | | | | | | | | |
| | | -wk to mod fract'd, most common sets 0˚-25˚, 45˚ | | | | | | | | | | | | | | |
| | | and 60˚ to CA, locally random, HL calc+/- | | | | | | | | | | | | | | |
| | | lim+qtz+alb? infill | | | | | | | | | | | | | | |
| | | -wk to mod calc-sil alt'n throughout this interval, | | | | | | | | | | | | | | |
| | | discontinuous, patchy and fracture-controlled, | | | | | | | | | | | | | | |
| | | randomly oriented <1cm veins and masses, fg beige | | | | | | | | | | | | | | |
| | | to brown ga-creamy qtz/alb?+/-ep+/-tour, calc-sil | | | | | | | | | | | | | | |
| | | filling amygdules, also pink felds (hematized | | | | | | | | | | | | | | |
| | | Ksp/alb?), pervasive chloritization (regional | | | | | | | | | | | | | | |
| | | metamorphic?) | | | | | | | | | | | | | | |
| | | -locally pseudobreccia textures, product of fracturing | | | | | | | | | | | | | | |
| | | and alt'n, <20% of this interval | | | | | | | | | | | | | | |
| | | -tr. fg py specks, wk magnetic (tr) | | | | | | | | | | | | | | |
| | | -partly broken core, 6.1-12.7m, lim+cal on fractures | | | | | | | | | | | | | | |
| 19.1 | 28.3 | WK CALC-SILICATE ALT'D AMYG/PORPHYRITIC | tr | | | tr | | 2 | | 2 | 1 | | | | | |
| | | ANDESITE | | | | | | | | | | | | | | |
| | | -gradual increase in augite phenos, to 7-10%, 1- | | | | | | | | | | | | | | |
| | | 2mm (ave), amygdaloidal, 10-20% | | | | | | | | | | | | | | |
| | | -grey green with narrow zones of slight bleaching, | | | | | | | | | | | | | | |
| | | lighter green halos on fractures | | | | | | | | | | | | | | |
| | | -wk to mod fractured, dominant orientation 30˚, 40˚- | | | | | | | | | | | | | | |
| | | 45˚ and 60˚ CA, and random, healed by cal+/-lim+/- | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | ga, HL to 2mm | | | | | | | | | | | | | | |
| | | -minor narrow bx veins, ga-qtz-cc, <2-10mm, <1% | | | | | | | | | | | | | | |
| | | -rare <1.5cm in dia clots (amygdules?) of beige ga-calc-pinkish red Kspar | | | | | | | | | | | | | | |
| | | -tr fg py specks, tr fg to mg, subhedral mag | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 28.3 | 33.5 | WK ALT'D AMYGDALOIDAL ANDESITE | | | | | 2 | 1 | | 3 | 1 | | | | | |
| | | -med grey-green, fg, wk amygdaloidal, massive, wk altered andesite | | | | | | | | | | | | | | |
| | | -wk fract'd, cc+ep filled, <1-2mm, <3% of this interval, rare HL vnlts, random orientations | | | | | | | | | | | | | | |
| | | -wk chl+ep altered, rare pink felds clusters (Kspar) | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 33.5 | 54.3 | MOD CALC-SILICATE ALTERED ANDESITE BRECCIA/LESSER ANDESITE | tr | tr | | 2 | | 1 | | 4 | 2 | 47381 | 33.5 | 35.5 | 0.21 | 0.06 |
| | | -wispy UC at 60° CA w/5cm wide magnetite seam | | | | | | | | | | 47382 | 35.5 | 36.7 | 0.4 | 0.12 |
| | | -medium grey-green and mottled dark green/light beige | | | | | | | | | | 47383 | 36.7 | 38.7 | 0.5 | 0.05 |
| | | -variably calc-silicate altered, wk to mod, andesite and andesite bx, preserved primary texture in wk altered sections, plag-augite phyric, 1-3mm, and amyg andesite | | | | | | | | | | 47384 | 38.7 | 40.7 | 0.06 | 0.03 |
| | | -patchy, discont calc-sil alt'n consists of mg ga (gross), as dominant component, green dio?+qtz, patchy Kspar (alb?)-ep-pink cal | | | | | | | | | | 47385 | 40.7 | 42.9 | 0.07 | 0.03 |
| | | -brecciated/pseudobx texture w/corroded frags margins, clast supported, 60-80% on ave, narrow matrix sections (<0.7m) with lesser frags (<20%) | | | | | | | | | | 47386 | 42.9 | 43.9 | 2.55 | 0.77 |
| | | -wk to str magnetic, as dissem and interstitial masses, common fg, overall <1-3%, tr to 0.1% cpy, as clots and dissem, 1% py | | | | | | | | | | 47387 | 43.9 | 46.5 | 0.12 | 0.03 |
| | | 33.5-36.1 10-12% mag as clasts and matrix replacement, 1-2% py and 1% py as dissem in mag-rich zones, weak banding @60° CA (33.5-33.7) | | | | | | | | | | 47388 | 46.5 | 48.5 | 0.03 | 0.03 |
| | | | | | | | | | | | | 47389 | 48.5 | 50.5 | 0.03 | 0.03 |
| | | | | | | | | | | | | 47390 | 50.5 | 52.5 | 0.17 | 0.03 |
| | | | | | | | | | | | | 47391 | 52.5 | 54.3 | 0.07 | 0.03 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 47392 | 54.3 | 56.3 | 0.13 | 0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | masses, 20% ga-qtz, 1-2% tour | | | | | | | | | | 47393 | 56.3 | 58.2 | 0.02 | 0.03 |
| | | 42.9-43.9 25% dark green andesite frags in mg, | 1 | 2 | | 3 | | | | | | 47394 | 58.2 | 60.2 | 0.05 | 0.03 |
| | | beige to light green, mottled calc-silicate matrix | | | | | | | | | | 47395 | 60.2 | 62.2 | 0.08 | 0.03 |
| | | (75%), ga (60-70%), ep (5-10%), Kspar? (5%), 2- | | | | | | | | | | 47396 | 62.2 | 63.2 | 0.49 | 0.03 |
| | | 3% clots of cpy, <1% py, mg euhedra, <1% | | | | | | | | | | 47397 | 63.2 | 64.2 | 0.94 | 0.08 |
| | | fg/mg mag as dissem in matrix and frag | | | | | | | | | | 47398 | 64.2 | 66.2 | 0.11 | 0.03 |
| | | replacement | tr | tr | | <1 | | | | | 3 | 47399 | 66.2 | 68.2 | 0.08 | <0.03 |
| | | 43.9-46.5 discont, patchy calc-sil alt'n, | | | | | | | | | | 47400 | 68.2 | 70.2 | 0.08 | <0.03 |
| | | ga>di+ep+qtz+tr cpy/py+<1% mag, narrow | | | | | | | | | | 46757 | 70.2 | 72.2 | 0.01 | <0.03 |
| | | sections of more pervasive altn (45.1-45.4) with | | | | | | | | | | | | | | |
| | | strong ep+ga-mag+pink felds (Ksp) as amygdule | | | | | | | | | | | | | | |
| | | fill and matrix replacement; at 45.4-45.9 broken | | | | | | | | | | | | | | |
| | | core, fract'd, 65˚ CA, qtz-cal fill rimmed by hem | | | | | | | | | | | | | | |
| | | and hem-cal vnlts, <1-10mm, 2-5mm bx alt'd | | | | | | | | | | | | | | |
| | | selvages, clots & dissem tr cpy, tr py euhedra | | | | | | | | | | | | | | |
| | | 46.5-52.9 40% pseudofrags with corroded | | | | | | | | | | | | | | |
| | | margins, augite-plag phyric andesite in mg, | | | | | | | | | | | | | | |
| | | beige ga (gross)>dio>cal+/-ep matrix, dissem tr | | | | | | | | | | | | | | |
| | | cpy & py, mag overall <1% | | | | | | | | | | | | | | |
| | | -at 46.5-46.9m 15% semi-massive mag, <1% | 0.3 | <1 | | 15 | | | | | | | | | | |
| | | cpy, tr-0.5% py | | | | | | | | | | | | | | |
| | | -at 49-50m high mag 3-5%, patchy pink-red | | | | | | | | | | | | | | |
| | | Ksp+/-ep | | | | | | | | | | | | | | |
| | | -at 54.1-54.2m ep-Ksp (alb?)-gross vein, | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 54.3 | 58.2 | MOD CALC-SILICATE ALT'D PLAG PHYRIC | | tr | | 2 | 2 | | | 4 | 2 | | | | | |
| | | ANDESITE | | | | | | | | | | | | | | |
| | | -fg to mg, dark green with mottled dark/light | | | | | | | | | | | | | | |
| | | green/reddish brown intervals | | | | | | | | | | | | | | |
| | | -crowded, plag>>hornb/augite phyric andesite, | | | | | | | | | | | | | | |
| | | -patchy, discont calc-sil alt'n, about 25% rock | | | | | | | | | | | | | | |
| | | volume, ga (gross)-dio overprinting early pink | | | | | | | | | | | | | | |
| | | Ksp-ep (potassic) alt'n, tr cpy dissem | | | | | | | | | | | | | | |
| | | -overall mod magnetic, ~2%, fg to mg subhedral | | | | 5 | | | | | | | | | | |
| | | mag in matrix | | | | | | | | | | | | | | |
| | | 55.3-56.0 possibly fragmental?/pseudobreccia, | | | | | | | | | | | | | | |
| | | mottled dark green/black, strongly mag, 3-5%, | | | | | | | | | | | | | | |
| | | dio+sil+mag replacing andesite frags | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 58.2 | 71.8 | CALC-SILICATE ALT'D ANDESITE/ANDESITE BRECCIA<br>-mottled dark green, apple green and pinkish beige, variably altered andesite/andesite bx<br>-crowded plag, minor augite phyric, amygdaloidal with cal, ep and lesser calc-sil fill, <1-2mm on ave<br>-partially obliterated primary textures in zones of more intense alt'n, locally brecciated texture, frag to matrix supported, <10 to 60% over 1-2m intervals, <0.5 to 5cm, dark green subround ghost frags, altered to mag+tour?+chl, corroded rims<br>-wk fract'd, 1-3/1m, commonly 30˚ & 45˚ CA<br>-discont, patchy calc-sil alt'n, beige ga (gross)>>green dio-ep replacing matrix, minor, pink Ksp, pervasive silicification<br>-tr cpy as interstitial masses assoc w/mag and lesser dissem, also as cpy-mag-cal-Ksp-ep veins, 1-3mm, tr py dissem & clots, tr mag bands and masses<br>58.2-59.6 mottled beige, ga (gross) dominated calc-sil altn, remnant patches of mag rich material/pseudofrags? w/corroded rims, calc-sil altn ~65% of rock volume, minor pink Ksp<br>59.6-61.3 fracture-controlled and matrix-replacement calc-sil altn, beige ga+dio+ep, tr cpy<br>61.3-65.5 dark green, matrix supported breccia, 30-50% dark green/black pseudofrags, dio-mag-sil-minor ep rich groundmass, minor pink Ksp, <1% mag-qtz bands and irregular masses, <0.5% cpy, tr py<br>68.5-69.5 fract'd andesite, amygdaloidal & plag-aug phyric, fracture-controlled calc-sil altn as patches and veins, calc-sil filled amygdules, tr. cpy<br>69.5-71.8 wk/mod calc-sil alt'n, fracture- | tr | tr | | 1 | 1 | 1 | | 4 | | | | | | |
| | | | | tr | | | | | | | | | | | | |
| | | | tr | 0.5 | | 1 | | | | | | | | | | |
| | | | | tr | | | | | | | | | | | | |
| | | | | tr | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 71.8 | 96.1 | GARNET-EPIDOTE-DIOPSIDE SKARN/CALC- | tr | tr | | 2 | | | | 4 | | 46758 | 72.2 | 74.2 | <0.01 | <0.03 |
| | | SILICATE ALT'D ANDESITE & ANDESITE BX | | | | | | | | | | 46759 | 74.2 | 76.2 | 0.01 | <0.03 |
| | | -gradual increase in calc-silicate alteration, >60% | | | | | | | | | | 46760 | 76.2 | 78.2 | 0.03 | <0.03 |
| | | of this interval | | | | | | | | | | 46761 | 78.2 | 80.2 | 0.02 | <0.03 |
| | | -to 1-1.2m long sections of mg, mottled beige to | | | | | | | | | | 46762 | 80.2 | 82.2 | 0.01 | <0.03 |
| | | med green, garnet>epidote+diopside skarn | | | | | | | | | | 46763 | 82.2 | 84.2 | 0.03 | <0.03 |
| | | (80%) w/obliterated primary testures, | | | | | | | | | | 46764 | 84.2 | 86.2 | 0.02 | <0.03 |
| | | brecciated/pseudobrecciated? texture, corroded | | | | | | | | | | 46765 | 86.2 | 88.2 | 0.02 | <0.03 |
| | | frag rims, minor pink Ksp | | | | | | | | | | 46766 | 88.2 | 90.2 | 0.02 | <0.03 |
| | | -lesser (20%) mottled dark green, mod/str | | | | | | | | | | 46767 | 90.2 | 92.2 | 0.02 | <0.03 |
| | | magnetic (2-5%), augite/plag phyric andesite | | | | | | | | | | 46768 | 92.2 | 94.2 | 0.01 | <0.03 |
| | | w/patchy calc-sil alt'n, ga-ep-dio-minor pinkish | | | | | | | | | | 46769 | 94.2 | 96.2 | 0.01 | <0.03 |
| | | red Ksp, chloritized mafic phenos and matrix | | | | | | | | | | | | | | |
| | | -perv silicification | | | | | | | | | | | | | | |
| | | -overall tr cpy and py as fg dissem, 2% mag | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 96.1 | 105.5 | MODERATELY CALC-SILICATE ALT'D | tr | | | | | 1 | | 4 | | | | | | |
| | | ANDESITE/ANDESITE BX? | | | | | | | | | | | | | | |
| | | -dark grey-green, locally mottled med | | | | | | | | | | | | | | |
| | | green/lesser beige, mod/str magnetic, crowded | | | | | | | | | | | | | | |
| | | plag-aug phyric, 1-2mm, >35%, massive | | | | | | | | | | | | | | |
| | | andesite and andesite bx?, breccia or | | | | | | | | | | | | | | |
| | | pseudobreccia textured | | | | | | | | | | | | | | |
| | | -chloritized mafics, high mag & lesser hem, rare, | | | | | | | | | | | | | | |
| | | mg sec biotite | | | | | | | | | | | | | | |
| | | -mod calc-sil alt'n, dio>ga+sil, as matrix | | | | | | | | | | | | | | |
| | | replacement and fracture-fill | | | | | | | | | | | | | | |
| | | -increase in beige ga below 101m, mottled <10 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 105.5 | 107.8 | GARNET-DIOPSIDE-MAGNETITE-KSPAR? | tr | | | 3 | | 3 | 1 | 4 | 1 | 46770 | 105.5 | 107.8 | 0.01 | <0.03 |
| | | SKARN/LESSER ANDESITE | | | | | | | | | | | | | | |
| | | -fg to mg, mottled beige-creamy-dark green and | | | | | | | | | | | | | | |
| | | lesser pinkish red | | | | | | | | | | | | | | |
| | | -70% ga (grossularite)>diopside skarn, minor | | | | | | | | | | | | | | |
| | | <5% pinkish red Ksp, mg 2nd bio (<2%) | | | | | | | | | | | | | | |
| | | -30% dark green, crowded plag-chloritized aug | | | | | | | | | | | | | | |
| | | phyric andesite, str magnetic, 2-5% | | | | | | | | | | | | | | |
| | | -mod pervasive carbonatization, tr py dissem | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 107.1 | 111.4 | WK ALT'D PLAG-AUGITE PHYRIC ANDESITE | | | | | | | | 4 | | | | | | |
| | | -dark green, fg, plag>aug phyric, <10-30%, and amygdaloidal | | | | | | | | | | | | | | |
| | | -pervasively chloritized mafics and matrix, perv silicification | | | | | | | | | | | | | | |
| | | -wk fractured, healed by late, 1-3mm cal w/grossularite, <1mm selvages, common trend 30˚ CA | | | | | | | | | | | | | | |
| | | 110.2-110.4 <20cm wide zone of fracturing w/ga | | | | | | | | | | | | | | |
| 111.4 | 123.1 | CALC-SLILICATE ALTERED ANDESITE | | | | 3 | | | | 4 | 1 | | | | | |
| | | Similar to 107.1-111.4 w/increase in pale grey/biege mottled sections of cal-silicate altn | | | | | | | | | | | | | | |
| | | -dark green amygdaloidal and plag-aug phyric andesite, weakly to crowded porphyritic, <10 to >30%, <1-3mm avg. | | | | | | | | | | | | | | |
| | | -fracture-controlled calc-sil altn, <10% of this interval | | | | | | | | | | | | | | |
| | | -mod magnetic, <3% mag clots and dissem | | | | | | | | | | | | | | |
| | | -locally weakly banded @ 50˚-55˚ CA, <3-5 cm width; volcaniclastic seds?/mafic tuff? | | | | | | | | | | | | | | |
| | | 117.7-118.1m pseudobx? or breccia section, dark green frags w/corroded rims in mottled beige and pink-red calc-sil alt'd, mg matrix | | | | | | | | | | | | | | |
| | | 121-121.6 several, 70˚-80˚ CA, 2-3cm, ga-qtz-alb?/pink Ksp veins, 1cm, 70˚ CA, qtz-cal vein w/ga rims, 30˚ CA ga-mag+/-cal vein, <2-5mm | | | | | | | | | | | | | | |
| 123.1 | 151.5 | STRONG CALC-SIL ALT'D ANDESITE/LESSER ANDESITE BRECCIA | tr | tr | | 2 | | 1 | | 4 | 2 | | | | | |
| | | -mottled dark green w/lesser med green/beige/creamy pink and red, fg to mg | | | | | | | | | | | | | | |
| | | -intermixed variably altered amygdaloidal & crowded (>40%) plag-augite phyric andesite/lesser andesite breccia? | | | | | | | | | | | | | | |
| | | (pseudobreccia?), obscured primary textures, altn is patchy (suggesting frags) and minor fracture-controlled consisting of beige garnet | | | | | | | | | | | | | | |
| | | (gross)>ep>reddish pink Ksp(?)-mag; | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | mag is fg to mg, replacing matrix/phenocrysts & amygdules<br>-wk to locally mod fractured, dominantly 45˚ and 70˚-80˚ CA, also random, filled w/ga+qtz? rimmed by cal, <0.2-0.5cm<br>-mod magnetic, 1-3%<br>-at 4142.5-145m, faint banding, possibly bedding? (volcan sed?), @ 60˚ CA<br>-trace fg py and cpy specks | | | | | | | | | | | | | | |
| 151.5 | 157.3 | CALC-SIL ALT'D MAFIC TUFF?/VOLC SEDS/LESSER ANDESITE/ANDESITE BX<br>-mottled beige to meduim green, fg to mg, partly banded/bedded mafic tuff/volcaniclastic ss (greywacke?)<br>-alternating lamina to <1-3 cm wide beige, dark green and black bands/compositional layering?, 60˚ to CA<br>-UC is sharp @ 60˚ CA, formed by 2 cm wide, sheeted cal-chalc qtz veins<br>-LC is wispy and undulates, ~ 55˚ CA, garnetiferous<br>-variable calc-sil alt'n, patchy and pervasive replacement, dominantly gross>dio+sil<br>-wk/mod magnetic, fg to mg mag replaces frags and as rare fol ll seams, 1-2mm to 13mm, <1%<br>-lesser interlayers amygdaloidal, massive, fg, andesite/andesite bx, ~ 40% of rock volume, strong pervasive silicification & patchy/fracture-controlled dio>ga alt'n, calc-sil alt'd amygdules (ga+qtz) | tr | | | <1 | | 1 | | 4 | | | | | | |
| 157.3 | 186.4 | FRACTURED CALC-SILICATE ALTERED ANDESITE<br>-medium grey-green with mottled beige/green/pink, calc-silicate altered intervals, 25% of this interval<br>-crowded plag-aug phyric (>40% phenos), amyg | | tr | | tr | | 1 | | 3 | 1 | 46771 | 182.4 | 184.4 | <0.01 | <0.03 |
| | | | | | | | | | | | | 46772 | 184.4 | 186.4 | 0.01 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | andesite w/siliceous, chloritic, fg matrix, mag replaces phenos, amygdules and interstitial in groundmass -intercalations of mottled volcanic bx (pseudobx?), beige ga<dio, obscured primary textures -wk to locally mod fractured, cal-minor gross fill, HL to 2mm -faint banding at 60˚-70˚ to CA, interlayers of volcanic seds?/mafic tuff? -wk magnetic, rare trace fg cpy specks 166.7-168.7m mod fracturing at 30˚, 60˚ & 80˚ CA, open-space fillin by crystalline cal, phenos replaced by pink felds+garnet 168.7-178.5m partially broken core, wk to mod fractured, HL to lesser 0.5cm calc fill, common 45˚-50˚ CA, amygdule fill by cal, mag, pink felds, trace pinhead cpy | | | | | | | | | | | | | | |
| 186.4 | 191.7 | FAULTED/STRONGLY CALC-SILICATE ALTERED VOLCANIC BRECCIA -fg to mg, mottled beige/green/red, garnet-epidote-diopside-Kspar (albite?) alt'd volcanic bx -strongly fractured/faulted, common trend 25˚-30˚ CA + random -fracture-controlled semi-massive cpy/py, mod to strongly magnetic, overall 3-5%, fg to mg suhedral 188.4-188.6m core rubble, clots and veins of cpy (<0.5%)+mag+cal, 5% mag, chl/clay/+/-py (<1%) on fractures 189.1-189.4m calc-clay-chl coated core rubble/fault zone, vesicular porphyritic andesite bx 189.4-189.6m brecciated, massive mag/hem (60%)-cpy (20%) 189.6-191.7m patchy skarnification associated | 0.5 | 0.5 | | 3 | | 1 | | | 2 | | | | | |
| | | | | | | | | | | | | 46773 | 186.4 | 188.4 | 0.13 | 0.03 |
| | | | | | | | | | | | | 46774 | 188.4 | 189.6 | 4.55 | 0.76 |
| | | | | | | | | | | | | 46775 | 189.6 | 191.7 | 0.29 | 0.05 |
| | | | 1 | 20 | | 60 | | 1 | | | | | | | | |
| | | | | tr | | 1 | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | w/discontinuous fracturing, dominant 25˚-30˚ CA, ch/cal fill, tr. cpy clots, 1-2% mag | | | | | | | | | | | | | | |
| 191.7 | 194.2 | WK ALTERED AMYG/PORPHYRITIC ANDESITE -grey-green, hard, siliceous, amyg and augite-phyric (<20%), lesser plag phyric (<5%) andesite, 1-2mm on avg. -minor fracture-controlled calc-sil alt'n, bleached, beige gross-sil-dio? -moderately magnetic, phenos+matrix replaced by fg to mg mag (1-3%) | | | | 2 | | | | 3 | | 46776 | 191.7 | 193.7 | 0.01 | <0.03 |
| | | | | | | | | | | | | 46777 | 193.7 | 195.7 | 0.03 | <0.03 |
| 194.2 | 201.7 | MODERATELY CALC-SIL ALT'D ANDESITE -mottled to massive grey-green, beige/green, fg -moderately calc-silicate altered amygdaloidal and plag-augite phyric andesite -discontinous, patchy and lesser fracture-controlled garnet>diopside altered, no sulfides -moderately magnetic, 1-2%, weakly fractured, dominant trend is 50˚ to CA, infilled w/qtz-garnet>cal, <1-3mm | | | | 1 | | 1 | | | | 46778 | 195.7 | 197.7 | 0.06 | <0.03 |
| | | | | | | | | | | | | 46779 | 197.7 | 199.7 | 0.14 | <0.03 |
| | | | | | | | | | | | | 46780 | 199.7 | 201.7 | 0.15 | 0.09 |
| 208.7 | 210.3 | FAULT ZONE/ALTERED ANDESITE Strongly fractured/faulted and discontinously calc-silicate altered andesite. Mottled beige/pink/green, fg to mg. Moderately magnetic, fg to mg subhedra, <0.5%, trace dissem fg cpy. 209.7-209.4m poorly competent, blocky core, partially fault bx, healed by cc/chl/ep, 10˚-15˚ CA 209.4-209.9m >50% rock rubble, random fracturing, healed by clay-calc, calc-silicate alt'd (ga/dio) 209.9-210.3 soft clay-calcite gouge, contacts 70˚-80˚ CA, non-magnetic | | tr | | <0.5 | 1 | 1 | | | 1 | 46787 | 208.7 | 210.3 | 0.07 | <0.03 |
| 210.3 | 216.0 | WEAKLY FRACTURED ANDESITE | TR | | | <1 | | 1 | | 3 | 1 | 46788 | 210.3 | 212.3 | 0.04 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Grey-green, locally mottled beige and pink-red, fg to mg, weakly calc-silicate altered andesite. -ga>dio as patches, fracture-controlled + amygdule replacement, minor pink Kspar?/albite?, pervasive silicification -several sheeted bx veins, to 1cm widths, 20˚ CA, qtz-hem-mag-cal+/-ep-cal-silicates, 211.1-212.5m -wk fractured, random, HL calc infill -weakly magnetic, <1%, @215.8-216m trace dissem py/po | | | | | | | | | | 46789 | 212.3 | 214.1 | 0.03 | <0.03 |
| | | | | | | | | | | | | 46781 | 214.1 | 216.0 | 0.03 | <0.03 |
| 216.0 | 218.1 | STRONGLY ALTERED ANDESITE/FAULT BX -strongly altered, faulted, mottled brown/green/pink andesite?, obliterated primary textures -dominantly garnet>ep+sil altered, minor pink Kspar?, remnants of potassic alteration? -strongly magnetic, trace py as fg dissem, veined semi-massive cpy, 5-7% -bx veins, cpy/hem/cal/grossularite, 0-20˚ CA, <0.5-2cm -UC at 25˚ CA, LC broken core, fracturing within FZ at 0-20˚ CA | tr | 5 | | 3 | | | | 3 | 1 | 46782 | 216.0 | 218.1 | 2.13 | 0.24 |
| 218.1 | 271.6 | CALC-SIL ALT'D ANDESITE Grey-green and mottled green/beige, variably calc-silicate altered, crowded augite-plag (>40%) porphyritic andesite, amygdaloidal -patchy and pervasive dio-mag-ga-locally scapolite alt'd, sporadic replacement of phenos and amygdules, latter w/beige garnet halos around magnetite core -wk to locally mod fractured, at least 3 sets, 15˚, 30˚ & 45˚ CA, filled w/HL to <0.5cm cal -wk to mod magnetic, as fg matrix replacement and mg phenos/amygdules -strong pervasive silicification | | | | <0.5 | | 2 | | 4 | | 46783 | 218.1 | 220.1 | 0.01 | <0.03 |
| | | | | | | | | | | | | 46784 | 220.1 | 222.1 | 0.03 | <0.03 |
| | | | | | | | | | | | | 46785 | 222.1 | 224.1 | <0.01 | <0.03 |
| | | | | | | | | | | | | 46786 | 224.1 | 226.1 | 0.03 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 225.7-225.6 blocky core, poorly competent, calc-silc stringers, sub ll to CA (0˚-20˚), 2-5mm | | | | | | | | | | | | | | |
| | | 227.9-228.3 broken core, fractures at 15˚ to CA filled w/ gross-chl-cal, to 0.5cm | | | | | | | | | | | | | | |
| | | 237.1-239.0 poorly competent core, 0˚-10˚ and 40˚-50˚ CA, cal fill | | | | | | | | | | | | | | |
| | | wk foliation defined by beige, garnet-rich banding, <1mm, 40˚ CA @240.4m | | | | | | | | | | | | | | |
| | | 241.7-242.2 broken core | | | | | | | | | | | | | | |
| | | 247.2-247.4 broken core, slickensided chloritic fractures | | | | | | | | | | | | | | |
| | | 263.1-263.3 core rubble, calcite filled fractures | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 271.6 | | EOH | | | | | | | | | | | | | | |

**PROPERTY: Spout Lake**

# GWR RESOURCES INC.

**DRILL HOLE NO.: SPL 05-03**



**Angle & Azmth Tests**

| Depth | Angle | Azmth |
|---|---|---|
| | | |
| | | |

| | | |
|---|---|---|
| **Easting (NAD 83): 611893** | **Core Size: NQ 2** | **Started: April 3, 2005** |
| **Northing (NAD 83): 5760704** | **Hole Azimuth: 245** | **Finished: April 7, 2005** |
| **Grid Location:** | **Hole Angle: -50°** | **Logged by: B Callaghan** |
| **Elevation: 1125m** | **Total Depth: 139.60** | **Analysis by: Echo-Tech** |

**Alteration Scale: 1 - 5**

| Depth (m) From | Depth (m) To | Description | % Py | % Cpy | % Mo | % Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Sample Number | Interval (m) From | Interval (m) To | Cu % | Au g/t |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **0** | **5.49** | Casing | | | | | | | | | | | | | | |
| 5.49 | 12.1 | Augite Plag Porph Amygdaloidal Andesite | | | | | | | | | | | | | | |
| | | Grey,medium grained, weak calc-silicate altered. 25% augite phenocrtsts, variably porphyritic, finer-grained.Fractures widely spaced at 60° to c.a.- 5 degrees to c.a at 11.00m. Patches altered to grossularite, epidote, magnetite, calcite. Chalcopyrite consists of widely scattered belbs. | | | | | | | | | | 54501 | 10.70 | 12.70 | <0.01 | <0.03 |
| 12.1 | 14 | Call Silicate Phyric Augite Plag Volcanic Breccia | tr | 0.01 | | 1 | | 2 | | | 1 | 54502 | 12.70 | 14.07 | 0.02 | 0.05 |
| | | Up to 25%, 2mm-3.5cm, subangular, sub rounded light grey carbonate altered fragments supported in dark grey black porphyry matrix light sandy grosswuarite???? Matrix replacement cut by 50° 2mm minor late calcite veining mineralization finegrained scattered disseminated chalcopyrite 0.03 to pyrite. At 13.40m, calcareous tuff seds, 1cm in width, tan coloured, 70° to c.a. At 14.20m- possible bedding of finer grained grossularite altered tuff seds at 70° to c.a.. Magnetite stronger in matrix lower down hole. | | | | | | | | | | | | | | |
| 14 | 17.6 | Grossularite-Epidote-Carb-Kspar Skarn | tr | 0.05 | | 1 | 2 | 3 | | 2 | 2 | 54503 | 14.07 | 16.07 | 0.11 | <0.03 |
| | | Mottled salmon pink, sandy, green, orange, pseudo brecciated with complex overprinting. Primary textures obliterated- possibly augite plag porphyritic flow. alteration pervasive chlorite, magnetite, grossularite, epidote, silica, cut by late, orange- K -feldspar grossulariteveinlets. Mineraliation consists of patchy disseminated blebs of chalcopyrite with trace pyrite. | | | | | | | | | | 54504 | 16.07 | 18.10 | 0.09 | <0.03 |

| | | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 17.6 | 18.1 | Calc Silicate Alt,d Phyric Augite Plag And Bx | | | | | | | | | | | | | | |
| | | As at 12.10m. Blocky with fractures at 50° to c.a. | | | | | | | | | | | | | | |
| 18.1 | 22.1 | Call Silicate Phyric Augite Plag Andesite Breccia | | 0.05 | | | | | | | | 54505 | 18.10 | 20.10 | 0.07 | <0.03 |
| | | Grey, pale green, light sand, locally mottled locally | | | | | | | | | | 54506 | 20.10 | 22.10 | 0.02 | <0.03 |
| | | auto brecciated- breccia fragements up to 6 cms altered | | | | | | | | | | | | | | |
| | | to grossularite, carbonate, Kspar, diopside? supported | | | | | | | | | | | | | | |
| | | in magnetite, silica matrix with patchy scattered traces | | | | | | | | | | | | | | |
| | | of disseminated pyrite, chalcopyrite. | | | | | | | | | | | | | | |
| 22.1 | 33.15 | Grossularite-Epidote-Carb-Kspar Skarn | tr | 0.05 | 2 | 3 | | | | | 2 | 54507 | 22.10 | 24.10 | 0.08 | <0.03 |
| | | Mottled pale sandy green, orange, pervasive alteration | | | | | | | | | | 54508 | 24.10 | 26.10 | 0.05 | <0.03 |
| | | as at 18.10m, with up to 30-70cm intervals of black | | | | | | | | | | 54509 | 26.10 | 28.10 | 0.11 | <0.03 |
| | | hard magnetite, silica replacement of augite, plag, | | | | | | | | | | 54510 | 28.10 | 30.10 | 0.07 | <0.03 |
| | | phyric, porphyritic and flow- cut by 1-2m Kspar | | | | | | | | | | 54511 | 30.10 | 32.10 | 0.02 | <0.03 |
| | | carbonate widely spaced Kspar carbonate veinlets. | | | | | | | | | | | | | | |
| | | Angular, breccia fragments from 0.5 to 3cms. | | | | | | | | | | | | | | |
| | | Mineralization consists of traces, patches of | | | | | | | | | | | | | | |
| | | disseminated pyrite, chalcopyrite.. | | | | | | | | | | | | | | |
| 33.15 | 39.85 | Stongly Calc Silicate Altered Andesite Breccia | tr | 0.05 | | 3 | 1 | 3 | | 3 | 2 | 54512 | 32.10 | 34.10 | <0.01 | <0.03 |
| | | Grey, dark green, sand orange. Weakly fractured. | | | | | | | | | | 54513 | 34.10 | 38.10 | <0.13 | <0.03 |
| | | Protolith augite plag phyric and flow breccia. Consists | | | | | | | | | | 54514 | 36.10 | 38.10 | 0.03 | <0.03 |
| | | of Up to 45% fragments altered to magnetite, silica, | | | | | | | | | | 54515 | 38.10 | 40.10 | 0.02 | <0.03 |
| | | Kspar supported in grossularite epidote diopside? | | | | | | | | | | | | | | |
| | | carbonate matrix- overprinted with 10% grey, pink | | | | | | | | | | | | | | |
| | | chalcedonic quartz, magnetite, Kspar. Lower contact of | | | | | | | | | | | | | | |
| | | alteration front at 39.85m at 30° to c.a. 100% core | | | | | | | | | | | | | | |
| | | recovery. | | | | | | | | | | | | | | |
| 39.85 | 47.3 | Grossularite-Epidote-Kspar Andesitic Breccia | tr | 0.1 | | 1 | 3 | | | 2 | 2 | 54516 | 40.10 | 42.10 | 0.03 | <0.03 |
| | | Light sand, green, salmon orange pink, mottled with | | | | | | | | | | 54517 | 42.10 | 44.10 | 0.04 | 0.11 |
| | | grossularite. epidote. Alteration complex with patchy | | | | | | | | | | 54518 | 44.10 | 46.10 | 0.12 | <0.03 |
| | | Kspar alteration of black porpyritic flow fragments | | | | | | | | | | 54519 | 46.10 | 47.10 | 0.03 | <0.03 |
| | | supported in replacement grossularite matrix. | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | Chalcopyrite disseminated blebs with trace pyrite. 42m-42.49m. Alteration front 50° to c.a. with magnetite and silica. Lower contact 60° to c.a. Carbonate,grossularite associated with fracture fill and amygdules at 30° to c.a. 50 degree fractures-grossularite, epidote, Kspar. Silica replacement increases downhole associated with whispy auto brecciated zones of grossularite replaced with grey quartz, carbonate, black matrix material. | | | | | | | | | | | | | | |
| 47.3 | 50.25 | Augite Plag Phyric Porphyritic and Flow | | | | 3 | | 2 | | 1 | | 54520 | 47.30 | 50.25 | 0.01 | 0.03 |
| | | Grey black, finer grained, strongly magnetitc. Mafics-chlorite, locally trachytic with up tp 1mm elongate tabular white phenocrysts. Flow cut by locally, closely spaced, 1-2mm grossulatite, albite veinlets at 30-60 degrees, anastomozing. Lower contact 40° to c.a.. No visible sulphides. | | | | | | | | | | | | | | |
| 50.25 | 57 | Grossularite-Epidote-Kspar-Skarn | | 0.05 | | | 3 | | | | | 54521 | 50.25 | 52.25 | 0.07 | <0.03 |
| | | Mod - intense calc silicate alteration.Lower contact 30° to c.a. trace chalcopyrite as scattered blebs, smears, traces of pyrrhotite. Variably silicious down hole. Late chalcedonic quartz infill at 55.25-56.25m. | | | | | | | | | | 54522 | 52.25 | 54.25 | 0.16 | <0.03 |
| | | | | | | | | | | | | 54523 | 54.25 | 56.25 | 0.06 | <0.03 |
| | | | | | | | | | | | | 54524 | 56.25 | 57.25 | 0.05 | <0.03 |
| 57 | 60.94 | Augite Plag Phyric Andestitic Flow | | | | | | | | | | 54525 | 57.25 | 59.50 | 0.01 | <0.03 |
| | | Weak calc silicate alteration with grossulatite, albite, epidote. Fractures locally closely spaced, mostly at 20°-30° average 1mm. 59.10m 4 cms at 40°to c.a. envelopes of carbonate, grossularite, albite Kspar, chalcedonic quartz with disseminated blebs of chalcopyrite in crosscuttig carbonate, grossulatite zones. | | | | | | | | | | 54526 | 59.50 | 61.50 | 0.03 | <0.03 |
| | | | | | | | | | | | | 54527 | 61.50 | 64.00 | 0.02 | <0.03 |
| | | | | | | | | | | | | 54528 | 64.00 | 66.98 | 0.16 | <0.03 |
| 60.94 | 64.13 | Augite Plag Porphyritic Flow Breccia | | | | 2 | | 3 | 1 | | | | | | | |
| | | Grey black, weakly magnetitic with 55% autobrecciated | | | | | | | | | | | | | | |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | fragments ? with corroded margins, from 2 mm to 12 | | | | | | | | | | | | | | |
| | | cms, monolithologic supported in magnetite, albite? | | | | | | | | | | | | | | |
| | | carbonate matrix. No visible sulphides,. Widely spaced | | | | | | | | | | | | | | |
| | | carbonate grossularite altered fractures at 30° to c.a. cut | | | | | | | | | | | | | | |
| | | by magnetite carbonate veinlet with very fine-grained | | | | | | | | | | | | | | |
| | | chalcopyrite, 1cm wide at 60° to c.a. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 64.13 | 66.98 | Grossularite-Epidote-Carbonate-Kspar Skarn | tr | 0.05 | | 2 | 3 | 3 | | | 2 | | | | | |
| | | As at 50.25m. Upper contact 30° to c.a.. Lower contact | tr | 0.05 | | 2 | 3 | 3 | | | 2 | | | | | |
| | | 20° to c.a. Intense calc silicate alteration. Pseudo | | | | | | | | | | | | | | |
| | | brecciation with Kspar overprinting No silica, no | | | | | | | | | | | | | | |
| | | magnetite. Chalcopyrite scattered blebs patches 0.05 | | | | | | | | | | | | | | |
| | | to1%. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 66.98 | 70.26 | Augite Plag Phyric /Amygdaloidal Andesite | | tr | | | | | | | | 54529 | 66.98 | 69.50 | 0.02 | <0.03 |
| | | Fine grained, grey black with magnetite silica | | | | | | | | | | 54530 | 69.50 | 71.50 | 0.06 | <0.03 |
| | | replacement of matrix. locally brecciated with angular | | | | | | | | | | 54531 | 71.50 | 73.50 | 0.02 | <0.03 |
| | | porphyritic volcanic fragments up to 2 cms cut by | | | | | | | | | | 54532 | 73.50 | 75.50 | 0.04 | <0.03 |
| | | carbonate grossulatite veinlets up to 1cm at 5° to c.a. | | | | | | | | | | 54533 | 75.50 | 77.50 | 0.04 | <0.03 |
| | | with minor stockwork developement. Trace | | | | | | | | | | 54534 | 77.50 | 79.50 | 0.06 | <0.03 |
| | | chalcopyrite in matrix, 68.10-69m up to | | | | | | | | | | 54535 | 79.50 | 81.50 | 0.13 | <0.03 |
| | | 10% fine-grained magnetite as replacement with | | | | | | | | | | 54536 | 81.50 | 83.50 | 0.08 | <0.03 |
| | | grossulatite cut by 30° to c.a. 1-3mm to 1cm | | | | | | | | | | 54537 | 83.50 | 85.50 | 0.13 | <0.03 |
| | | carbonate,grossularite, albite, magnetiete zones. | | | | | | | | | | 54538 | 85.50 | 87.50 | 0.13 | <0.03 |
| | | | | | | | | | | | | | | | | |
| 70.26 | 72.2 | Calc Silicate Alt,d Andesite/ Andesite Breccia | | | | | | | | | | | | | | |
| | | Mod to intense calc silicate alteration. Grey black as at | | | | | | | | | | | | | | |
| | | 60.98m fragments corroded supported in carbonate | | | | | | | | | | | | | | |
| | | grossularite pink sand brown matrix with replacement | | | | | | | | | | | | | | |
| | | silica and K feldspar. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 72.2 | 75.12 | Augite Plag Phyric Amyg Andesite/Basalt Flow | | | | | | | | | | | | | | |
| | | Grey black, medium grained, weak calcite silicate | | | | | | | | | | | | | | |
| | | alteration with grossulatite carbonate replacement of | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | amygdules and patches. Fractures at 40° to c.a. 1mm to 0.5cm. Others 1mm parallel to c.a. with grossularitealbite with trace pyrrhotite. At 72.70m- flow aligment of amygdules at 40° to c.a. Trace pyrite, 0.05% disseminated chlacopyrite as blebs. Grossulatite, carbonate albite trace pyrr along 40° fractures up to 5cm. Also 1 mm parallel to c.a.. | | 0.05 | | | | | | | | | | | | |
| 75.12 | 87.88 | Grossularite-Epidote-Kspar-Skarn | | | | | | | | | | | | | | |
| | | Upper alteration front not pronounced. Pale sandy green, orange, pink mottled, medium grained, with trace pyrrhotite and 0.05% scattered blebs of chalcopyrite. Zones also weak calc silicate altered and non pervasive with fracture fill alteration at 10° 30° to c.a. up to 1cm with grossularite, dark red brown hematized Kspar ? Core becoming more silicious and harder down hole. | | | | | | | | | | | | | | |
| | | At 83.90-84.73m 70% recovery . At 84.73-87.78m pseudo breccia discontinuous between fresher to weak calc silicate altered augite plagh porph flows with later chalcedonic quartz replacement of magnetite matrix to 85.70m. Breccia fragments corroded, limey, Kspar overprints and rims grossularite alteration zones. | tr | 0.1 | | 3 | 1 | | | 2 | 2 | | | | | |
| 87.88 | 88.75 | Fault | | | | | | | | | | | | | | |
| | | Upper contact 20°. Dark grey, green, bleached, clay gouge. Wall rock, hornblende, plagioclase andesite flow. | | | | | | | | | | | | | | |
| 88.75 | 92.3 | Wkly Calc Silicate Alt'd Andesite/Andesite Bx | | | | | | | | | | 54539 | 87.50 | 89.50 | 0.08 | <0.03 |
| | | Grey black, mostly carbonate altered phenocrysts with trachytic texture. Recoveries- 70% from 87.78-90.83m. More pronounced breccia with grossulatite diopside? carbonate, quartz alteration of fragments cut by subparallel carbonate 1mm fractures. Other fractures at | | | | | | | | | | 54540 | 89.50 | 90.83 | <0.01 | <0.03 |

| | | | | | | | Alteration Scale: 1 - 5 | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depth (m) | | Description | % | % | % | % | Chl- | Cal | 2nd | 2nd | 2nd | Sample | Interval (m) | | Cu | Au |
| From | To | | Py | Cpy | Mo | Mag | Ep | | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 30° to c.a. coated with manganese oxides. The more | | | | | | | | | | | | | | |
| | | intense breccia zones exhibit fragments with corroded | | | | | | | | | | | | | | |
| | | edges supported in a grossulatite, quartz carbonate | | | | | | | | | | | | | | |
| | | matrix with trace fine-grained blebs of chalcopyrite as | | | | | | | | | | | | | | |
| | | fracture fill. | | | | | | | | | | | | | | |
| | | 93.65m epidote, grossulatite, Kspar replacement of | | | | | | | | | | | | | | |
| | | augite plagioclase porphyry fragments. Fractures widely | | | | | | | | | | | | | | |
| | | spaced at mostly 60° to c.a. to 96.20m. | | | | | | | | | | | | | | |
| | | . 96.93m shearing at 20° to c.a. with shiny black | | | | | | | | | | | | | | |
| | | chlorite along fracture surfaces. | | | | | | | | | | | | | | |
| | | 99.97-104.50m more sillicious matrix.2 by 3mm fracture | | | | | | | | | | | | | | |
| | | | | tr | | 3 | | 1 | | 3 | 1 | | | | | |
| | | | | | | | | | | | | | | | | |
| 103.9 | 109.32 | Wk Calc Silicate Alt,d Andesite/Andesite Breccia | | | | | | | | | | | | | | |
| | | Fresher, finer grained, less calcite silicate alteration. | | | | | | | | | | | | | | |
| | | less grossulatite carbonate as patches and less silica. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 109.32 | 109.95 | Calc Silicate Alt,d Andesite/ Volcaniclastic Seds | | | | | | | | | | | | | | |
| | | Grey green with weak grossulatite diopside alteration | | | | | | | | | | | | | | |
| | | no culphides visible. Bedding structures 50° to c.a.. | | | | | | | | | | | | | | |
| | | 110.30-110.95 Volcanic breccia mono lithologic with | | | | | | | | | | | | | | |
| | | sub rounded sub angular fragments from 3mms- 1cm | | | | | | | | | | | | | | |
| | | supported in carbonate matrix. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 109.95 | 113.99 | Wk calc Silicate Altered Volcaniclastic Seds/Bx | | | | | | | | | | | | | | |
| | | Upper contact 50° Grey green, weakly calcite silicate | | | | | | | | | | | | | | |
| | | altered- volcanic seds banded lamina av 1-2mm with | | | | | | | | | | | | | | |
| | | interbedded grossulatite altered augite porphyritic and | | | | | | | | | | | | | | |
| | | volcanic flows , trace blebs chalcopyrite fine grained. | | | | | | | | | | | | | | |
| | | Finer grained seds replaced with 10-20% magnetite. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 113.99 | 116.06 | Wk/Mod Calc Sil icate Alt/d Porphyritic And Bx | | | | 3 | | | | | | | | | | |
| | | Augite Plagioclase hornblende. Alteration grossulatite, | | | | | | | | | | | | | | |

| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | epidote, quartz, carbonate, kspar? Alignment of phenos possibly 40° to c.a. Becomes more limey and brecciated to 116.06m. Whispey alteration patches with epidote, quartz, Kspar, grossulatite. | | | | | | | | | | | | | | |
| 116.06 | 119.24 | Wk Mod Calc Silicate Alt'd Porphyritic And Bx | | | | 1 | | | | | | | | | | |
| | | Upper contact 50° to c.a. Grey green sandy brown with intercalated epidote grossulatite altered flows at lower contact at 50° to c.a.. Non silicious breccia- fragments 0.5cm average 1-02 cms with corroded boudaries, supported in grossulatite, epidote, carbonate matrix. No visible sulphides. Fractures 40° to c.a. widely spaced. lower contact 60° to c.a.. | | | | | | | | | | | | | | |
| 119.24 | 121.4 | Wk Calc Silicate Alt'd Amygdaloidal And Flow | | | | | | | | | | | | | | |
| | | Alteration grossulatite, diopside carbonate replacement 2% of amygZZZ up to 0.5cms Matrix magnetite and silicate. Lower contact brecciated with calcite infill matrix lower contact 60° to c.a. Fractures 55°-50° to c.a.. | | | | 3 | 1 | 1 | | 2 | | | | | | |
| 121.4 | 129.93 | Wk Calc Silicate Alt'd And Volcaniclastic Seds | | | | 3 | | | | 1 | | | | | | |
| | | Grey green black well defined laminae at 50° to c.a. Fine to medium grained locally banding layers intermixed with minor magnetite cut by pale green brown grossulatite albite? veinlets at 30° to c.a. Calcite fractures 30°-70° to c.a. | | | | | | | | | | | | | | |
| 129.93 | 131.65 | Unaltered Volcaniclastic Sediments (Siltstone) | | | | | | | | | | | | | | |
| | | Grey black, massive, with grossularite, as fracture fill 1-2m at 20° to c.a. widely spaced no visible sulphides. Moderately magnetic, non silicious. Lower contact 30°. | | | | | | | | | | | | | | |

**PROPERTY: Spout Lake**

# GWR RESOURCES INC.

**DRILL HOLE NO.: SPL 05-03**



| Depth (m) | | Description | % | % | % | % | Alteration Scale: 1 - 5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | Py | Cpy | Mo | Mag | Chl-Ep | Cal | 2nd Bio | 2nd Sil | 2nd Ksp | Number | From | To | % | g/t |
| | | | | | | | | | | | | | | | | |
| 131.65 | 139.6 | Wk Calc Silicate Alt'd porphyritic Andesite Bx | | tr | | 3 | | 1 | | | | | | | | |
| | | Alteration, grossulatite, Kspar, carbonate as patches, | | | | | | | | | | | | | | |
| | | mottled appearance cut by late calcite veinlets parallel, | | | | | | | | | | | | | | |
| | | 30° and 20degrees to c.a.with trace chalcopyrite. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| EOH | 139.6 | | | | | | | | | | | | | | | |

# GWR RESOURCES INC.
# DRILL HOLE: SPL-05-04

**PROPERTY: Spout Lake**

| | | | | | |
|---|---|---|---|---|---|
| **Easting (NAD 83):** | **611729** | **Core Size:** | **NQ** | **Started:** | **April 8. 2005** |
| **Northing (NAD 83):** | **5760834** | **Hole Azimuth:** | **245°** | **Finished:** | **April 15, 2005** |
| **Grid Location:** | | **Hole Angle:** | **-55°** | **Logged by:** | **D. Duba** |
| **Elevation:** | **1140 m** | **Total Depth:** | **115.2 m** | **Analysis by:** | **Eco-Tech** |

| Down-hole Tests | | |
|---|---|---|
| Depth | Angle | Azm. |
| | | |
| | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Ch-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.0 | 4.8 | CASING | | | | | | | | | | | | | | |
| 4.8 | 5.8 | CALC-SILICATE ALTERED ANDESITE | tr | tr | | 2 | | | | 4 | | | | | | |
| | | Mottled med to dark green, locally beige, fg to mg, patchy, dominantly diopside-mag and lesser garnet (grossularite) altered andesite, obscured primary textures | | | | | | | | | | 46790 | 4.80 | 5.8 | 0.15 | <0.03 |
| | | -moderately magnetic, <2-5% fg to mg mag dissem, average 2% | | | | | | | | | | | | | | |
| | | -moderately fractured, random orientations, calc-silicate infill and halos straddling fractures | | | | | | | | | | | | | | |
| | | -trace fg cpy and py dissem, malachite staining | | | | | | | | | | | | | | |
| | | -poorly competent core, abundant limonite on fractures | | | | | | | | | | | | | | |
| 5.8 | 9.5 | CALC-SILICATE ALTERED ANDESITE BRECCIA? | tr | tr | | 4 | | | | 3 | | 46791 | 5.80 | 7.8 | 0.14 | <0.03 |
| | | -poorly competent, blocky core over >50% of this interval, locally ground to rubble, common limonite and clay on fractures | | | | | | | | | | 46792 | 7.80 | 9.5 | 0.09 | <0.03 |
| | | -mottled dark green to medium green/beige, pseudobrecciated texture, dark green, strongly magnetic | | | | | | | | | | | | | | |
| | | "fragments", <30-60%, <0.5 to 3cm average, in mg, beige garnet-diopside-sil matrix, corroded frag boundaries | | | | | | | | | | | | | | |
| | | -mod to strong magnetic, 3-5%, fg to mg mag replacement of frags and matrix | | | | | | | | | | | | | | |
| | | -weakly fractured, dominant trend 45° CA, infilled w/cal-lim-hem-felds?, <1cm | | | | | | | | | | | | | | |
| | | -trace py, euhedral and cpy clots in calc-silicate patches | | | | | | | | | | | | | | |
| | | -LC is wispy and undulates at 70° to CA | | | | | | | | | | | | | | |
| 9.5 | 11.2 | WEAKLY ALT'D ANDESITE | tr | tr | | <0.5 | | 2 | | | | 46793 | 9.50 | 11.2 | 0.02 | <0.03 |
| | | -fine grained, medium green to locally mottled pink/apple green/beige | | | | | | | | | | | | | | |
| | | -localized, weak, patchy and fracture-controlled calc-silicate alteration, ga-ep-dio | | | | | | | | | | | | | | |
| | | -weakly fractured, 2-5mm fill, qtz-ga-ep-cal-hem/mag, 60-70° CA, also random orientations, limonite coating | | | | | | | | | | | | | | |
| | | -trace cpy and py as fine grained disseminations | | | | | | | | | | | | | | |
| | | -locally high magnetite, 3-5% over narrow widths, <15cm, overall weak, <0.5% | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**

**DRILL HOLE NO.: SPL 05-04**

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1(weak)-5(strong) | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 11.2 | 15.2 | STRONG CAL-SILICATE ALTERED ANDESITE BRECCIA? | tr | tr | | <1 | | | | 4 | 1 | | | | | |
| | | -fine to medium grained, mottled dark green/light beige/pink | | | | | | | | | | 46794 | 11.20 | 13.2 | 0.08 | <0.03 |
| | | -pseudobrecciated texture suggested by dark green | | | | | | | | | | 46795 | 13.20 | 15.3 | 0.08 | <0.03 |
| | | pseudoclasts, mostly dio-mag-plag in 2nd ga-sil-dio matrix, | | | | | | | | | | | | | | |
| | | lesser Kspar/albite? | | | | | | | | | | | | | | |
| | | -matrix supported, ~60%, obscured primary textures, andesite | | | | | | | | | | | | | | |
| | | breccia protolith? | | | | | | | | | | | | | | |
| | | -moderately fractured, at least 3 sets, 30, 45˚-50˚ and 70˚ to | | | | | | | | | | | | | | |
| | | CA | | | | | | | | | | | | | | |
| | | -trace cpy as clots and dissem, tr py euhedra and clots assoc | | | | | | | | | | | | | | |
| | | w/ massive magnetite, overall wk magnetic (<1%) | | | | | | | | | | | | | | |
| | | -LC of alteration front undulates at ~70 to CA | | | | | | | | | | | | | | |
| 15.2 | 17.4 | WEAKLY CALC-SILICATE ALTERED ANDESITE | tr | tr | | <1 | | | | 3 | 1 | 46796 | 15.30 | 17.4 | 0.05 | <0.03 |
| | | -grey-green, fg, amygdaloidal, augite phyric andesite | | | | | | | | | | | | | | |
| | | -weak, discontinuous, pervasive & patchy calc-silicate alteratio | | | | | | | | | | | | | | |
| | | over short intervals, <20 cm, garnet-diopside | | | | | | | | | | | | | | |
| | | -<3% garnet-diopside-sil veins, 2-3mm, random orientations | | | | | | | | | | | | | | |
| | | -weakly magnetic, blebs/clots after augite phenocrysts and fg | | | | | | | | | | | | | | |
| | | dissem in matrix | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 17.4 | 22.9 | STRONG CAL-SILICATE ALTERED ANDESITE BRECCIA? | tr | tr | | 3 | | | | 3 | | 46797 | 17.40 | 19.5 | 0.17 | <0.03 |
| | | -mottled beige/dark and medium green, strong calc-silicate | | | | | | | | | | 46798 | 19.50 | 21.4 | 0.22 | 0.03 |
| | | altered andesite breccia?, obscured primary textures | | | | | | | | | | 46799 | 21.40 | 22.9 | 0.08 | <0.03 |
| | | -pseudobrecciated/brecciated(?) texture, similar to 11.2-15.2m | | | | | | | | | | | | | | |
| | | -calc-silicate assemblage dominated by garnet (beige to brow | | | | | | | | | | | | | | |
| | | diopside (green) | | | | | | | | | | | | | | |
| | | -strongly magnetic, fg to mg replacement of mafic minerals, 2- | | | | | | | | | | | | | | |
| | | 3% avg | | | | | | | | | | | | | | |
| | | -weakly fractured, limonite coating | | | | | | | | | | | | | | |
| | | -trace py/cpy dissem, locally semi-massive and clots | | | | | | | | | | | | | | |
| | | 19.5-19.6m semi-massive py (1-2%) and cpy (2-3%) in strongl | | | | | | | | | | | | | | |
| | | calc-silicate altered host rock | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 22.9 | 24.4 | WEAKLY TO MODERATELY ALT'D ANDESITE | tr | tr | | 1 | | | | 3 | | 46800 | 22.90 | 24.4 | 0.07 | 0.03 |
| | | -variably calc-silicate altered plag>augite phyric andesite, <1 to | | | | | | | | | | | | | | |
| | | 2mm avg, 20-35%, wk patchy and fracture-controlled dio>ga- | | | | | | | | | | | | | | |
| | | sil>ep alt'n | | | | | | | | | | | | | | |
| | | -from 23.4-24.4m gradual increase in diop-ga-mag, partial | | | | | | | | | | | | | | |
| | | obliteration of primary textures, @23.7m dio-ga-ep vein, 1.5 | | | | | | | | | | | | | | |
| | | cm, 45˚ to CA | | | | | | | | | | | | | | |
| | | -trace fg cpy and in calc-silicate veins, mod magnetic | | | | | | | | | | | | | | |
| 22.4 | 36.6 | STRONG CALC-SILICATE ALT'D/FRACTURED ANDESITE | | tr | | 2 | | 3 | | 3 | | | | | | |
| | | Fine grained, mottled beige, medium to dark green/black. | | | | | | | | | | | | | | |
| | | -below 27.2m dominantly med green, dark grey/black | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE NO.: SPL 05-04**

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1(weak)-5(strong) | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Pseudobrecciated texture, dark green/black frags in dio-ga-sil-ep-mag matrix | | | | | | | | | | 54551 | 24.40 | 26.4 | 0.19 | <0.03 |
| | | -weakly/moderately fractured, at least 3 sets, 30-35˚, 45˚ and 70˚ to CA, common carb-lim fill, HL to 1mm | | | | | | | | | | 54552 | 26.40 | 28.4 | 0.1 | <0.03 |
| | | 25.4-26.1m blocky core, mod random fracturing, clay-lim coating, trace py/po dissem+clots, also pink Kspar-ga-cc-lim veining, <1-2mm veins | | | | | | | | | | 54553 | 28.40 | 30.4 | 0.06 | <0.03 |
| | | | | | | | | | | | | 54554 | 30.40 | 32.4 | 0.06 | <0.03 |
| | | | | | | | | | | | | 54555 | 32.40 | 34.6 | 0.04 | <0.03 |
| | | | | | | | | | | | | 54556 | 34.60 | 36.6 | 0.08 | <0.03 |
| | | 34.6-36.6m pale green to mottled dark green/black, vfg, mod to strongly fractured, random, HL-2mm, pink calc+/-qtz filling, broken core over >50% of this interval, obliterated primary textures, strong dio-sil alt'd, mod magnetic (patchy), 2-3%, clots of trace cpy assoc w/mag | | tr | | 2 | | | | | | | | | | |
| 36.6 | 39.0 | FAULT BRECCIA/ANDESITE BRECCIA? | | tr | | 2 | | 2 | | 4 | 2 | 54557 | 36.60 | 37.6 | 0.1 | 0.04 |
| | | -mottled green, dark green/black/pink fault breccia, partially obliterated primary textures | | | | | | | | | | 54558 | 37.6 | 39.0 | 0.18 | 0.03 |
| | | -angular fragments, <1 to 2cm avg. in cg fragmental matrix of similar composition | | | | | | | | | | | | | | |
| | | -strong calc-silicate alteration, dio-sil overprinting Kspar+ep | | | | | | | | | | | | | | |
| | | -weakly to mod magnetic, <1 to 3%, trace cpy dissem | | | | | | | | | | | | | | |
| | | -brown/beige, amorphous ga?+pink qtz healing random netwo of fractures | | | | | | | | | | | | | | |
| | | -late stage calcite veining | | | | | | | | | | | | | | |
| 39.0 | 44.8 | MOD CALC-SILICATE ALT'D/FRACTURED ANDESITE | | tr | | 0.5 | | 1 | | 3 | 1 | 54559 | 39.0 | 41.0 | 0.06 | <0.03 |
| | | -mottled medium to dark green/black/lesser beige, fg to mg, plagioclase>augite phyric andesite, <1-2mm, <30% | | | | | | | | | | 54560 | 41.0 | 43.0 | 0.03 | <0.03 |
| | | -variably calc-silicate altered, dio-ga-sil, locally preserved primary textures | | | | | | | | | | 54561 | 43 | 44.8 | 0.1 | <0.03 |
| | | -strongly fractured, amorphous qtz?+felds+cal, HL fracture fill, random orientations, locally common 2 sets at 45 & 80˚ to CA | | | | | | | | | | | | | | |
| | | -trace cpy, clots and dissem, rarely in creamy qtz veinlets, 1-2mm, 20˚ CA | | | | | | | | | | | | | | |
| | | -wk magnetic, <0.5% | | | | | | | | | | | | | | |
| | | -broken core over most of this interval, <5cm lengths | | | | | | | | | | | | | | |
| 44.8 | 47.0 | FAULT BRECCIA/CALC-SILICATE ALT'D ANDESITE BRECCIA? | | tr | | <0.5 | | 1 | | 2 | 1 | 54562 | 44.8 | 47.0 | 0.1 | <0.03 |
| | | -strongly fractured/brecciated, intensely altered andesite breccia? | | | | | | | | | | | | | | |
| | | -mottled dark green. beige/pink, fg to mg, patchy and fracture-controlled calc-silicate alt'n, ga>dio, weak Kspar?+ep (earlier potassic alt'n?) | | | | | | | | | | | | | | |
| | | -weak magnetite, <0.5%; cpy clots, trace to 0.1% | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE NO.: SPL 05-04**

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1(weak)-5(strong) | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 47.0 | 54.3 | MODERATELY CALC-SILICATE ALT'D ANDESITE | | | | 0.1 | | | | 4 | 1 | 54563 | 47 | 49.0 | 0.03 | 0.12 |
| | | -medium to dark green, localized mottled beige, fg to mg, | | | | | | | | | | 54564 | 49 | 51.0 | 0.01 | <0.03 |
| | | variably altered, augite-plagioclase porphyritic andesite, | | | | | | | | | | 54565 | 51 | 53.0 | 0.01 | <0.03 |
| | | phenocrysts 1-2mm on ave, to 35% | | | | | | | | | | 54566 | 53 | 54.3 | 0.02 | <0.03 |
| | | -locally obliterated primary textures, calc-silicate assemblage | | | | | | | | | | | | | | |
| | | consists of ga>dio>sil, minor pink Kspar (remnant of early | | | | | | | | | | | | | | |
| | | potassic alt'n?), pervasive intense silicification | | | | | | | | | | | | | | |
| | | -poorly competent, blocky core over ~30% of this interval | | | | | | | | | | | | | | |
| | | -variable mag content, trace to 0.5% | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 54.3 | 57.0 | FAULT ZONE/STRONGLY ALT'D & FRACTURED | | tr | | 6 | | 2 | | 3 | 1 | 54567 | 54.3 | 57.0 | 0.04 | <0.03 |
| | | ANDESITE BX? | | | | | | | | | | | | | | |
| | | Mottled dark grey/black/green/beige, strongly fractured and | | | | | | | | | | | | | | |
| | | intensely calc-silicate altered andesite breccia(?), obliterated | | | | | | | | | | | | | | |
| | | primary textures | | | | | | | | | | | | | | |
| | | -alteration assemblage includes garnet-diopside, minor pink | | | | | | | | | | | | | | |
| | | Kspar?, strong 2nd magnetite, 5-7% | | | | | | | | | | | | | | |
| | | -strongly fractured, calc-silicates healing fractures, HL to 2mm, | | | | | | | | | | | | | | |
| | | dominant orientation sub ll to CA (0-15˚) to random, | | | | | | | | | | | | | | |
| | | slickensided chloritic fracture surfaces | | | | | | | | | | | | | | |
| | | @56.9m <0.5cm to 2cm sheeted cal veins, rimmed by | | | | | | | | | | | | | | |
| | | ga/mag/cpy clots, 20˚ CA, crosscutting earlier mag-calc-Kspar- | | | | | | | | | | | | | | |
| | | ep alt'n | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 57.0 | 79.8 | MODERATELY CALC-SILICATE ALTERED/FRACTURED | tr | tr-0.1 | | 1 | | 2 | | 3 | 2 | 54568 | 57.0 | 59.0 | 0.03 | <0.03 |
| | | ANDESITE | | | | | | | | | | 54569 | 59.0 | 61.0 | 0.07 | <0.03 |
| | | -fg to mg, dark green w/med green patchy and fracture- | | | | | | | | | | 54570 | 61.0 | 63.0 | 0.06 | <0.03 |
| | | controlled calc-silicate alt'd plagioclase-augite phyric andesite, | | | | | | | | | | 54571 | 63.0 | 65.0 | 0.05 | <0.03 |
| | | alt'n assemblage is dominated by dio-sil-mag-+/-cpy, below | | | | | | | | | | 54572 | 65.0 | 67.0 | 0.02 | <0.03 |
| | | 76.1m patchy Kspar alt'n | | | | | | | | | | 54573 | 67.0 | 69.0 | 0.03 | <0.03 |
| | | -variably magnetic, veins, semi-massive patches and dissem, | | | | | | | | | | 54574 | 69.0 | 71.0 | 0.06 | <0.03 |
| | | <1 to 5-7%, overall ~1% | | | | | | | | | | 54575 | 71.0 | 73.0 | 0.02 | <0.03 |
| | | -trace cpy fg dissem in matrix, assoc w/magnetite | | | | | | | | | | 54576 | 73.0 | 75.0 | 0.05 | 0.03 |
| | | -moderately fractured throughout this interval, narrow sections | | | | | | | | | | 54577 | 75.0 | 77.0 | 0.08 | 0.03 |
| | | of intense fracturing, >0.5 to 2m in widths | | | | | | | | | | 54578 | 77.0 | 78.6 | 0.06 | 0.03 |
| | | 64.0-64.5m random, narrow pink cal veinlets, rimmed by white | | | | | | | | | | 54579 | 78.6 | 79.8 | 0.02 | <0.03 |
| | | cal | | | | | | | | | | | | | | |
| | | 67.3-69.0m broken core, mod to strong fracturing, cal healed, | | | | | | | | | | | | | | |
| | | <2mm widths on ave, random orientations, these cut older pink | | | | | | | | | | | | | | |
| | | felds-cal veins, <1-2mm, locally 55-65˚ CA | | | | | | | | | | | | | | |
| | | 76.1-77.0m pervasive and patchy Kspar+/-ep alt'n overprinted | | | | | | | | | | | | | | |
| | | by dio>ga; sub ll to CA, undulating, banded gypsum?-cal veins, | | | | | | | | | | | | | | |
| | | <1cm widths, slickensided chl-hem fractures, 0˚ CA | | | | | | | | | | | | | | |
| | | 78.0-78.6m mag--pink cal vein w/cpy clots, parallel to CA, 1- | | | | | | | | | | | | | | |
| | | 1.5cm , host is sheared (0˚ CA), chloritized andesite | | | | | | | | | | | | | | |
| | | | tr | 0.2 | | 4 | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE NO.: SPL 05-04**

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1(weak)-5(strong) | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 79.8 | 81.3 | VOLCANICLASTIC SEDIMENTS/GREYWACKE? (MAFIC TUFF?)<br>-fg, medium to dark green, thinly to locally thickly bedded (<1.5 to 30 cm) volcaniclastic sediments/greywacke?/possibly mafic-tuff?, interbedded w/amygdaloidal, plag-augite phyric andesite<br>-bedding, So 70° CA<br>-silicified and weakly calc-silicate altered, dominated by dio-minor ga?, rare dio-sil-mag veins, to 6mm thick, 70°CA<br>-overall moderately magnetic, 1-2% | | | | 1.5 | | | | 4 | | 54580 | 79.8 | 81.3 | 0.02 | <0.03 |
| 81.3 | 96.0 | WEAKLY CALC-SILICATE ALTERED ANDESITE<br>-mottled grey-green/beige and medium green, fg to mg, weak patchy and fracture-controlled calc-silicate alt'n, beige garnet (grossularite)>med green diopside<br>-locally, narrow sections of intense potassic alt'n (pink Kspar-ep) overprinting? calc-silicate alt'n<br>-weakly magnetic, mag occurs as fg to mg subhedral dissem replacing mafic minerals, <0.3%<br>-trace cpy clots and dissem assoc w/more intense alteration<br>-broken core from 81.3-84.7m, pin Kspar (alb?)-cal filling fractures | | tr | | 0.3 | | 2 | | 3 | 3 | 54581 | 81.3 | 83.3 | 0.09 | 0.04 |
| | | | | | | | | | | | | 54582 | 83.3 | 85.3 | 0.08 | 0.03 |
| | | | | | | | | | | | | 54583 | 85.3 | 87.3 | 0.01 | <0.03 |
| | | | | | | | | | | | | 54584 | 87.3 | 89.3 | 0.08 | <0.03 |
| | | | | | | | | | | | | 54585 | 89.3 | 92.3 | 0.05 | <0.03 |
| | | | | | | | | | | | | 54586 | 92.3 | 94.3 | 0.04 | <0.03 |
| | | | | | | | | | | | | 54587 | 94.3 | 96.3 | 0.02 | <0.03 |
| 96.0 | 103.0 | WEAKLY ALT'D PLAG-AUGITE/HB PHYRIC, AMYGDALOIDAL ANDESITE<br>-dark grey-green, locally mottled pink/apple green/black, weakly altered, crowded (>40%), plagioclase>augite/hornblende porphyritic, 1-2mm, and amygdaloidal,, 1-3mm, andesite<br>-discontinuous potassic alt'n, Kspar+ep, locally moderate to strong pervasive flooding, 99.1-110.2 and 102-102.4m<br>-weakly to strongly magnetic sections, <0.5-2-3%, average <1%<br>-minor ga-sil-dio patches and amygdule replacement | | | | <1 | | | | 3 | 2 | 54588 | 96.3 | 98.3 | 0.02 | <0.03 |
| | | | | | | | | | | | | 54589 | 98.3 | 100.3 | 0.03 | <0.03 |
| 103.0 | 115.2 | WEAKLY ALTERED ANDESITE?<br>Medium grained, weakly epidote-magnetite altered plag-hornblende phyric andesite?, massive, possibly intrusive, "salt-and-pepper" and poikilitic textures. Corroded plag masses w/black tour and mag inclusions.<br>-minor epidote, <2-3% as clots and rarely as random HL veinlets<br>-moderately magnetic, 3% | | | | 3 | | | | 2 | | | | | | |
| 115.2 | | EOH | | | | | | | | | | | | | | |

# GWR RESOURCES INC.
# DRILL HOLE: SPL- 05- 05

## PROPERTY: SPOUT LAKE

**Easting (NAD 83):** 611770
**Northing (NAD 83):** 5761108
**Grid Location:**
**Elevation:** 1120m

**Core Size:** NQ
**Hole Azimuth:** 040°
**Hole Angle:** -71°
**Total Depth:** 331.3 m

**Started:** April 22, 05
**Finished:** April 27, 05
**Logged by:** D. Duba
**Analysis by:** Eco-Tech

| Down-hole Tests | | |
|---|---|---|
| Depth | Angle | Azm. |
| | | |
| | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.0 | 6.1 | CASING | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 6.1 | 46.8 | WK/MOD CALC-SILICATE ALTERED ANDESITE/ANDESITE BX | tr | tr | | tr | 2 | 2 | | 3 | 1 | 54590 | 6.6 | 8.6 | <0.01 | <0.03 |
| | | Med grey-green to mottled brown/beige/pink, fg to mg | | | | | | | | | | 54591 | 8.6 | 10.6 | 0.02 | <0.03 |
| | | -intercalations of variably calc-silicate alteredd andesite and andesite | | | | | | | | | | 54592 | 10.6 | 12.6 | 0.01 | <0.03 |
| | | breccia?, subangular fragments/pseudofragments?, >50%, <0.5 to 3m on | | | | | | | | | | 54593 | 12.6 | 14.6 | 0.08 | <0.03 |
| | | average, dark green, corroded and wispy rims, supported in medium | | | | | | | | | | 54594 | 14.6 | 16.6 | 0.03 | <0.03 |
| | | grained, porphyritic, calc-silicate altered matrix, garnet>diopside-silica- | | | | | | | | | | 54595 | 16.6 | 18.6 | 0.04 | <0.03 |
| | | magnetite-chlorite, alteration is weak, patchy and discontinuous | | | | | | | | | | 54596 | 18.6 | 20.6 | 0.04 | <0.03 |
| | | -remnant minor pink-red Kspar+epidote (potassic alteration?) as patches | | | | | | | | | | 54597 | 20.6 | 22.6 | 0.04 | <0.03 |
| | | and veins | | | | | | | | | | 54598 | 22.6 | 24.6 | <0.01 | <0.03 |
| | | -tr cpy clots, tr subhedral mg py/po, weakly magnetic, tr mag dissem | | | | | | | | | | 54599 | 24.6 | 26.6 | 0.02 | <0.03 |
| | | -moderately fractured, ep/chl and carb fill, random orientations, most | | | | | | | | | | 54600 | 26.6 | 28.6 | 0.02 | <0.03 |
| | | common sub ll to 10° CA | | | | | | | | | | 54601 | 28.6 | 30.6 | 0.01 | <0.03 |
| | | -core is poorly compentent, blocky over >50% of this interval | | | | | | | | | | 54603 | 30.6 | 32.6 | 0.01 | <0.03 |
| | | 6.1-8.1m abundant calcite veins, to 1.5cm widths @ 30°to CA and | | | | | | | | | | 54604 | 32.6 | 34.6 | <0.01 | <0.03 |
| | | interstitial calcite in volcanic bx | | | | | | | | | | 54605 | 34.6 | 36.6 | <0.01 | <0.03 |
| | | 11.7-11.8m medium green core rubble w/chlorite+epidote+clay gouge | | | | | | | | | | 54606 | 36.6 | 38.6 | <0.01 | <0.03 |
| | | 17.6-17.8m 0-05° CA dio vein, >2cm w/angular frag of wallrock | | | | | | | | | | 54607 | 38.6 | 40.6 | <0.01 | <0.03 |
| | | -below 34.5m more blocky core, increase in fracture-controlled, | | | | | | | | | | 54608 | 40.6 | 42.6 | <0.01 | <0.03 |
| | | random epidote-calcite veins, 1-2mm | | | | | | | | | | 54609 | 42.6 | 44.6 | <0.01 | <0.03 |
| | | 40.6-44.6m broken core, mod to strongly fractured, | | | | | | | | | | 54610 | 44.6 | 46.8 | 0.01 | <0.03 |
| | | numerous 20-40cm sections of rubble, slickensided fracture | | | | | | | | | | | | | | |
| | | surfaces, cal-chl-ep coated, minor fault breccia at 42.5-42.8m, | | | | | | | | | | | | | | |
| | | 10° CA, 1-2cm width | | | | | | | | | | | | | | |
| | | 44.6-46.8m patchy ga-dio-sil and pink Kspar (alb?) | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 46.8 | 49.3 | PLAGIOCLASE-PHYRIC MONZONITE | | | | tr | | | | 3 | 1 | 54611 | 46.8 | 49.3 | <0.01 | <0.03 |
| | | Pinkish brown, fine grained, crowded plagioclase phyric monzonite, <1- | | | | | | | | | | | | | | |
| | | 2mm, ~30-35%, minor hornblende, 1-2mm, <2-3%, altered to secondary | | | | | | | | | | | | | | |
| | | bio/mag | | | | | | | | | | | | | | |
| | | -aphanitic, light grey, siliceous matrix | | | | | | | | | | | | | | |
| | | -weak potassic alteration, pervasive silicification | | | | | | | | | | | | | | |

| | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 49.30 | 51.00 | FAULT ZONE | | | | | | 4 | | | | 54612 | 49.3 | 52.0 | <0.01 | <0.03 |
| | | Medium to light green clay gouge, strongly calcareous. | | | | | | | | | | | | | | |
| | | UC is @ 45° to CA and LC is core rubble. Poor core recovery, ~60%. | | | | | | | | | | | | | | |
| 51.00 | 93.50 | FAULTED/ALTERED PLAG/AUG/HORNBLENDE PHYRIC MONZONITE | tr | tr | | <0.1 | | 2 | | 3 | 4 | | | | | |
| | | Similar to 46.3-49.3. Faulted, fine grained, pinkish to mottled pink/grey-green/brown, crowded porphyritic, (<30%, 1-2mm avg), plag and lesser augite/hornblende phenocrystic monzonite. Light grey, aphanitic siliceous matrix. | | | | | | | | | | | | | | |
| | | -variable, moderatly to strongly, pervasive to locally patchy, fracture-controlled potassic alteration, Kspar+ep | | | | | | | | | | | | | | |
| | | -weakly magnetic, <0.1%, as fine to medium grained replacement of mafic phenos, partly sericitized plagioclase | | | | | | | | | | | | | | |
| | | -trace pyrite, fg to mg euhedral disseminations | | | | | | | | | | | | | | |
| | | 51-67.5m fault zone/broken, locally crumbly core (>80% of this interval), minor clay gouge, chl-ep+/-cal on fractures | | | | | | | | | | | | | | |
| | | 67.5-68.7m inclusion of alt'd andesite, mottled beige/green/red, patchy calc-sil alt'd (ga>dio-mag) and minor Kspar? | | | | | | | | | | 54613 | 65.5 | 67.5 | 0.01 | <0.03 |
| | | @68.7 contact w/monzonite, 45° CA, 0.3-0.5cm mag-hem-cpy (as clots) | | | | | | | | | | 54614 | 67.5 | 68.7 | 0.20 | <0.03 |
| | | cal-qtz vein, pink Kspar in selvage, 0.5cm | | | | | | | | | | 54615 | 68.7 | 70.7 | 0.02 | <0.03 |
| | | 68.7-68.9m strong, pervasive potassic alt'n, cut by 45°CA fractures | | | | | | | | | | 54616 | 70.7 | 72.7 | <0.01 | <0.03 |
| | | w/dio-ga rims, tr cpy dissem | | | | | | | | | | 54617 | 72.7 | 74.7 | <0.01 | <0.03 |
| | | 68.9-74.7m mod patchy potassic alt'n centered on fractures, poorly competent core, mod microfract'd, HL random cal fill | | | | | | | | | | 54618 | 89.5 | 91.5 | <0.01 | <0.03 |
| | | 79.5-79.8m strong K alt'n, qtz-dio veining, 2-7mm, 45°CA | | | | | | | | | | 54619 | 91.5 | 93.5 | <0.01 | <0.03 |
| | | 84.4-93.6m strong perv Kspar flooding, ep on fractures, localized mod fracturing, broken core ( >50% of this section) | | | | | | | | | | | | | | |
| 93.5 | 96.6 | CALC-SILICATE ALTERED ANDESITE BRECIA | | | | | | | | 3 | 2 | 54620 | 93.5 | 95.5 | <0.01 | <0.03 |
| | | -dark brown, mottled pink/green, fg to mg | | | | | | | | | | 54621 | 95.5 | 96.6 | <0.01 | <0.03 |
| | | -obscured primary textures, strongly calc-silicate alt'd, dio-ga-sil and minor, patchy potassic alt'n, pink Kspar?-epidote | | | | | | | | | | | | | | |
| | | -interstitial cal open-space filling | | | | | | | | | | | | | | |
| | | -LC sharp at 30° CA | | | | | | | | | | | | | | |
| 96.6 | 96.9 | PLAGIOCLASE PHYRIC MONZONITE | | | | <1 | | | | | 3 | | | | | |
| | | Mottled pink and grey, fg, plagioclase phyric, 1-2mm, <25%, monzonite. Minor chloritized augite phenos (<1%) and specks of mag (<1%). | | | | | | | | | | | | | | |
| | | Moderate, discont potassic alt'n. Weakly foliated, defined by chloritic lamina and locally mag, 35-45° CA. <3mm chilled margins at LC, wispy @ 85° CA. | | | | | | | | | | | | | | |
| 96.9 | 150.7 | MOD DEFORMED/MOD ALTERED ANDESITE | | tr | | tr | | 2 | | 3 | 2 | | | | | |
| | | -variably altered and deformed, massive to mod foliated, fg to mg, plag phyric andesite, <25%, 1-3mm | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | phyric andesite, <25%, 1-2mm | | | | | | | | | | | | | | |
| | | -mottled grey-green/dark green/locally beige and pink | | | | | | | | | | | | | | |
| | | More than 50% of this interval is formed by calc-silicate and potassically altered andesite. Both alteration types are patchy and discontinous. Obliterated primary textures. -calc-silicate alteration is dominated by garnet (beige/brown grossularite?-creamy silica-green diooside) -weakly fractured, below 136.2m increase in fracture density, sub ll to 30˚ & 40˚ CA cal fill, HL to <10 mm, also random -weakly magnetic, <1-2mm euhedra, 1-3% over <1m width, average trace-0.5% -foliation 30˚ CA (99.5m), 35˚ CA (130.1m) and 40˚ CA (118.5), alignment of chlorite and stretching of calc-silicate patches/boudins -rare 30 cm sections of intense skarnification (140.8-157.1m), granular grossularite-silica+/-diopside?-Kspar @104.4m >5cm sheeted, brecciated, calcite-quartz veins w/tourmaline-garnet-chlorite-trace cpy-qtz rims, <3mm, UC 35˚ to CA & LC broken, moderately sheared wallrock (35˚ CA) | | | | | | | | | | 54622 | 104.4 | 106.4 | 0.01 | <0.03 |
| | | 139.5-139.65m breccia vein w/angular calc-silicate altered fragments in beige fg garnet-silica matrix, LC 45˚ to CA, UC broken | | | | | | | | | | 54623 | 106.4 | 108.4 | <0.01 | <0.03 |
| | | 141.6-141.8m crackle breccia, angular fragments in beige, carbonate-rich matrix | | | | | | | | | | 54624 | 148.7 | 150.7 | <0.01 | <0.03 |
| 150.7 | 169.8 | ALTERED QUARTZ MONZONITE | | | | | | | | | | 54625 | 150.7 | 152.7 | <0.01 | <0.03 |
| | | salmon pink to patchy pink/beige, medium grained, quartz monzonite -pervasive to fracture-controlled (veined), moderate Kspar alteration -trace magnetite subhedra, <1-2mm, dissem -UC @45˚ CA, LC undulates, approx 80˚-90˚ CA, both wispy | | | | tr | | | | | 3 | 54626 | 152.7 | 154.7 | <0.01 | <0.03 |
| | | | | | | | | | | | | 54627 | 166.2 | 167.8 | <0.01 | <0.03 |
| | | | | | | | | | | | | 54628 | 167.8 | 169.8 | <0.01 | 0.21 |
| | | 150.7-154.4m strong, pervasive Kspar flooding, from 150.9 to 151.4m dark green/grey, strongly magnetic, silicified, biotized? andesite, trace vfg py | | | | | | | | | | | | | | |
| | | 155.9-157.1m pervasive and lesser patchy, strong Kspar alteration | | | | | | | | | | | | | | |
| | | 166.2-169.8m mod to strong, pervasive potassic alteration (Kspar dominated) | | | | | | | | | | | | | | |
| 169.8 | 184.9 | MOD CALC-SIL ALT'D ANDESITE/ANDESITE BRECCIA | | | | tr | | | | | 1 | 54629 | 169.8 | 171.8 | <0.01 | <0.01 |
| | | Medium grey-green, brown, locally mottled beige/green/red, fg to mg, variably calc-silicate alt'd andesite/andesite bx, minor pink potassic alt'n (Kspar) | | | | | | | | | | 54630 | 171.8 | 173.8 | 0.01 | 0.01 |
| | | -host is augite/plag phyric andesite, >35% phenos, avg 1-2mm, andesite bx forms <20% of this interval, frag to matrix supported, corroded frag boundaries (pseudofrags?) | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | -wk deformed, stretched to foliation calc-silicate patches/psedofragments, 35° to CA, 169.8-172.9m<br>-weakly magnetic, fg to mg euhedral magnetite replacement<br>-locally strong, pervasive epidote over <30cm sections<br>177.2-177.6m partly broken, mod foliated @30°CA, fractured, strong epidote-chlorite<br>183.9-184.2 breccia zone, <0.5-1cm angular, calc-silc altered frags in aphanitic, beige, garnet-silica? matrix | | | | | | | | | | | | | | |
| 184.9 | 189.4 | GARNET-DIOPSIDE SKARN/CALC-SIL ALT'D ANDESITE<br>-fg, beige, mottled w/red & light green, ga-lesser dio skarn, intercalated w/greenish brown calc-silicate altered andesite<br>-faintly preserved primary textures in altered andesite, ~35% of this interval, wk magnetic, crowded (>35%) plag-augite phyric flow, fracture-controlled, minor calc-silic alt'n, partial matrix replacement (dio/ga/sil/mag)<br>-patches of red hem-stained feldspar (Kspar?)<br>-strong pervasive carbonatization, wk to mod magnetic, ~0.5%<br>-UC is wispy, gradational over <1cm, 85°CA, LC is irregular | | | | 0.5 | | 4 | | | 2 | | | | | |
| 189.4 | 191.1 | CAL-SILICATE ALTERED ANDESITE<br>Similar to 169.8-184.9. Dark brown w/mottled pink/beige/red, fg to mg, patchy calc-silicate alt'd plag-augite porphyritic andesite. Partially obliterated primary textures.<br>-weakly foliated, defined by stretching of calc-silicate patches and alignment of platy, mafic minerals (chl/bio), 35°CA | | | | | | | | | | | | | | |
| 191.1 | 216.0 | MAFIC LAPILLI TUFF?/GREYWACKE/LESSER ANDESITE<br>Fine to medium grained, alternating dark green and med grey-green lamina to 2cm bands, on average, moderately deformed mafic lapilli tuff?/volcaniclastic sandstone/greywacke(?), thinly to lesser thickly bedded, <1m<br>-weakly calc-silicate altered, garnet-diopside-silica, as replacement alo bedding planes, pervasive chloritization<br>-minor intercalations of patchy, calc-silicate altered, plag-augite-phyric andesite (<20%)<br>-locally to 10% (crystal tuff?) plagioclase phenos, <1 to 3mm<br>-weakly magnetic (trace), trace fg py specks and clots<br>-bedding/foliation, stretched to S1 calc-silicate augens, So/S1 at 25°CA (200.3m), 30° CA (206.4m), 45° to CA (215.4m)<br>-UC and LC sheared at 30° to CA | tr | | | tr | | | | | | | | | | |
| 216.0 | 227.4 | MOD CALC-SILICATE ALT'D MAFIC LAPILLI TUFF?/GREYWACKE?<br>Similar to above 191.1-216.0m. Increased intensity of calc-silicate alteration. Fine-grained, thinly bedded, moderately deformed/foliat | | | | | | 1 | | | 2 | 54631 | 225.4 | 227.4 | <0.01 | <0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | alteration. Fine grained, thinly bedded, moderately deformed/foliate | | | | | | | | | | | | | | |
| | | mafic lapilli tuff?/greywacke? | | | | | | | | | | | | | | |
| | | -moderate bedding/foliation ll calc-silicate alteration, as discontinuous | | | | | | | | | | | | | | |
| | | lenses, 1-3cm in length, boudinaged, to complete replacement by | | | | | | | | | | | | | | |
| | | diopside-grossularite-silica assemblage, lesser pink feldspar | | | | | | | | | | | | | | |
| | | (Kspar)+epidote | | | | | | | | | | | | | | |
| | | -alternating medim grey-brown, less altered bands w/mottled med | | | | | | | | | | | | | | |
| | | green/beige/pink-red calc-silcate altered banding and lenses, So/S1 | | | | | | | | | | | | | | |
| | | parallel (45° CA @225m) | | | | | | | | | | | | | | |
| 227.4 | 232.0 | MICRODIORITE | tr | | | | | 1 | | | 2 | 54632 | 227.4 | 229.0 | 0.01 | 0.01 |
| | | Medium grey, fg, equigranular microdiorite | | | | | | | | | | 54633 | 229.0 | 230.5 | <0.01 | <0.01 |
| | | Patchy and fracture-controlled pink Kspar+/-epidote, potassic alteration. | | | | | | | | | | 54634 | 230.5 | 232.0 | <0.01 | <0.01 |
| | | Locally chlorite-epidote-calcite infilling fractures. | | | | | | | | | | | | | | |
| | | Trace vfg pyrite. | | | | | | | | | | | | | | |
| | | Both upper and lower contacts are sharp at 30°to CA. | | | | | | | | | | | | | | |
| 232.0 | 244.2 | CALC-SILICATE ALT'D MAFIC LAPILLI TUFF? | tr | | | | | 1 | | | 1 | 54635 | 232.0 | 234.0 | <0.01 | <0.03 |
| | | Similar to 215.2-227.4. Fine to medium grained maficlapilli tuff?/ | | | | | | | | | | | | | | |
| | | volcaniclastic sandstone? Mottled brown-green/beige/pink, patchy calc- | | | | | | | | | | | | | | |
| | | silicate alt'n as replacement along So, garnet-diopside-silica, common | | | | | | | | | | | | | | |
| | | boudinaged calc-silicate domains | | | | | | | | | | | | | | |
| | | -intercalations of poorly foliated to massive sediments/or calc-silicated | | | | | | | | | | | | | | |
| | | alt'd andesite, obliterated primary texture | | | | | | | | | | | | | | |
| | | -So/S1 40°-45° CA | | | | | | | | | | | | | | |
| | | -weakly magnetic, fine to medium grained, <0.5%, trace fg py dissem | | | | | | | | | | | | | | |
| | | -late-stage calcite, to 0.5cm, veins, common 40°to CA | | | | | | | | | | | | | | |
| | | Below 243m decrease in grain size, grey-green fine grained siltstone, | | | | | | | | | | | | | | |
| | | moderate, patchy pink potassic alteration (Kspar+ep) | | | | | | | | | | | | | | |
| | | 243.3-243.7m moderately fractured, epidote-chlorite-calcite fracture- | | | | | | | | | | | | | | |
| | | filling, random orientations | | | | | | | | | | | | | | |
| 244.2 | 247.6 | GARNET (GROSS)-DIOPSIDE SKARN | | | | <1 | | | | | 2 | | | | | |
| | | Mottled beige/lesser green & pink, mg garnet-diopside skarn | | | | | | | | | | | | | | |
| | | -minor pink Kspar? (alb) patches, potassic? alt'n | | | | | | | | | | | | | | |
| | | -faintly preserved breccia texture, andesite breccia protolith? | | | | | | | | | | | | | | |
| | | -moderately magnetic, <1% | | | | | | | | | | | | | | |
| | | -weakly fractured, dominant 45-50° to CA , cal-hem healed | | | | | | | | | | | | | | |
| 247.6 | 252.3 | WEAKLY TO MODERATELY DEFORMED CALC-SIL ALT'D MAFIC | | | | tr | | 2 | | 3 | 1 | | | | | |
| | | LAPILLI TUFF? | | | | | | | | | | | | | | |
| | | Dark green to brown, locally mottled light brown/green, fline to medium | | | | | | | | | | | | | | |
| | | grained, thinly bedded, weakly to moderately deformed/foliated | | | | | | | | | | | | | | |
| | | volcaniclastic sandstone/mafic lapilli tuff | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | ~~Volcaniclastic sandstone/mafic lapilli tuff~~ | | | | | | | | | | | | | | |
| | | -weak calc-silicate alteration, typically patchy, diopside-garnet-silica, | | | | | | | | | | | | | | |
| | | replacement along bedding, lesser fracture-controlled, fol sub ll veins | | | | | | | | | | | | | | |
| | | -pervasive silicification and weak pervasive carbonatization | | | | | | | | | | | | | | |
| | | -weak pink Kspar (albite?) as patches, locally boudinaged, appear | | | | | | | | | | | | | | |
| | | overprinting foliation | | | | | | | | | | | | | | |
| | | -weakly magnetic, trace mg magnetite dissem, So/S1 40° to CA | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 252.3 | 256.9 | GARNET-DIOPSIDE-SILICA-KSPAR SKARN | tr | | | <0.5% | | | | | 2 | | | | | |
| | | Similar to 244.2-247.6m. Mg, mottled beige/green/red-pink, garnet | | | | | | | | | | | | | | |
| | | (grossularite)-diopside-silica-Kspar skarn. | | | | | | | | | | | | | | |
| | | Pseudobrecciated texture w/skarned fragments, <40-60% & <1-3cm | | | | | | | | | | | | | | |
| | | (avg), in a calc-silicate altered matrix of similar texture/composition. | | | | | | | | | | | | | | |
| | | Volcanic breccia/or mafic lapilli tuff protolith? | | | | | | | | | | | | | | |
| | | -trace vfg pyrite/pyrrhotite, minor fine grained pyrite euhedra | | | | | | | | | | | | | | |
| | | ~5% overprinting? red Kspar-quartz irregular masses | | | | | | | | | | | | | | |
| | | 255.1-255.6m weakly to mod foliated section, So/S1 40° to CA | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 256.9 | 261.7 | WK DEFORMED CALC-SILICATE ALT'D VOLCANICLASTIC SS? | | | | | | | | | | | | | | |
| | | Similar to 246.7-252.3m. Dark green-brown to locally mottled light | | | | | | | | | | | | | | |
| | | brown/beige/green, fg, thinly bedded volcaniclastic sandstone/mafic | | | | tr | | 1 | | 3 | | | | | | |
| | | tuff? Weakly calc-silicate altered, patchy, discontinuous, and locally | | | | | | | | | | | | | | |
| | | stretched to foliation boudins, dio-ga-sil. Weakly foliated, alignment of | | | | | | | | | | | | | | |
| | | chlorite, at 30°-35° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 261.7 | 264.7 | GARNET-DIOPSIDE-KSPAR SKARN | | | | | | | | 3 | 3 | | | | | |
| | | Mottled grey/brown/green/pinkish red, medium grained, | | | | | | | | | | | | | | |
| | | brecciated/pseudobrecciated?, variable altered/skarned andesite | | | | | | | | | | | | | | |
| | | breccia? Partially obliterated primary textures. Alteration assemblabe is | | | | | | | | | | | | | | |
| | | garnet-diopside and pink Kspar (potassic alteration). No visible sulfides. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 264.7 | 270.9 | MOD DEFORMED CALC-SILICATE ALT'D VOLCANICLASTIC | | | | | | 2 | | | 1 | | | | | |
| | | SANDSTONE/MAFIC TUFF? | | | | | | | | | | | | | | |
| | | Similar to 246.7-252.3m. Dark green-brown, locally mottled light | | | | | | | | | | | | | | |
| | | brown/green, fine grained, thinly bedded, moderately deformed/foliated | | | | | | | | | | | | | | |
| | | volcaniclastic sandstone?/mafic lapilli tuff? | | | | | | | | | | | | | | |
| | | -3-5% pink Kspar (albite?) patches, stretched and aligned to foliation, | | | | | | | | | | | | | | |
| | | potassic alteration? | | | | | | | | | | | | | | |
| | | -weak, patchy calc-silicate altation consisting of ga>>dio? | | | | | | | | | | | | | | |
| | | -occasionally brown ga (gross) rimming calcite lenses (foln ll), 0.5 to 1- | | | | | | | | | | | | | | |
| | | 2cm, lesser cal-ga veins and irregular patches, <0.3cm widths on | | | | | | | | | | | | | | |
| | | average | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 270.9 | 276.8 | GARNET-DIOPSIDE-EP-KSPAR? SKARN<br>Similar to 244.2-247.6m. Mg, garnet-diopside skarn w/patches of pink Kspar?. Locally to 10cm sections of strong epidote+/-qtz-Kspar, as pervasive replacement and lesser veins (271.2-271.3m, 273.3-273.4m). 276.4-276.9m moderately foliated @35° CA, strong ep, as replacement of 1-2mm phenos, fol ll lamina and patches | | | | | | | | | 2 | | | | | |
| 276.8 | 279.3 | WK ALTERED PLAG-AUGITE PHYRIC ANDESITE<br>Medium grey-green, occasionally mottled light beige/green plag-augite phyric andesite, crowded >35% phenocrysts, 1-<2mm. Well preserved primary textures. Minor patchy and fracture-controlled sil-ep-Kspar? alt'n, also locally matrix replacement by sil-pink Kspar (potassic alt'n?).<br>-pervasive silicification.<br>-weakly magnetic, <1-2mm subhedra, tr-1%, overall <0.5%<br>-weakly banded/foliated at 45° to CA | | | | 0.5 | | | | 4 | 2 | | | | | |
| 279.3 | 284.5 | DIOPSIDE-GARNET-CARBONATE SKARN<br>Mottled creamy/beige/light green, dio-ga-sil skarn w/15% dark green, to 15cm in lengths pseudofrags w/corroded rims in patchy calc-silicate alt matrix, ga-dio, lesser pink Kspar?-chl-mag-spec | | | | | | | | | | 54636 | 279.3 | 281.3 | <0.01 | <0.03 |
| | | | tr | | | tr | | 3 | | 3 | 1 | 54637 | 281.3 | 283.3 | <0.01 | <0.03 |
| | | | | | | | | | | | | 54638 | 283.3 | 284.5 | <0.01 | <0.03 |
| | | hem(?) matrix<br>Wk pervasive carbonate alt'n+fracture-fill.<br>UC is wispy @45° to CA, | | | | | | | | | | | | | | |
| 284.5 | 286.5 | CALC-SILICATE ALT'D ANDESITE<br>Dark green-brown w/lesser mottled beige, light green/pinkish red, fg to mg. Patchy ga+dio+pink Kspar and pervasive sil alt'n. Minor late pinkish Kspar+qtz+/-ga veins, to 1.5cm, 55-75° to CA to random | | | | | | | | 4 | 2 | | | | | |
| 286.5 | 296.0 | GARNET-DIOPSIDE? SKARN/LESSER CAL-SILICATE ALT'D ANDESITE<br>-mottled beige/creamy/med to dark green/brown, mg ga>dio skarn intercalated with lesser patchy, fg to mg, moderately deformed, calc-silicate altered andesite, minor pink-red Kspar<br>-wavy foliation is @25-30° to CA<br>-locally strong epidote w/assoc ga-sil-hem (293.1-294m)<br>-wk magnetic, trace, LC is at 35 to CA | | | | tr | | | | | 1 | | | | | |
| 296.0 | 305.5 | CALC-SILICATE ALT'D ANDESITE<br>Dark green-brown, crowded plag-augite phyric (>35%, 1-2mm avg) and amygdaloidal, variably calc-silicate alt'd andesite<br>-patchy & discontinuous, locally pervasive replacement of phenos, amygdules and matrix, brown garnet -creamy sil?-green dio?, siliceous haloes around chloritized augite phenos, some are replaced by mag-to | tr | tr | | | | | | 4 | 1 | 54639 | 303.5 | 305.5 | 0.02 | 0.03 |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | ga, minor pink Kspar/alb? | | | | | | | | | | | | | | |
| | | -rare narrow sections of strong pink Kspar-ep alt'n, also Kspar filled amygdules rimmed by mag, 5-10cm | | | | | | | | | | | | | | |
| | | -to 1% mag, average, as mg euhedra/subhedra | | | | | | | | | | | | | | |
| | | Below 303.5m weak foliation/bedding?, 40-45° CA | | | | | | | | | | | | | | |
| | | 305.1-305.5m Kspar veins and irregular masses cut by massive ep | | | | | | | | | | | | | | |
| | | (305.1-305.2m), mod foliated at 40° CA, defined by alignment of dark grey siliceous wisps, volc seds/tuff, silicified, trace cpy & py fg specks | | | | | | | | | | | | | | |
| 305.5 | 309.5 | STRONG CALC-SILICATE ALT'D VOLCANICLASTIC SEDS | | | | | | | | | | | | | | |
| | | -well banded/bedded, alternating green/black/beige-green/pinkish red, wispy bands, <0.5 to >10cm widths | | <0.2 | | 2 | | | | 4 | 2 | 54640 | 305.5 | 306.5 | 0.6 | 0.15 |
| | | -fg to mg, variably calc-silicate alt'd, So/S1 ll replacement by calc-silicate minerals (ga (gross)/dio/sil, lesser, Kspar-ep as patches and cross-cutting veins | | | | | | | | | | 54641 | 306.5 | 308.1 | 0.22 | <0.03 |
| | | | | | | | | | | | | 54642 | 308.1 | 309.5 | 0.05 | <0.03 |
| | | | | | | | | | | | | 54643 | 309.5 | 311.5 | 1.83 | 0.45 |
| | | -strongly magnetic, fg, as dark green/black bands, 3-5%, avg 2% | | | | | | | | | | | | | | |
| | | -strong pervasive silicification | | | | | | | | | | | | | | |
| | | -<0.2% cpy clots, matrix replacement assoc w/high magnetite sections | | | | | | | | | | | | | | |
| | | 308.7-309.4m beige, speckled/mottled black, massive, vfg ga-dio?-sil-mag skarn, UC is fuzzy and undulates @70° CA | | | | | | | | | | | | | | |
| 309.5 | 312.5 | MAGNETITE-DIOPSIDE-PY/CPY SKARN | | | | | | | | | | | | | | |
| | | Mottled black/medium green/red, mg, magnetite-diopside-cpy/py skarn | | | | | | | | | | | | | | |
| | | -pseudobrecciated texture?, mag (65%)-cal-silicates (30%)-interstital | 3 | 0.5 | | 60 | | | | 3 | 1 | 54644 | 311.5 | 312.9 | 0.28 | 0.04 |
| | | cpy clots (0.5%)/py (2-4%), mg euhedra+semi-massive clots | | | | | | | | | | 54645 | 312.9 | 314.7 | 0.3 | 0.07 |
| | | -fg magnetite replacement of angular fragments w/corroded rims, matrix is mg dio-sil-ga<<ep-Kspar | | | | | | | | | | | | | | |
| | | -UC @45° CA, gradational, LC @20° CA fuzzy and partly formed by <0.5cm light green beige qtz-dio seam | | | | | | | | | | | | | | |
| 312.5 | 318.7 | CALC-SILICATE ALT'D VOLCANICLASTIC SEDS/LESSER MAG-CPY/PY-SIL-DIO SKARN | 1 | 0.3 | | 5 | | 1 | | 4 | 1 | | | | | |
| | | Light grey w/minor mottled,15cm sections of green/reddish pink | | | | | | | | | | 54646 | 314.6 | 316.7 | 1.68 | 0.26 |
| | | -well foliated/bedded, variably calc-silicate alt'd, siliceous volcaniclastic seds(?)/strongly deformed mafic rystal tuff? | | | | | | | | | | 54647 | 316.7 | 318.7 | 0.03 | <0.03 |
| | | | | | | | | | | | | 54648 | 318.7 | 320.7 | 0.31 | 0.03 |
| | | -interbedded fg to mg sandstone/siltstone, laminated to thinly and thickly bedded (<1cm to >1m), rare boudinaged frags, locally <5% plags, | | | | | | | | | | 54649 | 320.7 | 322.7 | 0.01 | <0.03 |
| | | | | | | | | | | | | 54650 | 322.7 | 324.4 | 0.03 | <0.03 |
| | | <1mm and chloritized augite crystals? suggesting tuffaceous component, occasionally 5-7% black mag<tour wisps | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1-5 | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | -narrow sections, 0.3-0.7m, of mag-cpy/py-dio-sil-ga? skarn, 314.8 | | | | | | | | | | | | | | |
| | | 315.5m, 315.7-316.0m, 318.3-318.7m, mag (60-75%), dominantly dio-s | | | | | | | | | | | | | | |
| | | (15-30%), mg euhedral py 5%, cpy 2-3%, remnant brecciated texture | | | | | | | | | | | | | | |
| | | (volcanic bx protolith?) | | | | | | | | | | | | | | |
| | | -calc-silicate alt'n is patchy and discontinuous, patchy replacement alor | | | | | | | | | | | | | | |
| | | So/S1, less commonly as fol ll veins, to 1cm, dio/sil | | | | | | | | | | | | | | |
| | | -minor potassic alt'n, pinkish red Kspar+ep | | | | | | | | | | | | | | |
| | | -cpy as clots in host seds and interstitial in mag-bearing skarn, lesser | | | | | | | | | | | | | | |
| | | cpy-qtz veins (microfracture filling), <1 to 3mm, 50° CA | | | | | | | | | | | | | | |
| | | -So/S1 45° CA | | | | | | | | | | | | | | |
| | | 316.5-316.8m white, foliation ll (45° CA) to oblique, crosscutting qtz-scar | | | | | | | | | | | | | | |
| | | 318.1-318.2m beige, mottled green/black, ga-dio-minor mag skarn, UC | | | | | | | | | | | | | | |
| | | @318.7m sharp LC at 85° CA | | | | | | | | | | | | | | |
| 318.7 | 324.6 | CALC-SILICATE ALT'D VOLCANICLASTIC SANDSTONE/MAFIC | tr | tr | | <1 | | | | 3 | 2 | | | | | |
| | | TUFF? | | | | | | | | | | | | | | |
| | | Well banded, fg to mg, laminated to thinly bedded volcaniclastic | | | | | | | | | | | | | | |
| | | sediments/fg sandstone/siltstone, possibly mafic tuff?, med grey-green, | | | | | | | | | | | | | | |
| | | variable patchy and So/S1 ll calc-silic altered bandings | | | | | | | | | | | | | | |
| | | -to 323.1m, locally high ep>Kspar and minor ga+py masses, below | | | | | | | | | | | | | | |
| | | 323.1m ga>cal-sil>Kspar | | | | | | | | | | | | | | |
| | | -So/S1 45° CA | | | | | | | | | | | | | | |
| | | -weak to mod magnetic, assoc w/calc-silicate alt'd sections, fg mag-rich | | | | | | | | | | | | | | |
| | | lamina and dissem, <1%. Trace fg Cpy/Py dissem | | | | | | | | | | | | | | |
| 324.6 | 331.3 | VOLCANICLASTIC SANDSTONE/GREYWACKE? | | | | | | | | | | | | | | |
| | | Medium grey-green, fg, thinly to thickly bedded, weakly foliated to | | | | | | | | | | | | | | |
| | | massive volcaniclastic sandstone/greywacke? | | | | | | | | | | | | | | |
| | | -below 328.3, thinly bedded intercalations of fg and mg volcaniclastic | | | | | | | | | | | | | | |
| | | material, So/S1 45° to CA | | | | | | | | | | | | | | |
| | | -rare calc-silicate alt'n, dominantly fracture-controlled, brown ga-ep and | | | | | | | | | | | | | | |
| | | ga-Kspar: veins, to 2mm, 45° CA, latter w/Kspar-ep alt'd selvages | | | | | | | | | | | | | | |
| | | (<2cm) | | | | | | | | | | | | | | |
| | | -occasional late HL cal filling fractures, 45° CA, weakly magnetic, mg | | | | | | | | | | | | | | |
| | | mag subhedra, <0.5% | | | | | | | | | | | | | | |
| 331.3 | | EOH | | | | | | | | | | | | | | |

# GWR RESOURCES INC.
# DRILL HOLE: SPL-05-07

## PROPERTY: SPOUT LAKE

**Easting (NAD 83):** 612014
**Northing (NAD 83):** 5760836
**Grid Location:**
**Elevation:** 1130m

**Core Size:** NQ
**Hole Azimuth:** 245°
**Hole Angle:** -55°
**Total Depth:** 279.5m

**Started:** 28 April 2005
**Finished:** 4 Ma6 2005
**Logged by:** D. Duba
**Analysis by:** Eco-Tech

| Down-hole Tests | | |
|---|---|---|
| Depth | Angle | Azm. |
| | | |
| | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1(wk)-5(str) | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 0.0 | 3.7 | CASING | | | | | | | | | | | | | | |
| 3.7 | 8.7 | CALC-SILICATE ALT'D ANDESITE BRECCIA/ANDESITE | | | | tr | | | | 3 | | 54941 | 4.9 | 6.9 | 0.09 | 0.03 |
| | | Medium to dark green to brown, plagioclase-augite phyric and amygdaloidal | | | | | | | | | | 54942 | 6.9 | 8.9 | 0.06 | 0.03 |
| | | andesite/andesite breccia, crowded porphyritic, <40%, 1-3mm average | | | | | | | | | | | | | | |
| | | lengths, plag altered to sericite-calc, augite to chlorite-magnetite | | | | | | | | | | | | | | |
| | | -andesite breccia is clast supported, >50%, angular to subround, poorly | | | | | | | | | | | | | | |
| | | sorted, <1cm to 3-7cm, polymictic?, beige/white calcite and calc-silicate alt'd | | | | | | | | | | | | | | |
| | | fragments, sharp to partially corroded boundaries, commonly rimmed by ga- | | | | | | | | | | | | | | |
| | | qtz | | | | | | | | | | | | | | |
| | | -matrix is fg, porphyritic, siliceous & calc-silicate alt'd, similar texture & | | | | | | | | | | | | | | |
| | | composition as fragments | | | | | | | | | | | | | | |
| | | -wk to mod patchy and discontinuous calc-silicate alt'n, matrix and | | | | | | | | | | | | | | |
| | | fragments/phenocrysts and amygdule replacement by ga+dio+mag+sil+cal | | | | | | | | | | | | | | |
| | | -lesser narrow, calc-silicate veins, random | | | | | | | | | | | | | | |
| | | -malachite stained fracture surfaces, 35-45° to CA | | | | | | | | | | | | | | |
| | | -weakly magnetic, fg to mg dissem, trace | | | | | | | | | | | | | | |
| | | -partially broken/blocky core, minor limonite staining | | | | | | | | | | | | | | |
| | | -LC is wispy at 15° to CA | | | | | | | | | | | | | | |
| 8.7 | 38.6 | WEAKLY CALC-SILICATE ALTERED ANDESITE/MINOR ANDESITE | | | | | | 3 | | 3 | 1 | 54943 | 8.9 | 11.9 | 0.04 | <0.03 |
| | | BRECCIA | | | | | | | | | | 54944 | 11.9 | 13.9 | <0.01 | <0.03 |
| | | -more massive andesite, lesser andesite breccia than above, medium grey- | | | | | | | | | | 54945 | 13.9 | 15.9 | <0.01 | <0.03 |
| | | green, crowded (>35%) porphyritic, plag-augite, andesite, amygdaloidal, min | | | | | | | | | | 54946 | 36.6 | 38.6 | <0.01 | <0.03 |
| | | breccia/pseudobreccia intervals, from 17.8-18.7m | | | | | | | | | | | | | | |
| | | -<15% bleached, patchy beige calc-silicate alt'n, ga-dio-cal, minor associated | | | | | | | | | | | | | | |
| | | patchy ep-red Kspar | | | | | | | | | | | | | | |
| | | -moderately to locally strongly fractured, at least 3 sets, 25-30, 40-45° and | | | | | | | | | | | | | | |
| | | 80° to CA, common lim/mag coated fracture surfaces, HL cal | | | | | | | | | | | | | | |
| | | -below 19.2m narrow sections, <5-40cm of broken core, minor clay gouge ar | | | | | | | | | | | | | | |
| | | lim+/-cal+/-mag on fractures | | | | | | | | | | | | | | |
| | | 26.5-27.0m fault zone, green-grey clay gouge, chl-Mn-oxide coating | | | | | | | | | | | | | | |
| | | slickensided fracture surfaces, dominant trend 20° to CA | | | | | | | | | | | | | | |
| | | 27-30.2m strongly fractured, one dominant set at 45° to CA, also random, | | | | | | | | | | | | | | |
| | | ep+/-cal+/-chalcedonic qtz, minor calc-silicate alt'n centered | | | | | | | | | | | | | | |
| | | on fractures | | | | | | | | | | | | | | |
| | | 30.2-31.4 fault zone, minor chloritic gouge, slickended fractures, | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1(wk)-5(str) | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | limonite staining, trend is 20-25° to CA | | | | | | | | | | | | | | |
| | | Decrease in phenocryst content between 26.5 to 30.2m, to <10%. | | | | | | | | | | | | | | |
| | | Below 31.4m, strong chloritization of mafic phenos, rare small <2cm | | | | | | | | | | | | | | |
| | | amygdules replacement by calc-silicates. | | | | | | | | | | | | | | |
| 38.6 | 41.7 | STRONGLY CAL-SILICATE ALT'D ANDESITE BRECCIA | 1 | 0.5 | | 2.5 | | | | 3 | | 54947 | 38.6 | 39.8 | 0.76 | 0.08 |
| | | -mottled grey-green to dark grey/black breccia/pseudobreccia? | | | | | | | | | | 54948 | 39.8 | 41.7 | 0.13 | 0.03 |
| | | -fragment supported, >50 to <70%, <1-3m on average, dark grey/black, | | | | | | | | | | | | | | |
| | | strongly magnetic w/corroded rim and lesser sharp rims, fg porphyritic and | | | | | | | | | | | | | | |
| | | fragmental matrix, green, calc-silicate in composition (ga-dio-sil-mag) | | | | | | | | | | | | | | |
| | | -to 1% fg py as dissem and clots, 0.5% cpy clusters and dissem | | | | | | | | | | | | | | |
| | | -moderately magnetic, 2-3% fg to mg magnetite | | | | | | | | | | | | | | |
| 41.7 | 44.2 | MAGNETITE-CPY-PY SKARN | 2 | 2 | | 50 | | | | | | 54949 | 41.7 | 42.9 | 0.76 | 0.15 |
| | | -fuzzy contact w/above andesite breccia at 80° to CA | | | | | | | | | | 54950 | 42.9 | 44.2 | 1.10 | 0.48 |
| | | -60% magnetite-sulfide skarn, 40% calc-silicate altered andesite breccia | | | | | | | | | | | | | | |
| | | -magnetite-sulfide skarn from 41.7 to 42.5 and from 43.4-43.9, 75% | | | | | | | | | | | | | | |
| | | magnetite, 5% py and 3-5% cpy, 15% calc-silicate minerals, | | | | | | | | | | | | | | |
| | | dio/sil/ep/ga/mag | | | | | | | | | | | | | | |
| 44.2 | 50.3 | STRONG CALC-SILICATE ALTERED ANDESITE BRECCIA | tr | tr-0.2 | | <1 | | | | | 1 | 54951 | 44.2 | 45.7 | 0.02 | 0.03 |
| | | -mottled dark grey/beige/medium green, variably calc-silicate altered | | | | | | | | | | 54952 | 45.7 | 47.7 | 0.04 | 0.03 |
| | | andesite breccia | | | | | | | | | | 54953 | 47.7 | 49.3 | 0.05 | 0.03 |
| | | -clast supported, dark green-grey crowded plagioclase-augite phyric, | | | | | | | | | | 54954 | 49.3 | 50.3 | 1.01 | 0.19 |
| | | amygdaloidal fragments, >50%, <0.3 to 4cm on average, set in medium | | | | | | | | | | | | | | |
| | | grained, light beige matrix, calc-silicate altered, ga>dio>ep, minor Kspar | | | | | | | | | | | | | | |
| | | (potassic alteration) | | | | | | | | | | | | | | |
| | | -patchy, discontinuous high grade magnetite zone w/+/-sulfides (cpy/py) | | | | | | | | | | | | | | |
| | | -narrow sections <30 to 50cm of garnet-epidote-silica skarn, completely | | | | | | | | | | | | | | |
| | | obliterated primary sections | | | | | | | | | | | | | | |
| | | -late calcite veins, <1 to 5mm, 20-30° to CA, also random | | | | | | | | | | | | | | |
| | | 49.3-49.55 mag-cpy/py-cal-sil skarn, 80% magnetite, semi-massive and | | | | | | | | | | | | | | |
| | | clots of 4-5% cpy, 2% py, 5% calcite, 5% calc-silicate | 2 | 5 | | 80 | | 2 | | 3 | | | | | | |
| 50.3 | 53.4 | FRACTURED, MODERATE CALC-SILICATE ALTERED ANDESITE | tr | tr | | 0.5 | | | | 4 | | 54955 | 50.3 | 52.3 | 0.11 | 0.04 |
| | | -grey-green to brown, locally mottled apple green/beige, moderately | | | | | | | | | | 54956 | 52.3 | 53.4 | 0.05 | <0.03 |
| | | fractured andesite | | | | | | | | | | 54957 | 53.4 | 55.4 | 0.05 | 0.06 |
| | | -moderate, discontinuous, fracture-controlled and patchy calc-silicate | | | | | | | | | | | | | | |
| | | alteration, epidote-garnet-diopside | | | | | | | | | | | | | | |
| | | -partially preserved primary textures, crowded (>35%) augite phyric and | | | | | | | | | | | | | | |
| | | amygdaloidal andesite | | | | | | | | | | | | | | |
| | | -pervasive strong silicification, moderate chloritization and carbonatization | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1(wk)-5(str) | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Weakly magnetic, fg to mg, 0.5% | | | | | | | | | | | | | | |
| | | -trace cpy/py clots | | | | | | | | | | | | | | |
| 53.4 | 57.4 | STRONG CALC-SILICATE ALTERED ANDESITE BRECCIA | tr | tr | | <0.5 | | | | | | 54958 | 55.4 | 57.4 | 0.01 | <0.03 |
| | | Similar to 44.2-50.3m. Pseudofragmental unit, <50% dark green clasts, | | | | | | | | | | | | | | |
| | | <0.5 to 3-4cm, in beige, fine to medium grained matrix, calc-silicate altere | | | | | | | | | | | | | | |
| | | similar in texture and composition to fragments. Calc-silicate assemblage | | | | | | | | | | | | | | |
| | | consists of garnet-diopside-actinolite?-minor scapolite-silica. | | | | | | | | | | | | | | |
| | | -weakly magnetic, trace to 0.5% | | | | | | | | | | | | | | |
| | | -trace cpy and py, fine to medium grained dissem | | | | | | | | | | | | | | |
| | | -weak to moderate magnetite, <0.5% dissem | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 57.4 | 60.4 | WEAK/MODERATE ALTERED ANDESITE | | | | | | | | | | 54959 | 57.4 | 59.0 | 0.02 | 0.06 |
| | | Similar to 50.3-53.4m. Medium grey-green, crowded augite/hornblende | | | | | | | | | | 54960 | 59.0 | 60.7 | 0.02 | <0.03 |
| | | phyric and amygdaloidal andesite, >40% mafic, chloritized phenocrysts, 1- | | | | | | | | | | | | | | |
| | | 3mm on average | | | | | | | | | | | | | | |
| | | -minor fracture-controlled/veined and patchy calc-silicate alteration, veins | | | | | | | | | | | | | | |
| | | commonly trend 30° to CA | | | | | | | | | | | | | | |
| | | @58.9m ,1-2cm ga-sil-dio-ep-Kspar vein, 30° to CA | | | | | | | | | | | | | | |
| | | @60.3m sharp contact at 50-55° to CA w/dark grey/black, strongly | | | | | | | | | | | | | | |
| | | magnetic, weakly laminated siltstone?/mafic tuff? | | | | | | | | | | | | | | |
| 60.4 | 64.2 | STRONGLY CAL-SILICATE ALTERED ANDESITE | tr | tr | | tr | | | | 4 | | 54961 | 60.7 | 62.7 | 0.03 | <0.03 |
| | | Similar to 44.2-50.3m. Trace fg cpy/py dissem, trace magnetite fg/mg | | | | | | | | | | 54962 | 62.7 | 64.2 | 0.29 | <0.03 |
| | | blebs. | | | | | | | | | | | | | | |
| 64.2 | 79.5 | WEAKLY/MODERATELY ALTERED ANDESITE | tr | tr | | 1.5 | | 2 | | | | 54963 | 64.2 | 66.2 | 0.04 | <0.03 |
| | | -dark grey/green, crowded (>35%) augite and amygdaloidal (~10%) | | | | | | | | | | 54964 | 66.2 | 67.4 | 0.02 | <0.03 |
| | | andesite | | | | | | | | | | 54965 | 67.4 | 69.4 | <0.01 | <0.03 |
| | | -rare patchy and fracture-controlled calc-silicate alteration, also | | | | | | | | | | 54966 | 72.2 | 73.7 | 0.01 | <0.03 |
| | | phenocryst/amygdale replacement by ga-dio-mag-ep | | | | | | | | | | 54967 | 73.7 | 75.7 | <0.01 | <0.03 |
| | | -pervasive silicification | | | | | | | | | | 54968 | 75.7 | 78.0 | <0.01 | <0.03 |
| | | -weakly/moderately magnetic, fg to mg replacement of | | | | | | | | | | 54969 | 78.0 | 79.5 | <0.01 | <0.03 |
| | | phenos/amygdales+matrix, and in rims, 1-2% | | | | | | | | | | | | | | |
| | | -rare patches of calc-silicates+cpy (72.3-73.5m) | | | | | | | | | | | | | | |
| | | -sheeted epidote-calcite-magnetite-diopside+/-cpy veins, 0.5 to 1cm width | | | | | | | | | | | | | | |
| | | on average, 20-35° CA, <3% of rock volume | | | | | | | | | | | | | | |
| | | -late HL calcite veining, 25-35° to CA | | | | | | | | | | | | | | |
| | | 64.2-65.0m broken core, brecciated, random fractures healed by ep-cal, | | | | | | | | | | | | | | |
| | | 0.1% cpy blebs | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 79.5 | 86.1 | MAGNETITE-EPIDOTE ALTERED VOLCANIC BRECCIA | 1 | 1.5 | | 12 | | 2 | | | 3 | 54970 | 79.5 | 81.5 | 0.51 | 0.07 |
| | | Mottled dark grey/black/apple green/grey and pinkish red, fg to mg, strong | | | | | | | | | | 54971 | 81.5 | 83.5 | 1.07 | 0.26 |
| | | magnetite and epidote altered andesite breccia/pseudobreccia?, obliterated | | | | | | | | | | 54972 | 83.5 | 85.5 | 0.62 | 0.07 |
| | | primary textures | | | | | | | | | | 54973 | 85.5 | 87.5 | 0.28 | 0.03 |
| | | ->50% dark green fragments supported in calc-silicate altered mg matrix, | | | | | | | | | | | | | | |
| | | both fragments and matrix replaced by magnetite-epidote-silic | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1(wk)-5(str) | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | diopside-garnet-calcite | | | | | | | | | | | | | | |
| | | -strongly magnetic, fg to mg dissem and semi-massive, 10-15% | | | | | | | | | | | | | | |
| | | -cpy as semi-massive, 1-2%, py 1% | | | | | | | | | | | | | | |
| 86.1 | 97.7 | MODERATE CALC-SILICATE ALTERED ANDESITE/LESSER | | | | | | | | | | 54974 | 87.5 | 89.5 | 0.04 | 0.03 |
| | | ANDESITE BRECCIA | | | | | | | | | | 54975 | 89.5 | 91.5 | 0.15 | 0.03 |
| | | Similar to above, 79.5-86.1m, but weaker magnetite-epidote alteration. | | | | | | | | | | 54976 | 91.5 | 93.5 | 0.07 | <0.03 |
| | | -mottled dark grey/black and beige, fine to medium grained andesite and | | | | | | | | | | 54977 | 93.5 | 95.5 | 0.03 | <0.03 |
| | | andesite breccia? | | | | | | | | | | 54978 | 95.5 | 97.3 | 0.08 | <0.03 |
| | | -variably calc-silicate altered, garnet-diopside-sil-magnetite-epidote | | | | | | | | | | | | | | |
| | | -interstitial magnetite replacement of fragments and matrix, 3-5% | | | | | | | | | | | | | | |
| | | -minor, <1m sections, of massive andesite, crowded plagioclase-augite | | | | | | | | | | | | | | |
| | | phyric, >40%, w/patchy calc-silicate alteration (97.3-98.3m) | | | | | | | | | | | | | | |
| | | 96.2-96.3m broken core, fault zone?/clay-rich and calcareous gouge, | | | | | | | | | | | | | | |
| | | chloritic fractures | | | | | | | | | | | | | | |
| | | 96.7-97.3m fault zone, poor core recovery (-75%), weakly calc-silicate | | | | | | | | | | | | | | |
| | | altered andesite | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 97.7 | 117.8 | MODERATELY CALC-SILICATE ALTERED ANDESITE/ANDESITE | tr | tr | | 1.5 | | | | | 1 | 54979 | 97.3 | 99.8 | 0.02 | 0.03 |
| | | BRECCIA | | | | | | | | | | 54980 | 99.8 | 101.8 | 0.06 | <0.03 |
| | | Similar to above, 86.1-117.8m. | | | | | | | | | | 54981 | 101.8 | 103.8 | 0.06 | <0.03 |
| | | -mottled dark grey/black, lesser light grey/beige/apple green/pinkish red | | | | | | | | | | 54982 | 103.8 | 105.8 | 0.03 | <0.03 |
| | | -variably calc-silicate altered, fg to mg crowded plagioclase-augite | | | | | | | | | | 54983 | 105.8 | 107.8 | 0.02 | 0.05 |
| | | porphyritc and amygdaloidal andesite, 35 to <50% phenocrysts, 1-3mm on | | | | | | | | | | 54984 | 107.8 | 109.8 | 0.02 | <0.03 |
| | | average, <10% amygdales, <1 to 3-5mm | | | | | | | | | | 54985 | 109.8 | 111.8 | 0.07 | <0.03 |
| | | -pseudobrecciated?, clast to matrix supported, dark green fragments | | | | | | | | | | 54986 | 111.8 | 113.8 | 0.07 | 0.03 |
| | | w/corroded rims (<20 to >55%) in calc-silicate altered matrix, mg ga-dio-s | | | | | | | | | | 54987 | 113.8 | 115.8 | 0.14 | <0.03 |
| | | alteration is patchy, discontinuous and lesser fracture-controlled | | | | | | | | | | 54988 | 115.8 | 117.8 | 0.04 | 0.07 |
| | | -locally, minor, patchy +/-ep-Kspar (potassic alt'n) | | | | | | | | | | | | | | |
| | | -weak to moderately magnetic, 1-2% mag | | | | | | | | | | | | | | |
| | | -trace cpy/py interstitial clots/semi-massive and in veins, trace, more | | | | | | | | | | | | | | |
| | | common in areas of high magnetite and calc-silicate alt'n | | | | | | | | | | | | | | |
| | | -moderately to strongly fractured, variable trends | | | | | | | | | | | | | | |
| | | 107.5-108.8m random network of HL fractures filled w/cal-beige sericite?, | | | | | | | | | | | | | | |
| | | fracture-controlled ga-dio-sil | | | | | | | | | | | | | | |
| | | 114.1-117.8m moderately fractured, common orientations 45° CA, healed | | | | | | | | | | | | | | |
| | | by cal+/-Kspar | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 117.8 | 120.9 | FAULT ZONE/ALTERED ANDESITE? | | | | | | | | | | 54989 | 117.8 | 119.8 | 0.3 | <0.03 |
| | | -intensely brecciated, poorly competent, broken/blocky core, mottled grey- | | | | | | | | | | 54990 | 119.8 | 120.8 | 0.10 | <0.03 |
| | | green/apple green/pinkish red | | | | | | | | | | | | | | |
| | | -strong, epidote-Kspar (potassic) and magnetite-cpy-calcite-chlorite-sil | | | | | | | | | | | | | | |
| | | alteration, minor clay gouge | | | | | | | | | | | | | | |
| | | -cpy as masses, 0.5%, magnetite, fg to mg, interstitial and blebs 1-3% | | | | | | | | | | | | | | |
| | | -fractures at low angle to CA (0-15° CA), late calcite veins and lenses, chl- | | | | | | | | | | | | | | |
| | | hem fracture surfaces | | | | | | | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1(wk)-5(str) | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| 120.9 | 130.2 | MODERATELY CALC-SILICATE ALTERED ANDESITE/ANDESITE BRECCIA<br>-medium to dark grey, locally mottled beige/medium green<br>-moderate patchy and lesser veined calc-silicate alteration, <20% of this interval, garnet-diopside-magnetite+/-trace cpy<br>-weak potassic alteration (Kspar-epidote), strong pervasive silicification<br>-host is crowded plag-augite phyric, amygdaloidal andesite, 1-3mm, >35-40% phenocrystic<br>-minor (<25%) pseudobrecciated sections w/dark green frags in calc-silicate altered mg matrix<br>-cpy as masses and clots associated w/calc-silicate alt'n+magnetite<br>-strong ep-Kspar-mag-sil, 127.4-127.65m, almost complete calc-silicate replacement<br>-122.0-122.3m, narrow zones of strong fracturing healed by calc-sericite | tr | tr | | <1 | | | | 4 | 1 | 54991 | 127.1 | 128.9 | 0.03 | <0.03 |
| | | | | | | | | | | | | 54992 | 128.9 | 130.2 | 0.01 | <0.03 |
| 130.2 | 154.1 | WEAK CALC-SILICATE ALTERED ANDESITE<br>Similar to above, 120.9-130.2m, but weaker alteration.<br>-dark grey-green to brown, rarely mottled apple green/pink<br>-weak, patchy and minor veined calc-silicate alteration, <15% of rock volume, garnet-epidote-calcite<br>-lesser potassic alteration, Kspar-epidote<br>-host is crowded, >35% plagioclase-augite phyric andesite<br>-trace specks and dissem fg cpy associated w/calc-silicate alt'n<br>-weak to moderately magnetic, 2% average<br>-moderately fractured, >10/1m, calcite healed, common 30-40° to CA, also variable, 1-3mm widths<br>-occasional calc-sil veins, 25-35° to CA, ga-dio-sil-alb? (Kspar), to 5mm<br>-partly broken core, tr. to 0.1% cpy, blebs assoc w/ ga-Kspar-sil-calc-dio<br>-minor pseudobrecciated sections (152.4-152.8m, 153-153.4m, 153.6-154.1m) | tr | tr | | 2 | | | | | 1 | 54993 | 130.2 | 132.2 | 0.01 | <0.03 |
| | | | | | | | | | | | | 54994 | 132.2 | 134.2 | 0.01 | <0.03 |
| | | | | | | | | | | | | 54995 | 142.3 | 144.3 | 0.01 | 0.04 |
| | | | | | | | | | | | | 54996 | 144.3 | 146.3 | <0.01 | <0.03 |
| | | | | | | | | | | | | 54997 | 146.3 | 148.3 | 0.02 | <0.03 |
| | | | | | | | | | | | | 54998 | 148.3 | 150.3 | 0.06 | <0.03 |
| | | | | | | | | | | | | 54999 | 150.3 | 152.3 | 0.04 | <0.03 |
| | | | | | | | | | | | | 61401 | 152.3 | 154.1 | 0.21 | 0.06 |
| 154.1 | 163.2 | VOLCANICLASTIC SEDIMENTS?(TUFFITE?)/LESSER ANDESITE<br>-upper is gradational and undulating, approx. 60 to CA<br>-well banded, thinly bedded, fg to mg, medium grey-brown and light beige/creamy/medium green siltstone to greywacke(tuffite?)<br>-interlayered with lesser andesite, crowded (to 60% phenocrysts), plagioclase-augite phyric<br>-So 55° to CA<br>-pervasive calc-silicate alteration, garnet?-diopside- carbonate, bedding parallel replacement<br>-moderately to strongly calcareous<br>-HL to 2mm cal veins ll to So @ 55° to CA | tr | tr | | 0.5 | | 4 | | | | | | | | |
| 163.2 | 192.0 | WEAKLY CALC-SILICATE ALTERED ANDESITE<br>Similar to 130.2-154.1m | | tr | | <1 | | 4 | | | | | | | | |

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1(wk)-5(str) | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | Weakly fractured, calc-silicate and calcite fill, common trend is 45° to CA. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 192.0 | 201.3 | MODERATELY/STRONGLY CALC-SILICATE ALTERED/FAULTED | tr | tr-0.2 | | 4 | | 1 | | | 1 | 61402 | 192.0 | 194.0 | <0.01 | <0.03 |
| | | ANDESITE | | | | | | | | | | 61403 | 194.0 | 196.0 | 0.01 | <0.03 |
| | | -mottled dark grey-green/beige/apple green/pinkish red, variably calc- | | | | | | | | | | 61404 | 196.0 | 198.0 | 0.09 | <0.03 |
| | | silicate/potassic? altered and faulted andesite | | | | | | | | | | 61405 | 198.0 | 200.0 | 0.17 | 0.03 |
| | | - moderate to strong ga-dio?-Kspar-ep-mag+/-cpy/py, partially to | | | | | | | | | | 61406 | 200.0 | 201.3 | 0.43 | 0.05 |
| | | completely obliterated primary textures | | | | | | | | | | | | | | |
| | | -locally strong fracturing and brecciation, fault zone? | | | | | | | | | | | | | | |
| | | -moderate to strong magnetite, 3-5% | | | | | | | | | | | | | | |
| | | -trace cpy as masses in strong calc-silicate altered/skarn sections | tr | 2 | | 2 | | | | | | | | | | |
| | | 195.0-195.5m broken core, intensely altered breccia/tectonic?, Kspar-ep- | | | | | | | | | | | | | | |
| | | ga-dio-mag-semi-massive cpy, 2-3% | | | | | | | | | | | | | | |
| | | 196.2-198.0m fault breccia?, intense alteration, similar to 195-195.5m, | | | | | | | | | | | | | | |
| | | crosscutting bx veins, angular calc-silica frags in black mag-cpy-sil matrix | | | | 2 | | | | | | | | | | |
| | | 198-199.6m blocky, poorly competent core, fault breccia?, chl-crystalline | | | | | | | | | | | | | | |
| | | calc on fractures, common trend sub ll to 35° to CA, strong mag-chl-ep-sil- | | 0.5 | | 6 | | | | | | | | | | |
| | | dio?-<0.5% cpy, 5-7% mag | | | | | | | | | | | | | | |
| | | 199.6-200.3m strong calc-silicate alt'n, 5% py and 1-2% cpy clots, to 1cm | | | | | | | | | | | | | | |
| | | mag-ga-Kspar-cal veins, 0-20° and 30-40° to CA | | 1.5 | | 5 | | | | | 2 | | | | | |
| | | 200.3-200.8m broken core w/chloritic gouge, 0° to CA, late calcite veining, | | | | | | | | | | | | | | |
| | | clots and random veins, <2mm, 2-3% py and 2% cpy, strongly magnetic | | | | | | 2 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 201.3 | 219.5 | WEAKLY ALTERED ANDESITE/MINOR ANDESITE BRECCIA AND | tr | tr | | | | | | | | | | | | |
| | | VOLCANICLASTIC SEDIMENTS (MAFIC CRYSTAL TUFF?) | | | | | | | | | | | | | | |
| | | -medium to dark green, crowded augite-plagioclase phyric and | | | | | | | | | | | | | | |
| | | amygdaloidal andesite w/rare intercalations of andesite breccia and fg | | | | | | | | | | | | | | |
| | | volcaniclastic? sediments/mafic crystal tuff? | | | | | | | | | | | | | | |
| | | -from 201.3 to 219.5m fragmental section w/large, 3-5cm on average | | | | | | | | | | | | | | |
| | | fragments, 40-70%, wispy contacts, supported in plag-augite porphyritic | | | | | | | | | | | | | | |
| | | andesite matrix | | | | | | | | | | | | | | |
| | | -~ 5% of this interval is formed by aphanitic andesite?/mafic crystal tuff? | | | | | | | | | | | | | | |
| | | w/<5-7% chloritized mafic phenocrysts and thinly bedded fg | | | | | | | | | | | | | | |
| | | sandstone/greywacke? | | | | | | | | | | | | | | |
| | | -So is 40° to CA (207.6-207.8m) | | | | | | | | | | | | | | |
| | | -weak, patchy calc-silicate alteration (ga-silica-dio?), minor Kspar | | | | | | | | | | | | | | |
| | | (potassic) alteration | | | | | | | | | | | | | | |
| | | -weakly fractured, calcite healed, HL to <3mm on average, locally >10mm, | | | | | | | | | | | | | | |
| | | 20-30° and 50° to CA | | | | | | | | | | | | | | |
| | | -pervasive silicification, weakly magnetic | | | | | | | | | | | | | | |
| 219.5 | 253.0 | WEAKLY ALTERED ANDESITE | tr | tr | | tr | | 2 | | | 1 | | | | | |
| | | -crowded plagioclase-augite phyric andesite, 1-2mm on average, | | | | | | | | | | | | | | |

**GWR RESOURCES INC.**
**DRILL HOLE NO.: SPL-05-07**

| Depth (m) | | Description | Py | Cpy | Mo | Mag | Alteration Scale: 1(wk)-5(str) | | | | | Sample | Interval (m) | | Cu | Au |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| From | To | | % | % | % | % | Chl-ep | Cal | Bio | Sil | Ksp | Number | From | To | % | g/t |
| | | 35-60% total phenocrysts (<1to >5% augite), locally amygdaloidal | | | | | | | | | | | | | | |
| | | -weak to locally mod calc-silicate altered, mostly as replacement of | | | | | | | | | | 61407 | 239.2 | 241.7 | 0.02 | <0.03 |
| | | amygdales and phenocrysts, minor patchy and veins, ga-dio-albite?-mag- | | | | | | | | | | 61408 | 241.7 | 244.0 | 0.15 | 0.03 |
| | | carb, obliterated primary textures in zones of more intense alteration | | | | | | | | | | 61409 | 244.0 | 246.0 | 0.10 | <0.03 |
| | | -weakly fractured, open space filling w/mg crystalline calcite fill, <2-5mm, | | | | | | | | | | 61410 | 246.0 | 248.0 | 0.01 | <0.03 |
| | | 30-40° and 70° to CA | | | | | | | | | | 61411 | 248.0 | 250.0 | 0.43 | 0.08 |
| | | -increased alteration below 239.2m, as discontinuous patches, locally | | | | | | | | | | 61412 | 250.0 | 252.0 | 0.04 | <0.03 |
| | | strong epidote | | | | | | | | | | 61413 | 252.0 | 254.0 | 0.04 | <0.03 |
| | | 243.7-243.9m trace cpy, fg dissem and veins, <1-2mm, assoc w/py-mag, | | | | | | | | | | | | | | |
| | | 10-20° to CA | | | | | | | | | | | | | | |
| | | @243.5m, mag-Kspar-carb-chl-cpy/py vein, 10-13mm, 25° to CA, cpy also | | | | | | | | | | | | | | |
| | | dissem in selvages | | | | | | | | | | | | | | |
| | | 248.3-249.7m cpy/py-mag-carb vein, 2-5mm, undulating, 0-15° to CA, | 0.5 | 0.2 | | | 1 | | | | | | | | | |
| | | rimmed by ep-Kspar-qtz, comb textured qtz | | | | | | | | | | | | | | |
| | | calc veins, <1-3mm, 30-40° CA | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 253.0 | 279.5 | MODERATELY CALC-SILICATE ALTERED ANDESITE | tr | tr | | | 0.5 | 1 | | 4 | 1 | 61414 | 254.0 | 256.0 | 0.01 | <0.03 |
| | | Similar to 219.5-253.0m. Coarser grained plagioclase phenocrysts, <5mm, | | | | | | | | | | | | | | |
| | | rarely to 7mm. Large amygdales, 3-10mm, ~5-10%. | | | | | | | | | | | | | | |
| | | -moderate patchy calc-silicate alteration, dominantly amygdales filling and | | | | | | | | | | | | | | |
| | | locally phenocryst/matrix replacement (ga-dio-mag-tour), rare potassic | | | | | | | | | | | | | | |
| | | alteration (Kspar-ep) | | | | | | | | | | | | | | |
| | | -rare calc-silicate veins+/-carb-qtz-mag-Kspar, 1-2mm, 30° to CA | | | | | | | | | | | | | | |
| | | -weakly/moderately magnetic, 0.5% magnetite, fg to mg dissem | | | | | | | | | | | | | | |
| | | 253-253.3m fault breccia zone, soft and crumbly core, chlorite-calcite-clay | | | | | | | | | | | | | | |
| | | gouge | | | | | | | | | | | | | | |
| | | 253.3-255.1m brecciated interval, intense calc-silicate alteration (ga-sil?), | | | | | | | | | | | | | | |
| | | <3% ep-cal veins, 2-3mm, 80° to CA, Kspar replacement of plag | | | | | | | | | | | | | | |
| | | phenocrysts, strong pervasive silicification | | | | | | | | | | | | | | |
| | | 265.6-267m brecciated section w/strong chlorite, random fractures healed | | | | | | | | | | | | | | |
| | | by cal, trace cpy-py specks, <1% magnetite | | | | | | | | | | | | | | |
| | | Below 276m interbeds of vfg weakly porphyritic, amygdaloidal | | | | | | | | | | | | | | |
| | | andesite/basalt, to 10% amygdales, <2-5mm, on average, filled w/dio- | | | | | | | | | | | | | | |
| | | garnet replacing "rosette" mineral? | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 279.5 | | EOH | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

Eco Tech Laboratory Ltd.

ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

Eco Tech Laboratory Ltd.

Eco Tech Laboratory Ltd.

ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

# Analytical Procedure Assessment Report

***MULTI ELEMENT ICP ANALYSIS***

A 0.5 gram sample is digested with 3ml of a 3:1:2 (HCl:HN03:H20) which contains beryllium which acts as an internal standard for 90 minutes in a water bath at 95°C. The sample is then diluted to 10ml with water. The sample is analyzed on a Jarrell Ash ICP unit.

Results are collated by computer and are printed along with accompanying quality control data (repeats and standards). Results are printed on a laser printer and are faxed and/or mailed to the client.

| | Detection Limit | Low | Upper | | Detection Limit | Low | Upper |
|---|---|---|---|---|---|---|---|
| Ag | 0.2ppm | 30.0ppm | Fe | 0.01% | | 10.00% | |
| Al | 0.01% | 10.0% | | La | 10ppm | 10,000ppm | |
| As | 5ppm | 10,000ppm | | Mg | 0.01% | 10.00% | |
| Ba | 5ppm | 10,000ppm | | Mn | 1ppm | 10,000ppm | |
| Bi | 5ppm | 10,000ppm | | Mo | 1ppm | 10,000ppm | |
| Ca | 0.01% | 10,00% | | Na | 0.01% | 10.00% | |
| Cd | 1ppm | 10,000ppm | | Ni | 1ppm | 10,000ppm | |
| Co | 1ppm | 10,000ppm | | P | 10ppm | 10,000ppm | |
| Cr | 1ppm | 10,000ppm | | Pb | 2ppm | 10,000ppm | |
| Cu | 1ppm | 10,000ppm | | Sb | 5ppm | 10,000ppm | |
| Sn | 20ppm | 10,000ppm | | | | | |
| Sr | 1ppm | 10,000ppm | | | | | |
| Ti | 0.01% | 10.00% | | | | | |
| U | 10ppm | 10,000ppm | | | | | |
| V | 1ppm | 10,000ppm | | | | | |
| Y | 1ppm | 10,000ppm | | | | | |
| Zn | 1ppm | 10,000ppm | | | | | |

Eco Tech Laboratory Ltd.

ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

## Quality Control

- Standard quality control procedures are used for these determinations. (ie repeat every 9 samples)
- Run one Can Met CRM/WCM CRM for each batch of 35 or less samples (one CRM per work sheet)
- The following Can Met CRMS/WCM CRM are available in this laboratory.

| CRM | Cu% |
|---|---|
| | |
| CZn-1 | 0.144±0.003 |
| CZn-3 | 0.685±0.008 |
| KC-1a | 0.629±0.015 |
| Su-1A | 0.967±0.005 |
| CCU-1a | 26.78±0.07 |
| CCU-1b | 24.67±0.03 |
| Cu106 | 1.43 |
| Cu107 | 0.28 |
| PB106 | 0.62 |

## Reporting

Minimum reportable concentration is as follows:

Cu 0.01%

Eco Tech Laboratory Ltd.

ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

# Gold, Platinum, Palladium Assay

Samples are sorted and dried (if necessary). The samples are crushed through a jaw crusher and cone or rolls crusher to –10 mesh. The sample is split through a Jones riffle until a ~250 gram sub sample is achieved. The sub sample is pulverized in a ring & puck pulverizer to 95% - 140 mesh. The sample is rolled to homogenize.

A 30 g sample size is fire assayed using appropriate fluxes. The resultant dore bead is parted and then digested with aqua regia and then analyzed on a Perkin Elmer AA instrument for Gold and Palladium. Platinum is analyzed by ICP.

Appropriate standards and repeat sample (Quality Control Components) aecompany the samples on thc data sheet.

Eco Tech Laboratory Ltd.

ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

# Copper Assay

## Method Outline

Samples and standards under go an aqua regia digestion in 200 ml phosphorie acid flasks. The digested solutions are made to volume with RO water and allowed to settle. The metals of interest are determined by Atomic absorption procedures. Instrument calibration is done by verified synthetic standards, which have undergone the same digestion procedure as the samples.

## Digestion

1. Weigh 0.5g sample into 200 ml phosphoric acid flask.
2. Add 20 ml conc. HN03 to flasks using a calibrated dispenser.
3. Remove flasks from hot plate and when cool, add 60 ml conc. HCL from a calibrated dispenser. Put flasks on hot plate and digest for 60 minutes
4. Remove flasks from hot plate, allow to cool to room temperature and bulk to 200.ml mark with RO water.
5. Allow assay to settle or clarify by centrifuging an aliquot for analysis.

## Analysis

- Run the analysis by Atomic Absorption using the instrument parameters in the following table.
- Set up calibration with verified synthetic standards.
- Verify instrument calibration after every 10 samples.
- Perform analysis in the linear range of the absorbance curve. It may be necessary to dilute some samples or rotate the burner to do this.
- Standards used narrowly bracket the absorbance value of the sample for maximum precision.

## GOLD ASSAY

Samples are sorted and dried (if necessary). The samples are crushed through a jaw crusher and cone or rolls crusher to –10 mesh. The sample is split through a Jones riffle until a –250 gram sub sample is achieved. The sub sample is pulverized in a ring & puck pulverizer to 95% - 140 mesh. The sample is rolled to homogenize.

A 30 g sample size is fire assayed using appropriate fluxes. The resultant dore bead is parted and then digested with aqua regia and then analyzed on a Perkin Elmer AA instrument.

Appropriate standards and repeat sample (Quality Control Components) accompany the samples on the data sheet.

Eco Tech Laboratory Ltd.

ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

# Gold, Platinum, Palladium Assay

Samples are sorted and dried (if neeessary). The samples are erushed through a jaw crusher and cone or rolls crusher to –10 mesh. The sample is split through a Jones riffle until a –250 gram sub sample is achieved. The sub sample is pulverized in a ring & puck pulverizer to 95% - 140 mesh. The sample is rolled to homogenize.

A 30 g sample size is fire assayed using appropriate fluxes. The resultant dore bead is parted and then digested with aqua regia and then analyzed on a Perkin Elmer AA instrument for Gold and Palladium. Platinum is analyzed by ICP.

Appropriate standards and repeat sample (Quality Control Components) accompany the samples on the data sheet.

# WHOLE ROCK CERTIFICATE OF ANALYSIS AK 2005-86/216/262/325/344/346

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

24-Jun-05

**ATTENTION: Irvin Eisler**

***Note: Values expressed in percent***

| ET# | Tag # | Non-Magnetic $Fe_20_3$ | Magnetic $Fe_20_3$ | Total $Fe_20_3$ | % Magnetic Portion |
|---|---|---|---|---|---|
| 86-1 | 47275 | 17.12 | 64.32 | 50.53 | 69.7 |
| 86-1 | 47275 | 17.86 | 61.36 | 50.53 | 76.0 |
| 86-1 | 47275 | 16.78 | 63.75 | 50.53 | 72.1 |
| 86-3 | 47277 | 25.86 | 63.50 | 50.49 | 65.9 |
| 86-5 | 47279 | 14.95 | 26.96 | 23.88 | 73.1 |
| 216-4 | 47328 | 24.81 | 1.40 | 25.83 | 59.0 |
| 216-17 | 47341 | 19.85 | 68.99 | 58.50 | 77.7 |
| 216-17 | 47341 | 20.90 | 63.85 | 58.50 | 87.6 |
| 262-6 | 47386 | 19.84 | 49.30 | 26.53 | 35.5 |
| 262.38 | 46774 | 22.76 | 37.98 | 28.28 | 34.1 |
| 262.38 | 46774 | 22.84 | 34.20 | 28.08 | 44.5 |
| 262-48 | 46782 | 7.06 | 16.32 | 11.38 | 41.2 |
| 325-3 | 54903 | 16.34 | 50.81 | 41.48 | 66.7 |
| 344-1 | SPL93-13 | 25.22 | 81.02 | 75.48 | 96.0 |
| 346-5 | 54643 | 15.81 | 49.26 | 45.55 | 86.0 |
| 346-5 | 54643 | 16.84 | 49.89 | 45.55 | 92.4 |

JJ/cr

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ANALYSIS AK 2003-629

**GWR RESOURCES INC.** 15-Dec-03
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 66*
*Sample Type: Core*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: GWR*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 196163 | <0.1 |
| 2 | 196164 | <0.1 |
| 3 | 196165 | <0.1 |
| 4 | 196166 | <0.1 |
| 5 | 196167 | <0.1 |
| 6 | 196168 | <0.1 |
| 7 | 196169 | <0.1 |
| 8 | 196170 | <0.1 |
| 9 | 196171 | <0.1 |
| 10 | 196172 | <0.1 |
| 11 | 196173 | <0.1 |
| 12 | 196174 | 0.1 |
| 13 | 196175 | 0.1 |
| 14 | 196176 | <0.1 |
| 15 | 196177 | 0.1 |
| 16 | 196178 | 0.1 |
| 17 | 196179 | <0.1 |
| 18 | 196180 | <0.1 |
| 19 | 196181 | <0.1 |
| 20 | 196182 | <0.1 |
| 21 | 196183 | <0.1 |
| 22 | 196184 | <0.1 |
| 23 | 196185 | <0.1 |
| 24 | 196186 | <0.1 |
| 25 | 196187 | <0.1 |
| 26 | 196188 | <0.1 |
| 27 | 196189 | <0.1 |
| 28 | 196190 | <0.1 |

**GWR RESOURCES INC. AK3-629** 15-Dec-03

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 29 | 196191 | 0.1 |
| 30 | 196192 | 0.1 |
| 31 | 196193 | 0.1 |
| 32 | 196194 | 0.3 |
| 33 | 196195 | 0.1 |
| 34 | 196196 | 0.2 |
| 35 | 196197 | 0.5 |
| 36 | 196198 | 0.3 |
| 37 | 196199 | <0.1 |
| 38 | 196200 | <0.1 |
| 39 | 196201 | <0.1 |
| 40 | 196202 | <0.1 |
| 41 | 196203 | <0.1 |
| 42 | 196204 | <0.1 |
| 43 | 196205 | 0.1 |
| 44 | 196206 | 0.1 |
| 45 | 196207 | <0.1 |
| 46 | 196208 | <0.1 |
| 47 | 196209 | <0.1 |
| 48 | 196210 | 0.1 |
| 49 | 196211 | <0.1 |
| 50 | 196212 | <0.1 |
| 51 | 196213 | 1.1 |
| 52 | 196214 | <0.1 |
| 53 | 196215 | <0.1 |
| 54 | 196216 | <0.1 |
| 55 | 196217 | <0.1 |
| 56 | 196218 | <0.1 |
| 57 | 196219 | <0.1 |
| 58 | 196220 | <0.1 |
| 59 | 196221 | <0.1 |
| 60 | 196222 | <0.1 |
| 61 | 196223 | <0.1 |
| 62 | 196224 | <0.1 |
| 63 | 196225 | <0.1 |
| 64 | 196226 | <0.1 |
| 65 | 196227 | <0.1 |
| 66 | 196228 | <0.1 |

**QC DATA:**

| | | |
|---|---|---|
| ***Resplit:*** | | <0.1 |
| 1 | 196163 | 0.2 |
| 36 | 196198 | |

**GWR RESOURCES INC. AK3-629** 15-Dec-03

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| ***Repeat:*** | | |
| 1 | 196163 | <0.1 |
| 10 | 196172 | <0.1 |
| 19 | 196181 | 0.1 |
| 36 | 196198 | 0.3 |
| 45 | 196207 | <0.1 |
| 54 | 196216 | <0.1 |
| ***Standard:*** | | |
| GEO'03 | | 1.5 |
| GEO'03 | | 1.5 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/03
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2003-629

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

17-Dec-03

**ATTENTION: Irvin Eisler**

*No. of samples received: 66*
*Sample Type: Core*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: GWR*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 196163 | <0.03 | <0.001 | 0.01 |
| 2 | 196164 | <0.03 | <0.001 | 0.02 |
| 3 | 196165 | <0.03 | <0.001 | 0.01 |
| 4 | 196166 | <0.03 | <0.001 | 0.01 |
| 5 | 196167 | <0.03 | <0.001 | 0.01 |
| 6 | 196168 | <0.03 | <0.001 | 0.03 |
| 7 | 196169 | <0.03 | <0.001 | 0.01 |
| 8 | 196170 | <0.03 | <0.001 | 0.01 |
| 9 | 196171 | <0.03 | <0.001 | 0.01 |
| 10 | 196172 | <0.03 | <0.001 | 0.01 |
| 11 | 196173 | <0.03 | <0.001 | 0.01 |
| 12 | 196174 | <0.03 | <0.001 | 0.02 |
| 13 | 196175 | <0.03 | <0.001 | 0.01 |
| 14 | 196176 | <0.03 | <0.001 | 0.01 |
| 15 | 196177 | <0.03 | <0.001 | 0.02 |
| 16 | 196178 | <0.03 | <0.001 | 0.01 |
| 17 | 196179 | <0.03 | <0.001 | 0.01 |
| 18 | 196180 | <0.03 | <0.001 | 0.02 |
| 19 | 196181 | <0.03 | <0.001 | 0.03 |
| 20 | 196182 | <0.03 | <0.001 | 0.04 |
| 21 | 196183 | <0.03 | <0.001 | 0.02 |
| 22 | 196184 | <0.03 | <0.001 | 0.02 |
| 23 | 196185 | <0.03 | <0.001 | 0.02 |
| 24 | 196186 | <0.03 | <0.001 | 0.01 |
| 25 | 196187 | <0.03 | <0.001 | 0.01 |
| 26 | 196188 | <0.03 | <0.001 | 0.01 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK3-629** 17-Dec-03

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 27 | 196189 | <0.03 | <0.001 | 0.02 |
| 28 | 196190 | <0.03 | <0.001 | <0.01 |
| 29 | 196191 | <0.03 | <0.001 | 0.02 |
| 30 | 196192 | <0.03 | <0.001 | 0.01 |
| 31 | 196193 | <0.03 | <0.001 | 0.02 |
| 32 | 196194 | <0.03 | <0.001 | 0.01 |
| 33 | 196195 | <0.03 | <0.001 | 0.05 |
| 34 | 196196 | <0.03 | <0.001 | 0.02 |
| 35 | 196197 | <0.03 | <0.001 | 0.04 |
| 36 | 196198 | <0.03 | <0.001 | 0.05 |
| 37 | 196199 | <0.03 | <0.001 | 0.01 |
| 38 | 196200 | <0.03 | <0.001 | 0.01 |
| 39 | 196201 | <0.03 | <0.001 | 0.01 |
| 40 | 196202 | <0.03 | <0.001 | 0.01 |
| 41 | 196203 | <0.03 | <0.001 | 0.01 |
| 42 | 196204 | <0.03 | <0.001 | 0.01 |
| 43 | 196205 | <0.03 | <0.001 | 0.01 |
| 44 | 196206 | <0.03 | <0.001 | 0.02 |
| 45 | 196207 | <0.03 | <0.001 | 0.02 |
| 46 | 196208 | <0.03 | <0.001 | 0.01 |
| 47 | 196209 | <0.03 | <0.001 | 0.01 |
| 48 | 196210 | <0.03 | <0.001 | 0.14 |
| 49 | 196211 | <0.03 | <0.001 | 0.01 |
| 50 | 196212 | <0.03 | <0.001 | 0.01 |
| 51 | 196213 | <0.03 | <0.001 | 0.48 |
| 52 | 196214 | <0.03 | <0.001 | 0.02 |
| 53 | 196215 | <0.03 | <0.001 | 0.01 |
| 54 | 196216 | <0.03 | <0.001 | 0.01 |
| 55 | 196217 | <0.03 | <0.001 | <0.01 |
| 56 | 196218 | <0.03 | <0.001 | 0.02 |
| 57 | 196219 | <0.03 | <0.001 | <0.01 |
| 58 | 196220 | <0.03 | <0.001 | 0.01 |
| 59 | 196221 | <0.03 | <0.001 | 0.04 |
| 60 | 196222 | <0.03 | <0.001 | 0.02 |
| 61 | 196223 | <0.03 | <0.001 | 0.02 |
| 62 | 196224 | <0.03 | <0.001 | 0.08 |
| 63 | 196225 | <0.03 | <0.001 | <0.01 |
| 64 | 196226 | <0.03 | <0.001 | 0.01 |
| 65 | 196227 | <0.03 | <0.001 | <0.01 |
| 66 | 196228 | <0.03 | <0.001 | 0.01 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK3-629** 17-Dec-03

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 196163 | <0.03 | <0.001 | 0.01 |
| 36 | 196198 | <0.03 | <0.001 | 0.05 |
| ***Repeat:*** | | | | |
| 1 | 196163 | <0.03 | <0.001 | 0.01 |
| 10 | 196172 | <0.03 | <0.001 | 0.01 |
| 19 | 196181 | <0.03 | <0.001 | 0.03 |
| 20 | 196182 | <0.03 | <0.001 | |
| 21 | 196183 | <0.03 | <0.001 | |
| 22 | 196184 | <0.03 | <0.001 | |
| 24 | 196186 | <0.03 | <0.001 | |
| 36 | 196198 | <0.03 | <0.001 | 0.05 |
| 45 | 196207 | <0.03 | <0.001 | 0.01 |
| 51 | 196213 | <0.03 | <0.001 | 0.48 |
| 54 | 196216 | <0.03 | <0.001 | 0.01 |
| ***Standard:*** | | | | |
| PM184 | | 0.50 | 0.015 | |
| PM184 | | 0.53 | 0.015 | |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/03
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ANALYSIS AK 2003-642

**GWR RESOURCES INC.** 18-Dec-03
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 72*
*Sample Type: Core*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: GWR*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 15603 | 0.2 |
| 2 | 15604 | 0.1 |
| 3 | 15605 | <0.1 |
| 4 | 15606 | <0.1 |
| 5 | 15607 | <0.1 |
| 6 | 15608 | 0.3 |
| 7 | 15609 | 0.1 |
| 8 | 15610 | 0.1 |
| 9 | 15667 | <0.1 |
| 10 | 15668 | <0.1 |
| 11 | 15669 | <0.1 |
| 12 | 15670 | <0.1 |
| 13 | 15671 | 0.1 |
| 14 | 15672 | 0.1 |
| 15 | 15673 | <0.1 |
| 16 | 15674 | 0.4 |
| 17 | 15675 | 0.1 |
| 18 | 15676 | 0.1 |
| 19 | 15677 | 0.1 |
| 20 | 15678 | <0.1 |
| 21 | 15679 | <0.1 |
| 22 | 15680 | <0.1 |
| 23 | 15681 | 0.1 |
| 24 | 15682 | <0.1 |
| 25 | 15683 | 0.7 |
| 26 | 15684 | <0.1 |
| 27 | 15685 | <0.1 |
| 28 | 15686 | <0.1 |
| 29 | 15687 | <0.1 |

**GWR RESOURCES INC. AK3-642** 18-Dec-03

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 30 | 15688 | <0.1 |
| 31 | 196113 | <0.1 |
| 32 | 196114 | <0.1 |
| 33 | 196115 | <0.1 |
| 34 | 196116 | <0.1 |
| 35 | 196117 | <0.1 |
| 36 | 196118 | <0.1 |
| 37 | 196119 | <0.1 |
| 38 | 196120 | <0.1 |
| 39 | 196121 | 0.1 |
| 40 | 196122 | 0.2 |
| 41 | 196123 | 0.2 |
| 42 | 196124 | 0.6 |
| 43 | 196125 | 0.4 |
| 44 | 196126 | 0.7 |
| 45 | 196127 | <0.1 |
| 46 | 196128 | 0.5 |
| 47 | 196129 | 0.2 |
| 48 | 196130 | 0.1 |
| 49 | 196131 | 0.1 |
| 50 | 196132 | <0.1 |
| 51 | 196133 | 0.2 |
| 52 | 196134 | <0.1 |
| 53 | 196135 | <0.2 |
| 54 | 196136 | <0.1 |
| 55 | 196137 | <0.1 |
| 56 | 196138 | 0.1 |
| 57 | 196139 | <0.1 |
| 58 | 196140 | <0.1 |
| 59 | 196141 | <0.1 |
| 60 | 196142 | <0.1 |
| 61 | 196143 | <0.1 |
| 62 | 196152 | <0.1 |
| 63 | 196153 | <0.1 |
| 64 | 196154 | <0.1 |
| 65 | 196155 | <0.1 |
| 66 | 196156 | <0.1 |
| 67 | 196157 | <0.1 |
| 68 | 196158 | <0.1 |
| 69 | 196159 | <0.1 |
| 70 | 196160 | <0.1 |
| 71 | 196161 | <0.1 |
| 72 | 196162 | <0.1 |

**GWR RESOURCES INC. AK3-642** 18-Dec-03

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| **QC DATA:** | | |
| ***Resplit:*** | | |
| 1 | 15603 | 0.3 |
| 36 | 196118 | <0.1 |
| 71 | 196161 | <0.1 |
| ***Repeat:*** | | |
| 1 | 15603 | 0.3 |
| 10 | 15668 | <0.1 |
| 19 | 15677 | 0.1 |
| 36 | 196118 | <0.1 |
| 45 | 196127 | <0.1 |
| 54 | 196136 | <0.1 |
| 71 | 196161 | <0.1 |
| ***Standard:*** | | |
| GEO'03 | | 1.6 |
| GEO'03 | | 1.5 |
| GEO'03 | | 1.6 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/03
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2003-642

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

18-Dec-03

**ATTENTION: Irvin Eisler**

*No. of samples received: 72*
*Sample Type: Core*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: GWR*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 15603 | 0.09 | 0.003 | 0.08 |
| 2 | 15604 | 0.03 | 0.001 | 0.08 |
| 3 | 15605 | 0.03 | 0.001 | 0.05 |
| 4 | 15606 | <0.03 | <0.001 | 0.05 |
| 5 | 15607 | <0.03 | <0.001 | 0.01 |
| 6 | 15608 | 0.03 | 0.001 | 0.11 |
| 7 | 15609 | <0.03 | <0.001 | 0.04 |
| 8 | 15610 | <0.03 | <0.001 | 0.02 |
| 9 | 15667 | 0.05 | 0.001 | 0.02 |
| 10 | 15668 | <0.03 | <0.001 | 0.02 |
| 11 | 15669 | <0.03 | <0.001 | 0.01 |
| 12 | 15670 | <0.03 | <0.001 | 0.01 |
| 13 | 15671 | <0.03 | <0.001 | 0.02 |
| 14 | 15672 | <0.03 | <0.001 | 0.02 |
| 15 | 15673 | <0.03 | <0.001 | 0.03 |
| 16 | 15674 | 0.03 | 0.001 | 0.08 |
| 17 | 15675 | <0.03 | <0.001 | 0.04 |
| 18 | 15676 | <0.03 | <0.001 | 0.02 |
| 19 | 15677 | <0.03 | <0.001 | 0.02 |
| 20 | 15678 | <0.03 | <0.001 | 0.02 |
| 21 | 15679 | <0.03 | <0.001 | 0.02 |
| 22 | 15680 | <0.03 | <0.001 | 0.05 |
| 23 | 15681 | <0.03 | <0.001 | 0.03 |
| 24 | 15682 | <0.03 | <0.001 | 0.03 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK3-642** 18-Dec-03

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 25 | 15683 | 0.11 | 0.003 | 0.25 |
| 26 | 15684 | <0.03 | <0.001 | 0.02 |
| 27 | 15685 | <0.03 | <0.001 | 0.03 |
| 28 | 15686 | <0.03 | <0.001 | 0.03 |
| 29 | 15687 | <0.03 | <0.001 | 0.02 |
| 30 | 15688 | 0.03 | 0.001 | 0.02 |
| 31 | 196113 | <0.03 | <0.001 | 0.04 |
| 32 | 196114 | <0.03 | <0.001 | 0.08 |
| 33 | 196115 | <0.03 | <0.001 | 0.02 |
| 34 | 196116 | <0.03 | <0.001 | 0.03 |
| 35 | 196117 | <0.03 | <0.001 | 0.03 |
| 36 | 196118 | <0.03 | <0.001 | 0.04 |
| 37 | 196119 | 0.08 | 0.002 | 0.06 |
| 38 | 196120 | <0.03 | <0.001 | 0.08 |
| 39 | 196121 | 0.03 | 0.001 | 0.09 |
| 40 | 196122 | 0.03 | 0.001 | 0.11 |
| 41 | 196123 | 0.03 | 0.001 | 0.07 |
| 42 | 196124 | 0.06 | 0.002 | 0.16 |
| 43 | 196125 | 0.05 | 0.001 | 0.13 |
| 44 | 196126 | 0.06 | 0.002 | 0.25 |
| 45 | 196127 | <0.03 | <0.001 | 0.04 |
| 46 | 196128 | 0.07 | 0.002 | 0.33 |
| 47 | 196129 | <0.03 | <0.001 | 0.18 |
| 48 | 196130 | 0.03 | 0.001 | 0.19 |
| 49 | 196131 | 0.03 | 0.001 | 0.15 |
| 50 | 196132 | <0.03 | <0.001 | 0.04 |
| 51 | 196133 | 0.16 | 0.005 | 0.18 |
| 52 | 196134 | <0.03 | <0.001 | 0.03 |
| 53 | 196135 | <0.03 | <0.001 | 0.02 |
| 54 | 196136 | <0.03 | <0.001 | 0.02 |
| 55 | 196137 | <0.03 | <0.001 | 0.03 |
| 56 | 196138 | <0.03 | <0.001 | 0.04 |
| 57 | 196139 | <0.03 | <0.001 | 0.02 |
| 58 | 196140 | <0.03 | <0.001 | 0.02 |
| 59 | 196141 | <0.03 | <0.001 | 0.01 |
| 60 | 196142 | <0.03 | <0.001 | 0.02 |
| 61 | 196143 | <0.03 | <0.001 | 0.01 |
| 62 | 196152 | <0.03 | <0.001 | 0.01 |
| 63 | 196153 | <0.03 | <0.001 | 0.01 |
| 64 | 196154 | <0.03 | <0.001 | <0.01 |
| 65 | 196155 | <0.03 | <0.001 | 0.01 |
| 66 | 196156 | <0.03 | <0.001 | 0.01 |
| 67 | 196157 | <0.03 | <0.001 | 0.01 |
| 68 | 196158 | 0.13 | 0.004 | 0.02 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK3-642** 18-Dec-03

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 69 | 196159 | 0.03 | 0.001 | 0.02 |
| 70 | 196160 | <0.03 | <0.001 | 0.01 |
| 71 | 196161 | <0.03 | <0.001 | 0.01 |
| 72 | 196162 | <0.03 | <0.001 | <0.01 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 15603 | <0.03 | <0.001 | 0.08 |
| 36 | 196118 | <0.03 | <0.001 | 0.03 |
| 71 | 196161 | <0.03 | <0.001 | 0.01 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 15603 | 0.10 | 0.003 | 0.08 |
| 10 | 15668 | <0.03 | <0.001 | 0.02 |
| 19 | 15677 | <0.03 | <0.001 | 0.02 |
| 36 | 196118 | <0.03 | <0.001 | 0.04 |
| 45 | 196127 | <0.03 | <0.001 | 0.04 |
| 54 | 196136 | <0.03 | <0.001 | 0.02 |
| 71 | 196161 | | | <0.01 |

***Standard:***

| | | | |
|---|---|---|---|
| PM184 | 0.52 | 0.015 | |
| PM184 | 0.54 | 0.016 | |
| PM184 | 0.52 | 0.015 | |
| CU106 | | | 1.43 |
| CU106 | | | 1.43 |
| CU106 | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/03
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ANALYSIS AK 2004-006

**GWR RESOURCES INC.** 13-Jan-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 37*
*Sample Type: Core*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 196229 | <0.1 |
| 2 | 196230 | <0.1 |
| 3 | 196231 | <0.1 |
| 4 | 196232 | 0.1 |
| 5 | 196233 | <0.1 |
| 6 | 196234 | 0.1 |
| 7 | 196235 | <0.1 |
| 8 | 196236 | <0.1 |
| 9 | 196237 | <0.1 |
| 10 | 196238 | <0.1 |
| 11 | 196239 | <0.1 |
| 12 | 196240 | <0.1 |
| 13 | 196241 | <0.1 |
| 14 | 196242 | <0.1 |
| 15 | 196243 | <0.1 |
| 16 | 196244 | <0.1 |
| 17 | 196245 | <0.1 |
| 18 | 196246 | <0.1 |
| 19 | 196247 | <0.1 |
| 20 | 196248 | <0.1 |
| 21 | 196249 | <0.1 |
| 22 | 196250 | 0.1 |
| 23 | 196251 | 0.4 |
| 24 | 196252 | <0.1 |
| 25 | 196253 | 0.2 |
| 26 | 196254 | 0.4 |
| 27 | 196255 | 0.7 |
| 28 | 196256 | 0.1 |
| 29 | 196257 | 0.1 |
| 30 | 196258 | 0.1 |

**GWR RESOURCES INC. AK3-006** 13-Jan-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 31 | 196259 | <0.1 |
| 32 | 196260 | <0.1 |
| 33 | 196261 | <0.1 |
| 34 | 196262 | 0.5 |
| 35 | 196263 | 0.4 |
| 36 | 196264 | 0.3 |
| 37 | 196265 | 0.3 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | 196229 | <0.1 |
| 36 | 196264 | 0.3 |

***Repeat:***

| | | |
|---|---|---|
| 1 | 196229 | <0.1 |
| 10 | 196238 | <0.1 |
| 19 | 196247 | <0.1 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.6 |
| GEO'04 | 1.5 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2004-006

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

13-Jan-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 37*
*Sample type: Core*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 196229 | 0.16 | 0.005 | 0.06 |
| 2 | 196230 | 0.10 | 0.003 | 0.01 |
| 3 | 196231 | 0.15 | 0.004 | 0.08 |
| 4 | 196232 | 0.12 | 0.003 | 0.05 |
| 5 | 196233 | 0.13 | 0.004 | 0.07 |
| 6 | 196234 | 0.16 | 0.005 | 0.06 |
| 7 | 196235 | 0.10 | 0.003 | <0.01 |
| 8 | 196236 | 0.08 | 0.002 | <0.01 |
| 9 | 196237 | 0.05 | 0.001 | 0.01 |
| 10 | 196238 | 0.07 | 0.002 | 0.05 |
| 11 | 196239 | 0.12 | 0.003 | 0.06 |
| 12 | 196240 | 0.07 | 0.002 | 0.03 |
| 13 | 196241 | 0.07 | 0.002 | 0.04 |
| 14 | 196242 | 0.03 | 0.001 | 0.04 |
| 15 | 196243 | 0.07 | 0.002 | 0.03 |
| 16 | 196244 | 0.03 | 0.001 | 0.03 |
| 17 | 196245 | 0.04 | 0.001 | 0.03 |
| 18 | 196246 | 0.08 | 0.002 | 0.01 |
| 19 | 196247 | 0.07 | 0.002 | 0.01 |
| 20 | 196248 | <0.03 | <0.001 | 0.02 |
| 21 | 196249 | 0.08 | 0.002 | 0.03 |
| 22 | 196250 | 0.09 | 0.003 | 0.11 |
| 23 | 196251 | 0.12 | 0.003 | 0.15 |
| 24 | 196252 | 0.03 | 0.001 | 0.03 |
| 25 | 196253 | 0.13 | 0.004 | 0.11 |
| 26 | 196254 | 0.05 | 0.001 | 0.16 |
| 27 | 196255 | 0.04 | 0.001 | 0.35 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK3-006** 13-Jan-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 28 | 196256 | 0.05 | 0.001 | 0.05 |
| 29 | 196257 | <0.03 | <0.001 | 0.03 |
| 30 | 196258 | <0.03 | <0.001 | <0.01 |
| 31 | 196259 | 0.14 | 0.004 | 0.02 |
| 32 | 196260 | 0.03 | 0.001 | 0.02 |
| 33 | 196261 | 0.03 | 0.001 | <0.01 |
| 34 | 196262 | 0.06 | 0.002 | 0.19 |
| 35 | 196263 | 0.11 | 0.003 | 0.23 |
| 36 | 196264 | 0.16 | 0.005 | 0.13 |
| 37 | 196265 | 0.15 | 0.004 | 0.16 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 196229 | 0.13 | 0.004 | 0.06 |
| 36 | 196264 | 0.14 | 0.004 | 0.12 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 196229 | 0.15 | 0.004 | 0.06 |
| 10 | 196238 | 0.06 | 0.002 | 0.05 |
| 19 | 196247 | 0.08 | 0.002 | 0.01 |

***Standard:***

| | | | | |
|---|---|---|---|---|
| Pb106 | | | | 0.62 |
| Pb106 | | | | 0.62 |
| PM184 | | 0.53 | 0.015 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2004-027

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

2-Feb-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 52*
*Sample type: Core*
***Submitted By: Brian Callaghan***

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 6401 | <0.03 | <0.001 | 0.01 |
| 2 | 6402 | <0.03 | <0.001 | 0.04 |
| 3 | 6403 | <0.03 | <0.001 | 0.02 |
| 4 | 6404 | <0.03 | <0.001 | 0.07 |
| 5 | 6405 | 0.07 | 0.002 | 0.18 |
| 6 | 6406 | 0.03 | 0.001 | 0.08 |
| 7 | 6407 | <0.03 | <0.001 | 0.10 |
| 8 | 6408 | 0.11 | 0.003 | 0.15 |
| 9 | 6409 | <0.03 | <0.001 | 0.01 |
| 10 | 6410 | <0.03 | <0.001 | <0.01 |
| 11 | 6411 | <0.03 | <0.001 | <0.01 |
| 12 | 6412 | 0.04 | 0.001 | 0.03 |
| 13 | 6413 | 0.04 | 0.001 | 0.01 |
| 14 | 6414 | <0.03 | <0.001 | 0.01 |
| 15 | 6415 | 0.04 | 0.001 | 0.02 |
| 16 | 6416 | 0.07 | 0.002 | 0.05 |
| 17 | 6417 | 0.07 | 0.002 | 0.02 |
| 18 | 6418 | <0.03 | <0.001 | <0.01 |
| 19 | 6419 | <0.03 | <0.001 | <0.01 |
| 20 | 6420 | <0.03 | <0.001 | 0.07 |
| 21 | 6421 | 0.05 | 0.001 | 0.07 |
| 22 | 6422 | 0.03 | 0.001 | 0.10 |
| 23 | 6423 | 0.03 | 0.001 | 0.07 |
| 24 | 6424 | 0.08 | 0.002 | 0.20 |
| 25 | 6425 | 0.03 | 0.001 | 0.10 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/ejd
XLS/04

**GWR RESOURCES INC. AK4-027** 2-Feb-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 26 | 6426 | 0.03 | 0.001 | 0.13 |
| 27 | 6427 | 0.16 | 0.005 | 0.49 |
| 28 | 6428 | 0.30 | 0.009 | 0.84 |
| 29 | 6429 | 0.11 | 0.003 | 0.24 |
| 30 | 6430 | 0.05 | 0.001 | 0.05 |
| 31 | 6431 | <0.03 | <0.001 | 0.01 |
| 32 | 6432 | <0.03 | <0.001 | <0.01 |
| 33 | 6433 | <0.03 | <0.001 | 0.04 |
| 34 | 6434 | <0.03 | <0.001 | <0.01 |
| 35 | 6435 | <0.03 | <0.001 | <0.01 |
| 36 | 6436 | <0.03 | <0.001 | 0.03 |
| 37 | 6437 | <0.03 | <0.001 | 0.01 |
| 38 | 6438 | <0.03 | <0.001 | 0.01 |
| 39 | 6439 | <0.03 | <0.001 | 0.01 |
| 40 | 6440 | 0.05 | 0.001 | <0.01 |
| 41 | 6441 | <0.03 | <0.001 | 0.01 |
| 42 | 6442 | 0.04 | 0.001 | 0.01 |
| 43 | 6443 | 0.04 | 0.001 | 0.02 |
| 44 | 6444 | 0.07 | 0.002 | 0.05 |
| 45 | 6445 | <0.03 | <0.001 | <0.01 |
| 46 | 6446 | 0.04 | 0.001 | <0.01 |
| 47 | 6447 | 0.03 | 0.001 | 0.09 |
| 48 | 6448 | 0.08 | 0.002 | 0.16 |
| 49 | 6449 | 0.06 | 0.002 | 0.05 |
| 50 | 196266 | <0.03 | <0.001 | 0.03 |
| 51 | 196267 | <0.03 | <0.001 | 0.08 |
| 52 | 196268 | 0.03 | 0.001 | 0.04 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 6401 | <0.03 | <0.001 | 0.01 |
| 36 | 6436 | <0.03 | <0.001 | 0.03 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 6401 | <0.03 | <0.001 | 0.01 |
| 10 | 6410 | <0.03 | <0.001 | 0.02 |
| 19 | 6419 | <0.03 | <0.001 | <0.01 |
| 36 | 6436 | <0.03 | <0.001 | 0.02 |

***Standard:***

| | | | |
|---|---|---|---|
| PG101 | 0.15 | 0.004 | |
| PG101 | 0.15 | 0.004 | |
| CU106 | | | 1.43 |
| CU106 | | | 1.44 |

JJ/ejd
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ANALYSIS AK 2004-088

**GWR RESOURCES INC.** 4-Mar-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample type: Rock*
*Samples submitted by: Scott*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 6450 | 0.1 |
| 2 | 6451 | <0.1 |
| 3 | 6452 | <0.1 |
| 4 | 6453 | <0.1 |
| 5 | 6454 | 0.1 |
| 6 | 6455 | 0.2 |
| 7 | 6456 | 0.1 |
| 8 | 6457 | 0.1 |
| 9 | 6458 | <0.1 |
| 10 | 6459 | 0.1 |
| 11 | 6460 | <0.1 |
| 12 | 6461 | 0.1 |
| 13 | 6462 | 0.2 |
| 14 | 6463 | 0.2 |
| 15 | 6464 | 0.1 |
| 16 | 6465 | 0.1 |
| 17 | 6466 | <0.1 |
| 18 | 6467 | 0.1 |
| 19 | 6468 | 0.1 |
| 20 | 6469 | <0.1 |
| 21 | 6470 | 0.3 |
| 22 | 6471 | 0.3 |
| 23 | 6472 | 0.2 |
| 24 | 6473 | 0.1 |
| 25 | 6474 | 0.1 |
| 26 | 6475 | 0.1 |
| 27 | 6476 | <0.1 |
| 28 | 6477 | 0.1 |
| 29 | 6478 | 0.2 |

**GWR RESOURCES INC. AK4-088** 4-Mar-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 30 | 6479 | 0.4 |
| 31 | 6480 | 0.4 |
| 32 | 6481 | 0.5 |
| 33 | 6482 | 0.4 |
| 34 | 6483 | 0.2 |
| 35 | 6484 | 0.1 |
| 36 | 6485 | 0.1 |
| 37 | 6486 | <0.1 |
| 38 | 6487 | <0.1 |
| 39 | 6488 | 0.1 |
| 40 | 6489 | 0.2 |
| 41 | 6490 | 0.2 |
| 42 | 6491 | 0.3 |
| 43 | 6492 | 0.2 |
| 44 | 6493 | 0.2 |
| 45 | 6494 | 0.3 |
| 46 | 6495 | 0.2 |
| 47 | 6496 | 0.4 |
| 48 | 6497 | 0.6 |
| 49 | 6498 | 0.3 |
| 50 | 6499 | 0.4 |
| 51 | 6500 | 1.1 |
| 52 | 6501 | 0.6 |
| 53 | 6502 | 0.3 |
| 54 | 6503 | 2.1 |
| 55 | 6504 | 3.3 |
| 56 | 6505 | 0.8 |
| 57 | 6506 | 0.8 |
| 58 | 6507 | 0.4 |
| 59 | 6508 | 0.6 |
| 60 | 6509 | 0.2 |
| 61 | 6510 | 0.2 |
| 62 | 6511 | 0.2 |
| 63 | 6512 | 0.3 |
| 64 | 6513 | 0.3 |
| 65 | 6514 | 0.2 |
| 66 | 6515 | 0.3 |
| 67 | 6516 | 0.2 |
| 68 | 6517 | 0.1 |
| 69 | 6518 | 0.2 |
| 70 | 6519 | 0.5 |
| 71 | 6520 | 0.3 |
| 72 | 6521 | 0.4 |
| 73 | 6522 | 0.7 |
| 74 | 6523 | 0.6 |
| 75 | 6524 | 0.5 |
| 76 | 6525 | 0.7 |
| 77 | 6526 | 0.7 |
| 78 | 6527 | 0.5 |
| 79 | 6528 | 0.4 |

**GWR RESOURCES INC. AK4-088** 4-Mar-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 80 | 6529 | 0.3 |
| 81 | 6530 | 0.3 |
| 82 | 6531 | 0.4 |
| 83 | 6532 | 0.5 |
| 84 | 6533 | 0.2 |
| 85 | 6534 | 0.2 |
| 86 | 6535 | 0.5 |
| 87 | 6536 | 0.3 |
| 88 | 6537 | 1.1 |
| 89 | 6538 | 1.9 |
| 90 | 6539 | 0.8 |
| 91 | 6540 | 1.3 |
| 92 | 6541 | 1.2 |
| 93 | 6542 | 1.0 |
| 94 | 6543 | 0.7 |
| 95 | 6544 | 0.4 |
| 96 | 6546 | 0.2 |
| 97 | 6547 | 0.1 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | 6450 | 0.1 |
| 36 | 6485 | 0.1 |
| 71 | 6520 | 0.3 |

***Repeat:***

| | | |
|---|---|---|
| 1 | 6450 | 0.1 |
| 10 | 6459 | 0.1 |
| 19 | 6468 | 0.1 |
| 36 | 6485 | 0.1 |
| 45 | 6494 | 0.3 |
| 54 | 6503 | 2.0 |
| 71 | 6520 | 0.3 |
| 80 | 6529 | 0.3 |
| 89 | 6538 | 2.0 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.5 |
| GEO'04 | 1.5 |
| GEO'04 | 1.5 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2004-088

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

4-Mar-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample type: Rock*
*Samples submitted by: Scott*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 6450 | 0.08 | 0.002 | 0.01 |
| 2 | 6451 | 0.03 | 0.001 | <0.01 |
| 3 | 6452 | 0.06 | 0.002 | <0.01 |
| 4 | 6453 | 0.05 | 0.001 | <0.01 |
| 5 | 6454 | 0.04 | 0.001 | 0.04 |
| 6 | 6455 | 0.07 | 0.002 | 0.07 |
| 7 | 6456 | 0.09 | 0.003 | 0.05 |
| 8 | 6457 | 0.09 | 0.003 | 0.04 |
| 9 | 6458 | 0.05 | 0.001 | 0.03 |
| 10 | 6459 | 0.15 | 0.004 | 0.03 |
| 11 | 6460 | 0.03 | 0.001 | 0.02 |
| 12 | 6461 | <0.03 | <0.001 | 0.01 |
| 13 | 6462 | <0.03 | <0.001 | 0.03 |
| 14 | 6463 | <0.03 | <0.001 | 0.06 |
| 15 | 6464 | <0.03 | <0.001 | 0.01 |
| 16 | 6465 | 0.08 | 0.002 | 0.04 |
| 17 | 6466 | <0.03 | <0.001 | 0.05 |
| 18 | 6467 | <0.03 | <0.001 | 0.03 |
| 19 | 6468 | <0.03 | <0.001 | 0.02 |
| 20 | 6469 | <0.03 | <0.001 | 0.01 |
| 21 | 6470 | <0.03 | <0.001 | 0.04 |
| 22 | 6471 | 0.06 | 0.002 | 0.07 |
| 23 | 6472 | 0.05 | 0.001 | 0.06 |
| 24 | 6473 | 0.06 | 0.002 | 0.05 |
| 25 | 6474 | 0.12 | 0.003 | 0.05 |
| 26 | 6475 | 0.06 | 0.002 | 0.04 |
| 27 | 6476 | <0.03 | <0.001 | 0.02 |
| 28 | 6477 | <0.03 | <0.001 | 0.01 |
| 29 | 6478 | 0.10 | 0.003 | 0.04 |
| 30 | 6479 | 0.10 | 0.003 | 0.09 |
| 31 | 6480 | 0.10 | 0.003 | 0.10 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-088** 11-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) | Pd (g/t) | Pd (oz/t) | Pt (g/t) | Pt (oz/t) |
|---|---|---|---|---|---|---|---|---|
| 32 | 6481 | 0.05 | 0.001 | 0.13 | | | | |
| 33 | 6482 | 0.04 | 0.001 | 0.07 | | | | |
| 34 | 6483 | 0.03 | 0.001 | 0.04 | | | | |
| 35 | 6484 | 0.08 | 0.002 | 0.04 | | | | |
| 36 | 6485 | 0.04 | 0.001 | 0.04 | | | | |
| 37 | 6486 | 0.05 | 0.001 | 0.02 | | | | |
| 38 | 6487 | 0.09 | 0.003 | 0.07 | | | | |
| 39 | 6488 | 0.04 | 0.001 | 0.01 | | | | |
| 40 | 6489 | 0.03 | 0.001 | <0.01 | | | | |
| 41 | 6490 | 0.03 | 0.001 | 0.02 | | | | |
| 42 | 6491 | 0.04 | 0.001 | 0.03 | | | | |
| 43 | 6492 | 0.05 | 0.001 | 0.02 | | | | |
| 44 | 6493 | 0.04 | 0.001 | 0.04 | | | | |
| 45 | 6494 | 0.09 | 0.003 | 0.02 | | | | |
| 46 | 6495 | 0.03 | 0.001 | 0.04 | | | | |
| 47 | 6496 | 0.11 | 0.003 | 1.16 | | | | |
| 48 | 6497 | 0.79 | 0.023 | 0.88 | <0.03 | <0.001 | <0.03 | <0.001 |
| 49 | 6498 | 0.14 | 0.004 | 0.10 | | | | |
| 50 | 6499 | 0.36 | 0.010 | 0.18 | <0.03 | <0.001 | <0.03 | <0.001 |
| 51 | 6500 | 1.38 | 0.040 | 0.57 | <0.03 | <0.001 | <0.03 | <0.001 |
| 52 | 6501 | 0.78 | 0.023 | 0.28 | <0.03 | <0.001 | <0.03 | <0.001 |
| 53 | 6502 | 0.48 | 0.014 | 0.24 | <0.03 | <0.001 | <0.03 | <0.001 |
| 54 | 6503 | 3.50 | 0.102 | 0.69 | <0.03 | <0.001 | <0.03 | <0.001 |
| 55 | 6504 | 5.26 | 0.153 | 1.38 | <0.03 | <0.001 | <0.03 | <0.001 |
| 56 | 6505 | 1.39 | 0.041 | 0.23 | <0.03 | <0.001 | <0.03 | <0.001 |
| 57 | 6506 | 1.40 | 0.041 | 0.42 | <0.03 | <0.001 | <0.03 | <0.001 |
| 58 | 6507 | 0.22 | 0.006 | 0.18 | <0.03 | <0.001 | <0.03 | <0.001 |
| 59 | 6508 | 0.20 | 0.006 | 0.24 | <0.03 | <0.001 | <0.03 | <0.001 |
| 60 | 6509 | 0.31 | 0.009 | 0.05 | <0.03 | <0.001 | <0.03 | <0.001 |
| 61 | 6510 | 0.15 | 0.004 | 0.13 | | | | |
| 62 | 6511 | 0.07 | 0.002 | 0.09 | | | | |
| 63 | 6512 | 0.18 | 0.005 | 0.02 | | | | |
| 64 | 6513 | 0.08 | 0.002 | 0.02 | | | | |
| 65 | 6514 | 0.14 | 0.004 | 0.01 | | | | |
| 66 | 6515 | 0.34 | 0.010 | 0.02 | <0.03 | <0.001 | <0.03 | <0.001 |
| 67 | 6516 | 0.10 | 0.003 | 0.01 | | | | |
| 68 | 6517 | 0.04 | 0.001 | 0.07 | | | | |
| 69 | 6518 | 0.08 | 0.002 | 0.06 | | | | |
| 70 | 6519 | 0.09 | 0.003 | 0.17 | | | | |
| 71 | 6520 | 0.07 | 0.002 | 0.09 | | | | |
| 72 | 6521 | 0.07 | 0.002 | 0.13 | | | | |
| 73 | 6522 | 0.22 | 0.006 | 0.20 | | | | |
| 74 | 6523 | 0.05 | 0.001 | 0.13 | | | | |
| 75 | 6524 | 0.23 | 0.007 | 0.06 | | | | |
| 76 | 6525 | 0.25 | 0.007 | 0.32 | | | | |
| 77 | 6526 | 0.14 | 0.004 | 0.20 | | | | |
| 78 | 6527 | 0.19 | 0.006 | 0.13 | | | | |
| 79 | 6528 | 0.10 | 0.003 | 0.06 | | | | |
| 80 | 6529 | <0.03 | <0.001 | 0.04 | | | | |
| 81 | 6530 | 0.03 | 0.001 | 0.06 | | | | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-088** 11-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) | Pd (g/t) | Pd (oz/t) | Pt (g/t) | Pt (oz/t) |
|---|---|---|---|---|---|---|---|---|
| 82 | 6531 | 0.08 | 0.002 | 0.10 | | | | |
| 83 | 6532 | 0.08 | 0.002 | 0.11 | | | | |
| 84 | 6533 | 0.05 | 0.001 | 0.05 | | | | |
| 85 | 6534 | 0.04 | 0.001 | 0.04 | | | | |
| 86 | 6535 | 0.12 | 0.003 | 0.07 | | | | |
| 87 | 6536 | 0.11 | 0.003 | 0.10 | | | | |
| 88 | 6537 | 0.24 | 0.007 | 0.27 | | | | |
| 89 | 6538 | 0.25 | 0.007 | 0.43 | | | | |
| 90 | 6539 | 0.15 | 0.004 | 0.29 | | | | |
| 91 | 6540 | 0.25 | 0.007 | 0.37 | | | | |
| 92 | 6541 | 0.33 | 0.010 | 0.40 | <0.03 | <0.001 | <0.03 | <0.001 |
| 93 | 6542 | 0.11 | 0.003 | 0.26 | | | | |
| 94 | 6543 | 0.05 | 0.001 | 0.13 | | | | |
| 95 | 6544 | 0.07 | 0.002 | 0.12 | | | | |
| 96 | 6546 | 0.03 | 0.001 | 0.05 | | | | |
| 97 | 6547 | 0.07 | 0.002 | 0.07 | | | | |
| **QC DATA:** | | | | | | | | |
| ***Resplit:*** | | | | | | | | |
| 1 | 6450 | 0.06 | 0.002 | 0.01 | | | | |
| 36 | 6485 | 0.04 | 0.001 | 0.04 | | | | |
| 71 | 6520 | 0.08 | 0.002 | 0.09 | | | | |
| ***Repeat:*** | | | | | | | | |
| 1 | 6450 | 0.04 | 0.001 | 0.01 | | | | |
| 10 | 6459 | 0.09 | 0.003 | 0.03 | | | | |
| 19 | 6468 | <0.03 | <0.001 | 0.02 | | | | |
| 36 | 6485 | 0.04 | 0.001 | 0.04 | | | | |
| 45 | 6494 | 0.07 | 0.002 | 0.02 | | | | |
| 47 | 6496 | 0.09 | 0.003 | | | | | |
| 51 | 6500 | 1.27 | 0.037 | | | | | |
| 54 | 6503 | 3.20 | 0.093 | 0.69 | | | | |
| 55 | 6504 | 5.56 | 0.162 | | | | | |
| 56 | 6505 | 1.41 | 0.041 | | | | | |
| 57 | 6506 | 1.44 | 0.042 | | | | | |
| 66 | 6515 | 0.29 | 0.008 | | | | | |
| 71 | 6520 | 0.07 | 0.002 | 0.09 | | | | |
| 80 | 6529 | <0.03 | <0.001 | 0.04 | | | | |
| 89 | 6538 | | | 0.43 | | | | |
| 91 | 6540 | 0.27 | 0.008 | | | | | |
| 92 | 6541 | 0.34 | 0.010 | | | | | |
| ***Standard:*** | | | | | | | | |
| PG101 | | | | | 0.52 | 0.015 | 0.22 | 0.006 |
| PM163 | | 1.64 | 0.048 | | | | | |
| PM163 | | 1.61 | 0.047 | | | | | |
| PM163 | | 1.69 | 0.049 | | | | | |
| CU106 | | | | 1.43 | | | | |
| CU106 | | | | 1.43 | | | | |

*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Warner Gruenwald*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ANALYSIS AK 2004-112

**GWR RESOURCES INC.** 11-Mar-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 86*
*Sample type: Core*
*Samples submitted by: Scott Berkey*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 6545 | 0.2 |
| 2 | 6548 | 0.2 |
| 3 | 6549 | 0.1 |
| 4 | 6550 | 0.1 |
| 5 | 6551 | 0.1 |
| 6 | 6552 | 0.2 |
| 7 | 6553 | 0.3 |
| 8 | 6554 | 0.3 |
| 9 | 6555 | 0.3 |
| 10 | 6556 | 0.2 |
| 11 | 6557 | 0.1 |
| 12 | 6558 | 0.1 |
| 13 | 6559 | 0.2 |
| 14 | 6560 | 0.2 |
| 15 | 6561 | 1.1 |
| 16 | 6562 | 1.0 |
| 17 | 6563 | 0.9 |
| 18 | 6564 | 1.0 |
| 19 | 6565 | 1.0 |
| 20 | 6566 | 0.8 |
| 21 | 6567 | 0.6 |
| 22 | 6568 | 0.2 |
| 23 | 6569 | 0.3 |
| 24 | 6570 | 0.2 |
| 25 | 6571 | 0.4 |
| 26 | 6572 | 0.5 |
| 27 | 6573 | 0.5 |
| 28 | 6574 | 0.2 |
| 29 | 6575 | 0.4 |
| 30 | 6576 | 0.6 |

**GWR RESOURCES INC. AK4-112** 11-Mar-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 31 | 6577 | 0.3 |
| 32 | 6578 | 0.6 |
| 33 | 6579 | 0.6 |
| 34 | 6580 | 0.5 |
| 35 | 6581 | 0.8 |
| 36 | 6582 | 0.6 |
| 37 | 6583 | 0.7 |
| 38 | 6584 | 0.6 |
| 39 | 6585 | 0.6 |
| 40 | 6586 | 0.8 |
| 41 | 6587 | 0.5 |
| 42 | 6588 | 0.4 |
| 43 | 6589 | 0.2 |
| 44 | 6590 | 0.2 |
| 45 | 6591 | 0.5 |
| 46 | 6592 | 0.5 |
| 47 | 6593 | 0.6 |
| 48 | 6594 | 0.5 |
| 49 | 6595 | 0.4 |
| 50 | 6596 | 0.3 |
| 51 | 6597 | 0.4 |
| 52 | 6598 | 1.1 |
| 53 | 6599 | 1.3 |
| 54 | 6600 | 0.8 |
| 55 | 6601 | 0.8 |
| 56 | 6602 | 1.2 |
| 57 | 6603 | 1.1 |
| 58 | 6604 | 0.8 |
| 59 | 6605 | 0.7 |
| 60 | 6606 | 0.6 |
| 61 | 6607 | 0.6 |
| 62 | 6608 | 0.4 |
| 63 | 6609 | 1.0 |
| 64 | 6610 | 0.5 |
| 65 | 6611 | 0.4 |
| 66 | 6612 | 0.8 |
| 67 | 6613 | 0.5 |
| 68 | 6614 | 0.3 |
| 69 | 6615 | 0.3 |
| 70 | 6616 | 0.2 |
| 71 | 6617 | 0.1 |
| 72 | 6618 | 0.1 |
| 73 | 6619 | 0.1 |
| 74 | 6620 | 0.2 |
| 75 | 6621 | 0.1 |
| 76 | 6622 | 0.1 |
| 77 | 6623 | 0.2 |
| 78 | 6624 | 0.1 |
| 79 | 6625 | 0.1 |

**GWR RESOURCES INC. AK4-112** 11-Mar-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 80 | 6626 | 0.2 |
| 81 | 6627 | 0.2 |
| 82 | 6628 | 0.2 |
| 83 | 6629 | 0.2 |
| 84 | 6630 | 0.2 |
| 85 | 6631 | 0.2 |
| 86 | 6632 | 0.2 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | 6545 | 0.2 |
| 36 | 6582 | 0.6 |
| 71 | 6617 | 0.1 |

***Repeat:***

| | | |
|---|---|---|
| 1 | 6545 | 0.2 |
| 10 | 6556 | 0.2 |
| 19 | 6565 | 1.0 |
| 36 | 6582 | 0.6 |
| 45 | 6591 | 0.5 |
| 54 | 6600 | 0.8 |
| 71 | 6617 | 0.1 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.5 |
| GEO'04 | 1.5 |
| GEO'04 | 1.5 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Warner @ Geoquest*

# CERTIFICATE OF ASSAY AK 2004-112

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

11-Mar-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 86*
*Sample type: Core*
*Samples submitted by: Scott Berkey*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 6545 | 0.10 | 0.003 | 0.07 |
| 2 | 6548 | 0.11 | 0.003 | 0.09 |
| 3 | 6549 | 0.07 | 0.002 | 0.04 |
| 4 | 6550 | 0.07 | 0.002 | 0.05 |
| 5 | 6551 | 0.14 | 0.004 | 0.07 |
| 6 | 6552 | 0.15 | 0.004 | 0.10 |
| 7 | 6553 | 0.15 | 0.004 | 0.13 |
| 8 | 6554 | 0.14 | 0.004 | 0.11 |
| 9 | 6555 | 0.22 | 0.006 | 0.11 |
| 10 | 6556 | 0.11 | 0.003 | 0.06 |
| 11 | 6557 | 0.09 | 0.003 | 0.05 |
| 12 | 6558 | 0.10 | 0.003 | 0.08 |
| 13 | 6559 | 0.11 | 0.003 | 0.06 |
| 14 | 6560 | 0.22 | 0.006 | 0.12 |
| 15 | 6561 | 0.54 | 0.016 | 0.35 |
| 16 | 6562 | 0.61 | 0.018 | 0.30 |
| 17 | 6563 | 0.30 | 0.009 | 0.29 |
| 18 | 6564 | 0.39 | 0.011 | 0.38 |
| 19 | 6565 | 0.32 | 0.009 | 0.29 |
| 20 | 6566 | 0.25 | 0.007 | 0.27 |
| 21 | 6567 | 0.33 | 0.010 | 0.33 |
| 22 | 6568 | 0.23 | 0.007 | 0.15 |
| 23 | 6569 | 0.24 | 0.007 | 0.17 |
| 24 | 6570 | 0.17 | 0.005 | 0.13 |
| 25 | 6571 | 0.25 | 0.007 | 0.22 |
| 26 | 6572 | 0.43 | 0.013 | 0.30 |
| 27 | 6573 | 0.47 | 0.014 | 0.34 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-112** 11-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 28 | 6574 | 0.20 | 0.006 | 0.14 |
| 29 | 6575 | 0.47 | 0.014 | 0.21 |
| 30 | 6576 | 0.43 | 0.013 | 0.28 |
| 31 | 6577 | 0.43 | 0.013 | 0.21 |
| 32 | 6578 | 0.68 | 0.020 | 0.43 |
| 33 | 6579 | 0.54 | 0.016 | 0.37 |
| 34 | 6580 | 0.30 | 0.009 | 0.27 |
| 35 | 6581 | 0.43 | 0.013 | 0.50 |
| 36 | 6582 | 0.34 | 0.010 | 0.23 |
| 37 | 6583 | 0.24 | 0.007 | 0.23 |
| 38 | 6584 | 0.34 | 0.010 | 0.34 |
| 39 | 6585 | 0.22 | 0.006 | 0.29 |
| 40 | 6586 | 0.30 | 0.009 | 0.33 |
| 41 | 6587 | 0.38 | 0.011 | 0.22 |
| 42 | 6588 | 0.15 | 0.004 | 0.15 |
| 43 | 6589 | 0.12 | 0.003 | 0.10 |
| 44 | 6590 | 0.12 | 0.003 | 0.09 |
| 45 | 6591 | 0.36 | 0.010 | 0.12 |
| 46 | 6592 | 0.35 | 0.010 | 0.16 |
| 47 | 6593 | 0.33 | 0.010 | 0.24 |
| 48 | 6594 | 0.21 | 0.006 | 0.15 |
| 49 | 6595 | 0.49 | 0.014 | 0.19 |
| 50 | 6596 | 0.30 | 0.009 | 0.12 |
| 51 | 6597 | 0.19 | 0.006 | 0.12 |
| 52 | 6598 | 0.24 | 0.007 | 0.38 |
| 53 | 6599 | 0.60 | 0.017 | 0.71 |
| 54 | 6600 | 0.27 | 0.008 | 0.42 |
| 55 | 6601 | 0.32 | 0.009 | 0.47 |
| 56 | 6602 | 0.44 | 0.013 | 0.69 |
| 57 | 6603 | 0.38 | 0.011 | 0.66 |
| 58 | 6604 | 0.35 | 0.010 | 0.48 |
| 59 | 6605 | 0.32 | 0.009 | 0.40 |
| 60 | 6606 | 0.26 | 0.008 | 0.36 |
| 61 | 6607 | 0.36 | 0.010 | 0.48 |
| 60 | 6608 | 0.27 | 0.008 | 0.26 |
| 63 | 6609 | 0.41 | 0.012 | 0.51 |
| 64 | 6610 | 0.16 | 0.005 | 0.26 |
| 65 | 6611 | 0.16 | 0.005 | 0.19 |
| 66 | 6612 | 0.19 | 0.006 | 0.18 |
| 67 | 6613 | 0.18 | 0.005 | 0.12 |
| 68 | 6614 | 0.04 | 0.001 | <0.01 |
| 69 | 6615 | 0.07 | 0.002 | 0.06 |
| 70 | 6616 | 0.10 | 0.003 | 0.02 |
| 71 | 6617 | <0.03 | <0.001 | 0.01 |
| 72 | 6618 | 0.03 | 0.001 | 0.08 |

**GWR RESOURCES INC. AK4-112** 11-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 73 | 6619 | 0.05 | 0.001 | 0.06 |
| 74 | 6620 | 0.07 | 0.002 | 0.06 |
| 75 | 6621 | 0.06 | 0.002 | 0.03 |
| 76 | 6622 | <0.03 | <0.001 | 0.02 |
| 77 | 6623 | 0.03 | 0.001 | 0.06 |
| 78 | 6624 | <0.03 | <0.001 | 0.02 |
| 79 | 6625 | 0.06 | 0.002 | 0.04 |
| 80 | 6626 | 0.05 | 0.001 | 0.01 |
| 81 | 6627 | 0.16 | 0.005 | 0.03 |
| 82 | 6628 | 0.08 | 0.002 | 0.04 |
| 83 | 6629 | <0.03 | <0.001 | 0.02 |
| 84 | 6630 | 0.03 | 0.001 | 0.12 |
| 85 | 6631 | 0.11 | 0.003 | 0.02 |
| 86 | 6632 | 0.06 | 0.002 | 0.02 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-112** 11-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 6545 | 0.10 | 0.003 | 0.07 |
| 36 | 6582 | 0.36 | 0.010 | 0.24 |
| 71 | 6617 | <0.03 | <0.001 | 0.01 |
| ***Repeat:*** | | | | |
| 1 | 6545 | 0.10 | 0.003 | 0.07 |
| 10 | 6556 | 0.11 | 0.003 | 0.06 |
| 11 | 6557 | 0.09 | 0.003 | |
| 12 | 6558 | 0.12 | 0.003 | |
| 15 | 6561 | 0.52 | 0.015 | |
| 19 | 6565 | 0.32 | 0.009 | 0.30 |
| 36 | 6582 | 0.34 | 0.010 | 0.23 |
| 45 | 6591 | 0.44 | 0.013 | 0.12 |
| 54 | 6600 | 0.27 | 0.008 | 0.41 |
| 71 | 6617 | | | 0.01 |
| ***Standard:*** | | | | |
| PM163 | | 1.67 | 0.049 | |
| PM163 | | 1.62 | 0.047 | |
| PM163 | | 1.63 | 0.048 | |
| CU106 | | | | 1.42 |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.42 |

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Warner @ Geoquest*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-128

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

17-Mar-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 72*
*Sample type: Core*
*Samples submitted by: Scott*

| ET #. | Tag # | | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|---|
| 1 | 6633 | | 0.06 | 0.002 | 0.12 |
| 2 | 6634 | | 0.12 | 0.003 | 0.29 |
| 3 | 6635 | | 0.06 | 0.002 | 0.15 |
| 4 | 6636 | * | 0.10 | 0.003 | 0.21 |
| 5 | 6637 | | 0.07 | 0.002 | 0.10 |
| 6 | 6638 | | 0.07 | 0.002 | 0.06 |
| 7 | 6639 | * | 0.08 | 0.002 | 0.04 |
| 8 | 6640 | | 0.06 | 0.002 | 0.04 |
| 9 | 6641 | | 0.06 | 0.002 | 0.04 |
| 10 | 6642 | | 0.07 | 0.002 | 0.03 |
| 11 | 6643 | | 0.08 | 0.002 | 0.03 |
| 12 | 6644 | | 0.05 | 0.001 | 0.01 |
| 13 | 6645 | | 0.08 | 0.002 | 0.01 |
| 14 | 6646 | | 0.06 | 0.002 | 0.01 |
| 15 | 6647 | | 0.06 | 0.002 | <0.01 |
| 16 | 6648 | | 0.05 | 0.001 | 0.01 |
| 17 | 6649 | | 0.04 | 0.001 | <0.01 |
| 18 | 6650 | | 0.14 | 0.004 | 0.04 |
| 19 | 6651 | | 0.07 | 0.002 | 0.01 |
| 20 | 6652 | | 0.05 | 0.001 | 0.01 |
| 21 | 6653 | | 0.04 | 0.001 | 0.01 |
| 22 | 6654 | | 0.05 | 0.001 | 0.02 |
| 23 | 6655 | | 0.04 | 0.001 | 0.03 |
| 24 | 6656 | | 0.05 | 0.001 | 0.07 |
| 25 | 6657 | | 0.05 | 0.001 | 0.01 |
| 26 | 6658 | | 0.04 | 0.001 | 0.02 |

***NOTE: * = Metallic CU Assay.***

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-128** 17-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 27 | 6659 | 0.06 | 0.002 | 0.08 |
| 28 | 6660 | 0.08 | 0.002 | 0.07 |
| 29 | 6661 | 0.07 | 0.002 | 0.07 |
| 30 | 6662 | 0.05 | 0.001 | 0.05 |
| 31 | 6663 | 0.07 | 0.002 | 0.09 |
| 32 | 6664 | 0.06 | 0.002 | 0.04 |
| 33 | 6665 | 0.06 | 0.002 | 0.04 |
| 34 | 6666 | 0.21 | 0.006 | 0.02 |
| 35 | 6667 | 0.05 | 0.001 | <0.01 |
| 36 | 6668 | <0.03 | <0.001 | 0.03 |
| 37 | 6669 | 0.22 | 0.006 | 0.25 |
| 38 | 6670 | 0.07 | 0.002 | 0.09 |
| 39 | 6671 | 0.06 | 0.002 | 0.08 |
| 40 | 6672 | 0.10 | 0.003 | 0.16 |
| 41 | 6673 | 0.09 | 0.003 | 0.18 |
| 42 | 6674 | 0.13 | 0.004 | 0.23 |
| 43 | 6675 | 0.07 | 0.002 | 0.09 |
| 44 | 6676 | 0.18 | 0.005 | 0.27 |
| 45 | 6677 | 0.05 | 0.001 | 0.14 |
| 46 | 6678 | 0.07 | 0.002 | 0.14 |
| 47 | 6679 | 0.07 | 0.002 | 0.14 |
| 48 | 6680 | 0.03 | 0.001 | 0.07 |
| 49 | 6681 | 0.05 | 0.001 | 0.07 |
| 50 | 6682 | 0.03 | 0.001 | 0.05 |
| 51 | 6683 | 0.13 | 0.004 | 0.09 |
| 52 | 6684 | 0.08 | 0.002 | 0.06 |
| 53 | 6685 | 0.14 | 0.004 | 0.19 |
| 54 | 6686 | 0.05 | 0.001 | 0.09 |
| 55 | 6687 | 0.04 | 0.001 | 0.09 |
| 56 | 6688 | 0.06 | 0.002 | 0.10 |
| 57 | 6689 | 0.03 | 0.001 | 0.07 |
| 58 | 6690 | 0.26 | 0.008 | 0.10 |
| 59 | 6691 | 0.09 | 0.003 | 0.10 |
| 60 | 6692 | 0.05 | 0.001 | 0.07 |
| 61 | 6693 | 0.03 | 0.001 | 0.06 |
| 62 | 6694 | 0.04 | 0.001 | 0.04 |
| 63 | 6695 | 0.06 | 0.002 | 0.05 |
| 64 | 6696 | <0.03 | <0.001 | 0.06 |
| 65 | 6697 | 0.03 | 0.001 | 0.05 |
| 66 | 6698 | <0.03 | <0.001 | 0.04 |
| 67 | 6699 | 0.04 | 0.001 | 0.05 |
| 68 | 6700 | <0.03 | <0.001 | 0.07 |
| 69 | 6701 | 0.05 | 0.001 | 0.10 |
| 70 | 6702 | 0.58 | 0.017 | 0.20 |
| 71 | 6703 | 0.33 | 0.010 | 0.04 |
| 72 | 6704 | 0.12 | 0.003 | 0.06 |

**ECO TECH LABORATORY LTD.**

Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-128**

17-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 6633 | 0.12 | 0.003 | 0.12 |
| 36 | 6668 | <0.03 | <0.001 | 0.03 |
| 71 | 6703 | 0.35 | 0.010 | 0.04 |
| ***Repeat:*** | | | | |
| 1 | 6633 | 0.11 | 0.003 | 0.12 |
| 10 | 6642 | 0.07 | 0.002 | 0.03 |
| 19 | 6651 | 0.07 | 0.002 | 0.01 |
| 36 | 6668 | <0.03 | <0.001 | 0.03 |
| 37 | 6669 | 0.18 | 0.005 | |
| 44 | 6676 | 0.16 | 0.005 | |
| 45 | 6677 | 0.05 | 0.001 | 0.14 |
| 54 | 6686 | 0.05 | 0.001 | 0.09 |
| 58 | 6690 | 0.24 | 0.007 | |
| ***Standard:*** | | | | |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.43 |
| ET 504 | | 1.39 | | |
| ET 504 | | 1.39 | | |
| ET 504 | | 1.38 | | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Warner - Geoquest*

# CERTIFICATE OF ANALYSIS AK 2004-128

**GWR RESOURCES INC.** 17-Mar-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 72*
*Sample type: Core*
*Samples submitted by: Scott*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 6633 | 0.1 |
| 2 | 6634 | 0.5 |
| 3 | 6635 | 0.2 |
| 4 | 6636 | 0.3 |
| 5 | 6637 | 0.1 |
| 6 | 6638 | 0.2 |
| 7 | 6639 | 0.1 |
| 8 | 6640 | 0.1 |
| 9 | 6641 | 0.1 |
| 10 | 6642 | 0.1 |
| 11 | 6643 | 0.1 |
| 12 | 6644 | 0.2 |
| 13 | 6645 | 0.2 |
| 14 | 6646 | 0.2 |
| 15 | 6647 | 0.1 |
| 16 | 6648 | 0.1 |
| 17 | 6649 | 0.1 |
| 18 | 6650 | 0.1 |
| 19 | 6651 | 0.1 |
| 20 | 6652 | 0.1 |
| 21 | 6653 | 0.1 |
| 22 | 6654 | 0.2 |
| 23 | 6655 | 0.1 |
| 24 | 6656 | 0.3 |
| 25 | 6657 | 0.2 |
| 26 | 6658 | 0.2 |
| 27 | 6659 | 0.2 |
| 28 | 6660 | 0.2 |
| 29 | 6661 | 0.1 |
| 30 | 6662 | 0.1 |

**GWR RESOURCES INC. AK4-128** 17-Mar-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 31 | 6663 | <0.1 |
| 32 | 6664 | <0.1 |
| 33 | 6665 | 0.1 |
| 34 | 6666 | 0.3 |
| 35 | 6667 | 0.1 |
| 36 | 6668 | 0.1 |
| 37 | 6669 | 0.7 |
| 38 | 6670 | 0.2 |
| 39 | 6671 | <0.1 |
| 40 | 6672 | 0.2 |
| 41 | 6673 | 0.4 |
| 42 | 6674 | 0.6 |
| 43 | 6675 | 0.1 |
| 44 | 6676 | 0.4 |
| 45 | 6677 | 0.3 |
| 46 | 6678 | 0.3 |
| 47 | 6679 | 0.3 |
| 48 | 6680 | 0.2 |
| 49 | 6681 | 0.1 |
| 50 | 6682 | 0.1 |
| 51 | 6683 | 0.1 |
| 52 | 6684 | 0.1 |
| 53 | 6685 | 0.3 |
| 54 | 6686 | 0.1 |
| 55 | 6687 | 0.2 |
| 56 | 6688 | 0.3 |
| 57 | 6689 | 0.1 |
| 58 | 6690 | 0.2 |
| 59 | 6691 | 0.2 |
| 60 | 6692 | 0.1 |
| 61 | 6693 | 0.1 |
| 62 | 6694 | 0.1 |
| 63 | 6695 | 0.3 |
| 64 | 6696 | 0.1 |
| 65 | 6697 | 0.1 |
| 66 | 6698 | 0.1 |
| 67 | 6699 | 0.2 |
| 68 | 6700 | 0.2 |
| 69 | 6701 | 0.1 |
| 70 | 6702 | 2.3 |
| 71 | 6703 | 1.1 |
| 72 | 6704 | 0.4 |

**GWR RESOURCES INC. AK4-128** 17-Mar-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | 6633 | 0.1 |
| 36 | 6668 | 0.1 |
| 71 | 6703 | 1.0 |

***Repeat:***

| | | |
|---|---|---|
| 1 | 6633 | 0.1 |
| 10 | 6642 | 0.1 |
| 19 | 6651 | 0.1 |
| 36 | 6668 | 0.1 |
| 45 | 6677 | 0.3 |
| 54 | 6686 | 0.1 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.5 |
| GEO'04 | 1.4 |
| GEO'04 | 1.4 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Warner - Geoquest*

# CERTIFICATE OF ANALYSIS AK 2004-133

**GWR RESOURCES INC.** 19-Mar-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 52*
*Sample type: Rock*
*Samples submitted by: Scott*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 6705 | 0.4 |
| 2 | 6706 | 0.1 |
| 3 | 6707 | 0.1 |
| 4 | 6708 | 0.1 |
| 5 | 6709 | 0.1 |
| 6 | 6710 | 0.1 |
| 7 | 6711 | <0.1 |
| 8 | 6712 | <0.1 |
| 9 | 6713 | 0.1 |
| 10 | 6714 | <0.1 |
| 11 | 6715 | <0.1 |
| 12 | 6716 | <0.1 |
| 13 | 6717 | 0.1 |
| 14 | 6718 | 0.1 |
| 15 | 6719 | <0.1 |
| 16 | 6720 | 0.2 |
| 17 | 6721 | 0.1 |
| 18 | 6722 | 0.1 |
| 19 | 6723 | 0.1 |
| 20 | 6724 | 0.3 |
| 21 | 6725 | 0.8 |
| 22 | 6726 | 0.1 |
| 23 | 6727 | 0.1 |
| 24 | 6728 | 0.1 |
| 25 | 6729 | 0.1 |
| 26 | 6730 | 0.2 |
| 27 | 6731 | 0.2 |
| 28 | 6732 | 0.2 |
| 29 | 6733 | 0.3 |
| 30 | 6734 | 0.2 |
| 31 | 6735 | 0.2 |

**GWR RESOURCES INC. AK4-133** 19-Mar-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 32 | 6736 | 0.2 |
| 33 | 6737 | 0.3 |
| 34 | 6738 | 0.3 |
| 35 | 6739 | 0.3 |
| 36 | 6740 | 0.1 |
| 37 | 6741 | 0.1 |
| 38 | 6742 | 0.7 |
| 39 | 6743 | 0.3 |
| 40 | 6744 | 0.7 |
| 41 | 6745 | 0.6 |
| 42 | 6746 | 0.3 |
| 43 | 6747 | 0.1 |
| 44 | 6748 | 0.2 |
| 45 | 6749 | <0.1 |
| 46 | 6750 | 0.1 |
| 47 | 7801 | 0.3 |
| 48 | 7802 | 0.2 |
| 49 | 7803 | 0.1 |
| 50 | 7804 | 0.1 |
| 51 | 7805 | 0.2 |
| 52 | 7806 | 0.2 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | 6705 | 0.3 |
| 36 | 6740 | 0.1 |

***Repeat:***

| | | |
|---|---|---|
| 1 | 6705 | 0.4 |
| 10 | 6714 | <0.1 |
| 19 | 6723 | 0.1 |
| 36 | 6740 | <0.1 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.4 |
| GEO'04 | 1.4 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2004-133

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

18-Mar-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 52*
*Sample type: Rock*
*Samples submitted by: Scott*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 6705 | 0.10 | 0.003 | 0.02 |
| 2 | 6706 | <0.03 | <0.001 | <0.01 |
| 3 | 6707 | <0.03 | <0.001 | 0.02 |
| 4 | 6708 | <0.03 | <0.001 | <0.01 |
| 5 | 6709 | 0.03 | 0.001 | 0.03 |
| 6 | 6710 | <0.03 | <0.001 | <0.01 |
| 7 | 6711 | <0.03 | <0.001 | <0.01 |
| 8 | 6712 | <0.03 | <0.001 | 0.01 |
| 9 | 6713 | <0.03 | <0.001 | 0.02 |
| 10 | 6714 | <0.03 | <0.001 | 0.01 |
| 11 | 6715 | <0.03 | <0.001 | 0.02 |
| 12 | 6716 | 0.03 | 0.001 | 0.03 |
| 13 | 6717 | 0.03 | 0.001 | 0.03 |
| 14 | 6718 | 0.03 | 0.001 | 0.04 |
| 15 | 6719 | <0.03 | <0.001 | 0.02 |
| 16 | 6720 | 0.08 | 0.002 | 0.17 |
| 17 | 6721 | <0.03 | <0.001 | 0.06 |
| 18 | 6722 | <0.03 | <0.001 | 0.03 |
| 19 | 6723 | <0.03 | <0.001 | 0.02 |
| 20 | 6724 | 0.07 | 0.002 | 0.14 |
| 21 | 6725 | 0.19 | 0.006 | 0.23 |
| 22 | 6726 | 0.03 | 0.001 | 0.03 |
| 23 | 6727 | <0.03 | <0.001 | 0.03 |
| 24 | 6728 | 0.03 | 0.001 | 0.07 |
| 25 | 6729 | 0.03 | 0.001 | 0.05 |
| 26 | 6730 | 0.10 | 0.003 | 0.09 |
| 27 | 6731 | 0.11 | 0.003 | 0.12 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-133** 18-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 28 | 6732 | 0.10 | 0.003 | 0.10 |
| 29 | 6733 | 0.12 | 0.003 | 0.14 |
| 30 | 6734 | 0.09 | 0.003 | 0.11 |
| 31 | 6735 | 0.09 | 0.003 | 0.11 |
| 32 | 6736 | 0.04 | 0.001 | 0.07 |
| 33 | 6737 | 0.16 | 0.005 | 0.22 |
| 34 | 6738 | 0.23 | 0.007 | 0.19 |
| 35 | 6739 | 0.25 | 0.007 | 0.15 |
| 36 | 6740 | 0.07 | 0.002 | 0.05 |
| 37 | 6741 | 0.14 | 0.004 | 0.23 |
| 38 | 6742 | 0.44 | 0.013 | 0.44 |
| 39 | 6743 | 0.24 | 0.007 | 0.22 |
| 40 | 6744 | 0.32 | 0.009 | 0.24 |
| 41 | 6745 | 0.22 | 0.006 | 0.22 |
| 42 | 6746 | 0.12 | 0.003 | 0.07 |
| 43 | 6747 | 0.12 | 0.003 | 0.09 |
| 44 | 6748 | 0.19 | 0.006 | 0.20 |
| 45 | 6749 | 0.09 | 0.003 | 0.09 |
| 46 | 6750 | 0.12 | 0.003 | 0.09 |
| 47 | 7801 | 0.25 | 0.007 | 0.26 |
| 48 | 7802 | 0.33 | 0.010 | 0.16 |
| 49 | 7803 | 0.15 | 0.004 | 0.12 |
| 50 | 7804 | 0.12 | 0.003 | 0.11 |
| 51 | 7805 | 0.15 | 0.004 | 0.18 |
| 52 | 7806 | 0.05 | 0.001 | 0.11 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 6705 | 0.05 | 0.001 | 0.02 |
| 36 | 6740 | 0.06 | 0.002 | 0.06 |
| ***Repeat:*** | | | | |
| 1 | 6705 | 0.09 | 0.003 | 0.02 |
| 10 | 6714 | <0.03 | <0.001 | 0.01 |
| 19 | 6723 | 0.03 | 0.001 | 0.03 |
| 36 | 6740 | 0.06 | 0.002 | 0.05 |
| ***Standard:*** | | | | |
| ET 504 | | 1.34 | 0.039 | |
| ET 504 | | 1.34 | 0.039 | |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.41 |

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Warner - Geoquest*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ANALYSIS AK 2004-150

**GWR RESOURCES INC.** 26-Mar-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample Type: Core*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | E07807 | 0.1 |
| 2 | E07808 | 0.1 |
| 3 | E07809 | <0.1 |
| 4 | E07810 | <0.1 |
| 5 | E07811 | 0.6 |
| 6 | E07812 | <0.1 |
| 7 | E07813 | <0.1 |
| 8 | E07814 | <0.1 |
| 9 | E07815 | <0.1 |
| 10 | E07816 | 0.6 |
| 11 | E07817 | 0.5 |
| 12 | E07818 | 0.3 |
| 13 | E07819 | 0.1 |
| 14 | E07820 | <0.1 |
| 15 | E07821 | <0.1 |
| 16 | E07822 | 0.1 |
| 17 | E07823 | <0.1 |
| 18 | E07824 | <0.1 |
| 19 | E07825 | <0.1 |
| 20 | E07826 | <0.1 |
| 21 | E07827 | <0.1 |
| 22 | E07828 | <0.1 |
| 23 | E07829 | 0.2 |
| 24 | E07830 | 0.4 |
| 25 | E07831 | 0.2 |
| 26 | E07832 | 0.1 |
| 27 | E07833 | <0.1 |
| 28 | E07834 | 0.1 |
| 29 | E07835 | 1.0 |
| 30 | E07836 | 0.1 |
| 31 | E07837 | <0.1 |
| 32 | E07838 | <0.1 |
| 33 | E07839 | <0.1 |
| 34 | E07840 | 0.1 |
| 35 | E07841 | <0.1 |
| 36 | E07842 | 0.8 |
| 37 | E07843 | 5.2 |
| 38 | E07844 | 0.5 |
| 39 | E07845 | 3.3 |

**GWR RESOURCES INC. AK4-150** 26-Mar-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 40 | E07846 | 0.2 |
| 41 | E07847 | 2.5 |
| 42 | E07848 | <0.1 |
| 43 | E07849 | 0.1 |
| 44 | E07850 | 0.1 |
| 45 | E07851 | 0.1 |
| 46 | E07852 | <0.1 |
| 47 | E07853 | <0.1 |
| 48 | E07854 | 1.5 |
| 49 | E07855 | 0.3 |
| 50 | E07856 | 0.1 |
| 51 | E07857 | 2.1 |
| 52 | E07858 | 0.2 |
| 53 | E07859 | <0.1 |
| 54 | E07860 | 0.2 |
| 55 | E07861 | 0.2 |
| 56 | E07862 | 0.4 |
| 57 | E07863 | 0.3 |
| 58 | E07864 | 0.4 |
| 59 | E07865 | 1.0 |
| 60 | E07866 | 0.3 |
| 61 | E07867 | 0.5 |
| 62 | E07868 | 3.0 |
| 63 | E07869 | 0.3 |
| 64 | E07870 | 0.1 |
| 65 | E07871 | 0.3 |
| 66 | E07872 | 0.1 |
| 67 | E07873 | 0.2 |
| 68 | E07874 | 0.1 |
| 69 | E07875 | <0.1 |
| 70 | E07876 | <0.1 |
| 71 | E07877 | 0.1 |
| 72 | E07878 | 0.1 |
| 73 | E07879 | 0.1 |
| 74 | E07880 | 0.1 |
| 75 | E07881 | 0.5 |
| 76 | E07882 | 0.2 |
| 77 | E07883 | 0.1 |
| 78 | E07884 | 0.2 |
| 79 | E07885 | 0.2 |
| 80 | E07886 | 0.1 |
| 81 | E07887 | 0.2 |
| 82 | E07888 | 0.1 |

**GWR RESOURCES INC. AK4-150** 26-Mar-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 83 | E07889 | 0.1 |
| 84 | E07890 | 0.3 |
| 85 | 196269 | 0.2 |
| 86 | 196270 | <0.1 |
| 87 | 196271 | <0.1 |
| 88 | 196272 | <0.1 |
| 89 | 196273 | <0.1 |
| 90 | 196274 | <0.1 |
| 91 | 196275 | <0.1 |
| 92 | 196276 | <0.1 |
| 93 | 196277 | <0.1 |
| 94 | 196278 | <0.1 |
| 95 | 196279 | <0.1 |
| 96 | 196280 | <0.1 |
| 97 | 196281 | <0.1 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | E07807 | 0.1 |
| 36 | E07842 | 0.7 |
| 71 | E07877 | 0.1 |

***Repeat:***

| | | |
|---|---|---|
| 1 | E07807 | 0.1 |
| 10 | E07816 | 0.5 |
| 19 | E07825 | <0.1 |
| 36 | E07842 | 0.7 |
| 45 | E07851 | 0.1 |
| 54 | E07860 | 0.3 |
| 71 | E07877 | 0.1 |
| 80 | E07886 | 0.1 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.4 |
| GEO'04 | 1.4 |
| GEO'04 | 1.4 |

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ANALYSIS AK 2004-150

**GWR RESOURCES INC.** 26-Mar-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample Type: Core*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | E07807 | 0.1 |
| 2 | E07808 | 0.1 |
| 3 | E07809 | <0.1 |
| 4 | E07810 | <0.1 |
| 5 | E07811 | 0.6 |
| 6 | E07812 | <0.1 |
| 7 | E07813 | <0.1 |
| 8 | E07814 | <0.1 |
| 9 | E07815 | <0.1 |
| 10 | E07816 | 0.6 |
| 11 | E07817 | 0.5 |
| 12 | E07818 | 0.3 |
| 13 | E07819 | 0.1 |
| 14 | E07820 | <0.1 |
| 15 | E07821 | <0.1 |
| 16 | E07822 | 0.1 |
| 17 | E07823 | <0.1 |
| 18 | E07824 | <0.1 |
| 19 | E07825 | <0.1 |
| 20 | E07826 | <0.1 |
| 21 | E07827 | <0.1 |
| 22 | E07828 | <0.1 |
| 23 | E07829 | 0.2 |
| 24 | E07830 | 0.4 |
| 25 | E07831 | 0.2 |
| 26 | E07832 | 0.1 |
| 27 | E07833 | <0.1 |
| 28 | E07834 | 0.1 |
| 29 | E07835 | 1.0 |

**GWR RESOURCES INC. AK4-150** 26-Mar-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 30 | E07836 | 0.1 |
| 31 | E07837 | <0.1 |
| 32 | E07838 | <0.1 |
| 33 | E07839 | <0.1 |
| 34 | E07840 | 0.1 |
| 35 | E07841 | <0.1 |
| 36 | E07842 | 0.8 |
| 37 | E07843 | 5.2 |
| 38 | E07844 | 0.5 |
| 39 | E07845 | 3.3 |
| 40 | E07846 | 0.2 |
| 41 | E07847 | 2.5 |
| 42 | E07848 | <0.1 |
| 43 | E07849 | 0.1 |
| 44 | E07850 | 0.1 |
| 45 | E07851 | 0.1 |
| 46 | E07852 | <0.1 |
| 47 | E07853 | <0.1 |
| 48 | E07854 | 1.5 |
| 49 | E07855 | 0.3 |
| 50 | E07856 | 0.1 |
| 51 | E07857 | 2.1 |
| 52 | E07858 | 0.2 |
| 53 | E07859 | <0.1 |
| 54 | E07860 | 0.2 |
| 55 | E07861 | 0.2 |
| 56 | E07862 | 0.4 |
| 57 | E07863 | 0.3 |
| 58 | E07864 | 0.4 |
| 59 | E07865 | 1.0 |
| 60 | E07866 | 0.3 |
| 61 | E07867 | 0.5 |
| 62 | E07868 | 3.0 |
| 63 | E07869 | 0.3 |
| 64 | E07870 | 0.1 |
| 65 | E07871 | 0.3 |
| 66 | E07872 | 0.1 |
| 67 | E07873 | 0.2 |
| 68 | E07874 | 0.1 |
| 69 | E07875 | <0.1 |
| 70 | E07876 | <0.1 |
| 71 | E07877 | 0.1 |
| 72 | E07878 | 0.1 |
| 73 | E07879 | 0.1 |
| 74 | E07880 | 0.1 |
| 75 | E07881 | 0.5 |
| 76 | E07882 | 0.2 |
| 77 | E07883 | 0.1 |
| 78 | E07884 | 0.2 |

**GWR RESOURCES INC. AK4-150** 26-Mar-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 79 | E07885 | 0.2 |
| 80 | E07886 | 0.1 |
| 81 | E07887 | 0.2 |
| 82 | E07888 | 0.1 |
| 83 | E07889 | 0.1 |
| 84 | E07890 | 0.3 |
| 85 | 196269 | 0.2 |
| 86 | 196270 | <0.1 |
| 87 | 196271 | <0.1 |
| 88 | 196272 | <0.1 |
| 89 | 196273 | <0.1 |
| 90 | 196274 | <0.1 |
| 91 | 196275 | <0.1 |
| 92 | 196276 | <0.1 |
| 93 | 196277 | <0.1 |
| 94 | 196278 | <0.1 |
| 95 | 196279 | <0.1 |
| 96 | 196280 | <0.1 |
| 97 | 196281 | <0.1 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | E07807 | 0.1 |
| 36 | E07842 | 0.7 |
| 71 | E07877 | 0.1 |

***Repeat:***

| | | |
|---|---|---|
| 1 | E07807 | 0.1 |
| 10 | E07816 | 0.5 |
| 19 | E07825 | <0.1 |
| 36 | E07842 | 0.7 |
| 45 | E07851 | 0.1 |
| 54 | E07860 | 0.3 |
| 71 | E07877 | 0.1 |
| 80 | E07886 | 0.1 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.4 |
| GEO'04 | 1.4 |
| GEO'04 | 1.4 |

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-150

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

25-Mar-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample type: Core*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | E07807 | 0.05 | 0.001 | 0.10 |
| 2 | E07808 | 0.04 | 0.001 | 0.05 |
| 3 | E07809 | 0.03 | 0.001 | 0.09 |
| 4 | E07810 | <0.03 | <0.001 | 0.05 |
| 5 | E07811 | 0.20 | 0.006 | 0.33 |
| 6 | E07812 | <0.03 | <0.001 | 0.05 |
| 7 | E07813 | 0.09 | 0.003 | 0.05 |
| 8 | E07814 | 0.05 | 0.001 | 0.09 |
| 9 | E07815 | 0.04 | 0.001 | 0.05 |
| 10 | E07816 | 0.21 | 0.006 | 0.30 |
| 11 | E07817 | 0.16 | 0.005 | 0.26 |
| 12 | E07818 | 0.07 | 0.002 | 0.12 |
| 13 | E07819 | <0.03 | <0.001 | 0.05 |
| 14 | E07820 | <0.03 | <0.001 | 0.03 |
| 15 | E07821 | 0.04 | 0.001 | 0.04 |
| 16 | E07822 | 0.07 | 0.002 | 0.08 |
| 17 | E07823 | <0.03 | <0.001 | 0.02 |
| 18 | E07824 | <0.03 | <0.001 | 0.05 |
| 19 | E07825 | <0.03 | <0.001 | 0.01 |
| 20 | E07826 | 0.04 | 0.001 | <0.01 |
| 21 | E07827 | 0.05 | 0.001 | 0.01 |
| 22 | E07828 | 0.07 | 0.002 | 0.30 |
| 23 | E07829 | 0.04 | 0.001 | 0.02 |
| 24 | E07830 | 0.05 | 0.001 | <0.01 |
| 25 | E07831 | 0.06 | 0.002 | 0.08 |
| 26 | E07832 | <0.03 | <0.001 | 0.03 |
| 27 | E07833 | <0.03 | <0.001 | 0.03 |
| 28 | E07834 | <0.03 | <0.001 | 0.06 |
| 29 | E07835 | 0.37 | 0.011 | 0.28 |
| 30 | E07836 | 0.04 | 0.001 | 0.10 |
| 31 | E07837 | 0.03 | 0.001 | 0.01 |
| 32 | E07838 | <0.03 | <0.001 | <0.01 |
| 33 | E07839 | 0.04 | 0.001 | 0.14 |
| 34 | E07840 | 0.03 | 0.001 | 0.07 |
| 35 | E07841 | <0.03 | <0.001 | 0.03 |
| 36 | E07842 | 0.07 | 0.002 | 0.23 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-150** 25-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 37 | E07843 | 0.58 | 0.017 | 2.15 |
| 38 | E07844 | 0.09 | 0.003 | 0.26 |
| 39 | E07845 | 0.20 | 0.006 | 0.66 |
| 40 | E07846 | 0.08 | 0.002 | 0.14 |
| 41 | E07847 | 0.48 | 0.014 | 1.04 |
| 42 | E07848 | <0.03 | <0.001 | 0.04 |
| 43 | E07849 | 0.05 | 0.001 | 0.07 |
| 44 | E07850 | 0.14 | 0.004 | 0.07 |
| 45 | E07851 | 0.12 | 0.003 | 0.07 |
| 46 | E07852 | 0.04 | 0.001 | 0.05 |
| 47 | E07853 | 0.05 | 0.001 | 0.06 |
| 48 | E07854 | 0.34 | 0.010 | 0.51 |
| 49 | E07855 | 0.08 | 0.002 | 0.11 |
| 50 | E07856 | 0.07 | 0.002 | 0.09 |
| 51 | E07857 | 0.90 | 0.026 | 0.32 |
| 52 | E07858 | 0.08 | 0.002 | 0.06 |
| 53 | E07859 | <0.03 | <0.001 | 0.04 |
| 54 | E07860 | 0.03 | 0.001 | 0.07 |
| 55 | E07861 | 0.05 | 0.001 | 0.08 |
| 56 | E07862 | 0.09 | 0.003 | 0.13 |
| 57 | E07863 | 0.09 | 0.003 | 0.11 |
| 58 | E07864 | 0.06 | 0.002 | 0.12 |
| 59 | E07865 | 0.14 | 0.004 | 0.39 |
| 60 | E07866 | 0.04 | 0.001 | 0.07 |
| 61 | E07867 | 0.08 | 0.002 | 0.21 |
| 62 | E07868 | 0.29 | 0.008 | 0.83 |
| 63 | E07869 | 0.10 | 0.003 | 0.12 |
| 64 | E07870 | 0.12 | 0.003 | 0.04 |
| 65 | E07871 | 0.04 | 0.001 | 0.09 |
| 66 | E07872 | 0.05 | 0.001 | 0.15 |
| 67 | E07873 | 0.03 | 0.001 | 0.06 |
| 68 | E07874 | 0.03 | 0.001 | 0.07 |
| 69 | E07875 | 0.03 | 0.001 | 0.05 |
| 70 | E07876 | 0.03 | 0.001 | 0.03 |
| 71 | E07877 | 0.04 | 0.001 | 0.06 |
| 72 | E07878 | 0.03 | 0.001 | 0.07 |
| 73 | E07879 | <0.03 | <0.001 | 0.04 |
| 74 | E07880 | <0.03 | <0.001 | 0.06 |
| 75 | E07881 | 0.03 | 0.001 | 0.15 |
| 76 | E07882 | 0.03 | 0.001 | 0.09 |
| 77 | E07883 | 0.03 | 0.001 | 0.05 |
| 78 | E07884 | <0.03 | <0.001 | 0.06 |
| 79 | E07885 | 0.03 | 0.001 | 0.08 |
| 80 | E07886 | 0.03 | 0.001 | 0.06 |
| 81 | E07887 | 0.08 | 0.002 | 0.10 |
| 82 | E07888 | <0.03 | <0.001 | 0.05 |
| 83 | E07889 | 0.03 | 0.001 | 0.04 |
| 84 | E07890 | 0.03 | 0.001 | 0.08 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 85 | 196269 | 0.04 | 0.001 | 0.10 |
| 86 | 196270 | 0.04 | 0.001 | 0.07 |
| 87 | 196271 | 0.04 | 0.001 | 0.05 |
| 88 | 196272 | 0.03 | 0.001 | 0.04 |
| 89 | 196273 | <0.03 | <0.001 | 0.01 |
| 90 | 196274 | 0.03 | 0.001 | 0.04 |
| 91 | 196275 | <0.03 | <0.001 | 0.02 |
| 92 | 196276 | <0.03 | <0.001 | 0.01 |
| 93 | 196277 | <0.03 | <0.001 | 0.02 |
| 94 | 196278 | <0.03 | <0.001 | 0.02 |
| 95 | 196279 | <0.03 | <0.001 | <0.01 |
| 96 | 196280 | <0.03 | <0.001 | 0.01 |
| 97 | 196281 | <0.03 | <0.001 | 0.01 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | E07807 | 0.06 | 0.002 | 0.11 |
| 36 | E07842 | 0.07 | 0.002 | 0.23 |
| 71 | E07877 | 0.03 | 0.001 | 0.06 |
| ***Repeat:*** | | | | |
| 1 | E07807 | 0.05 | 0.001 | - |
| 10 | E07816 | 0.20 | 0.006 | 0.30 |
| 11 | E07817 | 0.18 | 0.005 | |
| 19 | E07825 | <0.03 | <0.001 | 0.01 |
| 22 | E07828 | 0.06 | 0.002 | |
| 29 | E07835 | 0.36 | 0.010 | |
| 36 | E07842 | 0.06 | 0.002 | 0.23 |
| 37 | E07843 | 0.58 | 0.017 | |
| 38 | E07844 | 0.10 | 0.003 | |
| 39 | E07845 | 0.15 | 0.004 | |
| 41 | E07847 | 0.52 | 0.015 | |
| 45 | E07851 | 0.11 | 0.003 | 0.07 |
| 51 | E07857 | 0.85 | 0.025 | |
| 54 | E07860 | 0.03 | 0.001 | 0.07 |
| 59 | E07865 | 0.17 | 0.005 | |
| 62 | E07868 | 0.22 | 0.006 | |
| 71 | E07877 | 0.03 | 0.001 | 0.06 |
| 80 | E07886 | 0.03 | 0.001 | 0.06 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-150** 25-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| ***Standard:*** | | | | |
| | SH13 | 1.35 | 0.039 | |
| | SH13 | 1.35 | 0.039 | |
| | SH13 | 1.35 | 0.039 | |
| | Cu106 | - | - | 1.43 |
| | Cu106 | - | - | 1.43 |
| | Cu106 | - | - | 1.42 |

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-150

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

25-Mar-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample type: Core*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | E07807 | 0.05 | 0.001 | 0.10 |
| 2 | E07808 | 0.04 | 0.001 | 0.05 |
| 3 | E07809 | 0.03 | 0.001 | 0.09 |
| 4 | E07810 | <0.03 | <0.001 | 0.05 |
| 5 | E07811 | 0.20 | 0.006 | 0.33 |
| 6 | E07812 | <0.03 | <0.001 | 0.05 |
| 7 | E07813 | 0.09 | 0.003 | 0.05 |
| 8 | E07814 | 0.05 | 0.001 | 0.09 |
| 9 | E07815 | 0.04 | 0.001 | 0.05 |
| 10 | E07816 | 0.21 | 0.006 | 0.30 |
| 11 | E07817 | 0.16 | 0.005 | 0.26 |
| 12 | E07818 | 0.07 | 0.002 | 0.12 |
| 13 | E07819 | <0.03 | <0.001 | 0.05 |
| 14 | E07820 | <0.03 | <0.001 | 0.03 |
| 15 | E07821 | 0.04 | 0.001 | 0.04 |
| 16 | E07822 | 0.07 | 0.002 | 0.08 |
| 17 | E07823 | <0.03 | <0.001 | 0.02 |
| 18 | E07824 | <0.03 | <0.001 | 0.05 |
| 19 | E07825 | <0.03 | <0.001 | 0.01 |
| 20 | E07826 | 0.04 | 0.001 | <0.01 |
| 21 | E07827 | 0.05 | 0.001 | 0.01 |
| 22 | E07828 | 0.07 | 0.002 | 0.30 |
| 23 | E07829 | 0.04 | 0.001 | 0.02 |
| 24 | E07830 | 0.05 | 0.001 | <0.01 |
| 25 | E07831 | 0.06 | 0.002 | 0.08 |
| 26 | E07832 | <0.03 | <0.001 | 0.03 |
| 27 | E07833 | <0.03 | <0.001 | 0.03 |
| 28 | E07834 | <0.03 | <0.001 | 0.06 |
| 29 | E07835 | 0.37 | 0.011 | 0.28 |
| 30 | E07836 | 0.04 | 0.001 | 0.10 |
| 31 | E07837 | 0.03 | 0.001 | 0.01 |
| 32 | E07838 | <0.03 | <0.001 | <0.01 |
| 33 | E07839 | 0.04 | 0.001 | 0.14 |
| 34 | E07840 | 0.03 | 0.001 | 0.07 |
| 35 | E07841 | <0.03 | <0.001 | 0.03 |
| 36 | E07842 | 0.07 | 0.002 | 0.23 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-150** 25-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 37 | E07843 | 0.58 | 0.017 | 2.15 |
| 38 | E07844 | 0.09 | 0.003 | 0.26 |
| 39 | E07845 | 0.20 | 0.006 | 0.66 |
| 40 | E07846 | 0.08 | 0.002 | 0.14 |
| 41 | E07847 | 0.48 | 0.014 | 1.04 |
| 42 | E07848 | <0.03 | <0.001 | 0.04 |
| 43 | E07849 | 0.05 | 0.001 | 0.07 |
| 44 | E07850 | 0.14 | 0.004 | 0.07 |
| 45 | E07851 | 0.12 | 0.003 | 0.07 |
| 46 | E07852 | 0.04 | 0.001 | 0.05 |
| 47 | E07853 | 0.05 | 0.001 | 0.06 |
| 48 | E07854 | 0.34 | 0.010 | 0.51 |
| 49 | E07855 | 0.08 | 0.002 | 0.11 |
| 50 | E07856 | 0.07 | 0.002 | 0.09 |
| 51 | E07857 | 0.90 | 0.026 | 0.32 |
| 52 | E07858 | 0.08 | 0.002 | 0.06 |
| 53 | E07859 | <0.03 | <0.001 | 0.04 |
| 54 | E07860 | 0.03 | 0.001 | 0.07 |
| 55 | E07861 | 0.05 | 0.001 | 0.08 |
| 56 | E07862 | 0.09 | 0.003 | 0.13 |
| 57 | E07863 | 0.09 | 0.003 | 0.11 |
| 58 | E07864 | 0.06 | 0.002 | 0.12 |
| 59 | E07865 | 0.14 | 0.004 | 0.39 |
| 60 | E07866 | 0.04 | 0.001 | 0.07 |
| 61 | E07867 | 0.08 | 0.002 | 0.21 |
| 62 | E07868 | 0.29 | 0.008 | 0.83 |
| 63 | E07869 | 0.10 | 0.003 | 0.12 |
| 64 | E07870 | 0.12 | 0.003 | 0.04 |
| 65 | E07871 | 0.04 | 0.001 | 0.09 |
| 66 | E07872 | 0.05 | 0.001 | 0.15 |
| 67 | E07873 | 0.03 | 0.001 | 0.06 |
| 68 | E07874 | 0.03 | 0.001 | 0.07 |
| 69 | E07875 | 0.03 | 0.001 | 0.05 |
| 70 | E07876 | 0.03 | 0.001 | 0.03 |
| 71 | E07877 | 0.04 | 0.001 | 0.06 |
| 72 | E07878 | 0.03 | 0.001 | 0.07 |
| 73 | E07879 | <0.03 | <0.001 | 0.04 |
| 74 | E07880 | <0.03 | <0.001 | 0.06 |
| 75 | E07881 | 0.03 | 0.001 | 0.15 |
| 76 | E07882 | 0.03 | 0.001 | 0.09 |
| 77 | E07883 | 0.03 | 0.001 | 0.05 |
| 78 | E07884 | <0.03 | <0.001 | 0.06 |
| 79 | E07885 | 0.03 | 0.001 | 0.08 |
| 80 | E07886 | 0.03 | 0.001 | 0.06 |
| 81 | E07887 | 0.08 | 0.002 | 0.10 |
| 82 | E07888 | <0.03 | <0.001 | 0.05 |
| 83 | E07889 | 0.03 | 0.001 | 0.04 |
| 84 | E07890 | 0.03 | 0.001 | 0.08 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-150** 25-Mar-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 85 | 196269 | 0.04 | 0.001 | 0.10 |
| 86 | 196270 | 0.04 | 0.001 | 0.07 |
| 87 | 196271 | 0.04 | 0.001 | 0.05 |
| 88 | 196272 | 0.03 | 0.001 | 0.04 |
| 89 | 196273 | <0.03 | <0.001 | 0.01 |
| 90 | 196274 | 0.03 | 0.001 | 0.04 |
| 91 | 196275 | <0.03 | <0.001 | 0.02 |
| 92 | 196276 | <0.03 | <0.001 | 0.01 |
| 93 | 196277 | <0.03 | <0.001 | 0.02 |
| 94 | 196278 | <0.03 | <0.001 | 0.02 |
| 95 | 196279 | <0.03 | <0.001 | <0.01 |
| 96 | 196280 | <0.03 | <0.001 | 0.01 |
| 97 | 196281 | <0.03 | <0.001 | 0.01 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | E07807 | 0.06 | 0.002 | 0.11 |
| 36 | E07842 | 0.07 | 0.002 | 0.23 |
| 71 | E07877 | 0.03 | 0.001 | 0.06 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | E07807 | 0.05 | 0.001 | - |
| 10 | E07816 | 0.20 | 0.006 | 0.30 |
| 19 | E07825 | <0.03 | <0.001 | 0.01 |
| 36 | E07842 | 0.06 | 0.002 | 0.23 |
| 45 | E07851 | 0.11 | 0.003 | 0.07 |
| 54 | E07860 | 0.03 | 0.001 | 0.07 |
| 71 | E07877 | 0.03 | 0.001 | 0.06 |
| 80 | E07886 | 0.03 | 0.001 | 0.06 |

***Standard:***

| | | | |
|---|---|---|---|
| SH13 | 1.35 | 0.039 | |
| SH13 | 1.35 | 0.039 | |
| SH13 | 1.35 | 0.039 | |
| Cu106 | - | - | 1.43 |
| Cu106 | - | - | 1.43 |
| Cu106 | - | - | 1.42 |

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-150

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

13-Apr-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample type: Core*

***Metallic Assays***

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 51 | E07857 | 0.79 | 0.023 | 0.32 |
| 62 | E07868 | 0.27 | 0.008 | 0.85 |

**QC DATA:**

***Standard:***

| | | | |
|---|---|---|---|
| SH13 | 1.32 | 0.038 | |
| CU106 | | | 1.42 |
| PB106 | | | 0.61 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ANALYSIS AK 2004-168

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

2-Apr-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 80*
*Sample type: Core*
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 7891 | 0.3 |
| 2 | 7892 | 0.2 |
| 3 | 7893 | 0.1 |
| 4 | 7894 | 0.2 |
| 5 | 7895 | 0.1 |
| 6 | 7896 | 0.1 |
| 7 | 7897 | 0.5 |
| 8 | 7898 | 0.3 |
| 9 | 7899 | 0.3 |
| 10 | 7900 | 0.3 |
| 11 | 7901 | 0.4 |
| 12 | 7902 | 0.6 |
| 13 | 7903 | 0.1 |
| 14 | 7904 | 0.2 |
| 15 | 7905 | 0.3 |
| 16 | 7906 | 0.1 |
| 17 | 7907 | 0.2 |
| 18 | 7908 | 0.1 |
| 19 | 7909 | 0.2 |
| 20 | 7910 | 0.2 |
| 21 | 7911 | 0.2 |
| 22 | 7912 | 0.2 |
| 23 | 7913 | 0.2 |
| 24 | 7914 | 0.1 |
| 25 | 7915 | 0.1 |
| 26 | 7916 | 0.1 |
| 27 | 7917 | 0.1 |
| 28 | 7918 | 0.1 |
| 29 | 7919 | 0.1 |
| 30 | 7920 | 0.2 |

**GWR RESOURCES INC. AK4-167** 2-Apr-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 31 | 7921 | 0.3 |
| 32 | 7922 | 0.2 |
| 33 | 7923 | 0.2 |
| 34 | 7924 | 0.2 |
| 35 | 7925 | 0.2 |
| 36 | 7926 | 0.3 |
| 37 | 7927 | 0.1 |
| 38 | 7928 | 0.1 |
| 39 | 7929 | 0.2 |
| 40 | 7930 | 0.4 |
| 41 | 7931 | 0.6 |
| 42 | 7932 | 0.4 |
| 43 | 7933 | 0.2 |
| 44 | 7934 | 0.9 |
| 45 | 7935 | 0.2 |
| 46 | 7936 | 0.3 |
| 47 | 7937 | 0.2 |
| 48 | 7938 | 0.3 |
| 49 | 7939 | 0.4 |
| 50 | 7940 | 0.7 |
| 51 | 7941 | 1.1 |
| 52 | 7942 | 0.5 |
| 53 | 7943 | 1.8 |
| 54 | 7944 | 0.7 |
| 55 | 7945 | 0.6 |
| 56 | 7946 | 0.7 |
| 57 | 7947 | 1.3 |
| 58 | 7948 | 2.3 |
| 59 | 7949 | 2.4 |
| 60 | 7950 | 0.7 |
| 61 | 7951 | 1.1 |
| 62 | 7952 | 0.7 |
| 63 | 7953 | 1.0 |
| 64 | 7954 | 0.6 |
| 65 | 7955 | 0.5 |
| 66 | 7956 | 0.4 |
| 67 | 7957 | 0.4 |
| 68 | 7958 | 0.4 |
| 69 | 7959 | 0.9 |
| 70 | 7960 | 0.1 |
| 71 | 7961 | 0.4 |
| 72 | 7962 | 0.2 |
| 73 | 7963 | 1.0 |
| 74 | 7964 | 0.4 |
| 75 | 7965 | 0.5 |
| 76 | 7966 | 0.2 |
| 77 | 7967 | 1.0 |
| 78 | 7968 | 0.7 |
| 79 | 7969 | 1.0 |
| 80 | 7970 | 0.3 |

**GWR RESOURCES INC. AK4-167** 2-Apr-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| **QC DATA:** | | |
| ***Resplit:*** | | |
| 1 | 7891 | 0.3 |
| 36 | 7926 | 0.3 |
| 71 | 7961 | 0.3 |
| ***Repeat:*** | | |
| 1 | 7891 | 0.2 |
| 10 | 7900 | 0.3 |
| 19 | 7909 | 0.2 |
| 36 | 7926 | 0.3 |
| 45 | 7935 | 0.2 |
| 54 | 7944 | 0.7 |
| 71 | 7961 | 0.4 |
| ***Standard:*** | | |
| GEO'04 | | 1.4 |
| GEO'04 | | 1.5 |
| GEO'04 | | 1.5 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ASSAY AK 2004-168

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

2-Apr-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 80*
*Sample type: Core*
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 7891 | <0.03 | <0.001 | 0.10 |
| 2 | 7892 | 0.03 | 0.001 | 0.07 |
| 3 | 7893 | 0.03 | 0.001 | 0.05 |
| 4 | 7894 | 0.04 | 0.001 | 0.07 |
| 5 | 7895 | <0.03 | <0.001 | 0.04 |
| 6 | 7896 | <0.03 | <0.001 | 0.07 |
| 7 | 7897 | 0.06 | 0.002 | 0.16 |
| 8 | 7898 | 0.04 | 0.001 | 0.11 |
| 9 | 7899 | <0.03 | <0.001 | 0.10 |
| 10 | 7900 | 0.03 | 0.001 | 0.10 |
| 11 | 7901 | 0.03 | 0.001 | 0.09 |
| 12 | 7902 | 0.05 | 0.001 | 0.21 |
| 13 | 7903 | <0.03 | <0.001 | 0.03 |
| 14 | 7904 | <0.03 | <0.001 | 0.05 |
| 15 | 7905 | <0.03 | <0.001 | 0.07 |
| 16 | 7906 | <0.03 | <0.001 | 0.06 |
| 17 | 7907 | <0.03 | <0.001 | 0.05 |
| 18 | 7908 | <0.03 | <0.001 | 0.04 |
| 19 | 7909 | <0.03 | <0.001 | 0.05 |
| 20 | 7910 | 0.03 | 0.001 | 0.06 |
| 21 | 7911 | <0.03 | <0.001 | 0.05 |
| 22 | 7912 | <0.03 | <0.001 | 0.05 |
| 23 | 7913 | <0.03 | <0.001 | 0.03 |
| 24 | 7914 | <0.03 | <0.001 | 0.08 |
| 25 | 7915 | <0.03 | <0.001 | 0.03 |
| 26 | 7916 | <0.03 | <0.001 | 0.02 |
| 27 | 7917 | <0.03 | <0.001 | 0.02 |
| 28 | 7918 | <0.03 | <0.001 | 0.02 |
| 29 | 7919 | <0.03 | <0.001 | 0.03 |
| 30 | 7920 | 0.03 | 0.001 | 0.02 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-168** 2-Apr-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 31 | 7921 | 0.05 | 0.001 | 0.02 |
| 32 | 7922 | 0.07 | 0.002 | 0.03 |
| 33 | 7923 | <0.03 | <0.001 | 0.04 |
| 34 | 7924 | <0.03 | <0.001 | 0.04 |
| 35 | 7925 | 0.04 | 0.001 | 0.05 |
| 36 | 7926 | 0.04 | 0.001 | 0.06 |
| 37 | 7927 | <0.03 | <0.001 | 0.04 |
| 38 | 7928 | <0.03 | <0.001 | 0.02 |
| 39 | 7929 | <0.03 | <0.001 | 0.06 |
| 40 | 7930 | 0.04 | 0.001 | 0.12 |
| 41 | 7931 | 0.04 | 0.001 | 0.13 |
| 42 | 7932 | <0.03 | <0.001 | 0.10 |
| 43 | 7933 | <0.03 | <0.001 | 0.06 |
| 44 | 7934 | <0.03 | <0.001 | 0.05 |
| 45 | 7935 | <0.03 | <0.001 | 0.04 |
| 46 | 7936 | <0.03 | <0.001 | 0.06 |
| 47 | 7937 | 0.03 | 0.001 | 0.05 |
| 48 | 7938 | 0.06 | 0.002 | 0.09 |
| 49 | 7939 | 0.06 | 0.002 | 0.12 |
| 50 | 7940 | 0.19 | 0.006 | 0.28 |
| 51 | 7941 | 0.08 | 0.002 | 0.30 |
| 52 | 7942 | 0.10 | 0.003 | 0.15 |
| 53 | 7943 | 0.10 | 0.003 | 0.47 |
| 54 | 7944 | 0.07 | 0.002 | 0.19 |
| 55 | 7945 | 0.04 | 0.001 | 0.18 |
| 56 | 7946 | 0.09 | 0.003 | 0.26 |
| 57 | 7947 | 0.16 | 0.005 | 0.45 |
| 58 | 7948 | 0.18 | 0.005 | 0.67 |
| 59 | 7949 | 0.08 | 0.002 | 0.59 |
| 60 | 7950 | 0.08 | 0.002 | 0.25 |
| 61 | 7951 | 0.13 | 0.004 | 0.38 |
| 62 | 7952 | 0.06 | 0.002 | 0.20 |
| 63 | 7953 | 0.07 | 0.002 | 0.33 |
| 64 | 7954 | 0.04 | 0.001 | 0.18 |
| 65 | 7955 | <0.03 | <0.001 | 0.06 |
| 66 | 7956 | <0.03 | <0.001 | 0.13 |
| 67 | 7957 | <0.03 | <0.001 | 0.08 |
| 68 | 7958 | 0.05 | 0.001 | 0.10 |
| 69 | 7959 | 0.06 | 0.002 | 0.27 |
| 70 | 7960 | <0.03 | <0.001 | 0.03 |
| 71 | 7961 | 0.11 | 0.003 | 0.15 |
| 72 | 7962 | 0.16 | 0.005 | 0.06 |
| 73 | 7963 | 0.10 | 0.003 | 0.22 |
| 74 | 7964 | 0.03 | 0.001 | 0.10 |
| 75 | 7965 | 0.05 | 0.001 | 0.15 |

**ECO TECH LABORATORY LTD.**

Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-168**

2-Apr-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 76 | 7966 | <0.03 | <0.001 | 0.06 |
| 77 | 7967 | 0.07 | 0.002 | 0.25 |
| 78 | 7968 | 0.05 | 0.001 | 0.22 |
| 79 | 7969 | 0.09 | 0.003 | 0.35 |
| 80 | 7970 | 0.03 | 0.001 | 0.13 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 7891 | <0.03 | <0.001 | 0.09 |
| 36 | 7926 | 0.03 | 0.001 | 0.06 |
| 71 | 7961 | 0.18 | 0.005 | 0.15 |
| ***Repeat:*** | | | | |
| 1 | 7891 | 0.03 | 0.001 | 0.10 |
| 10 | 7900 | <0.03 | <0.001 | 0.09 |
| 19 | 7909 | <0.03 | <0.001 | 0.05 |
| 36 | 7926 | 0.03 | 0.001 | 0.07 |
| 45 | 7935 | <0.03 | <0.001 | 0.04 |
| 53 | 7943 | 0.12 | 0.003 | |
| 54 | 7944 | 0.06 | 0.002 | 0.19 |
| 57 | 7947 | 0.15 | 0.004 | |
| 71 | 7961 | 0.15 | 0.004 | 0.15 |
| ***Standard:*** | | | | |
| OX123 | | 1.82 | 0.053 | |
| OX123 | | 1.84 | 0.054 | |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ANALYSIS AK 2004-174

**GWR RESOURCES INC.** 31-Mar-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 3*
*Sample Type: Core*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | E08021 | 0.9 |
| 2 | E08022 | 0.6 |
| 3 | E08023 | 0.4 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | E08021 | 0.8 |

***Repeat:***

| | | |
|---|---|---|
| 1 | E08021 | 1.0 |
| 2 | E08022 | 0.5 |
| 3 | E08023 | 0.4 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.4 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/ejd
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2004-174

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

31-Mar-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 3*
*Sample type: Core*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | E08021 | 0.07 | 0.002 | 0.35 |
| 2 | E08022 | 0.04 | 0.001 | 0.18 |
| 3 | E08023 | 0.04 | 0.001 | 0.18 |

**QC DATA:**

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | E08021 | 0.06 | 0.002 | 0.35 |
| 3 | E08023 | 0.04 | 0.001 | - |

***Standard:***

| | | | |
|---|---|---|---|
| OX123 | 2.04 | 0.059 | - |
| Cu106 | - | - | 1.40 |
| Pb106 | - | - | 0.61 |

JJ/ejd
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-175

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

6-Apr-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 93*
*Sample type: Rock*
*Samples submitted by: Don Fuller*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | E07971 | 0.07 | 0.002 | 0.14 |
| 2 | E07972 | 0.07 | 0.002 | 0.15 |
| 3 | E07973 | 0.07 | 0.002 | 0.10 |
| 4 | E07974 | 0.11 | 0.003 | 0.19 |
| 5 | E07975 | 0.11 | 0.003 | 0.12 |
| 6 | E07976 | 0.05 | 0.001 | 0.08 |
| 7 | E07977 | 0.04 | 0.001 | 0.19 |
| 8 | E07978 | 0.08 | 0.002 | 0.08 |
| 9 | E07979 | 0.03 | 0.001 | 0.06 |
| 10 | E07980 | 0.05 | 0.001 | 0.04 |
| 11 | E07981 | 0.06 | 0.002 | 0.07 |
| 12 | E07982 | 0.03 | 0.001 | 0.07 |
| 13 | E07983 | 0.03 | 0.001 | 0.04 |
| 14 | E07984 | 0.14 | 0.004 | 0.18 |
| 15 | E07985 | 0.11 | 0.003 | 0.15 |
| 16 | E07986 | 0.07 | 0.002 | 0.16 |
| 17 | E07987 | 0.04 | 0.001 | 0.08 |
| 18 | E07988 | 0.04 | 0.001 | 0.07 |
| 19 | E07989 | 0.05 | 0.001 | 0.15 |
| 20 | E07990 | 0.11 | 0.003 | 0.16 |
| 21 | E07991 | 0.13 | 0.004 | 0.14 |
| 22 | E07992 | 0.10 | 0.003 | 0.15 |
| 23 | E07993 | 0.03 | 0.001 | 0.13 |
| 24 | E07994 | 0.03 | 0.001 | 0.11 |
| 25 | E07995 | <0.03 | <0.001 | 0.07 |
| 26 | E07996 | <0.03 | <0.001 | 0.08 |
| 27 | E07997 | 0.06 | 0.002 | 0.14 |
| 28 | E07998 | 0.06 | 0.002 | 0.19 |
| 29 | E07999 | 0.12 | 0.003 | 0.37 |
| 30 | E08000 | 0.07 | 0.002 | 0.26 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-175** 6-Apr-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 31 | E08001 | 0.07 | 0.002 | 0.23 |
| 32 | E08002 | 0.09 | 0.003 | 0.30 |
| 33 | E08003 | 0.06 | 0.002 | 0.28 |
| 34 | E08004 | 0.07 | 0.002 | 0.35 |
| 35 | E08005 | 0.03 | 0.001 | 0.05 |
| 36 | E08006 | <0.03 | <0.001 | 0.02 |
| 37 | E08007 | <0.03 | <0.001 | 0.02 |
| 38 | E08008 | <0.03 | <0.001 | 0.02 |
| 39 | E08009 | <0.03 | <0.001 | 0.01 |
| 40 | E08010 | <0.03 | <0.001 | 0.03 |
| 41 | E08011 | 0.04 | 0.001 | 0.04 |
| 42 | E08012 | <0.03 | <0.001 | 0.04 |
| 43 | E08013 | <0.03 | <0.001 | 0.04 |
| 44 | E08014 | <0.03 | <0.001 | 0.04 |
| 45 | E08015 | <0.03 | <0.001 | 0.03 |
| 46 | E08016 | 0.03 | 0.001 | 0.03 |
| 47 | E08017 | <0.03 | <0.001 | 0.04 |
| 48 | E08018 | <0.03 | <0.001 | 0.04 |
| 49 | E08019 | <0.03 | <0.001 | 0.04 |
| 50 | E08020 | <0.03 | <0.001 | 0.02 |
| 51 | E08024 | 0.12 | 0.003 | 0.06 |
| 52 | E08025 | 0.60 | 0.017 | 0.06 |
| 53 | E08026 | 0.28 | 0.008 | 0.09 |
| 54 | E08027 | 0.35 | 0.010 | 0.10 |
| 55 | E08028 | 0.11 | 0.003 | 0.04 |
| 56 | E08029 | 0.13 | 0.004 | 0.06 |
| 57 | E08030 | 0.34 | 0.010 | 0.05 |
| 58 | E08031 | 0.95 | 0.028 | 0.07 |
| 59 | E08032 | 0.19 | 0.006 | 0.04 |
| 60 | E08033 | 0.34 | 0.010 | 0.05 |
| 61 | E08034 | 0.05 | 0.001 | 0.03 |
| 62 | E08035 | 0.09 | 0.003 | 0.05 |
| 63 | E08036 | 0.04 | 0.001 | 0.02 |
| 64 | E08037 | 0.03 | 0.001 | 0.02 |
| 65 | E08038 | 0.05 | 0.001 | 0.02 |
| 66 | E08039 | 0.04 | 0.001 | 0.02 |
| 67 | E08040 | 0.03 | 0.001 | 0.03 |
| 68 | E08041 | 0.05 | 0.001 | 0.05 |
| 69 | E08042 | 0.06 | 0.002 | 0.02 |
| 70 | E08043 | 0.11 | 0.003 | 0.02 |
| 71 | E08044 | 0.03 | 0.001 | 0.03 |
| 72 | E08045 | 0.09 | 0.003 | 0.02 |
| 73 | E08046 | 0.08 | 0.002 | 0.21 |
| 74 | E08047 | 0.07 | 0.002 | 0.64 |
| 75 | E08048 | 0.22 | 0.006 | 1.62 |
| 76 | E08049 | 0.08 | 0.002 | 0.35 |
| 77 | E08050 | 0.05 | 0.001 | 0.12 |
| 78 | E08051 | 0.07 | 0.002 | 0.15 |
| 79 | E08052 | 0.05 | 0.001 | 0.09 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-175** 6-Apr-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 80 | E08053 | <0.03 | <0.001 | 0.13 |
| 81 | E08054 | 0.04 | 0.001 | 0.27 |
| 82 | E08055 | 0.05 | 0.001 | 0.19 |
| 83 | E08056 | 0.04 | 0.001 | 0.12 |
| 84 | E08057 | 0.03 | 0.001 | 0.11 |
| 85 | E08058 | 0.16 | 0.005 | 0.25 |
| 86 | E08059 | 0.10 | 0.003 | 0.10 |
| 87 | E08060 | 0.20 | 0.006 | 0.09 |
| 88 | E08061 | 0.24 | 0.007 | 0.29 |
| 89 | E08062 | 0.14 | 0.004 | 0.40 |
| 90 | E08063 | 0.14 | 0.004 | 0.26 |
| 91 | E08064 | <0.03 | <0.001 | 0.05 |
| 92 | E08065 | 0.10 | 0.003 | 0.19 |
| 93 | E08066 | 0.05 | 0.001 | 0.17 |
| 94 | E08067 | 0.05 | 0.001 | 0.12 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | E07971 | 0.06 | 0.002 | 0.15 |
| 36 | E08006 | <0.03 | <0.001 | 0.02 |
| 71 | E08044 | 0.03 | 0.001 | 0.03 |
| ***Repeat:*** | | | | |
| 1 | E07971 | 0.07 | 0.002 | 0.14 |
| 10 | E07980 | 0.03 | 0.001 | 0.04 |
| 19 | E07989 | 0.05 | 0.001 | 0.14 |
| 36 | E08006 | <0.03 | <0.001 | 0.03 |
| 45 | E08015 | <0.03 | <0.001 | 0.03 |
| 52 | E08025 | 0.59 | 0.017 | |
| 53 | E08026 | 0.27 | 0.008 | |
| 54 | E08027 | 0.39 | 0.011 | 0.09 |
| 59 | E08032 | 0.18 | 0.005 | |
| 60 | E08033 | 0.36 | 0.010 | |
| 71 | E08044 | 0.04 | 0.001 | 0.03 |
| 74 | E08047 | | | 0.64 |
| 75 | E08048 | | | 1.64 |
| 80 | E08053 | <0.03 | <0.001 | 0.12 |
| 89 | E08062 | 0.13 | 0.004 | 0.39 |
| ***Standard:*** | | | | |
| SH13 | | 1.42 | 0.041 | |
| SH13 | | 1.39 | 0.041 | |
| SH13 | | 1.39 | 0.041 | |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.44 |
| CU106 | | | | 1.43 |

*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ANALYSIS AK 2004-175

**GWR RESOURCES INC.** 6-Apr-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 93*
*Sample type: Rock*
*Samples submitted by: Don Fuller*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | E07971 | 0.4 |
| 2 | E07972 | 0.5 |
| 3 | E07973 | 0.5 |
| 4 | E07974 | 0.8 |
| 5 | E07975 | 0.3 |
| 6 | E07976 | 0.1 |
| 7 | E07977 | 0.1 |
| 8 | E07978 | 0.4 |
| 9 | E07979 | 0.3 |
| 10 | E07980 | 0.2 |
| 11 | E07981 | 0.2 |
| 12 | E07982 | 0.3 |
| 13 | E07983 | 0.2 |
| 14 | E07984 | 0.5 |
| 15 | E07985 | 0.4 |
| 16 | E07986 | 0.4 |
| 17 | E07987 | 0.3 |
| 18 | E07988 | 0.2 |
| 19 | E07989 | 0.5 |
| 20 | E07990 | 0.5 |
| 21 | E07991 | 0.4 |
| 22 | E07992 | 0.5 |
| 23 | E07993 | 0.4 |
| 24 | E07994 | 0.4 |
| 25 | E07995 | 0.3 |
| 26 | E07996 | 0.3 |
| 27 | E07997 | 0.4 |
| 28 | E07998 | 0.5 |
| 29 | E07999 | 0.9 |
| 30 | E08000 | 0.5 |
| 31 | E08001 | 0.6 |
| 32 | E08002 | 0.8 |
| 33 | E08003 | 0.5 |
| 34 | E08004 | 0.9 |
| 35 | E08005 | 0.2 |
| 36 | E08006 | <0.1 |
| 37 | E08007 | <0.1 |

**GWR RESOURCES INC. AK4-175** 6-Apr-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 38 | E08008 | 0.1 |
| 39 | E08009 | <0.1 |
| 40 | E08010 | <0.1 |
| 41 | E08011 | <0.1 |
| 42 | E08012 | 0.1 |
| 43 | E08013 | <0.1 |
| 44 | E08014 | <0.1 |
| 45 | E08015 | <0.1 |
| 46 | E08016 | <0.1 |
| 47 | E08017 | <0.1 |
| 48 | E08018 | <0.1 |
| 49 | E08019 | <0.1 |
| 50 | E08020 | <0.1 |
| 51 | E08024 | 0.1 |
| 52 | E08025 | 0.3 |
| 53 | E08026 | 0.2 |
| 54 | E08027 | 0.1 |
| 55 | E08028 | 0.2 |
| 56 | E08029 | 0.1 |
| 57 | E08030 | 0.3 |
| 58 | E08031 | 0.2 |
| 59 | E08032 | 0.1 |
| 60 | E08033 | 0.1 |
| 61 | E08034 | 0.1 |
| 62 | E08035 | 0.1 |
| 63 | E08036 | <0.1 |
| 64 | E08037 | 0.1 |
| 65 | E08038 | 0.2 |
| 66 | E08039 | 0.1 |
| 67 | E08040 | <0.1 |
| 68 | E08041 | <0.1 |
| 69 | E08042 | <0.1 |
| 70 | E08043 | <0.1 |
| 71 | E08044 | 0.2 |
| 72 | E08045 | 0.1 |
| 73 | E08046 | 0.8 |
| 74 | E08047 | 0.5 |
| 75 | E08048 | 1.6 |
| 76 | E08049 | 0.7 |
| 77 | E08050 | 0.3 |
| 78 | E08051 | 0.4 |
| 79 | E08052 | 0.2 |
| 80 | E08053 | 0.2 |
| 81 | E08054 | 0.7 |
| 82 | E08055 | 0.4 |
| 83 | E08056 | 0.2 |
| 84 | E08057 | 0.2 |
| 85 | E08058 | 0.2 |
| 86 | E08059 | 0.2 |

**GWR RESOURCES INC. AK4-175** 6-Apr-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 87 | E08060 | 0.5 |
| 88 | E08061 | 1.8 |
| 89 | E08062 | 1.3 |
| 90 | E08063 | 1.1 |
| 91 | E08064 | 0.1 |
| 92 | E08065 | 0.5 |
| 93 | E08066 | 0.5 |
| 94 | E08067 | 0.4 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | E07971 | 0.3 |
| 36 | E08006 | <0.1 |
| 71 | E08044 | 0.1 |

***Repeat:***

| | | |
|---|---|---|
| 1 | E07971 | 0.4 |
| 10 | E07980 | 0.1 |
| 19 | E07989 | 0.5 |
| 36 | E08006 | <0.1 |
| 45 | E08015 | <0.1 |
| 54 | E08027 | 0.1 |
| 71 | E08044 | 0.2 |
| 80 | E08053 | 0.2 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.5 |
| GEO'04 | 1.4 |
| GEO'04 | 1.5 |

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ANALYSIS AK 2004-189

**GWR RESOURCES INC.** 13-Apr-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 64*
*Sample type: Rock*
*Samples submitted by: Not Indicated*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | E06751 | 0.1 |
| 2 | E06752 | 0.2 |
| 3 | E06753 | 0.2 |
| 4 | E06754 | 0.5 |
| 5 | E06755 | 0.2 |
| 6 | E06756 | 0.1 |
| 7 | E06757 | 0.2 |
| 8 | E06758 | 0.3 |
| 9 | E06759 | 0.2 |
| 10 | E06760 | 0.2 |
| 11 | E06761 | 0.3 |
| 12 | E06762 | 0.1 |
| 13 | E06763 | 0.1 |
| 14 | E06764 | 0.1 |
| 15 | E06765 | 0.1 |
| 16 | E06766 | 0.1 |
| 17 | E06767 | 0.1 |
| 18 | E06768 | 0.2 |
| 19 | E06769 | 0.2 |
| 20 | E06770 | 0.2 |
| 21 | E06771 | 0.1 |
| 22 | E06772 | 0.1 |
| 23 | E06773 | 0.1 |
| 24 | E06774 | 0.2 |
| 25 | E06775 | 0.3 |
| 26 | E06776 | 0.7 |
| 27 | E06777 | 0.2 |
| 28 | E06778 | 0.1 |
| 29 | E06779 | <0.1 |
| 30 | E06780 | <0.1 |
| 31 | E06781 | <0.1 |
| 32 | E08068 | <0.1 |
| 33 | E08069 | 0.2 |
| 34 | E08070 | 0.3 |
| 35 | E08071 | 0.3 |
| 36 | E08072 | 0.1 |
| 37 | E08073 | 0.1 |
| 38 | E08074 | 0.2 |

**GWR RESOURCES INC. AK4-189** 13-Apr-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 39 | E08075 | 0.2 |
| 40 | E08076 | 0.4 |
| 41 | E08077 | <0.1 |
| 42 | E08078 | 0.3 |
| 43 | E08079 | <0.1 |
| 44 | E08080 | 0.1 |
| 45 | E08081 | 0.6 |
| 46 | E08082 | 0.2 |
| 47 | E08083 | 0.2 |
| 48 | E08084 | 0.2 |
| 49 | E08085 | 0.3 |
| 50 | E08086 | 0.2 |
| 51 | E08087 | 0.2 |
| 52 | E08088 | 0.4 |
| 53 | E08089 | 1.2 |
| 54 | E08090 | 3.4 |
| 55 | E08091 | 1.3 |
| 56 | E08092 | 1.3 |
| 57 | E08093 | 1.3 |
| 58 | E08094 | 0.5 |
| 59 | E08095 | 0.3 |
| 60 | E08096 | 0.3 |
| 61 | E08097 | 0.2 |
| 62 | E08098 | 0.3 |
| 63 | E08099 | 0.2 |
| 64 | E08100 | 0.2 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | E06751 | 0.1 |
| 36 | E08072 | 0.1 |

***Repeat:***

| | | |
|---|---|---|
| 1 | E06751 | 0.1 |
| 10 | E06760 | 0.2 |
| 19 | E06769 | 0.2 |
| 36 | E08072 | 0.1 |
| 45 | E08081 | 0.6 |
| 54 | E08090 | 3.3 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.5 |
| GEO'04 | 1.5 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04

# CERTIFICATE OF ASSAY AK 2004-189

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

13-Apr-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 64*
*Sample type: Rock*
*Samples submitted by: Not Indicated*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | E06751 | 0.12 | 0.003 | 0.05 |
| 2 | E06752 | 0.07 | 0.002 | 0.17 |
| 3 | E06753 | 0.07 | 0.002 | 0.16 |
| 4 | E06754 | 0.10 | 0.003 | 0.23 |
| 5 | E06755 | 0.04 | 0.001 | 0.05 |
| 6 | E06756 | 0.10 | 0.003 | 0.11 |
| 7 | E06757 | 0.03 | 0.001 | 0.10 |
| 8 | E06758 | <0.03 | <0.001 | 0.05 |
| 9 | E06759 | <0.03 | <0.001 | 0.09 |
| 10 | E06760 | 0.08 | 0.002 | 0.08 |
| 11 | E06761 | 0.06 | 0.002 | 0.17 |
| 12 | E06762 | 0.06 | 0.002 | 0.05 |
| 13 | E06763 | <0.03 | <0.001 | 0.03 |
| 14 | E06764 | <0.03 | <0.001 | 0.03 |
| 15 | E06765 | 0.04 | 0.001 | 0.02 |
| 16 | E06766 | <0.03 | <0.001 | 0.02 |
| 17 | E06767 | <0.03 | <0.001 | 0.05 |
| 18 | E06768 | <0.03 | <0.001 | 0.07 |
| 19 | E06769 | <0.03 | <0.001 | 0.05 |
| 20 | E06770 | 0.05 | 0.001 | 0.03 |
| 21 | E06771 | <0.03 | <0.001 | 0.04 |
| 22 | E06772 | <0.03 | <0.001 | 0.03 |
| 23 | E06773 | <0.03 | <0.001 | 0.02 |
| 24 | E06774 | 0.03 | 0.001 | 0.08 |
| 25 | E06775 | 0.04 | 0.001 | 0.13 |
| 26 | E06776 | 0.36 | 0.010 | 0.45 |
| 27 | E06777 | 0.05 | 0.001 | 0.07 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-189** 13-Apr-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 28 | E06778 | <0.03 | <0.001 | 0.02 |
| 29 | E06779 | <0.03 | <0.001 | 0.03 |
| 30 | E06780 | 0.03 | 0.001 | 0.02 |
| 31 | E06781 | 0.04 | 0.001 | 0.04 |
| 32 | E08068 | 0.06 | 0.002 | 0.11 |
| 33 | E08069 | <0.03 | <0.001 | 0.10 |
| 34 | E08070 | 0.09 | 0.003 | 0.11 |
| 35 | E08071 | 0.09 | 0.003 | 0.21 |
| 36 | E08072 | <0.03 | <0.001 | 0.08 |
| 37 | E08073 | 0.36 | 0.010 | 0.08 |
| 38 | E08074 | 0.06 | 0.002 | 0.15 |
| 39 | E08075 | <0.03 | <0.001 | 0.12 |
| 40 | E08076 | 0.07 | 0.002 | 0.19 |
| 41 | E08077 | 0.04 | 0.001 | 0.04 |
| 42 | E08078 | 0.12 | 0.003 | 0.11 |
| 43 | E08079 | <0.03 | <0.001 | 0.02 |
| 44 | E08080 | <0.03 | <0.001 | 0.01 |
| 45 | E08081 | 0.13 | 0.004 | 0.26 |
| 46 | E08082 | <0.03 | <0.001 | 0.09 |
| 47 | E08083 | <0.03 | <0.001 | 0.01 |
| 48 | E08084 | <0.03 | <0.001 | 0.01 |
| 49 | E08085 | <0.03 | <0.001 | 0.08 |
| 50 | E08086 | <0.03 | <0.001 | 0.01 |
| 51 | E08087 | <0.03 | <0.001 | 0.01 |
| 52 | E08088 | 0.05 | 0.001 | 0.16 |
| 53 | E08089 | 0.11 | 0.003 | 0.42 |
| 54 | E08090 | 0.21 | 0.006 | 0.91 |
| 55 | E08091 | 0.13 | 0.004 | 0.59 |
| 56 | E08092 | 0.08 | 0.002 | 0.35 |
| 57 | E08093 | 0.11 | 0.003 | 0.46 |
| 58 | E08094 | 0.03 | 0.001 | 0.12 |
| 59 | E08095 | 0.04 | 0.001 | 0.21 |
| 60 | E08096 | <0.03 | <0.001 | 0.14 |
| 61 | E08097 | <0.03 | <0.001 | 0.06 |
| 62 | E08098 | 0.07 | 0.002 | 0.38 |
| 63 | E08099 | <0.03 | <0.001 | 0.10 |
| 64 | E08100 | <0.03 | <0.001 | 0.05 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-189** 13-Apr-04

| | | Au | Au | Cu |
|---|---|---|---|---|
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | E06751 | 0.05 | 0.001 | 0.05 |
| 36 | E08072 | <0.03 | <0.001 | 0.09 |

**GWR RESOURCES INC. AK4-189** 13-Apr-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| **QC DATA:** | | | | |
| ***Repeat:*** | | | | |
| 1 | E06751 | 0.11 | 0.003 | 0.05 |
| 10 | E06760 | 0.07 | 0.002 | 0.08 |
| 19 | E06769 | 0.03 | 0.001 | 0.05 |
| 26 | E06776 | 0.40 | 0.012 | |
| 36 | E08072 | <0.03 | <0.001 | 0.08 |
| 45 | E08081 | 0.12 | 0.003 | 0.26 |
| 54 | E08090 | 0.23 | 0.007 | 0.94 |
| ***Standard:*** | | | | |
| SH13 | | 1.33 | 0.039 | |
| SH13 | | 1.24 | 0.036 | |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ANALYSIS AK 2004-207

**GWR RESOURCES INC.** 22-Apr-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample type: Core*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 6801 | 1.0 |
| 2 | 6802 | 0.1 |
| 3 | 6803 | 0.1 |
| 4 | 6804 | <0.1 |
| 5 | 6805 | 0.1 |
| 6 | 6806 | 0.1 |
| 7 | 6807 | 0.1 |
| 8 | 6808 | 0.2 |
| 9 | 06808-A | 0.1 |
| 10 | 6809 | 0.2 |
| 11 | 6810 | 0.1 |
| 12 | 6811 | 0.1 |
| 13 | 6812 | 0.1 |
| 14 | 6813 | 0.1 |
| 15 | 6814 | 0.2 |
| 16 | 06814-A | 0.1 |
| 17 | 6815 | <0.1 |
| 18 | 6816 | <0.1 |
| 19 | 6817 | 0.1 |
| 20 | 6818 | <0.1 |
| 21 | 6819 | <0.1 |
| 22 | 6820 | <0.1 |
| 23 | 6821 | <0.1 |
| 24 | 6822 | <0.1 |
| 25 | 6823 | <0.1 |
| 26 | 6824 | 0.1 |
| 27 | 06824-A | <0.1 |
| 28 | 6825 | 0.1 |
| 29 | 6826 | 0.6 |
| 30 | 6827 | 6.3 |
| 31 | 6828 | 0.1 |
| 32 | 6829 | <0.1 |
| 33 | 6830 | <0.1 |

**GWR RESOURCES INC. AK207** 22-Apr-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 34 | 6831 | <0.1 |
| 35 | 6832 | 0.1 |
| 36 | 6833 | <0.1 |
| 37 | 6834 | <0.1 |
| 38 | 6835 | <0.1 |
| 39 | 6836 | <0.1 |
| 40 | 6837 | <0.1 |
| 41 | 6838 | 0.1 |
| 42 | 6839 | <0.1 |
| 43 | 6840 | <0.1 |
| 44 | 6841 | <0.1 |
| 45 | 6842 | <0.1 |
| 46 | 6843 | <0.1 |
| 47 | 6844 | <0.1 |
| 48 | 6845 | <0.1 |
| 49 | 6846 | <0.1 |
| 50 | 6847 | <0.1 |
| 51 | 6848 | <0.1 |
| 52 | 6849 | <0.1 |
| 53 | 6850 | <0.1 |
| 54 | 6851 | <0.1 |
| 55 | 6852 | 0.1 |
| 56 | 6853 | <0.1 |
| 57 | 6854 | <0.1 |
| 58 | 6855 | <0.1 |
| 59 | 6856 | <0.1 |
| 60 | 6857 | 0.1 |
| 61 | 6858 | <0.1 |
| 62 | 6859 | <0.1 |
| 63 | 6860 | 0.1 |
| 64 | 6861 | <0.1 |
| 65 | 6862 | 0.1 |
| 66 | 6863 | <0.1 |
| 67 | 6864 | <0.1 |
| 68 | 6865 | <0.1 |
| 69 | 6866 | <0.1 |
| 70 | 6867 | <0.1 |
| 71 | 6868 | 0.1 |
| 72 | 6869 | 0.1 |
| 73 | 6870 | 0.1 |
| 74 | 6871 | 0.1 |
| 75 | 6872 | 0.1 |
| 76 | 6873 | <0.1 |
| 77 | 6874 | 0.1 |
| 78 | 6875 | 0.1 |
| 79 | 6876 | <0.1 |
| 80 | 6877 | <0.1 |
| 81 | 6878 | <0.1 |
| 82 | 6879 | <0.1 |
| 83 | 6880 | 0.1 |
| 84 | 6881 | <0.1 |
| 85 | 6882 | <0.1 |
| 86 | 6883 | <0.1 |

**GWR RESOURCES INC. AK207** 22-Apr-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 87 | 6884 | <0.1 |
| 88 | 6885 | <0.1 |
| 89 | 6886 | <0.1 |
| 90 | 6887 | 0.1 |
| 91 | 6888 | <0.1 |
| 92 | 6889 | <0.1 |
| 93 | 6890 | <0.1 |
| 94 | 6891 | <0.1 |
| 95 | 6892 | <0.1 |
| 96 | 6893 | <0.1 |
| 97 | 6894 | <0.1 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | 6801 | 1.0 |
| 36 | 6833 | <0.1 |
| 71 | 6868 | <0.1 |

***Repeat:***

| | | |
|---|---|---|
| 1 | 6801 | 1.0 |
| 10 | 6809 | 0.2 |
| 19 | 6817 | <0.1 |
| 36 | 6833 | <0.1 |
| 45 | 6842 | <0.1 |
| 54 | 6851 | <0.1 |
| 71 | 6868 | <0.1 |
| 80 | 6877 | <0.1 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.6 |
| GEO'04 | 1.5 |
| GEO'04 | 1.6 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ASSAY AK 2004-207

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

22-Apr-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample type: Core*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 6801 | 0.65 | 0.019 | 1.03 |
| 2 | 6802 | 0.07 | 0.002 | 0.03 |
| 3 | 6803 | 0.04 | 0.001 | 0.01 |
| 4 | 6804 | 0.09 | 0.003 | 0.03 |
| 5 | 6805 | 0.04 | 0.001 | 0.03 |
| 6 | 6806 | 0.05 | 0.001 | 0.10 |
| 7 | 6807 | 0.03 | 0.001 | 0.02 |
| 8 | 6808 | 0.43 | 0.013 | 0.11 |
| 9 | 06808-A | 0.29 | 0.008 | 0.02 |
| 10 | 6809 | 0.07 | 0.002 | 0.05 |
| 11 | 6810 | 0.09 | 0.003 | 0.05 |
| 12 | 6811 | 0.06 | 0.002 | 0.04 |
| 13 | 6812 | 0.03 | 0.001 | 0.03 |
| 14 | 6813 | 0.17 | 0.005 | 0.05 |
| 15 | 6814 | 0.45 | 0.013 | 0.02 |
| 16 | 06814-A | 0.14 | 0.004 | 0.04 |
| 17 | 6815 | 0.13 | 0.004 | 0.02 |
| 18 | 6816 | 0.05 | 0.001 | 0.01 |
| 19 | 6817 | 0.32 | 0.009 | 0.03 |
| 20 | 6818 | 0.18 | 0.005 | 0.02 |
| 21 | 6819 | 0.07 | 0.002 | 0.02 |
| 22 | 6820 | 0.03 | 0.001 | 0.01 |
| 23 | 6821 | 0.07 | 0.002 | 0.17 |
| 24 | 6822 | 0.09 | 0.003 | 0.02 |
| 25 | 6823 | 0.07 | 0.002 | 0.15 |
| 26 | 6824 | 0.14 | 0.004 | 0.19 |
| 27 | 06824-A | 0.11 | 0.003 | 0.08 |
| 28 | 6825 | 0.42 | 0.012 | 0.10 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-207** 22-Apr-04

| ET #. | Tag # | | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|---|
| 29 | 6826 | | 3.52 | 0.103 | 0.25 |
| 29 | 6826 | * | 3.02 | 0.088 | - |
| 30 | 6827 | | 37.2 | 1.085 | 3.76 |
| 30 | 6827 | * | 47.1 | 1.372 | - |
| 31 | 6828 | | 0.70 | 0.020 | 0.10 |
| 32 | 6829 | | 0.09 | 0.003 | 0.04 |
| 33 | 6830 | | 0.06 | 0.002 | 0.01 |
| 34 | 6831 | | 0.04 | 0.001 | 0.01 |
| 35 | 6832 | | <0.03 | <0.001 | 0.01 |
| 36 | 6833 | | 0.03 | 0.001 | 0.01 |
| 37 | 6834 | | 0.04 | 0.001 | 0.02 |
| 38 | 6835 | | <0.03 | <0.001 | 0.02 |
| 39 | 6836 | | 0.32 | 0.009 | 0.31 |
| 40 | 6837 | | 0.05 | 0.001 | 0.04 |
| 41 | 6838 | | <0.03 | <0.001 | 0.01 |
| 42 | 6839 | | <0.03 | <0.001 | 0.01 |
| 43 | 6840 | | <0.03 | <0.001 | 0.01 |
| 44 | 6841 | | <0.03 | <0.001 | 0.02 |
| 45 | 6842 | | 0.03 | 0.001 | 0.01 |
| 46 | 6843 | | <0.03 | <0.001 | 0.02 |
| 47 | 6844 | | <0.03 | <0.001 | 0.01 |
| 48 | 6845 | | <0.03 | <0.001 | 0.01 |
| 49 | 6846 | | <0.03 | <0.001 | <0.01 |
| 50 | 6847 | | <0.03 | <0.001 | 0.01 |
| 51 | 6848 | | 0.08 | 0.002 | 0.01 |
| 52 | 6849 | | <0.03 | <0.001 | 0.02 |
| 53 | 6850 | | <0.03 | <0.001 | <0.01 |
| 54 | 6851 | | 0.05 | 0.001 | 0.01 |
| 55 | 6852 | | <0.03 | <0.001 | 0.01 |
| 56 | 6853 | | <0.03 | <0.001 | 0.02 |
| 57 | 6854 | | <0.03 | <0.001 | <0.01 |
| 58 | 6855 | | <0.03 | <0.001 | 0.01 |
| 59 | 6856 | | 0.06 | 0.002 | 0.01 |
| 60 | 6857 | | <0.03 | <0.001 | 0.01 |
| 61 | 6858 | | 0.04 | 0.001 | 0.01 |
| 62 | 6859 | | <0.03 | <0.001 | 0.01 |
| 63 | 6860 | | 0.05 | 0.001 | <0.01 |
| 64 | 6861 | | 0.08 | 0.002 | 0.01 |
| 65 | 6862 | | <0.03 | <0.001 | <0.01 |
| 66 | 6863 | | <0.03 | <0.001 | 0.01 |
| 67 | 6864 | | <0.03 | <0.001 | 0.01 |
| 68 | 6865 | | <0.03 | <0.001 | 0.01 |
| 69 | 6866 | | 0.03 | 0.001 | 0.02 |
| 70 | 6867 | | <0.03 | <0.001 | 0.02 |
| 71 | 6868 | | <0.03 | <0.001 | 0.01 |
| 72 | 6869 | | <0.03 | <0.001 | 0.01 |
| 73 | 6870 | | 0.03 | 0.001 | 0.01 |
| 74 | 6871 | | 0.03 | 0.001 | 0.02 |
| 75 | 6872 | | <0.03 | <0.001 | 0.01 |
| 76 | 6873 | | <0.03 | <0.001 | 0.01 |

**ECO TECH LABORATORY LTD.**

***NOTE: * = Metallic Assay***

Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-207**

22-Apr-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 77 | 6874 | 0.04 | 0.001 | 0.02 |
| 78 | 6875 | <0.03 | <0.001 | 0.01 |
| 79 | 6876 | <0.03 | <0.001 | 0.01 |
| 80 | 6877 | <0.03 | <0.001 | 0.02 |
| 81 | 6878 | <0.03 | <0.001 | <0.01 |
| 82 | 6879 | <0.03 | <0.001 | 0.02 |
| 83 | 6880 | <0.03 | <0.001 | 0.01 |
| 84 | 6881 | 0.03 | 0.001 | 0.02 |
| 85 | 6882 | 0.03 | 0.001 | 0.02 |
| 86 | 6883 | <0.03 | <0.001 | 0.02 |
| 87 | 6884 | <0.03 | <0.001 | 0.01 |
| 88 | 6885 | 0.03 | 0.001 | 0.02 |
| 89 | 6886 | 0.03 | 0.001 | 0.02 |
| 90 | 6887 | 0.03 | 0.001 | 0.02 |
| 91 | 6888 | <0.03 | <0.001 | 0.02 |
| 92 | 6889 | 0.04 | 0.001 | 0.02 |
| 93 | 6890 | 0.05 | 0.001 | 0.02 |
| 94 | 6891 | 0.05 | 0.001 | 0.03 |
| 95 | 6892 | <0.03 | <0.001 | 0.03 |
| 96 | 6893 | <0.03 | <0.001 | 0.02 |
| 97 | 6894 | <0.03 | <0.001 | 0.04 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 6801 | 0.62 | 0.018 | 1.04 |
| 36 | 6833 | 0.05 | 0.001 | 0.02 |
| 71 | 6868 | <0.03 | <0.001 | 0.01 |
| ***Repeat:*** | | | | |
| 1 | 6801 | 0.63 | 0.018 | 1.02 |
| 10 | 6809 | 0.07 | 0.002 | 0.04 |
| 15 | 6814 | 0.41 | 0.012 | |
| 16 | 06814-A | 0.15 | 0.004 | |
| 19 | 6817 | 0.33 | 0.010 | 0.03 |
| 26 | 6824 | 0.11 | 0.003 | |
| 27 | 06824-A | 0.12 | 0.003 | |
| 28 | 6825 | 0.44 | 0.013 | |
| 31 | 6828 | 0.69 | 0.020 | |
| 36 | 6833 | <0.03 | <0.001 | 0.02 |
| 39 | 6836 | 0.28 | 0.008 | |
| 45 | 6842 | 0.03 | 0.001 | 0.01 |
| 54 | 6851 | 0.05 | 0.001 | 0.01 |
| 71 | 6868 | <0.03 | <0.001 | 0.01 |
| 80 | 6877 | <0.03 | <0.001 | 0.02 |
| 89 | 6886 | <0.03 | <0.001 | - |

**ECO TECH LABORATORY LTD.**

Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-207**

22-Apr-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| ***Standard:*** | | | | |
| SH13 | | 1.34 | 0.039 | |
| SH13 | | 1.35 | 0.039 | |
| SH13 | | 1.38 | 0.040 | |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.43 |

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

30-Apr-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-207**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample type: Core*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 | 6820 | <0.2 | 0.26 | 65 | 20 | <5 | 1.56 | <1 | 3 | 28 | 122 | 1.48 | <10 | 0.07 | 189 | <1 | 0.02 | 4 | 440 | 4 | <5 | <20 | 20 | <0.01 | <10 | 36 | <10 | 7 | 16 |
| 23 | 6821 | <0.2 | 0.22 | 25 | 20 | <5 | 1.26 | <1 | 2 | 30 | 1601 | 1.26 | <10 | 0.09 | 233 | 2 | 0.03 | 3 | 480 | 2 | <5 | <20 | 15 | <0.01 | <10 | 32 | <10 | 7 | 11 |
| 24 | 6822 | <0.2 | 0.24 | 40 | 20 | <5 | 1.16 | <1 | 2 | 30 | 232 | 1.32 | <10 | 0.07 | 144 | <1 | 0.02 | 3 | 440 | 2 | <5 | <20 | 20 | <0.01 | <10 | 29 | <10 | 6 | 13 |
| 25 | 6823 | <0.2 | 0.20 | 20 | 25 | <5 | 1.67 | <1 | 2 | 27 | 1567 | 0.85 | <10 | 0.10 | 253 | 1 | 0.03 | 3 | 460 | <2 | <5 | <20 | 15 | <0.01 | <10 | 27 | <10 | 8 | 7 |
| 26 | 6824 | 0.2 | 0.18 | 55 | 25 | <5 | 0.83 | <1 | 5 | 27 | 1877 | 0.86 | <10 | 0.09 | 131 | 2 | 0.03 | 2 | 520 | 4 | <5 | <20 | 23 | <0.01 | <10 | 32 | <10 | 6 | 6 |
| 27 | 06824-A | <0.2 | 0.31 | 25 | 15 | <5 | 1.25 | <1 | 3 | 24 | 838 | 1.20 | <10 | 0.11 | 193 | <1 | 0.02 | 2 | 480 | 4 | <5 | <20 | 42 | <0.01 | <10 | 32 | <10 | 8 | 13 |
| 28 | 6825 | <0.2 | 0.28 | 40 | 20 | <5 | 1.03 | <1 | 4 | 26 | 1054 | 1.19 | <10 | 0.09 | 185 | 2 | 0.02 | 3 | 480 | 4 | <5 | <20 | 30 | <0.01 | <10 | 28 | <10 | 6 | 18 |
| 29 | 6826 | 0.6 | 0.20 | 195 | 40 | <5 | 1.43 | <1 | 35 | 24 | 2357 | 1.06 | <10 | 0.28 | 542 | 2 | 0.03 | 5 | 550 | 10 | <5 | <20 | 21 | <0.01 | <10 | 27 | <10 | 8 | 18 |
| 30 | 6827 | 6.5 | 0.20 | 130 | 20 | <5 | 0.32 | <1 | 42 | 18 | >10000 | 0.92 | <10 | 0.08 | 76 | 55 | 0.02 | 3 | * | 32 | <5 | <20 | 23 | <0.01 | <10 | 20 | <10 | 6 | 9 |
| 31 | 6828 | <0.2 | 0.32 | 25 | 15 | <5 | 1.11 | <1 | 4 | 21 | 1048 | 2.18 | 10 | 0.16 | 221 | <1 | 0.02 | 2 | 570 | 6 | <5 | <20 | 39 | <0.01 | <10 | 34 | <10 | 9 | 23 |
| 32 | 6829 | <0.2 | 0.46 | 30 | 15 | <5 | 1.36 | <1 | 4 | 23 | 410 | 1.72 | 10 | 0.22 | 300 | <1 | 0.02 | 5 | 550 | 6 | <5 | <20 | 81 | <0.01 | <10 | 41 | <10 | 9 | 21 |
| 33 | 6830 | 0.2 | 0.33 | 35 | 15 | <5 | 1.67 | <1 | 4 | 23 | 126 | 1.71 | 10 | 0.16 | 315 | <1 | 0.02 | 4 | 620 | 4 | <5 | <20 | 42 | <0.01 | <10 | 44 | <10 | 10 | 19 |
| 34 | 6831 | 0.2 | 0.44 | 40 | 20 | <5 | 0.87 | <1 | 3 | 30 | 121 | 1.97 | 10 | 0.16 | 97 | 1 | 0.02 | 2 | 630 | 4 | <5 | <20 | 64 | <0.01 | <10 | 42 | <10 | 8 | 22 |
| 35 | 6832 | 0.3 | 0.45 | 30 | 15 | <5 | 1.39 | <1 | 4 | 33 | 146 | 1.99 | 20 | 0.19 | 190 | <1 | 0.02 | 5 | 680 | 6 | <5 | <20 | 78 | <0.01 | <10 | 49 | <10 | 10 | 26 |
| 36 | 6833 | <0.2 | 0.36 | 35 | 25 | <5 | 2.23 | <1 | 5 | 32 | 123 | 2.22 | 10 | 0.16 | 387 | 1 | 0.02 | 5 | 640 | 6 | <5 | <20 | 33 | <0.01 | <10 | 44 | <10 | 11 | 25 |

**QC DATA:**

***Repeat:***

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 | 6820 | <0.2 | 0.26 | 70 | 20 | <5 | 1.56 | <1 | 3 | 33 | 132 | 1.49 | <10 | 0.07 | 190 | <1 | 0.02 | 3 | 450 | 2 | <5 | <20 | 20 | <0.01 | <10 | 37 | <10 | 7 | 15 |
| 31 | 6828 | 0.3 | 0.37 | 35 | 15 | <5 | 1.30 | <1 | 5 | 24 | 1042 | 2.53 | 10 | 0.19 | 254 | <1 | 0.02 | 3 | 670 | 10 | <5 | <20 | 46 | <0.01 | <10 | 39 | <10 | 9 | 27 |

***Standard:***

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GEO '04 | | 1.6 | 1.62 | 65 | 150 | <5 | 1.71 | <1 | 20 | 52 | 86 | 3.47 | 20 | 0.95 | 659 | <1 | 0.02 | 31 | 700 | 26 | <5 | <20 | 43 | 0.09 | <10 | 67 | <10 | 9 | 72 |

* not reported due to high spectral interference

JJ/kk
df/214
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ANALYSIS AK 2004-257

**GWR RESOURCES INC.** 7-May-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 64*
*Sample type: Core*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 6781 | 0.1 |
| 2 | 6782 | 0.2 |
| 3 | 6783 | 0.4 |
| 4 | 6784 | 0.1 |
| 5 | 6785 | 0.2 |
| 6 | 6786 | 0.1 |
| 7 | 6787 | 0.1 |
| 8 | 6788 | 0.1 |
| 9 | 6789 | 0.1 |
| 10 | 6790 | 0.1 |
| 11 | 6791 | 0.3 |
| 12 | 6792 | 2.9 |
| 13 | 6793 | 0.3 |
| 14 | 6794 | 0.4 |
| 15 | 6795 | 0.4 |
| 16 | 6796 | 0.3 |
| 17 | 6797 | 0.3 |
| 18 | 6798 | 0.3 |
| 19 | 6799 | 0.3 |
| 20 | 6800 | 0.4 |
| 21 | 6895 | 0.3 |
| 22 | 6896 | 0.4 |
| 23 | 6897 | 0.3 |
| 24 | 6898 | 0.3 |
| 25 | 6899 | 0.2 |
| 26 | 6900 | 0.2 |
| 27 | 8351 | 0.2 |
| 28 | 8352 | 0.3 |
| 29 | 8353 | 0.3 |
| 30 | 8354 | 0.2 |
| 31 | 8355 | 0.3 |
| 32 | 8356 | 0.2 |
| 33 | 8357 | 1.2 |
| 34 | 8358 | 0.3 |
| 35 | 8359 | 0.7 |
| 36 | 8360 | 1.0 |
| 37 | 8361 | 2.0 |
| 38 | 8362 | 3.8 |
| 39 | 8363 | 0.3 |

**GWR RESOURCES INC. AK4-257** 7-May-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 40 | 8364 | 0.2 |
| 41 | 8365 | 0.1 |
| 42 | 8366 | 0.3 |
| 43 | 8367 | 0.4 |
| 44 | 8368 | 1.2 |
| 45 | 8369 | 0.7 |
| 46 | 8370 | 0.3 |
| 47 | 8371 | 0.5 |
| 48 | 8372 | 1.0 |
| 49 | 8373 | 0.5 |
| 50 | 8374 | 0.4 |
| 51 | 8375 | 0.2 |
| 52 | 8376 | 0.4 |
| 53 | 8377 | 0.4 |
| 54 | 8378 | 0.8 |
| 55 | 8379 | 0.4 |
| 56 | 8380 | 0.4 |
| 57 | 8381 | 0.3 |
| 58 | 8382 | 0.4 |
| 59 | 8383 | 0.3 |
| 60 | 8384 | 0.5 |
| 61 | 8385 | 0.4 |
| 62 | 8386 | 0.3 |
| 63 | 8387 | 0.3 |
| 64 | 8388 | 0.4 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | 6781 | 0.2 |
| 36 | 8360 | 1.2 |

***Repeat:***

| | | |
|---|---|---|
| 1 | 6781 | 0.1 |
| 10 | 6790 | 0.1 |
| 19 | 6799 | 0.3 |
| 36 | 8360 | 1.0 |
| 45 | 8369 | 0.8 |
| 54 | 8378 | 0.8 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.5 |
| GEO'04 | 1.4 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ASSAY AK 2004-257

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

7-May-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 64*
*Sample type: Core*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 6781 | <0.03 | <0.001 | 0.03 |
| 2 | 6782 | 0.05 | 0.001 | 0.05 |
| 3 | 6783 | <0.03 | <0.001 | 0.02 |
| 4 | 6784 | <0.03 | <0.001 | 0.03 |
| 5 | 6785 | <0.03 | <0.001 | 0.02 |
| 6 | 6786 | <0.03 | <0.001 | 0.02 |
| 7 | 6787 | <0.03 | <0.001 | 0.01 |
| 8 | 6788 | <0.03 | <0.001 | 0.02 |
| 9 | 6789 | <0.03 | <0.001 | 0.08 |
| 10 | 6790 | <0.03 | <0.001 | 0.01 |
| 11 | 6791 | <0.03 | <0.001 | 0.01 |
| 12 | 6792 | <0.03 | <0.001 | 0.02 |
| 13 | 6793 | <0.03 | <0.001 | 0.01 |
| 14 | 6794 | <0.03 | <0.001 | 0.03 |
| 15 | 6795 | <0.03 | <0.001 | 0.04 |
| 16 | 6796 | <0.03 | <0.001 | 0.02 |
| 17 | 6797 | <0.03 | <0.001 | 0.02 |
| 18 | 6798 | <0.03 | <0.001 | 0.02 |
| 19 | 6799 | <0.03 | <0.001 | 0.02 |
| 20 | 6800 | <0.03 | <0.001 | 0.03 |
| 21 | 6895 | <0.03 | <0.001 | 0.02 |
| 22 | 6896 | <0.03 | <0.001 | 0.02 |
| 23 | 6897 | <0.03 | <0.001 | 0.01 |
| 24 | 6898 | 0.04 | 0.001 | 0.02 |
| 25 | 6899 | 0.10 | 0.003 | 0.02 |
| 26 | 6900 | <0.03 | <0.001 | 0.01 |
| 27 | 8351 | <0.03 | <0.001 | 0.02 |
| 28 | 8352 | 0.04 | 0.001 | 0.02 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-257** 7-May-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 29 | 8353 | 0.10 | 0.003 | 0.02 |
| 30 | 8354 | 0.04 | 0.001 | 0.03 |
| 31 | 8355 | <0.03 | <0.001 | 0.02 |
| 32 | 8356 | 0.07 | 0.002 | 0.01 |
| 33 | 8357 | 0.13 | 0.004 | 0.30 |
| 34 | 8358 | 0.07 | 0.002 | 0.05 |
| 35 | 8359 | 0.05 | 0.001 | 0.16 |
| 36 | 8360 | 0.10 | 0.003 | 0.23 |
| 37 | 8361 | 0.18 | 0.005 | 0.44 |
| 38 | 8362 | 0.28 | 0.008 | 0.86 |
| 39 | 8363 | <0.03 | <0.001 | 0.07 |
| 40 | 8364 | <0.03 | <0.001 | 0.02 |
| 41 | 8365 | <0.03 | <0.001 | 0.01 |
| 42 | 8366 | <0.03 | <0.001 | 0.03 |
| 43 | 8367 | 0.03 | 0.001 | 0.07 |
| 44 | 8368 | 0.08 | 0.002 | 0.27 |
| 45 | 8369 | 0.05 | 0.001 | 0.11 |
| 46 | 8370 | 0.10 | 0.003 | 0.03 |
| 47 | 8371 | 0.06 | 0.002 | 0.06 |
| 48 | 8372 | 0.34 | 0.010 | 0.15 |
| 49 | 8373 | 0.03 | 0.001 | 0.04 |
| 50 | 8374 | 0.03 | 0.001 | 0.01 |
| 51 | 8375 | <0.03 | <0.001 | 0.01 |
| 52 | 8376 | 0.14 | 0.004 | 0.03 |
| 53 | 8377 | <0.03 | <0.001 | 0.02 |
| 54 | 8378 | 0.08 | 0.002 | 0.11 |
| 55 | 8379 | 0.04 | 0.001 | 0.03 |
| 56 | 8380 | <0.03 | <0.001 | 0.01 |
| 57 | 8381 | <0.03 | <0.001 | 0.02 |
| 58 | 8382 | <0.03 | <0.001 | 0.02 |
| 59 | 8383 | <0.03 | <0.001 | 0.02 |
| 60 | 8384 | 0.06 | 0.002 | 0.06 |
| 61 | 8385 | <0.03 | <0.001 | 0.04 |
| 62 | 8386 | <0.03 | <0.001 | 0.03 |
| 63 | 8387 | <0.03 | <0.001 | 0.03 |
| 64 | 8388 | <0.03 | <0.001 | 0.05 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 6781 | <0.03 | <0.001 | 0.02 |
| 36 | 8360 | 0.08 | 0.002 | 0.24 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse

B.C. Certified Assayer

**GWR RESOURCES INC. AK4-257** 7-May-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| ***Repeat:*** | | | | |
| 1 | 6781 | <0.03 | <0.001 | 0.03 |
| 10 | 6790 | <0.03 | <0.001 | 0.01 |
| 19 | 6799 | <0.03 | <0.001 | 0.02 |
| 36 | 8360 | 0.09 | 0.003 | 0.23 |
| 45 | 8369 | 0.07 | 0.002 | 0.11 |
| 54 | 8378 | 0.05 | 0.001 | 0.11 |
| ***Standard:*** | | | | |
| OX123 | | 1.81 | 0.053 | |
| OX123 | | 1.88 | 0.055 | |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ANALYSIS AK 2004-278

**GWR RESOURCES INC.** 11-May-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 36*
*Sample type: Rock*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 14101 | 0.2 |
| 2 | 14102 | 0.2 |
| 3 | 14103 | 0.2 |
| 4 | 14104 | 0.2 |
| 5 | 14105 | 0.2 |
| 6 | 14106 | 0.1 |
| 7 | 14107 | 0.1 |
| 8 | 14108 | <0.1 |
| 9 | 14109 | <0.1 |
| 10 | 14110 | 0.1 |
| 11 | 14111 | 0.5 |
| 12 | 14112 | 0.6 |
| 13 | 14113 | 0.6 |
| 14 | 14114 | 0.8 |
| 15 | 14115 | 0.7 |
| 16 | 14116 | 0.1 |
| 17 | 14117 | 0.3 |
| 18 | 14118 | 0.2 |
| 19 | 14119 | 0.4 |
| 20 | 14120 | 0.3 |
| 21 | 14121 | 1.3 |
| 22 | 14122 | 0.3 |
| 23 | 14123 | 0.1 |
| 24 | 14124 | 0.2 |
| 25 | 14125 | 0.1 |
| 26 | 14126 | 0.1 |
| 27 | 14127 | 0.1 |
| 28 | 14128 | 0.1 |
| 29 | 14129 | 0.2 |
| 30 | 14130 | 0.1 |
| 31 | 14131 | 0.1 |

**GWR RESOURCES INC. AK4-278** 11-May-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 32 | 14132 | 0.2 |
| 33 | 14133 | 0.2 |
| 34 | 14134 | 0.1 |
| 35 | 14135 | 0.5 |
| 36 | 14136 | 0.8 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | 14101 | 0.2 |
| 36 | 14136 | 0.8 |

***Repeat:***

| | | |
|---|---|---|
| 1 | 14101 | 0.2 |
| 10 | 14110 | 0.1 |
| 19 | 14119 | 0.4 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.5 |
| GEO'04 | 1.4 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ASSAY AK 2004-278

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

11-May-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 36*
*Sample type: Rock*

| ET #. | Tag # | | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|---|
| 1 | 14101 | | 0.05 | 0.001 | 0.03 |
| 2 | 14102 | | 0.07 | 0.002 | 0.02 |
| 3 | 14103 | | 0.03 | 0.001 | 0.02 |
| 4 | 14104 | | 0.05 | 0.001 | 0.02 |
| 5 | 14105 | | 0.05 | 0.001 | 0.02 |
| 6 | 14106 | | 0.06 | 0.002 | 0.02 |
| 7 | 14107 | | 0.06 | 0.002 | 0.01 |
| 8 | 14108 | | 0.03 | 0.001 | 0.11 |
| 9 | 14109 | | 0.03 | 0.001 | 0.10 |
| 10 | 14110 | | 0.08 | 0.002 | 0.02 |
| 11 | 14111 | | 0.15 | 0.004 | 0.19 |
| 12 | 14112 | | 0.10 | 0.003 | 0.14 |
| 13 | 14113 | * | 0.14 | 0.004 | 0.39 |
| 14 | 14114 | | 0.18 | 0.005 | 0.37 |
| 15 | 14115 | | 0.09 | 0.003 | 0.25 |
| 16 | 14116 | | 0.08 | 0.002 | 0.10 |
| 17 | 14117 | | 0.06 | 0.002 | 0.19 |
| 18 | 14118 | | 0.03 | 0.001 | 0.01 |
| 19 | 14119 | | 0.17 | 0.005 | 0.04 |
| 20 | 14120 | | 0.08 | 0.002 | 0.05 |
| 21 | 14121 | | <0.03 | <0.001 | 0.01 |
| 22 | 14122 | | 0.07 | 0.002 | 0.03 |
| 23 | 14123 | | 0.29 | 0.008 | 0.02 |
| 24 | 14124 | | 0.07 | 0.002 | 0.02 |
| 25 | 14125 | | 0.05 | 0.001 | 0.02 |
| 26 | 14126 | | 0.03 | 0.001 | 0.01 |
| 27 | 14127 | | 0.04 | 0.001 | 0.01 |

**NOTE: * = *Metallic Au Assay***

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-278** 11-May-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 28 | 14128 | 0.05 | 0.001 | 0.02 |
| 29 | 14129 | 0.08 | 0.002 | 0.11 |
| 30 | 14130 | 0.06 | 0.002 | 0.02 |
| 31 | 14131 | 0.14 | 0.004 | 0.05 |
| 32 | 14132 | 0.08 | 0.002 | 0.05 |
| 33 | 14133 | 0.17 | 0.005 | 0.08 |
| 34 | 14134 | 0.14 | 0.004 | 0.04 |
| 35 | 14135 | 1.11 | 0.032 | 0.12 |
| 36 | 14136 | 1.04 | 0.030 | 0.29 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 14101 | 0.05 | 0.001 | 0.03 |
| 36 | 14136 | 1.13 | 0.033 | 0.30 |
| ***Repeat:*** | | | | |
| 1 | 14101 | 0.05 | 0.001 | 0.03 |
| 10 | 14110 | 0.08 | 0.002 | 0.02 |
| 19 | 14119 | 0.16 | 0.005 | 4.00 |
| ***Standard:*** | | | | |
| SH13 | | 1.32 | 0.038 | |
| SH13 | | 1.33 | 0.039 | |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.42 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ANALYSIS AK 2004-285

**GWR RESOURCES INC.** 17-May-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 51*
*Sample type: Core*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | D3001 | 0.1 |
| 2 | D3002 | <0.1 |
| 3 | D3003 | <0.1 |
| 4 | D3004 | <0.1 |
| 5 | D3005 | <0.1 |
| 6 | D3006 | <0.1 |
| 7 | D3007 | <0.1 |
| 8 | D3008 | <0.1 |
| 9 | D3009 | <0.1 |
| 10 | E14137 | 0.1 |
| 11 | E14138 | 0.1 |
| 12 | E14139 | 1.0 |
| 13 | E14140 | 0.2 |
| 14 | E14141 | 0.1 |
| 15 | E14142 | 0.2 |
| 16 | E14143 | 0.6 |
| 17 | E14144 | 0.3 |
| 18 | E14145 | 0.7 |
| 19 | E14146 | 2.3 |
| 20 | E14147 | 0.4 |
| 21 | E14148 | 1.4 |
| 22 | E14149 | 0.6 |
| 23 | E14150 | 0.2 |
| 24 | E14151 | 0.2 |
| 25 | E14152 | 0.1 |
| 26 | E14153 | 1.6 |
| 27 | E14154 | 0.7 |
| 28 | E14155 | 0.2 |
| 29 | E14156 | 0.2 |
| 30 | E14157 | 0.3 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK2004-285** 17-May-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 31 | E14158 | 0.5 |
| 32 | E14159 | 0.1 |
| 33 | E14160 | 0.1 |
| 34 | E14161 | <0.1 |
| 35 | E14162 | <0.1 |
| 36 | E14163 | 0.1 |
| 37 | E14164 | 0.1 |
| 38 | E14165 | 0.1 |
| 39 | E14166 | <0.1 |
| 40 | E08389 | 0.1 |
| 41 | E08390 | 0.1 |
| 42 | E08391 | 0.1 |
| 43 | E08392 | <0.1 |
| 44 | E08393 | 0.1 |
| 45 | E08394 | 0.1 |
| 46 | E08395 | 0.2 |
| 47 | E08396 | 0.2 |
| 48 | E08397 | 0.1 |
| 49 | E08398 | 0.3 |
| 50 | E08399 | 0.2 |
| 51 | E08400 | <0.1 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | D3001 | 0.1 |
| 36 | E14163 | 0.1 |

***Repeat:***

| | | |
|---|---|---|
| 1 | D3001 | <0.1 |
| 10 | E14137 | 0.1 |
| 19 | E14146 | 2.1 |
| 36 | E14163 | 0.1 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.6 |
| GEO'04 | 1.5 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/cr
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ASSAY AK 2004-285

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

17-May-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 51*
*Sample type: Core*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | D3001 | 0.04 | 0.001 | 0.02 |
| 2 | D3002 | 0.15 | 0.004 | 0.01 |
| 3 | D3003 | <0.03 | <0.001 | <0.01 |
| 4 | D3004 | <0.03 | <0.001 | <0.01 |
| 5 | D3005 | <0.03 | <0.001 | <0.01 |
| 6 | D3006 | <0.03 | <0.001 | 0.01 |
| 7 | D3007 | <0.03 | <0.001 | <0.01 |
| 8 | D3008 | <0.03 | <0.001 | 0.02 |
| 9 | D3009 | <0.03 | <0.001 | 0.02 |
| 10 | E14137 | 0.05 | 0.001 | 0.04 |
| 11 | E14138 | 0.17 | 0.005 | 0.09 |
| 12 | E14139 | 0.63 | 0.018 | 0.17 |
| 13 | E14140 | 0.16 | 0.005 | 0.11 |
| 14 | E14141 | 0.09 | 0.003 | 0.03 |
| 15 | E14142 | 0.55 | 0.016 | 0.09 |
| 16 | E14143 | 0.78 | 0.023 | 0.28 |
| 17 | E14144 | 0.26 | 0.008 | 0.14 |
| 18 | E14145 | 0.45 | 0.013 | 0.17 |
| 19 | E14146 | 1.26 | 0.037 | 0.34 |
| 20 | E14147 | 0.55 | 0.016 | 0.28 |
| 21 | E14148 | 1.16 | 0.034 | 0.48 |
| 22 | E14149 | 0.32 | 0.009 | 0.18 |
| 23 | E14150 | 0.10 | 0.003 | 0.10 |
| 24 | E14151 | 0.11 | 0.003 | 0.09 |
| 25 | E14152 | 0.06 | 0.002 | 0.04 |
| 26 | E14153 | 0.54 | 0.016 | 0.57 |
| 27 | E14154 | 0.36 | 0.010 | 0.31 |
| 28 | E14155 | 0.19 | 0.006 | 0.13 |
| 29 | E14156 | 0.39 | 0.011 | 0.10 |
| 30 | E14157 | 0.12 | 0.003 | 0.11 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK2004-285** 17-May-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 31 | E14158 | 0.10 | 0.003 | 0.14 |
| 32 | E14159 | 0.06 | 0.002 | 0.02 |
| 33 | E14160 | <0.03 | <0.001 | 0.03 |
| 34 | E14161 | 0.12 | 0.003 | <0.01 |
| 35 | E14162 | <0.03 | <0.001 | <0.01 |
| 36 | E14163 | <0.03 | <0.001 | 0.03 |
| 37 | E14164 | <0.03 | <0.001 | 0.02 |
| 38 | E14165 | 0.07 | 0.002 | 0.01 |
| 39 | E14166 | <0.03 | <0.001 | 0.01 |
| 40 | E08389 | <0.03 | <0.001 | 0.02 |
| 41 | E08390 | <0.03 | <0.001 | 0.02 |
| 42 | E08391 | <0.03 | <0.001 | 0.02 |
| 43 | E08392 | <0.03 | <0.001 | 0.02 |
| 44 | E08393 | <0.03 | <0.001 | 0.01 |
| 45 | E08394 | <0.03 | <0.001 | 0.01 |
| 46 | E08395 | 0.05 | 0.001 | 0.02 |
| 47 | E08396 | <0.03 | <0.001 | 0.04 |
| 48 | E08397 | <0.03 | <0.001 | 0.02 |
| 49 | E08398 | 0.15 | 0.004 | 0.06 |
| 50 | E08399 | <0.03 | <0.001 | 0.01 |
| 51 | E08400 | <0.03 | <0.001 | 0.01 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | D3001 | 0.05 | 0.001 | 0.02 |
| 36 | E14163 | <0.03 | <0.001 | 0.02 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | D3001 | 0.03 | 0.001 | 0.02 |
| 10 | E14137 | 0.06 | 0.002 | 0.04 |
| 12 | E14139 | 0.60 | - | 0.02 |
| 15 | E14142 | 0.50 | 0.015 | - |
| 16 | E14143 | 0.83 | 0.024 | - |
| 17 | E14144 | 0.29 | 0.008 | - |
| 19 | E14146 | - | - | 0.33 |
| 21 | E14148 | 1.19 | - | 0.47 |
| 30 | E14157 | - | - | 0.10 |
| 36 | E14163 | <0.03 | <0.001 | 0.03 |

***Standard:***

| | | | |
|---|---|---|---|
| OX123 | 1.80 | 0.052 | - |
| OX123 | 1.86 | 0.054 | - |
| Cu106 | - | - | 1.41 |
| Pb106 | - | - | 0.60 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/cr
XLS/04
*Fax GWR - 250-546-3635* *CC: Geoquest - Warner*
*CC: Scott Berky Fax - 250-457-6710* *CC: Brian Callaghan*

# CERTIFICATE OF ANALYSIS AK 2004-325

**GWR RESOURCES INC.** 26-May-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 88*
*Sample Type: Core*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 14167 | 0.1 |
| 2 | 14168 | 0.1 |
| 3 | 14169 | 0.1 |
| 4 | 14170 | 0.5 |
| 5 | 14171 | 0.7 |
| 6 | 14172 | 0.3 |
| 7 | 14173 | 0.2 |
| 8 | 14174 | 0.2 |
| 9 | 14175 | 0.2 |
| 10 | 14176 | <0.1 |
| 11 | 14177 | 0.6 |
| 12 | 14178 | 0.2 |
| 13 | 14179 | 0.1 |
| 14 | 14180 | 0.2 |
| 15 | 14181 | 0.1 |
| 16 | 14182 | <0.1 |
| 17 | 14183 | 0.3 |
| 18 | 14184 | 0.4 |
| 19 | 14185 | 1.1 |
| 20 | 14186 | 0.6 |
| 21 | 14187 | 0.3 |
| 22 | 14188 | 0.3 |
| 23 | 14189 | 0.4 |
| 24 | 14190 | 0.1 |
| 25 | 14191 | 0.3 |
| 26 | 14192 | 0.3 |
| 27 | 14193 | 0.2 |
| 28 | 14194 | 0.2 |
| 29 | 14195 | 0.3 |
| 30 | 14196 | 0.2 |

**GWR RESOURCES INC. AK4-325** 26-May-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 31 | 14197 | 0.3 |
| 32 | 14198 | 0.3 |
| 33 | 14199 | 1.0 |
| 34 | 14200 | 0.3 |
| 35 | 14201 | 0.2 |
| 36 | 14202 | 0.1 |
| 37 | 14203 | 0.2 |
| 38 | 14204 | 0.2 |
| 39 | 14205 | 0.2 |
| 40 | 14206 | 0.2 |
| 41 | 14207 | 0.1 |
| 42 | 14208 | <0.1 |
| 43 | 14209 | 0.1 |
| 44 | 14210 | 0.3 |
| 45 | 14211 | <0.1 |
| 46 | 14212 | <0.1 |
| 47 | 14213 | <0.1 |
| 48 | 14214 | 0.3 |
| 49 | 14215 | <0.1 |
| 50 | 14216 | 1.8 |
| 51 | 14217 | 0.9 |
| 52 | 14218 | 0.1 |
| 53 | 14219 | 0.4 |
| 54 | 14220 | 0.1 |
| 55 | 14221 | 0.2 |
| 56 | 14222 | 0.5 |
| 57 | 14223 | 0.3 |
| 58 | 14224 | 0.7 |
| 59 | 14225 | 0.2 |
| 60 | 14226 | 0.4 |
| 61 | 14227 | 0.3 |
| 62 | 14228 | 0.2 |
| 63 | 14229 | 0.1 |
| 64 | 14230 | 0.3 |
| 65 | 14231 | 0.1 |
| 66 | 14232 | 0.2 |
| 67 | 14233 | 0.4 |
| 68 | 14234 | 0.2 |
| 69 | 14235 | 0.1 |
| 70 | 14236 | 0.2 |
| 71 | 14237 | 0.3 |
| 72 | 14238 | 0.3 |
| 73 | 14239 | 0.1 |
| 74 | 14240 | 0.1 |
| 75 | 14241 | 0.4 |
| 76 | 14242 | 0.1 |
| 77 | 14243 | 0.1 |
| 78 | 14244 | 0.1 |
| 79 | 14245 | 0.1 |

**GWR RESOURCES INC. AK4-325** 26-May-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 80 | 14246 | 0.2 |
| 81 | 14247 | 0.1 |
| 82 | 14248 | 0.1 |
| 83 | 14249 | 0.2 |
| 84 | 14250 | 0.2 |
| 85 | 14251 | 0.1 |
| 86 | 14252 | <0.1 |
| 87 | 14253 | <0.1 |
| 88 | 14254 | <0.1 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | 14167 | 0.2 |
| 36 | 14202 | 0.1 |
| 71 | 14237 | 0.3 |

***Repeat:***

| | | |
|---|---|---|
| 1 | 14167 | 0.1 |
| 10 | 14176 | 0.1 |
| 19 | 14185 | 1.1 |
| 36 | 14202 | 0.1 |
| 45 | 14211 | <0.1 |
| 54 | 14220 | 0.1 |
| 71 | 14237 | 0.3 |

***Standard:***

| | |
|---|---|
| GEO'04 | 1.5 |
| GEO'04 | 1.6 |
| GEO'04 | 1.5 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ASSAY AK 2004-325

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

26-May-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 88*
*Sample type: Core*
***Project #: Not indicated***
***Shipment #: Not indicated***
*Samples submitted by: Not indicated*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 14167 | <0.03 | <0.001 | 0.01 |
| 2 | 14168 | <0.03 | <0.001 | <0.01 |
| 3 | 14169 | 0.03 | 0.001 | 0.03 |
| 4 | 14170 | 0.06 | 0.002 | 0.22 |
| 5 | 14171 | 0.21 | 0.006 | 0.21 |
| 6 | 14172 | 0.03 | 0.001 | 0.06 |
| 7 | 14173 | <0.03 | <0.001 | 0.03 |
| 8 | 14174 | 0.03 | 0.001 | 0.02 |
| 9 | 14175 | <0.03 | <0.001 | 0.01 |
| 10 | 14176 | 0.05 | 0.001 | 0.03 |
| 11 | 14177 | 0.03 | 0.001 | 0.01 |
| 12 | 14178 | 0.03 | 0.001 | 0.04 |
| 13 | 14179 | <0.03 | <0.001 | <0.01 |
| 14 | 14180 | 0.08 | 0.002 | 0.07 |
| 15 | 14181 | <0.03 | <0.001 | 0.01 |
| 16 | 14182 | 0.06 | 0.002 | 0.12 |
| 17 | 14183 | 0.05 | 0.001 | 0.02 |
| 18 | 14184 | 0.33 | 0.010 | 0.13 |
| 19 | 14185 | 0.29 | 0.008 | 0.31 |
| 20 | 14186 | 0.05 | 0.001 | 0.08 |
| 21 | 14187 | 0.04 | 0.001 | 0.09 |
| 22 | 14188 | 0.03 | 0.001 | 0.07 |
| 23 | 14189 | <0.03 | <0.001 | 0.05 |
| 24 | 14190 | 0.04 | 0.001 | 0.06 |
| 25 | 14191 | 0.03 | 0.001 | 0.10 |
| 26 | 14192 | <0.03 | <0.001 | 0.08 |
| 27 | 14193 | <0.03 | <0.001 | 0.03 |
| 28 | 14194 | <0.03 | <0.001 | 0.06 |
| 29 | 14195 | 0.04 | 0.001 | 0.15 |
| 30 | 14196 | 0.03 | 0.001 | 0.04 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-325** 26-May-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 31 | 14197 | <0.03 | <0.001 | 0.03 |
| 32 | 14198 | 0.03 | 0.001 | 0.02 |
| 33 | 14199 | 0.23 | 0.007 | 0.06 |
| 34 | 14200 | 0.06 | 0.002 | 0.11 |
| 35 | 14201 | 0.04 | 0.001 | 0.05 |
| 36 | 14202 | 0.11 | 0.003 | 0.09 |
| 37 | 14203 | 0.24 | 0.007 | 0.09 |
| 38 | 14204 | 0.14 | 0.004 | 0.22 |
| 39 | 14205 | 0.08 | 0.002 | 0.10 |
| 40 | 14206 | 0.06 | 0.002 | 0.06 |
| 41 | 14207 | 0.13 | 0.004 | 0.16 |
| 42 | 14208 | 0.07 | 0.002 | 0.06 |
| 43 | 14209 | 0.09 | 0.003 | 0.08 |
| 44 | 14210 | 0.24 | 0.007 | 0.19 |
| 45 | 14211 | 0.03 | 0.001 | 0.05 |
| 46 | 14212 | 0.06 | 0.002 | 0.06 |
| 47 | 14213 | 0.05 | 0.001 | 0.04 |
| 48 | 14214 | 0.09 | 0.003 | 0.12 |
| 49 | 14215 | 0.07 | 0.002 | 0.10 |
| 50 | 14216 | 0.45 | 0.013 | 0.18 |
| 51 | 14217 | 0.28 | 0.008 | 0.09 |
| 52 | 14218 | 0.07 | 0.002 | 0.09 |
| 53 | 14219 | 0.14 | 0.004 | 0.17 |
| 54 | 14220 | 0.15 | 0.004 | 0.10 |
| 55 | 14221 | 0.09 | 0.003 | 0.11 |
| 56 | 14222 | 0.39 | 0.011 | 0.32 |
| 57 | 14223 | 0.12 | 0.003 | 0.12 |
| 58 | 14224 | 0.43 | 0.013 | 0.45 |
| 59 | 14225 | 0.06 | 0.002 | 0.08 |
| 60 | 14226 | 0.56 | 0.016 | 0.22 |
| 61 | 14227 | 0.10 | 0.003 | 0.22 |
| 62 | 14228 | 0.10 | 0.003 | 0.15 |
| 63 | 14229 | <0.03 | <0.001 | 0.03 |
| 64 | 14230 | 0.09 | 0.003 | 0.11 |
| 65 | 14231 | 0.03 | 0.001 | 0.05 |
| 66 | 14232 | 0.08 | 0.002 | 0.10 |
| 67 | 14233 | 0.07 | 0.002 | 0.18 |
| 68 | 14234 | 0.04 | 0.001 | 0.06 |
| 69 | 14235 | 0.03 | 0.001 | 0.12 |
| 70 | 14236 | 0.05 | 0.001 | 0.12 |
| 71 | 14237 | 0.17 | 0.005 | 0.12 |
| 72 | 14238 | 0.07 | 0.002 | 0.10 |
| 73 | 14239 | 0.05 | 0.001 | 0.06 |
| 74 | 14240 | 0.07 | 0.002 | 0.10 |
| 75 | 14241 | 0.06 | 0.002 | 0.16 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-325** 26-May-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 76 | 14242 | 0.09 | 0.003 | 0.04 |
| 77 | 14243 | 0.04 | 0.001 | 0.03 |
| 78 | 14244 | 0.05 | 0.001 | 0.06 |
| 79 | 14245 | <0.03 | <0.001 | 0.12 |
| 80 | 14246 | 0.06 | 0.002 | 0.15 |
| 81 | 14247 | 0.04 | 0.001 | 0.09 |
| 82 | 14248 | 0.03 | 0.001 | 0.08 |
| 83 | 14249 | 0.05 | 0.001 | 0.12 |
| 84 | 14250 | 0.04 | 0.001 | 0.09 |
| 85 | 14251 | 0.03 | 0.001 | 0.08 |
| 86 | 14252 | <0.03 | <0.001 | 0.05 |
| 87 | 14253 | <0.03 | <0.001 | 0.02 |
| 88 | 14254 | <0.03 | <0.001 | 0.03 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 14167 | <0.03 | <0.001 | 0.01 |
| 36 | 14202 | 0.09 | 0.003 | 0.09 |
| 71 | 14237 | 0.18 | 0.005 | 0.12 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 14167 | <0.03 | <0.001 | 0.01 |
| 10 | 14176 | 0.03 | 0.001 | 0.02 |
| 19 | 14185 | 0.28 | 0.008 | 0.31 |
| 36 | 14202 | 0.11 | 0.003 | 0.09 |
| 45 | 14211 | 0.04 | 0.001 | 0.05 |
| 54 | 14220 | 0.15 | 0.004 | 0.10 |
| 71 | 14237 | 0.16 | 0.005 | 0.12 |

***Standard:***

| | | | |
|---|---|---|---|
| CU106 | | | 1.39 |
| CU106 | | | 1.39 |
| CU106 | | | 1.39 |
| SH13 | 1.34 | 0.039 | |
| SH13 | 1.32 | 0.038 | |
| SH13 | 1.35 | 0.039 | |

JJ/jm
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ANALYSIS AK 2004-354

**GWR RESOURCES INC.** 1-Jun-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 125*
*Sample Type: Rock*
***Project #: Not indicated***
***Shipment #: Not indicated***
*Samples submitted by:Not indicated*

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 1 | 14255 | <0.1 |
| 2 | 14256 | <0.1 |
| 3 | 14257 | <0.1 |
| 4 | 14258 | <0.1 |
| 5 | 14259 | 0.1 |
| 6 | 14260 | 0.1 |
| 7 | 14261 | 0.1 |
| 8 | 14262 | <0.1 |
| 9 | 14263 | <0.1 |
| 10 | 14264 | <0.1 |
| 11 | 14265 | <0.1 |
| 12 | 14266 | 0.1 |
| 13 | 14267 | 0.3 |
| 14 | 14268 | 0.1 |
| 15 | 14269 | <0.1 |
| 16 | 14270 | 0.1 |
| 17 | 14271 | 0.1 |
| 18 | 14272 | 0.1 |
| 19 | 14273 | 0.2 |
| 20 | 14274 | 0.1 |
| 21 | 14275 | 0.1 |
| 22 | 14276 | 0.4 |
| 23 | 14277 | 0.1 |
| 24 | 14278 | 0.1 |
| 25 | 14279 | 0.4 |
| 26 | 14280 | 0.3 |
| 27 | 14281 | 0.5 |
| 28 | 14282 | 0.2 |

**GWR RESOURCES INC. AK04-354** 1-Jun-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 29 | 14283 | 0.4 |
| 30 | 14284 | 0.6 |
| 31 | 14285 | 0.5 |
| 32 | 14286 | 0.1 |
| 33 | 14287 | 0.2 |
| 34 | 14288 | 0.2 |
| 35 | 14289 | 0.2 |
| 36 | 14290 | 0.2 |
| 37 | 14291 | 0.1 |
| 38 | 14292 | 0.1 |
| 39 | 14293 | 0.1 |
| 40 | 14294 | 0.1 |
| 41 | 14295 | 0.6 |
| 42 | 14296 | 0.1 |
| 43 | 14297 | 0.1 |
| 44 | 14298 | 0.5 |
| 45 | 14299 | 0.1 |
| 46 | 14300 | 0.1 |
| 47 | 15000 | 0.1 |
| 48 | 15001 | <0.1 |
| 49 | 15002 | 0.3 |
| 50 | 15003 | 3.3 |
| 51 | 15004 | 0.4 |
| 52 | 15005 | <0.1 |
| 53 | 15006 | 0.1 |
| 54 | 15007 | 0.1 |
| 55 | 15008 | 0.1 |
| 56 | 15009 | 0.1 |
| 57 | 15010 | 0.1 |
| 58 | 15011 | 0.2 |
| 59 | 15012 | <0.1 |
| 60 | 15013 | 0.1 |
| 61 | 15014 | 0.1 |
| 62 | 15015 | <0.1 |
| 63 | 15016 | <0.1 |
| 64 | 15017 | <0.1 |
| 65 | 15018 | <0.1 |
| 66 | 15019 | 0.1 |
| 67 | 15020 | <0.1 |
| 68 | 15021 | <0.1 |
| 69 | 15022 | 6.0 |
| 70 | 15023 | 0.4 |
| 71 | 15024 | 0.1 |
| 72 | 15025 | 0.1 |
| 73 | 15026 | 0.1 |
| 74 | 15027 | 0.1 |
| 75 | 15028 | 0.1 |
| 76 | 15029 | 0.2 |
| 77 | 15030 | 0.9 |

**GWR RESOURCES INC. AK04-354** 1-Jun-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| 78 | 15031 | 0.5 |
| 79 | 15032 | 0.6 |
| 80 | 15033 | 0.3 |
| 81 | 15034 | 0.4 |
| 82 | 15035 | 6.0 |
| 83 | 15036 | 3.2 |
| 84 | 15037 | 1.0 |
| 85 | 15038 | 0.3 |
| 86 | 15039 | 0.9 |
| 87 | 15040 | 0.2 |
| 88 | 15041 | 0.2 |
| 89 | 15042 | 0.1 |
| 90 | 15043 | 0.3 |
| 91 | 15044 | 0.4 |
| 92 | 15045 | 0.4 |
| 93 | 15046 | 0.2 |
| 94 | 15047 | 0.2 |
| 95 | 15048 | 0.1 |
| 96 | 15049 | 0.2 |
| 97 | 15050 | 0.2 |
| 98 | 15051 | 0.2 |
| 99 | 15052 | 0.4 |
| 100 | 15053 | 0.2 |
| 101 | 15054 | 0.3 |
| 102 | 15055 | 0.1 |
| 103 | 15056 | 0.1 |
| 104 | 15057 | 0.2 |
| 105 | 15058 | 0.2 |
| 106 | 15059 | 0.1 |
| 107 | 15060 | 0.2 |
| 108 | 15061 | 0.2 |
| 109 | 15062 | <0.1 |
| 110 | 15063 | 0.2 |
| 111 | 15064 | 0.2 |
| 112 | 15065 | 0.2 |
| 113 | 15066 | 0.3 |
| 114 | 15067 | 0.3 |
| 115 | 15068 | 0.2 |
| 116 | 15069 | 0.2 |
| 117 | 15070 | 0.7 |
| 118 | 15071 | 0.5 |
| 119 | 15072 | 0.2 |
| 120 | 15073 | 0.6 |
| 121 | 15074 | 0.2 |
| 122 | 15075 | <0.1 |
| 123 | 15076 | 0.1 |
| 124 | 15077 | 0.1 |
| 125 | 15078 | 0.1 |

**GWR RESOURCES INC. AK04-354** 1-Jun-04

| ET #. | Tag # | Ag (ppm) |
|---|---|---|
| **QC DATA:** | | |
| ***Resplit:*** | | |
| 1 | 14255 | <0.1 |
| 36 | 14255 | 0.2 |
| 71 | 15024 | 0.1 |
| 106 | 15059 | 0.2 |
| ***Repeat:*** | | |
| 1 | 14255 | <0.1 |
| 10 | 14264 | <0.1 |
| 19 | 14273 | 0.2 |
| 36 | 14255 | 0.2 |
| 45 | 14264 | 0.1 |
| 54 | 14273 | 0.1 |
| 71 | 15024 | 0.1 |
| 80 | 15033 | 0.2 |
| 89 | 15042 | 0.2 |
| 106 | 15059 | 0.2 |
| 115 | 15068 | 0.2 |
| ***Standard:*** | | |
| GEO'04 | | 1.4 |
| GEO'04 | | 1.5 |
| GEO'04 | | 1.5 |
| | | 1.4 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ASSAY AK 2004-354

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

1-Jun-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 125*
*Sample type: Rock*
***Project #: Not indicated***
***Shipment #: Not indicated***
*Samples submitted by: Not indicated*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 14255 | 0.03 | 0.001 | 0.06 |
| 2 | 14256 | 0.03 | 0.001 | 0.02 |
| 3 | 14257 | <0.03 | <0.001 | 0.03 |
| 4 | 14258 | <0.03 | <0.001 | 0.03 |
| 5 | 14259 | <0.03 | <0.001 | 0.05 |
| 6 | 14260 | <0.03 | <0.001 | 0.02 |
| 7 | 14261 | <0.03 | <0.001 | 0.03 |
| 8 | 14262 | <0.03 | <0.001 | 0.04 |
| 9 | 14263 | <0.03 | <0.001 | 0.04 |
| 10 | 14264 | <0.03 | <0.001 | 0.06 |
| 11 | 14265 | <0.03 | <0.001 | 0.03 |
| 12 | 14266 | <0.03 | <0.001 | 0.04 |
| 13 | 14267 | 0.08 | 0.002 | 0.10 |
| 14 | 14268 | <0.03 | <0.001 | 0.04 |
| 15 | 14269 | <0.03 | <0.001 | 0.01 |
| 16 | 14270 | 0.03 | 0.001 | 0.01 |
| 17 | 14271 | <0.03 | <0.001 | 0.01 |
| 18 | 14272 | <0.03 | <0.001 | 0.01 |
| 19 | 14273 | 0.03 | 0.001 | 0.04 |
| 20 | 14274 | <0.03 | <0.001 | 0.05 |
| 21 | 14275 | <0.03 | <0.001 | 0.04 |
| 22 | 14276 | 0.03 | 0.001 | 0.07 |
| 23 | 14277 | <0.03 | <0.001 | 0.04 |
| 24 | 14278 | 0.03 | 0.001 | 0.03 |
| 25 | 14279 | <0.03 | <0.001 | 0.09 |
| 26 | 14280 | <0.03 | <0.001 | 0.05 |
| 27 | 14281 | <0.03 | <0.001 | 0.12 |
| 28 | 14282 | <0.03 | <0.001 | 0.07 |
| 29 | 14283 | 0.03 | 0.001 | 0.23 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK04-354** 1-Jun-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 30 | 14284 | 0.14 | 0.004 | 0.06 |
| 31 | 14285 | 0.11 | 0.003 | 0.11 |
| 32 | 14286 | <0.03 | <0.001 | 0.05 |
| 33 | 14287 | 0.03 | 0.001 | 0.05 |
| 34 | 14288 | <0.03 | <0.001 | 0.04 |
| 35 | 14289 | 0.04 | 0.001 | 0.07 |
| 36 | 14290 | 0.11 | 0.003 | 0.06 |
| 37 | 14291 | 0.05 | 0.001 | 0.03 |
| 38 | 14292 | 0.07 | 0.002 | 0.05 |
| 39 | 14293 | 0.03 | 0.001 | 0.03 |
| 40 | 14294 | 0.05 | 0.001 | 0.05 |
| 41 | 14295 | 0.07 | 0.002 | 0.13 |
| 42 | 14296 | 0.06 | 0.002 | 0.05 |
| 43 | 14297 | 0.06 | 0.002 | 0.04 |
| 44 | 14298 | 0.11 | 0.003 | 0.24 |
| 45 | 14299 | 0.05 | 0.001 | 0.05 |
| 46 | 14300 | 0.08 | 0.002 | 0.08 |
| 47 | 15000 | 0.04 | 0.001 | 0.04 |
| 48 | 15001 | 0.06 | 0.002 | 0.05 |
| 49 | 15002 | 0.44 | 0.013 | 0.20 |
| 50 | 15003 | 1.32 | 0.038 | 1.87 |
| 51 | 15004 | 0.06 | 0.002 | 0.08 |
| 52 | 15005 | 0.04 | 0.001 | 0.05 |
| 53 | 15006 | 0.03 | 0.001 | 0.04 |
| 54 | 15007 | 0.06 | 0.002 | 0.07 |
| 55 | 15008 | 0.06 | 0.002 | 0.08 |
| 56 | 15009 | 0.04 | 0.001 | 0.05 |
| 57 | 15010 | 0.05 | 0.001 | 0.08 |
| 58 | 15011 | 0.13 | 0.004 | 0.15 |
| 59 | 15012 | 0.03 | 0.001 | 0.06 |
| 60 | 15013 | 0.10 | 0.003 | 0.08 |
| 61 | 15014 | <0.03 | <0.001 | 0.04 |
| 62 | 15015 | <0.03 | <0.001 | 0.04 |
| 63 | 15016 | 0.03 | 0.001 | 0.04 |
| 64 | 15017 | 0.04 | 0.001 | 0.05 |
| 65 | 15018 | 0.03 | 0.001 | 0.08 |
| 66 | 15019 | 0.04 | 0.001 | 0.08 |
| 67 | 15020 | 0.03 | 0.001 | 0.07 |
| 68 | 15021 | 0.04 | 0.001 | 0.04 |
| 69 | 15022 | 2.95 | 0.086 | 0.10 |
| 70 | 15023 | 0.11 | 0.003 | 0.18 |
| 71 | 15024 | 0.06 | 0.002 | 0.09 |
| 72 | 15025 | 0.07 | 0.002 | 0.11 |
| 73 | 15026 | 0.09 | 0.003 | 0.13 |
| 74 | 15027 | 0.06 | 0.002 | 0.09 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK04-354** 1-Jun-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 75 | 15028 | 0.04 | 0.001 | 0.05 |
| 76 | 15029 | 0.06 | 0.002 | 0.10 |
| 77 | 15030 | 0.16 | 0.005 | 0.59 |
| 78 | 15031 | 0.10 | 0.003 | 0.25 |
| 79 | 15032 | 0.14 | 0.004 | 0.38 |
| 80 | 15033 | 0.05 | 0.001 | 0.25 |
| 81 | 15034 | 0.15 | 0.004 | 0.26 |
| 82 | 15035 | 1.89 | 0.055 | 0.51 |
| 83 | 15036 | 1.09 | 0.032 | 0.40 |
| 84 | 15037 | 0.14 | 0.004 | 0.55 |
| 85 | 15038 | 0.08 | 0.002 | 0.15 |
| 86 | 15039 | 0.33 | 0.010 | 0.39 |
| 87 | 15040 | 0.07 | 0.002 | 0.09 |
| 88 | 15041 | 0.05 | 0.001 | 0.08 |
| 89 | 15042 | 0.05 | 0.001 | 0.04 |
| 90 | 15043 | 0.12 | 0.003 | 0.08 |
| 91 | 15044 | 0.10 | 0.003 | 0.10 |
| 92 | 15045 | 0.09 | 0.003 | 0.13 |
| 93 | 15046 | 0.13 | 0.004 | 0.09 |
| 94 | 15047 | 0.07 | 0.002 | 0.08 |
| 95 | 15048 | 0.03 | 0.001 | 0.05 |
| 96 | 15049 | 0.04 | 0.001 | 0.08 |
| 97 | 15050 | 0.05 | 0.001 | 0.11 |
| 98 | 15051 | 0.03 | 0.001 | 0.06 |
| 99 | 15052 | 0.03 | 0.001 | 0.08 |
| 100 | 15053 | 0.03 | 0.001 | 0.06 |
| 101 | 15054 | 0.04 | 0.001 | 0.05 |
| 102 | 15055 | 0.04 | 0.001 | 0.03 |
| 103 | 15056 | 0.05 | 0.001 | 0.06 |
| 104 | 15057 | 0.04 | 0.001 | 0.09 |
| 105 | 15058 | 0.05 | 0.001 | 0.07 |
| 106 | 15059 | 0.07 | 0.002 | 0.05 |
| 107 | 15060 | 0.05 | 0.001 | 0.13 |
| 108 | 15061 | 0.03 | 0.001 | 0.07 |
| 109 | 15062 | <0.03 | <0.001 | 0.01 |
| 110 | 15063 | 0.07 | 0.002 | 0.05 |
| 111 | 15064 | 0.09 | 0.003 | 0.06 |
| 112 | 15065 | 0.07 | 0.002 | 0.08 |
| 113 | 15066 | 0.08 | 0.002 | 0.10 |
| 114 | 15067 | 0.11 | 0.003 | 0.09 |
| 115 | 15068 | 0.05 | 0.001 | 0.06 |
| 116 | 15069 | 0.05 | 0.001 | 0.06 |
| 117 | 15070 | 0.24 | 0.007 | 0.25 |
| 118 | 15071 | 0.18 | 0.005 | 0.11 |
| 119 | 15072 | 0.20 | 0.006 | 0.15 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK04-354** 1-Jun-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 120 | 15073 | 0.19 | 0.006 | 0.20 |
| 121 | 15074 | <0.03 | <0.001 | 0.03 |
| 122 | 15075 | <0.03 | <0.001 | <0.01 |
| 123 | 15076 | <0.03 | <0.001 | <0.01 |
| 124 | 15077 | <0.03 | <0.001 | 0.02 |
| 125 | 15078 | <0.03 | <0.001 | <0.01 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 14255 | 0.03 | 0.001 | 0.05 |
| 36 | 14290 | 0.13 | 0.004 | 0.06 |
| 71 | 15024 | 0.05 | 0.001 | 0.09 |
| 106 | 15059 | 0.07 | 0.002 | 0.05 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 14255 | 0.04 | 0.001 | 0.06 |
| 10 | 14264 | <0.03 | <0.01 | 0.06 |
| 19 | 14273 | 0.03 | 0.001 | 0.04 |
| 36 | 14290 | 0.09 | 0.003 | 0.07 |
| 45 | 14299 | 0.05 | 0.001 | 0.05 |
| 50 | 15003 | 1.21 | 0.035 | |
| 54 | 15007 | 0.07 | 0.002 | 0.07 |
| 71 | 15024 | 0.07 | 0.002 | 0.09 |
| 80 | 15033 | 0.05 | 0.001 | 0.25 |
| 82 | 15035 | 2.09 | 0.061 | |
| 86 | 15039 | 0.22 | 0.006 | |
| 89 | 15042 | 0.05 | 0.001 | 0.04 |
| 106 | 15059 | 0.06 | 0.002 | 0.05 |
| 115 | 15068 | 0.05 | 0.001 | 0.06 |

***Standard:***

| | | | | |
|---|---|---|---|---|
| OX123 | | 1.84 | 0.054 | |
| OX123 | | 1.89 | 0.055 | |
| OX123 | | 1.84 | 0.054 | |
| OX123 | | 1.81 | 0.053 | |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.42 |
| CU106 | | | | 1.43 |
| CU106 | | | | 1.42 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*
*CC: Geoquest - Warner*
*CC: Brian Callaghan*

# CERTIFICATE OF ASSAY AK 2004-772

**GWR RESOURCES INC.** 27-Jul-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 36*
*Sample type: Rock*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 15079 | 0.05 | 0.001 | 0.03 |
| 2 | 15080 | 0.08 | 0.002 | 0.01 |
| 3 | 15081 | 0.12 | 0.003 | 0.01 |
| 4 | 15082 | <0.03 | <0.001 | 0.01 |
| 5 | 15083 | <0.03 | <0.001 | 0.01 |
| 6 | 15084 | <0.03 | <0.001 | 0.01 |
| 7 | 15085 | <0.03 | <0.001 | 0.01 |
| 8 | 15086 | <0.03 | <0.001 | 0.21 |
| 9 | 15087 | 0.05 | 0.001 | 0.02 |
| 10 | 15088 | 0.38 | 0.011 | 0.20 |
| 11 | 15089 | 0.09 | 0.003 | 0.38 |
| 12 | 15090 | <0.03 | <0.001 | 0.12 |
| 13 | 15091 | 0.10 | 0.003 | 0.42 |
| 14 | 15092 | 0.12 | 0.003 | 0.14 |
| 15 | 15093 | 0.40 | 0.012 | 0.06 |
| 16 | 15094 | 0.08 | 0.002 | 0.01 |
| 17 | 15095 | 0.20 | 0.006 | 0.02 |
| 18 | 15096 | 0.20 | 0.006 | 0.06 |
| 19 | 15097 | 0.20 | 0.006 | 0.03 |
| 20 | 15098 | 0.06 | 0.002 | 0.03 |
| 21 | 15099 | <0.03 | <0.001 | 0.01 |
| 22 | 15100 | 0.21 | 0.006 | 0.01 |
| 23 | 15101 | <0.03 | <0.001 | <0.01 |
| 24 | 15102 | <0.03 | <0.001 | <0.01 |
| 25 | 15103 | <0.03 | <0.001 | 0.03 |
| 26 | 15104 | <0.03 | <0.001 | 0.01 |
| 27 | 15105 | <0.03 | <0.001 | 0.04 |
| 28 | 15106 | <0.03 | <0.001 | <0.01 |
| 29 | 15107 | <0.03 | <0.001 | 0.01 |
| 30 | 15108 | 0.08 | 0.002 | 0.07 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK04-772** 27-Jul-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 31 | 15109 | 0.25 | 0.007 | 0.16 |
| 32 | 15110 | 0.40 | 0.012 | 0.23 |
| 33 | 15111 | 0.17 | 0.005 | 0.15 |
| 34 | 15112 | 0.73 | 0.021 | 0.16 |
| 35 | 15113 | 0.14 | 0.004 | 0.05 |
| 36 | 15114 | 0.05 | 0.001 | 0.01 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 15079 | 0.05 | 0.001 | 0.02 |
| ***Repeat:*** | | | | |
| 1 | 15079 | 0.05 | 0.001 | 0.02 |
| 10 | 15088 | 0.45 | 0.013 | 0.21 |
| 19 | 15097 | 0.20 | 0.006 | 0.03 |
| 32 | 15110 | 0.43 | 0.013 | |
| 34 | 15112 | 0.74 | 0.022 | |
| ***Standard:*** | | | | |
| OX123 | | 1.95 | 0.057 | |
| OX123 | | 1.89 | 0.055 | |
| SN16 | | 8.42 | 0.246 | |
| Cu106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

27-Jul-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-772**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 36*
*Sample Type: Rock*

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 15079 | 0.2 | 0.36 | 15 | 30 | <5 | 1.33 | <1 | 6 | 51 | 318 | 1.86 | 20 | 0.17 | 296 | <1 | 0.05 | 6 | 640 | 4 | <5 | <20 | 31 | 0.01 | <10 | 56 | <10 | 10 | 15 |
| 2 | 15080 | <0.2 | 0.34 | 15 | 25 | <5 | 1.37 | <1 | 5 | 64 | 99 | 1.88 | 20 | 0.36 | 284 | <1 | 0.05 | 6 | 610 | 4 | <5 | <20 | 27 | 0.02 | <10 | 49 | <10 | 12 | 17 |
| 3 | 15081 | 0.2 | 0.28 | 15 | 20 | <5 | 1.09 | <1 | 4 | 52 | 93 | 1.82 | 20 | 0.17 | 214 | <1 | 0.04 | 4 | 610 | 4 | <5 | <20 | 15 | 0.02 | <10 | 48 | <10 | 12 | 13 |
| 4 | 15082 | 0.2 | 0.35 | 15 | 25 | <5 | 1.59 | <1 | 3 | 51 | 73 | 1.80 | 10 | 0.13 | 217 | <1 | 0.04 | 5 | 590 | 4 | <5 | <20 | 14 | 0.02 | <10 | 50 | <10 | 12 | 12 |
| 5 | 15083 | <0.2 | 0.39 | 15 | 30 | <5 | 1.63 | <1 | 4 | 42 | 69 | 1.65 | 10 | 0.15 | 234 | <1 | 0.04 | 5 | 630 | 4 | <5 | <20 | 22 | 0.01 | <10 | 47 | <10 | 11 | 12 |
| 6 | 15084 | <0.2 | 0.29 | 25 | 25 | <5 | 2.15 | <1 | 3 | 38 | 72 | 1.70 | 10 | 0.11 | 245 | <1 | 0.04 | 7 | 610 | 4 | <5 | <20 | 6 | 0.02 | <10 | 48 | <10 | 11 | 11 |
| 7 | 15085 | 0.3 | 0.52 | 25 | 25 | <5 | 2.09 | <1 | 4 | 37 | 84 | 1.69 | 10 | 0.25 | 397 | <1 | 0.02 | 7 | 650 | 4 | <5 | <20 | 30 | <0.01 | <10 | 41 | <10 | 9 | 11 |
| 8 | 15086 | <0.2 | 0.47 | 15 | 25 | <5 | 1.70 | <1 | 5 | 42 | 2072 | 1.38 | 10 | 0.29 | 420 | <1 | 0.02 | 6 | 700 | 6 | <5 | <20 | 39 | <0.01 | <10 | 22 | <10 | 9 | 13 |
| 9 | 15087 | 0.2 | 0.45 | 10 | 60 | <5 | 1.47 | <1 | 4 | 40 | 241 | 1.30 | 10 | 0.25 | 326 | <1 | 0.03 | 6 | 630 | 4 | <5 | <20 | 32 | <0.01 | <10 | 21 | <10 | 8 | 10 |
| 10 | 15088 | 0.9 | 0.38 | 175 | 215 | <5 | 1.07 | <1 | 4 | 47 | 1987 | 2.54 | 10 | 0.35 | 258 | 12 | 0.02 | 5 | 680 | 4 | <5 | <20 | 33 | <0.01 | <10 | 27 | <10 | 6 | 7 |
| 11 | 15089 | 1.4 | 0.48 | 515 | 230 | <5 | 1.33 | <1 | 11 | 39 | 3686 | 2.36 | <10 | 0.52 | 486 | 8 | 0.04 | 5 | 710 | 4 | <5 | <20 | 42 | 0.01 | <10 | 28 | <10 | 6 | 12 |
| 12 | 15090 | <0.2 | 0.37 | 30 | 100 | <5 | 1.52 | <1 | 4 | 48 | 1224 | 1.85 | <10 | 0.28 | 282 | <1 | 0.02 | 5 | 760 | 4 | <5 | <20 | 23 | 0.01 | <10 | 23 | <10 | 6 | 7 |
| 13 | 15091 | 0.4 | 0.39 | 45 | 95 | <5 | 1.72 | <1 | 6 | 46 | 4218 | 3.00 | <10 | 0.41 | 654 | 4 | 0.02 | 7 | 790 | <2 | <5 | <20 | 14 | 0.02 | <10 | 36 | <10 | 8 | 11 |
| 14 | 15092 | 0.2 | 0.35 | 35 | 70 | <5 | 1.21 | <1 | 4 | 44 | 1408 | 2.20 | 10 | 0.10 | 163 | 2 | 0.02 | 4 | 710 | 2 | <5 | <20 | 17 | 0.01 | <10 | 39 | <10 | 7 | 12 |
| 15 | 15093 | <0.2 | 0.37 | 30 | 30 | <5 | 1.51 | <1 | 4 | 40 | 527 | 2.42 | 10 | 0.12 | 222 | 1 | 0.03 | 5 | 670 | 2 | <5 | <20 | 22 | 0.01 | <10 | 50 | <10 | 8 | 13 |
| 16 | 15094 | 0.3 | 0.35 | 25 | 155 | <5 | 1.14 | <1 | 5 | 46 | 133 | 2.88 | 20 | 0.13 | 112 | <1 | 0.03 | 4 | 650 | 2 | <5 | <20 | 22 | 0.01 | <10 | 63 | <10 | 9 | 11 |
| 17 | 15095 | 0.3 | 0.37 | 35 | 30 | <5 | 0.72 | <1 | 5 | 50 | 150 | 2.95 | 20 | 0.16 | 75 | <1 | 0.03 | 3 | 620 | 2 | <5 | <20 | 23 | 0.01 | <10 | 49 | <10 | 7 | 13 |
| 18 | 15096 | 0.2 | 0.33 | 70 | 40 | <5 | 1.43 | <1 | 4 | 55 | 605 | 2.17 | 10 | 0.21 | 259 | <1 | 0.02 | 5 | 600 | 4 | <5 | <20 | 14 | 0.01 | <10 | 38 | <10 | 7 | 13 |
| 19 | 15097 | <0.2 | 0.37 | 20 | 90 | <5 | 1.74 | <1 | 4 | 42 | 278 | 2.18 | 10 | 0.17 | 168 | <1 | 0.02 | 5 | 540 | 2 | <5 | <20 | 17 | <0.01 | <10 | 28 | <10 | 7 | 10 |
| 20 | 15098 | <0.2 | 0.36 | 15 | 90 | <5 | 1.80 | <1 | 4 | 51 | 286 | 1.91 | 10 | 0.29 | 279 | <1 | 0.02 | 7 | 500 | 2 | <5 | <20 | 19 | <0.01 | <10 | 26 | <10 | 6 | 11 |
| 21 | 15099 | <0.2 | 0.43 | 10 | 195 | <5 | 3.20 | <1 | 5 | 54 | 40 | 1.77 | <10 | 0.46 | 499 | <1 | 0.02 | 11 | 380 | 4 | <5 | <20 | 20 | <0.01 | <10 | 42 | <10 | 10 | 13 |
| 22 | 15100 | 0.2 | 0.26 | 15 | 25 | <5 | 2.23 | <1 | 4 | 60 | 111 | 1.08 | 10 | 0.36 | 538 | <1 | 0.04 | 8 | 460 | 4 | <5 | <20 | 19 | <0.01 | <10 | 27 | <10 | 9 | 13 |
| 23 | 15101 | <0.2 | 0.32 | 10 | 50 | <5 | 2.44 | <1 | 4 | 49 | 62 | 1.54 | 10 | 0.31 | 495 | <1 | 0.03 | 8 | 510 | 4 | <5 | <20 | 25 | <0.01 | <10 | 27 | <10 | 8 | 15 |
| 24 | 15102 | <0.2 | 0.31 | <5 | 60 | <5 | 3.15 | <1 | 5 | 60 | 20 | 1.41 | 10 | 0.40 | 493 | <1 | 0.04 | 10 | 680 | 4 | <5 | <20 | 21 | <0.01 | <10 | 50 | <10 | 11 | 13 |
| 25 | 15103 | 0.2 | 0.26 | 10 | 35 | <5 | 2.13 | <1 | 4 | 48 | 345 | 1.20 | 10 | 0.26 | 337 | <1 | 0.05 | 7 | 580 | 4 | <5 | <20 | 19 | <0.01 | <10 | 42 | <10 | 11 | 12 |
| 26 | 15104 | <0.2 | 0.28 | 10 | 40 | <5 | 1.98 | <1 | 3 | 50 | 68 | 1.18 | 10 | 0.13 | 266 | <1 | 0.04 | 6 | 580 | 6 | <5 | <20 | 20 | <0.01 | <10 | 39 | <10 | 10 | 11 |
| 27 | 15105 | <0.2 | 0.35 | 25 | 95 | <5 | 2.53 | <1 | 3 | 47 | 465 | 1.62 | 10 | 0.15 | 282 | <1 | 0.04 | 8 | 580 | 6 | <5 | <20 | 13 | <0.01 | <10 | 34 | <10 | 10 | 14 |
| 28 | 15106 | <0.2 | 0.28 | 15 | 90 | <5 | 1.80 | <1 | 2 | 43 | 53 | 0.91 | <10 | 0.11 | 221 | <1 | 0.04 | 7 | 610 | 4 | 5 | <20 | 12 | <0.01 | <10 | 17 | <10 | 6 | 8 |
| 29 | 15107 | <0.2 | 0.44 | 10 | 105 | <5 | 2.73 | <1 | 6 | 45 | 154 | 1.70 | 10 | 0.45 | 492 | <1 | 0.03 | 10 | 750 | 8 | <5 | <20 | 33 | <0.01 | <10 | 24 | <10 | 10 | 20 |
| 30 | 15108 | <0.2 | 0.26 | 110 | 545 | <5 | 2.19 | <1 | 4 | 56 | 740 | 0.75 | <10 | 0.20 | 284 | 1 | 0.03 | 7 | 540 | 4 | <5 | <20 | 15 | <0.01 | <10 | 11 | <10 | 6 | 9 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31 | 15109 | 0.2 | 0.26 | 50 | 60 | <5 | 1.25 | <1 | 5 | 53 | 1661 | 0.55 | <10 | 0.15 | 223 | 5 | 0.03 | 5 | 500 | 4 | <5 | <20 | 6 | <0.01 | <10 | 5 | <10 | 4 | 15 |
| 32 | 15110 | 0.5 | 0.25 | 55 | 45 | <5 | 1.49 | <1 | 4 | 64 | 2299 | 0.79 | <10 | 0.27 | 282 | 6 | 0.04 | 6 | 490 | 4 | <5 | 20 | 6 | <0.01 | <10 | 8 | <10 | 4 | 16 |
| 33 | 15111 | 0.2 | 0.38 | 40 | 45 | <5 | 1.35 | <1 | 6 | 38 | 1480 | 0.99 | <10 | 0.40 | 303 | 5 | 0.03 | 6 | 510 | 6 | <5 | <20 | 28 | <0.01 | <10 | 18 | <10 | 6 | 12 |
| 34 | 15112 | 0.3 | 0.21 | 20 | 160 | <5 | 1.14 | <1 | 4 | 56 | 1614 | 0.88 | <10 | 0.24 | 240 | 1 | 0.05 | 4 | 490 | 4 | <5 | <20 | 9 | <0.01 | <10 | 15 | <10 | 4 | 13 |
| 35 | 15113 | <0.2 | 0.25 | 20 | 30 | <5 | 1.44 | <1 | 4 | 53 | 495 | 0.91 | <10 | 0.23 | 303 | <1 | 0.03 | 5 | 450 | 4 | <5 | <20 | 14 | <0.01 | <10 | 20 | <10 | 6 | 17 |
| 36 | 15114 | <0.2 | 0.32 | 10 | 30 | <5 | 1.64 | <1 | 4 | 42 | 178 | 1.40 | <10 | 0.24 | 299 | <1 | 0.04 | 7 | 400 | 2 | <5 | <20 | 38 | <0.01 | <10 | 35 | <10 | 8 | 17 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 15079 | <0.2 | 0.34 | 15 | 25 | <5 | 1.26 | <1 | 6 | 47 | 252 | 1.79 | 10 | 0.17 | 290 | <1 | 0.04 | 4 | 610 | 4 | <5 | <20 | 28 | 0.01 | <10 | 55 | <10 | 10 | 15 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 15079 | 0.2 | 0.31 | 10 | 25 | <5 | 1.09 | <1 | 5 | 45 | 239 | 1.56 | 10 | 0.14 | 242 | <1 | 0.04 | 5 | 520 | 4 | <5 | <20 | 23 | 0.01 | <10 | 47 | <10 | 8 | 13 |
| 10 | 15088 | 0.8 | 0.40 | 180 | 215 | <5 | 1.07 | <1 | 4 | 48 | 1956 | 2.57 | 10 | 0.35 | 256 | 11 | 0.03 | 4 | 680 | 4 | <5 | <20 | 34 | 0.01 | <10 | 28 | <10 | 6 | 8 |
| 19 | 15097 | <0.2 | 0.39 | 35 | 90 | <5 | 1.74 | <1 | 4 | 43 | 273 | 2.21 | 10 | 0.17 | 169 | <1 | 0.02 | 9 | 550 | 4 | 10 | <20 | 16 | <0.01 | <10 | 29 | <10 | 7 | 10 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.4 | 1.75 | 55 | 145 | <5 | 1.63 | 2 | 22 | 60 | 83 | 3.58 | 10 | 0.98 | 606 | 18 | 0.03 | 35 | 660 | 20 | 35 | <20 | 46 | 0.44 | <10 | 62 | <10 | 10 | 69 |

JJ/jm
df/764
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-881

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

4-Aug-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 84*
*Sample Type: Rock*
***Project #: Not indicated***
***Shipment #: Not indicated***

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 15115 | 0.04 | 0.001 | 0.02 |
| 2 | 15116 | 0.03 | 0.001 | 0.01 |
| 3 | 15117 | 0.03 | 0.001 | 0.03 |
| 4 | 15118 | <0.03 | <0.001 | 0.01 |
| 5 | 15119 | <0.03 | <0.001 | 0.01 |
| 6 | 15120 | <0.03 | <0.001 | 0.01 |
| 7 | 15121 | 0.04 | 0.001 | 0.01 |
| 8 | 15122 | <0.03 | <0.001 | 0.01 |
| 9 | 15123 | 0.07 | 0.002 | 0.06 |
| 10 | 15124 | 0.08 | 0.002 | 0.11 |
| 11 | 15125 | 0.09 | 0.003 | 0.11 |
| 12 | 15126 | 0.06 | 0.002 | 0.06 |
| 13 | 15127 | 0.03 | 0.001 | 0.01 |
| 14 | 15128 | <0.03 | <0.001 | 0.03 |
| 15 | 15129 | <0.03 | <0.001 | 0.01 |
| 16 | 15130 | <0.03 | <0.001 | 0.01 |
| 17 | 15131 | <0.03 | <0.001 | <0.01 |
| 18 | 15132 | <0.03 | <0.001 | 0.02 |
| 19 | 15133 | 0.21 | 0.006 | 0.09 |
| 20 | 15134 | 0.03 | 0.001 | 0.01 |
| 21 | 15135 | <0.03 | <0.001 | 0.01 |
| 22 | 15136 | <0.03 | <0.001 | 0.03 |
| 23 | 15137 | 0.05 | 0.001 | 0.04 |
| 24 | 15138 | 0.03 | 0.001 | 0.02 |
| 25 | 15139 | <0.03 | <0.001 | <0.01 |
| 26 | 15140 | <0.03 | <0.001 | 0.01 |
| 27 | 15141 | <0.03 | <0.001 | <0.01 |
| 28 | 15142 | 0.04 | 0.001 | 0.03 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK04-881** 4-Aug-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 29 | 15143 | 0.13 | 0.004 | 0.07 |
| 30 | 15144 | 0.06 | 0.002 | 0.04 |
| 31 | 15145 | 0.05 | 0.001 | 0.03 |
| 32 | 15146 | 0.05 | 0.001 | 0.07 |
| 33 | 15147 | 0.34 | 0.010 | 0.42 |
| 34 | 15148 | 1.20 | 0.035 | 0.30 |
| 35 | 15149 | 0.53 | 0.015 | 0.11 |
| 36 | 15150 | 0.07 | 0.002 | 0.05 |
| 37 | 15151 | 0.43 | 0.013 | 0.05 |
| 38 | 15152 | 0.16 | 0.005 | 0.15 |
| 39 | 15153 | 0.12 | 0.003 | 0.06 |
| 40 | 15154 | 0.30 | 0.009 | 0.27 |
| 41 | 15155 | 0.22 | 0.006 | 0.14 |
| 42 | 15156 | 0.09 | 0.003 | 0.08 |
| 43 | 15157 | 0.12 | 0.003 | 0.05 |
| 44 | 15158 | 0.08 | 0.002 | 0.07 |
| 45 | 15159 | 0.17 | 0.005 | 0.07 |
| 46 | 15160 | 0.17 | 0.005 | 0.08 |
| 47 | 15161 | 0.09 | 0.003 | 0.05 |
| 48 | 15162 | 0.05 | 0.001 | 0.04 |
| 49 | 15163 | <0.03 | <0.001 | <0.01 |
| 50 | 15164 | <0.03 | <0.001 | 0.02 |
| 51 | 15165 | <0.03 | <0.001 | 0.15 |
| 52 | 15166 | 0.05 | 0.001 | 0.10 |
| 53 | 15167 | 0.15 | 0.004 | 0.47 |
| 54 | 15168 | 0.03 | 0.001 | 0.05 |
| 55 | 15169 | 0.03 | 0.001 | 0.05 |
| 56 | 15170 | <0.03 | <0.001 | 0.04 |
| 57 | 15171 | 0.05 | 0.001 | 0.10 |
| 58 | 15172 | 0.04 | 0.001 | 0.27 |
| 59 | 15173 | 0.19 | 0.006 | 0.63 |
| 60 | 15174 | 0.19 | 0.006 | 0.43 |
| 61 | 15175 | 0.08 | 0.002 | 0.24 |
| 62 | 15176 | 0.04 | 0.001 | 0.08 |
| 63 | 15177 | 0.04 | 0.001 | 0.10 |
| 64 | 15178 | 0.05 | 0.001 | 0.17 |
| 65 | 15179 | 0.04 | 0.001 | 0.09 |
| 66 | 15180 | 0.07 | 0.002 | 0.21 |
| 67 | 15181 | 0.09 | 0.003 | 0.07 |
| 68 | 15182 | 0.08 | 0.002 | 0.09 |
| 69 | 15183 | 0.06 | 0.002 | 0.13 |
| 70 | 15184 | 0.06 | 0.002 | 0.20 |
| 71 | 15185 | 0.07 | 0.002 | 0.12 |
| 72 | 15186 | 0.08 | 0.002 | 0.09 |
| 73 | 15187 | 0.06 | 0.002 | 0.11 |
| 74 | 15188 | 0.06 | 0.002 | 0.12 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK04-881** 4-Aug-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 75 | 15189 | 0.09 | 0.003 | 0.14 |
| 76 | 15190 | 0.10 | 0.003 | 0.11 |
| 77 | 15191 | 0.04 | 0.001 | 0.14 |
| 78 | 15192 | 0.05 | 0.001 | 0.11 |
| 79 | 15193 | 0.03 | 0.001 | 0.04 |
| 80 | 15194 | 0.05 | 0.001 | 0.08 |
| 81 | 15195 | 0.03 | 0.001 | 0.06 |
| 82 | 15196 | 0.04 | 0.001 | 0.04 |
| 83 | 15197 | 0.05 | 0.001 | 0.09 |
| 84 | 15198 | 0.04 | 0.001 | 0.06 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 15115 | <0.03 | <0.001 | 0.02 |
| 36 | 15150 | 0.07 | 0.002 | 0.04 |
| 71 | 15185 | 0.06 | 0.002 | 0.12 |
| ***Repeat:*** | | | | |
| 1 | 15115 | <0.03 | <0.001 | 0.02 |
| 10 | 15124 | 0.08 | 0.002 | 0.11 |
| 19 | 15133 | 0.21 | 0.006 | 0.09 |
| 36 | 15150 | 0.14 | 0.004 | 0.05 |
| 45 | 15159 | 0.07 | 0.002 | 0.07 |
| 54 | 15168 | 0.04 | 0.001 | 0.05 |
| 71 | 15185 | 0.14 | 0.004 | 0.11 |
| ***Standard:*** | | | | |
| SH13 | | 1.32 | 0.038 | |
| SH13 | | 1.33 | 0.039 | |
| SH13 | | 1.34 | 0.039 | |
| Cu106 | | | | 1.42 |
| Cu106 | | | | 1.40 |
| Cu106 | | | | 1.44 |

JJ/jm
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

4-Aug-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-881**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 84*
*Sample Type: Rock*
***Project #: Not indicated***
***Shipment #: Not indicated***

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 15115 | <0.2 | 0.23 | 10 | 25 | <5 | 2.05 | <1 | 4 | 59 | 153 | 1.58 | <10 | 0.30 | 370 | 3 | 0.03 | 7 | 430 | 2 | <5 | <20 | 18 | <0.01 | <10 | 35 | <10 | 8 | 19 |
| 2 | 15116 | 0.2 | 0.18 | 5 | 20 | <5 | 1.63 | <1 | 4 | 47 | 60 | 1.59 | <10 | 0.17 | 292 | 3 | 0.03 | 6 | 470 | 2 | <5 | <20 | 10 | <0.01 | <10 | 43 | <10 | 8 | 19 |
| 3 | 15117 | 0.2 | 0.16 | 10 | 15 | <5 | 2.84 | <1 | 4 | 48 | 210 | 1.36 | <10 | 0.52 | 461 | 2 | 0.04 | 9 | 450 | 4 | <5 | <20 | 3 | <0.01 | <10 | 38 | <10 | 9 | 20 |
| 4 | 15118 | 0.2 | 0.18 | 5 | 20 | <5 | 2.17 | <1 | 3 | 51 | 63 | 1.19 | <10 | 0.49 | 422 | 3 | 0.04 | 7 | 450 | 2 | <5 | <20 | 3 | <0.01 | <10 | 37 | <10 | 8 | 17 |
| 5 | 15119 | 0.2 | 0.18 | 15 | 20 | <5 | 1.58 | <1 | 4 | 55 | 70 | 1.18 | <10 | 0.30 | 318 | 2 | 0.04 | 6 | 480 | 2 | <5 | <20 | 7 | <0.01 | <10 | 39 | <10 | 8 | 19 |
| 6 | 15120 | <0.2 | 0.19 | 10 | 20 | <5 | 1.67 | <1 | 3 | 45 | 41 | 1.25 | <10 | 0.27 | 261 | 2 | 0.03 | 6 | 480 | 2 | <5 | <20 | 19 | <0.01 | <10 | 38 | <10 | 7 | 18 |
| 7 | 15121 | <0.2 | 0.25 | 15 | 25 | <5 | 1.78 | <1 | 4 | 50 | 100 | 1.49 | <10 | 0.25 | 270 | 2 | 0.03 | 6 | 490 | 2 | <5 | <20 | 24 | <0.01 | <10 | 40 | <10 | 8 | 18 |
| 8 | 15122 | <0.2 | 0.21 | 10 | 25 | <5 | 1.36 | <1 | 3 | 53 | 65 | 1.35 | <10 | 0.23 | 203 | 3 | 0.03 | 6 | 430 | <2 | <5 | <20 | 24 | <0.01 | <10 | 38 | <10 | 7 | 12 |
| 9 | 15123 | <0.2 | 0.19 | 50 | 20 | <5 | 1.70 | <1 | 3 | 42 | 564 | 1.37 | <10 | 0.27 | 240 | 1 | 0.03 | 5 | 480 | 2 | <5 | <20 | 23 | <0.01 | <10 | 32 | <10 | 7 | 13 |
| 10 | 15124 | <0.2 | 0.23 | 60 | 20 | <5 | 2.04 | <1 | 4 | 49 | 1082 | 1.66 | <10 | 0.37 | 270 | 2 | 0.03 | 7 | 540 | 4 | <5 | <20 | 21 | <0.01 | <10 | 36 | <10 | 8 | 16 |
| 11 | 15125 | <0.2 | 0.19 | 20 | 60 | <5 | 1.53 | <1 | 5 | 48 | 1069 | 1.65 | <10 | 0.20 | 285 | 3 | 0.03 | 5 | 530 | 4 | <5 | <20 | 19 | <0.01 | <10 | 38 | <10 | 7 | 22 |
| 12 | 15126 | 0.2 | 0.21 | 35 | 20 | <5 | 2.93 | <1 | 4 | 63 | 555 | 1.11 | <10 | 0.29 | 890 | 9 | <0.01 | 9 | 420 | <2 | <5 | <20 | <1 | <0.01 | <10 | 11 | <10 | 6 | 10 |
| 13 | 15127 | <0.2 | 0.24 | <5 | 20 | <5 | 2.62 | <1 | 2 | 54 | 80 | 1.12 | <10 | 0.23 | 722 | 3 | 0.01 | 9 | 500 | 2 | <5 | <20 | 9 | <0.01 | <10 | 20 | <10 | 6 | 9 |
| 14 | 15128 | <0.2 | 0.23 | <5 | 20 | <5 | 1.81 | <1 | 3 | 57 | 215 | 1.47 | <10 | 0.21 | 458 | 4 | 0.02 | 7 | 480 | 2 | <5 | <20 | 17 | <0.01 | <10 | 33 | <10 | 6 | 13 |
| 15 | 15129 | <0.2 | 0.23 | 20 | 20 | <5 | 2.33 | <1 | 3 | 52 | 82 | 1.01 | <10 | 0.18 | 673 | 4 | 0.02 | 8 | 500 | 2 | <5 | <20 | 9 | <0.01 | <10 | 17 | <10 | 5 | 11 |
| 16 | 15130 | <0.2 | 0.21 | <5 | 25 | <5 | 2.34 | <1 | 4 | 48 | 34 | 1.54 | <10 | 0.39 | 686 | 2 | 0.03 | 8 | 510 | 2 | <5 | <20 | 12 | <0.01 | <10 | 33 | <10 | 7 | 14 |
| 17 | 15131 | <0.2 | 0.22 | <5 | 20 | <5 | 2.10 | <1 | 3 | 51 | 13 | 1.01 | <10 | 0.24 | 518 | 2 | 0.02 | 7 | 480 | 2 | <5 | <20 | 11 | <0.01 | <10 | 27 | <10 | 6 | 10 |
| 18 | 15132 | <0.2 | 0.20 | 20 | 305 | <5 | 3.09 | <1 | 4 | 48 | 143 | 1.17 | <10 | 0.42 | 727 | 9 | 0.02 | 10 | 470 | 4 | <5 | <20 | <1 | <0.01 | <10 | 24 | <10 | 7 | 14 |
| 19 | 15133 | <0.2 | 0.21 | 30 | 55 | <5 | 2.43 | <1 | 3 | 57 | 837 | 0.82 | <10 | 0.20 | 566 | 7 | 0.02 | 8 | 540 | 2 | <5 | <20 | 2 | <0.01 | <10 | 10 | <10 | 5 | 11 |
| 20 | 15134 | <0.2 | 0.20 | 10 | 105 | <5 | 2.74 | <1 | 2 | 41 | 79 | 0.48 | <10 | 0.17 | 496 | 4 | <0.01 | 9 | 460 | 2 | <5 | <20 | 5 | <0.01 | <10 | 6 | <10 | 5 | 5 |
| 21 | 15135 | <0.2 | 0.22 | 15 | 65 | <5 | 2.97 | <1 | 2 | 51 | 42 | 0.77 | <10 | 0.24 | 676 | 2 | 0.02 | 9 | 450 | 2 | <5 | <20 | 5 | <0.01 | <10 | 12 | <10 | 6 | 8 |
| 22 | 15136 | <0.2 | 0.22 | 25 | 20 | <5 | 2.76 | <1 | 3 | 48 | 280 | 0.97 | <10 | 0.22 | 767 | 4 | 0.01 | 9 | 500 | <2 | <5 | <20 | 2 | <0.01 | <10 | 14 | <10 | 6 | 8 |
| 23 | 15137 | <0.2 | 0.24 | 50 | 15 | <5 | 2.67 | <1 | 3 | 63 | 353 | 1.08 | <10 | 0.19 | 833 | 4 | 0.01 | 9 | 520 | 2 | <5 | <20 | 8 | <0.01 | <10 | 16 | <10 | 6 | 9 |
| 24 | 15138 | <0.2 | 0.24 | 20 | 20 | <5 | 2.82 | <1 | 3 | 53 | 165 | 1.20 | <10 | 0.35 | 871 | 1 | 0.01 | 10 | 550 | 2 | <5 | <20 | 5 | <0.01 | <10 | 25 | <10 | 7 | 10 |
| 25 | 15139 | <0.2 | 0.23 | <5 | 15 | <5 | 2.60 | <1 | 4 | 48 | 10 | 1.59 | <10 | 0.48 | 713 | 2 | 0.02 | 10 | 610 | <2 | <5 | <20 | 11 | <0.01 | <10 | 34 | <10 | 11 | 12 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 26 | 15140 | <0.2 | 0.23 | 15 | 15 | <5 | 2.16 | <1 | 4 | 56 | 117 | 1.42 | <10 | 0.42 | 660 | 2 | 0.02 | 8 | 610 | <2 | <5 | <20 | 10 | <0.01 | <10 | 28 | <10 | 9 | 14 |
| 27 | 15141 | <0.2 | 0.17 | <5 | 15 | <5 | 1.46 | <1 | 4 | 58 | 25 | 1.49 | 10 | 0.32 | 403 | 4 | 0.03 | 7 | 520 | 2 | <5 | <20 | 6 | <0.01 | <10 | 36 | <10 | 10 | 16 |
| 28 | 15142 | 0.2 | 0.18 | 50 | 15 | <5 | 1.62 | <1 | 5 | 52 | 250 | 1.93 | 10 | 0.43 | 420 | 3 | 0.03 | 7 | 580 | 2 | <5 | <20 | 7 | <0.01 | <10 | 55 | <10 | 11 | 24 |
| 29 | 15143 | 0.2 | 0.14 | 90 | 10 | <5 | 1.58 | <1 | 6 | 50 | 643 | 1.75 | 10 | 0.37 | 412 | 9 | 0.03 | 7 | 640 | <2 | <5 | <20 | 6 | <0.01 | <10 | 48 | <10 | 10 | 28 |
| 30 | 15144 | 0.2 | 0.19 | 20 | 15 | <5 | 1.60 | <1 | 5 | 57 | 309 | 2.03 | 20 | 0.31 | 395 | 4 | 0.04 | 7 | 630 | 4 | <5 | <20 | 12 | <0.01 | <10 | 58 | <10 | 11 | 30 |
| 31 | 15145 | 0.2 | 0.18 | 30 | 15 | <5 | 1.86 | <1 | 5 | 46 | 274 | 1.61 | 10 | 0.43 | 452 | 6 | 0.03 | 7 | 620 | 4 | <5 | <20 | 9 | <0.01 | <10 | 40 | <10 | 12 | 28 |
| 32 | 15146 | 0.3 | 0.19 | 50 | 10 | <5 | 1.79 | <1 | 4 | 59 | 590 | 1.33 | <10 | 0.33 | 427 | 23 | 0.05 | 6 | 670 | <2 | <5 | <20 | 5 | <0.01 | <10 | 31 | <10 | 8 | 19 |
| 33 | 15147 | 1.0 | 0.20 | 35 | 10 | <5 | 1.88 | <1 | 8 | 50 | 4126 | 2.56 | 10 | 0.30 | 429 | 18 | 0.03 | 8 | 950 | <2 | <5 | <20 | 9 | <0.01 | <10 | 51 | <10 | 9 | 28 |
| 34 | 15148 | 0.8 | 0.18 | 15 | 10 | <5 | 1.30 | <1 | 7 | 53 | 2971 | 2.86 | 10 | 0.26 | 318 | 10 | 0.03 | 5 | 810 | <2 | <5 | <20 | 9 | <0.01 | <10 | 72 | <10 | 8 | 21 |
| 35 | 15149 | 0.4 | 0.21 | 20 | 15 | <5 | 1.60 | <1 | 6 | 49 | 1041 | 2.30 | 10 | 0.38 | 379 | 3 | 0.03 | 8 | 650 | <2 | <5 | <20 | 15 | <0.01 | <10 | 49 | <10 | 9 | 21 |
| 36 | 15150 | <0.2 | 0.22 | 30 | 15 | <5 | 2.08 | <1 | 6 | 51 | 487 | 1.80 | 10 | 0.34 | 452 | 5 | 0.03 | 8 | 670 | 4 | <5 | <20 | 12 | <0.01 | <10 | 47 | <10 | 14 | 29 |
| 37 | 15151 | <0.2 | 0.26 | 75 | 20 | <5 | 2.31 | <1 | 6 | 43 | 565 | 1.46 | 10 | 0.58 | 508 | 4 | 0.03 | 9 | 690 | 4 | <5 | <20 | 13 | <0.01 | <10 | 42 | <10 | 12 | 26 |
| 38 | 15152 | 0.3 | 0.35 | 90 | 20 | <5 | 1.91 | <1 | 9 | 40 | 1479 | 2.92 | 10 | 0.51 | 645 | 10 | 0.03 | 8 | 1340 | 2 | <5 | <20 | 23 | <0.01 | <10 | 66 | <10 | 15 | 24 |
| 39 | 15153 | 0.3 | 0.44 | 45 | 20 | <5 | 2.74 | <1 | 10 | 36 | 703 | 3.49 | 10 | 0.55 | 647 | 3 | 0.03 | 10 | 1200 | 4 | <5 | <20 | 34 | <0.01 | <10 | 80 | <10 | 17 | 30 |
| 40 | 15154 | 0.4 | 0.58 | 260 | 35 | <5 | 3.62 | <1 | 11 | 33 | 2678 | 3.16 | 10 | 0.57 | 639 | 45 | 0.03 | 13 | 1410 | 6 | <5 | <20 | 51 | <0.01 | <10 | 69 | <10 | 16 | 31 |
| 41 | 15155 | 0.3 | 0.77 | 90 | 50 | <5 | 2.64 | <1 | 12 | 40 | 1404 | 2.89 | 10 | 0.87 | 489 | 18 | 0.02 | 12 | 1160 | 6 | <5 | <20 | 87 | <0.01 | <10 | 45 | <10 | 13 | 45 |
| 42 | 15156 | 0.2 | 0.72 | 20 | 45 | <5 | 1.95 | <1 | 9 | 47 | 811 | 2.54 | 10 | 0.76 | 389 | 11 | 0.03 | 10 | 1090 | 6 | <5 | <20 | 71 | <0.01 | <10 | 39 | <10 | 11 | 31 |
| 43 | 15157 | 0.2 | 0.49 | 15 | 45 | <5 | 3.02 | <1 | 9 | 34 | 501 | 2.99 | 10 | 0.82 | 639 | 5 | 0.02 | 13 | 1000 | 6 | <5 | <20 | 74 | <0.01 | <10 | 46 | <10 | 14 | 31 |
| 44 | 15158 | 0.2 | 0.53 | 15 | 40 | <5 | 2.43 | <1 | 9 | 38 | 751 | 2.65 | 10 | 0.85 | 540 | 7 | 0.03 | 9 | 1020 | 6 | <5 | <20 | 116 | <0.01 | <10 | 47 | <10 | 13 | 29 |
| 45 | 15159 | 0.2 | 0.72 | 5 | 55 | <5 | 2.68 | <1 | 9 | 30 | 651 | 2.69 | 10 | 1.01 | 610 | 3 | 0.03 | 12 | 1030 | 6 | <5 | <20 | 138 | <0.01 | <10 | 47 | <10 | 13 | 28 |
| 46 | 15160 | 0.2 | 0.74 | 15 | 50 | <5 | 2.17 | <1 | 11 | 29 | 773 | 3.26 | 10 | 0.85 | 554 | <1 | 0.03 | 9 | 1240 | 4 | <5 | <20 | 88 | <0.01 | <10 | 84 | <10 | 15 | 28 |
| 47 | 15161 | <0.2 | 0.73 | <5 | 125 | <5 | 3.80 | <1 | 8 | 29 | 512 | 2.59 | 10 | 1.20 | 677 | 2 | 0.02 | 14 | 820 | 6 | <5 | <20 | 152 | <0.01 | <10 | 49 | <10 | 15 | 25 |
| 48 | 15162 | <0.2 | 0.69 | <5 | 55 | <5 | 3.34 | <1 | 10 | 37 | 416 | 2.83 | <10 | 0.54 | 631 | 18 | 0.02 | 13 | 430 | 4 | <5 | <20 | 108 | <0.01 | <10 | 30 | <10 | 6 | 34 |
| 49 | 15163 | <0.2 | 1.60 | <5 | 35 | <5 | 4.25 | <1 | 18 | 24 | 19 | 4.80 | 20 | 1.60 | 1015 | <1 | 0.07 | 15 | 3420 | 12 | <5 | <20 | 271 | <0.01 | <10 | 125 | <10 | 17 | 57 |
| 50 | 15164 | <0.2 | 1.50 | <5 | 95 | <5 | 3.22 | <1 | 16 | 21 | 166 | 4.00 | 20 | 1.21 | 712 | 2 | 0.07 | 11 | 3140 | 12 | <5 | <20 | 284 | 0.02 | <10 | 95 | <10 | 17 | 55 |
| 51 | 15165 | <0.2 | 1.03 | 165 | 95 | <5 | 3.52 | <1 | 12 | 27 | 1415 | 2.83 | 10 | 0.87 | 645 | 9 | 0.05 | 11 | 1720 | 8 | <5 | <20 | 172 | <0.01 | <10 | 50 | <10 | 13 | 42 |
| 52 | 15166 | <0.2 | 0.53 | 50 | 60 | <5 | 2.43 | <1 | 7 | 32 | 937 | 2.09 | 10 | 0.41 | 322 | 19 | 0.03 | 8 | 1200 | 4 | <5 | <20 | 60 | <0.01 | <10 | 40 | <10 | 12 | 22 |
| 53 | 15167 | 0.2 | 0.36 | 130 | 80 | <5 | 1.31 | <1 | 9 | 41 | 4650 | 2.54 | <10 | 0.42 | 359 | 31 | 0.03 | 6 | 1570 | 4 | <5 | <20 | 39 | <0.01 | <10 | 39 | <10 | 11 | 41 |
| 54 | 15168 | 0.3 | 0.26 | 35 | 25 | <5 | 1.24 | <1 | 8 | 47 | 453 | 3.00 | 20 | 0.37 | 393 | 15 | 0.03 | 5 | 1320 | <2 | <5 | <20 | 18 | <0.01 | <10 | 65 | <10 | 15 | 28 |
| 55 | 15169 | 0.2 | 0.27 | 15 | 20 | <5 | 2.08 | <1 | 8 | 39 | 572 | 3.05 | 20 | 0.30 | 416 | 5 | 0.03 | 8 | 1380 | 2 | <5 | <20 | 17 | <0.01 | <10 | 75 | <10 | 17 | 32 |
| 56 | 15170 | <0.2 | 0.26 | 15 | 30 | <5 | 2.36 | <1 | 8 | 50 | 525 | 2.94 | 10 | 0.34 | 412 | 9 | 0.03 | 9 | 1350 | <2 | <5 | <20 | 11 | <0.01 | <10 | 64 | <10 | 15 | 33 |
| 57 | 15171 | <0.2 | 0.30 | 10 | 70 | <5 | 2.53 | <1 | 9 | 50 | 915 | 3.37 | 10 | 0.39 | 412 | 15 | 0.04 | 10 | 1300 | <2 | <5 | <20 | 11 | <0.01 | <10 | 70 | <10 | 16 | 34 |
| 58 | 15172 | <0.2 | 0.28 | 130 | 30 | <5 | 2.32 | <1 | 9 | 63 | 2623 | 3.37 | 20 | 0.51 | 483 | 31 | 0.04 | 10 | 1610 | 4 | <5 | <20 | 12 | <0.01 | <10 | 68 | <10 | 16 | 39 |
| 59 | 15173 | 0.9 | 0.26 | 130 | 20 | <5 | 4.80 | <1 | 14 | 44 | 6205 | 3.76 | 20 | 1.15 | 727 | 23 | 0.02 | 18 | 1630 | 4 | <5 | <20 | 21 | <0.01 | <10 | 65 | <10 | 16 | 45 |
| 60 | 15174 | 0.7 | 0.23 | 270 | 25 | <5 | 4.30 | <1 | 17 | 49 | 4204 | 3.73 | 20 | 0.90 | 761 | 28 | 0.02 | 16 | 1530 | 2 | <5 | <20 | 12 | <0.01 | <10 | 65 | <10 | 17 | 75 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 61 | 15175 | <0.2 | 0.23 | 70 | 20 | <5 | 2.73 | <1 | 10 | 53 | 2321 | 3.42 | <10 | 0.75 | 502 | 23 | 0.03 | 11 | 1290 | <2 | <5 | <20 | 9 | <0.01 | <10 | 65 | <10 | 9 | 33 |
| 62 | 15176 | 0.2 | 0.29 | 20 | 45 | <5 | 2.43 | <1 | 9 | 43 | 710 | 3.34 | 30 | 0.55 | 415 | 8 | 0.03 | 9 | 1410 | <2 | <5 | <20 | 24 | <0.01 | <10 | 63 | <10 | 15 | 33 |
| 63 | 15177 | <0.2 | 0.33 | 25 | 25 | <5 | 2.18 | <1 | 8 | 40 | 935 | 3.29 | 10 | 0.24 | 308 | 27 | 0.04 | 8 | 1500 | 2 | <5 | <20 | 23 | <0.01 | <10 | 64 | <10 | 16 | 29 |
| 64 | 15178 | <0.2 | 0.40 | 40 | 120 | <5 | 2.51 | <1 | 8 | 52 | 1676 | 2.56 | <10 | 0.22 | 356 | 176 | 0.03 | 9 | 1430 | 4 | <5 | <20 | 24 | <0.01 | <10 | 43 | <10 | 15 | 28 |
| 65 | 15179 | <0.2 | 0.37 | 25 | 60 | <5 | 3.25 | <1 | 9 | 46 | 847 | 2.94 | <10 | 0.49 | 565 | 107 | 0.03 | 11 | 1290 | 2 | <5 | <20 | 17 | <0.01 | <10 | 51 | <10 | 15 | 33 |
| 66 | 15180 | 0.3 | 0.41 | 20 | 165 | <5 | 3.31 | <1 | 10 | 50 | 2011 | 3.43 | <10 | 0.50 | 545 | 55 | 0.03 | 13 | 1490 | 4 | <5 | <20 | 18 | <0.01 | <10 | 62 | <10 | 16 | 35 |
| 67 | 15181 | <0.2 | 0.49 | <5 | 45 | <5 | 3.87 | <1 | 10 | 45 | 722 | 3.69 | 50 | 0.47 | 643 | 24 | 0.04 | 12 | 1500 | 4 | <5 | <20 | 31 | <0.01 | <10 | 80 | <10 | 19 | 35 |
| 68 | 15182 | <0.2 | 0.87 | <5 | 15 | <5 | 3.21 | <1 | 16 | 41 | 858 | 5.49 | 20 | 0.84 | 600 | 20 | 0.04 | 13 | 1960 | 4 | <5 | <20 | 65 | <0.01 | <10 | 115 | <10 | 20 | 46 |
| 69 | 15183 | <0.2 | 1.04 | <5 | 10 | <5 | 2.74 | <1 | 20 | 45 | 1222 | 6.48 | 20 | 1.02 | 514 | 38 | 0.05 | 13 | 2620 | 4 | <5 | <20 | 61 | 0.01 | <10 | 156 | <10 | 20 | 50 |
| 70 | 15184 | 0.2 | 0.92 | 10 | 210 | <5 | 3.83 | <1 | 17 | 45 | 1955 | 6.20 | 30 | 0.95 | 666 | 24 | 0.04 | 15 | 2260 | 4 | <5 | <20 | 73 | <0.01 | <10 | 119 | <10 | 22 | 47 |
| 71 | 15185 | <0.2 | 0.98 | 15 | 15 | <5 | 2.24 | <1 | 18 | 40 | 1093 | 5.93 | 20 | 0.90 | 448 | 23 | 0.04 | 11 | 2190 | 4 | <5 | <20 | 58 | 0.01 | <10 | 129 | <10 | 16 | 50 |
| 72 | 15186 | <0.2 | 0.90 | 10 | 10 | <5 | 2.23 | <1 | 17 | 39 | 846 | 5.87 | 20 | 0.76 | 429 | 32 | 0.04 | 11 | 2200 | 6 | <5 | <20 | 66 | <0.01 | <10 | 120 | <10 | 17 | 48 |
| 73 | 15187 | <0.2 | 0.58 | 10 | 25 | <5 | 2.20 | <1 | 12 | 41 | 1085 | 4.34 | 20 | 0.47 | 428 | 44 | 0.04 | 7 | 1590 | 2 | <5 | <20 | 55 | <0.01 | <10 | 91 | <10 | 16 | 32 |
| 74 | 15188 | <0.2 | 0.33 | 20 | 20 | <5 | 2.80 | <1 | 10 | 34 | 1086 | 3.30 | 10 | 0.36 | 485 | 78 | 0.03 | 10 | 1170 | 6 | <5 | <20 | 23 | <0.01 | <10 | 62 | <10 | 15 | 25 |
| 75 | 15189 | <0.2 | 1.03 | 15 | 20 | <5 | 4.23 | <1 | 18 | 36 | 1316 | 5.62 | 30 | 0.80 | 710 | <1 | 0.04 | 15 | 2100 | 6 | <5 | <20 | 84 | <0.01 | <10 | 121 | <10 | 22 | 46 |
| 76 | 15190 | <0.2 | 1.07 | 5 | 15 | <5 | 3.11 | <1 | 15 | 34 | 1030 | 5.23 | 20 | 0.73 | 556 | <1 | 0.05 | 12 | 2120 | 8 | <5 | <20 | 83 | <0.01 | <10 | 122 | <10 | 17 | 45 |
| 77 | 15191 | <0.2 | 1.19 | 10 | 310 | <5 | 3.81 | <1 | 19 | 37 | 1329 | 5.43 | 20 | 0.88 | 715 | 7 | 0.06 | 13 | 2090 | 10 | <5 | <20 | 98 | 0.02 | <10 | 128 | <10 | 18 | 54 |
| 78 | 15192 | <0.2 | 0.99 | <5 | 150 | <5 | 4.06 | <1 | 16 | 31 | 1063 | 4.58 | 10 | 0.65 | 736 | <1 | 0.06 | 13 | 2070 | 8 | <5 | <20 | 80 | 0.03 | <10 | 125 | <10 | 16 | 47 |
| 79 | 15193 | <0.2 | 0.88 | 5 | 55 | <5 | 5.36 | <1 | 16 | 34 | 417 | 4.52 | 10 | 0.68 | 986 | 9 | 0.05 | 16 | 1920 | 6 | <5 | <20 | 74 | 0.05 | <10 | 123 | <10 | 17 | 45 |
| 80 | 15194 | <0.2 | 1.01 | <5 | 40 | <5 | 2.29 | <1 | 17 | 36 | 765 | 4.75 | 10 | 0.75 | 522 | <1 | 0.07 | 9 | 2230 | 8 | <5 | <20 | 118 | 0.09 | <10 | 123 | <10 | 15 | 45 |
| 81 | 15195 | <0.2 | 1.11 | <5 | 330 | <5 | 3.64 | <1 | 17 | 39 | 580 | 4.87 | 20 | 0.84 | 770 | 4 | 0.09 | 13 | 2130 | 8 | <5 | <20 | 109 | 0.08 | <10 | 132 | <10 | 16 | 49 |
| 82 | 15196 | <0.2 | 0.97 | <5 | 65 | <5 | 2.22 | <1 | 16 | 35 | 351 | 4.58 | 10 | 0.75 | 513 | 1 | 0.11 | 8 | 2100 | 8 | <5 | <20 | 86 | 0.11 | <10 | 136 | <10 | 15 | 45 |
| 83 | 15197 | <0.2 | 1.01 | <5 | 40 | <5 | 2.79 | <1 | 17 | 40 | 845 | 4.71 | 10 | 0.83 | 647 | 3 | 0.10 | 11 | 2190 | 6 | <5 | <20 | 98 | 0.11 | <10 | 128 | <10 | 16 | 47 |
| 84 | 15198 | <0.2 | 0.95 | <5 | 35 | <5 | 2.58 | <1 | 16 | 31 | 585 | 4.49 | 10 | 0.68 | 542 | <1 | 0.09 | 10 | 2140 | 8 | <5 | <20 | 81 | 0.08 | <10 | 139 | <10 | 15 | 49 |

**QC DATA:**

***Resplit:***

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 15115 | 0.2 | 0.29 | 10 | 25 | <5 | 1.96 | <1 | 4 | 77 | 159 | 1.62 | <10 | 0.27 | 346 | 5 | 0.04 | 8 | 460 | 4 | <5 | <20 | 21 | <0.01 | <10 | 39 | <10 | 8 | 19 |
| 36 | 15150 | <0.2 | 0.22 | 20 | 15 | <5 | 2.16 | <1 | 6 | 50 | 458 | 1.89 | 10 | 0.34 | 481 | 4 | 0.04 | 8 | 680 | 4 | <5 | <20 | 11 | <0.01 | <10 | 49 | <10 | 14 | 29 |
| 71 | 15185 | <0.2 | 1.05 | 10 | 10 | <5 | 2.52 | <1 | 18 | 38 | 1104 | 5.95 | 30 | 0.94 | 484 | 24 | 0.05 | 10 | 2170 | 6 | <5 | <20 | 65 | 0.01 | <10 | 128 | <10 | 18 | 50 |

***Repeat:***

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 15115 | <0.2 | 0.23 | 10 | 25 | <5 | 2.13 | <1 | 4 | 59 | 162 | 1.61 | <10 | 0.31 | 380 | 3 | 0.03 | 8 | 450 | 4 | <5 | <20 | 19 | <0.01 | <10 | 36 | <10 | 8 | 20 |
| 10 | 15124 | <0.2 | 0.23 | 60 | 20 | <5 | 2.06 | <1 | 4 | 51 | 978 | 1.67 | <10 | 0.37 | 277 | 3 | 0.03 | 7 | 560 | 4 | <5 | <20 | 21 | <0.01 | <10 | 36 | <10 | 8 | 16 |
| 19 | 15133 | <0.2 | 0.20 | 25 | 55 | <5 | 2.40 | <1 | 3 | 56 | 815 | 0.81 | <10 | 0.19 | 558 | 7 | 0.02 | 8 | 530 | <2 | <5 | <20 | 2 | <0.01 | <10 | 10 | <10 | 5 | 10 |
| 36 | 15150 | <0.2 | 0.21 | 30 | 10 | <5 | 2.11 | <1 | 6 | 52 | 494 | 1.83 | 10 | 0.34 | 468 | 5 | 0.03 | 8 | 670 | 4 | <5 | <20 | 11 | <0.01 | <10 | 48 | <10 | 14 | 29 |
| 45 | 15159 | 0.2 | 0.71 | 10 | 55 | <5 | 2.78 | <1 | 9 | 31 | 654 | 2.77 | 10 | 1.05 | 634 | 3 | 0.03 | 12 | 1090 | 6 | <5 | <20 | 143 | <0.01 | <10 | 48 | <10 | 13 | 29 |
| 54 | 15168 | <0.2 | 0.25 | 40 | 25 | <5 | 1.22 | <1 | 8 | 46 | 438 | 2.94 | 20 | 0.36 | 397 | 15 | 0.03 | 6 | 1300 | <2 | <5 | 20 | 18 | <0.01 | <10 | 63 | <10 | 15 | 28 |
| 71 | 15185 | <0.2 | 1.01 | 10 | 10 | <5 | 2.24 | <1 | 18 | 39 | 1108 | 5.98 | 20 | 0.91 | 448 | 24 | 0.05 | 12 | 2200 | 6 | <5 | <20 | 60 | 0.01 | <10 | 132 | <10 | 16 | 50 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.6 | 1.53 | 65 | 130 | <5 | 1.74 | <1 | 20 | 63 | 83 | 3.78 | <10 | 0.84 | 653 | <1 | 0.02 | 35 | 690 | 20 | <5 | <20 | 49 | 0.09 | <10 | 65 | <10 | 9 | 73 |
| GEO '04 | | 1.6 | 1.56 | 60 | 135 | <5 | 1.76 | <1 | 20 | 63 | 86 | 3.80 | <10 | 0.84 | 666 | <1 | 0.02 | 33 | 720 | 22 | <5 | <20 | 50 | 0.09 | <10 | 71 | <10 | 8 | 75 |
| GEO '04 | | 1.6 | 1.59 | 60 | 135 | <5 | 1.73 | <1 | 20 | 65 | 84 | 3.86 | 10 | 0.87 | 644 | <1 | 0.02 | 33 | 730 | 20 | <5 | <20 | 48 | 0.10 | <10 | 65 | <10 | 10 | 76 |

JJ/jm
df/881/869
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-919

**GWR RESOURCES INC.** 11-Aug-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 77*
*Sample Type: Rock*
***Project #: Not indicated***
***Shipment #: Not indicated***

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 15273 | <0.03 | <0.001 | 0.02 |
| 2 | 15274 | <0.03 | <0.001 | 0.02 |
| 3 | 15277 | <0.03 | <0.001 | 0.03 |
| 4 | 15278 | <0.03 | <0.001 | 0.03 |
| 5 | 15279 | <0.03 | <0.001 | 0.06 |
| 6 | 15280 | 0.04 | 0.001 | 0.04 |
| 7 | 15281 | <0.03 | <0.001 | 0.02 |
| 8 | 15282 | <0.03 | <0.001 | 0.01 |
| 9 | 15283 | <0.03 | <0.001 | <0.01 |
| 10 | 15284 | 0.12 | 0.003 | 0.12 |
| 11 | 15285 | <0.03 | <0.001 | 0.05 |
| 12 | 15286 | 0.03 | 0.001 | 0.09 |
| 13 | 15287 | 0.03 | 0.001 | 0.10 |
| 14 | 15288 | <0.03 | <0.001 | 0.03 |
| 15 | 15289 | 0.04 | 0.001 | 0.01 |
| 16 | 15290 | <0.03 | <0.001 | 0.01 |
| 17 | 15291 | <0.03 | <0.001 | 0.04 |
| 18 | 15292 | <0.03 | <0.001 | 0.01 |
| 19 | 15293 | <0.03 | <0.001 | 0.04 |
| 20 | 15294 | <0.03 | <0.001 | 0.07 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK04-919** 11-Aug-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 21 | 15295 | <0.03 | <0.001 | 0.02 |
| 22 | 15296 | <0.03 | <0.001 | 0.02 |
| 23 | 15297 | 0.03 | 0.001 | 0.11 |
| 24 | 15298 | <0.03 | <0.001 | 0.04 |
| 25 | 15299 | <0.03 | <0.001 | 0.05 |
| 26 | 15300 | <0.03 | <0.001 | 0.05 |
| 27 | 15301 | 0.03 | 0.001 | 0.11 |
| 28 | 15302 | 0.06 | 0.002 | 0.15 |
| 29 | 15303 | <0.03 | <0.001 | 0.04 |
| 30 | 15304 | <0.03 | <0.001 | 0.03 |
| 31 | 15305 | <0.03 | <0.001 | 0.09 |
| 32 | 15306 | <0.03 | <0.001 | 0.14 |
| 33 | 15307 | 0.05 | 0.001 | 0.06 |
| 34 | 15308 | 0.05 | 0.001 | 0.05 |
| 35 | 15309 | 0.04 | 0.001 | 0.06 |
| 36 | 15310 | <0.03 | <0.001 | 0.03 |
| 37 | 15311 | 0.03 | 0.001 | 0.05 |
| 38 | 15312 | 0.04 | 0.001 | 0.10 |
| 39 | 15313 | <0.03 | <0.001 | 0.06 |
| 40 | 15314 | 0.11 | 0.003 | 0.11 |
| 41 | 15315 | <0.03 | <0.001 | 0.06 |
| 42 | 15316 | <0.03 | <0.001 | 0.04 |
| 43 | 15317 | <0.03 | <0.001 | 0.04 |
| 44 | 15318 | <0.03 | <0.001 | 0.01 |
| 45 | 15319 | 0.17 | 0.005 | 0.10 |
| 46 | 15320 | <0.03 | <0.001 | 0.04 |
| 47 | 15321 | 0.14 | 0.004 | 0.11 |
| 48 | 15322 | <0.03 | <0.001 | 0.02 |
| 49 | 15323 | <0.03 | <0.001 | 0.04 |
| 50 | 15324 | 0.03 | 0.001 | 0.07 |
| 51 | 15325 | <0.03 | <0.001 | 0.01 |
| 52 | 15326 | <0.03 | <0.001 | 0.03 |
| 53 | 15331 | 0.39 | 0.011 | 0.07 |
| 54 | 15332 | 0.05 | 0.001 | 0.10 |
| 55 | 15333 | 0.28 | 0.008 | 0.07 |
| 56 | 15334 | <0.03 | <0.001 | 0.07 |
| 57 | 15335 | 0.27 | 0.008 | 0.16 |
| 58 | 15336 | 0.04 | 0.001 | 0.07 |
| 59 | 15337 | 0.09 | 0.003 | 0.09 |
| 60 | 15338 | 0.05 | 0.001 | 0.14 |
| 61 | 15339 | 0.28 | 0.008 | 0.13 |
| 62 | 15340 | 0.20 | 0.006 | 0.14 |
| 63 | 15341 | 0.06 | 0.002 | 0.06 |
| 64 | 15342 | 0.09 | 0.003 | 0.16 |
| 65 | 15355 | 0.06 | 0.002 | 0.07 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK04-919** 11-Aug-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 66 | 15356 | 0.04 | 0.001 | 0.06 |
| 67 | 15357 | <0.03 | <0.001 | 0.03 |
| 68 | 15358 | 0.18 | 0.005 | 0.09 |
| 69 | 15359 | 0.17 | 0.005 | 0.11 |
| 70 | 15360 | 0.14 | 0.004 | 0.18 |
| 71 | 15361 | 0.18 | 0.005 | 0.17 |
| 72 | 15362 | 0.15 | 0.004 | 0.24 |
| 73 | 15363 | 2.44 | 0.071 | 0.26 |
| 74 | 15364 | 0.56 | 0.016 | 0.59 |
| 75 | 15365 | 0.18 | 0.005 | 0.18 |
| 76 | 15366 | 0.23 | 0.007 | 0.24 |
| 77 | 15367 | 0.17 | 0.005 | 0.22 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 15273 | <0.03 | <0.001 | 0.02 |
| 36 | 15310 | <0.03 | <0.001 | 0.03 |
| 71 | 15361 | 0.25 | 0.007 | 0.17 |
| ***Repeat:*** | | | | |
| 1 | 15273 | <0.03 | <0.001 | 0.02 |
| 10 | 15284 | 0.16 | 0.005 | 0.12 |
| 19 | 15293 | 0.03 | 0.001 | 0.04 |
| 36 | 15310 | <0.03 | <0.001 | 0.03 |
| 45 | 15319 | 0.18 | 0.005 | 0.10 |
| 54 | 15332 | 0.09 | 0.003 | 0.10 |
| 73 | 15363 | 2.32 | 0.068 | |
| 74 | 15364 | 0.55 | 0.016 | |
| ***Standard:*** | | | | |
| SH13 | | 1.36 | 0.040 | |
| SH13 | | 1.32 | 0.038 | |
| SH13 | | 1.31 | 0.038 | |
| Cu106 | | | | 1.43 |
| Cu106 | | | | 1.44 |
| Cu106 | | | | 1.44 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

13-Aug-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-919**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 77*
*Sample Type: Rock*
***Project #: Not indicated***
***Shipment #: Not indicated***

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 15273 | <0.2 | 0.21 | 5 | 30 | <5 | 0.48 | <1 | 5 | 70 | 176 | 1.98 | 20 | 0.13 | 193 | <1 | 0.04 | 5 | 520 | 2 | <5 | <20 | 20 | <0.01 | <10 | 50 | <10 | 11 | 18 |
| 2 | 15274 | 0.2 | 0.24 | 20 | 20 | <5 | 2.02 | <1 | 7 | 67 | 226 | 2.24 | 10 | 0.64 | 621 | <1 | 0.04 | 9 | 500 | 2 | <5 | <20 | 17 | <0.01 | <10 | 42 | <10 | 13 | 29 |
| 3 | 15277 | 0.3 | 0.25 | 10 | 30 | <5 | 1.40 | <1 | 6 | 59 | 251 | 2.10 | 20 | 0.22 | 348 | 7 | 0.04 | 6 | 570 | 4 | <5 | <20 | 23 | <0.01 | <10 | 51 | <10 | 13 | 25 |
| 4 | 15278 | 0.2 | 0.22 | 15 | 20 | <5 | 1.92 | <1 | 5 | 44 | 260 | 1.87 | 20 | 0.18 | 341 | 2 | 0.03 | 7 | 620 | 2 | <5 | <20 | 20 | <0.01 | <10 | 45 | <10 | 12 | 19 |
| 5 | 15279 | 0.2 | 0.26 | 20 | 30 | <5 | 1.42 | <1 | 5 | 48 | 550 | 1.93 | 20 | 0.16 | 297 | 4 | 0.04 | 5 | 630 | 4 | <5 | <20 | 26 | <0.01 | <10 | 48 | <10 | 10 | 19 |
| 6 | 15280 | 0.2 | 0.26 | 10 | 20 | <5 | 1.45 | <1 | 4 | 42 | 411 | 1.79 | 20 | 0.15 | 211 | 1 | 0.03 | 5 | 590 | 2 | <5 | <20 | 24 | <0.01 | <10 | 45 | <10 | 9 | 14 |
| 7 | 15281 | <0.2 | 0.29 | 20 | 25 | <5 | 1.27 | <1 | 5 | 44 | 171 | 1.89 | 20 | 0.21 | 270 | 3 | 0.04 | 5 | 580 | 4 | <5 | <20 | 31 | <0.01 | <10 | 48 | <10 | 10 | 17 |
| 8 | 15282 | <0.2 | 0.24 | 15 | 20 | <5 | 1.96 | <1 | 6 | 40 | 63 | 2.14 | 20 | 0.20 | 363 | <1 | 0.03 | 7 | 550 | 2 | <5 | <20 | 19 | <0.01 | <10 | 50 | <10 | 11 | 18 |
| 9 | 15283 | <0.2 | 0.23 | 10 | 20 | <5 | 2.40 | <1 | 4 | 42 | 49 | 1.56 | <10 | 0.14 | 378 | 5 | 0.02 | 8 | 470 | 2 | <5 | <20 | 6 | <0.01 | <10 | 35 | <10 | 9 | 11 |
| 10 | 15284 | 0.6 | 0.23 | 40 | 65 | <5 | 2.06 | <1 | 5 | 57 | 1078 | 1.05 | <10 | 0.19 | 406 | 8 | <0.01 | 8 | 460 | 2 | <5 | <20 | 8 | <0.01 | <10 | 14 | <10 | 6 | 9 |
| 11 | 15285 | 0.2 | 0.23 | 60 | 20 | <5 | 1.75 | <1 | 5 | 41 | 423 | 1.85 | 20 | 0.28 | 472 | 2 | 0.03 | 7 | 590 | 4 | <5 | <20 | 7 | <0.01 | <10 | 41 | <10 | 9 | 16 |
| 12 | 15286 | 0.3 | 0.34 | 20 | 95 | <5 | 2.36 | <1 | 6 | 45 | 842 | 1.99 | <10 | 0.38 | 473 | 2 | 0.02 | 8 | 440 | 4 | <5 | <20 | 12 | <0.01 | <10 | 47 | <10 | 9 | 18 |
| 13 | 15287 | 0.3 | 0.33 | 145 | 15 | <5 | 2.39 | <1 | 10 | 39 | 935 | 2.10 | <10 | 0.64 | 619 | 6 | <0.01 | 10 | 290 | 4 | <5 | <20 | 6 | <0.01 | <10 | 40 | <10 | 6 | 27 |
| 14 | 15288 | <0.2 | 0.31 | 10 | 15 | <5 | 1.77 | <1 | 3 | 47 | 297 | 1.30 | <10 | 0.13 | 313 | 4 | <0.01 | 7 | 230 | <2 | <5 | <20 | 10 | <0.01 | <10 | 21 | <10 | 5 | 10 |
| 15 | 15289 | <0.2 | 0.24 | 5 | 45 | <5 | 1.80 | <1 | 3 | 40 | 78 | 1.14 | <10 | 0.29 | 371 | 3 | 0.02 | 6 | 330 | <2 | <5 | <20 | 14 | <0.01 | <10 | 27 | <10 | 6 | 12 |
| 16 | 15290 | <0.2 | 0.28 | <5 | 30 | <5 | 1.95 | <1 | 4 | 51 | 112 | 1.24 | <10 | 0.39 | 384 | <1 | <0.01 | 7 | 120 | 2 | <5 | <20 | 13 | <0.01 | <10 | 28 | <10 | 5 | 12 |
| 17 | 15291 | 0.2 | 0.22 | 30 | 15 | <5 | 1.58 | <1 | 4 | 50 | 342 | 1.18 | <10 | 0.40 | 429 | 12 | 0.01 | 7 | 240 | <2 | <5 | <20 | 12 | <0.01 | <10 | 23 | <10 | 5 | 15 |
| 18 | 15292 | <0.2 | 0.27 | 20 | 20 | <5 | 2.52 | <1 | 3 | 53 | 120 | 0.87 | <10 | 0.23 | 420 | 2 | 0.02 | 8 | 390 | 4 | <5 | <20 | 9 | <0.01 | <10 | 19 | <10 | 5 | 9 |
| 19 | 15293 | 0.2 | 0.28 | 5 | 25 | <5 | 2.60 | <1 | 4 | 41 | 354 | 1.32 | <10 | 0.34 | 543 | 9 | 0.01 | 8 | 360 | 4 | <5 | <20 | 6 | <0.01 | <10 | 25 | <10 | 6 | 11 |
| 20 | 15294 | 0.2 | 0.26 | 25 | 20 | <5 | 2.28 | <1 | 5 | 43 | 693 | 1.65 | <10 | 0.23 | 587 | 5 | <0.01 | 8 | 340 | 2 | <5 | <20 | 16 | <0.01 | <10 | 26 | <10 | 6 | 10 |
| 21 | 15295 | <0.2 | 0.27 | 5 | 15 | <5 | 1.99 | <1 | 5 | 43 | 205 | 1.75 | <10 | 0.40 | 455 | 5 | 0.02 | 7 | 410 | <2 | <5 | <20 | 19 | <0.01 | <10 | 30 | <10 | 7 | 14 |
| 22 | 15296 | <0.2 | 0.19 | 20 | 15 | <5 | 2.10 | <1 | 5 | 50 | 191 | 1.45 | 10 | 0.28 | 464 | 6 | 0.03 | 6 | 540 | <2 | <5 | <20 | 4 | <0.01 | <10 | 28 | <10 | 8 | 12 |
| 23 | 15297 | 0.2 | 0.23 | 70 | 25 | <5 | 2.48 | <1 | 4 | 53 | 974 | 1.32 | 10 | 0.26 | 641 | 4 | 0.02 | 8 | 550 | <2 | <5 | <20 | 2 | <0.01 | <10 | 17 | <10 | 8 | 10 |
| 24 | 15298 | 0.2 | 0.19 | 25 | 15 | <5 | 1.93 | <1 | 5 | 47 | 338 | 1.84 | 10 | 0.26 | 485 | 2 | 0.03 | 7 | 550 | <2 | <5 | <20 | 1 | <0.01 | <10 | 37 | <10 | 8 | 16 |
| 25 | 15299 | 0.3 | 0.23 | 45 | 25 | <5 | 1.60 | <1 | 5 | 39 | 484 | 1.93 | 10 | 0.23 | 364 | 6 | 0.03 | 6 | 540 | 2 | <5 | <20 | 10 | <0.01 | <10 | 38 | <10 | 8 | 21 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 26 | 15300 | 0.2 | 0.26 | 5 | 60 | <5 | 1.32 | <1 | 5 | 49 | 485 | 1.76 | 20 | 0.24 | 326 | <1 | 0.05 | 6 | 510 | 4 | <5 | <20 | 22 | 0.01 | <10 | 41 | <10 | 9 | 23 |
| 27 | 15301 | 0.3 | 0.23 | 30 | 50 | <5 | 1.78 | <1 | 6 | 46 | 1066 | 2.28 | 20 | 0.33 | 432 | 3 | 0.05 | 7 | 490 | 2 | <5 | <20 | 8 | <0.01 | <10 | 47 | <10 | 10 | 26 |
| 28 | 15302 | 0.4 | 0.21 | 40 | 25 | <5 | 1.32 | <1 | 7 | 45 | 1390 | 2.02 | 20 | 0.22 | 367 | <1 | 0.04 | 5 | 510 | 2 | <5 | <20 | 6 | <0.01 | <10 | 37 | <10 | 7 | 23 |
| 29 | 15303 | 0.2 | 0.20 | 15 | 25 | <5 | 1.50 | <1 | 6 | 49 | 341 | 1.84 | 10 | 0.44 | 432 | 5 | 0.06 | 6 | 440 | <2 | <5 | <20 | 6 | <0.01 | <10 | 42 | <10 | 7 | 21 |
| 30 | 15304 | <0.2 | 0.22 | 10 | 120 | <5 | 1.70 | <1 | 5 | 50 | 318 | 1.38 | <10 | 0.35 | 456 | <1 | 0.06 | 6 | 460 | 2 | <5 | <20 | 11 | <0.01 | <10 | 33 | <10 | 7 | 18 |
| 31 | 15305 | <0.2 | 0.25 | 35 | 25 | <5 | 1.87 | <1 | 4 | 51 | 826 | 1.60 | <10 | 0.47 | 535 | 3 | 0.03 | 7 | 450 | <2 | <5 | <20 | 7 | <0.01 | <10 | 28 | <10 | 6 | 12 |
| 32 | 15306 | 0.3 | 0.24 | 105 | 25 | <5 | 2.22 | <1 | 11 | 56 | 1350 | 1.77 | 10 | 0.37 | 559 | 2 | 0.04 | 8 | 480 | <2 | <5 | <20 | <1 | <0.01 | <10 | 24 | <10 | 8 | 14 |
| 33 | 15307 | <0.2 | 0.27 | 40 | 25 | <5 | 1.66 | <1 | 5 | 52 | 558 | 1.55 | <10 | 0.24 | 431 | 4 | 0.02 | 7 | 450 | 2 | <5 | <20 | 12 | <0.01 | <10 | 29 | <10 | 7 | 10 |
| 34 | 15308 | 0.2 | 0.29 | <5 | 40 | <5 | 1.20 | <1 | 4 | 52 | 506 | 1.52 | <10 | 0.20 | 317 | <1 | 0.05 | 5 | 460 | 4 | <5 | <20 | 26 | 0.02 | <10 | 38 | <10 | 8 | 17 |
| 35 | 15309 | <0.2 | 0.21 | 5 | 30 | <5 | 1.90 | <1 | 4 | 40 | 580 | 1.38 | 10 | 0.25 | 650 | 3 | 0.03 | 8 | 450 | 2 | <5 | <20 | 12 | <0.01 | <10 | 24 | <10 | 6 | 14 |
| 36 | 15310 | <0.2 | 0.17 | 10 | 30 | <5 | 2.72 | <1 | 3 | 37 | 337 | 1.14 | 10 | 0.48 | 706 | 3 | 0.01 | 8 | 430 | <2 | <5 | <20 | <1 | <0.01 | <10 | 12 | <10 | 8 | 8 |
| 37 | 15311 | <0.2 | 0.25 | <5 | 30 | <5 | 1.76 | <1 | 4 | 54 | 519 | 1.70 | 10 | 0.21 | 425 | 4 | 0.04 | 7 | 450 | 2 | <5 | <20 | 7 | <0.01 | <10 | 28 | <10 | 8 | 14 |
| 38 | 15312 | <0.2 | 0.29 | <5 | 45 | <5 | 1.93 | <1 | 6 | 51 | 1042 | 2.23 | 10 | 0.31 | 466 | 4 | 0.04 | 7 | 480 | 2 | <5 | <20 | 8 | <0.01 | <10 | 46 | <10 | 8 | 20 |
| 39 | 15313 | <0.2 | 0.23 | <5 | 40 | <5 | 1.57 | <1 | 5 | 46 | 550 | 1.65 | 10 | 0.27 | 392 | 2 | 0.04 | 7 | 490 | 4 | <5 | <20 | 13 | <0.01 | <10 | 38 | <10 | 8 | 20 |
| 40 | 15314 | 0.2 | 0.26 | 5 | 25 | <5 | 1.66 | <1 | 6 | 51 | 993 | 1.77 | <10 | 0.30 | 509 | 4 | 0.03 | 6 | 460 | 4 | <5 | <20 | 13 | 0.01 | <10 | 35 | <10 | 6 | 18 |
| 41 | 15315 | <0.2 | 0.23 | <5 | 165 | <5 | 1.50 | <1 | 5 | 48 | 588 | 1.43 | 10 | 0.19 | 294 | 2 | 0.05 | 7 | 470 | 4 | <5 | <20 | 14 | <0.01 | <10 | 35 | <10 | 8 | 20 |
| 42 | 15316 | <0.2 | 0.21 | <5 | 60 | <5 | 1.52 | <1 | 4 | 43 | 366 | 1.44 | <10 | 0.19 | 322 | 4 | 0.03 | 6 | 420 | 2 | <5 | <20 | 11 | <0.01 | <10 | 35 | <10 | 8 | 17 |
| 43 | 15317 | <0.2 | 0.23 | 5 | 75 | <5 | 1.79 | <1 | 5 | 48 | 418 | 1.80 | <10 | 0.32 | 454 | 14 | 0.04 | 7 | 470 | 2 | <5 | <20 | 9 | <0.01 | <10 | 37 | <10 | 6 | 18 |
| 44 | 15318 | <0.2 | 0.18 | 15 | 25 | <5 | 1.77 | <1 | 4 | 45 | 135 | 1.56 | <10 | 0.44 | 512 | 17 | 0.03 | 7 | 440 | <2 | <5 | <20 | 2 | <0.01 | <10 | 27 | <10 | 5 | 11 |
| 45 | 15319 | 0.6 | 0.21 | 80 | 65 | <5 | 2.29 | <1 | 5 | 51 | 1004 | 1.23 | <10 | 0.49 | 837 | 5 | <0.01 | 9 | 480 | <2 | <5 | <20 | <1 | <0.01 | <10 | 10 | <10 | 6 | 9 |
| 46 | 15320 | <0.2 | 0.23 | 15 | 80 | <5 | 2.59 | <1 | 2 | 53 | 385 | 0.98 | <10 | 0.24 | 934 | 5 | <0.01 | 9 | 470 | <2 | <5 | <20 | 5 | <0.01 | <10 | 11 | <10 | 6 | 5 |
| 47 | 15321 | 0.8 | 0.21 | 20 | 40 | <5 | 1.89 | <1 | 12 | 53 | 1059 | 1.37 | <10 | 0.18 | 511 | 24 | 0.02 | 6 | 450 | 2 | <5 | <20 | 11 | <0.01 | <10 | 23 | <10 | 7 | 11 |
| 48 | 15322 | <0.2 | 0.33 | <5 | 55 | <5 | 1.08 | <1 | 5 | 59 | 233 | 1.71 | <10 | 0.26 | 202 | 7 | 0.05 | 6 | 440 | 2 | <5 | <20 | 29 | 0.02 | <10 | 42 | <10 | 7 | 19 |
| 49 | 15323 | <0.2 | 0.30 | <5 | 90 | <5 | 1.54 | <1 | 5 | 59 | 377 | 1.94 | <10 | 0.26 | 293 | 5 | 0.03 | 6 | 390 | 4 | <5 | <20 | 18 | <0.01 | <10 | 50 | <10 | 8 | 19 |
| 50 | 15324 | <0.2 | 0.28 | <5 | 60 | <5 | 0.92 | <1 | 5 | 53 | 675 | 1.77 | <10 | 0.22 | 154 | 6 | 0.04 | 4 | 480 | 4 | <5 | <20 | 27 | 0.03 | <10 | 41 | <10 | 6 | 15 |
| 51 | 15325 | <0.2 | 0.30 | <5 | 45 | <5 | 1.19 | <1 | 5 | 47 | 130 | 1.71 | <10 | 0.35 | 258 | 4 | 0.04 | 6 | 410 | 2 | <5 | <20 | 18 | 0.01 | <10 | 38 | <10 | 6 | 14 |
| 52 | 15326 | <0.2 | 0.45 | <5 | 95 | <5 | 1.67 | <1 | 5 | 51 | 286 | 1.52 | <10 | 0.39 | 513 | 7 | 0.05 | 7 | 420 | 4 | <5 | <20 | 12 | <0.01 | <10 | 36 | <10 | 5 | 14 |
| 53 | 15331 | <0.2 | 0.21 | 25 | 30 | <5 | 1.88 | <1 | 5 | 50 | 709 | 1.64 | <10 | 0.24 | 397 | 4 | 0.03 | 7 | 460 | 2 | <5 | <20 | 12 | <0.01 | <10 | 37 | <10 | 7 | 14 |
| 54 | 15332 | <0.2 | 0.25 | 110 | 90 | <5 | 2.42 | <1 | 7 | 48 | 980 | 2.07 | <10 | 0.46 | 493 | 5 | 0.01 | 8 | 470 | 2 | <5 | <20 | 13 | <0.01 | <10 | 36 | <10 | 6 | 17 |
| 55 | 15333 | 0.4 | 0.24 | 85 | 115 | <5 | 2.22 | <1 | 5 | 55 | 711 | 1.66 | <10 | 0.40 | 421 | 6 | 0.02 | 8 | 430 | 2 | <5 | <20 | 15 | <0.01 | <10 | 40 | <10 | 7 | 15 |
| 56 | 15334 | <0.2 | 0.20 | 10 | 55 | <5 | 1.64 | <1 | 5 | 53 | 647 | 2.33 | <10 | 0.26 | 355 | 5 | 0.03 | 8 | 420 | <2 | <5 | <20 | 19 | <0.01 | <10 | 58 | <10 | 6 | 12 |
| 57 | 15335 | 0.2 | 0.19 | 20 | 75 | <5 | 1.51 | <1 | 5 | 52 | 1407 | 1.86 | <10 | 0.30 | 278 | 5 | 0.03 | 6 | 520 | <2 | <5 | <20 | 20 | <0.01 | <10 | 45 | <10 | 8 | 14 |
| 58 | 15336 | <0.2 | 0.19 | 55 | 70 | <5 | 1.65 | <1 | 6 | 56 | 734 | 1.73 | <10 | 0.35 | 285 | 8 | 0.03 | 6 | 450 | 2 | <5 | <20 | 16 | <0.01 | <10 | 41 | <10 | 8 | 17 |
| 59 | 15337 | <0.2 | 0.18 | 75 | 80 | <5 | 1.45 | <1 | 8 | 55 | 814 | 2.61 | <10 | 0.38 | 290 | 5 | 0.03 | 7 | 390 | <2 | <5 | <20 | 16 | <0.01 | <10 | 66 | <10 | 7 | 18 |
| 60 | 15338 | 0.2 | 0.20 | 115 | 40 | <5 | 1.20 | <1 | 7 | 50 | 1327 | 2.17 | <10 | 0.27 | 231 | 5 | 0.03 | 5 | 480 | <2 | <5 | <20 | 20 | <0.01 | <10 | 55 | <10 | 7 | 15 |
| 61 | 15339 | 0.4 | 0.20 | 50 | 25 | <5 | 1.28 | <1 | 6 | 43 | 1231 | 1.86 | <10 | 0.28 | 259 | 3 | 0.02 | 6 | 440 | <2 | <5 | <20 | 18 | <0.01 | <10 | 44 | <10 | 6 | 13 |
| 62 | 15340 | 0.2 | 0.24 | 60 | 35 | <5 | 1.72 | <1 | 8 | 52 | 1263 | 2.22 | <10 | 0.35 | 322 | 5 | 0.02 | 6 | 380 | <2 | <5 | <20 | 12 | <0.01 | <10 | 52 | <10 | 7 | 17 |
| 63 | 15341 | <0.2 | 0.24 | 40 | 70 | <5 | 1.14 | <1 | 5 | 59 | 596 | 1.88 | <10 | 0.23 | 181 | 4 | 0.04 | 7 | 470 | 2 | <5 | <20 | 33 | 0.01 | <10 | 51 | <10 | 7 | 12 |
| 64 | 15342 | 0.3 | 0.23 | 45 | 80 | <5 | 1.22 | <1 | 6 | 52 | 1515 | 1.96 | <10 | 0.25 | 225 | 9 | 0.04 | 6 | 490 | <2 | <5 | <20 | 28 | <0.01 | <10 | 46 | <10 | 8 | 21 |
| 65 | 15355 | <0.2 | 0.25 | 45 | 360 | <5 | 1.96 | <1 | 6 | 53 | 708 | 1.59 | <10 | 0.37 | 341 | 7 | 0.01 | 8 | 330 | 2 | <5 | <20 | 17 | <0.01 | <10 | 36 | <10 | 6 | 14 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 66 | 15356 | <0.2 | 0.20 | 55 | 45 | <5 | 1.93 | <1 | 6 | 55 | 586 | 1.60 | <10 | 0.35 | 325 | 5 | 0.02 | 7 | 300 | 2 | <5 | <20 | 14 | <0.01 | <10 | 38 | <10 | 7 | 16 |
| 67 | 15357 | <0.2 | 0.18 | 5 | 40 | <5 | 1.29 | <1 | 5 | 47 | 309 | 1.83 | <10 | 0.23 | 209 | 1 | 0.03 | 5 | 440 | <2 | <5 | <20 | 18 | <0.01 | <10 | 46 | <10 | 8 | 14 |
| 68 | 15358 | <0.2 | 0.22 | <5 | 105 | <5 | 1.20 | <1 | 6 | 51 | 837 | 1.86 | <10 | 0.23 | 213 | 5 | 0.04 | 6 | 470 | 4 | <5 | <20 | 23 | 0.01 | <10 | 44 | <10 | 8 | 19 |
| 69 | 15359 | <0.2 | 0.22 | <5 | 60 | <5 | 0.81 | <1 | 7 | 59 | 1065 | 1.96 | <10 | 0.19 | 149 | 3 | 0.04 | 5 | 460 | 2 | <5 | <20 | 26 | 0.02 | <10 | 46 | <10 | 6 | 14 |
| 70 | 15360 | 0.2 | 0.19 | 20 | 130 | <5 | 1.15 | <1 | 7 | 49 | 1655 | 2.04 | <10 | 0.19 | 194 | 3 | 0.03 | 5 | 510 | 2 | <5 | <20 | 25 | 0.01 | <10 | 48 | <10 | 7 | 17 |
| 71 | 15361 | 0.3 | 0.22 | 30 | 50 | <5 | 1.09 | <1 | 7 | 53 | 1539 | 1.91 | <10 | 0.20 | 179 | 4 | 0.04 | 5 | 520 | <2 | <5 | <20 | 25 | 0.02 | <10 | 46 | <10 | 6 | 18 |
| 72 | 15362 | 0.6 | 0.19 | 10 | 45 | <5 | 1.20 | <1 | 9 | 51 | 2263 | 2.59 | <10 | 0.35 | 243 | 9 | 0.03 | 6 | 560 | <2 | <5 | <20 | 19 | <0.01 | <10 | 51 | <10 | 7 | 23 |
| 73 | 15363 | 2.0 | 0.20 | 45 | 35 | <5 | 1.33 | <1 | 9 | 60 | 2516 | 2.14 | <10 | 0.33 | 239 | 5 | 0.04 | 7 | 580 | 2 | <5 | <20 | 22 | <0.01 | <10 | 47 | <10 | 8 | 19 |
| 74 | 15364 | 1.3 | 0.19 | 210 | 40 | <5 | 2.23 | <1 | 15 | 54 | 5744 | 2.81 | <10 | 0.63 | 403 | 3 | 0.03 | 11 | 670 | 2 | <5 | <20 | 12 | <0.01 | <10 | 46 | <10 | 8 | 33 |
| 75 | 15365 | 0.4 | 0.20 | 15 | 45 | <5 | 1.18 | <1 | 8 | 50 | 1635 | 2.09 | <10 | 0.21 | 209 | 3 | 0.03 | 5 | 520 | 2 | <5 | <20 | 29 | 0.02 | <10 | 45 | <10 | 8 | 18 |
| 76 | 15366 | 0.5 | 0.23 | <5 | 75 | <5 | 0.95 | <1 | 8 | 58 | 2238 | 2.11 | <10 | 0.18 | 162 | 2 | 0.04 | 4 | 550 | 2 | <5 | <20 | 27 | 0.02 | <10 | 47 | <10 | 6 | 18 |
| 77 | 15367 | 0.4 | 0.20 | 15 | 75 | <5 | 1.28 | <1 | 7 | 60 | 2056 | 2.06 | <10 | 0.22 | 234 | 7 | 0.04 | 6 | 550 | 4 | <5 | <20 | 19 | 0.01 | <10 | 45 | <10 | 7 | 21 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 15273 | <0.2 | 0.20 | 5 | 30 | <5 | 0.46 | <1 | 4 | 61 | 159 | 1.89 | 20 | 0.12 | 174 | 4 | 0.04 | 4 | 520 | 2 | <5 | <20 | 17 | <0.01 | <10 | 49 | <10 | 11 | 16 |
| 36 | 15310 | <0.2 | 0.17 | 10 | 30 | <5 | 2.69 | <1 | 4 | 38 | 295 | 1.19 | 10 | 0.47 | 715 | 2 | 0.01 | 9 | 420 | <2 | <5 | <20 | <1 | <0.01 | <10 | 13 | <10 | 7 | 9 |
| 71 | 15361 | 0.3 | 0.25 | 20 | 50 | <5 | 1.15 | <1 | 7 | 57 | 1602 | 1.98 | <10 | 0.20 | 187 | 3 | 0.04 | 6 | 530 | 2 | <5 | <20 | 26 | 0.02 | <10 | 49 | <10 | 7 | 20 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 15273 | <0.2 | 0.21 | <5 | 25 | <5 | 0.47 | <1 | 4 | 67 | 173 | 1.94 | 20 | 0.13 | 189 | <1 | 0.04 | 3 | 520 | 4 | <5 | <20 | 19 | <0.01 | <10 | 49 | <10 | 11 | 17 |
| 10 | 15284 | 0.6 | 0.21 | 35 | 65 | <5 | 2.03 | <1 | 4 | 55 | 1062 | 1.03 | <10 | 0.19 | 402 | 7 | <0.01 | 7 | 460 | <2 | <5 | <20 | 8 | <0.01 | <10 | 13 | <10 | 6 | 9 |
| 19 | 15293 | 0.2 | 0.29 | 5 | 30 | <5 | 2.63 | <1 | 4 | 39 | 366 | 1.33 | <10 | 0.34 | 547 | 9 | 0.01 | 8 | 360 | 4 | <5 | <20 | 5 | <0.01 | <10 | 25 | <10 | 6 | 11 |
| 36 | 15310 | <0.2 | 0.16 | 5 | 25 | <5 | 2.72 | <1 | 3 | 38 | 340 | 1.14 | 10 | 0.48 | 707 | 4 | 0.01 | 9 | 430 | 2 | <5 | <20 | <1 | <0.01 | <10 | 12 | <10 | 8 | 9 |
| 45 | 15319 | 1.0 | 0.23 | 75 | 65 | <5 | 2.23 | <1 | 5 | 51 | 987 | 1.21 | <10 | 0.48 | 814 | 5 | <0.01 | 8 | 470 | <2 | <5 | <20 | 1 | <0.01 | <10 | 10 | <10 | 5 | 8 |
| 54 | 15332 | <0.2 | 0.26 | 105 | 85 | <5 | 2.35 | <1 | 6 | 48 | 962 | 2.02 | <10 | 0.45 | 476 | 7 | 0.01 | 9 | 440 | 2 | <5 | <20 | 13 | <0.01 | <10 | 35 | <10 | 7 | 17 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.5 | 1.64 | 55 | 140 | <5 | 1.62 | <1 | 19 | 59 | 87 | 3.56 | 10 | 0.94 | 638 | <1 | 0.02 | 30 | 660 | 22 | <5 | <20 | 49 | 0.09 | <10 | 62 | <10 | 10 | 73 |
| GEO '04 | | 1.5 | 1.59 | 55 | 130 | <5 | 1.55 | <1 | 18 | 58 | 84 | 3.41 | <10 | 0.90 | 609 | <1 | 0.02 | 29 | 630 | 20 | <5 | <20 | 50 | 0.08 | <10 | 59 | <10 | 8 | 74 |
| GEO '04 | | 1.5 | 1.64 | 55 | 145 | <5 | 1.60 | <1 | 19 | 58 | 88 | 3.49 | <10 | 0.93 | 626 | <1 | 0.02 | 30 | 640 | 20 | <5 | <20 | 52 | 0.09 | <10 | 63 | <10 | 8 | 76 |

JJ/kk
df/919
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*



**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-938

**GWR RESOURCES INC.** 12-Aug-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 35*
*Sample type: Rock*
***Project #: Not indicated***
***Shipment #: Not indicated***

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 15251 | <0.03 | <0.001 | 0.02 |
| 2 | 15252 | 0.06 | 0.002 | 0.01 |
| 3 | 15253 | 0.04 | 0.001 | 0.01 |
| 4 | 15254 | <0.03 | <0.001 | 0.01 |
| 5 | 15255 | 0.06 | 0.002 | 0.06 |
| 6 | 15256 | 0.06 | 0.002 | 0.03 |
| 7 | 15257 | 0.04 | 0.001 | 0.03 |
| 8 | 15258 | 0.04 | 0.001 | 0.01 |
| 9 | 15259 | <0.03 | <0.001 | <0.01 |
| 10 | 15260 | <0.03 | <0.001 | 0.01 |
| 11 | 15261 | 0.04 | 0.001 | 0.06 |
| 12 | 15262 | 0.05 | 0.001 | 0.04 |
| 13 | 15263 | <0.03 | <0.001 | 0.01 |
| 14 | 15264 | <0.03 | <0.001 | 0.03 |
| 15 | 15265 | 0.06 | 0.002 | 0.01 |
| 16 | 15266 | 0.04 | 0.001 | 0.01 |
| 17 | 15267 | 0.03 | 0.001 | 0.02 |
| 18 | 15268 | 0.07 | 0.002 | 0.11 |
| 19 | 15269 | 0.05 | 0.001 | 0.01 |
| 20 | 15270 | <0.03 | <0.001 | 0.02 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK04-938** 10-Aug-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 21 | 15271 | <0.03 | <0.001 | 0.03 |
| 22 | 15272 | 0.03 | 0.001 | 0.03 |
| 23 | 15275 | 0.03 | 0.001 | 0.01 |
| 24 | 15276 | 0.05 | 0.001 | 0.01 |
| 25 | 15327 | 0.07 | 0.002 | 0.16 |
| 26 | 15328 | 0.07 | 0.002 | 0.12 |
| 27 | 15329 | 0.06 | 0.002 | 0.04 |
| 28 | 15330 | 0.06 | 0.002 | 0.08 |
| 29 | 15351 | 0.05 | 0.001 | 0.05 |
| 30 | 15352 | 0.07 | 0.002 | 0.06 |
| 31 | 15353 | <0.03 | <0.001 | 0.07 |
| 32 | 15354 | 0.14 | 0.004 | 0.05 |
| 33 | 15368 | 0.06 | 0.002 | 0.22 |
| 34 | 15369 | 0.07 | 0.002 | 0.11 |
| 35 | 15370 | <0.03 | <0.001 | 0.04 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 15251 | 0.03 | 0.001 | 0.05 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 15251 | 0.03 | 0.001 | 0.02 |
| 10 | 15260 | 0.03 | 0.001 | 0.01 |
| 17 | 15267 | 0.03 | 0.001 | |
| 19 | 15269 | <0.03 | <0.001 | 0.01 |

***Standard:***

| | | | | |
|---|---|---|---|---|
| Cu106 | | | | 1.42 |
| OX123 | | 1.76 | 0.051 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

13-Aug-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-938**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 35*
*Sample type: Rock*
***Project #: Not indicated***
***Shipment #: Not indicated***

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 15251 | <0.2 | 0.29 | 40 | 30 | <5 | 0.72 | <1 | 5 | 50 | 236 | 2.02 | 20 | 0.12 | 181 | 3 | 0.05 | 4 | 600 | 4 | <5 | <20 | 34 | <0.01 | <10 | 66 | <10 | 10 | 18 |
| 2 | 15252 | <0.2 | 0.25 | 35 | 20 | <5 | 0.44 | <1 | 5 | 56 | 172 | 2.10 | 20 | 0.10 | 147 | 6 | 0.04 | 3 | 580 | 4 | <5 | <20 | 26 | <0.01 | <10 | 65 | <10 | 11 | 20 |
| 3 | 15253 | 0.2 | 0.30 | 30 | 20 | <5 | 0.31 | <1 | 4 | 60 | 171 | 1.81 | 10 | 0.08 | 125 | 5 | 0.04 | 4 | 520 | 4 | <5 | <20 | 28 | <0.01 | <10 | 50 | <10 | 10 | 20 |
| 4 | 15254 | <0.2 | 0.30 | 25 | 20 | <5 | 0.53 | <1 | 4 | 56 | 156 | 1.89 | 10 | 0.10 | 144 | 5 | 0.04 | 3 | 490 | 2 | <5 | <20 | 27 | <0.01 | <10 | 55 | <10 | 11 | 16 |
| 5 | 15255 | 0.2 | 0.31 | 30 | 25 | <5 | 1.44 | <1 | 6 | 58 | 595 | 1.89 | 10 | 0.32 | 369 | 4 | 0.04 | 7 | 580 | 4 | <5 | <20 | 37 | <0.01 | <10 | 52 | <10 | 13 | 21 |
| 6 | 15256 | 0.3 | 0.28 | 20 | 20 | <5 | 1.78 | <1 | 6 | 55 | 349 | 1.91 | 10 | 0.38 | 439 | 6 | 0.04 | 8 | 570 | 4 | <5 | <20 | 34 | <0.01 | <10 | 49 | <10 | 14 | 21 |
| 7 | 15257 | 0.2 | 0.31 | 30 | 35 | <5 | 1.36 | <1 | 5 | 60 | 326 | 2.17 | 10 | 0.14 | 288 | 6 | 0.04 | 7 | 590 | 4 | <5 | <20 | 28 | <0.01 | <10 | 59 | <10 | 13 | 19 |
| 8 | 15258 | <0.2 | 0.30 | 15 | 25 | <5 | 1.68 | <1 | 5 | 63 | 155 | 1.96 | 10 | 0.16 | 300 | 7 | 0.04 | 8 | 550 | 4 | <5 | <20 | 23 | <0.01 | <10 | 55 | <10 | 13 | 19 |
| 9 | 15259 | <0.2 | 0.33 | <5 | 25 | <5 | 1.78 | <1 | 6 | 57 | 104 | 1.95 | 10 | 0.24 | 377 | 5 | 0.05 | 8 | 540 | 4 | <5 | <20 | 26 | <0.01 | <10 | 52 | <10 | 13 | 18 |
| 10 | 15260 | <0.2 | 0.31 | 15 | 30 | <5 | 1.21 | <1 | 5 | 73 | 164 | 1.58 | 10 | 0.14 | 226 | 9 | 0.05 | 6 | 520 | 4 | <5 | <20 | 23 | <0.01 | <10 | 47 | <10 | 11 | 16 |
| 11 | 15261 | 0.2 | 0.28 | 5 | 25 | <5 | 1.42 | <1 | 5 | 53 | 612 | 1.78 | 10 | 0.23 | 367 | 12 | 0.04 | 6 | 560 | 4 | <5 | <20 | 21 | <0.01 | <10 | 49 | <10 | 13 | 22 |
| 12 | 15262 | 0.2 | 0.34 | 10 | 30 | <5 | 1.56 | <1 | 6 | 53 | 412 | 1.93 | 10 | 0.27 | 372 | 6 | 0.04 | 7 | 650 | 4 | <5 | <20 | 30 | 0.01 | <10 | 57 | <10 | 13 | 22 |
| 13 | 15263 | <0.2 | 0.36 | 10 | 30 | <5 | 1.52 | <1 | 6 | 57 | 92 | 1.90 | 10 | 0.23 | 333 | 5 | 0.04 | 7 | 520 | 4 | <5 | <20 | 21 | <0.01 | <10 | 53 | <10 | 13 | 24 |
| 14 | 15264 | <0.2 | 0.25 | 15 | 215 | <5 | 1.43 | <1 | 6 | 56 | 317 | 1.86 | 20 | 0.24 | 270 | 7 | 0.04 | 5 | 560 | 6 | <5 | <20 | 38 | <0.01 | <10 | 50 | <10 | 13 | 22 |
| 15 | 15265 | <0.2 | 0.23 | 5 | 25 | <5 | 1.28 | <1 | 5 | 46 | 176 | 1.87 | 20 | 0.24 | 324 | 5 | 0.04 | 7 | 570 | 4 | <5 | <20 | 25 | <0.01 | <10 | 52 | <10 | 13 | 23 |
| 16 | 15266 | <0.2 | 0.26 | 10 | 20 | <5 | 0.96 | <1 | 4 | 51 | 112 | 1.94 | 10 | 0.18 | 152 | 6 | 0.04 | 5 | 570 | 4 | <5 | <20 | 29 | <0.01 | <10 | 55 | <10 | 10 | 17 |
| 17 | 15267 | <0.2 | 0.28 | 15 | 25 | <5 | 1.14 | <1 | 5 | 55 | 281 | 2.02 | 10 | 0.17 | 224 | 5 | 0.05 | 5 | 570 | 6 | <5 | <20 | 25 | <0.01 | <10 | 55 | <10 | 11 | 20 |
| 18 | 15268 | 0.4 | 0.23 | 25 | 20 | <5 | 1.73 | <1 | 5 | 49 | 1179 | 1.69 | 10 | 0.26 | 350 | 9 | 0.04 | 6 | 610 | 2 | <5 | <20 | 11 | <0.01 | <10 | 43 | <10 | 11 | 21 |
| 19 | 15269 | <0.2 | 0.22 | 10 | 25 | <5 | 1.30 | <1 | 5 | 52 | 132 | 1.83 | 20 | 0.35 | 389 | 7 | 0.04 | 6 | 520 | 2 | <5 | <20 | 15 | <0.01 | <10 | 45 | <10 | 11 | 21 |
| 20 | 15270 | 0.2 | 0.19 | 5 | 15 | <5 | 1.39 | <1 | 6 | 49 | 237 | 2.12 | 20 | 0.23 | 367 | 5 | 0.04 | 7 | 570 | 4 | <5 | <20 | 18 | <0.01 | <10 | 53 | <10 | 13 | 23 |
| 21 | 15271 | 0.2 | 0.28 | <5 | 30 | <5 | 0.67 | <1 | 7 | 54 | 357 | 2.37 | 20 | 0.18 | 290 | 3 | 0.04 | 5 | 560 | 4 | <5 | <20 | 27 | <0.01 | <10 | 49 | <10 | 13 | 28 |
| 22 | 15272 | <0.2 | 0.27 | <5 | 25 | <5 | 1.07 | 1 | 6 | 62 | 318 | 1.97 | 20 | 0.17 | 278 | 7 | 0.04 | 6 | 550 | 4 | <5 | <20 | 19 | <0.01 | <10 | 50 | <10 | 11 | 24 |
| 23 | 15275 | <0.2 | 0.22 | <5 | 20 | <5 | 1.37 | <1 | 5 | 59 | 160 | 1.81 | 20 | 0.22 | 310 | 6 | 0.04 | 6 | 520 | 4 | <5 | <20 | 18 | <0.01 | <10 | 46 | <10 | 12 | 19 |
| 24 | 15276 | <0.2 | 0.18 | 10 | 25 | <5 | 1.26 | <1 | 5 | 49 | 103 | 1.49 | 20 | 0.21 | 308 | 3 | 0.05 | 6 | 530 | 2 | <5 | <20 | 16 | <0.01 | <10 | 43 | <10 | 11 | 17 |
| 25 | 15327 | 0.4 | 0.27 | <5 | 85 | <5 | 1.69 | <1 | 5 | 46 | 1576 | 1.71 | <10 | 0.25 | 411 | 5 | 0.04 | 7 | 570 | 4 | <5 | <20 | 27 | <0.01 | <10 | 42 | <10 | 7 | 20 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 26 | 15328 | 0.3 | 0.28 | <5 | 95 | <5 | 1.42 | <1 | 6 | 53 | 1220 | 2.07 | <10 | 0.23 | 331 | 7 | 0.04 | 6 | 550 | 4 | <5 | <20 | 24 | <0.01 | <10 | 49 | <10 | 8 | 18 |
| 27 | 15329 | 0.2 | 0.28 | <5 | 50 | <5 | 1.48 | <1 | 5 | 52 | 398 | 1.76 | <10 | 0.24 | 375 | 6 | 0.03 | 7 | 460 | 2 | <5 | <20 | 18 | <0.01 | <10 | 36 | <10 | 7 | 14 |
| 28 | 15330 | 0.2 | 0.24 | 20 | 75 | <5 | 1.40 | <1 | 8 | 56 | 816 | 2.44 | <10 | 0.29 | 436 | 9 | 0.02 | 7 | 450 | <2 | <5 | <20 | 15 | <0.01 | <10 | 35 | <10 | 7 | 20 |
| 29 | 15351 | 0.2 | 0.24 | 50 | 60 | <5 | 1.25 | <1 | 6 | 52 | 534 | 1.81 | <10 | 0.29 | 293 | 13 | 0.04 | 6 | 370 | 2 | <5 | <20 | 15 | <0.01 | <10 | 43 | <10 | 6 | 16 |
| 30 | 15352 | 0.2 | 0.27 | 50 | 55 | <5 | 1.43 | <1 | 6 | 59 | 655 | 1.80 | <10 | 0.26 | 254 | 7 | 0.05 | 6 | 450 | 4 | <5 | <20 | 30 | <0.01 | <10 | 48 | <10 | 9 | 19 |
| 31 | 15353 | 0.2 | 0.22 | 10 | 145 | <5 | 1.92 | <1 | 8 | 55 | 752 | 2.20 | 10 | 0.28 | 326 | 5 | 0.05 | 8 | 470 | 2 | <5 | <20 | 26 | <0.01 | <10 | 49 | <10 | 11 | 26 |
| 32 | 15354 | 0.2 | 0.22 | 50 | 80 | <5 | 1.47 | <1 | 6 | 50 | 561 | 1.88 | <10 | 0.39 | 302 | 7 | 0.04 | 6 | 360 | 2 | <5 | <20 | 18 | <0.01 | <10 | 43 | <10 | 7 | 23 |
| 33 | 15368 | 0.4 | 0.22 | <5 | 80 | <5 | 0.73 | <1 | 6 | 62 | 2162 | 1.93 | <10 | 0.21 | 192 | 7 | 0.05 | 5 | 520 | 4 | <5 | <20 | 20 | <0.01 | <10 | 45 | <10 | 5 | 26 |
| 34 | 15369 | 0.2 | 0.21 | <5 | 35 | <5 | 0.81 | <1 | 6 | 61 | 1080 | 2.00 | 10 | 0.24 | 213 | 8 | 0.05 | 4 | 500 | 2 | <5 | <20 | 28 | <0.01 | <10 | 46 | <10 | 9 | 18 |
| 35 | 15370 | <0.2 | 0.29 | <5 | 135 | <5 | 1.04 | 1 | 5 | 54 | 455 | 1.92 | <10 | 0.21 | 212 | 4 | 0.06 | 7 | 440 | 2 | <5 | <20 | 18 | <0.01 | <10 | 55 | <10 | 7 | 16 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 15251 | <0.2 | 0.32 | 35 | 30 | <5 | 0.77 | <1 | 5 | 61 | 464 | 2.20 | 10 | 0.14 | 234 | 6 | 0.05 | 5 | 640 | 4 | <5 | <20 | 37 | <0.01 | <10 | 73 | <10 | 11 | 21 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 15251 | <0.2 | 0.31 | 35 | 30 | <5 | 0.74 | <1 | 5 | 53 | 240 | 2.09 | 20 | 0.12 | 187 | 3 | 0.05 | 4 | 610 | 4 | <5 | <20 | 33 | <0.01 | <10 | 69 | <10 | 11 | 19 |
| 10 | 15260 | <0.2 | 0.32 | 15 | 30 | <5 | 1.22 | <1 | 5 | 73 | 166 | 1.60 | 10 | 0.14 | 215 | 8 | 0.05 | 6 | 520 | 4 | <5 | <20 | 22 | <0.01 | <10 | 48 | <10 | 11 | 16 |
| 19 | 15269 | <0.2 | 0.22 | 10 | 20 | <5 | 1.32 | <1 | 5 | 56 | 135 | 1.90 | 20 | 0.35 | 397 | 8 | 0.04 | 6 | 510 | 2 | <5 | <20 | 14 | <0.01 | <10 | 47 | <10 | 12 | 22 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.6 | 1.57 | 55 | 140 | <5 | 1.61 | <1 | 18 | 57 | 86 | 3.43 | <10 | 0.91 | 629 | <1 | 0.02 | 31 | 620 | 22 | <5 | <20 | 50 | 0.01 | <10 | 61 | <10 | 8 | 73 |

JJ/kk
df/919
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-939

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

13-Aug-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 41*
*Sample type: Rock*
***Project #: Not indicated***
***Shipment #: Not indicated***

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 15201 | 0.04 | 0.001 | 0.02 |
| 2 | 15202 | <0.03 | <0.001 | 0.05 |
| 3 | 15203 | 0.11 | 0.003 | 0.19 |
| 4 | 15204 | 0.34 | 0.010 | 0.25 |
| 5 | 15205 | 0.34 | 0.010 | 0.37 |
| 6 | 15206 | 0.24 | 0.007 | 0.17 |
| 7 | 15207 | 0.15 | 0.004 | 0.07 |
| 8 | 15208 | 0.13 | 0.004 | 0.03 |
| 9 | 15209 | 0.08 | 0.002 | 0.08 |
| 10 | 15210 | 0.13 | 0.004 | 0.13 |
| 11 | 15211 | 0.04 | 0.001 | 0.02 |
| 12 | 15212 | <0.03 | <0.001 | 0.04 |
| 13 | 15213 | 0.05 | 0.001 | 0.04 |
| 14 | 15214 | 0.12 | 0.003 | 0.05 |
| 15 | 15215 | 0.17 | 0.005 | 0.17 |
| 16 | 15216 | <0.03 | <0.001 | <0.01 |
| 17 | 15217 | <0.03 | <0.001 | <0.01 |
| 18 | 15218 | 0.09 | 0.003 | 0.17 |
| 19 | 15219 | 0.18 | 0.005 | 0.06 |
| 20 | 15220 | 0.60 | 0.017 | 0.31 |
| 21 | 15221 | 0.03 | 0.001 | 0.04 |
| 22 | 15222 | <0.03 | <0.001 | 0.05 |
| 23 | 15223 | <0.03 | <0.001 | 0.05 |
| 24 | 15224 | 0.04 | 0.001 | 0.06 |
| 25 | 15225 | <0.03 | <0.001 | 0.06 |
| 26 | 15226 | 0.07 | 0.002 | 0.12 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-939** 13-Aug-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 27 | 15227 | 0.05 | 0.001 | 0.05 |
| 28 | 15228 | 0.09 | 0.003 | 0.05 |
| 29 | 15229 | 0.08 | 0.002 | 0.14 |
| 30 | 15230 | 0.09 | 0.003 | 0.15 |
| 31 | 15231 | 0.06 | 0.002 | 0.10 |
| 32 | 15232 | 0.15 | 0.004 | 0.19 |
| 33 | 15233 | 0.17 | 0.005 | 0.39 |
| 34 | 15234 | 0.32 | 0.009 | 0.46 |
| 35 | 15235 | 0.18 | 0.005 | 0.30 |
| 36 | 15236 | 0.03 | 0.001 | 0.08 |
| 37 | 15237 | 0.15 | 0.004 | 0.27 |
| 38 | 15238 | 0.08 | 0.002 | 0.24 |
| 39 | 15239 | 0.10 | 0.003 | 0.19 |
| 40 | 15240 | 0.08 | 0.002 | 0.03 |
| 41 | 15241 | 0.09 | 0.003 | 0.31 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 15201 | 0.06 | 0.002 | 0.02 |
| 36 | 15236 | 0.04 | 0.001 | 0.08 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 15201 | - | - | 0.02 |
| 10 | 15210 | 0.14 | 0.004 | 0.13 |
| 19 | 15219 | 0.20 | 0.006 | 0.06 |
| 34 | 15234 | 0.35 | 0.010 | - |

***Standard:***

| | | | | |
|---|---|---|---|---|
| Cu106 | | | | 1.43 |
| Cu106 | | | | 1.43 |
| SH13 | | 1.28 | 0.037 | |
| SH13 | | 1.28 | 0.037 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/ejd
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

13-Aug-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-939**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisle**

*No. of samples received: 41*
*Sample type: Rock*
***Project #: Not indicated***
***Shipment #: Not indicated***

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 15201 | <0.2 | 0.31 | 50 | 595 | <5 | 1.12 | <1 | 4 | 38 | 183 | 1.44 | <10 | 0.18 | 285 | 4 | 0.02 | 5 | 440 | 2 | <5 | <20 | 28 | <0.01 | <10 | 28 | <10 | 5 | 7 |
| 2 | 15202 | <0.2 | 1.06 | 25 | 80 | <5 | 2.96 | <1 | 19 | 43 | 573 | 3.48 | 40 | 0.94 | 1074 | <1 | 0.09 | 18 | 3180 | 12 | <5 | <20 | 144 | <0.01 | <10 | 107 | <10 | 22 | 61 |
| 3 | 15203 | 0.7 | 0.69 | 110 | 55 | <5 | 2.54 | <1 | 9 | 38 | 1961 | 1.64 | <10 | 0.59 | 455 | 16 | 0.02 | 11 | 750 | 6 | <5 | <20 | 116 | <0.01 | <10 | 23 | <10 | 7 | 23 |
| 4 | 15204 | 0.5 | 0.31 | 150 | 20 | <5 | 1.69 | <1 | 6 | 29 | 2538 | 1.09 | <10 | 0.29 | 279 | 7 | 0.02 | 8 | 550 | 4 | <5 | <20 | 41 | <0.01 | <10 | 14 | <10 | 5 | 14 |
| 5 | 15205 | 0.9 | 0.37 | 290 | 25 | <5 | 0.73 | <1 | 8 | 38 | 3766 | 1.20 | <10 | 0.23 | 148 | 96 | 0.02 | 4 | 640 | 6 | <5 | <20 | 50 | <0.01 | <10 | 17 | <10 | 4 | 15 |
| 6 | 15206 | 0.3 | 0.35 | 120 | 25 | <5 | 1.19 | <1 | 4 | 38 | 1654 | 1.02 | <10 | 0.23 | 198 | 10 | 0.02 | 5 | 460 | 4 | <5 | <20 | 35 | <0.01 | <10 | 15 | <10 | 5 | 11 |
| 7 | 15207 | 0.2 | 0.39 | 35 | 20 | <5 | 0.58 | <1 | 3 | 66 | 567 | 1.64 | <10 | 0.20 | 87 | 12 | 0.02 | 4 | 470 | 4 | <5 | <20 | 43 | <0.01 | <10 | 26 | <10 | 6 | 7 |
| 8 | 15208 | <0.2 | 0.42 | 45 | 20 | <5 | 0.73 | <1 | 3 | 52 | 186 | 1.91 | <10 | 0.21 | 97 | 7 | 0.02 | 4 | 510 | 4 | <5 | <20 | 57 | <0.01 | <10 | 38 | <10 | 8 | 8 |
| 9 | 15209 | 0.2 | 0.35 | 130 | 20 | <5 | 2.05 | <1 | 4 | 44 | 756 | 1.54 | <10 | 0.31 | 405 | 5 | 0.03 | 8 | 630 | 4 | <5 | <20 | 30 | <0.01 | <10 | 37 | <10 | 10 | 14 |
| 10 | 15210 | 0.2 | 0.29 | 155 | 20 | <5 | 2.52 | <1 | 6 | 54 | 1371 | 1.67 | <10 | 0.39 | 602 | 6 | 0.03 | 9 | 650 | 4 | <5 | <20 | 15 | <0.01 | <10 | 34 | <10 | 9 | 15 |
| 11 | 15211 | <0.2 | 0.33 | 45 | 20 | <5 | 2.93 | <1 | 3 | 38 | 242 | 1.28 | <10 | 0.12 | 415 | 8 | 0.02 | 10 | 530 | 4 | <5 | <20 | 20 | <0.01 | <10 | 19 | <10 | 9 | 8 |
| 12 | 15212 | 0.2 | 0.31 | 40 | 20 | <5 | 3.25 | <1 | 3 | 43 | 461 | 1.46 | 10 | 0.26 | 605 | 6 | <0.01 | 11 | 530 | 4 | <5 | <20 | 13 | <0.01 | <10 | 13 | <10 | 9 | 9 |
| 13 | 15213 | <0.2 | 0.38 | 35 | 20 | <5 | 2.56 | <1 | 5 | 57 | 479 | 1.85 | 10 | 0.32 | 603 | 5 | 0.03 | 9 | 580 | 4 | <5 | <20 | 25 | <0.01 | <10 | 32 | <10 | 9 | 13 |
| 14 | 15214 | 0.2 | 0.33 | 55 | 50 | <5 | 2.80 | <1 | 7 | 48 | 601 | 1.95 | <10 | 0.55 | 631 | 8 | 0.03 | 9 | 550 | 4 | <5 | <20 | 23 | <0.01 | <10 | 41 | <10 | 11 | 21 |
| 15 | 15215 | 1.2 | 0.32 | 45 | 95 | <5 | 2.90 | <1 | 9 | 44 | 1773 | 1.92 | 10 | 0.36 | 541 | 5 | 0.02 | 9 | 690 | 4 | <5 | <20 | 16 | <0.01 | <10 | 32 | <10 | 10 | 20 |
| 16 | 15216 | <0.2 | 0.35 | <5 | 25 | <5 | 2.36 | <1 | 4 | 44 | 45 | 1.46 | 10 | 0.38 | 415 | 3 | 0.04 | 9 | 590 | 4 | <5 | <20 | 29 | <0.01 | <10 | 35 | <10 | 10 | 12 |
| 17 | 15217 | <0.2 | 0.35 | <5 | 25 | <5 | 2.56 | <1 | 5 | 48 | 16 | 1.53 | 10 | 0.42 | 439 | 5 | 0.04 | 9 | 590 | 4 | <5 | <20 | 31 | <0.01 | <10 | 38 | <10 | 11 | 10 |
| 18 | 15218 | 0.4 | 0.29 | 110 | 20 | <5 | 1.81 | <1 | 7 | 42 | 1798 | 1.86 | 10 | 0.28 | 365 | 5 | 0.04 | 7 | 720 | 4 | <5 | <20 | 17 | <0.01 | <10 | 37 | <10 | 9 | 24 |
| 19 | 15219 | 0.3 | 0.29 | 65 | 40 | <5 | 1.79 | <1 | 6 | 38 | 660 | 1.90 | 10 | 0.25 | 356 | 9 | 0.04 | 6 | 670 | 4 | <5 | <20 | 24 | <0.01 | <10 | 38 | <10 | 9 | 16 |
| 20 | 15220 | 1.2 | 0.28 | 25 | 5 | <5 | 1.72 | <1 | 8 | 43 | 3151 | 2.52 | 10 | 0.32 | 395 | 25 | 0.04 | 7 | 830 | 2 | <5 | <20 | 16 | <0.01 | <10 | 42 | <10 | 7 | 14 |
| 21 | 15221 | 0.2 | 0.28 | 20 | 15 | <5 | 2.26 | <1 | 6 | 39 | 430 | 1.89 | 10 | 0.23 | 462 | 5 | 0.04 | 7 | 650 | 2 | <5 | <20 | 15 | <0.01 | <10 | 35 | <10 | 8 | 11 |
| 22 | 15222 | 0.2 | 0.29 | 15 | 85 | <5 | 2.83 | <1 | 4 | 34 | 499 | 1.52 | 20 | 0.21 | 417 | 5 | 0.04 | 8 | 660 | 4 | <5 | <20 | 21 | <0.01 | <10 | 31 | <10 | 8 | 9 |
| 23 | 15223 | <0.2 | 0.36 | 30 | 30 | <5 | 2.61 | <1 | 6 | 34 | 535 | 2.01 | <10 | 0.27 | 377 | 4 | 0.02 | 9 | 570 | 4 | <5 | <20 | 27 | <0.01 | <10 | 30 | <10 | 7 | 16 |
| 24 | 15224 | 0.3 | 0.38 | 30 | 140 | <5 | 3.43 | <1 | 6 | 36 | 671 | 1.36 | <10 | 0.22 | 443 | 18 | <0.01 | 11 | 490 | 4 | <5 | <20 | 26 | <0.01 | <10 | 17 | <10 | 7 | 12 |
| 25 | 15225 | 0.2 | 0.36 | 15 | 175 | <5 | 2.51 | <1 | 5 | 54 | 585 | 1.37 | <10 | 0.23 | 401 | 15 | <0.01 | 9 | 440 | 2 | <5 | <20 | 24 | <0.01 | <10 | 13 | <10 | 5 | 10 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 26 | 15226 | 0.2 | 0.33 | 75 | 15 | <5 | 1.71 | <1 | 6 | 62 | 1175 | 1.60 | <10 | 0.25 | 353 | 19 | <0.01 | 7 | 440 | 4 | <5 | <20 | 14 | <0.01 | <10 | 12 | <10 | 4 | 14 |
| 27 | 15227 | <0.2 | 0.41 | 30 | 15 | <5 | 1.59 | <1 | 6 | 32 | 496 | 1.39 | <10 | 0.32 | 326 | 9 | <0.01 | 6 | 410 | 4 | <5 | <20 | 24 | <0.01 | <10 | 14 | <10 | 4 | 12 |
| 28 | 15228 | <0.2 | 0.33 | 10 | 55 | <5 | 2.09 | <1 | 4 | 39 | 526 | 1.30 | <10 | 0.31 | 393 | 9 | <0.01 | 7 | 410 | 4 | <5 | <20 | 29 | <0.01 | <10 | 14 | <10 | 4 | 10 |
| 29 | 15229 | 0.5 | 0.42 | 45 | 290 | <5 | 2.20 | <1 | 6 | 35 | 1405 | 1.78 | <10 | 0.37 | 407 | 12 | <0.01 | 8 | 520 | 6 | <5 | <20 | 39 | <0.01 | <10 | 19 | <10 | 5 | 14 |
| 30 | 15230 | 0.4 | 0.39 | 100 | 225 | <5 | 1.93 | <1 | 5 | 37 | 1472 | 1.45 | <10 | 0.44 | 362 | 15 | 0.01 | 7 | 510 | 4 | <5 | <20 | 36 | <0.01 | <10 | 16 | <10 | 5 | 14 |
| 31 | 15231 | 0.3 | 0.34 | 30 | 170 | <5 | 1.89 | <1 | 4 | 42 | 1015 | 1.63 | <10 | 0.26 | 325 | 5 | 0.01 | 8 | 440 | 4 | <5 | <20 | 34 | <0.01 | <10 | 16 | <10 | 4 | 12 |
| 32 | 15232 | 0.5 | 0.33 | 55 | 100 | <5 | 1.45 | <1 | 5 | 56 | 1921 | 1.65 | <10 | 0.22 | 254 | 12 | 0.02 | 7 | 530 | 4 | <5 | <20 | 28 | <0.01 | <10 | 21 | <10 | 4 | 13 |
| 33 | 15233 | 1.0 | 0.38 | 150 | 70 | <5 | 1.19 | <1 | 5 | 43 | 3885 | 1.40 | <10 | 0.21 | 201 | 9 | 0.02 | 5 | 690 | 4 | <5 | <20 | 28 | <0.01 | <10 | 17 | <10 | 3 | 13 |
| 34 | 15234 | 1.3 | 0.29 | 130 | 145 | <5 | 1.18 | <1 | 7 | 78 | 4638 | 1.70 | <10 | 0.19 | 223 | 15 | 0.02 | 6 | 720 | 4 | <5 | <20 | 20 | <0.01 | <10 | 21 | <10 | 3 | 16 |
| 35 | 15235 | 0.9 | 0.33 | 85 | 220 | <5 | 1.23 | <1 | 6 | 48 | 2936 | 1.65 | <10 | 0.35 | 242 | 10 | 0.02 | 6 | 600 | 4 | <5 | <20 | 27 | <0.01 | <10 | 28 | <10 | 4 | 16 |
| 36 | 15236 | 0.2 | 0.26 | 15 | 135 | <5 | 0.77 | <1 | 4 | 57 | 785 | 1.29 | <10 | 0.24 | 148 | 9 | 0.02 | 4 | 370 | 2 | <5 | <20 | 22 | <0.01 | <10 | 16 | <10 | 3 | 11 |
| 37 | 15237 | 0.5 | 0.32 | 60 | 320 | <5 | 0.85 | <1 | 7 | 53 | 2467 | 1.82 | <10 | 0.37 | 210 | 8 | 0.01 | 5 | 460 | 4 | <5 | <20 | 31 | <0.01 | <10 | 15 | <10 | 4 | 18 |
| 38 | 15238 | 0.6 | 0.28 | 50 | 60 | <5 | 0.73 | <1 | 5 | 57 | 2235 | 1.63 | <10 | 0.22 | 157 | 11 | 0.02 | 4 | 550 | 2 | <5 | <20 | 18 | <0.01 | <10 | 24 | <10 | 3 | 16 |
| 39 | 15239 | 0.3 | 0.30 | 45 | 305 | <5 | 0.85 | <1 | 7 | 49 | 1751 | 2.00 | <10 | 0.27 | 202 | 9 | 0.01 | 5 | 480 | 2 | <5 | <20 | 29 | <0.01 | <10 | 30 | <10 | 5 | 21 |
| 40 | 15240 | 0.2 | 0.26 | 40 | 170 | <5 | 0.70 | <1 | 6 | 78 | 1288 | 1.98 | <10 | 0.23 | 180 | 16 | 0.01 | 5 | 370 | 4 | <5 | <20 | 26 | <0.01 | <10 | 27 | <10 | 4 | 18 |
| 41 | 15241 | 0.4 | 0.43 | 20 | 80 | <5 | 3.48 | <1 | 12 | 48 | 3057 | 2.71 | <10 | 0.49 | 557 | 6 | 0.01 | 14 | 570 | 6 | <5 | <20 | 49 | <0.01 | <10 | 30 | <10 | 7 | 24 |

**QC DATA:**

***Resplit:***

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 15201 | <0.2 | 0.32 | 40 | 690 | <5 | 1.24 | <1 | 4 | 41 | 180 | 1.42 | <10 | 0.18 | 293 | 6 | 0.02 | 6 | 420 | 4 | <5 | <20 | 25 | <0.01 | <10 | 26 | <10 | 5 | 7 |
| 36 | 15236 | 0.2 | 0.28 | 10 | 130 | <5 | 0.88 | <1 | 5 | 56 | 788 | 1.36 | <10 | 0.28 | 149 | 7 | 0.02 | 5 | 360 | 2 | <5 | <20 | 24 | <0.01 | <10 | 17 | <10 | 3 | 11 |

***Repeat:***

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 15201 | <0.2 | 0.32 | 50 | 595 | <5 | 1.11 | <1 | 4 | 39 | 182 | 1.46 | <10 | 0.18 | 282 | 4 | 0.02 | 5 | 440 | 4 | <5 | <20 | 26 | <0.01 | <10 | 29 | <10 | 5 | 8 |
| 10 | 15210 | 0.2 | 0.31 | 145 | 25 | <5 | 2.51 | <1 | 6 | 54 | 1362 | 1.68 | <10 | 0.39 | 598 | 7 | 0.04 | 9 | 660 | 4 | <5 | <20 | 15 | <0.01 | <10 | 35 | <10 | 10 | 15 |
| 19 | 15219 | 0.3 | 0.30 | 65 | 35 | <5 | 1.75 | <1 | 6 | 40 | 653 | 1.92 | 10 | 0.25 | 352 | 10 | 0.04 | 7 | 670 | 4 | <5 | <20 | 24 | <0.01 | <10 | 39 | <10 | 8 | 16 |

***Standard:***

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GEO '04 | 1.5 | 1.66 | 50 | 140 | <5 | 1.60 | <1 | 18 | 59 | 85 | 3.44 | <10 | 0.92 | 613 | <1 | 0.02 | 30 | 640 | 22 | <5 | <20 | 54 | <0.01 | <10 | 64 | <10 | 8 | 73 |
| GEO '04 | 1.5 | 1.58 | 50 | 135 | <5 | 1.57 | <1 | 18 | 56 | 85 | 3.37 | <10 | 0.91 | 609 | <1 | 0.02 | 30 | 630 | 22 | <5 | <20 | 53 | <0.01 | <10 | 61 | <10 | 8 | 74 |

JJ/kk
df/919
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-1483

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

30-Sep-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 4*
*Sample type: Rock*
***Project #: Not Indicated***
***Shipment #: Not Indicated***

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | #1 E44637 | 1.06 | 0.031 | 1.09 |
| 2 & 3 | #2 E44636 & #3 (No Tag) | 1.08 | 0.031 | 0.97 |
| 4 | #4 E44635 | 0.98 | 0.029 | 0.98 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | #1 E44637 | 1.06 | 0.031 | 0.98 |

***Standard:***

| | | | | |
|---|---|---|---|---|
| Cu106 | | | | 1.39 |
| OX123 | | 1.83 | 0.053 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

5-Oct-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-1483**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 4*
*Sample type: Rock*
***Project #: Not Indicated***
***Shipment #: Not Indicated***

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | #1 E44637 | 4.5 | 0.68 | 5 | 50 | <5 | 0.77 | <1 | 12 | 42 | >10000 | 2.81 | <10 | 0.38 | 312 | 1 | 0.08 | 4 | 870 | 8 | <5 | <20 | 67 | 0.08 | <10 | 60 | <10 | 13 | 42 |
| 2 & 3 | #2 E44636 & #3 (No Tag) | 1.9 | 1.26 | 15 | 45 | <5 | 1.17 | <1 | 24 | 27 | 9626 | 5.26 | <10 | 1.25 | 405 | <1 | 0.05 | 8 | 2050 | 3 | <5 | <20 | 92 | 0.16 | <10 | 123 | <10 | 10 | 46 |
| 4 | #4 E44635 | 2.8 | 1.28 | 20 | 55 | <5 | 1.20 | <1 | 22 | 52 | 9731 | 4.47 | <10 | 1.18 | 420 | <1 | 0.07 | 7 | 1820 | 5 | <5 | <20 | 95 | 0.20 | <10 | 118 | <10 | 15 | 48 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | 4.1 | 0.63 | 10 | 45 | <5 | 0.74 | <1 | 12 | 39 | >10000 | 2.74 | <10 | 0.35 | 296 | <1 | 0.07 | 3 | 900 | 6 | <5 | <20 | 61 | 0.08 | <10 | 61 | <10 | 13 | 40 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.5 | 1.65 | 60 | 150 | <5 | 1.50 | <1 | 18 | 60 | 87 | 3.50 | <10 | 0.89 | 648 | <1 | 0.02 | 30 | 700 | 22 | <5 | <20 | 50 | 0.11 | <10 | 60 | <10 | 18 | 76 |

JJ/jm
df/1483
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-1484

**GWR RESOURCES INC.** 13-Oct-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 26*
*Sample Type: Rock*
***Project #: None Given***
***Shipment #: None Given***

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 44601 | <0.03 | <0.001 | 0.02 |
| 2 | 44602 | 0.05 | 0.001 | 0.01 |
| 3 | 44603 | <0.03 | <0.001 | <0.01 |
| 4 | 44604 | 0.03 | 0.001 | <0.01 |
| 5 | 44605 | <0.03 | <0.001 | <0.01 |
| 6 | 44606 | <0.03 | <0.001 | <0.01 |
| 7 | 44607 | <0.03 | <0.001 | <0.01 |
| 8 | 44608 | <0.03 | <0.001 | 0.01 |
| 9 | 44609 | <0.03 | <0.001 | 0.01 |
| 10 | 44610 | <0.03 | <0.001 | <0.01 |
| 11 | 44611 | <0.03 | <0.001 | <0.01 |
| 12 | 44612 | <0.03 | <0.001 | 0.01 |
| 13 | 44613 | <0.03 | <0.001 | 0.01 |
| 14 | 44614 | <0.03 | <0.001 | 0.02 |
| 15 | 44615 | 0.07 | 0.002 | 0.01 |
| 16 | 44616 | 0.05 | 0.001 | 0.01 |
| 17 | 44617 | 0.03 | 0.001 | 0.01 |
| 18 | 44618 | <0.03 | <0.001 | 0.01 |
| 19 | 44619 | 0.11 | 0.003 | 0.01 |
| 20 | 44620 | 0.05 | 0.001 | 0.03 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC.** 13-Oct-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 21 | 44621 | 0.07 | 0.002 | 0.03 |
| 22 | 44622 | 0.06 | 0.002 | 0.02 |
| 23 | 44623 | <0.03 | <0.001 | 0.01 |
| 24 | 44624 | 0.05 | 0.001 | 0.03 |
| 25 | 44625 | 0.06 | 0.002 | 0.02 |
| 26 | 44626 | 0.06 | 0.002 | 0.07 |

**QC DATA:**

| | | | | |
|---|---|---|---|---|
| ***Resplit:*** | | | | |
| 1 | 44601 | <0.03 | <0.001 | 0.02 |
| ***Repeat:*** | | | | |
| 1 | 44601 | <0.03 | <0.001 | 0.01 |
| 10 | 44610 | <0.03 | <0.001 | <0.01 |
| ***Standard:*** | | | | |
| OX123 | | 1.87 | 0.055 | |
| CU106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/sc
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2004-1485

**GWR RESOURCES INC.** 13-Oct-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 9*
*Sample Type: Misc. Reject*
***Project #: None Given***
***Shipment #: None Given***

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | Hole #1 44627 | 0.16 | 0.005 | 0.21 |
| 2 | #2 44628 | 0.35 | 0.010 | 0.18 |
| 3 | #3 44629 | 0.27 | 0.008 | 0.18 |
| 4 | #4 44630 | 0.87 | 0.025 | 0.56 |
| 5 | #5 44631 | 0.18 | 0.005 | 0.12 |
| 6 | #6 44632 | 0.43 | 0.013 | 0.54 |
| 7 | #7 44633 | 0.34 | 0.010 | 0.29 |
| 8 | #8 44634 | 0.20 | 0.006 | 0.16 |
| 9 | Float Au,Ag,Cu | 2.58 | 0.075 | <0.01 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK04-1485** 13-Oct-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | Hole #1 44627 | 0.16 | 0.005 | 0.22 |
| ***Repeat:*** | | | | |
| 4 | #4 44630 | 0.89 | | |
| 7 | #7 44633 | 0.34 | | |
| 9 | Float Au,Ag,Cu | 2.81 | | |
| ***Standard:*** | | | | |
| OX123 | | 1.90 | 0.055 | |
| CU106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm/sc
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

13-Oct-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-1485**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 9*
*Sample Type: Misc. Reject*
***Project #: None Given***
***Shipment #: None Given***

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Hole #1 44627 | 0.8 | 0.73 | <5 | 60 | <5 | 0.93 | <1 | 6 | 40 | 2179 | 1.71 | <10 | 0.20 | 319 | 3 | 0.12 | 4 | 690 | 6 | <5 | <20 | 86 | 0.08 | <10 | 38 | <10 | 20 | 72 |
| 2 | #2 44628 | 1.0 | 0.57 | 5 | 50 | <5 | 0.84 | <1 | 7 | 48 | 1800 | 2.05 | <10 | 0.18 | 490 | 3 | 0.10 | 4 | 1290 | 6 | <5 | <20 | 65 | 0.07 | <10 | 43 | <10 | 21 | 34 |
| 3 | #3 44629 | 0.7 | 0.73 | <5 | 60 | <5 | 0.83 | <1 | 7 | 43 | 1792 | 1.96 | <10 | 0.20 | 284 | 3 | 0.11 | 2 | 780 | 6 | <5 | <20 | 87 | 0.07 | <10 | 43 | <10 | 16 | 41 |
| 4 | #4 44630 | 2.3 | 0.57 | <5 | 40 | <5 | 0.73 | <1 | 6 | 29 | 5696 | 1.37 | <10 | 0.16 | 328 | 3 | 0.07 | 1 | 670 | 4 | <5 | <20 | 67 | 0.09 | <10 | 26 | <10 | 18 | 29 |
| 5 | #5 44631 | 0.4 | 0.63 | <5 | 60 | <5 | 0.74 | <1 | 6 | 37 | 1241 | 1.77 | <10 | 0.20 | 223 | 2 | 0.10 | 2 | 730 | 6 | <5 | <20 | 76 | 0.07 | <10 | 42 | <10 | 20 | 31 |
| 6 | #6 44632 | 2.5 | 0.58 | 5 | 35 | <5 | 0.65 | <1 | 6 | 29 | 5458 | 1.52 | <10 | 0.20 | 246 | 4 | 0.10 | 1 | 580 | 6 | <5 | <20 | 69 | 0.07 | <10 | 30 | <10 | 18 | 27 |
| 7 | #7 44633 | 1.2 | 0.61 | <5 | 45 | <5 | 0.66 | <1 | 7 | 34 | 3067 | 1.94 | <10 | 0.22 | 289 | 2 | 0.09 | 4 | 690 | 8 | <5 | <20 | 79 | 0.06 | <10 | 48 | <10 | 17 | 30 |
| 8 | #8 44634 | 0.7 | 0.67 | <5 | 65 | <5 | 0.72 | <1 | 5 | 33 | 1663 | 1.43 | <10 | 0.23 | 240 | 3 | 0.10 | 2 | 760 | 8 | <5 | <20 | 83 | 0.06 | <10 | 33 | <10 | 15 | 37 |
| 9 | Float Au,Ag,Cu | 17.9 | 0.03 | 7695 | 60 | 15 | 0.53 | <1 | 22 | 79 | 23 | >10 | <10 | 0.03 | 152 | 7 | <0.01 | 14 | <10 | 50 | <5 | <20 | 40 | <0.01 | 10 | <1 | <10 | <1 | 16 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Hole #1 44627 | 0.9 | 0.72 | <5 | 60 | <5 | 0.93 | <1 | 7 | 41 | 2123 | 1.73 | <10 | 0.20 | 312 | 4 | 0.11 | 3 | 680 | 10 | <5 | <20 | 83 | 0.07 | <10 | 36 | <10 | 19 | 77 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Hole #1 44627 | 0.8 | 0.76 | <5 | 55 | <5 | 0.97 | <1 | 6 | 42 | 2174 | 1.75 | <10 | 0.21 | 326 | 4 | 0.12 | 5 | 690 | 8 | <5 | <20 | 90 | 0.08 | <10 | 36 | <10 | 23 | 82 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.4 | 1.51 | 60 | 135 | <5 | 1.28 | <1 | 20 | 59 | 85 | 3.69 | <10 | 0.81 | 686 | <1 | 0.02 | 26 | 640 | 24 | <5 | <20 | 52 | 0.11 | <10 | 60 | <10 | 10 | 76 |

JJ/jm
df/1479
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-1563

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

15-Oct-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 20*
*Sample type: Rock*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: Not Indicated*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 44651 | 0.66 | 0.019 | 0.34 |
| 2 | 44652 | 0.12 | 0.003 | 0.04 |
| 3 | 44653 | 0.11 | 0.003 | 0.07 |
| 4 | 44654 | 0.35 | 0.010 | 0.54 |
| 5 | 44655 | 0.32 | 0.009 | 0.32 |
| 6 | 44656 | <0.03 | <0.001 | 0.03 |
| 7 | 44657 | 0.08 | 0.002 | 0.11 |
| 8 | 44658 | 0.07 | 0.002 | 0.10 |
| 9 | 44659 | 0.04 | 0.001 | 0.04 |
| 10 | 44660 | 0.03 | 0.001 | 0.05 |
| 11 | 44661 | 0.12 | 0.003 | 0.05 |
| 12 | 44662 | 0.18 | 0.005 | 0.03 |
| 13 | 44663 | 0.19 | 0.006 | 0.03 |
| 14 | 44664 | 0.22 | 0.006 | 0.96 |
| 15 | 44665 | 0.07 | 0.002 | 0.07 |
| 16 | 44666 | 0.11 | 0.003 | 0.04 |
| 17 | 44667 | 0.05 | 0.001 | 0.06 |
| 18 | 44668 | 0.62 | 0.018 | 0.14 |
| 19 | 44669 | <0.03 | <0.001 | 0.01 |
| 20 | 44670 | 1.05 | 0.031 | 0.96 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-1563** 15-Oct-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 44651 | 0.66 | 0.019 | 0.34 |
| ***Repeat:*** | | | | |
| 1 | 44651 | 0.71 | 0.021 | 0.32 |
| 10 | 44660 | 0.04 | 0.001 | 0.05 |
| ***Standard:*** | | | | |
| Cu106 | | | | 1.43 |
| SH13 | | 1.31 | 0.038 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/sc
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

12-Oct-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-1563**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 20*
*Sample Type: Rock*
***Project #: None Given***
***Shipment #: None Given***

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 44651 | 1.9 | 1.32 | 20 | 70 | <5 | 1.36 | <1 | 23 | 18 | 3522 | 5.72 | <10 | 1.25 | 596 | 4 | 0.06 | 8 | 2510 | 12 | <5 | <20 | 81 | 0.19 | <10 | 192 | <10 | 9 | 78 |
| 2 | 44652 | 0.5 | 1.70 | 20 | 120 | <5 | 1.26 | <1 | 46 | 24 | 513 | 7.30 | <10 | 1.41 | 1011 | 24 | 0.04 | 8 | 2270 | 18 | <5 | <20 | 72 | 0.19 | <10 | 229 | <10 | 17 | 94 |
| 3 | 44653 | 0.6 | 1.39 | 25 | 90 | <5 | 1.03 | <1 | 25 | 10 | 706 | 5.99 | <10 | 1.35 | 746 | 6 | 0.05 | 7 | 2220 | 16 | <5 | <20 | 67 | 0.18 | <10 | 202 | <10 | 20 | 85 |
| 4 | 44654 | 1.2 | 1.40 | 20 | 50 | <5 | 1.08 | <1 | 28 | 14 | 5537 | 5.43 | <10 | 1.44 | 577 | 4 | 0.05 | 6 | 2340 | 16 | <5 | <20 | 61 | 0.19 | <10 | 154 | <10 | 12 | 76 |
| 5 | 44655 | 0.6 | 1.38 | 30 | 65 | <5 | 1.05 | <1 | 60 | 9 | 3332 | 5.79 | <10 | 1.27 | 748 | 5 | 0.04 | 5 | 2560 | 14 | <5 | <20 | 114 | 0.13 | <10 | 191 | <10 | 17 | 84 |
| 6 | 44656 | <0.2 | 1.77 | <5 | 165 | <5 | 1.10 | <1 | 34 | 12 | 293 | 7.15 | <10 | 1.72 | 803 | 3 | 0.10 | 7 | 2130 | 18 | <5 | <20 | 56 | 0.31 | <10 | 333 | <10 | 26 | 89 |
| 7 | 44657 | <0.2 | 1.70 | 25 | 130 | <5 | 0.98 | <1 | 40 | 7 | 1185 | 6.15 | <10 | 1.61 | 686 | 5 | 0.07 | 7 | 2190 | 18 | <5 | <20 | 52 | 0.23 | <10 | 240 | <10 | 32 | 91 |
| 8 | 44658 | 0.6 | 1.68 | 20 | 110 | <5 | 1.06 | <1 | 37 | 10 | 1223 | 7.01 | <10 | 1.48 | 758 | 16 | 0.08 | 6 | 2260 | 22 | <5 | <20 | 71 | 0.22 | <10 | 284 | <10 | 16 | 105 |
| 9 | 44659 | 0.4 | 1.46 | 25 | 120 | <5 | 0.98 | <1 | 34 | 5 | 512 | 6.79 | <10 | 1.20 | 779 | 6 | 0.07 | 5 | 2220 | 16 | <5 | <20 | 96 | 0.21 | <10 | 260 | <10 | 32 | 80 |
| 10 | 44660 | 1.1 | 1.25 | 20 | 95 | <5 | 1.03 | <1 | 35 | 11 | 594 | 6.39 | <10 | 1.01 | 935 | 7 | 0.06 | 5 | 2320 | 24 | <5 | <20 | 66 | 0.15 | <10 | 223 | <10 | 22 | 84 |
| 11 | 44661 | 1.8 | 1.30 | 30 | 95 | <5 | 0.85 | <1 | 26 | 26 | 532 | 6.65 | <10 | 1.11 | 810 | 14 | 0.07 | 4 | 2150 | 22 | <5 | <20 | 71 | 0.22 | <10 | 168 | <10 | 17 | 84 |
| 12 | 44662 | 1.4 | 1.38 | 85 | 85 | <5 | 0.68 | <1 | 30 | 6 | 372 | 8.03 | <10 | 1.18 | 791 | 47 | 0.08 | 4 | 2210 | 28 | <5 | <20 | 115 | 0.20 | <10 | 206 | <10 | 15 | 86 |
| 13 | 44663 | 2.8 | 1.28 | 55 | 85 | <5 | 0.58 | <1 | 28 | 20 | 368 | 8.90 | <10 | 0.92 | 524 | 88 | 0.09 | 4 | 2200 | 28 | <5 | <20 | 128 | 0.20 | <10 | 183 | <10 | 4 | 74 |
| 14 | 44664 | 0.2 | 1.31 | 15 | 40 | <5 | 1.16 | <1 | 28 | 19 | 9788 | 5.57 | <10 | 1.32 | 440 | 5 | 0.05 | 7 | 2300 | 14 | <5 | <20 | 81 | 0.22 | <10 | 121 | <10 | 10 | 58 |
| 15 | 44665 | <0.2 | 1.39 | 15 | 60 | <5 | 1.50 | <1 | 23 | 25 | 752 | 5.58 | <10 | 1.22 | 510 | 5 | 0.05 | 5 | 2460 | 14 | <5 | <20 | 101 | 0.18 | <10 | 179 | <10 | 9 | 62 |
| 16 | 44666 | 0.9 | 1.18 | 45 | 60 | <5 | 0.98 | <1 | 25 | 9 | 982 | 6.49 | <10 | 0.98 | 676 | 25 | 0.05 | 5 | 2600 | 14 | <5 | <20 | 77 | 0.14 | <10 | 162 | <10 | 12 | 78 |
| 17 | 44667 | 0.3 | 1.83 | 35 | 120 | <5 | 1.42 | <1 | 42 | 20 | 756 | 6.35 | <10 | 0.90 | 892 | 10 | 0.07 | 7 | 2920 | 16 | <5 | <20 | 241 | 0.14 | <10 | 148 | <10 | 21 | 74 |
| 18 | 44668 | 1.3 | 1.38 | 30 | 70 | <5 | 1.15 | <1 | 27 | 21 | 1603 | 6.37 | <10 | 1.35 | 522 | 5 | 0.07 | 6 | 2630 | 14 | <5 | <20 | 48 | 0.21 | <10 | 226 | <10 | 22 | 82 |
| 19 | 44669 | <0.2 | 0.76 | 20 | 35 | <5 | 0.94 | <1 | 11 | 35 | 190 | 2.90 | <10 | 0.61 | 285 | 4 | 0.06 | 4 | 2050 | 10 | <5 | <20 | 104 | 0.08 | <10 | 103 | <10 | 17 | 37 |
| 20 | 44670 | 7.7 | 1.56 | 35 | 85 | <5 | 0.94 | <1 | 26 | 18 | 9702 | 5.32 | <10 | 1.62 | 633 | 6 | 0.08 | 9 | 2290 | 18 | <5 | <20 | 33 | 0.28 | <10 | 174 | <10 | 37 | 104 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 44651 | 1.9 | 1.30 | 30 | 70 | <5 | 1.38 | <1 | 22 | 20 | 3532 | 5.60 | <10 | 1.22 | 587 | 6 | 0.05 | 9 | 2610 | 12 | <5 | <20 | 88 | 0.19 | <10 | 182 | <10 | 9 | 75 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 44651 | 1.7 | 1.39 | 30 | 70 | <5 | 1.46 | <1 | 23 | 18 | 3649 | 5.93 | <10 | 1.30 | 630 | 5 | 0.06 | 7 | 2580 | 12 | <5 | <20 | 90 | 0.21 | <10 | 198 | <10 | 11 | 79 |
| 10 | 44660 | 0.4 | 1.27 | 20 | 95 | <5 | 1.06 | <1 | 35 | 12 | 586 | 6.44 | <10 | 1.01 | 939 | 7 | 0.06 | 6 | 2440 | 26 | <5 | <20 | 69 | 0.17 | <10 | 224 | <10 | 25 | 84 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.6 | 1.51 | 65 | 150 | 5 | 1.49 | <1 | 18 | 63 | 85 | 3.39 | <10 | 0.80 | 615 | <1 | 0.02 | 28 | 740 | 48 | <5 | <20 | 65 | 0.11 | <10 | 59 | <10 | 19 | 71 |

JJ/jm
df/1491
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-1614

**GWR RESOURCES INC.** 27-Oct-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 15*
*Sample type: Rock*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: Not Indicated*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 44671 | 0.07 | 0.002 | 0.03 |
| 2 | 44672 | 0.08 | 0.002 | 0.06 |
| 3 | 44673 | 0.08 | 0.002 | 0.08 |
| 4 | 44674 | 0.05 | 0.001 | 0.03 |
| 5 | 44675 | 0.05 | 0.001 | 0.02 |
| 6 | 44676 | 0.04 | 0.001 | 0.02 |
| 7 | 44677 | 0.05 | 0.001 | 0.02 |
| 8 | 44678 | 0.05 | 0.001 | 0.01 |
| 9 | 44679 | 0.06 | 0.002 | 0.06 |
| 10 | 44680 | 0.12 | 0.003 | 0.09 |
| 11 | 44681 | 0.10 | 0.003 | 0.03 |
| 12 | 44682 | 0.11 | 0.003 | 0.03 |
| 13 | 44683 | 0.11 | 0.003 | 0.03 |
| 14 | 44684 | 0.08 | 0.002 | 0.02 |
| 15 | 44685 | 0.19 | 0.006 | 0.03 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK04-1614** 27-Oct-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 44671 | 0.07 | 0.002 | 0.04 |
| ***Repeat:*** | | | | |
| 1 | 44671 | 0.09 | 0.003 | 0.03 |
| ***Standard:*** | | | | |
| Cu106 | | | | 1.46 |
| OX123 | | 1.84 | 0.054 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/sc
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

26-Oct-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-1614**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 15*
*Sample Type: Rock*
***Project #: None Given***
***Shipment #: None Given***

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 44671 | 0.3 | 0.82 | <5 | 65 | <5 | 0.94 | <1 | 19 | 20 | 320 | 3.64 | <10 | 0.47 | 630 | 5 | 0.05 | 6 | 2250 | 14 | <5 | <20 | 78 | 0.05 | <10 | 129 | <10 | 22 | 65 |
| 2 | 44672 | 0.6 | 0.72 | <5 | 65 | <5 | 0.86 | <1 | 23 | 19 | 497 | 3.32 | <10 | 0.37 | 645 | 3 | 0.04 | 5 | 1940 | 12 | <5 | <20 | 66 | 0.04 | <10 | 127 | <10 | 24 | 70 |
| 3 | 44673 | 0.6 | 0.71 | <5 | 70 | <5 | 0.84 | <1 | 22 | 19 | 728 | 3.32 | <10 | 0.32 | 738 | 5 | 0.04 | 4 | 1980 | 16 | <5 | <20 | 70 | 0.03 | <10 | 129 | <10 | 33 | 87 |
| 4 | 44674 | 0.3 | 0.66 | <5 | 70 | <5 | 0.91 | <1 | 14 | 19 | 270 | 3.12 | <10 | 0.33 | 632 | 5 | 0.04 | 5 | 1930 | 12 | <5 | <20 | 63 | 0.04 | <10 | 134 | <10 | 30 | 80 |
| 5 | 44675 | 0.3 | 0.70 | 20 | 65 | <5 | 0.94 | <1 | 13 | 20 | 201 | 3.04 | <10 | 0.37 | 560 | 4 | 0.04 | 5 | 2020 | 16 | <5 | <20 | 72 | 0.04 | <10 | 116 | <10 | 20 | 71 |
| 6 | 44676 | 0.2 | 0.86 | 10 | 75 | <5 | 1.17 | <1 | 12 | 18 | 166 | 3.25 | <10 | 0.41 | 584 | 4 | 0.04 | 4 | 2110 | 16 | <5 | <20 | 72 | 0.04 | <10 | 118 | <10 | 18 | 71 |
| 7 | 44677 | 0.3 | 1.22 | 10 | 85 | <5 | 0.98 | <1 | 27 | 20 | 236 | 5.33 | <10 | 1.06 | 617 | 3 | 0.05 | 7 | 2660 | 16 | <5 | <20 | 54 | 0.12 | <10 | 213 | <10 | 17 | 82 |
| 8 | 44678 | <0.2 | 1.38 | <5 | 115 | <5 | 1.02 | <1 | 24 | 14 | 121 | 5.32 | <10 | 1.12 | 687 | 3 | 0.05 | 10 | 2650 | 18 | <5 | <20 | 72 | 0.13 | <10 | 230 | <10 | 21 | 78 |
| 9 | 44679 | 0.3 | 1.41 | 10 | 85 | <5 | 1.00 | <1 | 38 | 15 | 538 | 5.48 | <10 | 1.26 | 657 | 3 | 0.04 | 8 | 2800 | 16 | <5 | <20 | 59 | 0.13 | <10 | 223 | <10 | 16 | 76 |
| 10 | 44680 | 0.3 | 1.65 | 30 | 70 | <5 | 1.07 | <1 | 52 | 15 | 806 | 5.91 | <10 | 1.44 | 673 | 3 | 0.05 | 10 | 2820 | 20 | <5 | <20 | 74 | 0.13 | <10 | 164 | <10 | 17 | 73 |
| 11 | 44681 | 0.9 | 1.51 | 30 | 105 | <5 | 0.89 | <1 | 33 | 26 | 352 | 6.37 | <10 | 1.38 | 872 | 28 | 0.04 | 13 | 2300 | 32 | <5 | <20 | 51 | 0.13 | <10 | 225 | <10 | 12 | 112 |
| 12 | 44682 | 1.5 | 1.25 | 45 | 70 | <5 | 0.93 | <1 | 25 | 37 | 301 | 7.33 | <10 | 1.21 | 867 | 17 | 0.03 | 15 | 2120 | 24 | <5 | <20 | 55 | 0.12 | <10 | 196 | <10 | <1 | 100 |
| 13 | 44683 | 1.6 | 1.55 | 30 | 120 | <5 | 1.27 | <1 | 33 | 41 | 337 | 8.20 | <10 | 1.31 | 1007 | 58 | 0.04 | 20 | 2070 | 30 | <5 | <20 | 73 | 0.12 | <10 | 236 | <10 | <1 | 119 |
| 14 | 44684 | 0.2 | 1.90 | 10 | 205 | <5 | 0.96 | <1 | 37 | 36 | 257 | 6.91 | <10 | 1.77 | 944 | 6 | 0.07 | 24 | 2090 | 22 | <5 | <20 | 68 | 0.20 | <10 | 309 | <10 | 11 | 112 |
| 15 | 44685 | 1.5 | 1.06 | 55 | 70 | <5 | 1.11 | <1 | 19 | 20 | 339 | 5.32 | <10 | 0.70 | 602 | 31 | 0.05 | 6 | 2070 | 28 | <5 | <20 | 77 | 0.06 | <10 | 122 | <10 | 14 | 70 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 44671 | 0.4 | 0.86 | 5 | 60 | <5 | 0.95 | <1 | 21 | 25 | 330 | 3.66 | <10 | 0.50 | 619 | 6 | 0.05 | 7 | 2250 | 12 | <5 | <20 | 79 | 0.06 | <10 | 129 | <10 | 21 | 65 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 44671 | 0.3 | 0.81 | 5 | 55 | <5 | 0.92 | <1 | 19 | 19 | 323 | 3.63 | <10 | 0.48 | 628 | 4 | 0.05 | 4 | 2220 | 14 | <5 | <20 | 74 | 0.05 | <10 | 129 | <10 | 19 | 66 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.5 | 1.39 | 55 | 140 | <5 | 1.35 | <1 | 16 | 58 | 86 | 3.12 | <10 | 0.75 | 573 | <1 | 0.02 | 28 | 710 | 22 | <5 | <20 | 56 | 0.09 | <10 | 60 | <10 | 10 | 74 |

JJ/sc
df/1580
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-1761

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

8-Nov-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample type: Rock*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: Not Indicated*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | D3011 | 0.37 | 0.011 | 0.10 |
| 2 | D3012 | 0.08 | 0.002 | 0.05 |
| 3 | D3013 | 0.68 | 0.020 | 0.32 |
| 4 | D3014 | 0.33 | 0.010 | 0.06 |
| 5 | D3015 | 0.06 | 0.002 | 0.04 |
| 6 | D3016 | 0.06 | 0.002 | 0.05 |
| 7 | D3017 | 0.14 | 0.004 | 0.08 |
| 8 | D3018 | 0.13 | 0.004 | 0.06 |
| 9 | D3019 | 0.29 | 0.008 | 0.08 |
| 10 | D3020 | 0.19 | 0.006 | 0.06 |
| 11 | D3021 | 0.44 | 0.013 | 0.11 |
| 12 | D3022 | 0.10 | 0.003 | 0.06 |
| 13 | D3023 | 0.08 | 0.002 | 0.06 |
| 14 | D3024 | 0.04 | 0.001 | 0.08 |
| 15 | D3025 | 0.07 | 0.002 | 0.08 |
| 16 | D3026 | 0.04 | 0.001 | 0.05 |
| 17 | D3027 | 0.05 | 0.001 | 0.07 |
| 18 | D3028 | 2.25 | 0.066 | 0.34 |
| 19 | D3029 | 0.09 | 0.003 | 0.10 |
| 20 | D3030 | 0.18 | 0.005 | 0.12 |
| 21 | D3031 | <0.03 | <0.001 | 0.05 |
| 22 | D3032 | 0.06 | 0.002 | 0.06 |
| 23 | D3033 | 0.07 | 0.002 | 0.04 |
| 24 | D3034 | 0.10 | 0.003 | 0.07 |
| 25 | D3035 | 0.12 | 0.003 | 0.09 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK2004-1761** 8-Nov-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 26 | D3036 | 0.11 | 0.003 | 0.10 |
| 27 | D3037 | 0.06 | 0.002 | 0.06 |
| 28 | D3038 | <0.03 | <0.001 | 0.07 |
| 29 | D3039 | 0.24 | 0.007 | 0.05 |
| 30 | D3040 | 0.07 | 0.002 | 0.03 |
| 31 | D3041 | <0.03 | <0.001 | 0.02 |
| 32 | D3042 | <0.03 | <0.001 | 0.04 |
| 33 | D3043 | 0.03 | 0.001 | 0.03 |
| 34 | D3044 | <0.03 | <0.001 | 0.01 |
| 35 | D3045 | 0.05 | 0.001 | 0.04 |
| 36 | D3046 | 0.03 | 0.001 | 0.05 |
| 37 | D3047 | 0.05 | 0.001 | 0.02 |
| 38 | D3048 | <0.03 | <0.001 | 0.02 |
| 39 | D3049 | <0.03 | <0.001 | 0.02 |
| 40 | D3050 | 0.03 | 0.001 | 0.09 |
| 41 | 44686 | <0.03 | <0.001 | 0.06 |
| 42 | 44687 | <0.03 | <0.001 | 0.01 |
| 43 | 44688 | <0.03 | <0.001 | 0.02 |
| 44 | 44689 | <0.03 | <0.001 | 0.02 |
| 45 | 44690 | <0.03 | <0.001 | 0.03 |
| 46 | 44691 | 0.05 | 0.001 | 0.03 |
| 47 | 44692 | 0.04 | 0.001 | 0.03 |
| 48 | 44693 | 0.04 | 0.001 | 0.03 |
| 49 | 44694 | 0.05 | 0.001 | 0.02 |
| 50 | 44695 | 0.16 | 0.005 | 0.04 |
| 51 | 44696 | 0.26 | 0.008 | 0.11 |
| 52 | 44697 | 0.16 | 0.005 | 0.06 |
| 53 | 44698 | 0.31 | 0.009 | 0.06 |
| 54 | 44699 | 0.17 | 0.005 | 0.04 |
| 55 | 44700 | 0.10 | 0.003 | 0.05 |
| 56 | 46551 | 0.04 | 0.001 | 0.16 |
| 57 | 46552 | 0.04 | 0.001 | 0.10 |
| 58 | 46553 | 0.06 | 0.002 | 0.15 |
| 59 | 46554 | 0.08 | 0.002 | 0.03 |
| 60 | 46555 | 0.08 | 0.002 | 0.08 |
| 61 | 46556 | 0.10 | 0.003 | 0.08 |
| 62 | 46557 | 0.04 | 0.001 | 0.07 |
| 63 | 46558 | 0.07 | 0.002 | 0.06 |
| 64 | 46559 | <0.03 | <0.001 | 0.04 |
| 65 | 46560 | <0.03 | <0.001 | 0.05 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK2004-1761** 8-Nov-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 66 | 46570 | 0.04 | 0.001 | 0.07 |
| 67 | 46571 | 0.08 | 0.002 | 0.16 |
| 68 | 46572 | <0.03 | <0.001 | 0.02 |
| 69 | 46573 | 0.03 | 0.001 | 0.02 |
| 70 | 46574 | 0.04 | 0.001 | 0.02 |
| 71 | 46575 | 0.07 | 0.002 | 0.03 |
| 72 | 46576 | 0.12 | 0.003 | 0.02 |
| 73 | 46577 | 0.19 | 0.006 | 0.04 |
| 74 | 46578 | 0.07 | 0.002 | 0.02 |
| 75 | 46579 | 0.04 | 0.001 | 0.01 |
| 76 | 46580 | 0.05 | 0.001 | 0.01 |
| 77 | 46581 | <0.03 | <0.001 | 0.01 |
| 78 | 46582 | 0.03 | 0.001 | 0.04 |
| 79 | 46583 | 0.22 | 0.006 | 0.12 |
| 80 | 46584 | 0.07 | 0.002 | 0.07 |
| 81 | 46585 | 0.09 | 0.003 | 0.05 |
| 82 | 46586 | 0.03 | 0.001 | 0.03 |
| 83 | 46587 | 0.07 | 0.002 | 0.05 |
| 84 | 46588 | 0.07 | 0.002 | 0.06 |
| 85 | 46589 | 0.26 | 0.008 | 0.15 |
| 86 | 46590 | 0.14 | 0.004 | 0.23 |
| 87 | 46591 | 0.08 | 0.002 | 0.09 |
| 88 | 46592 | 0.09 | 0.003 | 0.03 |
| 89 | 46593 | 0.05 | 0.001 | 0.06 |
| 90 | 46526 | 0.07 | 0.002 | 0.06 |
| 91 | 46527 | <0.03 | <0.001 | 0.02 |
| 92 | 46528 | 0.04 | 0.001 | 0.02 |
| 93 | 46529 | 0.04 | 0.001 | 0.06 |
| 94 | 46530 | <0.03 | <0.001 | 0.02 |
| 95 | 46531 | 0.05 | 0.001 | 0.01 |
| 96 | 46532 | 0.06 | 0.002 | 0.09 |
| 97 | 46533 | 0.04 | 0.001 | 0.04 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | D3011 | 0.38 | 0.011 | 0.10 |
| 36 | D3046 | 0.03 | 0.001 | 0.05 |
| 71 | 46575 | 0.09 | 0.003 | 0.03 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK2004-1761** 8-Nov-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| **QC DATA** | | | | |
| ***Repeat:*** | | | | |
| 1 | D3011 | 0.38 | 0.011 | 0.10 |
| 3 | D3013 | 0.64 | 0.019 | |
| 10 | D3020 | 0.38 | 0.011 | 0.06 |
| 11 | D3021 | 0.41 | 0.012 | |
| 18 | D3028 | 2.53 | 0.074 | |
| 19 | D3029 | 0.07 | 0.002 | 0.10 |
| 36 | D3046 | 0.03 | 0.001 | 0.05 |
| 45 | 44690 | <0.03 | <0.001 | 0.03 |
| 54 | 44699 | 0.17 | 0.005 | 0.04 |
| 71 | 46575 | 0.04 | 0.001 | 0.03 |
| 80 | 46584 | 0.08 | 0.002 | 0.07 |
| ***Standard:*** | | | | |
| OX123 | | 1.80 | 0.052 | |
| OX123 | | 1.82 | 0.053 | |
| OXE21 | | 0.68 | 0.020 | |
| CU106 | | | | 1.42 |
| CU106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2004-1761

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

8-Nov-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample type: Rock*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: Not Indicated*

| ET #. | Tag # | Cu (%) |
|---|---|---|
| 1 | D3011 | 0.10 |
| 2 | D3012 | 0.05 |
| 3 | D3013 | 0.32 |
| 4 | D3014 | 0.06 |
| 5 | D3015 | 0.04 |
| 6 | D3016 | 0.05 |
| 7 | D3017 | 0.08 |
| 8 | D3018 | 0.06 |
| 9 | D3019 | 0.08 |
| 10 | D3020 | 0.06 |
| 11 | D3021 | 0.11 |
| 12 | D3022 | 0.06 |
| 13 | D3023 | 0.06 |
| 14 | D3024 | 0.08 |
| 15 | D3025 | 0.08 |
| 16 | D3026 | 0.05 |
| 17 | D3027 | 0.07 |
| 18 | D3028 | 0.34 |
| 19 | D3029 | 0.10 |
| 20 | D3030 | 0.12 |
| 21 | D3031 | 0.05 |
| 22 | D3032 | 0.06 |
| 23 | D3033 | 0.04 |
| 24 | D3034 | 0.07 |
| 25 | D3035 | 0.09 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK2004-1761** 8-Nov-04

| ET #. | Tag # | Cu (%) |
|---|---|---|
| 26 | D3036 | 0.10 |
| 27 | D3037 | 0.06 |
| 28 | D3038 | 0.07 |
| 29 | D3039 | 0.05 |
| 30 | D3040 | 0.03 |
| 31 | D3041 | 0.02 |
| 32 | D3042 | 0.04 |
| 33 | D3043 | 0.03 |
| 34 | D3044 | 0.01 |
| 35 | D3045 | 0.04 |
| 36 | D3046 | 0.05 |
| 37 | D3047 | 0.02 |
| 38 | D3048 | 0.02 |
| 39 | D3049 | 0.02 |
| 40 | D3050 | 0.09 |
| 41 | 44686 | 0.06 |
| 42 | 44687 | 0.01 |
| 43 | 44688 | 0.02 |
| 44 | 44689 | 0.02 |
| 45 | 44690 | 0.03 |
| 46 | 44691 | 0.03 |
| 47 | 44692 | 0.03 |
| 48 | 44693 | 0.03 |
| 49 | 44694 | 0.02 |
| 50 | 44695 | 0.04 |
| 51 | 44696 | 0.11 |
| 52 | 44697 | 0.06 |
| 53 | 44698 | 0.06 |
| 54 | 44699 | 0.04 |
| 55 | 44700 | 0.05 |
| 56 | 46551 | 0.16 |
| 57 | 46552 | 0.10 |
| 58 | 46553 | 0.15 |
| 59 | 46554 | 0.03 |
| 60 | 46555 | 0.08 |
| 61 | 46556 | 0.08 |
| 62 | 46557 | 0.07 |
| 63 | 46558 | 0.06 |
| 64 | 46559 | 0.04 |
| 65 | 46560 | 0.05 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK2004-1761** 8-Nov-04

| ET #. | Tag # | Cu (%) |
|---|---|---|
| 66 | 46570 | 0.07 |
| 67 | 46571 | 0.16 |
| 68 | 46572 | 0.02 |
| 69 | 46573 | 0.02 |
| 70 | 46574 | 0.02 |
| 71 | 46575 | 0.03 |
| 72 | 46576 | 0.02 |
| 73 | 46577 | 0.04 |
| 74 | 46578 | 0.02 |
| 75 | 46579 | 0.01 |
| 76 | 46580 | 0.01 |
| 77 | 46581 | 0.01 |
| 78 | 46582 | 0.04 |
| 79 | 46583 | 0.12 |
| 80 | 46584 | 0.07 |
| 81 | 46585 | 0.05 |
| 82 | 46586 | 0.03 |
| 83 | 46587 | 0.05 |
| 84 | 46588 | 0.06 |
| 85 | 46589 | 0.15 |
| 86 | 46590 | 0.23 |
| 87 | 46591 | 0.09 |
| 88 | 46592 | 0.03 |
| 89 | 46593 | 0.06 |
| 90 | 46526 | 0.06 |
| 91 | 46527 | 0.02 |
| 92 | 46528 | 0.02 |
| 93 | 46529 | 0.06 |
| 94 | 46530 | 0.02 |
| 95 | 46531 | 0.01 |
| 96 | 46532 | 0.09 |
| 97 | 46533 | 0.04 |

**QC DATA:**

***Resplit:***

| | | |
|---|---|---|
| 1 | D3011 | 0.10 |
| 36 | D3046 | 0.05 |
| 71 | 46575 | 0.03 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK2004-1761** 8-Nov-04

| ET #. | Tag # | Cu (%) |
|---|---|---|
| **QC DATA** | | |
| ***Repeat:*** | | |
| 1 | D3011 | 0.10 |
| 10 | D3020 | 0.06 |
| 19 | D3029 | 0.10 |
| 36 | D3046 | 0.05 |
| 45 | 44690 | 0.03 |
| 54 | 44699 | 0.04 |
| 71 | 46575 | 0.03 |
| 80 | 46584 | 0.07 |
| ***Standard:*** | | |
| CU106 | | 1.42 |
| CU106 | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

12-Nov-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-1761**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 97*
*Sample type: Rock*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: Not Indicated*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | D3011 | 1.0 | 1.50 | 70 | 105 | <5 | 0.84 | <1 | 33 | 12 | 974 | >10 | <10 | 1.50 | 553 | 74 | 0.03 | 8 | 2010 | 14 | <5 | <20 | 48 | 0.17 | <10 | 199 | <10 | 3 | 71 |
| 2 | D3012 | 0.6 | 1.16 | 30 | 60 | <5 | 0.70 | <1 | 20 | 22 | 456 | 4.95 | <10 | 1.25 | 544 | 9 | 0.05 | 4 | 1450 | 16 | <5 | <20 | 42 | 0.12 | <10 | 91 | <10 | 2 | 62 |
| 3 | D3013 | 5.5 | 1.38 | 25 | 70 | <5 | 0.82 | <1 | 22 | 20 | 3188 | 5.97 | <10 | 1.49 | 625 | 8 | 0.06 | 7 | 2010 | 12 | <5 | <20 | 33 | 0.12 | <10 | 174 | <10 | 4 | 80 |
| 4 | D3014 | 0.6 | 1.65 | 20 | 100 | <5 | 0.86 | <1 | 24 | 13 | 617 | 6.24 | <10 | 1.81 | 656 | 5 | 0.06 | 5 | 2160 | 10 | <5 | <20 | 42 | 0.16 | <10 | 240 | <10 | 8 | 72 |
| 5 | D3015 | 0.3 | 1.24 | 20 | 65 | <5 | 0.87 | <1 | 19 | 15 | 351 | 6.21 | <10 | 1.21 | 401 | 7 | 0.05 | 5 | 2040 | 10 | <5 | <20 | 41 | 0.10 | <10 | 254 | <10 | <1 | 61 |
| 6 | D3016 | 0.3 | 1.31 | 20 | 70 | <5 | 0.90 | <1 | 20 | 13 | 499 | 6.24 | <10 | 1.26 | 528 | 7 | 0.05 | 5 | 2110 | 8 | <5 | <20 | 45 | 0.10 | <10 | 225 | <10 | 2 | 60 |
| 7 | D3017 | 0.9 | 1.34 | 30 | 75 | <5 | 0.82 | <1 | 23 | 14 | 817 | 7.89 | <10 | 1.23 | 579 | 46 | 0.05 | 4 | 2000 | 16 | <5 | <20 | 47 | 0.12 | <10 | 241 | <10 | 4 | 74 |
| 8 | D3018 | 0.6 | 1.44 | 20 | 105 | <5 | 0.89 | <1 | 28 | 14 | 582 | 7.08 | <10 | 1.36 | 676 | 15 | 0.05 | 6 | 2010 | 12 | <5 | <20 | 41 | 0.16 | <10 | 239 | <10 | 8 | 71 |
| 9 | D3019 | 0.9 | 1.42 | 15 | 100 | <5 | 0.82 | <1 | 21 | 12 | 689 | 6.60 | <10 | 1.56 | 527 | 6 | 0.05 | 6 | 1960 | 8 | <5 | <20 | 31 | 0.14 | <10 | 250 | <10 | 3 | 60 |
| 10 | D3020 | 0.9 | 1.48 | 25 | 85 | <5 | 0.88 | <1 | 20 | 9 | 531 | 6.84 | <10 | 1.53 | 555 | 8 | 0.05 | 5 | 2060 | 8 | <5 | <20 | 39 | 0.12 | <10 | 228 | <10 | <1 | 66 |
| 11 | D3021 | 1.1 | 1.57 | 35 | 100 | <5 | 0.90 | <1 | 22 | 12 | 1002 | 7.05 | <10 | 1.48 | 549 | 11 | 0.05 | 5 | 1970 | 12 | <5 | <20 | 42 | 0.15 | <10 | 190 | <10 | 4 | 66 |
| 12 | D3022 | 0.5 | 1.05 | 15 | 50 | <5 | 0.86 | <1 | 13 | 15 | 554 | 4.79 | <10 | 0.82 | 326 | 5 | 0.06 | 3 | 1920 | 8 | <5 | <20 | 47 | 0.06 | <10 | 196 | <10 | 4 | 44 |
| 13 | D3023 | 0.6 | 1.11 | 20 | 45 | <5 | 0.79 | <1 | 17 | 12 | 501 | 5.16 | <10 | 0.93 | 386 | 6 | 0.05 | 3 | 1770 | 10 | <5 | <20 | 42 | 0.10 | <10 | 172 | <10 | 2 | 45 |
| 14 | D3024 | 0.3 | 0.95 | 5 | 60 | <5 | 0.93 | <1 | 15 | 17 | 668 | 4.28 | <10 | 0.45 | 279 | 7 | 0.06 | 4 | 1600 | 6 | <5 | <20 | 66 | 0.05 | <10 | 166 | <10 | 5 | 35 |
| 15 | D3025 | 0.2 | 0.95 | <5 | 60 | <5 | 0.91 | <1 | 18 | 19 | 688 | 4.40 | <10 | 0.33 | 418 | 4 | 0.08 | 4 | 1570 | 6 | <5 | <20 | 121 | 0.04 | <10 | 180 | <10 | 5 | 32 |
| 16 | D3026 | 0.2 | 0.84 | <5 | 70 | <5 | 0.88 | <1 | 17 | 17 | 498 | 4.18 | <10 | 0.31 | 480 | 3 | 0.07 | 3 | 1570 | 6 | <5 | <20 | 129 | 0.04 | <10 | 184 | <10 | 5 | 34 |
| 17 | D3027 | 0.2 | 0.88 | 10 | 45 | <5 | 0.81 | <1 | 15 | 21 | 672 | 4.43 | <10 | 0.41 | 428 | 4 | 0.06 | 3 | 1580 | 8 | <5 | <20 | 61 | 0.04 | <10 | 168 | <10 | 5 | 42 |
| 18 | D3028 | 7.9 | 1.28 | 55 | 60 | <5 | 0.63 | <1 | 24 | 7 | 3269 | >10 | <10 | 0.96 | 540 | 17 | 0.04 | 4 | 1630 | 12 | <5 | <20 | 39 | 0.08 | <10 | 246 | <10 | <1 | 70 |
| 19 | D3029 | 0.8 | 1.44 | 20 | 75 | <5 | 0.87 | <1 | 24 | 10 | 967 | 7.87 | <10 | 1.40 | 697 | 8 | 0.05 | 4 | 2000 | 10 | <5 | <20 | 42 | 0.12 | <10 | 335 | <10 | <1 | 64 |
| 20 | D3030 | 1.3 | 1.40 | 35 | 95 | <5 | 0.77 | <1 | 29 | 11 | 1148 | 7.71 | <10 | 1.32 | 861 | 52 | 0.06 | 4 | 1750 | 22 | <5 | <20 | 65 | 0.14 | <10 | 244 | <10 | <1 | 88 |
| 21 | D3031 | 0.2 | 1.25 | 10 | 80 | <5 | 1.04 | <1 | 26 | 12 | 498 | 7.47 | <10 | 0.92 | 602 | 6 | 0.05 | 5 | 1890 | 8 | <5 | <20 | 55 | 0.11 | <10 | 371 | <10 | <1 | 51 |
| 22 | D3032 | 0.5 | 1.24 | 25 | 50 | <5 | 1.05 | <1 | 23 | 16 | 613 | 6.53 | <10 | 1.21 | 721 | 7 | 0.05 | 4 | 2170 | 10 | <5 | <20 | 59 | 0.10 | <10 | 256 | <10 | 2 | 74 |
| 23 | D3033 | <0.2 | 0.79 | <5 | 40 | <5 | 1.00 | <1 | 12 | 18 | 293 | 4.10 | <10 | 0.51 | 336 | 3 | 0.05 | 3 | 1490 | 4 | <5 | <20 | 60 | 0.03 | <10 | 189 | <10 | 2 | 25 |
| 24 | D3034 | 0.4 | 1.41 | 25 | 60 | <5 | 0.84 | <1 | 24 | 15 | 591 | 5.70 | <10 | 1.39 | 615 | 4 | 0.05 | 3 | 2100 | 8 | <5 | <20 | 50 | 0.10 | <10 | 227 | <10 | 4 | 67 |
| 25 | D3035 | 0.6 | 1.58 | 10 | 75 | <5 | 0.85 | <1 | 23 | 14 | 838 | 5.29 | <10 | 1.69 | 665 | 3 | 0.04 | 5 | 2110 | 10 | <5 | <20 | 47 | 0.12 | <10 | 239 | <10 | 4 | 72 |
| 26 | D3036 | 1.9 | 1.58 | 25 | 85 | <5 | 0.87 | <1 | 31 | 20 | 886 | 5.71 | <10 | 1.70 | 678 | 4 | 0.04 | 5 | 2210 | 8 | <5 | <20 | 43 | 0.12 | <10 | 233 | <10 | 3 | 77 |
| 27 | D3037 | 0.3 | 1.56 | 25 | 105 | <5 | 0.81 | <1 | 32 | 22 | 480 | 5.81 | <10 | 1.61 | 678 | 3 | 0.05 | 7 | 2090 | 10 | <5 | <20 | 52 | 0.13 | <10 | 223 | <10 | 4 | 72 |
| 28 | D3038 | 0.2 | 1.56 | <5 | 125 | <5 | 1.09 | <1 | 36 | 18 | 659 | 6.38 | <10 | 1.19 | 605 | 3 | 0.09 | 6 | 1960 | 8 | <5 | <20 | 93 | 0.13 | <10 | 296 | <10 | 3 | 49 |
| 29 | D3039 | 0.4 | 1.81 | 15 | 130 | <5 | 0.93 | <1 | 29 | 10 | 454 | 5.40 | <10 | 1.75 | 615 | 1 | 0.06 | 5 | 2070 | 10 | <5 | <20 | 76 | 0.16 | <10 | 276 | <10 | 6 | 57 |
| 30 | D3040 | <0.2 | 1.37 | <5 | 105 | <5 | 0.93 | <1 | 24 | 17 | 221 | 6.21 | <10 | 1.12 | 490 | 3 | 0.08 | 5 | 1970 | 8 | <5 | <20 | 73 | 0.12 | <10 | 312 | <10 | <1 | 46 |
| 31 | D3041 | <0.2 | 1.37 | <5 | 115 | <5 | 0.87 | <1 | 23 | 17 | 194 | 6.03 | <10 | 1.11 | 615 | 2 | 0.09 | 4 | 1890 | 8 | <5 | <20 | 75 | 0.11 | <10 | 306 | <10 | 8 | 48 |
| 32 | D3042 | <0.2 | 1.43 | 5 | 95 | <5 | 0.97 | <1 | 26 | 19 | 357 | 6.13 | <10 | 1.18 | 583 | 3 | 0.08 | 4 | 1930 | 8 | <5 | <20 | 73 | 0.13 | <10 | 301 | <10 | 7 | 51 |
| 33 | D3043 | <0.2 | 1.97 | 20 | 65 | <5 | 1.36 | <1 | 33 | 13 | 255 | 7.95 | <10 | 1.12 | 962 | 3 | 0.10 | 5 | 2800 | 28 | <5 | <20 | 153 | 0.12 | <10 | 301 | <10 | <1 | 70 |
| 34 | D3044 | <0.2 | 1.38 | <5 | 75 | 10 | 0.95 | <1 | 24 | 16 | 93 | 7.27 | <10 | 1.10 | 512 | 4 | 0.08 | 5 | 2020 | 8 | <5 | <20 | 95 | 0.09 | <10 | 303 | <10 | 1 | 46 |
| 35 | D3045 | <0.2 | 1.41 | <5 | 75 | <5 | 1.00 | <1 | 21 | 16 | 366 | 7.18 | <10 | 0.69 | 448 | 3 | 0.13 | 4 | 1860 | 8 | <5 | <20 | 200 | 0.11 | <10 | 312 | <10 | <1 | 40 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 36 | D3046 | <0.2 | 0.99 | <5 | 40 | <5 | 1.01 | <1 | 17 | 18 | 450 | 4.84 | <10 | 0.36 | 376 | 4 | 0.07 | 3 | 1690 | 6 | <5 | <20 | 128 | 0.03 | <10 | 158 | <10 | <1 | 28 |
| 37 | D3047 | 0.6 | 1.32 | 35 | 65 | <5 | 0.92 | <1 | 23 | 19 | 191 | 5.81 | <10 | 1.18 | 699 | 7 | 0.05 | 4 | 2120 | 8 | <5 | <20 | 44 | 0.14 | <10 | 242 | <10 | 4 | 68 |
| 38 | D3048 | 0.3 | 1.09 | 25 | 60 | <5 | 1.04 | <1 | 24 | 24 | 202 | 5.70 | <10 | 0.77 | 713 | 5 | 0.06 | 6 | 2090 | 6 | <5 | <20 | 57 | 0.11 | <10 | 268 | <10 | 2 | 66 |
| 39 | D3049 | 0.3 | 1.25 | 20 | 75 | <5 | 1.05 | <1 | 25 | 21 | 148 | 6.28 | <10 | 0.92 | 555 | 4 | 0.07 | 6 | 2060 | 8 | <5 | <20 | 59 | 0.12 | <10 | 323 | <10 | 3 | 55 |
| 40 | D3050 | 1.3 | 1.39 | 40 | 40 | <5 | 0.80 | <1 | 24 | 18 | 825 | 5.13 | <10 | 1.37 | 562 | 6 | 0.04 | 5 | 2000 | 8 | <5 | <20 | 63 | 0.12 | <10 | 185 | <10 | 5 | 70 |
| 41 | 44686 | 0.3 | 1.33 | 25 | 75 | <5 | 1.03 | <1 | 24 | 20 | 502 | 5.95 | <10 | 1.09 | 640 | 3 | 0.07 | 5 | 2160 | 6 | <5 | <20 | 51 | 0.16 | <10 | 287 | <10 | 4 | 60 |
| 42 | 44687 | <0.2 | 1.67 | 20 | 85 | <5 | 1.10 | <1 | 38 | 13 | 104 | 6.71 | <10 | 1.52 | 980 | 3 | 0.05 | 9 | 2020 | 8 | <5 | <20 | 85 | 0.18 | <10 | 299 | <10 | 3 | 53 |
| 43 | 44688 | <0.2 | 1.76 | 25 | 100 | 5 | 1.08 | <1 | 33 | 12 | 179 | 6.75 | <10 | 1.55 | 773 | 2 | 0.06 | 7 | 2080 | 10 | <5 | <20 | 68 | 0.20 | <10 | 304 | <10 | 8 | 51 |
| 44 | 44689 | <0.2 | 1.54 | 25 | 100 | <5 | 1.15 | <1 | 30 | 12 | 130 | 6.78 | <10 | 1.17 | 1055 | 4 | 0.07 | 6 | 2330 | 8 | <5 | <20 | 75 | 0.13 | <10 | 324 | <10 | 4 | 55 |
| 45 | 44690 | <0.2 | 1.56 | 45 | 85 | <5 | 1.07 | <1 | 36 | 11 | 283 | 7.47 | <10 | 1.35 | 1056 | 7 | 0.04 | 7 | 2300 | 10 | <5 | <20 | 65 | 0.13 | <10 | 290 | <10 | 8 | 60 |
| 46 | 44691 | 0.2 | 0.94 | 15 | 55 | <5 | 0.83 | <1 | 23 | 9 | 253 | 7.22 | <10 | 0.81 | 566 | 12 | 0.05 | 3 | 1970 | 6 | <5 | <20 | 49 | 0.09 | <10 | 239 | <10 | <1 | 48 |
| 47 | 44692 | <0.2 | 1.17 | 25 | 70 | <5 | 0.92 | <1 | 28 | 11 | 247 | 6.78 | <10 | 1.16 | 540 | 5 | 0.05 | 3 | 2110 | 6 | <5 | <20 | 48 | 0.20 | <10 | 291 | <10 | 3 | 48 |
| 48 | 44693 | <0.2 | 1.36 | 45 | 75 | <5 | 0.94 | <1 | 24 | 14 | 240 | 6.14 | <10 | 1.37 | 501 | 5 | 0.04 | 4 | 2150 | 8 | <5 | <20 | 49 | 0.19 | <10 | 180 | <10 | 4 | 54 |
| 49 | 44694 | <0.2 | 0.95 | 35 | 35 | <5 | 0.83 | <1 | 15 | 18 | 161 | 3.94 | <10 | 0.88 | 319 | 4 | 0.05 | 4 | 1770 | 8 | <5 | <20 | 69 | 0.08 | <10 | 115 | <10 | 2 | 37 |
| 50 | 44695 | 0.4 | 1.33 | 25 | 55 | <5 | 0.86 | <1 | 24 | 14 | 312 | 6.65 | <10 | 1.42 | 494 | 4 | 0.06 | 5 | 2140 | 8 | <5 | <20 | 37 | 0.14 | <10 | 235 | <10 | 2 | 61 |
| 51 | 44696 | 0.9 | 1.34 | 35 | 75 | <5 | 0.82 | <1 | 33 | 10 | 1033 | 6.35 | <10 | 1.51 | 549 | 3 | 0.05 | 5 | 2020 | 8 | <5 | <20 | 31 | 0.17 | <10 | 228 | <10 | 3 | 65 |
| 52 | 44697 | 0.3 | 1.46 | 15 | 90 | <5 | 0.97 | <1 | 30 | 14 | 580 | 6.98 | <10 | 1.56 | 526 | 3 | 0.06 | 5 | 2310 | 10 | <5 | <20 | 36 | 0.07 | <10 | 180 | <10 | 12 | 77 |
| 53 | 44698 | 0.4 | 1.64 | 40 | 90 | <5 | 0.90 | <1 | 30 | 8 | 557 | 8.04 | <10 | 1.76 | 590 | 6 | 0.04 | 4 | 2100 | 10 | <5 | <20 | 36 | 0.23 | <10 | 245 | <10 | 12 | 67 |
| 54 | 44699 | 0.2 | 1.51 | 15 | 80 | <5 | 1.01 | <1 | 23 | 18 | 356 | 6.65 | <10 | 1.64 | 555 | 5 | 0.06 | 5 | 2020 | 10 | <5 | <20 | 59 | 0.14 | <10 | 249 | <10 | 1 | 68 |
| 55 | 44700 | 0.4 | 1.62 | 35 | 110 | <5 | 0.93 | <1 | 35 | 11 | 464 | 7.63 | <10 | 1.74 | 696 | 7 | 0.05 | 5 | 2050 | 10 | <5 | <20 | 38 | 0.20 | <10 | 236 | <10 | 4 | 75 |
| 56 | 46551 | 1.2 | 1.44 | 30 | 70 | <5 | 1.00 | <1 | 42 | 18 | 1481 | 6.62 | <10 | 1.27 | 679 | 4 | 0.05 | 8 | 2260 | 10 | <5 | <20 | 63 | 0.14 | <10 | 242 | <10 | 2 | 73 |
| 57 | 46552 | 1.6 | 0.94 | 40 | 70 | <5 | 0.75 | <1 | 31 | 16 | 862 | 4.66 | <10 | 0.85 | 643 | 14 | 0.04 | 5 | 1840 | 30 | <5 | <20 | 42 | 0.12 | <10 | 150 | <10 | 6 | 72 |
| 58 | 46553 | 3.5 | 1.32 | 30 | 80 | <5 | 0.77 | <1 | 24 | 18 | 1501 | 5.78 | <10 | 1.32 | 806 | 22 | 0.06 | 6 | 1950 | 30 | <5 | <20 | 48 | 0.16 | <10 | 243 | <10 | 5 | 92 |
| 59 | 46554 | 0.6 | 1.44 | 40 | 60 | <5 | 0.86 | <1 | 20 | 15 | 206 | 6.94 | <10 | 1.44 | 997 | 7 | 0.05 | 7 | 2260 | 20 | <5 | <20 | 52 | 0.15 | <10 | 235 | <10 | 5 | 102 |
| 60 | 46555 | 1.3 | 1.86 | 85 | <5 | <5 | 1.26 | <1 | 38 | 18 | 800 | 8.04 | <10 | 1.66 | 1630 | 21 | 0.03 | 9 | 3490 | 60 | <5 | <20 | 21 | 0.12 | <10 | 253 | <10 | 1 | 179 |
| 61 | 46556 | 1.1 | 1.51 | 55 | 70 | <5 | 1.05 | <1 | 33 | 15 | 800 | 7.25 | <10 | 1.39 | 1499 | 27 | 0.04 | 10 | 2790 | 36 | <5 | <20 | 58 | 0.04 | <10 | 195 | <10 | 8 | 144 |
| 62 | 46557 | 0.6 | 1.39 | 30 | 80 | <5 | 0.91 | <1 | 32 | 14 | 706 | 6.66 | <10 | 1.34 | 1095 | 4 | 0.05 | 8 | 2230 | 14 | <5 | <20 | 50 | 0.18 | <10 | 280 | <10 | 6 | 88 |
| 63 | 46558 | 1.2 | 1.24 | 50 | 85 | <5 | 0.80 | <1 | 27 | 13 | 414 | 6.57 | <10 | 1.21 | 718 | 34 | 0.05 | 8 | 2120 | 24 | <5 | <20 | 46 | 0.21 | <10 | 267 | <10 | 6 | 76 |
| 64 | 46559 | 0.4 | 1.40 | 35 | 70 | <5 | 0.99 | <1 | 27 | 16 | 442 | 5.81 | <10 | 1.30 | 612 | 5 | 0.06 | 6 | 2360 | 8 | <5 | <20 | 55 | 0.17 | <10 | 255 | <10 | 6 | 63 |
| 65 | 46560 | 0.3 | 1.32 | 20 | 95 | <5 | 0.99 | <1 | 32 | 13 | 448 | 6.35 | <10 | 1.24 | 629 | 3 | 0.05 | 9 | 2110 | 6 | <5 | <20 | 47 | 0.19 | <10 | 285 | <10 | 4 | 64 |
| 66 | 46570 | 0.6 | 1.65 | 30 | 65 | <5 | 1.02 | <1 | 34 | 12 | 629 | 6.32 | <10 | 1.36 | 802 | 4 | 0.06 | 7 | 2260 | 16 | <5 | <20 | 89 | 0.16 | <10 | 260 | <10 | 5 | 81 |
| 67 | 46571 | 0.9 | 1.36 | 10 | 95 | <5 | 0.94 | <1 | 36 | 19 | 1544 | 6.25 | <10 | 1.18 | 532 | 2 | 0.07 | 9 | 1990 | 10 | <5 | <20 | 65 | 0.18 | <10 | 306 | <10 | 3 | 61 |
| 68 | 46572 | 0.2 | 1.46 | 10 | 90 | <5 | 1.14 | <1 | 27 | 15 | 177 | 6.84 | <10 | 1.12 | 591 | 3 | 0.06 | 7 | 2170 | 10 | <5 | <20 | 78 | 0.20 | <10 | 372 | <10 | <1 | 67 |
| 69 | 46573 | 0.4 | 1.53 | 20 | 95 | <5 | 0.91 | <1 | 31 | 17 | 218 | 6.97 | <10 | 1.33 | 806 | 8 | 0.06 | 8 | 1970 | 14 | <5 | <20 | 53 | 0.19 | <10 | 324 | <10 | 4 | 134 |
| 70 | 46574 | 0.5 | 1.35 | 40 | 80 | <5 | 0.72 | <1 | 24 | 13 | 159 | 7.73 | <10 | 1.27 | 676 | 7 | 0.06 | 5 | 1850 | 12 | <5 | <20 | 84 | 0.21 | <10 | 290 | <10 | <1 | 94 |
| 71 | 46575 | 0.5 | 1.39 | 15 | 75 | <5 | 1.07 | <1 | 34 | 16 | 321 | 7.29 | <10 | 1.21 | 809 | 3 | 0.05 | 9 | 2470 | 12 | <5 | <20 | 64 | 0.05 | <10 | 259 | <10 | 9 | 107 |
| 72 | 46576 | 1.3 | 1.23 | 30 | 60 | <5 | 0.84 | <1 | 28 | 16 | 195 | 7.54 | <10 | 1.15 | 852 | 31 | 0.04 | 6 | 2310 | 14 | <5 | <20 | 58 | 0.10 | <10 | 245 | <10 | 4 | 106 |
| 73 | 46577 | 1.1 | 1.43 | 20 | 65 | <5 | 0.86 | <1 | 28 | 13 | 376 | 6.65 | <10 | 1.45 | 838 | 4 | 0.05 | 6 | 2070 | 20 | <5 | <20 | 46 | 0.19 | <10 | 303 | <10 | 7 | 113 |
| 74 | 46578 | 0.4 | 1.42 | 20 | 80 | <5 | 0.89 | <1 | 26 | 14 | 133 | 6.74 | <10 | 1.41 | 745 | 3 | 0.05 | 8 | 2040 | 12 | <5 | <20 | 50 | 0.18 | <10 | 325 | <10 | 5 | 93 |
| 75 | 46579 | 0.3 | 1.02 | 10 | 55 | <5 | 0.94 | <1 | 20 | 16 | 121 | 5.63 | <10 | 0.71 | 458 | 5 | 0.06 | 6 | 1770 | 10 | <5 | <20 | 52 | 0.10 | <10 | 264 | <10 | 2 | 54 |
| 76 | 46580 | 0.5 | 1.06 | 20 | 45 | <5 | 0.88 | <1 | 22 | 20 | 92 | 5.17 | <10 | 0.64 | 431 | 17 | 0.06 | 3 | 1560 | 16 | <5 | <20 | 61 | 0.11 | <10 | 192 | <10 | 1 | 63 |
| 77 | 46581 | 0.2 | 1.05 | 10 | 95 | <5 | 0.84 | <1 | 26 | 18 | 208 | 6.65 | <10 | 0.85 | 500 | 4 | 0.08 | 5 | 1980 | 6 | <5 | <20 | 46 | 0.16 | <10 | 342 | <10 | 3 | 56 |
| 78 | 46582 | 0.3 | 1.15 | 20 | 85 | <5 | 1.01 | <1 | 25 | 22 | 387 | 6.18 | <10 | 0.98 | 498 | 4 | 0.07 | 3 | 2100 | 8 | <5 | <20 | 55 | 0.19 | <10 | 314 | <10 | 5 | 52 |
| 79 | 46583 | 0.9 | 1.56 | 15 | 95 | <5 | 1.09 | <1 | 31 | 13 | 1099 | 6.48 | <10 | 1.21 | 572 | 3 | 0.07 | 6 | 1980 | 10 | <5 | <20 | 65 | 0.20 | <10 | 314 | <10 | 5 | 65 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 80 | 46584 | 0.8 | 1.24 | 20 | 85 | <5 | 0.87 | <1 | 23 | 19 | 663 | 6.09 | <10 | 1.05 | 509 | 3 | 0.06 | 3 | 1900 | 8 | <5 | <20 | 66 | 0.15 | <10 | 274 | <10 | 3 | 56 |
| 81 | 46585 | 0.5 | 1.64 | 35 | 70 | <5 | 1.05 | <1 | 30 | 16 | 473 | 6.39 | <10 | 1.32 | 605 | 5 | 0.07 | 6 | 1930 | 12 | <5 | <20 | 89 | 0.16 | <10 | 272 | <10 | 5 | 68 |
| 82 | 46586 | 0.2 | 1.56 | 10 | 105 | <5 | 0.92 | <1 | 25 | 16 | 271 | 6.21 | <10 | 1.38 | 584 | 4 | 0.07 | 5 | 1800 | 10 | <5 | <20 | 66 | 0.17 | <10 | 329 | <10 | 7 | 65 |
| 83 | 46587 | 0.7 | 1.56 | 25 | 75 | <5 | 0.92 | <1 | 30 | 16 | 421 | 6.12 | <10 | 1.51 | 763 | 8 | 0.05 | 7 | 2000 | 12 | <5 | <20 | 59 | 0.15 | <10 | 272 | <10 | 8 | 108 |
| 84 | 46588 | 0.6 | 1.91 | 20 | 100 | <5 | 0.92 | <1 | 42 | 27 | 603 | 8.41 | <10 | 1.95 | 1211 | 16 | 0.05 | 9 | 1960 | 14 | <5 | <20 | 55 | 0.19 | <10 | 325 | <10 | 3 | 172 |
| 85 | 46589 | 3.5 | 1.66 | 30 | 70 | <5 | 0.84 | <1 | 33 | 17 | 1442 | 7.36 | <10 | 1.58 | 913 | 48 | 0.05 | 7 | 1830 | 18 | <5 | <20 | 50 | 0.19 | <10 | 276 | <10 | 3 | 121 |
| 86 | 46590 | 4.3 | 1.95 | 25 | 90 | <5 | 1.13 | <1 | 33 | 15 | 2208 | 6.33 | <10 | 1.73 | 868 | 14 | 0.06 | 7 | 1930 | 16 | <5 | <20 | 88 | 0.19 | <10 | 258 | <10 | 8 | 106 |
| 87 | 46591 | 1.4 | 1.43 | 35 | 70 | <5 | 0.91 | <1 | 29 | 20 | 879 | 7.34 | <10 | 1.00 | 586 | 6 | 0.08 | 5 | 1920 | 12 | <5 | <20 | 126 | 0.17 | <10 | 297 | <10 | 3 | 69 |
| 88 | 46592 | 1.0 | 1.48 | 30 | 70 | <5 | 0.91 | <1 | 29 | 17 | 296 | 6.30 | <10 | 1.15 | 696 | 4 | 0.07 | 5 | 1950 | 12 | <5 | <20 | 87 | 0.19 | <10 | 290 | <10 | 6 | 73 |
| 89 | 46593 | 0.5 | 1.48 | 20 | 100 | <5 | 0.92 | <1 | 34 | 28 | 531 | 6.47 | <10 | 1.33 | 684 | 2 | 0.09 | 7 | 1920 | 10 | <5 | <20 | 70 | 0.20 | <10 | 297 | <10 | 8 | 70 |
| 90 | 46526 | 0.3 | 1.04 | 15 | 25 | <5 | 2.18 | <1 | 16 | 17 | 524 | 4.00 | <10 | 0.79 | 517 | 5 | 0.06 | 3 | 1810 | 6 | <5 | <20 | 122 | 0.08 | <10 | 160 | <10 | 4 | 56 |
| 91 | 46527 | 0.2 | 0.90 | 5 | 30 | <5 | 2.20 | <1 | 20 | 19 | 153 | 5.48 | <10 | 0.95 | 594 | 3 | 0.05 | 7 | 1580 | 6 | <5 | <20 | 74 | 0.11 | <10 | 178 | <10 | <1 | 49 |
| 92 | 46528 | 0.2 | 1.24 | 5 | 30 | <5 | 3.74 | <1 | 22 | 27 | 180 | 6.28 | <10 | 1.45 | 1017 | 3 | 0.06 | 11 | 1820 | 6 | <5 | <20 | 103 | 0.12 | <10 | 226 | <10 | <1 | 66 |
| 93 | 46529 | 0.3 | 1.90 | 15 | 30 | <5 | 3.70 | <1 | 30 | 18 | 607 | 6.50 | <10 | 2.47 | 1155 | 2 | 0.04 | 8 | 2160 | 10 | <5 | <20 | 85 | 0.13 | <10 | 290 | <10 | 4 | 79 |
| 94 | 46530 | 0.2 | 1.74 | 10 | 35 | <5 | 2.61 | <1 | 20 | 23 | 146 | 5.53 | <10 | 1.54 | 790 | 3 | 0.05 | 6 | 1900 | 10 | <5 | <20 | 109 | 0.16 | <10 | 183 | <10 | 6 | 58 |
| 95 | 46531 | <0.2 | 1.37 | 15 | 30 | <5 | 2.65 | <1 | 25 | 9 | 89 | 4.51 | <10 | 1.40 | 794 | 2 | 0.07 | 5 | 2010 | 8 | <5 | <20 | 73 | 0.11 | <10 | 120 | <10 | 4 | 48 |
| 96 | 46532 | 0.3 | 1.47 | 15 | 10 | <5 | 7.67 | <1 | 18 | 16 | 836 | 4.10 | <10 | 1.22 | 1376 | 4 | 0.02 | 6 | 870 | 6 | <5 | <20 | 198 | 0.05 | <10 | 130 | <10 | 2 | 43 |
| 97 | 46533 | 0.2 | 1.39 | <5 | 205 | <5 | 1.03 | <1 | 28 | 20 | 370 | 7.65 | <10 | 1.46 | 549 | 2 | 0.09 | 6 | 1820 | 8 | <5 | <20 | 52 | 0.27 | <10 | 432 | <10 | <1 | 76 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | D3011 | 1.0 | 1.50 | 75 | 110 | <5 | 0.85 | <1 | 34 | 15 | 999 | >10 | <10 | 1.49 | 552 | 77 | 0.04 | 8 | 2060 | 16 | <5 | <20 | 50 | 0.17 | <10 | 202 | <10 | 3 | 71 |
| 36 | D3046 | <0.2 | 1.00 | <5 | 40 | <5 | 1.02 | <1 | 16 | 16 | 450 | 4.81 | <10 | 0.36 | 373 | 4 | 0.07 | 3 | 1640 | 6 | <5 | <20 | 134 | 0.05 | <10 | 158 | <10 | <1 | 28 |
| 71 | 46575 | 0.6 | 1.57 | 25 | 70 | <5 | 1.08 | <1 | 33 | 15 | 329 | 7.16 | <10 | 1.35 | 813 | 4 | 0.05 | 7 | 2030 | 12 | <5 | <20 | 80 | 0.18 | <10 | 337 | <10 | 4 | 90 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | D3011 | 1.0 | 1.48 | 65 | 100 | <5 | 0.82 | <1 | 33 | 12 | 961 | >10 | <10 | 1.48 | 545 | 77 | 0.03 | 8 | 1970 | 14 | <5 | <20 | 43 | 0.14 | <10 | 190 | <10 | 5 | 70 |
| 10 | D3020 | 0.9 | 1.50 | 25 | 80 | <5 | 0.89 | <1 | 20 | 10 | 536 | 6.97 | <10 | 1.55 | 564 | 6 | 0.05 | 4 | 2030 | 10 | <5 | <20 | 39 | 0.13 | <10 | 233 | <10 | <1 | 67 |
| 19 | D3029 | 0.7 | 1.37 | 20 | 70 | <5 | 0.83 | <1 | 23 | 10 | 973 | 7.56 | <10 | 1.34 | 667 | 6 | 0.04 | 4 | 2020 | 6 | <5 | <20 | 39 | 0.10 | <10 | 321 | <10 | <1 | 62 |
| 36 | D3046 | <0.2 | 1.00 | <5 | 35 | <5 | 1.03 | <1 | 17 | 19 | 454 | 4.82 | <10 | 0.37 | 380 | 4 | 0.07 | 2 | 1740 | 8 | <5 | <20 | 130 | 0.04 | <10 | 156 | <10 | <1 | 28 |
| 45 | 44690 | <0.2 | 1.50 | 45 | 85 | <5 | 1.05 | <1 | 36 | 10 | 275 | 7.22 | <10 | 1.29 | 1025 | 7 | 0.04 | 6 | 2210 | 8 | <5 | <20 | 64 | 0.12 | <10 | 275 | <10 | 9 | 58 |
| 52 | 44697 | <0.2 | 1.51 | 15 | 90 | <5 | 1.00 | <1 | 31 | 14 | 457 | 7.20 | <10 | 1.62 | 542 | 3 | 0.06 | 4 | 2490 | 10 | <5 | <20 | 35 | 0.07 | <10 | 189 | <10 | 13 | 79 |
| 71 | 46575 | 0.5 | 1.51 | 25 | 70 | <5 | 1.05 | <1 | 33 | 16 | 343 | 6.88 | <10 | 1.31 | 779 | 3 | 0.05 | 7 | 2180 | 12 | <5 | <20 | 73 | 0.16 | <10 | 316 | <10 | 4 | 89 |
| 80 | 46584 | 0.8 | 1.28 | 20 | 80 | <5 | 0.91 | <1 | 24 | 19 | 670 | 6.26 | <10 | 1.07 | 523 | 4 | 0.06 | 5 | 1750 | 8 | <5 | <20 | 72 | 0.16 | <10 | 294 | <10 | 4 | 58 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.5 | 1.39 | 50 | 135 | <5 | 1.33 | <1 | 16 | 52 | 89 | 3.63 | <10 | 0.78 | 572 | <1 | 0.02 | 25 | 580 | 24 | <5 | <20 | 54 | 0.06 | <10 | 63 | <10 | 9 | 74 |
| GEO '04 | | 1.5 | 1.48 | 50 | 135 | <5 | 1.35 | <1 | 16 | 55 | 87 | 3.68 | <10 | 0.79 | 573 | <1 | 0.03 | 26 | 550 | 20 | <5 | <20 | 57 | 0.11 | <10 | 60 | <10 | 9 | 76 |
| GEO '04 | | 1.5 | 1.45 | 50 | 135 | <5 | 1.34 | <1 | 16 | 54 | 86 | 3.65 | <10 | 0.79 | 570 | <1 | 0.02 | 25 | 540 | 22 | <5 | <20 | 56 | 0.10 | <10 | 68 | <10 | 10 | 75 |
| GEO '04 | | 1.5 | 1.34 | 50 | 145 | <5 | 1.37 | <1 | 17 | 58 | 74 | 3.86 | <10 | 0.73 | 591 | 1 | 0.02 | 25 | 630 | 28 | <5 | <20 | 51 | 0.03 | <10 | 63 | <10 | 9 | 74 |

JJ/jm
df/1751/1805
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*



**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-1805

**GWR RESOURCES INC.** 16-Nov-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 51*
***Project #: LAC***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 46561 | <0.03 | <0.001 | 0.02 |
| 2 | 46562 | 0.03 | 0.001 | 0.05 |
| 3 | 46563 | <0.03 | <0.001 | 0.01 |
| 4 | 46564 | 0.06 | 0.002 | 0.02 |
| 5 | 46565 | <0.03 | <0.001 | 0.01 |
| 6 | 46566 | <0.03 | <0.001 | 0.01 |
| 7 | 46567 | <0.03 | <0.001 | <0.01 |
| 8 | 46568 | <0.03 | <0.001 | 0.01 |
| 9 | 46569 | 0.04 | 0.001 | <0.01 |
| 10 | 46594 | 0.04 | 0.001 | 0.05 |
| 11 | 46595 | <0.03 | <0.001 | 0.03 |
| 12 | 46596 | 0.17 | 0.005 | 0.05 |
| 13 | 46597 | 0.72 | 0.021 | 0.13 |
| 14 | 46598 | <0.03 | <0.001 | 0.02 |
| 15 | 46599 | <0.03 | <0.001 | 0.03 |
| 16 | 46600 | <0.03 | <0.001 | 0.05 |
| 17 | 46601 | <0.03 | <0.001 | <0.01 |
| 18 | 46602 | 0.06 | 0.002 | 0.02 |
| 19 | 46603 | 0.03 | 0.001 | 0.03 |
| 20 | 46604 | 0.04 | 0.001 | 0.02 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-1805** 16-Nov-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 21 | 46605 | 0.03 | 0.001 | 0.02 |
| 22 | 46606 | 0.03 | 0.001 | 0.02 |
| 23 | 46607 | 0.03 | 0.001 | 0.01 |
| 24 | 46608 | <0.03 | <0.001 | 0.01 |
| 25 | 46609 | <0.03 | <0.001 | <0.01 |
| 26 | 46610 | <0.03 | <0.001 | <0.01 |
| 27 | 46611 | <0.03 | <0.001 | 0.01 |
| 28 | 46612 | 0.04 | 0.001 | 0.02 |
| 29 | 46613 | <0.03 | <0.001 | 0.02 |
| 30 | 46614 | <0.03 | <0.001 | 0.01 |
| 31 | 46615 | 0.07 | 0.002 | 0.05 |
| 32 | 46616 | 0.12 | 0.003 | 0.09 |
| 33 | 46617 | 0.11 | 0.003 | 0.05 |
| 34 | 46618 | 0.03 | 0.001 | 0.03 |
| 35 | 46619 | <0.03 | <0.001 | 0.02 |
| 36 | 46620 | 0.07 | 0.002 | 0.07 |
| 37 | 46621 | <0.03 | <0.001 | 0.02 |
| 38 | 46622 | <0.03 | <0.001 | 0.03 |
| 39 | 46623 | 0.10 | 0.003 | 0.04 |
| 40 | 46624 | 2.12 | 0.062 | 0.20 |
| 41 | 46625 | 0.05 | 0.001 | 0.02 |
| 42 | 46626 | 0.05 | 0.001 | 0.02 |
| 43 | 46627 | 0.06 | 0.002 | 0.02 |
| 44 | 46628 | 0.11 | 0.003 | 0.03 |
| 45 | 46629 | 0.05 | 0.001 | 0.03 |
| 46 | 46630 | 0.05 | 0.001 | 0.03 |
| 47 | 46631 | 0.05 | 0.001 | 0.03 |
| 48 | 46632 | 0.06 | 0.002 | 0.03 |
| 49 | 46633 | 0.04 | 0.001 | 0.02 |
| 50 | 46634 | <0.03 | <0.001 | 0.01 |
| 51 | 46635 | <0.03 | <0.001 | 0.01 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 46561 | <0.03 | <0.001 | 0.02 |
| 36 | 46620 | 0.08 | 0.002 | 0.07 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 46561 | <0.03 | <0.001 | 0.02 |
| 10 | 46594 | 0.03 | 0.001 | 0.05 |
| 13 | 46597 | 0.70 | 0.020 | |
| 19 | 46603 | <0.03 | <0.001 | 0.03 |
| 36 | 46620 | 0.06 | 0.002 | 0.07 |
| 40 | 46624 | 2.08 | 0.061 | |

**GWR RESOURCES INC. AK4-1805** 16-Nov-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| ***Standard:*** | | | | |
| SH13 | | 1.34 | 0.039 | |
| SH13 | | 1.37 | 0.040 | |
| Cu106 | | | | 1.38 |
| Cu106 | | | | 1.40 |
| SH13 | | 1.33 | 0.039 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

16-Nov-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-1805**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 51*
***Project #: LAC***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 46561 | 0.2 | 1.35 | <5 | 85 | <5 | 0.94 | <1 | 22 | 20 | 180 | 6.05 | <10 | 1.35 | 709 | <1 | 0.06 | 6 | 2170 | 8 | <5 | <20 | 50 | 0.61 | <10 | 284 | <10 | 7 | 79 |
| 2 | 46562 | 0.5 | 1.05 | <5 | 90 | <5 | 0.91 | <1 | 23 | 18 | 405 | 5.24 | <10 | 1.01 | 669 | 2 | 0.06 | 7 | 2010 | 6 | <5 | <20 | 49 | 0.11 | <10 | 241 | <10 | 6 | 73 |
| 3 | 46563 | <0.2 | 0.57 | <5 | 55 | <5 | 0.74 | <1 | 11 | 16 | 125 | 2.96 | <10 | 0.32 | 515 | 4 | 0.05 | 3 | 1350 | 4 | <5 | <20 | 52 | 0.04 | <10 | 133 | <10 | 7 | 48 |
| 4 | 46564 | 0.2 | 0.80 | 5 | 85 | <5 | 0.80 | <1 | 18 | 19 | 224 | 3.98 | <10 | 0.38 | 883 | 9 | 0.09 | 3 | 1570 | 12 | <5 | <20 | 66 | 0.03 | <10 | 164 | <10 | 10 | 62 |
| 5 | 46565 | <0.2 | 0.70 | 30 | 115 | <5 | 0.93 | 6 | 10 | 16 | 83 | 3.80 | <10 | 0.47 | 701 | 20 | 0.04 | 28 | 1580 | <2 | 80 | <20 | 73 | <0.01 | <10 | 133 | <10 | <1 | 47 |
| 6 | 46566 | <0.2 | 0.64 | 10 | 45 | <5 | 0.90 | <1 | 10 | 21 | 70 | 3.39 | <10 | 0.25 | 491 | 3 | 0.07 | 5 | 1730 | 6 | <5 | <20 | 44 | 0.03 | <10 | 113 | <10 | 4 | 39 |
| 7 | 46567 | <0.2 | 0.62 | 15 | 35 | <5 | 0.79 | <1 | 10 | 16 | 59 | 3.11 | <10 | 0.28 | 459 | 4 | 0.06 | 2 | 1630 | 8 | <5 | <20 | 40 | 0.02 | <10 | 95 | <10 | 3 | 37 |
| 8 | 46568 | <0.2 | 0.63 | 10 | 45 | <5 | 0.89 | <1 | 13 | 21 | 111 | 3.11 | <10 | 0.27 | 272 | 2 | 0.07 | 4 | 1720 | 4 | <5 | <20 | 47 | 0.03 | <10 | 109 | <10 | 3 | 32 |
| 9 | 46569 | <0.2 | 0.76 | <5 | 70 | 5 | 1.11 | <1 | 18 | 19 | 61 | 6.43 | <10 | 0.68 | 499 | 3 | 0.07 | 5 | 2400 | 4 | <5 | <20 | 46 | 0.07 | <10 | 294 | <10 | 2 | 53 |
| 10 | 46594 | 0.3 | 1.64 | <5 | 130 | <5 | 0.81 | <1 | 31 | 21 | 440 | 6.58 | <10 | 1.63 | 720 | 2 | 0.08 | 5 | 2080 | 8 | <5 | <20 | 60 | 0.15 | <10 | 260 | <10 | 12 | 82 |
| 11 | 46595 | 0.3 | 1.44 | <5 | 130 | <5 | 0.78 | <1 | 30 | 16 | 332 | 6.70 | <10 | 1.41 | 902 | 3 | 0.07 | 7 | 1950 | 6 | <5 | <20 | 56 | 0.15 | <10 | 265 | <10 | 10 | 77 |
| 12 | 46596 | 1.1 | 1.19 | 10 | 85 | <5 | 0.76 | <1 | 27 | 21 | 486 | 6.54 | <10 | 1.18 | 748 | 17 | 0.05 | 6 | 1860 | 8 | <5 | <20 | 42 | 0.09 | <10 | 243 | <10 | 7 | 91 |
| 13 | 46597 | 1.5 | 1.35 | 25 | 125 | <5 | 0.80 | <1 | 36 | 21 | 1209 | 7.07 | <10 | 1.41 | 756 | 20 | 0.05 | 7 | 1760 | 8 | <5 | <20 | 32 | 0.10 | <10 | 247 | <10 | 5 | 95 |
| 14 | 46598 | <0.2 | 1.18 | 10 | 80 | <5 | 1.23 | <1 | 27 | 18 | 210 | 6.66 | <10 | 1.10 | 956 | 2 | 0.08 | 8 | 2500 | 8 | <5 | <20 | 56 | 0.09 | <10 | 304 | <10 | 6 | 96 |
| 15 | 46599 | 0.2 | 1.44 | 20 | 85 | <5 | 1.67 | <1 | 32 | 11 | 212 | 6.35 | <10 | 1.40 | 1097 | 3 | 0.06 | 8 | 2550 | 10 | <5 | <20 | 73 | 0.12 | <10 | 266 | <10 | 11 | 100 |
| 16 | 46600 | 0.3 | 1.39 | 15 | 75 | <5 | 1.46 | <1 | 29 | 18 | 487 | 6.16 | <10 | 1.38 | 1044 | 2 | 0.05 | 7 | 2450 | 12 | <5 | <20 | 66 | 0.11 | <10 | 232 | <10 | 8 | 109 |
| 17 | 46601 | <0.2 | 1.17 | 10 | 75 | <5 | 1.60 | <1 | 22 | 16 | 67 | 6.50 | <10 | 1.19 | 951 | 2 | 0.07 | 6 | 2560 | 8 | <5 | <20 | 60 | 0.12 | <10 | 267 | <10 | 7 | 99 |
| 18 | 46602 | 2.2 | 1.31 | 30 | 80 | <5 | 0.73 | <1 | 30 | 23 | 245 | 6.23 | <10 | 1.08 | 960 | 18 | 0.05 | 11 | 2030 | 16 | <5 | <20 | 58 | 0.07 | <10 | 183 | <10 | 5 | 162 |
| 19 | 46603 | 0.2 | 1.35 | 20 | 80 | <5 | 1.09 | <1 | 29 | 23 | 233 | 5.77 | <10 | 1.08 | 675 | 4 | 0.06 | 12 | 2170 | 10 | <5 | <20 | 66 | 0.07 | <10 | 222 | <10 | 9 | 87 |
| 20 | 46604 | 0.7 | 1.16 | 45 | 60 | <5 | 0.80 | <1 | 26 | 10 | 142 | 5.84 | <10 | 1.02 | 515 | 4 | 0.05 | 6 | 1910 | 4 | <5 | <20 | 49 | 0.07 | <10 | 185 | <10 | 5 | 83 |
| 21 | 46605 | 0.3 | 1.13 | 15 | 85 | <5 | 0.80 | <1 | 28 | 9 | 150 | 6.50 | <10 | 0.98 | 528 | 6 | 0.06 | 6 | 1920 | 6 | <5 | <20 | 39 | 0.07 | <10 | 243 | <10 | 4 | 79 |
| 22 | 46606 | 0.4 | 1.12 | 15 | 65 | <5 | 0.77 | 2 | 24 | 10 | 160 | 6.67 | <10 | 0.99 | 759 | 9 | 0.05 | 6 | 1810 | 16 | <5 | <20 | 40 | 0.06 | <10 | 246 | <10 | 2 | 151 |
| 23 | 46607 | 0.5 | 1.10 | 20 | 60 | <5 | 0.77 | <1 | 25 | 10 | 108 | 5.78 | <10 | 0.91 | 488 | 5 | 0.05 | 8 | 1610 | 4 | <5 | <20 | 40 | 0.07 | <10 | 195 | <10 | 2 | 73 |
| 24 | 46608 | 0.2 | 0.64 | 15 | 50 | <5 | 0.65 | <1 | 14 | 23 | 126 | 3.66 | <10 | 0.37 | 479 | 5 | 0.04 | 4 | 1430 | 4 | <5 | <20 | 44 | 0.03 | <10 | 120 | <10 | 4 | 50 |
| 25 | 46609 | <0.2 | 0.78 | <5 | 50 | <5 | 0.78 | 1 | 11 | 21 | 66 | 3.46 | <10 | 0.29 | 427 | 2 | 0.07 | 3 | 1460 | 4 | <5 | <20 | 57 | 0.02 | <10 | 129 | <10 | 3 | 41 |
| 26 | 46610 | <0.2 | 0.95 | <5 | 80 | <5 | 0.83 | <1 | 18 | 25 | 67 | 4.77 | <10 | 0.72 | 437 | 3 | 0.06 | 4 | 1710 | 6 | <5 | <20 | 49 | 0.05 | <10 | 183 | <10 | 4 | 59 |
| 27 | 46611 | <0.2 | 1.25 | 5 | 95 | <5 | 0.84 | <1 | 28 | 30 | 96 | 6.64 | <10 | 1.14 | 552 | 3 | 0.06 | 11 | 1940 | 6 | <5 | <20 | 62 | 0.07 | <10 | 262 | <10 | 2 | 79 |
| 28 | 46612 | 0.6 | 1.25 | 15 | 100 | <5 | 0.80 | <1 | 31 | 37 | 168 | 7.26 | <10 | 1.19 | 661 | 7 | 0.05 | 12 | 1800 | 8 | <5 | <20 | 39 | 0.06 | <10 | 234 | <10 | 2 | 109 |
| 29 | 46613 | <0.2 | 1.01 | <5 | 60 | <5 | 0.92 | <1 | 18 | 18 | 163 | 5.20 | <10 | 0.54 | 674 | 3 | 0.07 | 4 | 1320 | 6 | <5 | <20 | 70 | 0.03 | <10 | 184 | <10 | 3 | 42 |
| 30 | 46614 | <0.2 | 1.12 | <5 | 75 | <5 | 0.99 | <1 | 14 | 27 | 107 | 4.92 | <10 | 0.42 | 389 | 3 | 0.11 | 3 | 1290 | <2 | <5 | <20 | 128 | 0.02 | <10 | 186 | <10 | <1 | 28 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31 | 46615 | 0.4 | 0.81 | <5 | 60 | <5 | 0.85 | <1 | 19 | 18 | 396 | 4.79 | <10 | 0.47 | 434 | 3 | 0.05 | 6 | 1690 | 2 | <5 | <20 | 49 | 0.03 | <10 | 192 | <10 | 5 | 36 |
| 32 | 46616 | 0.5 | 1.12 | <5 | 105 | <5 | 0.87 | <1 | 25 | 12 | 763 | 5.39 | <10 | 0.97 | 508 | 5 | 0.06 | 4 | 1870 | 6 | <5 | <20 | 57 | 0.08 | <10 | 215 | <10 | 8 | 48 |
| 33 | 46617 | 0.3 | 1.21 | <5 | 110 | <5 | 1.01 | <1 | 21 | 9 | 416 | 5.65 | <10 | 1.02 | 366 | 2 | 0.07 | 4 | 1990 | 8 | <5 | <20 | 103 | 0.06 | <10 | 233 | <10 | 7 | 43 |
| 34 | 46618 | <0.2 | 1.37 | <5 | 90 | <5 | 1.11 | <1 | 22 | 8 | 221 | 6.34 | <10 | 1.08 | 421 | 3 | 0.06 | 4 | 2170 | 6 | <5 | <20 | 99 | 0.05 | <10 | 222 | <10 | 4 | 50 |
| 35 | 46619 | <0.2 | 0.90 | <5 | 105 | <5 | 0.97 | <1 | 16 | 11 | 154 | 5.92 | <10 | 0.62 | 350 | 3 | 0.07 | 4 | 1890 | 6 | <5 | <20 | 122 | 0.03 | <10 | 187 | <10 | 3 | 42 |
| 36 | 46620 | 0.2 | 1.19 | <5 | 55 | <5 | 1.01 | <1 | 21 | 9 | 713 | 6.02 | <10 | 1.18 | 378 | 2 | 0.04 | 5 | 2210 | 4 | <5 | <20 | 52 | 0.05 | <10 | 171 | <10 | 4 | 57 |
| 37 | 46621 | <0.2 | 0.93 | <5 | 65 | <5 | 0.97 | <1 | 15 | 20 | 186 | 5.48 | <10 | 0.59 | 316 | 3 | 0.06 | 4 | 1830 | 4 | <5 | <20 | 61 | 0.03 | <10 | 189 | <10 | 2 | 45 |
| 38 | 46622 | <0.2 | 0.87 | <5 | 45 | <5 | 1.02 | <1 | 14 | 23 | 244 | 4.61 | <10 | 0.52 | 345 | 4 | 0.05 | <1 | 1850 | 4 | <5 | <20 | 70 | 0.02 | <10 | 154 | <10 | 3 | 39 |
| 39 | 46623 | <0.2 | 0.76 | <5 | 40 | <5 | 0.94 | <1 | 13 | 19 | 391 | 4.29 | <10 | 0.32 | 331 | 3 | 0.05 | 3 | 1720 | 4 | <5 | <20 | 61 | 0.02 | <10 | 158 | <10 | 4 | 43 |
| 40 | 46624 | 11.3 | 0.78 | 135 | 75 | <5 | 0.62 | <1 | 15 | 20 | 1893 | 9.27 | <10 | 0.38 | 356 | 20 | 0.04 | <1 | 1200 | 10 | <5 | <20 | 59 | 0.03 | <10 | 165 | <10 | <1 | 85 |
| 41 | 46625 | 0.2 | 0.73 | <5 | 50 | <5 | 0.77 | <1 | 18 | 14 | 155 | 5.07 | <10 | 0.64 | 520 | 7 | 0.03 | 4 | 1730 | 4 | <5 | <20 | 32 | 0.02 | <10 | 163 | <10 | 2 | 49 |
| 42 | 46626 | 0.2 | 0.96 | 10 | 40 | <5 | 0.75 | <1 | 17 | 14 | 144 | 4.37 | <10 | 0.94 | 627 | 10 | 0.03 | 6 | 2040 | 10 | <5 | <20 | 37 | 0.03 | <10 | 128 | <10 | 5 | 62 |
| 43 | 46627 | 0.2 | 1.11 | 15 | 85 | <5 | 0.77 | <1 | 20 | 46 | 170 | 5.48 | <10 | 0.75 | 497 | 14 | 0.08 | 8 | 1690 | 8 | <5 | <20 | 83 | 0.04 | <10 | 137 | <10 | 7 | 52 |
| 44 | 46628 | <0.2 | 0.98 | <5 | 65 | <5 | 0.93 | <1 | 17 | 15 | 261 | 4.17 | <10 | 0.78 | 533 | 3 | 0.04 | 6 | 2180 | 4 | <5 | <20 | 77 | 0.03 | <10 | 144 | <10 | 5 | 46 |
| 45 | 46629 | <0.2 | 1.19 | 20 | 60 | <5 | 0.86 | <1 | 28 | 22 | 321 | 5.72 | <10 | 1.00 | 797 | 10 | 0.04 | 5 | 2180 | 8 | <5 | <20 | 38 | 0.03 | <10 | 126 | <10 | 7 | 65 |
| 46 | 46630 | <0.2 | 0.94 | <5 | 55 | <5 | 0.91 | <1 | 20 | 15 | 260 | 4.90 | <10 | 0.77 | 422 | 3 | 0.04 | 5 | 2140 | 6 | <5 | <20 | 43 | 0.04 | <10 | 171 | <10 | 6 | 42 |
| 47 | 46631 | <0.2 | 1.00 | <5 | 60 | <5 | 1.01 | <1 | 17 | 24 | 268 | 4.18 | <10 | 0.80 | 427 | 3 | 0.05 | 5 | 2330 | 2 | <5 | <20 | 59 | 0.04 | <10 | 150 | <10 | 7 | 37 |
| 48 | 46632 | <0.2 | 0.95 | <5 | 60 | <5 | 0.90 | <1 | 18 | 17 | 214 | 5.36 | <10 | 0.72 | 458 | 3 | 0.04 | 4 | 1880 | 4 | <5 | <20 | 54 | 0.03 | <10 | 195 | <10 | 5 | 43 |
| 49 | 46633 | <0.2 | 0.98 | <5 | 80 | <5 | 1.00 | <1 | 17 | 23 | 193 | 5.28 | <10 | 0.65 | 573 | 3 | 0.06 | 4 | 1490 | 4 | <5 | <20 | 62 | 0.03 | <10 | 185 | <10 | 3 | 43 |
| 50 | 46634 | <0.2 | 1.20 | <5 | 60 | <5 | 1.02 | <1 | 14 | 20 | 67 | 4.58 | <10 | 0.58 | 553 | 2 | 0.10 | 4 | 1180 | 4 | <5 | <20 | 77 | 0.03 | <10 | 147 | <10 | 4 | 47 |
| 51 | 46635 | <0.2 | 0.87 | <5 | 55 | <5 | 0.83 | <1 | 12 | 25 | 89 | 4.11 | <10 | 0.39 | 368 | 4 | 0.07 | 3 | 1120 | 2 | <5 | <20 | 72 | 0.02 | <10 | 132 | <10 | 2 | 29 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 46561 | 0.2 | 1.36 | <5 | 85 | <5 | 0.96 | <1 | 23 | 20 | 174 | 6.19 | <10 | 1.37 | 725 | 2 | 0.06 | 7 | 2350 | 8 | <5 | <20 | 44 | 0.08 | <10 | 254 | <10 | 8 | 84 |
| 36 | 46620 | 0.2 | 1.22 | <5 | 55 | <5 | 1.04 | <1 | 20 | 20 | 678 | 5.91 | <10 | 1.18 | 380 | 3 | 0.05 | 5 | 2130 | 4 | <5 | <20 | 56 | 0.05 | <10 | 168 | <10 | 4 | 58 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 46561 | 0.2 | 1.37 | <5 | 85 | <5 | 0.97 | <1 | 22 | 20 | 185 | 6.12 | <10 | 1.40 | 729 | 2 | 0.09 | 6 | 2090 | 8 | <5 | <20 | 48 | 0.09 | <10 | 268 | <10 | 6 | 83 |
| 10 | 46594 | 0.3 | 1.63 | <5 | 125 | <5 | 0.81 | <1 | 31 | 21 | 446 | 6.65 | <10 | 1.63 | 723 | 2 | 0.08 | 7 | 2080 | 6 | <5 | <20 | 60 | 0.13 | <10 | 258 | <10 | 11 | 83 |
| 19 | 46603 | 0.2 | 1.32 | 10 | 75 | <5 | 1.04 | <1 | 28 | 21 | 229 | 5.55 | <10 | 1.06 | 655 | 4 | 0.06 | 10 | 2140 | 6 | <5 | <20 | 63 | 0.05 | <10 | 210 | <10 | 7 | 84 |
| 36 | 46620 | 0.2 | 1.11 | <5 | 50 | <5 | 0.94 | <1 | 19 | 9 | 678 | 5.66 | <10 | 1.13 | 367 | 3 | 0.03 | 5 | 2180 | 4 | <5 | <20 | 43 | 0.04 | <10 | 159 | <10 | 4 | 55 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.5 | 1.29 | 45 | 135 | <5 | 1.29 | <1 | 15 | 53 | 75 | 3.58 | <10 | 0.71 | 557 | 2 | 0.02 | 25 | 580 | 22 | <5 | <20 | 49 | 0.03 | <10 | 67 | <10 | 5 | 73 |
| GEO '04 | | 1.4 | 1.34 | 45 | 140 | <5 | 1.30 | <1 | 15 | 54 | 76 | 3.65 | <10 | 0.73 | 565 | 1 | 0.02 | 24 | 560 | 22 | <5 | <20 | 52 | 0.03 | <10 | 66 | <10 | 5 | 73 |

JJ/jm
df/1805
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-1890

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

23-Nov-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 3*
*Sample Type: Core*
***Project #: None Given***
***Shipment #: None Given***
*Submitted By: Brian Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 46637 | 0.31 | 0.009 | 0.17 |
| 2 | 46668 | 0.55 | 0.016 | 0.32 |
| 3 | 46691 | <0.03 | <0.001 | 0.01 |

**QC DATA:**

| | | | | |
|---|---|---|---|---|
| ***Resplit:*** | | | | |
| 1 | 46637 | 0.30 | 0.009 | 0.16 |
| ***Repeat:*** | | | | |
| 1 | 46637 | 0.32 | 0.009 | 0.17 |
| ***Standard:*** | | | | |
| Cu106 | | | | 1.42 |
| OXE21 | | 0.66 | 0.019 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/sc
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

23-Nov-04

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2004-1890**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 3*
*Sample Type: Core*
***Project #: None Given***
***Shipment #: None Given***
*Submitted By: Brian Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 46637 | 2.0 | 1.13 | 30 | 45 | <5 | 1.96 | <1 | 22 | 36 | 1701 | 6.94 | <10 | 0.95 | 893 | 10 | 0.05 | 4 | 920 | 4 | <5 | <20 | 53 | 0.03 | <10 | 128 | <10 | <1 | 67 |
| 2 | 46668 | 2.0 | 1.26 | 50 | 75 | <5 | 1.22 | <1 | 98 | 37 | 3095 | 9.57 | <10 | 1.39 | 559 | 10 | 0.09 | 4 | 1970 | 2 | <5 | <20 | 34 | 0.18 | <10 | 180 | <10 | <1 | 69 |
| 3 | 46691 | <0.2 | 2.08 | 20 | 35 | <5 | 4.76 | <1 | 21 | 15 | 121 | 4.49 | <10 | 2.69 | 1060 | 1 | 0.08 | 4 | 1730 | <2 | <5 | <20 | 176 | 0.05 | <10 | 140 | <10 | 13 | 44 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 46637 | 1.8 | 1.15 | 30 | 40 | <5 | 2.04 | <1 | 22 | 41 | 1571 | 6.79 | <10 | 0.98 | 941 | 11 | 0.05 | 4 | 950 | 6 | <5 | <20 | 51 | 0.02 | <10 | 127 | <10 | <1 | 69 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 46637 | 1.9 | 1.13 | 35 | 45 | <5 | 1.97 | <1 | 22 | 35 | 1682 | 7.01 | <10 | 0.95 | 896 | 10 | 0.05 | 4 | 960 | 4 | <5 | <20 | 53 | 0.02 | <10 | 125 | <10 | <1 | 68 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '04 | | 1.4 | 1.49 | 55 | 135 | <5 | 1.40 | <1 | 16 | 55 | 86 | 3.70 | <10 | 0.80 | 592 | <1 | 0.03 | 24 | 570 | 22 | <5 | <20 | 59 | 0.09 | <10 | 64 | <10 | 9 | 75 |

JJ/sc
df/1804
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-1916

**GWR RESOURCES INC.** 1-Dec-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 54*
*Sample type: Rock*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: Not Indicated*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 44638 | 0.10 | 0.003 | 0.06 |
| 2 | 44639 | 0.16 | 0.005 | 0.10 |
| 3 | 44640 | 0.13 | 0.004 | 0.09 |
| 4 | 44641 | 0.60 | 0.017 | 0.30 |
| 5 | 44642 | 0.40 | 0.012 | 0.24 |
| 6 | 44643 | 0.24 | 0.007 | 0.14 |
| 7 | 44644 | 0.16 | 0.005 | 0.07 |
| 8 | 44645 | 0.16 | 0.005 | 0.08 |
| 9 | 44646 | 0.04 | 0.001 | 0.04 |
| 10 | 44647 | 0.06 | 0.002 | 0.05 |
| 11 | 44648 | 0.24 | 0.007 | 0.12 |
| 12 | 44649 | 0.24 | 0.007 | 0.18 |
| 13 | 44650 | 0.25 | 0.007 | 0.14 |
| 14 | 46501 | 0.06 | 0.002 | 0.04 |
| 15 | 46502 | 0.06 | 0.002 | 0.04 |
| 16 | 46503 | 0.10 | 0.003 | 0.07 |
| 17 | 46504 | 0.05 | 0.001 | 0.04 |
| 18 | 46505 | 0.06 | 0.002 | 0.06 |
| 19 | 46506 | 0.04 | 0.001 | 0.04 |
| 20 | 46507 | 0.05 | 0.001 | 0.07 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-1916** 1-Dec-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 21 | 46508 | 0.03 | 0.001 | 0.05 |
| 22 | 46509 | 0.05 | 0.001 | 0.03 |
| 23 | 46510 | 0.03 | 0.001 | 0.06 |
| 24 | 46511 | 0.10 | 0.003 | 0.13 |
| 25 | 46512 | 0.03 | 0.001 | 0.02 |
| 26 | 46513 | 0.12 | 0.003 | 0.11 |
| 27 | 46514 | 0.06 | 0.002 | 0.09 |
| 28 | 46515 | 0.28 | 0.008 | 0.13 |
| 29 | 46516 | 0.03 | 0.001 | 0.07 |
| 30 | 46517 | 0.04 | 0.001 | 0.04 |
| 31 | 46518 | 0.04 | 0.001 | 0.08 |
| 32 | 46519 | 0.03 | 0.001 | 0.10 |
| 33 | 46520 | 0.06 | 0.002 | 0.08 |
| 34 | 46521 | <0.03 | <0.001 | 0.08 |
| 35 | 46522 | <0.03 | <0.001 | 0.06 |
| 36 | 46523 | <0.03 | <0.001 | 0.04 |
| 37 | 46524 | 0.03 | 0.001 | 0.01 |
| 38 | 46525 | <0.03 | <0.001 | 0.01 |
| 39 | 46636 | <0.03 | <0.001 | 0.03 |
| 40 | 46638 | 0.05 | 0.001 | 0.02 |
| 41 | 46639 | 0.14 | 0.004 | 0.03 |
| 42 | 46640 | <0.03 | <0.001 | 0.01 |
| 43 | 46641 | <0.03 | <0.001 | 0.04 |
| 44 | 46642 | <0.03 | <0.001 | 0.01 |
| 45 | 46643 | <0.03 | <0.001 | 0.01 |
| 46 | 46644 | <0.03 | <0.001 | 0.01 |
| 47 | 46645 | <0.03 | <0.001 | 0.03 |
| 48 | 46646 | <0.03 | <0.001 | 0.04 |
| 49 | 46647 | <0.03 | <0.001 | 0.01 |
| 50 | 46648 | <0.03 | <0.001 | 0.01 |
| 51 | 46649 | 0.03 | 0.001 | 0.01 |
| 52 | 46650 | 0.05 | 0.001 | 0.02 |
| 53 | 46651 | <0.03 | <0.001 | 0.01 |
| 54 | 46652 | <0.03 | <0.001 | <0.01 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 44638 | 0.09 | 0.003 | 0.06 |
| 36 | 46523 | <0.03 | <0.001 | 0.03 |
| ***Repeat:*** | | | | |
| 1 | 44638 | 0.08 | 0.002 | 0.06 |
| 4 | 44641 | 0.66 | 0.019 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-1916** 1-Dec-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 10 | 44647 | 0.05 | 0.001 | 0.05 |
| 19 | 46506 | 0.03 | 0.001 | 0.04 |
| 36 | 46523 | <0.03 | <0.001 | 0.03 |
| 45 | 46643 | 0.03 | 0.001 | 0.01 |
| ***Standard:*** | | | | |
| OXE21 | | 0.68 | 0.020 | |
| OXE21 | | 0.69 | 0.020 | |
| PM182 | | 1.26 | 0.037 | |
| Cu106 | | | | 1.43 |
| Cu106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2004-1945

**GWR RESOURCES INC.** 21-Dec-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 86*
*Sample type: Core*
***Project #: P22***
***Shipment #: None Given***
*Samples submitted by: Not Indicated*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 46653 | <0.03 | <0.001 | 0.01 |
| 2 | 46654 | <0.03 | <0.001 | 0.01 |
| 3 | 46655 | 0.14 | 0.004 | 0.02 |
| 4 | 46656 | 0.06 | 0.002 | 0.02 |
| 5 | 46657 | 0.05 | 0.001 | 0.01 |
| 6 | 46658 | 0.03 | <0.001 | 0.01 |
| 7 | 46659 | <0.03 | <0.001 | <0.01 |
| 8 | 46660 | 0.04 | 0.001 | 0.01 |
| 9 | 46661 | <0.03 | <0.001 | 0.01 |
| 10 | 46662 | 0.04 | 0.001 | 0.04 |
| 11 | 46663 | 0.04 | 0.001 | 0.02 |
| 12 | 46664 | 0.03 | 0.001 | 0.02 |
| 13 | 46665 | 0.07 | 0.002 | 0.01 |
| 14 | 46666 | 0.05 | 0.001 | 0.02 |
| 15 | 46667 | 0.03 | 0.001 | 0.01 |
| 16 | 46669 | 0.04 | 0.001 | 0.04 |
| 17 | 46670 | 0.05 | 0.001 | 0.01 |
| 18 | 46671 | 0.06 | 0.002 | 0.01 |
| 19 | 46672 | 0.07 | 0.002 | 0.01 |
| 20 | 46673 | <0.03 | <0.001 | <0.01 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-1945** 21-Dec-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 21 | 46674 | 0.04 | 0.001 | 0.01 |
| 22 | 46675 | 0.05 | 0.001 | 0.02 |
| 23 | 46676 | <0.03 | <0.001 | 0.01 |
| 24 | 46677 | <0.03 | <0.001 | 0.02 |
| 25 | 46678 | <0.03 | <0.001 | 0.02 |
| 26 | 46679 | <0.03 | <0.001 | <0.01 |
| 27 | 46680 | <0.03 | <0.001 | <0.01 |
| 28 | 46681 | 0.04 | 0.001 | 0.01 |
| 29 | 46682 | 0.06 | 0.002 | 0.09 |
| 30 | 46683 | <0.03 | <0.001 | 0.10 |
| 31 | 46684 | 0.04 | 0.001 | 0.01 |
| 32 | 46685 | 0.06 | 0.002 | 0.03 |
| 33 | 46686 | 0.03 | 0.001 | <0.01 |
| 34 | 46687 | <0.03 | <0.001 | <0.01 |
| 35 | 46688 | <0.03 | <0.001 | 0.01 |
| 36 | 46689 | <0.03 | <0.001 | 0.01 |
| 37 | 46690 | 0.03 | 0.001 | 0.01 |
| 38 | 46692 | 0.10 | 0.003 | 0.06 |
| 39 | 46693 | 0.07 | 0.002 | 0.03 |
| 40 | 46694 | 0.17 | 0.005 | 0.28 |
| 41 | 46695 | 0.05 | 0.001 | 0.02 |
| 42 | 46696 | <0.03 | <0.001 | 0.01 |
| 43 | 46697 | 0.04 | 0.001 | 0.02 |
| 44 | 46698 | 0.03 | 0.001 | 0.01 |
| 45 | 46699 | <0.03 | <0.001 | 0.01 |
| 46 | 46700 | <0.03 | <0.001 | 0.02 |
| 47 | 44701 | 0.03 | 0.001 | 0.01 |
| 48 | 44702 | 0.05 | 0.001 | 0.03 |
| 49 | 44703 | 0.07 | 0.002 | 0.02 |
| 50 | 44704 | 0.03 | 0.001 | 0.01 |
| 51 | 44705 | <0.03 | <0.001 | 0.03 |
| 52 | 44706 | 0.03 | 0.001 | 0.02 |
| 53 | 44707 | <0.03 | <0.001 | 0.02 |
| 54 | 44708 | <0.03 | <0.001 | 0.01 |
| 55 | 44709 | <0.03 | <0.001 | 0.01 |
| 56 | 44710 | 0.03 | 0.001 | 0.01 |
| 57 | 44711 | 0.03 | 0.001 | 0.02 |
| 58 | 44712 | <0.03 | <0.001 | 0.01 |
| 59 | 44713 | 0.12 | 0.003 | 0.02 |
| 60 | 44714 | 0.04 | 0.001 | 0.06 |
| 61 | 44715 | 0.03 | 0.001 | 0.01 |
| 62 | 44716 | 0.04 | 0.001 | 0.02 |
| 63 | 44717 | 0.17 | 0.005 | 0.02 |
| 64 | 44718 | 0.08 | 0.002 | 0.07 |
| 65 | 44719 | 0.07 | 0.002 | 0.05 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-1945** 21-Dec-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 66 | 44720 | 0.04 | 0.001 | 0.04 |
| 67 | 44721 | <0.03 | <0.001 | 0.02 |
| 68 | 44722 | 0.03 | 0.001 | 0.06 |
| 69 | 44723 | 0.03 | 0.001 | 0.03 |
| 70 | 44724 | <0.03 | <0.001 | 0.03 |
| 71 | 44725 | 0.03 | 0.001 | 0.04 |
| 72 | 44726 | 0.03 | 0.001 | 0.04 |
| 73 | 44727 | <0.03 | <0.001 | 0.01 |
| 74 | 44728 | <0.03 | <0.001 | <0.01 |
| 75 | 44729 | <0.03 | <0.001 | 0.01 |
| 76 | 44730 | 0.03 | 0.001 | 0.02 |
| 77 | 44731 | <0.03 | <0.001 | 0.03 |
| 78 | 44732 | <0.03 | <0.001 | 0.01 |
| 79 | 44733 | <0.03 | <0.001 | 0.01 |
| 80 | 44734 | <0.03 | <0.001 | 0.01 |
| 81 | 44735 | 0.04 | 0.001 | 0.01 |
| 82 | 44736 | 0.04 | 0.001 | 0.01 |
| 83 | 44737 | <0.03 | <0.001 | 0.01 |
| 84 | 44738 | <0.03 | <0.001 | 0.03 |
| 85 | 44739 | 0.10 | 0.003 | 0.02 |
| 86 | 44740 | <0.03 | <0.001 | <0.01 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 46653 | <0.03 | <0.001 | 0.01 |
| 36 | 46689 | <0.03 | <0.001 | 0.01 |
| 71 | 44725 | <0.03 | <0.001 | 0.04 |
| ***Repeat:*** | | | | |
| 1 | 46653 | 0.03 | 0.001 | 0.01 |
| 10 | 46662 | 0.03 | 0.001 | 0.04 |
| 19 | 46672 | 0.03 | 0.001 | 0.01 |
| 36 | 46689 | 0.03 | 0.001 | 0.01 |
| 40 | 46694 | 0.19 | 0.006 | |
| 45 | 46699 | <0.03 | <0.001 | 0.01 |
| 54 | 44708 | <0.03 | <0.001 | 0.01 |
| 71 | 44725 | <0.03 | <0.001 | 0.05 |
| ***Standard:*** | | | | |
| OX123 | | 1.82 | 0.053 | |
| PM182 | | 1.25 | 0.036 | |
| PM182 | | 1.27 | 0.037 | |
| Cu106 | | | | 1.43 |
| Cu106 | | | | 1.43 |
| Cu106 | | | | 1.44 |

JJ/jm
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2004-1977

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

23-Dec-04

**ATTENTION: Irvin Eisler**

*No. of samples received: 88*
*Sample type: Rock*
***Project #: P2Z***
***Shipment #: None Given***
*Samples submitted by: Not Indicated*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 44741 | <0.03 | <0.001 | 0.01 |
| 2 | 44742 | 0.11 | 0.003 | 0.01 |
| 3 | 44743 | 0.27 | 0.008 | 0.01 |
| 4 | 44744 | <0.03 | <0.001 | 0.01 |
| 5 | 44745 | 0.06 | 0.002 | 0.02 |
| 6 | 44746 | 0.13 | 0.004 | 0.02 |
| 7 | 44747 | <0.03 | <0.001 | 0.01 |
| 8 | 44748 | <0.03 | <0.001 | 0.01 |
| 9 | 44749 | <0.03 | <0.001 | 0.01 |
| 10 | 44750 | 0.14 | 0.004 | 0.05 |
| 11 | 44751 | 0.06 | 0.002 | 0.02 |
| 12 | 44752 | 0.14 | 0.004 | 0.08 |
| 13 | 44753 | <0.03 | <0.001 | 0.02 |
| 14 | 44754 | 0.07 | 0.002 | 0.01 |
| 15 | 44755 | 0.04 | 0.001 | 0.02 |
| 16 | 44756 | <0.03 | <0.001 | <0.01 |
| 17 | 44757 | 0.06 | 0.002 | <0.01 |
| 18 | 44758 | <0.03 | <0.001 | 0.01 |
| 19 | 44759 | 0.04 | 0.001 | 0.01 |
| 20 | 44760 | <0.03 | <0.001 | 0.01 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 21 | 44761 | 0.29 | 0.008 | 0.01 |
| 22 | 44762 | 0.14 | 0.004 | 0.01 |
| 23 | 44763 | 0.09 | 0.003 | 0.03 |
| 24 | 44764 | <0.03 | <0.001 | 0.02 |
| 25 | 44765 | 0.03 | 0.001 | 0.01 |
| 26 | 44766 | 0.09 | 0.003 | 0.05 |
| 27 | 44767 | 0.17 | 0.005 | 0.01 |
| 28 | 44768 | 0.06 | 0.002 | 0.02 |
| 29 | 44769 | 0.26 | 0.008 | 0.03 |
| 30 | 44770 | 0.18 | 0.005 | 0.02 |
| 31 | 44771 | 0.29 | 0.008 | 0.04 |
| 32 | 44772 | 0.03 | 0.001 | 0.02 |
| 33 | 44773 | <0.03 | <0.001 | 0.02 |
| 34 | 44774 | <0.03 | <0.001 | 0.01 |
| 35 | 44775 | <0.03 | <0.001 | 0.04 |
| 36 | 44776 | <0.03 | <0.001 | 0.02 |
| 37 | 44777 | <0.03 | <0.001 | 0.02 |
| 38 | 44778 | 0.06 | 0.002 | 0.05 |
| 39 | 44779 | <0.03 | <0.001 | 0.03 |
| 40 | 44780 | 0.03 | 0.001 | 0.02 |
| 41 | 44781 | 0.17 | 0.005 | 0.03 |
| 42 | 44782 | <0.03 | <0.001 | 0.01 |
| 43 | 44783 | <0.03 | <0.001 | 0.02 |
| 44 | 44784 | <0.03 | <0.001 | 0.01 |
| 45 | 44785 | <0.03 | <0.001 | 0.02 |
| 46 | 44786 | <0.03 | <0.001 | 0.01 |
| 47 | 44787 | <0.03 | <0.001 | 0.05 |
| 48 | 44788 | 0.06 | 0.002 | 0.03 |
| 49 | 44789 | <0.03 | <0.001 | 0.05 |
| 50 | 44790 | 0.03 | 0.001 | 0.05 |
| 51 | 44791 | <0.03 | <0.001 | 0.02 |
| 52 | 44792 | 0.16 | 0.005 | 0.09 |
| 53 | 44793 | <0.03 | <0.001 | 0.01 |
| 54 | 44794 | <0.03 | <0.001 | 0.02 |
| 55 | 44795 | <0.03 | <0.001 | 0.03 |
| 56 | 44796 | 0.23 | 0.007 | 0.20 |
| 57 | 44797 | <0.03 | <0.001 | 0.03 |
| 58 | 44798 | <0.03 | <0.001 | 0.06 |
| 59 | 44799 | <0.03 | <0.001 | 0.03 |
| 60 | 44800 | 0.04 | 0.001 | 0.02 |
| 61 | 47151 | <0.03 | <0.001 | 0.01 |
| 62 | 47152 | 0.08 | 0.002 | 0.06 |
| 63 | 47153 | <0.03 | <0.001 | 0.01 |
| 64 | 47154 | 0.03 | 0.001 | 0.03 |
| 65 | 47155 | 0.08 | 0.002 | 0.06 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 66 | 47156 | 0.04 | 0.001 | 0.04 |
| 67 | 47157 | 0.08 | 0.002 | 0.05 |
| 68 | 47158 | 0.04 | 0.001 | 0.07 |
| 69 | 47159 | 0.05 | 0.001 | 0.05 |
| 70 | 47160 | 0.07 | 0.002 | 0.02 |
| 71 | 47161 | <0.03 | <0.001 | 0.02 |
| 72 | 47162 | 0.03 | 0.001 | 0.05 |
| 73 | 47163 | <0.03 | <0.001 | 0.04 |
| 74 | 47164 | 0.19 | 0.006 | 0.02 |
| 75 | 47165 | <0.03 | <0.001 | 0.02 |
| 76 | 47166 | <0.03 | <0.001 | 0.03 |
| 77 | 47167 | 0.04 | 0.001 | 0.05 |
| 78 | 47168 | <0.03 | <0.001 | 0.02 |
| 79 | 47169 | <0.03 | <0.001 | 0.04 |
| 80 | 47170 | <0.03 | <0.001 | 0.02 |
| 81 | 47171 | <0.03 | <0.001 | 0.04 |
| 82 | 47172 | <0.03 | <0.001 | 0.02 |
| 83 | 47173 | 0.08 | 0.002 | 0.03 |
| 84 | 47174 | 0.03 | 0.001 | 0.02 |
| 85 | 47175 | 0.04 | 0.001 | 0.04 |
| 86 | 47176 | 0.05 | 0.001 | 0.04 |
| 87 | 47177 | <0.03 | <0.001 | 0.03 |
| 88 | 47178 | <0.03 | <0.001 | 0.01 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 44741 | <0.03 | <0.001 | 0.01 |
| 36 | 44776 | <0.03 | <0.001 | 0.01 |
| 71 | 47161 | 0.03 | 0.001 | 0.02 |
| ***Repeat:*** | | | | |
| 1 | 44741 | <0.03 | <0.001 | 0.01 |
| 10 | 44750 | 0.13 | 0.004 | 0.04 |
| 19 | 44759 | <0.03 | <0.001 | 0.01 |
| 21 | 44761 | 0.27 | 0.008 | |
| 36 | 44776 | <0.03 | <0.001 | 0.02 |
| 45 | 44785 | 0.03 | 0.001 | 0.01 |
| 54 | 44794 | <0.03 | <0.001 | 0.02 |
| 56 | 44796 | 0.23 | 0.007 | |
| 56 | 44796 | 0.19 | 0.006 | |
| 71 | 47161 | <0.03 | <0.001 | 0.02 |
| 74 | 47164 | 0.23 | 0.007 | |
| 80 | 47170 | <0.03 | <0.001 | |
| ***Standard:*** | | | | |
| OX123 | | 1.88 | 0.055 | |
| OX123 | | 1.86 | 0.054 | |
| OX123 | | 1.86 | 0.054 | |
| Cu106 | | | | 1.43 |
| Cu106 | | | | 1.43 |
| Cu106 | | | | 1.44 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04

# CERTIFICATE OF ASSAY AK 2004-2006

**GWR RESOURCES INC.** 23-Dec-04
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 53*
*Sample type: Core*
***Project #: None Given***
***Shipment #: None Given***

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 47179 | <0.03 | <0.001 | 0.06 |
| 2 | 47181 | <0.03 | <0.001 | 0.09 |
| 3 | 47183 | 0.03 | 0.001 | 0.06 |
| 4 | 47184 | <0.03 | <0.001 | 0.02 |
| 5 | 47185 | <0.03 | <0.001 | 0.02 |
| 6 | 47186 | <0.03 | <0.001 | 0.01 |
| 7 | 47187 | <0.03 | <0.001 | 0.02 |
| 8 | 47188 | <0.03 | <0.001 | 0.02 |
| 9 | 47189 | <0.03 | <0.001 | 0.02 |
| 10 | 47190 | <0.03 | <0.001 | 0.01 |
| 11 | 47191 | <0.03 | <0.001 | 0.01 |
| 12 | 47192 | <0.03 | <0.001 | 0.02 |
| 13 | 47193 | <0.03 | <0.001 | 0.02 |
| 14 | 47194 | <0.03 | <0.001 | 0.04 |
| 15 | 47195 | 0.08 | 0.002 | 0.06 |
| 16 | 47196 | <0.03 | <0.001 | 0.01 |
| 17 | 47197 | <0.03 | <0.001 | 0.02 |
| 18 | 47198 | <0.03 | <0.001 | 0.01 |
| 19 | 47199 | <0.03 | <0.001 | 0.02 |
| 20 | 47200 | <0.03 | <0.001 | 0.02 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-2006** 23-Dec-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 21 | 47201 | <0.03 | <0.001 | 0.01 |
| 22 | 47202 | <0.03 | <0.001 | 0.02 |
| 23 | 47203 | <0.03 | <0.001 | 0.01 |
| 24 | 47204 | <0.03 | <0.001 | 0.02 |
| 25 | 47205 | <0.03 | <0.001 | 0.02 |
| 26 | 47206 | <0.03 | <0.001 | 0.02 |
| 27 | 47207 | <0.03 | <0.001 | 0.02 |
| 28 | 47208 | <0.03 | <0.001 | 0.01 |
| 29 | 47209 | <0.03 | <0.001 | 0.01 |
| 30 | 47210 | <0.03 | <0.001 | 0.02 |
| 31 | 47211 | <0.03 | <0.001 | 0.01 |
| 32 | 47212 | <0.03 | <0.001 | 0.01 |
| 33 | 47213 | <0.03 | <0.001 | 0.01 |
| 34 | 47214 | <0.03 | <0.001 | 0.02 |
| 35 | 47215 | <0.03 | <0.001 | 0.02 |
| 36 | 47216 | 0.03 | 0.001 | 0.02 |
| 37 | 47217 | 0.03 | 0.001 | 0.01 |
| 38 | 47218 | <0.03 | <0.001 | 0.02 |
| 39 | 47219 | <0.03 | <0.001 | 0.03 |
| 40 | 47220 | <0.03 | <0.001 | 0.03 |
| 41 | 47221 | <0.03 | <0.001 | 0.03 |
| 42 | 47222 | <0.03 | <0.001 | 0.01 |
| 43 | 47223 | <0.03 | <0.001 | 0.01 |
| 44 | 47224 | <0.03 | <0.001 | 0.02 |
| 45 | 47225 | <0.03 | <0.001 | 0.02 |
| 46 | 47226 | <0.03 | <0.001 | 0.03 |
| 47 | 47227 | <0.03 | <0.001 | 0.02 |
| 48 | 47228 | <0.03 | <0.001 | 0.03 |
| 49 | 47229 | <0.03 | <0.001 | 0.01 |
| 50 | 47230 | <0.03 | <0.001 | 0.01 |
| 51 | 47231 | <0.03 | <0.001 | 0.02 |
| 52 | 47232 | <0.03 | <0.001 | 0.01 |
| 53 | 47233 | <0.03 | <0.001 | 0.01 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 47179 | <0.03 | <0.001 | 0.06 |
| 36 | 47216 | <0.03 | <0.001 | 0.02 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 47179 | <0.03 | <0.001 | 0.06 |
| 10 | 47190 | <0.03 | <0.001 | 0.01 |
| 19 | 47199 | <0.03 | <0.001 | 0.02 |
| 36 | 47216 | 0.03 | 0.001 | 0.02 |
| 45 | 47225 | <0.03 | <0.001 | 0.02 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK4-2006** 23-Dec-04

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| ***Standard:*** | | | | |
| SH13 | | 1.30 | 0.038 | |
| SH13 | | 1.33 | 0.039 | |
| Cu106 | | | | 1.42 |
| Cu106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/04
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2005-001

**GWR RESOURCES INC.** 6-Jan-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 38*
*Sample type: Rock Core*
***Project #: 36***
***Shipment #: None Given***
*Samples submitted by: Not Indicated*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 47234 | <0.03 | <0.001 | 0.03 |
| 2 | 47235 | <0.03 | <0.001 | 0.05 |
| 3 | 47236 | <0.03 | <0.001 | 0.05 |
| 4 | 47237 | <0.03 | <0.001 | 0.04 |
| 5 | 47238 | <0.03 | <0.001 | 0.06 |
| 6 | 47239 | <0.03 | <0.001 | 0.04 |
| 7 | 47240 | <0.03 | <0.001 | 0.04 |
| 8 | 47241 | <0.03 | <0.001 | 0.04 |
| 9 | 47242 | <0.03 | <0.001 | 0.02 |
| 10 | 47243 | <0.03 | <0.001 | 0.02 |
| 11 | 47244 | <0.03 | <0.001 | 0.06 |
| 12 | 47245 | <0.03 | <0.001 | 0.06 |
| 13 | 47246 | 0.03 | 0.001 | 0.12 |
| 14 | 47247 | 0.11 | 0.003 | 0.20 |
| 15 | 47248 | 0.04 | 0.001 | 0.08 |
| 16 | 47250 | <0.03 | <0.001 | 0.05 |
| 17 | 47251 | <0.03 | <0.001 | 0.12 |
| 18 | 47252 | <0.03 | <0.001 | 0.01 |
| 19 | 47254 | 0.03 | 0.001 | 0.03 |
| 20 | 47255 | <0.03 | <0.001 | 0.05 |
| 21 | 47256 | 0.04 | 0.001 | 0.07 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-001** 6-Jan-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 22 | 47257 | 0.05 | 0.001 | 0.12 |
| 23 | 47258 | <0.03 | <0.001 | 0.04 |
| 24 | 47259 | <0.03 | <0.001 | 0.02 |
| 25 | 47260 | <0.03 | <0.001 | 0.05 |
| 26 | 47261 | <0.03 | <0.001 | 0.04 |
| 27 | 47262 | <0.03 | <0.001 | 0.05 |
| 28 | 47263 | <0.03 | <0.001 | 0.04 |
| 29 | 47264 | 0.05 | 0.001 | 0.07 |
| 30 | 47265 | 0.03 | 0.001 | 0.04 |
| 31 | 47266 | <0.03 | <0.001 | 0.04 |
| 32 | 47267 | <0.03 | <0.001 | 0.04 |
| 33 | 47268 | <0.03 | <0.001 | 0.05 |
| 34 | 47269 | <0.03 | <0.001 | 0.04 |
| 35 | 47270 | <0.03 | <0.001 | 0.04 |
| 36 | 47271 | <0.03 | <0.001 | 0.02 |
| 37 | 47272 | 0.03 | 0.001 | 0.03 |
| 38 | 47273 | <0.03 | <0.001 | 0.03 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 47234 | <0.03 | <0.001 | 0.02 |
| 36 | 47271 | 0.04 | 0.001 | 0.02 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 47234 | <0.03 | <0.001 | 0.02 |
| 10 | 47243 | <0.03 | <0.001 | 0.02 |
| 19 | 47254 | <0.03 | <0.001 | 0.03 |

***Standard:***

| | | | | |
|---|---|---|---|---|
| Cu106 | | | | 1.41 |
| Cu106 | | | | 1.39 |
| OX123 | | 1.76 | 0.051 | |
| OX123 | | 1.83 | 0.053 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

# CERTIFICATE OF ASSAY AK 2005-165

**GWR RESOURCES INC.** 1-Apr-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 48*
*Sample type: Core*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) | Pd (g/t) | Pd (oz/t) |
|---|---|---|---|---|---|---|
| 1 | 47285 | <0.03 | <0.001 | 0.12 | <0.03 | <0.001 |
| 2 | 47286 | <0.03 | <0.001 | 0.06 | <0.03 | <0.001 |
| 3 | 47287 | <0.03 | <0.001 | 0.04 | <0.03 | <0.001 |
| 4 | 47288 | <0.03 | <0.001 | 0.05 | <0.03 | <0.001 |
| 5 | 47289 | <0.03 | <0.001 | 0.05 | <0.03 | <0.001 |
| 6 | 47290 | <0.03 | <0.001 | 0.09 | <0.03 | <0.001 |
| 7 | 47291 | <0.03 | <0.001 | 0.07 | <0.03 | <0.001 |
| 8 | 47292 | 0.07 | 0.002 | 0.12 | <0.03 | <0.001 |
| 9 | 47293 | <0.03 | <0.001 | 0.07 | <0.03 | <0.001 |
| 10 | 47294 | <0.03 | <0.001 | 0.06 | <0.03 | <0.001 |
| 11 | 47295 | <0.03 | <0.001 | 0.06 | <0.03 | <0.001 |
| 12 | 47296 | <0.03 | <0.001 | 0.07 | <0.03 | <0.001 |
| 13 | 46701 | <0.03 | <0.001 | 0.03 | <0.03 | <0.001 |
| 14 | 46702 | <0.03 | <0.001 | 0.02 | <0.03 | <0.001 |
| 15 | 46703 | 0.04 | 0.001 | 0.04 | <0.03 | <0.001 |
| 16 | 46704 | 0.03 | 0.001 | 0.03 | <0.03 | <0.001 |
| 17 | 46705 | 0.04 | 0.001 | 0.04 | <0.03 | <0.001 |
| 18 | 46706 | <0.03 | <0.001 | 0.05 | <0.03 | <0.001 |
| 19 | 46707 | 0.07 | 0.002 | 0.08 | <0.03 | <0.001 |
| 20 | 46708 | 0.08 | 0.002 | 0.06 | <0.03 | <0.001 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-165** 1-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) | Pd (g/t) | Pd (oz/t) |
|---|---|---|---|---|---|---|
| 21 | 46709 | 0.22 | 0.006 | 0.05 | <0.03 | <0.001 |
| 22 | 46710 | 0.17 | 0.005 | 0.06 | <0.03 | <0.001 |
| 23 | 46711 | 0.05 | 0.001 | 0.02 | <0.03 | <0.001 |
| 24 | 46712 | 0.14 | 0.004 | 0.04 | <0.03 | <0.001 |
| 25 | 47301 | <0.03 | <0.001 | 0.08 | <0.03 | <0.001 |
| 26 | 47302 | <0.03 | <0.001 | 0.38 | <0.03 | <0.001 |
| 27 | 47303 | <0.03 | <0.001 | 0.09 | <0.03 | <0.001 |
| 28 | 47304 | <0.03 | <0.001 | 0.10 | <0.03 | <0.001 |
| 29 | 47305 | <0.03 | <0.001 | 0.22 | <0.03 | <0.001 |
| 30 | 47306 | <0.03 | <0.001 | 0.11 | <0.03 | <0.001 |
| 31 | 47307 | 0.37 | 0.011 | 0.36 | 0.03 | 0.001 |
| 32 | 47308 | <0.03 | <0.001 | 0.20 | <0.03 | <0.001 |
| 33 | 47309 | <0.03 | <0.001 | 0.07 | <0.03 | <0.001 |
| 34 | 47310 | <0.03 | <0.001 | 0.17 | <0.03 | <0.001 |
| 35 | 47311 | <0.03 | <0.001 | 0.15 | <0.03 | <0.001 |
| 36 | 47312 | <0.03 | <0.001 | 0.45 | <0.03 | <0.001 |
| 37 | 47313 | 0.04 | 0.001 | 0.67 | <0.03 | <0.001 |
| 38 | 47314 | <0.03 | <0.001 | 0.02 | <0.03 | <0.001 |
| 39 | 47315 | <0.03 | <0.001 | 0.05 | <0.03 | <0.001 |
| 40 | 47316 | <0.03 | <0.001 | 0.02 | <0.03 | <0.001 |
| 41 | 47317 | <0.03 | <0.001 | 0.01 | <0.03 | <0.001 |
| 42 | 47318 | <0.03 | <0.001 | 0.01 | <0.03 | <0.001 |
| 43 | 47319 | <0.03 | <0.001 | 0.08 | <0.03 | <0.001 |
| 44 | 47320 | <0.03 | <0.001 | 0.03 | <0.03 | <0.001 |
| 45 | 47321 | <0.03 | <0.001 | 0.17 | <0.03 | <0.001 |
| 46 | 47322 | <0.03 | <0.001 | 0.08 | <0.03 | <0.001 |
| 47 | 47323 | <0.03 | <0.001 | 0.06 | <0.03 | <0.001 |
| 48 | 47324 | 0.07 | 0.002 | 0.92 | <0.03 | <0.001 |

**QC DATA:**

***Resplit:***

| | | | | | | |
|---|---|---|---|---|---|---|
| 1 | 47285 | <0.03 | <0.001 | 0.13 | <0.03 | <0.001 |
| 36 | 47312 | <0.03 | <0.001 | 0.45 | <0.03 | <0.001 |

***Repeat:***

| | | | | | | |
|---|---|---|---|---|---|---|
| 1 | 47285 | <0.03 | <0.001 | 0.12 | <0.03 | <0.001 |
| 10 | 47294 | <0.03 | <0.001 | 0.06 | <0.03 | <0.001 |
| 19 | 46707 | 0.07 | 0.002 | 0.08 | <0.03 | <0.001 |
| 36 | 47312 | <0.03 | <0.001 | 0.45 | <0.03 | <0.001 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-165** 1-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) | Pd (g/t) | Pd (oz/t) |
|---|---|---|---|---|---|---|
| ***Standard:*** | | | | | | |
| SH13 | | 1.31 | 0.038 | | | |
| SH13 | | 1.31 | 0.038 | | | |
| Cu106 | | | | 1.42 | | |
| Cu106 | | | | 1.43 | | |
| Pb106 | | | | 0.61 | | |
| Pb106 | | | | 0.62 | | |
| PG114 | | | | | 0.40 | 0.012 |

JJ/jm
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-165

**GWR RESOURCES INC.** 1-Apr-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 48*
*Sample type: Core*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) | Pd (g/t) | Pd (oz/t) |
|---|---|---|---|---|---|---|
| 1 | 47285 | <0.03 | <0.001 | 0.12 | <0.03 | <0.001 |
| 2 | 47286 | <0.03 | <0.001 | 0.06 | <0.03 | <0.001 |
| 3 | 47287 | <0.03 | <0.001 | 0.04 | <0.03 | <0.001 |
| 4 | 47288 | <0.03 | <0.001 | 0.05 | <0.03 | <0.001 |
| 5 | 47289 | <0.03 | <0.001 | 0.05 | <0.03 | <0.001 |
| 6 | 47290 | <0.03 | <0.001 | 0.09 | <0.03 | <0.001 |
| 7 | 47291 | <0.03 | <0.001 | 0.07 | <0.03 | <0.001 |
| 8 | 47292 | 0.07 | 0.002 | 0.12 | <0.03 | <0.001 |
| 9 | 47293 | <0.03 | <0.001 | 0.07 | <0.03 | <0.001 |
| 10 | 47294 | <0.03 | <0.001 | 0.06 | <0.03 | <0.001 |
| 11 | 47295 | <0.03 | <0.001 | 0.06 | <0.03 | <0.001 |
| 12 | 47296 | <0.03 | <0.001 | 0.07 | <0.03 | <0.001 |
| 13 | 46701 | <0.03 | <0.001 | 0.03 | <0.03 | <0.001 |
| 14 | 46702 | <0.03 | <0.001 | 0.02 | <0.03 | <0.001 |
| 15 | 46703 | 0.04 | 0.001 | 0.04 | <0.03 | <0.001 |
| 16 | 46704 | 0.03 | 0.001 | 0.03 | <0.03 | <0.001 |
| 17 | 46705 | 0.04 | 0.001 | 0.04 | <0.03 | <0.001 |
| 18 | 46706 | <0.03 | <0.001 | 0.05 | <0.03 | <0.001 |
| 19 | 46707 | 0.07 | 0.002 | 0.08 | <0.03 | <0.001 |
| 20 | 46708 | 0.08 | 0.002 | 0.06 | <0.03 | <0.001 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-165** 1-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) | Pd (g/t) | Pd (oz/t) |
|---|---|---|---|---|---|---|
| 21 | 46709 | 0.22 | 0.006 | 0.05 | <0.03 | <0.001 |
| 22 | 46710 | 0.17 | 0.005 | 0.06 | <0.03 | <0.001 |
| 23 | 46711 | 0.05 | 0.001 | 0.02 | <0.03 | <0.001 |
| 24 | 46712 | 0.14 | 0.004 | 0.04 | <0.03 | <0.001 |
| 25 | 47301 | <0.03 | <0.001 | 0.08 | <0.03 | <0.001 |
| 26 | 47302 | <0.03 | <0.001 | 0.38 | <0.03 | <0.001 |
| 27 | 47303 | <0.03 | <0.001 | 0.09 | <0.03 | <0.001 |
| 28 | 47304 | <0.03 | <0.001 | 0.10 | <0.03 | <0.001 |
| 29 | 47305 | <0.03 | <0.001 | 0.22 | <0.03 | <0.001 |
| 30 | 47306 | <0.03 | <0.001 | 0.11 | <0.03 | <0.001 |
| 31 | 47307 | 0.37 | 0.011 | 0.36 | 0.03 | 0.001 |
| 32 | 47308 | <0.03 | <0.001 | 0.20 | <0.03 | <0.001 |
| 33 | 47309 | <0.03 | <0.001 | 0.07 | <0.03 | <0.001 |
| 34 | 47310 | <0.03 | <0.001 | 0.17 | <0.03 | <0.001 |
| 35 | 47311 | <0.03 | <0.001 | 0.15 | <0.03 | <0.001 |
| 36 | 47312 | <0.03 | <0.001 | 0.45 | <0.03 | <0.001 |
| 37 | 47313 | 0.04 | 0.001 | 0.67 | <0.03 | <0.001 |
| 38 | 47314 | <0.03 | <0.001 | 0.02 | <0.03 | <0.001 |
| 39 | 47315 | <0.03 | <0.001 | 0.05 | <0.03 | <0.001 |
| 40 | 47316 | <0.03 | <0.001 | 0.02 | <0.03 | <0.001 |
| 41 | 47317 | <0.03 | <0.001 | 0.01 | <0.03 | <0.001 |
| 42 | 47318 | <0.03 | <0.001 | 0.01 | <0.03 | <0.001 |
| 43 | 47319 | <0.03 | <0.001 | 0.08 | <0.03 | <0.001 |
| 44 | 47320 | <0.03 | <0.001 | 0.03 | <0.03 | <0.001 |
| 45 | 47321 | <0.03 | <0.001 | 0.17 | <0.03 | <0.001 |
| 46 | 47322 | <0.03 | <0.001 | 0.08 | <0.03 | <0.001 |
| 47 | 47323 | <0.03 | <0.001 | 0.06 | <0.03 | <0.001 |
| 48 | 47324 | 0.07 | 0.002 | 0.92 | <0.03 | <0.001 |

**QC DATA:**

***Resplit:***

| | | | | | | |
|---|---|---|---|---|---|---|
| 1 | 47285 | <0.03 | <0.001 | 0.13 | <0.03 | <0.001 |
| 36 | 47312 | <0.03 | <0.001 | 0.45 | <0.03 | <0.001 |

***Repeat:***

| | | | | | | |
|---|---|---|---|---|---|---|
| 1 | 47285 | <0.03 | <0.001 | 0.12 | <0.03 | <0.001 |
| 10 | 47294 | <0.03 | <0.001 | 0.06 | <0.03 | <0.001 |
| 19 | 46707 | 0.07 | 0.002 | 0.08 | <0.03 | <0.001 |
| 36 | 47312 | <0.03 | <0.001 | 0.45 | <0.03 | <0.001 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-165** 1-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) | Pd (g/t) | Pd (oz/t) |
|---|---|---|---|---|---|---|
| ***Standard:*** | | | | | | |
| SH13 | | 1.31 | 0.038 | | | |
| SH13 | | 1.31 | 0.038 | | | |
| Cu106 | | | | 1.42 | | |
| Cu106 | | | | 1.43 | | |
| Pb106 | | | | 0.61 | | |
| Pb106 | | | | 0.62 | | |
| PG114 | | | | | 0.40 | 0.012 |

JJ/jm
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

1-Apr-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-165**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 48*
*Sample type: Core*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 47285 | 0.5 | 0.39 | <5 | 30 | <5 | 0.90 | <1 | 11 | 48 | 1083 | 2.73 | <10 | 0.27 | 356 | 4 | 0.05 | 3 | 650 | 8 | <5 | <20 | 39 | 0.05 | <10 | 61 | <10 | 12 | 30 |
| 2 | 47286 | 0.2 | 0.59 | <5 | 25 | <5 | 1.58 | <1 | 8 | 44 | 596 | 2.76 | <10 | 0.49 | 559 | 4 | 0.05 | 2 | 660 | 8 | <5 | <20 | 42 | 0.02 | <10 | 80 | <10 | 19 | 31 |
| 3 | 47287 | <0.2 | 0.60 | <5 | 25 | <5 | 1.17 | <1 | 8 | 51 | 321 | 2.64 | <10 | 0.52 | 545 | 4 | 0.05 | 2 | 660 | 8 | <5 | <20 | 44 | 0.04 | <10 | 68 | <10 | 18 | 35 |
| 4 | 47288 | <0.2 | 0.58 | <5 | 35 | <5 | 1.86 | <1 | 8 | 54 | 431 | 2.56 | <10 | 0.27 | 636 | 4 | 0.05 | 2 | 650 | 10 | <5 | <20 | 60 | 0.03 | <10 | 73 | <10 | 21 | 40 |
| 5 | 47289 | <0.2 | 0.54 | <5 | 25 | <5 | 1.18 | <1 | 8 | 56 | 481 | 2.61 | <10 | 0.35 | 513 | 5 | 0.06 | 2 | 660 | 8 | <5 | <20 | 45 | 0.05 | <10 | 67 | <10 | 17 | 36 |
| 6 | 47290 | 0.2 | 0.54 | <5 | 30 | <5 | 0.86 | <1 | 10 | 57 | 894 | 2.67 | <10 | 0.49 | 437 | 8 | 0.06 | 2 | 680 | 8 | <5 | <20 | 38 | 0.05 | <10 | 65 | <10 | 14 | 35 |
| 7 | 47291 | 0.2 | 0.51 | <5 | 30 | <5 | 1.00 | <1 | 7 | 66 | 654 | 2.62 | <10 | 0.43 | 447 | 6 | 0.06 | 2 | 660 | 8 | <5 | <20 | 34 | 0.05 | <10 | 65 | <10 | 15 | 32 |
| 8 | 47292 | 0.3 | 0.68 | <5 | 35 | <5 | 1.55 | <1 | 7 | 60 | 1130 | 2.75 | <10 | 0.46 | 601 | 5 | 0.05 | 3 | 650 | 8 | <5 | <20 | 59 | 0.03 | <10 | 74 | <10 | 16 | 35 |
| 9 | 47293 | 0.2 | 1.05 | <5 | 40 | <5 | 2.28 | <1 | 8 | 33 | 653 | 2.69 | <10 | 0.31 | 653 | 3 | 0.03 | 4 | 650 | 12 | <5 | <20 | 114 | <0.01 | <10 | 73 | <10 | 23 | 37 |
| 10 | 47294 | <0.2 | 1.25 | <5 | 30 | <5 | 3.06 | <1 | 8 | 38 | 574 | 2.69 | 10 | 0.41 | 836 | 3 | 0.03 | 4 | 590 | 14 | <5 | <20 | 81 | <0.01 | <10 | 82 | <10 | 30 | 35 |
| 11 | 47295 | <0.2 | 0.50 | <5 | 25 | <5 | 1.36 | <1 | 7 | 57 | 566 | 2.61 | <10 | 0.27 | 428 | 4 | 0.04 | 7 | 630 | 6 | <5 | <20 | 38 | <0.01 | <10 | 68 | <10 | 21 | 30 |
| 12 | 47296 | 0.2 | 0.43 | 5 | 25 | <5 | 1.85 | <1 | 8 | 48 | 621 | 2.65 | <10 | 0.36 | 701 | 4 | 0.04 | 2 | 600 | 6 | <5 | <20 | 45 | <0.01 | <10 | 69 | <10 | 24 | 39 |
| 13 | 46701 | <0.2 | 0.84 | 10 | 20 | <5 | 1.62 | <1 | 18 | 32 | 292 | 3.68 | <10 | 0.87 | 560 | 6 | 0.04 | 4 | 1290 | 8 | <5 | <20 | 57 | 0.06 | <10 | 130 | <10 | 5 | 39 |
| 14 | 46702 | <0.2 | 0.76 | <5 | 20 | <5 | 1.34 | <1 | 15 | 37 | 188 | 3.45 | <10 | 0.73 | 438 | 4 | 0.05 | 7 | 970 | 8 | <5 | <20 | 65 | 0.07 | <10 | 129 | <10 | 8 | 33 |
| 15 | 46703 | 0.2 | 0.78 | 15 | 25 | <5 | 2.47 | <1 | 38 | 42 | 368 | 4.11 | <10 | 0.78 | 647 | 4 | 0.05 | 6 | 1060 | 8 | <5 | <20 | 66 | 0.07 | <10 | 128 | <10 | 10 | 37 |
| 16 | 46704 | <0.2 | 0.58 | 15 | 20 | <5 | 3.51 | <1 | 37 | 37 | 300 | 3.58 | <10 | 0.59 | 743 | 5 | 0.05 | 6 | 950 | 6 | <5 | <20 | 55 | 0.03 | <10 | 100 | <10 | 13 | 32 |
| 17 | 46705 | 0.2 | 1.15 | 20 | 30 | <5 | 2.29 | <1 | 31 | 36 | 378 | 4.58 | <10 | 1.14 | 608 | 6 | 0.08 | 5 | 1750 | 12 | <5 | <20 | 74 | 0.08 | <10 | 156 | <10 | 4 | 47 |
| 18 | 46706 | 0.2 | 0.84 | 55 | 20 | <5 | 3.43 | <1 | 20 | 31 | 478 | 4.17 | <10 | 0.57 | 420 | 40 | 0.04 | 5 | 1240 | 10 | <5 | <20 | 54 | 0.05 | <10 | 99 | <10 | 8 | 21 |
| 19 | 46707 | 0.3 | 1.07 | 190 | 45 | <5 | 1.22 | <1 | 28 | 34 | 782 | 5.34 | <10 | 0.93 | 374 | 28 | 0.06 | 6 | 1320 | 14 | <5 | <20 | 46 | 0.14 | <10 | 147 | <10 | <1 | 36 |
| 20 | 46708 | 0.3 | 1.76 | 105 | 65 | <5 | 2.53 | <1 | 33 | 22 | 587 | 7.69 | <10 | 1.56 | 512 | 9 | 0.06 | 7 | 1550 | 18 | <5 | <20 | 56 | 0.19 | <10 | 263 | <10 | 2 | 36 |
| 21 | 46709 | 0.2 | 1.07 | 10 | 50 | <5 | 1.39 | <1 | 44 | 29 | 478 | 5.63 | <10 | 1.08 | 344 | 24 | 0.05 | 7 | 1080 | 12 | <5 | <20 | 45 | 0.13 | <10 | 150 | <10 | 2 | 25 |
| 22 | 46710 | 0.2 | 0.51 | 20 | 20 | <5 | 4.41 | <1 | 54 | 28 | 520 | 4.33 | <10 | 0.72 | 513 | 12 | 0.03 | 9 | 620 | 8 | <5 | <20 | 70 | <0.01 | <10 | 79 | <10 | 19 | 18 |
| 23 | 46711 | <0.2 | 0.72 | 10 | 10 | <5 | 3.98 | <1 | 18 | 31 | 189 | 3.70 | <10 | 0.40 | 413 | 12 | 0.04 | 5 | 580 | 8 | <5 | <20 | 59 | <0.01 | <10 | 79 | <10 | 16 | 17 |
| 24 | 46712 | 0.2 | 0.98 | 10 | 45 | <5 | 2.64 | <1 | 25 | 32 | 360 | 4.79 | <10 | 0.96 | 390 | 13 | 0.05 | 6 | 830 | 12 | <5 | <20 | 62 | 0.11 | <10 | 165 | <10 | 6 | 25 |
| 25 | 47301 | <0.2 | 1.52 | 5 | 15 | <5 | 3.78 | <1 | 31 | 86 | 791 | 4.56 | <10 | 1.46 | 974 | <1 | 0.03 | 35 | 1050 | 20 | <5 | <20 | 80 | 0.11 | <10 | 175 | <10 | <1 | 58 |
| 26 | 47302 | 0.9 | 1.96 | 10 | 15 | <5 | 6.68 | <1 | 26 | 114 | 3737 | 5.53 | <10 | 1.93 | 1434 | 5 | 0.02 | 45 | 780 | 22 | <5 | <20 | 74 | 0.12 | <10 | 174 | <10 | <1 | 59 |
| 27 | 47303 | 0.2 | 1.93 | 10 | 15 | <5 | 3.57 | <1 | 27 | 127 | 862 | 5.50 | <10 | 1.76 | 1032 | 1 | 0.03 | 54 | 970 | 24 | <5 | <20 | 53 | 0.13 | <10 | 194 | <10 | <1 | 63 |
| 28 | 47304 | 0.5 | 1.62 | 15 | 10 | <5 | 4.24 | <1 | 44 | 95 | 943 | 5.17 | <10 | 1.53 | 1074 | 1 | 0.03 | 58 | 1120 | 18 | <5 | <20 | 84 | 0.10 | <10 | 160 | <10 | <1 | 47 |
| 29 | 47305 | 0.8 | 1.53 | 10 | 20 | <5 | 4.05 | <1 | 30 | 104 | 2148 | 7.51 | <10 | 1.43 | 1039 | 15 | 0.03 | 40 | 1040 | 16 | <5 | <20 | 87 | 0.07 | <10 | 177 | <10 | <1 | 50 |
| 30 | 47306 | 0.5 | 1.36 | 10 | 20 | <5 | 4.78 | <1 | 34 | 106 | 1109 | 8.14 | <10 | 1.37 | 1008 | 10 | 0.03 | 29 | 1030 | 14 | <5 | <20 | 101 | 0.08 | <10 | 161 | <10 | <1 | 42 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31 | 47307 | 2.0 | 0.84 | 55 | 15 | <5 | 3.64 | <1 | 78 | 86 | 3495 | 7.91 | <10 | 0.68 | 719 | 7 | 0.02 | 76 | 1020 | 8 | <5 | <20 | 109 | 0.05 | <10 | 99 | <10 | <1 | 28 |
| 32 | 47308 | 0.8 | 0.49 | <5 | 15 | <5 | 3.09 | <1 | 13 | 53 | 1882 | 6.28 | <10 | 0.55 | 566 | 12 | 0.01 | 15 | 670 | 2 | <5 | <20 | 79 | 0.02 | <10 | 78 | <10 | <1 | 22 |
| 33 | 47309 | 0.2 | 0.66 | 10 | 15 | <5 | 3.16 | <1 | 19 | 60 | 610 | 6.16 | <10 | 0.90 | 632 | 22 | 0.03 | 15 | 990 | 6 | <5 | <20 | 67 | 0.02 | <10 | 82 | <10 | <1 | 34 |
| 34 | 47310 | 0.7 | 1.25 | 30 | 20 | <5 | 6.56 | <1 | 37 | 69 | 1525 | 9.36 | <10 | 1.81 | 1453 | 16 | 0.02 | 22 | 950 | 10 | <5 | <20 | 163 | 0.03 | <10 | 138 | <10 | <1 | 49 |
| 35 | 47311 | 0.5 | 1.36 | 25 | 20 | <5 | 5.99 | <1 | 42 | 78 | 1440 | 9.85 | <10 | 1.93 | 1238 | 16 | 0.02 | 20 | 1040 | 14 | <5 | <20 | 166 | 0.03 | <10 | 135 | <10 | <1 | 60 |
| 36 | 47312 | 1.9 | 1.05 | 45 | 30 | <5 | 5.01 | <1 | 52 | 80 | 4629 | >10 | <10 | 1.34 | 972 | 13 | 0.02 | 33 | 1190 | 8 | <5 | <20 | 159 | 0.04 | <10 | 138 | <10 | <1 | 51 |
| 37 | 47313 | 3.2 | 1.29 | 35 | 60 | <5 | 5.11 | <1 | 65 | 65 | 6793 | >10 | <10 | 1.63 | 987 | 47 | 0.02 | 62 | 560 | 6 | <5 | <20 | 126 | <0.01 | <10 | 262 | <10 | <1 | 80 |
| 38 | 47314 | <0.2 | 1.01 | 15 | 25 | <5 | 4.70 | <1 | 23 | 97 | 252 | 5.76 | <10 | 1.13 | 848 | 19 | 0.02 | 14 | 1040 | 10 | <5 | <20 | 150 | 0.05 | <10 | 81 | <10 | <1 | 33 |
| 39 | 47315 | 0.2 | 1.13 | 10 | 15 | <5 | 2.75 | <1 | 23 | 79 | 510 | 5.33 | <10 | 1.01 | 652 | 4 | 0.04 | 24 | 1000 | 14 | <5 | <20 | 129 | 0.07 | <10 | 136 | <10 | <1 | 42 |
| 40 | 47316 | <0.2 | 1.84 | 10 | 40 | <5 | 2.99 | <1 | 31 | 132 | 167 | 6.13 | <10 | 1.50 | 977 | 4 | 0.07 | 39 | 1120 | 26 | <5 | <20 | 118 | 0.11 | <10 | 213 | <10 | <1 | 72 |
| 41 | 47317 | <0.2 | 2.62 | 30 | 165 | <5 | 4.85 | <1 | 12 | 79 | 106 | 2.43 | <10 | 1.08 | 652 | 4 | 1.22 | 16 | 1160 | 46 | <5 | <20 | 148 | 0.08 | <10 | 90 | <10 | 1 | 70 |
| 42 | 47318 | <0.2 | 2.74 | 20 | 260 | 5 | 3.93 | <1 | 20 | 74 | 76 | 3.27 | <10 | 1.46 | 624 | 1 | 0.88 | 28 | 1240 | 40 | <5 | <20 | 202 | 0.12 | <10 | 118 | <10 | 5 | 71 |
| 43 | 47319 | 0.4 | 2.64 | 35 | 150 | <5 | 6.00 | <1 | 18 | 68 | 661 | 3.33 | <10 | 1.32 | 854 | 3 | 0.89 | 19 | 1380 | 92 | <5 | <20 | 110 | 0.09 | <10 | 119 | <10 | 1 | 92 |
| 44 | 47320 | <0.2 | 1.79 | 10 | 80 | <5 | 3.83 | <1 | 21 | 59 | 247 | 4.21 | <10 | 1.02 | 561 | 1 | 0.53 | 18 | 1200 | 24 | <5 | <20 | 133 | 0.09 | <10 | 176 | <10 | <1 | 51 |
| 45 | 47321 | 0.4 | 1.96 | 50 | 115 | <5 | 5.49 | <1 | 12 | 61 | 1590 | 1.68 | <10 | 1.03 | 526 | <1 | 0.78 | 15 | 1210 | 28 | 5 | <20 | 202 | 0.05 | <10 | 56 | <10 | <1 | 34 |
| 46 | 47322 | 0.2 | 1.99 | 40 | 280 | <5 | 6.43 | <1 | 13 | 64 | 768 | 2.04 | <10 | 1.10 | 491 | <1 | 0.73 | 16 | 1260 | 26 | <5 | <20 | 223 | 0.06 | <10 | 64 | <10 | 1 | 38 |
| 47 | 47323 | <0.2 | 1.94 | 5 | 115 | <5 | 3.68 | <1 | 38 | 85 | 578 | 7.25 | <10 | 2.56 | 1147 | 4 | 0.04 | 42 | 1260 | 18 | <5 | <20 | 78 | 0.09 | <10 | 193 | <10 | <1 | 74 |
| 48 | 47324 | 0.7 | 1.64 | <5 | 75 | <5 | 4.65 | <1 | 46 | 75 | 9167 | >10 | <10 | 2.04 | 1038 | 6 | 0.03 | 36 | 680 | 12 | <5 | <20 | 107 | 0.06 | <10 | 201 | <10 | <1 | 67 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 47285 | 0.5 | 0.46 | <5 | 30 | <5 | 0.96 | <1 | 11 | 62 | 1192 | 2.99 | <10 | 0.28 | 389 | 5 | 0.07 | 4 | 750 | 10 | <5 | <20 | 42 | 0.06 | <10 | 66 | <10 | 14 | 34 |
| 36 | 47312 | 1.9 | 1.03 | 55 | 25 | <5 | 4.97 | <1 | 60 | 74 | 4568 | >10 | <10 | 1.32 | 983 | 13 | 0.02 | 30 | 1150 | 8 | <5 | <20 | 154 | 0.03 | <10 | 146 | <10 | <1 | 51 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 47285 | 0.5 | 0.40 | <5 | 25 | <5 | 0.91 | <1 | 11 | 48 | 1083 | 2.77 | <10 | 0.27 | 358 | 4 | 0.05 | 3 | 670 | 6 | <5 | <20 | 37 | 0.05 | <10 | 65 | <10 | 14 | 30 |
| 10 | 47294 | <0.2 | 1.29 | <5 | 30 | <5 | 3.10 | <1 | 8 | 39 | 574 | 2.75 | 10 | 0.41 | 842 | 4 | 0.03 | 5 | 610 | 14 | <5 | <20 | 81 | <0.01 | <10 | 84 | <10 | 30 | 37 |
| 19 | 46707 | 0.3 | 1.14 | 205 | 50 | <5 | 1.29 | <1 | 29 | 36 | 770 | 5.62 | <10 | 0.96 | 393 | 29 | 0.06 | 6 | 1440 | 16 | <5 | <20 | 52 | 0.15 | <10 | 153 | <10 | <1 | 39 |
| 36 | 47312 | 1.9 | 1.09 | 45 | 20 | <5 | 5.06 | <1 | 52 | 82 | 4586 | >10 | <10 | 1.33 | 976 | 12 | 0.02 | 30 | 1200 | 10 | <5 | <20 | 166 | 0.03 | <10 | 135 | <10 | <1 | 51 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.54 | 60 | 135 | <5 | 1.40 | <1 | 17 | 59 | 88 | 3.85 | <10 | 0.81 | 592 | 1 | 0.03 | 27 | 630 | 24 | <5 | <20 | 54 | 0.11 | <10 | 63 | <10 | 10 | 73 |
| GEO '05 | | 1.5 | 1.54 | 60 | 135 | <5 | 1.39 | <1 | 17 | 59 | 88 | 3.87 | <10 | 0.81 | 592 | 1 | 0.03 | 25 | 630 | 22 | <5 | <20 | 55 | 0.11 | <10 | 64 | <10 | 9 | 75 |

JJ/jm
df/165
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

1-Apr-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-165**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 48*
*Sample type: Core*
***Project #: None Given***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 47285 | 0.5 | 0.39 | <5 | 30 | <5 | 0.90 | <1 | 11 | 48 | 1083 | 2.73 | <10 | 0.27 | 356 | 4 | 0.05 | 3 | 650 | 8 | <5 | <20 | 39 | 0.05 | <10 | 61 | <10 | 12 | 30 |
| 2 | 47286 | 0.2 | 0.59 | <5 | 25 | <5 | 1.58 | <1 | 8 | 44 | 596 | 2.76 | <10 | 0.49 | 559 | 4 | 0.05 | 2 | 660 | 8 | <5 | <20 | 42 | 0.02 | <10 | 80 | <10 | 19 | 31 |
| 3 | 47287 | <0.2 | 0.60 | <5 | 25 | <5 | 1.17 | <1 | 8 | 51 | 321 | 2.64 | <10 | 0.52 | 545 | 4 | 0.05 | 2 | 660 | 8 | <5 | <20 | 44 | 0.04 | <10 | 68 | <10 | 18 | 35 |
| 4 | 47288 | <0.2 | 0.58 | <5 | 35 | <5 | 1.86 | <1 | 8 | 54 | 431 | 2.56 | <10 | 0.27 | 636 | 4 | 0.05 | 2 | 650 | 10 | <5 | <20 | 60 | 0.03 | <10 | 73 | <10 | 21 | 40 |
| 5 | 47289 | <0.2 | 0.54 | <5 | 25 | <5 | 1.18 | <1 | 8 | 56 | 481 | 2.61 | <10 | 0.35 | 513 | 5 | 0.06 | 2 | 660 | 8 | <5 | <20 | 45 | 0.05 | <10 | 67 | <10 | 17 | 36 |
| 6 | 47290 | 0.2 | 0.54 | <5 | 30 | <5 | 0.86 | <1 | 10 | 57 | 894 | 2.67 | <10 | 0.49 | 437 | 8 | 0.06 | 2 | 680 | 8 | <5 | <20 | 38 | 0.05 | <10 | 65 | <10 | 14 | 35 |
| 7 | 47291 | 0.2 | 0.51 | <5 | 30 | <5 | 1.00 | <1 | 7 | 66 | 654 | 2.62 | <10 | 0.43 | 447 | 6 | 0.06 | 2 | 660 | 8 | <5 | <20 | 34 | 0.05 | <10 | 65 | <10 | 15 | 32 |
| 8 | 47292 | 0.3 | 0.68 | <5 | 35 | <5 | 1.55 | <1 | 7 | 60 | 1130 | 2.75 | <10 | 0.46 | 601 | 5 | 0.05 | 3 | 650 | 8 | <5 | <20 | 59 | 0.03 | <10 | 74 | <10 | 16 | 35 |
| 9 | 47293 | 0.2 | 1.05 | <5 | 40 | <5 | 2.28 | <1 | 8 | 33 | 653 | 2.69 | <10 | 0.31 | 653 | 3 | 0.03 | 4 | 650 | 12 | <5 | <20 | 114 | <0.01 | <10 | 73 | <10 | 23 | 37 |
| 10 | 47294 | <0.2 | 1.25 | <5 | 30 | <5 | 3.06 | <1 | 8 | 38 | 574 | 2.69 | 10 | 0.41 | 836 | 3 | 0.03 | 4 | 590 | 14 | <5 | <20 | 81 | <0.01 | <10 | 82 | <10 | 30 | 35 |
| 11 | 47295 | <0.2 | 0.50 | <5 | 25 | <5 | 1.36 | <1 | 7 | 57 | 566 | 2.61 | <10 | 0.27 | 428 | 4 | 0.04 | 7 | 630 | 6 | <5 | <20 | 38 | <0.01 | <10 | 68 | <10 | 21 | 30 |
| 12 | 47296 | 0.2 | 0.43 | 5 | 25 | <5 | 1.85 | <1 | 8 | 48 | 621 | 2.65 | <10 | 0.36 | 701 | 4 | 0.04 | 2 | 600 | 6 | <5 | <20 | 45 | <0.01 | <10 | 69 | <10 | 24 | 39 |
| 13 | 46701 | <0.2 | 0.84 | 10 | 20 | <5 | 1.62 | <1 | 18 | 32 | 292 | 3.68 | <10 | 0.87 | 560 | 6 | 0.04 | 4 | 1290 | 8 | <5 | <20 | 57 | 0.06 | <10 | 130 | <10 | 5 | 39 |
| 14 | 46702 | <0.2 | 0.76 | <5 | 20 | <5 | 1.34 | <1 | 15 | 37 | 188 | 3.45 | <10 | 0.73 | 438 | 4 | 0.05 | 7 | 970 | 8 | <5 | <20 | 65 | 0.07 | <10 | 129 | <10 | 8 | 33 |
| 15 | 46703 | 0.2 | 0.78 | 15 | 25 | <5 | 2.47 | <1 | 38 | 42 | 368 | 4.11 | <10 | 0.78 | 647 | 4 | 0.05 | 6 | 1060 | 8 | <5 | <20 | 66 | 0.07 | <10 | 128 | <10 | 10 | 37 |
| 16 | 46704 | <0.2 | 0.58 | 15 | 20 | <5 | 3.51 | <1 | 37 | 37 | 300 | 3.58 | <10 | 0.59 | 743 | 5 | 0.05 | 6 | 950 | 6 | <5 | <20 | 55 | 0.03 | <10 | 100 | <10 | 13 | 32 |
| 17 | 46705 | 0.2 | 1.15 | 20 | 30 | <5 | 2.29 | <1 | 31 | 36 | 378 | 4.58 | <10 | 1.14 | 608 | 6 | 0.08 | 5 | 1750 | 12 | <5 | <20 | 74 | 0.08 | <10 | 156 | <10 | 4 | 47 |
| 18 | 46706 | 0.2 | 0.84 | 55 | 20 | <5 | 3.43 | <1 | 20 | 31 | 478 | 4.17 | <10 | 0.57 | 420 | 40 | 0.04 | 5 | 1240 | 10 | <5 | <20 | 54 | 0.05 | <10 | 99 | <10 | 8 | 21 |
| 19 | 46707 | 0.3 | 1.07 | 190 | 45 | <5 | 1.22 | <1 | 28 | 34 | 782 | 5.34 | <10 | 0.93 | 374 | 28 | 0.06 | 6 | 1320 | 14 | <5 | <20 | 46 | 0.14 | <10 | 147 | <10 | <1 | 36 |
| 20 | 46708 | 0.3 | 1.76 | 105 | 65 | <5 | 2.53 | <1 | 33 | 22 | 587 | 7.69 | <10 | 1.56 | 512 | 9 | 0.06 | 7 | 1550 | 18 | <5 | <20 | 56 | 0.19 | <10 | 263 | <10 | 2 | 36 |
| 21 | 46709 | 0.2 | 1.07 | 10 | 50 | <5 | 1.39 | <1 | 44 | 29 | 478 | 5.63 | <10 | 1.08 | 344 | 24 | 0.05 | 7 | 1080 | 12 | <5 | <20 | 45 | 0.13 | <10 | 150 | <10 | 2 | 25 |
| 22 | 46710 | 0.2 | 0.51 | 20 | 20 | <5 | 4.41 | <1 | 54 | 28 | 520 | 4.33 | <10 | 0.72 | 513 | 12 | 0.03 | 9 | 620 | 8 | <5 | <20 | 70 | <0.01 | <10 | 79 | <10 | 19 | 18 |
| 23 | 46711 | <0.2 | 0.72 | 10 | 10 | <5 | 3.98 | <1 | 18 | 31 | 189 | 3.70 | <10 | 0.40 | 413 | 12 | 0.04 | 5 | 580 | 8 | <5 | <20 | 59 | <0.01 | <10 | 79 | <10 | 16 | 17 |
| 24 | 46712 | 0.2 | 0.98 | 10 | 45 | <5 | 2.64 | <1 | 25 | 32 | 360 | 4.79 | <10 | 0.96 | 390 | 13 | 0.05 | 6 | 830 | 12 | <5 | <20 | 62 | 0.11 | <10 | 165 | <10 | 6 | 25 |
| 25 | 47301 | <0.2 | 1.52 | 5 | 15 | <5 | 3.78 | <1 | 31 | 86 | 791 | 4.56 | <10 | 1.46 | 974 | <1 | 0.03 | 35 | 1050 | 20 | <5 | <20 | 80 | 0.11 | <10 | 175 | <10 | <1 | 58 |
| 26 | 47302 | 0.9 | 1.96 | 10 | 15 | <5 | 6.68 | <1 | 26 | 114 | 3737 | 5.53 | <10 | 1.93 | 1434 | 5 | 0.02 | 45 | 780 | 22 | <5 | <20 | 74 | 0.12 | <10 | 174 | <10 | <1 | 59 |
| 27 | 47303 | 0.2 | 1.93 | 10 | 15 | <5 | 3.57 | <1 | 27 | 127 | 862 | 5.50 | <10 | 1.76 | 1032 | 1 | 0.03 | 54 | 970 | 24 | <5 | <20 | 53 | 0.13 | <10 | 194 | <10 | <1 | 63 |
| 28 | 47304 | 0.5 | 1.62 | 15 | 10 | <5 | 4.24 | <1 | 44 | 95 | 943 | 5.17 | <10 | 1.53 | 1074 | 1 | 0.03 | 58 | 1120 | 18 | <5 | <20 | 84 | 0.10 | <10 | 160 | <10 | <1 | 47 |
| 29 | 47305 | 0.8 | 1.53 | 10 | 20 | <5 | 4.05 | <1 | 30 | 104 | 2148 | 7.51 | <10 | 1.43 | 1039 | 15 | 0.03 | 40 | 1040 | 16 | <5 | <20 | 87 | 0.07 | <10 | 177 | <10 | <1 | 50 |
| 30 | 47306 | 0.5 | 1.36 | 10 | 20 | <5 | 4.78 | <1 | 34 | 106 | 1109 | 8.14 | <10 | 1.37 | 1008 | 10 | 0.03 | 29 | 1030 | 14 | <5 | <20 | 101 | 0.08 | <10 | 161 | <10 | <1 | 42 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31 | 47307 | 2.0 | 0.84 | 55 | 15 | <5 | 3.64 | <1 | 78 | 86 | 3495 | 7.91 | <10 | 0.68 | 719 | 7 | 0.02 | 76 | 1020 | 8 | <5 | <20 | 109 | 0.05 | <10 | 99 | <10 | <1 | 28 |
| 32 | 47308 | 0.8 | 0.49 | <5 | 15 | <5 | 3.09 | <1 | 13 | 53 | 1882 | 6.28 | <10 | 0.55 | 566 | 12 | 0.01 | 15 | 670 | 2 | <5 | <20 | 79 | 0.02 | <10 | 78 | <10 | <1 | 22 |
| 33 | 47309 | 0.2 | 0.66 | 10 | 15 | <5 | 3.16 | <1 | 19 | 60 | 610 | 6.16 | <10 | 0.90 | 632 | 22 | 0.03 | 15 | 990 | 6 | <5 | <20 | 67 | 0.02 | <10 | 82 | <10 | <1 | 34 |
| 34 | 47310 | 0.7 | 1.25 | 30 | 20 | <5 | 6.56 | <1 | 37 | 69 | 1525 | 9.36 | <10 | 1.81 | 1453 | 16 | 0.02 | 22 | 950 | 10 | <5 | <20 | 163 | 0.03 | <10 | 138 | <10 | <1 | 49 |
| 35 | 47311 | 0.5 | 1.36 | 25 | 20 | <5 | 5.99 | <1 | 42 | 78 | 1440 | 9.85 | <10 | 1.93 | 1238 | 16 | 0.02 | 20 | 1040 | 14 | <5 | <20 | 166 | 0.03 | <10 | 135 | <10 | <1 | 60 |
| 36 | 47312 | 1.9 | 1.05 | 45 | 30 | <5 | 5.01 | <1 | 52 | 80 | 4629 | >10 | <10 | 1.34 | 972 | 13 | 0.02 | 33 | 1190 | 8 | <5 | <20 | 159 | 0.04 | <10 | 138 | <10 | <1 | 51 |
| 37 | 47313 | 3.2 | 1.29 | 35 | 60 | <5 | 5.11 | <1 | 65 | 65 | 6793 | >10 | <10 | 1.63 | 987 | 47 | 0.02 | 62 | 560 | 6 | <5 | <20 | 126 | <0.01 | <10 | 262 | <10 | <1 | 80 |
| 38 | 47314 | <0.2 | 1.01 | 15 | 25 | <5 | 4.70 | <1 | 23 | 97 | 252 | 5.76 | <10 | 1.13 | 848 | 19 | 0.02 | 14 | 1040 | 10 | <5 | <20 | 150 | 0.05 | <10 | 81 | <10 | <1 | 33 |
| 39 | 47315 | 0.2 | 1.13 | 10 | 15 | <5 | 2.75 | <1 | 23 | 79 | 510 | 5.33 | <10 | 1.01 | 652 | 4 | 0.04 | 24 | 1000 | 14 | <5 | <20 | 129 | 0.07 | <10 | 136 | <10 | <1 | 42 |
| 40 | 47316 | <0.2 | 1.84 | 10 | 40 | <5 | 2.99 | <1 | 31 | 132 | 167 | 6.13 | <10 | 1.50 | 977 | 4 | 0.07 | 39 | 1120 | 26 | <5 | <20 | 118 | 0.11 | <10 | 213 | <10 | <1 | 72 |
| 41 | 47317 | <0.2 | 2.62 | 30 | 165 | <5 | 4.85 | <1 | 12 | 79 | 106 | 2.43 | <10 | 1.08 | 652 | 4 | 1.22 | 16 | 1160 | 46 | <5 | <20 | 148 | 0.08 | <10 | 90 | <10 | 1 | 70 |
| 42 | 47318 | <0.2 | 2.74 | 20 | 260 | 5 | 3.93 | <1 | 20 | 74 | 76 | 3.27 | <10 | 1.46 | 624 | 1 | 0.88 | 28 | 1240 | 40 | <5 | <20 | 202 | 0.12 | <10 | 118 | <10 | 5 | 71 |
| 43 | 47319 | 0.4 | 2.64 | 35 | 150 | <5 | 6.00 | <1 | 18 | 68 | 661 | 3.33 | <10 | 1.32 | 854 | 3 | 0.89 | 19 | 1380 | 92 | <5 | <20 | 110 | 0.09 | <10 | 119 | <10 | 1 | 92 |
| 44 | 47320 | <0.2 | 1.79 | 10 | 80 | <5 | 3.83 | <1 | 21 | 59 | 247 | 4.21 | <10 | 1.02 | 561 | 1 | 0.53 | 18 | 1200 | 24 | <5 | <20 | 133 | 0.09 | <10 | 176 | <10 | <1 | 51 |
| 45 | 47321 | 0.4 | 1.96 | 50 | 115 | <5 | 5.49 | <1 | 12 | 61 | 1590 | 1.68 | <10 | 1.03 | 526 | <1 | 0.78 | 15 | 1210 | 28 | 5 | <20 | 202 | 0.05 | <10 | 56 | <10 | <1 | 34 |
| 46 | 47322 | 0.2 | 1.99 | 40 | 280 | <5 | 6.43 | <1 | 13 | 64 | 768 | 2.04 | <10 | 1.10 | 491 | <1 | 0.73 | 16 | 1260 | 26 | <5 | <20 | 223 | 0.06 | <10 | 64 | <10 | 1 | 38 |
| 47 | 47323 | <0.2 | 1.94 | 5 | 115 | <5 | 3.68 | <1 | 38 | 85 | 578 | 7.25 | <10 | 2.56 | 1147 | 4 | 0.04 | 42 | 1260 | 18 | <5 | <20 | 78 | 0.09 | <10 | 193 | <10 | <1 | 74 |
| 48 | 47324 | 0.7 | 1.64 | <5 | 75 | <5 | 4.65 | <1 | 46 | 75 | 9167 | >10 | <10 | 2.04 | 1038 | 6 | 0.03 | 36 | 680 | 12 | <5 | <20 | 107 | 0.06 | <10 | 201 | <10 | <1 | 67 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 47285 | 0.5 | 0.46 | <5 | 30 | <5 | 0.96 | <1 | 11 | 62 | 1192 | 2.99 | <10 | 0.28 | 389 | 5 | 0.07 | 4 | 750 | 10 | <5 | <20 | 42 | 0.06 | <10 | 66 | <10 | 14 | 34 |
| 36 | 47312 | 1.9 | 1.03 | 55 | 25 | <5 | 4.97 | <1 | 60 | 74 | 4568 | >10 | <10 | 1.32 | 983 | 13 | 0.02 | 30 | 1150 | 8 | <5 | <20 | 154 | 0.03 | <10 | 146 | <10 | <1 | 51 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 47285 | 0.5 | 0.40 | <5 | 25 | <5 | 0.91 | <1 | 11 | 48 | 1083 | 2.77 | <10 | 0.27 | 358 | 4 | 0.05 | 3 | 670 | 6 | <5 | <20 | 37 | 0.05 | <10 | 65 | <10 | 14 | 30 |
| 10 | 47294 | <0.2 | 1.29 | <5 | 30 | <5 | 3.10 | <1 | 8 | 39 | 574 | 2.75 | 10 | 0.41 | 842 | 4 | 0.03 | 5 | 610 | 14 | <5 | <20 | 81 | <0.01 | <10 | 84 | <10 | 30 | 37 |
| 19 | 46707 | 0.3 | 1.14 | 205 | 50 | <5 | 1.29 | <1 | 29 | 36 | 770 | 5.62 | <10 | 0.96 | 393 | 29 | 0.06 | 6 | 1440 | 16 | <5 | <20 | 52 | 0.15 | <10 | 153 | <10 | <1 | 39 |
| 36 | 47312 | 1.9 | 1.09 | 45 | 20 | <5 | 5.06 | <1 | 52 | 82 | 4586 | >10 | <10 | 1.33 | 976 | 12 | 0.02 | 30 | 1200 | 10 | <5 | <20 | 166 | 0.03 | <10 | 135 | <10 | <1 | 51 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.54 | 60 | 135 | <5 | 1.40 | <1 | 17 | 59 | 88 | 3.85 | <10 | 0.81 | 592 | 1 | 0.03 | 27 | 630 | 24 | <5 | <20 | 54 | 0.11 | <10 | 63 | <10 | 10 | 73 |
| GEO '05 | | 1.5 | 1.54 | 60 | 135 | <5 | 1.39 | <1 | 17 | 59 | 88 | 3.87 | <10 | 0.81 | 592 | 1 | 0.03 | 25 | 630 | 22 | <5 | <20 | 55 | 0.11 | <10 | 64 | <10 | 9 | 75 |

JJ/jm
df/165
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-216

**GWR RESOURCES INC.** 11-Apr-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 26*
*Sample type: Core*
***Project #: SPL***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 47325 | <0.03 | <0.001 | 0.05 |
| 2 | 47326 | <0.03 | <0.001 | 0.02 |
| 3 | 47327 | <0.03 | <0.001 | 0.05 |
| 4 | 47328 | 0.64 | 0.019 | 2.14 |
| 5 | 47329 | 0.15 | 0.004 | 1.29 |
| 6 | 47330 | 0.07 | 0.002 | 0.52 |
| 7 | 47331 | 0.05 | 0.001 | 0.49 |
| 8 | 47332 | <0.03 | <0.001 | 0.25 |
| 9 | 47333 | <0.03 | <0.001 | 0.06 |
| 10 | 47334 | <0.03 | <0.001 | 0.09 |
| 11 | 47335 | <0.03 | <0.001 | 0.01 |
| 12 | 47336 | <0.03 | <0.001 | 0.01 |
| 13 | 47337 | <0.03 | <0.001 | 0.04 |
| 14 | 47338 | <0.03 | <0.001 | 0.02 |
| 15 | 47339 | <0.03 | <0.001 | 0.02 |
| 16 | 47340 | <0.03 | <0.001 | 0.04 |
| 17 | 47341 | 0.18 | 0.005 | 1.11 |
| 18 | 47342 | 0.12 | 0.003 | 0.77 |
| 19 | 47343 | 0.12 | 0.003 | 0.80 |
| 20 | 47344 | 0.11 | 0.003 | 0.65 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-216** 11-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 21 | 47345 | <0.03 | <0.001 | 0.20 |
| 22 | 47346 | 0.20 | 0.006 | 0.67 |
| 23 | 47347 | 0.17 | 0.005 | 1.60 |
| 24 | 47348 | 0.22 | 0.006 | 0.84 |
| 25 | 47349 | 0.08 | 0.002 | 0.28 |
| 26 | 47350 | 0.11 | 0.003 | 0.86 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 47325 | <0.03 | <0.001 | 0.05 |
| ***Repeat:*** | | | | |
| 1 | 47325 | <0.03 | <0.001 | 0.05 |
| 4 | 47328 | 0.60 | 0.017 | |
| 10 | 47334 | <0.03 | <0.001 | 0.09 |
| 17 | 47341 | 0.22 | 0.006 | |
| 23 | 47347 | 0.18 | 0.005 | |
| ***Standard:*** | | | | |
| Cu106 | | | | 1.42 |
| SH13 | | 1.36 | 0.040 | |
| SH13 | | 1.35 | 0.039 | |

JJ/jj
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-217

**GWR RESOURCES INC.** 11-Apr-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 25*
*Sample type: Core*
***Project #: SPL***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 47351 | 0.10 | 0.003 | 0.37 |
| 2 | 47352 | 0.05 | 0.001 | 0.21 |
| 3 | 47353 | 0.03 | 0.001 | 0.21 |
| 4 | 47354 | 0.36 | 0.010 | 0.64 |
| 5 | 47355 | <0.03 | <0.001 | 0.17 |
| 6 | 47356 | 0.13 | 0.004 | 0.54 |
| 7 | 47357 | <0.03 | <0.001 | 0.25 |
| 8 | 47358 | 0.18 | 0.005 | 0.41 |
| 9 | 47359 | 0.18 | 0.005 | 0.49 |
| 10 | 47360 | <0.03 | <0.001 | 0.09 |
| 11 | 47361 | 0.07 | 0.002 | 0.36 |
| 12 | 47362 | 0.04 | 0.001 | 0.24 |
| 13 | 47363 | <0.03 | <0.001 | 0.20 |
| 14 | 47364 | <0.03 | <0.001 | 0.19 |
| 15 | 47365 | 0.15 | 0.004 | 0.73 |
| 16 | 47366 | 0.10 | 0.003 | 1.00 |
| 17 | 47367 | <0.03 | <0.001 | 0.10 |
| 18 | 47368 | <0.03 | <0.001 | 0.13 |
| 19 | 47369 | <0.03 | <0.001 | 0.04 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK 2005-217** 11-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 20 | 47370 | <0.03 | <0.001 | 0.08 |
| 21 | 47371 | <0.03 | <0.001 | 0.20 |
| 22 | 47372 | 0.03 | 0.001 | 0.26 |
| 23 | 47373 | <0.03 | <0.001 | 0.09 |
| 24 | 47374 | <0.03 | <0.001 | 0.11 |
| 25 | 47375 | <0.03 | <0.001 | 0.19 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 47351 | 0.09 | 0.003 | 0.38 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 47351 | 0.10 | 0.003 | 0.36 |
| 10 | 47360 | <0.03 | <0.001 | 0.09 |

***Standard:***

| | | | | |
|---|---|---|---|---|
| SH13 | | 1.30 | 0.038 | |
| Cu106 | | | | 1.43 |

JJ/jj
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

11-Apr-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-216**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 26*
*Sample Type: Core*
***Project #: SPL***
***Shipment #: None Given***
*Submitted by: B.Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 47325 | 0.2 | 1.91 | <5 | 315 | <5 | 2.33 | <1 | 36 | 66 | 472 | 6.40 | <10 | 2.27 | 1029 | 8 | 0.05 | 31 | 1110 | 8 | <5 | <20 | 51 | 0.19 | <10 | 214 | <10 | <1 | 76 |
| 2 | 47326 | <0.2 | 1.73 | <5 | 250 | 10 | 1.80 | <1 | 33 | 71 | 159 | 6.07 | <10 | 2.05 | 859 | 4 | 0.05 | 29 | 1160 | 10 | <5 | <20 | 45 | 0.15 | <10 | 196 | <10 | <1 | 68 |
| 3 | 47327 | <0.2 | 1.34 | <5 | 55 | <5 | 2.01 | <1 | 33 | 66 | 390 | 6.66 | <10 | 1.69 | 705 | 7 | 0.05 | 25 | 1270 | 10 | <5 | <20 | 59 | 0.10 | <10 | 209 | <10 | <1 | 57 |
| 4 | 47328 | 6.9 | 1.21 | 5 | 40 | <5 | 5.07 | <1 | 75 | 34 | >10000 | >10 | <10 | 1.11 | 720 | 13 | 0.03 | 48 | <10 | 6 | <5 | <20 | 109 | 0.01 | <10 | 176 | <10 | <1 | 59 |
| 5 | 47329 | 3.5 | 1.51 | <5 | 35 | <5 | 4.92 | <1 | 36 | 47 | >10000 | >10 | <10 | 1.33 | 715 | 7 | 0.04 | 26 | 620 | 4 | <5 | <20 | 110 | <0.01 | <10 | 221 | <10 | <1 | 66 |
| 6 | 47330 | 1.8 | 1.34 | <5 | 35 | <5 | 4.18 | <1 | 40 | 51 | 5140 | >10 | <10 | 1.17 | 821 | 6 | 0.04 | 20 | 1130 | 4 | <5 | <20 | 108 | 0.03 | <10 | 196 | <10 | <1 | 62 |
| 7 | 47331 | 1.7 | 1.11 | <5 | 50 | <5 | 5.15 | <1 | 46 | 45 | 4934 | >10 | <10 | 1.07 | 799 | 7 | 0.03 | 24 | 840 | <2 | <5 | <20 | 90 | 0.02 | <10 | 214 | <10 | <1 | 59 |
| 8 | 47332 | 0.8 | 1.02 | <5 | 30 | <5 | 2.60 | <1 | 28 | 77 | 2430 | >10 | <10 | 0.80 | 500 | 5 | 0.04 | 19 | 1240 | 10 | <5 | <20 | 90 | 0.04 | <10 | 205 | <10 | <1 | 46 |
| 9 | 47333 | <0.2 | 1.11 | <5 | 15 | <5 | 2.51 | <1 | 20 | 78 | 616 | 6.14 | <10 | 0.99 | 545 | 3 | 0.05 | 20 | 1460 | 6 | <5 | <20 | 105 | 0.06 | <10 | 182 | <10 | <1 | 45 |
| 10 | 47334 | <0.2 | 0.99 | <5 | 20 | <5 | 2.46 | <1 | 17 | 35 | 879 | 4.05 | <10 | 0.81 | 478 | 7 | 0.07 | 8 | 1470 | 6 | <5 | <20 | 72 | 0.08 | <10 | 167 | <10 | 11 | 40 |
| 11 | 47335 | <0.2 | 0.74 | <5 | 30 | <5 | 1.81 | <1 | 15 | 23 | 149 | 4.23 | <10 | 0.72 | 488 | 5 | 0.06 | 5 | 1630 | 6 | <5 | <20 | 50 | 0.09 | <10 | 173 | <10 | 16 | 43 |
| 12 | 47336 | 15.3 | 1.01 | <5 | 35 | <5 | 1.89 | <1 | 18 | 19 | 106 | 4.36 | <10 | 0.84 | 501 | 2 | 0.07 | 5 | 1670 | 6 | <5 | <20 | 55 | 0.14 | <10 | 168 | <10 | 17 | 54 |
| 13 | 47337 | <0.2 | 0.93 | <5 | 40 | <5 | 1.60 | <1 | 19 | 21 | 376 | 4.48 | <10 | 0.90 | 593 | 5 | 0.06 | 4 | 1640 | 8 | <5 | <20 | 46 | 0.13 | <10 | 154 | <10 | 17 | 56 |
| 14 | 47338 | <0.2 | 0.89 | <5 | 40 | <5 | 1.21 | <1 | 17 | 26 | 107 | 4.49 | <10 | 0.86 | 447 | 2 | 0.07 | 5 | 1620 | 6 | <5 | <20 | 45 | 0.10 | <10 | 170 | <10 | 16 | 54 |
| 15 | 47339 | <0.2 | 1.46 | <5 | 20 | <5 | 4.33 | <1 | 16 | 30 | 159 | 5.46 | <10 | 1.34 | 811 | 5 | 0.05 | 10 | 1570 | 12 | <5 | <20 | 99 | 0.03 | <10 | 115 | <10 | 5 | 72 |
| 16 | 47340 | <0.2 | 0.94 | <5 | 25 | <5 | 1.69 | <1 | 16 | 18 | 315 | 5.78 | <10 | 0.70 | 425 | 7 | 0.11 | 7 | 1680 | 8 | <5 | <20 | 70 | 0.09 | <10 | 165 | <10 | 9 | 68 |
| 17 | 47341 | 4.3 | 0.63 | <5 | 70 | <5 | 3.45 | <1 | 46 | 23 | >10000 | >10 | <10 | 0.56 | 756 | 21 | 0.04 | 23 | 290 | <2 | <5 | <20 | 70 | <0.01 | <10 | 273 | <10 | <1 | 65 |
| 18 | 47342 | 1.8 | 1.13 | <5 | 55 | <5 | 2.79 | <1 | 39 | 28 | 7735 | >10 | <10 | 0.75 | 870 | 23 | 0.28 | 15 | 1070 | 4 | <5 | <20 | 74 | 0.01 | <10 | 138 | <10 | <1 | 71 |
| 19 | 47343 | 1.3 | 1.51 | <5 | 65 | <5 | 1.33 | <1 | 48 | 35 | 8045 | >10 | <10 | 0.22 | 589 | 20 | 0.96 | 13 | 730 | 4 | <5 | <20 | 81 | <0.01 | <10 | 121 | <10 | <1 | 83 |
| 20 | 47344 | 1.3 | 1.37 | <5 | 80 | <5 | 1.67 | <1 | 45 | 40 | 6502 | >10 | <10 | 0.21 | 573 | 29 | 0.71 | 10 | 890 | 4 | <5 | <20 | 173 | 0.01 | <10 | 122 | <10 | <1 | 117 |
| 21 | 47345 | 0.4 | 1.66 | <5 | 30 | <5 | 2.08 | <1 | 25 | 57 | 1855 | 9.30 | <10 | 0.81 | 494 | 53 | 0.63 | 12 | 1650 | 10 | <5 | <20 | 104 | 0.05 | <10 | 136 | <10 | <1 | 57 |
| 22 | 47346 | 2.1 | 1.36 | <5 | 45 | <5 | 2.42 | <1 | 40 | 64 | 6555 | >10 | <10 | 0.37 | 379 | 65 | 0.59 | 16 | 1020 | 10 | <5 | <20 | 119 | 0.03 | <10 | 160 | <10 | <1 | 36 |
| 23 | 47347 | 5.2 | 1.16 | <5 | 60 | <5 | 2.35 | <1 | 53 | 56 | >10000 | >10 | <10 | 0.34 | 389 | 10 | 0.57 | 27 | 400 | <2 | <5 | <20 | 114 | <0.01 | <10 | 185 | <10 | <1 | 84 |
| 24 | 47348 | 2.9 | 1.60 | <5 | 65 | <5 | 1.89 | <1 | 63 | 52 | 8366 | >10 | <10 | 0.80 | 563 | 10 | 0.55 | 25 | 750 | 2 | <5 | <20 | 87 | 0.02 | <10 | 213 | <10 | <1 | 83 |
| 25 | 47349 | 0.9 | 2.25 | <5 | 55 | <5 | 2.18 | <1 | 36 | 55 | 2798 | >10 | <10 | 0.58 | 434 | 11 | 1.32 | 15 | 1190 | 8 | <5 | <20 | 172 | 0.02 | <10 | 199 | <10 | <1 | 45 |
| 26 | 47350 | 3.2 | 1.06 | <5 | 60 | <5 | 2.54 | <1 | 68 | 43 | 8560 | >10 | <10 | 0.57 | 498 | 32 | 0.33 | 17 | 780 | <2 | <5 | <20 | 77 | 0.01 | <10 | 188 | <10 | <1 | 45 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 47325 | 0.2 | 1.89 | <5 | 320 | <5 | 2.41 | <1 | 36 | 68 | 469 | 6.46 | <10 | 2.22 | 1042 | 6 | 0.05 | 33 | 1140 | 10 | <5 | <20 | 49 | 0.19 | <10 | 217 | <10 | <1 | 78 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 47325 | 0.2 | 1.86 | <5 | 305 | <5 | 2.29 | <1 | 35 | 64 | 435 | 6.26 | <10 | 2.21 | 1016 | 7 | 0.05 | 32 | 1120 | 8 | <5 | <20 | 47 | 0.19 | <10 | 209 | <10 | <1 | 77 |
| 10 | 47334 | <0.2 | 1.01 | <5 | 20 | <5 | 2.50 | <1 | 18 | 36 | 793 | 4.12 | <10 | 0.81 | 485 | 7 | 0.07 | 8 | 1510 | 6 | <5 | <20 | 75 | 0.08 | <10 | 169 | <10 | 11 | 40 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.38 | 50 | 130 | <5 | 1.29 | <1 | 16 | 54 | 84 | 3.56 | <10 | 0.74 | 555 | 1 | 0.02 | 25 | 600 | 22 | <5 | <20 | 54 | 0.11 | <10 | 61 | <10 | 9 | 76 |

JJ/jm
df/216
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-217

**GWR RESOURCES INC.** 11-Apr-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 25*
*Sample type: Core*
***Project #: SPL***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 47351 | 0.10 | 0.003 | 0.37 |
| 2 | 47352 | 0.05 | 0.001 | 0.21 |
| 3 | 47353 | 0.03 | 0.001 | 0.21 |
| 4 | 47354 | 0.36 | 0.010 | 0.64 |
| 5 | 47355 | <0.03 | <0.001 | 0.17 |
| 6 | 47356 | 0.13 | 0.004 | 0.54 |
| 7 | 47357 | <0.03 | <0.001 | 0.25 |
| 8 | 47358 | 0.18 | 0.005 | 0.41 |
| 9 | 47359 | 0.18 | 0.005 | 0.49 |
| 10 | 47360 | <0.03 | <0.001 | 0.09 |
| 11 | 47361 | 0.07 | 0.002 | 0.36 |
| 12 | 47362 | 0.04 | 0.001 | 0.24 |
| 13 | 47363 | <0.03 | <0.001 | 0.20 |
| 14 | 47364 | <0.03 | <0.001 | 0.19 |
| 15 | 47365 | 0.15 | 0.004 | 0.73 |
| 16 | 47366 | 0.10 | 0.003 | 1.00 |
| 17 | 47367 | <0.03 | <0.001 | 0.10 |
| 18 | 47368 | <0.03 | <0.001 | 0.13 |
| 19 | 47369 | <0.03 | <0.001 | 0.04 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK 2005-217** 11-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 20 | 47370 | <0.03 | <0.001 | 0.08 |
| 21 | 47371 | <0.03 | <0.001 | 0.20 |
| 22 | 47372 | 0.03 | 0.001 | 0.26 |
| 23 | 47373 | <0.03 | <0.001 | 0.09 |
| 24 | 47374 | <0.03 | <0.001 | 0.11 |
| 25 | 47375 | <0.03 | <0.001 | 0.19 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 47351 | 0.09 | 0.003 | 0.38 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 47351 | 0.10 | 0.003 | 0.36 |
| 10 | 47360 | <0.03 | <0.001 | 0.09 |

***Standard:***

| | | | | |
|---|---|---|---|---|
| SH13 | | 1.30 | 0.038 | |
| Cu106 | | | | 1.43 |

JJ/jj
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

11-Apr-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-217**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 25*
*Sample Type: Core*
***Project #: SPL***
***Shipment #: None Given***
*Submitted By: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 47351 | 1.2 | 1.05 | <5 | 35 | <5 | 2.48 | <1 | 31 | 57 | 3768 | >10 | <10 | 0.78 | 484 | 22 | 0.21 | 13 | 1330 | 2 | <5 | <20 | 68 | 0.02 | <10 | 188 | <10 | <1 | 39 |
| 2 | 47352 | 0.5 | 1.01 | <5 | 20 | <5 | 1.79 | <1 | 21 | 59 | 2025 | 7.53 | <10 | 0.86 | 378 | 7 | 0.06 | 17 | 1640 | 6 | <5 | <20 | 83 | 0.03 | <10 | 219 | <10 | <1 | 40 |
| 3 | 47353 | 0.6 | 0.83 | <5 | 25 | <5 | 1.71 | <1 | 23 | 55 | 2038 | 9.45 | <10 | 0.67 | 356 | 4 | 0.06 | 16 | 1550 | 4 | <5 | <20 | 67 | 0.03 | <10 | 213 | <10 | <1 | 55 |
| 4 | 47354 | 2.1 | 1.04 | <5 | 40 | <5 | 2.00 | <1 | 71 | 50 | 6320 | >10 | <10 | 0.93 | 416 | 12 | 0.07 | 18 | 1100 | 4 | <5 | <20 | 72 | 0.01 | <10 | 198 | <10 | <1 | 62 |
| 5 | 47355 | 0.4 | 0.90 | <5 | 20 | <5 | 1.82 | <1 | 20 | 53 | 1625 | 8.11 | <10 | 0.84 | 373 | 7 | 0.05 | 11 | 1570 | 6 | <5 | <20 | 68 | 0.03 | <10 | 169 | <10 | <1 | 62 |
| 6 | 47356 | 1.6 | 1.09 | <5 | 35 | <5 | 2.06 | <1 | 60 | 56 | 5338 | >10 | <10 | 0.81 | 499 | 14 | 0.12 | 17 | 1290 | 4 | <5 | <20 | 62 | 0.02 | <10 | 164 | <10 | <1 | 71 |
| 7 | 47357 | 0.5 | 1.14 | <5 | 30 | <5 | 2.57 | <1 | 27 | 47 | 2445 | >10 | <10 | 0.85 | 531 | 9 | 0.11 | 12 | 1460 | 6 | <5 | <20 | 72 | 0.03 | <10 | 193 | <10 | <1 | 66 |
| 8 | 47358 | 1.1 | 0.93 | <5 | 30 | <5 | 2.52 | <1 | 44 | 49 | 3901 | >10 | <10 | 0.74 | 427 | 11 | 0.04 | 17 | 1230 | 4 | <5 | <20 | 88 | 0.03 | <10 | 167 | <10 | <1 | 56 |
| 9 | 47359 | 1.3 | 0.94 | <5 | 40 | <5 | 1.82 | <1 | 56 | 40 | 4899 | >10 | <10 | 0.74 | 415 | 17 | 0.04 | 22 | 1100 | 4 | <5 | <20 | 49 | 0.02 | <10 | 193 | <10 | <1 | 60 |
| 10 | 47360 | <0.2 | 1.02 | <5 | 15 | <5 | 1.34 | <1 | 19 | 53 | 894 | 5.57 | <10 | 0.77 | 380 | 3 | 0.12 | 14 | 1680 | 8 | <5 | <20 | 75 | 0.06 | <10 | 172 | <10 | <1 | 60 |
| 11 | 47361 | 0.7 | 1.08 | <5 | 25 | <5 | 1.85 | <1 | 44 | 49 | 3602 | 8.91 | <10 | 0.92 | 427 | 14 | 0.06 | 18 | 1520 | 6 | <5 | <20 | 74 | 0.04 | <10 | 170 | <10 | <1 | 57 |
| 12 | 47362 | 0.5 | 1.07 | 10 | 15 | <5 | 2.58 | <1 | 26 | 50 | 2346 | 7.36 | <10 | 0.98 | 492 | 28 | 0.04 | 13 | 1580 | 6 | <5 | <20 | 96 | 0.04 | <10 | 150 | <10 | <1 | 57 |
| 13 | 47363 | 0.3 | 0.91 | 5 | 15 | <5 | 2.62 | <1 | 26 | 49 | 1984 | 7.05 | <10 | 0.82 | 458 | 12 | 0.04 | 12 | 1500 | 4 | <5 | <20 | 100 | 0.03 | <10 | 146 | <10 | <1 | 39 |
| 14 | 47364 | 0.4 | 1.14 | 10 | 15 | <5 | 2.73 | <1 | 22 | 54 | 1834 | 6.54 | <10 | 0.91 | 597 | 29 | 0.05 | 14 | 1650 | 6 | <5 | <20 | 69 | 0.03 | <10 | 150 | <10 | <1 | 58 |
| 15 | 47365 | 2.5 | 0.95 | <5 | 30 | <5 | 3.36 | <1 | 65 | 42 | 7277 | >10 | <10 | 0.86 | 783 | 23 | 0.10 | 25 | 1070 | 4 | <5 | <20 | 106 | 0.02 | <10 | 155 | <10 | <1 | 50 |
| 16 | 47366 | 4.7 | 0.90 | <5 | 40 | <5 | 3.57 | <1 | 71 | 31 | >10000 | >10 | <10 | 1.02 | 756 | 29 | 0.04 | 35 | 720 | 4 | <5 | <20 | 121 | 0.01 | <10 | 147 | <10 | <1 | 58 |
| 17 | 47367 | 0.3 | 1.29 | <5 | 25 | <5 | 3.14 | <1 | 28 | 40 | 934 | 8.65 | <10 | 1.10 | 884 | 17 | 0.13 | 15 | 1480 | 8 | <5 | <20 | 119 | 0.05 | <10 | 188 | <10 | <1 | 54 |
| 18 | 47368 | 0.2 | 1.28 | 30 | 15 | <5 | 1.78 | <1 | 28 | 36 | 1215 | 5.74 | <10 | 0.90 | 456 | 12 | 0.26 | 16 | 1660 | 8 | <5 | <20 | 105 | 0.05 | <10 | 182 | <10 | 1 | 49 |
| 19 | 47369 | <0.2 | 1.15 | <5 | 35 | <5 | 1.32 | <1 | 21 | 39 | 310 | 5.01 | <10 | 0.85 | 408 | 9 | 0.13 | 18 | 1670 | 10 | <5 | <20 | 79 | 0.08 | <10 | 190 | <10 | 5 | 56 |
| 20 | 47370 | <0.2 | 1.11 | 10 | 10 | <5 | 2.80 | <1 | 20 | 52 | 731 | 6.08 | <10 | 1.07 | 608 | 8 | 0.04 | 16 | 1680 | 6 | <5 | <20 | 88 | 0.04 | <10 | 140 | <10 | <1 | 48 |
| 21 | 47371 | 0.4 | 0.96 | 10 | 5 | <5 | 2.46 | <1 | 31 | 46 | 1948 | 4.46 | <10 | 0.89 | 511 | 15 | 0.04 | 21 | 1620 | 6 | <5 | <20 | 129 | 0.04 | <10 | 109 | <10 | <1 | 41 |
| 22 | 47372 | 0.5 | 1.25 | 10 | 20 | <5 | 2.78 | <1 | 36 | 50 | 2551 | 7.32 | <10 | 1.15 | 682 | 30 | 0.04 | 21 | 1540 | 6 | <5 | <20 | 91 | 0.03 | <10 | 143 | <10 | <1 | 57 |
| 23 | 47373 | <0.2 | 0.93 | 10 | 10 | <5 | 2.24 | <1 | 22 | 59 | 846 | 4.78 | <10 | 0.90 | 548 | 8 | 0.05 | 21 | 1690 | 6 | <5 | <20 | 96 | 0.04 | <10 | 141 | <10 | <1 | 40 |
| 24 | 47374 | <0.2 | 1.12 | 15 | 20 | <5 | 2.60 | <1 | 29 | 51 | 867 | 5.52 | <10 | 0.84 | 623 | 12 | 0.15 | 20 | 1850 | 8 | <5 | <20 | 85 | 0.06 | <10 | 155 | <10 | <1 | 48 |
| 25 | 47375 | 0.6 | 1.04 | 10 | 15 | <5 | 2.50 | <1 | 37 | 40 | 1844 | 5.91 | <10 | 0.94 | 626 | 32 | 0.05 | 14 | 1580 | 6 | <5 | <20 | 105 | 0.04 | <10 | 119 | <10 | <1 | 52 |

**QC DATA:**

***Resplit:***

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 47351 | 1.3 | 1.09 | <5 | 35 | <5 | 2.61 | <1 | 31 | 51 | 3849 | >10 | <10 | 0.79 | 503 | 24 | 0.23 | 11 | 1310 | 4 | <5 | <20 | 71 | 0.03 | <10 | 193 | <10 | <1 | 40 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 47351 | 1.2 | 1.02 | <5 | 30 | <5 | 2.47 | <1 | 29 | 63 | 3761 | >10 | <10 | 0.76 | 478 | 21 | 0.20 | 12 | 1350 | 4 | <5 | <20 | 66 | 0.02 | <10 | 182 | <10 | <1 | 39 |
| 10 | 47360 | <0.2 | 1.04 | <5 | 15 | <5 | 1.34 | <1 | 19 | 53 | 887 | 5.55 | <10 | 0.78 | 376 | 4 | 0.13 | 15 | 1660 | 10 | <5 | <20 | 76 | 0.05 | <10 | 172 | <10 | <1 | 59 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.38 | 55 | 135 | <5 | 1.30 | <1 | 16 | 54 | 85 | 3.59 | <10 | 0.74 | 557 | <1 | 0.03 | 25 | 610 | 22 | <5 | <20 | 55 | 0.08 | <10 | 62 | <10 | 10 | 76 |

JJ/jm
df/216
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-242

**GWR RESOURCES INC.** 20-Apr-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received:30*
*Sample type: Core*
***Project #: SPL+PM***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | PM 46714 | <0.03 | <0.001 | 0.01 |
| 2 | PM 46715 | <0.03 | <0.001 | <0.01 |
| 3 | PM 46716 | <0.03 | <0.001 | <0.01 |
| 4 | PM 46717 | <0.03 | <0.001 | <0.01 |
| 5 | PM 46718 | <0.03 | <0.001 | <0.01 |
| 6 | PM 46719 | <0.03 | <0.001 | 0.04 |
| 7 | PM 46720 | <0.03 | <0.001 | <0.01 |
| 8 | PM 46721 | <0.03 | <0.001 | 0.05 |
| 9 | PM 46722 | <0.03 | <0.001 | <0.01 |
| 10 | PM 46723 | 0.22 | 0.006 | 0.30 |
| 11 | PM 46724 | 0.04 | 0.001 | 0.04 |
| 12 | PM 46725 | 0.06 | 0.002 | 0.03 |
| 13 | PM 46726 | 0.09 | 0.003 | 0.06 |
| 14 | PM 46727 | 0.32 | 0.009 | 0.09 |
| 15 | PM 46728 | 0.06 | 0.002 | 0.02 |
| 16 | PM 46729 | 0.04 | 0.001 | 0.01 |
| 17 | PM 46730 | 0.07 | 0.002 | 0.03 |
| 18 | PM 46731 | 0.11 | 0.003 | 0.06 |
| 19 | PM 46732 | 0.35 | 0.010 | 0.13 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC.** 20-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 20 | PM 46733 | 0.07 | 0.002 | 0.02 |
| 21 | PM 46734 | 0.19 | 0.006 | 0.06 |
| 22 | PM 46735 | 0.29 | 0.008 | 0.08 |
| 23 | PM 46736 | 0.17 | 0.005 | 0.05 |
| 24 | PM 46737 | 0.13 | 0.004 | 0.05 |
| 25 | PM 46738 | 0.10 | 0.003 | 0.11 |
| 26 | SPL 47376 | <0.03 | <0.001 | 0.06 |
| 27 | SPL 47377 | 0.03 | 0.001 | 0.06 |
| 28 | SPL 47378 | 0.09 | 0.003 | 0.34 |
| 29 | SPL 47379 | 0.03 | 0.001 | 0.14 |
| 30 | SPL 47380 | <0.03 | <0.001 | 0.05 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | PM 46714 | <0.03 | <0.001 | 0.01 |
| ***Repeat:*** | | | | |
| 1 | PM 46714 | <0.03 | <0.001 | 0.01 |
| 10 | PM 46723 | 0.22 | 0.006 | 0.30 |
| 14 | PM 46727 | 0.37 | 0.011 | |
| 19 | PM 46732 | 0.36 | 0.010 | 0.13 |
| 22 | PM 46735 | 0.24 | 0.007 | |
| ***Standard:*** | | | | |
| Cu106 | | | | 1.41 |
| SH13 | | 1.28 | 0.037 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

20-Apr-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-242**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received:30*
*Sample type: Core*
***Project #: SPL+PM***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | PM 46714 | <0.2 | 1.06 | <5 | 55 | <5 | 1.12 | <1 | 15 | 32 | 142 | 5.44 | <10 | 0.82 | 325 | 5 | 0.09 | 6 | 1510 | 10 | <5 | <20 | 58 | 0.11 | <10 | 199 | <10 | <1 | 23 |
| 2 | PM 46715 | <0.2 | 1.04 | <5 | 60 | <5 | 0.91 | <1 | 15 | 34 | 58 | 5.61 | <10 | 0.84 | 324 | 2 | 0.11 | 7 | 1430 | 6 | <5 | <20 | 43 | 0.11 | <10 | 195 | <10 | <1 | 24 |
| 3 | PM 46716 | <0.2 | 0.88 | <5 | 60 | 5 | 1.31 | <1 | 14 | 33 | 60 | 4.85 | <10 | 0.84 | 347 | 2 | 0.07 | 5 | 1230 | 6 | <5 | <20 | 31 | 0.11 | <10 | 180 | <10 | 2 | 21 |
| 4 | PM 46717 | <0.2 | 0.81 | <5 | 45 | 5 | 0.88 | <1 | 12 | 34 | 38 | 4.56 | <10 | 0.74 | 292 | 1 | 0.06 | 6 | 1100 | 6 | <5 | <20 | 35 | 0.09 | <10 | 175 | <10 | <1 | 19 |
| 5 | PM 46718 | <0.2 | 0.95 | <5 | 55 | 10 | 1.16 | <1 | 11 | 31 | 25 | 5.22 | <10 | 0.85 | 332 | 3 | 0.07 | 6 | 1290 | 8 | <5 | <20 | 40 | 0.10 | <10 | 201 | <10 | <1 | 20 |
| 6 | PM 46719 | 0.2 | 1.15 | <5 | 55 | <5 | 0.88 | <1 | 33 | 34 | 394 | 5.84 | <10 | 0.99 | 330 | 2 | 0.07 | 6 | 1450 | 8 | <5 | <20 | 32 | 0.14 | <10 | 212 | <10 | <1 | 22 |
| 7 | PM 46720 | <0.2 | 0.97 | <5 | 60 | <5 | 1.31 | <1 | 14 | 28 | 56 | 4.98 | <10 | 0.79 | 399 | 2 | 0.08 | 5 | 1360 | 6 | <5 | <20 | 44 | 0.10 | <10 | 213 | <10 | <1 | 22 |
| 8 | PM 46721 | <0.2 | 0.91 | <5 | 55 | <5 | 0.73 | <1 | 22 | 40 | 492 | 5.35 | <10 | 0.81 | 292 | 3 | 0.06 | 6 | 1410 | 6 | <5 | <20 | 26 | 0.12 | <10 | 354 | <10 | <1 | 20 |
| 9 | PM 46722 | <0.2 | 1.08 | <5 | 65 | <5 | 0.88 | <1 | 20 | 24 | 45 | 5.35 | <10 | 0.93 | 319 | 2 | 0.08 | 8 | 1460 | 6 | <5 | <20 | 54 | 0.13 | <10 | 223 | <10 | <1 | 22 |
| 10 | PM 46723 | 2.0 | 1.50 | 1015 | 55 | <5 | 3.22 | <1 | 69 | 19 | 2974 | 8.74 | <10 | 1.29 | 481 | 32 | 0.04 | 12 | 1730 | 34 | <5 | <20 | 69 | 0.13 | <10 | 195 | <10 | 1 | 68 |
| 11 | PM 46724 | <0.2 | 1.53 | <5 | 65 | <5 | 1.49 | <1 | 27 | 25 | 385 | 5.87 | <10 | 1.34 | 342 | 6 | 0.09 | 6 | 2270 | 12 | <5 | <20 | 106 | 0.16 | <10 | 220 | <10 | 4 | 29 |
| 12 | PM 46725 | <0.2 | 0.32 | 10 | 25 | <5 | 1.96 | <1 | 21 | 36 | 294 | 2.59 | <10 | 0.35 | 219 | 9 | 0.04 | 5 | 840 | 2 | <5 | <20 | 33 | 0.02 | <10 | 103 | <10 | 7 | 13 |
| 13 | PM 46726 | 0.2 | 0.29 | <5 | 15 | <5 | 2.17 | <1 | 16 | 32 | 590 | 2.06 | <10 | 0.44 | 229 | 24 | 0.05 | 3 | 690 | 4 | <5 | <20 | 30 | <0.01 | <10 | 69 | <10 | 11 | 13 |
| 14 | PM 46727 | 0.6 | 1.18 | <5 | 40 | <5 | 3.81 | <1 | 83 | 42 | 888 | 9.18 | <10 | 1.25 | 755 | 74 | 0.04 | 17 | 1650 | 12 | <5 | <20 | 71 | 0.06 | <10 | 176 | <10 | 9 | 44 |
| 15 | PM 46728 | <0.2 | 0.92 | 5 | 35 | <5 | 1.04 | <1 | 27 | 94 | 182 | 4.24 | <10 | 0.81 | 235 | 16 | 0.05 | 25 | 1220 | 10 | <5 | <20 | 41 | 0.11 | <10 | 130 | <10 | 2 | 30 |
| 16 | PM 46729 | <0.2 | 1.15 | 15 | 35 | <5 | 1.39 | <1 | 21 | 55 | 128 | 5.49 | <10 | 0.93 | 275 | 34 | 0.05 | 14 | 1650 | 12 | <5 | <20 | 64 | 0.11 | <10 | 178 | <10 | <1 | 29 |
| 17 | PM 46730 | <0.2 | 1.07 | 5 | 35 | <5 | 1.88 | <1 | 20 | 35 | 293 | 6.12 | <10 | 1.06 | 389 | 118 | 0.05 | 9 | 1440 | 12 | <5 | <20 | 56 | 0.10 | <10 | 171 | <10 | 5 | 32 |
| 18 | PM 46731 | 0.3 | 1.17 | <5 | 50 | <5 | 1.46 | <1 | 26 | 34 | 582 | 7.09 | <10 | 1.24 | 323 | 124 | 0.05 | 9 | 1540 | 10 | <5 | <20 | 59 | 0.14 | <10 | 177 | <10 | 1 | 35 |
| 19 | PM 46732 | 0.6 | 0.91 | 10 | 35 | <5 | 4.39 | <1 | 38 | 23 | 1292 | 5.90 | <10 | 0.99 | 551 | 33 | 0.04 | 9 | 1400 | 10 | <5 | <20 | 80 | 0.05 | <10 | 133 | <10 | 15 | 32 |
| 20 | PM 46733 | <0.2 | 1.18 | 30 | 40 | <5 | 6.67 | <1 | 16 | 12 | 182 | 6.68 | <10 | 1.07 | 1089 | 18 | 0.04 | 8 | 1610 | 14 | <5 | <20 | 108 | 0.03 | <10 | 173 | <10 | 18 | 50 |
| 21 | PM 46734 | 0.3 | 0.96 | <5 | 40 | <5 | 2.16 | <1 | 33 | 37 | 594 | 7.04 | <10 | 0.91 | 295 | 35 | 0.05 | 12 | 1840 | 10 | <5 | <20 | 61 | 0.09 | <10 | 147 | <10 | 1 | 29 |
| 22 | PM 46735 | 0.4 | 1.06 | <5 | 35 | <5 | 1.51 | <1 | 38 | 37 | 768 | 5.99 | <10 | 1.04 | 263 | 139 | 0.05 | 8 | 1800 | 10 | <5 | <20 | 53 | 0.11 | <10 | 148 | <10 | <1 | 29 |
| 23 | PM 46736 | 0.2 | 1.16 | <5 | 50 | <5 | 1.67 | <1 | 38 | 28 | 499 | 5.85 | <10 | 1.20 | 332 | 167 | 0.05 | 5 | 1850 | 12 | <5 | <20 | 55 | 0.13 | <10 | 162 | <10 | 3 | 31 |
| 24 | PM 46737 | 0.3 | 1.45 | <5 | 55 | <5 | 1.69 | <1 | 33 | 29 | 494 | 6.26 | <10 | 1.41 | 340 | 55 | 0.06 | 7 | 1860 | 14 | <5 | <20 | 67 | 0.15 | <10 | 216 | <10 | <1 | 29 |
| 25 | PM 46738 | 0.4 | 1.43 | <5 | 50 | <5 | 1.46 | <1 | 29 | 27 | 1029 | 6.39 | <10 | 1.60 | 350 | 135 | 0.06 | 7 | 1920 | 14 | <5 | <20 | 64 | 0.16 | <10 | 190 | <10 | <1 | 41 |
| 26 | SPL 47376 | 0.3 | 1.42 | 10 | 25 | <5 | 2.58 | <1 | 30 | 37 | 550 | 5.08 | <10 | 1.14 | 785 | 8 | 0.15 | 12 | 1810 | 14 | <5 | <20 | 99 | 0.06 | <10 | 152 | <10 | 4 | 62 |
| 27 | SPL 47377 | 0.4 | 1.48 | 5 | 50 | <5 | 2.71 | <1 | 25 | 18 | 568 | 5.26 | <10 | 1.21 | 891 | 8 | 0.15 | 6 | 1900 | 16 | <5 | <20 | 106 | 0.07 | <10 | 200 | <10 | 6 | 69 |
| 28 | SPL 47378 | 2.9 | 1.69 | 25 | 30 | <5 | 3.51 | <1 | 69 | 16 | 3252 | 5.11 | <10 | 0.90 | 828 | 8 | 0.36 | 12 | 1530 | 22 | <5 | <20 | 136 | 0.06 | <10 | 159 | <10 | 5 | 199 |
| 29 | SPL 47379 | 1.2 | 2.54 | 15 | 40 | <5 | 4.04 | 1 | 52 | 6 | 1323 | 5.78 | <10 | 1.00 | 768 | 13 | 0.84 | 9 | 1670 | 26 | <5 | <20 | 231 | 0.04 | <10 | 156 | <10 | 3 | 537 |
| 30 | SPL 47380 | 0.5 | 1.46 | 15 | 25 | <5 | 5.10 | <1 | 28 | 17 | 488 | 3.80 | <10 | 0.93 | 1250 | 21 | 0.20 | 5 | 1790 | 18 | <5 | <20 | 233 | 0.04 | <10 | 134 | <10 | 8 | 84 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | PM 46714 | <0.2 | 1.03 | <5 | 50 | <5 | 1.13 | <1 | 15 | 29 | 136 | 5.26 | <10 | 0.78 | 316 | 5 | 0.09 | 6 | 1540 | 12 | <5 | <20 | 61 | 0.10 | <10 | 189 | <10 | <1 | 24 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | PM 46714 | <0.2 | 1.00 | <5 | 50 | <5 | 1.07 | <1 | 14 | 31 | 134 | 5.12 | <10 | 0.78 | 309 | 3 | 0.09 | 6 | 1450 | 8 | <5 | <20 | 52 | 0.11 | <10 | 193 | <10 | <1 | 22 |
| 10 | PM 46723 | 2.0 | 1.50 | 1045 | 55 | <5 | 3.28 | <1 | 72 | 20 | 2911 | 8.84 | <10 | 1.28 | 488 | 32 | 0.04 | 12 | 1790 | 36 | <5 | <20 | 68 | 0.12 | <10 | 191 | <10 | 4 | 69 |
| 19 | PM 46732 | 0.6 | 0.94 | 15 | 40 | <5 | 4.48 | <1 | 42 | 24 | 1287 | 6.16 | <10 | 1.01 | 576 | 34 | 0.04 | 9 | 1480 | 12 | <5 | <20 | 84 | 0.05 | <10 | 132 | <10 | 14 | 35 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.38 | 55 | 135 | <5 | 1.33 | <1 | 17 | 55 | 83 | 3.65 | <10 | 0.75 | 574 | <1 | 0.02 | 27 | 650 | 22 | <5 | <20 | 54 | 0.11 | <10 | 60 | <10 | 10 | 74 |

JJ/jm
df/231
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-242

**GWR RESOURCES INC.** 20-Apr-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received:30*
*Sample type: Core*
***Project #: SPL+PM***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | PM 46714 | <0.03 | <0.001 | 0.01 |
| 2 | PM 46715 | <0.03 | <0.001 | <0.01 |
| 3 | PM 46716 | <0.03 | <0.001 | <0.01 |
| 4 | PM 46717 | <0.03 | <0.001 | <0.01 |
| 5 | PM 46718 | <0.03 | <0.001 | <0.01 |
| 6 | PM 46719 | <0.03 | <0.001 | 0.04 |
| 7 | PM 46720 | <0.03 | <0.001 | <0.01 |
| 8 | PM 46721 | <0.03 | <0.001 | 0.05 |
| 9 | PM 46722 | <0.03 | <0.001 | <0.01 |
| 10 | PM 46723 | 0.22 | 0.006 | 0.30 |
| 11 | PM 46724 | 0.04 | 0.001 | 0.04 |
| 12 | PM 46725 | 0.06 | 0.002 | 0.03 |
| 13 | PM 46726 | 0.09 | 0.003 | 0.06 |
| 14 | PM 46727 | 0.32 | 0.009 | 0.09 |
| 15 | PM 46728 | 0.06 | 0.002 | 0.02 |
| 16 | PM 46729 | 0.04 | 0.001 | 0.01 |
| 17 | PM 46730 | 0.07 | 0.002 | 0.03 |
| 18 | PM 46731 | 0.11 | 0.003 | 0.06 |
| 19 | PM 46732 | 0.35 | 0.010 | 0.13 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC.** 20-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 20 | PM 46733 | 0.07 | 0.002 | 0.02 |
| 21 | PM 46734 | 0.19 | 0.006 | 0.06 |
| 22 | PM 46735 | 0.29 | 0.008 | 0.08 |
| 23 | PM 46736 | 0.17 | 0.005 | 0.05 |
| 24 | PM 46737 | 0.13 | 0.004 | 0.05 |
| 25 | PM 46738 | 0.10 | 0.003 | 0.11 |
| 26 | SPL 47376 | <0.03 | <0.001 | 0.06 |
| 27 | SPL 47377 | 0.03 | 0.001 | 0.06 |
| 28 | SPL 47378 | 0.09 | 0.003 | 0.34 |
| 29 | SPL 47379 | 0.03 | 0.001 | 0.14 |
| 30 | SPL 47380 | <0.03 | <0.001 | 0.05 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | PM 46714 | <0.03 | <0.001 | 0.01 |
| ***Repeat:*** | | | | |
| 1 | PM 46714 | <0.03 | <0.001 | 0.01 |
| 10 | PM 46723 | 0.22 | 0.006 | 0.30 |
| 14 | PM 46727 | 0.37 | 0.011 | |
| 19 | PM 46732 | 0.36 | 0.010 | 0.13 |
| 22 | PM 46735 | 0.24 | 0.007 | |
| ***Standard:*** | | | | |
| Cu106 | | | | 1.41 |
| SH13 | | 1.28 | 0.037 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

20-Apr-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-242**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received:30*
*Sample type: Core*
***Project #: SPL+PM***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | PM 46714 | <0.2 | 1.06 | <5 | 55 | <5 | 1.12 | <1 | 15 | 32 | 142 | 5.44 | <10 | 0.82 | 325 | 5 | 0.09 | 6 | 1510 | 10 | <5 | <20 | 58 | 0.11 | <10 | 199 | <10 | <1 | 23 |
| 2 | PM 46715 | <0.2 | 1.04 | <5 | 60 | <5 | 0.91 | <1 | 15 | 34 | 58 | 5.61 | <10 | 0.84 | 324 | 2 | 0.11 | 7 | 1430 | 6 | <5 | <20 | 43 | 0.11 | <10 | 195 | <10 | <1 | 24 |
| 3 | PM 46716 | <0.2 | 0.88 | <5 | 60 | 5 | 1.31 | <1 | 14 | 33 | 60 | 4.85 | <10 | 0.84 | 347 | 2 | 0.07 | 5 | 1230 | 6 | <5 | <20 | 31 | 0.11 | <10 | 180 | <10 | 2 | 21 |
| 4 | PM 46717 | <0.2 | 0.81 | <5 | 45 | 5 | 0.88 | <1 | 12 | 34 | 38 | 4.56 | <10 | 0.74 | 292 | 1 | 0.06 | 6 | 1100 | 6 | <5 | <20 | 35 | 0.09 | <10 | 175 | <10 | <1 | 19 |
| 5 | PM 46718 | <0.2 | 0.95 | <5 | 55 | 10 | 1.16 | <1 | 11 | 31 | 25 | 5.22 | <10 | 0.85 | 332 | 3 | 0.07 | 6 | 1290 | 8 | <5 | <20 | 40 | 0.10 | <10 | 201 | <10 | <1 | 20 |
| 6 | PM 46719 | 0.2 | 1.15 | <5 | 55 | <5 | 0.88 | <1 | 33 | 34 | 394 | 5.84 | <10 | 0.99 | 330 | 2 | 0.07 | 6 | 1450 | 8 | <5 | <20 | 32 | 0.14 | <10 | 212 | <10 | <1 | 22 |
| 7 | PM 46720 | <0.2 | 0.97 | <5 | 60 | <5 | 1.31 | <1 | 14 | 28 | 56 | 4.98 | <10 | 0.79 | 399 | 2 | 0.08 | 5 | 1360 | 6 | <5 | <20 | 44 | 0.10 | <10 | 213 | <10 | <1 | 22 |
| 8 | PM 46721 | <0.2 | 0.91 | <5 | 55 | <5 | 0.73 | <1 | 22 | 40 | 492 | 5.35 | <10 | 0.81 | 292 | 3 | 0.06 | 6 | 1410 | 6 | <5 | <20 | 26 | 0.12 | <10 | 354 | <10 | <1 | 20 |
| 9 | PM 46722 | <0.2 | 1.08 | <5 | 65 | <5 | 0.88 | <1 | 20 | 24 | 45 | 5.35 | <10 | 0.93 | 319 | 2 | 0.08 | 8 | 1460 | 6 | <5 | <20 | 54 | 0.13 | <10 | 223 | <10 | <1 | 22 |
| 10 | PM 46723 | 2.0 | 1.50 | 1015 | 55 | <5 | 3.22 | <1 | 69 | 19 | 2974 | 8.74 | <10 | 1.29 | 481 | 32 | 0.04 | 12 | 1730 | 34 | <5 | <20 | 69 | 0.13 | <10 | 195 | <10 | 1 | 68 |
| 11 | PM 46724 | <0.2 | 1.53 | <5 | 65 | <5 | 1.49 | <1 | 27 | 25 | 385 | 5.87 | <10 | 1.34 | 342 | 6 | 0.09 | 6 | 2270 | 12 | <5 | <20 | 106 | 0.16 | <10 | 220 | <10 | 4 | 29 |
| 12 | PM 46725 | <0.2 | 0.32 | 10 | 25 | <5 | 1.96 | <1 | 21 | 36 | 294 | 2.59 | <10 | 0.35 | 219 | 9 | 0.04 | 5 | 840 | 2 | <5 | <20 | 33 | 0.02 | <10 | 103 | <10 | 7 | 13 |
| 13 | PM 46726 | 0.2 | 0.29 | <5 | 15 | <5 | 2.17 | <1 | 16 | 32 | 590 | 2.06 | <10 | 0.44 | 229 | 24 | 0.05 | 3 | 690 | 4 | <5 | <20 | 30 | <0.01 | <10 | 69 | <10 | 11 | 13 |
| 14 | PM 46727 | 0.6 | 1.18 | <5 | 40 | <5 | 3.81 | <1 | 83 | 42 | 888 | 9.18 | <10 | 1.25 | 755 | 74 | 0.04 | 17 | 1650 | 12 | <5 | <20 | 71 | 0.06 | <10 | 176 | <10 | 9 | 44 |
| 15 | PM 46728 | <0.2 | 0.92 | 5 | 35 | <5 | 1.04 | <1 | 27 | 94 | 182 | 4.24 | <10 | 0.81 | 235 | 16 | 0.05 | 25 | 1220 | 10 | <5 | <20 | 41 | 0.11 | <10 | 130 | <10 | 2 | 30 |
| 16 | PM 46729 | <0.2 | 1.15 | 15 | 35 | <5 | 1.39 | <1 | 21 | 55 | 128 | 5.49 | <10 | 0.93 | 275 | 34 | 0.05 | 14 | 1650 | 12 | <5 | <20 | 64 | 0.11 | <10 | 178 | <10 | <1 | 29 |
| 17 | PM 46730 | <0.2 | 1.07 | 5 | 35 | <5 | 1.88 | <1 | 20 | 35 | 293 | 6.12 | <10 | 1.06 | 389 | 118 | 0.05 | 9 | 1440 | 12 | <5 | <20 | 56 | 0.10 | <10 | 171 | <10 | 5 | 32 |
| 18 | PM 46731 | 0.3 | 1.17 | <5 | 50 | <5 | 1.46 | <1 | 26 | 34 | 582 | 7.09 | <10 | 1.24 | 323 | 124 | 0.05 | 9 | 1540 | 10 | <5 | <20 | 59 | 0.14 | <10 | 177 | <10 | 1 | 35 |
| 19 | PM 46732 | 0.6 | 0.91 | 10 | 35 | <5 | 4.39 | <1 | 38 | 23 | 1292 | 5.90 | <10 | 0.99 | 551 | 33 | 0.04 | 9 | 1400 | 10 | <5 | <20 | 80 | 0.05 | <10 | 133 | <10 | 15 | 32 |
| 20 | PM 46733 | <0.2 | 1.18 | 30 | 40 | <5 | 6.67 | <1 | 16 | 12 | 182 | 6.68 | <10 | 1.07 | 1089 | 18 | 0.04 | 8 | 1610 | 14 | <5 | <20 | 108 | 0.03 | <10 | 173 | <10 | 18 | 50 |
| 21 | PM 46734 | 0.3 | 0.96 | <5 | 40 | <5 | 2.16 | <1 | 33 | 37 | 594 | 7.04 | <10 | 0.91 | 295 | 35 | 0.05 | 12 | 1840 | 10 | <5 | <20 | 61 | 0.09 | <10 | 147 | <10 | 1 | 29 |
| 22 | PM 46735 | 0.4 | 1.06 | <5 | 35 | <5 | 1.51 | <1 | 38 | 37 | 768 | 5.99 | <10 | 1.04 | 263 | 139 | 0.05 | 8 | 1800 | 10 | <5 | <20 | 53 | 0.11 | <10 | 148 | <10 | <1 | 29 |
| 23 | PM 46736 | 0.2 | 1.16 | <5 | 50 | <5 | 1.67 | <1 | 38 | 28 | 499 | 5.85 | <10 | 1.20 | 332 | 167 | 0.05 | 5 | 1850 | 12 | <5 | <20 | 55 | 0.13 | <10 | 162 | <10 | 3 | 31 |
| 24 | PM 46737 | 0.3 | 1.45 | <5 | 55 | <5 | 1.69 | <1 | 33 | 29 | 494 | 6.26 | <10 | 1.41 | 340 | 55 | 0.06 | 7 | 1860 | 14 | <5 | <20 | 67 | 0.15 | <10 | 216 | <10 | <1 | 29 |
| 25 | PM 46738 | 0.4 | 1.43 | <5 | 50 | <5 | 1.46 | <1 | 29 | 27 | 1029 | 6.39 | <10 | 1.60 | 350 | 135 | 0.06 | 7 | 1920 | 14 | <5 | <20 | 64 | 0.16 | <10 | 190 | <10 | <1 | 41 |
| 26 | SPL 47376 | 0.3 | 1.42 | 10 | 25 | <5 | 2.58 | <1 | 30 | 37 | 550 | 5.08 | <10 | 1.14 | 785 | 8 | 0.15 | 12 | 1810 | 14 | <5 | <20 | 99 | 0.06 | <10 | 152 | <10 | 4 | 62 |
| 27 | SPL 47377 | 0.4 | 1.48 | 5 | 50 | <5 | 2.71 | <1 | 25 | 18 | 568 | 5.26 | <10 | 1.21 | 891 | 8 | 0.15 | 6 | 1900 | 16 | <5 | <20 | 106 | 0.07 | <10 | 200 | <10 | 6 | 69 |
| 28 | SPL 47378 | 2.9 | 1.69 | 25 | 30 | <5 | 3.51 | <1 | 69 | 16 | 3252 | 5.11 | <10 | 0.90 | 828 | 8 | 0.36 | 12 | 1530 | 22 | <5 | <20 | 136 | 0.06 | <10 | 159 | <10 | 5 | 199 |
| 29 | SPL 47379 | 1.2 | 2.54 | 15 | 40 | <5 | 4.04 | 1 | 52 | 6 | 1323 | 5.78 | <10 | 1.00 | 768 | 13 | 0.84 | 9 | 1670 | 26 | <5 | <20 | 231 | 0.04 | <10 | 156 | <10 | 3 | 537 |
| 30 | SPL 47380 | 0.5 | 1.46 | 15 | 25 | <5 | 5.10 | <1 | 28 | 17 | 488 | 3.80 | <10 | 0.93 | 1250 | 21 | 0.20 | 5 | 1790 | 18 | <5 | <20 | 233 | 0.04 | <10 | 134 | <10 | 8 | 84 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | PM 46714 | <0.2 | 1.03 | <5 | 50 | <5 | 1.13 | <1 | 15 | 29 | 136 | 5.26 | <10 | 0.78 | 316 | 5 | 0.09 | 6 | 1540 | 12 | <5 | <20 | 61 | 0.10 | <10 | 189 | <10 | <1 | 24 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | PM 46714 | <0.2 | 1.00 | <5 | 50 | <5 | 1.07 | <1 | 14 | 31 | 134 | 5.12 | <10 | 0.78 | 309 | 3 | 0.09 | 6 | 1450 | 8 | <5 | <20 | 52 | 0.11 | <10 | 193 | <10 | <1 | 22 |
| 10 | PM 46723 | 2.0 | 1.50 | 1045 | 55 | <5 | 3.28 | <1 | 72 | 20 | 2911 | 8.84 | <10 | 1.28 | 488 | 32 | 0.04 | 12 | 1790 | 36 | <5 | <20 | 68 | 0.12 | <10 | 191 | <10 | 4 | 69 |
| 19 | PM 46732 | 0.6 | 0.94 | 15 | 40 | <5 | 4.48 | <1 | 42 | 24 | 1287 | 6.16 | <10 | 1.01 | 576 | 34 | 0.04 | 9 | 1480 | 12 | <5 | <20 | 84 | 0.05 | <10 | 132 | <10 | 14 | 35 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.38 | 55 | 135 | <5 | 1.33 | <1 | 17 | 55 | 83 | 3.65 | <10 | 0.75 | 574 | <1 | 0.02 | 27 | 650 | 22 | <5 | <20 | 54 | 0.11 | <10 | 60 | <10 | 10 | 74 |

JJ/jm
df/231
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-246

**GWR RESOURCES INC.** 26-Apr-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 18*
*Sample type: Rock*
***Project #: Not Indicated***
***Shipment #: Not Indicated***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 46739 | 0.13 | 0.004 | 0.05 |
| 2 | 46740 | 0.12 | 0.003 | 0.04 |
| 3 | 46741 | 0.12 | 0.003 | 0.03 |
| 4 | 46742 | 0.12 | 0.003 | 0.02 |
| 5 | 46743 | 0.08 | 0.002 | 0.04 |
| 6 | 46744 | 0.08 | 0.002 | 0.06 |
| 7 | 46745 | 0.04 | 0.001 | 0.07 |
| 8 | 46746 | 0.04 | 0.001 | 0.06 |
| 9 | 46747 | 0.04 | 0.001 | 0.04 |
| 10 | 46748 | 0.09 | 0.003 | 0.16 |
| 11 | 46749 | 0.10 | 0.003 | 0.09 |
| 12 | 46750 | 0.10 | 0.003 | 0.09 |
| 13 | 46751 | 0.89 | 0.026 | 0.66 |
| 14 | 46752 | 0.28 | 0.008 | 0.31 |
| 15 | 46753 | 0.18 | 0.005 | 0.04 |
| 16 | 46754 | 0.06 | 0.002 | 0.02 |
| 17 | 46755 | 0.03 | 0.001 | 0.02 |
| 18 | 46756 | 0.03 | 0.001 | 0.01 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-246** 26-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 46739 | 0.12 | 0.003 | 0.05 |
| ***Repeat:*** | | | | |
| 1 | 46739 | 0.11 | 0.003 | 0.05 |
| 10 | 46748 | 0.09 | 0.003 | |
| 13 | 46751 | 0.95 | 0.028 | |
| 14 | 46752 | 0.25 | 0.007 | |
| ***Standard:*** | | | | |
| Cu106 | | | | 1.40 |
| SH13 | | 1.27 | 0.037 | |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm/jj
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

20-Apr-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-246**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 18*
*Sample type: Rock*
***Project #: Not Indicated***
***Shipment #: Not Indicated***
*Samples submitted by: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 46739 | 0.2 | 1.48 | 20 | 75 | <5 | 1.36 | <1 | 34 | 41 | 454 | 6.30 | <10 | 1.48 | 357 | 36 | 0.08 | 11 | 2010 | 20 | <5 | <20 | 51 | 0.22 | <10 | 165 | <10 | 1 | 35 |
| 2 | 46740 | <0.2 | 1.03 | 10 | 45 | <5 | 1.50 | <1 | 29 | 41 | 341 | 5.41 | <10 | 0.93 | 289 | 32 | 0.06 | 10 | 1430 | 14 | <5 | <20 | 49 | 0.11 | <10 | 125 | <10 | 2 | 38 |
| 3 | 46741 | <0.2 | 0.43 | 95 | 20 | <5 | 1.71 | <1 | 16 | 35 | 207 | 3.23 | <10 | 0.32 | 248 | 9 | 0.05 | 4 | 1380 | 6 | <5 | <20 | 32 | 0.05 | <10 | 84 | <10 | 13 | 21 |
| 4 | 46742 | <0.2 | 0.74 | 20 | 40 | <5 | 1.38 | <1 | 23 | 33 | 215 | 4.56 | <10 | 0.68 | 243 | 29 | 0.07 | 5 | 1700 | 12 | <5 | <20 | 43 | 0.10 | <10 | 100 | <10 | 7 | 23 |
| 5 | 46743 | <0.2 | 1.38 | 110 | 55 | <5 | 1.64 | <1 | 36 | 24 | 380 | 5.20 | <10 | 1.23 | 328 | 17 | 0.06 | 5 | 1980 | 20 | <5 | <20 | 77 | 0.14 | <10 | 156 | <10 | <1 | 31 |
| 6 | 46744 | 0.2 | 1.56 | 270 | 65 | <5 | 2.00 | <1 | 36 | 31 | 466 | 5.74 | <10 | 1.55 | 444 | 16 | 0.06 | 6 | 2070 | 22 | <5 | <20 | 59 | 0.22 | <10 | 203 | <10 | 7 | 37 |
| 7 | 46745 | 0.3 | 1.51 | 10 | 65 | <5 | 1.87 | <1 | 38 | 35 | 589 | 6.23 | <10 | 1.60 | 471 | 15 | 0.06 | 11 | 1900 | 22 | <5 | <20 | 67 | 0.20 | <10 | 184 | <10 | 8 | 36 |
| 8 | 46746 | 0.3 | 1.71 | 10 | 60 | <5 | 1.33 | <1 | 51 | 39 | 489 | 7.76 | <10 | 1.80 | 436 | 8 | 0.06 | 11 | 1840 | 22 | <5 | <20 | 41 | 0.27 | <10 | 189 | <10 | 4 | 41 |
| 9 | 46747 | 0.3 | 1.84 | 15 | 75 | <5 | 1.58 | <1 | 32 | 23 | 424 | 7.07 | <10 | 1.76 | 486 | 4 | 0.06 | 6 | 1700 | 26 | <5 | <20 | 57 | 0.26 | <10 | 181 | <10 | 10 | 45 |
| 10 | 46748 | 0.6 | 1.71 | 15 | 45 | <5 | 2.74 | <1 | 45 | 24 | 1468 | 7.19 | <10 | 1.83 | 566 | 11 | 0.05 | 7 | 1710 | 26 | <5 | <20 | 54 | 0.18 | <10 | 210 | <10 | 14 | 53 |
| 11 | 46749 | 0.3 | 1.38 | 15 | 65 | <5 | 2.06 | <1 | 21 | 20 | 931 | 6.19 | <10 | 1.14 | 568 | 4 | 0.07 | 6 | 2440 | 18 | <5 | <20 | 73 | 0.13 | <10 | 220 | <10 | 5 | 52 |
| 12 | 46750 | 0.3 | 1.52 | 5 | 65 | <5 | 1.71 | <1 | 32 | 18 | 897 | 6.72 | <10 | 1.35 | 568 | 5 | 0.06 | 6 | 2610 | 18 | <5 | <20 | 77 | 0.15 | <10 | 230 | <10 | 6 | 51 |
| 13 | 46751 | 2.9 | 1.38 | <5 | 45 | <5 | 1.44 | <1 | 27 | 22 | 6597 | 6.10 | <10 | 1.29 | 588 | 4 | 0.06 | 5 | 1630 | 18 | <5 | <20 | 48 | 0.17 | <10 | 218 | <10 | 5 | 64 |
| 14 | 46752 | 0.8 | 1.44 | <5 | 65 | <5 | 1.35 | <1 | 21 | 25 | 3100 | 6.59 | <10 | 1.22 | 437 | 3 | 0.07 | 5 | 1550 | 18 | <5 | <20 | 65 | 0.22 | <10 | 204 | <10 | 6 | 51 |
| 15 | 46753 | 0.3 | 1.43 | <5 | 55 | <5 | 3.13 | <1 | 17 | 24 | 384 | 6.19 | <10 | 1.33 | 550 | 4 | 0.06 | 4 | 1750 | 16 | <5 | <20 | 70 | 0.16 | <10 | 196 | <10 | 11 | 41 |
| 16 | 46754 | <0.2 | 1.41 | 5 | 50 | <5 | 2.07 | <1 | 16 | 25 | 173 | 5.85 | <10 | 1.23 | 434 | 5 | 0.07 | 5 | 1840 | 20 | <5 | <20 | 71 | 0.16 | <10 | 207 | <10 | 5 | 41 |
| 17 | 46755 | <0.2 | 1.64 | <5 | 65 | <5 | 2.32 | <1 | 26 | 26 | 234 | 5.95 | <10 | 1.34 | 539 | 3 | 0.08 | 4 | 1690 | 20 | <5 | <20 | 93 | 0.17 | <10 | 191 | <10 | 2 | 48 |
| 18 | 46756 | <0.2 | 1.37 | 10 | 65 | 5 | 3.15 | <1 | 19 | 19 | 101 | 6.09 | <10 | 1.08 | 597 | 6 | 0.07 | 3 | 2410 | 20 | <5 | <20 | 78 | 0.12 | <10 | 259 | <10 | 3 | 55 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 46739 | <0.2 | 1.50 | 25 | 85 | <5 | 1.36 | <1 | 36 | 35 | 472 | 6.42 | <10 | 1.52 | 362 | 48 | 0.07 | 12 | 2070 | 24 | <5 | <20 | 46 | 0.22 | <10 | 168 | <10 | 1 | 37 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 46739 | 0.2 | 1.55 | 25 | 70 | <5 | 1.43 | <1 | 35 | 43 | 469 | 6.55 | <10 | 1.55 | 372 | 38 | 0.08 | 13 | 2060 | 22 | <5 | <20 | 51 | 0.24 | <10 | 176 | <10 | 2 | 38 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.44 | 60 | 140 | <5 | 1.40 | <1 | 17 | 58 | 85 | 3.81 | <10 | 0.77 | 595 | <1 | 0.03 | 27 | 660 | 22 | <5 | <20 | 58 | 0.11 | <10 | 60 | <10 | 9 | 74 |

JJ/jm/jj
df/231
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-262

**GWR RESOURCES INC.** 28-Apr-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 53*
*Sample type: Core*
***Project #: SPL***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | SPL47381 | 0.06 | 0.002 | 0.21 |
| 2 | SPL47382 | 0.12 | 0.003 | 0.40 |
| 3 | SPL47383 | 0.05 | 0.001 | 0.50 |
| 4 | SPL47384 | <0.03 | <0.001 | 0.06 |
| 5 | SPL47385 | <0.03 | <0.001 | 0.07 |
| 6 | SPL47386 | 0.77 | 0.022 | 2.55 |
| 7 | SPL47387 | <0.03 | <0.001 | 0.12 |
| 8 | SPL47388 | <0.03 | <0.001 | 0.03 |
| 9 | SPL47389 | <0.03 | <0.001 | 0.03 |
| 10 | SPL47390 | <0.03 | <0.001 | 0.17 |
| 11 | SPL47391 | <0.03 | <0.001 | 0.07 |
| 12 | SPL47392 | <0.03 | <0.001 | 0.13 |
| 13 | SPL47393 | <0.03 | <0.001 | 0.02 |
| 14 | SPL47394 | <0.03 | <0.001 | 0.05 |
| 15 | SPL47395 | <0.03 | <0.001 | 0.08 |
| 16 | SPL47396 | <0.03 | <0.001 | 0.49 |
| 17 | SPL47397 | 0.08 | 0.002 | 0.94 |
| 18 | SPL47398 | <0.03 | <0.001 | 0.11 |
| 19 | SPL47399 | <0.03 | <0.001 | 0.08 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-262** 28-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 20 | SPL47400 | <0.03 | <0.001 | 0.08 |
| 21 | SPL46757 | <0.03 | <0.001 | 0.01 |
| 22 | SPL46758 | <0.03 | <0.001 | <0.01 |
| 23 | SPL46759 | <0.03 | <0.001 | 0.01 |
| 24 | SPL46760 | <0.03 | <0.001 | 0.03 |
| 25 | SPL46761 | <0.03 | <0.001 | 0.02 |
| 26 | SPL46762 | <0.03 | <0.001 | 0.01 |
| 27 | SPL46763 | <0.03 | <0.001 | 0.03 |
| 28 | SPL46764 | <0.03 | <0.001 | 0.02 |
| 29 | SPL46765 | <0.03 | <0.001 | 0.02 |
| 30 | SPL46766 | <0.03 | <0.001 | 0.02 |
| 31 | SPL46767 | <0.03 | <0.001 | 0.02 |
| 32 | SPL46768 | <0.03 | <0.001 | 0.01 |
| 33 | SPL46769 | <0.03 | <0.001 | 0.01 |
| 34 | SPL46770 | <0.03 | <0.001 | 0.01 |
| 35 | SPL46771 | <0.03 | <0.001 | <0.01 |
| 36 | SPL46772 | <0.03 | <0.001 | 0.01 |
| 37 | SPL46773 | <0.03 | <0.001 | 0.13 |
| 38 | SPL46774 | 0.76 | 0.022 | 4.55 |
| 39 | SPL46775 | 0.05 | 0.001 | 0.29 |
| 40 | SPL46776 | <0.03 | <0.001 | 0.01 |
| 41 | SPL46777 | <0.03 | <0.001 | 0.03 |
| 42 | SPL46778 | <0.03 | <0.001 | 0.06 |
| 43 | SPL46779 | <0.03 | <0.001 | 0.14 |
| 44 | SPL46780 | 0.09 | 0.003 | 0.15 |
| 45 | SPL46781 | <0.03 | <0.001 | 0.03 |
| 46 | SPL46782 | 0.24 | 0.007 | 2.13 |
| 47 | SPL46783 | <0.03 | <0.001 | 0.01 |
| 48 | SPL46784 | <0.03 | <0.001 | 0.03 |
| 49 | SPL46785 | <0.03 | <0.001 | <0.01 |
| 50 | SPL46786 | <0.03 | <0.001 | 0.03 |
| 51 | SPL46787 | <0.03 | <0.001 | 0.07 |
| 52 | SPL46788 | <0.03 | <0.001 | 0.04 |
| 53 | SPL46789 | <0.03 | <0.001 | 0.03 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | SPL47381 | 0.04 | 0.001 | 0.23 |
| 36 | SPL46772 | <0.03 | <0.001 | <0.01 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-262** 28-Apr-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| ***Repeat:*** | | | | |
| 1 | SPL47381 | 0.07 | 0.002 | 0.21 |
| 10 | SPL47390 | <0.03 | <0.001 | 0.16 |
| 19 | SPL47399 | <0.03 | <0.001 | 0.08 |
| 36 | SPL46772 | <0.03 | <0.001 | 0.01 |
| 38 | SPL46774 | 0.83 | 0.024 | |
| 45 | SPL46781 | <0.03 | <0.001 | |
| 46 | SPL46782 | 0.27 | 0.008 | |
| ***Standard:*** | | | | |
| SH13 | | 1.31 | 0.038 | |
| SH13 | | 1.31 | 0.038 | |
| Cu106 | | | | 1.43 |
| Cu106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

28-Apr-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-262**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 53*
*Sample type: Core*
***Project #: SPL***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | SPL47381 | 0.5 | 1.81 | <5 | 40 | <5 | 2.42 | <1 | 32 | 53 | 1990 | >10 | <10 | 0.30 | 553 | 20 | 0.34 | 13 | 1390 | 8 | <5 | <20 | 178 | 0.03 | <10 | 182 | <10 | <1 | 64 |
| 2 | SPL47382 | 0.9 | 1.54 | <5 | 65 | <5 | 1.89 | <1 | 50 | 38 | 4010 | >10 | <10 | 0.19 | 516 | 44 | 0.38 | 20 | 770 | 6 | <5 | <20 | 106 | 0.02 | <10 | 168 | <10 | <1 | 142 |
| 3 | SPL47383 | 1.4 | 1.80 | 10 | 25 | <5 | 3.57 | <1 | 53 | 63 | 4997 | 9.47 | <10 | 0.50 | 702 | 32 | 0.20 | 15 | 1270 | 10 | <5 | <20 | 122 | 0.03 | <10 | 160 | <10 | <1 | 65 |
| 4 | SPL47384 | <0.2 | 1.56 | 15 | 20 | <5 | 4.17 | <1 | 18 | 60 | 571 | 6.95 | <10 | 0.44 | 702 | 8 | 0.30 | 9 | 1480 | 6 | <5 | <20 | 114 | 0.04 | <10 | 168 | <10 | <1 | 31 |
| 5 | SPL47385 | <0.2 | 1.52 | 15 | 20 | <5 | 3.83 | <1 | 19 | 68 | 601 | 7.15 | <10 | 0.67 | 732 | 10 | 0.32 | 11 | 1510 | 8 | <5 | <20 | 84 | 0.04 | <10 | 155 | <10 | <1 | 52 |
| 6 | SPL47386 | 7.1 | 1.19 | 45 | 40 | <5 | 4.59 | <1 | 160 | 48 | >10000 | >10 | <10 | 0.68 | 961 | 17 | 0.28 | 62 | 260 | 6 | <5 | <20 | 69 | 0.01 | <10 | 125 | <10 | <1 | 72 |
| 7 | SPL47387 | 0.4 | 1.33 | 5 | 25 | <5 | 2.88 | <1 | 26 | 61 | 1127 | 6.62 | <10 | 0.71 | 671 | 12 | 0.38 | 20 | 1780 | 10 | <5 | <20 | 69 | 0.04 | <10 | 195 | <10 | <1 | 49 |
| 8 | SPL47388 | <0.2 | 1.72 | 15 | 25 | <5 | 3.88 | <1 | 12 | 51 | 236 | 6.55 | <10 | 0.44 | 596 | 3 | 0.51 | 9 | 1660 | 6 | <5 | <20 | 129 | 0.04 | <10 | 134 | <10 | <1 | 34 |
| 9 | SPL47389 | 0.2 | 1.45 | 15 | 15 | <5 | 3.93 | <1 | 14 | 58 | 247 | 5.46 | <10 | 0.48 | 600 | 5 | 0.43 | 11 | 1730 | 8 | <5 | <20 | 138 | 0.04 | <10 | 139 | <10 | <1 | 44 |
| 10 | SPL47390 | 0.8 | 1.58 | 15 | 20 | <5 | 4.49 | <1 | 31 | 50 | 1615 | 8.03 | <10 | 0.59 | 706 | 4 | 0.20 | 21 | 1480 | 10 | <5 | <20 | 179 | 0.04 | <10 | 134 | <10 | <1 | 51 |
| 11 | SPL47391 | 0.4 | 1.21 | 10 | 20 | <5 | 4.64 | <1 | 20 | 53 | 582 | 6.18 | <10 | 0.57 | 790 | 6 | 0.27 | 18 | 1370 | 6 | <5 | <20 | 127 | 0.04 | <10 | 122 | <10 | <1 | 39 |
| 12 | SPL47392 | 0.5 | 1.36 | 5 | 20 | <5 | 2.74 | <1 | 24 | 57 | 1307 | 6.72 | <10 | 0.63 | 643 | 8 | 0.26 | 20 | 1510 | 6 | <5 | <20 | 93 | 0.04 | <10 | 166 | <10 | <1 | 42 |
| 13 | SPL47393 | <0.2 | 1.20 | <5 | 20 | <5 | 1.94 | <1 | 19 | 49 | 185 | 5.20 | <10 | 0.70 | 546 | 3 | 0.23 | 16 | 1780 | 6 | <5 | <20 | 83 | 0.04 | <10 | 169 | <10 | <1 | 54 |
| 14 | SPL47394 | 0.2 | 1.57 | 10 | 25 | <5 | 3.44 | <1 | 18 | 47 | 410 | 5.73 | <10 | 0.55 | 649 | 6 | 0.39 | 12 | 1620 | 10 | <5 | <20 | 104 | 0.04 | <10 | 153 | <10 | <1 | 38 |
| 15 | SPL47395 | 0.3 | 1.34 | <5 | 25 | <5 | 2.69 | <1 | 32 | 44 | 717 | 8.98 | <10 | 0.73 | 551 | 14 | 0.33 | 10 | 1560 | 10 | <5 | <20 | 75 | 0.03 | <10 | 160 | <10 | <1 | 55 |
| 16 | SPL47396 | 2.0 | 1.00 | <5 | 30 | <5 | 5.05 | <1 | 32 | 45 | 4924 | >10 | <10 | 0.82 | 754 | 44 | 0.07 | 15 | 1190 | 6 | <5 | <20 | 149 | 0.02 | <10 | 136 | <10 | <1 | 36 |
| 17 | SPL47397 | 4.6 | 1.48 | <5 | 35 | <5 | 4.17 | <1 | 68 | 42 | 9435 | >10 | <10 | 1.25 | 791 | 39 | 0.08 | 25 | 1040 | 10 | <5 | <20 | 95 | 0.01 | <10 | 123 | <10 | <1 | 56 |
| 18 | SPL47398 | 0.4 | 1.11 | <5 | 30 | <5 | 3.91 | <1 | 46 | 44 | 1052 | >10 | <10 | 0.65 | 588 | 15 | 0.21 | 11 | 1400 | 6 | <5 | <20 | 88 | 0.03 | <10 | 159 | <10 | <1 | 38 |
| 19 | SPL47399 | 0.2 | 1.30 | 10 | 20 | <5 | 3.24 | <1 | 18 | 42 | 782 | 6.47 | <10 | 0.46 | 544 | 8 | 0.24 | 12 | 1550 | 8 | <5 | <20 | 96 | 0.03 | <10 | 163 | <10 | <1 | 31 |
| 20 | SPL47400 | 0.4 | 1.29 | 10 | 20 | <5 | 2.61 | <1 | 22 | 46 | 783 | 5.14 | <10 | 0.49 | 657 | 5 | 0.40 | 14 | 1690 | 6 | <5 | <20 | 109 | 0.06 | <10 | 185 | <10 | <1 | 47 |
| 21 | SPL46757 | <0.2 | 1.43 | 15 | 30 | <5 | 2.31 | <1 | 22 | 40 | 103 | 4.97 | <10 | 0.96 | 818 | 4 | 0.14 | 15 | 1580 | 8 | <5 | <20 | 54 | 0.06 | <10 | 176 | <10 | 1 | 53 |
| 22 | SPL46758 | <0.2 | 1.92 | 30 | 35 | 10 | 2.34 | <1 | 29 | 58 | 9 | 5.42 | <10 | 1.72 | 1120 | 4 | 0.05 | 21 | 1490 | 12 | <5 | <20 | 40 | 0.09 | <10 | 142 | <10 | <1 | 82 |
| 23 | SPL46759 | <0.2 | 1.80 | 35 | 25 | 5 | 3.19 | <1 | 28 | 53 | 87 | 4.92 | <10 | 1.27 | 1037 | 5 | 0.22 | 15 | 1600 | 12 | <5 | <20 | 45 | 0.07 | <10 | 123 | <10 | <1 | 67 |
| 24 | SPL46760 | <0.2 | 1.47 | 35 | 15 | <5 | 3.90 | <1 | 72 | 55 | 315 | 4.81 | <10 | 0.94 | 1025 | 3 | 0.23 | 15 | 1720 | 8 | <5 | <20 | 63 | 0.06 | <10 | 117 | <10 | <1 | 54 |
| 25 | SPL46761 | 0.2 | 1.25 | 30 | 15 | <5 | 4.27 | <1 | 89 | 53 | 194 | 4.43 | <10 | 0.79 | 982 | 4 | 0.14 | 16 | 1650 | 6 | <5 | <20 | 69 | 0.06 | <10 | 120 | <10 | <1 | 44 |
| 26 | SPL46762 | <0.2 | 1.28 | 20 | 30 | <5 | 4.03 | <1 | 25 | 50 | 78 | 4.26 | <10 | 0.91 | 864 | 3 | 0.14 | 16 | 1730 | 8 | <5 | <20 | 75 | 0.07 | <10 | 150 | <10 | 2 | 64 |
| 27 | SPL46763 | <0.2 | 1.28 | 15 | 25 | <5 | 3.23 | <1 | 25 | 60 | 194 | 4.31 | <10 | 1.02 | 989 | 5 | 0.03 | 19 | 1600 | 10 | <5 | <20 | 56 | 0.07 | <10 | 133 | <10 | 2 | 55 |
| 28 | SPL46764 | <0.2 | 1.18 | 20 | 20 | <5 | 2.89 | <1 | 28 | 59 | 158 | 3.73 | <10 | 0.96 | 890 | 3 | 0.02 | 15 | 1520 | 8 | <5 | <20 | 53 | 0.06 | <10 | 102 | <10 | <1 | 56 |
| 29 | SPL46765 | <0.2 | 1.08 | 15 | 20 | <5 | 3.83 | <1 | 24 | 52 | 180 | 3.54 | <10 | 0.88 | 923 | 2 | 0.02 | 15 | 1560 | 8 | <5 | <20 | 53 | 0.05 | <10 | 80 | <10 | 1 | 53 |
| 30 | SPL46766 | 0.2 | 1.26 | 15 | 30 | <5 | 2.61 | <1 | 28 | 54 | 163 | 4.39 | <10 | 1.08 | 977 | 5 | 0.03 | 19 | 1520 | 10 | <5 | <20 | 43 | 0.06 | <10 | 139 | <10 | 1 | 64 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31 | SPL46767 | <0.2 | 1.52 | 15 | 35 | <5 | 3.17 | <1 | 31 | 64 | 145 | 4.60 | <10 | 1.31 | 962 | 4 | 0.03 | 19 | 1640 | 10 | <5 | <20 | 60 | 0.07 | <10 | 119 | <10 | <1 | 72 |
| 32 | SPL46768 | <0.2 | 1.64 | 15 | 25 | <5 | 3.43 | <1 | 41 | 58 | 56 | 4.49 | <10 | 1.52 | 1086 | 4 | 0.02 | 19 | 1560 | 14 | <5 | <20 | 51 | 0.08 | <10 | 113 | <10 | <1 | 76 |
| 33 | SPL46769 | <0.2 | 1.68 | 15 | 30 | 10 | 2.91 | <1 | 36 | 56 | 78 | 4.86 | <10 | 1.50 | 1046 | 4 | 0.03 | 17 | 1660 | 14 | <5 | <20 | 47 | 0.08 | <10 | 129 | <10 | 1 | 81 |
| 34 | SPL46770 | 0.2 | 1.43 | 30 | 25 | <5 | 3.22 | <1 | 22 | 48 | 62 | 3.93 | <10 | 1.07 | 864 | 5 | 0.23 | 15 | 1680 | 56 | <5 | <20 | 51 | 0.09 | <10 | 117 | <10 | 5 | 203 |
| 35 | SPL46771 | 0.2 | 1.41 | 10 | 95 | 5 | 2.11 | <1 | 24 | 48 | 43 | 5.15 | <10 | 1.35 | 681 | 5 | 0.06 | 23 | 1880 | 12 | <5 | <20 | 41 | 0.09 | <10 | 192 | <10 | 6 | 107 |
| 36 | SPL46772 | <0.2 | 1.64 | 20 | 65 | 10 | 2.25 | <1 | 25 | 56 | 57 | 6.26 | <10 | 1.19 | 718 | 6 | 0.32 | 27 | 1990 | 12 | <5 | <20 | 66 | 0.08 | <10 | 226 | <10 | 1 | 86 |
| 37 | SPL46773 | 0.6 | 1.47 | 5 | 25 | <5 | 2.50 | <1 | 23 | 48 | 1251 | 8.82 | <10 | 0.77 | 540 | 20 | 0.58 | 22 | 1800 | 14 | <5 | <20 | 83 | 0.04 | <10 | 218 | <10 | <1 | 117 |
| 38 | SPL46774 | 13.3 | 1.23 | 70 | 45 | <5 | 3.36 | <1 | 130 | 25 | >10000 | >10 | <10 | 1.00 | 901 | 494 | 0.56 | 60 | 10000 | 14 | <5 | <20 | 94 | <0.01 | <10 | 209 | 50 | <1 | 187 |
| 39 | SPL46775 | 1.3 | 1.05 | 15 | 30 | <5 | 4.14 | <1 | 28 | 73 | 2826 | 8.63 | <10 | 0.96 | 1038 | 19 | 0.23 | 27 | 1700 | 16 | <5 | <20 | 103 | 0.04 | <10 | 206 | <10 | <1 | 90 |
| 40 | SPL46776 | <0.2 | 1.30 | 15 | 45 | <5 | 2.10 | <1 | 22 | 65 | 64 | 5.18 | <10 | 1.04 | 615 | 6 | 0.17 | 21 | 2330 | 14 | <5 | <20 | 70 | 0.06 | <10 | 178 | <10 | 3 | 66 |
| 41 | SPL46777 | 0.2 | 1.70 | 15 | 35 | <5 | 2.31 | <1 | 25 | 90 | 304 | 6.87 | <10 | 1.14 | 685 | 11 | 0.50 | 29 | 2080 | 16 | <5 | <20 | 90 | 0.06 | <10 | 196 | <10 | <1 | 67 |
| 42 | SPL46778 | 0.5 | 1.71 | 25 | 30 | <5 | 3.71 | <1 | 28 | 98 | 522 | 6.30 | <10 | 0.97 | 977 | 6 | 0.59 | 28 | 1940 | 14 | <5 | <20 | 89 | 0.05 | <10 | 170 | <10 | <1 | 73 |
| 43 | SPL46779 | 1.1 | 1.84 | 20 | 40 | <5 | 3.88 | <1 | 33 | 86 | 1408 | 7.53 | <10 | 0.71 | 1002 | 14 | 0.90 | 25 | 2020 | 18 | <5 | <20 | 185 | 0.05 | <10 | 206 | <10 | <1 | 65 |
| 44 | SPL46780 | 0.9 | 1.36 | 25 | 25 | <5 | 4.79 | <1 | 29 | 93 | 1367 | 6.15 | <10 | 0.72 | 1017 | 16 | 0.43 | 25 | 1960 | 14 | <5 | <20 | 72 | 0.05 | <10 | 149 | <10 | <1 | 58 |
| 45 | SPL46781 | <0.2 | 1.51 | 10 | 40 | <5 | 1.48 | <1 | 24 | 54 | 181 | 6.95 | <10 | 1.07 | 531 | 10 | 0.28 | 23 | 2210 | 10 | <5 | <20 | 49 | 0.06 | <10 | 249 | <10 | <1 | 54 |
| 46 | SPL46782 | 9.1 | 0.89 | 10 | 40 | <5 | 5.05 | <1 | 55 | 30 | >10000 | >10 | <10 | 1.17 | 1064 | 387 | 0.08 | 29 | 1090 | 10 | <5 | <20 | 75 | 0.03 | <10 | 217 | 60 | <1 | 72 |
| 47 | SPL46783 | <0.2 | 1.56 | 20 | 45 | 5 | 2.50 | <1 | 31 | 56 | 71 | 6.30 | <10 | 1.33 | 782 | 5 | 0.25 | 25 | 2250 | 12 | <5 | <20 | 65 | 0.08 | <10 | 249 | <10 | 2 | 70 |
| 48 | SPL46784 | <0.2 | 1.46 | 20 | 75 | <5 | 2.42 | <1 | 25 | 57 | 228 | 5.30 | <10 | 1.46 | 714 | 3 | 0.08 | 22 | 2190 | 18 | <5 | <20 | 71 | 0.10 | <10 | 184 | <10 | 2 | 96 |
| 49 | SPL46785 | <0.2 | 1.78 | 10 | 75 | 10 | 2.23 | <1 | 24 | 54 | 22 | 5.48 | <10 | 1.33 | 595 | 4 | 0.34 | 23 | 2130 | 16 | <5 | <20 | 111 | 0.12 | <10 | 204 | <10 | 4 | 62 |
| 50 | SPL46786 | <0.2 | 2.24 | 15 | 85 | <5 | 1.93 | <1 | 28 | 56 | 267 | 6.24 | <10 | 1.62 | 803 | 5 | 0.41 | 25 | 2330 | 18 | <5 | <20 | 163 | 0.13 | <10 | 226 | <10 | 3 | 90 |
| 51 | SPL46787 | 0.3 | 1.23 | 15 | 40 | <5 | 5.98 | <1 | 26 | 22 | 620 | 5.91 | <10 | 1.61 | 1506 | 5 | 0.03 | 16 | 2700 | 16 | <5 | <20 | 106 | 0.03 | <10 | 151 | <10 | 8 | 77 |
| 52 | SPL46788 | <0.2 | 1.62 | 10 | 25 | <5 | 2.76 | <1 | 22 | 58 | 401 | 7.89 | <10 | 0.90 | 671 | 8 | 0.63 | 23 | 2120 | 10 | <5 | <20 | 74 | 0.04 | <10 | 244 | <10 | <1 | 49 |
| 53 | SPL46789 | 0.2 | 1.68 | 15 | 45 | <5 | 3.69 | <1 | 24 | 52 | 255 | 6.67 | <10 | 1.25 | 1087 | 8 | 0.28 | 21 | 2060 | 10 | <5 | <20 | 113 | 0.07 | <10 | 236 | <10 | <1 | 56 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | SPL47381 | 0.5 | 1.62 | <5 | 35 | <5 | 2.21 | <1 | 28 | 52 | 1931 | >10 | <10 | 0.25 | 516 | 24 | 0.30 | 11 | 1370 | 8 | <5 | <20 | 160 | 0.03 | <10 | 155 | <10 | <1 | 72 |
| 36 | SPL46772 | <0.2 | 1.59 | 20 | 55 | 15 | 2.25 | <1 | 25 | 58 | 53 | 6.25 | <10 | 1.17 | 719 | 8 | 0.31 | 27 | 2080 | 16 | <5 | <20 | 52 | 0.07 | <10 | 225 | <10 | 2 | 86 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | SPL47381 | 0.5 | 1.79 | <5 | 35 | <5 | 2.45 | <1 | 31 | 55 | 1950 | >10 | <10 | 0.29 | 557 | 23 | 0.33 | 13 | 1430 | 10 | <5 | <20 | 171 | 0.03 | <10 | 180 | <10 | <1 | 65 |
| 10 | SPL47390 | 0.7 | 1.63 | 10 | 20 | <5 | 4.58 | <1 | 34 | 50 | 1620 | 8.17 | <10 | 0.60 | 725 | 7 | 0.20 | 20 | 1440 | 10 | <5 | <20 | 184 | 0.05 | <10 | 137 | <10 | <1 | 51 |
| 19 | SPL47399 | 0.2 | 1.24 | 10 | 20 | <5 | 3.20 | <1 | 16 | 41 | 773 | 6.21 | <10 | 0.44 | 532 | 7 | 0.23 | 12 | 1550 | 6 | <5 | <20 | 92 | 0.03 | <10 | 156 | <10 | <1 | 31 |
| 36 | SPL46772 | <0.2 | 1.64 | 20 | 60 | 10 | 2.22 | <1 | 25 | 56 | 59 | 6.24 | <10 | 1.19 | 714 | 5 | 0.33 | 26 | 2050 | 14 | <5 | <20 | 64 | 0.07 | <10 | 224 | <10 | 1 | 86 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.28 | 50 | 120 | <5 | 1.24 | <1 | 15 | 50 | 84 | 3.42 | <10 | 0.70 | 538 | 1 | 0.02 | 24 | 650 | 22 | <5 | <20 | 50 | 0.11 | <10 | 63 | <10 | 10 | 73 |
| GEO '05 | | 1.5 | 1.31 | 55 | 130 | <5 | 1.27 | <1 | 16 | 52 | 86 | 3.53 | <10 | 0.72 | 562 | <1 | 0.02 | 25 | 680 | 24 | <5 | <20 | 50 | 0.10 | <10 | 61 | <10 | 9 | 74 |

JJ/jm
df/262
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*



**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-306

**GWR RESOURCES INC.** 17-May-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 40*
*Sample type: Rock*
***Project #: SPL 3***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 54501 | <0.03 | <0.001 | <0.01 |
| 2 | 54502 | 0.05 | 0.001 | 0.02 |
| 3 | 54503 | <0.03 | <0.001 | 0.11 |
| 4 | 54504 | <0.03 | <0.001 | 0.09 |
| 5 | 54505 | <0.03 | <0.001 | 0.07 |
| 6 | 54506 | <0.03 | <0.001 | 0.02 |
| 7 | 54507 | <0.03 | <0.001 | 0.08 |
| 8 | 54508 | <0.03 | <0.001 | 0.05 |
| 9 | 54509 | <0.03 | <0.001 | 0.11 |
| 10 | 54510 | <0.03 | <0.001 | 0.07 |
| 11 | 54511 | <0.03 | <0.001 | 0.02 |
| 12 | 54512 | <0.03 | <0.001 | <0.01 |
| 13 | 54513 | <0.03 | <0.001 | <0.01 |
| 14 | 54514 | <0.03 | <0.001 | 0.03 |
| 15 | 54515 | <0.03 | <0.001 | 0.02 |
| 16 | 54516 | <0.03 | <0.001 | 0.06 |
| 17 | 54517 | 0.11 | 0.003 | 0.04 |
| 18 | 54518 | <0.03 | <0.001 | 0.12 |
| 19 | 54519 | <0.03 | <0.001 | 0.03 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK 2005-306** 17-May-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 20 | 54520 | 0.03 | 0.001 | 0.01 |
| 21 | 54521 | <0.03 | <0.001 | 0.07 |
| 22 | 54522 | <0.03 | <0.001 | 0.16 |
| 23 | 54523 | <0.03 | <0.001 | 0.06 |
| 24 | 54524 | <0.03 | <0.001 | 0.05 |
| 25 | 54525 | <0.03 | <0.001 | 0.01 |
| 26 | 54526 | <0.03 | <0.001 | 0.03 |
| 27 | 54527 | <0.03 | <0.001 | 0.02 |
| 28 | 54528 | <0.03 | <0.001 | 0.16 |
| 29 | 54529 | <0.03 | <0.001 | 0.02 |
| 30 | 54530 | <0.03 | <0.001 | 0.06 |
| 31 | 54531 | <0.03 | <0.001 | 0.02 |
| 32 | 54532 | <0.03 | <0.001 | 0.04 |
| 33 | 54533 | <0.03 | <0.001 | 0.04 |
| 34 | 54534 | <0.03 | <0.001 | 0.06 |
| 35 | 54535 | <0.03 | <0.001 | 0.13 |
| 36 | 54536 | <0.03 | <0.001 | 0.08 |
| 37 | 54537 | <0.03 | <0.001 | 0.13 |
| 38 | 54538 | <0.03 | <0.001 | 0.13 |
| 39 | 54539 | <0.03 | <0.001 | 0.08 |
| 40 | 54540 | <0.03 | <0.001 | <0.01 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 54501 | <0.03 | <0.001 | <0.01 |
| 36 | 54536 | <0.03 | <0.001 | 0.08 |
| ***Repeat:*** | | | | |
| 1 | 54501 | <0.03 | <0.001 | <0.01 |
| 9 | 54509 | <0.03 | <0.001 | |
| 10 | 54510 | <0.03 | <0.001 | 0.07 |
| 18 | 54518 | <0.03 | <0.001 | |
| 19 | 54519 | <0.03 | <0.001 | |
| 28 | 54528 | <0.03 | <0.001 | |
| 35 | 54535 | <0.03 | <0.001 | |
| 36 | 54536 | <0.03 | <0.001 | 0.08 |
| 37 | 54537 | <0.03 | <0.001 | |
| 38 | 54538 | <0.03 | <0.001 | |
| 38 | 54538 | <0.03 | <0.001 | |
| ***Standard:*** | | | | |
| SN16 | | 8.31 | 0.242 | |
| Cu106 | | | | 1.44 |
| Cu106 | | | | 1.43 |

JJ/jj
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

13-May-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-306**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 40*
*Sample type: Rock*
***Project #: SPL 3***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 54501 | <0.2 | 1.63 | <5 | 140 | 5 | 1.96 | <1 | 30 | 49 | 28 | 5.20 | <10 | 1.68 | 524 | 3 | 0.21 | 32 | 830 | 2 | <5 | <20 | 41 | 0.11 | <10 | 167 | <10 | <1 | 42 |
| 2 | 54502 | <0.2 | 2.28 | 20 | 35 | <5 | 7.64 | <1 | 31 | 56 | 195 | 4.43 | <10 | 1.55 | 957 | 2 | 0.24 | 22 | 940 | <2 | <5 | <20 | 87 | 0.10 | <10 | 136 | <10 | <1 | 39 |
| 3 | 54503 | 0.4 | 2.06 | 35 | 25 | <5 | 9.55 | <1 | 40 | 41 | 1042 | 3.60 | <10 | 1.36 | 1651 | 1 | 0.07 | 13 | 1170 | 28 | <5 | <20 | 101 | 0.10 | <10 | 104 | <10 | 4 | 50 |
| 4 | 54504 | 0.2 | 2.34 | 25 | 25 | <5 | 9.75 | <1 | 28 | 41 | 812 | 4.65 | <10 | 1.59 | 1779 | 3 | 0.06 | 15 | 1120 | 4 | <5 | <20 | 106 | 0.11 | <10 | 125 | <10 | 1 | 76 |
| 5 | 54505 | 0.2 | 2.26 | 20 | 30 | <5 | 7.94 | <1 | 28 | 47 | 721 | 4.67 | <10 | 1.30 | 1318 | 4 | 0.28 | 15 | 1200 | 2 | <5 | <20 | 96 | 0.11 | <10 | 162 | <10 | 2 | 43 |
| 6 | 54506 | <0.2 | 2.30 | 20 | 20 | <5 | 8.70 | <1 | 21 | 36 | 153 | 4.06 | <10 | 1.27 | 1018 | 2 | 0.36 | 13 | 1200 | 4 | <5 | <20 | 107 | 0.09 | <10 | 142 | <10 | 2 | 31 |
| 7 | 54507 | 0.4 | 2.26 | 25 | 20 | <5 | 7.71 | <1 | 34 | 49 | 782 | 4.73 | <10 | 1.44 | 1471 | 6 | 0.17 | 16 | 1250 | <2 | <5 | <20 | 109 | 0.09 | <10 | 129 | <10 | 1 | 52 |
| 8 | 54508 | <0.2 | 2.22 | 35 | 30 | <5 | 8.22 | <1 | 26 | 44 | 480 | 4.21 | <10 | 1.59 | 1700 | 3 | 0.04 | 16 | 1240 | 2 | <5 | <20 | 120 | 0.07 | <10 | 108 | <10 | 2 | 88 |
| 9 | 54509 | 0.3 | 2.22 | 25 | 20 | <5 | 8.54 | <1 | 30 | 31 | 1060 | 3.40 | <10 | 1.45 | 1336 | <1 | 0.14 | 12 | 1190 | <2 | <5 | <20 | 96 | 0.08 | <10 | 117 | <10 | 4 | 54 |
| 10 | 54510 | <0.2 | 2.17 | 20 | 30 | <5 | 8.29 | <1 | 26 | 32 | 604 | 3.76 | <10 | 1.82 | 1353 | 1 | 0.04 | 12 | 1140 | 2 | <5 | <20 | 90 | 0.09 | <10 | 106 | <10 | 4 | 52 |
| 11 | 54511 | <0.2 | 2.18 | 25 | 25 | <5 | 6.73 | <1 | 26 | 36 | 168 | 3.92 | <10 | 1.93 | 1337 | <1 | 0.02 | 11 | 1270 | 2 | <5 | <20 | 68 | 0.11 | <10 | 129 | <10 | 6 | 63 |
| 12 | 54512 | <0.2 | 2.09 | 10 | 45 | 5 | 6.37 | <1 | 25 | 34 | 39 | 4.24 | <10 | 1.94 | 1141 | <1 | 0.03 | 13 | 1260 | <2 | <5 | <20 | 59 | 0.11 | <10 | 128 | <10 | 4 | 64 |
| 13 | 54513 | <0.2 | 2.28 | 20 | 55 | <5 | 8.62 | <1 | 25 | 42 | 42 | 3.63 | <10 | 2.04 | 1249 | 1 | 0.02 | 16 | 1210 | <2 | <5 | <20 | 91 | 0.11 | <10 | 108 | <10 | 3 | 67 |
| 14 | 54514 | <0.2 | 2.37 | 15 | 40 | <5 | 7.51 | <1 | 26 | 50 | 283 | 4.08 | <10 | 1.99 | 1437 | 2 | 0.03 | 17 | 1110 | 2 | <5 | <20 | 72 | 0.11 | <10 | 102 | <10 | 1 | 64 |
| 15 | 54515 | <0.2 | 2.40 | 25 | 30 | <5 | 7.27 | <1 | 35 | 60 | 196 | 4.39 | <10 | 2.05 | 1505 | 2 | 0.04 | 17 | 1190 | 4 | <5 | <20 | 76 | 0.12 | <10 | 106 | <10 | 3 | 111 |
| 16 | 54516 | 0.2 | 2.30 | 35 | 20 | <5 | 5.45 | <1 | 68 | 61 | 574 | 4.15 | <10 | 2.08 | 1578 | 3 | 0.02 | 17 | 1180 | 4 | <5 | <20 | 60 | 0.09 | <10 | 100 | <10 | 2 | 127 |
| 17 | 54517 | <0.2 | 2.23 | 40 | 20 | <5 | 6.06 | <1 | 84 | 62 | 360 | 4.26 | <10 | 1.90 | 1646 | 2 | 0.03 | 14 | 1300 | 8 | <5 | <20 | 67 | 0.09 | <10 | 114 | <10 | 4 | 83 |
| 18 | 54518 | 0.3 | 1.99 | 35 | 15 | <5 | 8.87 | <1 | 26 | 52 | 1151 | 3.00 | <10 | 1.52 | 1972 | 8 | 0.01 | 13 | 1180 | 36 | <5 | <20 | 84 | 0.06 | <10 | 82 | <10 | 4 | 90 |
| 19 | 54519 | <0.2 | 1.93 | 15 | 15 | <5 | 7.31 | <1 | 19 | 63 | 229 | 3.30 | <10 | 1.51 | 1712 | 5 | 0.03 | 16 | 1200 | <2 | <5 | <20 | 88 | 0.07 | <10 | 101 | <10 | 4 | 49 |
| 20 | 54520 | <0.2 | 1.85 | <5 | 40 | 5 | 2.53 | <1 | 27 | 58 | 63 | 5.32 | <10 | 1.26 | 699 | 3 | 0.11 | 16 | 1400 | 2 | <5 | <20 | 62 | 0.08 | <10 | 180 | <10 | 2 | 43 |
| 21 | 54521 | 0.2 | 2.14 | 50 | 20 | <5 | 7.15 | <1 | 32 | 55 | 605 | 4.21 | <10 | 1.54 | 1566 | 5 | 0.02 | 14 | 1140 | 4 | <5 | <20 | 68 | 0.06 | <10 | 87 | <10 | <1 | 51 |
| 22 | 54522 | 0.8 | 1.55 | 45 | 15 | <5 | 7.79 | <1 | 29 | 51 | 1463 | 3.03 | <10 | 0.97 | 1635 | 4 | 0.02 | 11 | 1110 | 2 | <5 | <20 | 63 | 0.06 | <10 | 74 | <10 | 1 | 43 |
| 23 | 54523 | 0.4 | 2.02 | 40 | 15 | <5 | 7.91 | <1 | 38 | 59 | 502 | 3.59 | <10 | 1.55 | 2004 | 11 | 0.01 | 14 | 1180 | 2 | <5 | <20 | 77 | 0.06 | <10 | 81 | <10 | 1 | 52 |
| 24 | 54524 | <0.2 | 1.45 | 25 | 20 | <5 | 6.77 | <1 | 32 | 52 | 523 | 4.23 | <10 | 1.11 | 1559 | 5 | 0.02 | 14 | 1420 | 4 | <5 | <20 | 78 | 0.08 | <10 | 129 | <10 | 6 | 63 |
| 25 | 54525 | <0.2 | 2.04 | <5 | 45 | <5 | 2.43 | <1 | 30 | 52 | 125 | 5.74 | <10 | 1.42 | 776 | 4 | 0.11 | 17 | 1500 | 8 | <5 | <20 | 71 | 0.09 | <10 | 209 | <10 | 5 | 55 |
| 26 | 54526 | <0.2 | 2.24 | 10 | 50 | <5 | 3.98 | <1 | 41 | 49 | 271 | 5.47 | <10 | 1.66 | 1066 | 3 | 0.11 | 16 | 1420 | 2 | <5 | <20 | 72 | 0.11 | <10 | 181 | <10 | 4 | 62 |
| 27 | 54527 | <0.2 | 2.57 | 20 | 60 | <5 | 6.00 | <1 | 31 | 55 | 164 | 5.26 | <10 | 2.06 | 1326 | 2 | 0.04 | 14 | 1270 | 4 | <5 | <20 | 43 | 0.13 | <10 | 138 | <10 | 2 | 81 |
| 28 | 54528 | 0.9 | 1.67 | 15 | 15 | <5 | >10 | <1 | 19 | 58 | 1587 | 3.41 | <10 | 1.32 | 1533 | 5 | 0.02 | 11 | 1070 | 16 | <5 | <20 | 98 | 0.08 | <10 | 85 | <10 | 4 | 85 |
| 29 | 54529 | <0.2 | 1.94 | 10 | 40 | <5 | 2.80 | <1 | 27 | 42 | 196 | 5.24 | <10 | 1.31 | 771 | 4 | 0.21 | 16 | 1460 | 8 | <5 | <20 | 58 | 0.11 | <10 | 190 | <10 | 5 | 59 |
| 30 | 54530 | <0.2 | 2.06 | 15 | 30 | <5 | 6.07 | <1 | 30 | 42 | 495 | 4.29 | <10 | 0.99 | 842 | 2 | 0.39 | 12 | 1280 | <2 | <5 | <20 | 76 | 0.11 | <10 | 148 | <10 | 5 | 45 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31 | 54531 | <0.2 | 2.43 | 20 | 40 | <5 | 6.00 | <1 | 26 | 59 | 161 | 4.81 | <10 | 1.52 | 1091 | 5 | 0.32 | 19 | 1250 | 4 | <5 | <20 | 67 | 0.11 | <10 | 154 | <10 | 6 | 53 |
| 32 | 54532 | <0.2 | 2.31 | 20 | 40 | <5 | 5.23 | <1 | 31 | 68 | 387 | 5.16 | <10 | 1.44 | 1001 | 2 | 0.33 | 17 | 1300 | 2 | <5 | <20 | 66 | 0.12 | <10 | 162 | <10 | 4 | 49 |
| 33 | 54533 | <0.2 | 2.26 | 25 | 30 | <5 | 5.35 | <1 | 31 | 49 | 299 | 4.85 | <10 | 1.57 | 1320 | 4 | 0.22 | 17 | 1290 | 4 | <5 | <20 | 60 | 0.07 | <10 | 132 | <10 | 1 | 59 |
| 34 | 54534 | 0.2 | 2.55 | 35 | 20 | <5 | 7.33 | <1 | 33 | 55 | 534 | 4.57 | <10 | 1.86 | 1888 | 2 | 0.07 | 17 | 1220 | 2 | <5 | <20 | 54 | 0.08 | <10 | 122 | <10 | <1 | 69 |
| 35 | 54535 | 0.6 | 2.58 | 30 | 20 | <5 | 7.54 | <1 | 48 | 47 | 1272 | 5.77 | <10 | 1.94 | 1740 | 8 | 0.07 | 20 | 1220 | 4 | <5 | <20 | 63 | 0.07 | <10 | 136 | <10 | <1 | 83 |
| 36 | 54536 | 0.2 | 2.56 | 25 | 25 | <5 | 5.31 | <1 | 43 | 52 | 804 | 6.04 | <10 | 1.65 | 1253 | 6 | 0.20 | 16 | 1290 | 4 | <5 | <20 | 53 | 0.08 | <10 | 147 | <10 | <1 | 65 |
| 37 | 54537 | 1.1 | 2.69 | 30 | 20 | <5 | 7.01 | <1 | 39 | 45 | 1246 | 5.21 | <10 | 1.23 | 1224 | 5 | 0.56 | 12 | 1180 | 2 | <5 | <20 | 76 | 0.07 | <10 | 122 | <10 | <1 | 47 |
| 38 | 54538 | 0.5 | 2.59 | 30 | 30 | <5 | 5.12 | <1 | 48 | 45 | 1189 | 6.05 | <10 | 1.34 | 1407 | 10 | 0.49 | 14 | 1280 | <2 | <5 | <20 | 65 | 0.07 | <10 | 137 | <10 | <1 | 56 |
| 39 | 54539 | 0.3 | 2.65 | 30 | 35 | <5 | 4.67 | <1 | 46 | 42 | 790 | 6.89 | <10 | 1.85 | 1643 | 7 | 0.53 | 18 | 1220 | <2 | <5 | <20 | 82 | 0.06 | <10 | 168 | <10 | <1 | 72 |
| 40 | 54540 | <0.2 | 2.30 | 20 | 45 | 10 | 2.90 | <1 | 33 | 51 | 31 | 6.00 | <10 | 2.02 | 1702 | 2 | 0.08 | 20 | 1410 | 2 | <5 | <20 | 30 | 0.09 | <10 | 182 | <10 | 5 | 104 |
| **OC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 54501 | <0.2 | 1.66 | 5 | 135 | 5 | 1.89 | <1 | 31 | 49 | 29 | 5.31 | <10 | 1.66 | 537 | 2 | 0.22 | 32 | 890 | 4 | <5 | <20 | 37 | 0.09 | <10 | 162 | <10 | <1 | 45 |
| 36 | 54536 | 0.2 | 2.65 | 25 | 25 | <5 | 5.57 | <1 | 42 | 50 | 843 | 6.18 | <10 | 1.67 | 1314 | 7 | 0.24 | 17 | 1350 | 8 | <5 | <20 | 53 | 0.08 | <10 | 154 | <10 | <1 | 65 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 54501 | <0.2 | 1.53 | <5 | 125 | 5 | 1.87 | <1 | 28 | 45 | 26 | 5.15 | <10 | 1.57 | 505 | 2 | 0.20 | 30 | 800 | 4 | <5 | <20 | 36 | 0.08 | <10 | 151 | <10 | <1 | 40 |
| 10 | 54510 | <0.2 | 2.14 | 20 | 30 | <5 | 8.23 | <1 | 27 | 32 | 605 | 3.75 | <10 | 1.83 | 1342 | 1 | 0.04 | 12 | 1150 | <2 | <5 | <20 | 88 | 0.08 | <10 | 102 | <10 | 4 | 54 |
| 19 | 54519 | <0.2 | 1.93 | 20 | 20 | <5 | 7.48 | <1 | 20 | 65 | 241 | 3.38 | <10 | 1.57 | 1728 | 4 | 0.03 | 16 | 1290 | 2 | <5 | <20 | 88 | 0.08 | <10 | 106 | <10 | 3 | 52 |
| 36 | 54536 | 0.2 | 2.68 | 25 | 25 | <5 | 5.47 | <1 | 45 | 54 | 817 | 6.11 | <10 | 1.68 | 1305 | 6 | 0.21 | 16 | 1330 | 4 | <5 | <20 | 55 | 0.08 | <10 | 150 | <10 | <1 | 66 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.91 | 50 | 140 | <5 | 1.72 | <1 | 22 | 56 | 86 | 3.95 | <10 | 1.02 | 739 | <1 | 0.02 | 26 | 590 | 32 | <5 | <20 | 45 | 0.08 | <10 | 68 | <10 | 8 | 70 |
| GEO '05 | | 1.5 | 1.86 | 50 | 145 | <5 | 1.65 | <1 | 20 | 54 | 85 | 3.79 | <10 | 0.97 | 706 | <1 | 0.03 | 24 | 570 | 28 | <5 | <20 | 47 | 0.09 | <10 | 66 | <10 | 8 | 69 |

JJ/jj
df/306
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-325

**GWR RESOURCES INC.** 17-May-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 40*
*Sample type: Core*
***Project #: SPL 05 6***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 54901 | <0.03 | <0.001 | 0.01 |
| 2 | 54902 | <0.03 | <0.001 | 0.02 |
| 3 | 54903 | 0.61 | 0.018 | 1.94 |
| 4 | 54904 | 0.03 | 0.001 | 0.12 |
| 5 | 54905 | <0.03 | <0.001 | 0.03 |
| 6 | 54906 | <0.03 | <0.001 | <0.01 |
| 7 | 54907 | <0.03 | <0.001 | 0.05 |
| 8 | 54908 | <0.03 | <0.001 | 0.02 |
| 9 | 54909 | <0.03 | <0.001 | 0.01 |
| 10 | 54910 | 0.04 | 0.001 | 0.47 |
| 11 | 54911 | <0.03 | <0.001 | 0.06 |
| 12 | 54912 | <0.03 | <0.001 | 0.04 |
| 13 | 54913 | <0.03 | <0.001 | 0.03 |
| 14 | 54914 | <0.03 | <0.001 | 0.02 |
| 15 | 54915 | <0.03 | <0.001 | 0.04 |
| 16 | 54916 | <0.03 | <0.001 | 0.02 |
| 17 | 54917 | <0.03 | <0.001 | 0.28 |
| 18 | 54918 | 0.05 | 0.001 | 0.02 |
| 19 | 54919 | <0.03 | <0.001 | 0.12 |
| 20 | 54920 | 0.03 | 0.001 | 0.05 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-325** 17-May-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 21 | 54921 | <0.03 | <0.001 | 0.13 |
| 22 | 54922 | <0.03 | <0.001 | 0.20 |
| 23 | 54923 | <0.03 | <0.001 | 0.03 |
| 24 | 54924 | <0.03 | <0.001 | 0.05 |
| 25 | 54925 | <0.03 | <0.001 | 0.35 |
| 26 | 54926 | <0.03 | <0.001 | 0.04 |
| 27 | 54927 | <0.03 | <0.001 | 0.07 |
| 28 | 54928 | <0.03 | <0.001 | <0.01 |
| 29 | 54929 | <0.03 | <0.001 | 0.04 |
| 30 | 54930 | <0.03 | <0.001 | <0.01 |
| 31 | 54931 | <0.03 | <0.001 | <0.01 |
| 32 | 54932 | <0.03 | <0.001 | 0.02 |
| 33 | 54933 | <0.03 | <0.001 | <0.01 |
| 34 | 54934 | <0.03 | <0.001 | 0.01 |
| 35 | 54935 | <0.03 | <0.001 | <0.01 |
| 36 | 54936 | <0.03 | <0.001 | 0.01 |
| 37 | 54937 | <0.03 | <0.001 | 0.03 |
| 38 | 54938 | <0.03 | <0.001 | <0.01 |
| 39 | 54939 | <0.03 | <0.001 | <0.01 |
| 40 | 54940 | <0.03 | <0.001 | 0.09 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 54901 | <0.03 | <0.001 | 0.01 |
| 36 | 54936 | <0.03 | <0.001 | 0.01 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 54901 | <0.03 | <0.001 | 0.01 |
| 3 | 54903 | 0.53 | 0.015 | |
| 10 | 54910 | <0.03 | <0.001 | 0.47 |
| 19 | 54919 | <0.03 | <0.001 | 0.12 |
| 36 | 54936 | <0.03 | <0.001 | 0.01 |

***Standard:***

| | | | |
|---|---|---|---|
| SH13 | 1.28 | 0.037 | |
| SH13 | 1.32 | 0.038 | |
| Cu106 | | | 1.45 |
| Cu106 | | | 1.43 |

JJ/jj/jm
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

16-May-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-325**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 40*
*Sample type: Core*
***Project #: SPL 05 6***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 54901 | <0.2 | 2.11 | 5 | 45 | 10 | 2.17 | <1 | 26 | 36 | 88 | 8.35 | <10 | 1.02 | 735 | 5 | 0.56 | 12 | 1270 | <2 | <5 | <20 | 63 | 0.06 | <10 | 176 | <10 | <1 | 46 |
| 2 | 54902 | <0.2 | 1.71 | <5 | 40 | <5 | 1.70 | <1 | 27 | 34 | 164 | 6.34 | <10 | 0.86 | 528 | 4 | 0.34 | 8 | 1490 | <2 | <5 | <20 | 70 | 0.07 | <10 | 210 | <10 | <1 | 41 |
| 3 | 54903 | 10.4 | 1.72 | <5 | 60 | <5 | 1.85 | <1 | 151 | 36 | >10000 | >10 | <10 | 0.74 | 547 | 12 | 0.59 | 34 | 210 | <2 | <5 | <20 | 47 | 0.03 | <10 | 107 | <10 | <1 | 113 |
| 4 | 54904 | 0.7 | 2.00 | <5 | 30 | <5 | 3.24 | <1 | 28 | 54 | 1126 | 8.75 | <10 | 0.73 | 609 | 6 | 0.49 | 17 | 1100 | <2 | <5 | <20 | 111 | 0.04 | <10 | 141 | <10 | <1 | 39 |
| 5 | 54905 | 0.2 | 2.49 | 5 | 30 | <5 | 4.09 | <1 | 29 | 34 | 283 | >10 | <10 | 0.54 | 732 | 7 | 0.94 | 9 | 1020 | <2 | <5 | <20 | 122 | 0.04 | <10 | 153 | <10 | <1 | 38 |
| 6 | 54906 | <0.2 | 2.86 | 20 | 30 | 10 | 6.96 | <1 | 26 | 36 | 27 | 4.59 | <10 | 1.27 | 1416 | 2 | 0.50 | 13 | 1280 | <2 | <5 | <20 | 104 | 0.07 | <10 | 129 | <10 | 9 | 46 |
| 7 | 54907 | 0.3 | 1.77 | 30 | 35 | <5 | 6.43 | <1 | 24 | 41 | 440 | 3.58 | <10 | 1.03 | 1293 | 2 | 0.11 | 13 | 1250 | <2 | <5 | <20 | 62 | 0.05 | <10 | 102 | <10 | 2 | 42 |
| 8 | 54908 | <0.2 | 1.98 | 15 | 20 | <5 | 4.36 | <1 | 21 | 54 | 173 | 4.93 | <10 | 0.97 | 943 | 3 | 0.29 | 19 | 1190 | <2 | <5 | <20 | 57 | 0.05 | <10 | 119 | <10 | <1 | 30 |
| 9 | 54909 | <0.2 | 2.03 | 15 | 30 | <5 | 5.36 | <1 | 26 | 91 | 106 | 5.34 | <10 | 1.19 | 1014 | 2 | 0.08 | 21 | 950 | <2 | <5 | <20 | 46 | 0.05 | <10 | 130 | <10 | <1 | 34 |
| 10 | 54910 | 4.4 | 1.53 | <5 | 55 | <5 | 3.34 | <1 | 50 | 26 | 4601 | >10 | <10 | 0.84 | 530 | 20 | 0.22 | 23 | 600 | <2 | <5 | <20 | 37 | 0.02 | <10 | 138 | <10 | <1 | 34 |
| 11 | 54911 | 0.6 | 1.93 | 15 | 15 | <5 | 6.47 | <1 | 18 | 43 | 642 | 3.84 | <10 | 1.02 | 1027 | 1 | 0.07 | 8 | 1440 | <2 | <5 | <20 | 63 | 0.04 | <10 | 80 | <10 | 1 | 31 |
| 12 | 54912 | <0.2 | 1.98 | 5 | 20 | <5 | 3.27 | <1 | 21 | 61 | 377 | 4.99 | <10 | 0.74 | 607 | 4 | 0.43 | 11 | 1520 | <2 | <5 | <20 | 58 | 0.05 | <10 | 128 | <10 | 3 | 26 |
| 13 | 54913 | <0.2 | 2.08 | 15 | 20 | <5 | 4.49 | <1 | 21 | 53 | 208 | 4.60 | <10 | 0.97 | 1046 | 2 | 0.39 | 11 | 1480 | <2 | <5 | <20 | 57 | 0.04 | <10 | 113 | <10 | 4 | 35 |
| 14 | 54914 | 0.2 | 1.70 | 10 | 20 | <5 | 4.37 | <1 | 26 | 56 | 204 | 4.45 | <10 | 0.86 | 1084 | 3 | 0.24 | 13 | 1550 | <2 | <5 | <20 | 47 | 0.05 | <10 | 118 | <10 | 5 | 41 |
| 15 | 54915 | 0.2 | 1.68 | 5 | 20 | <5 | 2.01 | <1 | 25 | 51 | 421 | 4.91 | <10 | 0.78 | 584 | 3 | 0.25 | 15 | 1690 | <2 | <5 | <20 | 80 | 0.05 | <10 | 166 | <10 | 3 | 46 |
| 16 | 54916 | 0.2 | 1.62 | 5 | 15 | <5 | 2.71 | <1 | 24 | 46 | 187 | 4.47 | <10 | 0.97 | 785 | 3 | 0.11 | 16 | 1730 | <2 | <5 | <20 | 71 | 0.05 | <10 | 153 | <10 | 5 | 46 |
| 17 | 54917 | 1.0 | 1.08 | 15 | 10 | <5 | 6.68 | <1 | 31 | 40 | 2767 | 3.71 | <10 | 0.56 | 1211 | 2 | 0.03 | 8 | 1360 | <2 | <5 | <20 | 89 | 0.03 | <10 | 64 | <10 | <1 | 22 |
| 18 | 54918 | <0.2 | 1.41 | 15 | 15 | <5 | 6.41 | <1 | 12 | 39 | 155 | 4.44 | <10 | 0.53 | 1027 | 2 | 0.12 | 5 | 1380 | <2 | <5 | <20 | 107 | 0.03 | <10 | 56 | <10 | <1 | 23 |
| 19 | 54919 | 0.9 | 2.25 | 5 | 30 | <5 | 5.75 | <1 | 27 | 45 | 1092 | 7.28 | <10 | 0.53 | 1333 | 6 | 0.24 | 11 | 1340 | <2 | <5 | <20 | 108 | 0.03 | <10 | 97 | <10 | <1 | 32 |
| 20 | 54920 | 0.3 | 2.63 | 15 | 20 | <5 | 6.28 | <1 | 16 | 49 | 484 | 5.68 | <10 | 0.54 | 1354 | 3 | 0.31 | 8 | 1470 | <2 | <5 | <20 | 149 | 0.04 | <10 | 101 | <10 | <1 | 31 |
| 21 | 54921 | 0.6 | 2.81 | 15 | 20 | <5 | 6.03 | <1 | 26 | 54 | 1166 | 5.26 | <10 | 0.62 | 1348 | 3 | 0.30 | 9 | 1480 | <2 | <5 | <20 | 149 | 0.04 | <10 | 94 | <10 | <1 | 35 |
| 22 | 54922 | 0.8 | 2.22 | 10 | 25 | <5 | 5.61 | <1 | 33 | 45 | 1885 | 7.70 | <10 | 0.52 | 1141 | 5 | 0.22 | 13 | 1380 | <2 | <5 | <20 | 105 | 0.03 | <10 | 113 | <10 | <1 | 34 |
| 23 | 54923 | 0.2 | 1.78 | 5 | 15 | <5 | 2.79 | <1 | 21 | 51 | 264 | 4.34 | <10 | 0.63 | 627 | 2 | 0.22 | 14 | 1710 | <2 | <5 | <20 | 88 | 0.05 | <10 | 158 | <10 | 3 | 37 |
| 24 | 54924 | 0.2 | 1.82 | 5 | 25 | <5 | 2.62 | <1 | 22 | 48 | 497 | 4.96 | <10 | 0.60 | 665 | 3 | 0.35 | 16 | 1760 | <2 | <5 | <20 | 101 | 0.04 | <10 | 159 | <10 | 2 | 39 |
| 25 | 54925 | 2.3 | 2.78 | 20 | 25 | <5 | 4.99 | <1 | 71 | 47 | 3448 | 6.21 | <10 | 0.67 | 1371 | 3 | 0.25 | 37 | 1430 | <2 | <5 | <20 | 150 | 0.03 | <10 | 86 | <10 | <1 | 39 |
| 26 | 54926 | 0.4 | 2.39 | 20 | 20 | <5 | 5.03 | <1 | 19 | 43 | 355 | 5.58 | <10 | 0.68 | 1270 | 3 | 0.25 | 11 | 1510 | <2 | <5 | <20 | 114 | 0.03 | <10 | 104 | <10 | <1 | 34 |
| 27 | 54927 | 0.5 | 1.62 | 5 | 25 | <5 | 3.81 | <1 | 21 | 44 | 604 | 7.77 | <10 | 1.00 | 914 | 5 | 0.14 | 19 | 1440 | 2 | <5 | <20 | 69 | 0.03 | <10 | 124 | <10 | <1 | 39 |
| 28 | 54928 | <0.2 | 1.99 | 15 | 20 | 10 | 6.01 | <1 | 18 | 51 | 80 | 5.15 | <10 | 1.09 | 1455 | 2 | 0.13 | 12 | 1500 | <2 | <5 | <20 | 85 | 0.04 | <10 | 110 | <10 | <1 | 39 |
| 29 | 54929 | <0.2 | 1.87 | 20 | 25 | <5 | 4.62 | <1 | 24 | 58 | 391 | 4.34 | <10 | 1.15 | 1418 | 2 | 0.11 | 14 | 1560 | <2 | <5 | <20 | 54 | 0.05 | <10 | 115 | <10 | 3 | 60 |
| 30 | 54930 | <0.2 | 1.94 | 35 | 15 | 5 | 5.61 | <1 | 22 | 49 | 10 | 3.20 | <10 | 1.48 | 1564 | 2 | 0.02 | 14 | 1580 | 6 | <5 | <20 | 62 | 0.04 | <10 | 88 | <10 | 4 | 97 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31 | 54931 | 0.2 | 1.96 | 20 | 20 | 10 | 5.44 | <1 | 39 | 60 | 25 | 4.19 | <10 | 1.46 | 1600 | 2 | 0.03 | 15 | 1600 | 2 | <5 | <20 | 53 | 0.05 | <10 | 113 | <10 | 4 | 79 |
| 32 | 54932 | <0.2 | 1.87 | 15 | 20 | <5 | 4.97 | <1 | 38 | 55 | 150 | 4.31 | <10 | 1.48 | 1663 | 2 | 0.03 | 14 | 1600 | 4 | <5 | <20 | 45 | 0.05 | <10 | 116 | <10 | 3 | 75 |
| 33 | 54933 | <0.2 | 2.08 | 25 | 15 | 10 | 6.09 | <1 | 26 | 57 | 9 | 3.81 | <10 | 1.89 | 1265 | 2 | 0.03 | 18 | 1370 | <2 | <5 | <20 | 64 | 0.03 | <10 | 123 | <10 | 8 | 97 |
| 34 | 54934 | 0.5 | 2.56 | 30 | 10 | <5 | 5.79 | <1 | 22 | 62 | 74 | 3.28 | <10 | 1.14 | 717 | 3 | 0.32 | 15 | 1600 | 28 | <5 | <20 | 208 | 0.06 | <10 | 123 | <10 | 8 | 66 |
| 35 | 54935 | 0.2 | 2.00 | 10 | 30 | <5 | 3.57 | <1 | 24 | 63 | 30 | 4.25 | <10 | 1.21 | 582 | 2 | 0.24 | 17 | 1590 | 20 | <5 | <20 | 142 | 0.06 | <10 | 132 | <10 | 8 | 67 |
| 36 | 54936 | 0.3 | 1.79 | 25 | 25 | <5 | 4.88 | 2 | 28 | 66 | 102 | 3.47 | <10 | 1.36 | 763 | 3 | 0.07 | 20 | 1530 | 38 | <5 | <20 | 52 | 0.07 | <10 | 128 | <10 | 8 | 140 |
| 37 | 54937 | 0.2 | 2.62 | 15 | 45 | <5 | 2.82 | <1 | 32 | 44 | 296 | 6.13 | <10 | 1.65 | 1103 | 3 | 0.71 | 18 | 1710 | 4 | <5 | <20 | 89 | 0.08 | <10 | 167 | <10 | 4 | 111 |
| 38 | 54938 | 0.2 | 2.10 | 15 | 30 | 5 | 3.16 | <1 | 27 | 46 | 74 | 5.35 | <10 | 1.30 | 903 | 2 | 0.42 | 15 | 1720 | <2 | <5 | <20 | 91 | 0.09 | <10 | 163 | <10 | 7 | 60 |
| 39 | 54939 | <0.2 | 1.73 | 20 | 20 | 10 | 4.91 | <1 | 26 | 51 | 45 | 4.31 | <10 | 1.38 | 1227 | 2 | 0.04 | 14 | 1660 | 4 | <5 | <20 | 73 | 0.09 | <10 | 124 | <10 | 9 | 84 |
| 40 | 54940 | <0.2 | 2.96 | 10 | 40 | <5 | 2.65 | <1 | 29 | 49 | 800 | 7.55 | <10 | 1.15 | 705 | 5 | 1.22 | 16 | 1540 | <2 | <5 | <20 | 84 | 0.07 | <10 | 171 | <10 | <1 | 52 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 54901 | <0.2 | 2.09 | 10 | 40 | 10 | 2.00 | <1 | 26 | 40 | 83 | 7.91 | <10 | 1.02 | 716 | 4 | 0.56 | 11 | 1370 | <2 | <5 | <20 | 62 | 0.04 | <10 | 166 | <10 | <1 | 45 |
| 36 | 54936 | 0.4 | 1.85 | 30 | 20 | <5 | 5.05 | 1 | 29 | 68 | 98 | 3.53 | <10 | 1.38 | 782 | 2 | 0.07 | 18 | 1530 | 28 | <5 | <20 | 54 | 0.06 | <10 | 128 | <10 | 10 | 134 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 54901 | <0.2 | 2.04 | 5 | 35 | 5 | 2.04 | <1 | 26 | 35 | 90 | 7.96 | <10 | 1.02 | 709 | 5 | 0.54 | 12 | 1250 | <2 | <5 | <20 | 57 | 0.05 | <10 | 162 | <10 | <1 | 45 |
| 10 | 54910 | 4.4 | 1.51 | <5 | 55 | <5 | 3.22 | <1 | 49 | 26 | 4572 | >10 | <10 | 0.84 | 514 | 20 | 0.22 | 23 | 590 | <2 | <5 | <20 | 37 | 0.02 | <10 | 136 | <10 | <1 | 34 |
| 19 | 54919 | 0.9 | 2.19 | 10 | 25 | <5 | 5.65 | <1 | 25 | 44 | 1196 | 7.00 | <10 | 0.53 | 1282 | 5 | 0.24 | 10 | 1320 | <2 | <5 | <20 | 107 | 0.03 | <10 | 91 | <10 | <1 | 31 |
| 36 | 54936 | 0.3 | 1.89 | 30 | 25 | <5 | 4.85 | 1 | 29 | 68 | 106 | 3.56 | <10 | 1.43 | 769 | 2 | 0.07 | 18 | 1530 | 36 | <5 | <20 | 54 | 0.07 | <10 | 127 | <10 | 9 | 134 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO 05 | | 1.6 | 1.68 | 45 | 145 | <5 | 1.53 | <1 | 19 | 59 | 84 | 3.50 | <10 | 0.91 | 658 | 1 | 0.03 | 22 | 640 | 22 | <5 | <20 | 54 | 0.11 | <10 | 62 | <10 | 10 | 73 |
| GEO 05 | | 1.6 | 1.69 | 45 | 140 | <5 | 1.56 | <1 | 19 | 56 | 85 | 3.55 | <10 | 0.92 | 660 | <1 | 0.03 | 22 | 640 | 24 | <5 | <20 | 52 | 0.10 | <10 | 65 | <10 | 9 | 74 |

JJ/jm
df/325
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-327

**GWR RESOURCES INC.** 17-May-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 50*
*Sample type: Core*
***Project #: SPL 054***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 46790 | <0.03 | <0.001 | 0.15 |
| 2 | 46791 | <0.03 | <0.001 | 0.14 |
| 3 | 46792 | <0.03 | <0.001 | 0.09 |
| 4 | 46793 | <0.03 | <0.001 | 0.02 |
| 5 | 46794 | <0.03 | <0.001 | 0.08 |
| 6 | 46795 | <0.03 | <0.001 | 0.08 |
| 7 | 46796 | <0.03 | <0.001 | 0.05 |
| 8 | 46797 | <0.03 | <0.001 | 0.17 |
| 9 | 46798 | 0.03 | 0.001 | 0.22 |
| 10 | 46799 | <0.03 | <0.001 | 0.08 |
| 11 | 46800 | 0.03 | 0.001 | 0.07 |
| 12 | 54551 | <0.03 | <0.001 | 0.19 |
| 13 | 54552 | <0.03 | <0.001 | 0.10 |
| 14 | 54553 | <0.03 | <0.001 | 0.06 |
| 15 | 54554 | <0.03 | <0.001 | 0.06 |
| 16 | 54555 | <0.03 | <0.001 | 0.04 |
| 17 | 54556 | <0.03 | <0.001 | 0.08 |
| 18 | 54557 | 0.04 | 0.001 | 0.10 |
| 19 | 54558 | 0.03 | 0.001 | 0.18 |
| 20 | 54559 | <0.03 | <0.001 | 0.06 |
| 21 | 54560 | <0.03 | <0.001 | 0.03 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-327** 17-May-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 22 | 54561 | <0.03 | <0.001 | 0.11 |
| 23 | 54562 | <0.03 | <0.001 | 0.09 |
| 24 | 54563 | 0.12 | 0.003 | 0.03 |
| 25 | 54564 | <0.03 | <0.001 | 0.01 |
| 26 | 54565 | <0.03 | <0.001 | 0.01 |
| 27 | 54566 | <0.03 | <0.001 | 0.02 |
| 28 | 54567 | <0.03 | <0.001 | 0.04 |
| 29 | 54568 | <0.03 | <0.001 | 0.03 |
| 30 | 54569 | <0.03 | <0.001 | 0.07 |
| 31 | 54570 | <0.03 | <0.001 | 0.06 |
| 32 | 54571 | <0.03 | <0.001 | 0.05 |
| 33 | 54572 | <0.03 | <0.001 | 0.02 |
| 34 | 54573 | <0.03 | <0.001 | 0.03 |
| 35 | 54574 | <0.03 | <0.001 | 0.06 |
| 36 | 54575 | <0.03 | <0.001 | 0.02 |
| 37 | 54576 | 0.03 | 0.001 | 0.05 |
| 38 | 54577 | 0.03 | 0.001 | 0.08 |
| 39 | 54578 | 0.03 | 0.001 | 0.06 |
| 40 | 54579 | <0.03 | <0.001 | 0.02 |
| 41 | 54580 | <0.03 | <0.001 | 0.02 |
| 42 | 54581 | 0.04 | 0.001 | 0.09 |
| 43 | 54582 | 0.03 | 0.001 | 0.08 |
| 44 | 54583 | <0.03 | <0.001 | 0.01 |
| 45 | 54584 | <0.03 | <0.001 | 0.08 |
| 46 | 54585 | <0.03 | <0.001 | 0.05 |
| 47 | 54586 | <0.03 | <0.001 | 0.04 |
| 48 | 54587 | <0.03 | <0.001 | 0.02 |
| 49 | 54588 | <0.03 | <0.001 | 0.02 |
| 50 | 54589 | <0.03 | <0.001 | 0.03 |

**QC DATA:**

***Resplit:***

| | | | | |
|---|---|---|---|---|
| 1 | 46790 | 0.05 | 0.001 | |
| 36 | 54575 | <0.03 | <0.001 | 0.02 |

***Repeat:***

| | | | | |
|---|---|---|---|---|
| 1 | 46790 | <0.03 | <0.001 | 0.15 |
| 10 | 46799 | <0.03 | <0.001 | 0.08 |
| 19 | 54558 | 0.03 | 0.001 | 0.17 |
| 24 | 54563 | 0.13 | 0.004 | |
| 36 | 54575 | <0.03 | <0.001 | 0.03 |
| 45 | 54584 | <0.03 | <0.001 | 0.08 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-327** 17-May-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| ***Standard:*** | | | | |
| | OX123 | 1.77 | 0.052 | |
| | OX123 | 1.85 | 0.054 | |
| | OX123 | 1.75 | 0.051 | |
| | Cu106 | | | 1.44 |
| | Cu106 | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

18-May-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-327**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 50*
*Sample type: Core*
***Project #: SPL 054***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 46790 | 1.0 | 2.48 | 10 | 30 | <5 | 4.41 | <1 | 31 | 46 | 1356 | 5.62 | <10 | 0.80 | 803 | 8 | 0.33 | 11 | 1340 | 2 | <5 | <20 | 119 | 0.10 | <10 | 150 | <10 | 1 | 41 |
| 2 | 46791 | 1.3 | 2.17 | <5 | 35 | <5 | 5.06 | <1 | 28 | 47 | 1375 | 8.52 | <10 | 0.48 | 1071 | 6 | 0.41 | 12 | 1140 | <2 | <5 | <20 | 93 | 0.07 | <10 | 169 | <10 | <1 | 30 |
| 3 | 46792 | 0.6 | 2.66 | 10 | 30 | <5 | 6.18 | <1 | 24 | 41 | 825 | 8.01 | <10 | 0.57 | 1165 | 5 | 0.66 | 10 | 1200 | <2 | <5 | <20 | 123 | 0.07 | <10 | 148 | <10 | <1 | 41 |
| 4 | 46793 | 0.2 | 2.52 | 10 | 35 | <5 | 3.62 | <1 | 23 | 55 | 198 | 5.34 | <10 | 0.75 | 736 | 7 | 0.44 | 10 | 1560 | <2 | <5 | <20 | 167 | 0.09 | <10 | 146 | <10 | <1 | 40 |
| 5 | 46794 | 0.5 | 2.92 | 15 | 30 | <5 | 5.95 | <1 | 21 | 44 | 654 | 6.83 | <10 | 0.50 | 971 | 5 | 0.90 | 9 | 1270 | 2 | <5 | <20 | 172 | 0.06 | <10 | 139 | <10 | <1 | 35 |
| 6 | 46795 | 0.6 | 2.53 | 25 | 30 | <5 | 6.21 | <1 | 27 | 47 | 655 | 6.01 | <10 | 0.92 | 1194 | 3 | 0.46 | 13 | 1140 | <2 | <5 | <20 | 90 | 0.06 | <10 | 123 | <10 | <1 | 41 |
| 7 | 46796 | 0.3 | 1.92 | 5 | 30 | <5 | 2.13 | <1 | 23 | 51 | 376 | 6.14 | <10 | 0.86 | 555 | 5 | 0.36 | 13 | 1400 | 2 | <5 | <20 | 73 | 0.07 | <10 | 151 | <10 | <1 | 46 |
| 8 | 46797 | 1.0 | 2.16 | 5 | 35 | <5 | 4.17 | <1 | 32 | 44 | 1645 | 8.18 | <10 | 0.67 | 876 | 19 | 0.57 | 10 | 1180 | <2 | <5 | <20 | 83 | 0.06 | <10 | 142 | <10 | <1 | 39 |
| 9 | 46798 | 1.3 | 2.17 | 5 | 40 | <5 | 3.97 | <1 | 42 | 45 | 2094 | >10 | <10 | 0.79 | 895 | 7 | 0.61 | 14 | 1200 | <2 | <5 | <20 | 85 | 0.08 | <10 | 163 | <10 | <1 | 50 |
| 10 | 46799 | 0.4 | 2.67 | 5 | 35 | <5 | 3.83 | <1 | 27 | 36 | 726 | >10 | <10 | 0.83 | 765 | 6 | 1.00 | 11 | 1210 | <2 | <5 | <20 | 125 | 0.06 | <10 | 158 | <10 | <1 | 47 |
| 11 | 46800 | 0.4 | 2.13 | 10 | 30 | <5 | 2.51 | <1 | 22 | 50 | 623 | 6.31 | <10 | 0.45 | 448 | 5 | 0.73 | 10 | 1550 | <2 | <5 | <20 | 118 | 0.09 | <10 | 174 | <10 | <1 | 34 |
| 12 | 54551 | 0.9 | 2.43 | <5 | 35 | <5 | 3.35 | <1 | 40 | 39 | 1759 | 9.21 | <10 | 0.97 | 1116 | 5 | 0.74 | 9 | 1030 | <2 | <5 | <20 | 66 | 0.06 | <10 | 130 | <10 | <1 | 55 |
| 13 | 54552 | 0.3 | 2.53 | 5 | 25 | <5 | 4.58 | <1 | 28 | 43 | 909 | 7.61 | <10 | 1.08 | 942 | 13 | 0.58 | 10 | 1220 | <2 | <5 | <20 | 94 | 0.06 | <10 | 123 | <10 | <1 | 57 |
| 14 | 54553 | 0.4 | 2.51 | 10 | 40 | <5 | 3.14 | <1 | 30 | 53 | 587 | 7.99 | <10 | 1.23 | 837 | 5 | 0.68 | 20 | 1400 | <2 | <5 | <20 | 121 | 0.08 | <10 | 160 | <10 | <1 | 62 |
| 15 | 54554 | 0.4 | 2.68 | 10 | 40 | <5 | 2.73 | <1 | 26 | 54 | 536 | 7.31 | <10 | 0.73 | 528 | 4 | 1.19 | 13 | 1480 | <2 | <5 | <20 | 130 | 0.09 | <10 | 159 | <10 | <1 | 38 |
| 16 | 54555 | 0.2 | 2.56 | 10 | 25 | <5 | 2.83 | <1 | 20 | 50 | 351 | 5.28 | <10 | 0.66 | 523 | 5 | 0.89 | 12 | 1450 | 2 | <5 | <20 | 130 | 0.07 | <10 | 128 | <10 | <1 | 34 |
| 17 | 54556 | 0.4 | 2.41 | <5 | 30 | <5 | 3.71 | <1 | 28 | 38 | 702 | 5.46 | <10 | 0.75 | 664 | 13 | 0.68 | 11 | 1330 | <2 | <5 | <20 | 116 | 0.06 | <10 | 92 | <10 | <1 | 36 |
| 18 | 54557 | 0.6 | 3.00 | 5 | 35 | <5 | 3.40 | <1 | 27 | 52 | 945 | 7.04 | <10 | 0.70 | 661 | 8 | 1.31 | 13 | 1570 | 4 | <5 | <20 | 111 | 0.05 | <10 | 142 | <10 | <1 | 41 |
| 19 | 54558 | 1.0 | 4.03 | 10 | 35 | <5 | 5.78 | <1 | 47 | 47 | 1789 | 8.75 | <10 | 1.44 | 1555 | 8 | 0.97 | 16 | 1410 | <2 | <5 | <20 | 182 | 0.03 | <10 | 144 | <10 | <1 | 57 |
| 20 | 54559 | 0.3 | 3.94 | 10 | 30 | <5 | 4.08 | <1 | 25 | 45 | 581 | 6.17 | <10 | 0.89 | 727 | 7 | 1.43 | 15 | 1580 | <2 | <5 | <20 | 190 | 0.06 | <10 | 163 | <10 | <1 | 39 |
| 21 | 54560 | <0.2 | 3.72 | 15 | 25 | <5 | 4.26 | <1 | 19 | 36 | 237 | 5.67 | <10 | 0.80 | 632 | 5 | 1.24 | 9 | 1490 | <2 | <5 | <20 | 170 | 0.04 | <10 | 147 | <10 | <1 | 32 |
| 22 | 54561 | 0.5 | 3.96 | 20 | 35 | <5 | 4.26 | <1 | 28 | 42 | 1010 | 7.16 | <10 | 1.08 | 756 | 5 | 1.48 | 14 | 1430 | <2 | <5 | <20 | 165 | 0.05 | <10 | 164 | <10 | <1 | 42 |
| 23 | 54562 | 0.2 | 3.25 | 20 | 30 | <5 | 6.88 | <1 | 33 | 40 | 898 | 6.83 | <10 | 2.05 | 1406 | 5 | 0.37 | 18 | 1420 | <2 | <5 | <20 | 170 | 0.06 | <10 | 158 | <10 | <1 | 59 |
| 24 | 54563 | 0.2 | 3.20 | 30 | 30 | <5 | 3.41 | <1 | 30 | 43 | 300 | 5.55 | <10 | 1.54 | 862 | 2 | 0.82 | 20 | 1570 | 4 | <5 | <20 | 96 | 0.06 | <10 | 171 | <10 | 3 | 53 |
| 25 | 54564 | <0.2 | 2.72 | 25 | 30 | 10 | 2.93 | <1 | 30 | 52 | 92 | 6.33 | <10 | 1.19 | 835 | 4 | 0.85 | 19 | 1630 | 4 | <5 | <20 | 120 | 0.06 | <10 | 150 | <10 | 1 | 55 |
| 26 | 54565 | <0.2 | 2.68 | 20 | 45 | 10 | 2.74 | <1 | 24 | 55 | 59 | 7.44 | <10 | 0.78 | 524 | 3 | 1.11 | 15 | 1560 | 2 | <5 | <20 | 152 | 0.08 | <10 | 170 | <10 | <1 | 38 |
| 27 | 54566 | <0.2 | 2.30 | 25 | 45 | <5 | 2.73 | <1 | 20 | 55 | 163 | 6.30 | <10 | 0.63 | 494 | 3 | 1.07 | 13 | 1560 | <2 | <5 | <20 | 156 | 0.04 | <10 | 147 | <10 | <1 | 36 |
| 28 | 54567 | 0.2 | 4.18 | 10 | 40 | <5 | 7.40 | 1 | 24 | 29 | 410 | 8.95 | <10 | 0.97 | 878 | 13 | 0.47 | 18 | 1090 | <2 | <5 | <20 | 187 | 0.03 | <10 | 146 | <10 | <1 | 32 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 29 | 54568 | 0.2 | 2.23 | 10 | 50 | <5 | 1.82 | <1 | 26 | 60 | 300 | 7.07 | <10 | 0.87 | 468 | 7 | 0.75 | 18 | 1630 | <2 | <5 | <20 | 128 | 0.09 | <10 | 184 | <10 | <1 | 39 |
| 30 | 54569 | 0.4 | 1.97 | <5 | 45 | <5 | 2.08 | <1 | 24 | 49 | 605 | >10 | <10 | 0.35 | 349 | 12 | 0.99 | 15 | 1250 | <2 | <5 | <20 | 117 | 0.03 | <10 | 196 | <10 | <1 | 29 |
| 31 | 54570 | 0.3 | 2.01 | <5 | 40 | <5 | 1.79 | <1 | 24 | 59 | 516 | 8.41 | <10 | 0.55 | 409 | 9 | 0.82 | 14 | 1510 | <2 | <5 | <20 | 115 | 0.04 | <10 | 187 | <10 | <1 | 37 |
| 32 | 54571 | 0.3 | 3.04 | 15 | 40 | <5 | 2.27 | <1 | 24 | 56 | 478 | 6.86 | <10 | 0.72 | 446 | 6 | 1.41 | 17 | 1550 | 2 | <5 | <20 | 165 | 0.05 | <10 | 162 | <10 | <1 | 36 |
| 33 | 54572 | <0.2 | 2.93 | 10 | 40 | <5 | 2.03 | <1 | 29 | 51 | 167 | 6.58 | <10 | 1.58 | 614 | 5 | 0.78 | 21 | 1630 | <2 | <5 | <20 | 140 | 0.07 | <10 | 179 | <10 | <1 | 38 |
| 34 | 54573 | <0.2 | 4.37 | 20 | 30 | <5 | 3.61 | <1 | 26 | 42 | 233 | 6.08 | <10 | 1.21 | 682 | 3 | 1.92 | 16 | 1560 | <2 | <5 | <20 | 262 | 0.05 | <10 | 167 | <10 | <1 | 39 |
| 35 | 54574 | 0.3 | 4.36 | 20 | 20 | <5 | 2.60 | <1 | 19 | 43 | 514 | 5.27 | <10 | 0.70 | 414 | 6 | 2.41 | 13 | 1600 | 4 | <5 | <20 | 332 | 0.04 | <10 | 126 | <10 | 2 | 33 |
| 36 | 54575 | 0.3 | 4.69 | 20 | 20 | <5 | 3.32 | <1 | 19 | 39 | 219 | 6.18 | <10 | 0.85 | 502 | 8 | 2.49 | 13 | 1490 | <2 | <5 | <20 | 249 | 0.05 | <10 | 144 | <10 | <1 | 32 |
| 37 | 54576 | 0.3 | 4.68 | 15 | 30 | <5 | 3.35 | <1 | 22 | 43 | 485 | 5.58 | <10 | 0.95 | 475 | 6 | 2.36 | 14 | 1450 | <2 | <5 | <20 | 206 | 0.05 | <10 | 157 | <10 | 2 | 30 |
| 38 | 54577 | 0.4 | 4.24 | 15 | 35 | <5 | 3.43 | <1 | 30 | 76 | 751 | 5.65 | <10 | 1.73 | 651 | 5 | 1.11 | 35 | 1290 | <2 | <5 | <20 | 156 | 0.05 | <10 | 149 | <10 | <1 | 44 |
| 39 | 54578 | 0.4 | 2.88 | <5 | 25 | <5 | 4.31 | <1 | 23 | 221 | 580 | 6.79 | <10 | 1.10 | 561 | 8 | 0.69 | 40 | 830 | <2 | <5 | <20 | 139 | 0.03 | <10 | 87 | <10 | <1 | 26 |
| 40 | 54579 | 0.3 | 2.46 | <5 | 25 | <5 | 6.53 | <1 | 20 | 200 | 200 | 6.24 | <10 | 1.05 | 698 | 9 | 0.34 | 27 | 780 | <2 | <5 | <20 | 115 | 0.04 | <10 | 95 | <10 | <1 | 23 |
| 41 | 54580 | 0.3 | 2.83 | 10 | 25 | <5 | 3.99 | <1 | 21 | 236 | 202 | 5.55 | <10 | 0.92 | 554 | 2 | 1.06 | 26 | 920 | 2 | <5 | <20 | 112 | 0.05 | <10 | 122 | <10 | 2 | 29 |
| 42 | 54581 | 0.3 | 3.47 | <5 | 35 | <5 | 3.46 | <1 | 28 | 131 | 834 | 9.64 | <10 | 0.99 | 597 | 11 | 1.75 | 34 | 1360 | <2 | <5 | <20 | 122 | 0.04 | <10 | 194 | <10 | <1 | 37 |
| 43 | 54582 | 0.5 | 3.41 | 15 | 40 | <5 | 2.51 | <1 | 34 | 59 | 670 | 7.09 | <10 | 1.42 | 649 | 5 | 1.38 | 27 | 1420 | 2 | <5 | <20 | 110 | 0.06 | <10 | 186 | <10 | <1 | 41 |
| 44 | 54583 | <0.2 | 2.05 | <5 | 35 | 15 | 2.47 | <1 | 33 | 42 | 70 | 7.63 | <10 | 1.47 | 636 | 4 | 0.33 | 22 | 1670 | <2 | <5 | <20 | 76 | 0.05 | <10 | 226 | <10 | <1 | 39 |
| 45 | 54584 | 0.4 | 2.22 | <5 | 45 | <5 | 2.19 | <1 | 34 | 37 | 691 | 8.45 | <10 | 1.41 | 576 | 6 | 0.59 | 17 | 1700 | <2 | <5 | <20 | 52 | 0.06 | <10 | 216 | <10 | <1 | 39 |
| 46 | 54585 | 0.2 | 2.26 | <5 | 40 | <5 | 2.58 | <1 | 27 | 35 | 422 | 8.07 | <10 | 1.17 | 562 | 6 | 0.75 | 14 | 1780 | 4 | <5 | <20 | 66 | 0.04 | <10 | 209 | <10 | <1 | 35 |
| 47 | 54586 | <0.2 | 2.04 | <5 | 50 | <5 | 2.05 | <1 | 32 | 39 | 280 | 7.16 | <10 | 1.58 | 659 | 3 | 0.27 | 20 | 1720 | <2 | <5 | <20 | 58 | 0.05 | <10 | 227 | <10 | <1 | 49 |
| 48 | 54587 | <0.2 | 1.98 | <5 | 50 | 5 | 2.13 | <1 | 29 | 40 | 380 | 6.00 | <10 | 1.32 | 604 | 2 | 0.33 | 16 | 1700 | <2 | <5 | <20 | 77 | 0.05 | <10 | 201 | <10 | <1 | 42 |
| 49 | 54588 | <0.2 | 1.63 | <5 | 55 | <5 | 2.74 | <1 | 28 | 36 | 133 | 6.44 | <10 | 1.21 | 622 | 3 | 0.22 | 18 | 1720 | 2 | <5 | <20 | 59 | 0.05 | <10 | 216 | <10 | 1 | 39 |
| 50 | 54589 | <0.2 | 1.79 | <5 | 35 | <5 | 2.28 | <1 | 25 | 42 | 302 | 6.39 | <10 | 1.24 | 542 | 4 | 0.24 | 17 | 1650 | <2 | <5 | <20 | 61 | 0.04 | <10 | 211 | <10 | <1 | 40 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 46790 | 1.3 | 2.65 | 10 | 35 | <5 | 4.64 | <1 | 45 | 45 | 1544 | 5.97 | <10 | 0.82 | 837 | 8 | 0.33 | 12 | 1340 | <2 | <5 | <20 | 130 | 0.04 | <10 | 143 | <10 | <1 | 43 |
| 36 | 54575 | 0.3 | 5.06 | 20 | 25 | <5 | 3.46 | <1 | 21 | 46 | 238 | 6.40 | <10 | 0.94 | 542 | 10 | 2.68 | 13 | 1560 | <2 | <5 | <20 | 260 | 0.05 | <10 | 152 | <10 | <1 | 35 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 46790 | 1.1 | 2.55 | 10 | 30 | <5 | 4.45 | <1 | 34 | 53 | 1396 | 5.79 | <10 | 0.83 | 810 | 9 | 0.34 | 12 | 1410 | <2 | <5 | <20 | 124 | 0.09 | <10 | 150 | <10 | 1 | 41 |
| 10 | 46799 | 0.4 | 2.76 | 10 | 35 | <5 | 3.94 | <1 | 29 | 38 | 759 | >10 | <10 | 0.86 | 790 | 6 | 1.04 | 12 | 1290 | <2 | <5 | <20 | 126 | 0.05 | <10 | 162 | <10 | <1 | 50 |
| 19 | 54558 | 1.0 | 4.03 | 15 | 40 | <5 | 5.71 | <1 | 46 | 47 | 1776 | 8.67 | <10 | 1.44 | 1546 | 9 | 0.97 | 17 | 1400 | <2 | <5 | <20 | 183 | 0.01 | <10 | 140 | <10 | <1 | 55 |
| 36 | 54575 | 0.3 | 4.79 | 20 | 25 | <5 | 3.33 | <1 | 20 | 38 | 221 | 6.19 | <10 | 0.87 | 500 | 8 | 2.50 | 13 | 1460 | <2 | <5 | <20 | 255 | 0.06 | <10 | 141 | <10 | <1 | 31 |
| 45 | 54584 | 0.4 | 2.21 | <5 | 45 | <5 | 2.21 | <1 | 33 | 36 | 683 | 8.47 | <10 | 1.41 | 578 | 5 | 0.58 | 16 | 1700 | <2 | <5 | <20 | 52 | 0.05 | <10 | 212 | <10 | <1 | 39 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.64 | 55 | 145 | <5 | 1.66 | <1 | 21 | 56 | 86 | 3.81 | <10 | 0.99 | 729 | <1 | 0.03 | 26 | 620 | 22 | <5 | <20 | 56 | 0.11 | <10 | 68 | <10 | 8 | 74 |
| GEO '05 | | 1.5 | 1.67 | 55 | 145 | <5 | 1.65 | <1 | 21 | 57 | 82 | 3.77 | <10 | 0.98 | 709 | <1 | 0.04 | 25 | 610 | 22 | <5 | <20 | 54 | 0.10 | <10 | 65 | <10 | 10 | 75 |

JJ/jj
df/327
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*



**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-346

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

18-May-05

**ATTENTION: Irvin Eisler**

*No. of samples received: 12*
*Sample type: Core*
***Project #: None Given***
***Shipment #: None Given***

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 54639 | <0.03 | <0.001 | 0.02 |
| 2 | 54640 | 0.15 | 0.004 | 0.60 |
| 3 | 54641 | <0.03 | <0.001 | 0.22 |
| 4 | 54642 | <0.03 | <0.001 | 0.05 |
| 5 | 54643 | 0.45 | 0.013 | 1.83 |
| 6 | 54644 | 0.04 | 0.001 | 0.28 |
| 7 | 54645 | 0.07 | 0.002 | 0.30 |
| 8 | 54646 | 0.26 | 0.008 | 1.68 |
| 9 | 54647 | <0.03 | <0.001 | 0.03 |
| 10 | 54648 | 0.03 | 0.001 | 0.31 |
| 11 | 54649 | <0.03 | <0.001 | 0.01 |
| 12 | 54650 | <0.03 | <0.001 | 0.03 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 54639 | <0.03 | <0.001 | 0.02 |
| ***Repeat:*** | | | | |
| 1 | 54639 | <0.03 | <0.001 | 0.02 |
| 5 | 54643 | 0.41 | 0.012 | |
| 10 | 54648 | | | 0.31 |
| ***Standard:*** | | | | |
| Cu106 | | | | 1.44 |
| OX123 | | 1.79 | 0.052 | |

JJ/jm
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

18-May-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-346**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 12*
*Sample type: Core*
***Project #: None Given***
***Shipment #: None Given***

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 54639 | 0.2 | 1.32 | 5 | 30 | <5 | 1.73 | <1 | 23 | 55 | 254 | 3.67 | <10 | 0.84 | 507 | 2 | 0.16 | 14 | 1530 | 8 | <5 | <20 | 63 | 0.11 | <10 | 137 | <10 | 7 | 59 |
| 2 | 54640 | 1.9 | 1.09 | 5 | 30 | <5 | 2.02 | <1 | 40 | 71 | 6033 | >10 | <10 | 0.54 | 438 | 6 | 0.12 | 17 | 1220 | 4 | <5 | <20 | 47 | 0.04 | <10 | 131 | <10 | <1 | 70 |
| 3 | 54641 | 0.6 | 1.05 | 15 | 25 | <5 | 2.23 | <1 | 31 | 81 | 2243 | 8.18 | <10 | 0.56 | 472 | 41 | 0.13 | 14 | 1310 | 8 | <5 | <20 | 49 | 0.05 | <10 | 130 | <10 | 6 | 54 |
| 4 | 54642 | <0.2 | 1.25 | 15 | 15 | <5 | 2.66 | <1 | 15 | 86 | 556 | 5.08 | <10 | 0.52 | 449 | 3 | 0.16 | 9 | 1520 | 4 | <5 | <20 | 49 | 0.06 | <10 | 104 | <10 | <1 | 40 |
| 5 | 54643 | 5.9 | 0.82 | <5 | 50 | <5 | 1.31 | <1 | 83 | 41 | >10000 | >10 | <10 | 0.36 | 433 | 71 | 0.24 | 27 | 810 | <2 | <5 | <20 | 36 | 0.03 | <10 | 113 | <10 | <1 | 73 |
| 6 | 54644 | 0.9 | 1.05 | <5 | 20 | <5 | 1.51 | <1 | 25 | 52 | 2785 | 8.42 | <10 | 0.32 | 341 | 5 | 0.40 | 8 | 1360 | 2 | <5 | <20 | 71 | 0.05 | <10 | 134 | <10 | <1 | 92 |
| 7 | 54645 | 0.9 | 0.93 | 5 | 15 | <5 | 1.51 | <1 | 27 | 29 | 3002 | 5.48 | <10 | 0.34 | 375 | 9 | 0.32 | 8 | 1500 | 4 | <5 | <20 | 50 | 0.08 | <10 | 146 | <10 | 2 | 73 |
| 8 | 54646 | 3.8 | 0.57 | <5 | 50 | <5 | 0.64 | <1 | 65 | 42 | >10000 | >10 | 10 | 0.13 | 309 | 109 | 0.23 | 27 | 860 | 4 | <5 | <20 | 26 | 0.04 | <10 | 111 | <10 | 24 | 96 |
| 9 | 54647 | <0.2 | 1.87 | <5 | 55 | <5 | 1.76 | <1 | 27 | 156 | 324 | 6.64 | <10 | 1.04 | 451 | 3 | 0.18 | 37 | 810 | 6 | <5 | <20 | 59 | 0.12 | <10 | 200 | <10 | <1 | 50 |
| 10 | 54648 | 0.8 | 0.71 | <5 | 30 | <5 | 1.41 | <1 | 28 | 62 | 3111 | >10 | <10 | 0.08 | 276 | 18 | 0.22 | 13 | 1270 | 2 | <5 | <20 | 50 | 0.04 | <10 | 148 | <10 | <1 | 42 |
| 11 | 54649 | <0.2 | 1.73 | 5 | 35 | <5 | 1.80 | <1 | 29 | 170 | 128 | 5.00 | <10 | 1.46 | 602 | 6 | 0.08 | 54 | 940 | 6 | <5 | <20 | 47 | 0.11 | <10 | 143 | <10 | <1 | 50 |
| 12 | 54650 | <0.2 | 1.33 | 10 | 60 | <5 | 2.13 | <1 | 21 | 81 | 291 | 8.38 | <10 | 0.84 | 468 | 8 | 0.21 | 19 | 1130 | 4 | <5 | <20 | 43 | 0.05 | <10 | 167 | <10 | <1 | 36 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 54639 | 0.2 | 1.39 | 5 | 25 | <5 | 1.83 | <1 | 23 | 57 | 276 | 3.74 | <10 | 0.86 | 531 | 2 | 0.17 | 13 | 1550 | 6 | <5 | <20 | 66 | 0.11 | <10 | 143 | <10 | 7 | 59 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 54639 | 0.2 | 1.42 | 10 | 30 | <5 | 1.87 | <1 | 24 | 58 | 273 | 3.88 | <10 | 0.88 | 541 | 2 | 0.17 | 14 | 1660 | 6 | <5 | <20 | 65 | 0.11 | <10 | 144 | <10 | 7 | 62 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.49 | 50 | 140 | <5 | 1.10 | <1 | 18 | 59 | 87 | 2.51 | 10 | 0.67 | 473 | <1 | 0.02 | 17 | 470 | 22 | <5 | <20 | 53 | 0.10 | <10 | 60 | <10 | 10 | 74 |

JJ/jm
df/343
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-370

**GWR RESOURCES INC.** 25-May-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 48*
*Sample type: Core*
***Project #: Not Indicated***
***Shipment #: None Given***
*Samples submitted by: Brian Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 54590 | <0.03 | <0.001 | <0.01 |
| 2 | 54591 | <0.03 | <0.001 | 0.02 |
| 3 | 54592 | <0.03 | <0.001 | 0.01 |
| 4 | 54593 | <0.03 | <0.001 | 0.08 |
| 5 | 54594 | <0.03 | <0.001 | 0.03 |
| 6 | 54595 | <0.03 | <0.001 | 0.04 |
| 7 | 54596 | <0.03 | <0.001 | 0.04 |
| 8 | 54597 | <0.03 | <0.001 | 0.04 |
| 9 | 54598 | <0.03 | <0.001 | <0.01 |
| 10 | 54599 | <0.03 | <0.001 | 0.02 |
| 11 | 54600 | <0.03 | <0.001 | 0.02 |
| 12 | 54601 | <0.03 | <0.001 | 0.01 |
| 13 | 54603 | <0.03 | <0.001 | 0.01 |
| 14 | 54604 | <0.03 | <0.001 | <0.01 |
| 15 | 54605 | <0.03 | <0.001 | <0.01 |
| 16 | 54606 | <0.03 | <0.001 | <0.01 |
| 17 | 54607 | <0.03 | <0.001 | <0.01 |
| 18 | 54608 | <0.03 | <0.001 | <0.01 |
| 19 | 54609 | <0.03 | <0.001 | <0.01 |
| 20 | 54610 | <0.03 | <0.001 | 0.01 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK5-370** 25-May-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 21 | 54611 | <0.03 | <0.001 | <0.01 |
| 22 | 54612 | <0.03 | <0.001 | <0.01 |
| 23 | 54613 | <0.03 | <0.001 | 0.01 |
| 24 | 54614 | <0.03 | <0.001 | 0.20 |
| 25 | 54615 | <0.03 | <0.001 | 0.02 |
| 26 | 54616 | <0.03 | <0.001 | <0.01 |
| 27 | 54617 | <0.03 | <0.001 | <0.01 |
| 28 | 54618 | <0.03 | <0.001 | <0.01 |
| 29 | 54619 | <0.03 | <0.001 | <0.01 |
| 30 | 54620 | <0.03 | <0.001 | <0.01 |
| 31 | 54621 | <0.03 | <0.001 | <0.01 |
| 32 | 54622 | <0.03 | <0.001 | 0.01 |
| 33 | 54623 | <0.03 | <0.001 | <0.01 |
| 34 | 54624 | <0.03 | <0.001 | <0.01 |
| 35 | 54625 | <0.03 | <0.001 | <0.01 |
| 36 | 54626 | <0.03 | <0.001 | <0.01 |
| 37 | 54627 | <0.03 | <0.001 | <0.01 |
| 38 | 54628 | 0.21 | 0.006 | <0.01 |
| 39 | 54629 | <0.01 | <0.001 | <0.01 |
| 40 | 54630 | 0.01 | <0.001 | 0.01 |
| 41 | 54631 | <0.03 | <0.001 | <0.01 |
| 42 | 54632 | 0.01 | <0.001 | 0.01 |
| 43 | 54633 | <0.01 | <0.001 | <0.01 |
| 44 | 54634 | <0.01 | <0.001 | <0.01 |
| 45 | 54635 | <0.03 | <0.001 | <0.01 |
| 46 | 54636 | <0.03 | <0.001 | <0.01 |
| 47 | 54637 | <0.03 | <0.001 | <0.01 |
| 48 | 54638 | <0.03 | <0.001 | <0.01 |
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 54590 | <0.03 | <0.001 | <0.01 |
| 36 | 54626 | <0.03 | <0.001 | <0.01 |
| ***Repeat:*** | | | | |
| 1 | 54590 | <0.03 | <0.001 | <0.01 |
| 10 | 54599 | <0.03 | <0.001 | 0.01 |
| 19 | 54609 | <0.03 | <0.001 | <0.01 |
| 36 | 54626 | <0.03 | <0.001 | <0.01 |
| 38 | 54628 | 0.21 | 0.006 | |
| 45 | 54635 | <0.03 | <0.001 | <0.01 |
| ***Standard:*** | | | | |
| SH13 | | 1.29 | 0.038 | |
| SH13 | | 1.30 | 0.038 | |
| Cu106 | | | | 1.42 |
| Cu106 | | | | 1.43 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/jm
XLS/05

25-May-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-370**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 48*
*Sample type: Core*
***Project #: Not Indicated***
***Shipment #: None Given***
*Samples submitted by: Brian Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 54590 | <0.2 | 1.69 | 15 | 35 | 10 | 4.88 | <1 | 21 | 62 | 20 | 4.70 | 10 | 1.34 | 1081 | 1 | 0.04 | 22 | 1530 | 16 | <5 | <20 | 85 | 0.08 | <10 | 199 | <10 | 19 | 76 |
| 2 | 54591 | <0.2 | 1.81 | 15 | 35 | <5 | 4.78 | <1 | 19 | 48 | 172 | 4.07 | <10 | 1.17 | 1067 | <1 | 0.30 | 20 | 1370 | 6 | <5 | <20 | 74 | 0.04 | <10 | 160 | <10 | <1 | 59 |
| 3 | 54592 | 0.2 | 2.23 | 25 | 25 | <5 | 6.03 | <1 | 25 | 61 | 123 | 4.44 | <10 | 1.58 | 1434 | <1 | 0.19 | 20 | 1400 | 12 | <5 | <20 | 59 | 0.06 | <10 | 148 | <10 | 5 | 62 |
| 4 | 54593 | 0.2 | 2.20 | 15 | 35 | <5 | 5.04 | <1 | 25 | 62 | 816 | 6.16 | <10 | 1.34 | 1115 | <1 | 0.54 | 21 | 1500 | 8 | <5 | <20 | 78 | 0.05 | <10 | 207 | <10 | 2 | 49 |
| 5 | 54594 | 0.3 | 1.79 | 15 | 30 | <5 | 5.16 | <1 | 19 | 57 | 306 | 5.43 | <10 | 1.33 | 1171 | <1 | 0.06 | 17 | 1420 | 8 | <5 | <20 | 45 | 0.05 | <10 | 160 | <10 | 2 | 69 |
| 6 | 54595 | <0.2 | 1.84 | 10 | 25 | <5 | 4.30 | <1 | 27 | 49 | 373 | 5.73 | <10 | 1.35 | 1002 | <1 | 0.03 | 16 | 1540 | 6 | <5 | <20 | 53 | 0.06 | <10 | 226 | <10 | 3 | 57 |
| 7 | 54596 | <0.2 | 1.78 | <5 | 45 | <5 | 2.53 | <1 | 24 | 55 | 362 | 6.20 | <10 | 1.04 | 666 | <1 | 0.37 | 21 | 1480 | 8 | <5 | <20 | 49 | 0.07 | <10 | 229 | <10 | 5 | 49 |
| 8 | 54597 | <0.2 | 1.73 | 5 | 30 | <5 | 2.55 | <1 | 24 | 58 | 442 | 5.87 | <10 | 1.16 | 764 | <1 | 0.32 | 20 | 1490 | 4 | <5 | <20 | 56 | 0.05 | <10 | 201 | <10 | <1 | 52 |
| 9 | 54598 | <0.2 | 1.61 | <5 | 45 | 5 | 2.18 | <1 | 21 | 58 | 38 | 5.17 | <10 | 1.01 | 656 | <1 | 0.24 | 18 | 1500 | 10 | <5 | <20 | 67 | 0.09 | <10 | 242 | <10 | 10 | 58 |
| 10 | 54599 | <0.2 | 1.88 | 10 | 25 | <5 | 4.28 | <1 | 21 | 56 | 151 | 4.55 | <10 | 1.07 | 932 | <1 | 0.06 | 17 | 1450 | 8 | <5 | <20 | 59 | 0.06 | <10 | 180 | <10 | 5 | 53 |
| 11 | 54600 | <0.2 | 1.78 | 10 | 30 | <5 | 2.97 | <1 | 24 | 56 | 175 | 5.14 | <10 | 1.20 | 819 | <1 | 0.11 | 19 | 1530 | 10 | <5 | <20 | 55 | 0.06 | <10 | 197 | <10 | 5 | 68 |
| 12 | 54601 | <0.2 | 1.74 | 15 | 45 | 10 | 3.10 | <1 | 23 | 55 | 68 | 4.76 | <10 | 1.21 | 754 | <1 | 0.18 | 20 | 1480 | 14 | <5 | <20 | 74 | 0.08 | <10 | 207 | <10 | 13 | 74 |
| 13 | 54603 | <0.2 | 1.92 | 5 | 65 | 30 | 2.58 | <1 | 28 | 65 | 73 | 5.68 | 10 | 1.66 | 834 | 1 | 0.07 | 25 | 1400 | 20 | <5 | <20 | 52 | 0.12 | <10 | 223 | <10 | 25 | 84 |
| 14 | 54604 | <0.2 | 1.66 | 5 | 50 | <5 | 2.59 | <1 | 33 | 57 | 14 | 5.63 | <10 | 1.32 | 721 | <1 | 0.13 | 24 | 1570 | 6 | <5 | <20 | 61 | 0.10 | <10 | 287 | <10 | 4 | 74 |
| 15 | 54605 | <0.2 | 1.54 | <5 | 45 | 5 | 3.32 | <1 | 30 | 66 | 7 | 6.07 | <10 | 1.73 | 790 | <1 | 0.05 | 25 | 1540 | 6 | <5 | <20 | 66 | 0.10 | <10 | 267 | <10 | 9 | 81 |
| 16 | 54606 | <0.2 | 1.48 | <5 | 40 | 5 | 3.27 | <1 | 26 | 55 | 8 | 5.73 | <10 | 1.54 | 788 | <1 | 0.05 | 20 | 1580 | 6 | <5 | <20 | 59 | 0.09 | <10 | 302 | <10 | 8 | 71 |
| 17 | 54607 | <0.2 | 1.60 | <5 | 40 | <5 | 3.64 | <1 | 28 | 73 | 3 | 6.22 | <10 | 2.25 | 904 | <1 | 0.04 | 23 | 1530 | 4 | <5 | <20 | 74 | 0.07 | <10 | 271 | <10 | 7 | 97 |
| 18 | 54608 | <0.2 | 1.36 | <5 | 65 | 15 | 3.22 | <1 | 28 | 69 | 14 | 5.63 | <10 | 1.66 | 803 | <1 | 0.04 | 25 | 1380 | 8 | <5 | <20 | 48 | 0.10 | <10 | 207 | <10 | 12 | 80 |
| 19 | 54609 | <0.2 | 1.34 | <5 | 65 | 15 | 3.24 | <1 | 24 | 50 | 45 | 4.98 | <10 | 1.38 | 740 | <1 | 0.04 | 20 | 1440 | 10 | <5 | <20 | 43 | 0.09 | <10 | 221 | <10 | 15 | 89 |
| 20 | 54610 | <0.2 | 0.43 | <5 | 15 | 10 | 3.71 | <1 | 8 | 29 | 56 | 2.73 | 20 | 0.33 | 669 | 1 | 0.05 | 7 | 680 | 6 | <5 | <20 | 21 | 0.04 | <10 | 120 | <10 | 24 | 50 |
| 21 | 54611 | <0.2 | 0.70 | <5 | 15 | <5 | 3.33 | <1 | 9 | 22 | 34 | 2.80 | <10 | 0.76 | 804 | <1 | 0.03 | 5 | 830 | 2 | <5 | <20 | 40 | <0.01 | <10 | 119 | <10 | 7 | 37 |
| 22 | 54612 | <0.2 | 0.68 | <5 | 15 | <5 | 3.35 | <1 | 9 | 21 | 39 | 2.73 | <10 | 0.76 | 804 | <1 | 0.03 | 6 | 830 | 4 | <5 | <20 | 42 | <0.01 | <10 | 115 | <10 | 13 | 38 |
| 23 | 54613 | <0.2 | 0.23 | <5 | 15 | <5 | 1.98 | <1 | 5 | 20 | 109 | 1.78 | <10 | 0.71 | 637 | <1 | 0.06 | 3 | 530 | <2 | <5 | <20 | 23 | <0.01 | <10 | 73 | <10 | 9 | 22 |
| 24 | 54614 | 2.6 | 1.52 | <5 | 55 | <5 | 3.62 | <1 | 26 | 6 | 2084 | 5.99 | <10 | 1.19 | 800 | <1 | 0.05 | 8 | 1740 | 10 | 15 | <20 | 87 | 0.07 | <10 | 313 | <10 | 15 | 72 |
| 25 | 54615 | <0.2 | 0.36 | <5 | 25 | <5 | 2.22 | <1 | 5 | 48 | 242 | 1.72 | <10 | 0.22 | 448 | <1 | 0.06 | 4 | 510 | 4 | <5 | <20 | 25 | <0.01 | <10 | 63 | <10 | 11 | 20 |
| 26 | 54616 | <0.2 | 0.40 | <5 | 25 | <5 | 1.42 | <1 | 5 | 46 | 9 | 1.92 | <10 | 0.30 | 378 | <1 | 0.05 | 4 | 530 | <2 | <5 | <20 | 18 | <0.01 | <10 | 80 | <10 | 3 | 26 |
| 27 | 54617 | <0.2 | 0.36 | <5 | 20 | <5 | 1.38 | <1 | 4 | 47 | 11 | 1.77 | <10 | 0.30 | 332 | <1 | 0.05 | 4 | 540 | 2 | <5 | <20 | 16 | <0.01 | <10 | 74 | <10 | 7 | 19 |
| 28 | 54618 | <0.2 | 0.28 | <5 | 15 | <5 | 1.67 | <1 | 5 | 53 | 43 | 1.91 | <10 | 0.30 | 401 | <1 | 0.06 | 4 | 510 | <2 | <5 | <20 | 18 | <0.01 | <10 | 93 | <10 | 2 | 22 |
| 29 | 54619 | <0.2 | 0.34 | <5 | 15 | <5 | 2.79 | <1 | 5 | 41 | 39 | 1.84 | <10 | 0.19 | 445 | <1 | 0.06 | 4 | 490 | <2 | <5 | <20 | 19 | <0.01 | <10 | 80 | <10 | 5 | 21 |
| 30 | 54620 | <0.2 | 1.28 | <5 | 45 | <5 | 5.39 | <1 | 29 | 43 | 48 | 6.30 | <10 | 1.40 | 1159 | <1 | 0.04 | 19 | 1460 | 2 | <5 | <20 | 70 | 0.05 | <10 | 255 | <10 | 8 | 85 |

| Et #. | Tag # | Ag | Al % | As | Ba | | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31 | 54621 | <0.2 | 1.05 | <5 | 45 | 20 | 3.38 | <1 | 27 | 50 | 86 | 6.05 | 20 | 1.26 | 955 | 1 | 0.05 | 18 | 1320 | 12 | <5 | <20 | 48 | 0.07 | <10 | 250 | <10 | 32 | 72 |
| 32 | 54622 | <0.2 | 1.36 | <5 | 130 | 10 | 6.00 | <1 | 24 | 46 | 86 | 5.41 | 10 | 1.44 | 1020 | <1 | 0.04 | 18 | 1440 | 10 | <5 | <20 | 74 | 0.07 | <10 | 263 | <10 | 20 | 66 |
| 33 | 54623 | <0.2 | 1.68 | <5 | 35 | <5 | 3.66 | <1 | 26 | 48 | 28 | 5.22 | <10 | 1.50 | 969 | <1 | 0.04 | 21 | 1520 | 6 | <5 | <20 | 88 | 0.08 | <10 | 231 | <10 | 3 | 83 |
| 34 | 54624 | <0.2 | 1.21 | <5 | 110 | 30 | 1.81 | <1 | 26 | 48 | 44 | 5.56 | 10 | 1.22 | 954 | 1 | 0.07 | 20 | 1420 | 14 | <5 | <20 | 45 | 0.12 | <10 | 250 | <10 | 21 | 93 |
| 35 | 54625 | <0.2 | 0.37 | <5 | 30 | <5 | 1.30 | <1 | 8 | 44 | 48 | 2.13 | <10 | 0.48 | 568 | <1 | 0.07 | 6 | 490 | 2 | <5 | <20 | 23 | 0.03 | <10 | 88 | <10 | 6 | 38 |
| 36 | 54626 | <0.2 | 0.17 | <5 | 30 | <5 | 1.11 | <1 | 4 | 71 | 10 | 1.46 | <10 | 0.20 | 454 | 4 | 0.06 | 1 | 360 | 4 | <5 | <20 | 24 | <0.01 | <10 | 39 | <10 | 14 | 21 |
| 37 | 54627 | <0.2 | 0.18 | <5 | 25 | <5 | 0.76 | <1 | 4 | 62 | 4 | 1.55 | <10 | 0.12 | 375 | 3 | 0.06 | 2 | 360 | 4 | <5 | <20 | 19 | 0.01 | <10 | 43 | <10 | 10 | 21 |
| 38 | 54628 | <0.2 | 0.13 | <5 | 15 | <5 | 1.11 | <1 | 4 | 52 | 35 | 1.49 | <10 | 0.09 | 420 | 7 | 0.06 | 2 | 350 | 2 | <5 | <20 | 16 | 0.01 | <10 | 40 | <10 | 10 | 26 |
| 39 | 54629 | <0.2 | 1.57 | 30 | 35 | <5 | 3.38 | <1 | 26 | 64 | 59 | 4.62 | <10 | 1.22 | 1038 | 10 | 0.08 | 22 | 1900 | 18 | <5 | <20 | 92 | 0.08 | <10 | 146 | <10 | 11 | 126 |
| 40 | 54630 | <0.2 | 1.68 | 20 | 65 | 15 | 2.69 | <1 | 32 | 55 | 82 | 5.36 | <10 | 1.43 | 1019 | 22 | 0.07 | 25 | 1780 | 22 | <5 | <20 | 80 | 0.12 | <10 | 150 | <10 | 16 | 119 |
| 41 | 54631 | <0.2 | 2.15 | 20 | 45 | 75 | 2.56 | <1 | 25 | 62 | 27 | 5.08 | 10 | 0.94 | 736 | 49 | 0.74 | 16 | 1800 | 44 | <5 | <20 | 101 | 0.16 | <10 | 153 | <10 | 30 | 77 |
| 42 | 54632 | <0.2 | 1.25 | <5 | 50 | <5 | 1.79 | <1 | 19 | 23 | 146 | 4.86 | <10 | 0.76 | 715 | 4 | 0.13 | 6 | 1880 | 10 | <5 | <20 | 81 | 0.10 | <10 | 169 | <10 | 11 | 70 |
| 43 | 54633 | <0.2 | 1.01 | <5 | 60 | <5 | 1.27 | <1 | 18 | 26 | 54 | 4.89 | <10 | 0.70 | 527 | 4 | 0.08 | 5 | 1840 | 8 | <5 | <20 | 54 | 0.10 | <10 | 175 | <10 | 10 | 68 |
| 44 | 54634 | <0.2 | 1.33 | <5 | 60 | 5 | 1.56 | <1 | 19 | 22 | 43 | 4.90 | <10 | 0.75 | 539 | 8 | 0.11 | 5 | 1940 | 12 | <5 | <20 | 118 | 0.10 | <10 | 173 | <10 | 13 | 73 |
| 45 | 54635 | <0.2 | 1.86 | 20 | 45 | <5 | 2.65 | <1 | 25 | 46 | 39 | 4.93 | <10 | 1.10 | 720 | 4 | 0.44 | 18 | 1850 | 14 | <5 | <20 | 68 | 0.10 | <10 | 150 | <10 | 10 | 71 |
| 46 | 54636 | <0.2 | 1.50 | 40 | 55 | <5 | 4.85 | <1 | 19 | 49 | 38 | 2.33 | <10 | 1.24 | 870 | 4 | 0.10 | 15 | 1700 | 14 | 15 | <20 | 68 | 0.05 | <10 | 60 | <10 | 4 | 157 |
| 47 | 54637 | <0.2 | 1.99 | 40 | 155 | <5 | 4.98 | <1 | 14 | 57 | 16 | 2.15 | <10 | 0.99 | 460 | 3 | 0.40 | 12 | 1660 | 14 | 10 | <20 | 105 | 0.06 | <10 | 71 | <10 | 5 | 50 |
| 48 | 54638 | <0.2 | 2.80 | 55 | 95 | <5 | 5.51 | <1 | 12 | 52 | 20 | 2.04 | <10 | 0.68 | 415 | 3 | 0.92 | 11 | 1670 | 22 | 5 | <20 | 453 | 0.07 | <10 | 71 | <10 | 6 | 34 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 54590 | <0.2 | 1.57 | 10 | 30 | <5 | 4.76 | <1 | 20 | 56 | 19 | 4.41 | <10 | 1.24 | 1037 | <1 | 0.04 | 21 | 1480 | 6 | <5 | <20 | 64 | 0.08 | <10 | 205 | <10 | <1 | 77 |
| 36 | 54626 | 0.2 | 0.18 | <5 | 30 | <5 | 1.17 | <1 | 4 | 68 | 10 | 1.50 | <10 | 0.22 | 474 | 2 | 0.06 | 2 | 370 | 2 | <5 | <20 | 24 | <0.01 | <10 | 41 | <10 | 10 | 21 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 54590 | <0.2 | 1.73 | 10 | 35 | 10 | 4.96 | <1 | 21 | 62 | 20 | 4.75 | <10 | 1.35 | 1110 | <1 | 0.04 | 21 | 1520 | 14 | <5 | <20 | 85 | 0.08 | <10 | 211 | <10 | 14 | 76 |
| 10 | 54599 | <0.2 | 1.91 | 10 | 25 | 5 | 4.38 | <1 | 21 | 57 | 155 | 4.59 | <10 | 1.06 | 946 | <1 | 0.06 | 17 | 1510 | 14 | <5 | <20 | 62 | 0.06 | <10 | 180 | <10 | 5 | 53 |
| 19 | 54609 | <0.2 | 1.51 | <5 | 70 | <5 | 3.46 | <1 | 27 | 55 | 41 | 5.12 | <10 | 1.48 | 806 | <1 | 0.04 | 21 | 1520 | 6 | <5 | <20 | 48 | 0.11 | <10 | 228 | <10 | 5 | 93 |
| 36 | 54626 | <0.2 | 0.18 | <5 | 25 | <5 | 1.12 | <1 | 4 | 74 | 10 | 1.49 | <10 | 0.20 | 459 | 3 | 0.06 | 3 | 370 | 2 | <5 | <20 | 23 | <0.01 | <10 | 39 | <10 | 11 | 21 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.45 | 40 | 140 | <5 | 1.44 | <1 | 18 | 57 | 87 | 3.54 | <10 | 0.73 | 535 | <1 | 0.03 | 28 | 540 | 24 | <5 | <20 | 52 | 0.11 | <10 | 69 | <10 | 10 | 77 |
| GEO '05 | | 1.5 | 1.46 | 55 | 155 | <5 | 1.42 | <1 | 17 | 60 | 83 | 3.65 | <10 | 0.76 | 588 | 1 | 0.03 | 27 | 700 | 22 | <5 | <20 | 58 | 0.10 | <10 | 63 | <10 | 9 | 74 |

JJ/jm
df/370/357
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005- 456

**GWR RESOURCES INC.** 10-Jun-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 68*
*Sample type: Core*
***Project #: 8***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 61401 | 0.06 | 0.002 | 0.21 |
| 2 | 61402 | <0.03 | <0.001 | <0.01 |
| 3 | 61403 | <0.03 | <0.001 | 0.01 |
| 4 | 61404 | <0.03 | <0.001 | 0.09 |
| 5 | 61405 | 0.03 | 0.001 | 0.17 |
| 6 | 61406 | 0.05 | 0.001 | 0.43 |
| 7 | 61407 | <0.03 | <0.001 | 0.02 |
| 8 | 61408 | 0.03 | 0.001 | 0.15 |
| 9 | 61409 | <0.03 | <0.001 | 0.10 |
| 10 | 61410 | <0.03 | <0.001 | 0.01 |
| 11 | 61411 | 0.08 | 0.002 | 0.43 |
| 12 | 61412 | <0.03 | <0.001 | 0.04 |
| 13 | 61413 | <0.03 | <0.001 | 0.04 |
| 14 | 61414 | <0.03 | <0.001 | 0.01 |
| 15 | 61415 | 0.06 | 0.002 | 0.49 |
| 16 | 61416 | <0.03 | <0.001 | 0.09 |
| 17 | 61417 | <0.03 | <0.001 | 0.03 |
| 18 | 61418 | 0.10 | 0.003 | 0.09 |
| 19 | 61419 | 0.04 | 0.001 | 0.19 |
| 20 | 61420 | <0.03 | <0.001 | 0.03 |
| 21 | 61421 | <0.03 | <0.001 | 0.13 |
| 22 | 61422 | 0.04 | 0.001 | 0.26 |
| 23 | 61423 | 0.03 | 0.001 | 0.02 |
| 24 | 61424 | <0.03 | <0.001 | 0.04 |
| 25 | 61425 | <0.03 | <0.001 | 0.01 |
| 26 | 61426 | <0.03 | <0.001 | 0.02 |
| 27 | 61427 | <0.03 | <0.001 | 0.13 |
| 28 | 61428 | <0.03 | <0.001 | 0.01 |
| 29 | 61429 | <0.03 | <0.001 | 0.05 |
| 30 | 61430 | <0.03 | <0.001 | <0.01 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK 2005- 456** 10-Jun-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 31 | 61431 | <0.03 | <0.001 | 0.15 |
| 32 | 61432 | <0.03 | <0.001 | 0.01 |
| 33 | 61433 | <0.03 | <0.001 | <0.01 |
| 34 | 61434 | <0.03 | <0.001 | 0.01 |
| 35 | 61435 | <0.03 | <0.001 | 0.02 |
| 36 | 61436 | 0.15 | 0.004 | 1.52 |
| 37 | 61437 | 0.08 | 0.002 | 0.57 |
| 38 | 61438 | <0.03 | <0.001 | 0.12 |
| 39 | 61439 | 0.08 | 0.002 | 0.89 |
| 40 | 61440 | <0.03 | <0.001 | 0.13 |
| 41 | 61441 | 0.06 | 0.002 | 0.27 |
| 42 | 61442 | 0.10 | 0.003 | 0.42 |
| 43 | 61443 | <0.03 | <0.001 | 0.11 |
| 44 | 61444 | <0.03 | <0.001 | 0.15 |
| 45 | 61445 | <0.03 | <0.001 | 0.07 |
| 46 | 61446 | <0.03 | <0.001 | 0.18 |
| 47 | 61447 | <0.03 | <0.001 | 0.08 |
| 48 | 61448 | <0.03 | <0.001 | 0.10 |
| 49 | 61449 | <0.03 | <0.001 | 0.11 |
| 50 | 61450 | <0.03 | <0.001 | 0.18 |
| 51 | 61451 | <0.03 | <0.001 | 0.09 |
| 52 | 61452 | <0.03 | <0.001 | 0.08 |
| 53 | 61453 | <0.03 | <0.001 | 0.18 |
| 54 | 61454 | <0.03 | <0.001 | 0.06 |
| 55 | 61455 | <0.03 | <0.001 | 0.05 |
| 56 | 61456 | 0.04 | 0.001 | 0.22 |
| 57 | 61457 | <0.03 | <0.001 | 0.06 |
| 58 | 61458 | <0.03 | <0.001 | 0.07 |
| 59 | 61459 | <0.03 | <0.001 | 0.03 |
| 60 | 61460 | <0.03 | <0.001 | <0.01 |
| 61 | 61461 | <0.03 | <0.001 | <0.01 |
| 62 | 61462 | <0.03 | <0.001 | 0.03 |
| 63 | 61463 | <0.03 | <0.001 | 0.01 |
| 64 | 61464 | <0.03 | <0.001 | 0.01 |
| 65 | 61465 | <0.03 | <0.001 | 0.02 |
| 66 | 61466 | <0.03 | <0.001 | 0.09 |
| 67 | 61467 | <0.03 | <0.001 | 0.13 |
| 68 | 61468 | <0.03 | <0.001 | 0.10 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK 2005- 456** 10-Jun-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 61401 | 0.05 | 0.001 | 0.21 |
| 36 | 0.21 | 0.13 | 0.004 | 1.42 |
| ***Repeat:*** | | | | |
| 1 | 61401 | 0.04 | 0.001 | 0.21 |
| 10 | 61410 | <0.03 | <0.001 | 0.01 |
| 19 | 61419 | <0.03 | <0.001 | 0.18 |
| 36 | 61436 | 0.15 | 0.004 | 1.52 |
| 45 | 61445 | <0.03 | <0.001 | 0.07 |
| 54 | 61454 | <0.03 | <0.001 | 0.06 |
| 63 | 61463 | | | 0.01 |
| ***Standard:*** | | | | |
| SH 13 | | 1.29 | 0.038 | |
| SH13 | | 1.30 | 0.038 | |
| CU118 | | | | 1.08 |
| CU118 | | | | 1.07 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

JJ/ga/jj
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

15-Jun-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-456**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 68*
*Sample type: Core*
***Project #: 8***
***Shipment #: None Given***

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 61401 | 1.2 | 1.80 | 25 | 40 | <5 | 2.75 | <1 | 31 | 70 | 2163 | 9.34 | <10 | 0.47 | 570 | 10 | 0.85 | 36 | 1470 | 12 | <5 | <20 | 87 | 0.07 | <10 | 194 | <10 | <1 | 54 |
| 2 | 61402 | <0.2 | 1.97 | 30 | 105 | 5 | 2.83 | <1 | 33 | 70 | 13 | 6.31 | <10 | 1.77 | 920 | <1 | 0.22 | 31 | 1810 | 22 | <5 | <20 | 50 | 0.11 | <10 | 180 | <10 | 8 | 116 |
| 3 | 61403 | <0.2 | 2.57 | 35 | 55 | 5 | 2.77 | <1 | 30 | 66 | 65 | 6.53 | <10 | 1.21 | 697 | <1 | 0.80 | 28 | 1790 | 34 | <5 | <20 | 100 | 0.12 | <10 | 201 | <10 | 7 | 68 |
| 4 | 61404 | 0.3 | 1.64 | 15 | 45 | <5 | 2.65 | <1 | 23 | 57 | 815 | 7.75 | <10 | 0.74 | 554 | 16 | 0.53 | 22 | 1940 | 20 | <5 | <20 | 106 | 0.08 | <10 | 205 | <10 | 2 | 75 |
| 5 | 61405 | 0.9 | 2.30 | 15 | 35 | <5 | 3.24 | <1 | 20 | 45 | 1639 | 9.74 | <10 | 0.61 | 468 | 31 | 1.03 | 22 | 1480 | 24 | <5 | <20 | 113 | 0.06 | <10 | 207 | <10 | <1 | 62 |
| 6 | 61406 | 1.5 | 2.43 | 15 | 75 | <5 | 4.89 | <1 | 32 | 84 | 4291 | 8.89 | <10 | 1.51 | 991 | 49 | 0.70 | 58 | 1130 | 20 | <5 | <20 | 104 | 0.10 | <10 | 197 | <10 | <1 | 85 |
| 7 | 61407 | <0.2 | 1.99 | 35 | 65 | <5 | 2.14 | <1 | 29 | 80 | 186 | 6.72 | <10 | 1.41 | 788 | 2 | 0.46 | 34 | 2160 | 24 | <5 | <20 | 47 | 0.10 | <10 | 205 | <10 | 1 | 81 |
| 8 | 61408 | 0.7 | 1.67 | 20 | 45 | <5 | 1.62 | <1 | 26 | 111 | 1534 | 8.31 | <10 | 0.79 | 481 | 9 | 0.69 | 38 | 2000 | 20 | <5 | <20 | 91 | 0.08 | <10 | 231 | <10 | <1 | 64 |
| 9 | 61409 | 0.4 | 1.61 | 20 | 45 | <5 | 1.88 | <1 | 26 | 99 | 915 | 7.76 | <10 | 1.14 | 606 | 4 | 0.33 | 48 | 2070 | 18 | <5 | <20 | 46 | 0.08 | <10 | 213 | <10 | <1 | 76 |
| 10 | 61410 | <0.2 | 1.52 | 25 | 90 | 5 | 1.84 | <1 | 28 | 91 | 22 | 6.46 | <10 | 1.21 | 563 | <1 | 0.21 | 54 | 2110 | 18 | <5 | <20 | 37 | 0.09 | <10 | 199 | <10 | 3 | 58 |
| 11 | 61411 | 2.1 | 1.78 | 30 | 50 | <5 | 2.16 | 1 | 45 | 92 | 4433 | 9.40 | <10 | 0.72 | 478 | 12 | 0.83 | 54 | 1640 | 34 | <5 | <20 | 66 | 0.07 | <10 | 200 | <10 | <1 | 62 |
| 12 | 61412 | 0.2 | 1.74 | 20 | 35 | <5 | 1.95 | <1 | 23 | 81 | 410 | 7.48 | <10 | 1.01 | 652 | 5 | 0.51 | 30 | 2160 | 18 | <5 | <20 | 65 | 0.08 | <10 | 205 | <10 | <1 | 67 |
| 13 | 61413 | <0.2 | 1.69 | 15 | 45 | <5 | 3.67 | <1 | 24 | 39 | 409 | 5.50 | <10 | 1.44 | 978 | 1 | 0.24 | 16 | 2550 | 16 | <5 | <20 | 121 | 0.10 | <10 | 191 | <10 | 10 | 77 |
| 14 | 61414 | <0.2 | 1.85 | 15 | 45 | <5 | 2.97 | <1 | 27 | 32 | 30 | 5.54 | <10 | 1.51 | 939 | <1 | 0.11 | 16 | 2630 | 24 | <5 | <20 | 54 | 0.10 | <10 | 201 | <10 | 14 | 135 |
| 15 | 61415 | 2.2 | 1.55 | <5 | 105 | <5 | 1.14 | 1 | 29 | 71 | 5027 | >10 | <10 | 0.72 | 353 | 29 | 0.37 | 30 | 900 | 12 | <5 | <20 | 52 | 0.11 | <10 | 221 | <10 | <1 | 64 |
| 16 | 61416 | 0.3 | 1.93 | <5 | 265 | <5 | 1.37 | <1 | 27 | 31 | 792 | 7.38 | <10 | 1.61 | 586 | 2 | 0.20 | 19 | 1490 | 20 | <5 | <20 | 34 | 0.14 | <10 | 227 | <10 | 5 | 68 |
| 17 | 61417 | <0.2 | 2.01 | 10 | 235 | <5 | 1.14 | <1 | 28 | 84 | 198 | 7.12 | <10 | 1.71 | 537 | <1 | 0.21 | 39 | 1380 | 22 | <5 | <20 | 27 | 0.14 | <10 | 222 | <10 | 2 | 59 |
| 18 | 61418 | 0.4 | 1.98 | <5 | 225 | <5 | 1.29 | <1 | 30 | 59 | 805 | 7.97 | <10 | 1.50 | 575 | 2 | 0.26 | 32 | 1460 | 18 | <5 | <20 | 45 | 0.15 | <10 | 243 | <10 | 2 | 65 |
| 19 | 61419 | 1.0 | 1.77 | <5 | 95 | <5 | 1.93 | <1 | 25 | 85 | 1778 | 9.04 | <10 | 0.94 | 521 | 9 | 0.35 | 28 | 1120 | 22 | <5 | <20 | 62 | 0.10 | <10 | 224 | <10 | <1 | 56 |
| 20 | 61420 | <0.2 | 1.52 | 5 | 180 | <5 | 1.68 | <1 | 28 | 43 | 159 | 7.10 | <10 | 1.33 | 652 | <1 | 0.15 | 22 | 1450 | 14 | <5 | <20 | 43 | 0.14 | <10 | 225 | <10 | 5 | 65 |
| 21 | 61421 | <0.2 | 1.96 | 10 | 465 | <5 | 1.56 | <1 | 30 | 65 | 1240 | 6.77 | <10 | 1.92 | 757 | <1 | 0.13 | 31 | 1310 | 22 | <5 | <20 | 37 | 0.23 | <10 | 264 | <10 | 11 | 74 |
| 22 | 61422 | 0.2 | 1.95 | 10 | 295 | <5 | 1.26 | <1 | 32 | 54 | 2569 | 7.28 | <10 | 1.73 | 532 | <1 | 0.19 | 30 | 1300 | 24 | <5 | <20 | 23 | 0.18 | <10 | 229 | <10 | 6 | 53 |
| 23 | 61423 | <0.2 | 2.23 | 15 | 255 | <5 | 2.63 | <1 | 30 | 45 | 208 | 6.17 | <10 | 1.93 | 799 | <1 | 0.20 | 28 | 1030 | 24 | <5 | <20 | 52 | 0.17 | <10 | 198 | <10 | 7 | 60 |
| 24 | 61424 | <0.2 | 1.72 | 10 | 125 | <5 | 1.50 | <1 | 29 | 58 | 313 | 6.94 | <10 | 1.54 | 527 | 1 | 0.21 | 22 | 1370 | 18 | <5 | <20 | 34 | 0.13 | <10 | 218 | <10 | <1 | 47 |
| 25 | 61425 | <0.2 | 1.87 | 20 | 130 | 5 | 2.17 | <1 | 27 | 69 | 21 | 5.57 | <10 | 1.53 | 551 | <1 | 0.29 | 33 | 1260 | 20 | <5 | <20 | 85 | 0.16 | <10 | 192 | <10 | 6 | 49 |
| 26 | 61426 | <0.2 | 2.08 | 10 | 355 | <5 | 1.28 | <1 | 31 | 72 | 95 | 6.40 | <10 | 1.96 | 599 | <1 | 0.13 | 39 | 1220 | 20 | <5 | <20 | 45 | 0.19 | <10 | 229 | <10 | 7 | 52 |
| 27 | 61427 | <0.2 | 1.68 | 15 | 325 | <5 | 1.27 | <1 | 30 | 90 | 1265 | 5.34 | <10 | 1.98 | 581 | <1 | 0.06 | 73 | 1150 | 22 | <5 | <20 | 21 | 0.15 | <10 | 164 | <10 | 5 | 61 |
| 28 | 61428 | <0.2 | 1.98 | 20 | 185 | <5 | 1.73 | <1 | 29 | 68 | 67 | 5.67 | <10 | 1.97 | 662 | <1 | 0.08 | 63 | 1360 | 20 | <5 | <20 | 39 | 0.13 | <10 | 177 | <10 | 6 | 58 |
| 29 | 61429 | <0.2 | 1.68 | 30 | 95 | <5 | 2.22 | <1 | 26 | 49 | 478 | 5.28 | <10 | 1.43 | 879 | <1 | 0.11 | 11 | 1700 | 20 | <5 | <20 | 50 | 0.11 | <10 | 157 | <10 | 11 | 94 |
| 30 | 61430 | <0.2 | 1.54 | 15 | 105 | 10 | 1.82 | <1 | 22 | 52 | 14 | 4.79 | <10 | 1.29 | 507 | <1 | 0.21 | 26 | 1010 | 18 | <5 | <20 | 72 | 0.13 | <10 | 157 | <10 | 7 | 42 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31 | 61431 | 0.3 | 2.01 | 15 | 110 | <5 | 1.57 | <1 | 31 | 42 | 1463 | 7.11 | <10 | 1.73 | 603 | <1 | 0.27 | 30 | 1160 | 18 | <5 | <20 | 34 | 0.14 | <10 | 222 | <10 | 1 | 51 |
| 32 | 61432 | <0.2 | 2.26 | 10 | 135 | 10 | 2.03 | <1 | 32 | 78 | 15 | 6.70 | <10 | 2.02 | 633 | <1 | 0.14 | 45 | 1050 | 22 | <5 | <20 | 50 | 0.14 | <10 | 213 | <10 | 2 | 48 |
| 33 | 61433 | <0.2 | 2.35 | 10 | 220 | 5 | 1.29 | <1 | 37 | 68 | 15 | 6.64 | <10 | 2.63 | 737 | <1 | 0.07 | 51 | 690 | 22 | <5 | <20 | 33 | 0.19 | <10 | 257 | <10 | 3 | 62 |
| 34 | 61434 | <0.2 | 1.60 | 15 | 100 | 5 | 1.80 | <1 | 28 | 74 | 25 | 6.11 | <10 | 1.61 | 572 | <1 | 0.15 | 39 | 1050 | 18 | <5 | <20 | 46 | 0.13 | <10 | 193 | <10 | 4 | 48 |
| 35 | 61435 | <0.2 | 2.09 | 15 | 125 | <5 | 2.41 | <1 | 28 | 61 | 193 | 5.90 | <10 | 1.72 | 712 | <1 | 0.31 | 29 | 1280 | 20 | <5 | <20 | 85 | 0.10 | <10 | 173 | <10 | 2 | 66 |
| 36 | 61436 | 2.9 | 1.13 | <5 | 85 | <5 | 2.83 | 2 | 65 | 32 | >10000 | >10 | <10 | 0.42 | 605 | 24 | 0.24 | 30 | <10 | <2 | <5 | <20 | 65 | 0.04 | 20 | 164 | <10 | <1 | 87 |
| 37 | 61437 | 1.0 | 1.43 | 5 | 55 | <5 | 2.70 | <1 | 49 | 51 | 5725 | >10 | <10 | 0.75 | 777 | 13 | 0.26 | 20 | 890 | 12 | <5 | <20 | 74 | 0.05 | <10 | 140 | <10 | <1 | 76 |
| 38 | 61438 | <0.2 | 2.02 | 20 | 40 | <5 | 4.49 | <1 | 25 | 52 | 1154 | >10 | <10 | 0.92 | 1147 | 6 | 0.31 | 16 | 1430 | 18 | <5 | <20 | 115 | 0.06 | <10 | 178 | <10 | <1 | 78 |
| 39 | 61439 | 1.0 | 1.83 | 25 | 50 | <5 | 5.77 | <1 | 41 | 50 | 8823 | >10 | <10 | 0.97 | 1373 | 8 | 0.20 | 24 | 750 | 16 | <5 | <20 | 98 | 0.06 | <10 | 156 | <10 | <1 | 77 |
| 40 | 61440 | 0.3 | 2.57 | 25 | 30 | <5 | 7.77 | <1 | 21 | 37 | 1140 | 6.76 | <10 | 0.94 | 1304 | 4 | 0.04 | 14 | 1330 | 20 | <5 | <20 | 165 | 0.04 | <10 | 124 | <10 | 1 | 53 |
| 41 | 61441 | 0.7 | 2.53 | 25 | 30 | <5 | 6.90 | <1 | 25 | 29 | 2555 | 7.01 | <10 | 1.01 | 1014 | 5 | 0.04 | 17 | 930 | 20 | <5 | <20 | 155 | 0.03 | <10 | 106 | <10 | <1 | 62 |
| 42 | 61442 | 1.3 | 1.83 | 15 | 50 | <5 | 4.79 | 2 | 37 | 43 | 4230 | >10 | <10 | 0.75 | 939 | 11 | 0.52 | 20 | 1280 | 16 | <5 | <20 | 117 | 0.05 | <10 | 156 | <10 | <1 | 60 |
| 43 | 61443 | 0.2 | 2.25 | 25 | 35 | <5 | 3.68 | <1 | 19 | 39 | 1024 | 8.07 | <10 | 0.48 | 908 | 5 | 0.79 | 12 | 1450 | 18 | <5 | <20 | 185 | 0.05 | <10 | 131 | <10 | <1 | 47 |
| 44 | 61444 | 0.4 | 1.42 | 30 | 45 | <5 | 4.63 | 1 | 31 | 50 | 1521 | >10 | <10 | 0.63 | 1408 | 8 | 0.16 | 17 | 1150 | 10 | <5 | <20 | 86 | 0.05 | <10 | 129 | <10 | <1 | 60 |
| 45 | 61445 | 0.3 | 1.75 | 15 | 25 | <5 | 4.66 | <1 | 19 | 46 | 776 | 7.31 | <10 | 0.61 | 1248 | 4 | 0.58 | 12 | 1400 | 12 | <5 | <20 | 100 | 0.06 | <10 | 114 | <10 | <1 | 56 |
| 46 | 61446 | 0.4 | 1.85 | 10 | 35 | <5 | 5.81 | <1 | 22 | 41 | 1750 | 7.60 | <10 | 0.98 | 989 | 4 | 0.39 | 12 | 1210 | 12 | <5 | <20 | 117 | 0.05 | <10 | 125 | <10 | <1 | 51 |
| 47 | 61447 | <0.2 | 1.60 | 15 | 30 | <5 | 5.82 | <1 | 23 | 43 | 834 | 8.42 | <10 | 0.96 | 1022 | 4 | 0.14 | 17 | 1340 | 10 | <5 | <20 | 114 | 0.06 | <10 | 144 | <10 | <1 | 60 |
| 48 | 61448 | 0.2 | 1.98 | 15 | 45 | <5 | 6.08 | <1 | 29 | 32 | 1031 | >10 | <10 | 1.08 | 1313 | 8 | 0.09 | 17 | 1190 | 16 | <5 | <20 | 116 | 0.04 | <10 | 146 | <10 | <1 | 73 |
| 49 | 61449 | 0.3 | 1.84 | 25 | 35 | <5 | 5.44 | <1 | 24 | 38 | 1113 | 8.78 | <10 | 0.77 | 1217 | 5 | 0.13 | 15 | 1370 | 14 | <5 | <20 | 93 | 0.05 | <10 | 119 | <10 | <1 | 64 |
| 50 | 61450 | 0.5 | 1.79 | 20 | 20 | <5 | 4.84 | <1 | 24 | 39 | 1843 | 7.63 | <10 | 0.69 | 1022 | 4 | 0.34 | 16 | 1340 | 14 | <5 | <20 | 165 | 0.05 | <10 | 141 | <10 | <1 | 52 |
| 51 | 61451 | 0.2 | 1.90 | 30 | 25 | <5 | 4.79 | <1 | 25 | 37 | 891 | 9.36 | <10 | 0.86 | 1120 | 6 | 0.39 | 11 | 1370 | 16 | <5 | <20 | 165 | 0.05 | <10 | 133 | <10 | <1 | 62 |
| 52 | 61452 | 0.2 | 1.82 | 35 | 30 | <5 | 4.06 | <1 | 23 | 45 | 750 | 8.67 | <10 | 0.63 | 930 | 5 | 0.31 | 13 | 1410 | 12 | <5 | <20 | 79 | 0.05 | <10 | 117 | <10 | <1 | 58 |
| 53 | 61453 | 0.5 | 2.00 | 20 | 35 | <5 | 3.37 | <1 | 22 | 52 | 1810 | 9.30 | <10 | 0.44 | 620 | 6 | 0.51 | 16 | 1330 | 16 | <5 | <20 | 170 | 0.05 | <10 | 156 | <10 | <1 | 67 |
| 54 | 61454 | <0.2 | 1.77 | 25 | 25 | <5 | 2.84 | <1 | 19 | 52 | 517 | 6.57 | <10 | 0.63 | 584 | 4 | 0.41 | 15 | 1630 | 18 | <5 | <20 | 141 | 0.06 | <10 | 171 | <10 | 1 | 55 |
| 55 | 61455 | <0.2 | 1.56 | 20 | 25 | <5 | 2.38 | <1 | 22 | 49 | 375 | 6.45 | <10 | 0.97 | 598 | 4 | 0.25 | 19 | 1600 | 16 | <5 | <20 | 97 | 0.07 | <10 | 181 | <10 | 3 | 53 |
| 56 | 61456 | 0.7 | 1.83 | 20 | 35 | <5 | 3.35 | <1 | 25 | 51 | 2072 | 9.79 | <10 | 0.44 | 589 | 6 | 0.48 | 16 | 1320 | 16 | <5 | <20 | 154 | 0.06 | <10 | 156 | <10 | <1 | 71 |
| 57 | 61457 | 0.2 | 1.89 | 20 | 25 | <5 | 3.20 | <1 | 18 | 73 | 550 | 6.98 | <10 | 0.62 | 561 | 4 | 0.53 | 16 | 1640 | 16 | <5 | <20 | 122 | 0.06 | <10 | 153 | <10 | <1 | 48 |
| 58 | 61458 | 0.2 | 1.83 | 15 | 35 | <5 | 3.12 | <1 | 22 | 74 | 635 | 6.96 | <10 | 0.89 | 666 | 5 | 0.48 | 23 | 1470 | 16 | <5 | <20 | 112 | 0.06 | <10 | 163 | <10 | <1 | 61 |
| 59 | 61459 | 0.2 | 1.64 | 25 | 30 | <5 | 3.12 | <1 | 24 | 54 | 233 | 6.03 | <10 | 1.36 | 771 | 3 | 0.11 | 19 | 1580 | 16 | <5 | <20 | 86 | 0.08 | <10 | 162 | <10 | 8 | 92 |
| 60 | 61460 | <0.2 | 1.56 | 20 | 50 | <5 | 2.28 | <1 | 25 | 43 | 108 | 5.18 | <10 | 1.21 | 780 | <1 | 0.27 | 22 | 1490 | 22 | <5 | <20 | 61 | 0.12 | <10 | 151 | <10 | 10 | 83 |
| 61 | 61461 | <0.2 | 1.85 | 20 | 80 | <5 | 2.37 | <1 | 24 | 44 | 31 | 5.41 | <10 | 1.05 | 706 | <1 | 0.40 | 21 | 1660 | 22 | <5 | <20 | 229 | 0.12 | <10 | 186 | <10 | 11 | 82 |
| 62 | 61462 | <0.2 | 1.75 | 25 | 30 | <5 | 3.07 | <1 | 27 | 42 | 257 | 5.19 | <10 | 1.04 | 972 | <1 | 0.45 | 22 | 1480 | 22 | <5 | <20 | 105 | 0.11 | <10 | 155 | <10 | 9 | 60 |
| 63 | 61463 | <0.2 | 1.44 | 20 | 35 | <5 | 3.23 | <1 | 26 | 45 | 23 | 5.46 | <10 | 1.01 | 871 | 1 | 0.15 | 27 | 1300 | 16 | <5 | <20 | 68 | 0.10 | <10 | 180 | <10 | 8 | 68 |
| 64 | 61464 | <0.2 | 1.48 | 20 | 35 | <5 | 2.23 | <1 | 22 | 67 | 46 | 4.51 | <10 | 0.76 | 592 | <1 | 0.47 | 62 | 1210 | 14 | <5 | <20 | 92 | 0.08 | <10 | 140 | <10 | 6 | 56 |
| 65 | 61465 | <0.2 | 2.34 | 20 | 75 | <5 | 2.62 | <1 | 30 | 133 | 152 | 4.62 | <10 | 1.42 | 726 | 1 | 0.49 | 176 | 1310 | 22 | <5 | <20 | 144 | 0.08 | <10 | 104 | <10 | 1 | 46 |
| 66 | 61466 | 0.5 | 1.37 | 30 | 30 | <5 | 3.18 | <1 | 25 | 178 | 863 | 7.00 | <10 | 0.56 | 592 | 3 | 0.26 | 95 | 1070 | 12 | <5 | <20 | 97 | 0.04 | <10 | 110 | <10 | <1 | 42 |
| 67 | 61467 | 0.7 | 1.74 | 25 | 25 | <5 | 4.55 | <1 | 27 | 122 | 1219 | 7.53 | <10 | 0.61 | 802 | 4 | 0.42 | 73 | 980 | 18 | <5 | <20 | 117 | 0.06 | <10 | 155 | <10 | <1 | 56 |
| 68 | 61468 | 0.5 | 1.62 | 40 | 55 | <5 | 3.07 | <1 | 39 | 191 | 936 | 8.48 | <10 | 1.12 | 856 | 4 | 0.20 | 110 | 1030 | 12 | <5 | <20 | 65 | 0.07 | <10 | 129 | <10 | <1 | 209 |

15-Jun-05

**ECO TECH LABORATORY LTD.** **ICP CERTIFICATE OF ANALYSIS AK 2005-456** **GWR RESOURCES INC.**

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 61401 | 1.3 | 1.65 | 25 | 30 | <5 | 2.69 | 1 | 29 | 62 | 2106 | 8.97 | <10 | 0.43 | 554 | 11 | 0.79 | 35 | 1390 | 18 | <5 | <20 | 78 | 0.06 | <10 | 180 | <10 | <1 | 50 |
| 36 | 61436 | 2.8 | 1.09 | <5 | 75 | <5 | 2.57 | 2 | 63 | 29 | >10000 | >10 | <10 | 0.42 | 569 | 30 | 0.25 | 31 | <10 | <2 | <5 | <20 | 58 | 0.04 | 20 | 154 | <10 | <1 | 83 |
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 61401 | 1.2 | 1.82 | 25 | 35 | <5 | 2.78 | <1 | 32 | 69 | 2134 | 9.23 | <10 | 0.47 | 574 | 12 | 0.86 | 37 | 1450 | 20 | <5 | <20 | 87 | 0.07 | <10 | 192 | <10 | <1 | 54 |
| 10 | 61410 | <0.2 | 1.48 | 20 | 90 | <5 | 1.83 | <1 | 26 | 89 | 18 | 6.34 | <10 | 1.18 | 554 | 1 | 0.20 | 54 | 2060 | 20 | <5 | <20 | 36 | 0.09 | <10 | 195 | <10 | 2 | 58 |
| 19 | 61419 | 1.0 | 1.78 | 5 | 100 | <5 | 1.97 | <1 | 25 | 86 | 1795 | 9.08 | <10 | 0.94 | 528 | 9 | 0.35 | 26 | 1100 | 20 | <5 | <20 | 64 | 0.10 | <10 | 224 | <10 | <1 | 56 |
| 36 | 61436 | 2.9 | 1.09 | <5 | 80 | <5 | 2.75 | 2 | 62 | 31 | >10000 | >10 | <10 | 0.40 | 586 | 24 | 0.23 | 26 | <10 | 8 | <5 | <20 | 59 | 0.04 | 20 | 156 | <10 | <1 | 85 |
| 45 | 61445 | 0.3 | 1.67 | 20 | 25 | <5 | 4.46 | <1 | 19 | 46 | 730 | 7.05 | <10 | 0.58 | 1188 | 5 | 0.55 | 12 | 1390 | 14 | <5 | <20 | 94 | 0.05 | <10 | 108 | <10 | <1 | 54 |
| 54 | 61454 | <0.2 | 1.72 | 15 | 25 | <5 | 2.74 | <1 | 18 | 51 | 519 | 6.40 | <10 | 0.62 | 573 | 5 | 0.40 | 15 | 1520 | 14 | <5 | <20 | 133 | 0.05 | <10 | 167 | <10 | <1 | 53 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.3 | 1.31 | 60 | 145 | <5 | 1.31 | <1 | 16 | 57 | 81 | 3.77 | <10 | 0.70 | 559 | <1 | 0.02 | 27 | 620 | 22 | <5 | <20 | 52 | 0.09 | <10 | 78 | <10 | 8 | 77 |
| GEO '05 | | 1.6 | 1.33 | 60 | 150 | <5 | 1.30 | <1 | 16 | 57 | 85 | 3.74 | <10 | 0.71 | 565 | <1 | 0.02 | 26 | 560 | 22 | <5 | <20 | 54 | 0.08 | <10 | 78 | <10 | 9 | 76 |

JJ/jj
df/456
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# CERTIFICATE OF ASSAY AK 2005-457

**GWR RESOURCES INC.** 15-Jun-05
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 59*
*Sample type: Core*
***Project #: 7***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 1 | 54941 | 0.03 | 0.001 | 0.09 |
| 2 | 54942 | 0.03 | 0.001 | 0.06 |
| 3 | 54943 | <0.03 | <0.001 | 0.04 |
| 4 | 54944 | <0.03 | <0.001 | <0.01 |
| 5 | 54945 | <0.03 | <0.001 | <0.01 |
| 6 | 54946 | <0.03 | <0.001 | <0.01 |
| 7 | 54947 | 0.08 | 0.002 | 0.76 |
| 8 | 54948 | 0.03 | 0.001 | 0.13 |
| 9 | 54949 | 0.15 | 0.004 | 0.76 |
| 10 | 54950 | 0.48 | 0.014 | 1.10 |
| 11 | 54951 | <0.03 | <0.001 | 0.02 |
| 12 | 54952 | <0.03 | <0.001 | 0.04 |
| 13 | 54971 | <0.03 | <0.001 | 0.05 |
| 14 | 54954 | 0.19 | 0.006 | 1.01 |
| 15 | 54955 | 0.04 | 0.001 | 0.11 |
| 16 | 54956 | <0.03 | <0.001 | 0.05 |
| 17 | 54957 | 0.06 | 0.002 | 0.05 |
| 18 | 54958 | <0.03 | <0.001 | 0.01 |
| 19 | 54959 | 0.06 | 0.002 | 0.02 |
| 20 | 54960 | <0.03 | <0.001 | 0.02 |
| 21 | 54961 | <0.03 | <0.001 | 0.03 |
| 22 | 54962 | <0.03 | <0.001 | 0.29 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK 2005-457** 15-Jun-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| 23 | 54963 | <0.03 | <0.001 | 0.04 |
| 24 | 54964 | <0.03 | <0.001 | 0.02 |
| 25 | 54965 | <0.03 | <0.001 | <0.01 |
| 26 | 54966 | <0.03 | <0.001 | 0.01 |
| 27 | 54967 | <0.03 | <0.001 | <0.01 |
| 28 | 54968 | <0.03 | <0.001 | <0.01 |
| 29 | 54969 | <0.03 | <0.001 | <0.01 |
| 30 | 54970 | 0.07 | 0.002 | 0.51 |
| 31 | 54971 | 0.26 | 0.008 | 1.07 |
| 32 | 54972 | 0.07 | 0.002 | 0.62 |
| 33 | 54973 | 0.03 | 0.001 | 0.28 |
| 34 | 54974 | <0.03 | <0.001 | 0.04 |
| 35 | 54975 | <0.03 | <0.001 | 0.15 |
| 36 | 54976 | <0.03 | <0.001 | 0.07 |
| 37 | 54977 | <0.03 | <0.001 | 0.03 |
| 38 | 54978 | <0.03 | <0.001 | 0.08 |
| 39 | 54979 | 0.03 | 0.001 | 0.02 |
| 40 | 54980 | <0.03 | <0.001 | 0.06 |
| 41 | 54981 | <0.03 | <0.001 | 0.06 |
| 42 | 54982 | <0.03 | <0.001 | 0.03 |
| 43 | 54983 | 0.05 | 0.001 | 0.02 |
| 44 | 54984 | <0.03 | <0.001 | 0.02 |
| 45 | 54985 | <0.03 | <0.001 | 0.07 |
| 46 | 54986 | 0.03 | 0.001 | 0.07 |
| 47 | 54987 | <0.03 | <0.001 | 0.14 |
| 48 | 54988 | 0.07 | 0.002 | 0.04 |
| 49 | 54989 | <0.03 | <0.001 | 0.30 |
| 50 | 54990 | <0.03 | <0.001 | 0.10 |
| 51 | 54991 | <0.03 | <0.001 | 0.03 |
| 52 | 54992 | <0.03 | <0.001 | 0.01 |
| 53 | 54993 | <0.03 | <0.001 | 0.01 |
| 54 | 54994 | <0.03 | <0.001 | 0.01 |
| 55 | 54995 | 0.04 | 0.001 | 0.01 |
| 56 | 54996 | <0.03 | <0.001 | <0.01 |
| 57 | 54997 | <0.03 | <0.001 | 0.02 |
| 58 | 54998 | <0.03 | <0.001 | 0.06 |
| 59 | 54999 | <0.03 | <0.001 | 0.04 |

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

**GWR RESOURCES INC. AK 2005-457** 15-Jun-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|---|---|---|---|---|
| **QC DATA:** | | | | |
| ***Resplit:*** | | | | |
| 1 | 54941 | <0.03 | <0.001 | 0.08 |
| 36 | 54976 | <0.03 | <0.001 | 0.06 |
| ***Repeat:*** | | | | |
| 1 | 54941 | 0.03 | 0.001 | 0.09 |
| 10 | 54950 | 0.47 | 0.014 | 1.08 |
| 14 | 54954 | 0.20 | 0.006 | |
| 19 | 54959 | <0.03 | <0.001 | 0.02 |
| 31 | 54971 | 0.29 | 0.008 | |
| 36 | 54976 | <0.03 | <0.001 | 0.07 |
| 45 | 54985 | <0.03 | <0.001 | 0.07 |
| ***Standard:*** | | | | |
| Cu118 | | | | 1.07 |
| Cu118 | | | | 1.07 |
| SH13 | | 1.29 | 0.038 | |
| SH13 | | 1.26 | 0.037 | |
| SH13 | | 1.29 | 0.038 | |

JJ/jj
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

15-Jun-05

**ECO TECH LABORATORY LTD.**
10041 Dallas Drive
**KAMLOOPS, B.C.**
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

**ICP CERTIFICATE OF ANALYSIS AK 2005-457**

**GWR RESOURCES INC.**
Box 545
**Armstrong, BC**
V0E 1B0

**ATTENTION: Irvin Eisler**

*No. of samples received: 59*
*Sample type: Core*
***Project #: 7***
***Shipment #: None Given***
*Samples submitted by: B. Callaghan*

***Values in ppm unless otherwise reported***

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 54941 | 0.3 | 2.11 | 15 | 180 | <5 | 3.64 | 1 | 27 | 44 | 907 | 5.70 | <10 | 1.48 | 730 | <1 | 0.29 | 23 | 1150 | 24 | <5 | <20 | 153 | 0.19 | <10 | 216 | <10 | 11 | 80 |
| 2 | 54942 | <0.2 | 2.01 | 10 | 200 | <5 | 3.76 | <1 | 27 | 48 | 658 | 5.66 | <10 | 1.57 | 653 | <1 | 0.30 | 28 | 1310 | 24 | <5 | <20 | 76 | 0.18 | <10 | 219 | <10 | 12 | 71 |
| 3 | 54943 | <0.2 | 1.47 | 5 | 115 | <5 | 2.67 | <1 | 29 | 52 | 342 | 6.05 | <10 | 1.30 | 635 | <1 | 0.11 | 21 | 1220 | 22 | <5 | <20 | 42 | 0.13 | <10 | 224 | <10 | 7 | 80 |
| 4 | 54944 | <0.2 | 1.30 | <5 | 70 | 5 | 2.75 | <1 | 30 | 55 | 27 | 6.55 | <10 | 1.06 | 652 | 2 | 0.04 | 20 | 1270 | 14 | <5 | <20 | 25 | 0.10 | <10 | 238 | <10 | 4 | 81 |
| 5 | 54945 | <0.2 | 1.28 | 5 | 110 | 10 | 2.84 | <1 | 29 | 57 | 43 | 6.55 | <10 | 1.01 | 632 | <1 | 0.05 | 21 | 1240 | 16 | <5 | <20 | 35 | 0.12 | <10 | 230 | <10 | 4 | 100 |
| 6 | 54946 | <0.2 | 1.62 | 15 | 60 | <5 | 2.38 | <1 | 25 | 50 | 162 | 7.61 | <10 | 0.86 | 540 | 2 | 0.28 | 20 | 1360 | 18 | <5 | <20 | 86 | 0.10 | <10 | 234 | <10 | <1 | 43 |
| 7 | 54947 | 2.1 | 1.34 | <5 | 55 | <5 | 2.29 | <1 | 54 | 66 | 7752 | >10 | <10 | 0.56 | 664 | 9 | 0.50 | 21 | 750 | 8 | <5 | <20 | 73 | 0.07 | <10 | 145 | <10 | <1 | 64 |
| 8 | 54948 | 0.3 | 1.76 | 5 | 45 | <5 | 2.64 | <1 | 25 | 61 | 1400 | >10 | <10 | 0.63 | 727 | 8 | 0.50 | 16 | 1370 | 14 | <5 | <20 | 95 | 0.07 | <10 | 157 | <10 | <1 | 67 |
| 9 | 54949 | 2.0 | 0.94 | <5 | 100 | <5 | 1.86 | 2 | 73 | 21 | 7684 | >10 | <10 | 0.24 | 658 | 107 | 0.28 | 30 | <10 | 10 | <5 | <20 | 45 | 0.04 | <10 | 164 | <10 | <1 | 235 |
| 10 | 54950 | 3.2 | 0.94 | <5 | 85 | <5 | 2.42 | 2 | 135 | 31 | >10000 | >10 | <10 | 0.26 | 584 | 24 | 0.25 | 62 | <10 | 4 | <5 | <20 | 71 | 0.05 | <10 | 150 | <10 | <1 | 76 |
| 11 | 54951 | <0.2 | 1.81 | 30 | 35 | <5 | 4.31 | <1 | 22 | 50 | 230 | 9.18 | <10 | 0.49 | 796 | 6 | 0.47 | 15 | 1270 | 18 | <5 | <20 | 111 | 0.06 | <10 | 132 | <10 | <1 | 45 |
| 12 | 54952 | <0.2 | 1.88 | 35 | 25 | <5 | 3.85 | <1 | 18 | 44 | 415 | 6.19 | <10 | 0.61 | 675 | 4 | 0.33 | 15 | 1350 | 20 | <5 | <20 | 142 | 0.05 | <10 | 131 | <10 | <1 | 42 |
| 13 | 54953 | <0.2 | 1.47 | 20 | 30 | <5 | 5.62 | <1 | 17 | 54 | 513 | 7.55 | <10 | 0.53 | 951 | 21 | 0.20 | 13 | 1330 | 14 | <5 | <20 | 143 | 0.06 | <10 | 144 | <10 | <1 | 36 |
| 14 | 54954 | 3.8 | 1.40 | 10 | 65 | <5 | 4.34 | 1 | 79 | 43 | >10000 | >10 | <10 | 0.69 | 729 | 13 | 0.30 | 43 | <10 | 10 | <5 | <20 | 55 | 0.07 | <10 | 201 | <10 | <1 | 58 |
| 15 | 54955 | 0.6 | 1.28 | 20 | 20 | <5 | 2.88 | <1 | 19 | 60 | 1033 | 5.47 | <10 | 0.44 | 572 | 6 | 0.31 | 17 | 1420 | 12 | <5 | <20 | 92 | 0.07 | <10 | 154 | <10 | 4 | 37 |
| 16 | 54956 | 0.2 | 1.54 | 10 | 25 | <5 | 1.95 | <1 | 25 | 36 | 509 | 5.77 | <10 | 1.04 | 607 | 1 | 0.23 | 16 | 1700 | 16 | <5 | <20 | 90 | 0.11 | <10 | 195 | <10 | 8 | 58 |
| 17 | 54957 | 0.4 | 1.79 | 50 | 25 | <5 | 6.01 | <1 | 22 | 50 | 510 | 5.70 | <10 | 0.78 | 1497 | 4 | 0.19 | 21 | 1420 | 20 | <5 | <20 | 78 | 0.06 | <10 | 107 | <10 | 2 | 102 |
| 18 | 54958 | <0.2 | 1.44 | 50 | 15 | <5 | 6.43 | <1 | 17 | 52 | 144 | 3.52 | <10 | 0.76 | 1349 | 1 | 0.06 | 16 | 1400 | 16 | <5 | <20 | 63 | 0.06 | <10 | 84 | <10 | 4 | 95 |
| 19 | 54959 | <0.2 | 1.36 | 10 | 45 | <5 | 1.62 | <1 | 24 | 56 | 206 | 5.76 | <10 | 0.94 | 523 | <1 | 0.14 | 23 | 1650 | 14 | <5 | <20 | 62 | 0.11 | <10 | 183 | <10 | 8 | 66 |
| 20 | 54960 | <0.2 | 1.45 | 10 | 50 | <5 | 1.71 | <1 | 22 | 54 | 218 | 5.88 | <10 | 0.71 | 423 | 2 | 0.25 | 21 | 1590 | 16 | <5 | <20 | 80 | 0.10 | <10 | 185 | <10 | 6 | 52 |
| 21 | 54961 | <0.2 | 1.82 | 40 | 15 | <5 | 5.05 | <1 | 15 | 54 | 333 | 4.36 | <10 | 0.65 | 942 | 1 | 0.20 | 13 | 1480 | 20 | <5 | <20 | 119 | 0.06 | <10 | 96 | <10 | 3 | 60 |
| 22 | 54962 | 1.0 | 1.62 | 30 | 25 | <5 | 5.64 | <1 | 28 | 45 | 2921 | 6.22 | <10 | 0.59 | 1308 | 3 | 0.22 | 21 | 1270 | 18 | <5 | <20 | 78 | 0.07 | <10 | 118 | <10 | <1 | 53 |
| 23 | 54963 | <0.2 | 1.39 | 15 | 20 | <5 | 2.49 | <1 | 19 | 50 | 441 | 5.48 | <10 | 0.63 | 578 | 2 | 0.30 | 18 | 1620 | 18 | <5 | <20 | 108 | 0.07 | <10 | 166 | <10 | 5 | 54 |
| 24 | 54964 | <0.2 | 1.66 | 20 | 25 | <5 | 3.26 | <1 | 17 | 62 | 218 | 6.24 | <10 | 0.68 | 820 | 2 | 0.53 | 16 | 1470 | 16 | <5 | <20 | 130 | 0.06 | <10 | 182 | <10 | 2 | 58 |
| 25 | 54965 | <0.2 | 1.49 | 10 | 40 | <5 | 1.73 | <1 | 22 | 65 | 61 | 5.84 | <10 | 0.84 | 570 | 2 | 0.26 | 21 | 1650 | 14 | <5 | <20 | 114 | 0.10 | <10 | 196 | <10 | 7 | 60 |
| 26 | 54966 | <0.2 | 2.36 | 25 | 35 | <5 | 2.58 | <1 | 18 | 59 | 233 | 5.14 | <10 | 0.57 | 621 | 1 | 0.44 | 14 | 1580 | 26 | <5 | <20 | 191 | 0.09 | <10 | 167 | <10 | 7 | 49 |
| 27 | 54967 | <0.2 | 1.41 | 10 | 55 | <5 | 1.80 | <1 | 23 | 64 | 78 | 5.56 | <10 | 0.95 | 639 | <1 | 0.20 | 19 | 1640 | 16 | <5 | <20 | 73 | 0.12 | <10 | 192 | <10 | 10 | 63 |

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 28 | 54968 | <0.2 | 1.26 | <5 | 50 | <5 | 1.26 | <1 | 22 | 53 | 79 | 5.66 | <10 | 0.94 | 560 | 1 | 0.16 | 17 | 1530 | 12 | <5 | <20 | 80 | 0.09 | <10 | 186 | <10 | 8 | 68 |
| 29 | 54969 | 0.2 | 1.25 | 10 | 30 | <5 | 1.70 | <1 | 18 | 55 | 92 | 4.98 | <10 | 0.68 | 526 | 2 | 0.22 | 16 | 1550 | 14 | <5 | <20 | 72 | 0.08 | <10 | 162 | <10 | 6 | 58 |
| 30 | 54970 | 2.2 | 0.99 | 5 | 40 | <5 | 2.71 | <1 | 57 | 42 | 4808 | >10 | <10 | 0.79 | 798 | 18 | 0.10 | 30 | 910 | 6 | <5 | <20 | 65 | 0.05 | <10 | 128 | <10 | <1 | 61 |
| 31 | 54971 | 5.5 | 0.86 | 15 | 45 | <5 | 3.64 | <1 | 177 | 57 | >10000 | >10 | <10 | 0.91 | 806 | 18 | 0.03 | 30 | 240 | 4 | <5 | <20 | 108 | 0.05 | <10 | 125 | <10 | <1 | 49 |
| 32 | 54972 | 3.1 | 0.91 | 20 | 35 | <5 | 3.96 | <1 | 80 | 51 | 6165 | >10 | <10 | 0.88 | 876 | 10 | 0.06 | 26 | 750 | 8 | <5 | <20 | 85 | 0.05 | <10 | 129 | <10 | <1 | 57 |
| 33 | 54973 | 0.9 | 0.97 | 5 | 40 | <5 | 2.94 | 1 | 30 | 50 | 2787 | >10 | <10 | 0.70 | 753 | 6 | 0.08 | 25 | 910 | 8 | <5 | <20 | 63 | 0.05 | <10 | 144 | <10 | <1 | 61 |
| 34 | 54974 | 0.2 | 1.28 | 25 | 15 | <5 | 5.17 | <1 | 18 | 46 | 388 | 6.06 | <10 | 0.74 | 942 | 3 | 0.15 | 13 | 1280 | 12 | <5 | <20 | 79 | 0.06 | <10 | 118 | <10 | <1 | 57 |
| 35 | 54975 | 0.5 | 1.26 | 20 | 30 | <5 | 3.25 | 1 | 22 | 47 | 1467 | 9.21 | <10 | 0.51 | 681 | 6 | 0.25 | 21 | 1200 | 10 | <5 | <20 | 67 | 0.06 | <10 | 146 | <10 | <1 | 50 |
| 36 | 54976 | <0.2 | 1.63 | 25 | 35 | <5 | 4.06 | <1 | 25 | 55 | 711 | >10 | <10 | 0.91 | 1037 | 9 | 0.13 | 16 | 1440 | 8 | <5 | <20 | 70 | 0.06 | <10 | 125 | <10 | <1 | 72 |
| 37 | 54977 | <0.2 | 1.81 | 30 | 25 | <5 | 3.49 | <1 | 18 | 55 | 327 | 6.23 | <10 | 0.77 | 898 | 3 | 0.57 | 16 | 1490 | 18 | <5 | <20 | 74 | 0.07 | <10 | 132 | <10 | 1 | 66 |
| 38 | 54978 | 0.2 | 1.22 | 20 | 30 | <5 | 3.61 | <1 | 31 | 51 | 769 | 7.02 | <10 | 0.89 | 976 | 11 | 0.15 | 18 | 1530 | 12 | <5 | <20 | 62 | 0.08 | <10 | 155 | <10 | 5 | 83 |
| 39 | 54979 | 0.2 | 1.49 | 30 | 20 | <5 | 4.12 | <1 | 22 | 63 | 127 | 4.58 | <10 | 0.98 | 966 | 2 | 0.10 | 19 | 1600 | 16 | <5 | <20 | 66 | 0.08 | <10 | 133 | <10 | 7 | 74 |
| 40 | 54980 | 0.3 | 1.96 | 45 | 25 | <5 | 3.54 | <1 | 26 | 71 | 613 | 5.60 | <10 | 0.83 | 973 | 6 | 0.53 | 18 | 1500 | 20 | <5 | <20 | 95 | 0.08 | <10 | 131 | <10 | 4 | 62 |
| 41 | 54981 | 0.2 | 2.28 | 40 | 25 | <5 | 4.32 | <1 | 38 | 69 | 633 | 6.54 | <10 | 1.19 | 1409 | 3 | 0.44 | 20 | 1370 | 26 | <5 | <20 | 96 | 0.09 | <10 | 122 | <10 | 3 | 82 |
| 42 | 54982 | <0.2 | 2.12 | 30 | 50 | <5 | 2.42 | <1 | 33 | 69 | 219 | 6.87 | <10 | 1.25 | 814 | 3 | 0.36 | 22 | 1520 | 28 | <5 | <20 | 69 | 0.11 | <10 | 158 | <10 | 3 | 73 |
| 43 | 54983 | <0.2 | 1.73 | 30 | 30 | <5 | 3.68 | <1 | 22 | 56 | 213 | 5.52 | <10 | 0.88 | 1040 | 2 | 0.47 | 17 | 1490 | 22 | <5 | <20 | 69 | 0.09 | <10 | 145 | <10 | 7 | 69 |
| 44 | 54984 | <0.2 | 1.65 | 15 | 40 | <5 | 2.82 | <1 | 25 | 47 | 119 | 5.97 | <10 | 1.09 | 945 | <1 | 0.33 | 19 | 1640 | 18 | <5 | <20 | 120 | 0.11 | <10 | 187 | <10 | 9 | 89 |
| 45 | 54985 | 0.5 | 1.64 | 25 | 35 | <5 | 2.87 | <1 | 25 | 52 | 621 | 7.27 | <10 | 0.77 | 819 | 3 | 0.47 | 16 | 1530 | 20 | <5 | <20 | 92 | 0.09 | <10 | 169 | <10 | 3 | 68 |
| 46 | 54986 | 0.3 | 2.03 | 35 | 30 | <5 | 3.95 | <1 | 26 | 57 | 617 | 9.77 | <10 | 0.87 | 1158 | 7 | 0.72 | 17 | 1470 | 24 | <5 | <20 | 103 | 0.06 | <10 | 159 | <10 | <1 | 93 |
| 47 | 54987 | 0.6 | 1.79 | 25 | 35 | <5 | 2.72 | <1 | 23 | 65 | 1372 | 9.43 | <10 | 0.57 | 666 | 15 | 0.72 | 20 | 1400 | 18 | <5 | <20 | 127 | 0.07 | <10 | 167 | <10 | <1 | 55 |
| 48 | 54988 |  | 2.03 | 20 | 20 | <5 | 2.94 | <1 | 16 | 57 | 385 | 5.85 | <10 | 0.71 | 722 | 3 | 0.75 | 13 | 1600 | 20 | <5 | <20 | 130 | 0.06 | <10 | 143 | <10 | 2 | 48 |
| 49 | 54989 | 2.1 | 1.54 | 100 | 30 | <5 | 4.90 | <1 | 43 | 40 | 3027 | 7.10 | <10 | 1.05 | 1192 | 5 | 0.29 | 22 | 1390 | 16 | <5 | <20 | 104 | 0.05 | <10 | 135 | <10 | 2 | 65 |
| 50 | 54990 | 0.3 | 2.09 | 30 | 25 | <5 | 7.13 | <1 | 21 | 37 | 944 | 7.44 | <10 | 1.20 | 1474 | 10 | 0.12 | 16 | 1310 | 20 | <5 | <20 | 217 | 0.04 | <10 | 137 | <10 | <1 | 82 |
| 51 | 54991 | <0.2 | 1.42 | 20 | 35 | <5 | 2.30 | <1 | 18 | 68 | 272 | 5.86 | <10 | 0.61 | 556 | 3 | 0.48 | 18 | 1600 | 16 | <5 | <20 | 92 | 0.07 | <10 | 166 | <10 | 5 | 48 |
| 52 | 54992 | 0.6 | 2.13 | 25 | 30 | <5 | 2.75 | <1 | 22 | 73 | 99 | 7.36 | <10 | 0.80 | 608 | 9 | 0.85 | 19 | 1540 | 22 | <5 | <20 | 123 | 0.08 | <10 | 172 | <10 | <1 | 57 |
| 53 | 54993 | <0.2 | 2.13 | 30 | 85 | <5 | 1.88 | <1 | 30 | 67 | 101 | 6.81 | <10 | 1.14 | 794 | 1 | 0.64 | 24 | 1430 | 26 | <5 | <20 | 96 | 0.13 | <10 | 183 | <10 | 5 | 78 |
| 54 | 54994 | <0.2 | 1.63 | 25 | 50 | <5 | 2.00 | <1 | 20 | 56 | 139 | 6.58 | <10 | 0.64 | 630 | 3 | 0.64 | 17 | 1580 | 18 | <5 | <20 | 87 | 0.08 | <10 | 176 | <10 | 3 | 62 |
| 55 | 54995 | <0.2 | 1.48 | 25 | 55 | <5 | 1.90 | <1 | 25 | 55 | 80 | 6.28 | <10 | 0.84 | 680 | 3 | 0.32 | 24 | 1600 | 22 | <5 | <20 | 53 | 0.09 | <10 | 195 | <10 | 4 | 76 |
| 56 | 54996 | <0.2 | 1.84 | 25 | 70 | 5 | 1.97 | <1 | 28 | 53 | 7 | 6.48 | <10 | 1.02 | 736 | <1 | 0.48 | 25 | 1690 | 30 | <5 | <20 | 117 | 0.11 | <10 | 202 | <10 | 8 | 78 |
| 57 | 54997 | <0.2 | 1.89 | 30 | 50 | <5 | 2.80 | <1 | 25 | 67 | 158 | 6.22 | <10 | 0.76 | 812 | 5 | 0.72 | 25 | 1550 | 22 | <5 | <20 | 86 | 0.09 | <10 | 177 | <10 | 4 | 58 |
| 58 | 54998 | 0.4 | 1.69 | 30 | 45 | <5 | 1.75 | <1 | 27 | 78 | 581 | 7.00 | <10 | 0.72 | 588 | 11 | 0.64 | 29 | 1340 | 20 | <5 | <20 | 88 | 0.10 | <10 | 174 | <10 | 2 | 52 |
| 59 | 54999 | 0.2 | 1.74 | 25 | 40 | <5 | 1.88 | <1 | 25 | 72 | 409 | 6.78 | <10 | 0.73 | 547 | 5 | 0.66 | 26 | 1320 | 20 | <5 | <20 | 90 | 0.09 | <10 | 172 | <10 | <1 | 54 |
| **QC DATA:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ***Resplit:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 54941 | 0.3 | 1.99 | 15 | 160 | <5 | 3.43 | <1 | 26 | 42 | 723 | 5.45 | <10 | 1.39 | 708 | <1 | 0.27 | 21 | 1140 | 28 | <5 | <20 | 142 | 0.19 | <10 | 204 | <10 | 9 | 81 |
| 36 | 54976 | <0.2 | 1.63 | 30 | 30 | <5 | 4.05 | <1 | 24 | 49 | 612 | 9.84 | <10 | 0.90 | 1049 | 8 | 0.13 | 16 | 1430 | 14 | <5 | <20 | 63 | 0.06 | <10 | 123 | <10 | <1 | 74 |

15-Jun-05

**ECO TECH LABORATORY LTD.** **ICP CERTIFICATE OF ANALYSIS AK 2005-457** **GWR RESOURCES INC.**


| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ***Repeat:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 54941 | 0.3 | 2.01 | 15 | 170 | <5 | 3.65 | <1 | 27 | 45 | 847 | 5.69 | <10 | 1.40 | 726 | <1 | 0.27 | 22 | 1160 | 28 | <5 | <20 | 142 | 0.19 | <10 | 212 | <10 | 10 | 82 |
| 10 | 54950 | 3.3 | 0.99 | <5 | 90 | <5 | 2.51 | 4 | 141 | 31 | >10000 | >10 | <10 | 0.27 | 610 | 29 | 0.26 | 75 | <10 | 6 | <5 | <20 | 73 | 0.05 | <10 | 159 | <10 | <1 | 79 |
| 19 | 54959 | <0.2 | 1.33 | 10 | 45 | <5 | 1.65 | <1 | 23 | 54 | 197 | 5.59 | <10 | 0.91 | 514 | <1 | 0.13 | 24 | 1590 | 16 | <5 | <20 | 62 | 0.11 | <10 | 181 | <10 | 9 | 64 |
| 36 | 54976 | <0.2 | 1.73 | 35 | 30 | <5 | 4.49 | <1 | 25 | 57 | 684 | >10 | <10 | 0.90 | 1136 | 9 | 0.12 | 19 | 1480 | 16 | <5 | <20 | 69 | 0.07 | <10 | 133 | <10 | <1 | 75 |
| 45 | 54985 | 0.5 | 1.69 | 25 | 40 | <5 | 3.04 | <1 | 25 | 53 | 617 | 7.40 | <10 | 0.76 | 867 | 2 | 0.48 | 17 | 1530 | 20 | <5 | <20 | 96 | 0.10 | <10 | 175 | <10 | 3 | 69 |
| ***Standard:*** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.6 | 1.33 | 65 | 140 | <5 | 1.29 | <1 | 16 | 57 | 88 | 3.70 | <10 | 0.69 | 555 | <1 | 0.03 | 27 | 570 | 26 | <5 | <20 | 53 | 0.09 | <10 | 78 | <10 | 8 | 74 |
| GEO '05 | | 1.6 | 1.37 | 60 | 145 | <5 | 1.33 | <1 | 16 | 59 | 86 | 3.83 | <10 | 0.71 | 572 | <1 | 0.03 | 28 | 580 | 22 | <5 | <20 | 54 | 0.11 | <10 | 80 | <10 | 8 | 71 |

JJ/jj
df/456
XLS/05
*Fax GWR - 250-546-3635*
*CC: Scott Berky Fax - 250-457-6710*

**ECO TECH LABORATORY LTD.**
Jutta Jealouse
B.C. Certified Assayer

# APPENDIX E

## Petrographic work by Kamloops Geological Services




**KAMLOOPS GEOLOGICAL SERVICES LTD.**

**910 HEATHERTON COURT**
**KAMLOOPS, B.C.**
**V1S 1P9**

**Telephone: (250) 828-2585** **Fax: (250) 372-1012**

**TO:** Brian Callaghan BSc

**FROM:** Ron Wells, P. Geo, FGAC, Consulting Geologist

**RE:** Petrographic Report on GWR samples, Dora MC claims.

**DATE:** May 25th, 2005

**Cc:**

---

## Introduction

Six half core samples were submitted by geologist Brian Callaghan from the Dora MC property for petrographic examination. During previous discussions with Brian questions often focused on the mineralogy of alteration and if it could be used for vectoring into mineralized zones. This was for both porphyry and skarn environments. Other questions often involved the composition of the original host rocks whether intrusive or extrusive, Lapilli tuff or intrusive/ tectonic breccia etc. Single normal thin sections were produced from the six samples by Vancouver Petrographics Ltd. These were examined and described by the author, photomicrographs were taken to document various textures and mineralogy. The six core samples were taken from the following zones:

| Zone | Samples |
|---|---|
| Anne North | E |
| North Zone-Sprout Lake | A, B, C |
| South Zone-Sprout Lake | D, F |

**Comments**

Sample E from Anne North represents a high level felsic intrusion, basically a crowded feldspar porphyry with interstitial quartz and K. feldspar.

Sample C from the North Zone at Sprout Lake is a magnetic, brecciated, potassic monzonite porphyry with significant amounts of K. feldspar. This breccia is dominated by fairly uniform monzonite fragments, there are however local strong epidote altered fragments (similar original composition?) which appear exotic-introduced. This type of breccia would probably lie fairly proximal to an intrusive-volcanic center.

Samples A, B, D and F have calc-silicate hornfels and skarn affinities. These all probably have lapilli tuff- fragmental protoliths (volcaniclastic rocks) especially samples A and B from the North Sprout Lake Zone. All four samples contain grossular garnet, epidote and carbonate (calcite). Garnet appears early (prograde) and is abundant in samples B, D and F where it commonly occurs as a selective groundmass replacements or as alteration rims. The matrix areas to these samples have been subject to strong alteration (often multi-phase-fluid pathways) with epidote, carbonate, local K.feldspar (D), albite A, F), scapolite (F, A?), brown biotite (B) and penninite chlorite (A). The K. feldspar flooding in sample D suggests proximity to an intrusive system that was contributing alkaline rich fluids during the skarn-alteration event. The albite and probable scapolite (plus magnetite) in samples A and F are also more proximal skarn indicators.

## Petrographic Descriptions

### A. Epidote-Carbonate-Chlorite Altered Lapilli-Crystal Tuff with abundant fine magnetite

### 1. Hand Specimen

Mottled medium greens and greys, locally darker. Fine to medium grained lapilli-crystal tuff with elongate, angular, aligned lapilli, 5mm up to 5cm long. The lapilli and crystals are matrix supported; lapilli and other shape fabrics are 30° CA to the core axis. Strongly magnetic throughout. Local fine, patchy disseminated K. feldspar in one case as an envelope to a small lapilli/fragment. Local lensy, fine grained pyrrhotite-chalcopyrite aggregate 1cm long

### 2. Thin Section

Lapilli-lithic fragments can often be distinguished by patchy concentrations of fine grained magnetite locally >10%. These lapilli are mainly variably-patchy altered augite porphyries. Abundant augite phenocrysts 0.4mm to 2mm grain size display variable fracturing and alteration to green (pleochroic) chlorite. Groundmass areas are fine grained, variably recrystallized with augite, anhedral feldspar (mainly plagioclase, magnetite and minor disseminated carbonate).

Subhedral to angular augite phenocrysts are disseminated in matrix areas (5%) and generally millimeter scale (up to 3mm). Some are fairly fresh, others are fractured with green chlorite alteration and fine disseminated-fracture controlled magnetite.

Matrix areas have highly variable grain size and mineralogy which is often distinctly patchy. There is abundant medium grained pleochroic epidote, often forming monomineralic patches up to several millimetres in length. Local subhedral to euhedral calcite crystals occur with epidote. Other fine-medium grained matrix patches feature tabular epidote, anhedral carbonate, euhedral grossular garnet (isolated fine grains) and tabular plagioclase (albite-oligoclase). Minor K. feldspar and abundant green chlorite (penninite) in irregular patches.

Several fine carbonate veinlets were observed cutting matrix alteration areas. These are non-penetrative, locally overprinted and probably occurred syn to late alteration.

**B. Garnet, Carbonate, Epidote and Biotite Altered Fragmental Unit possibly a Heterolithic Lapilli Tuff.**

**1. Hand Specimen**

Mottled light grey-greens with mainly pinkish coloured fragments, some medium green. The fragments are millimetre to 3cm in length, smaller are angular, larger are locally subrounded. Fragments are clearly matrix supported and display variable alignment. These and matrix fabrics are generally subparallel to the core axis. The matrix is light coloured and aphanitic. Non magnetic, trace extremely fine sulfides. K. feldspar appears absent.

**2. Thin Section**

This thin section can be broken down in two distinct mineralogical and grain size domains: pink garnet altered fragments and finer grained, carbonate (epidote) altered matrix with remnant pyroxene crystals.

The garnet rich fragments are dominated by pink isotropic garnet probably grossular with numerous fractures/veinlets and silicate inclusions. This garnet was probably prograde and has been subject to overprints. Fine veinlets occur throughout and are mainly carbonate with local sericite and chlorite. Larger garnet aggregates feature significant amounts of interstitial calcite. Abundant fine grained inclusions, often as aggregates feature abundant pleochroic epidote, patchy carbonate and local remnant (altered) augite. Carbonate veinlets appear to post-date the pyroxene and epidote.

Matrix areas are fine grained with local millimetre scale, remnant pyroxene (augite) crystals. The fine grained mineralogy is dominated by patchy calcite and epidote. Remnants of fine grained augite occur throughout and are commonly overprinted by epidote, some however remain fairly fresh.

One area at the edge of the thin section, probably a larger fragment-lapilli features fresher mineralogy with abundant augite and sparse calcite. The groundmass has been

variably overprinted by up to 10% fine tabular, brown to greenish brown pleochroic biotite. This was the only place where biotite was observed.

The alteration in this sample appears highly selective. Garnet has replaced original fragments-clasts which were probably fairly calcareous. Augite porphyry fragments do not feature abundant garnet, one has brown biotite alteration. Matrix areas are strongly overprinted by fine grained calcite and epidote. This alteration appears to be late, clearly post-dating prograde garnet assemblages.

## C. Monzonite Breccia with Local Epidote altered fragments

### 1. Hand Specimen

Brecciated, pink fine-medium grained monzonite with augite phenocrysts and significant K. feldspar, moderate magnetic. Fragment supported with matrix calcite veinlets. The fragments are angular and predominantly K. feldspar rich. There are two other fragment compositions; one olivine green coloured with altered tabular phenocrysts (weak magnetic), the other a dark coloured and finer grained (weak magnetic).

### 2. Thin Section

The thin section covered a section of breccia with both K. feldspar-rich and olive green fragments plus interstitial-matrix calcite veins.

The K. feldspar domain is monzonitic in composition with augite and feldspar phenocryst phases. Subhedral to euhedral augite crystals up to 4mm long display patchy chlorite alteration with local fine opaques. Similar size tabular twinned feldspar crystals up to 3mm long appear to have andesine compositions (determinations from twinning). Fine sericite alteration is common. The groundmass areas feature dense mats, predominantly fine K. feldspar (orthoclase) laths with local fine disseminated calcite, augite and opaques (subhedral magnetic).

The olive green fragment is 1.3cm wide, the original mineralogy and textures have been largely overprinted by fine to medium grained mosaics dominated by pleochroic epidote. Within these mosaics occur similar size calcite grains and fine disseminated anhedral opaques (mainly magnetite, some pyrrhotite?). Closer examination reveals some euhedral grains of augite and ghosts of tabular plagioclase. Between some larger grains occur small fine grained aggregates of secondary albite. This fragment appears to have been altered before the brecciation event and is probably exotic (introduced).

The matrix areas between the two domains are narrow, up to 2mm in width. In thin section the main contact zone is not a vein, it features extremely fine to fine grained mosaics dominated by calcite with K. feldspar and disseminated epidote. Contacts with the other domains are sharp.

Several fine calcite veinlets were observed cutting the monzonite, the larger of these is penetrative.

## D. Multiple Alteration and Brecciation Events in an Augite-Feldspar Porphyry Unit/Tuff?

### 1. Hand Specimen

Mottled light to dark greens and greys, patchy pinks. Brecciated fine to medium grained augite porphyry with patchy carbonate, epidote and pink garnet alteration, variably magnetic. Irregular shaped cavities are filled by extremely fine grained K.feldspar and silica? (strong reaction to K.feldspar staining) with narrow carbonate envelopes. Smaller cavities are often filled by carbonate (calcite). Late penetrative calcite veinlets.

### 2. Thin Section

The protolith is strongly altered with vague remnant textures. Remnants of original millimetre scale augite phenocrysts are commonly replaced by epidote-carbonate-magnetite (pseudomorphs). A few ghosts of tabular millimetre scale feldspar are also present and sericite altered. Original groundmass areas feature patchy alteration to fine light pink (grossular) garnet and fine anhedral carbonate. Irregular millimetre scale patches of fine epidote occur in lesser amounts, locally fracture controlled. Some coarser epidote forms rims to opaques. A light green pleochroic chlorite fills some small cavities, the total chlorite content is however <1%. 1% fine disseminated anhedral opaques include (recognizable) magnetite > pyrite.

The matrix areas are dominated by a range of cavities from sub-millimetre to centimeter scale representing an open system with numerous fluid pathways. Large irregular centimetre scale cavities are 'pool' like often with rounded embayments. These are dominated by fairly uniform, extremely fine grained (anhedral) mosaics of K.feldspar. Patches of dusty opaques occur throughout. At the edges of the K.feldspar occur narrow rims of fine garnet and, or fine carbonate. The latter often forms broader alteration rims (plus or minus epidote) outboard from the garnet.

Late penetrative calcite veinlets cross the K. feldspar 'pools', garnet rims and altered host rock.

Smaller interconnecting cavities are commonly filled by fine (locally medium) grained calcite mosaics. The larger of these have fine garnet rims and are pool-like with embayed contacts. Some irregular shaped millimetre scale cavities are filled by epidote mosaics. These usually do not have garnet rims. One features earlier ball shaped calcite crystals surrounded by epidote.

**2. Comments**

This is an interesting sample as it features a distinct paragenetic sequence. The protolith appears to have been an augite-plagioclase porphyry which has been subject to two or more periods of brecciation. To complicate matters the protolith was probably a fragmental unit such as lapilli tuff.

Prograde grossular garnet alteration ± magnetite followed early brecciation and was patchy-selective. K.feldspar flooding was later but possibly part of the same event. Carbonate and epidote (chlorite) alteration and veining appear late and retrograde. More than one phase of carbonate (and epidote?) alteration and multi-phase brecciation are probable.

## E. Crowded Feldspar Porphyry

### 1. Hand Specimen

Mottled pink and light green to grey, coarse feldspar porphyry crowded with crude tabular pink K. feldspar up to 7mm (10-15%) and more abundant 1-3mm tabular greenish plagioclase? in fine groundmass. Numerous penetrative quartz and quartz carbonate veinlets, often lensy, up to 3mm wide. Minor fine disseminated magnetite. K. feldspar staining indicates that the finer feldspar phenocrysts are extensively sericite altered and larger phenocrysts are K.feldspar. Some fine K.feldspar occurs in the groundmass, indicated from staining.

### 2. Thin Section

This sample displays variable recrystallization and alteration affecting both the groundmass and phenocryst phases. The larger phenocrysts are K. feldspar (orthoclase) with local twinning. Sericite altered inclusions, fine carbonate veinlet-fractures and fine recrystallized quartz aggregates are fairly common. Smaller 1 to 3mm long and commonly tabular plagioclase phenocrysts display weak to strong alteration to sericite and carbonate. Extinction angles on albite twins indicate andesine compositions for the least altered phenocrysts.

The groundmass areas are fairly small and interstitial to the phenocrysts. Fine recrystallized quartz with minor (finer) K. feldspar and opaques dominate. Some groundmass areas have significant amounts of fine anhedral carbonate. Fine carbonate veinlets are widespread and semi-penetrative. There is locally a strong suggestion, based on textures that the groundmass mineralogy was introduced into a crystal rich environment (fractionate). The main evidence for this is the veinlet nature of much of the groundmass. Penetrative quartz-carbonate vein zones follow stronger fractures, the larger of these feature fine quartz druze and carbonate (calcite) fillings. These veins do not contain sulfides.

### 3. Comments

This crowded feldspar porphyry has interesting textures which suggest injection of a late silica rich fluid into a crystal fractionate.

## F. Strong Carbonate Altered Breccia with Grossular Garnet

### 1. Hand Specimen

Mottled dark greys with light to medium greys, greens and pinks. Fragmental or breccia unit with darker coloured, strongly magnetic, sub-rounded to sub-angular porphyry fragments up to 1.5cm. Numerous lighter coloured and less magnetic finer fragments 5mm up to 1cm. The former are supported by a lighter coloured, fine grained (non-magnetic) matrix which probably includes carbonate and fine garnet. Pervasive carbonate occurs throughout the sample.

### 2. Thin Section

The dark coloured fragments contain significant amounts of fine disseminated magnetite, locally in millimetre scale aggregates. These are strongly altered with abundant green chlorite (common penninite), fine carbonate (<5%) and epidote. Crude pseudomorphs after original 1-2mm tabular feldspars? occur in these areas.

The smaller, lighter coloured fragments are difficult to distinguish in thin section. They contain much lower concentrations of fine disseminated magnetite (2-10%) with fine grained green chlorite, carbonate and epidote. Carbonate may exceed 15%.

The fine grained matrix has similarities with sample D, with numerous cavities suggesting multiple phases of brecciation and pathways for late fluids. In this sample the cavities are more angular and less 'pool' like than in sample D. The matrix host has been converted to fine grained patchy mosaics with variable proportions of epidote, garnet (anhedral pink grossular) and carbonate (calcite). Some secondary, fine grained plagioclase may be present in these mosaics.

As in sample D the fine garnet forms narrow rims around many of the cavities. These rims are generally one or two crystals wide. The rimmed cavities may be filled with carbonate (calcite) or weak pleochroic epidote or a colourless mineral (2 cleavages, weak birefringence, no twinning) which may be a scapolite variety. This mineral is

locally patchy altered to carbonate and/or epidote, especially along fractures and cleavages.

Late veinlets are generally non-penetrative and mainly calcite, local epidote.

**3. Comments**

Both sample D and F appear to represent original fragmental (lapilli tuff?) units which have undergone several periods of alteration-veining. Sample D with post-garnet, K.feldspar flooding may represent a more proximal locality relative to mineralization. K.feldspar was not recognized in sample F, this may be a more sodic environment with secondary plagioclase and possible scapolite.