

ASSESSMENT REPORT

**PHASE II
DIAMOND DRILL PROGRAM**

on the

CAC 3 MINERAL CLAIM

Tenure No. 205123
Event 4078125
Keithley Creek Area
Cariboo Mining Division

NTS Maps: 93A073, 93A083
Approx. UTM Co-ordinates: 599000, 5854000

for

NOBLE METAL GROUP INCORPORATED
520 - 1100 Melville Street
Vancouver, British Columbia

Operator

NOBLE METAL GROUP INCORPORATED

by

WGT CONSULTANTS LTD.
Vancouver, B.C.

June 26, 2006

GEOLOGICAL SURVEY BRANCH

2007

RECEIVED
JUN 30 2006
Gold Commissioner's Office
VANCOUVER, B.C.

TABLE OF CONTENTS

	<u>Page</u>
SUMMARY	1
INTRODUCTION	2
PROPERTY DESCRIPTION AND LOCATION	3
ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY	8
HISTORY	10
GEOLOGICAL SETTING	11
Regional Geology	11
Local Geology	14
Property Geology	15
Deposit Types	16
DIAMOND DRILL PROGRAM	18
SAMPLING	19
CONCLUSIONS AND RECOMMENDATIONS	19
STATEMENT OF QUALIFICATIONS	20
REFERENCES	21
ASSESSMENT WORK STATEMENT OF COSTS	22

FIGURES

Figure 1	Location Map	6
Figure 2	Claim and Index Map	7
Figure 3	a) Geologic Map	12
	b) Geologic Section	13
Figure 4	a) Drill Section 05-01	(At Rear)
	b) Drill Section 05-02	(At Rear)
	c) Drill Section 05-03	(At Rear)
Figure 5	Drill Hole Location Map	(At Rear)

APPENDICES

Appendix I	Diamond Drill Logs
Appendix II	Assays Showing Anomalous Values
Appendix III	Assay Certificates

SUMMARY

A Phase II diamond drill program was carried out on the CAC 3 mineral claim by Noble Metal Group Incorporated from July 13th to July 22nd, 2005.

The drill hole, designated DDH 05-03, was drilled to a depth of 297 metres (977 feet).


Hole 05-03 intersected extensive intervals of limestone and variable intervals of quartzite, interbedded phyllites and greywacke.

Weak to strong sulphide enrichment and carbonate replacement by sulphides and occurrences in quartz and carbonate veins and veinlets were intersected.

Anomalous gold values as well as substantial intervals of anomalous strontium and titanium occur in all three holes drilled in the Phase I and Phase II program.

Additional diamond drilling of anomalous zones is recommended to further explore and define the mineralization encountered to date.

Respectfully submitted,



W. G. Timmins, P.Eng.

Vancouver, B.C.

June 26, 2006

INTRODUCTION

The reader should refer to my Assessment Report dated October 12, 2005 detailing Phase I of the diamond drill program consisting of two diamond drill holes totalling 583.08 metres (1,813 feet) completed on July 13, 2005.

Assay results were not available at that time therefore the results of the assays of the first two holes are reported herewith as well as drill hole sections.

This report also chronicles results of work conducted as Phase II of the exploration program during which a third hole was drilled to a depth of 297 metres (977 feet) from July 13 to July 22, 2005.

PROPERTY DESCRIPTION AND LOCATION

The property is located approximately 21 kilometres north-northeast of the community of Likely, in the Cariboo Mining Division of British Columbia, Canada, NTS 93A073, 93A083 centred approximately at latitude 52°47'N, longitude 121°29'W (Figures 1 and 2).

The property consists of 22 four post located claims containing 388 units and 50 located two post claims for a total of 438 units. The claims are contiguous and cover an area of approximately 10,950 hectares. The property has not been surveyed.

A list of the claims, tenure numbers and expiry dates are tabulated below and illustrated on Figure 2.


<u>TENURE NO.</u>	<u>CLAIM NAME</u>	<u>NO. UNITS</u>	<u>EXPIRY DATE</u>
204756	CAC I	20	2007/07/12
204757	CAC II	20	2007/07/12
205123	CAC 3	20	2007/04/16
205124	CAC 4	20	2007/04/16
205125	CAC 5	20	2007/04/16
412720	CAC 6	20	2008/04/16
412721	CAC 7	20	2008/04/16
412722	CAC 8	20	2008/04/16
204351	CASCA 1	8	2007/10/02
204352	CASCA 2	20	2008/10/02
204363	CASCA 3	16	2008/10/23
204364	CASCA 4	16	2008/10/23
410855	CASCA 5	20	2007/10/23
204185	D.D. 2	6	2007/08/17
349094	D.D. 3	12	2007/07/14
349095	D.D. 4	20	2007/07/19
349096	D.D. 5	20	2007/07/19
349097	D.D. 6	20	2007/07/17
349098	D.D. 7	1	2006/07/16
349099	D.D. 8	1	2006/07/16
349100	D.D. 9	1	2006/07/16
410856	DOT 1	20	2006/05/29
410865	DOT 2	1	2008/05/27

<u>TENURE NO.</u>	<u>CLAIM NAME</u>	<u>NO. UNITS</u>	<u>EXPIRY DATE</u>
410872	DOT 3	1	2008/05/27
410873	DOT 4	1	2008/05/27
410874	DOT 5	1	2008/05/27
410875	DOT 6	1	2008/05/27
410876	DOT 7	1	2008/05/27
410877	DOT 8	1	2008/05/27
204123	J #1	20	2007/10/12
302656	J-2	18	2006/07/16
313489	NMG 1	1	2007/07/24
313490	NMG 2	1	2007/09/24
313491	NMG 3	1	2007/09/24
313492	NMG 4	1	2007/09/24
313493	NMG 5	1	2007/09/24
313494	NMG 6	1	2007/09/24
313495	NMG 7	1	2007/09/24
313496	NMG 8	1	2007/09/24
313497	NMG 9	1	2007/09/25
313498	NMG 10	1	2007/09/25
313499	NMG 11	1	2007/09/25
313500	NMG 12	1	2007/09/25
320311	NMG 13	1	2007/08/07
320312	NMG 14	1	2007/08/07
320313	NMG 15	1	2007/08/07
320314	NMG 16	1	2008/08/07
320315	NMG 17	1	2008/08/07
320316	NMG 18	1	2008/08/07
320317	NMG 19	1	2008/08/07
320318	NMG 20	1	2008/08/07
320319	NMG 21	1	2008/08/07
320320	NMG 22	1	2008/08/07
320321	NMG 23	1	2008/08/08
320322	NMG 24	1	2008/08/08
320323	NMG 25	1	2008/08/08
320324	NMG 26	1	2008/08/08
320325	NMG 27	1	2008/08/08
320326	NMG 28	1	2008/08/08
320327	NMG 29	1	2008/08/09
320328	NMG 30	1	2008/08/09
320329	NMG 31	1	2008/08/09
320330	NMG 32	1	2008/08/09
320331	NMG 33	1	2007/08/09

<u>TENURE NO.</u>	<u>CLAIM NAME</u>	<u>NO. UNITS</u>	<u>EXPIRY DATE</u>
320332	NMG 34	1	2007/08/09
410850	NMG 35	1	2008/05/27
410851	NMG 36	1	2008/05/27
410852	NMG 37	1	2008/05/27
410853	NMG 38	1	2008/05/27
410854	NMG 39	1	2008/05/28
320338	NMG 40	1	2008/08/10
204184	STU 1	12	2008/08/17

This report covers work done and filed for the following claims with new expiry dates.

<u>TENURE NO.</u>	<u>CLAIM NAME</u>	<u>NO. UNITS</u>	<u>EXPIRY DATE</u>
302656	J-2	18 ✓	2009/07/16
349089	D.D. 7	1 ✓	2011/07/16
349088	D.D. 8	1 ✓	2011/07/16
349100	D.D. 9	1 ✓	2011/07/16
349093	D.D. 3	12 ✓	2010/07/14
410856	DOT 1	20 ✓	2009/05/29
320329	NMG 31	1 ✓	2011/08/09
320330	NMG 32	1 ✓	2011/08/09
320321	NMG 33	1 ✓	2011/08/09
320332	NMG 34	1 ✓	2013/08/09
204756	CAC 1	20 ✓	2009/05/12
204757	CAC 11	20 ✓	2009/05/12
205123	CAC 3	20 ✓	2009/04/16
205124	CAC 4	20 ✓	2009/04/16
205125	CAC 5	20 ✓	2009/04/16
204184	STU 1	12	2012/08/17
204364	CASCA 4	16 ✓	2009/10/23
410855	CASCA 5	20 ✓	2009/05/29



**CARIBOO MINERAL
PROPERTY**


NOBLE METAL GROUP INCORPORATED

CARIBOO MINERAL PROPERTY
Keithley Creek, B.C., Cariboo M.D.

INDEX MAP

Date	June 2004	Scale	As Shown	FIGURE 1
------	-----------	-------	----------	----------

**AREA OF DETAIL MAP
SEE FIGURE 4**



NOBLE METAL GROUP INCORPORATED

CARIBOO MINERAL PROPERTY
KEITHLEY CREEK, B. C.
CARIBOO MINING DIVISION, B. C.

CLAIM AND INDEX MAP

DATE: Oct. 2005 FIGURE NO. 2

ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

The property is located in the Quesnel Highlands (Trough) of Central British Columbia with elevations ranging from 1000 to 1500 metres above sea level.

Topography varies from steep along the Keithley Creek and Snowshoe Creek to moderate and gentle at higher elevations.

Keithley Creek flows in a southeasterly direction through the centre of the property with many creeks such as Donaldson, Honest John, Rabbit, Snowshoe and Weaver Creeks flowing into Keithley Creek.

The area receives significant precipitation throughout the year as both rain and snow. Accumulations of snow may reach three metres or more during the winter months. Temperatures can vary from -25°C in winter to +30° in summer.

The natural vegetation is predominantly coniferous forest consisting of spruce, balsam, firs and cedar. Large portions of the property have been logged by clear cutting and most of these areas have been replanted. Many of the replanted areas contain second growth trees ranging from three to ten metres in height.

Access to the property is via the property is provided by an all-weather logging road to Keithley Creek from the community of Likely, B.C. From the old settlement of Keithley Creek, on Cariboo Lake, a logging road on the north side of Keithley Creek leads to the property. A network of logging and skid roads provide good access to all areas of the property, although some upgrading may be required.

A logging road also leads to the Keithley-Rabbit Creek grid area from Cariboo Lake parallel to Keithley Creek on the south side.

A complete camp consisting of trailers with built-on additions including kitchen and bunkhouse, three bedroom mobile, generator building, geological and core building, core building, generator building and garage is located on the J #1 claim about 12 kilometres from the main road at Cariboo Lake.

The community of Likely, situated on Quesnel Lake, is reached by paved highway from a point on Highway 97 about 12 kilometres southeast of the Town of Williams Lake. Distance from Highway 97 to Likely is approximately 90 kilometres.

Williams Lake is a logging and lumber centre serviced by scheduled daily air service from Vancouver. Necessary supplies and equipment as well as local labour and modern communications are readily available.

Power for exploration purposes would be supplied by portable generating units if required, while water services are plentiful from the numerous creeks, lakes and underground springs.

HISTORY

The Cariboo region of British Columbia is notable for the gold rush that began in 1860, which has continued to some degree to the present day. Placer gold was discovered on Keithley, Snowshoe, Little Snowshoe and French Snowshoe Creeks around the same time.

Prospecting for hard rock deposits started shortly after the Cariboo gold rush began with production in the Wells-Barkerville area beginning in 1935.

Noble Metal Group Incorporated and its predecessor company Cascadia Mines and Resources Ltd. have been carrying out intermittent exploration for lode deposits since 1979.

Various work programs were carried out in several areas of the property including initial soil geochemical surveys, magnetic and electro-magnetic surveys, Induced Polarization surveys, trenching and diamond drilling.

Early drill programs testing quartz and fault structures did not intersect gold values of interest, however recent drilling has shown anomalous values in gold, nickel, chromium, strontium and vanadium in the area south of French Snowshoe Creek. A comprehensive geochemical soil sampling survey was carried out in the Keithley-Rabbit Creek area and reported in 2004.

The most recent Induced Polarization surveys were carried out by Pacific Geophysical Ltd. on the J #1 claim in 1995 and 1996. Several anomalies were tested by diamond drilling in 1996 and 2001.

Two holes were drilled in Phase I of the 2005 exploration program.

GEOLOGICAL SETTING

Regional Geology

The Cariboo mining district is divided into four tectonically and stratigraphically unique terrains. The rocks of the four terrains range in age from Proterozoic to Jurassic and were deposited into an ocean environment. From east to west, the terrains are Cariboo (continental shelf clastics and carbonates), Barkerville (continental shelf and slope clastics, carbonates and volcanoclastics), Slide Mountain (rift floor pillowed basalt and chert) and Quesnel (island arc volcanoclastics and fine grained clastics.) (See Figure 4).

The Cariboo Terrain is of Precambrian to Permo Triassic age and is in fault contact with the western margin of the Precambrian North American Craton along the Rocky Mountain Trench. It can be divided into two successions, one Cambrian and older and the other Ordovician to Permo-Triassic. The older succession consists of grit, limestone, sandstone and shale and is unconformably overlain by the younger succession of basinal shale, dolostone, wacke, limestone and basalt.

The Barkerville Terrain consists of Precambrian and Palaeozoic rocks ranging in composition from grit, quartzite, and black and green pelite to lesser limestone and volcanoclastic rocks. The contact between the Barkerville and Cariboo terrains is the northwest trending, east dipping Pleasant Valley Thrust.

The Barkerville and Cariboo terrains are overthrust (Pundata Thrust) by the Slide Mountain Terrain. The Slide Mountain Terrain consists of Mississippian to Permian basalt in part pillowed, and chert pelite sequences intruded by diorite, gabbro and minor ultramafic rocks.

The Quesnel Terrain lies west of the Slide Mountain Terrain and consists of Upper Triassic and Lower Jurassic black shale and volcanoclastic greenstone.




Figure 3




Figure 3. (a) Simplified preliminary geologic map of the Cariboo Lake area. (b) Simplified structural cross-section

Local Geology

The rocks in the vicinity of Yank's Peak belong to the Barkerville Terrain and have been named the Snowshoe Group by Struik (1988). Struik has further divided the sedimentary and volcanic rocks of the Snowshoe Group into fourteen informal subdivisions, Ramos, Tregillus, Kee Khan, Keithley, Harvey's Ridge, Goose Peak, Agnes, Downey, Eaglenest, Bralco, Hardscrabble, Unnamed carbonate, Island Mountain, and Tom. Igneous intrusions of the terrain consist mainly of diorite and gabbro sills with quartz porphyry rhyolite. All rocks have been regionally metamorphosed to low and middle greenschist facies.

The following table summarizes the composition of each group, as well as the estimated thickness (from Struik 1988).

Island Mountain Amphibolite (<150m)	Amphibolite, tuff siliceous mylonite
Hardscrabble Mountain (≤150m)	Black sulphide, argillite and muddy granule conglomerate
Bralco (<100m)	Grey limestone, locally pelletal, commonly marble, includes undifferentiated phyllite
Eaglenest (≥150m)	Grey and olive micaceous feldspathic, poorly sorted quartzite and phyllite
Downey (≥150m)	Olive-grey micaceous feldspathic, poorly sorted quartzite and phyllite, marble, metabasaltic volcanoclastics
Agnes (<150m)	Light grey conglomerate in part with calcareous matrix
Goose Peak (<250m)	Light grey, poorly sorted quartzite, phyllite, minor black sulphide
Harvey's Ridge (<300m)	Black micaceous, poorly sorted quartzite, sulphide and phyllite, minor muddy conglomerate, limestone and basaltic metavolcanics
Keithley (<300m)	Light grey quartzite, olive micaceous, poorly sorted quartzite, sulphide and phyllite

Kee Khan (<750m)	Marble, olive phyllite, sandy marble
Tregillus (>400m)	Olive-grey micaceous, poorly sorted feldspathic quartzite and phyllite, conglomerate
Ramos (>300m)	Olive micaceous poorly sorted feldspathic quartzite and phyllite, black sulphide and phyllite, amphibolite, marble, minor basaltic and felsic volcanics
Tom (<175m)	Olive-grey micaceous poorly sorted feldspathic quartzite, phyllite and schist; quartzose mylonite

The successions range in age from Hadrynian (Ramos through Keithley) to Palaeozoic (Harvey's Ridge through Bralco) and Upper Palaeozoic (Hardscrabble Mountain and Island Mountain Amphibolite).

Recent work by the British Columbia Geological Survey reported in Geological Fieldwork 2001, Report 2002-1, suggests that rocks of the Downey and Ramos may be equivalent to the Keithley succession.

Property Geology

The claims of the Noble Metal property are underlain by rocks of the Ramos succession of which interbedded quartzite and phyllite are the most abundant. The age of the Ramos succession is believed to be Hadrynian. A limestone formation is present in the Keithley-Rabbit Creek area (Bralco?).

The quartzite is olive to grey on fresh surfaces, is poorly sorted and generally medium to coarse grained. The quartz clasts are predominantly glass clear and grey with minor blue. The quartzite is usually micaceous and sericite, epidote, muscovite, chlorite and biotite occur along foliations. Some sections of the quartzite are weakly calcareous.

The phyllite varies from olive, grey to black with chlorite and accessory pyrite, and pyrrhotite. There is often rhythmic banding within the phyllite and contacts between the quartzite and phyllite are usually sharp. The limestone is grey to black with marbly sections, commonly vuggy with quartz and carbonate bands and stringers.

The main structure in the area is the Keithley Creek Thrust that runs from Shoal's Bay on Quesnel Lake northwest up Keithley Creek and crosses Lightning Creek in the Wingdam area. A north-south fault that may be a continuation of the Antler Fault continues from the southern end of Bowron Lake southwards to Snowshoe Creek, and the lower portion of Rabbit Creek, towards the Keithley Creek Thrust.

The quartzites, phyllites and greywackes are intruded by dioritic rocks and several zones of mafic, ultramafic and altered ultramafic rocks.

Deposit Types

The Barkerville Terrain hosts the principal gold occurrences of the Cariboo area. These include the Mosquito Creek, Island Mountain, Cariboo Gold quartz and Cariboo Hudson mines and the Snowshoe and Midas veins. Deposits of less economic importance include those of silver, tungsten, lead, zinc and copper.

The gold ore at the Mosquito Creek, Island Mountain and Cariboo Gold Quartz mines in the Cariboo Gold Belt occurs in (1) auriferous pyrite in quartz veins and (2) stratabound, massive auriferous pyrite lenses, termed "replacement ore".

The location of the gold deposits correlates with elements of (1) stratigraphy, (2) structure and (3) metamorphism.

1. **Stratigraphic Controls:** Lode gold deposits are almost entirely confined to the Palaeozoic section of the Snowshoe group. In the Keithley Creek-Snowshoe Creek area, the Palaeozoic Harvey's Ridge succession contains a high density of auriferous quartz veins.

2. **Structural Controls:** The auriferous replacement pyrite in limestone lenses is located in the hinge zones and less commonly along the limbs of regional and minor folds. Orientation of quartz veins is in part controlled by the regional fault and fracture pattern.

3. **Metamorphic Controls:** Lode gold concentrations are confined to rocks in the chlorite grade of metamorphism. The auriferous quartz veins in the Yank's Peak area vary greatly in dimension, ranging in width from a few inches to tens of feet and in length from a few tens of feet to greater than 1000 feet. They can be grouped into three types based on their strike, northerly, northeasterly and easterly striking. The vein quartz is usually milky-white in appearance and massive or slightly fractured with small crystal lined vugs. Ankerite is a common gangue mineral. The quartz is sparsely to moderately mineralized with sulphides. The highest gold values appear to be associated with the highest concentrations of pyrite.

DIAMOND DRILL PROGRAM

Phase II of the diamond drill program consisted of one vertical NQ drill hole to a depth of 297 metres (977 feet).

The diamond drill logs are entered as Appendix I. The drill hole location plan is located in the pocket at the rear and the drill sections of Phase I and Phase II are in the pocket at the rear.

Drill core is stored in a secure building at the Noble Metal Group camp located at Keithley Creek.

Drill Hole 05-03 intersected large intervals (in the order of 100 metres) of limestone and variable intervals of quartzite, interbedded phyllites and greywacke.

Numerous intersections of weak to strong sulphide enrichment occurring as disseminations, bands, pockets, stringers, veins and carbonate replacement were encountered throughout the hole. Sulphides consist mainly of pyrite and pyrrhotite also occurring in quartz and carbonate veins and veinlets.

It is noted that in all three holes there were several occurrences of anomalous gold values ranging from 5 ppb to 40 ppb as well as substantial intervals of anomalous strontium from above 500 ppm to 3060 ppm, and titanium from above .05% to .17%.

SAMPLING

The drill core was transported from the drill site to the core building at the Noble Metral Incorporated camp where it was logged and split utilizing a diamond saw. In excess of 400 core as well as 54 sludge samples were logged and shipped for analysis.

Assay results were correlated and presented as Appendix II and assay certificates are appended in Appendix III.

CONCLUSIONS AND RECOMMENDATIONS

The three drill holes comprising Phase I and II of the exploration program were successful in determining the presence of anomalous gold, strontium and titanium values and sulphide mineralization such as pyrite and pyrrhotite occurring in limestone as replacement sulphides and in quartzite and phyllites and quartz vein structures.

It is the writer's opinion that additional drilling of geochemical soil anomalies outlined in the previous soil sampling survey on the Keithley-Rabbit Creek grid is warranted to further explore and define the mineralization discovered to date.

Respectfully submitted,



W. G. Timmins, P.Eng.

Vancouver, B.C.

June 26, 2006

STATEMENT OF QUALIFICATIONS

I, William G. Timmins, of the City of Vancouver, in the Province of British Columbia, do hereby certify that:

1. I am a consulting geologist, with offices at 1016 - 470 Granville Street, Vancouver, B.C. V6C 1V5.
2. I have been practising my profession since 1965, having been engaged in the evaluation, exploration and development of mineral properties throughout Canada, the United States, Latin and South America, Australia and New Zealand.
3. I am a graduate of the Provincial Institute of Mining, Haileybury, Ontario (1956) and attended Michigan Technological University 1962-1965, Geology and was licensed by the Professional Engineers Association of B.C. (geological discipline) in 1969.
4. This report titled "Assessment Report, Phase II Diamond Drill Program on the CAC 3 Mineral Claim" dated June 26, 2006, is based on published and private reports, maps and data provided by Noble Metal Group Incorporated and in the public domain, and supervision of the project on site from July 13 to August 30, 2005. The author has reviewed relevant data prepared by reputable qualified persons and is responsible for his own geological analysis and conclusions.
5. I have no interest, nor do I expect to receive any interest in the properties or securities of Noble Metal Group Incorporated.

June 26, 2006



W.G. Timmins, P.Eng.

REFERENCES

- B.C. Ministry of Energy and Mines. (1999): British Columbia Regional Geochemical Survey.
- B.C. Ministry of Energy and Mines. (2002): Preliminary Geology of the Cariboo Lake Area, Central B.C. Geological Field Work 2001, Paper 2002-1.
- Brown, A. Sutherland (1957): Geology of the Antler Creek Area, Cariboo District, British Columbia, B.C. Department Mines Bulletin No. 38.
- Cartwright, Paul A. (1995): Report on Induced Polarization and Resistivity Survey and Magnetic Survey on the Cariboo Gold Property, J #1, Casca 1-4 Claims, Cariboo Mining Division, British Columbia for Noble Metal Group Incorporated.
- Crooker, G. (1996): Assessment Report on J #11 and CAB 3-4 Mineral Claims, Cariboo Mining Division for Noble Metal Group Incorporated.
- Garrow, Terry D. (1989): The 1989 Geological Exploration Report on the Cariboo Gold Property Prepared for Noble Metal Group Incorporated.
- Holland, Stuart S. (1954): Geology of the Yank's Peak - Roundtop Mountain Area, Cariboo District, British Columbia, B.C. Department of Mines Bulletin No. 34.
- Lorimer, M.K. (1989): Geochemical Report on the CAC Claim Group, Cariboo M.D. for Cascadia Mines and Recovery Ltd.
- Robert, Francois and Taylor, Bruce, E.: Structure and Mineralization of the Mosquito Creek Gold Mine, Cariboo District, B.C., Geological Survey of Canada.
- Schell, B., Timmins, W.G. (1997): Diamond Drilling Report on J #1 and NMG 29 Claims.
- Seywerd, Markus B. (1991): Geophysical Report on a Magnetometer and VLF-EM Survey on the Stu Claim Group, Cariboo Mining Division for Noble Metal Group Incorporated.
- Struik, L.C. (1988): Structural Geology of the Cariboo Gold Mining District, East-Central British Columbia, Geological Survey of Canada, Memoir 421.
- Timmins, W.G. (2001): Diamond Drilling Report on the NMG 26 Mineral Claim, Keithley Creek Area, Cariboo Mining Division for Noble Metal Group Incorporated.
- Timmins, W.G. (2004): Geochemical Report on the Geochemical Soil Survey and Stream Sediment Survey, Cariboo Mining Division for Noble Metal Group Incorporated.
- Timmins, W.G. (2004): Assessment Report on the Cariboo Gold Property, Keithley Creek Area, B.C. for Noble Metal Group Incorporated.

ASSESSMENT WORK STATEMENT OF COSTS

**DIAMOND DRILL PROGRAM - PHASE II
WORK CARRIED OUT ON CAC 3
July 12 to August 30, 2005**

Drill demobilization		\$ 2,000
Diamond Drill Hole #3 All inclusive) move to load point	297 m (977 ft)	18,694
Drill Moves Utilizing	744E John Deere Loader 30 hours @ \$200.00/hr	6,000
Geologist	40 days @ \$450.00/day including completion of time for Phase I	18,000
Assistant	40 days @ \$150.00/day	6,000
Core Cutter	25 days @ \$100.00/day	2,500
Accommodation and Board	2 men 40 days @ \$100/day 1 man 25 days @ \$100/day	8,000 2,500
Assays		<u>8,900</u>
		72,594
Travel and Transportation @ 20%		<u>14,518</u>
	TOTAL COST	<u>\$ 87,112</u>



W.G. Timmins, P.Eng.

Vancouver, B.C.

June 26, 2006

APPENDICES

Appendix 1

DIAMOND DRILL LOGS

NOBLE METAL GROUP INCORPORATED
CARIBOO PROJECT - PHASE II
DIAMOND DRILL GEOLOGICAL LOG

DDH 05-3

Started - July 13, 2005
 Completed - July 22, 2005
 Angle - 90°
 Size: - NQ
 Grid Co-ordinates - 3800N, 1525E
 VTM Co-ordinates - 0599287, 5853379
 Elevation - 1,347 metres
 Total Depth - 977 feet (297.8 metres)
 Acid Test - @ 500 ft 89.5°
 - @ 977 ft 87°

	METRES	DESCRIPTION
0 - 10	0.0 - 3.0	CASING
10 - 49	3.0 - 14.93	Quartzite, rusty, random white leached quartz stringers.
49 - 67.5	14.93 - 20.57	Quartzite, light grey, minor quartzite interbeds, dark bands, quartz-carbonate stringers, quartz clots, pyrite disseminations, rusty on breaks.
67.5 - 87	20.57 - 26.52	Limestone, carbonaceous sections, white calcite stringers and clots, black carbonaceous sections with finely disseminated pyrite, vuggy.
87 - 106	26.52 - 32.31	Limestone, light grey, quartz and carbonate stringers and bands (50° to core). Minor disseminated pyrite, arsenopyrite, stringers of pyrite.
106 - 125	32.31 - 38.10	Limestone as above, glassy quartz vein at 117.5 ft to 118.0 ft with minor pyrite.
125 - 145	38.10 - 44.20	Limestone as above, evident folding of light and dark bands, quartz and carbonate bands, stringers and clots.

FEET	METRES	DESCRIPTION
145 - 183	44.20 - 55.78	Limestone, light grey, dark carbonaceous bands 60° to 90° to core, few specks of pyrite. Dark bands 90° to core, quartz clots, quartz-carbonate stringers.
183 - 335	55.78 - 102.11	Limestone, light to dark grey, quartz stringers and bands, pyrite and pyrrhotite disseminations and replacement, fault gouge at 289 ft, stringers of pyrite and pyrrhotite contorted sections, from 321 ft broken and gougy sections, folded and contorted sections, relict bedding 80° to 90° to core.
335 - 355	102.11 - 108.20	Limestone, dirty, widespread quartz-carbonate injection, stringers, breccia folding pyrite and pyrrhotite stringers, section of broken core.
355 - 391	108.20 - 119.18	Phyllite, dark grey to black, fine grained bedding 70° to core, quartz and carbonate stringers and clots, broken core and gouge at 390 ft to 391 ft, leached calcite stringers with pyrite smears at 373 ft - down core.
391 - 408.5	119.18 - 124.51	Phyllite with limy sections to 401 ft, numerous quartz-carbonate veins, veinlets, stringers with pyrite and pyrrhotite and disseminations.
408.5 - 455	124.51 - 138.68	Greywacke, light to dark grey, fine to medium-grained, phyllite and limy interbeds, quartz clots and veinlets and carbonate stringers with pyrite, quartz-carbonate vein at 443 ft to 444 ft with green soft matrix (from olivine?), vuggy with pyrite replacement and blotches.
455 - 494	138.68 - 150.57	Limestone, dirty, dark grey, numerous rocks with pyrite fillings and cubic pyrite, folded, white carbonate bands, calcite filled fractures with disseminated pyrrhotite.
494 - 513	150.57 - 156.36	Phyllite, limy sections, quartz-carbonate stringers and bands, occasional specks of pyrite and pyrrhotite.
513 - 532	156.36 - 162.15	Limestone, dirty dark grey, bedding trending 70° to 90° to core, folded and contorted in places, odd specks of pyrite and pyrrhotite.
532 - 586	162.15 - 178.61	Quartzite, dirty light grey, disseminated pyrite and pyrrhotite, quartz-carbonate stringers at 552 ft to 554 ft, very soft green matrix (from olivine?) with quartz-carbonate, mineralized with pyrite replacement.

FEET	METRES	DESCRIPTION
586 - 668.5	178.61 - 203.76	Limestone, light to dark grey, dirty, bedded 70° to core, quartz and carbonate stringers, phyllitic section at 642 ft to 649 ft, occasional blebs pyrite and pyrrhotite - from 656.6 ft, limestone is cleaner and light grey to white.
668.5 - 695.5	203.76 - 211.99	Limestone, light grey to white, vuggy and leached in places, sections with disseminations and blebs and cubes of pyrite plus pyrite and pyrrhotite.
695.5 - 741	211.99 - 225.86	Limestone, dark grey, vuggy with clear calcite crystals, quartz-carbonate stringers, from 726 ft badly broken, gougy at 738 ft to 739 ft (fault zone).
741 - 763	225.86 - 232.56	Limestone, light grey to white, cracked and leached, good core from 744.5 ft.
763 - 854.5	232.56 - 260.45	Limestone, typical light grey, dirty, occasional disseminated pyrrhotite and pyrite, quartz-carbonate stringers, pyrite streaks and plates on slips, broken core from 810 ft - 819 ft, fault gouge at 817.5 ft to 819 ft. Vuggy sections with pyrite replacement.
854.5 - 856.5	260.45 - 261.06	Limestone, light grey, clean, banded, numerous quartz-carbonate stringers and bands and stringers of pyrrhotite.
856.5 - 875	261.06 - 266.70	Limestone, dark grey, from 868 ft, light grey and black bands, cracks and fissures with calcite, vuggy, pyrite and cubic pyrite.
875 - 977	266.70 - 297.79	Greywacke, interbeds of phyllite badly broken sections, 914 ft - 917 ft is probable fault shatter zone, pebbly and gougy, brecciated sections, quartz stringers with pyrrhotite and pyrite.
END OF HOLE		

Appendix 2

ASSAYS SHOWING ANOMALOUS VALUES

Appendix 3

ASSAY CERTIFICATES

**NOBLE METAL GROUP INCORPORATED
CARIBOO PROJECT - PHASE II
ASSAYS SHOWING ANOMALOUS VALUES**

DDH 05-01

<u>SAMPLE No.</u>	<u>FROM FT</u>	<u>To FT</u>	<u>WIDTH FT</u>	<u>AU PPB</u>	<u>ST PPM</u>	<u>Tl %</u>
91969	87.0	90.0	3.0		1060	.05
91970	90.0	92.0	2.0		1290	.03
91971	92.0	93.0	1.0		1050	.05
91972	93.0	94.5	1.5		531	.08
91973	94.5	97.0	2.5		332	.12
91974	97.0	99.5	2.5		126	.15
91975	99.5	101.5	2.0		200	.07
91976	101.5	104.0	2.5		522	.11
91977	104.0	106.0	2.0		334	.14
91982	108.0	110.0	2.0			
91983	110.0	111.0	1.0		208	.11
05064	111.0	113.0	2.0		250	.15
05084	113.0	115.0	2.0			
05085	115.0	117.0	2.0			
05066	119.0	121.0	2.0		471	.11
05086	121.0	123.0	2.0			
05087	123.0	125.0	2.0		17	.02
91991	125.0	127.5	2.5			
91992	127.5	129.0	1.5			
05051	129.0	130.0	1.0			
91993	130.0	132.0	2.0		452	.13
91994	132.0	135.0	3.0		552	.10
91995	135.0	137.0	2.0		635	.09
91996	137.0	138.0	1.0		288	.07
91997	138.0	140.0	2.0		583	.10
91998	140.0	140.8	0.8		484	.04
91999	140.8	144.0	3.2		1160	.05
91962	167.0	170.0	3.0		410	.09
91963	170.0	173.0	3.0		260	.08
91964	173.0	175.0	2.0		251	.11
91965	175.0	177.0	2.0			
91966	177.0	179.0	2.0		827	.07
91988	195.5	197.0	1.5			
91989	197.0	199.0	2.0			
91990	199.0	201.0	2.0			

<u>SAMPLE No.</u>	<u>FROM FT</u>	<u>To FT</u>	<u>WIDTH FT</u>	<u>AU PPB</u>	<u>ST PPM</u>	<u>TI %</u>
91979	205.0	207.0	2.0		834	.05
91978	207.0	209.0	2.0		353	.04
91980	209.0	211.0	2.0		422	.11
91981	221.0	224.0	3.0		365	.12
91651	226.0	228.0	2.0			
92000	228.0	229.5	1.5			
91653	232.0	234.0	2.0		1148	.04
91654	234.0	237.0	3.0		1407	.03
91655	237.0	239.0	2.0			
91656	239.0	242.0	3.0			
91657	252.0	254.0	2.0			
91658	258.0	260.0	2.0			
91659	262.0	265.0	3.0			
91660	273.0	275.0	2.0			
91661	277.0	280.0	3.0			
05019	286.0	288.0	2.0			
05020	288.0	290.0	2.0			
05021	290.0	294.0	4.0			
05022	294.0	295.0	1.0	QV		
05023	295.0	298.0	3.0			
05024	298.0	300.0	2.0			
05025	312.0	314.0	2.0			
05026	314.0	317.0	3.0			
05027	317.0	319.0	2.0			
05034	325.0	327.0	2.0			
05028	328.0	331.1	3.1			
05029	331.1	333.0	1.9			
05030	333.0	335.0	2.0			
05031	335.0	338.0	3.0			
05032	338.0	340.0	2.0			
05033	354.0	357.0	3.0			
05035	368.0	372.0	4.0			
05036	387.0	391.0	4.0			
05052	398.5	399.5	1.0	QV		
05053	400.0	402.0	2.0		335	.13
05054	406.0	407.0	1.0	QV	238	.13
05049	415.0	417.0	2.0			
05048	441.0	442.0	1.0		87	.04
05047	450.0	452.0	2.0			
05044	456.0	457.0	1.0	QV	541	.01

<u>SAMPLE No.</u>	<u>FROM FT</u>	<u>To FT</u>	<u>WIDTH FT</u>	<u>AU PPB</u>	<u>ST PPM</u>	<u>Tl %</u>
05045	458.5	459.5	1.0	QV <5		
05046	466.5	468.0	1.5			
05055	471.0	473.0	2.0		955	.04
05056	473.0	475.0	2.0		999	.05
05057	485.0	487.0	2.0		846	.04
91944	511.0	513.0	2.0		580	.04
91945	513.0	514.4	1.4		899	.02
91946	514.4	515.0	0.6		989	.01
91947	515.0	518.0	3.0		475	.06
91948	518.0	521.0	3.0		579	.06
91949	521.0	522.5	1.5		575	.07
91950	522.5	523.0	0.5		372	.08
91951	523.0	525.0	2.0			
91952	525.0	528.0	3.0		483	.08
91953	528.0	530.0	2.0		245	.09
91954	530.0	532.0	2.0		383	.11
91955	532.0	535.0	3.0		1300	.05
91956	535.0	537.0	2.0			
91957	537.0	539.0	2.0			
91958	544.0	546.0	2.0			
91959	546.0	547.0	1.0			
91960	547.0	549.0	2.0			
91861	554.0	557.0	3.0			
91962	557.0	560.2	3.2		410	.09
91963	560.2	561.0	0.8	QV <5	260	.08
91864	561.0	563.0	2.0		251	.11
91965	563.0	565.0	2.0			
91966	565.0	567.0	2.0		827	.07
91867	567.0	567.5	0.5	<5	742	.07
91968	567.5	569.0	1.5	<5	924	.06
05015	602.0	604.0	2.0		323	.07
05016	604.0	606.0	2.0		216	.13
91927	606.0	609.0	3.0		446	.09
91928	609.0	612.0	3.0		286	.10
91929	612.0	613.0	1.0		288	.11
91926	613.0	614.0	1.0	<5	99	.03
91930	614.0	617.0	3.0		295	.09
91931	617.0	620.0	3.0		392	.10
91932	620.0	622.0	2.0		405	.09
91933	622.0	624.0	2.0		520	.10

<u>SAMPLE No.</u>	<u>FROM FT</u>	<u>To FT</u>	<u>WIDTH FT</u>	<u>AU PPB</u>	<u>ST PPM</u>	<u>Ti %</u>
91934	624.0	626.0	2.0		470	.11
91935	626.0	629.0	3.0		603	.09
91936	629.0	632.0	3.0		488	.08
91937	632.0	635.0	3.0		399	.10
91938	635.0	638.0	3.0		418	.10
91939	638.0	641.0	3.0		435	.11
91940	641.0	645.5	4.5		446	.10
05058	645.5	646.3	0.8		580	.04
05059	651.5	653.0	1.5		361	.07
05060	656.0	657.5	1.5		256	.05
05063	683.0	685.0	2.0		1220	.00
05064	685.0	687.0	2.0		250	.15
05065	687.0	689.0	2.0		506	.09
05066	689.0	691.0	2.0		471	.11
05067	691.0	693.0	2.0			
05068	693.0	695.0	2.0			
05069	695.0	697.0	2.0			
05070	697.0	699.0	2.0			
05071	699.0	702.0	3.0			
05072	707.0	709.0	2.0			
05073	709.0	711.0	2.0		1527	.01
05074	711.0	713.0	2.0		1692	.01
05075	713.0	715.0	2.0		1587	.01
05076	715.0	717.0	2.0			
05077	717.0	719.0	2.0			
05078	719.0	721.0	2.0			
05079	721.0	723.0	2.0			
05080	723.0	725.0	2.0			
05081	725.0	727.0	2.0			
05082	727.0	729.0	2.0			
05083	729.0	731.0	2.0			
05084	731.0	733.0	2.0		1397	.01
05085	733.0	735.0	2.0		794	.01
05086	735.0	737.0	2.0		1479	.01
91941	743.0	745.0	2.0		737	.01
91942	751.0	754.0	3.0		1572	.01
91943	757.0	760.0	3.0		1723	.01
05018	767.0	770.0	3.0		502	.05
05017	790.0	793.0	3.0			
12969	798.0	801.0	3.0		751	.07

<u>SAMPLE No.</u>	<u>FROM FT</u>	<u>To FT</u>	<u>WIDTH FT</u>	<u>AU PPB</u>	<u>ST PPM</u>	<u>Ti %</u>
12970	808.0	810.0	2.0		729	.07
12964	833.0	835.5	2.5			
12965	841.0	844.0	3.0			
12967	851.0	854.0	3.0			
12968	854.0	855.0	1.0	QV 22		
91675	855.0	856.5	1.5			
91674	870.0	872.0	2.0			
12953	877.5	880.0	2.5		1120	.01
12954	880.0	882.0	2.0		871	.01
12955	882.0	885.0	3.0		973	.00
12956	885.0	887.0	2.0		789	.01
12957	887.0	880.0	3.0		795	.02
12958	880.0	882.0	2.0	25	1200	.01
12959	882.0	884.0	2.0	25	1230	.01
12960	884.0	887.0	3.0		1250	.01
91667	897.0	899.0	2.0			
91668	899.0	902.0	3.0			
91669	902.0	904.0	2.0			
91670	907.0	910.0	3.0			
91671	918.0	920.0	2.0			
91672	920.0	923.0	3.0			
91673	923.0	926.0	3.0			
12961	937.0	940.0	3.0			
12962	944.0	947.0	3.0			
12963	949.0	952.0	3.0			
12951	972.0	974.0	2.0			
12952	974.0	977.0	3.0			
12971	982.0	984.0	2.0		45	.01
12972	991.0	993.0	2.0		23	.15
05087	1017.0	1019.0	2.0		17	.02
05088	1027.0	1029.0	2.0		15	.09
05089	1034.0	1036.0	2.0		12	.15
05090	1036.0	1039.0	3.0		13	.13
05091	1039.0	1041.0	2.0	5	12	.10
05092	1041.0	1043.0	2.0		17	.14
05093	1056.0	1058.0	2.0		16	.09
05094	1065.5	1068.0	2.5		20	.05
05095	1068.0	1070.0	2.0		16	.05
05096	1080.0	1082.0	2.0		16	.04
05097	1092.0	1094.0	2.0		14	.04

<u>SAMPLE No.</u>	<u>FROM FT</u>	<u>To FT</u>	<u>WIDTH FT</u>	<u>AU PPB</u>	<u>St PPM</u>	<u>Ti %</u>
05098	1104.0	1105.0	1.0		25	.02
05099	1108.0	1109.0	1.0		16	.04
12973	1114.0	1117.0	3.0		8	.04
12974	1120.0	1121.0	1.0		12	.04
12975	1123.0	1126.0	3.0		7	.07
05011	1132.0	1133.5	1.5		7	.03
05012	1133.5	1136.7	3.2		12	.07
05013	1136.7	1140.0	3.3		19	.05
05014	1142.0	1144.0	2.0		9	.04
05100	1167.5	1169.5	2.0	5	14	.07
05101	1169.5	1172.0	3.0	5	16	.06
05102	1184.0	1186.0	2.0		29	.17
05039	1212.0	1213.5	0.5		10	.06
05040	1216.0	1217.0	1.0		9	.05
05041	1217.0	1218.0	1.0		9	.04
05042	1218.0	1219.0	1.0			
05043	1221.0	1221.5	0.5		10	.05
05037	1237.0	1237.8	0.8		11	.04
05038	1245.0	1246.2	1.2		8	.04
05103	1246.2	1249.0	2.8		13	.08
05104	1249.0	1251.0	2.0		12	.08
05105	1254.0	1256.0	2.0		19	.15
05106	1258.0	1260.0	2.0		14	.13
05061	1274.0	1275.0	1.0		12	.02
05062	1275.0	1276.0	1.0	5	16	.02

END OF DRILL HOLE 05-01

NOBLE METAL GROUP INCORPORATED
CARIBOO PROJECT - PHASE II
ASSAYS SHOWING ANOMALOUS VALUES
DDH 05-02

SAMPLE No.	FROM FT	To FT	WIDTH FT	AU PPB	ST PPM	TI %
05107	85.0	86.0	1.0	3	10	.01
05108	142.0	143.0	1.0	QV	14	.02
05109	178.0	179.5	1.5		1697	.01
12251	182.0	184.0	2.0		9	.02
12252	184.0	186.0	2.0	11	387	.05
12253	186.0	188.0	2.0	10	113	.15
12254	188.0	190.0	2.0	5	291	.08
12255	190.0	192.0	2.0	<5	458	.04
12256	192.0	194.0	2.0	<5	916	.01
12257	194.0	196.0	2.0	10	571	.07
12258	196.0	198.0	2.0		532	.07
12259	198.0	200.0	2.0		356	.11
12260	200.0	202.0	2.0		311	.08
12261	202.0	204.0	2.0		783	.02
12262	204.0	206.0	2.0		784	.04
12400	206.0	208.0	2.0		539	.08
12401	208.0	210.0	2.0		99	.10
12402	210.0	212.0	2.0		91	.06
12263	218.0	220.0	2.0		371	.03
12264	220.0	222.0	2.0		457	.04
12265	222.0	224.0	2.0		347	.06
12266	224.0	226.0	2.0		673	.03
12267	226.0	228.0	2.0		808	.02
12271	323.0	325.0	2.0		2050	.04
12272	325.0	327.0	2.0		1800	.03
12273	329.0	331.0	2.0		815	.08
12274	333.0	335.0	3.0		799	.06
12268	357.0	359.0	2.0		1680	.04
12269	367.0	369.0	2.0		490	.09
12270	373.0	375.0	2.0		348	.13
12275	377.0	379.0	2.0		1750	.02
12276	386.5	389.0	2.5		798	.09
12277	390.5	393.5	3.0		461	.14
12278	393.5	395.0	1.5		493	.13
12279	397.0	399.0	2.0		370	.12

<u>SAMPLE No.</u>	<u>FROM FT</u>	<u>To FT</u>	<u>WIDTH FT</u>	<u>AU PPB</u>	<u>ST PPM</u>	<u>TI %</u>
12280	407.0	409.0	2.0		233	.13
12281	409.0	412.0	3.0		684	.08
12282	412.0	414.0	2.0		728	.07
12287	414.0	415.0	1.0		355	.14
12288	415.0	416.0	1.0		796	.11
12289	416.0	418.0	2.0		451	.11
12290	423.0	425.0	2.0		416	.11
12291	425.0	427.0	2.0		435	.11
12292	427.0	429.0	2.0		254	.13
12293	429.0	431.0	2.0		261	.13
12294	431.0	433.0	2.0		333	.14
12296	433.0	435.0	2.0		525	.10
12297	435.0	437.0	2.0		992	.07
12298	442.0	444.0	2.0		1620	.02
12299	444.0	446.0	2.0		890	.06
12283	451.0	453.0	2.0		1060	.08
12284	453.0	455.0	2.0		1430	.05
12285	465.5	468.0	2.5	10	1320	.04
12286	468.0	470.0	2.0		434	.12
12295	487.0	489.0	2.0		525	.10
12300	489.0	491.0	2.0		526	.11
12301	491.0	493.0	2.0		579	.10
12302	499.0	501.0	2.0		381	.13
12303	501.0	503.0	2.0		441	.11
12304	503.0	504.0	1.0		312	.15
12305	504.0	507.0	3.0		224	.17

END OF DRILL HOLE 05-02

**NOBLE METAL GROUP INCORPORATED
CARIBOO PROJECT - PHASE II
ASSAYS SHOWING ANOMALOUS VALUES
DDH 05-03**

SAMPLE No.	FROM FT	To FT	WIDTH FT	Ag PPB	St PPM	Ti %
0350	50.0	52.0	2.0	1	155	.01
12306	52.0	54.0	2.0	40	553	.05
0351	54.0	56.0	2.0			
12307	60.0	62.0	2.0	10	535	.09
12308	62.0	63.0	1.0		845	.05
12309	63.0	65.0	2.0		585	.08
12310	65.0	67.5	2.5		774	.06
12311	67.5	70.0	2.5	5	872	.04
12312	70.0	72.0	2.0	5	639	.06
12313	85.0	87.0	2.0		752	.04
12314	87.0	89.0	2.0		739	.04
12315	89.0	91.0	2.0		303	.10
12316	91.0	93.0	2.0		372	.10
12317	93.0	95.0	2.0		391	.10
12318	95.0	97.0	2.0	10	399	.10
12320	115.0	117.0	2.0		447	.09
12319	117.0	118.0	1.0		529	.03
12321	118.0	120.0	2.0		1400	.01
12322	142.5	144.5	2.0	10	767	.08
12323	164.0	166.0	2.0		1790	.02
12324	166.0	168.0	2.0		1200	.03
12325	173.5	175.5	2.0		989	.06
12326	189.0	191.0	2.0	5	1910	.02
12327	191.0	193.0	2.0		2100	.02
12328	193.0	195.0	2.0		2290	.08
12329	195.0	197.0	2.0		1170	.09
12330	200.0	202.0	2.0		1080	.07
12331	202.0	204.0	2.0	5	980	.08
12332	204.0	206.0	2.0		981	.10
12333	206.0	208.0	2.0		1960	.02
12334	208.0	210.0	2.0		1390	.05
12335	210.0	212.0	2.0		1930	.02
12336	212.0	214.0	2.0		1680	.02
12337	214.0	216.0	2.0		2310	.02
12338	216.0	218.0	2.0		3060	.01

SAMPLE No.	FROM FT	To FT	WIDTH FT	AG PPB	ST PPM	Ti %
12339	218.0	220.0	2.0		2430	.01
12340	227.0	229.0	2.0	5	2170	.02
12341	236.0	238.0	2.0		2160	.02
12342	241.0	243.0	2.0		2510	.02
12343	243.0	245.0	2.0		2320	.02
12344	245.0	247.0	2.0		2080	.03
12345	252.0	254.0	2.0		856	.09
12346	254.0	256.0	2.0		1510	.03
12347	261.5	264.0	2.5	5	182	.17
12348	271.0	273.0	2.0	5	309	.14
12349	273.0	275.0	2.0	5	267	.13
12350	275.0	277.0	2.0		305	.12
12351	280.0	282.0	2.0		391	.11
12352	296.0	298.0	2.0		212	.11
12353	298.0	300.0	2.0		296	.10
12354	303.0	305.0	2.0		281	.12
12355	313.0	315.0	2.0		985	.10
12356	320.0	322.0	2.0		930	.04
12357	322.0	324.0	2.0		1060	.06
12358	324.0	326.0	2.0		1270	.05
12359	326.0	328.0	2.0		1650	.04
12360	328.0	330.0	2.0		1350	.04
12361	330.0	332.0	2.0		584	.05
12382	335.0	337.0	2.0		359	.14
12383	337.0	339.0	2.0		310	.14
12384	339.0	342.0	3.0		394	.09
12385	342.0	345.0	3.0		429	.09
12386	345.0	347.0	2.0		634	.09
12387	347.0	350.0	3.0		518	.11
12388	350.0	353.0	3.0		526	.11
12389	373.0	376.0	3.0		314	.11
12390	387.0	389.0	2.0	10	307	.13
12391	391.0	393.0	2.0		253	.12
12392	393.0	395.0	2.0		337	.12
12393	395.0	397.0	2.0		218	.13
12394	397.0	399.0	2.0		381	.05
12395	399.0	401.0	2.0		489	.09
12396	401.0	403.0	2.0		274	.11
12397	403.0	405.0	2.0		241	.12
12398	405.0	407.0	2.0		264	.10

<u>SAMPLE NO.</u>	<u>FROM FT</u>	<u>To FT</u>	<u>WIDTH FT</u>	<u>Ag PPB</u>	<u>ST PPM</u>	<u>Ti %</u>
12399	407.0	408.5	1.5		393	.09
12403	408.5	411.0	2.5		244	.05
12404	411.0	413.0	2.0		269	.05
12405	413.0	415.0	2.0		122	.07
12406	415.0	417.0	2.0		181	.07
12407	417.0	419.0	2.0		264	.07
12408	419.0	421.0	2.0		181	.08
12409	421.0	423.0	2.0		136	.09
12410	423.0	425.0	2.0		92	.10
12411	425.0	427.0	2.0		78	.10
12412	427.0	428.0	1.0		52	.05
12413	436.5	438.0	1.5		75	.05
12414	438.0	440.0	2.0		421	.03
12415	440.0	443.0	3.0		401	.06
12416	443.0	444.0	1.0		44	.08
12417	444.0	445.0	1.0		257	.02
12418	445.0	447.0	2.0		462	.05
12419	447.0	449.0	2.0		646	.04
12420	449.0	451.0	2.0		876	.04
12421	451.0	453.0	2.0		656	.025
12422	453.0	455.0	2.0		702	.05
12423	455.0	457.0	2.0		881	.05
12424	457.0	459.0	2.0		912	.05
12425	459.0	461.0	2.0		877	.05
12426	461.0	463.0	2.0		725	.06
12427	463.0	465.0	2.0		639	.07
12428	465.0	467.0	2.0		628	.05
12429	467.0	469.0	2.0		640	.05
12430	469.0	471.0	2.0		410	.07
12431	471.0	473.0	2.0		579	.06
12432	473.0	475.0	2.0		454	.07
12433	475.0	477.0	2.0		351	.11
12434	477.0	479.0	2.0		543	.08
12435	479.0	481.0	2.0		563	.08
12436	487.0	490.0	3.0		426	.12
12437	495.0	497.0	2.0		122	.16
12438	497.0	499.0	2.0		99	.15
12439	509.0	511.5	2.5		462	.08
12440	525.0	527.0	2.0		701	.07
12441	532.0	534.0	2.0		203	.17

<u>SAMPLE No.</u>	<u>FROM FT</u>	<u>To FT</u>	<u>WIDTH FT</u>	<u>AG PPB</u>	<u>ST PPM</u>	<u>Ti %</u>
12442	534.0	536.0	2.0		242	.14
12443	536.0	538.0	2.0		280	.14
12444	538.0	540.0	2.0		309	.12
12445	540.0	542.0	2.0		212	.14
12446	542.0	544.0	2.0		224	.15
12447	544.0	546.0	2.0		116	.13
12448	546.0	548.0	2.0		84	.13
12449	548.0	550.0	2.0		47	.10
12450	550.0	552.0	2.0		59	.14
12451	552.0	553.0	1.0	10	104	.09
12452	553.0	554.0	1.0		96	.14
12453	554.0	556.0	2.0		116	.17
12454	556.0	558.0	2.0	10	141	.17
12455	558.0	560.0	2.0		94	.15
12456	560.0	562.0	2.0		145	.16
12457	562.0	564.0	2.0		160	.14
12458	564.0	566.0	2.0		161	.09
12459	566.0	563.0	2.0		216	.08
12460	568.0	570.0	2.0		117	.14
12461	570.0	572.0	2.0		200	.14
12462	572.0	574.0	2.0		209	.15
12463	580.0	582.0	2.0	5	134	.15
12464	582.0	584.0	2.0		273	.14
12465	584.0	586.0	2.0		505	.10
12466	586.0	588.0	2.0		1780	.03
12467	588.0	589.0	1.0		2070	.02
12468	589.0	592.0	3.0		2040	.02
12469	592.0	595.0	3.0		1510	.07
12470	595.0	597.0	2.0		895	.07
12471	597.0	600.0	3.0		762	.08
12472	600.0	602.0	2.0		311	.13
12473	602.0	604.0	2.0		409	.13
12474	604.0	607.0	3.0		347	.12
12475	607.0	609.0	2.0		1460	.04
12476	613.0	615.0	2.0		710	.08
12477	615.0	617.0	2.0		889	.06
12478	617.0	619.0	2.0		683	.08
12479	619.0	620.0	1.0		722	.07
12480	626.0	628.0	2.0		603	.09
12481	631.0	633.0	2.0		1120	.05

<u>SAMPLE No.</u>	<u>FROM FT</u>	<u>To FT</u>	<u>WIDTH FT</u>	<u>Ag PPB</u>	<u>ST PPM</u>	<u>Ti %</u>
12482	636.0	638.0	2.0		705	.08
12483	641.0	642.0	1.0		591	.06
12484	647.0	649.0	2.0		448	.08
12485	657.0	659.0	2.0		940	.01
12486	660.0	662.0	2.0		730	.03
12487	666.0	668.0	2.0		917	.01
12488	669.5	672.0	2.5		778	.03
12489	673.0	675.0	2.0		818	.05
12490	684.0	686.5	2.5		825	.01
12491	695.5	697.0	1.5		506	.09
12492	699.5	701.5	2.0		909	.03
12493	702.5	704.0	1.5		886	.03
12494	720.0	722.0	2.0		281	.15
12495	724.0	726.0	2.0		440	.11
12496	729.0	731.0	2.0		162	.07
12497	731.0	733.0	2.0		791	.00
12498	758.0	760.0	2.0		872	.06
12362	763.0	765.0	2.0		339	.09
12363	781.0	783.0	2.0		2290	.04
12364	783.0	785.0	2.0		1700	.05
12365	785.0	787.0	2.0		1620	.05
12366	787.0	789.0	2.0		2100	.02
12367	789.0	791.0	2.0		1910	.03
12368	791.0	793.0	2.0		1400	.05
12369	793.0	795.0	2.0		1300	.04
12370	795.0	797.0	2.0		1870	.02
12371	797.0	799.0	2.0		2230	.02
12372	799.0	801.0	2.0		1640	.01
12373	801.0	803.0	2.0		1340	.04
12374	803.0	805.0	2.0		1130	.05
12375	805.0	807.0	2.0		1400	.04
12499	831.0	833.0	2.0		394	.11
12500	835.0	837.0	2.0		469	.13
12501	838.0	840.0	2.0	15	398	.09
12502	840.0	842.0	2.0		401	.10
12503	842.0	844.0	2.0		317	.15
12504	844.0	846.0	2.0		353	.14
12505	846.0	848.0	2.0		330	.14
12506	854.0	856.5	2.5	30	1350	.03
12507	856.5	859.0	2.5		1000	.04

<u>SAMPLE</u> <u>No.</u>	<u>FROM</u> <u>FT</u>	<u>To</u> <u>FT</u>	<u>WIDTH</u> <u>FT</u>	<u>Ag</u> <u>PPB</u>	<u>ST</u> <u>PPM</u>	<u>Ti</u> <u>%</u>
12508	861.5	864.0	2.5		613	.10
12509	878.0	880.0	2.0		88	.12
12510	939.5	942.0	2.5		28	.12
12511	949.5	952.0	2.5		16	.10
12512	952.0	954.0	2.0	17	16	.07

END OF DRILL HOLE 05-03

NOBLE METAL GROUP INCORPORATED
CARIBOO PROJECT - PHASE II
SLUDGE SAMPLE ASSAYS
DDH 05-01

<u>FROM</u> <u>FT</u>	<u>To</u> <u>FT</u>	<u>Ag</u> <u>PPM</u>	<u>Au</u> <u>PPB</u>	<u>Cr</u> <u>PPM</u>	<u>St</u> <u>PPM</u>	<u>Ti</u> <u>%</u>
15	36		1		344	.12
36	57		1		667	.10
57	77		1		985	.10
77	97		2		1237	.08
97	117		1		595	.13
117	137	N/A	N/A	N/A	N/A	N/A
137	157				1047	.06
157	177	9.2	1		1340	.04
177	197	3.2	1		1156	.06
197	217	1.4	1		804	.08
217	237	4.5	1		612	.13
237	257		1		1192	.08
257	277		1		876	.10
277	297		2		1166	.07
297	317		1		1048	.06
317	337		2		1077	.07
337	357		1		562	.13
357	377		1		576	.11
377	397		1		944	.07
397	417		11		502	.13
417	437		11		614	.14
437	457		4		311	.13
457	477		1		940	.07
477	497		<1		1048	.08
497	517		1		720	.08
517	527		1		783	.08
527	547		2		1558	.06
547	567		2		1872	.07
567	587		2		1038	.11
587	607		<1		1095	.10

NOBLE METAL GROUP INCORPORATED
 CARIBOO PROJECT - PHASE II
SLUDGE SAMPLE ASSAYS
DDH 05-02

<u>FROM</u> <u>FT</u>	<u>TO</u> <u>FT</u>	<u>AG</u> <u>PPM</u>	<u>AU</u> <u>PPB</u>	<u>CR</u> <u>PPM</u>	<u>SR</u> <u>PPM</u>	<u>TI</u> <u>%</u>
0	60	26.8	1	65	23	.06
60	100		2	81	37	.06
100	157		3	52	186	<.01
157	167		<1	32	608	.01
167	187		1	31	836	.03
187	217	12.8	1	49	319	.03
217	237		<1	92	161	.06
237	280		1	98	729	.06
280	300		1	67	1089	.03
300	347		1	99	414	.04
347	377		<1	83	327	.07
377	387		1	67	691	.05
387	417		<1	148	342	.06

NOBLE METAL GROUP INCORPORATED
 CARIBOO PROJECT - PHASE II
SLUDGE SAMPLE ASSAYS
DDH 05-03

<u>FROM</u> <u>FT</u>	<u>TO</u> <u>FT</u>	<u>AG</u> <u>PPM</u>	<u>AU</u> <u>PPB</u>	<u>CR</u> <u>PPM</u>	<u>SR</u> <u>PPM</u>	<u>TI</u> <u>%</u>
10	27		1		57	.09
47	67		1		303	.10
87	107		1		605	.09
127	147		1		1297	.06
167	187		<1		1368	.07
207	227		1		2821	.03
247	267		<1		2752	.03
287	307		1		406	.14
327	347		1		575	.11
367	387		2		724	.11
407	427		1		580	.13



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541




To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

File No : 47803
Date : August 3, 2005
Samples : Rock

Certificate of Assay

Sample No.	Gold ppb
12252	11
12253	10
12254	5
12255	<5
12256	<5
12257	10
12258	<5
12278	<5
12279	<5
12280	<5
12281	<5
12282	<5
12283	<5
12284	<5
12285	10
12286	<5
91972	<5
91975	<5
5015	<5
5016	<5
5050	<5
5051	<5
5052	<5
5053	<5
5054	<5
5055	<5
5056	<5
5057	<5
5058	<5
5059	<5
5060	<5
5061	<5
5062	5
5063	<5
5064	<5
5065	<5
5066	<5

I HEREBY CERTIFY that the above results are those assays made by me upon the herein described samples:


Assayer

Rejects and pulps are retained for one month unless specific arrangements are made in advance.



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541




To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

File No : 47803
Date : August 3, 2005
Samples : Rock

Certificate of Assay

Sample No.	Gold ppb
5087	<5
5088	<5
5089	<5
5090	<5
5091	5
5092	<5
5093	<5
5094	<5
5095	<5
5096	<5
5097	<5
5098	<5
5099	<5
5100	5
5101	5
5102	<5
5103	<5
5104	<5
5105	<5
5106	<5
91926	<5
91945	<5
91963	<5
91967	<5
91968	<5
91991	<5
91992	<5
91993	<5
91998	5
12956	<5
12958	25
12959	25
12968	22

I HEREBY CERTIFY that the above results are those assays made by me upon the herein described samples:


Assayer

Rejects and pulps are retained for one month unless specific arrangements are made in advance.



Loring Laboratories Ltd.

.9 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47837

DATE: August 13, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Sr ppm	Th ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
12403	<0.5	0.87	<1	<1	23	52	<1	7.95	1	26	22	32	1.08	0.13	42	0.43	433	<1	0.01	15	0.02	13	<1	244	<1	0.05	<1	14	<1	26
12404	<0.5	1.08	<1	<1	23	54	<1	6.18	1	32	49	21	1.35	0.18	42	0.54	592	<1	0.01	16	0.02	8	<1	269	<1	0.05	<1	16	<1	28
12405	<0.5	1.40	<1	<1	23	35	<1	2.87	1	37	43	14	1.57	0.14	34	0.73	385	<1	0.01	22	0.03	7	2	122	<1	0.07	<1	15	<1	41
12406	<0.5	1.33	<1	<1	22	68	<1	3.98	1	31	40	13	1.31	0.24	36	0.60	426	<1	0.02	18	0.03	10	<1	181	<1	0.07	<1	15	<1	31
12407	<0.5	1.08	<1	<1	25	54	2	6.11	1	29	50	13	1.20	0.20	42	0.49	478	<1	0.01	18	0.03	10	<1	264	<1	0.07	<1	16	<1	26
12408	<0.5	1.29	<1	<1	23	43	<1	4.02	1	35	59	16	1.47	0.23	39	0.58	364	<1	0.02	20	0.02	12	1	181	<1	0.08	<1	14	<1	36
12409	<0.5	1.60	<1	<1	25	38	<1	2.77	1	39	64	19	1.73	0.26	32	0.68	386	<1	0.02	25	0.02	8	2	136	<1	0.09	<1	13	<1	40
12410	<0.5	1.68	<1	<1	27	34	<1	0.98	1	42	59	17	1.79	0.21	26	0.91	371	<1	0.02	27	0.02	10	2	92	16	0.10	<1	13	<1	52
12411	<0.5	1.91	<1	<1	23	43	<1	0.83	1	45	56	22	1.88	0.23	32	1.01	401	<1	0.02	27	0.02	16	2	78	20	0.10	<1	12	<1	50
12412	<0.5	1.03	<1	<1	22	25	<1	1.81	1	34	122	14	1.29	0.19	25	0.42	281	<1	0.02	20	0.01	8	3	52	14	0.05	<1	12	<1	30
12413	<0.5	1.16	<1	<1	23	26	<1	3.61	1	33	106	17	1.38	0.21	29	0.51	332	<1	0.02	18	0.02	8	1	75	5	0.05	<1	11	<1	29
12414	<0.5	0.85	<1	<1	21	8	<1	11.20	<1	21	28	7	1.15	0.06	48	0.61	678	<1	0.01	7	0.02	11	<1	421	<1	0.03	<1	15	<1	17
12415	<0.5	1.20	<1	<1	22	19	<1	8.48	1	33	49	17	1.47	0.13	48	0.65	477	<1	0.02	18	0.03	23	1	401	<1	0.06	<1	18	<1	29
12416	<0.5	1.61	<1	<1	23	40	<1	0.44	1	49	61	19	1.91	0.26	18	0.67	342	<1	0.01	24	0.02	7	<1	44	14	0.08	<1	9	<1	42
12417	<0.5	0.88	<1	<1	25	15	<1	4.53	1	32	127	13	1.29	0.11	25	0.38	586	<1	0.01	19	0.01	4	1	257	<1	0.02	<1	12	<1	21
12418	<0.5	0.83	<1	<1	22	13	<1	9.20	1	33	32	20	1.52	0.10	45	0.41	637	<1	0.02	19	0.03	11	<1	462	<1	0.05	<1	16	<1	20
12419	<0.5	0.39	<1	<1	25	8	1	10.95	1	24	19	14	1.16	0.07	49	0.22	538	<1	0.02	13	0.03	14	<1	646	<1	0.04	<1	18	<1	13
12420	<0.5	0.75	1	<1	22	14	<1	10.83	1	22	20	11	1.12	0.12	44	0.48	467	<1	0.01	11	0.03	13	1	876	<1	0.04	<1	17	<1	18
12421	<0.5	0.86	<1	<1	24	24	<1	9.17	1	30	30	12	1.48	0.19	47	0.45	388	<1	0.01	18	0.03	7	<1	656	<1	0.05	<1	15	<1	22
12422	<0.5	0.79	<1	<1	22	24	<1	9.97	<1	21	30	14	0.98	0.22	43	0.39	355	<1	0.01	15	0.03	10	<1	702	<1	0.05	<1	15	<1	19
12423	<0.5	0.71	<1	<1	24	30	4	10.62	1	22	31	13	1.10	0.27	48	0.35	423	<1	0.01	16	0.04	7	<1	881	<1	0.05	<1	14	<1	14
12424	<0.5	0.69	<1	<1	24	26	4	10.73	1	23	30	15	1.10	0.26	45	0.36	416	<1	0.01	16	0.03	7	<1	912	<1	0.05	<1	13	<1	16
12425	<0.5	0.80	<1	<1	23	20	<1	10.70	1	22	18	12	1.11	0.26	47	0.45	391	<1	0.01	15	0.04	10	<1	877	<1	0.05	<1	14	<1	20
12426	<0.5	0.82	<1	<1	24	22	<1	9.97	1	25	20	12	1.22	0.24	43	0.44	412	<1	0.01	17	0.03	13	<1	725	<1	0.06	<1	15	<1	22
12427	<0.5	0.92	<1	<1	24	28	<1	9.48	1	28	27	19	1.28	0.25	45	0.45	455	<1	0.01	18	0.03	9	<1	639	<1	0.07	<1	13	<1	21
12403R	<0.5	0.94	<1	<1	28	58	<1	7.05	1	28	23	29	1.30	0.15	42	0.47	412	<1	0.01	16	0.03	16	1	295	<1	0.06	<1	13	<1	24
12422R	<0.5	0.78	<1	<1	24	26	<1	10.31	1	22	34	13	1.05	0.24	46	0.41	364	<1	0.01	17	0.03	10	<1	752	<1	0.05	<1	15	<1	19



Loring Laboratories Ltd.

9 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47837

DATE: August 13, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12428	<0.5	0.81	<1	<1	24	23	<1	9.58	1	52	21	47	1.90	0.19	46	0.44	420	<1	0.01	19	0.03	8	2	628	<1	0.05	<1	16	<1	20
12429	<0.5	0.74	1	<1	25	20	<1	10.31	1	26	24	19	1.15	0.15	45	0.35	487	<1	0.01	13	0.03	14	<1	640	<1	0.05	<1	15	<1	17
12430	<0.5	1.12	<1	<1	24	25	<1	8.39	1	28	74	16	1.26	0.19	45	0.54	384	<1	0.01	19	0.02	11	<1	410	<1	0.07	<1	19	<1	26
12431	<0.5	1.08	<1	<1	24	27	3	9.16	1	32	31	18	1.45	0.19	39	0.51	384	<1	0.01	18	0.02	14	1	579	<1	0.06	<1	17	<1	28
12432	<0.5	1.15	<1	<1	27	46	<1	8.40	1	32	53	16	1.46	0.27	47	0.55	451	<1	0.01	21	0.03	11	2	454	<1	0.07	<1	16	<1	27
12433	<0.5	1.53	<1	<1	26	67	<1	5.99	1	41	59	17	1.89	0.28	46	0.73	402	<1	0.02	27	0.03	9	2	351	<1	0.11	<1	17	<1	36
12434	<0.5	0.99	<1	<1	23	83	3	8.64	1	26	39	9	1.30	0.19	47	0.47	572	<1	0.02	19	0.03	7	<1	543	<1	0.08	<1	18	<1	21
12435	<0.5	1.21	<1	<1	25	54	<1	8.52	1	31	46	10	1.60	0.17	42	0.61	551	<1	0.02	19	0.03	8	2	563	<1	0.08	<1	17	<1	27
12436	<0.5	1.81	<1	<1	28	51	3	7.88	1	44	50	13	2.32	0.37	52	1.05	649	<1	0.02	31	0.03	10	1	426	<1	0.12	<1	20	<1	43
12437	<0.5	2.06	<1	<1	30	55	<1	1.74	1	54	93	15	2.66	0.41	36	1.13	442	<1	0.03	35	0.03	12	<1	122	<1	0.16	<1	19	<1	59
12438	<0.5	1.93	<1	<1	26	84	<1	0.99	1	51	65	19	2.30	0.60	35	0.99	356	<1	0.02	33	0.03	12	2	99	18	0.15	<1	16	<1	48
12439	<0.5	1.11	<1	<1	25	24	5	8.11	1	34	53	18	1.72	0.21	38	0.61	606	<1	0.02	19	0.02	8	2	462	<1	0.08	<1	20	<1	25
12440	<0.5	1.10	2	<1	24	24	5	10.41	1	29	39	8	1.46	0.18	49	0.55	547	<1	0.02	15	0.03	8	<1	701	<1	0.07	<1	21	<1	22
12441	<0.5	2.20	<1	<1	33	64	<1	2.62	1	49	91	13	2.19	0.27	46	1.08	481	<1	0.03	32	0.04	10	2	203	<1	0.17	<1	20	<1	45
12442	<0.5	1.86	<1	<1	27	46	<1	3.84	1	45	97	16	2.11	0.22	42	0.75	456	<1	0.03	23	0.03	17	<1	242	<1	0.14	<1	19	<1	42
12443	<0.5	1.49	<1	<1	26	37	<1	3.81	1	39	95	17	1.69	0.20	42	0.50	389	<1	0.02	25	0.02	14	3	280	<1	0.14	<1	17	<1	29
12444	<0.5	1.43	<1	<1	29	40	<1	5.51	1	40	73	20	1.70	0.21	44	0.50	491	<1	0.02	24	0.03	24	2	309	<1	0.12	<1	17	<1	29
12445	<0.5	1.81	<1	<1	30	69	2	3.04	1	42	86	12	1.89	0.28	36	0.94	519	<1	0.02	29	0.02	9	3	212	<1	0.14	<1	17	<1	42
12446	<0.5	1.82	<1	<1	29	52	<1	3.00	1	44	105	18	1.95	0.25	38	0.74	533	<1	0.03	30	0.02	21	2	224	<1	0.15	<1	19	<1	38
12447	<0.5	2.12	<1	<1	28	50	<1	1.34	1	58	84	23	2.48	0.25	35	1.12	531	<1	0.03	36	0.03	11	2	116	2	0.13	<1	17	<1	52
12448	<0.5	1.78	<1	<1	30	49	<1	0.66	1	56	90	31	2.36	0.27	28	0.78	398	<1	0.03	35	0.02	13	2	84	9	0.13	<1	14	<1	46
12449	<0.5	1.70	<1	<1	27	35	<1	0.33	1	54	77	20	2.15	0.24	15	0.78	367	<1	0.02	31	0.02	13	3	47	18	0.10	<1	12	<1	49
12450	<0.5	1.99	<1	<1	26	58	<1	0.33	1	54	71	16	2.37	0.36	19	0.78	380	<1	0.02	36	0.02	8	2	59	22	0.14	<1	11	<1	52
12451	<0.5	2.07	2	<1	27	46	<1	2.47	2	59	132	59	2.69	0.30	30	0.99	565	<1	0.02	44	0.01	33	3	104	7	0.09	<1	16	<1	283
12452	<0.5	2.10	3	<1	33	45	<1	0.94	1	54	79	10	2.60	0.28	37	1.00	460	<1	0.02	37	0.02	9	3	96	25	0.14	<1	16	<1	58
12440R	<0.5	1.11	<1	<1	29	22	<1	10.50	1	28	37	8	1.39	0.17	45	0.52	494	<1	0.02	15	0.03	8	<1	698	<1	0.06	<1	20	<1	21

Certified by:



Loring Laboratories Ltd.

29 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47837

DATE: August 13, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12453	<0.5	2.25	2	<1	30	57	<1	0.60	1	54	92	9	2.44	0.32	28	1.03	408	<1	0.03	35	0.02	11	2	116	9	0.17	<1	16	<1	57
12454	<0.5	2.40	1	<1	28	55	<1	1.03	1	51	86	10	2.39	0.27	29	1.10	446	<1	0.03	33	0.03	13	2	141	28	0.17	<1	20	<1	52
12455	<0.5	2.19	1	<1	31	44	<1	0.56	1	50	77	6	2.27	0.22	26	1.10	457	<1	0.02	30	0.02	9	3	94	18	0.15	<1	16	<1	52
12456	<0.5	2.31	2	<1	32	59	<1	1.22	1	51	92	10	2.14	0.31	32	1.04	501	<1	0.03	31	0.02	12	2	145	<1	0.16	<1	18	<1	50
12457	<0.5	2.58	2	<1	29	62	3	1.22	1	54	63	10	2.24	0.32	32	1.14	553	<1	0.03	30	0.02	10	2	160	<1	0.14	<1	18	<1	51
12458	<0.5	1.86	5	<1	25	53	<1	2.95	1	54	62	23	1.88	0.27	38	0.72	572	<1	0.03	24	0.02	12	2	161	<1	0.09	<1	17	<1	38
12459	<0.5	1.76	<1	<1	23	32	<1	4.99	1	43	48	14	1.73	0.18	38	0.72	729	<1	0.03	23	0.02	14	1	216	<1	0.08	<1	19	<1	38
12460	<0.5	1.90	<1	<1	31	77	<1	1.17	1	38	59	11	1.55	0.31	34	0.65	385	<1	0.03	21	0.03	11	2	117	<1	0.14	<1	14	<1	35
12461	<0.5	2.16	1	<1	29	39	<1	3.32	1	50	54	17	2.08	0.24	41	0.97	649	<1	0.03	26	0.03	19	3	200	<1	0.14	<1	19	<1	51
12462	<0.5	2.17	<1	<1	29	51	4	3.09	1	49	65	15	2.16	0.31	41	0.79	647	<1	0.03	29	0.02	16	3	209	<1	0.15	<1	18	<1	52
12463	<0.5	2.06	<1	<1	32	58	<1	1.48	1	46	60	16	1.98	0.33	34	0.75	431	<1	0.02	27	0.02	9	2	134	<1	0.15	<1	13	<1	44
12464	<0.5	2.06	<1	<1	40	38	<1	5.14	1	45	60	15	2.13	0.30	41	0.78	570	<1	0.03	29	0.03	13	2	273	<1	0.14	<1	22	<1	41
12465	<0.5	1.60	<1	<1	38	49	8	7.23	1	36	48	14	1.68	0.33	43	0.62	417	<1	0.02	26	0.03	12	2	505	<1	0.10	<1	17	<1	32
12466	<0.5	0.47	<1	<1	38	18	11	12.35	<1	19	8	8	1.03	0.17	45	0.22	229	<1	0.01	11	0.03	10	<1	1780	<1	0.03	<1	13	<1	13
12467	<0.5	0.35	1	<1	30	11	3	12.53	<1	17	9	7	0.95	0.12	41	0.23	232	<1	0.01	11	0.03	10	2	2070	<1	0.02	<1	14	<1	11
12468	<0.5	0.30	<1	<1	30	8	5	12.61	<1	17	5	7	0.94	0.09	42	0.23	222	<1	0.01	10	0.03	8	<1	2040	<1	0.02	<1	11	<1	10
12469	<0.5	0.50	1	<1	32	12	2	11.85	1	21	11	10	1.08	0.13	41	0.29	328	<1	0.01	13	0.03	9	<1	1510	<1	0.03	<1	14	<1	16
12470	<0.5	0.93	<1	<1	41	17	<1	9.63	1	29	30	12	1.34	0.17	47	0.44	435	<1	0.01	19	0.03	11	<1	895	<1	0.07	<1	16	<1	25
12471	<0.5	1.08	<1	<1	33	29	4	8.99	1	32	40	14	1.45	0.30	45	0.45	366	<1	0.02	21	0.03	9	<1	762	<1	0.08	<1	16	<1	28
12472	<0.5	1.59	<1	<1	32	45	<1	3.72	1	37	42	16	1.57	0.34	39	0.61	331	<1	0.02	23	0.02	9	<1	311	<1	0.13	<1	16	<1	38
12473	<0.5	1.58	<1	<1	36	30	<1	5.93	1	40	55	16	1.85	0.26	47	0.69	421	<1	0.02	29	0.02	14	2	409	<1	0.13	<1	15	<1	44
12474	<0.5	1.74	<1	<1	39	50	<1	4.51	1	44	45	18	1.92	0.38	46	0.70	375	<1	0.02	29	0.03	11	<1	347	<1	0.12	<1	17	<1	42
12475	<0.5	0.50	1	<1	34	21	5	12.15	1	19	11	8	0.99	0.23	47	0.23	371	<1	0.01	11	0.03	13	<1	1460	<1	0.04	<1	16	<1	13
12476	<0.5	1.09	<1	<1	33	32	6	9.83	1	28	37	14	1.30	0.29	47	0.44	395	<1	0.02	19	0.03	8	<1	710	<1	0.08	<1	18	<1	21
12477	<0.5	0.80	1	<1	35	25	<1	11.43	1	24	24	10	1.18	0.27	42	0.40	364	<1	0.01	16	0.03	8	<1	889	<1	0.06	<1	16	<1	19
12459R	<0.5	1.73	<1	<1	23	38	<1	4.96	1	43	49	14	1.97	0.21	37	0.73	675	<1	0.03	28	0.02	15	<1	252	<1	0.11	<1	19	<1	40



Loring Laboratories Ltd.

29 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541




To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47837

DATE: August 13, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12478	<0.5	0.97	<1	<1	38	28	5	9.87	1	29	26	14	1.40	0.24	46	0.45	413	<1	0.02	17	0.03	7	2	683	<1	0.08	<1	16	<1	22
12479	<0.5	0.87	<1	<1	35	40	<1	9.82	1	25	46	12	1.16	0.27	43	0.34	379	<1	0.01	18	0.03	8	<1	722	<1	0.07	<1	16	<1	17
12480	<0.5	1.12	<1	<1	36	43	<1	9.07	1	30	27	12	1.41	0.31	46	0.48	414	<1	0.02	20	0.03	9	<1	603	<1	0.09	<1	17	<1	24
12481	<0.5	0.75	<1	<1	36	29	<1	11.98	1	21	12	20	1.14	0.21	46	0.36	278	<1	0.02	13	0.03	9	1	1120	<1	0.05	<1	16	<1	17
12482	<0.5	1.18	<1	<1	36	41	<1	9.19	1	32	34	19	1.54	0.27	49	0.53	303	<1	0.02	20	0.03	12	<1	705	<1	0.08	<1	20	<1	30
12483	<0.5	1.04	<1	<1	32	16	<1	9.53	1	28	48	14	1.38	0.12	43	0.48	465	<1	0.02	18	0.02	24	2	591	<1	0.06	<1	17	<1	28
12484	<0.5	1.40	<1	<1	31	30	<1	8.19	1	35	59	17	1.64	0.20	40	0.66	505	<1	0.02	23	0.02	12	1	448	<1	0.08	<1	17	<1	34
12485	<0.5	0.16	1	<1	27	5	8	13.91	<1	5	<1	5	0.34	0.04	42	0.24	166	<1	0.01	3	0.01	3	<1	940	<1	0.01	<1	14	<1	2
12486	<0.5	0.41	2	<1	32	5	<1	12.71	<1	18	7	10	0.87	0.12	42	0.42	306	<1	0.01	11	0.02	5	<1	730	<1	0.03	<1	15	<1	4
12487	<0.5	0.31	2	<1	31	3	<1	13.21	<1	13	9	7	0.68	0.06	42	0.38	244	<1	0.01	8	0.03	6	<1	917	<1	0.01	<1	14	<1	4
12488	<0.5	0.41	2	<1	29	5	2	12.30	<1	24	20	13	1.12	0.10	44	0.37	258	<1	0.01	14	0.04	11	<1	778	<1	0.03	<1	14	<1	6
12489	<0.5	0.59	1	<1	33	8	4	11.63	1	26	20	12	1.26	0.15	49	0.47	299	<1	0.02	17	0.02	8	2	818	<1	0.05	<1	14	<1	8
12490	<0.5	0.30	3	<1	32	4	<1	13.54	<1	15	9	8	0.79	0.08	43	1.26	337	<1	0.01	7	0.02	5	<1	825	<1	0.01	<1	15	<1	3
12491	<0.5	1.59	<1	<1	33	18	<1	7.55	1	37	63	15	1.67	0.24	41	1.09	270	<1	0.01	25	0.03	11	<1	506	<1	0.09	<1	16	<1	15
12492	<0.5	1.04	<1	<1	36	21	4	9.99	1	32	40	18	1.49	0.18	42	0.51	284	<1	0.02	25	0.03	9	<1	909	<1	0.03	<1	17	<1	27
12493	<0.5	0.74	2	<1	35	20	<1	11.40	<1	18	50	6	0.89	0.29	41	0.37	249	<1	0.01	17	0.02	6	1	886	<1	0.03	<1	14	<1	13
12494	<0.5	1.82	<1	<1	37	40	4	3.88	1	45	77	19	1.98	0.37	32	0.77	225	<1	0.02	36	0.03	10	2	281	<1	0.15	<1	15	<1	49
12495	<0.5	1.52	<1	<1	35	24	8	7.18	1	39	71	18	1.74	0.25	35	0.73	355	<1	0.02	29	0.03	13	1	440	<1	0.11	<1	21	<1	48
12496	<0.5	1.81	<1	<1	31	30	<1	2.02	1	50	82	20	2.14	0.24	45	0.69	292	<1	0.01	38	0.03	13	2	162	<1	0.07	<1	15	<1	59
12497	<0.5	1.24	<1	<1	37	27	5	9.32	1	45	63	11	2.32	0.14	61	0.30	560	<1	0.01	24	0.02	17	2	791	<1	0.00	<1	22	<1	32
12498	<0.5	0.90	2	<1	39	29	5	11.31	1	22	30	7	1.13	0.31	40	0.50	314	<1	0.02	14	0.03	8	<1	872	<1	0.06	<1	17	<1	22
12499	<0.5	1.72	2	<1	41	27	<1	6.73	1	40	62	17	1.81	0.37	45	0.75	446	<1	0.02	30	0.03	30	1	394	<1	0.11	<1	19	<1	42
12500	<0.5	1.72	2	<1	38	41	<1	7.12	1	38	69	19	1.62	0.49	45	0.69	476	<1	0.02	29	0.03	13	1	469	<1	0.13	<1	19	<1	41
12501	<0.5	1.56	<1	<1	38	31	2	7.17	1	39	86	15	1.81	0.38	43	0.69	466	<1	0.02	24	0.03	18	<1	398	<1	0.09	<1	17	<1	41
12502	<0.5	1.40	<1	<1	33	29	5	7.48	1	37	78	15	1.67	0.37	41	0.61	435	<1	0.02	24	0.02	37	1	401	<1	0.10	<1	17	<1	38

Certified by: 



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47837

DATE: August 13, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12503	<0.5	1.72	<1	<1	35	43	<1	5.52	1	40	61	15	1.70	0.45	42	0.71	390	<1	0.02	31	0.03	14	1	317	<1	0.15	<1	17	<1	46
12504	<0.5	1.65	<1	<1	34	33	<1	6.42	1	40	64	17	1.72	0.37	40	0.67	429	<1	0.02	29	0.03	11	2	353	<1	0.14	<1	17	<1	43
12505	<0.5	1.73	<1	<1	39	49	<1	5.59	1	42	68	16	1.83	0.46	43	0.74	408	<1	0.02	29	0.03	13	2	330	<1	0.14	<1	18	<1	41
12506	<0.5	0.36	1	<1	35	8	9	13.36	<1	15	11	7	0.83	0.13	42	0.21	260	<1	0.01	10	0.03	8	<1	1350	<1	0.03	<1	14	<1	8
12507	<0.5	0.52	2	<1	42	18	5	13.03	<1	16	17	8	0.82	0.29	46	0.31	284	<1	0.02	12	0.02	16	<1	1000	<1	0.04	<1	16	<1	20
12508	<0.5	1.26	<1	<1	36	39	<1	8.92	1	36	50	17	1.62	0.44	41	0.60	324	<1	0.02	27	0.03	11	2	613	<1	0.10	<1	17	<1	32
12509	<0.5	2.42	2	<1	32	57	<1	1.95	2	72	91	84	3.05	0.22	35	1.11	631	<1	0.03	40	0.03	12	3	88	12	0.12	<1	26	<1	104
12510	<0.5	2.63	3	<1	33	26	<1	0.88	2	75	121	29	3.35	0.16	30	1.01	667	<1	0.03	45	0.07	18	3	28	<1	0.12	<1	36	<1	79
12511	<0.5	2.53	<1	<1	33	24	<1	0.44	2	76	110	22	3.30	0.16	22	0.98	508	<1	0.03	48	0.06	19	3	16	7	0.10	<1	22	<1	73
12512	<0.5	2.48	<1	<1	31	25	<1	0.29	2	71	115	23	3.16	0.17	19	0.80	386	<1	0.03	47	0.05	19	3	16	23	0.07	<1	19	<1	77
12477R	<0.5	0.89	1	<1	36	29	6	11.54	1	26	23	11	1.24	0.29	46	0.44	373	<1	0.01	16	0.03	10	<1	898	<1	0.07	<1	18	<1	24
12496R	<0.5	1.88	<1	<1	33	32	2	2.17	1	53	83	21	2.35	0.26	49	0.74	300	<1	0.02	45	0.03	14	1	184	<1	0.08	<1	16	<1	67

0.500 Gram sample is digested with Aqua Regia at 95 C for one hour and bulked to 10 ml with distilled water.
Partial dissolution for Al, B, Ba, Ca, Cr, Fe, K, La, Mg, Mn, Na, P, Sr, Ti, and W.
"R" Denotes duplicate sample analyzed.

Certified by: 



Loring Laboratories Ltd.

620 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47803

DATE: August 3, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12251	<0.5	2.59	<1	<1	34	25	<1	0.12	1	62	42	23	2.93	0.13	18	0.94	359	<1	0.02	36	0.03	13	3	9	26	0.02	<1	18	<1	78
12252	<0.5	1.00	2	<1	29	41	<1	9.89	1	28	36	17	1.47	0.31	59	0.61	445	<1	0.02	24	0.03	20	<1	387	<1	0.05	<1	27	<1	31
12253	<0.5	1.86	<1	<1	47	68	2	3.76	1	42	120	27	2.13	0.27	58	1.15	390	<1	0.06	31	0.03	15	2	113	63	0.15	<1	43	<1	46
12254	<0.5	0.91	1	<1	36	39	2	9.67	<1	21	58	21	1.15	0.15	56	0.44	384	<1	0.03	17	0.03	12	<1	291	<1	0.08	<1	25	<1	26
12255	<0.5	0.62	<1	<1	36	26	1	10.18	<1	17	75	14	0.91	0.15	51	0.32	384	<1	0.02	13	0.03	17	<1	458	<1	0.04	<1	18	<1	18
12256	<0.5	0.21	2	<1	39	13	5	13.01	<1	7	18	6	0.47	0.07	45	0.19	318	<1	0.01	5	0.04	9	<1	916	<1	0.01	<1	15	<1	6
12257	<0.5	0.75	<1	<1	41	47	2	8.99	1	30	39	17	1.51	0.21	56	0.27	387	<1	0.02	20	0.06	41	1	571	<1	0.07	<1	23	<1	23
12258	<0.5	0.52	<1	<1	38	27	2	9.34	1	26	45	22	1.25	0.14	54	0.18	367	<1	0.02	19	0.05	18	<1	532	<1	0.07	<1	24	<1	17
12259	<0.5	0.58	<1	<1	41	47	4	6.61	1	31	81	33	1.41	0.19	56	0.16	264	1	0.02	28	0.04	31	2	356	<1	0.11	<1	28	<1	70
12260	<0.5	0.59	<1	<1	39	47	<1	6.67	1	29	99	27	1.30	0.19	50	0.17	261	<1	0.02	26	0.04	50	1	311	<1	0.08	<1	20	<1	52
12261	<0.5	0.25	1	<1	41	17	3	13.25	<1	12	7	7	0.75	0.10	44	0.19	323	<1	0.01	7	0.02	16	<1	783	<1	0.02	<1	16	<1	12
12262	<0.5	0.56	1	<1	36	18	<1	13.07	<1	18	12	16	0.96	0.09	51	0.41	621	<1	0.01	12	0.04	77	<1	784	<1	0.04	<1	21	<1	33
12263	<0.5	1.17	<1	<1	39	42	<1	7.64	1	33	75	15	1.52	0.17	55	0.57	906	5	0.02	27	0.05	14	1	371	<1	0.03	<1	26	<1	32
12264	<0.5	0.81	<1	<1	37	40	<1	8.70	1	29	64	18	1.45	0.15	53	0.46	539	<1	0.02	27	0.05	13	<1	457	<1	0.04	<1	28	<1	37
12265	<0.5	1.07	<1	<1	30	30	3	7.66	1	28	84	16	1.34	0.14	50	0.53	506	<1	0.02	24	0.05	22	1	347	<1	0.06	<1	26	<1	26
12266	<0.5	0.87	1	<1	34	26	5	10.89	<1	22	46	8	1.14	0.12	49	0.43	616	<1	0.02	17	0.04	8	1	673	<1	0.03	<1	23	<1	18
12267	<0.5	0.42	2	<1	40	9	<1	12.56	<1	13	22	5	0.69	0.05	47	0.29	540	<1	0.01	11	0.03	8	<1	808	<1	0.02	<1	21	<1	11
12268	<0.5	0.53	2	<1	43	31	3	12.57	<1	13	10	6	0.79	0.28	48	0.27	458	<1	0.01	9	0.02	8	<1	1680	<1	0.04	<1	17	<1	13
12269	<0.5	1.04	<1	<1	35	19	3	9.46	1	24	35	10	1.35	0.19	50	0.55	409	<1	0.02	17	0.03	10	<1	490	<1	0.09	<1	22	<1	25
12270	<0.5	1.75	<1	<1	37	49	1	5.62	1	42	42	15	2.14	0.35	50	0.79	363	<1	0.02	27	0.04	11	2	348	<1	0.13	<1	20	<1	43
12271	<0.5	0.59	1	<1	37	17	3	12.84	<1	16	6	9	0.95	0.13	50	0.31	343	<1	0.01	10	0.02	7	<1	2050	<1	0.04	<1	16	<1	11
12272	<0.5	0.51	2	<1	37	14	<1	13.08	<1	15	7	7	0.88	0.10	50	0.28	339	<1	0.01	9	0.02	7	<1	1800	<1	0.03	<1	17	<1	13
12273	<0.5	1.47	2	<1	35	25	<1	9.98	1	31	38	6	1.74	0.15	57	0.70	514	<1	0.02	19	0.03	8	<1	815	<1	0.08	<1	22	<1	29
12274	<0.5	1.15	<1	<1	36	18	6	10.79	1	24	35	9	1.36	0.16	56	0.53	575	<1	0.01	17	0.09	17	<1	799	<1	0.06	<1	19	<1	25
12275	<0.5	0.28	1	<1	38	7	2	13.64	<1	11	2	6	0.74	0.06	49	0.19	422	<1	0.01	6	0.02	9	<1	1750	<1	0.02	<1	17	<1	8
12251R	<0.5	2.44	<1	<1	29	23	1	0.12	1	64	43	23	2.99	0.12	19	0.97	342	<1	0.02	39	0.03	13	1	10	28	0.02	<1	18	<1	83
12270R	<0.5	1.66	<1	<1	38	49	<1	5.61	1	42	39	15	2.07	0.34	51	0.79	360	<1	0.02	25	0.04	13	2	342	<1	0.12	<1	19	<1	43

"R" denotes duplicate sample analyzed.

Certified by: *[Signature]*



Loring Laboratories Ltd.

620 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47803

DATE: August 3, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12276	<0.5	1.23	<1	<1	37	41	2	9.15	1	28	28	11	1.46	0.31	53	0.54	548	<1	0.01	17	0.03	17	1	798	<1	0.09	<1	20	<1	28
12277	<0.5	1.64	1	<1	33	67	<1	5.80	1	31	34	10	1.57	0.47	43	0.68	476	<1	0.01	23	0.03	10	<1	461	<1	0.14	<1	19	<1	32
12278	<0.5	1.67	<1	<1	37	61	<1	6.25	1	35	38	13	1.74	0.39	50	0.73	542	<1	0.01	25	0.03	10	<1	493	<1	0.13	<1	22	<1	35
12279	<0.5	1.58	<1	<1	41	30	<1	7.01	1	37	48	13	1.99	0.30	51	0.79	511	<1	0.03	23	0.03	23	1	370	<1	0.12	<1	26	<1	40
12280	<0.5	1.94	<1	<1	37	55	<1	4.93	1	41	48	13	2.08	0.34	50	1.04	439	<1	0.03	25	0.03	11	2	233	<1	0.13	<1	25	<1	42
12281	<0.5	1.08	<1	<1	37	24	3	11.07	1	25	23	6	1.42	0.17	50	0.55	444	<1	0.02	15	0.03	8	<1	684	<1	0.08	<1	25	<1	22
12282	<0.5	0.86	<1	<1	38	18	4	11.65	1	23	19	7	1.32	0.17	53	0.51	485	<1	0.02	12	0.02	7	<1	728	<1	0.07	<1	23	<1	22
12283	<0.5	1.19	<1	<1	38	48	<1	10.53	1	27	29	12	1.44	0.21	46	0.54	542	<1	0.01	19	0.03	9	<1	1060	<1	0.08	<1	16	<1	27
12284	<0.5	0.65	<1	<1	36	18	4	12.53	<1	18	16	9	1.01	0.12	49	0.34	656	<1	0.01	12	0.03	15	<1	1430	<1	0.05	<1	20	<1	18
12285	<0.5	0.78	1	<1	36	21	2	12.06	<1	19	15	7	1.08	0.17	50	0.40	487	<1	0.01	11	0.03	10	<1	1320	<1	0.04	<1	18	<1	18
12286	<0.5	1.86	2	<1	36	49	<1	5.09	1	37	58	12	1.85	0.25	44	0.81	476	<1	0.02	28	0.03	14	2	434	<1	0.12	<1	20	<1	49
12287	<0.5	1.28	<1	<1	38	29	<1	6.69	1	36	44	22	1.69	0.36	56	0.55	237	<1	0.04	24	0.03	17	1	355	<1	0.14	<1	24	<1	47
12288	<0.5	2.02	<1	<1	46	122	<1	6.06	1	45	52	13	2.41	0.19	53	1.07	395	<1	0.05	23	0.03	19	2	796	<1	0.11	<1	29	<1	49
12289	<0.5	1.61	<1	<1	40	34	3	8.24	1	33	35	11	1.77	0.28	53	0.75	542	<1	0.02	20	0.03	11	1	451	<1	0.11	<1	22	<1	41
12290	<0.5	1.77	<1	<1	39	63	7	7.02	1	38	45	18	1.86	0.42	49	0.78	510	<1	0.02	25	0.03	12	1	416	<1	0.11	<1	20	<1	46
12291	<0.5	1.81	3	<1	37	50	4	7.88	1	37	28	13	1.81	0.34	51	0.80	573	<1	0.01	25	0.03	25	1	435	<1	0.11	<1	22	<1	48
12292	<0.5	1.84	1	<1	41	51	<1	5.76	1	38	57	15	1.85	0.28	47	0.87	448	3	0.03	26	0.03	17	1	254	<1	0.13	<1	27	<1	50
12293	<0.5	1.91	<1	<1	31	65	5	5.57	1	39	40	12	1.88	0.53	47	1.04	485	<1	0.02	27	0.03	23	<1	261	<1	0.13	<1	22	<1	66
12294	<0.5	1.69	1	<1	26	48	<1	6.09	1	35	48	14	1.69	0.43	48	0.97	463	<1	0.03	25	0.02	15	1	333	<1	0.14	<1	24	<1	61
12295	<0.5	1.42	<1	<1	38	22	<1	9.11	1	30	39	12	1.55	0.08	52	0.71	612	<1	0.02	17	0.02	12	<1	525	<1	0.10	<1	29	<1	26
12296	<0.5	1.65	<1	<1	46	49	1	6.38	1	34	40	15	1.65	0.53	51	0.95	398	<1	0.03	24	0.03	18	1	407	<1	0.14	<1	23	<1	44
12297	<0.5	0.96	<1	<1	40	42	7	10.35	1	23	16	9	1.22	0.35	49	0.47	377	<1	0.02	14	0.02	11	<1	992	<1	0.07	<1	19	<1	26
12298	<0.5	0.43	1	<1	35	20	2	13.46	<1	16	6	12	0.90	0.13	54	0.25	365	<1	0.01	10	0.02	9	<1	1620	<1	0.02	<1	16	<1	11
12299	<0.5	1.02	<1	<1	35	31	5	9.69	1	28	19	12	1.39	0.23	53	0.51	429	<1	0.02	15	0.03	18	<1	890	<1	0.06	<1	19	<1	31
12300	<0.5	1.67	3	<1	34	69	<1	8.49	1	35	37	5	1.85	0.20	55	0.94	649	<1	0.02	19	0.03	8	<1	526	<1	0.11	<1	23	<1	34
12301	<0.5	1.61	<1	<1	34	68	3	10.01	1	30	18	9	1.54	0.30	58	0.73	713	<1	0.01	18	0.03	14	<1	579	<1	0.10	<1	21	<1	36
12288R	<0.5	1.99	<1	<1	40	127	<1	6.21	1	46	54	12	2.49	0.18	57	1.10	403	<1	0.03	22	0.03	21	2	830	<1	0.11	<1	30	<1	52

"R" denotes duplicate sample analyzed.

Certified by:



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
 Calgary Alberta T2K 4W7
 Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
 Suite 1016, 470 Granville St.
 Vancouver, B.C.
 V6C 1V5
 Attn: Bill Timmins

FILE: 47803

DATE: August 3, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Tl	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12302	<0.5	1.78	<1	<1	41	60	5	6.11	1	38	57	16	1.77	0.37	56	0.76	457	<1	0.02	26	0.03	14	2	381	<1	0.13	<1	20	<1	45
12303	<0.5	1.34	<1	<1	38	36	<1	8.00	1	31	34	14	1.49	0.29	53	0.58	474	<1	0.02	24	0.03	29	<1	441	<1	0.11	<1	20	<1	37
12304	<0.5	2.37	<1	<1	36	83	<1	2.33	1	47	56	16	2.18	0.30	48	1.07	383	<1	0.01	28	0.03	16	1	312	<1	0.15	<1	22	<1	52
12305	<0.5	1.90	<1	<1	40	88	<1	3.17	1	39	64	15	1.77	0.34	42	0.95	445	<1	0.02	27	0.03	15	1	224	<1	0.17	<1	20	<1	51
91969	<0.5	0.64	1	<1	35	29	8	12.27	<1	17	13	9	0.98	0.27	56	0.34	374	<1	0.01	10	0.03	14	<1	1060	<1	0.05	<1	16	<1	17
91970	<0.5	0.36	1	<1	35	13	6	13.45	<1	11	3	6	0.76	0.13	52	0.27	341	<1	0.01	4	0.02	11	<1	1290	<1	0.03	<1	16	<1	12
91971	<0.5	0.65	1	<1	35	30	2	12.81	<1	20	4	11	1.15	0.29	60	0.35	449	<1	0.01	12	0.04	16	<1	1050	<1	0.05	<1	19	<1	17
91972	<0.5	0.89	1	<1	39	19	10	11.18	1	27	26	18	1.32	0.16	55	0.40	516	<1	0.02	17	0.03	46	<1	531	<1	0.08	<1	23	<1	68
91973	<0.5	1.60	2	<1	36	49	5	6.58	1	35	39	10	1.71	0.32	58	0.65	701	<1	0.02	23	0.03	12	2	332	<1	0.12	<1	19	<1	46
91974	<0.5	1.96	<1	<1	46	58	<1	0.61	1	46	50	18	2.17	0.38	39	0.75	330	<1	0.02	29	0.03	11	2	126	35	0.15	<1	13	<1	63
91975	<0.5	0.69	<1	<1	41	32	2	3.96	<1	28	84	24	1.13	0.26	39	0.21	290	<1	0.02	17	0.02	31	<1	200	<1	0.07	<1	13	<1	19
91976	<0.5	0.92	<1	<1	41	23	3	9.38	1	31	18	13	1.59	0.28	62	0.49	558	<1	0.01	21	0.04	15	2	522	<1	0.11	<1	18	<1	31
91977	<0.5	1.15	<1	<1	26	37	7	6.79	1	36	34	13	1.85	0.42	61	0.57	571	<1	0.02	27	0.05	17	<1	334	<1	0.14	<1	20	<1	44
91983	<0.5	1.04	<1	<1	44	54	2	4.15	<1	23	84	8	1.14	0.36	43	0.40	374	<1	0.02	16	0.03	14	1	208	<1	0.11	<1	16	<1	32
91984	<0.5	1.25	<1	<1	37	55	<1	8.69	1	30	27	11	1.58	0.53	58	0.61	522	<1	0.02	19	0.04	14	<1	442	<1	0.12	<1	20	<1	38
91985	<0.5	0.67	2	<1	26	20	7	12.25	<1	19	11	7	1.07	0.21	52	0.35	550	<1	0.01	14	0.04	11	<1	617	<1	0.06	<1	19	<1	20
5015	<0.5	1.23	<1	<1	28	20	<1	5.46	1	34	90	23	1.54	0.14	40	0.51	376	<1	0.02	24	0.02	32	1	323	<1	0.07	<1	17	<1	37
5016	<0.5	1.87	2	<1	36	30	<1	2.45	1	48	70	24	2.12	0.22	37	0.85	296	<1	0.03	37	0.03	14	1	216	<1	0.13	<1	22	<1	60
5050	<0.5	0.87	1	<1	35	27	<1	11.19	1	23	66	8	1.25	0.12	53	0.40	681	<1	0.01	15	0.01	46	1	785	<1	0.06	<1	19	<1	26
5051	<0.5	0.93	1	<1	33	46	5	11.00	1	27	30	14	1.33	0.21	64	0.42	732	<1	0.01	17	0.04	31	<1	704	<1	0.07	<1	18	<1	24
5052	<0.5	1.17	<1	<1	42	38	<1	2.41	1	23	165	9	1.13	0.25	32	0.40	262	<1	0.02	15	0.03	12	2	226	<1	0.09	<1	15	<1	29
5053	<0.5	1.98	2	<1	34	63	7	4.01	1	40	78	10	2.03	0.31	53	0.97	523	<1	0.02	28	0.03	18	2	335	<1	0.13	<1	22	<1	53
5054	<0.5	1.79	<1	<1	47	51	11	2.89	1	33	112	13	1.60	0.25	44	0.68	346	<1	0.02	22	0.03	28	<1	238	<1	0.13	<1	18	<1	48
5055	<0.5	0.67	<1	<1	39	63	<1	12.37	<1	27	14	12	1.34	0.14	70	0.36	1334	<1	0.02	21	0.04	22	<1	955	<1	0.04	<1	20	<1	19
5056	<0.5	0.80	1	<1	36	25	<1	12.21	<1	23	15	11	1.18	0.16	62	0.45	473	<1	0.01	13	0.04	12	<1	999	<1	0.05	<1	17	<1	22
91970R	<0.5	0.36	2	<1	47	14	2	13.82	<1	12	<1	6	0.78	0.13	51	0.28	358	<1	0.01	6	0.02	12	<1	1330	<1	0.03	<1	17	<1	13
05055R	<0.5	0.64	1	<1	27	62	<1	12.04	1	26	12	11	1.32	0.14	67	0.35	1250	<1	0.01	22	0.04	22	<1	933	<1	0.05	<1	19	<1	19

"R" denotes duplicate sample analyzed.



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47803

DATE: August 3, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
5057	<0.5	0.70	1	<1	38	13	6	11.67	1	28	13	10	1.54	0.06	62	0.46	462	<1	0.01	13	0.04	9	<1	846	<1	0.04	<1	19	<1	26
5058	<0.5	1.16	<1	<1	41	30	<1	6.03	1	27	90	11	1.27	0.35	49	0.48	312	<1	0.02	22	0.02	11	<1	354	<1	0.10	<1	18	<1	31
5059	<0.5	1.44	<1	<1	42	11	<1	6.77	1	33	79	14	1.66	0.09	37	0.66	658	<1	0.01	18	0.02	17	<1	361	<1	0.07	<1	14	<1	57
5060	<0.5	0.72	<1	<1	41	17	1	5.27	<1	18	130	9	0.90	0.13	36	0.34	333	<1	0.02	14	0.02	11	1	256	<1	0.05	<1	13	<1	26
5061	<0.5	2.85	<1	<1	29	22	<1	0.16	2	82	56	63	3.73	0.10	23	1.16	407	<1	0.02	47	0.05	14	4	12	19	0.02	<1	20	<1	107
5062	<0.5	2.46	<1	<1	39	35	<1	0.31	1	65	102	26	3.01	0.18	23	0.80	370	<1	0.04	33	0.05	21	4	16	21	0.02	<1	19	<1	96
5063	<0.5	0.31	2	<1	25	5	9	14.80	<1	8	<1	5	0.54	0.04	47	0.32	163	<1	0.01	4	0.02	5	<1	1220	<1	0.00	<1	16	<1	6
5064	<0.5	1.47	<1	<1	31	57	<1	4.99	1	36	44	16	1.77	0.48	57	0.66	455	<1	0.02	26	0.04	21	<1	250	7	0.15	<1	20	<1	51
5065	<0.5	0.98	2	<1	30	28	6	11.74	1	25	21	13	1.33	0.28	57	0.53	638	<1	0.02	19	0.05	9	<1	506	<1	0.09	<1	22	<1	28
5066	<0.5	1.07	<1	<1	30	55	1	9.74	1	33	29	16	1.70	0.57	57	0.55	426	<1	0.02	23	0.05	18	1	471	<1	0.11	<1	21	<1	29
5087	<0.5	2.52	<1	<1	27	11	<1	0.34	1	69	49	30	3.05	0.11	28	1.07	594	<1	0.02	45	0.08	15	2	17	47	0.02	<1	19	<1	101
5088	<0.5	2.59	<1	<1	26	24	<1	0.29	1	68	73	23	3.15	0.16	23	1.14	687	<1	0.02	40	0.06	15	2	15	31	0.09	<1	31	<1	101
5089	<0.5	2.61	<1	<1	29	23	<1	0.34	1	70	59	43	3.22	0.16	15	1.15	675	<1	0.02	45	0.05	23	3	12	34	0.15	<1	30	<1	103
5090	<0.5	2.83	<1	<1	29	22	<1	0.30	2	75	55	32	3.51	0.15	22	1.23	752	<1	0.02	44	0.07	18	4	13	23	0.13	<1	32	<1	110
5091	<0.5	2.32	<1	<1	29	16	<1	0.27	1	72	48	37	3.20	0.10	19	1.12	570	<1	0.01	40	0.06	23	4	12	18	0.10	<1	25	<1	89
5092	<0.5	2.61	<1	<1	30	36	2	0.54	1	71	69	26	3.25	0.19	38	1.22	654	<1	0.02	45	0.09	19	2	17	23	0.14	<1	35	<1	84
5093	<0.5	2.66	<1	<1	26	25	2	0.26	1	70	70	30	3.23	0.16	29	1.12	489	<1	0.02	42	0.05	29	2	16	22	0.09	<1	25	<1	96
5094	<0.5	2.28	<1	<1	30	40	2	0.23	1	60	79	20	2.86	0.19	23	0.81	437	<1	0.03	41	0.07	17	3	20	26	0.05	<1	21	<1	79
5095	<0.5	2.18	<1	<1	27	16	3	0.44	1	65	50	20	3.00	0.10	27	0.98	468	<1	0.02	43	0.08	14	1	16	30	0.05	<1	22	<1	78
5096	<0.5	2.72	<1	<1	27	21	<1	0.19	1	71	60	25	3.22	0.15	21	1.09	466	<1	0.03	44	0.06	13	2	16	12	0.04	<1	28	<1	97
5097	<0.5	2.77	<1	<1	27	20	<1	0.17	1	71	51	28	3.21	0.13	23	1.11	524	<1	0.03	42	0.06	15	1	14	28	0.04	<1	29	<1	110
5098	<0.5	2.96	<1	<1	30	24	<1	0.27	2	75	62	29	3.51	0.15	42	1.18	526	<1	0.03	48	0.05	16	2	25	18	0.02	<1	30	<1	109
5099	<0.5	2.87	<1	<1	25	36	<1	0.19	1	71	62	32	3.33	0.18	21	1.14	592	<1	0.04	50	0.05	19	3	16	27	0.04	<1	32	<1	113
5100	<0.5	2.34	5	<1	27	51	<1	0.28	1	61	53	20	2.83	0.20	20	0.99	334	<1	0.02	34	0.09	14	1	14	33	0.07	<1	30	<1	85
5101	<0.5	2.57	4	<1	29	43	2	0.25	1	69	46	17	3.23	0.16	19	1.06	409	<1	0.02	39	0.10	12	2	16	26	0.06	<1	28	<1	98
05094R	<0.5	2.16	<1	<1	28	39	<1	0.25	1	57	76	19	2.80	0.18	23	0.77	411	<1	0.03	37	0.06	18	2	22	26	0.05	<1	19	<1	75

"R" denotes duplicate sample analyzed.

Certified by:



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47803

DATE: August 3, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
5102	<0.5	2.02	<1	<1	33	98	1	1.09	1	55	79	20	2.70	0.18	41	0.76	594	<1	0.03	28	0.13	23	4	29	55	0.17	<1	43	<1	94
5103	<0.5	2.29	<1	<1	26	27	3	0.31	1	62	43	22	2.73	0.18	30	1.03	280	<1	0.02	32	0.10	13	3	13	31	0.08	<1	23	<1	89
5104	<0.5	2.12	<1	<1	30	29	<1	0.33	1	57	54	25	2.54	0.17	29	0.96	280	<1	0.02	29	0.10	13	3	12	35	0.08	<1	26	<1	80
5105	<0.5	1.94	<1	<1	33	48	<1	0.57	1	51	74	12	2.28	0.22	29	0.75	396	<1	0.03	22	0.09	15	3	19	45	0.15	<1	34	<1	68
5106	<0.5	2.29	<1	<1	26	49	<1	0.42	1	62	60	29	2.86	0.16	27	1.04	365	<1	0.02	34	0.11	14	3	14	57	0.13	<1	29	<1	82
91667	<0.5	0.20	2	<1	29	3	10	14.79	<1	6	<1	3	0.46	0.05	48	0.32	189	<1	0.01	4	0.03	4	<1	1300	<1	0.01	<1	16	<1	3
91668	<0.5	0.24	2	<1	28	4	3	14.93	<1	7	<1	6	0.52	0.11	47	0.37	274	<1	0.01	6	0.02	3	<1	963	<1	0.01	<1	16	<1	4
91669	<0.5	0.29	4	<1	27	10	2	14.60	<1	10	<1	5	0.65	0.17	49	0.34	249	<1	0.01	6	0.03	8	<1	1000	<1	0.02	<1	16	<1	4
91670	<0.5	1.76	<1	<1	30	27	2	6.71	1	36	52	28	1.81	0.19	51	1.04	604	<1	0.02	24	0.04	52	1	183	<1	0.14	<1	27	<1	60
91671	<0.5	2.12	2	<1	28	48	<1	3.87	1	50	66	13	2.50	0.20	42	1.19	499	<1	0.02	29	0.04	19	3	130	<1	0.13	<1	27	<1	75
91672	<0.5	1.56	1	<1	29	47	<1	8.28	1	36	38	15	1.80	0.22	59	0.95	684	<1	0.01	24	0.04	32	1	251	<1	0.12	<1	28	<1	45
91673	<0.5	2.13	2	<1	29	68	<1	2.86	1	50	78	23	2.44	0.40	52	1.09	522	<1	0.02	33	0.05	20	3	139	<1	0.20	<1	31	<1	78
91675	<0.5	0.72	<1	<1	26	16	2	9.70	1	25	32	5	1.32	0.13	54	0.18	254	<1	0.01	12	0.03	224	2	590	<1	0.05	<1	16	<1	43
91926	<0.5	0.47	<1	<1	31	22	<1	1.58	<1	16	158	8	0.64	0.13	21	0.19	151	<1	0.02	14	0.01	9	<1	99	<1	0.03	<1	8	<1	15
91927	<0.5	1.04	<1	<1	31	20	<1	6.68	1	36	47	33	1.36	0.17	46	0.34	332	<1	0.02	33	0.02	30	<1	446	<1	0.09	<1	16	<1	30
91928	<0.5	1.93	2	<1	30	36	<1	5.23	1	48	48	17	2.30	0.32	49	1.00	429	<1	0.02	32	0.03	14	2	286	<1	0.10	<1	20	<1	66
91929	<0.5	1.75	<1	<1	31	38	3	5.32	1	45	37	20	2.03	0.32	44	0.77	455	<1	0.02	33	0.03	11	1	288	<1	0.11	<1	20	<1	51
91930	<0.5	1.59	<1	<1	30	23	<1	5.32	1	42	40	15	1.93	0.18	41	0.80	461	<1	0.01	33	0.03	21	<1	295	<1	0.09	<1	18	<1	56
91931	<0.5	1.55	1	<1	30	40	7	6.46	1	36	48	14	1.74	0.28	42	0.72	451	<1	0.02	30	0.03	15	<1	392	<1	0.10	<1	19	<1	49
91932	<0.5	1.32	<1	<1	26	28	<1	7.11	1	34	31	15	1.70	0.22	45	0.66	425	<1	0.01	28	0.03	14	<1	405	<1	0.09	<1	19	<1	46
91933	<0.5	1.38	1	<1	27	33	<1	8.40	1	37	29	20	1.78	0.27	52	0.64	486	<1	0.01	28	0.04	16	<1	520	<1	0.10	<1	21	<1	42
91934	<0.5	1.44	<1	<1	27	37	<1	6.96	1	35	38	15	1.63	0.29	46	0.62	448	<1	0.01	28	0.03	16	<1	470	<1	0.11	<1	19	<1	41
91935	<0.5	1.37	<1	<1	30	28	5	9.56	1	34	23	14	1.69	0.22	54	0.64	582	<1	0.01	25	0.04	14	<1	603	<1	0.09	<1	23	<1	41
91936	<0.5	1.18	<1	<1	29	29	4	9.00	1	34	19	15	1.61	0.24	51	0.55	508	<1	0.01	24	0.04	11	1	488	<1	0.08	<1	17	<1	39
91937	<0.5	1.31	<1	<1	29	43	7	7.28	1	35	30	15	1.71	0.33	47	0.63	393	<1	0.01	27	0.04	11	<1	399	<1	0.10	<1	17	<1	46
91938	<0.5	1.36	<1	<1	27	42	<1	8.16	1	33	23	20	1.64	0.35	50	0.63	505	<1	0.01	25	0.03	11	<1	418	<1	0.10	<1	18	<1	41
91672R	<0.5	1.47	2	<1	48	43	<1	8.22	1	35	33	14	1.74	0.21	52	0.79	656	<1	0.02	19	0.04	34	<1	247	<1	0.12	<1	28	<1	42

"R" denotes duplicate sample analyzed.

Certified by: *Angela F. Kelly*



Loring Laboratories Ltd.

620 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47803

DATE: August 3, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
91939	<0.5	1.43	1	<1	33	26	4	8.23	1	37	31	15	1.84	0.28	54	0.73	506	<1	0.01	28	0.04	13	1	435	<1	0.11	<1	19	<1	45
91940	<0.5	1.48	<1	<1	30	33	<1	8.14	1	35	37	14	1.77	0.38	56	0.72	469	<1	0.02	25	0.04	15	2	446	<1	0.10	<1	21	<1	48
91944	<0.5	1.33	3	<1	23	31	6	10.33	1	28	21	3	1.48	0.20	54	0.62	486	<1	0.01	19	0.04	8	<1	580	<1	0.04	<1	19	<1	23
91945	<0.5	0.71	1	<1	24	20	2	13.15	<1	19	5	5	1.07	0.13	60	0.37	573	<1	0.01	13	0.04	7	<1	899	<1	0.02	<1	15	<1	12
91946	<0.5	0.36	1	<1	24	19	4	14.58	<1	9	<1	2	0.63	0.11	47	0.18	670	<1	0.01	6	0.01	6	<1	989	<1	0.01	<1	15	<1	7
91947	<0.5	1.62	<1	<1	26	31	6	8.75	1	37	23	7	1.84	0.20	50	0.78	545	<1	0.01	24	0.03	10	<1	475	<1	0.06	<1	19	<1	36
91948	<0.5	1.17	<1	<1	26	18	<1	9.44	1	31	20	13	1.51	0.10	46	0.61	772	<1	0.01	21	0.02	12	1	579	<1	0.06	<1	18	<1	35
91949	<0.5	1.22	<1	<1	26	25	<1	9.02	1	32	38	14	1.57	0.15	43	0.61	747	<1	0.01	24	0.03	13	<1	575	<1	0.07	<1	19	<1	36
91950	<0.5	1.23	<1	<1	47	33	10	6.27	1	34	79	11	1.68	0.20	42	0.54	510	<1	0.02	19	0.02	16	<1	372	<1	0.08	<1	17	<1	34
91952	<0.5	1.49	<1	<1	45	20	<1	7.36	1	41	22	13	1.91	0.13	48	0.79	601	<1	0.01	27	0.04	12	1	483	<1	0.08	<1	19	<1	48
91953	<0.5	1.80	<1	<1	50	33	<1	4.29	1	44	54	16	2.04	0.23	48	1.04	437	<1	0.02	31	0.03	16	<1	245	<1	0.09	<1	20	<1	62
91954	<0.5	1.94	<1	<1	48	32	<1	6.28	1	43	41	15	2.15	0.21	49	1.15	569	<1	0.02	34	0.03	15	<1	383	<1	0.11	<1	21	<1	59
91955	<0.5	0.88	1	<1	39	19	<1	11.93	<1	22	11	9	1.14	0.14	50	0.49	349	<1	0.01	16	0.03	9	<1	1300	<1	0.05	<1	18	<1	27
91962	<0.5	1.69	<1	<1	51	36	<1	5.85	1	41	36	17	1.98	0.28	39	0.76	513	<1	0.02	31	0.03	10	2	410	<1	0.09	<1	17	<1	43
91963	<0.5	1.40	<1	<1	50	27	<1	3.38	1	34	92	13	1.55	0.22	35	0.62	309	<1	0.02	25	0.02	17	1	260	<1	0.08	<1	17	<1	36
91964	<0.5	1.98	<1	<1	50	31	<1	2.76	1	45	45	12	2.30	0.26	34	1.10	338	<1	0.02	37	0.03	37	2	251	<1	0.11	<1	18	<1	59
91966	<0.5	0.96	<1	<1	51	27	<1	10.71	1	27	17	12	1.38	0.22	51	0.44	611	<1	0.01	21	0.04	33	<1	827	<1	0.07	<1	17	<1	29
91967	<0.5	0.81	<1	<1	52	29	3	9.15	1	27	62	13	1.29	0.24	44	0.33	409	<1	0.02	19	0.03	20	<1	742	<1	0.07	<1	16	<1	25
91968	<0.5	0.76	<1	<1	50	24	5	10.88	1	25	15	12	1.21	0.20	52	0.33	431	<1	0.01	19	0.04	40	<1	924	<1	0.06	<1	16	<1	25
91978	<0.5	0.55	<1	<1	49	27	<1	6.91	<1	18	100	14	0.80	0.15	47	0.23	433	<1	0.02	16	0.01	18	2	353	<1	0.04	<1	12	<1	16
91979	<0.5	0.74	3	<1	42	24	3	12.50	<1	23	13	9	1.09	0.14	55	0.35	1022	<1	0.01	12	0.03	9	<1	834	<1	0.05	<1	18	<1	19
91980	<0.5	1.52	<1	<1	52	26	2	8.13	1	37	43	14	1.84	0.17	57	0.74	648	<1	0.02	23	0.03	26	<1	422	<1	0.11	<1	24	<1	46
91981	<0.5	1.77	1	<1	51	32	<1	7.02	1	40	40	15	1.90	0.21	60	0.82	581	<1	0.02	28	0.03	35	2	365	<1	0.12	<1	24	<1	49
91991	<0.5	0.95	<1	<1	53	31	6	9.29	1	30	21	12	1.49	0.43	60	0.52	559	<1	0.01	21	0.04	12	<1	448	<1	0.11	<1	17	<1	32
91992	<0.5	1.43	<1	<1	54	52	<1	6.10	1	38	43	11	1.83	0.53	60	0.71	489	<1	0.02	26	0.06	15	1	271	<1	0.16	<1	23	<1	50
91945R	<0.5	0.71	2	<1	41	19	8	13.31	<1	19	3	5	1.00	0.12	64	0.36	583	<1	0.01	13	0.04	6	<1	856	<1	0.02	<1	16	<1	12
91980R	<0.5	1.55	1	<1	50	27	2	8.12	1	39	43	14	1.99	0.18	65	0.77	654	<1	0.02	26	0.03	29	2	439	<1	0.12	<1	22	<1	50

"R" denotes duplicate sample analyzed.

Certified by: *[Signature]*



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47803


DATE: August 3, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
91993	<0.5	1.19	1	<1	58	50	<1	8.90	1	31	60	12	1.61	0.46	58	0.55	495	<1	0.03	19	0.04	13	1	452	<1	0.13	<1	22	<1	37
91994	<0.5	1.01	<1	<1	56	51	<1	10.75	1	27	31	12	1.36	0.50	61	0.41	432	<1	0.02	20	0.04	25	<1	552	<1	0.10	<1	21	<1	30
91995	<0.5	0.84	1	<1	55	46	4	10.72	<1	24	22	12	1.18	0.52	56	0.38	449	<1	0.02	17	0.04	18	<1	635	<1	0.09	<1	19	<1	25
91996	<0.5	0.66	<1	<1	54	47	<1	5.88	<1	21	75	13	0.95	0.40	46	0.25	262	<1	0.02	15	0.02	11	<1	288	<1	0.07	<1	13	<1	21
91997	<0.5	1.07	1	<1	58	55	2	9.58	1	27	20	12	1.36	0.67	65	0.49	350	<1	0.02	23	0.04	12	<1	583	<1	0.10	<1	17	<1	33
91998	<0.5	0.59	1	<1	49	40	5	7.87	<1	16	91	8	0.78	0.36	44	0.19	247	<1	0.02	15	0.02	10	<1	454	<1	0.04	<1	13	<1	14
91999	<0.5	0.65	2	<1	52	39	5	13.16	<1	15	6	7	0.86	0.42	56	0.31	331	<1	0.01	13	0.03	10	<1	1160	<1	0.05	<1	17	<1	19
12953	<0.5	0.16	2	<1	53	4	2	15.21	<1	7	<1	5	0.54	0.08	48	0.30	205	<1	0.01	5	0.02	4	<1	1120	<1	0.01	<1	15	<1	3
12954	<0.5	0.20	4	<1	50	6	5	15.20	<1	5	<1	3	0.43	0.07	47	0.41	232	<1	0.01	4	0.02	4	<1	871	<1	0.01	<1	17	<1	4
12955	<0.5	0.07	3	<1	54	2	4	15.43	<1	2	<1	3	0.31	0.03	44	0.44	148	<1	0.01	2	0.03	4	<1	973	<1	0.00	<1	16	<1	5
12956	<0.5	0.24	3	<1	48	3	2	15.60	<1	7	<1	6	0.51	0.12	47	0.34	238	<1	0.01	3	0.03	5	<1	789	<1	0.01	<1	17	<1	3
12957	<0.5	0.33	3	<1	47	5	10	15.10	<1	10	<1	6	0.63	0.17	48	0.38	283	<1	0.01	7	0.03	6	<1	795	<1	0.02	<1	17	<1	3
12958	<0.5	0.14	2	<1	54	2	1	15.37	<1	7	<1	4	0.46	0.06	52	0.30	250	<1	0.01	4	0.03	3	<1	1200	<1	0.01	<1	14	<1	2
12959	<0.5	0.19	2	<1	52	3	6	15.57	<1	6	<1	5	0.45	0.09	52	0.36	312	<1	0.01	3	0.02	5	<1	1230	<1	0.01	<1	16	<1	2
12960	<0.5	0.19	8	<1	50	2	3	15.62	<1	7	<1	6	0.47	0.08	50	0.28	357	<1	0.01	5	0.02	4	<1	1250	<1	0.01	<1	15	<1	3
12961	<0.5	2.29	3	<1	48	27	<1	1.22	1	56	59	29	2.70	0.22	52	1.15	470	<1	0.02	35	0.05	26	<1	61	16	0.14	<1	26	<1	78
12962	<0.5	2.53	<1	<1	50	42	<1	0.46	1	64	59	11	2.99	0.15	32	1.27	737	<1	0.02	38	0.05	19	3	32	33	0.09	<1	26	<1	91
12963	<0.5	2.07	<1	<1	48	23	5	2.66	1	53	57	27	2.55	0.18	50	1.05	509	<1	0.02	36	0.05	22	2	76	<1	0.14	<1	23	<1	72
12967	<0.5	1.03	1	<1	50	13	<1	10.97	1	31	21	11	1.64	0.13	64	0.62	446	<1	0.02	20	0.04	17	<1	817	<1	0.06	<1	22	<1	33
12968	<0.5	0.48	1	<1	52	10	6	12.44	<1	15	8	5	0.90	0.09	51	0.14	285	<1	0.01	7	0.02	28	<1	642	<1	0.04	<1	17	<1	7
12969	<0.5	1.10	2	<1	54	21	6	10.57	1	32	16	14	1.65	0.16	54	0.55	641	<1	0.01	22	0.03	9	<1	751	<1	0.07	<1	20	<1	35
12970	<0.5	1.25	5	<1	49	22	3	10.51	1	33	30	9	1.72	0.18	59	0.62	614	<1	0.02	19	0.03	12	<1	729	<1	0.07	<1	23	<1	41
12971	<0.5	2.61	5	<1	47	17	5	1.03	1	71	64	40	3.24	0.12	31	1.06	811	<1	0.03	39	0.07	14	2	45	6	0.01	<1	23	<1	89
12972	<0.5	2.82	<1	<1	48	22	<1	0.35	1	71	57	24	3.28	0.16	22	1.16	711	<1	0.03	39	0.05	13	4	23	23	0.01	<1	24	<1	99
12961R	<0.5	2.29	2	<1	49	28	<1	1.19	1	57	59	27	2.73	0.23	50	1.16	460	<1	0.02	37	0.05	27	2	54	4	0.15	<1	25	<1	79

0.500 Gram sample is digested with Aqua Regia at 95 C for one hour and bulked to 10 ml with distilled water.
Partial dissolution for Al, B, Ba, Ca, Cr, Fe, K, La, Mg, Mn, Na, P, Sr, Ti, and W.

"R" denotes duplicate sample analyzed.

Certified by: 



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47819

DATE: August 10, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12306	<0.5	0.81	2	<1	34	28	2	9.84	1	34	75	48	2.12	0.15	45	0.38	863	<1	0.02	27	0.03	17	2	553	<1	0.05	<1	22	<1	26
12307	<0.5	1.07	1	<1	42	30	3	9.09	1	27	64	16	1.39	0.14	47	0.53	825	<1	0.02	24	0.06	16	1	535	<1	0.09	<1	30	<1	33
12308	<0.5	0.57	2	<1	41	17	3	11.55	1	20	31	16	1.20	0.08	41	0.33	723	<1	0.01	19	0.05	22	<1	845	<1	0.05	<1	21	<1	29
12309	<0.5	0.88	3	<1	41	47	<1	9.06	1	28	54	22	1.27	0.19	44	0.42	509	<1	0.01	30	0.05	9	<1	585	<1	0.08	<1	25	<1	27
12310	<0.5	0.70	4	<1	42	27	1	10.96	1	24	34	16	1.27	0.13	41	0.40	520	<1	0.01	30	0.04	8	<1	774	<1	0.06	<1	21	<1	22
12311	<0.5	0.50	1	<1	40	19	<1	11.19	1	26	34	17	1.48	0.10	44	0.32	476	<1	0.01	33	0.07	16	2	872	<1	0.04	<1	17	<1	20
12312	<0.5	0.87	2	<1	40	25	<1	9.56	1	32	37	15	1.85	0.13	48	0.51	494	<1	0.01	25	0.04	24	<1	639	<1	0.06	<1	20	<1	22
12313	<0.5	0.74	<1	<1	42	24	5	10.63	1	24	26	13	1.37	0.17	42	0.39	578	<1	0.01	19	0.04	19	<1	752	<1	0.04	<1	15	<1	21
12314	<0.5	0.85	2	<1	36	23	4	11.10	1	23	23	13	1.32	0.17	47	0.43	677	<1	0.01	18	0.04	11	<1	739	<1	0.04	<1	19	<1	22
12315	<0.5	1.45	1	<1	42	41	8	5.59	1	38	47	16	2.10	0.25	41	0.69	448	<1	0.01	25	0.04	15	<1	303	13	0.10	<1	20	<1	43
12316	<0.5	1.49	<1	<1	42	35	7	6.33	1	39	57	22	2.08	0.25	50	0.68	514	<1	0.02	33	0.06	36	2	372	<1	0.10	<1	18	<1	47
12317	<0.5	1.40	<1	<1	36	30	<1	7.12	1	36	39	20	1.96	0.22	50	0.67	596	<1	0.02	31	0.04	15	1	391	<1	0.10	<1	19	<1	43
12318	<0.5	1.40	<1	<1	39	30	<1	7.13	1	36	39	19	2.00	0.22	50	0.67	593	<1	0.02	33	0.04	16	<1	399	<1	0.10	<1	20	<1	45
12319	<0.5	0.83	3	<1	36	27	4	7.99	1	21	78	6	1.15	0.19	45	0.36	404	<1	0.01	15	0.02	6	1	529	<1	0.03	<1	16	<1	18
12320	<0.5	1.70	2	<1	37	44	<1	7.07	1	45	41	15	2.37	0.29	54	0.76	471	<1	0.01	35	0.04	11	2	447	<1	0.09	<1	23	<1	39
12321	<0.5	0.28	1	<1	38	13	8	12.72	<1	11	8	7	0.74	0.10	42	0.21	320	<1	0.01	8	0.02	12	<1	1400	<1	0.01	<1	13	<1	7
12322	<0.5	1.47	4	<1	39	35	3	9.36	1	31	34	5	1.76	0.19	47	0.97	663	<1	0.02	22	0.04	11	<1	767	<1	0.08	<1	23	<1	36
12323	<0.5	0.32	2	<1	43	12	3	13.53	<1	11	2	5	0.75	0.08	42	0.28	248	<1	0.01	9	0.02	8	<1	1790	<1	0.02	<1	17	<1	10
12324	<0.5	0.55	7	<1	41	14	5	11.97	<1	14	46	5	0.88	0.09	40	0.33	335	<1	0.01	10	0.02	7	<1	1200	<1	0.03	<1	16	<1	15
12325	<0.5	1.00	2	<1	38	28	4	11.35	1	24	21	10	1.33	0.17	45	0.50	487	<1	0.01	17	0.03	9	<1	989	<1	0.06	<1	18	<1	25
12326	<0.5	0.47	1	<1	30	10	3	13.20	<1	12	5	6	0.76	0.09	44	0.38	231	<1	0.01	7	0.02	12	<1	1910	<1	0.02	<1	15	<1	12
12327	<0.5	0.38	2	<1	40	11	4	13.38	<1	12	6	7	0.83	0.10	45	0.32	228	<1	0.01	9	0.03	12	<1	2100	<1	0.02	<1	18	<1	11
12328	<0.5	0.58	2	<1	39	13	6	13.17	<1	16	15	7	1.07	0.12	46	0.43	314	<1	0.01	12	0.03	8	<1	2290	<1	0.02	<1	16	<1	16
12329	<0.5	1.32	<1	<1	43	28	6	9.14	1	35	36	16	1.92	0.24	47	0.70	391	<1	0.01	25	0.03	20	<1	1090	<1	0.08	<1	19	<1	39
12330	<0.5	1.40	1	<1	47	25	<1	10.18	1	34	27	16	1.90	0.20	55	0.72	620	<1	0.01	25	0.03	15	<1	1170	<1	0.09	<1	20	<1	37
12306R	<0.5	0.85	<1	<1	41	28	4	10.44	1	40	68	47	2.22	0.15	50	0.42	856	<1	0.02	29	0.04	20	2	656	<1	0.05	<1	23	<1	32
12325R	<0.5	1.08	<1	<1	45	31	2	11.27	1	26	27	10	1.42	0.18	50	0.54	516	<1	0.01	17	0.03	9	<1	1080	<1	0.07	<1	20	<1	28



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47819

DATE: August 10, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Sr ppm	Th ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
12331	<0.5	1.40	1	<1	45	28	2	9.43	1	35	28	16	1.91	0.21	59	0.73	556	<1	0.01	27	0.03	11	<1	980	<1	0.08	<1	21	<1	36
12332	<0.5	1.52	<1	<1	46	27	5	8.69	1	36	43	17	1.98	0.21	55	0.77	485	<1	0.02	26	0.03	20	1	981	<1	0.10	<1	21	<1	42
12333	<0.5	0.54	<1	<1	35	10	7	13.27	<1	13	5	8	0.88	0.10	42	0.46	269	<1	0.01	9	0.03	15	<1	1960	<1	0.02	<1	17	<1	14
12334	<0.5	0.92	1	<1	48	14	<1	11.55	1	24	25	11	1.41	0.12	47	0.64	337	<1	0.01	17	0.03	9	<1	1390	<1	0.05	<1	19	<1	26
12335	<0.5	0.51	3	<1	42	15	3	13.14	<1	13	6	8	0.84	0.13	47	0.47	208	<1	0.01	8	0.03	11	<1	1930	<1	0.02	<1	17	<1	12
12336	<0.5	0.68	9	<1	28	16	13	12.40	1	16	19	12	1.00	0.15	49	0.50	221	<1	0.01	16	0.03	7	<1	1680	<1	0.02	<1	18	<1	17
12337	<0.5	0.36	2	<1	35	10	8	13.23	<1	14	6	9	0.88	0.09	46	0.30	242	<1	0.01	11	0.03	8	<1	2310	<1	0.02	<1	17	<1	13
12338	<0.5	0.29	2	<1	36	11	6	13.60	<1	12	13	7	0.82	0.08	42	0.24	237	<1	0.01	13	0.02	7	<1	3060	<1	0.01	<1	16	<1	11
12339	<0.5	0.31	<1	<1	36	11	4	13.57	<1	13	11	7	0.84	0.09	45	0.25	234	<1	0.01	10	0.03	8	<1	2430	<1	0.01	<1	17	<1	11
12340	<0.5	0.49	2	<1	43	17	8	13.66	<1	16	8	15	1.00	0.11	48	0.35	387	<1	0.01	9	0.03	6	<1	2170	<1	0.02	<1	18	<1	14
12341	<0.5	0.30	1	<1	38	8	6	14.01	<1	11	<1	6	0.76	0.08	45	0.36	203	<1	0.01	7	0.03	15	<1	2160	<1	0.02	<1	14	<1	10
12342	<0.5	0.37	1	<1	40	13	5	13.72	<1	15	5	9	0.96	0.12	44	0.32	270	<1	0.01	11	0.02	10	<1	2510	<1	0.02	<1	16	<1	11
12343	<0.5	0.44	1	<1	41	14	6	14.58	<1	17	2	7	1.03	0.12	47	0.31	335	<1	0.01	10	0.02	51	<1	2320	<1	0.02	<1	19	<1	14
12344	<0.5	0.57	1	<1	41	19	1	12.99	1	21	14	10	1.26	0.17	47	0.36	385	<1	0.01	15	0.03	15	<1	2080	<1	0.03	<1	18	<1	16
12345	<0.5	1.30	1	<1	50	30	7	10.94	1	34	38	16	1.88	0.28	53	0.78	436	<1	0.02	24	0.03	22	2	856	<1	0.09	<1	22	<1	42
12346	<0.5	0.60	<1	<1	37	18	5	13.79	1	20	14	8	1.25	0.15	49	0.45	535	<1	0.01	15	0.03	13	<1	1510	<1	0.03	<1	20	<1	19
12347	<0.5	2.18	<1	<1	59	65	<1	2.13	1	55	70	24	2.61	0.44	50	1.23	410	<1	0.02	40	0.04	22	1	182	13	0.17	<1	24	<1	74
12348	<0.5	2.11	1	<1	51	62	5	4.92	1	51	60	20	2.58	0.51	52	1.16	563	<1	0.02	40	0.04	17	2	309	<1	0.14	<1	24	<1	67
12349	<0.5	1.88	<1	<1	56	61	<1	5.36	1	46	47	20	2.27	0.50	49	1.06	520	<1	0.02	36	0.03	20	2	267	<1	0.13	<1	24	<1	61
12350	<0.5	1.76	<1	<1	55	36	<1	7.14	1	45	50	19	2.23	0.45	53	1.06	618	<1	0.02	29	0.03	24	2	305	<1	0.12	<1	26	<1	58
12351	<0.5	1.37	2	<1	44	33	4	8.32	1	35	43	15	1.72	0.27	51	0.69	670	<1	0.02	26	0.03	18	1	391	<1	0.11	<1	20	<1	42
12352	<0.5	1.58	<1	<1	36	40	3	4.80	1	43	45	20	2.15	0.38	50	0.96	395	<1	0.02	29	0.03	17	2	212	<1	0.11	<1	21	<1	61
12353	<0.5	1.71	<1	<1	49	65	6	6.44	1	44	33	20	2.19	0.49	58	0.98	532	<1	0.02	33	0.04	15	1	296	<1	0.10	<1	20	<1	57
12354	<0.5	1.76	<1	<1	47	46	6	6.06	1	42	48	17	2.05	0.32	54	0.99	432	<1	0.02	30	0.03	15	2	281	<1	0.12	<1	25	<1	57
12355	<0.5	1.45	<1	<1	38	39	<1	9.88	1	43	34	19	2.21	0.30	50	0.76	511	<1	0.02	29	0.03	22	<1	985	<1	0.10	<1	23	<1	47
12343R	<0.5	0.40	<1	<1	38	14	2	14.65	<1	17	2	7	0.98	0.11	54	0.31	310	<1	0.01	8	0.02	53	<1	2380	<1	0.02	<1	18	<1	16



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47819

DATE: August 10, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12356	<0.5	0.89	2	<1	43	23	5	12.29	1	24	66	8	1.38	0.16	51	0.44	825	<1	0.01	16	0.03	12	<1	930	<1	0.04	<1	20	<1	21
12357	<0.5	1.14	1	<1	43	31	2	12.32	1	29	30	18	1.60	0.24	61	0.56	568	<1	0.01	18	0.03	14	<1	1060	<1	0.06	<1	22	<1	24
12358	<0.5	0.95	4	<1	41	25	<1	13.19	1	24	20	8	1.35	0.21	60	0.48	474	<1	0.01	16	0.03	11	<1	1270	<1	0.05	<1	21	<1	19
12359	<0.5	0.77	2	<1	42	42	8	13.78	1	20	8	8	1.10	0.14	52	0.34	394	<1	0.01	12	0.02	21	<1	1650	<1	0.04	<1	21	<1	130
12360	<0.5	0.51	2	<1	48	21	7	13.81	<1	20	2	10	1.09	0.20	52	0.27	353	<1	0.01	15	0.02	16	<1	1350	<1	0.04	<1	19	<1	32
12361	<0.5	1.24	1	<1	45	60	2	10.58	1	30	31	10	1.58	0.44	55	0.60	516	<1	0.02	19	0.02	15	<1	584	<1	0.05	<1	23	<1	37
12362	<0.5	1.66	2	<1	41	37	<1	5.99	1	42	35	14	2.03	0.26	44	1.05	402	<1	0.02	30	0.03	13	<1	339	<1	0.09	<1	21	<1	69
12363	<0.5	0.69	1	<1	43	27	2	12.67	1	24	11	11	1.25	0.18	53	0.38	315	<1	0.01	19	0.03	14	<1	2290	<1	0.04	<1	19	<1	26
12364	<0.5	0.79	2	<1	46	26	6	12.39	1	26	14	11	1.38	0.17	54	0.42	473	<1	0.01	20	0.03	11	<1	1700	<1	0.05	<1	19	<1	30
12365	<0.5	0.78	1	<1	45	15	3	12.50	1	25	17	15	1.37	0.11	53	0.46	384	<1	0.01	19	0.05	32	<1	1620	<1	0.05	<1	22	<1	46
12366	<0.5	0.50	1	<1	43	16	4	13.80	1	19	10	9	1.10	0.10	51	0.34	424	<1	0.01	15	0.03	10	<1	2100	<1	0.02	<1	19	<1	21
12367	<0.5	0.68	1	<1	48	20	4	13.44	<1	23	12	14	1.29	0.13	53	0.41	494	<1	0.01	16	0.04	17	<1	1910	<1	0.03	<1	18	<1	26
12368	<0.5	1.06	1	<1	41	29	3	12.59	1	30	22	15	1.64	0.21	60	0.63	523	<1	0.02	22	0.04	22	<1	1400	<1	0.05	<1	21	<1	36
12369	<0.5	0.63	2	<1	42	16	4	13.65	1	22	13	12	1.22	0.10	59	0.42	404	<1	0.02	14	0.04	43	<1	1300	<1	0.04	<1	21	<1	24
12370	<0.5	0.48	2	<1	43	16	5	13.76	1	20	6	14	1.11	0.12	52	0.32	324	<1	0.01	14	0.03	27	<1	1870	<1	0.02	<1	17	<1	19
12371	<0.5	0.39	2	<1	38	14	7	14.22	1	17	1	12	0.99	0.10	52	0.29	310	<1	0.01	12	0.04	19	<1	2230	<1	0.02	<1	16	<1	16
12372	<0.5	0.69	1	<1	39	24	8	12.79	1	22	16	15	1.12	0.17	55	0.40	414	<1	0.01	15	0.03	21	<1	1640	<1	0.01	<1	17	<1	25
12373	<0.5	0.81	1	<1	37	28	4	12.45	1	26	17	12	1.34	0.17	57	0.48	396	<1	0.01	18	0.03	18	<1	1340	<1	0.04	<1	20	<1	30
12374	<0.5	1.01	2	<1	40	32	11	12.11	1	30	27	13	1.60	0.21	60	0.57	468	<1	0.02	21	0.03	30	<1	1130	<1	0.05	<1	20	<1	36
12375	<0.5	0.95	2	<1	40	23	4	12.85	1	28	17	13	1.54	0.15	59	0.56	612	<1	0.01	18	0.03	47	<1	1400	<1	0.04	<1	19	<1	36
12376	<0.5	0.69	<1	<1	40	39	4	11.87	1	27	25	29	1.29	0.30	56	0.33	910	<1	0.01	24	0.03	9	<1	1370	<1	0.05	<1	16	<1	18
12377	<0.5	1.33	2	<1	43	37	4	9.57	1	37	47	21	1.80	0.27	60	0.69	902	<1	0.01	23	0.03	28	<1	855	<1	0.06	<1	20	<1	46
12378	<0.5	1.56	2	<1	41	34	6	8.81	1	43	50	15	2.00	0.23	59	0.95	525	<1	0.01	29	0.03	12	<1	603	<1	0.07	<1	20	<1	58
12379	<0.5	1.09	2	<1	36	27	4	10.71	1	34	47	13	1.68	0.19	57	0.63	474	<1	0.01	22	0.03	20	<1	819	<1	0.07	<1	19	<1	41
12380	<0.5	1.42	2	<1	32	34	6	7.54	1	39	63	15	1.85	0.21	50	0.69	522	<1	0.01	29	0.03	13	2	479	<1	0.08	<1	20	<1	53
12362R	<0.5	1.71	2	<1	42	36	2	6.15	1	45	35	15	2.16	0.28	47	1.09	400	<1	0.02	32	0.03	15	2	375	<1	0.10	<1	22	<1	71



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541



To: WGT CONSULTANTS
Suite 1016, 470 Granville St.
Vancouver, B.C.
V6C 1V5
Attn: Bill Timmins

FILE: 47819

DATE: August 10, 2005

30 ELEMENT ICP ANALYSIS

Sample No.	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12381	<0.5	1.45	1	<1	33	29	<1	7.02	1	41	72	13	1.95	0.20	52	0.74	505	<1	0.01	26	0.02	24	2	430	<1	0.06	<1	22	<1	53
12382	<0.5	1.81	2	<1	38	62	4	6.60	1	46	66	16	2.25	0.42	58	1.10	502	<1	0.02	27	0.03	15	3	359	<1	0.14	<1	30	<1	59
12383	<0.5	1.76	<1	<1	46	64	5	6.33	1	49	65	19	2.33	0.46	57	1.17	497	<1	0.03	30	0.03	17	1	310	<1	0.14	<1	33	<1	59
12384	<0.5	1.62	<1	<1	42	65	7	7.41	1	44	61	22	2.06	0.39	60	0.96	494	<1	0.02	31	0.04	16	2	394	<1	0.09	<1	24	<1	56
12385	<0.5	1.68	1	<1	42	69	5	7.88	1	43	40	14	2.10	0.37	62	0.99	542	<1	0.02	28	0.04	15	<1	429	<1	0.09	<1	22	<1	55
12386	<0.5	1.35	<1	<1	30	67	13	10.24	1	38	43	13	1.80	0.31	54	0.71	714	<1	0.01	26	0.04	18	<1	634	<1	0.09	<1	20	<1	46
12387	<0.5	1.41	<1	<1	43	66	5	8.54	1	40	42	14	1.82	0.31	51	0.71	549	<1	0.01	25	0.03	16	2	518	<1	0.11	<1	22	<1	46
12388	<0.5	1.45	3	<1	41	62	6	8.03	1	44	35	19	1.84	0.28	51	0.72	580	<1	0.01	26	0.03	14	2	526	<1	0.11	<1	19	<1	46
12389	<0.5	1.79	2	<1	36	103	5	5.56	1	46	44	9	2.09	0.25	51	1.06	555	<1	0.01	32	0.04	12	2	314	<1	0.11	<1	21	<1	57
12390	<0.5	1.71	<1	<1	47	121	4	5.50	1	45	59	18	1.99	0.27	47	1.00	549	<1	0.01	31	0.03	17	2	307	<1	0.13	<1	22	<1	65
12391	<0.5	1.77	<1	<1	41	78	3	5.61	1	48	61	15	2.20	0.19	50	1.12	514	<1	0.02	33	0.03	33	<1	253	<1	0.12	<1	25	<1	70
12392	<0.5	1.47	2	<1	46	37	2	7.49	1	42	50	18	1.83	0.12	48	0.95	584	<1	0.02	33	0.04	39	2	337	<1	0.12	<1	23	<1	52
12393	<0.5	1.86	2	<1	38	70	3	4.55	1	51	62	14	2.30	0.21	48	1.23	497	<1	0.02	35	0.03	25	2	218	<1	0.13	<1	25	<1	71
12394	<0.5	0.80	2	<1	44	22	3	9.01	1	28	54	13	1.28	0.08	44	0.47	494	<1	0.01	18	0.02	42	<1	381	<1	0.05	<1	18	<1	31
12395	<0.5	1.22	<1	<1	40	64	6	10.08	1	35	34	14	1.66	0.28	49	0.68	610	<1	0.01	22	0.03	18	<1	489	<1	0.09	<1	23	<1	42
12396	<0.5	1.57	<1	<1	25	82	<1	5.26	1	45	51	17	1.96	0.36	47	0.97	491	<1	0.01	29	0.03	16	2	274	<1	0.11	<1	22	<1	59
12397	<0.5	1.58	1	<1	32	81	<1	4.88	1	43	58	15	1.91	0.34	47	1.01	425	<1	0.02	29	0.03	20	1	241	2	0.12	<1	23	<1	57
12398	<0.5	1.53	<1	<1	51	72	<1	6.01	1	45	53	12	2.03	0.26	49	1.05	404	<1	0.02	29	0.03	13	2	264	<1	0.10	<1	28	<1	57
12399	<0.5	1.09	2	<1	43	46	<1	8.84	1	31	30	11	1.43	0.18	53	0.60	370	<1	0.02	20	0.03	29	1	393	<1	0.09	<1	25	<1	40
12400	<0.5	1.17	<1	<1	35	43	6	7.69	1	40	59	25	1.59	0.16	50	0.67	461	<1	0.02	34	0.05	14	<1	539	<1	0.08	<1	24	<1	52
12401	<0.5	1.74	<1	<1	37	40	<1	1.86	1	50	58	11	2.01	0.18	59	1.01	562	<1	0.02	38	0.06	11	2	99	9	0.10	<1	20	<1	75
12402	<0.5	1.35	3	<1	40	50	2	0.90	1	50	80	34	1.50	0.18	57	0.62	477	<1	0.02	33	0.08	10	1	91	<1	0.06	<1	18	<1	61
12380R	<0.5	1.44	3	<1	38	34	7	7.81	1	40	58	15	1.80	0.21	52	0.69	537	<1	0.01	27	0.03	14	2	477	<1	0.08	<1	21	<1	55
12399R	<0.5	1.13	2	<1	49	48	9	9.06	1	32	33	11	1.47	0.19	54	0.61	381	<1	0.02	23	0.03	31	<1	419	<1	0.09	<1	25	<1	41

0.500 Gram sample is digested with Aqua Regia at 95 C for one hour and bulked to 10 ml with distilled water.

Partial dissolution for Al, B, Ba, Ca, Cr, Fe, K, La, Mg, Mn, Na, P, Sr, Ti, and W.

"R" Denotes duplicate sample analyzed.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

6V-0024-RG1

Company: **Bill Timmonds**
Project: Nobel
Attn: Bill Timmonds

May-02-06

We hereby certify the following geochemical analysis of 1 rock chips sample submitted Jan-11-06

Sample Name	Au ppb
03-05 367-387	2
*Au5	1426
*BLANK	<1

Certified by _____

Bill Timmonds

Attention: Bill Timmonds

Project: Nobel

Sample type: rock chips

Assaye. Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 6V0024 RJ

Date : May-02-06

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
03-05 367-387	0.7	1.82	<5	190	0.6	<5	10.44	<1	16	55	26	3.54	0.34	0.86	542	<2	0.04	33	371	9	<5	3	<10	724	0.11	17	33	12	135	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95c for 2 hours and diluted to 25ml with D.I.H₂O.



*Quality Assaying for over 25 Years***Geochemical Analysis Certificate**

6V-0025-RG1

Company: **Bill Timmonds**
Project: DDH-02-05
Attn: Bill Timmonds

May-02-06

We hereby certify the following geochemical analysis of 13 samples submitted Jan-11-06

Sample Name	Au ppb
60'	1
100'	2
157'	3
167'	<1
187'	1
217'	1
237'	<1
280'	1
300'	1
347'	1
377'	<1
387'	1
417'	<1
*Au5	1426
*BLANK	<1

Certified by _____

Bill Timmonds

Attention: Bill Timmonds

Project: DDH-02-05

Sample type: rock chips

Assaye, Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 6V0025 RJ

Date : May-02-06

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
60'	26.8	1.23	<5	220	<0.5	<5	0.30	<1	19	65	202	2.77	0.16	0.65	315	<2	0.03	36	261	213	<5	2	<10	23	0.06	17	139	9	390	5
100'	5.2	1.30	<5	209	<0.5	<5	0.30	<1	14	81	63	2.99	0.12	0.68	381	<2	0.06	30	244	21	<5	2	<10	37	0.06	22	36	11	150	5
157'	6.4	1.32	<5	286	0.5	<5	4.05	<1	15	52	62	3.68	0.17	0.69	304	<2	0.02	37	377	40	<5	2	<10	186	<0.01	14	43	21	177	5
167'	4.2	0.81	<5	483	<0.5	<5	>15.00	<1	9	32	39	2.22	0.17	0.50	338	<2	0.02	20	385	16	<5	2	<10	608	0.01	9	24	12	125	4
187'	4.9	0.60	<5	315	<0.5	<5	>15.00	<1	9	31	31	2.27	0.16	0.40	268	<2	0.03	21	454	40	<5	2	<10	836	0.03	9	23	10	270	4
217'	12.8	1.36	<5	1192	<0.5	<5	6.38	<1	18	49	55	3.05	0.18	0.69	609	<2	0.03	37	529	11	<5	2	<10	319	0.03	16	56	15	212	4
237'	8.0	1.49	<5	670	<0.5	<5	3.18	<1	20	92	54	3.51	0.17	0.83	552	3	0.03	43	555	10	<5	2	<10	161	0.06	20	55	13	214	5
280'	3.4	1.41	<5	548	0.5	<5	12.59	<1	19	98	35	3.49	0.16	0.88	834	5	0.03	45	789	16	<5	3	<10	729	0.06	24	22	15	128	5
300'	4.4	0.92	<5	251	<0.5	<5	>15.00	<1	12	67	30	2.51	0.11	0.58	467	<2	0.02	27	462	8	<5	2	<10	1089	0.03	11	24	10	103	4
347'	3.5	1.59	<5	900	<0.5	<5	5.58	<1	18	99	36	3.90	0.17	0.90	545	7	0.02	39	444	27	<5	2	<10	414	0.04	15	24	12	188	5
377'	1.2	1.44	<5	1694	0.5	<5	5.20	<1	14	83	22	3.13	0.19	0.85	391	<2	0.03	32	376	15	<5	2	<10	327	0.07	18	14	11	263	4
387'	1.3	1.38	<5	1240	0.6	<5	8.11	<1	15	67	21	3.26	0.16	0.78	411	<2	0.02	32	391	7	<5	2	<10	691	0.05	15	12	12	151	4
417'	1.1	1.68	<5	516	0.6	<5	5.55	<1	18	148	32	4.39	0.21	0.97	545	10	0.03	40	503	14	<5	2	<10	342	0.06	20	18	14	146	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.



*Quality Assaying for over 25 Years***Geochemical Analysis Certificate**

6V-0026-RG1

Company: **Bill Timmonds**
Project:
Attn: **Bill Timmonds**

May-02-06

We hereby certify the following geochemical analysis of 24 rock chips samples submitted Jan-11-06

Sample Name	Au ppb
05-1-1 15-36	1
05-1-2 36-57	1
05-1-3 57-77	1
05-1-4 77-97	2
05-1-5 97-117	1
05-1-7 117-137	N/A
05-1 137-157	1
05-1 157-177	1
05-1 177-197	1
05-1 197-217	1
05-1 217-237	1
05-1 237-257	1
05-1 257-277	2
05-1 277-297	1
05-1 297-317	1
05-1 317-337	2
05-1 337-357	1
05-1 357-377	1
05-1 377-397	1
05-1 397-417	11
05-1 417-437	1
05-1 437-457	2
05-1 457-477	1
05-1 477-497	<1
*Au5	1465
*BLANK	<1

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years.

Geochemical Analysis Certificate

6V-0026-RG2

Company: **Bill Timmonds**
Project:
Attn: **Bill Timmonds**

May-02-06

We hereby certify the following geochemical analysis of 16 rock chips samples submitted Jan-11-06

Sample Name	Au ppb
05-1 497-517	1
05-1 517-527	1
05-1 527-547	2
05-1 547-567	2
05-1 567-587	2
05-1 587-607	<1
05-03 10-27	1
05-03 47-67	1
05-03 87-107	1
05-03 127-147	1
05-03 167-187	<1
05-03 207-227	1
05-03 247-267	<1
05-03 287-307	1
05-03 327-347	1
05-03 407-427	1
*Au5	1465
*BLANK	<1

Certified by _____

Bill Timmonds
 Attention: Bill Timmonds
 Project:
 Sample type: rock chips


Assayer anada
 8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
 Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 6V0026 RJ
 Date : May-02-06

Multi-Element ICP-AES Analysis
 Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
05-1-1 15-36	<0.2	1.37	<5	141	<0.5	<5	6.98	13	19	92	23	4.45	0.38	0.80	508	<2	0.06	95	638	38	<5	3	<10	344	0.12	27	90	13	321	7
05-1-2 36-57	0.5	0.88	6	64	<0.5	<5	12.09	4	20	65	23	4.29	0.26	0.58	469	5	0.04	78	623	34	<5	2	<10	667	0.10	19	84	11	299	10
05-1-3 57-77	1.1	1.11	7	86	<0.5	<5	>15.00	<1	15	62	30	3.15	0.29	0.59	502	6	0.05	36	450	174	7	3	<10	985	0.10	17	70	12	2122	6
05-1-4 77-97	1.0	0.97	<5	82	<0.5	<5	>15.00	2	10	46	14	2.13	0.36	0.46	383	<2	0.04	23	382	61	<5	2	<10	1237	0.08	12	17	10	181	5
05-1-5 97-117	2.4	1.49	<5	94	0.6	<5	10.69	<1	15	77	43	3.35	0.50	0.58	473	8	0.06	47	395	20	<5	3	<10	595	0.13	17	146	13	236	7
05-1 137-157	9.2	0.70	<5	50	<0.5	<5	>15.00	4	11	131	31	4.19	0.33	0.36	385	26	0.03	28	383	34	5	2	<10	1047	0.06	9	63	10	247	6
05-1 157-177	3.2	0.61	<5	29	<0.5	<5	>15.00	<1	10	114	21	3.96	0.20	0.40	397	23	0.02	27	387	31	<5	1	<10	1340	0.04	7	48	11	198	5
05-1 177-197	1.4	1.03	<5	44	<0.5	<5	>15.00	3	13	184	20	4.88	0.22	0.56	501	41	0.03	29	435	27	<5	2	<10	1156	0.06	11	40	11	315	6
05-1 197-217	4.5	1.57	<5	80	<0.5	<5	14.48	<1	13	151	59	3.94	0.38	0.56	715	28	0.09	40	373	16	<5	3	<10	804	0.08	15	204	11	315	6
05-1 217-237	3.1	1.99	<5	96	0.7	<5	10.10	<1	17	130	34	4.28	0.41	0.84	594	19	0.06	40	367	5	5	4	<10	612	0.13	19	82	14	217	6
05-1 237-257	1.6	1.26	<5	58	<0.5	<5	>15.00	<1	12	122	26	3.56	0.33	0.53	512	19	0.06	27	293	18	<5	3	<10	1192	0.08	13	73	11	196	5
05-1 257-277	1.3	1.55	<5	63	0.5	<5	14.87	1	15	202	26	4.74	0.35	0.66	563	36	0.07	33	348	37	8	3	<10	876	0.10	15	69	12	241	6
05-1 277-297	2.3	0.97	<5	40	<0.5	<5	>15.00	1	13	191	32	4.09	0.22	0.46	415	30	0.04	31	326	20	<5	2	<10	1166	0.07	9	78	9	180	6
05-1 297-317	1.1	1.38	<5	71	0.5	<5	>15.00	<1	13	74	21	3.02	0.34	0.60	444	8	0.04	27	380	11	<5	3	<10	1048	0.06	13	41	11	199	5
05-1 317-337	2.0	1.38	<5	76	<0.5	<5	>15.00	<1	12	108	30	3.46	0.34	0.59	412	14	0.05	30	351	45	<5	3	<10	1077	0.07	14	91	11	246	5
05-1 337-357	<0.2	1.98	<5	81	0.7	<5	9.55	<1	17	107	20	4.17	0.37	0.90	575	13	0.06	34	392	17	<5	3	<10	562	0.13	20	37	14	267	6
05-1 357-377	0.4	1.80	<5	74	0.6	<5	10.05	<1	16	127	21	4.23	0.35	0.82	558	17	0.06	33	376	13	6	3	<10	576	0.11	18	48	13	171	6
05-1 377-397	1.1	1.29	<5	74	0.5	<5	>15.00	<1	11	73	20	2.93	0.40	0.54	476	10	0.04	26	424	13	<5	3	<10	944	0.07	11	36	10	212	5
05-1 397-417	1.7	2.19	<5	101	0.7	<5	5.64	<1	20	164	40	4.97	0.42	0.94	541	28	0.04	46	410	14	<5	4	<10	502	0.13	20	97	14	329	6
05-1 417-437	1.2	2.23	<5	144	0.8	<5	8.15	<1	19	104	33	4.20	0.41	0.99	555	13	0.06	42	396	18	<5	4	<10	614	0.14	23	70	14	288	6
05-1 437-457	<0.2	2.67	6	193	0.8	<5	3.54	<1	21	154	29	5.47	0.56	1.08	584	22	0.07	46	367	10	<5	4	<10	311	0.13	23	77	13	326	6
05-1 457-477	0.4	1.28	<5	100	<0.5	<5	>15.00	<1	13	82	15	3.27	0.24	0.66	618	11	0.05	27	394	66	6	3	<10	940	0.07	14	23	11	257	5
05-1 477-497	0.6	1.33	<5	103	<0.5	<5	>15.00	<1	12	111	16	3.50	0.30	0.67	527	17	0.05	25	486	18	<5	3	<10	1048	0.08	13	23	11	365	5
05-1 497-517	0.5	1.57	<5	94	<0.5	<5	12.41	<1	14	148	19	4.22	0.31	0.75	568	25	0.04	30	394	21	<5	3	<10	720	0.08	14	39	10	395	5
05-1 517-527	0.4	1.64	<5	74	<0.5	<5	14.06	<1	13	71	16	3.45	0.30	0.73	609	9	0.04	27	336	12	<5	3	<10	783	0.08	14	31	10	260	4
05-1 527-547	0.9	1.29	<5	65	<0.5	<5	>15.00	<1	10	63	14	2.72	0.31	0.58	358	8	0.05	22	370	8	<5	2	<10	1558	0.06	12	26	8	232	4
05-1 547-567	1.3	1.25	<5	60	<0.5	<5	>15.00	<1	10	74	19	2.77	0.33	0.50	331	9	0.04	23	374	10	<5	2	<10	1872	0.07	11	45	8	276	3
05-1 567-587	1.7	2.04	<5	110	0.7	<5	12.41	<1	15	111	29	3.82	0.60	0.74	429	15	0.06	37	338	9	<5	3	<10	1038	0.11	17	78	10	267	4
05-1 587-607	0.6	1.65	<5	114	0.6	<5	>15.00	<1	15	138	25	4.22	0.50	0.67	576	24	0.05	35	430	25	<5	3	<10	1095	0.10	16	58	11	576	5
05-03 10-27	<0.2	1.21	<5	94	<0.5	<5	1.17	<1	15	69	27	2.91	0.12	0.59	529	<2	0.08	36	204	19	<5	2	<10	57	0.09	20	39	10	239	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Bill Timmonds

Attention: Bill Timmonds

Project:

Sample type: rock chips

Assaye Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 6V0026 RJ

Date : May-02-06


Multi-Element ICP-AES Analysis


Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Br ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
05-03 47-67	<0.2	1.31	<5	105	<0.5	<5	6.87	<1	15	58	31	3.26	0.15	0.67	576	<2	0.04	33	396	5	<5	2	<10	303	0.10	18	29	9	130	6
05-03 87-107	0.5	1.38	<5	98	<0.5	<5	11.29	<1	14	40	21	3.22	0.26	0.66	546	<2	0.03	30	548	15	<5	2	<10	605	0.09	14	21	12	103	6
05-03 127-147	0.9	0.88	<5	118	<0.5	<5	>15.00	<1	10	40	11	2.15	0.17	0.51	471	<2	0.02	20	356	9	<5	2	<10	1297	0.06	8	12	8	127	3
05-03 167-187	1.1	0.98	<5	87	<0.5	<5	>15.00	<1	12	56	13	2.57	0.14	0.57	442	<2	0.02	22	318	4	<5	2	<10	1368	0.07	10	14	9	92	4
05-03 207-227	1.5	0.41	<5	32	<0.5	<5	>15.00	<1	6	20	9	1.40	0.11	0.30	220	<2	0.02	11	289	48	<5	1	<10	2821	0.03	4	<10	6	107	2
05-03 247-267	1.5	0.47	<5	40	<0.5	<5	>15.00	<1	5	15	8	1.34	0.13	0.37	231	<2	0.03	11	300	9	<5	2	<10	2752	0.03	5	<10	7	73	2
05-03 287-307	<0.2	2.17	<5	160	0.7	<5	7.08	<1	19	67	23	3.60	0.60	0.89	506	2	0.06	36	357	13	<5	4	<10	406	0.14	21	24	15	191	5
05-03 327-347	<0.2	1.80	<5	180	0.6	<5	9.36	<1	16	62	28	3.47	0.43	0.79	535	3	0.04	32	343	13	<5	3	<10	575	0.11	17	38	14	175	4
05-03 407-427	0.3	2.35	<5	202	0.8	<5	8.03	<1	16	69	48	3.84	0.57	0.89	498	4	0.09	38	355	19	<5	4	<10	580	0.13	22	84	13	186	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed _____





CAC 3
205123
5NX4E

CAC 1
204756
5NX4W

CAC II
204757
5NX4W

CASCA 1
204351
2NX4W

DD 05-02
DD 05-03
DD 05-01

D.D. 9
349100
668019M

D.D. 8
349099
668018M

D.D. 7
349098
668017M

FIGURE 4

NOBLE METAL GROUP INCORPORATED
CARIBOO MINERAL PROPERTY
Keithley Creek, British Columbia
DRILL HOLE LOCATIONS MAP

DATE: Oct., 2005

SCALE: 1:10,000


0 METRES 500

GEOLOGICAL SURVEY BRANCH
ASSESSMENT PROGRAM

28, 142

DDH 05-01

426.72m



20,442

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

LEGEND


<p>Titanium (%)</p> <ul style="list-style-type: none"> 0 - 0.5 0.05 - 0.10 0.10 - 0.15 Above 0.15 	<p>Strontium (ppm)</p> <ul style="list-style-type: none"> 0 - 500 500 - 1000 1000 - 2000 2000 - 3200
---	--

NOBLE METAL GROUP INCORPORATED
CARIBOO MINERAL PROPERTY
Kestley Creek, B.C., Cariboo M.D.

DIAMOND DRILL HOLE DDH 05-01
Geology and Selected Elements

Date: October, 2005 Scale: 1:400 FIGURE 5a

DDH 05-2 156.35m



GEOLOGICAL SURVEY BRANCH
 ASSOCIATED REPORT


28

LEGEND

Titanium (%)	Strontium (ppm)
0 - 0.5	0 - 500
0.05 - 0.10	500 - 1000
0.10 - 0.15	1000 - 2000
Above 0.15	2000 - 3200

NOBLE METAL GROUP INCORPORATED CARIBOO MINERAL PROPERTY Kelthley Creek, B.C., Cariboo M.D.	DIAMOND DRILL HOLE DDH 05-2 Geology and Selected Elements
Date: October, 2005	Scale: 1:400
FIGURE 5b	

DDH 05-03 297.78m



DIAMOND DRILL HOLE DDH 05-03
 Geology and Selected Elements

NOBLE METAL GROUP INCORPORATED
CARIBOO MINERAL PROPERTY
 Keithley Creek, B.C., Cariboo M.D.

GEOLOGICAL SURVEY BRANCH
 ASSESSMENT REPORT
 2005/042

LEGEND

Titanium (%)	Strontium (ppm)
0 - 0.5	0 - 500
0.05 - 0.10	500 - 1000
0.10 - 0.15	1000 - 2000
Above 0.15	2000 - 3200