



Ministry of Energy & Mines
Energy & Minerals Division
Geological Survey Branch

ASSESSMENT REPORT
TITLE PAGE AND SUMMARY

TITLE OF REPORT [type of survey(s) Geological Report for the Hall Lake(Cretin) Property		TOTAL COST \$38,675.40
AUTHOR(S) <u>Charles C. Downie, P.Geo</u> SIGNATURE(S) _____		
NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) _____ YEAR OF WORK <u>2005</u>		
STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) <u>4073948 March 10 2006</u>		
PROPERTY NAME <u>HALL LAKE(CRETIN)</u>		
CLAIM NAME(S) (on which work was done) <u>509000, 509004, 509007</u>		
COMMODITIES SOUGHT <u>Au</u>		
MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN _____		
MINING DIVISION <u>Fort Steele</u> NTS <u>082F068</u>		
LATITUDE <u>49</u> ° <u>37</u> ' <u>10</u> " LONGITUDE <u>116</u> ° <u>26</u> ' <u>33</u> " (at centre of work)		
OWNER(S) 1) <u>EAGLE PLAINS RESOURCES LTD</u> 2) _____ MAILING ADDRESS <u>200-16 11th Ave. S.</u> <u>Cranbrook, B.C., V1C 2P1</u>		
OPERATOR(S) [who paid for the work] 1) <u>SOLOMON RESOURCES LTD</u> 2) _____ MAILING ADDRESS <u>Suite 900 – 475 Howe Street</u> <u>Vancouver, BC V6C 2B3</u>		
PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude): <u>Mid Cretaceous Bayonne Plutonic Suite; Eocene Coryell Syenite Suite; Hall Lake stock; Aldridge Formation; Creston Formation; siltite, quartzite, mudstone; porphyritic granitoid; sub vertical felsic dyke;</u>		
REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS _____		

(OVER)

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil 488 30 element ICP plus Au		509000	
Silt			
Rock 13 30 element ICP plus Au		509000	
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY/PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other <u>see attached expenditures</u>			
		TOTAL COS T	\$38,675.40

**GEOLOGICAL REPORT
for the
HALL LAKE (CRETIN) PROPERTY**

Ft. Steele Mining Division
Mapsheets 82F068, 82F058
Center of Work
Latitude 49° 37' N, Longitude 116°26'W
NTS 82F09

Prepared for:

EAGLE PLAINS RESOURCES LTD.
Suite 200, 16-11th Ave. S.
Cranbrook, B.C. V1C 2P1

and

SOLOMON RESOURCES LTD.
Suite 900 – 475 Howe Street
Vancouver, BC V6C 2B3

By

Charles C. Downie, P.Geo.
716 Summit Place
Cranbrook, BC V1C 5L4

JUNE 15 2006

SUMMARY

The Cretin property is located 50km west of Cranbrook, BC and consists of three contiguous claim blocks - the recently converted Legacy claim and two additional claim blocks acquired on Mineral Titles Online - totaling 1778.89 hectares. The claims, are owned 100% by Eagle Plains Resources Ltd. and carry no underlying royalties or encumbrances.

In the late 1990s, the British Columbia Geological Survey (BCGS) recognized the potential of southern and southeastern British Columbia to host significant gold mineralization. Two major styles of gold mineralization were subsequently considered prospective in the region: distal sediment-hosted gold mineralization similar to that found in Nevada (Carlin and related areas)(Lefebure et al., 1998), and more proximal intrusive-related gold mineralization similar to that found in Yukon and Alaska in the Tintina Gold Belt (Logan, 1999, etc.). This conclusion is based on distinctive similarities of the tectonic setting of all these regions and their location within pericratonic terraines - formed along the continental margin of the ancestral North American Craton - which have been intruded by Mesozoic magmas.

Further work of the BCGS led to identification of the mid-Cretaceous (90-115 Ma) Bayonne Plutonic Suite that forms the 50 to 75 km wide arcuate Bayonne Intrusive Belt extending roughly in a north-northwest direction from the Canada-USA border. The Bayonne Suite is one of a number of Cretaceous plutonic suites of the Omineca tectonic belt that extends for more than 1600 km along the Canadian Cordilleran interior from Alaska through Yukon to British Columbia (Logan, 2001, 2002). The plutons of these suites are known to host or control large intrusive-related gold deposits, most notably within the Tintina Gold Belt in Yukon and Alaska (e.g., Donlin Creek, Fort Knox, Ryan Lode, True North, Pogo, Brewery Creek, Dublin Gulch, etc.)

On this basis, similarities between southern and southeastern British Columbia with the Tintina Gold Belt were suggested, including the presence of mid-Cretaceous granitic intrusions, solitary, stockwork and sheeted quartz veins with Au-W-Bi metal signatures, and RGS anomalies for pathfinder elements (Logan, 1999). A second intrusive suite, the Eocene (ca. 51 Ma) Coryell Syenite Suite accompanied by gold mineralization also occurs in southeastern British Columbia. The presence of both Cretaceous and Eocene plutonic suites indicates the possibility for the existence of two distinct events of gold mineralization in the region. This also resembles the possible occurrence of two (Cretaceous and Eocene) epochs of gold mineralization in the Great Basin, Nevada.

As a result of the work conducted above, the Cretin property was identified by Eagle Plains' personnel as an excellent grass roots exploration target for these types of deposits. The claims cover a large (7.5 square-km) Cretaceous-aged granitic intrusive known as the Hall Lake Stock, which is hosted by Aldridge and Creston formation sediments.

2004 fieldwork by Eagle Plains consisted of a rock geochemical survey and prospecting aimed to assess the geochemical character of the Hall Lake Stock as well as that of the host sediments. The most significant results from the 2004 geochemical survey and prospecting were the anomalous gold values collected from a large dyke in the sediments of the Creston Formation approximately 300 meters from the contact with the intrusive. One sample also returned anomalous values for silver. The total cost of the 2004 geochemical survey of the Cretin Property was \$ 11,435.61.

Based on results from the 2004 program, Eagle Plains carried out a field program at Hall Lake in late 2005. Work consisted of contour soil sampling and rock geochemical sampling. The total cost of the 2005 program was \$38,675.40.

Respectfully submitted:

Charles C. Downie, P.Geo
Exploration Manager, Eagle Plains Resources

Table of Contents

LOCATION AND ACCESS (Fig.1, following page)	1
TENURE (Fig. 2, following Fig.1).....	1
HISTORY AND PREVIOUS WORK.....	1
REGIONAL GEOLOGY (Fig 3, following page).....	4
PROPERTY GEOLOGY (Fig. 4, following page).....	6
2005 WORK PROGRAM (Fig. 4).....	8
2005 PROGRAM RESULTS (Fig. 4, Appendix III, IV).....	8
CONCLUSIONS AND RECOMMENDATIONS.....	8
REFERENCES.....	10

List of Figures

Figure 1 – Property Location.....	2
Figure 2 - Tenure.....	3
Figure 3 – Regional Geology.....	5
Figure 4 – Property Geology.....	7

List of Tables

Table 1 – Cretin Tenure Status.....	1
-------------------------------------	---

List of Appendicies

Appendix I	Statement of Qualifications
Appendix II	Statement of Expenditures
Appendix III	Analytical Results
Appendix IV	Sample Locations and Descriptions

LOCATION AND ACCESS (Fig.1, following page)

The Cretin Property is located 50km west of Cranbrook, B.C. at Hall Lake, and is accessed by the St. Mary's Forrest Service Road (approximately 48 km). The claims cover alpine to subalpine terrain within the southern Purcell Mountains. Elevations range from approximately 1600m to 2500m, with moderate to steep topography. Outcrop exposure is generally good in the alpine with quaternary coverage in the valley bottom. Summer field season lasts from May to mid-November. A well developed transportation corridor and power corridor lies approximately 48 km east of the property. A high pressure gas pipeline and a high voltage hydro-electric line follow the CPR line and Highway 3 east of the property. The rail line provides efficient access to the Cominco Ltd. smelter in Trail, B.C.

TENURE (Fig. 2, following Fig.1)

The property consists of 3 claims located on mapsheets 82F048 and 82F058 approximately 50 kilometers west of Cranbrook, B.C. The claims are owned 100% by Eagle Plains Resources Ltd. and carry no underlying encumbrances.

Table 1 – Cretin Tenure Status

Tenure Number	Claim Name	Expiry Date (YYYY/MM/DD)	Mining Division	Area (Hectares)
509004	CRETIN A	20121130	Ft. Steele	334.715
509007	CRETIN B	20121130	Ft. Steele	188.437
509000	(Cretin Conversion)	20121130	Ft. Steele	1255.737

TOTAL: 3 units

Solomon will fund the initial \$40,000 work program in exchange for an exclusive, one time option to earn into the property. Proposed terms of the agreement include a 2-phase earn-in, whereby Solomon may elect, before January 31, 2006, to earn a 60% interest by making \$110,000 cash payments, issuing 225,000 common shares and completing CDN\$1,000,000 in exploration expenditures by June 30th, 2008. Eagle Plains will be operator during the Phase 1 earn-in period. Solomon may increase its interest to 75% by making a total of \$160,000 in cash payments, issuing 450,000 shares and completing exploration expenditures totaling CDN \$2,000,000 prior to December 1, 2010.

HISTORY AND PREVIOUS WORK

To the best of the writers knowledge there has been no previous exploration work done on this site prior to Eagle Plains acquiring the project.



538000

540000

542000

550000

550000

5498000

5498000

5496000

5496000


5494000

5494000

538000

540000

542000



**Eagle Plains
Resources Ltd.**

Solomon Resources Limited


Hall Lake Property

Figure 2 - Tenure Map

Projection - NAD 83 UTM Zone 11N

Scale - 1: 30 000

05/06/2006



Legend

- Rivers
- Contour (100m)
- Lakes
- Tenure Boundary

REGIONAL GEOLOGY (Fig 3, following page)

Regionally the Cretin area is underlain by rocks of the Purcell Supergroup on the western flank of the Purcell Anticlinorium, a broad, north-plunging arch-like structure in Helikian and Hadrynian aged rocks. The anticlinorium is allocthonous, carried eastward and onto the underlying cratonic basement by generally north trending thrusts throughout the Laramide orogeny during late Mesozoic and early Tertiary time.

The oldest rocks exposed in the Cretin area are greenish, rusty weathering thin bedded siltites and quartzites of the greater than 4000m thick Lower Aldridge Formation, along with the facies-related, dominantly fluvial Fort Steele Formation (the base of which is unexposed). The Sullivan deposit is located some 20-30m below the upper contact of the Lower Aldridge Formation. Overlying the Lower Aldridge is a continuous section of Middle Aldridge quartz wackes, subwackes and argillites some 3000+ m thick. Within the Middle Aldridge formation, fourteen varied marker horizons can be correlated over hundreds of kilometres. These represent the only accurate stratigraphic control. A number of aerially extensive, locally thick gabbroic sills are present within the Lower and Middle Aldridge Formations. These sills and dykes; the "Moyie Sills", locally were intruded into wet, unconsolidated sediments, and have been dated to 1445 Ma, providing a minimum age for Aldridge sedimentation and formation of the Sullivan deposit. The Middle Aldridge is overlain conformably by the Upper Aldridge, 300 to 400 meters of thin, fissile, rusty weathering siltite/argillite.

Conformably overlying the Aldridge Formation is the Creston Formation, comprising approximately 1800 meters of grey, green and maroon, cross-bedded and ripple marked platformal quartzites and mudstones. The Kitchener-Siyeh Formation, which includes 1200 to 1600 meters of grey-green and buff coloured dolomitic mudstone are shallow water sediments overlying the Creston Formation.

The upper portion of the Purcell Supergroup consists of the Dutch Creek and Mount Nelson Formations. The Dutch Creek formation consists of approximately 1200 meters of dark grey, calcareous dolomitic mudstones. Overlying the Dutch Creek formation is the Mount Nelson formation, 1000 meters of grey-green and maroon mudstone and calcareous mudstones. This unit marks the top of the Purcell Supergroup.

The Purcell Supergroup in the Sullivan area was deposited along an active tectonic basin margin. Dramatic thickness and facies variations record Purcell-age growth faults and contrast with gradual changes characteristic of most Purcell rocks elsewhere. These faults reflect deep crustal structures that modified incipient Purcell rifting, and led to the development of an intercratonic basin in middle Proterozoic time.



Solomon Resources Limited


Hall Lake Property

Figure 3 - Regional Geology

Projection - NAD 83 UTM Zone 11N

Scale - 1: 80 000

21/06/06




PROPERTY GEOLOGY (Fig. 4, following page)


Geologic mapping at the Cretin property is limited to regional scale mapping by Hoy, T. and Jackaman, W. (2004). The property itself is dominated by a 2.5 km by 3.5 km upper Cretaceous porphyritic granitoid pluton that intrudes the conformable contact between moderately-dipping Middle and Upper Aldridge rocks to the east and overlying Creston Formation rocks to the west (Fig. 3); see regional geology for a detailed description of the host rocks. The pluton also appears to cross-cut north – south trending, sub-vertical, regional scale thrust faults (Fig. 3). The degree or presence of contact metamorphism, associated with intrusion of the stock, is not known; neither is structural relationship between intrusive phase and metasedimentary host rocks.

Exploration on the property was centered around a ~7 m wide NW-striking, sub-vertical felsic dyke which cross-cuts the main intrusive body (B. Robison, pers. comm.) and can be traced for over 1.5 km. Neither the degree of contact metamorphism, nor the structural relationships between the dyke and country rocks have been established.

The light-grey to rusty-orange weathering dyke is very-fine-grained to aphanitic with rare 0.5 mm quartz eyes. The texture of the dyke is massive. Sulphide mineralization consists of rare mm-scale euhedral py cubes; minor disseminated, medium-grained arsenopyrite prisms and needles; and medium-grained euhedral arsenopyrite needles to fine-grained, massive, arsenopyrite common along fracture surfaces. Arsenopyrite bearing, light- to dark-grey, sugary quartz veins which average 0.5 cm in width, cross-cut the dyke.

Larger 3 - 10 cm medium- to coarse-grained, rusty, quartz veins intrude the host metasedimentary rocks; veins can contain muscovite and form minor stockworks. Sulphide mineralization includes coarse-grained euhedral galena, coarse-grained euhedral pyrite cubes and associated pseudomorphs (limonite?), as well as fine-grained disseminated arsenopyrite.





2005 WORK PROGRAM (Fig. 4)

The 2005 Hall Lake field program was carried out between October 04-07, 2005. Due to heavy snowfall on the property (elev. 1600m to 2500m ASL), the only practical geological work that could be accomplished was to run contour soil lines above Hall Lake. Chuck Downie, P.Geo., spent one day attempting to map and sample at the higher elevations of the property in the area of the mineralized dyke identified by 2004 work, but the snow cover and extreme terrain at the higher elevations led to extremely hazardous working conditions and a decision was made to focus on the soil sampling program. A total of 488 soil samples were collected by Bootleg Exploration personnel along six N-S oriented contour soil lines. Line spacing was approximately 100m vertical, with 25 meter sample spacing. A total of 13 rock samples were collected.

Field crews were billeted in Cranbrook and flew to the property via an A-star helicopter chartered through bighorn Helicopters in Cranbrook, BC. The samples were shipped to Eco-Tech Laboratories in Kamloops, B.C. and samples were analyzed for 30 element ICP using aqua-regia digestion plus Au. All samples were collected, handled, cataloged and prepared for shipment by Bootleg Resources staff.

All samples were input in the creation of a GIS database for the project.

All exploration and reclamation work was carried out in accordance to Ministry of Environment, Ministry of Mines and WCB regulations.

Total 2005 exploration expenditures by Eagle Plains Resources on the Hall Lake(Cretin) Project in 2005 were \$38,675.40

2005 PROGRAM RESULTS (Fig. 4, Appendix III, IV)

The results from the 2005 field program are disappointing, with only a single soil sample, HLL03 11+75N, returning an anomalous gold value, 75 ppb Au. None of the rock samples returned anomalous gold values. All of soil samples were collected from within the mapped contacts of the intrusive body. The rock samples were all collected from outcrops and boulder fields where they were exposed from the snow cover. Mapping and establishing any continuity of samples was impossible due to the snow.

CONCLUSIONS AND RECOMMENDATIONS

Although the 2005 results were disappointing, the heavy snow and generally treacherous conditions at the higher elevations did not allow for any sampling or mapping in the areas identified by 2004 work, specifically the mineralized dyke that returned the anomalous gold values.

The property still warrants further work and a comprehensive field program is recommended to assess the nature of the mineralized dyke. The most cost effective method would be to establish a fly camp on the property near the lake or in one of the higher tarns when the property is free from snow. Fieldwork should follow the recommendations laid out in Downies' 2004 assessment report including mapping and sampling in the area of the mineralized dyke. Soil geochemical sampling should be extended to cover the mapped intrusive / sedimentary contact zone, and prospecting should focus on both the

mineralized dyke and any veins or stockwork within the intrusion. The cost of this program would be in the order of \$40,000.

A budget for the proposed work follows:

PERSONNEL: 24 man days	\$8,300.00
ANALYTICAL: 100 rock samples	\$1,950.00
DATING: 4 rock samples @ \$3000.00/sample	\$12,000.00
TRANSPORTATION:	
4WD Vehicle: 10 days x \$75.00/day x 1 vehicles	\$750.00
Helicopter Charter: 6 hours @ \$1000.00/hr	\$6,000.00
Mileage: 1500 km x \$.25/km	\$375.00
5 ton trailer: 2 days @ \$50.00/day	\$100.00
EQUIPMENT RENTAL AND SUPPLIES	\$700.00
MEALS AND ACCOMMODATION	\$1,000.00
CAMP EQUIPMENT RENTAL: 10 days @ \$100.00/day	\$1,000.00
SHIPPING	\$300.00
DRAFTING PRE-FIELD (base maps, orthophotos)	\$1,050.00
REPORT WRITING:	\$2,000.00
MISCELLANEOUS:	\$1,000.00
SUBTOTAL:	\$36,525.00
10 % contingency:	<u>\$3,652.50</u>
TOTAL:	\$40,177.50

REFERENCES

Downie, C.C. and Hendrickson, G.W. (2005): Assessment Report for the 2004 Cretin Field Program; BCEMPR Assessment Report

Höy, T. and Jackaman, W. (2004): Geology of the St. Mary map sheet (NTS 82F/09); B.C. Ministry of Energy and Mines, Geoscience Map 2004-1.

Massey, N.W.D., MacIntyre, D.G., Desjardins, P.J. and Cooney, R.T., 2005: Digital Geology Map of British Columbia, B.C. Ministry of Energy and Mines, Open File 2005-2, DVD.

APPENDIX I

STATEMENT OF QUALIFICATIONS

CERTIFICATE OF QUALIFICATION

I, Charles C. Downie of 122 13th Ave. S. in the city of Cranbrook in the Province of British Columbia hereby certify that:

- 1) I am a Professional Geoscientist registered with the Association of Professional Engineers and Geoscientists of British Columbia (#20137).
- 2) I am a graduate of the University of Alberta (1988) with a B.Sc. degree and have practiced my profession as a geologist continuously since graduation.
- 3) This report is supported by data collected during fieldwork as well as information gathered through research.
- 4) I hold 372,000 shares of Eagle Plains Resources; I hold an option to purchase a further 700,000 Common Shares of Eagle Plains at \$0.65 - \$1.00 per share.

Dated this 15th day of June, 2006 in Cranbrook, British Columbia.

Charles C. Downie, P. Geo.

APPENDIX II

STATEMENT OF EXPENDITURES

STATEMENT OF EXPENDITURES:

2005 Geological Program – Hall Lake Project

The following expenses were incurred on the Hall Lake project for the purpose of mineral exploration between the dates of July 09, 2005 and December 31, 2005.

PERSONNEL:

Bootleg Exploration Inc.

planning for fieldwork, supervise / carry out fieldwork	Rate:	No. of Days:	Total
Chuck Downie, P.Geo, Project Manager	\$700.00	3.0	\$2,100.00
Brad Robison, Lead Field Technician, GIS, First Aid	\$400.00	6.0	\$2,400.00
Glen Hendrickson, B.Sc. Field Technician, GIS, preparing base maps	\$400.00	10.0	\$4,000.00
Jesse Campbell, B.Sc. Field Technician, GIS	\$400.00	5.0	\$2,000.00
TOTAL PERSONNEL:			\$10,500.00

ANALYTICAL:

Eco Tech Laboratories Ltd.	30 element ICP plus Au assay, 1138 soil	\$7,399.70
----------------------------	---	------------

VEHICLE RENTAL:

4WD pickup	4 days x \$80.00/day	\$320.00
Mileage	500 km x \$0.20/km	\$100.00
TOTAL VEHICLE RENTAL:		\$420.00

EQUIPMENT RENTAL:

radios	4 men x 4 days x \$10/ day/radio	\$160.00
field supply	4 men x 4 days x \$35/ day	\$560.00
satellite telephone	4 days x \$25/day	\$100.00

HELICOPTER CHARTER:

Big Horn Helicopters	Astar 350B, crew set outs	\$10368.00
----------------------	---------------------------	------------

OTHER COSTS:

Freight samples, supplies	\$573.39
Mapping Supplies BC Online TRIM Maps	\$662.84
Automotive fuel for pickups	\$68.69
Meals and Groceries	\$179.30
Office supplies and Reproduction: base maps, assessment reports, scanning geology sections and plans for GIS database	\$1,633.48
Report (est) includes reproduction, building GIS database,	\$5,000.00

TOTAL: **\$38,675.40**

Geochemistry: \$77.20 / sample

APPENDIX III

ANALYTICAL RESULTS

CERTIFICATE OF ASSAY AK 2005-1428

BOOTLEG EXPLORATION INC.
#200, 16-11TH Ave S.
Cranbrook, BC
V1C 2P1

3-Nov-05

No. of samples received: 13

Sample type: Rock

Project #: n/a

Shipment #: HL05-001

Samples Submitted by: not indicated

ET #.	Tag #	Au (g/t)	Au (oz/t)
1	CDHLR001	<0.03	<0.001
2	CDHLR002	<0.03	<0.001
3	CDHLR003	<0.03	<0.001
4	CDHLR004	<0.03	<0.001
5	CDHLR005	<0.03	<0.001
6	CDHLR006	<0.03	<0.001
7	CDHLR007	<0.03	<0.001
8	CDHLR008	<0.03	<0.001
9	CDHLR009	<0.03	<0.001
10	CDHLR010	<0.03	<0.001
11	CDHLR011	<0.03	<0.001
12	CDHLR012	<0.03	<0.001
13	CDHLR013	<0.03	<0.001

QC DATA:

Repeat:

1 <0.03 <0.001

Resplit:

1 <0.03 <0.001

Standard:

OXF41 1.84 0.054

JJ/ga

ECO TECH LABORATORY LTD.
Jutta Jealouse

XLS/05

B.C. Certified Assayer

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

BOOTLEG EXPLORATION INC.
 #200, 16-11TH Ave S.
Cranbrook, BC
 V1C 2P1

Phone: 250-573-5700
 Fax : 250-573-4557

No. of samples received: 490
 Sample type: Soils
 Project #: n/a
 Shipment #: HL05-001
 Samples submitted by: Jesse Campbell

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	HLL01-00+00S	<5	0.2	1.60	15	60	<5	0.23	<1	7	11	22	3.04	10	0.44	166	4	0.01	14	280	12	<5	<20	7	0.14	<10	28	<10	1	43
2	HLL01-00+25S	<5	0.2	1.26	10	90	5	0.11	<1	6	6	16	2.81	<10	0.16	109	2	0.01	7	270	14	<5	<20	7	0.25	<10	32	<10	<1	26
3	HLL01-00+50S	5	0.6	2.43	25	75	<5	0.32	<1	25	11	45	2.76	30	0.34	496	17	0.02	33	850	18	<5	<20	14	0.11	<10	30	<10	16	72
4	HLL01-00+75S	5	<0.2	2.02	10	40	5	0.04	<1	5	7	16	2.61	<10	0.20	87	<1	<0.01	5	290	14	<5	<20	<1	0.18	<10	29	<10	<1	26
5	HLL01-1+00S	<5	0.3	2.81	10	70	10	0.04	<1	5	8	14	2.45	<10	0.14	71	1	0.01	6	370	14	<5	<20	<1	0.18	<10	36	<10	4	27
6	HLL01-1+25S	5	<0.2	2.09	10	50	5	0.04	<1	5	6	14	2.57	<10	0.23	101	<1	0.01	4	170	10	<5	<20	<1	0.23	<10	39	<10	<1	31
7	HLL01-1+75S	<5	<0.2	0.93	5	25	5	0.02	<1	2	4	6	1.39	<10	0.09	47	<1	<0.01	2	150	12	<5	<20	<1	0.13	<10	28	<10	<1	15
8	HLL01-2+00S	<5	0.3	2.96	20	55	10	0.04	<1	4	7	10	2.72	<10	0.04	39	<1	0.02	3	250	16	<5	<20	2	0.23	<10	38	<10	<1	16
9	HLL01-2+25S	<5	<0.2	0.19	<5	20	<5	0.03	<1	<1	<1	2	0.10	<10	0.02	10	<1	0.02	<1	80	6	<5	<20	<1	0.08	<10	8	<10	<1	5
10	HLL01-2+50S	5	0.2	0.69	5	45	<5	0.04	<1	3	8	6	1.62	<10	0.14	57	<1	<0.01	2	130	12	<5	<20	<1	0.17	<10	39	<10	<1	18
11	HLL01-2+75S	5	<0.2	1.30	5	25	<5	0.04	<1	3	3	5	1.23	<10	0.01	11	<1	0.01	2	140	10	<5	<20	<1	0.22	<10	24	<10	<1	5
12	HLL01-3+00S	5	0.3	2.27	25	100	10	0.32	<1	7	9	26	2.66	20	0.36	132	6	0.01	11	440	14	<5	<20	13	0.14	<10	24	<10	16	39
13	HLL01-3+25S	<5	<0.2	0.96	15	30	10	0.04	<1	4	8	9	2.70	<10	0.23	84	<1	<0.01	4	140	10	<5	<20	<1	0.20	<10	37	<10	<1	26
14	HLL01-3+50S	5	<0.2	2.43	40	100	15	0.16	<1	12	16	34	3.70	20	0.59	291	9	0.01	14	500	16	<5	<20	15	0.17	<10	34	<10	18	66
15	HLL01-3+75S	<5	<0.2	1.70	30	55	10	0.03	<1	5	11	12	3.97	<10	0.25	89	<1	<0.01	6	210	14	<5	<20	<1	0.16	<10	37	<10	<1	29
16	HLL01-4+00S	<5	0.3	0.33	<5	25	<5	0.22	<1	2	2	6	0.52	<10	0.04	19	<1	0.02	1	110	10	<5	<20	16	0.10	<10	14	<10	2	6
17	HLL01-4+25S	5	<0.2	3.85	20	65	5	0.05	<1	4	15	13	3.56	<10	0.18	57	1	0.01	4	220	14	<5	<20	<1	0.13	<10	29	<10	<1	23
18	HLL01-4+50S	<5	<0.2	1.73	5	45	15	0.07	<1	4	6	8	2.92	<10	<0.01	21	<1	0.01	4	160	14	<5	<20	<1	0.31	<10	47	<10	<1	6
19	HLL01-4+75S	<5	<0.2	0.76	15	50	<5	0.03	<1	4	6	10	2.81	<10	0.14	52	<1	<0.01	3	140	8	<5	<20	<1	0.22	<10	39	<10	<1	14
20	HLL01-5+00S	5	<0.2	1.11	5	30	10	0.04	<1	4	5	7	3.07	<10	0.09	35	<1	0.01	3	140	14	<5	<20	<1	0.24	<10	46	<10	<1	12
21	HLL01-5+25S	<5	0.3	1.38	5	30	<5	0.02	<1	2	5	11	1.28	<10	0.06	22	<1	0.01	2	140	8	<5	<20	<1	0.10	<10	19	<10	<1	7
22	HLL01-5+50S	<5	<0.2	2.18	25	75	<5	0.09	1	8	12	32	3.69	20	0.40	111	2	0.02	11	260	12	<5	<20	6	0.18	<10	33	<10	13	34
23	HLL01-5+75S	5	0.4	1.24	10	70	10	0.10	<1	4	6	12	2.58	<10	0.12	35	<1	0.02	4	180	12	<5	<20	9	0.25	<10	33	<10	2	14
24	HLL01-6+00S	5	<0.2	1.68	15	40	<5	0.07	<1	5	10	26	3.03	20	0.37	93	5	0.01	7	220	10	<5	<20	<1	0.15	<10	32	<10	9	27
25	HLL01-6+25S	<5	<0.2	2.83	10	45	5	0.04	<1	4	6	12	2.02	<10	0.07	30	<1	0.01	4	260	10	<5	<20	<1	0.21	<10	28	<10	<1	9
26	HLL01-6+50S	<5	<0.2	1.00	10	45	10	0.05	<1	3	6	12	2.90	<10	0.13	68	<1	0.01	4	190	14	<5	<20	<1	0.21	<10	39	<10	<1	17
27	HLL01-6+75S	5	<0.2	3.63	15	30	5	0.03	<1	3	8	14	2.66	<10	0.02	14	<1	0.02	3	290	10	<5	<20	<1	0.22	<10	31	<10	<1	7
28	HLL01-7+00S	5	0.4	2.53	25	60	5	0.04	<1	16	12	58	4.29	<10	0.24	122	4	<0.01	7	300	14	<5	<20	<1	0.16	<10	42	<10	<1	32
29	HLL01-7+25S	5	0.3	2.03	10	90	5	0.08	<1	5	8	14	3.57	<10	0.14	116	<1	0.01	5	320	14	<5	<20	7	0.22	<10	41	<10	<1	25
30	HLL01-7+50S	5	<0.2	1.85	10	65	5	0.06	<1	5	10	16	2.89	<10	0.36	121	<1	0.01	7	300	10	<5	<20	<1	0.18	<10	31	<10	<1	47

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	HLL01-7+75S	5 <0.2	1.55	10	60	15	0.36	<1	6	14	16	3.93	<10	0.89	253	2	0.03	12	440	8	<5	<20	10	0.12	<10	23	<10	5	26	
32	HLL01-8+00S	5 <0.2	1.48	5	55	<5	0.25	<1	8	16	13	2.37	<10	0.89	255	<1	0.04	12	390	14	<5	<20	13	0.13	<10	24	<10	4	26	
33	HLL01-8+25S	5 <0.2	1.69	10	70	15	0.38	<1	16	16	20	3.15	10	1.13	450	<1	0.03	22	400	10	<5	<20	19	0.16	<10	26	<10	9	33	
34	HLL01-8+50S	5 <0.2	1.89	5	80	10	0.34	<1	16	17	29	3.44	10	1.26	409	<1	0.03	25	410	10	<5	<20	13	0.17	<10	28	<10	12	35	
35	HLL01-8+75S	5 <0.2	1.91	10	80	<5	0.36	<1	18	17	26	3.61	10	1.25	467	<1	0.03	24	410	10	<5	<20	13	0.17	<10	28	<10	7	36	
36	HLL01-9+00S	5 <0.2	1.46	5	60	<5	0.31	<1	10	14	17	2.76	<10	0.89	220	<1	0.03	17	410	8	<5	<20	15	0.14	<10	24	<10	5	30	
37	HLL01-10+00S	<5 <0.2	2.46	45	110	15	0.04	<1	6	9	17	3.52	<10	0.20	97	3	0.01	10	380	24	<5	<20	<1	0.22	<10	40	<10	<1	90	
38	HLL01-10+25S	<5 <0.2	1.47	10	70	10	0.07	<1	4	9	18	2.62	<10	0.30	275	3	0.01	7	430	14	<5	<20	2	0.15	<10	34	<10	<1	62	
39	HLL01-10+50S	<5 <0.2	0.73	5	50	10	0.06	<1	2	5	8	1.28	<10	0.12	120	<1	<0.01	3	270	16	<5	<20	3	0.14	<10	29	<10	<1	25	
40	HLL01-10+75S	<5 0.2	1.93	20	55	10	0.06	<1	4	7	15	2.47	<10	0.20	226	2	0.01	5	710	14	<5	<20	<1	0.15	<10	31	<10	<1	50	
41	HLL01-11+25S	<5 <0.2	1.15	15	40	15	0.26	<1	4	9	11	1.64	10	0.41	190	<1	0.01	8	510	14	<5	<20	9	0.11	<10	19	<10	5	71	
42	HLL01-11+50S	<5 <0.2	0.94	5	40	10	0.12	<1	4	8	11	1.40	10	0.35	179	2	0.01	6	520	16	<5	<20	2	0.09	<10	18	<10	3	51	
43	HLL01-11+75S	<5 <0.2	0.82	5	35	10	0.09	<1	3	4	10	1.55	<10	0.20	237	2	<0.01	4	380	10	<5	<20	5	0.08	<10	17	<10	<1	49	
44	HLL01-12+00S	<5 <0.2	1.20	10	45	10	0.11	<1	4	6	11	2.27	<10	0.24	499	3	<0.01	5	500	16	<5	<20	<1	0.09	<10	26	<10	<1	68	
45	HLL01-00+25N	<5 <0.2	1.74	10	65	5	0.06	<1	5	10	16	2.85	<10	0.27	101	2	0.01	8	260	12	<5	<20	1	0.14	<10	32	<10	<1	42	
46	HLL01-00+50N	<5 <0.2	1.24	10	105	5	0.45	<1	14	8	18	1.91	20	0.23	634	6	0.01	21	440	14	<5	<20	29	0.11	<10	24	<10	9	71	
47	HLL01-00+75N	5 0.3	1.73	20	95	<5	0.28	<1	27	10	22	2.44	20	0.30	869	10	0.01	28	510	16	<5	<20	14	0.12	<10	26	<10	9	87	
48	HLL01-1+00N	5 <0.2	1.26	15	60	<5	0.13	<1	29	10	23	2.46	10	0.41	415	4	0.01	42	330	8	<5	<20	6	0.12	<10	20	<10	6	81	
49	HLL01-1+25N	<5 0.2	1.66	15	95	<5	0.06	<1	8	12	34	2.88	10	0.36	145	1	0.01	13	340	10	<5	<20	11	0.12	<10	27	<10	12	50	
50	HLL01-1+50N	<5 0.2	0.30	<5	10	<5	0.01	<1	1	2	5	0.51	<10	0.01	15	<1	0.02	1	70	4	<5	<20	<1	0.11	<10	13	<10	<1	5	
51	HLL01-1+75N	<5 <0.2	1.18	10	40	5	0.03	<1	3	6	11	1.70	<10	0.18	68	<1	0.01	4	260	8	<5	<20	<1	0.11	<10	20	<10	<1	28	
52	HLL01-2+00N	5 <0.2	2.00	20	65	<5	0.03	<1	8	13	24	3.00	10	0.46	141	<1	<0.01	12	200	8	<5	<20	<1	0.15	<10	28	<10	<1	41	
53	HLL01-2+25N	<5 <0.2	1.12	<5	40	<5	0.05	<1	4	5	9	2.21	<10	0.15	57	<1	0.01	5	130	8	<5	<20	<1	0.21	<10	38	<10	<1	20	
54	HLL01-2+50N	<5 0.3	2.43	15	100	10	0.04	<1	9	13	23	3.33	10	0.44	135	<1	0.01	12	240	12	<5	<20	4	0.17	<10	34	<10	1	46	
55	HLL01-2+75N	<5 <0.2	2.36	15	100	10	0.15	<1	8	11	15	3.56	10	0.36	121	2	0.01	10	210	12	<5	<20	11	0.17	<10	35	<10	2	41	
56	HLL01-3+00N	<5 0.5	3.34	15	100	<5	0.05	<1	9	10	21	2.42	20	0.27	139	1	0.02	9	370	14	<5	<20	2	0.17	<10	29	<10	12	46	
57	HLL01-3+25N	5 0.2	2.45	10	75	<5	0.05	<1	6	7	26	2.07	20	0.21	87	2	0.01	7	380	10	<5	<20	2	0.15	<10	22	<10	12	26	
58	HLL01-3+50N	5 <0.2	2.22	15	65	10	0.09	<1	8	9	15	2.55	10	0.28	142	3	0.01	9	320	8	<5	<20	8	0.15	<10	26	<10	6	40	
59	HLL01-3+75N	<5 <0.2	0.73	<5	65	10	0.09	<1	4	6	9	1.99	<10	0.17	98	<1	0.01	4	130	10	<5	<20	5	0.28	<10	36	<10	<1	25	
60	HLL01-4+00N	<5 <0.2	1.80	5	80	5	0.07	<1	3	6	10	2.27	<10	0.14	51	2	0.01	5	160	8	<5	<20	<1	0.18	<10	28	<10	<1	15	
61	HLL01-4+25N	5 <0.2	0.76	<5	35	5	0.12	<1	2	4	6	1.18	10	0.14	59	1	<0.01	4	100	6	<5	<20	6	0.11	<10	16	<10	2	21	
62	HLL01-4+50N	<5 <0.2	1.24	5	35	10	0.03	<1	3	6	8	2.03	<10	0.16	64	2	<0.01	3	170	6	<5	<20	<1	0.10	<10	26	<10	<1	32	
63	HLL01-4+75N	<5 <0.2	0.79	<5	40	10	0.06	<1	3	5	9	1.72	<10	0.21	83	3	<0.01	4	110	4	<5	<20	<1	0.11	<10	27	<10	<1	35	
64	HLL01-5+00N	<5 <0.2	1.28	10	50	10	0.07	<1	3	5	11	2.11	<10	0.20	93	4	<0.01	4	180	14	<5	<20	1	0.07	<10	21	<10	<1	35	
65	HLL01-5+25N	<5 0.4	1.01	<5	15	<5	0.02	<1	1	2	7	0.70	<10	0.04	23	<1	0.01	<1	210	8	<5	<20	1	0.08	<10	13	<10	<1	9	
66	HLL01-5+50N	<5 <0.2	1.30	5	60	15	0.16	<1	5	6	9	1.83	<10	0.15	100	<1	0.02	6	240	20	<5	<20	11	0.27	<10	33	<10	<1	45	
67	HLL01-5+75N	<5 0.2	0.51	<5	10	5	0.03	<1	1	2	4	0.71	<10	0.03	18	<1	0.01	2	160	10	<5	<20	<1	0.11	<10	17	<10	<1	14	
68	HLL01-6+00N	<5 <0.2	0.33	<5	<5	<5	0.03	<1	<1	<1	1	0.15	<10	0.02	12	<1	<0.01	<1	50	2	<5	<20	<1	0.02	<10	5	<10	<1	5	
69	HLL01-6+25N	5 0.3	0.91	<5	70	10	0.29	<1	3	3	21	1.95	10	0.04	42	<1	0.02	4	280	22	<5	<20	36	0.14	<10	17	<10	11	22	
70	HLL01-6+50N	<5 0.2	0.39	<5	30	<5	0.05	<1	<1	2	5	0.65	<10	0.06	43	<1	<0.01	1	130	8	<5	<20	<1	0.03	<10	11	<10	<1	17	

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	HLL01-6+75N	<5	0.3	0.48	<5	15	5	0.04	<1	2	3	4	1.26	<10	0.10	65	<1	<0.01	2	100	8	<5	&							

72	HLL01-7+00N	5	0.2	0.85	<5	40	10	0.06	<1	3	3	7	1.46	<10	0.15	89	<1	<0.01	2	120	10	<5	<20	3	0.07	<10	14	<10	2	36
73	HLL01-7+25N	<5	0.5	2.51	10	40	10	0.07	<1	3	5	8	2.17	<10	0.07	43	<1	0.02	2	260	16	<5	<20	<1	0.15	<10	31	<10	1	20
74	HLL01-7+50N	<5	<0.2	0.99	<5	30	5	0.04	<1	2	3	5	1.12	<10	0.07	48	<1	0.01	<1	100	10	<5	<20	<1	0.11	<10	20	<10	<1	35
75	HLL01-7+75N	<5	<0.2	0.48	<5	30	10	0.04	<1	1	3	4	1.15	<10	0.09	46	<1	<0.01	2	160	10	<5	<20	3	0.05	<10	19	<10	<1	13
76	HLL01-8+00N	5	0.2	2.21	5	40	10	0.11	<1	3	4	9	1.81	<10	0.03	31	<1	0.02	3	500	10	<5	<20	5	0.20	<10	23	<10	2	12
77	HLL01-8+25N	5	<0.2	0.79	<5	25	5	0.03	<1	2	4	5	1.26	<10	0.15	62	<1	0.01	2	130	10	<5	<20	<1	0.16	<10	26	<10	<1	18
78	HLL01-8+50N	5	<0.2	1.59	5	60	20	0.06	<1	4	7	11	2.13	<10	0.25	104	<1	0.01	5	200	14	<5	<20	<1	0.15	<10	24	<10	<1	33
79	HLL01-8+75N	<5	<0.2	1.24	<5	50	5	0.05	<1	3	6	8	1.53	10	0.22	105	<1	0.01	4	150	10	<5	<20	2	0.11	<10	20	<10	2	32
80	HLL01-9+00N	5	<0.2	1.82	15	90	<5	0.10	<1	6	12	16	3.52	10	0.57	213	<1	0.01	10	220	20	<5	<20	<1	0.17	<10	31	<10	<1	51
81	HLL01-9+25N	5	<0.2	2.83	15	40	<5	0.10	<1	6	7	30	2.51	10	0.21	262	<1	0.02	8	560	14	<5	<20	<1	0.16	<10	28	<10	8	32
82	HLL01-9+50N	<5	<0.2	1.81	10	35	<5	0.08	<1	5	5	14	2.01	<10	0.18	200	1	0.01	5	420	10	<5	<20	<1	0.16	<10	26	<10	<1	31
83	HLL01-9+75N	5	<0.2	1.36	5	30	<5	0.09	<1	3	5	7	1.80	<10	0.24	139	<1	<0.01	4	250	10	<5	<20	<1	0.10	<10	19	<10	<1	31
84	HLL01-10+00N	5	<0.2	1.12	5	30	<5	0.05	<1	2	4	5	1.88	<10	0.15	66	1	<0.01	2	240	10	<5	<20	<1	0.09	<10	17	<10	<1	24
85	HLL01-10+25N	5	<0.2	1.30	5	35	<5	0.09	<1	7	6	9	2.04	10	0.25	214	1	0.01	5	260	12	<5	<20	<1	0.12	<10	21	<10	<1	34
86	HLL01-10+50N	<5	<0.2	1.90	10	40	<5	0.06	<1	4	6	7	2.74	<10	0.14	193	2	0.01	4	330	16	<5	<20	<1	0.14	<10	28	<10	<1	32
87	HLL01-10+75N	<5	0.3	2.24	15	115	<5	0.21	<1	7	8	14	3.10	<10	0.39	236	<1	0.02	8	320	12	<5	<20	6	0.24	<10	34	<10	1	62
88	HLL01-11+00N	<5	<0.2	1.68	10	65	<5	0.05	<1	4	8	6	3.05	<10	0.29	124	<1	<0.01	5	280	16	<5	<20	<1	0.21	<10	36	<10	<1	62
89	HLL02-00+00S	<5	<0.2	1.80	25	35	<5	0.06	<1	7	12	21	3.72	<10	0.44	151	5	<0.01	15	280	14	<5	<20	<1	0.19	<10	34	<10	<1	49
90	HLL02-00+25S	<5	<0.2	1.51	30	50	<5	0.07	<1	6	12	25	3.52	10	0.46	144	5	<0.01	15	330	14	<5	<20	<1	0.15	<10	31	<10	<1	47
91	HLL02-00+50S	<5	<0.2	1.48	20	35	<5	0.18	<1	7	13	20	3.45	20	0.41	145	9	<0.01	13	290	24	<5	<20	<1	0.15	<10	33	<10	4	39
92	HLL02-00+75S	<5	<0.2	1.58	25	60	<5	0.05	<1	8	12	25	3.52	10	0.42	240	4	<0.01	18	280	14	<5	<20	<1	0.15	<10	33	<10	<1	53
93	HLL02-1+00S	<5	<0.2	0.97	15	40	<5	0.13	<1	5	6	19	2.14	<10	0.26	98	3	<0.01	11	250	12	<5	<20	<1	0.13	<10	25	<10	<1	39
94	HLL02-1+25S	5	<0.2	1.21	5	75	<5	0.14	<1	4	8	10	2.64	<10	0.27	116	<1	0.01	4	310	10	<5	<20	<1	0.18	<10	33	<10	<1	60
95	HLL02-1+50S	5	0.2	0.56	<5	15	<5	0.07	<1	2	3	5	1.17	<10	0.08	52	<1	0.01	2	230	10	<5	<20	<1	0.20	<10	25	<10	<1	25
96	HLL02-1+75S	5	<0.2	0.61	<5	35	<5	0.09	<1	2	4	5	1.35	<10	0.11	245	<1	0.01	2	220	10	<5	<20	<1	0.20	<10	29	<10	<1	29
97	HLL02-2+00S	<5	<0.2	1.14	10	20	<5	0.06	<1	2	5	4	1.87	<10	0.13	142	<1	0.01	2	600	10	<5	<20	<1	0.14	<10	26	<10	<1	47
98	HLL02-2+25S	<5	<0.2	2.37	15	85	5	0.06	<1	7	13	15	4.07	<10	0.42	166	2	0.01	9	430	14	<5	<20	<1	0.22	<10	45	<10	<1	75
99	HLL02-2+50S	<5	<0.2	0.83	5	40	<5	0.04	<1	1	4	4	1.58	<10	0.12	331	<1	<0.01	2	240	12	<5	<20	<1	0.11	<10	24	<10	<1	25
100	HLL02-2+75S	5	<0.2	1.27	10	25	<5	0.05	<1	4	6	7	2.70	<10	0.26	129	<1	<0.01	5	410	12	<5	<20	<1	0.18	<10	29	<10	<1	54
101	HLL02-3+00S	<5	<0.2	1.32	15	30	<5	0.06	<1	4	8	8	3.20	<10	0.27	112	<1	<0.01	4	430	12	<5	<20	<1	0.17	<10	35	<10	<1	48
102	HLL02-3+25S	<5	<0.2	2.22	20	35	<5	0.05	<1	4	11	9	3.46	<10	0.26	92	<1	<0.01	5	480	12	<5	<20	<1	0.13	<10	38	<10	<1	46
103	HLL02-3+50S	<5	<0.2	1.60	15	35	<5	0.06	<1	4	7	7	2.61	<10	0.22	118	<1	<0.01	4	570	10	<5	<20	<1	0.15	<10	30	<10	<1	55
104	HLL02-3+75S	5	<0.2	1.53	35	55	<5	0.08	<1	6	14	22	3.80	10	0.53	158	<1	<0.01	10	500	12	<5	<20	<1	0.15	<10	27	<10	<1	53
105	HLL02-4+00S	<5	<0.2	1.18	15	35	<5	0.12	<1	4	7	8	2.46	<10	0.27	151	<1	<0.01	5	350	10	<5	<20	<1	0.13	<10	28	<10	<1	50
106	HLL02-4+25S	<5	<0.2	1.47	25	40	<5	0.14	<1	8	10	15	2.67	20	0.47	328	2	<0.01	9	270	10	<5	<20	<1	0.12	<10	23	<10	6	49
107	HLL02-4+50S	5	<0.2	0.54	10	5	<5	0.09	<1	2	3	3	1.09	<10	0.09	91	<1	<0.01	<1	210	10	<5	<20	<1	0.12	<10	21	<10	<1	27
108	HLL02-4+75S	<5	<0.2	1.35	25	35	<5	0.05	<1	4	9	11	3.15	<10	0.33	167	<1	<0.01	6	490	12	<5	<20	<1	0.14	<10	30	<10	<1	42
109	HLL02-5+00S	5	<0.2	1.28	15	15	<5	0.04	<1	3	7	7	2.67	<10	0.23	108	<1	<0.01	4	440	12	<5	<20	<1	0.14	<10	31	<10	<1	36
110	HLL02-5+25S	<5	<0.2	0.81	10	10	<5	0.05	<1	2	4	4	1.52	<10	0.13	73	<1	<0.01	3	290	10	<5	<20	<1	0.10	<10	19	<10	<1	23

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
111	HLL02-5+50S	<5	0.2	1.45	10	15	<5	0.03	<1	2	5	5	2.22	Page 3		0.14	70	<1	<0.01	3	300	8	<5	<20	<1	0.12	<10	25		

114	HLL02-6+25S	5	0.2	1.52	10	30	<5	0.08	<1	2	6	17	2.34	<10	0.18	56	1	<0.01	2	470	8	<5	<20	<1	0.10	<10	23	<10	<1	27
115	HLL02-6+50S	5	<0.2	2.02	15	25	<5	0.07	<1	3	8	12	2.42	<10	0.19	74	2	0.01	4	640	8	<5	<20	<1	0.11	<10	23	<10	<1	38
116	HLL02-6+75S	5	<0.2	0.67	10	10	<5	0.02	<1	2	5	5	1.56	<10	0.15	61	<1	<0.01	2	170	12	<5	<20	<1	0.15	<10	30	<10	<1	21
117	HLL02-7+00S	<5	<0.2	0.89	10	25	<5	0.07	<1	3	7	9	2.30	<10	0.24	199	<1	<0.01	4	350	10	<5	<20	<1	0.14	<10	30	<10	<1	32
118	HLL02-7+25S	<5	<0.2	1.39	15	40	<5	0.12	<1	6	9	10	3.94	<10	0.24	195	1	<0.01	5	520	14	<5	<20	<1	0.18	<10	39	<10	<1	49
119	HLL02-7+50S	<5	<0.2	1.18	15	45	5	0.05	<1	6	9	14	2.94	<10	0.34	293	2	<0.01	7	280	12	<5	<20	<1	0.15	<10	30	<10	<1	41
120	HLL02-7+75S	5	<0.2	1.72	20	50	<5	0.03	<1	5	11	21	3.64	<10	0.46	156	2	<0.01	6	470	8	<5	<20	<1	0.13	<10	26	<10	<1	49
121	HLL02-8+00S	5	<0.2	0.80	10	25	<5	0.05	<1	3	6	11	2.51	<10	0.18	134	<1	<0.01	3	320	10	<5	<20	<1	0.17	<10	32	<10	<1	29
122	HLL02-8+25S	<5	<0.2	0.47	<5	10	<5	0.07	<1	1	3	3	1.01	<10	0.11	53	<1	<0.01	3	130	10	<5	<20	<1	0.14	<10	24	<10	<1	17
123	HLL02-8+50S	5	<0.2	1.24	10	25	<5	0.03	<1	4	4	6	1.55	<10	0.10	216	<1	0.01	3	290	12	<5	<20	<1	0.17	<10	23	<10	<1	24
124	HLL02-8+75S	5	0.5	1.29	20	35	<5	0.05	<1	9	9	12	2.79	<10	0.27	479	1	<0.01	7	410	14	<5	<20	<1	0.13	<10	29	<10	<1	42
125	HLL02-9+00S	5	0.2	1.18	20	35	10	0.03	<1	5	10	14	3.19	<10	0.32	193	<1	<0.01	6	340	14	<5	<20	<1	0.17	<10	32	<10	<1	41
126	HLL02-9+25S	5	<0.2	0.97	20	30	<5	0.02	<1	4	8	16	2.73	<10	0.28	106	<1	<0.01	7	230	12	<5	<20	<1	0.18	<10	35	<10	<1	30
127	HLL02-9+50S	5	<0.2	2.03	25	45	<5	0.18	<1	28	10	26	3.03	10	0.34	487	6	<0.01	16	590	18	<5	<20	<1	0.10	<10	26	<10	10	72
128	HLL02-9+75S	5	<0.2	0.68	10	<5	<5	0.02	<1	2	5	7	1.75	<10	0.13	42	1	<0.01	2	130	8	<5	<20	<1	0.11	<10	26	<10	<1	13
129	HLL02-10+00S	<5	0.4	0.87	15	<5	<5	0.05	<1	4	6	33	2.14	10	0.24	77	4	<0.01	7	320	14	<5	<20	<1	0.13	<10	23	<10	<1	22
130	HLL02-00+25N	<5	<0.2	1.45	20	45	<5	0.06	<1	5	10	13	2.89	<10	0.34	129	<1	<0.01	10	270	12	<5	<20	<1	0.15	<10	29	<10	<1	56
131	HLL02-00+50N	5	<0.2	0.86	10	30	<5	0.07	<1	4	5	4	2.06	<10	0.15	80	<1	<0.01	3	310	12	<5	<20	<1	0.20	<10	35	<10	<1	42
132	HLL02-00+75N	<5	<0.2	2.31	15	55	<5	0.05	<1	5	8	8	2.52	<10	0.16	311	<1	0.01	5	1240	12	<5	<20	<1	0.19	<10	32	<10	<1	55
133	HLL02-1+00N	5	<0.2	1.49	20	10	<5	0.02	<1	2	6	5	1.78	<10	0.10	57	<1	<0.01	2	360	12	<5	<20	<1	0.12	<10	31	<10	<1	26
134	HLL02-1+25N	5	<0.2	2.78	10	20	<5	0.05	<1	3	7	6	2.55	<10	0.07	71	<1	0.01	3	790	14	<5	<20	<1	0.17	<10	37	<10	<1	32
135	HLL02-1+50N	5	<0.2	1.15	15	35	<5	0.05	<1	5	8	8	2.92	<10	0.29	108	<1	<0.01	6	360	12	<5	<20	<1	0.16	<10	36	<10	<1	51
136	HLL02-1+75N	5	<0.2	2.79	15	40	<5	0.05	<1	5	9	7	3.43	<10	0.14	63	<1	0.01	5	990	14	<5	<20	<1	0.24	<10	40	<10	<1	35
137	HLL02-2+00N	5	<0.2	1.46	15	25	<5	0.14	<1	5	10	9	2.74	10	0.33	115	<1	<0.01	7	290	12	<5	<20	<1	0.13	<10	29	<10	2	40
138	HLL02-2+25N	5	<0.2	1.74	15	50	<5	0.06	<1	6	10	11	3.22	<10	0.32	218	<1	<0.01	9	440	16	<5	<20	<1	0.14	<10	32	<10	<1	54
139	HLL02-2+50N	<5	<0.2	2.21	20	55	<5	0.07	<1	9	13	17	3.51	10	0.53	197	1	<0.01	11	410	13	<5	<20	<1	0.17	<10	33	<10	<1	64
140	HLL02-2+75N	5	<0.2	1.94	15	50	5	0.15	<1	6	7	7	3.74	<10	0.10	165	<1	<0.01	5	720	22	<5	<20	<1	0.31	<10	49	<10	<1	44
141	HLL02-3+00N	<5	<0.2	2.42	10	45	<5	0.06	<1	4	7	7	2.93	<10	0.17	241	<1	0.01	5	980	12	<5	<20	<1	0.18	<10	33	<10	<1	48
142	HLL02-3+25N	5	<0.2	1.73	15	45	<5	0.06	<1	5	10	9	2.86	<10	0.32	125	<1	<0.01	7	360	13	<5	<20	<1	0.16	<10	28	<10	<1	46
143	HLL02-3+50N	5	<0.2	1.35	10	30	<5	0.05	<1	4	7	7	2.65	<10	0.27	116	1	<0.01	5	300	14	<5	<20	<1	0.17	<10	32	<10	<1	43
144	HLL02-3+75N	5	<0.2	1.30	10	50	<5	0.21	<1	4	6	6	2.30	<10	0.25	120	2	<0.01	6	270	14	<5	<20	<1	0.14	<10	25	<10	<1	54
145	HLL02-4+00N	<5	<0.2	1.20	10	45	<5	0.17	<1	4	6	7	1.97	10	0.23	165	2	0.01	6	320	14	<5	<20	<1	0.10	<10	22	<10	3	45
146	HLL02-4+25N	<5	<0.2	1.23	15	40	<5	0.08	<1	4	8	9	3.20	<10	0.26	104	4	<0.01	7	380	14	<5	<20	<1	0.16	<10	38	<10	<1	41
147	HLL02-4+50N	5	<0.2	2.35	15	15	<5	0.03	<1	3	8	7	2.67	<10	0.13	62	<1	0.01	4	560	10	<5	<20	<1	0.17	<10	36	<10	<1	30
148	HLL02-4+75N	5	<0.2	3.54	15	<5	<5	0.04	<1	3	4	8	1.89	<10	0.03	23	<1	0.02	3	670	8	<5	<20	<1	0.23	<10	34	<10	<1	13
149	HLL02-5+00N	<5	<0.2	1.15	10	20	<5	0.10	<1	2	5	4	2.06	<10	0.17	62	2	<0.01	4	230	14	<5	<20	<1	0.14	<10	28	<10	<1	28
150	HLL02-5+25N	<5	<0.2	1.34	10	25	<5	0.06	<1	3	6	6	2.15	<10	0.22	118	<1	<0.01	4	320	10	<5	<20	<1	0.12	<10	25	<10	<1	34

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

BOOTLEG EXPLORATION INC.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
151	HLL02-5+50N	<5	<0.2	1.47	15	15	<5	0.05	<1	4	8	10	2.56	<10	0.29	111	<1	<0.01	6	370	10	<5	<20	<1	0.13	<10	27	<10	<1	40
152	HLL02-5+75N	<5	<0.2	1.82	15	35	<5	0.06	<1	5	9	9	2.55	<10	0.31	108	<1	0.01	7	250	12	<5	<20	<1	0.18	<10	31	<10	<1	37
153	HLL02-6+00N	<5	<0.2	2.30	15	15	<5	0.04	<1	3	6	7	2.42	<10	0.12	57	<1	<0.01	3	450</td										

156	HLL02-6+75N	5 <0.2 0.95	10 40 <5 0.09 <1 3 6 4 2.66 <10 0.17 86 <1 <0.01 3 400 12 <5 <20 <1 0.16 <10 37 <10 <1 45
157	HLL02-7+00N	5 <0.2 2.00	10 10 85 0.06 <1 4 7 5 2.81 <10 0.14 77 <1 <0.01 4 580 12 <5 <20 <1 0.17 <10 35 <10 <1 32
158	HLL02-7+25N	<5 <0.2 1.41	10 30 <5 0.08 <1 4 6 8 2.13 <10 0.20 127 <1 <0.01 5 430 14 <5 <20 <1 0.14 <10 24 <10 <1 50
159	HLL02-7+50N	5 <0.2 1.69	10 15 <5 0.08 <1 1 3 5 1.23 <10 0.05 36 <1 <0.01 2 350 18 <5 <20 <1 0.10 <10 19 <10 <1 20
160	HLL02-7+75N	5 <0.2 1.27	10 40 <5 0.11 <1 3 5 5 1.79 <10 0.20 95 <1 <0.01 4 270 16 <5 <20 <1 0.13 <10 23 <10 <1 34
161	HLL02-8+00N	10 <0.2 1.44	10 35 <5 0.11 <1 3 5 8 1.65 <10 0.18 183 <1 <0.01 4 350 18 <5 <20 <1 0.06 <10 18 <10 <1 37
162	HLL02-8+25N	<5 <0.2 1.24	10 20 <5 0.05 <1 2 4 4 1.76 <10 0.11 103 <1 <0.01 3 470 14 <5 <20 <1 0.13 <10 25 <10 <1 30
163	HLL02-8+50N	<5 <0.2 0.72	5 <5 <5 0.06 <1 1 2 1 1.12 <10 0.05 29 <1 <0.01 <1 220 10 <5 <20 <1 0.14 <10 21 <10 <1 10
164	HLL02-8+75N	<5 <0.2 3.65	15 50 10 0.08 <1 3 6 6 2.49 <10 0.08 124 <1 <0.01 3 1140 12 <5 <20 <1 0.18 <10 33 <10 <1 33
165	HLL02-9+00N	10 <0.2 1.12	10 30 <5 0.07 <1 3 5 5 2.54 <10 0.19 103 <1 <0.01 4 750 12 <5 <20 <1 0.19 <10 34 <10 <1 37
166	HLL02-9+25N	5 <0.2 1.40	10 10 5 0.04 <1 2 6 4 2.53 <10 0.12 53 <1 <0.01 2 480 14 <5 <20 <1 0.15 <10 33 <10 <1 21
167	HLL02-9+50N	5 <0.2 1.55	10 20 <5 0.06 <1 3 4 6 2.01 <10 0.20 104 <1 <0.01 4 380 12 <5 <20 <1 0.11 <10 21 <10 <1 37
168	HLL02-9+75N	5 <0.2 1.18	10 5 <5 0.03 <1 2 6 5 2.27 <10 0.16 60 <1 <0.01 3 240 12 <5 <20 <1 0.12 <10 31 <10 <1 21
169	HLL02-10+00N	5 <0.2 0.86	10 <5 <5 0.05 <1 2 4 4 1.63 <10 0.17 72 <1 <0.01 2 340 10 <5 <20 <1 0.11 <10 21 <10 <1 24
170	HLL03-00+00S	5 <0.2 1.33	10 10 <5 0.11 <1 4 4 5 2.34 <10 0.28 234 3 <0.01 6 390 18 <5 <20 <1 0.14 <10 22 <10 <1 62
171	HLL03-00+25S	5 <0.2 1.75	10 40 5 0.05 <1 4 5 6 2.54 <10 0.19 164 2 <0.01 6 360 14 <5 <20 <1 0.18 <10 32 <10 <1 65
172	HLL03-00+50S	<5 <0.2 0.85	<5 20 <5 0.03 <1 3 3 4 1.74 <10 0.14 83 <1 <0.01 2 180 10 <5 <20 <1 0.20 <10 38 <10 <1 31
173	HLL03-00+75S	<5 <0.2 0.56	<5 <5 <5 0.04 <1 1 2 4 1.06 <10 0.07 55 <1 <0.01 1 170 10 <5 <20 <1 0.10 <10 21 <10 <1 21
174	HLL03-1+00S	5 <0.2 0.49	<5 5 <5 0.02 <1 <1 2 2 0.54 <10 0.03 35 <1 <0.01 <1 90 8 <5 <20 <1 0.11 <10 18 <10 <1 11
175	HLL03-1+25S	5 <0.2 1.18	<5 40 <5 0.05 <1 2 4 8 1.71 <10 0.08 1192 <1 0.01 3 280 12 <5 <20 <1 0.15 <10 30 <10 <1 39
176	HLL03-1+50S	<5 <0.2 0.74	<5 60 5 0.04 <1 3 3 5 1.31 <10 0.06 399 2 0.01 2 170 30 <5 <20 <1 0.24 <10 35 <10 <1 22
177	HLL03-1+75S	<5 <0.2 1.62	10 30 <5 0.05 <1 4 7 9 3.15 <10 0.19 125 4 <0.01 4 210 48 <5 <20 <1 0.18 <10 44 <10 <1 54
178	HLL03-2+00S	5 <0.2 1.66	10 10 10 0.04 <1 2 5 6 1.99 <10 0.12 78 1 <0.01 3 300 48 <5 <20 <1 0.13 <10 31 <10 <1 32
179	HLL03-2+25S	<5 0.3 1.68	10 35 <5 0.14 <1 3 3 18 1.70 <10 0.15 225 <1 0.01 3 1290 54 <5 <20 <1 0.16 <10 22 <10 <1 41
180	HLL03-2+50S	<5 <0.2 2.14	10 20 <5 0.03 <1 2 4 6 2.22 <10 0.12 64 <1 <0.01 2 280 60 <5 <20 <1 0.18 <10 34 <10 <1 24
181	HLL03-2+75S	<5 0.2 0.72	<5 <5 <5 0.02 <1 2 2 4 1.29 <10 0.01 17 <1 0.01 2 180 18 <5 <20 <1 0.16 <10 27 <10 <1 9
182	HLL03-3+00S	<5 <0.2 1.73	10 35 <5 0.06 <1 3 4 9 2.73 <10 0.27 163 <1 <0.01 5 460 48 <5 <20 <1 0.16 <10 30 <10 <1 54
183	HLL03-3+25S	<5 <0.2 0.95	5 10 <5 0.05 <1 2 2 2 1.69 <10 0.13 70 <1 <0.01 1 180 24 <5 <20 <1 0.14 <10 25 <10 <1 31
184	HLL03-3+50S	<5 <0.2 1.26	5 <5 <5 0.04 <1 2 3 4 1.79 <10 0.17 96 <1 <0.01 3 200 34 <5 <20 <1 0.11 <10 20 <10 <1 31
185	HLL03-3+75S	5 <0.2 1.19	<5 15 10 0.06 <1 2 3 4 2.20 <10 0.17 108 <1 <0.01 2 180 34 <5 <20 <1 0.15 <10 27 <10 <1 29
186	HLL03-4+00S	<5 0.2 1.61	5 15 <5 0.05 <1 3 4 5 1.85 <10 0.18 119 <1 <0.01 2 300 44 <5 <20 <1 0.15 <10 23 <10 <1 46
187	HLL03-4+25S	<5 <0.2 0.93	5 10 <5 0.09 <1 2 4 5 2.30 <10 0.19 95 <1 <0.01 3 510 24 <5 <20 <1 0.14 <10 28 <10 <1 29
188	HLL03-4+50S	<5 0.2 1.26	10 10 <5 0.04 <1 3 5 7 2.13 <10 0.20 84 1 <0.01 3 240 34 <5 <20 <1 0.14 <10 27 <10 <1 29
189	HLL03-4+75S	<5 <0.2 1.63	10 20 <5 0.05 <1 3 4 5 2.05 <10 0.20 99 <1 <0.01 4 260 42 <5 <20 <1 0.14 <10 25 <10 <1 32
190	HLL03-5+00S	<5 <0.2 2.12	10 30 <5 0.05 <1 4 6 7 2.79 <10 0.25 125 <1 <0.01 4 410 54 <5 <20 <1 0.14 <10 25 <10 <1 39

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

BOOTLEG EXPLORATION INC.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
191	HLL03-5+25S	<5 <0.2 1.66	20	35	<5	0.06	<1	6	10	25	3.85	<10	0.41	175	1 <0.01	8	450	42	<5	<20	<1	0.18	<10	34	<10	<1	46			
192	HLL03-5+50S	<5 <0.2 3.25	15	30	<5	0.04	<1	3	8	9	2.64	<10	0.15	82	<1 <0.01	4	480	80	<5	<20	<1	0.15	<10	28	<10	<1	36			
193	HLL03-5+75S	<5 <0.2 1.68	20	55	<5	0.04	<1	5	8	11	2.47	10	0.39	147	<1 <0.01	8	290	42	<5	<20	<1	0.12	<10	21	<10	<1	40			
194	HLL03-6+00S	<5 <0.2 1.99	15	25	<5	0.04	<1	3	8	7	2.84	<10	0.25	93	<1 <0.01	4	230	48	<5	<20	<1	0.11	<10	29	<10	<1	33			
195	HLL03-6+25S	<5 <0.2 1.90	15	40	<5	0.07	<1	4	10	7	3.44	<10	0.23	89	<1 <0.01	4	320	48	<5	<20	<1	0.15	<10	38	<10	<1	37			
196	HLL03-6+50S	<5 0.2 2.45	15	40	<5	0.03	<1	3	11	7	3.17	<10	0.14	53	<1 <0.01	4	290	62	<5	<20	<1	0.16	<10	41	<10	<1	23			

197	HLL03-6+75S	<5 <0.2 1.76	25 35	<5 0.02	<1 4	13 9	3.55 <10	0.32 96	1 <0.01	5 260	42 <5 <20	<1 0.13 <10	39 <10 <1 34
198	HLL03-7+00S	<5 <0.2 1.50	25 40	5 0.03	<1 5	14 10	4.87 <10	0.34 94	2 <0.01	5 250	36 <5 <20	<1 0.17 <10	49 <10 <1 30
199	HLL03-7+25S	<5 0.2 1.37	15 10	<5 0.04	<1 3	10 6	2.90 <10	0.20 66	<1 <0.01	4 220	34 <5 <20	<1 0.12 <10	31 <10 <1 22
200	HLL03-7+50S	<5 0.2 2.68	30 30	<5 0.02	<1 4	15 10	3.99 <10	0.28 75	3 <0.01	5 280	66 <5 <20	<1 0.12 <10	34 <10 <1 26
201	HLL03-7+75S	<5 <0.2 1.58	20 50	5 0.11	<1 4	17 10	5.05 <10	0.38 112	3 <0.01	5 230	38 <5 <20	<1 0.14 <10	43 <10 <1 31
202	HLL03-8+00S	<5 <0.2 1.37	10 20	<5 0.02	<1 2	6 8	2.08 <10	0.12 56	<1 <0.01	3 220	34 <5 <20	<1 0.10 <10	33 <10 <1 16
203	HLL03-8+25S	<5 <0.2 1.36	15 50	<5 0.08	<1 3	13 9	3.54 <10	0.31 144	2 <0.01	5 250	34 <5 <20	<1 0.11 <10	42 <10 <1 30
204	HLL03-8+50S	<5 <0.2 2.56	20 75	<5 0.05	<1 7	13 16	3.66 <10	0.46 187	<1 <0.01	10 250	68 <5 <20	<1 0.17 <10	32 <10 <1 43
205	HLL03-8+75S	<5 <0.2 1.91	20 60	<5 0.03	<1 5	13 18	3.43 <10	0.49 146	1 <0.01	6 220	50 <5 <20	<1 0.14 <10	31 <10 <1 38
206	HLL03-9+00S	5 <0.2 2.14	15 55	<5 0.03	<1 5	14 16	3.37 <10	0.45 152	1 <0.01	8 300	56 <5 <20	<1 0.13 <10	33 <10 <1 47
207	HLL03-9+25S	<5 <0.2 1.62	15 35	<5 0.03	<1 5	12 10	3.07 <10	0.38 139	4 <0.01	8 240	44 <5 <20	<1 0.13 <10	36 <10 <1 40
208	HLL03-9+50S	<5 <0.2 2.79	20 95	15 0.10	<1 9	8 25	3.24 10	0.37 305	3 <0.01	21 850	80 <5 <20	<1 0.13 <10	25 <10 <2 84
209	HLL03-9+75S	<5 <0.2 1.60	15 35	<5 0.05	<1 5	9 10	3.00 <10	0.32 239	3 <0.01	9 410	50 <5 <20	<1 0.15 <10	35 <10 <1 71
210	HLL03-00+25N	<5 0.2 2.83	15 15	<5 0.06	<1 2	7 6	3.01 <10	0.06 71	1 <0.01	2 540	82 <5 <20	<1 0.13 <10	37 <10 <1 25
211	HLL03-00+50N	<5 <0.2 1.86	10 50	5 0.06	<1 5	8 9	3.23 <10	0.22 178	<1 <0.01	7 460	56 <5 <20	<1 0.19 <10	49 <10 <1 55
212	HLL03-00+75N	<5 0.2 2.52	10 20	<5 0.05	<1 3	5 7	2.10 <10	0.06 79	<1 0.01	3 350	66 <5 <20	<1 0.20 <10	40 <10 <1 27
213	HLL03-1+00N	<5 <0.2 2.64	10 25	<5 0.04	<1 2	5 6	2.34 <10	0.05 78	<1 0.01	<1 250	70 <5 <20	<1 0.17 <10	40 <10 <1 28
214	HLL03-1+25N	<5 <0.2 0.66	<5 20	<5 0.06	<1 <1	2 2	0.55 <10	0.06 209	<1 <0.01	<1 220	26 <5 <20	<1 0.09 <10	15 <10 <1 24
215	HLL03-1+50N	<5 <0.2 0.41	<5 5	<5 0.05	<1 <1	1 2	0.54 <10	0.04 96	<1 <0.01	1 100	14 <5 <20	<1 0.06 <10	14 <10 <1 23
216	HLL03-1+75N	<5 0.2 1.38	5 <5	5 0.05	<1 3	4 5	2.00 <10	0.03 44	<1 0.01	2 390	44 <5 <20	<1 0.23 <10	43 <10 <1 23
217	HLL03-2+25N	<5 0.2 2.70	10 40	<5 0.08	<1 5	5 6	1.71 <10	0.09 133	2 0.02	4 570	78 <5 <20	<1 0.18 <10	29 <10 <1 46
218	HLL03-2+50N	<5 0.2 2.30	10 30	<5 0.08	<1 1	5 7	1.68 <10	0.04 81	<1 0.02	2 1060	64 <5 <20	<1 0.13 <10	36 <10 <1 26
219	HLL03-2+75N	<5 <0.2 2.71	15 30	<5 0.05	<1 4	8 11	2.50 <10	0.16 393	<1 0.01	6 880	80 <5 <20	<1 0.18 <10	38 <10 <1 89
220	HLL03-3+00N	<5 <0.2 0.98	<5 15	<5 0.04	<1 <1	3 5	0.95 <10	0.06 80	<1 0.01	1 330	28 <5 <20	<1 0.06 <10	19 <10 <1 32
221	HLL03-3+25N	<5 <0.2 3.13	15 35	<5 0.04	<1 4	8 9	2.82 <10	0.16 95	<1 0.01	5 670	80 <5 <20	<1 0.18 <10	41 <10 <1 78
222	HLL03-3+50N	<5 <0.2 0.33	<5 <5	<5 0.04	<1 <1	1 1	0.25 <10	0.02 20	<1 0.01	<1 100	12 <5 <20	<1 0.09 <10	12 <10 <1 14
223	HLL03-3+75N	<5 0.2 2.25	10 50	5 0.09	<1 3	5 7	2.03 <10	0.08 197	<1 0.01	4 510	70 <5 <20	<1 0.19 <10	35 <10 <1 42
224	HLL03-4+00N	<5 <0.2 1.51	10 15	<5 0.11	<1 2	4 4	1.78 <10	0.07 49	<1 0.01	2 500	42 <5 <20	<1 0.14 <10	33 <10 <1 26
225	HLL03-4+25N	<5 <0.2 0.70	<5 <5	<5 0.04	<1 <1	2 1	0.89 <10	0.05 40	<1 <0.01	<1 140	22 <5 <20	<1 0.12 <10	25 <10 <1 14
226	HLL03-4+50N	<5 <0.2 0.51	<5 10	<5 0.03	<1 <1	1 1	0.54 <10	0.04 38	1 <0.01	<1 120	16 <5 <20	<1 0.07 <10	14 <10 <1 14
227	HLL03-4+75N	<5 <0.2 0.80	<5 <5	<5 0.06	<1 1	2 2	1.36 <10	0.10 75	<1 <0.01	<1 170	22 <5 <20	<1 0.12 <10	24 <10 <1 27
228	HLL03-5+00N	<5 <0.2 1.24	5 15	<5 0.04	<1 2	3 3	1.74 <10	0.10 69	<1 <0.01	2 260	34 <5 <20	<1 0.13 <10	28 <10 <1 27
229	HLL03-5+25N	<5 <0.2 3.06	15 10	<5 0.04	<1 3	6 5	3.37 <10	0.06 69	<1 0.01	2 570	80 <5 <20	<1 0.19 <10	45 <10 <1 25
230	HLL03-5+50N	<5 <0.2 1.36	5 5	5 0.04	<1 2	3 3	2.01 <10	0.14 82	<1 <0.01	2 230	36 <5 <20	<1 0.14 <10	30 <10 <1 27

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

ECO TECH LABORATORY LTD.

BOOTLEG EXPLORATION INC.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
231	HLL03-5+75N	<5 <0.2 1.83	10	25	<5	0.05	<1	2	4	4	2.21	<10	0.19	107	<1 <0.01	2	380	48	<5 <20	<1 0.12 <10	24 <10	<1	40							
232	HLL03-6+00N	<5 <0.2 2.02	10	15	<5	0.07	<1	3	3	3	2.90	<10	0.13	81	<1 <0.01	2	270	52	<5 <20	<1 0.20 <10	40 <10	<1	26							
233	HLL03-6+25N	<5 <0.2 1.77	10	10	<5	0.12	<1	2	2	3	2.01	<10	0.20	135	<1 <0.01	1	650	46	<5 <20	<1 0.10 <10	18 <10	<1	40							
234	HLL03-6+50N	5 <0.2 0.45	<5	5	<5	0.04	<1	<1	<1	<1	0.47	<10	0.05	34	<1 <0.01	1	100	12	<5 <20	<1 0.07 <10	12 <10	<1	11							
235	HLL03-6+75N	<5 <0.2 2.02	5	10	<5	0.05	<1	2	3	3	2.60	<10	0.13	79	<1 <0.01	2	370	54	<5 <20	<1 0.12 <10	27 <10	<1	31							
236	HLL03-7+00N	<5 <0.2 0.58	<5	10	<5	0.07	<1	<1	1	1	0.94	Page 6	0.07	55	<1 <0.01	1	140	16	<5 <20	<1 0.11 <10	16 <10	<1	16							
237	HLL03-7+25N	15 0.4 1.15	5	10	<5	0.04	<1	1	2	3	1.17	<10	0.03	24	<1 0.01	<1	220	36	<5 <20	<1 0.15 <10	25 <10	<1	11							
238	HLL03-7+50N	<5 <0.2 0.60	<5	15	<5	0.10	<1	<1	<1	2	0.54	<10	0.05	61	<1 <0.01	<1	200	20	<5 <20	<1 0.06 <10	11 <10	<1	13							

239	HLL03-8+00N	<5 <0.2 0.94	5 15 <5 0.06 <1 3 2 3 1.43 <10 0.15 77 <1 <0.01 <1 200 32 <5 <20 <1 0.18 <10 20 <10 <1 26
240	HLL03-8+25N	<5 <0.2 1.06	5 25 <5 0.06 <1 2 2 3 1.42 <10 0.19 108 <1 0.01 2 160 34 <5 <20 <1 0.17 <10 18 <10 <1 32
241	HLL03-8+50N	<5 0.3 1.38	5 20 <5 0.07 <1 2 3 5 1.47 <10 0.16 94 <1 <0.01 3 430 44 <5 <20 <1 0.13 <10 21 <10 <1 34
242	HLL03-8+75N	<5 <0.2 1.39	5 20 <5 0.10 <1 2 2 2 1.45 <10 0.19 148 <1 <0.01 <1 570 44 <5 <20 <1 0.12 <10 15 <10 <1 41
243	HLL03-9+00N	<5 0.2 0.75	<5 25 <5 0.07 <1 <1 2 4 0.79 <10 0.08 48 <1 <0.01 3 240 28 <5 <20 <1 0.07 <10 14 <10 <1 21
244	HLL03-9+25N	<5 <0.2 0.18	<5 <5 <5 0.02 <1 <1 <1 2 0.25 <10 0.02 23 <1 0.01 <1 120 12 <5 <20 <1 0.11 <10 12 <10 <1 7
245	HLL03-9+75N	<5 <0.2 1.25	5 20 <5 0.06 <1 2 2 3 1.57 <10 0.14 96 <1 <0.01 2 290 38 <5 <20 <1 0.14 <10 20 <10 <1 30
246	HLL03-10+00N	<5 <0.2 2.47	10 5 <5 0.04 <1 2 4 7 2.03 <10 0.06 83 <1 0.01 2 970 68 <5 <20 <1 0.17 <10 34 <10 <1 28
247	HLL03-10+25N	<5 <0.2 2.38	10 40 <5 0.07 <1 3 3 5 1.83 <10 0.17 143 <1 0.01 3 620 64 <5 <20 <1 0.17 <10 24 <10 <1 33
248	HLL03-10+75N	5 <0.2 2.88	10 75 <5 0.08 <1 4 5 6 2.72 <10 0.28 245 <1 0.01 4 810 76 <5 <20 <1 0.18 <10 35 <10 <1 84
249	HLL03-11+00N	5 <0.2 1.42	5 60 <5 0.08 <1 4 4 4 2.17 <10 0.20 344 <1 0.01 3 320 44 <5 <20 <1 0.23 <10 38 <10 <1 51
250	HLL03-11+25N	<5 <0.2 2.58	10 50 <5 0.07 <1 5 5 5 2.58 <10 0.26 213 <1 0.01 4 500 72 <5 <20 <1 0.25 <10 36 <10 <1 69
251	HLL03-11+50N	<5 <0.2 2.00	10 45 5 0.08 <1 5 5 5 3.09 <10 0.30 238 <1 <0.01 5 530 56 <5 <20 <1 0.25 <10 43 <10 <1 73
252	HLL03-11+75N	75 <0.2 1.81	10 25 <5 0.08 <1 3 4 5 2.16 <10 0.16 214 <1 0.01 3 630 48 <5 <20 <1 0.16 <10 34 <10 <1 53
253	HLL03-12+00N	5 <0.2 1.86	10 30 <5 0.04 <1 3 4 4 2.43 <10 0.16 149 <1 0.01 3 370 54 <5 <20 <1 0.13 <10 40 <10 <1 49
254	HLL04-00+00N	<5 0.3 0.87	10 90 <5 0.23 <1 1 1 9 1.36 <10 0.17 289 <1 <0.01 2 450 38 <5 <20 10 0.08 <10 14 <10 <1 72
255	HLL04-00+25N	<5 0.2 1.35	10 45 <5 0.27 <1 3 5 7 2.01 <10 0.27 619 2 <0.01 4 630 40 <5 <20 8 0.09 <10 21 <10 <1 3 68
256	HLL04-00+50N	<5 <0.2 0.90	<5 60 <5 0.13 <1 2 3 4 1.56 <10 0.19 519 1 <0.01 3 280 26 <5 <20 <1 0.11 <10 20 <10 <1 52
257	HLL04-00+75N	<5 <0.2 0.99	5 75 <5 0.17 <1 2 2 3 1.59 <10 0.20 372 <1 <0.01 2 330 30 <5 <20 <1 0.13 <10 20 <10 <1 52
258	HLL04-1+00N	<5 <0.2 1.24	5 80 <5 0.19 <1 4 8 5 2.31 <10 0.35 240 <1 0.01 5 430 34 <5 <20 <1 0.19 <10 30 <10 <1 69
259	HLL04-1+25N	<5 <0.2 0.75	5 80 <5 0.18 <1 2 3 4 1.43 <10 0.18 527 <1 <0.01 3 260 24 <5 <20 <1 0.11 <10 20 <10 <1 40
260	HLL04-1+50N	<5 0.2 0.80	10 15 <5 0.08 <1 2 3 3 1.38 <10 0.19 161 <1 <0.01 2 250 24 <5 <20 <1 0.11 <10 18 <10 <1 33
261	HLL04-1+75N	<5 0.2 0.78	5 20 <5 0.07 <1 4 9 9 1.91 <10 0.30 601 <1 0.01 6 740 32 <5 <20 <1 0.07 <10 27 <10 <1 39
262	HLL04-2+00N	<5 0.2 0.90	10 15 <5 0.07 <1 4 13 6 2.17 <10 0.44 299 <1 0.02 7 420 32 <5 <20 <1 0.10 <10 35 <10 <1 36
263	HLL04-2+25N	<5 0.2 1.01	15 <5 <5 0.12 <1 4 14 6 2.40 <10 0.53 168 <1 0.01 9 440 40 <5 <20 <1 0.10 <10 36 <10 <1 2 39
264	HLL04-2+50N	<5 <0.2 1.58	15 35 5 0.11 <1 5 15 6 2.91 <10 0.53 189 <1 0.01 8 500 50 <5 <20 <1 0.19 <10 41 <10 <1 62
265	HLL04-2+75N	<5 <0.2 1.32	10 45 <5 0.14 <1 4 12 6 2.38 <10 0.45 281 <1 0.02 8 550 44 <5 <20 <1 0.14 <10 35 <10 <1 58
266	HLL04-3+00N	5 <0.2 1.28	15 40 <5 0.11 <1 5 12 5 2.53 <10 0.48 364 <1 0.01 7 410 52 <5 <20 <1 0.14 <10 39 <10 <1 56
267	HLL04-3+25N	<5 <0.2 1.23	5 35 <5 0.09 <1 3 4 4 2.18 <10 0.24 165 <1 <0.01 3 390 34 <5 <20 <1 0.14 <10 25 <10 <1 71
268	HLL04-3+50N	<5 <0.2 1.02	<5 55 <5 0.18 <1 3 4 4 1.60 <10 0.19 471 2 0.01 4 270 30 <5 <20 <1 0.14 <10 22 <10 <1 53
269	HLL04-3+75N	<5 0.2 1.36	5 95 <5 0.18 <1 4 7 5 2.14 <10 0.26 857 1 0.01 4 300 40 <5 <20 <1 0.20 <10 30 <10 <1 63
270	HLL04-4+00N	<5 0.2 0.89	10 10 5 0.08 <1 3 7 6 2.32 <10 0.27 135 6 <0.01 5 260 26 <5 <20 <1 0.14 <10 33 <10 <1 31

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

BOOTLEG EXPLORATION INC.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
271	HLL04-4+25N	<5 <0.2 0.80	10	20	<5 0.09	<1	4	10	8	2.31	<10	0.31	488	8 <0.01	7	620	40	<5 <20	<1 0.09	<10	42 <10	<1	38							
272	HLL04-4+50N	<5 <0.2 1.62	10	35	10 0.11	<1	5	7	6	2.63	<10	0.45	253	<1 <0.01	6	370	54	<5 <20	<1 0.16	<10	32 <10	<1	65							
273	HLL04-4+75N	<5 <0.2 1.40	20	25	10 0.08	<1	8	20	9	3.97	<10	0.71	144	2 0.01	15	260	42	<5 <20	<1 0.18	<10	77 <10	<1	41							
274	HLL04-5+00N	5 <0.2 1.09	15	10	<5 0.08	<1	6	15	6	3.44	<10	0.51	125	8 0.01	11	230	34	<5 <20	<1 0.16	<10	68 <10	<1	34							
275	HLL04-5+25N	<5 0.3 2.81	25	145	10 0.82	<1	8	15	15	3.29	10	0.44	2352	2 0.02	12	600	92	<5 <20	74 0.21	<10	39 10	12	89							
276	HLL04-5+50N	<5 <0.2 1.25	10	55	<5 0.19	<1	4	8	6	2.04	<10	0.34	507	3 0.01	6	330	38	<5 <20	<1 0.11	<10	24 <10	<1	43							
277	HLL04-5+75N	<5 0.2 1.35	5	25	<5 0.33	<1	3	5	4	2.44	<10	0.26	140	5 0.01	3	280	44	<5 <20	10 0.17	<10	35 <10	<1	42							
278	HLL04-6+00N	<5 <0.2 1.57	5	20	<5 0.07	<1	3	4	3	2.24	<10	0.24	157	1 <0.01	4	290	46	<5 <20	<1 0.14	<10	26 <10	<1	53							
279	HLL04-6+25N	<5 0.2 0.84	<5 10	<5 0.08	<1	2	2	4	1.55	<10	0.18	140	2 <0.01	2	460	26	<5 <20	<1 0.09	<10	16 <10	<1	30								
280	HLL04-6+50N	<5 <0.2 0.82	<5 20	<5 0.07	<1	2	2	3	1.53	<10	0.15	99	3 <0.01	2	160	28	<5 <20	<1 0.15	<10	23 <10	<1	30								

281	HLL04-6+75N	5 <0.2 1.54	10 60 <5 0.20 <1 4 5 4 2.46 <10 0.31 197 1 0.01 3 200 44 <5 <20 5 0.19 <10 28 <10 <1 49
282	HLL04-7+00N	5 <0.2 2.07	10 35 <5 0.08 <1 3 3 4 2.26 <10 0.17 128 <1 <0.01 3 670 60 <5 <20 <1 0.17 <10 27 <10 <1 51
283	HLL04-7+25N	5 <0.2 2.05	10 30 <5 0.05 <1 3 3 3 2.35 <10 0.14 93 <1 0.01 3 590 62 <5 <20 <1 0.22 <10 32 <10 <1 39
284	HLL04-7+50N	5 <0.2 1.09	5 55 <5 0.08 <1 3 3 3 1.86 <10 0.21 187 <1 <0.01 2 290 38 <5 <20 <1 0.16 <10 28 <10 <1 52
285	HLL04-7+75N	<5 <0.2 2.07	10 160 <5 0.41 <1 4 4 4 2.13 <10 0.23 947 <1 0.01 4 1960 66 <5 <20 27 0.20 <10 26 <10 <1 97
286	HLL04-8+50N	<5 <0.2 1.93	10 60 5 0.10 <1 5 4 4 2.20 <10 0.31 209 <1 0.01 4 430 60 <5 <20 <1 0.21 <10 26 <10 <1 74
287	HLL04-8+75N	5 0.3 1.56	15 95 <5 0.60 <1 4 8 9 2.43 10 0.39 351 3 0.01 7 570 62 <5 <20 49 0.12 <10 28 <10 10 67
288	HLL04-9+00N	5 <0.2 1.65	5 115 <5 0.17 <1 3 3 3 2.11 <10 0.23 279 <1 0.01 4 530 52 <5 <20 <1 0.19 <10 28 <10 <1 73
289	HLL04-9+25N	5 <0.2 1.45	5 130 <5 0.18 <1 4 3 3 2.28 <10 0.24 393 <1 0.01 3 340 50 <5 <20 <1 0.17 <10 29 <10 <1 82
290	HLL04-9+50N	5 <0.2 2.17	10 65 <5 0.13 <1 4 2 3 2.11 <10 0.24 196 <1 0.01 3 550 68 <5 <20 <1 0.18 <10 23 <10 <1 68
291	HLL04-9+75N	5 <0.2 1.58	5 70 <5 0.17 <1 3 2 2 2.15 <10 0.23 198 <1 <0.01 3 510 54 <5 <20 <1 0.14 <10 25 <10 <1 77
292	HLL04-10+00N	<5 <0.2 1.44	<5 100 <5 0.19 <1 3 3 2 2.16 <10 0.27 424 <1 0.01 2 470 46 <5 <20 <1 0.17 <10 25 <10 <1 78
293	HLL04-10+25N	5 <0.2 1.70	5 140 <5 0.21 <1 4 3 3 2.62 <10 0.29 573 <1 0.01 3 600 58 <5 <20 2 0.19 <10 29 <10 <1 76
294	HLL04-10+50N	<5 0.2 2.14	10 120 <5 0.22 <1 4 3 3 2.37 <10 0.24 326 <1 0.02 3 810 64 <5 <20 3 0.22 <10 26 <10 <1 69
295	HLL04-10+75N	<5 <0.2 1.85	5 90 <5 0.13 <1 5 4 3 2.39 <10 0.23 570 <1 0.01 3 600 60 <5 <20 <1 0.22 <10 30 <10 <1 71
296	HLL04-11+00N	<5 <0.2 1.85	5 75 <5 0.10 <1 3 2 2 2.54 <10 0.32 255 <1 <0.01 2 430 56 <5 <20 <1 0.15 <10 26 <10 <1 64
297	HLL04-00+25S	5 <0.2 1.00	15 40 10 0.17 <1 2 <1 3 1.72 <10 0.23 339 <1 <0.01 <1 600 38 <5 <20 <1 0.08 <10 14 <10 <1 62
298	HLL04-00+50S	5 <0.2 1.01	10 45 <5 0.25 <1 2 <1 4 1.76 <10 0.25 350 <1 <0.01 <1 660 36 <5 <20 <1 0.10 <10 14 <10 <1 66
299	HLL04-00+75S	5 <0.2 0.71	5 60 <5 0.16 <1 2 3 6 1.47 <10 0.17 455 <1 <0.01 3 370 28 <5 <20 <1 0.10 <10 18 <10 <1 61
300	HLL04-1+00S	5 <0.2 0.79	<5 10 <5 0.06 <1 2 5 4 1.57 <10 0.20 106 <1 <0.01 2 150 24 <5 <20 <1 0.14 <10 24 <10 <1 37
301	HLL04-1+25S	5 <0.2 0.67	<5 5 <5 0.05 <1 1 2 3 1.15 <10 0.13 73 <1 <0.01 2 150 22 <5 <20 <1 0.11 <10 18 <10 <1 26
302	HLL04-1+50S	5 <0.2 0.85	5 25 <5 0.06 <1 3 5 4 1.86 <10 0.17 93 <1 <0.01 3 280 30 <5 <20 <1 0.17 <10 28 <10 <1 41
303	HLL04-1+75S	<5 <0.2 0.80	5 <5 5 0.05 <1 2 3 4 1.61 <10 0.15 88 <1 <0.01 3 130 24 <5 <20 <1 0.13 <10 26 <10 <1 35
304	HLL04-2+00S	5 <0.2 1.11	5 20 <5 0.09 <1 3 6 5 2.31 <10 0.25 132 <1 <0.01 4 310 32 <5 <20 <1 0.17 <10 31 <10 <1 59
305	HLL04-2+25S	<5 <0.2 0.89	5 10 <5 0.05 <1 2 3 5 1.51 <10 0.13 84 <1 <0.01 2 180 28 <5 <20 <1 0.11 <10 19 <10 <1 34
306	HLL04-2+50S	<5 <0.2 0.68	<5 20 <5 0.06 <1 3 5 5 1.74 <10 0.18 91 <1 <0.01 4 160 20 <5 <20 <1 0.18 <10 29 <10 <1 35
307	HLL04-2+75S	5 <0.2 1.10	5 15 <5 0.05 <1 4 5 5 2.37 <10 0.22 107 <1 <0.01 3 190 34 <5 <20 <1 0.21 <10 34 <10 <1 39
308	HLL04-3+00S	<5 <0.2 1.62	10 35 5 0.08 <1 6 14 10 2.95 <10 0.47 169 <1 0.01 9 410 46 <5 <20 <1 0.18 <10 35 <10 <1 64
309	HLL04-3+25S	<5 <0.2 1.08	5 25 5 0.07 <1 3 5 5 2.04 <10 0.24 147 <1 0.01 3 240 34 <5 <20 <1 0.17 <10 27 <10 <1 58
310	HLL04-3+50S	5 <0.2 0.89	<5 55 <5 0.08 <1 4 10 9 2.37 <10 0.31 451 2 0.01 6 270 28 <5 <20 <1 0.16 <10 32 <10 <1 45

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

BOOTLEG EXPLORATION INC.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
311	HLL04-3+75S	5 <0.2 1.02	<5	20	<5	0.07	<1	3	10	6	2.23	<10	0.33	137	<1 <0.01	5	300	30	<5	<20	<1 0.13	<10	27	<10	<1	40				
312	HLL04-4+00S	5 <0.2 0.77	<5	15	<5	0.08	<1	3	7	7	1.76	<10	0.22	101	<1 <0.01	5	250	22	<5	<20	<1 0.11	<10	24	<10	<1	37				
313	HLL04-4+25S	5 0.2 1.45	15	50	<5	0.53	<1	7	11	12	2.55	10	0.38	823	4 0.01	7	770	48	<5	<20	33 0.10	<10	28	<10	9	64				
314	HLL04-4+50S	<5 <0.2 0.67	<5	<5	<5	0.08	<1	2	6	8	2.08	<10	0.15	82	8 <0.01	5	430	20	<5	<20	<1 0.10	<10	24	<10	<1	33				
315	HLL04-4+75S	<5 0.2 1.27	5	45	5	0.34	<1	6	11	10	2.52	<10	0.38	364	3 0.01	7	300	38	<5	<20	7 0.16	<10	31	<10	<1	68				
316	HLL04-5+00S	<5 <0.2 0.85	<5	45	5	0.10	<1	3	9	7	2.12	<10	0.26	126	<1 0.01	4	290	16	<5	<20	<1 0.17	<10	31	<10	<1	46				
317	HLL04-5+25S	<5 <0.2 0.75	<5	65	10	0.23	<1	4	7	7	2.04	<10	0.22	167	2 0.01	3	260	12	<5	<20	4 0.15	<10	29	<10	<1	56				
318	HLL04-5+75S	5 <0.2 0.90	10	30	<5	0.20	<1	4	8	8	2.55	<10	0.27	146	4 0.01	5	240	14	<5	<20	3 0.18	<10	32	<10	<1	44				
319	HLL04-6+00S	<5 0.3 0.68	35	15	10	0.08	<1	3	5	13	2.13	<10	0.10	76	6 <0.01	4	380	20	<5	<20	<1 0.12	<10	26	<10	<1	36				
320	HLL04-6+25S	<5 0.2 2.29	10	35	15	0.12	<1	6	8	9	2.73	<10	0.20	170	<1 0.02	6	940	16	<5	<20	<1 0.21	<10	32	<10	<1	140				
321	HLL04-6+50S	<5 <0.2 0.78	<5	35	15	0.06	<1	4	7	9	2.22	<10	0.19	166	3 <0.01	6	190	18	<5	<20	<1 0.20	<10	38	<10	<1	52				

322	HLL04-6+75S	<5 <0.2 0.66	<5 20 5 0.08	<1 2 4 8 1.50 <10 0.14 85 5 <0.01	5 200 15 <5 <20 <1 0.11 <10 22 <10 <1 31
323	HLL04-7+00S	<5 0.2 1.05	5 30 10 0.06	<1 3 5 13 1.91 <10 0.16 114 7 <0.01	5 310 22 <5 <20 <1 0.13 <10 25 <10 <1 45
324	HLL04-7+25S	<5 0.4 0.94	10 20 5 0.05	<1 2 4 13 1.83 <10 0.15 220 13 <0.01	4 830 22 <5 <20 <1 0.06 <10 20 <10 <1 42
325	HLL04-7+50S	<5 0.2 0.33	<5 10 <5 0.12	<1 <1 2 21 0.99 <10 0.02 30 15 0.01	2 650 16 <5 <20 <1 0.04 <10 10 <10 <1 25
326	HLL04-7+75S	<5 0.3 0.14	<5 <5 0.64	<1 <1 <1 9 0.22 <10 0.04 24 24 0.02	1 630 18 <5 <20 31 0.02 <10 3 <10 <1 27
327	HLL04-8+00S	<5 0.2 0.73	5 20 5 0.09	<1 2 4 12 1.51 <10 0.13 97 12 <0.01	3 450 20 <5 <20 <1 0.08 <10 19 <10 <1 34
328	HLL05-00+00N	<5 <0.2 1.73	10 35 5 0.08	<1 3 3 4 1.88 10 0.25 178 <1 <0.01	3 410 16 <5 <20 <1 0.12 <10 19 <10 <1 60
329	HLL05-00+25N	<5 <0.2 1.35	<5 55 10 0.08	<1 3 3 2 1.81 <10 0.24 172 <1 <0.01	2 300 16 <5 <20 <1 0.13 <10 22 <10 <1 46
330	HLL05-00+50N	<5 <0.2 1.72	5 55 5 0.08	<1 4 4 4 2.15 <10 0.30 189 <1 0.01	3 310 18 <5 <20 <1 0.16 <10 26 <10 <1 48
331	HLL05-00+75N	<5 <0.2 1.86	10 60 5 0.09	<1 4 4 4 2.23 <10 0.32 190 <1 <0.01	4 740 18 <5 <20 <1 0.16 <10 26 <10 <1 61
332	HLL05-1+00N	<5 <0.2 1.59	5 40 <5 0.09	<1 3 4 3 2.13 <10 0.28 184 <1 0.01	3 430 18 <5 <20 <1 0.17 <10 28 <10 <1 54
333	HLL05-1+25N	<5 0.2 1.85	10 40 5 0.06	<1 3 4 4 2.17 <10 0.23 137 <1 0.01	3 280 18 <5 <20 <1 0.17 <10 31 <10 <1 40
334	HLL05-1+50N	<5 <0.2 1.70	10 45 10 0.10	<1 6 12 6 2.63 10 0.53 249 <1 0.02	8 330 18 <5 <20 <1 0.20 <10 40 <10 <1 49
335	HLL05-1+75N	<5 0.3 1.67	10 45 5 0.11	<1 6 12 5 2.86 <10 0.55 181 <1 0.02	10 230 16 <5 <20 <1 0.18 <10 43 <10 <1 59
336	HLL05-2+00N	5 0.2 1.24	10 40 5 0.09	<1 4 9 5 2.55 <10 0.34 127 <1 0.01	5 340 18 <5 <20 <1 0.16 <10 40 <10 <1 36
337	HLL05-2+25N	25 <0.2 1.49	15 30 10 0.18	<1 9 23 8 3.11 20 0.91 455 <1 0.03	14 460 34 <5 <20 <1 0.16 <10 54 <10 7 50
338	HLL05-2+50N	<5 <0.2 1.61	10 35 5 0.09	<1 5 9 6 2.44 <10 0.41 177 <1 0.01	7 280 16 <5 <20 <1 0.17 <10 34 <10 <1 55
339	HLL05-2+75N	<5 <0.2 1.68	5 40 5 0.09	<1 4 2 3 2.14 10 0.35 217 <1 <0.01	2 280 12 <5 <20 <1 0.09 <10 18 <10 <1 56
340	HLL05-3+00N	<5 <0.2 1.85	5 40 5 0.08	<1 4 5 3 2.29 10 0.34 186 <1 0.01	3 360 12 <5 <20 <1 0.15 <10 24 <10 <1 52
341	HLL05-3+25N	5 <0.2 1.76	5 40 <5 0.07	<1 4 4 3 2.13 <10 0.30 170 <1 0.01	3 290 14 <5 <20 <1 0.14 <10 25 <10 <1 52
342	HLL05-3+50N	<5 <0.2 1.33	5 40 <5 0.10	<1 3 3 3 1.77 <10 0.29 178 <1 <0.01	3 420 10 <5 <20 <1 0.12 <10 18 <10 <1 44
343	HLL05-3+75N	<5 <0.2 1.34	<5 40 5 0.09	<1 3 4 3 1.90 10 0.27 157 <1 0.01	3 420 10 <5 <20 <1 0.14 <10 23 <10 <1 46
344	HLL05-4+00N	<5 <0.2 1.49	10 45 5 0.14	<1 6 9 7 2.49 <10 0.48 209 <1 0.01	8 410 10 <5 <20 <1 0.18 <10 35 <10 <1 46
345	HLL05-4+25N	<5 <0.2 1.64	10 50 5 0.12	<1 6 12 6 2.78 <10 0.47 169 <1 0.01	8 280 12 <5 <20 <1 0.24 <10 48 <10 <1 46
346	HLL05-4+50N	5 <0.2 1.73	10 35 10 0.10	<1 6 13 9 2.89 <10 0.56 197 <1 0.01	9 250 14 <5 <20 <1 0.21 <10 44 <10 <1 48
347	HLL05-4+75N	<5 <0.2 1.87	10 45 10 0.10	<1 7 15 7 3.04 10 0.63 223 <1 0.01	10 260 12 <5 <20 <1 0.22 <10 48 <10 <1 54
348	HLL05-5+00N	<5 <0.2 2.63	20 85 10 0.16	<1 9 15 12 3.59 <10 0.67 221 <1 0.01	13 730 14 <5 <20 2 0.23 <10 51 <10 <1 58
349	HLL05-5+25N	<5 <0.2 1.55	5 85 10 0.13	<1 4 5 4 1.94 <10 0.20 302 <1 0.02	4 500 14 <5 <20 <1 0.20 <10 34 <10 <1 51
350	HLL05-5+50N	<5 <0.2 1.92	5 30 <5 0.08	<1 5 7 4 2.23 <10 0.30 167 <1 0.01	5 330 18 <5 <20 <1 0.16 <10 31 <10 <1 51

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

BOOTLEG EXPLORATION INC.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
351	HLL05-5+75N	<5 <0.2 1.42	<5	30	<5	0.07	<1	3	4	3	1.78	<10	0.26	184	<1	<0.01	2	310	8	<5	<20	<1	0.11	<10	20	<10	<1	44		
352	HLL05-6+00N	<5 <0.2 1.61	10	50	5	0.07	<1	4	3	4	2.07	<10	0.32	247	<1	<0.01	3	330	14	<5	<20	<1	0.13	<10	22	<10	<1	49		
353	HLL05-6+25N	<5 <0.2 1.09	<5	40	<5	0.09	<1	2	3	3	1.84	<10	0.23	156	<1	<0.01	3	310	12	<5	<20	<1	0.13	<10	26	<10	<1	39		
354	HLL05-6+50N	<5 <0.2 1.86	5	75	10	0.10	<1	4	3	3	2.17	<10	0.33	283	<1	<0.01	2	450	12	<5	<20	<1	0.15	<10	23	<10	<1	52		
355	HLL05-6+75N	<5 <0.2 1.76	5	45	<5	0.07	<1	3	3	2	1.82	<10	0.22	148	<1	0.01	3	400	8	<5	<20	<1	0.12	<10	22	<10	<1	39		
356	HLL05-7+00N	<5 <0.2 1.74	5	45	<5	0.05	<1	4	3	3	2.14	<10	0.27	187	<1	<0.01	2	340	12	<5	<20	<1	0.13	<10	26	<10	<1	49		
357	HLL05-7+25N	<5 <0.2 1.55	5	45	10	0.09	<1	4	3	3	2.09	<10	0.25	175	<1	<0.01	3	260	10	<5	<20	<1	0.16	<10	29	<10	<1	50		
358	HLL05-7+50N	<5 <0.2 1.84	5	60	5	0.07	<1	4	4	4	2.25	<10	0.26	295	<1	<0.01	4	330	14	<5	<20	<1	0.16	<10	29	<10	<1	65		
359	HLL05-7+75N	<5 <0.2 1.48	5	55	<5	0.08	<1	3	3	3	1.99	<10	0.27	210	<1	<0.01	2	370	14	<5	<20	<1	0.12	<10	22	<10	<1	55		
360	HLL05-8+00N	<5 <0.2 1.27	<5	40	<5	0.06	<1	3	2	2	1.83	<10	0.21	155	<1	<0.01	2	200	12	<5	<20	<1	0.13	<10	26	<10	<1	35		
361	HLL05-8+25N	<5 <0.2 1.97	5	45	10	0.07	<1	4	3	3	2.10	Page 9	0.25	204	<1	<0.01	3	410	12	<5	<20	<1	0.16	<10	27	<10	<1	51		
362	HLL05-8+50N	<5 <0.2 2.10	5	55	5	0.06	<1	4	4	3	2.35	<10	0.25	157	<1	<0.01	3	320	12	<5	<20	<1	0.18	<10	30	<10	<1	47		
363	HLL05-8+75N	5 <0.2 1.53	<5	50	5	0.08	<1	3	3	3	1.88	<10	0.20	213	<1	<0.01	3	360	14	<5	<20	<1	0.15	<10	26	<10	<1	50		

364	HLL05-9+00N	<5 <0.2 1.47	10 35 <5 0.09 <1 3 2 2 2.18 <10 0.24 184 <1 <0.01 1 650 14 <5 <20 <1 0.09 <10 19 <10 <1 51
365	HLL05-9+25N	<5 <0.2 1.86	5 55 <5 0.12 <1 3 2 2 2.25 <10 0.35 254 <1 <0.01 2 440 14 <5 <20 <1 0.14 <10 22 <10 <1 54
366	HLL05-9+50N	<5 <0.2 2.02	10 60 <5 0.09 <1 4 3 3 2.07 <10 0.23 231 <1 0.01 3 660 16 <5 <20 <1 0.17 <10 25 <10 <1 48
367	HLL05-9+75N	<5 <0.2 1.33	5 75 <5 0.10 <1 3 2 2 1.93 <10 0.25 321 <1 <0.01 1 440 14 <5 <20 <1 0.15 <10 23 <10 <1 45
368	HLL05-10+00N	<5 <0.2 1.88	5 60 5 0.09 <1 3 2 2 2.16 <10 0.26 190 <1 <0.01 3 530 14 <5 <20 <1 0.12 <10 23 <10 <1 50
369	HHL05-00+25S	<5 <0.2 1.73	10 45 10 0.05 <1 2 3 3 2.02 <10 0.14 125 <1 <0.01 2 1000 12 <5 <20 <1 0.11 <10 25 <10 <1 52
370	HHL05-00+50S	<5 0.2 1.12	15 45 10 0.09 <1 3 1 4 1.89 <10 0.24 270 <1 <0.01 1 470 22 <5 <20 <1 0.09 <10 17 <10 <1 55
371	HHL05-00+75S	<5 <0.2 1.35	10 50 10 0.15 <1 3 1 4 2.04 10 0.30 330 <1 0.01 2 760 18 <5 <20 <1 0.12 <10 17 <10 4 65
372	HHL05-1+00S	<5 <0.2 2.32	10 65 15 0.12 <1 4 3 3 2.33 <10 0.20 145 <1 0.01 3 870 12 <5 <20 <1 0.18 <10 28 <10 <1 70
373	HHL05-1+25S	<5 <0.2 1.49	5 35 5 0.05 <1 3 3 4 2.06 <10 0.24 178 <1 <0.01 2 320 12 <5 <20 <1 0.11 <10 24 <10 <1 59
374	HHL05-1+50S	<5 <0.2 1.59	5 30 <5 0.05 <1 2 3 3 2.06 <10 0.20 139 <1 <0.01 3 320 14 <5 <20 <1 0.11 <10 24 <10 <1 47
375	HHL05-1+75S	<5 <0.2 1.58	5 40 10 0.06 <1 3 2 4 1.95 <10 0.24 168 <1 <0.01 2 350 10 <5 <20 <1 0.10 <10 18 <10 <1 65
376	HHL05-2+00S	<5 <0.2 1.60	5 25 10 0.04 <1 2 2 5 2.01 <10 0.24 183 <1 <0.01 <1 280 14 <5 <20 <1 0.09 <10 18 <10 <1 60
377	HHL05-2+25S	5 <0.2 1.66	10 30 10 0.06 <1 2 3 5 2.18 <10 0.22 160 <1 <0.01 2 350 16 <5 <20 <1 0.09 <10 21 <10 <1 70
378	HHL05-2+50S	<5 <0.2 1.12	5 20 5 0.04 <1 2 2 3 1.69 <10 0.19 142 <1 <0.01 1 210 12 <5 <20 <1 0.08 <10 19 <10 <1 43
379	HHL05-2+75S	<5 <0.2 1.85	10 35 10 0.06 <1 4 4 6 2.15 <10 0.30 201 <1 <0.01 3 370 12 <5 <20 <1 0.13 <10 20 <10 <1 72
380	HHL05-3+00S	<5 <0.2 1.90	10 30 10 0.06 <1 3 3 5 2.19 <10 0.24 170 <1 <0.01 2 400 14 <5 <20 <1 0.12 <10 24 <10 <1 63
381	HHL05-3+25S	<5 <0.2 1.28	5 25 10 0.04 <1 2 2 4 1.95 <10 0.19 134 <1 <0.01 2 290 12 <5 <20 <1 0.09 <10 24 <10 <1 46
382	HHL05-3+50S	<5 <0.2 1.43	5 40 5 0.05 <1 3 3 4 2.54 <10 0.21 190 <1 <0.01 1 410 14 <5 <20 <1 0.15 <10 28 <10 <1 63
383	HHL05-3+75S	<5 <0.2 2.60	10 60 10 0.06 <1 4 4 6 2.29 <10 0.24 190 <1 0.01 3 460 14 <5 <20 <1 0.19 <10 29 <10 <1 74
384	HHL05-4+00S	<5 <0.2 1.53	5 45 10 0.06 <1 3 3 5 2.44 <10 0.25 192 <1 <0.01 3 340 20 <5 <20 <1 0.11 <10 27 <10 <1 79
385	HHL05-4+25S	<5 <0.2 1.32	5 50 10 0.07 <1 3 3 5 2.12 <10 0.22 182 <1 <0.01 2 290 20 <5 <20 <1 0.09 <10 25 <10 <1 67
386	HHL05-4+50S	<5 <0.2 1.23	5 25 10 0.04 <1 2 3 5 1.94 <10 0.20 128 <1 <0.01 2 150 14 <5 <20 <1 0.11 <10 26 <10 <1 46
387	HHL05-4+75S	<5 <0.2 1.11	5 35 <5 0.05 <1 2 2 4 1.79 <10 0.18 170 <1 <0.01 1 230 14 <5 <20 <1 0.12 <10 24 <10 <1 42
388	HHL05-5+00S	<5 <0.2 1.34	10 40 35 0.06 <1 2 2 10 1.72 <10 0.20 170 2 <0.01 2 330 42 <5 <20 <1 0.07 <10 19 20 <1 67
389	HHL05-5+25S	<5 <0.2 1.69	10 45 20 0.07 <1 3 4 6 2.80 <10 0.25 230 1 <0.01 3 380 15 <5 <20 <1 0.16 <10 35 <10 <1 84
390	HHL05-5+75S	<5 0.2 1.43	15 70 10 0.32 <1 4 4 8 2.14 <10 0.17 751 2 0.01 4 780 26 <5 <20 11 0.13 <10 25 <10 <1 84

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

BOOTLEG EXPLORATION INC.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
391	HHL05-6+00S	<5 <0.2 2.54	100	50	20	0.21	1	6	7	12	2.97	30	0.41	250	<1	0.01	6	440	28	<5	<20	15	0.15	<10	29	10	6	239		
392	HHL05-6+25S	<5 <0.2 1.64	20	25	10	0.13	<1	3	3	7	2.58	<10	0.26	167	<1	<0.01	3	680	15	<5	<20	<1	0.16	<10	24	<10	<1	69		
393	HHL05-6+50S	<5 0.4 1.74	55	30	15	0.56	2	5	7	14	2.43	30	0.38	449	1	0.01	4	940	24	<5	<20	36	0.10	<10	21	<10	14	160		
394	HHL05-6+75S	<5 0.2 2.26	10	40	15	0.12	<1	5	6	10	2.65	<10	0.25	154	1	0.01	5	420	16	<5	<20	<1	0.23	<10	33	<10	<1	77		
395	HHL05-7+00S	<5 <0.2 1.27	5	45	10	0.07	<1	4	6	9	2.56	<10	0.30	164	2	<0.01	4	280	14	<5	<20	<1	0.16	<10	26	<10	<1	64		
396	HHL05-7+25S	<5 <0.2 1.26	10	30	10	0.20	<1	4	8	10	2.78	<10	0.37	180	6	<0.01	5	250	16	<5	<20	4	0.17	<10	30	<10	<1	59		
397	HHL05-7+50S	<5 0.2 2.11	10	50	10	0.08	<1	6	8	12	3.50	<10	0.27	143	1	<0.01	5	490	16	<5	<20	<1	0.23	<10	37	<10	1	57		
398	HHL05-7+75S	<5 0.2 1.36	15	25	15	0.08	<1	5	8	11	2.92	<10	0.38	177	5	<0.01	6	230	14	<5	<20	<1	0.18	<10	29	<10	<1	57		
399	HHL05-8+00S	<5 <0.2 1.11	10	45	10	0.08	<1	4	6	7	2.46	<10	0.26	139	<1	<0.01	4	250	14	<5	<20	<1	0.19	<10	33	<10	<1	54		
400	HHL05-8+25S	<5 0.2 1.16	80	40	10	0.13	1	5	6	9	3.01	<10	0.20	120	6	<0.01	5	360	18	<5	<20	1	0.24	<10	36	<10	<1	57		
401	HHL05-8+50S	<5 0.5 2.09	10	35	15	0.11	<1	4	6	10	2.98	<10	0.19	126	1	0.01	4	480	16	<5	<20	<1	0.23	<10	37	<10	<1	44		
402	HHL05-8+75S	<5 0.2 2.42	15	65	10	0.05	<1	6	12	17	3.39	<10	0.42	179	3	<0.01	10	320	14	<5	<20	<1	0.20	<10	34	<10	<1	83		
403	HHL05-9+00S	<5 0.5 2.30	10	65	10	0.05	<1	7	15	20	3.73	<10	0.50	192	<1	<0.01	11	400	16	<5	<20	<1	0.23	<10	41	<10	<1	73		
404	HHL05-9+25S	<5 0.5 2.22	10	75	20	0.06	<1	8	18	22	4.27	<10	0.58	256	2	0.01	14	490	20	<5	<20	<1	0.25	<10	49	<10	<1	86		
405	HHL05-9+50S	<5 <0.2 1.77	5	50	15	0.06	<1	6	12	21	3.56	<10	0.53	262	2	<0.01	11	300	16	<5	<20	<1	0.20	<10	36	<10	<1	87		

406	HHL05-9+75S	<5	0.3	2.15	10	60	15	0.05	<1	6	9	13	3.09	<10	0.37	197	<1	<0.01	8	320	14	<5	<20	<1	0.23	<10	37	<10	<1	111
407	HHL05-10+00S	<5	0.8	2.27	10	55	20	0.06	<1	5	6	13	3.00	<10	0.22	187	2	0.01	7	380	18	<5	<20	<1	0.22	<10	35	<10	<1	73
408	HLL06-00+00N	<5	0.2	2.85	10	50	10	0.05	<1	4	5	5	2.69	<10	0.23	146	<1	<0.01	3	540	14	<5	<20	<1	0.17	<10	32	<10	<1	73
409	HLL06-00+25N	<5	<0.2	1.64	10	50	10	0.08	<1	4	2	6	2.10	<10	0.30	215	<1	<0.01	1	540	14	<5	<20	<1	0.12	<10	18	<10	<1	68
410	HLL06-00+50N	<5	0.2	2.96	10	65	15	0.06	<1	4	4	7	2.75	<10	0.22	144	<1	<0.01	4	570	16	<5	<20	<1	0.19	<10	35	<10	<1	67
411	HLL06-00+75N	<5	<0.2	1.80	5	40	<5	0.06	<1	3	3	5	1.90	<10	0.24	177	<1	<0.01	3	320	12	<5	<20	<1	0.13	<10	23	<10	<1	59
412	HLL06-1+00N	<5	<0.2	1.59	5	45	<5	0.06	<1	3	2	4	2.63	<10	0.33	218	<1	<0.01	2	360	10	<5	<20	<1	0.14	<10	26	<10	<1	75
413	HLL06-1+25N	<5	<0.2	2.29	10	65	5	0.05	<1	4	4	5	2.44	<10	0.16	231	<1	<0.01	3	700	16	<5	<20	<1	0.22	<10	33	<10	<1	49
414	HLL06-1+50N	<5	0.2	1.67	10	50	5	0.08	<1	5	6	5	2.04	<10	0.33	397	<1	<0.01	5	500	14	<5	<20	<1	0.15	<10	25	<10	2	42
415	HLL06-1+75N	<5	<0.2	1.77	15	55	10	0.10	<1	5	5	6	2.34	<10	0.36	269	<1	<0.01	4	560	16	<5	<20	<1	0.15	<10	24	<10	<1	60
416	HLL06-2+00N	<5	<0.2	1.86	10	60	5	0.06	<1	5	6	4	2.35	<10	0.28	223	<1	<0.01	6	330	14	<5	<20	<1	0.18	<10	33	<10	<1	74
417	HLL06-2+25N	5	<0.2	1.96	15	40	10	0.08	<1	7	17	8	3.17	<10	0.65	177	<1	0.01	12	270	22	<5	<20	<1	0.16	<10	44	<10	<1	42
418	HLL06-2+50N	<5	<0.2	1.52	20	80	5	0.15	<1	9	14	13	3.11	10	0.67	520	<1	0.01	10	680	24	<5	<20	<1	0.16	<10	39	<10	9	72
419	HLL06-2+75N	<5	0.6	3.44	15	40	10	0.05	<1	6	7	9	2.53	<10	0.25	133	<1	0.01	6	950	12	<5	<20	<1	0.24	<10	37	<10	<1	41
420	HLL06-3+00N	<5	<0.2	2.36	10	65	10	0.07	<1	5	5	6	2.49	<10	0.32	331	<1	<0.01	4	490	16	<5	<20	<1	0.19	<10	32	<10	<1	69
421	HLL06-3+25N	<5	0.3	2.37	10	75	10	0.09	<1	5	6	8	3.03	10	0.38	230	<1	<0.01	6	370	18	<5	<20	16	0.14	<10	33	<10	<1	82
422	HLL06-3+50N	<5	0.2	1.89	10	50	10	0.07	<1	4	5	6	2.40	<10	0.36	214	<1	<0.01	4	360	16	<5	<20	<1	0.12	<10	26	<10	<1	69
423	HLL06-3+75N	5	<0.2	2.10	10	45	<5	0.05	<1	4	5	5	2.52	<10	0.29	266	<1	<0.01	5	360	20	<5	<20	<1	0.11	<10	30	<10	<1	72
424	HLL06-4+00N	<5	<0.2	1.85	5	55	<5	0.06	<1	3	4	5	2.60	<10	0.30	209	<1	<0.01	3	340	14	<5	<20	<1	0.10	<10	28	<10	<1	75
425	HLL06-4+25N	<5	<0.2	1.72	10	40	<5	0.07	<1	3	3	5	2.01	<10	0.28	233	<1	<0.01	2	400	14	<5	<20	<1	0.06	<10	19	<10	<1	64
426	HLL06-4+50N	<5	<0.2	1.84	5	55	5	0.07	<1	3	4	4	2.24	<10	0.25	252	<1	<0.01	4	290	14	<5	<20	<1	0.13	<10	30	<10	<1	79
427	HLL06-4+75N	<5	<0.2	1.62	5	40	<5	0.05	<1	2	3	4	1.92	<10	0.14	110	<1	0.01	3	310	10	<5	<20	<1	0.10	<10	27	<10	<1	40
428	HLL06-5+00N	5	<0.2	1.61	10	25	5	0.06	<1	4	4	3	2.34	<10	0.38	192	<1	<0.01	4	270	10	<5	<20	<1	0.14	<10	29	<10	<1	49
429	HLL06-5+25N	5	<0.2	1.70	10	65	10	0.11	<1	4	3	4	2.40	10	0.35	452	<1	<0.01	3	600	20	<5	<20	<1	0.11	<10	23	<10	1	65
430	HLL06-5+50N	<5	<0.2	1.96	10	65	<5	0.07	<1	4	4	4	2.36	<10	0.35	256	<1	<0.01	3	360	14	<5	<20	<1	0.16	<10	26	<10	<1	70

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

BOOTLEG EXPLORATION INC.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
431	HLL06-5+75N	<5	<0.2	2.03	5	60	<5	0.06	<1	4	4	4	2.23	<10	0.20	163	<1	0.01	3	380	12	<5	<20	<1	0.20	<10	33	<10	<1	52
432	HLL06-6+00N	<5	<0.2	1.18	<5	35	<5	0.05	<1	3	3	2	1.82	<10	0.22	170	<1	<0.01	2	170	10	<5	<20	<1	0.13	<10	25	<10	<1	43
433	HLL06-6+25N	<5	<0.2	1.58	5	70	5	0.07	<1	3	4	3	2.43	<10	0.30	338	<1	<0.01	3	250	18	<5	<20	<1	0.11	<10	30	<10	<1	72
434	HLL06-6+50N	<5	<0.2	1.88	5	55	5	0.06	<1	4	5	4	2.45	<10	0.25	203	<1	<0.01	4	280	14	<5	<20	<1	0.20	<10	36	<10	<1	59
435	HLL06-6+75N	<5	<0.2	1.02	5	40	<5	0.06	<1	3	3	3	1.63	<10	0.19	175	<1	<0.01	2	250	24	<5	<20	<1	0.15	<10	25	<10	<1	33
436	HLL06-7+00N	<5	<0.2	1.75	10	65	5	0.05	<1	4	4	4	2.19	<10	0.31	287	<1	<0.01	3	250	16	<5	<20	<1	0.14	<10	25	<10	<1	63
437	HLL06-7+25N	<5	<0.2	2.34	10	90	5	0.06	<1	5	4	5	2.26	<10	0.24	186	<1	0.01	4	310	12	<5	<20	<1	0.20	<10	31	<10	<1	57
438	HLL06-7+50N	5	<0.2	1.99	5	55	<5	0.05	<1	5	3	3	2.41	<10	0.29	229	<1	<0.01	3	310	14	<5	<20	<1	0.13	<10	26	<10	<1	62
439	HLL06-7+75N	<5	<0.2	2.53	10	80	10	0.06	<1	5	4	5	2.34	<10	0.28	209	<1	0.01	5	350	14	<5	<20	<1	0.20	<10	30	<10	<1	59
440	HLL06-8+00N	<5	<0.2	2.26	10	65	<5	0.06	<1	5	4	3	2.49	<10	0.29	204	<1	<0.01	3	350	14	<5	<20	<1	0.16	<10	29	<10	<1	56
441	HLL06-8+25N	<5	<0.2	3.11	15	40	<5	0.06	<1	4	3	6	2.12	<10	0.20	179	<1	0.01	4	500	12	<5	<20	<1	0.19	<10	29	<10	<1	39
442	HLL06-8+50N	<5	<0.2	3.74	15	45	5	0.06	<1	5	6	5	2.69	<10	0.17	162	<1	0.01	4	550	12	<5	<20	<1	0.20	<10	37	<10	<1	40
443	HLL06-8+75N	<5	<0.2	1.41	<5	45	<5	0.06	<1	3	2	2	1.70	<10	0.23	185	<1	<0.01	1	310	10	<5	<20	<1	0.10	<10	18	<10	<1	40
444	HLL06-9+00N	<5	0.3	3.23	10	55	<5	0.06	<1	6	4	5	2.39	<10	0.18	178	<1	0.01	4	760	12	<5	<20	<1	0.26	<10	33	<10	<1	40
445	HLL06-9+25N	<5	<0.2	2.13	5	50	10	0.07	<1	4	4	4	2.12	<10	0.13	102	<1	0.												

447	HLL06-9+75N	<5 <0.2 1.69	5 50 <5 0.05 <1 3 3 2 1.93 <10 0.24 180 <1 <0.01 2 260 10 <5 <20 <1 0.18 <10 27 <10 <1 44
448	HLL06-10+00N	<5 <0.2 1.99	5 55 10 0.06 <1 5 4 4 2.56 <10 0.30 261 <1 <0.01 4 370 12 <5 <20 <1 0.20 <10 33 <10 <1 58
449	HLL06-00+25S	<5 <0.2 1.32	5 55 10 0.12 <1 3 1 5 2.01 10 0.31 271 <1 <0.01 2 490 16 <5 <20 16 0.12 <10 16 <10 2 83
450	HLL06-00+50S	<5 0.2 2.22	10 45 <5 0.05 <1 4 4 5 2.29 <10 0.19 125 <1 0.01 3 560 12 <5 <20 <1 0.19 <10 30 <10 <1 70
451	HLL06-00+75S	<5 <0.2 2.12	10 60 10 0.07 <1 4 4 6 2.41 <10 0.27 190 <1 <0.01 4 390 14 <5 <20 6 0.10 <10 23 <10 <1 90
452	HLL06-1+00S	<5 <0.2 1.82	10 50 10 0.06 <1 3 3 5 2.32 <10 0.30 373 <1 <0.01 3 380 24 <5 <20 <1 0.10 <10 23 <10 <1 83
453	HLL06-1+25S	<5 <0.2 1.47	10 45 10 0.05 <1 3 3 4 2.04 <10 0.27 210 <1 <0.01 3 250 18 <5 <20 <1 0.12 <10 22 <10 <1 71
454	HLL06-1+50S	<5 <0.2 1.78	10 35 10 0.06 <1 3 3 5 2.16 <10 0.28 213 <1 <0.01 3 320 12 <5 <20 <1 0.12 <10 23 <10 <1 75
455	HLL06-1+75S	<5 <0.2 1.43	5 50 10 0.06 <1 3 3 4 2.02 <10 0.26 210 <1 <0.01 2 230 12 <5 <20 <1 0.11 <10 24 <10 <1 76
456	HLL06-2+00S	<5 <0.2 1.27	5 55 15 0.04 <1 3 4 5 2.14 <10 0.22 149 <1 <0.01 2 150 14 <5 <20 6 0.11 <10 27 <10 <1 50
457	HLL06-2+25S	<5 <0.2 2.10	10 50 10 0.09 <1 4 3 8 2.03 <10 0.30 209 <1 <0.01 3 450 14 <5 <20 <1 0.14 <10 20 10 3 76
458	HLL06-2+50S	<5 <0.2 1.57	5 45 15 0.06 <1 4 2 6 1.87 <10 0.28 209 <1 <0.01 2 340 12 <5 <20 <1 0.12 <10 18 <10 <1 64
459	HLL06-2+75S	<5 <0.2 2.05	10 50 15 0.07 <1 4 4 6 2.13 <10 0.29 205 <1 <0.01 3 500 13 <5 <20 <1 0.13 <10 21 <10 1 66
460	HLL06-3+00S	<5 <0.2 1.51	10 55 10 0.04 <1 4 4 5 2.01 <10 0.16 119 <1 <0.01 3 300 14 <5 <20 3 0.17 <10 31 <10 <1 35
461	HLL06-3+25S	<5 <0.2 1.66	10 55 10 0.06 <1 4 3 7 2.05 <10 0.33 228 <1 <0.01 2 370 15 <5 <20 2 0.15 <10 20 10 1 77
462	HLL06-3+50S	<5 <0.2 1.99	5 65 15 0.07 <1 5 3 8 2.02 <10 0.33 215 <1 <0.01 2 430 14 <5 <20 3 0.16 <10 19 <10 1 71
463	HLL06-3+75S	<5 <0.2 1.79	5 70 10 0.07 <1 4 2 7 1.94 <10 0.33 247 <1 <0.01 <1 290 13 <5 <20 3 0.16 <10 17 <10 2 79
464	HLL06-4+00S	<5 <0.2 2.14	10 50 15 0.05 <1 4 4 6 2.23 <10 0.24 162 <1 <0.01 2 310 14 <5 <20 1 0.17 <10 27 <10 <1 56
465	HLL06-4+25S	<5 <0.2 1.29	5 45 20 0.05 <1 3 3 5 1.92 <10 0.27 236 <1 <0.01 3 190 15 <5 <20 <1 0.15 <10 22 <10 <1 57
466	HLL06-4+50S	<5 <0.2 2.19	10 50 15 0.05 <1 5 4 7 2.33 <10 0.33 245 <1 <0.01 3 370 16 <5 <20 2 0.15 <10 24 <10 <1 82
467	HLL06-4+75S	<5 <0.2 1.52	10 60 20 0.07 <1 4 4 6 2.29 <10 0.25 213 <1 <0.01 3 290 13 <5 <20 4 0.14 <10 28 <10 <1 66
468	HLL06-5+00S	<5 <0.2 1.96	10 55 20 0.07 <1 5 3 10 2.14 <10 0.33 242 <1 <0.01 4 330 16 <5 <20 1 0.15 <10 22 <10 2 91
469	HLL06-5+25S	<5 <0.2 1.77	5 45 20 0.08 <1 4 4 6 2.55 <10 0.26 162 <1 <0.01 2 470 13 <5 <20 <1 0.18 <10 32 <10 <1 59
470	HLL06-5+50S	<5 <0.2 1.73	5 60 15 0.08 <1 4 4 5 2.23 <10 0.27 217 <1 <0.01 2 300 14 <5 <20 3 0.18 <10 28 <10 <1 56

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

BOOTLEG EXPLORATION INC.

Et #.	Tag #	Au(ppb)	Ag Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
471	HLL06-5+75S	<5 <0.2 1.29	5 50 15 0.06 <1 4 3 6 1.98 <10 0.27 177 <1 <0.01 2 180 13 <5 <20 3 0.17 <10 25 <10 <1 53																										
472	HLL06-6+00S	<5 <0.2 1.57	5 65 15 0.05 <1 4 4 5 2.07 <10 0.27 187 <1 <0.01 3 220 14 <5 <20 4 0.16 <10 28 <10 <1 56																										
473	HLL06-6+25S	<5 <0.2 2.08	5 70 10 0.07 <1 5 4 9 2.15 <10 0.30 211 <1 <0.01 4 360 14 <5 <20 <1 0.17 <10 25 <10 2 78																										
474	HLL06-6+50S	<5 <0.2 2.57	10 65 20 0.06 <1 4 5 7 2.36 <10 0.23 159 <1 <0.01 3 410 14 <5 <20 5 0.17 <10 29 <10 <1 65																										
475	HLL06-6+75S	<5 <0.2 1.32	5 60 15 0.10 <1 3 3 6 1.85 <10 0.25 226 <1 <0.01 2 320 14 <5 <20 2 0.12 <10 21 <10 <1 64																										
476	HLL06-7+00S	<5 <0.2 1.83	10 60 20 0.08 <1 5 3 13 2.03 <10 0.33 237 <1 <0.01 4 360 31 <5 <20 <1 0.13 <10 19 10 1 109																										
477	HLL06-7+25S	<5 <0.2 2.20	10 65 15 0.07 <1 4 5 10 2.45 <10 0.29 189 <1 <0.01 3 360 22 <5 <20 2 0.14 <10 28 10 2 73																										
478	HLL06-7+50S	<5 <0.2 2.03	10 55 20 0.09 <1 5 4 12 2.35 <10 0.38 268 <1 <0.01 5 410 18 <5 <20 2 0.15 <10 24 <10 <1 90																										
479	HLL06-7+75S	<5 <0.2 1.41	5 65 20 0.07 <1 5 4 10 2.28 <10 0.31 305 <1 <0.01 4 290 17 <5 <20 3 0.15 <10 26 <10 <1 84																										
480	HLL06-8+00S	<5 <0.2 1.54	5 45 15 0.05 <1 4 4 7 2.35 <10 0.28 169 <1 <0.01 3 190 14 <5 <20 2 0.17 <10 30 <10 <1 67																										
481	HLL06-8+25S	<5 <0.2 2.03	10 60 25 0.06 <1 6 5 12 2.55 <10 0.33 211 <1 <0.01 6 290 16 <5 <20 2 0.19 <10 29 <10 <1 94																										
482	HLL06-8+50S	<5 <0.2 2.15	10 55 15 0.05 <1 7 7 14 3.20 <10 0.31 186 <1 <0.01 7 260 18 <5 <20 3 0.22 <10 37 10 <1 94																										
483	HLL06-8+75S	<5 <0.2 2.09	10 80 15 0.06 <1 8 6 24 2.64 <10 0.38 239 <1 <0.01 10 340 16 <5 <20 2 0.17 <10 25 10 2 144																										
484	HLL06-9+00S	<5 <0.2 2.45	10 80 20 0.06 <1 8 10 28 3.28 10 0.45 238 <1 <0.01 9 310 20 <5 <20 2 0.19 <10 30 20 <1 125																										
485	HLL06-9+25S	<5 <0.2 2.95	10 55 20 0.05 <1 6 7 15 2.59 <10 0.24 144 <1 0.01 5 300 15 <5 <20 <1 0.24 <10 37 <10 <1 73																										
486	HLL06-9+50S	<5 <0.2 1.44	5 70 25 0.08 <1 6 7 12 2.69 Page 10 12 0.34 516 <1 <0.01 5 350 21 <5 <20 3 0.19 <10 31 10 2 84																										
487	HLL06-9+75S	<5 <0.2 2.04	5 70 20 0.07 <1 7 7 14 2.72 <10 0.35 233 <1 <0.01 5 330 17 <5 <20 3 0.22 <10 34 <10 2 81																										
488	HLL06-10+00S	<5 <0.2 1.91	5 75 15 0.06 <1 6 6 13 2.47 <10 0.30 524 <1 0.01 5 450 20 <5 <20 2 0.19 <10 30 10 2 92																										

489	JCHLS001	<5	<0.2	1.90	20	60	10	0.34	1	29	9	34	2.35	20	0.34	669	8	0.01	38	730	20	<5	<20	15	0.11	<10	23	<10	15	94
490	JCHLS002	<5	<0.2	1.54	30	50	10	0.31	<1	25	15	27	3.00	<10	0.78	326	3	0.03	18	410	11	<5	<20	14	0.12	<10	24	<10	7	51

QC DATA:

Repeat:

1	HLL01-00+00S	5	0.2	1.60	15	75	10	0.23	<1	7	11	23	3.16	10	0.44	168	3	0.01	14	300	12	<5	<20	9	0.14	<10	28	<10	2	44
10	HLL01-2+50S	5	<0.2	0.71	<5	40	<5	0.04	<1	3	8	6	1.66	<10	0.14	56	<1	<0.01	3	120	12	<5	<20	<1	0.17	<10	40	<10	<1	18
13	HLL01-3+25S	<5	<0.2	0.76	15	45	5	0.03	<1	4	6	10	2.71	<10	0.13	50	<1	<0.01	3	130	19	<5	<20	<1	0.21	<10	38	<10	<1	14
19	HLL01-4+75S	<5	<0.2	0.76	15	45	5	0.03	<1	4	6	10	2.71	<10	0.13	50	<1	<0.01	3	130	19	<5	<20	<1	0.21	<10	38	<10	<1	14
25	HLL01-6+25S	<5	<0.2	0.76	15	45	5	0.03	<1	4	6	10	2.71	<10	0.13	50	<1	<0.01	3	130	19	<5	<20	<1	0.21	<10	38	<10	<1	14
28	HLL01-7+00S	0.4	2.62	20	70	5	0.04	<1	16	12	60	4.30	<10	0.26	128	5	<0.01	8	300	15	<5	<20	<1	0.16	<10	42	<10	<1	32	
30	HLL01-7+50S	5	<0.2	1.36	5	50	5	0.28	<1	10	13	16	2.58	<10	0.83	206	<1	0.03	16	390	9	<5	<20	12	0.12	<10	22	<10	4	29
36	HLL01-9+00S	<5	<0.2	1.36	5	50	5	0.28	<1	10	13	16	2.58	<10	0.83	206	<1	0.03	16	390	9	<5	<20	12	0.12	<10	22	<10	4	29
45	HLL01-00+25N	<5	<0.2	1.68	10	60	<5	0.06	<1	5	9	14	2.78	<10	0.26	95	3	<0.01	9	250	10	<5	<20	<1	0.14	<10	31	<10	<1	41
54	HLL01-2+50N	<5	0.3	2.57	20	95	10	0.05	<1	10	14	25	3.49	10	0.46	144	1	0.01	13	260	8	<5	<20	<1	0.18	<10	36	<10	2	48
63	HLL01-4+75N	<5	<0.2	0.79	<5	25	10	0.06	<1	3	5	10	1.74	<10	0.21	83	3	<0.01	4	120	8	<5	<20	<1	0.11	<10	27	<10	<1	35
71	HLL01-6+75N	5	<0.2	0.47	<5	15	5	0.04	<1	2	3	4	1.25	<10	0.10	58	<1	<0.01	2	100	8	<5	<20	<1	0.10	<10	23	<10	<1	36
80	HLL01-9+00N	<5	<0.2	1.67	15	80	5	0.09	<1	6	11	14	3.40	10	0.53	210	1	<0.01	10	210	11	<5	<20	<1	0.16	<10	30	<10	<1	52
89	HLL02-00+00S	5	<0.2	1.81	25	35	5	0.06	<1	7	12	21	3.71	<10	0.44	151	4	<0.01	15	280	15	<5	<20	<1	0.19	<10	34	<10	<1	50
98	HLL02-2+25S	5	<0.2	2.33	15	85	10	0.06	<1	7	13	14	4.01	<10	0.41	162	1	0.01	10	450	15	<5	<20	<1	0.21	<10	44	<10	<1	75
106	HLL02-4+25S	5	<0.2	1.46	20	30	<5	0.12	<1	7	9	15	2.61	10	0.40	326	2	<0.01	9	240	10	<5	<20	<1	0.12	<10	20	<10	4	46
115	HLL02-6+50S	5	<0.2	2.02	15	20	<5	0.07	<1	3	8	13	2.47	<10	0.20	84	<1	<0.01	5	640	9	<5	<20	<1	0.11	<10	23	<10	<1	38
124	HLL02-8+75S	<5	0.6	1.29	20	40	<5	0.05	<1	11	9	13	2.83	<10	0.27	512	2	<0.01	8	420	14	<5	<20	<1	0.12	<10	29	<10	<1	43
133	HLL02-1+00N	5	<0.2	1.52	20	10	<5	0.02	<1	2	6	5	1.82	<10	0.09	59	<1	<0.01	1	350	13	<5	<20	<1	0.12	<10	31	<10	<1	26
141	HLL02-3+00N	<0.2	2.30	15	35	<5	0.05	<1	4	7	6	2.82	<10	0.17	235	<1	0.01	5	990	11	<5	<20	<1	0.17	<10	31	<10	<1	48	

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

BOOTLEG EXPLORATION INC.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	-------	---------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:

Repeat:

142	HLL02-3+25N	5	<0.2	1.29	10	30	<5	0.06	<1	3	5	6	2.12	<10	0.21	118	1	<0.01	4	300	11	<5	<20	<1	0.11	<10	24	<10	<1	34	
150	HLL02-5+25N	5	<0.2	1.78	10	20	<5	0.08	<1	1	3	5	1.29	<10	0.05	39	<1	0.01	2	380	18	<5	<20	<1	0.10	<10	20	<10	<1	21	
159	HLL02-7+50N	<5	<0.2	1.78	15	30	<5	0.08	<1	4	9	7	3.04	<10	0.27	102	1	<0.01	5	250	54	<5	<20	<1	0.12	<10	30	<10	<1	36	
168	HLL02-9+75N	5	<0.2	0.66	<5	40	<5	0.04	<1	2	2	4	1.18	<10	0.05	314	2	0.01	3	150	11	<5	<20	<1	0.22	<10	31	<10	<1	20	
176	HLL03-1+50S	<5	<0.2	1.25	5	20	<5	0.06	<1	2	3	4	2.35	<10	0.18	113	<1	<0.01	1	200	32	<5	<20	<1	0.15	<10	28	<10	<1	30	
177	HLL03-1+75S	5	<0.2	2.14	15	30	<5	0.03	<1	4	9	7	3.04	<10	0.27	102	1	<0.01	5	250	54	<5	<20	<1	0.12	<10	30	<10	<1	36	
185	HLL03-3+75S	<5	<0.2	1.36	10	40	<5	0.08	<1	3	12	9	3.63	<10	0.31	152	3	<0.01	5	260	34	<5	<20	<1	0.11	<10	42	<10	<1	30	
194	HLL03-6+00S	<5	<0.2	3.02	10	20	<5	0.04	<1	<1	<1	5	3.38	<10	0.06	69	<1	0.01	2	580	86	<5	<20	<1	0.19	<10	45	<10	<1	25	
203	HLL03-8+25S	<5	<0.2	0.52	<5	20	<5	0.09	<1	<1	<1	1	0.48	<10	0.04	50	<1	<0.01	<1	180	18	<5	<20	<1	0.05	<10	9	<10	<1	12	
204	HLL03-8+50S	<5	<0.2	1.69	10	35	<5	0.05	<1	4	7	8	2.98	<10	0.20	170	<1	<0.01	6	410	48	<5	<20	<1	0.17	<10	45	<10	<1	51	
211	HLL03-00+50N	<5	<0.2	0.96	<5	10	<5	0.04	<1	<1	<1	2	5	0.94	<10	0.06	78	<1	0.01	1	340	28	<5	<20	<1	0.06	<10	19	<10	<1	31
212	HLL03-00+75N	<5	<0.2	2.38	10	20	<5	0.03	<1	2	4	7	1.95	<10	0.05	78	<1	0.01	2	940	66	<5	<20	<1	0.16	<10	33	<10	<1	26	
220	HLL03-3+00N	<5	<0.2	1.37	15	40	<5	0.26	<1	3	5	7	2.02	<10	0.28	602	2	<0.01	3	630	42	<5	<20	<8	0.09	<10	21	<10	2	69	
229	HLL03-5+25N	<5	<0.2	1.57	15	35	<5	0.11	<1	5	15	6	2.99	<10	0.52	191	<1	0.01	10	520	52	<5	<20	<1	0.18	<10	41	<10	<1	64	
238	HLL03-7+50N	<5	<0.2	1.25	15	30	<5	0.08	<1	<1	<1	1	0.48	<10	0.04	50	<1	<0.01	<1	180	18	<5	<20	<1	0.05	<10	9	<10	<1	12	
240	HLL03-8+25N	<5	<0.2	2.38	10	20	<5	0.03	<1	2	4	7	1.95	<10	0.05	78	<1	0.01	2	940	66	<5	<20	<1	0.16	<10	33	<10	<1	26	
246	HLL03-10+00N	5	<0.2	0.30	10	20	<5	0.04	<1	<1	<1	2	5	0.94	<10	0.06	78	<1	0.01	2	940	66	<5	<20							

273	HLL04-4+75N	<5 <0.2 1.43	20 35 <5 0.08 <1 7 21 9 4.13 <10 0.74 148 2 0.01 15 260 42 <5 <20 <1 0.19 <10 79 <10 <1 41																		
281	HLL04-6+75N	<5 <0.2 1.44	5 55 <5 0.19 <1 4 4 4 2.34 <10 0.29 188 <1 0.01 4 200 44 <5 <20 <1 0.19 <10 26 <10 <1 47																		
290	HLL04-9+50N	<5 <0.2 2.15	10 65 <5 0.12 <1 4 2 3 2.10 <10 0.23 185 <1 0.01 4 550 68 <5 <20 <1 0.17 <10 23 <10 <1 66																		
299	HLL04-00+75S	5 <0.2 0.72	<5 60 <5 0.16 <1 2 3 6 1.49 <10 0.17 452 <1 <0.01 3 360 26 <5 <20 <1 0.10 <10 18 <10 <1 59																		
308	HLL04-3+00S	<5 <0.2 1.50	10 25 5 0.07 <1 5 13 10 2.75 <10 0.44 161 <1 <0.01 8 400 42 <5 <20 <1 0.16 <10 32 <10 <1 61																		
316	HLL04-5+00S	<5 <0.2 0.90	<5 45 10 0.10 <1 4 9 7 2.23 <10 0.28 128 <1 0.01 5 320 17 <5 <20 2 0.18 <10 33 <10 <1 48																		
325	HLL04-7+50S	<5 0.2 0.35	<5 <5 0.13 <1 <1 2 20 1.00 <10 0.02 31 16 <0.01 1 700 17 <5 <20 <1 0.05 <10 11 <10 <1 26																		
334	HLL05-1+50N	<5 <0.2 1.60	10 50 <5 0.09 <1 5 11 6 2.52 10 0.51 237 <1 0.01 8 320 17 <5 <20 <1 0.19 <10 38 <10 <1 48																		
343	HLL05-3+75N	<5 <0.2 1.29	5 30 5 0.08 <1 3 4 3 1.82 <10 0.25 149 <1 <0.01 4 400 10 <5 <20 <1 0.13 <10 21 <10 <1 43																		
351	HLL05-5+75N	<5 <0.2 1.34	5 35 <5 0.07 <1 3 3 2 1.70 <10 0.24 173 <1 <0.01 2 290 9 <5 <20 <1 0.10 <10 18 <10 <1 42																		
360	HLL05-8+00N	<5 <0.2 1.25	<5 40 5 0.05 <1 3 2 2 1.84 <10 0.20 149 <1 <0.01 2 200 13 <5 <20 <1 0.12 <10 25 <10 <1 35																		
369	HHL05-00+25S	<5 <0.2 1.71	5 40 10 0.05 <1 2 2 3 2.01 <10 0.14 124 <1 <0.01 <1 1010 13 <5 <20 <1 0.10 <10 24 <10 <1 51																		
378	HHL05-2+50S	<5 <0.2 1.14	5 20 10 0.04 <1 2 2 3 1.75 <10 0.20 141 <1 <0.01 <1 200 12 <5 <20 <1 0.08 <10 20 <10 <1 44																		
386	HHL05-4+50S	<5 <0.2 1.21	<5 25 15 0.04 <1 2 2 4 1.89 <10 0.20 123 <1 <0.01 2 150 14 <5 <20 <1 0.11 <10 25 <10 <1 45																		
395	HHL05-7+00S	<5 <0.2 1.22	5 25 10 0.06 <1 3 5 9 2.52 <10 0.29 154 2 <0.01 3 260 15 <5 <20 <1 0.15 <10 25 <10 <1 64																		
404	HHL05-9+25S	<5 0.4 2.25	10 70 15 0.06 <1 8 18 22 4.27 10 0.59 257 1 <0.01 15 490 22 <5 <20 <1 0.25 <10 49 <10 <1 87																		
408	HLL06-00+00N	<5																			
413	HLL06-1+25N	<0.2 2.14	10 65 5 0.05 <1 4 4 5 2.33 <10 0.16 211 <1 0.01 3 650 15 <5 <20 <1 0.21 <10 32 <10 <1 48																		
421	HLL06-3+25N	<5 0.3 2.27	10 65 10 0.08 <1 5 6 8 2.94 <10 0.36 221 <1 <0.01 6 350 19 <5 <20 15 0.13 <10 32 <10 <1 79																		
430	HLL06-5+50N	<5 <0.2 1.82	5 60 5 0.06 <1 4 4 4 2.25 <10 0.33 244 <1 <0.01 3 320 14 <5 <20 <1 0.14 <10 24 <10 <1 68																		
439	HLL06-7+75N	<5 <0.2 2.42	10 75 5 0.06 <1 5 4 5 2.24 <10 0.27 202 <1 0.01 4 350 13 <5 <20 <1 0.19 <10 28 <10 <1 56																		
448	HLL06-10+00N	<5 <0.2 1.87	5 65 5 0.06 <1 4 4 4 2.47 <10 0.28 250 <1 <0.01 4 370 14 <5 <20 <1 0.19 <10 31 <10 <1 55																		
456	HLL06-2+00S	<5 1.22	5 40 15 0.04 <1 3 3 4 2.14 <10 0.21 147 <1 <0.01 2 150 14 <5 <20 3 0.11 <10 26 <10 <1 53																		
465	HLL06-4+25S	<5 1.31	5 50 15 0.05 <1 3 3 5 1.91 <10 0.27 235 <1 <0.01 2 190 15 <5 <20 2 0.14 <10 22 <10 <1 56																		
474	HLL06-6+50S	<5 2.73	10 60 20 0.06 <1 4 5 7 2.51 <10 0.24 168 <1 <0.01 4 450 14 <5 <20 2 0.17 <10 31 <10 <1 68																		
483	HLL06-8+75S	<5 2.09	10 90 25 0.07 <1 8 6 25 2.73 10 0.38 241 <1 <0.01 10 360 15 <5 <20 4 0.17 <10 26 10 3 145																		

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2005-1427

BOOTLEG EXPLORATION INC.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	-------	---------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

Standard:

GEO '05	1.5 1.62	55 130 <5 1.52 1 19 58 87 4.05 <10 0.85 624 <1 0.03 29 590 24 <5 <20 54 0.11 <10 74 <10 10 74																										
GEO '05	1.5 1.50	50 145 <5 1.42 1 19 59 82 3.84 <10 0.79 581 <1 0.03 28 570 24 <5 <20 50 0.10 <10 69 <10 9 73																										
GEO '05	1.5 1.52	60 140 <5 1.47 <1 16 59 85 4.05 <10 0.78 598 <1 0.02 29 640 20 <5 <20 58 0.10 <10 70 <10 10 73																										
GEO '05	1.4 1.34	55 130 <5 1.32 <1 20 58 87 3.66 <10 0.68 539 <1 0.02 29 540 24 <5 <20 50 0.10 <10 68 <10 10 75																										
GEO '05	1.5 1.57	60 150 <5 1.49 <1 16 58 87 4.01 <10 0.79 609 <1 0.03 28 610 22 <5 <20 51 0.11 <10 70 <10 9 71																										
GEO '05	1.5 1.50	60 135 <5 1.45 <1 18 59 84 3.96 <10 0.77 591 <1 0.02 28 590 22 <5 <20 49 0.12 <10 66 <10 10 74																										
GEO '05	1.5 1.45	55 125 <5 1.44 <1 18 59 82 3.89 <10 0.74 585 <1 0.02 29 580 24 <5 <20 51 0.12 <10 73 <10 8 71																										
GEO '05	1.5 1.38	55 130 <5 1.37 <1 18 59 88 3.79 <10 0.71 552 <1 0.02 28 570 20 <5 <20 53 0.12 <10 70 <10 11 75																										
GEO '05	1.5 1.43	55 130 <5 1.39 <1 19 60 86 3.85 <10 0.73 568 <1 0.02 28 600 24 <5 <20 56 0.11 <10 73 <10 11 75																										
GEO '05	1.6 1.66	55 150 <5 1.40 <1 19 57 81 4.08 <10 0.85 632 <1 0.03 29 660 20 <5 <20 51 0.11 <10 75 <10 12 72																										
GEO '05	1.5 1.49	55 140 <5 1.48 <1 18 62 88 3.96 <10 0.80 609 <1 0.02 28 630 22 <5 <20 53 0.10 <10 75 <10 9 73																										
GEO '05	1.5 1.50	55 140 5 1.49 <1 18 62 88 4.01 <10 0.81 615 <1 0.02 29 660 24 <5 <20 48 0.11 <10 66 <10 10 73																										
GEO '05	1.5 1.47	55 140 <5 1.49 1 18 62 88 3.96 <10 0.79 599 <1 0.02 29 610 22 <5 <20 52 0.11 <10 69 <10 9 73																										
SH13	1320																											
SH13	1320																											
SH13	1295																											
SH13	1320																											
SH13	1295																											
SH13	1295																											
SH13	1320																											
SH13	1320																											
SH13	1320																											

JJ/ga

df/1427/1427a/1427b/1427c

XLS/05

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2005-1428

BOOTLEG EXPLORATION INC.
#200, 16-11TH Ave S.
Cranbrook, BC
V1C 2P1

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 13
Sample type: Rock
Project #:n/a
Shipment #:HL05-001
Samples submitted by: not indicated

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	CDHLR001	<0.2	0.23	45	25	<5	<0.01	<1	<1	60	3	0.33	<10	<0.01	9	<1	0.04	<1	40	22	<5	<20	6	<0.01	<10	<1	<10	13	2
2	CDHLR002	<0.2	0.43	15	10	<5	0.07	<1	29	149	24	0.86	<10	0.29	112	<1	0.01	12	40	8	<5	<20	4	<0.01	<10	6	<10	11	11
3	CDHLR003	<0.2	0.04	<5	10	<5	<0.01	<1	<1	154	3	0.42	<10	<0.01	24	<1	0.01	3	30	<2	<5	<20	3	<0.01	<10	<1	<10	2	<1
4	CDHLR004	0.7	0.84	<5	90	35	0.29	<1	3	86	6	1.89	<10	0.27	236	28	0.06	2	610	26	<5	<20	34	0.08	<10	11	<10	10	54
5	CDHLR005	<0.2	0.81	<5	105	40	0.22	<1	3	101	5	2.03	10	0.26	220	15	0.07	2	520	22	<5	<20	34	0.09	<10	11	<10	11	60
6	CDHLR006	<0.2	1.55	<5	155	<5	0.02	<1	7	105	31	3.25	<10	0.68	389	<1	0.06	6	70	30	<5	<20	10	0.16	<10	58	<10	11	39
7	CDHLR007	<0.2	2.21	10	55	10	0.04	<1	9	66	8	3.16	10	1.85	190	<1	0.01	19	210	38	<5	<20	7	0.04	<10	29	<10	7	50
8	CDHLR008	1.5	0.31	<5	40	10	<0.01	<1	3	95	48	2.46	<10	<0.01	55	5	0.03	4	280	80	<5	<20	12	<0.01	<10	<1	<10	2	7
9	CDHLR009	<0.2	1.30	10	40	5	0.01	<1	16	136	4	2.06	10	1.11	118	3	0.02	17	140	24	<5	<20	5	0.02	<10	19	<10	4	25
10	CDHLR010	<0.2	2.12	5	50	5	0.05	<1	15	94	3	2.60	20	2.01	259	<1	0.02	30	220	36	<5	<20	5	0.03	<10	31	<10	14	47
11	CDHLR011	<0.2	0.30	<5	15	<5	0.01	<1	2	205	2	0.67	<10	0.25	59	<1	0.01	5	70	6	<5	<20	2	<0.01	<10	3	<10	<1	7
12	CDHLR012	<0.2	1.89	35	75	<5	0.02	<1	6	107	19	4.11	10	1.00	366	1	0.02	6	160	34	<5	<20	8	0.09	<10	53	<10	4	46
13	CDHLR013	<0.2	0.36	<5	30	<5	0.03	<1	3	157	5	0.90	<10	0.17	117	<1	0.04	6	70	8	<5	<20	4	0.04	<10	7	<10	7	15

QC DATA:**Resplit:**

1	CDHLR001	<0.2	0.23	55	20	<5	<0.01	<1	<1	68	4	0.36	<10	<0.01	10	1	0.04	2	40	22	<5	<20	4	<0.01	20	<1	<10	14	2
---	----------	------	------	----	----	----	-------	----	----	----	---	------	-----	-------	----	---	------	---	----	----	----	-----	---	-------	----	----	-----	----	---

Repeat:

1	CDHLR001	<0.2	0.25	50	15	<5	<0.01	<1	<1	67	4	0.34	<10	<0.01	10	1	0.05	2	40	22	<5	<20	4	<0.01	<10	<1	<10	14	2
---	----------	------	------	----	----	----	-------	----	----	----	---	------	-----	-------	----	---	------	---	----	----	----	-----	---	-------	-----	----	-----	----	---

Standard:

GEO '05		1.4	1.55	55	175	<5	1.37	<1	19	60	86	3.94	<10	0.81	597	<1	0.03	29	570	20	<5	<20	54	0.10	<10	69	<10	10	76
---------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	----	----

APPENDIX IV

SAMPLE DESCRIPTIONS

APPENDIX IV - SAMPLE DESCRIPTIONS:

CDHLR001 ROCK/FLOAT

rusty quartz boulder near drop off point; contains chlorite, pyrite, shards of sedimentary rock – shale?

CDHLR002 ROCK/FLOAT

rusty granodiorite boulder with quartz veins; granodiorite has finely disseminated pyrrhotite, magnetite?; quartz veins carry trace pyrite;

CDHLR003 ROCK/FLOAT

rusty granodiorite boulder with finely disseminated pyrrhotite, pyrite?;

CDHLR004 ROCK/IN SITU

10 cm wide quartz shear exposed in large outcrop or possibly subcrop boulder; quartz has rusty weathering

halo and contains shards/ fragments of chlorite / chloritized sediments;

CDHLR005 ROCK/IN SITU

granodiorite host rock; local rusty patches possibly after pyrite;

CDHLR006 ROCK/IN SITU

Micaceous veins within granite; limonite, minor py,

CDHLR007 ROCK/IN SITU

exposed in steep avalanche gully; near intrusive / sedimentary contact; series of en echelon 0.5 – 1.5 cm width quartz veins in Creston Formation mudstone; sediments appear to be an inlier or block within surrounding granodiorite; sediments are chloritic with rusty selvages along vein margins; veins carry trace pyrite; R007 is select sample of vein material;

CDHLR008 ROCK/IN SITU

as above; grab sample of chloritic host rock;

CDHLR009 ROCK/IN SITU

large exposure of well foliated / bedded Creston Formation sediments; rusty thin to medium bedded wacke 280/ 030N; locally cross cut by quartz veins and thin finger dykes of mafic intrusion and granodiorite; R009 is 1 meter chip sample along 15 cm wide rusty quartz vein; no visible sulphides; local fragments of intusion – Moyie sill?;

CDHLR0010 ROCK/IN SITU

similar to R009; select sample of 10 x 1 – 1.5 cm width en echelon quartz veins; quartz is milky white to clear, locally trace pyrite in some veins;

CDHLR011 ROCK/IN SITU

same location as R010/011; 5 – 15 cm wide boudinaged quartz vein / quartz shear with shards/fragments of chloritic sediments; no visible sulhides;

CDHLR012 ROCK/IN SITU

50 meters south of R011; similar host rock – rusty wacke / shale; sample is from rusty quartz vein / boudin with 1-2% coarse pyrite;

CDHLR013ROCK/FLOAT

rusty granodiorite boulder sticking out of snow;